U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
MARION B. FOLSOM, SECRETARY

PUBLIC HEALTH SERVICE
LEROY E. BURNEY, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1955

VOLUME II

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1957

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.25

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

CARL C. DAUER, M. D., *Medical Adviser*

IWAO M. MORIYAMA, *Mortality Analysis*

DEWARD E. WAGGONER, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis*

HAZEL V. AUNE, *National Consulting Service*

EDWIN S. PARKER, *Statistical Processing*

MYRTLE E. BURGDORF, *Administrative Officer*

LESTER GOLDNER, *Program Management Officer*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and two possessions for the year 1955. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and Summary Tables.
- Tables containing data for Alaska, Hawaii, the Commonwealth of Puerto Rico, and the Virgin Islands (U. S.).
- Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data for the United States and each State.

Volume II. Mortality Data for the United States and each State.

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
44.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1955	2
45.	Deaths by month: United States and each State, 1955 (By place of occurrence)	5
46.	Deaths by month, color, and sex: United States and each State, 1955	6
47.	Deaths by specified race and sex: United States and each State, 1955	12
48.	Deaths by color and sex for metropolitan and nonmetropolitan counties: United States and each State, 1955	13
49.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1955	15
50.	Deaths and death rates for each cause, by color and sex: United States, 1955	17
50.	Supplement A: Deaths from motor-vehicle accidents by color, sex, and type of motor vehicle involved: United States, 1955	33
50.	Supplement B: Deaths from nontransport accidents by color, sex, and place of accident: United States, 1955	35
51.	Deaths from 256 selected causes, by month: United States, 1955	39
52.	Deaths from 256 selected causes, by specified race and sex: United States, 1955	44
53.	Deaths from 256 selected causes, by age, race, and sex: United States, 1955	52
54.	Deaths from 256 selected causes, by color and sex: United States and each State, 1955	102
55A.	Deaths from 64 selected causes, by age, color, and sex: United States, 1955	170
55B.	Deaths from 64 selected causes, by age, color, and sex: Each State, 1955	180
56.	Deaths from 64 selected causes: United States and each State, 1955 (By place of occurrence)	376
57.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1955	380
58A.	Deaths from specified infective diseases: United States, specified States and counties, 1955	508
58B.	Deaths from specified infective diseases: Specified urban places in the United States, 1955	515

Symbols

Class or item not applicable (3 dots)	...
Data not available (3 dashes)	---
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 44. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955

(Includes only deaths occurring within the continental United States Excludes fetal deaths)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,528,717	1,057,380	471,337	423,192	48,145	762	341	825	1,534	409	784	217	774	1,278	862	395	3,283
Alabama	26,240	19,337	6,903	6.281	622	...	-	5	5	2	1	2	3	127	142	1	18
Arizona	7,914	4,879	3,035	2,380	655	-	...	12	182	20	2	1	-	4	4	4	42
Arkansas	14,977	10,457	4,520	3,936	584	4	1	...	13	2	2	-	-	6	5	-	22
California	114,463	72,131	42,332	40,850	1,482	11	146	23	...	41	9	-	4	17	10	22	106
Colorado	13,850	9,324	4,526	3,610	916	4	13	6	56	...	4	1	1	11	2	10	56
Connecticut	21,558	14,615	6,943	6,384	559	2	-	4	3	1	...	-	2	22	-	-	6
Delaware	3,859	2,305	1,554	1,208	346	2	-	-	1	-	-	...	3	3	-	-	-
District of Columbia	9,142	7,575	1,567	. ...	1,567	9	-	-	9	1	3	4	...	29	11	1	9
Florida	34,983	22,822	12,161	9,394	2,767	108	4	9	25	7	75	9	12	...	200	-	200
Georgia	31,064	21,942	9,122	8,115	1,007	191	1	1	13	1	4	2	2	211	...	1	18
Idaho	4,814	3.110	1,704	1,430	274	1	2	-	26	3	-	-	-	-	-	...	1
Illinois	94,227	66,791	27,436	25,454	1,982	17	6	20	49	7	8	1	3	49	7	1	...
Indiana	41,698	29,191	12,507	11,247	1,260	7	2	10	24	3	1	-	2	18	4	-	453
Iowa	26,914	18,090	8,824	7,718	1,106	-	5	2	48	10	2	-	4	8	3	3	379
Kansas	18,954	13,211	5,743	4,746	997	1	5	16	25	35	2	-	1	2	-	2	34
Kentucky	27,299	19,733	7,566	6,595	971	7	-	5	9	4	1	2	1	14	7	4	72
Louisiana	24,468	17,298	7,170	6,520	650	23	2	54	20	6	1	-	2	37	10	-	16
Maine	10,110	7,216	2,894	2,645	249	-	-	-	-	-	18	-	-	5	1	1	3
Maryland	24,289	17,162	7,127	5,557	1,570	8	-	2	16	2	5	72	498	48	6	2	9
Massachusetts	53,509	38,776	14,733	13,411	1,322	1	-	2	15	1	203	-	6	36	5	-	10
Michigan	62,985	41,231	21,754	20,722	1,032	11	2	11	29	3	7	-	3	47	13	-	144
Minnesota	29,140	19,352	9,788	8,423	1,365	1	4	8	34	10	-	1	-	12	4	4	85
Mississippi	19,257	14,378	4,879	4,331	548	136	1	30	12	1	-	-	-	20	8	-	32
Missouri	43,505	30,729	12,776	10,719	2,057	6	5	112	48	15	-	1	1	12	9	3	775
Montana	6,129	4,018	2,111	1,873	238	-	4	-	20	8	-	1	1	-	-	18	5
Nebraska	13,009	9,096	3,913	3,423	490	1	-	3	30	17	-	-	2	5	-	4	19
Nevada	2,166	1,351	815	444	371	-	8	1	189	10	-	1	-	3	3	11	5
New Hampshire	6,539	4,450	2,089	1,606	483	-	1	-	1	1	12	-	3	7	-	-	1
New Jersey	53,138	32,880	20,258	18,573	1,685	3	2	1	15	2	24	13	12	45	8	-	10
New Mexico	5,667	3,699	1,968	1,461	507	3	66	13	66	45	2	-	-	3	-	2	17
New York	165,643	122,267	43,376	40,480	2,896	14	5	4	43	5	261	7	22	131	37	-	42
North Carolina	32,300	21,879	10,421	9,569	852	11	-	1	2	2	3	1	11	67	50	1	13
North Dakota	5,190	3,244	1,946	1,641	305	-	1	-	5	1	-	-	-	-	-	1	2
Ohio	85,175	60,286	24,889	23,039	1,850	13	4	11	23	2	7	1	7	60	10	1	59
Oklahoma	19,224	13,561	5,663	5,210	453	-	4	49	36	10	4	-	1	4	1	1	9
Oregon	15,297	9,459	5,838	5,319	519	-	1	2	110	1	1	-	1	1	1	71	8
Pennsylvania	113,281	78,990	34,291	31,963	2,328	6	4	1	33	2	17	86	25	56	9	-	22
Rhode Island	8,625	5,547	3,078	2,719	359	-	-	-	4	-	68	-	2	3	2	-	2
South Carolina	18,011	12,236	5,775	5,312	463	6	1	-	2	-	1	-	5	33	91	-	7
South Dakota	5,856	3,776	2,080	1,728	352	-	-	-	13	12	-	-	-	-	1	3	6
Tennessee	30,123	21,315	8,808	6,929	1,879	123	-	322	11	1	-	-	3	36	159	-	43
Texas	65,837	48,471	17,166	15,702	1,464	16	20	77	98	26	7	1	5	30	19	3	39
Utah	5,382	3,714	1,668	1,383	285	-	12	1	46	19	-	-	-	2	-	64	5
Vermont	4,270	2,771	1,499	1,217	282	-	-	-	-	1	15	-	-	4	-	-	2
Virginia	29,801	20,443	9,358	8,195	1,163	8	-	-	6	3	11	3	94	27	13	1	20
Washington	24,564	17,150	7,414	6,728	686	2	4	3	66	8	1	-	-	2	2	147	18
West Virginia	16.920	10,905	6,015	4,959	1,056	3	-	-	-	2	1	5	29	6	2	1	6
Wisconsin	35,012	22,633	12,379	11,407	972	3	3	2	20	1	-	-	2	12	2	-	431
Wyoming	2,539	1,584	955	636	319	-	2	2	33	55	1	2	1	3	1	7	2

[1]Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10.000 as a group, or the rural area of the county, of which the decedent was a resident. This represents a change from preceding years in the treatment of cities of 2,500 to 10,000 population. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see text in Volume I, Vital Statistics of the United States, 1955.

Table 44. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,655	964	1,085	1,263	494	352	1,502	1,158	1,409	866	744	1,654	260	596	192	408	2,837	384	3,023
Alabama	7	2	1	17	16	-	-	3	13	1	68	7	-	1	-	-	5	1	15
Arizona	13	21	8	5	4	3	4	2	21	14	1	21	11	7	9	1	8	57	18
Arkansas	6	1	15	4	27	-	-	-	5	1	14	130	-	2	-	-	1	5	4
California	21	38	32	4	11	4	7	21	40	34	1	53	17	40	94	2	14	17	90
Colorado	12	32	99	3	2	-	4	10	9	11	-	41	8	84	2	1	8	62	33
Connecticut	1	1	1	3	-	24	7	88	3	1	-	3	-	-	-	7	34	-	282
Delaware	-	1	-	-	-	1	106	4	-	-	2	1	-	-	-	-	91	-	7
District of Columbia	7	3	2	5	3	1	772	11	8	4	2	2	-	2	-	-	15	2	29
Florida	111	21	9	40	11	26	32	130	214	32	13	33	5	1	1	20	175	1	479
Georgia	17	-	2	11	4	2	9	2	18	3	3	4	-	-	-	-	10	4	35
Idaho	-	7	3	1	-	-	1	1	4	3	-	4	20	2	7	-	1	2	2
Illinois	561	110	25	62	10	1	4	12	155	36	18	340	7	14	3	1	10	3	35
Indiana	...	1	4	174	4	1	2	-	145	4	2	26	1	2	-	-	4	1	18
Iowa	7	...	16	3	3	-	-	2	6	68	1	129	6	190	-	-	3	1	8
Kansas	9	31	...	1	-	-	1	1	6	5	2	503	-	35	1	-	1	2	6
Kentucky	296	2	4	...	6	-	3	4	35	-	6	12	-	2	-	-	2	-	18
Louisiana	4	3	4	7	...	2	4	4	4	3	167	8	-	-	-	1	7	2	14
Maine	1	-	-	-	4	...	3	90	2	-	-	1	-	-	-	43	11	-	30
Maryland	6	3	3	8	9	7	...	27	4	1	3	3	-	2	-	1	48	-	74
Massachusetts	3	5	2	1	4	146	11	...	10	2	1	5	3	2	-	220	43	-	204
Michigan	116	14	5	27	3	3	7	7	...	13	3	29	6	2	1	-	12	1	45
Minnesota	30	216	16	2	1	-	4	6	64	...	3	22	26	30	-	1	-	3	19
Mississippi	3	1	1	2	130	-	1	3	11	1	...	15	1	1	1	-	3	1	9
Missouri	45	74	576	17	10	1	6	2	35	7	16	...	4	19	1	-	5	2	9
Montana	1	3	5	1	1	-	-	1	4	11	-	3	...	3	1	2	-	1	2
Nebraska	1	199	65	-	-	-	-	-	5	9	1	14	1	...	1	1	1	2	-
Nevada	1	5	1	1	1	-	1	2	4	5	1	3	7	2	...	-	-	5	9
New Hampshire	1	-	-	-	1	78	2	178	1	1	-	2	-	-	-	...	7	-	32
New Jersey	3	1	-	7	2	5	33	27	9	5	1	3	1	2	2	5	...	-	681
New Mexico	3	4	18	2	8	-	5	2	4	5	1	19	1	5	4	-	6	...	6
New York	16	7	3	7	9	27	41	170	59	9	4	10	-	5	2	13	1,202	2	...
North Carolina	9	2	1	6	2	-	15	11	7	3	18	2	1	3	1	2	27	-	51
North Dakota	1	3	-	1	-	-	1	-	3	187	-	1	28	3	-	-	-	-	-
Ohio	221	8	16	364	2	4	8	8	285	9	3	16	2	3	1	-	11	2	73
Oklahoma	9	1	77	-	3	1	1	1	1	2	5	33	-	2	1	-	2	9	5
Oregon	4	2	3	-	5	1	1	-	1	6	1	6	14	8	3	-	-	-	1
Pennsylvania	19	4	1	17	6	1	165	21	27	4	3	9	-	3	-	2	946	1	389
Rhode Island	1	-	-	1	-	4	1	196	-	1	-	5	-	-	-	2	13	-	29
South Carolina	1	-	1	-	2	1	9	3	6	1	2	2	-	1	-	-	28	1	25
South Dakota	2	59	2	-	1	-	-	1	1	95	1	2	5	53	-	-	1	-	1
Tennessee	20	5	2	265	7	1	3	3	31	4	349	61	-	2	-	-	6	-	21
Texas	27	11	45	7	177	-	5	9	20	12	22	40	4	14	10	-	11	189	30
Utah	3	2	2	-	-	-	-	1	-	7	-	3	10	3	39	-	1	1	1
Vermont	-	-	-	-	-	4	2	69	1	-	-	-	-	-	-	78	8	-	83
Virginia	11	3	1	32	4	1	98	16	22	6	4	5	-	-	-	2	38	-	68
Washington	5	3	3	3	1	-	2	3	4	14	-	3	42	3	2	-	6	-	10
West Virginia	6	1	4	149	-	-	116	1	10	-	-	1	-	-	-	-	8	-	12
Wisconsin	14	48	3	3	-	2	4	2	86	216	2	14	5	6	-	2	2	1	10
Wyoming	-	6	4	-	-	-	1	3	6	9	-	5	24	37	5	1	2	3	1

Table 44. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	826	385	2,153	953	600	2,611	431	604	426	769	1,244	214	253	1,577	639	923	994	233	1,528,717
Alabama	7	1	15	6	1	10	-	8	-	72	24	-	-	5	2	4	4	-	26,380
Arizona	3	4	13	14	9	15	3	-	4	5	48	7	2	-	12	3	10	4	7,600
Arkansas	2	2	3	112	2	5	-	3	3	30	147	-	-	-	3	-	2	-	15,218
California	8	9	43	33	144	28	4	2	7	12	76	31	4	7	98	2	31	14	114,515
Colorado	5	4	20	36	11	16	2	1	18	5	66	32	-	4	26	3	12	70	13,343
Connecticut	1	-	4	-	-	19	21	3	-	2	-	-	7	2	2	2	1	-	21,783
Delaware	6	-	1	-	-	106	-	-	-	-	-	-	-	8	-	3	-	-	3,730
District of Columbia	24	-	9	-	-	34	-	11	1	6	6	1	2	498	3	21	7	-	8,349
Florida	47	3	239	4	3	214	25	33	8	34	26	-	5	42	5	28	47	1	33,494
Georgia	41	-	19	4	4	24	3	233	-	65	10	-	1	19	2	9	4	-	30,919
Idaho	-	2	1	2	47	-	-	1	1	1	6	27	-	-	86	-	2	7	4,935
Illinois	11	1	66	13	8	33	-	4	6	22	31	3	-	7	5	8	188	1	95,528
Indiana	-	-	262	7	2	14	1	-	1	20	10	-	-	2	2	6	20	-	42,093
Iowa	-	8	7	6	5	9	-	-	74	2	6	1	-	1	10	-	67	3	26,772
Kansas	1	-	12	187	4	9	-	-	5	2	31	1	1	4	7	-	3	3	19,042
Kentucky	1	1	196	2	3	14	1	4	1	150	3	1	-	28	4	41	5	-	27,591
Louisiana	7	2	4	3	-	6	1	6	1	11	197	-	-	2	2	2	1	-	24,312
Maine	3	-	2	2	1	12	6	-	1	1	3	1	2	-	-	-	2	-	10,213
Maryland	35	-	24	-	1	251	4	15	-	11	9	-	-	223	2	124	2	2	24,221
Massachusetts	8	1	12	-	-	21	279	1	-	4	3	1	34	13	-	-	4	-	53,345
Michigan	11	-	213	2	-	38	2	2	3	18	17	-	2	3	4	4	149	-	63,362
Minnesota	-	210	14	14	9	7	-	-	136	1	21	1	-	1	28	-	316	1	28,641
Mississippi	4	1	2	4	1	3	-	-	-	79	17	-	-	7	-	2	4	-	19,453
Missouri	2	4	18	84	5	16	9	1	4	18	45	-	-	4	5	5	15	6	43,102
Montana	1	44	5	5	5	1	-	-	8	-	10	3	-	-	30	2	5	23	6,151
Nebraska	-	4	1	6	3	2	1	-	53	-	4	1	1	-	5	-	4	24	13,115
Nevada	1	1	1	-	13	8	-	1	3	3	15	31	1	1	7	-	5	1	1,987
New Hampshire	1	-	6	-	1	3	6	-	-	-	-	-	137	-	-	-	-	-	6,464
New Jersey	11	-	12	2	-	683	7	8	-	3	2	-	2	17	2	10	3	1	54,290
New Mexico	5	1	12	38	4	5	-	-	-	2	113	6	1	1	2	1	3	3	5,544
New York	22	4	61	3	1	462	23	14	1	16	23	2	39	40	2	16	9	1	165,770
North Carolina	...	-	16	-	1	24	2	200	-	59	9	-	2	195	-	18	3	-	32,274
North Dakota	-	...	1	-	-	2	-	-	46	-	4	-	-	-	9	-	3	2	5,270
Ohio	10	2	...	7	4	246	1	2	2	13	15	2	-	12	4	287	9	-	85,478
Oklahoma	3	-	6	...	3	1	-	-	3	5	152	-	-	-	4	2	2	-	19,724
Oregon	-	5	6	6	...	2	-	-	2	-	8	4	1	-	228	-	3	1	15,378
Pennsylvania	16	3	267	4	2	...	8	6	1	7	8	-	3	33	1	84	5	1	113,564
Rhode Island	2	-	5	2	1	13	...	1	-	-	-	-	-	1	-	-	-	-	8,697
South Carolina	176	-	7	-	3	13	2	...	1	7	4	-	1	12	-	5	2	1	18,152
South Dakota	-	47	1	-	4	2	-	-	...	-	2	1	1	-	8	-	6	20	5,930
Tennessee	73	1	41	7	1	8	2	14	1	...	21	-	-	212	2	9	9	-	29,013
Texas	14	7	35	316	13	21	3	6	4	31	...	3	2	12	6	7	9	1	65,417
Utah	-	1	3	4	7	2	-	-	-	-	5	...	-	-	4	-	2	35	5,311
Vermont	-	-	2	-	-	3	10	-	-	-	-	-	...	-	-	-	-	-	4,241
Virginia	248	-	36	6	4	67	4	22	1	45	14	3	1	...	5	208	2	-	30,215
Washington	3	3	3	3	265	7	-	2	5	1	11	9	1	1	...	4	8	3	24,517
West Virginia	10	1	406	-	-	118	-	-	-	2	1	1	-	154	-	...	-	-	16,787
Wisconsin	3	7	13	3	3	7	1	-	7	3	12	-	-	5	6	2	...	4	35,034
Wyoming	-	1	8	6	2	7	-	-	14	1	9	41	-	1	6	1	6	...	2,453

Table 45. Deaths by Month: United States and Each State, 1955

(By place of occurrence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,528,717	137,487	125,920	130,508	125,188	125,756	119,598	130,730	122,858	115,330	125,697	128,683	140,962
Alabama	26,240	2,476	2,182	2,181	2,094	2,162	2,029	2,080	2,100	1,998	2,186	2,190	2,562
Arizona	7,914	821	670	693	646	639	580	635	618	598	626	642	746
Arkansas	14,977	1,335	1,223	1,273	1,201	1,173	1,213	1,294	1,207	1,112	1,286	1,299	1,361
California	114,463	10,573	9,353	9,657	9,305	9,578	8,971	9,115	9,123	9,866	9,204	9,417	10,301
Colorado	13,850	1,186	1,131	1,198	1,174	1,182	1,086	1,204	1,094	1,082	1,147	1,133	1,233
Connecticut	21,558	2,030	1,832	1,866	1,720	1,749	1,653	1,804	1,728	1,608	1,695	1,747	2,126
Delaware	3,859	346	352	306	304	313	315	368	298	282	317	318	340
District of Columbia	9,142	764	729	764	743	749	690	871	725	670	791	813	833
Florida	34,983	3,453	3,118	3,230	2,866	2,868	2,571	2,663	2,731	2,511	2,662	2,879	3,431
Georgia	31,064	2,956	2,633	2,608	2,448	2,480	2,393	2,420	2,518	2,340	2,558	2,639	3,071
Idaho	4,814	398	349	393	378	396	386	453	420	399	414	451	377
Illinois	94,227	8,276	7,625	7,878	7,599	7,706	7,424	8,529	7,833	6,985	7,736	7,934	8,702
Indiana	41,698	3,684	3,256	3,579	3,263	3,402	3,291	3,611	3,408	3,176	3,578	3,596	3,854
Iowa	26,914	2,291	2,093	2,296	2,228	2,171	2,092	2,763	2,410	1,892	2,101	2,227	2,350
Kansas	18,954	1,645	1,534	1,665	1,587	1,568	1,307	1,756	1,510	1,385	1,512	1,593	1,692
Kentucky	27,299	2,465	2,325	2,352	2,223	2,226	2,125	2,246	2,247	1,998	2,163	2,286	2,643
Louisiana	24,468	2,220	2,084	2,090	1,922	1,882	1,906	1,898	1,958	1,888	2,041	2,123	2,456
Maine	10,110	814	821	847	874	840	813	849	806	755	835	881	975
Maryland	24,289	2,118	2,028	2,086	1,966	1,868	1,821	2,222	1,941	1,844	2,052	2,054	2,289
Massachusetts	53,509	4,991	4,339	4,953	4,702	4,390	4,113	4,340	4,155	3,727	4,348	4,445	5,006
Michigan	62,985	5,569	4,915	5,348	5,176	5,249	5,132	5,595	5,317	4,773	5,206	5,188	5,517
Minnesota	29,140	2,598	2,307	2,465	2,325	2,315	2,374	2,557	2,396	2,300	2,406	2,466	2,591
Mississippi	19,257	1,843	1,750	1,546	1,524	1,463	1,506	1,475	1,443	1,373	1,684	1,746	1,904
Missouri	43,505	3,760	3,571	3,681	3,497	3,432	3,407	3,877	3,750	3,167	3,601	3,767	3,995
Montana	6,129	497	481	481	495	565	506	534	493	492	536	541	508
Nebraska	13,009	1,109	1,047	1,074	976	1,037	983	1,324	1,236	965	1,028	1,098	1,132
Nevada	2,166	182	168	197	193	177	169	176	189	174	162	217	162
New Hampshire	6,539	586	545	588	576	540	498	571	478	507	510	533	607
New Jersey	53,138	4,763	4,490	4,670	4,365	4,506	3,939	4,819	4,164	3,873	4,409	4,367	4,773
New Mexico	5,667	534	476	488	434	433	440	448	478	481	500	513	442
New York	165,643	14,900	13,505	14,204	13,925	13,560	12,879	14,442	12,857	12,371	13,662	13,993	15,345
North Carolina	32,300	3,069	2,775	2,673	2,537	2,590	2,482	2,643	2,479	2,484	2,684	2,697	3,187
North Dakota	5,190	402	411	429	442	430	402	434	442	419	468	458	453
Ohio	85,175	7,599	7,053	7,381	6,949	7,163	6,827	7,095	7,130	6,431	6,893	7,119	7,735
Oklahoma	19,224	1,710	1,556	1,642	1,557	1,510	1,549	1,758	1,443	1,423	1,590	1,627	1,859
Oregon	15,297	1,309	1,145	1,314	1,353	1,421	1,281	1,283	1,146	1,167	1,281	1,265	1,332
Pennsylvania	113,281	10,203	9,550	9,638	9,329	9,468	8,752	10,016	8,678	8,347	9,364	9,479	10,457
Rhode Island	8,625	793	707	764	726	745	675	718	668	646	689	698	796
South Carolina	18,011	1,721	1,582	1,512	1,477	1,399	1,431	1,468	1,383	1,387	1,471	1,487	1,693
South Dakota	5,856	498	433	462	464	481	494	513	539	445	491	523	513
Tennessee	30,123	2,788	2,614	2,516	2,435	2,475	2,412	2,571	2,385	2,150	2,421	2,558	2,798
Texas	65,637	5,913	5,461	5,333	5,294	5,404	5,176	5,410	5,306	4,959	5,334	5,714	6,333
Utah	5,382	492	402	446	425	455	450	475	469	422	469	450	427
Vermont	4,270	349	312	339	363	357	375	362	373	335	351	360	394
Virginia	29,801	2,662	2,579	2,415	2,430	2,458	2,332	2,460	2,302	2,297	2,534	2,529	2,803
Washington	24,564	2,097	1,872	2,224	2,196	2,184	2,026	1,959	1,908	1,832	2,051	2,135	2,080
West Virginia	16,920	1,472	1,540	1,474	1,417	1,435	1,311	1,341	1,345	1,192	1,427	1,437	1,529
Wisconsin	35,012	3,020	2,817	3,048	2,877	2,948	2,809	3,076	3,021	2,596	2,959	2,811	3,030
Wyoming	2,539	207	179	221	188	214	202	209	210	206	264	220	219

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,528,717	137,487	125,920	130,508	125,188	125,756	119,598	130,730	122,858	115,330	125,697	128,683	140,962
Male	872,638	78,020	71,501	73,748	71,456	72,092	68,280	73,883	70,337	66,490	72,819	73,612	80,400
Female	656,079	59,467	54,419	56,760	53,732	53,664	51,318	56,847	52,521	48,840	52,878	55,071	60,562
White	1,350,869	121,030	110,754	115,850	111,166	111,445	105,685	115,971	108,871	102,011	110,777	113,447	123,862
Male	774,758	68,951	63,196	65,756	63,736	64,250	60,658	65,825	62,676	59,104	64,436	65,144	71,026
Female	576,111	52,079	47,558	50,094	47,430	47,195	45,027	50,146	46,195	42,907	46,341	48,303	52,836
Nonwhite	177,848	16,457	15,166	14,658	14,022	14,311	13,913	14,759	13,987	13,319	14,920	15,236	17,100
Male	97,880	9,069	8,305	7,992	7,720	7,842	7,622	8,058	7,661	7,386	8,383	8,468	9,374
Female	79,968	7,388	6,861	6,666	6,302	6,469	6,291	6,701	6,326	5,933	6,537	6,768	7,726
ALABAMA	26,380	2,492	2,200	2,185	2,091	2,189	2,027	2,095	2,108	2,026	2,192	2,211	2,566
Male	14,931	1,421	1,233	1,247	1,192	1,286	1,165	1,185	1,208	1,158	1,245	1,224	1,367
Female	11,449	1,071	967	938	899	903	862	910	898	868	947	987	1,199
White	16,099	1,453	1,335	1,356	1,312	1,362	1,227	1,289	1,276	1,272	1,354	1,348	1,515
Male	9,490	855	783	808	771	820	734	757	785	748	800	787	842
Female	6,609	598	552	548	541	542	493	532	491	524	554	561	673
Nonwhite	10,281	1,039	865	829	779	827	800	806	830	754	838	863	1,051
Male	5,441	566	450	439	421	466	431	428	423	410	445	437	525
Female	4,840	473	415	390	358	361	369	378	407	344	393	426	526
ARIZONA	7,600	773	625	643	607	620	558	626	604	605	598	630	711
Male	4,779	511	392	410	402	368	327	379	350	382	380	407	451
Female	2,821	262	233	233	205	232	231	247	254	223	218	223	260
White	6,500	661	516	552	522	517	480	535	512	499	523	562	621
Male	4,120	447	325	357	345	323	281	327	300	322	336	361	396
Female	2,380	214	191	195	177	194	199	208	212	177	187	201	225
Nonwhite	1,100	112	109	91	85	103	78	91	92	106	75	68	90
Male	659	64	67	53	57	65	46	52	50	60	44	46	55
Female	441	48	42	38	28	38	32	39	42	46	31	22	35
ARKANSAS	15,218	1,348	1,234	1,291	1,234	1,183	1,237	1,351	1,229	1,126	1,295	1,303	1,387
Male	9,099	803	728	775	770	675	708	810	760	669	772	787	842
Female	6,119	545	506	516	464	508	529	541	469	457	523	516	545
White	11,243	962	913	976	913	891	913	966	911	840	966	965	1,027
Male	6,897	597	552	604	573	530	540	594	577	508	594	600	628
Female	4,346	365	361	372	340	361	373	372	334	332	372	365	399
Nonwhite	3,975	386	321	315	321	292	324	385	318	286	329	338	360
Male	2,202	206	176	171	197	145	168	216	183	161	178	187	214
Female	1,773	180	145	144	124	147	156	169	135	125	151	151	146
CALIFORNIA	114,515	10,518	9,319	9,590	9,307	9,576	9,025	9,145	9,196	9,873	9,254	9,436	10,276
Male	66,056	6,038	5,387	5,399	5,306	5,586	5,288	5,340	5,427	5,530	5,458	5,494	5,823
Female	48,459	4,480	3,932	4,191	4,001	3,990	3,757	3,805	3,769	4,343	3,796	3,942	4,453
White	107,999	9,927	8,791	9,084	8,812	9,015	8,482	8,650	8,666	9,309	8,687	8,882	9,694
Male	62,151	5,694	5,065	5,098	5,010	5,263	4,933	5,028	5,115	5,207	5,113	5,147	5,478
Female	45,848	4,233	3,726	3,986	3,802	3,752	3,549	3,622	3,551	4,102	3,574	3,735	4,216
Nonwhite	6,516	591	528	506	495	561	543	495	530	564	567	554	582
Male	3,905	344	322	301	296	323	335	312	312	323	345	347	345
Female	2,611	247	206	205	199	238	208	183	218	241	222	207	237
COLORADO	13,343	1,150	1,114	1,170	1,145	1,141	1,054	1,139	1,037	1,022	1,119	1,055	1,197
Male	7,687	660	645	673	653	630	611	673	606	585	689	577	685
Female	5,656	490	469	497	492	511	443	466	431	437	430	478	512
White	12,964	1,111	1,085	1,135	1,108	1,109	1,026	1,113	1,017	995	1,080	1,028	1,157
Male	7,452	634	624	656	632	609	596	657	592	569	662	560	661
Female	5,512	477	461	479	476	500	430	456	425	426	418	468	496
Nonwhite	379	39	29	35	37	32	28	26	20	27	39	27	40
Male	235	26	21	17	21	21	15	16	14	16	27	17	24
Female	144	13	8	18	16	11	13	10	6	11	12	10	16
CONNECTICUT	21,783	2,055	1,846	1,911	1,751	1,754	1,677	1,800	1,737	1,613	1,712	1,770	2,157
Male	12,027	1,113	995	1,056	986	966	910	1,015	950	922	960	964	1,190
Female	9,756	942	851	855	765	788	767	785	787	691	752	806	967
White	21,116	1,994	1,797	1,852	1,696	1,708	1,618	1,743	1,679	1,560	1,659	1,730	2,080
Male	11,675	1,078	973	1,026	960	946	872	988	915	889	937	944	1,147
Female	9,441	916	824	826	736	762	746	755	764	671	722	786	933
Nonwhite	667	61	49	59	55	46	59	57	58	53	53	40	77
Male	352	35	22	30	26	20	38	27	35	33	23	20	43
Female	315	26	27	29	29	26	21	30	23	20	30	20	34
DELAWARE	3,730	333	346	305	293	309	288	347	288	269	315	309	328
Male	2,093	170	200	160	163	172	152	199	172	157	184	164	180
Female	1,637	163	146	145	130	137	136	148	116	112	131	125	148
White	3,045	280	299	249	225	254	234	285	233	211	254	253	268
Male	1,680	144	176	131	125	140	121	158	135	111	147	147	145
Female	1,365	136	123	118	100	114	113	127	98	100	107	106	123
Nonwhite	685	53	47	56	68	55	54	62	55	58	61	56	60
Male	413	26	24	29	38	32	31	41	37	46	37	37	35
Female	272	27	23	27	30	23	23	21	18	12	24	19	25
DISTRICT OF COLUMBIA	8,349	720	660	698	651	655	649	827	650	623	720	734	762
Male	4,439	382	338	392	338	362	344	420	342	343	381	386	411
Female	3,910	338	322	306	313	293	305	407	308	280	339	348	351
White	5,054	444	397	421	352	386	399	493	408	386	468	436	464
Male	2,705	228	203	237	190	231	213	253	217	208	246	225	254
Female	2,349	216	194	184	162	155	186	240	191	178	222	211	210
Nonwhite	3,295	276	263	277	299	269	250	334	242	237	252	298	298
Male	1,734	154	135	155	148	131	131	167	125	135	135	161	157
Female	1,561	122	128	122	151	138	119	167	117	102	117	137	141

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec
FLORIDA	33,494	3,143	2,706	2,867	2,630	2,786	2,585	2,723	2,785	2,585	2,663	2,788	3,233
Male	20,123	1,904	1,629	1,733	1,576	1,647	1,576	1,628	1,624	1,552	1,635	1,656	1,963
Female	13,371	1,239	1,077	1,134	1,054	1,139	1,009	1,095	1,161	1,033	1,028	1,132	1,270
White	25,938	2,436	2,066	2,225	2,035	2,143	1,984	2,122	2,182	2,008	2,092	2,155	2,490
Male	15,932	1,507	1,285	1,370	1,262	1,306	1,223	1,291	1,300	1,237	1,317	1,302	1,532
Female	10,006	929	781	855	773	837	761	831	882	771	775	853	958
Nonwhite	7,556	707	640	642	595	643	601	601	603	577	571	633	743
Male	4,191	397	344	363	314	341	353	337	324	315	318	354	431
Female	3,365	310	296	279	281	302	248	264	279	262	253	279	312
GEORGIA	30,919	2,932	2,628	2,564	2,430	2,482	2,389	2,437	2,508	2,344	2,560	2,597	3,048
Male	17,503	1,649	1,444	1,449	1,382	1,418	1,343	1,348	1,452	1,376	1,431	1,479	1,732
Female	13,416	1,283	1,184	1,115	1,048	1,064	1,046	1,089	1,056	968	1,129	1,118	1,316
White	19,273	1,779	1,612	1,625	1,532	1,546	1,486	1,558	1,587	1,438	1,620	1,615	1,875
Male	11,267	1,018	928	954	886	921	856	899	944	878	947	932	1,104
Female	8,006	761	684	671	646	625	630	659	643	560	673	683	771
Nonwhite	11,646	1,153	1,016	939	898	936	903	879	921	906	940	982	1,173
Male	6,236	631	516	495	496	497	487	449	508	498	484	547	628
Female	5,410	522	500	444	402	439	416	430	413	408	456	435	545
IDAHO	4,935	411	356	398	390	420	400	455	431	413	410	465	386
Male	3,087	257	220	237	242	272	250	278	278	271	265	289	228
Female	1,848	154	136	161	148	148	150	177	153	142	145	176	158
White	4,852	401	351	391	383	414	392	450	425	409	404	453	379
Male	3,044	253	217	232	241	267	247	274	275	267	261	285	225
Female	1,808	148	134	159	142	147	145	176	150	142	143	168	154
Nonwhite	83	10	5	7	7	6	8	5	6	4	6	12	7
Male	43	4	3	5	1	5	3	4	3	4	4	4	3
Female	40	6	2	2	6	1	5	1	3	-	2	8	4
ILLINOIS	95,528	8,386	7,766	7,865	7,705	7,809	7,545	8,717	7,934	7,102	7,789	8,044	8,766
Male	54,282	4,777	4,452	4,519	4,396	4,439	4,267	4,945	4,466	4,026	4,537	4,558	4,900
Female	41,246	3,609	3,314	3,446	3,309	3,370	3,278	3,772	3,468	3,076	3,252	3,486	3,866
White	86,659	7,649	7,116	7,239	6,966	7,086	6,894	7,918	7,166	6,415	6,982	7,284	7,944
Male	49,421	4,371	4,118	4,111	3,982	4,040	3,921	4,496	4,045	3,647	4,073	4,139	4,478
Female	37,238	3,278	2,998	3,128	2,984	3,046	2,973	3,422	3,121	2,768	2,909	3,145	3,466
Nonwhite	8,869	737	650	726	739	723	651	799	768	687	807	760	822
Male	4,861	406	334	408	414	399	346	449	421	379	464	419	422
Female	4,008	331	316	318	325	324	305	350	347	308	343	341	400
INDIANA	42,093	3,747	3,305	3,625	3,317	3,429	3,327	3,606	3,457	3,193	3,605	3,601	3,881
Male	24,218	2,124	1,930	2,077	1,865	2,019	1,871	2,063	1,976	1,896	2,111	2,077	2,209
Female	17,875	1,623	1,375	1,548	1,452	1,410	1,456	1,543	1,481	1,297	1,494	1,524	1,672
White	39,740	3,526	3,116	3,432	3,161	3,227	3,149	3,408	3,268	3,015	3,394	3,384	3,660
Male	22,932	2,013	1,827	1,975	1,785	1,896	1,769	1,956	1,870	1,804	1,995	1,960	2,082
Female	16,808	1,513	1,289	1,457	1,376	1,331	1,380	1,452	1,398	1,211	1,399	1,424	1,578
Nonwhite	2,353	221	189	193	156	202	178	198	189	178	211	217	221
Male	1,286	111	103	102	80	123	102	107	106	92	116	117	127
Female	1,067	110	86	91	76	79	76	91	83	86	95	100	94
IOWA	26,772	2,297	2,085	2,305	2,212	2,147	2,078	2,741	2,404	1,867	2,101	2,209	2,326
Male	15,180	1,350	1,191	1,302	1,254	1,244	1,185	1,522	1,344	1,085	1,203	1,237	1,263
Female	11,592	947	894	1,003	958	903	893	1,219	1,060	782	898	972	1,063
White	26,481	2,275	2,064	2,280	2,185	2,125	2,052	2,723	2,370	1,845	2,077	2,187	2,298
Male	15,026	1,340	1,177	1,289	1,237	1,231	1,176	1,514	1,322	1,075	1,186	1,227	1,252
Female	11,455	935	887	991	948	894	876	1,209	1,048	770	891	960	1,046
Nonwhite	291	22	21	25	27	22	26	18	34	22	24	22	28
Male	154	10	14	13	17	13	9	8	22	10	17	10	11
Female	137	12	7	12	10	9	17	10	12	12	7	12	17
KANSAS	19,042	1,646	1,546	1,683	1,577	1,556	1,486	1,787	1,555	1,379	1,518	1,602	1,707
Male	11,030	968	921	973	932	910	850	996	872	788	886	925	1,009
Female	8,012	678	625	710	645	646	636	791	683	591	632	677	698
White	18,094	1,581	1,461	1,606	1,500	1,482	1,401	1,698	1,479	1,312	1,439	1,513	1,622
Male	10,515	932	871	933	890	869	808	954	836	753	841	873	955
Female	7,579	649	590	673	610	613	593	744	643	559	598	640	667
Nonwhite	948	65	85	77	77	74	85	89	76	67	79	89	85
Male	515	36	50	40	42	41	42	42	36	35	45	52	54
Female	433	29	35	37	35	33	43	47	40	32	34	37	31
KENTUCKY	27,591	2,464	2,364	2,384	2,247	2,253	2,157	2,249	2,292	1,999	2,214	2,315	2,653
Male	15,674	1,382	1,350	1,332	1,275	1,283	1,283	1,232	1,275	1,171	1,290	1,304	1,497
Female	11,917	1,082	1,014	1,052	972	970	874	1,017	1,017	828	924	1,011	1,156
White	24,527	2,172	2,069	2,131	2,007	2,032	1,936	1,996	2,038	1,790	1,952	2,058	2,346
Male	13,988	1,215	1,175	1,202	1,143	1,163	1,163	1,096	1,136	1,055	1,143	1,163	1,334
Female	10,539	957	894	929	864	869	773	900	902	735	809	895	1,012
Nonwhite	3,064	292	295	253	240	221	221	253	254	209	262	257	307
Male	1,686	167	175	130	132	120	120	136	139	116	147	141	163
Female	1,378	125	120	123	108	101	101	117	115	93	115	116	144
LOUISIANA	24,312	2,206	2,055	2,084	1,904	1,882	1,909	1,888	1,955	1,874	2,024	2,100	2,431
Male	14,003	1,247	1,199	1,179	1,098	1,112	1,093	1,076	1,127	1,090	1,186	1,215	1,381
Female	10,309	959	856	905	806	770	816	812	828	784	838	885	1,050
White	14,619	1,322	1,243	1,217	1,152	1,119	1,162	1,124	1,166	1,141	1,240	1,268	1,465
Male	8,736	780	739	720	689	688	698	669	705	687	752	742	867
Female	5,883	542	504	497	463	431	464	455	461	454	488	526	598
Nonwhite	9,693	884	812	867	752	763	747	764	789	733	784	832	966
Male	5,267	467	460	459	409	424	395	407	422	403	434	473	514
Female	4,426	417	352	408	343	339	352	357	367	330	350	359	452

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	10,213	840	842	877	888	862	817	830	786	750	841	889	991
Male	5,795	458	489	517	477	484	450	486	463	446	473	499	553
Female	4,418	382	353	360	411	378	367	344	323	304	368	390	438
White	10,177	839	840	874	885	859	813	827	783	748	836	886	987
Male	5,771	458	488	516	475	481	448	484	461	445	468	496	551
Female	4,406	381	352	358	410	378	365	343	322	303	368	390	436
Nonwhite	36	1	2	3	3	3	4	3	3	2	5	3	4
Male	24	-	1	1	2	3	2	2	2	1	5	3	2
Female	12	1	1	2	1	-	2	1	1	1	-	-	2
MARYLAND	24,221	2,085	2,045	2,076	1,970	1,861	1,812	2,204	1,942	1,840	2,034	2,055	2,297
Male	13,398	1,136	1,134	1,167	1,097	982	995	1,218	1,070	1,025	1,154	1,151	1,269
Female	10,823	949	911	909	873	879	817	986	872	815	880	904	1,028
White	19,598	1,689	1,668	1,667	1,620	1,545	1,432	1,803	1,567	1,482	1,635	1,647	1,843
Male	10,804	917	923	926	900	819	771	996	868	817	932	924	1,011
Female	8,794	772	745	741	720	726	661	807	699	665	703	723	832
Nonwhite	4,623	396	377	409	350	316	380	401	375	358	399	408	454
Male	2,594	219	211	241	197	163	224	222	202	208	222	227	256
Female	2,029	177	166	168	153	153	156	179	173	150	177	181	196
MASSACHUSETTS	53,345	4,994	4,341	4,931	4,702	4,390	4,088	4,350	4,139	3,686	4,321	4,420	4,983
Male	28,288	2,572	2,217	2,592	2,510	2,325	2,221	2,287	2,193	1,981	2,322	2,390	2,676
Female	25,057	2,422	2,124	2,339	2,192	2,065	1,867	2,063	1,946	1,705	1,999	2,030	2,305
White	52,363	4,902	4,244	4,851	4,626	4,315	4,001	4,291	4,062	3,620	4,227	4,323	4,901
Male	27,753	2,515	2,166	2,546	2,467	2,287	2,172	2,257	2,153	1,951	2,270	2,338	2,631
Female	24,610	2,387	2,078	2,305	2,159	2,028	1,829	2,034	1,909	1,669	1,957	1,985	2,270
Nonwhite	982	92	97	80	76	75	87	59	77	66	94	97	82
Male	535	57	51	46	43	38	49	30	40	30	52	52	47
Female	447	35	46	34	33	37	38	29	37	36	42	45	35
MICHIGAN	63,362	5,624	4,995	5,422	5,223	5,277	5,143	5,547	5,305	4,784	5,235	5,225	5,582
Male	36,989	3,236	2,872	3,092	3,138	3,054	2,945	3,209	3,186	2,873	3,061	3,064	3,259
Female	26,373	2,388	2,123	2,330	2,085	2,223	2,198	2,338	2,119	1,911	2,174	2,161	2,323
White	58,265	5,156	4,630	5,014	4,806	4,848	4,749	5,105	4,847	4,366	4,822	4,816	5,106
Male	34,211	2,969	2,689	2,858	2,909	2,819	2,748	2,979	2,924	2,641	2,833	2,849	2,993
Female	24,054	2,187	1,941	2,156	1,897	2,029	2,001	2,126	1,923	1,725	1,989	1,967	2,113
Nonwhite	5,097	468	365	408	417	429	394	442	458	418	413	409	476
Male	2,778	267	183	234	229	235	197	230	262	232	228	215	266
Female	2,319	201	182	174	188	194	197	212	196	186	185	194	210
MINNESOTA	28,641	2,584	2,285	2,468	2,275	2,272	2,324	2,462	2,358	2,232	2,361	2,437	2,583
Male	16,782	1,499	1,292	1,449	1,339	1,330	1,364	1,474	1,360	1,331	1,404	1,455	1,485
Female	11,859	1,085	993	1,019	936	942	960	988	998	901	957	982	1,098
White	28,294	2,556	2,267	2,435	2,246	2,244	2,288	2,428	2,330	2,205	2,326	2,410	2,559
Male	16,583	1,482	1,283	1,436	1,321	1,314	1,343	1,452	1,343	1,311	1,381	1,443	1,474
Female	11,711	1,074	984	999	925	930	945	976	987	894	945	967	1,085
Nonwhite	347	28	18	33	29	28	36	34	28	27	35	27	24
Male	199	17	9	13	18	16	21	22	17	20	23	12	11
Female	148	11	9	20	11	12	15	12	11	7	12	15	13
MISSISSIPPI	19,453	1,858	1,781	1,559	1,555	1,487	1,503	1,491	1,460	1,381	1,715	1,745	1,918
Male	10,975	1,073	969	857	878	820	857	821	819	792	1,001	986	1,102
Female	8,478	785	812	702	677	667	646	670	641	589	714	759	816
White	9,539	907	808	747	791	719	729	723	729	694	874	871	947
Male	5,692	564	467	441	472	425	453	422	430	408	523	511	576
Female	3,847	343	341	306	319	294	276	301	299	286	351	360	371
Nonwhite	9,914	951	973	812	764	768	774	768	731	687	841	874	971
Male	5,283	509	502	416	406	395	404	399	389	384	478	475	526
Female	4,631	442	471	396	358	373	370	369	342	303	363	399	445
MISSOURI	43,102	3,736	3,534	3,649	3,479	3,414	3,365	3,834	3,682	3,163	3,562	3,735	3,949
Male	24,620	2,176	2,032	2,081	1,952	1,936	1,890	2,116	2,105	1,834	2,048	2,152	2,298
Female	18,482	1,560	1,502	1,568	1,527	1,478	1,475	1,718	1,577	1,329	1,514	1,583	1,651
White	38,789	3,383	3,157	3,287	3,155	3,106	3,016	3,439	3,301	2,879	3,189	3,353	3,524
Male	22,238	1,970	1,819	1,887	1,765	1,763	1,705	1,916	1,885	1,686	1,831	1,943	2,068
Female	16,551	1,413	1,338	1,400	1,390	1,343	1,311	1,523	1,416	1,193	1,358	1,410	1,456
Nonwhite	4,313	353	377	362	324	308	349	395	381	284	373	382	425
Male	2,382	206	213	194	187	173	185	200	220	148	217	209	230
Female	1,931	147	164	168	137	135	164	195	161	136	156	173	195
MONTANA	6,151	509	489	493	508	568	498	516	486	488	531	555	510
Male	3,925	323	306	303	330	371	309	326	322	315	342	376	302
Female	2,226	186	183	190	178	197	189	190	164	173	189	179	208
White	5,895	483	474	478	488	546	481	488	456	475	508	538	480
Male	3,758	303	298	295	318	355	298	310	301	308	325	363	284
Female	2,137	180	176	183	170	191	183	178	155	167	183	175	196
Nonwhite	256	26	15	15	20	22	17	28	30	13	23	17	30
Male	167	20	8	8	12	16	11	16	21	7	17	13	18
Female	89	6	7	7	8	6	6	12	9	6	6	4	12
NEBRASKA	13,115	1,127	1,062	1,091	1,001	1,042	973	1,312	1,244	981	1,033	1,104	1,145
Male	7,601	632	615	651	600	603	569	730	706	571	624	631	669
Female	5,514	495	447	440	401	439	404	582	538	410	409	473	476
White	12,739	1,089	1,035	1,062	978	1,026	941	1,284	1,210	949	992	1,066	1,107
Male	7,397	611	599	637	583	597	553	716	688	555	600	611	647
Female	5,342	478	436	425	395	429	388	568	522	394	392	455	460
Nonwhite	376	38	27	29	23	16	32	28	34	32	41	38	38
Male	204	21	16	14	17	6	16	14	18	16	24	20	22
Female	172	17	11	15	6	10	16	14	16	16	17	18	16

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	1,987	176	158	183	189	164	147	173	155	141	162	188	151
Male	1,350	105	98	132	133	116	94	121	113	100	113	120	105
Female	637	71	60	51	56	48	53	52	42	41	49	68	46
White	1,805	159	145	162	175	147	133	156	141	134	150	170	133
Male	1,249	93	93	121	125	107	87	113	101	96	106	112	95
Female	556	66	52	41	50	40	46	43	40	38	44	58	38
Nonwhite	182	17	13	21	14	17	14	17	14	7	12	18	18
Male	101	12	5	11	8	9	7	8	12	4	7	8	10
Female	81	5	8	10	6	8	7	9	2	3	5	10	8
NEW HAMPSHIRE	6,464	586	554	601	567	520	484	534	444	512	507	543	612
Male	3,593	305	316	331	332	272	264	299	255	294	265	310	350
Female	2,871	281	238	270	235	248	220	235	189	218	242	233	262
White	6,455	585	553	600	566	519	482	534	444	510	507	543	612
Male	3,586	304	315	330	332	271	262	299	255	293	265	310	350
Female	2,869	281	238	270	234	248	220	235	189	217	242	233	262
Nonwhite	9	1	1	1	1	1	2	-	-	2	-	-	-
Male	7	1	1	1	-	1	2	-	-	1	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
NEW JERSEY	54,290	4,926	4,639	4,812	4,514	4,611	3,986	4,844	4,162	3,924	4,501	4,507	4,864
Male	30,167	2,686	2,545	2,663	2,481	2,595	2,246	2,601	2,369	2,194	2,544	2,489	2,754
Female	24,123	2,240	2,094	2,149	2,033	2,016	1,740	2,243	1,793	1,730	1,957	2,018	2,110
White	50,069	4,515	4,296	4,449	4,207	4,252	3,652	4,483	3,859	3,613	4,138	4,124	4,481
Male	27,816	2,452	2,340	2,456	2,326	2,384	2,070	2,421	2,195	2,027	2,326	2,273	2,546
Female	22,253	2,063	1,956	1,993	1,881	1,868	1,582	2,062	1,664	1,586	1,812	1,851	1,935
Nonwhite	4,221	411	343	363	307	359	334	361	303	311	363	383	383
Male	2,351	234	205	207	155	211	176	180	174	167	218	216	208
Female	1,870	177	138	156	152	148	158	181	129	144	145	167	175
NEW MEXICO	5,544	497	462	490	430	439	434	431	457	469	498	495	442
Male	3,352	313	262	303	260	256	272	261	293	269	308	289	266
Female	2,192	184	200	187	170	183	162	170	164	200	190	206	176
White	4,953	434	415	420	381	392	394	396	407	413	449	456	396
Male	2,992	271	234	267	228	230	244	239	266	234	276	270	233
Female	1,961	163	181	153	153	162	150	157	141	179	173	186	163
Nonwhite	591	63	47	70	49	47	40	35	50	56	49	39	46
Male	360	42	28	36	32	26	28	22	27	35	32	19	33
Female	231	21	19	34	17	21	12	13	23	21	17	20	13
NEW YORK	165,770	14,926	13,529	14,267	13,921	13,583	12,861	14,452	12,925	12,343	13,632	13,968	15,363
Male	91,527	8,142	7,412	7,646	7,608	7,516	7,132	7,798	7,197	6,990	7,711	7,823	8,552
Female	74,243	6,784	6,117	6,621	6,313	6,067	5,729	6,654	5,728	5,353	5,921	6,145	6,811
White	154,808	13,983	12,620	13,350	12,972	12,692	12,002	13,489	12,096	11,545	12,666	13,024	14,369
Male	85,623	7,648	6,921	7,161	7,099	7,023	6,659	7,297	6,756	6,565	7,158	7,322	8,014
Female	69,185	6,335	5,699	6,189	5,873	5,669	5,343	6,192	5,340	4,980	5,508	5,702	6,355
Nonwhite	10,962	943	909	917	949	891	859	963	829	798	966	944	994
Male	5,904	494	491	485	509	493	473	501	441	425	553	501	538
Female	5,058	449	418	432	440	398	386	462	388	373	413	443	456
NORTH CAROLINA	32,274	3,063	2,767	2,666	2,560	2,587	2,490	2,643	2,481	2,473	2,666	2,698	3,180
Male	18,553	1,709	1,568	1,538	1,508	1,505	1,396	1,535	1,427	1,437	1,499	1,571	1,860
Female	13,721	1,354	1,199	1,128	1,052	1,082	1,094	1,108	1,054	1,036	1,167	1,127	1,320
White	21,842	2,061	1,803	1,839	1,742	1,781	1,731	1,770	1,765	1,653	1,816	1,804	2,077
Male	12,874	1,211	1,053	1,085	1,050	1,047	987	1,064	1,039	997	1,039	1,072	1,230
Female	8,968	850	750	754	692	734	744	706	726	656	777	732	847
Nonwhite	10,432	1,002	964	827	818	806	759	873	716	820	850	894	1,103
Male	5,679	498	515	453	458	458	409	471	388	440	460	499	630
Female	4,753	504	449	374	360	348	350	402	328	380	390	395	473
NORTH DAKOTA	5,270	429	433	451	450	427	411	441	420	428	469	448	463
Male	3,245	268	283	266	272	261	255	283	258	255	286	286	272
Female	2,025	161	150	185	178	166	156	158	162	173	183	162	191
White	5,150	420	430	442	442	418	397	422	416	419	458	435	451
Male	3,164	261	282	258	266	256	244	270	254	250	279	279	265
Female	1,986	159	148	184	176	162	153	152	162	169	179	156	186
Nonwhite	120	9	3	9	8	9	14	19	4	9	11	13	12
Male	81	7	1	8	6	5	11	13	4	5	7	7	7
Female	39	2	2	1	2	4	3	6	-	4	4	6	5
OHIO	85,478	7,647	7,108	7,431	6,978	7,166	6,645	7,161	7,131	6,429	6,920	7,094	7,768
Male	48,279	4,302	3,953	4,243	3,916	4,111	3,730	3,964	3,970	3,738	4,007	3,984	4,361
Female	37,199	3,345	3,155	3,188	3,062	3,055	2,915	3,197	3,161	2,691	2,913	3,110	3,407
White	78,850	7,086	6,572	6,866	6,474	6,615	6,138	6,598	6,556	5,910	6,346	6,530	7,159
Male	44,501	3,972	3,650	3,930	3,638	3,802	3,441	3,652	3,645	3,422	3,665	3,651	4,033
Female	34,349	3,114	2,922	2,936	2,836	2,813	2,697	2,946	2,911	2,488	2,681	2,879	3,126
Nonwhite	6,628	561	536	565	504	551	507	563	575	519	574	564	609
Male	3,778	330	303	313	278	309	289	312	325	316	342	333	328
Female	2,850	231	233	252	226	242	218	251	250	203	232	231	281
OKLAHOMA	19,724	1,747	1,584	1,692	1,588	1,552	1,602	1,810	1,483	1,459	1,639	1,672	1,896
Male	11,787	1,017	945	982	968	961	954	1,042	912	878	1,024	973	1,131
Female	7,937	730	639	710	620	591	648	768	571	581	615	699	765
White	17,574	1,563	1,402	1,509	1,415	1,376	1,428	1,622	1,333	1,298	1,455	1,469	1,704
Male	10,598	910	840	901	874	868	857	943	831	784	911	860	1,019
Female	6,976	653	562	608	541	508	571	679	502	514	544	609	685
Nonwhite	2,150	184	182	183	173	176	174	188	150	161	184	203	192
Male	1,189	107	105	81	94	93	97	99	81	94	113	113	112
Female	961	77	77	102	79	83	77	89	69	67	71	90	80

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON	15,378	1,335	1,151	1,320	1,341	1,426	1,282	1,269	1,140	1,167	1,315	1,283	1,349
Male	9,278	805	711	805	772	859	750	765	695	726	780	780	830
Female	6,100	530	440	515	569	567	532	504	445	441	535	503	519
White	15,056	1,300	1,132	1,297	1,304	1,403	1,252	1,250	1,121	1,142	1,278	1,255	1,322
Male	9,079	786	699	790	749	845	733	752	683	708	757	765	812
Female	5,977	514	433	507	555	558	519	498	438	434	521	490	510
Nonwhite	322	35	19	23	37	23	30	19	19	25	37	28	27
Male	199	19	12	15	23	14	17	13	12	18	23	15	18
Female	123	16	7	8	14	9	13	6	7	7	14	13	9
PENNSYLVANIA	113,564	10,205	9,591	9,662	9,339	9,475	8,772	10,092	8,711	8,351	9,358	9,508	10,500
Male	63,594	5,728	5,384	5,307	5,228	5,375	4,919	5,434	4,941	4,717	5,321	5,238	6,002
Female	49,970	4,477	4,207	4,355	4,111	4,100	3,853	4,658	3,770	3,634	4,037	4,270	4,498
White	105,595	9,500	8,935	9,005	8,702	8,769	8,115	9,380	8,143	7,772	8,674	8,839	9,761
Male	59,181	5,334	5,010	4,947	4,869	4,985	4,557	5,049	4,627	4,382	4,938	4,887	5,596
Female	46,414	4,166	3,925	4,058	3,833	3,784	3,558	4,331	3,516	3,390	3,736	3,952	4,165
Nonwhite	7,969	705	656	657	637	706	657	712	568	579	684	669	739
Male	4,413	394	374	360	359	390	362	385	314	335	383	351	406
Female	3,556	311	282	297	278	316	295	327	254	244	301	318	333
RHODE ISLAND	8,697	796	705	781	740	748	680	722	676	637	702	707	803
Male	4,690	426	389	397	416	415	375	384	364	344	368	401	411
Female	4,007	370	316	384	324	333	305	338	312	293	334	306	392
White	8,528	784	695	768	725	730	668	711	662	624	685	693	783
Male	4,590	421	384	391	409	402	365	375	356	337	356	396	398
Female	3,938	363	311	377	315	328	303	336	306	287	329	297	385
Nonwhite	169	12	10	13	15	18	12	11	14	13	17	14	20
Male	100	5	5	6	7	13	10	9	8	7	12	5	13
Female	69	7	5	7	8	5	2	2	6	6	5	9	7
SOUTH CAROLINA	18,152	1,747	1,592	1,535	1,479	1,410	1,436	1,474	1,383	1,403	1,484	1,512	1,697
Male	10,375	994	882	870	829	785	835	862	763	798	869	909	979
Female	7,777	753	710	665	650	625	601	612	620	605	615	603	718
White	9,998	908	842	855	842	799	764	838	768	826	825	812	919
Male	6,011	535	485	498	502	465	489	503	451	488	509	514	572
Female	3,987	373	357	357	340	334	275	335	317	338	316	298	347
Nonwhite	8,154	839	750	680	637	611	672	636	615	577	659	700	778
Male	4,364	459	397	372	327	320	346	359	312	310	360	395	407
Female	3,790	380	353	308	310	291	326	277	303	267	299	305	371
SOUTH DAKOTA	5,930	504	455	479	470	487	481	516	529	451	509	531	518
Male	3,587	304	280	293	282	301	280	315	341	270	309	303	309
Female	2,343	200	175	186	188	186	201	201	188	181	200	228	209
White	5,637	476	431	459	446	473	462	495	503	418	479	502	493
Male	3,418	287	267	281	267	295	268	306	321	250	296	283	297
Female	2,219	189	164	178	179	178	194	189	182	168	183	219	196
Nonwhite	293	28	24	20	24	14	19	21	26	33	30	29	25
Male	169	17	13	12	15	6	12	9	20	20	13	20	12
Female	124	11	11	8	9	8	7	12	6	13	17	9	13
TENNESSEE	29,013	2,666	2,501	2,417	2,330	2,387	2,330	2,444	2,279	2,096	2,325	2,494	2,724
Male	16,572	1,594	1,461	1,347	1,344	1,361	1,312	1,380	1,294	1,186	1,344	1,413	1,536
Female	12,441	1,092	1,040	1,070	986	1,026	1,018	1,064	985	910	981	1,081	1,188
White	22,566	2,071	1,952	1,938	1,842	1,807	1,800	1,916	1,795	1,621	1,794	1,928	2,102
Male	13,100	1,232	1,150	1,104	1,086	1,065	1,043	1,090	1,031	940	1,057	1,092	1,210
Female	9,466	839	802	834	756	742	757	826	764	681	737	836	892
Nonwhite	6,447	615	549	479	488	580	530	528	484	475	531	566	622
Male	3,472	362	311	243	258	296	269	290	263	246	287	321	326
Female	2,975	253	238	236	230	284	261	238	221	229	244	245	296
TEXAS	65,417	5,887	5,413	5,261	5,249	5,372	5,172	5,428	5,337	4,981	5,320	5,692	6,305
Male	38,755	3,490	3,184	3,080	3,117	3,201	3,073	3,242	3,110	2,991	3,141	3,381	3,745
Female	26,662	2,397	2,229	2,181	2,132	2,171	2,099	2,186	2,227	1,990	2,179	2,311	2,560
White	54,795	4,924	4,456	4,427	4,415	4,506	4,343	4,578	4,509	4,208	4,422	4,760	5,247
Male	32,815	2,947	2,663	2,608	2,666	2,725	2,622	2,754	2,663	2,545	2,625	2,852	3,145
Female	21,980	1,977	1,793	1,819	1,749	1,781	1,721	1,824	1,846	1,663	1,797	1,908	2,102
Nonwhite	10,622	963	957	834	834	866	829	850	828	773	898	932	1,058
Male	5,940	543	521	472	451	476	451	488	447	446	516	529	600
Female	4,682	420	436	362	383	390	378	362	381	327	382	403	458
UTAH	5,311	487	386	443	417	445	440	457	457	424	474	442	439
Male	3,077	268	203	251	256	268	254	259	276	239	278	259	266
Female	2,234	219	183	192	161	177	186	198	181	185	196	183	173
White	5,190	475	380	431	406	435	433	448	449	412	465	428	428
Male	2,999	262	201	246	248	259	250	252	270	232	270	250	259
Female	2,191	213	179	185	158	176	183	196	179	180	195	178	169
Nonwhite	121	12	6	12	11	10	7	9	8	12	9	14	11
Male	78	6	2	5	8	9	4	7	6	7	8	9	7
Female	43	6	4	7	3	1	3	2	2	5	1	5	4
VERMONT	4,241	345	317	335	367	357	369	342	355	330	354	363	407
Male	2,394	191	173	196	190	192	223	177	210	198	207	211	226
Female	1,847	154	144	139	177	165	146	165	145	132	147	152	181
White	4,236	344	316	334	367	356	369	342	355	330	354	362	407
Male	2,391	190	172	196	190	191	223	177	210	198	207	211	226
Female	1,845	154	144	138	177	165	146	165	145	132	147	151	181
Nonwhite	5	1	1	1	-	1	-	-	-	-	-	1	-
Male	3	1	1	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-

Table 46. Deaths by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA	30,215	2,697	2,644	2,475	2,451	2,487	2,339	2,489	2,344	2,325	2,560	2,577	2,827
Male	17,179	1,509	1,522	1,390	1,430	1,424	1,319	1,476	1,322	1,297	1,449	1,453	1,588
Female	13,036	1,188	1,122	1,085	1,021	1,063	1,020	1,013	1,022	1,028	1,111	1,124	1,239
White	21,657	1,899	1,839	1,785	1,769	1,807	1,720	1,757	1,661	1,715	1,852	1,859	1,994
Male	12,393	1,089	1,052	1,004	1,046	1,056	957	1,045	935	972	1,054	1,049	1,134
Female	9,264	810	787	781	723	751	763	712	726	743	798	810	860
Nonwhite	8,558	798	805	690	682	680	619	732	683	610	708	718	833
Male	4,786	420	470	386	384	368	362	431	387	325	395	404	454
Female	3,772	378	335	304	298	312	257	301	296	285	313	314	379
WASHINGTON	24,517	2,081	1,879	2,220	2,211	2,174	2,028	1,972	1,910	1,823	2,023	2,116	2,080
Male	14,812	1,233	1,115	1,346	1,322	1,289	1,273	1,216	1,137	1,110	1,233	1,279	1,259
Female	9,705	848	764	874	889	885	755	756	773	713	790	837	821
White	23,757	2,015	1,817	2,140	2,139	2,108	1,964	1,911	1,856	1,781	1,965	2,052	2,009
Male	14,328	1,195	1,077	1,293	1,271	1,244	1,226	1,181	1,109	1,084	1,198	1,239	1,211
Female	9,429	820	740	847	868	864	738	730	747	697	767	813	798
Nonwhite	760	66	62	80	72	66	64	61	54	42	58	64	71
Male	484	38	38	53	51	45	47	35	28	26	35	40	48
Female	276	28	24	27	21	21	17	26	26	16	23	24	23
WEST VIRGINIA	16,787	1,465	1,492	1,478	1,405	1,424	1,308	1,318	1,325	1,192	1,402	1,449	1,529
Male	9,981	868	888	874	838	852	780	815	774	680	852	848	912
Female	6,806	597	604	604	567	572	528	503	551	512	550	601	617
White	15,601	1,334	1,386	1,360	1,319	1,327	1,214	1,230	1,236	1,111	1,297	1,354	1,433
Male	9,241	790	822	800	783	789	715	756	724	633	791	787	851
Female	6,360	544	564	560	536	538	499	474	512	478	506	567	582
Nonwhite	1,186	131	106	118	86	97	94	88	89	81	105	95	96
Male	740	78	66	74	55	63	65	59	50	47	61	61	61
Female	446	53	40	44	31	34	29	29	39	34	44	34	35
WISCONSIN	35,034	3,059	2,843	3,049	2,902	2,940	2,801	3,049	2,986	2,561	2,955	2,841	3,048
Male	20,292	1,762	1,617	1,717	1,676	1,725	1,619	1,756	1,737	1,489	1,736	1,672	1,786
Female	14,742	1,297	1,226	1,332	1,226	1,215	1,182	1,293	1,249	1,072	1,219	1,169	1,262
White	34,515	3,008	2,801	3,008	2,870	2,902	2,759	3,002	2,938	2,510	2,908	2,803	3,006
Male	20,002	1,732	1,590	1,699	1,659	1,701	1,598	1,725	1,710	1,463	1,711	1,650	1,764
Female	14,513	1,276	1,211	1,309	1,211	1,201	1,161	1,277	1,228	1,047	1,197	1,153	1,242
Nonwhite	519	51	42	41	32	38	42	47	48	51	47	38	42
Male	290	30	27	18	17	24	21	31	27	26	25	22	22
Female	229	21	15	23	15	14	21	16	21	25	22	16	20
WYOMING	2,453	218	188	226	198	211	186	190	198	193	200	221	224
Male	1,615	140	130	149	127	138	122	122	126	121	133	153	154
Female	838	78	58	77	71	73	64	68	72	72	67	68	70
White	2,370	209	182	220	190	207	180	184	190	183	194	214	217
Male	1,569	134	126	145	122	137	119	119	122	117	129	148	151
Female	801	75	56	75	68	70	61	65	68	66	65	66	66
Nonwhite	83	9	6	6	8	4	6	6	8	10	6	7	7
Male	46	6	4	4	5	1	3	3	4	4	4	5	3
Female	37	3	2	2	3	3	3	3	4	6	2	2	4

420487 O -57 -2

Table 47. Deaths by Specified Race and Sex: United States and Each State, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,528,717	872,638	656,079	774,758	576,111	93,378	77,643	2,368	1,772	989	176	707	278	438	99
Alabama	26,380	14,931	11,449	9,490	6,609	5,439	4,840	1	-	1	-	-	-	-	-
Arizona	7,600	4,779	2,821	4,120	2,380	252	142	388	295	11	1	3	1	5	2
Arkansas	15,218	9,099	6,119	6,897	4,346	2,196	1,771	5	1	1	1	-	-	-	-
California	114,515	66,056	48,459	62,151	45,848	2,818	2,141	162	136	412	113	435	175	278	46
Colorado	13,343	7,687	5,656	7,452	5,512	183	120	21	12	2	1	27	11	2	-
Connecticut	21,783	12,027	9,756	11,675	9,441	338	311	2	3	5	1	1	-	6	-
Delaware	3,730	2,093	1,637	1,680	1,365	409	270	3	1	1	-	-	1	-	-
District of Columbia	8,349	4,439	3,910	2,705	2,349	1,703	1,553	-	-	20	3	1	1	10	4
Florida	33,494	20,123	13,371	15,932	10,006	4,178	3,358	8	6	1	-	1	1	3	-
Georgia	30,919	17.503	13,416	11,267	8,006	6,233	5,409	1	1	2	-	-	-	-	-
Idaho	4,935	3,087	1,848	3,044	1,808	8	5	25	30	4	1	6	3	-	1
Illinois	95,528	54,282	41,246	49,421	37,238	4,742	3,977	9	6	52	7	49	15	9	3
Indiana	42,093	24,218	17,875	22,932	16,808	1,282	1.065	-	-	3	1	-	-	1	1
Iowa	26,772	15,160	11,592	15,026	11,455	146	132	6	5	1	-	-	-	1	-
Kansas	19,042	11,030	8,012	10,515	7,579	504	426	8	6	2	-	-	1	1	-
Kentucky	27,591	15,674	11,917	13,988	10,539	1,684	1,377	1	-	-	-	1	-	-	1
Louisiana	24,312	14,003	10,309	8,736	5,883	5,255	4,424	6	2	6	-	-	-	-	-
Maine	10,213	5,795	4,418	5,771	4,406	13	7	10	5	-	-	-	-	1	-
Maryland	24,221	13,398	10,823	10,804	8,794	2,582	2,023	2	-	9	1	1	3	-	2
Massachusetts	53,345	28,288	25,057	27,753	24,610	485	441	5	3	34	2	2	-	9	1
Michigan	63,362	36,989	26,373	34,211	24,054	2,701	2,271	47	45	14	1	8	1	8	1
Minnesota	28,641	16,782	11,859	16,583	11,711	114	88	74	59	9	-	1	-	1	1
Mississippi	19,453	10,975	8,478	5,692	3,847	5,267	4,621	15	9	1	1	-	-	-	-
Missouri	43,102	24,620	18,482	22,238	16,551	2,371	1,927	4	2	5	1	1	1	1	-
Montana	6,151	3,925	2,226	3,758	2,137	10	11	146	78	7	-	4	-	-	-
Nebraska	13,115	7,601	5,514	7,397	5,342	170	140	31	31	-	-	3	1	-	-
Nevada	1,987	1,350	637	1,249	556	49	34	48	46	1	-	-	1	3	-
New Hampshire	6,464	3,593	2,871	3,586	2,869	6	2	1	-	-	-	-	-	-	-
New Jersey	54,290	30,167	24,123	27,816	22,253	2,322	1,861	7	3	13	1	5	1	4	4
New Mexico	5,544	3,352	2,192	2,992	1,961	64	37	296	193	-	-	-	1	-	-
New York	165,770	91,527	74,243	85,623	69,185	5,544	4,971	59	50	249	23	29	3	23	11
North Carolina	32,274	18,553	13,721	12,874	8,968	5,574	4,666	104	87	1	-	-	-	-	-
North Dakota	5,270	3,245	2,025	3,164	1,986	5	2	76	37	-	-	-	-	-	-
Ohio	85,478	48,279	37,199	44,501	34,349	3,746	2,837	7	2	19	2	2	6	4	3
Oklahoma	19,724	11,787	7,937	10,598	6,976	933	744	256	217	-	-	-	-	-	-
Oregon	15,378	9,278	6,100	9,079	5,977	87	54	59	51	25	8	21	10	7	-
Pennsylvania	113,564	63,594	49,970	59,181	46,414	4,368	3,549	7	1	22	-	7	2	9	4
Rhode Island	8,697	4,690	4,007	4,590	3,938	89	67	6	1	5	-	-	-	-	1
South Carolina	18,152	10,375	7,777	6,011	3,987	4,357	3,789	6	1	-	-	1	-	-	-
South Dakota	5,930	3,587	2,343	3,418	2,219	7	1	161	123	-	-	-	-	1	-
Tennessee	29,013	16,572	12,441	13,100	9,466	3,471	2,974	1	-	-	1	-	-	-	-
Texas	65,417	38,755	26,662	32,815	21,980	5,917	4,673	11	5	11	1	1	1	-	2
Utah	5,311	3,077	2,234	2,999	2,191	28	13	16	22	5	-	29	8	-	-
Vermont	4,241	2,394	1,847	2,391	1,845	3	2	-	-	-	-	-	-	-	-
Virginia	30,215	17,179	13,036	12,393	9,264	4,768	3,761	2	8	10	-	3	-	3	3
Washington	24,517	14,812	9,705	14,328	9,429	195	122	161	114	20	4	63	28	45	8
West Virginia	16,787	9,981	6,806	9,241	6,360	739	445	-	1	-	-	-	-	1	-
Wisconsin	35,034	20,292	14,742	20,002	14,513	215	176	67	51	5	1	1	1	2	-
Wyoming	2,453	1,615	838	1,569	801	8	13	37	23	-	-	1	1	-	-

Table 48. Deaths by Color and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES	1,528,717	872,638	656,079	1,350,869	774,758	576,111	177,848	97,880	79,968
Metropolitan counties	899,333	505,163	394,170	799,776	450,403	349,373	99,557	54,760	44,797
Nonmetropolitan counties	629,384	367,475	261,909	551,093	324,355	226,738	78,291	43,120	35,171
Alabama	26,380	14,931	11,449	16,099	9,490	6,609	10,281	5,441	4,840
Metropolitan counties	9,759	5,461	4,298	5,485	3,216	2,269	4,274	2,245	2,029
Nonmetropolitan counties	16,621	9,470	7,151	10,614	6,274	4,340	6,007	3,196	2,811
Arizona	7,600	4,779	2,821	6,500	4,120	2,380	1,100	659	441
Metropolitan counties	3,451	2,162	1,289	3,156	1,968	1,188	295	194	101
Nonmetropolitan counties	4,149	2,617	1,532	3,344	2,152	1,192	805	465	340
Arkansas	15,218	9,099	6,119	11,243	6,897	4,346	3,975	2,202	1,773
Metropolitan counties	1,827	1,031	796	1,286	741	545	541	290	251
Nonmetropolitan counties	13,391	8,068	5,323	9,957	6,156	3,801	3,434	1,912	1,522
California	114,515	66,056	48,459	107,999	62,151	45,848	6,516	3,905	2,611
Metropolitan counties	93,101	52,726	40,375	87,537	49,434	38,103	5,564	3,292	2,272
Nonmetropolitan counties	21,414	13,330	8,084	20,462	12,717	7,745	952	613	339
Colorado	13,343	7,687	5,656	12,964	7,452	5,512	379	235	144
Metropolitan counties	6,945	3,890	3,055	6,652	3,713	2,939	293	177	116
Nonmetropolitan counties	6,398	3,797	2,601	6,312	3,739	2,573	86	58	28
Connecticut	21,783	12,027	9,756	21,116	11,675	9,441	667	352	315
Metropolitan counties	17,140	9,457	7,683	16,524	9,132	7,392	616	325	291
Nonmetropolitan counties	4,643	2,570	2,073	4,592	2,543	2,049	51	27	24
Delaware	3,730	2,093	1,637	3,045	1,680	1,365	685	413	272
Metropolitan counties	2,496	1,369	1,127	2,066	1,112	954	430	257	173
Nonmetropolitan counties	1,234	724	510	979	568	411	255	156	99
District of Columbia	8,349	4,439	3,910	5,054	2,705	2,349	3,295	1,734	1,561
Florida	33,494	20,123	13,371	25,938	15,932	10,006	7,556	4,191	3,365
Metropolitan counties	16,885	10,234	6,651	14,004	8,609	5,395	2,881	1,625	1,256
Nonmetropolitan counties	16,609	9,889	6,720	11,934	7,323	4,611	4,675	2,566	2,109
Georgia	30,919	17,503	13,416	19,273	11,267	8,006	11,646	6,236	5,410
Metropolitan counties	11,868	6,580	5,288	7,430	4,222	3,208	4,438	2,358	2,080
Nonmetropolitan counties	19,051	10,923	8,128	11,843	7,045	4,798	7,208	3,878	3,330
Idaho	4,935	3,087	1,848	4,852	3,044	1,808	83	43	40
Nonmetropolitan counties	4,935	3,087	1,848	4,852	3,044	1,808	83	43	40
Illinois	95,528	54,282	41,246	86,659	49,421	37,238	8,869	4,861	4,008
Metropolitan counties	68,456	38,791	29,665	60,230	34,293	25,937	8,226	4,498	3,728
Nonmetropolitan counties	27,072	15,491	11,581	26,429	15,128	11,301	643	363	280
Indiana	42,093	24,218	17,875	39,740	22,932	16,808	2,353	1,286	1,067
Metropolitan counties	18,011	10,386	7,625	15,945	9,263	6,682	2,066	1,123	943
Nonmetropolitan counties	24,082	13,832	10,250	23,795	13,669	10,126	287	163	124
Iowa	26,772	15,180	11,592	26,481	15,026	11,455	291	154	137
Metropolitan counties	7,260	4,163	3,097	7,057	4,061	2,996	203	102	101
Nonmetropolitan counties	19,512	11,017	8,495	19,424	10,965	8,459	88	52	36
Kansas	19,042	11,030	8,012	18,094	10,515	7,579	948	515	433
Metropolitan counties	5,400	3,088	2,312	4,816	2,773	2,043	584	315	269
Nonmetropolitan counties	13,642	7,942	5,700	13,278	7,742	5,536	364	200	164
Kentucky	27,591	15,674	11,917	24,527	13,988	10,539	3,064	1,686	1,378
Metropolitan counties	8,867	4,852	4,015	7,481	4,084	3,397	1,386	768	618
Nonmetropolitan counties	18,724	10,822	7,902	17,046	9,904	7,142	1,678	918	760
Louisiana	24,312	14,003	10,309	14,619	8,736	5,883	9,693	5,267	4,426
Metropolitan parishes	10,153	5,656	4,497	6,330	3,626	2,704	3,823	2,030	1,793
Nonmetropolitan parishes	14,159	8,347	5,812	8,289	5,110	3,179	5,870	3,237	2,633
Maine	10,213	5,795	4,418	10,177	5,771	4,406	36	24	12
Metropolitan counties	2,030	1,122	908	2,023	1,118	905	7	4	3
Nonmetropolitan counties	8,183	4,673	3,510	8,154	4,653	3,501	29	20	9
Maryland	24,221	13,398	10,823	19,598	10,804	8,794	4,623	2,594	2,029
Metropolitan counties	17,320	9,519	7,801	13,849	7,591	6,258	3,471	1,928	1,543
Nonmetropolitan counties	6,901	3,879	3,022	5,749	3,213	2,536	1,152	666	486
Massachusetts	53,345	28,288	25,057	52,363	27,753	24,610	982	535	447
Metropolitan counties	51,949	27,550	24,399	50,991	27,027	23,964	958	523	435
Nonmetropolitan counties	1,396	738	658	1,372	726	646	24	12	12
Michigan	63,362	36,989	26,373	58,265	34,211	24,054	5,097	2,778	2,319
Metropolitan counties	40,101	23,334	16,767	35,608	20,886	14,722	4,493	2,448	2,045
Nonmetropolitan counties	23,261	13,655	9,606	22,657	13,325	9,332	604	330	274
Minnesota	28,641	16,782	11,859	28,294	16,583	11,711	347	199	148
Metropolitan counties	13,353	7,676	5,677	13,110	7,532	5,578	243	144	99
Nonmetropolitan counties	15,288	9,106	6,182	15,184	9,051	6,133	104	55	49
Mississippi	19,453	10,975	8,478	9,539	5,692	3,847	9,914	5,283	4,631
Metropolitan counties	1,285	724	561	626	359	267	659	365	294
Nonmetropolitan counties	18,168	10,251	7,917	8,913	5,333	3,580	9,255	4,918	4,337
Missouri	43,102	24,620	18,482	38,789	22,238	16,551	4,313	2,382	1,931
Metropolitan counties	22,803	12,727	10,076	19,456	10,919	8,537	3,347	1,808	1,539
Nonmetropolitan counties	20,299	11,893	8,406	19,333	11,319	8,014	966	574	392

Table 48. Deaths by Color and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Montana	6,151	3,925	2,226	5,895	3,758	2,137	256	167	89
Nonmetropolitan counties	6,151	3,925	2,226	5,895	3,758	2,137	256	167	89
Nebraska	13,115	7,601	5,514	12,739	7,397	5,342	376	204	172
Metropolitan counties	4,250	2,391	1,859	3,952	2,232	1,720	298	159	139
Nonmetropolitan counties	8,865	5,210	3,655	8,787	5,165	3,622	78	45	33
Nevada	1,987	1,350	637	1,805	1,249	556	182	101	81
Nonmetropolitan counties	1,987	1,350	637	1,805	1,249	556	182	101	81
New Hampshire	6,464	3,593	2,871	6,455	3,586	2,869	9	7	2
Metropolitan counties	1,874	1,014	860	1,872	1,013	859	2	1	1
Nonmetropolitan counties	4,590	2,579	2,011	4,583	2,573	2,010	7	6	1
New Jersey	54,290	30,167	24,123	50,069	27,816	22,253	4,221	2,351	1,870
Metropolitan counties	47,674	26,489	21,185	43,972	24,410	19,562	3,702	2,079	1,623
Nonmetropolitan counties	6,616	3,678	2,938	6,097	3,406	2,691	519	272	247
New Mexico	5,544	3,352	2,192	4,953	2,992	1,961	591	360	231
Metropolitan counties	1,162	672	490	1,120	643	477	42	29	13
Nonmetropolitan counties	4,382	2,680	1,702	3,833	2,349	1,484	549	331	218
New York	165,770	91,527	74,243	154,808	85,623	69,185	10,962	5,904	5,058
Metropolitan counties	136,381	75,104	61,277	125,796	69,428	56,368	10,585	5,676	4,909
Nonmetropolitan counties	29,389	16,423	12,966	29,012	16,195	12,817	377	228	149
North Carolina	32,274	18,553	13,721	21,842	12,874	8,968	10,432	5,679	4,753
Metropolitan counties	7,482	4,235	3,227	4,982	2,895	2,087	2,480	1,340	1,140
Nonmetropolitan counties	24,812	14,318	10,494	16,860	9,979	6,881	7,952	4,339	3,613
North Dakota	5,270	3,245	2,025	5,150	3,164	1,986	120	81	39
Nonmetropolitan counties	5,270	3,245	2,025	5,150	3,164	1,986	120	81	39
Ohio	85,478	48,279	37,199	78,850	44,501	34,349	6,628	3,778	2,850
Metropolitan counties	56,849	32,082	24,767	50,812	28,677	22,135	6,037	3,405	2,632
Nonmetropolitan counties	28,629	16,197	12,432	28,038	15,824	12,214	591	373	218
Oklahoma	19,724	11,787	7,937	17,574	10,598	6,976	2,150	1,189	961
Metropolitan counties	5,248	3,096	2,152	4,630	2,755	1,875	618	341	277
Nonmetropolitan counties	14,476	8,691	5,785	12,944	7,843	5,101	1,532	848	684
Oregon	15,378	9,278	6,100	15,056	9,079	5,977	322	199	123
Metropolitan counties	7,173	4,192	2,981	6,983	4,066	2,917	190	126	64
Nonmetropolitan counties	8,205	5,086	3,119	8,073	5,013	3,060	132	73	59
Pennsylvania	113,564	63,594	49,970	105,595	59,181	46,414	7,969	4,413	3,556
Metropolitan counties	88,616	49,340	39,276	80,949	45,088	35,861	7,667	4,252	3,415
Nonmetropolitan counties	24,948	14,254	10,694	24,646	14,093	10,553	302	161	141
Rhode Island	8,697	4,690	4,007	8,528	4,590	3,938	169	100	69
Metropolitan counties	7,620	4,099	3,521	7,493	4,023	3,470	127	76	51
Nonmetropolitan counties	1,077	591	486	1,035	567	468	42	24	18
South Carolina	18,152	10,375	7,777	9,998	6,011	3,987	8,154	4,364	3,790
Metropolitan counties	4,699	2,674	2,025	2,792	1,650	1,142	1,907	1,024	883
Nonmetropolitan counties	13,453	7,701	5,752	7,206	4,361	2,845	6,247	3,340	2,907
South Dakota	5,930	3,587	2,343	5,637	3,416	2,219	293	169	124
Metropolitan counties	682	409	273	678	407	271	4	2	2
Nonmetropolitan counties	5,248	3,178	2,070	4,959	3,011	1,948	289	167	122
Tennessee	29,013	16,572	12,441	22,566	13,100	9,466	6,447	3,472	2,975
Metropolitan counties	12,600	7,024	5,576	8,447	4,786	3,661	4,153	2,238	1,915
Nonmetropolitan counties	16,413	9,548	6,865	14,119	8,314	5,805	2,294	1,234	1,060
Texas	65,417	38,755	26,662	54,795	32,815	21,980	10,622	5,940	4,682
Metropolitan counties	31,039	18,092	12,947	25,873	15,196	10,677	5,166	2,896	2,270
Nonmetropolitan counties	34,378	20,663	13,715	28,922	17,619	11,303	5,456	3,044	2,412
Utah	5,311	3,077	2,234	5,190	2,999	2,191	121	78	43
Metropolitan counties	2,979	1,708	1,271	2,910	1,657	1,253	69	51	18
Nonmetropolitan counties	2,332	1,369	963	2,280	1,342	938	52	27	25
Vermont	4,241	2,394	1,847	4,236	2,391	1,845	5	3	2
Nonmetropolitan counties	4,241	2,394	1,847	4,236	2,391	1,845	5	3	2
Virginia	30,215	17,179	13,036	21,657	12,393	9,264	8,558	4,786	3,772
Metropolitan counties	10,820	5,989	4,831	7,687	4,257	3,430	3,133	1,732	1,401
Nonmetropolitan counties	19,395	11,190	8,205	13,970	8,136	5,834	5,425	3,054	2,371
Washington	24,517	14,812	9,705	23,757	14,328	9,429	760	484	276
Metropolitan counties	14,158	8,427	5,731	13,698	8,133	5,565	460	294	166
Nonmetropolitan counties	10,359	6,385	3,974	10,059	6,195	3,864	300	190	110
West Virginia	16,787	9,981	6,806	15,601	9,241	6,360	1,186	740	446
Metropolitan counties	5,487	3,215	2,272	5,049	2,937	2,112	438	278	160
Nonmetropolitan counties	11,300	6,766	4,534	10,552	6,304	4,248	748	462	286
Wisconsin	35,034	20,292	14,742	34,515	20,002	14,513	519	290	229
Metropolitan counties	13,751	7,974	5,777	13,365	7,766	5,599	386	208	178
Nonmetropolitan counties	21,283	12,318	8,965	21,150	12,236	8,914	133	82	51
Wyoming	2,453	1,615	838	2,370	1,569	801	83	46	37
Nonmetropolitan counties	2,453	1,615	838	2,370	1,569	801	83	46	37

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 49. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,528,717	106,303	16,684	14,760	24,315	35,820	69,742	142,266	252,292	373,029	346,066	145,602	1,238
Metropolitan counties	899,333	59,423	8,539	7,441	11,393	20,821	43,147	90,863	161,210	225,204	192,784	77,939	569
Nonmetropolitan counties	629,384	47,480	8,145	7,319	12,922	14,999	26,595	51,403	91,082	147,825	153,282	67,663	669
Alabama	26,380	2,616	440	362	668	940	1,688	2,892	4,205	5,934	4,711	1,828	96
Metropolitan counties	9,759	902	151	132	203	368	717	1,328	1,750	2,110	1,534	551	13
Nonmetropolitan counties	16,621	1,714	289	230	465	572	971	1,564	2,455	3,824	3,177	1,277	83
Arizona	7,600	972	234	139	203	291	522	792	1,215	1,591	1,163	466	12
Metropolitan counties	3,451	351	70	63	69	129	237	409	580	764	561	211	7
Nonmetropolitan counties	4,149	621	164	76	134	162	285	383	635	827	602	255	5
Arkansas	15,218	1,157	220	195	327	381	680	1,398	2,554	3,639	3,401	1,222	44
Metropolitan counties	1,827	128	24	24	32	46	84	198	342	409	384	149	7
Nonmetropolitan counties	13,391	1,029	196	171	295	335	596	1,200	2,212	3,230	3,017	1,073	37
California	114,515	7,395	1,099	1,024	1,819	2,792	5,539	11,047	18,835	28,100	25,605	11,215	45
Metropolitan counties	93,101	5,847	847	772	1,341	2,229	4,518	9,101	15,474	22,804	20,931	9,216	21
Nonmetropolitan counties	21,414	1,548	252	252	478	563	1,021	1,946	3,361	5,296	4,674	1,999	24
Colorado	13,343	1,212	155	170	234	325	533	1,014	1,800	3,047	3,254	1,593	6
Metropolitan counties	6,945	628	73	71	98	172	292	567	1,005	1,581	1,660	797	1
Nonmetropolitan counties	6,398	584	82	99	136	153	241	447	795	1,466	1,594	796	5
Connecticut	21,783	1,140	159	144	232	401	888	1,848	3,791	5,686	5,250	2,231	13
Metropolitan counties	17,140	906	110	109	168	307	723	1,505	3,045	4,540	4,040	1,679	8
Nonmetropolitan counties	4,643	234	49	35	64	94	165	343	746	1,146	1,210	552	5
Delaware	3,730	265	43	34	64	88	210	372	617	898	789	346	4
Metropolitan counties	2,496	176	24	21	32	55	145	268	440	596	504	232	3
Nonmetropolitan counties	1,234	89	19	13	32	33	65	104	177	302	285	114	1
District of Columbia	8,349	673	74	46	94	231	577	1,028	1,538	1,833	1,592	657	6
Florida	33,494	2,652	418	331	558	1,019	1,889	3,727	5,894	8,047	6,459	2,486	14
Metropolitan counties	16,885	1,116	162	123	226	507	991	1,956	3,051	4,239	3,277	1,236	1
Nonmetropolitan counties	16,609	1,536	256	208	332	512	898	1,771	2,843	3,808	3,182	1,250	13
Georgia	30,919	3,002	553	440	780	1,141	2,219	3,817	5,357	6,488	5,167	1,938	17
Metropolitan counties	11,868	1,130	197	136	250	499	983	1,666	2,199	2,362	1,796	644	6
Nonmetropolitan counties	19,051	1,872	356	304	530	642	1,236	2,151	3,158	4,126	3,371	1,294	11
Idaho	4,935	354	72	81	123	137	237	387	700	1,169	1,160	510	5
Nonmetropolitan counties	4,935	354	72	81	123	137	237	387	700	1,169	1,160	510	5
Illinois	95,528	5,466	884	739	1,201	2,002	4,257	9,046	16,723	24,732	21,638	8,826	14
Metropolitan counties	68,456	4,223	692	516	807	1,553	3,413	7,250	13,025	17,984	13,798	5,185	10
Nonmetropolitan counties	27,072	1,243	192	223	394	449	844	1,796	3,698	6,748	7,840	3,641	4
Indiana	42,093	2,715	424	416	629	881	1,614	3,425	6,320	10,248	10,706	4,700	15
Metropolitan counties	18,011	1,438	195	176	250	433	862	1,807	3,148	4,241	3,903	1,553	5
Nonmetropolitan counties	24,082	1,277	229	240	379	448	752	1,618	3,172	6,007	6,803	3,147	10
Iowa	26,772	1,407	238	228	386	440	805	1,720	3,605	6,388	7,579	3,959	17
Metropolitan counties	7,260	510	84	66	100	148	247	549	1,115	1,704	1,808	926	3
Nonmetropolitan counties	19,512	897	154	162	286	292	558	1,171	2,490	4,684	5,771	3,033	14
Kansas	19,042	1,235	195	175	338	401	609	1,343	2,565	4,401	5,237	2,537	6
Metropolitan counties	5,400	525	61	54	107	174	239	499	804	1,203	1,200	529	5
Nonmetropolitan counties	13,642	710	134	121	231	227	370	844	1,761	3,198	4,037	2,008	1
Kentucky	27,591	2,249	333	325	547	750	1,247	2,352	4,049	6,133	6,683	2,915	8
Metropolitan counties	8,867	628	97	73	109	242	463	920	1,561	1,968	1,905	898	3
Nonmetropolitan counties	18,724	1,621	236	252	438	508	784	1,432	2,488	4,165	4,778	2,017	5
Louisiana	24,312	2,723	424	323	556	732	1,343	2,771	4,079	5,467	4,225	1,665	4
Metropolitan parishes	10,153	960	115	108	175	309	616	1,332	1,902	2,308	1,686	640	2
Nonmetropolitan parishes	14,159	1,763	309	215	381	423	727	1,439	2,177	3,159	2,539	1,025	2
Maine	10,213	553	108	76	115	186	311	679	1,519	2,435	2,840	1,380	11
Metropolitan counties	2,030	104	18	15	18	37	76	119	315	508	552	266	2
Nonmetropolitan counties	8,183	449	90	61	97	149	235	560	1,204	1,927	2,288	1,114	9
Maryland	24,221	1,873	257	223	310	666	1,357	2,606	4,171	5,752	5,029	1,974	3
Metropolitan counties	17,320	1,339	169	155	203	503	1,023	1,969	3,134	4,147	3,361	1,316	1
Nonmetropolitan counties	6,901	534	88	68	107	163	334	637	1,037	1,605	1,668	658	2
Massachusetts	53,345	2,413	372	381	473	791	1,825	4,081	8,911	13,866	13,940	6,163	129
Metropolitan counties	51,949	2,356	356	373	460	774	1,790	3,979	8,710	13,542	13,545	5,941	123
Nonmetropolitan counties	1,396	57	16	8	13	17	35	102	201	324	395	222	6
Michigan	63,362	4,894	717	697	1,033	1,575	2,989	6,101	11,011	15,475	13,383	5,481	6
Metropolitan counties	40,101	3,426	472	415	601	1,142	2,149	4,441	7,759	9,596	7,255	2,840	5
Nonmetropolitan counties	23,261	1,468	245	282	432	433	840	1,660	3,252	5,879	6,128	2,641	1
Minnesota	28,641	1,782	299	275	377	476	947	2,094	4,321	7,058	7,440	3,563	9
Metropolitan counties	13,353	819	139	115	125	229	492	1,086	2,255	3,481	3,128	1,479	5
Nonmetropolitan counties	15,288	963	160	160	252	247	455	1,008	2,066	3,577	4,312	2,084	4
Mississippi	19,453	2,346	353	316	450	562	1,041	1,924	2,680	4,262	3,853	1,630	36
Metropolitan counties	1,285	170	24	11	36	37	90	167	178	253	222	96	1
Nonmetropolitan counties	18,168	2,176	329	305	414	525	951	1,757	2,502	4,009	3,631	1,534	35
Missouri	43,102	2,381	373	351	626	832	1,572	3,604	6,516	10,752	11,047	5,027	21
Metropolitan counties	22,803	1,398	192	169	278	500	969	2,286	3,931	5,747	5,149	2,176	8
Nonmetropolitan counties	20,299	983	181	182	348	332	603	1,318	2,585	5,005	5,898	2,851	13

Table 49. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,151	437	93	65	134	172	299	498	866	1,564	1,429	583	11
Nonmetropolitan counties	6,151	437	93	65	134	172	299	498	866	1,564	1,429	583	11
Nebraska	13,115	813	141	126	220	221	417	882	1,825	3,160	3,514	1.794	2
Metropolitan counties	4,250	313	46	27	60	84	164	325	699	1,012	1,014	504	2
Nonmetropolitan counties	8,865	500	95	99	160	137	253	557	1,126	2,148	2,500	1,290	-
Nevada	1,987	188	23	23	56	91	146	241	350	419	328	117	5
Nonmetropolitan counties	1,987	188	23	23	56	91	146	241	350	419	328	117	5
New Hampshire	6,464	321	57	53	79	93	210	471	922	1,613	1,760	876	9
Metropolitan counties	1,874	102	18	21	22	21	78	129	285	492	502	198	6
Nonmetropolitan counties	4,590	219	39	32	57	72	132	342	637	1,121	1,258	678	3
New Jersey	54,290	2,954	409	375	535	1,011	2,449	5,240	10,372	14,234	11,948	4,748	15
Metropolitan counties	47,674	2,602	355	319	465	912	2,201	4,717	9,294	12,447	10,286	4,063	13
Nonmetropolitan counties	6,616	352	54	56	70	99	248	523	1,078	1,787	1,662	685	2
New Mexico	5,544	1,108	180	98	191	235	307	486	715	912	845	385	82
Metropolitan counties	1,162	224	25	27	28	47	82	113	168	191	164	65	28
Nonmetropolitan counties	4,382	884	155	71	163	188	225	373	547	721	681	320	54
New York	165,770	8,340	1,204	1,152	1,742	3,030	6,912	16,250	30,669	44,008	37,471	14,881	111
Metropolitan counties	136,381	6,906	969	900	1,357	2,565	6,011	14,196	26,379	36,753	29,344	10,910	91
Nonmetropolitan counties	29,389	1,434	235	252	385	465	901	2,054	4,290	7,255	8,127	3,971	20
North Carolina	32,274	3,500	546	482	981	1,218	2,126	3,467	5,212	6,911	5,747	2,070	14
Metropolitan counties	7,462	704	102	78	163	278	513	958	1,371	1,613	1,204	474	4
Nonmetropolitan counties	24,812	2,796	444	404	818	940	1,613	2,509	3,841	5,298	4,543	1,596	10
North Dakota	5,270	433	84	68	105	126	196	364	750	1,296	1,304	541	3
Nonmetropolitan counties	5,270	433	84	68	105	126	196	364	750	1,296	1,304	541	3
Ohio	85,478	5,549	798	746	1,177	1,810	3,515	7,328	13,941	20,861	20,928	8,801	24
Metropolitan counties	56,849	3,978	516	481	688	1,292	2,576	5,346	10,121	14,187	12,633	5,017	14
Nonmetropolitan counties	28,629	1,571	282	265	489	518	939	1,982	3,820	6,674	8,295	3,784	10
Oklahoma	19,724	1,339	240	229	357	495	744	1,619	2,835	4,457	5,034	2,344	31
Metropolitan counties	5,248	493	75	72	90	154	248	520	829	1,157	1,102	504	4
Nonmetropolitan counties	14,476	846	165	157	267	341	496	1,099	2,006	3,300	3,932	1,840	27
Oregon	15,378	936	176	171	266	319	620	1,305	2,322	3,796	3,735	1,712	20
Metropolitan counties	7,173	362	66	70	65	105	279	576	1,088	1,888	1,865	797	12
Nonmetropolitan counties	8,205	574	110	101	201	214	341	729	1,234	1,908	1,870	915	8
Pennsylvania	113,564	5,960	813	845	1,328	2,138	4,597	10,518	19,960	30,184	26,590	10,494	137
Metropolitan counties	88,616	4,783	620	629	957	1,688	3,687	8,527	16,103	23,656	20,145	7,726	95
Nonmetropolitan counties	24,948	1,177	193	216	371	450	910	1,991	3,857	6,528	6,445	2,768	42
Rhode Island	8,697	419	75	46	65	119	283	720	1,519	2,290	2,249	911	1
Metropolitan counties	7,620	336	60	37	49	106	254	642	1,355	2,016	1,953	911	1
Nonmetropolitan counties	1,077	83	15	9	16	13	29	78	164	274	296	100	-
South Carolina	18,152	2,170	384	280	522	800	1,361	2,337	3,353	3,581	2,494	851	19
Metropolitan counties	4,699	508	101	54	101	242	361	685	911	920	604	210	2
Nonmetropolitan counties	13,453	1,662	283	226	421	558	1,000	1,652	2,442	2,661	1,890	641	17
South Dakota	5,930	487	81	68	125	138	210	401	824	1,427	1,465	683	1
Metropolitan counties	682	50	8	5	13	16	22	57	110	160	151	90	-
Nonmetropolitan counties	5,248	437	73	63	112	122	188	344	714	1,267	1,334	593	1
Tennessee	29,013	2,485	379	353	588	852	1,593	2,867	4,412	6,637	6,450	2,392	5
Metropolitan counties	12,600	1,151	165	134	208	418	794	1,471	2,232	2,792	2,365	868	2
Nonmetropolitan counties	16,413	1,334	214	219	380	434	799	1,396	2,180	3,845	4,085	1,524	3
Texas	65,417	7,278	1,212	882	1,580	2,141	3,399	6,631	10,277	13,927	12,961	5,080	49
Metropolitan counties	31,039	3,665	570	426	679	1,130	1,849	3,576	5,173	6,380	5,451	2,128	12
Nonmetropolitan counties	34,378	3,613	642	456	901	1,011	1,550	3,055	5,104	7,547	7,510	2,952	37
Utah	5,311	509	105	69	151	124	273	439	786	1,186	1,152	514	3
Metropolitan counties	2,979	271	46	32	66	74	157	258	433	686	661	294	1
Nonmetropolitan counties	2,332	238	59	37	85	50	116	181	353	500	491	220	2
Vermont	4,241	244	37	40	73	55	110	274	582	994	1,220	587	25
Nonmetropolitan counties	4,241	244	37	40	73	55	110	274	582	994	1,220	587	25
Virginia	30,215	2,786	367	320	594	978	1,918	3,175	4,866	6,654	6,112	2,368	77
Metropolitan counties	10,820	1,049	126	97	155	372	797	1,291	1,947	2,309	1,906	759	21
Nonmetropolitan counties	19,395	1,737	241	223	439	606	1,121	1,884	2,919	4,354	4,206	1,609	56
Washington	24,517	1,531	254	210	336	469	1,022	2,150	3,645	6,305	5,932	2,651	12
Metropolitan counties	14,158	835	132	107	156	269	577	1,273	2,134	3,696	3,459	1,512	8
Nonmetropolitan counties	10,359	696	122	103	180	200	445	877	1,511	2,609	2,473	1,139	4
West Virginia	16,787	1,206	198	198	347	457	802	1,627	2,570	3,806	3,879	1,657	40
Metropolitan counties	5,487	378	63	58	106	151	288	556	903	1,339	1,136	502	7
Nonmetropolitan counties	11,300	828	135	140	241	306	514	1,071	1,667	2,467	2,743	1,155	33
Wisconsin	35,034	2,190	334	340	551	629	1,180	2,702	5,367	8,799	8,881	4,041	-
Metropolitan counties	13,751	960	130	124	183	273	513	1,217	2,414	3,599	3,048	1,290	-
Nonmetropolitan counties	21,283	1,230	204	216	368	356	667	1,485	2,973	5,200	5,833	2,751	-
Wyoming	2,453	245	50	30	69	59	154	206	356	607	467	209	1
Nonmetropolitan counties	2,453	245	50	30	69	59	154	206	356	607	467	209	1

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1955, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,528,717	774,758	576,111	97,880	79,968	930.4	1,070.0	777.2	1,131.8	876.9
	I. Infective and parasitic diseases										
001-008	Tuberculosis of respiratory system	13,676	7,628	2,749	2,152	1,147	8.3	10.5	3.7	24.9	12.6
001	Respiratory tuberculosis with mention of occupational disease of lung	454	412	4	38	-	0.3	0.6	0.0	0.4	0
002	Pulmonary tuberculosis	12,621	6,912	2,598	2,011	1,100	7.7	9.5	3.5	23.3	12.1
003	Pleural tuberculosis	205	96	67	34	8	0.1	0.1	0.1	0.4	0.1
.0	Pleurisy specified as tuberculous	57	30	9	17	1	0.0	0.0	0.0	0.2	0.0
.1	Pleurisy with effusion without mention of cause	148	66	58	17	7	0.1	0.1	0.1	0.2	0.1
005	Tracheobronchial glandular tuberculosis with symptoms	9	6	2	1	-	0.0	0.0	0.0	0.0	0
007	Other respiratory tuberculosis	7	4	1	2	-	0.0	0.0	0.0	0.0	0
008	Tuberculosis, unspecified site	380	198	77	66	39	0.2	0.3	0.1	0.8	0.4
010-019	Tuberculosis, other forms	1,264	458	281	304	221	0.8	0.6	0.4	3.5	2.4
010	Tuberculosis of meninges and central nervous system	404	129	75	124	76	0.2	0.2	0.1	1.4	0.8
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	77	24	21	17	15	0.0	0.0	0.0	0.2	0.2
012	Tuberculosis of bones and joints, active or unspecified	126	55	42	13	16	0.1	0.1	0.1	0.2	0.2
.0	Active or unspecified tuberculosis of vertebral column	90	42	28	9	11	0.1	0.1	0.0	0.1	0.1
.1	Active or unspecified tuberculosis of hip	14	5	5	2	2	0.0	0.0	0.0	0.0	0.0
.2	Active or unspecified tuberculosis of knee	4	-	3	1	-	0.0	0	0.0	0.0	0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	18	8	6	1	3	0.0	0.0	0.0	0.0	0.0
013	Late effects of tuberculosis of bones and joints	3	1	-	2	-	0.0	0.0	0	0.0	0
.0	Late effects of tuberculosis of vertebral column	3	1	-	2	-	0.0	0.0	0	0.0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	8	1	5	-	2	0.0	0.0	0.0	0	0.0
015	Tuberculosis of lymphatic system	23	8	7	3	5	0.0	0.0	0.0	0.0	0.1
016	Tuberculosis of genito-urinary system	170	89	54	19	8	0.1	0.1	0.1	0.2	0.1
017	Tuberculosis of adrenal glands	24	11	5	5	3	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	35	17	2	11	5	0.0	0.0	0.0	0.1	0.1
019	Disseminated tuberculosis	394	123	70	110	91	0.2	0.2	0.1	1.3	1.0
.1	Acute miliary tuberculosis, unspecified	21	8	4	5	4	0.0	0.0	0.0	0.1	0.0
.2	Other forms of disseminated tuberculosis	373	115	66	105	87	0.2	0.2	0.1	1.2	1.0
020-029	Syphilis and its sequelae	3,834	1,834	604	1,006	390	2.3	2.5	0.8	11.6	4.3
020	Congenital syphilis	54	17	7	17	13	0.0	0.0	0.0	0.2	0.1
.1	Juvenile neurosyphilis	7	3	3	-	1	0.0	0.0	0.0	0	0.0
.2	Other congenital syphilis	47	14	4	17	12	0.0	0.0	0.0	0.2	0.1
021	Early syphilis	1	1	-	-	-	0.0	0.0	0	0	0
022	Aneurysm of aorta	1,127	615	217	209	86	0.7	0.8	0.3	2.4	0.9
023	Other cardiovascular syphilis	1,545	668	193	491	193	0.9	0.9	0.3	5.7	2.1
024	Tabes dorsalis	110	75	15	17	3	0.1	0.1	0.0	0.2	0.0
025	General paralysis of insane	464	211	79	147	27	0.3	0.3	0.1	1.7	0.3
026	Other syphilis of central nervous system	430	204	74	104	48	0.3	0.3	0.1	1.2	0.5
027	Other forms of late syphilis	51	24	14	8	5	0.0	0.0	0.0	0.1	0.1
028	Latent syphilis	3	3	-	-	-	0.0	0.0	0	0	0
029	Syphilis, unqualified	49	16	5	13	15	0.0	0.0	0.0	0.2	0.2
030-039	Gonococcal infection and other venereal diseases	51	3	3	21	24	0.0	0.0	0.0	0.2	0.3
030	Acute or unspecified gonorrhea	3	-	-	1	2	0.0	0	0	0.0	0.0
031	Chronic gonococcal infection of genito-urinary system	2	-	-	-	2	0.0	0	0	0	0.0
033	Gonococcal infection of eye	2	-	-	-	2	0.0	0	0	0	0.0
034	Gonococcal infection of other sites	1	-	-	-	1	0.0	0	0	0	0.0
035	Late effects of gonococcal infection	15	2	-	12	1	0.0	0.0	0	0.1	0.0
037	Lymphogranuloma venereum	26	1	3	6	16	0.0	0.0	0.0	0.1	0.2
038	Granuloma inguinale, venereal	2	-	-	2	-	0.0	0	0	0.0	0
040-049	Infectious diseases commonly arising in intestinal tract	759	261	232	145	121	0.5	0.4	0.3	1.7	1.3
040	Typhoid fever	34	10	8	11	5	0.0	0.0	0.0	0.1	0.1
041	Paratyphoid fever	12	5	1	3	3	0.0	0.0	0.0	0.0	0.0
042	Other Salmonella infections	50	21	17	4	8	0.0	0.0	0.0	0.0	0.1
044	Brucellosis (undulant fever)	10	5	5	-	-	0.0	0.0	0.0	0	0
045	Bacillary dysentery	187	56	58	39	34	0.1	0.1	0.1	0.5	0.4
.0	Flexner-Boyd group	8	6	2	-	-	0.0	0.0	0.0	0	0
.2	Shiga	34	11	7	9	7	0.0	0.0	0.0	0.1	0.1
.3	Sonne	1	-	1	-	-	0.0	0	0.0	0	0
.4	Bacillary, other, and unspecified	144	39	48	30	27	0.1	0.1	0.1	0.3	0.3
046	Amebiasis	106	46	29	17	14	0.1	0.1	0.0	0.2	0.2
047	Other protozoal dysentery	1	-	1	-	-	0.0	0	0.0	0	0
048	Unspecified forms of dysentery	262	86	90	47	39	0.2	0.1	0.1	0.5	0.4
049	Food poisoning (infection and intoxication)	97	32	23	24	18	0.1	0.0	0.0	0.3	0.2
.0	Staphylococcal	3	2	-	1	-	0.0	0.0	0	0.0	0
.1	Botulism	18	9	8	-	1	0.0	0.0	0.0	0	0.0
.2	Unspecified	76	21	15	23	17	0.0	0.0	0.0	0.3	0.2
050-064	Other bacterial diseases	3,032	1,262	970	410	390	1.8	1.7	1.3	4.7	4.3
050	Scarlet fever	51	26	25	-	-	0.0	0.0	0.0	0	0
051	Streptococcal sore throat	184	82	70	20	12	0.1	0.1	0.1	0.2	0.1
052	Erysipelas	28	9	16	2	1	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	938	454	308	84	92	0.6	0.6	0.4	1.0	1.0
.0	Streptococcus	67	37	23	3	4	0.0	0.1	0.0	0.0	0.0
.1	Staphylococcus	111	60	36	8	7	0.1	0.1	0.0	0.1	0.1
.2	Pneumococcus	22	9	8	1	4	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	43	25	16	1	1	0.0	0.0	0.0	0.0	0.0
.4	Organism unspecified	695	323	225	71	76	0.4	0.4	0.3	0.8	0.8
054	Bacterial toxemia	1	-	1	-	-	0.0	0	0.0	0	0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases—Continued										
055	Diphtheria	150	58	36	27	29	0.1	0.1	0.0	0.3	0.3
056	Whooping cough	467	91	132	114	130	0.3	0.1	0.2	1.3	1.4
.0	Without mention of pneumonia	206	47	57	48	54	0.1	0.1	0.1	0.6	0.6
.1	With pneumonia	261	44	75	66	76	0.2	0.1	0.1	0.8	0.8
057	Meningococcal infections	907	435	317	79	76	0.6	0.6	0.4	0.9	0.8
.0	Meningococcal meningitis	463	221	165	40	37	0.3	0.3	0.2	0.5	0.4
.1	Acute and unspecified meningococcemia	442	213	151	39	39	0.3	0.3	0.2	0.5	0.4
.3	Other forms of meningococcal infection	2	1	1	-	-	0.0	0.0	0.0	0	0
059	Tularemia	9	5	2	2	-	0.0	0.0	0.0	0.0	0
060	Leprosy	5	3	1	1	-	0.0	0.0	0.0	0.0	0
061	Tetanus	265	88	54	76	47	0.2	0.1	0.1	0.9	0.5
063	Gas gangrene	21	9	6	3	3	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	6	2	2	2	-	0.0	0.0	0.0	0.0	0
070-074	Spirochetal diseases, except syphilis	23	14	-	6	3	0.0	0.0	0	0.1	0.0
070	Vincent's infection	12	8	-	2	2	0.0	0.0	0	0.0	0.0
072	Leptospirosis icterohemorrhagica (Weil's disease)	10	5	-	4	1	0.0	0.0	0	0.0	0.0
074	Other spirochetal and leptospirochetal infections	1	1	-	-	-	0.0	0.0	0	0	0
080-096	Diseases attributable to viruses	3,381	1,554	1,452	180	195	2.1	2.1	2.0	2.1	2.1
080	Acute poliomyelitis	1,043	557	442	23	21	0.6	0.8	0.6	0.3	0.2
.0	Specified as bulbar or polioencephalitis	747	403	312	18	14	0.5	0.6	0.4	0.2	0.2
.1	With other paralysis	53	26	25	-	2	0.0	0.0	0.0	0	0.0
.3	Unspecified	243	128	105	5	5	0.1	0.2	0.1	0.1	0.1
081	Late effects of acute poliomyelitis	133	68	55	4	6	0.1	0.1	0.1	0.0	0.1
082	Acute infectious encephalitis	398	190	158	21	29	0.2	0.3	0.2	0.2	0.3
A	Arthropod-borne encephalitis	32	21	9	-	2	0.0	0.0	0.0	0	0.0
B	Other acute encephalitis	366	169	149	21	27	0.2	0.2	0.2	0.2	0.3
083	Late effects of acute infectious encephalitis	101	58	39	3	1	0.1	0.1	0.1	0.0	0.0
.0	Postencephalitic Parkinsonism	71	39	29	3	-	0.0	0.1	0.0	0.0	0
.2	Postencephalitic psychosis	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Other postencephalitic conditions	28	18	9	-	1	0.0	0.0	0.0	0	0.0
085	Measles	345	126	129	42	48	0.2	0.2	0.2	0.5	0.5
.0	Without mention of pneumonia	156	52	64	19	21	0.1	0.1	0.1	0.2	0.2
.1	With pneumonia	189	74	65	23	27	0.1	0.1	0.1	0.3	0.3
086	Rubella (German measles)	8	4	2	1	1	0.0	0.0	0.0	0.0	0.0
087	Chickenpox	88	47	33	5	3	0.1	0.1	0.0	0.1	0.0
088	Herpes zoster	45	20	25	-	-	0.0	0.0	0.0	0	0
089	Mumps	43	19	14	7	3	0.0	0.0	0.0	0.1	0.0
092	Infectious hepatitis	841	334	398	55	54	0.5	0.5	0.5	0.6	0.6
093	Glandular fever (infectious mononucleosis)	10	5	5	-	-	0.0	0.0	0.0	0	0
094	Rabies	4	4	-	-	-	0.0	0.0	0	0	0
096	Other diseases attributable to viruses	322	122	152	19	29	0.2	0.2	0.2	0.2	0.3
.0	Herpes febrilis	7	4	3	-	-	0.0	0.0	0.0	0	0
.2	Psittacosis and ornithosis	3	1	2	-	-	0.0	0.0	0.0	0	0
.9	Other	312	117	147	19	29	0.2	0.2	0.2	0.2	0.3
100-108	Typhus and other rickettsial diseases	15	10	3	2	-	0.0	0.0	0.0	0.0	0
102	Brill's disease, not specified as louse- or flea-borne typhus	1	1	-	-	-	0.0	0.0	0	0	0
104	Tick-borne typhus	8	7	1	-	-	0.0	0.0	0.0	0	0
A	Rocky Mountain spotted fever	8	7	1	-	-	0.0	0.0	0.0	0	0
107	Typhus, unspecified	5	2	1	2	-	0.0	0.0	0.0	0.0	0
108	Other rickettsial diseases	1	-	1	-	-	0.0	0	0.0	0	0
110-117	Malaria	18	7	4	5	2	0.0	0.0	0.0	0.1	0.0
110	Vivax malaria (benign tertian)	1	-	1	-	-	0.0	0	0.0	0	0
112	Falciparum malaria (malignant tertian)	1	-	1	-	-	0.0	0	0.0	0	0
116	Other and unspecified forms of malaria	16	7	2	5	2	0.0	0.0	0.0	0.1	0.0
120-138	Other infective and parasitic diseases	642	263	190	107	82	0.4	0.4	0.3	1.2	0.9
122	Other protozoal diseases	16	4	10	2	-	0.0	0.0	0.0	0.0	0
123	Schistosomiasis	1	1	-	-	-	0.0	0.0	0	0	0
125	Hydatid disease	8	1	6	1	-	0.0	0.0	0.0	0.0	0
126	Other cestode infestation	2	1	1	-	-	0.0	0.0	0.0	0	0
128	Trichiniasis	4	1	3	-	-	0.0	0.0	0.0	0	0
129	Ankylostomiasis	3	1	-	2	-	0.0	0.0	0	0.0	0
130	Infestation with worms of other, mixed, and unspecified type	51	11	6	17	17	0.0	0.0	0.0	0.2	0.2
131	Dermatophytosis	5	2	1	-	2	0.0	0.0	0.0	0	0.0
132	Actinomycosis	23	11	6	3	3	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	62	28	8	20	6	0.0	0.0	0.0	0.2	0.1
134	Other fungus infections	284	145	96	25	18	0.2	0.2	0.1	0.3	0.2
.0	Blastomycosis	18	10	3	5	1	0.0	0.0	0.0	0.1	0.0
.1	Cryptococcosis (torulosis)	74	36	21	11	6	0.0	0.0	0.0	0.1	0.1
.2	Histoplasmosis	53	32	14	3	4	0.0	0.0	0.0	0.0	0.0
.3	Moniliasis	87	39	39	4	5	0.1	0.1	0.1	0.0	0.1
.4	Sporotrichosis	2	2	-	-	-	0.0	0.0	0	0	0
.5	Other	49	26	19	2	2	0.0	0.0	0.0	0.0	0.0
135	Scabies	1	-	-	1	-	0.0	0	0	0.0	0
138	Other infective and parasitic diseases	182	57	53	36	36	0.1	0.1	0.1	0.4	0.4

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
140-148	Malignant neoplasm of buccal cavity and pharynx	5,522	4,036	1,067	304	115	3.4	5.6	1.4	3.5	1.3
140	Malignant neoplasm of lip	365	335	25	3	2	0.2	0.5	0.0	0.0	0.0
141	Malignant neoplasm of tongue	1,370	995	265	89	21	0.8	1.4	0.4	1.0	0.2
142	Malignant neoplasm of salivary gland	485	276	173	20	16	0.3	0.4	0.2	0.2	0.2
.0	Mixed salivary gland tumor	38	16	17	3	2	0.0	0.0	0.0	0.0	0.0
.1	Other	447	260	156	17	14	0.3	0.4	0.2	0.2	0.2
143	Malignant neoplasm of floor of mouth	293	233	41	19	-	0.2	0.3	0.1	0.2	0
144	Malignant neoplasm of other parts of mouth and mouth unspecified	861	605	201	35	20	0.5	0.8	0.3	0.4	0.2
145	Malignant neoplasm of oral mesopharynx	386	294	56	28	8	0.2	0.4	0.1	0.3	0.1
146	Malignant neoplasm of nasopharynx	368	242	88	23	15	0.2	0.3	0.1	0.3	0.2
147	Malignant neoplasm of hypopharynx	240	193	32	10	5	0.1	0.3	0.0	0.1	0.1
148	Malignant neoplasm of pharynx, unspecified	1,154	863	186	77	28	0.7	1.2	0.3	0.9	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum	86,606	43,297	36,086	4,390	2,833	52.7	59.8	48.7	50.8	31.1
150	Malignant neoplasm of esophagus	4,364	2,934	802	493	135	2.7	4.1	1.1	5.7	1.5
151	Malignant neoplasm of stomach	22,257	12,455	7,360	1,664	778	13.5	17.2	9.9	19.2	8.5
152	Malignant neoplasm of small intestine, including duodenum	733	350	331	23	29	0.4	0.5	0.4	0.3	0.3
153	Malignant neoplasm of large intestine, except rectum	25,072	10,731	12,961	636	744	15.3	14.8	17.5	7.4	8.2
154	Malignant neoplasm of rectum	11,040	5,848	4,435	391	366	6.7	8.1	6.0	4.5	4.0
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	5,328	1,923	3,060	178	167	3.2	2.7	4.1	2.1	1.8
156	Malignant neoplasm of liver (secondary and unspecified)	4,992	2,262	2,218	322	190	3.0	3.1	3.0	3.7	2.1
A	Not stated whether primary or secondary	4,258	1,933	1,896	268	161	2.6	2.7	2.6	3.1	1.8
B	Secondary	734	329	322	54	29	0.4	0.5	0.4	0.6	0.3
157	Malignant neoplasm of pancreas	11,359	6,152	4,247	599	341	6.9	8.5	5.7	6.9	3.7
158	Malignant neoplasm of peritoneum	753	335	364	32	22	0.5	0.5	0.5	0.4	0.2
159	Malignant neoplasm of unspecified digestive organs	728	307	308	52	61	0.4	0.4	0.4	0.6	0.7
160-165	Malignant neoplasm of respiratory system	30,438	23,809	4,387	1,818	424	18.5	32.9	5.9	21.0	4.6
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	632	346	220	40	26	0.4	0.5	0.3	0.5	0.3
161	Malignant neoplasm of larynx	2,150	1,824	156	143	27	1.3	2.5	0.2	1.7	0.3
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	12,530	10,062	1,499	827	142	7.6	13.9	2.0	9.6	1.6
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	14,297	11,064	2,279	751	203	8.7	15.3	3.1	8.7	2.2
164	Malignant neoplasm of mediastinum	305	221	61	14	9	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	524	292	172	43	17	0.3	0.4	0.2	0.5	0.2
170-181	Malignant neoplasm of breast and genito-urinary organs	70,956	20,329	43,735	1,950	4,942	43.2	28.1	59.0	22.5	54.2
170	Malignant neoplasm of breast	21,945	221	20,151	16	1,557	13.4	0.3	27.2	0.2	17.1
171	Malignant neoplasm of cervix uteri	8,804	...	7,109	...	1,695	5.4	...	9.6	...	18.6
172	Malignant neoplasm of corpus uteri	1,161	...	1,064	...	97	0.7	...	1.4	...	1.1
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	65	...	48	...	17	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	5,140	...	4,341	...	799	3.1	...	5.9	...	8.8
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	7,060	...	6,623	...	437	4.3	...	8.9	...	4.8
176	Malignant neoplasm of other and unspecified female genital organs	790	...	714	...	76	0.5	...	1.0	...	0.8
177	Malignant neoplasm of prostate	13,485	12,044	...	1,441	...	8.2	16.6	...	16.7	...
178	Malignant neoplasm of testis	672	647	...	25	...	0.4	0.9	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	332	267	...	65	...	0.2	0.4	...	0.8	...
180	Malignant neoplasm of kidney	4,348	2,551	1,561	145	91	2.6	3.5	2.1	1.7	1.0
181	Malignant neoplasm of bladder and other urinary organs	7,154	4,599	2,124	258	173	4.4	6.4	2.9	3.0	1.9
190-199	Malignant neoplasm of other and unspecified sites	25,700	12,636	10,973	1,051	1,040	15.6	17.5	14.8	12.2	11.4
190	Malignant melanoma of skin	1,806	942	822	25	17	1.1	1.3	1.1	0.3	0.2
191	Other malignant neoplasm of skin	1,832	1,079	643	59	51	1.1	1.5	0.9	0.7	0.6
192	Malignant neoplasm of eye	351	166	158	14	13	0.2	0.2	0.2	0.2	0.1
193	Malignant neoplasm of brain and other parts of nervous system	5,363	2,934	2,136	162	131	3.3	4.1	2.9	1.9	1.4
194	Malignant neoplasm of thyroid gland	1,064	345	642	20	57	0.6	0.5	0.9	0.2	0.6
195	Malignant neoplasm of other endocrine glands	438	266	143	19	10	0.3	0.4	0.2	0.2	0.1
196	Malignant neoplasm of bone (including jaw bone)	2,029	1,124	730	101	74	1.2	1.6	1.0	1.2	0.8
197	Malignant neoplasm of connective tissue	755	390	292	38	35	0.5	0.5	0.4	0.4	0.4
198	Secondary and unspecified malignant neoplasm of lymph nodes	317	180	110	16	11	0.2	0.2	0.1	0.2	0.1
A	Not stated whether primary or secondary	212	119	80	5	8	0.1	0.2	0.1	0.1	0.1
B	Secondary	105	61	30	11	3	0.1	0.1	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	11,745	5,210	5,297	597	641	7.1	7.2	7.1	6.9	7.0
A	Of other specified sites, not stated to be secondary	3,172	1,262	1,602	130	178	1.9	1.7	2.2	1.5	2.0
B	Of unspecified site, not stated to be secondary	777	302	337	70	68	0.5	0.4	0.5	0.8	0.7
D	Of large intestine, except rectum, specified as secondary	19	8	10	1	-	0.0	0.0	0.0	0.0	0
E	Of brain and other parts of nervous system specified as secondary	139	94	35	3	7	0.1	0.1	0.0	0.0	0.1
F	Of bone (including jaw bone), specified as secondary	202	108	73	13	8	0.1	0.1	0.1	0.2	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	300	141	132	13	14	0.2	0.2	0.2	0.2	0.2
H	Generalized and secondary malignant neoplasm of multiple specified sites, with primary site not indicated	3,203	1,634	1,311	140	118	1.9	2.3	1.8	1.6	1.3
M	Generalized or disseminated malignant neoplasm with no site specified	3,933	1,661	1,797	227	248	2.4	2.3	2.4	2.6	2.7

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
200-205	Neoplasms of lymphatic and hematopoietic tissues	21,459	11,803	8,270	845	541	13.1	16.3	11.2	9.8	5.9
200	Lymphosarcoma and reticulosarcoma	4,831	2,714	1,851	164	102	2.9	3.7	2.5	1.9	1.1
.0	Reticulum cell sarcoma	1,021	570	402	34	15	0.6	0.8	0.5	0.4	0.2
.1	Lymphosarcoma	3,071	1,734	1,185	89	63	1.9	2.4	1.6	1.0	0.7
.2	Other primary malignant neoplasms of lymphoid tissue	739	410	264	41	24	0.4	0.6	0.4	0.5	0.3
201	Hodgkin's disease	2,888	1,680	1,010	132	66	1.8	2.3	1.4	1.5	0.7
202	Other forms of lymphoma (reticulosis)	752	406	284	35	27	0.5	0.6	0.4	0.4	0.3
.0	Giant follicular lymphoma (*Brill-Symmer's disease*)	76	40	35	1	-	0.0	0.1	0.0	0.0	0
.1	Other	676	366	249	34	27	0.4	0.5	0.3	0.4	0.3
203	Multiple myeloma (plasmocytoma)	2,102	1,033	846	133	90	1.3	1.4	1.1	1.5	1.0
204	Leukemia and aleukemia	10,816	5,930	4,259	373	254	6.6	8.2	5.7	4.3	2.8
.0	Lymphatic leukemia	4,368	2,527	1,622	127	92	2.7	3.5	2.2	1.5	1.0
.1	Myeloid leukemia	3,400	1,788	1,395	138	79	2.1	2.5	1.9	1.6	0.9
.2	Monocytic leukemia	825	442	341	25	17	0.5	0.6	0.5	0.3	0.2
.3	Acute leukemia, unspecified type	1,014	549	408	36	21	0.6	0.8	0.6	0.4	0.2
.4	Other and unspecified leukemia	1,209	624	493	47	45	0.7	0.9	0.7	0.5	0.5
205	Mycosis fungoides	70	40	20	8	2	0.0	0.1	0.0	0.1	0.0
210-229	Benign neoplasm	2,674	822	1,348	86	418	1.6	1.1	1.8	1.0	4.6
210	Benign neoplasm of buccal cavity and pharynx	13	4	7	1	1	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system	229	113	87	15	14	0.1	0.2	0.1	0.2	0.2
212	Benign neoplasm of respiratory system	79	48	22	7	2	0.0	0.1	0.0	0.1	0.0
213	Benign neoplasm of breast	3	1	2	-	-	0.0	0.0	0.0	0	0
214	Uterine fibromyoma	572	...	314	...	258	0.3	...	0.4	...	2.8
215	Other benign neoplasm of uterus	57	...	53	...	4	0.0	...	0.1	...	0.0
216	Benign neoplasm of ovary	218	...	173	...	45	0.1	...	0.2	...	0.5
217	Benign neoplasm of other female genital organs	8	...	5	...	3	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	2	1	...	1	...	0.0	0.0	...	0.0	...
219	Benign neoplasm of kidney and other urinary organs	67	49	12	3	3	0.0	0.1	0.0	0.0	0.0
220	Benign melanoma of skin	1	-	1	-	-	0.0	0	0.0	0	0
221	Pilonidal cyst	8	2	6	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	4	-	2	1	1	0.0	0	0.0	0.0	0.0
223	Benign neoplasm of brain and other parts of nervous system	928	401	448	38	41	0.6	0.6	0.6	0.4	0.4
224	Benign neoplasm of endocrine glands	224	104	83	10	27	0.1	0.1	0.1	0.1	0.3
225	Benign neoplasm of bone and cartilage	55	21	27	2	5	0.0	0.0	0.0	0.0	0.1
226	Lipoma	27	7	20	-	-	0.0	0.0	0.0	0	0
227	Other benign neoplasm of muscular and connective tissue	29	8	20	-	1	0.0	0.0	0.0	0	0.0
228	Hemangioma and lymphangioma	106	51	42	7	6	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	44	12	24	1	7	0.0	0.0	0.0	0.0	0.1
230-239	Neoplasm of unspecified nature	2,494	1,168	1,022	152	152	1.5	1.6	1.4	1.8	1.7
230	Neoplasm of unspecified nature of digestive organs	257	129	97	24	7	0.2	0.2	0.1	0.3	0.1
231	Neoplasm of unspecified nature of respiratory organs	208	125	56	18	9	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	4	-	4	-	-	0.0	0	0.0	0	0
233	Neoplasm of unspecified nature of uterus	11	...	9	...	2	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	16	...	16	...	-	0.0	...	0.0	...	0
235	Neoplasm of unspecified nature of other female genital organs	2	...	1	...	1	0.0	...	0.0	...	0.0
236	Neoplasm of unspecified nature of other genito-urinary organs	109	58	37	6	8	0.1	0.1	0.0	0.1	0.1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,619	778	657	85	99	1.0	1.1	0.9	1.0	1.1
238	Neoplasm of unspecified nature of skin and musculoskeletal system	34	11	18	3	2	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	234	67	127	16	24	0.1	0.1	0.2	0.2	0.3
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
240-245	Allergic disorders	6,018	3,681	1,768	332	237	3.7	5.1	2.4	3.8	2.6
241	Asthma	5,960	3,658	1,744	327	231	3.6	5.1	2.4	3.8	2.5
242	Angioneurotic edema	11	4	5	1	1	0.0	0.0	0.0	0.0	0.0
243	Urticaria	7	4	2	-	1	0.0	0.0	0.0	0	0.0
244	Allergic eczema	10	5	3	2	-	0.0	0.0	0.0	0.0	0
245	Other allergic disorders	30	10	14	2	4	0.0	0.0	0.0	0.0	0.0
250-254	Diseases of thyroid gland	1,210	202	829	25	154	0.7	0.3	1.1	0.3	1.7
250	Simple goiter	65	10	39	4	12	0.0	0.0	0.1	0.0	0.1
251	Nontoxic nodular goiter	94	14	64	2	14	0.1	0.0	0.1	0.0	0.2
252	Thyrotoxicosis with or without goiter	834	134	565	16	119	0.5	0.2	0.8	0.2	1.3
.0	Toxic diffuse goiter	731	123	480	16	112	0.4	0.2	0.6	0.2	1.2
.1	Toxic nodular goiter	103	11	85	-	7	0.1	0.0	0.1	0	0.1
253	Myxedema and cretinism	173	37	129	2	5	0.1	0.1	0.2	0.0	0.1
254	Other diseases of thyroid gland	44	7	32	1	4	0.0	0.0	0.0	0.0	0.0
260	Diabetes mellitus	25,488	9,242	13,714	840	1,692	15.5	12.8	18.5	9.7	18.6
270-277	Diseases of other endocrine glands	886	402	357	65	62	0.5	0.6	0.5	0.8	0.7
270	Disorders of pancreatic internal secretion other than diabetes mellitus	28	12	7	5	4	0.0	0.0	0.0	0.1	0.0
271	Diseases of parathyroid gland	32	12	16	3	1	0.0	0.0	0.0	0.0	0.0
272	Diseases of pituitary gland	178	72	75	14	17	0.1	0.1	0.1	0.2	0.2
273	Diseases of thymus gland	297	170	84	25	18	0.2	0.2	0.1	0.3	0.2
274	Diseases of adrenal glands	303	120	147	18	18	0.2	0.2	0.2	0.2	0.2
277	Polyglandular dysfunction and other diseases of endocrine glands	48	16	28	-	4	0.0	0.0	0.0	0	0.0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
280-289	Avitaminoses, and other metabolic diseases	1,248	545	468	125	110	0.8	0.8	0.6	1.4	1.2
280	Beriberi	28	14	10	3	1	0.0	0.0	0.0	0.0	0.0
281	Pellagra	96	20	46	7	23	0.1	0.0	0.1	0.1	0.3
282	Scurvy	13	4	4	4	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets	9	3	2	2	2	0.0	0.0	0.0	0.0	0.0
284	Late effects of rickets	2	2	-	-	-	0.0	0.0	0	0	0
285	Osteomalacia	16	4	10	-	2	0.0	0.0	0.0	0	0.0
286	Other avitaminoses and nutritional deficiency states	680	274	251	88	67	0.4	0.4	0.3	1.0	0.7
.0	Steatorrhea and sprue	46	23	21	-	2	0.0	0.0	0.0	0	0.0
.1-.4	Other vitamin deficiency states	7	5	2	-	-	0.0	0.0	0.0	0	0
.5	Malnutrition, unqualified	506	193	183	74	56	0.3	0.3	0.2	0.9	0.6
.6	Other and multiple deficiency states	121	53	45	14	9	0.1	0.1	0.1	0.2	0.1
287	Obesity, not specified as of endocrine origin	14	2	10	2	-	0.0	0.0	0.0	0.0	0
288	Gout	24	16	6	2	-	0.0	0.0	0.0	0.0	0
289	Other metabolic diseases	366	206	129	17	14	0.2	0.3	0.2	0.2	0.2
	IV. Diseases of the blood and blood-forming organs										
290-299	Diseases of blood and blood-forming organs	4,649	2,051	2,000	310	288	2.8	2.8	2.7	3.6	3.2
290	Pernicious and other hyperchromic anemias	1,081	436	603	15	27	0.7	0.6	0.8	0.2	0.3
.0	Pernicious anemia	994	400	557	14	23	0.6	0.6	0.8	0.2	0.3
.1	Subacute combined degeneration of spinal cord	34	15	19	-	-	0.0	0.0	0.0	0	0
.2	Other hyperchromic anemias	53	21	27	1	4	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	80	27	37	10	6	0.0	0.0	0.0	0.1	0.1
292	Other anemias of specified type	1,086	466	375	151	94	0.7	0.6	0.5	1.7	1.0
.1	Acute hemolytic anemia	22	6	14	2	-	0.0	0.0	0.0	0.0	0
.2	Other hemolytic anemias	165	76	75	8	6	0.1	0.1	0.1	0.1	0.1
.3	Leuko-erythroblastic anemia	61	37	19	4	1	0.0	0.1	0.0	0.0	0.0
.4	Aplastic anemia	633	337	256	19	21	0.4	0.5	0.3	0.2	0.2
.5	Nonregenerative anemia	12	5	7	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia	189	5	-	118	66	0.1	0.0	0	1.4	0.7
.7	Other specified anemias	4	-	4	-	-	0.0	0	0.0	0	0
293	Anemia of unspecified type	860	325	360	80	95	0.5	0.4	0.5	0.9	1.0
294	Polycythemia	310	205	99	1	5	0.2	0.3	0.1	0.0	0.1
295	Hemophilia	75	64	3	7	1	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	557	237	262	23	35	0.3	0.3	0.4	0.3	0.4
297	Agranulocytosis	139	55	77	2	5	0.1	0.1	0.1	0.0	0.1
298	Diseases of spleen	209	102	92	10	5	0.1	0.1	0.1	0.1	0.1
.0	Hepatolienal fibrosis	105	42	57	4	2	0.1	0.1	0.1	0.0	0.0
.1	Other	104	60	35	6	3	0.1	0.1	0.0	0.1	0.0
299	Other diseases of blood and blood-forming organs	252	134	92	11	15	0.2	0.2	0.1	0.1	0.2
	V. Mental, psychoneurotic, and personality disorders										
300-309	Psychoses	1,128	514	453	95	66	0.7	0.7	0.6	1.1	0.7
300	Schizophrenic disorders (dementia praecox)	195	80	80	17	18	0.1	0.1	0.1	0.2	0.2
301	Manic-depressive reaction	69	17	24	18	10	0.0	0.0	0.0	0.2	0.1
302	Involutional melancholia	18	7	10	-	1	0.0	0.0	0.0	0	0.0
303	Paranoia and paranoid states	6	3	3	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	378	136	214	14	14	0.2	0.2	0.3	0.2	0.2
305	Presenile psychosis	84	38	46	-	-	0.1	0.1	0.1	0	0
307	Alcoholic psychosis	262	203	19	32	8	0.2	0.3	0.0	0.4	0.1
309	Other and unspecified psychoses	116	30	57	14	15	0.1	0.0	0.1	0.2	0.2
310-318	Psychoneurotic disorders	59	15	35	1	8	0.0	0.0	0.0	0.0	0.1
310	Anxiety reaction without mention of somatic symptoms	6	1	4	-	1	0.0	0.0	0.0	0	0.0
311	Hysterical reaction without mention of anxiety reaction	26	8	15	-	3	0.0	0.0	0.0	0	0.0
314	Neurotic-depressive reaction	4	2	2	-	-	0.0	0.0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	2	-	1	-	1	0.0	0	0.0	0	0.0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	1	-	1	-	-	0.0	0	0.0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	20	4	12	1	3	0.0	0.0	0.0	0.0	0.0
320-326	Disorders of character, behavior, and intelligence	2,142	1,319	337	361	125	1.3	1.8	0.5	4.2	1.4
322	Alcoholism	1,941	1,228	264	341	108	1.2	1.7	0.4	3.9	1.2
.0	Acute	732	422	105	152	53	0.4	0.6	0.1	1.8	0.6
.1	Chronic	741	508	108	99	26	0.5	0.7	0.1	1.1	0.3
.2	Unspecified	468	298	51	90	29	0.3	0.4	0.1	1.0	0.3
323	Other drug addiction	63	24	16	16	7	0.0	0.0	0.0	0.2	0.1
325	Mental deficiency	138	67	57	4	10	0.1	0.1	0.1	0.0	0.1
	VI. Diseases of the nervous system and sense organs										
330-334	Vascular lesions affecting central nervous system	174,142	74,103	78,731	10,189	11,119	106.0	102.3	106.2	117.8	121.9
330	Subarachnoid hemorrhage	5,092	2,043	2,192	372	485	3.1	2.8	3.0	4.3	5.3
331	Cerebral hemorrhage	110,104	45,814	49,784	6,831	7,675	67.0	63.3	67.2	79.0	84.2
332	Cerebral embolism and thrombosis	41,131	18,801	18,911	1,751	1,668	25.0	26.0	25.5	20.2	18.3
333	Spasm of cerebral arteries	11	6	4	-	1	0.0	0.0	0.0	0	0.0
334	Other and ill-defined vascular lesions affecting central nervous system	17,804	7,439	7,840	1,235	1,290	10.8	10.3	10.6	14.3	14.1

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
340-345	Inflammatory diseases of central nervous system	4,683	2,071	1,768	481	363	2.9	2.9	2.4	5.6	4.0
340	Meningitis, except meningococcal and tuberculous	1,873	806	533	294	240	1.1	1.1	0.7	3.4	2.6
.0	H. influenza	293	144	87	36	26	0.2	0.2	0.1	0.4	0.3
.1	Pneumococcus	362	144	108	61	49	0.2	0.2	0.1	0.7	0.5
.2	Due to other specified organism	219	96	76	28	19	0.1	0.1	0.1	0.3	0.2
.3	Unspecified cause	999	422	262	169	146	0.6	0.6	0.4	2.0	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	38	17	16	3	2	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	288	155	69	48	16	0.2	0.2	0.1	0.6	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	525	253	192	45	35	0.3	0.3	0.3	0.5	0.4
344	Late effects of intracranial abscess or pyogenic infection	550	238	217	54	41	0.3	0.3	0.3	0.6	0.4
A	Hydrocephalus, not otherwise specified	420	175	161	49	35	0.3	0.2	0.2	0.6	0.4
B	Other late effects of intracranial abscess or pyogenic infection	130	63	56	5	6	0.1	0.1	0.1	0.1	0.1
345	Multiple sclerosis	1,409	602	741	37	29	0.9	0.8	1.0	0.4	0.3
350-357	Other diseases of central nervous system	8,257	4,171	3,117	593	376	5.0	5.8	4.2	6.9	4.1
350	Paralysis agitans	2,565	1,374	1,122	44	25	1.6	1.9	1.5	0.5	0.3
351	Cerebral spastic infantile paralysis	645	347	221	45	32	0.4	0.5	0.3	0.5	0.4
352	Other cerebral paralysis	617	232	240	69	76	0.4	0.3	0.3	0.8	0.8
353	Epilepsy	2,143	973	688	310	172	1.3	1.3	0.9	3.6	1.9
.0	Petit mal	8	6	1	1	-	0.0	0.0	0.0	0.0	0
.1	Grand mal	334	155	111	45	23	0.2	0.2	0.1	0.5	0.3
.2	Status epilepticus	512	233	155	85	39	0.3	0.3	0.2	1.0	0.4
.3	Other and unspecified	1,289	579	421	179	110	0.8	0.8	0.6	2.1	1.2
354	Migraine	1	-	1	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	1,098	550	429	73	46	0.7	0.8	0.6	0.8	0.5
356	Motor neurone disease and muscular atrophy	988	587	343	38	20	0.6	0.8	0.5	0.4	0.2
.0	Progressive muscular atrophy	211	109	82	14	6	0.1	0.2	0.1	0.2	0.1
.1	Amyotrophic lateral sclerosis	748	463	248	23	14	0.5	0.6	0.3	0.3	0.2
.2	Spinal type of muscular atrophy	26	14	11	1	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified manifestations	3	1	2	-	-	0.0	0.0	0.0	0	0
357	Other diseases of spinal cord	200	108	73	14	5	0.1	0.1	0.1	0.2	0.1
360-369	Diseases of nerves and peripheral ganglia	218	114	78	12	14	0.1	0.2	0.1	0.1	0.2
361	Trigeminal neuralgia	24	5	16	1	2	0.0	0.0	0.0	0.0	0.0
362	Brachial neuritis	1	1	-	-	-	0.0	0.0	0	0	0
363	Sciatica	1	1	-	-	-	0.0	0.0	0	0	0
364	Polyneuritis and polyradiculitis	139	78	45	8	8	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	1	-	1	-	-	0.0	0	0.0	0	0
366	Other and unspecified forms of neuralgia and neuritis	28	15	9	1	3	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves	11	5	5	1	-	0.0	0.0	0.0	0.0	0
368	Other diseases of peripheral nerves except autonomic	11	7	2	1	1	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	2	2	-	-	-	0.0	0.0	0	0	0
370-379	Inflammatory diseases of eye	8	4	2	2	-	0.0	0.0	0.0	0.0	0
376	Other inflammation of uveal tract	2	2	-	-	-	0.0	0.0	0	0	0
377	Inflammation of optic nerve and retina	2	-	2	-	-	0.0	0	0.0	0	0
379	Other inflammatory diseases of eye	4	2	-	2	-	0.0	0.0	0	0.0	0
380-389	Other diseases and conditions of eye	107	45	48	3	11	0.1	0.1	0.1	0.0	0.1
384	Strabismus	14	5	7	1	1	0.0	0.0	0.0	0.0	0 0
385	Cataract	77	33	34	2	8	0.0	0.0	0.0	0.0	0.1
386	Detachment of retina	6	2	4	-	-	0.0	0.0	0.0	0	0
387	Glaucoma	9	4	3	-	2	0.0	0.0	0.0	0	0.0
388	Other diseases of eye	1	1	-	-	-	0.0	0.0	0	0	0
390-398	Diseases of ear and mastoid process	478	227	155	48	48	0.3	0.3	0.2	0.6	0.5
390	Otitis externa	1	-	1	-	-	0.0	0	0.0	0	0
391	Otitis media without mention of mastoiditis	344	158	104	40	42	0.2	0.2	0.1	0.5	0.5
.0	Acute	58	23	21	6	8	0.0	0.0	0.0	0.1	0.1
.1	Chronic	40	22	10	3	5	0.0	0.0	0.0	0.0	0.1
.2	Unspecified	246	113	73	31	29	0.1	0.2	0.1	0.4	0.3
392	Otitis media with mastoiditis	48	16	25	3	4	0.0	0.0	0.0	0.0	0.0
.0	Acute	10	3	5	-	2	0.0	0.0	0.0	0	0.0
.1	Chronic	22	8	12	2	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	16	5	8	1	2	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	76	48	22	4	2	0.0	0.1	0.0	0.0	0.0
.0	Acute	19	10	7	2	-	0.0	0.0	0.0	0.0	0
.1	Chronic	26	19	5	1	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	31	19	10	1	1	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	5	2	2	1	-	0.0	0.0	0.0	0.0	0
395	Ménière's disease	2	1	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	2	2	-	-	-	0.0	0.0	0	0	0
	VII. Diseases of the circulatory system										
400-402	Rheumatic fever	1,131	490	406	116	119	0.7	0.7	0.5	1.3	1.3
400	Rheumatic fever without mention of heart involvement	160	70	56	16	18	0.1	0.1	0.1	0.2	0.2
401	Rheumatic fever with heart involvement	962	417	346	100	99	0.6	0.6	0.5	1.2	1.1
.0	Active rheumatic pericarditis	127	68	42	8	9	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis	141	65	47	13	16	0.1	0.1	0.1	0.2	0.2
.2	Active rheumatic myocarditis	67	25	25	8	9	0.0	0.0	0.0	0.1	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	627	259	232	71	65	0.4	0.4	0.3	0.8	0.7

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Rheumatic fever—Continued										
402	Chorea	9	3	4	-	2	0.0	0.0	0.0	0	0.0
.0	Without mention of heart involvement	4	2	2	-	-	0.0	0.0	0.0	0	0
.1	With heart involvement	5	1	2	-	2	0.0	0.0	0.0	0	0.0
410-416	Chronic rheumatic heart disease	18,626	8,427	8,643	742	814	11.3	11.6	11.7	8.6	8.9
410	Diseases of mitral valve	7,047	2,980	3,442	305	320	4.3	4.1	4.6	3.5	3.5
411	Diseases of aortic valve specified as rheumatic	1,380	970	339	45	26	0.8	1.3	0.5	0.5	0.3
412	Diseases of tricuspid valve	22	11	10	-	1	0.0	0.0	0.0	0	0.0
414	Other endocarditis specified as rheumatic	1,065	498	489	37	41	0.6	0.7	0.7	0.4	0.4
415	Other myocarditis specified as rheumatic	609	287	283	20	19	0.4	0.4	0.4	0.2	0.2
416	Other heart disease specified as rheumatic	8,503	3,681	4,080	335	407	5.2	5.1	5.5	3.9	4.5
420-422	Arteriosclerotic and degenerative heart disease	471,452	271,809	168,614	17,680	13,349	286.9	375.4	227.5	204.4	148.4
420	Arteriosclerotic heart disease, including coronary disease	405,830	242,246	139,385	14,072	10,127	247.0	334.6	188.0	162.7	111.1
.0	Arteriosclerotic heart disease, so described	156,593	79,820	67,152	5,240	4,381	95.3	110.2	90.6	60.6	48.0
.1	Heart disease specified as involving coronary arteries	248,208	161,837	71,924	8,760	5,687	151.1	223.5	97.0	101.3	62.4
.2	Angina pectoris without mention of coronary disease	1,029	589	309	72	59	0.6	0.8	0.4	0.8	0.6
421	Chronic endocarditis not specified as rheumatic	6,935	3,288	2,684	507	456	4.2	4.5	3.6	5.9	5.0
.0	Of mitral valve, specified as nonrheumatic	617	281	242	44	50	0.4	0.4	0.3	0.5	0.5
.1	Of aortic valve, not specified as rheumatic	1,936	1,127	525	168	116	1.2	1.6	0.7	1.9	1.3
.3	Of pulmonary valve, not specified as rheumatic	12	5	5	1	1	0.0	0.0	0.0	0.0	0.0
.4	Other and ill-defined, not specified as rheumatic	4,370	1,875	1,912	294	289	2.7	2.6	2.6	3.4	3.2
422	Other myocardial degeneration	58,687	26,275	26,545	3,101	2,766	35.7	36.3	35.8	35.9	30.3
.0	Fatty degeneration	69	25	38	3	3	0.0	0.0	0.1	0.0	0.0
.1	With arteriosclerosis	34,372	15,224	16,207	1,567	1,374	20.9	21.0	21.9	18.1	15.1
.2	Other	24,246	11,026	10,300	1,531	1,389	14.8	15.2	13.9	17.7	15.2
430-434	Other diseases of heart	20,659	10,506	6,590	2,060	1,503	12.6	14.5	8.9	23.8	16.5
430	Acute and subacute endocarditis	786	424	245	67	50	0.5	0.6	0.3	0.8	0.5
.0	Acute and subacute bacterial endocarditis	685	380	219	50	36	0.4	0.5	0.3	0.6	0.4
.1	Other acute endocarditis	101	44	26	17	14	0.1	0.1	0.0	0.2	0.2
431	Acute myocarditis not specified as rheumatic	1,308	577	463	134	134	0.8	0.8	0.6	1.5	1.5
432	Acute pericarditis specified as nonrheumatic	59	29	17	5	8	0.0	0.0	0.0	0.1	0.1
433	Functional disease of heart	2,359	1,170	995	115	79	1.4	1.6	1.3	1.3	0.9
.0	Heart block	519	301	183	24	11	0.3	0.4	0.2	0.3	0.1
.1	Other disorders of heart rhythm	1,835	867	809	91	68	1.1	1.2	1.1	1.1	0.7
.2	Other functional diseases of heart	5	2	3	-	-	0.0	0.0	0.0	0	0
434	Other and unspecified diseases of heart	16,147	8,306	4,870	1,739	1,232	9.8	11.5	6.6	20.1	13.5
.0	Kyphoscoliotic heart disease	84	37	37	5	5	0.1	0.1	0.0	0.1	0.1
.1	Congestive heart failure	5,356	2,436	2,011	530	379	3.3	3.4	2.7	6.1	4.2
.2	Left ventricular failure	677	368	211	48	50	0.4	0.5	0.3	0.6	0.5
.3	Other and unspecified disease of heart	10,030	5,465	2,611	1,156	798	6.1	7.5	3.5	13.4	8.8
440-447	Hypertensive disease	85,045	30,817	37,239	8,189	8,800	51.8	42.6	50.2	94.7	96.5
440	Essential benign hypertension with heart disease	1,404	433	609	183	179	0.9	0.6	0.8	2.1	2.0
441	Essential malignant hypertension with heart disease	909	310	287	152	160	0.6	0.4	0.4	1.8	1.8
442	Hypertensive heart disease with arteriolar nephrosclerosis	19,852	8,119	8,170	1,886	1,677	12.1	11.2	11.0	21.8	18.4
443	Other and unspecified hypertensive heart disease	51,718	17,492	23,813	4,767	5,646	31.5	24.2	32.1	55.1	61.9
444	Essential benign hypertension without mention of heart	1,922	607	809	230	276	1.2	0.8	1.1	2.7	3.0
445	Essential malignant hypertension without mention of heart	1,012	310	183	278	241	0.6	0.4	0.2	3.2	2.6
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,411	2,945	2,426	577	463	3.9	4.1	3.3	6.7	5.1
447	Other hypertensive disease without mention of heart	1,817	601	942	116	158	1.1	0.8	1.3	1.3	1.7
450-456	Diseases of arteries	39,642	19,309	17,338	1,607	1,388	24.1	26.7	23.4	18.6	15.2
450	General arteriosclerosis	32,486	14,867	15,326	1,227	1,066	19.8	20.5	20.7	14.2	11.7
.0	Without mention of gangrene	30,283	13,683	14,514	1,115	971	18.4	18.9	19.6	12.9	10.6
.1	With gangrene	2,203	1,184	812	112	95	1.3	1.6	1.1	1.3	1.0
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	4,942	3,355	1,180	266	141	3.0	4.6	1.6	3.1	1.5
452	Other aneurysm, except of heart and aorta	397	219	129	24	25	0.2	0.3	0.2	0.3	0.3
453	Peripheral vascular disease	303	212	69	9	13	0.2	0.3	0.1	0.1	0.1
.0	Raynaud's disease	34	13	20	-	1	0.0	0.0	0.0	0	0.0
.1	Thrombo-angiitis obliterans	224	167	41	9	7	0.1	0.2	0.1	0.1	0.1
.3	Other	45	32	8	-	5	0.0	0.0	0.0	0	0.1
454	Arterial embolism and thrombosis	457	238	179	19	21	0.3	0.3	0.2	0.2	0.2
455	Gangrene of unspecified cause	227	117	62	32	16	0.1	0.2	0.1	0.4	0.2
456	Other diseases of arteries	830	301	393	30	106	0.5	0.4	0.5	0.3	1.2
460-468	Diseases of veins and other diseases of circulatory system	4,835	2,306	1,925	310	294	2.9	3.2	2.6	3.6	3.2
460	Varicose veins of lower extremities	277	88	165	8	16	0.2	0.1	0.2	0.1	0.2
461	Hemorrhoids	88	52	26	7	3	0.1	0.1	0.0	0.1	0.0
462	Varicose veins of other specified sites	283	179	85	14	5	0.2	0.2	0.1	0.2	0.1
463	Phlebitis and thrombophlebitis of lower extremities	700	319	312	32	37	0.4	0.4	0.4	0.4	0.4
464	Phlebitis and thrombophlebitis of other sites	464	201	211	23	29	0.3	0.3	0.3	0.3	0.3
465	Pulmonary embolism and infarction	1,753	863	636	136	118	1.1	1.2	0.9	1.6	1.3
466	Other venous embolism and thrombosis	831	392	353	47	39	0.5	0.5	0.5	0.5	0.4
467	Other diseases of circulatory system	375	189	112	39	35	0.2	0.3	0.2	0.5	0.4
.0	Hypotension	41	17	10	6	8	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	27	10	12	3	2	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases	307	162	90	30	25	0.2	0.2	0.1	0.3	0.3
468	Certain diseases of lymph nodes and lymph channels	64	23	25	4	12	0.0	0.0	0.0	0.0	0.1

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII. Diseases of the respiratory system										
470-475	Acute upper respiratory infections	904	382	318	116	88	0.6	0.5	0.4	1.3	1.0
470	Acute nasopharyngitis (common cold)	90	22	18	29	21	0.1	0.0	0.0	0.3	0.2
471	Acute sinusitis	21	10	7	4	-	0.0	0.0	0.0	0.0	0
472	Acute pharyngitis	119	52	49	10	8	0.1	0.1	0.1	0.1	0.1
473	Acute tonsillitis	106	37	43	15	11	0.1	0.1	0.1	0.2	0.1
474	Acute laryngitis and tracheitis	229	112	79	16	22	0.1	0.2	0.1	0.2	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	339	149	122	42	26	0.2	0.2	0.2	0.5	0.3
480-483	Influenza	2,755	971	1,059	365	360	1.7	1.3	1.4	4.2	3.9
480	Influenza with pneumonia	1,417	466	468	239	244	0.9	0.6	0.6	2.8	2.7
481	Influenza with other respiratory manifestations, and influenza unqualified	1,200	464	522	112	102	0.7	0.6	0.7	1.3	1.1
482	Influenza with digestive manifestations, but without respiratory symptoms	136	41	69	13	13	0.1	0.1	0.1	0.2	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	2	-	-	1	1	0.0	0	0	0.0	0.0
490-493	Pneumonia	41,755	19,124	14,729	4,607	3,295	25.4	26.4	19.9	53.3	36.1
490	Lobar pneumonia	11,182	5,340	3,579	1,382	881	6.8	7.4	4.8	16.0	9.7
491	Bronchopneumonia	22,206	10,096	8,218	2,213	1,679	13.5	13.9	11.1	25.6	18.4
492	Primary atypical pneumonia	3,599	1,707	1,305	318	269	2.2	2.4	1.8	3.7	2.9
493	Pneumonia, other and unspecified	4,768	1,981	1,627	694	466	2.9	2.7	2.2	8.0	5.1
500-502	Bronchitis	3,057	1,710	966	220	161	1.9	2.4	1.3	2.5	1.8
500	Acute bronchitis	1,080	504	387	107	82	0.7	0.7	0.5	1.2	0.9
501	Bronchitis, unqualified	670	311	244	61	54	0.4	0.4	0.3	0.7	0.6
502	Chronic bronchitis	1,307	895	335	52	25	0.8	1.2	0.5	0.6	0.3
.0	Bronchitis with emphysema	532	449	71	10	2	0.3	0.6	0.1	0.1	0.0
.1	Other	775	446	264	42	23	0.5	0.6	0.4	0.5	0.3
510-527	Other diseases of respiratory system	14,353	9,620	3,386	889	458	8.7	13.3	4.6	10.3	5.0
510	Hypertrophy of tonsils and adenoids	220	93	95	15	17	0.1	0.1	0.1	0.2	0.2
.0	Without mention of tonsillectomy or adenoidectomy	14	7	5	1	1	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	206	86	90	14	16	0.1	0.1	0.1	0.2	0.2
511	Peritonsillar abscess (quinsy)	30	14	9	5	2	0.0	0.0	0.0	0.1	0.0
512	Chronic pharyngitis and nasopharyngitis	5	3	1	-	1	0.0	0.0	0.0	0	0.0
513	Chronic sinusitis	116	65	35	10	6	0.1	0.1	0.0	0.1	0.1
514	Deflected nasal septum	4	1	3	-	-	0.0	0.0	0.0	0	0
515	Nasal polyp	5	1	3	-	1	0.0	0.0	0.0	0	0.0
516	Chronic laryngitis	10	5	1	2	2	0.0	0.0	0.0	0.0	0.0
517	Other diseases of upper respiratory tract	219	98	83	25	13	0.1	0.1	0.1	0.3	0.1
518	Empyema	238	142	53	27	16	0.1	0.2	0.1	0.3	0.2
519	Pleurisy	191	93	59	24	15	0.1	0.1	0.1	0.3	0.2
.0	Without mention of effusion or tuberculosis	118	64	28	17	9	0.1	0.1	0.0	0.1	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis	2	1	-	1	-	0.0	0.0	0	0.0	0
.2	Other specified forms of effusion, except tuberculous	71	28	31	6	6	0.0	0.0	0.0	0.1	0.1
520	Spontaneous pneumothorax	81	48	20	10	3	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	500	299	91	77	33	0.3	0.4	0.1	0.9	0.4
522	Pulmonary congestion and hypostasis	1,196	495	527	85	89	0.7	0.7	0.7	1.0	1.0
523	Pneumoconiosis due to silica and silicates (occupational)	1,361	1,304	8	49	-	0.8	1.8	0.0	0.6	0
.0	Silicosis	629	590	4	35	-	0.4	0.8	0.0	0.4	0
.1	Anthracosilicosis	550	546	1	3	-	0.3	0.8	0.0	0.0	0
.2	Asbestosis	11	10	1	-	-	0.0	0.0	0.0	0	0
.3	Other, including pneumoconiosis unspecified	171	158	2	11	-	0.1	0.2	0.0	0.1	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	76	73	1	2	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia	2,244	1,375	618	153	98	1.4	1.9	0.8	1.8	1.1
526	Bronchiectasis	2,133	1,355	672	77	29	1.3	1.9	0.9	0.9	0.3
527	Other diseases of lung and pleural cavity	5,724	4,156	1,107	328	133	3.5	5.7	1.5	3.8	1.5
.0	Pulmonary collapse (1 year and over)	145	73	50	11	11	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	3,639	3,038	413	165	23	2.2	4.2	0.6	1.9	0.3
.2	Other	1,940	1,045	644	152	99	1.2	1.4	0.9	1.8	1.1
	IX. Diseases of the digestive system										
530-539	Diseases of buccal cavity and esophagus	755	402	247	60	46	0.5	0.6	0.3	0.7	0.5
530	Dental caries	14	9	3	-	2	0.0	0.0	0.0	0	0.0
531	Abscesses of supporting structures of teeth	21	11	7	3	-	0.0	0.0	0.0	0.0	0
532	Other inflammatory diseases of supporting structures of teeth	59	27	21	6	5	0.0	0.0	0.0	0.1	0.1
533	Disorders of occlusion, eruption, and tooth development	2	-	1	1	-	0.0	0	0.0	0.0	0
535	Other diseases of teeth and supporting structures	57	23	20	7	7	0.0	0.0	0.0	0.1	0.1
536	Stomatitis	11	2	5	1	3	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands	68	26	37	2	3	0.0	0.0	0.0	0.0	0.0
538	Other diseases of buccal cavity	29	9	10	7	3	0.0	0.0	0.0	0.1	0.0
539	Diseases of esophagus	494	295	143	33	23	0.3	0.4	0.2	0.4	0.3
540-545	Diseases of stomach and duodenum	10,713	7,600	2,205	651	257	6.5	10.5	3.0	7.5	2.8
540	Ulcer of stomach	4,809	3,285	1,067	340	117	2.9	4.5	1.4	3.9	1.3
.0	Without mention of perforation	3,061	2,093	692	200	76	1.9	2.9	0.9	2.3	0.8
.1	With perforation	1,748	1,192	375	140	41	1.1	1.6	0.5	1.6	0.4
541	Ulcer of duodenum	4,921	3,732	898	206	85	3.0	5.2	1.2	2.4	0.9
.0	Without mention of perforation	3,131	2,419	539	121	52	1.9	3.3	0.7	1.4	0.6
.1	With perforation	1,790	1,313	359	85	33	1.1	1.8	0.5	1.0	0.4

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Diseases of stomach and duodenum—Continued										
542	Gastrojejunal ulcer	211	174	25	8	4	0.1	0.2	0.0	0.1	0.0
.0	Without mention of perforation	113	90	15	5	3	0.1	0.1	0.0	0.1	0.0
.1	With perforation	98	84	10	3	1	0.1	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis	313	160	99	31	23	0.2	0.2	0.1	0.4	0.3
544	Disorders of function of stomach	141	49	32	38	22	0.1	0.1	0.0	0.4	0.2
.0	Disorders of gastric secretion	3	1	2	-	-	0.0	0.0	0.0	0	0
.1	Disorders of gastric motility	31	12	12	5	2	0.0	0.0	0.0	0.1	0.0
.2	Other	107	36	18	33	20	0.1	0.0	0.0	0.4	0.2
545	Other diseases of stomach and duodenum	318	200	84	28	6	0.2	0.3	0.1	0.3	0.1
550-553	Appendicitis	2,273	1,238	713	189	133	1.4	1.7	1.0	2.2	1.5
550	Acute appendicitis	2,093	1,133	662	173	125	1.3	1.6	0.9	2.0	1.4
.0	Without mention of peritonitis	329	181	105	28	15	0.2	0.2	0.1	0.3	0.2
.1	With peritonitis	1,764	952	557	145	110	1.1	1.3	0.8	1.7	1.2
551	Appendicitis, unqualified	140	84	37	12	7	0.1	0.1	0.0	0.1	0.1
552	Other appendicitis	20	12	5	3	-	0.0	0.0	0.0	0.0	0
553	Other diseases of appendix	20	9	9	1	1	0.0	0.0	0.0	0.0	0.0
560,561	Hernia of abdominal cavity	3,851	1,932	1,519	254	146	2.3	2.7	2.0	2.9	1.6
560	Hernia of abdominal cavity without mention of obstruction	1,504	804	555	98	47	0.9	1.1	0.7	1.1	0.5
.0	Inguinal	340	284	13	41	2	0.2	0.4	0.0	0.5	0.0
.1	Femoral	20	5	15	-	-	0.0	0.0	0.0	0	0
.2	Umbilical	225	99	92	17	17	0.1	0.1	0.1	0.2	0.2
.3	Ventral (incisional)	188	59	112	6	11	0.1	0.1	0.2	0.1	0.1
.4	Other specified site	604	269	303	16	16	0.4	0.4	0.4	0.2	0.2
.5	Unspecified site	127	88	20	18	1	0.1	0.1	0.0	0.2	0.0
561	Hernia of abdominal cavity with obstruction	2,347	1,128	964	156	99	1.4	1.6	1.3	1.8	1.1
.0	Inguinal	754	556	111	77	10	0.5	0.8	0.1	0.9	0.1
.1	Femoral	297	65	219	6	7	0.2	0.1	0.3	0.1	0.1
.2	Umbilical	268	74	170	4	20	0.2	0.1	0.2	0.0	0.2
.3	Ventral (incisional)	377	88	243	9	37	0.2	0.1	0.3	0.1	0.4
.4	Other specified site	180	86	76	9	9	0.1	0.1	0.1	0.1	0.1
.5	Unspecified site	471	259	145	51	16	0.3	0.4	0.2	0.6	0.2
570-578	Other diseases of intestines and peritoneum	14,882	6,132	5,833	1,522	1,395	9.1	8.5	7.9	17.6	15.3
570	Intestinal obstruction without mention of hernia	4,803	1,951	2,185	337	330	2.9	2.7	2.9	3.9	3.6
.0	Intussusception	192	101	56	16	19	0.1	0.1	0.1	0.2	0.2
.1	Paralytic ileus	256	111	113	21	11	0.2	0.2	0.2	0.2	0.1
.2	Mesenteric infarction	1,129	543	485	55	46	0.7	0.7	0.7	0.6	0.5
.3	Volvulus	799	350	324	75	50	0.5	0.5	0.4	0.9	0.5
.4	Impaction of intestine	215	71	134	7	3	0.1	0.1	0.2	0.1	0.0
.5	Other	2,212	775	1,073	163	201	1.3	1.1	1.4	1.9	2.2
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5,023	1,753	1,517	925	828	3.1	2.4	2.0	10.7	9.1
.0	Ages between 4 weeks and 2 years	3,663	1,217	932	812	702	2.2	1.7	1.3	9.4	7.7
.1	Ages 2 years and over	1,360	536	585	113	126	0.8	0.7	0.8	1.3	1.4
572	Chronic enteritis and ulcerative colitis	2,418	1,111	1,193	53	61	1.5	1.5	1.6	0.6	0.7
.0	Regional enteritis	140	75	54	5	6	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis	1,462	675	736	22	29	0.9	0.9	1.0	0.3	0.3
.2	Ulcerative colitis	713	319	356	19	19	0.4	0.4	0.5	0.2	0.2
.3	Other	103	42	47	7	7	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	50	13	24	8	5	0.0	0.0	0.0	0.1	0.1
574	Anal fissure and fistula	15	7	5	3	-	0.0	0.0	0.0	0.0	0
575	Abscess of anal and rectal regions	84	46	20	11	7	0.1	0.1	0.0	0.1	0.1
576	Peritonitis	549	252	197	56	44	0.3	0.3	0.3	0.6	0.5
577	Peritoneal adhesion	49	23	20	2	4	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum	1,891	976	672	127	116	1.2	1.3	0.9	1.5	1.3
580-587	Diseases of liver, gallbladder, and pancreas	26,934	14,445	10,410	1,130	949	16.4	20.0	14.0	13.1	10.4
580	Acute and subacute yellow atrophy of liver	526	204	239	35	48	0.3	0.3	0.3	0.4	0.5
581	Cirrhosis of liver	16,763	10,277	5,159	778	549	10.2	14.2	7.0	9.0	6.0
.0	Without mention of alcoholism	12,211	7,265	4,052	523	371	7.4	10.0	5.5	6.0	4.1
.1	With alcoholism	4,552	3,012	1,107	255	178	2.8	4.2	1.5	2.9	2.0
582	Suppurative hepatitis and liver abscess	121	61	36	11	13	0.1	0.1	0.0	0.1	0.1
583	Other diseases of liver	675	297	270	53	55	0.4	0.4	0.4	0.6	0.6
584	Cholelithiasis	4,075	1,478	2,459	37	101	2.5	2.0	3.3	0.4	1.1
585	Cholecystitis without mention of calculi	1,864	737	1,020	42	65	1.1	1.0	1.4	0.5	0.7
586	Other diseases of gallbladder and biliary ducts	800	299	453	15	33	0.5	0.4	0.6	0.2	0.4
587	Diseases of pancreas	2,110	1,092	774	159	85	1.3	1.5	1.0	1.8	0.9
.0	Acute pancreatitis	1,580	823	556	130	71	1.0	1.1	0.8	1.5	0.8
.1	Chronic pancreatitis	191	111	58	15	7	0.1	0.2	0.1	0.2	0.1
.2	Other diseases of pancreas	339	158	160	14	7	0.2	0.2	0.2	0.2	0.1
	X. Diseases of the genito-urinary system										
590-594	Nephritis and nephrosis	18,214	7,971	6,543	1,848	1,852	11.1	11.0	8.8	21.4	20.3
590	Acute nephritis	1,234	536	366	183	149	0.8	0.7	0.5	2.1	1.6
591	Nephritis with edema, including nephrosis	1,159	513	408	116	122	0.7	0.7	0.6	1.3	1.3
592	Chronic nephritis	12,767	5,627	4,733	1,200	1,207	7.8	7.8	6.4	13.9	13.2
593	Nephritis not specified as acute or chronic	2,881	1,214	986	327	354	1.8	1.7	1.3	3.8	3.9
594	Other renal sclerosis	173	81	50	22	20	0.1	0.1	0.1	0.3	0.2

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genito-urinary system—Continued										
600-609	Other diseases of urinary system	7,927	3,713	2,945	704	565	4.8	5.1	4.0	8.1	6.2
600	Infections of kidney	4,911	2,111	1,964	398	438	3.0	2.9	2.6	4.6	4.8
.0	Pyelitis, pyelocystitis, and pyelonephritis	4,725	2,028	1,890	381	425	2.9	2.8	2.5	4.4	4.7
.1	Abscess of kidney and perirenal tissue	112	48	48	8	7	0.1	0.1	0.1	0.1	0.1
.2	Other	74	33	26	9	6	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis	277	147	97	21	12	0.2	0.2	0.1	0.2	0.1
602	Calculi of kidney and ureter	1,116	570	458	38	50	0.7	0.8	0.6	0.4	0.5
603	Other diseases of kidney and ureter	446	207	143	55	41	0.3	0.3	0.2	0.6	0.4
604	Calculi of other parts of urinary system	128	82	24	18	4	0.1	0.1	0.0	0.2	0.0
605	Cystitis	365	175	141	37	12	0.2	0.2	0.2	0.4	0.1
606	Other diseases of bladder	272	191	44	34	3	0.2	0.3	0.1	0.4	0.0
607	Urethritis (nonvenereal)	14	8	3	3	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	215	128	8	76	3	0.1	0.2	0.0	0.9	0.0
609	Other diseases of urethra	183	94	63	24	2	0.1	0.1	0.1	0.3	0.0
610-617	Diseases of male genital organs	6,622	5,893	...	729	...	4.0	8.1	...	8.4	...
610	Hyperplasia of prostate	6,062	5,424	...	638	...	3.7	7.5	...	7.4	...
611	Prostatitis	420	352	...	68	...	0.3	0.5	...	0.8	...
612	Other diseases of prostate	68	60	...	8	...	0.0	0.1	...	0.1	...
613	Hydrocele	22	16	...	6	...	0.0	0.0	...	0.1	...
614	Orchitis and epididymitis	11	11	...	-	...	0.0	0.0	...	0	...
615	Redundant prepuce and phimosis	6	6	...	-	...	0.0	0.0	...	0	...
617	Other diseases of male genital organs	33	24	...	9	...	0.0	0.0	...	0.1	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	271	2	143	-	126	0.2	0.0	0.2	0	1.4
620	Chronic cystic disease of breast	1	-	1	-	-	0.0	0	0.0	0	0
621	Other diseases of breast	12	2	6	-	4	0.0	0.0	0.0	0	0.0
622	Acute salpingitis and oophoritis	12	...	4	...	8	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	11	...	8	...	3	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified	81	...	42	...	39	0.0	...	0.1	...	0.4
625	Other diseases of ovary and fallopian tube	20	...	13	...	7	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	134	...	69	...	65	0.1	...	0.1	...	0.7
630-637	Diseases of uterus and other female genital organs	449	...	387	...	62	0.3	...	0.5	...	0.7
630	Infective diseases of uterus, vagina, and vulva	59	...	43	...	16	0.0	...	0.1	...	0.2
631	Uterovaginal prolapse	194	...	191	...	3	0.1	...	0.3	...	0.0
632	Malposition of uterus	11	...	9	...	2	0.0	...	0.0	...	0.0
633	Other diseases of uterus	143	...	110	...	33	0.1	...	0.1	...	0.4
634	Disorders of menstruation	14	...	10	...	4	0.0	...	0.0	...	0.0
635	Menopausal symptoms	4	...	2	...	2	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	24	...	22	...	2	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
640-649	Complications of pregnancy	723	...	387	...	336	0.4	...	0.5	...	3.7
640	Pyelitis and pyelonephritis of pregnancy	9	...	6	...	3	0.0	...	0.0	...	0.0
641	Other infections of genito-urinary tract during pregnancy	7	...	5	...	2	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	463	...	254	...	209	0.3	...	0.3	...	2.3
.0	Hypertensive disease arising during pregnancy	40	...	16	...	24	0.0	...	0.0	...	0.3
.1	Renal disease arising during pregnancy	82	...	43	...	39	0.0	...	0.1	...	0.4
.2	Preeclampsia of pregnancy	47	...	27	...	20	0.0	...	0.0	...	0.2
.3	Eclampsia of pregnancy	167	...	100	...	67	0.1	...	0.1	...	0.7
.4	Hyperemesis gravidarum	8	...	3	...	5	0.0	...	0.0	...	0.1
.5	Other	119	...	65	...	54	0.1	...	0.1	...	0.6
643	Placenta praevia	7	...	4	...	3	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	13	...	7	...	6	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	151	...	62	...	89	0.1	...	0.1	...	1.0
.0	Without mention of sepsis	127	...	53	...	74	0.1	...	0.1	...	0.8
.1	With sepsis	24	...	9	...	15	0.0	...	0.0	...	0.2
646	Anemia of pregnancy	2	...	1	...	1	0.0	...	0.0	...	0.0
648	Other complications arising from pregnancy	71	...	48	...	23	0.0	...	0.1	...	0.3
.0	Threatened abortion	2	...	1	...	1	0.0	...	0.0	...	0.0
.1	Hydatidiform mole	9	...	9	...	-	0.0	...	0.0	...	0
.2	Placental abnormalities not classified elsewhere	16	...	12	...	4	0.0	...	0.0	...	0.0
.3	Other	44	...	26	...	18	0.0	...	0.0	...	0.2
650-652	Abortion	266	...	150	...	116	0.2	...	0.2	...	1.3
650	Abortion without mention of sepsis or toxemia	76	...	42	...	34	0.0	...	0.1	...	0.4
.0	Spontaneous or unspecified	43	...	23	...	20	0.0	...	0.0	...	0.2
.1	Induced for medical or legal indications	6	...	3	...	3	0.0	...	0.0	...	0.0
.2	Induced for other reasons	24	...	14	...	10	0.0	...	0.0	...	0.1
.3	Other	3	...	2	...	1	0.0	...	0.0	...	0.0
651	Abortion with sepsis	159	...	87	...	72	0.1	...	0.1	...	0.6
.0	Spontaneous or unspecified	98	...	47	...	51	0.1	...	0.1	...	0.6
.1	Induced for medical or legal indications	2	...	1	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	59	...	39	...	20	0.0	...	0.1	...	0.2
652	Abortion with toxemia, without mention of sepsis	31	...	21	...	10	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	21	...	12	...	9	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	5	...	5	...	-	0.0	...	0.0	...	0
.2	Induced for other reasons	5	...	4	...	1	0.0	...	0.0	...	0.0
660	Delivery without complication	66	...	42	...	24	0.0	...	0.1	...	0.3

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
670-678	Delivery with specified complication	545	...	349	...	196	0.3	...	0.5	...	2.1
670	Delivery complicated by placenta praevia or antepartum hemorrhage	147	...	85	...	62	0.1	...	0.1	...	0.7
671	Delivery complicated by retained placenta	39	...	25	...	14	0.0	...	0.0	...	0.2
672	Delivery complicated by other postpartum hemorrhage	167	...	111	...	56	0.1	...	0.1	...	0.6
673	Delivery complicated by abnormality of bony pelvis	3	...	2	...	1	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	40	...	23	...	17	0.0	...	0.0	...	0.2
675	Delivery complicated by prolonged labor of other origin	27	...	20	...	7	0.0	...	0.0	...	0.1
677	Delivery with other trauma	67	...	43	...	24	0.0	...	0.1	...	0.3
678	Delivery with other complications of childbirth	55	...	40	...	15	0.0	...	0.1	...	0.2
680-689	Complications of the puerperium	301	...	206	...	95	0.2	...	0.3	...	1.0
680	Puerperal urinary infection without other sepsis	1	...	-	...	1	0.0	...	0	...	0.0
681	Sepsis of childbirth and the puerperium	42	...	26	...	16	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	45	...	37	...	8	0.0	...	0.0	...	0.1
684	Puerperal pulmonary embolism	102	...	72	...	30	0.1	...	0.1	...	0.3
685	Puerperal eclampsia	49	...	25	...	24	0.0	...	0.0	...	0.3
686	Other forms of puerperal toxemia	12	...	9	...	3	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	29	...	21	...	8	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	21	...	16	...	5	0.0	...	0.0	...	0.1
	XII. Diseases of the skin and cellular tissue										
690-698	Infections of skin and subcutaneous tissue	326	156	104	37	29	0.2	0.2	0.1	0.4	0.3
690	Boil and carbuncle	43	25	12	4	2	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	3	-	3	-	-	0.0	0	0.0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	222	99	70	31	22	0.1	0.1	0.1	0.4	0.2
693	Other cellulitis and abscess with lymphangitis	8	7	1	-	-	0.0	0.0	0.0	0	0
695	Impetigo	6	3	-	1	2	0.0	0.0	0	0.0	0.0
698	Other local infections of skin and subcutaneous tissue	44	22	18	1	3	0.0	0.0	0.0	0.0	0.0
700-716	Other diseases of skin and subcutaneous tissue	1,008	335	511	53	109	0.6	0.5	0.7	0.6	1.2
700	Seborrheic dermatitis	2	1	1	-	-	0.0	0.0	0.0	0	0
701	Eczema	7	5	-	2	-	0.0	0.0	0	0.0	0
703	Other dermatitis	35	17	13	3	2	0.0	0.0	0.0	0.0	0.0
704	Pemphigus	172	80	72	7	13	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	285	66	150	20	49	0.2	0.1	0.2	0.2	0.5
706	Psoriasis and similar disorders	12	5	5	1	1	0.0	0.0	0.0	0.0	0.0
707	Lichen planus	1	-	-	-	1	0.0	0	0	0	0.0
708	Pruritus and related conditions	2	-	2	-	-	0.0	0	0.0	0	0
709	Corns and callosities	1	-	1	-	-	0.0	0	0.0	0	0
710	Other hypertrophic and atrophic conditions of skin	268	95	145	8	20	0.2	0.1	0.2	0.1	0.2
711	Other dermatoses	1	-	-	-	1	0.0	0	0	0	0.0
714	Diseases of sweat and sebaceous glands	2	1	-	-	1	0.0	0.0	0	0	0.0
715	Chronic ulcer of skin	211	59	120	11	21	0.1	0.1	0.2	0.1	0.2
716	Other diseases of skin	9	6	2	1	-	0.0	0.0	0.0	0.0	0
	XIII. Diseases of the bones and organs of movement										
720-727	Arthritis and rheumatism, except rheumatic fever	1,631	483	974	69	105	1.0	0.7	1.3	0.8	1.2
720	Acute arthritis due to pyogenic organisms	20	7	7	3	3	0.0	0.0	0.0	0.0	0.0
722	Rheumatoid arthritis and allied conditions	906	284	551	27	44	0.6	0.4	0.7	0.3	0.5
.0	Rheumatoid arthritis	895	277	548	26	44	0.5	0.4	0.7	0.3	0.5
.1	Spondylitis ankylopoietica	11	7	3	1	-	0.0	0.0	0.0	0.0	0
723	Osteo-arthritis (arthrosis) and allied conditions	344	88	221	15	20	0.2	0.1	0.3	0.2	0.2
.0	Osteo-arthritis (arthrosis)	325	76	216	14	19	0.2	0.1	0.3	0.2	0.2
.1	Spondylitis osteo-arthritica (spondylarthrosis)	19	12	5	1	1	0.0	0.0	0.0	0.0	0.0
724	Other specified forms of arthritis	11	2	6	2	1	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified	294	84	161	19	30	0.2	0.1	0.2	0.2	0.3
726	Muscular rheumatism	14	6	6	2	-	0.0	0.0	0.0	0.0	0
727	Rheumatism unspecified	42	12	22	1	7	0.0	0.0	0.0	0.0	0.1
730-738	Osteomyelitis and other diseases of bone and joint	510	222	235	30	23	0.3	0.3	0.3	0.3	0.3
730	Osteomyelitis and periostitis	151	72	62	9	8	0.1	0.1	0.1	0.1	0.1
.0	Acute osteomyelitis	8	2	4	1	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	49	25	17	2	5	0.0	0.0	0.0	0.0	0.1
.2	Unspecified osteomyelitis	94	45	41	6	2	0.1	0.1	0.1	0.1	0.0
731	Osteitis deformans	96	49	42	1	4	0.1	0.1	0.1	0.0	0.0
733	Other diseases of bone	175	60	99	11	5	0.1	0.1	0.1	0.1	0.1
734	Internal derangement of knee joint	1	-	1	-	-	0.0	0	0.0	0	0
735	Displacement of intervertebral disc	63	31	20	7	5	0.0	0.0	0.0	0.1	0.1
736	Affection of sacro-iliac joint	1	1	-	-	-	0.0	0.0	0	0	0
737	Ankylosis of joint	5	3	2	-	-	0.0	0.0	0.0	0	0
738	Other diseases of joint	18	6	9	2	1	0.0	0.0	0.0	0.0	0.0
740-749	Other diseases of musculoskeletal system	862	469	320	36	37	0.5	0.6	0.4	0.4	0.4
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	6	3	3	-	-	0.0	0.0	0.0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	4	-	2	-	2	0.0	0	0.0	0	0.0
744	Other diseases of muscle, tendon, and fascia	757	431	263	33	30	0.5	0.6	0.4	0.4	0.3
.0	Myasthenia gravis	218	87	109	7	15	0.1	0.1	0.1	0.1	0.2
.1	Inborn defect of muscle	509	328	144	24	13	0.3	0.5	0.2	0.3	0.1
.2	Other	30	16	10	2	2	0.0	0.0	0.0	0.0	0.0

420487 O - 57 - 3

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Continued										
	Other diseases of musculoskeletal system—Continued										
745	Curvature of spine	80	26	46	3	5	0.0	0.0	0.1	0.0	0.1
749	Other deformities	15	9	6	-	-	0.0	0.0	0.0	0	0
	XIV. Congenital malformations										
750-759	Congenital malformations	20,502	9,839	8,283	1,291	1,089	12.5	13.6	11.2	14.9	11.9
750	Monstrosity	1,020	381	573	30	36	0.6	0.5	0.8	0.3	0.4
751	Spina bifida and meningocele	1,342	539	719	45	39	0.8	0.7	1.0	0.5	0.4
752	Congenital hydrocephalus	1,779	797	783	99	100	1.1	1.1	1.1	1.1	1.1
753	Other congenital malformations of nervous system and sense organs	783	339	346	54	44	0.5	0.5	0.5	0.6	0.5
.1	Other	783	339	346	54	44	0.5	0.5	0.5	0.6	0.5
754	Congenital malformations of circulatory system	9,245	4,558	3,565	582	540	5.6	6.3	4.8	6.7	5.9
.0	Tetralogy of Fallot	391	190	161	23	17	0.2	0.3	0.2	0.3	0.2
.1	Patent ductus arteriosus (Botalli)	430	213	157	27	33	0.3	0.3	0.2	0.3	0.4
.2	Interventricular septal defect	605	275	279	20	31	0.4	0.4	0.4	0.2	0.3
.3	Interauricular septal defect	651	298	299	24	30	0.4	0.4	0.4	0.3	0.3
.4	Other and unspecified malformations of heart	6,048	2,949	2,291	426	382	3.7	4.1	3.1	4.9	4.2
.5	Coarctation of aorta	339	207	110	13	9	0.2	0.3	0.1	0.2	0.1
.6	Other circulatory malformations	781	426	268	49	38	0.5	0.6	0.4	0.6	0.4
755	Cleft palate and harelip	129	56	47	15	11	0.1	0.1	0.1	0.2	0.1
756	Congenital malformations of digestive system	2,599	1,285	970	197	147	1.6	1.8	1.3	2.3	1.6
.0	Congenital hypertrophic pyloric stenosis	151	95	31	17	8	0.1	0.1	0.0	0.2	0.1
.1	Imperforate anus	172	101	43	21	7	0.1	0.1	0.1	0.2	0.1
.2	Other	2,276	1,089	896	159	132	1.4	1.5	1.2	1.8	1.4
757	Congenital malformations of genito-urinary system	1,594	879	565	93	57	1.0	1.2	0.8	1.1	0.6
.1	Polycystic disease of kidney	950	480	400	33	37	0.6	0.7	0.5	0.4	0.4
.2	Congenital malformations of external genital organs	16	10	6	-	-	0.0	0.0	0.0	0	0
.3	Other	628	389	159	60	20	0.4	0.5	0.2	0.7	0.2
758	Congenital malformations of bone and joint	299	134	119	31	15	0.2	0.2	0.2	0.4	0.2
759	Other and unspecified congenital malformations, not elsewhere classified	1,712	871	596	145	100	1.0	1.2	0.8	1.7	1.1
.0	Of respiratory system	561	286	190	55	30	0.3	0.4	0.3	0.6	0.3
.1	Of skin	35	13	14	2	6	0.0	0.0	0.0	0.0	0.1
.2	Of muscle	154	80	54	7	3	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified	962	492	328	81	61	0.6	0.7	0.4	0.9	0.7
	XV. Certain diseases of early infancy										
760-769	Birth injuries, asphyxia, and infections of newborn	34,163	16,494	10,730	3,950	2,989	20.8	22.8	14.5	45.7	32.8
760	Intracranial and spinal injury at birth	4,435	2,258	1,235	582	360	2.7	3.1	1.7	6.7	3.9
.0	Without mention of immaturity	2,859	1,479	787	378	215	1.7	2.0	1.1	4.4	2.4
.5	With immaturity	1,576	779	448	204	145	1.0	1.1	0.6	2.4	1.6
761	Other birth injury	7,134	3,671	2,493	548	422	4.3	5.1	3.4	6.3	4.6
.0	Without mention of immaturity	2,151	1,017	718	227	189	1.3	1.4	1.0	2.6	2.1
.5	With immaturity	4,983	2,654	1,775	321	233	3.0	3.7	2.4	3.7	2.6
762	Postnatal asphyxia and atelectasis	17,686	8,598	5,658	1,893	1,537	10.8	11.9	7.6	21.9	16.9
.0	Without mention of immaturity	5,599	2,708	1,773	616	502	3.4	3.7	2.4	7.1	5.5
.5	With immaturity	12,087	5,890	3,885	1,277	1,035	7.4	8.1	5.2	14.8	11.3
763	Pneumonia of newborn	3,108	1,247	832	571	458	1.9	1.7	1.1	6.6	5.0
.0	Without mention of immaturity	2,122	846	542	399	335	1.3	1.2	0.7	4.6	3.7
.5	With immaturity	986	401	290	172	123	0.6	0.6	0.4	2.0	1.3
764	Diarrhea of newborn	547	185	123	154	85	0.3	0.3	0.2	1.8	0.9
.0	Without mention of immaturity	428	143	98	129	58	0.3	0.2	0.1	1.5	0.6
.5	With immaturity	119	42	25	25	27	0.1	0.1	0.0	0.3	0.3
765	Ophthalmia neonatorum	1	1	-	-	-	0.0	0.0	0	0	0
.5	With immaturity	1	1	-	-	-	0.0	0.0	0	0	0
766	Pemphigus neonatorum	27	14	8	3	2	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	19	11	5	1	2	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	8	3	3	2	-	0.0	0.0	0.0	0.0	0
767	Umbilical sepsis	99	27	23	32	17	0.1	0.0	0.0	0.4	0.2
.0	Without mention of immaturity	86	24	19	28	15	0.1	0.0	0.0	0.3	0.2
.5	With immaturity	13	3	4	4	2	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	419	181	107	80	51	0.3	0.2	0.1	0.9	0.6
.0	Without mention of immaturity	253	119	62	43	29	0.2	0.2	0.1	0.5	0.3
.5	With immaturity	166	62	45	37	22	0.1	0.1	0.1	0.4	0.2
769	Neonatal disorders arising from maternal toxemia	707	312	251	87	57	0.4	0.4	0.3	1.0	0.6
.0-.4	Without mention of immaturity	221	101	68	31	21	0.1	0.1	0.1	0.4	0.2
.0	Attributed to "toxemia of pregnancy"	158	66	45	26	21	0.1	0.1	0.1	0.3	0.2
.1	Attributed to maternal diabetes	57	32	20	5	-	0.0	0.0	0.0	0.1	0
.2	Attributed to maternal rubella	1	-	1	-	-	0.0	0	0.0	0	0
.3	Attributed to toxoplasmosis	4	3	1	-	-	0.0	0.0	0.0	0	0
.4	Attributed to other or unspecified maternal toxemia	1	-	1	-	-	0.0	0	0.0	0	0
.5-.9	With immaturity	486	211	183	56	36	0.3	0.3	0.2	0.6	0.4
.5	Attributed to "toxemia of pregnancy"	392	165	143	49	35	0.2	0.2	0.2	0.6	0.4
.6	Attributed to maternal diabetes	77	39	33	5	-	0.0	0.1	0.0	0.1	0
.9	Attributed to other or unspecified maternal toxemia	17	7	7	2	1	0.0	0.0	0.0	0.0	0.0
770-776	Other diseases peculiar to early infancy	29,880	13,064	9,786	3,895	3,135	18.2	18.0	13.2	45.0	34.4
770	Hemolytic disease of newborn (erythroblastosis)	2,438	1,235	1,018	112	73	1.5	1.7	1.4	1.3	0.8
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,774	879	769	85	41	1.1	1.2	1.0	1.0	0.4
.1	Kernicterus, without mention of immaturity	146	94	35	9	8	0.1	0.1	0.0	0.1	0.1
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	3	2	-	1	-	0.0	0.0	0	0.0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	469	234	200	14	21	0.3	0.3	0.3	0.2	0.2
.6	Kernicterus, with immaturity	44	26	12	3	3	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	2	-	2	-	-	0.0	0	0.0	0	0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Continued										
	Other diseases peculiar to early infancy—Continued										
771	Hemorrhagic disease of newborn	767	345	216	122	84	0.5	0.5	0.3	1.4	0.9
.0	Without mention of immaturity	467	196	136	83	52	0.3	0.3	0.2	1.0	0.6
.5	With immaturity	300	149	80	39	32	0.2	0.2	0.1	0.5	0.4
772	Nutritional maladjustment	597	167	103	203	124	0.4	0.2	0.1	2.3	1.4
.0	Without mention of immaturity	427	132	68	143	84	0.3	0.2	0.1	1.7	0.9
.5	With immaturity	170	35	35	60	40	0.1	0.0	0.0	0.7	0.4
773	Ill-defined diseases peculiar to early infancy	2,732	1,135	854	427	316	1.7	1.6	1.2	4.9	3.5
.0	Without mention of immaturity	521	181	150	123	67	0.3	0.2	0.2	1.4	0.7
.5	With immaturity	2,211	954	704	304	249	1.3	1.3	0.9	3.5	2.7
774	Immaturity with mention of any other subsidiary condition	1,890	916	641	164	169	1.2	1.3	0.9	1.9	1.9
776	Immaturity unqualified	21,456	9,266	6,954	2,867	2,369	13.1	12.8	9.4	33.2	26.0
	XVI. Symptoms, senility, and ill-defined conditions										
780-789	Symptoms referable to systems or organs	2,582	1,287	737	325	233	1.6	1.8	1.0	3.8	2.6
780	Certain symptoms referable to nervous system and special senses	125	44	42	23	16	0.1	0.1	0.1	0.3	0.2
.0	Coma and stupor	16	4	7	3	2	0.0	0.0	0.0	0.0	0.0
.2	Convulsions	98	36	33	16	13	0.1	0.0	0.0	0.2	0.1
.3	Jacksonian epilepsy	6	1	2	3	-	0.0	0.0	0.0	0.0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	5	3	-	1	1	0.0	0.0	0	0.0	0.0
781	Other symptoms referable to nervous system and special senses	34	13	16	3	2	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	1,750	945	483	189	133	1.1	1.3	0.7	2.2	1.5
.0	Precordial pain	5	3	1	-	1	0.0	0.0	0.0	0	0.0
.1	Palpitation	1	-	-	1	-	0.0	0	0	0.0	0
.2	Tachycardia	6	3	2	1	-	0.0	0.0	0.0	0.0	0
.3	Pallor and cyanosis (not of newborn)	1	1	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	1,658	900	457	176	125	1.0	1.2	0.6	2.0	1.4
.5	Syncope or collapse	16	13	2	1	-	0.0	0.0	0.0	0.0	0
.6	Edema and dropsy (not of newborn)	13	5	4	3	1	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node	2	-	-	1	1	0.0	0	0	0.0	0.0
.8	Splenomegaly	8	3	5	-	-	0.0	0.0	0.0	0	0
.9	Shock without mention of trauma	40	17	12	6	5	0.0	0.0	0.0	0.1	0.1
783	Symptoms referable to respiratory system	189	86	45	38	20	0.1	0.1	0.1	0.4	0.2
.0	Epistaxis	17	4	3	7	3	0.0	0.0	0.0	0.1	0.0
.1	Hemoptysis	157	76	39	28	14	0.1	0.1	0.1	0.3	0.2
.2	Dyspnea	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	9	4	1	2	2	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastro-intestinal tract	180	91	67	10	12	0.1	0.1	0.1	0.1	0.1
785	Symptoms referable to abdomen and lower gastro-intestinal system	156	54	39	35	28	0.1	0.1	0.1	0.4	0.3
.2	Jaundice	56	25	11	16	4	0.0	0.0	0.0	0.2	0.0
.6	Diarrhea, age 2 years and over	62	17	21	11	13	0.0	0.0	0.0	0.1	0.1
.0,.1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	38	12	7	8	11	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	27	14	7	5	1	0.0	0.0	0.0	0.1	0.0
787	Symptoms referable to limbs and back	1	-	-	-	1	0.0	0	0	0	0.0
788	Other general symptoms	107	35	33	20	19	0.1	0.0	0.0	0.2	0.2
.0-.5	Other specified general symptoms	21	5	6	4	6	0.0	0.0	0.0	0.0	0.1
.6	Acidosis	14	4	4	4	2	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	5	3	2	-	-	0.0	0.0	0.0	0	0
.8	Pyrexia of unknown origin	66	22	21	12	11	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	1	1	-	-	-	0.0	0.0	0	0	0
789	Abnormal urinary constituents of unspecified cause	13	5	5	2	1	0.0	0.0	0.0	0.0	0.0
790-795	Senility and ill-defined diseases	17,332	6,838	4,285	3,352	2,857	10.5	9.4	5.8	38.8	31.3
790	Nervousness and debility	41	20	16	3	2	0.0	0.0	0.0	0.0	0.0
791	Headache	3	-	3	-	-	0.0	0	0.0	0	0
792	Uremia, unqualified	503	265	150	52	36	0.3	0.4	0.2	0.6	0.4
794	Senility without mention of psychosis	3,461	1,272	1,574	275	340	2.1	1.8	2.1	3.2	3.7
795	Ill-defined and unknown causes of mortality	13,324	5,281	2,542	3,022	2,479	8.1	7.3	3.4	34.9	27.2
.0	Other ill-defined conditions	750	301	225	138	86	0.5	0.4	0.3	1.6	0.9
.2	Sudden death (cause unknown)	610	240	93	154	123	0.4	0.3	0.1	1.8	1.3
.3	Found dead (cause unknown)	360	143	61	95	61	0.2	0.2	0.1	1.1	0.7
.4	Died without sign of disease	4,596	2,127	815	915	739	2.8	2.9	1.1	10.6	8.1
.5	Other, unknown, and unspecified causes	7,008	2,470	1,348	1,720	1,470	4.3	3.4	1.8	19.9	16.1
	XVII. Accidents, poisonings, and violence										
E800-E802	Railway accidents	1,344	971	104	247	22	0.8	1.3	0.1	2.9	0.2
E800	Railway accident involving railroad employee	279	256	-	23	-	0.2	0.4	0	0.3	0
E801	Railway accident involving passenger	20	9	8	3	-	0.0	0.0	0.0	0.0	0
E802	Railway accident involving other and unspecified person	1,045	706	96	221	22	0.6	1.0	0.1	2.6	0.2
E810-E825	Motor-vehicle traffic accidents	37,437	24,682	8,307	3,366	1,082	22.8	34.1	11.2	38.9	11.9
E810	Motor-vehicle traffic accident involving collision with railway train	1,490	976	413	80	21	0.9	1.3	0.6	0.9	0.2
E811	Motor-vehicle traffic accident involving collision with streetcar	15	9	3	3	-	0.0	0.0	0.0	0.0	0
E812	Motor-vehicle traffic accident to pedestrian	7,621	4,735	1,686	871	329	4.6	6.5	2.3	10.1	3.6
E813	Motor-vehicle traffic accident to pedal cyclist	342	284	30	25	3	0.2	0.4	0.0	0.3	0.0
E814	Motor-vehicle traffic accident to rider or passenger of motor-cycle, in collision with nonmotor vehicle or object	33	29	2	2	-	0.0	0.0	0.0	0.0	0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	338	307	17	14	-	0.2	0.4	0.0	0.2	0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Motor-vehicle traffic accidents—Continued										
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	10,894	6,739	3,080	794	281	6.6	9.3	4.2	9.2	3.1
E817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	1	-	-	0.0	0	0.0	0	0
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	58	36	10	11	1	0.0	0.0	0.0	0.1	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	1,940	1,343	392	158	47	1.2	1.9	0.5	1.8	0.5
E820	Motor-vehicle traffic accident while boarding and alighting	31	18	9	2	2	0.0	0.0	0.0	0.0	0.0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	233	207	12	11	3	0.1	0.3	0.0	0.1	0.0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,402	1,022	194	154	32	0.9	1.4	0.3	1.8	0.4
E823	Motor-vehicle traffic accident involving running off roadway	7,317	5,280	1,144	707	186	4.5	7.3	1.5	8.2	2.0
E824	Other noncollision motor-vehicle traffic accident	738	430	176	102	30	0.4	0.6	0.2	1.2	0.3
E825	Motor-vehicle traffic accident of unspecified nature	4,984	3,267	1,138	432	147	3.0	4.5	1.5	5.0	1.6
E830-E835	Motor-vehicle nontraffic accidents	989	654	211	101	23	0.6	0.9	0.3	1.2	0.3
E830	Motor-vehicle nontraffic accident to pedestrian	578	350	158	53	17	0.4	0.5	0.2	0.6	0.2
E831	Motor-vehicle nontraffic accident to pedal cyclist	3	3	-	-	-	0.0	0.0	0	0	0
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	12	10	2	-	-	0.0	0.0	0.0	0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	12	12	-	-	-	0.0	0.0	0	0	0
E834	Motor-vehicle nontraffic accident while boarding and alighting	25	12	12	1	-	0.0	0.0	0.0	0.0	0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	359	267	39	47	6	0.2	0.4	0.1	0.5	0.1
E840-E845	Other road-vehicle accidents	330	211	72	43	4	0.2	0.3	0.1	0.5	0.0
E840	Streetcar accident to pedestrian	25	11	11	3	-	0.0	0.0	0.0	0.0	0
E841	Other streetcar accident, except collision with motor vehicle	6	1	4	-	1	0.0	0.0	0.0	0	0.0
E842	Accident to pedestrian caused by pedal cycle	13	9	3	1	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	57	43	13	1	-	0.0	0.1	0.0	0.0	0
E844	Accident to pedestrian caused by other nonmotor road vehicle	11	11	-	-	-	0.0	0.0	0	0	0
E845	Other nonmotor road-vehicle accidents	218	136	41	38	3	0.1	0.2	0.1	0.4	0.0
E850-E858	Water-transport accidents	1,452	1,208	85	145	14	0.9	1.7	0.1	1.7	0.2
E850	Submersion of occupant of small boat	1,186	983	76	113	14	0.7	1.4	0.1	1.3	0.2
E851	Other water-transport injury by submersion	112	94	1	17	-	0.1	0.1	0.0	0.2	0
E852	Fall on stairs and ladders in water transport	5	5	-	-	-	0.0	0.0	0	0	0
E853	Other falls from one level to another in water transport	32	25	-	7	-	0.0	0.0	0	0.1	0
E854	Falls on same level in water transport	2	2	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	6	5	1	-	-	0.0	0.0	0.0	0	0
E856	Machinery accident in water transport	15	13	-	2	-	0.0	0.0	0	0.0	0
E857	Other specified accidents in water transport	87	74	7	6	-	0.1	0.1	0.0	0.1	0
E858	Water-transport accident of unspecified cause	7	7	-	-	-	0.0	0.0	0	0	0
E860-E866	Aircraft accidents	1,446	1,319	97	26	4	0.9	1.8	0.1	0.3	0.0
E860	Accident to personnel in military aircraft	234	229	1	4	-	0.1	0.3	0.0	0.0	0
E861	Injury to occupant by accident to commercial "transport" aircraft	137	103	28	6	-	0.1	0.1	0.0	0.1	0
E863	Injury to occupant by accident to other aircraft	161	151	9	-	1	0.1	0.2	0.0	0	0.0
E864	Aircraft accident at airfield to person not in aircraft	22	19	-	3	-	0.0	0.0	0	0.0	0
E865	Aircraft accident elsewhere to person not in aircraft	26	17	8	1	-	0.0	0.0	0.0	0.0	0
E866	Other and unspecified aircraft accidents	866	800	51	12	3	0.5	1.1	0.1	0.1	0.0
E870-E898	Accidental poisoning by solid and liquid substances	1,431	690	452	179	110	0.9	1.0	0.6	2.1	1.2
E870	Accidental poisoning by morphine and other opium derivatives	40	20	6	10	4	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	411	174	221	9	7	0.3	0.2	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	105	60	29	6	10	0.1	0.1	0.0	0.1	0.1
E873	Accidental poisoning by bromides	6	3	3	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	100	55	39	4	2	0.1	0.1	0.1	0.0	0.0
E876	Accidental poisoning by strychnine	17	7	8	1	1	0.0	0.0	0.0	0.0	0.0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	2	1	-	1	-	0.0	0.0	0	0.0	0
E878	Accidental poisoning by other and unspecified drugs	75	31	30	7	7	0.0	0.0	0.0	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	7	5	1	1	-	0.0	0.0	0.0	0.0	0
E880	Accidental poisoning by alcohol	223	140	24	39	20	0.1	0.2	0.0	0.5	0.2
E881	Accidental poisoning by petroleum products	76	24	12	28	12	0.0	0.0	0.0	0.3	0.1
E882	Accidental poisoning by industrial solvents	44	28	3	10	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	51	28	8	10	5	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds	10	4	5	-	1	0.0	0.0	0.0	0	0.0
E885	Accidental poisoning by lead and its compounds	64	26	8	15	15	0.0	0.0	0.0	0.2	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	41	15	11	9	6	0.0	0.0	0.0	0.1	0.1
E887	Accidental poisoning by fluorides	6	-	4	2	-	0.0	0	0.0	0.0	0
E888	Accidental poisoning by other and unspecified solid and liquid substances	153	69	40	27	17	0.1	0.1	0.1	0.3	0.2
E890-E895	Accidental poisoning by gases and vapors	1,163	749	256	97	61	0.7	1.0	0.3	1.1	0.7
E890	Accidental poisoning by utility (illuminating) gas	495	273	156	39	27	0.3	0.4	0.2	0.5	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	308	235	39	25	9	0.2	0.3	0.1	0.3	0.1
E892	Accidental poisoning by other carbon monoxide gas	246	164	47	18	17	0.1	0.2	0.1	0.2	0.2
E893	Accidental poisoning by cyanide gas	4	4	-	-	-	0.0	0.0	0	0	0
E894	Accidental poisoning by other specified gases and vapors	92	61	10	14	7	0.1	0.1	0.0	0.2	0.1
E895	Accidental poisoning by unspecified gases and vapors	18	12	4	1	1	0.0	0.0	0.0	0.0	0.0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
E900-E904	Accidental falls	20,192	9,056	9,919	755	462	12.3	12.5	13.4	8.7	5.1
E900	Fall on stairs	2,550	1,380	983	134	53	1.6	1.9	1.3	1.5	0.6
E901	Fall from ladders	332	284	31	17	-	0.2	0.4	0.0	0.2	0
E902	Other falls from one level to another	3,929	2,269	1,244	306	110	2.4	3.1	1.7	3.5	1.2
E903	Fall on same level	4,275	1,596	2,534	67	78	2.6	2.2	3.4	0.8	0.9
E904	Unspecified falls	9,106	3,527	5,127	231	221	5.5	4.9	6.9	2.7	2.4
E910-E936	Other accidents	26,316	15,831	4,979	3,657	1,849	16.0	21.9	6.7	42.3	20.3
E910	Blow from falling object	1,332	1,085	49	191	7	0.8	1.5	0.1	2.2	0.1
E911	Accident caused by vehicle	97	81	-	15	1	0.1	0.1	0	0.2	0.0
E912	Accident caused by machinery	2,019	1,774	67	171	7	1.2	2.5	0.1	2.0	0.1
E913	Accident caused by cutting and piercing instruments	134	69	15	35	15	0.1	0.1	0.0	0.4	0.2
E914	Accident caused by electric current	1,075	906	73	84	12	0.7	1.3	0.1	1.0	0.1
E915	Accident caused by explosion of pressure vessel	43	39	1	3	-	0.0	0.1	0.0	0.0	0
E916	Accident caused by fire and explosion of combustible material	6,352	2,536	1,869	977	970	3.9	3.5	2.5	11.3	10.6
E917	Accident caused by hot substance, corrosive liquid, and steam	742	302	238	98	104	0.5	0.4	0.3	1.1	1.1
E919	Accident caused by firearm	2,120	1,596	194	255	75	1.3	2.2	0.3	2.9	0.8
E920	Foreign body entering eye and adnexa	1	-	-	1	-	0.0	0	0	0.0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,305	630	369	183	123	0.8	0.9	0.5	2.1	1.3
E922	Inhalation and ingestion of other object causing obstruction or suffocation	303	152	101	25	25	0.2	0.2	0.1	0.3	0.3
E923	Foreign body entering other orifice	118	58	41	7	12	0.1	0.1	0.1	0.1	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,061	434	311	176	140	0.6	0.6	0.4	2.0	1.5
E925	Accidental mechanical suffocation in other and unspecified circumstances	440	267	70	76	27	0.3	0.4	0.1	0.9	0.3
E926	Lack of care of infants under 1 year of age	41	12	7	10	12	0.0	0.0	0.0	0.1	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	52	31	12	6	3	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	178	132	33	11	2	0.1	0.2	0.0	0.1	0.0
E929	Accidental drowning and submersion	5,046	3,419	702	831	94	3.1	4.7	0.9	9.6	1.0
E931	Excessive heat and insolation	615	393	139	61	22	0.4	0.5	0.2	0.7	0.2
E932	Excessive cold	344	198	38	82	26	0.2	0.3	0.1	0.9	0.3
E933	Hunger, thirst, and exposure	273	122	32	71	48	0.2	0.2	0.0	0.8	0.5
E934	Cataclysm	446	215	186	25	20	0.3	0.3	0.3	0.3	0.2
E935	Lightning	181	128	19	25	9	0.1	0.2	0.0	0.3	0.1
E936	Other and unspecified accidents	1,998	1,252	413	238	95	1.2	1.7	0.6	2.8	1.0
E940-E946	Complications due to nontherapeutic medical and surgical procedures	53	28	16	3	6	0.0	0.0	0.0	0.0	0.1
E940	Generalized vaccinia following vaccination	1	1	-	-	-	0.0	0.0	0	0	0
E941	Postvaccinal encephalitis	4	3	1	-	-	0.0	0.0	0.0	0	0
E944	Other complications of prophylactic inoculation	14	10	2	1	1	0.0	0.0	0.0	0.0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	3	-	2	-	1	0.0	0	0.0	0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	31	14	11	2	4	0.0	0.0	0.0	0.0	0.0
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	723	300	316	43	64	0.4	0.4	0.4	0.5	0.7
E950	Therapeutic misadventure in surgical treatment	334	146	144	20	24	0.2	0.2	0.2	0.2	0.3
E951	Therapeutic misadventure in infusion or transfusion	83	35	37	2	9	0.1	0.0	0.0	0.0	0.1
E952	Therapeutic misadventure in local applications	1	-	1	-	-	0.0	0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	115	45	48	8	14	0.1	0.1	0.1	0.1	0.2
E954	Therapeutic misadventure in anesthesia	64	26	26	4	8	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure	20	16	1	3	-	0.0	0.0	0.0	0.0	0
E956	Late complication of surgical operation	99	27	57	6	9	0.1	0.0	0.1	0.1	0.1
E957	Late complication of amputation stump	1	1	-	-	-	0.0	0.0	0	0	0
E958	Late complication of irradiation	1	-	1	-	-	0.0	0	0.0	0	0
E959	Late complications of other forms of treatment	5	4	1	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning	613	311	223	59	20	0.4	0.4	0.3	0.7	0.2
E960	Late effect of motor-vehicle accident	70	33	19	15	3	0.0	0.0	0.0	0.2	0.0
E961	Late effect of accidental poisoning	8	6	2	-	-	0.0	0.0	0.0	0	0
E962	Late effect of other accidental injury	489	238	199	37	15	0.3	0.3	0.3	0.4	0.2
E963	Late effect of self-inflicted injury	5	3	2	-	-	0.0	0.0	0.0	0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	12	4	1	5	2	0.0	0.0	0.0	0.1	0.0
E965	Late effects of injuries due to war operations	29	27	-	2	-	0.0	0.0	0	0.0	0
E970-E979	Suicide and self-inflicted injury	16,755	12,427	3,660	531	137	10.2	17.2	4.9	6.1	1.5
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	923	360	545	12	6	0.6	0.5	0.7	0.1	0.1
A	Suicide by morphine and other opium derivatives	8	2	5	-	1	0.0	0.0	0.0	0	0.0
B	Suicide by barbituric acid and derivatives	781	304	464	9	4	0.5	0.4	0.6	0.1	0.0
C	Suicide by acetylsalicylic acid	18	6	11	1	-	0.0	0.0	0.0	0.0	0
D	Suicide by methyl salicylate	7	1	5	1	-	0.0	0.0	0.0	0.0	0
E	Suicide by other salicylates	1	-	1	-	-	0.0	0	0.0	0	0
F	Suicide by bromides	1	-	1	-	-	0.0	0	0.0	0	0
H	Suicide by other analgesic and soporific substances	94	42	51	1	-	0.1	0.1	0.1	0.0	0
M	Suicide by unspecified drugs	13	5	7	-	1	0.0	0.0	0.0	0	0.0

Table 50. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1955—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Suicide and self-inflicted injury—Continued										
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	743	378	318	23	24	0.5	0.5	0.4	0.3	0.3
A	Suicide by poisoning with strychnine	83	49	32	1	1	0.1	0.1	0.0	0.0	0.0
B	Suicide by phenol compounds	51	36	15	-	-	0.0	0.0	0.0	0	0
C	Suicide by lye and potash	49	17	25	2	5	0.0	0.0	0.0	0.0	0.1
D	Suicide by cresol compounds	17	4	12	1	-	0.0	0.0	0.0	0.0	0
E	Suicide by mercury and its compounds	26	13	13	-	-	0.0	0.0	0.0	0	0
F	Suicide by arsenic and its compounds	101	45	46	5	5	0.1	0.1	0.1	0.1	0.1
G	Suicide by fluorides	24	6	13	1	4	0.0	0.0	0.0	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	392	208	162	13	9	0.2	0.3	0.2	0.2	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	316	181	129	4	2	0.2	0.2	0.2	0.0	0.0
E973	Suicide and self-inflicted poisoning by other gases	1,447	1,217	215	14	1	0.9	1.7	0.3	0.2	0.0
A	Suicide by motor-vehicle exhaust gas	1,237	1,045	177	14	1	0.8	1.4	0.2	0.2	0.0
B	Suicide by other motor exhaust gas	13	10	3	-	-	0.0	0.0	0.0	0	0
C	Suicide by other carbon monoxide	175	148	27	-	-	0.1	0.2	0.0	0	0
D	Suicide by other poisonous gases	22	14	8	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,591	2,602	878	87	24	2.2	3.6	1.2	1.0	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	652	349	264	28	11	0.4	0.5	0.4	0.3	0.1
E976	Suicide and self-inflicted injury by firearms and explosives	7,763	6,502	911	306	44	4.7	9.0	1.2	3.5	0.5
E977	Suicide and self-inflicted injury by cutting and piercing instruments	486	350	118	16	2	0.3	0.5	0.2	0.2	0.0
E978	Suicide and self-inflicted injury by jumping from high place	528	310	174	29	15	0.3	0.4	0.2	0.3	0.2
E979	Suicide and self-inflicted injury by other and unspecified means	306	178	108	12	8	0.2	0.2	0.1	0.1	0.1
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	7,406	2,435	921	3,186	864	4.5	3.4	1.2	36.8	9.5
E980	Nonaccidental poisoning by another person	32	14	10	4	4	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearms and explosives	3,807	1,294	525	1,576	412	2.3	1.8	0.7	18.2	4.5
E982	Assault by cutting and piercing instruments	1,826	356	85	1,113	272	1.1	0.5	0.1	12.9	3.0
E983	Assault by other means	1,435	616	300	345	174	0.9	0.9	0.4	4.0	1.9
E984	Injury by intervention of police	227	111	-	114	2	0.1	0.2	0	1.3	0.0
E985	Execution	79	44	1	34	-	0.0	0.1	0.0	0.4	0
E990-E999	Injury resulting from operations of war	-	-	-	-	-	0	0	0	0	0

Table 50. Supplement A: Deaths From Motor-Vehicle Accidents by Color, Sex, and Type of Motor Vehicle Involved: United States, 1955

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1955. Numbers under types of vehicle are fourth-digit subcategory numbers of the International List)

Sixth Revision No.	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	TYPE OF VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motor bus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motor bus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motor bus and unspecified motor vehicle (.8)	Unspecified motor vehicle(s) (.9)
E810-E825	Motor-vehicle traffic accidents	37,437	3,124	3,779	35	95	29,029	199	432	220	7	517
	White-Male	24,682	2,321	2,459	22	70	18,961	121	263	132	2	331
	White-Female	8,307	363	923	9	12	6,662	45	130	63	1	99
	Nonwhite-Male	3,366	361	290	3	12	2,563	27	29	11	2	68
	Nonwhite-Female	1,082	79	107	1	1	843	6	10	14	2	19
E810	Involving collision with railway train	1,490	266	-	1	-	1,191	-	-	12	-	20
	White-Male	976	226	-	1	-	723	-	-	8	-	18
	White-Female	413	28	-	-	-	380	-	-	4	-	1
	Nonwhite-Male	80	10	-	-	-	69	-	-	-	-	1
	Nonwhite-Female	21	2	-	-	-	19	-	-	-	-	-
E811	Involving collision with streetcar	15	-	-	-	-	14	-	-	1	-	-
	White-Male	9	-	-	-	-	8	-	-	1	-	-
	White-Female	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite-Male	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,621	924	16	-	1	6,357	4	2	165	-	152
	White-Male	4,735	579	15	-	1	3,961	3	-	96	-	80
	White-Female	1,686	203	-	-	-	1,403	1	1	49	-	29
	Nonwhite-Male	871	101	-	-	-	723	-	1	11	-	35
	Nonwhite-Female	329	41	1	-	-	270	-	-	9	-	8
E813	To pedal cyclist	342	58	1	1	-	271	-	-	7	-	4
	White-Male	284	46	-	-	-	228	-	-	6	-	4
	White-Female	30	6	1	1	-	21	-	-	1	-	-
	Nonwhite-Male	25	4	-	-	-	21	-	-	-	-	-
	Nonwhite-Female	3	2	-	-	-	1	-	-	-	-	-
E814	To rider or passenger of motorcycle, in collision with nonmotor vehicle or object	33	-	-	-	-	33	-	-	-	-	-
	White-Male	29	-	-	-	-	29	-	-	-	-	-
	White-Female	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite-Male	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	338	1	54	-	-	272	8	2	-	-	1
	White-Male	307	1	49	-	-	246	8	2	-	-	1
	White-Female	17	-	4	-	-	13	-	-	-	-	-
	Nonwhite-Male	14	-	1	-	-	13	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E816	Other, involving two or more motor vehicles	10,894	383	3,687	33	89	6,001	185	427	2	4	83
	White-Male	6,739	326	2,381	21	65	3,518	109	260	1	2	56
	White-Female	3,080	27	915	8	12	1,922	43	129	-	-	24
	Nonwhite-Male	794	27	285	3	11	410	27	28	-	1	2
	Nonwhite-Female	281	3	106	1	1	151	6	10	1	1	1
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	-	-	-	1	-	-	-	-	-
	White-Male	-	-	-	-	-	-	-	-	-	-	-
	White-Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	58	9	-	-	-	47	-	-	-	-	2
	White-Male	36	6	-	-	-	28	-	-	-	-	2
	White-Female	10	2	-	-	-	8	-	-	-	-	-
	Nonwhite-Male	11	1	-	-	-	10	-	-	-	-	-
	Nonwhite-Female	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,940	126	7	-	1	1,755	1	1	4	2	43
	White-Male	1,343	107	6	-	1	1,189	1	1	4	-	34
	White-Female	392	9	-	-	-	377	-	-	-	-	6
	Nonwhite-Male	158	10	1	-	-	143	-	-	-	1	3
	Nonwhite-Female	47	-	-	-	-	46	-	-	-	1	-
E820	While boarding and alighting	31	4	2	-	-	17	-	-	8	-	-
	White-Male	18	4	-	-	-	9	-	-	5	-	-
	White-Female	9	-	1	-	-	6	-	-	2	-	-
	Nonwhite-Male	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite-Female	2	-	-	-	-	1	-	-	1	-	-
E821	To rider of motorcycle not involving collision	233	3	-	-	-	228	-	-	1	-	1
	White-Male	207	2	-	-	-	205	-	-	-	-	-
	White-Female	12	-	-	-	-	12	-	-	-	-	-
	Nonwhite-Male	11	-	-	-	-	11	-	-	-	-	-
	Nonwhite-Female	3	1	-	-	-	-	-	-	1	-	1

Table 50. Supplement A: Deaths From Motor-Vehicle Accidents by Color, Sex, and Type of Motor Vehicle Involved: United States, 1955—Continued

(See headnote on p.33)

Sixth Revision No.	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	TYPE OF VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motor bus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motor bus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motor bus and unspecified motor vehicle (.8)	Unspecified motor vehicle(s) (.9)
	Motor-vehicle traffic accidents—Con.											
E822	Involving overturning in roadway	1,402	260	1	-	1	1,127	-	-	1	-	12
	White—Male	1,022	212	1	-	1	802	-	-	-	-	6
	Female	194	10	-	-	-	181	-	-	1	-	2
	Nonwhite—Male	154	33	-	-	-	117	-	-	-	-	4
	Female	32	5	-	-	-	27	-	-	-	-	-
E823	Involving running off roadway	7,317	651	9	-	-	6,548	-	-	2	-	107
	White—Male	5,280	508	5	-	-	4,686	-	-	2	-	79
	Female	1,144	36	2	-	-	1,092	-	-	-	-	14
	Nonwhite—Male	707	95	2	-	-	599	-	-	-	-	11
	Female	186	12	-	-	-	171	-	-	-	-	3
E824	Other noncollision accident	738	300	-	-	1	397	1	-	14	-	25
	White—Male	430	195	-	-	-	218	-	-	8	-	9
	Female	176	33	-	-	-	127	1	-	5	-	10
	Nonwhite—Male	102	62	-	-	1	34	-	-	-	-	5
	Female	30	10	-	-	-	18	-	-	1	-	1
E825	Of unspecified nature	4,984	139	2	-	2	4,770	-	-	3	1	67
	White—Male	3,267	109	2	-	2	3,111	-	-	1	-	42
	Female	1,138	9	-	-	-	1,114	-	-	1	1	13
	Nonwhite—Male	432	18	-	-	-	407	-	-	-	-	7
	Female	147	3	-	-	-	138	-	-	1	-	5
E830-E835	Motor-vehicle nontraffic accidents	989	480	7	2	-	466	3	-	14	1	16
	White—Male	654	356	7	1	-	266	3	-	11	1	9
	Female	211	59	-	-	-	146	-	-	3	-	3
	Nonwhite—Male	101	57	-	1	-	40	-	-	-	-	3
	Female	23	8	-	-	-	14	-	-	-	-	1
E830	To pedestrian	578	269	1	-	-	271	-	-	8	-	9
	White—Male	350	205	1	-	-	133	-	-	8	-	3
	Female	158	47	-	-	-	108	-	-	-	-	3
	Nonwhite—Male	53	31	-	-	-	20	-	-	-	-	2
	Female	17	6	-	-	-	10	-	-	-	-	1
E831	To pedal cyclist	3	1	-	-	-	2	-	-	-	-	-
	White—Male	3	1	-	-	-	2	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle	12	-	-	-	-	12	-	-	-	-	-
	White—Male	10	-	-	-	-	10	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles	12	4	2	-	-	6	-	-	-	-	-
	White—Male	12	4	2	-	-	6	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	25	2	1	-	-	13	2	-	6	1	-
	White—Male	12	1	1	-	-	4	2	-	3	1	-
	Female	12	1	-	-	-	8	-	-	3	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature	359	184	3	2	-	162	1	-	-	-	7
	White—Male	267	145	3	1	-	111	1	-	-	-	6
	Female	39	11	-	-	-	28	-	-	-	-	-
	Nonwhite—Male	47	26	-	1	-	19	-	-	-	-	1
	Female	6	2	-	-	-	4	-	-	-	-	-

Table 50. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1955

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1955. Numbers under places of accident are fourth-digit subcategory numbers of the International List)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	Accidental poisoning by solid and liquid substances	1,431	802	24	-	10	2	11	41	23	37	481
	White-Male	690	341	17	-	7	1	6	27	12	26	253
	White-Female	452	300	2	-	1	-	-	11	6	4	128
	Nonwhite-Male	179	101	3	-	2	1	5	1	3	4	59
	Nonwhite-Female	110	60	2	-	-	-	-	2	2	3	41
E870	Accidental poisoning by morphine and other opium derivatives	40	18	-	-	-	-	1	5	1	2	13
	White-Male	20	10	-	-	-	-	-	2	1	2	5
	White-Female	6	4	-	-	-	-	-	2	-	-	-
	Nonwhite-Male	10	4	-	-	-	-	1	-	-	-	5
	Nonwhite-Female	4	-	-	-	-	-	-	1	-	-	3
E871	Accidental poisoning by barbituric acid and derivatives	411	273	1	-	-	-	3	23	8	7	96
	White-Male	174	106	-	-	-	-	2	14	3	4	45
	White-Female	221	159	1	-	-	-	-	8	5	2	46
	Nonwhite-Male	9	5	-	-	-	-	1	-	-	1	2
	Nonwhite-Female	7	3	-	-	-	-	-	1	-	-	3
E872	Accidental poisoning by aspirin and salicylates	105	71	1	-	-	-	1	-	1	-	31
	White-Male	60	37	1	-	-	-	1	-	1	-	20
	White-Female	29	22	-	-	-	-	-	-	-	-	7
	Nonwhite-Male	6	5	-	-	-	-	-	-	-	-	1
	Nonwhite-Female	10	7	-	-	-	-	-	-	-	-	3
E873	Accidental poisoning by bromides	6	3	-	-	-	-	-	1	-	-	2
	White-Male	3	1	-	-	-	-	-	1	-	-	1
	White-Female	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	100	55	1	-	-	-	1	5	3	5	30
	White-Male	55	27	1	-	-	-	-	5	3	2	17
	White-Female	39	27	-	-	-	-	-	-	-	1	11
	Nonwhite-Male	4	1	-	-	-	-	1	-	-	1	1
	Nonwhite-Female	2	-	-	-	-	-	-	-	-	1	1
E876	Accidental poisoning by strychnine	17	9	-	-	-	-	-	-	-	-	8
	White-Male	7	2	-	-	-	-	-	-	-	-	5
	White-Female	8	5	-	-	-	-	-	-	-	-	3
	Nonwhite-Male	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	1	1	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	2	2	-	-	-	-	-	-	-	-	-
	White-Male	1	1	-	-	-	-	-	-	-	-	-
	White-Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Male	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	75	40	-	-	-	-	-	2	1	1	31
	White-Male	31	16	-	-	-	-	-	1	1	-	13
	White-Female	30	15	-	-	-	-	-	1	-	1	13
	Nonwhite-Male	7	4	-	-	-	-	-	-	-	-	3
	Nonwhite-Female	7	5	-	-	-	-	-	-	-	-	2
E879	Accidental poisoning by noxious foodstuffs	7	3	-	-	-	-	-	-	-	-	4
	White-Male	5	2	-	-	-	-	-	-	-	-	3
	White-Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-Male	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	223	83	2	-	2	2	3	1	7	15	108
	White-Male	140	48	2	-	1	1	2	1	3	14	68
	White-Female	24	10	-	-	1	-	-	-	-	-	13
	Nonwhite-Male	39	15	-	-	-	1	1	-	2	1	19
	Nonwhite-Female	20	10	-	-	-	-	-	-	2	-	8
E881	Accidental poisoning by petroleum products	76	55	2	-	-	-	-	-	-	1	18
	White-Male	24	14	1	-	-	-	-	-	-	1	8
	White-Female	12	7	1	-	-	-	-	-	-	-	4
	Nonwhite-Male	28	24	-	-	-	-	-	-	-	-	4
	Nonwhite-Female	12	10	-	-	-	-	-	-	-	-	2
E882	Accidental poisoning by industrial solvents	44	24	3	-	4	-	-	-	1	1	11
	White-Male	28	13	3	-	4	-	-	-	-	-	8
	White-Female	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite-Male	10	9	-	-	-	-	-	-	1	-	-
	Nonwhite-Female	3	-	-	-	-	-	-	-	-	1	2
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	51	31	1	-	1	-	-	2	1	2	13
	White-Male	28	16	1	-	1	-	-	2	-	1	7
	White-Female	8	5	-	-	-	-	-	-	1	-	2
	Nonwhite-Male	10	5	-	-	-	-	-	-	-	1	4
	Nonwhite-Female	5	5	-	-	-	-	-	-	-	-	-
E884	Accidental poisoning by mercury and its compounds	10	2	-	-	-	-	-	-	-	-	8
	White-Male	4	1	-	-	-	-	-	-	-	-	3
	White-Female	5	1	-	-	-	-	-	-	-	-	4
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	1	-	-	-	-	-	-	-	-	-	1

See footnotes on p. 38.

Table 50. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1955—Continued

(See headnote on p. 35)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances—Continued											
E885	Accidental poisoning by lead and its compounds	64	23	-	-	2	-	-	-	-	1	38
	White--Male	26	7	-	-	1	-	-	-	-	-	18
	Female	8	4	-	-	-	-	-	-	-	-	4
	Nonwhite--Male	15	7	-	-	1	-	-	-	-	-	7
	Female	15	5	-	-	-	-	-	-	-	1	9
E886	Accidental poisoning by arsenic and antimony, and their compounds	41	30	2	-	1	-	-	-	-	1	7
	White--Male	15	7	2	-	-	-	-	-	-	1	5
	Female	11	10	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	9	7	-	-	1	-	-	-	-	-	1
	Female	6	6	-	-	-	-	-	-	-	-	-
E887	Accidental poisoning by fluorides	6	4	-	-	-	-	1	-	-	-	1
	White--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	4	4	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	2	-	-	-	-	-	1	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	153	76	11	-	-	-	1	2	-	1	62
	White--Male	69	33	6	-	-	-	1	1	-	1	27
	Female	40	22	-	-	-	-	-	-	-	-	18
	Nonwhite--Male	27	13	3	-	-	-	-	1	-	-	10
	Female	17	8	2	-	-	-	-	-	-	-	7
E890-E895	Accidental poisoning by gases and vapors	1,163	773	16	6	90	1	63	62	4	57	91
	White--Male	749	471	11	5	74	1	44	43	3	43	54
	Female	256	205	2	1	4	-	9	9	1	8	17
	Nonwhite--Male	97	55	3	-	10	-	5	5	-	6	13
	Female	61	42	-	-	2	-	5	5	-	-	7
E890	Accidental poisoning by utility (illuminating) gas	495	439	-	-	1	-	-	36	1	3	15
	White--Male	273	236	-	-	1	-	-	22	-	3	11
	Female	156	147	-	-	-	-	-	7	1	-	1
	Nonwhite--Male	39	33	-	-	-	-	-	4	-	-	2
	Female	27	23	-	-	-	-	-	3	-	-	1
E891	Accidental poisoning by motor-vehicle exhaust gas	308	144	9	1	37	-	58	10	-	33	16
	White--Male	235	116	6	-	29	-	41	9	-	24	10
	Female	39	18	2	1	3	-	8	-	-	5	2
	Nonwhite--Male	25	8	1	-	4	-	5	1	-	4	2
	Female	9	2	-	-	1	-	4	-	-	-	2
E892	Accidental poisoning by other carbon monoxide gas	246	161	3	1	14	-	4	9	1	9	44
	White--Male	164	103	2	1	14	-	2	8	1	7	26
	Female	47	36	-	-	-	-	1	-	-	2	6
	Nonwhite--Male	18	10	1	-	-	-	-	-	-	-	7
	Female	17	12	-	-	-	-	1	1	-	-	3
E893	Accidental poisoning by cyanide gas	4	-	-	-	4	-	-	-	-	-	-
	White--Male	4	-	-	-	4	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	92	24	4	4	27	-	1	5	2	11	14
	White--Male	61	14	3	4	20	-	1	2	2	8	7
	Female	10	1	-	-	1	-	-	2	-	1	5
	Nonwhite--Male	14	4	1	-	5	-	-	-	-	2	2
	Female	7	5	-	-	1	-	-	1	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	18	5	-	-	7	1	-	2	-	1	2
	White--Male	12	2	-	-	6	1	-	2	-	1	-
	Female	4	3	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	1	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
E900-E904	Accidental falls	20,192	11,375	225	29	433	75	1,140	756	2,243	809	3,107
	White--Male	9,056	4,311	185	29	393	50	774	544	937	598	1,235
	Female	9,919	6,385	28	-	9	16	267	170	1,235	118	1,691
	Nonwhite--Male	755	365	10	-	30	9	79	28	43	79	112
	Female	462	314	2	-	1	-	20	14	28	14	69
E900	Fall on stairs	2,550	2,048	5	-	16	6	21	250	67	55	82
	White--Male	1,380	1,048	4	-	16	4	14	176	37	34	47
	Female	983	845	1	-	-	2	5	61	28	14	27
	Nonwhite--Male	134	108	-	-	-	-	1	10	1	7	7
	Female	53	47	-	-	-	-	1	3	1	-	1
E901	Fall from ladders	332	186	16	1	37	-	6	29	1	36	20
	White--Male	284	155	14	1	36	-	5	25	-	32	16
	Female	31	26	1	-	-	-	-	-	1	-	3
	Nonwhite--Male	17	5	1	-	1	-	1	4	-	4	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,929	1,797	120	22	268	47	132	224	635	514	170
	White--Male	2,269	824	106	22	243	30	88	182	274	402	98
	Female	1,244	747	5	-	1	9	21	24	334	48	55
	Nonwhite--Male	306	151	7	-	23	8	20	9	20	54	14
	Female	110	75	2	-	1	-	3	9	7	10	3

See footnotes on p. 38.

Table 50. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1955—Continued

(See headnote on p. 35)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental falls—Continued											
E903	Fall on same level	4,275	2,756	38	1	26	11	579	84	603	64	113
	White—Male	1,596	775	29	1	23	7	377	49	251	32	52
	Female	2,534	1,893	7	-	2	4	169	31	341	27	60
	Nonwhite—Male	67	26	2	-	1	-	25	3	6	3	1
	Female	78	62	-	-	-	-	8	1	5	2	-
E904	Unspecified falls	9,106	4,588	46	5	86	11	402	169	937	140	2,722
	White—Male	3,527	1,509	32	5	75	9	290	112	375	98	1,022
	Female	5,127	2,874	14	-	6	1	72	54	531	29	1,546
	Nonwhite—Male	231	75	-	-	5	1	32	2	16	11	89
	Female	221	130	-	-	-	-	8	1	15	2	65
E910-E936	Other accidents	26,316	9,985	2,217	675	1,515	493	926	520	463	5,504	4,018
	White—Male	15,831	4,244	1,768	595	1,265	341	708	390	261	4,028	2,231
	Female	4,979	2,947	179	9	24	80	97	67	155	536	885
	Nonwhite—Male	3,657	1,445	228	69	221	67	103	54	30	856	584
	Female	1,849	1,349	42	2	5	5	18	9	17	84	318
E910	Blow from falling object	1,332	153	146	296	200	19	79	29	2	347	61
	White—Male	1,085	112	125	268	162	16	64	19	2	272	45
	Female	49	27	4	1	1	1	3	1	-	9	2
	Nonwhite—Male	191	11	16	27	36	2	12	9	-	65	13
	Female	7	3	1	-	1	-	-	-	-	1	1
E911	Accident caused by vehicle	97	-	-	73	21	-	1	1	-	1	-
	White—Male	81	-	-	66	12	-	1	1	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	15	-	-	7	8	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-
E912	Accident caused by machinery	2,019	89	826	82	469	10	192	21	11	230	89
	White—Male	1,774	69	737	77	401	9	174	19	9	204	75
	Female	67	12	37	-	4	1	7	1	1	1	3
	Nonwhite—Male	171	6	51	5	62	-	11	1	1	25	9
	Female	7	2	1	-	2	-	-	-	-	-	2
E913	Accident caused by cutting and piercing instruments	134	59	12	1	8	3	6	6	-	11	28
	White—Male	69	29	7	1	6	3	3	2	-	9	9
	Female	15	9	2	-	-	-	-	-	-	-	4
	Nonwhite—Male	35	15	2	-	2	-	3	3	-	1	9
	Female	15	6	1	-	-	-	-	1	-	1	6
E914	Accident caused by electric current	1,075	251	101	25	176	8	149	45	2	231	87
	White—Male	906	184	83	22	156	8	134	34	2	209	74
	Female	73	48	8	1	1	-	3	2	-	5	5
	Nonwhite—Male	84	13	9	2	19	-	11	7	-	15	8
	Female	12	6	1	-	-	-	1	2	-	2	-
E915	Accident caused by explosion of pressure vessel	43	5	3	2	21	2	-	6	-	4	-
	White—Male	39	4	3	2	19	2	-	6	-	3	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	3	-	-	-	2	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	6,352	5,200	114	6	281	14	50	216	90	203	178
	White—Male	2,536	1,731	69	5	230	10	35	173	59	147	77
	Female	1,869	1,690	24	-	13	4	7	33	23	22	53
	Nonwhite—Male	977	847	15	1	38	-	5	10	7	28	26
	Female	970	932	6	-	-	-	3	-	1	6	22
E917	Accident caused by hot substance, corrosive liquid, and steam	742	417	11	-	47	-	2	17	31	4	213
	White—Male	302	143	7	-	38	-	2	11	18	2	81
	Female	238	153	3	-	2	-	-	4	7	1	68
	Nonwhite—Male	98	57	1	-	7	-	-	2	4	1	26
	Female	104	64	-	-	-	-	-	-	2	-	38
E919	Accident caused by firearm	2,120	935	282	32	27	13	103	52	2	411	263
	White—Male	1,596	621	248	29	27	10	73	36	1	357	194
	Female	194	136	10	-	-	-	8	4	1	16	19
	Nonwhite—Male	255	120	24	3	-	3	21	9	-	35	40
	Female	75	58	-	-	-	-	1	3	-	3	10
E920	Foreign body entering eye and adnexa	1	-	-	1	-	-	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,305	566	3	-	3	1	9	31	112	21	559
	White—Male	630	243	2	-	3	-	2	23	75	13	269
	Female	369	167	1	-	-	1	5	7	23	3	162
	Nonwhite—Male	183	87	-	-	-	-	2	1	9	3	81
	Female	123	69	-	-	-	-	-	-	5	2	47
E922	Inhalation and ingestion of other object causing obstruction or suffocation	303	124	4	-	6	1	1	4	10	5	148
	White—Male	152	61	2	-	3	1	-	3	3	5	74
	Female	101	47	1	-	-	-	-	-	5	-	48
	Nonwhite—Male	25	4	-	-	3	-	-	1	1	-	16
	Female	25	12	1	-	-	-	1	-	1	-	10

See footnotes on p. 38.

Table 50. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1955—Continued

(See headnote on p. 35)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents—Continued											
E923	Foreign body entering other orifice	118	25	-	-	-	1	-	-	6	1	85
	White—Male	58	15	-	-	-	1	-	-	2	-	40
	Female	41	8	-	-	-	-	-	-	3	1	29
	Nonwhite—Male	7	-	-	-	-	-	-	-	-	-	7
	Female	12	2	-	-	-	-	-	-	1	-	9
E924	Accidental mechanical suffocation in bed and cradle	1,061	942	3	-	1	-	6	2	5	9	93
	White—Male	434	394	2	-	1	-	4	2	1	5	25
	Female	311	270	1	-	-	-	2	-	3	1	34
	Nonwhite—Male	176	159	-	-	-	-	-	-	-	1	16
	Female	140	119	-	-	-	-	-	-	1	2	18
E925	Accidental mechanical suffocation in other and unspecified circumstances	440	146	28	20	33	3	38	7	4	58	103
	White—Male	267	74	23	18	24	1	30	6	3	39	49
	Female	70	31	2	-	1	2	4	-	-	5	25
	Nonwhite—Male	76	25	3	2	8	-	4	1	1	13	19
	Female	27	16	-	-	-	-	-	-	-	1	10
E926	Lack of care of infants under 1 year of age	41	12	-	-	-	-	-	-	-	2	27
	White—Male	12	3	-	-	-	-	-	-	-	1	8
	Female	7	2	-	-	-	-	-	-	-	-	5
	Nonwhite—Male	10	4	-	-	-	-	-	-	-	-	6
	Female	12	3	-	-	-	-	-	-	-	1	8
E927	Accidents caused by bites and stings of venomous animals and insects	52	16	9	-	-	1	-	1	1	8	16
	White—Male	31	8	8	-	-	1	-	-	-	3	11
	Female	12	6	-	-	-	-	-	1	-	-	5
	Nonwhite—Male	6	1	-	-	-	-	-	-	-	5	-
	Female	3	1	1	-	-	-	-	-	1	-	-
E928	Other accidents caused by animals	178	25	110	-	2	7	9	1	-	7	17
	White—Male	132	17	85	-	2	5	6	1	-	6	10
	Female	33	6	19	-	-	1	2	-	-	1	4
	Nonwhite—Male	11	2	6	-	-	1	1	-	-	-	1
	Female	2	-	-	-	-	-	-	-	-	-	2
E929	Accidental drowning and submersion	5,046	392	386	105	51	335	19	10	8	3,480	260
	White—Male	3,419	203	244	76	39	215	10	8	4	2,442	178
	Female	702	143	53	7	-	61	1	2	3	391	41
	Nonwhite—Male	831	33	75	20	12	54	6	-	1	595	35
	Female	94	13	14	2	-	5	2	-	-	52	6
E931	Excessive heat and insolation	615	27	17	-	22	1	12	2	27	21	486
	White—Male	393	16	13	-	19	1	8	2	13	15	306
	Female	139	5	-	-	-	-	-	-	13	2	119
	Nonwhite—Male	61	4	4	-	3	-	3	-	1	3	43
	Female	22	2	-	-	-	-	1	-	-	1	18
E932	Excessive cold	344	52	15	-	6	2	25	-	4	78	162
	White—Male	198	28	10	-	5	-	17	-	3	45	90
	Female	38	9	2	-	-	1	1	-	1	10	14
	Nonwhite—Male	82	11	2	-	1	1	3	-	-	20	44
	Female	26	4	1	-	-	-	4	-	-	3	14
E933	Hunger, thirst, and exposure	273	10	4	-	2	1	5	-	-	45	206
	White—Male	122	5	2	-	2	1	3	-	-	26	83
	Female	32	1	-	-	-	-	-	-	-	3	28
	Nonwhite—Male	71	2	1	-	-	-	1	-	-	12	55
	Female	48	2	1	-	-	-	1	-	-	4	40
E934	Cataclysm	446	118	30	-	3	9	50	3	1	136	96
	White—Male	215	45	9	-	2	6	31	-	-	79	43
	Female	186	60	6	-	-	3	13	-	1	51	51
	Nonwhite—Male	25	10	5	-	-	-	3	1	-	5	1
	Female	20	3	10	-	1	-	2	2	-	1	1
E935	Lightning	161	41	59	-	5	16	8	6	-	26	20
	White—Male	128	22	43	-	5	13	6	4	-	21	14
	Female	19	8	4	-	-	3	2	-	-	2	-
	Nonwhite—Male	25	5	11	-	-	-	-	1	-	2	6
	Female	9	6	1	-	-	-	-	1	-	1	-
E936	Other and unspecified accidents	1,998	380	54	32	131	46	162	60	147	165	821
	White—Male	1,252	217	46	31	109	38	105	40	66	124	476
	Female	413	108	2	-	2	2	38	12	71	12	166
	Nonwhite—Male	238	29	3	1	20	6	17	8	5	26	123
	Female	95	26	3	-	-	-	2	-	5	3	56

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 51. Deaths From 256 Selected Causes, by Month: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,528,717	137,487	125,920	130,508	125,188	125,756	119,598	130,730	122,858	115,330	125,697	128,683	140,962
I. Infective and parasitic diseases	26,695	2,477	2,189	2,268	2,177	2,177	2,086	2,414	2,363	2,090	2,187	2,128	2,139
Tuberculosis, all forms 001-019	14,940	1,396	1,247	1,314	1,236	1,286	1,229	1,356	1,222	1,105	1,199	1,180	1,170
Tuberculosis of respiratory system 001-008	13,676	1,277	1,152	1,203	1,130	1,174	1,122	1,234	1,118	1,037	1,090	1,079	1,060
Tuberculosis of meninges and central nervous system 010	404	34	32	36	32	32	38	46	31	19	40	31	33
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	77	15	6	5	7	11	4	8	8	1	6	4	2
Tuberculosis of vertebral column 012.0,013.0	93	8	7	12	12	4	3	6	9	7	7	8	10
Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	36	2	2	3	5	2	1	7	4	2	4	2	2
Tuberculosis of genito-urinary system 016	170	16	13	12	13	17	23	13	11	8	12	19	13
Tuberculosis of lymphatic system and other organs 014,015,017,018	90	8	7	7	7	10	9	8	5	5	11	6	7
Disseminated tuberculosis 019	394	36	28	36	30	36	29	34	36	26	29	31	43
Syphilis and its sequelae 020-029	3,834	369	326	366	323	307	263	341	318	286	319	290	326
Congenital syphilis 020	54	7	2	8	5	3	-	9	9	3	3	4	1
Early syphilis 021	1	-	-	1	-	-	-	-	-	-	-	-	-
Aneurysm of aorta 022	1,127	122	79	118	85	87	77	79	94	85	103	102	96
Other cardiovascular syphilis 023	1,545	145	150	140	141	137	114	132	111	106	118	115	136
Tabes dorsalis 024	110	11	6	10	7	9	3	7	8	6	10	11	22
General paralysis of insane 025	464	40	44	41	46	23	32	55	44	40	34	29	36
Other syphilis of central nervous system 026	430	37	33	36	32	36	28	48	44	38	43	25	30
Other syphilis 027-029	103	7	12	12	7	12	9	11	8	8	8	4	5
Gonococcal infection 030-035	23	3	3	3	-	1	2	3	1	2	1	2	2
Typhoid fever 040	34	1	-	3	4	1	1	7	4	4	6	3	-
Paratyphoid fever 041	12	1	1	2	-	3	-	2	-	1	2	-	-
Other Salmonella infections 042	50	8	2	-	3	2	4	7	2	7	5	5	5
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	10	1	2	-	1	1	-	1	1	1	-	1	1
Dysentery, all forms 045-048	556	32	23	31	31	28	51	68	56	54	59	66	57
Food poisoning (infection and intoxication) 049	97	14	3	2	8	4	10	9	12	6	9	9	11
Scarlet fever 050	51	8	9	4	1	7	2	2	2	2	5	4	5
Streptococcal sore throat 051	184	22	18	24	11	6	15	14	12	6	13	17	26
Erysipelas 052	28	3	2	3	2	4	2	2	2	2	2	2	2
Septicemia and pyemia 053	938	81	95	83	62	74	73	103	78	72	71	62	84
Diphtheria 055	150	17	8	7	8	11	4	4	6	11	26	27	21
Whooping cough 056	467	44	38	26	44	50	45	52	28	29	36	32	43
Meningococcal infections 057	907	124	96	107	107	62	58	49	49	33	63	82	77
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia 059	9	-	-	-	3	-	-	-	1	-	1	2	2
Leprosy 060	5	2	-	-	1	-	-	-	1	-	-	1	-
Tetanus 061	265	21	13	22	27	31	27	25	29	23	14	19	14
Anthrax 062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 080	1,043	30	15	16	20	32	41	103	301	219	140	79	47
Late effects of acute poliomyelitis 081	133	6	14	12	13	3	11	13	13	10	10	12	16
Acute infectious encephalitis 082	398	33	33	31	33	31	21	32	37	42	33	36	36
Late effects of acute infectious encephalitis 083	101	8	15	5	6	5	9	16	9	7	6	7	8
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	345	38	50	48	58	48	37	21	12	6	5	5	17
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	841	83	77	61	73	61	76	76	71	67	70	68	58
Rabies 094	4	-	1	-	-	1	1	-	-	-	1	-	-
Tick-borne typhus 104	8	-	-	-	-	2	2	4	-	-	-	-	-
Rocky Mountain spotted fever 104A	8	-	-	-	-	2	2	4	-	-	-	-	-
Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	7	1	1	-	1	2	-	-	2	-	-	-	-
Malaria 110-117	18	2	-	-	1	3	3	2	1	2	2	-	2
Schistosomiasis 123	1	-	-	-	-	1	-	-	-	-	-	-	-
Hydatid disease 125	8	1	1	1	-	-	3	1	1	-	-	-	-
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ankylostomiasis 129	3	-	-	-	-	-	1	-	-	1	1	-	-
Other diseases due to helminths 124,126,128,130	57	12	2	4	1	6	5	7	6	3	3	6	2
All other infective and parasitic diseases 036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,168	116	94	93	99	104	90	94	86	89	85	111	107
II. Neoplasms	245,849	20,668	18,712	20,616	20,121	20,866	20,133	21,258	20,762	19,828	21,012	20,575	21,298
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	240,681	20,215	18,331	20,175	19,673	20,436	19,715	20,817	20,311	19,383	20,604	20,158	20,863
Malignant neoplasm of buccal cavity and pharynx 140-148	5,522	458	435	476	431	507	448	499	452	446	485	437	448
Malignant neoplasm of lip 140	365	24	31	34	40	42	26	27	22	21	41	30	27
Malignant neoplasm of tongue 141	1,370	98	107	110	108	138	106	135	121	115	114	116	102
Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,639	153	129	147	114	130	154	137	145	129	135	125	141
Malignant neoplasm of pharynx 145-148	2,148	183	168	185	169	197	162	200	164	181	195	166	178
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	85,872	7,192	6,481	7,239	6,972	7,230	7,069	7,498	7,283	6,968	7,412	7,133	7,395
Malignant neoplasm of esophagus 150	4,364	372	358	345	338	389	362	375	366	363	351	382	383
Malignant neoplasm of stomach 151	22,257	1,882	1,674	1,940	1,790	1,840	1,818	1,916	1,913	1,759	1,914	1,869	1,942
Malignant neoplasm of intestine, except rectum 152,153	25,805	2,162	1,997	2,079	2,099	2,188	2,131	2,298	2,215	2,090	2,185	2,114	2,247
Malignant neoplasm of rectum 154	11,040	945	822	955	840	916	934	981	881	930	977	886	973
Malignant neoplasm of biliary passages and of liver (stated to be primary site) 155	5,328	453	381	436	464	487	409	439	455	426	470	476	432
Malignant neoplasm of liver not specified whether primary or secondary 156A	4,258	353	338	395	380	332	360	414	342	331	343	354	316
Malignant neoplasm of pancreas 157	11,339	924	830	941	943	959	933	948	980	940	1,026	930	985
Malignant neoplasm of peritoneum and of unspecified digestive organs 158,159	1,481	101	101	148	118	119	122	127	131	129	146	122	117

Table 51. Deaths From 256 Selected Causes, by Month: United States, 1955—Continued

(See headnote on p. 39)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued													
Malignant neoplasm of respiratory system, not specified as secondary----------160-164	29,914	2,528	2,242	2,497	2,389	2,603	2,426	2,483	2,491	2,406	2,619	2,466	2,764
Malignant neoplasm of larynx----------161	2,150	194	184	188	171	189	174	162	164	176	170	175	203
Malignant neoplasm of trachea, and of bronchus and lung specified as primary----------162	12,530	1,077	908	1,014	1,051	1,094	993	1,069	1,005	1,041	1,105	1,029	1,144
Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary-163	14,297	1,182	1,080	1,216	1,093	1,230	1,165	1,182	1,241	1,114	1,259	1,194	1,341
Malignant neoplasm of other parts of respiratory system----------160,164	937	75	70	79	74	90	94	70	81	75	85	68	76
Malignant neoplasm of breast----------170	21,945	1,863	1,698	1,855	1,816	1,868	1,827	1,897	1,831	1,727	1,836	1,831	1,896
Malignant neoplasm of genital organs--------171-179	37,509	3,200	2,907	3,187	3,035	3,171	3,137	3,208	3,186	2,997	3,178	3,167	3,136
Malignant neoplasm of cervix uteri----------171	8,804	750	669	769	700	750	739	757	736	779	678	770	707
Malignant neoplasm of other and unspecified parts of uterus----------172-174	6,366	550	497	493	516	572	548	546	557	494	548	518	527
Malignant neoplasm of ovary, fallopian tube, and broad ligament----------175	7,060	605	558	573	591	605	570	595	617	550	641	578	577
Malignant neoplasm of other and unspecified female genital organs----------176	790	60	63	62	63	51	83	68	60	68	72	68	72
Malignant neoplasm of prostate----------177	13,485	1,161	1,050	1,211	1,086	1,111	1,121	1,163	1,114	1,016	1,169	1,132	1,151
Malignant neoplasm of testis, and of other and unspecified male genital organs------178,179	1,004	74	70	79	79	82	76	79	102	90	70	101	102
Malignant neoplasm of urinary organs--------180,181	11,502	950	820	1,000	980	998	883	1,054	952	956	980	948	981
Malignant neoplasm of kidney----------180	4,348	357	322	374	385	391	325	379	337	359	375	358	386
Malignant neoplasm of bladder and other urinary organs----------181	7,154	593	498	626	595	607	558	675	615	597	605	590	595
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	26,958	2,272	2,109	2,183	2,277	2,243	2,151	2,380	2,336	2,174	2,252	2,258	2,323
Malignant neoplasm of skin----------190,191	3,638	336	292	297	315	296	265	292	314	299	289	299	344
Malignant neoplasm of eye----------192	351	31	28	28	26	35	25	38	21	24	31	29	35
Malignant neoplasm of brain and other parts of nervous system----------193	5,363	435	405	450	469	471	441	504	468	404	413	438	465
Malignant neoplasm of thyroid gland----------194	1,064	99	79	81	85	78	88	94	77	84	99	106	94
Malignant neoplasm of bone (including jaw bone)----------196	2,029	159	180	165	171	184	159	156	173	170	171	181	160
Malignant neoplasm of connective tissue--------197	755	54	70	58	79	45	68	60	69	61	59	72	60
Malignant neoplasm of other specified sites, not stated to be secondary--195,198A,199A	3,822	320	291	302	277	338	312	343	342	324	340	318	315
Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,936	838	764	802	855	796	793	893	872	808	850	815	850
Leukemia and aleukemia----------204	10,816	906	818	834	887	919	877	906	950	883	918	958	960
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	10,643	846	821	904	886	897	897	892	830	826	924	960	960
Lymphosarcoma and reticulosarcoma----------200	4,831	390	375	421	399	397	421	383	369	367	421	447	441
Hodgkin's disease----------201	2,888	218	233	239	243	248	234	265	218	232	252	263	243
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,924	238	213	244	244	252	242	244	243	227	251	250	276
Benign neoplasms and neoplasms of unspecified nature----------210-239	5,168	453	381	441	448	430	418	441	451	445	408	417	435
Benign neoplasms of female genital organs-214-217	855	72	64	80	83	71	73	83	70	71	63	68	57
Benign neoplasm of brain and other parts of nervous system----------223	928	91	61	89	66	74	74	87	79	79	81	63	84
Other benign neoplasms----210-213,218-222,224-229	891	72	53	76	89	81	71	78	81	87	59	75	69
Neoplasm of unspecified nature of female genital organs----------233-235	29	4	4	-	2	2	2	2	2	2	4	1	4
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,619	137	138	133	141	115	131	120	155	134	135	131	149
Other neoplasms of unspecified nature----------230-232,236,238,239	846	77	61	63	67	87	67	71	64	72	66	79	72
III. Allergic, endocrine system, metabolic and nutritional diseases----------	34,850	3,242	3,068	3,078	2,887	2,842	2,647	3,020	2,700	2,494	2,757	2,869	3,246
Asthma----------241	5,960	611	560	521	489	490	427	447	436	418	510	474	597
Nontoxic goiter----------250,251	159	15	15	16	23	8	14	9	17	7	6	11	18
Thyrotoxicosis with or without goiter----------252	834	83	75	65	67	88	66	76	61	69	58	62	64
Myxedema, cretinism, and other diseases of thyroid gland----------253,254	217	15	22	28	22	18	22	10	12	19	11	10	28
Diabetes mellitus----------260	25,488	2,318	2,210	2,265	2,133	2,089	1,983	2,252	2,001	1,790	2,007	2,095	2,345
Diseases of thymus gland----------273	297	27	29	29	28	23	20	28	15	21	27	28	22
Diseases of adrenal glands----------274	303	28	18	27	31	22	18	36	26	16	22	39	20
Pellagra----------281	96	3	8	9	9	6	3	16	9	13	10	3	7
All other avitaminoses and nutritional deficiency states----------280,282-286	748	83	63	64	57	46	41	71	51	78	50	69	75
Other allergic, endocrine, and metabolic diseases--------240,242-245,270-272,275-277,287-289	748	59	68	54	48	52	53	75	72	63	56	78	70
IV. Diseases of the blood and blood-forming organs----------	4,649	432	379	423	415	347	384	357	355	367	413	377	400
Anemias----------290-293	3,107	270	247	282	293	245	266	230	228	244	284	260	258
Pernicious and other hyperchromic anemias-----290	1,081	94	84	108	101	74	97	82	80	85	104	83	89
Anemias of other and unspecified type-----291-293	2,026	176	163	174	192	171	169	148	148	159	180	177	169
Purpura and other hemorrhagic conditions--------296	557	68	37	49	43	36	47	42	42	38	56	47	52
All other diseases of blood and blood-forming organs----------294,295,297-299	985	94	95	92	79	66	71	85	85	85	73	70	90
V. Mental, psychoneurotic, and personality disorders----------	3,329	332	301	314	262	244	265	302	265	235	229	270	310
Senile psychosis----------304	378	31	32	42	25	29	27	47	31	29	18	36	31
Alcoholic psychosis----------307	262	17	14	30	18	29	21	40	29	12	9	16	27
Other psychoses----------300-303,305,306,308,309	488	44	41	39	36	37	51	51	46	33	31	37	42

Table 51. Deaths From 256 Selected Causes, by Month: United States, 1955—Continued

(See headnote on p. 39)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
V. Mental, psychoneurotic, and personality disorders—Continued													
Alcoholism----322	1,941	216	188	175	161	138	144	146	140	136	153	149	195
Mental deficiency----325	138	14	13	20	9	5	10	13	12	9	8	16	9
Psychoneuroses and other disorders of personality----310-321,323,324,326	122	10	13	8	13	6	12	5	7	16	10	16	6
VI. Diseases of the nervous system and sense organs----	187,893	17,212	15,821	16,056	15,576	15,055	14,542	16,632	15,002	13,715	14,981	15,754	17,547
Vascular lesions affecting central nervous system----330-334	174,142	15,942	14,679	14,910	14,433	13,952	13,505	15,372	13,923	12,675	13,876	14,580	16,295
Subarachnoid hemorrhage----330	5,092	462	427	440	452	447	404	383	382	397	431	443	424
Cerebral hemorrhage----331	110,104	10,138	9,302	9,584	9,205	8,912	8,552	9,510	8,722	7,910	8,798	9,070	10,401
Cerebral embolism and thrombosis----332	41,131	3,638	3,418	3,321	3,293	3,180	3,126	3,808	3,409	3,139	3,307	3,599	3,893
Other vascular lesions affecting central nervous system----333,334	17,815	1,704	1,532	1,565	1,463	1,413	1,423	1,671	1,410	1,229	1,340	1,468	1,577
Meningitis, except meningococcal and tuberculous--340	1,873	217	166	175	162	149	125	115	112	121	150	182	199
Multiple sclerosis----345	1,409	124	107	105	119	123	117	151	115	113	119	101	115
Paralysis agitans----350	2,565	231	207	207	192	200	184	297	243	196	200	209	199
Cerebral spastic infantile paralysis----351	645	68	75	48	58	39	59	49	43	60	45	44	57
Epilepsy----353	2,143	184	189	181	202	184	167	195	152	153	171	173	192
Inflammatory diseases of eye----370-379	8	1	2	-	-	-	-	1	1	1	1	-	1
Cataract----385	77	5	7	9	7	9	9	6	5	5	4	7	4
Glaucoma----387	9	1	-	1	-	2	-	-	-	1	-	3	1
Otitis media and mastoiditis----391-393	468	46	61	42	48	35	29	35	30	18	35	39	50
Other diseases of nervous system and sense organs-341-344,352,354-369,380-384,386,388-390,394-398	4,554	393	328	378	355	362	347	411	378	372	380	416	434
VII. Diseases of the circulatory system----	641,390	58,745	54,203	55,922	53,640	53,352	49,754	53,694	49,384	46,974	51,992	53,999	59,731
Rheumatic fever----400-402	1,131	107	114	83	106	106	95	97	91	93	78	81	80
Diseases of heart----410-443	584,620	53,563	49,356	51,000	48,970	48,588	45,432	48,668	44,967	42,751	47,534	49,335	54,456
Chronic rheumatic heart disease----410-416	18,626	1,775	1,603	1,644	1,612	1,532	1,447	1,445	1,430	1,367	1,474	1,595	1,702
Diseases of mitral valve----410	7,047	719	642	615	609	589	530	562	512	531	518	578	642
Diseases of aortic valve specified as rheumatic----411	1,380	113	117	113	122	106	107	125	117	110	116	101	133
Diseases of tricuspid valve----412	22	5	5	1	-	1	-	3	-	3	-	1	3
Diseases of pulmonary valve and other endocarditis specified as rheumatic----413,414	1,065	110	89	85	94	87	82	78	90	85	85	81	99
Other diseases of heart specified as rheumatic----415,416	9,112	828	750	830	787	749	728	677	711	638	755	834	825
Arteriosclerotic heart disease, including coronary disease----420	405,830	36,590	33,648	35,126	33,780	33,631	31,624	33,576	31,228	30,249	33,571	34,602	38,205
Arteriosclerotic heart disease so described--420.0	156,593	13,993	13,088	13,707	13,068	12,914	12,096	13,247	12,069	11,359	12,767	13,333	14,952
Heart disease specified as involving coronary arteries----420.1	248,208	22,493	20,462	21,311	20,639	20,618	19,430	20,245	19,083	18,839	20,731	21,199	23,158
Angina pectoris without mention of coronary disease----420.2	1,029	104	98	108	73	99	98	84	76	51	73	70	95
Chronic endocarditis not specified as rheumatic----421	6,935	676	616	604	592	599	556	570	509	531	536	554	592
Of mitral valve, specified as nonrheumatic---421.0	617	64	52	50	61	51	42	47	50	52	48	45	55
Of aortic valve, not specified as rheumatic--421.1	1,936	168	173	161	148	162	161	154	138	161	171	164	175
Of other valves, not specified as rheumatic----421.2-421.4	4,382	444	391	393	383	386	353	369	321	318	317	345	362
Other myocardial degeneration----422	58,687	5,698	5,148	5,266	5,012	4,885	4,474	5,039	4,559	4,108	4,504	4,707	5,287
With arteriosclerosis----422.1	34,372	3,237	2,938	2,987	3,019	2,863	2,606	2,920	2,673	2,453	2,617	2,890	3,169
Without mention of arteriosclerosis----422.0,422.2	24,315	2,461	2,210	2,279	1,993	2,022	1,868	2,119	1,886	1,655	1,887	1,817	2,118
Other diseases of heart----430-434	20,659	1,912	1,891	1,827	1,779	1,736	1,650	1,653	1,617	1,330	1,576	1,775	1,913
Acute and subacute endocarditis----430	786	59	68	73	71	85	65	83	65	46	59	52	60
Acute myocarditis not specified as rheumatic---431	1,308	123	122	109	114	100	91	115	98	76	112	119	129
Acute periocarditis specified as nonrheumatic--432	59	9	4	3	6	7	3	5	5	6	3	4	4
Functional disease of heart----433	2,359	216	206	206	208	198	186	200	193	155	183	222	186
Other and unspecified diseases of heart----434	16,147	1,505	1,491	1,436	1,380	1,346	1,305	1,250	1,256	1,047	1,219	1,378	1,534
Hypertension with heart disease----440-443	73,883	6,912	6,450	6,533	6,195	6,205	5,681	6,385	5,624	5,166	5,873	6,102	6,757
Hypertensive heart disease with arteriolar nephrosclerosis----442	19,852	1,844	1,791	1,703	1,660	1,689	1,609	1,688	1,579	1,386	1,567	1,583	1,753
Essential hypertension with heart disease, other and unspecified hypertensive heart disease----440,441,443	54,031	5,068	4,659	4,830	4,535	4,516	4,072	4,697	4,045	3,780	4,306	4,519	5,004
Hypertension without mention of heart----444-447	11,162	1,036	1,015	985	928	949	893	926	804	772	855	957	1,042
Hypertension with arteriolar nephrosclerosis without mention of heart----446	6,411	610	585	572	522	533	506	532	464	434	496	528	629
Essential hypertension and other hypertensive disease without mention of heart----444,445,447	4,751	426	430	413	406	416	387	394	340	338	359	429	413
Diseases of arteries----450-456	39,642	3,647	3,336	3,448	3,257	3,321	2,976	3,589	3,107	2,947	3,113	3,186	3,715
General arteriosclerosis----450	32,486	3,003	2,755	2,866	2,685	2,627	2,400	3,021	2,583	2,422	2,513	2,570	3,041
Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----451	4,942	460	385	394	394	478	368	378	354	359	426	453	493
Gangrene of unspecified cause----455	227	18	23	18	23	23	23	19	20	16	17	14	13
Other arterial diseases----452-454,456	1,987	166	173	170	155	193	185	171	150	150	157	149	168
Diseases of veins and other diseases of circulatory system----460-468	4,835	392	382	406	379	388	358	414	415	411	412	440	438
VIII. Diseases of the respiratory system----	62,824	7,293	7,018	5,901	5,029	4,369	3,773	4,338	4,078	3,675	4,708	5,566	7,076
Acute upper respiratory infections----470-475	904	126	87	71	65	73	57	52	53	57	69	78	116
Influenza----480-483	2,755	532	573	366	215	137	80	61	75	82	138	193	303
Pneumonia, except pneumonia of newborn----490-493	41,755	4,949	4,697	3,955	3,290	2,824	2,397	2,951	2,757	2,360	3,031	3,760	4,784
Lobar pneumonia----490	11,182	1,348	1,309	1,111	961	777	641	700	681	601	790	970	1,293
Bronchopneumonia----491	22,206	2,555	2,399	2,040	1,677	1,488	1,299	1,757	1,576	1,315	1,644	1,996	2,460
Primary atypical pneumonia----492	3,599	458	445	349	270	256	189	229	222	185	258	341	397
Pneumonia, other and unspecified----493	4,768	588	544	455	382	303	268	265	278	259	339	453	634
Acute bronchitis----500	1,080	132	136	93	100	59	49	48	42	50	88	100	183
Bronchitis, chronic and unqualified----501,502	1,977	214	217	179	142	145	116	128	120	108	177	184	247
Hypertrophy of tonsils and adenoids----510	220	20	27	24	20	22	15	11	7	10	18	21	25

Table 51. Deaths From 256 Selected Causes, by Month: United States, 1955—Continued

(See headnote on p. 39)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system—Continued													
Empyema and abscess of lung----------518,521	738	72	64	66	54	55	56	67	59	60	61	63	61
Pleurisy----------519	191	20	20	20	16	18	15	13	15	14	16	12	12
All other respiratory diseases--511-517,520,522-527	13,204	1,228	1,197	1,127	1,127	1,036	986	1,007	950	934	1,110	1,155	1,345
IX. Diseases of the digestive system--------	59,408	5,251	4,727	4,912	4,639	4,711	4,622	5,024	4,996	4,835	5,118	5,163	5,410
Diseases of teeth and supporting structures-530-535	153	14	13	18	10	12	10	17	11	11	17	8	12
Ulcer of stomach----------540	4,809	439	346	421	394	420	375	391	328	361	403	482	449
Ulcer of duodenum----------541	4,921	473	442	428	423	390	375	349	351	379	460	425	426
Gastritis and duodenitis----------543	313	32	25	32	16	21	19	33	28	24	33	18	32
Appendicitis----------550-553	2,273	197	173	193	198	180	187	234	220	183	181	168	159
Hernia and intestinal obstruction-------560,561,570	8,654	779	661	730	683	673	661	748	778	693	746	714	788
Gastro-enteritis and colitis, except diarrhea of newborn----------571,572	7,441	669	569	498	444	541	598	628	693	634	693	667	787
Cirrhosis of liver----------581	16,763	1,488	1,387	1,461	1,308	1,337	1,300	1,338	1,399	1,382	1,377	1,481	1,505
Without mention of alcoholism----------581.0	12,211	1,099	1,010	1,105	953	969	920	981	1,012	992	1,023	1,072	1,075
With alcoholism----------581.1	4,552	389	377	356	355	368	380	357	387	390	354	409	430
Cholelithiasis and cholecystitis----------584,585	5,939	472	469	488	512	483	464	550	502	473	532	502	492
Other diseases of digestive system-536-539,542,544,545,573-580,582,583,586,587	8,142	688	642	643	651	654	633	736	686	695	676	678	760
X. Diseases of the genito-urinary system----	33,483	3,165	2,763	3,019	2,763	2,791	2,697	2,867	2,618	2,511	2,655	2,754	2,880
Nephritis and nephrosis----------590-594	18,214	1,790	1,597	1,693	1,577	1,510	1,479	1,457	1,334	1,273	1,359	1,517	1,628
Acute nephritis----------590	1,234	121	100	106	123	100	99	92	99	85	99	97	113
Nephritis with edema, including nephrosis-----591	1,159	108	95	130	92	97	101	90	85	93	96	83	91
Chronic and unspecified nephritis and other renal sclerosis----------592-594	15,821	1,563	1,402	1,457	1,362	1,313	1,279	1,275	1,150	1,095	1,164	1,337	1,424
Infections of kidney----------600	4,911	456	361	406	398	384	373	468	415	401	363	412	454
Calculi of urinary system----------602,604	1,244	105	97	105	96	114	102	118	103	108	108	100	86
Other diseases of urinary system----601,603,605-609	1,772	139	140	158	134	145	128	164	155	129	171	132	177
Hyperplasia of prostate----------610	6,062	544	470	545	451	510	521	550	501	484	541	490	455
Other diseases of male genital organs-------611-617	560	57	54	40	43	52	38	48	46	53	41	52	36
Diseases of breast----------620,621	13	2	3	-	-	1	1	-	1	2	1	2	-
Diseases of female genital organs----------622-637	707	72	41	72	64	75	55	62	63	61	51	49	42
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,901	164	153	161	166	175	182	187	147	153	141	140	132
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	205	19	13	21	12	16	24	22	19	22	13	16	8
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	524	48	50	39	47	48	55	48	27	47	44	30	41
Hemorrhage of pregnancy and childbirth----------643,644,670-672	373	29	33	28	37	39	32	38	23	25	33	37	19
Ectopic pregnancy----------645	151	15	5	11	16	13	12	19	21	8	7	11	13
Abortion without mention of sepsis or toxemia---650	76	6	4	4	5	9	10	8	7	7	5	5	6
Abortion with sepsis----------651	159	12	10	14	13	19	14	16	20	12	12	5	12
Abortion with toxemia, without mention of sepsis-652	31	2	5	2	2	-	1	3	-	6	4	5	1
Other complications of pregnancy, childbirth, and puerperium---------646-649,660,673-680,683,687-689	382	33	33	42	34	31	34	33	30	26	23	31	32
XII. Diseases of the skin and cellular tissue	1,334	99	113	125	105	119	115	110	98	105	125	102	118
Infections of skin and subcutaneous tissue--690-698	326	28	28	29	24	26	24	31	33	23	29	26	25
Other diseases of skin and subcutaneous tissue----------700-716	1,008	71	85	96	81	93	91	79	65	82	96	76	93
XIII. Diseases of the bones and organs of movement----------	3,003	322	258	244	255	220	209	288	244	223	245	217	278
Arthritis and spondylitis----------720-725	1,575	177	127	141	131	122	107	152	128	105	121	111	153
Muscular rheumatism and rheumatism, unspecified----------726,727	56	7	5	3	2	5	3	8	3	10	4	2	4
Osteomyelitis and periostitis----------730	151	14	15	10	8	12	18	17	13	12	10	10	12
Ankylosis and acquired musculoskeletal deformities----------737,745-749	100	12	7	9	9	9	8	5	9	8	6	10	8
All other diseases of musculoskeletal system----------731-736,738-744	1,121	112	104	81	105	72	73	106	91	88	104	84	101
XIV. Congenital malformations----------	20,502	1,804	1,552	1,734	1,604	1,622	1,642	1,705	1,768	1,696	1,767	1,719	1,889
Spina bifida and meningocele----------751	1,342	113	101	126	104	98	114	106	105	119	118	116	122
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs----------752,753	2,562	249	178	218	156	204	203	231	232	208	220	227	236
Congenital malformations of circulatory system----------754	9,245	803	724	793	737	724	721	760	791	761	774	778	879
Other congenital malformations----------750,755-759	7,353	639	549	597	607	596	604	608	640	608	655	598	652
XV. Certain diseases of early infancy-------	64,043	5,064	4,589	5,088	5,006	5,514	5,603	5,764	5,754	5,618	5,462	5,294	5,287
Birth injuries----------760,761	11,569	940	827	939	911	977	1,025	1,111	978	990	961	957	953
Postnatal asphyxia and atelectasis----------762	17,686	1,383	1,227	1,358	1,385	1,549	1,589	1,586	1,671	1,548	1,482	1,454	1,454
Infections of newborn----------763-768	4,201	396	325	329	281	257	305	366	398	374	396	356	418
Hemolytic disease of newborn (erythroblastosis)-770	2,438	210	201	203	180	213	187	204	226	216	210	207	181
All other defined diseases of early infancy----------769,771,772	2,071	190	173	152	146	168	194	182	181	157	180	175	173
Ill-defined diseases peculiar to early infancy, and immaturity unqualified--------773-776	26,078	1,945	1,836	2,107	2,103	2,350	2,303	2,315	2,300	2,333	2,233	2,145	2,108
XVI. Symptoms, senility, and ill-defined conditions----------	19,914	1,966	1,788	1,692	1,565	1,519	1,487	1,663	1,586	1,396	1,591	1,677	1,984
Senility without mention of psychosis----------794	3,461	341	325	332	282	250	246	297	237	229	281	306	335
Symptoms, ill-defined and unknown causes----------780-793,795	16,453	1,625	1,463	1,360	1,283	1,269	1,241	1,366	1,349	1,167	1,310	1,371	1,649

Table 51. Deaths From 256 Selected Causes, by Month: United States, 1955—Continued

(See headnote on p. 39)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence	117,650	9,251	8,286	8,955	8,978	9,833	9,457	11,107	10,738	9,415	10,314	10,079	11,237
Accidents—E800-E962	93,443	7,289	6,501	6,884	6,834	7,716	7,505	9,040	8,659	7,421	8,284	8,080	9,230
Railway accidents—E800-E802	1,344	91	80	78	95	101	114	162	166	130	125	95	107
Motor-vehicle accidents—E810-E835	38,426	2,810	2,319	2,602	2,753	3,101	2,982	3,350	3,586	3,446	3,918	3,559	4,000
Motor-vehicle traffic accidents—E810-E825	37,437	2,752	2,265	2,542	2,679	2,999	2,899	3,216	3,475	3,331	3,818	3,511	3,950
Motor-vehicle traffic accident involving collision with railway train—E810	1,490	160	99	109	86	88	95	66	99	121	145	212	210
Motor-vehicle traffic accident to pedestrian—E812	7,621	614	538	564	568	619	493	558	613	576	806	779	893
Other motor-vehicle traffic accidents involving collision—E811,E813-E819	13,621	976	771	938	948	1,095	1,011	1,235	1,386	1,189	1,413	1,264	1,415
Motor-vehicle noncollision traffic accidents—E820-E824	9,721	641	562	617	735	817	844	905	906	957	981	833	923
Motor-vehicle traffic accident of unspecified nature—E825	4,984	361	295	314	342	380	456	452	491	488	473	423	509
Motor-vehicle nontraffic accidents—E830-E835	989	58	54	60	74	102	83	134	111	115	100	48	50
Other road-vehicle accidents—E840-E845	330	16	10	20	26	37	36	31	48	37	29	17	23
Water-transport accidents—E850-E858	1,452	43	55	87	140	217	198	213	156	126	96	64	57
Aircraft accidents—E860-E866	1,446	106	109	115	71	120	103	139	157	120	197	118	91
Accidental poisoning by solid and liquid substances—E870-E888	1,431	125	105	141	110	120	106	122	144	122	130	101	105
Accidental poisoning by gases and vapors—E890-E895	1,163	189	157	115	60	50	53	24	17	47	89	162	200
Accidental falls—E900-E904	20,192	1,740	1,597	1,650	1,603	1,667	1,601	1,824	1,663	1,573	1,731	1,625	1,918
Fall from one level to another—E900-E902	6,811	543	458	487	518	585	561	670	613	606	627	533	610
Fall on same level—E903	4,275	428	435	391	345	321	315	384	320	279	343	300	414
Unspecified falls—E904	9,106	769	704	772	740	761	725	770	730	688	761	792	894
Blow from falling object—E910	1,332	106	111	107	110	109	119	109	99	118	119	120	105
Accident caused by machinery—E912	2,019	119	91	128	209	205	213	168	215	181	192	160	138
Accident caused by electric current—E914	1,075	36	40	47	66	99	113	196	197	109	84	49	39
Accident caused by fire and explosion of combustible material—E916	6,352	806	781	638	493	378	281	251	253	258	412	778	1,023
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	742	82	87	74	48	52	53	48	40	46	42	79	91
Accident caused by firearm—E919	2,120	160	140	141	125	135	108	151	152	156	251	338	283
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,608	141	129	133	130	112	108	138	113	127	140	151	186
Accidental drowning—E929	5,046	137	116	243	365	627	781	1,256	735	309	213	137	127
Excessive heat and insolation—E931	615	-	2	1	2	3	17	313	236	41	-	-	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	776	58	74	56	65	73	67	62	66	58	68	45	84
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,974	524	498	508	363	510	452	483	616	417	448	482	673
Suicide—E963,E970-E979	16,760	1,369	1,224	1,529	1,556	1,518	1,377	1,370	1,405	1,351	1,399	1,357	1,305
Suicide by poisoning—E970-E973	3,429	281	245	334	301	297	284	279	268	279	284	303	274
Suicide by hanging and strangulation—E974	3,591	286	270	329	363	341	274	292	325	295	290	286	240
Suicide by firearms and explosives—E976	7,763	679	567	715	691	695	634	618	647	601	634	627	655
Suicide by all other means—E963,E975,E977-E979	1,977	123	142	151	201	185	185	181	165	176	191	141	136
Homicide—E964,E980-E985	7,418	590	558	538	585	598	575	694	673	640	627	641	699
Assault by firearms and explosives—E981	3,807	327	271	265	286	301	283	320	354	303	327	380	390
Assault by cutting and piercing instruments—E982	1,826	121	137	128	139	148	146	187	162	197	163	144	154
Assault by other means—E964,E980,E983	1,479	118	132	119	129	121	120	148	136	111	120	97	128
Injury by intervention of police—E984	227	19	14	18	22	21	17	27	15	19	15	20	20
Execution—E985	79	5	4	8	9	7	9	12	6	10	2	-	7
Injury resulting from operations of war—E965,E990-E999	29	3	3	4	3	1	-	3	1	3	4	1	3

420487 O -57 -4

Table 52. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,528,717	872,638	656,079
2		I. Infective and parasitic diseases	26,695	17,632	9,063
3		Tuberculosis, all forms 001-019	14,940	10,542	4,398
4	A 1	Tuberculosis of respiratory system 001-008	13,676	9,780	3,896
5	A 2	Tuberculosis of meninges and central nervous system 010	404	253	151
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	77	41	36
7	A 4 pt.	Tuberculosis of vertebral column 012.0,013.0	93	54	39
8	A 4 pt.	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	36	17	19
9	A 5 pt.	Tuberculosis of genito-urinary system 016	170	108	62
10	A 5 pt.	Tuberculosis of lymphatic system and other organs 014,015,017,018	90	56	34
11	A 5 pt.	Disseminated tuberculosis 019	394	233	161
12		Syphilis and its sequelae 020-029	3,834	2,840	994
13	A 6	Congenital syphilis 020	54	34	20
14	A 7	Early syphilis 021	1	1	-
15	A 10 pt.	Aneurysm of aorta 022	1,127	824	303
16	A 10 pt.	Other cardiovascular syphilis 023	1,545	1,159	386
17	A 8	Tabes dorsalis 024	110	92	18
18	A 9	General paralysis of insane 025	464	358	106
19	A 10 pt.	Other syphilis of central nervous system 026	430	308	122
20	A 10 pt.	Other syphilis 027-029	103	64	39
21	A 11	Gonococcal infection 030-035	23	15	8
22	A 12	Typhoid fever 040	34	21	13
23	A 13 pt.	Paratyphoid fever 041	12	8	4
24	A 13 pt.	Other Salmonella infections 042	50	25	25
25	A 14	Cholera 043	-	-	-
26	A 15	Brucellosis (undulant fever) 044	10	5	5
27	A 16	Dysentery, all forms 045-048	556	291	265
28	A 43 pt.	Food poisoning (infection and intoxication) 049	97	56	41
29	A 17	Scarlet fever 050	51	26	25
30	A 18	Streptococcal sore throat 051	184	102	82
31	A 19	Erysipelas 052	28	11	17
32	A 20	Septicemia and pyemia 053	938	538	400
33	A 21	Diphtheria 055	150	85	65
34	A 22	Whooping cough 056	467	205	262
35	A 23	Meningococcal infections 057	907	514	393
36	A 24	Plague 058	-	-	-
37	A 43 pt.	Tularemia 059	9	7	2
38	A 25	Leprosy 060	5	4	1
39	A 26	Tetanus 061	265	164	101
40	A 27	Anthrax 062	-	-	-
41	A 28	Acute poliomyelitis 080	1,043	580	463
42	A 30 pt.	Late effects of acute poliomyelitis 081	133	72	61
43	A 29	Acute infectious encephalitis 082	398	211	187
44	A 30 pt.	Late effects of acute infectious encephalitis 083	101	61	40
45	A 31	Smallpox 084	-	-	-
46	A 32	Measles 085	345	168	177
47	A 33	Yellow fever 091	-	-	-
48	A 34	Infectious hepatitis 092	841	389	452
49	A 35	Rabies 094	4	4	-
50	A 36 pt.	Tick-borne typhus 104	8	7	1
51		Rocky Mountain spotted fever 104A	8	7	1
52		Other forms of tick-borne typhus 104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	7	5	2
54	A 37	Malaria 110-117	18	12	6
55	A 38	Schistosomiasis 123	1	1	-
56	A 39	Hydatid disease 125	8	2	6
57	A 40	Filariasis 127	-	-	-
58	A 41	Ankylostomiasis 129	3	3	-
59	A 42	Other diseases due to helminths 124,126,128,130	57	30	27
60	A 43 pt.	All other infective and parasitic diseases 036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,168	628	540
61		II. Neoplasms	245,849	128,496	117,353
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	240,681	126,268	114,413
63	A 44	Malignant neoplasm of buccal cavity and pharynx 140-148	5,522	4,340	1,182
64		Malignant neoplasm of lip 140	365	338	27
65		Malignant neoplasm of tongue 141	1,370	1,084	286
66		Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,639	1,188	451
67		Malignant neoplasm of pharynx 145-148	2,148	1,730	418
68		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	85,872	47,304	38,568
69	A 45	Malignant neoplasm of esophagus 150	4,364	3,427	937
70	A 46	Malignant neoplasm of stomach 151	22,257	14,119	8,138
71	A 47	Malignant neoplasm of intestine, except rectum 152,153	25,805	11,740	14,065
72	A 48	Malignant neoplasm of rectum 154	11,040	6,239	4,801
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site) 155	5,328	2,101	3,227
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary 156A	4,258	2,201	2,057
75	A 57 pt.	Malignant neoplasm of pancreas 157	11,339	6,751	4,588
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs 158,159	1,481	726	755
77		Malignant neoplasm of respiratory system, not specified as secondary 160-164	29,914	25,292	4,622
78	A 49	Malignant neoplasm of larynx 161	2,150	1,967	183
79	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary 162	12,530	10,889	1,641
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary 163	14,297	11,815	2,482
81	A 57 pt.	Malignant neoplasm of other parts of respiratory system 160,164	937	621	316
82	A 51	Malignant neoplasm of breast 170	21,945	237	21,708
83		Malignant neoplasm of genital organs 171-179	37,509	14,489	23,020
84	A 52	Malignant neoplasm of cervix uteri 171	8,804	...	8,804
85	A 53	Malignant neoplasm of other and unspecified parts of uterus 172-174	6,366	...	6,366
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament 175	7,060	...	7,060
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs 176	790	...	790
88	A 54	Malignant neoplasm of prostate 177	13,485	13,485	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs 178,179	1,004	1,004	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1955

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,350,869	774,758	576,111	171,021	93,378	77,643	4,140	2,368	1,772	1,165	989	176	985	707	278	537	438	99	1
19,782	13,294	6,488	6,426	4,034	2,392	353	186	167	59	57	2	41	33	8	34	28	6	2
11,116	8,086	3,030	3,504	2,243	1,261	216	121	95	46	44	2	35	29	6	23	19	4	3
10,377	7,628	2,749	3,050	1,985	1,065	159	85	74	41	41	-	30	26	4	19	15	4	4
204	129	75	164	99	65	32	22	10	2	1	1	1	1	-	1	1	-	5
45	24	21	29	15	14	1	-	1	1	1	-	-	-	-	1	1	-	6
71	43	28	20	9	11	2	2	-	-	-	-	-	-	-	-	-	-	7
27	13	14	8	3	5	1	1	-	-	-	-	-	-	-	-	-	-	8
143	89	54	25	19	6	2	-	2	-	-	-	-	-	-	-	-	-	9
56	37	19	28	16	12	5	3	2	-	-	-	1	-	1	-	-	-	10
193	123	70	180	97	83	14	8	6	2	1	1	3	2	1	2	2	-	11
2,438	1,834	604	1,366	980	386	11	8	3	12	12	-	3	3	-	4	3	1	12
24	17	7	28	16	12	2	1	1	-	-	-	-	-	-	-	-	-	13
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
832	615	217	292	206	86	1	1	-	-	-	-	2	2	-	-	-	-	15
861	668	193	667	475	192	4	4	-	10	10	-	1	1	-	2	1	1	16
90	75	15	19	16	3	1	1	-	-	-	-	-	-	-	-	-	-	17
290	211	79	172	145	27	-	-	-	1	1	-	-	-	-	1	1	-	18
278	204	74	149	102	47	1	-	1	1	1	-	-	-	-	1	1	-	19
62	43	19	39	20	19	2	1	1	-	-	-	-	-	-	-	-	-	20
2	2	-	20	13	7	1	-	1	-	-	-	-	-	-	-	-	-	21
18	10	8	15	10	5	1	1	-	-	-	-	-	-	-	-	-	-	22
6	5	1	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	23
38	21	17	12	4	8	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
366	188	178	171	93	78	18	9	9	1	1	-	-	-	-	-	-	-	27
55	32	23	42	24	18	-	-	-	-	-	-	-	-	-	-	-	-	28
51	26	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
152	82	70	32	20	12	-	-	-	-	-	-	-	-	-	-	-	-	30
25	9	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	31
762	454	308	163	76	87	11	7	4	-	-	-	2	1	1	-	-	-	32
94	58	36	54	26	28	2	1	1	-	-	-	-	-	-	-	-	-	33
223	91	132	233	112	121	11	2	9	-	-	-	-	-	-	-	-	-	34
752	435	317	146	75	71	9	4	5	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
7	5	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	37
4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
142	88	54	122	75	47	1	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
999	557	442	42	21	21	1	1	-	-	-	-	-	-	-	1	1	-	41
123	68	55	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	42
348	190	158	48	19	29	2	2	-	-	-	-	-	-	-	-	-	-	43
97	58	39	3	3	-	-	-	-	-	-	-	1	-	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
255	126	129	45	24	21	45	18	27	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
732	334	398	94	47	47	14	7	7	-	-	-	-	-	-	1	1	-	48
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
5	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	53
11	7	4	6	4	2	-	-	-	-	-	-	-	-	-	1	1	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
7	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	58
23	13	10	33	16	17	1	1	-	-	-	-	-	-	-	-	-	-	59
907	490	417	249	133	116	8	2	6	-	-	-	-	-	-	4	3	1	60
224,788	117,900	106,888	20,303	10,112	10,191	294	121	173	191	165	26	204	147	57	69	51	18	61
220,428	115,910	104,518	19,518	9,887	9,631	281	117	164	185	159	26	203	146	57	66	49	17	62
5,103	4,036	1,067	388	280	108	5	3	2	15	12	3	2	2	-	9	7	2	63
360	335	25	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	64
1,260	995	265	107	87	20	-	-	-	1	1	-	-	-	-	2	1	1	65
1,529	1,114	415	105	70	35	1	-	1	-	-	-	-	-	-	4	4	-	66
1,954	1,592	362	172	121	51	3	2	1	14	11	3	2	2	-	3	2	1	67
78,732	42,968	35,764	6,804	4,102	2,702	110	52	58	80	71	9	121	91	30	25	20	5	68
3,736	2,934	802	608	475	133	5	5	-	8	7	1	6	5	1	1	1	-	69
19,815	12,455	7,360	2,323	1,584	739	41	18	23	10	10	-	58	44	14	10	8	2	70
24,373	11,081	13,292	1,378	626	752	15	5	10	20	15	5	16	11	5	3	2	1	71
10,283	5,848	4,435	725	365	360	9	6	3	9	8	1	12	10	2	2	2	-	72
4,983	1,923	3,060	310	155	155	13	4	9	12	10	2	7	6	1	3	3	-	73
3,829	1,933	1,896	400	245	155	12	6	6	12	12	-	3	3	-	2	2	-	74
10,399	6,152	4,247	898	571	327	14	8	6	9	9	-	16	9	7	3	2	1	75
1,314	642	672	162	81	81	1	-	1	-	-	-	3	3	-	1	-	1	76
27,732	23,517	4,215	2,088	1,694	394	22	15	7	39	38	1	25	21	4	8	7	1	77
1,980	1,824	156	168	142	26	2	1	1	-	-	-	-	-	-	-	-	-	78
11,561	10,062	1,499	932	793	139	4	3	1	16	16	-	13	11	2	4	4	-	79
13,343	11,064	2,279	905	709	196	13	9	4	23	22	1	9	8	1	4	3	1	80
848	567	281	83	50	33	3	2	1	-	-	-	3	2	1	-	-	-	81
20,372	221	20,151	1,550	16	1,534	13	-	13	1	-	1	6	-	6	3	-	3	82
32,857	12,958	19,899	4,566	1,508	3,058	60	11	49	6	3	3	16	8	8	4	1	3	83
7,109	...	7,109	1,655	...	1,655	32	...	32	2	...	2	5	...	5	1	...	1	84
5,453	...	5,453	901	...	901	10	...	10	-	...	-	2	...	2	-	...	-	85
6,623	...	6,623	427	...	427	6	...	6	1	...	1	1	...	1	2	...	2	86
714	...	714	75	...	75	1	...	1	-	...	-	-	...	-	-	...	-	87
12,044	12,044	...	1,422	1,422	...	10	10	...	1	1	...	7	7	...	1	1	...	88
914	914	...	86	86	...	1	1	...	2	2	...	1	1	...	-	-	...	89

Table 52. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----------180,181	11,502	7,553	3,949
2		Malignant neoplasm of kidney----------180	4,348	2,696	1,652
3		Malignant neoplasm of bladder and other urinary organs----------181	7,154	4,857	2,297
4		Malignant neoplasm of other and unspecified sites----------156B,165,190-199	26,958	14,405	12,553
5	A 55	Malignant neoplasm of skin----------190,191	3,638	2,105	1,533
6	A 57 pt.	Malignant neoplasm of eye----------192	351	180	171
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----------193	5,363	3,096	2,267
8	A 57 pt.	Malignant neoplasm of thyroid gland----------194	1,064	365	699
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----------196	2,029	1,225	804
10	A 56 pt.	Malignant neoplasm of connective tissue----------197	755	428	327
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,822	1,801	2,021
12	A 57 pt.	Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,936	5,205	4,731
13	A 58	Leukemia and aleukemia----------204	10,816	6,303	4,513
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	10,643	6,345	4,298
15		Lymphosarcoma and reticulosarcoma----------200	4,831	2,878	1,953
16		Hodgkin's disease----------201	2,888	1,812	1,076
17		Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,924	1,655	1,269
18	A 60	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,168	2,228	2,940
19		Benign neoplasms of female genital organs----------214-217	855	...	855
20		Benign neoplasm of brain and other parts of nervous system----------223	928	439	489
21		Other benign neoplasms----------210-213,218-222,224-229	891	469	422
22		Neoplasm of unspecified nature of female genital organs----------233-235	29	...	29
23		Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,619	863	756
24		Other neoplasms of unspecified nature----------230-232,236,238,239	846	457	389
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----------	34,850	15,459	19,391
26	A 66 pt.	Asthma----------241	5,960	3,985	1,975
27	A 61	Nontoxic goiter----------250,251	159	30	129
28	A 62	Thyrotoxicosis with or without goiter----------252	834	150	684
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----------253,254	217	47	170
30	A 63	Diabetes mellitus----------260	25,488	10,082	15,406
31	A 66 pt.	Diseases of thymus gland----------273	297	195	102
32	A 66 pt.	Diseases of adrenal glands----------274	303	138	165
33	A 64 pt.	Pellagra----------281	96	27	69
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----------280,282-286	748	398	350
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----------240,242-245,270-272,275-277,287-289	748	407	341
36		IV. Diseases of the blood and blood-forming organs----------	4,649	2,361	2,288
37	A 65	Anemias----------290-293	3,107	1,510	1,597
38		Pernicious and other hyperchromic anemias----------290	1,081	451	630
39		Anemias of other and unspecified type----------291-293	2,026	1,059	967
40	A 66 pt.	Purpura and other hemorrhagic conditions----------296	557	260	297
41	A 66 pt.	All other diseases of blood and blood-forming organs----------294,295,297-299	985	591	394
42		V. Mental, psychoneurotic, and personality disorders----------	3,329	2,305	1,024
43	A 67 pt.	Senile psychosis----------304	378	150	228
44	A 67 pt.	Alcoholic psychosis----------307	262	235	27
45	A 67 pt.	Other psychoses----------300-303,305,306,308,309	488	224	264
46	A 68 pt.	Alcoholism----------322	1,941	1,569	372
47	A 69	Mental deficiency----------325	138	71	67
48	A 68 pt.	Psychoneuroses and other disorders of personality----------310-321,323,324,326	122	56	66
49		VI. Diseases of the nervous system and sense organs----------	187,893	92,063	95,830
50	A 70	Vascular lesions affecting central nervous system----------330-334	174,142	84,292	89,850
51		Subarachnoid hemorrhage----------330	5,092	2,415	2,677
52		Cerebral hemorrhage----------331	110,104	52,645	57,459
53		Cerebral embolism and thrombosis----------332	41,131	20,552	20,579
54		Other vascular lesions affecting central nervous system----------333,334	17,815	8,680	9,135
55	A 71	Meningitis, except meningococcal and tuberculous----------340	1,873	1,100	773
56	A 72	Multiple sclerosis----------345	1,409	639	770
57	A 78 pt.	Paralysis agitans----------350	2,565	1,418	1,147
58	A 78 pt.	Cerebral spastic infantile paralysis----------351	645	392	253
59	A 73	Epilepsy----------353	2,143	1,283	860
60	A 74	Inflammatory diseases of eye----------370-379	8	6	2
61	A 75	Cataract----------385	77	35	42
62	A 76	Glaucoma----------387	9	4	5
63	A 77	Otitis media and mastoiditis----------391-393	468	269	199
64	A 78 pt.	Other diseases of nervous system and sense organs----------341-344,352,354-369,380-384,386,388-390,394-398	4,554	2,625	1,929
65		VII. Diseases of the circulatory system----------	841,390	374,368	267,022
66	A 79	Rheumatic fever----------400-402	1,131	606	525
67		Diseases of heart----------410-443	584,620	344,566	240,054
68	A 80	Chronic rheumatic heart disease----------410-416	18,626	9,169	9,457
69		Diseases of mitral valve----------410	7,047	3,285	3,762
70		Diseases of aortic valve specified as rheumatic----------411	1,380	1,015	365
71		Diseases of tricuspid valve----------412	22	11	11
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----------413,414	1,065	535	530
73		Other diseases of heart specified as rheumatic----------415,416	9,112	4,323	4,789
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----------420	405,830	256,318	149,512
75		Arteriosclerotic heart disease so described----------420.0	156,593	85,060	71,533
76		Heart disease specified as involving coronary arteries----------420.1	248,208	170,597	77,611
77		Angina pectoris without mention of coronary disease----------420.2	1,029	661	368

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
10,835	7,150	3,685	647	391	256	8	4	4	5	4	1	7	4	3	-	-	-	1
4,112	2,551	1,561	227	140	87	4	2	2	1	1	-	4	2	2	-	-	-	2
6,723	4,599	2,124	420	251	169	4	2	2	4	3	1	3	2	1	-	-	-	3
24,724	13,257	11,467	2,138	1,081	1,057	39	19	20	27	24	3	18	14	4	12	10	2	4
3,486	2,021	1,465	145	78	67	2	2	-	2	2	-	3	2	1	-	-	-	5
324	166	158	26	13	13	1	1	-	-	-	-	-	-	-	-	-	-	6
5,070	2,934	2,136	280	152	128	7	5	2	4	4	-	1	-	1	1	1	-	7
987	345	642	76	20	56	1	-	1	-	-	-	-	-	-	-	-	-	8
1,854	1,124	730	171	99	72	1	1	-	1	1	-	1	-	1	1	-	1	9
682	390	292	68	34	34	1	1	-	1	1	-	1	1	-	2	1	1	10
3,472	1,647	1,825	335	146	189	8	2	6	3	3	-	3	2	1	1	1	-	11
8,849	4,630	4,219	1,037	539	498	18	7	11	16	13	3	9	9	-	7	7	-	12
10,189	5,930	4,259	598	357	241	16	8	8	4	2	2	6	4	2	3	2	1	13
9,884	5,873	4,011	739	458	281	8	5	3	8	5	3	2	2	-	2	2	-	14
4,565	2,714	1,851	257	159	98	4	3	1	4	1	3	1	1	-	-	-	-	15
2,690	1,680	1,010	192	126	66	1	1	-	4	4	-	1	1	-	-	-	-	16
2,629	1,479	1,150	290	173	117	3	1	2	-	-	-	-	-	-	2	2	-	17
4,360	1,990	2,370	785	225	560	13	4	9	6	6	-	1	1	-	3	2	1	18
545	...	545	309	...	309	-	...	-	-	...	-	-	...	-	1	...	1	19
849	401	448	76	35	41	1	1	-	2	2	-	-	-	-	-	-	-	20
776	421	355	112	47	65	2	-	2	-	-	-	-	-	-	1	1	-	21
26	...	26	3	...	3	-	...	-	-	...	-	-	...	-	-	...	-	22
1,435	778	657	176	82	94	6	1	5	1	1	-	-	-	-	1	1	-	23
729	390	339	109	61	48	4	2	2	3	3	-	1	1	-	-	-	-	24
31,208	14,072	17,136	3,499	1,306	2,193	83	38	45	24	18	6	24	16	8	12	9	3	25
5,402	3,658	1,744	540	311	229	6	6	-	3	3	-	7	5	2	2	2	-	26
127	24	103	30	4	26	-	-	-	1	1	-	1	1	-	-	-	-	27
699	134	565	131	14	117	1	-	1	1	1	-	-	-	-	2	1	1	28
205	44	161	12	3	9	-	-	-	-	-	-	-	-	-	-	-	-	29
22,956	9,242	13,714	2,426	784	1,642	66	28	38	18	13	5	15	10	5	7	5	2	30
254	170	84	41	23	18	2	2	-	-	-	-	-	-	-	-	-	-	31
267	120	147	36	18	18	-	-	-	-	-	-	-	-	-	-	-	-	32
66	20	46	30	7	23	-	-	-	-	-	-	-	-	-	-	-	-	33
578	301	277	162	96	66	7	1	6	1	-	1	-	-	-	-	-	-	34
654	359	295	91	46	45	1	1	-	-	-	-	1	-	1	1	1	-	35
4,051	2,051	2,000	584	302	282	9	5	4	2	2	-	1	-	1	2	1	1	36
2,629	1,254	1,375	470	253	217	6	3	3	-	-	-	1	-	1	1	-	1	37
1,039	436	603	42	15	27	-	-	-	-	-	-	-	-	-	-	-	-	38
1,590	818	772	428	238	190	6	3	3	-	-	-	1	-	1	1	-	1	39
499	237	262	54	19	35	1	1	-	2	2	-	-	-	-	1	1	-	40
923	560	363	60	30	30	2	1	1	-	-	-	-	-	-	-	-	-	41
2,673	1,848	825	616	436	180	33	17	16	3	2	1	3	1	2	1	1	-	42
350	136	214	27	13	14	-	-	-	-	-	-	1	1	-	-	-	-	43
222	203	19	40	32	8	-	-	-	-	-	-	-	-	-	-	-	-	44
395	175	220	91	49	42	1	-	1	1	-	1	-	-	-	-	-	-	45
1,492	1,228	264	418	323	95	30	17	13	-	-	-	-	-	-	1	1	-	46
124	67	57	11	3	8	1	-	1	1	1	-	1	-	1	-	-	-	47
90	39	51	29	16	13	1	-	1	1	1	-	1	-	1	-	-	-	48
164,634	80,735	83,899	22,645	10,932	11,713	296	153	143	129	104	25	142	100	42	47	39	8	49
152,834	74,103	78,731	20,794	9,842	10,952	219	117	102	123	101	22	129	91	38	43	38	5	50
4,235	2,043	2,192	823	354	469	17	8	9	8	5	3	3	-	3	6	5	1	51
95,598	45,814	49,784	14,176	6,610	7,566	144	82	62	77	60	17	81	54	27	28	25	3	52
37,712	18,801	18,911	3,314	1,671	1,643	36	17	19	33	32	1	29	25	4	7	6	1	53
15,289	7,445	7,844	2,481	1,207	1,274	22	10	12	5	4	1	16	12	4	2	2	-	54
1,339	806	533	494	275	219	35	18	17	1	-	1	1	-	1	3	1	2	55
1,343	602	741	63	35	28	2	2	-	-	-	-	-	-	-	1	-	1	56
2,496	1,374	1,122	66	43	23	1	-	1	-	-	-	2	1	1	-	-	-	57
568	347	221	74	42	32	3	3	-	-	-	-	-	-	-	-	-	-	58
1,661	973	688	467	305	162	12	2	10	-	-	-	3	3	-	-	-	-	59
6	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	60
67	33	34	10	2	8	-	-	-	-	-	-	-	-	-	-	-	-	61
7	4	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	62
373	222	151	85	44	41	9	2	7	1	1	-	-	-	-	-	-	-	63
3,940	2,267	1,673	588	342	246	15	9	6	4	2	2	7	5	2	-	-	-	64
584,419	343,664	240,755	55,405	29,541	25,864	714	438	276	412	370	42	288	216	72	152	139	13	65
896	490	406	228	112	116	4	2	2	2	1	1	-	-	-	1	1	-	66
533,822	317,096	216,726	49,377	26,408	22,969	642	399	243	370	335	35	266	198	68	143	130	13	67
17,070	8,427	8,643	1,500	710	790	31	15	16	14	9	5	5	2	3	6	6	-	68
6,422	2,980	3,442	595	288	307	17	7	10	6	4	2	3	2	1	4	4	-	69
1,309	970	339	67	42	25	2	2	-	1	1	-	1	-	1	-	-	-	70
21	11	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	71
987	498	489	75	35	40	2	1	1	1	1	-	-	-	-	-	-	-	72
8,331	3,968	4,363	762	345	417	10	5	5	6	3	3	1	-	1	2	2	-	73
381,631	242,246	139,385	23,300	13,353	9,947	358	247	111	249	231	18	197	154	43	95	87	8	74
146,972	79,820	67,152	9,290	4,987	4,303	120	73	47	105	95	10	77	60	17	29	25	4	75
233,761	161,837	71,924	13,879	8,294	5,585	238	174	64	144	136	8	120	94	26	66	62	4	76
898	589	309	131	72	59	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 52. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	6,935	3,795	3,140
2		Of mitral valve, specified as nonrheumatic----421.0	617	325	292
3		Of aortic valve, not specified as rheumatic----421.1	1,936	1,295	641
4		Of other valves, not specified as rheumatic----421.2-421.4	4,382	2,175	2,207
5	A 81 pt.	Other myocardial degeneration----422	58,687	29,376	29,311
6		With arteriosclerosis----422.1	34,372	16,791	17,581
7		Without mention of arteriosclerosis----422.0,422.2	24,315	12,585	11,730
8	A 82	Other diseases of heart----430-434	20,659	12,566	8,093
9		Acute and subacute endocarditis----430	786	491	295
10		Acute myocarditis not specified as rheumatic----431	1,308	711	597
11		Acute pericarditis specified as nonrheumatic----432	59	34	25
12		Functional disease of heart----433	2,359	1,285	1,074
13		Other and unspecified diseases of heart----434	16,147	10,045	6,102
14	A 83	Hypertension with heart disease----440-443	73,883	33,342	40,541
15		Hypertensive heart disease with arteriolar nephrosclerosis----442	19,852	10,005	9,847
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease----440,441,443	54,031	23,337	30,694
17	A 84	Hypertension without mention of heart----444-447	11,162	5,664	5,498
18		Hypertension with arteriolar nephrosclerosis without mention of heart----446	6,411	3,522	2,889
19		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	4,751	2,142	2,609
20	A 85	Diseases of arteries----450-456	39,642	20,916	18,726
21		General arteriosclerosis----450	32,486	16,094	16,392
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----451	4,942	3,621	1,321
23		Gangrene of unspecified cause----455	227	149	78
24		Other arterial diseases----452-454,456	1,987	1,052	935
25	A 86	Diseases of veins and other diseases of circulatory system----460-468	4,835	2,616	2,219
26		VIII. Diseases of the respiratory system----	62,824	38,004	24,820
27	A 87	Acute upper respiratory infections----470-475	904	498	406
28	A 88	Influenza----480-483	2,755	1,336	1,419
29		Pneumonia, except pneumonia of newborn----490-493	41,755	23,731	18,024
30	A 89	Lobar pneumonia----490	11,182	6,722	4,460
31	A 90	Bronchopneumonia----491	22,206	12,309	9,897
32	A 91 pt.	Primary atypical pneumonia----492	3,599	2,025	1,574
33	A 91 pt.	Pneumonia, other and unspecified----493	4,768	2,675	2,093
34	A 92	Acute bronchitis----500	1,080	611	469
35	A 93	Bronchitis, chronic and unqualified----501,502	1,977	1,319	658
36	A 94	Hypertrophy of tonsils and adenoids----510	220	108	112
37	A 95	Empyema and abscess of lung----518,521	738	545	193
38	A 96	Pleurisy----519	191	117	74
39	A 97	All other respiratory diseases----511-517,520,522-527	13,204	9,739	3,465
40		IX. Diseases of the digestive system----	59,408	35,555	23,853
41	A 98	Diseases of teeth and supporting structures----530-535	153	87	66
42	A 99	Ulcer of stomach----540	4,809	3,625	1,184
43	A 100	Ulcer of duodenum----541	4,921	3,938	983
44	A 101	Gastritis and duodenitis----543	313	191	122
45	A 102	Appendicitis----550-553	2,273	1,427	846
46	A 103	Hernia and intestinal obstruction----560,561,570	8,654	4,474	4,180
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	7,441	3,842	3,599
48	A 105	Cirrhosis of liver----581	16,763	11,055	5,708
49		Without mention of alcoholism----581.0	12,211	7,788	4,423
50		With alcoholism----581.1	4,552	3,267	1,285
51	A 106	Cholelithiasis and cholecystitis----584,585	5,939	2,294	3,645
52	A 107	Other diseases of digestive system----536-539,542,544,545,573-580,582,583,586,587	8,142	4,622	3,520
53		X. Diseases of the genito-urinary system----	33,483	20,860	12,623
54		Nephritis and nephrosis----590-594	18,214	9,819	8,395
55	A 108	Acute nephritis----590	1,234	719	515
56	A 109 pt.	Nephritis with edema, including nephrosis----591	1,159	629	530
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	15,821	8,471	7,350
58	A 110	Infections of kidney----600	4,911	2,509	2,402
59	A 111	Calculi of urinary system----602,604	1,244	708	536
60	A 114 pt.	Other diseases of urinary system----601,603,605-609	1,772	1,200	572
61	A 112	Hyperplasia of prostate----610	6,062	6,062	...
62	A 114 pt.	Other diseases of male genital organs----611-617	560	560	...
63	A 113	Diseases of breast----620,621	13	2	11
64	A 114 pt.	Diseases of female genital organs----622-637	707	...	707
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,901	...	1,901
66	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	205	...	205
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	524	...	524
68	A 117	Hemorrhage of pregnancy and childbirth----643,644,670-672	373	...	373
69	A 120 pt.	Ectopic pregnancy----645	151	...	151
70	A 118	Abortion without mention of sepsis or toxemia----650	76	...	76
71	A 119	Abortion with sepsis----651	159	...	159
72	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	31	...	31
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium----646-649,660,673-680,683,687-689	382	...	382
74		XII. Diseases of the skin and cellular tissue----	1,334	581	753
75	A 121	Infections of skin and subcutaneous tissue----690-698	326	193	133
76	A 126 pt.	Other diseases of skin and subcutaneous tissue----700-716	1,008	388	620
77		XIII. Diseases of the bones and organs of movement----	3,003	1,309	1,694
78	A 122	Arthritis and spondylitis----720-725	1,575	531	1,044
79	A 123	Muscular rheumatism and rheumatism, unspecified----726,727	56	21	35
80	A 124	Osteomyelitis and periostitis----730	151	81	70
81	A 125	Ankylosis and acquired musculoskeletal deformities----737,745-749	100	41	59
82	A 126 pt.	All other diseases of musculoskeletal system----731-736,738-744	1,121	635	486

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
5,972	3,288	2,684	949	500	449	10	4	6	2	2	-	2	1	1	-	-	-	1
523	281	242	91	43	48	2	-	2	-	-	-	1	1	-	-	-	-	2
1,652	1,127	525	279	166	113	3	1	2	1	1	-	1	-	1	-	-	-	3
3,797	1,880	1,917	579	291	288	5	3	2	1	1	-	-	-	-	-	-	-	4
52,820	26,275	26,545	5,734	3,015	2,719	70	34	36	34	30	4	18	14	4	11	8	3	5
31,431	15,224	16,207	2,877	1,521	1,356	32	18	14	23	20	3	6	6	-	3	2	1	6
21,389	11,051	10,338	2,857	1,494	1,363	38	16	22	11	10	1	12	8	4	8	6	2	7
17,096	10,506	6,590	3,456	1,985	1,471	90	60	30	7	7	-	6	5	1	4	3	1	8
669	424	245	109	64	45	6	1	5	1	1	-	-	-	-	1	1	-	9
1,040	577	463	261	130	131	5	4	1	-	-	-	1	-	1	1	-	1	10
46	29	17	13	5	8	-	-	-	-	-	-	-	-	-	-	-	-	11
2,165	1,170	995	186	110	76	8	5	3	-	-	-	-	-	-	-	-	-	12
13,176	8,306	4,870	2,887	1,676	1,211	71	50	21	6	6	-	5	5	-	2	2	-	13
59,233	26,354	32,879	14,438	6,845	7,593	83	39	44	64	56	8	38	22	16	27	26	1	14
16,289	8,119	8,170	3,523	1,865	1,658	23	8	15	6	6	-	7	3	4	4	4	-	15
42,944	18,235	24,709	10,915	4,980	5,935	60	31	29	58	50	8	31	19	12	23	22	1	16
8,823	4,463	4,360	2,305	1,185	1,120	18	6	12	9	6	3	5	2	3	2	2	-	17
5,371	2,945	2,426	1,026	569	457	5	1	4	4	4	-	4	2	2	1	1	-	18
3,452	1,518	1,934	1,279	616	663	13	5	8	5	2	3	1	-	1	1	1	-	19
36,647	19,309	17,338	2,901	1,533	1,368	41	25	16	31	28	3	17	16	1	5	5	-	20
30,193	14,867	15,326	2,229	1,177	1,052	30	17	13	22	21	1	10	10	-	2	2	-	21
4,535	3,355	1,180	388	248	140	4	4	-	7	6	1	5	5	-	3	3	-	22
179	117	62	45	30	15	2	1	1	-	-	-	1	1	-	-	-	-	23
1,740	970	770	239	78	161	5	3	2	2	1	1	1	-	1	-	-	-	24
4,231	2,306	1,925	594	303	291	9	6	3	-	-	-	-	-	-	1	1	-	25
52,265	31,807	20,458	9,981	5,833	4,148	443	254	189	58	48	10	54	44	10	23	18	5	26
700	382	318	187	105	82	14	10	4	2	1	1	1	-	1	-	-	-	27
2,030	971	1,059	707	354	353	15	8	7	-	-	-	3	3	-	-	-	-	28
33,853	19,124	14,729	7,440	4,328	3,112	369	206	163	38	30	8	36	28	8	19	15	4	29
8,919	5,340	3,579	2,147	1,309	838	87	49	38	12	10	2	12	9	3	5	5	-	30
18,314	10,096	8,218	3,662	2,074	1,588	183	104	79	21	16	5	19	15	4	7	4	3	31
3,012	1,707	1,305	560	302	258	18	10	8	3	2	1	3	2	1	3	2	1	32
3,608	1,981	1,627	1,071	643	428	81	43	38	2	2	-	2	2	-	4	4	-	33
891	504	387	180	100	80	5	3	2	2	2	-	2	2	-	-	-	-	34
1,785	1,206	579	180	105	75	9	5	4	3	3	-	-	-	-	-	-	-	35
188	93	95	32	15	17	-	-	-	-	-	-	-	-	-	-	-	-	36
585	441	144	149	102	47	3	2	1	-	-	-	1	-	1	-	-	-	37
152	93	59	37	22	15	1	1	-	1	1	-	-	-	-	-	-	-	38
12,081	8,993	3,088	1,069	702	367	27	19	8	12	11	1	11	11	-	4	3	1	39
52,676	31,749	20,927	6,250	3,539	2,711	358	168	190	61	53	8	35	22	13	28	24	4	40
122	70	52	30	17	13	1	-	1	-	-	-	-	-	-	-	-	-	41
4,352	3,285	1,067	431	320	111	10	7	3	10	9	1	5	3	2	1	1	-	42
4,630	3,732	898	274	191	83	4	3	1	8	8	-	1	1	-	4	3	1	43
259	160	99	53	30	23	1	1	-	-	-	-	-	-	-	-	-	-	44
1,951	1,238	713	312	182	130	6	4	2	-	-	-	2	1	1	2	2	-	45
7,587	3,883	3,704	1,021	569	452	34	12	22	7	5	2	4	4	-	1	1	-	46
5,574	2,864	2,710	1,700	894	806	161	82	79	2	2	-	3	-	3	1	-	1	47
15,436	10,277	5,159	1,210	705	505	71	33	38	23	21	2	13	10	3	10	9	1	48
11,317	7,265	4,052	820	477	343	39	16	23	16	14	2	10	8	2	9	8	1	49
4,119	3,012	1,107	390	228	162	32	17	15	7	7	-	3	2	1	1	1	-	50
5,694	2,215	3,479	203	63	140	31	8	23	5	4	1	4	2	2	2	2	-	51
7,071	4,025	3,046	1,016	568	448	39	18	21	6	4	2	3	1	2	7	6	1	52
27,597	17,579	10,018	5,735	3,185	2,550	83	46	37	40	31	9	16	9	7	12	10	2	53
14,514	7,971	6,543	3,604	1,796	1,808	53	25	28	27	19	8	10	4	6	6	4	2	54
902	536	366	329	182	147	3	1	2	-	-	-	-	-	-	-	-	-	55
921	513	408	223	106	117	7	4	3	4	4	-	4	2	2	-	-	-	56
12,691	6,922	5,769	3,052	1,508	1,544	43	20	23	23	15	8	6	2	4	6	4	2	57
4,075	2,111	1,964	818	385	433	8	4	4	3	3	-	4	3	1	3	3	-	58
1,134	652	482	103	50	53	2	2	-	3	2	1	1	1	-	1	1	-	59
1,449	950	499	313	243	70	8	5	3	2	2	-	-	-	-	-	-	-	60
5,424	5,424	...	621	621	...	9	9	...	5	5	...	1	1	...	2	2	...	61
469	469	...	90	90	...	1	1	...	-	-	...	-	-	...	-	-	...	62
9	2	7	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	63
523	...	523	182	...	182	2	...	2	-	...	-	-	...	-	-	...	-	64
1,134	...	1,134	750	...	750	15	...	15	1	...	1	1	...	1	-	...	-	65
146	...	146	57	...	57	2	...	2	-	...	-	-	...	-	-	...	-	66
288	...	288	232	...	232	2	...	2	1	...	1	1	...	1	-	...	-	67
232	...	232	137	...	137	4	...	4	-	...	-	-	...	-	-	...	-	68
62	...	62	88	...	88	1	...	1	-	...	-	-	...	-	-	...	-	69
42	...	42	32	...	32	2	...	2	-	...	-	-	...	-	-	...	-	70
87	...	87	70	...	70	2	...	2	-	...	-	-	...	-	-	...	-	71
21	...	21	9	...	9	1	...	1	-	...	-	-	...	-	-	...	-	72
256	...	256	125	...	125	1	...	1	-	...	-	-	...	-	-	...	-	73
1,106	491	615	221	84	137	3	2	1	3	3	-	1	1	-	-	-	-	74
260	156	104	64	35	29	1	1	-	1	1	-	-	-	-	-	-	-	75
846	335	511	157	49	108	2	1	1	2	2	-	1	1	-	-	-	-	76
2,703	1,174	1,529	292	134	158	5	1	4	1	-	1	2	-	2	-	-	-	77
1,411	465	946	160	65	95	3	1	2	1	-	1	-	-	-	-	-	-	78
46	18	28	9	3	6	1	-	1	-	-	-	-	-	-	-	-	-	79
134	72	62	17	9	8	-	-	-	-	-	-	-	-	-	-	-	-	80
92	38	54	7	3	4	1	-	1	-	-	-	-	-	-	-	-	-	81
1,020	581	439	99	54	45	-	-	-	-	-	-	2	-	2	-	-	-	82

Table 52. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	20,502	11,130	9,372
2	A 127	Spina bifida and meningocele 751	1,342	584	758
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	2,562	1,289	1,273
4	A 128	Congenital malformations of circulatory system 754	9,245	5,140	4,105
5	A 129 pt.	Other congenital malformations 750,755-759	7,353	4,117	3,236
6		XV. Certain diseases of early infancy	64,043	37,403	26,640
7	A 130	Birth injuries 760,761	11,569	7,059	4,510
8	A 131	Postnatal asphyxia and atelectasis 762	17,686	10,491	7,195
9	A 132	Infections of newborn 763-768	4,201	2,495	1,706
10	A 133	Hemolytic disease of newborn (erythroblastosis) 770	2,436	1,347	1,091
11	A 134	All other defined diseases of early infancy 769,771,772	2,071	1,236	835
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	26,078	14,775	11,303
13		XVI. Symptoms, senility, and ill-defined conditions	19,914	11,802	8,112
14	A 136	Senility without mention of psychosis 794	3,461	1,547	1,914
15	A 137	Symptoms, ill-defined and unknown causes 780-793,795	16,453	10,255	6,198
16		XVII. Accidents, poisonings, and violence	117,650	83,310	34,340
17		Accidents E800-E962	93,443	64,690	28,753
18	AE 139 pt.	Railway accidents E800-E802	1,344	1,218	126
19	AE 138	Motor-vehicle accidents E810-E835	38,426	28,803	9,623
20		Motor-vehicle traffic accidents E810-E825	37,437	28,048	9,389
21		Motor-vehicle traffic accident involving collision with railway train E810	1,490	1,056	434
22		Motor-vehicle traffic accident to pedestrian E812	7,621	5,606	2,015
23		Other motor-vehicle traffic accidents involving collision E811,E813-E819	13,621	9,754	3,867
24		Motor-vehicle noncollision traffic accidents E820-E824	9,721	7,933	1,788
25		Motor-vehicle traffic accident of unspecified nature E825	4,984	3,699	1,285
26		Motor-vehicle nontraffic accidents E830-E835	989	755	234
27	AE 139 pt.	Other road-vehicle accidents E840-E845	330	254	76
28	AE 139 pt.	Water-transport accidents E850-E858	1,452	1,353	99
29	AE 139 pt.	Aircraft accidents E860-E866	1,446	1,345	101
30	AE 140 pt.	Accidental poisoning by solid and liquid substances E870-E888	1,431	869	562
31	AE 140 pt.	Accidental poisoning by gases and vapors E890-E895	1,163	846	317
32	AE 141	Accidental falls E900-E904	20,192	9,811	10,381
33		Fall from one level to another E900-E902	6,811	4,390	2,421
34		Fall on same level E903	4,275	1,663	2,612
35		Unspecified falls E904	9,106	3,758	5,348
36	AE 147 pt.	Blow from falling object E910	1,332	1,276	56
37	AE 142	Accident caused by machinery E912	2,019	1,945	74
38	AE 147 pt.	Accident caused by electric current E914	1,075	990	85
39	AE 143	Accident caused by fire and explosion of combustible material E916	6,352	3,513	2,839
40	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation E917,E918	742	400	342
41	AE 145	Accident caused by firearm E919	2,120	1,851	269
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1,608	990	618
43	AE 146	Accidental drowning E929	5,046	4,250	796
44	AE 147 pt.	Excessive heat and insolation E931	615	454	161
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures E940-E959	776	374	402
46	AE 147 pt.	All other accidents E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	5,974	4,148	1,826
47	AE 148	Suicide E963,E970-E979	16,760	12,961	3,799
48		Suicide by poisoning E970-E973	3,429	2,189	1,240
49		Suicide by hanging and strangulation E974	3,591	2,689	902
50		Suicide by firearms and explosives E976	7,763	6,808	955
51		Suicide by all other means E963,E975,E977-E979	1,977	1,275	702
52	AE 149	Homicide E964,E980-E985	7,418	5,630	1,788
53		Assault by firearms and explosives E981	3,807	2,870	937
54		Assault by cutting and piercing instruments E982	1,826	1,469	357
555		Assault by other means E964,E980,E983	1,479	988	491
56		Injury by intervention of police E984	227	225	2
57		Execution E985	79	78	1
58	AE 150	Injury resulting from operations of war E965,E990-E999	29	29	-

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
18,122	9,839	8,283	2,242	1,215	1,027	86	45	41	24	17	7	16	7	9	12	7	5	1
1,258	539	719	77	42	35	6	3	3	-	-	-	-	-	-	1	-	1	2
2,265	1,136	1,129	282	148	134	12	4	8	1	1	-	1	-	1	1	-	1	3
8,123	4,558	3,565	1,064	546	518	32	19	13	14	9	5	8	5	3	4	3	1	4
6,476	3,606	2,870	819	479	340	36	19	17	9	7	2	7	2	5	6	4	2	5
50,074	29,558	20,516	13,555	7,602	5,953	284	165	119	48	33	15	46	30	16	36	15	21	6
9,657	5,929	3,728	1,859	1,097	762	36	25	11	5	4	1	6	2	4	6	2	4	7
14,256	8,598	5,658	3,336	1,839	1,497	61	33	28	14	11	3	11	6	5	8	4	4	8
2,748	1,655	1,093	1,390	803	587	49	30	19	6	5	1	3	2	1	5	-	5	9
2,253	1,235	1,018	170	104	66	5	3	2	4	1	3	4	4	-	2	-	2	10
1,394	824	570	652	395	257	21	16	5	3	1	2	-	-	-	1	-	1	11
19,766	11,317	8,449	6,148	3,364	2,784	112	58	54	16	11	5	22	16	6	14	9	5	12
13,147	8,125	5,022	6,471	3,519	2,952	275	140	135	8	8	-	9	6	3	4	4	-	13
2,846	1,272	1,574	575	254	321	35	17	18	1	1	-	4	3	1	-	-	-	14
10,301	6,853	3,448	5,896	3,265	2,631	240	123	117	7	7	-	5	3	2	4	4	-	15
100,490	70,872	29,618	16,046	11,604	4,442	806	589	217	101	78	23	102	75	27	105	92	13	16
81,010	55,976	25,034	11,515	8,034	3,481	694	502	192	65	51	14	76	56	20	83	71	12	17
1,075	971	104	235	218	17	32	27	5	2	2	-	-	-	-	-	-	-	18
33,854	25,336	8,518	4,129	3,131	998	335	247	88	28	22	6	34	25	9	46	42	4	19
32,989	24,682	8,307	4,023	3,044	979	320	236	84	27	21	6	34	25	9	44	40	4	20
1,389	976	413	92	73	19	6	4	2	-	-	-	-	-	-	3	3	-	21
6,421	4,735	1,686	1,092	787	305	86	64	22	8	6	2	8	8	-	6	6	-	22
12,282	8,747	3,535	1,227	926	301	69	50	19	9	7	2	19	12	7	15	12	3	23
8,492	6,957	1,535	1,077	855	222	120	92	28	10	8	2	4	4	-	18	17	1	24
4,405	3,267	1,138	535	403	132	39	26	13	-	-	-	3	1	2	2	2	-	25
865	654	211	106	87	19	15	11	4	1	1	-	-	-	-	2	2	-	26
283	211	72	35	33	2	10	9	1	-	-	-	-	-	-	2	1	1	27
1,293	1,208	85	145	133	12	5	5	-	-	-	-	5	4	1	4	3	1	28
1,416	1,319	97	26	22	4	-	-	-	-	-	-	1	1	-	3	3	-	29
1,142	690	452	279	173	106	9	6	3	-	-	-	1	-	1	-	-	-	30
1,005	749	256	147	90	57	10	6	4	1	1	-	-	-	-	-	-	-	31
18,975	9,056	9,919	1,162	718	444	30	16	14	15	13	2	8	7	1	2	1	1	32
6,191	3,933	2,258	589	434	155	16	11	5	8	7	1	5	4	1	2	1	1	33
4,130	1,596	2,534	138	64	74	5	1	4	1	1	-	1	1	-	-	-	-	34
8,654	3,527	5,127	435	220	215	9	4	5	6	5	1	2	2	-	-	-	-	35
1,134	1,085	49	188	183	5	9	7	2	-	-	-	1	1	-	-	-	-	36
1,841	1,774	67	163	157	6	10	10	-	2	1	1	2	2	-	1	1	-	37
979	906	73	92	80	12	2	2	-	-	-	-	1	1	-	1	1	-	38
4,405	2,536	1,869	1,880	935	945	58	36	22	-	-	-	5	2	3	4	4	-	39
540	302	238	187	92	95	12	3	9	1	1	-	2	2	-	-	-	-	40
1,790	1,596	194	306	236	70	22	17	5	1	1	-	1	1	-	-	-	-	41
1,252	782	470	335	199	136	12	5	7	1	-	1	4	3	1	4	1	3	42
4,121	3,419	702	858	774	84	45	39	6	8	7	1	6	3	3	8	8	-	43
532	393	139	76	57	19	5	3	2	1	-	1	-	-	-	1	1	-	44
660	328	332	111	43	68	1	-	1	1	1	-	1	1	-	2	1	1	45
4,713	3,315	1,398	1,161	760	401	87	64	23	4	2	2	4	3	1	5	4	1	46
16,092	12,430	3,662	557	442	115	39	32	7	32	23	9	23	18	5	17	16	1	47
3,343	2,136	1,207	67	37	30	1	1	-	7	5	2	5	4	1	6	6	-	48
3,480	2,602	878	80	63	17	7	7	-	12	9	3	10	6	4	2	2	-	49
7,413	6,502	911	307	270	37	26	22	4	7	5	2	4	4	-	6	5	1	50
1,856	1,190	666	103	72	31	5	2	3	6	4	2	4	4	-	3	3	-	51
3,361	2,439	922	3,972	3,126	846	73	55	18	4	4	-	3	1	2	5	5	-	52
1,819	1,294	525	1,950	1,549	401	33	23	10	2	2	-	1	-	1	2	2	-	53
441	356	85	1,374	1,103	271	9	8	1	-	-	-	1	1	-	1	1	-	54
945	634	311	501	329	172	28	21	7	2	2	-	1	-	1	2	2	-	55
111	111	-	113	111	2	3	3	-	-	-	-	-	-	-	-	-	-	56
45	44	1	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	57
27	27	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,528,717	106,903	7,051	4,059	3,156	2,418	123,587	8,440	6,320	10,544
2		Male	872,638	61,416	3,877	2,285	1,746	1,310	70,634	5,023	4,059	7,342
3		Female	656,079	45,487	3,174	1,774	1,410	1,108	52,953	3,417	2,261	3,202
4		White--Male	774,758	47,457	2,881	1,755	1,429	1,063	54,585	4,235	3,417	6,236
5		Female	576,111	34,225	2,333	1,369	1,078	853	39,858	2,792	1,852	2,568
6		Negro--Male	93,378	13,316	901	493	299	232	15,241	752	612	1,047
7		Female	77,643	10,730	753	379	310	237	12,409	580	385	595
8		Other--Male	4,502	643	95	37	18	15	808	36	30	59
9		Female	2,325	532	88	26	22	18	686	45	24	39
10		I. Infective and parasitic diseases	26,695	1,799	656	374	287	192	3,308	642	364	370
11		White--Male	13,294	652	219	146	110	77	1,204	275	154	151
12		Female	6,488	509	232	122	100	69	1,032	228	143	107
13		Negro--Male	4,034	305	88	56	32	23	504	56	28	54
14		Female	2,392	273	77	38	32	14	434	67	33	47
15		Other--Male	304	32	16	7	7	6	68	6	4	6
16		Female	183	28	24	5	6	3	66	10	2	5
17	001-019	Tuberculosis, all forms	14,940	96	130	64	41	21	352	62	36	99
18		White--Male	8,086	30	33	21	10	5	99	24	9	13
19		Female	3,030	21	36	16	12	6	91	12	12	26
20		Negro--Male	2,243	22	25	16	6	2	71	10	4	23
21		Female	1,261	11	21	6	6	2	46	10	7	30
22		Other--Male	213	9	8	2	4	4	27	3	3	3
23		Female	107	3	7	3	3	2	18	3	1	4
24	001-008	Tuberculosis of respiratory system	13,676	39	42	20	14	7	122	18	11	71
25		White--Male	7,628	12	10	4	1	1	28	7	2	8
26		Female	2,749	12	12	8	6	2	40	2	4	19
27		Negro--Male	1,985	9	7	4	1	-	21	3	3	17
28		Female	1,065	2	9	3	2	1	17	5	1	23
29		Other--Male	167	3	2	1	2	2	10	-	-	2
30		Female	82	1	2	-	2	1	6	1	1	2
31	010	Tuberculosis of meninges and central nervous system	404	31	61	38	22	11	163	38	13	11
32		White--Male	129	9	14	17	8	2	50	17	3	2
33		Female	75	4	17	6	6	4	37	6	4	4
34		Negro--Male	99	4	15	9	3	2	33	6	1	-
35		Female	65	6	8	2	4	1	21	4	3	5
36		Other--Male	25	6	4	1	1	1	13	3	2	-
37		Female	11	2	3	3	-	1	9	2	-	-
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	77	1	1	-	-	1	3	1	1	3
39		White--Male	24	-	-	-	-	1	1	-	1	2
40		Female	21	1	-	-	-	-	1	1	-	-
41		Negro--Male	15	-	1	-	-	-	1	-	-	1
42		Female	14	-	-	-	-	-	-	-	-	-
43		Other--Male	2	-	-	-	-	-	-	-	-	-
44		Female	1	-	-	-	-	-	-	-	-	-
45	012.0,013.0	Tuberculosis of vertebral column	93	2	-	-	1	-	3	1	-	1
46		White--Male	43	2	-	-	1	-	3	-	-	-
47		Female	28	-	-	-	-	-	-	1	-	1
48		Negro--Male	9	-	-	-	-	-	-	-	-	-
49		Female	11	-	-	-	-	-	-	-	-	-
50		Other--Male	2	-	-	-	-	-	-	-	-	-
51		Female	-	-	-	-	-	-	-	-	-	-
52	012.1-012.3, 013.1-013.3	Tuberculosis of other bones and joints	36	-	-	1	-	-	1	-	2	-
53		White--Male	13	-	-	-	-	-	-	-	-	-
54		Female	14	-	-	1	-	-	1	-	-	-
55		Negro--Male	3	-	-	-	-	-	-	-	-	-
56		Female	5	-	-	-	-	-	-	-	1	-
57		Other--Male	1	-	-	-	-	-	-	-	1	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	170	-	-	-	-	-	-	-	1	4
60		White--Male	89	-	-	-	-	-	-	-	-	-
61		Female	54	-	-	-	-	-	-	-	1	1
62		Negro--Male	19	-	-	-	-	-	-	-	-	2
63		Female	6	-	-	-	-	-	-	-	-	-
64		Other--Male	-	-	-	-	-	-	-	-	-	-
65		Female	2	-	-	-	-	-	-	-	-	1
66	014,015, 017,018	Tuberculosis of lymphatic system and other organs	90	1	-	1	-	-	2	-	3	1
67		White--Male	37	1	-	-	-	-	1	-	1	-
68		Female	19	-	-	-	-	-	-	-	1	-
69		Negro--Male	16	-	-	1	-	-	1	-	-	-
70		Female	12	-	-	-	-	-	-	-	1	-
71		Other--Male	3	-	-	-	-	-	-	-	-	1
72		Female	3	-	-	-	-	-	-	-	-	-
73	019	Disseminated tuberculosis	394	22	26	4	4	2	58	4	5	8
74		White--Male	123	6	9	-	-	1	16	-	2	1
75		Female	70	4	7	1	-	-	12	2	2	1
76		Negro--Male	97	9	2	2	2	-	15	1	-	3
77		Female	83	3	4	1	-	-	8	1	1	2
78		Other--Male	13	-	2	-	1	1	4	-	-	-
79		Female	8	-	2	-	1	-	3	-	-	1
80	020-029	Syphilis and its sequelae	3,834	34	2	3	-	-	39	1	1	2
81		White--Male	1,834	8	1	1	-	-	10	-	-	-
82		Female	604	1	-	-	-	-	1	-	-	-
83		Negro--Male	980	11	-	2	-	-	13	1	-	1
84		Female	386	13	-	-	-	-	13	-	1	1
85		Other--Male	26	1	-	-	-	-	1	-	-	-
86		Female	4	-	1	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1955

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,771	15,762	20,058	28,017	41,725	59,936	82,330	109,244	143,048	179,543	193,486	188,968	157,098	97,696	37,152	9,160	1,594	1,238	1
9,647	10,279	12,133	16,685	25,371	37,788	52,905	70,519	90,872	108,978	110,803	100,061	76,515	43,503	14,893	3,360	535	733	2
4,124	5,483	7,925	11,332	16,354	22,148	29,425	38,725	52,176	70,565	82,683	88,907	80,583	54,193	22,259	5,800	1,059	505	3
7,852	8,064	9,485	13,315	20,599	31,834	44,971	61,522	81,456	98,764	102,340	94,110	72,443	41,492	14,049	3,079	367	543	4
3,015	3,906	5,657	8,290	12,311	17,133	22,777	31,720	44,995	62,495	75,885	83,920	77,068	52,170	21,189	5,419	720	371	5
1,663	2,082	2,530	3,240	4,601	5,724	7,649	8,691	9,050	9,760	8,019	5,582	3,840	1,901	792	262	162	178	6
1,056	1,502	2,192	2,954	3,954	4,926	6,532	6,882	7,019	7,913	6,663	4,852	3,405	1,959	1,041	371	328	125	7
132	133	118	130	171	230	285	306	366	454	444	369	232	110	52	19	6	12	8
53	75	76	88	89	89	116	123	162	157	135	135	110	64	29	10	11	9	9
480	793	1,023	1,238	1,566	1,885	2,267	2,361	2,566	2,631	2,233	1,494	911	411	103	28	5	16	10
122	242	346	439	637	919	1,217	1,372	1,603	1,672	1,343	844	496	196	49	7	-	6	11
151	241	289	355	379	394	327	380	429	475	544	467	313	173	40	12	3	6	12
77	130	177	237	332	381	487	443	375	334	210	112	61	23	5	4	-	4	13
114	161	185	183	189	168	207	134	128	118	110	54	32	14	7	5	2	-	14
7	11	17	12	19	17	26	24	25	20	20	13	4	4	1	-	-	-	15
9	8	9	12	10	6	3	8	6	12	6	4	5	1	1	-	-	-	16
246	472	688	886	1,128	1,276	1,544	1,505	1,644	1,677	1,451	968	596	243	49	10	-	8	17
38	104	190	298	463	683	908	955	1,130	1,146	947	571	345	135	22	4	-	2	18
43	117	174	248	279	236	191	203	231	275	308	291	188	83	15	3	-	4	19
52	103	152	184	228	238	308	256	196	172	120	66	37	14	5	2	-	2	20
97	131	149	138	138	101	116	67	62	60	54	25	17	7	5	1	-	-	21
7	10	15	9	13	13	19	17	21	16	16	12	4	4	1	-	-	-	22
9	7	8	9	7	5	2	7	4	8	6	3	5	-	1	-	-	-	23
217	433	632	806	1,045	1,184	1,446	1,404	1,538	1,595	1,370	913	570	237	47	9	-	8	24
32	96	180	275	435	653	871	907	1,085	1,108	907	544	329	133	22	4	-	2	25
38	111	165	233	264	219	177	180	206	252	287	271	181	79	14	3	-	4	26
43	91	134	159	208	212	287	240	180	164	106	58	36	14	5	2	-	2	27
91	121	133	125	119	84	93	57	45	50	50	25	15	7	4	-	-	-	28
6	7	13	8	12	11	16	14	19	14	14	12	4	4	1	-	-	-	29
7	7	7	6	7	5	2	6	3	7	6	3	5	-	1	-	-	-	30
12	10	15	16	20	24	22	10	24	9	9	4	4	-	-	-	-	-	31
2	1	3	7	7	5	6	4	10	6	4	1	1	-	-	-	-	-	32
2	1	3	-	3	2	1	1	5	1	2	1	2	-	-	-	-	-	33
6	5	6	6	7	12	6	3	3	1	2	2	-	-	-	-	-	-	34
1	3	2	3	2	4	8	2	5	1	-	-	1	-	-	-	-	-	35
1	-	1	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
5	1	3	6	11	6	4	2	5	7	9	6	2	1	1	-	-	-	38
1	-	-	1	4	1	1	-	2	3	5	1	1	-	-	-	-	-	39
-	-	1	2	-	1	1	1	2	2	2	4	1	1	1	-	-	-	40
2	-	1	2	3	2	-	-	-	1	1	1	-	-	-	-	-	-	41
1	1	1	1	4	2	1	1	1	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	43
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	5	4	6	12	8	4	15	9	9	5	5	3	1	-	-	-	-	45
1	2	1	3	3	2	-	11	5	3	2	5	1	1	-	-	-	-	46
1	2	-	2	4	4	2	3	-	4	2	-	2	-	-	-	-	-	47
-	1	2	-	2	-	-	-	3	-	1	-	-	-	-	-	-	-	48
-	-	1	-	3	1	2	1	1	2	-	-	-	-	-	-	-	-	49
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	-	4	2	4	3	1	3	5	6	2	1	-	-	-	-	52
-	-	-	-	2	1	1	1	1	1	2	2	1	1	-	-	-	-	53
-	-	-	-	1	1	-	1	-	2	3	4	1	-	-	-	-	-	54
-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	55
1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
2	4	7	13	13	18	20	26	20	19	12	8	3	-	-	-	-	-	59
1	3	4	5	9	7	12	15	11	8	8	4	2	-	-	-	-	-	60
-	1	-	5	4	6	6	8	8	8	3	3	-	-	-	-	-	-	61
1	-	2	2	-	3	1	3	-	2	1	1	1	-	-	-	-	-	62
-	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
3	3	4	11	3	4	8	14	9	10	6	4	3	2	-	-	-	-	66
-	-	-	2	1	2	5	7	4	6	3	2	3	-	-	-	-	-	67
2	-	-	2	-	1	-	2	5	-	2	2	-	2	-	-	-	-	68
-	2	2	5	2	1	2	1	-	-	-	-	-	-	-	-	-	-	69
-	1	1	1	-	-	1	3	-	3	1	-	-	-	-	-	-	-	70
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	71
1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	72
4	15	23	28	20	30	36	31	38	25	35	22	9	1	1	1	-	-	73
1	2	2	5	2	12	12	10	12	11	16	12	7	-	-	-	-	-	74
-	2	5	4	3	2	4	7	5	6	7	6	1	1	-	-	-	-	75
-	3	5	10	6	8	10	9	10	4	9	4	-	-	-	-	-	-	76
3	5	10	8	9	8	9	2	9	3	2	-	1	-	1	1	-	-	77
-	3	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	78
-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	79
8	20	36	76	162	313	441	557	599	619	479	274	146	45	8	3	-	5	80
3	8	11	22	46	102	170	273	313	362	257	162	71	19	3	-	-	2	81
2	2	5	10	17	54	46	70	86	79	111	55	46	15	3	1	-	1	82
3	5	11	28	73	115	150	158	151	131	73	38	20	7	-	-	-	2	83
-	5	9	15	23	40	71	51	45	41	36	18	9	4	2	2	-	-	84
-	-	-	-	3	2	4	5	4	4	2	1	-	-	-	-	-	-	85
-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	86

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	020	Congenital syphilis	54	32	1	3	-	-	36	-	-	1
2		White--Male	17	8	-	1	-	-	9	-	-	-
3		Female	7	1	-	-	-	-	1	-	-	-
4		Negro--Male	16	11	-	2	-	-	13	-	-	1
5		Female	12	11	-	-	-	-	11	-	-	-
6		Other--Male	1	1	-	-	-	-	1	-	-	-
7		Female	1	-	1	-	-	-	1	-	-	-
8	021	Early syphilis	1	-	-	-	-	-	-	-	-	-
9		White--Male	1	-	-	-	-	-	-	-	-	-
10		Female	-	-	-	-	-	-	-	-	-	-
11		Negro--Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	022	Aneurysm of aorta	1,127	-	-	-	-	-	-	-	1	-
16		White--Male	615	-	-	-	-	-	-	-	-	-
17		Female	217	-	-	-	-	-	-	-	-	-
18		Negro--Male	206	-	-	-	-	-	-	-	-	-
19		Female	86	-	-	-	-	-	-	-	1	-
20		Other--Male	3	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	023	Other cardiovascular syphilis	1,545	-	-	-	-	-	-	1	-	1
23		White--Male	668	-	-	-	-	-	-	-	-	-
24		Female	193	-	-	-	-	-	-	-	-	-
25		Negro--Male	475	-	-	-	-	-	-	1	-	-
26		Female	192	-	-	-	-	-	-	-	-	1
27		Other--Male	16	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29	024	Tabes dorsalis	110	-	-	-	-	-	-	-	-	-
30		White--Male	75	-	-	-	-	-	-	-	-	-
31		Female	15	-	-	-	-	-	-	-	-	-
32		Negro--Male	16	-	-	-	-	-	-	-	-	-
33		Female	3	-	-	-	-	-	-	-	-	-
34		Other--Male	1	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	025	General paralysis of insane	464	-	-	-	-	-	-	-	-	-
37		White--Male	211	-	-	-	-	-	-	-	-	-
38		Female	79	-	-	-	-	-	-	-	-	-
39		Negro--Male	145	-	-	-	-	-	-	-	-	-
40		Female	27	-	-	-	-	-	-	-	-	-
41		Other--Male	2	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	026	Other syphilis of central nervous system	430	1	1	-	-	-	2	-	-	-
44		White--Male	204	-	1	-	-	-	1	-	-	-
45		Female	74	-	-	-	-	-	-	-	-	-
46		Negro--Male	102	-	-	-	-	-	-	-	-	-
47		Female	47	1	-	-	-	-	1	-	-	-
48		Other--Male	2	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	027-029	Other syphilis	103	1	-	-	-	-	1	-	-	-
51		White--Male	43	-	-	-	-	-	-	-	-	-
52		Female	19	-	-	-	-	-	-	-	-	-
53		Negro--Male	20	-	-	-	-	-	-	-	-	-
54		Female	19	1	-	-	-	-	1	-	-	-
55		Other--Male	1	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	030-035	Gonococcal infection	23	2	-	-	-	-	2	-	-	-
58		White--Male	2	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	13	-	-	-	-	-	-	-	-	-
61		Female	7	2	-	-	-	-	2	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	040	Typhoid fever	34	1	1	-	-	1	3	2	2	2
65		White--Male	10	-	-	-	-	-	-	-	1	1
66		Female	8	-	-	-	-	-	-	-	-	-
67		Negro--Male	10	-	1	-	-	1	2	1	1	1
68		Female	5	1	-	-	-	-	1	1	-	-
69		Other--Male	1	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	041	Paratyphoid fever	12	2	-	-	-	-	2	1	-	-
72		White--Male	5	1	-	-	-	-	1	-	-	-
73		Female	1	-	-	-	-	-	-	-	-	-
74		Negro--Male	3	1	-	-	-	-	1	-	-	-
75		Female	3	-	-	-	-	-	-	1	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	042	Other Salmonella infections	50	18	1	1	-	-	20	2	-	1
79		White--Male	21	8	-	1	-	-	9	1	-	1
80		Female	17	3	-	-	-	-	3	1	-	-
81		Negro--Male	4	1	1	-	-	-	2	-	-	-
82		Female	8	6	-	-	-	-	6	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4	6	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
2	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	3	13	17	39	85	103	156	170	175	162	104	69	21	5	2	-	1	15
1	3	8	7	19	28	48	80	105	120	82	66	35	9	3	-	-	1	16
-	-	2	1	6	9	13	23	26	22	50	27	25	11	1	1	-	-	17
-	-	1	7	10	34	25	44	28	23	18	8	7	1	-	-	-	-	18
-	-	2	2	4	14	17	9	11	9	10	3	2	-	1	1	-	-	19
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	3	9	24	69	124	191	243	254	272	194	99	46	12	-	-	-	1	22
-	-	1	8	12	33	58	109	118	138	111	57	21	2	-	-	-	-	23
-	-	-	3	5	21	17	25	30	34	33	12	11	2	-	-	-	-	24
2	1	5	10	39	47	76	75	80	72	34	20	7	5	-	-	-	1	25
-	2	3	3	13	22	36	29	23	25	16	9	7	3	-	-	-	-	26
-	-	-	-	-	1	4	5	3	2	-	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	28
-	1	-	2	5	6	11	16	15	25	14	9	5	1	-	-	-	-	29
-	-	-	1	2	3	7	13	12	21	5	8	3	-	-	-	-	-	30
-	-	-	1	-	2	3	1	-	1	4	-	2	1	-	-	-	-	31
-	1	-	-	1	1	1	2	2	3	4	1	-	-	-	-	-	-	32
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	33
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	2	5	14	28	47	63	59	73	80	46	26	13	6	-	-	-	2	36
-	1	1	2	7	18	28	31	30	44	24	13	6	5	-	-	-	1	37
-	-	-	5	2	11	4	9	18	10	10	6	4	-	-	-	-	-	38
-	1	3	4	16	16	26	16	22	23	9	4	3	1	-	-	-	1	39
-	-	1	3	2	1	5	3	3	3	3	3	-	-	-	-	-	-	40
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	1	4	12	18	37	60	71	77	52	50	29	9	2	3	1	-	1	43
-	-	-	1	5	15	25	36	43	30	29	14	3	2	-	-	-	-	44
-	-	1	-	4	6	8	11	10	9	10	9	3	-	2	-	-	1	45
1	1	1	6	6	13	18	16	18	9	6	4	3	-	-	-	-	-	46
-	-	2	4	2	3	9	8	5	4	5	2	-	-	1	1	-	-	47
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	4	3	5	3	11	13	11	10	15	13	7	4	3	-	-	-	-	50
-	1	1	1	1	3	4	4	5	9	6	4	3	1	-	-	-	-	51
-	-	1	-	-	4	1	1	2	3	4	1	1	1	-	-	-	-	52
-	1	-	1	1	4	4	4	1	1	2	1	-	-	-	-	-	-	53
-	2	1	3	1	-	4	2	2	-	1	1	-	1	-	-	-	-	54
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	56
1	-	1	3	5	1	4	1	1	1	3	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	4	1	4	1	1	-	2	-	-	-	-	-	-	-	60
1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	2	2	3	-	2	2	2	4	2	1	2	-	-	-	-	-	-	64
1	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-	-	-	65
1	1	1	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	66
1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	2	-	-	-	-	1	-	-	2	3	-	1	-	-	-	-	-	71
-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	73
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	74
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	-	1	3	1	1	4	4	4	3	3	1	1	-	-	-	78
-	-	-	-	-	1	-	1	1	1	3	1	1	-	1	-	-	-	79
-	-	1	-	-	1	1	-	3	2	1	1	2	1	-	-	-	-	80
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	81
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	043	Cholera	-	-	-	-	-	-	-	-	-	-
2		White--------Male----	-	-	-	-	-	-	-	-	-	-
3		Female--	-	-	-	-	-	-	-	-	-	-
4		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
5		Female--	-	-	-	-	-	-	-	-	-	-
6		Other--------Male----	-	-	-	-	-	-	-	-	-	-
7		Female--	-	-	-	-	-	-	-	-	-	-
8	044	Brucellosis (undulant fever)	10	-	-	-	-	-	-	-	-	-
9		White--------Male----	5	-	-	-	-	-	-	-	-	-
10		Female--	5	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
12		Female--	-	-	-	-	-	-	-	-	-	-
13		Other--------Male----	-	-	-	-	-	-	-	-	-	-
14		Female--	-	-	-	-	-	-	-	-	-	-
15	045-048	Dysentery, all forms	556	271	23	16	13	12	335	19	8	4
16		White--------Male----	188	81	6	7	5	5	104	6	3	2
17		Female--	178	88	9	3	2	2	104	8	3	-
18		Negro--------Male----	93	53	4	3	3	3	66	2	2	-
19		Female--	78	41	4	1	3	2	51	2	-	-
20		Other--------Male----	10	4	-	2	-	-	6	-	-	1
21		Female--	9	4	-	-	-	-	4	1	-	1
22	049	Food poisoning (infection and intoxication)	97	15	1	-	3	-	19	5	3	2
23		White--------Male----	32	2	1	-	-	-	3	1	-	-
24		Female--	23	3	-	-	-	-	3	2	1	1
25		Negro--------Male----	24	6	-	-	2	-	8	2	1	-
26		Female--	18	4	-	-	1	-	5	-	1	1
27		Other--------Male----	-	-	-	-	-	-	-	-	-	-
28		Female--	-	-	-	-	-	-	-	-	-	-
29	050	Scarlet fever	51	-	1	2	1	4	8	5	4	2
30		White--------Male----	26	-	1	2	-	2	5	4	1	2
31		Female--	25	-	-	-	1	2	3	1	3	-
32		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
33		Female--	-	-	-	-	-	-	-	-	-	-
34		Other--------Male----	-	-	-	-	-	-	-	-	-	-
35		Female--	-	-	-	-	-	-	-	-	-	-
36	051	Streptococcal sore throat	184	28	16	8	2	6	60	17	6	6
37		White--------Male----	82	17	8	2	1	2	30	6	1	4
38		Female--	70	5	4	5	1	4	19	7	1	1
39		Negro--------Male----	20	2	4	1	-	-	7	1	3	1
40		Female--	12	4	-	-	-	-	4	3	1	-
41		Other--------Male----	-	-	-	-	-	-	-	-	-	-
42		Female--	-	-	-	-	-	-	-	-	-	-
43	052	Erysipelas	28	1	-	-	-	-	1	-	-	-
44		White--------Male----	9	-	-	-	-	-	-	-	-	-
45		Female--	16	-	-	-	-	-	-	-	-	-
46		Negro--------Male----	2	1	-	-	-	-	1	-	-	-
47		Female--	1	-	-	-	-	-	-	-	-	-
48		Other--------Male----	-	-	-	-	-	-	-	-	-	-
49		Female--	-	-	-	-	-	-	-	-	-	-
50	053	Septicemia and pyemia	938	311	53	28	7	6	405	40	16	13
51		White--------Male----	454	148	24	15	3	4	194	19	5	6
52		Female--	308	87	20	11	4	1	123	14	4	3
53		Negro--------Male----	76	31	3	1	-	1	36	1	2	4
54		Female--	87	35	5	1	-	-	41	6	5	-
55		Other--------Male----	8	7	-	-	-	-	7	-	-	-
56		Female--	5	3	1	-	-	-	4	-	-	-
57	055	Diphtheria	150	6	7	15	18	20	66	47	6	1
58		White--------Male----	58	4	6	3	3	5	21	11	2	1
59		Female--	36	2	1	1	5	9	18	10	1	-
60		Negro--------Male----	26	-	-	6	4	4	14	10	2	-
61		Female--	28	-	-	5	6	1	12	15	1	-
62		Other--------Male----	1	-	-	-	-	1	1	-	-	-
63		Female--	1	-	-	-	-	-	-	1	-	-
64	056	Whooping cough	467	334	70	29	20	5	458	4	1	1
65		White--------Male----	91	67	12	6	3	1	89	1	-	1
66		Female--	132	85	26	9	7	2	129	2	-	-
67		Negro--------Male----	112	86	12	7	5	-	110	1	-	-
68		Female--	121	90	17	7	3	2	119	-	1	-
69		Other--------Male----	2	1	1	-	-	-	2	-	-	-
70		Female--	9	5	2	-	2	-	9	-	-	-
71	057	Meningococcal infections	907	257	134	85	71	41	588	73	31	44
72		White--------Male----	435	129	67	39	31	16	282	36	13	23
73		Female--	317	92	51	30	28	16	217	27	11	7
74		Negro--------Male----	75	19	11	6	7	5	48	3	1	8
75		Female--	71	12	5	10	5	4	36	5	5	5
76		Other--------Male----	4	2	-	-	-	-	2	1	-	1
77		Female--	5	3	-	-	-	-	3	1	1	-
78	058	Plague	-	-	-	-	-	-	-	-	-	-
79		White--------Male----	-	-	-	-	-	-	-	-	-	-
80		Female--	-	-	-	-	-	-	-	-	-	-
81		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
82		Female--	-	-	-	-	-	-	-	-	-	-
83		Other--------Male----	-	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	2	-	1	-	1	1	1	1	-	3	-	-	-	-	-	-	8
-	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	9
-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
2	6	4	8	7	9	7	15	15	22	28	23	18	14	9	1	2	-	15
1	2	2	7	3	3	3	7	3	6	12	5	9	4	6	-	-	-	16
1	2	2	-	1	5	3	2	5	6	6	11	7	9	3	-	-	-	17
-	-	-	-	1	-	1	3	5	7	2	2	-	1	-	1	-	-	18
-	2	-	-	-	-	-	3	1	3	7	5	2	-	-	-	2	-	19
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	20
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	21
4	4	2	4	8	4	5	7	9	7	6	2	2	3	1	-	-	-	22
3	1	1	2	1	-	2	4	1	4	3	2	1	2	1	-	-	-	23
1	2	-	1	1	1	-	2	4	-	2	-	1	1	-	-	-	-	24
-	1	-	1	2	3	1	-	2	2	1	-	-	-	-	-	-	-	25
-	-	1	-	4	-	2	1	2	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	4	1	5	3	3	2	2	3	1	2	2	-	1	-	-	-	-	29
2	2	-	1	2	2	1	-	1	1	-	1	-	1	-	-	-	-	30
1	2	1	4	1	1	1	2	2	-	2	1	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
4	3	11	4	9	5	10	9	5	9	7	6	8	4	1	-	-	-	36
1	1	8	-	1	-	8	5	2	5	3	2	2	2	1	-	-	-	37
3	1	2	3	6	3	1	4	2	2	4	4	5	2	-	-	-	-	38
-	-	1	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	39
-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	1	-	-	-	-	-	2	3	2	5	3	6	4	-	1	-	-	43
-	1	-	-	-	-	-	1	-	2	2	1	1	1	-	-	-	-	44
-	-	-	-	-	-	-	1	3	-	3	2	4	2	-	1	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
13	12	13	25	17	39	32	46	53	63	51	46	29	17	5	2	1	-	50
5	-	5	7	9	16	18	22	32	36	26	27	15	6	5	1	-	-	51
6	6	6	12	3	17	7	15	14	19	18	18	11	11	-	-	1	-	52
1	3	1	2	1	3	2	4	3	6	4	1	2	-	-	-	-	-	53
1	3	1	4	4	3	5	3	4	2	3	-	1	-	-	1	-	-	54
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	56
-	1	3	-	4	3	5	2	5	4	2	1	-	-	-	-	-	-	57
-	-	3	-	3	3	4	1	4	3	1	1	-	-	-	-	-	-	58
-	1	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
16	7	16	9	15	18	19	12	18	13	10	7	6	4	1	-	-	-	71
8	4	8	5	6	10	11	7	10	4	2	3	1	2	-	-	-	-	72
4	3	5	2	3	6	3	2	5	7	5	3	4	2	1	-	-	-	73
3	-	2	-	4	-	2	2	1	1	-	-	-	-	-	-	-	-	74
1	-	1	2	2	2	3	1	2	1	3	1	1	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	059	Tularemia	9	-	-	-	-	-	-	-	1	-
2		White--Male	5	-	-	-	-	-	-	-	1	-
3		Female	2	-	-	-	-	-	-	-	-	-
4		Negro--Male	2	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	060	Leprosy	5	-	-	-	-	-	-	-	-	-
9		White--Male	3	-	-	-	-	-	-	-	-	-
10		Female	1	-	-	-	-	-	-	-	-	-
11		Negro--Male	1	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	061	Tetanus	265	75	10	3	3	3	94	32	13	5
16		White--Male	88	16	3	2	2	2	25	16	4	2
17		Female	54	8	3	1	1	-	13	3	3	-
18		Negro--Male	75	30	1	-	-	-	31	9	3	2
19		Female	47	21	3	-	-	1	25	4	2	1
20		Other--Male	1	-	-	-	-	-	-	-	1	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	062	Anthrax	-	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	080	Acute poliomyelitis	1,043	39	23	29	39	26	156	148	134	96
30		White--Male	557	20	6	12	20	16	74	75	72	52
31		Female	442	14	15	14	17	9	69	65	58	40
32		Negro--Male	21	4	1	3	1	-	9	5	1	2
33		Female	21	1	1	-	1	-	3	2	3	2
34		Other--Male	2	-	-	-	-	1	1	1	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	081	Late effects of acute poliomyelitis	133	1	-	-	2	2	5	14	16	22
37		White--Male	68	-	-	-	1	1	2	6	7	14
38		Female	55	1	-	-	1	1	3	6	7	5
39		Negro--Male	4	-	-	-	-	-	-	-	-	2
40		Female	6	-	-	-	-	-	-	2	2	1
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	082	Acute infectious encephalitis	398	36	34	15	11	10	106	40	17	14
44		White--Male	190	22	9	6	6	5	48	20	6	10
45		Female	158	11	15	5	1	3	35	15	11	1
46		Negro--Male	19	3	3	2	-	1	9	1	-	2
47		Female	29	-	6	2	4	1	13	4	-	1
48		Other--Male	2	-	1	-	-	-	1	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	083	Late effects of acute infectious encephalitis	101	-	1	-	1	-	2	-	2	1
51		White--Male	58	-	-	-	-	-	-	-	1	1
52		Female	39	-	1	-	1	-	2	-	1	-
53		Negro--Male	3	-	-	-	-	-	-	-	-	-
54		Female	-	-	-	-	-	-	-	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	084	Smallpox	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	085	Measles	345	81	74	28	29	22	234	65	17	7
65		White--Male	126	30	24	12	15	7	88	22	8	3
66		Female	129	21	23	9	9	10	72	32	7	4
67		Negro--Male	24	9	5	2	-	4	20	3	-	-
68		Female	21	5	5	1	2	-	13	5	2	-
69		Other--Male	18	7	6	2	2	-	17	1	-	-
70		Female	27	9	11	2	1	1	24	2	-	-
71	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	092	Infectious hepatitis	841	29	11	3	7	-	50	14	28	29
79		White--Male	334	9	3	3	2	-	17	5	10	8
80		Female	398	10	6	-	3	-	19	5	12	15
81		Negro--Male	47	8	1	-	2	-	11	1	4	2
82		Female	47	2	1	-	-	-	3	1	2	4
83		Other--Male	8	-	-	-	-	-	-	-	-	-
84		Female	7	-	-	-	-	-	-	2	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	8
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	10
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
5	5	3	7	7	13	7	17	13	14	12	10	8	-	-	-	-	-	15
1	1	-	-	2	3	3	7	4	5	5	6	4	-	-	-	-	-	16
-	2	-	2	2	2	1	5	4	6	5	2	4	-	-	-	-	-	17
3	1	1	2	2	5	2	5	3	2	2	2	-	-	-	-	-	-	18
1	1	2	3	1	3	1	-	2	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
98	146	118	67	35	19	11	8	4	-	1	-	1	-	-	-	-	1	29
42	83	67	40	25	12	5	4	4	-	-	-	1	-	-	-	-	1	30
52	60	49	24	9	6	6	3	-	-	1	-	-	-	-	-	-	-	31
1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	32
3	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
12	10	14	9	7	8	7	3	5	-	1	-	-	-	-	-	-	-	36
5	4	7	5	5	3	4	2	4	-	-	-	-	-	-	-	-	-	37
6	5	7	4	2	4	3	1	1	-	1	-	-	-	-	-	-	-	38
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	39
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
11	16	14	17	23	28	20	18	24	19	17	8	3	3	-	-	-	-	43
4	8	5	9	13	16	9	6	14	11	8	2	1	-	-	-	-	-	44
7	6	7	5	7	10	9	11	7	8	9	6	2	2	-	-	-	-	45
-	2	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	46
-	-	2	2	2	2	-	1	2	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	3	3	4	8	15	12	11	7	17	6	7	2	1	-	-	-	-	50
-	1	2	2	6	10	7	8	3	12	2	3	-	-	-	-	-	-	51
-	2	-	2	1	5	4	3	3	5	4	4	2	1	-	-	-	-	52
-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	4	2	3	3	1	1	-	-	1	3	1	-	1	-	-	-	-	64
1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	65
1	2	-	2	2	1	1	-	-	1	2	1	-	1	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	67
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
29	31	29	53	69	63	61	66	72	69	61	52	32	27	4	1	-	1	78
4	5	7	20	28	31	27	33	35	29	26	23	15	10	1	-	-	-	79
16	18	12	25	31	25	30	27	34	33	31	27	17	16	3	1	-	1	80
4	3	1	1	3	3	3	4	2	4	1	-	-	-	-	-	-	-	81
5	4	8	4	5	3	1	1	-	2	2	2	-	-	-	-	-	-	82
-	1	1	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	83
-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	094	Rabies	4	-	-	-	-	-	-	-	1	-
2		White--Male	4	-	-	-	-	-	-	-	1	-
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro--Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	104	Tick-borne typhus	8	-	-	-	-	1	1	-	-	-
9		White--Male	7	-	-	-	-	1	1	-	-	-
10		Female	1	-	-	-	-	-	-	-	-	-
11		Negro--Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	104A	Rocky Mountain spotted fever	8	-	-	-	-	1	1	-	-	-
16		White--Male	7	-	-	-	-	1	1	-	-	-
17		Female	1	-	-	-	-	-	-	-	-	-
18		Negro--Male	-	-	-	-	-	-	-	-	-	-
19		Female	-	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	100-103, 105-108	Typhus, etc.*, and other rickettsial diseases	7	-	-	-	-	-	-	-	1	-
30		White--Male	3	-	-	-	-	-	-	-	-	-
31		Female	2	-	-	-	-	-	-	-	-	-
32		Negro--Male	2	-	-	-	-	-	-	-	1	-
33		Female	-	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	110-117	Malaria	18	2	-	-	-	-	2	-	-	1
37		White--Male	7	1	-	-	-	-	1	-	-	-
38		Female	4	1	-	-	-	-	1	-	-	-
39		Negro--Male	4	-	-	-	-	-	-	-	-	-
40		Female	2	-	-	-	-	-	-	-	-	-
41		Other--Male	1	-	-	-	-	-	-	-	-	1
42		Female	-	-	-	-	-	-	-	-	-	-
43	123	Schistosomiasis	1	-	-	-	-	-	-	-	-	-
44		White--Male	1	-	-	-	-	-	-	-	-	-
45		Female	-	-	-	-	-	-	-	-	-	-
46		Negro--Male	-	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	125	Hydatid disease	8	-	-	-	-	-	-	-	-	1
51		White--Male	1	-	-	-	-	-	-	-	-	-
52		Female	6	-	-	-	-	-	-	-	-	1
53		Negro--Male	1	-	-	-	-	-	-	-	-	-
54		Female	-	-	-	-	-	-	-	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	127	Filariasis	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	129	Ankylostomiasis	3	-	1	-	-	-	1	-	-	-
65		White--Male	1	-	-	-	-	-	-	-	-	-
66		Female	-	-	-	-	-	-	-	-	-	-
67		Negro--Male	1	-	1	-	-	-	1	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other--Male	1	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	124,126, 128,130	Other diseases due to helminths	57	5	16	13	3	2	39	7	2	1
72		White--Male	13	-	2	2	2	1	7	2	1	-
73		Female	10	-	2	1	-	1	4	2	-	-
74		Negro--Male	16	1	7	4	1	-	13	1	1	1
75		Female	17	4	5	5	-	-	14	2	-	-
76		Other--Male	1	-	-	1	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	Residual[1]	All other infective and parasitic diseases	1,168	155	47	32	16	10	260	44	18	16
79		White--Male	490	59	13	12	6	4	94	20	8	7
80		Female	417	56	20	17	7	3	103	16	8	3
81		Negro--Male	133	17	8	3	1	2	31	4	2	5
82		Female	116	21	4	-	1	1	27	4	-	1
83		Other--Male	5	1	-	-	1	-	2	-	-	-
84		Female	7	1	2	-	-	-	3	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	2	-	-	3	1	-	-	-	1	-	-	-	-	-	-	8
-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	2	-	-	3	1	-	-	-	1	-	-	-	-	-	-	15
-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	1	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	29
-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	30
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	1	-	3	1	-	1	1	3	-	2	2	-	-	-	-	-	-	36
-	1	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	38
-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	39
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	1	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	50
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	51
-	1	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	52
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	2	-	-	1	-	-	-	2	1	-	2	-	-	-	-	-	-	71
-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	72
-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
20	40	58	49	51	58	69	68	69	79	76	65	50	41	24	10	2	1	78
3	12	26	16	23	21	31	33	36	38	41	26	29	14	9	2	-	1	79
7	8	16	10	11	16	19	23	20	27	27	35	20	25	15	6	2	-	80
8	9	7	14	7	9	10	7	7	7	3	1	1	-	-	1	-	-	81
2	11	9	9	8	11	7	5	6	6	5	2	-	2	-	1	-	-	82
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		II. Neoplasms	245,849	452	403	449	507	424	2,235	1,459	876	960
2		White--Male	117,900	215	214	213	265	213	1,120	794	452	483
3		Female	106,888	169	144	196	211	177	897	538	330	363
4		Negro--Male	10,112	32	20	21	15	17	105	72	50	59
5		Female	10,191	33	23	19	15	16	106	48	42	48
6		Other--Male	484	-	2	-	1	-	3	2	-	4
7		Female	274	3	-	-	-	1	4	5	2	3
8	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	240,681	289	342	419	475	400	1,925	1,335	790	867
9		White--Male	115,910	143	185	205	254	205	992	744	418	446
10		Female	104,518	114	117	182	193	167	773	484	291	322
11		Negro--Male	9,887	18	19	16	14	14	81	62	47	54
12		Female	9,631	12	19	16	13	13	73	41	32	38
13		Other--Male	471	-	2	-	1	-	3	1	-	4
14		Female	264	2	-	-	-	1	3	3	2	3
15	140-148	Malignant neoplasm of buccal cavity and pharynx	5,522	3	2	2	2	4	13	9	9	11
16		White--Male	4,036	1	-	2	-	3	6	4	4	6
17		Female	1,067	1	1	-	1	1	4	4	3	3
18		Negro--Male	280	-	-	-	-	-	-	-	2	1
19		Female	108	1	1	-	1	-	3	1	-	1
20		Other--Male	24	-	-	-	-	-	-	-	-	-
21		Female	7	-	-	-	-	-	-	-	-	-
22	140	Of lip	365	1	-	-	-	-	1	1	-	-
23		White--Male	335	-	-	-	-	-	-	1	-	-
24		Female	25	-	-	-	-	-	-	-	-	-
25		Negro--Male	2	-	-	-	-	-	-	-	-	-
26		Female	2	1	-	-	-	-	1	-	-	-
27		Other--Male	1	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	141	Of tongue	1,370	1	-	-	-	-	1	-	-	2
30		White--Male	995	-	-	-	-	-	-	-	-	2
31		Female	265	1	-	-	-	-	1	-	-	-
32		Negro--Male	87	-	-	-	-	-	-	-	-	-
33		Female	20	-	-	-	-	-	-	-	-	-
34		Other--Male	2	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	-	-
36	142-144	Of other and unspecified parts of buccal cavity	1,639	-	1	-	-	1	2	4	2	6
37		White--Male	1,114	-	-	-	-	-	-	2	-	2
38		Female	415	-	-	-	-	1	1	2	2	3
39		Negro--Male	70	-	-	-	-	-	-	-	-	1
40		Female	35	-	1	-	-	-	1	-	-	-
41		Other--Male	4	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	145-148	Of pharynx	2,148	1	1	2	2	3	9	4	7	3
44		White--Male	1,592	1	-	2	-	3	6	1	4	2
45		Female	362	-	1	-	1	-	2	2	1	-
46		Negro--Male	121	-	-	-	-	-	-	-	2	-
47		Female	51	-	-	-	1	-	1	1	-	1
48		Other--Male	17	-	-	-	-	-	-	-	-	-
49		Female	5	-	-	-	-	-	-	-	-	-
50	150-156A, 157-159	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	85,872	41	13	5	8	5	72	27	21	40
51		White--Male	42,968	27	7	3	4	3	44	13	11	23
52		Female	35,764	6	5	-	3	2	16	8	4	11
53		Negro--Male	4,102	6	1	2	-	-	9	5	4	3
54		Female	2,702	2	-	-	1	-	3	1	2	3
55		Other--Male	234	-	-	-	-	-	-	-	-	-
56		Female	102	-	-	-	-	-	-	-	-	-
57	150	Of esophagus	4,364	3	-	-	-	-	3	-	-	-
58		White--Male	2,934	1	-	-	-	-	1	-	-	-
59		Female	802	1	-	-	-	-	1	-	-	-
60		Negro--Male	475	-	-	-	-	-	-	-	-	-
61		Female	133	1	-	-	-	-	1	-	-	-
62		Other--Male	18	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	151	Of stomach	22,257	3	-	-	-	-	3	2	1	2
65		White--Male	12,455	-	-	-	-	-	-	1	1	1
66		Female	7,360	-	-	-	-	-	-	-	-	-
67		Negro--Male	1,584	3	-	-	-	-	3	1	-	1
68		Female	739	-	-	-	-	-	-	-	-	-
69		Other--Male	80	-	-	-	-	-	-	-	-	-
70		Female	39	-	-	-	-	-	-	-	-	-
71	152,153	Of intestine, except rectum	25,805	10	1	-	-	1	12	4	5	16
72		White--Male	11,081	7	-	-	-	1	8	2	2	11
73		Female	13,292	1	-	-	-	-	1	2	1	2
74		Negro--Male	626	2	1	-	-	-	3	-	1	2
75		Female	752	-	-	-	-	-	-	-	1	1
76		Other--Male	33	-	-	-	-	-	-	-	-	-
77		Female	21	-	-	-	-	-	-	-	-	-
78	154	Of rectum	11,040	1	-	-	1	1	3	-	5	6
79		White--Male	5,848	1	-	-	-	-	1	-	3	3
80		Female	4,435	-	-	-	1	1	2	-	1	2
81		Negro--Male	365	-	-	-	-	-	-	-	1	-
82		Female	360	-	-	-	-	-	-	-	-	1
83		Other--Male	26	-	-	-	-	-	-	-	-	-
84		Female	6	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,177	1,843	3,123	5,552	9,080	14,197	19,582	25,902	32,248	36,621	33,876	27,686	17,928	8,642	2,339	367	43	113	1
621	815	1,126	1,783	2,837	5,318	8,340	12,098	16,531	19,303	17,825	14,247	8,975	4,045	1,021	116	8	42	2
423	792	1,533	2,922	4,826	6,938	8,675	10,952	12,996	14,504	14,043	12,133	8,256	4,264	1,219	221	20	43	3
68	81	132	227	458	765	1,153	1,459	1,531	1,557	1,088	678	383	161	47	16	8	14	4
59	150	309	596	924	1,122	1,345	1,311	1,103	1,158	833	533	277	148	46	13	7	13	5
3	-	9	10	19	28	37	55	52	76	68	71	28	15	3	1	-	-	6
3	5	14	14	16	26	32	27	35	23	19	24	9	9	3	-	-	1	7
1,067	1,698	2,912	5,229	8,702	13,732	19,101	25,427	31,793	36,154	33,491	27,371	17,740	8,535	2,301	360	43	108	8
578	768	1,064	1,700	2,734	5,159	8,158	11,898	16,306	19,109	17,647	14,111	8,900	4,005	1,010	113	8	42	9
373	726	1,441	2,773	4,655	6,720	8,454	10,737	12,809	14,283	13,868	11,975	8,160	4,201	1,195	218	20	40	10
61	70	125	218	442	747	1,130	1,440	1,513	1,536	1,074	669	374	161	47	16	8	12	11
49	129	260	515	838	1,055	1,292	1,270	1,081	1,129	819	522	269	144	43	12	7	13	12
3	-	9	10	18	26	36	55	50	74	64	71	28	15	3	1	-	-	13
3	5	13	13	15	25	31	27	34	23	19	23	9	9	3	-	-	1	14
11	16	38	77	183	305	494	635	749	869	741	596	458	224	72	9	2	1	15
6	11	19	40	109	192	351	475	581	669	566	450	336	158	47	5	-	1	16
2	5	13	24	44	66	88	98	119	130	144	124	112	57	22	4	1	-	17
1	-	3	9	19	27	35	43	43	47	21	17	5	5	2	-	-	-	18
2	-	2	4	7	15	15	11	2	23	9	5	3	3	1	-	1	-	19
-	-	1	-	2	5	4	6	3	-	1	-	1	1	-	-	-	-	20
-	-	-	-	2	-	1	2	1	-	-	-	1	-	-	-	-	-	21
-	1	2	6	6	14	21	30	37	33	62	52	47	35	15	2	-	-	22
-	1	2	6	5	12	18	28	37	30	60	49	43	29	13	1	-	-	23
-	-	-	-	1	1	2	1	-	3	1	3	4	6	2	1	-	-	24
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	3	8	12	47	71	133	152	180	230	205	165	102	43	14	1	1	-	29
-	2	5	4	29	34	92	118	131	178	159	125	77	31	7	1	-	-	30
-	1	-	5	11	19	25	22	33	35	35	36	24	12	5	-	1	-	31
-	-	2	2	7	12	14	10	13	14	9	3	-	-	1	-	-	-	32
-	-	1	1	-	6	2	1	2	3	2	1	-	-	1	-	-	-	33
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	35
1	4	14	25	54	79	124	174	211	254	202	202	162	88	26	5	-	-	36
1	4	8	12	32	49	86	122	154	181	144	137	105	60	13	2	-	-	37
-	-	6	7	14	20	29	34	46	52	54	55	52	23	12	3	-	-	38
-	-	-	5	4	6	5	10	11	12	3	7	3	2	1	-	-	-	39
-	-	-	1	4	3	3	6	-	9	1	3	2	2	-	-	-	-	40
-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
10	8	14	34	76	141	216	279	321	352	272	177	147	58	17	1	1	1	43
5	4	4	18	43	97	155	207	259	280	203	139	111	38	14	1	-	1	44
2	4	7	12	18	26	32	41	40	40	54	30	32	16	3	-	-	-	45
1	-	1	2	8	8	16	22	19	21	9	7	2	3	-	-	-	-	46
2	-	1	2	3	6	9	4	-	11	6	1	1	1	-	-	1	-	47
-	-	1	-	2	4	3	4	2	-	-	-	1	-	-	-	-	-	48
-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	49
97	216	454	996	1,861	3,414	5,490	8,232	11,286	14,283	14,225	11,985	8,112	3,838	1,031	142	12	38	50
50	93	193	386	777	1,566	2,666	4,046	5,974	7,679	7,464	6,037	3,843	1,648	397	36	4	18	51
32	85	183	457	777	1,295	1,999	3,158	4,221	5,447	5,906	5,412	3,995	2,059	590	94	4	11	52
11	21	34	78	163	324	468	622	669	689	491	271	148	62	19	4	2	5	53
4	15	37	69	132	215	330	366	383	420	315	208	106	61	20	7	2	3	54
-	-	3	4	9	8	14	29	22	40	41	40	15	6	2	1	-	-	55
-	2	4	2	3	6	13	11	17	8	8	17	5	2	3	-	-	1	56
-	1	8	24	76	213	384	548	708	759	642	511	292	140	40	7	2	6	57
-	1	5	13	32	106	252	373	491	563	454	355	183	77	22	4	1	1	58
-	-	2	4	8	36	43	57	103	108	141	129	91	57	17	2	1	2	59
-	-	1	4	24	51	72	98	89	63	36	20	9	4	1	1	-	2	60
-	-	-	3	11	18	17	18	24	22	7	5	5	1	-	-	-	1	61
-	-	-	-	1	1	-	2	1	3	3	2	4	1	-	-	-	-	62
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	63
15	51	114	238	442	819	1,266	1,927	2,809	3,703	3,893	3,334	2,280	1,041	270	33	3	11	64
8	16	49	100	191	410	676	1,061	1,620	2,262	2,302	1,882	1,220	518	122	8	1	6	65
6	23	40	95	158	226	320	536	812	1,014	1,269	1,251	973	483	128	22	2	2	66
-	4	12	26	61	127	183	233	261	276	196	112	57	21	8	-	-	2	67
1	6	11	16	27	52	79	86	103	135	105	70	20	17	9	2	-	-	68
-	-	-	1	4	2	3	8	7	12	17	15	8	1	1	1	-	-	69
-	2	2	-	1	2	5	3	6	4	4	4	2	1	2	-	-	1	70
41	90	178	341	596	1,015	1,597	2,356	3,170	4,068	4,237	3,664	2,658	1,342	356	49	2	8	71
20	36	70	119	216	402	639	967	1,485	1,854	1,930	1,615	1,080	497	113	11	-	4	72
14	41	79	181	330	518	816	1,203	1,482	1,988	2,117	1,927	1,513	803	235	35	-	4	73
6	10	10	15	21	42	46	74	101	103	91	53	27	15	4	-	2	-	74
1	3	16	23	28	51	92	108	94	118	93	55	37	25	3	3	-	-	75
-	-	1	2	-	1	2	3	3	4	4	10	-	2	1	-	-	-	76
-	-	2	1	1	1	2	1	5	1	2	4	1	-	-	-	-	-	77
20	26	64	148	253	468	725	1,033	1,453	1,847	1,772	1,524	1,033	495	140	18	3	4	78
13	15	29	50	107	211	363	529	808	1,041	1,010	819	545	238	52	7	1	3	79
3	7	27	76	104	204	270	417	529	684	668	646	457	245	82	9	1	1	80
3	3	2	9	12	24	42	39	53	72	54	27	16	4	3	1	-	-	81
1	1	5	13	30	29	45	46	61	44	34	26	13	6	3	1	1	-	82
-	-	1	-	-	-	3	1	2	5	6	5	1	2	-	-	-	-	83
-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued										
		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary—Continued										
1	155	Of biliary passages and of liver (stated to be primary site)	5,328	10	3	1	1	-	15	3	4	3
2		White—Male	1,923	6	2	1	1	-	10	1	2	2
3		Female	3,060	3	1	-	-	-	4	1	-	1
4		Negro—Male	155	-	-	-	-	-	-	1	1	-
5		Female	155	1	-	-	-	-	1	-	1	-
6		Other—Male	23	-	-	-	-	-	-	-	-	-
7		Female	12	-	-	-	-	-	-	-	-	-
8	156A	Of liver not specified whether primary or secondary	4,258	7	3	3	2	1	16	8	6	6
9		White—Male	1,933	5	3	1	-	1	10	5	3	2
10		Female	1,896	1	-	-	1	-	2	2	2	3
11		Negro—Male	245	1	-	2	-	-	3	1	1	-
12		Female	155	-	-	-	1	-	1	-	-	1
13		Other—Male	23	-	-	-	-	-	-	-	-	-
14		Female	6	-	-	-	-	-	-	-	-	-
15	157	Of pancreas	11,339	3	-	-	-	1	4	1	-	-
16		White—Male	6,152	3	-	-	-	1	4	-	-	-
17		Female	4,247	-	-	-	-	-	-	1	-	-
18		Negro—Male	571	-	-	-	-	-	-	-	-	-
19		Female	327	-	-	-	-	-	-	-	-	-
20		Other—Male	28	-	-	-	-	-	-	-	-	-
21		Female	14	-	-	-	-	-	-	-	-	-
22	158,159	Of peritoneum and of unspecified digestive organs	1,481	4	6	1	4	1	16	9	-	7
23		White—Male	642	4	2	1	3	-	10	4	-	4
24		Female	672	-	4	-	1	1	6	2	-	3
25		Negro—Male	81	-	-	-	-	-	-	2	-	-
26		Female	81	-	-	-	-	-	-	1	-	-
27		Other—Male	3	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	160-164	Malignant neoplasm of respiratory system, not specified as secondary	29,914	6	1	4	1	2	14	10	10	25
30		White—Male	23,517	4	-	2	-	1	7	6	5	12
31		Female	4,215	2	-	2	1	1	6	4	3	7
32		Negro—Male	1,694	-	-	-	-	-	-	-	-	5
33		Female	394	-	1	-	-	-	1	-	2	1
34		Other—Male	81	-	-	-	-	-	-	-	-	-
35		Female	13	-	-	-	-	-	-	-	-	-
36	161	Of larynx	2,150	-	-	-	-	-	-	-	-	-
37		White—Male	1,824	-	-	-	-	-	-	-	-	-
38		Female	156	-	-	-	-	-	-	-	-	-
39		Negro—Male	142	-	-	-	-	-	-	-	-	-
40		Female	26	-	-	-	-	-	-	-	-	-
41		Other—Male	1	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	162	Of trachea, and of bronchus and lung specified as primary	12,530	3	-	1	-	1	5	4	1	4
44		White—Male	10,062	1	-	1	-	-	2	2	1	2
45		Female	1,499	2	-	-	-	1	3	2	-	1
46		Negro—Male	793	-	-	-	-	-	-	-	-	1
47		Female	139	-	-	-	-	-	-	-	-	-
48		Other—Male	34	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	-
50	163	Of lung and bronchus, unspecified as primary or secondary	14,297	1	-	3	1	-	5	2	5	11
51		White—Male	11,064	1	-	1	-	-	2	2	3	4
52		Female	2,279	-	-	2	1	-	3	-	2	6
53		Negro—Male	709	-	-	-	-	-	-	-	-	1
54		Female	196	-	-	-	-	-	-	-	-	-
55		Other—Male	42	-	-	-	-	-	-	-	-	-
56		Female	7	-	-	-	-	-	-	-	-	-
57	160,164	Of other parts of respiratory system	937	2	1	-	-	1	4	4	4	10
58		White—Male	567	2	-	-	-	1	3	2	1	6
59		Female	281	-	-	-	-	-	-	2	1	-
60		Negro—Male	50	-	-	-	-	-	-	-	-	3
61		Female	33	-	1	-	-	-	1	-	2	1
62		Other—Male	4	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	170	Malignant neoplasm of breast	21,945	2	1	-	-	1	4	1	-	3
65		White—Male	221	1	-	-	-	-	1	-	-	-
66		Female	20,151	1	1	-	-	-	2	1	-	3
67		Negro—Male	16	-	-	-	-	-	-	-	-	-
68		Female	1,534	-	-	-	-	1	1	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	23	-	-	-	-	-	-	-	-	-
71	171-179	Malignant neoplasm of genital organs	37,509	2	6	7	4	5	24	15	19	53
72		White—Male	12,958	1	4	4	4	3	16	6	4	20
73		Female	19,899	1	1	3	-	1	6	6	13	24
74		Negro—Male	1,508	-	-	-	-	1	1	-	-	2
75		Female	3,058	-	1	-	-	-	1	3	2	7
76		Other—Male	23	-	-	-	-	-	-	-	-	-
77		Female	63	-	-	-	-	-	-	-	-	-
78	171	Of cervix uteri	8,804	-	1	2	-	-	3	-	-	2
79		White—Female	7,109	-	-	2	-	-	2	-	-	2
80		Negro—Female	1,655	-	1	-	-	-	1	-	-	-
81		Other—Female	40	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	6	19	43	87	169	322	555	803	1,030	914	706	412	178	45	7	-	2	1
1	5	5	8	33	70	113	183	286	384	340	261	140	62	16	1	-	-	2
3	1	9	28	40	76	164	327	456	597	528	423	258	109	29	6	-	-	3
-	-	3	2	5	10	20	20	30	27	23	6	4	3	-	-	-	-	4
1	-	1	4	8	10	23	20	26	18	19	9	9	3	-	-	-	2	5
-	-	1	-	1	2	2	3	3	3	4	3	1	-	-	-	-	-	6
-	-	-	1	-	1	-	2	2	1	-	4	-	1	-	-	-	-	7
4	8	18	51	87	156	292	409	521	710	686	614	419	185	49	10	2	1	8
2	3	4	12	26	69	145	179	272	356	327	270	162	58	23	3	1	1	9
2	3	9	23	32	56	99	154	192	295	319	314	237	122	24	6	-	-	10
-	1	3	11	16	14	25	43	36	37	24	13	15	2	-	-	-	-	11
-	1	2	4	11	17	19	28	19	16	13	14	3	3	1	1	1	-	12
-	-	-	1	1	-	3	5	2	6	2	2	1	-	-	-	-	-	13
-	-	-	-	1	-	1	-	-	-	1	1	1	-	1	-	-	-	14
4	24	36	114	272	504	812	1,261	1,660	1,951	1,884	1,433	868	386	107	13	-	5	15
1	11	22	64	149	274	441	701	942	1,120	1,016	736	450	172	44	2	-	3	16
1	7	12	34	89	145	246	396	578	667	774	637	389	202	58	9	-	2	17
2	2	2	10	20	51	72	102	87	102	58	35	15	9	2	2	-	-	18
-	4	-	6	12	31	50	51	46	55	32	20	14	3	3	-	-	-	19
-	-	-	-	2	2	1	7	4	6	4	2	-	-	-	-	-	-	20
-	-	-	-	-	1	2	4	3	1	-	3	-	-	-	-	-	-	21
8	10	17	37	48	70	92	143	162	215	197	199	150	71	24	5	-	1	22
5	6	9	20	23	24	37	53	70	99	85	99	63	26	5	-	-	-	23
3	3	5	16	16	34	41	68	69	94	90	85	77	38	17	5	-	-	24
-	1	1	1	4	5	8	13	12	9	9	5	5	4	1	-	-	1	25
-	-	2	-	5	7	5	9	10	12	12	9	5	3	1	-	-	-	26
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	27
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	28
33	77	167	423	927	1,992	3,164	4,487	5,501	5,337	3,760	2,344	1,127	397	87	19	2	11	29
18	40	103	267	626	1,506	2,473	3,650	4,589	4,376	2,988	1,759	775	251	47	11	-	8	30
12	26	40	98	172	255	332	451	561	662	608	499	301	128	39	8	2	1	31
1	8	17	42	102	181	293	325	282	223	115	50	38	9	1	-	-	2	32
2	3	5	15	25	42	54	55	55	56	39	20	11	8	-	-	-	-	33
-	-	1	1	2	7	11	5	11	17	9	15	1	1	-	-	-	-	34
-	-	1	-	-	1	1	1	3	3	1	1	1	-	-	-	-	-	35
2	3	5	15	47	112	202	285	357	415	286	222	129	47	18	5	-	-	36
1	2	4	8	31	89	167	234	319	361	252	201	104	34	12	5	-	-	37
-	1	1	1	6	6	10	19	16	26	21	15	17	11	6	-	-	-	38
1	-	-	4	8	14	22	26	18	25	10	5	8	1	-	-	-	-	39
-	-	-	2	2	3	3	6	2	3	3	1	-	1	-	-	-	-	40
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	42
7	27	77	203	441	930	1,407	1,998	2,450	2,205	1,435	832	354	123	18	5	-	4	43
4	17	50	143	307	721	1,108	1,633	2,082	1,841	1,164	647	243	81	11	1	-	2	44
3	4	14	37	68	107	132	188	215	232	197	158	90	37	7	4	-	-	45
-	5	9	20	55	87	136	155	128	105	56	15	16	3	-	-	-	2	46
-	1	3	3	10	13	25	20	19	19	13	6	5	2	-	-	-	-	47
-	-	1	-	1	2	6	2	5	7	4	6	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	49
16	36	74	192	390	890	1,495	2,108	2,552	2,587	1,917	1,204	582	187	32	6	-	6	50
7	16	44	113	261	665	1,161	1,716	2,089	2,089	1,499	861	393	115	15	3	-	6	51
8	16	22	54	81	123	176	225	302	368	344	297	169	64	16	3	-	-	52
-	3	6	16	35	74	129	139	125	88	47	28	13	4	1	-	-	-	53
1	1	2	8	12	23	23	25	30	31	22	10	5	3	-	-	-	-	54
-	-	-	1	1	4	5	2	5	9	5	8	1	1	-	-	-	-	55
-	-	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-	56
8	11	11	13	49	60	60	96	142	130	122	86	62	40	19	3	2	1	57
6	5	5	3	27	31	37	67	99	85	73	50	35	21	9	2	-	-	58
1	5	3	6	17	19	14	19	28	36	46	29	25	16	10	1	2	1	59
-	-	2	2	4	6	6	5	11	5	2	2	1	1	-	-	-	-	60
1	1	-	2	1	3	3	4	4	3	1	3	1	2	-	-	-	-	61
-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	62
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	63
16	105	363	861	1,622	2,229	2,516	2,635	2,707	2,594	2,252	1,911	1,205	667	191	45	2	16	64
-	-	3	4	7	10	17	32	31	30	34	22	16	8	5	-	-	1	65
14	86	303	739	1,432	2,015	2,287	2,396	2,527	2,421	2,088	1,810	1,149	642	180	43	2	11	66
-	-	-	1	-	-	3	1	2	2	4	1	-	1	-	1	-	-	67
2	19	55	116	182	201	206	203	146	136	125	77	40	14	6	1	-	4	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	2	1	1	3	3	3	1	5	1	1	-	2	-	-	-	-	70
156	321	628	1,100	1,740	2,401	2,911	3,524	4,306	4,978	5,259	4,728	3,233	1,617	413	51	12	20	71
71	103	111	87	80	101	205	479	1,044	1,786	2,591	2,728	2,124	1,099	271	25	3	4	72
65	154	404	777	1,285	1,850	2,161	2,472	2,725	2,588	2,224	1,656	914	433	115	17	2	8	73
1	4	2	7	20	29	81	161	215	300	257	211	134	51	17	8	5	2	74
19	59	105	218	350	410	451	405	317	301	180	125	56	30	10	1	2	6	75
-	-	2	1	-	-	1	2	-	1	4	6	4	2	-	-	-	-	76
-	1	4	10	5	11	12	5	5	2	3	2	1	2	-	-	-	-	77
27	129	341	625	888	1,118	1,150	1,046	960	868	717	491	268	116	43	6	1	5	78
15	89	267	460	680	869	874	836	822	723	637	434	247	106	38	6	-	2	79
12	39	72	157	205	241	268	207	137	143	78	56	21	9	5	-	1	3	80
-	1	2	8	3	8	8	3	1	2	2	1	-	1	-	-	-	-	81

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued										
		Malignant neoplasm of genital organs—Continued										
1	172-174	Of other and unspecified parts of uterus	6,366	-	-	1	-	-	1	1	1	4
2		White--Female	5,453	-	-	1	-	-	1	-	1	3
3		Negro--Female	901	-	-	-	-	-	-	1	-	1
4		Other--Female	12	-	-	-	-	-	-	-	-	-
5	175	Of ovary, fallopian tube, and broad ligament	7,060	-	-	-	-	1	1	8	14	25
6		White--Female	6,623	-	-	-	-	1	1	6	12	19
7		Negro--Female	427	-	-	-	-	-	-	2	2	6
8		Other--Female	10	-	-	-	-	-	-	-	-	-
9	176	Of other and unspecified female genital organs	790	1	1	-	-	-	2	-	-	-
10		White--Female	714	1	1	-	-	-	2	-	-	-
11		Negro--Female	75	-	-	-	-	-	-	-	-	-
12		Other--Female	1	-	-	-	-	-	-	-	-	-
13	177	Of prostate	13,485	1	1	3	2	3	10	2	2	3
14		White--Male	12,044	1	1	3	2	2	9	2	2	2
15		Negro--Male	1,422	-	-	-	-	1	1	-	-	1
16		Other--Male	19	-	-	-	-	-	-	-	-	-
17	178,179	Of testis, and of other and unspecified male genital organs	1,004	-	3	1	2	1	7	4	2	19
18		White--Male	914	-	3	1	2	1	7	4	2	18
19		Negro--Male	86	-	-	-	-	-	-	-	-	1
20		Other--Male	4	-	-	-	-	-	-	-	-	-
21	180,181	Malignant neoplasm of urinary organs	11,502	18	32	43	49	38	180	95	7	12
22		White--Male	7,150	9	16	27	24	12	88	42	3	4
23		Female	3,685	9	14	14	21	17	75	45	2	7
24		Negro--Male	391	-	2	-	2	8	12	5	-	-
25		Female	258	-	-	2	2	1	5	3	2	-
26		Other--Male	12	-	-	-	-	-	-	-	-	-
27		Female	8	-	-	-	-	-	-	-	-	1
28	180	Of kidney	4,348	15	29	40	47	37	168	93	7	12
29		White--Male	2,551	6	14	24	22	11	77	41	3	4
30		Female	1,561	9	13	14	21	17	74	44	2	7
31		Negro--Male	140	-	2	-	2	8	12	5	-	-
32		Female	87	-	-	2	2	1	5	3	2	-
33		Other--Male	5	-	-	-	-	-	-	-	-	-
34		Female	4	-	-	-	-	-	-	-	-	1
35	181	Of bladder and other urinary organs	7,154	3	3	3	2	1	12	2	-	-
36		White--Male	4,599	3	2	3	2	1	11	1	-	-
37		Female	2,124	-	1	-	-	-	1	1	-	-
38		Negro--Male	251	-	-	-	-	-	-	-	-	-
39		Female	169	-	-	-	-	-	-	-	-	-
40		Other--Male	7	-	-	-	-	-	-	-	-	-
41		Female	4	-	-	-	-	-	-	-	-	-
42	156B,165,	Malignant neoplasm of other and unspecified sites	26,958	89	112	140	116	97	554	430	325	288
43	190-199	White--Male	13,257	46	67	67	56	39	275	215	162	154
44		Female	11,467	34	33	61	50	48	226	183	128	103
45		Negro--Male	1,081	5	5	6	2	4	22	14	21	14
46		Female	1,057	3	6	6	7	6	28	17	13	14
47		Other--Male	67	-	1	-	1	-	2	-	-	1
48		Female	29	1	-	-	-	-	1	1	1	2
49	190,191	Of skin	3,638	1	1	3	3	-	8	2	3	14
50		White--Male	2,021	1	-	-	1	-	2	1	2	3
51		Female	1,465	-	1	2	2	-	5	-	1	9
52		Negro--Male	78	-	-	-	-	-	-	1	-	1
53		Female	67	-	-	1	-	-	1	-	-	1
54		Other--Male	6	-	-	-	-	-	-	-	-	-
55		Female	1	-	-	-	-	-	-	-	-	-
56	192	Of eye	351	4	4	18	12	8	46	10	4	1
57		White--Male	166	3	2	7	4	1	17	3	1	-
58		Female	158	1	-	7	4	5	17	5	2	1
59		Negro--Male	13	-	1	2	2	1	6	1	1	-
60		Female	13	-	1	2	2	1	6	1	-	-
61		Other--Male	1	-	-	-	-	-	-	-	-	-
62		Female	-	-	-	-	-	-	-	-	-	-
63	193	Of brain and other parts of nervous system	5,363	53	77	93	80	61	364	312	176	90
64		White--Male	2,934	24	50	49	41	24	188	158	92	48
65		Female	2,136	24	20	38	33	31	146	135	70	34
66		Negro--Male	152	3	4	3	-	3	13	7	7	4
67		Female	128	2	3	3	5	3	16	12	7	2
68		Other--Male	10	-	-	-	1	-	1	-	-	1
69		Female	3	-	-	-	-	-	-	-	-	1
70	194	Of thyroid gland	1,064	-	-	-	-	-	-	1	2	4
71		White--Male	345	-	-	-	-	-	-	-	1	2
72		Female	642	-	-	-	-	-	-	1	1	1
73		Negro--Male	20	-	-	-	-	-	-	-	-	1
74		Female	56	-	-	-	-	-	-	-	-	-
75		Other--Male	-	-	-	-	-	-	-	-	-	-
76		Female	1	-	-	-	-	-	-	-	-	-
77	196	Of bone (including jaw bone)	2,029	2	-	2	-	5	9	43	88	124
78		White--Male	1,124	1	-	1	-	1	3	23	42	73
79		Female	730	1	-	1	-	3	5	17	35	37
80		Negro--Male	99	-	-	-	-	-	-	-	8	6
81		Female	72	-	-	-	-	1	1	2	3	7
82		Other--Male	2	-	-	-	-	-	-	-	-	-
83		Female	2	-	-	-	-	-	-	1	-	1

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
19	32	65	138	268	403	557	770	996	953	843	667	391	195	48	9	1	4	1
16	24	48	108	179	308	449	639	864	838	769	614	361	177	44	8	-	2	2
3	8	15	30	89	93	106	131	129	115	73	52	30	17	4	1	1	2	3
-	-	2	-	-	2	2	-	3	-	1	1	-	1	-	-	-	-	4
36	51	95	224	448	718	868	1,006	1,008	965	714	518	228	103	23	1	1	5	5
32	39	81	197	403	655	800	943	961	927	690	504	223	102	22	1	1	4	6
4	12	14	25	43	62	66	61	46	38	24	14	5	1	1	-	-	1	7
-	-	-	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-	8
2	2	12	18	36	32	49	60	83	105	133	107	84	51	11	2	1	-	9
2	2	8	12	23	18	38	54	78	100	128	104	83	48	11	2	1	-	10
-	-	4	6	13	14	11	6	5	5	5	3	-	3	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	12
1	1	3	6	23	71	218	580	1,194	2,018	2,790	2,892	2,221	1,125	279	32	8	6	13
1	-	2	5	16	49	151	428	986	1,726	2,534	2,681	2,094	1,072	262	25	3	4	14
-	1	1	1	7	22	66	150	208	291	252	206	133	51	17	7	5	2	15
-	-	-	-	-	-	1	2	-	1	4	5	4	2	-	-	-	-	16
71	106	112	89	77	59	69	62	65	69	62	53	41	27	9	1	-	-	17
70	103	109	82	64	52	54	51	58	60	57	47	40	27	9	-	-	-	18
1	3	1	6	13	7	15	11	7	9	5	5	1	-	-	1	-	-	19
-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	20
7	28	49	106	199	417	707	1,041	1,582	1,897	1,854	1,636	1,023	481	152	28	-	1	21
2	12	23	52	112	253	460	664	1,052	1,285	1,187	987	579	251	77	16	-	1	22
2	12	16	37	59	113	180	283	429	517	594	596	423	214	71	10	-	-	23
1	2	4	11	16	32	37	60	71	53	38	30	11	5	2	1	-	-	24
2	2	5	6	11	17	29	33	27	38	34	21	9	9	2	1	-	-	25
-	-	-	-	-	1	-	1	2	4	-	2	1	1	-	-	-	-	26
-	-	1	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-	27
7	25	35	75	126	228	394	505	692	664	581	411	215	85	22	2	-	1	28
2	12	18	42	72	137	260	331	441	408	357	203	94	38	10	-	-	1	29
2	9	8	23	42	68	108	141	215	236	209	200	115	45	12	1	-	-	30
1	2	4	5	8	14	14	23	25	13	6	4	2	1	-	1	-	-	31
2	2	4	5	4	9	11	9	10	5	8	4	3	1	-	-	-	-	32
-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	33
-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	34
-	3	14	31	73	189	313	536	890	1,233	1,273	1,225	808	396	130	26	-	-	35
-	-	5	10	40	116	200	333	611	877	830	784	485	213	67	16	-	-	36
-	3	8	14	17	45	72	142	214	281	385	396	308	169	59	9	-	-	37
-	-	-	6	8	18	23	37	46	40	32	26	9	4	2	-	-	-	38
-	-	1	1	7	8	18	24	17	33	26	17	6	8	2	1	-	-	39
-	-	-	-	-	1	-	-	1	2	-	2	-	1	-	-	-	-	40
-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	41
306	387	552	858	1,196	1,756	2,277	2,892	3,229	3,460	3,015	2,446	1,677	939	295	50	12	14	42
175	201	267	414	514	867	1,132	1,464	1,679	1,744	1,490	1,189	768	398	129	12	1	7	43
101	150	232	363	532	685	872	1,140	1,285	1,449	1,335	1,142	839	498	156	34	8	6	44
16	18	21	28	63	98	127	144	143	142	90	58	29	23	6	2	1	1	45
11	17	31	52	82	100	144	132	108	112	92	47	35	14	4	2	2	-	46
3	-	1	1	4	4	2	8	9	10	5	8	5	4	-	-	-	-	47
-	1	-	-	1	2	-	4	5	3	3	2	1	2	-	-	-	-	48
38	80	116	172	207	231	265	288	351	413	392	395	317	246	81	12	5	2	49
16	39	59	94	103	135	161	166	210	246	242	207	176	120	34	5	-	-	50
21	39	51	75	89	88	91	107	121	143	137	175	133	119	47	7	5	2	51
-	2	2	2	6	4	7	11	9	12	8	6	4	3	-	-	-	-	52
1	-	4	1	9	4	6	4	9	10	5	6	4	2	-	-	-	-	53
-	-	-	-	-	-	-	-	1	2	-	1	-	2	-	-	-	-	54
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	2	6	6	14	18	15	24	41	61	32	32	25	10	3	1	-	-	56
-	1	3	2	7	11	8	15	17	30	16	20	10	4	1	-	-	-	57
-	1	3	4	6	6	6	9	23	30	14	10	13	6	1	1	-	-	58
-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	-	-	-	59
-	-	-	-	-	1	-	-	-	1	1	1	2	-	-	-	-	-	60
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
120	146	236	309	374	531	648	750	616	403	180	70	25	5	3	-	-	5	63
66	77	118	165	188	303	356	415	369	224	106	42	12	3	1	-	-	3	64
44	55	103	132	164	198	251	300	224	166	68	27	13	2	2	-	-	2	65
4	6	9	2	11	17	26	19	17	8	2	-	-	-	-	-	-	-	66
4	8	6	10	10	13	15	14	3	4	4	-	-	-	-	-	-	-	67
2	-	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	69
1	3	8	19	25	51	86	122	128	191	159	116	93	33	20	2	-	-	70
1	2	2	4	9	23	35	53	45	63	41	28	24	5	7	-	-	-	71
-	1	4	10	12	20	39	56	73	120	111	83	68	27	13	2	-	-	72
-	-	1	1	-	2	2	4	4	3	1	-	-	1	-	-	-	-	73
-	-	1	4	4	6	10	9	5	5	6	5	1	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	76
68	44	29	44	60	110	162	164	227	237	228	181	119	61	26	4	-	1	77
49	25	17	20	23	59	88	84	131	136	121	108	72	32	16	1	-	1	78
18	16	9	17	21	42	52	62	78	79	96	68	42	25	8	3	-	-	79
1	1	2	2	9	8	8	11	9	16	6	3	4	3	2	-	-	-	80
-	2	1	4	7	1	14	7	8	6	5	2	1	1	-	-	-	-	81
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued										
		Malignant neoplasm of other and unspecified sites—Continued										
1	197	Of connective tissue	755	7	6	4	5	7	29	17	17	15
2		White--------Male----	390	5	2	1	2	6	16	10	6	9
3		Female--	292	1	3	3	3	1	11	7	9	5
4		Negro--------Male----	34	-	-	-	-	-	-	-	2	-
5		Female--	34	-	-	-	-	-	-	-	-	1
6		Other--------Male----	4	-	1	-	-	-	1	-	-	-
7		Female--	1	1	-	-	-	-	1	-	-	-
8	195,198A,	Of other specified sites, not stated to be secondary	3,822	18	19	17	11	14	79	37	20	24
9	199A	White--------Male----	1,647	11	10	7	5	7	40	17	9	14
10		Female--	1,825	5	7	9	6	7	34	15	6	7
11		Negro--------Male----	146	1	-	1	-	-	2	3	2	1
12		Female--	189	1	2	-	-	-	3	2	3	2
13		Other--------Male----	8	-	-	-	-	-	-	-	-	-
14		Female--	7	-	-	-	-	-	-	-	-	-
15	156B,165,	Of unspecified sites	9,936	4	5	3	5	2	19	8	15	16
16	198B,	White--------Male----	4,630	1	3	2	3	-	9	3	9	5
17	199B-M	Female--	4,219	2	2	1	2	1	8	3	4	9
18		Negro--------Male----	539	1	-	-	-	-	1	2	1	1
19		Female--	498	-	-	-	-	1	1	-	-	1
20		Other--------Male----	36	-	-	-	-	-	-	-	-	-
21		Female--	14	-	-	-	-	-	-	-	1	-
22	204	Leukemia and aleukemia	10,816	102	130	190	259	215	896	602	295	258
23		White--------Male----	5,930	43	63	86	145	119	456	349	171	132
24		Female--	4,259	46	53	90	106	89	386	213	103	103
25		Negro--------Male----	357	6	9	6	7	1	29	26	13	14
26		Female--	241	4	5	8	1	5	23	11	7	7
27		Other--------Male----	16	-	-	-	-	-	-	1	-	2
28		Female--	13	1	-	-	-	1	2	2	1	-
29	200-203,205	Lymphosarcoma, etc.*	10,643	26	45	28	36	33	168	146	104	177
30		White--------Male----	5,873	11	28	14	21	25	99	109	58	95
31		Female--	4,011	12	9	12	11	8	52	20	35	61
32		Negro--------Male----	458	1	2	2	3	-	8	12	7	15
33		Female--	281	2	5	-	1	-	8	5	4	5
34		Other--------Male----	14	-	1	-	-	-	1	-	-	1
35		Female--	6	-	-	-	-	-	-	-	-	-
36	200	Lymphosarcoma and reticulosarcoma	4,831	5	20	12	28	23	88	118	57	79
37		White--------Male----	2,714	2	12	6	18	17	55	89	25	45
38		Female--	1,851	3	4	4	9	6	26	17	28	27
39		Negro--------Male----	159	-	2	2	1	-	5	7	3	5
40		Female--	98	-	2	-	-	-	2	5	1	2
41		Other--------Male----	5	-	-	-	-	-	-	-	-	-
42		Female--	4	-	-	-	-	-	-	-	-	-
43	201	Hodgkin's disease	2,888	2	2	-	1	3	8	18	37	90
44		White--------Male----	1,680	1	2	-	1	2	6	16	26	43
45		Female--	1,010	-	-	-	-	1	1	1	7	34
46		Negro--------Male----	126	1	-	-	-	-	1	1	3	9
47		Female--	66	-	-	-	-	-	-	-	1	3
48		Other--------Male----	6	-	-	-	-	-	-	-	-	1
49		Female--	-	-	-	-	-	-	-	-	-	-
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	2,924	19	23	16	7	7	72	10	10	8
51		White--------Male----	1,479	8	14	8	2	6	38	4	7	7
52		Female--	1,150	9	5	8	2	1	25	2	-	-
53		Negro--------Male----	173	-	-	-	2	-	2	4	1	1
54		Female--	117	2	3	-	1	-	6	-	2	-
55		Other--------Male----	3	-	1	-	-	-	1	-	-	-
56		Female--	2	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,168	163	61	30	32	24	310	124	86	93
58		White--------Male----	1,990	72	29	8	11	8	128	50	34	37
59		Female--	2,370	55	27	14	18	10	124	54	39	41
60		Negro--------Male----	225	14	1	5	1	3	24	10	3	5
61		Female--	560	21	4	3	2	3	33	7	10	10
62		Other--------Male----	13	-	-	-	-	-	-	1	-	-
63		Female--	10	1	-	-	-	-	1	2	-	-
64	214-217	Benign neoplasms of female genital organs	855	-	-	-	-	-	-	-	2	6
65		White--------Female--	545	-	-	-	-	-	-	-	2	4
66		Negro--------Female--	309	-	-	-	-	-	-	-	-	2
67		Other--------Female--	1	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	928	28	18	9	8	6	69	16	17	19
69		White--------Male----	401	17	4	2	1	3	27	6	7	7
70		Female--	448	9	11	2	6	2	30	8	9	12
71		Negro--------Male----	35	-	1	2	1	-	4	1	-	-
72		Female--	41	2	2	3	-	1	8	-	1	-
73		Other--------Male----	3	-	-	-	-	-	-	1	-	-
74		Female--	-	-	-	-	-	-	-	-	-	-
75	210-213,	Other benign neoplasms	891	82	17	7	9	4	119	18	22	20
76	218-222,	White--------Male----	421	35	7	1	3	-	46	11	9	10
77	224-229	Female--	355	29	10	6	5	-	50	6	7	8
78		Negro--------Male----	47	7	-	-	-	3	10	1	1	-
79		Female--	65	10	-	-	1	1	12	-	5	2
80		Other--------Male----	1	-	-	-	-	-	-	-	-	-
81		Female--	2	1	-	-	-	-	1	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	29	-	-	-	-	-	-	-	-	-
83		White--------Female--	26	-	-	-	-	-	-	-	-	-
84		Negro--------Female--	3	-	-	-	-	-	-	-	-	-
85		Other--------Female--	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
19	20	21	27	58	54	62	59	78	94	85	63	19	14	4	-	-	-	1
12	10	10	12	29	22	40	29	42	49	44	29	12	5	4	-	-	-	2
4	8	9	11	24	21	16	22	31	34	34	32	6	8	-	-	-	-	3
3	1	-	2	2	3	1	4	5	5	3	2	1	-	-	-	-	-	4
-	1	2	2	3	7	5	3	-	5	4	-	-	1	-	-	-	-	5
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
31	38	53	82	133	186	267	360	455	542	505	421	355	167	53	11	1	2	8
15	22	19	35	54	79	104	162	200	246	230	174	136	63	22	4	-	2	9
12	10	23	36	52	75	120	153	215	262	240	229	202	99	27	7	1	-	10
2	3	4	4	8	14	19	18	15	15	17	10	8	-	1	-	-	-	11
2	3	7	7	17	17	23	24	24	18	17	7	7	3	3	-	-	-	12
-	-	-	-	1	-	1	1	-	-	1	1	2	1	-	-	-	-	13
-	-	-	-	1	1	-	2	1	1	-	-	-	1	-	-	-	-	14
29	54	83	199	325	575	772	1,125	1,333	1,519	1,434	1,168	724	403	105	20	6	4	15
16	25	39	82	101	235	340	540	665	750	690	581	326	166	44	2	1	1	16
2	20	30	78	164	235	297	431	520	615	635	518	362	212	58	14	2	2	17
6	5	3	15	26	50	63	77	84	83	52	36	12	16	2	2	1	1	18
4	3	10	24	32	51	71	71	59	63	50	26	20	7	1	2	2	-	19
1	-	1	-	2	3	1	5	3	7	4	5	3	1	-	-	-	-	20
-	1	-	-	-	1	-	1	2	1	3	2	1	1	-	-	-	-	21
210	251	282	351	429	501	623	824	1,060	1,292	1,160	930	548	244	43	12	1	4	22
126	136	148	175	216	254	337	450	579	746	677	531	280	129	29	7	-	2	23
62	103	108	139	176	203	220	311	431	493	453	373	254	108	13	5	1	1	24
17	8	13	19	18	18	36	34	31	33	21	18	5	3	-	-	-	1	25
3	4	12	17	17	24	29	27	16	17	7	8	8	4	-	-	-	-	26
-	-	-	1	1	1	1	2	2	2	1	-	1	-	1	-	-	-	27
2	-	1	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	28
231	297	379	457	545	717	919	1,157	1,373	1,444	1,225	795	357	128	17	4	-	3	29
130	172	197	275	293	410	517	638	777	794	650	408	179	63	8	1	-	-	30
83	105	142	139	178	238	315	428	511	576	516	363	173	62	9	3	-	2	31
13	9	31	23	41	38	50	50	57	47	37	13	4	2	-	-	-	1	32
4	10	8	18	32	31	34	38	27	26	18	11	1	1	-	-	-	-	33
-	-	1	2	-	-	3	2	1	-	3	-	-	-	-	-	-	-	34
1	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	35
73	74	127	173	231	330	390	546	621	682	583	404	177	64	11	2	-	1	36
43	47	68	110	129	188	226	310	367	374	306	210	81	32	8	1	-	-	37
24	22	46	49	74	117	135	205	223	284	259	187	93	30	3	1	-	1	38
6	2	10	8	16	13	13	18	21	14	12	3	2	1	-	-	-	-	39
-	2	2	6	11	12	14	11	10	10	4	4	1	1	-	-	-	-	40
-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	41
-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	42
144	212	222	230	227	207	235	246	273	274	226	143	68	24	3	1	-	-	43
79	121	114	135	127	128	148	162	149	166	131	82	35	12	-	-	-	-	44
54	80	84	75	75	62	68	69	111	100	83	58	32	12	3	1	-	-	45
7	5	18	12	15	10	11	8	9	6	8	2	1	-	-	-	-	-	46
4	6	6	6	10	7	7	6	4	2	3	1	-	-	-	-	-	-	47
-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
14	11	30	54	87	180	294	365	479	488	416	248	112	40	3	1	-	2	50
8	4	15	30	37	94	143	166	261	254	213	116	63	19	-	-	-	-	51
5	3	12	15	29	59	112	154	177	192	174	118	48	20	3	1	-	1	52
-	2	3	3	10	15	26	24	27	27	17	8	1	1	-	-	-	1	53
-	2	-	6	11	12	13	21	13	14	11	6	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	55
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	56
110	145	211	323	378	465	481	475	455	467	385	315	188	107	38	7	-	5	57
43	47	62	83	103	159	182	200	225	194	178	136	75	40	11	3	-	-	58
50	66	92	149	171	218	221	215	187	221	175	158	96	63	24	3	-	3	59
7	11	7	9	16	18	23	19	18	21	14	9	9	-	-	-	-	2	60
10	21	49	81	86	67	53	41	22	29	14	11	8	4	3	1	-	-	61
-	-	-	-	1	2	1	-	2	2	4	-	-	-	-	-	-	-	62
-	-	1	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	63
10	23	60	129	161	130	86	52	41	43	39	38	17	10	8	-	-	-	64
8	15	25	60	93	87	59	33	32	31	35	32	14	8	7	-	-	-	65
2	8	35	69	68	43	26	19	9	12	4	6	3	2	1	-	-	-	66
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	67
31	36	47	53	62	98	103	107	95	93	44	21	8	8	1	-	-	-	68
13	13	23	22	30	38	46	49	41	42	20	8	4	4	1	-	-	-	69
17	18	19	27	24	50	48	48	48	48	23	12	3	4	-	-	-	-	70
-	3	3	1	4	5	3	3	3	3	1	1	-	-	-	-	-	-	71
1	2	2	3	4	4	6	7	2	-	-	-	1	-	-	-	-	-	72
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
14	24	31	33	32	57	60	69	84	103	84	68	34	11	7	1	-	-	75
7	11	7	18	13	26	30	32	58	42	40	33	18	7	3	-	-	-	76
5	7	16	12	12	21	24	28	18	51	37	33	12	3	4	1	-	-	77
-	2	2	1	3	5	3	4	5	3	2	2	3	-	-	-	-	-	78
2	4	5	2	4	5	3	5	3	6	5	-	1	1	-	-	-	-	79
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	80
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	1	-	-	2	1	1	2	1	2	5	4	6	1	2	-	-	-	82
1	1	-	-	1	1	1	1	1	1	5	4	6	1	2	-	-	-	83
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	237	Neoplasm of unspecified nature of brain, etc.*	1,619	19	24	12	15	13	83	84	43	47
2		White--Male	778	10	17	4	7	4	42	30	17	19
3		Female	657	4	5	5	7	8	29	38	20	17
4		Negro--Male	82	3	-	3	-	-	6	7	2	5
5		Female	94	2	2	-	1	1	6	7	4	6
6		Other--Male	3	-	-	-	-	-	-	-	-	-
7		Female	5	-	-	-	-	-	-	2	-	-
8	230-232,	Other neoplasms of unspecified nature	846	34	2	2	-	1	39	6	2	1
9	236,238,	White--Male	390	10	1	1	-	1	13	3	1	1
10	239	Female	339	13	1	1	-	-	15	2	1	-
11		Negro--Male	61	4	-	-	-	-	4	1	-	-
12		Female	48	7	-	-	-	-	7	-	-	-
13		Other--Male	6	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15		III. Allergic, endocrine system, metabolic, and nutritional diseases	34,850	529	109	66	47	31	782	129	113	155
16		White--Male	14,072	261	44	25	21	15	366	63	42	43
17		Female	17,136	163	38	21	15	13	250	45	47	74
18		Negro--Male	1,306	58	19	14	4	1	96	11	12	20
19		Female	2,193	41	8	5	6	2	62	10	12	18
20		Other--Male	81	4	-	1	-	-	5	-	-	-
21		Female	62	2	-	-	1	-	3	-	-	-
22	241	Asthma	5,960	49	30	32	15	10	136	30	18	37
23		White--Male	3,658	20	10	12	9	3	54	13	5	5
24		Female	1,744	20	13	13	3	7	56	9	7	17
25		Negro--Male	311	4	2	6	1	-	13	4	3	9
26		Female	229	5	5	1	2	-	13	4	3	6
27		Other--Male	16	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	250,251	Nontoxic goiter	159	8	-	-	-	-	8	-	2	-
30		White--Male	24	3	-	-	-	-	3	-	-	-
31		Female	103	4	-	-	-	-	4	-	2	-
32		Negro--Male	4	1	-	-	-	-	1	-	-	-
33		Female	26	-	-	-	-	-	-	-	-	-
34		Other--Male	2	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	252	Thyrotoxicosis with or without goiter	834	-	-	-	-	-	-	3	1	7
37		White--Male	134	-	-	-	-	-	-	-	-	-
38		Female	565	-	-	-	-	-	-	-	-	4
39		Negro--Male	14	-	-	-	-	-	-	1	-	-
40		Female	117	-	-	-	-	-	-	2	1	3
41		Other--Male	2	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	253,254	Myxedema, cretinism, and other diseases of thyroid gland	217	15	1	1	-	-	17	-	2	2
44		White--Male	44	9	-	1	-	-	10	-	2	2
45		Female	161	5	-	-	-	-	5	-	-	-
46		Negro--Male	3	1	1	-	-	-	2	-	-	-
47		Female	9	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	260	Diabetes mellitus	25,488	23	20	6	6	10	65	51	64	75
51		White--Male	9,242	10	10	3	2	6	31	24	23	19
52		Female	13,714	4	8	1	4	4	21	24	26	39
53		Negro--Male	784	5	2	1	-	-	8	1	8	9
54		Female	1,642	3	-	1	-	-	4	2	7	8
55		Other--Male	56	-	-	-	-	-	-	-	-	-
56		Female	50	1	-	-	-	-	1	-	-	-
57	273	Diseases of thymus gland	297	248	8	6	3	5	270	9	3	7
58		White--Male	170	141	5	4	1	2	153	8	3	4
59		Female	84	70	3	1	1	2	77	-	-	3
60		Negro--Male	23	20	-	1	1	1	23	-	-	-
61		Female	18	15	-	-	-	-	15	1	-	-
62		Other--Male	2	2	-	-	-	-	2	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	274	Diseases of adrenal glands	303	61	5	3	1	2	72	7	4	6
65		White--Male	120	31	3	2	-	1	37	4	1	4
66		Female	147	18	2	-	1	-	21	3	1	2
67		Negro--Male	18	7	-	-	-	-	7	-	1	-
68		Female	18	5	-	1	-	1	7	-	1	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	281	Pellagra	96	-	-	-	-	-	-	-	-	-
72		White--Male	20	-	-	-	-	-	-	-	-	-
73		Female	46	-	-	-	-	-	-	-	-	-
74		Negro--Male	7	-	-	-	-	-	-	-	-	-
75		Female	23	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	280,282-286	All other avitaminoses and nutritional deficiency states	748	38	34	12	10	1	95	9	2	3
79		White--Male	301	11	9	2	4	1	27	4	1	1
80		Female	277	10	9	3	1	-	23	1	1	-
81		Negro--Male	96	8	13	5	1	-	27	3	-	1
82		Female	66	7	3	2	3	-	15	1	-	1
83		Other--Male	1	1	-	-	-	-	1	-	-	-
84		Female	7	1	-	-	1	-	2	-	-	-

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
49	54	66	96	103	150	186	178	161	147	99	47	24	2	-	-	-	-	1
20	21	27	40	51	81	83	87	85	72	62	25	14	2	-	-	-	-	2
18	23	31	44	36	51	79	78	64	64	34	22	9	-	-	-	-	-	3
7	3	2	5	9	5	10	6	6	6	2	-	1	-	-	-	-	-	4
4	7	6	6	5	11	13	7	6	5	1	-	-	-	-	-	-	-	5
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	7
5	7	7	12	18	29	45	67	73	79	114	137	99	75	20	6	-	5	8
3	2	5	3	9	14	23	32	41	38	56	70	39	27	7	3	-	-	9
1	2	1	6	5	8	10	27	24	26	41	55	52	47	11	2	-	3	10
-	3	-	2	-	3	7	6	4	9	9	6	5	-	-	-	-	2	11
1	-	1	1	4	4	5	2	2	5	4	5	3	1	2	1	-	-	12
-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	14
236	372	503	601	851	1,249	1,886	3,007	4,427	5,731	5,720	4,541	2,848	1,301	302	75	6	15	15
84	142	188	258	346	528	779	1,266	1,796	2,246	2,321	1,852	1,121	488	109	26	1	7	16
107	155	207	190	293	467	717	1,300	2,165	3,020	3,032	2,483	1,604	764	167	41	4	4	17
16	26	41	51	72	58	136	159	158	145	133	85	50	19	13	3	-	2	18
27	45	65	97	137	191	249	270	293	282	214	112	64	27	13	4	1	-	19
1	1	2	4	1	2	4	6	8	18	14	7	7	-	-	-	-	1	20
1	3	-	1	2	3	1	6	7	20	6	2	2	3	-	1	-	1	21
49	73	95	117	215	281	407	618	815	942	873	622	386	182	48	12	1	3	22
11	13	23	39	83	142	243	411	560	681	616	419	213	98	25	2	-	2	23
23	35	39	40	86	103	108	149	196	217	210	187	158	76	19	9	-	-	24
7	9	12	11	22	15	36	40	38	30	30	11	10	7	2	1	-	1	25
8	15	21	26	24	21	19	16	21	10	11	3	4	1	2	-	1	-	26
-	-	-	1	-	-	1	2	-	4	6	1	1	-	-	-	-	-	27
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	28
2	5	2	4	7	10	10	14	11	30	17	16	12	6	1	2	-	-	29
2	-	-	2	-	2	3	3	1	4	3	1	-	-	-	-	-	-	30
-	3	1	1	4	6	4	8	7	23	8	12	11	6	1	2	-	-	31
-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	32
-	1	1	1	3	2	1	2	3	3	6	2	1	-	-	-	-	-	33
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
8	14	25	29	39	52	70	91	114	137	102	81	46	13	1	1	-	-	36
1	6	1	4	8	11	9	18	20	25	14	8	8	1	-	-	-	-	37
3	4	10	11	11	29	43	59	84	103	85	70	37	11	-	1	-	-	38
-	-	3	1	-	-	2	3	2	-	1	1	-	-	-	-	-	-	39
4	3	11	12	20	12	16	10	7	9	2	2	1	1	1	-	-	-	40
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	41
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
5	3	3	9	2	8	15	29	32	32	36	10	7	5	-	-	-	-	43
1	-	-	3	1	2	2	2	4	7	6	2	-	-	-	-	-	-	44
3	3	2	6	1	5	12	26	27	24	27	8	7	5	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	46
1	-	1	-	-	1	1	1	1	1	2	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
141	248	320	374	503	777	1,270	2,123	3,318	4,433	4,538	3,689	2,238	1,011	196	43	1	10	50
59	115	143	185	224	318	476	769	1,143	1,455	1,615	1,363	834	358	68	16	-	4	51
61	98	131	102	155	270	501	1,013	1,804	2,593	2,641	2,158	1,313	623	116	21	1	3	52
7	17	22	37	43	36	84	101	106	103	89	64	34	8	4	2	-	1	53
12	18	22	47	78	148	206	232	251	248	179	97	51	20	8	4	-	-	54
1	-	2	2	1	2	2	4	7	14	8	6	6	-	-	-	-	1	55
1	-	-	1	2	3	1	4	7	20	6	1	-	2	-	-	-	1	56
1	2	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	58
1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
7	4	12	17	23	25	25	20	25	20	16	8	8	3	-	-	-	1	64
2	3	3	3	6	5	6	8	13	8	7	3	5	1	-	-	-	1	65
5	1	6	13	12	17	16	9	12	11	9	4	3	2	-	-	-	-	66
-	-	1	-	2	-	3	2	-	1	-	1	-	-	-	-	-	-	67
-	-	2	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	1	1	2	4	1	2	9	9	17	13	12	18	6	1	-	-	-	71
-	-	-	-	-	-	-	2	2	2	2	5	7	-	-	-	-	-	72
-	-	-	2	-	1	-	5	2	8	6	6	10	5	1	-	-	-	73
-	-	-	-	-	-	2	-	-	4	1	-	-	-	-	-	-	-	74
-	1	1	-	4	-	-	2	5	3	4	1	1	1	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
2	3	8	14	20	21	30	26	31	60	82	82	116	68	54	17	4	1	78
-	-	3	8	6	10	16	12	14	29	36	37	45	28	15	8	1	-	79
1	1	4	2	8	5	7	5	8	20	27	33	58	31	30	8	3	1	80
-	-	-	2	4	4	4	6	6	6	11	6	5	4	7	-	-	-	81
1	1	1	2	2	2	3	3	3	5	8	6	6	4	2	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
1	Residual[1]	Other allergic, endocrine, and metabolic diseases	748	87	11	6	12	3	119	20	17	18
2		White--Male	359	36	7	1	5	2	51	10	7	8
3		Female	295	32	3	3	5	-	43	8	10	9
4		Negro--Male	46	12	1	1	1	-	15	2	-	1
5		Female	45	6	-	-	1	1	8	-	-	-
6		Other--Male	2	1	-	1	-	-	2	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8		IV. Diseases of the blood and blood-forming organs	4,649	251	109	44	37	21	462	105	83	66
9		White--Male	2,051	113	37	10	19	7	186	35	43	23
10		Female	2,000	67	22	12	10	3	114	38	20	22
11		Negro--Male	302	46	30	13	5	5	99	22	12	8
12		Female	282	22	20	9	3	4	58	10	8	13
13		Other--Male	8	2	-	-	-	1	3	-	-	-
14		Female	6	1	-	-	-	1	2	-	-	-
15	290-293	Anemias	3,107	134	81	31	22	13	281	66	48	33
16		White--Male	1,254	45	19	6	9	4	83	16	27	8
17		Female	1,375	34	16	7	7	-	64	24	9	12
18		Negro--Male	253	34	28	11	5	5	83	18	8	6
19		Female	217	19	18	7	1	4	49	8	4	7
20		Other--Male	3	1	-	-	-	-	1	-	-	-
21		Female	5	1	-	-	-	-	1	-	-	-
22	290	Pernicious and other hyperchromic anemias	1,081	7	1	1	1	-	10	1	-	3
23		White--Male	436	3	1	-	1	-	5	-	-	1
24		Female	603	2	-	1	-	-	3	1	-	1
25		Negro--Male	15	1	-	-	-	-	1	-	-	-
26		Female	27	1	-	-	-	-	1	-	-	1
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	291-293	Anemias of other and unspecified type	2,026	127	80	30	21	13	271	65	48	30
30		White--Male	818	42	18	6	8	4	78	16	27	7
31		Female	772	32	16	6	7	-	61	23	9	11
32		Negro--Male	238	33	28	11	5	5	82	18	8	6
33		Female	190	18	18	7	1	4	48	8	4	6
34		Other--Male	3	1	-	-	-	-	1	-	-	-
35		Female	5	1	-	-	-	-	1	-	-	-
36	296	Purpura and other hemorrhagic conditions	557	44	11	5	7	5	72	19	15	13
37		White--Male	237	26	6	1	4	2	39	10	5	4
38		Female	262	14	4	2	3	2	25	8	4	4
39		Negro--Male	19	3	-	-	-	-	3	1	4	-
40		Female	35	-	1	2	-	-	3	-	2	5
41		Other--Male	4	1	-	-	-	1	2	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	294,295,	All other diseases of blood and blood-forming organs	965	73	17	8	8	3	109	20	20	20
44	297-299	White--Male	560	42	12	3	6	1	64	9	11	11
45		Female	363	19	2	3	-	1	25	6	7	6
46		Negro--Male	30	9	2	2	-	-	13	3	-	2
47		Female	30	3	1	-	2	-	6	2	2	1
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	1	1	-	-	-
50		V. Mental, psychoneurotic, and personality disorders	3,329	50	15	13	8	4	90	17	8	23
51		White--Male	1,848	28	8	7	2	2	47	7	2	9
52		Female	825	17	6	6	6	2	37	6	5	8
53		Negro--Male	436	-	-	-	-	-	-	2	1	4
54		Female	180	3	1	-	-	-	4	1	-	1
55		Other--Male	21	-	-	-	-	-	-	1	-	1
56		Female	19	2	-	-	-	-	2	-	-	-
57	304	Senile psychosis	378	-	-	-	-	-	-	-	-	-
58		White--Male	136	-	-	-	-	-	-	-	-	-
59		Female	214	-	-	-	-	-	-	-	-	-
60		Negro--Male	13	-	-	-	-	-	-	-	-	-
61		Female	14	-	-	-	-	-	-	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	307	Alcoholic psychosis	262	1	-	-	-	-	1	-	-	-
65		White--Male	203	-	-	-	-	-	-	-	-	-
66		Female	19	1	-	-	-	-	1	-	-	-
67		Negro--Male	32	-	-	-	-	-	-	-	-	-
68		Female	8	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	300-303,	Other psychoses	488	-	-	-	-	-	-	-	2	9
72	305,306,	White--Male	175	-	-	-	-	-	-	-	1	3
73	308,309	Female	220	-	-	-	-	-	-	-	-	4
74		Negro--Male	49	-	-	-	-	-	-	-	1	1
75		Female	42	-	-	-	-	-	-	-	-	1
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	2	-	-	-	-	-	-	-	-	-
78	322	Alcoholism	1,941	-	-	-	-	-	-	2	1	11
79		White--Male	1,228	-	-	-	-	-	-	1	-	5
80		Female	264	-	-	-	-	-	-	-	1	2
81		Negro--Male	323	-	-	-	-	-	-	1	-	3
82		Female	95	-	-	-	-	-	-	-	-	-
83		Other--Male	18	-	-	-	-	-	-	-	-	1
84		Female	13	-	-	-	-	-	-	-	-	-

[1]For complete category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
21	19	36	34	38	74	57	76	72	60	42	20	17	7	1	-	-	-	1
8	5	15	14	18	38	24	41	39	35	21	13	9	2	1	-	-	-	2
10	9	13	13	16	31	26	25	25	21	19	5	7	5	-	-	-	-	3
2	-	3	-	1	3	4	6	6	1	-	1	1	-	-	-	-	-	4
1	5	5	7	3	2	3	3	2	3	2	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	7
67	86	96	124	113	158	210	270	355	457	563	562	470	282	103	14	1	2	8
19	25	31	40	42	73	93	141	179	223	263	267	208	122	36	2	-	-	9
22	22	36	48	54	58	83	101	146	212	266	272	255	155	64	11	-	1	10
8	13	13	18	8	12	17	16	17	6	15	10	2	4	1	1	-	-	11
18	24	16	17	9	15	16	12	12	16	18	12	3	1	2	-	1	1	12
-	1	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	13
-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	14
43	54	52	64	48	85	99	141	197	298	387	438	402	256	98	14	1	2	15
7	12	16	16	6	32	40	73	82	132	180	205	172	109	36	2	-	-	16
13	11	15	21	27	29	38	49	89	144	180	213	224	142	59	11	-	1	17
8	12	10	14	7	11	12	11	15	6	14	10	2	4	1	1	-	-	18
15	17	11	13	8	13	8	8	10	16	13	9	3	1	2	-	1	1	19
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	20
-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	21
-	2	4	5	9	12	22	36	53	110	186	201	212	156	52	6	-	1	22
-	-	1	-	1	7	9	13	23	46	76	91	84	61	17	1	-	-	23
-	-	1	5	8	5	10	21	29	57	98	105	126	93	35	5	-	-	24
-	-	-	-	-	-	1	1	-	2	5	2	1	2	-	-	-	-	25
-	2	2	-	-	-	2	1	1	5	7	3	1	-	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
43	52	48	59	39	73	77	105	144	188	201	237	190	100	46	8	1	1	29
7	12	15	16	5	25	31	60	59	86	104	114	88	48	19	1	-	-	30
13	11	14	16	19	24	28	28	60	87	82	108	98	49	24	6	-	1	31
8	12	10	14	7	11	11	10	15	4	9	8	1	2	1	1	-	-	32
15	15	9	13	8	13	6	7	9	11	6	6	2	1	2	-	1	-	33
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	34
-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	35
10	17	25	33	31	22	42	32	41	42	56	47	25	10	5	-	-	-	36
2	7	4	12	12	9	19	11	20	21	26	19	13	4	-	-	-	-	37
6	5	15	14	19	11	17	18	20	21	27	26	11	6	5	-	-	-	38
-	-	2	3	-	1	1	2	1	-	1	-	-	-	-	-	-	-	39
2	5	4	3	-	1	5	1	-	-	2	2	-	-	-	-	-	-	40
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
14	15	19	27	34	51	69	97	117	117	120	77	43	16	-	-	-	-	43
10	6	11	12	24	32	34	57	77	70	57	43	23	9	-	-	-	-	44
3	6	6	13	8	18	28	34	37	47	59	33	20	7	-	-	-	-	45
-	1	1	1	1	-	4	3	1	-	-	-	-	-	-	-	-	-	46
1	2	1	1	1	1	3	3	2	-	3	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
67	116	199	277	385	366	382	294	258	258	163	124	135	102	45	10	1	9	50
20	33	73	134	228	237	271	186	168	177	85	58	50	44	14	2	-	3	51
15	14	39	62	59	64	61	64	65	49	56	54	76	53	28	7	1	2	52
15	41	59	57	65	46	34	40	19	20	15	5	4	2	3	-	-	4	53
15	26	25	17	27	17	12	3	3	9	5	6	5	3	-	1	-	-	54
2	-	3	2	1	1	2	1	3	1	2	1	-	-	-	-	-	-	55
-	2	-	5	5	1	2	-	-	2	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	1	8	20	47	66	102	84	42	7	1	-	57
-	-	-	-	-	-	-	1	2	7	13	26	34	37	14	2	-	-	58
-	-	-	-	-	-	-	-	2	7	30	35	63	45	26	5	1	-	59
-	-	-	-	-	-	-	-	2	4	2	1	2	-	2	-	-	-	60
-	-	-	-	-	-	-	-	1	2	2	4	3	2	-	-	-	-	61
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	2	18	40	51	38	32	30	19	16	7	1	2	1	-	-	-	1	64
1	1	9	25	42	30	27	25	17	16	6	1	2	1	-	-	-	-	65
1	-	2	6	2	3	1	1	2	-	-	-	-	-	-	-	-	-	66
-	1	6	7	5	5	2	4	-	-	1	-	-	-	-	-	-	1	67
1	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
16	27	31	33	43	40	45	56	52	53	29	20	15	10	2	2	-	3	71
5	12	10	15	20	13	19	25	16	13	10	6	4	3	-	-	-	-	72
6	5	10	10	12	19	20	27	32	29	13	12	10	5	2	2	-	2	73
2	5	7	4	6	2	2	3	2	5	4	2	-	2	-	-	-	1	74
3	5	4	3	5	6	4	1	2	5	2	-	1	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
35	70	135	185	284	281	290	199	166	161	72	31	11	3	1	-	-	3	78
12	15	47	88	164	192	217	133	127	136	54	24	8	3	-	-	-	2	79
4	5	23	39	42	38	34	31	23	11	8	3	-	-	-	-	-	-	80
9	32	44	42	53	38	30	33	14	10	8	2	2	-	1	-	-	1	81
8	17	18	11	19	11	6	1	-	2	-	1	1	-	-	-	-	-	82
2	-	3	2	1	1	1	1	2	1	2	1	-	-	-	-	-	-	83
-	1	-	3	5	1	2	-	-	1	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		V. Mental, psychoneurotic, and personality disorders—Continued										
1	325	Mental deficiency	138	49	15	13	8	4	89	15	4	2
2		White--Male	67	28	8	7	2	2	47	6	1	1
3		Female	57	16	6	6	2	2	36	6	3	1
4		Negro--Male	3	-	-	-	-	-	-	1	-	-
5		Female	8	3	1	-	-	-	4	1	-	-
6		Other--Male	1	-	-	-	-	-	-	1	-	-
7		Female	2	2	-	-	-	-	2	-	-	-
8	310-321,	Psychoneuroses and other disorders of personality	122	-	-	-	-	-	-	-	1	1
9	323,324,	White--Male	39	-	-	-	-	-	-	-	-	-
10	326	Female	51	-	-	-	-	-	-	-	1	1
11		Negro--Male	16	-	-	-	-	-	-	-	-	-
12		Female	13	-	-	-	-	-	-	-	-	-
13		Other--Male	1	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15		VI. Diseases of the nervous system and sense organs	187,893	1,501	482	307	210	147	2,647	562	445	484
16		White--Male	80,735	617	200	149	99	66	1,131	264	232	236
17		Female	83,899	448	185	98	79	55	865	212	146	152
18		Negro--Male	10,932	235	42	29	15	16	337	51	33	55
19		Female	11,713	165	46	25	16	8	260	31	30	39
20		Other--Male	396	16	6	4	1	-	27	-	1	1
21		Female	218	20	3	2	-	2	27	4	3	1
22	330-334	Vascular lesions affecting central nervous system	174,142	212	54	37	25	20	348	100	109	148
23		White--Male	74,103	82	22	20	16	6	146	45	57	60
24		Female	78,731	64	21	9	6	9	109	39	37	55
25		Negro--Male	9,842	30	6	6	2	3	47	10	7	18
26		Female	10,952	31	4	2	1	2	40	5	8	14
27		Other--Male	347	2	1	-	-	-	3	-	-	1
28		Female	167	3	-	-	-	-	3	1	-	-
29	330	Subarachnoid hemorrhage	5,092	64	5	7	2	6	84	24	50	71
30		White--Male	2,043	23	3	3	1	3	33	10	27	26
31		Female	2,192	21	2	1	1	2	27	7	15	29
32		Negro--Male	354	7	-	2	-	1	10	3	4	8
33		Female	469	9	-	1	-	-	10	3	4	7
34		Other--Male	18	1	-	-	-	-	1	-	-	1
35		Female	16	3	-	-	-	-	3	1	-	-
36	331	Cerebral hemorrhage	110,104	90	15	11	5	4	125	26	39	54
37		White--Male	45,814	34	6	5	4	1	50	9	22	23
38		Female	49,764	29	7	4	1	1	42	14	15	18
39		Negro--Male	6,610	15	-	2	-	1	18	2	1	8
40		Female	7,566	11	1	-	-	1	13	1	1	5
41		Other--Male	221	1	1	-	-	-	2	-	-	-
42		Female	109	-	-	-	-	-	-	-	-	-
43	332	Cerebral embolism and thrombosis	41,131	30	4	1	3	-	38	8	5	7
44		White--Male	18,801	10	-	1	2	-	13	5	3	1
45		Female	18,911	9	2	-	1	-	12	2	2	5
46		Negro--Male	1,671	4	2	-	-	-	6	1	-	1
47		Female	1,643	7	-	-	-	-	7	-	-	-
48		Other--Male	80	-	-	-	-	-	-	-	-	-
49		Female	25	-	-	-	-	-	-	-	-	-
50	333,334	Other vascular lesions affecting central nervous system	17,815	28	30	18	15	10	101	42	15	16
51		White--Male	7,445	15	13	11	9	2	50	21	5	10
52		Female	7,844	5	10	4	3	6	28	16	5	3
53		Negro--Male	1,207	4	4	2	2	1	13	4	2	1
54		Female	1,274	4	3	1	1	1	10	1	3	2
55		Other--Male	28	-	-	-	-	-	-	-	-	-
56		Female	17	-	-	-	-	-	-	-	-	-
57	340	Meningitis, except meningococcal and tuberculous	1,873	676	170	104	58	29	1,037	80	50	32
58		White--Male	806	278	62	57	26	17	440	39	18	15
59		Female	533	180	66	27	18	7	298	30	15	7
60		Negro--Male	275	121	18	6	6	1	152	5	9	7
61		Female	219	76	21	12	7	3	119	4	7	3
62		Other--Male	19	10	2	1	1	-	14	-	-	-
63		Female	21	11	1	1	-	1	14	2	1	-
64	345	Multiple sclerosis	1,409	-	-	-	1	-	1	1	1	5
65		White--Male	602	-	-	-	-	-	-	1	1	2
66		Female	741	-	-	-	-	-	-	-	-	3
67		Negro--Male	35	-	-	-	-	-	-	-	-	-
68		Female	28	-	-	-	1	-	1	-	-	-
69		Other--Male	2	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	350	Paralysis agitans	2,565	-	-	-	-	-	-	1	-	-
72		White--Male	1,374	-	-	-	-	-	-	1	-	-
73		Female	1,122	-	-	-	-	-	-	-	-	-
74		Negro--Male	43	-	-	-	-	-	-	-	-	-
75		Female	23	-	-	-	-	-	-	-	-	-
76		Other--Male	1	-	-	-	-	-	-	-	-	-
77		Female	2	-	-	-	-	-	-	-	-	-
78	351	Cerebral spastic infantile paralysis	645	48	55	49	38	35	225	124	85	56
79		White--Male	347	27	32	25	16	13	113	61	53	34
80		Female	221	16	14	16	15	15	76	48	24	17
81		Negro--Male	42	4	3	5	2	6	20	9	3	3
82		Female	32	1	5	1	5	1	13	6	5	2
83		Other--Male	3	-	1	2	-	-	3	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	7	5	1	2	1	3	1	1	2	-	-	-	1	-	-	-	1	1
1	2	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	2
1	4	-	-	1	-	2	-	1	1	-	-	-	1	-	-	-	-	3
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
10	10	10	18	5	6	12	7	12	6	8	6	5	3	-	1	-	1	8
1	3	3	6	1	1	7	2	6	4	2	1	2	-	-	-	-	-	9
3	-	4	7	2	4	4	5	5	1	5	4	3	2	-	-	-	-	10
4	2	2	3	1	1	-	-	1	1	-	-	-	-	-	-	-	1	11
2	4	1	1	1	-	-	-	-	-	1	1	-	1	-	1	-	-	12
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
586	802	1,222	1,891	3,077	4,698	7,356	10,329	15,435	22,800	29,163	32,099	28,490	17,617	6,367	1,389	264	170	15
231	328	467	656	1,041	1,775	2,752	4,312	6,994	10,507	13,539	14,482	11,969	7,023	2,250	436	61	49	16
207	279	407	575	1,065	1,541	2,487	3,424	5,505	8,950	12,726	15,564	15,145	9,861	3,777	839	118	54	17
67	93	162	307	468	608	914	1,245	1,415	1,600	1,384	964	670	321	138	48	21	31	18
77	96	175	340	489	750	1,165	1,297	1,456	1,668	1,424	1,018	660	391	188	62	63	34	19
2	2	6	7	8	15	24	36	36	57	65	49	36	11	9	3	1	-	20
2	4	5	6	6	9	14	15	29	18	25	22	10	10	5	1	-	2	21
242	418	770	1,352	2,422	4,001	6,573	9,422	14,388	21,559	27,969	31,084	27,848	17,328	6,280	1,371	260	150	22
80	170	266	416	751	1,433	2,386	3,839	6,442	9,838	12,904	13,964	11,673	6,890	2,211	431	60	41	23
96	128	253	391	808	1,296	2,182	3,116	5,100	8,488	12,225	15,127	14,827	9,720	3,738	830	116	50	24
25	51	105	239	398	538	855	1,176	1,356	1,537	1,352	933	652	313	134	46	21	29	25
39	65	142	298	456	713	1,114	1,242	1,427	1,625	1,401	995	650	384	183	60	62	29	26
1	1	3	3	5	13	22	34	36	55	64	46	36	11	9	3	1	-	27
1	3	1	5	4	8	14	15	27	16	23	19	10	10	5	1	-	1	28
121	211	316	459	573	575	593	466	421	382	324	225	122	47	20	5	-	3	29
42	98	120	165	196	234	224	199	194	174	122	104	44	24	4	2	-	1	30
51	66	120	171	260	244	269	195	170	169	177	111	71	23	12	3	-	2	31
8	18	33	49	46	37	45	31	23	19	10	4	5	-	1	-	-	-	32
18	28	41	73	67	55	49	41	32	17	15	5	2	-	2	-	-	-	33
1	-	1	-	4	3	3	-	2	1	-	-	-	-	1	-	-	-	34
1	1	1	1	-	2	3	-	-	2	-	1	-	-	-	-	-	-	35
90	157	361	734	1,495	2,765	4,670	6,588	9,762	14,184	18,016	19,605	16,867	10,008	3,569	718	157	114	36
27	53	119	193	447	938	1,662	2,605	4,188	6,279	8,152	8,652	6,937	3,906	1,247	240	32	33	37
36	44	103	185	459	889	1,559	2,233	3,580	5,708	7,971	9,627	9,044	5,653	2,101	408	62	33	38
12	27	60	158	271	407	604	817	901	1,024	920	584	436	203	92	28	16	21	39
15	30	78	193	315	516	822	891	1,040	1,132	924	700	418	235	124	40	46	27	40
-	1	1	3	-	9	14	28	30	30	35	31	24	7	4	1	1	-	41
-	2	-	2	3	6	9	14	23	11	14	11	8	4	1	1	-	-	42
16	24	40	77	210	414	879	1,651	3,065	5,069	6,934	7,978	7,410	4,939	1,839	449	59	20	43
6	13	16	31	70	189	376	788	1,598	2,539	3,392	3,740	3,209	2,012	645	131	18	6	44
5	5	13	19	55	115	247	483	981	1,938	2,987	3,871	3,933	2,769	1,135	293	33	8	45
4	2	4	14	45	48	111	190	277	300	268	190	117	55	25	8	1	4	46
1	4	6	11	38	62	140	183	204	273	258	161	143	97	31	16	7	1	47
-	-	1	-	1	-	5	6	4	17	22	11	7	4	1	1	-	-	48
-	-	-	2	1	-	-	1	1	2	7	5	1	2	2	-	-	1	49
15	26	53	82	144	247	431	717	1,140	1,924	2,695	3,276	3,449	2,334	852	199	44	13	50
5	6	11	27	38	72	124	247	462	846	1,238	1,468	1,483	948	315	58	10	1	51
4	13	17	16	34	48	107	205	369	673	1,090	1,518	1,779	1,275	490	126	21	7	52
1	4	8	18	36	46	95	138	155	194	154	155	94	55	16	10	4	4	53
5	3	17	21	36	80	103	127	151	203	204	129	87	52	26	4	9	1	54
-	-	-	-	-	1	-	-	-	7	7	4	5	-	3	1	-	-	55
-	-	-	-	-	-	2	-	3	1	2	2	1	4	2	-	-	-	56
25	28	34	51	52	63	64	80	67	93	36	44	21	8	5	-	-	3	57
11	9	15	18	21	25	26	41	31	44	13	23	8	3	3	-	-	3	58
6	13	12	12	14	8	20	14	15	31	13	12	10	2	1	-	-	-	59
5	2	2	11	10	21	5	11	9	12	7	2	2	3	-	-	-	-	60
2	4	4	9	6	8	12	14	12	5	2	6	1	-	1	-	-	-	61
1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	62
-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	63
16	39	73	101	172	187	177	147	155	142	93	58	29	9	2	-	-	1	64
2	13	23	36	61	71	78	71	80	79	36	25	20	2	1	-	-	-	65
11	24	41	58	104	106	91	70	69	60	55	32	8	7	1	-	-	1	66
-	1	6	4	3	4	7	2	3	3	1	-	1	-	-	-	-	-	67
3	1	3	3	3	6	1	3	2	-	1	1	-	-	-	-	-	-	68
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
2	1	2	13	17	25	79	131	294	436	614	515	310	93	28	2	-	2	71
-	1	1	8	10	16	37	69	155	254	337	285	134	50	12	2	-	2	72
1	-	-	3	6	8	34	51	128	172	270	220	171	42	16	-	-	-	73
-	-	-	1	1	-	5	8	7	7	5	7	2	-	-	-	-	-	74
1	-	1	1	-	1	3	3	4	2	2	1	3	1	-	-	-	-	75
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	77
33	25	20	22	13	8	8	3	5	3	5	5	2	3	-	-	-	-	78
17	14	12	16	7	6	4	-	2	3	3	-	1	1	-	-	-	-	79
10	8	7	6	5	2	3	2	3	-	2	5	1	2	-	-	-	-	80
4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	81
2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

420487 O -57 -6

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	353	Epilepsy	2,143	40	26	22	14	16	118	97	91	146
2		White--Male	973	17	9	6	5	7	44	39	44	79
3		Female	688	14	13	9	8	4	48	36	29	36
4		Negro--Male	305	7	2	5	-	3	17	11	10	19
5		Female	162	1	2	2	1	2	8	10	6	12
6		Other--Male	5	-	-	-	-	-	-	-	-	-
7		Female	10	1	-	-	-	-	1	1	2	-
8	370-379	Inflammatory diseases of eye	8	-	-	-	-	-	-	-	-	2
9		White--Male	4	-	-	-	-	-	-	-	-	-
10		Female	2	-	-	-	-	-	-	-	-	1
11		Negro--Male	2	-	-	-	-	-	-	-	-	1
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	385	Cataract	77	-	-	-	-	-	-	-	-	-
16		White--Male	33	-	-	-	-	-	-	-	-	-
17		Female	34	-	-	-	-	-	-	-	-	-
18		Negro--Male	2	-	-	-	-	-	-	-	-	-
19		Female	8	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	387	Glaucoma	9	-	-	-	-	-	-	-	-	-
23		White--Male	4	-	-	-	-	-	-	-	-	-
24		Female	3	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	2	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	391-393	Otitis media and mastoiditis	468	158	22	20	8	5	213	18	20	17
30		White--Male	222	61	11	10	3	2	87	7	11	10
31		Female	151	42	7	7	4	1	61	8	8	4
32		Negro--Male	44	27	3	1	1	1	33	2	-	-
33		Female	41	24	-	-	-	-	24	1	1	2
34		Other--Male	3	-	1	1	-	-	2	-	-	-
35		Female	7	4	-	1	-	1	6	-	-	1
36	Residual[1]	Other diseases of nervous system and sense organs	4,554	367	155	75	66	42	705	141	89	78
37		White--Male	2,267	152	64	31	33	21	301	71	48	36
38		Female	1,673	132	64	30	28	19	273	51	33	29
39		Negro--Male	342	46	10	6	4	2	68	14	4	7
40		Female	246	32	14	8	1	-	55	5	3	6
41		Other--Male	16	4	1	-	-	-	5	-	1	-
42		Female	10	1	2	-	-	-	3	-	-	-
43		VII. Diseases of the circulatory system	641,390	327	109	62	39	48	585	234	371	524
44		White--Male	343,664	136	33	26	13	19	227	96	129	214
45		Female	240,755	102	36	17	13	15	183	78	139	170
46		Negro--Male	29,541	39	17	14	5	8	83	31	38	69
47		Female	25,864	46	22	5	8	6	87	26	59	66
48		Other--Male	1,163	2	-	-	-	-	2	2	4	2
49		Female	403	2	1	-	-	-	3	1	2	3
50	400-402	Rheumatic fever	1,131	9	4	11	7	20	51	115	189	68
51		White--Male	490	5	3	3	3	7	21	43	64	33
52		Female	406	1	-	1	1	6	9	34	68	18
53		Negro--Male	112	2	-	4	1	5	12	19	21	9
54		Female	116	1	1	3	2	2	9	18	33	8
55		Other--Male	4	-	-	-	-	-	-	-	2	-
56		Female	3	-	-	-	-	-	-	1	1	-
57	410-443	Diseases of heart	584,620	267	99	42	30	26	464	103	143	374
58		White--Male	317,096	106	28	16	10	10	170	45	52	156
59		Female	216,726	88	33	14	11	9	155	37	51	116
60		Negro--Male	26,408	29	17	10	4	3	63	11	16	53
61		Female	22,969	40	20	2	5	4	71	8	21	45
62		Other--Male	1,062	2	-	-	-	-	2	2	2	2
63		Female	359	2	1	-	-	-	3	-	1	2
64	410-416	Chronic rheumatic heart disease	18,626	7	2	3	-	2	14	12	46	217
65		White--Male	8,427	-	1	1	-	-	2	3	14	80
66		Female	8,643	6	-	2	-	-	8	6	17	74
67		Negro--Male	710	1	-	-	-	1	2	-	4	31
68		Female	790	-	1	-	-	1	2	3	9	30
69		Other--Male	32	-	-	-	-	-	-	-	1	2
70		Female	24	-	-	-	-	-	-	-	1	-
71	410	Diseases of mitral valve	7,047	7	-	2	-	2	11	5	14	62
72		White--Male	2,980	-	-	-	-	-	-	2	2	19
73		Female	3,442	6	-	2	-	-	8	2	7	25
74		Negro--Male	288	1	-	-	-	1	2	-	-	11
75		Female	307	-	-	-	-	1	1	1	4	6
76		Other--Male	17	-	-	-	-	-	-	-	1	1
77		Female	13	-	-	-	-	-	-	-	-	-
78	411	Diseases of aortic valve specified as rheumatic	1,380	-	-	-	-	-	-	-	2	9
79		White--Male	970	-	-	-	-	-	-	-	2	3
80		Female	339	-	-	-	-	-	-	-	-	5
81		Negro--Male	42	-	-	-	-	-	-	-	-	1
82		Female	25	-	-	-	-	-	-	-	-	-
83		Other--Male	3	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-

[1]For complete category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
164	183	205	190	203	164	135	121	91	88	52	42	30	17	-	-	-	6	1
71	65	95	86	98	83	65	60	36	40	29	21	10	7	-	-	-	1	2
49	74	58	57	60	50	42	32	35	22	19	15	17	8	-	-	-	1	3
23	23	33	33	31	24	15	18	17	18	1	5	3	2	-	-	-	2	4
20	20	15	12	13	5	13	11	3	8	3	1	-	-	-	-	-	2	5
-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	1	-	-	-	-	1	-	2	-	-	1	1	-	-	-	8
-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	9
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	1	1	1	3	5	10	11	11	17	7	7	3	-	-	-	15
-	-	-	-	1	-	1	2	6	3	4	4	4	5	3	-	-	-	16
-	-	-	-	-	1	1	2	3	7	6	10	3	1	-	-	-	-	17
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	18
-	-	-	1	-	-	1	1	-	1	1	3	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	1	2	-	3	2	1	-	-	-	-	22
-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
13	12	8	19	12	15	9	25	23	20	8	13	11	9	1	1	-	1	29
10	8	4	9	8	8	5	13	14	12	4	7	2	1	-	1	-	1	30
2	2	3	5	3	5	2	8	9	5	4	6	9	7	-	-	-	-	31
-	1	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	32
1	1	-	1	-	-	2	3	-	3	-	-	-	1	1	-	-	-	33
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
91	96	110	141	185	234	308	395	400	446	373	318	230	141	47	15	4	7	36
40	48	51	66	84	133	150	217	227	234	207	151	116	63	20	2	1	1	37
32	30	33	43	65	65	112	129	142	164	132	137	98	71	21	9	2	2	38
10	14	15	16	23	19	27	28	22	23	18	17	10	2	3	2	-	-	39
9	3	9	15	11	17	18	20	8	23	14	10	6	5	3	2	1	3	40
-	-	1	1	2	-	1	1	-	1	1	2	-	-	-	-	-	-	41
-	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	42
885	1,576	3,137	6,393	12,640	21,428	33,067	47,674	65,713	85,871	96,238	97,827	84,407	54,534	21,509	5,423	840	514	43
331	697	1,531	3,617	7,686	13,761	21,178	30,463	40,656	49,692	52,333	48,936	38,811	22,910	8,122	1,829	207	238	44
312	462	761	1,267	2,311	3,887	6,320	10,779	17,924	28,094	36,904	43,556	41,845	29,566	12,401	3,250	388	158	45
101	185	380	747	1,412	2,030	2,995	3,478	3,859	4,255	3,672	2,710	1,859	962	399	127	84	65	46
135	223	453	738	1,189	1,685	2,445	2,816	3,073	3,607	3,101	2,424	1,755	1,025	549	203	156	49	47
5	3	5	15	27	55	97	111	155	174	178	144	90	55	26	9	1	3	48
1	6	7	9	15	10	32	27	46	49	50	57	47	16	12	5	4	1	49
56	48	58	68	76	77	58	63	59	51	33	38	14	7	2	-	-	-	50
16	21	22	32	38	40	24	33	39	23	15	18	4	4	-	-	-	-	51
26	17	24	24	27	28	23	23	16	23	14	20	8	3	1	-	-	-	52
5	4	6	6	3	6	8	5	3	2	1	-	2	-	-	-	-	-	53
9	6	6	6	6	3	3	2	-	3	3	-	-	-	1	-	-	-	54
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
681	1,312	2,699	5,702	11,757	20,233	31,408	45,306	62,351	80,868	89,332	88,765	74,261	46,252	17,316	4,209	609	475	57
274	608	1,411	3,405	7,383	13,215	20,375	29,205	38,835	47,046	48,721	44,485	34,104	19,357	6,480	1,403	145	221	58
224	366	626	1,093	2,082	3,625	5,903	10,150	16,962	26,426	34,328	39,538	36,899	25,146	10,033	2,533	281	152	59
73	162	304	614	1,229	1,822	2,742	3,228	3,550	3,874	3,270	2,415	1,622	807	327	106	63	57	60
104	168	348	569	1,023	1,510	2,268	2,596	2,816	3,313	2,809	2,142	1,512	884	449	156	116	41	61
5	2	4	15	26	52	90	105	146	164	159	130	83	45	17	7	1	3	62
1	6	6	6	14	9	30	22	42	45	45	55	41	13	10	4	3	1	63
319	528	789	1,083	1,490	1,920	2,049	2,221	2,098	1,908	1,479	1,092	756	429	144	23	3	6	64
117	223	344	515	676	870	933	1,036	1,039	887	687	495	297	169	31	6	2	1	65
136	224	351	436	655	876	952	1,035	947	891	713	541	425	237	97	16	1	5	66
26	28	35	66	71	80	78	75	61	61	40	22	17	10	3	-	-	-	67
39	51	58	64	81	90	77	73	46	60	37	29	15	13	12	1	-	-	68
1	-	-	1	3	3	5	2	3	7	-	2	2	-	-	-	-	-	69
-	2	1	1	4	1	4	-	2	2	2	3	-	-	1	-	-	-	70
97	203	303	369	527	651	682	722	706	697	645	544	416	270	104	16	2	1	71
25	83	126	157	212	276	269	302	328	325	300	244	173	109	23	4	1	-	72
58	94	150	178	270	322	353	351	320	308	295	264	215	142	67	11	1	1	73
8	6	10	19	22	22	30	35	26	32	25	14	15	9	2	-	-	-	74
6	18	17	14	21	30	26	32	29	25	24	20	11	10	11	1	-	-	75
-	-	-	-	-	1	2	2	2	5	-	1	2	-	-	-	-	-	76
-	2	-	1	2	-	2	-	1	2	1	1	-	-	1	-	-	-	77
19	35	52	87	116	156	154	191	204	154	107	50	30	14	-	-	-	-	78
11	24	39	64	96	115	109	137	150	94	74	31	13	8	-	-	-	-	79
3	7	10	15	16	32	35	50	46	52	31	14	17	6	-	-	-	-	80
3	3	2	4	2	5	6	3	5	4	2	2	-	-	-	-	-	-	81
2	1	1	3	2	4	4	1	2	3	-	2	-	-	-	-	-	-	82
-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Chronic rheumatic heart disease—Continued										
1	412	Diseases of tricuspid valve	22	-	1	-	-	-	1	-	-	1
2		White--Male	11	-	1	-	-	-	1	-	-	-
3		Female	10	-	-	-	-	-	-	-	-	1
4		Negro--Male	-	-	-	-		-	-	-	-	-
5		Female	1	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	413,414	Diseases of pulmonary valve, etc.*, specified as rheumatic	1,065	-	1	-	-	-	1	2	8	17
9		White--Male	498	-	-	-	-	-	-	-	5	6
10		Female	489	-	-	-	-	-	-	1	1	7
11		Negro--Male	35	-	-	-	-	-	-	-	-	-
12		Female	40	-	1	-	-	-	1	1	2	4
13		Other--Male	2	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	415,416	Other diseases of heart specified as rheumatic	9,112	-	-	1	-	-	1	5	22	128
16		White--Male	3,968	-	-	1	-	-	1	1	5	52
17		Female	4,363	-	-	-	-	-	-	3	9	36
18		Negro--Male	345	-	-	-	-	-	-	-	4	19
19		Female	417	-	-	-	-	-	-	1	3	20
20		Other--Male	10	-	-	-	-	-	-	-	-	1
21		Female	9	-	-	-	-	-	-	-	1	-
22	420	Arteriosclerotic heart disease, including coronary disease	405,830	47	7	5	5	3	67	18	17	57
23		White--Male	242,246	18	-	1	2	1	22	8	5	29
24		Female	139,385	12	5	4	2	1	24	7	8	10
25		Negro--Male	13,353	5	2	-	1	1	9	2	2	10
26		Female	9,947	11	-	-	-	-	11	1	2	8
27		Other--Male	719	-	-	-	-	-	-	-	-	-
28		Female	180	1	-	-	-	-	1	-	-	-
29	420.0	Arteriosclerotic heart disease so described	156,593	13	1	2	3	-	19	2	3	5
30		White--Male	79,820	3	-	-	2	-	5	1	2	4
31		Female	67,152	7	1	2	1	-	11	-	1	-
32		Negro--Male	4,987	-	-	-	-	-	-	1	-	-
33		Female	4,303	2	-	-	-	-	2	-	-	1
34		Other--Male	253	-	-	-	-	-	-	-	-	-
35		Female	78	1	-	-	-	-	1	-	-	-
36	420.1	Heart disease specified as involving coronary arteries	248,208	34	6	3	2	3	48	16	13	52
37		White--Male	161,837	15	-	1	-	1	17	7	3	25
38		Female	71,924	5	4	2	1	1	13	7	7	10
39		Negro--Male	8,294	5	2	-	1	1	9	1	1	10
40		Female	5,585	9	-	-	-	-	9	1	2	7
41		Other--Male	466	-	-	-	-	-	-	-	-	-
42		Female	102	-	-	-	-	-	-	-	-	-
43	420.2	Angina pectoris without mention of coronary disease	1,029	-	-	-	-	-	-	-	1	-
44		White--Male	589	-	-	-	-	-	-	-	-	-
45		Female	309	-	-	-	-	-	-	-	-	-
46		Negro--Male	72	-	-	-	-	-	-	-	1	-
47		Female	59	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	421	Chronic endocarditis not specified as rheumatic	6,935	28	16	6	6	3	59	4	4	8
51		White--Male	3,288	12	7	3	2	2	26	2	4	1
52		Female	2,684	14	3	2	2	-	21	1	-	4
53		Negro--Male	500	1	2	-	1	-	4	1	-	1
54		Female	449	1	4	1	1	1	8	-	-	1
55		Other--Male	7	-	-	-	-	-	-	-	-	-
56		Female	7	-	-	-	-	-	-	-	-	1
57	421.0	Of mitral valve, specified as nonrheumatic	617	-	-	-	1	-	1	-	-	-
58		White--Male	281	-	-	-	-	-	-	-	-	-
59		Female	242	-	-	-	1	-	1	-	-	-
60		Negro--Male	43	-	-	-	-	-	-	-	-	-
61		Female	48	-	-	-	-	-	-	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	421.1	Of aortic valve, not specified as rheumatic	1,936	2	1	-	-	-	3	-	3	2
65		White--Male	1,127	1	1	-	-	-	2	-	3	1
66		Female	525	1	-	-	-	-	1	-	-	1
67		Negro--Male	166	-	-	-	-	-	-	-	-	-
68		Female	113	-	-	-	-	-	-	-	-	-
69		Other--Male	2	-	-	-	-	-	-	-	-	-
70		Female	3	-	-	-	-	-	-	-	-	-
71	421.2-421.4	Of other valves, not specified as rheumatic	4,392	26	15	6	5	3	55	4	1	6
72		White--Male	1,880	11	6	3	2	2	24	2	1	-
73		Female	1,917	13	3	2	1	-	19	1	-	3
74		Negro--Male	291	1	2	-	1	-	4	1	-	1
75		Female	288	1	4	1	1	1	8	-	-	1
76		Other--Male	4	-	-	-	-	-	-	-	-	-
77		Female	2	-	-	-	-	-	-	-	-	1
78	422	Other myocardial degeneration	58,687	43	10	7	3	3	66	19	12	20
79		White--Male	26,275	15	3	4	1	-	23	10	7	11
80		Female	26,545	15	3	1	1	2	22	6	1	4
81		Negro--Male	3,015	6	1	2	1	-	10	2	2	2
82		Female	2,719	7	3	-	-	1	11	1	2	3
83		Other--Male	86	-	-	-	-	-	-	-	-	-
84		Female	47	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	-	-	-	1	1	6	3	3	1	1	1	1	-	-	1	-	-	1
1	-	-	-	-	1	1	1	2	1	1	1	1	-	-	-	-	-	2
-	-	-	-	1	-	5	1	1	-	-	-	-	-	-	1	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
21	38	34	59	85	98	115	127	136	113	74	65	46	19	7	-	-	-	8
11	15	9	34	42	46	54	64	68	50	33	30	20	10	1	-	-	-	9
8	16	18	24	37	44	55	59	63	51	36	32	23	9	5	-	-	-	10
-	3	-	1	1	7	4	3	5	5	5	1	-	-	-	-	-	-	11
2	4	7	-	4	1	1	1	-	7	-	1	3	-	1	-	-	-	12
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	14
181	252	400	568	761	1,014	1,092	1,178	1,049	943	652	432	263	126	33	6	1	5	15
69	101	170	260	326	432	500	532	491	417	279	189	90	42	7	2	1	1	16
67	107	173	219	331	478	504	574	517	480	351	231	170	80	25	4	-	4	17
15	16	23	42	46	46	38	34	25	20	8	5	2	1	1	-	-	-	18
29	28	33	47	54	55	46	38	15	25	13	6	1	3	-	-	-	-	19
1	-	-	-	2	2	2	-	1	1	-	-	-	-	-	-	-	-	20
-	-	1	-	2	1	2	-	-	-	1	1	-	-	-	-	-	-	21
151	440	1,238	3,340	7,720	14,221	22,823	33,524	46,648	59,610	64,287	61,032	48,375	28,696	10,426	2,485	330	325	22
73	265	858	2,487	5,833	10,828	16,928	24,147	31,753	37,524	37,524	32,538	23,536	12,649	4,086	888	90	175	23
29	59	144	390	922	1,822	3,426	6,448	11,647	18,492	23,635	26,166	23,255	15,217	5,961	1,468	161	94	24
18	63	113	265	592	942	1,437	1,733	1,864	2,000	1,663	1,198	801	365	164	50	28	34	25
28	52	118	185	355	586	964	1,123	1,263	1,454	1,318	1,011	706	424	197	72	48	21	26
2	1	2	10	16	38	57	65	99	114	118	91	54	34	12	4	1	1	27
1	-	3	3	2	5	11	8	22	26	29	28	23	7	6	3	2	-	28
6	22	98	259	781	1,860	4,043	7,409	13,320	20,373	26,434	28,987	26,485	17,522	6,912	1,720	225	108	29
3	11	68	171	536	1,272	2,673	4,771	8,059	11,475	14,143	14,268	11,919	7,170	2,577	576	64	52	30
3	4	9	41	102	276	746	1,788	3,980	7,294	10,700	13,477	13,593	9,828	4,092	1,059	113	35	31
-	1	9	33	79	178	332	497	721	831	832	604	480	237	93	32	17	10	32
-	6	12	9	61	124	282	340	529	718	693	580	454	265	140	48	29	10	33
-	-	-	5	3	10	9	9	26	43	50	44	25	19	5	3	1	1	34
-	-	-	-	-	-	1	4	5	12	16	14	14	3	5	2	1	-	35
143	415	1,136	3,067	6,916	12,322	18,713	26,023	33,214	39,082	37,698	31,874	21,778	11,117	3,496	763	105	217	36
69	253	788	2,311	5,284	9,533	14,211	19,315	23,626	25,951	23,299	18,170	11,563	5,449	1,503	311	26	123	37
26	55	135	347	817	1,542	2,671	4,647	7,641	11,158	12,875	12,628	9,609	5,364	1,857	408	48	59	38
18	61	104	230	506	757	1,097	1,228	1,131	1,160	821	589	319	128	71	18	11	24	39
27	45	104	171	294	457	676	773	726	728	622	426	249	157	57	24	19	11	40
2	1	2	5	13	28	48	56	73	71	68	47	29	15	7	1	-	-	41
1	-	3	3	2	5	10	4	17	14	13	14	9	4	1	1	1	-	42
2	3	4	14	23	39	67	92	114	155	155	171	112	57	18	2	-	-	43
1	1	2	5	13	23	44	61	68	98	82	100	54	30	6	1	-	-	44
-	-	-	2	3	4	9	13	26	40	60	61	53	25	12	1	-	-	45
-	1	-	2	7	7	8	8	12	9	10	5	2	-	-	-	-	-	46
1	1	2	5	-	5	6	10	8	8	3	5	3	2	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
18	28	52	72	150	203	351	457	637	849	988	1,107	987	653	234	57	8	9	50
9	13	29	30	79	102	191	254	313	439	490	534	438	241	78	13	-	2	51
8	12	11	21	33	44	57	103	192	277	373	487	487	385	129	36	-	3	52
-	1	4	12	17	28	57	56	75	72	70	40	28	15	11	2	4	2	53
1	2	8	9	20	27	44	44	55	59	54	45	32	12	16	6	4	2	54
-	-	-	-	1	1	1	-	-	1	1	1	1	-	-	-	-	-	55
-	-	-	-	-	1	1	-	2	1	-	-	1	-	-	-	-	-	56
-	4	6	4	12	13	20	29	58	77	75	106	111	57	30	12	1	1	57
-	1	4	3	8	5	10	15	23	34	34	50	50	27	16	1	-	-	58
-	3	-	-	1	5	4	7	18	29	27	46	55	27	9	10	-	-	59
-	-	-	1	-	-	2	4	8	8	5	3	4	2	3	1	1	1	60
-	-	2	-	3	3	4	3	8	5	8	7	2	1	2	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	63
9	6	13	30	57	82	154	190	242	286	284	247	176	97	48	4	2	1	64
6	4	8	18	39	55	95	126	142	166	164	141	101	38	15	3	-	-	65
3	1	1	4	4	7	18	27	59	80	91	91	60	52	23	1	-	1	66
-	-	2	3	7	10	28	26	26	23	20	8	5	3	5	-	-	-	67
-	1	2	5	6	10	11	11	14	17	9	7	9	4	5	-	2	-	68
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	70
9	18	33	38	81	108	177	238	337	486	629	754	700	499	156	41	5	7	71
3	8	17	9	32	42	86	113	148	239	292	343	287	176	47	9	-	2	72
5	8	10	17	28	32	35	69	115	168	255	350	372	306	97	25	-	2	73
-	1	2	8	10	18	27	26	41	41	45	29	19	10	3	1	3	1	74
1	1	4	4	11	14	29	30	33	37	37	31	21	7	9	6	2	2	75
-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	76
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	77
51	74	139	244	481	817	1,374	2,143	3,359	5,658	8,042	10,474	11,614	8,945	3,922	1,036	160	37	78
24	24	40	84	196	351	602	1,017	1,645	2,808	4,015	4,880	5,109	3,626	1,419	336	36	12	79
16	17	27	59	98	199	312	580	1,057	1,974	3,231	4,911	5,952	4,977	2,360	640	83	19	80
5	19	32	54	99	125	222	295	342	458	423	374	289	167	51	27	15	2	81
4	13	40	46	87	142	226	236	299	400	361	279	255	165	87	33	25	4	82
2	-	-	-	1	-	9	9	13	10	9	19	6	6	2	-	-	-	83
-	1	-	1	-	-	3	6	3	8	3	11	3	4	3	-	1	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other myocardial degeneration—Continued										
1	422.1	With arteriosclerosis	34,372	5	-	-	-	1	6	2	1	1
2		White--Male	15,224	2	-	-	-	-	2	1	1	-
3		Female	16,207	1	-	-	-	-	1	-	-	1
4		Negro--Male	1,521	1	-	-	-	-	1	-	-	-
5		Female	1,356	1	-	-	-	1	2	1	-	-
6		Other--Male	46	-	-	-	-	-	-	-	-	-
7		Female	18	-	-	-	-	-	-	-	-	-
8	422.0,422.2	Without mention of arteriosclerosis	24,315	38	10	7	3	2	60	17	11	19
9		White--Male	11,051	13	3	4	1	-	21	9	6	11
10		Female	10,338	14	3	1	1	2	21	6	1	3
11		Negro--Male	1,494	5	1	2	1	-	9	2	2	2
12		Female	1,363	6	3	-	-	-	9	-	2	3
13		Other--Male	40	-	-	-	-	-	-	-	-	-
14		Female	29	-	-	-	-	-	-	-	-	-
15	430-434	Other diseases of heart	20,659	141	62	21	16	15	255	46	58	68
16		White--Male	10,506	61	17	7	5	7	97	20	20	34
17		Female	6,590	41	20	5	6	6	78	16	21	23
18		Negro--Male	1,985	16	12	8	1	1	38	5	8	8
19		Female	1,471	20	12	1	4	1	38	3	8	2
20		Other--Male	75	2	-	-	-	-	2	2	1	-
21		Female	32	1	1	-	-	-	2	-	-	1
22	430	Acute and subacute endocarditis	786	7	4	1	-	4	16	10	10	18
23		White--Male	424	2	3	1	-	1	7	3	4	9
24		Female	245	4	-	-	-	1	5	4	3	7
25		Negro--Male	64	1	-	-	-	1	2	2	-	1
26		Female	45	-	-	-	-	1	1	-	3	-
27		Other--Male	3	-	-	-	-	-	-	1	-	-
28		Female	5	-	1	-	-	-	1	-	-	1
29	431	Acute myocarditis not specified as rheumatic	1,308	18	12	1	3	4	38	7	7	9
30		White--Male	577	7	3	-	1	4	15	2	2	5
31		Female	463	4	6	1	1	-	12	3	3	2
32		Negro--Male	130	3	-	-	-	-	3	1	1	-
33		Female	131	2	3	-	1	-	6	1	-	2
34		Other--Male	4	1	-	-	-	-	1	-	1	-
35		Female	3	1	-	-	-	-	1	-	-	-
36	432	Acute pericarditis specified as nonrheumatic	59	4	2	1	-	1	8	-	1	1
37		White--Male	29	1	-	1	-	-	2	-	-	-
38		Female	17	2	1	-	-	1	4	-	1	1
39		Negro--Male	5	-	1	-	-	-	1	-	-	-
40		Female	8	1	-	-	-	-	1	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	433	Functional disease of heart	2,359	17	2	1	-	2	22	2	6	7
44		White--Male	1,170	10	1	-	-	1	12	2	2	4
45		Female	995	2	1	-	-	1	4	-	2	2
46		Negro--Male	110	2	-	1	-	-	3	-	1	1
47		Female	76	3	-	-	-	-	3	-	1	-
48		Other--Male	5	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	-
50	434	Other and unspecified diseases of heart	16,147	95	42	17	13	4	171	27	34	33
51		White--Male	8,306	41	10	5	4	1	61	13	12	16
52		Female	4,870	29	12	4	5	3	53	9	12	11
53		Negro--Male	1,676	10	11	7	1	-	29	2	6	6
54		Female	1,211	14	9	1	3	-	27	2	4	-
55		Other--Male	63	1	-	-	-	-	1	1	-	-
56		Female	21	-	-	-	-	-	-	-	-	-
57	440-443	Hypertension with heart disease	73,883	1	2	-	-	-	3	4	6	4
58		White--Male	26,354	-	-	-	-	-	-	2	2	1
59		Female	32,879	-	2	-	-	-	2	1	4	1
60		Negro--Male	6,845	-	-	-	-	-	-	1	-	1
61		Female	7,593	1	-	-	-	-	1	-	-	1
62		Other--Male	143	-	-	-	-	-	-	-	-	-
63		Female	69	-	-	-	-	-	-	-	-	-
64	442	Hypertensive heart disease with arteriolar nephrosclerosis	19,852	1	1	-	-	-	2	3	2	2
65		White--Male	8,119	-	-	-	-	-	-	1	1	1
66		Female	8,170	-	1	-	-	-	1	1	1	1
67		Negro--Male	1,865	-	-	-	-	-	-	1	-	-
68		Female	1,658	1	-	-	-	-	1	-	-	-
69		Other--Male	21	-	-	-	-	-	-	-	-	-
70		Female	19	-	-	-	-	-	-	-	-	-
71	440,441,443	Essential hypertension with heart disease, etc.*	54,031	-	1	-	-	-	1	1	4	2
72		White--Male	18,235	-	-	-	-	-	-	1	1	-
73		Female	24,709	-	1	-	-	-	1	-	3	-
74		Negro--Male	4,980	-	-	-	-	-	-	-	-	1
75		Female	5,935	-	-	-	-	-	-	-	-	1
76		Other--Male	122	-	-	-	-	-	-	-	-	-
77		Female	50	-	-	-	-	-	-	-	-	-
78	444-447	Hypertension without mention of heart	11,162	-	-	-	1	-	1	1	1	9
79		White--Male	4,463	-	-	-	-	-	-	-	1	2
80		Female	4,360	-	-	-	1	-	1	1	-	2
81		Negro--Male	1,185	-	-	-	-	-	-	-	-	4
82		Female	1,120	-	-	-	-	-	-	-	-	1
83		Other--Male	16	-	-	-	-	-	-	-	-	-
84		Female	18	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
7	8	25	43	130	224	486	864	1,686	3,056	4,716	6,534	7,437	5,820	2,558	641	100	27	1
4	3	5	11	41	89	187	396	788	1,470	2,319	3,061	3,312	2,361	925	216	22	10	2
2	1	4	9	25	43	109	214	530	1,106	1,963	3,089	3,825	3,268	1,550	399	54	14	3
1	2	8	13	35	45	81	144	193	253	223	221	157	94	28	13	8	1	4
-	2	8	10	29	47	103	107	167	221	206	143	137	92	50	13	16	2	5
-	-	-	-	-	-	4	3	7	6	4	13	4	3	2	-	-	-	6
-	-	-	-	-	-	2	-	1	-	1	7	2	2	3	-	-	-	7
44	66	114	201	351	593	888	1,279	1,673	2,602	3,326	3,940	4,177	3,125	1,364	395	60	10	8
20	21	35	73	155	262	415	621	857	1,338	1,696	1,819	1,797	1,265	494	120	14	2	9
14	16	23	50	73	156	203	366	527	868	1,268	1,822	2,127	1,709	810	241	29	5	10
4	17	24	41	64	80	141	151	149	205	200	153	132	73	23	14	7	1	11
4	11	32	36	58	95	123	129	132	179	155	136	118	73	37	20	9	2	12
2	-	-	-	1	-	5	6	6	4	5	6	2	3	-	-	-	-	13
-	1	-	1	-	-	1	6	2	8	2	4	1	2	-	-	1	-	14
108	164	215	375	593	908	1,245	1,600	2,123	2,734	2,842	2,810	2,311	1,412	562	169	37	24	15
40	61	85	171	274	449	640	835	1,225	1,544	1,558	1,438	1,121	606	215	49	10	14	16
29	39	61	75	130	190	233	364	504	722	900	1,085	998	695	308	103	12	4	17
15	37	33	60	101	150	214	214	230	298	232	160	86	58	21	8	4	5	18
24	24	33	65	80	116	150	179	154	159	138	116	98	50	16	7	11	-	19
-	-	1	4	3	2	6	6	8	10	11	7	5	3	2	1	-	1	20
-	3	2	-	5	1	2	2	2	1	3	4	3	-	-	1	-	-	21
17	26	39	35	46	69	67	71	87	108	55	56	37	14	4	1	-	-	22
8	13	13	12	21	37	34	41	62	67	31	29	24	7	2	-	-	-	23
2	6	15	16	18	21	20	20	17	31	19	22	11	5	2	1	-	-	24
3	4	6	6	4	9	7	7	3	5	3	2	-	-	-	-	-	-	25
4	2	4	1	2	2	6	3	4	5	1	3	2	2	-	-	-	-	26
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	27
-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
7	12	28	33	36	62	69	82	113	137	165	177	143	111	50	16	2	4	29
2	4	11	17	16	26	34	36	43	71	71	87	62	46	19	5	1	2	30
3	1	11	5	11	16	8	21	34	33	62	76	63	59	27	11	1	1	31
1	4	2	1	4	9	16	13	17	20	17	5	9	4	2	-	-	1	32
1	3	4	9	5	11	11	12	19	13	15	7	8	2	2	-	-	-	33
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	35
1	2	-	1	3	6	5	5	9	5	6	5	1	-	-	-	-	-	36
-	1	-	-	1	1	3	2	8	4	4	2	1	-	-	-	-	-	37
1	-	-	-	1	2	1	2	-	-	2	2	-	-	-	-	-	-	38
-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	1	1	1	1	-	1	1	-	1	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
15	14	18	27	44	90	126	172	238	317	347	378	270	172	67	21	3	3	43
6	6	10	12	24	47	60	87	125	165	186	193	129	70	23	3	2	2	44
6	5	5	5	14	29	39	69	90	128	141	168	132	97	43	15	1	-	45
1	1	2	5	4	8	17	6	14	19	10	9	3	3	-	2	-	1	46
2	2	1	4	2	6	8	10	9	5	9	6	5	2	1	-	-	-	47
-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	49
68	110	130	279	464	681	978	1,270	1,676	2,167	2,269	2,194	1,860	1,115	441	131	32	17	50
24	37	51	130	212	338	509	669	987	1,237	1,266	1,127	905	483	171	41	7	10	51
17	27	30	49	86	122	165	252	363	530	676	817	792	534	236	76	10	3	52
10	27	23	48	89	122	174	187	196	254	202	144	74	51	19	6	4	3	53
17	17	24	50	70	96	124	154	121	135	113	99	83	44	13	7	11	-	54
-	-	1	2	3	2	4	6	7	10	10	6	4	3	2	-	-	1	55
-	2	1	-	4	1	2	2	2	1	2	1	2	-	-	1	-	-	56
34	78	266	588	1,323	2,164	3,566	5,361	7,486	10,109	11,694	12,250	10,218	6,117	2,028	439	71	74	57
11	22	55	118	325	615	1,081	1,916	2,860	3,844	4,447	4,600	3,603	2,066	651	111	7	17	58
6	15	32	112	244	494	923	1,620	2,615	4,070	5,476	6,348	5,782	3,635	1,178	270	24	27	59
9	14	87	157	349	497	734	855	978	985	842	621	401	192	77	19	12	14	60
8	26	91	200	400	549	807	941	999	1,181	901	662	406	220	121	37	28	14	61
-	1	1	-	2	8	12	23	23	22	20	10	15	2	1	2	-	1	62
-	-	-	1	3	1	9	6	11	7	8	9	11	2	-	-	-	1	63
10	30	87	163	306	474	760	1,090	1,580	2,147	2,907	3,465	3,357	2,315	900	196	36	20	64
8	8	17	35	71	143	262	436	629	861	1,241	1,579	1,421	982	354	62	3	4	65
-	5	8	34	59	90	185	287	487	796	1,192	1,548	1,668	1,198	474	113	15	7	66
1	4	37	45	96	133	166	202	242	242	246	175	149	73	34	10	6	3	67
1	13	25	49	80	104	142	163	218	243	221	160	114	61	37	9	12	5	68
-	-	-	-	-	4	1	-	3	3	5	2	-	-	1	2	-	-	69
-	-	-	-	-	-	4	2	1	2	2	1	5	1	-	-	-	1	70
24	48	179	425	1,017	1,690	2,806	4,271	5,906	7,962	8,787	8,785	6,861	3,802	1,128	243	35	54	71
3	14	38	83	254	472	819	1,480	2,231	2,983	3,206	3,021	2,182	1,084	297	49	4	13	72
6	10	24	78	185	404	738	1,333	2,128	3,274	4,284	4,800	4,114	2,437	704	157	9	20	73
8	10	50	112	253	364	568	653	736	743	596	446	252	119	43	9	6	11	74
7	13	66	151	320	445	665	778	781	938	680	502	292	159	84	28	16	9	75
-	1	1	-	2	4	11	23	20	19	15	8	15	2	-	-	-	1	76
-	-	-	1	3	1	5	4	10	5	6	8	6	1	-	-	-	-	77
28	63	170	313	383	452	543	681	816	1,125	1,455	1,741	1,635	1,168	449	103	20	5	78
7	21	33	69	90	150	187	279	339	452	636	774	678	518	187	31	6	3	79
2	11	21	47	61	73	129	190	284	421	584	824	828	582	233	57	8	1	80
12	13	52	88	126	123	128	98	89	133	124	78	56	35	16	7	3	-	81
7	18	63	109	106	104	97	108	100	116	105	62	69	32	11	8	3	1	82
-	-	1	-	-	2	1	3	-	1	3	2	1	1	1	-	-	-	83
-	-	-	-	-	-	1	3	4	2	3	1	3	-	1	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Hypertension without mention of heart—Continued										
1	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,411	-	-	-	-	-	-	1	-	6
2		White—Male	2,945	-	-	-	-	-	-	-	-	2
3		Female	2,426	-	-	-	-	-	-	1	-	2
4		Negro—Male	569	-	-	-	-	-	-	-	-	2
5		Female	457	-	-	-	-	-	-	-	-	-
6		Other—Male	8	-	-	-	-	-	-	-	-	-
7		Female	6	-	-	-	-	-	-	-	-	-
8	444,445,447	Essential hypertension, other hypertensive disease, etc.*	4,751	-	-	-	1	-	1	-	1	3
9		White—Male	1,518	-	-	-	-	-	-	-	1	-
10		Female	1,934	-	-	-	1	-	1	-	-	-
11		Negro—Male	616	-	-	-	-	-	-	-	-	2
12		Female	663	-	-	-	-	-	-	-	-	1
13		Other—Male	8	-	-	-	-	-	-	-	-	-
14		Female	12	-	-	-	-	-	-	-	-	-
15	450-456	Diseases of arteries	39,642	8	1	3	-	2	14	5	29	56
16		White—Male	19,309	4	-	3	-	2	9	3	6	17
17		Female	17,338	2	1	-	-	-	3	2	18	29
18		Negro—Male	1,533	1	-	-	-	-	1	-	1	2
19		Female	1,368	1	-	-	-	-	1	-	4	7
20		Other—Male	74	-	-	-	-	-	-	-	-	-
21		Female	20	-	-	-	-	-	-	-	-	1
22	450	General arteriosclerosis	32,486	-	-	1	-	-	1	-	-	2
23		White—Male	14,867	-	-	1	-	-	1	-	-	1
24		Female	15,326	-	-	-	-	-	-	-	-	-
25		Negro—Male	1,177	-	-	-	-	-	-	-	-	1
26		Female	1,052	-	-	-	-	-	-	-	-	-
27		Other—Male	50	-	-	-	-	-	-	-	-	-
28		Female	14	-	-	-	-	-	-	-	-	-
29	451	Aortic aneurysm specified as nonsyphilitic, etc.*	4,942	-	-	-	-	-	-	-	1	4
30		White—Male	3,355	-	-	-	-	-	-	-	1	2
31		Female	1,180	-	-	-	-	-	-	-	-	1
32		Negro—Male	248	-	-	-	-	-	-	-	-	1
33		Female	140	-	-	-	-	-	-	-	-	-
34		Other—Male	18	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	-	-
36	455	Gangrene of unspecified cause	227	1	-	-	-	-	1	-	-	-
37		White—Male	117	-	-	-	-	-	-	-	-	-
38		Female	62	1	-	-	-	-	1	-	-	-
39		Negro—Male	30	-	-	-	-	-	-	-	-	-
40		Female	15	-	-	-	-	-	-	-	-	-
41		Other—Male	2	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	452-454,456	Other arterial diseases	1,987	7	1	2	-	2	12	5	28	50
44		White—Male	970	4	-	2	-	2	8	3	5	14
45		Female	770	1	1	-	-	-	2	2	18	28
46		Negro—Male	78	1	-	-	-	-	1	-	1	-
47		Female	161	1	-	-	-	-	1	-	4	7
48		Other—Male	4	-	-	-	-	-	-	-	-	-
49		Female	4	-	-	-	-	-	-	-	-	1
50	460-468	Diseases of veins and other diseases of circulatory system	4,835	43	5	6	1	-	55	10	9	17
51		White—Male	2,306	21	2	4	-	-	27	5	6	6
52		Female	1,925	11	2	2	-	-	15	4	2	5
53		Negro—Male	303	7	-	-	-	-	7	1	-	1
54		Female	291	4	1	-	1	-	6	-	1	5
55		Other—Male	7	-	-	-	-	-	-	-	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57		VIII. Diseases of the respiratory system	62,824	11,288	1,620	718	397	283	14,306	756	367	366
58		White—Male	31,807	4,390	591	297	171	109	5,558	323	145	179
59		Female	20,458	3,212	518	231	134	105	4,200	283	145	116
60		Negro—Male	5,833	1,879	266	104	46	34	2,329	74	32	38
61		Female	4,148	1,540	202	78	44	29	1,893	69	40	32
62		Other—Male	364	149	27	5	1	-	182	3	3	-
63		Female	214	118	16	3	1	6	144	4	2	1
64	470-475	Acute upper respiratory infections	904	420	83	45	29	25	602	48	13	14
65		White—Male	382	176	33	22	12	14	257	16	6	6
66		Female	318	120	31	17	12	10	190	24	4	6
67		Negro—Male	105	65	10	3	5	-	83	2	2	1
68		Female	82	47	6	3	-	1	57	6	1	1
69		Other—Male	11	8	2	-	-	-	10	-	-	-
70		Female	6	4	1	-	-	-	5	-	-	-
71	480-483	Influenza	2,755	369	62	23	19	14	487	33	17	27
72		White—Male	971	100	16	5	5	3	129	11	8	8
73		Female	1,059	85	21	10	6	4	126	14	5	10
74		Negro—Male	354	95	13	3	2	2	115	4	2	3
75		Female	353	80	12	5	6	4	107	4	2	6
76		Other—Male	11	6	-	-	-	-	6	-	-	-
77		Female	7	3	-	-	-	1	4	-	-	-
78	490-493	Pneumonia, except pneumonia of newborn	41,755	7,949	1,187	476	247	168	10,027	446	265	251
79		White—Male	19,124	2,861	408	182	102	54	3,607	188	99	125
80		Female	14,729	2,216	363	147	80	61	2,867	158	102	80
81		Negro—Male	4,328	1,451	217	79	29	27	1,803	53	26	25
82		Female	3,112	1,202	163	60	34	21	1,480	42	34	20
83		Other—Male	279	119	22	5	1	-	147	1	2	-
84		Female	183	100	14	3	1	5	123	4	2	1

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
11	24	71	116	164	205	250	354	484	646	843	1,070	1,023	766	294	66	13	4	1
3	10	19	32	35	75	88	143	207	303	428	548	490	386	147	20	6	3	2
1	3	9	19	30	38	67	105	171	227	308	447	479	344	134	36	5	-	3
4	6	20	27	58	54	51	55	52	70	55	44	32	19	11	7	2	-	4
3	5	22	38	41	38	43	48	52	46	48	29	22	16	2	3	-	1	5
-	-	1	-	-	-	1	2	-	-	2	1	-	1	-	-	-	-	6
-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	7
17	39	99	197	219	247	293	327	332	479	612	671	612	402	155	37	7	1	8
4	11	14	37	55	75	99	136	132	149	208	226	188	132	40	11	-	-	9
1	8	12	28	31	35	62	85	113	194	276	377	349	238	99	21	3	1	10
8	7	32	61	68	69	77	43	37	63	69	34	24	16	5	-	1	-	11
4	13	41	71	65	66	54	60	48	70	57	33	47	16	9	5	3	-	12
-	-	-	-	-	2	-	1	-	1	1	1	1	-	1	-	-	-	13
-	-	-	-	-	-	1	2	2	2	1	-	3	-	1	-	-	-	14
76	93	115	167	251	374	717	1,184	1,912	3,168	4,738	6,757	8,096	6,886	3,667	1,097	208	32	15
18	28	33	59	103	197	426	715	1,161	1,840	2,629	3,418	3,837	2,934	1,421	387	55	13	16
45	39	54	56	80	81	147	268	454	965	1,685	2,918	3,917	3,721	2,100	654	98	4	17
5	4	10	21	34	57	85	111	170	202	250	203	166	116	55	14	18	8	18
8	21	17	30	34	38	52	85	121	152	157	206	167	104	82	39	36	7	19
-	1	-	-	-	1	6	3	6	7	15	11	6	8	8	2	-	-	20
-	-	1	1	-	-	1	2	-	2	2	1	3	3	1	1	1	-	21
2	4	8	16	47	75	267	476	993	2,044	3,700	5,881	7,507	6,585	3,578	1,071	205	24	22
-	1	3	6	18	32	145	238	495	1,036	1,892	2,878	3,524	2,779	1,378	375	54	11	23
1	1	4	2	9	13	52	118	281	730	1,429	2,626	3,670	3,589	2,059	643	96	3	24
1	-	1	5	10	18	49	65	116	155	229	181	151	106	51	14	18	6	25
-	2	-	3	10	12	20	53	98	117	138	186	154	101	82	36	36	4	26
-	-	-	-	-	-	1	1	3	5	10	9	5	7	7	2	-	-	27
-	-	-	-	-	-	-	1	-	1	2	1	3	3	1	1	1	-	28
6	12	16	51	76	151	271	493	719	881	859	706	429	192	54	14	1	6	29
2	6	9	27	33	85	179	362	543	669	630	445	226	103	25	6	-	2	30
4	5	4	14	17	20	39	71	117	154	191	238	187	82	27	7	1	1	31
-	-	3	9	18	30	26	38	43	33	19	14	8	4	1	-	-	1	32
-	-	-	1	8	16	21	20	14	24	14	8	8	3	-	1	-	2	33
-	1	-	-	-	-	5	2	2	1	5	1	-	-	1	-	-	-	34
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	3	6	7	11	16	25	33	38	33	32	14	5	1	1	36
-	-	-	-	2	3	4	1	10	7	22	21	20	18	7	2	-	-	37
1	-	-	-	-	2	1	3	2	9	8	8	9	11	4	2	1	-	38
-	-	-	-	-	1	2	4	4	7	1	3	2	3	3	-	-	-	39
-	-	-	-	1	-	-	2	-	1	2	5	2	-	-	1	-	1	40
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
67	77	91	100	125	142	172	204	184	218	146	132	127	77	21	7	1	1	43
16	21	21	26	50	77	98	114	113	128	85	74	67	34	11	4	1	-	44
39	33	46	40	54	46	55	76	54	72	57	46	51	39	10	2	-	-	45
4	4	6	7	6	8	8	4	7	7	1	5	5	3	-	-	-	1	46
8	19	17	26	15	10	11	10	9	10	3	7	3	-	-	1	-	-	47
-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	48
-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	49
44	60	95	143	173	292	341	440	575	659	680	526	401	221	75	14	3	2	50
16	19	32	52	72	159	166	231	282	331	332	241	188	97	34	8	1	1	51
15	29	36	47	61	80	118	148	208	259	293	256	193	114	34	6	1	1	52
6	2	8	18	20	22	32	36	47	44	27	14	13	4	1	-	-	-	53
7	10	19	24	20	30	25	25	36	23	27	14	7	5	6	-	1	-	54
-	-	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	55
-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
402	466	598	914	1,252	1,752	2,335	3,234	4,368	5,672	6,198	6,408	6,210	4,394	2,052	607	126	41	57
149	171	232	377	589	927	1,323	2,027	2,899	3,610	3,691	3,573	3,045	1,921	809	212	30	17	58
132	119	170	262	330	371	480	603	885	1,373	1,923	2,395	2,820	2,283	1,131	359	63	15	59
61	91	106	156	217	296	332	377	378	410	345	232	183	95	52	13	12	4	60
54	79	86	113	108	143	189	208	190	248	202	176	135	81	57	21	19	5	61
4	3	-	2	7	10	11	15	12	23	33	24	15	11	3	2	1	-	62
2	3	4	4	1	5	-	4	4	8	4	8	12	3	-	-	1	-	63
7	14	6	6	19	15	13	18	13	19	20	21	24	14	13	5	-	-	64
5	6	4	4	9	6	7	6	5	6	12	6	8	6	6	1	-	-	65
2	4	1	2	5	4	5	6	6	9	8	12	12	8	6	4	-	-	66
-	3	1	-	-	2	-	3	2	2	-	1	2	-	1	-	-	-	67
-	1	-	-	4	3	1	3	-	2	-	2	1	-	-	-	-	-	68
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	70
23	24	34	36	43	73	98	113	152	212	269	298	363	272	117	45	18	1	71
2	8	11	12	17	29	33	35	57	73	114	125	142	105	38	13	1	-	72
7	8	7	12	10	20	20	29	49	74	94	133	190	148	67	27	9	-	73
7	3	7	7	9	13	19	26	26	34	32	14	14	12	3	1	3	-	74
7	5	9	5	7	10	26	23	19	29	28	25	16	7	9	4	4	1	75
-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	76
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	77
270	311	382	626	835	1,133	1,360	1,753	2,290	3,147	3,849	4,472	4,695	3,449	1,630	448	89	27	78
95	109	137	242	370	554	675	961	1,288	1,716	2,052	2,329	2,235	1,485	653	169	25	10	79
91	82	104	170	210	245	300	379	604	941	1,374	1,815	2,189	1,820	886	254	47	11	80
43	67	77	129	166	211	243	250	251	281	246	175	145	72	45	9	8	3	81
36	49	60	80	84	111	134	152	135	183	153	129	102	60	43	14	8	3	82
3	1	-	2	4	8	8	8	8	19	23	16	13	10	3	2	1	-	83
2	3	4	3	1	4	-	3	4	7	1	8	11	2	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
		Pneumonia, except pneumonia of newborn—Continued										
1	490	Lobar pneumonia	11,182	1,054	166	65	43	34	1,362	82	77	80
2		White--Male	5,340	356	58	20	17	7	458	36	29	36
3		Female	3,579	293	49	18	13	13	386	24	29	27
4		Negro--Male	1,309	202	33	13	6	11	265	13	8	9
5		Female	838	162	23	10	7	3	205	7	8	7
6		Other--Male	73	23	3	3	-	-	29	-	2	-
7		Female	43	18	-	1	-	-	19	2	1	1
8	491	Bronchopneumonia	22,206	4,492	708	291	150	89	5,730	260	109	117
9		White--Male	10,096	1,574	250	119	63	32	2,038	114	43	55
10		Female	8,218	1,254	208	91	52	35	1,640	93	48	41
11		Negro--Male	2,074	838	125	45	16	8	1,032	29	9	11
12		Female	1,568	702	103	35	18	10	868	22	9	10
13		Other--Male	139	69	12	1	1	-	83	-	-	-
14		Female	91	55	10	-	-	4	69	2	-	-
15	492	Primary atypical pneumonia	3,599	1,078	135	54	24	20	1,311	45	32	24
16		White--Male	1,707	496	50	20	12	9	587	23	11	14
17		Female	1,305	318	39	18	8	6	389	16	8	6
18		Negro--Male	302	137	24	6	3	2	172	1	4	2
19		Female	258	114	18	9	1	2	144	5	9	2
20		Other--Male	16	6	2	1	-	-	9	-	-	-
21		Female	11	7	2	-	-	1	10	-	-	-
22	493	Pneumonia, other and unspecified	4,768	1,325	178	66	30	25	1,624	59	47	30
23		White--Male	1,981	435	50	23	10	6	524	15	16	20
24		Female	1,627	351	67	20	7	7	452	25	17	6
25		Negro--Male	643	274	35	15	4	6	334	10	5	3
26		Female	428	224	19	6	8	6	263	8	8	1
27		Other--Male	51	21	5	-	-	-	26	1	-	-
28		Female	38	20	2	2	1	-	25	-	1	-
29	500	Acute bronchitis	1,080	411	102	58	29	17	617	33	6	8
30		White--Male	504	182	50	31	19	11	293	17	3	6
31		Female	387	123	38	20	8	6	195	11	3	1
32		Negro--Male	100	56	7	3	1	-	67	2	-	-
33		Female	80	46	6	4	1	-	57	2	-	1
34		Other--Male	7	2	1	-	-	-	3	1	-	-
35		Female	2	2	-	-	-	-	2	-	-	-
36	501,502	Bronchitis, chronic and unqualified	1,977	261	77	37	11	10	396	31	6	1
37		White--Male	1,206	118	39	15	5	5	182	14	3	-
38		Female	579	71	27	16	4	4	122	11	3	1
39		Negro--Male	105	40	7	4	1	1	53	2	-	-
40		Female	75	24	3	2	1	-	30	3	-	-
41		Other--Male	8	5	1	-	-	-	6	1	-	-
42		Female	4	3	-	-	-	-	3	-	-	-
43	510	Hypertrophy of tonsils and adenoids	220	-	5	20	31	30	86	86	14	2
44		White--Male	93	-	3	13	14	11	41	36	5	1
45		Female	95	-	1	6	13	16	36	38	5	-
46		Negro--Male	15	-	1	1	3	1	6	5	2	1
47		Female	17	-	-	-	1	2	3	7	2	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	518,521	Empyema and abscess of lung	738	27	2	1	1	-	31	2	5	5
51		White--Male	441	16	-	1	1	-	18	1	3	-
52		Female	144	5	2	-	-	-	7	-	2	4
53		Negro--Male	102	2	-	-	-	-	2	-	-	-
54		Female	47	3	-	-	-	-	3	1	-	1
55		Other--Male	2	1	-	-	-	-	1	-	-	-
56		Female	2	-	-	-	-	-	-	-	-	-
57	519	Pleurisy	191	13	1	4	-	-	18	-	-	2
58		White--Male	93	2	1	2	-	-	5	-	-	-
59		Female	59	6	-	-	-	-	6	-	-	1
60		Negro--Male	22	2	-	1	-	-	3	-	-	1
61		Female	15	3	-	1	-	-	4	-	-	-
62		Other--Male	2	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	Residual[1]	All other respiratory diseases	13,204	1,838	101	54	30	19	2,042	77	41	56
65		White--Male	8,993	935	41	26	13	11	1,026	40	18	33
66		Female	3,088	586	35	15	11	4	651	27	21	13
67		Negro--Male	702	168	11	10	5	3	197	6	-	7
68		Female	367	135	12	3	1	1	152	4	1	3
69		Other--Male	44	8	1	-	-	-	9	-	1	-
70		Female	10	6	1	-	-	-	7	-	-	-
71		IX. Diseases of the digestive system	59,408	4,730	614	215	132	97	5,788	284	157	199
72		White--Male	31,749	1,735	274	93	58	46	2,206	133	58	96
73		Female	20,927	1,299	180	63	50	36	1,628	108	65	88
74		Negro--Male	3,539	858	71	24	11	6	970	19	20	20
75		Female	2,711	697	61	29	12	8	807	18	12	14
76		Other--Male	267	71	13	5	1	1	91	1	-	-
77		Female	215	70	15	1	-	-	86	5	2	1
78	530-535	Diseases of teeth and supporting structures	153	1	-	-	1	3	5	3	5	3
79		White--Male	70	-	-	-	-	2	2	2	3	1
80		Female	52	-	-	-	1	1	2	1	2	1
81		Negro--Male	17	1	-	-	-	-	1	-	-	-
82		Female	13	-	-	-	-	-	-	-	-	1
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
83	105	173	264	363	498	569	679	813	1,047	1,194	1,300	1,203	835	336	97	13	9	1
25	34	54	100	153	238	290	371	466	580	647	698	590	359	135	34	3	4	2
29	20	44	67	88	99	96	128	173	287	393	509	522	420	173	58	5	2	3
15	26	41	60	80	107	108	108	113	114	91	55	46	28	16	1	2	3	4
12	24	32	35	40	49	70	67	57	59	55	31	36	25	12	4	3	-	5
1	-	-	1	2	4	5	3	1	6	8	5	4	2	-	-	-	-	6
1	1	2	1	-	1	-	2	3	1	-	2	5	1	-	-	-	-	7
122	137	151	249	322	461	567	791	1,099	1,593	2,011	2,428	2,657	2,042	1,027	265	57	11	8
50	49	59	96	152	234	274	433	616	879	1,070	1,257	1,264	868	416	107	19	3	9
41	40	46	69	88	104	158	197	320	488	744	991	1,258	1,108	565	143	30	6	10
14	30	26	52	50	74	94	96	98	125	104	94	72	34	20	5	5	-	11
15	16	18	30	29	45	41	59	60	91	82	78	54	25	23	8	3	2	12
1	1	-	-	2	3	-	5	4	7	11	6	5	6	3	2	-	-	13
1	1	2	2	1	1	-	1	1	3	-	2	4	1	-	-	-	-	14
35	34	34	52	64	76	99	125	178	226	288	307	339	214	83	28	4	1	15
11	15	14	22	34	32	57	72	111	114	153	155	161	87	21	11	1	1	16
13	9	11	18	12	23	20	26	47	90	116	132	171	123	55	17	3	-	17
6	6	3	8	11	14	11	14	10	10	11	10	4	3	2	-	-	-	18
4	4	6	3	7	6	10	13	10	10	7	10	2	1	5	-	-	-	19
1	-	-	1	-	-	1	-	-	2	1	-	1	-	-	-	-	-	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
30	35	24	61	86	98	125	158	200	281	356	437	496	358	184	58	15	6	22
9	11	10	24	31	50	54	85	95	143	182	219	220	171	81	17	2	2	23
8	13	3	16	22	19	26	28	64	76	121	183	238	169	93	36	9	3	24
8	5	7	9	25	16	30	32	30	32	40	16	23	7	7	3	1	-	25
5	5	4	12	8	11	13	13	8	23	9	10	10	9	3	2	2	1	26
-	-	-	-	-	1	2	-	3	4	3	5	3	2	-	-	1	-	27
-	1	-	-	-	1	-	-	-	3	1	4	2	-	-	-	-	-	28
6	6	11	10	12	12	22	24	40	42	41	56	57	44	23	9	1	-	29
3	2	3	4	1	4	7	13	21	32	20	29	20	19	5	1	1	-	30
2	2	4	4	5	4	13	4	11	7	16	23	35	23	17	7	-	-	31
1	1	3	-	5	3	-	3	6	2	3	-	1	2	1	-	-	-	32
-	-	1	2	1	1	2	3	2	1	2	3	1	-	-	1	-	-	33
-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
5	5	8	18	25	36	59	145	191	218	260	216	166	122	42	25	2	-	36
2	1	5	4	12	20	39	111	156	170	185	129	84	60	19	10	-	-	37
1	3	3	8	5	8	14	20	20	39	69	81	77	58	22	13	1	-	38
-	1	-	3	4	6	3	5	9	8	2	3	3	1	1	1	-	-	39
2	-	-	3	4	2	3	8	6	1	3	3	2	3	-	1	1	-	40
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
3	4	7	3	3	1	-	2	2	3	3	1	-	-	-	-	-	-	43
1	1	1	2	1	-	-	1	1	1	-	1	-	-	-	-	-	-	44
1	1	3	1	2	1	-	1	1	2	3	-	-	-	-	-	-	-	45
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
16	13	21	33	41	53	64	68	86	100	82	61	35	13	7	1	-	1	50
9	5	8	15	19	30	42	35	56	67	58	38	26	7	4	-	-	-	51
1	2	4	10	10	6	10	10	13	20	14	16	7	5	3	-	-	-	52
3	3	3	2	11	16	6	18	12	10	8	5	1	1	-	1	-	-	53
3	3	6	6	1	1	5	5	5	3	-	2	1	-	-	-	-	1	54
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	56
2	3	2	3	3	16	15	14	18	29	25	14	13	6	5	3	-	-	57
1	3	-	2	1	9	8	7	12	12	16	6	5	3	3	-	-	-	58
1	-	1	-	2	3	2	1	6	8	8	6	6	3	2	3	-	-	59
-	-	-	-	-	3	1	4	-	7	1	1	1	-	-	-	-	-	60
-	-	1	1	-	1	3	1	-	2	-	1	1	-	-	-	-	-	61
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
70	86	127	179	271	413	704	1,097	1,576	1,902	1,649	1,269	857	474	215	71	16	12	64
31	36	63	92	159	275	512	858	1,303	1,533	1,234	910	525	236	81	18	3	7	65
26	17	43	55	81	80	116	153	175	273	337	309	304	218	128	51	6	4	66
7	13	14	15	22	42	60	68	72	66	53	33	16	7	1	1	1	1	67
5	19	7	16	7	14	15	13	23	27	16	11	11	11	5	1	6	-	68
1	1	-	-	2	2	1	5	3	3	8	6	1	1	-	-	-	-	69
-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	70
288	523	1,010	1,846	2,911	4,051	4,746	5,435	6,259	6,932	6,497	5,482	4,002	2,153	657	140	23	25	71
99	201	424	880	1,581	2,366	2,801	3,284	3,785	4,096	3,629	2,882	1,962	940	245	60	8	13	72
115	185	355	622	885	1,189	1,353	1,588	2,007	2,349	2,506	2,364	1,908	1,148	390	75	11	8	73
38	57	103	171	225	267	323	332	285	276	206	133	70	27	9	3	1	4	74
35	64	111	161	200	204	241	205	163	174	137	74	49	26	12	2	2	-	75
-	4	6	4	15	16	20	14	23	29	9	23	7	4	1	-	-	-	76
1	12	11	8	5	9	8	12	16	8	10	6	6	8	-	-	1	-	77
4	5	8	8	9	14	9	10	18	20	9	13	6	1	3	-	-	-	78
3	2	3	4	4	7	4	4	6	13	2	5	3	-	2	-	-	-	79
1	3	4	1	3	2	3	3	8	4	5	5	2	1	1	-	-	-	80
-	-	1	1	-	2	2	1	4	2	2	1	-	-	-	-	-	-	81
-	-	-	2	2	2	-	2	-	1	-	2	1	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	540	Ulcer of stomach	4,809	34	2	1	2	-	39	4	-	12
2		White--Male	3,285	15	1	1	-	-	17	1	-	7
3		Female	1,067	4	1	-	1	-	6	3	-	3
4		Negro--Male	320	10	-	-	1	-	11	-	-	-
5		Female	111	4	-	-	-	-	4	-	-	2
6		Other--Male	20	-	-	-	-	-	-	-	-	-
7		Female	6	1	-	-	-	-	1	-	-	-
8	541	Ulcer of duodenum	4,921	24	4	1	-	2	31	4	1	3
9		White--Male	3,732	13	1	-	-	2	16	2	1	2
10		Female	898	5	3	-	-	-	8	2	-	1
11		Negro--Male	191	3	-	-	-	-	3	-	-	-
12		Female	83	3	-	1	-	-	4	-	-	-
13		Other--Male	15	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15	543	Gastritis and duodenitis	313	17	6	1	-	-	24	2	1	1
16		White--Male	160	6	2	-	-	-	8	2	-	1
17		Female	99	3	3	1	-	-	7	-	-	-
18		Negro--Male	30	6	-	-	-	-	6	-	-	-
19		Female	23	2	-	-	-	-	2	-	1	-
20		Other--Male	1	-	1	-	-	-	1	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	550-553	Appendicitis	2,273	19	12	33	22	16	102	75	59	48
23		White--Male	1,238	10	9	18	14	7	58	36	24	26
24		Female	713	5	1	10	8	8	32	25	21	14
25		Negro--Male	182	2	-	1	-	-	3	8	9	5
26		Female	130	1	2	3	-	1	7	5	4	3
27		Other--Male	7	1	-	1	-	-	2	1	-	-
28		Female	3	-	-	-	-	-	-	-	1	-
29	560,561,570	Hernia and intestinal obstruction	8,654	956	47	36	14	12	1,065	28	11	25
30		White--Male	3,883	461	24	20	9	9	523	17	5	14
31		Female	3,704	337	11	8	4	2	362	5	3	5
32		Negro--Male	569	84	6	5	1	-	96	3	2	5
33		Female	452	63	5	3	-	1	72	2	1	1
34		Other--Male	22	5	-	-	-	-	5	-	-	-
35		Female	24	6	1	-	-	-	7	1	-	-
36	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	7,441	3,240	456	95	55	37	3,883	57	22	38
37		White--Male	2,864	1,030	203	30	16	16	1,295	21	10	17
38		Female	2,710	819	122	30	18	13	1,002	21	9	18
39		Negro--Male	894	685	57	12	8	5	767	5	3	2
40		Female	806	582	48	18	12	3	663	8	-	1
41		Other--Male	84	63	12	4	1	-	80	-	-	-
42		Female	83	61	14	1	-	-	76	2	-	-
43	581	Cirrhosis of liver	16,763	38	13	7	4	-	62	19	14	23
44		White--Male	10,277	19	6	2	1	-	28	10	1	12
45		Female	5,159	9	6	1	3	-	19	7	9	11
46		Negro--Male	705	5	-	2	-	-	7	-	2	-
47		Female	505	5	1	2	-	-	8	2	1	-
48		Other--Male	73	-	-	-	-	-	-	-	-	-
49		Female	44	-	-	-	-	-	-	-	1	-
50	581.0	Without mention of alcoholism	12,211	37	13	7	4	-	61	16	13	21
51		White--Male	7,265	19	6	2	1	-	28	8	1	11
52		Female	4,052	8	6	1	3	-	18	6	8	10
53		Negro--Male	477	5	-	2	-	-	7	-	2	-
54		Female	343	5	1	2	-	-	8	2	1	-
55		Other--Male	46	-	-	-	-	-	-	-	-	-
56		Female	28	-	-	-	-	-	-	-	1	-
57	581.1	With alcoholism	4,552	1	-	-	-	-	1	3	1	2
58		White--Male	3,012	-	-	-	-	-	-	2	-	1
59		Female	1,107	1	-	-	-	-	1	1	1	1
60		Negro--Male	228	-	-	-	-	-	-	-	-	-
61		Female	162	-	-	-	-	-	-	-	-	-
62		Other--Male	27	-	-	-	-	-	-	-	-	-
63		Female	16	-	-	-	-	-	-	-	-	-
64	584,585	Cholelithiasis and cholecystitis	5,939	4	-	-	-	-	4	-	2	3
65		White--Male	2,215	-	-	-	-	-	-	-	-	-
66		Female	3,479	2	-	-	-	-	2	-	1	3
67		Negro--Male	63	2	-	-	-	-	2	-	-	-
68		Female	140	-	-	-	-	-	-	-	1	-
69		Other--Male	16	-	-	-	-	-	-	-	-	-
70		Female	26	-	-	-	-	-	-	-	-	-
71	Residual[1]	Other diseases of digestive system	8,142	397	74	41	34	27	573	92	42	43
72		White--Male	4,025	181	28	22	18	10	259	42	14	16
73		Female	3,046	115	33	13	15	12	188	44	20	12
74		Negro--Male	568	60	8	4	1	1	74	3	4	8
75		Female	448	37	5	2	-	3	47	1	4	6
76		Other--Male	29	2	-	-	-	1	3	-	-	-
77		Female	26	2	-	-	-	-	2	2	-	1
78		X. Diseases of the genito-urinary system	33,483	161	59	64	49	54	387	209	191	282
79		White--Male	17,579	81	20	31	26	28	186	95	80	126
80		Female	10,018	41	18	14	15	16	104	84	80	106
81		Negro--Male	3,185	23	13	12	4	7	59	14	16	19
82		Female	2,550	12	7	6	3	2	30	15	14	29
83		Other--Male	96	2	1	1	1	1	6	-	-	1
84		Female	55	2	-	-	-	-	2	1	1	1

[1]For category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
21	28	60	99	196	309	374	504	595	735	658	563	372	182	48	7	1	2	1
13	11	25	62	126	220	269	364	448	520	454	383	229	104	24	5	1	2	2
2	8	16	17	31	48	55	79	98	155	170	147	132	74	22	1	-	-	3
4	7	11	17	26	29	40	47	31	39	22	22	9	3	1	1	-	-	4
2	2	7	3	10	12	8	11	14	16	11	6	1	1	1	-	-	-	5
-	-	1	-	3	-	2	3	3	4	-	3	1	-	-	-	-	-	6
-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	7
12	29	72	144	219	363	414	576	665	726	641	497	334	148	37	4	1	-	8
5	24	53	98	161	283	316	471	530	568	509	356	235	81	17	3	1	-	9
3	4	7	27	36	47	57	63	108	119	119	125	87	65	19	1	-	-	10
3	1	8	15	17	23	26	28	17	26	9	10	5	-	-	-	-	-	11
1	-	4	3	4	9	11	13	8	9	4	4	7	2	-	-	-	-	12
-	-	-	-	1	1	3	1	2	4	-	2	-	-	1	-	-	-	13
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
2	6	7	10	8	18	30	22	36	27	31	33	23	20	9	1	2	-	15
1	5	7	5	6	11	15	8	25	14	21	10	9	9	2	-	1	-	16
1	-	-	2	-	2	10	6	6	5	9	21	12	10	7	-	1	-	17
-	1	-	1	1	3	2	5	2	5	-	2	1	-	-	1	-	-	18
-	-	-	2	1	2	3	3	3	3	1	-	1	1	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
45	54	65	75	88	136	187	187	207	236	282	185	144	67	26	4	-	1	22
20	20	31	37	51	75	114	110	127	135	160	95	71	32	14	2	-	-	23
14	18	17	19	18	33	38	45	61	76	96	75	69	31	9	2	-	-	24
4	9	10	5	9	18	21	17	16	16	16	10	2	2	1	-	-	1	25
7	7	6	14	10	9	13	15	3	7	10	4	2	2	2	-	-	-	26
-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	28
31	56	73	159	202	314	422	533	789	961	1,107	1,124	949	582	174	41	4	4	29
9	16	21	51	64	109	156	246	376	439	508	546	443	255	68	15	-	2	30
13	26	28	60	77	119	160	193	309	416	505	519	461	312	103	24	3	1	31
8	6	6	16	26	38	48	62	62	59	54	38	28	9	2	-	-	1	32
1	8	17	31	34	47	56	29	37	41	36	20	11	5	1	2	-	-	33
-	-	-	-	1	-	1	1	2	4	2	1	5	-	-	-	-	-	34
-	-	1	1	-	1	1	2	3	2	2	-	1	1	-	-	1	-	35
49	52	74	99	119	158	191	257	362	401	438	481	407	236	89	19	3	6	36
12	25	33	39	56	75	109	125	193	191	199	192	154	81	27	7	-	3	37
32	23	35	47	41	64	64	97	138	173	217	272	237	147	57	12	1	3	38
3	-	1	7	10	14	7	17	13	19	9	7	7	2	1	-	-	-	39
2	4	5	5	12	5	11	17	15	18	13	8	7	6	4	-	2	-	40
-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	41
-	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	42
32	146	363	867	1,516	2,043	2,244	2,124	2,071	2,059	1,476	930	481	226	48	9	1	9	43
8	48	145	421	856	1,245	1,407	1,400	1,390	1,395	931	576	268	106	20	4	1	5	44
15	50	137	314	485	606	639	573	584	570	485	313	197	110	27	5	-	3	45
4	17	31	64	85	104	107	90	65	59	37	20	7	5	-	-	-	1	46
5	23	41	61	79	76	79	51	20	22	18	10	8	-	1	-	-	-	47
-	2	3	4	7	8	8	6	8	11	3	10	-	3	-	-	-	-	48
-	6	6	3	4	4	4	4	4	2	2	1	1	2	-	-	-	-	49
27	90	224	533	963	1,292	1,554	1,497	1,546	1,611	1,234	813	442	213	46	9	1	5	50
7	30	92	251	536	753	960	948	982	1,050	753	494	240	96	18	4	1	2	51
14	35	86	207	326	417	457	443	486	489	436	285	187	108	27	5	-	2	52
1	8	20	41	52	60	75	61	51	44	29	15	6	4	-	-	-	1	53
5	15	21	30	44	56	56	39	16	19	12	10	8	-	1	-	-	-	54
-	-	1	2	3	4	5	3	8	7	2	8	-	3	-	-	-	-	55
-	2	4	2	2	2	1	3	3	2	2	1	1	2	-	-	-	-	56
5	56	139	334	553	751	690	627	525	448	242	117	39	13	2	-	-	4	57
1	18	53	170	320	492	447	452	408	345	178	82	28	10	2	-	-	3	58
1	15	51	107	159	189	182	130	98	81	49	28	10	2	-	-	-	1	59
3	9	11	23	33	44	32	29	14	15	8	5	1	1	-	-	-	-	60
-	8	20	31	35	20	23	12	4	3	6	-	-	-	-	-	-	-	61
-	2	2	2	4	4	3	3	-	4	1	2	-	-	-	-	-	-	62
-	4	2	1	2	2	3	1	1	-	-	-	-	-	-	-	-	-	63
22	39	68	79	138	202	311	515	708	903	958	849	659	339	113	21	4	2	64
2	12	14	25	50	79	122	177	288	354	384	322	242	106	28	8	1	1	65
17	22	43	46	71	103	167	303	388	520	547	514	409	223	83	13	3	1	66
1	1	4	1	4	5	4	10	4	7	12	4	1	2	1	-	-	-	67
2	-	4	6	12	14	15	22	18	20	9	8	4	4	1	-	-	-	68
-	-	-	-	1	-	2	2	5	1	3	1	-	1	-	-	-	-	69
-	4	3	1	-	1	1	1	5	1	3	-	3	3	-	-	-	-	70
70	108	220	306	416	494	564	707	808	864	897	807	627	352	110	34	7	1	71
26	38	92	138	207	262	289	379	402	467	461	397	308	166	43	16	3	-	72
17	31	68	89	123	165	160	226	307	311	353	373	302	175	62	17	3	-	73
11	15	31	44	47	31	66	55	51	44	45	19	10	4	3	1	1	1	74
15	20	27	34	36	28	45	42	45	37	35	12	7	5	2	-	-	-	75
-	2	1	-	2	6	3	-	2	5	1	4	-	-	-	-	-	-	76
1	2	1	1	1	2	1	5	1	-	2	2	-	2	-	-	-	-	77
430	499	751	930	1,158	1,514	1,715	2,283	2,735	3,842	4,353	4,551	3,999	2,486	870	237	39	22	78
201	236	283	334	434	578	698	1,025	1,268	1,975	2,529	2,800	2,506	1,571	508	124	14	8	79
142	157	231	306	326	482	491	682	875	1,183	1,195	1,307	1,142	738	294	80	7	6	80
28	41	88	108	178	206	243	314	323	445	402	296	227	104	41	19	9	5	81
53	62	145	172	212	240	272	251	254	217	211	134	118	68	27	14	9	3	82
2	1	1	7	1	6	5	7	10	19	13	11	4	2	-	-	-	-	83
4	2	3	3	7	2	6	4	5	3	3	3	2	3	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		X. Diseases of the genito-urinary system--Continued										
1	590-594	Nephritis and nephrosis	18,214	71	44	54	43	47	259	181	160	232
2		White--Male	7,971	34	16	28	23	26	127	83	66	112
3		Female	6,543	20	11	9	13	14	67	71	69	82
4		Negro--Male	1,796	12	10	10	4	4	40	13	12	17
5		Female	1,808	3	6	6	2	2	19	13	12	19
6		Other--Male	52	1	1	1	1	1	5	-	-	1
7		Female	44	1	-	-	-	-	1	1	1	1
8	590	Acute nephritis	1,234	33	18	18	6	9	84	35	29	33
9		White--Male	536	11	6	4	2	5	28	17	11	16
10		Female	366	11	1	4	1	2	19	13	11	9
11		Negro--Male	182	8	6	7	2	2	25	1	3	3
12		Female	147	3	4	3	1	-	11	4	4	5
13		Other--Male	1	-	1	-	-	-	1	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15	591	Nephritis with edema, including nephrosis	1,159	17	10	21	22	22	92	51	18	21
16		White--Male	513	6	4	16	14	12	52	24	9	10
17		Female	408	7	4	4	6	8	29	19	5	7
18		Negro--Male	106	2	1	1	1	1	6	4	3	-
19		Female	117	-	1	-	-	1	2	3	1	3
20		Other--Male	10	1	-	-	1	-	2	-	-	1
21		Female	5	1	-	-	-	-	1	1	-	-
22	592-594	Chronic and unspecified nephritis and other renal sclerosis	15,821	21	16	15	15	16	83	95	113	178
23		White--Male	6,922	17	6	8	7	9	47	42	46	86
24		Female	5,769	2	6	1	6	4	19	39	53	66
25		Negro--Male	1,508	2	3	2	1	1	9	8	6	14
26		Female	1,544	-	1	3	1	1	6	6	7	11
27		Other--Male	41	-	-	1	-	1	2	-	-	-
28		Female	37	-	-	-	-	-	-	-	1	1
29	600	Infections of kidney	4,911	42	10	6	4	2	64	19	16	25
30		White--Male	2,111	18	4	-	1	-	23	8	8	5
31		Female	1,964	14	4	5	2	1	26	10	7	13
32		Negro--Male	385	6	2	1	-	1	10	-	1	1
33		Female	433	4	-	-	1	-	5	1	-	6
34		Other--Male	13	-	-	-	-	-	-	-	-	-
35		Female	5	-	-	-	-	-	-	-	-	-
36	602,604	Calculi of urinary system	1,244	1	-	-	-	-	1	2	-	1
37		White--Male	652	-	-	-	-	-	-	1	-	1
38		Female	482	-	-	-	-	-	-	1	-	-
39		Negro--Male	50	-	-	-	-	-	-	-	-	-
40		Female	53	-	-	-	-	-	-	-	-	-
41		Other--Male	6	1	-	-	-	-	1	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	601,603,	Other diseases of urinary system	1,772	40	4	4	2	5	55	5	12	10
44	605-609	White--Male	950	24	-	3	2	2	31	2	6	8
45		Female	499	6	3	-	-	1	10	1	3	1
46		Negro--Male	243	4	1	1	-	2	8	1	3	1
47		Female	70	5	-	-	-	-	5	1	-	-
48		Other--Male	7	-	-	-	-	-	-	-	-	-
49		Female	3	1	-	-	-	-	1	-	-	-
50	610	Hyperplasia of prostate	6,062	-	-	-	-	-	-	-	-	-
51		White--Male	5,424	-	-	-	-	-	-	-	-	-
52		Negro--Male	621	-	-	-	-	-	-	-	-	-
53		Other--Male	17	-	-	-	-	-	-	-	-	-
54	611-617	Other diseases of male genital organs	560	5	-	-	-	-	5	1	-	-
55		White--Male	469	4	-	-	-	-	4	1	-	-
56		Negro--Male	90	1	-	-	-	-	1	-	-	-
57		Other--Male	1	-	-	-	-	-	-	-	-	-
58	620,621	Diseases of breast	13	1	-	-	-	-	1	-	-	-
59		White--Male	2	1	-	-	-	-	1	-	-	-
60		Female	7	-	-	-	-	-	-	-	-	-
61		Negro--Male	-	-	-	-	-	-	-	-	-	-
62		Female	4	-	-	-	-	-	-	-	-	-
63		Other--Male	-	-	-	-	-	-	-	-	-	-
64		Female	-	-	-	-	-	-	-	-	-	-
65	622-637	Diseases of female genital organs	707	1	1	-	-	-	2	1	3	14
66		White--Female	523	1	-	-	-	-	1	1	1	10
67		Negro--Female	182	-	1	-	-	-	1	-	2	4
68		Other--Female	2	-	-	-	-	-	-	-	-	-
69		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,901	...	...	...	...	...	...	...	4	160
70		White--Female	1,134	...	...	...	...	...	...	...	1	75
71		Negro--Female	750	...	...	...	...	...	...	...	3	82
72		Other--Female	17	...	...	...	...	...	...	...	-	3
73	640,641,	Sepsis of pregnancy, childbirth, and puerperium	205	...	...	...	...	...	...	...	1	15
74	681,682,	White--Female	146	...	...	...	...	...	...	...	1	5
75	684	Negro--Female	57	...	...	...	...	...	...	...	-	9
76		Other--Female	2	...	...	...	...	...	...	...	-	1
77	642,685,686	Toxemias of pregnancy and puerperium, etc.*	524	...	...	...	...	...	...	...	2	68
78		White--Female	288	...	...	...	...	...	...	...	-	36
79		Negro--Female	232	...	...	...	...	...	...	...	2	31
80		Other--Female	4	...	...	...	...	...	...	...	-	1

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
341	378	547	625	804	995	1,126	1,418	1,532	1,932	2,092	2,123	1,791	1,129	403	115	19	12	1
178	193	234	254	340	415	468	613	618	836	943	993	801	490	168	37	1	1	2
102	114	152	188	192	283	307	429	549	727	777	858	785	531	195	55	6	4	3
25	29	71	80	132	142	157	183	160	198	195	154	106	48	16	9	4	5	4
30	39	86	95	133	148	185	185	196	163	170	113	97	57	24	14	8	2	5
2	1	1	6	1	5	4	5	6	5	4	4	2	-	-	-	-	-	6
4	2	3	2	6	2	5	3	3	3	3	1	-	3	-	-	-	-	7
27	38	54	46	71	71	95	97	83	122	90	105	86	47	15	5	1	-	8
9	19	19	14	31	33	41	30	35	57	43	60	44	20	6	2	1	-	9
10	9	12	15	11	11	20	35	24	36	32	33	32	23	8	3	-	-	10
5	3	12	11	15	18	14	15	12	18	10	9	7	-	1	-	-	-	11
3	7	11	6	13	8	20	17	12	11	5	3	3	4	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	14
29	29	47	46	58	78	74	89	94	104	108	81	82	38	13	5	1	1	15
13	12	18	19	22	35	31	46	40	39	49	39	37	11	5	1	-	1	16
10	11	12	17	19	20	16	29	31	43	35	34	38	22	8	3	-	-	17
2	1	7	4	6	10	14	5	9	11	12	7	3	2	-	-	-	-	18
4	4	7	6	11	12	12	9	12	10	11	1	4	3	-	1	1	-	19
-	1	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	20
-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	21
285	311	446	533	675	846	957	1,232	1,355	1,706	1,894	1,937	1,623	1,044	375	105	17	11	22
156	162	197	221	287	347	396	537	543	740	851	894	720	459	157	34	-	-	23
82	94	128	156	162	252	271	365	494	648	710	791	715	486	179	49	6	4	24
18	25	52	65	111	114	129	163	139	169	173	138	96	46	15	9	4	5	25
23	28	68	83	109	128	153	159	172	142	154	109	90	50	24	13	7	2	26
2	-	-	6	1	4	3	5	5	4	3	4	2	-	-	-	-	-	27
4	2	1	2	5	1	5	3	2	3	3	1	-	3	-	-	-	-	28
40	68	104	155	165	254	292	366	457	623	626	642	533	311	123	24	4	-	29
13	30	31	48	49	79	99	135	191	277	321	307	271	157	46	10	3	-	30
21	18	32	53	46	93	94	139	183	257	233	288	233	136	70	11	1	-	31
-	10	12	18	29	29	38	47	43	46	44	27	13	10	4	3	-	-	32
6	10	29	35	41	52	61	44	39	39	25	17	13	7	3	-	-	-	33
-	-	-	1	-	1	-	1	-	4	3	1	1	1	-	-	-	-	34
-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	35
7	11	19	34	57	87	88	144	159	185	156	144	90	44	8	4	2	1	36
4	7	10	16	23	40	41	82	79	105	85	76	49	25	5	2	-	1	37
2	3	7	13	21	31	37	51	68	69	59	62	38	16	2	2	-	-	38
1	1	1	1	3	8	2	5	8	5	7	4	2	-	1	-	1	-	39
-	-	1	4	10	8	7	5	4	4	4	1	1	3	-	-	1	-	40
-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	41
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
12	12	18	33	40	73	98	130	158	241	249	214	205	133	51	17	2	4	43
6	6	6	13	12	31	47	63	78	118	139	144	123	84	25	6	1	1	44
4	6	7	11	11	11	22	30	43	68	73	56	61	45	24	10	-	2	45
-	-	3	6	14	19	22	27	26	46	31	12	17	3	2	1	1	-	46
2	-	2	3	3	12	6	9	8	7	5	2	3	1	-	-	-	1	47
-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-	-	-	48
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	49
1	-	1	3	3	19	51	166	359	746	1,096	1,292	1,232	765	244	68	11	5	50
-	-	-	1	3	13	31	122	282	604	977	1,203	1,158	727	228	62	8	5	51
1	-	1	2	-	6	20	44	75	137	115	84	74	37	16	6	3	-	52
-	-	-	-	-	-	-	-	2	5	4	5	-	1	-	-	-	-	53
1	1	2	3	7	2	16	17	31	49	74	92	119	94	38	7	1	-	54
-	-	2	2	7	-	12	9	20	35	64	77	104	88	36	7	1	-	55
1	1	-	1	-	2	4	8	11	13	10	15	15	6	2	-	-	-	56
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	57
-	-	-	1	1	-	-	3	-	-	3	2	-	1	1	-	-	-	58
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	1	-	-	2	2	-	1	1	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
28	29	60	76	81	84	44	39	39	66	57	42	29	9	2	2	-	-	65
13	16	33	41	56	64	31	32	32	62	51	41	25	9	2	2	-	-	66
15	13	27	34	24	20	13	7	7	4	6	1	4	-	-	-	-	-	67
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
321	410	424	371	179	22	7	-	2	-	-	-	-	1	-	-	-	-	69
202	255	237	222	118	15	6	-	2	-	-	-	-	1	-	-	-	-	70
117	152	184	145	59	7	1	-	-	-	-	-	-	-	-	-	-	-	71
2	3	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	72
43	49	44	35	18	-	-	-	-	-	-	-	-	-	-	-	-	-	73
32	35	33	26	14	-	-	-	-	-	-	-	-	-	-	-	-	-	74
11	14	11	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
93	96	106	89	53	11	3	-	2	-	-	-	-	1	-	-	-	-	77
56	53	54	44	32	7	3	-	2	-	-	-	-	1	-	-	-	-	78
37	40	52	45	21	4	-	-	-	-	-	-	-	-	-	-	-	-	79
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
1	643,644,	Hemorrhage of pregnancy and childbirth	373	...	...	...	...	...	...	...	-	18
2	670-672	White--------Female--	232	...	...	...	...	...	...	...	-	7
3		Negro--------Female--	137	...	...	...	...	...	...	...	-	11
4		Other--------Female--	4	...	...	...	...	...	...	...	-	-
5	645	Ectopic pregnancy	151	...	...	...	...	...	...	...	-	7
6		White--------Female--	62	...	...	...	...	...	...	...	-	4
7		Negro--------Female--	88	...	...	...	...	...	...	...	-	3
8		Other--------Female--	1	...	...	...	...	...	...	...	-	-
9	650	Abortion without mention of sepsis or toxemia	76	...	...	...	...	...	...	...	-	3
10		White--------Female--	42	...	...	...	...	...	...	...	-	1
11		Negro--------Female--	32	...	...	...	...	...	...	...	-	2
12		Other--------Female--	2	...	...	...	...	...	...	...	-	-
13	651	Abortion with sepsis	159	...	...	...	...	...	...	...	-	13
14		White--------Female--	87	...	...	...	...	...	...	...	-	1
15		Negro--------Female--	70	...	...	...	...	...	...	...	-	12
16		Other--------Female--	2	...	...	...	...	...	...	...	-	-
17	652	Abortion with toxemia, without mention of sepsis	31	...	...	...	...	...	...	...	-	2
18		White--------Female--	21	...	...	...	...	...	...	...	-	1
19		Negro--------Female--	9	...	...	...	...	...	...	...	-	-
20		Other--------Female--	1	...	...	...	...	...	...	...	-	1
21	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	382	...	...	...	...	...	...	...	1	34
22		White--------Female--	256	...	...	...	...	...	...	...	-	20
23		Negro--------Female--	125	...	...	...	...	...	...	...	1	14
24		Other--------Female--	1	...	...	...	...	...	...	...	-	-
25		XII. Diseases of the skin and cellular tissue	1,334	75	8	5	3	1	92	15	17	23
26		White--------Male----	491	31	6	3	1	-	41	6	3	3
27		Female--	615	22	1	-	2	1	26	9	12	13
28		Negro--------Male----	84	13	1	-	-	-	14	-	-	4
29		Female--	137	8	-	2	-	-	10	-	2	3
30		Other--------Male----	6	1	-	-	-	-	1	-	-	-
31		Female--	1	-	-	-	-	-	-	-	-	-
32	690-698	Infections of skin and subcutaneous tissue	326	45	5	4	1	1	56	7	3	2
33		White--------Male----	156	15	3	2	1	-	21	4	2	-
34		Female--	104	16	1	-	-	1	18	3	1	1
35		Negro--------Male----	35	7	1	-	-	-	8	-	-	1
36		Female--	29	7	-	2	-	-	9	-	-	-
37		Other--------Male----	2	-	-	-	-	-	-	-	-	-
38		Female--	-	-	-	-	-	-	-	-	-	-
39	700-716	Other diseases of skin and subcutaneous tissue	1,008	30	3	1	2	-	36	8	14	21
40		White--------Male----	335	16	3	1	-	-	20	2	1	3
41		Female--	511	6	-	-	2	-	8	6	11	12
42		Negro--------Male----	49	6	-	-	-	-	6	-	-	3
43		Female--	108	1	-	-	-	-	1	-	2	3
44		Other--------Male----	4	1	-	-	-	-	1	-	-	-
45		Female--	1	-	-	-	-	-	-	-	-	-
46		XIII. Diseases of the bones and organs of movement	3,003	141	24	10	14	2	191	27	59	88
47		White--------Male----	1,174	74	11	5	6	2	98	12	34	69
48		Female--	1,529	59	8	4	4	-	75	13	13	11
49		Negro--------Male----	134	4	4	1	2	-	11	2	7	6
50		Female--	158	4	1	-	2	-	7	-	4	2
51		Other--------Male----	1	-	-	-	-	-	-	-	-	-
52		Female--	7	-	-	-	-	-	-	-	1	-
53	720-725	Arthritis and spondylitis	1,575	-	1	-	2	2	5	2	5	5
54		White--------Male----	465	-	1	-	1	2	4	1	-	1
55		Female--	946	-	-	-	1	-	1	1	1	4
56		Negro--------Male----	65	-	-	-	-	-	-	-	2	-
57		Female--	95	-	-	-	-	-	-	-	1	-
58		Other--------Male----	1	-	-	-	-	-	-	-	-	-
59		Female--	3	-	-	-	-	-	-	-	1	-
60	726,727	Muscular rheumatism and rheumatism, unspecified	56	-	-	-	-	-	-	-	-	-
61		White--------Male----	18	-	-	-	-	-	-	-	-	-
62		Female--	28	-	-	-	-	-	-	-	-	-
63		Negro--------Male----	3	-	-	-	-	-	-	-	-	-
64		Female--	6	-	-	-	-	-	-	-	-	-
65		Other--------Male----	-	-	-	-	-	-	-	-	-	-
66		Female--	1	-	-	-	-	-	-	-	-	-
67	730	Osteomyelitis and periostitis	151	4	-	-	-	-	4	5	1	2
68		White--------Male----	72	2	-	-	-	-	2	2	-	-
69		Female--	62	2	-	-	-	-	2	2	-	1
70		Negro--------Male----	9	-	-	-	-	-	-	1	-	1
71		Female--	8	-	-	-	-	-	-	-	1	-
72		Other--------Male----	-	-	-	-	-	-	-	-	-	-
73		Female--	-	-	-	-	-	-	-	-	-	-
74	737,745-749	Ankylosis and acquired musculoskeletal deformities	100	11	1	4	1	-	17	-	2	4
75		White--------Male----	38	5	-	2	-	-	7	-	-	2
76		Female--	54	4	1	2	-	-	7	-	-	1
77		Negro--------Male----	3	-	-	-	1	-	1	-	2	-
78		Female--	4	2	-	-	-	-	2	-	-	1
79		Other--------Male----	-	-	-	-	-	-	-	-	-	-
80		Female--	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
42	82	90	89	45	5	2	-	-	-	-	-	-	-	-	-	-	-	1
27	53	63	48	29	4	1	-	-	-	-	-	-	-	-	-	-	-	2
14	29	27	39	15	1	1	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
26	30	47	26	13	2	-	-	-	-	-	-	-	-	-	-	-	-	5
9	13	15	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	6
16	17	32	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
20	16	15	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-	9
9	9	9	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	10
11	7	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
32	49	26	30	9	-	-	-	-	-	-	-	-	-	-	-	-	-	13
22	24	14	21	5	-	-	-	-	-	-	-	-	-	-	-	-	-	14
10	25	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
4	7	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	17
3	5	3	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	18
1	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
61	81	89	78	34	2	2	-	-	-	-	-	-	-	-	-	-	-	21
44	63	46	53	27	1	2	-	-	-	-	-	-	-	-	-	-	-	22
17	18	42	25	7	1	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
21	46	54	59	70	73	80	101	106	133	134	99	92	70	40	9	-	-	25
3	4	11	12	25	27	28	33	49	59	65	42	34	31	12	3	-	-	26
12	27	30	28	31	36	31	47	38	56	54	49	47	38	26	5	-	-	27
1	2	2	6	4	4	10	7	5	9	7	3	4	-	1	1	-	-	28
5	13	11	13	10	6	11	13	13	8	8	4	5	1	1	-	-	-	29
-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	30
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	31
2	3	8	12	9	13	17	17	28	31	45	28	16	22	7	-	-	-	32
-	1	5	6	6	6	4	10	18	14	25	12	8	11	3	-	-	-	33
2	-	3	3	3	5	3	3	8	9	12	10	5	11	4	-	-	-	34
-	1	-	2	-	2	5	2	-	5	6	2	1	-	-	-	-	-	35
-	1	-	1	-	-	5	2	2	2	2	3	2	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
19	43	46	47	61	60	63	84	78	102	89	71	76	48	33	9	-	-	39
3	3	6	6	19	21	24	23	31	45	40	30	26	20	9	3	-	-	40
10	27	27	25	28	31	28	44	30	47	42	39	42	27	22	5	-	-	41
1	1	2	4	4	2	5	5	5	4	1	1	3	-	1	1	-	-	42
5	12	11	12	10	6	6	11	11	6	6	1	3	1	1	-	-	-	43
-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	44
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
58	41	53	65	88	121	125	210	255	335	402	363	283	154	64	16	2	3	46
44	22	24	28	38	57	47	96	111	123	131	115	74	35	13	2	1	-	47
7	14	19	28	37	43	51	90	122	180	234	224	194	114	44	12	1	3	48
2	3	5	3	2	8	10	10	13	11	14	13	10	2	1	1	-	-	49
5	1	5	6	11	12	17	13	9	20	22	11	5	3	5	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	51
-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	52
8	2	9	17	32	53	70	114	155	213	280	247	198	99	45	13	1	2	53
4	2	6	8	16	21	23	38	64	66	75	66	43	17	10	-	-	-	54
2	-	1	6	11	23	31	59	74	126	178	163	144	78	29	11	1	2	55
-	-	1	-	-	1	5	6	11	6	11	10	8	2	1	1	-	-	56
2	-	1	3	5	8	11	10	6	15	16	8	3	2	4	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	58
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	59
1	-	1	1	2	-	2	4	3	5	11	8	8	7	2	-	1	-	60
1	-	-	1	1	-	-	3	1	3	2	2	-	3	-	-	1	-	61
-	-	1	-	1	-	-	1	2	2	4	5	7	4	1	-	-	-	62
-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	66
1	2	7	4	6	9	6	4	18	18	17	20	19	6	2	-	-	-	67
1	1	4	4	1	6	2	2	10	8	6	10	9	4	-	-	-	-	68
-	-	2	-	3	2	3	2	7	7	11	8	8	2	2	-	-	-	69
-	-	1	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	70
-	1	-	-	2	1	1	-	-	1	-	-	1	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
3	2	7	7	9	7	4	4	7	7	5	8	3	2	2	-	-	-	74
2	1	2	1	7	3	1	3	2	2	4	1	-	-	-	-	-	-	75
1	1	5	6	2	3	3	1	5	4	1	7	3	2	2	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	80

420487 O -57 -7

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement—Continued										
1	731-736,	All other diseases of musculoskeletal system	1,121	126	22	6	11	-	165	20	51	77
2	738-744	White--Male	561	67	10	3	5	-	85	9	34	66
3		Female	439	53	7	2	3	-	65	10	12	5
4		Negro--Male	54	4	4	1	1	-	10	1	3	5
5		Female	45	2	1	-	2	-	5	-	2	1
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	2	-	-	-	-	-	-	-	-	-
8		XIV. Congenital malformations	20,502	15,356	964	381	250	187	17,138	541	278	231
9		White--Male	9,839	7,409	430	174	109	77	8,199	258	137	133
10		Female	8,283	6,131	393	156	101	86	6,857	239	117	77
11		Negro--Male	1,215	923	67	27	23	10	1,050	23	16	12
12		Female	1,027	786	71	21	17	12	907	19	8	9
13		Other--Male	76	60	7	2	-	1	70	1	-	-
14		Female	62	47	6	1	-	1	55	1	-	-
15	751	Spina bifida and meningocele	1,342	1,206	66	19	6	10	1,307	10	7	7
16		White--Male	539	483	26	6	5	2	522	3	3	4
17		Female	719	646	35	13	1	7	702	7	3	3
18		Negro--Male	42	37	4	-	-	-	41	-	1	-
19		Female	35	33	1	-	-	1	35	-	-	-
20		Other--Male	3	3	-	-	-	-	3	-	-	-
21		Female	4	4	-	-	-	-	4	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,562	1,806	252	98	63	49	2,268	150	44	26
23		White--Male	1,136	797	117	44	22	21	1,001	66	24	16
24		Female	1,129	809	103	41	29	20	1,002	70	17	5
25		Negro--Male	148	92	19	9	7	2	129	8	2	3
26		Female	134	95	12	3	5	6	121	6	1	2
27		Other--Male	5	5	-	-	-	-	5	-	-	-
28		Female	10	8	1	1	-	-	10	-	-	-
29	754	Congenital malformations of circulatory system	9,245	6,976	431	157	106	73	7,743	220	167	152
30		White--Male	4,559	3,531	186	72	46	29	3,864	105	78	86
31		Female	3,565	2,599	170	58	43	36	2,906	89	71	53
32		Negro--Male	546	400	29	13	10	6	458	13	13	7
33		Female	518	400	42	14	7	2	465	12	5	6
34		Other--Male	36	28	3	-	-	-	31	1	-	-
35		Female	22	18	1	-	-	-	19	-	-	-
36	750,755-759	Other congenital malformations	7,353	5,368	215	107	75	55	5,820	161	60	46
37		White--Male	3,606	2,598	101	52	36	25	2,812	64	32	27
38		Female	2,870	2,077	75	44	28	23	2,247	73	26	16
39		Negro--Male	479	394	15	5	6	2	422	2	-	2
40		Female	340	258	16	4	5	3	286	1	2	1
41		Other--Male	32	24	4	2	-	1	31	-	-	-
42		Female	26	17	4	-	-	1	22	1	-	-
43		XV. Certain diseases of early infancy	64,043	64,016	16	2	4	1	64,039	4	-	-
44		White--Male	29,558	29,546	6	1	2	1	29,556	2	-	-
45		Female	20,516	20,505	7	-	2	-	20,514	2	-	-
46		Negro--Male	7,602	7,600	1	1	-	-	7,602	-	-	-
47		Female	5,953	5,951	2	-	-	-	5,953	-	-	-
48		Other--Male	243	243	-	-	-	-	243	-	-	-
49		Female	171	171	-	-	-	-	171	-	-	-
50	760,761	Birth injuries	11,569	11,564	4	1	-	-	11,569	-	-	-
51		White--Male	5,929	5,928	1	-	-	-	5,929	-	-	-
52		Female	3,728	3,726	2	-	-	-	3,728	-	-	-
53		Negro--Male	1,097	1,096	-	1	-	-	1,097	-	-	-
54		Female	762	761	1	-	-	-	762	-	-	-
55		Other--Male	33	33	-	-	-	-	33	-	-	-
56		Female	20	20	-	-	-	-	20	-	-	-
57	762	Postnatal asphyxia and atelectasis	17,686	17,681	4	-	1	-	17,686	-	-	-
58		White--Male	8,598	8,598	-	-	-	-	8,598	-	-	-
59		Female	5,658	5,654	3	-	1	-	5,658	-	-	-
60		Negro--Male	1,839	1,839	-	-	-	-	1,839	-	-	-
61		Female	1,497	1,496	1	-	-	-	1,497	-	-	-
62		Other--Male	54	54	-	-	-	-	54	-	-	-
63		Female	40	40	-	-	-	-	40	-	-	-
64	763-768	Infections of newborn	4,201	4,200	1	-	-	-	4,201	-	-	-
65		White--Male	1,655	1,655	-	-	-	-	1,655	-	-	-
66		Female	1,093	1,092	1	-	-	-	1,093	-	-	-
67		Negro--Male	803	803	-	-	-	-	803	-	-	-
68		Female	587	587	-	-	-	-	587	-	-	-
69		Other--Male	37	37	-	-	-	-	37	-	-	-
70		Female	26	26	-	-	-	-	26	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,438	2,426	3	1	3	1	2,434	4	-	-
72		White--Male	1,235	1,227	2	1	2	1	1,233	2	-	-
73		Female	1,018	1,014	1	-	1	-	1,016	2	-	-
74		Negro--Male	104	104	-	-	-	-	104	-	-	-
75		Female	66	66	-	-	-	-	66	-	-	-
76		Other--Male	8	8	-	-	-	-	8	-	-	-
77		Female	7	7	-	-	-	-	7	-	-	-
78	769,771,772	All other defined diseases of early infancy	2,071	2,070	1	-	-	-	2,071	-	-	-
79		White--Male	824	823	1	-	-	-	824	-	-	-
80		Female	570	570	-	-	-	-	570	-	-	-
81		Negro--Male	395	395	-	-	-	-	395	-	-	-
82		Female	257	257	-	-	-	-	257	-	-	-
83		Other--Male	17	17	-	-	-	-	17	-	-	-
84		Female	8	8	-	-	-	-	8	-	-	-

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
45	35	29	36	39	52	43	84	72	92	89	80	55	40	13	3	-	1	1
36	18	12	14	13	27	21	50	34	44	44	36	22	11	3	2	-	-	2
4	13	10	16	20	15	14	27	34	41	40	41	32	28	10	1	-	1	3
2	3	3	3	2	7	3	4	1	3	2	1	1	-	-	-	-	-	4
3	-	4	3	4	3	5	3	3	3	3	2	-	1	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	7
202	189	216	224	221	239	263	182	185	158	92	69	40	15	3	2	-	12	8
97	85	98	108	91	117	145	94	80	80	50	37	20	5	-	1	-	4	9
81	83	93	96	107	92	97	75	97	68	37	28	20	10	2	1	-	6	10
12	15	10	12	11	17	10	9	6	7	2	2	-	-	-	-	-	1	11
10	5	15	7	12	12	9	4	2	3	1	2	-	-	1	-	-	1	12
1	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	13
1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	15
1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	16
1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
12	15	14	7	3	6	6	4	1	2	1	1	1	-	-	-	-	1	22
4	6	7	3	1	2	3	2	-	1	-	-	-	-	-	-	-	-	23
5	7	5	4	2	4	3	2	1	1	-	-	1	-	-	-	-	-	24
1	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	25
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
130	130	137	131	100	79	76	46	41	41	22	17	6	1	-	-	-	6	29
61	54	61	56	32	38	45	25	12	19	10	9	2	-	-	-	-	1	30
52	60	61	65	59	32	26	18	27	19	9	8	4	1	-	-	-	5	31
10	10	7	7	3	6	4	3	2	2	1	-	-	-	-	-	-	-	32
6	5	7	2	6	2	1	-	-	1	-	-	-	-	-	-	-	-	33
1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	34
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
58	41	65	84	117	154	181	132	143	115	69	51	33	14	3	2	-	4	36
31	22	30	47	58	77	97	67	68	60	40	28	18	5	-	1	-	2	37
23	16	25	27	45	56	68	55	69	48	28	20	15	9	2	1	-	1	38
1	3	1	5	8	11	6	6	4	5	1	1	-	-	-	-	-	1	39
2	-	8	5	6	10	8	4	2	2	-	2	-	-	1	-	-	-	40
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XV. Certain diseases of early infancy—Continued										
1	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	28,078	28,075	3	-	-	-	28,078	-	-	-
2		White--Male	11,317	11,315	2	-	-	-	11,317	-	-	-
3		Female	8,449	8,449	-	-	-	-	8,449	-	-	-
4		Negro--Male	3,364	3,363	1	-	-	-	3,364	-	-	-
5		Female	2,784	2,784	-	-	-	-	2,784	-	-	-
6		Other--Male	94	94	-	-	-	-	94	-	-	-
7		Female	70	70	-	-	-	-	70	-	-	-
8		XVI. Symptoms, senility, and ill-defined conditions	19,914	2,790	204	126	70	43	3,233	112	62	162
9		White--Male	8,125	726	57	33	28	14	858	38	25	69
10		Female	5,022	476	35	30	15	12	568	20	9	35
11		Negro--Male	3,519	796	51	29	14	7	897	28	13	26
12		Female	2,952	712	41	24	12	10	799	22	13	30
13		Other--Male	158	39	8	4	-	-	51	2	1	1
14		Female	138	41	12	6	1	-	60	2	1	1
15	794	Senility without mention of psychosis	3,461	-	-	-	-	-	-	-	-	-
16		White--Male	1,272	-	-	-	-	-	-	-	-	-
17		Female	1,574	-	-	-	-	-	-	-	-	-
18		Negro--Male	254	-	-	-	-	-	-	-	-	-
19		Female	321	-	-	-	-	-	-	-	-	-
20		Other--Male	21	-	-	-	-	-	-	-	-	-
21		Female	19	-	-	-	-	-	-	-	-	-
22	780-793,795	Symptoms, ill-defined and unknown causes	16,453	2,790	204	126	70	43	3,233	112	62	162
23		White--Male	6,853	726	57	33	28	14	858	38	25	69
24		Female	3,448	476	35	30	15	12	568	20	9	35
25		Negro--Male	3,265	796	51	29	14	7	897	28	13	26
26		Female	2,631	712	41	24	12	10	799	22	13	30
27		Other--Male	137	39	8	4	-	-	51	2	1	1
28		Female	119	41	12	6	1	-	60	2	1	1
29		XVII. Accidents, poisonings, and violence	117,650	3,437	1,659	1,223	1,102	883	8,304	3,344	2,925	6,451
30		White--Male	70,872	1,443	731	542	499	387	3,602	1,834	1,881	4,402
31		Female	29,618	1,005	520	399	321	263	2,508	889	580	1,171
32		Negro--Male	11,604	505	211	148	123	98	1,085	347	334	653
33		Female	4,442	437	171	118	140	126	992	244	105	162
34		Other--Male	834	22	15	8	6	5	56	18	17	43
35		Female	280	25	11	8	13	4	61	12	8	20
36	E800-E962	Accidents	93,443	3,308	1,631	1,206	1,083	871	8,099	3,285	2,814	5,817
37		White--Male	55,976	1,388	720	537	492	385	3,522	1,808	1,824	4,105
38		Female	25,034	965	512	392	313	258	2,440	866	556	1,068
39		Negro--Male	8,034	489	208	146	121	94	1,058	342	311	485
40		Female	3,481	419	166	115	138	125	963	239	99	107
41		Other--Male	680	22	15	8	6	5	56	18	16	35
42		Female	238	25	10	8	13	4	60	12	8	17
43	E800-E802	Railway accidents	1,344	3	6	6	4	3	22	25	30	41
44		White--Male	971	1	4	1	3	2	11	17	23	31
45		Female	104	-	2	5	-	-	7	6	3	2
46		Negro--Male	218	1	-	-	-	1	2	2	3	6
47		Female	17	1	-	-	-	-	1	-	1	-
48		Other--Male	29	-	-	-	-	-	-	-	-	2
49		Female	5	-	-	-	1	-	1	-	-	-
50	E810-E835	Motor-vehicle accidents	38,426	328	427	358	406	356	1,875	1,418	988	3,809
51		White--Male	25,336	151	202	172	188	170	883	609	629	2,635
52		Female	8,518	129	168	140	146	118	701	415	258	854
53		Negro--Male	3,131	23	29	25	35	35	147	116	64	225
54		Female	998	21	24	16	29	31	121	69	28	67
55		Other--Male	336	3	2	2	5	2	14	4	8	17
56		Female	107	1	2	3	3	-	9	5	1	11
57	E810-E825	Motor-vehicle traffic accidents	37,437	309	271	276	359	335	1,550	1,369	962	3,756
58		White--Male	24,682	145	125	128	168	160	726	786	610	2,600
59		Female	8,307	120	107	108	125	112	573	401	256	847
60		Negro--Male	3,044	20	18	22	30	33	123	107	61	216
61		Female	979	20	19	13	29	29	110	66	26	66
62		Other--Male	322	3	1	1	4	1	10	4	8	17
63		Female	103	1	1	3	3	-	8	5	1	10
64	E810	Motor-vehicle traffic accident with railway train*	1,490	14	4	11	15	10	54	41	56	153
65		White--Male	976	9	2	4	4	2	21	24	25	87
66		Female	413	4	2	6	9	7	28	17	27	59
67		Negro--Male	73	1	-	1	-	-	2	-	3	5
68		Female	19	-	-	-	1	1	2	-	-	2
69		Other--Male	7	-	-	-	-	-	-	-	1	-
70		Female	2	-	-	-	1	-	1	-	-	-
71	E812	Motor-vehicle traffic accident to pedestrian	7,821	6	109	141	197	210	663	851	281	204
72		White--Male	4,735	1	54	67	100	107	329	503	158	125
73		Female	1,686	3	33	47	52	58	193	216	63	39
74		Negro--Male	787	2	13	15	27	26	83	84	27	31
75		Female	305	-	9	11	13	18	51	42	10	8
76		Other--Male	84	-	-	1	4	1	6	2	3	2
77		Female	24	-	-	-	1	-	1	4	-	1
78	E811,E813-E819	Other motor-vehicle traffic accidents, etc.*	13,621	168	89	54	69	58	438	298	410	1,415
79		White--Male	8,747	86	38	27	30	25	206	180	278	955
80		Female	3,535	66	41	22	27	24	180	100	97	361
81		Negro--Male	926	7	2	2	1	5	17	8	20	71
82		Female	301	8	7	1	11	4	31	9	12	20
83		Other--Male	81	1	-	-	-	-	1	1	3	4
84		Female	31	-	1	2	-	-	3	-	-	4

*For complete category title, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
243	292	332	432	668	845	1,052	1,139	1,360	1,628	1,717	1,650	1,802	1,520	995	402	160	108	8
105	96	124	164	288	397	488	566	685	762	805	762	765	619	326	121	22	40	9
45	59	66	96	131	150	161	181	240	318	381	495	612	648	498	224	55	30	10
42	81	64	105	126	158	229	222	253	311	297	202	214	124	64	18	24	21	11
46	49	75	62	116	134	162	165	173	222	219	174	181	115	96	35	53	11	12
2	3	-	3	6	4	7	3	6	10	10	10	19	7	5	3	2	3	13
3	4	3	2	1	2	5	2	3	5	5	7	11	7	6	1	4	3	14
-	-	-	-	-	-	5	6	34	76	196	362	747	880	724	300	123	8	15
-	-	-	-	-	-	1	1	8	19	88	158	293	351	241	90	21	1	16
-	-	-	-	-	-	-	-	2	19	49	126	303	435	397	188	54	1	17
-	-	-	-	-	-	3	2	14	15	25	37	66	38	29	7	14	4	18
-	-	-	-	-	-	1	3	10	22	32	34	71	51	51	14	30	2	19
-	-	-	-	-	-	-	-	-	-	2	5	8	3	2	-	1	-	20
-	-	-	-	-	-	-	-	-	1	-	2	6	2	4	1	3	-	21
243	292	332	432	668	845	1,047	1,133	1,326	1,552	1,521	1,288	1,055	640	271	102	37	100	22
105	96	124	164	288	397	487	565	677	743	717	604	472	268	85	31	1	39	23
45	59	66	96	131	150	161	181	238	299	332	369	309	213	101	36	1	29	24
42	81	64	105	126	158	226	220	239	296	272	165	148	86	35	11	10	17	25
46	49	75	62	116	134	161	162	163	200	187	140	110	64	45	21	23	9	26
2	3	-	3	6	4	7	3	6	10	8	5	11	4	3	3	1	3	27
3	4	3	2	1	2	5	2	3	4	5	5	5	5	2	-	1	3	28
8,308	7,708	7,315	7,100	7,466	7,338	7,257	6,823	6,776	6,474	6,137	6,013	5,481	4,014	1,703	441	84	188	29
5,726	4,967	4,527	4,485	4,736	4,754	4,811	4,559	4,652	4,239	3,731	3,213	2,407	1,542	535	138	15	116	30
1,042	1,042	1,184	1,211	1,359	1,406	1,437	1,454	1,499	1,664	1,984	2,529	2,831	2,354	1,108	282	49	35	31
1,127	1,223	1,188	1,035	1,023	868	756	580	433	374	229	137	103	57	18	8	3	23	32
286	352	332	287	262	220	191	180	147	163	158	118	116	56	37	11	15	8	33
103	104	69	63	67	75	51	34	35	26	29	15	18	1	3	1	1	5	34
24	20	15	19	19	15	11	16	10	8	6	1	6	4	2	1	1	1	35
6,925	5,721	5,183	4,972	5,035	4,919	4,889	4,582	4,809	4,910	5,019	5,243	5,070	3,824	1,665	433	83	146	36
5,141	4,045	3,566	3,344	3,315	3,253	3,241	2,950	3,171	3,048	2,839	2,595	2,076	1,389	503	134	14	93	37
839	744	764	802	884	873	926	1,013	1,148	1,373	1,793	2,403	2,759	2,325	1,103	281	49	25	38
684	665	603	587	619	566	531	419	334	315	205	119	96	52	17	6	3	17	39
155	172	188	174	151	155	145	157	126	148	154	111	116	53	37	10	15	6	40
87	81	52	52	49	61	37	30	23	19	22	14	17	1	3	1	1	5	41
19	14	10	13	17	11	9	13	7	7	6	1	6	4	2	1	1	-	42
56	80	104	114	129	121	120	118	117	85	64	55	44	12	3	1	-	3	43
34	55	67	84	76	87	93	91	100	73	42	46	28	9	1	-	-	3	44
6	4	4	1	7	8	5	8	7	3	14	5	10	2	1	1	-	-	45
12	15	31	23	37	20	19	18	8	8	5	3	4	1	1	-	-	-	46
1	1	1	1	3	-	2	1	-	1	3	1	-	-	-	-	-	-	47
3	5	1	4	5	6	1	-	-	-	-	-	2	-	-	-	-	-	48
-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	49
4,847	3,554	2,916	2,572	2,406	2,144	2,142	2,021	2,065	1,868	1,587	1,164	690	245	59	10	1	45	50
3,646	2,486	1,977	1,705	1,582	1,357	1,343	1,236	1,346	1,182	1,055	777	441	174	38	7	1	27	51
633	542	521	465	480	471	521	544	537	521	428	337	208	52	18	3	-	9	52
407	381	297	280	244	222	198	167	124	119	65	29	26	15	1	-	-	4	53
91	87	86	83	62	64	54	51	38	36	30	15	8	4	1	-	-	3	54
54	50	28	30	29	25	19	15	16	7	6	5	6	-	1	-	-	2	55
16	8	7	9	9	5	7	8	4	3	3	1	1	-	-	-	-	-	56
4,783	3,493	2,864	2,537	2,366	2,094	2,089	1,972	2,019	1,844	1,573	1,136	679	238	57	10	1	45	57
3,588	2,436	1,934	1,677	1,550	1,318	1,299	1,201	1,309	1,167	1,045	759	435	170	37	7	1	27	58
632	537	518	461	477	468	516	536	533	516	425	327	205	49	18	3	-	9	59
402	376	292	278	241	216	195	164	121	115	64	29	25	15	-	-	-	4	60
91	87	86	83	62	64	53	50	38	36	30	15	8	4	1	-	-	3	61
54	49	27	29	27	23	19	14	15	7	6	5	5	-	1	-	-	2	62
16	8	7	9	9	5	7	7	3	3	3	1	1	-	-	-	-	-	63
150	136	151	115	104	107	99	95	72	63	52	19	14	6	1	-	-	2	64
117	102	98	73	67	72	60	59	45	46	45	17	11	6	1	-	-	-	65
27	22	39	36	29	28	26	27	23	12	6	2	3	-	-	-	-	2	66
4	10	11	4	6	5	9	6	3	4	1	-	-	-	-	-	-	-	67
1	2	3	2	2	1	2	1	-	1	-	-	-	-	-	-	-	-	68
1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
195	184	231	249	292	337	440	478	620	709	723	606	388	143	31	9	-	7	71
113	108	132	133	183	199	269	301	414	469	483	407	263	108	25	7	-	6	72
36	24	43	41	52	54	89	91	125	153	173	166	100	21	5	2	-	-	73
28	35	37	53	36	53	60	58	51	64	42	18	16	10	-	-	-	1	74
10	9	13	10	12	19	17	21	23	20	21	11	6	4	-	-	-	-	75
7	7	3	9	8	11	4	4	6	2	2	4	3	-	1	-	-	-	76
1	1	3	3	1	1	1	3	1	1	2	-	-	-	-	-	-	-	77
1,742	1,404	1,101	1,038	952	843	860	777	758	605	469	273	152	57	13	-	-	16	78
1,235	939	733	685	601	511	526	444	475	358	305	181	84	36	6	-	-	9	79
302	273	235	223	239	241	249	266	242	207	144	84	64	19	7	-	-	2	80
148	144	99	89	81	61	61	48	31	26	10	6	3	2	-	-	-	1	81
38	34	26	31	20	25	19	11	6	9	7	1	-	-	-	-	-	2	82
14	12	7	7	6	3	4	5	3	4	3	1	1	-	-	-	-	2	83
5	2	1	3	5	2	1	3	1	1	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
		Motor-vehicle traffic accidents—Continued										
1	E820-E824	Motor-vehicle noncollision traffic accidents	9,721	67	42	49	57	35	250	106	156	1,398
2		White--Male	6,957	26	21	23	26	18	114	52	102	1,039
3		Female	1,535	21	18	22	27	12	100	38	46	251
4		Negro--Male	855	8	1	2	1	1	13	8	6	76
5		Female	222	10	2	1	3	4	20	8	-	18
6		Other--Male	121	1	-	-	-	-	1	-	1	10
7		Female	31	1	-	1	-	-	2	-	1	4
8	E825	Motor-vehicle traffic accident of unspecified nature	4,984	54	27	21	21	22	145	73	79	586
9		White--Male	3,267	23	10	7	8	8	56	27	47	394
10		Female	1,138	26	13	12	10	11	72	30	23	137
11		Negro--Male	403	2	2	2	1	1	8	7	5	33
12		Female	132	2	1	-	1	2	6	7	4	20
13		Other--Male	29	1	1	-	-	-	2	1	-	1
14		Female	15	-	-	-	1	-	1	1	-	1
15	E830-E835	Motor-vehicle nontraffic accidents	989	19	156	82	47	21	325	49	26	53
16		White--Male	654	6	77	44	20	10	157	23	19	35
17		Female	211	9	61	31	21	6	128	14	2	7
18		Negro--Male	87	3	11	3	5	2	24	9	3	9
19		Female	19	1	5	3	-	2	11	3	2	1
20		Other--Male	14	-	1	1	1	1	4	-	-	-
21		Female	4	-	1	-	-	-	1	-	-	1
22	E840-E845	Other road-vehicle accidents	330	-	1	1	6	3	11	37	60	29
23		White--Male	211	-	1	1	5	3	10	26	33	19
24		Female	72	-	-	-	1	-	1	5	25	8
25		Negro--Male	33	-	-	-	-	-	-	4	1	1
26		Female	2	-	-	-	-	-	-	1	-	-
27		Other--Male	10	-	-	-	-	-	-	1	1	1
28		Female	2	-	-	-	-	-	-	-	-	-
29	E850-E858	Water-transport accidents	1,452	-	3	8	8	5	24	53	102	133
30		White--Male	1,208	-	2	6	6	4	18	36	78	103
31		Female	85	-	1	2	1	-	4	11	9	8
32		Negro--Male	133	-	-	-	1	1	2	5	10	19
33		Female	12	-	-	-	-	-	-	1	3	2
34		Other--Male	12	-	-	-	-	-	-	-	-	1
35		Female	2	-	-	-	-	-	-	-	2	-
36	E860-E866	Aircraft accidents	1,446	1	3	2	-	1	7	7	6	67
37		White--Male	1,319	-	2	2	-	-	4	6	4	61
38		Female	97	1	1	-	-	1	3	1	2	4
39		Negro--Male	22	-	-	-	-	-	-	-	-	2
40		Female	4	-	-	-	-	-	-	-	-	-
41		Other--Male	4	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E870-E888	Accidental poisoning by solid and liquid substances	1,431	47	182	84	32	12	357	22	10	16
44		White--Male	690	13	75	30	10	7	135	9	3	9
45		Female	452	13	39	21	7	2	82	7	6	4
46		Negro--Male	173	9	41	22	8	1	81	4	-	1
47		Female	106	12	22	11	7	2	54	2	1	2
48		Other--Male	6	-	3	-	-	-	3	-	-	-
49		Female	4	-	2	-	-	-	2	-	-	-
50	E890-E895	Accidental poisoning by gases and vapors	1,163	15	11	10	6	2	44	11	19	58
51		White--Male	749	6	8	4	2	-	20	4	7	28
52		Female	256	6	1	2	1	-	10	3	9	19
53		Negro--Male	90	1	1	-	2	1	5	2	1	3
54		Female	57	2	1	4	-	1	8	2	1	6
55		Other--Male	7	-	-	-	1	-	1	-	1	-
56		Female	4	-	-	-	-	-	-	-	-	2
57	E900-E904	Accidental falls	20,192	153	112	63	39	19	386	111	85	113
58		White--Male	9,056	74	46	22	22	10	174	60	61	80
59		Female	9,919	41	40	25	10	7	123	32	17	14
60		Negro--Male	718	18	18	11	2	2	51	14	6	16
61		Female	444	18	8	4	4	-	34	4	1	1
62		Other--Male	37	1	-	-	-	-	1	-	-	2
63		Female	18	1	-	1	1	-	3	1	-	-
64	E900-E902	Fall from one level to another	6,811	115	84	52	29	10	290	79	58	75
65		White--Male	3,933	53	39	15	14	6	127	41	41	54
66		Female	2,258	30	27	23	9	4	93	25	11	7
67		Negro--Male	434	17	15	10	2	-	44	10	5	12
68		Female	155	14	3	3	3	-	23	3	1	1
69		Other--Male	23	-	-	-	-	-	-	-	-	1
70		Female	8	1	-	1	1	-	3	-	-	-
71	E903	Fall on same level	4,275	4	3	1	3	2	13	8	10	3
72		White--Male	1,596	2	-	-	3	1	6	4	8	2
73		Female	2,534	2	-	1	-	1	4	3	2	-
74		Negro--Male	64	-	1	-	-	-	1	-	-	1
75		Female	74	-	2	-	-	-	2	-	-	-
76		Other--Male	3	-	-	-	-	-	-	-	-	-
77		Female	4	-	-	-	-	-	-	1	-	-
78	E904	Unspecified falls	9,106	34	25	10	7	7	83	24	17	35
79		White--Male	3,527	19	7	7	5	3	41	15	12	24
80		Female	5,127	9	13	1	1	2	26	4	4	7
81		Negro--Male	220	1	2	1	-	2	6	4	1	3
82		Female	215	4	3	1	1	-	9	1	-	-
83		Other--Male	11	1	-	-	-	-	1	-	-	1
84		Female	6	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,880	1,239	967	799	684	512	405	359	340	237	165	135	54	13	5	1	1	15	1
1,496	892	694	560	483	366	272	239	236	155	118	89	30	6	3	-	1	10	2
170	155	120	108	87	64	77	71	73	65	39	41	19	6	2	1	-	2	3
149	134	107	94	81	65	38	35	21	13	8	1	3	1	-	-	-	2	4
29	33	28	24	19	9	10	11	5	3	-	3	1	-	-	-	-	1	5
27	22	15	10	12	7	7	3	4	1	-	-	1	-	-	-	-	-	6
9	3	3	3	2	1	1	-	1	-	-	1	-	-	-	-	-	-	7
816	530	414	336	334	295	285	263	229	230	164	103	71	19	7	-	-	5	8
627	395	277	226	216	170	172	158	139	139	94	65	47	14	2	-	-	2	9
97	63	81	53	70	81	75	81	70	79	63	34	19	3	4	-	-	3	10
73	53	38	38	37	32	27	17	15	8	3	4	3	2	-	-	-	-	11
13	9	16	16	9	10	5	6	4	3	2	-	1	-	1	-	-	-	12
5	8	2	3	1	1	3	-	1	-	1	-	-	-	-	-	-	-	13
1	2	-	-	1	1	3	1	-	1	1	-	1	-	-	-	-	-	14
64	61	52	35	40	50	53	49	46	24	14	28	11	7	2	-	-	-	15
58	50	43	28	32	39	44	35	37	15	10	18	6	4	1	-	-	-	16
1	5	3	4	3	3	5	8	4	5	3	10	3	3	-	-	-	-	17
5	5	5	2	3	6	3	3	3	4	1	-	1	-	1	-	-	-	18
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	19
-	1	1	1	2	2	-	1	1	-	-	-	1	-	-	-	-	-	20
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	21
13	6	4	10	14	14	16	18	12	30	25	14	11	4	-	-	-	2	22
8	3	3	9	8	10	11	8	9	20	16	12	3	2	-	-	-	1	23
3	2	1	-	1	3	1	4	2	7	2	1	4	2	-	-	-	-	24
1	-	-	1	3	1	4	5	1	2	7	1	1	-	-	-	-	-	25
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	1	27
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	28
145	151	139	128	138	133	110	75	45	34	24	13	2	1	-	-	-	2	29
120	131	122	108	111	111	99	66	38	33	23	9	-	1	-	-	-	1	30
5	2	6	9	12	11	3	1	2	-	-	-	2	-	-	-	-	-	31
16	13	10	10	13	8	8	7	5	1	1	4	-	-	-	-	-	1	32
1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
3	2	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
342	280	245	197	115	83	38	30	12	5	4	-	1	1	-	-	-	6	36
312	264	239	178	99	75	34	21	9	3	2	-	1	1	-	-	-	6	37
21	9	3	17	15	7	4	5	2	2	2	-	-	-	-	-	-	-	38
7	5	3	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	39
-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	40
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
40	68	78	98	153	160	121	100	66	61	37	19	19	2	1	-	-	3	43
13	33	35	42	68	94	75	57	38	35	19	11	11	-	1	-	-	2	44
10	19	27	42	60	44	37	37	23	20	16	7	8	2	-	-	-	1	45
10	12	8	6	18	13	5	4	4	5	2	-	-	-	-	-	-	-	46
6	4	7	8	7	7	4	1	1	1	-	1	-	-	-	-	-	-	47
1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	49
73	85	87	77	84	99	91	72	76	88	67	69	33	24	4	-	-	2	50
47	59	59	45	50	73	63	56	57	66	43	40	15	13	2	-	-	2	51
12	12	12	15	22	12	16	9	15	17	20	26	15	10	2	-	-	-	52
8	9	7	13	7	10	7	6	3	3	2	2	2	-	-	-	-	-	53
4	4	8	4	4	4	4	1	1	1	2	1	1	1	-	-	-	-	54
1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	55
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
126	193	248	343	466	555	729	782	1,079	1,478	2,037	2,940	3,527	3,094	1,435	381	73	11	57
84	124	156	223	287	373	486	517	650	843	958	1,190	1,230	1,004	418	119	12	7	58
21	26	32	55	90	94	124	184	335	541	986	1,684	2,214	2,050	994	252	47	4	59
15	32	42	44	69	62	84	51	65	51	39	29	27	11	5	3	2	-	60
4	9	16	18	18	23	29	28	28	37	49	36	52	24	16	6	11	-	61
1	2	2	3	1	3	5	2	1	4	5	1	3	1	-	-	-	-	62
1	-	-	-	1	-	1	-	-	2	-	-	1	4	2	1	1	-	63
88	143	161	217	265	312	417	409	519	638	691	762	756	579	260	74	15	3	64
64	92	110	147	171	211	295	283	367	428	410	398	354	213	93	31	1	2	65
14	17	17	33	42	45	55	82	113	167	243	347	382	352	161	41	10	1	66
7	26	26	27	44	42	52	34	32	28	17	11	6	7	3	1	-	-	67
1	6	7	8	7	11	12	9	6	12	18	6	12	5	3	1	3	-	68
1	2	1	2	1	3	2	1	1	3	3	-	1	1	-	-	-	-	69
1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	70
5	11	14	27	52	72	81	115	189	278	445	727	886	824	387	104	19	5	71
1	7	8	18	33	45	49	67	95	145	169	254	284	261	100	31	6	3	72
3	1	2	4	12	22	19	35	81	122	258	463	584	553	282	71	11	2	73
-	1	4	3	5	2	9	6	5	8	7	4	5	2	-	-	1	-	74
1	2	-	2	2	3	4	6	8	3	10	6	12	7	4	1	1	-	75
-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	77
33	39	73	99	149	171	231	258	371	562	901	1,451	1,885	1,691	788	203	39	3	78
19	25	38	58	83	117	142	167	188	270	379	538	592	530	225	57	5	2	79
4	8	13	18	36	27	50	67	141	252	485	874	1,248	1,145	551	140	26	1	80
8	5	12	14	20	18	23	11	28	15	15	14	16	2	2	2	1	-	81
2	1	9	8	9	9	13	13	14	22	21	24	28	12	9	4	7	-	82
-	-	1	1	-	-	3	-	-	1	1	1	1	-	-	-	-	-	83
-	-	-	-	1	-	-	-	-	2	-	-	-	2	1	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
1	E910	Blow from falling object	1,332	5	13	9	21	13	61	31	25	53
2		White--------Male----	1,085	-	4	5	14	10	33	22	21	45
3		Female--	49	3	6	4	6	2	21	7	1	2
4		Negro--------Male----	183	-	1	-	-	1	2	2	3	6
5		Female--	5	-	1	-	1	-	2	-	-	-
6		Other--------Male----	8	1	1	-	-	-	2	-	-	-
7		Female--	2	1	-	-	-	-	1	-	-	-
8	E912	Accident caused by machinery	2,019	2	12	17	27	10	68	61	73	123
9		White--------Male----	1,774	1	7	15	17	6	46	47	63	108
10		Female--	67	1	4	1	6	3	15	11	2	9
11		Negro--------Male----	157	-	1	1	3	1	6	-	7	5
12		Female--	6	-	-	-	1	-	1	2	1	-
13		Other--------Male----	14	-	-	-	-	-	-	-	-	1
14		Female--	1	-	-	-	-	-	-	1	-	-
15	E914	Accident caused by electric current	1,075	16	12	16	14	7	65	29	35	77
16		White--------Male----	906	8	7	8	8	3	34	14	25	65
17		Female--	73	5	4	7	4	4	24	6	5	5
18		Negro--------Male----	80	2	1	1	-	-	4	6	4	6
19		Female--	12	1	-	-	2	-	3	3	1	1
20		Other--------Male----	4	-	-	-	-	-	-	-	-	-
21		Female--	-	-	-	-	-	-	-	-	-	-
22	E916	Accident caused by fire and explosion, etc.*	6,352	253	240	249	251	238	1,231	483	166	124
23		White--------Male----	2,536	59	61	57	62	62	301	123	69	60
24		Female--	1,869	53	50	76	65	67	311	169	51	42
25		Negro--------Male----	935	77	57	56	44	30	264	67	18	10
26		Female--	945	63	68	56	78	75	340	118	27	11
27		Other--------Male----	42	-	2	2	-	2	6	3	-	-
28		Female--	25	1	2	2	2	2	9	3	1	1
29	E917,E918	Accident caused by hot substance, etc.*	742	44	87	45	36	18	230	17	11	10
30		White--------Male----	302	25	34	19	11	5	94	3	5	5
31		Female--	238	11	27	10	7	5	60	8	2	3
32		Negro--------Male----	92	4	15	6	6	3	34	1	-	-
33		Female--	95	4	9	10	9	5	37	5	2	2
34		Other--------Male----	6	-	1	-	-	-	1	-	1	-
35		Female--	9	-	1	-	3	-	4	-	1	-
36	E919	Accident caused by firearm	2,120	6	7	16	22	26	77	145	300	336
37		White--------Male----	1,596	-	2	5	10	8	25	88	237	280
38		Female--	194	2	2	4	9	8	25	29	24	17
39		Negro--------Male----	236	3	1	3	2	6	15	17	31	35
40		Female--	70	1	1	4	1	3	10	8	6	1
41		Other--------Male----	19	-	-	-	-	-	-	2	2	1
42		Female--	5	-	1	-	-	1	2	1	-	2
43	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,608	880	139	47	30	5	1,101	25	4	11
44		White--------Male----	782	396	61	22	14	3	496	10	2	4
45		Female--	470	277	38	20	7	1	343	8	1	3
46		Negro--------Male----	199	107	24	2	5	-	138	3	-	4
47		Female--	136	88	15	3	3	1	110	4	1	-
48		Other--------Male----	9	4	1	-	-	-	5	-	-	-
49		Female--	12	8	-	-	1	-	9	-	-	-
50	E929	Accidental drowning	5,046	53	231	201	116	86	687	586	677	657
51		White--------Male----	3,419	25	138	135	89	57	444	406	397	449
52		Female--	702	21	77	49	20	21	188	90	105	59
53		Negro--------Male----	774	4	6	10	4	5	29	75	153	133
54		Female--	84	3	8	3	1	3	18	9	17	8
55		Other--------Male----	57	-	2	3	-	-	5	6	2	8
56		Female--	10	-	-	1	2	-	3	-	3	-
57	E931	Excessive heat and insolation	615	21	4	-	3	-	28	1	1	4
58		White--------Male----	393	10	3	-	3	-	16	-	1	4
59		Female--	139	5	1	-	-	-	6	-	-	-
60		Negro--------Male----	57	2	-	-	-	-	2	-	-	-
61		Female--	19	1	-	-	-	-	1	-	-	-
62		Other--------Male----	4	1	-	-	-	-	1	1	-	-
63		Female--	3	2	-	-	-	-	2	-	-	-
64	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	776	38	7	11	2	5	63	22	9	7
65		White------- Male----	328	20	4	4	1	1	30	11	3	3
66		Female--	332	8	2	6	-	3	19	9	5	2
67		Negro--------Male----	43	7	1	1	1	1	11	1	-	-
68		Female--	68	3	-	-	-	-	3	1	1	2
69		Other--------Male----	3	-	-	-	-	-	-	-	-	-
70		Female--	2	-	-	-	-	-	-	-	-	-
71	Residual[1]	All other accidents	5,974	1,443	134	63	60	62	1,762	201	213	149
72		White--------Male----	3,315	599	59	29	27	34	748	117	163	116
73		Female--	1,398	389	49	20	23	16	497	49	31	13
74		Negro--------Male----	760	231	12	8	8	6	265	23	10	13
75		Female--	401	201	9	4	2	4	220	10	8	4
76		Other--------Male----	73	12	3	1	-	1	17	1	1	2
77		Female--	27	11	2	1	-	1	15	1	-	1
78	E963,E970-E979	Suicide	16,760	-	-	-	-	-	-	2	37	285
79		White--------Male----	12,430	-	-	-	-	-	-	2	25	187
80		Female--	3,682	-	-	-	-	-	-	-	10	65
91		Negro--------Male----	442	-	-	-	-	-	-	-	1	20
82		Female--	115	-	-	-	-	-	-	-	-	6
83		Other--------Male----	89	-	-	-	-	-	-	-	1	6
84		Female--	22	-	-	-	-	-	-	-	-	1

*For complete category title, see table 52.

[1]For category numbers, see table 52.

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
74	108	129	151	133	160	114	104	80	52	26	18	6	5	-	-	-	2	1
62	92	105	125	107	122	93	92	68	50	23	16	6	3	-	-	-	-	2
1	-	2	2	-	1	2	4	1	-	1	2	-	1	-	-	-	1	3
10	16	21	21	26	35	18	7	10	2	2	-	-	1	-	-	-	1	4
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	6
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
132	146	164	172	189	169	190	143	154	107	69	39	14	4	1	-	-	1	8
116	128	148	154	168	145	164	126	142	101	64	36	13	3	1	-	-	1	9
1	3	2	3	2	3	1	3	3	3	3	2	1	-	-	-	-	-	10
15	14	13	14	16	17	22	12	9	3	-	1	-	1	-	-	-	-	11
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	12
-	1	1	1	1	3	2	2	-	-	2	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
116	159	124	123	89	83	77	38	32	15	9	3	-	1	-	-	-	-	15
103	146	111	105	79	73	68	31	29	13	6	3	-	1	-	-	-	-	16
2	5	3	5	2	3	3	5	1	1	3	-	-	-	-	-	-	-	17
10	8	8	13	6	5	6	2	1	1	-	-	-	-	-	-	-	-	18
-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	19
1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
170	240	265	286	322	379	343	327	330	392	398	356	298	158	56	11	4	13	22
65	119	139	131	158	197	160	150	164	173	174	145	128	58	14	1	-	7	23
59	48	53	84	87	102	102	82	87	118	130	139	113	65	20	6	-	1	24
29	36	46	51	57	49	52	47	36	49	43	27	20	20	7	2	1	4	25
15	32	23	18	17	26	28	46	41	47	46	41	34	15	14	2	3	1	26
2	5	3	2	2	3	1	1	1	3	4	4	1	-	1	-	-	-	27
-	-	1	-	1	2	-	1	1	2	1	-	2	-	-	-	-	-	28
13	10	21	23	22	24	25	35	37	44	58	52	62	25	15	3	2	3	29
3	8	6	10	18	10	11	16	15	13	19	28	26	6	3	1	1	1	30
7	1	7	7	1	6	6	7	12	17	21	23	27	14	8	1	-	-	31
1	1	4	6	1	5	4	3	7	10	9	-	2	2	1	-	-	1	32
1	-	3	-	2	3	2	8	3	4	7	1	7	3	3	1	-	1	33
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	34
1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	35
178	145	137	135	128	125	120	85	80	49	45	17	10	3	4	-	-	1	36
125	99	90	99	101	97	102	69	69	42	42	15	9	3	3	-	-	1	37
14	12	20	12	10	6	4	9	6	3	1	1	-	-	1	-	-	-	38
21	21	21	18	14	14	11	7	5	4	1	1	-	-	-	-	-	-	39
13	11	5	4	2	7	1	-	-	-	1	-	1	-	-	-	-	-	40
5	2	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
19	14	28	41	33	46	31	34	48	28	36	39	33	20	12	2	1	2	43
10	6	8	25	18	26	21	25	31	16	19	26	19	14	4	2	-	-	44
3	3	7	10	7	8	7	4	10	7	14	8	12	6	7	-	-	2	45
4	5	7	4	7	8	2	3	5	3	2	3	-	-	1	-	-	-	46
2	-	6	2	1	1	1	1	2	2	1	-	1	-	-	-	1	-	47
-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	48
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	49
372	254	237	178	231	209	197	171	165	169	108	84	30	24	3	1	-	28	50
264	169	158	110	170	156	139	119	123	137	81	41	21	15	1	-	-	19	51
19	22	22	20	17	16	20	31	20	23	16	17	6	7	2	-	-	2	52
79	58	47	45	31	31	33	16	19	7	7	5	-	1	-	1	-	4	53
5	3	4	1	7	1	2	2	1	1	1	1	1	1	-	-	-	1	54
5	1	6	2	5	5	3	2	2	1	-	-	2	-	-	-	-	2	55
-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	56
6	5	14	31	44	42	64	62	47	59	63	51	37	30	18	5	-	3	57
3	2	8	20	30	31	50	43	39	41	39	24	15	16	7	1	-	3	58
-	-	3	3	4	3	7	7	3	12	20	24	20	13	11	3	-	-	59
2	3	2	6	8	8	6	11	3	4	1	-	1	-	-	-	-	-	60
-	-	1	2	1	-	1	-	2	2	3	3	1	1	-	1	-	-	61
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
16	29	36	44	40	46	45	72	64	78	65	73	36	23	6	-	-	2	64
4	10	9	14	10	11	20	38	34	41	28	34	15	11	-	-	-	2	65
6	7	15	18	24	28	18	23	25	27	36	36	17	12	5	-	-	-	66
1	3	1	1	3	1	3	5	3	7	-	-	3	-	-	-	-	-	67
5	8	10	9	3	6	4	5	2	3	1	3	1	-	1	-	-	-	68
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
187	194	207	249	299	327	316	295	300	268	299	257	217	148	48	19	2	17	71
122	111	126	157	175	205	209	189	210	166	186	142	95	55	10	3	-	10	72
16	27	24	34	43	47	45	46	57	51	80	91	102	89	34	15	2	5	73
36	33	35	30	57	56	49	46	25	36	19	14	10	-	1	-	-	2	74
6	10	14	22	21	11	12	11	6	13	10	8	9	4	2	-	-	-	75
7	9	7	5	2	7	1	2	2	2	4	2	-	-	1	1	-	-	76
-	4	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	77
569	916	1,097	1,210	1,590	1,776	1,903	1,898	1,717	1,427	1,019	700	381	170	36	7	1	19	78
374	640	690	838	1,145	1,274	1,404	1,458	1,354	1,122	828	578	315	144	31	4	1	16	79
123	205	324	310	377	444	440	393	322	277	170	110	60	24	5	1	-	2	80
46	40	58	47	48	34	40	39	21	17	12	9	5	2	-	2	-	1	81
14	18	16	9	8	11	11	4	7	5	4	2	-	-	-	-	-	-	82
8	10	7	3	11	10	8	3	10	5	5	1	1	-	-	-	-	-	83
4	3	2	3	1	3	-	1	3	1	-	-	-	-	-	-	-	-	84

Table 53. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Suicide—Continued										
1	E970-E973	Suicide by poisoning	3,429	-	-	-	-	-	-	-	3	54
2		White--Male	2,136	-	-	-	-	-	-	-	-	31
3		Female	1,207	-	-	-	-	-	-	-	3	18
4		Negro--Male	37	-	-	-	-	-	-	-	-	1
5		Female	30	-	-	-	-	-	-	-	-	3
6		Other--Male	16	-	-	-	-	-	-	-	-	1
7		Female	3	-	-	-	-	-	-	-	-	-
8	E974	Suicide by hanging and strangulation	3,591	-	-	-	-	-	-	-	20	54
9		White--Male	2,602	-	-	-	-	-	-	-	17	49
10		Female	878	-	-	-	-	-	-	-	2	4
11		Negro--Male	63	-	-	-	-	-	-	-	1	1
12		Female	17	-	-	-	-	-	-	-	-	-
13		Other--Male	24	-	-	-	-	-	-	-	-	-
14		Female	7	-	-	-	-	-	-	-	-	-
15	E976	Suicide by firearms and explosives	7,763	-	-	-	-	-	-	2	13	154
16		White--Male	6,502	-	-	-	-	-	-	2	8	96
17		Female	911	-	-	-	-	-	-	-	4	35
18		Negro--Male	270	-	-	-	-	-	-	-	-	16
19		Female	37	-	-	-	-	-	-	-	-	2
20		Other--Male	36	-	-	-	-	-	-	-	1	5
21		Female	7	-	-	-	-	-	-	-	-	-
22	E963,E975,	Suicide by all other means	1,977	-	-	-	-	-	-	-	1	23
23	E977-E979	White--Male	1,190	-	-	-	-	-	-	-	-	11
24		Female	666	-	-	-	-	-	-	-	1	8
25		Negro--Male	72	-	-	-	-	-	-	-	-	2
26		Female	31	-	-	-	-	-	-	-	-	1
27		Other--Male	13	-	-	-	-	-	-	-	-	-
28		Female	5	-	-	-	-	-	-	-	-	1
29	E964,E980-	Homicide	7,418	129	28	17	19	12	205	57	74	349
30	E985	White--Male	2,439	55	11	5	7	2	80	24	32	110
31		Female	922	40	8	7	8	5	68	23	14	38
32		Negro--Male	3,126	16	3	2	2	4	27	5	22	148
33		Female	846	18	5	3	2	1	29	5	6	49
34		Other--Male	65	-	-	-	-	-	-	-	-	2
35		Female	20	-	1	-	-	-	1	-	-	2
36	E981	Assault by firearms and explosives	3,807	10	7	4	6	-	27	18	44	170
37		White--Male	1,294	2	4	-	4	-	10	8	20	49
38		Female	525	5	-	1	1	-	7	7	9	26
39		Negro--Male	1,549	2	1	2	-	-	5	1	12	72
40		Female	401	1	1	1	1	-	4	2	3	21
41		Other--Male	27	-	-	-	-	-	-	-	-	1
42		Female	11	-	1	-	-	-	1	-	-	1
43	E982	Assault by cutting and piercing instruments	1,826	5	-	1	2	1	9	7	10	108
44		White--Male	356	2	-	1	1	-	4	2	3	25
45		Female	85	1	-	-	-	1	2	3	-	4
46		Negro--Male	1,103	-	-	-	1	-	1	1	5	56
47		Female	271	2	-	-	-	-	2	1	2	22
48		Other--Male	10	-	-	-	-	-	-	-	-	1
49		Female	1	-	-	-	-	-	-	-	-	-
50	E964,E980,	Assault by other means	1,479	114	21	12	11	11	169	32	18	44
51	E983	White--Male	634	51	7	4	2	2	66	14	8	18
52		Female	311	34	8	6	7	4	59	13	5	8
53		Negro--Male	329	14	2	-	1	4	21	3	4	11
54		Female	172	15	4	2	1	1	23	2	1	6
55		Other--Male	25	-	-	-	-	-	-	-	-	-
56		Female	8	-	-	-	-	-	-	-	-	1
57	E984	Injury by intervention of police	227	-	-	-	-	-	-	-	2	24
58		White--Male	111	-	-	-	-	-	-	-	1	16
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	111	-	-	-	-	-	-	-	1	8
61		Female	2	-	-	-	-	-	-	-	-	-
62		Other--Male	3	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	E985	Execution	79	-	-	-	-	-	-	-	-	3
65		White--Male	44	-	-	-	-	-	-	-	-	2
66		Female	1	-	-	-	-	-	-	-	-	-
67		Negro--Male	34	-	-	-	-	-	-	-	-	1
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	E965,E990-	Injury resulting from operations of war	29	-	-	-	-	-	-	-	-	-
72	E999	White--Male	27	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	2	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1955—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
119	231	306	300	382	450	438	393	293	180	123	87	47	20	2	-	-	1	1
66	159	185	186	242	259	273	259	196	104	78	57	29	12	-	-	-	-	2
45	61	107	104	131	185	155	129	94	74	44	29	17	8	2	-	-	1	3
2	2	6	6	8	1	6	2	-	1	1	-	1	-	-	-	-	-	4
4	6	5	3	-	2	2	1	2	1	-	1	-	-	-	-	-	-	5
2	2	3	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	6
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
86	148	161	196	266	308	384	447	475	409	267	182	113	53	9	2	1	10	8
60	113	101	127	168	207	267	318	365	305	202	152	89	43	9	-	1	9	9
15	28	48	61	90	86	111	119	101	95	57	29	23	8	-	-	-	1	10
7	5	9	5	4	7	3	7	2	4	2	1	1	2	-	2	-	-	11
1	2	2	1	2	2	1	1	-	1	4	-	-	-	-	-	-	-	12
3	-	1	2	2	4	2	1	4	3	2	-	-	-	-	-	-	-	13
-	-	-	-	-	2	-	1	3	1	-	-	-	-	-	-	-	-	14
312	477	516	596	775	836	857	828	736	615	473	307	174	68	18	2	-	4	15
222	339	356	464	635	699	737	730	656	573	441	288	165	67	18	2	-	4	16
50	92	120	97	103	112	94	73	58	30	23	13	6	1	-	-	-	-	17
29	29	33	31	26	22	21	24	15	8	7	6	3	-	-	-	-	-	18
4	7	4	3	4	2	4	1	4	2	-	-	-	-	-	-	-	-	19
3	8	2	1	7	1	1	-	3	2	2	-	-	-	-	-	-	-	20
4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
52	60	114	118	167	182	224	230	213	223	156	124	47	29	7	3	-	4	22
26	29	48	61	100	109	127	151	137	140	107	81	32	22	4	2	-	3	23
13	24	49	48	53	61	80	72	69	78	46	39	14	7	3	1	-	-	24
8	4	10	5	10	4	10	6	4	4	2	2	-	-	-	-	-	1	25
5	3	5	2	2	5	4	1	1	1	-	1	-	-	-	-	-	-	26
-	-	1	-	1	3	3	-	2	-	1	1	1	-	-	-	-	-	27
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
813	1,070	1,032	911	838	642	464	342	244	136	96	70	29	20	2	1	-	23	29
210	281	269	297	273	226	165	150	121	68	61	40	15	9	1	-	-	7	30
80	93	96	99	98	89	71	48	29	14	21	16	12	5	-	-	-	8	31
397	518	526	400	356	268	185	122	78	42	12	9	2	3	1	-	-	5	32
117	162	128	104	103	54	35	19	14	10	-	5	-	3	-	1	-	2	33
8	13	10	8	7	4	6	1	2	2	2	-	-	-	-	-	-	-	34
1	3	3	3	1	1	2	2	-	-	-	-	-	-	-	-	-	1	35
462	597	544	488	468	325	248	171	109	57	38	21	10	4	-	1	-	5	36
116	178	156	170	175	117	98	77	51	30	21	10	5	2	-	-	-	1	37
52	69	65	71	70	48	37	24	12	8	9	6	4	1	-	-	-	-	38
224	259	254	196	175	132	91	56	40	17	8	3	1	1	-	-	-	2	39
66	81	62	45	45	26	21	12	6	2	-	2	-	-	-	1	-	2	40
3	7	6	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	41
1	3	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	42
203	309	306	262	200	160	97	58	44	21	10	10	4	2	1	-	-	5	43
36	41	45	57	32	35	21	15	12	11	7	4	3	1	-	-	-	2	44
8	7	10	4	4	15	8	5	6	-	3	4	1	-	-	-	-	1	45
118	204	206	162	129	93	59	35	21	7	-	2	-	1	1	-	-	2	46
40	57	42	38	34	15	8	3	5	2	-	-	-	-	-	-	-	-	47
1	-	3	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
86	106	137	134	139	135	105	104	87	55	48	37	15	14	1	-	-	13	50
32	37	43	54	52	62	40	51	55	26	33	25	7	6	1	-	-	4	51
20	17	20	24	24	26	26	19	11	6	9	6	7	4	-	-	-	7	52
20	23	48	31	37	33	27	29	16	16	4	3	1	1	-	-	-	1	53
11	24	23	21	23	13	6	4	3	6	-	3	-	3	-	-	-	-	54
3	5	1	4	2	1	4	-	2	1	2	-	-	-	-	-	-	-	55
-	-	2	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	56
49	39	31	18	24	17	9	7	3	2	-	2	-	-	-	-	-	-	57
22	15	17	9	11	8	4	5	2	-	-	1	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
26	23	13	9	11	9	5	2	1	2	-	1	-	-	-	-	-	-	60
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
13	19	14	9	7	5	5	2	1	1	-	-	-	-	-	-	-	-	64
4	10	8	7	3	4	2	2	1	1	-	-	-	-	-	-	-	-	65
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
9	9	5	2	4	1	3	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	3	7	3	1	1	1	6	1	3	-	1	-	-	-	-	-	71
1	1	2	6	3	1	1	1	6	1	3	-	1	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Num

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,528,717	774,758	576,111	97,880	79,968	26,380	9,490	6,609	5,441	4,840
2	I. Infective and parasitic diseases	26,695	13,294	6,488	4,338	2,575	629	180	119	172	158
3	Tuberculosis, all forms 001-019	14,940	8,086	3,030	2,456	1,368	353	101	71	91	90
4	Tuberculosis of respiratory system 001-008	13,676	7,628	2,749	2,152	1,147	323	98	66	82	77
5	Tuberculosis of meninges and central nervous system 010	404	129	75	124	76	14	1	1	6	6
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	77	24	21	17	15	2	-	-	1	1
7	Tuberculosis of vertebral column 012.0,013.0	93	43	28	11	11	1	-	-	-	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	36	13	14	4	5	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	170	89	54	19	8	3	-	3	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	90	37	19	19	15	1	-	-	-	1
11	Disseminated tuberculosis 019	394	123	70	110	91	9	2	1	2	4
12	Syphilis and its sequelae 020-029	3,834	1,834	604	1,006	390	80	22	4	35	19
13	Congenital syphilis 020	54	17	7	17	13	7	1	-	3	3
14	Early syphilis 021	1	1	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	1,127	615	217	209	86	15	7	2	2	4
16	Other cardiovascular syphilis 023	1,545	668	193	491	193	41	9	-	23	9
17	Tabes dorsalis 024	110	75	15	17	3	1	1	-	-	-
18	General paralysis of insane 025	464	211	79	147	27	11	3	1	6	1
19	Other syphilis of central nervous system 026	430	204	74	104	48	5	1	1	1	2
20	Other syphilis 027-029	103	43	19	21	20	-	-	-	-	-
21	Gonococcal infection 030-035	23	2	-	13	8	1	-	-	-	1
22	Typhoid fever 040	34	10	8	11	5	-	-	-	-	-
23	Paratyphoid fever 041	12	5	1	3	3	1	-	-	1	-
24	Other Salmonella infections 042	50	21	17	4	8	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	10	5	5	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	556	188	178	103	87	13	2	2	5	4
28	Food poisoning (infection and intoxication) 049	97	32	23	24	18	7	3	-	1	3
29	Scarlet fever 050	51	26	25	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	184	82	70	20	12	9	5	2	2	-
31	Erysipelas 052	28	9	16	2	1	3	-	2	-	1
32	Septicemia and pyemia 053	938	454	308	84	92	13	6	4	2	1
33	Diphtheria 055	150	58	36	27	29	24	7	3	4	10
34	Whooping cough 056	467	91	132	114	130	22	4	-	12	6
35	Meningococcal infections 057	907	435	317	79	76	23	4	7	7	5
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	9	5	2	2	-	-	-	-	-	-
38	Leprosy 060	5	3	1	1	-	-	-	-	-	-
39	Tetanus 061	265	88	54	76	47	18	4	3	6	5
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	1,043	557	442	23	21	18	9	5	2	2
42	Late effects of acute poliomyelitis 081	133	68	55	4	6	3	2	-	1	-
43	Acute infectious encephalitis 082	398	190	158	21	29	4	1	1	1	1
44	Late effects of acute infectious encephalitis 083	101	58	39	3	1	1	-	1	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	345	126	129	42	48	2	-	-	1	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	841	334	398	55	54	11	2	8	-	1
49	Rabies 094	4	4	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	8	7	1	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	8	7	1	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	7	3	2	2	-	1	1	-	-	-
54	Malaria 110-117	18	7	4	5	2	-	-	-	-	-
55	Schistosomiasis 123	1	1	-	-	-	-	-	-	-	-
56	Hydatid disease 125	8	1	6	1	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	3	1	-	2	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	57	13	10	17	17	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	1,168	490	417	138	123	22	7	6	1	8
61	II. Neoplasms	245,849	117,900	106,888	10,596	10,465	3,430	1,200	1,195	428	607
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	240,681	115,910	104,518	10,358	9,895	3,351	1,180	1,166	421	584
63	Malignant neoplasm of buccal cavity and pharynx 140-148	5,522	4,036	1,067	304	115	89	46	28	8	7
64	Of lip 140	365	335	25	3	2	2	1	1	-	-
65	Of tongue 141	1,370	995	265	89	21	22	12	5	4	1
66	Of other and unspecified parts of buccal cavity 142-144	1,639	1,114	415	74	36	36	13	18	2	3
67	Of pharynx 145-148	2,148	1,592	362	138	56	29	20	4	2	3
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	85,872	42,968	35,764	4,336	2,804	1,079	386	358	181	154
69	Of esophagus 150	4,364	2,934	802	493	135	49	18	9	14	8
70	Of stomach 151	22,257	12,455	7,360	1,664	778	336	129	82	71	54
71	Of intestine, except rectum 152,153	25,805	11,081	13,292	659	773	275	85	125	25	40
72	Of rectum 154	11,040	5,848	4,435	391	366	95	21	37	18	19
73	Of biliary passages and of liver (stated to be primary site) 155	5,328	1,923	3,060	178	167	104	38	36	14	16
74	Of liver not specified whether primary or secondary 156A	4,258	1,933	1,896	268	161	21	9	6	4	2
75	Of pancreas 157	11,339	6,152	4,247	599	341	174	84	51	30	9
76	Of peritoneum and of unspecified digestive organs 158,159	1,481	642	672	84	83	25	2	12	5	6
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	29,914	23,517	4,215	1,775	407	340	223	49	47	21
78	Of larynx 161	2,150	1,824	156	143	27	31	20	2	5	4
79	Of trachea, and of bronchus and lung specified as primary 162	12,530	10,062	1,499	827	142	269	185	35	34	15
80	Of lung and bronchus, unspecified as primary or secondary 163	14,297	11,064	2,279	751	203	22	12	6	3	1
81	Of other parts of respiratory system 160,164	937	567	281	54	35	18	6	6	5	1
82	Malignant neoplasm of breast 170	21,945	221	20,151	16	1,557	282	2	193	2	85

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955

bers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,600	4,120	2,380	659	441	15,218	6,897	4,346	2,202	1,773	114,515	62,151	45,848	3,905	2,611	13,343	7,452	5,512	235	144	1
360	163	76	64	57	408	155	104	86	63	1,828	1,101	483	177	67	205	113	72	17	3	2
248	129	54	38	27	269	118	75	46	30	1,072	695	234	107	36	111	66	31	12	2	3
220	126	50	26	18	254	111	73	41	29	989	658	209	94	28	104	62	30	10	2	4
20	1	3	10	6	6	3	1	2	-	18	9	4	3	2	2	1	-	1	-	5
-	-	-	-	-	1	1	-	-	-	5	2	2	1	-	-	-	-	-	-	6
1	1	-	-	-	-	-	-	-	-	7	3	4	-	-	1	-	1	-	-	7
-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	1	1	-	-	-	8
3	1	-	-	2	1	-	1	-	-	10	5	5	-	-	2	2	-	-	-	9
-	-	-	-	-	2	1	-	1	-	11	7	2	1	1	-	-	-	-	-	10
4	-	1	2	1	4	2	-	1	1	30	10	7	8	5	1	-	-	1	-	11
18	7	3	4	4	41	13	5	14	9	292	182	60	39	11	20	15	3	2	-	12
1	-	1	-	-	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
6	2	1	1	2	15	6	3	3	3	96	59	27	9	1	6	5	-	1	-	15
8	4	-	3	1	12	3	-	5	4	134	92	14	22	6	9	7	1	1	-	16
1	1	-	-	-	1	-	-	1	-	8	5	2	1	-	-	-	-	-	-	17
-	-	-	-	-	4	1	-	3	-	14	6	5	3	-	2	2	-	-	-	18
2	-	1	-	1	7	3	2	1	1	31	15	9	4	3	2	1	1	-	-	19
-	-	-	-	-	1	-	-	-	1	7	3	3	-	1	1	-	1	-	-	20
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	23
-	-	-	-	-	1	1	-	-	-	7	3	3	1	-	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	26
11	4	3	-	4	13	1	3	8	1	34	24	10	-	-	6	2	4	-	-	27
1	1	-	-	-	2	-	-	-	2	3	2	1	-	-	3	3	-	-	-	28
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	29
-	-	-	-	-	1	1	-	-	-	5	2	2	1	-	4	2	2	-	-	30
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
9	3	1	3	2	6	1	1	1	3	54	28	23	2	1	6	1	3	2	-	32
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	33
7	1	4	-	2	23	2	6	8	7	11	4	5	1	1	3	-	3	-	-	34
3	-	1	2	-	6	5	1	-	-	49	25	19	3	2	12	6	6	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	6	2	1	1	2	12	8	2	1	1	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	5	-	1	-	8	2	4	1	1	40	17	21	-	2	7	1	6	-	-	41
1	1	-	-	-	1	1	-	-	-	15	8	7	-	-	2	2	-	-	-	42
4	2	1	1	-	1	-	1	-	-	28	14	13	-	1	9	6	3	-	-	43
-	-	-	-	-	-	-	-	-	-	9	4	4	1	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
26	2	4	8	12	5	1	-	2	2	30	15	13	-	2	5	-	4	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	1	1	3	2	6	1	4	1	-	65	29	31	3	2	3	2	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	-	-	1	4	2	2	-	-	-	-	-	-	-	59
19	7	4	4	4	16	5	2	4	5	79	30	25	16	8	9	3	5	-	1	60
1,018	516	426	45	31	2,181	932	809	232	208	18,970	9,230	8,738	552	450	2,020	981	991	30	18	61
991	509	409	43	30	2,133	911	795	228	199	18,588	9,088	8,539	536	425	1,984	963	974	30	17	62
19	12	4	1	2	62	34	19	7	2	462	341	92	22	7	34	25	9	-	-	63
2	1	-	1	-	6	5	-	1	-	29	28	1	-	-	3	3	-	-	-	64
2	1	1	-	-	9	5	3	1	-	120	93	22	3	2	7	4	3	-	-	65
9	7	1	-	1	22	11	9	1	1	139	93	38	7	1	10	8	2	-	-	66
6	3	2	-	1	25	13	7	4	1	174	127	31	12	4	14	10	4	-	-	67
314	154	131	19	10	697	298	244	97	58	6,318	3,213	2,736	247	122	668	334	316	15	3	68
20	12	4	4	-	28	13	5	6	4	342	241	74	25	2	15	12	3	-	-	69
80	45	27	6	2	207	96	58	36	17	1,634	950	565	89	30	187	119	62	5	1	70
77	33	40	2	2	187	69	82	19	17	1,773	766	948	32	27	185	76	106	2	1	71
39	22	15	2	-	53	23	22	5	3	879	460	373	26	20	85	32	52	1	-	72
28	11	13	1	3	76	29	35	7	5	437	156	248	23	10	76	32	43	1	-	73
10	5	5	-	-	22	7	3	8	4	179	86	75	10	8	10	6	4	-	-	74
56	25	24	4	3	112	55	36	14	7	971	513	398	38	22	97	49	41	6	1	75
4	1	3	-	-	12	6	3	2	1	103	41	55	4	3	13	8	5	-	-	76
147	125	15	6	1	211	162	31	15	3	2,521	2,014	391	93	23	209	175	32	2	-	77
13	12	1	-	-	12	11	-	1	-	143	125	11	6	1	11	11	-	-	-	78
71	59	9	3	-	150	113	25	9	3	1,400	1,156	183	50	11	125	107	16	2	-	79
58	50	5	2	1	39	30	4	5	-	912	690	181	33	8	64	52	12	-	-	80
5	4	-	1	-	10	8	2	-	-	66	43	16	4	3	9	5	4	-	-	81
91	-	88	-	3	163	2	130	-	31	1,848	9	1,767	-	72	186	2	182	-	2	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	37,509	12,958	19,899	1,531	3,121	731	149	260	97	225
2	Of cervix uteri----------171	8,804	...	7,109	...	1,695	244	...	134	...	110
3	Of other and unspecified parts of uterus----------172-174	6,366	...	5,453	...	913	146	...	67	...	79
4	Of ovary, fallopian tube, and broad ligament----------175	7,060	...	6,623	...	437	82	...	52	...	30
5	Of other and unspecified female genital organs----------176	790	...	714	...	76	13	...	7	...	6
6	Of prostate----------177	13,485	12,044	...	1,441	...	235	142	...	93	...
7	Of testis, and of other and unspecified male genital organs----178,179	1,004	914	...	90	...	11	7	...	4	...
8	Malignant neoplasm of urinary organs----------180,181	11,502	7,150	3,685	403	264	112	51	34	16	11
9	Of kidney----------180	4,348	2,551	1,561	145	91	46	16	17	7	6
10	Of bladder and other urinary organs----------181	7,154	4,599	2,124	258	173	66	35	17	9	5
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	26,958	13,257	11,467	1,148	1,086	457	195	155	45	62
12	Of skin----------190,191	3,638	2,021	1,465	84	68	82	36	36	2	8
13	Of eye----------192	351	166	158	14	13	1	-	1	-	-
14	Of brain and other parts of nervous system----------193	5,363	2,934	2,136	162	131	94	47	33	7	7
15	Of thyroid gland----------194	1,064	345	642	20	57	7	4	2	-	1
16	Of bone (including jaw bone)----------196	2,029	1,124	730	101	74	47	19	14	4	10
17	Of connective tissue----------197	755	390	292	38	35	12	5	2	3	2
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,822	1,647	1,825	154	196	66	25	24	4	13
19	Of unspecified sites----------156B,165,198B,199B-M	9,936	4,630	4,219	575	512	148	59	43	25	21
20	Leukemia and aleukemia----------204	10,816	5,930	4,259	373	254	132	69	45	7	11
21	Lymphosarcoma, etc.*----------200-203,205	10,643	5,873	4,011	472	287	129	59	44	18	8
22	Lymphosarcoma and reticulosarcoma----------200	4,631	2,714	1,851	164	102	53	29	16	5	3
23	Hodgkin's disease----------201	2,888	1,680	1,010	132	66	44	23	14	6	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	2,924	1,479	1,150	176	119	32	7	14	7	4
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,168	1,990	2,370	238	570	79	20	29	7	23
26	Benign neoplasms of female genital organs----------214-217	855	...	545	...	310	20	...	9	...	11
27	Benign neoplasm of brain and other parts of nervous system---------223	928	401	448	38	41	8	1	5	2	-
28	Other benign neoplasms----------210-213,218-222,224-229	891	421	355	48	67	9	3	4	-	2
29	Neoplasm of unspecified nature of female genital organs--------233-235	29	...	26	...	3	1	...	-	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,619	778	657	85	99	26	9	8	2	7
31	Other neoplasms of unspecified nature----------230-232,236,238,239	846	390	339	67	50	15	7	3	3	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	34,850	14,072	17,136	1,387	2,255	460	132	161	58	109
33	Asthma----------241	5,960	3,658	1,744	327	231	79	42	17	10	10
34	Nontoxic goiter----------250,251	159	24	103	6	26	3	-	1	-	2
35	Thyrotoxicosis with or without goiter----------252	834	134	565	16	119	23	1	9	-	13
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	217	44	161	3	9	3	-	2	-	1
37	Diabetes mellitus----------260	25,488	9,242	13,714	840	1,692	286	76	115	29	66
38	Diseases of thymus gland----------273	297	170	84	25	18	4	2	-	1	1
39	Diseases of adrenal glands----------274	303	120	147	18	18	6	-	3	-	3
40	Pellagra----------281	96	20	46	7	23	12	2	5	3	2
41	All other avitaminoses and nutritional deficiency states-----280,282-286	748	301	277	97	73	35	6	6	13	10
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	748	359	295	48	46	9	3	3	2	1
43	IV. Diseases of the blood and blood-forming organs----------	4,649	2,051	2,000	310	288	88	23	20	22	23
44	Anemias----------290-293	3,107	1,254	1,375	256	222	63	16	13	18	16
45	Pernicious and other hyperchromic anemias----------290	1,081	436	603	15	27	14	7	4	2	1
46	Anemias of other and unspecified type----------291-293	2,026	818	772	241	195	49	9	9	16	15
47	Purpura and other hemorrhagic conditions----------296	557	237	262	23	35	11	1	4	2	4
48	All other diseases of blood and blood-forming organs-----294,295,297-299	985	560	363	31	31	14	6	3	2	3
49	V. Mental, psychoneurotic, and personality disorders----------	3,329	1,848	825	457	199	87	34	10	30	13
50	Senile psychosis----------304	378	136	214	14	14	6	3	1	2	-
51	Alcoholic psychosis----------307	262	203	19	32	8	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	488	175	220	49	44	33	5	6	14	8
53	Alcoholism----------322	1,941	1,228	264	341	108	42	23	3	14	2
54	Mental deficiency----------325	138	67	57	4	10	4	2	-	-	2
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	122	39	51	17	15	2	1	-	-	1
56	VI. Diseases of the nervous system and sense organs----------	187,893	80,735	83,899	11,328	11,931	3,736	1,110	1,054	733	839
57	Vascular lesions affecting central nervous system----------330-334	174,142	74,103	78,731	10,189	11,119	3,469	1,037	995	663	774
58	Subarachnoid hemorrhage----------330	5,092	2,043	2,192	372	485	86	30	21	13	22
59	Cerebral hemorrhage----------331	110,104	45,814	49,784	6,831	7,675	2,386	702	672	446	566
60	Cerebral embolism and thrombosis----------332	41,131	18,801	18,911	1,751	1,668	519	191	181	87	60
61	Other vascular lesions affecting central nervous system--------333,334	17,815	7,445	7,844	1,235	1,291	478	114	121	117	126
62	Meningitis, except meningococcal and tuberculous----------340	1,873	806	537	294	240	53	12	9	17	15
63	Multiple sclerosis----------345	1,409	602	741	37	29	9	5	3	1	-
64	Paralysis agitans----------350	2,565	1,374	1,122	44	25	16	9	6	-	1
65	Cerebral spastic infantile paralysis----------351	645	347	221	45	32	22	10	4	4	4
66	Epilepsy----------353	2,143	973	688	310	172	76	12	14	27	23
67	Inflammatory diseases of eye----------370-379	8	4	2	2	-	-	-	-	-	-
68	Cataract----------385	77	33	34	2	8	1	-	-	-	1
69	Glaucoma----------387	9	4	3	-	2	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	468	222	151	47	48	9	5	2	2	-
71	Other diseases of nervous system and sense organs----------Residual[1]	4,554	2,267	1,673	358	256	81	20	21	19	21
72	VII. Diseases of the circulatory system----------	641,390	343,664	240,755	30,704	26,267	9,403	3,824	2,332	1,752	1,495
73	Rheumatic fever----------400-402	1,131	490	406	116	119	30	7	5	11	7
74	Diseases of heart----------410-443	584,620	317,096	216,726	27,470	23,328	8,519	3,530	2,103	1,567	1,319
75	Chronic rheumatic heart disease----------410-416	18,626	8,427	8,643	742	814	207	66	53	50	38
76	Diseases of mitral valve----------410	7,047	2,980	3,442	305	320	102	29	20	30	23
77	Diseases of aortic valve specified as rheumatic----------411	1,380	970	339	45	26	9	3	4	2	-
78	Diseases of tricuspid valve----------412	22	11	10	-	1	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,065	498	489	37	41	8	1	4	3	-
80	Other diseases of heart specified as rheumatic----------415,416	9,112	3,968	4,363	355	426	88	33	25	15	15

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
141	54	73	8	6	420	123	174	48	75	2,765	954	1,638	47	126	332	128	193	5	6	1
38	...	32	...	6	120	...	84	...	36	696	...	624	...	72	82	...	81	...	1	2
15	...	15	...	-	69	...	38	...	31	419	...	389	...	30	38	...	35	...	3	3
24	...	24	...	-	57	...	50	...	7	596	...	574	...	22	73	...	72	...	1	4
2	...	2	...	-	3	...	2	...	1	53	...	51	...	2	6	...	5	...	1	5
56	48	...	8	...	163	115	...	48	...	924	878	...	46	...	123	119	...	4	...	6
6	6	...	-	...	8	8	...	-	...	77	76	...	1	...	10	9	...	1	...	7
42	30	11	1	-	79	45	26	5	3	941	596	313	23	9	101	64	37	-	-	8
11	7	3	1	-	29	13	14	1	1	368	223	128	10	7	38	25	13	-	-	9
31	23	8	-	-	50	32	12	4	2	573	373	185	13	2	63	39	24	-	-	10
134	77	50	5	2	302	137	112	34	19	1,978	979	914	53	32	221	102	113	4	2	11
23	11	9	2	1	53	26	25	2	-	293	167	119	6	1	29	16	12	1	-	12
-	-	-	-	-	3	1	-	2	-	24	12	11	-	1	6	5	1	-	-	13
36	23	12	1	-	65	26	28	5	6	447	251	183	7	6	57	30	27	-	-	14
3	2	1	-	-	9	2	4	-	3	86	25	57	1	3	11	4	6	1	-	15
9	8	1	-	-	31	17	12	2	-	108	64	39	2	3	16	5	11	-	-	16
3	1	2	-	-	8	7	1	-	-	61	35	23	2	1	7	4	3	-	-	17
16	6	9	-	1	61	24	25	8	4	235	91	136	7	1	26	8	18	-	-	18
44	26	16	2	-	72	34	17	15	6	724	334	346	28	16	69	30	35	2	2	19
55	31	20	2	2	108	55	35	14	4	854	480	338	23	13	100	59	36	2	3	20
48	26	17	1	4	91	55	24	8	4	901	502	350	28	21	133	74	56	2	1	21
23	16	4	1	2	38	23	12	2	1	425	231	171	12	11	70	33	36	1	-	22
13	8	5	-	-	26	21	4	-	1	244	147	87	7	3	37	25	11	1	-	23
12	2	8	-	2	27	11	8	6	2	232	124	92	9	7	26	16	9	-	1	24
27	7	17	2	1	48	21	14	4	9	382	142	199	16	25	36	18	17	-	1	25
3	...	3	...	-	7	...	4	...	3	50	...	41	...	9	8	...	7	...	1	26
7	-	5	2	-	7	2	2	2	1	88	32	45	6	5	9	7	2	-	-	27
5	-	4	-	1	8	2	3	1	2	63	30	27	3	3	10	6	4	-	-	28
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	29
7	4	3	-	-	19	12	5	1	1	118	57	52	4	5	5	3	2	-	-	30
5	3	2	-	-	7	5	-	-	2	61	23	32	3	3	4	2	2	-	-	31
216	127	64	12	13	286	117	104	32	33	1,970	890	937	59	84	280	131	141	4	4	32
112	91	19	1	1	50	23	15	9	3	426	269	132	19	6	92	61	27	2	2	33
-	-	-	-	-	1	-	1	-	-	11	1	9	1	-	1	1	-	-	-	34
-	-	-	-	-	12	3	3	1	5	37	13	20	2	2	6	1	5	-	-	35
-	-	-	-	-	1	-	1	-	-	20	3	15	-	2	6	2	4	-	-	36
90	30	41	9	10	192	77	73	17	25	1,347	545	704	31	67	158	59	96	2	1	37
2	1	-	1	-	3	2	1	-	-	21	14	6	-	1	2	-	2	-	-	38
3	2	-	1	-	2	1	1	-	-	19	5	13	-	1	3	2	1	-	-	39
-	-	-	-	-	4	1	1	2	-	1	-	-	-	1	-	-	-	-	-	40
7	1	4	-	2	10	5	4	1	-	25	10	11	2	2	10	5	4	-	1	41
2	2	-	-	-	11	5	4	2	-	63	30	27	4	2	2	-	2	-	-	42
16	7	7	1	1	40	15	14	6	5	281	139	122	12	8	39	25	12	1	1	43
7	5	2	-	-	32	9	12	6	5	179	85	78	10	6	22	14	7	-	1	44
-	-	-	-	-	12	3	7	-	2	45	15	30	-	-	12	9	3	-	-	45
7	5	2	-	-	20	6	5	6	3	134	70	48	10	6	10	5	4	-	1	46
4	1	2	1	-	-	-	-	-	-	42	20	19	1	2	4	1	2	1	-	47
5	1	3	-	1	8	6	2	-	-	60	34	25	1	-	13	10	3	-	-	48
26	14	5	5	2	25	9	5	7	4	255	159	72	14	10	35	22	11	1	1	49
3	2	1	-	-	4	1	2	1	-	27	9	15	1	2	8	5	3	-	-	50
-	-	-	-	-	1	1	-	-	-	20	19	-	1	-	3	3	-	-	-	51
3	-	1	1	1	6	1	2	2	1	41	22	16	2	1	2	-	1	-	1	52
20	12	3	4	1	12	5	1	4	2	149	103	31	9	6	21	13	7	1	-	53
-	-	-	-	-	-	-	-	-	-	9	5	3	1	-	1	1	-	-	-	54
-	-	-	-	-	2	1	-	-	1	9	1	7	-	1	-	-	-	-	-	55
674	314	299	31	30	2,113	850	670	293	300	13,836	6,180	6,965	372	319	1,574	751	782	25	16	56
587	276	273	20	18	1,981	793	634	269	285	12,753	5,591	6,527	341	294	1,460	689	732	23	16	57
19	5	10	3	1	43	12	12	11	8	437	183	210	13	31	41	24	16	1	-	58
344	169	151	14	10	1,391	545	446	194	206	6,822	2,908	3,562	190	162	968	452	490	15	11	59
173	79	88	3	3	290	146	102	25	17	4,342	1,996	2,148	117	81	312	155	150	3	4	60
51	23	24	-	4	257	90	74	39	54	1,152	504	607	21	20	139	58	76	4	1	61
26	8	6	6	6	27	11	6	7	3	137	70	50	10	7	15	9	6	-	-	62
5	3	2	-	-	8	4	3	-	1	100	41	58	1	-	13	4	9	-	-	63
6	2	4	-	-	12	6	5	1	-	233	124	107	-	2	24	13	11	-	-	64
3	3	-	-	-	6	2	1	2	1	34	18	14	2	-	7	4	3	-	-	65
10	4	2	2	2	19	5	5	5	4	139	85	46	3	5	16	8	8	-	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	69
3	-	1	1	1	2	1	-	1	-	34	16	15	3	-	-	-	-	-	-	70
33	17	11	2	3	58	28	16	8	6	399	230	146	12	11	39	24	13	2	-	71
2,414	1,492	757	118	47	5,610	2,864	1,567	639	540	48,558	27,579	18,997	1,206	776	5,100	2,963	2,027	63	47	72
15	5	7	1	2	7	3	1	1	2	66	34	21	6	5	21	7	13	1	-	73
2,173	1,367	665	106	35	5,129	2,668	1,415	569	477	43,691	25,186	16,757	1,076	672	4,547	2,694	1,756	54	43	74
97	53	43	1	-	123	60	37	12	14	1,609	786	763	31	29	242	120	120	2	-	75
37	22	15	-	-	49	22	15	5	7	639	260	354	15	10	118	55	62	1	-	76
6	5	-	1	-	6	6	-	-	-	223	157	57	5	4	17	15	2	-	-	77
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	78
2	2	-	-	-	9	5	3	1	-	68	32	33	1	2	21	9	12	-	-	79
52	24	28	-	-	59	27	19	6	7	675	334	318	10	13	86	41	44	1	-	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	405,830	242,246	139.385	14,072	10,127	4,891	2,505	1,231	672	483
2	Arteriosclerotic heart disease so described----------420.0	156,593	79,820	67,152	5,240	4,381	1,421	601	456	203	161
3	Heart disease specified as involving coronary arteries----------420.1	248,208	161,837	71,924	8,760	5,687	3,439	1,890	771	462	316
4	Angina pectoris without mention of coronary disease----------420.2	1,029	589	309	72	59	31	14	4	7	6
5	Chronic endocarditis not specified as rheumatic----------421	6,935	3,288	2,684	507	456	168	44	32	33	59
6	Of mitral valve, specified as nonrheumatic----------421.0	617	281	242	44	50	12	2	3	4	3
7	Of aortic valve, not specified as rheumatic----------421.1	1,936	1,127	525	168	116	27	4	4	9	10
8	Of other valves, not specified as rheumatic----------421.2-421.4	4,382	1,880	1,917	295	290	129	38	25	20	46
9	Other myocardial degeneration----------422	58,687	26,275	26,545	3,101	2,766	889	283	250	186	170
10	With arteriosclerosis----------422.1	34,372	15,224	16,207	1,567	1,374	469	149	128	101	91
11	Without mention of arteriosclerosis----------422.0,422.2	24,315	11,051	10,338	1,534	1,392	420	134	122	85	79
12	Other diseases of heart----------430-434	20,659	10,506	6,590	2,060	1,503	605	261	107	131	106
13	Acute and subacute endocarditis----------430	786	424	245	67	50	9	3	2	2	2
14	Acute myocarditis not specified as rheumatic----------431	1,308	577	463	134	134	44	10	8	13	13
15	Acute pericarditis specified as nonrheumatic----------432	59	29	17	5	8	2	1	1	-	-
16	Functional disease of heart----------433	2,359	1,170	995	115	79	38	20	10	5	3
17	Other and unspecified diseases of heart----------434	16,147	8,306	4,870	1,739	1,232	512	227	86	111	88
18	Hypertension with heart disease----------440-443	73,883	28,354	32,879	6,988	7,662	1,759	371	430	495	463
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	19,852	8,119	8,170	1,886	1,677	494	113	128	149	104
20	Essential hypertension with heart disease, etc.*----------440,441,443	54,031	18,235	24,709	5,102	5,985	1,265	258	302	346	359
21	Hypertension without mention of heart----------444-447	11,162	4,463	4,360	1,201	1,138	262	65	59	69	69
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	6,411	2,945	2.426	577	463	97	30	26	28	13
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	4,751	1,516	1,934	624	675	165	35	33	41	56
24	Diseases of arteries----------450-456	39,642	19,309	17,338	1,607	1,388	516	201	142	89	84
25	General arteriosclerosis----------450	32,486	14,867	15,326	1,227	1,066	422	151	120	76	75
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	4,942	3,355	1,180	266	141	58	34	8	10	6
27	Gangrene of unspecified cause----------455	227	117	62	32	16	3	2	-	1	-
28	Other arterial diseases----------452-454,456	1.987	970	770	82	165	33	14	14	2	3
29	Diseases of veins and other diseases of circulatory system--------460-468	4,835	2,306	1,925	310	294	76	21	23	16	16
30	VIII. Diseases of the respiratory system----------	62,824	31,807	20,458	6,197	4,362	1,210	369	323	282	236
31	Acute upper respiratory infections----------470-475	904	382	318	116	88	27	8	4	7	8
32	Influenza----------480-483	2,755	971	1,059	365	360	183	46	50	47	40
33	Pneumonia, except pneumonia of newborn----------490-493	41,755	19,124	14,729	4,607	3,295	762	206	189	196	171
34	Lobar pneumonia----------490	11,162	5,340	3,579	1,362	881	249	81	51	64	53
35	Bronchopneumonia----------491	22,206	10,096	8,218	2,213	1,679	342	87	94	82	79
36	Primary atypical pneumonia----------492	3.599	1,707	1,305	318	269	75	24	23	15	13
37	Pneumonia, other and unspecified----------493	4,768	1,981	1,627	694	466	96	14	21	35	26
38	Acute bronchitis----------500	1,080	504	387	107	82	10	4	1	3	2
39	Bronchitis, chronic and unqualified----------501,502	1,977	1,206	579	113	79	29	15	10	2	2
40	Hypertrophy of tonsils and adenoids----------510	220	93	95	15	17	4	2	1	1	-
41	Empyema and abscess of lung----------518,521	738	441	144	104	49	6	3	2	1	-
42	Pleurisy----------519	191	93	59	24	15	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	13,204	8,993	3,088	746	377	189	85	66	25	13
44	IX. Diseases of the digestive sysiem----------	59,408	31,749	20,927	3,806	2,926	793	313	180	172	128
45	Diseases of teeth and supporting structures----------530-535	153	70	52	17	14	4	-	-	1	3
46	Ulcer of stomach----------540	4,809	3,285	1,067	340	117	76	46	5	14	11
47	Ulcer of duodenum----------541	4,921	3,732	898	206	85	63	47	5	8	3
48	Gastritis and duodenitis----------543	313	160	99	31	23	5	1	2	1	1
49	Appendicitis----------550-553	2,273	1,238	713	189	133	31	10	8	11	2
50	Hernia and intestinal obstruction----------560,561,570	8,654	3.883	3,704	591	476	125	36	39	30	20
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	7,441	2,864	2,710	978	889	165	29	24	58	54
52	Cirrhosis of liver----------581	16,763	10,277	5,159	778	549	141	82	30	19	10
53	Without mention of alcoholism----------581.0	12,211	7,265	4,052	523	371	109	60	24	16	9
54	With alcoholism----------581.1	4,552	3,012	1,107	255	178	32	22	6	3	1
55	Cholelithiasis and cholecystitis----------584,585	5,939	2,215	3,479	79	166	51	10	35	4	2
56	Other diseases of digestive system----------Residual[1]	8,142	4,025	3,046	597	474	132	52	32	26	22
57	X. Diseases of the genito-urinary system----------	33,463	17,579	10,018	3,281	2,605	820	271	154	231	164
58	Nephritis and nephrosis----------590-594	18,214	7,971	6,543	1,848	1,852	510	143	101	134	132
59	Acute nephritis----------590	1,234	536	366	183	149	40	11	9	12	8
60	Nephritis with edema, including nephrosis----------591	1,159	513	408	116	122	36	9	8	8	11
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	15,821	6,922	5,769	1,549	1,581	434	123	84	114	113
62	Infections of kidney----------600	4,911	2,111	1,964	398	438	114	30	36	28	20
63	Calculi of urinary system----------602,604	1,244	652	482	56	54	20	7	8	1	4
64	Other diseases of urinary system----------601,603,605-609	1,772	950	499	250	73	34	13	3	17	1
65	Hyperplasia of prostate----------610	6,062	5,424	...	638	...	102	61	...	41	...
66	Other diseases of male genital organs----------611-617	560	469	...	91	...	27	17	...	10	...
67	Diseases of breast----------620,621	13	2	7	-	4	-	-	-	-	-
68	Diseases of female genital organs----------622-637	707	...	523	...	184	13	...	6	...	7
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,901	...	1,134	...	767	91	...	38	...	53
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	205	...	146	...	59	9	...	4	...	5
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	524	...	288	...	236	36	...	11	...	25
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	373	...	232	...	141	16	...	9	...	7
73	Ectopic pregnancy----------645	151	...	62	...	89	6	...	2	...	4
74	Abortion without mention of sepsis or toxemia----------650	76	...	42	...	34	1	...	-	...	1
75	Abortion with sepsis----------651	159	...	87	...	72	6	...	3	...	3
76	Abortion with toxemia, without mention of sepsis----------652	31	...	21	...	10	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	382	...	256	...	126	17	...	9	...	8

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,555	1,065	404	69	17	3,409	2,018	880	273	238	33,104	20,431	11,610	718	345	3,399	2,148	1,183	43	25	1
600	368	180	42	10	1,086	550	350	95	91	13,352	7,262	5,685	250	155	1,297	709	551	27	10	2
954	696	224	27	7	2,301	1,458	523	175	145	19,721	13,153	5,910	468	190	2,098	1,436	631	16	15	3
1	1	-	-	-	22	10	7	3	2	31	16	15	-	-	4	3	1	-	-	4
18	6	9	1	2	100	29	22	28	21	412	228	158	8	18	53	26	27	-	-	5
1	-	-	-	1	4	2	2	-	-	48	26	20	2	-	4	1	3	-	-	6
10	4	6	-	-	19	8	7	2	2	179	132	39	3	5	10	5	5	-	-	7
7	2	3	1	1	77	19	13	26	19	185	70	99	3	13	39	20	19	-	-	8
215	110	87	11	7	346	143	110	56	37	3,080	1,434	1,524	58	64	356	173	180	-	3	9
147	78	53	10	6	155	68	51	21	15	2,114	995	1,051	32	36	184	77	107	-	-	10
68	32	34	1	1	191	75	59	35	22	966	439	473	26	28	172	96	73	-	3	11
83	48	23	11	1	360	161	96	71	32	770	398	322	31	19	74	48	24	1	1	12
4	4	-	-	-	10	2	1	4	3	56	37	15	3	1	11	7	4	-	-	13
3	1	1	1	-	17	7	3	7	-	50	19	22	3	6	3	2	1	-	-	14
-	-	-	-	-	1	1	-	-	-	6	3	3	-	-	-	-	-	-	-	15
14	7	4	3	-	29	15	12	2	-	161	77	75	7	2	12	5	7	-	-	16
62	36	18	7	1	303	136	80	58	29	497	262	207	18	10	48	34	12	1	1	17
205	85	99	13	8	791	257	270	129	135	4,716	1,909	2,380	230	197	423	179	222	8	14	18
53	24	21	5	3	209	74	61	37	37	887	412	404	40	31	169	84	81	2	2	19
152	61	78	8	5	582	183	209	92	98	3,829	1,497	1,976	190	166	254	95	141	6	12	20
46	23	15	3	5	109	27	28	22	32	601	247	288	34	32	90	42	43	3	2	21
27	16	8	2	1	37	15	8	5	9	391	180	176	24	11	66	33	30	2	1	22
19	7	7	1	4	72	12	20	17	23	210	67	112	10	21	24	9	13	1	1	23
171	90	69	8	4	305	138	105	40	22	3,808	1,892	1,786	76	54	346	176	165	3	2	24
116	51	55	6	4	242	105	91	29	17	2,924	1,302	1,541	46	35	281	130	147	2	2	25
38	29	7	2	-	34	20	5	9	-	718	515	168	26	9	52	40	11	1	-	26
-	-	-	-	-	4	-	1	1	2	6	4	2	-	-	2	2	-	-	-	27
17	10	7	-	-	25	13	8	1	3	160	71	75	4	10	11	4	7	-	-	28
9	7	1	-	1	60	28	18	7	7	392	220	145	14	13	96	44	50	2	-	29
560	297	147	64	52	691	282	192	122	95	4,740	2,707	1,691	222	120	879	504	343	16	16	30
4	-	1	2	1	14	2	3	4	5	46	17	26	2	1	7	2	3	1	1	31
15	3	8	1	3	58	16	19	12	11	53	24	28	-	1	15	9	6	-	-	32
314	124	95	51	44	480	187	135	87	71	3,123	1,669	1,214	153	87	642	330	287	12	13	33
61	25	15	15	6	169	63	47	32	27	679	415	200	48	16	107	69	34	1	3	34
171	62	56	26	27	212	73	62	42	35	1,985	1,028	829	80	48	490	239	231	10	10	35
38	23	11	1	3	68	38	16	9	5	295	149	117	12	17	26	11	14	1	-	36
44	14	13	9	8	31	13	10	4	4	164	77	68	13	6	19	11	8	-	-	37
11	5	3	2	1	9	3	-	4	2	112	48	50	7	7	14	9	5	-	-	38
24	18	3	1	2	19	8	6	1	4	121	74	42	3	2	25	23	2	-	-	39
8	3	5	-	-	1	1	-	-	-	16	4	10	1	1	4	1	3	-	-	40
7	4	3	-	-	7	4	2	1	-	72	52	13	2	5	6	2	3	1	-	41
1	1	-	-	-	-	-	-	-	-	13	7	6	-	-	2	-	1	-	1	42
176	139	29	7	1	103	61	27	13	2	1,184	812	302	54	16	164	128	33	2	1	43
424	193	117	50	64	545	238	156	86	65	5,376	3,047	2,004	198	127	607	342	238	17	10	44
-	-	-	-	-	3	-	2	1	-	7	4	3	-	-	3	1	2	-	-	45
29	21	5	2	1	34	25	6	3	-	414	283	115	10	6	50	31	16	2	1	46
26	21	5	-	-	26	23	2	1	-	498	363	112	17	6	53	46	7	-	-	47
3	1	1	1	-	8	-	2	2	4	24	16	7	1	-	3	2	-	-	1	48
13	7	4	2	-	22	10	2	6	4	152	82	62	8	-	29	14	15	-	-	49
46	18	18	5	5	81	26	30	10	15	622	320	273	14	15	80	37	39	2	2	50
126	37	28	23	38	109	31	29	24	25	437	191	213	15	18	90	47	37	5	1	51
82	49	23	4	6	124	69	30	21	4	2,184	1,273	754	98	59	144	87	53	3	1	52
60	33	20	3	4	99	55	26	14	4	1,174	627	468	50	29	101	59	40	1	1	53
22	16	3	1	2	25	14	4	7	-	1,010	646	286	48	30	43	28	13	2	-	54
40	10	17	6	7	43	21	21	-	1	396	161	221	7	7	69	32	36	-	1	55
59	29	16	7	7	95	33	32	18	12	642	354	244	28	16	86	45	33	5	3	56
178	108	44	17	9	498	209	125	99	65	1,942	1,146	621	96	79	274	176	90	1	7	57
101	55	31	7	8	310	112	90	48	60	855	423	337	49	46	152	85	63	-	4	58
6	3	2	-	1	22	7	7	1	7	33	18	12	2	1	12	6	6	-	-	59
8	2	5	-	1	12	5	3	1	3	58	21	31	5	1	15	8	7	-	-	60
87	50	24	7	6	276	100	80	46	50	764	384	294	42	44	125	71	50	-	4	61
21	9	10	2	-	61	29	19	11	2	367	177	161	11	18	31	14	15	1	1	62
5	5	-	-	-	12	5	5	2	-	93	52	35	4	2	8	4	4	-	-	63
11	5	1	4	1	24	10	8	4	2	150	90	43	16	1	12	8	3	-	1	64
34	30	...	4	...	74	47	...	27	...	389	374	...	15	...	62	62	...	-	...	65
4	4	...	-	...	13	6	...	7	...	31	30	...	1	...	3	3	...	-	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
2	...	2	...	-	4	...	3	...	1	56	...	44	...	12	6	...	5	...	1	68
13	...	9	...	4	28	...	7	...	21	118	...	91	...	27	16	...	15	...	1	69
4	...	3	...	1	1	...	-	...	1	16	...	13	...	3	1	...	1	...	-	70
-	...	-	...	-	13	...	4	...	9	27	...	23	...	4	4	...	4	...	-	71
4	...	2	...	2	5	...	-	...	5	13	...	10	...	3	3	...	3	...	-	72
2	...	1	...	1	1	...	1	...	-	11	...	8	...	3	-	...	-	...	-	73
-	...	-	...	-	1	...	-	...	1	12	...	8	...	4	-	...	-	...	-	74
2	...	2	...	-	2	...	-	...	2	15	...	12	...	3	2	...	2	...	-	75
-	...	-	...	-	-	...	-	...	-	5	...	5	...	-	2	...	2	...	-	76
1	...	1	...	-	5	...	2	...	3	19	...	12	...	7	4	...	3	...	1	77

420487 O - 57 - 8

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,334	491	615	90	138	26	7	7	3	9
2	Infections of skin and subcutaneous tissue-690-698	326	156	104	37	29	7	1	2	1	3
3	Other diseases of skin and subcutaneous tissue-700-716	1,008	335	511	53	109	19	6	5	2	6
4	XIII. Diseases of the bones and organs of movement	3,003	1,174	1,529	135	165	73	24	33	2	14
5	Arthritis and spondylitis-720-725	1,575	465	946	66	98	62	17	31	2	12
6	Muscular rheumatism and rheumatism, unspecified-726,727	56	18	28	3	7	-	-	-	-	-
7	Osteomyelitis and periostitis-730	151	72	62	9	8	1	-	1	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	100	38	54	3	5	2	2	-	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	1,121	581	439	54	47	8	5	1	-	2
10	XIV. Congenital malformations	20,502	9,839	8,283	1,291	1,089	362	146	109	62	45
11	Spina bifida and meningocele-751	1,342	539	719	45	39	29	11	14	2	2
12	Congenital hydrocephalus, etc.*-752,753	2,562	1,136	1,129	153	144	53	17	14	11	11
13	Congenital malformations of circulatory system-754	9,245	4,558	3,565	582	540	156	66	45	24	21
14	Other congenital malformations-750,755-759	7,353	3,606	2,870	511	366	124	52	36	25	11
15	XV. Certain diseases of early infancy	64,043	29,558	20,516	7,845	6,124	1,481	447	331	393	310
16	Birth injuries-760,761	11,569	5,929	3,728	1,130	782	244	84	66	61	33
17	Postnatal asphyxia and atelectasis-762	17,686	8,598	5,658	1,893	1,537	421	155	106	85	75
18	Infections of newborn-763-768	4,201	1,655	1,093	840	613	126	27	14	51	34
19	Hemolytic disease of newborn (erythroblastosis)-770	2,438	1,235	1,018	112	73	30	12	10	4	4
20	All other defined diseases of early infancy-769,771,772	2,071	824	570	412	265	73	16	6	33	18
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	26,078	11,317	8,449	3,458	2,854	587	153	129	159	146
22	XVI. Symptoms, senility, and ill-defined conditions	19,914	8,125	5,022	3,677	3,090	1,141	244	139	410	348
23	Senility without mention of psychosis-794	3,461	1,272	1,574	275	340	108	19	24	26	39
24	Symptoms, ill-defined and unknown causes-780-793,795	16,453	6,853	3,448	3,402	2,750	1,033	225	115	384	309
25	XVII. Accidents, poisonings, and violence	117,650	70,872	29,618	12,438	4,722	2,550	1,166	404	691	289
26	Accidents-E800-E962	93,443	55,976	25,034	8,714	3,719	1,912	888	341	461	222
27	Railway accidents-E800-E802	1,344	971	104	247	22	26	11	1	13	1
28	Motor-vehicle accidents-E810-E835	38,426	25,336	8,518	3,467	1,105	864	481	136	187	60
29	Motor-vehicle traffic accidents-E810-E825	37,437	24,682	8,307	3,366	1,082	835	467	130	180	58
30	Motor-vehicle traffic accident with railway train*-E810	1,490	976	413	80	21	29	10	13	4	2
31	Motor-vehicle traffic accident to pedestrian-E812	7,621	4,735	1,686	871	329	161	72	20	46	23
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	13,621	8,747	3,535	1,007	332	301	167	65	53	16
33	Motor-vehicle noncollision traffic accidents-E820-E824	9,721	6,957	1,535	976	253	306	197	28	67	14
34	Motor-vehicle traffic accident of unspecified nature-E825	4,984	3,267	1,138	432	147	38	21	4	10	3
35	Motor-vehicle nontraffic accidents-E830-E835	989	654	211	101	23	29	14	6	7	2
36	Other road-vehicle accidents-E840-E845	330	211	72	43	4	11	4	1	6	-
37	Water-transport accidents-E850-E858	1,452	1,208	85	145	14	47	37	3	6	1
38	Aircraft accidents-E860-E866	1,446	1,319	97	26	4	8	8	-	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	1,431	690	452	179	110	31	9	9	6	7
40	Accidental poisoning by gases and vapors-E890-E895	1,163	749	256	97	61	11	7	-	2	2
41	Accidental falls-E900-E904	20,192	9,056	9,919	755	462	224	77	106	20	21
42	Fall from one level to another-E900-E902	6,811	3,933	2,258	457	163	72	32	24	12	4
43	Fall on same level-E903	4,275	1,596	2,534	67	78	70	18	40	4	8
44	Unspecified falls-E904	9,106	3,527	5,127	231	221	82	27	42	4	9
45	Blow from falling object-E910	1,332	1,085	49	191	7	33	10	-	23	-
46	Accident caused by machinery-E912	2,019	1,774	67	171	7	38	28	-	10	-
47	Accident caused by electric current-E914	1,075	906	73	84	12	28	19	2	7	-
48	Accident caused by fire and explosion, etc.*-E916	6,352	2,536	1,869	977	970	200	39	32	50	79
49	Accident caused by hot substance, etc.*-E917,E918	742	302	238	98	104	22	7	4	6	5
50	Accident caused by firearm-E919	2,120	1,596	194	255	75	58	36	2	15	5
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	1,608	782	470	208	148	35	12	5	8	10
52	Accidental drowning-E929	5,046	3,419	702	831	94	96	48	8	36	4
53	Excessive heat and insolation-E931	615	393	139	61	22	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	776	328	332	46	70	8	2	1	3	2
55	All other accidents-Residual[1]	5,974	3,315	1,398	833	428	171	52	31	63	25
56	Suicide-E963,E970-E979	16,760	12,430	3,662	531	137	245	186	41	10	8
57	Suicide by poisoning-E970-E973	3,429	2,136	1,207	53	33	33	21	10	-	2
58	Suicide by hanging and strangulation-E974	3,591	2,602	878	87	24	17	10	6	1	-
59	Suicide by firearms and explosives-E976	7,763	6,502	911	306	44	173	141	20	9	3
60	Suicide by all other means-E963,E975,E977-E979	1,977	1,190	666	85	36	22	14	5	-	3
61	Homicide-E964,E980-E985	7,418	2,439	922	3,191	866	393	92	22	220	59
62	Assault by firearms and explosives-E981	3,807	1,294	525	1,576	412	223	60	14	119	30
63	Assault by cutting and piercing instruments-E982	1,826	356	85	1,113	272	103	13	1	70	19
64	Assault by other means-E964,E980,E983	1,479	634	311	354	180	61	18	7	26	10
65	Injury by intervention of police-E984	227	111	-	114	2	5	-	-	5	-
66	Execution-E985	79	44	1	34	-	1	1	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	29	27	-	2	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7	2	4	1	-	15	6	6	-	3	91	44	34	7	6	16	7	6	2	1	1
2	1	1	-	-	2	1	-	-	1	18	9	6	3	-	4	3	1	-	-	2
5	1	3	1	-	13	5	6	-	2	73	35	28	4	6	12	4	5	2	1	3
25	13	11	-	1	35	7	18	4	6	200	78	113	2	7	27	9	17	1	-	4
15	7	7	-	1	22	5	11	2	4	97	25	68	-	4	13	3	9	1	-	5
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	14	7	6	1	-	1	-	1	-	-	7
1	1	-	-	-	1	-	1	-	-	5	1	4	-	-	-	-	-	-	-	8
8	5	3	-	-	12	2	6	2	2	82	44	34	1	3	13	6	7	-	-	9
160	80	62	10	8	183	82	54	32	15	1,528	769	610	76	73	222	107	106	5	4	10
9	2	5	1	1	7	3	2	1	1	60	25	30	2	3	10	4	5	1	-	11
21	10	8	1	2	19	10	4	-	5	164	81	68	8	7	31	12	18	-	1	12
70	43	22	3	2	86	39	25	15	7	731	371	284	40	36	105	51	52	1	1	13
60	25	27	5	3	71	30	23	16	2	573	292	228	26	27	76	40	31	3	2	14
476	234	149	48	45	604	222	158	127	97	4,682	2,497	1,622	299	264	760	444	290	18	8	15
64	33	21	5	5	94	40	29	12	13	1,001	569	342	54	36	160	109	47	3	1	16
94	48	26	10	10	147	61	51	23	12	1,456	791	508	80	77	202	103	91	5	3	17
51	15	19	6	11	61	11	11	23	16	245	115	88	28	14	56	34	20	-	2	18
18	6	11	1	-	32	20	7	4	1	180	88	79	5	8	20	13	7	-	-	19
24	13	3	5	3	29	9	3	10	7	103	56	36	6	5	34	21	13	-	-	20
225	119	69	21	16	241	81	57	55	48	1,697	878	569	126	124	288	164	112	10	2	21
135	41	20	36	38	478	131	80	145	122	460	233	200	13	14	46	22	22	-	2	22
19	5	6	4	4	100	32	34	15	19	133	50	79	2	2	9	2	6	-	1	23
116	36	14	32	34	378	99	46	130	103	327	183	121	11	12	37	20	16	-	1	24
898	519	183	157	39	1,478	778	277	292	131	9,680	6,352	2,548	600	180	1,243	855	349	34	5	25
711	407	149	121	34	1,246	654	251	224	117	7,247	4,742	1,931	437	137	972	655	294	19	4	26
20	6	1	11	2	24	19	-	5	-	87	64	11	11	1	11	11	-	-	-	27
335	195	69	63	8	467	280	87	75	25	3,609	2,454	868	226	61	406	273	125	6	2	28
321	187	64	62	8	448	273	78	73	24	3,523	2,396	846	221	60	390	263	120	5	2	29
10	6	3	1	-	29	14	7	6	2	164	111	43	9	1	21	12	9	-	-	30
65	36	13	14	2	55	29	6	14	6	755	498	187	52	18	58	37	19	1	1	31
111	63	32	13	3	119	75	24	17	3	1,509	1,007	397	86	19	160	102	56	1	1	32
126	77	13	33	3	83	51	10	14	8	991	715	189	69	18	131	97	32	2	-	33
9	5	3	1	-	162	104	31	22	5	104	65	30	5	4	20	15	4	1	-	34
14	8	5	1	-	19	7	9	2	1	86	58	22	5	1	16	10	5	1	-	35
6	2	-	3	1	5	4	-	1	-	25	16	7	1	1	9	8	1	-	-	36
2	2	-	-	-	29	17	1	10	1	107	88	7	10	2	9	9	-	-	-	37
16	16	-	-	-	19	17	-	1	1	238	212	21	5	-	36	35	1	-	-	38
21	7	9	3	2	17	3	7	2	5	213	103	99	7	4	21	13	7	-	1	39
7	5	-	1	1	9	5	2	1	1	93	58	27	4	4	7	5	2	-	-	40
71	37	31	1	2	150	57	76	11	6	1,095	576	467	42	10	200	97	99	4	-	41
27	19	6	1	1	39	16	14	6	3	356	223	106	21	6	72	42	26	4	-	42
11	3	8	-	-	30	13	14	1	2	119	63	52	4	-	66	26	40	-	-	43
33	15	17	-	1	81	28	48	4	1	620	290	309	17	4	62	29	33	-	-	44
12	11	-	-	1	39	29	3	7	-	81	70	7	4	-	22	20	1	1	-	45
13	11	-	2	-	36	26	-	9	1	109	98	1	10	-	29	29	-	-	-	46
13	10	2	1	-	20	14	-	6	-	47	44	1	2	-	9	9	-	-	-	47
54	27	16	7	4	149	39	32	30	48	415	231	132	32	20	31	17	10	3	1	48
7	2	1	2	2	16	2	3	5	6	30	16	10	2	2	6	3	2	1	-	49
15	10	2	3	-	53	43	2	7	1	119	101	9	7	2	32	25	6	1	-	50
17	10	4	2	1	25	9	5	8	3	147	72	59	9	7	32	19	13	-	-	51
53	30	8	10	5	64	36	10	18	-	366	264	65	33	4	48	39	9	-	-	52
7	5	-	2	-	8	5	-	3	-	42	22	13	4	3	-	-	-	-	-	53
2	2	-	-	-	8	2	2	1	3	81	36	37	4	4	7	3	3	1	-	54
40	19	6	10	5	108	47	21	24	16	343	217	90	24	12	57	40	15	2	-	55
108	77	22	8	1	111	93	12	4	2	1,974	1,381	517	62	14	206	159	42	5	-	56
18	13	5	-	-	7	5	2	-	-	709	412	274	19	4	54	33	20	1	-	57
8	3	4	1	-	14	7	5	1	1	315	212	84	15	4	29	23	4	2	-	58
73	55	11	7	-	80	73	3	3	1	741	615	101	22	3	109	95	13	1	-	59
9	6	2	-	1	10	8	2	-	-	209	142	58	6	3	14	8	5	1	-	60
77	33	12	28	4	120	30	14	64	12	451	221	100	101	29	65	41	13	10	1	61
43	19	8	13	3	70	20	8	34	8	201	95	55	38	13	36	20	10	6	-	62
13	6	-	7	-	27	2	-	22	3	102	46	7	41	8	6	4	1	1	-	63
16	4	4	7	1	21	7	6	7	1	122	59	37	18	8	21	15	2	3	1	64
4	3	-	1	-	2	1	-	1	-	15	11	-	4	-	2	2	-	-	-	65
1	1	-	-	-	-	-	-	-	-	11	10	1	-	-	-	-	-	-	-	66
2	2	-	-	-	1	1	-	-	-	8	8	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	21,783	11,675	9,441	352	315	3,730	1,680	1,365	413	272
2	I. Infective and parasitic diseases	305	191	88	17	9	63	24	15	17	7
3	Tuberculosis, all forms 001-019	158	116	30	7	5	41	16	7	13	5
4	Tuberculosis of respiratory system 001-008	144	107	27	6	4	38	15	7	12	4
5	Tuberculosis of meninges and central nervous system 010	3	2	-	1	-	1	-	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	6	3	3	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	1	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	3	2	-	-	1	1	-	-	1	-
12	Syphilis and its sequelae 020-029	45	27	10	5	3	9	3	2	2	2
13	Congenital syphilis 020	1	-	-	-	1	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	18	13	4	1	-	3	-	2	-	1
16	Other cardiovascular syphilis 023	19	12	3	2	2	5	3	-	1	1
17	Tabes dorsalis 024	-	-	-	-	-	-	-	-	-	-
18	General paralysis of insane 025	3	1	2	-	-	1	-	-	1	-
19	Other syphilis of central nervous system 026	3	1	-	2	-	-	-	-	-	-
20	Other syphilis 027-029	1	-	1	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	1	-	-	1	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	1	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	1	1	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	-	-	-	-	-	1	1	-	-	-
30	Streptococcal sore throat 051	3	1	2	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	21	11	9	1	-	4	2	1	1	-
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	-	-	-	-	-
35	Meningococcal infections 057	11	7	2	1	1	-	-	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	20	8	11	1	-	-	-	-	-	-
42	Late effects of acute poliomyelitis 081	1	-	1	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	7	5	1	1	-	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	5	4	1	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	2	6	-	-	1	-	1	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	12	4	8	-	-	3	-	3	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	13	5	7	1	-	1	-	1	-	-
61	II. Neoplasms	4,042	2,088	1,859	46	49	567	257	216	55	39
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	3,960	2,050	1,821	46	43	555	255	210	54	36
63	Malignant neoplasm of buccal cavity and pharynx 140-148	107	90	16	1	-	19	13	2	4	-
64	Of lip 140	6	6	-	-	-	3	3	-	-	-
65	Of tongue 141	19	16	3	-	-	3	2	-	1	-
66	Of other and unspecified parts of buccal cavity 142-144	31	25	5	1	-	10	6	2	2	-
67	Of pharynx 145-148	51	43	8	-	-	3	2	-	1	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	1,474	772	663	21	18	183	80	71	24	8
69	Of esophagus 150	96	83	11	2	-	12	10	-	2	-
70	Of stomach 151	354	202	141	8	3	45	16	16	11	2
71	Of intestine, except rectum 152,153	466	200	254	6	6	58	24	26	4	4
72	Of rectum 154	216	122	92	1	1	28	13	13	1	1
73	Of biliary passages and of liver (stated to be primary site) 155	85	20	64	-	1	9	3	4	2	-
74	Of liver not specified whether primary or secondary 156A	53	26	25	1	1	6	2	4	-	-
75	Of pancreas 157	184	109	68	3	4	24	11	8	4	1
76	Of peritoneum and of unspecified digestive organs 158,159	20	10	8	-	2	1	1	-	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	545	457	76	11	1	77	59	9	6	3
78	Of larynx 161	31	28	2	1	-	-	-	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	137	121	12	3	1	37	28	4	3	2
80	Of lung and bronchus, unspecified as primary or secondary 163	365	301	57	7	-	38	29	5	3	1
81	Of other parts of respiratory system 160,164	12	7	5	-	-	2	2	-	-	-
82	Malignant neoplasm of breast 170	383	4	370	-	9	59	-	52	1	6

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,349	2,705	2,349	1,734	1,561	33,494	15,932	10,006	4,191	3,365	30,919	11,267	8,006	6,236	5,410	4,935	3,044	1,808	43	40	1
212	51	24	82	55	614	228	118	165	103	602	178	85	204	135	60	30	22	4	4	2
131	36	12	54	29	276	132	39	68	37	274	94	29	84	67	22	11	6	4	1	3
115	35	11	50	19	253	122	38	61	32	256	90	28	79	59	20	10	6	3	1	4
3	1	-	2	-	9	3	-	4	2	6	1	1	3	1	1	1	-	-	-	5
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	2	1	1	-	-	2	1	-	-	1	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	8
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	9
2	-	-	-	2	1	-	-	1	-	2	1	-	-	1	-	-	-	-	-	10
8	-	1	1	6	11	6	-	2	3	7	-	-	2	5	-	-	-	-	-	11
42	7	2	22	11	96	31	12	40	13	98	24	6	50	18	6	5	1	-	-	12
1	1	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
17	4	1	10	2	35	18	2	10	5	27	8	4	11	4	3	2	1	-	-	15
18	-	1	9	8	42	9	6	22	5	36	8	1	19	8	-	-	-	-	-	16
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	17
2	1	-	1	-	5	-	1	2	2	11	5	-	4	2	-	-	-	-	-	18
3	1	-	1	1	8	1	3	4	-	16	-	-	15	1	2	2	-	-	-	19
1	-	-	1	-	3	1	-	1	1	5	2	1	-	2	1	1	-	-	-	20
-	-	-	-	-	1	-	-	-	1	4	1	-	3	-	-	-	-	-	-	21
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	1	-	-	1	-	2	1	1	-	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	-	1	-	18	5	4	5	4	33	6	4	8	15	-	-	-	-	-	27
-	-	-	-	-	7	-	1	4	2	7	-	-	6	1	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	29
-	-	-	-	-	5	-	4	1	-	8	1	2	4	1	1	1	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
8	2	-	1	5	34	14	14	1	5	25	9	4	7	5	1	1	-	-	-	32
-	-	-	-	-	7	1	2	3	1	18	5	7	5	1	-	-	-	-	-	33
-	-	-	-	-	13	-	1	4	8	23	-	1	16	6	2	-	1	-	1	34
5	2	-	1	2	17	7	4	3	3	24	13	2	4	5	2	2	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	31	4	4	16	7	11	2	3	6	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	-	2	-	-	12	3	8	-	1	14	8	4	-	2	11	5	6	-	-	41
2	-	2	-	-	4	2	2	-	-	3	1	2	-	-	-	-	-	-	-	42
-	-	-	-	-	16	8	3	3	2	6	1	2	-	3	1	-	1	-	-	43
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	1	-	-	1	7	1	2	1	3	1	-	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	2	3	1	-	25	10	10	2	3	10	2	3	2	3	6	2	3	-	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	9	-	-	4	5	3	1	-	1	1	-	-	-	-	-	59
13	2	3	1	7	38	9	10	9	10	28	7	12	5	4	3	1	2	-	-	60
1,357	451	421	241	244	5,308	2,557	1,946	394	411	3,973	1,419	1,423	463	668	717	385	325	2	5	61
1,311	439	409	236	227	5,198	2,521	1,907	384	386	3,868	1,392	1,394	458	624	700	375	318	2	5	62
39	22	6	10	1	141	98	29	12	2	103	55	33	7	8	14	9	5	-	-	63
1	1	-	-	-	6	5	-	1	-	4	2	2	-	-	2	2	-	-	-	64
11	5	4	2	-	40	29	8	3	-	27	10	8	5	4	4	3	1	-	-	65
15	8	2	5	-	41	25	12	3	1	31	15	13	2	1	4	1	3	-	-	66
12	8	-	3	1	54	39	9	5	1	41	28	10	-	3	4	3	1	-	-	67
436	153	127	101	55	1,627	782	592	150	103	1,151	431	365	193	162	234	136	96	1	1	68
49	20	4	22	3	110	67	19	18	6	61	28	15	11	7	7	2	5	-	-	69
97	27	21	32	17	387	194	99	69	25	325	123	69	84	49	82	56	25	1	-	70
129	47	49	17	16	478	210	214	24	30	305	95	135	31	44	62	32	30	-	-	71
53	20	19	6	8	197	92	80	8	17	102	36	30	17	19	20	13	7	-	-	72
16	4	7	3	2	85	35	42	5	3	107	41	33	17	16	14	7	7	-	-	73
16	4	4	6	2	102	49	38	6	9	21	5	3	7	6	7	1	5	-	1	74
63	25	21	13	4	240	126	86	17	11	197	90	68	23	16	35	22	13	-	-	75
13	6	2	2	3	28	9	14	3	2	33	13	12	3	5	7	3	4	-	-	76
172	98	17	46	11	758	600	85	65	8	456	321	59	66	10	63	55	8	-	-	77
14	6	2	4	2	55	47	1	7	-	42	26	3	11	2	2	2	-	-	-	78
102	61	10	26	5	267	210	25	28	4	354	262	45	42	5	23	23	-	-	-	79
53	31	5	14	3	418	332	53	30	3	47	29	7	10	1	36	28	8	-	-	80
3	-	-	2	1	18	11	6	-	1	13	4	4	3	2	2	2	-	-	-	81
151	1	98	-	52	389	2	330	-	57	349	5	239	3	102	68	-	67	-	1	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	518	173	332	4	9	99	32	47	10	10
2	Of cervix uteri----------171	87	...	85	...	2	24	...	19	...	5
3	Of other and unspecified parts of uterus----------172-174	102	...	98	...	4	17	...	14	...	3
4	Of ovary, fallopian tube, and broad ligament----------175	143	...	140	...	3	16	...	14	...	2
5	Of other and unspecified female genital organs----------176	9	...	9	...	-	-	...	-	...	-
6	Of prostate----------177	164	160	...	4	...	41	31	...	10	...
7	Of testis, and of other and unspecified male genital organs----178,179	13	13	...	-	...	1	1	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	187	133	52	2	-	22	12	6	3	1
9	Of kidney----------180	64	42	21	1	-	7	6	-	-	1
10	Of bladder and other urinary organs----------181	123	91	31	1	-	15	6	6	3	-
11	Malignant neoplasm of other and unspecified sites------156B,165,190-199	396	219	174	1	2	49	32	9	5	3
12	Of skin----------190,191	58	36	22	-	-	7	6	1	-	-
13	Of eye----------192	4	1	3	-	-	2	-	2	-	-
14	Of brain and other parts of nervous system----------193	64	37	27	-	-	7	3	2	2	-
15	Of thyroid gland----------194	16	4	12	-	-	-	-	-	-	-
16	Of bone (including jaw bone)----------196	31	19	12	-	-	4	2	1	1	-
17	Of connective tissue----------197	12	7	5	-	-	1	1	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	44	23	20	-	1	6	5	-	-	1
19	Of unspecified sites----------156B,165,198B,199B-M	167	92	73	1	1	22	15	3	2	2
20	Leukemia and aleukemia----------204	162	103	56	1	2	23	12	10	1	-
21	Lymphosarcoma, etc.*----------200-203,205	188	99	82	5	2	24	15	4	-	5
22	Lymphosarcoma and reticulosarcoma----------200	85	45	36	2	2	17	13	2	-	2
23	Hodgkin's disease----------201	42	23	18	1	-	5	2	2	-	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	61	31	28	2	-	2	-	-	-	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	82	38	38	-	6	12	2	6	1	3
26	Benign neoplasms of female genital organs----------214-217	7	...	5	...	2	1	...	-	...	1
27	Benign neoplasm of brain and other parts of nervous system---------223	16	6	8	-	2	4	1	2	1	-
28	Other benign neoplasms----------210-213,218-222,224-229	10	3	6	-	1	2	-	1	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	36	21	14	-	1	4	1	2	-	1
31	Other neoplasms of unspecified nature----------230-232,236,238,239	12	8	4	-	-	1	-	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	478	169	298	6	5	99	34	50	6	9
33	Asthma----------241	63	32	31	-	-	12	4	6	2	-
34	Nontoxic goiter----------250,251	1	-	1	-	-	1	-	-	-	1
35	Thyrotoxicosis with or without goiter----------252	8	2	6	-	-	4	-	3	-	1
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	5	1	4	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	373	125	239	5	4	78	26	41	4	7
38	Diseases of thymus gland----------273	1	-	1	-	-	1	1	-	-	-
39	Diseases of adrenal glands----------274	4	1	2	1	-	1	1	-	-	-
40	Pellagra----------281	1	-	1	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	11	3	7	-	1	-	-	-	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	11	5	6	-	-	2	2	-	-	-
43	IV. Diseases of the blood and blood-forming organs----------	62	30	32	-	-	15	7	4	3	1
44	Anemias----------290-293	39	17	22	-	-	9	4	3	1	1
45	Pernicious and other hyperchromic anemias----------290	11	3	8	-	-	4	1	2	-	1
46	Anemias of other and unspecified type----------291-293	28	14	14	-	-	5	3	1	1	-
47	Purpura and other hemorrhagic conditions----------296	10	5	5	-	-	1	1	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	13	8	5	-	-	5	2	1	2	-
49	V. Mental, psychoneurotic, and personality disorders----------	82	58	17	7	-	11	9	1	-	1
50	Senile psychosis----------304	5	2	2	1	-	-	-	-	-	-
51	Alcoholic psychosis----------307	8	8	-	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	8	5	3	-	-	-	-	-	-	-
53	Alcoholism----------322	60	43	11	6	-	10	9	-	-	1
54	Mental deficiency----------325	-	-	-	-	-	1	-	1	-	-
55	Psychoneuroses and other disorders of personality---310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,613	1,159	1,371	38	45	372	139	167	32	34
57	Vascular lesions affecting central nervous system----------330-334	2,434	1,059	1,297	35	43	335	123	151	29	32
58	Subarachnoid hemorrhage----------330	84	23	52	5	4	11	2	5	2	2
59	Cerebral hemorrhage----------331	1,360	596	721	19	24	197	72	85	19	21
60	Cerebral embolism and thrombosis----------332	809	362	423	9	15	94	35	45	7	7
61	Other vascular lesions affecting central nervous system--------333,334	181	78	101	2	-	33	14	16	1	2
62	Meningitis, except meningococcal and tuberculous----------340	19	8	10	-	1	7	2	3	1	1
63	Multiple sclerosis----------345	16	4	12	-	-	4	2	2	-	-
64	Paralysis agitans----------350	32	19	13	-	-	5	-	5	-	-
65	Cerebral spastic infantile paralysis----------351	14	11	3	-	-	-	-	-	-	-
66	Epilepsy----------353	23	12	10	1	-	5	3	1	1	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------365	3	3	-	-	-	-	-	-	-	-
69	Glaucoma----------367	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	8	5	3	-	-	1	-	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	64	38	23	2	1	15	9	4	1	1
72	VII. Diseases of the circulatory system----------	9,687	5,337	4,137	110	103	1,672	786	637	152	97
73	Rheumatic fever----------400-402	16	6	10	-	-	1	-	1	-	-
74	Diseases of heart----------410-443	8,823	4,912	3,719	101	91	1,514	729	568	132	85
75	Chronic rheumatic heart disease----------410-416	270	137	126	1	6	45	15	24	2	4
76	Diseases of mitral valve----------410	85	37	48	-	-	18	3	12	-	3
77	Diseases of aortic valve specified as rheumatic----------411	26	19	5	-	2	7	3	3	1	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	4	3	1	-	-	2	2	-	-	-
80	Other diseases of heart specified as rheumatic----------415,416	155	78	72	1	4	18	7	9	1	1

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
193	39	66	25	63	870	283	383	60	144	795	170	330	72	223	129	68	59	1	1	1
64	...	26	...	38	232	...	149	...	83	286	...	157	...	129	18	...	17	...	1	2
37	...	20	...	17	147	...	103	...	44	149	...	82	...	67	24	...	24	...	-	3
27	...	19	...	8	133	...	120	...	13	97	...	78	...	19	17	...	17	...	-	4
1	...	1	...	-	15	...	11	...	4	21	...	13	...	8	1	...	1	...	-	5
59	35	...	24	...	314	262	...	52	...	229	161	...	68	...	63	62	...	1	...	6
5	4	...	1	...	29	21	...	8	...	13	9	...	4	...	6	6	...	-	...	7
76	40	20	11	5	281	185	72	15	9	147	57	57	18	15	32	20	12	-	-	8
28	16	5	5	2	90	53	28	5	4	58	21	24	9	4	13	6	7	-	-	9
48	24	15	6	3	191	132	44	10	5	89	36	33	9	11	19	14	5	-	-	10
128	45	39	25	19	698	334	255	58	51	534	196	199	59	80	88	41	45	-	2	11
13	7	4	1	1	96	62	25	4	5	117	48	56	7	6	8	4	4	-	-	12
-	-	-	-	-	9	5	3	1	-	7	1	3	1	2	3	2	1	-	-	13
24	8	6	6	4	105	54	41	6	4	109	58	39	4	8	14	8	6	-	-	14
6	3	3	-	-	19	8	9	-	2	17	8	4	2	3	3	1	2	-	-	15
11	4	4	2	1	33	11	12	7	3	49	19	18	8	4	8	4	4	-	-	16
1	1	-	-	-	9	5	2	1	1	10	-	4	4	2	3	2	1	-	-	17
11	4	3	3	1	108	47	42	10	9	68	18	17	10	23	15	8	6	-	1	18
62	18	19	13	12	319	142	121	29	27	157	44	58	23	32	34	12	21	-	1	19
55	20	19	7	9	219	121	79	14	5	181	87	69	16	9	39	22	17	-	-	20
61	21	17	11	12	215	116	82	10	7	152	70	43	24	15	33	24	9	-	-	21
21	9	6	2	4	92	53	32	4	3	57	28	18	6	5	13	7	6	-	-	22
21	7	7	4	3	58	26	28	4	-	42	20	11	9	2	7	6	1	-	-	23
19	5	4	5	5	65	37	22	2	4	53	22	14	9	8	13	11	2	-	-	24
46	12	12	5	17	110	36	39	10	25	105	27	29	5	44	17	10	7	-	-	25
11	...	2	...	9	30	...	12	...	18	24	...	4	...	20	1	...	1	...	-	26
8	2	3	2	1	20	10	5	2	3	12	5	6	-	1	-	-	-	-	-	27
5	-	1	2	2	15	7	4	1	3	16	5	6	1	4	4	2	2	-	-	28
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	29
15	7	4	1	3	25	11	9	4	1	39	16	9	1	13	8	6	2	-	-	30
7	3	2	-	2	19	8	8	3	-	13	1	4	3	5	4	2	2	-	-	31
143	50	34	25	34	681	256	258	63	104	592	188	181	70	153	116	72	43	1	-	32
19	11	3	3	2	132	70	31	18	13	100	52	19	10	19	29	23	5	1	-	33
1	-	-	-	1	6	1	3	-	2	5	-	1	-	4	1	1	-	-	-	34
5	-	3	1	1	19	2	15	-	2	16	2	8	1	5	1	-	1	-	-	35
2	-	2	-	-	2	1	-	-	1	4	-	4	-	-	-	-	-	-	-	36
103	38	24	18	23	456	159	188	33	76	410	119	128	50	113	78	44	34	-	-	37
-	-	-	-	-	4	-	2	-	2	2	1	-	1	-	4	1	3	-	-	38
4	-	1	2	1	10	4	3	1	2	6	2	3	1	-	-	-	-	-	-	39
-	-	-	-	-	1	-	1	-	-	23	6	10	-	7	-	-	-	-	-	40
3	-	-	1	2	33	11	11	9	2	12	2	1	4	5	3	3	-	-	-	41
6	1	1	-	4	18	8	4	2	4	14	4	7	3	-	-	-	-	-	-	42
25	7	9	4	5	128	48	37	15	28	90	26	23	22	19	16	7	9	-	-	43
17	4	6	3	4	92	35	22	14	21	65	16	14	19	16	8	4	4	-	-	44
4	1	3	-	-	19	14	5	-	-	14	4	5	3	2	5	2	3	-	-	45
13	3	3	3	4	73	21	17	14	21	51	12	9	16	14	3	2	1	-	-	46
2	-	2	-	-	18	5	9	1	3	10	3	5	1	1	4	-	4	-	-	47
6	3	1	1	1	18	8	6	-	4	15	7	4	2	2	4	3	1	-	-	48
30	13	7	7	3	99	40	28	22	9	126	43	12	42	29	12	7	4	-	1	49
-	-	-	-	-	6	3	2	1	-	3	-	3	-	-	3	1	2	-	-	50
8	5	-	2	1	6	1	2	1	2	3	1	-	1	1	2	2	-	-	-	51
3	1	1	1	-	6	1	2	2	1	11	1	3	4	3	2	1	1	-	-	52
19	7	6	4	2	76	32	20	18	6	103	40	5	37	21	4	3	-	-	1	53
-	-	-	-	-	2	1	1	-	-	3	1	-	-	2	1	-	1	-	-	54
-	-	-	-	-	3	2	1	-	-	3	-	1	-	2	-	-	-	-	-	55
892	220	338	163	171	4,206	1,684	1,425	525	572	5,206	1,495	1,509	1,049	1,153	584	298	279	4	3	56
824	207	322	139	156	3,931	1,563	1,350	478	540	4,899	1,404	1,435	968	1,092	526	270	250	3	3	57
48	13	13	9	13	132	50	44	15	23	167	49	53	32	33	22	5	16	-	1	58
410	93	149	88	80	2,533	945	838	346	404	3,430	925	934	734	837	364	180	180	2	2	59
298	83	129	33	53	921	432	354	66	69	891	323	333	109	126	97	58	39	-	-	60
68	18	31	9	10	345	136	114	51	44	411	107	115	93	96	43	27	15	1	-	61
12	1	1	6	4	58	22	10	13	13	57	13	9	18	17	6	2	4	-	-	62
6	-	4	1	1	25	12	10	1	2	22	6	11	4	1	10	6	4	-	-	63
7	2	3	-	2	39	26	11	2	-	17	10	6	1	-	11	5	6	-	-	64
1	-	-	-	1	10	6	3	1	-	22	10	4	5	3	5	3	2	-	-	65
18	2	3	11	2	40	17	7	13	3	80	18	11	32	19	8	5	2	1	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
1	-	-	-	1	2	-	1	-	1	2	-	1	-	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	-	1	8	3	2	1	2	19	6	4	5	4	-	-	-	-	-	70
22	8	5	6	3	93	35	31	16	11	87	27	28	16	16	18	7	11	-	-	71
3,536	1,272	1,057	625	582	12,836	7,019	3,796	1,107	914	10,873	4,529	2,805	1,920	1,619	1,991	1,277	692	12	10	72
6	1	-	4	1	21	9	4	5	3	51	12	8	18	13	7	4	3	-	-	73
3,207	1,174	942	568	523	11,647	6,498	3,366	986	797	9,768	4,132	2,515	1,708	1,413	1,811	1,178	612	12	9	74
85	27	26	13	19	341	144	147	29	21	228	92	51	46	39	80	42	34	2	2	75
26	8	15	1	2	118	40	61	9	8	91	34	20	18	19	30	15	11	2	2	76
6	3	-	-	3	26	22	2	1	1	28	17	3	5	3	9	9	-	-	-	77
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	-	1	-	1	15	10	3	2	-	9	5	3	-	1	7	4	3	-	-	79
50	15	10	12	13	182	72	81	17	12	100	36	25	23	16	34	14	20	-	-	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	6,874	4,041	2,705	79	49	971	528	325	73	45
2	Arteriosclerotic heart disease so described----------420.0	3,392	1,757	1,573	44	18	387	183	146	35	23
3	Heart disease specified as involving coronary arteries----------420.1	3,475	2,281	1,128	35	31	581	345	177	38	21
4	Angina pectoris without mention of coronary disease----------420.2	7	3	4	-	-	3	-	2	-	1
5	Chronic endocarditis not specified as rheumatic----------421	46	21	24	1	-	16	11	3	-	2
6	Of mitral valve, specified as nonrheumatic----------421.0	3	1	2	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	18	11	6	1	-	3	2	-	-	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	25	9	16	-	-	13	9	3	-	1
9	Other myocardial degeneration----------422	620	279	328	5	8	187	77	77	23	10
10	With arteriosclerosis----------422.1	495	223	261	5	6	123	51	54	12	6
11	Without mention of arteriosclerosis----------422.0,422.2	125	56	67	-	2	64	26	23	11	4
12	Other diseases of heart----------430-434	116	66	46	1	3	22	11	8	2	1
13	Acute and subacute endocarditis----------430	7	5	2	-	-	1	-	-	-	1
14	Acute myocarditis not specified as rheumatic----------431	8	4	4	-	-	-	-	-	-	-
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	22	15	7	-	-	1	1	-	-	-
17	Other and unspecified diseases of heart----------434	79	42	33	1	3	20	10	8	2	-
18	Hypertension with heart disease----------440-443	897	368	490	14	25	273	87	131	32	23
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	255	135	112	3	5	99	32	58	6	3
20	Essential hypertension with heart disease, etc.*----------440,441,443	642	233	378	11	20	174	55	73	26	20
21	Hypertension without mention of heart----------444-447	151	75	70	2	4	43	19	14	5	5
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	109	58	45	2	4	37	16	13	3	5
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	42	17	25	-	-	6	3	1	2	-
24	Diseases of arteries----------450-456	622	302	308	6	6	97	31	49	12	5
25	General arteriosclerosis----------450	495	216	272	3	4	86	25	44	12	5
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	95	71	20	2	2	10	6	4	-	-
27	Gangrene of unspecified cause----------455	1	-	1	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	31	15	15	1	-	1	-	1	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	75	42	30	1	2	17	7	5	3	2
30	VIII. Diseases of the respiratory system----------	741	455	246	22	18	176	63	54	33	26
31	Acute upper respiratory infections----------470-475	14	9	4	-	1	3	1	1	-	1
32	Influenza----------480-483	7	5	2	-	-	4	1	2	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	474	256	189	16	13	115	34	38	24	19
34	Lobar pneumonia----------490	137	72	54	8	3	42	11	13	13	5
35	Bronchopneumonia----------491	228	121	95	7	5	61	19	21	8	13
36	Primary atypical pneumonia----------492	44	25	17	-	2	5	2	3	-	-
37	Pneumonia, other and unspecified----------493	65	38	23	1	3	7	2	1	3	1
38	Acute bronchitis----------500	20	15	4	1	-	-	-	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	29	24	4	-	1	8	4	3	1	-
40	Hypertrophy of tonsils and adenoids----------510	-	-	-	-	-	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	10	7	2	1	-	9	3	-	4	2
42	Pleurisy----------519	2	2	-	-	-	1	1	-	-	-
43	All other respiratory diseases----------Residual[1]	185	137	41	4	3	35	19	9	4	3
44	IX. Diseases of the digestive system----------	894	502	360	14	18	153	68	48	26	11
45	Diseases of teeth and supporting structures----------530-535	1	-	-	-	1	-	-	-	-	-
46	Ulcer of stomach----------540	75	51	22	2	-	12	8	1	2	1
47	Ulcer of duodenum----------541	67	48	19	-	-	12	8	2	2	-
48	Gastritis and duodenitis----------543	7	2	5	-	-	1	-	1	-	-
49	Appendicitis----------550-553	26	14	11	1	-	4	3	-	-	1
50	Hernia and intestinal obstruction----------560,561,570	110	56	50	1	3	32	5	16	9	2
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	74	37	33	2	2	8	2	3	1	2
52	Cirrhosis of liver----------581	304	184	110	5	5	43	28	8	5	2
53	Without mention of alcoholism----------581.0	212	125	81	3	3	38	24	8	5	1
54	With alcoholism----------581.1	92	59	29	2	2	5	4	-	-	1
55	Cholelithiasis and cholecystitis----------584,585	95	40	53	-	2	14	4	10	-	-
56	Other diseases of digestive system----------Residual[1]	135	70	57	3	5	27	10	7	7	3
57	X. Diseases of the genito-urinary system----------	374	229	130	9	6	92	47	22	9	14
58	Nephritis and nephrosis----------590-594	172	91	76	4	1	57	26	13	7	11
59	Acute nephritis----------590	13	9	4	-	-	4	2	1	1	-
60	Nephritis with edema, including nephrosis----------591	13	7	6	-	-	5	2	1	2	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	146	75	66	4	1	48	22	11	4	11
62	Infections of kidney----------600	76	35	35	2	4	14	6	6	1	1
63	Calculi of urinary system----------602,604	14	10	4	-	-	2	-	1	-	1
64	Other diseases of urinary system----------601,603,605-609	24	17	6	1	-	2	1	-	-	1
65	Hyperplasia of prostate----------610	74	72	...	2	...	15	14	...	1	...
66	Other diseases of male genital organs----------611-617	4	4	...	-	...	-	-	...	-	...
67	Diseases of breast----------620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	9	...	8	...	1	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	15	...	10	...	5	7	...	5	...	2
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	7	...	5	...	2	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	2	...	2	...	-	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	-	...	1	2	...	2	...	-
73	Ectopic pregnancy----------645	1	...	-	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	2	...	1	...	1	2	...	1	...	1
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	2	...	-	1	...	-	...	1

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,790	846	562	199	183	8,247	5,130	2,272	500	345	5,929	3,056	1,544	778	551	1,231	865	353	8	5	1
710	278	253	83	96	2,654	1,479	910	155	110	1,351	567	427	203	154	319	187	124	5	3	2
1,080	568	309	116	87	5,545	3,626	1,354	334	231	4,548	2,476	1,112	569	391	909	676	228	3	2	3
-	-	-	-	-	48	25	8	11	4	30	13	5	6	6	3	2	1	-	-	4
33	8	8	6	11	160	66	46	29	19	152	39	41	34	38	24	18	6	-	-	5
-	-	-	-	-	10	5	2	1	2	37	4	6	11	16	1	-	1	-	-	6
15	7	2	3	3	51	24	12	11	4	30	10	8	6	6	7	6	1	-	-	7
18	1	6	3	8	99	37	32	17	13	85	25	27	17	16	16	12	4	-	-	8
535	137	139	144	115	812	328	304	96	84	874	245	234	218	177	208	113	95	-	-	9
171	51	62	32	26	497	207	201	47	42	528	161	161	123	83	116	66	50	-	-	10
364	86	77	112	89	315	121	103	49	42	346	84	73	95	94	92	47	45	-	-	11
87	29	15	29	14	710	391	177	86	56	558	203	126	123	106	80	54	24	1	1	12
3	1	1	1	-	18	11	5	-	2	14	1	2	5	6	3	3	-	-	-	13
2	1	1	-	-	40	15	12	9	4	42	14	8	6	14	6	2	3	1	-	14
2	-	-	1	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	15
6	4	-	1	1	44	21	19	1	3	44	20	18	5	1	9	5	3	-	1	16
74	23	13	26	12	607	343	141	76	47	457	168	98	106	85	62	44	18	-	-	17
677	127	192	177	181	1,377	439	420	246	272	2,027	497	519	509	502	188	86	100	1	1	18
256	73	81	64	38	446	164	125	77	80	592	155	139	148	150	64	31	32	-	1	19
421	54	111	113	143	931	275	295	169	192	1,435	342	380	361	352	124	55	68	1	-	20
72	14	17	18	23	263	92	79	45	47	343	88	66	101	88	30	10	19	-	1	21
49	12	13	12	12	150	64	46	23	17	159	43	35	43	38	16	6	9	-	1	22
23	2	4	6	11	113	28	33	22	30	184	45	31	58	50	14	4	10	-	-	23
200	67	82	25	26	801	377	312	55	57	626	271	186	75	94	127	78	49	-	-	24
151	44	68	17	22	582	240	256	46	40	468	185	153	58	72	95	52	43	-	-	25
33	23	6	4	-	168	115	39	8	6	106	66	19	13	8	18	16	2	-	-	26
2	-	1	-	1	5	3	1	-	1	3	-	-	3	-	2	2	-	-	-	27
14	-	7	4	3	46	19	16	1	10	49	20	14	1	14	12	8	4	-	-	28
51	16	16	10	9	104	43	35	16	10	85	26	30	18	11	16	7	9	-	-	29
346	118	79	77	72	1,273	534	304	233	202	1,493	427	356	396	314	184	123	59	2	-	30
1	-	1	-	-	25	8	8	5	4	27	7	5	9	6	2	2	-	-	-	31
3	2	-	1	-	85	16	14	23	32	181	44	51	44	42	10	6	4	-	-	32
250	78	59	56	57	751	258	195	159	139	950	221	204	295	230	111	66	43	2	-	33
80	27	16	21	16	203	66	45	51	41	250	62	35	80	73	26	16	10	-	-	34
128	42	35	20	31	415	139	115	89	72	417	97	107	125	88	50	29	21	-	-	35
14	3	5	3	3	79	35	21	12	11	99	24	27	24	24	6	2	4	-	-	36
28	6	3	12	7	54	18	14	7	15	184	38	35	66	45	29	19	8	2	-	37
7	-	-	4	3	16	6	3	1	6	15	6	3	6	-	2	2	-	-	-	38
18	6	6	3	3	44	25	13	3	3	41	19	13	4	5	13	10	3	-	-	39
1	-	-	-	1	4	1	1	-	2	5	1	2	1	1	-	-	-	-	-	40
14	5	2	5	2	19	5	2	7	5	19	5	3	5	6	4	1	3	-	-	41
1	-	-	-	1	7	1	2	3	1	4	1	-	-	3	-	-	-	-	-	42
51	27	11	8	5	322	214	66	32	10	251	123	75	32	21	42	36	6	-	-	43
426	141	119	84	82	1,378	630	409	200	139	1,023	389	237	215	182	161	92	65	-	4	44
1	-	-	1	-	4	1	1	2	-	4	1	2	1	-	1	1	-	-	-	45
30	12	6	11	1	92	56	16	18	2	96	53	13	25	5	19	15	4	-	-	46
30	14	6	6	4	108	78	17	10	3	62	40	7	11	4	13	9	3	-	1	47
-	-	-	-	-	7	5	-	2	-	2	1	-	-	1	1	-	1	-	-	48
8	2	3	1	2	46	22	9	9	6	46	13	8	13	12	3	2	-	-	1	49
63	17	17	11	18	210	72	84	35	19	144	41	46	27	30	28	12	14	-	2	50
27	8	5	5	9	208	36	45	65	62	243	54	39	70	80	17	10	7	-	-	51
164	53	52	27	32	363	208	112	22	21	212	108	47	29	28	38	24	14	-	-	52
93	31	32	18	12	283	167	86	14	16	111	45	34	14	18	34	20	14	-	-	53
71	22	20	9	20	80	41	26	8	5	101	63	13	15	10	4	4	-	-	-	54
22	7	14	-	1	111	52	48	6	5	61	21	34	4	2	20	8	12	-	-	55
81	28	16	22	15	229	100	77	31	21	153	57	41	35	20	21	11	10	-	-	56
181	48	26	60	47	859	377	207	150	125	989	284	188	294	223	103	73	28	1	1	57
76	17	12	25	22	422	147	111	76	88	603	132	111	182	178	68	40	26	1	1	58
5	-	1	2	2	41	10	8	13	10	67	11	5	28	23	4	2	2	-	-	59
4	-	-	3	1	29	7	10	4	8	31	3	5	14	9	5	2	2	-	1	60
67	17	11	20	19	352	130	93	59	70	505	118	101	140	146	59	36	22	1	-	61
56	12	9	17	18	144	52	60	17	15	151	47	56	26	22	8	7	1	-	-	62
4	-	3	-	1	59	26	21	9	3	33	15	6	5	7	6	6	-	-	-	63
20	3	2	12	3	56	25	8	17	6	39	10	9	18	2	6	5	1	-	-	64
21	15	...	6	...	143	118	...	25	...	129	72	...	57	...	14	14	...	-	...	65
1	1	...	-	...	15	9	...	6	...	14	8	...	6	...	1	1	...	-	...	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	67
3	...	-	...	3	20	...	7	...	13	19	...	6	...	13	-	...	-	...	-	68
11	...	3	...	8	58	...	24	...	34	99	...	39	...	60	10	...	10	...	-	69
1	...	-	...	1	5	...	2	...	3	9	...	2	...	7	1	...	1	...	-	70
4	...	-	...	4	17	...	5	...	12	36	...	13	...	23	3	...	3	...	-	71
2	...	1	...	1	9	...	6	...	3	23	...	9	...	14	2	...	2	...	-	72
-	...	-	...	-	2	...	-	...	2	4	...	1	...	3	-	...	-	...	-	73
-	...	-	...	-	5	...	1	...	4	2	...	1	...	1	-	...	-	...	-	74
1	...	-	...	1	7	...	4	...	3	11	...	6	...	5	-	...	-	...	-	75
1	...	1	...	-	-	...	-	...	-	4	...	2	...	2	-	...	-	...	-	76
2	...	1	...	1	13	...	6	...	7	10	...	5	...	5	4	...	4	...	-	77

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	22	12	9	-	1	1	-	-	-	1
2	Infections of skin and subcutaneous tissue---690-698	5	4	1	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	17	8	8	-	1	1	-	-	-	1
4	XIII. Diseases of the bones and organs of movement	37	18	19	-	-	7	2	4	-	1
5	Arthritis and spondylitis---720-725	17	5	12	-	-	1	-	1	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	2	2	-	-	-	3	2	1	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	17	11	6	-	-	3	-	2	-	1
10	XIV. Congenital malformations	288	148	128	7	5	56	24	27	2	3
11	Spina bifida and meningocele---751	29	10	18	-	1	4	1	3	-	-
12	Congenital hydrocephalus, etc.*---752,753	45	20	24	-	1	13	4	9	-	-
13	Congenital malformations of circulatory system---754	105	57	40	5	3	24	12	9	1	2
14	Other congenital malformations---750,755-759	109	61	46	2	-	15	7	6	1	1
15	XV. Certain diseases of early infancy	731	380	286	30	35	137	54	49	22	12
16	Birth injuries---760,761	138	76	54	5	3	21	9	8	2	2
17	Postnatal asphyxia and atelectasis---762	238	131	90	8	9	50	19	23	6	2
18	Infections of newborn---763-768	27	13	10	3	1	9	1	-	3	5
19	Hemolytic disease of newborn (erythroblastosis)---770	41	18	23	-	-	3	2	-	1	-
20	All other defined diseases of early infancy---769,771,772	21	10	8	2	1	2	-	2	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	266	132	101	12	21	52	23	16	10	3
22	XVI. Symptoms, senility, and ill-defined conditions	78	39	33	4	2	17	8	6	2	1
23	Senility without mention of psychosis---794	14	2	12	-	-	6	2	3	1	-
24	Symptoms, ill-defined and unknown causes---780-793,795	64	37	21	4	2	11	6	3	1	1
25	XVII. Accidents, poisonings, and violence	1,334	860	418	42	14	285	158	60	54	13
26	Accidents---E800-E962	1,083	689	344	38	12	233	127	47	46	13
27	Railway accidents---E800-E802	7	7	-	-	-	2	2	-	-	-
28	Motor-vehicle accidents---E810-E835	351	260	74	13	4	104	63	19	18	4
29	Motor-vehicle traffic accidents---E810-E825	335	247	71	13	4	101	62	19	16	4
30	Motor-vehicle traffic accident with railway train*---E810	11	7	4	-	-	3	3	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	93	63	25	3	2	13	4	3	5	1
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	83	61	17	4	1	36	22	11	2	1
33	Motor-vehicle noncollision traffic accidents---E820-E824	107	81	21	5	-	38	25	5	6	2
34	Motor-vehicle traffic accident of unspecified nature---E825	41	35	4	1	1	11	8	-	3	-
35	Motor-vehicle nontraffic accidents---E830-E835	16	13	3	-	-	3	1	-	2	-
36	Other road-vehicle accidents---E840-E845	4	3	1	-	-	-	-	-	-	-
37	Water-transport accidents---E850-E858	23	20	2	1	-	10	7	-	3	-
38	Aircraft accidents---E860-E866	19	16	2	1	-	8	7	1	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	17	11	5	1	-	5	-	2	1	2
40	Accidental poisoning by gases and vapors---E890-E895	20	10	8	2	-	2	1	1	-	-
41	Accidental falls---E900-E904	317	152	159	5	1	39	14	17	7	1
42	Fall from one level to another---E900-E902	93	55	34	3	1	16	9	3	4	-
43	Fall on same level---E903	41	17	23	1	-	14	3	8	2	1
44	Unspecified falls---E904	183	80	102	1	-	9	2	6	1	-
45	Blow from falling object---E910	6	6	-	-	-	6	3	1	2	-
46	Accident caused by machinery---E912	11	10	-	1	-	5	4	-	1	-
47	Accident caused by electric current---E914	11	9	2	-	-	-	-	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	57	31	18	7	1	15	2	3	5	5
49	Accident caused by hot substance, etc.*---E917,E918	5	1	3	-	1	-	-	-	-	-
50	Accident caused by firearm---E919	6	6	-	-	-	4	3	-	1	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	16	9	4	1	2	5	5	-	-	-
52	Accidental drowning---E929	71	51	14	5	1	17	9	3	4	1
53	Excessive heat and insolation---E931	3	3	-	-	-	1	-	-	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	17	9	7	1	-	-	-	-	-	-
55	All other accidents---Residual[1]	122	75	45	-	2	10	7	-	3	-
56	Suicide---E963,E970-E979	222	156	65	-	1	41	27	12	2	-
57	Suicide by poisoning---E970-E973	63	40	23	-	-	13	8	4	1	-
58	Suicide by hanging and strangulation---E974	75	55	20	-	-	6	4	2	-	-
59	Suicide by firearms and explosives---E976	52	46	6	-	-	17	13	4	-	-
60	Suicide by all other means---E963,E975,E977-E979	32	15	16	-	1	5	2	2	1	-
61	Homicide---E964,E980-E985	29	15	9	4	1	10	3	1	6	-
62	Assault by firearms and explosives---E981	7	4	2	1	-	3	2	1	-	-
63	Assault by cutting and piercing instruments---E982	8	5	-	2	1	4	-	-	4	-
64	Assault by other means---E964,E980,E983	13	5	7	1	-	1	-	-	1	-
65	Injury by intervention of police---E984	-	-	-	-	-	2	1	-	1	-
66	Execution---E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	1	7	-	1	27	6	10	4	7	34	4	13	6	11	9	7	2	-	-	1
3	-	3	-	-	7	2	1	3	1	10	3	-	5	2	4	4	-	-	-	2
6	1	4	-	1	20	4	9	1	6	24	1	13	1	9	5	3	2	-	-	3
13	2	6	2	3	69	29	27	9	4	84	28	27	7	22	20	10	10	-	-	4
7	1	4	-	2	32	15	9	5	3	54	11	24	4	15	14	4	10	-	-	5
-	-	-	-	-	1	-	1	-	-	4	1	1	-	2	-	-	-	-	-	6
-	-	-	-	-	5	3	1	1	-	3	-	1	-	2	2	2	-	-	-	7
2	-	1	1	-	3	1	1	-	1	1	1	-	-	-	1	1	-	-	-	8
4	1	1	1	1	28	10	15	3	-	22	15	1	3	3	3	3	-	-	-	9
107	24	21	30	32	460	190	169	56	45	465	168	152	84	61	75	42	33	-	-	10
-	-	-	-	-	23	1	20	1	1	36	16	15	3	2	1	1	-	-	-	11
13	4	2	4	3	64	26	27	6	5	64	21	24	10	9	9	4	5	-	-	12
51	11	8	13	19	210	92	70	19	29	223	84	68	47	24	40	22	18	-	-	13
43	9	11	13	10	163	71	52	30	10	142	47	45	24	26	25	15	10	-	-	14
474	98	64	159	153	1,559	539	386	376	258	1,695	534	374	467	320	224	137	83	-	4	15
68	20	12	14	22	253	96	66	60	31	266	95	56	71	44	36	23	13	-	-	16
207	32	17	76	82	403	156	106	85	56	440	171	119	88	62	54	34	19	-	1	17
17	3	2	9	3	107	26	17	38	26	139	25	25	53	36	10	7	3	-	-	18
10	3	3	-	4	49	21	20	3	5	48	23	18	4	3	11	7	4	-	-	19
8	-	-	2	6	77	19	13	27	18	82	14	13	34	21	8	5	3	-	-	20
164	40	30	58	36	670	221	164	163	122	720	206	143	217	154	105	61	41	-	3	21
15	5	6	3	1	823	293	157	201	172	420	98	69	135	118	85	61	24	-	-	22
6	2	3	-	1	115	30	42	22	21	68	9	25	12	22	39	24	15	-	-	23
9	3	3	3	-	708	263	115	179	151	352	89	44	123	96	46	37	9	-	-	24
572	204	128	172	68	3,116	1,502	705	671	238	3,155	1,457	513	862	323	568	423	120	17	8	25
421	138	105	125	53	2,281	1,128	543	445	165	2,420	1,154	432	588	246	464	341	104	13	6	26
5	4	-	1	-	21	10	-	10	1	46	22	4	19	1	3	2	-	1	-	27
119	39	25	43	12	977	514	214	187	62	1,094	599	185	246	64	181	124	47	8	2	28
119	39	25	43	12	957	503	208	185	61	1,058	585	177	234	62	175	119	47	7	2	29
1	-	-	1	-	37	25	8	4	-	50	30	10	9	1	9	7	2	-	-	30
48	13	8	19	8	188	93	39	45	11	177	87	27	49	14	29	18	9	2	-	31
30	10	12	6	2	242	138	56	29	19	331	191	72	57	11	47	32	11	2	2	32
28	11	3	13	1	181	89	41	37	14	350	192	39	92	27	48	37	9	2	-	33
12	5	2	4	1	309	158	64	70	17	150	85	29	27	9	42	25	16	1	-	34
-	-	-	-	-	20	11	6	2	1	36	14	8	12	2	6	5	-	1	-	35
-	-	-	-	-	2	1	1	-	-	9	4	-	3	2	1	1	-	-	-	36
7	5	1	1	-	55	39	3	12	1	39	30	1	8	-	9	9	-	-	-	37
3	3	-	-	-	59	53	4	2	-	34	32	1	1	-	9	9	-	-	-	38
12	3	4	4	1	55	23	15	9	8	54	22	6	16	10	6	3	2	1	-	39
1	-	-	1	-	29	13	12	2	2	16	8	-	4	4	5	5	-	-	-	40
165	51	58	36	20	369	143	178	30	18	261	99	117	21	24	58	25	31	2	-	41
72	23	16	24	9	107	49	31	20	7	83	39	25	11	8	26	14	10	2	-	42
16	6	8	1	1	57	19	34	1	3	70	25	35	4	6	12	5	7	-	-	43
77	22	34	11	10	205	75	113	9	8	108	35	57	6	10	20	6	14	-	-	44
3	1	1	1	-	26	14	2	9	1	42	21	1	20	-	26	24	2	-	-	45
1	-	-	1	-	37	29	2	6	-	55	40	-	15	-	34	32	1	-	1	46
-	-	-	-	-	37	30	4	3	-	23	17	-	5	1	6	6	-	-	-	47
26	5	5	10	6	144	31	33	45	35	243	54	52	64	73	27	17	9	-	1	48
2	-	-	-	2	12	3	3	4	2	22	9	4	5	4	1	1	-	-	-	49
3	1	-	2	-	83	48	10	21	4	94	50	9	28	7	26	25	1	-	-	50
14	5	1	7	1	46	16	11	11	8	50	14	11	12	13	6	5	1	-	-	51
16	7	2	7	-	183	93	27	57	6	134	56	13	57	8	29	23	5	1	-	52
6	2	1	2	1	3	2	-	1	-	6	-	3	2	1	1	-	1	-	-	53
2	1	1	-	-	17	5	9	2	1	11	3	3	2	3	1	-	1	-	-	54
36	11	6	9	10	126	61	15	34	16	187	74	22	60	31	35	30	3	-	2	55
91	56	21	12	2	446	302	120	21	3	319	232	58	18	11	87	71	13	2	1	56
20	12	7	-	1	133	73	57	1	2	30	17	9	2	2	20	15	5	-	-	57
23	14	7	2	-	67	49	15	2	1	21	14	5	-	2	13	9	2	1	1	58
28	20	4	4	-	206	150	39	17	-	249	192	36	16	5	46	42	3	1	-	59
20	10	3	6	1	40	30	9	1	-	19	9	8	-	2	8	5	3	-	-	60
60	10	2	35	13	388	71	42	205	70	416	71	23	256	66	17	11	3	2	1	61
18	2	1	11	4	191	43	24	92	32	230	41	17	138	34	12	8	1	2	1	62
17	2	-	14	1	126	10	7	82	27	107	12	1	77	17	1	-	1	-	-	63
24	6	1	9	8	57	14	11	21	11	63	15	5	28	15	4	3	1	-	-	64
1	-	-	1	-	13	4	-	9	-	13	3	-	10	-	-	-	-	-	-	65
-	-	-	-	-	1	-	-	1	-	3	-	-	3	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	95,528	49,421	37,238	4,861	4,008	42,093	22,932	16,808	1,286	1,067
2	I. Infective and parasitic diseases	1,373	713	310	236	114	640	375	197	42	26
3	Tuberculosis, all forms 001-019	892	481	163	173	75	321	193	88	23	17
4	Tuberculosis of respiratory system 001-008	823	465	146	157	55	284	176	77	19	12
5	Tuberculosis of meninges and central nervous system 010	18	4	1	5	8	9	3	2	2	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	6	2	2	1	1	2	2	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	1	2	-	-	6	4	2	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	3	-	2	-	1	2	1	1	-	-
9	Tuberculosis of genito-urinary system 016	8	4	1	1	2	6	2	2	2	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	8	2	2	3	1	2	2	-	-	-
11	Disseminated tuberculosis 019	23	3	7	6	7	10	3	4	-	3
12	Syphilis and its sequelae 020-029	175	85	26	41	23	111	68	28	11	4
13	Congenital syphilis 020	3	1	1	-	1	1	1	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	47	29	8	5	5	32	22	8	2	-
16	Other cardiovascular syphilis 023	79	35	9	23	12	33	20	6	4	3
17	Tabes dorsalis 024	6	4	-	2	-	8	7	-	1	-
18	General paralysis of insane 025	21	10	2	8	1	13	5	7	1	-
19	Other syphilis of central nervous system 026	17	5	5	3	4	20	9	7	3	1
20	Other syphilis 027-029	2	1	1	-	-	4	4	-	-	-
21	Gonococcal infection 030-035	1	-	-	1	-	-	-	-	-	-
22	Typhoid fever 040	1	-	-	1	-	2	1	-	1	-
23	Paratyphoid fever 041	-	-	-	-	-	2	2	-	-	-
24	Other Salmonella infections 042	2	2	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	14	7	6	-	1	4	2	1	-	1
28	Food poisoning (infection and intoxication) 049	3	-	2	-	1	2	2	-	-	-
29	Scarlet fever 050	4	1	3	-	-	2	1	1	-	-
30	Streptococcal sore throat 051	5	1	4	-	-	8	5	3	-	-
31	Erysipelas 052	-	-	-	-	-	1	-	1	-	-
32	Septicemia and pyemia 053	33	23	9	1	-	16	9	7	-	-
33	Diphtheria 055	-	-	-	-	-	4	2	2	-	-
34	Whooping cough 056	8	2	2	2	2	8	2	4	2	-
35	Meningococcal infections 057	43	20	13	8	2	38	19	18	-	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	9	7	1	-	1	7	3	2	2	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	53	30	21	2	-	20	12	7	1	-
42	Late effects of acute poliomyelitis 081	1	1	-	-	-	3	2	1	-	-
43	Acute infectious encephalitis 082	22	7	12	-	3	27	13	12	-	2
44	Late effects of acute infectious encephalitis 083	5	3	2	-	-	3	2	-	1	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	11	4	4	1	2	4	1	3	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	51	23	25	2	1	26	18	6	1	1
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	1	1	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	1	1	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	1	-	1	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	39	16	16	4	3	30	17	13	-	-
61	II. Neoplasms	15,913	7,744	7,015	556	598	6,495	3,184	3,020	146	145
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	15,632	7,625	6,882	551	574	6,396	3,148	2,966	146	136
63	Malignant neoplasm of buccal cavity and pharynx 140-148	368	286	63	15	4	139	108	25	5	1
64	Of lip 140	19	18	1	-	-	15	14	1	-	-
65	Of tongue 141	84	63	16	5	-	27	21	5	1	-
66	Of other and unspecified parts of buccal cavity 142-144	93	68	21	2	2	45	31	13	1	-
67	Of pharynx 145-148	172	137	25	8	2	52	42	6	3	1
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	5,825	3,007	2,429	222	167	2,293	1,187	1,015	50	41
69	Of esophagus 150	318	248	40	24	6	91	63	18	6	4
70	Of stomach 151	1,507	875	521	80	31	525	315	183	18	9
71	Of intestine, except rectum 152,153	1,765	784	879	32	70	748	323	402	7	16
72	Of rectum 154	748	414	290	27	17	282	156	114	7	5
73	Of biliary passages and of liver (stated to be primary site) 155	470	177	266	11	16	143	51	90	1	1
74	Of liver not specified whether primary or secondary 156A	221	97	116	8	-	157	69	87	1	-
75	Of pancreas 157	724	386	276	37	25	309	189	105	10	5
76	Of peritoneum and of unspecified digestive organs 158,159	72	26	41	3	2	38	21	16	-	1
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	2,034	1,612	267	111	24	737	579	114	38	6
78	Of larynx 161	151	133	9	7	2	54	44	6	4	-
79	Of trachea, and of bronchus and lung specified as primary 162	1,237	979	157	84	17	297	234	37	23	3
80	Of lung and bronchus, unspecified as primary or secondary 163	589	466	103	17	3	353	281	59	10	3
81	Of other parts of respiratory system 160,164	57	34	18	3	2	33	20	12	1	-
82	Malignant neoplasm of breast 170	1,465	17	1,342	-	106	580	5	548	-	27

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,772	15,026	11,455	154	137	19,042	10,515	7,579	515	433	27,591	13,988	10,539	1,686	1,378	24,312	8,736	5,883	5,267	4,426	1
266	178	80	5	3	230	133	73	15	9	737	378	241	74	44	646	196	87	237	126	2
106	79	23	3	1	103	64	30	5	4	465	247	141	49	28	275	113	36	89	37	3
90	68	18	3	1	96	61	29	3	3	430	235	128	43	24	249	110	33	73	33	4
1	1	-	-	-	3	1	1	-	1	13	6	6	-	1	8	2	-	5	1	5
1	-	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	6
4	2	2	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	7
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	8
4	3	1	-	-	-	-	-	-	-	2	-	-	2	-	3	-	2	1	-	9
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	2	-	1	1	-	10
5	4	1	-	-	2	1	-	1	-	12	2	4	3	3	13	1	-	9	3	11
54	38	13	1	2	48	28	12	7	1	73	41	13	12	7	162	26	8	86	42	12
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	1	-	1	2	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
26	18	8	-	-	8	4	2	1	1	19	12	4	3	-	36	10	2	18	6	15
13	10	3	-	-	26	16	7	3	-	23	13	4	3	3	85	9	3	48	25	16
2	2	-	-	-	1	1	-	-	-	4	1	3	-	-	1	-	-	1	-	17
7	4	2	-	1	5	4	-	1	-	18	8	2	5	3	15	1	3	9	2	18
5	4	-	-	1	4	2	-	2	-	4	3	-	-	1	18	5	-	7	6	19
1	-	-	1	-	3	1	2	-	-	5	4	-	1	-	3	-	-	2	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	3	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	26
4	2	2	-	-	2	1	1	-	-	18	7	9	2	-	20	4	3	8	5	27
-	-	-	-	-	1	1	-	-	-	5	2	2	-	1	4	2	-	2	-	28
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	29
5	3	2	-	-	4	1	3	-	-	5	2	3	-	-	2	2	-	-	-	30
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	31
17	9	8	-	-	10	4	3	2	1	13	7	5	-	1	25	11	2	7	5	32
1	1	-	-	-	-	-	-	-	-	5	1	4	-	-	5	2	1	2	-	33
5	-	5	-	-	5	3	1	-	1	18	5	10	3	-	19	2	2	5	10	34
12	6	6	-	-	7	4	3	-	-	34	14	17	2	1	27	10	8	3	6	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	38
5	2	3	-	-	3	3	-	-	-	9	4	3	-	2	14	1	1	7	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
14	8	6	-	-	5	3	2	-	-	8	7	1	-	-	11	6	3	2	-	41
-	-	-	-	-	2	1	-	-	1	6	-	5	1	-	2	-	1	-	1	42
6	4	2	-	-	8	3	5	-	-	12	6	4	1	1	4	1	1	2	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
5	5	-	-	-	2	1	1	-	-	6	3	3	-	-	6	2	1	1	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
9	7	2	-	-	9	5	4	-	-	15	6	6	1	2	20	5	8	5	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	11	-	1	7	3	59
22	14	7	1	-	21	11	8	1	1	38	24	12	1	1	24	5	6	8	5	60
4,376	2,239	2,100	17	20	2,787	1,366	1,289	76	56	3,824	1,657	1,801	199	167	3,753	1,459	1,045	661	588	61
4,274	2,185	2,053	17	19	2,720	1,345	1,252	73	50	3,729	1,623	1,751	195	160	3,627	1,428	1,001	638	560	62
61	51	10	-	-	55	43	10	1	1	86	51	20	10	5	100	61	15	16	8	63
12	11	1	-	-	9	9	-	-	-	7	3	4	-	-	11	10	-	-	1	64
9	8	1	-	-	15	11	4	-	-	18	11	3	4	-	16	9	6	1	-	65
14	10	4	-	-	16	11	3	1	1	28	16	9	1	2	25	15	4	4	2	66
26	22	4	-	-	15	12	3	-	-	33	21	4	5	3	48	27	5	11	5	67
1,554	818	722	7	7	911	476	388	35	12	1,343	597	612	89	45	1,121	412	285	269	155	68
60	46	13	1	-	28	17	6	5	-	56	29	17	9	1	64	28	8	24	4	69
376	234	135	5	2	235	151	73	11	-	322	180	108	25	9	359	117	60	126	56	70
515	226	287	-	2	272	126	140	5	1	390	140	211	24	15	243	87	91	29	36	71
198	113	83	-	2	111	51	54	3	3	127	52	59	10	6	134	48	44	20	22	72
103	30	73	-	-	65	26	39	-	-	89	26	60	2	1	41	13	19	6	3	73
81	37	43	-	1	43	19	17	4	3	150	66	75	6	3	82	29	21	21	11	74
200	118	81	1	-	143	77	55	7	4	186	94	73	12	7	170	79	37	39	15	75
21	14	7	-	-	14	9	4	-	1	23	10	9	1	3	28	11	5	4	8	76
394	327	63	2	2	258	204	41	11	2	397	283	69	34	11	556	380	50	108	18	77
28	25	2	1	-	14	11	2	1	-	34	32	-	2	-	40	25	2	13	-	78
131	111	19	1	-	94	78	13	3	-	135	104	18	12	1	215	154	8	47	6	79
216	181	33	-	2	143	110	24	7	2	212	138	44	20	10	283	194	36	46	7	80
19	10	9	-	-	7	5	2	-	-	16	9	7	-	-	18	7	4	2	5	81
388	5	383	-	-	272	2	264	-	6	286	4	262	-	20	262	2	172	1	87	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	2,328	754	1,308	82	184	1,067	391	607	28	41
2	Of cervix uteri----------171	474	...	388	...	86	249	...	223	...	26
3	Of other and unspecified parts of uterus----------172-174	472	...	409	...	63	178	...	169	...	9
4	Of ovary, fallopian tube, and broad ligament----------175	482	...	453	...	29	201	...	197	...	4
5	Of other and unspecified female genital organs----------176	64	...	58	...	6	20	...	18	...	2
6	Of prostate----------177	773	698	...	75	...	397	369	...	28	...
7	Of testis, and of other and unspecified male genital organs----178,179	63	56	...	7	...	22	22	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	806	493	267	28	18	290	189	91	6	4
9	Of kidney----------180	298	171	114	7	6	113	72	38	2	1
10	Of bladder and other urinary organs----------181	508	322	153	21	12	177	117	53	4	3
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,454	729	635	48	42	697	348	327	9	13
12	Of skin----------190,191	175	87	77	7	4	90	51	39	-	-
13	Of eye----------192	16	9	7	-	-	9	2	6	-	1
14	Of brain and other parts of nervous system----------193	334	187	121	14	12	155	87	66	1	1
15	Of thyroid gland----------194	69	20	42	2	5	31	8	22	-	1
16	Of bone (including jaw bone)----------196	125	62	53	8	2	58	39	16	2	1
17	Of connective tissue----------197	49	24	19	1	5	20	7	10	1	2
18	Of other specified sites, not stated to be secondary-----195,198A,199A	222	114	102	3	3	109	48	60	-	1
19	Of unspecified sites----------156B,165,198B,199B-M	464	226	214	13	11	225	106	108	5	6
20	Leukemia and aleukemia----------204	649	342	279	19	9	319	186	128	3	2
21	Lymphosarcoma, etc.*----------200-203,205	703	385	272	26	20	274	155	111	7	1
22	Lymphosarcoma and reticulosarcoma----------200	366	200	147	14	5	124	70	52	2	-
23	Hodgkin's disease----------201	166	102	52	7	5	77	53	23	1	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	171	83	73	5	10	73	32	36	4	1
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	281	119	133	5	24	99	36	54	-	9
26	Benign neoplasms of female genital organs----------214-217	46	...	29	...	17	15	...	10	...	5
27	Benign neoplasm of brain and other parts of nervous system---------223	49	18	28	1	2	28	13	13	-	2
28	Other benign neoplasms----------210-213,218-222,224-229	51	22	25	2	2	20	11	9	-	-
29	Neoplasm of unspecified nature of female genital organs---------233-235	-	...	-	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	87	46	37	2	2	27	9	16	-	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	48	33	14	-	1	8	3	5	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,771	728	914	60	69	965	412	500	23	30
33	Asthma----------241	319	201	95	18	5	163	108	42	9	4
34	Nontoxic goiter----------250,251	4	-	4	-	-	4	1	3	-	-
35	Thyrotoxicosis with or without goiter----------252	46	12	31	1	2	23	4	17	-	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	15	-	15	-	-	4	-	4	-	-
37	Diabetes mellitus----------260	1,291	475	722	33	61	724	277	411	13	23
38	Diseases of thymus gland----------273	20	9	8	2	1	7	5	2	-	-
39	Diseases of adrenal glands----------274	14	6	8	-	-	7	2	5	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	23	10	13	-	-	19	9	9	1	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	39	15	18	6	-	14	6	7	-	1
43	IV. Diseases of the blood and blood-forming organs----------	297	124	150	13	10	136	74	53	2	7
44	Anemias----------290-293	205	76	109	11	9	96	55	36	1	4
45	Pernicious and other hyperchromic anemias----------290	103	41	58	3	1	38	18	18	-	2
46	Anemias of other and unspecified type----------291-293	102	35	51	8	8	58	37	18	1	2
47	Purpura and other hemorrhagic conditions----------296	34	15	18	1	-	19	5	11	1	2
48	All other diseases of blood and blood-forming organs-----294,295,297-299	58	33	23	1	1	21	14	6	-	1
49	V. Mental, psychoneurotic, and personality disorders----------	116	87	19	8	2	74	48	20	4	2
50	Senile psychosis----------304	4	1	3	-	-	15	4	10	-	1
51	Alcoholic psychosis----------307	6	5	1	-	-	5	4	-	1	-
52	Other psychoses----------300-303,305,306,308,309	18	7	9	1	1	14	7	6	1	-
53	Alcoholism----------322	79	70	2	7	-	33	29	3	-	1
54	Mental deficiency----------325	5	3	2	-	-	3	3	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	4	1	2	-	1	4	1	1	2	-
56	VI. Diseases of the nervous system and sense organs----------	10,607	4,689	5,048	388	482	5,862	2,812	2,735	152	163
57	Vascular lesions affecting central nervous system----------330-334	9,890	4,333	4,744	360	453	5,496	2,616	2,588	133	159
58	Subarachnoid hemorrhage----------330	240	104	104	10	22	130	56	58	9	7
59	Cerebral hemorrhage----------331	6,434	2,756	3,166	231	281	3,719	1,748	1,769	91	111
60	Cerebral embolism and thrombosis----------332	2,311	1,080	1,022	101	108	1,162	578	536	23	25
61	Other vascular lesions affecting central nervous system---------333,334	905	393	452	18	42	485	234	225	10	16
62	Meningitis, except meningococcal and tuberculous----------340	84	41	32	6	5	48	28	13	5	2
63	Multiple sclerosis----------345	94	43	47	2	2	40	21	18	1	-
64	Paralysis agitans----------350	153	83	70	-	-	64	38	26	-	-
65	Cerebral spastic infantile paralysis----------351	41	18	20	1	2	20	12	8	-	-
66	Epilepsy----------353	92	42	39	6	5	56	24	26	5	1
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	-	1	-
68	Cataract----------385	5	-	5	-	-	7	4	3	-	-
69	Glaucoma----------387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	23	9	7	3	4	12	6	5	1	-
71	Other diseases of nervous system and sense organs----------Residual[1]	224	120	83	10	11	118	63	48	6	1
72	VII. Diseases of the circulatory system----------	44,087	23,678	17,139	1,760	1,510	17,870	10,214	6,813	453	390
73	Rheumatic fever----------400-402	59	25	23	6	5	33	16	14	2	1
74	Diseases of heart----------410-443	40,998	22,213	15,782	1,619	1,384	16,130	9,383	6,024	387	336
75	Chronic rheumatic heart disease----------410-416	1,224	554	576	48	46	504	259	224	12	9
76	Diseases of mitral valve----------410	494	214	242	21	17	212	101	101	6	4
77	Diseases of aortic valve specified as rheumatic----------411	55	38	14	3	-	23	15	7	1	-
78	Diseases of tricuspid valve----------412	3	-	3	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	78	41	31	2	4	36	22	14	-	-
80	Other diseases of heart specified as rheumatic----------415,416	594	261	286	22	25	233	121	102	5	5

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
714	328	375	4	7	491	190	275	13	13	701	219	398	33	51	617	140	204	94	179	1
137	...	133	...	4	103	...	94	...	9	178	...	159	...	19	187	...	89	...	98	2
104	...	102	...	2	90	...	88	...	2	145	...	131	...	14	105	...	49	...	56	3
122	...	122	...	-	83	...	82	...	1	111	...	93	...	18	80	...	59	...	21	4
19	...	18	...	1	12	...	11	...	1	15	...	15	...	-	11	...	7	...	4	5
309	305	...	4	...	185	172	...	13	...	234	202	...	32	...	216	130	...	86	...	6
23	23	...	-	...	18	18	...	-	...	18	17	...	1	...	18	10	...	8	...	7
207	139	66	2	-	124	79	42	2	1	132	65	61	3	3	182	95	44	27	16	8
81	51	29	1	-	61	36	24	-	1	58	28	29	-	1	64	32	17	12	3	9
126	88	37	1	-	63	43	18	2	-	74	37	32	3	2	118	63	27	15	13	10
520	268	250	1	1	310	164	131	5	10	440	213	197	14	16	484	192	147	74	71	11
61	31	29	1	-	53	34	18	-	1	79	42	33	1	3	72	34	24	10	4	12
4	1	3	-	-	4	2	2	-	-	3	1	1	-	1	4	1	2	1	-	13
84	47	37	-	-	66	31	32	1	2	94	54	39	1	-	55	27	22	3	3	14
22	6	16	-	-	6	1	5	-	-	12	2	10	-	-	13	4	4	1	4	15
39	29	10	-	-	24	15	6	2	1	47	19	21	3	4	35	18	8	7	2	16
11	5	6	-	-	8	5	2	-	1	6	3	2	1	-	9	-	5	2	2	17
82	37	45	-	-	33	17	16	-	-	63	27	30	1	5	77	26	24	14	13	18
217	112	104	-	1	116	59	50	2	5	136	65	61	7	3	219	82	58	36	43	19
225	142	83	-	-	156	95	58	1	2	188	97	79	5	7	162	77	49	19	17	20
211	107	101	1	2	143	92	43	5	3	156	94	53	7	2	143	69	35	30	9	21
109	59	49	-	1	71	41	24	3	3	64	42	20	2	-	59	33	13	8	5	22
49	28	21	-	-	32	26	5	1	-	53	30	17	4	2	39	16	11	10	2	23
53	20	31	1	1	40	25	14	1	-	39	22	16	1	-	45	20	11	12	2	24
102	54	47	-	1	67	21	37	3	6	95	34	50	4	7	126	31	44	23	28	25
9	...	9	...	-	12	...	8	...	4	13	...	9	...	4	16	...	6	...	10	26
15	7	8	-	-	6	2	4	-	-	15	6	9	-	-	15	5	5	3	2	27
14	5	9	-	-	16	2	13	1	-	20	8	9	1	2	27	7	6	7	7	28
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	29
49	33	15	-	1	18	9	8	1	-	30	13	13	3	1	49	15	20	9	5	30
14	9	5	-	-	15	8	4	1	2	17	7	10	-	-	17	4	6	4	3	31
622	282	332	3	5	448	212	211	10	15	574	240	277	22	35	588	136	178	93	181	32
104	72	30	2	-	97	64	29	3	1	130	75	45	5	5	98	42	14	24	18	33
-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	1	-	-	-	1	34
24	5	19	-	-	12	3	9	-	-	29	2	22	1	4	17	1	4	-	12	35
10	3	7	-	-	5	-	5	-	-	3	1	2	-	-	2	-	2	-	-	36
449	183	260	1	5	297	125	152	6	14	373	145	191	15	22	426	80	149	58	139	37
8	6	2	-	-	6	3	2	1	-	3	1	2	-	-	5	2	1	-	2	38
5	3	2	-	-	5	2	3	-	-	3	1	1	-	1	6	1	-	2	3	39
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	40
10	5	5	-	-	13	6	7	-	-	15	5	7	1	2	23	7	5	8	3	41
11	5	6	-	-	12	8	4	-	-	15	10	5	-	-	8	3	3	-	2	42
97	45	51	-	1	78	36	38	2	2	111	47	49	7	8	92	17	24	23	28	43
70	32	37	-	1	52	23	25	2	2	69	27	31	5	6	65	11	16	17	21	44
39	18	21	-	-	21	9	11	-	1	22	7	12	2	1	11	-	7	-	4	45
31	14	16	-	1	31	14	14	2	1	47	20	19	3	5	54	11	9	17	17	46
6	3	3	-	-	10	6	4	-	-	15	5	10	-	-	10	1	4	2	3	47
21	10	11	-	-	16	7	9	-	-	27	15	8	2	2	17	5	4	4	4	48
62	35	27	-	-	39	23	15	-	1	61	38	17	4	2	38	16	7	13	2	49
24	8	16	-	-	10	4	6	-	-	12	6	6	-	-	5	1	3	1	-	50
4	4	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	51
12	6	6	-	-	6	1	5	-	-	9	1	6	1	1	9	5	2	1	1	52
19	16	3	-	-	17	16	-	-	1	33	25	4	3	1	21	8	2	10	1	53
3	1	2	-	-	3	1	2	-	-	4	3	1	-	-	2	1	-	1	-	54
-	-	-	-	-	2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	55
4,226	2,051	2,132	20	23	2,672	1,284	1,270	42	76	3,638	1,639	1,561	224	214	2,673	745	713	592	623	56
3,981	1,920	2,020	19	22	2,502	1,183	1,206	40	73	3,361	1,494	1,447	213	207	2,411	658	657	513	583	57
61	32	28	-	1	34	12	19	2	1	81	35	34	6	6	76	20	18	16	22	58
2,623	1,236	1,363	9	15	1,688	807	799	28	54	2,230	971	980	137	142	1,820	479	441	402	498	59
894	445	436	7	6	521	241	264	5	11	640	315	267	31	27	322	99	142	51	30	60
403	207	193	3	-	259	123	124	5	7	410	173	166	39	32	193	60	56	44	33	61
19	11	8	-	-	15	9	5	1	-	33	15	12	2	4	65	15	8	25	17	62
26	13	13	-	-	15	4	11	-	-	18	8	10	-	-	10	3	5	1	1	63
67	35	32	-	-	42	28	14	-	-	43	24	17	1	1	23	12	9	1	1	64
11	6	5	-	-	5	3	2	-	-	9	4	4	-	1	16	7	2	3	4	65
30	17	12	1	-	31	21	10	-	-	50	27	20	3	-	40	10	10	15	5	66
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
5	1	4	-	-	6	3	1	-	2	10	6	4	-	-	7	3	1	3	-	70
85	47	37	-	1	55	33	20	1	1	114	61	47	5	1	101	37	21	31	12	71
11,144	6,580	4,460	57	47	7,630	4,437	2,895	170	128	10,972	5,731	4,069	618	554	9,194	3,680	2,319	1,669	1,526	72
15	10	5	-	-	9	3	5	-	1	30	16	10	-	4	10	2	3	4	1	73
9,924	5,937	3,893	49	45	6,858	4,036	2,553	161	108	9,879	5,192	3,649	560	478	8,438	3,408	2,124	1,513	1,393	74
282	154	123	2	3	210	95	106	4	5	297	139	139	13	6	131	38	37	22	34	75
123	72	49	-	2	110	47	60	1	2	87	47	33	4	3	53	16	16	10	11	76
30	20	8	1	1	19	12	6	-	1	20	15	5	-	-	10	6	2	-	2	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	78
16	8	8	-	-	16	6	10	-	-	16	11	5	-	-	6	2	1	2	1	79
113	54	58	1	-	65	30	30	3	2	174	66	96	9	3	59	12	17	10	20	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	27,912	16,344	9,878	965	725	11,170	7,081	3,680	233	176
2	Arteriosclerotic heart disease so described----------420.0	11,797	5,861	4,966	512	458	3,696	2,032	1,493	98	73
3	Heart disease specified as involving coronary arteries----------420.1	16,059	10,452	4,889	452	266	7,448	5,035	2,176	135	102
4	Angina pectoris without mention of coronary disease----------420.2	56	31	23	1	1	26	14	11	-	1
5	Chronic endocarditis not specified as rheumatic----------421	389	209	159	13	8	217	116	88	6	7
6	Of mitral valve, specified as nonrheumatic----------421.0	41	24	17	-	-	20	12	5	1	2
7	Of aortic valve, not specified as rheumatic----------421.1	103	73	25	3	2	53	35	10	4	4
8	Of other valves, not specified as rheumatic----------421.2-421.4	245	112	117	10	6	144	69	73	1	1
9	Other myocardial degeneration----------422	5,776	2,604	2,683	236	253	1,546	727	761	35	23
10	With arteriosclerosis----------422.1	2,764	1,241	1,428	47	48	790	369	395	17	9
11	Without mention of arteriosclerosis----------422.0,422.2	3,012	1,363	1,255	189	205	756	358	366	18	14
12	Other diseases of heart----------430-434	1,441	875	393	98	75	584	303	252	14	15
13	Acute and subacute endocarditis----------430	72	38	25	4	5	23	13	9	-	1
14	Acute myocarditis not specified as rheumatic----------431	120	60	46	7	7	54	29	18	2	5
15	Acute pericarditis specified as nonrheumatic----------432	2	-	2	-	-	-	-	-	-	-
16	Functional disease of heart----------433	99	58	39	1	1	93	38	53	2	-
17	Other and unspecified diseases of heart----------434	1,148	719	281	86	62	414	223	172	10	9
18	Hypertension with heart disease----------440-443	4,256	1,627	2,093	259	277	2,109	897	1,019	87	106
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	890	400	422	38	30	1,104	529	538	16	21
20	Essential hypertension with heart disease, etc.*----------440,441,443	3,366	1,227	1,671	221	247	1,005	368	481	71	85
21	Hypertension without mention of heart----------444-447	708	274	304	72	58	317	134	133	25	25
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	495	206	197	50	42	167	72	67	15	13
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	213	68	107	22	16	150	62	66	10	12
24	Diseases of arteries----------450-456	2,068	1,041	927	46	54	1,263	616	587	35	25
25	General arteriosclerosis----------450	1,711	815	822	36	38	1,123	522	551	26	24
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	243	174	57	6	6	98	65	28	5	-
27	Gangrene of unspecified cause----------455	12	7	3	2	-	6	4	1	1	-
28	Other arterial diseases----------452-454,456	102	45	45	2	10	36	25	7	3	1
29	Diseases of veins and other diseases of circulatory system-------460-468	254	125	103	17	9	127	65	55	4	3
30	VIII. Diseases of the respiratory system----------	4,249	2,120	1,403	431	295	1,587	892	572	81	42
31	Acute upper respiratory infections----------470-475	36	22	12	2	-	14	6	7	1	-
32	Influenza----------480-483	66	29	33	2	2	91	46	44	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	3,332	1,571	1,131	369	261	1,036	564	376	62	34
34	Lobar pneumonia----------490	640	303	227	71	39	309	173	101	22	13
35	Bronchopneumonia----------491	2,388	1,104	788	286	210	583	309	223	34	17
36	Primary atypical pneumonia----------492	166	91	60	8	7	110	67	37	3	3
37	Pneumonia, other and unspecified----------493	138	73	56	4	5	34	15	15	3	1
38	Acute bronchitis----------500	119	44	38	19	18	21	13	7	-	1
39	Bronchitis, chronic and unqualified----------501,502	94	51	35	8	-	50	23	25	1	1
40	Hypertrophy of tonsils and adenoids----------510	15	7	6	2	-	7	3	3	1	-
41	Empyema and abscess of lung----------518,521	34	19	5	7	3	22	12	7	2	1
42	Pleurisy----------519	13	8	4	1	-	2	-	1	1	-
43	All other respiratory diseases----------Residual[1]	540	369	139	21	11	344	225	102	13	4
44	IX. Diseases of the digestive system----------	3,507	1,992	1,201	173	141	1,494	855	553	54	32
45	Diseases of teeth and supporting structures----------530-535	16	5	11	-	-	5	2	3	-	-
46	Ulcer of stomach----------540	283	202	55	20	6	130	98	26	4	2
47	Ulcer of duodenum----------541	321	246	56	12	7	131	102	23	5	1
48	Gastritis and duodenitis----------543	13	10	2	1	-	8	3	3	1	1
49	Appendicitis----------550-553	155	87	45	14	9	58	36	18	2	2
50	Hernia and intestinal obstruction----------560,561,570	485	240	195	28	22	240	116	109	9	6
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	381	151	147	46	37	175	88	70	10	7
52	Cirrhosis of liver----------581	1,050	692	295	34	29	362	247	101	9	5
53	Without mention of alcoholism----------581.0	724	467	229	15	13	300	201	89	7	3
54	With alcoholism----------581.1	326	225	66	19	16	62	46	12	2	2
55	Cholelithiasis and cholecystitis----------584,585	409	156	239	3	11	166	50	109	2	5
56	Other diseases of digestive system----------Residual[1]	394	203	156	15	20	219	113	91	12	3
57	X. Diseases of the genito-urinary system----------	2,179	1,201	697	137	144	924	549	291	44	40
58	Nephritis and nephrosis----------590-594	1,222	555	490	74	103	548	286	204	28	30
59	Acute nephritis----------590	59	26	26	3	4	42	22	9	6	5
60	Nephritis with edema, including nephrosis----------591	66	29	26	3	8	24	10	11	3	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,097	500	438	68	91	482	254	184	19	25
62	Infections of kidney----------600	288	127	109	25	27	113	53	50	7	3
63	Calculi of urinary system----------602,604	78	41	34	2	1	31	15	14	1	1
64	Other diseases of urinary system----------601,603,605-609	92	56	29	4	3	34	18	11	3	2
65	Hyperplasia of prostate----------610	425	393	...	32	...	166	161	...	5	...
66	Other diseases of male genital organs----------611-617	29	29	...	-	...	16	16	...	-	...
67	Diseases of breast----------620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	44	...	34	...	10	16	...	12	...	4
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	72	...	44	...	28	31	...	27	...	4
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	4	...	3	...	1	4	...	4	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	19	...	15	...	4	10	...	9	...	1
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	9	...	6	...	3	3	...	3	...	-
73	Ectopic pregnancy----------645	14	...	4	...	10	6	...	4	...	2
74	Abortion without mention of sepsis or toxemia----------650	4	...	3	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	7	...	3	...	4	3	...	3	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	15	...	10	...	5	5	...	4	...	1

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,136	4,596	2,481	31	28	4,760	3,065	1,553	97	45	6,002	3,485	2,028	290	199	5,499	2,702	1,384	796	617	1
2,165	1,162	979	12	12	1,511	842	622	33	14	1,856	918	775	89	74	2,200	912	674	335	279	2
4,951	3,423	1,494	18	16	3,231	2,211	926	63	31	4,115	2,549	1,241	201	124	3,290	1,786	705	461	338	3
20	11	8	1	-	18	12	5	1	-	31	18	12	-	1	9	4	5	-	-	4
134	80	53	1	-	130	70	55	3	2	190	92	80	11	7	84	26	18	23	17	5
6	5	1	-	-	11	6	5	-	-	9	3	5	-	1	2	-	1	1	-	6
36	24	11	1	-	20	14	4	2	-	19	13	5	1	-	30	9	4	8	9	7
92	51	41	-	-	99	50	46	1	2	162	76	70	10	6	52	17	13	14	8	8
1,033	511	516	5	1	712	351	328	18	15	939	424	405	54	56	640	176	183	143	138	9
587	291	291	4	1	390	195	182	10	3	511	239	224	28	20	310	93	90	55	72	10
446	220	225	1	-	322	156	146	8	12	428	185	181	26	36	330	83	93	88	66	11
338	188	148	-	2	252	125	117	7	3	767	412	251	54	50	435	155	91	106	83	12
9	8	1	-	-	5	4	1	-	-	8	6	2	-	-	10	4	-	3	3	13
13	7	6	-	-	16	2	11	1	2	82	35	25	12	10	15	4	4	4	3	14
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	1	-	1	15
61	37	24	-	-	49	24	22	3	-	51	26	23	1	1	40	18	10	5	7	16
255	136	117	-	2	182	95	83	3	1	624	345	200	41	38	368	129	76	94	69	17
1,001	408	572	10	11	794	330	394	32	38	1,684	640	746	138	160	1,649	311	411	423	504	18
391	172	216	1	2	264	124	115	16	9	399	156	167	37	39	238	47	55	67	69	19
610	236	356	9	9	530	206	279	16	29	1,285	484	579	101	121	1,411	264	356	356	435	20
218	122	95	1	-	150	91	52	3	4	242	101	103	21	17	184	37	30	62	55	21
130	77	52	1	-	102	71	30	1	-	127	57	54	10	6	77	21	12	23	21	22
88	45	43	-	-	48	20	22	2	4	115	44	49	11	11	107	16	18	39	34	23
918	470	439	7	2	546	274	254	6	12	726	368	279	34	45	474	199	139	77	59	24
811	403	401	5	2	453	219	222	4	8	639	322	253	28	36	368	142	124	60	42	25
65	47	16	2	-	63	36	22	2	3	52	26	18	3	5	64	37	8	11	8	26
5	4	1	-	-	3	3	-	-	-	5	-	3	1	1	3	1	-	2	-	27
37	16	21	-	-	27	16	10	-	1	30	20	5	2	3	39	19	7	4	9	28
69	41	28	-	-	67	33	31	-	3	95	54	28	3	10	88	34	23	13	18	29
1,027	580	423	15	9	704	392	270	20	22	1,293	621	475	121	76	1,191	341	258	341	251	30
11	2	9	-	-	18	9	8	-	1	28	12	12	3	1	11	1	4	3	3	31
46	21	23	1	1	58	28	28	-	2	87	40	35	3	9	82	15	16	20	31	32
665	366	285	7	7	415	219	166	14	16	927	424	353	93	57	826	201	188	254	183	33
206	116	82	5	3	102	49	47	2	4	280	130	101	34	15	214	64	38	68	44	34
274	151	119	1	3	226	126	83	9	8	357	158	145	29	25	433	97	107	130	99	35
75	43	32	-	-	36	19	14	2	1	70	36	24	7	3	53	10	17	14	12	36
110	56	52	1	1	51	25	22	1	3	220	100	83	23	14	126	30	26	42	28	37
13	8	5	-	-	6	1	5	-	-	16	10	4	1	1	15	5	3	6	1	38
38	23	14	1	-	20	14	4	2	-	39	14	19	4	2	32	12	6	10	4	39
8	5	2	1	-	5	2	2	1	-	3	1	2	-	-	4	2	-	-	2	40
9	7	1	1	-	6	3	1	2	-	15	8	2	5	-	9	2	1	4	2	41
2	-	2	-	-	2	2	-	-	-	6	4	1	-	1	4	1	1	2	-	42
235	148	82	4	1	174	114	56	1	3	172	108	47	12	5	208	102	39	42	25	43
858	498	353	4	3	695	374	287	18	16	996	549	353	53	41	916	324	232	203	157	44
3	1	2	-	-	2	2	-	-	-	2	-	1	1	-	-	-	-	-	-	45
72	54	18	-	-	55	37	14	3	1	67	46	13	6	2	76	38	8	21	9	46
97	73	22	2	-	58	48	10	-	-	66	53	12	1	-	46	31	7	5	3	47
2	2	-	-	-	3	2	1	-	-	10	5	1	4	-	4	1	1	2	-	48
36	19	17	-	-	29	16	11	1	1	31	17	10	1	3	42	10	13	8	11	49
144	78	65	-	1	144	69	68	5	2	159	66	75	12	6	149	45	48	35	21	50
96	45	48	2	1	70	37	25	3	5	166	78	64	11	13	161	25	27	69	40	51
165	115	50	-	-	139	74	57	5	3	225	156	57	10	2	205	103	51	31	20	52
138	94	44	-	-	121	64	49	5	3	182	121	49	10	2	159	75	41	24	19	53
27	21	6	-	-	18	10	8	-	-	43	35	8	-	-	46	28	10	7	1	54
120	39	81	-	-	94	34	56	1	3	104	35	63	-	6	64	13	34	3	14	55
123	72	50	-	1	101	55	45	-	1	166	93	57	7	9	169	58	43	29	39	56
534	337	189	4	4	529	318	164	32	15	744	403	235	58	48	613	178	151	158	126	57
264	132	126	4	2	295	149	117	19	10	440	209	158	38	35	351	82	92	89	88	58
18	9	9	-	-	21	16	5	-	-	24	16	7	1	-	38	6	13	8	11	59
17	10	6	1	-	23	12	7	1	3	14	5	6	1	2	21	4	3	4	10	60
229	113	111	3	2	251	121	105	18	7	402	188	145	36	33	292	72	76	77	67	61
66	37	29	-	-	66	35	28	1	2	107	52	43	4	8	119	31	38	20	30	62
20	10	9	-	1	12	8	3	1	-	22	10	12	-	-	20	4	10	4	2	63
38	26	12	-	-	22	12	7	1	2	28	13	12	2	1	30	11	4	14	1	64
126	126	...	-	...	102	95	...	7	...	116	105	...	11	...	72	46	...	26	...	65
6	6	...	-	...	22	19	...	3	...	17	14	...	3	...	9	4	...	5	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
14	...	13	...	1	10	...	9	...	1	14	...	10	...	4	11	...	7	...	4	68
21	...	19	...	2	25	...	21	...	4	42	...	37	...	5	47	...	13	...	34	69
4	...	4	...	-	2	...	1	...	1	6	...	6	...	-	7	...	1	...	6	70
7	...	7	...	-	6	...	5	...	1	14	...	11	...	3	10	...	4	...	6	71
3	...	3	...	-	4	...	4	...	-	14	...	13	...	1	10	...	1	...	9	72
3	...	3	...	-	2	...	2	...	-	-	...	-	...	-	4	...	-	...	4	73
1	...	1	...	-	3	...	2	...	1	2	...	2	...	-	2	...	1	...	1	74
1	...	-	...	1	2	...	2	...	-	3	...	2	...	1	5	...	1	...	4	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
2	...	1	...	1	6	...	5	...	1	3	...	3	...	-	9	...	5	...	4	77

420487 O -57 -9

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	59	21	27	4	7	36	17	16	1	2
2	Infections of skin and subcutaneous tissue---690-698	15	9	3	2	1	8	4	3	1	-
3	Other diseases of skin and subcutaneous tissue---700-716	44	12	24	2	6	28	13	13	-	2
4	XIII. Diseases of the bones and organs of movement	110	56	52	2	-	86	43	39	2	2
5	Arthritis and spondylitis---720-725	49	17	31	1	-	48	20	27	-	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	1	-	1	-	-
7	Osteomyelitis and periostitis---730	6	3	2	1	-	3	2	1	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	4	2	2	-	-	3	2	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	51	34	17	-	-	31	19	9	2	1
10	XIV. Congenital malformations	1,041	498	449	47	47	592	312	252	15	13
11	Spina bifida and meningocele---751	48	21	24	-	3	29	12	17	-	-
12	Congenital hydrocephalus, etc.*---752,753	125	54	61	4	6	90	39	47	4	-
13	Congenital malformations of circulatory system---754	516	260	203	32	21	280	155	111	7	7
14	Other congenital malformations---750,755-759	352	163	161	11	17	193	106	77	4	6
15	XV. Certain diseases of early infancy	3,356	1,501	1,061	451	343	1,686	847	629	120	90
16	Birth injuries---760,761	575	321	184	41	29	271	148	95	20	8
17	Postnatal asphyxia and atelectasis---762	1,417	613	412	233	159	425	216	161	30	18
18	Infections of newborn---763-768	303	109	64	72	58	94	45	26	11	12
19	Hemolytic disease of newborn (erythroblastosis)---770	121	52	57	9	3	73	43	27	1	2
20	All other defined diseases of early infancy---769,771,772	65	30	24	6	5	51	23	21	5	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	875	376	320	90	89	772	372	299	53	48
22	XVI. Symptoms, senility, and ill-defined conditions	776	455	210	74	37	194	100	75	9	10
23	Senility without mention of psychosis---794	51	15	34	-	2	78	35	40	-	3
24	Symptoms, ill-defined and unknown causes---780-793,795	725	440	176	74	35	116	65	35	9	7
25	XVII. Accidents, poisonings, and violence	6,015	3,814	1,499	521	181	3,421	2,198	1,016	138	69
26	Accidents---E800-E962	4,674	2,976	1,273	293	132	2,744	1,722	876	89	57
27	Railway accidents---E800-E802	101	83	12	6	-	59	47	5	7	-
28	Motor-vehicle accidents---E810-E835	1,994	1,334	505	118	37	1,148	808	292	32	16
29	Motor-vehicle traffic accidents---E810-E825	1,970	1,318	499	116	37	1,116	783	285	32	16
30	Motor-vehicle traffic accident with railway train*---E810	119	88	30	1	-	64	50	13	1	-
31	Motor-vehicle traffic accident to pedestrian---E812	412	254	108	37	13	169	116	38	10	5
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	899	563	258	59	19	541	352	168	15	6
33	Motor-vehicle noncollision traffic accidents---E820-E824	398	307	67	19	5	286	221	54	6	5
34	Motor-vehicle traffic accident of unspecified nature---E825	142	106	36	-	-	56	44	12	-	-
35	Motor-vehicle nontraffic accidents---E830-E835	24	16	6	2	-	32	25	7	-	-
36	Other road-vehicle accidents---E840-E845	13	9	4	-	-	8	5	3	-	-
37	Water-transport accidents---E850-E858	49	41	7	1	-	28	23	2	3	-
38	Aircraft accidents---E860-E866	43	40	2	1	-	16	16	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	69	25	29	9	6	19	9	8	-	2
40	Accidental poisoning by gases and vapors---E890-E895	74	50	12	8	4	30	16	10	1	3
41	Accidental falls---E900-E904	1,067	541	473	43	10	709	300	396	6	7
42	Fall from one level to another---E900-E902	430	278	115	32	5	210	123	79	4	4
43	Fall on same level---E903	177	74	101	1	1	323	109	211	1	2
44	Unspecified falls---E904	460	189	257	10	4	176	68	106	1	1
45	Blow from falling object---E910	41	37	2	2	-	29	25	2	2	-
46	Accident caused by machinery---E912	108	100	-	7	1	56	54	-	1	1
47	Accident caused by electric current---E914	49	44	-	4	1	44	39	5	-	-
48	Accident caused by fire and explosion, etc.*---E916	311	156	86	25	44	179	89	61	14	15
49	Accident caused by hot substance, etc.*---E917,E918	29	11	8	5	5	12	10	2	-	-
50	Accident caused by firearm---E919	96	81	2	9	4	45	41	3	-	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	52	29	13	5	5	37	21	14	1	1
52	Accidental drowning---E929	249	187	33	27	2	115	94	15	5	1
53	Excessive heat and insolation---E931	76	58	11	7	-	31	21	5	4	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	40	15	16	2	7	20	9	9	1	1
55	All other accidents---Residual[1]	213	135	58	14	6	159	95	44	12	8
56	Suicide---E963,E970-E979	898	681	184	28	5	543	417	119	5	2
57	Suicide by poisoning---E970-E973	172	120	47	3	2	94	58	35	-	1
58	Suicide by hanging and strangulation---E974	258	193	61	4	-	121	83	37	1	-
59	Suicide by firearms and explosives---E976	356	302	36	16	2	281	246	33	2	-
60	Suicide by all other means---E963,E975,E977-E979	112	66	40	5	1	47	30	14	2	1
61	Homicide---E964,E980-E985	442	156	42	200	44	134	59	21	44	10
62	Assault by firearms and explosives---E981	211	73	19	100	19	73	35	10	23	5
63	Assault by cutting and piercing instruments---E982	99	10	2	72	15	23	6	1	13	3
64	Assault by other means---E964,E980,E983	106	58	21	17	10	30	13	10	5	2
65	Injury by intervention of police---E984	24	14	-	10	-	8	5	-	3	-
66	Execution---E985	2	1	-	1	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
20	11	9	-	-	14	7	5	-	2	21	8	12	-	1	23	6	4	5	8	1
5	2	3	-	-	4	4	-	-	-	2	1	-	-	1	5	1	-	3	1	2
15	9	6	-	-	10	3	5	-	2	19	7	12	-	-	18	5	4	2	7	3
67	21	45	-	1	38	17	20	-	1	60	24	32	2	2	41	16	17	4	4	4
42	11	30	-	1	14	5	9	-	-	37	14	20	1	2	16	5	9	1	1	5
-	-	-	-	-	4	2	2	-	-	2	1	1	-	-	-	-	-	-	-	6
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	7
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	1	-	1	-	-	8
23	10	13	-	-	19	9	9	-	1	18	7	10	1	-	22	11	6	3	2	9
349	180	161	5	3	268	144	109	7	8	416	204	187	15	10	409	140	118	81	70	10
19	4	15	-	-	17	10	6	1	-	29	13	16	-	-	26	9	10	1	6	11
41	23	17	1	-	35	16	16	-	3	40	20	19	1	-	44	13	19	4	8	12
177	93	79	2	3	110	56	47	4	3	191	96	82	8	5	197	64	56	40	37	13
112	60	50	2	-	106	62	40	2	2	156	75	70	6	5	142	54	33	36	19	14
848	463	365	9	11	769	398	293	40	38	1,225	635	431	89	70	1,631	438	316	493	384	15
198	111	85	1	1	178	82	78	11	7	217	114	80	12	11	270	67	59	83	61	16
202	111	86	1	4	206	107	76	13	10	325	166	118	23	18	394	130	71	102	91	17
38	22	14	2	-	39	26	6	2	5	104	54	35	10	5	161	26	14	68	53	18
39	22	16	1	-	37	15	21	1	-	40	24	15	-	1	44	13	19	9	3	19
24	9	14	-	1	14	10	3	1	-	51	24	18	4	5	67	9	16	27	15	20
347	188	150	4	5	295	158	109	12	16	488	253	165	40	30	695	193	137	204	161	21
162	82	80	-	-	379	240	118	12	9	348	170	146	17	13	308	67	54	106	81	22
89	37	52	-	-	56	25	29	-	2	147	61	75	5	6	94	24	27	24	19	23
73	45	28	-	-	323	215	89	12	7	199	109	71	12	7	214	43	27	82	62	24
2,093	1,444	629	15	5	1,737	1,134	501	71	31	2,531	1,644	616	183	88	2,149	977	347	588	237	25
1,729	1,145	569	11	4	1,439	930	435	49	25	2,049	1,303	555	125	66	1,741	809	299	438	195	26
17	16	1	-	-	14	10	2	2	-	48	35	3	10	-	21	8	2	8	3	27
636	459	172	5	-	587	423	136	22	6	862	631	162	51	18	677	339	113	165	60	28
612	443	164	5	-	568	410	131	21	6	846	620	157	51	18	664	336	109	161	58	29
30	23	6	1	-	32	21	11	-	-	24	19	5	-	-	30	16	7	7	-	30
54	35	18	1	-	31	24	4	3	-	151	102	37	9	3	143	60	17	42	24	31
221	157	62	2	-	280	199	71	7	3	295	204	63	23	5	235	126	45	46	18	32
135	111	24	-	-	156	119	26	8	3	215	172	25	13	5	164	87	24	42	11	33
172	117	54	1	-	69	47	19	3	-	161	123	27	6	5	92	47	16	24	5	34
24	16	8	-	-	19	13	5	1	-	16	11	5	-	-	13	3	4	4	2	35
8	7	1	-	-	10	5	4	1	-	12	10	1	1	-	6	5	-	1	-	36
15	12	3	-	-	11	9	2	-	-	15	14	-	1	-	85	55	4	24	2	37
21	20	1	-	-	36	33	3	-	-	13	12	1	-	-	33	31	1	1	-	38
8	4	4	-	-	9	3	5	-	1	26	19	5	2	-	26	8	3	11	4	39
13	10	2	1	-	22	14	6	1	1	8	3	3	2	-	5	3	-	2	-	40
440	200	237	2	1	261	119	137	4	1	404	157	228	7	12	251	91	94	43	23	41
89	55	33	1	-	59	43	13	2	1	107	66	36	4	1	54	21	14	14	5	42
60	29	31	-	-	88	30	57	1	-	117	30	78	2	7	18	10	5	-	3	43
291	116	173	1	1	114	46	67	1	-	180	61	114	1	4	179	60	75	29	15	44
24	20	3	1	-	17	15	1	1	-	62	57	-	5	-	18	10	1	7	-	45
75	70	5	-	-	35	35	-	-	-	48	43	2	3	-	50	33	1	16	-	46
17	17	-	-	-	35	35	-	-	-	17	16	1	-	-	30	21	3	6	-	47
96	60	33	1	2	99	47	36	9	7	136	56	54	11	15	143	26	25	35	57	48
22	9	13	-	-	12	6	3	1	2	23	9	8	2	4	25	4	7	5	9	49
28	25	3	-	-	33	29	3	1	-	56	39	9	7	1	53	35	5	13	-	50
23	19	3	-	1	18	12	6	-	-	31	12	12	3	4	31	11	2	9	9	51
61	49	12	-	-	56	45	9	2	-	100	80	11	7	2	152	75	12	58	7	52
94	65	29	-	-	11	7	1	1	2	8	4	3	-	1	2	1	-	-	1	53
24	12	12	-	-	15	6	8	-	1	16	5	6	4	1	29	9	11	2	7	54
107	71	35	1	-	158	77	73	4	4	164	101	46	9	8	104	44	15	32	13	55
332	282	49	1	-	246	184	56	5	1	281	216	51	10	4	197	139	32	16	10	56
50	38	11	1	-	27	14	12	1	-	30	21	8	-	1	13	6	6	1	-	57
108	91	17	-	-	43	37	6	-	-	41	32	9	-	-	17	10	4	3	-	58
142	131	11	-	-	145	120	21	4	-	179	145	22	10	2	136	104	15	9	8	59
32	22	10	-	-	31	13	17	-	1	31	18	12	-	1	31	19	7	3	2	60
32	17	11	3	1	51	19	10	17	5	200	124	10	48	18	211	29	16	134	32	61
12	5	5	1	1	29	10	6	9	4	129	86	5	29	9	97	13	10	61	13	62
3	2	1	-	-	9	4	1	3	1	29	11	-	13	5	71	3	1	54	13	63
15	8	5	2	-	8	3	3	2	-	32	18	5	5	4	33	12	5	11	5	64
2	2	-	-	-	2	2	-	-	-	5	5	-	-	-	9	1	-	7	1	65
-	-	-	-	-	3	-	-	3	-	5	4	-	1	-	1	-	-	1	-	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	10,213	5,771	4,406	24	12	24,221	10,804	8,794	2,594	2,029
2	I. Infective and parasitic diseases	128	79	49	-	-	535	218	87	155	75
3	Tuberculosis, all forms 001-019	69	51	18	-	-	325	150	45	89	41
4	Tuberculosis of respiratory system 001-008	57	44	13	-	-	298	143	39	79	37
5	Tuberculosis of meninges and central nervous system 010	1	-	1	-	-	9	4	2	3	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	3	2	1	-	-	3	-	-	2	1
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	6	2	2	1	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	3	1	2	-	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	1	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	3	2	1	-	-	8	-	2	4	2
12	Syphilis and its sequelae 020-029	17	9	8	-	-	98	26	8	47	17
13	Congenital syphilis 020	-	-	-	-	-	3	-	-	2	1
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	4	3	1	-	-	24	8	2	13	1
16	Other cardiovascular syphilis 023	6	4	2	-	-	46	11	4	20	11
17	Tabes dorsalis 024	-	-	-	-	-	1	-	-	1	-
18	General paralysis of insane 025	2	-	2	-	-	13	6	1	6	-
19	Other syphilis of central nervous system 026	4	1	3	-	-	10	1	1	5	3
20	Other syphilis 027-029	1	1	-	-	-	1	-	-	-	1
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	1	-	-	1	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	1	1	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	2	1	1	-	-	1	-	1	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	1	-	1	-	-	1	1	-	-	-
30	Streptococcal sore throat 051	1	1	-	-	-	2	1	-	1	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	6	3	3	-	-	27	12	5	4	6
33	Diphtheria 055	-	-	-	-	-	1	-	-	1	-
34	Whooping cough 056	3	1	2	-	-	5	1	-	2	2
35	Meningococcal infections 057	6	5	1	-	-	13	5	3	3	2
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	1	-	-	1	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	4	2	2	-	-	14	6	7	1	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	2	-	2	-	-	10	4	5	1	-
44	Late effects of acute infectious encephalitis 083	-	-	-	-	-	1	1	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	4	-	4	-	-	4	1	3	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	7	3	4	-	-	7	2	2	2	1
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	1	1	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	1	1	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	6	3	3	-	-	21	5	8	2	6
61	II. Neoplasms	1,651	835	811	3	2	3,952	1,716	1,641	323	272
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	1,624	824	795	3	2	3,849	1,673	1,602	315	259
63	Malignant neoplasm of buccal cavity and pharynx 140-148	36	29	7	-	-	110	76	17	13	4
64	Of lip 140	4	4	-	-	-	6	6	-	-	-
65	Of tongue 141	8	7	1	-	-	33	25	1	6	1
66	Of other and unspecified parts of buccal cavity 142-144	9	8	1	-	-	35	20	12	2	1
67	Of pharynx 145-148	15	10	5	-	-	36	25	4	5	2
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	620	323	296	1	-	1,300	579	508	138	75
69	Of esophagus 150	23	21	2	-	-	95	45	14	30	6
70	Of stomach 151	158	95	62	1	-	301	135	92	45	29
71	Of intestine, except rectum 152,153	214	90	124	-	-	417	175	203	22	17
72	Of rectum 154	78	44	34	-	-	149	67	64	9	9
73	Of biliary passages and of liver (stated to be primary site) 155	22	12	10	-	-	61	21	36	2	2
74	Of liver not specified whether primary or secondary 156A	45	17	28	-	-	74	39	26	6	3
75	Of pancreas 157	75	42	33	-	-	179	88	64	20	7
76	Of peritoneum and of unspecified digestive organs 158,159	5	2	3	-	-	24	9	9	4	2
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	176	150	25	-	1	537	411	55	60	11
78	Of larynx 161	7	6	1	-	-	40	38	1	1	-
79	Of trachea, and of bronchus and lung specified as primary 162	53	45	8	-	-	182	146	12	22	2
80	Of lung and bronchus, unspecified as primary or secondary 163	110	95	14	-	1	301	215	41	36	9
81	Of other parts of respiratory system 160,164	6	4	2	-	-	14	12	1	1	-
82	Malignant neoplasm of breast 170	149	1	148	-	-	354	1	311	-	42

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
53,345	27,753	24,610	535	447	63,362	34,211	24,054	2,778	2,319	28,641	16,583	11,711	199	148	19,453	5,692	3,847	5,283	4,631	1
877	573	248	29	27	870	444	222	135	69	296	197	85	7	7	435	72	56	179	128	2
464	330	97	22	15	479	253	91	94	41	124	81	38	2	3	206	44	23	82	57	3
443	317	93	19	14	438	235	80	86	37	107	68	34	2	3	181	42	22	69	48	4
3	2	-	1	-	8	5	1	2	-	1	1	-	-	-	12	1	-	5	6	5
-	-	-	-	-	4	-	1	3	-	1	-	1	-	-	1	-	-	-	1	6
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	2	1	-	-	1	7
1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	1	-	8
3	3	-	-	-	6	5	1	-	-	6	5	1	-	-	2	-	-	2	-	9
2	1	1	-	-	4	3	1	-	-	1	1	-	-	-	3	-	1	2	-	10
11	6	2	2	1	15	3	5	3	4	8	6	2	-	-	4	-	-	3	1	11
79	49	20	5	5	124	66	23	23	12	59	42	15	2	-	36	7	3	18	8	12
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
37	24	12	1	-	36	18	6	8	4	18	16	2	-	-	10	4	2	2	2	15
20	10	7	-	3	49	25	7	12	5	19	10	8	1	-	18	2	1	10	5	16
4	4	-	-	-	7	5	2	-	-	3	2	1	-	-	1	-	-	1	-	17
7	3	-	3	1	17	9	5	2	1	9	5	4	-	-	4	1	-	3	-	18
7	5	1	1	-	13	7	3	1	2	9	8	-	1	-	2	-	-	1	1	19
4	3	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	2	21
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	23
6	4	1	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
8	2	6	-	-	10	2	7	1	-	2	1	-	-	1	47	5	6	18	18	27
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	28
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	29
2	1	1	-	-	6	3	2	1	-	6	3	3	-	-	6	2	1	1	2	30
1	-	1	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	31
41	24	14	1	2	36	17	15	2	2	21	16	3	1	1	10	1	1	3	5	32
-	-	-	-	-	2	1	-	1	-	7	6	-	1	-	2	-	-	1	1	33
1	-	1	-	-	8	2	1	2	3	1	-	1	-	-	34	-	1	16	17	34
22	11	9	-	2	42	23	16	1	2	6	4	2	-	-	13	3	7	2	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	-	-	-	3	1	-	-	2	3	2	1	-	-	10	-	-	8	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
174	107	65	1	1	34	20	14	-	-	9	5	4	-	-	6	1	2	2	1	41
1	1	-	-	-	4	3	1	-	-	6	4	2	-	-	4	2	1	-	1	42
3	1	2	-	-	11	4	5	-	2	5	3	2	-	-	6	-	-	3	3	43
-	-	-	-	-	5	2	3	-	-	5	3	2	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
18	11	7	-	-	8	4	2	2	-	9	4	3	1	1	6	-	-	5	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
21	10	11	-	-	42	20	17	2	3	6	4	2	-	-	13	-	7	4	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	59
29	16	13	-	-	49	20	22	5	2	24	18	5	-	1	23	4	4	12	3	60
9,553	4,748	4,639	81	85	10,558	5,348	4,455	393	362	4,818	2,537	2,235	27	19	2,409	788	663	476	482	61
9,361	4,665	4,539	78	79	10,340	5,251	4,360	383	346	4,735	2,492	2,197	27	19	2,325	768	640	458	459	62
276	215	57	4	-	224	163	50	8	3	74	60	12	2	-	50	22	13	11	4	63
13	13	-	-	-	16	14	2	-	-	7	7	-	-	-	2	2	-	-	-	64
71	57	13	1	-	47	33	12	2	-	24	17	5	2	-	6	2	3	1	-	65
92	66	25	1	-	47	31	14	1	1	23	20	3	-	-	21	8	7	4	2	66
100	79	19	2	-	114	85	22	5	2	20	16	4	-	-	21	10	3	6	2	67
3,659	1,854	1,750	32	23	3,829	2,046	1,534	143	106	1,799	1,008	775	12	4	737	229	188	183	137	68
189	144	39	3	3	212	155	37	19	1	74	60	13	1	-	34	9	10	12	3	69
913	519	378	14	2	1,027	664	295	47	21	560	361	195	3	1	270	73	49	95	53	70
1,248	533	703	4	8	1,187	502	613	34	38	532	256	271	4	1	173	54	63	15	41	71
481	242	232	3	4	494	277	187	12	18	215	126	86	2	1	61	19	16	13	13	72
180	70	108	1	1	215	70	136	7	2	118	41	77	-	-	14	7	6	1	-	73
169	91	74	2	2	173	76	86	5	6	50	24	26	-	-	62	14	14	21	13	74
422	227	188	5	2	462	276	153	16	17	224	126	96	1	1	106	49	26	22	9	75
57	28	28	-	1	59	26	27	3	3	26	14	11	1	-	17	4	4	4	5	76
1,084	907	161	15	1	1,301	1,044	153	85	19	410	342	63	5	-	261	174	24	49	14	77
85	78	4	3	-	85	70	10	5	-	36	33	3	-	-	17	12	1	4	-	78
222	187	33	2	-	487	401	44	36	6	291	244	43	4	-	102	73	7	20	2	79
747	624	112	10	1	692	550	91	39	12	61	50	10	1	-	131	81	16	22	12	80
30	18	12	-	-	37	23	8	5	1	22	15	7	-	-	11	8	-	3	-	81
902	12	876	-	14	884	11	810	1	62	492	5	482	-	5	178	1	109	1	67	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	271	118	152	-	1	586	154	305	49	78
2	Of cervix uteri----------171	62	...	61	...	1	166	...	120	...	46
3	Of other and unspecified parts of uterus----------172-174	46	...	46	...	-	112	...	90	...	22
4	Of ovary, fallopian tube, and broad ligament----------175	41	...	41	...	-	97	...	87	...	10
5	Of other and unspecified female genital organs----------176	4	...	4	...	-	8	...	8	...	-
6	Of prostate----------177	111	111	...	-	...	195	149	...	46	...
7	Of testis, and of other and unspecified male genital organs----178,179	7	7	...	-	...	8	5	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	68	38	30	-	-	187	107	62	8	10
9	Of kidney----------180	27	11	16	-	-	59	35	23	-	1
10	Of bladder and other urinary organs----------181	41	27	14	-	-	128	72	39	8	9
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	197	103	92	2	-	471	194	218	30	29
12	Of skin----------190,191	11	6	5	-	-	51	21	26	1	3
13	Of eye----------192	3	-	2	1	-	4	1	1	-	2
14	Of brain and other parts of nervous system----------193	36	22	14	-	-	78	37	33	6	2
15	Of thyroid gland----------194	4	-	4	-	-	11	4	7	-	-
16	Of bone (including jaw bone)----------196	13	10	3	-	-	33	16	16	1	-
17	Of connective tissue----------197	6	1	4	1	-	9	3	4	2	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	31	15	16	-	-	63	23	36	3	1
19	Of unspecified sites----------156B,165,198B,199B-M	93	49	44	-	-	222	89	95	17	21
20	Leukemia and aleukemia----------204	47	24	23	-	-	148	67	67	9	5
21	Lymphosarcoma, etc.*----------200-203,205	60	38	22	-	-	156	84	59	8	5
22	Lymphosarcoma and reticulosarcoma----------200	32	18	14	-	-	60	32	24	2	2
23	Hodgkin's disease----------201	18	12	6	-	-	45	24	14	5	2
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	10	8	2	-	-	51	28	21	1	1
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	27	11	16	-	-	103	43	39	8	13
26	Benign neoplasms of female genital organs----------214-217	3	...	3	...	-	14	...	7	...	7
27	Benign neoplasm of brain and other parts of nervous system---------223	5	2	3	-	-	17	9	8	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	1	1	-	-	-	7	4	2	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	14	5	9	-	-	41	20	14	5	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	4	3	1	-	-	24	10	8	3	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	235	123	111	1	-	637	207	328	41	61
33	Asthma---------- 241	53	34	19	-	-	112	64	23	15	10
34	Nontoxic goiter----------250,251	-	-	-	-	-	2	-	1	-	1
35	Thyrotoxicosis with or without goiter----------252	5	-	5	-	-	7	1	3	1	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	1	-	1	-	-	1	1	-	-	-
37	Diabetes mellitus----------260	160	82	77	1	-	485	132	289	20	44
38	Diseases of thymus gland----------273	2	1	1	-	-	2	1	1	-	-
39	Diseases of adrenal glands----------274	3	1	2	-	-	2	-	2	-	-
40	Pellagra----------281	1	1	-	-	-	1	-	1	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	6	2	4	-	-	12	2	2	5	3
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	4	2	2	-	-	13	6	6	-	1
43	IV. Diseases of the blood and blood-forming organs----------	28	9	19	-	-	75	32	24	10	9
44	Anemias----------290-293	22	8	14	-	-	46	19	14	9	4
45	Pernicious and other hyperchromic anemias----------290	11	2	9	-	-	12	5	7	-	-
46	Anemias of other and unspecified type----------291-293	11	6	5	-	-	34	14	7	9	4
47	Purpura and other hemorrhagic conditions----------296	1	-	1	-	-	15	4	9	-	2
48	All other diseases of blood and blood-forming organs-----294,295,297-299	5	1	4	-	-	14	9	1	1	3
49	V. Mental, psychoneurotic, and personality disorders----------	25	17	8	-	-	37	24	6	4	3
50	Senile psychosis----------304	2	1	1	-	-	3	-	2	-	1
51	Alcoholic psychosis----------307	2	2	-	-	-	6	5	-	1	-
52	Other psychoses----------300-303,305,306,308,309	2	-	2	-	-	3	1	1	1	-
53	Alcoholism----------322	19	14	5	-	-	21	16	2	2	1
54	Mental deficiency----------325	-	-	-	-	-	3	2	-	-	1
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	1	-	1	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,376	672	701	3	-	2,389	868	1,059	238	224
57	Vascular lesions affecting central nervous system----------330-334	1,284	619	664	1	-	2,148	769	984	197	198
58	Subarachnoid hemorrhage----------330	22	11	11	-	-	113	41	39	14	19
59	Cerebral hemorrhage----------331	849	402	446	1	-	1,378	473	638	127	140
60	Cerebral embolism and thrombosis----------332	325	159	166	-	-	451	178	219	36	18
61	Other vascular lesions affecting central nervous system--------333,334	88	47	41	-	-	206	77	88	20	21
62	Meningitis, except meningococcal and tuberculous----------340	9	3	5	1	-	42	15	11	9	7
63	Multiple sclerosis----------345	12	4	8	-	-	22	9	11	1	1
64	Paralysis agitans----------350	24	14	10	-	-	33	14	13	6	-
65	Cerebral spastic infantile paralysis----------351	4	2	2	-	-	9	3	3	1	2
66	Epilepsy----------353	9	7	2	-	-	32	12	5	12	3
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	1	1	-	-	-
69	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	6	5	1	-	-	35	16	4	6	9
71	Other diseases of nervous system and sense organs----------Residual[1]	28	18	9	1	-	66	29	27	6	4
72	VII. Diseases of the circulatory system----------	4,556	2,671	1,882	3	-	10,801	5,104	4,064	862	771
73	Rheumatic fever----------400-402	4	2	2	-	-	15	6	4	3	2
74	Diseases of heart----------410-443	4,125	2,446	1,676	3	-	9,988	4,773	3,733	782	700
75	Chronic rheumatic heart disease----------410-416	131	67	64	-	-	258	104	124	14	16
76	Diseases of mitral valve----------410	58	29	29	-	-	89	31	49	3	6
77	Diseases of aortic valve specified as rheumatic----------411	10	8	2	-	-	15	14	1	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	7	2	5	-	-	14	6	8	-	-
80	Other diseases of heart specified as rheumatic----------415,416	56	28	28	-	-	140	53	66	11	10

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,231	452	749	12	18	1,628	550	922	53	103	720	353	360	2	5	467	94	137	103	133	1
205	...	193	...	12	407	...	359	...	48	114	...	110	...	4	128	...	55	...	73	2
251	...	248	...	3	268	...	237	...	31	89	...	89	...	-	85	...	36	...	49	3
265	...	262	...	3	314	...	291	...	23	148	...	147	...	1	44	...	36	...	8	4
46	...	46	...	-	36	...	35	...	1	14	...	14	...	-	13	...	10	...	3	5
440	428	...	12	...	547	500	...	47	...	327	325	...	2	...	180	84	...	96	...	6
24	24	...	-	...	56	50	...	6	...	28	28	...	-	...	17	10	...	7	...	7
466	301	156	4	5	472	321	132	12	7	247	158	88	-	1	94	38	19	18	19	8
214	126	83	1	4	165	103	56	5	1	119	66	52	-	1	31	12	13	4	2	9
252	175	73	3	1	307	218	76	7	6	128	92	36	-	-	63	26	6	14	17	10
988	507	466	5	10	1,048	561	413	44	30	516	276	234	3	3	356	138	95	58	65	11
115	66	49	-	-	139	78	57	4	-	78	46	32	-	-	55	33	19	2	1	12
10	8	2	-	-	16	8	8	-	-	12	7	5	-	-	7	2	-	1	4	13
164	95	66	-	3	232	131	88	5	8	128	73	55	-	-	59	23	21	7	8	14
51	21	29	1	-	50	18	29	2	1	19	4	15	-	-	8	2	4	-	2	15
77	47	30	-	-	92	53	29	7	3	36	28	8	-	-	23	13	2	4	4	16
19	8	11	-	-	24	18	5	1	-	23	8	15	-	-	10	4	2	2	2	17
133	57	73	-	3	127	61	57	5	4	64	34	28	1	1	69	21	21	11	16	18
419	205	206	4	4	368	194	140	20	14	156	76	76	2	2	125	40	26	31	28	19
334	190	142	-	2	467	287	160	15	5	250	146	102	1	1	109	42	35	21	11	20
421	227	182	6	6	487	268	186	22	11	227	144	81	2	-	73	30	20	14	9	21
162	90	67	2	3	175	93	76	3	3	70	38	30	2	-	33	16	8	5	4	22
130	81	48	-	1	130	75	47	6	2	63	42	21	-	-	28	10	8	6	4	23
129	56	67	4	2	182	100	63	13	6	94	64	30	-	-	12	4	4	3	1	24
192	83	100	3	6	218	97	95	10	16	83	45	38	-	-	84	20	23	18	23	25
18	...	16	...	2	43	...	36	...	7	9	...	9	...	-	22	...	7	...	15	26
23	12	10	-	1	48	26	18	2	2	22	13	9	-	-	9	2	4	1	2	27
21	13	8	-	-	48	33	11	1	3	25	20	5	-	-	12	4	2	4	2	28
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	29
88	41	43	2	2	50	26	17	4	3	16	9	7	-	-	29	12	7	7	3	30
41	17	22	1	1	28	12	12	3	1	11	3	8	-	-	12	2	3	6	1	31
1,251	506	717	16	12	1,937	858	942	53	84	686	331	349	4	2	323	84	71	52	116	32
188	107	76	4	1	338	228	85	19	6	110	64	44	2	-	58	21	5	10	22	33
6	-	6	-	-	12	5	4	-	3	4	-	4	-	-	-	-	-	-	-	34
14	1	12	1	-	47	9	31	1	6	11	2	9	-	-	18	1	4	1	12	35
12	3	9	-	-	13	3	9	-	1	8	1	7	-	-	3	-	-	2	1	36
978	368	590	10	10	1,421	554	775	28	64	518	245	270	1	2	216	56	58	31	71	37
5	4	1	-	-	32	24	5	-	3	2	2	-	-	-	-	-	-	-	-	38
6	2	4	-	-	17	6	9	2	-	2	2	-	-	-	3	2	-	1	-	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	4	40
13	7	5	1	-	26	11	13	1	1	14	9	5	-	-	10	2	2	3	3	41
28	14	13	-	1	31	18	11	2	-	17	6	10	1	-	10	2	1	4	3	42
139	63	75	-	1	222	107	104	6	5	108	50	56	2	-	53	9	15	13	16	43
89	36	53	-	-	169	79	79	6	5	72	32	38	2	-	38	3	11	11	13	44
37	14	23	-	-	65	28	37	-	-	40	18	22	-	-	6	1	3	-	2	45
52	22	30	-	-	104	51	42	6	5	32	14	16	2	-	32	2	8	11	11	46
17	10	7	-	-	18	9	9	-	-	12	6	6	-	-	5	1	2	-	2	47
33	17	15	-	1	35	19	16	-	-	24	12	12	-	-	10	5	2	2	1	48
93	60	30	3	-	89	52	26	11	-	81	55	25	-	1	29	8	7	6	8	49
3	1	2	-	-	14	4	10	-	-	33	22	11	-	-	1	-	-	-	1	50
11	8	2	1	-	6	5	-	1	-	7	6	1	-	-	-	-	-	-	-	51
15	7	8	-	-	19	9	8	2	-	11	5	6	-	-	7	-	3	-	4	52
56	40	14	2	-	43	33	3	7	-	25	19	5	-	1	18	7	3	6	2	53
5	3	2	-	-	3	-	3	-	-	3	2	1	-	-	2	1	1	-	-	54
3	1	2	-	-	4	1	2	1	-	2	1	1	-	-	1	-	-	-	1	55
6,192	2,656	3,435	38	63	8,006	3,716	3,729	281	280	4,263	2,160	2,060	21	22	2,613	649	599	636	729	56
5,734	2,416	3,233	33	52	7,354	3,383	3,475	235	261	3,946	1,987	1,922	19	18	2,452	602	572	578	700	57
173	69	95	2	7	234	104	89	18	23	142	67	70	2	3	51	14	15	4	18	58
3,570	1,484	2,046	14	26	4,787	2,145	2,369	125	148	2,581	1,296	1,259	13	13	1,680	387	380	402	511	59
1,643	722	894	12	15	1,669	836	695	77	61	739	369	367	3	-	323	118	86	59	60	60
348	141	198	5	4	664	298	322	15	29	484	255	226	1	2	398	83	91	113	111	61
47	23	19	1	4	77	34	31	8	4	23	17	3	-	3	35	5	2	17	11	62
63	31	31	-	1	68	31	33	4	-	52	24	28	-	-	8	2	3	2	1	63
106	53	53	-	-	131	70	60	1	-	75	35	40	-	-	19	12	3	4	-	64
13	5	6	1	1	29	14	13	1	1	20	14	6	-	-	8	5	1	2	-	65
84	51	31	1	1	112	51	32	23	6	32	17	14	-	1	30	4	3	15	8	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
-	-	-	-	-	3	2	-	1	-	3	3	-	-	-	-	-	-	-	-	68
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	69
16	9	6	1	-	26	16	9	1	-	6	4	2	-	-	4	2	-	1	1	70
129	68	56	1	4	205	115	76	7	7	105	58	45	2	-	56	17	15	16	8	71
24,265	12,842	11,101	176	146	25,460	14,569	9,313	831	747	11,929	7,259	4,569	58	43	6,551	2,347	1,487	1,425	1,292	72
33	10	20	2	1	41	21	15	1	4	21	13	8	-	-	25	5	2	11	7	73
22,299	11,956	10,054	159	130	23,290	13,464	8,387	773	666	10,764	6,638	4,031	55	40	5,961	2,161	1,349	1,281	1,170	74
748	291	445	4	8	849	384	402	36	27	405	214	188	1	2	177	53	42	40	42	75
272	116	153	2	1	323	132	176	8	7	193	92	101	-	-	94	28	22	25	19	76
55	34	21	-	-	60	38	17	4	1	55	40	15	-	-	9	5	2	1	1	77
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	78
31	12	19	-	-	50	26	19	2	3	39	21	18	-	-	5	1	2	1	1	79
390	129	252	2	7	415	187	190	22	16	117	61	53	1	2	69	19	16	13	21	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	2,917	1,822	1,093	2	-	5,529	3,149	1,865	319	196
2	Arteriosclerotic heart disease so described----------420.0	935	494	440	1	-	1,532	723	618	109	82
3	Heart disease specified as involving coronary arteries----------420.1	1,963	1,316	646	1	-	3,981	2,414	1,244	210	113
4	Angina pectoris without mention of coronary disease----------420.2	19	12	7	-	-	16	12	3	-	1
5	Chronic endocarditis not specified as rheumatic----------421	74	43	31	-	-	94	35	35	12	12
6	Of mitral valve, specified as nonrheumatic----------421.0	3	1	2	-	-	9	3	5	1	-
7	Of aortic valve, not specified as rheumatic----------421.1	11	8	3	-	-	24	13	5	5	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	60	34	26	-	-	61	19	25	6	11
9	Other myocardial degeneration----------422	481	276	204	1	-	1,814	759	794	141	120
10	With arteriosclerosis----------422.1	250	150	100	-	-	1,492	637	642	115	98
11	Without mention of arteriosclerosis----------422.0,422.2	231	126	104	1	-	322	122	152	26	22
12	Other diseases of heart----------430-434	86	49	37	-	-	247	111	82	31	23
13	Acute and subacute endocarditis----------430	8	7	1	-	-	21	13	5	3	-
14	Acute myocarditis not specified as rheumatic----------431	8	3	5	-	-	18	8	3	5	2
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	2	1	1	-	-
16	Functional disease of heart----------433	8	5	3	-	-	26	10	13	1	2
17	Other and unspecified diseases of heart----------434	62	34	28	-	-	180	79	60	22	19
18	Hypertension with heart disease----------440-443	436	189	247	-	-	2,046	615	833	265	333
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	120	56	64	-	-	595	209	238	60	88
20	Essential hypertension with heart disease, etc.*----------440,441,443	316	133	183	-	-	1,451	406	595	205	245
21	Hypertension without mention of heart----------444-447	67	35	32	-	-	158	59	49	23	27
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	47	24	23	-	-	93	39	31	11	12
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	20	11	9	-	-	65	20	18	12	15
24	Diseases of arteries----------450-456	327	171	156	-	-	569	238	246	45	40
25	General arteriosclerosis----------450	273	135	138	-	-	432	164	214	30	24
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	36	24	12	-	-	89	59	16	9	5
27	Gangrene of unspecified cause----------455	2	2	-	-	-	9	3	2	2	2
28	Other arterial diseases----------452-454,456	16	10	6	-	-	39	12	14	4	9
29	Diseases of veins and other diseases of circulatory system--------460-468	33	17	16	-	-	71	28	32	9	2
30	VIII. Diseases of the respiratory system----------	404	243	157	1	3	927	403	231	185	108
31	Acute upper respiratory infections----------470-475	9	6	3	-	-	12	7	2	1	2
32	Influenza----------480-483	23	14	9	-	-	19	7	11	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	265	149	112	1	3	595	218	167	135	75
34	Lobar pneumonia----------490	72	41	31	-	-	201	75	53	53	20
35	Bronchopneumonia----------491	120	60	58	-	2	257	87	76	53	41
36	Primary atypical pneumonia----------492	45	28	16	1	-	50	22	13	11	4
37	Pneumonia, other and unspecified----------493	28	20	7	-	1	87	34	25	18	10
38	Acute bronchitis----------500	3	2	1	-	-	18	10	3	3	2
39	Bronchitis, chronic and unqualified----------501,502	18	11	7	-	-	39	23	9	4	3
40	Hypertrophy of tonsils and adenoids----------510	1	-	1	-	-	4	1	1	1	1
41	Empyema and abscess of lung----------518,521	6	4	2	-	-	14	6	1	5	2
42	Pleurisy----------519	-	-	-	-	-	1	1	-	-	-
43	All other respiratory diseases----------Residual[1]	79	57	22	-	-	225	130	37	36	22
44	IX. Diseases of the digestive system----------	353	208	144	-	1	930	434	320	97	79
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	2	2	-	-	-
46	Ulcer of stomach----------540	42	33	9	-	-	84	49	20	13	2
47	Ulcer of duodenum----------541	43	34	9	-	-	43	30	6	6	1
48	Gastritis and duodenitis----------543	2	2	-	-	-	3	2	1	-	-
49	Appendicitis----------550-553	14	12	2	-	-	28	16	6	3	3
50	Hernia and intestinal obstruction----------560,561,570	57	30	26	-	1	150	53	60	22	15
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	37	17	20	-	-	100	35	33	14	18
52	Cirrhosis of liver----------581	76	47	29	-	-	270	152	79	21	18
53	Without mention of alcoholism----------581.0	64	43	21	-	-	207	118	60	17	12
54	With alcoholism----------581.1	12	4	8	-	-	63	34	19	4	6
55	Cholelithiasis and cholecystitis----------584,585	39	12	27	-	-	88	24	59	-	5
56	Other diseases of digestive system----------Residual[1]	42	20	22	-	-	162	71	56	18	17
57	X. Diseases of the genito-urinary system----------	249	137	111	-	1	508	249	141	68	50
58	Nephritis and nephrosis----------590-594	146	66	80	-	-	292	125	91	42	34
59	Acute nephritis----------590	11	5	6	-	-	11	6	1	1	3
60	Nephritis with edema, including nephrosis----------591	5	1	4	-	-	26	14	4	3	5
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	130	60	70	-	-	255	105	86	38	26
62	Infections of kidney----------600	39	19	19	-	1	81	32	29	7	13
63	Calculi of urinary system----------602,604	6	4	2	-	-	22	11	11	-	-
64	Other diseases of urinary system----------601,603,605-609	12	7	5	-	-	23	11	5	6	1
65	Hyperplasia of prostate----------610	39	39	...	-	...	75	65	...	10	...
66	Other diseases of male genital organs----------611-617	2	2	...	-	...	8	5	...	3	...
67	Diseases of breast----------620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	4	...	4	...	-	7	...	5	...	2
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	5	...	5	...	-	28	...	13	...	15
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	4	...	3	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	-	...	-	...	-	4	...	3	...	1
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	2	...	-	5	...	1	...	4
73	Ectopic pregnancy----------645	1	...	1	...	-	2	...	-	...	2
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	-	...	-	...	-	5	...	3	...	2
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	2	...	-	6	...	1	...	5

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16,898	9,646	7,058	115	79	16,649	10,522	5,392	424	311	7,863	5,160	2,640	40	23	3,152	1,507	754	465	426	1
7,273	3,465	3,696	57	55	5,763	3,046	2,465	124	128	2,200	1,276	900	14	10	1,052	425	279	179	169	2
9,600	6,164	3,354	58	24	10,852	7,456	2,917	297	182	5,644	3,872	1,733	26	13	2,077	1,072	472	283	250	3
25	17	8	-	-	34	20	10	3	1	19	12	7	-	-	23	10	3	3	7	4
234	111	122	-	1	283	151	113	14	5	189	112	77	-	-	117	23	19	38	37	5
19	6	13	-	-	19	12	7	-	-	17	8	9	-	-	8	-	1	2	5	6
75	41	33	-	1	61	39	14	7	1	91	62	29	-	-	36	5	4	12	15	7
140	64	76	-	-	203	100	92	7	4	81	42	39	-	-	73	18	14	24	17	8
1,752	795	941	9	7	2,080	1,029	948	55	48	898	483	407	5	3	603	135	150	178	140	9
1,093	500	585	4	4	991	466	478	25	22	559	300	254	3	2	265	64	67	79	55	10
659	295	356	5	3	1,089	563	470	30	26	339	183	153	2	1	338	71	83	99	85	11
621	330	274	13	4	902	496	328	43	35	250	143	104	1	2	453	150	81	130	92	12
27	11	16	-	-	33	19	11	1	2	14	7	7	-	-	3	1	-	2	-	13
48	26	20	2	-	87	31	34	10	12	11	8	3	-	-	15	4	3	6	2	14
1	1	-	-	-	4	1	-	1	2	-	-	-	-	-	-	-	-	-	-	15
68	33	33	2	-	103	55	44	2	2	40	18	22	-	-	46	16	11	9	10	16
477	259	205	9	4	675	390	239	29	17	185	110	72	1	2	389	129	67	113	80	17
2,046	783	1,214	18	31	2,527	882	1,204	201	240	1,159	526	615	8	10	1,459	293	303	430	433	18
301	140	156	1	4	581	256	264	25	36	174	86	85	2	1	388	86	71	141	90	19
1,745	643	1,058	17	27	1,946	626	940	176	204	985	440	530	6	9	1,071	207	232	289	343	20
317	147	162	3	5	434	188	177	29	40	179	87	90	1	1	210	51	36	71	52	21
201	96	102	2	1	234	117	88	11	18	67	38	29	-	-	96	26	17	34	19	22
116	51	60	1	4	200	71	89	18	22	112	49	61	1	1	114	25	19	37	33	23
1,422	642	762	9	9	1,536	811	671	23	31	871	475	393	2	1	296	117	79	56	44	24
1,172	489	669	7	7	1,227	610	586	13	18	717	375	339	2	1	238	83	68	51	36	25
172	120	50	1	1	223	157	52	9	5	102	72	30	-	-	33	20	4	3	6	26
10	3	6	-	1	6	5	1	-	-	4	4	-	-	-	4	2	-	1	1	27
68	30	37	1	-	80	39	32	1	8	48	24	24	-	-	21	12	7	1	1	28
194	87	103	3	1	159	85	63	5	6	94	46	47	-	1	59	13	21	6	19	29
2,225	1,283	885	35	22	2,371	1,332	758	164	117	1,042	600	407	21	14	792	198	138	240	216	30
30	17	10	1	2	39	19	15	3	2	17	11	6	-	-	20	5	3	7	5	31
30	16	13	1	-	60	28	28	1	3	24	13	11	-	-	105	12	20	36	37	32
1,479	786	653	24	16	1,568	802	546	128	92	728	397	303	14	14	524	101	77	180	166	33
356	194	153	7	2	449	241	151	39	18	213	128	74	4	7	156	29	24	56	47	34
857	441	393	13	10	715	379	252	42	42	383	201	165	10	7	212	42	34	61	75	35
131	74	52	2	3	174	68	57	28	21	46	25	21	-	-	51	12	7	13	19	36
135	77	55	2	1	230	114	86	19	11	86	43	43	-	-	105	18	12	50	25	37
32	16	14	2	-	53	30	20	2	1	10	7	3	-	-	6	3	2	1	-	38
93	63	29	-	1	83	56	17	7	3	38	19	18	1	-	23	12	5	5	1	39
5	4	1	-	-	7	5	2	-	-	5	1	4	-	-	2	2	-	-	-	40
28	21	6	-	1	31	17	8	2	4	5	5	-	-	-	7	4	1	2	-	41
11	2	9	-	-	12	5	6	1	-	4	2	2	-	-	-	-	-	-	-	42
517	358	150	7	2	518	370	116	20	12	211	145	60	6	-	105	59	30	9	7	43
2,223	1,282	888	33	20	2,648	1,502	938	120	88	1,003	600	386	8	9	646	163	125	200	158	44
2	2	-	-	-	9	3	2	3	1	2	2	-	-	-	6	-	-	3	3	45
180	120	54	5	1	231	167	49	10	5	86	71	15	-	-	34	12	6	10	6	46
223	174	44	4	1	206	159	36	10	1	87	65	21	1	-	27	18	2	5	2	47
6	2	4	-	-	19	10	8	-	1	1	-	1	-	-	9	2	2	3	2	48
70	38	30	2	-	123	79	27	10	7	34	22	11	1	-	20	3	1	7	9	49
302	157	136	5	4	377	164	182	18	13	172	98	71	1	2	96	15	25	31	25	50
185	85	96	2	2	258	114	109	22	13	111	56	52	1	2	213	22	23	93	75	51
681	422	248	8	3	802	530	232	21	19	248	155	89	2	2	108	48	18	26	16	52
486	281	198	5	2	673	434	205	18	16	189	112	73	2	2	86	37	14	20	15	53
195	141	50	3	1	129	96	27	3	3	59	43	16	-	-	22	11	4	6	1	54
232	93	137	2	-	283	108	165	-	10	133	60	70	-	3	48	9	28	4	7	55
342	189	139	5	9	340	168	128	26	18	129	71	56	2	-	85	34	20	18	13	56
966	573	369	19	5	1,248	688	412	71	77	571	401	156	7	7	620	147	92	238	143	57
476	249	221	5	1	677	321	269	44	43	262	160	92	3	7	415	90	60	144	121	58
30	15	13	2	-	31	15	12	4	-	13	10	3	-	-	42	12	2	16	12	59
37	18	18	-	1	38	22	12	2	2	20	12	7	-	1	26	1	1	13	11	60
409	216	190	3	-	608	284	245	38	41	229	138	82	3	6	347	77	57	115	98	61
179	89	82	5	3	195	82	80	12	21	72	40	31	1	-	73	20	22	17	14	62
49	30	19	-	-	41	21	17	1	2	30	18	12	-	-	12	5	2	5	-	63
61	35	25	1	-	55	36	14	3	2	39	26	12	1	-	27	1	6	19	1	64
165	158	...	7	...	216	205	...	11	...	143	141	...	2	...	73	27	...	46	...	65
12	11	...	1	...	23	23	...	-	...	15	15	...	-	...	11	4	...	7	...	66
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
22	...	21	...	1	41	...	32	...	9	9	...	9	...	-	9	...	2	...	7	68
24	...	23	...	1	59	...	40	...	19	28	...	28	...	-	74	...	12	...	62	69
3	...	3	...	-	7	...	6	...	1	4	...	4	...	-	8	...	1	...	7	70
5	...	4	...	1	13	...	7	...	6	6	...	6	...	-	29	...	6	...	23	71
4	...	4	...	-	10	...	8	...	2	6	...	6	...	-	14	...	1	...	13	72
-	...	-	...	-	9	...	2	...	7	2	...	2	...	-	4	...	-	...	4	73
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	74
-	...	-	...	-	5	...	4	...	1	1	...	1	...	-	4	...	-	...	4	75
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
10	...	10	...	-	15	...	13	...	2	8	...	8	...	-	13	...	4	...	9	77

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	7	4	3	-	-	25	10	8	6	1
2	Infections of skin and subcutaneous tissue---690-698	1	-	1	-	-	6	4	1	1	-
3	Other diseases of skin and subcutaneous tissue---700-716	6	4	2	-	-	19	6	7	5	1
4	XIII. Diseases of the bones and organs of movement	28	9	19	-	-	34	10	14	4	6
5	Arthritis and spondylitis---720-725	15	3	12	-	-	14	2	6	2	4
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	-	-	-	-	-	1	-	1	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	3	-	3	-	-	1	-	-	-	1
9	All other diseases of musculoskeletal system---731-736,738-744	10	6	4	-	-	18	8	7	2	1
10	XIV. Congenital malformations	124	61	61	2	-	323	137	118	37	31
11	Spina bifida and meningocele---751	15	7	8	-	-	18	6	8	2	2
12	Congenital hydrocephalus, etc.*---752,753	11	3	8	-	-	41	16	19	4	2
13	Congenital malformations of circulatory system---754	49	28	19	2	-	137	54	53	18	12
14	Other congenital malformations---750,755-759	49	23	26	-	-	127	61	38	13	15
15	XV. Certain diseases of early infancy	325	203	115	3	4	1,144	420	312	220	192
16	Birth injuries---760,761	65	37	26	1	1	214	87	65	32	30
17	Postnatal asphyxia and atelectasis---762	102	66	34	-	2	287	126	79	53	29
18	Infections of newborn---763-768	16	10	6	-	-	79	22	17	22	18
19	Hemolytic disease of newborn (erythroblastosis)---770	16	7	8	-	1	35	17	11	5	2
20	All other defined diseases of early infancy---769,771,772	7	7	-	-	-	35	10	6	9	10
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	119	76	41	2	-	494	158	134	99	103
22	XVI. Symptoms, senility, and ill-defined conditions	54	22	32	-	-	80	22	28	18	12
23	Senility without mention of psychosis---794	43	16	27	-	-	17	5	10	-	2
24	Symptoms, ill-defined and unknown causes---780-793,795	11	6	5	-	-	63	17	18	18	10
25	XVII. Accidents, poisonings, and violence	665	478	178	8	1	1,796	950	400	326	120
26	Accidents---E800-E962	540	388	143	8	1	1,374	742	316	228	88
27	Railway accidents---E800-E802	2	2	-	-	-	18	16	-	2	-
28	Motor-vehicle accidents---E810-E835	176	133	42	1	-	498	304	91	75	28
29	Motor-vehicle traffic accidents---E810-E825	169	126	42	1	-	489	297	91	74	27
30	Motor-vehicle traffic accident with railway train*---E810	8	6	2	-	-	6	5	1	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	44	30	13	1	-	152	82	29	31	10
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	38	22	16	-	-	145	91	32	16	6
33	Motor-vehicle noncollision traffic accidents---E820-E824	37	33	4	-	-	107	68	13	19	7
34	Motor-vehicle traffic accident of unspecified nature---E825	42	35	7	-	-	79	51	16	8	4
35	Motor-vehicle nontraffic accidents---E830-E835	7	7	-	-	-	9	7	-	1	1
36	Other road-vehicle accidents---E840-E845	1	-	1	-	-	3	1	-	2	-
37	Water-transport accidents---E850-E858	22	22	-	-	-	32	19	5	8	-
38	Aircraft accidents---E860-E866	5	5	-	-	-	15	13	1	1	-
39	Accidental poisoning by solid and liquid substances---E870-E888	12	10	2	-	-	22	6	5	8	3
40	Accidental poisoning by gases and vapors---E890-E895	16	11	5	-	-	9	4	3	1	1
41	Accidental falls---E900-E904	116	54	62	-	-	320	144	127	32	17
42	Fall from one level to another---E900-E902	44	29	15	-	-	143	78	38	21	6
43	Fall on same level---E903	19	9	10	-	-	32	[illegible]	19	2	-
44	Unspecified falls---E904	53	16	37	-	-	145	58	70	9	11
45	Blow from falling object---E910	14	12	1	1	-	19	13	-	5	1
46	Accident caused by machinery---E912	18	16	2	-	-	27	20	2	5	-
47	Accident caused by electric current---E914	13	13	-	-	-	10	6	1	3	-
48	Accident caused by fire and explosion, etc.*---E916	43	24	14	4	1	101	31	26	24	20
49	Accident caused by hot substance, etc.*---E917,E918	3	2	1	-	-	15	4	5	5	1
50	Accident caused by firearm---E919	13	12	1	-	-	22	18	1	3	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	8	6	2	-	-	51	23	14	10	4
52	Accidental drowning---E929	45	41	2	2	-	93	61	11	20	1
53	Excessive heat and insolation---E931	1	1	-	-	-	9	6	1	2	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	4	1	3	-	-	26	10	9	2	5
55	All other accidents---Residual[1]	28	23	5	-	-	84	43	14	20	7
56	Suicide---E963,E970-E979	114	85	29	-	-	273	188	64	14	7
57	Suicide by poisoning---E970-E973	26	14	12	-	-	68	42	21	2	3
58	Suicide by hanging and strangulation---E974	19	17	2	-	-	65	41	17	5	2
59	Suicide by firearms and explosives---E976	55	47	8	-	-	101	86	11	4	-
60	Suicide by all other means---E963,E975,E977-E979	14	7	7	-	-	39	19	15	3	2
61	Homicide---E964,E980-E985	11	5	6	-	-	149	20	20	84	25
62	Assault by firearms and explosives---E981	6	3	3	-	-	72	12	12	40	8
63	Assault by cutting and piercing instruments---E982	1	1	-	-	-	38	2	2	25	9
64	Assault by other means---E964,E980,E983	4	1	3	-	-	32	6	6	12	8
65	Injury by intervention of police---E984	-	-	-	-	-	6	-	-	6	-
66	Execution---E985	-	-	-	-	-	1	-	-	1	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
52	23	27	1	1	56	23	25	2	6	39	18	19	-	2	22	2	3	7	10	1
15	10	4	1	-	20	11	8	1	-	7	4	3	-	-	11	1	-	5	5	2
37	13	23	-	1	36	12	17	1	6	32	14	16	-	2	11	1	3	2	5	3
72	29	42	-	1	121	43	72	4	2	66	23	43	-	-	52	14	18	10	10	4
31	7	23	-	1	66	15	48	2	1	33	7	26	-	-	32	6	14	7	5	5
2	-	2	-	-	2	1	1	-	-	3	1	2	-	-	1	1	-	-	-	6
4	2	2	-	-	5	2	2	1	-	4	3	1	-	-	2	1	1	-	-	7
4	1	3	-	-	7	1	6	-	-	6	1	5	-	-	3	1	1	-	1	8
31	19	12	-	-	41	24	15	1	1	20	11	9	-	-	14	5	2	3	4	9
564	300	249	10	5	1,036	502	431	53	50	474	242	224	5	3	248	78	69	60	41	10
54	23	31	-	-	73	30	40	3	-	42	25	17	-	-	14	2	8	3	1	11
63	33	30	-	-	120	58	50	7	7	58	27	31	-	-	38	6	12	13	7	12
237	130	100	4	3	479	227	197	25	30	233	120	108	3	2	100	35	29	20	16	13
210	114	88	6	2	364	189	144	18	13	141	70	68	2	1	96	35	20	24	17	14
1,498	861	566	37	34	3,108	1,479	1,062	309	258	1,111	634	456	12	9	1,072	252	168	371	281	15
239	146	87	1	5	568	295	177	52	44	234	136	94	3	1	169	52	28	51	38	16
416	247	149	10	10	772	398	261	60	53	243	135	103	4	1	231	75	46	65	45	17
69	38	25	2	4	157	84	38	17	18	43	21	19	2	1	101	10	13	44	34	18
64	30	32	1	1	137	69	57	7	4	74	39	34	-	1	23	12	5	6	-	19
29	24	4	1	-	73	32	29	9	3	31	16	14	-	1	67	16	3	33	15	20
681	376	269	22	14	1,401	601	500	164	136	486	287	192	3	4	481	87	73	172	149	21
258	141	109	2	6	340	181	120	25	14	128	72	49	3	4	1,792	239	101	771	681	22
29	9	19	-	1	59	26	33	-	-	49	21	27	-	1	102	19	8	36	39	23
229	132	90	2	5	281	155	87	25	14	79	51	22	3	3	1,690	220	93	735	642	24
3,093	1,813	1,207	55	18	5,233	3,367	1,405	320	141	1,998	1,404	564	24	6	1,722	642	223	599	258	25
2,634	1,484	1,089	46	15	4,242	2,714	1,200	220	108	1,664	1,137	504	17	6	1,364	520	188	428	228	26
12	8	3	1	-	34	28	3	3	-	22	19	2	1	-	14	4	-	9	1	27
675	493	168	11	3	2,145	1,453	546	105	41	632	470	156	4	2	544	271	76	148	49	28
660	481	165	11	3	2,113	1,427	540	105	41	606	451	150	3	2	525	262	72	143	48	29
12	8	4	-	-	104	65	36	2	1	34	24	10	-	-	20	11	3	3	3	30
221	157	62	2	-	458	310	110	23	15	128	102	24	1	1	107	42	8	44	13	31
127	89	35	2	1	822	534	230	44	14	234	161	71	1	1	226	123	43	43	17	32
176	144	26	5	1	479	357	85	29	8	179	142	37	-	-	138	68	15	43	12	33
124	83	38	2	1	250	161	79	7	3	31	22	8	1	-	34	18	3	10	3	34
15	12	3	-	-	32	26	6	-	-	26	19	6	1	-	19	9	4	5	1	35
14	8	4	2	-	8	5	3	-	-	5	3	2	-	-	6	3	-	3	-	36
37	33	1	2	1	89	81	3	4	1	38	35	2	1	-	22	15	1	6	-	37
16	13	3	-	-	34	31	2	1	-	22	20	2	-	-	11	10	-	-	1	38
34	23	11	-	-	24	14	6	1	3	23	14	7	1	1	20	9	-	6	5	39
37	30	7	-	-	40	33	3	3	1	27	25	2	-	-	2	2	-	-	-	40
1,216	481	722	11	2	831	391	408	16	16	431	202	223	5	1	139	54	54	12	19	41
314	176	132	6	-	262	177	72	10	3	162	98	59	5	-	30	15	7	3	5	42
198	58	139	1	-	98	52	42	2	2	117	45	72	-	-	17	7	9	1	-	43
704	247	451	4	2	471	162	294	4	11	152	59	92	-	1	92	32	38	8	14	44
15	13	1	1	-	43	39	1	3	-	19	18	1	-	-	26	11	-	14	1	45
28	25	1	2	-	76	60	9	6	1	63	59	4	-	-	24	10	-	13	1	46
14	13	1	-	-	37	33	3	1	-	15	14	1	-	-	18	9	1	7	1	47
160	86	62	6	6	223	105	70	25	23	86	54	31	-	1	199	23	25	67	84	48
20	13	7	-	-	24	9	10	4	1	10	7	2	-	1	22	3	2	5	12	49
20	17	2	1	-	58	51	4	2	1	30	29	1	-	-	71	30	4	29	8	50
33	21	11	1	-	84	45	28	5	6	34	21	13	-	-	17	5	5	6	1	51
122	100	21	1	-	224	176	28	18	2	90	61	25	4	-	89	30	9	44	6	52
3	3	-	-	-	24	14	7	3	-	20	13	7	-	-	-	-	-	-	-	53
41	21	20	-	-	24	16	8	-	-	8	5	3	-	-	3	1	-	-	2	54
137	83	44	7	3	220	130	58	20	12	89	68	20	1	-	137	30	11	59	37	55
403	298	103	1	1	746	568	159	15	4	297	245	50	2	-	128	85	25	18	-	56
102	66	36	-	-	162	107	53	2	-	58	45	12	1	-	9	6	3	-	-	57
139	102	36	-	1	168	123	42	2	1	87	73	14	-	-	8	5	2	1	-	58
89	80	9	-	-	306	271	27	7	1	117	104	12	1	-	103	73	17	13	-	59
73	50	22	1	-	110	67	37	4	2	35	23	12	-	-	8	1	3	4	-	60
56	31	15	8	2	244	84	46	85	29	36	21	10	5	-	230	37	10	153	30	61
20	14	5	-	1	103	29	27	32	15	18	10	5	3	-	139	22	6	92	19	62
17	7	3	7	-	72	12	5	47	8	3	2	1	-	-	54	1	1	45	7	63
18	9	7	1	1	66	40	14	6	6	14	8	4	2	-	26	10	3	9	4	64
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	7	2	-	5	-	65
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	43,102	22,238	16,551	2,382	1,931	6,151	3,758	2,137	167	89
2	I. Infective and parasitic diseases	746	402	187	109	48	102	58	24	10	10
3	Tuberculosis, all forms 001-019	403	237	85	56	25	52	33	5	8	6
4	Tuberculosis of respiratory system 001-008	370	225	76	45	24	42	29	4	5	4
5	Tuberculosis of meninges and central nervous system 010	11	6	4	1	-	3	2	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	3	1	2	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	-	1	1	1	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	6	4	-	2	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	-	-	2	-	1	-	1	-	-
11	Disseminated tuberculosis 019	8	1	2	5	-	6	2	-	3	1
12	Syphilis and its sequelae 020-029	148	77	20	40	11	12	8	3	1	-
13	Congenital syphilis 020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis 021	1	1	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	41	22	8	9	2	4	2	2	-	-
16	Other cardiovascular syphilis 023	58	28	5	20	5	4	2	1	1	-
17	Tabes dorsalis 024	7	6	-	1	-	2	2	-	-	-
18	General paralysis of insane 025	15	9	4	2	-	-	-	-	-	-
19	Other syphilis of central nervous system 026	25	11	2	8	4	1	1	-	-	-
20	Other syphilis 027-029	1	-	1	-	-	1	1	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	2	1	-	1	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	5	3	2	-	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	6	1	3	2	-	-	-	-	-	-
29	Scarlet fever 050	1	1	-	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	10	6	2	-	2	-	-	-	-	-
31	Erysipelas 052	1	1	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	30	12	10	1	7	7	4	3	-	-
33	Diphtheria 055	-	-	-	-	-	1	1	-	-	-
34	Whooping cough 056	9	1	5	2	1	1	-	1	-	-
35	Meningococcal infections 057	16	8	7	-	1	5	1	3	-	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	2	1	-	1	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	4	1	3	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	12	9	3	-	-	8	6	2	-	-
42	Late effects of acute poliomyelitis 081	6	2	4	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	14	8	5	-	1	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	3	2	1	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	1	6	1	-	4	1	-	-	3
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	30	13	16	1	-	7	1	5	1	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	36	17	15	4	-	5	3	2	-	-
61	II. Neoplasms	6,827	3,249	3,018	289	271	848	462	362	11	13
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6,728	3,210	2,973	284	261	830	455	356	8	11
63	Malignant neoplasm of buccal cavity and pharynx 140-148	181	143	22	10	6	16	11	5	-	-
64	Of lip 140	9	9	-	-	-	2	2	-	-	-
65	Of tongue 141	52	41	4	7	-	1	-	1	-	-
66	Of other and unspecified parts of buccal cavity 142-144	47	36	9	1	1	9	6	3	-	-
67	Of pharynx 145-148	73	57	9	2	5	4	3	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	2,445	1,186	1,045	123	91	308	178	124	2	4
69	Of esophagus 150	110	69	19	17	5	11	9	2	-	-
70	Of stomach 151	586	320	197	40	29	105	76	28	1	-
71	Of intestine, except rectum 152,153	777	338	403	21	15	78	30	48	-	-
72	Of rectum 154	280	140	116	10	14	33	19	14	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	174	61	98	7	8	17	9	6	1	1
74	Of liver not specified whether primary or secondary 156A	176	76	87	6	7	16	6	9	-	1
75	Of pancreas 157	317	171	112	22	12	45	27	16	-	2
76	Of peritoneum and of unspecified digestive organs 158,159	25	11	13	-	1	3	2	1	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	641	660	131	44	6	98	82	13	2	1
78	Of larynx 161	62	53	6	3	-	8	8	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	336	261	46	26	3	34	27	6	-	1
80	Of lung and bronchus, unspecified as primary or secondary 163	420	333	69	15	3	53	47	5	1	-
81	Of other parts of respiratory system 160,164	23	13	10	-	-	3	-	2	1	-
82	Malignant neoplasm of breast 170	603	5	562	-	36	72	-	72	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,115	7,397	5,342	204	172	1,987	1,249	556	101	81	6,464	3,586	2,869	7	2	54,290	27,816	22,253	2,351	1,870	1
143	69	52	11	11	65	52	4	6	3	62	47	15	-	-	891	481	189	135	86	2
59	29	17	8	5	41	34	3	3	1	26	23	3	-	-	584	340	93	91	60	3
56	29	16	6	5	39	33	2	3	1	25	22	3	-	-	532	322	85	80	45	4
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	15	6	1	4	4	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	1	2	6
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	1	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	8
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	14	4	6	3	1	9
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	2	1	3	5	11
18	9	7	1	1	12	8	-	3	1	9	7	2	-	-	107	50	16	30	11	12
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
5	-	3	1	1	4	4	-	-	-	3	2	1	-	-	28	18	6	3	1	15
5	4	1	-	-	3	1	-	2	-	2	2	-	-	-	47	19	6	16	6	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	17
7	4	3	-	-	2	1	-	1	-	4	3	1	-	-	11	6	1	4	-	18
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	10	4	1	4	1	19
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1	1	3	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	21
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	5	3	1	-	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	29
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	30
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	31
14	10	3	-	1	1	1	-	-	-	4	2	2	-	-	27	16	7	2	2	32
4	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	33
3	1	-	-	2	1	1	-	-	-	1	1	-	-	-	3	1	1	-	1	34
4	3	1	-	-	2	2	-	-	-	3	3	-	-	-	33	12	13	4	4	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
5	2	3	-	-	4	4	-	-	-	7	4	3	-	-	33	19	13	-	1	41
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	42
6	2	4	-	-	-	-	-	-	-	1	1	-	-	-	17	6	9	2	-	43
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	8	3	3	2	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	3	2	-	-	-	-	-	-	-	4	1	3	-	-	21	12	7	-	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	59
12	4	8	-	-	2	2	-	-	-	5	3	2	-	-	30	13	13	2	2	60
2,171	1,128	1,002	22	19	233	137	86	2	8	1,065	551	513	1	-	9,997	5,105	4,348	278	266	61
2,140	1,120	981	22	17	227	134	85	2	6	1,041	541	499	1	-	9,834	5,048	4,269	271	246	62
50	35	12	3	-	10	8	2	-	-	26	20	6	-	-	228	171	42	12	3	63
5	5	-	-	-	1	1	-	-	-	2	2	-	-	-	9	9	-	-	-	64
18	10	6	2	-	1	1	-	-	-	8	6	2	-	-	75	56	12	6	1	65
13	11	2	-	-	3	1	2	-	-	8	7	1	-	-	53	40	12	1	-	66
14	9	4	1	-	5	5	-	-	-	8	5	3	-	-	91	66	18	5	2	67
801	427	363	10	1	80	43	33	1	3	410	212	197	1	-	3,871	2,033	1,654	106	78	68
31	22	7	2	-	5	4	-	-	1	17	13	4	-	-	206	151	37	17	1	69
200	122	76	2	-	19	11	6	-	2	98	55	43	-	-	936	556	320	37	23	70
274	126	145	2	1	23	10	12	1	-	146	70	76	-	-	1,235	531	667	18	19	71
83	52	30	1	-	9	5	4	-	-	60	34	25	1	-	583	338	219	10	16	72
60	26	33	1	-	5	2	3	-	-	22	10	12	-	-	206	87	110	5	4	73
32	18	14	-	-	4	3	1	-	-	15	7	8	-	-	175	83	79	7	6	74
107	56	50	1	-	14	8	6	-	-	48	22	26	-	-	458	251	189	12	6	75
14	5	8	1	-	1	-	1	-	-	4	1	3	-	-	72	36	33	-	3	76
223	189	30	2	2	33	30	2	-	1	133	107	26	-	-	1,365	1,120	182	51	12	77
14	14	-	-	-	2	1	-	-	1	10	10	-	-	-	98	84	10	3	1	78
126	107	17	2	-	12	11	1	-	-	34	28	6	-	-	461	380	59	20	2	79
75	63	10	-	2	19	18	1	-	-	84	68	16	-	-	779	636	108	26	9	80
8	5	3	-	-	-	-	-	-	-	5	1	4	-	-	27	20	5	2	-	81
204	4	197	-	3	12	-	12	-	-	93	1	92	-	-	896	5	850	-	41	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,089	387	584	42	76	123	58	59	1	5
2	Of cervix uteri----------171	220	...	184	...	36	20	...	17	...	3
3	Of other and unspecified parts of uterus----------172-174	212	...	189	...	23	16	...	15	...	1
4	Of ovary, fallopian tube, and broad ligament----------175	213	...	198	...	15	24	...	23	...	1
5	Of other and unspecified female genital organs----------176	15	...	13	...	2	4	...	4	...	-
6	Of prostate----------177	393	353	...	40	...	55	55	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	36	34	...	2	...	4	3	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	292	181	99	8	4	41	26	13	1	1
9	Of kidney----------180	114	71	39	3	1	20	8	10	1	1
10	Of bladder and other urinary organs----------181	178	110	60	5	3	21	18	3	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	716	344	308	34	30	66	36	30	-	-
12	Of skin----------190,191	95	49	44	1	1	11	4	7	-	-
13	Of eye----------192	10	5	5	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	156	80	58	7	11	16	9	7	-	-
15	Of thyroid gland----------194	22	5	16	-	1	3	-	3	-	-
16	Of bone (including jaw bone)----------196	56	26	24	3	3	5	3	2	-	-
17	Of connective tissue----------197	28	18	9	1	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	120	57	52	6	5	10	8	2	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	229	104	100	16	9	21	12	9	-	-
20	Leukemia and aleukemia----------204	301	160	127	7	7	67	39	27	1	-
21	Lymphosarcoma, etc.*----------200-203,205	260	144	95	16	5	39	25	13	1	-
22	Lymphosarcoma and reticulosarcoma----------200	131	76	49	4	2	13	8	5	-	-
23	Hodgkin's disease----------201	59	39	16	3	1	10	7	3	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	70	29	30	9	2	16	10	5	1	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	99	39	45	5	10	18	7	6	3	2
26	Benign neoplasms of female genital organs----------214-217	20	...	16	...	4	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	16	8	7	-	1	2	1	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	22	12	7	2	1	2	1	1	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	29	13	11	3	2	8	4	-	2	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	11	6	3	-	2	3	1	1	1	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	914	400	439	19	56	150	75	68	4	3
33	Asthma----------241	165	118	41	3	3	22	15	6	1	-
34	Nontoxic goiter----------250,251	3	-	3	-	-	3	1	1	1	-
35	Thyrotoxicosis with or without goiter----------252	25	3	19	1	2	4	1	3	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	5	2	3	-	-	1	1	-	-	-
37	Diabetes mellitus----------260	638	236	346	9	47	111	54	55	-	2
38	Diseases of thymus gland----------273	15	6	4	4	1	4	3	-	1	-
39	Diseases of adrenal glands----------274	11	3	7	-	1	-	-	-	-	-
40	Pellagra----------281	3	1	1	-	1	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	24	18	4	2	-	4	-	2	1	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	25	13	11	-	1	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	133	51	70	8	4	24	13	10	1	-
44	Anemias----------290-293	101	36	54	7	4	15	9	5	1	-
45	Pernicious and other hyperchromic anemias----------290	43	13	29	1	-	5	2	3	-	-
46	Anemias of other and unspecified type----------291-293	58	23	25	6	4	10	7	2	1	-
47	Purpura and other hemorrhagic conditions----------296	11	5	5	1	-	3	1	2	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	21	10	11	-	-	6	3	3	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	96	53	30	10	3	37	29	5	2	1
50	Senile psychosis----------304	23	7	13	2	1	5	3	2	-	-
51	Alcoholic psychosis----------307	8	5	-	3	-	4	4	-	-	-
52	Other psychoses----------300-303,305,306,308,309	14	4	9	1	-	1	1	-	-	-
53	Alcoholism----------322	43	31	6	4	2	24	18	3	2	1
54	Mental deficiency----------325	3	3	-	-	-	2	2	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	5	3	2	-	-	1	1	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	5,558	2,520	2,464	269	305	788	422	355	9	2
57	Vascular lesions affecting central nervous system----------330-334	5,203	2,349	2,324	248	282	728	379	340	9	-
58	Subarachnoid hemorrhage----------330	110	39	56	4	11	10	5	4	1	-
59	Cerebral hemorrhage----------331	3,245	1,452	1,470	162	161	543	271	268	4	-
60	Cerebral embolism and thrombosis----------332	1,171	552	505	47	67	118	67	48	3	-
61	Other vascular lesions affecting central nervous system--------333,334	677	306	293	35	43	57	36	20	1	-
62	Meningitis, except meningococcal and tuberculous----------340	43	14	15	8	6	5	4	-	-	1
63	Multiple sclerosis----------345	29	12	16	-	1	8	6	2	-	-
64	Paralysis agitans----------350	88	41	46	1	-	11	10	1	-	-
65	Cerebral spastic infantile paralysis----------351	18	11	7	-	-	2	2	-	-	-
66	Epilepsy----------353	51	30	15	1	5	12	9	2	-	1
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	16	8	8	-	-	4	3	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	110	55	33	11	11	18	9	9	-	-
72	VII. Diseases of the circulatory system----------	18,088	9,693	6,922	794	679	2,350	1,526	771	37	16
73	Rheumatic fever----------400-402	37	19	16	1	1	1	-	1	-	-
74	Diseases of heart----------410-443	16,351	8,890	6,177	690	594	2,092	1,365	680	32	15
75	Chronic rheumatic heart disease----------410-416	503	234	217	21	31	81	41	38	1	1
76	Diseases of mitral valve----------410	234	105	98	10	21	42	22	18	1	1
77	Diseases of aortic valve specified as rheumatic----------411	34	21	13	-	-	2	1	1	-	-
78	Diseases of tricuspid valve----------412	1	-	1	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	22	9	12	1	-	4	-	4	-	-
80	Other diseases of heart specified as rheumatic----------415,416	212	99	93	10	10	33	18	15	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
320	148	163	3	6	35	13	20	1	1	124	53	71	-	-	1,287	453	727	39	68	1
54	...	50	...	4	13	...	12	...	1	22	...	22	...	-	224	...	190	...	34	2
40	...	39	...	1	2	...	2	...	-	20	...	20	...	-	234	...	212	...	22	3
71	...	70	...	1	6	...	6	...	-	26	...	26	...	-	310	...	301	...	9	4
4	...	4	...	-	-	...	-	...	-	3	...	3	...	-	27	...	24	...	3	5
139	135	...	3	...	14	13	...	1	...	51	51	...	-	...	451	415	...	36	...	6
13	13	...	-	...	-	-	...	-	...	2	2	...	-	...	41	38	...	3	...	7
106	75	30	-	1	18	14	4	-	-	70	45	25	-	-	506	345	137	16	8	8
50	33	17	-	-	4	3	1	-	-	24	16	8	-	-	180	115	53	8	4	9
56	42	13	-	1	14	11	3	-	-	46	29	17	-	-	326	230	84	8	4	10
205	110	93	-	2	21	13	7	-	1	96	53	43	-	-	895	484	376	20	15	11
31	23	8	-	-	5	4	1	-	-	17	9	8	-	-	113	63	46	3	1	12
7	2	5	-	-	1	-	1	-	-	1	1	-	-	-	13	8	5	-	-	13
53	30	23	-	-	3	2	1	-	-	18	10	8	-	-	205	121	78	5	1	14
15	2	12	-	1	-	-	-	-	-	1	-	1	-	-	41	11	29	-	1	15
17	13	4	-	-	-	-	-	-	-	7	4	3	-	-	86	45	35	2	4	16
7	6	1	-	-	-	-	-	-	-	2	2	-	-	-	35	20	14	-	1	17
30	12	18	-	-	1	1	-	-	-	13	4	9	-	-	100	47	49	2	2	18
45	22	22	-	1	11	6	4	-	1	37	23	14	-	-	302	169	120	8	5	19
106	66	39	1	-	10	7	3	-	-	54	31	23	-	-	379	216	144	8	11	20
125	66	54	3	2	8	6	2	-	-	35	19	16	-	-	407	221	157	19	10	21
63	32	28	1	2	3	2	1	-	-	20	12	8	-	-	181	108	61	10	2	22
33	18	14	1	-	2	2	-	-	-	5	2	3	-	-	121	65	52	2	2	23
29	16	12	1	-	3	2	1	-	-	10	5	5	-	-	105	48	44	7	6	24
31	8	21	-	2	6	3	1	-	2	24	10	14	-	-	163	57	79	7	20	25
8	...	6	...	2	1	...	-	...	1	3	...	3	...	-	38	...	28	...	10	26
6	2	4	-	-	1	1	-	-	-	2	1	1	-	-	38	15	17	2	4	27
9	3	6	-	-	-	-	-	-	-	5	2	3	-	-	38	22	11	4	1	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
6	3	3	-	-	2	-	1	-	1	7	4	3	-	-	31	14	13	1	3	30
2	-	2	-	-	2	2	-	-	-	7	3	4	-	-	18	6	10	-	2	31
356	174	175	5	2	41	20	14	3	4	209	101	108	-	-	1,384	502	790	33	59	32
61	38	23	-	-	13	8	5	-	-	52	36	16	-	-	157	102	41	7	7	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	6	-	-	34
7	1	6	-	-	1	1	-	-	-	1	-	1	-	-	23	5	16	-	2	35
1	-	1	-	-	-	-	-	-	-	3	-	3	-	-	6	3	2	-	1	36
267	123	138	4	2	24	9	9	3	3	147	61	86	-	-	1,116	355	697	21	43	37
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	20	12	2	3	3	38
4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	13	3	8	1	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	40
5	2	2	1	-	2	1	-	-	1	-	-	-	-	-	26	17	7	1	1	41
7	3	4	-	-	-	-	-	-	-	6	4	2	-	-	15	5	10	-	-	42
41	24	17	-	-	-	-	-	-	-	19	9	10	-	-	147	65	67	10	5	43
27	16	11	-	-	-	-	-	-	-	12	4	8	-	-	99	36	49	10	4	44
12	7	5	-	-	-	-	-	-	-	4	1	3	-	-	21	7	13	-	1	45
15	9	6	-	-	-	-	-	-	-	8	3	5	-	-	78	29	36	10	3	46
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	19	8	10	-	1	47
10	6	4	-	-	-	-	-	-	-	6	5	1	-	-	29	21	8	-	-	48
23	13	8	1	1	24	18	2	2	2	17	14	3	-	-	107	57	25	12	13	49
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	4	-	4	-	-	50
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	27	20	1	6	-	51
8	2	6	-	-	-	-	-	-	-	1	1	-	-	-	21	6	11	-	4	52
9	8	-	1	-	22	16	2	2	2	9	9	-	-	-	51	30	7	6	8	53
1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	3	1	1	-	1	54
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	55
1,863	876	946	15	26	181	93	73	7	8	766	355	409	2	-	5,526	2,368	2,702	230	226	56
1,725	808	878	15	24	157	82	62	5	8	719	330	387	2	-	5,100	2,166	2,526	200	208	57
29	19	9	-	1	7	2	3	1	1	21	7	13	1	-	150	62	71	14	3	58
1,081	500	554	12	15	87	44	35	2	6	486	222	263	1	-	3,035	1,256	1,513	125	141	59
414	193	213	2	6	34	20	13	-	1	170	83	87	-	-	1,435	644	700	43	48	60
201	96	102	1	2	29	16	11	2	-	42	18	24	-	-	480	204	242	18	16	61
6	2	3	-	1	4	1	3	-	-	3	2	1	-	-	57	28	19	7	3	62
18	9	9	-	-	4	1	1	2	-	6	3	3	-	-	60	22	34	2	2	63
41	20	21	-	-	3	1	2	-	-	4	2	2	-	-	89	51	37	-	1	64
12	7	5	-	-	2	1	1	-	-	5	3	2	-	-	16	9	5	-	2	65
21	9	11	-	1	6	5	1	-	-	10	4	6	-	-	61	26	22	10	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	8	2	4	2	-	70
38	20	18	-	-	5	2	3	-	-	18	10	8	-	-	135	64	55	9	7	71
5,336	3,218	2,006	62	50	688	462	187	22	17	2,925	1,638	1,283	3	1	25,376	13,367	10,505	815	689	72
9	4	5	-	-	2	2	-	-	-	1	-	1	-	-	33	13	16	4	-	73
4,887	2,981	1,804	59	43	628	426	167	18	17	2,633	1,516	1,113	3	1	23,610	12,540	9,698	746	626	74
150	73	75	-	2	22	8	12	1	1	80	42	38	-	-	763	303	407	26	27	75
76	39	35	-	2	12	4	7	1	-	28	15	13	-	-	237	86	132	13	6	76
10	8	2	-	-	3	2	1	-	-	4	4	-	-	-	45	27	16	2	-	77
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	78
10	6	4	-	-	-	-	-	-	-	1	1	-	-	-	54	22	31	1	-	79
53	19	34	-	-	7	2	4	-	1	47	22	25	-	-	425	167	227	10	21	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	10,531	6,379	3,658	272	222	1,406	992	388	20	6
2	Arteriosclerotic heart disease so described----------420.0	3,715	1,944	1,581	97	93	375	226	138	7	4
3	Heart disease specified as involving coronary arteries----------420.1	6,769	4,406	2,061	175	127	1,025	762	248	13	2
4	Angina pectoris without mention of coronary disease----------420.2	47	29	16	-	2	6	4	2	-	-
5	Chronic endocarditis not specified as rheumatic----------421	298	148	123	23	4	23	13	9	-	1
6	Of mitral valve, specified as nonrheumatic----------421.0	30	13	13	3	1	6	3	2	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	88	49	31	7	1	5	3	2	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	180	86	79	13	2	12	7	5	-	-
9	Other myocardial degeneration----------422	2,175	987	1,026	99	63	236	134	95	4	3
10	With arteriosclerosis----------422.1	1,124	506	556	39	23	96	53	42	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	1,051	481	470	60	40	140	81	53	3	3
12	Other diseases of heart----------430-434	653	333	199	69	52	152	93	50	7	2
13	Acute and subacute endocarditis----------430	23	11	10	2	-	7	4	1	1	1
14	Acute myocarditis not specified as rheumatic----------431	45	20	17	4	4	7	5	2	-	-
15	Acute pericarditis specified as nonrheumatic----------432	2	2	-	-	-	1	-	1	-	-
16	Functional disease of heart----------433	96	47	45	3	1	15	10	5	-	-
17	Other and unspecified diseases of heart----------434	487	253	127	60	47	122	74	41	6	1
18	Hypertension with heart disease----------440-443	2,191	809	954	206	222	194	92	100	-	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	660	304	287	38	31	73	38	34	-	1
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,531	505	667	168	191	121	54	66	-	1
21	Hypertension without mention of heart----------444-447	356	148	144	35	29	41	23	17	-	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	183	94	58	17	14	21	14	7	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	173	54	86	18	15	20	9	10	-	1
24	Diseases of arteries----------450-456	1,200	574	524	61	41	188	116	69	3	-
25	General arteriosclerosis----------450	1,033	469	484	50	30	158	95	60	3	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	112	78	20	8	6	17	12	5	-	-
27	Gangrene of unspecified cause----------455	5	-	3	1	1	2	1	1	-	-
28	Other arterial diseases----------452-454,456	50	27	17	2	4	11	8	3	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	144	62	61	7	14	28	22	4	2	-
30	VIII. Diseases of the respiratory system----------	1,824	901	655	169	99	273	171	80	13	9
31	Acute upper respiratory infections----------470-475	9	4	5	-	-	3	1	1	-	1
32	Influenza----------480-483	92	32	49	8	3	12	10	2	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	1,251	591	474	119	67	173	95	57	13	8
34	Lobar pneumonia----------490	451	206	167	53	25	42	25	6	6	5
35	Bronchopneumonia----------491	525	246	200	52	27	79	39	34	4	2
36	Primary atypical pneumonia----------492	121	59	51	5	6	10	3	7	-	-
37	Pneumonia, other and unspecified----------493	154	80	56	9	9	42	28	10	3	1
38	Acute bronchitis----------500	21	8	9	2	2	4	2	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	53	30	19	2	2	9	8	1	-	-
40	Hypertrophy of tonsils and adenoids----------510	2	2	-	-	-	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	22	10	5	4	3	2	2	-	-	-
42	Pleurisy----------519	13	5	-	5	3	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	361	219	94	29	19	69	53	16	-	-
44	IX. Diseases of the digestive system----------	1,568	876	527	102	63	216	127	72	10	7
45	Diseases of teeth and supporting structures----------530-535	4	4	-	-	-	2	2	-	-	-
46	Ulcer of stomach----------540	113	81	23	6	3	12	10	1	1	-
47	Ulcer of duodenum----------541	146	107	31	5	3	15	15	-	-	-
48	Gastritis and duodenitis----------543	6	4	1	1	-	1	-	1	-	-
49	Appendicitis----------550-553	64	29	22	8	5	8	3	5	-	-
50	Hernia and intestinal obstruction----------560,561,570	258	117	114	17	10	37	19	16	-	2
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	164	66	65	19	14	21	10	6	3	2
52	Cirrhosis of liver----------581	432	287	101	26	18	54	31	16	4	3
53	Without mention of alcoholism----------581.0	332	210	89	23	10	43	26	15	1	1
54	With alcoholism----------581.1	100	77	12	3	8	11	5	1	3	2
55	Cholelithiasis and cholecystitis----------584,585	161	67	92	-	2	31	14	17	-	-
56	Other diseases of digestive system----------Residual[1]	220	114	78	20	8	35	23	10	2	-
57	X. Diseases of the genito-urinary system----------	1,188	643	367	99	79	113	75	36	-	2
58	Nephritis and nephrosis----------590-594	676	309	270	48	49	79	46	32	-	1
59	Acute nephritis----------590	48	26	12	5	5	7	4	3	-	-
60	Nephritis with edema, including nephrosis----------591	33	14	13	2	4	5	3	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	595	269	245	41	40	67	39	27	-	1
62	Infections of kidney----------600	166	76	60	11	19	10	8	1	-	1
63	Calculi of urinary system----------602,604	30	15	10	3	2	3	2	1	-	-
64	Other diseases of urinary system----------601,603,605-609	62	32	18	9	3	4	4	-	-	-
65	Hyperplasia of prostate----------610	219	192	...	27	...	13	13	...	-	...
66	Other diseases of male genital organs----------611-617	20	19	...	1	...	2	2	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	15	...	9	...	6	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	48	...	37	...	11	3	...	3	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	5	...	4	...	1	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	13	...	8	...	5	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	10	...	9	...	1	-	...	-	...	-
73	Ectopic pregnancy----------645	2	...	1	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	3	...	2	...	1	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	13	...	11	...	2	1	...	1	...	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,316	2,196	1,052	41	27	465	342	108	8	7	1,930	1,162	766	1	1	15,900	9,064	6,072	440	324	1
848	477	349	7	15	189	131	52	4	2	874	459	414	-	1	7,518	3,653	3,504	180	181	2
2,459	1,713	700	34	12	275	211	55	4	5	1,051	700	350	1	-	8,376	5,407	2,566	260	143	3
9	6	3	-	-	1	-	1	-	-	5	3	2	-	-	6	4	2	-	-	4
69	35	30	1	3	14	12	2	-	-	55	33	22	-	-	154	65	72	6	11	5
6	3	3	-	-	1	1	-	-	-	21	14	7	-	-	15	5	6	1	3	6
11	4	5	-	2	5	4	1	-	-	16	11	5	-	-	50	31	10	5	4	7
52	28	22	1	1	8	7	1	-	-	18	8	10	-	-	89	29	56	-	4	8
593	294	294	4	1	47	23	17	3	4	200	108	91	1	-	3,881	1,941	1,698	123	119	9
327	157	168	2	-	23	12	7	2	2	122	66	56	-	-	2,113	949	1,026	67	71	10
266	137	126	2	1	24	11	10	1	2	78	42	35	1	-	1,768	992	672	56	48	11
249	154	85	7	3	35	23	8	1	3	81	49	31	1	-	341	161	143	23	14	12
10	6	2	1	1	3	2	1	-	-	5	2	3	-	-	21	9	8	3	1	13
6	2	4	-	-	1	-	1	-	-	4	2	2	-	-	28	13	13	2	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
35	18	17	-	-	3	1	1	-	1	12	7	5	-	-	56	29	24	2	1	16
198	128	62	6	2	28	20	5	1	2	60	38	21	1	-	235	109	98	16	12	17
510	229	268	6	7	45	18	20	5	2	287	122	165	-	-	2,571	1,006	1,306	128	131	18
221	115	99	3	4	12	4	4	3	1	54	28	26	-	-	657	285	292	52	28	19
289	114	169	3	3	33	14	16	2	1	233	94	139	-	-	1,914	721	1,014	76	103	20
65	32	33	-	-	20	10	8	2	-	42	18	24	-	-	371	150	174	25	22	21
40	24	16	-	-	14	8	6	-	-	32	15	17	-	-	239	105	106	18	10	22
25	8	17	-	-	6	2	2	2	-	10	3	7	-	-	132	45	68	7	12	23
346	185	153	3	5	31	18	11	2	-	220	93	127	-	-	1,210	594	548	36	32	24
285	142	138	2	3	17	6	9	2	-	191	77	114	-	-	982	437	489	28	28	25
42	33	8	1	-	9	8	1	-	-	21	12	9	-	-	168	128	32	6	2	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	27
19	10	7	-	2	5	4	1	-	-	8	4	4	-	-	57	27	26	2	2	28
29	16	11	-	2	7	6	1	-	-	29	11	18	-	-	152	70	69	4	9	29
512	284	206	12	10	90	52	26	6	6	237	139	97	1	-	1,873	966	656	160	91	30
14	11	2	-	1	2	1	1	-	-	6	3	3	-	-	23	9	12	-	2	31
42	21	19	1	1	3	1	1	1	-	5	3	2	-	-	27	16	10	1	-	32
327	168	145	8	6	51	24	18	5	4	138	72	65	1	-	1,333	598	525	136	74	33
72	40	28	1	3	18	10	5	1	2	40	22	18	-	-	368	188	121	41	18	34
168	89	74	3	2	18	6	8	3	1	52	29	23	-	-	816	342	341	83	50	35
49	27	19	3	-	3	3	-	-	-	27	13	14	-	-	127	57	54	10	6	36
38	12	24	1	1	12	5	5	1	1	19	8	10	1	-	22	11	9	2	-	37
8	5	3	-	-	1	-	1	-	-	3	1	2	-	-	30	16	12	2	1	38
15	10	5	-	-	2	-	1	-	1	10	7	3	-	-	65	39	19	4	3	39
3	1	1	-	1	2	1	1	-	-	1	1	-	-	-	9	2	5	1	1	40
4	4	-	-	-	-	-	-	-	-	3	-	3	-	-	27	16	5	4	2	41
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	7	4	3	-	-	42
95	61	30	3	1	29	25	3	-	1	70	51	19	-	-	352	266	66	12	8	43
481	262	199	12	8	86	45	25	7	9	288	175	113	-	-	2,365	1,332	861	103	69	44
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	45
29	20	9	-	-	4	4	-	-	-	33	28	5	-	-	192	129	52	9	2	46
49	37	9	3	-	8	5	2	1	-	36	26	10	-	-	226	162	49	12	3	47
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	8	5	3	-	-	48
25	12	13	-	-	2	2	-	-	-	10	9	1	-	-	72	38	22	7	5	49
80	40	38	2	-	10	7	1	-	2	39	19	20	-	-	337	156	150	13	18	50
55	25	24	2	4	12	6	-	1	5	29	8	21	-	-	198	90	80	17	11	51
99	61	31	3	4	31	12	14	3	2	79	54	25	-	-	822	513	262	34	13	52
36	17	18	-	1	19	7	10	1	1	64	40	24	-	-	674	418	219	26	11	53
63	44	13	3	3	12	5	4	2	1	15	14	1	-	-	148	95	43	8	2	54
68	28	40	-	-	10	5	4	1	-	29	9	20	-	-	230	98	124	2	6	55
72	35	35	2	-	9	4	4	1	-	30	20	10	-	-	276	140	116	9	11	56
285	192	85	5	3	39	26	8	3	2	138	78	59	-	1	1,067	597	363	39	68	57
135	78	50	4	3	20	11	7	1	1	77	36	41	-	-	594	272	253	23	46	58
8	5	2	-	1	1	-	-	-	1	8	6	2	-	-	25	13	8	2	2	59
13	8	5	-	-	4	3	1	-	-	2	2	-	-	-	38	19	12	5	2	60
114	65	43	4	2	15	8	6	1	-	67	28	39	-	-	531	240	233	16	42	61
30	13	17	-	-	4	3	-	-	1	16	8	7	-	1	122	48	56	4	14	62
6	2	4	-	-	1	-	1	-	-	6	2	4	-	-	49	28	19	-	2	63
12	8	4	-	-	5	5	-	-	-	8	3	5	-	-	59	37	18	1	3	64
82	81	...	1	...	8	6	...	2	...	28	28	...	-	...	209	199	...	10	...	65
10	10	...	-	...	1	1	...	-	...	1	1	...	-	...	14	13	...	1	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
10	...	10	...	-	-	...	-	...	-	2	...	2	...	-	20	...	17	...	3	68
17	...	17	...	-	5	...	3	...	2	3	...	3	...	-	60	...	48	...	12	69
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	7	...	7	...	-	70
8	...	8	...	-	1	...	1	...	-	2	...	2	...	-	11	...	8	...	3	71
3	...	3	...	-	1	...	-	...	1	1	...	1	...	-	14	...	13	...	1	72
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	7	...	4	...	3	73
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	3	...	1	...	2	74
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	4	...	2	...	2	75
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	14	...	13	...	1	77

420487 O - 57 - 10

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	30	8	16	-	6	4	3	1	-	-
2	Infections of skin and subcutaneous tissue---690-698	12	5	4	-	3	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	18	3	12	-	3	4	3	1	-	-
4	XIII. Diseases of the bones and organs of movement	86	30	46	6	4	10	6	4	-	-
5	Arthritis and spondylitis---720-725	53	15	34	3	1	7	5	2	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	3	1	1	1	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	2	1	1	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	27	13	9	2	3	3	1	2	-	-
10	XIV. Congenital malformations	465	247	181	15	22	78	41	34	2	1
11	Spina bifida and meningocele---751	32	18	12	1	1	-	-	-	-	-
12	Congenital hydrocephalus, etc.*---752,753	43	18	22	2	1	12	8	3	1	-
13	Congenital malformations of circulatory system---754	219	122	77	8	12	39	23	16	-	-
14	Other congenital malformations---750,755-759	171	89	70	4	8	27	10	15	1	1
15	XV. Certain diseases of early infancy	1.448	646	509	157	136	276	150	107	10	9
16	Birth injuries---760,761	277	136	105	20	16	66	36	28	2	-
17	Postnatal asphyxia and atelectasis---762	378	173	158	20	27	63	35	26	1	1
18	Infections of newborn---763-768	80	27	31	15	7	15	7	6	1	1
19	Hemolytic disease of newborn (erythroblastosis)---770	51	22	26	1	2	11	7	3	1	-
20	All other defined diseases of early infancy---769,771,772	49	23	15	8	3	7	3	2	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	613	265	174	93	81	114	62	42	4	6
22	XVI. Symptoms, senility, and ill-defined conditions	635	378	192	45	20	208	139	59	7	3
23	Senility without mention of psychosis---794	117	47	65	4	1	57	32	22	2	1
24	Symptoms, ill-defined and unknown causes---780-793,795	518	331	127	41	19	151	107	37	5	2
25	XVII. Accidents, poisonings, and violence	3,448	2,141	891	291	125	671	461	146	51	13
26	Accidents---E800-E962	2,748	1,707	765	174	102	577	385	133	46	13
27	Railway accidents---E800-E802	32	25	4	3	-	14	9	-	5	-
28	Motor-vehicle accidents---E810-E835	1,084	756	238	59	31	239	151	57	25	6
29	Motor-vehicle traffic accidents---E810-E825	1,056	735	233	57	31	233	147	56	25	5
30	Motor-vehicle traffic accident with railway train*---E810	45	29	15	1	-	5	4	1	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	167	106	34	14	13	23	13	5	5	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	490	330	123	24	13	102	62	30	8	2
33	Motor-vehicle noncollision traffic accidents---E820-E824	330	254	55	16	5	86	58	15	10	3
34	Motor-vehicle traffic accident of unspecified nature---E825	24	16	6	2	-	17	10	5	2	-
35	Motor-vehicle nontraffic accidents---E830-E835	28	21	5	2	-	6	4	1	-	1
36	Other road-vehicle accidents---E840-E845	13	10	3	-	-	3	2	-	1	-
37	Water-transport accidents---E850-E858	32	29	2	1	-	8	6	2	-	-
38	Aircraft accidents---E860-E866	45	41	4	-	-	14	14	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	36	19	9	6	2	5	3	2	-	-
40	Accidental poisoning by gases and vapors---E890-E895	23	14	5	3	1	14	9	3	-	2
41	Accidental falls---E900-E904	692	301	343	26	22	93	48	43	2	-
42	Fall from one level to another---E900-E902	187	108	59	15	5	32	19	12	1	-
43	Fall on same level---E903	133	53	75	3	2	10	6	4	-	-
44	Unspecified falls---E904	372	140	209	8	15	51	23	27	1	-
45	Blow from falling object---E910	26	25	-	1	-	17	17	-	-	-
46	Accident caused by machinery---E912	63	60	2	1	-	25	24	-	1	-
47	Accident caused by electric current---E914	24	23	1	-	-	7	7	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	191	80	50	36	25	26	16	5	4	1
49	Accident caused by hot substance, etc.*---E917,E918	24	6	10	3	5	5	3	2	-	-
50	Accident caused by firearm---E919	90	76	8	3	3	24	16	3	4	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	24	11	12	1	-	2	-	2	-	-
52	Accidental drowning---E929	102	84	15	3	-	31	22	5	3	1
53	Excessive heat and insolation---E931	72	45	15	7	5	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	20	8	7	2	3	1	-	1	-	-
55	All other accidents---Residual[1]	155	94	37	19	5	48	37	8	1	2
56	Suicide---E963,E970-E979	476	358	103	13	2	75	65	10	-	-
57	Suicide by poisoning---E970-E973	68	43	24	-	1	11	7	4	-	-
58	Suicide by hanging and strangulation---E974	78	48	29	1	-	5	4	1	-	-
59	Suicide by firearms and explosives---E976	280	246	26	7	1	56	51	5	-	-
60	Suicide by all other means---E963,E975,E977-E979	50	21	24	5	-	3	3	-	-	-
61	Homicide---E964,E980-E985	223	75	23	104	21	19	11	3	5	-
62	Assault by firearms and explosives---E981	122	46	16	50	10	6	4	2	-	-
63	Assault by cutting and piercing instruments---E982	50	6	2	35	7	4	3	-	1	-
64	Assault by other means---E964,E980,E983	42	20	5	13	4	8	4	1	3	-
65	Injury by intervention of police---E984	8	3	-	5	-	1	-	-	1	-
66	Execution---E985	1	-	-	1	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12	5	7	-	-	2	1	1	-	-	9	4	5	-	-	37	13	21	1	2	1
3	3	-	-	-	-	-	-	-	-	1	1	-	-	-	10	6	4	-	-	2
9	2	7	-	-	2	1	1	-	-	8	3	5	-	-	27	7	17	1	2	3
38	12	26	-	-	3	1	2	-	-	13	6	7	-	-	77	37	35	2	3	4
22	4	18	-	-	3	1	2	-	-	7	3	4	-	-	29	10	16	2	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	3	-	-	7
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	8
15	7	8	-	-	-	-	-	-	-	5	2	3	-	-	42	25	15	-	2	9
197	101	89	4	3	25	12	9	3	1	72	36	36	-	-	601	286	255	39	21	10
9	5	4	-	-	1	-	1	-	-	6	2	4	-	-	48	13	32	3	-	11
24	12	11	1	-	5	3	2	-	-	14	8	6	-	-	90	44	34	7	5	12
94	45	46	-	3	9	5	1	2	1	22	11	11	-	-	242	121	104	9	8	13
70	39	28	3	-	10	4	5	1	-	30	15	15	-	-	221	108	85	20	8	14
511	280	181	27	23	124	69	40	12	3	194	125	69	-	-	1,864	911	566	231	156	15
90	55	30	4	1	18	9	8	1	-	36	22	14	-	-	340	193	93	39	15	16
121	66	44	5	6	38	23	13	1	1	43	29	14	-	-	527	276	166	41	44	17
22	10	9	2	1	7	5	1	1	-	14	8	6	-	-	134	61	35	27	11	18
25	14	10	-	1	8	4	3	1	-	11	7	4	-	-	77	42	29	4	2	19
17	11	3	2	1	3	-	1	2	-	6	3	3	-	-	59	36	13	7	3	20
236	124	85	14	13	50	28	14	6	2	84	56	28	-	-	727	303	230	113	81	21
72	46	24	1	1	65	43	10	5	7	49	28	21	-	-	127	48	62	9	8	22
28	16	12	-	-	22	13	2	3	4	3	-	3	-	-	57	15	39	-	3	23
44	30	12	1	1	43	30	8	2	3	46	28	18	-	-	70	33	23	9	5	24
1,057	713	302	27	15	316	218	66	23	9	398	280	118	-	-	2,791	1,681	760	254	96	25
904	597	271	22	14	233	164	46	17	6	322	225	97	-	-	2,239	1,336	630	199	74	26
11	9	1	1	-	5	4	-	1	-	1	1	-	-	-	45	37	6	2	-	27
337	251	77	5	4	123	87	25	8	3	103	85	18	-	-	767	546	143	62	16	28
319	240	70	5	4	121	85	25	8	3	101	83	18	-	-	753	533	143	61	16	29
32	24	8	-	-	1	1	-	-	-	-	-	-	-	-	15	10	5	-	-	30
37	26	10	-	1	18	11	4	2	1	21	18	3	-	-	257	188	51	12	6	31
139	104	30	3	2	32	22	9	1	-	20	13	7	-	-	267	182	51	29	5	32
100	78	19	2	1	35	21	9	4	1	47	43	4	-	-	181	131	26	19	5	33
11	8	3	-	-	35	30	3	1	1	13	9	4	-	-	33	22	10	1	-	34
18	11	7	-	-	2	2	-	-	-	2	2	-	-	-	14	13	-	1	-	35
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	36
6	6	-	-	-	-	-	-	-	-	6	5	1	-	-	32	29	-	3	-	37
30	27	2	1	-	14	12	1	1	-	3	3	-	-	-	25	20	3	2	-	38
10	5	4	-	1	3	2	1	-	-	6	4	2	-	-	22	11	5	5	1	39
4	3	1	-	-	-	-	-	-	-	2	1	1	-	-	40	28	8	3	1	40
205	98	103	1	3	22	14	8	-	-	97	46	51	-	-	667	301	327	23	16	41
62	37	23	1	1	2	2	-	-	-	29	18	11	-	-	272	147	102	17	6	42
71	26	44	-	1	3	3	-	-	-	28	8	20	-	-	120	51	67	2	-	43
72	35	36	-	1	17	9	8	-	-	40	20	20	-	-	275	103	158	4	10	44
6	5	1	-	-	6	6	-	-	-	5	5	-	-	-	11	8	1	2	-	45
40	39	1	-	-	2	2	-	-	-	7	7	-	-	-	23	18	-	5	-	46
13	11	1	1	-	1	1	-	-	-	4	4	-	-	-	25	20	1	2	2	47
39	19	16	3	1	13	5	4	3	1	24	14	10	-	-	174	69	49	36	20	48
11	5	5	1	-	-	-	-	-	-	2	2	-	-	-	21	12	4	3	2	49
17	13	4	-	-	12	9	2	1	-	8	6	2	-	-	25	20	3	2	-	50
13	7	6	-	-	3	1	1	1	-	2	-	2	-	-	31	15	7	7	2	51
45	37	5	3	-	11	10	1	-	-	26	24	2	-	-	140	97	20	21	2	52
42	22	17	1	2	-	-	-	-	-	1	-	1	-	-	18	7	8	2	1	53
6	1	5	-	-	1	-	-	1	-	3	2	1	-	-	28	9	13	3	3	54
65	36	21	5	3	17	11	3	1	2	22	16	6	-	-	141	87	31	15	8	55
135	107	27	-	1	63	43	17	3	-	70	51	19	-	-	430	310	108	8	4	56
30	22	8	-	-	18	9	9	-	-	18	12	6	-	-	111	65	45	-	1	57
28	18	10	-	-	5	4	1	-	-	15	12	3	-	-	151	119	30	1	1	58
69	62	6	-	1	37	27	7	3	-	26	21	5	-	-	101	87	11	3	-	59
8	5	3	-	-	3	3	-	-	-	11	6	5	-	-	67	39	22	4	2	60
18	9	4	5	-	20	11	3	3	3	6	4	2	-	-	122	35	22	47	18	61
12	6	2	4	-	12	8	1	2	1	1	1	-	-	-	41	6	7	24	4	62
1	-	-	1	-	2	1	1	-	-	3	1	2	-	-	30	5	2	13	10	63
5	3	2	-	-	6	2	1	1	2	2	2	-	-	-	45	21	13	7	4	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	3	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,544	2,992	1,961	360	231	165,770	85,623	69,165	5,904	5,058
2	I. Infective and parasitic diseases	221	88	68	34	31	2,651	1,521	565	356	209
3	Tuberculosis, all forms 001-019	113	43	36	19	15	1,756	1,072	285	264	135
4	Tuberculosis of respiratory system 001-008	101	40	34	16	11	1,642	1,034	257	235	116
5	Tuberculosis of meninges and central nervous system 010	8	1	2	3	2	34	9	5	11	9
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	1	-	-	-	1	4	-	-	3	1
7	Tuberculosis of vertebral column 012.0,013.0	-	-	-	-	-	16	6	7	2	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	5	3	1	-	1
9	Tuberculosis of genito-urinary system 016	-	-	-	-	-	16	10	5	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	-	-	1	5	-	3	1	1
11	Disseminated tuberculosis 019	1	1	-	-	-	34	10	7	11	6
12	Syphilis and its sequelae 020-029	21	14	3	3	1	346	189	57	64	36
13	Congenital syphilis 020	1	1	-	-	-	5	2	1	2	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	7	4	2	1	-	90	48	19	14	9
16	Other cardiovascular syphilis 023	7	5	1	1	-	142	76	21	28	17
17	Tabes dorsalis 024	1	1	-	-	-	11	6	3	-	2
18	General paralysis of insane 025	2	2	-	-	-	52	33	5	12	2
19	Other syphilis of central nervous system 026	-	-	-	-	-	37	19	8	6	4
20	Other syphilis 027-029	3	1	-	1	1	9	5	-	2	2
21	Gonococcal infection 030-035	-	-	-	-	-	5	1	-	2	2
22	Typhoid fever 040	-	-	-	-	-	1	1	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	1	-	-	-	4	1	3	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	20	5	7	4	4	2	1	1	-	-
28	Food poisoning (infection and intoxication) 049	7	3	4	-	-	2	1	1	-	-
29	Scarlet fever 050	-	-	-	-	-	6	3	3	-	-
30	Streptococcal sore throat 051	1	-	1	-	-	16	5	8	2	1
31	Erysipelas 052	-	-	-	-	-	3	1	2	-	-
32	Septicemia and pyemia 053	1	1	-	-	-	72	35	34	1	2
33	Diphtheria 055	1	-	1	-	-	1	1	-	-	-
34	Whooping cough 056	11	5	5	1	-	6	1	4	-	1
35	Meningococcal infections 057	7	2	3	1	1	66	34	21	6	5
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	4	3	1	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	4	4	-	-	-	80	45	29	1	5
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	8	4	4	-	-
43	Acute infectious encephalitis 082	1	1	-	-	-	39	23	8	2	6
44	Late effects of acute infectious encephalitis 083	-	-	-	-	-	18	8	10	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	22	3	4	6	9	28	11	15	1	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	6	3	3	-	-	101	40	49	7	5
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	3	1	1	1	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	1	-	-	1	-
60	All other infective and parasitic diseases Residual[1]	5	3	1	-	1	83	40	29	4	10
61	II. Neoplasms	674	361	287	16	10	30,549	15,243	13 644	855	807
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	644	349	271	15	9	29,961	14,977	13,388	837	759
63	Malignant neoplasm of buccal cavity and pharynx 140-148	8	5	3	-	-	644	506	98	33	7
64	Of lip 140	1	1	-	-	-	25	24	1	-	-
65	Of tongue 141	1	-	1	-	-	200	154	34	8	4
66	Of other and unspecified parts of buccal cavity 142-144	3	2	1	-	-	201	156	34	8	3
67	Of pharynx 145-148	3	2	1	-	-	218	172	29	17	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	224	128	85	7	4	11,320	5,849	4,864	367	240
69	Of esophagus 150	9	5	3	1	-	624	444	102	64	14
70	Of stomach 151	82	56	23	2	1	2,782	1,573	1,035	115	59
71	Of intestine, except rectum 152,153	42	20	22	-	-	3,451	1,532	1,795	64	60
72	Of rectum 154	15	6	7	1	1	1,786	1,004	710	37	35
73	Of biliary passages and of liver (stated to be primary site) 155	18	8	9	-	1	613	215	370	12	16
74	Of liver not specified whether primary or secondary 156A	17	7	9	-	1	479	219	221	26	13
75	Of pancreas 157	35	23	10	2	-	1,369	764	530	41	34
76	Of peritoneum and of unspecified digestive organs 158,159	6	3	2	1	-	216	98	101	8	9
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	74	61	10	3	-	4,208	3,419	558	188	43
78	Of larynx 161	5	3	2	-	-	346	306	22	14	4
79	Of trachea, and of bronchus and lung specified as primary 162	27	24	3	-	-	1.599	1,336	181	72	10
80	Of lung and bronchus, unspecified as primary or secondary 163	41	34	4	3	-	2,165	1,717	323	100	25
81	Of other parts of respiratory system 160,164	1	-	1	-	-	98	60	32	2	4
82	Malignant neoplasm of breast 170	42	1	41	-	-	3,020	33	2,884	1	102

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,274	12,874	8,968	5,679	4,753	5,270	3,164	1,986	81	39	85,478	44,501	34,349	3,778	2,850	19,724	10,598	6,976	1,189	961	1
550	181	77	173	119	46	25	13	4	4	1,274	687	316	196	75	355	169	98	45	43	2
261	89	36	80	56	21	12	4	3	2	673	383	141	115	34	185	91	40	25	29	3
231	82	31	75	43	17	10	4	2	1	607	355	123	101	28	169	83	39	22	25	4
7	-	2	2	3	-	-	-	-	-	19	5	5	5	4	6	2	-	2	2	5
1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	6
3	1	-	-	2	-	-	-	-	-	4	4	-	-	-	2	1	1	-	-	7
4	1	1	1	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	8
4	2	1	-	1	1	1	-	-	-	12	5	5	2	-	2	2	-	-	-	9
3	1	1	-	1	-	-	-	-	-	4	2	1	-	1	3	2	-	1	-	10
8	2	-	2	4	3	1	-	1	1	24	11	5	7	1	2	-	-	-	2	11
59	16	4	30	9	6	5	1	-	-	274	147	38	63	26	40	18	6	13	3	12
1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
19	7	1	8	3	2	1	1	-	-	64	42	5	11	6	13	7	2	3	1	15
25	7	2	13	3	4	4	-	-	-	105	49	14	29	13	17	6	3	7	1	16
1	1	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	17
5	-	-	3	2	-	-	-	-	-	52	24	10	16	2	3	2	-	1	-	18
4	-	-	4	-	-	-	-	-	-	40	24	6	7	3	5	2	1	1	1	19
4	1	1	1	1	-	-	-	-	-	5	1	2	-	2	2	1	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	26
14	2	4	5	3	-	-	-	-	-	9	4	4	1	-	13	3	6	2	2	27
4	1	2	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	28
2	2	-	-	-	-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	29
8	2	2	3	1	1	1	-	-	-	10	7	2	-	1	3	2	-	-	1	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
32	13	4	9	6	1	-	-	1	-	32	14	12	3	3	16	7	7	1	1	32
4	1	-	2	1	-	-	-	-	-	6	4	2	-	-	1	1	-	-	-	33
31	3	3	14	11	3	-	3	-	-	15	8	4	1	2	11	5	2	1	3	34
31	12	8	4	7	3	2	1	-	-	73	30	37	3	3	11	7	4	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
11	-	-	7	4	-	-	-	-	-	14	8	4	2	-	3	1	1	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
7	4	3	-	-	1	-	1	-	-	36	22	12	2	-	6	3	3	-	-	41
5	3	1	-	1	1	1	-	-	-	2	2	-	-	-	4	2	2	-	-	42
6	4	1	-	1	2	-	2	-	-	13	7	6	-	-	8	4	3	1	-	43
-	-	-	-	-	-	-	-	-	-	8	6	2	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
3	1	-	2	-	4	2	-	-	2	9	2	7	-	-	4	1	2	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
21	11	5	2	3	1	-	1	-	-	35	15	18	1	1	11	5	5	-	1	48
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	58
4	1	-	1	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	59
42	13	4	12	13	2	2	-	-	-	53	19	25	5	4	27	13	11	1	2	60
4,060	1,589	1,538	425	508	797	437	350	5	5	14,103	6,810	6,349	513	431	3,202	1,565	1,357	134	146	61
3,948	1,562	1,501	412	473	781	430	341	5	5	13,862	6,721	6,233	504	404	3,125	1,535	1,319	132	139	62
99	51	32	12	4	12	6	6	-	-	289	219	53	13	4	76	52	17	5	2	63
6	4	1	-	1	3	3	-	-	-	13	12	1	-	-	6	6	-	-	-	64
18	7	7	3	1	1	-	1	-	-	80	56	17	6	1	16	14	1	1	-	65
37	19	13	4	1	4	3	1	-	-	89	60	22	5	2	20	11	8	1	-	66
38	21	11	5	1	4	-	4	-	-	107	91	13	2	1	34	21	8	3	2	67
1,155	487	401	166	101	297	166	128	1	2	4,981	2,554	2,070	214	143	1,014	507	417	56	34	68
67	32	12	16	7	15	12	3	-	-	228	162	35	23	8	48	28	13	6	1	69
316	136	89	68	23	115	72	40	1	2	1,224	700	413	75	36	273	148	83	27	15	70
310	126	125	31	28	72	35	37	-	-	1,630	696	859	32	43	290	133	142	7	8	71
121	45	46	15	15	32	15	17	-	-	665	368	245	31	21	88	47	37	1	3	72
86	32	40	6	8	16	8	8	-	-	333	133	180	9	11	49	16	30	1	2	73
24	6	12	4	2	13	6	7	-	-	286	139	118	23	6	93	43	43	5	2	74
207	102	69	22	14	30	15	15	-	-	542	313	194	18	17	151	81	60	7	3	75
24	8	8	4	4	4	3	1	-	-	73	43	26	3	1	22	11	9	2	-	76
403	283	54	43	23	77	55	21	1	-	1,689	1,308	254	109	18	372	282	62	23	5	77
34	24	2	6	2	3	2	1	-	-	117	103	6	7	1	21	16	3	2	-	78
291	202	41	31	17	31	22	8	1	-	703	565	87	47	4	101	82	10	8	1	79
57	45	5	5	2	38	27	11	-	-	818	608	147	53	10	232	175	41	12	4	80
21	12	6	1	2	5	4	1	-	-	51	32	14	2	3	18	9	8	1	-	81
349	3	272	2	72	55	1	53	-	1	1,284	7	1,206	-	71	241	-	223	-	18	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	108	44	59	2	3	3,806	1,357	2,168	70	211
2	Of cervix uteri----------171	34	...	32	...	2	787	...	661	...	126
3	Of other and unspecified parts of uterus----------172-174	14	...	13	...	1	606	...	570	...	36
4	Of ovary, fallopian tube, and broad ligament----------175	12	...	12	...	-	899	...	856	...	43
5	Of other and unspecified female genital organs----------176	2	...	2	...	-	87	...	81	...	6
6	Of prostate----------177	39	37	...	2	...	1,308	1,247	...	61	...
7	Of testis, and of other and unspecified male genital organs----178,179	7	7	...	-	...	119	110	...	9	...
8	Malignant neoplasm of urinary organs----------180,181	27	16	11	-	-	1,523	987	487	28	21
9	Of kidney----------180	7	3	4	-	-	536	340	179	9	8
10	Of bladder and other urinary organs----------181	20	13	7	-	-	987	647	308	19	13
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	102	53	45	2	2	2,894	1,455	1,286	84	69
12	Of skin----------190,191	17	11	6	-	-	344	197	140	3	4
13	Of eye----------192	2	2	-	-	-	32	15	16	1	-
14	Of brain and other parts of nervous system----------193	19	13	6	-	-	649	327	284	28	10
15	Of thyroid gland----------194	3	-	3	-	-	141	50	85	1	5
16	Of bone (including jaw bone)----------196	7	2	5	-	-	204	115	77	5	7
17	Of connective tissue----------197	4	2	1	1	-	97	52	42	3	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	17	4	12	-	1	339	163	161	7	8
19	Of unspecified sites----------156B,165,198B,199B-M	33	19	12	1	1	1,088	536	481	36	35
20	Leukemia and aleukemia----------204	32	24	8	-	-	1,197	632	507	31	27
21	Lymphosarcoma, etc.*----------200-203,205	27	17	9	1	-	1,349	739	536	35	39
22	Lymphosarcoma and reticulosarcoma----------200	10	7	3	-	-	671	370	279	10	12
23	Hodgkin's disease----------201	12	8	4	-	-	344	191	129	12	12
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	5	2	2	1	-	334	178	128	13	15
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	30	12	16	1	1	588	266	256	18	48
26	Benign neoplasms of female genital organs----------214-217	2	...	1	...	1	90	...	61	...	29
27	Benign neoplasm of brain and other parts of nervous system---------223	7	3	4	-	-	100	56	40	3	1
28	Other benign neoplasms----------210-213,218-222,224-229	4	2	2	-	-	128	73	46	3	6
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	5	...	5	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	11	4	7	-	-	182	95	73	5	9
31	Other neoplasms of unspecified nature----------230-232,236,238,239	6	3	2	1	-	83	42	31	7	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	110	54	52	1	3	4,006	1,597	2,177	93	139
33	Asthma----------241	27	20	7	-	-	533	331	165	21	16
34	Nontoxic goiter----------250,251	1	-	1	-	-	14	3	11	-	-
35	Thyrotoxicosis with or without goiter----------252	2	-	2	-	-	73	13	58	-	2
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	-	-	-	-	-	17	1	16	-	-
37	Diabetes mellitus----------260	63	22	37	1	3	3.236	1,180	1,870	67	119
38	Diseases of thymus gland----------273	2	1	1	-	-	21	12	9	-	-
39	Diseases of adrenal glands----------274	3	2	1	-	-	21	5	14	2	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	5	3	2	-	-	21	12	9	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	7	6	1	-	-	70	40	25	3	2
43	IV. Diseases of the blood and blood-forming organs----------	12	2	8	2	-	389	181	184	11	13
44	Anemias----------290-293	5	-	4	1	-	249	111	122	8	8
45	Pernicious and other hyperchromic anemias----------290	-	-	-	-	-	92	34	54	1	3
46	Anemias of other and unspecified type----------291-293	5	-	4	1	-	157	77	68	7	5
47	Purpura and other hemorrhagic conditions----------296	5	1	3	1	-	59	23	29	3	4
48	All other diseases of blood and blood-forming organs-----294,295,297-299	2	1	1	-	-	81	47	33	-	1
49	V. Mental, psychoneurotic, and personality disorders----------	31	20	8	2	1	341	175	84	62	20
50	Senile psychosis----------304	6	5	1	-	-	6	1	5	-	-
51	Alcoholic psychosis----------307	2	1	1	-	-	41	25	5	8	3
52	Other psychoses----------300-303,305,306,308,309	2	-	2	-	-	62	25	31	4	2
53	Alcoholism----------322	16	12	2	2	-	192	117	25	40	10
54	Mental deficiency----------325	2	2	-	-	-	16	3	13	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	3	-	2	-	1	24	4	5	10	5
56	VI. Diseases of the nervous system and sense organs----------	490	249	214	11	16	16,081	7,026	8,229	379	447
57	Vascular lesions affecting central nervous system----------330-334	428	220	193	6	9	14,820	6,419	7,705	307	389
58	Subarachnoid hemorrhage----------330	7	3	3	1	-	505	211	250	17	27
59	Cerebral hemorrhage----------331	282	143	128	4	7	8,682	3,726	4,512	196	248
60	Cerebral embolism and thrombosis----------332	72	41	28	1	2	4,210	1,884	2,175	70	81
61	Other vascular lesions affecting central nervous system--------333,334	67	33	34	-	-	1,423	598	768	24	33
62	Meningitis, except meningococcal and tuberculous----------340	12	4	2	3	3	176	79	50	27	20
63	Multiple sclerosis----------345	2	1	1	-	-	162	49	108	3	2
64	Paralysis agitans----------350	6	4	1	-	1	295	157	133	3	2
65	Cerebral spastic infantile paralysis----------351	2	1	1	-	-	45	31	10	2	2
66	Epilepsy----------353	12	5	6	-	1	188	85	67	21	15
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	12	3	7	-	2
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	2	1	-	1	26	11	11	3	1
71	Other diseases of nervous system and sense organs----------Residual[1]	24	12	9	2	1	357	192	138	13	14
72	VII. Diseases of the circulatory system----------	1,308	773	482	34	19	78,218	41,302	33,002	1,957	1,957
73	Rheumatic fever----------400-402	2	1	1	-	-	86	33	40	4	9
74	Diseases of heart----------410-443	1,168	695	427	29	17	73,063	38,907	30,552	1,818	1,786
75	Chronic rheumatic heart disease----------410-416	66	27	32	4	3	2,424	1,037	1,231	57	99
76	Diseases of mitral valve----------410	26	10	15	-	1	648	265	356	13	14
77	Diseases of aortic valve specified as rheumatic----------411	3	2	-	1	-	141	108	30	2	1
78	Diseases of tricuspid valve----------412	-	-	-	-	-	3	1	1	-	1
79	Diseases of pulmonary valve. etc.,* specified as rheumatic-----413,414	2	1	1	-	-	129	49	70	3	7
80	Other diseases of heart specified as rheumatic----------415,416	35	14	16	3	2	1,503	614	774	39	76

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
757	195	322	82	158	129	77	51	-	1	2,264	834	1,257	61	112	559	221	274	21	43	1
250	...	148	...	102	9	...	9	...	-	525	...	465	...	60	125	...	105	...	20	2
106	...	72	...	34	10	...	10	...	-	374	...	343	...	31	120	...	101	...	19	3
105	...	91	...	14	32	...	31	...	1	425	...	407	...	18	66	...	62	...	4	4
19	...	11	...	8	1	...	1	...	-	45	...	42	...	3	6	...	6	...	-	5
256	178	...	78	...	70	70	...	-	...	851	792	...	59	...	234	214	...	20	...	6
21	17	...	4	...	7	7	...	-	...	44	42	...	2	...	8	7	...	1	...	7
155	67	57	10	21	39	27	12	-	-	666	409	228	23	6	126	70	45	2	9	8
79	36	25	6	12	28	19	9	-	-	226	126	93	6	1	49	29	17	1	2	9
76	31	32	4	9	11	8	3	-	-	440	283	135	17	5	77	41	28	1	7	10
595	261	218	48	68	91	52	37	2	-	1,509	731	703	44	31	448	237	177	14	20	11
99	52	40	4	3	7	5	2	-	-	208	115	89	1	3	69	43	24	1	1	12
8	4	3	1	-	1	1	-	-	-	15	6	9	-	-	3	3	-	-	-	13
124	56	52	9	7	26	16	10	-	-	310	173	120	9	8	60	42	18	-	-	14
18	3	9	-	6	5	3	2	-	-	65	16	46	2	1	12	7	5	-	-	15
56	32	18	3	3	10	6	4	-	-	120	64	49	4	3	38	19	18	-	1	16
16	8	3	1	4	3	3	-	-	-	48	28	17	2	1	14	8	5	-	1	17
73	25	28	5	15	21	8	12	1	-	244	114	118	8	4	57	27	27	-	3	18
201	81	65	25	30	18	10	7	1	-	499	215	255	18	11	195	88	80	13	14	19
240	116	86	26	12	37	21	14	1	1	592	332	238	15	7	148	82	54	8	4	20
195	99	59	23	14	44	25	19	-	-	588	327	224	25	12	141	84	50	3	4	21
76	45	23	7	1	21	13	8	-	-	267	146	106	11	4	65	42	20	2	1	22
55	30	15	6	4	6	3	3	-	-	166	103	54	5	4	35	23	11	1	-	23
64	24	21	10	9	17	9	8	-	-	155	78	64	9	4	41	19	19	-	3	24
112	27	37	13	35	16	7	9	-	-	241	89	116	9	27	77	30	38	2	7	25
23	...	6	...	17	2	...	2	...	-	41	...	24	...	17	13	...	10	...	3	26
14	5	6	2	1	3	1	2	-	-	70	30	36	1	3	14	5	9	-	-	27
16	4	7	3	2	6	4	2	-	-	48	19	22	3	4	10	5	5	-	-	28
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
44	13	14	5	12	2	1	1	-	-	43	20	18	3	2	22	14	6	1	1	30
14	5	3	3	3	3	1	2	-	-	39	20	16	2	1	17	6	7	1	3	31
622	199	221	72	130	118	62	53	1	2	2,490	982	1,330	67	111	440	187	194	25	34	32
113	46	34	15	18	20	14	6	-	-	351	214	113	18	6	87	51	29	3	4	33
5	1	1	-	3	-	-	-	-	-	12	1	10	-	1	-	-	-	-	-	34
19	2	9	1	7	2	1	1	-	-	57	9	44	-	4	11	2	8	-	1	35
3	1	2	-	-	1	-	1	-	-	15	2	13	-	-	3	-	3	-	-	36
422	129	157	44	92	82	38	41	1	2	1,917	693	1,089	42	93	304	119	138	21	26	37
1	1	-	-	-	7	4	3	-	-	13	6	7	-	-	1	-	1	-	-	38
8	2	5	-	1	2	2	-	-	-	21	8	13	-	-	3	1	1	1	-	39
6	1	4	-	1	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	40
21	6	4	8	3	1	1	-	-	-	56	25	25	4	2	21	12	7	-	2	41
24	10	5	4	5	3	2	1	-	-	48	24	16	3	5	6	1	4	-	1	42
88	40	21	15	12	18	10	8	-	-	267	111	132	12	12	69	32	27	6	4	43
63	26	15	11	11	12	6	6	-	-	163	71	74	9	9	50	22	18	6	4	44
16	10	6	-	-	5	3	2	-	-	72	27	42	1	2	11	8	3	-	-	45
47	16	9	11	11	7	3	4	-	-	91	44	32	8	7	39	14	15	6	4	46
5	3	1	-	1	2	1	1	-	-	33	11	21	-	1	5	3	2	-	-	47
20	11	5	4	-	4	3	1	-	-	71	29	37	3	2	14	7	7	-	-	48
135	45	15	51	24	19	11	7	1	-	154	92	39	21	2	35	14	12	7	2	49
11	1	6	3	1	7	4	3	-	-	15	5	9	1	-	12	4	7	-	1	50
8	6	1	1	-	3	2	1	-	-	12	11	-	1	-	-	-	-	-	-	51
18	3	3	2	10	3	1	2	-	-	23	9	12	1	1	4	3	1	-	-	52
91	29	5	45	12	4	3	-	1	-	93	62	12	18	1	16	6	2	7	1	53
5	4	-	-	1	1	1	-	-	-	6	2	4	-	-	1	-	1	-	-	54
2	2	-	-	-	1	-	1	-	-	5	3	2	-	-	2	1	1	-	-	55
4,685	1,577	1,533	781	794	714	380	323	8	3	11,188	5,073	5,361	408	346	2,579	1,248	1,092	120	119	56
4,395	1,471	1,474	712	738	652	354	292	3	3	10,411	4,681	5,039	369	322	2,397	1,155	1,023	108	111	57
132	47	39	22	24	17	9	6	2	-	307	130	131	14	32	40	19	17	2	2	58
2,776	884	917	476	499	436	241	192	1	2	6,644	2,949	3,265	237	193	1,587	753	695	66	73	59
929	373	351	99	106	128	65	62	-	1	2,454	1,148	1,155	80	71	441	222	186	20	13	60
558	167	167	115	109	71	39	32	-	-	1,006	454	488	38	26	329	161	125	20	23	61
46	16	5	11	14	12	5	5	2	-	90	49	24	6	11	19	8	8	2	1	62
17	7	6	2	2	7	1	6	-	-	85	35	46	1	3	21	9	11	-	1	63
20	11	7	1	1	10	6	4	-	-	185	96	85	3	1	27	17	10	-	-	64
20	10	4	3	3	5	2	1	2	-	41	21	16	3	1	11	7	3	1	-	65
65	18	8	23	16	6	2	4	-	-	99	52	36	10	1	23	12	8	3	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	69
13	3	2	5	3	2	1	1	-	-	32	16	11	2	3	3	-	2	-	1	70
109	41	27	24	17	20	9	10	1	-	238	118	102	14	4	78	40	27	6	5	71
12,244	5,446	3,401	1,832	1,565	2,139	1,365	753	14	7	35,697	19,617	13,925	1,200	955	7,458	4,406	2,445	331	276	72
36	13	9	5	9	5	3	2	-	-	61	32	21	3	5	12	6	3	2	1	73
11,168	5,079	3,060	1,643	1,386	1,915	1,219	677	13	6	31,822	17,745	12,249	1,012	816	6,718	4,038	2,151	295	234	74
296	109	107	37	43	80	43	34	2	1	1,077	508	489	42	38	185	78	86	11	10	75
133	52	49	16	16	30	17	12	1	-	401	180	191	15	15	72	25	35	5	7	76
20	12	3	5	-	8	5	3	-	-	82	54	23	3	2	8	4	4	-	-	77
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
17	5	4	1	7	11	6	4	1	-	51	29	17	4	1	9	4	3	1	1	79
126	40	51	15	20	31	15	15	-	1	542	245	257	20	20	96	45	44	5	2	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	747	491	241	12	3	55,870	31,961	21,809	1,157	943
2	Arteriosclerotic heart disease so described----------420.0	237	132	98	5	2	30,004	14,983	13,755	641	625
3	Heart disease specified as involving coronary arteries----------420.1	509	359	142	7	1	25,828	16,957	8,038	515	318
4	Angina pectoris without mention of coronary disease----------420.2	1	-	1	-	-	38	21	16	1	-
5	Chronic endocarditis not specified as rheumatic----------421	21	14	6	1	-	481	237	229	17	8
6	Of mitral valve, specified as nonrheumatic----------421.0	1	1	-	-	-	43	24	18	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	7	6	1	-	-	128	81	34	10	3
8	Of other valves, not specified as rheumatic----------421.2-421.4	13	7	5	1	-	320	132	177	7	4
9	Other myocardial degeneration----------422	120	48	68	3	1	5,877	2,449	3,000	215	213
10	With arteriosclerosis----------422.1	31	11	19	1	-	4,478	1,823	2,255	200	200
11	Without mention of arteriosclerosis----------422.0,422.2	89	37	49	2	1	1,399	626	745	15	13
12	Other diseases of heart----------430-434	87	53	23	7	4	709	375	289	26	19
13	Acute and subacute endocarditis----------430	6	3	1	-	2	58	29	23	3	3
14	Acute myocarditis not specified as rheumatic----------431	3	1	1	1	-	61	31	27	2	1
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	6	6	-	-	-
16	Functional disease of heart----------433	7	5	2	-	-	105	56	48	-	1
17	Other and unspecified diseases of heart----------434	71	44	19	6	2	479	253	191	21	14
18	Hypertension with heart disease----------440-443	127	62	57	2	6	7,692	2,848	3,994	346	504
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	45	23	19	-	3	1,122	498	539	47	38
20	Essential hypertension with heart disease, etc.*----------440,441,443	82	39	38	2	3	6,570	2,350	3,455	299	466
21	Hypertension without mention of heart----------444-447	37	14	21	2	-	1,078	488	472	55	63
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	18	6	11	1	-	772	382	324	33	33
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	19	8	10	1	-	306	106	148	22	30
24	Diseases of arteries----------450-456	82	49	31	1	1	3,669	1,719	1,797	67	86
25	General arteriosclerosis----------450	68	40	27	-	1	3,058	1,326	1,627	44	61
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	5	4	1	-	-	449	313	113	16	7
27	Gangrene of unspecified cause----------455	1	-	1	-	-	13	10	2	1	-
28	Other arterial diseases----------452-454,456	8	5	2	1	-	149	70	55	6	18
29	Diseases of veins and other diseases of circulatory system-------460-468	19	14	2	2	1	322	155	141	13	13
30	VIII. Diseases of the respiratory system----------	353	158	120	44	31	6,067	3,324	2,105	403	235
31	Acute upper respiratory infections----------470-475	16	5	10	1	-	76	45	24	5	2
32	Influenza----------480-483	14	6	4	3	1	90	41	35	9	5
33	Pneumonia, except pneumonia of newborn----------490-493	239	93	81	38	27	4,386	2,182	1,702	314	188
34	Lobar pneumonia----------490	53	23	18	8	4	1,308	685	465	107	51
35	Bronchopneumonia----------491	92	33	27	19	13	2,694	1,306	1,085	181	122
36	Primary atypical pneumonia----------492	23	13	7	3	-	239	118	94	16	11
37	Pneumonia, other and unspecified----------493	71	24	29	8	10	145	73	58	10	4
38	Acute bronchitis----------500	5	2	2	1	-	148	71	53	13	11
39	Bronchitis, chronic and unqualified----------501,502	21	10	9	1	1	216	161	44	8	3
40	Hypertrophy of tonsils and adenoids----------510	1	1	-	-	-	14	6	5	1	2
41	Empyema and abscess of lung----------518,521	3	2	1	-	-	86	56	19	8	3
42	Pleurisy----------519	-	-	-	-	-	19	11	6	-	2
43	All other respiratory diseases----------Residual[1]	54	39	13	-	2	1,032	751	217	45	19
44	IX. Diseases of the digestive system----------	342	165	122	36	19	6,818	3,957	2,414	255	192
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	7	6	1	-	-
46	Ulcer of stomach----------540	19	12	6	-	1	625	431	152	34	8
47	Ulcer of duodenum----------541	14	12	2	-	-	691	548	109	25	9
48	Gastritis and duodenitis----------543	3	2	1	-	-	22	12	9	-	1
49	Appendicitis----------550-553	13	6	6	1	-	278	167	97	5	9
50	Hernia and intestinal obstruction----------560,561,570	33	17	14	2	-	854	433	362	23	36
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	141	46	53	25	17	536	258	241	19	18
52	Cirrhosis of liver----------581	48	33	11	4	-	2,402	1,468	750	105	79
53	Without mention of alcoholism----------581.0	39	28	9	2	-	1,681	997	562	70	52
54	With alcoholism----------581.1	9	5	2	2	-	721	471	188	35	27
55	Cholelithiasis and cholecystitis----------584,585	24	7	14	2	1	682	247	416	8	11
56	Other diseases of digestive system----------Residual[1]	46	29	15	2	-	721	387	277	36	21
57	X. Diseases of the genito-urinary system----------	146	92	40	9	5	3,005	1,740	1,013	140	112
58	Nephritis and nephrosis----------590-594	92	49	33	5	5	1,473	707	631	70	65
59	Acute nephritis----------590	8	6	1	1	-	71	40	24	4	3
60	Nephritis with edema, including nephrosis----------591	3	3	-	-	-	83	38	38	5	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	81	40	32	4	5	1,319	629	569	61	60
62	Infections of kidney----------600	12	7	4	1	-	501	235	214	28	24
63	Calculi of urinary system----------602,604	3	2	-	1	-	166	92	68	1	5
64	Other diseases of urinary system----------601,603,605-609	2	1	1	-	-	158	93	47	12	6
65	Hyperplasia of prostate----------610	29	27	...	2	...	610	584	...	26	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	32	29	...	3	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	-	-	-	1
68	Diseases of female genital organs----------622-637	2	...	2	...	-	64	...	53	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	17	...	11	...	6	140	...	93	...	47
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	15	...	12	...	3
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	5	...	4	...	1	23	...	17	...	6
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	6	...	4	...	2	22	...	19	...	3
73	Ectopic pregnancy----------645	-	...	-	...	-	17	...	9	...	8
74	Abortion without mention of sepsis or toxemia----------650	2	...	1	...	1	10	...	6	...	4
75	Abortion with sepsis----------651	-	...	-	...	-	24	...	11	...	13
76	Abortion with toxemia, without mention of sepsis----------652	1	...	-	...	1	4	...	2	...	2
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	1	...	1	25	...	17	...	8

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,652	3,597	1,813	725	517	1,371	933	428	6	4	22,019	13,435	7,631	583	370	4,635	3,010	1,386	147	92	1
1,655	773	569	169	144	441	263	174	1	3	8,149	4,149	3,631	210	159	1,235	707	472	33	23	2
4,958	2,804	1,233	551	370	925	666	253	5	1	13,799	9,236	3,981	372	210	3,388	2,295	911	113	69	3
39	20	11	5	3	5	4	1	-	-	71	50	19	1	1	12	8	3	1	-	4
134	51	40	31	12	22	12	10	-	-	408	191	187	15	15	73	33	25	10	5	5
10	3	3	3	1	1	-	1	-	-	40	20	16	2	2	5	2	1	1	1	6
42	19	8	12	3	6	5	1	-	-	125	71	48	3	3	20	10	3	4	3	7
82	29	29	16	8	15	7	8	-	-	243	100	123	10	10	48	21	21	5	1	8
1,068	399	370	157	142	147	75	72	-	-	3,084	1,458	1,487	74	65	553	290	212	21	30	9
642	242	221	91	88	85	44	41	-	-	1,922	932	915	42	33	225	109	100	6	10	10
426	157	149	66	54	62	31	31	-	-	1,162	526	572	32	32	328	181	112	15	20	11
792	348	136	175	133	112	72	35	4	1	1,074	550	430	50	44	524	313	154	37	20	12
15	5	7	2	1	4	4	-	-	-	44	24	17	1	2	2	1	1	-	-	13
19	4	3	6	6	6	4	2	-	-	51	22	24	2	3	20	13	7	-	-	14
3	-	1	-	2	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	15
36	13	13	8	2	5	3	2	-	-	251	133	93	11	9	49	22	23	4	-	16
719	326	112	159	122	97	61	31	4	1	726	370	290	36	30	453	277	123	33	20	17
2,226	575	594	518	539	183	84	98	1	-	4,160	1,603	2,025	248	284	748	314	288	69	77	18
657	195	148	166	148	37	18	19	-	-	1,346	601	623	72	50	243	101	95	28	19	19
1,569	380	446	352	391	146	66	79	1	-	2,814	1,002	1,402	176	234	505	213	193	41	58	20
272	65	70	68	69	41	25	16	-	-	702	299	291	64	48	156	63	63	12	18	21
135	32	34	37	32	23	15	8	-	-	453	214	176	36	27	51	24	21	3	3	22
137	33	36	31	37	18	10	8	-	-	249	85	115	28	21	105	39	42	9	15	23
659	255	219	102	83	157	108	47	1	1	2,828	1,405	1,252	96	75	503	259	205	20	19	24
517	181	192	75	69	126	83	41	1	1	2,443	1,182	1,126	78	57	427	217	179	15	16	25
73	43	11	16	3	22	20	2	-	-	259	161	73	14	11	40	23	14	3	-	26
7	2	1	3	1	-	-	-	-	-	17	10	6	-	1	4	2	2	-	-	27
62	29	15	8	10	9	5	4	-	-	109	52	47	4	6	32	17	10	2	3	28
109	34	43	14	18	21	10	11	-	-	284	136	112	25	11	69	40	23	2	4	29
1,556	500	377	384	295	216	133	74	6	3	3,131	1,680	1,063	242	146	808	407	292	56	53	30
34	11	6	8	9	3	1	2	-	-	76	35	28	8	5	10	4	5	1	-	31
105	28	29	25	23	3	2	1	-	-	185	72	101	6	6	59	22	30	4	3	32
1,110	307	261	314	228	149	88	54	5	2	1,856	921	693	143	99	534	257	198	38	41	33
285	87	75	71	52	41	22	18	1	-	495	256	153	50	36	136	62	46	15	13	34
455	138	106	117	94	91	56	30	3	2	975	465	385	75	50	231	123	84	11	13	35
105	32	24	28	21	6	2	4	-	-	209	101	82	16	10	44	16	25	1	2	36
265	50	56	98	61	11	8	2	1	-	177	99	73	2	3	123	56	43	11	13	37
12	3	3	3	3	7	5	2	-	-	74	34	30	6	4	9	3	4	-	2	38
41	21	11	4	5	11	9	2	-	-	100	58	29	8	5	9	4	5	-	-	39
2	-	1	-	1	1	1	-	-	-	14	7	5	1	1	4	2	-	1	1	40
11	6	2	1	2	-	-	-	-	-	54	35	10	8	1	5	3	1	-	1	41
6	1	2	2	1	-	-	-	-	-	9	7	1	1	-	2	-	-	2	-	42
235	123	62	27	23	42	27	13	1	1	763	511	166	61	25	176	112	49	10	5	43
990	394	262	179	155	182	92	83	4	3	3,433	1,898	1,303	122	110	722	366	258	60	38	44
3	-	2	-	1	2	1	1	-	-	12	5	4	1	2	7	3	3	1	-	45
66	33	14	11	8	13	12	1	-	-	273	189	65	13	6	71	53	12	5	1	46
76	53	10	8	5	13	9	4	-	-	260	196	47	12	5	55	44	9	2	-	47
10	6	2	2	-	1	-	1	-	-	25	13	11	1	-	6	3	1	1	1	48
34	13	8	12	1	7	7	-	-	-	159	89	52	10	8	44	24	14	4	2	49
128	42	42	21	23	32	17	15	-	-	532	246	249	22	15	113	48	41	15	9	50
246	56	44	76	70	22	5	13	1	3	305	144	137	13	11	73	24	28	12	9	51
184	98	48	26	12	39	21	15	3	-	993	642	302	21	28	123	73	38	8	4	52
135	65	39	20	11	30	16	13	1	-	759	479	248	14	18	108	60	37	7	4	53
49	33	9	6	1	9	5	2	2	-	234	163	54	7	10	15	13	1	1	-	54
64	23	37	1	3	30	11	19	-	-	406	144	243	5	14	112	37	66	2	7	55
179	70	55	22	32	23	9	14	-	-	468	230	193	24	21	118	57	46	10	5	56
816	305	177	184	150	109	70	36	2	1	1,771	994	572	101	104	529	303	135	57	34	57
516	170	101	127	118	57	30	24	2	1	870	413	365	44	48	276	130	82	37	27	58
37	11	5	9	12	3	2	1	-	-	57	27	21	6	3	17	10	4	2	1	59
28	7	7	8	6	9	4	4	1	-	78	43	26	6	3	20	11	7	2	-	60
451	152	89	110	100	45	24	19	1	1	735	343	318	32	42	239	109	71	33	26	61
108	39	41	18	10	11	6	5	-	-	300	126	114	22	38	68	28	33	3	4	62
34	12	16	3	3	2	1	1	-	-	54	25	21	2	6	18	11	6	-	1	63
27	6	11	5	5	10	5	5	-	-	121	70	36	11	4	27	17	7	2	1	64
96	74	...	22	...	23	23	...	-	...	362	340	...	22	...	118	104	...	14	...	65
13	4	...	9	...	5	5	...	-	...	20	20	...	-	...	14	13	...	1	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
22	...	8	...	14	1	...	1	...	-	43	...	35	...	8	8	...	7	...	1	68
96	...	24	...	72	5	...	5	...	-	82	...	66	...	16	24	...	10	...	14	69
4	...	3	...	1	-	...	-	...	-	8	...	8	...	-	3	...	3	...	-	70
34	...	9	...	25	1	...	1	...	-	18	...	15	...	3	7	...	2	...	5	71
24	...	3	...	21	3	...	3	...	-	12	...	9	...	3	3	...	2	...	1	72
15	...	3	...	12	-	...	-	...	-	5	...	3	...	2	2	...	1	...	1	73
4	...	1	...	3	-	...	-	...	-	2	...	2	...	-	1	...	-	...	1	74
2	...	-	...	2	-	...	-	...	-	7	...	6	...	1	1	...	-	...	1	75
2	...	-	...	2	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
11	...	5	...	6	1	...	1	...	-	29	...	22	...	7	7	...	2	...	5	77

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	6	1	4	-	1	117	49	61	4	3
2	Infections of skin and subcutaneous tissue 690-698	-	-	-	-	-	23	10	12	1	-
3	Other diseases of skin and subcutaneous tissue 700-716	6	1	4	-	1	94	39	49	3	3
4	XIII. Diseases of the bones and organs of movement	10	2	8	-	-	216	93	107	9	7
5	Arthritis and spondylitis 720-725	3	-	3	-	-	91	31	55	4	1
6	Muscular rheumatism and rheumatism, unspecified 726,727	-	-	-	-	-	5	1	4	-	-
7	Osteomyelitis and periostitis 730	-	-	-	-	-	16	8	6	-	2
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	-	-	-	-	-	10	4	5	-	1
9	All other diseases of musculoskeletal system 731-736,738-744	7	2	5	-	-	94	49	37	5	3
10	XIV. Congenital malformations	123	54	52	10	7	1,905	977	753	86	89
11	Spina bifida and meningocele 751	5	1	2	2	-	135	58	74	2	1
12	Congenital hydrocephalus, etc.* 752,753	20	8	9	2	1	241	113	106	9	13
13	Congenital malformations of circulatory system 754	52	24	24	2	2	848	439	318	41	50
14	Other congenital malformations 750,755-759	46	21	17	4	4	681	367	255	34	25
15	XV. Certain diseases of early infancy	528	272	201	35	20	5,339	2,593	1,733	549	464
16	Birth injuries 760,761	92	51	32	6	3	797	445	250	61	41
17	Postnatal asphyxia and atelectasis 762	117	62	41	7	7	1,723	917	520	141	145
18	Infections of newborn 763-768	37	15	10	10	2	286	131	91	41	23
19	Hemolytic disease of newborn (erythroblastosis) 770	18	9	9	-	-	237	136	87	6	8
20	All other defined diseases of early infancy 769,771,772	14	9	2	2	1	104	42	47	8	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	250	126	107	10	7	2,192	922	738	292	240
22	XVI. Symptoms, senility, and ill-defined conditions	431	226	123	43	39	1,017	508	339	112	58
23	Senility without mention of psychosis 794	22	12	6	1	3	69	26	43	-	-
24	Symptoms, ill-defined and unknown causes 780-793,795	409	214	117	42	36	948	482	296	112	58
25	XVII. Accidents, poisonings, and violence	742	475	161	83	23	8,911	5,337	2,682	633	259
26	Accidents E800-E962	646	401	147	76	22	7,136	4,208	2,284	443	201
27	Railway accidents E800-E802	11	7	-	3	1	131	96	13	19	3
28	Motor-vehicle accidents E810-E835	295	194	64	29	8	2,310	1,547	558	146	59
29	Motor-vehicle traffic accidents E810-E825	282	187	61	27	7	2,261	1,512	547	143	59
30	Motor-vehicle traffic accident with railway train* E810	7	3	3	1	-	44	30	13	1	-
31	Motor-vehicle traffic accident to pedestrian E812	57	35	8	11	3	824	533	213	57	21
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	80	54	24	1	1	614	376	179	39	20
33	Motor-vehicle noncollision traffic accidents E820-E824	101	76	11	12	2	515	385	81	38	11
34	Motor-vehicle traffic accident of unspecified nature E825	37	19	15	2	1	264	188	61	8	7
35	Motor-vehicle nontraffic accidents E830-E835	13	7	3	2	1	49	35	11	3	-
36	Other road-vehicle accidents E840-E845	8	4	-	4	-	17	13	4	-	-
37	Water-transport accidents E850-E858	7	6	1	-	-	95	84	8	2	1
38	Aircraft accidents E860-E866	36	32	4	-	-	78	71	5	2	-
39	Accidental poisoning by solid and liquid substances E870-E888	15	9	5	1	-	88	42	33	7	6
40	Accidental poisoning by gases and vapors E890-E895	6	2	3	1	-	160	91	53	10	6
41	Accidental falls E900-E904	48	20	23	5	-	2,468	1,149	1,162	106	51
42	Fall from one level to another E900-E902	13	6	4	3	-	1,024	563	358	76	27
43	Fall on same level E903	9	4	5	-	-	724	265	436	10	13
44	Unspecified falls E904	26	10	14	2	-	720	321	368	20	11
45	Blow from falling object E910	10	8	-	1	1	39	37	1	1	-
46	Accident caused by machinery E912	14	13	-	1	-	101	93	5	3	-
47	Accident caused by electric current E914	8	7	1	-	-	57	51	2	3	1
48	Accident caused by fire and explosion, etc.* E916	24	12	10	2	-	412	172	184	28	28
49	Accident caused by hot substance, etc.* E917,E918	7	-	4	-	3	70	37	25	4	4
50	Accident caused by firearm E919	35	21	9	2	3	75	65	5	4	1
51	Inhalation and ingestion of food or other object, etc.* E921,E922	13	8	4	-	1	112	60	39	7	6
52	Accidental drowning E929	35	24	6	3	2	440	314	67	52	7
53	Excessive heat and insolation E931	1	1	-	-	-	21	18	2	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	3	3	-	-	-	63	30	24	5	4
55	All other accidents Residual[1]	70	30	13	24	3	399	238	94	43	24
56	Suicide E963,E970-E979	62	45	13	4	-	1,345	978	335	25	7
57	Suicide by poisoning E970-E973	13	7	6	-	-	275	172	97	3	3
58	Suicide by hanging and strangulation E974	9	6	2	1	-	510	383	118	6	3
59	Suicide by firearms and explosives E976	36	30	4	2	-	308	280	21	7	-
60	Suicide by all other means E963,E975,E977-E979	4	2	1	1	-	252	143	99	9	1
61	Homicide E964,E980-E985	34	29	1	3	1	426	149	63	163	51
62	Assault by firearms and explosives E981	19	17	1	1	-	106	47	22	27	10
63	Assault by cutting and piercing instruments E982	8	6	-	2	-	174	39	16	94	25
64	Assault by other means E964,E980,E983	5	4	-	-	1	108	42	25	25	16
65	Injury by intervention of police E984	1	1	-	-	-	28	14	-	14	-
66	Execution E985	1	1	-	-	-	10	7	-	3	-
67	Injury resulting from operations of war E965,E990-E999	-	-	-	-	-	4	2	-	2	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35	9	6	9	11	7	2	5	-	-	66	18	38	4	6	19	10	6	2	1	1
9	3	1	3	2	4	2	2	-	-	17	8	7	2	-	4	2	2	-	-	2
26	6	5	6	9	3	-	3	-	-	49	10	31	2	6	15	8	4	2	1	3
96	25	41	17	13	10	4	6	-	-	181	72	100	8	1	75	34	37	1	3	4
56	11	29	8	8	3	1	2	-	-	90	25	62	2	1	49	15	31	1	2	5
4	-	1	1	2	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	6
4	2	1	-	1	-	-	-	-	-	10	3	6	1	-	2	2	-	-	-	7
-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	4	2	2	-	-	8
32	12	10	8	2	6	3	3	-	-	78	42	32	4	-	18	14	3	-	1	9
511	219	159	74	59	89	45	42	2	-	1,228	600	503	61	64	262	126	108	16	12	10
53	19	25	3	6	7	3	4	-	-	78	34	39	2	3	19	7	11	1	-	11
69	20	28	14	7	10	6	4	-	-	161	76	72	7	6	25	8	17	-	-	12
204	93	54	31	26	35	16	17	2	-	544	270	226	20	28	116	59	42	7	8	13
185	87	52	26	20	37	20	17	-	-	445	220	166	32	27	102	52	38	8	4	14
1,906	607	440	490	369	273	156	106	8	3	3,487	1,669	1,229	339	- 250	825	396	267	87	75	15
308	109	81	72	46	56	32	22	2	-	711	374	253	43	41	143	75	42	17	9	16
433	156	90	102	85	63	39	21	2	1	1,050	506	377	103	64	185	86	72	14	13	17
131	21	21	54	35	16	10	4	2	-	169	80	54	26	9	58	22	16	7	13	18
48	15	26	5	2	19	7	12	-	-	151	83	63	2	3	28	9	14	4	1	19
95	20	14	34	27	12	6	6	-	-	87	45	28	10	4	23	13	3	4	3	20
891	286	208	223	174	107	62	41	2	2	1,319	581	454	155	129	388	191	120	41	36	21
678	190	142	163	183	56	35	15	4	2	671	337	237	55	42	574	274	170	83	47	22
97	31	34	12	20	26	12	10	3	1	185	81	94	5	5	169	73	68	19	9	23
581	159	108	151	163	30	23	5	1	1	486	256	143	50	37	405	201	102	64	38	24
3,206	1,548	534	830	294	472	337	107	22	6	6,255	3,861	1,786	429	179	1,748	1,061	468	159	60	25
2,542	1,242	450	623	227	418	297	96	19	6	4,951	3,033	1,510	278	130	1,436	864	407	113	52	26
39	19	2	14	4	5	3	2	-	-	89	73	3	12	1	13	10	-	3	-	27
1,217	696	192	261	68	171	128	33	9	1	2,137	1,473	506	111	47	608	402	145	47	14	28
1,185	682	183	256	64	161	120	32	8	1	2,091	1,438	497	109	47	594	395	142	43	14	29
36	17	9	10	-	9	7	2	-	-	102	72	26	1	3	26	17	6	1	2	30
235	95	43	76	21	6	5	1	-	-	423	294	93	26	10	65	39	15	8	3	31
420	234	86	78	22	78	55	20	2	1	750	487	217	32	14	150	99	43	7	1	32
434	293	39	85	17	57	45	7	5	-	466	345	73	37	11	93	62	23	7	1	33
60	43	6	7	4	11	8	2	1	-	350	240	88	13	9	260	178	55	20	7	34
32	14	9	5	4	10	8	1	1	-	46	35	9	2	-	14	7	3	4	-	35
11	5	1	5	-	7	6	1	-	-	8	6	2	-	-	8	7	1	-	-	36
52	41	2	7	2	6	4	2	-	-	51	49	1	1	-	8	8	-	-	-	37
35	31	3	1	-	5	5	-	-	-	45	43	1	1	-	28	27	1	-	-	38
56	26	13	12	5	3	2	1	-	-	56	21	27	4	4	17	8	6	2	1	39
14	7	-	4	3	5	4	1	-	-	89	49	17	14	9	22	13	7	1	1	40
276	81	122	49	24	68	44	24	-	-	1,326	576	687	36	27	251	99	139	6	7	41
108	39	27	32	10	33	20	13	-	-	412	236	152	17	7	62	34	24	2	2	42
65	14	38	8	5	17	13	4	-	-	237	87	144	1	5	41	12	27	2	-	43
103	28	57	9	9	18	11	7	-	-	677	253	391	18	15	148	53	88	2	5	44
28	15	-	13	-	5	4	-	1	-	43	39	1	3	-	17	15	1	1	-	45
50	38	-	12	-	27	25	2	-	-	90	83	7	-	-	34	33	-	1	-	46
34	26	3	5	-	2	1	1	-	-	71	62	6	3	-	23	18	5	-	-	47
216	48	37	72	59	22	10	9	2	1	282	131	95	28	28	97	39	38	11	9	48
26	8	7	6	5	3	2	1	-	-	30	18	6	5	1	29	8	11	4	6	49
68	36	5	21	6	15	11	2	2	-	66	52	9	4	1	48	39	2	6	1	50
42	14	10	10	8	8	3	2	1	2	64	33	23	6	2	19	8	6	3	2	51
154	77	13	61	3	21	14	6	1	-	207	143	35	28	1	70	51	10	9	-	52
2	-	-	2	-	-	-	-	-	-	21	15	3	3	-	4	3	1	-	-	53
15	7	6	-	2	4	3	1	-	-	40	20	16	1	3	8	2	4	1	1	54
207	67	34	68	38	41	28	8	3	2	236	147	65	18	6	132	74	30	18	10	55
330	244	52	30	4	49	37	11	1	-	1,026	748	228	39	11	215	153	49	12	1	56
43	29	12	2	-	9	6	3	-	-	182	113	63	1	5	26	10	15	1	-	57
31	14	13	4	-	16	11	5	-	-	269	192	68	9	-	31	18	9	4	-	58
233	186	21	22	4	18	16	1	1	-	452	380	49	20	3	140	112	21	6	1	59
23	15	6	2	-	6	4	2	-	-	123	63	48	9	3	18	13	4	1	-	60
334	62	32	177	63	5	3	-	2	-	278	80	48	112	38	97	44	12	34	7	61
215	40	22	114	39	-	-	-	-	-	152	41	34	57	20	56	24	8	21	3	62
73	9	3	43	18	1	-	-	1	-	64	10	4	38	12	12	4	-	8	-	63
39	12	7	14	6	4	3	-	1	-	50	22	10	12	6	20	11	4	1	4	64
6	1	-	5	-	-	-	-	-	-	12	7	-	5	-	9	5	-	4	-	65
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	15,378	9,079	5,977	199	123	113,564	59,181	46,414	4,413	3,556
2	I. Infective and parasitic diseases	172	107	47	14	4	1,869	1,044	418	265	142
3	Tuberculosis, all forms 001-019	83	56	18	6	3	1,223	736	201	185	101
4	Tuberculosis of respiratory system 001-008	75	54	15	4	2	1,134	704	187	163	80
5	Tuberculosis of meninges and central nervous system 010	2	-	1	1	-	28	13	3	9	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	8	1	2	2	3
7	Tuberculosis of vertebral column 012.0,013.0	2	2	-	-	-	4	-	2	1	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	2	1	-	-	1
9	Tuberculosis of genito-urinary system 016	-	-	-	-	-	11	6	4	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	-	-	1	1	6	3	1	1	1
11	Disseminated tuberculosis 019	2	-	2	-	-	30	8	2	8	12
12	Syphilis and its sequelae 020-029	39	24	8	7	-	268	137	47	69	15
13	Congenital syphilis 020	-	-	-	-	-	2	1	1	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	15	10	4	1	-	84	51	16	11	6
16	Other cardiovascular syphilis 023	15	9	3	3	-	94	42	15	31	6
17	Tabes dorsalis 024	-	-	-	-	-	8	5	1	2	-
18	General paralysis of insane 025	2	2	-	-	-	35	14	5	16	-
19	Other syphilis of central nervous system 026	6	3	-	3	-	36	21	7	6	2
20	Other syphilis 027-029	1	-	1	-	-	9	3	2	3	1
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	3	-	2	1	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	3	1	2	-	-
29	Scarlet fever 050	-	-	-	-	-	3	2	1	-	-
30	Streptococcal sore throat 051	2	2	-	-	-	6	2	4	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	10	7	3	-	-	67	31	28	3	5
33	Diphtheria 055	1	1	-	-	-	4	1	1	1	1
34	Whooping cough 056	1	-	-	-	1	10	5	2	-	3
35	Meningococcal infections 057	4	1	3	-	-	52	29	15	1	7
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	9	4	5	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	13	8	5	-	-	19	6	13	-	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	5	2	3	-	-
43	Acute infectious encephalitis 082	4	-	4	-	-	36	20	14	1	1
44	Late effects of acute infectious encephalitis 083	1	-	1	-	-	4	1	3	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	2	-	2	-	-	11	5	6	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	5	3	1	1	-	60	20	34	2	4
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	4	2	2	-	-
60	All other infective and parasitic diseases Residual[1]	7	5	2	-	-	81	39	35	2	5
61	II. Neoplasms	2,363	1,258	1,071	17	17	18,645	9,109	8,410	599	527
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2,312	1,228	1,050	17	17	18,264	8,962	8,213	584	505
63	Malignant neoplasm of buccal cavity and pharynx 140-148	36	30	6	-	-	414	340	58	11	5
64	Of lip 140	3	3	-	-	-	29	27	2	-	-
65	Of tongue 141	11	9	2	-	-	100	86	11	2	1
66	Of other and unspecified parts of buccal cavity 142-144	12	9	3	-	-	119	93	24	1	1
67	Of pharynx 145-148	10	9	1	-	-	166	134	21	8	3
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	800	457	329	6	8	6,953	3,520	3,027	242	164
69	Of esophagus 150	32	26	6	-	-	331	242	57	26	6
70	Of stomach 151	230	147	76	2	5	1,869	970	573	95	31
71	Of intestine, except rectum 152,153	254	128	123	2	1	2,245	959	1,188	36	62
72	Of rectum 154	83	48	33	1	1	989	547	367	30	25
73	Of biliary passages and of liver (stated to be primary site) 155	53	25	28	-	-	395	124	254	6	11
74	Of liver not specified whether primary or secondary 156A	41	22	19	-	-	358	161	184	11	2
75	Of pancreas 157	92	55	35	1	1	827	451	320	33	23
76	Of peritoneum and of unspecified digestive organs 158,159	15	6	9	-	-	139	66	64	5	4
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	254	204	45	5	-	2,218	1,750	322	117	29
78	Of larynx 161	10	10	-	-	-	168	143	15	8	2
79	Of trachea, and of bronchus and lung specified as primary 162	128	106	18	4	-	767	614	92	52	9
80	Of lung and bronchus, unspecified as primary or secondary 163	109	83	25	1	-	1,195	939	192	50	14
81	Of other parts of respiratory system 160,164	7	5	2	-	-	88	54	23	7	4
82	Malignant neoplasm of breast 170	223	1	219	-	3	1,597	23	1,502	2	70

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,697	4,590	3,938	100	69	18,152	6,011	3,987	4,364	3,790	5,930	3,418	2,219	169	124	29,013	13,100	9,466	3,472	2,975	1
127	86	35	4	2	442	94	55	161	132	88	40	23	15	10	770	337	236	127	70	2
60	45	11	3	1	231	54	26	78	73	43	16	9	12	6	510	233	164	75	38	3
54	42	8	3	1	214	53	25	70	66	35	15	9	7	4	457	220	144	62	31	4
2	1	1	-	-	7	-	-	2	5	3	-	-	3	-	25	5	9	9	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	4	1	2	-	1	7
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	8
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3	1	-	9
-	-	-	-	-	1	-	-	1	-	2	-	-	1	1	3	1	1	-	1	10
2	2	-	-	-	8	1	1	4	2	3	1	-	1	1	13	4	3	3	3	11
18	11	5	1	1	61	14	4	34	9	11	8	2	-	1	67	27	11	24	5	12
-	-	-	-	-	2	-	-	2	-	1	-	-	-	1	1	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	3	-	-	-	14	7	2	3	2	6	6	-	-	-	17	8	3	6	-	15
9	6	2	-	1	32	6	2	20	4	2	1	1	-	-	29	7	3	15	4	16
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	17
2	-	1	1	-	6	1	-	4	1	2	1	1	-	-	8	4	1	2	1	18
2	1	1	-	-	3	-	-	2	1	-	-	-	-	-	9	5	3	1	-	19
1	-	1	-	-	3	-	-	2	1	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	21
-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	1	-	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	2	-	-	14	1	-	6	7	2	1	-	1	-	20	6	5	7	2	27
-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	2	1	-	1	-	28
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	1	-	-	2	-	1	1	-	1	-	1	-	-	5	3	1	-	1	30
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	31
5	5	-	-	-	13	3	4	4	2	3	1	2	-	-	16	7	3	1	5	32
-	-	-	-	-	12	1	1	3	7	3	2	-	-	1	5	2	2	-	1	33
1	-	1	-	-	22	-	2	7	13	1	1	-	-	-	24	4	11	3	6	34
6	5	1	-	-	15	4	1	8	2	6	4	2	-	-	29	16	9	3	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	5	1	-	2	2	-	-	-	-	-	7	3	1	2	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
22	11	11	-	-	7	-	6	-	1	1	1	-	-	-	9	4	3	-	2	41
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	3	2	-	-	1	42
3	2	1	-	-	6	1	3	1	1	1	1	-	-	-	8	4	4	-	-	43
3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	1	-	-	1	1	-	-	1	-	6	3	1	-	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	3	2	-	-	9	3	4	1	1	8	-	6	1	1	21	6	10	4	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	1	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	4	2	1	1	-	59
1	1	-	-	-	23	8	3	8	4	4	3	1	-	-	21	8	6	4	3	60
1,631	825	777	19	10	2,097	685	697	314	401	898	489	391	5	13	3,995	1,656	1,624	340	375	61
1,580	797	755	19	9	2,045	674	677	310	384	885	483	384	5	13	3,904	1,636	1,589	328	351	62
40	31	7	2	-	43	25	7	6	5	13	12	1	-	-	96	56	20	10	10	63
3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	4	4	-	-	-	64
11	10	1	-	-	11	7	3	1	-	-	-	-	-	-	12	7	2	1	2	65
10	7	2	1	-	13	5	2	2	4	4	3	1	-	-	40	21	13	4	2	66
16	11	4	1	-	18	12	2	3	1	8	8	-	-	-	40	24	5	5	6	67
611	315	293	1	2	613	191	192	131	99	330	192	128	4	6	1,203	506	459	148	90	68
31	20	10	1	-	59	9	9	22	19	13	8	4	1	-	55	33	10	9	3	69
164	92	72	-	-	177	57	39	52	29	107	73	31	1	2	327	137	98	65	27	70
204	94	109	-	1	118	35	52	16	15	84	43	40	-	1	332	129	165	20	18	71
98	60	38	-	-	55	19	21	5	10	37	20	15	1	1	104	39	39	14	12	72
30	8	22	-	-	26	8	11	4	3	23	7	14	1	1	64	21	34	6	3	73
19	7	12	-	-	45	15	14	7	9	18	9	9	-	-	94	41	38	7	8	74
54	29	24	-	1	121	44	44	20	13	42	27	15	-	-	189	99	55	22	13	75
11	5	6	-	-	12	4	2	5	1	6	5	-	-	1	38	7	20	5	6	76
188	165	20	3	-	229	141	29	45	14	96	75	19	1	1	472	338	74	47	13	77
12	9	2	1	-	18	12	2	3	1	4	4	-	-	-	39	31	4	3	1	78
55	52	3	-	-	64	46	6	11	1	32	29	3	-	-	180	131	20	25	4	79
119	104	13	2	-	137	77	18	30	12	55	40	14	1	-	235	168	42	18	7	80
2	-	2	-	-	10	6	3	1	-	5	2	2	-	1	18	8	8	1	1	81
163	2	159	-	2	184	3	109	-	72	83	3	80	-	-	324	-	267	-	57	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	361	156	196	4	5	2,759	949	1,595	74	141
2	Of cervix uteri----------171	69	...	67	...	2	595	...	517	...	78
3	Of other and unspecified parts of uterus----------172-174	40	...	40	...	-	539	...	502	...	37
4	Of ovary, fallopian tube, and broad ligament----------175	73	...	72	...	1	538	...	514	...	24
5	Of other and unspecified female genital organs----------176	19	...	17	...	2	64	...	62	...	2
6	Of prostate----------177	153	149	...	4	...	950	877	...	73	...
7	Of testis, and of other and unspecified male genital organs----178,179	7	7	...	-	...	73	72	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	119	87	32	-	-	891	568	282	25	16
9	Of kidney----------180	38	25	13	-	-	304	177	117	7	3
10	Of bladder and other urinary organs----------181	81	62	19	-	-	587	391	165	18	13
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	265	135	127	2	1	1,986	1,013	846	67	60
12	Of skin----------190,191	34	21	13	-	-	203	113	80	7	3
13	Of eye----------192	5	2	3	-	-	29	11	15	2	1
14	Of brain and other parts of nervous system----------193	58	40	18	-	-	342	192	137	9	4
15	Of thyroid gland----------194	9	5	4	-	-	88	36	45	4	3
16	Of bone (including jaw bone)----------196	18	8	10	-	-	145	87	48	2	8
17	Of connective tissue----------197	16	7	9	-	-	40	19	14	5	2
18	Of other specified sites, not stated to be secondary-----195,198A,199A	27	11	16	-	-	336	146	174	8	8
19	Of unspecified sites----------156B,165,198B,199B-M	98	41	54	2	1	803	409	333	30	31
20	Leukemia and aleukemia----------204	139	81	58	-	-	745	391	317	25	12
21	Lymphosarcoma, etc.*----------200-203,205	115	77	38	-	-	701	408	264	21	8
22	Lymphosarcoma and reticulosarcoma----------200	59	42	17	-	-	326	192	126	6	2
23	Hodgkin's disease----------201	25	17	8	-	-	202	117	77	7	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	31	18	13	-	-	173	99	61	8	5
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	51	30	21	-	-	381	147	197	15	22
26	Benign neoplasms of female genital organs----------214-217	5	...	5	...	-	75	...	62	...	13
27	Benign neoplasm of brain and other parts of nervous system---------223	9	6	3	-	-	74	31	38	4	1
28	Other benign neoplasms----------210-213,218-222,224-229	9	7	2	-	-	55	20	27	2	6
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	15	10	5	-	-	120	64	50	4	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	13	7	6	-	-	57	32	20	5	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	268	153	108	5	2	3,140	1,149	1,798	71	122
33	Asthma----------241	66	49	16	1	-	413	255	140	10	8
34	Nontoxic goiter----------250,251	3	1	2	-	-	16	1	11	1	3
35	Thyrotoxicosis with or without goiter----------252	3	-	3	-	-	77	9	63	-	5
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	2	1	-	-	14	7	7	-	-
37	Diabetes mellitus----------260	170	86	78	4	2	2,454	791	1,517	47	99
38	Diseases of thymus gland----------273	4	3	1	-	-	29	16	8	4	1
39	Diseases of adrenal glands----------274	5	4	1	-	-	25	12	12	1	-
40	Pellagra----------281	-	-	-	-	-	1	-	1	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	5	2	3	-	-	50	27	18	4	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	9	6	3	-	-	61	31	21	4	5
43	IV. Diseases of the blood and blood-forming organs----------	53	28	25	-	-	322	144	158	12	8
44	Anemias----------290-293	36	14	22	-	-	204	73	118	7	6
45	Pernicious and other hyperchromic anemias----------290	13	3	10	-	-	76	24	52	-	-
46	Anemias of other and unspecified type----------291-293	23	11	12	-	-	128	49	66	7	6
47	Purpura and other hemorrhagic conditions----------296	5	5	-	-	-	42	21	17	3	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	12	9	3	-	-	76	50	23	2	1
49	V. Mental, psychoneurotic, and personality disorders----------	49	31	14	2	2	132	71	44	13	4
50	Senile psychosis----------304	9	3	6	-	-	20	3	17	-	-
51	Alcoholic psychosis----------307	4	4	-	-	-	6	6	-	-	-
52	Other psychoses----------300-303,305,306,308,309	2	-	2	-	-	21	11	10	-	-
53	Alcoholism----------322	29	22	4	1	2	72	45	11	13	3
54	Mental deficiency----------325	4	2	2	-	-	6	3	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	-	1	-	7	3	3	-	1
56	VI. Diseases of the nervous system and sense organs----------	2,019	1,024	965	19	11	13,259	6,049	6,314	471	425
57	Vascular lesions affecting central nervous system----------330-334	1,872	936	911	17	8	12,270	5,531	5,918	426	395
58	Subarachnoid hemorrhage----------330	59	22	33	1	3	338	150	155	16	17
59	Cerebral hemorrhage----------331	1,126	559	552	11	4	7,401	3,303	3,623	242	233
60	Cerebral embolism and thrombosis----------332	517	271	241	5	-	3,169	1,490	1,457	121	101
61	Other vascular lesions affecting central nervous system--------333,334	170	84	85	-	1	1,362	588	683	47	44
62	Meningitis, except meningococcal and tuberculous----------340	23	16	7	-	-	109	54	34	13	8
63	Multiple sclerosis----------345	25	15	10	-	-	134	65	62	2	5
64	Paralysis agitans----------350	36	18	17	-	1	207	118	85	3	1
65	Cerebral spastic infantile paralysis----------351	4	3	1	-	-	41	25	16	-	-
66	Epilepsy----------353	15	9	5	-	1	136	72	52	7	5
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	11	4	7	-	-
69	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	9	6	2	1	-	22	11	9	1	1
71	Other diseases of nervous system and sense organs----------Residual[1]	35	21	12	1	1	328	169	130	19	10
72	VII. Diseases of the circulatory system----------	6.702	4,163	2,459	49	31	51,601	27,599	21,178	1,472	1,352
73	Rheumatic fever----------400-402	6	2	4	-	-	87	50	28	2	7
74	Diseases of heart----------410-443	5,987	3,735	2,182	43	27	47,005	25,415	19,069	1,321	1,200
75	Chronic rheumatic heart disease----------410-416	213	109	99	2	3	1,680	751	840	38	51
76	Diseases of mitral valve----------410	87	37	48	-	2	602	259	310	11	22
77	Diseases of aortic valve specified as rheumatic----------411	21	15	6	-	-	101	71	26	3	1
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	12	8	4	-	-	115	50	56	3	8
80	Other diseases of heart specified as rheumatic----------415,416	93	49	41	2	1	862	371	448	21	22

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
198	78	115	1	4	427	88	160	54	125	110	57	49	-	4	761	219	359	58	125	1
40	...	39	...	1	150	...	81	...	69	14	...	11	...	3	244	...	169	...	75	2
34	...	32	...	2	70	...	36	...	34	18	...	18	...	-	129	...	96	...	33	3
44	...	43	...	1	59	...	41	...	18	19	...	18	...	1	97	...	82	...	15	4
1	...	1	...	-	6	...	2	...	4	2	...	2	...	-	14	...	12	...	2	5
75	74	...	1	...	134	85	...	49	...	52	52	...	-	...	259	206	...	53	...	6
4	4	...	-	...	8	3	...	5	...	5	5	...	-	...	18	13	...	5	...	7
82	52	25	4	1	76	30	24	10	12	35	27	8	-	-	134	67	51	9	7	8
27	16	9	2	-	25	11	8	3	3	15	10	5	-	-	59	26	22	6	5	9
55	36	16	2	1	51	19	16	7	9	20	17	3	-	-	75	41	29	3	2	10
183	95	82	6	-	286	117	90	40	39	116	57	58	-	1	560	261	233	30	36	11
14	7	6	1	-	40	16	15	3	6	9	5	4	-	-	96	55	36	2	3	12
5	3	2	-	-	5	1	2	1	1	-	-	-	-	-	6	5	1	-	-	13
24	16	8	-	-	53	32	19	2	-	22	10	12	-	-	111	63	39	3	6	14
5	3	1	1	-	9	1	3	-	5	3	-	3	-	-	19	5	10	1	3	15
18	10	8	-	-	32	14	8	5	5	6	4	2	-	-	29	16	12	1	-	16
2	1	1	-	-	9	5	2	-	2	5	2	3	-	-	22	8	11	1	2	17
25	7	16	2	-	54	17	16	14	7	18	9	9	-	-	102	38	48	6	10	18
90	48	40	2	-	84	31	25	15	13	53	27	25	-	1	175	71	76	16	12	19
51	28	22	1	-	99	39	38	15	7	59	32	26	-	1	176	107	56	7	6	20
64	31	32	1	-	88	40	28	9	11	43	28	15	-	-	178	82	70	19	7	21
21	10	11	-	-	42	19	12	5	6	21	16	5	-	-	80	41	31	5	3	22
18	7	11	-	-	22	12	6	1	3	12	5	7	-	-	54	26	22	5	1	23
25	14	10	1	-	24	9	10	3	2	10	7	3	-	-	44	15	17	9	3	24
51	28	22	-	1	52	11	20	4	17	13	6	7	-	-	91	20	35	12	24	25
2	...	2	...	-	15	...	4	...	11	3	...	3	...	-	25	...	9	...	16	26
6	2	4	-	-	10	4	5	-	1	5	2	3	-	-	12	2	7	2	1	27
6	4	2	-	-	7	2	3	1	1	2	2	-	-	-	13	3	3	4	3	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
24	12	11	-	1	12	3	8	1	-	2	1	1	-	-	27	10	12	4	1	30
13	10	3	-	-	8	2	-	2	4	1	1	-	-	-	13	5	3	2	3	31
284	117	164	1	2	368	115	100	64	89	125	58	65	2	-	493	199	198	35	61	32
52	32	20	-	-	64	32	10	11	11	23	17	6	-	-	101	51	36	11	3	33
1	-	1	-	-	1	-	-	1	-	1	-	1	-	-	1	-	1	-	-	34
3	1	2	-	-	13	-	5	1	7	3	1	2	-	-	17	-	10	-	7	35
2	-	2	-	-	1	-	-	1	-	1	-	1	-	-	2	-	2	-	-	36
214	79	132	1	2	248	75	78	34	61	91	36	53	2	-	315	126	126	22	41	37
1	1	-	-	-	9	3	-	5	1	1	1	-	-	-	3	2	-	-	1	38
3	1	2	-	-	3	-	2	-	1	-	-	-	-	-	7	4	3	-	-	39
-	-	-	-	-	6	2	2	1	1	-	-	-	-	-	5	1	3	-	1	40
6	2	4	-	-	16	2	-	9	5	1	-	1	-	-	22	6	11	-	5	41
2	1	1	-	-	7	1	3	1	2	4	3	1	-	-	20	9	6	2	3	42
16	7	9	-	-	54	21	7	8	18	30	15	15	-	-	101	47	34	13	7	43
11	4	7	-	-	36	10	4	7	15	22	11	11	-	-	64	24	23	11	6	44
5	1	4	-	-	2	2	-	-	-	10	7	3	-	-	17	10	6	-	1	45
6	3	3	-	-	34	8	4	7	15	12	4	8	-	-	47	14	17	11	5	46
-	-	-	-	-	10	5	2	-	3	2	1	1	-	-	11	5	3	2	1	47
5	3	2	-	-	8	6	1	1	-	6	3	3	-	-	26	18	8	-	-	48
19	16	3	-	-	42	18	7	11	6	8	6	2	-	-	80	35	27	12	6	49
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	10	2	8	-	-	50
3	3	-	-	-	2	1	-	1	-	-	-	-	-	-	3	1	-	1	1	51
3	1	2	-	-	2	-	-	1	1	1	1	-	-	-	16	3	10	2	1	52
11	10	1	-	-	31	15	4	8	4	4	3	1	-	-	42	25	5	9	3	53
2	2	-	-	-	3	-	3	-	-	2	1	1	-	-	2	1	1	-	-	54
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	7	3	3	-	1	55
941	427	493	11	10	2,617	702	623	652	640	850	437	377	14	22	4,157	1,597	1,599	455	506	56
867	386	460	11	10	2,471	653	600	610	608	760	383	352	11	14	3,905	1,489	1,521	416	479	57
32	15	17	-	-	97	23	26	29	19	12	5	6	-	1	134	49	51	13	21	58
499	224	264	5	6	1,583	379	352	415	437	552	269	264	9	10	2,454	923	952	267	312	59
293	121	152	6	4	569	195	186	102	86	114	67	44	1	2	840	345	342	78	75	60
53	26	27	-	-	222	56	36	64	66	82	42	38	1	1	477	172	176	58	71	61
7	5	2	-	-	30	9	1	11	9	14	6	2	2	4	49	23	9	9	8	62
14	7	7	-	-	7	3	3	1	-	12	10	2	-	-	11	4	4	2	1	63
16	6	10	-	-	19	9	4	2	4	12	8	4	-	-	27	9	10	6	2	64
-	-	-	-	-	6	4	-	2	-	3	3	-	-	-	14	7	4	2	1	65
12	5	7	-	-	33	7	4	13	9	12	3	7	1	1	40	15	17	4	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
4	4	-	-	-	5	2	1	-	2	4	-	2	-	2	9	6	2	1	-	70
21	14	7	-	-	45	15	10	12	8	32	24	7	-	1	102	44	32	15	11	71
4,043	2,166	1,809	42	26	6,496	2,513	1,497	1,310	1,176	2,356	1,454	852	35	15	10,333	5,067	3,320	1,015	931	72
1	1	-	-	-	24	4	3	6	11	2	2	-	-	-	42	17	16	4	5	73
3,752	2,020	1,667	40	25	5,843	2,313	1,353	1,141	1,036	2,123	1,328	749	33	13	9,342	4,620	2,987	905	830	74
98	43	54	1	-	124	44	25	24	31	72	38	32	1	1	289	114	113	28	34	75
37	11	25	1	-	58	18	11	14	15	24	13	11	-	-	138	51	53	14	20	76
6	5	1	-	-	8	5	1	1	1	5	4	1	-	-	14	8	5	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
3	2	1	-	-	5	3	2	-	-	9	5	2	1	1	21	9	7	2	3	79
52	25	27	-	-	53	18	11	9	15	34	16	18	-	-	116	46	48	11	11	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	4,385	2,945	1,393	28	19	31,529	18,740	11,490	724	575
2	Arteriosclerotic heart disease so described----------420.0	1,429	826	586	9	8	12,247	6,122	5,519	326	280
3	Heart disease specified as involving coronary arteries----------420.1	2,945	2,112	803	19	11	19,237	12,594	5,951	397	295
4	Angina pectoris without mention of coronary disease----------420.2	11	7	4	-	-	45	24	20	1	-
5	Chronic endocarditis not specified as rheumatic----------421	96	60	36	-	-	655	316	296	21	22
6	Of mitral valve, specified as nonrheumatic----------421.0	10	8	2	-	-	51	23	25	2	1
7	Of aortic valve, not specified as rheumatic----------421.1	38	28	10	-	-	158	92	44	12	10
8	Of other valves, not specified as rheumatic----------421.2-421.4	48	24	24	-	-	446	201	227	7	11
9	Other myocardial degeneration----------422	290	164	123	1	2	5,675	2,597	2,823	142	113
10	With arteriosclerosis----------422.1	158	88	68	1	1	3,634	1,614	1,871	80	69
11	Without mention of arteriosclerosis----------422.0,422.2	132	76	55	-	1	2,041	983	952	62	44
12	Other diseases of heart----------430-434	209	131	74	4	-	1,409	711	557	74	67
13	Acute and subacute endocarditis----------430	12	7	3	2	-	67	31	26	8	2
14	Acute myocarditis not specified as rheumatic----------431	10	7	3	-	-	144	68	63	5	8
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	2	-	1	1	-
16	Functional disease of heart----------433	26	13	13	-	-	188	91	84	6	7
17	Other and unspecified diseases of heart----------434	160	103	55	2	-	1,008	521	383	54	50
18	Hypertension with heart disease----------440-443	794	326	457	8	3	6,057	2,300	3,063	322	372
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	308	145	158	2	3	2,081	906	959	112	104
20	Essential hypertension with heart disease, etc.*----------440,441,443	486	181	299	6	-	3,976	1,394	2,104	210	268
21	Hypertension without mention of heart----------444-447	82	38	38	4	2	808	348	345	56	59
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	42	22	14	4	2	524	251	204	33	36
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	40	16	24	-	-	284	97	141	23	23
24	Diseases of arteries----------450-456	565	354	208	2	1	3,304	1,612	1,556	67	69
25	General arteriosclerosis----------450	475	295	178	1	1	2,782	1,293	1,402	44	43
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	74	48	25	1	-	366	234	96	19	17
27	Gangrene of unspecified cause----------455	-	-	-	-	-	23	18	3	-	2
28	Other arterial diseases----------452-454,456	16	11	5	-	-	133	67	55	4	7
29	Diseases of veins and other diseases of circulatory system--------460-468	62	34	27	-	1	397	174	180	26	17
30	VIII. Diseases of the respiratory system----------	628	376	227	13	12	4,660	2,797	1,385	304	174
31	Acute upper respiratory infections----------470-475	8	4	4	-	-	38	23	12	2	1
32	Influenza----------480-483	12	8	4	-	-	155	63	83	4	5
33	Pneumonia, except pneumonia of newborn----------490-493	384	203	158	12	11	2,707	1,323	1,009	234	141
34	Lobar pneumonia----------490	92	55	33	1	3	877	445	302	90	40
35	Bronchopneumonia----------491	200	106	81	8	5	1,252	580	472	117	83
36	Primary atypical pneumonia----------492	25	14	11	-	-	290	151	118	12	9
37	Pneumonia, other and unspecified----------493	67	28	33	3	3	288	147	117	15	9
38	Acute bronchitis----------500	28	18	9	-	1	61	29	23	5	4
39	Bronchitis, chronic and unqualified----------501,502	42	29	13	-	-	116	77	33	3	3
40	Hypertrophy of tonsils and adenoids----------510	4	1	3	-	-	17	7	9	-	1
41	Empyema and abscess of lung----------518,521	3	2	1	-	-	49	31	10	6	2
42	Pleurisy----------519	1	1	-	-	-	13	9	2	2	-
43	All other respiratory diseases----------Residual[1]	146	110	35	1	-	1,504	1,235	204	48	17
44	IX. Diseases of the digestive system----------	468	259	190	9	10	4,361	2,481	1,636	143	101
45	Diseases of teeth and supporting structures----------530-535	2	-	2	-	-	9	7	1	-	1
46	Ulcer of stomach----------540	35	25	9	1	-	338	251	72	12	3
47	Ulcer of duodenum----------541	60	45	12	3	-	360	286	58	10	6
48	Gastritis and duodenitis----------543	2	1	1	-	-	33	22	9	1	1
49	Appendicitis----------550-553	20	10	9	1	-	152	98	46	5	3
50	Hernia and intestinal obstruction----------560,561,570	86	41	43	-	2	715	336	338	27	14
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	50	28	18	-	4	389	182	181	14	12
52	Cirrhosis of liver----------581	109	52	51	3	3	1,208	783	365	33	27
53	Without mention of alcoholism----------581.0	79	31	44	2	2	987	628	318	21	20
54	With alcoholism----------581.1	30	21	7	1	1	221	155	47	12	7
55	Cholelithiasis and cholecystitis----------584,585	39	16	22	-	1	482	175	298	3	6
56	Other diseases of digestive system----------Residual[1]	65	41	23	1	-	675	341	268	38	28
57	X. Diseases of the genito-urinary system----------	302	180	109	5	8	2,346	1,268	845	126	107
58	Nephritis and nephrosis----------590-594	142	66	67	2	7	1,356	634	587	67	68
59	Acute nephritis----------590	5	2	3	-	-	91	42	41	5	3
60	Nephritis with edema, including nephrosis----------591	10	4	6	-	-	95	48	36	3	8
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	127	60	58	2	7	1,170	544	510	59	57
62	Infections of kidney----------600	59	33	24	2	-	299	119	133	20	27
63	Calculi of urinary system----------602,604	11	5	6	-	-	75	43	29	3	1
64	Other diseases of urinary system----------601,603,605-609	18	11	6	-	1	126	67	44	11	4
65	Hyperplasia of prostate----------610	64	63	...	1	...	400	376	...	24	...
66	Other diseases of male genital organs----------611-617	2	2	...	-	...	30	29	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	6	...	6	...	-	60	...	53	...	7
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	8	...	8	...	-	93	...	70	...	23
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	7	...	6	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	1	...	1	...	-	29	...	24	...	5
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	1	...	-	25	...	23	...	2
73	Ectopic pregnancy----------645	-	...	-	...	-	5	...	1	...	4
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	3	...	2	...	1
75	Abortion with sepsis----------651	-	...	-	...	-	4	...	2	...	2
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	4	...	4	...	-	20	...	12	...	8

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,943	1,663	1,236	29	15	3,353	1,729	781	473	370	1,505	1,005	480	18	2	5,619	3,222	1,767	362	268	1
1,729	870	828	20	11	733	311	197	119	106	357	210	143	4	-	1,909	926	706	155	122	2
1,209	790	406	9	4	2,577	1,400	576	347	254	1,141	790	335	14	2	3,692	2,281	1,060	205	146	3
5	3	2	-	-	43	18	8	7	10	7	5	2	-	-	18	15	1	2	-	4
35	18	17	-	-	105	23	14	39	29	23	13	9	-	1	169	64	44	29	32	5
7	1	6	-	-	6	1	-	4	1	1	1	-	-	-	19	5	7	3	4	6
12	11	1	-	-	26	7	4	8	7	6	4	2	-	-	51	23	12	7	9	7
16	6	10	-	-	73	15	10	27	21	16	8	7	-	1	99	36	25	19	19	8
220	109	108	3	-	527	135	184	91	117	227	125	99	1	2	970	393	365	106	106	9
130	55	72	3	-	321	93	114	51	63	77	40	37	-	-	445	187	178	44	36	10
90	54	36	-	-	206	42	70	40	54	150	85	62	1	2	525	206	187	62	70	11
44	27	16	-	1	298	86	57	86	69	110	63	32	10	5	624	240	148	137	99	12
2	2	-	-	-	15	4	1	9	1	2	2	-	-	-	11	3	6	1	1	13
2	-	1	-	1	11	4	3	3	1	3	2	1	-	-	38	17	8	3	10	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
7	7	-	-	-	23	6	10	2	5	13	10	3	-	-	38	15	13	5	5	16
33	18	15	-	-	249	72	43	72	62	92	49	28	10	5	536	204	121	128	83	17
412	160	236	7	9	1,436	296	292	428	420	186	84	97	3	2	1,671	587	550	243	291	18
108	40	67	1	-	404	66	71	138	129	67	34	32	-	1	404	153	134	66	51	19
304	120	169	6	9	1,032	230	221	290	291	119	50	65	3	1	1,267	434	416	177	240	20
64	23	40	-	1	180	41	31	56	52	55	30	23	-	2	283	102	92	47	42	21
51	22	29	-	-	58	19	14	14	11	32	19	13	-	-	113	53	30	20	10	22
13	1	11	-	1	122	22	17	42	41	23	11	10	-	2	170	49	62	27	32	23
196	109	85	2	-	391	138	93	93	67	149	77	70	2	-	563	276	194	47	46	24
160	80	79	1	-	311	95	79	82	55	122	59	62	1	-	451	211	168	35	37	25
25	21	3	1	-	45	30	5	7	3	17	12	4	1	-	65	41	11	7	6	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	27
11	8	3	-	-	35	13	9	4	9	10	6	4	-	-	42	23	12	4	3	28
30	13	17	-	-	58	17	17	14	10	27	17	10	-	-	103	52	31	12	8	29
251	148	94	7	2	877	216	146	279	236	218	129	56	17	16	1,412	580	505	201	126	30
5	4	1	-	-	28	1	2	14	11	5	1	1	2	1	26	8	5	9	4	31
3	2	1	-	-	81	7	13	33	28	6	5	1	-	-	137	43	47	24	23	32
168	91	69	6	2	608	123	99	204	182	148	80	40	15	13	892	344	334	134	80	33
39	20	14	3	2	190	41	30	59	60	32	23	5	1	3	251	91	88	48	24	34
94	51	41	2	-	278	50	49	94	85	69	36	18	9	6	468	186	188	57	37	35
11	7	4	-	-	35	13	4	11	7	8	6	2	-	-	62	28	20	6	8	36
24	13	10	1	-	105	19	16	40	30	39	15	15	5	4	111	39	38	23	11	37
6	2	4	-	-	7	4	1	1	1	1	1	-	-	-	12	2	5	2	3	38
12	9	3	-	-	22	10	3	5	4	7	2	4	-	1	57	33	17	3	4	39
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7	2	3	2	-	40
2	2	-	-	-	10	3	2	4	1	2	2	-	-	-	13	10	2	-	1	41
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	42
54	37	16	1	-	119	67	26	18	8	49	38	10	-	1	267	138	91	27	11	43
362	216	141	2	3	618	193	119	168	138	217	116	79	14	8	848	398	254	106	90	44
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
40	30	10	-	-	43	24	5	12	2	24	16	7	1	-	70	40	10	11	9	46
33	27	5	-	1	22	12	2	6	2	15	14	1	-	-	62	44	9	5	4	47
-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	6	2	1	2	1	48
7	6	-	1	-	29	11	4	6	8	14	4	10	-	-	36	17	11	6	2	49
59	27	31	-	1	93	24	24	23	22	41	21	16	2	2	137	55	46	22	14	50
29	15	14	-	-	194	25	23	81	65	29	10	10	6	3	147	45	47	25	30	51
101	67	33	1	-	97	56	15	13	13	40	23	12	3	2	181	113	39	18	11	52
67	43	24	-	-	83	47	13	11	12	33	19	11	1	2	149	92	33	14	10	53
34	24	9	1	-	14	9	2	2	1	7	4	1	2	-	32	21	6	4	1	54
51	22	28	-	1	48	14	26	2	6	26	9	17	-	-	66	27	35	3	1	55
42	22	20	-	-	88	27	19	24	18	27	18	6	2	1	143	55	56	14	18	56
167	100	64	3	-	460	121	93	148	98	101	66	31	2	2	731	339	161	147	84	57
93	51	41	1	-	286	63	62	87	74	45	25	18	1	1	426	179	111	76	60	58
4	2	2	-	-	29	6	6	13	4	3	1	2	-	-	44	21	13	7	3	59
9	6	3	-	-	16	1	6	5	4	3	1	2	-	-	31	16	7	3	5	60
80	43	36	1	-	241	56	50	69	66	39	23	14	1	1	351	142	91	66	52	61
31	14	17	-	-	60	17	14	18	11	13	5	8	-	-	86	32	25	17	12	62
5	3	2	-	-	15	4	8	1	2	6	4	2	-	-	24	13	10	-	1	63
7	4	2	1	-	20	2	3	13	2	5	2	3	-	-	34	9	5	16	4	64
25	24	...	1	...	62	34	...	28	...	27	27	...	-	...	128	95	...	33	...	65
4	4	...	-	...	2	1	...	1	...	4	3	...	1	...	16	11	...	5	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
2	...	2	...	-	15	...	6	...	9	1	...	-	...	1	16	...	9	...	7	68
2	...	2	...	-	64	...	4	...	60	6	...	5	...	1	51	...	31	...	20	69
1	...	1	...	-	6	...	-	...	6	1	...	1	...	-	9	...	7	...	2	70
-	...	-	...	-	25	...	1	...	24	1	...	1	...	-	15	...	6	...	9	71
-	...	-	...	-	17	...	-	...	17	3	...	2	...	1	11	...	9	...	2	72
-	...	-	...	-	2	...	-	...	2	1	...	1	...	-	-	...	-	...	-	73
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	2	...	-	...	2	74
-	...	-	...	-	4	...	-	...	4	-	...	-	...	-	4	...	2	...	2	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
1	...	1	...	-	8	...	2	...	6	-	...	-	...	-	10	...	7	...	3	77

420487 O -57 -11

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	19	6	13	-	-	107	39	58	2	8
2	Infections of skin and subcutaneous tissue---690-698	3	1	2	-	-	17	13	4	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	16	5	11	-	-	90	26	54	2	8
4	XIII. Diseases of the bones and organs of movement	39	18	20	1	-	217	82	116	9	10
5	Arthritis and spondylitis---720-725	18	9	9	-	-	101	24	66	4	7
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	3	1	2	-	-
7	Osteomyelitis and periostitis---730	3	2	1	-	-	17	7	8	2	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	10	5	5	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	17	7	9	1	-	86	45	35	3	3
10	XIV. Congenital malformations	213	111	96	4	2	1,259	622	547	51	39
11	Spina bifida and meningocele---751	10	2	8	-	-	83	37	44	2	-
12	Congenital hydrocephalus, etc.*---752,753	26	12	14	-	-	154	66	80	4	4
13	Congenital malformations of circulatory system---754	109	65	40	3	1	547	278	225	24	20
14	Other congenital malformations---750,755-759	68	32	34	1	1	475	241	198	21	15
15	XV. Certain diseases of early infancy	533	291	219	13	10	3,779	1,889	1,230	355	305
16	Birth injuries---760,761	131	69	58	3	1	817	442	263	62	50
17	Postnatal asphyxia and atelectasis---762	150	79	66	4	1	1,005	500	307	112	86
18	Infections of newborn---763-768	24	13	8	-	3	254	125	62	29	38
19	Hemolytic disease of newborn (erythroblastosis)---770	18	8	10	-	-	165	88	69	4	4
20	All other defined diseases of early infancy---769,771,772	15	10	2	2	1	105	49	40	9	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	195	112	75	4	4	1,433	685	489	139	120
22	XVI. Symptoms, senility, and ill-defined conditions	159	93	58	7	1	813	472	239	60	42
23	Senility without mention of psychosis---794	71	31	37	2	1	138	56	72	2	8
24	Symptoms, ill-defined and unknown causes---780-793,795	88	62	21	5	-	675	416	167	58	34
25	XVII. Accidents, poisonings, and violence	1,383	981	348	41	13	6,961	4,366	1,968	460	167
26	Accidents---E800-E962	1,084	765	279	30	10	5,662	3,477	1,717	338	130
27	Railway accidents---E800-E802	8	6	1	1	-	75	60	4	11	-
28	Motor-vehicle accidents---E810-E835	434	301	110	16	7	1,948	1,385	415	117	31
29	Motor-vehicle traffic accidents---E810-E825	414	283	108	16	7	1,916	1,359	411	115	31
30	Motor-vehicle traffic accident with railway train*---E810	6	4	2	-	-	37	27	10	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	74	48	21	3	2	518	369	111	32	6
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	121	82	35	3	1	636	416	157	49	14
33	Motor-vehicle noncollision traffic accidents---E820-E824	155	109	35	7	4	461	364	68	22	7
34	Motor-vehicle traffic accident of unspecified nature---E825	58	40	15	3	-	264	183	65	12	4
35	Motor-vehicle nontraffic accidents---E830-E835	20	18	2	-	-	32	26	4	2	-
36	Other road-vehicle accidents---E840-E845	4	3	1	-	-	24	15	9	-	-
37	Water-transport accidents---E850-E858	37	36	-	1	-	45	37	6	1	1
38	Aircraft accidents---E860-E866	17	16	1	-	-	45	41	4	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	12	5	6	1	-	86	42	25	15	4
40	Accidental poisoning by gases and vapors---E890-E895	18	15	3	-	-	88	61	17	6	4
41	Accidental falls---E900-E904	166	95	69	2	-	1,847	840	927	47	33
42	Fall from one level to another---E900-E902	67	46	20	1	-	743	424	262	37	20
43	Fall on same level---E903	35	14	21	-	-	460	180	266	7	7
44	Unspecified falls---E904	64	35	28	1	-	644	236	399	3	6
45	Blow from falling object---E910	47	43	4	-	-	108	100	-	8	-
46	Accident caused by machinery---E912	41	39	1	1	-	117	112	2	3	-
47	Accident caused by electric current---E914	10	10	-	-	-	51	45	2	3	1
48	Accident caused by fire and explosion, etc.*---E916	76	44	29	2	1	315	163	106	24	22
49	Accident caused by hot substance, etc.*---E917,E918	2	-	2	-	-	31	14	15	2	-
50	Accident caused by firearm---E919	24	23	1	-	-	82	67	7	8	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	23	9	13	-	1	128	62	30	24	12
52	Accidental drowning---E929	72	50	17	4	1	231	167	25	38	1
53	Excessive heat and insolation---E931	1	1	-	-	-	23	13	7	2	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	10	4	6	-	-	38	14	19	2	3
55	All other accidents---Residual[1]	82	65	15	2	-	380	239	97	27	17
56	Suicide---E963,E970-E979	251	192	57	2	-	1,046	806	212	19	9
57	Suicide by poisoning---E970-E973	73	49	24	-	-	178	113	63	1	1
58	Suicide by hanging and strangulation---E974	34	22	11	1	-	294	215	72	4	3
59	Suicide by firearms and explosives---E976	121	106	15	-	-	426	380	35	9	2
60	Suicide by all other means---E963,E975,E977-E979	23	15	7	1	-	148	98	42	5	3
61	Homicide---E964,E980-E985	48	24	12	9	3	252	82	39	103	28
62	Assault by firearms and explosives---E981	32	14	8	7	3	88	30	20	32	6
63	Assault by cutting and piercing instruments---E982	6	2	2	2	-	75	12	4	44	15
64	Assault by other means---E964,E980,E983	9	7	2	-	-	79	34	15	23	7
65	Injury by intervention of police---E984	1	1	-	-	-	3	2	-	1	-
66	Execution---E985	-	-	-	-	-	7	4	-	3	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	3	7	1	-	13	3	4	4	2	5	2	3	-	-	15	5	5	2	3	1
1	-	-	1	-	4	1	1	1	1	-	-	-	-	-	5	2	1	1	1	2
10	3	7	-	-	9	2	3	3	1	5	2	3	-	-	10	3	4	1	2	3
8	2	6	-	-	43	15	15	6	7	17	8	6	1	2	75	22	40	6	7	4
1	-	1	-	-	15	6	5	2	2	11	5	5	1	-	50	10	29	4	7	5
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	3	1	1	1	-	6
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	6	4	2	-	-	7
-	-	-	-	-	4	1	2	1	-	1	-	-	-	1	2	1	1	-	-	8
7	2	5	-	-	21	7	7	3	4	4	3	1	-	-	14	6	7	1	-	9
126	57	68	1	-	280	95	101	46	38	100	44	51	3	2	431	221	143	32	35	10
15	4	11	-	-	25	6	14	3	2	7	2	5	-	-	35	18	15	2	-	11
14	6	7	1	-	39	14	10	8	7	9	4	5	-	-	63	27	26	5	5	12
55	29	26	-	-	110	37	36	18	19	45	23	19	1	2	178	94	56	10	18	13
42	18	24	-	-	106	38	41	17	10	39	15	22	2	-	155	82	46	15	12	14
258	138	108	7	5	1,125	332	204	336	253	282	160	102	15	5	1,321	541	421	206	153	15
38	23	15	-	-	165	56	39	41	29	52	35	14	2	1	197	96	62	22	17	16
66	48	16	2	-	274	110	51	66	47	79	45	31	3	-	303	130	110	33	30	17
6	3	2	-	1	94	13	6	46	29	23	16	5	2	-	96	34	24	24	14	18
11	5	6	-	-	27	9	10	7	1	12	7	5	-	-	30	16	9	4	1	19
3	-	3	-	-	89	16	11	36	26	8	2	5	-	1	46	14	15	7	10	20
134	59	66	5	4	476	128	87	140	121	108	55	42	8	3	649	251	201	116	81	21
8	7	1	-	-	692	89	54	268	281	83	41	21	11	10	1,763	639	344	431	349	22
3	3	-	-	-	15	3	4	1	7	22	11	11	-	-	68	23	31	6	8	23
5	4	1	-	-	677	86	50	267	274	61	30	10	11	10	1,695	616	313	425	341	24
443	275	157	2	9	1,864	799	261	589	215	546	353	140	35	18	2,437	1,417	524	344	152	25
372	226	136	2	8	1,458	619	216	443	180	469	297	129	26	17	1,903	1,116	450	218	119	26
3	3	-	-	-	25	11	-	14	-	3	2	-	1	-	33	25	2	4	2	27
98	78	17	1	2	679	357	109	164	49	200	122	57	11	10	913	595	190	92	36	28
97	77	17	1	2	662	350	106	158	48	199	121	57	11	10	889	578	185	90	36	29
1	1	-	-	-	20	7	8	5	-	1	-	1	-	-	37	19	15	3	-	30
36	27	6	1	2	112	45	12	36	19	18	12	4	1	1	143	77	27	23	16	31
24	19	5	-	-	100	54	18	23	5	77	46	26	2	3	389	256	90	29	14	32
29	25	4	-	-	93	45	13	32	3	86	55	17	8	6	259	185	36	33	5	33
7	5	2	-	-	337	199	55	62	21	17	8	9	-	-	61	41	17	2	1	34
1	1	-	-	-	17	7	3	6	1	1	1	-	-	-	24	17	5	2	-	35
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	5	3	-	2	-	36
1	-	1	-	-	24	14	1	9	-	6	5	1	-	-	36	34	2	-	-	37
4	4	-	-	-	15	11	-	2	2	13	13	-	-	-	14	13	1	-	-	38
8	7	-	-	1	36	17	4	9	6	5	3	-	2	-	26	15	4	5	2	39
3	2	1	-	-	5	4	1	-	-	6	5	1	-	-	14	7	1	4	2	40
173	71	100	-	2	122	43	54	13	12	86	44	42	-	-	283	104	142	18	19	41
55	24	31	-	-	40	20	13	7	-	19	12	7	-	-	69	34	21	11	3	42
47	17	29	-	1	12	4	5	1	2	14	8	6	-	-	55	18	34	-	3	43
71	30	40	-	1	70	19	36	5	10	53	24	29	-	-	159	52	87	7	13	44
2	1	1	-	-	26	10	-	16	-	4	3	-	1	-	25	22	1	2	-	45
1	1	-	-	-	23	14	-	9	-	18	16	2	-	-	43	39	2	2	-	46
2	2	-	-	-	26	13	2	9	2	8	6	2	-	-	22	18	1	2	1	47
19	15	4	-	-	161	23	18	66	54	22	8	11	1	2	160	51	45	34	30	48
1	-	1	-	-	12	3	1	6	2	2	1	1	-	-	19	6	6	2	5	49
1	1	-	-	-	49	22	4	17	6	18	15	1	1	1	57	44	5	6	2	50
6	5	1	-	-	27	8	5	10	4	5	3	1	1	-	37	20	5	9	3	51
28	22	5	1	-	94	36	1	45	12	26	20	4	2	-	86	57	14	13	2	52
-	-	-	-	-	2	1	-	1	-	5	1	1	1	2	5	2	-	2	1	53
4	3	1	-	-	8	3	1	2	2	4	2	2	-	-	14	6	6	-	2	54
18	11	4	-	3	121	28	15	49	29	38	28	3	5	2	111	55	23	21	12	55
57	42	15	-	-	174	130	28	14	2	65	54	9	2	-	266	207	47	9	3	56
18	9	9	-	-	12	10	1	-	1	5	4	-	1	-	32	24	7	1	-	57
18	14	4	-	-	12	10	1	1	-	16	11	4	1	-	31	22	8	-	1	58
8	8	-	-	-	135	102	21	12	-	39	36	3	-	-	178	144	26	8	-	59
13	11	2	-	-	15	8	5	1	1	5	3	2	-	-	25	17	6	-	2	60
14	7	6	-	1	232	50	17	132	33	12	2	2	7	1	267	93	27	117	30	61
3	2	1	-	-	139	39	8	78	14	4	1	1	1	1	151	58	18	61	14	62
1	1	-	-	-	57	3	2	40	12	1	-	-	1	-	57	9	2	38	8	63
9	3	5	-	1	28	6	7	8	7	7	1	1	5	-	46	20	7	11	8	64
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	6	3	-	3	-	65
1	1	-	-	-	4	1	-	3	-	-	-	-	-	-	7	3	-	4	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	65.417	32,815	21,980	5,940	4,682	5,311	2,999	2,191	78	43
2	I. Infective and parasitic diseases	1,744	823	534	250	137	60	37	18	2	3
3	Tuberculosis, all forms 001-019	832	452	236	97	47	30	22	4	2	2
4	Tuberculosis of respiratory system 001-008	747	410	211	83	43	26	18	4	2	2
5	Tuberculosis of meninges and central nervous system 010	39	20	9	8	2	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	10	3	5	1	1	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	2	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	3	2	-	1	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	1	1	-	-	1	1	-	-	-
11	Disseminated tuberculosis 019	28	14	9	4	1	2	2	-	-	-
12	Syphilis and its sequelae 020-029	218	92	27	73	26	6	5	1	-	-
13	Congenital syphilis 020	2	1	1	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	77	35	12	21	9	2	1	1	-	-
16	Other cardiovascular syphilis 023	81	29	4	38	10	2	2	-	-	-
17	Tabes dorsalis 024	7	3	-	3	1	-	-	-	-	-
18	General paralysis of insane 025	20	6	5	6	3	1	1	-	-	-
19	Other syphilis of central nervous system 026	27	16	4	4	3	1	1	-	-	-
20	Other syphilis 027-029	4	2	1	1	-	-	-	-	-	-
21	Gonococcal infection 030-035	1	-	-	1	-	-	-	-	-	-
22	Typhoid fever 040	2	1	-	-	1	-	-	-	-	-
23	Paratyphoid fever 041	1	-	-	-	1	-	-	-	-	-
24	Other Salmonella infections 042	2	1	1	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	149	68	62	13	6	1	1	-	-	-
28	Food poisoning (infection and intoxication) 049	16	3	5	5	3	-	-	-	-	-
29	Scarlet fever 050	2	1	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	9	4	3	-	2	-	-	-	-	-
31	Erysipelas 052	1	-	-	1	-	-	-	-	-	-
32	Septicemia and pyemia 053	82	34	28	11	9	7	2	5	-	-
33	Diphtheria 055	13	6	4	1	2	2	1	1	-	-
34	Whooping cough 056	59	16	28	5	10	2	1	1	-	-
35	Meningococcal infections 057	27	12	8	3	4	4	2	1	-	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	2	1	-	1	-	-	-	-	-	-
39	Tetanus 061	45	13	11	10	11	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	78	37	35	5	1	3	2	1	-	-
42	Late effects of acute poliomyelitis 081	10	2	7	1	-	-	-	-	-	-
43	Acute infectious encephalitis 082	20	12	6	1	1	1	-	1	-	-
44	Late effects of acute infectious encephalitis 083	3	1	2	-	-	1	-	1	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	35	19	11	4	1	-	-	-	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	44	11	25	3	5	3	1	2	-	-
49	Rabies 094	1	1	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	2	-	2	-	-	-	-	-	-	-
54	Malaria 110-117	2	1	1	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	1	-	-	-	1	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	87	35	31	15	6	-	-	-	-	-
61	II. Neoplasms	9,827	4,626	3,961	634	586	719	374	333	7	5
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	9,539	4,522	3,855	619	543	698	365	321	7	5
63	Malignant neoplasm of buccal cavity and pharynx 140-148	211	150	50	8	3	15	12	3	-	-
64	Of lip 140	23	20	3	-	-	2	2	-	-	-
65	Of tongue 141	45	27	15	1	2	3	2	1	-	-
66	Of other and unspecified parts of buccal cavity 142-144	49	36	12	-	1	7	5	2	-	-
67	Of pharynx 145-148	94	67	20	7	-	3	3	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	2,868	1,451	1,086	244	107	227	128	94	2	3
69	Of esophagus 150	158	85	39	28	6	3	2	1	-	-
70	Of stomach 151	761	406	241	91	23	72	42	26	2	2
71	Of intestine, except rectum 152,153	750	327	358	34	31	65	35	29	-	1
72	Of rectum 154	253	133	96	17	7	25	15	10	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	177	71	94	7	5	29	10	19	-	-
74	Of liver not specified whether primary or secondary 156A	267	135	86	32	14	7	4	3	-	-
75	Of pancreas 157	469	277	144	31	17	23	18	5	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	53	17	28	4	4	3	2	1	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	1,265	945	187	96	37	76	60	14	2	-
78	Of larynx 161	98	77	8	10	3	2	2	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	418	326	53	34	5	60	50	9	1	-
80	Of lung and bronchus, unspecified as primary or secondary 163	706	513	117	49	27	11	7	3	1	-
81	Of other parts of respiratory system 160,164	43	29	9	3	2	3	1	2	-	-
82	Malignant neoplasm of breast 170	766	13	668	2	83	59	3	56	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,241	2,391	1,845	3	2	30,215	12,393	9,264	4,786	3,772	24,517	14,328	9,429	484	276	16,787	9,241	6,360	740	446	1
66	48	18	-	-	673	210	133	217	113	325	187	100	29	9	367	200	113	37	17	2
43	34	9	-	-	371	123	69	116	63	162	99	36	22	5	207	110	67	22	8	3
40	33	7	-	-	344	114	64	109	57	142	90	33	14	5	197	107	64	18	8	4
2	1	1	-	-	8	2	1	3	2	4	-	2	2	-	6	2	2	2	-	5
-	-	-	-	-	3	1	1	-	1	2	1	-	1	-	1	1	-	-	-	6
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	1	-	7
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	8
1	-	1	-	-	5	2	2	-	1	5	4	1	-	-	-	-	-	-	-	9
-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	8	3	-	3	2	6	3	-	3	-	1	-	-	1	-	11
5	3	2	-	-	118	30	8	65	15	64	38	20	4	2	63	35	12	12	4	12
-	-	-	-	-	2	-	-	1	1	1	-	-	1	-	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	-	1	-	-	27	11	3	10	3	28	15	11	1	1	17	8	5	4	-	15
2	1	1	-	-	46	9	1	29	7	21	12	7	1	1	22	8	6	5	3	16
-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	1	1	-	-	-	17
1	1	-	-	-	31	6	3	20	2	6	5	1	-	-	11	10	-	1	-	18
1	1	-	-	-	5	1	1	3	-	7	5	1	1	-	10	6	1	2	1	19
-	-	-	-	-	4	1	-	1	2	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	-	-	1	1	1	-	1	-	-	2	1	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	23
-	-	-	-	-	3	1	1	-	1	2	1	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	18	1	4	6	7	2	1	1	-	-	6	5	1	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	29
-	-	-	-	-	6	2	1	3	-	1	1	-	-	-	4	2	2	-	-	30
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
2	2	-	-	-	17	4	7	2	4	13	7	5	1	-	7	5	1	1	-	32
-	-	-	-	-	5	1	2	1	1	6	5	1	-	-	-	-	-	-	-	33
-	-	-	-	-	19	3	4	6	6	3	2	1	-	-	9	2	3	1	3	34
5	4	1	-	-	29	13	9	4	3	15	9	4	1	1	20	12	7	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	9	2	1	5	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	1	-	-	10	5	5	-	-	13	7	6	-	-	7	3	3	-	1	41
-	-	-	-	-	3	3	-	-	-	7	3	4	-	-	2	1	1	-	-	42
1	-	1	-	-	3	3	-	-	-	5	2	3	-	-	3	2	1	-	-	43
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	3	3	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
5	4	1	-	-	5	2	-	1	2	2	1	1	-	-	4	3	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	-	1	-	-	18	3	10	-	5	14	5	7	1	1	9	6	3	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	4	1	3	-	-	59
3	1	2	-	-	31	12	10	5	4	10	2	8	-	-	14	8	6	-	-	60
674	357	317	-	-	4,136	1,617	1,628	495	396	4,056	2,152	1,812	59	33	2,412	1,195	1,086	76	55	61
668	354	314	-	-	4,030	1,576	1,588	487	379	3,959	2,110	1,757	59	33	2,348	1,173	1,050	75	50	62
17	10	7	-	-	102	66	14	17	5	60	39	20	-	1	45	31	10	3	1	63
1	1	-	-	-	7	7	-	-	-	10	8	2	-	-	4	3	1	-	-	64
4	4	-	-	-	20	11	2	6	1	12	7	5	-	-	10	8	-	2	-	65
4	1	3	-	-	28	18	3	6	1	23	14	9	-	-	12	7	4	-	1	66
8	4	4	-	-	47	30	9	5	3	15	10	4	-	1	19	13	5	1	-	67
231	128	103	-	-	1,310	505	490	203	112	1,405	782	579	31	13	797	388	358	30	21	68
8	6	2	-	-	64	25	15	19	5	65	49	15	-	1	26	17	7	2	-	69
53	35	18	-	-	354	146	90	80	38	399	263	118	14	4	214	126	71	10	7	70
74	38	36	-	-	372	136	182	25	29	353	142	204	5	2	219	94	115	5	5	71
28	17	11	-	-	139	54	54	19	12	205	118	83	4	-	92	46	41	2	3	72
11	4	7	-	-	71	13	49	4	5	95	37	54	2	2	49	14	32	1	2	73
9	5	4	-	-	91	35	29	15	12	51	23	23	4	1	75	31	37	5	2	74
41	20	21	-	-	195	89	61	35	10	221	142	74	2	3	112	58	48	4	2	75
7	3	4	-	-	24	7	10	6	1	16	8	8	-	-	10	2	7	1	-	76
83	74	9	-	-	514	353	73	79	9	465	383	67	14	1	285	222	45	17	1	77
5	4	1	-	-	29	22	2	5	-	28	25	2	1	-	24	24	-	-	-	78
18	18	-	-	-	163	125	17	20	1	194	164	23	7	-	79	64	7	8	-	79
58	51	7	-	-	301	196	48	51	6	231	184	40	6	1	171	126	35	9	1	80
2	1	1	-	-	21	10	6	3	2	12	10	2	-	-	11	8	3	-	-	81
52	1	51	-	-	356	3	296	-	57	371	4	366	-	1	169	4	154	-	11	82

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,573	508	797	86	182	104	43	58	1	2
2	Of cervix uteri----------171	438	...	352	...	86	27	...	25	...	2
3	Of other and unspecified parts of uterus----------172-174	254	...	186	...	68	15	...	15	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	264	...	239	...	25	16	...	16	...	-
5	Of other and unspecified female genital organs----------176	23	...	20	...	3	2	...	2	...	-
6	Of prostate----------177	559	478	...	81	...	43	42	...	1	...
7	Of testis, and of other and unspecified male genital organs----178,179	35	30	...	5	...	1	1	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	435	236	152	36	11	34	21	13	-	-
9	Of kidney----------180	185	102	68	12	3	16	9	7	-	-
10	Of bladder and other urinary organs----------181	250	134	84	24	8	18	12	6	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,467	707	576	96	88	88	46	41	1	-
12	Of skin----------190,191	222	134	82	5	1	15	8	7	-	-
13	Of eye----------192	23	12	9	2	-	3	1	2	-	-
14	Of brain and other parts of nervous system----------193	217	126	82	6	3	21	11	9	1	-
15	Of thyroid gland----------194	46	21	23	-	2	1	-	1	-	-
16	Of bone (including jaw bone)----------196	85	54	23	7	1	2	1	1	-	-
17	Of connective tissue----------197	33	19	10	1	3	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	220	96	99	8	17	10	5	5	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	621	245	248	67	61	36	20	16	-	-
20	Leukemia and aleukemia----------204	533	292	202	22	17	51	24	27	-	-
21	Lymphosarcoma, etc.*----------200-203,205	401	220	137	29	15	44	28	15	1	-
22	Lymphosarcoma and reticulosarcoma----------200	174	94	60	13	7	25	19	5	1	-
23	Hodgkin's disease----------201	115	71	31	8	5	10	4	6	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	112	55	46	8	3	9	5	4	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	288	104	126	15	43	21	9	12	-	-
26	Benign neoplasms of female genital organs----------214-217	47	...	17	...	30	1	...	1	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	31	10	19	-	2	3	1	2	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	29	15	9	2	3	8	6	2	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	3	...	3	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	110	52	46	6	6	4	1	3	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	68	27	32	7	2	5	1	4	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,331	559	554	85	133	133	60	72	1	-
33	Asthma----------241	261	165	64	18	14	22	14	7	1	-
34	Nontoxic goiter----------250,251	12	4	4	1	3	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	19	3	10	-	6	5	2	3	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	9	3	4	-	2	-	-	-	-	-
37	Diabetes mellitus----------260	882	325	415	49	93	101	42	59	-	-
38	Diseases of thymus gland----------273	11	5	4	1	1	-	-	-	-	-
39	Diseases of adrenal glands----------274	14	10	3	-	1	2	1	1	-	-
40	Pellagra----------281	10	1	7	-	2	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	79	30	28	12	9	1	-	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	34	13	15	4	2	2	1	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	242	114	92	20	16	12	9	3	-	-
44	Anemias----------290-293	157	59	66	19	13	9	6	3	-	-
45	Pernicious and other hyperchromic anemias----------290	38	9	26	-	3	3	2	1	-	-
46	Anemias of other and unspecified type----------291-293	119	50	40	19	10	6	4	2	-	-
47	Purpura and other hemorrhagic conditions----------296	29	19	8	1	1	1	1	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	56	36	18	-	2	2	2	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	110	60	38	8	4	9	7	2	-	-
50	Senile psychosis----------304	21	4	14	1	2	-	-	-	-	-
51	Alcoholic psychosis----------307	13	11	2	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	10	3	6	-	1	2	1	1	-	-
53	Alcoholism----------322	54	38	10	5	1	7	6	1	-	-
54	Mental deficiency----------325	3	1	2	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	9	3	4	2	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	7,767	3,216	2,997	720	834	564	266	289	7	2
57	Vascular lesions affecting central nervous system----------330-334	7,114	2,925	2,773	638	778	505	238	261	5	1
58	Subarachnoid hemorrhage----------330	225	86	88	21	30	14	8	6	-	-
59	Cerebral hemorrhage----------331	4,712	1,919	1,850	420	523	293	126	164	2	1
60	Cerebral embolism and thrombosis----------332	1,243	557	501	78	107	144	72	69	3	-
61	Other vascular lesions affecting central nervous system--------333,334	934	363	334	119	118	54	32	22	-	-
62	Meningitis, except meningococcal and tuberculous----------340	111	46	36	17	12	7	4	2	-	1
63	Multiple sclerosis----------345	24	12	11	1	-	6	2	4	-	-
64	Paralysis agitans----------350	82	44	31	6	1	10	5	5	-	-
65	Cerebral spastic infantile paralysis----------351	26	11	14	2	1	3	2	1	-	-
66	Epilepsy----------353	101	41	34	16	10	11	6	4	1	-
67	Inflammatory diseases of eye----------370-379	1	-	1	-	-	-	-	-	-	-
68	Cataract----------385	3	2	-	-	1	-	-	-	-	-
69	Glaucoma----------387	1	1	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	25	11	7	1	6	1	-	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	277	123	90	39	25	21	9	11	1	-
72	VII. Diseases of the circulatory system----------	22,741	12,330	7,259	1,730	1,422	2,005	1,165	804	27	9
73	Rheumatic fever----------400-402	44	17	20	2	5	14	10	4	-	-
74	Diseases of heart----------410-443	20,675	11,408	6,480	1,536	1,251	1,823	1,067	723	24	9
75	Chronic rheumatic heart disease----------410-416	448	225	172	23	28	108	49	59	-	-
76	Diseases of mitral valve----------410	199	86	87	10	16	35	18	17	-	-
77	Diseases of aortic valve specified as rheumatic----------411	30	23	5	1	1	9	5	4	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	18	5	11	1	1	8	1	7	-	-
80	Other diseases of heart specified as rheumatic----------415,416	201	111	69	11	10	56	25	31	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
123	51	72	-	-	658	167	310	66	115	661	305	344	2	10	433	168	246	10	9	1
24	...	24	...	-	201	...	136	...	65	116	...	112	...	4	122	...	118	...	4	2
19	...	19	...	-	105	...	74	...	31	97	...	92	...	5	66	...	63	...	3	3
23	...	23	...	-	107	...	89	...	18	131	...	130	...	1	55	...	53	...	2	4
6	...	6	...	-	12	...	11	...	1	10	...	10	...	-	12	...	12	...	-	5
49	49	...	-	...	219	154	...	65	...	291	289	...	2	...	169	159	...	10	...	6
2	2	...	-	...	14	13	...	1	...	16	16	...	-	...	9	9	...	-	...	7
37	25	12	-	-	152	75	51	19	7	192	137	53	2	-	109	72	33	2	2	8
13	9	4	-	-	57	32	16	8	1	73	53	20	-	-	43	27	15	-	1	9
24	16	8	-	-	95	43	35	11	6	119	84	33	2	-	66	45	18	2	1	10
71	39	32	-	-	538	215	218	60	45	419	224	184	6	5	297	163	124	7	3	11
9	6	3	-	-	68	37	25	2	4	44	30	14	-	-	42	22	20	-	-	12
-	-	-	-	-	7	3	4	-	-	11	7	4	-	-	2	1	1	-	-	13
19	10	9	-	-	84	37	39	5	3	77	47	27	-	3	56	39	16	1	-	14
1	1	-	-	-	18	8	6	1	3	25	7	17	-	1	9	1	8	-	-	15
8	5	3	-	-	26	15	5	5	1	24	14	9	1	-	26	13	10	3	-	16
-	-	-	-	-	14	6	5	2	1	17	9	8	-	-	7	5	2	-	-	17
10	5	5	-	-	86	26	43	6	11	47	19	28	-	-	39	18	21	-	-	18
24	12	12	-	-	235	83	91	39	22	174	91	77	5	1	116	64	46	3	3	19
20	11	9	-	-	210	103	69	19	19	172	100	70	1	1	113	61	48	3	1	20
34	15	19	-	-	190	89	67	24	10	214	136	74	3	1	100	64	32	3	1	21
10	5	5	-	-	84	40	35	8	1	100	66	33	1	-	48	31	15	2	-	22
12	7	5	-	-	53	27	16	8	2	55	33	20	1	1	29	19	9	-	1	23
12	3	9	-	-	53	22	16	8	7	59	37	21	1	-	23	14	8	1	-	24
6	3	3	-	-	106	41	40	8	17	97	42	55	-	-	64	22	36	1	5	25
-	...	-	...	-	19	...	10	...	9	5	...	5	...	-	9	...	7	...	2	26
2	1	1	-	-	22	11	10	-	1	19	9	10	-	-	4	-	3	-	1	27
1	-	1	-	-	14	7	4	-	3	18	8	10	-	-	8	2	5	-	1	28
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	29
2	1	1	-	-	29	14	10	2	3	37	18	19	-	-	26	11	13	1	1	30
1	1	-	-	-	21	9	5	6	1	16	7	9	-	-	17	9	8	-	-	31
78	36	41	-	1	575	181	233	53	108	542	245	288	5	4	405	156	207	19	23	32
19	13	5	-	1	111	58	30	14	9	122	83	36	2	1	89	52	32	4	1	33
-	-	-	-	-	3	-	2	1	-	3	1	2	-	-	2	-	2	-	-	34
1	1	-	-	-	17	-	9	2	6	14	3	11	-	-	14	2	11	-	1	35
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	2	-	2	-	-	36
56	21	35	-	-	403	108	176	34	85	363	141	216	3	3	261	84	148	10	19	37
-	-	-	-	-	3	2	1	-	-	3	1	2	-	-	3	2	1	-	-	38
-	-	-	-	-	6	3	2	-	1	6	3	3	-	-	4	2	-	1	1	39
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	3	2	1	-	-	40
-	-	-	-	-	16	3	5	2	6	12	5	7	-	-	15	5	7	3	-	41
2	1	1	-	-	13	6	7	-	-	16	7	9	-	-	12	7	3	1	1	42
13	9	4	-	-	88	30	28	20	10	79	45	32	1	1	62	28	31	3	-	43
6	4	2	-	-	57	16	18	17	6	51	25	24	1	1	39	15	21	3	-	44
2	1	1	-	-	12	3	7	2	-	20	11	9	-	-	10	4	6	-	-	45
4	3	1	-	-	45	13	11	15	6	31	14	15	1	1	29	11	15	3	-	46
-	-	-	-	-	10	4	3	-	3	6	5	1	-	-	11	5	6	-	-	47
7	5	2	-	-	21	10	7	3	1	22	15	7	-	-	12	8	4	-	-	48
6	5	1	-	-	124	48	21	44	11	77	59	14	3	1	50	34	13	3	-	49
1	-	1	-	-	8	1	4	-	3	7	4	3	-	-	11	7	4	-	-	50
1	1	-	-	-	5	2	1	2	-	6	5	1	-	-	1	1	-	-	-	51
-	-	-	-	-	14	4	4	5	1	6	3	3	-	-	3	3	-	-	-	52
4	4	-	-	-	93	40	12	35	6	53	44	6	3	-	31	22	6	3	-	53
-	-	-	-	-	4	1	-	2	1	5	3	1	-	1	2	1	1	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	55
573	253	320	-	-	4,128	1,306	1,466	679	677	3,143	1,553	1,512	48	30	2,142	1,067	925	81	69	56
529	230	299	-	-	3,849	1,205	1,382	622	640	2,899	1,432	1,403	40	24	1,984	982	868	72	62	57
17	8	9	-	-	147	57	47	24	19	78	36	39	2	1	62	28	30	-	4	58
319	141	178	-	-	2,535	747	893	426	469	1,855	894	922	27	12	1,344	653	586	57	48	59
161	71	90	-	-	758	278	293	102	85	688	349	322	9	8	350	171	163	12	4	60
32	10	22	-	-	409	123	149	70	67	278	153	120	2	3	228	130	89	3	6	61
7	5	2	-	-	42	7	10	16	9	29	10	12	4	3	18	12	4	1	1	62
7	4	3	-	-	14	5	6	2	1	37	18	19	-	-	13	6	7	-	-	63
8	5	3	-	-	38	20	15	-	3	54	28	25	1	-	25	18	7	-	-	64
-	-	-	-	-	18	10	4	4	-	12	5	7	-	-	8	4	3	1	-	65
4	1	3	-	-	52	14	13	18	7	38	25	11	-	2	38	18	14	4	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	4	1	2	-	1	1	1	-	-	-	1	-	1	-	-	68
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69
2	-	2	-	-	12	7	2	1	2	7	1	4	1	1	7	4	3	-	-	70
15	7	8	-	-	98	37	32	16	13	66	33	31	2	-	48	23	18	3	4	71
1,856	1,043	811	1	1	12,013	5,352	3,668	1,624	1,369	10,313	6,417	3,693	123	80	6,824	3,869	2,466	300	189	72
1	1	-	-	-	29	14	3	6	6	12	8	4	-	-	18	8	8	1	1	73
1,641	940	699	1	1	10,716	4,883	3,258	1,382	1,193	9,353	5,905	3,269	111	68	6,202	3,552	2,206	273	171	74
41	24	17	-	-	285	117	111	29	28	325	166	154	2	3	200	96	97	2	5	75
15	9	6	-	-	127	45	55	14	13	126	54	70	2	-	83	35	47	1	-	76
4	4	-	-	-	13	10	3	-	-	36	31	5	-	-	9	6	3	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	2	-	-	-	20	9	7	4	-	20	11	9	-	-	13	6	6	-	1	79
20	9	11	-	-	125	53	46	11	15	143	70	70	-	3	95	49	41	1	4	80

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	14,238	8,642	4,124	848	624	1,163	756	386	15	6
2	Arteriosclerotic heart disease so described----------420.0	3,412	1,788	1,307	182	135	434	237	187	7	3
3	Heart disease specified as involving coronary arteries----------420.1	10,744	6 818	2,798	649	479	729	519	199	8	3
4	Angina pectoris without mention of coronary disease----------420.2	82	36	19	17	10	-	-	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	189	95	59	24	11	24	16	8	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	16	7	6	1	2	3	2	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	66	39	15	11	1	2	2	-	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	107	49	38	12	8	19	12	7	-	-
9	Other myocardial degeneration----------422	1,614	721	687	114	92	217	96	115	5	1
10	With arteriosclerosis----------422.1	727	323	319	46	37	124	58	64	2	-
11	Without mention of arteriosclerosis----------422.0,422.2	887	398	368	66	55	93	38	51	3	1
12	Other diseases of heart----------430-434	1,740	871	462	235	172	81	56	24	1	-
13	Acute and subacute endocarditis----------430	49	33	8	2	6	5	3	2	-	-
14	Acute myocarditis not specified as rheumatic----------431	72	31	19	10	12	8	6	2	-	-
15	Acute pericarditis specified as nonrheumatic----------432	7	4	2	1	-	1	-	1	-	-
16	Functional disease of heart----------433	123	51	53	13	6	18	13	5	-	-
17	Other and unspecified diseases of heart----------434	1.489	752	380	209	148	49	34	14	1	-
18	Hypertension with heart disease----------440-443	2.446	854	976	292	324	230	94	131	3	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	572	231	203	78	60	62	28	33	1	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,874	623	773	214	264	168	66	98	2	2
21	Hypertension without mention of heart----------444-447	489	172	160	79	78	25	9	16	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	202	99	61	24	18	13	7	6	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	287	73	99	55	60	12	2	10	-	-
24	Diseases of arteries----------450-456	1,312	626	529	88	69	117	67	48	2	-
25	General arteriosclerosis----------450	1,002	453	440	58	51	88	47	40	1	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	174	112	40	13	9	19	13	5	1	-
27	Gangrene of unspecified cause----------455	26	9	9	7	1	-	-	-	-	-
28	Other arterial diseases----------452-454,456	110	52	40	10	8	10	7	3	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	221	107	70	25	19	26	12	13	1	-
30	VIII. Diseases of the respiratory system----------	3,023	1,422	1,008	352	241	221	137	75	8	1
31	Acute upper respiratory infections----------470-475	45	15	21	5	4	3	2	1	-	-
32	Influenza----------480-483	189	76	54	35	24	7	3	4	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	1,967	829	702	257	179	120	70	44	5	1
34	Lobar pneumonia----------490	467	199	160	62	46	31	20	9	2	-
35	Bronchopneumonia----------491	833	377	303	94	59	58	33	21	3	1
36	Primary atypical pneumonia----------492	104	39	36	15	14	9	4	5	-	-
37	Pneumonia, other and unspecified----------493	563	214	203	86	60	22	13	9	-	-
38	Acute bronchitis----------500	35	15	16	2	2	4	2	2	-	-
39	Bronchitis, chronic and unqualified----------501,502	96	56	29	8	3	9	3	5	1	-
40	Hypertrophy of tonsils and adenoids----------510	12	4	7	-	1	1	1	-	-	-
41	Empyema and abscess of lung----------518,521	41	25	7	9	-	1	1	-	-	-
42	Pleurisy----------519	4	2	1	-	1	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	634	400	171	36	27	76	55	19	2	-
44	IX. Diseases of the digestive system----------	2,766	1,357	1,015	235	159	205	107	88	5	5
45	Diseases of teeth and supporting structures----------530-535	4	-	2	1	1	-	-	-	-	-
46	Ulcer of stomach----------540	149	101	27	19	2	19	14	5	-	-
47	Ulcer of duodenum----------541	133	103	22	5	3	19	15	4	-	-
48	Gastritis and duodenitis----------543	19	6	6	4	3	1	-	1	-	-
49	Appendicitis----------550-553	91	44	28	11	8	11	7	3	1	-
50	Hernia and intestinal obstruction----------560,561,570	378	130	173	48	27	39	17	22	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	824	378	315	69	62	21	6	9	2	4
52	Cirrhosis of liver----------581	581	348	180	34	19	52	30	20	1	1
53	Without mention of alcoholism----------581.0	482	277	162	27	16	27	18	9	-	-
54	With alcoholism----------581.1	99	71	18	7	3	25	12	11	1	1
55	Cholelithiasis and cholecystitis----------584,585	210	75	126	4	5	13	5	8	-	-
56	Other diseases of digestive system----------Residual[1]	377	172	136	40	29	30	13	16	1	-
57	X. Diseases of the genito-urinary system----------	1,629	790	425	240	174	115	65	48	1	1
58	Nephritis and nephrosis----------590-594	938	379	295	132	132	61	31	28	1	1
59	Acute nephritis----------590	96	36	24	18	18	2	1	-	1	-
60	Nephritis with edema, including nephrosis----------591	56	29	20	4	3	4	1	3	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	786	314	251	110	111	55	29	25	-	1
62	Infections of kidney----------600	208	88	71	26	23	21	6	15	-	-
63	Calculi of urinary system----------602,604	54	33	17	1	3	6	2	4	-	-
64	Other diseases of urinary system----------601,603,605-609	100	58	19	17	6	2	2	-	-	-
65	Hyperplasia of prostate----------610	260	207	...	53	...	23	23	...	-	...
66	Other diseases of male genital organs----------611-617	36	25	...	11	...	1	1	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	33	...	23	...	10	1	...	1	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	132	...	83	...	49	6	...	6	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	11	...	10	...	1	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	30	...	17	...	13	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	26	...	16	...	10	5	...	5	...	-
73	Ectopic pregnancy----------645	10	...	4	...	6	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	4	...	2	...	2	-	...	-	...	-
75	Abortion with sepsis----------651	14	...	9	...	5	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	5	...	3	...	2	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	32	...	22	...	10	-	...	-	...	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,207	712	493	1	1	6,660	3,577	1,920	687	476	7,005	4,695	2,192	80	38	4,066	2,545	1,287	154	80	1
573	306	267	-	-	2,404	1,079	873	248	204	2,417	1,391	978	30	18	1,334	701	534	61	38	2
629	402	225	1	1	4,222	2,473	1,040	439	270	4,575	3,294	1,211	50	20	2,697	1,821	742	92	42	3
5	4	1	-	-	34	25	7	-	2	13	10	3	-	-	35	23	11	1	-	4
28	9	19	-	-	150	50	40	28	32	101	60	40	-	1	90	54	34	1	1	5
3	-	3	-	-	8	3	2	1	2	6	5	1	-	-	6	4	2	-	-	6
7	4	3	-	-	43	15	12	11	5	37	26	10	-	1	18	11	7	-	-	7
18	5	13	-	-	99	32	26	16	25	58	29	29	-	-	66	39	25	1	1	8
179	105	74	-	-	1,264	432	446	207	179	680	373	284	11	12	635	307	284	28	16	9
104	59	45	-	-	688	255	271	87	75	325	177	142	4	2	362	168	162	19	13	10
75	46	29	-	-	576	177	175	120	104	355	196	142	7	10	273	139	122	9	3	11
38	25	13	-	-	461	189	131	86	55	360	197	147	10	6	321	185	108	21	7	12
4	4	-	-	-	22	10	7	2	3	12	10	2	-	-	4	2	1	1	-	13
1	1	-	-	-	18	6	3	5	4	19	6	9	1	3	6	4	1	1	-	14
1	1	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	15
6	3	3	-	-	47	16	17	9	5	50	23	26	1	-	31	20	9	-	2	16
26	16	10	-	-	372	156	104	70	42	278	157	110	8	3	280	159	97	19	5	17
148	65	83	-	-	1,896	518	610	345	423	882	414	452	8	8	890	365	396	67	62	18
38	20	18	-	-	671	196	209	116	150	310	168	138	4	-	279	134	111	22	12	19
110	45	65	-	-	1,225	322	401	229	273	572	246	314	4	8	611	231	285	45	50	20
44	15	29	-	-	228	59	52	70	47	131	64	61	1	5	140	66	60	8	6	21
32	12	20	-	-	109	37	25	29	18	64	32	32	-	-	81	42	33	2	4	22
12	3	9	-	-	119	22	27	41	29	67	32	29	1	5	59	24	27	6	2	23
154	80	74	-	-	928	351	319	152	106	712	371	327	10	4	400	209	167	17	7	24
143	72	71	-	-	760	265	280	125	90	571	276	284	7	4	334	170	142	15	7	25
7	6	1	-	-	108	61	20	20	7	94	67	25	2	-	43	28	13	2	-	26
1	1	-	-	-	6	1	-	4	1	11	4	6	1	-	1	-	1	-	-	27
3	1	2	-	-	54	24	19	3	8	36	24	12	-	-	22	11	11	-	-	28
16	7	9	-	-	112	45	36	14	17	105	69	32	1	3	64	34	25	1	4	29
171	109	61	1	-	1,349	539	347	267	196	1,054	644	336	54	20	788	437	286	49	16	30
2	-	2	-	-	19	5	4	8	2	10	5	4	1	-	5	3	1	1	-	31
8	1	7	-	-	60	13	19	11	17	42	15	23	4	-	70	26	39	3	2	32
98	58	39	1	-	877	308	245	194	130	708	403	246	41	18	484	257	194	21	12	33
21	13	8	-	-	221	81	64	51	25	124	75	37	7	5	147	85	49	6	7	34
43	26	16	1	-	415	147	121	84	63	366	204	138	18	6	216	110	97	6	3	35
19	9	10	-	-	66	21	17	12	16	121	68	37	11	5	38	22	13	3	-	36
15	10	5	-	-	175	59	43	47	26	97	56	34	5	2	83	40	35	6	2	37
2	1	1	-	-	15	5	4	5	1	12	7	4	1	-	13	4	7	1	1	38
9	7	2	-	-	47	28	10	2	7	27	19	6	2	-	19	11	8	-	-	39
-	-	-	-	-	2	-	2	-	-	3	2	1	-	-	3	2	1	-	-	40
1	1	-	-	-	7	4	-	3	-	15	13	2	-	-	7	4	3	-	-	41
1	-	1	-	-	4	2	1	1	-	8	4	2	2	-	2	1	-	1	-	42
50	41	9	-	-	318	174	62	43	39	229	176	48	3	2	185	129	33	22	1	43
142	82	60	-	-	979	413	303	153	110	984	569	369	23	23	533	303	203	15	12	44
2	2	-	-	-	4	2	1	1	-	1	1	-	-	-	1	-	1	-	-	45
14	9	5	-	-	90	51	16	16	7	86	59	23	3	1	58	42	13	2	1	46
18	14	4	-	-	65	47	14	1	3	82	63	17	1	1	36	27	8	-	1	47
3	2	1	-	-	9	4	2	-	3	1	-	1	-	-	5	4	-	-	1	48
5	3	2	-	-	40	17	10	8	5	34	20	12	1	1	24	13	7	2	2	49
28	12	16	-	-	154	49	49	33	23	144	86	54	3	1	95	47	43	4	1	50
12	6	6	-	-	156	33	54	36	33	121	63	45	9	4	48	23	25	-	-	51
27	16	11	-	-	220	124	56	25	15	254	148	97	5	4	126	85	33	5	3	52
22	13	9	-	-	143	83	42	11	7	197	107	81	5	4	105	66	31	5	3	53
5	3	2	-	-	77	41	14	14	8	57	41	16	-	-	21	19	2	-	-	54
15	8	7	-	-	86	26	52	4	4	103	44	54	-	5	51	12	38	-	1	55
18	10	8	-	-	155	60	49	29	17	158	85	66	1	6	89	50	35	2	2	56
86	58	28	-	-	774	302	188	140	144	421	272	140	4	5	375	232	118	14	11	57
38	22	16	-	-	441	151	109	80	101	202	105	90	3	4	242	124	100	9	9	58
3	1	2	-	-	33	10	9	9	5	9	5	4	-	-	23	11	10	1	1	59
2	1	1	-	-	25	12	3	3	7	15	9	6	-	-	16	10	6	-	-	60
33	20	13	-	-	383	129	97	68	89	178	91	80	3	4	203	103	84	8	8	61
10	6	4	-	-	127	42	49	11	25	82	44	38	1	1	41	28	10	1	2	62
6	4	2	-	-	27	13	6	6	2	8	4	4	-	-	6	4	2	-	-	63
9	5	4	-	-	32	11	11	7	3	25	18	7	-	-	19	14	4	1	-	64
19	19	...	-	...	108	77	...	31	...	89	89	...	-	...	59	56	...	3	...	65
2	2	...	-	...	13	8	...	5	...	12	12	...	-	...	6	6	...	-	...	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
2	...	2	...	-	25	...	13	...	12	3	...	3	...	-	2	...	2	...	-	68
3	...	3	...	-	57	...	16	...	41	13	...	11	...	2	16	...	15	...	1	69
-	...	-	...	-	5	...	3	...	2	4	...	4	...	-	2	...	1	...	1	70
2	...	2	...	-	18	...	5	...	13	2	...	1	...	1	4	...	4	...	-	71
1	...	1	...	-	10	...	3	...	7	2	...	1	...	1	3	...	3	...	-	72
-	...	-	...	-	9	...	2	...	7	1	...	1	...	-	-	...	-	...	-	73
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	74
-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	1	...	1	...	-	75
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	76
-	...	-	...	-	9	...	2	...	7	4	...	4	...	-	6	...	6	...	-	77

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	73	18	41	7	7	4	2	2	-	-
2	Infections of skin and subcutaneous tissue---690-698	19	5	10	1	3	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	54	13	31	6	4	3	1	2	-	-
4	XIII. Diseases of the bones and organs of movement	151	63	74	4	10	16	10	6	-	-
5	Arthritis and spondylitis---720-725	83	32	43	2	6	9	5	4	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	8	2	3	1	2	-	-	-	-	-
7	Osteomyelitis and periostitis---730	7	4	3	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	3	1	2	-	-	2	-	2	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	50	24	23	1	2	5	5	-	-	-
10	XIV. Congenital malformations	1,088	512	439	74	63	112	61	48	1	2
11	Spina bifida and meningocele---751	70	23	43	1	3	3	3	-	-	-
12	Congenital hydrocephalus, etc.*---752,753	130	63	51	8	8	10	5	5	-	-
13	Congenital malformations of circulatory system---754	506	244	190	37	35	59	29	29	-	1
14	Other congenital malformations---750,755-759	362	182	155	28	17	40	24	14	1	1
15	XV. Certain diseases of early infancy	4,056	1,945	1,350	426	335	321	173	142	5	1
16	Birth injuries---760,761	663	357	197	67	42	58	29	29	-	-
17	Postnatal asphyxia and atelectasis---762	947	491	320	68	68	106	60	44	2	-
18	Infections of newborn---763-768	363	174	117	35	37	13	9	4	-	-
19	Hemolytic disease of newborn (erythroblastosis)---770	130	69	55	4	2	13	8	5	-	-
20	All other defined diseases of early infancy---769,771,772	190	82	54	34	20	14	7	6	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	1,763	772	607	218	166	117	60	54	2	1
22	XVI. Symptoms, senility, and ill-defined conditions	1,935	873	562	284	216	257	141	101	5	10
23	Senility without mention of psychosis---794	492	173	203	52	64	58	22	35	1	-
24	Symptoms, ill-defined and unknown causes---780-793,795	1,443	700	359	232	152	199	119	66	4	10
25	XVII. Accidents, poisonings, and violence	6,802	4,107	1,528	871	296	552	385	154	9	4
26	Accidents---E800-E962	5,378	3,273	1,317	562	226	460	315	135	6	4
27	Railway accidents---E800-E802	46	30	1	15	-	6	5	1	-	-
28	Motor-vehicle accidents---E810-E835	2,599	1,692	593	243	71	192	138	51	1	2
29	Motor-vehicle traffic accidents---E810-E825	2,516	1,640	578	230	68	185	133	49	1	2
30	Motor-vehicle traffic accident with railway train*---E810	91	58	25	5	3	7	2	5	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	352	206	83	49	14	38	26	11	-	1
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	1,272	816	315	106	35	71	55	15	1	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	592	432	99	51	10	56	40	15	-	1
34	Motor-vehicle traffic accident of unspecified nature---E825	209	128	56	19	6	13	10	3	-	-
35	Motor-vehicle nontraffic accidents---E830-E835	83	52	15	13	3	7	5	2	-	-
36	Other road-vehicle accidents---E840-E845	18	12	4	2	-	7	3	4	-	-
37	Water-transport accidents---E850-E858	58	52	1	5	-	5	5	-	-	-
38	Aircraft accidents---E860-E866	129	124	5	-	-	28	18	10	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	78	45	21	8	4	5	5	-	-	-
40	Accidental poisoning by gases and vapors---E890-E895	43	26	6	6	5	4	3	1	-	-
41	Accidental falls---E900-E904	661	286	329	28	18	91	51	38	1	1
42	Fall from one level to another---E900-E902	186	111	57	11	7	40	28	12	-	-
43	Fall on same level---E903	86	25	62	-	1	24	8	15	1	-
44	Unspecified falls---E904	387	150	210	17	10	27	15	11	-	1
45	Blow from falling object---E910	70	51	3	15	1	11	11	-	-	-
46	Accident caused by machinery---E912	118	102	4	11	1	12	11	-	1	-
47	Accident caused by electric current---E914	94	76	9	7	2	7	7	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	426	157	137	71	61	16	6	7	2	1
49	Accident caused by hot substance, etc.*---E917,E918	45	19	15	3	8	-	-	-	-	-
50	Accident caused by firearm---E919	198	148	24	17	9	9	7	2	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	101	43	26	17	15	11	5	6	-	-
52	Accidental drowning---E929	312	214	32	63	3	21	15	6	-	-
53	Excessive heat and insolation---E931	17	14	-	3	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	43	17	20	3	3	8	6	2	-	-
55	All other accidents---Residual[1]	322	165	87	45	25	27	19	7	1	-
56	Suicide---E963,E970-E979	765	572	152	34	7	70	58	11	1	-
57	Suicide by poisoning---E970-E973	120	70	48	2	-	14	10	4	-	-
58	Suicide by hanging and strangulation---E974	82	58	19	3	2	16	15	-	1	-
59	Suicide by firearms and explosives---E976	509	406	73	27	3	37	32	5	-	-
60	Suicide by all other means---E963,E975,E977-E979	54	38	12	2	2	3	1	2	-	-
61	Homicide---E964,E980-E985	657	260	59	275	63	22	12	8	2	-
62	Assault by firearms and explosives---E981	382	156	39	152	35	9	5	4	-	-
63	Assault by cutting and piercing instruments---E982	175	55	3	99	18	1	1	-	-	-
64	Assault by other means---E964,E980,E983	83	40	17	17	9	9	4	4	1	-
65	Injury by intervention of police---E984	12	6	-	5	1	2	1	-	1	-
66	Execution---E985	5	3	-	2	-	1	1	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6	2	4	-	-	37	14	12	4	7	26	10	15	1	-	16	8	7	-	1	1
3	1	2	-	-	8	3	1	-	4	7	4	2	1	-	6	3	3	-	-	2
3	1	2	-	-	29	11	11	4	3	19	6	13	-	-	10	5	4	-	1	3
7	3	4	-	-	86	33	38	6	9	58	22	34	1	1	31	16	13	2	-	4
4	2	2	-	-	54	17	28	4	5	29	7	22	-	-	18	7	10	1	-	5
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	6
-	-	-	-	-	4	2	1	-	1	3	2	-	1	-	3	1	2	-	-	7
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	8
3	1	2	-	-	27	13	9	2	3	23	11	11	-	1	9	7	1	1	-	9
55	34	21	-	-	445	200	168	44	33	304	167	125	9	3	227	99	113	7	8	10
5	4	1	-	-	40	15	23	2	-	10	7	3	-	-	24	6	18	-	-	11
10	6	4	-	-	58	27	22	5	4	35	23	11	-	1	22	11	11	-	-	12
23	14	9	-	-	190	85	66	24	15	150	80	65	5	-	91	49	38	1	3	13
17	10	7	-	-	157	73	57	13	14	109	57	46	4	2	90	33	46	6	5	14
169	106	63	-	-	1,691	639	447	351	254	922	515	348	38	21	717	429	257	17	14	15
45	30	15	-	-	281	119	71	55	36	170	101	59	6	4	126	77	43	5	1	16
49	30	19	-	-	436	177	118	83	58	278	160	102	9	7	192	126	57	5	4	17
10	6	4	-	-	142	40	25	49	28	34	17	15	1	1	56	33	21	-	2	18
6	5	1	-	-	49	25	15	6	3	50	31	18	1	-	26	13	13	-	-	19
5	2	3	-	-	63	13	13	24	13	20	11	5	4	-	29	18	10	1	-	20
54	33	21	-	-	720	265	205	134	116	370	195	149	17	9	288	162	113	6	7	21
61	39	21	1	-	329	120	71	69	69	177	98	69	4	6	349	183	134	21	11	22
2	-	2	-	-	76	23	22	11	20	48	21	25	2	-	94	37	54	2	1	23
59	39	19	1	-	253	97	49	58	49	129	77	44	2	6	255	146	80	19	10	24
275	207	68	-	-	2,731	1,389	497	620	225	2,023	1,373	531	82	37	1,473	985	373	96	19	25
223	161	62	-	-	2,020	1,018	387	438	177	1,585	1,058	436	64	27	1,207	808	311	73	15	26
4	3	1	-	-	34	18	4	11	1	28	23	2	3	-	41	34	3	4	-	27
82	68	14	-	-	830	452	144	185	49	545	377	135	22	11	410	295	86	26	3	28
77	63	14	-	-	812	444	141	178	49	521	362	131	19	9	396	283	85	25	3	29
2	2	-	-	-	27	12	9	3	3	22	16	6	-	-	12	11	1	-	-	30
11	9	2	-	-	150	71	22	45	12	90	60	25	4	1	79	52	20	5	2	31
20	15	5	-	-	191	113	45	27	6	153	100	48	2	3	76	52	20	4	-	32
32	29	3	-	-	203	118	24	51	10	146	117	23	5	1	87	70	11	6	-	33
12	8	4	-	-	241	130	41	52	18	110	69	29	8	4	142	98	33	10	1	34
5	5	-	-	-	18	8	3	7	-	24	15	4	3	2	14	12	1	1	-	35
-	-	-	-	-	4	3	-	1	-	3	1	2	-	-	3	2	1	-	-	36
6	6	-	-	-	46	34	1	10	1	38	35	1	2	-	12	11	-	1	-	37
5	5	-	-	-	25	23	1	1	-	37	32	4	1	-	10	10	-	-	-	38
2	2	-	-	-	54	28	7	11	8	26	10	13	3	-	15	9	6	-	-	39
6	6	-	-	-	14	8	3	2	1	50	39	7	3	1	21	14	5	2	-	40
60	28	32	-	-	297	138	125	25	9	356	184	168	2	2	193	81	106	3	3	41
23	17	6	-	-	116	67	31	13	5	116	83	30	2	1	48	37	11	-	-	42
21	6	15	-	-	54	25	26	2	1	61	22	39	-	-	24	8	16	-	-	43
16	5	11	-	-	127	46	68	10	3	179	79	99	-	1	121	36	79	3	3	44
7	7	-	-	-	40	35	-	5	-	35	32	2	1	-	88	75	2	11	-	45
6	6	-	-	-	29	20	2	7	-	42	40	1	1	-	41	37	1	3	-	46
3	2	1	-	-	28	23	1	4	-	17	15	2	-	-	20	18	2	-	-	47
6	2	4	-	-	215	55	30	62	68	104	56	35	8	5	88	45	38	3	2	48
1	1	-	-	-	17	6	3	6	2	11	6	5	-	-	20	6	11	1	2	49
3	3	-	-	-	54	38	5	7	4	31	25	5	-	1	44	40	3	-	1	50
1	-	1	-	-	51	18	13	11	9	32	18	9	1	4	11	8	3	-	-	51
18	13	5	-	-	106	48	11	41	6	111	80	15	14	2	68	48	12	7	1	52
-	-	-	-	-	6	1	1	4	-	4	4	-	-	-	1	1	-	-	-	53
1	-	1	-	-	20	2	11	1	6	11	5	6	-	-	7	4	3	-	-	54
12	9	3	-	-	150	68	25	44	13	104	76	24	3	1	114	70	29	12	3	55
50	44	6	-	-	418	300	81	32	5	352	264	79	6	3	186	127	46	12	1	56
9	8	1	-	-	59	33	23	2	1	97	65	28	3	1	19	8	9	1	1	57
7	7	-	-	-	52	33	13	5	1	54	40	14	-	-	22	16	3	3	-	58
31	27	4	-	-	262	212	30	17	3	158	135	19	3	1	119	86	25	8	-	59
3	2	1	-	-	45	22	15	8	-	43	24	18	-	1	26	17	9	-	-	60
2	2	-	-	-	292	70	29	150	43	85	50	16	12	7	80	50	16	11	3	61
1	1	-	-	-	181	46	21	87	27	41	24	10	4	3	59	38	11	7	3	62
-	-	-	-	-	60	9	2	42	7	20	11	-	6	3	10	4	2	4	-	63
1	1	-	-	-	45	14	6	16	9	23	14	6	2	1	10	7	3	-	-	64
-	-	-	-	-	5	1	-	4	-	1	1	-	-	-	1	1	-	-	-	65
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	35,034	20,002	14.513	290	229	2,453	1,569	801	46	37
2	I. Infective and parasitic diseases	535	312	202	16	5	32	19	7	3	3
3	Tuberculosis, all forms 001-019	178	114	50	10	4	9	6	1	1	1
4	Tuberculosis of respiratory system 001-008	159	100	46	9	4	9	6	1	1	1
5	Tuberculosis of meninges and central nervous system 010	4	1	2	1	-	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	2	2	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	9	7	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	1	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	2	2	-	-	-	-	-	-	-	-
12	Syphilis and its sequelae 020-029	50	34	14	1	1	11	7	1	2	1
13	Congenital syphilis 020	-	-	-	-	-	1	-	-	1	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	15	9	5	1	-	3	2	-	-	1
16	Other cardiovascular syphilis 023	26	18	7	-	1	4	3	-	1	-
17	Tabes dorsalis 024	2	1	1	-	-	1	1	-	-	-
18	General paralysis of insane 025	1	1	-	-	-	1	-	1	-	-
19	Other syphilis of central nervous system 026	6	5	1	-	-	1	1	-	-	-
20	Other syphilis 027-029	-	-	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	1	1	-	-	-
24	Other Salmonella infections 042	3	1	2	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	6	2	3	1	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	4	3	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	5	3	2	-	-	1	-	1	-	-
31	Erysipelas 052	5	1	4	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	20	15	4	1	-	3	2	1	-	-
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	2	1	-	-	1
35	Meningococcal infections 057	26	13	13	-	-	-	-	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	1	1	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	7	6	1	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	166	86	79	1	-	1	-	1	-	-
42	Late effects of acute poliomyelitis 081	5	5	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	8	4	4	-	-	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	5	4	1	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	3	5	-	-	3	1	2	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	22	11	10	1	-	-	-	-	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	17	7	9	1	-	-	-	-	-	-
61	II. Neoplasms	5,864	3,114	2,705	32	33	314	169	139	2	4
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	5,771	3,073	2,634	31	33	306	165	135	2	4
63	Malignant neoplasm of buccal cavity and pharynx 140-148	120	94	24	2	-	3	3	-	-	-
64	Of lip 140	9	8	1	-	-	1	1	-	-	-
65	Of tongue 141	38	28	9	1	-	-	-	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	34	26	8	-	-	1	1	-	-	-
67	Of pharynx 145-148	39	32	6	1	-	1	1	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	2,314	1,305	988	10	11	112	55	56	-	1
69	Of esophagus 150	111	89	21	1	-	4	1	3	-	-
70	Of stomach 151	674	435	231	2	6	33	25	7	-	1
71	Of intestine, except rectum 152,153	675	333	339	2	1	33	8	25	-	-
72	Of rectum 154	318	191	125	-	2	14	5	9	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	142	52	87	1	2	6	2	4	-	-
74	Of liver not specified whether primary or secondary 156A	94	53	41	-	-	5	1	4	-	-
75	Of pancreas 157	261	138	119	4	-	16	12	4	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	39	14	25	-	-	1	1	-	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	569	475	86	7	1	40	34	5	1	-
78	Of larynx 161	45	40	4	1	-	3	2	1	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	220	196	19	4	1	16	15	1	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	278	219	57	2	-	20	17	2	1	-
81	Of other parts of respiratory system 160,164	26	20	6	-	-	1	-	1	-	-
82	Malignant neoplasm of breast 170	518	8	509	-	1	28	-	28	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	882	391	476	3	12	44	22	20	-	2
2	Of cervix uteri----------171	172	...	164	...	8	8	...	7	...	1
3	Of other and unspecified parts of uterus----------172-174	113	...	110	...	3	5	...	5	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	184	...	183	...	1	8	...	7	...	1
5	Of other and unspecified female genital organs----------176	19	...	19	...	-	1	...	1	...	-
6	Of prostate----------177	365	362	...	3	...	22	22	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	29	29	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	329	226	100	3	-	13	9	3	1	-
9	Of kidney----------180	127	80	45	2	-	7	4	3	-	-
10	Of bladder and other urinary organs----------181	202	146	55	1	-	6	5	-	1	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	542	287	247	3	5	36	19	16	-	1
12	Of skin----------190,191	64	40	24	-	-	4	4	-	-	-
13	Of eye----------192	10	4	6	-	-	1	-	1	-	-
14	Of brain and other parts of nervous system----------193	124	70	52	1	1	9	3	6	-	-
15	Of thyroid gland----------194	31	8	23	-	-	1	1	-	-	-
16	Of bone (including jaw bone)----------196	51	31	20	-	-	4	2	2	-	-
17	Of connective tissue----------197	15	8	7	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	84	38	43	1	2	10	3	6	-	1
19	Of unspecified sites----------156B,165,198B,199B-M	163	88	72	1	2	7	6	1	-	-
20	Leukemia and aleukemia----------204	283	166	113	2	2	20	15	5	-	-
21	Lymphosarcoma, etc.*----------200-203,205	214	121	91	1	1	10	8	2	-	-
22	Lymphosarcoma and reticulosarcoma----------200	98	56	42	-	-	3	3	-	-	-
23	Hodgkin's disease----------201	60	34	26	-	-	4	3	1	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	56	31	23	1	1	3	2	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	113	41	71	1	-	8	4	4	-	-
26	Benign neoplasms of female genital organs----------214-217	23	...	23	...	-	-	...	-	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	27	13	14	-	-	-	-	-	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	24	10	14	-	-	-	-	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	2	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	18	7	10	1	-	6	4	2	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	19	11	8	-	-	2	-	2	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	844	367	463	9	5	66	39	23	-	4
33	Asthma----------241	113	70	41	1	1	19	16	3	-	-
34	Nontoxic goiter----------250,251	5	1	4	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	38	9	29	-	-	1	-	1	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	4	1	3	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	650	266	374	6	4	44	23	17	-	4
38	Diseases of thymus gland----------273	6	5	-	1	-	-	-	-	-	-
39	Diseases of adrenal glands----------274	10	4	5	1	-	-	-	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-285	5	1	4	-	-	1	-	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	13	10	3	-	-	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	130	66	60	4	-	4	3	1	-	-
44	Anemias----------290-293	92	45	44	3	-	1	1	-	-	-
45	Pernicious and other hyperchromic anemias----------290	47	27	20	-	-	-	-	-	-	-
46	Anemias of other and unspecified type----------291-293	45	18	24	3	-	1	1	-	-	-
47	Purpura and other hemorrhagic conditions----------296	15	6	8	1	-	-	-	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	23	15	8	-	-	3	2	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	62	39	20	2	1	10	7	2	-	1
50	Senile psychosis----------304	5	1	4	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	6	6	-	-	-	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	10	4	6	-	-	1	-	1	-	-
53	Alcoholism----------322	34	26	5	2	1	6	4	1	-	1
54	Mental deficiency----------325	5	2	3	-	-	1	1	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	2	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	4,703	2,341	2,304	28	30	288	169	113	4	2
57	Vascular lesions affecting central nervous system----------330-334	4,363	2,148	2,165	25	25	261	159	97	3	2
58	Subarachnoid hemorrhage----------330	91	39	50	-	2	4	3	1	-	-
59	Cerebral hemorrhage----------331	2,805	1,354	1,424	16	11	178	111	64	1	2
60	Cerebral embolism and thrombosis----------332	922	491	424	3	4	51	31	18	2	-
61	Other vascular lesions affecting central nervous system--------333,334	545	264	267	6	8	28	14	14	-	-
62	Meningitis, except meningococcal and tuberculous----------340	37	22	12	2	1	3	1	2	-	-
63	Multiple sclerosis----------345	38	15	23	-	-	2	1	1	-	-
64	Paralysis agitans----------350	66	35	31	-	-	4	1	2	1	-
65	Cerebral spastic infantile paralysis----------351	20	8	10	-	2	-	-	-	-	-
66	Epilepsy----------353	57	41	15	1	-	8	5	3	-	-
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	8	5	2	-	1	1	1	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	112	66	45	-	1	9	1	8	-	-
72	VII. Diseases of the circulatory system----------	15,221	9,019	6,075	80	47	920	640	267	9	4
73	Rheumatic fever----------400-402	26	12	14	-	-	4	1	3	-	-
74	Diseases of heart----------410-443	13,788	8,247	5,424	72	45	832	587	232	9	4
75	Chronic rheumatic heart disease----------410-416	449	240	200	5	4	24	14	10	-	-
76	Diseases of mitral valve----------410	138	63	70	2	3	18	11	7	-	-
77	Diseases of aortic valve specified as rheumatic----------411	38	29	7	1	1	2	2	-	-	-
78	Diseases of tricuspid valve----------412	1	1	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	47	24	23	-	-	1	-	1	-	-
80	Other diseases of heart specified as rheumatic----------415,416	225	123	100	2	-	3	1	2	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

Table 54. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	9,862	6,302	3.492	46	22	566	439	117	6	4
2	Arteriosclerotic heart disease sc described----------420.0	3,704	1,975	1,692	20	17	122	84	36	-	2
3	Heart disease specified as involving coronary arteries----------420.1	6,144	4,318	1,795	26	5	443	354	81	6	2
4	Angina pectoris without mention of coronary disease----------420.2	14	9	5	-	-	1	1	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	177	92	83	-	2	14	10	4	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	18	11	7	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	35	18	17	-	-	6	4	2	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	124	63	59	-	2	8	6	2	-	-
9	Other myocardial degeneration----------422	1,693	853	826	8	6	119	67	49	3	-
10	With arteriosclerosis----------422.1	1,057	515	530	6	6	31	17	13	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	636	338	296	2	-	88	50	36	2	-
12	Other diseases of heart----------430-434	291	177	106	5	3	23	17	6	-	-
13	Acute and subacute endocarditis----------430	14	8	5	1	-	-	-	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	22	15	6	-	1	1	1	-	-	-
15	Acute pericarditis specified as nonrheumatic----------432	2	1	1	-	-	-	-	-	-	-
16	Functional disease of heart----------433	50	28	21	1	-	5	2	3	-	-
17	Other and unspecified diseases of heart----------434	203	125	73	3	2	17	14	3	-	-
18	Hypertension with heart disease----------440-443	1,316	583	717	8	8	86	40	46	-	-
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	415	212	200	2	1	37	18	19	-	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	901	371	517	6	7	49	22	27	-	-
21	Hypertension without mention of heart----------444-447	247	127	114	4	2	11	6	5	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	131	78	48	4	1	4	2	2	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	116	49	66	-	1	7	4	3	-	-
24	Diseases of arteries----------450-456	1,067	584	479	4	-	56	35	21	-	-
25	General arteriosclerosis----------450	914	489	423	2	-	42	27	15	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	109	68	39	2	-	9	7	2	-	-
27	Gangrene of unspecified cause----------455	4	4	-	-	-	1	1	-	-	-
28	Other arterial diseases----------452-454,456	40	23	17	-	-	4	-	4	-	-
29	Diseases of veins and other diseases of circulatory system--------460-468	93	49	44	-	-	17	11	6	-	-
30	VIII. Diseases of the respiratory system----------	1,016	601	384	18	13	111	73	26	7	5
31	Acute upper respiratory infections----------470-475	20	6	13	-	1	3	2	1	-	-
32	Influenza----------480-483	36	11	25	-	-	7	3	1	1	2
33	Pneumonia, except pneumonia of newborn----------490-493	651	373	255	12	11	64	39	17	5	3
34	Lobar pneumonia----------490	167	106	56	3	2	13	10	2	1	-
35	Bronchopneumonia----------491	382	210	157	9	6	32	17	10	3	2
36	Primary atypical pneumonia----------492	82	44	35	-	3	10	6	4	-	-
37	Pneumonia, other and unspecified----------493	20	13	7	-	-	9	6	1	1	1
38	Acute bronchitis----------500	32	15	15	1	1	2	2	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	20	15	5	-	-	4	3	-	1	-
40	Hypertrophy of tonsils and adenoids----------510	4	2	2	-	-	2	1	1	-	-
41	Empyema and abscess of lung----------518,521	10	10	-	-	-	1	-	1	-	-
42	Pleurisy----------519	6	3	3	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	237	166	66	5	-	28	23	5	-	-
44	IX. Diseases of the digestive system----------	1,306	792	483	16	15	79	38	35	2	4
45	Diseases of teeth and supporting structures----------530-535	5	3	2	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	117	87	27	2	1	9	6	2	1	-
47	Ulcer of duodenum----------541	112	86	24	1	1	9	5	3	-	1
48	Gastritis and duodenitis----------543	2	1	1	-	-	2	1	1	-	-
49	Appendicitis----------550-553	70	51	18	-	1	4	4	-	-	-
50	Hernia and intestinal obstruction----------560,561,570	204	101	94	4	5	12	5	7	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	151	76	66	6	3	11	1	8	1	1
52	Cirrhosis of liver----------581	319	227	89	-	3	12	6	6	-	-
53	Without mention of alcoholism----------581.0	263	180	81	-	2	11	5	6	-	-
54	With alcoholism----------581.1	56	47	8	-	1	1	1	-	-	-
55	Cholelithiasis and cholecystitis----------584,585	191	86	105	-	-	9	7	2	-	-
56	Other diseases of digestive system----------Residual[1]	135	74	57	3	1	11	3	6	-	2
57	X. Diseases of the genito-urinary system----------	721	491	211	9	10	54	31	23	-	-
58	Nephritis and nephrosis----------590-594	334	179	144	5	6	31	16	15	-	-
59	Acute nephritis----------590	15	11	4	-	-	-	-	-	-	-
60	Nephritis with edema, including nephrosis----------591	26	16	9	1	-	2	-	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	293	152	131	4	6	29	16	13	-	-
62	Infections of kidney----------600	76	41	33	-	2	9	4	5	-	-
63	Calculi of urinary system----------602,604	30	21	8	-	1	-	-	-	-	-
64	Other diseases of urinary system----------601,603,605-609	39	26	12	1	-	2	1	1	-	-
65	Hyperplasia of prostate----------610	218	215	...	3	...	8	8	...	-	...
66	Other diseases of male genital organs----------611-617	9	9	...	-	...	2	2	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	15	...	14	...	1	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	25	...	25	...	-	3	...	2	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	3	...	3	...	-	1	...	-	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	6	...	6	...	-	-	...	-	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	6	...	6	...	-	-	...	-	...	-
73	Ectopic pregnancy----------645	-	...	-	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	1	...	1	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	8	...	8	...	-	2	...	2	...	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

and Sex: United States and Each State, 1955—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	23	10	13	-	-	4	-	4	-	-
2	Infections of skin and subcutaneous tissue---690-698	7	3	4	-	-	1	-	1	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	16	7	9	-	-	3	-	3	-	-
4	XIII. Diseases of the bones and organs of movement	71	32	37	1	1	4	1	3	-	-
5	Arthritis and spondylitis---720-725	36	15	21	-	-	2	-	2	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	6	3	3	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	28	14	12	1	1	2	1	1	-	-
10	XIV. Congenital malformations	514	271	228	6	9	42	23	15	-	4
11	Spina bifida and meningocele---751	30	16	14	-	-	-	-	-	-	-
12	Congenital hydrocephalus, etc.*---752,753	71	32	35	1	3	5	1	2	-	2
13	Congenital malformations of circulatory system---754	225	122	95	4	4	26	15	10	-	1
14	Other congenital malformations---750,755-759	188	101	84	1	2	11	7	3	-	1
15	XV. Certain diseases of early infancy	1,346	725	555	30	36	152	84	56	8	4
16	Birth injuries---760,761	325	191	127	4	3	24	17	6	1	-
17	Postnatal asphyxia and atelectasis---762	294	162	112	8	12	34	21	11	1	1
18	Infections of newborn---763-768	54	29	24	-	1	11	2	6	2	1
19	Hemolytic disease of newborn (erythroblastosis)---770	65	36	29	-	-	7	4	3	-	-
20	All other defined diseases of early infancy---769,771,772	28	14	12	1	1	5	2	2	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	580	293	251	17	19	71	38	28	3	2
22	XVI. Symptoms, senility, and ill-defined conditions	163	95	65	3	-	27	17	10	-	-
23	Senility without mention of psychosis---794	86	38	48	-	-	5	3	2	-	-
24	Symptoms, ill-defined and unknown causes---780-793,795	77	57	17	3	-	22	14	8	-	-
25	XVII. Accidents, poisonings, and violence	2,470	1,727	683	36	24	343	256	75	11	1
26	Accidents---E800-E962	2,012	1,389	574	25	24	274	202	61	10	1
27	Railway accidents---E800-E802	28	24	4	-	-	-	-	-	-	-
28	Motor-vehicle accidents---E810-E835	910	680	204	13	13	114	80	29	5	-
29	Motor-vehicle traffic accidents---E810-E825	887	661	200	13	13	109	76	28	5	-
30	Motor-vehicle traffic accident with railway train*---E810	51	37	14	-	-	7	5	2	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	146	101	36	5	4	9	5	2	2	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	276	194	74	6	2	41	22	16	3	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	178	141	30	2	5	40	35	5	-	-
34	Motor-vehicle traffic accident of unspecified nature---E825	236	188	46	-	2	12	9	3	-	-
35	Motor-vehicle nontraffic accidents---E830-E835	23	19	4	-	-	5	4	1	-	-
36	Other road-vehicle accidents---E840-E845	7	4	3	-	-	3	2	-	1	-
37	Water-transport accidents---E850-E858	53	48	4	1	-	2	2	-	-	-
38	Aircraft accidents---E860-E866	20	19	1	-	-	12	12	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	15	9	6	-	-	2	-	2	-	-
40	Accidental poisoning by gases and vapors---E890-E895	22	14	5	2	1	7	6	1	-	-
41	Accidental falls---E900-E904	475	232	241	1	1	35	20	14	1	-
42	Fall from one level to another---E900-E902	169	108	60	1	-	17	13	4	-	-
43	Fall on same level---E903	143	53	89	-	1	9	4	4	1	-
44	Unspecified falls---E904	163	71	92	-	-	9	3	6	-	-
45	Blow from falling object---E910	21	20	-	-	1	12	12	-	-	-
46	Accident caused by machinery---E912	66	61	4	1	-	10	9	1	-	-
47	Accident caused by electric current---E914	23	20	3	-	-	2	2	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	73	35	31	4	3	14	11	2	1	-
49	Accident caused by hot substance, etc.*---E917,E918	9	6	3	-	-	4	2	2	-	-
50	Accident caused by firearm---E919	39	35	4	-	-	10	9	-	-	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	25	19	5	-	1	5	3	1	1	-
52	Accidental drowning---E929	101	84	14	3	-	17	13	4	-	-
53	Excessive heat and insolation---E931	11	10	1	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	9	2	6	-	1	3	2	1	-	-
55	All other accidents---Residual[1]	105	67	35	-	3	22	17	4	1	-
56	Suicide---E963,E970-E979	417	321	91	5	-	59	46	12	1	-
57	Suicide by poisoning---E970-E973	65	45	20	-	-	13	7	6	-	-
58	Suicide by hanging and strangulation---E974	139	100	38	1	-	4	3	1	-	-
59	Suicide by firearms and explosives---E976	164	147	13	4	-	36	32	3	1	-
60	Suicide by all other means---E963,E975,E977-E979	49	29	20	-	-	6	4	2	-	-
61	Homicide---E964,E980-E985	41	17	18	6	-	10	8	2	-	-
62	Assault by firearms and explosives---E981	27	11	13	3	-	5	3	2	-	-
63	Assault by cutting and piercing instruments---E982	6	2	2	2	-	2	2	-	-	-
64	Assault by other means---E964,E980,E983	8	4	3	1	-	1	1	-	-	-
65	Injury by intervention of police---E984	-	-	-	-	-	2	2	-	-	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 52.

[1]For category numbers, see table 52.

Table 55A. Deaths From 64 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,528,717	106,903	7,051	4,059	3,156	2,418	123,587	8,440	6,320	10,544
2		White--Male	774,758	47,457	2,881	1,755	1,429	1,063	54,585	4,235	3,417	6,236
3		Female	576,111	34,225	2,333	1,369	1,078	853	39,858	2,792	1,852	2,568
4		Nonwhite--Male	97,880	13,959	996	530	317	247	16,049	788	642	1,106
5		Female	79,968	11,262	841	405	332	255	13,095	625	409	634
6		Tuberculosis, all forms (001-019)	14,940	98	130	64	41	21	352	62	36	99
7		White--Male	8,086	30	33	21	10	5	99	24	9	13
8		Female	3,030	21	36	16	12	6	91	12	12	26
9		Nonwhite--Male	2,456	31	33	18	10	6	98	13	7	26
10		Female	1,368	14	28	9	9	4	64	13	8	34
11	B 1	Tuberculosis of respiratory system (001-008)	13,676	39	42	20	14	7	122	18	11	71
12		White--Male	7,628	12	10	4	1	1	28	7	2	8
13		Female	2,749	12	12	8	6	2	40	2	4	19
14		Nonwhite--Male	2,152	12	9	5	3	2	31	3	3	19
15		Female	1,147	3	11	3	4	2	23	6	2	25
16	B 2	Tuberculosis, other forms (010-019)	1,264	57	88	44	27	14	230	44	25	28
17		White--Male	458	18	23	17	9	4	71	17	7	5
18		Female	281	9	24	8	6	4	51	10	8	7
19		Nonwhite--Male	304	19	24	13	7	4	67	10	4	7
20		Female	221	11	17	6	5	2	41	7	6	9
21	B 3	Syphilis and its sequelae (020-029)	3,834	34	2	3	-	-	39	1	1	2
22		White--Male	1,834	8	1	1	-	-	10	-	-	-
23		Female	604	1	-	-	-	-	1	-	-	-
24		Nonwhite--Male	1,006	12	-	2	-	-	14	1	-	1
25		Female	390	13	1	-	-	-	14	-	1	1
26	B 4	Typhoid fever (040)	34	1	1	-	-	1	3	2	2	2
27		White--Male	10	-	-	-	-	-	-	-	1	1
28		Female	8	-	-	-	-	-	-	-	-	-
29		Nonwhite--Male	11	-	1	-	-	1	2	1	1	1
30		Female	5	1	-	-	-	-	1	1	-	-
31	B 6	Dysentery, all forms (045-048)	556	271	23	16	13	12	335	19	8	4
32		White--Male	188	81	6	7	5	5	104	6	3	2
33		Female	178	88	9	3	2	2	104	8	3	-
34		Nonwhite--Male	103	57	4	5	3	3	72	2	2	1
35		Female	87	45	4	1	3	2	55	3	-	1
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	235	28	17	10	3	10	88	22	10	8
37		White--Male	108	17	9	4	1	4	35	10	2	6
38		Female	95	5	4	5	2	6	22	8	4	1
39		Nonwhite--Male	20	2	4	1	-	-	7	1	3	1
40		Female	12	4	-	-	-	-	4	3	1	-
41	B 8	Diphtheria (055)	150	6	7	15	18	20	66	47	6	1
42		White--Male	58	4	6	3	3	5	21	11	2	1
43		Female	36	2	1	1	5	9	18	10	1	-
44		Nonwhite--Male	27	-	-	6	4	5	15	10	2	-
45		Female	29	-	-	5	6	1	12	16	1	-
46	B 9	Whooping cough (056)	467	334	70	29	20	5	458	4	1	1
47		White--Male	91	67	12	6	3	1	89	1	-	1
48		Female	132	85	26	9	7	2	129	2	-	-
49		Nonwhite--Male	114	87	13	7	5	-	112	1	-	-
50		Female	130	95	19	7	5	2	128	-	1	-
51	B 10	Meningococcal infections (057)	907	257	134	85	71	41	588	73	31	44
52		White--Male	435	129	67	39	31	16	282	36	13	23
53		Female	317	92	51	30	28	16	217	27	11	7
54		Nonwhite--Male	79	21	11	6	7	5	50	4	1	9
55		Female	76	15	5	10	5	4	39	6	6	5
56	B 12	Acute poliomyelitis (080)	1,043	39	23	29	39	26	156	148	134	96
57		White--Male	557	20	6	12	20	16	74	75	72	52
58		Female	442	14	15	14	17	9	69	65	58	40
59		Nonwhite--Male	23	4	1	3	1	1	10	6	1	2
60		Female	21	1	1	-	1	-	3	2	3	2
61	B 14	Measles (085)	345	81	74	28	29	22	234	65	17	7
62		White--Male	126	30	24	12	15	7	88	22	8	3
63		Female	129	21	23	9	9	10	72	32	7	4
64		Nonwhite--Male	42	16	11	4	2	4	37	4	-	-
65		Female	48	14	16	3	3	1	37	7	2	-
66	B 15	Typhus and other rickettsial diseases (100-108)	15	-	-	-	-	1	1	-	1	-
67		White--Male	10	-	-	-	-	1	1	-	-	-
68		Female	3	-	-	-	-	-	-	-	-	-
69		Nonwhite--Male	2	-	-	-	-	-	-	-	1	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	B 16	Malaria (110-117)	18	2	-	-	-	-	2	-	-	1
72		White--Male	7	1	-	-	-	-	1	-	-	-
73		Female	4	1	-	-	-	-	1	-	-	-
74		Nonwhite--Male	5	-	-	-	-	-	-	-	-	1
75		Female	2	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Color, and Sex: United States, 1955

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,771	15,762	20,058	28,017	41,725	59,936	82,330	109,244	143,048	179,543	193,486	188,968	157,098	97,696	37,152	9,160	1,594	1,238	1
7,852	8,064	9,485	13,315	20,599	31,834	44,971	61,522	81,456	98,764	102,340	94,110	72,443	41,492	14,049	3,079	367	543	2
3,015	3,906	5,657	8,290	12,311	17,133	22,777	31,720	44,995	62,495	75,885	83,920	77,068	52,170	21,189	5,419	720	371	3
1,795	2,215	2,648	3,370	4,772	5,954	7,934	8,997	9,416	10,214	8,463	5,951	4,072	2,011	844	281	168	190	4
1,109	1,577	2,268	3,042	4,043	5,015	6,648	7,005	7,181	8,070	6,798	4,987	3,515	2,023	1,070	381	339	134	5
246	472	688	886	1,128	1,276	1,544	1,505	1,644	1,677	1,451	968	596	243	49	10	-	8	6
38	104	190	298	463	683	908	955	1,130	1,146	947	571	345	135	22	4	-	2	7
43	117	174	248	279	236	191	203	231	275	308	291	188	83	15	3	-	4	8
59	113	167	193	241	251	327	273	217	188	136	78	41	18	6	2	-	2	9
106	138	157	147	145	106	118	74	66	68	60	28	22	7	6	1	-	-	10
217	433	632	806	1,045	1,184	1,446	1,404	1,538	1,595	1,370	913	570	237	47	9	-	8	11
32	96	180	275	435	653	871	907	1,085	1,108	907	544	329	133	22	4	-	2	12
38	111	165	233	264	219	177	180	206	252	287	271	181	79	14	3	-	4	13
49	98	147	167	220	223	303	254	199	178	120	70	40	18	6	2	-	2	14
98	128	140	131	126	89	95	63	48	57	56	28	20	7	5	-	-	-	15
29	39	56	80	83	92	98	101	106	82	81	55	26	6	2	1	-	-	16
6	8	10	23	28	30	37	48	45	38	40	27	16	2	-	-	-	-	17
5	6	9	15	15	17	14	23	25	23	21	20	7	4	1	-	-	-	18
10	15	20	26	21	28	24	19	18	10	16	8	1	-	-	-	-	-	19
8	10	17	16	19	17	23	11	18	11	4	-	2	-	1	1	-	-	20
8	20	36	76	162	313	441	557	599	619	479	274	146	45	8	3	-	5	21
3	8	11	22	46	102	170	273	313	362	257	162	71	19	3	-	-	2	22
2	2	5	10	17	54	46	70	86	79	111	55	46	15	3	1	-	1	23
3	5	11	28	76	117	154	163	155	135	75	39	20	7	-	-	-	2	24
-	5	9	16	23	40	71	51	45	43	36	18	9	4	2	2	-	-	25
3	2	2	3	-	2	2	2	4	2	1	2	-	-	-	-	-	-	26
1	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-	-	-	27
1	1	1	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	28
1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	29
-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	30
2	6	4	8	7	9	7	15	15	22	28	23	18	14	9	1	2	-	31
1	2	2	7	3	3	3	7	3	6	12	5	9	4	6	-	-	-	32
1	2	2	-	1	5	3	2	5	6	6	11	7	9	3	-	-	-	33
-	-	-	1	2	-	1	3	5	7	3	2	-	1	-	1	-	-	34
-	2	-	-	1	1	-	3	2	3	7	5	2	-	-	-	2	-	35
7	7	12	9	12	8	12	11	8	10	9	8	8	5	1	-	-	-	36
3	3	8	1	3	2	9	5	3	6	3	3	2	3	1	-	-	-	37
4	3	3	7	7	4	2	6	4	2	6	5	5	2	-	-	-	-	38
-	-	1	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	39
-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	40
-	1	3	-	4	3	5	2	5	4	2	1	-	-	-	-	-	-	41
-	-	3	-	3	3	4	1	4	3	1	1	-	-	-	-	-	-	42
-	1	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	48
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
16	7	16	9	15	18	19	12	18	13	10	7	6	4	1	-	-	-	51
8	4	8	5	6	10	11	7	10	4	2	3	1	2	-	-	-	-	52
4	3	5	2	3	6	3	2	5	7	5	3	4	2	1	-	-	-	53
3	-	2	-	4	-	2	2	1	1	-	-	-	-	-	-	-	-	54
1	-	1	2	2	2	3	1	2	1	3	1	1	-	-	-	-	-	55
98	146	118	67	35	19	11	8	4	-	1	-	1	-	-	-	-	1	56
42	83	67	40	25	12	5	4	4	-	-	-	1	-	-	-	-	1	57
52	60	49	24	9	6	6	3	-	-	1	-	-	-	-	-	-	-	58
1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	59
3	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	60
2	4	2	3	3	1	1	-	-	1	3	1	-	1	-	-	-	-	61
1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	2	-	2	2	1	1	-	-	1	2	1	-	1	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	64
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	1	2	-	1	3	2	-	-	1	3	-	-	-	-	-	-	66
-	-	1	2	-	1	3	1	-	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	3	1	-	1	1	3	-	2	2	-	-	-	-	-	-	71
-	1	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	73
-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	74
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	75

420487 O - 57 - 12

Table 55A. Deaths From 64 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Num-

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 17	All other infective and parasitic diseases (030-039, 041,042,044,049,052-054,059-074,081-083,086-096,120-138)----	4,151	650	175	95	53	33	1,006	199	117	105
2		White--------Male----	1,784	265	55	41	22	17	400	90	44	49
3		Female--	1,510	179	67	35	18	9	308	64	47	29
4		Nonwhite-----Male----	450	107	26	11	7	4	155	19	14	18
5		Female--	407	99	27	8	6	3	143	26	12	9
6	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)----------	240,681	289	342	419	475	400	1,925	1,335	790	867
7		White--------Male----	115,910	143	185	205	254	205	992	744	418	446
8		Female--	104,518	114	117	182	193	167	773	484	291	322
9		Nonwhite-----Male----	10,358	18	21	16	15	14	84	63	47	58
10		Female--	9,895	14	19	16	13	14	76	44	34	41
11		Malignant neoplasm of buccal cavity and pharynx (140-148)--	5,522	3	2	2	2	4	13	9	9	11
12		White--------Male----	4,036	1	-	2	-	3	6	4	4	6
13		Female--	1,067	1	1	-	1	1	4	4	3	3
14		Nonwhite-----Male----	304	-	-	-	-	-	-	-	2	1
15		Female--	115	1	1	-	1	-	3	1	-	1
16		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)----------	85,872	41	13	5	8	5	72	27	21	40
17		White--------Male----	42,968	27	7	3	4	3	44	13	11	23
18		Female--	35,764	6	5	-	3	2	16	8	4	11
19		Nonwhite-----Male----	4,336	6	1	2	-	-	9	5	4	3
20		Female--	2,804	2	-	-	1	-	3	1	2	3
21		Malignant neoplasm of respiratory system, not specified as secondary (160-164)----------	29,914	6	1	4	1	2	14	10	10	25
22		White--------Male----	23,517	4	-	2	-	1	7	6	5	12
23		Female--	4,215	2	-	2	1	1	6	4	3	7
24		Nonwhite-----Male----	1,775	-	-	-	-	-	-	-	-	5
25		Female--	407	-	1	-	-	-	1	-	2	1
26		Malignant neoplasm of breast (170)----------	21,945	2	1	-	-	1	4	1	-	3
27		White--------Male----	221	1	-	-	-	-	1	-	-	-
28		Female--	20,151	1	1	-	-	-	2	1	-	3
29		Nonwhite-----Male----	16	-	-	-	-	-	-	-	-	-
30		Female--	1,557	-	-	-	-	1	1	-	-	-
31		Malignant neoplasm of genital organs (171-179)----------	37,509	2	6	7	4	5	24	15	19	53
32		White--------Male----	12,958	1	4	4	4	3	16	6	4	20
33		Female--	19,899	1	1	3	-	1	6	6	13	24
34		Nonwhite-----Male----	1,531	-		-	-	1	1	-	-	2
35		Female--	3,121	-	1	-	-	-	1	3	2	7
36		Malignant neoplasm of urinary organs (180,181)----------	11,502	18	32	43	49	38	180	95	7	12
37		White--------Male----	7,150	9	16	27	24	12	88	42	3	4
38		Female--	3,685	9	14	14	21	17	75	45	2	7
39		Nonwhite-----Male----	403	-	2	-	2	8	12	5	-	-
40		Female--	264	-	-	2	2	1	5	3	2	1
41		Malignant neoplasm of other and unspecified sites (156B,165,190-199)----------	26,958	89	112	140	116	97	554	430	325	288
42		White--------Male----	13,257	46	67	67	58	39	275	215	162	154
43		Female--	11,467	34	33	61	50	48	226	183	128	103
44		Nonwhite-----Male----	1,148	5	6	6	3	4	24	14	21	15
45		Female--	1,086	4	6	6	7	6	29	18	14	16
46		Leukemia and aleukemia (204)----------	10,816	102	130	190	259	215	896	602	295	258
47		White--------Male----	5,930	43	63	86	145	119	456	349	171	132
48		Female--	4,259	48	53	90	106	89	386	213	103	103
49		Nonwhite-----Male----	373	6	9	6	7	1	29	27	13	16
50		Female--	254	5	5	8	1	6	25	13	8	7
51		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)----------	10,643	26	45	28	36	33	168	146	104	177
52		White--------Male----	5,873	11	28	14	21	25	99	109	58	95
53		Female--	4,011	12	9	12	11	8	52	20	35	61
54		Nonwhite-----Male----	472	1	3	2	3	-	9	12	7	16
55		Female--	287	2	5	-	1	-	8	5	4	5
56	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)----------	5,168	163	61	30	32	24	310	124	86	93
57		White--------Male----	1,990	72	29	8	11	8	128	50	34	37
58		Female--	2,370	55	27	14	18	10	124	54	39	41
59		Nonwhite-----Male----	238	14	1	5	1	3	24	11	3	5
60		Female--	570	22	4	3	2	3	34	9	10	10
61	B 20	Diabetes mellitus (260)----------	25,488	23	20	6	6	10	65	51	64	75
62		White--------Male----	9,242	10	10	3	2	6	31	24	23	19
63		Female--	13,714	4	8	1	4	4	21	24	26	39
64		Nonwhite-----Male----	840	5	2	1	-	-	8	1	8	9
65		Female--	1,692	4	-	1	-	-	5	2	7	8
66	B 21	Anemias (290-293)----------	3,107	134	81	31	22	13	281	66	48	33
67		White--------Male----	1,254	45	19	6	9	4	83	16	27	8
68		Female--	1,375	34	16	7	7	-	64	24	9	12
69		Nonwhite-----Male----	256	35	28	11	5	5	84	18	8	6
70		Female--	222	20	18	7	1	4	50	8	4	7

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Color, and Sex: United States, 1955—Continued

bers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
95	127	141	172	199	235	221	245	266	283	246	205	136	99	35	14	3	2	1
25	36	54	62	67	103	102	119	133	144	119	96	67	33	17	3	-	1	2
43	50	50	61	60	82	74	90	95	103	102	98	63	61	18	8	3	1	3
16	22	12	23	24	28	27	24	21	21	15	5	4	1	-	1	-	-	4
11	19	25	26	28	22	18	12	17	15	10	6	2	4	-	2	-	-	5
1,067	1,698	2,912	5,229	8,702	13,732	19,101	25,427	31,793	36,154	33,491	27,371	17,740	8,535	2,301	360	43	108	6
578	768	1,064	1,700	2,734	5,159	8,158	11,898	16,306	19,109	17,647	14,111	8,900	4,005	1,010	113	8	42	7
373	726	1,441	2,773	4,655	6,720	8,454	10,737	12,809	14,283	13,868	11,975	8,160	4,201	1,195	218	20	40	8
64	70	134	228	460	773	1,166	1,495	1,563	1,610	1,138	740	402	176	50	17	8	12	9
52	134	273	528	853	1,080	1,323	1,297	1,115	1,152	838	545	278	153	46	12	7	14	10
11	16	36	77	183	305	494	635	749	869	741	596	458	224	72	9	2	1	11
6	11	19	40	109	192	351	475	581	669	566	450	336	158	47	5	-	1	12
2	5	13	24	44	66	88	98	119	130	144	124	112	57	22	4	1	-	13
1	-	4	9	21	32	39	49	46	47	22	17	6	6	2	-	-	-	14
2	-	2	4	9	15	16	13	3	23	9	5	4	3	1	-	1	-	15
97	216	454	996	1,861	3,414	5,490	8,232	11,286	14,283	14,225	11,985	8,112	3,838	1,031	142	12	38	16
50	93	193	386	777	1,566	2,666	4,046	5,974	7,679	7,464	6,037	3,843	1,648	397	36	4	18	17
32	85	183	457	777	1,295	1,999	3,158	4,221	5,447	5,906	5,412	3,995	2,059	590	94	4	11	18
11	21	37	82	172	332	482	651	691	729	532	311	163	68	21	5	2	5	19
4	17	41	71	135	221	343	377	400	428	323	225	111	63	23	7	2	4	20
33	77	167	423	927	1,992	3,164	4,487	5,501	5,337	3,760	2,344	1,127	397	87	19	2	11	21
18	40	103	267	626	1,506	2,473	3,650	4,589	4,376	2,988	1,759	775	251	47	11	-	8	22
12	26	40	98	172	255	332	451	561	662	608	499	301	128	39	8	2	1	23
1	8	18	43	104	188	304	330	293	240	124	65	39	10	1	-	-	2	24
2	3	6	15	25	43	55	56	58	59	40	21	12	8	-	-	-	-	25
16	105	363	861	1,622	2,229	2,516	2,635	2,707	2,594	2,252	1,911	1,205	667	191	45	2	16	26
-	-	3	4	7	10	17	32	31	30	34	22	16	8	5	-	-	1	27
14	86	303	739	1,432	2,015	2,287	2,396	2,527	2,421	2,088	1,810	1,149	642	180	43	2	11	28
-	-	-	1	-	-	3	1	2	2	4	1	-	1	-	1	-	-	29
2	19	57	117	183	204	209	206	147	141	126	78	40	16	6	1	-	4	30
156	321	628	1,100	1,740	2,401	2,911	3,524	4,306	4,978	5,259	4,728	3,233	1,617	413	51	12	20	31
71	103	111	87	80	101	205	479	1,044	1,786	2,591	2,728	2,124	1,099	271	25	3	4	32
65	154	404	777	1,285	1,850	2,161	2,472	2,725	2,588	2,224	1,656	914	433	115	17	2	8	33
1	4	4	8	20	29	82	163	215	301	261	217	138	53	17	8	5	2	34
19	60	109	228	355	421	463	410	322	303	183	127	57	32	10	1	2	6	35
7	28	49	106	199	417	707	1,041	1,582	1,897	1,854	1,636	1,023	481	152	28	-	1	36
2	12	23	52	112	253	460	664	1,052	1,285	1,187	987	579	251	77	16	-	1	37
2	12	16	37	59	113	180	283	429	517	594	596	423	214	71	10	-	-	38
1	2	4	11	16	33	37	61	73	57	38	32	12	6	2	1	-	-	39
2	2	6	6	12	18	30	33	28	38	35	21	9	10	2	1	-	-	40
306	387	552	858	1,196	1,756	2,277	2,892	3,229	3,460	3,015	2,446	1,677	939	295	50	12	14	41
175	201	267	414	514	867	1,132	1,464	1,679	1,744	1,490	1,189	768	398	129	12	1	7	42
101	150	232	363	532	685	872	1,140	1,285	1,449	1,335	1,142	839	498	156	34	8	6	43
19	18	22	29	67	102	129	152	152	152	95	66	34	27	6	2	1	1	44
11	18	31	52	83	102	144	136	113	115	95	49	36	16	4	2	2	-	45
210	251	282	351	429	501	623	824	1,060	1,292	1,160	930	548	244	43	12	1	4	46
126	136	148	175	216	254	337	450	579	746	677	531	280	129	29	7	-	2	47
62	103	108	139	176	203	220	311	431	493	453	373	254	108	13	5	1	1	48
17	8	13	20	19	19	37	36	33	35	22	18	6	3	1	-	-	1	49
5	4	13	17	18	25	29	27	17	18	8	8	8	4	-	-	-	-	50
231	297	379	457	545	717	919	1,157	1,373	1,444	1,225	795	357	128	17	4	-	3	51
130	172	197	275	293	410	517	638	777	794	650	408	179	63	8	1	-	-	52
83	105	142	139	178	238	315	428	511	576	516	363	173	62	9	3	-	2	53
13	9	32	25	41	38	53	52	58	47	40	13	4	2	-	-	-	1	54
5	11	8	18	33	31	34	39	27	27	19	11	1	1	-	-	-	-	55
110	145	211	323	378	465	481	475	455	467	385	315	188	107	38	7	-	5	56
43	47	62	83	103	159	182	200	225	194	178	136	75	40	11	3	-	-	57
50	66	92	149	171	218	221	215	187	221	175	158	96	63	24	3	-	3	58
7	11	7	9	17	20	24	19	20	23	18	9	9	-	-	-	-	2	59
10	21	50	82	87	68	54	41	23	29	14	12	8	4	3	1	-	-	60
141	248	320	374	503	777	1,270	2,123	3,318	4,433	4,538	3,689	2,238	1,011	196	43	1	10	61
59	115	143	185	224	318	476	769	1,143	1,455	1,615	1,363	834	358	68	16	-	4	62
61	98	131	102	155	270	501	1,013	1,804	2,593	2,641	2,158	1,313	623	116	21	1	3	63
8	17	24	39	44	38	86	105	113	117	97	70	40	8	4	2	-	2	64
13	18	22	48	80	151	207	236	258	268	185	98	51	22	8	4	-	1	65
43	54	52	64	48	85	99	141	197	298	387	438	402	256	98	14	1	2	66
7	12	16	16	6	32	40	73	82	132	180	205	172	109	36	2	-	-	67
13	11	15	21	27	29	38	49	89	144	180	213	224	142	59	11	-	1	68
8	13	10	14	7	11	12	11	15	6	14	10	3	4	1	1	-	-	69
15	18	11	13	8	13	9	8	11	16	13	10	3	1	2	-	1	1	70

Table 55A. Deaths From 64 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Num-

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 23	Meningitis, except meningococcal and tuberculous (340)	1,873	676	170	104	58	29	1,037	80	50	32
2		White--Male	806	278	62	57	26	17	440	39	18	15
3		Female	533	180	66	27	18	7	298	30	15	7
4		Nonwhite--Male	294	131	20	7	7	1	166	5	9	7
5		Female	240	87	22	13	7	4	133	6	8	3
6		Major cardiovascular-renal diseases (330-334,400-468,592-594)	831,353	560	179	114	79	84	1,016	429	593	850
7		White--Male	424,689	235	61	54	36	34	420	183	232	360
8		Female	325,255	168	63	27	25	28	311	156	229	291
9		Nonwhite--Male	42,442	75	27	23	8	13	146	51	55	104
10		Female	38,967	82	28	10	10	9	139	39	77	95
11		Diseases of cardiovascular system (330-334,400-468)	815,532	539	163	99	64	68	933	334	480	672
12		White--Male	417,767	218	55	46	29	25	373	141	186	274
13		Female	319,486	166	57	26	19	24	292	117	176	225
14		Nonwhite--Male	40,893	73	24	20	7	11	135	43	49	90
15		Female	37,386	82	27	7	9	8	133	33	69	83
16	B 22	Vascular lesions affecting central nervous system (330-334)	174,142	212	54	37	25	20	348	100	109	148
17		White--Male	74,103	82	22	20	16	6	146	45	57	60
18		Female	78,731	64	21	9	6	9	109	39	37	55
19		Nonwhite--Male	10,189	32	7	6	2	3	50	10	7	19
20		Female	11,119	34	4	2	1	2	43	6	8	14
21	B 24	Rheumatic fever (400-402)	1,131	9	4	11	7	20	51	115	189	68
22		White--Male	490	5	3	3	3	7	21	43	64	33
23		Female	406	1	-	1	1	6	9	34	68	18
24		Nonwhite--Male	116	2	-	4	1	5	12	19	23	9
25		Female	119	1	1	3	2	2	9	19	34	8
26		Diseases of heart (410-443)	584,620	267	99	42	30	26	464	103	143	374
27		White--Male	317,096	106	28	16	10	10	170	45	52	156
28		Female	216,726	88	33	14	11	9	155	37	51	116
29		Nonwhite--Male	27,470	31	17	10	4	3	65	13	18	55
30		Female	23,328	42	21	2	5	4	74	8	22	47
31	B 25	Chronic rheumatic heart disease (410-416)	18,626	7	2	3	-	2	14	12	46	217
32		White--Male	8,427	-	1	1	-	-	2	3	14	80
33		Female	8,643	6	-	2	-	-	8	6	17	74
34		Nonwhite--Male	742	1	-	-	-	1	2	-	5	33
35		Female	814	-	1	-	-	1	2	3	10	30
36	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)	405,830	47	7	5	5	3	67	18	17	57
37		White--Male	242,246	18	-	1	2	1	22	8	5	29
38		Female	139,365	12	5	4	2	1	24	7	8	10
39		Nonwhite--Male	14,072	5	2	-	1	1	9	2	2	10
40		Female	10,127	12	-	-	-	-	12	1	2	8
41	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	65,622	71	26	13	9	6	125	23	16	28
42		White--Male	29,563	27	10	7	3	2	49	12	11	12
43		Female	29,229	29	6	3	3	2	43	7	1	8
44		Nonwhite--Male	3,608	7	3	2	2	-	14	3	2	3
45		Female	3,222	8	7	1	1	2	19	1	2	5
46	B 27	Other diseases of heart (430-434)	20,659	141	62	21	16	15	255	46	58	68
47		White--Male	10,506	61	17	7	5	7	97	20	20	34
48		Female	6,590	41	20	5	6	6	78	16	21	23
49		Nonwhite--Male	2,060	18	12	8	1	1	40	7	9	8
50		Female	1,503	21	13	1	4	1	40	3	8	3
51	B 28	Hypertension with heart disease (440-443)	73,883	1	2	-	-	-	3	4	6	4
52		White--Male	26,354	-	-	-	-	-	-	2	2	1
53		Female	32,879	-	2	-	-	-	2	1	4	1
54		Nonwhite--Male	6,988	-	-	-	-	-	-	1	-	1
55		Female	7,662	1	-	-	-	-	1	-	-	1
56	B 29	Hypertension without mention of heart (444-447)	11,162	-	-	-	1	-	1	1	1	9
57		White--Male	4,463	-	-	-	-	-	-	-	1	2
58		Female	4,360	-	-	-	1	-	1	1	-	2
59		Nonwhite--Male	1,201	-	-	-	-	-	-	-	-	4
60		Female	1,138	-	-	-	-	-	-	-	-	1
61	B 46 pt.	General arteriosclerosis (450)	32,486	-	-	1	-	-	1	-	-	2
62		White--Male	14,867	-	-	1	-	-	1	-	-	1
63		Female	15,326	-	-	-	-	-	-	-	-	-
64		Nonwhite--Male	1,227	-	-	-	-	-	-	-	-	1
65		Female	1,066	-	-	-	-	-	-	-	-	-
66	B 46 pt.	Other diseases of circulatory system (451-468)	11,991	51	6	8	1	2	68	15	38	71
67		White--Male	6,748	25	2	6	-	2	35	8	12	22
68		Female	3,937	13	3	2	-	-	18	6	20	34
69		Nonwhite--Male	690	8	-	-	-	-	8	1	1	2
70		Female	616	5	1	-	1	-	7	-	5	13

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Color, and Sex: United States, 1955—Continued

bers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
25	28	34	51	52	63	64	80	67	93	36	44	21	8	5	-	-	3	1
11	9	15	18	21	25	26	41	31	44	13	23	8	3	3	-	-	3	2
6	13	12	12	14	8	20	14	15	31	13	12	10	2	1	-	-	-	3
6	2	2	12	10	22	6	11	9	12	7	3	2	3	-	-	-	-	4
2	4	5	9	7	8	12	14	12	6	3	6	1	-	1	-	-	-	5
1,412	2,305	4,353	8,278	15,737	26,275	40,597	58,328	81,456	109,136	126,101	130,848	113,878	72,906	28,164	6,899	1,117	675	6
567	1 029	1,994	4,254	8,724	15,541	23,960	34,839	47,641	60,270	66,088	63,794	51,204	30,259	10,490	2,294	267	279	7
490	684	1,142	1,814	3,281	5,435	8,773	14,260	23,518	37,230	49,839	59,474	57,387	39,772	16,318	4,129	510	212	8
152	265	545	1,075	1,954	2,754	4,101	4,967	5,550	6,194	5,442	3,975	2,735	1,387	583	194	111	102	9
203	327	672	1,135	1,778	2,545	3,763	4,262	4,747	5,442	4,732	3,605	2,552	1,488	773	282	229	82	10
1,127	1,994	3,907	7,745	15,062	25,429	39,640	57,096	80,101	107,430	124,207	128,911	112,255	71,862	27,789	6,794	1,100	664	11
411	867	1,797	4,033	8,437	15,194	23,564	34,302	47,098	59,530	65,237	62,900	50,484	29,800	10,333	2,260	267	279	12
408	590	1,014	1,658	3,119	5,183	8,502	13,895	23,024	36,582	49,129	58,683	56,672	39,286	16,139	4,080	504	208	13
132	240	493	1,004	1,842	2,636	3,989	4,799	5,406	6,021	5,266	3,833	2,637	1,341	568	185	107	97	14
176	297	603	1,050	1,664	2,416	3,605	4,100	4,573	5,297	4,575	3,495	2,462	1,435	749	269	222	80	15
242	418	770	1,352	2,422	4,001	6,573	9,422	14,388	21,559	27,969	31,084	27,848	17,328	6,280	1,371	260	150	16
80	170	266	416	751	1,433	2,386	3,839	6,442	9,838	12,904	13,964	11,673	6,890	2,211	431	60	41	17
96	128	253	391	808	1,296	2,182	3,116	5,100	8,488	12,225	15,127	14,827	9,720	3,738	830	116	50	18
26	52	108	242	403	551	877	1,210	1,392	1,592	1,416	979	688	324	143	49	22	29	19
40	68	143	303	460	721	1,128	1,257	1,454	1,641	1,424	1,014	660	394	188	61	62	30	20
56	48	58	68	76	77	58	63	59	51	33	38	14	7	2	-	-	-	21
16	21	22	32	38	40	24	33	39	23	15	18	4	4	-	-	-	-	22
26	17	24	24	27	28	23	23	16	23	14	20	8	3	1	-	-	-	23
5	4	6	6	4	6	8	5	4	2	1	-	2	-	-	-	-	-	24
9	6	6	6	7	3	3	2	-	3	3	-	-	-	1	-	-	-	25
681	1,312	2,699	5,702	11,757	20,233	31,408	45,306	62,351	80,868	89,332	88,765	74,261	46,252	17,316	4,209	609	475	26
274	608	1,411	3,405	7,383	13,215	20,375	29,205	38,835	47,046	48,721	44,485	34,104	19,357	6,480	1,403	145	221	27
224	366	626	1,093	2,082	3,625	5,903	10,150	16,962	26,426	34,328	39,538	36,899	25,146	10,033	2,533	281	152	28
78	164	308	629	1,255	1,874	2,832	3,333	3,696	4,038	3,429	2,545	1,705	852	344	113	64	60	29
105	174	354	575	1,037	1,519	2,298	2,618	2,858	3,358	2,854	2,197	1,553	897	459	160	119	42	30
319	528	789	1,083	1,490	1,920	2,049	2,221	2,098	1,908	1,479	1,092	756	429	144	23	3	6	31
117	223	344	515	676	870	933	1,036	1,039	887	687	495	297	169	31	6	2	1	32
136	224	351	436	655	876	952	1,035	947	891	713	541	425	237	97	16	1	5	33
27	28	35	67	74	83	83	77	64	68	40	24	19	10	3	-	-	-	34
39	53	59	65	85	91	81	73	48	62	39	32	15	13	13	1	-	-	35
151	440	1,238	3,340	7,720	14,221	22,823	33,524	46,648	59,610	64,287	61,032	48,375	28,696	10,426	2,485	330	325	36
73	265	858	2,487	5,833	10,828	16,928	24,147	31,753	37,524	37,524	32,538	23,536	12,649	4,086	888	90	175	37
29	59	144	390	922	1,822	3,426	6,448	11,647	18,492	23,635	26,166	23,255	15,217	5,961	1,468	161	94	38
20	64	115	275	608	980	1,494	1,798	1,963	2,114	1,781	1,289	855	399	176	54	29	35	39
29	52	121	188	357	591	975	1,131	1,285	1,480	1,347	1,039	729	431	203	75	50	21	40
69	102	191	316	631	1,020	1,725	2,600	3,996	6,507	9,030	11,581	12,601	9,598	4,156	1,093	168	46	41
33	37	69	114	275	453	793	1,271	1,958	3,247	4,505	5,414	5,547	3,867	1,497	349	36	14	42
24	29	38	80	131	243	369	683	1,249	2,251	3,604	5,398	6,439	5,362	2,489	676	83	22	43
7	20	36	66	118	154	289	360	430	541	503	434	324	188	64	29	19	4	44
5	16	48	56	107	170	274	286	359	468	418	335	291	181	106	39	30	6	45
108	164	215	375	593	908	1,245	1,600	2,123	2,734	2,842	2,810	2,311	1,412	562	169	37	24	46
40	61	85	171	274	449	640	835	1,225	1,544	1,558	1,438	1,121	606	215	49	10	14	47
29	39	61	75	130	190	233	364	504	722	900	1,085	998	695	308	103	12	4	48
15	37	34	64	104	152	220	220	238	308	243	167	91	61	23	9	4	6	49
24	27	35	65	85	117	152	181	156	160	141	120	101	50	16	8	11	-	50
34	78	266	588	1,323	2,164	3,566	5,361	7,486	10,109	11,694	12,250	10,218	6,117	2,028	439	71	74	51
11	22	55	118	325	615	1,081	1,916	2,860	3,844	4,447	4,600	3,603	2,066	651	111	7	17	52
6	15	32	112	244	494	923	1,620	2,615	4,070	5,476	6,348	5,782	3,635	1,178	270	24	27	53
9	15	88	157	351	505	746	878	1,001	1,007	862	631	416	194	78	21	12	15	54
8	26	91	201	403	550	816	947	1,010	1,188	909	671	417	222	121	37	28	15	55
28	63	170	313	383	452	543	681	816	1,125	1,455	1,741	1,635	1,168	449	103	20	5	56
7	21	33	69	90	150	187	279	339	452	636	774	678	518	187	31	6	3	57
2	11	21	47	61	73	129	190	284	421	584	824	828	582	233	57	8	1	58
12	13	53	88	126	125	129	101	89	134	127	80	57	36	17	7	3	-	59
7	18	63	109	106	104	98	111	104	118	108	63	72	32	12	8	3	1	60
2	4	8	16	47	75	267	476	993	2,044	3,700	5,881	7,507	6,585	3,578	1,071	205	24	61
-	1	3	6	18	32	145	238	495	1,036	1,892	2,878	3,524	2,779	1,378	375	54	11	62
1	1	4	2	9	13	52	118	281	730	1,429	2,626	3,670	3,589	2,059	643	96	3	63
1	-	1	5	10	18	50	66	119	160	239	190	156	113	58	16	18	6	64
-	2	-	3	10	12	20	54	98	118	140	187	157	104	83	37	37	4	65
118	149	202	294	377	591	791	1,148	1,494	1,783	1,718	1,402	990	522	164	40	6	10	66
34	46	62	105	157	324	447	708	948	1,135	1,069	781	501	252	77	20	2	3	67
59	67	86	101	132	148	213	298	381	494	549	548	440	246	75	17	3	2	68
10	7	17	34	44	62	73	84	106	95	54	39	29	16	6	-	-	2	69
15	29	37	54	44	57	58	58	59	59	46	34	20	8	6	3	1	3	70

Table 55A. Deaths From 64 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Num-

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)	15,821	21	16	15	15	16	63	95	113	178
2		White--------Male----	6,922	17	6	8	7	9	47	42	46	86
3		Female--	5,769	2	6	1	6	4	19	39	53	66
4		Nonwhite-----Male----	1,549	2	3	3	1	2	11	8	6	14
5		Female--	1,581	-	1	3	1	1	6	6	8	12
6		Influenza and pneumonia, except pneumonia of newborn (480-493)	44,510	8,318	1,249	499	266	182	10,514	479	282	278
7		White--------Male----	20,095	2,961	424	187	107	57	3,736	199	107	133
8		Female--	15,788	2,301	384	157	86	65	2,993	172	107	90
9		Nonwhite-----Male----	4,972	1,671	252	87	32	29	2,071	58	30	28
10		Female--	3,655	1,385	189	68	41	31	1,714	50	38	27
11	B 30	Influenza (480-483)	2,755	369	62	23	19	14	487	33	17	27
12		White--------Male----	971	100	16	5	5	3	129	11	8	8
13		Female--	1,059	85	21	10	6	4	126	14	5	10
14		Nonwhite-----Male----	365	101	13	3	2	2	121	4	2	3
15		Female--	360	83	12	5	6	5	111	4	2	6
16	B 31	Pneumonia, except pneumonia of newborn (490-493)	41,755	7,949	1,187	476	247	168	10,027	446	265	251
17		White--------Male----	19,124	2,861	408	182	102	54	3,607	188	99	125
18		Female--	14,729	2,216	363	147	80	61	2,867	158	102	80
19		Nonwhite-----Male----	4,607	1,570	239	84	30	27	1,950	54	28	25
20		Female--	3,295	1,302	177	63	35	26	1,603	46	36	21
21	B 32	Bronchitis (500-502)	3,057	672	179	95	40	27	1,013	64	12	9
22		White--------Male----	1,710	300	89	46	24	16	475	31	6	6
23		Female--	966	194	65	36	12	10	317	22	6	2
24		Nonwhite-----Male----	220	103	16	7	2	1	129	6	-	-
25		Female--	161	75	9	6	2	-	92	5	-	1
26	B 33	Ulcer of stomach and duodenum (540,541)	9,730	58	6	2	2	2	70	8	1	15
27		White--------Male----	7,017	28	2	1	-	2	33	3	1	9
28		Female--	1,965	9	4	-	1	-	14	5	-	4
29		Nonwhite-----Male----	546	13	-	-	1	-	14	-	-	-
30		Female--	202	8	-	1	-	-	9	-	-	2
31	B 34	Appendicitis (550-553)	2,273	19	12	33	22	16	102	75	59	48
32		White--------Male----	1,238	10	9	18	14	7	58	36	24	26
33		Female--	713	5	1	10	8	8	32	25	21	14
34		Nonwhite-----Male----	189	3	-	2	-	-	5	9	9	5
35		Female--	133	1	2	3	-	1	7	5	5	3
36	B 35	Hernia and intestinal obstruction (560,561,570)	8,654	956	47	36	14	12	1,065	28	11	25
37		White--------Male----	3,883	461	24	20	9	9	523	17	5	14
38		Female--	3,704	337	11	8	4	2	362	5	3	5
39		Nonwhite-----Male----	591	89	6	5	1	-	101	3	2	5
40		Female--	476	69	6	3	-	1	79	3	1	1
41	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	7,754	3,257	462	96	55	37	3,907	59	23	39
42		White--------Male----	3,024	1,036	205	30	16	16	1,303	23	10	18
43		Female--	2,809	822	125	31	18	13	1,009	21	9	18
44		Nonwhite-----Male----	1,009	754	70	16	9	5	854	5	3	2
45		Female--	912	645	62	19	12	3	741	10	1	1
46	B 37	Cirrhosis of liver (581)	16,763	38	13	7	4	-	62	19	14	23
47		White--------Male----	10,277	19	6	2	1	-	28	10	1	12
48		Female--	5,159	9	6	1	3	-	19	7	9	11
49		Nonwhite-----Male----	778	5	-	2	-	-	7	-	2	-
50		Female--	549	5	1	2	-	-	8	2	2	-
51	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	2,393	50	28	39	28	31	176	86	47	54
52		White--------Male----	1,049	17	10	20	16	17	80	41	20	26
53		Female--	774	18	5	8	7	10	48	32	16	16
54		Nonwhite-----Male----	299	11	8	8	4	3	34	5	6	4
55		Female--	271	4	5	3	1	1	14	8	5	8
56	B 39	Hyperplasia of prostate (610)	6,062	-	-	-	-	-	-	-	-	-
57		White--------Male----	5,424	-	-	-	-	-	-	-	-	-
58		Nonwhite-----Male----	638	-	-	-	-	-	-	-	-	-
59	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,901	...	...	...	...	...	...	...	4	160
60		White--------Female--	1,134	...	...	...	...	...	...	...	1	75
61		Nonwhite-----Female--	767	...	...	...	...	...	...	...	3	85
62		Abortion (650-652)	266	...	...	...	...	...	...	...	-	18
63		White--------Female--	150	...	...	...	...	...	...	...	-	3
64		Nonwhite-----Female--	116	...	...	...	...	...	...	...	-	15
65		All other complications (640-649,660-689)	1,635	...	...	...	...	...	...	...	4	142
66		White--------Female--	984	...	...	...	...	...	...	...	1	72
67		Nonwhite-----Female--	651	...	...	...	...	...	...	...	3	70
68	B 41	Congenital malformations (750-759)	20,502	15,356	964	381	250	187	17,138	541	278	231
69		White--------Male----	9,839	7,409	430	174	109	77	8,199	258	137	133
70		Female--	8,283	6,131	383	156	101	86	6,857	239	117	77
71		Nonwhite-----Male----	1,291	983	74	29	23	11	1,120	24	16	12
72		Female--	1,089	833	77	22	17	13	962	20	8	9

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Age, Color, and Sex: United States, 1955—Continued

bers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
285	311	446	533	675	846	957	1,232	1,355	1,706	1,894	1,937	1,623	1,044	375	105	17	11	1
156	162	197	221	287	347	396	537	543	740	851	894	720	459	157	34	-	-	2
82	94	128	156	162	252	271	365	494	648	710	791	715	486	179	49	6	4	3
20	25	52	71	112	118	132	168	144	173	176	142	98	46	15	9	4	5	4
27	30	69	85	114	129	158	162	174	145	157	110	90	53	24	13	7	2	5
293	335	416	662	878	1,206	1,458	1,866	2,442	3,359	4,118	4,770	5,058	3,721	1,747	493	107	28	6
97	117	148	254	387	583	708	996	1,345	1,789	2,166	2,454	2,377	1,590	691	182	26	10	7
98	90	111	182	220	265	320	408	653	1,015	1,468	1,948	2,379	1,968	953	281	56	11	8
53	71	84	138	179	232	270	284	286	335	302	206	173	94	51	12	12	3	9
45	57	73	88	92	126	160	178	158	220	182	162	129	69	52	18	13	4	10
23	24	34	36	43	73	98	113	152	212	269	298	363	272	117	45	18	1	11
2	8	11	12	17	29	33	35	57	73	114	125	142	105	38	13	1	-	12
7	8	7	12	10	20	20	29	49	74	94	133	190	148	67	27	9	-	13
7	3	7	7	9	13	19	26	27	35	33	15	15	12	3	1	3	-	14
7	5	9	5	7	11	26	23	19	30	28	25	16	7	9	4	5	1	15
270	311	382	626	835	1,133	1,360	1,753	2,290	3,147	3,849	4,472	4,695	3,449	1,630	448	89	27	16
95	109	137	242	370	554	675	961	1,288	1,716	2,052	2,329	2,235	1,485	653	169	25	10	17
91	82	104	170	210	245	300	379	604	941	1,374	1,815	2,189	1 820	886	254	47	11	18
46	68	77	131	170	219	251	258	259	300	269	191	158	82	48	11	9	3	19
38	52	64	83	85	115	134	155	139	190	154	137	113	62	43	14	8	3	20
11	11	19	28	37	48	81	169	231	260	301	272	223	166	65	34	3	-	21
5	3	8	8	13	24	46	124	177	202	205	158	104	79	24	11	1	-	22
3	5	7	12	10	12	27	24	31	46	85	104	112	81	39	20	1	-	23
1	3	3	3	9	9	3	9	15	10	6	4	4	3	2	1	-	-	24
2	-	1	5	5	3	5	12	8	2	5	6	3	3	-	2	1	-	25
33	57	132	243	415	672	788	1,080	1,260	1,461	1,299	1,060	706	330	85	11	2	2	26
18	35	78	160	287	503	585	835	978	1,088	963	739	464	185	41	8	2	2	27
5	12	23	44	67	95	112	142	206	274	289	272	219	139	41	2	-	-	28
7	8	20	32	47	53	71	79	53	73	31	37	15	3	2	1	-	-	29
3	2	11	7	14	21	20	24	23	26	16	12	8	3	1	-	-	-	30
45	54	65	75	88	136	187	187	207	236	282	185	144	67	26	4	-	1	31
20	20	31	37	51	75	114	110	127	135	160	95	71	32	14	2	-	-	32
14	18	17	19	18	33	38	45	61	76	96	75	69	31	9	2	-	-	33
4	9	11	5	9	19	22	17	16	16	16	11	2	2	1	-	-	1	34
7	7	6	14	10	9	13	15	3	9	10	4	2	2	2	-	-	-	35
31	56	73	159	202	314	422	533	789	961	1,107	1,124	949	582	174	41	4	4	36
9	16	21	51	64	109	156	246	376	439	508	546	443	255	68	15	-	2	37
13	26	28	60	77	119	160	193	309	416	505	519	461	312	103	24	3	1	38
8	6	6	16	27	38	49	63	64	63	56	39	33	9	2	-	-	1	39
1	8	18	32	34	48	57	31	40	43	38	20	12	6	1	2	1	-	40
51	58	81	109	127	176	221	279	398	428	469	514	430	256	98	20	5	6	41
13	30	40	44	62	86	124	133	218	205	220	202	163	90	29	7	1	3	42
33	23	35	49	41	66	74	103	144	178	226	293	249	157	64	12	2	3	43
3	1	1	8	11	17	9	23	16	24	9	10	9	2	1	1	-	-	44
2	4	5	8	13	7	14	20	20	21	14	9	9	7	4	-	2	-	45
32	146	363	867	1,516	2,043	2,244	2,124	2,071	2,059	1,476	930	481	226	48	9	1	9	46
8	48	145	421	856	1,245	1,407	1,400	1,390	1,395	931	576	268	106	20	4	1	5	47
15	50	137	314	485	606	639	573	584	570	485	313	197	110	27	5	-	3	48
4	19	34	68	92	112	115	96	73	70	40	30	7	8	-	-	-	1	49
5	29	47	64	83	80	83	55	24	24	20	11	9	2	1	-	-	-	50
56	67	101	92	129	149	169	186	177	226	198	186	168	85	28	10	2	1	51
22	31	37	33	53	68	72	76	75	96	92	99	81	31	11	3	1	1	52
20	20	24	32	30	31	36	64	55	79	67	67	70	45	16	6	-	-	53
7	5	20	15	21	29	29	20	22	30	23	16	10	2	1	-	-	-	54
7	11	20	12	25	21	32	26	25	21	16	4	7	7	-	1	1	-	55
1	-	1	3	3	19	51	166	359	746	1,096	1,292	1,232	765	244	68	11	5	56
-	-	-	1	3	13	31	122	282	604	977	1,203	1,158	727	228	62	8	5	57
1	-	1	2	-	6	20	44	77	142	119	89	74	38	16	6	3	-	58
321	410	424	371	179	22	7	-	2	-	-	-	-	1	-	-	-	-	59
202	255	237	222	118	15	6	-	2	-	-	-	-	1	-	-	-	-	60
119	155	187	149	61	7	1	-	-	-	-	-	-	-	-	-	-	-	61
56	72	48	54	16	2	-	-	-	-	-	-	-	-	-	-	-	-	62
34	38	26	38	9	2	-	-	-	-	-	-	-	-	-	-	-	-	63
22	34	22	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-	64
265	338	376	317	163	20	7	-	2	-	-	-	-	1	-	-	-	-	65
168	217	211	184	109	13	6	-	2	-	-	-	-	1	-	-	-	-	66
97	121	165	133	54	7	1	-	-	-	-	-	-	-	-	-	-	-	67
202	189	218	224	221	239	263	182	185	158	92	69	40	15	3	2	-	12	68
97	85	98	108	91	117	145	94	80	80	50	37	20	5	-	1	-	4	69
81	83	93	96	107	92	97	75	97	68	37	28	20	10	2	1	-	6	70
13	15	10	12	11	18	11	9	6	7	4	2	-	-	-	-	-	1	71
11	6	17	8	12	12	10	4	2	3	1	2	-	-	1	-	-	1	72

Table 55A. Deaths From 64 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Num-

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		Certain diseases of early infancy (760-776)	64,043	64,016	16	2	4	1	64,039	4	-	-
2		White--Male	29,558	29,548	6	1	2	1	29,556	2	-	-
3		Female	20,518	20,505	7	-	2	-	20,514	2	-	-
4		Nonwhite--Male	7,845	7,843	1	1	-	-	7,845	-	-	-
5		Female	6,124	6,122	2	-	-	-	6,124	-	-	-
6	B 42	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	29,255	29,245	8	1	1	-	29,255	-	-	-
7		White--Male	14,527	14,526	1	-	-	-	14,527	-	-	-
8		Female	9,386	9,380	5	-	1	-	9,386	-	-	-
9		Nonwhite--Male	3,023	3,022	-	1	-	-	3,023	-	-	-
10		Female	2,319	2,317	2	-	-	-	2,319	-	-	-
11	B 43	Infections of newborn (763-768)	4,201	4,200	1	-	-	-	4,201	-	-	-
12		White--Male	1,655	1,655	-	-	-	-	1,655	-	-	-
13		Female	1,093	1,092	1	-	-	-	1,093	-	-	-
14		Nonwhite--Male	840	840	-	-	-	-	840	-	-	-
15		Female	613	613	-	-	-	-	613	-	-	-
16	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	30,587	30,571	7	1	3	1	30,583	4	-	-
17		White--Male	13,376	13,365	5	1	2	1	13,374	2	-	-
18		Female	10,037	10,033	1	-	1	-	10,035	2	-	-
19		Nonwhite--Male	3,982	3,981	1	-	-	-	3,982	-	-	-
20		Female	3,192	3,192	-	-	-	-	3,192	-	-	-
21	B 45	Symptoms, senility, and ill-defined conditions (780-795)	19,914	2,790	204	126	70	43	3,233	112	62	162
22		White--Male	8,125	726	57	33	28	14	858	38	25	69
23		Female	5,022	476	35	30	15	12	568	20	9	35
24		Nonwhite--Male	3,677	835	59	33	14	7	948	30	14	27
25		Female	3,090	753	53	30	13	10	859	24	14	31
26	B 46 pt.	All other diseases (Residual)	69,146	4,292	703	442	340	245	6,022	894	607	729
27		White--Male	35,462	2,066	303	202	156	109	2,836	412	294	352
28		Female	25,407	1,349	258	153	135	99	1,994	353	222	231
29		Nonwhite--Male	4,621	507	81	58	27	23	696	72	47	78
30		Female	3,656	370	61	29	22	14	496	57	44	68
31		Accidents (E800-E962)	93,443	3,308	1,631	1,206	1,083	871	8,099	3,285	2,814	5,817
32		White--Male	55,976	1,388	720	537	492	385	3,522	1,808	1,824	4,105
33		Female	25,034	965	512	392	313	258	2,440	866	556	1,068
34		Nonwhite--Male	8,714	511	223	154	127	99	1,114	360	327	520
35		Female	3,719	444	176	123	151	129	1,023	251	107	124
36	BE 47	Motor-vehicle accidents (E810-E835)	38,426	328	427	358	406	356	1,875	1,418	988	3,809
37		White--Male	25,336	151	202	172	188	170	883	809	629	2,635
38		Female	8,518	129	168	140	146	118	701	415	258	854
39		Nonwhite--Male	3,467	26	31	27	40	37	161	120	72	242
40		Female	1,105	22	26	19	32	31	130	74	29	78
41	BE 48	All other accidents (E800-E802,E840-E962)	55,017	2,980	1,204	848	677	515	6,224	1,867	1,826	2,008
42		White--Male	30,640	1,237	518	365	304	215	2,639	989	1,195	1,470
43		Female	16,516	836	344	252	167	140	1,739	451	298	214
44		Nonwhite--Male	5,247	485	192	127	87	62	953	240	255	278
45		Female	2,614	422	150	104	119	98	893	177	78	46
46	BE 49	Suicide (E963,E970-E979)	16,760	-	-	-	-	-	-	2	37	285
47		White--Male	12,430	-	-	-	-	-	-	2	25	187
48		Female	3,662	-	-	-	-	-	-	-	10	65
49		Nonwhite--Male	531	-	-	-	-	-	-	-	2	26
50		Female	137	-	-	-	-	-	-	-	-	7
51	BE 50 pt.	Homicide (E964,E980-E985)	7,418	129	28	17	19	12	205	57	74	349
52		White--Male	2,439	55	11	5	7	2	80	24	32	110
53		Female	922	40	8	7	8	5	68	23	14	38
54		Nonwhite--Male	3,191	16	3	2	2	4	27	5	22	150
55		Female	866	18	6	3	2	1	30	5	6	51
56	BE 50 pt.	Injury resulting from operations of war (E965,E990-E999)	29	-	-	-	-	-	-	-	-	-
57		White--Male	27	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59		Nonwhite--Male	2	-	-	-	-	-	-	-	-	-
60		Female	-	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

NOTE.—The list of 64 selected causes includes cholera (043,B 5), plague (058,B 11), and smallpox (084,B 13). There were no deaths reported for these causes.

Age, Color, and Sex: United States, 1955—Continued

bers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
243	292	332	432	668	845	1,052	1,139	1,360	1,628	1,717	1,650	1,802	1,520	995	402	160	108	21
105	96	124	164	288	397	488	566	685	762	805	762	765	619	326	121	22	40	22
45	59	66	96	131	150	161	181	240	318	381	495	612	648	498	224	55	30	23
44	84	64	108	132	162	236	225	259	321	307	212	233	131	69	21	26	24	24
49	53	78	64	117	136	167	167	176	227	224	181	192	122	102	36	57	14	25
866	1,108	1,613	2,095	2,810	3,447	4,251	5,575	6,939	8,335	8,023	6,704	5,006	2,714	1,031	274	48	55	26
345	394	588	854	1,259	1,707	2,225	3,069	4,040	4,854	4,468	3,550	2,433	1,261	395	90	15	21	27
300	384	573	727	966	1,169	1,336	1,790	2,263	2,814	3,002	2,820	2,346	1,338	576	166	20	17	28
91	148	221	239	301	300	384	439	391	407	346	211	135	56	34	12	4	9	29
130	182	231	275	284	271	306	277	245	260	207	123	92	59	26	6	9	8	30
6,925	5,721	5,183	4,972	5,035	4,919	4,889	4,582	4,809	4,910	5,019	5,243	5,070	3,824	1,665	433	83	146	31
5,141	4,045	3,566	3,344	3,315	3,253	3,241	2,950	3,171	3,048	2,839	2,595	2,076	1,389	503	134	14	93	32
839	744	764	802	884	873	926	1,013	1,148	1,373	1,793	2,403	2,759	2,325	1,103	281	49	25	33
771	746	655	639	668	627	568	449	357	334	227	133	113	53	20	7	4	22	34
174	186	198	187	168	166	154	170	133	155	160	112	122	57	39	11	16	6	35
4,847	3,554	2,916	2,572	2,406	2,144	2,142	2,021	2,065	1,868	1,587	1,164	690	245	59	10	1	45	36
3,646	2,486	1,977	1,705	1,582	1,357	1,343	1,236	1,346	1,182	1,055	777	441	174	38	7	1	27	37
633	542	521	465	480	471	521	544	537	521	428	337	208	52	18	3	-	9	38
461	431	325	310	273	247	217	182	140	126	71	34	32	15	2	-	-	6	39
107	95	93	92	71	69	61	59	42	39	33	16	9	4	1	-	-	3	40
2,078	2,167	2,267	2,400	2,629	2,775	2,747	2,561	2,744	3,042	3,432	4,079	4,380	3,579	1,606	423	82	101	41
1,495	1,559	1,589	1,639	1,733	1,896	1,898	1,714	1,825	1,866	1,784	1,818	1,635	1,215	465	127	13	66	42
206	202	243	337	404	402	405	469	611	852	1,365	2,066	2,551	2,273	1,085	278	49	16	43
310	315	330	329	395	380	351	267	217	208	156	99	81	38	18	7	4	16	44
67	91	105	95	97	97	93	111	91	116	127	96	113	53	38	11	16	3	45
569	916	1,097	1,210	1,590	1,776	1,903	1,898	1,717	1,427	1,019	700	381	170	36	7	1	19	46
374	640	690	838	1,145	1,274	1,404	1,458	1,354	1,122	828	578	315	144	31	4	1	16	47
123	205	324	310	377	444	440	393	322	277	170	110	60	24	5	1	-	2	48
54	50	65	50	59	44	48	42	31	22	17	10	6	2	-	2	-	1	49
18	21	18	12	9	14	11	5	10	6	4	2	-	-	-	-	-	-	50
813	1,070	1,032	911	838	642	464	342	244	136	96	70	29	20	2	1	-	23	51
210	281	269	297	273	226	165	150	121	68	61	40	15	9	1	-	-	7	52
80	93	96	99	98	89	71	48	29	14	21	16	12	5	-	-	-	8	53
405	531	536	408	363	272	191	123	80	44	14	9	2	3	1	-	-	5	54
118	165	131	107	104	55	37	21	14	10	-	5	-	3	-	1	-	3	55
1	1	3	7	3	1	1	1	6	1	3	-	1	-	-	-	-	-	56
1	1	2	6	3	1	1	1	6	1	3	-	1	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA																										
	ALL CAUSES------	26,380	2,616	171	111	85	73	186	176	280	388	421	519	711	977	1,234	1,658	1,828	2,377	2,943	2,991	2,585	2,126	1,210	429	189	96
	White-----M--	9,490	718	46	28	22	21	53	63	115	147	149	161	249	331	455	563	639	691	1,044	1,234	1,059	860	452	133	43	14
	F--	6,609	523	39	23	20	13	49	27	44	54	73	96	112	177	219	273	307	481	679	820	945	848	531	182	66	8
	Nonwhite--M--	5,441	767	45	27	16	19	35	49	76	114	112	136	178	224	286	403	473	548	644	518	322	224	111	52	28	34
	F--	4,840	608	41	33	27	20	49	37	45	73	87	126	172	245	274	419	409	457	576	419	259	194	116	62	52	40
001-019	Tuberculosis, all forms--------	353	1	4	2	-	1	3	4	4	17	21	20	26	27	24	38	27	30	35	32	18	15	1	3	-	-
	White-----M--	101	-	-	-	-	-	1	2	-	-	1	5	5	7	5	13	8	13	14	15	7	4	1	-	-	-
	F--	71	-	2	1	-	-	-	-	1	-	4	3	-	6	3	7	3	6	10	8	8	7	-	2	-	-
	Nonwhite--M--	91	-	1	-	-	1	-	1	1	8	3	7	13	6	13	9	9	7	5	4	1	2	-	-	-	-
	F--	90	1	1	1	-	-	2	1	2	9	13	5	8	8	3	9	7	4	6	5	2	2	-	1	-	-
001-008	Tuberculosis of respiratory system----------	323	-	2	1	-	-	1	2	3	16	19	18	23	27	23	35	25	29	34	30	17	14	1	3	-	-
	White-----M--	98	-	-	-	-	-	1	1	-	-	1	4	5	7	5	12	8	13	14	15	7	4	1	-	-	-
	F--	66	-	1	1	-	-	-	-	1	-	3	3	-	6	3	7	3	6	9	7	7	7	-	2	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	1	1	7	3	6	11	6	12	8	8	7	5	4	1	2	-	-	-	-
	F--	77	-	1	-	-	-	-	-	1	9	12	5	7	8	3	8	6	3	6	4	2	1	-	1	-	-
010-019	Tuberculosis, other forms------	30	1	2	1	-	1	2	2	1	1	2	2	3	-	1	3	2	1	1	2	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	9	-	1	-	-	1	-	-	-	1	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	13	1	-	1	-	-	2	1	1	-	1	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-
020-029	Syphilis and its sequelae---------	80	6	-	-	-	-	-	-	2	-	1	2	3	6	5	9	13	11	6	6	6	2	1	1	-	-
	White-----M--	22	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	3	1	3	3	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	35	2	-	-	-	-	-	-	1	-	1	-	2	3	4	4	5	5	4	1	2	1	-	-	-	-
	F--	19	3	-	-	-	-	-	-	1	-	-	2	-	1	1	3	2	3	1	1	-	-	-	1	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	6	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-
	White-----M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
050, 051	Scarlet fever and streptococcal sore throat------	9	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	24	2	3	3	3	2	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	2	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	22	18	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	23	4	6	2	3	2	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	2	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	18	2	2	-	2	3	1	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	-	-	-	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	84	15	4	2	2	-	5	4	1	2	3	3	5	3	6	3	3	4	4	10	1	1	3	-	-	-
	White-----M--	25	3	-	1	1	-	4	-	-	1	-	-	3	2	1	-	1	2	1	3	1	1	-	-	-	-
	F--	25	2	2	1	-	-	-	1	-	-	1	2	1	-	2	3	2	1	1	5	-	-	1	-	-	-
	Nonwhite--M--	13	3	1	-	-	-	1	2	1	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-
	F--	21	7	1	-	1	-	-	1	-	1	2	1	1	1	2	-	-	-	-	1	-	-	2	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA--Con.																										
140-205	Malignant neoplasms, etc.*----	3,351	1	7	4	8	7	20	15	12	26	47	52	101	195	249	319	342	433	444	423	293	199	113	25	8	8
	White-----M--	1,180	1	5	1	2	2	8	5	3	11	13	13	28	52	59	91	117	159	154	183	128	87	46	12	-	-
	F--	1,166	-	-	1	5	2	6	2	5	8	18	17	38	71	94	105	107	147	134	148	116	78	51	8	5	-
	Nonwhite--M--	421	-	-	-	1	1	1	5	2	5	3	5	8	18	32	42	44	68	77	48	26	20	8	2	2	3
	F--	584	-	2	2	-	2	5	3	2	2	13	17	27	54	64	81	74	59	79	44	23	14	8	3	1	5
140-148	Of buccal cavity and pharynx--------	89	-	-	-	-	-	-	-	-	1	1	-	3	2	7	5	10	9	8	10	10	12	8	2	1	-
	White-----M--	46	-	-	-	-	-	-	-	-	1	-	-	1	1	4	3	7	5	4	6	5	5	3	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	3	1	4	3	6	4	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	1	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-	-	1	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,079	-	-	-	1	1	-	2	-	4	7	8	20	40	62	91	101	142	156	184	115	87	41	12	4	1
	White-----M--	386	-	-	-	-	-	-	-	-	1	3	2	6	14	20	27	33	50	57	78	43	36	12	4	-	-
	F--	358	-	-	-	1	1	-	-	-	2	1	3	7	10	17	23	25	37	40	67	53	39	22	6	4	-
	Nonwhite--M--	181	-	-	-	-	-	-	1	-	1	1	2	1	5	11	22	23	35	33	25	11	7	3	-	-	-
	F--	154	-	-	-	-	-	-	1	-	-	2	1	6	11	14	19	20	20	26	14	8	5	4	2	-	1
160-164	Of respiratory system (not secondary)-------	340	-	-	-	-	-	-	-	1	-	1	6	6	19	33	33	47	62	49	34	20	18	7	3	-	1
	White-----M--	223	-	-	-	-	-	-	-	-	-	1	3	5	12	18	20	30	47	31	27	13	10	3	3	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	8	7	7	3	4	5	4	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	1	-	-	2	-	5	8	4	4	7	8	2	2	3	-	-	-	1
	F--	21	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	5	1	3	2	1	-	-	-	-	-
170	Of breast---------	282	-	-	-	-	-	-	-	-	-	4	4	14	35	33	33	37	32	28	27	18	9	5	1	1	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	193	-	-	-	-	-	-	-	-	-	2	1	11	24	21	24	22	26	16	20	15	6	4	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	85	-	-	-	-	-	-	-	-	-	2	3	3	11	12	8	13	6	12	6	3	3	1	1	-	1
171-179	Of genital organs-	731	-	1	-	-	-	2	-	1	4	10	16	23	51	69	75	66	87	103	80	66	36	30	5	2	4
	White-----M--	149	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	10	15	20	28	31	21	17	3	-	-
	F--	260	-	-	-	-	-	-	-	-	2	4	7	9	28	33	33	24	33	32	26	17	4	7	1	-	-
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	7	16	23	14	10	8	4	1	2	1
	F--	225	-	-	-	-	-	1	-	1	2	6	7	13	22	33	36	25	23	28	12	8	3	2	-	-	3
180, 181	Of urinary organs-	112	-	1	-	-	2	1	-	-	-	-	3	1	4	6	8	13	18	14	12	13	11	4	1	-	-
	White-----M--	51	-	1	-	-	-	1	-	-	-	-	1	-	2	2	4	5	7	9	7	8	2	1	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	7	3	2	2	7	3	-	-	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	4	2	1	2	1	-	-	-	-
	F--	11	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	-	-	2	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	457	1	3	3	1	2	6	7	6	7	14	6	25	30	26	53	41	55	48	51	39	18	13	1	-	1
	White-----M--	195	1	3	1	-	1	1	2	1	4	2	1	12	14	12	27	17	23	13	23	23	7	7	-	-	-
	F--	155	-	-	1	1	1	2	-	3	1	9	2	8	6	7	11	14	21	19	18	15	10	5	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	3	1	2	1	-	3	4	5	6	6	3	7	3	-	-	-	-	-	1
	F--	62	-	-	1	-	-	3	2	1	-	2	3	2	6	2	9	4	8	9	7	1	1	1	-	-	-
204	Leukemia and aleukemia----------	132	-	1	1	6	2	7	4	4	5	5	3	6	8	7	7	13	8	19	13	6	3	4	-	-	-
	White-----M--	69	-	-	-	2	1	2	2	2	2	5	1	3	5	3	5	8	2	8	9	4	3	2	-	-	-
	F--	45	-	-	-	3	-	4	2	2	2	-	-	1	1	3	1	2	6	10	4	2	-	2	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	1	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	11	-	1	1	-	1	-	-	-	-	-	1	1	1	1	1	3	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	129	-	1	-	-	-	4	2	-	5	5	6	3	6	6	14	14	20	19	12	6	5	1	-	-	-
	White-----M--	59	-	-	-	-	-	3	1	-	3	2	3	1	4	-	5	5	10	12	5	1	3	1	-	-	-
	F--	44	-	-	-	-	-	-	-	-	1	1	2	1	-	3	6	7	7	6	4	5	1	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	-	1	1	-	1	1	3	2	2	2	1	2	-	1	-	-	-	-
	F--	8	-	1	-	-	-	1	-	-	-	1	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	79	2	2	-	1	1	1	1	1	3	2	6	5	8	11	7	4	8	3	2	6	2	2	-	-	1
	White-----M--	20	2	-	-	-	1	-	-	-	1	2	-	-	1	1	1	2	3	1	1	2	1	1	-	-	-
	F--	29	-	1	-	-	-	-	-	-	2	-	3	1	4	6	4	1	1	-	1	4	1	-	-	-	-
	Nonwhite--M--	7	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	1
	F--	23	-	-	-	1	-	1	-	1	-	-	3	4	3	2	2	1	2	2	-	-	-	1	-	-	-
260	Diabetes mellitus-	286	-	-	-	-	-	1	4	3	5	3	12	10	7	7	26	27	36	47	30	37	16	10	3	1	1
	White-----M--	76	-	-	-	-	-	-	-	1	1	-	3	4	1	2	4	5	14	11	9	11	7	1	1	1	-
	F--	115	-	-	-	-	-	1	2	-	3	-	5	2	2	1	6	7	13	23	16	16	8	8	2	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	1	-	-	1	1	2	-	-	5	5	2	4	-	5	1	1	-	-	1
	F--	66	-	-	-	-	-	-	1	2	1	2	3	2	4	4	11	10	7	9	5	5	-	-	-	-	-
290-293	Anemias----------	63	4	4	3	-	1	5	2	3	4	1	-	1	2	3	1	2	6	3	6	4	3	3	1	-	1
	White-----M--	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	1	2	1	-	-
	F--	13	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	-	2	-	2	1	-	-	-
	Nonwhite--M--	18	1	1	2	-	1	2	2	1	1	1	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-
	F--	16	1	2	1	-	-	3	-	2	2	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1
340	Nonmeningococcal meningitis*-------	53	23	3	4	1	1	2	5	-	1	3	-	4	-	1	1	1	1	1	-	-	1	-	-	-	-
	White-----M--	12	3	2	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	3	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	17	10	-	-	-	-	1	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	15	7	1	1	-	-	-	2	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,306	6	6	6	3	3	15	13	25	34	58	119	211	383	569	880	1,031	1,449	1,866	2,000	1,831	1,506	842	275	111	64
	White-----M--	4,984	3	1	1	2	-	3	2	7	14	21	25	65	135	218	312	343	534	664	828	745	613	322	87	31	8
	F--	3,411	1	2	2	-	-	5	3	5	1	9	21	19	44	72	98	134	240	396	533	685	614	372	116	33	6
	Nonwhite--M--	2,529	-	1	2	1	1	3	4	9	12	13	27	58	99	143	234	294	364	410	349	215	148	71	34	17	20
	F--	2,382	2	2	1	-	2	4	4	4	7	15	46	69	105	136	236	260	311	396	290	186	131	77	38	30	30
330-334, 400-468	Diseases of cardiovascular system-	12,872	6	6	5	3	3	13	12	18	27	50	103	200	363	550	850	995	1,406	1,820	1,952	1,777	1,467	812	265	106	63
	White-----M--	4,861	3	1	1	2	-	2	1	5	10	17	22	61	129	213	308	334	525	653	813	728	598	310	86	31	8
	F--	3,327	1	2	2	-	-	5	3	4	1	8	17	18	43	68	93	129	233	391	528	666	605	362	111	31	6
	Nonwhite--M--	2,415	-	1	2	1	1	3	4	6	10	12	23	55	92	138	221	285	352	396	337	201	139	67	33	16	20
	F--	2,269	2	2	-	-	2	3	4	3	6	13	41	66	99	131	228	247	296	380	274	182	125	73	35	28	29
330-334	Vascular lesions, etc.*----------	3,469	2	1	-	2	1	6	-	2	4	15	26	43	78	129	208	244	369	502	532	532	423	226	76	26	22
	White-----M--	1,037	1	1	-	2	-	2	-	-	1	6	3	8	14	24	39	56	95	134	194	192	159	83	19	3	1
	F--	995	-	-	-	-	-	3	-	1	-	1	5	7	9	26	31	31	70	109	157	215	179	109	32	8	2
	Nonwhite--M--	663	-	-	-	-	-	-	-	-	2	4	-	13	24	32	57	75	102	110	93	65	50	13	10	5	8
	F--	774	1	-	-	-	1	1	-	1	1	4	18	15	31	47	81	82	102	149	88	60	35	21	15	10	11

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA--Con.																										
400-402	Rheumatic fever---	30	-	-	1	-	1	4	6	3	4	2	1	3	3	1	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	1	-	-	2	3	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	-	-	-	-	1	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	8,519	3	4	3	1	1	3	4	12	14	27	66	133	265	392	607	708	968	1,220	1,295	1,120	919	505	159	54	36
	White-----M--	3,530	2	-	-	-	-	-	-	4	5	9	17	50	112	182	253	271	412	492	578	475	392	193	55	21	7
	F--	2,103	1	2	2	-	-	1	1	2	1	4	8	8	31	36	58	90	152	257	344	419	380	218	69	16	3
	Nonwhite--M--	1,567	-	1	1	1	1	1	1	5	4	6	20	33	62	96	155	198	229	262	214	118	73	47	21	7	11
	F--	1,319	-	1	-	-	-	1	2	1	4	8	21	42	60	78	141	149	175	209	159	108	74	47	14	10	15
410-416	Chronic rheumatic heart disease---	207	-	-	1	-	-	-	2	8	5	7	10	15	13	18	19	17	21	22	17	7	13	8	3	-	1
	White-----M--	66	-	-	-	-	-	-	-	3	1	1	4	6	4	8	5	4	8	7	4	2	3	4	1	-	1
	F--	53	-	-	1	-	-	-	-	1	1	3	4	-	5	4	6	5	3	8	3	2	6	1	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	1	3	2	2	1	6	2	3	4	5	7	2	7	1	2	1	1	-	-
	F--	38	-	-	-	-	-	-	1	1	1	1	1	3	2	3	4	3	3	5	3	2	2	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	4,891	-	1	1	-	-	1	1	2	6	10	22	73	151	235	384	418	585	729	768	678	490	226	67	26	17
	White-----M--	2,505	-	-	-	-	-	-	-	1	3	4	10	38	83	149	204	217	315	364	407	339	234	95	28	12	2
	F--	1,231	-	1	1	-	-	-	1	-	-	1	1	7	14	22	36	50	114	169	207	253	203	110	28	11	2
	Nonwhite--M--	672	-	-	-	-	-	1	-	1	2	1	6	13	32	37	82	94	89	115	99	44	32	13	5	-	6
	F--	483	-	-	-	-	-	-	-	-	1	4	5	15	22	27	62	57	67	81	55	42	21	8	6	3	7
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,057	1	-	-	1	-	1	-	-	-	1	6	3	21	21	51	62	88	143	167	149	155	117	51	14	5
	White-----M--	327	-	-	-	-	-	-	-	-	-	-	1	-	8	7	9	13	21	39	50	46	69	42	15	6	1
	F--	282	1	-	-	-	-	-	-	-	-	-	-	-	2	1	4	6	8	25	46	52	59	49	26	2	1
	Nonwhite--M--	219	-	-	-	1	-	-	-	-	-	1	3	1	2	7	17	25	31	40	35	26	10	8	9	3	-
	F--	229	-	-	-	-	-	1	-	-	-	-	2	2	9	6	21	18	28	39	36	25	17	18	1	3	3
430-434	Other diseases of heart---------	605	2	3	1	-	1	1	1	2	2	4	12	12	31	33	46	58	81	83	77	56	51	34	8	3	3
	White-----M--	261	2	-	-	-	-	-	-	-	1	3	1	5	12	11	23	21	37	36	47	23	20	11	4	1	3
	F--	107	-	1	-	-	-	1	-	1	-	-	2	-	5	1	3	8	6	15	12	19	15	15	3	-	-
	Nonwhite--M--	131	-	1	1	-	1	-	-	1	-	-	3	3	6	11	12	17	26	18	11	7	7	5	1	-	-
	F--	106	-	1	-	-	-	-	1	-	1	1	6	4	8	10	8	12	12	14	7	7	9	3	-	2	-
440-443	Hypertension with heart dis.--	1,759	-	-	-	-	-	-	-	-	1	5	16	30	49	65	107	153	193	243	266	230	210	120	30	11	10
	White-----M--	371	-	-	-	-	-	-	-	-	-	1	1	1	5	7	12	16	31	46	70	65	66	41	7	2	-
	F--	430	-	-	-	-	-	-	-	-	-	-	1	1	5	8	9	21	21	40	76	93	97	43	12	3	-
	Nonwhite--M--	495	-	-	-	-	-	-	-	-	-	2	7	10	20	38	40	57	76	87	62	40	22	20	5	4	5
	F--	463	-	-	-	-	-	-	-	-	1	2	7	18	19	32	46	59	65	70	58	32	25	16	6	2	5
444-447	Hypertension without mention of heart----------	262	-	-	-	-	-	-	-	-	3	2	4	10	11	12	20	16	18	36	33	36	35	16	6	3	1
	White-----M--	65	-	-	-	-	-	-	-	-	1	2	-	-	2	1	7	3	3	9	3	16	11	6	1	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	4	5	5	12	16	5	2	1	1
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	1	-	1	5	4	6	6	4	7	12	9	6	5	3	-	-	-
	F--	69	-	-	-	-	-	-	-	-	1	-	2	4	4	4	5	7	4	10	16	2	3	2	3	2	-
450	General arteriosclerosis--------	422	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	11	28	42	74	72	84	60	21	23	3
	White-----M--	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	28	30	34	26	11	7	-
	F--	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	13	17	18	28	27	6	6	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	9	7	20	12	10	4	1	4	1
	F--	75	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	11	12	9	12	12	3	3	6	2
451-468	Other diseases of circulatory sys.-	170	1	1	1	-	-	-	2	1	2	4	6	11	4	16	13	16	23	20	18	17	5	5	3	-	1
	White-----M--	71	-	-	1	-	-	-	-	-	1	-	1	3	-	5	9	3	11	8	10	15	2	2	-	-	-
	F--	45	-	-	-	-	-	-	2	1	-	1	3	1	1	5	2	5	3	7	5	2	2	3	2	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	1	2	2	3	1	4	1	3	5	5	1	-	-	-	1	-	-
	F--	25	1	1	-	-	-	-	-	-	-	1	-	4	2	2	1	5	4	-	2	-	1	-	-	-	1
592-594	Chronic nephritis, etc.*----------	434	-	-	1	-	-	2	1	7	7	8	16	11	20	19	30	36	43	46	48	54	39	30	10	5	1
	White-----M--	123	-	-	-	-	-	1	1	2	4	4	3	4	6	5	4	9	9	11	15	17	15	12	1	-	-
	F--	84	-	-	-	-	-	-	-	1	-	1	4	1	1	4	5	5	7	5	5	19	9	10	5	2	-
	Nonwhite--M--	114	-	-	-	-	-	-	-	3	2	1	4	3	7	5	13	9	12	14	12	14	9	4	1	1	-
	F--	113	-	-	1	-	-	1	-	1	1	2	5	3	6	5	8	13	15	16	16	4	6	4	3	2	1
480-493	Influenza and pneumonia, etc.*-	945	194	36	12	10	4	16	8	12	7	8	12	18	11	29	34	52	41	75	76	74	95	70	30	19	2
	White-----M--	252	30	8	2	3	-	2	4	5	2	2	3	4	2	8	5	8	14	23	36	22	35	18	12	3	1
	F--	239	31	4	3	1	-	6	2	2	1	1	2	-	1	2	3	10	5	16	13	26	45	42	11	11	1
	Nonwhite--M--	243	70	14	-	3	3	5	1	2	2	5	5	9	5	9	13	21	12	17	17	13	9	4	3	1	-
	F--	211	63	10	7	3	1	3	1	3	2	-	2	5	3	10	13	13	10	19	10	13	6	6	4	4	-
480-483	Influenza---------	183	20	3	2	2	-	1	-	2	2	1	3	4	1	5	6	14	11	14	18	23	28	14	4	5	-
	White-----M--	46	2	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	4	4	5	7	11	5	2	-	-
	F--	50	4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	4	6	8	13	5	1	3	-
	Nonwhite--M--	47	4	3	-	1	-	1	-	1	-	-	1	2	-	4	3	5	6	2	6	3	3	1	1	-	-
	F--	40	10	-	2	1	-	-	-	1	1	-	1	1	-	-	2	4	1	4	1	5	1	3	-	2	-
490-493	Pneumonia, etc.*--	762	174	33	10	8	4	15	8	10	5	7	9	14	10	24	28	38	30	61	58	51	67	56	26	14	2
	White-----M--	206	28	8	2	3	-	2	4	5	2	1	2	3	2	7	5	6	10	19	31	15	24	13	10	3	1
	F--	189	27	4	3	1	-	6	2	2	-	1	2	-	-	2	2	7	5	12	7	18	32	37	10	8	1
	Nonwhite--M--	196	66	11	-	2	3	4	1	1	2	5	4	7	5	5	10	16	6	15	11	10	6	3	2	1	-
	F--	171	53	10	5	2	1	3	1	2	1	-	1	4	3	10	11	9	9	15	9	8	5	3	4	2	-
500-502	Bronchitis--------	39	5	5	2	2	-	1	-	-	-	-	-	-	-	1	2	2	1	3	3	7	3	2	-	-	-
	White-----M--	19	1	3	1	-	-	1	-	-	-	-	-	-	-	1	-	2	-	2	2	4	2	-	-	-	-
	F--	11	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	2	-	-	-
	Nonwhite--M--	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	139	2	-	-	-	-	-	-	1	-	3	2	5	13	11	14	6	25	21	15	9	7	4	1	-	-
	White-----M--	93	-	-	-	-	-	-	-	1	-	1	1	3	7	9	11	3	19	17	9	5	3	3	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	1	3	1	-	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	2	2	3	1	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	1	1	-	4	-	-	1	2	1	3	-	-	-	-	-	-
550-553	Appendicitis------	31	-	-	1	-	-	3	1	2	1	-	1	-	2	2	5	-	-	4	5	4	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	1	-	-	-	-	1	1	3	-	-	-	2	1	-	-	-	-	-
	F--	8	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-	-
	Nonwhite--M--	11	-	-	1	-	-	1	-	1	1	-	1	-	-	-	2	-	-	2	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	125	16	2	1	-	1	1	2	1	-	2	1	4	2	4	2	12	9	20	16	9	13	6	-	1	-
	White-----M--	36	5	1	-	-	-	1	-	-	-	1	1	-	-	-	-	6	2	6	3	2	4	3	-	1	-
	F--	39	6	-	-	-	1	-	1	-	-	-	-	2	1	-	-	1	4	6	6	4	5	2	-	-	-
	Nonwhite--M--	30	4	1	1	-	-	-	-	1	-	-	-	1	1	1	-	3	1	4	6	2	3	1	-	-	-
	F--	20	1	-	-	-	-	-	1	-	-	1	-	1	-	3	2	2	2	4	1	1	1	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																										
543,	Gastritis, etc.*	170	103	7	7	2	2	2	-	1	-	-	-	1	1	5	2	3	2	8	4	16	1	3	-	-	-
571,	White-----M	30	11	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	5	2	7	-	-	-	-	-
572	F	26	14	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	3	-	2	-	-	-
	Nonwhite--M	59	42	3	2	-	2	1	-	-	-	-	-	-	-	2	1	-	-	3	-	2	1	-	-	-	-
	F	55	36	3	3	2	-	1	-	-	-	-	-	1	-	-	1	1	2	-	-	4	-	1	-	-	-
581	Cirrhosis of liver	141	-	-	-	-	-	1	-	1	-	4	4	10	9	13	18	20	13	16	9	12	6	4	1	-	-
	White-----M	82	-	-	-	-	-	1	-	1	-	2	1	5	6	11	7	14	6	8	8	7	4	1	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	2	3	4	1	1	3	3	2	4	1	2	2	1	1	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	2	-	3	-	2	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	-	2	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	76	2	2	1	1	2	2	4	2	1	1	5	4	3	6	8	5	7	5	3	5	5	1	-	1	-
	White-----M	20	-	1	-	1	2	1	-	2	-	1	1	1	1	-	2	3	-	1	1	1	1	-	-	-	-
	F	17	1	-	-	-	-	1	1	-	1	-	1	1	-	1	1	-	2	1	1	1	4	-	-	-	-
	Nonwhite--M	20	1	-	1	-	-	-	-	-	-	-	2	1	1	5	-	2	3	2	-	2	-	-	-	-	-
	F	19	-	1	-	-	-	-	3	-	-	-	1	1	1	-	5	-	2	1	1	1	-	1	-	1	-
610	Hyperplasia of prostate	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	22	15	24	16	8	3	3	-
	White-----M	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	9	18	13	6	3	2	-
	Nonwhite--M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	16	6	6	3	2	-	1	-
640-	Complications of																										
689	pregnancy, etc.*	91	...	...	...	...	...	...	-	15	15	13	19	18	11	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	38	...	...	...	...	...	...	-	7	5	6	7	7	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	53	...	...	...	...	...	...	-	8	10	7	12	11	5	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	7	...	...	...	...	...	...	-	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	...	...	...	...	...	...	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	84	...	...	...	...	...	...	-	14	14	13	16	17	10	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	35	...	...	...	...	...	...	-	7	4	6	5	7	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	49	...	...	...	...	...	...	-	7	10	7	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	362	267	16	15	6	5	4	7	4	1	7	9	1	2	3	5	3	2	1	1	1	1	1	-	-	-
	White-----M	146	113	4	4	2	1	2	2	2	1	2	4	1	1	2	2	1	1	-	-	-	1	-	-	-	-
	F	109	76	8	4	-	1	2	3	1	-	2	2	-	1	-	3	2	1	-	1	1	-	1	-	-	-
	Nonwhite--M	62	49	1	4	1	-	-	-	-	-	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	45	29	3	3	3	3	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,481	1,480	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	447	447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	310	309	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	665	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	108	107	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	690	690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	1,141	280	13	6	5	1	6	-	7	12	9	15	33	42	46	59	61	68	110	106	60	88	53	33	23	5
795	White-----M	244	36	2	1	1	-	-	-	-	1	-	2	11	10	12	13	22	21	23	26	18	26	11	6	2	-
	F	139	22	1	1	1	-	1	-	-	1	3	1	5	5	3	5	4	4	12	9	13	18	13	11	6	-
	Nonwhite--M	410	127	6	1	1	1	3	-	2	3	2	9	8	12	12	23	20	24	48	40	16	23	12	8	5	4
	F	348	95	4	3	2	-	2	-	5	7	4	3	9	15	19	18	15	19	27	31	13	21	17	8	10	1
Re-	All other diseases	1,220	65	7	12	5	9	20	24	29	30	34	41	48	62	66	60	79	111	146	127	101	65	43	23	9	4
sid-	White-----M	416	21	3	1	1	4	8	8	10	6	4	7	14	18	23	20	33	36	56	43	38	34	21	6	1	-
ual	F	346	17	2	2	2	2	6	3	6	8	8	9	10	12	17	16	15	36	44	41	39	20	14	10	6	1
	Nonwhite--M	242	17	-	5	-	3	2	5	9	7	8	10	12	16	11	9	19	21	28	27	16	5	5	4	1	2
	F	216	10	2	4	2	-	4	8	4	9	14	15	12	16	15	15	12	18	18	16	8	6	3	3	1	1
E800-	Accidents	1,912	108	38	27	29	27	65	73	116	171	127	123	133	116	98	111	89	74	86	83	55	76	38	29	10	10
E962	White-----M	888	29	11	12	7	8	18	35	74	94	78	67	76	59	60	50	37	32	36	38	26	18	13	3	2	5
	F	341	17	12	4	8	5	15	7	12	18	10	13	14	11	12	12	9	11	25	22	20	38	20	21	5	-
	Nonwhite--M	461	30	10	6	6	3	14	22	26	46	31	36	36	36	19	37	33	20	15	12	7	7	5	1	-	3
	F	222	32	5	5	8	11	18	9	4	13	8	7	7	10	7	12	10	11	10	11	2	13	-	4	3	2
E810-	Motor-vehicle																										
E835	accidents	864	11	12	10	11	11	28	22	72	123	79	79	77	61	40	50	47	39	36	28	13	10	1	-	-	4
	White-----M	481	2	4	6	2	6	10	13	45	76	54	43	47	33	25	24	24	21	16	13	7	6	-	-	-	4
	F	136	5	5	2	6	2	8	1	10	11	6	11	11	9	7	6	7	8	11	6	3	1	-	-	-	-
	Nonwhite--M	187	2	1	1	1	1	5	4	15	28	16	19	17	15	6	16	15	7	7	6	2	2	1	-	-	-
	F	60	2	2	1	2	2	5	4	2	8	3	6	2	4	2	4	1	3	2	3	1	1	-	-	-	-
E800-	All ot. accidents	1,048	97	26	17	18	16	37	51	44	48	48	44	56	55	58	61	42	35	50	55	42	66	37	29	10	6
E802,	White-----M	407	27	7	6	5	2	8	22	29	18	24	24	29	26	35	26	13	11	20	25	19	12	13	3	2	1
E840-	F	205	12	7	2	2	3	7	6	2	7	4	2	3	2	5	6	2	3	14	16	17	37	20	21	5	-
E962	Nonwhite--M	274	28	9	5	5	2	9	18	11	18	15	17	19	21	13	21	18	13	8	6	5	5	4	1	-	3
	F	162	30	3	4	6	9	13	5	2	5	5	1	5	6	5	8	9	8	8	8	1	12	-	4	3	2
E963,	Suicide	245	-	-	-	-	-	-	-	8	17	10	20	18	23	36	22	26	22	15	14	7	3	2	1	1	-
E970-	White-----M	186	-	-	-	-	-	-	-	3	8	7	15	14	17	29	18	23	18	12	9	7	3	2	1	-	-
E979	F	41	-	-	-	-	-	-	-	2	3	1	5	3	5	4	4	3	3	3	5	-	-	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	2	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	F	8	-	-	-	-	-	-	-	1	3	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide	393	2	1	-	-	-	-	1	24	40	64	51	51	49	39	31	16	13	1	3	5	1	-	-	1	-
E980-	White-----M	92	-	-	-	-	-	-	1	3	6	13	12	13	10	10	9	4	5	-	1	4	1	-	-	-	-
E985	F	22	-	-	-	-	-	-	-	1	2	6	1	4	3	-	1	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M	220	-	1	-	-	-	-	-	16	25	38	31	24	24	26	17	10	5	1	1	1	-	-	-	-	-
	F	59	2	-	-	-	-	-	-	4	7	7	7	10	12	3	4	-	2	-	-	-	-	-	-	1	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA																										
	ALL CAUSES------	7,600	972	119	50	39	26	88	51	77	126	148	143	211	311	368	424	576	639	811	780	679	484	294	126	46	12
	White-----M--	4,120	415	28	19	15	14	38	31	37	67	59	70	106	182	218	266	356	415	491	471	389	240	121	50	17	5
	F--	2,380	274	31	15	12	7	29	8	15	28	41	42	63	93	102	105	156	156	255	257	237	206	158	63	23	4
	Nonwhite--M--	659	136	27	8	8	2	11	5	14	21	38	24	25	23	25	40	42	43	48	37	44	23	5	5	3	2
	F--	441	147	33	8	4	3	10	7	11	10	10	7	17	13	23	13	22	25	17	15	9	15	10	8	3	1
001-019	Tuberculosis, all forms--------	248	5	5	4	5	2	3	1	3	4	8	14	19	31	18	22	27	25	22	14	11	5	-	-	-	-
	White-----M--	129	1	-	-	-	1	-	-	-	1	1	3	8	16	15	14	19	18	15	8	5	3	-	-	-	-
	F--	54	-	1	1	1	-	1	-	-	1	4	6	3	13	2	4	2	3	5	2	4	1	-	-	-	-
	Nonwhite--M--	38	3	2	1	3	1	-	1	1	1	3	3	4	2	1	2	3	3	1	2	1	-	-	-	-	-
	F--	27	1	2	2	1	-	2	-	2	1	-	2	3	-	-	2	3	1	1	2	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	220	1	1	1	2	1	1	-	2	3	7	13	18	30	17	22	25	25	22	14	10	5	-	-	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	1	1	3	9	16	15	14	18	18	15	8	5	3	-	-	-	-
	F--	50	-	1	1	-	-	-	-	-	1	4	6	3	13	1	4	2	3	5	2	3	1	-	-	-	-
	Nonwhite--M--	26	1	-	-	1	1	-	-	1	-	2	2	4	1	1	2	3	3	1	2	1	-	-	-	-	-
	F--	18	-	-	-	1	-	1	-	1	1	-	2	2	-	-	2	2	1	1	2	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	28	4	4	3	3	1	2	1	1	1	1	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	12	2	2	1	2	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	2	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	18	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	1	1	6	1	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	11	4	-	1	-	1	-	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	26	9	8	1	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	4	5	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	41	10	3	-	1	-	3	-	-	2	-	1	4	-	3	4	3	1	2	2	1	-	1	-	-	-
	White-----M--	18	1	1	-	-	-	1	-	-	-	-	1	2	-	1	2	1	1	2	1	1	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	4	1	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F--	8	3	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*	991	-	3	5	2	2	10	8	4	8	13	12	20	56	59	83	114	121	159	133	101	44	25	8	1	-
	White--M	509	-	2	3	1	1	9	5	2	4	5	5	8	18	21	41	57	72	81	79	56	23	12	3	1	-
	F	409	-	1	2	-	1	1	3	2	2	8	5	11	33	31	37	48	36	69	46	37	20	11	5	-	-
	Nonwhite--M	43	-	-	-	1	-	-	-	-	-	-	1	-	1	3	3	3	9	7	6	7	1	1	-	-	-
	F	30	-	-	-	-	-	-	-	-	2	-	1	1	4	4	2	6	4	2	2	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	3	2	3	2	1	-	-	-
	White--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	-	3	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	314	-	-	-	-	-	1	-	-	1	1	2	1	14	15	24	35	46	56	45	44	17	10	2	-	-
	White--M	154	-	-	-	-	-	1	-	-	1	-	-	-	5	7	12	18	25	28	23	24	7	3	-	-	-
	F	131	-	-	-	-	-	-	-	-	-	1	2	1	8	6	10	13	13	23	21	15	10	6	2	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	5	-	4	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	1	-	1	-	-	-
160-164	Of respiratory system (not secondary)	147	-	-	-	-	-	-	-	-	-	-	1	1	7	8	9	22	27	28	27	13	3	1	-	-	-
	White--M	125	-	-	-	-	-	-	-	-	-	-	1	1	6	4	8	17	23	26	25	11	2	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	2	2	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	91	-	-	-	-	-	-	-	-	-	1	2	3	7	10	16	16	3	12	8	8	3	2	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	1	2	3	7	9	16	16	3	11	7	8	3	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
171-179	Of genital organs	141	-	-	-	-	-	-	-	-	3	1	2	5	11	11	13	14	13	23	20	12	9	2	2	-	-
	White--M	54	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	2	6	9	14	5	6	2	2	-	-
	F	73	-	-	-	-	-	-	-	-	2	1	1	2	9	9	9	11	4	13	4	5	3	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	42	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	4	4	9	6	6	3	2	1	-	-
	White--M	30	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	4	3	5	4	3	3	2	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	-	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	134	-	2	2	1	-	3	2	1	1	4	3	8	8	7	7	11	19	14	16	12	5	4	3	1	-
	White--M	77	-	2	1	-	-	2	2	1	1	2	3	4	3	5	7	7	10	5	7	7	4	2	1	1	-
	F	50	-	-	1	-	-	1	-	-	-	2	-	4	5	2	-	3	8	9	7	4	1	1	2	-	-
	Nonwhite--M	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	55	-	-	3	1	2	5	3	1	2	1	1	1	4	5	2	2	4	7	6	2	1	2	-	-	-
	White--M	31	-	-	2	1	1	5	1	-	1	-	-	-	1	3	2	2	2	3	5	2	-	-	-	-	-
	F	20	-	-	1	-	1	-	2	1	-	1	-	1	3	2	-	-	2	3	-	-	1	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	48	-	1	-	-	-	1	3	2	1	5	1	-	3	2	4	7	5	7	3	1	1	1	-	-	-
	White--M	26	-	-	-	-	-	1	2	1	-	3	-	-	1	1	3	5	3	3	1	1	-	1	-	-	-
	F	17	-	1	-	-	-	-	1	1	-	2	-	-	1	1	1	1	2	3	2	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	27	3	-	1	-	-	2	-	-	1	2	3	3	-	1	-	-	1	7	-	2	-	1	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	1	-	-	-
	F	17	2	-	1	-	-	1	-	-	1	1	3	3	-	1	-	-	-	3	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	90	-	-	-	-	-	1	-	-	3	1	2	1	7	2	2	5	13	17	13	14	2	5	1	-	1
	White--M	30	-	-	-	-	-	-	-	-	2	-	1	-	3	-	1	2	3	4	3	7	1	2	1	-	-
	F	41	-	-	-	-	-	1	-	-	-	1	1	1	2	-	1	3	7	7	7	7	1	2	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	-	-	-	-	-	1
	F	10	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	3	1	-	-	1	-	-	-
290-293	Anemias	7	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-
	White--M	5	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	26	8	4	2	1	-	2	1	1	-	3	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White--M	8	1	1	2	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,088	2	-	1	1	1	2	5	6	11	17	26	52	88	128	175	263	315	425	470	429	342	215	86	28	-
	White--M	1,818	2	-	-	-	1	-	3	3	5	5	15	30	58	87	125	180	208	265	283	245	169	85	37	12	-
	F	1,054	-	-	1	1	-	-	-	2	3	7	9	17	23	26	34	65	77	137	160	158	155	123	41	15	-
	Nonwhite--M	145	-	-	-	-	-	1	1	1	2	3	1	2	4	7	12	14	19	20	19	22	12	2	2	1	-
	F	71	-	-	-	-	-	1	1	-	1	2	1	3	3	8	4	4	11	3	8	4	6	5	6	-	-
330-334, 400-468	Diseases of cardiovascular system	3,001	2	-	1	1	1	2	5	6	6	13	24	48	83	123	169	252	307	414	462	418	340	213	83	28	-
	White--M	1,768	2	-	-	-	1	-	3	3	3	4	14	28	54	83	122	174	204	258	278	239	168	83	35	12	-
	F	1,030	-	-	1	1	-	-	-	2	2	5	8	15	23	25	33	62	75	134	157	154	154	123	41	15	-
	Nonwhite--M	138	-	-	-	-	-	1	1	1	1	3	1	2	3	7	11	13	17	19	19	22	12	2	2	1	-
	F	65	-	-	-	-	-	1	1	-	-	1	1	3	3	8	3	3	11	3	8	3	6	5	5	-	-
330-334	Vascular lesions, etc.*	587	2	-	-	-	-	-	-	1	-	1	6	6	9	17	13	38	46	76	117	93	94	49	10	9	-
	White--M	276	2	-	-	-	-	-	-	-	-	-	2	2	3	8	7	20	24	32	69	46	40	15	3	3	-
	F	273	-	-	-	-	-	-	-	-	-	-	3	3	5	5	5	13	19	40	45	40	51	32	6	6	-
	Nonwhite--M	20	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	4	2	3	2	4	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	1	1	1	3	2	2	1	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																										
400-402	Rheumatic fever	15	-	-	-	-	-	1	3	1	-	1	1	5	1	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	2,173	-	-	1	1	1	1	1	2	5	8	15	33	72	99	145	199	248	312	320	294	212	134	54	16	-
	White-----M	1,367	-	-	-	-	1	-	1	1	3	3	12	23	51	71	108	143	171	210	193	180	111	52	26	7	-
	F	665	-	-	1	1	-	-	-	1	1	4	2	7	16	20	25	46	54	85	106	99	89	77	23	8	-
	Nonwhite--M	106	-	-	-	-	-	1	-	-	1	1	-	2	3	6	9	9	14	16	15	15	9	2	2	1	-
	F	35	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	9	1	6	-	3	3	3	-	-
410-416	Chronic rheumatic heart disease	97	-	-	-	-	-	-	1	1	2	4	5	8	12	12	8	9	10	9	9	3	3	1	-	-	-
	White-----M	53	-	-	-	-	-	-	1	-	1	1	3	3	7	4	5	7	8	7	3	1	1	1	-	-	-
	F	43	-	-	-	-	-	-	-	1	1	3	2	4	5	8	3	2	2	2	6	2	2	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,555	-	-	1	-	-	-	-	-	1	2	8	19	47	73	114	159	178	234	239	212	141	84	32	12	-
	White-----M	1.085	-	-	-	-	-	-	-	-	1	2	7	16	38	59	90	121	136	173	153	132	80	35	16	6	-
	F	404	-	-	1	-	-	-	-	-	-	-	-	3	5	8	16	33	28	51	73	68	53	47	13	5	-
	Nonwhite--M	69	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	3	10	9	10	12	7	1	1	1	-
	F	17	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	1	3	-	1	1	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	233	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	15	16	28	34	41	41	29	17	4	-
	White-----M	116	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	9	7	12	20	28	18	9	7	1	-
	F	96	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	12	11	11	20	18	8	3	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	2	2	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	2	1	-	-
430-434	Other diseases of heart	93	-	-	-	1	1	-	-	1	2	2	2	3	7	4	8	2	15	13	8	6	3	5	-	-	-
	White-----M	48	-	-	-	-	1	-	-	1	1	-	2	2	4	3	6	1	11	6	3	4	2	1	-	-	-
	F	23	-	-	-	1	-	-	-	-	-	1	-	-	2	-	2	-	3	5	3	2	1	3	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	2	2	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	205	-	-	-	-	-	1	-	-	-	-	-	2	4	9	11	15	29	28	30	32	24	15	5	-	-
	White-----M	85	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	5	9	12	14	15	10	6	3	-	-
	F	99	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	7	15	15	13	16	13	9	2	-	-
	Nonwhite--M	13	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3	2	1	3	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart	46	-	-	-	-	-	-	-	-	-	1	-	3	-	2	2	3	4	6	4	8	8	3	2	-	-
	White-----M	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	2	5	4	2	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	3	2	1	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis	116	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	9	16	17	22	25	17	3	-
	White-----M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	9	6	11	12	5	2	-
	F	55	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4	4	9	10	13	11	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-
451-468	Other diseases of circulatory sys.	64	-	-	-	-	-	-	1	2	1	2	1	1	-	5	7	10	7	11	4	6	4	2	-	-	-
	White-----M	46	-	-	-	-	-	-	1	1	-	-	-	1	-	4	6	9	6	8	4	2	2	2	-	-	-
	F	15	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	1	3	-	3	2	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	87	-	-	-	-	-	-	-	-	5	4	2	4	5	5	6	11	8	11	8	11	2	2	3	-	-
	White-----M	50	-	-	-	-	-	-	-	-	2	1	1	2	4	4	3	6	4	7	5	6	1	2	2	-	-
	F	24	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	3	2	3	3	4	1	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*	329	132	25	5	2	1	4	2	1	2	1	-	5	6	13	8	6	13	17	15	18	22	16	9	6	-
	White-----M	127	45	6	2	1	-	-	1	-	1	-	-	1	4	3	4	4	8	9	7	12	9	6	2	2	-
	F	103	32	9	1	1	-	2	1	1	1	1	-	2	-	6	1	2	2	3	7	4	8	9	7	3	-
	Nonwhite--M	52	28	4	1	-	-	1	-	-	-	-	-	-	2	1	3	-	3	3	1	2	2	1	-	-	-
	F	47	27	6	1	-	1	1	-	-	-	-	-	2	-	3	-	-	-	2	-	-	3	-	-	1	-
480-483	Influenza	15	7	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	1	-	1	-	-	1	-
	White-----M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
490-493	Pneumonia, etc.*	314	125	25	5	2	1	3	2	1	2	-	-	5	6	12	8	5	12	17	14	18	21	16	9	5	-
	White-----M	124	43	6	2	1	-	-	1	-	1	-	-	1	4	3	4	4	7	9	7	12	9	6	2	2	-
	F	95	29	9	1	1	-	1	1	1	1	-	-	2	-	6	1	1	2	3	6	4	7	9	7	3	-
	Nonwhite--M	51	27	4	1	-	-	1	-	-	-	-	-	-	2	1	3	-	3	3	1	2	2	1	-	-	-
	F	44	26	6	1	-	1	1	-	-	-	-	-	2	-	2	-	-	-	2	-	-	3	-	-	-	-
500-502	Bronchitis	35	8	2	-	-	-	2	-	-	-	1	-	-	-	2	1	5	1	5	4	2	1	-	-	1	-
	White-----M	23	3	1	-	-	-	1	-	-	-	-	-	-	-	1	1	4	1	5	3	1	1	-	-	1	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	55	-	-	-	-	1	-	-	-	-	1	-	2	2	6	3	7	10	6	11	2	2	2	-	-	-
	White-----M	42	-	-	-	-	1	-	-	-	-	-	-	2	2	5	2	5	8	5	9	2	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	-	2	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	13	-	-	1	-	-	1	1	-	1	1	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-
	White-----M	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	46	7	-	-	-	-	1	-	-	-	1	1	2	3	2	2	5	3	4	5	4	3	2	1	-	-
	White-----M	18	3	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	3	2	2	1	-	-	-	-
	F	18	2	-	-	-	-	1	-	-	-	1	-	1	-	1	-	2	1	-	3	2	1	2	1	-	-
	Nonwhite--M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																										
543,	Gastritis, etc.*--	129	89	16	1	1	-	1	-	-	1	-	-	-	1	-	-	1	4	1	5	3	3	1	-	-	1
571,	White-----M--	38	24	1	-	-	-	1	-	-	1	-	-	-	1	-	-	1	2	-	4	1	1	-	-	-	1
572	F--	29	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	-	-
	Nonwhite--M--	24	16	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	30	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	82	1	-	-	-	-	-	1	-	-	-	1	6	9	13	9	8	11	7	10	3	1	2	-	-	-
	White-----M--	49	1	-	-	-	-	-	-	-	-	-	-	5	6	9	2	3	8	4	7	3	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	4	1	2	3	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	14	2	-	-	-	-	1	-	-	-	1	-	2	1	2	1	1	1	2	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	10	4	3	2	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	7	4	3	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	13	...	...	...	...	...	...	-	4	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	...	...	...	...	...	...	-	2	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	11	...	...	...	...	...	...	-	4	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	160	110	9	4	2	1	9	1	3	4	-	1	3	4	1	4	1	-	-	1	2	-	-	-	-	-
	White-----M--	80	53	3	2	1	1	3	1	1	3	-	1	2	2	-	3	1	-	-	1	2	-	-	-	-	-
	F--	62	44	4	1	1	-	6	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	476	476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	135	29	8	6	1	-	1	-	1	4	3	4	2	3	4	4	4	3	11	6	7	8	5	6	6	9
795	White-----M--	41	7	-	-	-	-	-	-	-	1	2	2	-	1	1	2	2	2	3	2	3	4	3	2	-	4
	F--	20	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	-	4	-	2	1	1	1	3	3
	Nonwhite--M--	36	10	3	2	-	-	-	-	-	-	1	-	1	2	-	1	1	1	3	4	2	2	-	1	1	1
	F--	38	12	5	4	-	-	1	-	1	2	-	1	1	-	2	1	-	-	1	-	-	1	1	2	2	1
Re-	All other diseases	592	36	7	3	3	4	7	4	6	10	10	15	15	26	46	56	66	74	65	56	38	26	11	5	3	-
sid-	White-----M--	367	17	3	2	1	1	4	2	2	5	2	6	9	17	31	40	43	46	49	36	25	17	6	2	1	-
ual	F--	152	5	1	1	2	2	2	1	3	2	3	6	3	8	12	12	15	22	12	18	7	7	4	2	2	-
	Nonwhite--M--	43	8	1	-	-	-	-	-	1	3	2	1	-	1	2	3	6	5	3	-	5	1	-	1	-	-
	F--	30	6	2	-	-	1	1	1	-	-	3	2	3	-	1	1	2	1	1	2	1	1	1	-	-	-
E800-	Accidents---------	711	30	29	13	12	12	31	24	43	57	58	42	49	57	44	34	40	27	34	23	23	18	4	7	-	-
E962	White-----M--	407	17	10	7	6	8	18	16	28	35	30	26	27	41	27	19	19	23	23	14	8	3	2	-	-	-
	F--	149	10	10	4	4	3	7	2	4	10	6	6	10	7	9	5	8	1	7	7	12	9	2	6	-	-
	Nonwhite--M--	121	1	5	1	-	1	5	3	8	11	21	10	10	7	8	9	10	-	3	2	1	4	-	1	-	-
	F--	34	2	4	1	2	-	1	3	3	1	1	-	2	2	-	1	3	3	1	-	2	2	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	335	2	3	7	6	4	8	12	30	41	25	19	32	30	27	20	23	14	13	10	6	2	-	1	-	-
	White-----M--	195	-	1	3	4	2	6	10	20	25	11	11	17	21	15	10	10	14	6	6	2	1	-	-	-	-
	F--	69	1	2	3	2	1	2	1	3	8	5	4	8	4	6	4	5	-	5	3	1	-	-	1	-	-
	Nonwhite--M--	63	1	-	-	-	1	-	1	5	8	8	4	6	5	6	6	7	-	2	1	1	1	-	-	-	-
	F--	8	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-
E800-	All ot. accidents-	376	28	26	6	6	8	23	12	13	16	33	23	17	27	17	14	17	13	21	13	17	16	4	6	-	-
E802,	White-----M--	212	17	9	4	2	6	12	6	8	10	19	15	10	20	12	9	9	9	17	8	6	2	2	-	-	-
E840-	F--	80	9	8	1	2	2	5	1	1	2	1	2	2	3	3	1	3	1	2	4	11	9	2	5	-	-
E962	Nonwhite--M--	58	-	5	1	-	-	5	2	3	3	13	6	4	2	2	3	3	-	1	1	-	3	-	1	-	-
	F--	26	2	4	-	2	-	1	3	1	1	-	-	1	2	-	1	2	3	1	-	-	2	-	-	-	-
E963,	Suicide----------	108	-	-	-	-	-	-	-	2	2	7	8	10	12	17	12	10	11	8	2	6	1	-	-	-	-
E970-	White-----M--	77	-	-	-	-	-	-	-	-	-	4	5	6	9	13	7	9	9	6	2	6	1	-	-	-	-
E979	F--	22	-	-	-	-	-	-	-	-	1	2	1	3	2	4	5	1	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	77	-	-	2	3	-	3	2	2	8	13	12	10	4	3	2	6	3	2	1	-	-	-	-	-	1
E980-	White-----M--	33	-	-	-	3	-	1	2	-	5	6	4	2	1	1	1	3	2	1	1	-	-	-	-	-	-
E985	F--	12	-	-	2	-	-	2	-	-	1	-	2	2	-	1	-	1	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	1	2	5	6	6	2	1	1	2	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

420487 O - 57 - 13

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS																										
	ALL CAUSES------	15,218	1,157	97	38	46	39	93	102	151	176	153	228	289	391	639	759	1,066	1,488	1,706	1,933	1,846	1,555	852	270	100	44
	White-----M--	6,897	381	25	13	16	12	34	44	70	83	69	96	115	181	320	322	508	708	818	917	886	736	369	103	35	16
	F--	4,346	284	24	6	13	11	21	29	30	24	32	44	68	91	141	181	213	343	399	565	678	602	355	128	48	16
	Nonwhite--M--	2,202	285	28	9	9	10	23	20	31	40	34	47	51	56	86	140	191	233	272	271	167	115	48	19	10	7
	F--	1,773	207	20	10	8	6	15	9	20	29	18	41	55	63	92	116	154	204	217	180	115	102	60	20	7	5
001-019	Tuberculosis, all forms--------	269	-	4	1	-	-	-	2	3	9	12	13	12	12	17	21	24	31	27	37	23	16	5	-	-	-
	White-----M--	118	-	1	-	-	-	-	1	1	4	1	1	4	7	10	7	13	21	11	17	8	8	3	-	-	-
	F--	75	-	-	1	-	-	-	-	-	1	4	2	3	2	2	4	6	6	9	14	13	6	2	-	-	-
	Nonwhite--M--	46	-	3	-	-	-	-	1	2	1	2	5	2	1	2	9	2	2	6	5	1	2	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	3	5	5	3	2	3	1	3	2	1	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	254	-	2	-	-	-	-	-	2	9	10	13	12	11	16	19	24	30	26	37	23	15	5	-	-	-
	White-----M--	111	-	-	-	-	-	-	-	-	4	1	1	4	7	10	6	13	20	10	17	8	7	3	-	-	-
	F--	73	-	-	-	-	-	-	-	-	1	4	2	3	2	1	4	6	6	9	14	13	6	2	-	-	-
	Nonwhite--M--	41	-	2	-	-	-	-	-	2	1	1	5	2	-	2	8	2	2	6	5	1	2	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	3	4	5	3	2	3	1	3	2	1	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	15	-	2	1	-	-	-	2	1	-	2	-	-	1	1	2	-	1	1	-	-	1	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	41	1	-	-	-	-	-	-	-	-	-	1	1	-	4	3	6	10	5	4	3	1	2	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	-	1	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	2	-	-	-	2	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	7	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	8	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	23	18	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	5	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	-	-	-	1	-	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	42	8	1	-	-	-	3	3	1	1	-	-	1	1	1	4	3	2	4	3	5	-	1	-	-	-
	White-----M--	12	1	-	-	-	-	1	1	1	-	-	-	-	-	1	2	-	-	2	-	2	-	1	-	-	-
	F--	10	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	3	2	-	-	-	-	-
	Nonwhite--M--	7	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	13	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	3	2	1	-	1	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*	2,133	7	1	1	3	7	12	7	16	8	12	14	58	93	135	160	216	301	319	292	216	152	84	10	7	2
	White-----M--	911	4	-	1	1	4	6	1	9	3	6	3	16	21	45	53	92	112	157	157	99	73	40	5	2	1
	F--	795	1	-	-	-	2	3	5	6	5	5	4	29	43	55	66	70	123	95	91	90	59	36	4	2	1
	Nonwhite--M--	228	2	1	-	1	1	2	-	1	-	1	3	3	12	10	14	32	37	44	27	19	9	5	1	3	-
	F--	199	-	-	-	1	-	1	1	-	-	-	4	10	17	25	27	22	29	23	17	8	11	3	-	-	-
140-148	Of buccal cavity and pharynx	62	-	-	-	-	1	-	-	-	-	-	-	2	2	6	3	8	8	14	6	4	5	2	-	1	-
	White-----M--	34	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	1	1	11	3	3	5	1	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	6	1	3	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	697	2	-	-	-	-	-	1	2	2	3	2	12	24	20	44	65	101	111	129	78	59	38	2	1	1
	White-----M--	298	2	-	-	-	-	-	1	1	1	1	1	3	4	9	17	28	35	47	70	34	25	18	1	-	-
	F--	244	-	-	-	-	-	-	-	1	1	2	-	4	9	5	13	15	34	36	39	36	29	18	-	1	1
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	-	-	1	2	9	4	6	15	20	20	11	6	1	1	1	-	-
	F--	58	-	-	-	-	-	-	-	-	-	-	-	3	2	2	8	7	12	8	9	2	4	1	-	-	-
160-164	Of respiratory system (not secondary)	211	-	-	-	-	-	-	-	-	-	-	-	2	9	16	24	26	44	45	21	14	7	2	-	1	-
	White-----M--	162	-	-	-	-	-	-	-	-	-	-	-	2	6	13	19	22	40	35	16	5	3	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	7	3	8	2	1	-	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	1	1	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
170	Of breast	163	-	-	-	-	-	-	-	1	1	-	3	7	13	20	22	15	22	13	15	13	10	6	2	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	130	-	-	-	-	-	-	-	1	1	-	1	6	8	13	18	12	19	10	13	12	8	6	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	2	1	5	6	4	3	3	3	2	-	2	-	-	-	-
171-179	Of genital organs	420	-	-	-	-	-	-	-	-	-	2	5	14	23	34	33	48	58	51	54	45	29	16	5	3	-
	White-----M--	123	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	10	5	20	29	23	16	10	3	-	-
	F--	174	-	-	-	-	-	-	-	-	-	2	1	9	13	19	23	25	32	17	11	12	6	2	2	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	7	8	10	6	5	3	-	3	-
	F--	75	-	-	-	-	-	-	-	-	-	-	2	4	9	13	8	8	14	6	4	4	2	1	-	-	-
180, 181	Of urinary organs	79	-	-	-	-	-	2	-	-	-	-	1	-	2	1	2	5	13	11	11	16	11	3	-	-	1
	White-----M--	45	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	6	5	7	11	7	2	-	-	1
	F--	26	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	7	3	3	4	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	302	4	1	1	1	2	2	4	6	3	2	2	16	11	26	25	24	27	45	31	31	26	12	-	-	-
	White-----M--	137	2	-	1	-	1	1	-	4	1	1	-	6	1	10	10	12	10	25	17	16	14	5	-	-	-
	F--	112	1	-	-	-	-	-	4	2	2	1	1	9	9	10	6	5	13	13	10	11	9	6	-	-	-
	Nonwhite--M--	34	1	1	-	-	1	-	-	-	-	-	1	-	1	3	4	5	4	5	3	3	1	1	-	-	-
	F--	19	-	-	-	1	-	1	-	-	-	-	-	1	-	3	5	2	-	2	1	1	2	-	-	-	-
204	Leukemia and aleukemia	108	1	-	-	1	4	7	2	6	1	2	1	2	5	7	3	7	12	17	14	7	3	4	1	1	-
	White-----M--	55	-	-	-	1	2	3	-	3	-	1	-	1	3	5	1	5	8	8	6	3	1	2	1	1	-
	F--	35	-	-	-	-	2	2	1	2	1	-	1	1	1	2	1	1	3	5	7	2	1	2	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	1	4	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	91	-	-	-	1	-	1	-	1	1	3	-	3	4	5	4	18	16	12	11	8	2	1	-	-	-
	White-----M--	55	-	-	-	-	-	1	-	1	1	3	-	2	3	3	2	11	7	6	9	3	2	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	6	3	2	5	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	48	3	1	1	-	-	-	5	-	1	-	3	3	3	3	4	5	3	5	2	3	3	-	-	-	-
	White-----M--	21	1	1	-	-	-	-	-	-	-	-	1	1	3	2	1	2	1	1	1	3	3	-	-	-	-
	F--	14	2	-	-	-	-	-	3	-	-	-	1	2	-	-	1	1	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	2	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-
260	Diabetes mellitus	192	2	-	-	-	-	1	3	2	2	2	3	4	7	13	8	12	23	22	25	29	27	6	1	-	-
	White-----M--	77	1	-	-	-	-	-	1	-	1	1	2	2	4	4	2	3	13	9	8	12	12	2	-	-	-
	F--	73	-	-	-	-	-	1	2	-	1	1	-	2	1	5	4	6	5	8	11	10	12	4	-	-	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	4	6	-	-	1	-	-
	F--	25	-	-	-	-	-	-	-	2	-	-	1	-	1	3	2	3	3	4	2	1	3	-	-	-	-
290-293	Anemias	32	2	1	-	1	-	2	2	-	-	2	-	1	-	-	1	3	1	4	2	7	-	3	-	-	-
	White-----M--	9	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	-	-	1	2	-	1	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	-	2	-	-	-
	Nonwhite--M--	6	1	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	27	12	2	-	1	-	2	-	-	-	-	-	-	1	2	1	-	-	4	-	2	-	-	-	-	-
	White-----M--	11	4	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-
	F--	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,867	5	1	1	1	2	2	8	15	18	19	42	76	132	266	378	581	864	1,025	1,264	1,253	1,053	594	185	58	24
	White-----M--	3,757	2	1	1	1	-	-	-	6	7	8	17	27	66	146	181	294	422	483	602	617	492	278	74	23	9
	F--	2,281	1	-	-	-	2	1	2	2	3	6	10	17	20	45	68	91	161	238	372	456	424	244	85	25	8
	Nonwhite--M--	954	-	-	-	-	-	-	4	1	4	2	5	10	21	36	65	106	146	153	171	101	76	31	12	5	5
	F--	875	2	-	-	-	-	1	2	6	4	3	10	22	25	39	64	90	135	151	119	79	61	41	14	5	2
330-334, 400-468	Diseases of cardiovascular system	7,591	5	1	1	1	2	1	7	13	16	18	39	72	124	251	361	555	852	997	1,213	1,207	1,024	575	174	58	24
	White-----M--	3,657	2	1	1	1	-	-	-	5	6	8	16	25	62	138	176	285	420	473	586	597	481	270	72	23	9
	F--	2,201	1	-	-	-	2	1	1	2	2	5	9	16	19	42	63	88	159	231	358	440	413	257	79	25	8
	Nonwhite--M--	908	-	-	-	-	-	-	4	1	4	2	5	10	20	33	62	99	141	145	163	95	74	30	10	5	5
	F--	825	2	-	-	-	-	-	2	5	4	3	9	21	23	38	60	83	132	148	106	75	56	38	13	5	2
330-334	Vascular lesions, etc.*	1,981	5	1	1	-	-	1	1	4	6	5	8	17	24	53	68	122	215	241	323	358	278	177	48	19	6
	White-----M--	793	2	1	1	-	-	-	-	3	2	1	2	3	7	15	15	33	71	96	133	179	121	81	19	6	2
	F--	634	1	-	-	-	-	1	-	1	1	3	4	3	8	9	21	22	37	56	105	131	119	76	22	12	2
	Nonwhite--M--	269	-	-	-	-	-	-	1	-	2	-	-	2	3	8	16	34	51	43	53	24	19	8	4	-	1
	F--	285	2	-	-	-	-	-	-	-	1	1	2	9	6	21	16	33	56	46	32	24	19	12	3	1	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																										
400-402	Rheumatic fever---	7	-	-	-	1	1	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,129	-	-	-	-	1	-	2	6	9	11	26	45	87	186	274	411	603	707	823	780	672	336	102	30	18
	White-----M--	2,668	-	-	-	-	-	-	-	1	3	6	14	18	52	115	155	244	337	360	425	390	328	157	45	11	7
	F--	1,415	-	-	-	-	1	-	-	-	1	1	4	12	7	32	41	60	113	164	235	282	263	138	44	11	6
	Nonwhite--M--	569	-	-	-	-	-	-	2	1	2	2	3	7	12	23	40	59	63	92	98	62	51	19	5	4	4
	F--	477	-	-	-	-	-	-	-	4	3	2	5	8	16	16	38	48	70	91	65	46	30	22	8	4	1
410-416	Chronic rheumatic heart disease----	123	-	-	-	-	-	-	-	2	4	3	4	8	9	10	8	8	14	14	12	9	11	6	1	-	-
	White-----M--	60	-	-	-	-	-	-	-	1	2	2	1	2	5	4	6	4	7	7	8	4	2	4	1	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	4	2	4	2	3	5	4	2	4	5	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	3	1	-	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	2	-	1	1	2	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,409	-	-	-	-	-	-	1	3	4	3	15	24	61	129	193	292	437	469	559	500	434	194	58	18	15
	White-----M--	2,018	-	-	-	-	-	-	-	-	1	2	9	13	42	95	130	204	284	279	318	278	226	98	26	6	7
	F--	880	-	-	-	-	-	-	-	-	-	-	2	5	4	15	24	40	73	102	158	176	171	74	24	6	4
	Nonwhite--M--	273	-	-	-	-	-	-	1	1	1	-	2	1	7	10	22	26	43	44	49	21	27	9	4	2	3
	F--	238	-	-	-	-	-	-	-	2	2	1	2	5	8	9	17	22	37	44	34	25	10	13	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	446	-	-	-	-	-	-	-	1	-	-	3	1	3	4	15	24	34	43	75	81	80	53	22	6	1
	White-----M--	172	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	8	7	11	35	31	40	21	8	4	-
	F--	132	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	7	10	14	32	28	25	10	1	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	9	12	11	16	14	6	7	1	-	1
	F--	58	-	-	-	-	-	-	-	1	-	-	1	-	1	1	6	5	8	11	10	4	6	-	3	1	-
430-434	Other diseases of heart---------	360	-	-	-	-	1	-	1	-	1	3	2	6	5	22	18	24	41	62	52	52	37	22	8	2	1
	White-----M--	161	-	-	-	-	-	-	-	-	-	2	1	3	3	9	8	13	18	27	23	29	17	5	3	-	-
	F--	96	-	-	-	-	1	-	-	-	1	-	-	1	-	5	5	5	10	13	14	11	11	12	5	1	1
	Nonwhite--M--	71	-	-	-	-	-	-	1	-	-	1	-	2	2	5	5	4	12	12	11	8	6	1	-	1	-
	F--	32	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	10	4	4	3	4	-	-	-
440-443	Hypertension with heart dis.--	791	-	-	-	-	-	-	-	-	-	2	2	6	9	21	40	63	77	119	125	138	110	61	13	4	1
	White-----M--	257	-	-	-	-	-	-	-	-	-	-	2	-	1	6	7	15	21	36	41	48	43	29	7	1	-
	F--	270	-	-	-	-	-	-	-	-	-	1	-	2	1	7	9	10	18	35	47	59	48	26	5	1	1
	Nonwhite--M--	129	-	-	-	-	-	-	-	-	-	-	-	2	1	6	9	20	16	22	21	19	10	2	-	1	-
	F--	135	-	-	-	-	-	-	-	-	-	1	-	2	6	2	15	18	22	26	16	12	9	4	1	1	-
444-447	Hypertension without mention of heart----------	109	-	-	-	-	-	-	-	1	-	-	4	6	6	2	11	6	10	9	16	7	11	15	4	1	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	1	2	3	2	3	9	-	-	-
	F--	28	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	1	5	4	6	3	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	2	1	5	-	4	1	2	1	3	-	1	1	-	1	-
	F--	32	-	-	-	-	-	-	-	-	-	-	2	2	1	-	5	2	5	5	5	1	1	2	1	-	-
450	General arteriosclerosis--------	242	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	7	20	34	47	55	42	19	8	-
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	8	14	18	25	19	8	6	-
	F--	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	9	19	23	19	10	2	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	9	7	2	2	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	5	2	-	-	-
451-468	Other diseases of circulatory sys.-	123	-	-	-	-	-	-	1	1	1	2	1	4	7	8	5	10	17	20	17	15	8	5	1	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	1	1	-	2	3	4	3	4	9	7	11	8	4	4	-	-	-
	F--	32	-	-	-	-	-	-	1	-	-	1	1	-	4	1	-	3	5	5	4	4	2	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	6	-	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	2	2	1	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	276	-	-	-	-	-	1	1	2	2	1	3	4	8	15	17	26	12	28	51	46	29	19	11	-	-
	White-----M--	100	-	-	-	-	-	-	-	1	1	-	1	2	4	8	5	9	2	10	16	20	11	8	2	-	-
	F--	80	-	-	-	-	-	-	1	-	1	1	1	1	1	3	5	3	2	7	14	16	11	7	6	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	8	8	6	2	1	2	-	-
	F--	50	-	-	-	-	-	1	-	1	-	-	1	1	2	1	4	7	3	3	13	4	5	3	1	-	-
480-493	Influenza and pneumonia, etc.*-	538	109	15	6	4	6	5	4	3	8	3	4	1	4	10	10	22	33	37	54	67	62	43	21	7	-
	White-----M--	203	27	1	4	3	-	2	1	3	1	2	2	-	1	3	3	9	11	16	25	31	27	21	6	2	-
	F--	154	24	5	-	-	-	2	2	-	1	1	1	1	1	3	1	2	8	8	11	27	26	16	10	4	-
	Nonwhite--M--	99	27	8	-	1	3	1	1	-	5	-	-	-	1	2	3	4	9	7	10	6	3	5	2	1	-
	F--	82	31	1	2	-	3	-	-	-	1	-	1	-	1	2	3	7	5	6	8	3	6	1	1	-	-
480-483	Influenza---------	58	4	1	1	-	-	2	-	-	1	1	1	-	-	1	1	2	8	4	7	8	7	6	2	1	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	2	5	2	3	-	-	-
	F--	19	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	3	4	3	2	-	-
	Nonwhite--M--	12	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	3	1	2	-	-	-	-	1	-
	F--	11	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	480	105	14	5	4	6	3	4	3	7	2	3	1	4	9	9	20	25	33	47	59	55	37	19	6	-
	White-----M--	187	27	1	4	3	-	1	1	3	1	2	1	-	1	3	3	9	10	15	23	26	25	18	8	2	-
	F--	135	23	5	-	-	-	2	2	-	1	-	1	1	1	2	1	2	6	7	10	24	22	13	8	4	-
	Nonwhite--M--	87	25	8	-	1	3	-	1	-	4	-	-	-	1	2	3	3	6	6	8	6	3	5	2	-	-
	F--	71	30	-	1	-	3	-	-	-	1	-	1	-	1	2	2	6	3	5	6	3	5	1	1	-	-
500-502	Bronchitis---------	28	4	2	1	1	-	-	-	-	1	-	-	-	-	-	1	1	2	2	1	3	4	3	2	-	-
	White-----M--	11	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	60	-	1	-	-	-	-	-	-	-	-	2	-	1	8	5	9	2	11	3	10	5	1	2	-	-
	White-----M--	46	-	1	-	-	-	-	-	-	-	-	1	-	1	5	4	9	1	10	1	8	5	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	22	-	-	-	-	-	1	1	-	1	1	-	2	-	3	2	-	2	3	1	2	1	1	-	-	1
	White-----M--	10	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	1	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	1
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	81	10	-	-	-	1	-	-	-	-	1	1	-	2	4	4	5	8	11	10	11	9	2	1	1	-
	White-----M--	26	3	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	3	4	2	5	5	-	-	-	-
	F--	30	3	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	3	4	4	3	1	1	1	-
	Nonwhite--M--	10	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	1	1	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	1	-	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																										
543,	Gastritis, etc.*--	117	52	9	-	2	1	-	-	1	-	1	2	2	3	2	3	5	6	5	6	6	7	3	1	-	-
571,	White-----M--	31	9	3	-	-	-	-	-	1	-	-	2	-	-	-	2	-	4	1	3	-	5	1	-	-	-
572	F--	31	10	2	-	1	1	-	-	-	-	1	-	-	-	1	1	2	1	2	2	4	1	2	-	-	-
	Nonwhite--M--	26	16	2	-	1	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	1	-	-	-	-
	F--	29	17	2	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	1	1	-	-	1	-	-
581	Cirrhosis of liver	124	-	-	-	-	-	-	-	-	-	1	2	5	6	15	16	13	19	17	9	12	3	3	2	-	1
	White-----M--	69	-	-	-	-	-	-	-	-	-	1	1	4	4	11	7	4	17	7	4	5	1	1	1	-	1
	F--	30	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	6	-	6	-	5	2	2	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	2	2	3	5	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	34	1	-	1	1	-	1	1	-	-	1	1	2	2	-	1	7	4	2	2	1	3	2	1	-	-
	White-----M--	12	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	3	2	-	1	1	1	-	-	-	-
	F--	10	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	2	-	-	-	1	1	-	-	-
610	Hyperplasia of																										
	prostate---------	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	12	14	17	16	6	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	7	9	15	4	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	7	8	1	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	28	...	...	...	...	...	...	-	4	5	5	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	...	...	...	...	...	...	-	4	4	5	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	25	...	...	...	...	...	...	-	3	4	5	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	18	...	...	...	...	...	...	-	3	3	5	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	183	131	17	1	2	2	6	4	1	4	1	2	-	1	2	1	2	1	2	1	-	1	-	-	-	1
	White-----M--	82	57	8	1	1	1	2	1	1	3	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	F--	54	40	2	-	-	1	2	2	-	1	-	1	-	1	1	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	32	26	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	15	8	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
760-	Certain diseases																										
776	of early infancy-	604	604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	478	85	-	2	2	1	5	-	1	4	3	5	5	8	16	22	17	38	35	60	45	50	35	18	15	6
795	White-----M--	131	18	-	-	2	-	-	-	-	-	1	-	1	1	5	2	7	12	5	20	14	16	16	6	3	2
	F--	80	9	-	-	-	-	-	-	1	1	-	2	1	-	1	3	-	3	5	5	10	10	8	9	9	3
	Nonwhite--M--	145	34	-	1	-	1	4	-	-	-	-	-	2	2	4	15	8	9	14	20	12	12	4	2	1	-
	F--	122	24	-	1	-	-	1	-	-	3	2	3	1	5	6	2	2	14	11	15	9	12	7	1	2	1
Re-	All other diseases	662	30	8	3	1	1	7	4	8	12	10	20	9	25	29	29	62	76	70	67	70	73	23	14	9	2
sid-	White-----M--	286	9	1	-	1	-	2	2	2	1	2	5	4	9	14	9	25	43	36	25	36	45	6	5	4	-
ual	F--	214	12	2	1	-	-	-	-	3	3	5	8	1	9	7	11	16	22	15	23	24	22	15	9	5	1
	Nonwhite--M--	104	6	4	2	-	1	3	1	2	3	3	6	1	2	3	7	12	7	17	12	7	5	-	-	-	-
	F--	58	3	1	-	-	-	2	1	1	5	-	1	3	5	5	2	9	4	2	7	3	1	2	-	-	1
E800-	Accidents---------	1,246	60	29	19	24	16	42	54	89	85	68	85	75	67	80	63	51	46	56	68	51	65	31	12	3	7
E962	White-----M--	654	19	5	5	5	4	17	32	45	57	44	51	44	45	54	35	27	28	40	35	22	24	10	2	1	3
	F--	251	10	11	4	9	5	9	9	18	3	7	10	5	8	12	14	7	5	3	19	22	30	19	7	2	3
	Nonwhite--M--	224	17	4	4	3	4	8	12	20	20	17	15	20	10	14	10	11	10	8	8	3	5	-	-	-	1
	F--	117	14	9	6	7	3	8	1	6	5	-	9	6	4	-	4	6	3	5	6	4	6	2	3	-	-
E810-	Motor-vehicle																										
E835	accidents--------	467	3	10	7	9	3	13	8	51	48	30	48	42	28	29	30	20	21	20	25	9	9	2	2	-	-
	White-----M--	280	1	1	3	2	3	9	6	27	33	22	25	26	20	20	14	10	14	14	18	5	6	1	-	-	-
	F--	87	1	9	1	6	-	3	1	15	2	4	6	2	4	5	10	3	2	2	6	4	-	-	1	-	-
	Nonwhite--M--	75	-	-	1	1	-	1	1	6	10	4	12	11	3	4	3	6	4	4	1	-	3	-	-	-	-
	F--	25	1	-	2	-	-	-	-	3	3	-	5	3	1	-	3	1	1	-	-	-	-	1	1	-	-
E800-	All ot. accidents-	779	57	19	12	15	13	29	46	38	37	38	37	33	39	51	33	31	25	36	43	42	56	29	10	3	7
E802,	White-----M--	374	18	4	2	3	1	8	26	18	24	22	26	18	25	34	21	17	14	26	17	17	18	9	2	1	3
E840-	F--	164	9	2	3	3	5	6	8	3	1	3	4	3	4	7	4	4	3	1	13	18	30	19	6	2	3
E962	Nonwhite--M--	149	17	4	3	2	4	7	11	14	10	13	3	9	7	10	7	5	6	4	7	3	2	-	-	-	1
	F--	92	13	9	4	7	3	8	1	3	2	-	4	3	3	-	1	5	2	5	6	4	6	1	2	-	-
E963,	Suicide----------	111	-	-	-	-	-	-	-	-	3	1	5	9	17	12	10	11	10	19	3	7	2	2	-	-	-
E970-	White-----M--	93	-	-	-	-	-	-	-	-	3	-	4	8	15	10	7	9	8	17	2	7	2	1	-	-	-
E979	F--	12	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	1	1	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	120	2	-	-	-	-	-	3	6	12	9	17	14	4	17	11	8	1	7	5	2	2	-	-	-	-
E980-	White-----M--	30	1	-	-	-	-	-	1	1	2	-	3	2	2	4	3	4	-	2	3	1	1	-	-	-	-
E985	F--	14	1	-	-	-	-	-	2	-	2	1	-	1	-	3	1	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	5	6	7	12	10	2	7	7	3	1	3	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	2	1	2	1	-	3	-	1	-	2	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA																										
	ALL CAUSES------	114,515	7,395	429	281	227	162	623	401	759	1,060	1,221	1,571	2,227	3,312	4,749	6,298	8,332	10,503	13,413	14,687	14,053	11,552	7,349	2,989	877	45
	White-----M--	62,151	3,881	201	144	119	83	335	222	512	699	673	877	1,220	1,796	2,810	3,853	5,190	6,592	7,993	8,243	7,149	5,168	2,995	1,086	281	29
	F--	45,848	2,646	166	109	90	61	230	150	193	241	368	486	770	1,130	1,475	1,906	2,532	3,405	4,816	5,883	6,484	6,085	4,208	1,837	565	12
	Nonwhite--M--	3,905	459	34	15	8	8	31	12	40	90	106	117	132	222	264	332	391	319	358	371	276	182	75	30	11	2
	F--	2,611	409	28	13	10	10	27	17	14	30	74	91	105	164	180	207	219	187	246	190	144	117	71	36	20	2
001-019	Tuberculosis, all forms--------	1,072	4	4	5	3	3	2	3	5	9	17	36	47	81	101	114	121	128	133	119	65	49	19	4	-	-
	White-----M--	695	1	2	3	1	-	1	1	2	2	4	8	21	40	65	79	90	104	97	91	40	26	15	2	-	-
	F--	234	2	-	1	1	3	1	2	3	4	7	13	21	21	22	16	15	13	27	23	16	19	3	1	-	-
	Nonwhite--M--	107	1	1	1	1	-	-	-	-	1	2	11	3	12	12	14	15	10	7	5	8	2	1	-	-	-
	F--	36	-	1	-	-	-	-	-	-	2	4	4	2	8	2	5	1	1	2	-	1	2	-	1	-	-
001-008	Tuberculosis of respiratory system----------	989	1	-	4	2	1	-	-	3	8	17	33	40	73	99	101	112	124	128	114	61	45	19	4	-	-
	White-----M--	658	-	-	2	-	-	-	-	1	2	4	7	18	35	65	75	84	103	96	87	38	24	15	2	-	-
	F--	209	1	-	1	1	1	-	-	2	4	7	12	18	20	22	14	14	10	23	23	15	17	3	1	-	-
	Nonwhite--M--	94	-	-	1	1	-	-	-	-	1	2	11	3	11	10	10	13	10	7	4	7	2	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	4	3	1	7	2	2	1	1	2	-	1	2	-	1	-	-
010-019	Tuberculosis, other forms------	83	3	4	1	1	2	2	3	2	1	-	3	7	8	2	13	9	4	5	5	4	4	-	-	-	-
	White-----M--	37	1	2	1	1	-	1	1	1	-	-	1	3	5	-	4	6	1	1	4	2	2	-	-	-	-
	F--	25	1	-	-	-	2	1	2	1	-	-	1	3	1	-	2	1	3	4	-	1	2	-	-	-	-
	Nonwhite--M--	13	1	1	-	-	-	-	-	-	-	-	-	-	1	2	4	2	-	-	1	1	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	1	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	292	2	-	-	-	-	-	-	-	-	1	1	4	7	17	22	58	48	53	39	20	14	3	2	1	-
	White-----M--	182	2	-	-	-	-	-	-	-	-	1	1	3	2	9	13	38	30	35	22	16	8	1	1	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	10	8	11	13	3	5	2	1	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	10	9	4	4	1	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	3	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	34	7	-	-	-	4	6	2	1	-	-	2	2	-	1	-	1	3	1	-	1	1	1	1	-	-
	White-----M--	24	4	-	-	-	4	3	2	1	-	-	2	2	-	1	-	1	1	1	-	-	1	1	-	-	-
	F--	10	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	10	1	-	2	-	1	1	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	49	15	6	4	3	1	4	-	3	2	-	-	1	1	2	2	-	2	2	1	-	-	-	-	-	-
	White-----M--	25	7	3	3	3	-	3	-	2	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	19	6	3	1	-	1	-	-	-	1	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	40	2	3	2	4	1	2	4	2	3	3	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	1	-	1	1	1	-	3	-	3	-	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	21	1	2	1	3	-	1	1	2	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	30	3	6	3	3	-	12	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	2	4	1	2	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	1	1	2	1	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	282	33	8	4	7	4	15	9	10	5	12	14	16	14	9	19	16	21	16	15	17	11	3	3	1	-
	White-----M--	130	17	5	2	3	2	6	3	6	2	3	7	5	5	1	12	7	10	12	7	8	4	1	2	-	-
	F--	114	12	1	2	4	2	9	6	1	2	3	5	8	4	4	4	6	10	3	8	9	7	2	1	1	-
	Nonwhite--M--	25	3	1	-	-	-	-	-	1	1	5	1	2	3	3	3	2	-	-	-	-	-	-	-	-	-
	F--	13	1	1	-	-	-	-	-	2	-	1	1	1	2	1	-	1	1	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*----	18,588	21	30	35	48	32	133	65	67	82	143	245	404	693	1,085	1,498	2,037	2,389	2,737	2,618	2,120	1,262	617	196	31	-
	White-----M--	9,088	7	23	16	30	17	72	36	34	49	69	100	138	221	435	693	1,017	1,261	1,467	1,365	1,072	606	264	85	11	-
	F--	8,539	14	6	18	16	12	50	25	29	29	64	126	233	390	557	685	897	1,023	1,157	1,159	968	618	337	107	19	-
	Nonwhite--M--	536	-	1	1	-	1	3	-	3	3	4	8	15	33	37	62	75	60	74	68	54	24	8	2	-	-
	F--	425	-	-	-	2	2	8	4	1	1	6	11	18	49	56	58	48	45	39	26	26	14	8	2	1	-
140-148	Of buccal cavity and pharynx------	462	-	-	1	-	-	-	1	1	-	1	4	10	22	25	51	61	65	78	51	39	30	15	6	1	-
	White-----M--	341	-	-	1	-	-	-	1	-	-	1	1	7	11	15	36	42	51	60	47	32	21	10	5	-	-
	F--	92	-	-	-	-	-	-	-	1	-	-	2	3	5	7	10	13	11	18	2	7	7	4	1	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	5	2	4	4	2	-	2	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	6,318	-	-	1	1	-	5	-	5	3	24	45	61	143	280	441	604	819	1,024	1,025	884	573	286	84	10	-
	White-----M--	3,213	-	-	1	1	-	3	-	3	1	8	18	26	66	129	239	321	450	570	539	443	257	104	31	3	-
	F--	2,736	-	-	-	-	-	1	-	2	2	13	20	29	57	123	153	238	328	407	433	402	299	172	50	7	-
	Nonwhite--M--	247	-	-	-	-	-	1	-	-	-	2	2	6	12	17	28	32	30	36	39	26	11	4	1	-	-
	F--	122	-	-	-	-	-	-	-	-	-	1	5	-	8	11	21	13	11	11	14	13	6	6	2	-	-
160-164	Of respiratory system (not secondary)-------	2,521	-	-	1	-	-	1	-	3	2	5	13	39	78	162	266	383	445	438	323	224	99	32	7	-	-
	White-----M--	2,014	-	-	-	-	-	1	-	1	1	3	9	24	51	128	210	330	379	364	259	163	70	20	1	-	-
	F--	391	-	-	1	-	-	-	-	2	1	2	2	13	16	21	41	39	53	53	54	49	26	12	6	-	-
	Nonwhite--M--	93	-	-	-	-	-	-	-	-	-	-	1	2	8	9	12	12	8	17	9	12	3	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	-	3	4	3	2	5	4	1	-	-	-	-	-	-
170	Of breast---------	1,848	-	-	-	-	-	-	-	-	1	13	32	78	145	171	206	221	244	220	221	150	80	42	20	4	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	4	2	-	-	-	-	-
	F--	1,767	-	-	-	-	-	-	-	-	1	12	30	71	134	161	198	213	233	212	215	145	77	41	20	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	1	2	7	10	10	8	6	11	8	2	3	3	1	-	-	-
171-179	Of genital organs-	2,765	-	-	1	-	2	2	-	8	15	23	30	78	127	164	204	275	297	366	439	374	205	114	36	5	-
	White-----M--	954	-	-	-	-	2	1	-	4	7	12	8	5	6	6	16	43	64	142	213	201	116	77	27	4	-
	F--	1,638	-	-	1	-	-	1	-	4	8	8	21	66	99	136	163	209	218	209	211	157	81	36	9	1	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	6	4	10	9	6	-	-	-	-
	F--	126	-	-	-	-	-	-	-	-	-	3	1	7	20	22	21	17	9	11	5	7	2	1	-	-	-
180, 181	Of urinary organs-	941	2	4	3	7	3	12	-	1	-	2	1	6	19	40	49	95	124	143	177	117	84	37	13	2	-
	White-----M--	596	-	2	3	4	-	5	-	-	-	1	-	4	9	27	34	63	91	95	110	73	51	17	6	1	-
	F--	313	2	2	-	3	2	7	-	-	-	-	1	1	7	10	12	24	31	43	65	44	32	19	7	1	-
	Nonwhite--M--	23	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	8	2	5	-	-	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,978	9	12	12	16	9	35	30	16	18	37	61	70	87	154	154	212	208	254	201	183	104	63	26	7	-
	White-----M--	979	2	11	5	9	4	16	16	12	10	22	35	39	28	75	82	112	117	130	98	76	46	20	12	2	-
	F--	914	7	1	7	6	4	16	12	4	7	14	24	28	51	71	64	88	83	113	98	101	55	42	14	4	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	1	1	1	2	5	4	6	9	4	8	5	4	2	1	-	-	-
	F--	32	-	-	-	1	1	3	2	-	-	-	1	1	3	4	2	3	4	3	-	2	1	-	-	1	-
204	Leukemia and aleukemia----------	854	8	11	14	21	16	56	25	19	18	17	22	25	25	33	52	68	85	91	94	80	49	19	4	2	-
	White-----M--	480	4	8	5	14	9	31	13	8	12	8	9	13	17	20	30	35	54	50	55	45	25	11	3	1	-
	F--	338	4	3	8	7	6	21	10	10	3	8	13	10	8	11	19	29	27	40	37	32	23	8	-	1	-
	Nonwhite--M--	23	-	-	1	-	-	2	-	1	2	1	-	2	-	1	3	3	3	-	1	2	-	-	1	-	-
	F--	13	-	-	-	-	1	2	2	-	1	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	901	2	3	2	3	2	22	9	14	25	21	37	37	47	56	75	118	102	123	87	69	38	9	-	-	-
	White-----M--	502	1	2	1	2	2	15	6	6	18	14	20	20	32	35	46	69	55	56	40	37	20	5	-	-	-
	F--	350	1	-	1	-	-	4	3	6	7	7	13	12	13	17	25	44	39	62	44	31	18	3	-	-	-
	Nonwhite--M--	28	-	1	-	-	-	-	-	2	-	-	3	3	-	3	2	1	5	4	2	1	-	1	-	-	-
	F--	21	-	-	-	1	-	3	-	-	-	-	1	2	2	1	2	4	3	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	382	14	2	5	1	5	7	8	10	5	9	14	22	26	41	33	45	31	32	25	14	14	13	5	1	-
	White-----M--	142	3	2	2	1	1	2	4	4	2	1	5	7	9	17	15	15	15	13	9	4	7	2	2	-	-
	F--	199	8	-	1	-	3	5	4	6	3	6	6	13	13	15	16	25	14	17	14	9	7	11	2	1	-
	Nonwhite--M--	16	1	-	-	-	1	-	-	-	-	-	1	-	2	2	1	2	2	2	2	-	-	-	-	-	-
	F--	25	2	-	2	-	-	-	-	-	-	2	2	2	2	7	1	3	-	-	-	1	-	-	1	-	-
260	Diabetes mellitus-	1,347	2	2	-	1	2	1	3	4	10	17	21	29	34	47	64	119	159	224	227	184	118	58	17	3	1
	White-----M--	545	2	1	-	-	1	-	-	-	6	7	12	16	16	23	22	45	56	96	87	70	50	29	4	2	-
	F--	704	-	1	-	1	1	1	3	4	4	7	7	9	9	17	34	62	89	112	128	108	65	28	13	1	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	4	5	3	6	4	1	-	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	1	1	3	6	7	7	8	9	13	6	2	2	1	-	-	1
290-293	Anemias----------	179	3	4	1	1	1	6	5	3	1	4	4	4	3	5	4	8	14	10	17	30	29	17	4	1	-
	White-----M--	85	1	1	-	1	1	1	3	2	-	-	2	1	-	4	3	7	6	4	9	12	13	10	4	-	-
	F--	78	2	-	-	-	-	2	1	1	-	1	1	1	3	1	1	1	8	6	8	17	16	7	-	1	-
	Nonwhite--M--	10	-	1	1	-	-	2	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	137	42	14	8	10	4	6	5	2	1	4	2	2	2	2	6	3	5	8	5	2	4	-	-	-	-
	White-----M--	70	21	7	7	5	2	3	3	2	1	1	1	1	-	1	3	2	2	4	2	1	1	-	-	-	-
	F--	50	17	6	1	4	-	2	2	-	-	3	-	-	2	-	1	1	2	4	1	1	3	-	-	-	-
	Nonwhite--M--	10	3	1	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-
	F--	7	1	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	62,075	31	7	8	3	4	22	34	52	90	145	289	542	1,100	1,899	2,965	4,203	5,870	8,148	9,627	9,806	8,585	5,629	2,322	690	4
	White-----M--	33,554	15	5	6	2	2	14	11	27	49	66	165	337	725	1,303	2,020	2,848	3,885	4,927	5,355	4,873	3,679	2,208	817	212	3
	F--	25,818	10	1	1	1	1	7	20	17	30	57	83	137	256	405	688	1,028	1,706	2,862	3,917	4,670	4,696	3,311	1,457	456	1
	Nonwhite--M--	1,589	4	-	-	-	-	1	2	4	5	11	19	39	69	113	156	200	177	195	214	165	125	58	25	7	-
	F--	1,114	2	1	1	-	1	-	1	4	6	11	22	29	50	78	101	127	102	164	141	98	85	52	23	15	-
330-334, 400-468	Diseases of cardiovascular system-	61,311	30	7	6	-	3	13	25	41	69	118	253	500	1,053	1,846	2,918	4,131	5,803	8,069	9,550	9,749	8,525	5,599	2,314	685	4
	White-----M--	33,170	15	5	4	-	1	7	9	20	33	52	146	315	700	1,278	1,992	2,816	3,848	4,889	5,316	4,847	3,655	2,196	813	210	3
	F--	25,524	9	1	1	-	1	5	13	13	27	46	70	124	247	386	674	998	1,682	2,826	3,887	4,643	4,665	3,298	1,454	453	1
	Nonwhite--M--	1,547	4	-	-	-	-	1	2	4	4	10	17	36	62	110	153	192	173	194	212	163	121	58	24	7	-
	F--	1,070	2	1	1	-	1	-	1	4	5	10	20	25	44	72	99	125	100	160	135	96	84	47	23	15	-
330-334	Vascular lesions, etc.*----------	12,753	12	1	3	-	-	3	5	11	18	26	46	82	133	244	401	534	876	1,541	2,091	2,300	2,209	1,479	591	147	-
	White-----M--	5,591	5	-	3	-	-	1	4	4	7	10	18	32	47	106	182	260	450	783	982	1,034	887	551	186	39	-
	F--	6,527	4	1	-	-	-	2	1	6	9	12	18	36	73	101	166	197	363	660	1,005	1,209	1,261	903	396	104	-
	Nonwhite--M--	341	2	-	-	-	-	-	-	-	-	2	5	4	6	13	25	44	31	52	63	37	37	16	3	1	-
	F--	294	1	-	-	-	-	-	-	1	2	2	5	10	7	24	28	33	32	46	41	20	24	9	6	3	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																										
400-402	Rheumatic fever---	66	1	-	-	-	-	2	9	4	1	6	3	6	5	5	4	2	3	7	2	4	2	-	-	-	-
	White-----M--	34	-	-	-	-	-	1	2	3	1	2	1	2	4	4	3	-	2	5	1	2	1	-	-	-	-
	F--	21	-	-	-	-	-	1	5	1	-	1	-	3	1	1	-	2	1	1	1	2	1	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	43,691	15	5	2	-	3	6	6	17	35	70	179	386	859	1,520	2,373	3,400	4,644	6,084	6,833	6,677	5,418	3,452	1,321	382	4
	White-----M--	25,186	9	4	-	-	1	4	1	12	20	36	120	271	626	1,132	1,729	2,436	3,204	3,820	3,946	3,438	2,390	1,380	471	133	3
	F--	16,757	5	-	1	-	1	1	4	3	11	23	42	77	150	260	468	747	1,248	2,026	2,663	3,057	2,904	2,003	824	238	1
	Nonwhite--M--	1,076	-	-	-	-	-	1	1	2	2	6	10	28	49	85	116	137	130	131	137	116	73	36	13	3	-
	F--	672	1	1	1	-	1	-	-	-	2	5	7	10	34	43	60	80	62	107	87	66	51	33	13	8	-
410-416	Chronic rheumatic heart disease----	1,609	-	1	-	-	-	-	-	6	16	33	51	79	126	144	193	197	203	204	159	93	63	29	8	4	-
	White-----M--	786	-	1	-	-	-	-	-	4	8	19	25	42	64	67	99	87	110	106	80	39	22	11	-	2	-
	F--	763	-	-	-	-	-	-	-	1	7	12	25	35	53	72	83	102	88	89	76	52	40	18	8	2	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	1	-	-	-	1	6	1	7	6	2	4	1	1	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	1	2	1	1	3	4	4	2	3	5	2	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	33,104	-	-	-	-	2	1	-	6	7	20	102	250	627	1,167	1,870	2,737	3,734	4,824	5,329	5,045	3,905	2,365	854	255	4
	White-----M--	20,431	-	-	-	-	1	1	-	5	4	13	81	209	522	957	1,483	2,111	2,718	3,200	3,201	2,740	1,805	982	305	90	3
	F--	11,610	-	-	-	-	1	-	-	-	2	5	11	26	67	138	287	496	895	1,472	1,974	2,188	2,017	1,338	534	158	1
	Nonwhite--M--	718	-	-	-	-	-	-	-	1	1	2	6	13	31	51	76	91	91	93	100	76	52	25	8	1	-
	F--	345	-	-	-	-	-	-	-	-	-	-	4	2	7	21	24	39	30	59	54	41	31	20	7	6	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,492	9	1	1	-	-	-	-	1	4	2	6	12	12	36	63	99	190	343	482	601	679	579	284	88	-
	White-----M--	1,662	5	1	-	-	-	-	-	-	4	-	5	4	7	21	38	60	103	189	265	298	297	221	111	33	-
	F--	1,682	3	-	-	-	-	-	-	1	-	1	1	4	3	10	15	27	75	134	197	275	369	350	165	52	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	7	4	8	9	17	4	3	4	1	-
	F--	82	1	-	1	-	-	-	-	-	-	1	-	2	1	2	7	5	8	12	11	11	9	5	4	2	-
430-434	Other diseases of heart---------	770	6	3	1	-	1	5	6	4	6	5	7	17	21	33	29	43	79	93	127	112	83	51	31	7	-
	White-----M--	398	4	2	-	-	-	3	1	3	3	1	5	7	11	19	15	26	51	59	72	54	30	21	10	1	-
	F--	322	2	-	1	-	-	1	4	1	2	2	2	7	9	9	8	11	25	30	50	50	52	29	21	6	-
	Nonwhite--M--	31	-	-	-	-	-	1	1	-	-	1	-	3	1	4	4	4	2	2	3	4	-	1	-	-	-
	F--	19	-	1	-	-	1	-	-	-	1	1	-	-	-	1	2	2	1	2	2	4	1	-	-	-	-
440-443	Hypertension with heart dis.--	4,716	-	-	-	-	-	-	-	-	2	10	13	28	73	140	218	324	438	620	736	826	688	428	144	28	-
	White-----M--	1,909	-	-	-	-	-	-	-	-	1	3	4	9	22	68	94	152	222	266	328	307	236	145	45	7	-
	F--	2,380	-	-	-	-	-	-	-	-	-	3	3	5	18	31	75	111	165	301	366	492	426	268	96	20	-
	Nonwhite--M--	230	-	-	-	-	-	-	-	-	1	3	4	9	10	26	26	29	31	24	24	18	16	7	1	1	-
	F--	197	-	-	-	-	-	-	-	-	-	1	2	5	23	15	23	32	20	29	18	9	10	8	2	-	-
444-447	Hypertension without mention of heart----------	601	-	-	-	-	-	-	-	1	1	2	7	8	15	21	37	35	41	45	76	102	98	60	40	12	-
	White-----M--	247	-	-	-	-	-	-	-	-	-	-	1	1	2	6	15	14	20	18	42	45	36	26	17	4	-
	F--	288	-	-	-	-	-	-	-	-	-	1	-	3	6	8	13	13	16	21	31	55	59	33	21	8	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	1	1	-	1	3	5	6	4	3	2	3	1	2	1	-	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	1	5	1	2	1	5	5	3	3	2	-	2	1	1	-	-
450	General arteriosclerosis--------	2,924	-	-	1	-	-	-	-	1	-	-	1	2	5	5	25	46	86	181	349	490	692	552	351	137	-
	White-----M--	1,302	-	-	1	-	-	-	-	-	-	-	1	-	4	3	18	27	57	103	206	224	286	210	130	32	-
	F--	1,541	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	12	26	73	133	254	392	334	211	98	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	3	4	7	5	7	4	7	3	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	3	7	7	4	3	4	-
451-468	Other diseases of circulatory sys.-	1,276	2	1	-	-	-	2	5	7	14	14	17	16	36	51	78	114	153	211	199	176	106	56	11	7	-
	White-----M--	810	1	1	-	-	-	1	2	1	5	4	5	9	17	27	45	79	115	160	139	104	55	29	9	2	-
	F--	390	-	-	-	-	-	1	3	3	7	9	10	4	16	16	21	27	28	45	54	66	48	25	2	5	-
	Nonwhite--M--	44	1	-	-	-	-	-	-	-	1	1	-	-	2	5	7	5	7	3	4	3	3	2	-	-	-
	F--	32	-	-	-	-	-	-	-	3	1	-	2	3	1	3	5	3	3	3	2	3	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	764	1	-	2	3	1	9	9	11	21	27	36	42	47	53	47	72	67	79	77	57	60	30	8	5	-
	White-----M--	384	-	-	2	2	1	7	2	7	16	14	19	22	25	25	28	32	37	38	39	26	24	12	4	2	-
	F--	294	1	-	-	1	-	2	7	4	3	11	13	13	9	19	14	30	24	36	30	27	31	13	3	3	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	1	1	2	3	7	3	3	8	4	1	2	2	4	-	1	-	-
	F--	44	-	-	-	-	-	-	-	-	1	1	2	4	6	6	2	2	2	4	6	2	1	5	-	-	-
480-493	Influenza and pneumonia, etc.*-	3,176	509	83	31	25	8	40	11	15	18	23	32	41	58	99	108	147	152	259	309	352	365	284	147	58	2
	White-----M--	1,693	266	30	11	15	6	23	5	10	5	11	11	21	31	63	70	94	103	165	181	193	181	117	58	23	-
	F--	1,242	187	38	14	9	2	14	4	4	8	8	11	12	19	21	26	37	41	75	111	149	176	161	82	31	2
	Nonwhite--M--	153	33	9	4	-	-	1	-	1	2	3	5	3	6	13	6	15	3	14	16	5	7	3	2	2	-
	F--	88	23	6	2	1	-	2	2	-	3	1	5	5	2	2	6	1	5	5	1	5	1	3	5	2	-
480-483	Influenza---------	53	4	2	-	1	-	2	-	2	-	-	1	-	-	1	-	5	2	4	7	4	10	4	2	2	-
	White-----M--	24	4	-	-	1	-	2	-	1	-	-	1	-	-	1	-	3	1	2	4	2	-	2	-	-	-
	F--	28	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	3	2	10	2	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,123	505	81	31	24	8	38	11	13	18	23	31	41	58	98	108	142	150	255	302	348	355	280	145	56	2
	White-----M--	1,663	262	30	11	14	6	21	5	9	5	11	10	21	31	62	70	91	102	163	177	191	181	115	58	23	-
	F--	1,214	187	36	14	9	2	14	4	3	8	8	11	12	19	21	26	36	40	73	108	147	166	159	80	29	2
	Nonwhite--M--	153	33	9	4	-	-	1	-	1	2	3	5	3	6	13	6	15	3	14	16	5	7	3	2	2	-
	F--	87	23	6	2	1	-	2	2	-	3	1	5	5	2	2	6	-	5	5	1	5	1	3	5	2	-
500-502	Bronchitis--------	233	75	8	9	3	2	5	1	-	-	-	-	1	1	5	6	9	14	17	24	20	18	9	5	1	-
	White-----M--	122	36	4	5	2	1	1	-	-	-	-	-	1	-	1	2	8	8	15	17	9	5	3	3	1	-
	F--	92	25	2	4	1	1	3	1	-	-	-	-	-	1	4	4	1	6	2	6	10	13	6	2	-	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	9	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	912	1	-	-	-	-	2	-	-	1	3	8	14	37	61	63	90	131	148	120	104	74	36	17	2	-
	White-----M--	646	-	-	-	-	-	-	-	-	1	3	6	10	28	46	44	70	95	106	98	85	46	20	7	1	-
	F--	227	1	-	-	-	-	2	-	-	-	-	2	3	5	13	14	15	32	33	19	36	26	15	10	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	4	3	6	1	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	1	1	-	-	-
550-553	Appendicitis------	152	6	-	-	3	2	4	5	-	5	2	5	2	10	5	8	9	9	20	26	19	11	-	1	-	-
	White-----M--	82	3	-	-	2	1	2	3	-	1	2	3	1	7	4	4	5	7	10	15	7	5	-	-	-	-
	F--	62	3	-	-	1	1	1	2	-	4	-	1	1	3	1	3	3	1	8	11	11	6	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	622	75	-	2	-	-	3	-	1	1	2	4	9	14	20	26	28	64	70	74	81	72	61	7	8	-
	White-----M--	320	41	-	2	-	-	2	-	1	1	1	2	3	3	9	12	18	42	33	44	41	34	23	5	3	-
	F--	273	28	-	-	-	-	1	-	-	-	1	-	4	8	8	12	8	20	33	28	40	37	38	2	5	-
	Nonwhite--M--	14	2	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	2	2	1	-	1	-	-	-	-
	F--	15	4	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	-	2	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA--Con.																										
543,	Gastritis, etc.*--	461	125	20	4	4	-	5	2	4	2	7	8	15	9	11	12	16	28	38	38	41	41	19	11	1	-
571,	White-----M--	207	63	7	3	3	-	-	1	1	-	4	3	8	5	8	6	9	14	13	15	15	17	7	4	1	-
572	F--	220	44	8	-	1	-	3	1	3	2	3	5	5	4	3	6	7	13	22	21	26	24	12	7	-	-
	Nonwhite--M--	16	8	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-
	F--	18	10	2	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,184	3	1	-	1	-	-	-	2	2	20	61	142	227	336	320	297	230	235	146	90	46	14	10	1	-
	White-----M--	1,273	1	-	-	-	-	-	-	2	-	6	27	61	118	195	182	200	149	157	94	42	24	7	7	1	-
	F--	754	1	1	-	1	-	-	-	-	1	6	23	64	90	111	116	81	76	66	48	40	20	6	3	-	-
	Nonwhite--M--	98	1	-	-	-	-	-	-	-	-	2	3	11	12	22	12	10	4	10	2	8	-	1	-	-	-
	F--	59	-	-	-	-	-	-	-	-	1	6	8	6	7	8	10	6	1	2	2	-	2	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	91	2	2	-	3	2	4	1	1	2	5	5	3	6	4	6	6	6	9	5	9	8	1	1	-	-
	White-----M--	39	-	1	-	2	-	1	1	1	1	4	1	2	1	1	4	3	2	6	3	2	2	-	1	-	-
	F--	43	1	1	-	-	2	2	-	-	1	-	3	1	4	2	1	2	4	3	2	7	6	1	-	-	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	389	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	21	51	82	82	72	50	12	3	-
	White-----M--	374	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	20	49	78	80	69	50	12	3	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	2	3	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	118	...	...	...	...	...	...	-	9	17	39	20	20	8	5	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	91	...	...	...	...	...	...	-	9	14	30	11	17	5	5	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	27	...	...	...	...	...	...	-	-	3	9	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	32	...	...	...	...	...	...	-	3	5	15	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	25	...	...	...	...	...	...	-	3	4	11	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	86	...	...	...	...	...	...	-	6	12	24	16	17	7	4	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	66	...	...	...	...	...	...	-	6	10	19	9	14	4	4	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	20	...	...	...	...	...	...	-	-	2	5	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,528	1,139	72	22	13	11	41	18	16	22	21	20	18	13	20	25	13	8	22	8	3	3	-	-	-	-
	White-----M--	769	582	36	12	6	7	22	8	11	11	11	9	8	5	7	10	4	1	10	5	3	1	-	-	-	-
	F--	610	438	28	9	7	4	17	9	5	9	9	10	6	8	9	12	8	7	10	3	-	2	-	-	-	-
	Nonwhite--M--	76	56	5	-	-	-	2	1	-	2	1	-	1	-	4	3	1	-	-	-	-	-	-	-	-	-
	F--	73	63	3	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	2	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,682	4,679	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,497	2,495	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,622	1,621	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	299	299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,457	2,456	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,360	1,360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	850	849	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,980	1,978	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,022	1,020	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	684	684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	460	40	-	1	4	2	8	3	6	5	13	9	15	18	15	21	16	20	38	34	45	38	43	32	20	14
795	White-----M--	233	17	-	-	3	2	5	3	4	4	8	4	9	10	11	11	8	14	17	23	26	18	19	4	4	9
	F--	200	21	-	1	1	-	3	-	2	1	3	5	3	3	3	9	7	6	18	8	17	20	24	26	15	4
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	1	2	1	-	-	1	-	-
	F--	14	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	2	1	1	-	-	1	1	1
Re-	All other diseases	5,291	360	38	25	19	18	66	49	49	59	71	99	161	226	264	303	402	508	597	638	573	405	235	99	27	-
sid-	White-----M--	2,959	195	14	11	12	11	24	26	31	30	29	51	75	115	133	172	241	315	376	393	339	209	112	37	8	-
ual	F--	1,993	127	19	10	7	5	37	19	13	25	28	35	61	86	103	106	141	168	194	217	217	179	118	59	19	-
	Nonwhite--M--	200	24	3	3	-	1	4	-	1	2	4	7	12	13	20	16	11	13	22	22	11	9	2	-	-	-
	F--	139	14	2	1	-	1	1	4	4	2	10	6	13	12	8	9	9	12	5	6	6	8	3	3	-	-
E800-	Accidents---------	7,247	184	113	107	66	53	221	160	442	608	493	479	500	470	440	424	441	417	382	347	285	264	214	91	28	18
E962	White-----M--	4,742	94	53	57	24	23	139	99	339	468	348	349	357	300	312	291	289	288	262	222	161	128	86	29	11	13
	F--	1,931	63	46	42	30	21	58	49	80	79	92	75	111	122	91	96	112	104	110	108	112	128	123	62	14	3
	Nonwhite--M--	437	14	8	4	6	4	16	7	20	53	43	45	24	37	29	33	29	19	9	14	11	6	2	-	2	2
	F--	137	13	6	4	6	5	8	5	3	8	10	10	8	11	8	4	11	6	1	3	1	2	3	-	1	-
E810-	Motor-vehicle																										
E835	accidents--------	3,609	25	38	42	28	27	92	71	313	427	321	279	273	264	212	209	225	203	188	152	120	65	22	7	1	5
	White-----M--	2,454	13	19	19	8	11	64	42	233	324	224	202	196	165	143	132	138	135	128	108	84	42	16	5	-	3
	F--	868	10	17	20	15	14	19	24	67	64	60	49	58	73	50	58	62	57	54	36	33	20	4	2	1	1
	Nonwhite--M--	226	2	1	2	3	2	6	3	10	33	30	23	14	19	17	16	18	9	5	6	3	2	1	-	-	1
	F--	61	-	1	1	2	-	3	2	3	6	7	5	5	7	2	3	7	2	1	2	-	1	1	-	-	-
E800-	All ot. accidents-	3,638	159	75	65	38	26	129	89	129	181	172	200	227	206	228	215	216	214	194	195	165	199	192	84	27	13
E802,	White-----M--	2,288	81	34	38	16	12	75	57	106	144	124	147	161	135	169	159	151	153	134	114	77	86	70	24	11	10
E840-	F--	1,063	53	29	22	15	7	39	25	13	15	32	26	53	49	41	38	50	47	56	72	79	108	119	60	13	2
E962	Nonwhite--M--	211	12	7	2	3	2	10	4	10	20	13	22	10	18	12	17	11	10	4	8	8	4	1	-	2	1
	F--	76	13	5	3	4	5	5	3	-	2	3	5	3	4	6	1	4	4	-	1	1	1	2	-	1	-
E963,	Suicide----------	1,974	-	-	-	-	-	1	7	33	66	96	123	152	205	212	212	217	199	159	134	86	45	21	2	-	4
E970-	White-----M--	1,381	-	-	-	-	-	1	7	19	42	63	71	106	136	138	161	150	147	115	102	67	33	18	2	-	3
E979	F--	517	-	-	-	-	-	-	-	10	18	23	48	42	58	68	44	62	46	41	27	16	10	3	-	-	1
	Nonwhite--M--	62	-	-	-	-	-	-	-	4	5	6	3	3	10	5	7	4	4	3	4	2	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	4	1	1	1	1	-	1	2	-	1	1	-	-	-	-	-
E964,	Homicide----------	451	9	4	1	2	-	5	5	18	44	68	62	55	44	41	31	20	21	3	8	4	2	2	-	-	2
E980-	White-----M--	221	3	2	-	1	-	4	2	12	21	29	32	24	15	20	18	13	12	2	5	3	-	2	-	-	1
E985	F--	100	5	1	-	1	-	1	1	2	6	13	13	14	12	10	8	3	4	-	2	1	2	-	-	-	1
	Nonwhite--M--	101	1	-	-	-	-	-	1	4	14	20	10	12	13	11	4	4	5	1	1	-	-	-	-	-	-
	F--	29	-	1	1	-	-	-	1	-	3	6	7	5	4	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	8	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	2	-	1	-	1	-	-	-	-
E990-	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	2	-	1	-	1	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO																										
	ALL CAUSES------	13,343	1,212	69	33	31	22	100	70	106	128	146	179	216	317	432	582	761	1,039	1,447	1,600	1,713	1,541	1,033	462	98	6
	White-----M--	7,452	675	35	14	13	11	48	42	65	80	101	111	124	188	262	370	490	656	919	888	924	726	475	187	43	5
	F--	5,512	486	31	14	18	9	46	24	38	39	40	58	77	108	158	196	253	361	483	669	745	791	544	272	51	1
	Nonwhite--M--	235	35	-	2	-	2	2	2	3	6	5	7	8	15	9	11	8	15	28	27	24	17	8	1	-	-
	F--	144	16	3	3	-	-	4	2	-	3	-	3	7	6	3	5	10	7	17	16	20	7	6	2	4	-
001-019	Tuberculosis, all forms--------	111	1	-	1	-	-	-	2	1	-	5	2	6	12	4	7	14	12	14	12	9	3	5	1	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	1	2	8	2	5	12	7	10	10	4	2	2	1	-	-
	F--	31	-	-	1	-	-	-	-	-	-	3	1	3	2	2	2	1	4	3	1	5	1	2	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	1	1	-	2	-	-	2	-	-	1	1	1	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	104	1	-	1	-	-	-	1	1	-	4	2	6	10	4	6	14	12	14	11	9	2	5	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	1	2	6	2	4	12	7	10	10	4	1	2	1	-	-
	F--	30	-	-	1	-	-	-	-	-	-	2	1	3	2	2	2	1	4	3	1	5	1	2	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	1	-	2	-	-	2	-	-	1	1	1	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	4	1	3	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	3	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	3	1	-	1	-	-	-	2	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-
	White-----M--	6	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	6	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	-	-	1	-	-	3	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	36	4	2	-	-	1	1	2	2	3	-	1	2	1	2	3	3	-	3	2	-	2	2	-	-	-
	White-----M--	20	-	1	-	-	1	-	2	2	2	-	1	1	1	1	2	2	-	1	1	-	2	-	-	-	-
	F--	13	3	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	2	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*	1,984	5	5	1	4	3	20	7	10	16	12	24	43	62	86	119	175	250	282	327	266	151	87	27	2	-
	White----M	963	2	3	1	2	2	7	4	5	7	7	5	18	19	32	47	90	123	151	175	133	80	36	14	-	-
	F	974	3	1	-	2	1	11	3	5	9	3	17	23	41	53	70	80	125	122	146	127	67	51	12	2	-
	Nonwhite--M	30	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	2	1	8	3	3	3	-	-	-	-
	F	17	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-	3	1	1	3	3	1	-	1	-	-
140-148	Of buccal cavity and pharynx	34	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	2	2	7	3	2	1	2	-	-
	White----M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	2	1	6	3	2	-	2	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	668	1	-	-	-	-	-	-	-	1	2	5	11	15	13	31	56	83	109	119	109	69	34	10	-	-
	White----M	334	1	-	-	-	-	-	-	-	-	1	1	5	5	6	19	29	48	49	62	56	34	14	4	-	-
	F	316	-	-	-	-	-	-	-	-	1	-	3	5	9	7	11	25	35	57	55	49	33	20	6	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	3	2	2	2	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
160-164	Of respiratory system (not secondary)	209	-	-	-	-	-	-	-	-	-	1	1	2	1	11	13	27	32	40	41	24	9	6	1	-	-
	White----M	175	-	-	-	-	-	-	-	-	-	-	-	2	-	11	10	24	29	35	34	20	5	4	1	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	5	7	4	4	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	186	-	-	-	-	-	-	-	-	-	2	2	5	9	16	19	20	24	16	28	24	11	8	1	1	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	182	-	-	-	-	-	-	-	-	-	2	2	4	9	16	18	20	24	16	26	24	11	8	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
171-179	Of genital organs	332	-	-	-	-	-	-	-	1	-	2	6	10	19	16	24	18	38	48	53	44	36	15	2	-	-
	White----M	128	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	2	8	24	23	23	27	12	-	-	-
	F	193	-	-	-	-	-	-	-	1	-	-	3	9	18	14	23	14	29	21	28	21	8	3	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	1	-	-
180, 181	Of urinary organs	101	1	-	-	-	-	2	-	-	-	-	-	-	1	3	3	9	13	12	20	19	3	10	4	1	-
	White----M	64	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	6	8	9	14	12	1	3	4	-	-
	F	37	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	5	3	6	7	2	7	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	221	1	2	-	1	-	7	3	4	4	3	7	6	8	15	10	16	34	29	23	23	12	6	7	-	-
	White----M	102	1	1	-	1	-	2	2	2	-	2	2	4	4	4	2	10	15	14	14	12	6	1	3	-	-
	F	113	-	1	-	-	-	5	1	2	4	1	5	2	3	10	8	6	18	15	9	9	5	5	4	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
204	Leukemia and aleukemia	100	2	1	1	2	2	9	3	-	3	1	1	4	3	4	4	8	10	13	12	8	4	5	-	-	-
	White----M	59	-	-	1	1	2	2	2	-	2	1	-	3	3	4	3	4	5	11	8	3	3	1	-	-	-
	F	36	2	-	-	1	-	5	1	-	1	-	1	1	-	-	1	3	5	1	4	5	1	4	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	133	-	2	-	1	1	2	1	5	8	1	2	5	5	6	11	13	14	13	24	12	5	2	-	-	-
	White----M	74	-	2	-	-	-	2	-	3	5	1	-	3	4	3	6	9	8	8	13	4	2	1	-	-	-
	F	56	-	-	-	1	1	-	1	2	3	-	2	2	1	3	5	4	6	3	10	8	3	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	36	3	-	-	-	-	-	2	-	-	1	2	3	3	3	2	1	5	3	2	3	2	1	-	-	-
	White----M	18	2	-	-	-	-	-	2	-	-	1	1	2	-	-	-	1	3	1	1	2	1	1	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	2	2	1	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus	158	-	-	-	-	-	-	-	2	-	1	6	5	2	3	9	4	16	26	26	25	22	7	4	-	-
	White----M	59	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	2	6	11	6	11	9	1	2	-	-
	F	96	-	-	-	-	-	-	-	2	-	1	4	2	1	1	5	2	10	15	19	14	13	5	2	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	22	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	2	2	2	7	2	1	2	1	-
	White----M	14	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	4	2	1	1	-	-
	F	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	15	7	-	1	-	-	1	1	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	White----M	9	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	6,685	2	1	1	-	2	1	10	8	9	18	38	52	99	160	250	365	544	830	963	1,121	1,069	730	338	69	5
	White----M	3,723	2	-	-	-	-	-	4	5	5	12	23	32	67	115	181	258	377	532	524	595	484	336	134	33	4
	F	2,809	-	1	-	-	1	1	6	3	4	6	11	18	25	41	63	98	154	271	414	499	573	385	202	32	1
	Nonwhite--M	86	-	-	-	-	1	-	-	-	-	-	3	-	5	2	1	3	10	16	17	15	8	4	1	-	-
	F	67	-	-	1	-	-	-	-	-	-	-	1	2	2	2	5	6	3	11	8	12	4	5	1	4	-
330-334, 400-468	Diseases of cardiovascular system	6,560	2	1	1	-	1	1	7	7	8	16	35	49	96	155	244	354	532	812	949	1,108	1,054	724	330	69	5
	White----M	3,652	2	-	-	-	-	-	3	4	4	10	21	30	65	115	179	249	369	522	512	590	477	332	131	33	4
	F	2,759	-	1	-	-	-	1	4	3	4	6	10	17	24	37	60	96	150	263	412	493	565	383	197	32	1
	Nonwhite--M	86	-	-	-	-	1	-	-	-	-	-	3	-	5	2	1	3	10	16	17	15	8	4	1	-	-
	F	63	-	-	1	-	-	-	-	-	-	-	1	2	2	1	4	6	3	11	8	10	4	5	1	4	-
330-334	Vascular lesions, etc.*	1,460	2	1	-	-	-	-	1	-	2	1	7	6	13	20	35	55	83	163	218	268	296	194	85	10	-
	White----M	689	2	-	-	-	-	-	1	-	1	1	3	5	2	13	19	34	54	81	99	123	124	92	31	4	-
	F	732	-	1	-	-	-	-	-	-	1	-	3	1	8	7	15	19	25	69	112	141	168	102	54	6	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	3	7	4	2	3	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	6	3	2	1	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																										
400-402	Rheumatic fever---	21	-	-	-	-	1	1	2	3	2	1	-	1	2	-	2	-	-	1	3	1	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	1	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	1	2	2	-	-	1	-	-	1	-	-	-	3	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	4,547	-	-	1	-	-	-	2	4	4	13	27	37	77	129	194	282	415	608	666	757	667	426	191	42	5
	White-----M--	2,694	-	-	-	-	-	-	1	3	3	8	17	25	60	101	153	206	293	413	373	425	308	201	81	19	4
	F--	1,756	-	-	-	-	-	-	1	1	1	5	7	10	14	26	38	70	114	181	277	311	352	219	108	20	1
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	1	6	9	11	13	4	2	1	-	-
	F--	43	-	-	1	-	-	-	-	-	-	-	1	2	-	1	2	5	2	5	5	8	3	4	1	3	-
410-416	Chronic rheumatic heart disease----	242	-	-	-	-	-	-	1	3	-	7	11	13	10	17	24	31	27	36	23	20	14	3	2	-	-
	White-----M--	120	-	-	-	-	-	-	1	2	-	3	6	6	4	9	11	17	13	22	10	10	5	1	-	-	-
	F--	120	-	-	-	-	-	-	-	1	-	4	4	7	6	8	13	14	13	14	13	10	9	2	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,399	-	-	-	-	-	-	-	-	-	4	10	20	57	99	154	218	331	494	527	579	455	296	124	27	4
	White-----M--	2,148	-	-	-	-	-	-	-	-	-	4	8	19	51	85	135	175	248	350	306	334	216	153	51	10	3
	F--	1,183	-	-	-	-	-	-	-	-	-	-	1	1	3	12	17	41	77	133	208	230	233	139	73	14	1
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	5	8	9	9	3	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	6	3	2	-	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	409	-	-	-	-	-	-	-	-	1	-	3	2	2	4	6	9	15	23	44	74	96	75	39	15	1
	White-----M--	199	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	4	9	14	20	45	44	25	20	9	1
	F--	207	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	4	6	9	24	29	52	50	19	6	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	74	-	-	1	-	-	-	-	1	2	1	1	-	4	4	2	8	10	8	9	6	12	2	3	-	-
	White-----M--	48	-	-	-	-	-	-	-	1	2	-	1	-	2	3	2	5	5	6	6	6	7	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	5	2	2	-	5	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	423	-	-	-	-	-	-	1	-	1	1	2	2	4	5	8	16	32	47	63	78	90	50	23	-	-
	White-----M--	179	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	5	18	21	31	30	36	21	9	-	-
	F--	222	-	-	-	-	-	-	1	-	-	-	1	1	2	3	6	8	13	23	30	42	53	27	12	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	1	2	-	2	1	-	-
444-447	Hypertension without mention of heart----------	90	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	7	5	12	20	12	14	6	3	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	8	10	4	6	2	2	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	2	3	10	8	7	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	16	25	36	62	74	47	12	-
	White-----M--	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	16	18	30	27	17	7	-
	F--	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	9	18	31	45	30	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
451-468	Other diseases of circulatory sys.-	161	-	-	-	-	-	-	2	-	-	1	1	5	3	4	7	11	22	19	25	26	17	15	1	2	-
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	5	15	15	16	14	11	6	-	1	-
	F--	68	-	-	-	-	-	-	2	-	-	1	-	5	1	3	3	6	6	4	8	12	6	9	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	125	-	-	-	-	1	-	3	1	1	2	3	3	3	5	6	11	12	18	14	13	15	6	8	-	-
	White-----M--	71	-	-	-	-	-	-	1	1	1	2	2	2	2	-	2	9	8	10	12	5	7	4	3	-	-
	F--	50	-	-	-	-	1	-	2	-	-	-	1	1	1	4	3	2	4	8	2	6	8	2	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	657	98	7	2	2	2	4	4	-	4	3	6	5	13	16	22	18	21	47	60	86	102	78	47	10	-
	White-----M--	339	48	3	-	1	2	1	3	-	2	2	6	3	6	9	13	13	12	27	37	46	47	34	20	4	-
	F--	293	44	4	1	1	-	2	1	-	1	1	-	1	6	7	8	5	9	19	20	36	51	43	27	6	-
	Nonwhite--M--	12	3	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	2	1	-	-	-
	F--	13	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-
480-483	Influenza---------	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	2	2	2	1	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	2	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	642	96	7	2	2	2	4	4	-	4	3	6	5	13	16	20	17	21	45	60	85	100	76	45	9	-
	White-----M--	330	47	3	-	1	2	1	3	-	2	2	6	3	6	9	12	12	12	25	37	46	45	32	20	4	-
	F--	287	43	4	1	1	-	2	1	-	1	1	-	1	6	7	7	5	9	19	20	35	51	43	25	5	-
	Nonwhite--M--	12	3	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	2	1	-	-	-
	F--	13	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-
500-502	Bronchitis--------	39	10	1	-	1	-	2	1	-	-	-	-	-	1	-	-	2	7	4	4	3	-	2	1	-	-
	White-----M--	32	6	1	-	-	-	1	1	-	-	-	-	-	1	-	-	2	7	4	4	3	-	2	-	-	-
	F--	7	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	103	-	-	-	-	-	-	-	-	-	-	1	4	2	9	3	11	8	20	12	14	9	8	1	1	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	3	2	8	3	8	7	18	8	12	4	4	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	1	4	-	5	4	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	29	-	-	-	1	-	4	2	-	-	1	1	1	2	1	-	3	2	2	1	2	4	1	1	-	-
	White-----M--	14	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	3	-	2	1	-	2	1	-	-	-
	F--	15	-	-	-	1	-	3	1	-	-	1	-	-	1	1	-	-	2	-	-	2	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	80	9	-	-	-	-	-	-	1	-	-	1	1	1	2	2	10	8	5	12	6	8	11	2	1	-
	White-----M--	37	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	4	6	4	3	2	-	-	-
	F--	39	2	-	-	-	-	-	-	1	-	-	-	-	-	2	-	7	2	-	6	2	5	9	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																										
543,	Gastritis, etc.*--	93	49	3	-	2	-	-	1	-	1	-	-	1	-	1	1	2	4	3	11	4	10	-	-	-	-
571,	White-----M--	49	26	2	-	1	-	-	-	-	1	-	-	-	-	1	1	1	1	3	6	1	5	-	-	-	-
572	F--	37	17	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	3	-	5	3	5	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	144	-	-	-	-	-	-	-	-	-	2	2	4	10	21	18	20	10	28	10	9	5	4	-	1	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	1	1	2	6	11	12	10	6	24	6	8	-	-	-	-	-
	F--	53	-	-	-	-	-	-	-	-	-	1	-	1	4	10	5	10	4	4	4	1	4	4	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	27	2	-	-	-	-	2	-	-	1	1	1	1	2	3	4	2	1	1	1	1	1	2	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	1	-	-	1	1	1	-	-	-
	F--	13	2	-	-	-	-	2	-	-	1	1	-	-	-	1	1	1	-	1	1	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	5	17	15	10	2	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	5	17	15	10	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	16	...	...	...	...	...	...	-	2	2	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	2	2	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	4	...	...	...	...	...	...	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	12	...	...	...	...	...	...	-	2	-	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	11	...	...	...	...	...	...	-	2	-	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	222	164	11	5	4	-	8	3	-	2	2	3	2	1	-	2	4	5	2	1	1	2	-	-	-	-
	White-----M--	107	83	4	-	-	-	6	1	-	1	-	2	2	-	-	1	1	2	2	1	-	1	-	-	-	-
	F--	106	75	6	5	4	-	2	2	-	-	2	1	-	1	-	1	2	3	-	-	1	1	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	760	760	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	444	444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	362	362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	46	6	2	-	1	-	-	-	1	-	1	-	1	-	4	1	3	1	3	3	6	3	3	3	4	-
795	White-----M--	22	2	1	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	2	4	2	1	1	1	-
	F--	22	3	1	-	1	-	-	-	-	-	1	-	1	-	3	-	1	-	1	1	2	1	1	2	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Re-	All other diseases	717	36	13	3	3	4	13	4	5	6	9	14	19	23	32	50	64	74	93	82	66	60	31	9	4	-
sid-	White-----M--	414	23	5	1	2	2	5	1	4	2	4	8	7	8	16	33	35	48	67	52	39	31	16	3	2	-
ual	F--	269	12	7	-	1	2	8	2	1	3	5	6	10	9	15	16	27	21	24	27	23	28	14	6	2	-
	Nonwhite--M--	19	1	-	1	-	-	-	1	-	1	-	-	1	2	1	1	1	2	1	2	2	1	1	-	-	-
	F--	15	-	1	1	-	-	-	-	-	-	-	-	1	4	-	-	1	3	1	1	2	-	-	-	-	-
E800-	Accidents---------	972	37	21	19	11	6	42	28	58	68	64	54	41	61	52	52	37	36	47	48	57	64	43	21	4	1
E962	White-----M--	655	19	14	11	7	3	26	21	40	51	57	43	32	48	41	34	28	23	35	28	32	29	21	9	2	1
	F--	294	17	7	7	4	2	13	7	17	14	7	10	7	12	10	15	9	13	12	17	24	34	22	12	2	-
	Nonwhite--M--	19	1	-	-	-	1	2	-	1	2	-	1	1	1	1	3	-	-	-	3	1	1	-	-	-	-
	F--	4	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	406	6	5	4	3	2	22	11	35	49	39	27	19	26	23	27	18	21	24	14	15	11	2	1	1	1
	White-----M--	273	2	1	2	-	1	10	6	22	36	33	20	13	20	18	17	15	12	16	6	10	9	2	1	-	1
	F--	125	4	4	2	3	1	10	5	13	10	6	6	6	6	5	9	3	9	8	7	5	2	-	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	566	31	16	15	8	4	20	17	23	19	25	27	22	35	29	25	19	15	23	34	42	53	41	20	3	-
E802,	White-----M--	382	17	13	9	7	2	16	15	18	15	24	23	19	28	23	17	13	11	19	22	22	20	19	8	2	-
E840-	F--	169	13	3	5	1	1	3	2	4	4	1	4	1	6	5	6	6	4	4	10	19	32	22	12	1	-
E962	Nonwhite--M--	13	1	-	-	-	1	1	-	1	-	-	-	1	1	1	2	-	-	-	2	1	1	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	206	-	-	-	-	-	-	1	4	7	16	14	16	12	23	27	12	24	18	12	6	7	6	-	1	-
E970-	White-----M--	159	-	-	-	-	-	-	-	2	5	13	12	12	11	15	21	8	19	12	12	5	6	5	-	1	-
E979	F--	42	-	-	-	-	-	-	1	2	2	3	2	3	1	7	4	4	5	6	-	1	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	65	5	-	-	-	-	2	1	7	9	6	5	5	6	7	5	2	1	1	2	1	-	-	-	-	-
E980-	White-----M--	41	4	-	-	-	-	1	1	5	4	4	4	3	4	3	3	2	-	-	2	1	-	-	-	-	-
E985	F--	13	1	-	-	-	-	1	-	1	3	1	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	2	1	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT																										
	ALL CAUSES------	21,783	1,140	53	42	37	27	91	53	106	126	169	232	334	554	821	1,027	1,570	2,221	2,840	2,846	2,858	2,392	1,450	618	163	13
	White-----M--	11,675	595	29	23	20	14	48	28	71	75	112	124	190	305	497	634	985	1,348	1,645	1,585	1,434	1,038	610	215	43	7
	F--	9,441	438	20	17	15	12	40	24	31	34	42	91	107	204	280	347	535	826	1,132	1,218	1,372	1,314	820	395	116	6
	Nonwhite--M--	352	52	2	1	2	1	1	-	3	11	8	7	23	20	24	24	22	27	39	23	34	16	6	2	2	-
	F--	315	55	2	1	-	-	2	1	1	6	7	10	14	20	20	22	28	20	24	20	18	24	12	6	2	-
001-019	Tuberculosis, all forms--------	158	1	-	1	1	-	-	-	-	-	3	3	9	13	13	17	16	25	17	16	12	6	3	-	1	1
	White-----M--	116	1	-	-	1	-	-	-	-	-	1	2	3	4	10	14	13	20	15	14	10	6	2	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	4	6	1	3	3	4	1	2	2	-	1	-	1	1
	Nonwhite--M--	7	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	144	-	-	-	-	-	-	-	-	-	3	2	9	11	13	15	14	23	15	16	12	6	3	-	1	1
	White-----M--	107	-	-	-	-	-	-	-	-	-	1	1	3	4	10	13	12	18	13	14	10	6	2	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	1	4	5	1	2	2	4	1	2	2	-	1	-	1	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	14	1	-	1	1	-	-	-	-	-	-	1	-	2	-	2	2	2	2	-	-	-	-	-	-	-
	White-----M--	9	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	2	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	45	1	-	-	-	-	-	-	-	-	-	1	-	5	-	2	9	5	8	5	5	4	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	2	6	4	3	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	1	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	3	3	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	3	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	20	-	-	-	-	1	1	5	3	1	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	1	2	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	3	1	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	-	-	1	-	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	60	6	3	1	-	-	2	1	1	-	3	2	2	2	11	4	5	5	3	4	-	2	-	3	-	-
	White-----M--	30	3	1	1	-	-	-	1	-	-	1	2	-	1	4	3	3	3	1	2	-	2	-	2	-	-
	F--	27	3	2	-	-	-	2	-	-	-	1	-	1	1	7	1	2	2	2	2	-	-	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*	3,960	5	2	2	8	6	15	3	15	11	17	40	78	135	211	264	415	559	617	582	466	298	161	41	8	1
	White--M	2,050	4	1	1	5	2	10	2	8	8	12	16	35	46	84	119	227	321	355	316	242	138	75	19	3	1
	F	1,821	1	1	1	3	4	5	1	5	3	5	23	35	83	117	136	181	229	251	259	217	154	82	21	4	-
	Nonwhite--M	46	-	-	-	-	-	-	-	1	-	-	-	2	2	4	7	4	6	7	5	4	2	2	-	-	-
	F	43	-	-	-	-	-	-	-	1	-	-	1	6	4	6	2	3	3	4	2	3	4	2	1	1	-
140-148	Of buccal cavity and pharynx	107	-	-	-	-	-	-	-	-	-	-	-	1	6	8	5	13	14	17	17	10	11	3	1	1	-
	White--M	90	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	11	13	15	16	8	9	3	1	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	1	2	2	-	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,474	2	1	-	-	-	-	-	2	-	2	3	20	30	59	70	125	204	253	259	205	140	80	15	3	1
	White--M	772	2	-	-	-	-	-	-	1	-	2	1	11	17	30	34	75	119	145	135	102	55	34	7	1	1
	F	663	-	1	-	-	-	-	-	-	-	-	2	6	12	26	33	47	79	103	119	100	82	44	8	1	-
	Nonwhite--M	21	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	2	5	2	4	2	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	1	3	1	1	2	2	-	1	-
160-164	Of respiratory system (not secondary)	545	-	-	-	-	-	-	-	-	-	-	3	8	14	28	56	67	117	98	79	50	16	7	2	-	-
	White--M	457	-	-	-	-	-	-	-	-	-	-	3	5	10	19	47	58	108	84	66	39	14	2	2	-	-
	F	76	-	-	-	-	-	-	-	-	-	-	-	2	4	5	7	8	9	12	13	11	1	4	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	-	2	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	Of breast	383	-	-	-	-	-	-	-	1	-	-	6	14	34	44	38	48	47	33	41	41	24	10	2	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F	370	-	-	-	-	-	-	-	1	-	-	5	13	32	43	37	46	47	32	38	40	24	10	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	1	1	1	-	-	-	-	-
171-179	Of genital organs	518	-	-	-	-	-	-	-	-	2	3	8	9	27	29	34	56	69	62	75	61	45	28	9	1	-
	White--M	173	-	-	-	-	-	-	-	-	1	3	2	2	-	1	2	9	13	21	30	35	26	22	6	-	-
	F	332	-	-	-	-	-	-	-	-	1	-	6	6	26	26	32	46	55	40	45	23	18	5	2	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	1	1	-	1	-	-
180, 181	Of urinary organs	187	-	-	1	-	-	-	-	-	-	1	1	2	2	1	7	19	21	39	29	35	17	8	3	1	-
	White--M	133	-	-	1	-	-	-	-	-	-	1	-	-	-	1	3	17	13	28	21	29	12	4	2	1	-
	F	52	-	-	-	-	-	-	-	-	-	-	1	2	2	-	4	2	7	10	8	6	5	4	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	396	-	1	-	3	2	5	1	5	3	2	4	9	10	24	29	49	54	64	38	40	28	16	7	2	-
	White--M	219	-	1	-	1	1	3	-	3	2	1	1	6	8	15	15	30	37	34	21	20	15	4	-	1	-
	F	174	-	-	-	2	1	2	1	2	1	1	3	2	2	9	13	19	16	30	17	20	13	12	7	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	162	3	-	1	5	2	10	2	5	2	2	6	8	4	8	5	14	16	25	19	8	10	5	2	-	-
	White--M	103	2	-	-	4	-	7	2	3	2	1	4	7	3	7	3	12	10	14	11	2	5	3	1	-	-
	F	56	1	-	1	1	2	3	-	1	-	1	2	-	1	1	2	2	6	11	8	6	4	2	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	188	-	-	-	-	2	-	-	2	4	7	9	7	8	10	20	24	17	26	25	16	7	4	-	-	-
	White--M	99	-	-	-	-	1	-	-	1	3	4	5	3	5	5	10	14	8	14	14	7	2	3	-	-	-
	F	82	-	-	-	-	1	-	-	1	1	3	4	4	2	5	7	9	9	11	10	9	5	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	82	2	1	-	-	-	1	-	-	-	1	6	8	4	4	9	17	7	8	2	5	5	1	1	-	-
	White--M	38	2	-	-	-	-	-	-	-	-	1	1	5	2	2	3	8	3	3	2	4	2	-	-	-	-
	F	38	-	-	-	-	-	1	-	-	-	-	3	3	2	-	6	9	3	5	-	1	3	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	373	-	-	-	-	-	1	1	1	-	-	3	3	6	13	16	33	53	64	68	56	36	14	1	4	-
	White--M	125	-	-	-	-	-	1	-	-	-	-	1	3	3	8	5	12	11	19	26	18	11	4	1	2	-
	F	239	-	-	-	-	-	-	1	1	-	-	2	-	3	2	10	19	42	45	41	38	24	9	-	2	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-
290-293	Anemias	39	1	-	2	1	-	-	1	-	-	2	-	-	-	1	1	2	3	5	5	2	7	4	2	-	-
	White--M	17	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	1	2	3	3	-	3	1	-	-	-
	F	22	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	2	2	2	4	3	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	19	7	3	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	3	1	-	-	1	-	-	-
	White--M	8	2	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	F	10	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,267	5	1	1	-	2	3	6	9	14	25	59	113	209	353	503	783	1,237	1,710	1,819	1,958	1,741	1,076	496	135	9
	White--M	6,471	-	1	1	-	2	1	2	5	3	16	31	70	139	255	347	525	763	982	998	951	728	442	170	34	5
	F	5,500	3	-	-	-	-	2	4	4	8	8	25	30	51	77	133	230	446	692	788	974	984	619	320	98	4
	Nonwhite--M	149	-	-	-	-	-	-	-	-	2	1	2	10	11	13	11	8	13	19	16	23	12	5	1	2	-
	F	147	2	-	-	-	-	-	-	-	1	-	1	3	8	8	12	20	15	17	17	10	17	10	5	1	-
330-334, 400-468	Diseases of cardiovascular system	12,121	5	1	1	-	2	3	3	8	12	19	56	105	196	345	495	772	1,219	1,693	1,808	1,943	1,730	1,069	492	135	9
	White--M	6,396	-	1	1	-	2	1	-	5	2	12	28	64	130	251	344	519	752	976	993	943	725	439	169	34	5
	F	5,434	3	-	-	-	-	2	3	3	7	6	25	29	48	74	128	226	439	681	782	967	977	615	317	98	4
	Nonwhite--M	145	-	-	-	-	-	-	-	-	2	1	2	9	10	12	11	8	13	19	16	23	11	5	1	2	-
	F	146	2	-	-	-	-	-	-	-	1	-	1	3	8	8	12	19	15	17	17	10	17	10	5	1	-
330-334	Vascular lesions, etc.*	2,434	3	1	1	-	-	1	1	1	4	4	13	18	32	54	66	93	193	320	397	442	416	244	102	27	1
	White--M	1,059	-	1	1	-	-	-	-	1	-	2	4	7	8	28	35	50	95	154	198	194	148	95	28	9	1
	F	1,297	2	-	-	-	-	1	1	-	3	2	9	10	17	22	24	37	89	155	188	240	264	145	71	17	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	1	6	6	5	4	2	1	1	-	-
	F	43	1	-	-	-	-	-	-	-	1	-	-	-	3	2	5	5	3	5	6	4	2	3	2	1	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																										
400-402	Rheumatic fever---	16	-	-	-	-	1	-	2	-	-	-	1	3	1	3	1	-	2	1	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	2	-	-	-	1	1	-	3	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	8,823	1	-	-	-	1	2	-	6	7	14	35	77	148	271	412	646	980	1,289	1,312	1,351	1,157	700	327	81	6
	White-----M--	4,912	-	-	-	-	1	1	-	3	2	10	21	52	111	211	303	451	625	765	741	671	506	296	117	22	3
	F--	3,719	-	-	-	-	-	1	-	3	4	3	12	15	28	45	97	175	336	499	550	657	630	394	209	58	3
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	1	1	1	8	5	10	6	6	7	13	11	18	9	4	-	1	-
	F--	91	1	-	-	-	-	-	-	-	-	-	1	2	4	5	6	14	12	12	10	5	12	6	1	-	-
410-416	Chronic rheumatic heart disease----	270	-	-	-	-	-	-	-	2	5	5	12	21	22	34	34	38	29	28	16	11	7	5	1	-	-
	White-----M--	137	-	-	-	-	-	-	-	2	1	2	6	13	11	19	17	18	14	12	10	6	4	2	-	-	-
	F--	126	-	-	-	-	-	-	-	-	3	3	6	7	11	13	17	19	15	14	6	5	3	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,874	-	-	-	-	-	1	-	2	2	7	21	45	108	205	329	522	788	1,045	1,046	1,071	865	505	245	63	4
	White-----M--	4,041	-	-	-	-	-	1	-	1	1	7	15	34	93	169	259	387	533	659	616	548	389	219	90	18	2
	F--	2,705	-	-	-	-	-	-	-	1	1	-	4	4	12	27	64	124	239	372	417	504	459	277	154	44	2
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	1	7	2	8	3	6	7	10	8	15	7	4	-	1	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	9	4	5	4	10	5	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	666	1	-	-	-	-	1	-	-	-	-	1	4	2	12	9	15	38	55	95	108	150	107	54	13	1
	White-----M--	300	-	-	-	-	-	-	-	-	-	-	-	2	1	9	6	7	24	29	43	47	66	43	19	4	-
	F--	352	-	-	-	-	-	1	-	-	-	-	1	1	1	3	2	6	14	24	51	58	82	63	35	9	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	3	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	1	-	-	-
430-434	Other diseases of heart---------	116	-	-	-	-	1	-	-	2	-	1	-	4	4	5	9	7	14	24	10	17	8	9	1	-	-
	White-----M--	66	-	-	-	-	1	-	-	-	-	-	-	2	2	5	8	6	9	14	5	7	3	4	-	-	-
	F--	46	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	1	5	9	5	10	5	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	897	-	-	-	-	-	-	-	-	-	1	1	3	12	15	31	64	111	137	145	144	127	74	26	5	1
	White-----M--	368	-	-	-	-	-	-	-	-	-	1	-	1	4	9	13	33	45	51	67	63	44	28	8	-	1
	F--	490	-	-	-	-	-	-	-	-	-	-	1	1	4	2	13	25	63	80	71	80	81	46	18	5	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	3	3	-	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	6	3	3	4	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	151	-	-	-	-	-	-	-	-	-	-	2	2	5	4	3	9	11	14	19	33	23	15	9	2	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	6	5	9	9	18	9	9	4	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	3	6	5	10	15	14	6	4	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-
450	General arteriosclerosis--------	495	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	9	8	33	48	94	114	106	49	24	2
	White-----M--	216	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	20	24	49	50	38	17	3	1
	F--	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	13	24	43	63	67	31	21	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
451-468	Other diseases of circulatory sys.-	202	1	-	-	-	-	-	-	1	1	1	5	5	8	12	8	15	25	36	32	22	20	4	5	1	-
	White-----M--	128	-	-	-	-	-	-	-	1	-	-	3	2	6	9	3	9	20	28	21	10	12	1	3	-	-
	F--	66	1	-	-	-	-	-	-	-	-	1	2	3	-	3	4	5	5	8	10	12	6	3	2	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-
592-594	Chronic nephritis, etc.*----------	146	-	-	-	-	-	-	3	1	2	6	3	8	13	8	8	11	18	17	11	15	11	7	4	-	-
	White-----M--	75	-	-	-	-	-	-	2	-	1	4	3	6	9	4	3	6	11	6	5	8	3	3	1	-	-
	F--	66	-	-	-	-	-	-	1	1	1	2	-	1	3	3	5	4	7	11	6	7	7	4	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	481	47	5	2	2	1	4	1	5	5	2	5	9	5	13	15	25	28	40	46	70	72	47	27	5	-
	White-----M--	261	24	2	1	2	1	3	1	2	-	1	2	2	3	8	10	19	20	26	31	39	32	19	12	1	-
	F--	191	13	3	1	-	-	-	-	3	4	1	1	4	1	3	3	4	8	11	15	31	38	28	15	4	-
	Nonwhite--M--	16	6	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	3	-	-	-	-	-	-	-
	F--	13	4	-	-	-	-	1	-	-	1	-	2	1	-	1	1	-	-	-	-	-	2	-	-	-	-
480-483	Influenza---------	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	2	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	474	47	5	2	2	1	4	1	5	5	2	4	9	5	13	14	25	28	40	44	69	70	47	27	5	-
	White-----M--	256	24	2	1	2	1	3	1	2	-	1	1	2	3	8	10	19	20	26	29	38	31	19	12	1	-
	F--	189	13	3	1	-	-	-	-	3	4	1	1	4	1	3	2	4	8	11	15	31	37	28	15	4	-
	Nonwhite--M--	16	6	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	3	-	-	-	-	-	-	-
	F--	13	4	-	-	-	-	1	-	-	1	-	2	1	-	1	1	-	-	-	-	-	2	-	-	-	-
500-502	Bronchitis--------	49	10	3	1	1	1	1	-	-	-	-	-	1	-	2	1	-	3	3	8	6	4	3	1	-	-
	White-----M--	39	9	1	1	1	1	1	-	-	-	-	-	1	-	2	1	-	3	3	8	4	1	2	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	142	-	-	-	-	-	-	-	-	-	1	2	-	6	5	12	18	16	13	21	18	18	9	3	-	-
	White-----M--	99	-	-	-	-	-	-	-	-	-	1	1	-	5	4	12	13	13	9	12	12	10	6	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	3	4	9	4	8	3	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	26	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	2	2	2	10	2	3	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	6	-	2	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	4	2	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	110	14	-	-	-	-	-	-	-	-	1	2	-	1	2	4	7	9	11	15	24	12	6	2	-	-
	White-----M--	56	6	-	-	-	-	-	-	-	-	1	1	-	1	1	2	4	3	2	10	14	9	2	-	-	-
	F--	50	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	6	8	5	9	3	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																										
543,	Gastritis, etc.*	81	10	-	1	-	-	1	-	-	-	2	2	4	3	2	2	4	13	11	8	4	6	6	2	-	-
571,	White-----M	39	3	-	-	-	-	1	-	-	-	1	1	1	3	-	-	1	10	8	2	4	2	2	-	-	-
572	F	38	4	-	1	-	-	-	-	-	-	1	1	2	-	2	2	3	3	3	6	-	4	4	2	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	304	-	-	-	-	-	-	-	-	-	5	9	5	35	43	30	33	38	45	31	15	9	6	-	-	-
	White-----M	184	-	-	-	-	-	-	-	-	-	1	3	2	17	24	23	21	24	31	20	11	4	3	-	-	-
	F	110	-	-	-	-	-	-	-	-	-	2	5	2	17	18	7	12	12	13	10	4	5	3	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	26	-	1	-	3	-	1	1	1	1	1	-	-	-	1	1	-	1	1	5	4	1	3	-	-	-
	White-----M	16	-	1	-	2	-	-	-	1	-	-	-	-	-	1	-	-	1	1	4	3	-	2	-	-	-
	F	10	-	-	-	1	-	1	1	-	1	1	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	12	19	16	9	4	-	-
	White-----M	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	12	19	14	9	4	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	15	...	...	...	...	...	...	-	-	5	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	10	...	...	...	...	...	...	-	-	3	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	...	...	...	...	...	...	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	13	...	...	...	...	...	...	-	-	5	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	9	...	...	...	...	...	...	-	-	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	4	...	...	...	...	...	...	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	288	208	8	5	2	3	8	4	1	2	2	3	4	6	9	7	2	5	6	-	-	1	2	-	-	-
	White-----M	148	107	4	3	-	2	3	2	1	2	1	2	3	3	4	4	1	3	3	-	-	-	-	-	-	-
	F	128	90	4	2	2	1	4	2	-	-	1	1	1	3	5	3	1	2	3	-	-	1	2	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	731	731	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	380	380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	78	18	1	1	-	1	1	-	1	3	2	2	3	5	4	4	4	3	2	3	4	6	5	3	2	-
795	White-----M	39	11	-	-	-	-	1	-	1	2	1	2	-	3	2	3	3	2	-	2	1	4	1	-	-	-
	F	33	5	1	1	-	1	-	-	-	1	-	-	2	-	2	1	1	1	2	1	3	2	4	3	2	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	999	47	7	8	8	2	9	10	6	12	16	19	29	34	51	64	91	111	142	102	108	68	39	14	2	-
sid-	White-----M	568	28	3	4	3	1	4	6	5	7	8	8	17	19	32	40	48	70	81	67	58	33	21	4	1	-
ual	F	389	13	3	4	5	1	5	4	1	4	7	8	9	15	17	18	36	40	55	34	47	35	18	9	1	-
	Nonwhite--M	22	3	-	-	-	-	-	-	-	-	-	2	1	-	1	3	3	-	5	1	2	-	-	1	-	-
	F	20	3	1	-	-	-	-	-	-	1	1	1	2	-	1	3	4	1	1	-	1	-	-	-	-	-
E800-	Accidents	1,083	20	14	14	8	9	33	19	56	66	65	51	39	58	49	44	76	70	97	70	75	74	50	18	6	2
E962	White-----M	689	11	9	8	6	5	19	10	42	50	54	38	32	39	35	28	60	50	67	37	38	32	14	2	2	1
	F	344	4	4	6	1	4	13	8	13	7	6	12	4	15	13	12	15	17	26	33	32	42	36	16	4	1
	Nonwhite--M	38	3	1	-	1	-	1	-	1	8	4	1	3	2	1	2	1	3	3	-	3	-	-	-	-	-
	F	12	2	-	-	-	-	-	1	-	1	1	-	-	2	-	2	-	-	1	-	2	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	351	-	1	5	3	5	13	5	38	49	40	26	17	25	13	15	24	18	27	10	10	4	3	-	-	-
	White-----M	260	-	-	3	2	3	8	3	31	36	36	19	14	16	10	11	18	13	20	5	7	3	2	-	-	-
	F	74	-	1	2	-	2	5	2	7	6	2	6	3	7	3	3	6	4	6	5	2	1	1	-	-	-
	Nonwhite--M	13	-	-	-	1	-	-	-	-	6	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
E800-	All ot. accidents	732	20	13	9	5	4	20	14	18	17	25	25	22	33	36	29	52	52	70	60	65	70	47	18	6	2
E802,	White-----M	429	11	9	5	4	2	11	7	11	14	18	19	18	23	25	17	42	37	47	32	31	29	12	2	2	1
E840-	F	270	4	3	4	1	2	8	6	6	1	4	6	1	8	10	9	9	13	20	28	30	41	35	16	4	1
E962	Nonwhite--M	25	3	1	-	-	-	1	-	1	2	2	-	3	1	1	1	1	2	3	-	3	-	-	-	-	-
	F	8	2	-	-	-	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-
E963,	Suicide	222	-	-	-	-	-	-	-	5	5	10	14	19	17	33	27	24	22	22	12	5	3	4	-	-	-
E970-	White-----M	156	-	-	-	-	-	-	-	2	3	9	10	12	11	21	18	16	18	17	9	3	3	4	-	-	-
E979	F	65	-	-	-	-	-	-	-	3	2	1	3	7	6	12	9	8	4	5	3	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	29	4	-	-	1	-	1	1	1	1	2	4	5	1	1	-	3	3	-	1	-	-	-	-	-	-
E980-	White-----M	15	1	-	-	-	-	1	1	1	-	1	2	3	1	-	-	2	2	-	-	-	-	-	-	-	-
E985	F	9	3	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE																										
	ALL CAUSES------	3,730	265	15	10	10	8	20	14	24	40	45	43	81	129	144	228	297	320	425	473	434	355	222	103	21	4
	White-----M--	1,680	100	3	3	3	5	8	8	13	23	16	20	44	53	71	109	152	157	216	214	193	137	88	37	5	2
	F--	1,365	93	6	4	4	1	7	3	7	8	17	10	17	37	33	45	72	100	147	194	192	178	116	60	12	2
	Nonwhite--M--	413	41	4	3	1	-	2	1	3	8	9	5	8	23	22	44	48	41	40	38	30	23	12	5	2	-
	F--	272	31	2	-	2	2	3	2	1	1	3	8	12	16	18	30	25	22	22	27	19	17	6	1	2	-
001-019	Tuberculosis, all forms--------	41	1	1	-	-	-	-	-	-	-	3	-	2	2	6	4	6	2	5	3	3	2	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	3	2	2	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	1	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	38	1	1	-	-	-	-	-	-	-	3	-	1	2	5	4	6	2	5	2	3	2	1	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	3	1	2	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	2	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	9	2	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*----	555	1	2	1	1	1	1	3	3	2	6	3	19	27	25	51	61	75	91	77	52	33	15	4	-	1
	White-----M--	255	1	-	-	1	1	1	1	-	2	2	-	8	7	3	21	32	36	45	39	28	17	7	2	-	1
	F--	210	-	1	1	-	-	-	1	2	-	4	2	8	15	16	17	17	24	34	30	16	14	6	2	-	-
	Nonwhite--M--	54	-	1	-	-	-	-	-	-	-	-	-	-	3	4	5	8	11	7	5	7	2	1	-	-	-
	F--	36	-	-	-	-	-	-	1	1	-	-	1	3	2	2	8	4	4	5	3	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	19	-	-	-	-	-	-	-	1	-	-	-	-	-	-	5	2	2	5	2	1	1	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	5	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	183	1	-	-	-	-	-	-	-	2	1	-	2	13	5	17	16	15	44	23	20	16	5	2	-	1
	White-----M--	80	1	-	-	-	-	-	-	-	2	-	-	-	6	-	7	9	5	17	9	11	8	3	1	-	1
	F--	71	-	-	-	-	-	-	-	-	-	1	-	1	3	3	8	3	4	20	13	5	8	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	4	4	1	4	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	-	-	-	1	-	-	-
160-164	Of respiratory system (not secondary)-------	77	-	-	-	-	-	-	-	-	-	-	-	3	1	1	7	17	17	11	13	4	1	1	1	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	12	13	9	10	4	-	1	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	3	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
170	Of breast---------	59	-	-	-	-	-	-	-	-	-	1	1	5	6	8	7	7	6	4	3	5	2	3	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	1	-	5	6	7	4	6	6	4	2	5	2	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	99	-	-	-	-	-	-	-	-	-	2	2	3	5	4	3	6	18	10	19	15	8	4	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	8	8	5	3	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	2	2	1	5	3	3	4	10	5	7	4	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	2	1	-	-	-	-	-
180, 181	Of urinary organs-	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	3	6	3	1	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	4	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	49	-	1	1	-	-	-	1	-	-	-	-	1	1	4	7	9	7	7	5	2	2	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	1	-	-	-	-	1	-	2	4	6	6	4	4	2	2	-	-	-	-
	F--	9	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	23	-	1	-	1	1	1	1	1	-	-	-	2	1	1	2	-	5	1	2	1	2	-	-	-	-
	White-----M--	12	-	-	-	1	1	1	-	-	-	-	-	2	-	-	-	-	3	1	1	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	1	1	-	-	-	-	1	1	2	-	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	24	-	-	-	-	-	-	1	1	-	2	-	2	-	1	2	3	1	6	4	1	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	1	3	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	12	-	-	-	-	-	1	-	-	1	1	-	-	-	2	2	1	2	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	78	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	9	13	15	15	10	8	2	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	2	6	4	3	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	8	11	8	5	4	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	-	-	-
290-293	Anemias----------	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	1	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	7	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,055	-	1	-	-	-	1	1	-	2	5	8	23	41	65	120	169	176	268	306	319	267	178	87	18	-
	White-----M--	931	-	-	-	-	-	-	-	-	1	3	4	13	20	37	63	89	92	140	126	133	99	75	33	3	-
	F--	799	-	-	-	-	-	1	1	-	-	2	3	3	7	8	21	37	50	87	135	151	137	95	50	11	-
	Nonwhite--M--	185	-	-	-	-	-	-	-	-	1	-	-	3	6	10	23	26	20	26	26	18	16	5	3	2	-
	F--	140	-	1	-	-	-	-	-	-	-	-	1	4	8	10	13	17	14	15	19	17	15	3	1	2	-
330-334, 400-468	Diseases of cardiovascular system-	2,007	-	1	-	-	-	1	1	-	1	4	8	18	40	64	116	165	171	260	300	311	264	178	86	18	-
	White-----M--	909	-	-	-	-	-	-	-	-	-	2	4	11	20	37	60	88	91	136	122	129	99	75	32	3	-
	F--	788	-	-	-	-	-	1	1	-	-	2	3	3	7	8	21	37	47	85	135	147	135	95	50	11	-
	Nonwhite--M--	181	-	-	-	-	-	-	-	-	1	-	-	3	6	10	23	24	20	26	25	18	15	5	3	2	-
	F--	129	-	1	-	-	-	-	-	-	-	-	1	1	7	9	12	16	13	13	18	17	15	3	1	2	-
330-334	Vascular lesions, etc.*----------	335	-	1	-	-	-	1	-	-	-	1	1	-	10	11	9	18	23	49	48	68	50	36	6	3	-
	White-----M--	123	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	5	10	17	20	22	18	19	2	2	-
	F--	151	-	-	-	-	-	1	-	-	-	-	1	-	3	4	3	7	6	20	19	38	27	17	4	1	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	5	6	4	4	1	-	-	-	-
	F--	32	-	1	-	-	-	-	-	-	-	-	-	-	3	3	1	3	2	6	5	4	4	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																										
400-402	Rheumatic fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	1,514	-	-	-	-	-	-	-	-	1	2	7	17	29	49	103	139	140	203	225	213	180	124	70	12	-
	White-----M	729	-	-	-	-	-	-	-	-	-	1	4	11	18	34	56	78	76	116	91	94	72	50	27	1	-
	F	568	-	-	-	-	-	-	-	-	-	1	2	3	4	4	18	29	40	63	104	98	88	66	40	8	-
	Nonwhite--M	132	-	-	-	-	-	-	-	-	1	-	-	2	3	5	20	19	15	18	18	11	11	5	3	1	-
	F	85	-	-	-	-	-	-	-	-	-	-	1	1	4	6	9	13	9	6	12	10	9	3	-	2	-
410-416	Chronic rheumatic heart disease	45	-	-	-	-	-	-	-	-	-	1	2	2	6	4	8	3	5	4	6	4	-	-	-	-	-
	White-----M	15	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	2	3	3	1	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	2	1	4	2	5	2	2	1	3	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	971	-	-	-	-	-	-	-	-	-	-	3	11	19	34	58	102	108	154	151	128	108	64	27	4	-
	White-----M	528	-	-	-	-	-	-	-	-	-	-	3	9	15	27	41	68	64	93	65	63	43	29	8	-	-
	F	325	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	18	28	48	66	56	51	32	17	3	-
	Nonwhite--M	73	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	9	9	10	12	6	9	2	2	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	7	7	3	8	3	5	1	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	203	-	-	-	-	-	-	-	-	-	-	1	3	-	3	10	3	10	15	24	39	33	34	23	5	-
	White-----M	88	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	2	3	7	10	11	19	15	13	-	-
	F	80	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	4	11	21	11	15	9	3	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	3	4	1	3	2	2	1	1	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	1	2	-	1	-
430-434	Other diseases of heart	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	5	2	2	2	-	-	-
	White-----M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	1	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.	273	-	-	-	-	-	-	-	-	1	1	1	1	4	7	26	28	16	25	39	40	37	24	20	3	-
	White-----M	87	-	-	-	-	-	-	-	-	-	1	-	-	1	2	10	8	6	10	9	18	10	5	6	1	-
	F	131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	7	7	8	23	19	25	18	14	2	-
	Nonwhite--M	32	-	-	-	-	-	-	-	-	1	-	-	-	1	1	6	8	3	4	5	2	-	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	5	-	3	2	1	2	-	-	-	-
444-447	Hypertension without mention of heart	43	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	3	9	7	10	5	1	-	-
	White-----M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	3	4	3	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-
450	General arteriosclerosis	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	13	20	22	12	9	3	-
	White-----M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	8	5	2	3	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	8	12	10	5	2	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	3	-	-	1	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-
451-468	Other diseases of circulatory sys.	28	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	6	3	2	5	3	2	1	-	-	-
	White-----M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	-	2	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	5	1	2	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	48	-	-	-	-	-	-	-	-	1	1	-	5	1	1	4	4	5	8	6	8	3	-	1	-	-
	White-----M	22	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	1	1	4	4	4	-	-	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	4	2	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	2	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	119	32	2	2	1	1	2	1	1	-	-	-	2	3	4	1	6	8	9	15	9	9	6	3	1	1
	White-----M	35	6	1	-	-	-	1	1	-	-	-	-	-	1	1	-	1	2	3	11	4	1	1	-	-	1
	F	40	9	-	2	-	-	-	-	1	-	-	-	-	1	1	-	1	1	4	2	5	6	4	2	1	-
	Nonwhite--M	24	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	1	2	-	2	-	1	-	-
	F	20	11	-	-	1	1	1	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	1	-	-	-
480-483	Influenza	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	115	32	2	2	1	-	2	1	1	-	-	-	2	3	4	1	6	7	8	14	9	9	6	3	1	1
	White-----M	34	6	1	-	-	-	1	1	-	-	-	-	-	1	1	-	1	2	3	10	4	1	1	-	-	1
	F	38	9	-	2	-	-	-	-	1	-	-	-	-	1	1	-	1	-	3	2	5	6	4	2	1	-
	Nonwhite--M	24	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	1	2	-	2	-	1	-	-
	F	19	11	-	-	1	-	1	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	1	-	-	-
500-502	Bronchitis	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
	White-----M	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	24	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	6	1	2	3	2	1	-	-	-
	White-----M	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	1	2	3	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	32	2	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	5	4	4	4	4	1	-	-	-
	White-----M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-
	F	16	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	3	1	2	1	-	-	-
	Nonwhite--M	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																										
543,	Gastritis, etc.*	9	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
571,	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
572	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	43	-	-	-	-	-	-	-	-	-	1	-	4	9	8	2	4	5	4	1	2	3	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	3	4	5	2	4	3	4	1	-	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	9	-	-	-	-	-	1	-	-	-	-	1	2	-	-	2	-	1	-	-	-	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	1	1	1	1	2	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	1	1	1	1	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	7	...	...	...	...	...	...	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	5	...	...	...	...	...	...	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	56	47	1	1	1	-	1	1	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	22	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	21	-	1	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	17	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	2	1	1	1	3	3	-	-
795	White-----M--	8	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	186	20	4	2	4	-	5	-	-	2	3	6	7	16	12	16	15	14	12	19	13	6	7	3	-	-
sid-	White-----M--	81	6	-	2	1	-	3	-	-	-	-	2	4	7	8	8	3	8	7	11	5	3	2	1	-	-
ual	F--	65	8	3	-	3	-	1	-	-	1	2	2	1	3	2	-	9	5	4	5	8	3	3	2	-	-
	Nonwhite--M--	22	4	-	-	-	-	-	-	-	1	1	-	-	3	1	6	3	-	1	1	-	-	1	-	-	-
	F--	18	2	1	-	-	-	1	-	-	-	-	2	2	3	1	2	-	1	-	2	-	-	1	-	-	-
E800-	Accidents	233	10	2	3	2	6	6	5	17	27	22	15	15	17	11	9	12	5	7	11	11	11	5	2	-	2
E962	White-----M--	127	6	1	-	-	4	2	4	11	18	11	9	12	10	8	5	4	2	4	5	9	2	-	-	-	-
	F--	47	-	-	-	1	1	2	-	4	4	5	1	2	2	1	-	1	1	2	3	2	8	3	2	-	2
	Nonwhite--M--	46	3	1	3	-	-	2	-	2	4	6	3	-	4	2	4	5	1	1	3	-	-	2	-	-	-
	F--	13	1	-	-	1	1	-	1	-	1	-	2	1	1	-	-	2	1	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	104	1	-	1	-	2	3	1	10	20	13	8	8	10	5	6	4	3	2	3	1	-	2	-	-	1
	White-----M--	63	1	-	-	-	1	1	1	6	12	6	7	8	6	4	3	1	2	-	3	1	-	-	-	-	-
	F--	19	-	-	-	-	1	1	-	3	3	4	1	-	2	1	-	1	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	18	-	-	1	-	-	1	-	1	4	3	-	-	1	-	3	1	-	1	-	-	-	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
E800-	All ot. accidents	129	9	2	2	2	4	3	4	7	7	9	7	7	7	6	3	8	2	5	8	10	11	3	2	-	1
E802,	White-----M--	64	5	1	-	-	3	1	3	5	6	5	2	4	4	4	2	3	-	4	2	8	2	-	-	-	-
E840-	F--	28	-	-	-	1	-	1	-	1	1	1	-	2	-	-	-	-	1	1	3	2	8	3	2	-	1
E962	Nonwhite--M--	28	3	1	2	-	-	1	-	1	-	3	3	-	3	2	1	4	1	-	3	-	-	-	-	-	-
	F--	9	1	-	-	1	1	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-
E963,	Suicide	41	-	-	-	-	-	-	1	-	-	1	6	2	5	4	2	8	4	2	2	-	3	1	-	-	-
E970-	White-----M--	27	-	-	-	-	-	-	1	-	-	-	4	2	1	3	1	6	3	1	1	-	3	1	-	-	-
E979	F--	12	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	10	-	-	-	-	-	-	-	1	2	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
E980-	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA																										
	ALL CAUSES------	8,349	673	31	20	15	8	31	15	31	63	85	146	223	354	450	578	753	785	953	880	864	728	446	152	59	6
	White-----M--	2,705	134	8	2	1	2	5	4	11	9	19	30	49	85	131	188	297	338	371	329	285	223	129	43	7	5
	F--	2,349	90	6	4	3	1	5	2	3	11	12	20	45	54	70	112	149	172	263	278	350	348	235	81	35	-
	Nonwhite--M--	1,734	224	8	10	4	3	14	6	9	28	34	55	66	119	149	167	181	141	177	121	102	74	27	9	5	1
	F--	1,561	225	9	4	7	2	7	3	8	15	20	41	63	96	100	111	126	134	142	152	127	83	55	19	12	-
001-019	Tuberculosis, all forms--------	131	-	3	-	-	-	-	-	-	4	3	10	6	14	19	14	14	14	15	6	5	3	-	-	1	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	2	-	4	3	3	5	5	8	2	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	4	-	-	-	1	-	-	-	-
	Nonwhite--M--	54	-	2	-	-	-	-	-	-	-	1	1	3	9	8	10	6	4	5	3	2	-	-	-	-	-
	F--	29	-	1	-	-	-	-	-	-	4	1	4	2	1	7	1	2	1	2	1	1	-	-	-	1	-
001-008	Tuberculosis of respiratory system----------	115	-	-	-	-	-	-	-	-	4	2	10	5	12	17	14	13	12	13	5	5	3	-	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	2	-	4	3	3	5	4	8	2	2	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	3	-	-	-	1	-	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	1	1	2	8	8	10	6	4	5	3	2	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	4	-	4	2	-	5	1	1	1	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	-	3	-	-	-	-	-	-	-	1	-	1	2	2	-	1	2	2	1	-	-	-	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	2	1	-	-	-	-	1	-
020-029	Syphilis and its sequelae---------	42	-	-	-	-	-	-	-	-	-	-	-	-	3	7	3	16	4	6	-	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	6	3	3	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	1	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	31	6	-	-	-	-	-	2	-	-	1	3	4	2	2	5	2	1	-	-	1	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	13	4	-	-	-	-	-	1	-	-	-	3	-	1	1	1	1	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*----	1,311	3	1	3	4	2	3	2	5	4	9	20	37	56	79	131	174	156	200	144	141	86	41	8	1	1
	White-----M--	439	-	-	1	-	1	-	-	1	1	-	6	5	9	22	42	63	63	69	55	57	30	11	3	-	-
	F--	409	1	-	2	2	-	-	-	-	-	3	4	14	11	19	38	56	35	67	47	47	38	21	3	1	-
	Nonwhite--M--	236	1	-	-	1	1	3	1	2	2	4	6	5	11	18	25	37	28	36	20	19	10	5	-	-	1
	F--	227	1	1	-	1	-	-	1	2	1	2	4	13	25	20	26	18	30	28	22	18	8	4	2	-	-
140-148	Of buccal cavity and pharynx------	39	-	-	-	-	-	-	1	-	-	-	-	-	2	6	2	5	3	6	2	2	9	-	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	3	1	1	6	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	-	-	2	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	436	-	-	-	1	-	-	-	-	1	1	3	4	10	26	38	58	58	63	55	63	33	20	1	-	1
	White-----M--	153	-	-	-	-	-	-	-	-	-	-	-	1	1	9	14	21	25	26	20	25	5	6	-	-	-
	F--	127	-	-	-	-	-	-	-	-	-	-	1	1	1	5	7	15	11	17	20	18	21	9	1	-	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	1	1	2	1	5	7	10	20	14	14	8	12	3	2	-	-	1
	F--	55	-	-	-	1	-	-	-	-	-	-	-	1	3	5	7	2	8	6	7	8	4	3	-	-	-
160-164	Of respiratory system (not secondary)-------	172	-	-	-	-	-	-	-	-	-	2	1	7	6	12	23	25	26	31	15	14	6	2	2	-	-
	White-----M--	98	-	-	-	-	-	-	-	-	-	-	-	1	2	7	13	16	16	18	9	10	4	-	2	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	4	3	3	1	-	-	2	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	1	1	4	2	3	8	5	7	9	2	3	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	3	1	1	-	-	-	-
170	Of breast---------	151	-	-	-	-	-	-	-	-	-	-	1	9	14	12	21	18	17	26	9	13	6	4	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	98	-	-	-	-	-	-	-	-	-	-	-	5	4	6	17	15	7	21	7	8	4	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	1	4	10	6	4	3	9	5	2	5	2	-	1	-	-
171-179	Of genital organs-	193	-	-	-	-	1	-	-	-	1	-	3	13	7	11	18	24	19	29	23	24	13	6	1	-	-
	White-----M--	39	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3	4	5	8	8	4	4	-	-	-
	F--	66	-	-	-	-	-	-	-	-	-	-	1	5	-	6	8	10	6	10	5	9	4	1	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	5	4	3	4	1	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	2	7	7	5	8	7	7	9	6	4	1	-	-	-	-
180, 181	Of urinary organs-	76	-	-	1	1	1	-	1	-	1	-	-	-	-	1	7	9	11	8	19	9	4	2	1	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	7	5	11	4	2	1	-	-	-
	F--	20	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	5	1	1	-	-	-
	Nonwhite--M--	11	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	-	2	1	2	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	128	1	-	-	-	-	-	-	3	-	1	5	2	7	9	12	20	10	16	14	8	12	6	1	1	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	1	1	4	4	4	8	2	4	4	4	8	-	1	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	6	6	4	4	4	-	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	2	-	-	3	-	1	3	4	4	2	2	2	-	-	2	-	-	-
	F--	19	1	-	-	-	-	-	-	1	-	1	1	1	1	1	2	2	2	4	2	-	-	-	-	-	-
204	Leukemia and aleukemia----------	55	2	-	2	2	-	2	-	1	-	1	2	2	4	1	6	6	4	9	4	5	2	-	-	-	-
	White-----M--	20	-	-	1	-	-	-	-	-	-	-	2	1	-	-	4	2	2	3	2	2	1	-	-	-	-
	F--	19	1	-	1	2	-	-	-	-	-	1	-	1	2	-	1	1	1	3	1	3	1	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	1	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	61	-	1	-	-	-	1	-	1	1	4	5	-	6	1	4	9	8	12	3	3	1	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	1	-	-	3	-	1	1	1	3	3	5	-	3	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	2	2	-	2	-	1	2	1	5	1	-	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	2	-	-	2	-	-	2	1	2	1	-	-	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	1	-	-	-	1	-	2	2	3	-	1	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms--	46	2	1	-	1	-	-	-	-	2	1	-	6	7	6	3	3	3	4	3	1	1	2	-	-	-
	White-----M--	12	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	1	-	-	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	2	1	2	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	F--	17	1	-	-	1	-	-	-	-	-	1	-	4	3	4	-	2	-	-	-	-	1	-	-	-	-
260	Diabetes mellitus-	103	-	-	1	-	-	-	-	-	1	3	3	1	3	6	10	8	10	14	16	11	12	3	1	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	1	2	-	-	3	5	1	2	4	8	2	9	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	3	7	4	3	2	1	-	-	-
	Nonwhite--M--	18	-	-	1	-	-	-	-	-	-	1	-	-	2	3	3	2	-	2	1	2	-	-	1	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	5	1	3	4	1	1	-	-	-
290-293	Anemias----------	17	2	2	1	-	-	1	-	-	1	-	-	-	-	3	1	-	1	-	3	1	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-
	F--	6	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	12	3	1	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,427	10	2	-	1	-	4	-	2	8	24	35	82	149	197	294	398	456	566	587	585	531	325	118	49	4
	White-----M--	1,496	1	-	-	-	-	-	-	1	-	5	3	15	41	63	90	177	210	216	214	178	151	88	33	6	4
	F--	1,390	2	1	-	-	-	2	-	-	-	2	1	13	17	20	46	65	90	156	184	261	262	176	65	27	-
	Nonwhite--M--	784	4	-	-	1	-	-	-	1	5	11	21	29	49	72	93	94	77	100	81	62	56	16	7	5	-
	F--	757	3	1	-	-	-	2	-	-	3	6	10	25	42	42	65	62	79	94	108	84	62	45	13	11	-
330-334, 400-468	Diseases of cardiovascular system-	4,360	10	2	-	1	-	2	-	2	7	22	31	82	144	191	289	389	450	563	579	575	529	322	117	49	4
	White-----M--	1,479	1	-	-	-	-	-	-	1	-	4	2	15	41	62	90	177	208	215	211	174	149	86	33	6	4
	F--	1,379	2	1	-	-	-	1	-	-	-	2	1	13	16	20	44	63	90	155	184	258	262	175	65	27	-
	Nonwhite--M--	764	4	-	-	1	-	-	-	1	4	10	20	29	46	70	92	90	75	99	78	61	56	16	7	5	-
	F--	738	3	1	-	-	-	1	-	-	3	6	8	25	41	39	63	59	77	94	106	82	62	45	12	11	-
330-334	Vascular lesions, etc.*----------	824	3	1	-	1	-	-	-	1	1	5	6	13	20	24	36	51	81	111	115	126	126	69	24	10	-
	White-----M--	207	-	-	-	-	-	-	-	1	-	1	2	1	2	4	4	12	24	29	33	43	31	14	5	1	-
	F--	322	-	-	-	-	-	-	-	-	-	1	1	2	2	5	7	12	21	34	44	55	74	44	14	6	-
	Nonwhite--M--	139	1	-	-	1	-	-	-	-	-	2	2	5	8	7	14	16	14	29	14	11	9	4	2	-	-
	F--	156	2	1	-	-	-	-	-	-	1	1	1	5	8	8	11	11	22	19	24	17	12	7	3	3	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
400-402	Rheumatic fever---	6	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	3,207	7	1	-	-	-	1	-	1	6	14	22	58	112	154	236	317	348	427	426	395	356	223	71	28	4
	White-----M--	1,174	1	-	-	-	-	-	-	-	-	3	-	13	38	58	83	157	175	174	162	114	104	63	22	3	4
	F--	942	2	1	-	-	-	1	-	-	-	1	-	9	12	14	33	47	62	116	129	177	166	115	41	16	-
	Nonwhite--M--	568	3	-	-	-	-	-	-	1	4	6	16	22	34	56	70	66	58	67	58	46	43	10	4	4	-
	F--	523	1	-	-	-	-	-	-	-	2	4	6	14	28	26	50	47	53	70	77	56	43	35	4	5	-
410-416	Chronic rheumatic heart disease----	85	-	-	-	-	-	-	-	-	1	5	1	8	4	11	11	13	10	6	4	3	4	3	1	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	2	-	3	-	3	1	6	6	3	-	-	3	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	4	2	3	1	2	1	3	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	1	-	3	1	3	3	2	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	2	1	1	2	2	3	1	2	-	3	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,790	-	-	-	-	-	-	-	-	-	2	5	15	45	70	103	189	214	265	260	253	201	116	39	13	-
	White-----M--	846	-	-	-	-	-	-	-	-	-	-	-	7	26	42	59	116	132	132	122	84	74	35	16	1	-
	F--	562	-	-	-	-	-	-	-	-	-	-	-	1	4	5	15	27	43	74	87	119	98	63	19	7	-
	Nonwhite--M--	199	-	-	-	-	-	-	-	-	-	2	3	6	9	20	17	26	22	27	24	20	14	3	2	2	-
	F--	183	-	-	-	-	-	-	-	-	-	-	2	1	6	3	12	18	17	32	27	30	15	15	2	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	568	-	-	-	-	-	-	-	1	1	4	6	18	19	25	47	57	37	65	76	63	73	53	13	9	1
	White-----M--	145	-	-	-	-	-	-	-	-	-	1	-	1	8	1	7	21	12	20	20	19	12	15	5	2	1
	F--	147	-	-	-	-	-	-	-	-	-	1	-	5	3	2	8	7	4	16	18	20	29	23	7	4	-
	Nonwhite--M--	150	-	-	-	-	-	-	-	1	1	1	5	7	6	13	17	18	12	20	16	12	17	3	-	1	-
	F--	126	-	-	-	-	-	-	-	-	-	1	1	5	2	9	15	11	9	9	22	12	15	12	1	2	-
430-434	Other diseases of heart---------	87	7	1	-	-	-	-	-	-	3	-	3	6	5	9	8	8	6	5	9	5	5	4	-	-	3
	White-----M--	29	1	-	-	-	-	-	-	-	-	-	-	2	1	5	4	1	2	3	2	1	2	2	-	-	3
	F--	15	2	1	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	-	3	-	1	-	-	-
	Nonwhite--M--	29	3	-	-	-	-	-	-	-	3	-	2	3	3	2	3	4	1	-	5	-	-	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	2	1	3	1	-	-	-
440-443	Hypertension with heart dis.--	677	-	-	-	-	-	1	-	-	1	3	7	11	39	39	67	50	81	86	77	71	73	47	18	6	-
	White-----M--	127	-	-	-	-	-	-	-	-	-	-	-	-	3	7	12	13	23	16	18	10	13	11	1	-	-
	F--	192	-	-	-	-	-	1	-	-	-	-	-	1	3	3	5	7	13	21	23	33	38	25	14	5	-
	Nonwhite--M--	177	-	-	-	-	-	-	-	-	-	2	6	3	15	18	30	14	23	20	13	14	12	4	2	1	-
	F--	181	-	-	-	-	-	-	-	-	1	1	1	7	18	11	20	16	22	29	23	14	10	7	1	-	-
444-447	Hypertension without mention of heart----------	72	-	-	-	-	-	-	-	-	-	1	1	4	9	5	3	7	6	7	9	5	7	8	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	-	3	1	1	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	4	4	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	3	-	3	2	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	3	4	2	-	1	-	3	2	2	2	2	-	-	-
450	General arteriosclerosis--------	151	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	6	7	14	37	32	17	20	11	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	5	10	10	5	4	2	-
	F--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	19	16	9	10	5	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	4	1	2	1	1	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	4	5	1	5	3	-
451-468	Other diseases of circulatory sys.-	100	-	-	-	-	-	-	-	-	-	1	1	6	3	8	11	11	9	10	14	12	7	5	2	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	3	6	8	6	3	2	2	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	3	3	4	5	2	3	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	1	1	-	4	4	3	2	-	-	-	2	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	1	1	2	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	67	-	-	-	-	-	2	-	-	1	2	4	-	5	6	5	9	6	3	8	10	2	3	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	1	3	4	2	2	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	1	-	3	-	1	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	1	1	1	-	3	2	1	4	2	1	3	1	-	-	-	-	-
	F--	19	-	-	-	-	-	1	-	-	-	-	2	-	1	3	2	3	2	-	2	2	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	253	28	1	3	2	-	1	-	1	1	3	2	12	17	10	16	12	19	23	16	33	25	20	7	1	-
	White-----M--	80	2	-	-	-	-	-	-	1	-	1	-	-	1	5	7	3	7	13	7	13	10	8	2	-	-
	F--	59	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	6	5	4	11	13	8	4	1	-
	Nonwhite--M--	57	11	-	2	1	-	1	-	-	-	-	2	6	10	1	6	7	2	2	2	3	-	1	-	-	-
	F--	57	14	1	1	1	-	-	-	-	1	2	-	2	5	3	3	2	4	3	3	6	2	3	1	-	-
480-483	Influenza---------	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	250	27	1	3	2	-	1	-	1	1	2	2	12	17	10	16	12	18	23	16	33	25	20	7	1	-
	White-----M--	78	2	-	-	-	-	-	-	1	-	-	-	-	1	5	7	3	6	13	7	13	10	8	2	-	-
	F--	59	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	6	5	4	11	13	8	4	1	-
	Nonwhite--M--	56	10	-	2	1	-	1	-	-	-	-	2	6	10	1	6	7	2	2	2	3	-	1	-	-	-
	F--	57	14	1	1	1	-	-	-	-	1	2	-	2	5	3	3	2	4	3	3	6	2	3	1	-	-
500-502	Bronchitis--------	25	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	5	3	2	1	3	-	1	-
	White-----M--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	-	-	-
	Nonwhite--M--	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	60	-	-	-	-	-	-	-	-	-	1	1	1	-	3	7	7	6	10	6	10	7	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	3	5	3	6	2	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	3	-	3	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	-	5	-	4	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-
550-553	Appendicitis------	8	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	2	-	1	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	63	5	-	-	-	-	-	-	-	-	2	1	1	3	5	7	2	5	6	9	5	4	8	-	-	-
	White-----M--	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	-	5	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	5	-	3	2	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	1	-	2	-	1	-	-	-	-
	F--	18	2	-	-	-	-	-	-	-	-	2	1	1	1	2	3	1	1	1	1	1	-	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
543,	Gastritis, etc.*	27	8	-	1	1	-	-	-	-	-	1	1	-	-	1	-	1	4	1	2	1	3	2	-	-	-
571,	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	-	1	-	-	-	-
572	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-
	Nonwhite--M--	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	9	5	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	164	-	-	-	-	-	-	-	-	1	3	10	15	23	22	21	20	14	12	13	6	2	1	1	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	1	5	7	6	9	6	8	3	6	1	-	1	-	-	-
	F--	52	-	-	-	-	-	-	-	-	1	-	2	3	7	7	7	7	2	6	5	4	1	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	2	3	1	3	5	-	3	4	3	1	1	1	-	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	1	4	6	6	4	5	4	-	-	1	-	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	2	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	5	3	1	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	4	1	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	11	...	...	...	...	...	...	-	1	3	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	2	...	...	...	...	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	9	...	...	...	...	...	...	-	1	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	...	...	...	-	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	107	80	6	-	2	1	4	-	2	-	-	-	2	3	2	-	2	1	-	-	1	1	-	-	-	-
	White-----M--	24	16	2	-	1	1	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	21	14	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	30	24	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	32	26	1	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	15	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	2	2	2	1
795	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1
	F--	6	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	2	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Re-	All other diseases	412	16	3	3	3	3	6	4	1	5	4	13	20	24	39	27	38	45	55	40	32	19	8	4	-	-
sid-	White-----M--	126	6	-	1	-	-	1	-	-	-	2	2	6	5	10	10	11	16	23	16	8	4	5	-	-	-
ual	F--	106	1	-	-	1	1	-	1	-	3	-	1	2	4	9	7	8	13	13	13	12	11	3	3	-	-
	Nonwhite--M--	100	6	1	1	-	2	3	3	-	2	-	4	5	8	14	8	9	11	12	6	3	1	-	1	-	-
	F--	80	3	2	1	2	-	2	-	1	-	2	6	7	7	6	2	10	5	7	5	9	3	-	-	-	-
E800-	Accidents	421	31	9	6	1	2	10	5	14	19	17	20	21	31	29	23	33	28	19	21	18	24	27	9	4	-
E962	White-----M--	138	6	5	-	-	-	3	3	7	5	5	8	11	5	9	10	13	9	8	6	6	9	7	3	-	-
	F--	105	4	2	-	-	-	-	1	1	4	4	1	-	9	7	3	4	9	4	8	9	10	16	5	4	-
	Nonwhite--M--	125	9	1	4	1	-	5	1	4	10	8	9	9	15	9	9	10	7	5	2	2	2	3	-	-	-
	F--	53	12	1	2	-	2	2	-	2	-	-	2	1	2	4	1	6	3	2	5	1	3	1	1	-	-
E810-	Motor-vehicle																										
E835	accidents	119	-	2	2	1	1	5	2	6	14	10	14	9	9	10	6	5	6	4	3	3	3	4	-	-	-
	White-----M--	39	-	1	-	-	-	2	1	3	4	4	6	4	2	1	3	1	1	2	-	1	1	2	-	-	-
	F--	25	-	-	-	-	-	-	1	1	3	4	-	-	3	4	-	1	3	1	1	2	1	-	-	-	-
	Nonwhite--M--	43	-	-	1	1	-	3	-	-	7	2	6	5	3	4	2	3	2	1	1	-	-	2	-	-	-
	F--	12	-	1	1	-	1	-	-	2	-	-	2	-	1	1	1	-	-	-	1	-	1	-	-	-	-
E800-	All ot. accidents	302	31	7	4	-	1	5	3	8	5	7	6	12	22	19	17	28	22	15	18	15	21	23	9	4	-
E802,	White-----M--	99	6	4	-	-	-	1	2	4	1	1	2	7	3	8	7	12	8	6	6	5	8	5	3	-	-
E840-	F--	80	4	2	-	-	-	-	-	-	1	-	1	-	6	3	3	3	6	3	7	7	9	16	5	4	-
E962	Nonwhite--M--	82	9	1	3	-	-	2	1	4	3	6	3	4	12	5	7	7	5	4	1	2	2	1	-	-	-
	F--	41	12	-	1	-	1	2	-	-	-	-	-	1	1	3	-	6	3	2	4	1	2	1	1	-	-
E963,	Suicide	91	-	-	-	-	-	-	-	1	3	7	12	7	10	8	8	13	8	7	4	1	2	-	-	-	-
E970-	White-----M--	56	-	-	-	-	-	-	-	-	2	4	4	4	7	5	6	6	4	7	4	1	2	-	-	-	-
E979	F--	21	-	-	-	-	-	-	-	1	-	2	5	-	2	3	2	3	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	3	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E964,	Homicide	60	-	-	-	-	-	1	-	2	11	4	9	7	6	8	4	3	1	2	-	1	-	1	-	-	-
E980-	White-----M--	10	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	-	-	1	-	1	-	-	-	-	-
E985	F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	1	-	-	7	4	5	4	3	5	3	1	1	-	-	-	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	3	-	3	-	1	2	-	2	-	1	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA																										
	ALL CAUSES------	33,494	2,652	192	97	79	50	188	143	217	341	480	539	783	1,106	1,545	2,182	2,674	3,220	4,049	3,998	3,680	2,779	1,661	621	204	14
	White-----M--	15,932	854	47	31	27	22	70	65	88	143	181	187	279	448	648	966	1,353	1,696	2,183	2,220	2,002	1,346	753	251	67	5
	F--	10,006	622	45	28	25	14	47	39	39	55	84	128	177	246	355	435	599	799	1,183	1,298	1,373	1,222	789	310	91	3
	Nonwhite--M--	4,191	649	52	22	13	6	46	36	60	83	117	139	167	227	274	426	395	406	393	277	174	125	61	24	13	6
	F--	3,365	527	48	16	14	8	25	3	30	60	98	85	160	185	268	355	327	319	290	203	131	86	58	36	33	-
001-019	Tuberculosis, all forms--------	276	1	6	1	-	-	2	-	3	5	16	12	23	24	26	33	16	30	24	19	19	11	4	-	1	-
	White-----M--	132	-	2	1	-	-	-	-	-	-	2	2	12	7	8	16	9	20	17	13	14	7	1	-	1	-
	F--	39	-	-	-	-	-	-	-	1	-	-	3	5	5	4	3	-	1	5	2	4	3	3	-	-	-
	Nonwhite--M--	68	-	1	-	-	-	2	-	1	2	5	6	2	9	9	12	7	7	-	3	1	1	-	-	-	-
	F--	37	1	3	-	-	-	-	-	1	3	9	1	4	3	5	2	-	2	2	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	253	-	4	-	-	-	1	-	2	5	13	12	20	23	25	30	16	26	24	18	18	11	4	-	1	-
	White-----M--	122	-	2	-	-	-	-	-	-	-	2	2	9	7	7	14	9	18	17	13	13	7	1	-	1	-
	F--	38	-	-	-	-	-	-	-	1	-	-	3	5	4	4	3	-	1	5	2	4	3	3	-	-	-
	Nonwhite--M--	61	-	-	-	-	-	1	-	1	2	4	6	2	9	9	11	7	5	-	2	1	1	-	-	-	-
	F--	32	-	2	-	-	-	-	-	-	3	7	1	4	3	5	2	-	2	2	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	23	1	2	1	-	-	1	-	1	-	3	-	3	1	1	3	-	4	-	1	1	-	-	-	-	-
	White-----M--	10	-	-	1	-	-	-	-	-	-	-	-	3	-	1	2	-	2	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	96	-	-	-	-	-	-	-	-	-	1	-	-	8	8	8	16	16	17	11	8	2	1	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	7	5	3	6	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	5	-	-	-	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	-	-	5	6	1	11	5	6	3	2	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	2	-	-	1	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	7	-	-	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	13	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	17	1	-	1	1	1	3	2	1	-	-	2	-	-	-	1	2	-	1	-	-	1	-	-	-	-
	White-----M--	7	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	12	2	-	1	-	1	1	-	-	1	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	2	-	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	167	33	9	6	3	2	6	2	5	5	4	3	5	6	5	6	7	13	16	8	12	4	5	1	1	-
	White-----M--	48	6	-	1	3	-	1	-	1	2	-	-	1	2	-	2	1	5	8	4	6	2	2	1	-	-
	F--	44	8	2	-	-	-	1	1	3	-	-	1	2	1	2	1	2	3	5	2	5	2	2	-	1	-
	Nonwhite--M--	40	7	3	2	-	1	3	1	1	2	1	1	1	1	2	2	4	3	2	2	-	-	1	-	-	-
	F--	35	12	4	3	-	1	1	-	-	1	3	1	1	2	1	1	-	2	1	-	1	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*----	5,198	6	2	6	4	10	23	25	11	14	44	66	121	204	311	437	561	714	810	722	558	344	155	39	11	-
	White-----M--	2,521	4	1	3	3	4	13	9	5	7	19	18	28	59	116	165	240	347	431	424	333	177	90	20	5	-
	F--	1,907	-	-	2	1	4	7	10	5	6	15	33	48	86	124	148	201	253	289	251	193	150	58	17	6	-
	Nonwhite--M--	384	1	1	1	-	1	-	6	1	1	2	6	11	20	32	60	65	66	51	29	12	12	4	2	-	-
	F--	386	1	-	-	-	1	3	-	-	-	8	9	34	39	39	64	55	48	39	18	20	5	3	-	-	-
140-148	Of buccal cavity and pharynx------	141	-	-	-	-	-	-	1	-	-	1	1	7	5	8	14	14	20	22	17	12	9	8	2	-	-
	White-----M--	98	-	-	-	-	-	-	-	-	-	1	-	2	4	4	10	11	14	14	15	8	7	7	1	-	-
	F--	29	-	-	-	-	-	-	1	-	-	-	-	1	-	1	4	2	6	4	2	4	2	1	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	1	-	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)---------	1,627	1	-	-	-	-	-	2	-	-	6	5	24	29	85	118	173	230	275	261	207	135	57	14	5	-
	White-----M--	782	-	-	-	-	-	-	1	-	-	2	1	8	13	29	42	78	103	141	144	129	59	25	6	1	-
	F--	592	-	-	-	-	-	-	1	-	-	4	2	11	5	32	32	53	77	101	100	65	68	30	7	4	-
	Nonwhite--M--	150	1	-	-	-	-	-	-	-	-	-	1	2	8	13	28	24	33	18	12	3	6	-	1	-	-
	F--	103	-	-	-	-	-	-	-	-	-	-	1	3	3	11	16	18	17	15	5	10	2	2	-	-	-
160-164	Of respiratory system (not secondary)-------	758	-	-	-	-	-	1	-	1	-	3	1	7	26	55	77	106	132	144	105	67	24	7	1	1	-
	White-----M--	600	-	-	-	-	-	1	-	1	-	2	1	2	16	42	56	78	109	119	92	56	18	6	1	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	-	1	7	6	6	9	17	16	9	9	4	-	-	1	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	1	-	3	3	6	14	17	5	9	4	-	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	2	-	-	-	-	-
170	Of breast---------	389	-	-	-	-	-	-	-	-	-	4	9	14	30	37	51	50	44	45	41	38	14	8	4	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	330	-	-	-	-	-	-	-	-	-	3	8	7	23	33	37	44	36	39	39	36	13	8	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	1	1	7	7	4	14	6	8	5	2	2	-	-	-	-	-
171-179	Of genital organs-	870	-	-	-	-	1	-	1	1	2	10	15	37	49	51	68	92	108	124	104	87	79	32	6	3	-
	White-----M--	283	-	-	-	-	-	-	-	1	2	2	2	3	2	1	2	8	24	39	56	53	56	24	5	3	-
	F--	383	-	-	-	-	-	-	1	-	-	3	9	17	22	33	38	54	57	60	36	27	18	7	1	-	-
	Nonwhite--M--	60	-	-	-	-	1	-	-	-	-	-	-	1	3	-	8	9	12	11	6	5	3	1	-	-	-
	F--	144	-	-	-	-	-	-	-	-	-	5	4	16	22	17	20	21	15	14	6	2	2	-	-	-	-
180, 181	Of urinary organs-	281	-	-	-	-	-	2	1	-	-	1	4	1	4	6	16	19	44	51	49	42	24	11	5	1	-
	White-----M--	185	-	-	-	-	-	1	-	-	-	1	1	-	2	3	10	15	28	37	40	24	13	7	2	1	-
	F--	72	-	-	-	-	-	1	1	-	-	-	1	1	1	1	4	1	13	10	7	14	11	4	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	1	2	-	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	1	1	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	698	1	1	2	2	3	5	12	4	4	7	15	21	34	42	60	63	99	89	87	73	42	24	7	1	-
	White-----M--	334	1	-	-	2	-	2	4	1	3	4	8	7	10	20	24	31	49	43	46	43	15	16	5	-	-
	F--	255	-	-	1	-	2	2	4	2	1	1	5	8	17	10	19	18	33	37	35	27	25	5	2	1	-
	Nonwhite--M--	58	-	1	1	-	-	-	4	1	-	-	2	2	1	6	7	9	10	6	3	2	1	2	-	-	-
	F--	51	-	-	-	-	1	1	-	-	-	2	-	4	6	6	10	5	7	3	3	1	1	1	-	-	-
204	Leukemia and aleukemia----------	219	2	-	3	2	6	11	6	5	4	7	7	5	14	11	17	14	18	32	24	15	11	5	-	-	-
	White-----M--	121	2	-	2	1	4	7	4	2	2	4	2	3	7	7	10	5	10	21	11	9	5	3	-	-	-
	F--	79	-	-	1	1	2	3	1	3	1	2	3	1	5	4	4	7	6	10	11	6	6	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	1	-	1	1	1	-	2	-	2	2	2	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	215	2	1	1	-	-	4	2	-	4	5	9	5	13	16	16	30	19	28	34	17	6	3	-	-	-
	White-----M--	116	1	1	1	-	-	2	-	-	-	3	3	3	5	10	11	14	10	16	20	11	3	2	-	-	-
	F--	82	-	-	-	-	-	1	1	-	4	2	5	1	6	4	4	13	8	12	12	5	3	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	2	1	-	2	-	-	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	110	2	2	-	-	2	2	-	4	3	1	2	7	15	9	13	14	8	9	7	3	3	3	1	-	-
	White-----M--	36	1	1	-	-	1	1	-	1	1	-	1	-	3	1	5	6	4	3	4	1	-	2	-	-	-
	F--	39	-	1	-	-	-	-	-	1	1	-	-	4	3	4	5	4	4	5	3	1	2	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	2	1	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-
	F--	25	1	-	-	-	1	-	-	-	-	-	-	3	9	4	2	3	-	1	-	-	-	-	1	-	-
260	Diabetes mellitus-	456	-	1	-	1	-	1	3	2	-	5	7	9	18	21	36	40	44	68	85	53	38	22	-	2	-
	White-----M--	159	-	1	-	-	-	-	1	-	-	3	4	2	6	3	9	9	12	27	35	24	16	7	-	-	-
	F--	188	-	-	-	1	-	1	2	1	-	1	2	3	2	6	7	16	17	28	40	26	20	13	-	2	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	-	1	6	2	7	4	4	3	4	1	-	-	-	-	-
	F--	76	-	-	-	-	-	-	-	1	-	-	1	3	4	10	13	11	11	10	6	2	2	2	-	-	-
290-293	Anemias----------	92	11	7	2	-	-	5	1	1	1	3	4	1	-	5	5	4	5	10	9	10	2	4	2	-	-
	White-----M--	35	2	-	-	-	-	2	-	-	-	1	-	1	-	3	2	2	1	5	5	6	1	2	2	-	-
	F--	22	-	-	2	-	-	-	-	-	1	-	-	-	-	-	2	1	3	3	3	4	1	2	-	-	-
	Nonwhite--M--	14	4	2	-	-	-	2	1	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	21	5	5	-	-	-	1	-	-	-	2	1	-	-	2	1	-	1	2	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	58	27	4	3	2	-	3	2	-	-	-	2	2	1	1	1	2	3	1	3	1	-	-	-	-	-
	White-----M--	22	10	2	2	-	-	2	-	-	-	-	1	-	-	-	-	1	-	1	2	1	-	-	-	-	-
	F--	10	3	-	-	1	-	-	2	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	8	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	13	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	17,119	9	6	5	4	5	9	10	18	32	65	96	226	403	704	1,092	1,455	1,851	2,459	2,503	2,454	1,934	1,192	445	135	7
	White-----M--	8,712	4	2	2	2	3	2	3	6	6	25	37	92	182	318	525	799	1,007	1,329	1,386	1,296	931	530	183	40	2
	F--	5,239	1	1	-	2	1	3	5	3	10	13	20	30	63	118	153	238	401	689	800	952	866	584	224	60	2
	Nonwhite--M--	1,644	1	2	3	-	1	2	2	5	7	9	17	52	74	126	204	209	243	249	172	121	78	38	16	10	3
	F--	1,524	3	1	-	-	-	2	-	4	9	18	22	52	84	142	210	209	200	192	145	85	59	40	22	25	-
330-334, 400-468	Diseases of cardiovascular system-	16,767	9	6	5	4	4	6	8	14	29	57	89	211	376	678	1,070	1,435	1,819	2,423	2,462	2,419	1,898	1,166	440	132	7
	White-----M--	8,582	4	2	2	2	2	1	1	5	6	21	36	89	176	311	521	791	994	1,316	1,371	1,279	914	516	181	39	2
	F--	5,146	1	1	-	2	1	1	5	2	10	12	19	26	58	114	149	235	396	679	787	938	853	574	221	60	2
	Nonwhite--M--	1,585	1	2	3	-	1	2	2	4	5	9	15	50	66	120	199	204	235	244	164	118	74	38	16	10	3
	F--	1,454	3	1	-	-	-	2	-	3	8	15	19	46	76	133	201	205	194	184	140	84	57	38	22	23	-
330-334	Vascular lesions, etc.*----------	3,931	5	1	2	2	3	-	1	5	10	11	24	42	64	147	200	300	411	498	596	637	518	311	106	35	2
	White-----M--	1,563	2	-	-	1	1	-	1	1	2	5	7	9	15	38	55	89	172	187	275	300	232	125	36	10	-
	F--	1,350	1	1	-	1	1	-	-	-	3	3	8	1	18	23	30	51	90	161	210	266	241	162	60	18	1
	Nonwhite--M--	478	-	-	2	-	1	-	-	3	1	-	5	17	8	36	39	69	81	79	53	39	23	12	5	4	1
	F--	540	2	-	-	-	-	-	-	1	4	3	4	15	23	50	76	91	68	71	58	32	22	12	5	3	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																										
400-402	Rheumatic fever	21	-	-	-	1	1	5	2	-	1	2	1	1	1	-	1	2	1	1	1	-	-	-	-	-	-
	White-----M--	9	-	-	-	1	1	1	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	11,647	4	5	3	1	-	1	4	7	17	36	54	141	289	502	829	1,075	1,320	1,804	1,718	1,602	1,199	695	270	67	4
	White-----M--	6,498	2	2	2	-	-	-	-	3	4	14	27	72	156	267	449	674	781	1,079	1,016	889	599	317	121	22	2
	F--	3,366	-	-	-	1	-	1	2	1	6	8	10	19	34	85	112	171	294	477	525	601	528	338	124	29	-
	Nonwhite--M--	986	1	2	1	-	-	-	2	1	4	8	6	26	51	77	148	127	135	146	107	63	42	21	10	6	2
	F--	797	1	1	-	-	-	-	-	2	3	6	11	24	48	73	120	103	110	102	70	49	30	19	15	10	-
410-416	Chronic rheumatic heart disease	341	-	-	-	-	-	-	1	3	8	10	14	14	30	37	32	36	50	41	22	20	11	10	2	-	-
	White-----M--	144	-	-	-	-	-	-	-	1	1	4	5	7	14	10	15	14	24	21	13	10	3	2	-	-	-
	F--	147	-	-	-	-	-	-	-	-	4	4	6	3	8	23	14	18	19	17	7	8	8	6	2	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	1	-	2	1	1	4	3	2	-	3	3	3	2	2	-	2	-	-	-
	F--	21	-	-	-	-	-	-	-	2	1	1	2	-	5	2	3	1	4	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,247	1	-	-	-	-	-	-	-	4	12	24	91	191	345	579	800	973	1,373	1,278	1,129	798	438	175	45	1
	White-----M--	5,130	1	-	-	-	-	-	-	-	1	6	17	57	122	227	371	568	627	897	818	659	429	222	88	19	1
	F--	2,272	-	-	-	-	-	-	-	-	-	1	2	15	22	44	67	112	224	360	360	418	330	200	75	22	-
	Nonwhite--M--	500	-	-	-	-	-	-	-	-	1	4	2	11	29	43	87	69	73	72	47	28	21	7	5	1	-
	F--	345	-	-	-	-	-	-	-	-	2	1	3	8	18	31	54	51	49	44	33	24	8	9	7	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	372	-	1	2	-	-	1	1	-	-	1	1	10	12	18	51	55	77	93	136	165	158	130	52	7	1
	White-----M--	394	-	-	2	-	-	-	-	-	-	1	-	2	4	4	7	25	37	35	63	81	73	43	17	-	-
	F--	350	-	-	-	-	-	1	-	-	-	-	-	-	2	1	10	6	11	28	46	68	71	73	30	3	-
	Nonwhite--M--	125	-	-	-	-	-	-	1	-	-	-	-	3	2	6	15	14	18	19	19	8	7	7	3	2	1
	F--	103	-	1	-	-	-	-	-	-	-	-	1	5	4	7	19	10	11	11	8	8	7	7	2	2	-
430-434	Other diseases of heart	710	3	4	1	1	-	-	1	4	5	10	4	11	22	42	56	71	64	108	92	95	64	32	13	5	2
	White-----M--	391	1	2	-	-	-	-	-	2	2	3	3	5	12	18	33	36	44	65	54	56	32	13	8	1	1
	F--	177	-	-	-	1	-	-	1	1	2	3	1	-	1	7	7	14	9	21	26	32	27	17	5	2	-
	Nonwhite--M--	86	1	2	1	-	-	-	-	1	1	3	-	1	4	6	12	14	6	13	9	5	3	2	-	1	1
	F--	56	1	-	-	-	-	-	-	-	-	1	-	5	5	11	4	7	5	9	3	2	2	-	-	1	-
440-443	Hypertension with heart dis.	1,377	-	-	-	-	-	-	1	-	-	3	11	15	34	60	111	113	156	189	190	193	178	85	28	10	-
	White-----M--	439	-	-	-	-	-	-	-	-	-	-	2	1	4	8	23	31	49	61	68	83	62	37	8	2	-
	F--	420	-	-	-	-	-	-	1	-	-	-	1	1	1	10	14	21	31	51	66	75	92	42	12	2	-
	Nonwhite--M--	246	-	-	-	-	-	-	-	-	-	-	3	7	13	20	34	27	35	39	30	20	11	3	2	2	-
	F--	272	-	-	-	-	-	-	-	-	-	3	5	6	16	22	40	34	41	38	26	15	13	3	6	4	-
444-447	Hypertension without mention of heart	263	-	-	-	-	-	-	-	-	-	3	8	14	6	14	11	20	24	31	31	34	32	26	7	2	-
	White-----M--	92	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	9	8	6	15	12	15	16	-	1	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	3	11	10	16	14	5	6	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	4	5	2	3	4	3	5	8	2	6	1	1	1	-	-
	F--	47	-	-	-	-	-	-	-	-	-	2	3	4	1	6	2	4	8	6	4	-	2	4	-	1	-
450	General arteriosclerosis	582	-	-	-	-	-	-	-	-	-	1	-	1	1	1	9	15	27	42	59	106	122	121	49	27	1
	White-----M--	240	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	8	11	28	52	57	52	20	6	-
	F--	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	18	22	44	56	62	28	13	1
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	9	9	1	7	7	4	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	6	4	8	3	2	3	1	8	-
451-468	Other diseases of circulatory sys.	323	-	-	-	-	-	-	1	2	1	4	2	12	15	14	20	23	36	47	57	40	27	13	8	1	-
	White-----M--	180	-	-	-	-	-	-	-	1	-	-	-	3	4	4	14	13	25	32	37	26	11	6	4	-	-
	F--	91	-	-	-	-	-	-	1	1	1	1	1	4	4	3	2	3	4	12	18	11	14	7	3	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	2	5	2	1	3	1	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	3	1	3	4	4	1	5	2	1	-	-	1	-	1	1	-
592-594	Chronic nephritis, etc.*	352	-	-	-	-	1	3	2	4	3	8	7	15	27	26	22	20	32	36	41	35	36	26	5	3	-
	White-----M--	130	-	-	-	-	1	1	2	1	-	4	1	3	6	7	4	8	13	13	15	17	17	14	2	1	-
	F--	93	-	-	-	-	-	2	-	1	-	1	1	4	5	4	4	3	5	10	13	14	13	10	3	-	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	1	2	-	2	2	8	6	5	5	8	5	8	3	4	-	-	-	-
	F--	70	-	-	-	-	-	-	-	1	1	3	3	6	8	9	9	4	6	8	5	1	2	2	-	2	-
480-493	Influenza and pneumonia, etc.*	836	170	36	9	4	3	7	3	4	6	13	11	14	19	35	46	33	53	67	70	65	71	62	26	9	-
	White-----M--	274	33	6	4	-	1	1	2	1	-	1	3	1	4	12	9	14	16	31	29	31	33	30	10	2	-
	F--	209	18	5	2	-	1	1	1	1	-	3	1	5	3	4	8	4	8	15	28	23	31	28	14	5	-
	Nonwhite--M--	182	57	10	2	3	-	3	-	2	3	5	3	3	7	14	19	6	15	13	4	6	3	4	-	-	-
	F--	171	62	15	1	1	1	2	-	-	3	4	4	5	5	5	10	9	14	8	9	5	4	-	2	2	-
480-483	Influenza	85	23	4	1	-	-	-	-	1	1	-	1	-	-	5	9	4	5	8	8	2	6	4	1	2	-
	White-----M--	16	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	3	1	2	1	1	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	3	1	1	2	-	1	-
	Nonwhite--M--	23	7	-	-	-	-	-	-	1	-	-	-	-	-	1	4	1	2	3	1	-	2	1	-	-	-
	F--	32	14	3	1	-	-	-	-	-	1	-	1	-	-	1	2	1	2	3	1	-	1	-	-	1	-
490-493	Pneumonia, etc.*	751	147	32	8	4	3	7	3	3	5	13	10	14	19	30	37	29	48	59	62	63	65	58	25	7	-
	White-----M--	258	33	5	4	-	1	1	2	1	-	1	3	1	4	10	8	12	16	29	26	30	31	29	9	2	-
	F--	195	16	5	2	-	1	1	1	1	-	3	1	5	3	3	6	4	7	15	25	22	30	26	14	4	-
	Nonwhite--M--	159	50	10	2	3	-	3	-	1	3	5	3	3	7	13	15	5	13	10	3	6	1	3	-	-	-
	F--	139	48	12	-	1	1	2	-	-	2	4	3	5	5	4	8	8	12	5	8	5	3	-	2	1	-
500-502	Bronchitis	60	10	3	2	-	-	2	-	-	-	-	-	-	2	2	2	3	6	6	4	8	6	2	1	1	-
	White-----M--	31	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	2	5	3	4	5	4	1	-	1	-
	F--	16	2	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	3	2	1	1	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	9	4	1	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	200	1	1	-	-	-	-	-	-	1	3	3	4	10	14	23	16	22	35	29	16	20	1	1	-	-
	White-----M--	134	-	-	-	-	-	-	-	-	1	1	-	1	3	7	16	11	18	27	20	13	16	-	-	-	-
	F--	33	-	1	-	-	-	-	-	-	-	-	1	1	3	1	2	3	2	4	6	3	4	1	1	-	-
	Nonwhite--M--	28	1	-	-	-	-	-	-	-	-	2	1	2	4	4	4	2	2	3	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	46	2	-	1	-	-	-	2	1	-	1	-	2	4	3	3	6	4	3	4	6	1	3	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	3	2	2	1	2	-	-	-
	F--	9	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	3	-	1	-	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	210	32	2	-	-	-	-	1	-	2	1	3	5	4	14	16	13	16	20	30	20	20	6	5	-	-
	White-----M--	72	12	2	-	-	-	-	-	-	-	-	-	1	2	3	2	1	6	7	14	10	7	4	1	-	-
	F--	84	9	-	-	-	-	-	-	-	-	-	2	2	1	2	5	8	5	11	12	10	12	1	4	-	-
	Nonwhite--M--	35	7	-	-	-	-	-	1	-	2	-	-	-	-	5	5	4	4	2	3	-	1	1	-	-	-
	F--	19	4	-	-	-	-	-	-	-	-	1	1	2	1	4	4	-	1	-	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																										
543, 571, 572	Gastritis, etc.*	215	129	9	2	2	1	2	-	-	1	1	3	-	3	1	4	9	8	11	8	10	4	6	1	-	-
	White-----M--	41	9	1	-	-	-	1	-	-	-	1	-	-	-	1	3	2	3	8	4	4	1	3	-	-	-
	F--	45	12	-	-	1	1	-	-	-	1	-	1	-	2	-	1	4	5	2	4	5	2	3	1	-	-
	Nonwhite--M--	67	55	6	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-
	F--	62	53	2	2	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	363	2	-	-	-	-	1	-	-	2	5	10	20	29	42	49	43	44	53	28	21	9	5	-	-	-
	White-----M--	208	1	-	-	-	-	1	-	-	1	3	3	9	17	19	29	24	30	33	19	12	5	2	-	-	-
	F--	112	1	-	-	-	-	-	-	-	-	1	5	8	7	12	13	17	11	16	7	8	3	3	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	-	4	5	4	2	2	3	1	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	-	2	3	1	6	3	-	1	1	1	1	1	-	-	-	-
590, 591	Acute nephritis, etc.*	70	3	-	-	1	-	2	-	-	1	2	1	4	9	7	8	4	6	4	6	5	2	3	2	-	-
	White-----M--	17	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2	1	-	1	2	3	1	1	1	-	-
	F--	18	-	-	-	1	-	1	-	-	-	-	1	3	3	-	-	1	-	-	4	-	1	2	1	-	-
	Nonwhite--M--	17	2	-	-	-	-	-	-	-	1	-	-	1	2	2	3	1	1	3	-	1	-	-	-	-	-
	F--	18	1	-	-	-	-	-	-	-	-	1	-	-	2	4	3	1	5	-	-	1	-	-	-	-	-
610	Hyperplasia of prostate	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	11	17	21	34	28	11	11	3	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	10	16	31	26	11	10	3	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	5	3	2	-	1	-	-
640-689	Complications of pregnancy, etc.*	58	...	...	...	...	...	...	-	4	10	13	11	17	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	2	4	6	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	34	...	...	...	...	...	...	-	2	6	7	8	8	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	12	...	...	...	...	...	...	-	1	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	46	...	...	...	...	...	...	-	3	4	10	11	15	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	2	2	5	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	27	...	...	...	...	...	...	-	1	2	5	8	8	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	460	339	23	8	10	2	17	7	6	5	2	5	4	4	6	4	1	6	5	2	2	2	-	-	-	-
	White-----M--	190	144	4	4	4	1	9	2	2	1	1	3	1	2	1	2	1	3	2	1	1	1	-	-	-	-
	F--	169	124	10	2	4	-	7	4	2	1	-	1	2	2	1	2	-	2	3	1	-	1	-	-	-	-
	Nonwhite--M--	56	38	6	2	-	-	1	-	1	2	-	-	1	-	3	-	-	1	-	-	1	-	-	-	-	-
	F--	45	33	3	-	2	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,559	1,559	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	539	539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	656	656	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	796	796	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	823	97	11	4	-	-	3	-	4	4	11	5	13	28	40	65	68	64	76	85	84	60	44	34	21	2
	White-----M--	293	17	1	1	-	-	-	-	-	1	1	-	4	8	14	26	28	32	34	34	40	19	18	6	8	1
	F--	157	9	2	-	-	-	-	-	-	-	2	2	1	5	5	3	13	5	9	19	22	20	16	17	6	1
	Nonwhite--M--	201	35	4	2	-	-	1	-	2	-	4	2	5	8	15	17	15	15	19	21	11	16	4	4	1	-
	F--	172	36	4	1	-	-	2	-	2	3	4	1	3	7	6	19	12	12	14	11	11	5	6	7	6	-
Residual	All other diseases	1,688	95	19	13	7	4	16	13	21	20	37	54	67	74	107	111	145	151	179	192	164	108	63	13	14	1
	White-----M--	778	32	4	5	1	2	4	8	8	7	11	11	13	28	38	44	69	86	112	113	91	53	26	6	6	-
	F--	516	25	9	3	3	2	4	1	4	1	9	14	19	17	36	29	42	44	45	59	62	48	28	6	6	-
	Nonwhite--M--	235	22	5	3	2	-	6	3	3	2	6	15	16	20	22	29	19	12	13	15	7	5	6	1	2	1
	F--	159	16	1	2	1	-	2	1	6	10	11	14	19	9	11	9	15	9	9	5	4	2	3	-	-	-
E800-E962	Accidents	2,281	98	43	29	35	18	79	69	108	171	161	146	157	156	105	145	125	91	106	125	111	94	65	35	6	3
	White-----M--	1,128	34	18	7	12	9	30	38	62	104	88	74	82	82	62	73	69	51	50	64	59	32	18	7	1	2
	F--	543	20	11	13	9	3	19	11	12	16	22	18	24	31	13	29	24	20	33	48	47	50	41	24	5	-
	Nonwhite--M--	445	25	9	5	7	3	20	19	28	40	39	44	38	37	12	39	26	14	17	10	4	5	3	-	-	1
	F--	165	19	5	4	7	3	10	1	6	11	12	10	13	6	18	4	6	6	6	3	1	7	3	4	-	-
E810-E835	Motor-vehicle accidents	977	9	17	10	13	11	28	25	47	105	94	82	82	80	50	67	63	41	50	49	27	15	9	1	-	2
	White-----M--	514	5	7	2	6	6	11	16	28	67	51	40	35	40	29	32	33	23	25	24	18	8	6	1	-	1
	F--	214	2	8	6	3	2	9	4	7	10	20	14	15	16	8	17	14	7	16	21	8	6	1	-	-	-
	Nonwhite--M--	187	1	1	1	1	2	6	5	8	22	16	22	22	23	3	16	13	8	8	4	1	1	2	-	-	1
	F--	62	1	1	1	3	1	2	-	4	6	7	6	10	1	10	2	3	3	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,304	89	26	19	22	7	51	44	61	66	67	64	75	76	55	78	62	50	56	76	84	79	56	34	6	1
	White-----M--	614	29	11	5	6	3	19	22	34	37	37	34	47	42	33	41	36	28	25	40	41	24	12	6	1	1
	F--	329	18	3	7	6	1	10	7	5	6	2	4	9	15	5	12	10	13	17	27	39	44	40	24	5	-
	Nonwhite--M--	258	24	8	4	6	1	14	14	20	18	23	22	16	14	9	23	13	6	9	6	3	4	1	-	-	-
	F--	103	18	4	3	4	2	8	1	2	5	5	4	3	5	8	2	3	3	5	3	1	7	3	4	-	-
E963, E970-E979	Suicide	446	-	-	-	-	-	-	-	3	17	19	33	30	42	50	45	67	41	45	21	14	12	3	4	-	-
	White-----M--	302	-	-	-	-	-	-	-	1	8	10	17	21	30	35	23	47	29	34	18	12	10	3	4	-	-
	F--	120	-	-	-	-	-	-	-	2	6	6	14	7	9	14	19	14	11	11	3	2	2	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	3	3	2	2	2	1	2	6	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	388	3	1	-	1	-	3	3	21	40	68	58	52	40	28	26	18	10	7	5	1	1	1	-	-	1
	White-----M--	71	1	-	-	-	-	-	1	1	4	12	12	9	9	3	4	7	3	2	3	-	-	-	-	-	-
	F--	42	1	-	-	1	-	1	1	2	7	3	4	4	1	6	1	4	-	3	1	-	1	1	-	-	-
	Nonwhite--M--	205	1	-	-	-	-	2	1	11	17	37	35	30	25	13	16	7	6	1	1	1	-	-	-	-	1
	F--	70	-	1	-	-	-	-	-	7	12	16	7	9	5	6	5	-	1	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA																										
	ALL CAUSES------	30,919	3,002	243	136	103	71	231	209	325	455	490	651	883	1,336	1,713	2,104	2,521	2,836	3,178	3,310	2,848	2,319	1,295	440	203	17
	White-----M--	11,267	843	71	36	37	17	92	80	125	169	178	229	286	424	629	699	941	1,043	1,255	1,400	1,218	918	436	117	23	1
	F--	8,006	632	49	24	13	13	48	38	57	62	77	91	135	208	292	313	430	601	788	1,048	1,158	984	657	209	74	5
	Nonwhite--M--	6,236	892	72	43	28	18	47	61	102	141	138	174	252	357	418	613	591	616	575	455	232	226	100	39	38	8
	F--	5,410	635	51	33	25	23	44	30	41	83	97	157	210	347	374	479	559	576	560	407	240	191	102	75	68	3
001-019	Tuberculosis, all forms--------	274	1	5	3	2	-	2	-	3	10	13	13	21	33	26	26	22	22	25	24	9	7	4	1	1	1
	White-----M--	94	-	-	1	-	-	1	-	-	1	1	2	7	11	8	6	9	12	13	14	4	2	2	-	-	-
	F--	29	-	1	-	-	-	-	-	-	-	1	-	1	5	2	1	1	4	3	5	2	2	-	-	1	-
	Nonwhite--M--	84	1	2	1	-	-	-	-	2	4	4	4	7	8	11	13	7	4	5	4	2	2	2	-	-	1
	F--	67	-	2	1	2	-	1	-	1	5	7	7	6	9	5	6	5	2	4	1	1	1	-	1	-	-
001-008	Tuberculosis of respiratory system----------	256	-	3	1	1	-	2	-	2	9	13	13	19	32	25	23	20	22	25	23	9	7	4	1	1	1
	White-----M--	90	-	-	-	-	-	1	-	-	1	1	2	6	11	8	6	8	12	13	13	4	2	2	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	-	1	5	2	1	1	4	3	5	2	2	-	-	1	-
	Nonwhite--M--	79	-	2	-	-	-	-	-	1	3	4	4	7	8	11	12	7	4	5	4	2	2	2	-	-	1
	F--	59	-	1	1	1	-	1	-	1	5	7	7	5	8	4	4	4	2	4	1	1	1	-	1	-	-
010-019	Tuberculosis, other forms------	18	1	2	2	1	-	-	-	1	1	-	-	2	1	1	3	2	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	1	-	1	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	98	2	-	1	-	-	-	-	-	1	1	3	3	6	15	14	13	15	10	9	5	-	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	1	-	2	-	1	3	2	1	6	2	4	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	-	-	-	-	-	-
	Nonwhite--M--	50	-	-	1	-	-	-	-	-	-	-	1	3	3	10	9	8	8	4	1	2	-	-	-	-	-
	F--	18	2	-	-	-	-	-	-	-	-	1	-	-	1	1	3	4	-	4	1	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	33	12	2	-	2	-	-	-	-	-	-	-	-	1	-	-	3	-	3	6	3	1	-	-	-	-
	White-----M--	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	8	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	1	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	9	2	1	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	18	-	1	2	4	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	23	17	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	24	10	1	3	2	2	1	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	13	5	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	1	1	1	-	-	3	3	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	1	1	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	1	1	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	99	20	7	1	2	-	6	4	2	2	2	1	2	5	5	5	3	6	10	5	5	3	1	1	1	-
	White-----M--	25	7	1	-	-	-	2	1	-	-	-	-	1	1	2	1	1	2	3	1	-	1	-	1	-	-
	F--	27	1	2	-	1	-	1	1	1	-	-	1	1	1	1	-	-	1	4	3	4	2	1	-	1	-
	Nonwhite--M--	30	9	1	-	-	-	2	2	-	-	-	-	-	1	2	4	2	2	3	1	1	-	-	-	-	-
	F--	17	3	3	1	1	-	1	-	1	2	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,868	7	8	13	7	7	30	16	16	21	38	74	118	234	316	395	456	466	493	456	332	218	109	27	9	2
	White-----M--	1,392	3	3	6	5	3	11	8	8	7	14	29	29	48	85	119	159	161	200	194	137	101	48	12	1	1
	F--	1,394	1	-	3	-	3	10	3	1	9	16	25	44	91	103	122	154	158	167	171	155	93	51	11	3	-
	Nonwhite--M--	458	1	2	2	-	1	4	2	7	2	2	5	11	22	45	68	66	75	57	42	22	14	4	1	2	1
	F--	624	2	3	2	2	-	5	3	-	3	6	15	34	73	83	86	77	72	69	49	18	10	6	3	3	-
140-148	Of buccal cavity and pharynx------	103	-	-	1	-	-	-	1	-	-	-	2	3	5	4	7	19	9	11	14	15	6	6	-	-	-
	White-----M--	55	-	-	1	-	-	-	1	-	-	-	1	-	-	3	3	14	6	6	6	8	3	3	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	4	1	3	6	6	3	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,151	2	1	1	-	-	1	1	-	1	5	10	12	47	81	114	132	126	169	179	127	80	47	10	4	1
	White-----M--	431	2	1	-	-	-	-	-	-	-	2	5	3	15	21	35	44	48	69	71	49	36	24	5	-	1
	F--	365	-	-	-	-	-	-	-	-	-	1	2	3	13	14	21	38	36	51	68	60	34	19	3	2	-
	Nonwhite--M--	193	-	-	1	-	-	-	1	-	1	1	2	4	9	24	34	29	22	27	17	9	7	3	1	1	-
	F--	162	-	-	-	-	-	1	-	-	-	1	1	2	10	22	24	21	20	22	23	9	3	1	1	1	-
160-164	Of respiratory system (not secondary)--------	456	-	1	-	-	-	-	-	2	1	3	2	14	23	46	67	70	79	63	45	21	14	4	-	-	1
	White-----M--	321	-	-	-	-	-	-	-	-	-	1	2	9	11	31	47	55	57	49	34	15	8	2	-	-	-
	F--	59	-	-	-	-	-	-	-	-	1	2	-	3	4	2	4	5	12	7	6	6	5	2	-	-	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	2	-	-	-	1	7	11	15	9	8	7	4	-	1	-	-	-	1
	F--	10	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	1	-	-	-	-	-	-
170	Of breast---------	349	-	-	-	-	-	-	-	-	1	2	12	13	35	44	45	43	40	36	25	25	10	13	4	1	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-
	F--	239	-	-	-	-	-	-	-	-	1	-	8	6	19	32	31	26	27	23	21	22	10	11	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	102	-	-	-	-	-	-	-	-	-	2	4	7	16	11	13	16	13	12	4	-	-	1	2	1	-
171-179	Of genital organs-	795	-	-	-	-	-	1	1	-	5	8	12	37	61	78	81	90	95	97	89	70	45	15	8	2	-
	White-----M--	170	-	-	-	-	-	-	-	-	1	1	1	2	3	2	3	1	13	30	34	35	29	9	5	1	-
	F--	330	-	-	-	-	-	-	-	-	1	4	5	16	27	38	41	45	44	35	34	24	8	4	3	1	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	13	17	11	11	7	4	1	-	-	-
	F--	223	-	-	-	-	-	1	1	-	3	3	6	18	30	35	34	31	21	21	10	4	4	1	-	-	-
180, 181	Of urinary organs-	147	-	-	1	-	1	2	-	1	-	1	1	2	6	6	13	17	21	16	22	13	16	6	2	-	-
	White-----M--	57	-	-	1	-	-	-	-	-	-	-	1	1	2	2	5	8	8	4	8	5	8	3	1	-	-
	F--	57	-	-	-	-	1	1	-	1	-	-	-	1	2	1	3	5	4	10	10	7	8	2	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	6	1	3	-	-	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	-	-	-	-	1	2	4	-	3	1	1	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	534	1	3	4	2	4	9	7	2	6	9	22	20	38	41	43	60	56	62	55	39	31	15	3	2	-
	White-----M--	196	1	-	1	-	2	3	4	2	3	4	13	8	11	15	14	24	17	22	26	12	8	5	1	-	-
	F--	199	-	-	1	-	2	2	1	-	3	5	8	6	15	15	13	23	17	24	16	20	18	8	2	-	-
	Nonwhite--M--	59	-	1	-	-	-	3	-	-	-	-	-	2	3	4	9	6	12	8	5	3	2	-	-	1	-
	F--	80	-	2	2	2	-	1	2	-	-	-	1	4	9	7	7	7	10	8	8	4	3	2	-	1	-
204	Leukemia and aleukemia----------	181	3	3	5	4	2	14	5	4	2	8	7	10	12	6	11	12	16	21	15	10	9	2	-	-	-
	White-----M--	87	-	2	2	4	1	6	2	2	1	4	4	3	5	4	5	6	2	13	9	6	5	1	-	-	-
	F--	69	-	-	2	-	-	7	2	-	1	4	2	6	5	-	4	4	11	6	6	4	4	1	-	-	-
	Nonwhite--M--	16	1	1	1	-	1	-	1	2	-	-	-	1	-	-	2	2	3	1	-	-	-	-	-	-	-
	F--	9	2	-	-	-	-	1	-	-	-	-	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-
200-205, 205	Lymphomas, etc.*--	152	1	-	1	1	-	3	1	7	5	2	6	7	7	10	14	13	24	18	12	12	7	1	-	-	-
	White-----M--	70	-	-	1	1	-	2	1	4	2	2	2	3	1	6	7	6	10	7	6	5	4	-	-	-	-
	F--	43	1	-	-	-	-	-	-	-	2	-	-	2	3	1	2	4	6	8	4	6	3	1	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	1	-	3	1	-	3	1	-	2	3	2	5	1	1	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	3	2	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	105	5	1	1	1	-	3	3	6	3	4	7	6	12	9	10	8	5	8	4	6	3	-	-	-	-
	White-----M--	27	2	-	-	-	-	3	1	2	-	-	3	-	1	4	1	3	1	3	2	1	-	-	-	-	-
	F--	29	1	1	1	1	-	-	-	1	1	3	1	2	-	2	3	2	2	2	1	3	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	F--	44	2	-	-	-	-	-	2	2	2	1	3	4	11	3	6	3	2	2	-	-	1	-	-	-	-
260	Diabetes mellitus-	410	-	1	-	-	-	-	3	7	5	5	5	10	20	34	34	44	60	50	61	39	21	9	2	-	-
	White-----M--	119	-	-	-	-	-	-	-	2	1	1	2	3	4	10	10	10	12	19	20	14	5	5	1	-	-
	F--	128	-	-	-	-	-	-	-	1	1	-	1	2	2	5	3	9	20	17	27	22	14	3	1	-	-
	Nonwhite--M--	50	-	1	-	-	-	-	1	4	2	1	1	2	5	2	7	6	5	6	6	-	1	-	-	-	-
	F--	113	-	-	-	-	-	-	2	-	1	3	1	3	9	17	14	19	23	8	8	3	1	1	-	-	-
290-293	Anemias----------	65	3	2	4	2	1	-	-	-	2	3	1	1	1	2	2	7	4	4	8	8	4	4	1	1	-
	White-----M--	16	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	1	1	6	2	1	1	-	-	-
	F--	14	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	2	4	1	1	-	-	-
	Nonwhite--M--	19	3	-	4	1	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	1	1	2	1	-	-
	F--	16	-	1	-	1	-	-	-	-	1	2	-	1	1	2	-	1	2	1	-	1	1	-	-	1	-
340	Nonmeningococcal meningitis*------	57	22	5	4	3	-	1	3	2	-	-	1	-	1	3	3	2	2	2	-	1	-	-	2	-	-
	White-----M--	13	6	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
	F--	9	4	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	18	6	1	-	1	-	-	1	1	-	-	1	-	-	2	-	2	1	2	-	-	-	-	-	-	-
	F--	17	6	2	4	-	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,277	11	8	7	1	5	12	19	19	49	69	152	303	586	870	1,175	1,532	1,814	2,098	2,337	2,058	1,703	967	318	153	11
	White-----M--	6,051	2	5	-	-	-	6	3	5	8	19	45	81	177	325	390	581	658	803	975	871	688	309	83	17	-
	F--	4,341	-	1	-	1	-	1	5	5	9	7	14	35	66	113	125	187	328	483	722	823	704	503	151	54	4
	Nonwhite--M--	3,028	4	1	5	-	5	3	5	8	12	23	42	102	195	225	375	387	408	406	334	181	164	76	30	33	4
	F--	2,857	5	1	2	-	-	2	6	1	20	20	51	85	148	207	285	377	420	406	306	183	147	79	54	49	3
330-334, 400-468	Diseases of cardiovascular system-	15,772	10	8	4	1	5	11	16	15	39	60	143	278	553	839	1,137	1,491	1,767	2,049	2,271	2,012	1,660	936	307	149	11
	White-----M--	5,933	1	5	-	-	-	5	2	3	6	17	43	76	173	315	384	571	649	793	963	856	676	300	78	17	-
	F--	4,240	-	1	-	1	-	1	3	3	6	6	14	33	62	111	120	183	323	478	704	808	689	489	147	54	4
	Nonwhite--M--	2,888	4	1	3	-	5	3	5	8	10	20	38	93	178	213	363	375	397	393	317	173	154	70	29	32	4
	F--	2,711	5	1	1	-	-	2	6	1	17	17	48	76	140	200	270	362	398	385	287	175	141	77	53	46	3
330-334	Vascular lesions, etc.*----------	4,899	3	3	1	-	1	2	3	6	16	19	43	75	153	240	329	456	535	599	740	648	547	328	102	48	2
	White-----M--	1,404	-	2	-	-	-	1	1	1	3	5	9	7	24	49	52	118	132	173	260	247	199	88	26	7	-
	F--	1,435	-	1	-	-	-	-	-	1	3	4	4	9	20	46	42	63	100	135	232	279	244	187	47	18	-
	Nonwhite--M--	968	2	-	1	-	1	-	1	4	4	6	11	31	60	63	123	125	135	138	115	57	52	22	10	7	-
	F--	1,092	1	-	-	-	-	1	1	-	6	4	19	28	49	82	112	150	168	153	133	65	52	31	19	16	2

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																										
400-402	Rheumatic fever---	51	-	-	2	-	3	6	10	3	5	2	-	6	2	3	1	2	-	1	2	2	-	-	1	-	-
	White-----M--	12	-	-	-	-	-	3	1	1	1	-	-	3	1	-	-	1	-	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	2	-	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	18	-	-	1	-	3	2	4	2	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-
	F--	13	-	-	1	-	-	-	3	-	2	1	-	1	1	-	-	-	-	1	2	-	-	-	1	-	-
410-443	Diseases of heart-	9,768	6	5	1	1	1	2	2	5	17	33	79	169	358	556	761	973	1,124	1,339	1,384	1,223	973	497	166	84	9
	White-----M--	4,132	-	3	-	-	-	1	-	1	2	10	31	63	139	254	324	433	483	580	632	551	405	167	45	8	-
	F--	2.515	-	-	-	1	-	-	-	1	2	1	8	19	37	62	70	112	208	318	434	474	405	248	79	32	4
	Nonwhite--M--	1,708	2	1	1	-	1	-	-	2	5	11	18	51	103	134	224	233	229	236	180	106	90	43	12	22	4
	F--	1.413	4	1	-	-	-	1	2	1	8	11	22	36	79	106	143	195	204	205	138	92	73	39	30	22	1
410-416	Chronic rheumatic heart disease----	228	-	-	-	-	-	1	-	1	6	8	14	17	40	29	24	22	15	14	13	11	6	3	3	1	-
	White-----M--	92	-	-	-	-	-	-	-	1	1	3	8	7	17	9	9	9	9	3	7	5	2	1	1	-	-
	F--	51	-	-	-	-	-	-	-	-	1	1	3	4	9	5	4	3	1	6	5	2	3	2	1	1	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	2	3	2	3	6	9	5	8	2	4	-	2	-	-	-	-	-
	F--	39	-	-	-	-	-	1	-	-	2	1	1	3	8	6	6	2	3	1	1	2	1	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,929	1	-	-	-	1	-	1	1	5	14	33	89	197	359	468	611	730	862	984	752	540	284	75	36	6
	White-----M--	3,056	-	-	-	-	-	-	-	-	1	5	16	45	103	210	261	346	394	463	452	371	254	109	22	4	-
	F--	1,544	-	-	-	-	-	-	-	-	-	-	3	8	17	39	48	77	143	223	294	297	216	120	42	11	4
	Nonwhite--M--	778	-	-	-	-	1	-	-	1	2	6	6	25	48	66	99	112	118	99	73	51	36	18	3	12	2
	F--	551	1	-	-	-	-	-	1	-	2	3	8	11	29	44	60	76	75	77	65	33	32	17	8	9	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,026	2	1	-	1	-	1	-	1	-	1	9	15	23	29	63	82	89	125	143	156	137	95	38	15	-
	White-----M--	284	-	1	-	-	-	1	-	-	-	-	2	3	1	4	14	17	19	32	49	61	46	24	10	-	-
	F--	275	-	-	-	1	-	-	-	-	-	-	1	1	1	2	1	9	12	25	32	52	56	59	16	7	-
	Nonwhite--M--	252	1	-	-	-	-	-	-	-	-	1	2	7	14	11	25	29	32	40	37	20	20	6	2	5	-
	F--	215	1	-	-	-	-	-	-	1	-	-	4	4	7	12	23	27	26	28	25	23	15	6	10	3	-
430-434	Other diseases of heart---------	558	2	4	1	-	-	-	1	2	4	8	11	16	23	47	60	53	49	67	59	62	46	26	9	7	1
	White-----M--	203	-	2	-	-	-	-	-	-	-	2	5	5	9	19	21	13	22	27	22	26	16	8	3	3	-
	F--	126	-	-	-	-	-	-	-	1	1	-	-	4	2	9	5	7	7	11	16	25	22	11	3	2	-
	Nonwhite--M--	123	1	1	1	-	-	-	-	1	-	1	3	2	6	11	22	17	9	17	14	6	5	3	1	1	1
	F--	106	1	1	-	-	-	-	1	-	3	5	3	5	6	8	12	16	11	12	7	5	3	4	2	1	-
440-443	Hypertension with heart dis.--	2,027	1	-	-	-	-	-	-	-	2	2	12	32	75	92	146	205	241	271	285	242	244	109	41	25	2
	White-----M--	497	-	-	-	-	-	-	-	-	-	-	-	3	9	12	19	48	39	55	102	88	87	25	9	1	-
	F--	519	-	-	-	-	-	-	-	-	-	-	1	2	8	7	12	16	45	53	87	98	106	56	17	11	-
	Nonwhite--M--	509	-	-	-	-	-	-	-	-	1	-	5	14	29	37	73	67	68	76	56	27	29	16	6	4	1
	F--	502	1	-	-	-	-	-	-	-	1	2	6	13	29	36	42	74	89	87	40	29	22	12	9	9	1
444-447	Hypertension without mention of heart----------	343	-	-	-	-	-	-	-	-	-	3	15	13	24	18	19	28	46	38	35	37	28	27	7	5	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	2	2	4	1	2	5	11	8	16	10	13	14	-	-	-
	F--	66	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	4	7	6	6	19	9	6	3	1	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	-	3	8	5	11	8	7	8	16	14	6	4	1	4	4	2	-
	F--	88	-	-	-	-	-	-	-	-	-	-	5	4	7	9	9	11	12	10	7	4	5	3	-	2	-
450	General arteriosclerosis--------	468	-	-	-	-	-	-	-	-	-	-	-	3	2	3	6	13	32	48	71	80	95	73	30	12	-
	White-----M--	185	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	9	19	28	38	50	29	7	2	-
	F--	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	12	23	26	27	39	18	3	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	5	10	3	14	4	9	1	2	1	-
	F--	72	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	10	14	6	12	9	4	3	6	-
451-468	Other diseases of circulatory sys.-	243	1	-	-	-	-	1	1	1	1	3	6	12	14	19	21	19	30	24	39	22	17	11	1	-	-
	White-----M--	112	1	-	-	-	-	-	-	-	-	2	1	1	5	10	6	12	14	13	27	9	9	2	-	-	-
	F--	63	-	-	-	-	-	-	1	1	-	-	2	3	3	2	5	3	5	7	9	9	4	9	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	1	-	-	-	-	1	2	3	4	5	3	7	2	2	2	2	-	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	2	6	3	3	5	1	4	2	1	2	2	-	-	-
592-594	Chronic nephritis, etc.*----------	505	1	-	3	-	-	1	3	4	10	9	9	25	33	31	38	41	47	49	66	46	43	31	11	4	-
	White-----M--	118	1	-	-	-	-	1	1	2	2	2	2	5	4	10	6	10	9	10	12	15	12	9	5	-	-
	F--	101	-	-	-	-	-	-	2	2	3	1	-	2	4	2	5	4	5	5	18	15	15	14	4	-	-
	Nonwhite--M--	140	-	-	2	-	-	-	-	-	2	3	4	9	17	12	12	12	11	13	17	8	10	6	1	1	-
	F--	146	-	-	1	-	-	-	-	-	3	3	3	9	8	7	15	15	22	21	19	8	6	2	1	3	-
480-493	Influenza and pneumonia, etc.*-	1,131	335	49	23	10	10	12	11	13	8	10	16	20	31	39	41	54	51	62	60	74	99	81	28	14	-
	White-----M--	265	46	8	5	3	-	1	2	3	-	1	-	6	5	12	5	14	12	18	23	33	35	21	10	2	-
	F--	255	50	4	5	1	1	2	2	1	2	3	-	2	2	4	1	6	9	11	13	29	55	34	12	6	-
	Nonwhite--M--	339	140	24	7	1	4	3	4	4	3	2	6	5	10	15	21	18	21	21	16	4	6	1	2	1	-
	F--	272	99	13	6	5	5	6	3	5	3	4	10	7	14	8	14	16	9	12	8	8	3	5	4	5	-
480-483	Influenza---------	181	22	4	2	1	1	3	1	3	2	1	3	1	4	7	10	9	12	15	21	17	19	12	7	4	-
	White-----M--	44	4	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	2	5	4	8	8	2	5	-	-
	F--	51	5	1	1	-	-	2	-	-	-	1	-	-	-	1	-	2	2	3	7	7	10	7	1	1	-
	Nonwhite--M--	44	12	1	1	-	-	-	1	-	2	-	-	-	2	2	5	2	5	3	5	-	1	1	-	1	-
	F--	42	1	2	-	1	1	-	-	3	-	-	3	1	1	2	5	3	3	4	5	2	-	2	1	2	-
490-493	Pneumonia, etc.*--	950	313	45	21	9	9	9	10	10	6	9	13	19	27	32	31	45	39	47	39	57	80	49	21	10	-
	White-----M--	221	42	8	5	3	-	-	2	3	-	1	-	6	4	10	5	12	10	13	19	25	27	19	5	2	-
	F--	204	45	3	4	1	1	-	2	1	2	2	-	2	2	3	1	4	7	8	6	22	45	27	11	5	-
	Nonwhite--M--	295	128	23	6	1	4	3	3	4	1	2	6	5	8	13	16	16	16	18	11	4	5	-	2	-	-
	F--	230	98	11	6	4	4	6	3	2	3	4	7	6	13	6	9	13	6	8	3	6	3	3	3	3	-
500-502	Bronchitis--------	56	4	3	2	1	1	1	-	-	1	-	-	-	-	3	2	2	13	6	2	3	1	5	2	4	-
	White-----M--	25	1	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	8	4	1	2	1	1	1	-	-
	F--	16	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	3	1	3	-
	Nonwhite--M--	10	2	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-
540, 541	Ulcer of stomach and duodenum-----	158	1	-	-	-	-	-	-	-	1	2	5	9	5	12	11	20	21	28	19	11	10	1	2	-	-
	White-----M--	93	1	-	-	-	-	-	-	-	-	-	4	2	2	7	6	10	10	18	17	9	5	1	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	3	5	-	2	3	-	1	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	1	1	-	6	2	2	4	7	6	4	1	-	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-	-
550-553	Appendicitis------	46	1	-	1	-	1	-	1	1	4	1	2	1	2	6	4	5	2	2	6	1	2	2	1	-	-
	White-----M--	13	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	2	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2	1	-	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	1	1	2	1	1	-	1	1	-	1	1	-	1	-	-	1	1	-	-
	F--	12	-	-	1	-	1	-	-	-	2	-	1	-	-	3	-	1	-	1	1	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	144	24	-	-	2	2	-	-	1	-	2	1	7	2	10	6	11	11	9	19	14	16	4	-	1	-
	White-----M--	41	9	-	-	1	1	-	-	-	-	-	1	3	1	-	3	3	1	3	6	6	3	-	-	-	-
	F--	46	7	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	4	4	7	6	9	2	-	1	-
	Nonwhite--M--	27	4	-	-	1	-	-	-	-	-	-	-	1	-	4	1	6	2	1	3	-	2	2	-	-	-
	F--	30	4	-	-	-	1	-	-	1	-	1	-	2	-	5	3	1	4	1	3	2	2	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																										
543,	Gastritis, etc.*--	245	141	14	5	5	2	2	1	1	-	1	1	3	4	7	6	13	8	3	6	8	6	5	1	2	-
571,	White-----M--	55	20	7	2	1	2	-	1	-	-	-	-	-	-	2	5	3	1	1	4	2	1	2	-	1	-
572	F--	39	13	2	-	-	-	2	-	-	-	-	-	1	-	1	1	4	3	2	-	4	4	1	-	1	-
	Nonwhite--M--	70	55	2	2	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	-	-	-	2	1	-	-
	F--	81	53	3	1	4	-	-	-	1	-	1	1	2	3	2	-	3	2	-	2	2	1	-	-	-	-
581	Cirrhosis of liver	212	1	-	-	-	-	-	-	-	-	5	12	17	18	26	29	21	25	22	16	15	3	2	-	-	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	-	6	8	10	17	14	10	13	10	12	6	1	1	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	7	5	9	3	7	2	1	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	2	3	2	1	3	6	3	6	2	1	-	-	-	-	-	-
	F--	28	1	-	-	-	-	-	-	-	-	3	2	5	5	3	4	1	1	1	-	2	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	98	1	2	1	1	2	2	2	3	2	3	8	5	5	9	12	8	9	6	7	4	4	2	-	-	-
	White-----M--	14	-	-	-	-	-	-	1	1	-	1	-	1	2	1	1	1	-	-	3	1	1	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	42	-	1	1	-	2	1	1	1	1	-	4	1	-	7	5	2	7	4	2	1	1	-	-	-	-
	F--	32	1	1	-	1	-	-	-	1	1	-	4	2	3	1	5	5	2	2	-	1	1	1	-	-	-
610	Hyperplasia of																										
	prostate---------	129	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	6	11	27	25	22	18	11	1	1	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	14	12	18	13	7	-	1	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	4	8	13	13	4	5	4	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	99	...	...	...	...	...	...	1	16	15	13	24	18	9	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	39	...	...	...	...	...	...	-	3	7	8	10	5	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	60	...	...	...	...	...	...	1	13	8	5	14	13	4	2	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	17	...	...	...	...	...	...	-	2	2	5	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	9	...	...	...	...	...	...	-	-	-	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	82	...	...	...	...	...	...	1	14	13	8	19	17	8	2	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	30	...	...	...	...	...	...	-	3	7	6	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	52	...	...	...	...	...	...	1	11	6	2	13	13	4	2	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	465	350	31	11	8	2	13	3	5	4	4	4	1	3	5	3	4	8	3	1	1	-	-	1	-	-
	White-----M--	168	123	17	3	5	1	3	1	-	1	1	1	1	-	1	2	2	4	1	-	1	-	-	-	-	-
	F--	152	114	8	2	-	-	7	-	3	3	2	1	-	2	3	-	-	4	2	1	-	-	-	-	-	-
	Nonwhite--M--	84	67	3	3	-	1	1	2	2	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	61	46	3	3	3	-	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
760-	Certain diseases																										
776	of early infancy-	1,695	1,693	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	534	533	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	467	466	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	706	706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	850	848	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	243	242	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	255	254	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	420	104	6	6	2	2	2	2	3	5	-	4	12	13	25	21	21	23	35	26	23	31	31	15	7	1
795	White-----M--	98	11	-	2	-	-	-	-	1	2	-	1	3	7	8	6	6	10	12	6	5	7	8	2	1	-
	F--	69	11	4	-	-	1	1	-	-	-	-	-	-	2	3	-	1	1	2	4	10	8	13	6	1	1
	Nonwhite--M--	135	44	-	2	1	-	-	2	1	1	-	1	6	3	11	7	9	7	11	10	2	11	6	-	-	-
	F--	118	38	2	2	1	1	1	-	1	2	-	2	3	1	3	8	5	5	10	6	6	5	4	7	5	-
Re-	All other diseases	1,482	90	30	11	13	3	18	15	19	40	31	56	70	105	86	111	116	126	150	125	123	88	32	18	4	2
sid-	White-----M--	528	31	8	1	6	2	5	6	8	10	5	16	18	29	31	37	45	50	63	53	56	30	16	2	-	-
ual	F--	418	17	6	3	4	1	3	4	1	7	5	8	10	15	23	24	26	34	50	50	55	45	12	14	1	-
	Nonwhite--M--	283	27	10	5	3	-	5	3	8	10	8	16	22	26	19	26	19	28	19	12	7	7	-	1	-	2
	F--	253	15	6	2	-	-	5	2	2	13	13	16	20	35	13	24	26	14	18	10	5	6	4	1	3	-
E800-	Accidents---------	2,420	136	58	32	31	26	114	116	182	208	195	166	166	145	132	122	105	99	101	74	71	75	42	19	5	-
E962	White-----M--	1,154	40	15	11	11	4	53	51	86	120	109	91	89	85	70	59	49	53	51	36	38	18	12	3	-	-
	F--	432	31	15	7	3	5	16	22	35	18	20	20	18	5	15	13	18	17	20	26	28	38	29	11	2	-
	Nonwhite--M--	588	41	18	8	14	4	26	35	52	63	51	39	48	40	38	36	29	15	13	5	1	9	-	1	2	-
	F--	246	24	10	6	3	13	19	8	9	7	15	16	11	15	9	14	9	14	17	7	4	10	1	4	1	-
E810-	Motor-vehicle																										
E835	accidents--------	1,094	13	18	11	11	9	54	41	121	145	126	90	88	61	69	51	54	46	35	23	20	6	1	1	-	-
	White-----M--	599	4	5	6	4	3	29	20	63	88	76	51	44	39	38	29	24	26	21	13	12	2	1	1	-	-
	F--	185	6	9	4	1	1	9	13	27	14	11	13	11	1	9	7	12	11	10	7	8	1	-	-	-	-
	Nonwhite--M--	246	1	3	1	5	3	10	7	27	39	31	20	28	16	19	10	14	6	2	2	-	2	-	-	-	-
	F--	64	2	1	-	1	2	6	1	4	4	8	6	5	5	3	5	4	3	2	1	-	1	-	-	-	-
E800-	All ot. accidents-	1,326	123	40	21	20	17	60	75	61	63	69	76	78	84	63	71	51	53	66	51	51	69	41	18	5	-
E802,	White-----M--	555	36	10	5	7	1	24	31	23	32	33	40	45	46	32	30	25	27	30	23	26	16	11	2	-	-
E840-	F--	247	25	6	3	2	4	7	9	8	4	9	7	7	4	6	6	6	6	10	19	20	37	29	11	2	-
E962	Nonwhite--M--	342	40	15	7	9	1	16	28	25	24	20	19	20	24	19	26	15	9	11	3	1	7	-	1	2	-
	F--	182	22	9	6	2	11	13	7	5	3	7	10	6	10	6	9	5	11	15	6	4	9	1	4	1	-
E963,	Suicide----------	319	-	-	-	-	-	-	-	10	17	23	32	34	34	39	34	28	26	16	11	9	3	3	-	-	-
E970-	White-----M--	232	-	-	-	-	-	-	-	5	12	17	18	26	28	32	25	19	18	13	6	8	3	2	-	-	-
E979	F--	58	-	-	-	-	-	-	-	4	4	3	6	6	1	6	6	8	7	2	3	1	-	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	-	6	1	4	1	2	1	1	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	3	2	1	1	-	1	-	-	1	1	-	-	-	-	-	-
E964,	Homicide----------	416	7	2	-	2	-	1	2	15	54	65	62	53	58	29	31	17	8	3	3	2	2	-	-	-	-
E980-	White-----M--	71	1	1	-	2	-	1	-	3	4	9	8	8	10	6	3	7	4	2	1	-	1	-	-	-	-
E985	F--	23	2	-	-	-	-	-	1	-	1	4	1	1	3	4	3	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	256	1	1	-	-	-	-	1	9	37	42	43	34	33	16	23	7	4	1	1	2	1	-	-	-	-
	F--	66	3	-	-	-	-	-	-	3	12	10	10	10	12	3	2	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO																										
	ALL CAUSES------	4,935	354	29	20	12	11	46	35	61	62	62	75	102	135	170	217	295	405	552	617	657	503	347	129	34	5
	White-----M--	3,044	215	20	13	6	7	22	26	47	41	40	43	70	79	106	145	208	282	368	368	383	286	173	73	19	4
	F--	1,808	131	8	7	5	4	23	8	12	18	18	26	30	52	60	66	81	118	177	246	266	212	173	55	12	-
	Nonwhite--M--	43	1	1	-	-	-	-	1	2	2	4	4	-	3	2	3	1	2	4	1	5	4	1	-	1	1
	F--	40	7	-	-	1	-	1	-	-	1	-	2	2	1	2	3	5	3	3	2	3	1	-	1	2	-
001-019	Tuberculosis, all forms--------	22	-	-	-	-	-	-	1	1	-	-	1	1	1	1	3	5	2	2	-	2	2	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	3	-	1	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	20	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	5	2	2	-	2	2	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	3	-	1	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	-	-	1	-	5	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	15	1	-	-	1	-	-	-	-	-	-	1	2	1	2	1	1	1	2	-	1	-	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	1	-	-
	F--	7	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*	700	1	1	2	1	1	8	4	3	6	4	10	19	31	38	38	57	86	111	104	87	52	27	9	-	-
	White—M	375	1	-	2	-	-	3	3	2	4	1	4	10	6	16	18	31	44	73	58	45	36	12	6	-	-
	F	318	-	1	-	1	1	5	1	1	2	3	6	9	25	22	20	23	42	38	46	38	16	15	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	4	1	1	1	-	1	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	-	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	234	-	-	-	-	-	-	-	-	2	-	-	5	3	8	8	13	27	35	42	42	27	19	3	-	-
	White—M	136	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	9	17	25	20	25	19	8	3	-	-
	F	96	-	-	-	-	-	-	-	-	2	-	-	3	2	3	6	4	10	10	22	15	8	11	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
160-164	Of respiratory system (not secondary)	63	-	-	-	-	-	-	-	-	-	1	1	1	3	2	5	9	8	15	8	8	2	-	-	-	-
	White—M	55	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	9	8	14	7	7	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	68	-	-	-	-	-	-	-	-	-	-	3	4	7	6	1	7	6	10	9	11	3	-	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	-	3	4	7	6	1	6	6	10	9	11	3	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	129	-	-	-	-	-	-	-	-	2	1	3	4	7	5	6	10	17	20	22	13	11	6	2	-	-
	White—M	68	-	-	-	-	-	-	-	-	2	-	1	2	-	2	1	1	5	14	17	8	10	4	1	-	-
	F	59	-	-	-	-	-	-	-	-	-	1	2	2	7	3	5	8	12	6	5	4	1	2	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	32	-	-	-	-	-	1	-	-	-	-	-	-	-	2	4	2	4	7	7	2	2	-	1	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	6	4	-	1	-	1	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	1	3	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	88	1	-	-	-	-	3	1	2	1	1	2	1	3	10	10	6	12	12	9	8	4	1	1	-	-
	White—M	41	1	-	-	-	-	1	1	1	1	1	2	1	-	4	5	2	4	6	5	4	2	-	-	-	-
	F	45	-	-	-	-	-	2	-	1	-	-	-	-	3	6	5	3	8	6	4	3	2	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	39	-	1	2	1	1	4	2	1	1	1	-	-	3	2	1	3	9	2	2	1	1	1	-	-	-
	White—M	22	-	-	2	-	-	2	2	1	1	-	-	-	2	-	-	2	6	1	1	1	1	-	-	-	-
	F	17	-	1	-	1	1	2	-	-	-	1	-	-	1	2	1	1	3	1	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	33	-	-	-	-	-	-	1	-	-	-	-	4	5	2	2	5	2	6	4	1	1	-	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	4	3	1	2	4	1	5	3	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	1	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	17	-	1	-	-	-	-	-	-	-	1	-	1	1	-	3	1	4	-	2	2	-	1	-	-	-
	White—M	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	78	-	-	-	-	-	-	1	-	3	4	-	-	-	1	4	5	12	8	11	8	15	5	1	-	-
	White—M	44	-	-	-	-	-	-	1	-	-	3	-	-	-	1	2	4	6	5	5	5	8	4	-	-	-
	F	34	-	-	-	-	-	-	-	-	3	1	-	-	-	-	2	1	6	3	6	3	7	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	8	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	1	1	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	6	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,576	5	1	1	-	-	1	4	9	6	6	13	20	43	76	103	155	220	339	412	452	352	237	95	25	1
	White—M	1,583	-	1	1	-	-	-	3	6	2	2	9	14	30	56	70	111	166	234	245	262	192	110	53	15	1
	F	964	3	-	-	-	-	1	1	2	4	4	4	6	11	20	31	42	52	102	164	186	157	126	41	7	-
	Nonwhite—M	16	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	1	3	3	1	-	1	-
	F	13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	-	-	1	2	-
330-334, 400-468	Diseases of cardiovascular system	2,517	5	-	1	-	-	1	4	6	6	4	13	18	39	71	99	152	215	335	408	442	345	235	92	25	1
	White—M	1,547	-	-	1	-	-	-	3	3	2	1	9	12	28	53	66	110	164	231	241	259	188	109	51	15	1
	F	942	3	-	-	-	-	1	1	2	4	3	4	6	9	18	31	40	49	101	164	180	154	125	40	7	-
	Nonwhite—M	15	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	1	2	3	1	-	1	-
	F	13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	-	-	1	2	-
330-334	Vascular lesions, etc.*	526	1	-	1	-	-	-	-	2	1	1	2	2	5	8	15	14	34	72	90	95	103	59	17	4	-
	White—M	270	-	-	1	-	-	-	-	1	-	-	1	1	1	2	4	7	17	43	48	52	54	27	8	3	-
	F	250	-	-	-	-	-	-	-	1	1	1	1	1	3	6	11	7	16	28	41	43	48	32	9	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO--Continued																										
400-402	Rheumatic fever---	7	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,811	4	-	-	-	-	1	2	1	4	2	9	13	31	61	81	133	175	240	293	313	216	156	59	16	1
	White-----M--	1,178	-	-	-	-	-	-	2	-	2	1	7	9	24	49	60	99	141	175	183	191	121	72	32	9	1
	F--	612	3	-	-	-	-	1	-	-	2	1	2	4	6	12	19	33	33	63	108	119	93	83	26	4	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	2	2	1	-	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	1	2	-
410-416	Chronic rheumatic heart disease----	80	-	-	-	-	-	-	-	1	2	1	4	2	4	8	8	9	6	9	12	5	6	1	1	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	1	-	2	1	2	5	5	3	3	5	7	3	4	1	-	-	-
	F--	34	-	-	-	-	-	-	-	-	1	1	2	1	2	3	3	6	2	4	5	2	1	-	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	1,231	-	-	-	-	-	-	-	-	-	1	3	8	23	46	59	102	151	179	196	203	125	87	40	7	1
	White-----M--	865	-	-	-	-	-	-	-	-	-	1	3	6	20	40	45	81	127	139	126	131	72	46	24	3	1
	F--	353	-	-	-	-	-	-	-	-	-	-	-	2	2	6	13	21	24	38	68	70	52	40	16	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	1	1	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	232	1	-	-	-	-	-	-	-	1	-	-	1	-	1	5	6	6	21	30	45	52	44	12	7	-
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	3	14	22	28	25	17	7	5	-
	F--	101	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	3	7	8	17	27	27	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	80	3	-	-	-	-	1	2	-	-	-	2	1	2	3	4	6	4	8	13	14	9	6	1	1	-
	White-----M--	54	-	-	-	-	-	-	2	-	-	-	2	1	2	1	3	4	3	6	7	12	6	3	1	1	-
	F--	24	2	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	1	2	6	1	3	3	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	188	-	-	-	-	-	-	-	-	1	-	-	1	2	3	5	10	8	23	42	46	24	18	5	-	-
	White-----M--	86	-	-	-	-	-	-	-	-	1	-	-	1	-	3	3	5	5	11	21	17	14	5	-	-	-
	F--	100	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	3	12	21	29	10	13	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	30	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	4	6	8	1	3	2	1	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	3	-	1	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	4	5	1	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	95	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	10	20	22	17	11	4	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	5	4	8	11	9	7	3	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	11	8	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	48	-	-	-	-	-	-	-	3	1	-	-	1	3	-	1	4	2	12	9	6	3	-	3	-	-
	White-----M--	33	-	-	-	-	-	-	-	2	-	-	-	1	3	-	1	4	2	6	4	5	2	-	3	-	-
	F--	15	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	6	5	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	59	-	1	-	-	-	-	-	3	-	2	-	2	4	5	4	3	5	4	4	10	7	2	3	-	-
	White-----M--	36	-	1	-	-	-	-	-	3	-	1	-	2	2	3	4	1	2	3	4	3	4	1	2	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	3	1	-	6	3	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	121	20	3	1	1	1	1	-	2	-	1	-	4	2	-	-	4	2	9	13	17	14	19	5	2	-
	White-----M--	72	14	2	1	1	-	1	-	2	-	1	-	3	1	-	-	4	2	3	6	9	8	10	2	2	-
	F--	47	6	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	5	7	8	6	9	3	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	10	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	-	-
	White-----M--	6	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	111	19	2	1	1	1	1	-	1	-	1	-	4	2	-	-	4	1	8	11	17	11	19	5	2	-
	White-----M--	66	13	1	1	1	-	1	-	1	-	1	-	3	1	-	-	4	1	3	6	9	6	10	2	2	-
	F--	43	6	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	4	5	8	5	9	3	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	15	2	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	6	-	-	-	-	-
	White-----M--	12	2	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	32	-	-	-	-	-	-	-	-	-	1	-	2	-	-	5	2	3	5	2	5	4	3	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	2	3	2	2	4	4	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	28	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	3	4	3	4	-	-	-
	White-----M--	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	1	2	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Continued																										
543,	Gastritis, etc.*--	18	1	2	-	-	-	-	-	-	-	-	-	-	3	-	-	3	1	-	2	3	2	-	1	-	-
571,	White-----M--	10	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	1	1	-	-	-	-
572	F--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	38	-	-	-	-	-	-	-	-	-	-	-	1	5	5	4	5	6	3	5	3	1	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	4	4	2	2	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	1	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	9	2	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	2	-	-	-	-
	White-----M--	4	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	10	...	...	...	...	...	...	-	-	1	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	-	1	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	10	...	...	...	...	...	...	-	-	1	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	...	...	...	-	-	1	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	75	61	2	2	-	-	2	1	1	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	42	35	1	-	-	-	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	33	26	1	2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	224	223	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	82	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	124	123	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	47	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	85	3	-	-	-	-	1	-	1	-	-	-	-	1	2	4	3	10	6	10	7	8	14	9	6	-
795	White-----M--	61	1	-	-	-	-	1	-	1	-	-	-	-	1	1	4	3	8	6	7	6	6	8	6	2	-
	F--	24	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	2	6	3	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	250	15	3	1	1	2	2	1	6	2	1	10	5	10	7	8	27	15	29	35	31	20	13	6	-	-
sid-	White-----M--	159	8	2	-	1	2	-	-	5	-	1	5	3	7	3	6	20	12	15	25	17	14	8	5	-	-
ual	F--	88	7	1	1	-	-	2	1	1	2	-	4	1	3	4	2	7	3	13	10	14	6	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	464	12	10	11	5	6	24	22	35	34	33	28	36	22	26	26	20	27	18	11	18	20	14	2	1	3
E962	White-----M--	341	8	9	7	3	4	15	18	26	29	25	21	30	17	19	20	15	23	12	9	13	7	9	-	-	2
	F--	104	3	1	4	2	2	8	4	8	4	5	6	6	4	3	4	4	4	6	2	5	11	5	2	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	1	3	1	-	1	2	2	-	-	-	-	-	1	-	-	-	1
	F--	6	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	181	-	1	6	2	2	8	9	19	17	19	9	19	8	8	7	5	12	9	6	4	7	2	1	-	1
	White-----M--	124	-	1	3	1	1	5	6	13	13	13	5	14	4	4	7	3	11	7	5	4	3	1	-	-	-
	F--	47	-	-	3	1	1	3	3	6	3	3	4	5	3	2	-	1	1	2	1	-	3	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	283	12	9	5	3	4	16	13	16	17	14	19	17	14	18	19	15	15	9	5	14	13	12	1	1	2
E802,	White-----M--	217	8	8	4	2	3	10	12	13	16	12	16	16	13	15	13	12	12	5	4	9	4	8	-	-	2
E840-	F--	57	3	1	1	1	1	5	1	2	1	2	2	1	1	1	4	3	3	4	1	5	8	4	1	1	-
E962	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
E963,	Suicide----------	87	-	-	-	-	-	-	1	-	3	7	5	6	8	6	12	6	6	10	3	6	3	5	-	-	-
E970-	White-----M--	71	-	-	-	-	-	-	1	-	1	5	3	3	7	4	11	6	4	10	3	6	3	4	-	-	-
E979	F--	13	-	-	-	-	-	-	-	-	1	1	2	3	1	2	1	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	17	-	1	-	-	-	-	-	2	3	-	1	2	3	2	2	-	-	-	-	-	-	-	-	-	1
E980-	White-----M--	11	-	1	-	-	-	-	-	2	2	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1
E985	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS																										
	ALL CAUSES------	95,528	5,466	375	203	169	137	454	285	483	718	933	1,069	1,680	2,577	3,876	5,170	7,134	9,589	12,161	12,571	11,865	9,773	6,033	2,250	543	14
	White-----M--	49,421	2,409	146	84	71	60	210	161	294	405	478	519	813	1,335	2,150	2,838	4,094	5,614	6,861	6,863	5,998	4,450	2,584	821	159	4
	F--	37,238	1,756	129	69	65	54	170	91	133	164	203	307	513	769	1,118	1,567	2,233	3,210	4,403	4,990	5,320	4,985	3,287	1,354	344	4
	Nonwhite--M--	4,861	721	50	20	15	11	40	23	33	89	154	138	186	256	324	430	481	438	475	372	280	181	83	39	17	5
	F--	4,008	580	50	30	18	12	34	10	23	60	98	105	168	217	284	335	326	327	422	346	267	157	79	36	23	1
001-019	Tuberculosis, all forms--------	892	4	7	2	2	1	2	1	2	11	30	39	60	68	96	96	88	96	114	83	44	30	15	1	-	-
	White-----M--	481	1	-	1	1	1	1	-	-	-	6	7	17	38	53	67	54	63	74	52	24	15	5	1	-	-
	F--	163	-	1	-	-	-	-	-	-	-	8	8	21	9	16	9	9	13	18	17	17	11	6	-	-	-
	Nonwhite--M--	173	2	2	1	-	-	1	-	1	4	5	16	13	16	22	16	23	13	17	10	3	4	4	-	-	-
	F--	75	1	4	-	1	-	-	1	1	7	11	8	9	5	5	4	2	7	5	4	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	823	4	2	-	1	1	2	-	1	11	28	31	53	64	88	90	81	90	108	81	42	29	15	1	-	-
	White-----M--	465	1	-	-	1	1	1	-	-	-	6	7	14	36	50	66	53	63	71	50	24	15	5	1	-	-
	F--	146	-	-	-	-	-	-	-	-	-	7	6	20	9	13	8	7	12	16	17	15	10	6	-	-	-
	Nonwhite--M--	157	2	-	-	-	-	1	-	-	4	5	13	11	14	20	16	20	13	17	10	3	4	4	-	-	-
	F--	55	1	2	-	-	-	-	-	1	7	10	5	8	5	5	-	1	2	4	4	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	69	-	5	2	1	-	-	1	1	-	2	8	7	4	8	6	7	6	6	2	2	1	-	-	-	-
	White-----M--	16	-	-	1	-	-	-	-	-	-	-	-	3	2	3	1	1	-	3	2	-	-	-	-	-	-
	F--	17	-	1	-	-	-	-	-	-	-	1	2	1	-	3	1	2	1	2	-	2	1	-	-	-	-
	Nonwhite--M--	16	-	2	1	-	-	-	-	1	-	-	3	2	2	2	-	3	-	-	-	-	-	-	-	-	-
	F--	20	-	2	-	1	-	-	1	-	-	1	3	1	-	-	4	1	5	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	175	1	-	-	-	-	-	-	-	-	2	2	2	4	16	24	23	31	22	20	15	9	3	-	1	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	2	-	1	1	6	9	10	18	13	11	9	3	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	4	5	1	3	4	4	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	5	6	7	4	2	-	1	-	-	-
	F--	23	1	-	-	-	-	-	-	-	-	-	1	-	1	4	4	4	2	1	2	-	2	-	-	1	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	14	1	-	-	-	-	2	1	-	-	1	-	1	-	-	-	1	1	2	2	-	-	1	1	-	-
	White-----M--	7	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	9	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	-	-	1	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	5	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	43	9	8	5	1	2	8	1	2	-	-	-	-	4	-	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	20	4	4	2	1	-	3	1	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	13	3	3	2	-	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	1	1	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	53	3	-	2	2	1	5	7	5	5	10	6	2	1	2	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	30	1	-	-	1	1	3	5	3	2	7	3	-	1	2	-	-	-	-	-	-	1	-	-	-	-
	F--	21	-	-	2	1	-	2	2	2	3	3	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	11	1	4	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	167	18	7	1	3	3	8	3	2	3	4	7	15	10	14	9	7	10	16	9	7	8	2	1	-	-
	White-----M--	82	6	3	-	2	2	7	2	1	2	-	3	6	3	9	4	5	5	7	7	5	2	-	1	-	-
	F--	68	10	4	1	-	1	1	-	1	1	2	2	7	4	4	5	2	5	6	2	2	6	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	2	-	-	-	-	-	-	-
	F--	9	2	-	-	1	-	-	-	-	-	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*----	15,632	17	29	25	27	25	87	44	44	59	105	162	326	565	899	1,243	1,658	2,182	2,484	2,229	1,676	1,084	505	142	15	-
	White-----M--	7,625	7	12	13	13	14	41	20	21	32	51	56	121	184	349	495	763	1,132	1,358	1,213	889	546	232	57	6	-
	F--	6,882	9	12	11	14	11	36	18	19	18	41	85	165	300	443	599	744	912	983	900	709	508	257	80	8	-
	Nonwhite--M--	551	1	4	-	-	-	9	3	-	6	4	8	6	32	42	65	85	76	78	58	45	16	8	4	1	-
	F--	574	-	1	1	-	-	1	3	4	3	9	13	34	49	65	84	66	62	65	58	33	14	8	1	-	-
140-148	Of buccal cavity and pharynx------	368	-	-	-	1	-	-	-	-	2	-	2	3	6	18	36	48	52	62	51	43	28	11	5	-	-
	White-----M--	286	-	-	-	-	-	-	-	-	-	-	2	1	3	11	25	40	44	52	43	36	20	8	1	-	-
	F--	63	-	-	-	1	-	-	-	-	-	-	-	2	3	3	10	3	6	7	6	7	8	3	4	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	3	2	3	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	5,825	5	2	-	-	-	1	-	1	5	13	22	56	126	230	354	555	806	1,018	1,014	780	515	244	69	9	-
	White-----M--	3,007	2	1	-	-	-	1	-	-	2	8	10	32	56	115	177	253	427	554	566	413	262	103	22	3	-
	F--	2,429	2	1	-	-	-	-	-	1	1	4	5	20	50	87	129	247	320	403	401	331	240	138	44	5	-
	Nonwhite--M--	222	1	-	-	-	-	-	-	-	2	1	3	2	12	13	25	34	36	35	26	22	5	2	2	1	-
	F--	167	-	-	-	-	-	-	-	-	-	-	4	2	8	15	23	21	23	26	21	14	8	1	1	-	-
160-164	Of respiratory system (not secondary)-------	2,034	-	-	1	-	-	1	1	1	3	5	7	39	68	131	198	296	377	400	248	156	68	26	6	2	-
	White-----M--	1,612	-	-	1	-	-	-	1	1	2	2	5	24	46	99	142	241	328	333	195	119	53	17	2	1	-
	F--	287	-	-	-	-	-	1	-	-	1	1	2	12	13	13	29	32	34	49	40	32	14	9	4	1	-
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	-	1	-	1	9	16	23	20	11	15	10	4	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	2	-	3	4	3	4	3	3	1	-	-	-	-	-
170	Of breast---------	1,465	-	-	-	-	-	-	-	-	-	8	17	52	103	136	206	168	179	190	156	121	80	34	14	1	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	1	3	-	-	-	2	-	-
	F--	1,342	-	-	-	-	-	-	-	-	-	7	16	42	92	123	186	158	161	180	140	112	79	33	12	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	-	-	-	-	-	-	-	-	-	1	1	9	11	11	18	9	13	9	13	9	1	1	-	-	-
171-179	Of genital organs-	2,328	-	1	1	-	-	2	1	4	8	21	41	63	121	161	182	236	320	293	335	258	175	84	21	-	-
	White-----M--	754	-	1	1	-	-	1	-	1	3	5	7	4	6	9	5	35	75	110	161	154	105	55	16	-	-
	F--	1,308	-	-	-	-	-	1	-	2	3	10	27	45	94	124	142	167	220	150	150	86	60	22	5	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	1	-	1	-	2	6	11	11	15	10	13	7	5	-	-	-
	F--	184	-	-	-	-	-	-	1	1	2	5	7	13	21	26	29	23	14	18	14	5	3	2	-	-	-
180, 181	Of urinary organs-	806	-	5	2	3	4	8	-	-	-	-	4	8	15	36	50	60	117	152	123	106	64	36	11	2	-
	White-----M--	493	-	3	1	2	3	5	-	-	-	-	2	6	8	18	29	36	75	106	78	62	36	17	4	2	-
	F--	267	-	2	-	1	1	2	-	-	-	-	2	1	4	12	17	18	36	40	41	41	25	18	6	-	-
	Nonwhite--M--	28	-	-	-	-	-	1	-	-	-	-	-	1	2	3	2	3	3	3	4	3	2	-	1	-	-
	F--	18	-	-	1	-	-	-	-	-	-	-	-	-	1	3	2	3	3	3	-	-	1	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,454	3	9	9	5	3	21	17	14	12	22	33	48	65	99	128	169	174	182	166	118	94	50	12	1	-
	White-----M--	729	1	4	3	4	-	9	5	10	5	14	15	22	33	50	69	93	86	92	89	55	43	20	7	-	-
	F--	635	2	3	6	1	3	10	8	2	6	7	15	19	26	42	48	65	78	82	69	60	51	27	4	1	-
	Nonwhite--M--	48	-	1	-	-	-	2	2	-	1	-	3	-	3	3	6	8	8	5	3	1	-	1	1	-	-
	F--	42	-	1	-	-	-	-	2	2	-	1	-	7	3	4	5	3	2	3	5	2	-	2	-	-	-
204	Leukemia and aleukemia----------	649	9	7	11	14	15	44	17	14	11	14	19	21	27	26	35	54	69	86	59	44	35	15	3	-	-
	White-----M--	342	4	2	7	5	9	20	9	6	8	7	9	11	16	13	17	24	36	53	35	23	16	9	3	-	-
	F--	279	5	4	4	9	6	21	7	8	2	5	8	9	10	13	16	27	28	32	22	20	18	5	-	-	-
	Nonwhite--M--	19	-	1	-	-	-	2	1	-	1	1	1	1	1	-	1	2	3	1	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	2	-	-	-	1	1	-	-	-
200-203, 205	Lymphomas, etc.*--	703	-	5	1	4	3	10	8	10	18	22	17	36	34	62	54	72	88	101	77	50	25	5	1	-	-
	White-----M--	385	-	1	-	2	2	5	5	3	12	15	6	20	16	32	29	40	56	57	43	27	11	3	-	-	-
	F--	272	-	2	1	2	1	1	3	6	5	7	10	15	8	26	22	27	29	40	31	20	13	2	1	-	-
	Nonwhite--M--	26	-	2	-	-	-	4	-	-	1	-	1	-	5	1	2	4	2	1	1	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	-	1	5	3	1	1	1	3	2	2	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	281	8	5	-	1	1	9	3	3	6	7	11	21	24	27	23	25	30	27	23	13	5	5	2	2	-
	White-----M--	119	3	1	-	-	-	4	1	2	3	2	3	6	5	9	9	13	16	13	15	9	1	3	-	1	-
	F--	133	5	3	-	1	1	5	2	-	3	2	6	11	12	14	13	11	12	13	7	3	4	2	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	24	-	1	-	-	-	-	-	1	-	2	1	4	6	4	1	1	-	1	1	1	-	-	-	-	-
260	Diabetes mellitus-	1,291	1	2	1	-	2	3	5	4	5	12	16	18	30	43	54	105	182	239	232	171	85	69	11	1	-
	White-----M--	475	-	2	1	-	1	1	2	1	2	4	8	9	14	16	20	41	63	79	89	67	30	23	1	1	-
	F--	722	-	-	-	-	1	2	2	1	3	7	5	7	11	15	23	55	108	149	133	95	53	44	8	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	1	1	-	1	2	1	-	2	4	2	6	3	2	5	2	-	1	-	-
	F--	61	1	-	-	-	-	-	-	1	-	-	1	1	5	10	7	7	5	8	8	4	-	2	1	-	-
290-293	Anemias----------	205	5	4	1	1	-	1	3	3	2	2	1	4	1	2	5	10	15	24	25	30	41	19	6	-	-
	White-----M--	76	3	-	-	-	-	-	2	-	-	-	-	1	-	-	3	3	8	9	10	12	13	9	3	-	-
	F--	109	1	1	-	1	-	-	1	2	-	-	1	2	-	1	2	5	7	14	12	18	28	10	3	-	-
	Nonwhite--M--	11	1	2	1	-	-	-	-	-	1	1	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-
	F--	9	-	1	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	84	22	11	2	1	2	3	3	-	1	1	-	2	5	4	8	5	4	4	2	3	-	1	-	-	-
	White-----M--	41	7	5	1	-	1	1	2	-	1	-	-	1	2	2	4	4	3	2	2	3	-	-	-	-	-
	F--	32	12	5	1	1	1	1	1	-	-	1	-	-	2	1	3	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	F--	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	55,074	35	9	5	7	5	25	20	36	73	170	253	533	1,064	1,779	2,660	3,970	5,586	7,638	8,423	8,509	7,346	4,666	1,807	450	5
	White-----M--	28,511	18	2	1	3	4	7	7	15	25	69	126	281	605	1,083	1,601	2,407	3,358	4,275	4,503	4,164	3,221	1,945	653	136	2
	F--	22,321	11	5	4	4	1	12	9	14	22	44	68	118	221	375	635	1,058	1,743	2,769	3,424	3,951	3,860	2,599	1,095	278	1
	Nonwhite--M--	2,188	1	-	-	-	-	6	2	4	11	30	26	68	122	174	223	293	262	298	248	184	136	57	26	15	2
	F--	2,054	5	2	-	-	-	-	2	3	15	27	33	66	116	147	201	212	223	296	248	210	129	65	33	21	-
330-334, 400-468	Diseases of cardiovascular system-	53,977	34	8	5	6	4	19	15	29	58	147	230	506	1,022	1,726	2,604	3,868	5,486	7,520	8,280	8,372	7,211	4,582	1,776	444	5
	White-----M--	28,011	17	1	1	3	3	4	5	11	18	60	113	270	582	1,063	1,577	2,380	3,315	4,222	4,432	4,093	3,164	1,903	638	134	2
	F--	21,883	11	5	4	3	1	11	7	11	18	37	64	110	215	357	618	1,029	1,700	2,717	3,365	3,893	3,795	2,557	1,080	274	1
	Nonwhite--M--	2,120	1	-	-	-	-	4	2	4	10	27	22	65	116	166	215	285	257	295	240	180	131	57	26	15	2
	F--	1,963	5	2	-	-	-	-	1	3	12	23	31	61	109	140	194	194	214	286	243	206	121	65	32	21	-
330-334	Vascular lesions, etc.*----------	9,890	10	-	1	3	1	5	3	8	11	30	41	81	154	227	399	551	875	1,280	1,626	1,802	1,541	874	299	67	1
	White-----M--	4,333	5	-	1	2	-	1	1	2	2	14	19	40	57	84	170	246	415	623	789	802	607	335	102	16	-
	F--	4,744	4	-	-	1	1	4	2	5	3	10	16	21	51	89	157	203	352	533	730	922	892	514	189	45	-
	Nonwhite--M--	360	-	-	-	-	-	-	-	1	3	1	2	7	19	23	25	54	51	56	46	35	21	11	3	1	1
	F--	453	1	-	-	-	-	-	-	-	3	5	4	13	27	31	47	48	57	68	61	43	21	14	5	5	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																										
400-402	Rheumatic fever---	59	3	2	-	-	2	5	6	2	1	4	3	1	4	5	4	2	2	2	4	4	2	-	1	-	-
	White-----M--	25	2	1	-	-	2	-	1	1	-	2	1	-	4	4	3	-	1	-	1	2	-	-	-	-	-
	F--	23	-	-	-	-	-	2	4	-	1	2	2	-	-	1	-	1	1	2	2	2	2	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
410-443	Diseases of heart-	40,998	17	4	4	3	-	8	5	18	41	103	166	387	818	1,435	2,109	3,189	4,441	5,928	6,279	6,056	5,129	3,275	1,266	313	4
	White-----M--	22,213	6	-	-	1	-	3	3	8	15	42	89	222	506	946	1,357	2,057	2,802	3,443	3,437	3,028	2,328	1,374	446	96	2
	F--	15,782	7	3	4	2	-	4	1	6	12	23	40	81	152	254	441	780	1,292	2,054	2,490	2,746	2,816	1,812	774	187	1
	Nonwhite--M--	1,619	1	-	-	-	-	1	1	3	6	24	16	50	88	133	173	217	198	225	181	130	97	41	19	14	1
	F--	1,384	3	1	-	-	-	-	-	1	8	14	21	34	72	102	138	135	149	206	171	152	88	48	25	16	-
410-416	Chronic rheumatic heart disease----	1,274	-	-	-	-	-	2	1	11	16	38	44	61	107	136	133	141	148	135	79	77	48	41	4	2	-
	White-----M--	554	-	-	-	-	-	1	-	3	5	13	23	26	50	65	55	62	69	78	33	34	20	16	-	1	-
	F--	576	-	-	-	-	-	1	1	4	7	15	15	28	40	63	69	66	73	52	44	42	27	24	4	1	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	3	3	5	1	4	8	6	5	7	3	2	-	-	-	1	-	-	-
	F--	46	-	-	-	-	-	-	-	1	1	5	5	3	9	2	4	6	3	3	2	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	27,912	4	-	1	-	-	-	1	2	11	42	76	233	523	979	1,499	2,320	3,289	4,276	4,462	4,009	3,295	1,953	754	183	-
	White-----M--	16,344	-	-	-	-	-	-	1	2	1	26	53	163	384	740	1,092	1,638	2,207	2,623	2,580	2,081	1.569	850	273	61	-
	F--	9,878	2	-	1	-	-	-	-	-	4	5	12	29	64	120	248	491	869	1,397	1,660	1,752	1,615	1,054	451	104	-
	Nonwhite--M--	965	-	-	-	-	-	-	-	-	2	7	6	29	44	79	99	125	132	143	117	82	60	22	10	8	-
	F--	725	2	-	-	-	-	-	-	-	4	4	5	12	31	40	60	66	81	113	105	94	51	27	20	10	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,165	2	3	1	-	-	-	1	2	6	16	26	44	100	136	190	280	347	652	890	1,052	1.086	856	375	99	1
	White-----M--	2,813	1	-	-	-	-	-	1	1	3	2	6	16	40	54	88	135	176	341	450	512	469	354	135	29	-
	F--	2,842	1	2	1	-	-	-	-	1	1	2	6	8	23	36	41	87	136	256	385	496	582	481	232	64	1
	Nonwhite--M--	249	-	-	-	-	-	-	-	-	1	9	6	9	19	14	29	34	15	30	28	22	15	10	4	4	-
	F--	261	-	1	-	-	-	-	-	-	1	3	8	11	18	32	32	24	20	25	27	22	20	11	4	2	-
430-434	Other diseases of heart---------	1,441	11	-	2	3	-	6	2	3	6	7	10	21	32	62	65	146	195	250	196	172	127	70	27	8	-
	White-----M--	875	5	-	-	1	-	2	1	2	5	1	4	11	14	38	48	93	140	174	116	106	72	31	11	-	-
	F--	393	4	-	2	2	-	3	-	1	-	1	4	7	7	10	19	33	34	53	59	54	47	35	14	4	-
	Nonwhite--M--	98	1	-	-	-	-	1	1	-	-	3	-	2	6	7	11	13	13	16	8	7	4	1	2	2	-
	F--	75	1	-	-	-	-	-	-	-	1	2	2	1	5	7	7	7	8	7	13	5	4	3	-	2	-
440-443	Hypertension with heart dis.--	4,256	-	1	-	-	-	-	-	-	2	-	10	28	56	122	202	302	462	615	652	746	573	355	106	21	3
	White-----M--	1,627	-	-	-	-	-	-	-	-	1	-	3	6	18	49	74	129	210	227	258	295	198	123	29	5	2
	F--	2,093	-	1	-	-	-	-	-	-	-	-	3	9	18	25	64	103	180	296	342	402	345	218	73	14	-
	Nonwhite--M--	259	-	-	-	-	-	-	-	-	-	-	3	6	11	27	29	38	35	34	28	19	18	7	3	-	1
	F--	277	-	-	-	-	-	-	-	-	1	-	1	7	9	21	35	32	37	58	24	30	12	7	1	2	-
444-447	Hypertension without mention of heart----------	708	-	-	-	-	-	-	-	-	1	3	10	25	21	28	31	44	39	78	83	97	114	86	36	12	-
	White-----M--	274	-	-	-	-	-	-	-	-	-	1	1	5	3	9	11	19	15	34	40	47	36	34	14	5	-
	F--	304	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	8	19	35	34	44	70	50	22	7	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	2	3	6	8	8	9	9	2	9	6	4	5	1	-	-	-
	F--	58	-	-	-	-	-	-	-	-	1	-	5	12	8	7	5	8	3	-	3	2	3	1	-	-	-
450	General arteriosclerosis--------	1,711	-	-	-	-	-	-	-	-	1	-	-	1	4	4	12	35	63	123	193	352	387	323	165	48	-
	White-----M--	815	-	-	-	-	-	-	-	-	-	-	-	1	1	2	11	23	36	51	104	178	176	148	70	14	-
	F--	822	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	10	21	62	81	158	194	169	89	34	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	2	5	8	8	4	4	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	3	8	9	2	2	-	-
451-468	Other diseases of circulatory sys.-	611	4	2	-	-	1	1	1	1	3	7	10	11	21	27	49	67	66	109	95	61	38	24	9	4	-
	White-----M--	351	4	-	-	-	1	-	-	-	1	1	3	2	11	18	25	35	46	71	61	36	17	12	4	3	-
	F--	208	-	2	-	-	-	1	-	-	2	2	5	6	8	8	13	27	15	31	28	21	21	12	5	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	1	1	8	4	3	3	2	3	-	-	-	-	-
	F--	25	-	-	-	-	-	-	1	1	-	4	1	2	1	-	3	1	2	4	4	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,097	1	1	-	1	1	6	5	7	15	23	23	27	42	53	56	82	100	118	143	137	135	84	31	6	-
	White-----M--	500	1	1	-	-	1	3	2	4	7	9	13	11	23	20	24	27	43	53	71	71	57	42	15	2	-
	F--	438	-	-	-	1	-	1	2	3	4	7	4	8	6	18	17	29	43	52	59	58	65	42	15	4	-
	Nonwhite--M--	68	-	-	-	-	-	2	-	-	1	3	4	3	6	8	8	8	5	3	8	4	5	-	-	-	-
	F--	91	-	-	-	-	-	-	1	-	3	4	2	5	7	7	7	18	9	10	5	4	8	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	3,398	587	94	35	19	16	32	9	16	20	34	26	56	72	96	125	162	254	315	304	386	355	257	99	29	-
	White-----M--	1,600	218	30	16	8	4	12	4	7	8	12	8	19	36	45	55	99	147	178	167	215	170	108	30	4	-
	F--	1,164	134	25	7	3	9	10	2	6	6	5	7	11	18	19	35	41	77	95	112	144	171	139	64	24	-
	Nonwhite--M--	371	123	20	3	6	2	4	3	1	2	10	7	15	14	25	26	14	20	27	13	15	8	8	4	1	-
	F--	263	112	19	9	2	1	6	-	2	4	7	4	11	4	7	9	8	10	15	12	12	6	2	1	-	-
480-483	Influenza---------	66	2	2	-	-	-	1	-	1	2	-	-	1	2	2	1	4	5	4	5	10	12	8	2	2	-
	White-----M--	29	-	1	-	-	-	1	-	1	-	-	-	-	-	1	1	1	1	4	2	7	5	2	1	1	-
	F--	33	2	1	-	-	-	-	-	-	1	-	-	1	1	1	-	3	3	-	2	3	7	6	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,332	585	92	35	19	16	31	9	15	18	34	26	55	70	94	124	158	249	311	299	376	343	249	97	27	-
	White-----M--	1,571	218	29	16	8	4	11	4	6	8	12	8	19	36	44	54	98	146	174	165	208	165	108	29	3	-
	F--	1,131	132	24	7	3	9	10	2	6	5	5	7	10	17	18	35	38	74	95	110	141	164	133	63	23	-
	Nonwhite--M--	369	123	20	3	6	2	4	3	1	2	10	7	15	13	25	26	14	20	27	12	15	8	8	4	1	-
	F--	261	112	19	9	2	1	6	-	2	3	7	4	11	4	7	9	8	9	15	12	12	6	2	1	-	-
500-502	Bronchitis--------	213	76	15	10	4	1	4	1	-	-	1	-	2	3	3	7	11	7	13	13	12	10	11	6	3	-
	White-----M--	95	27	6	5	3	-	2	-	-	-	-	-	-	1	1	5	5	6	8	9	5	4	4	4	-	-
	F--	73	14	5	3	1	1	2	1	-	-	1	-	1	1	1	2	6	1	5	4	6	6	7	2	3	-
	Nonwhite--M--	27	20	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	18	15	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	604	6	2	1	-	1	-	-	2	3	4	10	17	26	35	53	85	86	82	73	55	45	17	-	1	-
	White-----M--	448	4	1	-	-	1	-	-	2	2	4	6	12	24	27	42	64	62	61	57	36	34	8	-	1	-
	F--	111	-	1	-	-	-	-	-	-	1	-	1	3	2	5	5	11	19	15	14	15	10	9	-	-	-
	Nonwhite--M--	32	2	-	-	-	-	-	-	-	-	-	3	2	-	1	5	5	4	3	2	4	1	-	-	-	-
	F--	13	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	5	1	3	-	-	-	-	-	-	-
550-553	Appendicitis-------	155	1	-	2	3	2	9	2	6	3	4	6	7	5	7	15	15	17	14	19	12	4	1	1	-	-
	White-----M--	87	1	-	2	2	1	4	1	1	2	1	4	4	2	4	6	11	10	11	10	7	2	1	-	-	-
	F--	45	-	-	-	1	1	3	-	3	-	-	1	2	2	2	5	2	6	1	8	5	2	-	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	1	-	-	2	-	1	1	-	4	1	1	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	2	1	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	485	45	1	5	2	-	1	1	1	-	2	1	11	12	23	29	36	40	51	63	60	58	31	9	3	-
	White-----M--	240	19	-	1	2	-	1	-	-	-	-	-	5	4	8	12	21	23	28	35	29	31	14	7	-	-
	F--	195	17	1	3	-	-	-	1	1	-	2	-	4	3	9	11	11	16	16	27	28	24	16	2	3	-
	Nonwhite--M--	28	4	-	1	-	-	-	-	-	-	-	1	1	1	-	4	3	1	5	-	3	3	1	-	-	-
	F--	22	5	-	-	-	-	-	-	-	-	-	-	4	4	6	2	1	-	2	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																										
543,	Gastritis, etc.*--	394	144	25	2	3	1	2	1	6	4	2	4	6	8	11	8	18	22	27	26	25	27	14	5	3	-
571,	White-----M--	161	43	12	2	1	-	-	-	1	1	1	3	3	6	4	5	7	14	12	15	11	10	8	1	1	-
572	F--	149	29	9	-	1	1	2	1	5	3	1	1	3	1	5	3	10	7	13	11	14	17	6	4	2	-
	Nonwhite--M--	47	41	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F--	37	31	2	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	1,050	2	-	1	-	-	4	2	4	3	8	17	50	89	142	140	137	147	125	83	52	28	16	-	-	-
	White-----M--	692	1	-	1	-	-	2	-	-	1	2	5	26	61	82	96	98	104	98	56	34	17	8	-	-	-
	F--	295	-	-	-	-	-	1	1	4	1	5	9	16	20	52	35	30	39	24	25	16	9	8	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	1	1	-	3	3	4	7	6	2	3	1	2	1	-	-	-	-
	F--	29	1	-	-	-	-	1	1	-	-	-	3	5	5	4	2	3	2	-	1	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	125	1	-	4	-	1	6	1	3	3	4	5	4	5	12	10	10	8	16	11	6	10	4	1	-	-
	White-----M--	55	-	-	3	-	-	2	1	2	1	1	1	1	2	6	5	6	4	5	6	3	5	-	1	-	-
	F--	52	1	-	1	-	1	2	-	1	2	1	3	1	2	3	2	4	3	9	5	2	5	4	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	2	-	-	-	1	1	1	1	3	-	-	1	2	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	425	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	14	23	57	77	86	92	52	15	2	-
	White-----M--	393	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	11	19	51	70	83	88	51	13	2	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	7	3	4	1	2	-	-
640-	Complications of																										
689	pregnancy, etc.*-	72	...	...	...	...	...	...	-	3	5	21	17	16	7	1	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	...	...	...	...	...	...	-	2	4	11	10	10	4	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	28	...	...	...	...	...	...	-	1	1	10	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	11	...	...	...	...	...	...	-	-	3	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	6	...	...	...	...	...	...	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	61	...	...	...	...	...	...	-	3	2	18	15	14	6	1	2	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	38	...	...	...	...	...	...	-	2	2	11	9	8	3	1	2	-	-	-	-	-	-	-	-	-	-
669	Nonwhite--F--	23	...	...	...	...	...	...	-	1	-	7	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,041	778	42	13	17	7	30	22	6	9	11	7	11	10	15	9	13	9	9	8	11	3	-	1	-	-
	White-----M--	498	380	21	8	6	4	8	12	5	4	6	1	2	3	10	4	8	3	3	2	7	1	-	-	-	-
	F--	449	326	15	5	8	3	20	9	1	3	5	6	7	6	4	2	4	6	6	6	4	2	-	1	-	-
	Nonwhite--M--	47	36	3	-	1	-	1	1	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	47	36	3	-	2	-	1	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,356	3,355	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,501	1,500	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,061	1,061	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	451	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	343	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,992	1,992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	934	934	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	596	596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualf-																										
	ied----------	1,061	1,060	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	458	457	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	401	401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	776	29	9	7	2	6	12	8	39	44	53	37	38	45	55	50	40	40	55	52	46	46	34	18	7	4
795	White-----M--	455	10	3	1	-	4	6	6	29	28	24	20	20	25	41	30	30	27	35	41	29	26	17	3	-	-
	F--	210	10	3	2	-	1	3	1	5	7	12	5	8	17	9	12	7	8	19	9	17	18	15	15	6	1
	Nonwhite--M--	74	4	2	4	-	-	1	-	4	5	13	8	8	3	4	6	3	3	-	2	-	1	1	-	-	2
	F--	37	5	1	-	2	1	2	1	1	4	4	4	2	-	1	2	-	2	1	-	-	1	1	-	1	1
Re-	All other diseases	3,479	188	34	15	18	8	42	26	39	49	49	74	116	136	182	210	300	373	437	429	341	247	120	38	8	-
sid-	White-----M--	1,822	98	14	6	8	3	17	17	19	13	20	31	52	66	102	106	149	210	275	241	173	121	63	16	2	-
ual	F--	1,382	65	13	8	8	3	21	6	18	30	21	24	46	52	57	79	128	136	139	166	158	121	56	21	6	-
	Nonwhite--M--	147	16	3	-	2	-	1	2	2	1	5	6	5	8	6	17	14	19	11	15	8	4	1	1	-	-
	F--	128	9	4	1	-	2	3	1	-	5	3	13	13	10	17	8	9	8	12	7	2	1	-	-	-	-
E800-	Accidents---------	4,674	111	62	60	54	47	155	116	236	344	280	246	236	254	282	266	275	306	307	286	250	214	179	86	18	4
E962	White-----M--	2,976	50	27	19	20	17	86	76	176	255	210	183	166	174	200	186	190	218	196	185	143	88	74	30	5	2
	F--	1,273	44	20	16	19	17	40	31	44	54	20	36	44	57	52	58	70	71	92	93	98	122	105	55	13	2
	Nonwhite--M--	293	10	7	9	6	7	15	8	13	23	40	22	22	20	26	17	11	13	13	5	4	1	-	1	-	-
	F--	132	7	8	16	9	6	14	1	3	12	10	5	4	3	4	5	4	4	6	3	5	3	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	1,994	26	17	19	22	24	57	43	156	251	174	134	111	124	126	127	118	133	135	87	57	38	10	2	-	3
	White-----M--	1,334	13	11	7	11	6	34	25	118	184	136	100	71	85	92	73	76	83	77	63	36	21	9	1	-	2
	F--	505	11	5	9	8	12	17	16	33	50	14	22	26	28	22	41	37	46	48	23	18	16	1	1	-	1
	Nonwhite--M--	118	2	1	1	2	3	4	2	4	11	20	12	11	10	11	9	5	2	5	1	2	-	-	-	-	-
	F--	37	-	-	2	1	3	2	-	1	6	4	-	3	1	1	4	-	2	5	-	1	1	-	-	-	-
E800-	All ot. accidents-	2,680	85	45	41	32	23	98	73	80	93	106	112	125	130	156	139	157	173	172	199	193	176	169	84	18	1
E802,	White-----M--	1,642	37	16	12	9	11	52	51	58	71	74	83	95	89	108	113	114	135	119	122	107	67	65	29	5	-
E840-	F--	768	33	15	7	11	5	23	15	11	4	6	14	18	29	30	17	33	25	44	70	80	106	104	54	13	1
E962	Nonwhite--M--	175	8	6	8	4	4	11	6	9	12	20	10	11	10	15	8	6	11	8	4	2	1	-	1	-	-
	F--	95	7	8	14	8	3	12	1	2	6	6	5	1	2	3	1	4	2	1	3	4	2	-	-	-	-
E963,	Suicide----------	898	-	-	-	-	-	-	1	8	23	48	63	62	81	97	88	97	103	73	75	48	22	8	-	-	1
E970-	White-----M--	681	-	-	-	-	-	-	1	5	15	34	36	39	56	73	64	81	90	59	64	38	19	7	-	-	-
E979	F--	184	-	-	-	-	-	-	-	1	3	8	20	20	22	23	21	16	13	14	9	10	3	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	2	5	6	5	1	3	-	3	-	-	-	2	-	-	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	442	13	3	2	2	2	2	3	13	42	68	59	62	45	31	29	26	16	10	3	6	3	2	-	-	-
E980-	White-----M--	156	5	-	-	-	1	-	1	3	8	22	15	20	19	16	6	12	10	9	3	3	2	1	-	-	-
E985	F--	42	3	1	2	2	-	2	1	3	-	3	5	3	1	4	4	3	1	-	-	3	1	-	-	-	-
	Nonwhite--M--	200	2	1	-	-	-	-	1	4	27	33	33	34	22	11	17	10	5	-	-	-	-	-	-	-	-
	F--	44	3	1	-	-	1	-	-	3	7	10	6	5	3	-	2	1	-	1	-	-	-	1	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA																										
	ALL CAUSES------	42,093	2,715	176	107	89	52	242	174	305	324	382	499	642	972	1,436	1,989	2,612	3,708	4,736	5,512	5,758	4,948	3,161	1,230	309	15
	White-----M--	22,932	1,380	86	56	53	30	147	100	203	214	243	276	349	554	864	1,211	1,596	2,307	2,746	3,029	2,988	2,439	1,420	516	123	2
	F--	16,808	1,022	68	43	29	17	83	58	83	74	97	173	214	307	433	584	817	1,166	1,735	2,259	2,615	2,393	1,682	678	168	10
	Nonwhite--M--	1,286	177	11	8	3	3	10	6	10	21	23	25	40	62	72	110	106	129	145	123	76	64	34	17	9	2
	F--	1,067	136	11	-	4	2	2	10	9	15	19	25	39	49	67	84	93	106	110	101	79	52	25	19	9	1
001-019	Tuberculosis, all forms--------	321	1	2	1	-	-	3	2	4	5	7	7	14	20	24	29	34	34	43	39	27	15	9	1	-	-
	White-----M--	193	1	-	-	-	-	2	1	1	-	1	2	8	9	17	20	20	25	32	20	18	11	4	1	-	-
	F--	88	-	1	-	-	-	1	1	1	2	3	4	5	7	5	3	8	6	9	15	8	4	5	-	-	-
	Nonwhite--M--	23	-	1	1	-	-	-	-	1	-	1	-	-	3	1	3	5	2	1	3	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	3	2	1	1	1	1	3	1	1	1	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	284	-	-	-	-	-	-	1	2	4	6	6	13	18	21	26	32	30	42	35	23	15	9	1	-	-
	White-----M--	176	-	-	-	-	-	-	-	1	-	-	2	7	8	16	18	20	22	32	18	16	11	4	1	-	-
	F--	77	-	-	-	-	-	-	1	1	1	3	4	5	6	4	3	7	6	8	13	6	4	5	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	4	2	1	3	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	3	2	-	1	1	-	2	1	-	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	37	1	2	1	-	-	3	1	2	1	1	1	1	2	3	3	2	4	1	4	4	-	-	-	-	-
	White-----M--	17	1	-	-	-	-	2	1	-	-	1	-	1	1	1	2	-	3	-	2	2	-	-	-	-	-
	F--	11	-	1	-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	1	2	2	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	111	-	-	1	-	-	-	-	-	-	-	-	-	3	7	13	17	19	20	16	6	5	3	-	-	1
	White-----M--	68	-	-	1	-	-	-	-	-	-	-	-	-	1	4	8	13	12	13	6	6	2	2	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	5	5	-	3	1	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	10	1	2	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-
	White-----M--	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	38	11	3	6	3	1	4	1	3	-	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	19	7	-	2	1	1	1	1	2	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	18	4	3	4	2	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	20	-	-	1	-	1	3	3	2	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	1	3	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	117	9	2	1	2	3	6	3	2	2	7	4	4	5	3	4	11	10	8	13	8	7	2	1	-	-
	White-----M--	68	5	-	-	-	3	2	1	1	1	2	1	3	5	2	2	9	8	4	8	3	6	2	-	-	-
	F--	42	4	1	1	1	-	2	2	1	1	5	2	-	-	1	2	2	1	4	5	5	1	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*	6,396	13	4	9	14	15	37	27	27	20	42	98	114	231	321	459	577	812	946	946	820	525	259	73	5	2
	White----M	3,148	8	4	3	9	7	18	14	14	15	19	36	46	75	126	213	264	442	485	488	443	268	120	30	1	-
	F	2,966	4	-	6	5	7	18	13	13	5	20	61	59	138	170	209	274	334	419	430	358	243	134	41	3	2
	Nonwhite--M	146	-	-	-	-	-	1	-	-	-	-	-	4	6	7	21	23	22	25	17	6	8	3	2	1	-
	F	136	1	-	-	-	1	-	-	-	-	3	1	5	12	18	16	16	14	17	11	13	6	2	-	-	-
140-148	Of buccal cavity and pharynx	139	-	-	-	-	-	-	1	-	-	-	1	3	3	3	13	9	24	22	23	17	17	2	1	-	-
	White----M	108	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	8	20	20	15	14	14	2	1	-	-
	F	25	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	4	1	8	3	3	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	2,293	1	-	-	-	-	-	-	1	2	8	20	20	51	68	125	182	270	374	409	362	245	128	26	1	-
	White----M	1,187	1	-	-	-	-	-	-	1	2	4	15	8	18	32	69	87	141	200	223	202	122	54	8	-	-
	F	1,015	-	-	-	-	-	-	-	-	-	3	5	10	30	31	48	75	111	160	180	152	121	71	17	1	-
	Nonwhite--M	50	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	12	10	7	3	5	1	1	1	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	8	8	7	3	3	1	2	-	-	-
160-164	Of respiratory system (not secondary)	737	2	-	-	-	-	-	1	2	2	1	4	10	20	53	80	111	138	119	90	53	34	12	4	1	-
	White----M	579	2	-	-	-	-	-	-	2	1	-	2	8	15	41	60	92	123	93	71	40	22	7	-	-	-
	F	114	-	-	-	-	-	-	1	-	1	1	2	-	4	8	10	11	11	20	16	13	8	4	3	1	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	7	3	5	3	-	3	1	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-
170	Of breast	580	-	-	-	-	-	-	-	-	1	-	11	17	54	44	55	60	76	70	73	66	23	19	10	-	1
	White----M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-
	F	548	-	-	-	-	-	-	-	-	1	-	11	14	48	42	52	59	70	67	69	62	23	19	10	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	3	6	2	3	1	2	3	3	4	-	-	-	-	-
171-179	Of genital organs	1,067	-	-	-	-	1	2	2	-	2	10	26	22	36	67	80	94	110	133	158	154	97	57	15	1	-
	White----M	391	-	-	-	-	-	-	1	-	-	2	3	1	1	3	3	11	36	46	74	99	59	38	14	-	-
	F	607	-	-	-	-	1	2	1	-	2	7	22	20	32	56	70	75	68	74	73	52	33	18	1	-	-
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	8	-	4	1	-	1	-
	F	41	-	-	-	-	-	-	-	-	-	1	1	1	2	8	7	6	3	5	3	3	1	-	-	-	-
180, 181	Of urinary organs	290	2	2	1	-	-	2	-	1	-	-	1	2	9	12	22	16	44	50	34	46	30	11	4	1	-
	White----M	189	2	2	-	-	-	2	-	1	-	-	-	1	6	9	19	8	35	31	21	28	20	3	-	1	-
	F	91	-	-	1	-	-	-	-	-	-	-	1	1	1	2	2	7	8	17	12	18	9	8	4	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	697	6	2	3	3	3	16	12	14	4	10	15	23	34	41	45	60	79	86	80	75	50	24	11	1	-
	White----M	348	3	2	3	2	1	7	6	5	4	5	7	16	18	22	27	26	43	48	32	31	21	13	6	-	-
	F	327	2	-	-	1	1	9	6	9	-	5	8	7	15	16	16	33	33	37	45	40	27	11	5	1	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	1	-	-	-	-	-
	F	13	1	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	1	1	3	2	-	-	-	-
204	Leukemia and aleukemia	319	1	-	5	11	10	16	10	7	4	5	11	4	11	12	15	20	28	45	46	34	20	3	1	-	-
	White----M	186	-	-	-	7	6	8	7	3	4	4	6	1	6	6	9	16	18	24	32	22	5	2	-	-	-
	F	128	1	-	5	4	4	7	3	4	-	1	5	2	5	5	4	4	10	21	14	12	15	1	1	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	274	1	-	-	-	1	1	1	2	5	8	9	13	13	21	24	25	43	47	33	13	9	3	1	-	1
	White----M	155	-	-	-	-	-	1	-	2	4	4	3	10	9	11	17	16	22	23	19	7	5	1	1	-	-
	F	111	1	-	-	-	1	-	1	-	1	3	6	3	3	10	6	9	19	22	13	6	4	2	-	-	1
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	99	1	3	1	3	-	4	1	4	2	2	3	6	5	5	6	11	13	10	7	5	4	2	1	-	-
	White----M	36	1	2	-	-	-	1	-	1	1	2	1	3	1	2	-	4	6	3	2	3	2	-	1	-	-
	F	54	-	1	1	3	-	3	1	3	1	-	2	3	3	2	6	4	5	6	4	2	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	-	-	-	-	-
260	Diabetes mellitus	724	1	1	-	-	-	-	1	4	4	5	8	11	15	18	26	51	85	120	134	115	78	38	8	1	-
	White----M	277	1	1	-	-	-	-	-	2	3	2	2	6	7	7	9	17	33	39	47	51	35	12	3	-	-
	F	411	-	-	-	-	-	-	1	2	-	2	5	3	7	9	15	30	43	72	85	63	42	26	5	1	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	4	3	-	1	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	5	6	2	-	-	-	-	-	-
290-293	Anemias	96	3	2	-	2	-	1	-	1	2	-	-	1	-	3	9	3	4	9	9	18	16	7	6	-	-
	White----M	55	1	2	-	1	-	1	-	1	1	-	-	1	-	1	7	1	1	6	7	11	8	4	1	-	-
	F	36	-	-	-	1	-	-	-	-	1	-	-	-	-	2	1	2	1	3	2	7	8	3	5	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	48	14	4	3	-	-	3	2	1	2	1	-	1	1	5	3	2	-	2	3	-	1	-	-	-	-
	White----M	28	8	1	2	-	-	2	-	1	1	1	-	1	1	3	2	1	-	2	1	-	1	-	-	-	-
	F	13	6	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	23,848	12	1	3	1	1	11	15	23	41	53	116	204	359	671	1,001	1,398	2,132	2,949	3,616	4,069	3,609	2,387	928	240	8
	White----M	13,084	7	1	2	-	-	7	5	12	18	32	66	112	239	454	652	927	1,364	1,748	2,026	2,073	1,764	1,087	387	100	1
	F	9,585	5	-	1	1	-	4	8	8	17	12	29	57	72	140	243	364	612	1,034	1,449	1,877	1,759	1,251	511	127	4
	Nonwhite--M	605	-	-	-	-	1	-	-	1	3	4	9	15	25	45	58	50	81	88	70	59	46	29	13	6	2
	F	574	-	-	-	-	-	-	2	2	3	5	12	20	23	32	48	57	75	79	71	60	40	20	17	7	1
330-334, 400-468	Diseases of cardiovascular system	23,366	11	1	3	1	1	8	9	21	33	46	98	186	344	653	979	1,366	2,105	2,899	3,548	3,998	3,543	2,350	917	238	8
	White----M	12,830	6	1	2	-	-	5	2	11	15	30	56	105	233	445	638	910	1,352	1,722	1,992	2,033	1,725	1,068	379	99	1
	F	9,401	5	-	1	1	-	3	6	7	13	9	23	47	67	137	239	353	599	1,014	1,418	1,853	1,734	1,234	508	126	4
	Nonwhite--M	586	-	-	-	-	1	-	-	1	3	2	8	14	24	43	56	50	81	84	70	56	44	28	13	6	2
	F	549	-	-	-	-	-	-	1	2	2	5	11	20	20	28	46	53	73	79	68	56	40	20	17	7	1
330-334	Vascular lesions, etc.*	5,496	5	-	2	-	-	1	1	6	5	14	18	28	45	104	166	215	385	657	885	1,128	950	621	214	42	4
	White----M	2,616	3	-	2	-	-	1	-	3	3	8	10	11	21	48	65	99	199	341	451	537	425	271	101	16	1
	F	2,588	2	-	-	-	-	-	1	2	1	4	5	16	18	39	71	93	142	269	405	553	503	335	106	22	1
	Nonwhite--M	133	-	-	-	-	-	-	-	-	1	1	-	-	2	11	13	9	23	21	11	17	10	9	2	2	1
	F	159	-	-	-	-	-	-	-	1	-	1	3	1	4	6	17	14	21	26	18	21	12	6	5	2	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																										
400-402	Rheumatic fever---	33	-	-	-	1	-	4	3	4	1	2	3	2	1	4	1	2	1	3	-	1	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	2	-	3	1	1	1	1	-	3	-	1	1	1	-	1	-	-	-	-	-
	F--	14	-	-	-	1	-	2	2	1	-	-	2	1	-	1	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	16,130	6	1	1	-	1	3	5	10	25	29	69	136	273	527	759	1,110	1,647	2,110	2,487	2,562	2,234	1,431	539	151	4
	White-----M--	9,383	3	1	-	-	-	2	2	4	11	20	44	86	203	384	548	782	1,109	1,304	1,455	1,353	1,125	666	218	63	-
	F--	6,024	3	-	1	-	-	1	3	4	11	5	12	27	43	92	149	252	436	705	948	1,148	1,057	740	303	81	3
	Nonwhite--M--	387	-	-	-	-	1	-	-	1	2	-	6	11	16	30	35	37	52	53	52	33	30	15	9	3	1
	F--	336	-	-	-	-	-	-	-	1	1	4	7	12	11	21	27	39	50	48	42	28	22	10	9	4	-
410-416	Chronic rheumatic heart disease----	504	-	-	-	-	1	1	2	5	12	12	21	25	25	47	50	57	60	41	51	49	19	20	6	-	-
	White-----M--	259	-	-	-	-	-	1	1	2	3	10	14	15	15	29	26	22	37	18	25	25	7	9	-	-	-
	F--	224	-	-	-	-	-	-	1	2	8	2	6	8	10	16	21	31	21	23	22	24	12	11	6	-	-
	Nonwhite--M--	12	-	-	-	-	1	-	-	-	1	-	-	2	-	1	1	3	2	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-	-	3	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	11,170	1	-	-	-	-	-	1	1	5	12	34	85	200	409	585	872	1,279	1,601	1,783	1,698	1,396	839	286	81	2
	White-----M--	7,081	-	-	-	-	-	-	-	1	5	8	24	65	164	325	463	672	918	1,062	1,094	959	747	410	134	30	-
	F--	3,680	1	-	-	-	-	-	1	-	-	2	2	11	21	50	83	159	300	477	639	707	622	416	143	45	1
	Nonwhite--M--	233	-	-	-	-	-	-	-	-	-	-	4	3	11	22	25	24	33	37	28	15	14	9	4	3	1
	F--	176	-	-	-	-	-	-	-	-	-	2	4	6	4	12	14	17	28	25	22	17	13	4	5	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,763	1	-	1	-	-	-	-	3	3	-	5	6	15	16	39	60	95	157	248	326	362	265	117	43	1
	White-----M--	843	-	-	-	-	-	-	-	1	1	-	2	2	10	6	20	33	59	85	123	158	161	106	38	18	-
	F--	848	1	-	1	-	-	-	-	1	2	-	1	2	3	8	17	24	27	64	111	159	175	153	75	24	1
	Nonwhite--M--	41	-	-	-	-	-	-	-	1	-	-	1	2	1	2	1	-	4	5	9	7	5	2	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	5	3	5	2	1	4	3	1	-
430-434	Other diseases of heart---------	584	4	1	-	-	-	2	2	1	5	1	7	9	11	18	21	33	48	76	78	90	85	60	28	4	-
	White-----M--	303	3	1	-	-	-	1	1	-	2	-	4	2	5	11	12	19	23	45	41	40	45	33	13	2	-
	F--	252	1	-	-	-	-	1	1	1	1	1	3	3	3	4	8	12	21	28	37	48	37	26	14	2	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	4	2	-	-	1	1	1	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	2	3	2	-	2	-	1	-	2	2	-	-	-	-
440-443	Hypertension with heart dis.--	2,109	-	-	-	-	-	-	-	-	-	4	2	11	22	37	64	88	165	235	337	399	372	247	102	23	1
	White-----M--	897	-	-	-	-	-	-	-	-	-	2	-	2	9	13	27	36	72	94	172	171	145	108	33	13	-
	F--	1,019	-	-	-	-	-	-	-	-	-	-	-	3	6	14	20	26	67	113	139	210	211	134	65	10	1
	Nonwhite--M--	87	-	-	-	-	-	-	-	-	-	-	1	2	4	4	7	10	9	9	14	11	10	3	3	-	-
	F--	106	-	-	-	-	-	-	-	-	-	2	1	4	3	6	10	16	17	19	12	7	6	2	1	-	-
444-447	Hypertension without mention of heart----------	317	-	-	-	-	-	-	-	-	1	-	5	13	13	5	16	13	18	28	33	64	48	41	14	5	-
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	5	3	2	6	8	6	10	14	30	23	17	8	2	-
	F--	133	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	3	8	11	14	34	23	22	5	3	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	2	1	5	2	5	2	2	3	1	-	1	-	1	-	-
	F--	25	-	-	-	-	-	-	-	-	1	-	1	5	3	1	1	-	2	4	4	-	1	2	-	-	-
450	General arteriosclerosis--------	1,123	-	-	-	-	-	-	-	-	-	-	-	-	2	3	10	6	19	67	96	212	279	242	147	40	-
	White-----M--	522	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	15	44	50	98	134	102	51	18	-
	F--	551	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	4	16	37	103	138	134	92	20	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	5	5	2	4	1	1	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	4	6	5	2	3	1	-
451-468	Other diseases of circulatory sys.-	267	-	-	-	-	-	-	-	1	1	1	3	7	10	10	27	20	35	34	37	31	32	15	3	-	-
	White-----M--	159	-	-	-	-	-	-	-	1	-	1	1	2	5	7	15	16	22	22	22	14	18	12	1	-	-
	F--	91	-	-	-	-	-	-	-	-	1	-	2	1	4	3	10	3	9	11	14	15	13	3	2	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	4	1	1	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	482	1	-	-	-	-	3	6	2	8	7	18	18	15	18	22	32	27	50	68	71	66	37	11	2	-
	White-----M--	254	1	-	-	-	-	2	3	1	3	2	10	7	6	9	14	17	12	26	34	40	39	19	8	1	-
	F--	184	-	-	-	-	-	1	2	1	4	3	6	10	5	3	4	11	13	20	31	24	25	17	3	1	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	2	1	1	1	2	2	-	-	4	-	3	2	1	-	-	-
	F--	25	-	-	-	-	-	-	1	-	1	-	1	-	3	4	2	4	2	-	3	4	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,127	193	37	15	8	2	12	8	7	7	6	13	14	11	25	27	39	70	88	96	123	148	113	48	16	1
	White-----M--	610	96	18	10	5	2	8	1	5	4	5	11	5	7	14	18	24	53	54	61	63	77	44	17	8	-
	F--	420	63	13	4	3	-	3	4	1	3	1	2	4	2	10	4	6	14	25	29	55	66	68	31	8	1
	Nonwhite--M--	62	17	4	1	-	-	-	-	-	-	-	-	5	2	1	2	8	2	7	6	2	4	1	-	-	-
	F--	35	17	2	-	-	-	1	3	1	-	-	-	-	-	-	3	1	1	2	-	3	1	-	-	-	-
480-483	Influenza---------	91	15	1	-	1	1	1	2	-	-	-	2	-	-	3	3	2	4	4	8	7	15	15	4	3	-
	White-----M--	46	6	-	-	1	1	1	-	-	-	-	2	-	-	2	3	1	4	1	6	1	6	7	2	2	-
	F--	44	9	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	3	2	6	9	8	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,036	178	36	15	7	1	11	6	7	7	6	11	14	11	22	24	37	66	84	88	116	133	98	44	13	1
	White-----M--	564	90	18	10	4	1	7	1	5	4	5	9	5	7	12	15	23	49	53	55	62	71	37	15	6	-
	F--	376	54	12	4	3	-	3	3	1	3	1	2	4	2	9	4	5	14	22	27	49	57	60	29	7	1
	Nonwhite--M--	62	17	4	1	-	-	-	-	-	-	-	-	5	2	1	2	8	2	7	6	2	4	1	-	-	-
	F--	34	17	2	-	-	-	1	2	1	-	-	-	-	-	-	3	1	1	2	-	3	1	-	-	-	-
500-502	Bronchitis--------	71	17	6	2	2	-	4	1	-	-	1	1	-	-	-	2	3	-	6	7	8	7	3	1	-	-
	White-----M--	36	10	3	2	1	-	2	1	-	-	-	1	-	-	-	1	3	-	3	2	3	3	1	-	-	-
	F--	32	6	3	-	1	-	1	1	-	-	1	-	-	-	-	1	-	-	3	5	4	4	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	261	3	-	-	-	-	-	-	-	-	1	2	7	12	20	19	29	36	42	31	21	19	15	3	1	-
	White-----M--	200	3	-	-	-	-	-	-	-	-	1	2	3	10	16	15	24	33	33	23	14	14	7	1	1	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	2	3	6	8	6	5	8	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	2	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	58	-	1	2	1	-	3	2	-	-	-	-	2	3	2	5	4	4	7	9	4	7	1	-	1	-
	White-----M--	36	-	1	1	1	-	1	-	-	-	-	-	1	2	-	5	2	4	2	8	4	3	-	-	1	-
	F--	18	-	-	1	-	-	2	1	-	-	-	-	1	-	1	-	1	-	5	1	-	4	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	240	23	2	-	1	-	1	1	2	-	3	1	6	9	3	9	14	24	22	36	31	20	21	9	2	-
	White-----M--	116	15	2	-	1	-	1	1	2	-	-	-	2	6	2	4	8	14	7	16	13	7	9	5	1	-
	F--	109	8	-	-	-	-	-	-	-	-	2	-	3	2	-	4	4	10	13	16	18	13	12	4	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	2	3	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	1	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																										
543,	Gastritis, etc.*--	183	59	9	4	1	1	6	-	1	-	1	1	3	1	3	4	6	14	15	12	15	14	10	3	-	-
571,	White-----M--	91	28	3	1	1	1	5	-	1	-	-	1	1	1	2	2	4	9	7	7	8	5	3	1	-	-
572	F--	73	20	4	3	-	-	1	-	-	-	1	-	2	-	1	2	1	4	6	4	7	8	7	2	-	-
	Nonwhite--M--	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	362	-	-	-	-	-	-	1	1	-	4	5	8	26	34	42	49	40	46	56	27	17	6	-	-	-
	White-----M--	247	-	-	-	-	-	-	1	1	-	3	3	7	17	27	35	35	27	28	33	19	8	3	-	-	-
	F--	101	-	-	-	-	-	-	-	-	-	1	2	1	8	5	6	12	11	15	22	6	9	3	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	66	1	-	3	1	-	1	1	4	-	1	2	3	5	2	6	5	4	4	2	9	3	6	3	-	-
	White-----M--	32	-	-	3	1	-	1	1	2	-	1	2	2	2	1	4	-	2	2	1	5	-	1	1	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	4	2	1	-	3	3	3	2	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	2	-	-	-
610	Hyperplasia of																										
	prostate---------	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	15	30	41	37	17	10	3	-
	White-----M--	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	15	27	41	37	16	10	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	31	...	...	...	...	...	...	-	2	4	6	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	...	...	...	...	...	...	-	2	4	5	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	28	...	...	...	...	...	...	-	2	4	6	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	24	...	...	...	...	...	...	-	2	4	5	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
669	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	592	451	30	12	5	4	14	12	5	4	5	8	6	6	9	4	5	2	3	3	1	3	-	-	-	-
	White-----M--	312	224	19	5	4	2	9	7	3	3	5	2	2	4	8	3	5	-	2	2	-	3	-	-	-	-
	F--	252	203	10	6	1	2	5	5	2	-	-	5	4	2	1	1	-	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	15	12	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,686	1,686	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	847	847	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	629	629	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	696	696	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	896	896	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	438	438	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	194	19	-	1	1	-	1	1	2	5	3	3	3	4	1	5	8	8	15	13	13	27	20	28	12	1
795	White-----M--	100	7	-	-	1	-	1	-	-	2	2	1	2	2	1	3	8	6	9	5	8	15	12	12	2	1
	F--	75	6	-	1	-	-	-	-	1	2	1	1	-	-	-	2	-	2	4	7	5	11	8	15	9	-
	Nonwhite--M--	9	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F--	10	3	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1	-
Re-	All other diseases	1,784	83	22	8	7	4	28	14	20	22	24	34	45	76	92	94	140	181	194	216	174	162	92	40	11	1
sid-	White-----M--	943	51	8	8	4	3	12	5	12	9	10	20	16	35	46	46	79	112	125	115	88	78	42	17	2	-
ual	F--	725	26	10	-	2	1	15	8	7	8	10	10	25	30	35	38	53	58	61	87	84	79	50	20	7	1
	Nonwhite--M--	75	6	2	-	-	-	1	1	-	2	3	3	2	7	3	8	5	8	6	9	2	3	-	2	2	-
	F--	41	-	2	-	1	-	-	-	1	3	1	1	2	4	8	2	3	3	2	5	-	2	-	1	-	-
E800-	Accidents---------	2,744	101	39	33	36	17	95	76	179	172	157	127	142	111	114	145	118	148	130	177	197	208	140	65	17	-
E962	White-----M--	1,722	53	17	16	22	10	69	58	133	142	118	90	105	85	78	108	80	103	95	92	97	78	42	27	4	-
	F--	876	33	16	13	9	5	21	13	40	19	26	30	26	14	29	26	34	41	34	74	98	127	97	38	13	-
	Nonwhite--M--	89	9	1	4	3	1	5	2	3	8	8	5	4	10	5	8	2	4	1	5	-	1	-	-	-	-
	F--	57	6	5	-	2	1	-	3	3	3	5	2	7	2	2	3	2	-	-	6	2	2	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	1,148	6	9	11	17	9	44	33	116	135	101	74	93	60	60	64	54	80	49	59	35	28	10	1	-	-
	White-----M--	808	1	3	5	11	7	30	26	82	110	70	51	69	49	37	45	33	54	34	37	31	16	7	-	-	-
	F--	292	4	6	6	5	2	12	6	31	16	23	21	18	8	23	14	20	25	15	18	4	11	3	1	-	-
	Nonwhite--M--	32	-	-	-	1	-	2	-	1	7	5	1	4	3	-	4	-	1	-	2	-	1	-	-	-	-
	F--	16	1	-	-	-	-	-	1	2	2	3	1	2	-	-	1	1	-	-	2	-	-	-	-	-	-
E800-	All ot. accidents-	1,596	95	30	22	19	8	51	43	63	37	56	53	49	51	54	81	64	68	81	118	162	180	130	64	17	-
E802,	White-----M--	914	52	14	11	11	3	39	32	51	32	48	39	36	36	41	63	47	49	61	55	66	62	35	27	4	-
E840-	F--	584	29	10	7	4	3	9	7	9	3	3	9	8	6	6	12	14	16	19	56	94	116	94	37	13	-
E962	Nonwhite--M--	57	9	1	4	2	1	3	2	2	1	3	4	-	7	5	4	2	3	1	3	-	-	-	-	-	-
	F--	41	5	5	-	2	1	-	2	1	1	2	1	5	2	2	2	1	-	-	4	2	2	1	-	-	-
E963,	Suicide----------	543	-	-	-	-	-	-	1	8	15	32	36	28	52	53	64	75	55	39	38	20	16	9	2	-	-
E970-	White-----M--	417	-	-	-	-	-	-	1	7	9	28	27	17	37	43	47	62	41	30	30	14	14	8	2	-	-
E979	F--	119	-	-	-	-	-	-	-	1	4	4	9	10	14	10	15	13	13	9	8	6	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	134	6	1	-	-	2	2	-	3	11	15	19	11	13	19	13	8	5	2	1	2	-	-	-	-	1
E980-	White-----M--	59	3	1	-	-	-	-	-	-	4	8	7	4	7	9	7	1	5	1	1	1	-	-	-	-	-
E985	F--	21	2	-	-	-	1	1	-	-	2	-	3	2	2	5	1	-	-	-	-	1	-	-	-	-	1
	Nonwhite--M--	44	-	-	-	-	1	1	-	3	3	6	6	5	3	5	5	5	-	1	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	2	1	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA																										
	ALL CAUSES------	26,772	1,407	79	64	44	51	129	99	177	209	205	235	315	490	702	1,018	1,489	2,116	2,835	3,553	3,901	3,678	2,668	980	311	17
	White-----M--	15,026	766	39	29	27	34	74	62	127	145	138	139	202	326	455	679	970	1,314	1,734	2,042	2,103	1,867	1,227	404	114	9
	F--	11,455	604	38	35	15	17	52	37	49	58	63	88	107	159	239	325	497	773	1,060	1,482	1,763	1,795	1,426	572	194	7
	Nonwhite--M--	154	19	1	-	2	-	2	-	1	4	2	2	1	3	5	7	16	9	24	16	18	7	11	1	2	1
	F--	137	18	1	-	-	-	1	-	-	2	2	6	5	2	3	7	6	20	17	13	17	9	4	3	1	-
001-019	Tuberculosis, all forms--------	106	1	-	-	-	-	1	-	-	2	1	6	5	6	10	11	7	11	11	13	11	7	3	-	-	-
	White-----M--	79	1	-	-	-	-	1	-	-	1	1	2	2	3	5	11	7	8	10	10	10	6	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	1	-	4	2	2	4	-	-	2	1	3	1	1	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	90	1	-	-	-	-	-	-	-	2	-	5	4	6	6	11	3	11	10	12	11	5	3	-	-	-
	White-----M--	68	1	-	-	-	-	-	-	-	1	-	1	2	3	3	11	3	8	9	10	10	5	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	4	1	2	2	-	-	2	1	2	1	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	-	-	-	-	-	1	-	-	-	1	1	1	-	4	-	4	-	1	1	-	2	-	-	-	-
	White-----M--	11	-	-	-	-	-	1	-	-	-	1	1	-	-	2	-	4	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	54	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	3	6	8	12	9	4	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	5	6	6	6	2	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	6	-	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	6	2	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	1	-	-	1	-	1	3	-	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	-	-	-	-	1	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	60	12	3	-	-	1	2	1	2	1	1	1	2	1	4	2	3	5	3	5	3	3	4	1	-	-
	White-----M--	36	9	1	-	-	-	1	1	2	1	1	-	1	1	1	2	1	4	1	2	3	2	2	-	-	-
	F--	23	3	1	-	-	1	1	-	-	-	-	1	1	-	3	-	2	1	2	3	-	1	2	1	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*	4,274	4	2	9	3	7	15	14	19	17	28	42	69	108	179	249	374	532	612	630	597	435	242	71	13	3
	White--M--	2,185	4	1	3	3	2	5	10	13	7	18	22	27	37	80	116	182	270	345	328	321	225	123	34	6	3
	F--	2,053	-	1	6	-	5	10	4	6	10	10	20	40	71	98	130	190	258	254	297	272	209	118	37	7	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	7	5	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	4	6	-	3	1	1	-	-	-
140-148	Of buccal cavity and pharynx	61	1	-	-	-	-	-	1	-	-	-	3	-	1	2	3	3	9	11	8	11	4	2	2	-	-
	White--M--	51	1	-	-	-	-	-	-	-	-	-	3	-	1	2	3	2	6	9	7	11	3	1	2	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	2	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,554	1	-	-	-	-	1	-	2	2	2	10	12	24	41	58	116	183	251	247	258	196	115	30	5	-
	White--M--	818	1	-	-	-	-	-	-	2	2	1	6	5	9	25	32	56	95	151	131	139	94	54	12	3	-
	F--	722	-	-	-	-	-	1	-	-	-	1	4	7	15	16	24	60	86	94	114	119	101	60	18	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	1	-	-	-
160-164	Of respiratory system (not secondary)	394	-	-	-	-	-	-	-	1	-	1	2	8	7	25	36	61	76	56	49	38	21	9	3	1	-
	White--M--	327	-	-	-	-	-	-	-	1	-	1	2	4	7	22	30	56	69	46	38	28	14	7	2	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	4	-	3	5	4	7	8	11	10	7	2	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
170	Of breast	388	-	-	-	-	-	-	-	-	-	2	3	7	18	35	42	41	48	45	46	42	32	19	6	1	1
	White--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1
	F--	383	-	-	-	-	-	-	-	-	-	2	3	7	18	35	42	41	47	45	45	42	31	18	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	714	-	-	-	-	-	1	-	1	4	5	10	18	26	28	37	44	85	83	127	112	74	42	12	4	1
	White--M--	328	-	-	-	-	-	-	-	-	2	4	3	3	2	4	3	8	24	37	75	67	52	32	9	2	1
	F--	375	-	-	-	-	-	1	-	1	2	1	7	15	24	23	34	35	59	44	50	42	22	10	3	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-	-
180, 181	Of urinary organs	207	-	-	2	1	1	-	-	-	-	-	-	1	4	6	9	23	23	34	31	30	30	10	2	-	-
	White--M--	139	-	-	-	1	1	-	-	-	-	-	-	1	4	5	8	18	14	22	19	17	20	7	2	-	-
	F--	66	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	5	9	11	11	13	10	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	520	1	1	2	-	1	2	7	3	8	7	6	9	16	24	45	46	54	68	62	60	53	31	12	1	1
	White--M--	268	1	-	-	-	-	-	6	1	2	7	3	6	6	11	27	22	27	41	33	30	26	13	5	-	1
	F--	250	-	1	2	-	1	2	1	2	6	-	3	3	10	13	18	24	27	26	29	29	27	18	7	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	225	1	1	4	2	5	9	4	8	-	5	4	7	6	6	10	16	24	25	28	29	15	12	3	1	-
	White--M--	142	1	1	3	2	1	4	3	6	-	2	3	4	4	4	8	7	16	17	15	22	8	8	2	1	-
	F--	83	-	-	1	-	4	5	1	2	-	3	1	3	2	2	2	9	8	8	13	7	7	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	211	-	-	1	-	-	2	2	4	3	6	4	7	6	12	9	24	30	39	32	17	10	2	1	-	-
	White--M--	107	-	-	-	-	-	1	1	3	1	3	2	4	4	7	5	13	18	22	9	7	7	-	-	-	-
	F--	101	-	-	1	-	-	1	1	1	2	3	2	1	2	5	4	11	12	16	23	10	3	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	102	1	2	1	1	2	1	2	-	5	2	3	4	6	10	14	6	8	12	10	2	7	2	1	-	-
	White--M--	54	1	2	-	-	2	1	1	-	2	-	3	2	4	5	7	4	5	5	5	1	3	-	1	-	-
	F--	47	-	-	1	1	-	-	1	-	3	2	-	2	2	5	7	2	2	7	5	1	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	449	-	1	-	-	1	-	1	1	-	1	8	11	8	7	21	23	33	65	90	78	70	25	5	-	-
	White--M--	183	-	1	-	-	1	-	-	-	-	-	5	9	6	3	12	8	13	21	31	35	23	13	2	-	-
	F--	260	-	-	-	-	-	-	1	1	-	1	3	2	2	4	9	15	19	42	59	41	46	12	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-
290-293	Anemias	70	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	3	8	11	11	11	15	4	-	-
	White--M--	32	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	5	7	4	3	9	-	-	-
	F--	37	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	4	7	8	6	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	19	7	1	1	-	1	-	-	-	-	1	1	-	-	-	-	1	2	-	2	2	-	-	-	-	-
	White--M--	11	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-
	F--	8	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,354	9	2	-	-	1	7	7	6	20	27	49	81	165	290	481	777	1,157	1,738	2,315	2,692	2,633	1,938	720	229	10
	White--M--	8,613	5	2	-	-	1	4	4	2	12	11	32	56	126	216	354	560	759	1,094	1,357	1,446	1,316	881	292	81	2
	F--	6,591	4	-	-	-	-	3	3	4	8	15	16	23	36	71	118	202	377	623	939	1,221	1,307	1,044	424	146	7
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	9	8	12	8	15	6	10	1	1	1
	F--	71	-	-	-	-	-	-	-	-	-	1	1	2	1	-	6	6	13	9	11	10	4	3	3	1	-
330-334, 400-468	Diseases of cardiovascular system	15,125	9	2	-	-	-	5	6	6	14	25	42	76	158	287	469	765	1,142	1,717	2,283	2,644	2,607	1,915	716	227	10
	White--M--	8,500	5	2	-	-	-	4	4	2	7	10	28	53	120	216	344	551	754	1,085	1,341	1,424	1,304	873	290	81	2
	F--	6,480	4	-	-	-	-	1	2	4	7	14	13	22	35	68	116	199	367	612	923	1,197	1,294	1,029	422	144	7
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	9	8	12	8	13	5	10	1	1	1
	F--	69	-	-	-	-	-	-	-	-	-	1	1	1	1	-	6	6	13	8	11	10	4	3	3	1	-
330-334	Vascular lesions, etc.*	3,981	7	-	-	-	-	1	2	1	3	4	7	14	29	39	71	132	241	398	596	767	837	594	182	54	2
	White--M--	1,920	4	-	-	-	-	1	2	1	1	1	4	9	13	19	33	74	123	218	331	375	362	261	65	23	-
	F--	2,020	3	-	-	-	-	-	-	-	2	3	3	4	15	20	35	56	111	174	262	383	472	330	116	30	1
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	7	1	2	-	-	1
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	5	3	2	2	2	1	1	1	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Continued																										
400-402	Rheumatic fever---	15	-	-	-	-	-	-	2	-	1	1	2	1	2	-	1	2	2	-	-	-	-	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	2	2	-	-	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,924	-	2	-	-	-	3	1	3	6	14	32	57	124	239	384	594	863	1,231	1,552	1,663	1,517	1,085	417	130	7
	White-----M--	5,937	-	2	-	-	-	2	1	1	4	8	22	41	104	190	303	449	607	810	930	933	803	508	172	46	1
	F--	3,893	-	-	-	-	-	1	-	2	2	5	9	16	18	46	75	133	242	409	609	717	708	570	242	83	6
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	8	6	7	5	6	4	5	1	1	-
	F--	45	-	-	-	-	-	-	-	-	-	1	1	-	1	-	4	4	8	5	8	7	2	2	2	-	-
410-416	Chronic rheumatic heart disease----	282	-	-	-	-	-	2	-	3	1	6	6	19	12	27	27	32	30	34	29	23	11	12	5	2	1
	White-----M--	154	-	-	-	-	-	1	-	1	1	3	1	8	7	13	12	15	19	21	17	17	8	8	1	1	-
	F--	123	-	-	-	-	-	1	-	2	-	3	5	11	5	13	14	15	11	13	11	6	3	4	4	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,136	-	-	-	-	-	-	-	-	3	6	24	33	102	186	307	479	692	984	1,170	1,173	989	672	244	68	4
	White-----M--	4,596	-	-	-	-	-	-	-	-	3	5	20	30	89	166	262	392	518	676	724	688	552	332	112	26	1
	F--	2,481	-	-	-	-	-	-	-	-	-	-	3	3	12	18	42	80	166	298	439	478	434	335	129	41	3
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	4	6	2	3	2	3	1	1	-
	F--	28	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	4	4	5	4	1	2	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,167	-	1	-	-	-	1	-	-	1	1	1	-	2	7	15	21	46	75	151	207	270	212	116	39	1
	White-----M--	591	-	1	-	-	-	1	-	-	-	-	1	-	2	4	8	11	20	45	92	117	138	97	38	16	-
	F--	569	-	-	-	-	-	-	-	-	1	1	-	-	-	3	7	10	24	30	58	88	131	114	78	23	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	338	-	1	-	-	-	-	1	-	-	1	-	3	3	8	10	15	29	39	48	59	48	47	14	12	-
	White-----M--	188	-	1	-	-	-	-	1	-	-	-	-	3	2	3	6	12	20	22	27	32	33	20	5	1	-
	F--	148	-	-	-	-	-	-	-	-	-	1	-	-	1	5	4	3	7	17	21	27	15	27	9	11	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,001	-	-	-	-	-	-	-	-	1	-	1	2	5	11	25	47	66	99	154	201	199	142	38	9	1
	White-----M--	408	-	-	-	-	-	-	-	-	-	-	-	-	4	4	15	19	30	46	70	79	72	51	16	2	-
	F--	572	-	-	-	-	-	-	-	-	1	-	1	2	-	7	8	25	34	51	80	118	125	90	22	7	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	3	-	-	-	-	-
444-447	Hypertension without mention of heart----------	218	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	12	8	22	25	41	51	34	9	3	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	8	3	15	15	19	30	18	5	1	-
	F--	95	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	5	6	10	22	21	16	4	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	811	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	8	39	78	152	186	194	105	40	1
	White-----M--	403	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	21	42	84	102	83	46	11	1
	F--	401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	17	34	67	84	108	59	29	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	176	2	-	-	-	-	1	1	2	4	6	1	2	2	4	7	18	20	27	32	21	16	7	3	-	-
	White-----M--	108	1	-	-	-	-	1	-	-	2	-	1	1	1	3	5	12	13	21	23	13	7	2	2	-	-
	F--	66	1	-	-	-	-	-	1	2	2	6	-	1	1	1	2	5	7	6	8	8	9	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	229	-	-	-	-	1	2	1	-	6	2	7	5	7	3	12	12	15	21	32	48	26	23	4	2	-
	White-----M--	113	-	-	-	-	1	-	-	-	5	1	4	3	6	-	10	9	5	9	16	22	12	8	2	-	-
	F--	111	-	-	-	-	-	2	1	-	1	1	3	1	1	3	2	3	10	11	16	24	13	15	2	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	711	90	8	2	2	5	4	6	4	7	3	4	12	6	7	14	24	41	29	66	77	113	118	50	19	-
	White-----M--	387	48	3	1	1	3	3	4	2	4	1	2	6	4	6	8	14	29	17	38	40	74	49	20	10	-
	F--	308	37	5	1	-	2	1	2	2	1	2	1	6	1	1	5	10	12	12	28	35	37	69	30	8	-
	Nonwhite--M--	8	2	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-
	F--	8	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
480-483	Influenza---------	46	2	-	-	1	1	1	1	1	1	1	-	-	-	-	-	2	2	1	4	7	4	8	8	1	-
	White-----M--	21	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	2	1	-	1	1	3	5	2	1	-
	F--	23	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	3	6	1	3	6	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	665	88	8	2	1	4	3	5	3	6	2	4	12	6	7	14	22	39	28	62	70	109	110	42	18	-
	White-----M--	366	47	3	1	1	2	2	3	2	4	-	2	6	4	6	8	12	28	17	37	39	71	44	18	9	-
	F--	285	36	5	1	-	2	1	2	1	1	2	1	6	1	1	5	10	11	11	25	29	36	66	24	8	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-
	F--	7	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
500-502	Bronchitis--------	51	10	1	1	2	-	2	1	-	-	1	-	-	1	1	-	3	5	2	7	-	8	5	1	-	-
	White-----M--	31	5	-	-	2	-	1	-	-	-	1	-	-	-	1	-	1	4	2	6	-	4	3	1	-	-
	F--	19	5	1	1	-	-	1	1	-	-	-	-	-	1	-	-	1	1	-	1	-	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	169	-	-	-	-	-	-	-	-	-	1	5	1	7	5	8	22	18	22	33	22	14	9	2	-	-
	White-----M--	127	-	-	-	-	-	-	-	-	-	1	5	1	6	4	7	18	15	16	28	15	9	2	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	5	5	7	5	7	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	36	-	-	3	-	-	-	-	-	2	1	1	2	-	3	1	4	5	2	4	5	2	1	-	-	-
	White-----M--	19	-	-	1	-	-	-	-	-	-	-	1	1	-	3	1	2	2	1	1	4	1	1	-	-	-
	F--	17	-	-	2	-	-	-	-	-	2	1	-	1	-	-	-	2	3	1	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	144	11	-	-	-	-	-	-	-	-	2	2	1	5	5	9	3	11	13	16	19	25	17	3	2	-
	White-----M--	78	5	-	-	-	-	-	-	-	-	1	-	-	4	4	5	-	7	7	9	10	13	9	2	2	-
	F--	65	6	-	-	-	-	-	-	-	-	1	2	1	1	1	4	3	4	6	6	9	12	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Continued																										
543,	Gastritis, etc.*--	a 98	19	5	1	2	-	-	1	-	4	-	-	-	-	3	3	10	3	7	6	7	16	6	4	1	-
571,	White-----M--	47	10	3	-	1	-	-	1	-	1	-	-	-	-	1	2	9	-	3	4	1	4	4	2	1	-
572	F--	48	6	2	1	1	-	-	-	-	3	-	-	-	-	2	1	1	3	4	2	6	12	2	2	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	165	-	-	1	-	-	-	-	1	1	1	1	3	16	30	15	13	20	20	21	7	6	6	3	-	-
	White-----M--	115	-	-	-	-	-	-	-	1	-	1	-	2	12	24	12	9	14	9	15	6	5	3	2	-	-
	F--	50	-	-	1	-	-	-	-	-	1	-	1	1	4	6	3	4	6	11	6	1	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	35	-	-	-	-	4	1	2	-	1	-	-	1	-	3	1	1	2	4	5	6	2	2	-	-	-
	White-----M--	19	-	-	-	-	4	1	2	-	1	-	-	-	-	1	-	-	2	1	2	3	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	3	2	3	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	11	15	28	34	21	7	2	-
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	11	15	28	34	21	7	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	21	...	...	...	...	...	...	-	2	3	2	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	2	3	2	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	19	...	...	...	...	...	...	-	2	3	1	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	18	...	...	...	...	...	...	-	2	3	1	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	349	251	11	12	5	5	15	4	4	2	1	4	5	2	3	5	6	4	2	4	3	1	-	-	-	-
	White-----M--	180	130	4	9	3	2	8	3	2	-	1	2	5	1	2	2	2	-	1	2	1	-	-	-	-	-
	F--	161	114	7	3	2	3	7	1	2	2	-	2	-	1	1	3	4	4	-	2	2	1	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	848	848	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	463	463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	365	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	410	410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	162	6	-	1	-	1	1	-	-	1	1	1	-	2	-	3	3	3	6	11	15	29	35	24	18	1
795	White-----M--	82	4	-	-	-	1	1	-	-	1	1	1	-	2	-	2	3	1	4	4	10	17	15	9	5	1
	F--	80	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	5	12	20	15	13	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,230	71	13	5	2	3	14	4	14	11	11	23	21	31	37	57	85	111	148	159	161	123	91	26	9	-
	White-----M--	652	38	8	3	-	1	4	-	7	6	3	11	14	19	18	35	51	64	94	90	82	55	35	13	1	-
	F--	563	31	5	2	1	2	9	4	7	5	7	11	7	12	18	21	32	46	53	68	79	67	55	13	8	-
	Nonwhite--M--	9	2	-	-	1	-	1	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	1	-	-	-	-
E800-	Accidents---------	1,729	51	27	25	25	18	61	53	119	119	102	54	75	85	63	78	76	82	82	88	128	120	122	57	18	1
E962	White-----M--	1,145	33	13	11	16	14	39	36	96	99	83	40	63	70	48	65	56	62	55	55	57	59	50	18	6	1
	F--	569	18	13	14	9	4	20	17	23	18	17	12	12	15	13	13	20	20	25	33	70	60	72	39	12	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	2	2	2	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	636	6	10	9	13	4	24	17	75	96	53	27	50	39	25	30	33	34	31	28	17	12	3	-	-	-
	White-----M--	459	1	6	5	6	4	14	11	56	80	39	17	42	29	18	21	20	23	22	18	14	10	3	-	-	-
	F--	172	5	4	4	7	-	9	6	19	14	13	9	8	10	7	9	13	11	9	10	3	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,093	45	17	16	12	14	37	36	44	23	49	27	25	46	38	48	43	48	51	60	111	108	119	57	18	1
E802,	White-----M--	686	32	7	6	10	10	25	25	40	19	44	23	21	41	30	44	36	39	33	37	43	49	47	18	6	1
E840-	F--	397	13	9	10	2	4	11	11	4	4	4	3	4	5	6	4	7	9	16	23	67	58	72	39	12	-
E962	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
E963,	Suicide----------	332	-	-	-	-	-	-	-	3	7	13	13	14	34	37	37	38	45	28	27	17	13	4	1	-	1
E970-	White-----M--	282	-	-	-	-	-	-	-	1	5	10	11	11	28	29	30	33	40	25	25	17	11	4	1	-	1
E979	F--	49	-	-	-	-	-	-	-	2	1	3	2	3	6	8	7	5	5	3	2	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	32	1	1	-	-	-	-	-	2	5	2	2	5	3	2	1	2	3	-	2	-	-	-	-	-	1
E980-	White-----M--	17	1	-	-	-	-	-	-	1	4	-	-	2	2	1	1	1	2	-	1	-	-	-	-	-	1
E985	F--	11	-	1	-	-	-	-	-	-	-	2	2	2	1	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS																										
	ALL CAUSES------	19,042	1,235	97	44	28	26	94	81	147	191	187	214	256	353	531	812	1,068	1,497	2,013	2,388	2,693	2,544	1,646	682	209	6
	White-----M--	10,515	643	53	23	18	12	56	44	104	134	116	125	155	209	309	498	675	929	1,195	1,327	1,459	1,257	795	305	74	-
	F--	7,579	475	34	16	8	11	32	31	33	45	53	68	82	123	180	257	318	480	710	959	1,149	1,213	817	357	126	2
	Nonwhite--M--	515	58	3	2	2	1	4	3	6	6	13	10	11	9	15	36	46	45	63	57	51	42	19	9	2	2
	F--	433	59	7	3	-	2	2	3	4	6	5	11	8	12	27	21	29	43	45	45	34	32	15	11	7	2
001-019	Tuberculosis, all forms--------	103	1	2	-	-	-	-	-	-	-	3	3	2	5	14	3	10	12	12	11	14	7	4	-	-	-
	White-----M--	64	1	2	-	-	-	-	-	-	-	-	1	-	3	11	3	5	7	9	4	10	5	3	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	3	4	1	7	4	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	96	1	-	-	-	-	-	-	-	-	3	3	2	5	12	3	10	10	11	11	14	7	4	-	-	-
	White-----M--	61	1	-	-	-	-	-	-	-	-	-	1	-	3	10	3	5	7	9	4	10	5	3	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	3	3	1	7	4	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	48	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	4	10	10	6	3	8	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	6	5	4	1	5	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	3	3	1	-	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	54	6	2	1	-	-	1	3	2	2	2	4	3	1	3	2	1	5	2	8	2	1	2	1	-	-
	White-----M--	28	2	2	1	-	-	1	1	1	1	1	1	2	1	1	2	1	-	2	5	-	1	2	-	-	-
	F--	20	1	-	-	-	-	-	1	1	1	1	2	1	-	2	-	-	4	-	3	2	-	-	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*----	2,720	7	2	1	4	8	20	6	12	11	16	33	45	77	106	195	255	340	404	392	365	289	99	30	2	1
	White-----M--	1,345	5	1	1	-	4	15	3	11	9	9	11	15	27	35	89	113	172	215	199	192	144	60	15	-	-
	F--	1,252	2	-	-	4	4	4	3	1	1	6	20	29	48	64	94	126	152	166	177	163	133	37	15	2	1
	Nonwhite--M--	73	-	-	-	-	-	1	-	-	1	1	-	1	-	-	7	10	8	14	11	6	11	2	-	-	-
	F--	50	-	1	-	-	-	-	-	-	-	-	2	-	2	7	5	6	8	9	5	4	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	55	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	8	10	10	4	13	2	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	8	8	9	3	10	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	1	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	911	-	-	-	-	-	-	-	-	1	2	6	10	18	20	50	67	121	152	142	156	101	49	15	1	-
	White-----M--	476	-	-	-	-	-	-	-	-	1	-	2	5	10	8	30	26	68	87	75	80	45	31	8	-	-
	F--	388	-	-	-	-	-	-	-	-	-	1	4	4	7	12	16	31	45	52	64	73	53	18	7	1	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	7	7	9	3	1	3	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	-	2	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	258	-	-	-	-	-	-	-	-	-	1	2	2	8	14	26	39	39	55	37	17	14	3	-	1	-
	White-----M--	204	-	-	-	-	-	-	-	-	-	1	-	2	7	12	19	33	32	47	28	12	9	2	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	5	4	6	9	2	4	1	-	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	3	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
170	Of breast---------	272	-	-	-	-	-	-	-	-	-	-	2	11	11	21	32	21	35	45	31	29	25	6	3	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	264	-	-	-	-	-	-	-	-	-	-	2	11	10	19	31	21	35	42	30	29	25	6	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-	-	-	-	-
171-179	Of genital organs-	491	-	-	-	-	-	-	-	-	3	5	8	8	18	26	26	43	51	55	79	76	69	20	4	-	-
	White-----M--	190	-	-	-	-	-	-	-	-	3	1	2	-	-	-	2	6	15	25	33	47	40	13	3	-	-
	F--	275	-	-	-	-	-	-	-	-	-	4	6	8	18	22	23	36	33	28	41	26	23	6	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	6	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	3	-	2	2	-	-	-	-	-
180, 181	Of urinary organs-	124	2	-	-	-	-	2	-	-	-	-	-	-	3	4	6	14	19	18	18	19	17	2	-	-	-
	White-----M--	79	2	-	-	-	-	1	-	-	-	-	-	-	3	1	5	10	15	9	13	9	9	2	-	-	-
	F--	42	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	3	4	8	5	9	8	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	310	1	-	-	2	2	5	3	5	5	4	3	7	10	7	34	36	35	30	40	33	30	10	7	-	1
	White-----M--	164	-	-	-	-	2	2	1	4	4	3	-	2	3	2	18	18	17	18	23	21	17	6	3	-	-
	F--	131	1	-	-	2	-	2	2	1	1	1	3	5	7	4	14	18	16	10	12	12	11	4	4	-	1
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	3	-	1	-	-	-	-
204	Leukemia and aleukemia----------	156	3	1	1	1	5	11	2	4	-	2	4	4	5	5	8	12	15	22	17	16	11	6	1	-	-
	White-----M--	95	2	1	1	-	1	10	1	4	-	2	2	3	2	3	6	4	7	12	9	11	8	5	1	-	-
	F--	58	1	-	-	1	4	1	1	-	-	-	1	1	3	2	2	7	8	10	7	5	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	143	1	1	-	1	1	2	1	3	2	2	7	3	4	8	9	21	17	17	18	15	9	1	-	-	-
	White-----M--	92	1	-	-	-	1	2	1	3	1	2	5	3	2	8	7	15	10	8	8	9	6	-	-	-	-
	F--	43	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	4	7	9	8	6	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	67	2	1	1	-	-	1	1	1	2	4	2	3	4	9	6	5	7	4	4	5	3	1	-	1	-
	White-----M--	21	-	-	1	-	-	1	-	-	-	4	1	1	1	-	1	1	4	1	1	2	1	-	-	1	-
	F--	37	2	1	-	-	-	-	1	1	1	-	1	2	3	5	5	3	3	3	1	3	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
260	Diabetes mellitus-	297	1	-	-	-	-	1	-	1	1	4	3	5	5	9	11	25	23	46	55	54	35	14	4	-	-
	White-----M--	125	-	-	-	-	-	1	-	1	1	3	2	3	3	4	4	9	10	16	17	27	15	7	2	-	-
	F--	152	1	-	-	-	-	-	-	-	-	1	1	1	2	4	4	15	11	28	33	24	18	7	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	2	3	-	1	-	-	-	-
290-293	Anemias----------	52	2	1	-	-	-	-	1	1	-	2	-	-	-	-	1	1	2	7	6	10	8	4	6	-	-
	White-----M--	23	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	6	2	5	2	1	2	-	-
	F--	25	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	4	3	6	3	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	15	4	2	3	-	1	-	-	1	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-
	White-----M--	9	2	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	5	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	10,383	5	1	2	-	-	2	7	5	9	17	36	47	116	217	364	521	795	1,174	1,520	1,829	1,807	1,249	501	155	4
	White-----M--	5,741	2	-	1	-	-	1	3	3	3	9	21	29	85	149	245	365	536	699	877	983	877	591	209	53	-
	F--	4,206	3	1	1	-	-	1	3	1	6	7	13	12	20	51	90	116	211	408	584	788	886	631	277	95	1
	Nonwhite--M--	228	-	-	-	-	-	-	-	-	-	1	-	4	4	7	21	23	20	40	33	32	18	16	7	1	1
	F--	208	-	-	-	-	-	-	1	1	-	-	2	2	7	10	8	17	28	27	26	26	26	11	8	6	2
330-334, 400-468	Diseases of cardiovascular system-	10,132	5	1	1	-	-	2	5	3	5	12	33	45	111	213	357	514	779	1,149	1,489	1,782	1,750	1,225	493	154	4
	White-----M--	5,620	2	-	-	-	-	1	2	1	1	7	20	28	82	146	243	361	528	687	864	964	847	580	204	52	-
	F--	4,101	3	1	1	-	-	1	2	1	4	4	11	12	19	51	85	114	206	397	569	767	860	621	276	95	1
	Nonwhite--M--	210	-	-	-	-	-	-	-	-	-	1	-	3	4	6	21	22	19	38	31	27	17	14	5	1	1
	F--	201	-	-	-	-	-	-	1	1	-	-	2	2	6	10	8	17	26	27	25	24	26	10	8	6	2
330-334	Vascular lesions, etc.*----------	2,502	1	-	-	-	-	1	2	1	1	3	5	6	16	36	51	75	123	263	357	499	526	357	131	46	2
	White-----M--	1,183	1	-	-	-	-	1	1	-	-	2	3	1	10	17	27	38	65	124	165	258	234	167	55	14	-
	F--	1,206	-	-	-	-	-	-	1	-	1	-	2	4	2	13	19	27	45	123	177	232	279	183	69	28	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	3	8	5	3	3	4	3	1	1
	F--	73	-	-	-	-	-	-	-	1	-	-	-	1	3	4	2	8	10	8	10	6	10	3	4	3	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS--Continued																										
400-402	Rheumatic fever---	9	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	3	-	-	1	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	6,858	4	1	1	-	-	-	2	2	3	7	25	36	92	171	291	411	607	840	1,049	1,172	1,070	716	279	77	2
	White-----M--	4,036	1	-	-	-	-	-	1	1	1	4	15	25	71	127	211	306	424	541	647	654	525	337	118	27	-
	F--	2,553	3	1	1	-	-	-	1	1	2	3	9	7	16	38	59	77	152	251	362	480	521	364	158	47	-
	Nonwhite--M--	161	-	-	-	-	-	-	-	-	-	-	-	3	3	2	16	20	15	30	26	23	14	9	-	-	-
	F--	108	-	-	-	-	-	-	-	-	-	-	1	1	2	4	5	8	16	18	14	15	10	6	3	3	2
410-416	Chronic rheumatic heart disease----	210	-	-	-	-	-	-	-	2	2	4	13	5	18	13	18	26	23	16	20	15	18	10	7	-	-
	White-----M--	95	-	-	-	-	-	-	-	1	-	2	4	2	8	6	7	17	11	6	7	9	8	5	2	-	-
	F--	106	-	-	-	-	-	-	-	1	2	2	8	3	10	7	10	7	12	8	12	6	8	5	5	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,760	-	1	-	-	-	-	-	-	1	2	11	27	62	135	223	324	486	652	776	801	672	412	141	33	1
	White-----M--	3,065	-	-	-	-	-	-	-	-	1	1	10	20	56	112	177	261	356	450	518	473	356	198	63	13	-
	F--	1,553	-	1	-	-	-	-	-	-	-	1	1	4	4	20	32	48	111	179	235	309	305	207	77	19	-
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	-	-	-	2	1	1	10	12	10	16	19	13	8	5	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	9	7	4	6	3	2	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	842	4	-	-	-	-	-	1	-	-	1	-	1	3	5	10	13	31	65	98	164	180	158	80	28	-
	White-----M--	421	1	-	-	-	-	-	-	-	-	1	-	1	2	1	9	6	22	37	52	82	83	79	36	9	-
	F--	383	3	-	-	-	-	-	1	-	-	-	-	-	-	3	-	5	8	21	41	74	91	74	44	18	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	1	5	5	3	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	3	1	2	-	1	-
430-434	Other diseases of heart---------	252	-	-	1	-	-	-	1	-	-	-	1	1	3	7	15	6	15	29	35	42	39	33	15	7	-
	White-----M--	125	-	-	-	-	-	-	1	-	-	-	1	1	1	2	9	5	9	15	19	23	18	14	6	1	-
	F--	117	-	-	1	-	-	-	-	-	-	-	-	-	2	4	3	3	5	11	16	19	20	18	9	6	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	794	-	-	-	-	-	-	-	-	-	-	-	2	6	11	25	40	52	78	120	150	161	103	36	9	1
	White-----M--	330	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	17	26	33	51	67	60	41	11	4	-
	F--	394	-	-	-	-	-	-	-	-	-	-	-	-	-	4	14	14	16	32	58	72	97	60	23	4	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	5	6	6	5	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	7	5	6	4	2	2	1	1
444-447	Hypertension without mention of heart----------	150	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	7	9	11	14	27	33	33	9	1	-
	White-----M--	91	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	6	8	8	6	15	22	18	6	-	-
	F--	52	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	8	10	10	14	3	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
450	General arteriosclerosis--------	453	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	14	11	42	70	102	113	70	27	-
	White-----M--	219	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	5	27	32	55	54	24	9	-
	F--	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	14	36	44	59	43	18	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	-	-
451-468	Other diseases of circulatory sys.-	160	-	-	-	-	-	-	-	-	1	1	3	2	2	3	10	17	26	24	26	14	18	6	4	3	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	9	21	9	18	5	11	4	1	2	-
	F--	63	-	-	-	-	-	-	-	-	1	-	-	1	1	-	6	7	5	15	8	9	5	1	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	2	1	-	-	-
592-594	Chronic nephritis, etc.*----------	251	-	-	1	-	-	-	2	2	4	5	3	2	5	4	7	7	16	25	31	47	57	24	8	1	-
	White-----M--	121	-	-	1	-	-	-	1	2	2	2	1	1	3	3	2	4	8	12	13	19	30	11	5	1	-
	F--	105	-	-	-	-	-	-	1	-	2	3	2	-	1	-	5	2	5	11	15	21	26	10	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	5	1	2	2	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	473	52	14	1	2	1	7	3	2	4	4	4	6	6	3	9	14	18	33	44	78	70	61	27	10	-
	White-----M--	247	22	8	-	1	1	4	1	1	2	1	3	5	2	3	5	9	14	17	22	40	36	27	18	5	-
	F--	194	20	4	-	-	-	3	2	-	1	2	1	1	4	-	2	4	3	15	19	36	30	34	8	5	-
	Nonwhite--M--	14	3	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-
	F--	18	7	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	2	1	1	-	-	-	-
480-483	Influenza--------	58	4	1	-	-	-	1	-	-	-	-	-	1	-	-	3	4	2	6	13	6	5	11	1	-	-
	White-----M--	28	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	3	7	2	1	6	1	-	-
	F--	28	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	3	5	4	4	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	415	48	13	1	2	1	6	3	2	4	4	4	5	6	3	6	10	16	27	31	72	65	50	26	10	-
	White-----M--	219	21	7	-	1	1	4	1	1	2	1	3	4	2	3	3	7	13	14	15	38	35	21	17	5	-
	F--	166	18	4	-	-	-	2	2	-	1	2	1	1	4	-	1	2	2	12	14	32	26	29	8	5	-
	Nonwhite--M--	14	3	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-
	F--	16	6	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	1	1	1	-	-	-	-
500-502	Bronchitis--------	26	2	2	1	-	-	2	-	-	-	-	-	-	-	-	1	1	2	2	7	2	1	2	1	-	-
	White-----M--	15	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	2	1	2	-	-	-
	F--	9	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	113	-	-	-	-	-	-	-	-	-	2	-	1	4	6	5	17	15	17	17	12	10	5	2	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	15	11	16	12	7	9	3	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	1	5	5	1	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	1	-	1	1	1	1	-	3	1	2	1	3	1	-	2	2	5	1	1	-	2	-	-
	White-----M--	16	-	-	1	-	1	1	-	1	-	1	-	2	1	1	-	-	2	-	2	1	1	-	1	-	-
	F--	11	-	-	-	-	-	-	1	-	-	2	1	-	-	2	1	-	-	2	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
560, 561, 570	Hernia, intestinal obstruction--	144	17	1	-	-	-	-	-	1	2	1	-	3	1	4	6	9	11	22	14	22	10	12	8	-	-
	White-----M--	69	11	-	-	-	-	-	-	1	-	-	-	1	-	2	3	5	5	15	8	8	4	3	3	-	-
	F--	68	6	1	-	-	-	-	-	-	2	1	-	2	1	2	3	3	4	6	6	13	4	9	5	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Continued																										
543,	Gastritis, etc.*	73	13	6	1	-	-	-	-	2	2	-	-	2	1	-	6	4	3	6	6	10	5	3	3	-	-
571,	White----M	39	7	5	1	-	-	-	-	1	1	-	-	-	1	-	3	3	2	3	2	7	1	-	2	-	-
572	F	26	4	-	-	-	-	-	-	1	1	-	-	2	-	-	3	-	1	3	2	3	4	2	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
581	Cirrhosis of liver	139	-	1	-	-	-	1	-	-	-	-	2	3	12	15	12	14	17	15	15	15	7	7	1	1	1
	White----M	74	-	1	-	-	-	-	-	-	-	-	1	2	7	6	10	8	11	7	5	11	3	2	-	-	-
	F	57	-	-	-	-	-	1	-	-	-	-	1	1	5	8	1	5	5	6	9	4	4	5	1	1	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	44	1	1	-	1	-	3	-	-	-	1	1	-	1	3	2	2	4	4	5	6	5	-	3	1	-
	White----M	28	1	1	-	1	-	3	-	-	-	-	-	-	1	2	-	1	2	4	1	6	1	-	3	1	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	-	2	-	3	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	102	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	11	22	30	13	6	1	-
	White----M	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	9	21	29	13	5	1	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*	25	...	...	...	...	...	...	-	1	5	6	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	21	...	...	...	...	...	...	-	1	4	6	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	...	...	...	...	...	...	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	5	...	...	...	...	...	...	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White----F	4	...	...	...	...	...	...	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	20	...	...	...	...	...	...	-	1	2	5	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White----F	17	...	...	...	...	...	...	-	1	2	5	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-
669	Nonwhite--F	3	...	...	...	...	...	...	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	268	201	15	9	3	2	7	2	4	2	-	2	3	4	1	3	5	3	1	-	-	1	-	-	-	-
	White----M	144	107	7	6	3	-	2	1	2	1	-	1	3	3	1	-	4	1	1	-	-	1	-	-	-	-
	F	109	83	6	3	-	2	4	1	1	1	-	1	-	1	-	3	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	769	769	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	379	28	1	1	-	-	-	1	1	3	5	5	4	7	15	24	29	32	33	47	43	39	18	26	17	-
795	White----M	240	18	1	1	-	-	-	-	1	2	3	3	3	3	13	18	20	21	26	29	28	22	9	12	7	-
	F	118	7	-	-	-	-	-	1	-	1	1	2	-	4	2	3	7	9	6	16	14	15	8	13	9	-
	Nonwhite--M	12	2	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	-	2	1	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	1	1	1	-
Re-	All other diseases	957	76	6	6	5	-	5	6	10	10	12	14	25	24	25	45	55	94	111	118	100	107	73	20	10	-
sid-	White----M	534	41	3	1	4	-	1	2	6	4	4	7	15	11	14	23	40	54	74	65	62	50	39	11	3	-
ual	F	386	31	3	5	1	-	3	4	3	6	6	5	9	12	7	20	13	36	34	50	37	53	33	9	6	-
	Nonwhite--M	16	1	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	2	1	2	1	3	-	-	1	-
	F	21	3	-	-	-	-	-	-	1	-	1	2	1	1	2	2	1	2	2	1	-	1	1	-	-	-
E800-	Accidents	1,439	41	35	16	13	13	40	48	94	125	86	76	69	56	66	79	59	69	70	72	91	94	77	40	10	-
E962	White----M	930	22	17	6	9	5	24	32	67	104	70	60	54	42	46	61	42	44	48	39	39	46	31	20	2	-
	F	435	16	14	6	3	5	13	13	22	16	11	7	12	13	16	15	15	20	19	31	48	47	45	20	8	-
	Nonwhite--M	49	2	1	1	1	1	2	2	4	3	3	7	3	1	3	3	2	5	1	-	2	1	1	-	-	-
	F	25	1	3	3	-	2	1	1	1	2	2	2	-	-	1	-	-	-	2	2	2	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	587	9	9	2	7	3	7	14	64	88	52	44	35	30	34	37	26	31	37	23	19	10	6	-	-	-
	White----M	423	4	4	1	5	1	4	8	42	76	42	34	28	21	24	26	17	15	28	18	11	9	5	-	-	-
	F	136	3	5	1	2	2	2	5	19	9	6	3	6	9	10	9	8	13	9	5	8	1	1	-	-	-
	Nonwhite--M	22	2	-	-	-	-	-	-	2	2	3	6	1	-	-	2	1	3	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	852	32	26	14	6	10	33	34	30	37	34	32	34	26	32	42	33	38	33	49	72	84	71	40	10	-
E802,	White----M	507	18	13	5	4	4	20	24	25	28	28	26	26	21	22	35	25	29	20	21	28	37	26	20	2	-
E840-	F	299	13	9	5	1	3	11	8	3	7	5	4	6	4	6	6	7	7	10	26	40	46	44	20	8	-
E962	Nonwhite--M	27	-	1	1	1	1	2	2	2	1	-	1	2	1	3	1	1	2	1	-	2	1	1	-	-	-
	F	19	1	3	3	-	2	-	-	-	1	1	1	-	-	1	-	-	-	2	2	2	-	-	-	-	-
E963,	Suicide	246	-	-	-	-	-	1	-	4	7	9	17	21	18	21	32	31	26	23	24	6	3	2	-	1	-
E970-	White----M	184	-	-	-	-	-	1	-	4	3	7	9	17	14	13	24	26	19	18	18	6	2	2	-	1	-
E979	F	56	-	-	-	-	-	-	-	-	2	2	6	4	4	8	8	5	6	5	5	-	1	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	51	-	-	-	-	-	-	1	3	4	8	6	6	5	6	2	2	2	2	-	2	2	-	-	-	-
E980-	White----M	19	-	-	-	-	-	-	-	2	3	1	4	1	2	3	1	-	-	-	-	1	1	-	-	-	-
E985	F	10	-	-	-	-	-	-	1	-	-	1	1	1	-	2	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	1	-	5	1	3	3	-	1	2	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY																										
	ALL CAUSES------	27,591	2,249	138	77	71	47	177	148	238	309	349	401	505	742	1,005	1,347	1,776	2,273	2,830	3,303	3,589	3,094	2,007	696	212	8
	White-----M--	13,988	1,112	59	42	28	24	93	84	157	205	222	235	272	406	531	731	946	1,262	1,502	1,644	1,759	1,437	872	297	66	2
	F--	10,539	845	62	23	36	18	72	52	64	66	92	113	153	221	313	383	514	675	978	1,350	1,560	1,469	995	354	127	4
	Nonwhite--M--	1,686	163	4	4	3	3	6	6	10	24	21	30	39	63	89	128	196	193	191	163	147	103	68	23	7	2
	F--	1,378	129	13	8	4	2	6	6	7	14	14	23	41	52	72	105	120	143	159	146	123	85	72	22	12	-
001-019	Tuberculosis, all forms--------	465	6	4	-	1	-	3	1	3	2	13	32	28	37	31	40	36	41	52	51	50	20	13	1	-	-
	White-----M--	247	4	2	-	1	-	1	-	1	1	5	15	15	21	16	24	18	27	28	34	20	10	4	-	-	-
	F--	141	1	2	-	-	-	2	1	2	-	3	9	8	12	8	7	10	7	18	10	26	6	9	-	-	-
	Nonwhite--M--	49	1	-	-	-	-	-	-	-	1	2	4	2	3	5	7	8	5	4	3	2	2	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	3	4	3	1	2	2	-	2	2	4	2	2	-	1	-	-
001-008	Tuberculosis of respiratory system----------	430	2	1	-	-	-	1	-	1	1	11	32	27	35	29	38	36	40	49	46	48	18	13	-	-	-
	White-----M--	235	1	1	-	-	-	-	-	-	1	5	15	15	19	16	24	18	27	28	33	19	9	4	-	-	-
	F--	128	-	-	-	-	-	1	-	1	-	2	9	8	12	7	7	10	6	16	9	25	6	9	-	-	-
	Nonwhite--M--	43	1	-	-	-	-	-	-	-	-	1	4	2	3	4	6	8	5	4	2	2	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	3	4	2	1	2	1	-	2	1	4	2	2	-	-	-	-
010-019	Tuberculosis, other forms------	35	4	3	-	1	-	2	1	2	1	2	-	1	2	2	2	-	1	3	3	2	2	-	1	-	-
	White-----M--	12	3	1	-	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-	-
	F--	13	1	2	-	-	-	1	1	1	-	1	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-
020-029	Syphilis and its sequelae---------	73	-	-	-	-	-	-	-	-	-	-	2	6	4	8	5	14	7	12	9	3	2	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	1	1	3	4	3	9	5	8	3	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	1	-	3	1	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	2	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	White-----M--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat-----	8	1	2	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	34	8	8	2	3	2	1	3	1	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	14	5	2	1	1	1	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	17	3	5	1	1	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	-	-	-	-	2	1	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	102	23	2	1	1	1	3	4	-	6	3	3	3	-	4	6	10	8	5	5	4	5	3	2	-	-
	White-----M--	50	16	-	1	-	1	2	2	-	2	2	2	1	-	2	4	4	5	2	1	1	2	-	-	-	-
	F--	38	5	1	-	-	-	1	2	-	3	-	1	2	-	2	1	4	2	1	4	2	2	3	2	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	8	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*----	3,729	5	9	8	15	4	33	14	15	22	29	55	86	138	224	309	397	422	506	495	433	319	150	32	9	-
	White-----M--	1,623	2	3	4	6	3	20	7	8	16	12	24	34	49	80	124	153	180	233	228	198	157	68	12	2	-
	F--	1,751	2	6	3	8	1	12	6	6	5	17	27	41	69	123	141	187	196	217	230	209	150	72	17	6	-
	Nonwhite--M--	195	1	-	-	1	-	-	1	1	1	-	1	4	7	11	21	34	27	38	19	15	7	3	3	-	-
	F--	160	-	-	1	-	-	1	-	-	-	-	3	7	13	10	23	23	19	18	18	11	5	7	-	1	-
140-148	Of buccal cavity and pharynx-------	86	-	-	-	-	-	-	-	-	1	-	1	1	4	4	9	9	12	11	13	8	3	10	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	1	-	1	1	2	-	6	4	8	8	8	7	1	4	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	5	-	2	4	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	-	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,343	1	-	-	-	-	-	1	1	6	4	10	24	21	56	89	127	146	198	231	193	157	57	17	4	-
	White-----M--	597	-	-	-	-	-	-	1	1	4	1	5	8	10	32	40	48	66	96	105	84	69	20	6	1	-
	F--	612	-	-	-	-	-	-	-	-	1	3	5	11	7	21	32	58	59	82	106	98	83	35	9	2	-
	Nonwhite--M--	89	1	-	-	-	-	-	-	-	1	-	-	2	3	3	11	14	16	15	11	6	4	-	2	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	3	1	-	6	7	5	5	9	5	1	2	-	1	-
160-164	Of respiratory system (not secondary)-------	397	-	-	-	-	-	-	1	1	-	1	4	9	16	24	52	74	61	59	34	28	24	9	-	-	-
	White-----M--	283	-	-	-	-	-	-	1	1	-	1	2	8	10	15	38	57	48	39	22	16	18	7	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	2	-	4	6	5	7	5	13	9	11	5	2	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	9	7	4	2	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	3	1	1	-	-	-	-	-
170	Of breast---------	286	-	-	-	-	-	-	-	1	-	2	3	9	18	32	28	31	38	30	39	28	13	11	2	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-
	F--	262	-	-	-	-	-	-	-	1	-	2	1	8	17	30	21	29	34	30	36	27	13	10	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	1	4	-	1	1	-	1	-	-	-
171-179	Of genital organs-	701	2	1	-	-	-	-	-	-	3	4	14	17	33	57	66	72	86	86	78	86	56	34	6	-	-
	White-----M--	219	1	-	-	-	-	-	-	-	3	-	1	4	3	2	2	10	18	27	36	52	34	23	3	-	-
	F--	398	1	1	-	-	-	-	-	-	-	4	12	11	24	49	55	50	60	39	36	26	20	7	3	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	13	2	8	1	2	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	1	2	6	5	9	7	7	7	4	-	1	2	-	-	-
180, 181	Of urinary organs-	132	-	1	1	3	-	-	-	-	-	-	-	3	3	8	11	8	16	19	20	22	12	4	1	-	-
	White-----M--	65	-	-	1	2	-	-	-	-	-	-	-	1	1	6	5	2	9	8	10	11	6	2	1	-	-
	F--	61	-	1	-	1	-	-	-	-	-	-	-	2	1	2	6	5	6	9	9	11	6	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	440	1	3	3	4	1	12	6	6	6	7	10	15	22	21	37	45	31	53	46	41	39	21	6	4	-
	White-----M--	213	-	1	3	2	1	4	1	2	3	2	6	7	12	9	22	17	17	24	30	16	20	11	2	1	-
	F--	197	1	2	-	2	-	8	4	4	3	5	4	6	7	10	14	24	13	24	13	22	15	10	3	3	-
	Nonwhite--M--	14	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	2	-	3	1	1	1	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	2	2	2	3	-	-	-	-
204	Leukemia and aleukemia----------	188	1	2	4	7	3	16	5	4	5	5	5	1	10	13	9	17	12	22	18	17	9	3	-	-	-
	White-----M--	97	1	-	-	2	2	11	4	3	4	4	4	1	7	7	6	8	3	12	7	6	5	-	-	-	-
	F--	79	-	2	3	4	1	4	1	-	1	1	1	-	3	4	3	7	7	10	11	10	4	2	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-
200-203, 205	Lymphomas, etc.*--	156	-	2	-	1	-	5	1	2	1	6	8	7	11	9	8	14	20	28	16	10	6	1	-	-	-
	White-----M--	94	-	2	-	-	-	5	-	1	1	4	5	3	4	9	5	6	11	19	8	6	4	1	-	-	-
	F--	53	-	-	-	1	-	-	1	1	-	2	2	3	5	-	3	6	9	9	5	4	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	95	5	1	1	2	1	3	2	7	1	7	4	4	7	3	6	3	10	7	8	7	5	-	1	-	-
	White-----M--	34	2	-	-	-	-	-	2	4	-	5	1	2	2	1	-	1	6	2	2	2	2	-	-	-	-
	F--	50	1	1	1	2	1	3	-	3	1	2	2	1	3	2	2	2	4	4	6	5	3	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	373	-	-	-	-	-	1	1	1	5	3	3	7	10	9	13	26	60	58	72	58	27	18	2	1	-
	White-----M--	145	-	-	-	-	-	-	1	1	2	1	1	5	4	3	7	10	21	21	24	26	10	7	-	1	-
	F--	191	-	-	-	-	-	1	-	-	2	2	2	1	3	5	4	9	30	31	44	30	15	10	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	-	1	1	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	6	4	3	1	1	-	-	-	-
290-293	Anemias----------	69	5	1	2	-	-	1	-	-	1	2	3	1	2	2	2	2	4	7	9	7	10	5	3	-	-
	White-----M--	27	2	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	2	3	3	4	6	1	1	-	-
	F--	31	3	-	1	-	-	1	-	-	-	-	1	1	1	1	1	-	2	4	3	2	4	4	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-
	F--	6	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	33	17	5	3	-	1	-	1	-	-	-	-	-	2	-	-	1	-	1	-	1	-	1	-	-	-
	White-----M--	15	8	1	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
	F--	12	5	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	14,735	20	-	-	1	1	13	16	25	28	45	74	148	256	417	681	946	1,336	1,766	2,176	2,517	2,199	1,432	494	141	3
	White-----M--	7,413	8	-	-	1	1	9	8	12	11	17	33	73	142	240	395	525	781	956	1,087	1,226	1,009	624	217	38	-
	F--	5,661	7	-	-	-	-	2	5	9	11	21	30	45	65	96	165	231	336	578	876	1,094	1,049	709	243	87	2
	Nonwhite--M--	867	1	-	-	-	-	2	1	2	1	4	8	10	27	35	63	111	123	117	108	109	75	47	16	6	1
	F--	794	4	-	-	-	-	-	2	2	5	3	3	20	22	46	58	79	96	115	105	88	66	52	18	10	-
330-334, 400-468	Diseases of cardiovascular system-	14,333	20	-	-	1	1	10	15	21	25	40	70	136	241	402	656	917	1,307	1,725	2,130	2,459	2,154	1,386	478	136	3
	White-----M--	7,225	8	-	-	1	1	8	8	10	10	14	31	67	133	235	385	513	768	940	1,064	1,194	984	601	212	38	-
	F--	5,516	7	-	-	-	-	1	5	7	10	19	28	41	61	91	157	221	328	565	859	1,077	1,030	691	234	82	2
	Nonwhite--M--	831	1	-	-	-	-	1	-	2	1	4	8	10	27	32	59	106	119	111	104	103	75	45	16	6	1
	F--	761	4	-	-	-	-	-	2	2	4	3	3	18	20	44	55	77	92	109	103	85	65	49	16	10	-
330-334	Vascular lesions, etc.*----------	3,361	7	-	-	1	-	5	2	5	5	5	16	25	42	77	123	202	259	367	518	650	549	363	109	31	-
	White-----M--	1,494	3	-	-	1	-	4	1	2	2	1	5	8	15	25	57	75	116	179	232	298	260	158	42	10	-
	F--	1,447	2	-	-	-	-	-	-	2	2	3	5	11	17	30	41	73	90	128	228	298	257	183	62	15	-
	Nonwhite--M--	213	-	-	-	-	-	1	-	1	-	-	6	1	6	9	11	26	32	27	29	30	21	8	3	2	-
	F--	207	2	-	-	-	-	-	1	-	1	1	-	5	4	13	14	28	21	33	29	24	11	14	2	4	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																										
400-402	Rheumatic fever---	30	-	-	-	-	1	4	9	-	4	-	-	3	2	2	1	-	1	1	-	1	1	-	-	-	-
	White-----M--	16	-	-	-	-	1	3	4	-	1	-	-	2	2	1	-	-	1	-	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	1	4	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,679	13	-	-	-	-	1	4	14	16	29	51	98	183	304	503	677	998	1,290	1,492	1,608	1,381	844	286	84	3
	White-----M--	5,192	5	-	-	-	-	1	3	8	7	11	24	56	109	202	317	413	627	728	764	797	612	358	127	23	-
	F--	3,649	5	-	-	-	-	-	1	4	7	13	22	25	40	54	103	145	227	415	591	696	675	430	138	56	2
	Nonwhite--M--	560	1	-	-	-	-	-	-	1	1	3	2	8	19	21	46	75	81	77	70	66	45	28	12	3	1
	F--	478	2	-	-	-	-	-	-	1	1	2	3	9	15	27	37	44	63	70	67	49	49	28	9	2	-
410-416	Chronic rheumatic heart disease----	297	-	-	-	-	-	-	1	10	7	10	17	19	15	24	35	28	23	30	31	21	14	6	5	1	-
	White-----M--	139	-	-	-	-	-	-	-	4	3	1	6	9	3	10	19	18	16	15	11	12	9	-	3	-	-
	F--	139	-	-	-	-	-	-	1	4	4	8	11	7	11	9	14	9	7	14	18	9	5	6	1	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	-	1	-	3	1	3	1	1	-	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	6,002	4	-	-	-	-	-	1	1	2	14	20	54	112	208	336	455	663	845	908	956	754	469	149	48	3
	White-----M--	3,485	1	-	-	-	-	-	1	1	-	6	13	39	80	158	243	314	454	511	515	502	364	202	64	17	-
	F--	2,028	1	-	-	-	-	-	-	-	1	5	5	10	20	28	54	79	137	262	328	401	352	243	71	29	2
	Nonwhite--M--	290	1	-	-	-	-	-	-	-	1	1	1	-	8	8	26	45	46	39	41	33	20	10	9	-	1
	F--	199	1	-	-	-	-	-	-	-	-	2	1	5	4	14	13	17	26	33	24	20	18	14	5	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,129	1	-	-	-	-	1	1	-	3	1	4	5	12	12	20	36	67	107	164	210	244	160	68	13	-
	White-----M--	516	1	-	-	-	-	1	1	-	1	1	2	2	6	6	7	19	36	57	75	101	99	67	31	3	-
	F--	485	-	-	-	-	-	-	-	-	1	-	-	2	4	3	7	10	21	30	69	93	123	80	34	8	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	7	12	8	9	13	6	2	2	-
	F--	63	-	-	-	-	-	-	-	-	1	-	2	-	2	1	5	5	3	8	12	7	9	7	1	-	-
430-434	Other diseases of heart--------	767	8	-	-	-	-	-	1	3	2	2	9	13	23	27	52	50	84	98	103	119	93	54	17	9	-
	White-----M--	412	3	-	-	-	-	-	1	3	1	1	3	6	14	16	29	27	53	62	52	60	44	27	8	2	-
	F--	251	4	-	-	-	-	-	-	-	1	-	6	4	3	8	9	15	19	21	36	45	42	25	7	6	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	1	-	1	3	1	8	5	5	11	8	7	2	1	-	1	-
	F--	50	1	-	-	-	-	-	-	-	-	-	-	2	3	2	6	3	7	4	7	7	5	1	2	-	-
440-443	Hypertension with heart dis.--	1,684	-	-	-	-	-	-	-	-	2	2	1	7	21	33	60	108	161	210	286	302	276	155	47	13	-
	White-----M--	640	-	-	-	-	-	-	-	-	2	2	-	-	6	12	19	35	68	83	111	122	96	62	21	1	-
	F--	746	-	-	-	-	-	-	-	-	-	-	-	2	2	6	19	32	43	88	140	148	153	76	25	12	-
	Nonwhite--M--	138	-	-	-	-	-	-	-	-	-	-	1	3	7	7	10	22	23	14	12	17	10	11	1	-	-
	F--	160	-	-	-	-	-	-	-	-	-	-	-	2	6	8	12	19	27	25	23	15	17	6	-	-	-
444-447	Hypertension without mention of heart----------	242	-	-	-	-	-	-	-	-	-	1	2	5	5	10	4	12	23	19	35	41	44	30	10	1	-
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	8	10	5	16	18	17	15	6	-	-
	F--	103	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	-	6	9	15	20	26	12	4	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	3	2	2	-	3	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	2	2	1	1	-	-	1	-
450	General arteriosclerosis--------	639	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	8	12	27	62	139	156	138	70	20	-
	White-----M--	322	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	5	15	39	70	80	64	36	5	-
	F--	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	9	17	53	67	62	30	11	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	5	8	6	-	1	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	3	11	1	6	4	3	-
451-468	Other diseases of circulatory sys.-	182	-	-	-	-	-	-	-	2	-	5	1	5	6	8	22	18	14	21	23	20	23	11	3	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	-	2	1	-	3	4	9	14	9	13	13	11	14	6	1	-	-
	F--	54	-	-	-	-	-	-	-	1	-	2	-	3	2	2	9	1	4	4	8	9	5	4	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	3	-	-	1	-	1	-	-
	F--	19	-	-	-	-	-	-	-	1	-	-	-	2	-	2	4	1	1	1	2	-	3	1	1	-	-
592-594	Chronic nephritis, etc.*----------	402	-	-	-	-	-	3	1	4	3	5	4	12	15	15	25	29	29	41	46	58	45	46	16	5	-
	White-----M--	188	-	-	-	-	-	1	-	2	1	3	2	6	9	5	10	12	13	16	23	32	25	23	5	-	-
	F--	145	-	-	-	-	-	1	-	2	1	2	2	4	4	5	8	10	8	13	17	17	19	18	9	5	-
	Nonwhite--M--	36	-	-	-	-	-	1	1	-	-	-	-	-	-	3	4	5	4	6	4	6	-	2	-	-	-
	F--	33	-	-	-	-	-	-	-	-	1	-	-	2	2	2	3	2	4	6	2	3	1	3	2	-	-
480-493	Influenza and pneumonia, etc.*-	1,014	236	20	12	4	3	6	5	8	6	3	5	10	11	25	21	34	43	65	75	124	133	103	48	14	-
	White-----M--	464	100	11	8	1	1	1	3	4	2	3	1	5	5	11	9	22	18	26	39	60	57	43	24	8	-
	F--	388	94	5	2	3	2	4	2	3	4	-	3	3	5	7	3	5	10	15	28	50	67	45	23	5	-
	Nonwhite--M--	96	25	-	2	-	-	-	-	-	-	-	-	2	-	5	5	5	9	14	6	9	5	9	-	-	-
	F--	66	17	4	-	-	-	1	-	1	-	-	1	-	1	2	4	2	6	8	2	5	4	6	1	1	-
480-483	Influenza---------	87	9	2	-	-	-	1	-	1	-	-	-	2	1	4	1	5	3	8	7	9	12	11	7	4	-
	White-----M--	40	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	5	3	6	5	5	2	3	-
	F--	35	4	1	-	-	-	1	-	-	-	-	-	2	1	2	-	2	-	1	2	2	6	6	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	1	1	-	1	-	-
490-493	Pneumonia, etc.*--	927	227	18	12	4	3	5	5	7	6	3	5	8	10	21	20	29	40	57	68	115	121	92	41	10	-
	White-----M--	424	95	11	8	1	1	1	3	4	2	3	1	5	5	9	9	20	16	23	36	54	52	38	22	5	-
	F--	353	90	4	2	3	2	3	2	3	4	-	3	1	4	5	3	3	10	14	26	48	61	39	19	4	-
	Nonwhite--M--	93	25	-	2	-	-	-	-	-	-	-	-	2	-	5	5	4	8	14	5	9	5	9	-	-	-
	F--	57	17	3	-	-	-	1	-	-	-	-	1	-	1	2	3	2	6	6	1	4	3	6	-	1	-
500-502	Bronchitis--------	55	12	6	1	1	-	1	-	-	1	-	-	-	1	-	2	-	2	3	6	10	4	2	1	2	-
	White-----M--	24	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	-	1	-	2	-
	F--	23	2	2	1	1	-	1	-	-	1	-	-	-	1	-	1	-	-	-	4	5	3	-	1	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	133	1	-	-	-	-	-	-	-	3	3	3	4	8	12	3	21	15	16	19	9	10	6	-	-	-
	White-----M--	99	-	-	-	-	-	-	-	-	1	2	2	3	8	8	2	17	13	15	11	9	7	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	4	1	1	7	-	3	3	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	31	-	-	1	1	-	1	1	2	-	1	1	-	1	2	2	2	2	4	3	6	1	-	-	-	-
	White-----M--	17	-	-	1	-	-	1	-	1	-	-	-	-	1	-	1	1	1	4	2	4	-	-	-	-	-
	F--	10	-	-	-	1	-	-	-	1	-	1	-	-	-	1	1	-	1	-	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	159	16	1	1	-	-	-	-	-	-	2	1	4	3	6	6	13	13	14	24	15	20	18	2	-	-
	White-----M--	66	6	1	1	-	-	-	-	-	-	1	-	1	1	1	1	5	6	8	11	6	12	5	-	-	-
	F--	75	7	-	-	-	-	-	-	-	-	1	-	3	2	4	4	6	5	4	9	8	7	13	2	-	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	1	1	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																										
543,	Gastritis, etc.*--	176	76	15	2	2	1	1	1	2	-	-	2	3	2	3	4	7	9	7	11	6	15	5	2	-	-
571,	White-----M--	83	32	9	1	2	1	1	1	1	-	-	-	1	-	2	2	2	6	4	7	1	8	2	-	-	-
572	F--	65	25	4	1	-	-	-	-	1	-	-	2	2	2	-	1	4	3	2	4	3	6	3	2	-	-
	Nonwhite--M--	15	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-
	F--	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	225	2	2	-	1	-	-	-	1	1	3	5	8	27	25	24	33	28	26	18	10	7	2	2	-	-
	White-----M--	156	1	2	-	-	-	-	-	-	-	2	4	4	17	19	21	23	20	17	10	8	6	1	1	-	-
	F--	57	1	-	-	1	-	-	-	1	1	1	1	3	8	5	2	8	5	8	7	2	1	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	38	1	1	1	2	1	-	2	1	3	-	-	1	4	2	4	1	2	4	2	4	2	-	-	-	-
	White-----M--	21	1	1	-	-	1	-	1	1	2	-	-	1	3	1	3	-	1	-	1	3	1	-	-	-	-
	F--	13	-	-	1	2	-	-	1	-	-	-	-	-	1	-	1	-	1	3	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	116	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	9	21	23	26	15	7	1	-
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	8	17	22	24	14	7	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	2	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	42	...	...	...	...	...	...	-	6	10	8	7	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	...	...	...	-	5	10	6	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	37	...	...	...	...	...	...	-	6	8	7	6	8	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	33	...	...	...	...	...	...	-	5	8	5	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	416	327	9	7	7	5	6	2	5	5	6	9	4	4	3	7	3	-	-	4	1	1	1	-	-	-
	White-----M--	204	168	1	3	2	1	2	-	3	3	2	5	3	1	-	4	2	-	-	1	1	1	1	-	-	-
	F--	187	143	8	3	4	2	4	1	2	2	4	4	1	2	2	2	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	15	9	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	10	7	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,225	1,222	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	635	634	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	431	429	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	542	541	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	197	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	104	103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	34	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	579	578	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	301	300	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	346	37	-	1	-	1	1	3	1	3	-	4	1	5	7	8	11	14	17	27	32	64	62	29	16	2
795	White-----M--	170	17	-	1	-	1	-	1	1	2	-	2	-	4	5	-	8	3	9	19	19	32	28	14	4	-
	F--	146	16	-	-	-	-	1	2	-	1	-	1	1	1	2	6	-	6	5	7	11	30	30	14	11	1
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	-	1	1	2	-	1	1
	F--	13	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	1	2	1	-	-
Re-	All other diseases	1,313	103	16	6	4	3	21	20	15	16	15	17	28	51	72	65	88	125	131	150	152	100	65	37	13	-
sid-	White-----M--	665	45	8	5	1	2	11	9	7	4	8	11	13	25	37	28	53	75	72	66	83	47	34	14	7	-
ual	F--	529	44	7	1	3	1	8	10	7	8	6	3	12	20	27	25	25	39	53	69	59	49	27	20	6	-
	Nonwhite--M--	61	9	1	-	-	-	1	-	1	3	1	-	2	1	3	5	7	3	5	7	4	3	2	3	-	-
	F--	58	5	-	-	-	-	1	1	-	1	-	3	1	5	5	7	3	8	1	8	6	1	2	-	-	-
E800-	Accidents---------	2,049	96	29	26	24	20	75	66	137	159	156	124	101	110	107	94	87	84	89	92	105	114	103	33	15	3
E962	White-----M--	1,303	43	12	14	12	8	42	45	111	133	126	99	76	83	74	69	60	55	51	55	51	38	34	7	3	2
	F--	555	41	12	6	9	9	27	17	20	15	21	15	13	14	12	11	15	20	30	31	45	69	66	24	12	1
	Nonwhite--M--	125	4	-	1	1	2	3	2	4	9	8	9	8	11	19	12	10	7	5	2	2	4	1	1	-	-
	F--	66	8	5	5	2	1	3	2	2	2	1	1	4	2	2	2	2	2	3	4	7	3	2	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	862	7	7	4	3	7	32	25	89	122	101	76	53	55	46	49	42	33	37	29	19	18	7	-	-	1
	White-----M--	631	5	2	2	1	2	18	20	70	104	76	60	37	42	28	34	27	22	20	23	15	17	6	-	-	-
	F--	162	1	5	2	2	4	13	4	14	10	18	10	10	9	7	8	12	9	14	3	4	1	1	-	-	1
	Nonwhite--M--	51	-	-	-	-	1	-	-	3	6	6	6	3	3	9	6	3	1	2	2	-	-	-	-	-	-
	F--	18	1	-	-	-	-	1	1	2	2	1	-	3	1	2	1	-	1	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,187	89	22	22	21	13	43	41	48	37	55	48	48	55	61	45	45	51	52	63	86	96	96	33	15	2
E802,	White-----M--	672	38	10	12	11	6	24	25	41	29	50	39	39	41	46	35	33	33	31	32	36	21	28	7	3	2
E840-	F--	393	40	7	4	7	5	14	13	6	5	3	5	3	5	5	3	3	11	16	28	41	68	65	24	12	-
E962	Nonwhite--M--	74	4	-	1	1	1	3	2	1	3	2	3	5	8	10	6	7	6	3	-	2	4	1	1	-	-
	F--	48	7	5	5	2	1	2	1	-	-	-	1	1	1	-	1	2	1	2	3	7	3	2	1	-	-
E963,	Suicide----------	281	-	-	-	-	-	-	1	4	10	18	16	21	30	29	32	22	32	28	20	8	8	2	-	-	-
E970-	White-----M--	216	-	-	-	-	-	-	1	-	7	13	13	18	22	17	26	19	26	25	17	5	5	2	-	-	-
E979	F--	51	-	-	-	-	-	-	-	1	-	5	3	3	7	8	4	2	6	3	3	3	3	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	2	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	200	2	-	1	-	-	-	2	4	26	29	26	28	25	12	11	14	8	5	4	2	1	-	-	-	-
E980-	White-----M--	124	1	-	1	-	-	-	1	2	18	19	16	16	13	8	6	9	3	5	3	2	1	-	-	-	-
E985	F--	10	1	-	-	-	-	-	1	2	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	4	5	7	9	7	1	4	5	5	-	1	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	2	5	3	2	4	1	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA																										
	ALL CAUSES------	24,312	2,723	197	88	70	69	190	133	234	322	333	399	535	808	1,187	1,584	1,858	2,221	2,805	2,662	2,376	1,849	1,080	395	190	4
	White-----M--	8,736	677	48	29	22	23	54	57	99	151	130	125	195	282	468	625	765	908	1,035	1,000	881	685	334	110	31	2
	F--	5,883	502	37	12	15	16	45	26	42	46	48	74	80	153	213	257	331	444	592	721	801	697	501	162	68	-
	Nonwhite--M--	5,267	857	64	28	18	14	54	32	68	77	85	101	140	190	270	356	428	466	639	523	384	258	112	56	43	2
	F--	4,426	687	48	19	15	16	37	18	25	48	70	99	120	163	236	346	334	401	539	418	310	209	133	67	48	-
001-019	Tuberculosis, all forms--------	275	2	-	1	-	-	1	-	3	5	12	11	20	16	17	40	35	33	25	22	22	6	4	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	1	2	1	8	5	6	19	14	20	13	11	9	4	-	-	-	-
	F--	36	-	-	-	-	-	-	-	1	-	3	3	3	2	1	2	3	4	2	5	3	-	4	-	-	-
	Nonwhite--M--	89	-	-	1	-	-	-	-	1	2	4	5	7	5	8	13	16	6	6	5	8	2	-	-	-	-
	F--	37	2	-	-	-	-	1	-	1	2	3	2	2	4	2	6	2	3	4	1	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	249	1	-	-	-	-	1	-	3	4	11	10	17	14	14	37	33	32	23	20	19	6	4	-	-	-
	White-----M--	110	-	-	-	-	-	-	-	-	1	2	1	7	4	6	19	14	20	12	11	9	4	-	-	-	-
	F--	33	-	-	-	-	-	-	-	1	-	3	3	3	2	1	2	2	3	2	5	2	-	4	-	-	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	1	2	3	4	5	4	6	11	15	6	5	3	6	2	-	-	-	-
	F--	33	1	-	-	-	-	1	-	1	1	3	2	2	4	1	5	2	3	4	1	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	26	1	-	1	-	-	-	-	-	1	1	1	3	2	3	3	2	1	2	2	3	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	16	-	-	1	-	-	-	-	-	-	1	1	2	1	2	2	1	-	1	2	2	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	162	3	-	-	-	-	-	-	-	-	4	3	-	10	18	28	22	21	23	19	6	3	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	3	2	4	6	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	-	-	-	-	-
	Nonwhite--M--	86	1	-	-	-	-	-	-	-	-	1	1	-	7	12	14	14	16	11	6	2	1	-	-	-	-
	F--	42	2	-	-	-	-	-	-	-	-	2	2	-	3	4	8	3	3	7	5	2	1	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms---------	20	8	-	2	-	2	2	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	19	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	12	-	3	3	2	2	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	10	6	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	-	1	-	-	1	3	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	113	28	6	4	3	1	8	1	3	1	4	1	5	8	5	4	4	2	11	8	3	2	1	-	-	-
	White-----M--	28	5	-	-	-	-	2	-	-	-	-	-	4	2	1	2	2	-	4	4	1	1	-	-	-	-
	F--	22	1	1	-	1	-	-	-	1	1	2	1	-	3	-	2	1	1	1	3	1	1	1	-	-	-
	Nonwhite--M--	39	12	5	3	2	-	2	1	1	-	1	-	1	-	3	-	1	1	4	1	1	-	-	-	-	-
	F--	24	10	-	1	-	1	4	-	1	-	1	-	-	3	1	-	-	-	2	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,627	3	4	1	7	9	16	12	21	17	22	50	58	135	288	360	432	491	551	436	327	238	104	31	13	1
	White-----M--	1,428	1	4	1	6	5	6	4	9	9	8	9	9	34	102	132	166	205	239	173	146	103	41	15	1	-
	F--	1,001	-	-	-	-	3	9	6	3	2	7	13	20	47	89	91	109	119	123	129	88	81	46	10	6	-
	Nonwhite--M--	638	-	-	-	1	1	1	1	7	3	4	8	12	22	48	66	86	101	105	74	53	35	5	2	2	1
	F--	560	2	-	-	-	-	-	1	2	3	3	20	17	32	49	71	71	66	84	60	40	19	12	4	4	-
140-148	Of buccal cavity and pharynx------	100	1	-	-	-	-	1	-	2	1	1	-	1	4	7	18	9	8	16	8	11	9	2	1	-	-
	White-----M--	61	-	-	-	-	-	-	-	2	1	-	-	1	-	6	12	5	6	9	5	6	6	2	-	-	-
	F--	15	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	2	1	1	2	2	1	-	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	4	1	2	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,121	-	-	-	-	-	-	-	3	3	6	6	9	32	77	90	135	156	188	159	114	83	42	12	5	1
	White-----M--	412	-	-	-	-	-	-	-	1	2	2	2	2	11	32	28	43	59	72	58	47	32	16	5	-	-
	F--	285	-	-	-	-	-	-	-	-	1	-	-	-	11	13	20	30	33	38	52	29	30	20	5	3	-
	Nonwhite--M--	269	-	-	-	-	-	-	-	1	-	3	2	6	5	22	25	41	44	50	35	19	12	2	1	-	1
	F--	155	-	-	-	-	-	-	-	1	-	1	2	1	5	10	17	21	20	28	14	19	9	4	1	2	-
160-164	Of respiratory system (not secondary)-------	556	-	-	-	-	-	-	-	-	1	2	4	6	13	46	68	97	97	90	67	39	20	5	-	1	-
	White-----M--	380	-	-	-	-	-	-	-	-	1	2	1	1	9	29	49	65	64	70	50	22	13	3	-	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	-	2	6	3	8	7	4	6	9	4	1	-	-	-
	Nonwhite--M--	108	-	-	-	-	-	-	-	-	-	-	3	3	2	10	15	21	23	13	7	7	3	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	3	4	1	-	-	-	-	-
170	Of breast---------	262	-	-	-	-	-	-	-	-	-	1	11	9	21	34	31	32	32	28	23	23	9	5	2	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	172	-	-	-	-	-	-	-	-	-	-	6	3	13	26	24	19	20	19	13	14	7	5	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	-	-	-	-	-	-	-	-	-	1	5	5	8	8	7	12	12	9	10	9	1	-	-	-	-
171-179	Of genital organs-	617	-	-	-	-	-	-	-	2	2	4	13	17	24	52	68	63	63	92	78	57	47	22	10	3	-
	White-----M--	140	-	-	-	-	-	-	-	1	-	2	2	1	-	1	6	5	13	23	17	29	25	9	6	-	-
	F--	204	-	-	-	-	-	-	-	-	-	2	2	11	12	30	25	28	20	25	26	10	6	6	1	-	-
	Nonwhite--M--	94	-	-	-	-	-	-	-	1	-	-	-	-	2	1	7	9	13	16	17	12	11	2	1	2	-
	F--	179	-	-	-	-	-	-	-	-	2	-	9	5	10	20	30	21	17	28	18	6	5	5	2	1	-
180, 181	Of urinary organs-	182	-	-	-	3	1	1	-	-	-	-	2	1	2	16	16	21	25	27	20	27	14	4	2	-	-
	White-----M--	95	-	-	-	3	-	-	-	-	-	-	1	-	-	12	7	11	15	16	11	11	5	2	1	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	6	8	9	8	1	1	-	-
	Nonwhite--M--	27	-	-	-	-	1	1	-	-	-	-	1	1	2	3	4	3	3	2	-	5	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	3	1	2	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	484	-	1	-	1	1	6	3	3	8	3	10	10	20	32	45	49	73	75	47	34	39	17	4	3	-
	White-----M--	192	-	1	-	-	1	3	1	2	4	-	2	3	6	12	20	24	33	27	13	19	12	6	3	-	-
	F--	147	-	-	-	-	-	3	2	1	1	2	5	4	6	9	11	11	18	23	14	7	19	9	-	2	-
	Nonwhite--M--	74	-	-	-	1	-	-	-	-	2	1	-	-	4	4	7	6	13	14	8	7	7	-	-	-	-
	F--	71	-	-	-	-	-	-	-	-	1	-	3	3	4	7	7	8	9	11	12	1	1	2	1	1	-
204	Leukemia and aleukemia----------	162	1	3	1	2	6	7	9	5	2	1	3	3	9	10	8	11	16	13	19	14	15	4	-	-	-
	White-----M--	77	1	3	1	2	3	3	3	1	1	-	1	1	5	3	5	4	3	8	11	10	7	1	-	-	-
	F--	49	-	-	-	-	3	4	4	1	-	-	-	1	1	2	2	2	8	5	5	2	6	3	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	1	2	1	-	1	-	1	4	1	3	1	-	3	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	1	1	-	1	1	1	2	1	-	2	4	-	-	1	2	-	-	-	-
200-203, 205	Lymphomas, etc.*--	143	1	-	-	1	1	1	-	6	-	4	1	2	10	14	16	15	21	22	15	8	2	3	-	-	-
	White-----M--	69	-	-	-	1	1	-	-	2	-	2	-	-	3	7	5	8	12	14	8	2	2	2	-	-	-
	F--	35	-	-	-	-	-	1	-	1	-	2	-	1	-	2	5	6	5	2	3	6	-	1	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	3	-	-	1	1	5	3	4	1	3	6	3	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	126	8	3	-	-	2	3	-	1	-	8	3	9	10	15	13	11	10	14	4	7	3	1	1	-	-
	White-----M--	31	2	2	-	-	-	-	-	1	-	2	-	2	2	6	3	3	4	3	-	1	-	-	-	-	-
	F--	44	1	1	-	-	1	1	-	-	-	2	2	2	4	5	4	3	2	6	2	5	1	1	1	-	-
	Nonwhite--M--	23	1	-	-	-	1	1	-	-	-	1	-	2	2	2	3	4	-	2	1	1	2	-	-	-	-
	F--	28	4	-	-	-	-	1	-	-	-	3	1	3	2	2	3	1	4	3	1	-	-	-	-	-	-
260	Diabetes mellitus-	426	-	-	-	-	-	-	-	2	4	5	4	6	9	15	33	45	58	82	70	48	24	17	3	1	-
	White-----M--	80	-	-	-	-	-	-	-	-	2	-	1	1	2	3	4	5	12	9	15	11	11	4	-	-	-
	F--	149	-	-	-	-	-	-	-	1	1	1	1	-	-	2	4	14	23	27	32	22	7	12	1	1	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	1	-	1	-	2	2	4	10	3	6	11	10	6	2	-	-	-	-
	F--	139	-	-	-	-	-	-	-	-	1	3	2	3	5	6	15	23	17	35	13	9	4	1	2	-	-
290-293	Anemias----------	65	7	5	2	-	2	4	2	-	4	2	2	4	2	3	1	1	2	8	3	6	2	2	-	1	-
	White-----M--	11	1	1	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	1	1	-	1	-
	F--	16	-	1	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-	5	1	3	1	-	-	-	-
	Nonwhite--M--	17	4	3	1	-	-	2	2	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	21	2	-	1	-	1	1	-	-	2	1	1	1	1	2	1	-	1	2	2	1	-	1	-	-	-
340	Nonmeningococcal meningitis*------	65	26	5	5	3	-	4	2	1	3	-	-	-	3	1	1	3	1	3	2	-	1	-	1	-	-
	White-----M--	15	7	-	2	1	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	8	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	11	4	1	-	-	1	-	-	1	-	-	-	1	-	-	1	-	2	2	-	1	-	-	-	-
	F--	17	4	-	2	1	-	2	-	1	1	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	11,897	20	9	3	-	1	12	10	17	36	47	101	186	312	546	799	1,020	1,260	1,699	1,710	1,653	1,287	769	266	132	2
	White-----M--	4,410	5	2	3	-	-	4	2	6	7	21	29	64	108	231	340	438	527	607	634	587	468	232	69	24	2
	F--	3,052	-	4	-	-	1	3	3	3	11	5	14	20	47	80	99	153	225	360	441	582	497	354	109	41	-
	Nonwhite--M--	2,259	8	1	-	-	-	4	2	4	7	8	25	53	72	109	171	231	253	388	342	257	167	86	38	33	-
	F--	2,176	7	2	-	-	-	1	3	4	11	13	33	49	85	126	189	198	255	344	293	227	155	97	50	34	-
330-334, 400-468	Diseases of cardiovascular system-	11,605	20	7	2	-	1	8	9	14	31	44	90	173	304	535	781	993	1,232	1,669	1,676	1,611	1,255	758	259	131	2
	White-----M--	4,338	5	2	2	-	-	2	2	6	4	19	24	61	107	229	336	430	524	602	626	576	462	225	68	24	2
	F--	2,976	-	2	-	-	1	1	2	1	9	5	12	18	45	77	93	148	221	355	435	564	490	350	106	41	-
	Nonwhite--M--	2,182	8	1	-	-	-	4	2	3	7	8	25	49	70	107	167	222	241	374	332	249	157	86	37	33	-
	F--	2,109	7	2	-	-	-	1	3	4	11	12	29	45	82	122	165	193	246	338	283	222	146	97	48	33	-
330-334	Vascular lesions, etc.*----------	2,411	5	-	2	-	-	5	3	4	8	7	21	34	63	99	143	171	219	359	342	364	301	182	56	22	1
	White-----M--	658	1	-	2	-	-	1	-	2	1	2	5	2	8	18	38	40	60	90	107	120	93	52	13	2	1
	F--	657	-	-	-	-	-	1	2	1	3	-	3	3	15	16	24	30	31	83	83	129	124	78	21	10	-
	Nonwhite--M--	513	4	-	-	-	-	2	-	-	2	2	5	14	16	29	32	50	65	94	71	50	40	22	11	4	-
	F--	583	-	-	-	-	-	1	1	1	2	3	8	15	24	36	49	51	63	92	81	65	44	30	11	6	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA--Con.																										
400-402	Rheumatic fever---	10	-	-	-	-	-	-	1	-	2	-	-	1	1	1	2	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	8,438	12	7	-	-	1	3	4	7	17	32	55	113	218	402	606	785	956	1,225	1,223	1,153	854	505	168	91	1
	White-----M--	3,409	2	2	-	-	-	1	1	4	3	15	19	53	94	199	290	375	440	487	476	415	327	146	41	17	1
	F--	2,124	-	2	-	-	1	-	-	-	4	4	7	12	26	55	64	115	177	255	330	405	329	241	71	26	-
	Nonwhite--M--	1,513	4	1	-	-	-	2	1	2	3	5	13	27	49	74	123	160	168	259	228	189	102	55	23	25	-
	F--	1,393	6	2	-	-	-	-	2	1	7	8	16	21	49	74	129	135	171	224	189	144	96	63	33	23	-
410-416	Chronic rheumatic heart disease----	131	-	-	-	-	-	-	-	1	4	12	6	13	13	15	12	13	10	13	8	4	-	4	2	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	1	4	4	7	3	2	2	5	3	2	1	3	-	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	3	2	1	6	4	5	3	2	4	4	-	-	2	1	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	1	-	1	-	3	3	2	4	4	2	1	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	3	4	-	4	4	6	2	3	1	3	1	-	-	1	1	1	-
420	Arteriosclerotic heart dis., etc.*	5,499	3	-	-	-	-	-	-	2	5	12	25	64	134	294	424	551	644	827	821	733	517	304	91	47	1
	White-----M--	2,702	-	-	-	-	-	-	-	1	-	7	13	41	78	184	253	322	364	401	377	293	221	102	31	13	1
	F--	1,384	-	-	-	-	-	-	-	-	2	1	1	6	11	41	46	79	113	174	234	272	203	147	41	13	-
	Nonwhite--M--	796	1	-	-	-	-	-	-	-	2	2	5	10	25	43	65	85	91	147	117	102	49	28	12	12	-
	F--	617	2	-	-	-	-	-	-	1	1	2	6	7	20	26	60	65	76	105	93	66	44	27	7	9	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	724	4	2	-	-	-	2	1	1	3	3	5	3	10	12	25	48	51	93	94	125	110	77	34	21	-
	White-----M--	202	-	1	-	-	-	-	-	1	2	2	-	1	3	2	6	11	13	26	20	42	44	20	5	3	-
	F--	201	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	7	9	13	25	42	39	40	16	5	-
	Nonwhite--M--	166	3	-	-	-	-	2	1	-	-	-	1	1	3	5	12	15	10	33	30	22	10	7	4	7	-
	F--	155	1	1	-	-	-	-	-	-	1	1	3	1	2	4	6	15	19	21	19	19	17	10	9	6	-
430-434	Other diseases of heart---------	435	5	5	-	-	1	1	2	3	4	5	4	8	10	14	33	37	44	49	66	61	45	23	10	5	-
	White-----M--	155	2	1	-	-	-	1	-	2	-	2	-	3	3	5	13	11	16	17	28	28	16	6	1	-	-
	F--	91	-	2	-	-	1	-	-	-	2	-	2	2	1	1	2	2	8	9	12	16	15	9	4	3	-
	Nonwhite--M--	106	-	1	-	-	-	-	-	1	1	2	1	2	5	4	9	15	13	13	15	8	6	8	2	-	-
	F--	83	3	1	-	-	-	-	2	-	1	1	1	1	1	4	9	9	7	10	11	9	8	-	3	2	-
440-443	Hypertension with heart dis.--	1,649	-	-	-	-	-	-	1	-	1	-	15	25	51	67	112	136	207	243	234	230	182	97	31	17	-
	White-----M--	311	-	-	-	-	-	-	1	-	-	-	2	1	7	6	16	26	44	41	50	49	46	17	4	1	-
	F--	411	-	-	-	-	-	-	-	-	-	-	1	3	6	8	10	24	45	55	55	75	72	43	9	5	-
	Nonwhite--M--	423	-	-	-	-	-	-	-	-	-	-	6	13	16	19	34	43	50	62	64	56	37	12	5	6	-
	F--	504	-	-	-	-	-	-	-	-	1	-	6	8	22	34	52	43	68	85	65	50	27	25	13	5	-
444-447	Hypertension without mention of heart----------	184	-	-	-	-	-	-	-	1	1	2	7	17	9	14	13	9	17	23	25	19	14	10	2	1	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	1	-	3	1	5	3	3	4	2	3	3	5	3	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	3	3	5	6	5	4	-	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	1	-	1	5	5	1	3	6	3	4	7	13	6	4	1	1	1	-
	F--	55	-	-	-	-	-	-	-	-	1	-	1	8	7	5	3	3	6	11	4	4	-	2	-	-	-
450	General arteriosclerosis--------	368	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	10	15	39	55	64	75	56	31	17	-
	White-----M--	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	9	24	31	30	22	12	5	-
	F--	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	12	12	23	29	24	13	5	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	4	9	14	3	10	8	2	3	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	5	7	6	2	4	4	-
451-468	Other diseases of circulatory sys.-	194	3	-	-	-	-	-	1	2	3	3	7	7	13	18	13	17	25	23	30	11	11	5	2	-	-
	White-----M--	91	2	-	-	-	-	-	1	-	-	1	-	3	4	7	3	9	15	14	15	7	7	2	1	-	-
	F--	38	-	-	-	-	-	-	-	-	1	1	1	2	3	4	3	2	6	2	5	1	3	3	1	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	1	-	2	2	4	1	3	4	-	5	6	1	1	-	-	-	-
	F--	35	1	-	-	-	-	-	-	2	1	1	4	-	2	6	4	2	4	2	4	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	292	-	2	1	-	-	4	1	3	5	3	11	13	8	11	18	27	28	30	34	42	32	11	7	1	-
	White-----M--	72	-	-	1	-	-	2	-	-	3	2	5	3	1	2	4	8	3	5	8	11	6	7	1	-	-
	F--	76	-	2	-	-	-	2	1	2	2	-	2	2	2	3	6	5	4	5	6	18	7	4	3	-	-
	Nonwhite--M--	77	-	-	-	-	-	-	-	1	-	-	-	4	2	2	4	9	12	14	10	8	10	-	1	-	-
	F--	67	-	-	-	-	-	-	-	-	-	1	4	4	3	4	4	5	9	6	10	5	9	-	2	1	-
480-493	Influenza and pneumonia, etc.*-	908	272	48	13	6	4	13	13	3	9	9	3	11	22	21	35	30	48	74	58	68	67	45	24	12	-
	White-----M--	216	34	8	5	1	1	3	1	-	2	5	-	2	4	5	11	10	18	25	19	27	20	10	5	-	-
	F--	204	40	8	1	3	-	1	3	1	3	2	-	3	5	2	5	5	11	7	13	25	25	21	12	8	-
	Nonwhite--M--	274	97	16	4	1	2	7	4	1	3	1	2	4	6	9	11	11	14	26	19	11	11	9	4	1	-
	F--	214	101	16	3	1	1	2	5	1	1	1	1	2	7	5	8	4	5	16	7	5	11	5	3	3	-
480-483	Influenza---------	82	26	3	-	-	1	2	1	1	1	-	1	2	2	1	3	3	2	9	3	6	7	7	1	-	-
	White-----M--	15	3	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	3	-	2	1	1	-	-	-
	F--	16	2	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	2	-	-	2	2	4	-	-	-
	Nonwhite--M--	20	5	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	4	2	1	1	1	1	-	-
	F--	31	16	1	-	-	1	-	-	-	1	-	-	-	1	1	1	1	-	2	1	1	3	1	-	-	-
490-493	Pneumonia, etc.*--	826	246	45	13	6	3	11	12	2	8	9	2	9	20	20	32	27	46	65	55	62	60	38	23	12	-
	White-----M--	201	31	8	5	1	1	2	1	-	2	5	-	-	4	5	10	9	18	22	19	25	19	9	5	-	-
	F--	188	38	7	1	3	-	-	3	-	3	2	-	3	4	2	5	5	9	7	13	23	23	17	12	8	-
	Nonwhite--M--	254	92	15	4	1	2	7	3	1	3	1	1	4	6	9	10	10	14	22	17	10	10	8	3	1	-
	F--	183	85	15	3	1	-	2	5	1	-	1	1	2	6	4	7	3	5	14	6	4	8	4	3	3	-
500-502	Bronchitis--------	47	10	2	2	-	-	4	-	-	-	-	-	1	3	1	-	2	3	6	5	1	4	2	1	-	-
	White-----M--	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	-	2	2	-	-	-
	F--	9	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
	Nonwhite--M--	16	4	-	2	-	-	2	-	-	-	-	-	-	2	1	-	-	1	3	-	-	1	-	-	-	-
	F--	5	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	122	4	-	-	-	-	-	-	1	1	1	2	6	7	8	10	16	11	24	19	6	4	2	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	1	1	1	-	4	4	3	5	12	8	12	12	2	3	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	2	4	1	-	1	-	-	-
	Nonwhite--M--	26	2	-	-	-	-	-	-	-	-	-	1	2	1	3	3	1	3	7	1	1	1	-	-	-	-
	F--	12	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	2	2	-	-	-	-	-
550-553	Appendicitis------	42	2	1	-	-	-	4	-	2	2	1	1	1	1	3	5	2	2	5	2	3	5	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	1	2	-	1	-	-	-	-
	F--	13	1	-	-	-	-	2	-	2	-	-	-	-	1	-	1	1	-	1	-	1	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	3	-	1	1	-	-	-	-
	F--	11	1	1	-	-	-	2	-	-	1	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	149	31	-	2	-	-	-	-	-	-	-	2	3	2	3	9	8	17	13	18	20	10	6	5	-	-
	White-----M--	45	12	-	1	-	-	-	-	-	-	-	1	-	-	-	2	3	3	3	6	6	2	3	3	-	-
	F--	48	5	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	5	3	8	9	6	3	2	-	-
	Nonwhite--M--	35	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	5	3	5	2	-	-	-	-
	F--	21	3	-	1	-	-	-	-	-	-	-	-	1	1	2	3	2	5	2	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																										
543,	Gastritis, etc.*--	165	98	14	2	3	3	2	-	-	-	1	2	1	4	1	2	2	3	7	7	4	7	1	-	1	-
571,	White-----M--	26	10	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	2	1	4	-	-	-	-
572	F--	28	7	2	-	2	1	-	-	-	-	1	1	-	1	-	2	1	-	1	3	2	3	-	-	1	-
	Nonwhite--M--	71	53	7	-	1	-	-	-	-	-	-	-	1	2	-	-	-	1	4	1	1	-	-	-	-	-
	F--	40	28	3	1	-	2	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
581	Cirrhosis of liver	205	1	1	1	-	-	-	-	-	2	1	7	11	25	26	28	19	25	22	19	11	2	3	1	-	-
	White-----M--	103	1	1	-	-	-	-	-	-	-	-	2	6	13	14	17	11	12	15	4	5	-	2	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	2	1	8	5	2	5	7	5	8	5	1	1	1	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	1	-	2	2	4	4	5	2	4	2	5	-	-	-	-	-	-
	F--	20	-	-	1	-	-	-	-	-	1	1	1	2	-	3	4	1	2	-	2	1	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	59	1	1	-	-	1	-	1	5	5	1	3	1	4	2	4	4	5	9	4	2	3	2	-	1	-
	White-----M--	10	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	3	-	-	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	2	1	1	2	1	2	1	-	1	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	3	2	1	-	-	-	-	-
	F--	21	-	-	-	-	1	-	1	3	1	-	1	-	2	1	3	1	4	2	-	-	-	1	-	-	-
610	Hyperplasia of																										
	prostate---------	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	19	8	16	4	6	2	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	11	6	12	4	5	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	8	2	4	-	1	1	-
640-	Complications of																										
689	pregnancy, etc.*-	47	...	...	...	...	...	...	-	4	8	9	9	12	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	3	3	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	34	...	...	...	...	...	...	-	1	5	8	7	9	4	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	40	...	...	...	...	...	...	-	4	8	7	6	11	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	11	...	...	...	...	...	...	-	3	3	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	29	...	...	...	...	...	...	-	1	5	7	5	8	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	409	300	26	7	7	5	8	8	5	3	2	4	2	9	6	5	4	2	3	-	2	-	-	-	-	1
	White-----M--	140	101	7	1	1	2	1	5	3	-	1	1	1	6	4	1	2	1	1	-	1	-	-	-	-	-
	F--	118	86	7	2	2	2	3	1	1	3	1	2	-	2	-	2	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	81	61	4	3	4	1	2	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1
	F--	70	52	8	1	-	-	2	1	1	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,631	1,630	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	438	437	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	493	493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	664	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	806	805	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	215	214	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	308	51	5	1	1	1	1	-	-	2	-	3	3	4	13	6	20	16	24	30	30	38	32	15	12	-
795	White-----M--	67	1	-	-	-	-	-	-	-	-	-	1	1	-	5	2	6	6	5	7	10	11	7	3	2	-
	F--	54	2	-	1	-	-	-	-	-	1	-	-	-	-	-	2	1	2	5	2	6	13	10	6	3	-
	Nonwhite--M--	106	26	4	-	-	-	1	-	-	1	-	-	2	2	1	1	7	6	10	13	8	8	10	3	3	-
	F--	81	22	1	-	1	1	-	-	-	-	-	2	-	2	7	1	6	2	4	8	6	6	5	3	4	-
Re-	All other diseases	1,147	111	15	7	10	6	17	12	21	21	26	36	46	61	66	81	79	104	106	127	77	59	34	22	3	-
sid-	White-----M--	401	29	4	3	3	2	5	6	4	8	6	9	14	17	18	22	38	44	41	54	41	15	13	5	-	-
ual	F--	294	21	3	1	2	2	1	3	5	4	2	9	8	14	15	17	13	27	26	41	24	30	15	9	2	-
	Nonwhite--M--	243	35	6	3	3	1	5	2	10	1	6	9	8	14	17	21	22	15	21	19	8	10	1	5	1	-
	F--	209	26	2	-	2	1	6	1	2	8	12	9	16	16	16	21	6	18	18	13	4	4	5	3	-	-
E800-	Accidents---------	1,741	74	49	29	25	27	86	65	120	163	122	108	103	110	95	85	67	73	60	69	67	65	50	18	11	-
E962	White-----M--	809	18	15	9	8	8	29	38	70	109	68	60	62	61	49	37	27	22	30	27	21	22	13	4	2	-
	F--	299	10	7	6	2	6	20	6	19	10	12	15	9	9	8	13	8	13	11	24	20	25	31	10	5	-
	Nonwhite--M--	438	25	13	8	6	6	25	16	28	34	31	25	24	32	32	29	23	29	11	9	17	10	1	3	1	-
	F--	195	21	14	6	9	7	12	5	3	10	11	8	8	8	6	6	9	9	8	9	9	8	5	1	3	-
E810-	Motor-vehicle																										
E835	accidents--------	677	3	9	6	7	7	40	14	62	93	76	53	38	53	40	33	34	35	23	20	16	9	5	1	-	-
	White-----M--	339	1	2	3	4	1	14	6	41	64	40	21	22	24	24	12	18	8	9	8	8	5	4	-	-	-
	F--	113	2	4	3	-	2	9	3	16	5	8	11	5	5	6	6	2	9	5	6	3	2	1	-	-	-
	Nonwhite--M--	165	-	1	-	2	2	12	2	5	16	23	15	6	19	8	12	10	14	7	4	4	2	-	1	-	-
	F--	60	-	2	-	1	2	5	3	-	8	5	6	5	5	2	3	4	4	2	2	1	-	-	-	-	-
E800-	All ot. accidents-	1,064	71	40	23	18	20	46	51	58	70	46	55	65	57	55	52	33	38	37	49	51	56	45	17	11	-
E802,	White-----M--	470	17	13	6	4	7	15	32	29	45	28	39	40	37	25	25	9	14	21	19	13	17	9	4	2	-
E840-	F--	186	8	3	3	2	4	11	3	3	5	4	4	4	4	2	7	6	4	6	18	17	23	30	10	5	-
E962	Nonwhite--M--	273	25	12	8	4	4	13	14	23	18	8	10	18	13	24	17	13	15	4	5	13	8	1	2	1	-
	F--	135	21	12	6	8	5	7	2	3	2	6	2	3	3	4	3	5	5	6	7	8	8	5	1	3	-
E963,	Suicide----------	197	-	-	-	-	-	-	-	5	11	15	15	17	22	22	25	22	13	14	7	3	3	1	1	1	-
E970-	White-----M--	139	-	-	-	-	-	-	-	3	7	7	7	10	17	15	20	18	12	10	6	2	3	1	1	-	-
E979	F--	32	-	-	-	-	-	-	-	-	1	5	5	5	3	3	3	3	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	3	1	1	1	1	3	1	1	-	1	-	1	-	-	-	1	-
	F--	10	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	211	1	-	-	-	-	-	3	19	24	36	28	25	24	11	10	6	13	7	4	-	-	-	-	-	-
E980-	White-----M--	29	1	-	-	-	-	-	-	2	1	4	3	4	3	-	1	1	4	3	2	-	-	-	-	-	-
E985	F--	16	-	-	-	-	-	-	-	1	2	2	1	3	2	-	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	134	-	-	-	-	-	-	2	13	20	24	19	15	15	10	4	3	4	3	2	-	-	-	-	-	-
	F--	32	-	-	-	-	-	-	1	3	1	6	5	3	4	1	2	1	4	1	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE																										
	ALL CAUSES------	10,213	553	42	20	27	19	38	38	50	65	92	94	143	168	286	393	652	867	1,061	1,374	1,458	1,382	903	383	94	11
	White-----M--	5,771	326	26	16	17	12	22	24	40	47	56	60	89	103	176	264	425	544	668	809	783	681	394	154	30	5
	F--	4,406	214	14	3	10	7	16	14	10	17	36	32	53	63	107	127	225	322	393	563	675	700	507	228	64	6
	Nonwhite--M--	24	5	1	1	-	-	-	-	-	1	-	1	1	1	3	2	1	1	-	2	-	1	2	1	-	-
	F--	12	8	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	69	-	-	-	-	-	-	2	-	-	3	3	2	2	7	4	7	9	13	7	5	2	3	-	-	-
	White-----M--	51	-	-	-	-	-	-	1	-	-	1	2	-	1	7	3	6	7	9	6	4	2	2	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	2	1	2	1	-	1	1	2	4	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	57	-	-	-	-	-	-	-	-	-	3	3	2	2	7	4	6	8	9	4	4	2	3	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	1	2	-	1	7	3	5	7	7	3	4	2	2	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	1	1	2	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	12	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	4	3	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	3	2	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	-	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	21	4	-	-	1	-	-	-	-	-	-	1	1	1	4	1	1	-	1	-	1	2	2	-	-	1
	White-----M--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	1	1	-	-	-
	F--	12	2	-	-	1	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	1	1	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*----	1,624	-	6	-	1	1	7	7	1	3	14	18	25	32	59	108	171	191	222	258	220	174	79	19	7	1
	White-----M--	824	-	2	-	1	1	3	4	1	1	4	7	10	10	26	58	85	106	121	138	119	75	38	9	4	1
	F--	795	-	3	-	-	-	4	3	-	2	10	10	15	22	33	50	85	84	101	119	101	99	41	10	3	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	36	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	2	9	5	6	4	2	-	1	-
	White-----M--	29	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	8	4	4	3	1	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	620	-	1	-	-	-	-	-	-	1	1	4	8	9	15	31	53	77	91	107	101	66	41	10	3	1
	White-----M--	323	-	1	-	-	-	-	-	-	-	-	3	5	6	9	19	27	41	53	61	51	21	19	5	1	1
	F--	296	-	-	-	-	-	-	-	-	1	1	1	3	3	6	12	26	36	38	45	50	45	22	5	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	176	-	-	-	-	-	1	-	-	-	-	-	-	3	8	16	32	31	24	29	13	13	4	1	1	-
	White-----M--	150	-	-	-	-	-	-	-	-	-	-	-	-	1	7	12	29	29	23	24	11	11	2	1	-	-
	F--	25	-	-	-	-	-	1	-	-	-	-	-	-	2	1	4	2	2	1	5	2	2	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast---------	149	-	-	-	-	-	-	-	-	-	-	4	4	3	6	17	20	18	14	20	16	17	8	2	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	148	-	-	-	-	-	-	-	-	-	-	4	4	3	6	17	20	18	14	20	15	17	8	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	271	-	-	-	-	-	-	2	-	-	3	5	5	9	12	14	24	18	35	48	47	32	12	4	1	-
	White-----M--	118	-	-	-	-	-	-	1	-	-	1	-	1	-	1	5	4	6	12	23	29	23	8	3	1	-
	F--	152	-	-	-	-	-	-	1	-	-	2	4	4	9	11	9	20	12	23	25	18	9	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	68	-	1	-	-	-	-	-	-	-	-	1	-	1	1	4	12	8	11	11	9	5	2	1	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	4	8	7	1	1	-	1	-
	F--	30	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	6	2	7	3	2	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	197	-	1	-	-	1	6	2	1	2	2	3	5	4	9	16	21	21	26	22	17	28	9	1	-	-
	White-----M--	103	-	-	-	-	1	3	1	1	1	-	3	2	1	4	10	10	13	12	12	11	12	6	-	-	-
	F--	92	-	-	-	-	-	3	1	-	1	2	-	3	3	5	6	11	7	14	10	6	16	3	1	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	47	-	2	-	1	-	-	1	-	-	5	1	1	3	2	3	2	6	2	7	7	4	-	-	-	-
	White-----M--	24	-	1	-	1	-	-	1	-	-	1	1	1	2	1	2	2	2	2	1	4	2	-	-	-	-
	F--	23	-	1	-	-	-	-	-	-	-	4	-	-	1	1	1	-	4	-	6	3	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	60	-	1	-	-	-	-	1	-	-	3	-	2	-	4	5	5	10	10	9	4	5	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	2	-	1	-	3	4	5	7	7	5	1	2	1	-	-	-
	F--	22	-	1	-	-	-	-	1	-	-	1	-	1	-	1	1	-	3	3	4	3	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	27	-	-	1	-	-	1	-	2	-	-	4	-	-	3	2	2	4	3	1	2	-	-	2	-	-
	White-----M--	11	-	-	-	-	-	-	-	2	-	-	1	-	-	1	2	-	1	1	-	1	-	-	2	-	-
	F--	16	-	-	1	-	-	1	-	-	-	-	3	-	-	2	-	2	3	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	160	1	-	-	-	-	-	-	-	1	5	2	2	2	2	3	11	17	26	31	27	19	7	4	-	-
	White-----M--	82	-	-	-	-	-	-	-	-	1	1	2	2	1	2	2	6	7	13	17	13	10	3	2	-	-
	F--	77	1	-	-	-	-	-	-	-	-	4	-	-	1	-	1	5	10	13	14	14	8	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	22	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	3	3	3	2	5	2	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	-	2	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	2	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	9	2	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	5,970	3	-	1	-	1	1	2	7	7	11	14	42	67	126	186	343	500	656	903	1,034	1,006	687	297	67	9
	White-----M--	3,350	2	-	1	-	1	1	-	2	6	8	12	29	52	87	136	249	327	424	532	551	494	297	114	21	4
	F--	2,616	1	-	-	-	-	-	2	5	1	3	2	13	15	39	49	94	173	232	371	483	512	388	182	46	5
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	5,840	2	-	1	-	1	1	2	6	5	11	13	39	63	120	184	338	494	647	881	1,009	990	669	290	65	9
	White-----M--	3,290	1	-	1	-	1	1	-	2	4	8	12	28	51	84	135	247	323	416	522	544	486	290	111	19	4
	F--	2,546	1	-	-	-	-	-	2	4	1	3	1	11	12	36	48	91	171	231	359	465	504	377	178	46	5
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	1,284	2	-	-	-	-	-	-	3	-	2	1	3	7	22	29	43	80	126	200	274	240	167	64	20	1
	White-----M--	619	1	-	-	-	-	-	-	-	-	2	1	2	5	12	15	29	48	65	105	129	111	65	22	7	-
	F--	664	1	-	-	-	-	-	-	3	-	-	-	1	2	10	14	14	32	61	95	145	129	101	42	13	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																										
400-402	Rheumatic fever---	4	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	4,125	-	-	-	-	1	-	1	3	2	7	10	36	53	93	151	279	399	489	631	667	653	427	181	34	8
	White-----M--	2,446	-	-	-	-	1	-	-	2	1	6	9	26	44	70	116	205	267	332	389	379	315	195	74	11	4
	F--	1,676	-	-	-	-	-	-	1	1	1	1	1	10	9	23	34	74	132	157	242	288	338	231	106	23	4
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	131	-	-	-	-	-	-	1	2	-	2	3	7	8	10	11	17	14	17	10	14	12	3	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	1	-	2	3	4	5	6	5	7	9	10	5	6	3	1	-	-	-
	F--	64	-	-	-	-	-	-	1	1	-	-	-	3	3	4	6	10	5	7	5	8	9	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,917	-	-	-	-	-	-	-	-	1	2	5	21	41	74	123	221	318	369	458	478	431	245	105	18	7
	White-----M--	1,822	-	-	-	-	-	-	-	-	1	2	4	17	36	58	100	172	223	255	301	283	208	114	40	4	4
	F--	1,093	-	-	-	-	-	-	-	-	-	-	1	4	5	16	22	49	95	114	157	195	223	131	64	14	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	555	-	-	-	-	1	-	-	-	1	1	2	2	1	2	8	13	23	43	71	92	126	105	51	13	-
	White-----M--	319	-	-	-	-	1	-	-	-	-	-	2	1	1	-	6	9	14	29	47	51	70	55	27	6	-
	F--	235	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	4	9	14	24	41	56	49	24	7	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	86	-	-	-	-	-	-	-	1	-	2	-	4	1	-	2	7	2	8	10	10	16	18	5	-	-
	White-----M--	49	-	-	-	-	-	-	-	1	-	2	-	3	-	-	2	6	2	7	6	5	9	6	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	4	5	7	12	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	436	-	-	-	-	-	-	-	-	-	-	-	2	2	7	7	21	42	52	82	73	68	56	20	3	1
	White-----M--	189	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	11	19	31	30	34	25	19	7	1	-
	F--	247	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	10	23	21	52	39	43	37	13	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	67	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	1	18	13	12	5	7	1	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	7	6	7	5	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	11	7	5	-	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	273	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	12	18	48	75	66	37	10	-
	White-----M--	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	13	27	46	23	14	1	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	21	29	43	23	9	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	87	-	-	1	-	-	1	-	-	1	2	2	-	2	3	2	11	8	18	14	7	10	4	1	-	-
	White-----M--	53	-	-	1	-	-	1	-	-	1	-	2	-	2	1	2	8	5	10	8	3	7	2	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	3	3	8	6	4	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	130	1	-	-	-	-	-	-	1	2	-	1	3	4	6	2	5	6	9	22	25	16	18	7	2	-
	White-----M--	60	1	-	-	-	-	-	-	-	2	-	-	1	1	3	1	2	4	6	10	7	8	7	3	2	-
	F--	70	-	-	-	-	-	-	-	1	-	-	1	2	3	3	1	3	2	1	12	18	8	11	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	288	60	11	2	5	1	2	2	3	2	3	1	2	3	6	4	12	14	17	24	20	44	28	20	2	-
	White-----M--	163	35	7	1	2	-	1	1	2	1	1	1	2	3	2	2	10	9	8	16	13	25	12	8	1	-
	F--	121	21	4	1	3	1	1	1	1	1	2	-	-	-	4	2	2	5	9	8	7	19	16	12	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	23	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	4	4	3	-	-
	White-----M--	14	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	2	1	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	265	57	10	2	4	1	2	2	3	2	3	1	2	2	6	4	12	13	16	21	19	40	24	17	2	-
	White-----M--	149	33	6	1	1	-	1	1	2	1	1	1	2	2	2	2	10	9	8	14	12	22	10	7	1	-
	F--	112	20	4	1	3	1	1	1	1	1	2	-	-	-	4	2	2	4	8	7	7	18	14	10	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	21	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	-	2	4	2	2	1	-	-
	White-----M--	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	2	1	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	85	1	-	-	-	-	-	-	-	-	1	-	2	1	3	4	10	7	11	17	10	12	6	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	8	4	10	15	9	8	3	-	-	-
	F--	18	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	2	1	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	2	2	1	1	1	-	-
	White-----M--	12	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	2	2	1	1	1	-	-
	F--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	57	3	1	-	-	-	-	-	-	-	-	1	-	-	-	2	3	4	3	8	11	13	5	3	-	-
	White-----M--	30	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	5	8	2	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	6	5	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																										
543,	Gastritis, etc.*	39	12	3	-	-	-	1	-	-	1	-	-	2	1	-	1	-	2	1	6	3	4	1	1	-	-
571,	White-----M	19	6	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	3	1	2	-	1	-	-
572	F	20	6	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	3	2	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	76	1	-	-	-	-	-	-	-	-	-	1	3	7	9	10	7	10	5	6	9	4	4	-	-	-
	White-----M	47	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	6	7	3	2	6	3	2	-	-	-
	F	29	1	-	-	-	-	-	-	-	-	-	1	1	5	3	2	1	3	2	4	3	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	16	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	2	1	-	4	2	2	1	1	-
	White-----M	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	2	1	1	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	6	11	5	3	-	-
	White-----M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	6	11	5	3	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	124	90	5	2	2	2	3	2	-	2	3	2	1	1	1	3	3	1	1	-	-	-	-	-	-	-
	White-----M	61	42	3	2	2	1	2	1	-	2	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	61	47	2	-	-	1	1	1	-	-	3	1	-	1	-	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	325	325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	54	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	14	14	9	8	-
795	White-----M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	7	6	3	2	-
	F	32	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	7	8	6	6	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	465	22	4	2	6	1	4	3	3	5	3	6	17	9	25	27	40	56	55	53	50	35	27	9	3	-
sid-	White-----M	254	13	3	2	4	1	2	-	3	3	3	3	8	4	14	14	18	35	36	32	29	14	8	4	1	-
ual	F	209	9	1	-	2	-	2	3	-	2	-	3	9	4	11	13	22	21	19	20	21	21	19	5	2	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	540	22	8	9	9	13	15	17	29	37	36	27	28	24	24	24	23	33	18	35	37	32	23	11	6	-
E962	White-----M	388	15	5	7	8	8	12	15	26	29	31	22	26	16	15	22	16	28	15	26	15	15	10	5	1	-
	F	143	7	2	1	1	5	3	2	3	7	5	4	1	8	6	1	7	5	3	9	22	17	13	6	5	-
	Nonwhite--M	8	-	-	1	-	-	-	-	-	1	-	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	176	2	3	1	4	6	5	6	13	19	18	10	12	11	4	9	7	14	6	12	9	3	2	-	-	-
	White-----M	133	2	2	1	3	1	4	6	11	17	15	7	12	6	3	7	4	11	5	8	4	3	1	-	-	-
	F	42	-	1	-	1	5	1	-	2	2	3	3	-	5	1	1	3	3	1	4	5	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	364	20	5	8	5	7	10	11	16	18	18	17	16	13	20	15	16	19	12	23	28	29	21	11	6	-
E802,	White-----M	255	13	3	6	5	7	8	9	15	12	16	15	14	10	12	15	12	17	10	18	11	12	9	5	1	-
E840-	F	101	7	1	1	-	-	2	2	1	5	2	1	1	3	5	-	4	2	2	5	17	17	12	6	5	-
E962	Nonwhite--M	7	-	-	1	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	114	-	-	-	-	-	-	2	2	3	11	9	9	14	6	10	10	8	13	6	7	3	1	-	-	-
E970-	White-----M	85	-	-	-	-	-	-	2	2	3	6	7	5	11	4	8	9	5	11	6	2	3	1	-	-	-
E979	F	29	-	-	-	-	-	-	-	-	-	5	2	4	3	2	2	1	3	2	-	5	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	11	-	-	-	-	-	2	-	-	-	-	-	1	2	5	-	-	1	-	-	-	-	-	-	-	-
E980-	White-----M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-
E985	F	6	-	-	-	-	-	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

420487 O - 57 - 17

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND																										
	ALL CAUSES------	24,221	1,873	113	57	44	43	131	92	127	183	280	386	552	805	1,064	1,542	1,877	2,294	2,896	2,856	2,748	2,281	1,380	472	142	3
	White-----M--	10,804	684	42	25	18	13	70	51	69	84	125	173	213	348	502	761	938	1,241	1,415	1,309	1,174	862	493	157	37	-
	F--	8,794	507	35	18	12	13	36	25	21	35	59	98	171	189	278	351	532	655	990	1,137	1,280	1,223	775	275	79	-
	Nonwhite--M--	2,594	362	22	6	6	10	14	12	26	36	56	67	104	156	167	241	238	229	284	204	171	100	48	18	8	3
	F--	2,029	320	14	8	8	7	11	4	9	26	38	48	64	112	117	189	169	169	207	206	123	96	44	22	18	-
001-019	Tuberculosis, all forms--------	325	1	1	1	-	-	2	-	1	8	10	17	20	33	32	36	27	36	31	24	26	12	3	4	-	-
	White-----M--	150	-	-	1	-	-	-	-	-	1	3	6	1	10	18	14	16	24	21	11	15	6	1	2	-	-
	F--	45	1	-	-	-	-	-	-	-	-	4	2	8	2	4	1	3	2	1	8	4	4	1	-	-	-
	Nonwhite--M--	89	-	1	-	-	-	1	-	-	3	1	6	8	14	9	13	7	8	7	2	6	1	1	1	-	-
	F--	41	-	-	-	-	-	1	-	1	4	2	3	3	7	1	8	1	2	2	3	1	1	-	1	-	-
001-008	Tuberculosis of respiratory system----------	298	-	-	1	-	-	2	-	-	5	10	17	15	33	29	34	24	32	29	24	24	12	3	4	-	-
	White-----M--	143	-	-	1	-	-	-	-	-	-	3	6	1	10	17	14	15	22	20	11	14	6	1	2	-	-
	F--	39	-	-	-	-	-	-	-	-	-	4	2	6	2	4	1	1	1	1	8	4	4	1	-	-	-
	Nonwhite--M--	79	-	-	-	-	-	1	-	-	2	1	6	5	14	7	12	7	7	7	2	5	1	1	1	-	-
	F--	37	-	-	-	-	-	1	-	-	3	2	3	3	7	1	7	1	2	1	3	1	1	-	1	-	-
010-019	Tuberculosis, other forms------	27	1	1	-	-	-	-	-	1	3	-	-	5	-	3	2	3	4	2	-	2	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	-	-	-	1	-	-	3	-	2	1	-	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	98	1	-	-	-	-	-	-	-	-	2	4	5	5	10	20	10	10	12	12	2	4	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	4	3	9	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	47	1	-	-	-	-	-	-	-	-	1	3	2	5	5	10	5	4	7	1	-	2	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	1	-	1	7	2	1	1	2	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	4	1	3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	-	-	-	-	-	-	4	-	1	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	69	20	1	1	-	-	3	-	4	1	2	2	3	6	3	4	5	3	2	3	2	2	1	-	1	-
	White-----M--	26	8	-	-	-	-	2	-	4	-	1	-	-	4	1	2	1	-	-	1	2	-	-	-	-	-
	F--	20	4	1	1	-	-	-	-	-	-	1	1	-	2	-	1	2	1	2	-	-	2	1	-	1	-
	Nonwhite--M--	10	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	2	-	1	-	-	-	-	-	-
	F--	13	5	-	-	-	-	1	-	-	-	-	1	2	-	2	1	-	-	-	1	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*----	3,849	3	9	8	10	9	18	11	7	13	27	61	93	174	253	348	468	510	573	477	383	240	112	36	6	-
	White-----M--	1,673	1	7	3	3	2	12	6	2	5	7	19	29	48	83	141	215	259	283	222	170	101	42	10	3	-
	F--	1,602	2	1	5	6	6	6	5	3	7	14	32	49	86	115	129	174	175	201	201	177	121	63	22	2	-
	Nonwhite--M--	315	-	1	-	1	1	-	-	1	-	4	5	5	19	25	38	44	39	51	31	31	11	4	3	1	-
	F--	259	-	-	-	-	-	-	-	1	1	2	5	10	21	30	40	35	37	38	23	5	7	3	1	-	-
140-148	Of buccal cavity and pharynx------	110	-	-	-	-	-	-	-	-	-	-	1	1	6	10	16	13	12	18	5	16	9	2	1	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	1	1	3	6	10	6	7	15	5	12	7	2	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	-	-	4	2	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	1	3	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,300	-	-	-	-	-	-	-	2	2	3	8	18	35	60	94	161	190	192	193	162	104	54	17	5	-
	White-----M--	579	-	-	-	-	-	-	-	1	1	1	2	8	12	18	43	81	103	98	91	58	40	15	4	3	-
	F--	508	-	-	-	-	-	-	-	-	-	1	5	8	7	27	23	54	53	51	84	87	57	37	13	1	-
	Nonwhite--M--	138	-	-	-	-	-	-	-	-	-	1	1	2	11	11	19	15	16	29	12	15	4	1	-	1	-
	F--	75	-	-	-	-	-	-	-	1	1	-	-	-	5	4	9	11	18	14	6	2	3	1	-	-	-
160-164	Of respiratory system (not secondary)-------	537	-	-	-	-	-	1	-	-	-	-	5	8	17	39	60	94	100	100	59	31	21	2	-	-	-
	White-----M--	411	-	-	-	-	-	1	-	-	-	-	1	6	12	31	49	72	76	85	41	23	13	1	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	3	1	-	3	3	6	7	7	11	6	7	1	-	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	1	1	4	4	8	13	15	6	5	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	2	-	-	-	-	-	-
170	Of breast---------	354	-	-	-	-	-	-	-	-	-	1	4	13	32	36	54	38	35	42	38	21	26	10	4	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	311	-	-	-	-	-	-	-	-	-	-	3	9	29	30	45	32	31	39	35	21	24	9	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	1	4	3	6	9	6	4	3	2	-	2	1	-	-	-
171-179	Of genital organs-	586	-	-	-	-	-	-	-	-	-	4	16	24	35	40	63	59	60	81	70	63	39	25	7	-	-
	White-----M--	154	-	-	-	-	-	-	-	-	-	1	1	-	2	-	8	9	9	24	29	31	22	16	2	-	-
	F--	305	-	-	-	-	-	-	-	-	-	3	12	19	26	28	36	37	39	38	27	20	12	7	1	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	9	9	11	4	2	3	-	-
	F--	78	-	-	-	-	-	-	-	-	-	-	3	5	7	11	16	9	9	10	5	1	1	-	1	-	-
180, 181	Of urinary organs-	187	-	1	-	2	-	1	1	-	-	2	-	1	5	9	7	20	30	29	35	28	12	4	-	-	-
	White-----M--	107	-	1	-	1	-	-	1	-	-	-	-	1	2	6	4	12	19	13	23	18	4	2	-	-	-
	F--	62	-	-	-	1	-	1	-	-	-	2	-	-	3	2	2	4	10	12	6	9	8	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	471	2	2	3	1	5	7	5	1	4	9	11	19	28	33	33	49	51	69	55	41	22	13	7	1	-
	White-----M--	194	1	2	1	-	1	5	1	-	2	2	4	7	10	10	16	19	28	26	22	18	12	4	3	-	-
	F--	218	1	-	2	1	3	2	4	1	2	4	5	9	14	15	12	24	17	37	26	19	8	7	4	1	-
	Nonwhite--M--	30	-	-	-	-	1	-	-	-	-	2	2	2	2	4	3	4	3	1	2	2	1	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	2	3	5	5	2	1	1	-	-	-
204	Leukemia and aleukemia----------	148	1	3	4	6	3	7	2	3	6	3	7	5	5	12	6	14	15	19	8	12	5	2	-	-	-
	White-----M--	67	-	1	1	2	1	5	1	-	2	1	4	2	2	6	2	7	8	11	2	5	2	2	-	-	-
	F--	67	1	1	3	3	2	2	1	2	4	2	2	3	2	5	1	5	7	6	6	7	2	-	-	-	-
	Nonwhite--M--	9	-	1	-	1	-	-	-	1	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	156	-	3	1	1	1	2	3	1	1	5	9	4	11	14	15	20	17	23	14	9	2	-	-	-	-
	White-----M--	84	-	3	1	-	-	1	3	1	-	2	6	4	5	6	9	9	9	11	8	5	1	-	-	-	-
	F--	59	-	-	-	1	1	1	-	-	1	2	2	-	5	5	3	9	7	11	6	4	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	103	-	1	-	-	1	5	2	3	-	1	5	7	7	9	12	13	8	7	9	9	4	-	-	-	-
	White-----M--	43	-	-	-	-	-	3	1	2	-	-	1	1	3	4	6	7	4	3	3	4	1	-	-	-	-
	F--	39	-	1	-	-	1	1	-	1	-	1	4	5	-	3	4	5	2	2	1	5	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	1	2	3	-	-	-	-	-	-
260	Diabetes mellitus-	485	-	-	-	1	-	1	-	-	1	3	7	12	8	12	31	34	75	87	81	69	32	27	3	1	-
	White-----M--	132	-	-	-	-	-	-	-	-	-	1	4	3	4	4	8	14	15	23	22	16	10	7	1	-	-
	F--	289	-	-	-	1	-	1	-	-	1	2	2	4	4	5	12	15	50	52	48	50	21	19	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	1	6	3	1	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	3	-	2	9	2	9	6	8	2	1	1	-	1	-
290-293	Anemias----------	46	4	1	-	-	-	-	-	-	-	2	-	1	1	4	-	5	3	8	3	8	4	2	-	-	-
	White-----M--	19	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	4	2	2	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	1	2	-	-	-
	Nonwhite--M--	9	3	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	42	15	1	-	-	-	4	1	-	-	-	-	3	2	3	1	5	2	2	-	2	1	-	-	-	-
	White-----M--	15	6	1	-	-	-	2	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	2	1	-	-	-	-	1	1	-	1	-	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	9	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-
	F--	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	13,204	13	2	3	1	2	9	6	12	23	49	101	174	303	480	752	1,003	1,326	1,792	1,897	1,971	1,742	1,071	362	108	2
	White-----M--	5,978	6	-	2	-	1	6	1	4	5	28	49	79	151	268	407	518	736	878	863	844	616	372	117	27	-
	F--	5,134	4	1	-	-	-	2	4	4	7	9	27	37	42	90	139	256	356	613	757	913	968	625	216	64	-
	Nonwhite--M--	1,097	1	1	1	-	-	1	-	4	4	7	11	40	61	65	109	125	129	167	126	112	79	37	10	5	2
	F--	995	2	-	-	1	1	-	1	-	7	5	14	18	49	57	97	104	105	134	151	102	79	37	19	12	-
330-334, 400-468	Diseases of cardiovascular system-	12,949	12	2	2	1	2	8	4	6	17	43	87	166	285	467	733	981	1,304	1,766	1,873	1,942	1,720	1,059	360	107	2
	White-----M--	5,873	5	-	1	-	1	5	1	2	3	24	44	77	144	266	398	509	728	866	854	830	606	367	116	26	-
	F--	5,048	4	1	-	-	-	2	2	2	4	7	23	35	38	86	136	249	350	601	749	902	958	620	215	64	-
	Nonwhite--M--	1,059	1	1	1	-	-	1	-	2	4	7	9	36	57	59	106	120	125	166	122	110	78	37	10	5	2
	F--	969	2	-	-	1	1	-	1	-	6	5	11	18	46	56	93	103	101	133	148	100	78	35	19	12	-
330-334	Vascular lesions, etc.*----------	2,148	5	-	-	1	-	3	-	2	4	6	15	25	39	55	92	125	195	311	351	347	300	193	64	15	-
	White-----M--	769	1	-	-	-	-	2	-	1	-	5	2	9	6	15	27	45	76	126	134	137	104	62	14	3	-
	F--	984	2	-	-	-	-	1	-	1	2	1	8	5	10	17	28	47	72	115	156	171	170	122	46	10	-
	Nonwhite--M--	197	-	-	-	-	-	-	-	-	-	-	3	8	12	9	13	17	23	43	27	19	17	5	1	-	-
	F--	198	2	-	-	1	-	-	-	-	2	-	2	3	11	14	24	16	24	27	34	20	9	4	3	2	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																										
400-402	Rheumatic fever---	15	-	-	-	-	-	3	2	1	1	2	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,988	7	2	2	-	2	2	2	2	9	31	64	132	228	397	611	813	1,050	1,377	1,433	1,477	1,283	749	246	67	2
	White-----M--	4,773	4	-	1	-	1	2	-	1	3	16	41	67	133	243	355	445	618	707	682	645	452	257	83	17	-
	F--	3,733	2	1	-	-	-	-	2	-	1	4	12	28	26	66	104	190	264	465	558	675	713	436	142	44	-
	Nonwhite--M--	782	1	1	1	-	-	-	-	1	2	7	6	25	40	49	88	96	96	106	89	82	55	26	7	2	2
	F--	700	-	-	-	-	1	-	-	-	3	4	5	12	29	39	64	82	72	99	104	75	63	30	14	4	-
410-416	Chronic rheumatic heart disease----	256	-	-	-	-	-	-	-	2	6	12	16	24	21	34	31	28	29	21	12	9	7	5	-	1	-
	White-----M--	104	-	-	-	-	-	-	-	1	2	6	9	9	10	11	11	11	15	6	7	3	1	2	-	-	-
	F--	124	-	-	-	-	-	-	-	-	-	3	7	9	9	20	17	14	12	14	4	6	6	2	-	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	1	-	-	5	1	2	1	-	2	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	3	3	-	1	1	1	2	3	-	-	1	-	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,529	1	-	-	-	-	1	-	-	1	7	34	65	127	238	366	514	677	847	836	764	599	321	105	24	2
	White-----M--	3,149	-	-	-	-	-	1	-	-	-	4	26	45	103	184	266	345	460	488	437	359	245	132	46	8	-
	F--	1,865	-	-	-	-	-	-	-	-	-	-	3	8	10	25	50	106	152	282	330	349	312	170	52	16	-
	Nonwhite--M--	319	1	-	-	-	-	-	-	-	1	3	2	8	10	18	35	38	46	51	38	30	21	10	5	-	2
	F--	196	-	-	-	-	-	-	-	-	-	-	3	4	4	11	15	25	19	26	31	26	21	9	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,908	1	-	2	-	1	1	-	-	-	5	8	9	18	38	68	87	122	202	256	335	376	253	97	29	-
	White-----M--	794	1	-	1	-	-	1	-	-	-	4	3	1	8	23	42	33	62	104	122	151	126	79	25	8	-
	F--	829	-	-	-	-	-	-	-	-	-	-	2	2	2	6	12	22	32	53	91	141	221	157	69	19	-
	Nonwhite--M--	153	-	-	1	-	-	-	-	-	-	-	2	5	6	5	5	20	19	23	23	21	15	8	-	-	-
	F--	132	-	-	-	-	1	-	-	-	-	1	1	1	2	4	9	12	9	22	20	22	14	9	3	2	-
430-434	Other diseases of heart---------	247	5	2	-	-	1	-	1	-	2	6	-	10	5	12	17	24	18	39	29	40	28	6	1	1	-
	White-----M--	111	3	-	-	-	1	-	-	-	1	1	-	7	2	3	7	13	7	19	16	18	12	1	-	-	-
	F--	82	2	1	-	-	-	-	1	-	1	1	-	3	1	4	6	5	4	12	8	15	12	5	1	-	-
	Nonwhite--M--	31	-	1	-	-	-	-	-	-	-	4	-	-	1	1	3	3	1	5	4	5	2	-	-	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	6	3	1	2	2	-	-	-	-
440-443	Hypertension with heart dis.--	2,046	-	-	-	-	-	-	1	-	-	1	6	24	57	75	129	160	204	268	300	329	273	164	43	12	-
	White-----M--	615	-	-	-	-	-	-	-	-	-	1	3	5	10	22	29	43	74	90	100	114	68	43	12	1	-
	F--	833	-	-	-	-	-	-	1	-	-	-	-	6	4	11	19	43	64	104	125	164	162	102	20	8	-
	Nonwhite--M--	265	-	-	-	-	-	-	-	-	-	-	2	7	22	23	44	35	28	26	24	26	17	8	2	1	-
	F--	333	-	-	-	-	-	-	-	-	-	-	1	6	21	19	37	39	38	48	51	25	26	11	9	2	-
444-447	Hypertension without mention of heart----------	158	-	-	-	-	-	-	-	-	1	1	3	3	8	5	12	6	9	14	19	24	21	23	6	3	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	2	5	5	6	9	5	13	5	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	8	9	12	8	1	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	-	1	3	-	4	1	-	3	2	5	2	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	3	2	3	2	2	2	2	2	3	1	2	1	-	2	-
450	General arteriosclerosis--------	432	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	15	26	50	79	97	88	42	22	-
	White-----M--	164	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	6	22	33	38	33	13	6	-
	F--	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	19	39	53	51	25	9	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	8	3	4	3	4	2	3	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	3	3	-	2	4	-
451-468	Other diseases of circulatory sys.-	208	-	-	-	-	-	-	-	1	2	3	4	5	9	7	14	29	35	38	20	14	19	6	2	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	1	-	1	3	4	9	13	23	22	10	6	7	2	1	-	-
	F--	64	-	-	-	-	-	-	-	1	1	1	3	1	2	2	2	9	6	7	8	7	10	3	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	5	5	6	1	-	1	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	1	1	1	3	-	2	2	1	3	1	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	255	1	-	1	-	-	1	2	6	6	6	14	8	18	13	19	22	22	26	24	29	22	12	2	1	-
	White-----M--	105	1	-	1	-	-	1	-	2	2	4	5	2	7	2	9	9	8	12	9	14	10	5	1	1	-
	F--	86	-	-	-	-	-	-	2	2	3	2	4	2	4	4	3	7	6	12	8	11	10	5	1	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	2	-	-	2	4	4	6	3	5	4	1	4	2	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	-	3	-	3	1	4	1	4	1	3	2	1	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	614	133	19	4	5	1	3	3	2	3	3	14	20	18	36	17	24	34	57	56	50	43	36	25	8	-
	White-----M--	225	36	4	1	1	1	1	1	1	3	1	4	7	6	8	4	7	21	23	22	28	19	17	9	-	-
	F--	178	32	7	1	-	-	2	-	1	-	1	2	5	3	5	3	5	3	15	20	20	19	17	12	5	-
	Nonwhite--M--	135	36	4	1	2	-	-	1	-	-	-	5	3	6	18	9	7	9	13	13	1	1	1	4	1	-
	F--	76	29	4	1	2	-	-	1	-	-	1	3	5	3	5	1	5	1	6	1	1	4	1	-	2	-
480-483	Influenza---------	19	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	3	1	1	1	1	-
	White-----M--	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	F--	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	595	128	19	3	5	1	3	3	2	3	3	13	20	18	36	17	23	33	55	55	47	42	35	24	7	-
	White-----M--	218	32	4	1	1	1	1	1	1	3	1	4	7	6	8	4	7	21	22	22	27	19	16	9	-	-
	F--	167	31	7	-	-	-	2	-	1	-	1	2	5	3	5	3	4	2	14	19	18	18	17	11	4	-
	Nonwhite--M--	135	36	4	1	2	-	-	1	-	-	-	5	3	6	18	9	7	9	13	13	1	1	1	4	1	-
	F--	75	29	4	1	2	-	-	1	-	-	1	2	5	3	5	1	5	1	6	1	1	4	1	-	2	-
500-502	Bronchitis--------	57	13	1	1	2	-	2	-	-	1	1	1	2	-	2	5	4	3	5	3	4	4	2	-	1	-
	White-----M--	33	5	1	-	1	-	2	-	-	1	-	-	-	-	-	4	3	3	5	3	1	3	1	-	-	-
	F--	12	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	3	1	1	-	1	-
	Nonwhite--M--	7	3	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	127	2	-	1	-	-	-	-	1	1	3	1	3	8	6	13	14	13	28	17	7	6	3	-	-	-
	White-----M--	79	2	-	1	-	-	-	-	-	1	-	-	-	6	4	9	8	9	17	11	3	5	3	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	3	8	5	4	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	3	1	3	2	-	2	3	1	3	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	28	-	-	-	-	-	1	3	-	1	-	-	1	3	1	1	2	3	3	6	-	1	1	1	-	-
	White-----M--	16	-	-	-	-	-	1	3	-	1	-	-	-	2	-	-	2	2	1	4	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	150	18	-	-	-	-	2	-	1	-	1	2	3	3	7	5	9	14	12	22	24	15	6	5	1	-
	White-----M--	53	6	-	-	-	-	1	-	-	-	-	-	1	-	2	1	4	8	5	6	8	4	5	2	-	-
	F--	60	10	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	2	4	9	13	11	1	2	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	1	-	-	1	1	1	3	2	2	3	1	5	1	-	-	-	-	-
	F--	15	1	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	1	2	2	2	-	-	1	1	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																										
543,	Gastritis, etc.*--	103	45	6	1	-	1	2	-	-	1	-	1	1	-	3	6	5	4	6	7	3	7	1	2	1	-
571,	White-----M--	37	12	3	-	-	-	1	-	-	1	-	1	1	-	1	-	2	2	3	3	1	3	1	2	-	-
572	F--	34	10	3	1	-	-	-	-	-	-	-	-	-	-	2	4	1	2	2	3	2	3	-	-	1	-
	Nonwhite--M--	14	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	18	12	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-
581	Cirrhosis of liver	270	-	-	-	-	-	1	-	-	1	2	14	17	27	35	44	39	25	29	18	8	7	3	-	-	-
	White-----M--	152	-	-	-	-	-	1	-	-	-	-	8	6	15	22	26	22	15	18	9	4	5	1	-	-	-
	F--	79	-	-	-	-	-	-	-	-	1	-	2	8	7	6	14	12	8	8	6	3	2	2	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	3	2	1	6	2	1	2	1	1	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	1	1	4	1	2	4	-	2	2	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	37	-	-	1	1	-	2	-	-	1	2	2	3	5	3	1	3	3	2	2	1	4	1	-	-	-
	White-----M--	20	-	-	-	1	-	1	-	-	-	1	2	2	2	2	1	-	2	1	1	1	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	75	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	7	4	14	14	12	12	5	2	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	13	13	12	11	5	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	28	...	...	...	...	...	...	-	1	4	6	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	-	1	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	...	...	...	...	...	...	-	1	3	4	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	21	...	...	...	...	...	...	-	-	3	4	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
669	Nonwhite--F--	13	...	...	...	...	...	...	-	-	3	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	323	241	22	7	4	1	11	3	3	1	2	3	3	3	5	4	2	3	1	2	1	-	-	-	1	-
	White-----M--	137	100	8	5	2	-	6	3	1	-	-	1	1	-	2	2	1	2	-	1	1	-	-	-	1	-
	F--	118	90	8	1	2	-	5	-	-	-	1	-	2	2	3	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	37	25	5	-	-	1	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	31	26	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,144	1,144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	501	501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	564	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	80	17	-	1	-	-	-	1	1	1	-	1	3	3	5	2	4	7	7	7	3	2	3	6	5	1
795	White-----M--	22	4	-	-	-	-	-	-	1	1	-	1	1	-	2	-	1	2	2	1	1	-	2	1	2	-
	F--	28	2	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	2	2	3	2	2	1	5	2	-
	Nonwhite--M--	18	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	2	-	-	-	-	-	1
	F--	12	2	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	1	-	-	-	-	1	-
Re-	All other diseases	1,125	135	16	5	4	6	21	4	14	10	20	33	35	47	46	89	100	105	132	120	87	65	23	5	3	-
sid-	White-----M--	517	55	7	2	3	1	11	2	5	-	7	14	13	18	24	45	52	61	67	55	32	32	10	-	1	-
ual	F--	347	18	5	1	-	2	7	1	3	4	4	8	13	12	12	21	29	20	45	50	45	29	12	5	1	-
	Nonwhite--M--	145	33	1	1	1	1	2	1	2	2	3	5	4	9	4	13	15	14	12	10	7	3	1	-	1	-
	F--	116	29	3	1	-	2	1	-	4	4	6	6	5	8	6	10	4	10	8	5	3	1	-	-	-	-
E800-	Accidents---------	1,374	56	30	20	12	18	40	52	62	80	100	75	88	106	66	96	62	70	72	66	63	68	50	18	4	-
E962	White-----M--	742	19	11	9	6	6	20	32	44	54	64	50	49	58	30	53	33	44	41	38	20	34	18	8	1	-
	F--	316	15	7	6	1	4	9	10	7	9	11	6	17	17	15	8	11	17	21	22	31	32	28	10	2	-
	Nonwhite--M--	228	9	7	2	1	4	6	8	11	15	17	13	20	27	14	28	16	8	8	3	7	2	2	-	-	-
	F--	88	13	5	3	4	4	5	2	-	2	8	6	2	4	7	7	2	1	2	3	5	-	2	-	1	-
E810-	Motor-vehicle																										
E835	accidents--------	498	2	5	3	5	7	22	18	39	48	65	37	54	39	26	30	25	21	19	12	12	7	2	-	-	-
	White-----M--	304	-	2	2	2	4	11	12	31	30	45	23	31	25	12	15	13	13	10	10	7	5	1	-	-	-
	F--	91	1	1	-	1	1	8	6	6	7	5	5	11	6	6	2	5	7	6	1	4	1	1	-	-	-
	Nonwhite--M--	75	-	1	-	-	-	2	-	2	9	10	7	11	8	4	11	6	1	2	-	-	1	-	-	-	-
	F--	28	1	1	1	2	2	1	-	-	2	5	2	1	-	4	2	1	-	1	1	1	-	-	-	-	-
E800-	All ot. accidents-	876	54	25	17	7	11	18	34	23	32	35	38	34	67	40	66	37	49	53	54	51	61	48	18	4	-
E802,	White-----M--	438	19	9	7	4	2	9	20	13	24	19	27	18	33	18	38	20	31	31	28	13	29	17	8	1	-
E840-	F--	225	14	6	6	-	3	1	4	1	2	6	1	6	11	9	6	6	10	15	21	27	31	27	10	2	-
E962	Nonwhite--M--	153	9	6	2	1	4	4	8	9	6	7	6	9	19	10	17	10	7	6	3	7	1	2	-	-	-
	F--	60	12	4	2	2	2	4	2	-	-	3	4	1	4	3	5	1	1	1	2	4	-	2	-	1	-
E963,	Suicide----------	273	-	-	-	-	-	-	-	5	10	14	16	30	27	26	40	31	29	20	8	11	5	1	-	-	-
E970-	White-----M--	188	-	-	-	-	-	-	-	4	8	7	8	17	19	18	30	20	22	13	8	8	5	1	-	-	-
E979	F--	64	-	-	-	-	-	-	-	-	2	4	5	10	6	7	7	10	7	4	-	2	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	1	3	1	1	1	2	1	-	2	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	149	3	1	-	1	1	-	2	9	20	24	17	17	12	14	14	5	1	4	2	-	1	1	-	-	-
E980-	White-----M--	20	-	-	-	-	-	-	-	1	3	1	3	-	1	3	4	1	-	2	1	-	-	-	-	-	-
E985	F--	20	1	-	-	1	-	-	1	1	1	2	1	4	2	1	-	2	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	84	-	-	-	-	1	-	1	6	12	18	8	9	8	9	7	2	1	2	-	-	-	-	-	-	-
	F--	25	2	1	-	-	-	-	-	1	4	3	5	4	1	1	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS																										
	ALL CAUSES------	53,345	2,413	156	93	64	59	247	134	206	267	327	464	711	1,114	1,663	2,418	3,725	5,186	6,561	7,305	7,358	6,582	4,104	1,601	458	129
	White-----M--	27,753	1,373	85	52	36	32	155	90	144	180	198	268	400	622	987	1,497	2,328	3,199	3,710	3,794	3,460	2,849	1,558	526	133	77
	F--	24,610	925	63	38	26	25	88	41	58	72	116	165	286	452	637	864	1,305	1,894	2,737	3,397	3,811	3,662	2,512	1,061	320	51
	Nonwhite--M--	535	61	4	-	2	1	2	2	2	6	4	18	14	25	21	30	58	56	62	66	51	29	14	7	-	-
	F--	447	54	4	3	-	1	2	1	2	9	7	13	9	15	18	27	34	37	52	48	36	42	20	7	5	1
001-019	Tuberculosis, all forms--------	464	-	2	-	-	-	2	-	-	4	6	16	25	27	36	38	63	48	63	53	40	30	8	2	-	1
	White-----M--	330	-	2	-	-	-	1	-	-	1	2	3	15	16	25	29	51	40	51	38	26	21	7	1	-	1
	F--	97	-	-	-	-	-	1	-	-	2	2	8	5	5	11	6	5	7	11	12	12	8	1	1	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	2	4	4	-	2	6	1	1	-	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	2	3	1	2	-	1	1	-	-	3	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	443	-	1	-	-	-	2	-	-	4	6	15	23	25	33	37	60	47	63	50	38	29	7	2	-	1
	White-----M--	317	-	1	-	-	-	1	-	-	1	2	3	15	15	22	29	49	39	51	36	25	20	6	1	-	1
	F--	93	-	-	-	-	-	1	-	-	2	2	8	5	4	11	5	5	7	11	11	11	8	1	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	1	3	4	-	2	5	1	1	-	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	2	3	-	2	-	1	1	-	-	3	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	21	-	1	-	-	-	-	-	-	-	-	1	2	2	3	1	3	1	-	3	2	1	1	-	-	-
	White-----M--	13	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	-	2	1	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	79	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	8	12	17	14	10	6	-	-	-	1
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	5	8	11	11	5	3	-	-	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	5	2	5	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	22	6	2	4	1	-	2	-	1	2	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	11	3	1	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	9	2	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	174	4	1	1	4	5	27	17	15	16	23	26	19	6	1	2	3	3	-	-	-	-	-	-	-	1
	White-----M--	107	3	-	1	3	2	14	8	10	6	17	20	11	4	1	1	2	3	-	-	-	-	-	-	-	1
	F--	65	1	1	-	1	3	12	9	5	10	6	6	8	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
085	Measles----------	18	1	4	1	2	4	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	1	2	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	2	-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	106	17	3	6	-	1	3	1	2	-	1	1	1	3	4	6	6	7	9	5	10	11	5	2	1	1
	White-----M--	59	11	1	3	-	1	2	1	1	-	1	1	1	-	2	3	4	3	4	3	6	6	2	2	-	1
	F--	42	5	2	3	-	-	1	-	1	-	-	-	-	2	2	2	1	4	5	2	4	4	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*	9,361	8	15	14	12	8	30	16	21	21	69	83	149	283	428	636	980	1,226	1,399	1,395	1,181	831	399	117	20	20
	White----M--	4,665	4	9	9	7	5	19	12	13	13	33	35	55	114	168	300	496	674	756	715	582	415	169	48	4	10
	F--	4,539	4	6	5	5	3	11	4	8	8	35	43	92	165	251	326	461	537	617	651	584	404	226	68	16	9
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	12	10	13	16	10	6	1	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	1	3	2	2	7	6	11	5	13	13	5	6	3	1	-	1
140-148	Of buccal cavity and pharynx	276	-	-	-	-	1	-	1	-	-	-	1	3	8	18	24	25	29	38	36	38	32	15	4	2	1
	White----M--	215	-	-	-	-	-	-	1	-	-	-	-	3	4	13	19	20	22	33	28	28	27	12	3	1	1
	F--	57	-	-	-	-	1	-	-	-	-	-	-	-	4	5	5	4	5	5	8	10	5	3	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	3,659	-	-	-	-	1	3	1	1	3	4	17	36	60	111	189	328	478	615	628	536	400	178	53	8	9
	White----M--	1,854	-	-	-	-	1	2	1	1	2	2	8	12	31	50	94	173	286	309	326	261	198	68	23	2	4
	F--	1,750	-	-	-	-	-	1	-	-	1	1	8	23	28	61	92	146	189	294	288	269	199	109	30	6	5
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	5	2	8	7	4	2	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	4	1	4	7	2	1	1	-	-	-
160-164	Of respiratory system (not secondary)	1,084	-	-	-	-	-	1	-	1	2	3	6	14	32	63	101	163	203	200	160	83	40	9	3	-	-
	White----M--	907	-	-	-	-	-	1	-	-	1	2	5	10	25	50	89	146	172	172	130	71	26	5	2	-	-
	F--	161	-	-	-	-	-	-	-	1	1	1	1	4	7	12	11	15	25	25	28	11	14	4	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast	902	-	-	-	-	-	1	-	-	-	6	12	20	56	87	83	117	96	94	106	105	66	37	12	2	2
	White----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	-	-	1	1	-	-	-
	F--	876	-	-	-	-	-	1	-	-	-	6	11	20	55	85	81	113	95	88	104	105	62	35	12	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	2	-	3	1	-	-	1
171-179	Of genital organs	1,231	-	-	-	1	-	-	-	1	2	11	13	22	34	62	77	126	153	143	178	173	139	70	20	6	-
	White----M--	452	-	-	-	1	-	-	-	-	-	4	2	-	2	5	6	17	35	50	84	99	92	44	10	1	-
	F--	749	-	-	-	-	-	-	-	1	2	7	10	21	31	53	68	104	117	91	89	70	44	26	10	5	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	4	1	2	1	-	-	-	-	-	-
180, 181	Of urinary organs	466	-	1	1	1	-	1	-	-	-	4	1	4	6	9	29	36	62	81	68	81	46	26	8	1	-
	White----M--	301	-	-	1	-	-	-	-	-	-	2	1	3	5	4	18	24	46	62	42	50	24	16	3	-	-
	F--	156	-	1	-	1	-	1	-	-	-	2	-	1	1	5	9	11	16	17	25	29	21	10	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	988	2	8	6	2	2	10	8	9	6	14	11	25	49	46	77	106	108	140	131	96	63	49	13	1	6
	White----M--	507	-	5	4	1	1	5	4	4	3	9	7	12	23	29	41	67	60	72	60	42	29	20	6	-	3
	F--	466	2	3	2	1	1	5	4	5	3	5	3	13	25	15	36	38	46	65	69	53	34	28	6	1	3
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	2	1	-	-	1	-	-
204	Leukemia and aleukemia	334	4	4	6	7	3	12	2	6	3	6	7	9	18	6	21	32	46	45	33	26	26	8	2	-	2
	White----M--	190	2	2	3	4	3	9	2	5	3	3	5	3	10	1	11	24	25	29	18	11	11	3	1	-	2
	F--	142	2	2	3	3	-	3	-	1	-	3	2	6	8	5	10	8	21	16	15	15	14	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
200-203, 205	Lymphomas, etc.*	421	2	2	1	1	1	2	4	3	5	21	15	16	20	26	35	47	51	43	55	43	19	7	2	-	-
	White----M--	227	2	2	1	1	-	2	4	3	4	11	7	12	14	16	21	22	27	24	27	20	7	-	-	-	-
	F--	182	-	-	-	-	1	-	-	-	1	10	8	4	6	10	14	22	23	16	25	22	11	7	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms	192	3	1	1	1	-	7	1	3	3	4	6	6	10	17	15	30	25	19	14	7	8	7	3	-	1
	White----M--	83	-	-	-	1	-	2	-	2	2	2	4	1	3	11	4	11	13	7	11	-	4	4	1	-	-
	F--	100	2	1	-	-	-	5	1	1	1	2	2	5	5	5	10	19	12	10	2	7	4	3	2	-	1
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-
260	Diabetes mellitus	978	1	-	-	-	-	5	-	1	2	6	7	9	10	25	37	68	109	194	184	162	107	39	8	4	-
	White----M--	368	1	-	-	-	-	2	-	-	2	3	3	7	4	14	17	29	38	67	62	58	40	15	6	-	-
	F--	590	-	-	-	-	-	3	-	1	-	3	4	2	6	8	18	37	69	122	119	102	66	24	2	4	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	2	1	1	-	-	-	-
290-293	Anemias	89	-	2	1	-	-	2	1	2	1	-	-	4	1	2	-	7	3	11	10	14	18	7	2	-	1
	White----M--	36	-	1	1	-	-	-	1	2	-	-	-	1	-	1	-	2	1	6	6	6	7	1	-	-	-
	F--	53	-	1	-	-	-	2	-	-	1	-	-	3	1	1	-	5	2	5	4	8	11	6	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	47	15	2	3	1	-	1	2	1	2	-	1	-	2	1	3	1	3	2	-	3	3	-	-	-	1
	White----M--	23	7	-	2	-	-	1	1	-	-	-	1	-	2	1	1	1	2	1	-	1	1	-	-	-	1
	F--	19	7	2	1	1	-	-	1	1	1	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	30,408	24	8	3	3	2	9	13	22	32	50	113	212	397	711	1,156	1,915	2,983	3,927	4,627	4,887	4,634	3,007	1,234	356	83
	White----M--	15,474	13	2	1	2	-	5	7	9	16	30	71	138	257	485	817	1,293	1,918	2,222	2,388	2,230	1,915	1,116	389	102	48
	F--	14,524	9	5	1	1	2	4	6	11	14	18	34	68	129	212	318	583	1,015	1,647	2,182	2,606	2,675	1,866	833	250	35
	Nonwhite--M--	212	1	1	-	-	-	-	-	1	-	1	6	4	7	10	11	23	28	29	36	27	13	8	6	-	-
	F--	198	1	-	1	-	-	-	-	1	2	1	2	2	4	4	10	16	22	29	21	24	31	17	6	4	-
330-334, 400-468	Diseases of cardiovascular system	29,999	22	8	3	3	2	7	13	16	24	46	103	201	390	689	1,137	1,884	2,946	3,878	4,581	4,820	4,593	2,976	1,225	350	82
	White----M--	15,258	11	2	1	2	-	3	7	7	11	27	67	129	252	472	805	1,275	1,898	2,194	2,368	2,196	1,893	1,107	385	98	48
	F--	14,334	9	5	1	1	2	4	6	7	11	17	30	66	127	203	312	570	998	1,626	2,156	2,573	2,656	1,844	828	248	34
	Nonwhite--M--	209	1	1	-	-	-	-	-	1	-	1	4	4	7	10	10	23	28	29	36	27	13	8	6	-	-
	F--	198	1	-	1	-	-	-	-	1	2	1	2	2	4	4	10	16	22	29	21	24	31	17	6	4	-
330-334	Vascular lesions, etc.*	5,734	4	4	-	2	1	3	6	3	7	11	22	22	52	80	164	284	416	674	961	1,078	986	626	256	55	17
	White----M--	2,416	-	-	-	2	-	-	3	-	4	8	8	8	22	39	82	136	216	318	436	455	354	233	69	17	6
	F--	3,233	4	3	-	-	1	3	3	3	2	2	13	13	27	39	76	138	193	347	508	612	622	388	187	38	11
	Nonwhite--M--	33	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	3	3	4	8	6	1	2	-	-	-
	F--	52	-	-	-	-	-	-	-	-	1	1	-	-	2	1	5	7	4	5	9	5	9	3	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																										
400-402	Rheumatic fever---	33	-	-	1	-	1	3	3	2	-	-	-	1	1	3	5	2	3	4	2	1	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	2	2	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-
	F--	20	-	-	-	-	1	1	1	1	-	-	-	1	1	2	3	1	1	4	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	22,299	15	4	2	1	-	-	4	9	17	29	73	165	328	574	937	1,525	2,427	3,040	3,385	3,433	3,220	2,014	795	240	62
	White-----M--	11,956	9	2	1	-	-	-	2	5	7	16	56	117	224	413	702	1,094	1,623	1,787	1,805	1,604	1,385	743	259	62	40
	F--	10,054	5	2	1	1	-	-	2	3	9	12	12	43	96	150	223	404	765	1,207	1,543	1,794	1,803	1,255	526	176	22
	Nonwhite--M--	159	1	-	-	-	-	-	-	-	-	1	3	3	6	8	7	19	23	22	26	19	11	5	5	-	-
	F--	130	-	-	-	-	-	-	-	1	1	-	2	2	2	3	5	8	16	24	11	16	21	11	5	2	-
410-416	Chronic rheumatic heart disease----	748	1	-	-	-	-	-	-	4	9	14	29	36	57	93	90	83	108	69	66	43	26	12	5	1	2
	White-----M--	291	-	-	-	-	-	-	-	2	3	5	16	23	19	34	34	35	43	27	19	17	8	4	2	-	-
	F--	445	1	-	-	-	-	-	-	2	6	9	9	13	37	58	55	48	64	38	47	26	18	8	3	1	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	4	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	16,898	3	-	-	1	-	-	1	2	1	10	30	104	228	419	717	1,226	1,924	2,396	2,614	2,597	2,359	1,469	585	169	43
	White-----M--	9,646	2	-	-	-	-	-	-	1	1	9	29	83	185	348	591	931	1,373	1,455	1,454	1,288	1,046	572	200	46	32
	F--	7,058	1	-	-	1	-	-	1	-	-	1	1	19	39	64	119	272	522	912	1,135	1,286	1,299	883	380	122	11
	Nonwhite--M--	115	-	-	-	-	-	-	-	-	-	-	-	2	2	6	5	17	18	17	19	13	8	5	3	-	-
	F--	79	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	6	11	12	6	10	16	9	2	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,986	4	2	1	-	-	-	1	2	3	1	3	7	11	15	36	60	107	201	275	336	433	307	126	50	5
	White-----M--	906	3	1	-	-	-	-	1	1	1	-	3	3	5	8	20	44	61	109	150	145	185	114	38	11	3
	F--	1,063	1	1	1	-	-	-	-	1	2	1	-	4	6	7	15	16	45	90	119	188	245	193	88	38	2
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	1	-
430-434	Other diseases of heart---------	621	7	2	1	-	-	-	2	1	4	4	8	6	19	18	34	37	71	91	82	100	74	41	13	5	1
	White-----M--	330	4	1	1	-	-	-	1	1	2	2	7	3	9	10	25	24	46	60	41	44	33	11	4	1	-
	F--	274	2	1	-	-	-	-	1	-	1	1	1	2	9	7	9	12	22	28	40	54	41	30	8	4	1
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	3	3	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
440-443	Hypertension with heart dis.--	2,046	-	-	-	-	-	-	-	-	-	-	3	12	13	29	60	119	217	283	348	357	328	185	66	15	11
	White-----M--	783	-	-	-	-	-	-	-	-	-	-	1	5	6	13	32	60	100	136	141	110	113	42	15	4	5
	F--	1,214	-	-	-	-	-	-	-	-	-	-	1	5	5	14	25	56	112	139	202	240	210	141	47	11	6
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	2	3	4	1	-	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	3	6	2	3	4	2	3	-	-
444-447	Hypertension without mention of heart----------	317	-	-	-	-	-	-	-	-	-	1	1	3	2	10	6	21	27	27	54	49	47	47	19	2	1
	White-----M--	147	-	-	-	-	-	-	-	-	-	-	1	2	1	6	4	6	13	16	29	22	13	25	7	1	1
	F--	162	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	13	11	10	24	27	34	21	12	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-
450	General arteriosclerosis--------	1,172	-	-	-	-	-	-	-	-	-	1	-	-	-	3	8	11	27	53	116	200	280	269	152	51	1
	White-----M--	489	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	14	27	60	87	116	101	49	18	1
	F--	669	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	12	26	55	110	162	165	101	31	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-
451-468	Other diseases of circulatory sys.-	444	3	-	-	-	-	1	-	2	-	4	7	10	7	19	17	41	46	80	63	59	59	20	3	2	1
	White-----M--	240	2	-	-	-	-	1	-	2	-	3	2	2	5	11	10	30	30	46	38	28	24	5	1	-	-
	F--	196	-	-	-	-	-	-	-	-	-	1	5	8	2	7	6	11	16	32	24	29	35	15	2	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	409	2	-	-	-	-	2	-	6	8	4	10	11	7	22	19	31	37	49	46	67	41	31	9	6	1
	White-----M--	216	2	-	-	-	-	2	-	2	5	3	4	9	5	13	12	18	20	28	20	34	22	9	4	4	-
	F--	190	-	-	-	-	-	-	-	4	3	1	4	2	2	9	6	13	17	21	26	33	19	22	5	2	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,509	143	20	9	4	9	23	3	8	7	5	13	22	27	32	36	62	91	132	167	201	230	174	62	28	1
	White-----M--	802	78	15	5	2	5	17	1	6	3	2	7	12	15	23	25	38	56	83	91	110	105	70	20	13	-
	F--	666	55	4	4	2	4	6	2	2	4	2	5	10	10	7	10	21	33	44	73	87	120	103	42	15	1
	Nonwhite--M--	25	5	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	2	2	2	4	1	-	-	-
	F--	16	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	2	1	-	-	-	-
480-483	Influenza---------	30	1	-	-	-	-	-	-	2	-	-	-	1	2	-	1	1	2	3	1	3	5	6	2	-	-
	White-----M--	16	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	1	2	2	2	2	-	-
	F--	13	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	-	-	1	3	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,479	142	20	9	4	9	23	3	6	7	5	13	21	25	32	35	61	89	129	166	198	225	168	60	28	1
	White-----M--	786	77	15	5	2	5	17	1	5	3	2	7	12	14	23	24	37	56	81	90	108	103	68	18	13	-
	F--	653	55	4	4	2	4	6	2	1	4	2	5	9	9	7	10	21	31	44	73	86	117	99	42	15	1
	Nonwhite--M--	24	5	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	1	2	2	4	1	-	-	-
	F--	16	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	2	1	-	-	-	-
500-502	Bronchitis--------	125	7	2	2	1	2	1	2	-	-	-	2	1	2	2	3	5	12	22	19	20	9	9	-	2	-
	White-----M--	79	5	1	-	1	1	-	1	-	-	-	1	-	1	1	-	4	10	20	10	13	5	5	-	-	-
	F--	43	1	1	2	-	1	1	1	-	-	-	-	1	1	1	3	-	2	2	9	7	4	4	-	2	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	403	-	1	-	-	-	-	-	-	-	2	2	5	16	24	34	38	50	62	55	52	38	21	3	-	-
	White-----M--	294	-	-	-	-	-	-	-	-	-	-	1	3	15	21	23	36	41	47	38	35	24	8	2	-	-
	F--	98	-	1	-	-	-	-	-	-	-	2	-	2	1	3	8	2	7	12	17	16	13	13	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	2	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	70	-	1	1	-	1	1	2	3	-	1	3	2	1	3	7	-	9	9	8	9	6	2	1	-	-
	White-----M--	38	-	1	-	-	1	1	-	2	-	1	-	1	1	3	5	-	5	5	5	3	4	-	-	-	-
	F--	30	-	-	1	-	-	-	1	1	-	-	3	1	-	-	2	-	4	4	3	5	2	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	302	23	2	2	-	-	1	-	1	-	2	1	5	5	10	13	14	22	28	46	49	49	19	10	-	-
	White-----M--	157	15	2	2	-	-	1	-	1	-	1	1	2	-	5	5	7	10	13	29	24	27	7	5	-	-
	F--	136	6	-	-	-	-	-	-	-	-	1	-	2	4	5	5	7	12	14	17	25	21	12	5	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																										
543,	Gastritis, etc.*--	191	24	5	2	1	-	-	1	-	2	1	4	4	8	4	12	12	15	21	22	21	16	12	1	-	3
571,	White-----M--	87	14	4	-	-	-	-	1	-	-	1	1	1	5	2	8	7	7	13	10	5	3	3	-	-	2
572	F--	100	9	1	2	1	-	-	-	-	2	-	2	3	3	2	4	5	8	7	11	16	13	9	1	-	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	681	-	2	-	-	-	1	1	-	-	4	15	38	52	82	100	91	91	81	66	28	19	7	2	-	1
	White-----M--	422	-	-	-	-	-	-	-	-	-	1	7	20	33	51	64	58	60	50	43	21	7	5	1	-	1
	F--	248	-	2	-	-	-	1	-	-	-	3	8	18	16	31	35	31	29	31	23	7	10	2	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	-	-	-	-	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	67	-	2	2	1	-	-	-	1	1	2	-	2	3	1	3	3	5	7	13	10	7	1	1	2	-
	White-----M--	33	-	1	1	1	-	-	-	1	1	1	-	2	-	1	1	3	3	4	6	5	2	-	-	-	-
	F--	31	-	-	1	-	-	-	-	-	-	1	-	-	3	-	2	-	-	3	7	5	5	1	1	2	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	165	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	7	19	23	50	26	26	4	1	-
	White-----M--	158	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	17	21	49	26	25	4	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	24	...	...	...	...	...	...	-	1	2	4	8	8	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	...	...	...	...	...	...	-	1	2	4	7	8	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	22	...	...	...	...	...	...	-	1	2	3	7	8	-	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	21	...	...	...	...	...	...	-	1	2	3	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	564	429	28	4	5	5	14	6	4	2	4	9	12	6	8	6	4	3	3	5	4	2	-	-	-	1
	White-----M--	300	231	11	2	1	2	7	3	1	1	2	4	9	5	5	3	3	2	2	3	2	-	-	-	-	1
	F--	249	186	17	2	4	3	7	3	2	1	2	5	3	1	2	3	1	-	1	2	2	2	-	-	-	-
	Nonwhite--M--	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,498	1,498	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	861	861	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	566	566	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	655	655	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	774	774	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	430	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	258	23	2	4	2	1	3	2	2	6	-	1	7	7	6	12	16	17	16	24	27	37	23	12	4	4
795	White-----M--	141	13	-	2	1	1	-	2	2	3	-	1	4	5	5	7	8	9	8	16	15	21	11	3	2	2
	F--	109	9	1	2	1	-	3	-	-	2	-	-	3	2	1	5	8	8	5	8	11	15	12	9	2	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	6	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
Re-	All other diseases	2,443	147	23	17	13	8	40	15	15	17	32	48	67	101	116	128	205	239	296	307	261	198	104	30	11	5
sid-	White-----M--	1,346	91	13	10	7	3	21	7	13	6	17	20	29	48	64	74	131	154	182	156	141	101	39	12	3	4
ual	F--	1,031	49	8	7	6	3	18	8	2	9	15	23	35	49	49	53	67	80	109	141	116	95	63	18	7	1
	Nonwhite--M--	36	4	-	-	-	1	-	-	-	-	-	2	1	3	2	-	5	2	4	6	4	-	2	-	-	-
	F--	30	3	2	-	-	1	1	-	-	2	-	3	2	1	1	1	2	3	1	4	-	2	-	-	1	-
E800-	Accidents---------	2,634	37	28	16	13	13	73	42	95	130	87	89	88	95	85	112	128	151	183	223	289	292	226	107	29	3
E962	White-----M--	1,484	21	19	9	8	9	61	37	74	112	69	76	70	62	58	72	86	93	110	112	110	108	65	32	8	3
	F--	1,089	12	7	7	3	4	10	4	20	11	15	10	14	29	23	35	38	52	73	107	176	184	160	74	21	-
	Nonwhite--M--	46	1	2	-	2	-	1	-	1	5	1	3	3	3	4	5	4	6	-	2	1	-	1	1	-	-
	F--	15	3	-	-	-	-	1	1	-	2	2	-	1	1	-	-	-	-	-	2	2	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	675	-	3	2	2	8	29	13	62	99	46	43	38	28	23	34	37	47	55	43	29	23	8	3	-	-
	White-----M--	493	-	3	1	2	6	20	12	47	85	34	37	30	20	18	22	25	30	37	30	16	10	8	2	-	-
	F--	168	-	-	1	-	2	8	1	15	8	10	5	7	8	3	12	14	16	18	13	13	13	-	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	4	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,959	37	25	14	11	5	44	29	33	31	41	46	50	67	62	78	91	104	128	180	260	269	218	104	29	3
E802,	White-----M--	991	21	16	8	6	3	41	25	27	27	35	39	40	42	40	50	63	63	73	82	94	98	57	30	8	3
E840-	F--	921	12	7	6	3	2	2	3	5	3	5	5	7	21	20	23	24	36	55	94	163	171	160	73	21	-
E962	Nonwhite--M--	35	1	2	-	2	-	-	-	1	1	-	2	2	3	2	5	4	5	-	2	1	-	1	1	-	-
	F--	12	3	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	2	2	-	-	-	-	-
E963,	Suicide----------	403	-	-	-	-	-	-	1	6	11	18	15	21	43	51	46	55	50	36	22	16	4	7	-	-	1
E970-	White-----M--	298	-	-	-	-	-	-	1	6	8	11	11	17	28	32	31	45	39	29	18	11	4	6	-	-	1
E979	F--	103	-	-	-	-	-	-	-	-	3	7	4	4	15	17	15	10	11	7	4	5	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	56	1	-	-	-	-	-	5	2	5	6	1	3	7	6	5	4	3	3	2	3	-	-	-	-	-
E980-	White-----M--	31	-	-	-	-	-	-	5	1	3	4	-	-	4	3	3	3	1	2	1	1	-	-	-	-	-
E985	F--	15	1	-	-	-	-	-	-	1	1	-	1	1	2	3	-	1	1	-	1	2	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	2	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN																										
	ALL CAUSES------	63,362	4,894	305	188	120	104	376	321	485	548	686	889	1,248	1,741	2,541	3,560	4,697	6,314	7,653	7,822	7,416	5,967	3,618	1,464	399	6
	White-----M--	34,211	2,348	137	85	67	56	200	197	305	369	378	447	592	897	1,410	2,075	2,733	3,776	4,581	4,449	3,918	2,847	1,580	614	147	3
	F--	24,054	1,719	120	68	42	32	129	100	144	118	172	246	414	530	768	1,007	1,459	2,078	2,608	3,063	3,281	2,961	1,967	812	234	2
	Nonwhite--M--	2,778	448	26	21	4	12	26	13	25	43	74	100	123	166	193	253	271	271	267	168	126	87	36	18	4	1
	F--	2,319	379	22	14	7	4	21	11	11	18	62	96	119	148	170	225	234	189	197	142	111	72	33	20	14	-
001-019	Tuberculosis, all forms--------	479	3	2	1	2	-	2	2	7	7	12	27	29	39	40	56	54	60	53	36	22	16	8	1	-	-
	White-----M--	253	2	-	1	1	-	1	1	1	2	1	7	7	16	16	31	30	41	41	23	17	9	5	-	-	-
	F--	91	-	-	-	-	-	-	1	1	-	1	5	9	14	12	5	10	9	7	6	3	6	2	-	-	-
	Nonwhite--M--	94	1	1	-	-	-	1	-	3	3	6	7	8	7	7	18	12	8	4	4	2	1	-	1	-	-
	F--	41	-	1	-	1	-	-	-	2	2	4	8	5	2	5	2	2	2	1	3	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	438	-	-	-	1	-	-	1	7	7	12	25	27	36	40	52	46	55	51	32	21	16	8	1	-	-
	White-----M--	235	-	-	-	-	-	-	-	1	2	1	7	7	15	16	28	27	39	40	21	17	9	5	-	-	-
	F--	80	-	-	-	-	-	-	1	1	-	1	5	9	13	12	4	6	7	6	5	2	6	2	-	-	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	3	3	6	7	6	6	7	18	11	8	4	3	2	1	-	1	-	-
	F--	37	-	-	-	1	-	-	-	2	2	4	6	5	2	5	2	2	1	1	3	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	41	3	2	1	1	-	2	1	-	-	-	2	2	3	-	4	8	5	2	4	1	-	-	-	-	-
	White-----M--	18	2	-	1	1	-	1	1	-	-	-	-	-	1	-	3	3	2	1	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	8	1	1	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	124	-	-	-	-	-	-	-	-	1	-	1	4	8	9	8	17	19	18	21	12	4	2	-	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	11	7	11	14	9	3	2	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	3	6	1	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	2	5	3	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	1	-	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	42	15	6	6	3	3	1	1	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-
	White-----M--	23	10	1	1	2	2	1	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-
	F--	16	5	4	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	34	1	3	1	1	-	4	5	2	3	4	3	1	2	2	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	20	-	1	-	1	-	2	2	2	1	4	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	14	1	2	1	-	-	2	3	-	2	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	2	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	155	18	5	3	2	2	5	8	6	4	5	4	7	7	11	6	8	16	9	15	7	3	3	1	-	-
	White-----M--	69	9	1	1	1	2	2	3	1	1	2	2	2	2	7	4	6	8	4	5	4	2	-	-	-	-
	F--	65	5	2	1	1	-	2	4	4	2	2	2	2	3	3	1	2	7	5	10	2	1	3	1	-	-
	Nonwhite--M--	10	3	1	1	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	11	1	1	-	-	-	1	1	-	-	1	-	3	1	-	-	-	1	-	-	1	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*----	10,340	9	18	25	16	15	61	51	39	48	79	140	271	362	547	818	1,107	1,486	1,640	1,393	1,139	666	304	95	10	1
	White-----M--	5,251	4	10	10	8	11	36	32	18	26	38	57	79	127	198	357	563	795	929	786	624	334	161	43	4	1
	F--	4,360	3	6	13	8	4	18	16	14	20	31	61	163	180	290	357	430	596	607	553	484	316	134	50	6	-
	Nonwhite--M--	383	1	1	-	-	-	4	2	5	1	3	14	11	17	30	40	59	66	66	29	20	8	5	1	-	-
	F--	346	1	1	2	-	-	3	1	2	1	7	8	18	38	29	64	55	29	38	25	11	8	4	1	-	-
140-148	Of buccal cavity and pharynx------	224	-	-	-	-	-	3	-	-	1	-	-	1	8	13	21	21	45	33	30	24	14	6	4	-	-
	White-----M--	163	-	-	-	-	-	2	-	-	1	-	-	-	7	5	18	17	39	21	21	20	7	3	2	-	-
	F--	50	-	-	-	-	-	1	-	-	-	-	-	1	1	6	1	3	4	9	8	4	7	3	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,829	-	1	-	-	-	1	-	-	5	5	18	59	76	129	253	376	532	699	609	540	330	149	42	5	-
	White-----M--	2,046	-	-	-	-	-	-	-	-	4	3	10	19	33	64	127	206	293	419	336	287	152	72	19	2	-
	F--	1,534	-	1	-	-	-	-	-	-	1	1	4	29	33	52	92	128	203	233	250	238	172	72	22	3	-
	Nonwhite--M--	143	-	-	-	-	-	1	-	-	-	-	3	5	3	7	18	24	25	28	15	9	2	2	1	-	-
	F--	106	-	-	-	-	-	-	-	-	-	1	1	6	7	6	16	18	11	19	8	6	4	3	-	-	-
160-164	Of respiratory system (not secondary)-------	1,301	1	-	-	1	-	-	-	1	1	-	12	19	41	78	145	208	267	234	152	90	36	12	2	-	1
	White-----M--	1,044	-	-	-	-	-	-	-	1	1	-	6	13	23	56	122	169	222	195	129	72	24	9	1	-	1
	F--	153	1	-	-	1	-	-	-	-	-	-	3	4	10	10	9	20	23	24	16	18	10	3	1	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	-	3	2	6	9	10	17	20	13	4	-	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	2	2	3	-	1	-	-	-	-
170	Of breast---------	884	-	-	-	-	-	-	-	-	2	7	12	44	58	77	115	101	142	94	84	80	40	19	8	1	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	3	-	1	-	-
	F--	810	-	-	-	-	-	-	-	-	2	5	10	41	53	64	103	91	137	87	78	77	36	19	6	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	62	-	-	-	-	-	-	-	-	-	2	2	3	5	11	12	10	4	6	4	1	1	-	1	-	-
171-179	Of genital organs-	1,628	-	-	-	-	-	1	1	3	5	24	32	59	78	103	128	173	180	228	232	183	115	61	20	2	-
	White-----M--	550	-	-	-	-	-	1	1	2	3	8	3	3	4	5	6	36	41	82	120	103	75	41	14	2	-
	F--	922	-	-	-	-	-	-	-	-	1	12	24	49	54	93	96	115	125	127	98	68	34	20	6	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	1	-	1	1	-	1	-	3	6	6	14	7	9	4	-	-	-	-
	F--	103	-	-	-	-	-	-	-	-	1	3	4	7	19	5	23	16	8	5	7	3	2	-	-	-	-
180, 181	Of urinary organs-	472	1	1	3	1	1	3	-	-	1	1	1	10	7	25	25	46	55	97	74	65	34	14	7	-	-
	White-----M--	321	-	1	2	-	1	-	-	-	1	1	1	4	4	9	19	33	40	71	53	46	24	9	2	-	-
	F--	132	1	-	-	1	-	3	-	-	-	-	-	3	2	12	5	10	15	23	21	18	10	3	5	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	2	-	1	-	-	-	1	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,048	1	4	9	4	-	25	25	10	12	18	25	46	50	62	76	107	138	141	101	86	64	32	12	-	-
	White-----M--	561	-	1	4	1	-	13	16	3	3	10	14	19	30	27	39	61	87	78	51	46	35	19	4	-	-
	F--	413	-	2	4	3	-	8	8	3	9	6	8	26	12	28	27	37	44	54	47	39	29	11	8	-	-
	Nonwhite--M--	44	-	-	-	-	-	1	1	2	-	1	2	1	4	7	3	4	5	8	2	1	-	2	-	-	-
	F--	30	1	1	1	-	-	3	-	2	-	1	1	-	4	-	7	5	2	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	467	5	10	11	10	12	24	18	14	9	14	15	12	16	26	23	29	50	56	50	37	19	6	-	1	-
	White-----M--	287	4	7	4	7	8	17	11	6	6	11	10	8	9	10	11	14	33	30	37	30	9	5	-	-	-
	F--	160	1	2	7	3	4	6	6	7	2	3	4	4	6	15	9	10	14	25	13	7	10	1	-	1	-
	Nonwhite--M--	15	-	1	-	-	-	1	-	1	1	-	1	-	-	1	2	4	3	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	487	1	2	2	-	2	4	7	11	12	10	25	21	28	34	32	46	77	58	61	34	14	5	-	1	-
	White-----M--	268	-	1	-	-	2	3	4	6	7	5	13	13	17	20	15	27	39	32	38	18	5	3	-	-	-
	F--	186	-	1	2	-	-	-	2	4	5	4	8	6	9	10	15	16	31	25	22	15	8	2	-	1	-
	Nonwhite--M--	22	1	-	-	-	-	1	1	1	-	1	4	-	2	2	1	1	5	-	-	1	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	2	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	218	4	1	2	-	-	6	4	6	2	9	12	16	12	23	23	21	17	17	21	12	6	3	1	-	-
	White-----M--	97	3	1	1	-	-	2	2	1	2	3	6	3	2	7	15	9	6	13	9	6	4	1	1	-	-
	F--	95	-	-	-	-	-	4	2	4	-	2	6	7	8	12	6	8	11	4	12	6	1	2	-	-	-
	Nonwhite--M--	10	1	-	1	-	-	-	-	1	-	1	-	1	1	-	-	3	-	-	-	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	3	-	5	1	4	2	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,421	1	-	2	1	-	5	1	3	5	14	11	15	28	40	80	120	208	267	236	215	100	52	13	4	-
	White-----M--	554	1	-	1	1	-	3	-	-	2	9	5	7	11	21	29	38	89	93	92	79	43	25	4	1	-
	F--	775	-	-	1	-	-	2	1	3	2	4	4	4	9	13	38	66	111	160	135	132	54	26	8	2	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	2	2	5	1	2	4	2	4	3	2	-	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	1	-	-	2	3	5	11	12	6	10	6	2	3	1	1	1	-
290-293	Anemias----------	169	8	3	1	-	-	7	1	1	2	2	6	2	3	5	2	12	10	14	20	21	26	14	7	2	-
	White-----M--	79	7	-	-	-	-	-	-	-	-	-	4	1	-	3	2	9	6	6	11	10	13	6	1	-	-
	F--	79	1	2	-	-	-	3	1	-	1	1	1	1	3	2	-	2	4	8	9	11	13	8	6	2	-
	Nonwhite--M--	6	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	77	29	10	3	1	-	2	2	1	-	2	3	4	1	3	2	3	3	1	2	2	2	1	-	-	-
	White-----M--	34	15	6	2	-	-	1	-	-	-	-	3	2	-	1	-	1	-	1	-	-	1	1	-	-	-
	F--	31	12	4	1	1	-	1	-	1	-	2	-	2	-	-	2	2	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	33,422	22	6	5	3	4	16	39	43	48	99	197	364	683	1,136	1,755	2,446	3,482	4,547	5,005	5,031	4,315	2,737	1,122	314	3
	White-----M--	18,236	12	4	3	2	2	5	25	21	24	47	95	202	388	702	1,128	1,482	2,154	2,746	2,821	2,599	2,018	1,165	470	120	1
	F--	13,033	8	2	-	1	2	9	12	17	17	26	43	85	152	244	388	701	1,050	1,524	1,977	2,261	2,181	1,525	625	181	2
	Nonwhite--M--	1,104	1	-	2	-	-	1	-	3	5	9	21	33	76	99	126	132	151	145	111	87	63	23	13	3	-
	F--	1,049	1	-	-	-	-	1	2	2	2	17	38	44	67	91	113	131	127	132	96	84	53	24	14	10	-
330-334, 400-468	Diseases of cardiovascular system-	32,814	22	6	5	2	1	13	33	34	37	90	175	345	653	1,098	1,708	2,399	3,430	4,479	4,929	4,959	4,272	2,705	1,110	306	3
	White-----M--	17,952	12	4	3	1	1	4	22	15	15	41	88	197	378	684	1,106	1,465	2,124	2,712	2,777	2,565	2,006	1,148	465	118	1
	F--	12,788	8	2	-	1	-	7	9	14	17	24	34	79	142	229	376	681	1,034	1,491	1,953	2,230	2,150	1,510	619	176	2
	Nonwhite--M--	1,066	1	-	2	-	-	1	-	3	4	9	19	28	71	99	120	127	147	144	108	81	63	23	13	3	-
	F--	1,008	1	-	-	-	-	1	2	2	1	16	34	41	62	86	106	126	125	132	91	83	53	24	13	9	-
330-334	Vascular lesions, etc.*----------	7,354	10	3	3	2	1	3	12	10	6	23	34	53	115	176	258	403	625	932	1,192	1,269	1,133	709	290	72	-
	White-----M--	3,383	4	3	1	1	1	1	9	7	2	8	20	18	44	72	108	171	311	478	596	606	490	283	117	32	-
	F--	3,475	4	-	-	1	-	2	3	3	3	5	7	22	44	66	102	166	255	380	546	640	615	412	162	37	-
	Nonwhite--M--	235	1	-	2	-	-	-	-	-	1	4	3	3	14	12	18	32	27	33	31	24	14	8	7	1	-
	F--	261	1	-	-	-	-	-	-	-	-	6	4	10	13	26	30	34	32	41	19	19	14	6	4	2	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																										
400-402	Rheumatic fever	41	-	-	1	-	-	6	11	2	1	-	3	2	2	2	2	3	-	3	2	1	-	-	-	-	-
	White-----M	21	-	-	1	-	-	2	7	-	-	-	-	1	1	2	2	2	-	1	2	-	-	-	-	-	-
	F	15	-	-	-	-	-	3	3	2	1	-	1	1	1	-	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	23,290	10	3	-	-	-	4	8	17	26	58	117	258	498	869	1,392	1,905	2,686	3,361	3,480	3,325	2,771	1,673	649	177	3
	White-----M	13,464	7	1	-	-	-	1	5	6	13	28	59	166	319	589	960	1,248	1,749	2,123	2,024	1,763	1,350	711	272	69	1
	F	8,387	3	2	-	-	-	2	2	8	9	18	22	50	88	154	261	481	737	1,051	1,315	1,447	1,342	931	363	99	2
	Nonwhite--M	773	-	-	-	-	-	1	-	2	3	5	15	22	51	75	97	90	116	100	73	54	47	14	6	2	-
	F	666	-	-	-	-	-	-	1	1	1	7	21	20	40	51	74	86	84	87	68	61	32	17	8	7	-
410-416	Chronic rheumatic heart disease	849	-	-	-	-	-	1	3	12	14	29	33	55	64	76	84	102	100	86	66	61	34	19	9	1	-
	White-----M	384	-	-	-	-	-	-	1	4	6	13	15	25	29	29	37	44	48	47	35	30	13	7	1	-	-
	F	402	-	-	-	-	-	1	1	5	7	11	12	24	28	39	37	54	48	34	30	30	20	12	8	1	-
	Nonwhite--M	36	-	-	-	-	-	-	-	2	-	1	4	3	5	6	6	1	3	2	1	1	1	-	-	-	-
	F	27	-	-	-	-	-	-	1	1	1	4	2	3	2	2	4	3	1	3	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	16,649	2	-	-	-	-	1	-	1	1	17	52	146	351	670	1,087	1,457	2,089	2,552	2,577	2,283	1,824	1,043	399	95	2
	White-----M	10,522	2	-	-	-	-	-	-	-	1	10	35	124	266	515	826	1,061	1,461	1,727	1,597	1,283	939	462	176	36	1
	F	5,392	-	-	-	-	-	1	-	1	-	5	6	13	44	80	176	304	514	731	901	945	839	562	214	55	1
	Nonwhite--M	424	-	-	-	-	-	-	-	-	-	1	4	5	24	51	51	52	71	56	45	27	24	10	3	-	-
	F	311	-	-	-	-	-	-	-	-	-	1	7	4	17	24	34	40	43	38	34	28	22	9	6	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,363	2	1	-	-	-	1	2	2	2	6	6	13	18	36	46	88	146	223	327	446	475	326	145	51	1
	White-----M	1,180	-	-	-	-	-	1	2	2	1	2	2	4	7	17	29	48	73	133	182	223	235	134	63	22	-
	F	1,061	2	1	-	-	-	-	-	-	1	2	-	5	3	13	8	29	55	80	134	204	232	186	79	26	1
	Nonwhite--M	69	-	-	-	-	-	-	-	-	-	1	3	2	5	4	6	8	10	3	3	11	7	3	2	1	-
	F	53	-	-	-	-	-	-	-	-	-	1	1	2	3	2	3	3	8	7	8	8	1	3	1	2	-
430-434	Other diseases of heart	902	6	2	-	-	-	1	3	2	6	6	11	14	14	25	45	49	87	114	137	131	115	88	36	10	-
	White-----M	496	5	1	-	-	-	-	2	-	4	3	5	7	5	14	23	31	60	70	77	71	58	44	12	4	-
	F	328	1	1	-	-	-	-	1	2	-	-	3	2	4	8	11	12	22	33	50	55	50	43	24	6	-
	Nonwhite--M	43	-	-	-	-	-	1	-	-	2	2	1	3	2	1	5	2	2	7	6	3	6	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	1	2	2	3	2	6	4	3	4	4	2	1	1	-	-	-
440-443	Hypertension with heart dis.	2,527	-	-	-	-	-	-	-	-	3	-	15	30	51	62	130	209	264	386	373	404	323	197	60	20	-
	White-----M	882	-	-	-	-	-	-	-	-	1	-	2	6	12	14	45	64	107	146	133	156	105	64	20	7	-
	F	1,204	-	-	-	-	-	-	-	-	1	-	1	6	9	14	29	82	98	173	200	213	201	128	38	11	-
	Nonwhite--M	201	-	-	-	-	-	-	-	-	1	-	3	9	15	13	29	27	30	32	18	12	9	1	1	1	-
	F	240	-	-	-	-	-	-	-	-	-	-	9	9	15	21	27	36	29	35	22	23	8	4	1	1	-
444-447	Hypertension without mention of heart	434	-	-	-	-	-	-	-	-	-	-	11	16	20	25	18	21	31	36	51	78	66	39	18	4	-
	White-----M	188	-	-	-	-	-	-	-	-	-	-	5	4	7	4	10	8	10	16	25	44	27	18	9	1	-
	F	177	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	10	15	16	24	31	35	21	9	3	-
	Nonwhite--M	29	-	-	-	-	-	-	-	-	-	-	1	2	4	10	3	2	1	2	1	2	1	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	5	8	5	7	2	1	5	2	1	1	3	-	-	-	-
450	General arteriosclerosis	1,227	-	-	-	-	-	-	-	1	-	2	-	-	2	1	10	13	28	79	128	226	266	271	148	52	-
	White-----M	610	-	-	-	-	-	-	-	1	-	1	-	-	1	-	5	5	15	46	83	123	119	132	64	15	-
	F	586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	9	26	41	100	142	137	83	37	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	1	1	1	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	2	3	2	4	1	1	-	-
451-468	Other diseases of circulatory sys.	468	2	-	1	-	-	-	2	4	4	7	10	16	16	25	28	54	60	68	76	40	36	13	5	1	-
	White-----M	286	1	-	1	-	-	-	1	1	-	4	4	8	6	17	21	31	39	48	47	29	20	4	3	1	-
	F	148	1	-	-	-	-	-	1	1	4	1	4	4	5	5	6	16	18	17	27	11	16	9	2	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	2	3	2	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	1	-	2	2	3	4	1	-	5	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	608	-	-	-	1	3	3	6	9	11	9	22	19	30	38	47	47	52	68	76	72	43	32	12	8	-
	White-----M	264	-	-	-	1	1	1	3	6	9	6	7	5	10	18	22	17	30	34	44	34	12	17	5	2	-
	F	245	-	-	-	-	2	2	3	3	-	2	9	6	10	15	12	20	16	33	24	31	31	15	6	5	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	1	-	2	5	5	-	6	5	4	1	3	6	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	1	1	4	3	5	5	7	5	2	-	5	1	-	-	1	1	-
480-493	Influenza and pneumonia, etc.*	1,628	286	50	23	6	6	24	15	6	6	13	16	35	31	48	61	89	98	129	168	177	153	99	66	23	-
	White-----M	830	118	20	7	2	2	10	8	3	5	6	4	16	17	21	37	51	56	82	105	103	77	44	31	5	-
	F	574	92	18	12	3	4	9	7	3	1	2	8	9	6	15	15	20	25	36	52	67	70	52	30	18	-
	Nonwhite--M	129	39	7	3	-	-	2	-	-	-	4	2	8	4	5	9	12	9	8	7	3	3	2	2	-	-
	F	95	37	5	1	1	-	3	-	-	-	1	2	2	4	7	-	6	8	3	4	4	3	1	3	-	-
480-483	Influenza	60	5	2	1	-	-	-	-	-	-	-	-	2	4	2	1	5	1	3	8	7	6	6	3	4	-
	White-----M	28	3	1	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	5	4	4	4	-	1	-
	F	26	2	1	1	-	-	-	-	-	-	-	-	1	1	1	-	3	-	3	3	2	2	2	3	3	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*	1,568	281	48	22	6	6	24	15	6	6	13	16	33	27	46	60	84	97	126	160	170	147	93	63	19	-
	White-----M	802	115	19	7	2	2	10	8	3	5	6	4	16	15	21	36	49	55	82	100	99	73	40	31	4	-
	F	546	90	17	11	3	4	9	7	3	1	2	8	8	5	14	15	17	25	33	49	65	68	50	27	15	-
	Nonwhite--M	128	39	7	3	-	-	2	-	-	-	4	2	8	4	4	9	12	9	8	7	3	3	2	2	-	-
	F	92	37	5	1	1	-	3	-	-	-	1	2	1	3	7	-	6	8	3	4	3	3	1	3	-	-
500-502	Bronchitis	136	41	13	4	-	3	4	-	1	-	1	-	-	1	1	1	7	12	12	14	3	11	5	2	-	-
	White-----M	86	21	7	1	-	3	2	-	1	-	1	-	-	-	-	1	6	9	12	12	2	6	2	-	-	-
	F	37	13	6	3	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	1	1	5	3	1	-	-
	Nonwhite--M	9	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	437	2	-	-	-	-	-	-	-	3	3	6	7	25	35	40	53	50	64	55	41	32	14	4	3	-
	White-----M	326	2	-	-	-	-	-	-	-	2	1	5	5	16	28	32	39	40	54	42	30	17	8	3	2	-
	F	85	-	-	-	-	-	-	-	-	-	1	1	1	7	5	4	9	9	6	12	10	13	6	1	-	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	4	1	3	-	1	2	-	-	1	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
550-553	Appendicitis	123	-	-	3	2	-	4	3	2	4	2	7	5	4	7	12	11	14	18	11	4	5	3	2	-	-
	White-----M	79	-	-	3	2	-	4	1	2	3	-	4	2	2	4	8	8	8	13	9	1	3	1	1	-	-
	F	27	-	-	-	-	-	-	1	-	1	1	2	-	2	2	2	2	4	3	2	1	2	2	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	1	-	-
560, 561, 570	Hernia, intestinal obstruction	377	45	3	1	-	2	-	2	1	4	-	5	8	6	12	26	24	34	44	37	48	45	20	9	1	-
	White-----M	164	27	2	1	-	2	-	2	-	2	-	2	3	2	2	10	10	19	16	15	16	22	7	3	1	-
	F	182	15	1	-	-	-	-	-	-	1	-	1	1	3	8	11	12	12	23	22	30	23	13	6	-	-
	Nonwhite--M	18	2	-	-	-	-	-	-	1	1	-	-	2	-	2	1	1	2	4	-	2	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	2	2	1	-	4	1	1	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																										
543,	Gastritis, etc.*--	277	94	19	3	1	-	-	-	3	4	4	2	7	6	8	13	8	25	10	19	22	15	4	6	4	-
571,	White-----M--	124	43	11	1	-	-	-	-	2	1	1	1	4	4	4	6	4	10	8	10	7	5	-	-	2	-
572	F--	117	29	7	1	1	-	-	-	1	2	2	-	3	2	3	4	4	14	1	9	14	9	4	6	1	-
	Nonwhite--M--	22	15	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-
	F--	14	7	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-	1	-
581	Cirrhosis of liver	802	1	-	-	-	-	-	2	2	1	3	14	37	70	98	101	108	108	102	67	47	28	12	-	1	-
	White-----M--	530	1	-	-	-	-	-	-	1	-	-	6	19	37	64	73	82	76	76	45	31	13	5	-	1	-
	F--	232	-	-	-	-	-	-	1	1	1	2	7	15	19	24	21	24	32	26	21	16	15	7	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	-	-	-	1	2	5	6	5	1	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	1	-	1	9	4	2	1	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	69	5	-	-	1	-	1	-	1	-	2	2	4	3	2	4	6	6	10	7	5	5	5	-	-	-
	White-----M--	37	2	-	-	1	-	1	-	1	-	1	1	1	2	-	2	3	3	6	5	4	3	1	-	-	-
	F--	24	3	-	-	-	-	-	-	-	-	1	1	2	-	1	1	3	1	3	1	1	2	4	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	216	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	8	22	44	50	41	27	12	2	-
	White-----M--	205	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	7	18	43	49	39	27	12	2	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	1	1	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	59	...	...	...	...	...	...	-	5	10	15	11	11	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	40	...	...	...	...	...	...	-	4	7	11	5	7	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	...	...	...	...	...	...	-	1	3	4	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	5	...	...	...	...	...	...	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	54	...	...	...	...	...	...	-	4	9	14	11	9	7	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	36	...	...	...	...	...	...	-	4	6	10	5	5	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	18	...	...	...	...	...	...	-	-	3	4	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	1,036	789	57	19	7	10	18	13	7	11	15	7	12	13	8	20	4	11	6	6	3	-	-	-	-	-
	White-----M--	502	378	23	11	4	5	8	5	5	7	5	6	6	4	3	15	1	6	4	5	1	-	-	-	-	-
	F--	431	333	25	5	3	4	9	7	2	4	10	-	5	6	3	4	2	5	2	-	2	-	-	-	-	-
	Nonwhite--M--	53	39	6	1	-	-	1	1	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-
	F--	50	39	3	2	-	1	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,108	3,107	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,479	1,479	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,062	1,061	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	309	309	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,340	1,340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	693	693	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	438	438	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,611	1,610	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	702	702	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	586	585	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	340	29	1	2	-	-	2	1	4	9	10	8	14	13	19	15	18	22	25	21	28	32	30	28	9	-
795	White-----M--	181	16	1	-	-	-	1	-	1	2	3	3	6	6	11	8	10	17	19	14	21	14	15	10	3	-
	F--	120	10	-	-	-	-	1	-	1	3	2	3	5	2	6	5	5	4	5	7	6	17	14	18	6	-
	Nonwhite--M--	25	1	-	1	-	-	-	1	2	3	3	-	2	4	2	2	2	-	1	-	-	1	-	-	-	-
	F--	14	2	-	1	-	-	-	-	-	1	2	2	1	1	-	-	1	1	-	-	1	-	1	-	-	-
Re-	All other diseases	3,004	188	33	24	12	14	45	27	24	36	58	78	107	117	148	170	263	310	349	358	288	213	105	31	6	-
sid-	White-----M--	1,606	97	13	13	6	8	22	12	17	21	21	25	40	52	78	84	156	197	217	201	167	100	40	17	2	-
ual	F--	1,123	65	15	6	5	5	18	14	6	11	23	31	36	48	46	56	78	97	115	150	113	110	57	14	4	-
	Nonwhite--M--	151	14	2	4	-	1	4	1	-	2	9	10	13	9	10	15	19	11	10	4	4	2	7	-	-	-
	F--	124	12	3	1	1	-	1	-	1	2	5	12	18	8	14	15	10	5	7	3	4	1	1	-	-	-
E800-	Accidents--------	4,242	175	69	57	58	41	163	139	304	283	253	250	215	206	238	228	219	233	213	220	208	228	159	62	20	1
E962	White-----M--	2,714	93	35	25	35	19	97	102	217	239	185	174	150	148	165	152	143	156	149	141	112	103	54	16	4	-
	F--	1,200	55	23	20	16	11	45	28	79	28	37	45	41	40	52	55	55	67	54	72	94	119	104	46	14	-
	Nonwhite--M--	220	13	5	7	4	8	10	4	7	14	25	23	18	13	14	16	13	8	8	4	1	3	1	-	-	1
	F--	108	14	6	5	3	3	11	5	1	2	6	8	6	5	7	5	8	2	2	3	1	3	-	-	2	-
E810-	Motor-vehicle																										
E835	accidents--------	2,145	21	18	16	20	23	80	78	221	212	177	168	128	134	138	144	136	119	89	105	65	34	15	3	1	-
	White-----M--	1,453	10	8	9	13	12	51	55	143	178	123	115	91	96	83	93	77	80	64	68	45	25	11	2	1	-
	F--	546	11	10	4	5	6	20	19	73	24	33	36	24	30	42	42	47	35	22	32	19	8	3	1	-	-
	Nonwhite--M--	105	-	-	3	-	4	5	2	4	8	18	12	9	5	8	7	8	3	3	3	1	1	1	-	-	-
	F--	41	-	-	-	2	1	4	2	1	2	3	5	4	3	5	2	4	1	-	2	-	-	-	-	-	-
E800-	All ot. accidents-	2,097	154	51	41	38	18	83	61	83	71	76	82	87	72	100	84	83	114	124	115	143	194	144	59	19	1
E802,	White-----M--	1,261	83	27	16	22	7	46	47	74	61	62	59	59	52	82	59	66	76	85	73	67	78	43	14	3	-
E840-	F--	654	44	13	16	11	5	25	9	6	4	4	9	17	10	10	13	8	32	32	40	75	111	101	45	14	-
E962	Nonwhite--M--	115	13	5	4	4	4	5	2	3	6	7	11	9	8	6	9	5	5	5	1	-	2	-	-	-	1
	F--	67	14	6	5	1	2	7	3	-	-	3	3	2	2	2	3	4	1	2	1	1	3	-	-	2	-
E963,	Suicide----------	746	-	-	-	-	-	-	3	10	34	46	51	42	63	79	89	80	70	78	43	29	18	10	1	-	-
E970-	White-----M--	568	-	-	-	-	-	-	1	8	22	40	28	29	47	60	65	57	58	61	39	25	17	10	1	-	-
E979	F--	159	-	-	-	-	-	-	1	1	11	6	19	9	13	18	24	20	12	16	4	4	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	1	1	1	-	2	4	3	1	-	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	244	8	2	3	2	2	4	-	7	22	34	28	30	30	17	24	11	8	4	2	2	2	1	-	-	1
E980-	White-----M--	84	5	-	3	-	-	1	-	3	5	9	7	6	8	10	11	6	4	1	2	1	1	-	-	-	1
E985	F--	46	1	2	-	1	1	3	-	2	4	5	-	7	7	2	5	1	2	-	-	1	1	1	-	-	-
	Nonwhite--M--	85	1	-	-	-	1	-	-	1	11	11	16	14	12	4	6	3	2	3	-	-	-	-	-	-	-
	F--	29	1	-	-	1	-	-	-	1	2	9	5	3	3	1	2	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA																										
	ALL CAUSES------	26,641	1,782	122	69	56	52	147	128	188	189	218	258	334	613	830	1,264	1,817	2,504	3,246	3,812	3,960	3,480	2,357	955	251	9
	White-----M--	16,583	982	72	36	36	23	94	76	132	143	147	149	194	381	542	828	1,163	1,603	2,020	2,266	2,188	1,798	1,187	410	108	5
	F--	11,711	742	43	31	19	26	50	50	54	45	63	101	135	218	274	414	632	875	1,190	1,509	1,745	1,653	1,160	537	141	4
	Nonwhite--M--	199	34	5	1	-	2	-	1	2	1	3	4	4	7	10	14	17	10	24	16	14	21	4	3	2	-
	F--	148	24	2	1	1	1	3	1	-	-	5	4	1	7	4	8	5	16	12	21	13	8	6	5	-	-
001-019	Tuberculosis, all forms--------	124	1	-	-	-	-	-	-	1	1	2	3	8	11	6	11	13	18	14	11	12	9	2	1	-	-
	White-----M--	81	-	-	-	-	-	-	-	1	1	-	2	3	4	3	9	10	16	11	7	6	6	1	1	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	4	7	3	2	2	2	3	4	6	3	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	107	1	-	-	-	-	-	-	1	-	2	3	7	9	6	11	11	14	13	8	10	8	2	1	-	-
	White-----M--	68	-	-	-	-	-	-	-	1	-	-	2	2	2	3	9	8	12	10	7	5	5	1	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	4	7	3	2	2	2	3	1	5	3	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	17	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	4	1	3	2	1	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	4	1	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	59	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	11	9	16	8	7	-	-	1	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	10	4	14	5	5	-	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	1	3	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	1	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	7	-	-	-	1	1	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	-	-	-	-	-	2	1	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	-	1	-	1	-	3	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	72	10	2	2	-	2	4	4	2	2	1	1	3	2	2	5	9	3	2	6	3	5	1	-	1	-
	White-----M--	50	6	2	2	-	2	2	3	2	1	1	1	3	2	2	2	7	2	-	3	2	4	1	-	-	-
	F--	19	3	-	-	-	-	2	1	-	1	-	-	-	-	-	3	2	1	-	3	1	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*	4,735	3	5	12	15	10	27	18	18	19	29	42	77	142	197	317	441	571	696	728	612	454	228	64	10	-
	White-----M--	2,492	2	4	6	7	4	17	11	10	12	19	21	20	57	82	144	202	284	412	423	345	246	131	30	3	-
	F--	2,197	1	1	6	8	6	10	7	8	7	10	20	56	85	112	164	238	285	276	300	260	202	94	34	7	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	-	1	7	-	-	5	2	4	5	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	3	3	3	1	2	-	-	-
140-148	Of buccal cavity and pharynx	74	-	-	-	-	-	1	-	-	-	1	-	1	4	3	8	6	11	6	11	8	10	3	1	-	-
	White-----M--	60	-	-	-	-	-	1	-	-	-	1	-	1	4	2	6	5	9	5	10	5	8	2	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,799	-	-	-	1	-	-	1	-	2	3	4	11	29	48	88	140	219	297	333	268	204	111	36	4	-
	White-----M--	1,008	-	-	-	1	-	-	-	-	2	3	-	4	15	26	54	72	116	183	202	151	101	62	15	1	-
	F--	775	-	-	-	-	-	-	1	-	-	-	4	7	14	22	33	67	103	110	129	115	99	47	21	3	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	4	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
160-164	Of respiratory system (not secondary)	410	-	-	-	-	1	-	-	-	1	-	2	6	7	22	44	57	64	87	50	34	23	8	3	1	-
	White-----M--	342	-	-	-	-	-	-	-	-	1	-	2	4	5	19	35	51	59	75	39	27	18	6	-	1	-
	F--	63	-	-	-	-	1	-	-	-	-	-	-	2	2	2	7	6	5	11	10	7	5	2	3	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	492	-	-	-	-	-	-	-	-	-	1	2	20	31	45	55	63	61	59	48	45	38	18	3	3	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	F--	482	-	-	-	-	-	-	-	-	-	1	2	20	30	44	54	63	59	59	47	43	37	17	3	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-
171-179	Of genital organs	720	-	-	-	-	-	-	2	1	4	8	9	17	25	32	34	58	73	96	110	116	86	37	11	1	-
	White-----M--	353	-	-	-	-	-	-	-	1	3	5	4	3	6	2	2	10	17	44	74	80	64	30	7	1	-
	F--	360	-	-	-	-	-	-	2	-	1	3	5	14	19	28	31	48	55	51	36	35	21	7	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-
180, 181	Of urinary organs	247	-	-	1	1	3	3	-	-	-	1	-	-	3	2	16	14	29	42	49	34	30	15	4	-	-
	White-----M--	158	-	-	-	-	-	1	-	-	-	1	-	-	3	2	11	9	17	36	28	20	19	9	2	-	-
	F--	88	-	-	1	1	3	2	-	-	-	-	-	-	-	-	5	5	12	6	20	14	11	6	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	516	1	5	3	4	2	10	7	6	3	6	9	11	22	20	36	57	66	56	64	57	44	22	5	-	-
	White-----M--	276	1	4	3	2	1	6	4	3	3	3	6	6	14	10	17	28	35	33	29	30	23	11	4	-	-
	F--	234	-	1	-	2	1	4	3	3	-	3	3	5	8	10	17	29	30	22	34	26	21	11	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia	250	1	-	4	8	4	12	6	4	5	1	7	7	13	7	17	19	20	27	30	31	13	12	1	1	-
	White-----M--	146	1	-	1	4	3	8	5	1	2	1	3	1	4	5	10	11	11	18	17	19	11	9	1	-	-
	F--	102	-	-	3	4	1	4	1	3	3	-	4	5	9	2	7	8	9	8	13	12	2	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	227	1	-	4	1	-	1	2	7	4	8	9	4	8	18	19	27	28	26	33	19	6	2	-	-	-
	White-----M--	144	-	-	2	-	-	1	2	5	1	5	6	1	5	15	9	16	18	18	23	13	2	2	-	-	-
	F--	81	1	-	2	1	-	-	-	2	3	3	2	3	3	3	9	11	10	8	10	6	4	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	83	1	-	-	-	-	-	1	-	1	1	1	1	5	7	8	7	9	12	9	12	3	3	2	-	-
	White-----M--	45	1	-	-	-	-	-	1	-	-	1	-	-	4	1	4	6	7	6	5	7	-	2	-	-	-
	F--	38	-	-	-	-	-	-	-	-	1	-	1	1	1	6	4	1	2	6	4	5	3	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	518	1	-	-	-	1	1	2	-	1	12	13	6	19	12	22	40	74	64	92	78	50	25	4	1	-
	White-----M--	245	1	-	-	-	-	-	1	-	1	7	5	2	14	5	20	20	41	23	39	35	18	12	1	-	-
	F--	270	-	-	-	-	1	1	1	-	-	5	8	3	4	7	2	19	33	41	53	43	32	13	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	72	1	1	-	1	-	1	-	-	-	1	-	1	2	1	1	2	4	9	7	9	13	16	2	-	-
	White-----M--	32	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	2	5	4	4	5	7	-	-	-
	F--	38	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	2	4	3	5	8	9	2	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	23	10	1	-	1	-	2	-	1	-	-	1	-	1	-	1	1	3	-	-	-	-	-	1	-	-
	White-----M--	17	7	1	-	1	-	1	-	1	-	-	1	-	-	-	1	1	2	-	-	-	-	-	1	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	16,104	7	-	1	3	1	12	16	10	18	34	58	88	226	362	617	953	1,443	1,977	2,473	2,707	2,454	1,726	726	186	6
	White-----M--	9,384	7	-	1	1	-	12	5	5	14	21	36	64	161	278	445	672	993	1,241	1,465	1,482	1,259	833	306	80	3
	F--	6,573	-	-	-	1	1	-	10	5	4	13	19	22	59	79	160	272	435	718	982	1,205	1,179	886	416	104	3
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	7	5	12	11	10	12	3	1	2	-
	F--	67	-	-	-	1	-	-	1	-	-	-	1	-	3	2	5	2	10	6	15	10	4	4	3	-	-
330-334, 400-468	Diseases of cardiovascular system	15,875	5	-	1	2	1	9	12	6	11	27	52	79	217	354	604	933	1,421	1,950	2,447	2,678	2,440	1,712	723	185	6
	White-----M--	9,246	5	-	1	1	-	9	5	1	9	17	32	61	155	271	437	659	981	1,222	1,451	1,463	1,252	826	306	79	3
	F--	6,491	-	-	-	1	1	-	7	5	2	10	19	17	56	78	156	265	427	710	971	1,195	1,172	879	413	104	3
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	-	1	1	3	3	7	7	5	12	10	10	12	3	1	2	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	8	6	15	10	4	4	3	-	-
330-334	Vascular lesions, etc.*	3,946	3	-	1	-	1	3	2	2	4	7	15	16	39	51	99	154	276	420	632	790	720	480	184	46	1
	White-----M--	1,987	3	-	1	-	-	3	1	1	3	4	8	7	15	28	49	72	155	220	346	402	347	232	72	17	1
	F--	1,922	-	-	-	-	1	-	1	1	1	3	6	9	22	21	46	79	119	196	275	383	370	248	112	29	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	4	3	3	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	7	2	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																										
400-402	Rheumatic fever	21	-	-	-	-	-	2	7	2	1	2	1	-	2	1	1	-	-	1	-	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	2	3	-	-	2	1	-	2	1	-	-	-	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	10,764	2	-	-	2	-	4	2	1	4	14	33	63	166	291	491	729	1,091	1,446	1,689	1,704	1,486	1,027	415	100	4
	White-----M--	6,638	2	-	-	1	-	4	1	-	4	8	22	54	134	235	380	552	794	954	1,038	958	789	486	177	44	1
	F--	4,031	-	-	-	1	-	-	1	1	-	6	11	8	29	54	104	171	287	478	638	733	684	534	234	54	3
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	5	4	10	6	5	9	3	1	2	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	4	7	8	4	4	3	-	-
410-416	Chronic rheumatic heart disease	405	-	-	-	-	-	-	1	1	-	6	12	18	26	27	44	55	57	41	33	41	27	11	2	3	-
	White-----M--	214	-	-	-	-	-	-	1	-	-	2	5	13	12	16	22	33	38	20	17	18	13	3	-	1	-
	F--	188	-	-	-	-	-	-	-	1	-	4	7	5	13	11	22	22	18	21	15	23	14	8	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,863	-	-	-	-	-	-	-	-	3	6	14	40	118	230	377	563	866	1,105	1,270	1,215	1,030	696	261	67	2
	White-----M--	5,160	-	-	-	-	-	-	-	-	3	5	12	37	108	197	313	456	657	763	815	714	574	351	121	33	1
	F--	2,640	-	-	-	-	-	-	-	-	-	1	2	2	9	31	60	104	202	333	445	494	446	342	136	32	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	7	5	3	7	2	1	2	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	5	4	3	1	3	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,087	-	-	-	2	-	2	-	-	1	1	3	-	10	14	22	30	50	92	164	198	207	181	88	21	1
	White-----M--	595	-	-	-	1	-	2	-	-	1	1	2	-	8	10	19	22	27	63	99	111	110	78	35	6	-
	F--	484	-	-	-	1	-	-	-	-	-	-	1	-	2	4	2	7	23	29	65	85	96	100	53	15	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
430-434	Other diseases of heart	250	2	-	-	-	-	2	1	-	-	1	2	3	6	11	12	15	26	39	30	30	36	21	9	4	-
	White-----M--	143	2	-	-	-	-	2	-	-	-	-	2	2	4	7	8	8	19	25	12	16	19	10	4	3	-
	F--	104	-	-	-	-	-	-	1	-	-	1	-	1	2	4	4	7	7	14	17	13	17	10	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
440-443	Hypertension with heart dis.	1,159	-	-	-	-	-	-	-	-	-	-	2	2	6	9	36	66	92	169	192	220	186	118	55	5	1
	White-----M--	526	-	-	-	-	-	-	-	-	-	-	1	2	2	5	18	33	53	83	95	99	73	44	17	1	-
	F--	615	-	-	-	-	-	-	-	-	-	-	1	-	3	4	16	31	37	81	96	118	111	74	38	4	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	1	-	-	-	-
444-447	Hypertension without mention of heart	179	-	-	-	-	-	-	-	-	-	1	-	-	2	4	5	12	14	18	21	35	32	18	16	1	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	9	8	10	8	14	14	11	5	1	-
	F--	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	8	13	21	18	7	11	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	717	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	12	31	66	110	182	171	104	35	1
	White-----M--	375	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	6	15	35	68	93	88	50	16	1
	F--	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	16	31	40	89	83	54	19	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	248	-	-	-	-	-	-	1	1	2	3	2	-	8	7	8	34	28	34	39	38	20	16	4	3	-
	White-----M--	146	-	-	-	-	-	-	-	-	2	2	-	-	3	5	5	24	18	22	24	20	9	9	2	1	-
	F--	101	-	-	-	-	-	-	1	1	-	1	2	-	5	2	3	10	10	12	14	18	11	7	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	229	2	-	-	1	-	3	4	4	7	7	6	9	9	8	13	20	22	27	26	29	14	14	3	1	-
	White-----M--	138	2	-	-	-	-	3	-	4	5	4	4	3	6	7	8	13	12	19	14	19	7	7	-	1	-
	F--	82	-	-	-	-	-	-	3	-	2	3	-	5	3	1	4	7	8	8	11	10	7	7	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	752	135	20	6	3	3	2	1	2	2	3	4	5	11	11	20	28	28	52	67	91	116	83	43	16	-
	White-----M--	410	60	11	4	2	1	1	1	1	1	2	4	3	7	6	14	19	20	40	38	46	65	36	21	7	-
	F--	314	56	8	2	1	2	1	-	1	1	1	-	2	3	5	6	7	7	12	28	45	48	47	22	9	-
	Nonwhite--M--	14	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F--	14	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-
480-483	Influenza	24	5	1	1	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	2	3	4	-	1	-	-
	White-----M--	13	2	-	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	1	2	-	1	-	-
	F--	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	728	130	19	5	3	3	2	1	2	2	2	4	5	11	11	18	27	26	51	65	86	112	83	42	16	-
	White-----M--	397	58	11	3	2	1	1	1	1	1	1	4	3	7	6	12	18	20	39	37	45	63	36	20	7	-
	F--	303	53	7	2	1	2	1	-	1	1	1	-	2	3	5	6	7	5	12	27	43	46	47	22	9	-
	Nonwhite--M--	14	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F--	14	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-
500-502	Bronchitis	48	9	4	3	1	2	1	1	-	-	-	-	-	-	-	1	1	1	4	4	5	5	6	-	-	-
	White-----M--	26	4	3	2	-	-	1	-	-	-	-	-	-	-	-	1	-	1	4	2	1	2	5	-	-	-
	F--	21	4	1	1	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	2	4	3	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	173	1	-	-	-	-	-	-	1	-	-	2	2	6	15	13	16	20	27	25	19	14	10	2	-	-
	White-----M--	136	-	-	-	-	-	-	-	1	-	-	2	1	6	13	11	11	17	20	18	16	13	7	-	-	-
	F--	36	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	3	7	7	3	1	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	34	-	-	-	-	1	-	-	2	1	1	-	-	1	3	2	5	3	3	7	2	1	1	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	2	-	1	-	-	1	1	2	4	3	3	3	1	1	-	-	-	-
	F--	11	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	4	1	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	172	27	-	1	-	-	1	-	-	-	2	1	-	-	2	5	4	10	17	27	35	22	12	4	2	-
	White-----M--	98	16	-	1	-	-	1	-	-	-	2	-	-	-	1	3	2	5	12	15	21	9	9	-	1	-
	F--	71	10	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	5	5	11	14	12	3	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																										
543,	Gastritis, etc.*--	112	20	8	-	-	-	-	-	2	-	-	2	2	1	1	6	9	5	15	11	11	7	11	1	-	-
571,	White-----M--	56	11	3	-	-	-	-	-	2	-	-	1	1	-	1	3	4	4	11	6	4	1	3	1	-	-
572	F--	53	8	5	-	-	-	-	-	-	-	-	1	1	1	-	3	5	1	2	5	7	6	8	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	248	-	1	-	-	-	-	2	1	-	2	2	13	18	31	29	34	26	34	19	19	11	3	1	2	-
	White-----M--	155	-	1	-	-	-	-	-	1	-	-	-	6	8	25	18	23	16	21	13	14	5	3	-	1	-
	F--	89	-	-	-	-	-	-	2	-	-	2	1	7	10	6	11	9	10	13	5	5	6	-	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	33	-	-	-	-	1	3	-	1	-	-	-	-	4	-	2	2	4	1	5	3	4	2	1	-	-
	White-----M--	22	-	-	-	-	1	1	-	1	-	-	-	-	3	-	1	1	1	1	4	3	3	2	-	-	-
	F--	10	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	143	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	16	18	30	28	30	9	2	-
	White-----M--	141	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	15	18	30	27	30	9	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	28	...	...	...	...	...	...	-	2	4	7	6	4	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	...	...	...	...	...	...	-	2	4	7	6	4	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	26	...	...	...	...	...	...	-	2	4	7	6	3	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	26	...	...	...	...	...	...	-	2	4	7	6	3	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	474	336	23	11	5	9	17	7	6	5	3	6	3	5	5	7	3	7	4	5	2	3	1	-	-	1
	White-----M--	242	173	14	5	4	2	9	4	5	3	2	4	-	1	1	2	2	3	1	3	2	1	1	-	-	-
	F--	224	157	9	6	1	6	7	3	1	2	1	2	3	4	4	5	1	4	3	2	-	2	-	-	-	1
	Nonwhite--M--	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,111	1,111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	634	634	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	456	456	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	477	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	591	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	128	5	1	-	-	-	-	1	-	-	-	2	-	2	4	4	3	11	13	10	14	18	18	16	6	-
795	White-----M--	72	1	-	-	-	-	-	1	-	-	-	-	-	2	3	2	1	8	8	8	10	9	8	8	3	-
	F--	49	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	2	4	8	10	7	3	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Re-	All other diseases	1,356	56	22	7	8	5	20	10	12	12	17	26	27	43	56	69	110	121	152	165	162	137	75	33	11	-
sid-	White-----M--	753	38	15	4	6	1	12	4	5	5	5	8	15	20	29	48	63	72	87	96	89	67	40	18	6	-
ual	F--	581	16	7	3	2	4	8	6	7	6	9	18	12	21	26	20	43	47	63	67	73	69	35	14	5	-
	Nonwhite--M--	15	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	4	1	2	2	-	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-
E800-	Accidents---------	1,664	42	31	25	16	16	48	62	119	114	78	62	68	66	72	86	77	99	96	102	114	117	99	40	14	1
E962	White-----M--	1,137	19	17	11	11	12	32	43	91	99	68	47	57	53	57	67	61	73	68	81	54	48	51	11	5	1
	F--	504	21	10	12	5	3	15	18	26	15	10	15	11	11	11	19	16	24	28	20	60	69	48	28	9	-
	Nonwhite--M--	17	2	3	1	-	-	-	1	2	-	-	-	-	1	4	-	-	2	-	1	-	-	-	-	-	-
	F--	6	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	632	4	8	7	5	7	18	15	86	76	47	32	40	26	22	38	37	45	38	37	24	15	4	1	-	-
	White-----M--	470	-	7	1	3	6	10	11	62	64	39	24	32	19	16	25	28	35	31	29	15	9	4	-	-	-
	F--	156	4	1	5	2	1	7	4	22	12	8	8	8	5	6	13	9	10	7	8	9	6	-	1	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,032	38	23	18	11	9	30	47	33	38	31	30	28	40	50	48	40	54	58	65	90	102	95	39	14	1
E802,	White-----M--	667	19	10	10	8	6	22	32	29	35	29	23	25	34	41	42	33	38	37	52	39	39	47	11	5	1
E840-	F--	348	17	9	7	3	2	8	14	4	3	2	7	3	6	5	6	7	14	21	12	51	63	48	27	9	-
E962	Nonwhite--M--	13	2	3	-	-	-	-	1	-	-	-	-	-	-	4	-	-	2	-	1	-	-	-	-	-	-
	F--	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E963,	Suicide----------	297	-	-	-	-	-	-	-	6	7	19	15	19	32	35	33	43	27	21	12	12	7	5	3	-	1
E970-	White-----M--	245	-	-	-	-	-	-	-	3	5	15	11	15	29	27	29	39	22	16	9	10	7	5	2	-	1
E979	F--	50	-	-	-	-	-	-	-	3	2	4	3	4	3	8	4	4	5	4	3	2	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	36	1	-	1	-	-	1	-	1	2	4	5	3	6	5	1	1	2	-	1	1	1	-	-	-	-
E980-	White-----M--	21	-	-	-	-	-	1	-	1	1	-	3	2	5	3	-	1	1	-	1	1	1	-	-	-	-
E985	F--	10	1	-	1	-	-	-	-	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI																										
	ALL CAUSES------	19,453	2,346	151	88	63	51	181	135	200	250	258	304	412	629	853	1,071	1,225	1,455	2,010	2,252	2,126	1,727	1,034	374	222	36
	White-----M--	5,692	407	25	11	15	4	50	38	53	76	65	86	107	180	251	334	414	492	636	755	716	564	296	84	29	4
	F--	3,847	283	18	10	7	9	23	15	22	23	35	39	64	86	131	139	179	232	381	512	608	522	344	107	55	3
	Nonwhite--M--	5,283	903	61	41	23	19	62	48	83	93	82	71	114	175	242	277	335	406	561	546	426	358	220	79	44	14
	F--	4,631	753	47	26	18	19	46	34	42	58	76	108	127	188	229	321	297	325	432	439	376	283	174	104	94	15
001-019	Tuberculosis, all forms--------	206	4	4	2	1	-	2	1	4	9	16	9	17	19	10	23	23	23	11	10	9	8	1	-	-	-
	White-----M--	44	1	-	-	-	-	-	-	-	-	1	3	-	3	1	5	8	9	2	2	4	4	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	3	6	3	3	1	-	-	-	-
	Nonwhite--M--	82	2	3	2	-	-	1	-	4	3	7	3	8	6	7	8	10	7	3	4	1	3	-	-	-	-
	F--	57	1	1	-	1	-	1	1	-	6	7	2	8	9	2	7	5	4	-	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	181	1	-	1	-	-	1	-	2	8	13	9	16	16	10	22	21	23	11	9	9	8	1	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	3	-	2	1	5	8	9	2	2	4	4	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	3	6	2	3	1	-	-	-	-
	Nonwhite--M--	69	1	-	1	-	-	-	-	2	3	5	3	7	5	7	7	10	7	3	4	1	3	-	-	-	-
	F--	48	-	-	-	-	-	1	-	-	5	6	2	8	8	2	7	3	4	-	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	25	3	4	1	1	-	1	1	2	1	3	-	1	3	-	1	2	-	-	1	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	13	1	3	1	-	-	1	-	2	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	1	1	-	1	-	-	1	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	36	-	-	1	-	-	-	-	-	-	-	-	2	1	4	8	7	4	2	4	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	1	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	1	-	-	-	-	-	-	-	-	-	1	1	4	3	2	2	3	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	1	-	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	47	22	4	2	-	1	-	-	-	-	1	-	1	1	1	2	1	1	-	6	1	-	1	-	2	-
	White-----M--	5	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	6	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	18	9	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	1	-
	F--	18	12	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-
050, 051	Scarlet fever and streptococcal sore throat------	7	1	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
055	Diphtheria--------	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	34	30	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	4	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	1	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	77	19	4	2	1	1	6	2	1	2	4	1	4	6	2	5	4	2	2	1	4	2	1	-	1	-
	White-----M--	9	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	-
	F--	13	2	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	1	-	2	-	1	-	-	-
	Nonwhite--M--	34	9	2	2	-	1	2	1	1	-	2	-	2	3	1	3	2	1	1	-	-	1	-	-	-	-
	F--	21	6	2	-	-	-	3	1	-	1	1	1	1	-	-	1	1	-	-	1	1	-	-	-	1	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																										
140-205	Malignant neoplasms, etc.*	2,325	5	6	5	4	6	18	2	11	11	16	25	62	113	164	197	228	268	324	310	250	168	105	16	8	3
	White--M--	768	2	2	2	1	-	7	-	5	4	2	6	19	30	44	53	75	102	107	119	88	59	37	2	2	-
	F--	640	1	2	1	2	3	1	-	3	-	7	7	23	33	47	54	61	58	84	71	80	58	35	7	2	-
	Nonwhite--M--	458	2	-	2	-	-	6	-	2	5	1	1	5	16	32	31	49	58	79	68	39	33	23	5	1	-
	F--	459	-	2	-	1	3	4	2	1	2	6	11	15	34	41	59	43	50	54	52	43	18	10	2	3	3
140-148	Of buccal cavity and pharynx	50	-	1	-	-	-	1	-	1	-	-	1	2	4	3	3	2	7	8	5	4	2	5	1	-	-
	White--M--	22	-	-	-	-	-	1	-	-	-	-	-	1	3	2	3	1	5	2	1	2	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	2	1	2	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	2	2	-	1	2	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	737	1	-	-	-	-	-	-	-	1	3	6	10	20	38	51	73	84	112	124	102	65	37	5	4	1
	White--M--	229	-	-	-	-	-	-	-	-	-	-	-	2	8	9	12	20	33	32	41	40	19	11	-	2	-
	F--	188	-	-	-	-	-	-	-	-	-	2	1	4	3	7	9	18	17	26	22	31	32	11	4	1	-
	Nonwhite--M--	183	1	-	-	-	-	-	-	-	1	-	-	1	4	13	14	27	18	34	35	16	8	10	1	-	-
	F--	137	-	-	-	-	-	-	-	-	-	1	5	3	5	9	16	8	16	20	26	15	6	5	-	1	1
160-164	Of respiratory system (not secondary)	261	-	-	-	-	-	-	-	-	-	-	1	10	9	21	29	42	43	45	29	19	9	3	1	-	-
	White--M--	174	-	-	-	-	-	-	-	-	-	-	1	6	5	13	20	34	27	27	21	10	7	2	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	1	8	3	5	-	-	-	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	-	3	6	4	7	11	10	3	2	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	4	-	2	2	-	-	-	-	-
170	Of breast	178	-	-	-	-	-	-	-	-	-	2	2	6	17	21	23	16	14	19	17	22	11	5	2	-	1
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	109	-	-	-	-	-	-	-	-	-	2	-	4	10	15	12	10	9	13	9	13	7	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	-	2	2	7	6	11	6	4	6	7	9	4	1	1	-	1
171-179	Of genital organs	467	-	-	1	-	-	-	-	1	1	3	5	14	25	30	46	43	52	57	58	55	40	30	4	1	1
	White--M--	94	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	9	10	21	18	16	14	-	-	-
	F--	137	-	-	1	-	-	-	-	-	-	2	3	6	9	11	20	19	16	11	14	11	5	8	1	-	-
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	9	10	19	18	14	15	6	2	-	-
	F--	133	-	-	-	-	-	-	-	-	1	1	2	5	16	15	18	15	17	17	5	12	4	2	1	1	1
180, 181	Of urinary organs	94	-	-	-	-	1	1	-	-	-	-	-	-	1	6	3	10	14	20	14	7	13	4	-	-	-
	White--M--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	9	4	3	7	-	-	-	-
	F--	19	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	5	2	2	4	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	5	2	4	1	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	4	1	1	2	-	-	-
156B, 165, 190-199	Of other sites, etc.*	356	2	2	1	2	2	8	1	6	4	5	7	10	24	29	26	34	36	37	42	30	24	18	3	3	-
	White--M--	138	1	1	-	1	-	2	-	3	2	2	2	3	11	10	10	14	14	14	20	12	7	8	1	-	-
	F--	95	1	-	-	-	-	1	-	2	-	1	2	4	5	7	3	8	9	15	11	10	8	7	-	1	-
	Nonwhite--M--	58	-	-	1	-	-	3	-	1	1	1	1	-	5	5	4	2	8	5	5	4	6	3	2	1	-
	F--	65	-	1	-	1	2	2	1	-	1	1	2	3	3	7	9	10	5	3	6	4	3	-	-	1	-
204	Leukemia and aleukemia	109	1	3	3	2	3	7	1	3	2	-	1	5	8	6	6	4	14	17	12	6	3	2	-	-	-
	White--M--	42	-	1	2	-	-	3	-	1	-	-	1	3	1	3	2	-	7	8	5	2	3	-	-	-	-
	F--	35	-	2	-	2	2	-	-	1	-	-	-	1	4	1	2	3	5	3	6	2	-	1	-	-	-
	Nonwhite--M--	21	1	-	1	-	-	2	-	-	2	-	-	1	2	2	-	1	1	4	1	2	-	1	-	-	-
	F--	11	-	-	-	-	1	2	1	1	-	-	-	-	1	-	2	-	1	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	73	1	-	-	-	-	1	-	-	3	3	2	5	5	10	10	4	4	9	9	5	1	1	-	-	-
	White--M--	30	1	-	-	-	-	1	-	-	2	-	2	2	1	3	3	2	1	5	5	1	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	1	-	1	3	4	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	-	3	3	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	3	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	84	5	1	-	-	-	3	1	1	2	4	2	3	12	11	8	6	6	6	4	3	3	1	1	1	-
	White--M--	20	-	-	-	-	-	1	-	-	1	1	-	-	-	4	1	4	3	2	2	-	1	-	-	-	-
	F--	23	2	1	-	-	-	1	-	1	1	1	-	-	4	3	1	1	2	2	-	-	2	-	1	-	-
	Nonwhite--M--	18	3	-	-	-	-	1	-	-	-	1	-	1	3	1	1	1	1	2	2	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	1	-	-	1	2	2	5	3	5	-	-	-	-	2	-	1	-	1	-
260	Diabetes mellitus	216	-	-	-	-	-	2	2	1	1	1	7	6	6	8	11	16	38	26	36	33	14	7	-	1	-
	White--M--	56	-	-	-	-	-	1	-	1	-	-	2	2	1	2	2	5	8	5	8	10	5	3	-	1	-
	F--	58	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	9	10	13	15	5	1	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	2	-	1	1	1	-	2	1	-	3	6	4	4	3	2	1	-	-	-
	F--	71	-	-	-	-	-	1	-	-	-	-	3	4	3	5	7	6	15	7	11	5	2	2	-	-	-
290-293	Anemias	38	6	-	1	-	-	-	-	1	3	-	1	3	-	2	2	2	2	2	5	3	3	2	-	-	-
	White--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	2	-	-	-
	Nonwhite--M--	11	4	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-
	F--	13	2	-	-	-	-	-	-	1	3	-	-	2	-	2	-	1	-	-	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	35	12	6	2	-	-	1	4	1	1	-	1	1	-	2	1	-	1	-	-	1	1	-	-	-	-
	White--M--	5	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	17	8	3	1	-	-	-	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	11	4	3	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,350	10	5	5	3	2	12	18	21	29	42	91	113	234	368	543	667	818	1,227	1,455	1,408	1,197	693	236	134	19
	White--M--	3,026	3	1	2	-	-	3	5	4	5	10	19	25	67	106	178	226	267	410	511	488	402	208	65	18	3
	F--	2,116	-	-	-	-	1	4	4	4	1	7	15	13	19	49	50	77	116	218	357	418	398	250	75	39	1
	Nonwhite--M--	2,118	5	3	2	2	1	3	4	6	9	6	17	31	62	99	143	176	227	321	312	272	216	129	39	24	9
	F--	2,090	2	1	1	1	-	2	5	7	14	19	40	44	86	114	172	188	208	278	275	230	181	106	57	53	6
330-334, 400-468	Diseases of cardiovascular system	9,003	7	4	5	2	2	9	15	16	25	36	81	105	219	349	520	650	794	1,193	1,412	1,363	1,156	665	228	129	18
	White--M--	2,949	2	1	2	-	-	2	4	1	4	8	17	21	66	103	174	222	263	405	497	481	391	201	63	18	3
	F--	2,059	-	-	-	-	1	2	4	4	-	6	14	12	17	47	46	76	113	215	349	407	385	247	75	38	1
	Nonwhite--M--	2,003	3	3	2	1	1	3	4	5	8	6	14	29	59	91	135	170	219	303	299	257	205	119	37	22	8
	F--	1,992	2	-	1	1	-	2	3	6	13	16	36	43	77	108	165	182	199	270	267	218	175	98	53	51	6
330-334	Vascular lesions, etc.*	2,452	2	2	1	1	-	2	4	5	4	10	14	29	54	89	146	170	208	294	397	393	340	184	65	32	6
	White--M--	602	1	-	-	-	-	-	2	-	3	3	1	1	4	10	24	35	41	67	114	115	106	52	17	5	1
	F--	572	-	-	-	-	-	1	-	4	-	2	2	4	5	17	16	19	34	48	95	115	114	66	21	9	-
	Nonwhite--M--	578	1	2	-	1	-	1	-	1	-	-	6	6	18	32	32	53	56	83	85	82	60	38	11	7	3
	F--	700	-	-	1	-	-	-	2	-	1	5	5	18	27	30	74	63	77	96	103	81	60	28	16	11	2

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																										
400-402	Rheumatic fever---	25	1	-	1	1	1	6	5	4	-	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	-	1	-	1	2	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,961	4	2	3	-	1	-	6	6	15	21	57	62	154	241	353	451	542	851	951	873	725	413	138	80	12
	White-----M--	2,161	1	1	2	-	-	-	1	1	1	4	16	19	58	90	141	176	211	323	360	324	251	131	41	7	2
	F--	1,349	-	-	-	-	1	-	3	-	-	4	10	6	10	27	27	51	73	161	239	267	241	154	46	28	1
	Nonwhite--M--	1,281	1	1	1	-	-	-	1	2	5	4	6	19	39	52	97	111	149	206	193	161	129	69	19	11	5
	F--	1,170	2	-	-	-	-	-	1	3	9	9	25	18	47	72	88	113	109	161	159	121	104	59	32	34	4
410-416	Chronic rheumatic heart disease----	177	-	-	-	-	-	-	2	6	9	8	16	8	10	13	15	8	16	16	11	10	17	8	4	-	-
	White-----M--	53	-	-	-	-	-	-	-	1	1	3	5	2	5	4	5	2	5	4	2	5	7	1	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	3	6	2	-	4	3	2	1	3	3	2	8	4	1	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	1	2	1	-	1	3	3	1	3	3	7	7	4	1	1	1	1	-	-
	F--	42	-	-	-	-	-	-	1	3	7	2	4	1	2	4	4	1	3	2	2	2	1	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	3,152	1	1	-	-	-	-	2	-	3	7	22	27	90	126	192	264	311	493	509	451	340	206	70	32	5
	White-----M--	1,507	-	-	-	-	-	-	-	-	-	-	9	15	50	74	110	136	158	256	249	196	142	84	22	4	2
	F--	754	-	-	-	-	-	-	2	-	-	-	2	2	7	11	17	28	51	101	146	156	115	75	25	16	-
	Nonwhite--M--	465	1	1	-	-	-	-	-	-	1	3	-	8	17	15	37	49	57	76	62	55	47	24	7	2	1
	F--	426	-	-	-	-	-	-	-	-	2	4	11	2	16	26	28	51	45	58	52	44	36	23	16	10	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	720	1	1	1	-	-	-	-	-	1	-	1	4	8	18	34	29	37	92	107	131	121	76	34	22	2
	White-----M--	158	1	1	1	-	-	-	-	-	-	-	-	-	-	3	2	7	7	19	18	38	32	18	11	-	-
	F--	169	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	6	15	23	33	34	30	10	6	1
	Nonwhite--M--	216	-	-	-	-	-	-	-	-	1	-	-	1	1	6	16	12	13	32	40	37	28	19	4	5	1
	F--	177	-	-	-	-	-	-	-	-	-	-	1	1	5	6	13	9	11	26	26	23	27	9	9	11	-
430-434	Other diseases of heart---------	453	2	-	2	-	1	-	2	-	-	2	9	6	11	23	28	42	42	53	73	62	60	27	3	5	-
	White-----M--	150	-	-	1	-	-	-	1	-	-	-	2	1	1	5	10	13	17	11	33	25	24	6	-	-	-
	F--	81	-	-	-	-	1	-	1	-	-	-	2	-	1	2	-	8	4	9	14	11	18	7	2	1	-
	Nonwhite--M--	130	-	-	1	-	-	-	-	-	-	-	1	3	5	10	9	10	14	21	20	15	12	6	1	2	-
	F--	92	2	-	-	-	-	-	-	-	-	2	4	2	4	6	9	11	7	12	6	11	6	8	-	2	-
440-443	Hypertension with heart dis.---	1,459	-	-	-	-	-	-	-	-	2	4	9	17	35	61	84	108	136	197	251	219	187	96	27	11	5
	White-----M--	293	-	-	-	-	-	-	-	-	-	1	-	1	2	4	14	18	24	33	58	60	46	22	7	3	-
	F--	303	-	-	-	-	-	-	-	-	-	1	-	-	-	7	4	12	11	33	53	65	66	38	8	5	-
	Nonwhite--M--	430	-	-	-	-	-	-	-	-	2	1	4	4	13	20	32	37	58	68	87	53	41	19	6	2	3
	F--	433	-	-	-	-	-	-	-	-	-	1	5	12	20	30	34	41	43	63	73	41	34	17	6	11	2
444-447	Hypertension without mention of heart----------	210	-	-	-	-	-	-	-	1	3	4	7	6	8	10	6	14	14	19	27	37	31	17	3	3	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	3	2	4	7	14	10	4	1	1	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	1	4	8	10	7	-	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	1	3	2	2	1	2	4	5	5	5	10	15	6	4	3	2	1	-
	F--	52	-	-	-	-	-	-	-	-	-	1	4	4	3	4	1	4	6	4	1	9	7	3	-	1	-
450	General arteriosclerosis--------	238	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	10	17	23	46	54	49	18	14	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	10	18	21	14	4	5	-
	F--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	13	18	19	7	1	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	4	5	8	11	8	4	3	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	7	4	8	3	5	-
451-468	Other diseases of circulatory sys.-	117	-	-	-	-	-	1	-	-	3	1	3	7	3	6	14	11	19	10	13	14	6	2	4	-	-
	White-----M--	47	-	-	-	-	-	1	-	-	-	-	-	1	1	1	8	7	6	4	5	10	3	-	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	5	2	5	4	2	1	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	3	-	1	-	1	1	1	-	-
	F--	27	-	-	-	-	-	-	-	-	3	1	2	3	-	2	2	1	5	4	2	-	-	-	2	-	-
592-594	Chronic nephritis, etc.*----------	347	3	1	-	1	-	3	3	5	4	6	10	8	15	19	23	17	24	34	43	45	41	28	8	5	1
	White-----M--	77	1	-	-	-	-	1	1	3	1	2	2	4	1	3	4	4	4	5	14	7	11	7	2	-	-
	F--	57	-	-	-	-	-	2	-	-	1	1	1	1	2	2	4	1	3	3	8	11	13	3	-	1	-
	Nonwhite--M--	115	2	-	-	1	-	-	-	1	1	-	3	2	3	8	8	6	8	18	13	15	11	10	2	2	1
	F--	98	-	1	-	-	-	-	2	1	1	3	4	1	9	6	7	6	9	8	8	12	6	8	4	2	-
480-493	Influenza and pneumonia, etc.*-	629	203	25	11	5	6	4	5	11	8	6	-	7	7	13	20	17	17	32	39	59	59	42	23	10	-
	White-----M--	113	15	4	-	1	-	1	1	2	1	-	-	1	1	2	4	3	5	9	7	19	21	11	2	3	-
	F--	97	9	-	-	-	1	-	-	1	1	-	-	-	-	1	3	-	3	10	11	16	15	17	9	-	-
	Nonwhite--M--	216	83	11	6	2	4	1	3	5	5	1	-	4	4	7	5	8	4	9	14	10	15	8	4	3	-
	F--	203	96	10	5	2	1	2	1	3	1	5	-	2	2	3	8	6	5	4	7	14	8	6	8	4	-
480-483	Influenza--------	105	29	4	-	1	1	1	-	1	1	1	-	1	3	2	6	2	5	7	3	14	8	8	6	1	-
	White-----M--	12	3	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	6	3	3	3	-	-
	Nonwhite--M--	36	14	1	-	-	1	-	-	-	1	-	-	-	2	-	3	-	-	5	1	3	1	3	-	1	-
	F--	37	11	3	-	1	-	-	-	-	-	1	-	1	1	1	1	2	3	-	1	3	4	1	3	-	-
490-493	Pneumonia, etc.*--	524	174	21	11	4	5	3	5	10	7	5	-	6	4	11	14	15	12	25	36	45	51	34	17	9	-
	White-----M--	101	12	4	-	1	-	-	1	1	1	-	-	1	1	1	3	3	5	8	6	17	21	10	2	3	-
	F--	77	8	-	-	-	1	-	-	1	1	-	-	-	-	1	2	-	1	9	11	10	12	14	6	-	-
	Nonwhite--M--	180	69	10	6	2	3	1	3	5	4	1	-	4	2	7	2	8	4	4	13	7	14	5	4	2	-
	F--	166	85	7	5	1	1	2	1	3	1	4	-	1	1	2	7	4	2	4	6	11	4	5	5	4	-
500-502	Bronchitis--------	29	6	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	4	3	5	2	1	-	-
	White-----M--	15	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	3	-	1	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-
	Nonwhite--M--	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	61	3	-	-	-	-	-	-	1	1	-	2	3	3	10	4	5	8	9	2	7	2	-	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	2	5	4	1	5	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	-	-	-
	Nonwhite--M--	15	2	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	1	2	-	-	-	-	1	-	-
550-553	Appendicitis------	20	-	-	-	-	-	2	1	-	-	1	1	1	1	2	3	1	1	-	4	2	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	3	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	-	-	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	96	14	2	1	-	-	2	-	-	2	-	-	4	8	7	1	7	7	10	9	11	5	5	-	1	-
	White-----M--	15	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	4	-	1	2	3	1	1	-	-	-
	F--	25	3	-	1	-	-	-	-	-	1	-	-	1	1	3	-	2	1	2	4	2	1	2	-	1	-
	Nonwhite--M--	31	4	1	-	-	-	1	-	-	1	-	-	1	3	2	1	1	4	2	2	4	3	1	-	-	-
	F--	25	6	1	-	-	-	-	-	-	-	-	-	2	3	2	-	-	2	5	1	2	-	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																										
543,	Gastritis, etc.*--	222	149	10	3	1	-	-	2	1	1	1	-	2	5	4	6	4	2	7	7	8	4	4	-	1	-
571,	White-----M--	24	6	4	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	2	2	1	1	-	-	-
572	F--	25	6	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	3	6	2	2	-	1	-
	Nonwhite--M--	96	77	1	-	1	-	-	1	1	1	-	-	2	1	3	2	2	-	3	-	-	1	-	-	-	-
	F--	77	60	4	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	4	2	-	-	1	-	-	-
581	Cirrhosis of liver	108	-	-	-	-	-	-	-	-	-	1	3	7	7	11	15	13	10	7	14	13	6	1	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	1	2	3	3	6	4	6	4	6	4	7	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	2	1	3	1	1	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	2	4	-	5	3	1	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	-	-	2	2	2	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	68	-	1	2	2	-	6	1	1	3	2	1	3	2	3	9	4	4	9	4	4	5	1	-	1	-
	White-----M--	13	-	-	-	1	-	3	-	-	-	1	-	1	-	-	1	1	1	-	1	1	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	-	1	1	1	-	3	1	-	-	-	-	-	2	1	4	2	1	4	3	3	1	1	-	-	-
	F--	23	-	-	1	-	-	-	-	1	3	1	1	1	-	2	3	-	2	5	-	-	2	-	-	1	-
610	Hyperplasia of																										
	prostate---------	73	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	9	16	12	15	8	3	2	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	9	3	2	1	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	8	12	7	6	5	1	1	-
640-	Complications of																										
689	pregnancy, etc.*-	74	...	...	...	...	...	...	1	9	12	19	10	17	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	2	3	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	62	...	...	...	...	...	...	1	7	9	14	10	16	5	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	...	...	...	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	68	...	...	...	...	...	...	1	8	11	18	9	16	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	...	...	...	...	...	...	-	2	3	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	56	...	...	...	...	...	...	1	6	8	13	9	15	4	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	248	183	11	3	-	3	10	5	3	1	4	3	6	3	3	5	-	1	1	3	-	-	-	-	-	-
	White-----M--	78	57	-	1	-	-	3	-	2	-	3	1	3	1	2	3	-	-	-	2	-	-	-	-	-	-
	F--	69	52	3	1	-	1	3	1	-	-	-	1	2	2	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	60	41	2	1	-	2	4	4	1	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	41	33	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,072	1,072	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	571	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,792	450	18	10	5	6	13	5	10	12	13	18	21	35	54	77	88	105	159	165	163	148	101	66	43	7
795	White-----M--	239	30	1	-	1	-	1	-	1	1	-	3	4	7	10	15	21	22	27	20	27	26	17	4	1	-
	F--	101	14	-	-	-	-	-	-	-	-	1	-	3	1	3	3	6	5	14	11	18	5	7	6	4	-
	Nonwhite--M--	771	214	9	5	4	3	7	2	3	7	7	2	10	16	20	29	37	53	70	73	59	61	41	25	10	4
	F--	681	192	8	5	-	3	5	3	6	4	5	13	4	11	21	30	24	25	48	61	59	56	36	31	28	3
Re-	All other diseases	756	65	12	6	3	2	14	6	17	9	18	16	25	41	41	42	56	54	93	90	71	35	23	9	6	2
sid-	White-----M--	243	16	2	2	1	1	6	1	5	-	5	4	6	10	12	15	19	22	36	38	22	9	5	4	2	-
ual	F--	184	13	4	2	1	-	1	1	1	1	3	4	4	8	6	5	12	16	21	21	29	13	11	4	2	1
	Nonwhite--M--	178	19	6	1	-	-	6	1	5	3	4	3	5	9	11	7	15	11	24	20	13	7	5	1	2	-
	F--	151	17	-	1	1	1	1	3	6	5	6	5	10	14	12	15	10	5	12	11	7	6	2	-	-	1
E800-	Accidents---------	1,364	80	31	28	33	24	79	78	92	101	77	74	69	74	85	59	53	50	63	55	51	43	33	18	11	3
E962	White-----M--	520	17	8	3	7	3	20	30	31	56	37	38	28	35	33	36	22	24	19	20	25	14	9	4	1	-
	F--	188	6	2	5	3	3	12	8	10	13	5	5	9	8	7	3	9	9	8	10	11	17	14	5	6	-
	Nonwhite--M--	428	32	14	12	11	7	23	27	43	27	28	21	23	24	33	15	13	11	23	16	9	6	3	4	2	1
	F--	228	25	7	8	12	11	24	13	8	5	7	10	9	7	12	5	9	6	13	9	6	6	7	5	2	2
E810-	Motor-vehicle																										
E835	accidents--------	544	3	8	5	6	7	26	25	46	72	47	36	38	42	33	29	28	22	28	16	16	6	1	2	-	2
	White-----M--	271	1	5	1	1	2	8	13	16	47	24	19	16	22	11	20	16	15	9	10	11	3	-	1	-	-
	F--	76	-	1	1	2	3	7	3	9	9	4	2	8	6	3	3	5	2	4	-	2	1	1	-	-	-
	Nonwhite--M--	148	1	2	2	1	1	5	9	18	14	16	10	9	11	14	6	5	4	12	5	1	1	-	1	-	-
	F--	49	1	-	1	2	1	6	-	3	2	3	5	5	3	5	-	2	1	3	1	2	1	-	-	-	2
E800-	All ot. accidents-	820	77	23	23	27	17	53	53	46	29	30	38	31	32	52	30	25	28	35	39	35	37	32	16	11	1
E802,	White-----M--	249	16	3	2	6	1	12	17	15	9	13	19	12	13	22	16	6	9	10	10	14	11	9	3	1	-
E840-	F--	112	6	1	4	1	-	5	5	1	4	1	3	1	2	4	-	4	7	4	10	9	16	13	5	6	-
E962	Nonwhite--M--	280	31	12	10	10	6	18	18	25	13	12	11	14	13	19	9	8	7	11	11	8	5	3	3	2	1
	F--	179	24	7	7	10	10	18	13	5	3	4	5	4	4	7	5	7	5	10	8	4	5	7	5	2	-
E963,	Suicide----------	128	-	-	-	-	-	-	-	2	4	3	5	12	12	21	14	14	19	9	6	3	2	1	-	-	1
E970-	White-----M--	85	-	-	-	-	-	-	-	1	3	-	1	5	10	14	10	10	13	6	6	3	2	-	-	-	1
E979	F--	25	-	-	-	-	-	-	-	-	-	-	4	3	1	7	3	3	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	1	3	-	4	1	-	1	1	3	2	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	230	2	-	1	-	-	-	1	12	36	28	33	22	31	26	14	7	8	1	2	4	-	1	-	-	1
E980-	White-----M--	37	-	-	-	-	-	-	-	1	4	3	5	4	5	8	1	1	2	-	1	2	-	-	-	-	-
E985	F--	10	1	-	-	-	-	-	-	-	-	2	-	1	2	-	2	-	1	-	-	-	-	-	-	-	1
	Nonwhite--M--	153	1	-	1	-	-	-	-	10	29	21	20	14	20	15	9	5	5	1	1	1	-	-	-	-	-
	F--	30	-	-	-	-	-	-	1	1	3	2	8	3	4	3	2	1	-	-	-	1	-	1	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI																										
	ALL CAUSES------	43,102	2,381	169	84	75	45	201	150	280	346	349	463	624	948	1,485	2,119	2,752	3,764	5,070	5,682	5,826	5,221	3,300	1,343	384	21
	White-----M--	22,238	1,066	78	44	35	21	108	100	182	213	190	256	326	484	822	1,181	1,542	2,141	2,763	3,112	2,890	2,553	1,458	527	137	9
	F--	16,551	844	49	25	29	19	68	34	71	78	93	134	176	278	404	582	782	1,162	1,773	2,144	2,617	2,475	1,735	757	216	6
	Nonwhite--M--	2,382	260	24	9	7	2	14	8	14	27	45	49	54	105	140	188	245	281	318	212	182	93	54	35	13	3
	F--	1,931	211	18	6	4	3	11	8	13	28	21	44	68	81	119	168	183	180	216	214	137	100	53	24	18	3
001-019	Tuberculosis, all forms--------	403	3	5	3	1	1	1	-	1	3	7	14	18	29	25	24	54	42	54	38	41	26	11	2	-	-
	White-----M--	237	-	1	2	1	-	1	-	-	1	3	6	2	12	13	18	32	33	32	28	29	15	7	1	-	-
	F--	85	1	3	1	-	1	-	-	1	-	-	1	10	9	4	1	9	4	10	4	12	10	3	1	-	-
	Nonwhite--M--	56	2	-	-	-	-	-	-	-	-	1	5	3	7	5	4	11	4	8	5	-	1	-	-	-	-
	F--	25	-	1	-	-	-	-	-	-	2	3	2	3	1	3	1	2	1	4	1	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	370	-	2	-	-	1	-	-	-	3	7	14	17	29	24	22	50	39	49	36	38	26	11	2	-	-
	White-----M--	225	-	-	-	-	-	-	-	-	1	3	6	2	12	13	17	31	33	30	27	27	15	7	1	-	-
	F--	76	-	1	-	-	1	-	-	-	-	-	1	10	9	4	-	9	3	9	4	11	10	3	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	1	5	2	7	4	4	8	2	7	4	-	1	-	-	-	-
	F--	24	-	1	-	-	-	-	-	-	2	3	2	3	1	3	1	2	1	3	1	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	33	3	3	3	1	-	1	-	1	-	-	-	1	-	1	2	4	3	5	2	3	-	-	-	-	-
	White-----M--	12	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	-	-	-
	F--	9	1	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	148	-	-	-	-	-	-	-	-	-	-	-	2	4	18	11	22	27	24	19	9	9	3	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	2	1	9	2	9	13	16	12	7	4	2	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	1	3	3	2	2	1	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	10	12	4	2	-	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	2	-	1	-	-	-	-
040	Typhoid fever-----	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	11	2	-	-	-	1	3	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	-	-	1	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	9	5	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	16	3	4	-	1	1	1	-	-	1	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	White-----M--	8	2	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	12	-	-	-	-	-	1	-	3	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	3	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	1	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	132	12	7	2	2	1	4	1	5	2	1	4	3	7	9	6	8	13	13	12	12	4	3	1	-	-
	White-----M--	58	6	2	1	-	-	2	1	2	-	-	2	1	4	5	3	1	5	9	3	6	2	3	-	-	-
	F--	57	4	3	1	1	1	2	-	2	2	1	2	2	2	1	3	4	7	4	6	6	2	-	1	-	-
	Nonwhite--M--	9	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*----	6,728	7	8	13	14	9	40	16	29	29	32	64	120	200	369	502	656	847	1,032	939	832	566	290	96	18	-
	White-----M--	3,210	7	5	10	6	5	21	10	14	15	11	25	40	63	144	234	286	426	528	460	414	292	131	39	4	-
	F--	2,973	-	3	3	7	4	16	4	11	9	17	33	63	109	174	209	285	337	438	405	376	259	145	53	13	-
	Nonwhite--M--	284	-	-	-	-	-	2	1	2	2	1	2	4	10	20	27	47	51	39	32	25	8	8	3	-	-
	F--	261	-	-	-	1	-	1	1	2	3	3	4	13	18	31	32	38	33	27	22	17	7	6	1	1	-
140-148	Of buccal cavity and pharynx------	181	-	-	-	1	-	1	-	1	1	-	2	-	2	7	20	22	27	21	24	18	19	13	2	-	-
	White-----M--	143	-	-	-	-	-	-	-	1	1	-	1	-	1	5	15	20	18	18	18	16	16	11	2	-	-
	F--	22	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	6	1	2	2	3	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	4	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	2,445	1	1	-	-	-	-	2	1	3	4	8	18	53	113	141	191	300	392	394	362	265	142	47	7	-
	White-----M--	1,186	1	1	-	-	-	-	1	-	1	1	2	8	20	50	66	85	161	201	209	174	132	59	13	1	-
	F--	1,045	-	-	-	-	-	-	-	1	1	3	5	6	24	38	54	77	105	159	162	172	125	77	31	5	-
	Nonwhite--M--	123	-	-	-	-	-	-	1	-	1	-	1	1	3	13	14	16	18	19	13	11	5	5	2	-	-
	F--	91	-	-	-	-	-	-	-	-	-	-	-	3	6	12	7	13	16	13	10	5	3	1	1	1	-
160-164	Of respiratory system (not secondary)-------	841	-	-	-	-	-	-	-	-	1	3	3	9	21	51	78	131	149	166	110	64	37	15	2	1	-
	White-----M--	660	-	-	-	-	-	-	-	-	-	1	3	6	16	48	68	97	127	135	77	47	25	9	1	-	-
	F--	131	-	-	-	-	-	-	-	-	1	2	-	2	2	2	5	19	12	25	29	15	11	4	1	1	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	15	9	6	4	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	1	-	-	-
170	Of breast---------	603	-	-	-	-	-	-	-	-	-	1	6	19	34	63	64	65	61	86	75	58	41	21	6	3	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-
	F--	562	-	-	-	-	-	-	-	-	-	1	5	17	31	57	59	63	60	77	67	57	38	21	6	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	2	3	5	5	2	1	7	7	1	2	-	-	-	-
171-179	Of genital organs----	1,089	-	-	1	-	-	-	-	3	3	6	18	23	45	58	69	98	120	151	148	163	112	49	19	3	-
	White-----M--	387	-	-	1	-	-	-	-	1	3	2	3	1	1	3	11	13	22	54	67	84	73	32	14	2	-
	F--	584	-	-	-	-	-	-	-	1	-	2	14	17	39	45	46	68	79	88	67	64	36	13	4	1	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	9	5	9	7	2	1	1	-	-
	F--	76	-	-	-	-	-	-	-	1	-	2	1	5	4	9	11	12	10	4	5	8	1	3	-	-	-
180, 181	Of urinary organs----	292	-	-	2	2	2	5	-	1	-	-	-	4	5	11	16	21	36	48	59	32	28	13	7	-	-
	White-----M--	181	-	-	2	2	1	1	-	-	-	-	-	2	3	7	11	13	28	34	33	18	16	7	3	-	-
	F--	99	-	-	-	-	1	3	-	1	-	-	-	2	-	3	5	7	6	11	25	14	12	5	4	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	716	4	2	3	3	3	13	8	12	13	9	10	27	22	43	66	75	87	96	70	71	40	27	9	3	-
	White-----M--	344	4	2	2	-	2	8	7	4	7	3	3	12	11	20	36	27	38	48	40	38	20	8	3	1	-
	F--	308	-	-	1	3	1	5	-	7	2	5	4	12	6	18	25	34	40	43	29	28	19	18	6	2	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	1	1	1	1	2	2	3	1	7	6	4	1	3	-	1	-	-	-
	F--	30	-	-	-	-	-	-	1	-	3	-	2	1	3	2	4	7	3	1	-	2	1	-	-	-	-
204	Leukemia and aleukemia----------	301	2	5	5	7	4	18	4	5	4	7	5	8	9	13	24	22	32	35	34	34	15	6	2	1	-
	White-----M--	160	2	2	3	3	2	9	2	5	1	2	3	4	3	6	15	13	16	19	21	21	5	2	1	-	-
	F--	127	-	3	2	4	2	7	2	-	3	4	2	3	5	5	7	8	14	16	13	11	10	4	1	1	-
	Nonwhite--M--	7	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	260	-	-	2	1	-	3	2	6	4	2	12	12	9	10	24	31	35	37	25	30	9	4	2	-	-
	White-----M--	144	-	-	2	1	-	3	-	3	2	2	10	7	8	4	12	18	16	17	14	16	4	3	2	-	-
	F--	95	-	-	-	-	-	-	2	1	2	-	2	4	1	5	7	8	15	18	11	13	5	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	-	-	1	-	1	5	2	3	2	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	99	6	-	2	2	-	1	-	-	3	3	6	1	8	7	14	9	4	10	13	4	5	1	-	-	-
	White-----M--	39	3	-	-	-	-	1	-	-	2	1	-	1	2	1	5	5	2	3	8	1	3	1	-	-	-
	F--	45	1	-	1	2	-	-	-	-	-	2	5	-	4	4	7	4	1	6	3	3	2	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus---	638	-	-	-	-	-	-	-	1	3	4	7	12	8	12	23	51	73	114	105	115	78	32	-	-	-
	White-----M--	236	-	-	-	-	-	-	-	-	-	2	3	9	2	2	9	17	30	37	42	37	36	10	-	-	-
	F--	346	-	-	-	-	-	-	-	1	2	2	4	2	3	7	11	24	38	61	56	74	39	22	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	9	3	12	7	4	3	-	-	-	-
290-293	Anemias----------	101	4	2	-	1	-	2	1	1	1	2	1	2	2	1	4	3	5	8	16	16	11	12	6	-	-
	White-----M--	36	1	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	2	4	8	7	3	4	2	-	-
	F--	54	2	-	-	-	-	-	-	1	1	2	1	-	1	1	3	3	1	3	7	9	7	8	4	-	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	43	14	6	1	1	-	3	1	3	3	1	1	-	-	-	-	2	2	3	-	1	-	1	-	-	-
	White-----M--	14	4	1	1	-	-	1	1	1	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F--	15	5	3	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	8	4	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	6	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	23,886	14	2	2	3	1	8	16	19	43	49	95	165	336	567	1,008	1,356	2,048	3,016	3,701	4,000	3,734	2,405	998	286	14
	White-----M--	12,311	6	-	1	1	1	6	11	10	19	21	46	94	180	341	579	821	1,177	1,668	2,033	1,964	1,793	1,044	391	98	6
	F--	9,491	1	1	1	1	-	1	3	7	16	17	32	32	71	131	234	318	588	1,009	1,398	1,808	1,806	1,290	561	162	3
	Nonwhite--M--	1,083	-	1	-	1	-	1	-	1	2	5	7	9	48	46	96	123	160	198	120	124	64	37	26	12	2
	F--	1,001	7	-	-	-	-	-	2	1	6	6	10	30	37	49	99	94	123	141	150	104	71	34	20	14	3
330-334, 400-468	Diseases of cardiovascular system---	23,291	14	2	2	2	1	4	11	14	38	40	82	152	320	545	981	1,321	2,003	2,945	3,625	3,916	3,659	2,345	978	277	14
	White-----M--	12,042	6	-	1	1	1	3	8	8	16	15	42	89	172	333	569	803	1,163	1,632	1,992	1,925	1,762	1,018	381	96	6
	F--	9,246	1	1	1	-	-	1	1	5	14	15	27	29	68	122	224	308	567	988	1,372	1,768	1,766	1,258	551	156	3
	Nonwhite--M--	1,042	-	1	-	1	-	-	-	1	2	4	5	9	46	45	94	120	154	186	114	121	63	36	26	12	2
	F--	961	7	-	-	-	-	-	2	-	6	6	8	25	34	45	94	90	119	139	147	102	68	33	20	13	3
330-334	Vascular lesions, etc.*----------	5,203	6	-	1	1	-	-	3	2	8	9	23	32	46	83	177	204	372	651	846	994	913	584	191	53	4
	White-----M--	2,349	1	-	-	1	-	-	2	-	3	2	11	13	13	30	71	87	180	316	409	457	415	245	78	15	-
	F--	2,324	-	-	1	-	-	-	1	2	2	4	10	8	14	32	60	64	129	244	356	482	459	323	101	31	1
	Nonwhite--M--	248	-	-	-	-	-	-	-	-	2	1	-	4	9	6	18	35	33	52	25	27	19	7	5	3	2
	F--	282	5	-	-	-	-	-	-	-	1	2	2	7	10	15	28	18	30	39	56	28	20	9	7	4	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																										
400-402	Rheumatic fever---	37	2	-	-	-	-	1	4	1	-	1	3	3	2	4	2	4	2	3	1	4	-	-	-	-	-
	White-----M--	19	2	-	-	-	-	1	3	1	-	-	1	1	-	3	-	2	1	1	1	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	2	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	16,351	3	2	1	1	1	3	3	10	26	25	48	106	248	431	757	1,044	1,532	2,165	2,580	2,667	2,411	1,466	648	163	10
	White-----M--	8,890	2	-	1	-	1	2	2	7	11	13	27	71	152	290	478	684	935	1,253	1,492	1,345	1,169	647	247	55	6
	F--	6,177	-	1	-	-	-	1	-	2	10	7	12	16	45	82	154	225	409	702	936	1,164	1,160	779	376	94	2
	Nonwhite--M--	690	-	1	-	1	-	-	-	1	-	3	4	5	31	33	66	72	110	121	71	90	39	21	14	7	-
	F--	594	1	-	-	-	-	-	1	-	5	2	5	14	20	26	59	63	78	89	81	68	43	19	11	7	2
410-416	Chronic rheumatic heart disease----	503	-	-	-	-	-	-	-	5	9	8	15	20	32	35	54	59	43	62	48	42	40	18	13	-	-
	White-----M--	234	-	-	-	-	-	-	-	4	5	3	8	10	14	21	25	27	21	27	27	17	12	8	5	-	-
	F--	217	-	-	-	-	-	-	-	-	2	3	5	5	13	11	22	25	21	26	21	20	26	10	7	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	1	-	2	3	1	3	3	-	4	-	1	2	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	2	1	2	3	2	2	4	4	1	5	-	4	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	10,531	1	-	-	-	-	-	1	3	7	9	18	62	150	303	526	718	1,111	1,509	1,802	1,699	1,400	795	328	81	8
	White-----M--	6,379	1	-	-	-	-	-	1	1	2	6	10	53	114	240	388	532	771	970	1,102	930	715	373	136	29	5
	F--	3,658	-	-	-	-	-	-	-	2	4	2	2	6	26	43	92	131	275	458	632	700	650	408	161	45	1
	Nonwhite--M--	272	-	-	-	-	-	-	-	-	-	1	4	-	6	13	26	25	33	54	33	41	17	8	8	3	-
	F--	222	-	-	-	-	-	-	-	-	1	-	2	3	4	7	20	30	32	27	35	28	18	6	3	4	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,473	-	1	1	1	-	1	1	-	4	2	7	9	19	30	53	81	113	227	312	452	536	389	184	49	1
	White-----M--	1,135	-	-	1	-	-	1	-	-	2	1	5	5	9	15	26	44	47	115	171	206	243	162	65	17	-
	F--	1,149	-	-	-	-	-	-	-	-	2	-	1	2	2	9	13	20	39	81	121	221	278	216	115	29	1
	Nonwhite--M--	122	-	1	-	1	-	-	-	-	-	1	-	1	8	3	9	13	17	20	10	17	9	8	2	2	-
	F--	67	-	-	-	-	-	-	1	-	-	-	1	1	-	4	5	4	10	11	10	8	6	3	2	1	-
430-434	Other diseases of heart---------	653	2	1	-	-	1	1	1	2	5	2	5	8	21	25	44	56	68	76	81	84	78	51	28	12	1
	White-----M--	333	1	-	-	-	1	-	1	2	1	2	2	2	9	9	16	28	36	38	51	44	52	27	7	3	1
	F--	199	-	1	-	-	-	1	-	-	2	-	3	1	3	9	6	14	17	17	21	34	22	24	17	7	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	1	6	4	11	8	8	13	8	5	2	-	3	-	-
	F--	52	1	-	-	-	-	-	-	-	2	-	-	4	3	3	11	6	7	8	1	1	2	-	1	2	-
440-443	Hypertension with heart dis.--	2,191	-	-	-	-	-	1	-	-	1	4	3	7	26	38	80	130	197	291	337	390	357	213	95	21	-
	White-----M--	809	-	-	-	-	-	1	-	-	1	1	2	1	6	5	23	53	60	103	141	148	147	77	34	6	-
	F--	954	-	-	-	-	-	-	-	-	-	2	1	2	1	11	21	35	57	120	141	189	184	121	56	13	-
	Nonwhite--M--	206	-	-	-	-	-	-	-	-	-	-	-	1	8	12	17	23	52	30	20	26	9	5	1	2	-
	F--	222	-	-	-	-	-	-	-	-	-	1	-	3	11	10	19	19	28	38	35	27	17	10	4	-	-
444-447	Hypertension without mention of heart----------	356	-	-	-	-	-	-	-	-	-	2	2	7	12	6	16	25	26	30	41	64	52	49	18	6	-
	White-----M--	148	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	7	12	12	16	32	29	22	9	1	-
	F--	144	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	9	11	11	19	29	19	23	8	3	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	1	-	5	3	6	7	1	4	3	-	1	2	1	1	-
	F--	29	-	-	-	-	-	-	-	-	-	1	1	3	2	1	2	2	2	3	3	3	3	2	-	1	-
450	General arteriosclerosis--------	1,033	-	-	-	-	-	-	-	-	-	-	-	-	2	1	9	14	35	57	113	156	253	226	114	53	-
	White-----M--	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9	15	22	49	73	132	94	46	24	-
	F--	484	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	9	23	46	77	115	123	60	27	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	6	13	4	4	6	6	1	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	5	2	2	3	2	1	-
451-468	Other diseases of circulatory sys.-	311	3	-	-	-	-	-	1	1	4	3	6	4	10	20	20	30	36	39	44	31	30	20	7	2	-
	White-----M--	167	1	-	-	-	-	-	1	-	2	-	3	3	4	10	11	14	20	28	25	16	17	10	1	1	-
	F--	101	1	-	-	-	-	-	-	1	2	2	3	-	4	5	3	7	8	6	15	14	13	10	6	1	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	3	2	-	-	-	-	-	-
	F--	25	1	-	-	-	-	-	-	-	-	1	-	1	2	3	3	5	4	2	2	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	595	-	-	-	1	-	4	5	5	5	9	13	13	16	22	27	35	45	71	76	84	75	60	20	9	-
	White-----M--	269	-	-	-	-	-	3	3	2	3	6	4	5	8	8	10	18	14	36	41	39	31	26	10	2	-
	F--	245	-	-	-	1	-	-	2	2	2	2	5	3	3	9	10	10	21	21	26	40	40	32	10	6	-
	Nonwhite--M--	41	-	-	-	-	-	1	-	-	-	1	2	-	2	1	2	3	6	12	6	3	1	1	-	-	-
	F--	40	-	-	-	-	-	-	-	1	-	-	2	5	3	4	5	4	4	2	3	2	3	1	-	1	-
480-493	Influenza and pneumonia, etc.*-	1,343	150	19	10	4	5	10	5	9	9	7	7	12	21	44	45	65	76	109	137	161	194	152	69	20	1
	White-----M--	623	66	8	6	1	2	3	2	4	4	3	4	6	7	15	24	28	46	53	70	77	93	65	25	10	1
	F--	523	56	5	3	3	1	5	2	4	2	2	1	-	4	8	10	19	25	33	45	71	90	83	41	10	-
	Nonwhite--M--	127	18	4	-	-	1	-	1	1	2	1	1	5	7	14	7	9	4	16	15	10	6	2	3	-	-
	F--	70	10	2	1	-	1	2	-	-	1	1	1	1	3	7	4	9	3	7	7	3	5	2	-	-	-
480-483	Influenza---------	92	6	-	-	-	-	1	1	1	1	1	-	1	1	2	2	2	5	7	9	15	15	15	5	2	-
	White-----M--	32	2	-	-	-	-	-	1	1	-	1	-	-	1	1	1	-	2	2	3	5	3	5	3	1	-
	F--	49	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	3	3	4	8	11	10	2	1	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,251	144	19	10	4	5	9	4	8	8	6	7	11	20	42	43	63	73	102	128	146	179	137	64	18	1
	White-----M--	591	64	8	6	1	2	3	1	3	4	2	4	6	6	14	23	28	44	51	67	72	90	60	22	9	1
	F--	474	53	5	3	3	1	4	2	4	1	2	1	-	4	8	9	18	22	30	41	63	79	73	39	9	-
	Nonwhite--M--	119	17	4	-	-	1	-	1	1	2	1	1	4	7	14	7	8	4	14	14	9	5	2	3	-	-
	F--	67	10	2	1	-	1	2	-	-	1	1	1	1	3	6	4	9	3	7	6	2	5	2	-	-	-
500-502	Bronchitis--------	74	18	3	2	1	-	1	-	2	-	-	-	-	1	-	2	5	4	4	10	9	4	4	-	4	-
	White-----M--	38	8	1	2	1	-	1	-	2	-	-	-	-	-	-	1	3	2	3	4	7	1	2	-	-	-
	F--	28	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	5	2	3	2	-	4	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	259	-	-	-	-	-	1	-	2	1	-	4	6	5	17	17	30	29	49	38	22	21	13	3	1	-
	White-----M--	188	-	-	-	-	-	1	-	1	1	-	2	4	4	15	13	22	23	38	29	13	14	6	1	1	-
	F--	54	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	3	3	9	6	9	7	7	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-
550-553	Appendicitis------	64	1	-	-	2	2	1	2	1	2	3	1	2	4	-	3	8	4	9	11	5	1	2	-	-	-
	White-----M--	29	1	-	-	-	1	-	2	-	2	1	-	-	3	-	1	5	4	2	6	1	-	-	-	-	-
	F--	22	-	-	-	2	1	-	-	-	-	1	-	1	1	-	-	1	-	6	4	2	1	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	1	-	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	258	18	2	2	1	-	-	1	-	1	1	1	4	5	6	19	18	33	32	28	30	33	14	8	1	-
	White-----M--	117	7	1	1	1	-	-	1	-	-	1	-	2	3	3	6	8	14	12	14	15	18	7	3	-	-
	F--	114	5	1	1	-	-	-	-	-	-	-	1	2	2	1	9	5	14	17	13	15	15	7	5	1	-
	Nonwhite--M--	17	5	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	4	2	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																										
543,	Gastritis, etc.*--	170	67	8	2	-	1	-	1	-	-	4	1	1	3	4	3	6	9	13	15	10	10	9	3	-	-
571,	White-----M--	70	22	2	1	-	-	-	-	-	-	3	1	-	3	4	1	3	6	7	7	3	4	2	1	-	-
572	F--	66	21	1	-	-	1	-	1	-	-	1	-	1	-	-	2	2	2	4	8	7	6	7	2	-	-
	Nonwhite--M--	20	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	14	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	432	-	-	-	-	-	-	-	-	3	4	4	26	29	54	55	49	67	44	45	27	15	9	-	-	1
	White-----M--	287	-	-	-	-	-	-	-	-	1	-	2	14	20	36	39	37	47	30	25	16	11	8	-	-	1
	F--	101	-	-	-	-	-	-	-	-	2	1	1	6	5	10	10	8	18	8	17	10	4	1	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	2	-	3	2	4	2	4	2	4	2	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	1	3	2	4	4	-	-	2	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	81	2	-	-	-	1	5	2	1	-	1	4	2	4	4	1	3	8	8	7	9	10	5	2	2	-
	White-----M--	40	-	-	-	-	1	2	2	-	-	-	1	1	4	2	-	-	4	4	4	5	7	1	-	2	-
	F--	25	1	-	-	-	-	2	-	1	-	-	2	1	-	1	1	1	2	2	2	3	2	3	1	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	1	1	1	1	-	-	-
610	Hyperplasia of																										
	prostate---------	219	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	5	9	24	39	40	44	35	11	5	-
	White-----M--	192	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	7	18	34	33	42	35	11	5	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	6	5	7	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	48	...	...	...	...	...	...	-	2	6	7	10	16	5	1	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	...	...	...	-	1	4	6	8	11	5	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	1	2	1	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	5	...	...	...	...	...	...	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	43	...	...	...	...	...	...	-	2	6	7	10	12	4	1	-	-	1	-	-	-	-	-	-	-	-
660-	White-----F--	33	...	...	...	...	...	...	-	1	4	6	8	8	4	1	-	-	1	-	-	-	-	-	-	-	-
689	Nonwhite--F--	10	...	...	...	...	...	...	-	1	2	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	465	359	25	3	3	2	10	11	4	4	3	4	2	4	6	3	4	7	6	2	1	2	-	-	-	-
	White-----M--	247	186	14	2	1	1	4	9	4	2	3	3	1	2	3	3	2	2	1	2	-	2	-	-	-	-
	F--	181	145	8	1	1	1	3	2	-	2	-	1	1	2	2	-	2	4	5	-	1	-	-	-	-	-
	Nonwhite--M--	15	13	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	22	15	3	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,448	1,448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	646	646	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	509	509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	655	655	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	309	309	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	713	713	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	635	37	3	3	-	-	-	1	6	5	4	4	11	26	29	48	53	72	60	56	61	54	52	38	12	-
795	White-----M--	378	16	2	2	-	-	-	-	1	4	1	3	10	20	23	34	39	47	39	36	34	26	24	13	4	-
	F--	192	14	1	1	-	-	-	1	4	-	1	-	1	3	3	5	8	19	15	13	23	25	23	24	8	-
	Nonwhite--M--	45	6	-	-	-	-	-	-	1	-	2	-	-	3	1	8	1	4	4	7	3	2	2	1	-	-
	F--	20	1	-	-	-	-	-	-	-	1	-	1	-	-	2	1	5	2	2	-	1	1	3	-	-	-
Re-	All other diseases	1,917	131	21	10	9	1	24	9	15	14	21	48	38	56	86	116	140	181	220	235	208	187	97	35	15	-
sid-	White-----M--	994	49	11	4	4	-	11	5	8	5	10	21	17	27	46	57	87	110	123	133	115	87	42	15	7	-
ual	F--	697	43	5	3	3	1	10	3	4	3	9	12	16	22	21	34	37	59	73	83	88	92	50	20	6	-
	Nonwhite--M--	122	22	3	2	2	-	2	1	1	1	2	5	2	2	13	13	11	7	14	11	2	3	3	-	-	-
	F--	104	17	2	1	-	-	1	-	2	5	-	10	3	5	6	12	5	5	10	8	3	5	2	-	2	-
E800-	Accidents---------	2,748	70	51	27	26	18	82	78	160	175	136	144	123	133	144	150	129	147	171	164	189	196	143	69	20	3
E962	White-----M--	1,707	31	26	11	16	9	50	53	121	139	100	108	91	90	100	114	81	102	105	93	90	88	58	24	6	1
	F--	765	24	12	9	6	7	22	17	31	29	24	19	17	23	21	18	32	26	51	55	89	98	80	41	12	2
	Nonwhite--M--	174	12	9	4	2	-	6	4	4	4	10	10	10	13	17	12	9	16	11	6	7	5	1	1	1	-
	F--	102	3	4	3	2	2	4	4	4	3	2	7	5	7	6	6	7	3	4	10	3	5	4	3	1	-
E810-	Motor-vehicle																										
E835	accidents--------	1,084	10	17	5	9	8	32	26	127	134	88	79	64	74	70	63	55	54	53	45	34	22	8	7	-	-
	White-----M--	756	6	12	2	4	3	20	13	92	108	64	55	46	54	46	46	36	35	33	36	1[illegible]	16	5	5	-	-
	F--	238	3	4	3	4	5	8	10	28	22	16	16	10	13	13	11	17	13	13	7	13	4	3	2	-	-
	Nonwhite--M--	59	1	1	-	1	-	3	1	4	3	7	6	4	4	6	4	-	4	5	1	2	2	-	-	-	-
	F--	31	-	-	-	-	-	1	2	3	1	1	2	4	3	5	2	2	2	2	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,664	60	34	22	17	10	50	52	33	41	48	65	59	59	74	87	74	93	118	119	155	174	135	62	20	3
E802,	White-----M--	951	25	14	9	12	6	30	40	29	31	36	53	45	36	54	68	45	67	72	57	71	72	53	19	6	1
E840-	F--	527	21	8	6	2	2	14	7	3	7	8	3	7	10	8	7	15	13	38	48	76	94	77	39	12	2
E962	Nonwhite--M--	115	11	8	4	1	-	3	3	-	1	3	4	6	9	11	8	9	12	6	5	5	3	1	1	1	-
	F--	71	3	4	3	2	2	3	2	1	2	1	5	1	4	1	4	5	1	2	9	3	5	4	3	1	-
E963,	Suicide----------	476	-	-	-	-	-	-	2	9	14	26	25	24	32	62	49	59	47	40	47	20	14	4	2	-	-
E970-	White-----M--	358	-	-	-	-	-	-	2	8	11	19	17	18	26	52	31	43	36	28	37	15	10	4	1	-	-
E979	F--	103	-	-	-	-	-	-	-	-	3	4	6	4	6	9	16	15	10	11	10	4	4	-	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	-	3	1	2	-	1	2	1	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	223	6	1	1	-	1	1	1	5	22	30	31	30	25	19	9	15	7	7	3	3	2	2	-	-	2
E980-	White-----M--	75	2	1	-	-	-	1	-	2	4	9	9	10	9	8	3	5	2	2	3	1	2	2	-	-	-
E985	F--	23	1	-	-	-	-	-	-	1	1	1	3	3	5	-	3	-	-	3	-	1	-	-	-	-	1
	Nonwhite--M--	104	2	-	-	-	1	-	1	2	12	16	17	14	11	10	3	7	4	2	-	1	-	-	-	-	1
	F--	21	1	-	1	-	-	-	-	-	5	4	2	3	-	1	-	3	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA																										
	ALL CAUSES------	6,151	437	33	25	21	14	28	37	57	77	82	90	112	187	205	293	351	515	770	794	782	647	385	160	38	11
	White-----M--	3,758	226	18	15	12	7	11	20	31	55	48	52	68	119	150	185	236	335	496	515	471	375	202	89	16	6
	F--	2,137	166	5	6	7	6	12	13	19	13	18	25	38	58	47	92	104	166	256	263	297	252	180	68	21	5
	Nonwhite--M--	167	26	5	2	-	-	3	3	2	8	11	11	4	8	6	9	7	10	10	12	11	14	2	3	-	-
	F--	89	19	5	2	2	1	2	1	5	1	5	2	2	2	2	7	4	4	8	4	3	6	1	-	1	-
001-019	Tuberculosis, all forms--------	52	-	2	1	1	1	-	1	1	1	2	2	3	3	1	3	2	9	8	5	1	2	1	2	-	-
	White-----M--	33	-	-	1	-	-	-	-	-	-	-	1	1	2	-	3	1	7	7	4	1	2	1	2	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	6	-	1	-	1	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	42	-	-	-	1	1	-	-	-	1	1	2	3	3	1	3	2	7	7	5	1	1	1	2	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	5	7	4	1	1	1	2	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	10	-	2	1	-	-	-	1	1	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	2	2	2	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	-	-	-	-	-	1	1	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	4	-	1	-	-	-	1	1	-	-	2	-	-	-	1	-	5	1	1	2	-	-	-	-	-
	White-----M--	8	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	4	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*----	830	-	2	3	1	4	5	3	4	4	4	6	21	36	30	61	68	88	138	134	97	76	28	13	2	2
	White-----M--	455	-	2	2	1	2	2	2	2	2	1	2	7	11	12	24	32	51	78	82	67	48	15	8	1	1
	F--	356	-	-	1	-	2	2	1	2	2	3	3	14	25	18	32	34	35	57	49	30	26	13	5	1	1
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	1	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	4	2	1	-	1	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	1	1	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	308	-	-	-	-	-	-	-	-	-	-	-	5	4	7	21	32	32	56	48	43	41	11	7	1	-
	White-----M--	178	-	-	-	-	-	-	-	-	-	-	-	2	1	4	10	18	21	34	25	32	20	6	5	-	-
	F--	124	-	-	-	-	-	-	-	-	-	-	-	3	3	3	9	13	10	22	22	11	20	5	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	98	-	-	-	-	-	-	-	-	-	1	-	1	3	5	7	10	16	16	21	11	5	1	-	-	1
	White-----M--	82	-	-	-	-	-	-	-	-	-	1	-	1	3	3	5	6	13	14	19	11	5	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	-	2	-	-	-	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast---------	72	-	-	-	-	-	-	-	-	-	-	-	4	10	7	6	6	8	11	8	7	-	4	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	-	4	10	7	6	6	8	11	8	7	-	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	123	-	-	-	-	-	-	-	-	2	1	2	4	10	3	11	7	12	10	24	15	13	6	1	1	1
	White-----M--	58	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	3	5	15	12	12	4	-	1	1
	F--	59	-	-	-	-	-	-	-	-	1	1	1	4	9	2	8	6	8	4	8	3	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
180, 181	Of urinary organs-	41	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	7	8	6	5	4	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	6	3	5	2	3	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	3	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	66	-	-	2	-	2	-	1	1	-	-	2	3	2	4	8	2	4	14	8	5	3	3	2	-	-
	White-----M--	36	-	-	1	-	2	-	-	-	-	-	2	2	1	2	5	2	2	5	6	2	1	2	1	-	-
	F--	30	-	-	1	-	-	-	1	1	-	-	-	1	1	2	3	-	2	9	2	3	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	67	-	2	1	1	2	5	2	2	1	2	1	2	1	-	1	2	4	10	10	7	8	2	1	-	-
	White-----M--	39	-	2	1	1	-	2	2	1	-	-	-	1	1	-	-	-	2	6	7	5	5	2	1	-	-
	F--	27	-	-	-	-	2	2	-	1	1	2	1	1	-	-	1	2	2	4	3	2	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	39	-	-	-	-	-	-	-	1	1	-	1	1	3	2	3	4	4	11	5	2	1	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	2	3	9	2	2	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	18	-	-	1	-	-	-	-	-	-	1	2	1	1	3	3	-	3	2	-	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	111	1	-	-	-	-	-	-	-	1	6	3	2	4	3	3	5	10	25	16	16	10	5	1	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	1	5	-	1	2	1	-	3	4	12	8	9	5	3	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	1	3	1	2	2	3	2	6	12	8	7	5	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	4	1	4	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,145	-	-	-	1	1	1	2	5	7	12	17	20	61	77	133	195	281	454	499	523	449	267	109	26	5
	White-----M--	1,944	-	-	-	1	-	-	1	3	4	7	11	16	41	68	90	144	179	296	324	302	242	136	63	13	3
	F--	1,138	-	-	-	-	1	1	1	2	3	3	6	4	18	9	38	46	95	148	167	212	197	130	43	12	2
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	5	6	6	7	7	1	3	-	-
	F--	17	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	4	2	2	3	-	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	3,078	-	-	-	1	1	1	1	4	5	10	15	18	60	73	129	188	275	448	493	514	443	262	107	25	5
	White-----M--	1,905	-	-	-	1	-	-	1	2	2	6	10	15	40	64	90	139	176	290	320	299	240	133	62	12	3
	F--	1,111	-	-	-	-	1	1	-	2	3	2	5	3	18	9	35	44	92	148	165	206	193	128	42	12	2
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	5	6	6	7	7	1	3	-	-
	F--	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	2	2	3	-	-	1	-
330-334	Vascular lesions, etc.*----------	728	-	-	-	-	-	-	1	-	1	1	1	4	8	9	17	20	67	94	127	140	133	70	30	4	1
	White-----M--	379	-	-	-	-	-	-	1	-	-	1	1	4	2	7	7	8	32	49	66	71	72	34	21	2	1
	F--	340	-	-	-	-	-	-	-	-	1	-	-	-	5	2	10	12	33	43	59	69	59	36	9	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	-	2	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																										
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,092	-	-	-	1	1	1	-	4	4	9	11	11	49	60	105	157	196	330	319	334	271	159	53	13	4
	White-----M--	1,365	-	-	-	1	-	-	-	2	2	5	9	9	36	54	77	125	135	222	224	205	143	82	26	6	2
	F--	680	-	-	-	-	1	1	-	2	2	2	2	2	12	6	24	27	57	100	91	121	120	76	26	6	2
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	3	4	2	6	5	1	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	4	2	2	3	-	-	1	-
410-416	Chronic rheumatic heart disease----	81	-	-	-	-	-	1	-	2	3	3	2	1	7	5	11	10	8	7	8	5	7	-	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	1	1	1	1	1	3	4	2	7	3	4	5	4	3	-	1	-	-
	F--	38	-	-	-	-	-	1	-	1	2	1	1	-	4	1	9	3	5	2	3	1	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,406	-	-	-	-	-	-	-	-	-	4	4	7	31	47	76	112	145	249	216	227	166	86	24	8	4
	White-----M--	992	-	-	-	-	-	-	-	-	-	3	4	6	28	46	64	97	107	173	158	149	92	45	14	4	2
	F--	388	-	-	-	-	-	-	-	-	-	1	-	1	3	1	10	11	36	71	56	74	68	41	9	4	2
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	3	4	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	259	-	-	-	-	-	-	-	-	-	1	2	1	2	3	6	13	16	34	37	46	42	39	15	2	-
	White-----M--	147	-	-	-	-	-	-	-	-	-	1	2	-	1	1	6	8	10	19	24	25	24	17	8	1	-
	F--	104	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	5	13	12	19	18	21	7	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
430-434	Other diseases of heart---------	152	-	-	-	1	1	-	-	1	-	1	2	2	7	3	9	13	15	19	28	18	21	6	4	1	-
	White-----M--	93	-	-	-	1	-	-	-	1	-	-	1	2	4	3	5	9	9	13	22	11	9	3	-	-	-
	F--	50	-	-	-	-	1	-	-	-	-	-	1	-	2	-	2	4	5	6	6	5	11	3	4	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
440-443	Hypertension with heart dis.--	194	-	-	-	-	-	-	-	1	1	-	1	-	2	2	3	9	12	21	30	38	35	28	9	2	-
	White-----M--	92	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	6	13	15	16	15	17	3	1	-
	F--	100	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	5	6	8	14	22	19	11	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	41	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	5	7	8	5	4	2	2	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	6	4	3	2	-	2	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	4	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	158	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	7	29	28	31	28	21	8	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	19	16	20	15	12	4	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	9	12	11	13	7	4	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	58	-	-	-	-	-	-	-	-	-	-	2	2	2	2	5	6	4	10	10	7	4	3	1	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	4	4	8	7	4	3	2	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	2	2	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	67	-	-	-	-	-	-	1	1	2	2	2	2	1	4	4	7	6	6	6	9	6	5	2	1	-
	White-----M--	39	-	-	-	-	-	-	-	1	2	1	1	1	1	4	-	5	3	6	4	3	2	3	1	1	-
	F--	27	-	-	-	-	-	-	1	-	-	1	1	1	-	-	3	2	3	-	2	6	4	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	185	33	6	2	1	1	-	4	-	1	-	-	4	2	8	6	7	5	18	16	26	23	14	6	1	1
	White-----M--	105	7	3	2	-	1	-	-	-	1	-	-	2	-	8	6	4	4	13	9	16	17	9	2	1	-
	F--	59	13	1	-	1	-	-	3	-	-	-	-	1	2	-	-	2	1	4	6	10	5	5	4	-	1
	Nonwhite--M--	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F--	8	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
480-483	Influenza---------	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	-	-
	White-----M--	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	173	32	4	2	1	1	-	4	-	1	-	-	4	2	8	6	7	4	17	16	24	21	12	5	1	1
	White-----M--	95	6	1	2	-	1	-	-	-	1	-	-	2	-	8	6	4	3	12	9	15	15	7	2	1	-
	F--	57	13	1	-	1	-	-	3	-	-	-	-	1	2	-	-	2	1	4	6	9	5	5	3	-	1
	Nonwhite--M--	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F--	8	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis---------	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-
	White-----M--	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	27	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	2	3	3	2	3	5	1	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	3	3	1	3	5	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	8	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	37	4	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	6	3	6	4	4	1	-	-	-
	White-----M--	19	4	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	3	1	2	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	3	1	2	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																										
543,	Gastritis, etc.*--	22	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	1	3	1	-	1
571,	White-----M--	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-
572	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	1
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	54	-	-	-	-	-	-	-	-	-	2	1	4	6	4	7	4	5	11	8	1	1	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	4	6	8	-	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	3	1	4	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	12	-	-	1	-	-	-	-	1	-	1	2	1	-	-	-	-	-	1	-	3	1	1	-	-	-
	White-----M--	7	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	2	1	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	78	60	4	2	4	2	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
	White-----M--	41	32	1	1	3	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	26	2	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	208	7	1	1	1	-	-	-	-	1	1	1	3	4	2	7	13	19	18	31	28	28	29	11	2	-
795	White-----M--	139	3	-	-	1	-	-	-	-	1	-	1	3	4	1	6	9	16	13	18	19	20	19	5	-	-
	F--	59	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	3	5	13	7	4	10	6	2	-
	Nonwhite--M--	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Re-	All other diseases	318	24	-	1	2	1	4	2	2	4	3	6	10	13	17	21	21	37	38	34	38	17	17	4	2	-
sid-	White-----M--	213	17	-	-	-	1	1	2	1	2	1	2	7	10	12	17	13	28	27	22	28	10	10	2	-	-
ual	F--	92	6	-	1	1	-	3	-	1	1	2	3	3	2	5	3	7	8	10	11	9	5	7	2	2	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
E800-	Accidents---------	577	13	10	11	8	4	16	20	36	48	44	39	33	36	47	24	23	32	33	29	26	16	13	10	4	2
E962	White-----M--	385	6	7	7	5	2	8	12	17	38	31	31	25	27	33	17	18	22	21	24	13	11	4	3	1	2
	F--	133	6	1	3	3	2	5	5	13	5	4	1	5	4	7	4	5	8	12	5	12	5	8	7	3	-
	Nonwhite--M--	46	1	1	-	-	-	2	3	2	4	7	6	3	5	6	3	-	2	-	-	1	-	-	-	-	-
	F--	13	-	1	1	-	-	1	-	4	1	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	239	1	2	3	4	-	5	5	23	26	29	21	16	17	19	9	7	19	14	10	5	3	-	-	-	1
	White-----M--	151	1	1	2	3	-	2	3	11	21	20	15	10	13	9	4	4	11	7	9	2	2	-	-	-	1
	F--	57	-	1	1	1	-	2	-	8	3	4	1	4	2	6	3	3	7	7	1	2	1	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	1	2	1	1	5	4	2	2	3	2	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	338	12	8	8	4	4	11	15	13	22	15	18	17	19	28	15	16	13	19	19	21	13	13	10	4	1
E802,	White-----M--	234	5	6	5	2	2	6	9	6	17	11	16	15	14	24	13	14	11	14	15	11	9	4	3	1	1
E840-	F--	76	6	-	2	2	2	3	5	5	2	-	-	1	2	1	1	2	1	5	4	10	4	8	7	3	-
E962	Nonwhite--M--	21	1	1	-	-	-	1	1	1	3	2	2	1	3	3	1	-	1	-	-	-	-	-	-	-	-
	F--	7	-	1	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
E963,	Suicide----------	75	-	-	-	-	-	-	-	3	3	3	3	3	14	6	11	5	7	7	4	2	2	-	2	-	-
E970-	White-----M--	65	-	-	-	-	-	-	-	3	3	2	1	1	13	5	9	4	7	7	4	2	2	-	2	-	-
E979	F--	10	-	-	-	-	-	-	-	-	-	1	2	2	1	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	19	-	-	-	-	-	-	-	1	4	2	2	3	1	1	2	1	-	-	1	-	-	1	-	-	-
E980-	White-----M--	11	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	-	-	1	-	-	1	-	-	-
E985	F--	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA																										
	ALL CAUSES------	13,115	813	56	33	32	20	63	63	100	120	100	121	168	249	356	524	755	1,070	1,469	1,691	1,847	1,667	1,153	508	133	2
	White-----M--	7,397	429	25	16	17	7	35	37	72	78	69	69	86	162	211	336	491	677	894	1,003	973	867	575	212	55	1
	F--	5,342	309	24	16	11	13	24	24	24	35	29	43	63	76	127	168	242	352	542	654	851	783	564	293	74	1
	Nonwhite--M--	204	39	1	1	1	-	2	1	4	5	1	6	13	8	8	13	12	27	19	16	13	8	4	-	2	-
	F--	172	36	6	-	3	-	2	1	-	2	1	3	6	3	12	7	10	14	14	18	10	9	10	3	2	-
001-019	Tuberculosis, all forms--------	59	1	1	-	-	-	-	-	-	1	1	1	3	2	3	4	5	9	5	7	7	6	2	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	3	4	4	4	1	-	-	-
	F--	17	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	2	3	1	2	2	1	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	1	1	1	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	56	1	-	-	-	-	-	-	-	1	1	1	2	2	3	4	5	8	5	7	7	6	2	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	3	4	4	4	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	3	1	2	2	1	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	7	4	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	-	-	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	44	3	3	2	-	-	3	1	1	2	-	2	-	3	1	1	4	-	5	2	6	-	3	1	1	-
	White-----M--	21	-	-	1	-	-	-	-	1	1	-	2	-	2	1	1	2	-	2	2	4	-	1	1	-	-
	F--	22	3	2	1	-	-	3	1	-	1	-	-	-	1	-	-	2	-	3	-	2	-	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*	2,140	3	3	8	5	7	6	6	7	8	13	22	39	45	91	130	199	270	307	305	301	215	120	26	4	-
	White-----M--	1,120	1	3	5	2	2	4	5	3	6	5	12	15	20	35	60	110	151	165	171	153	108	70	11	3	-
	F--	981	2	-	3	3	5	2	1	4	2	8	9	23	24	52	67	86	112	136	128	145	107	48	14	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	6	3	2	2	-	1	-	1	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	1	3	4	1	-	1	1	-	-
140-148	Of buccal cavity and pharynx	50	-	-	-	-	-	-	-	-	-	1	1	1	1	7	3	3	8	6	2	8	4	5	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	1	1	-	-	6	3	-	5	4	2	7	2	4	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	-	1	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	801	-	-	-	-	-	-	1	-	1	-	4	5	7	18	33	62	101	117	138	141	111	50	12	-	-
	White-----M--	427	-	-	-	-	-	-	-	-	1	-	4	3	7	12	18	37	61	63	71	66	52	28	4	-	-
	F--	363	-	-	-	-	-	-	1	-	-	-	-	2	-	6	13	24	36	53	66	75	59	21	7	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
160-164	Of respiratory system (not secondary)	223	-	-	-	-	-	-	-	-	-	-	1	-	4	10	18	40	37	36	34	24	11	6	2	-	-
	White-----M--	189	-	-	-	-	-	-	-	-	-	-	-	-	4	8	12	39	32	32	30	16	10	5	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	1	5	3	3	7	1	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
170	Of breast	204	-	-	-	-	-	-	-	-	-	-	2	5	14	17	26	19	24	30	21	17	15	12	2	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	F--	197	-	-	-	-	-	-	-	-	-	-	2	5	14	15	26	19	24	29	19	17	14	11	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
171-179	Of genital organs	320	-	-	-	-	-	-	-	2	-	2	5	8	5	20	14	24	35	43	54	47	33	22	4	2	-
	White-----M--	148	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	2	12	17	35	29	21	19	4	1	-
	F--	163	-	-	-	-	-	-	-	2	-	1	3	7	4	17	11	21	23	25	17	17	12	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-
180, 181	Of urinary organs	106	-	-	1	1	2	-	-	-	1	-	-	-	-	2	4	10	15	20	15	17	8	8	2	-	-
	White-----M--	75	-	-	1	1	1	-	-	-	-	-	-	-	-	1	4	5	12	16	10	14	4	5	1	-	-
	F--	30	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	5	3	3	5	3	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	205	1	2	5	2	3	1	1	3	1	3	2	11	4	9	15	25	22	23	21	19	16	12	4	-	-
	White-----M--	110	-	2	3	1	1	-	1	2	1	2	1	4	1	5	9	14	14	12	12	9	9	6	1	-	-
	F--	93	1	-	2	1	2	1	-	1	-	1	1	7	3	4	6	11	8	10	8	10	7	6	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia	106	2	1	2	2	2	2	4	2	3	1	3	5	4	1	3	9	10	10	10	15	9	4	-	2	-
	White-----M--	66	1	1	1	-	-	2	4	1	2	-	3	3	2	-	3	6	7	6	6	7	7	2	-	2	-
	F--	39	1	-	1	2	2	-	-	1	1	1	-	1	2	1	-	3	3	4	4	8	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	125	-	-	-	-	-	3	-	-	2	6	4	4	6	7	14	7	18	22	10	13	8	1	-	-	-
	White-----M--	66	-	-	-	-	-	2	-	-	2	1	1	4	6	2	8	7	8	14	4	5	2	-	-	-	-
	F--	54	-	-	-	-	-	1	-	-	-	5	2	-	-	5	5	-	8	8	6	7	6	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	31	-	-	1	1	-	-	1	-	1	-	-	-	2	5	3	4	2	3	1	6	-	1	-	-	-
	White-----M--	8	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-
	F--	21	-	-	1	-	-	-	-	-	1	-	-	-	1	3	3	2	1	2	1	5	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	267	-	-	-	-	-	2	1	-	1	2	3	4	6	10	7	13	21	44	46	47	36	17	7	-	-
	White-----M--	123	-	-	-	-	-	1	-	-	1	2	2	3	4	5	6	5	8	15	22	19	16	10	4	-	-
	F--	138	-	-	-	-	-	1	1	-	-	-	1	1	2	4	1	7	12	28	24	28	18	7	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	8	3	5	1	1	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	4	1	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	6	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,175	2	3	-	-	2	3	4	3	14	10	18	53	83	145	217	389	577	878	1,072	1,240	1,160	821	377	103	1
	White-----M--	4,091	-	2	-	-	2	2	1	2	2	7	11	31	57	101	154	273	391	571	639	657	605	389	154	40	-
	F--	2,927	1	1	-	-	-	1	3	1	10	3	5	15	20	37	53	102	162	287	409	569	544	421	222	60	1
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	2	-	1	4	5	5	5	8	15	12	10	6	4	3	-	1	-
	F--	76	1	-	-	-	-	-	-	-	-	-	1	3	1	2	5	6	9	8	14	8	7	8	1	2	-
330-334, 400-468	Diseases of cardiovascular system	7,061	2	3	-	-	1	2	2	2	11	10	13	45	80	138	213	381	564	865	1,060	1,230	1,150	814	372	102	1
	White-----M--	4,026	-	2	-	-	1	1	-	1	2	7	7	28	55	97	152	268	384	565	628	650	600	387	151	40	-
	F--	2,884	1	1	-	-	-	1	2	1	8	3	5	11	20	34	51	100	157	280	408	566	539	416	220	59	1
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	1	-	-	3	5	5	5	7	15	12	10	6	4	3	-	1	-
	F--	74	1	-	-	-	-	-	-	-	-	-	1	3	-	2	5	6	8	8	14	8	7	8	1	2	-
330-334	Vascular lesions, etc.*	1,725	1	1	-	-	-	-	-	-	3	2	5	8	12	20	30	62	110	170	274	340	327	220	108	31	1
	White-----M--	808	-	-	-	-	-	-	-	-	1	-	2	4	4	11	10	33	64	90	143	159	158	89	34	6	-
	F--	878	-	1	-	-	-	-	-	-	2	2	2	4	8	9	17	26	40	76	123	177	166	127	73	24	1
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	1	-	2	-	1	-
	F--	24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	3	4	3	3	2	1	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																										
400-402	Rheumatic fever---	9	-	1	-	-	-	-	2	-	2	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	4,887	1	1	-	-	1	2	-	2	4	7	8	34	67	114	177	305	428	657	740	810	743	516	215	55	-
	White-----M--	2,981	-	1	-	-	1	1	-	1	1	6	5	22	51	83	138	227	303	450	460	449	405	254	98	25	-
	F--	1,804	1	-	-	-	-	1	-	1	2	1	3	6	11	24	32	69	110	192	264	353	331	257	117	29	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	1	-	-	3	5	5	4	6	10	11	6	4	4	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	3	5	4	10	4	3	5	-	1	-
410-416	Chronic rheumatic heart disease----	150	-	-	-	-	-	-	-	-	3	2	2	9	5	11	9	17	14	15	15	21	14	7	5	1	-
	White-----M--	73	-	-	-	-	-	-	-	-	1	1	1	7	3	1	4	7	8	8	7	14	6	4	-	1	-
	F--	75	-	-	-	-	-	-	-	-	2	1	1	2	2	9	5	10	6	7	7	7	8	3	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,316	-	-	-	-	-	-	-	1	-	3	4	20	55	81	140	249	336	500	533	520	451	277	120	26	-
	White-----M--	2,196	-	-	-	-	-	-	-	-	-	3	3	11	43	68	119	197	246	367	357	313	252	143	63	11	-
	F--	1,052	-	-	-	-	-	-	-	1	-	-	1	4	7	9	17	47	77	125	166	201	195	130	57	15	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	-	-	2	5	4	3	4	10	6	2	3	2	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	3	2	8	3	2	4	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	662	-	-	-	-	-	-	-	-	-	-	1	1	2	2	8	10	27	55	81	116	153	130	55	21	-
	White-----M--	329	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	5	16	31	39	57	77	68	20	9	-
	F--	324	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	11	21	40	59	76	62	35	11	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-
430-434	Other diseases of heart---------	249	1	1	-	-	1	2	-	1	1	2	1	3	2	8	8	12	21	31	44	37	39	22	8	4	-
	White-----M--	154	-	1	-	-	1	1	-	1	-	2	-	3	-	5	6	9	17	20	26	21	27	8	3	3	-
	F--	85	1	-	-	-	-	1	-	-	-	-	1	-	2	2	-	2	4	11	16	15	10	14	5	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	510	-	-	-	-	-	-	-	-	-	-	-	1	3	12	12	17	30	56	67	116	86	80	27	3	-
	White-----M--	229	-	-	-	-	-	-	-	-	-	-	-	1	3	9	5	9	16	24	31	44	43	31	12	1	-
	F--	268	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	12	28	35	71	42	48	15	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	65	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	9	6	14	9	4	8	1	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	7	4	3	4	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	4	7	5	1	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	285	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	10	26	52	63	63	41	15	-
	White-----M--	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	15	24	31	33	15	9	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	4	11	26	32	29	26	5	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
451-468	Other diseases of circulatory sys.-	90	-	-	-	-	-	-	-	-	2	-	-	2	-	3	2	6	10	19	13	14	8	11	-	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	8	15	7	11	2	8	-	-	-
	F--	26	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	3	1	3	6	3	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	114	-	-	-	-	1	1	2	1	3	-	5	8	3	7	4	8	13	13	12	10	10	7	5	1	-
	White-----M--	65	-	-	-	-	1	1	1	1	-	-	4	3	2	4	2	5	7	6	11	7	5	2	3	-	-
	F--	43	-	-	-	-	-	-	1	-	2	-	-	4	-	3	2	2	5	7	1	3	5	5	2	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	369	43	5	1	1	3	5	3	2	2	3	1	4	7	10	10	7	14	31	33	51	53	47	24	9	-
	White-----M--	189	17	1	1	1	-	2	-	2	1	1	1	1	3	6	6	3	9	16	23	29	25	25	12	4	-
	F--	164	19	3	-	-	3	3	2	-	1	2	-	3	4	2	4	4	5	13	9	20	28	22	12	5	-
	Nonwhite--M--	9	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
	F--	7	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
480-483	Influenza---------	42	5	-	-	1	1	-	1	-	-	-	-	1	-	1	1	1	3	3	4	2	6	6	3	3	-
	White-----M--	21	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	2	3	4	-	1	-
	F--	19	3	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	3	2	3	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	327	38	5	1	-	2	5	2	2	2	3	1	3	7	9	9	6	11	28	29	49	47	41	21	6	-
	White-----M--	168	16	1	1	-	-	2	-	2	1	1	1	1	3	6	5	3	7	14	19	27	22	21	12	3	-
	F--	145	16	3	-	-	2	3	1	-	1	2	-	2	4	2	4	3	4	12	9	20	25	20	9	3	-
	Nonwhite--M--	8	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
500-502	Bronchitis--------	23	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	5	-	4	-	-
	White-----M--	15	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	3	-	2	-	-
	F--	8	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	78	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	10	10	3	14	10	14	5	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	-	1	-	1	1	7	8	6	3	12	8	9	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	1	2	5	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	25	-	-	-	-	-	1	1	1	1	1	3	-	1	-	1	-	1	4	2	5	-	2	1	-	-
	White-----M--	12	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	2	1	3	-	1	1	-	-
	F--	13	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	1	2	1	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	80	5	-	1	1	-	1	-	1	-	-	1	-	1	4	4	4	9	13	11	10	6	6	2	-	-
	White-----M--	40	4	-	1	-	-	1	-	-	-	-	-	-	1	1	1	2	3	2	10	5	4	5	-	-	-
	F--	38	1	-	-	1	-	-	-	1	-	-	1	-	-	2	3	2	5	11	1	5	2	1	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																										
543,	Gastritis, etc.*--	55	15	2	-	-	-	1	-	-	-	-	2	1	-	1	1	2	7	3	2	10	4	2	2	-	-
571,	White-----M--	25	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	1	4	3	1	-	-	-
572	F--	24	3	1	-	-	-	1	-	-	-	-	1	1	-	1	1	-	3	1	1	6	1	1	2	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	99	-	-	-	-	-	-	-	-	-	1	4	6	14	6	19	10	6	12	11	4	2	4	-	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	2	3	9	4	12	6	4	8	9	2	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	3	4	2	6	3	2	2	2	2	1	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	21	1	-	-	-	1	-	-	1	-	1	1	-	1	-	2	-	2	-	4	3	3	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	1	-	4	1	2	-	-	-	-
	F--	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	8	14	26	19	2	1	-
	White-----M--	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	8	14	25	19	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	17	...	...	...	...	...	...	-	-	2	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	-	2	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	15	...	...	...	...	...	...	-	-	2	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	15	...	...	...	...	...	...	-	-	2	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	197	146	5	1	2	2	7	2	3	3	2	2	2	5	5	3	1	3	-	-	1	2	-	-	-	-
	White-----M--	101	74	1	-	2	1	5	2	1	1	1	-	1	4	1	2	1	2	-	-	1	1	-	-	-	-
	F--	89	69	2	1	-	1	2	-	1	2	1	2	1	1	3	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	511	511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	72	5	1	-	-	1	-	-	-	1	2	-	3	-	-	5	4	4	3	5	10	6	10	9	3	-
795	White-----M--	46	3	-	-	-	1	-	-	-	-	1	-	2	-	-	4	3	4	2	4	9	3	4	5	1	-
	F--	24	1	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	1	1	3	6	4	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Re-	All other diseases	640	40	9	3	4	2	11	6	6	12	7	7	5	25	25	29	35	61	83	90	65	63	30	17	5	-
sid-	White-----M--	335	24	6	2	2	-	6	3	3	7	4	4	1	12	13	17	20	36	45	46	32	27	17	6	2	-
ual	F--	293	14	3	1	2	2	4	2	3	4	3	3	3	13	12	10	14	24	38	44	32	35	13	11	3	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	1	-	-	-	-
	F--	5	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-	Accidents---------	904	33	17	13	15	-	20	35	72	67	48	34	30	34	35	59	42	45	43	55	49	57	59	34	7	1
E962	White-----M--	597	16	8	5	7	-	13	24	58	56	43	23	21	31	30	45	31	30	33	34	22	23	26	13	4	1
	F--	271	13	9	7	5	-	6	11	12	8	4	9	5	1	3	12	11	12	10	20	25	33	32	20	3	-
	Nonwhite--M--	22	2	-	1	1	-	1	-	2	2	1	2	2	1	1	2	-	2	-	1	1	-	-	-	-	-
	F--	14	2	-	-	2	-	-	-	-	1	-	-	2	1	1	-	-	1	-	-	1	1	1	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	337	3	4	4	6	-	8	18	41	44	33	19	16	14	16	26	20	19	14	12	11	5	3	1	-	-
	White-----M--	251	2	3	1	2	-	5	12	31	35	29	12	11	14	15	19	14	13	11	8	8	4	1	1	-	-
	F--	77	1	1	3	3	-	3	6	10	7	3	6	2	-	1	6	6	6	3	4	3	1	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	567	30	13	9	9	-	12	17	31	23	15	15	14	20	19	33	22	26	29	43	38	52	56	33	7	1
E802,	White-----M--	346	14	5	4	5	-	8	12	27	21	14	11	10	17	15	26	17	17	22	26	14	19	25	12	4	1
E840-	F--	194	12	8	4	2	-	3	5	2	1	1	3	3	1	2	6	5	6	7	16	22	32	30	20	3	-
E962	Nonwhite--M--	17	2	-	1	1	-	1	-	2	1	-	1	1	1	1	1	-	2	-	1	1	-	-	-	-	-
	F--	10	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	1	1	-	-
E963,	Suicide----------	135	-	-	-	-	-	-	-	2	2	3	10	9	14	12	16	20	19	11	9	2	4	2	-	-	-
E970-	White-----M--	107	-	-	-	-	-	-	-	1	2	3	6	6	12	8	14	15	16	10	6	2	4	2	-	-	-
E979	F--	27	-	-	-	-	-	-	-	1	-	-	4	2	2	4	2	5	3	1	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	18	-	-	-	-	-	-	-	1	3	-	4	3	2	2	1	-	1	1	-	-	-	-	-	-	-
E980-	White-----M--	9	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	1	1	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA																										
	ALL CAUSES------	1,987	188	15	2	6	-	12	11	21	35	37	54	57	89	104	137	163	187	229	190	194	134	81	22	14	5
	White-----M--	1,249	100	7	-	3	-	7	9	14	20	17	34	35	48	69	97	127	131	167	120	111	69	45	10	6	3
	F--	556	57	6	1	3	-	4	2	4	10	10	13	16	31	26	29	27	46	43	59	67	55	31	10	6	-
	Nonwhite--M--	101	19	1	1	-	-	-	-	2	3	6	4	4	7	6	8	4	5	10	8	8	1	4	-	-	-
	F--	81	12	1	-	-	-	1	-	1	2	4	3	2	3	3	3	5	5	9	3	8	9	1	2	2	2
001-019	Tuberculosis, all forms--------	41	-	-	-	-	-	-	-	-	-	-	2	-	2	2	8	2	8	5	6	4	2	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	2	8	4	6	4	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	39	-	-	-	-	-	-	-	-	-	-	2	-	2	2	7	2	8	5	6	3	2	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	2	8	4	6	3	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	12	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	1	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*----	227	-	-	-	-	-	-	-	1	1	3	2	7	12	13	11	28	33	34	27	28	19	7	1	-	-
	White-----M--	134	-	-	-	-	-	-	-	1	1	1	2	3	2	4	7	16	22	25	16	19	9	5	1	-	-
	F--	85	-	-	-	-	-	-	-	-	-	2	-	3	10	8	4	12	9	8	11	7	9	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	1	-	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	80	-	-	-	-	-	-	-	-	-	-	-	-	5	4	5	9	9	11	9	14	8	5	1	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	6	6	7	6	7	2	3	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	3	3	3	3	5	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	33	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	5	7	6	2	4	1	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	1	-	-	2	3	5	6	5	2	4	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	12	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	2	-	1	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	35	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	3	6	3	8	3	1	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	3	3	1	4	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	2	4	2	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	3	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	21	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	1	1	3	3	2	4	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	3	1	1	3	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
204	Leukemia and aleukemia----------	10	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	1	2	1	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	9	3	4	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	1	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
290-293	Anemias----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	4	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	860	2	1	-	-	-	-	1	-	1	6	6	15	29	39	65	81	93	117	113	131	80	54	17	8	1
	White-----M--	552	1	-	-	-	-	-	1	-	1	3	2	11	19	28	54	67	68	81	70	63	43	27	7	5	1
	F--	255	1	1	-	-	-	-	-	-	-	2	3	2	8	7	7	10	22	28	38	55	36	24	8	3	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	2	1	5	4	6	-	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	3	1	7	1	1	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	845	2	1	-	-	-	-	1	-	1	6	6	15	29	38	65	79	90	116	111	128	79	53	16	8	1
	White-----M--	544	1	-	-	-	-	-	1	-	1	3	2	11	19	28	54	65	66	81	68	62	43	27	6	5	1
	F--	249	1	1	-	-	-	-	-	-	-	2	3	2	8	6	7	10	21	27	38	54	35	23	8	3	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	2	1	5	4	5	-	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	3	1	7	1	1	2	-	-
330-334	Vascular lesions, etc.*----------	157	1	-	-	-	-	-	1	-	-	-	-	2	8	3	8	11	16	19	22	32	20	9	4	1	-
	White-----M--	82	1	-	-	-	-	-	1	-	-	-	-	-	3	1	3	9	8	11	12	15	11	4	2	1	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	1	4	1	4	2	6	6	9	13	9	5	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	3	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																										
400-402	Rheumatic fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	628	1	1	-	-	-	-	-	-	-	6	5	12	19	33	53	65	69	89	82	85	53	38	10	7	-
	White-----M--	426	-	-	-	-	-	-	-	-	-	3	2	10	15	26	48	53	53	64	53	43	29	20	3	4	-
	F--	167	1	1	-	-	-	-	-	-	-	2	2	1	3	5	2	8	15	19	26	35	23	16	5	3	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	4	2	3	-	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	2	1	4	1	1	2	-	-
410-416	Chronic rheumatic heart disease	22	-	-	-	-	-	-	-	-	-	2	1	3	3	3	-	2	3	2	-	1	2	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	1	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	1	2	-	-	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	465	-	-	-	-	-	-	-	-	-	2	3	8	14	25	46	54	51	72	59	60	36	23	6	6	-
	White-----M--	342	-	-	-	-	-	-	-	-	-	2	2	7	13	21	42	48	42	52	39	32	22	14	3	3	-
	F--	108	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	5	9	15	18	25	14	9	3	3	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	61	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	1	9	14	10	10	4	1	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	1	7	7	7	4	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	5	3	5	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-
430-434	Other diseases of heart	35	1	1	-	-	-	-	-	-	-	2	1	-	-	2	3	4	5	8	5	2	-	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	3	6	4	-	-	1	-	-	-
	F--	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.	45	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	5	6	9	8	5	4	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	4	3	3	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	4	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
444-447	Hypertension without mention of heart	20	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	2	4	4	2	1	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	2	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	2	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	3	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	21	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	3	4	2	1	-	2	-	-	1
	White-----M--	18	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	3	4	2	-	-	1	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	3	1	1	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	54	11	1	-	1	-	-	1	-	-	1	2	-	3	-	3	2	5	7	4	2	7	4	-	-	-
	White-----M--	25	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	2	3	6	2	2	2	1	-	-	-
	F--	19	5	-	-	1	-	-	-	-	-	-	1	-	1	-	2	-	1	1	1	-	3	3	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
480-483	Influenza	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	51	10	1	-	-	-	-	1	-	-	1	2	-	3	-	3	2	4	7	4	2	7	4	-	-	-
	White-----M--	24	2	1	-	-	-	-	1	-	-	-	-	-	2	-	-	2	3	6	2	2	2	1	-	-	-
	F--	18	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	1	-	3	3	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
500-502	Bronchitis	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	4	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	1	-	-	-	-
	White-----M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																										
543,	Gastritis, etc.*--	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
571,	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
572	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	31	-	-	-	-	-	-	-	-	-	1	5	1	5	3	4	4	5	3	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	3	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	3	-	3	2	3	-	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	25	18	2	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	12	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	6	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn---------	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	65	4	1	-	-	-	-	-	-	-	-	2	-	3	4	1	8	5	8	7	4	6	8	1	2	1
795	White-----M--	43	3	-	-	-	-	-	-	-	-	-	1	-	2	2	-	7	4	6	5	4	3	5	1	-	-
	F--	10	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	1	1	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	1
Re-	All other diseases	129	8	1	-	1	-	3	-	-	3	2	2	6	8	8	12	16	10	16	15	7	5	3	-	2	1
sid-	White-----M--	86	5	1	-	-	-	1	-	-	1	1	1	4	5	5	6	13	8	15	9	5	3	2	-	-	1
ual	F--	32	2	-	-	1	-	2	-	-	1	1	-	2	2	3	5	2	2	-	4	2	1	1	-	1	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-
E800-	Accidents---------	233	5	6	2	3	-	4	6	19	24	12	22	20	12	22	16	9	10	15	7	5	4	4	3	2	1
E962	White-----M--	164	2	4	-	2	-	4	5	12	16	9	19	14	8	17	14	6	4	12	3	5	1	4	1	1	1
	F--	46	1	1	1	1	-	-	1	4	6	-	2	4	3	3	2	2	5	1	4	-	2	-	2	1	-
	Nonwhite--M--	17	1	-	1	-	-	-	-	2	1	2	1	2	1	2	-	1	1	2	-	-	-	-	-	-	-
	F--	6	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	123	-	1	-	-	-	1	1	16	21	9	9	8	6	15	10	5	7	11	1	2	-	-	-	-	-
	White-----M--	87	-	1	-	-	-	1	-	9	14	7	8	5	4	10	9	4	2	10	1	2	-	-	-	-	-
	F--	25	-	-	-	-	-	-	1	4	6	-	-	2	2	3	1	1	4	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	2	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	110	5	5	2	3	-	3	5	3	3	3	13	12	6	7	6	4	3	4	6	3	4	4	3	2	1
E802,	White-----M--	77	2	3	-	2	-	3	5	3	2	2	11	9	4	7	5	2	2	2	2	3	1	4	1	1	1
E840-	F--	21	1	1	1	1	-	-	-	-	-	-	2	2	1	-	1	1	1	-	4	-	2	-	2	1	-
E962	Nonwhite--M--	9	1	-	1	-	-	-	-	-	1	1	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E963,	Suicide----------	63	-	-	-	-	-	-	2	-	2	3	5	5	10	4	7	5	8	6	3	2	-	1	-	-	-
E970-	White-----M--	43	-	-	-	-	-	-	2	-	-	-	4	2	7	3	4	4	6	5	3	2	-	1	-	-	-
E979	F--	17	-	-	-	-	-	-	-	-	1	2	1	3	3	1	3	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	20	-	-	-	-	-	-	-	-	1	4	4	-	2	4	2	2	-	-	-	-	-	-	-	-	1
E980-	White-----M--	11	-	-	-	-	-	-	-	-	-	2	3	-	1	3	1	1	-	-	-	-	-	-	-	-	-
E985	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE																										
	ALL CAUSES------	6,464	321	23	11	14	9	32	21	36	43	39	54	97	113	186	285	399	523	722	891	933	827	577	237	62	9
	White-----M--	3,586	194	13	4	9	6	21	14	30	32	25	31	56	69	126	187	243	333	425	494	489	389	267	99	25	5
	F--	2,869	127	10	7	5	3	11	7	6	11	14	23	41	43	60	97	156	188	296	397	442	438	309	137	37	4
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
001-019	Tuberculosis, all forms--------	26	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	1	5	2	6	1	1	2	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	4	2	6	1	1	2	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	25	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	1	5	2	6	1	1	2	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	2	6	1	1	2	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	2	1	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	-	-	1	1	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	14	2	-	1	1	-	-	-	-	-	1	-	1	1	-	-	2	1	1	2	-	1	-	-	-	-
	White-----M--	7	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F--	7	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*----	1,041	-	1	-	2	1	4	2	4	3	7	12	15	25	55	79	105	107	164	153	132	102	56	10	1	1
	White-----M--	541	-	-	-	1	1	3	-	3	3	2	7	5	10	33	39	53	59	91	83	69	44	32	3	-	-
	F--	499	-	1	-	1	-	1	2	1	-	5	5	10	15	22	39	52	48	73	70	63	58	24	7	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	1	4	4	3	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	4	3	2	2	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	410	-	-	-	-	-	-	-	-	-	2	4	4	8	17	20	36	44	58	65	69	51	28	3	1	-
	White-----M--	212	-	-	-	-	-	-	-	-	-	1	2	1	5	9	13	11	28	34	37	36	21	14	-	-	-
	F--	197	-	-	-	-	-	-	-	-	-	1	2	3	3	8	6	25	16	24	28	33	30	14	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	133	-	-	-	-	-	-	-	-	-	-	-	3	7	13	16	23	17	22	11	10	7	4	-	-	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	2	4	12	15	21	13	21	8	5	3	3	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	4	1	3	5	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	93	-	-	-	-	-	-	-	-	-	-	2	2	4	6	13	7	9	21	10	6	10	1	1	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	92	-	-	-	-	-	-	-	-	-	-	2	2	4	6	13	7	9	20	10	6	10	1	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	124	-	-	-	-	-	-	-	-	-	1	1	3	4	3	8	11	14	14	22	18	12	9	4	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	12	12	8	7	3	-	-
	F--	71	-	-	-	-	-	-	-	-	-	1	1	3	4	3	8	9	9	10	10	6	4	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	70	-	-	-	-	1	1	-	-	-	-	1	-	-	2	6	5	6	15	12	10	8	3	-	-	-
	White-----M--	45	-	-	-	-	1	1	-	-	-	-	1	-	-	1	5	4	3	10	8	6	4	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	4	4	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	96	-	-	-	1	-	1	1	1	1	3	-	-	1	11	4	13	9	15	11	7	7	8	2	-	-
	White-----M--	53	-	-	-	-	-	1	-	1	1	1	-	-	-	9	3	8	4	7	6	3	4	5	-	-	-
	F--	43	-	-	-	1	-	-	1	-	-	2	-	-	1	2	1	5	5	8	5	4	3	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	54	-	1	-	1	-	2	1	3	2	1	3	1	-	1	5	4	2	7	11	6	2	1	-	-	-
	White-----M--	31	-	-	-	1	-	1	-	2	2	-	3	-	-	-	1	3	2	5	6	3	2	-	-	-	-
	F--	23	-	1	-	-	-	1	1	1	-	1	-	1	-	1	4	1	-	2	5	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	35	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	1	4	11	7	2	2	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	3	8	2	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	3	5	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	24	1	-	-	-	-	-	-	-	-	1	1	3	1	3	1	3	1	2	-	5	2	-	-	-	-
	White-----M--	10	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	3	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	3	-	1	-	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	147	-	-	-	-	-	-	-	1	2	2	2	3	2	3	8	9	12	25	31	18	18	9	2	-	-
	White-----M--	61	-	-	-	-	-	-	-	1	1	-	1	3	2	2	3	5	4	9	12	6	4	7	1	-	-
	F--	86	-	-	-	-	-	-	-	-	1	2	1	-	-	1	5	4	8	16	19	12	14	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	12	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	1	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,711	3	2	1	1	-	-	3	1	-	4	14	27	44	75	140	203	291	425	562	646	589	442	181	53	4
	White-----M--	1,996	1	1	-	-	-	-	2	-	-	3	8	19	29	57	99	128	187	246	310	332	277	195	78	21	3
	F--	1,709	2	1	1	1	-	-	1	1	-	1	6	8	15	18	41	75	102	178	252	313	312	246	102	32	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,644	3	2	1	1	-	-	3	1	-	3	11	26	42	74	134	200	284	419	552	634	580	436	181	53	4
	White-----M--	1,968	1	1	-	-	-	-	2	-	-	3	7	19	28	56	95	126	184	244	306	327	274	193	78	21	3
	F--	1,670	2	1	1	1	-	-	1	1	-	-	4	7	14	18	39	74	98	174	246	306	306	242	102	32	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
330-334	Vascular lesions, etc.*----------	719	1	1	1	1	-	-	2	1	-	1	1	1	9	10	24	34	42	86	114	139	131	73	38	8	1
	White-----M--	330	-	1	-	-	-	-	1	-	-	1	1	1	2	7	14	17	20	45	54	67	48	26	21	3	1
	F--	387	1	-	1	1	-	-	1	1	-	-	-	-	7	3	10	17	21	41	60	71	83	47	17	5	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE--Continued																										
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,633	1	1	-	-	-	1	-	-	2	9	24	33	64	108	158	230	305	401	460	393	292	111	37	3	
	White-----M--	1,516	1	-	-	-	-	1	-	-	2	6	17	26	49	80	107	159	188	230	241	207	139	45	16	2	
	F--	1,113	-	1	-	-	-	-	-	-	-	3	7	7	15	28	51	70	116	171	219	186	152	65	21	1	
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
410-416	Chronic rheumatic heart disease----	80	-	-	-	-	-	-	-	-	-	1	1	6	5	5	13	4	9	11	10	5	6	2	2	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	-	2	1	3	10	2	4	6	6	2	4	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	4	4	2	3	2	5	5	4	3	2	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,930	1	-	-	-	-	-	-	-	-	1	6	16	22	50	78	129	179	221	305	344	278	194	78	26	2
	White-----M--	1,162	1	-	-	-	-	-	-	-	-	1	5	15	20	39	62	93	129	138	179	188	154	90	34	13	1
	F--	766	-	-	-	-	-	-	-	-	-	-	1	1	2	11	16	36	50	83	126	156	124	103	43	13	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	255	-	-	-	-	-	-	-	-	-	-	1	-	3	-	6	4	11	20	30	47	47	55	23	8	-
	White-----M--	141	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	2	8	11	21	24	24	32	9	3	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	9	9	23	23	23	14	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	81	-	1	-	-	-	-	-	-	-	-	1	2	2	5	3	7	10	14	10	8	9	7	2	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	6	10	7	5	6	4	-	-	-
	F--	31	-	1	-	-	-	-	-	-	-	-	1	2	-	1	1	4	4	3	3	3	3	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	287	-	-	-	-	-	-	1	-	-	-	-	-	1	4	8	14	21	39	46	56	53	34	6	3	1
	White-----M--	122	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	7	12	23	17	22	19	12	2	-	1
	F--	165	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	7	9	16	29	34	34	22	4	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	9	7	8	7	-	1	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	5	2	5	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	6	2	6	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	13	19	19	44	56	32	7	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	12	9	16	20	12	2	-
	F--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	7	10	28	36	20	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	58	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	8	12	9	9	4	8	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	7	5	1	3	-	-	-
	F--	31	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	5	6	2	4	3	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	67	-	-	-	-	-	-	-	-	-	1	3	1	2	1	6	3	7	6	10	12	9	6	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	3	2	4	5	3	2	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	1	4	4	6	7	6	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	143	15	5	3	-	-	4	-	1	2	-	-	3	3	1	4	6	8	8	16	16	19	17	9	3	-
	White-----M--	75	11	2	2	-	-	2	-	1	-	-	-	2	1	1	1	4	7	3	9	10	11	5	2	1	-
	F--	67	4	3	1	-	-	2	-	-	2	-	-	1	1	-	3	2	1	5	7	6	8	12	7	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	138	15	5	3	-	-	4	-	1	2	-	-	3	3	1	4	6	7	8	16	15	18	16	8	3	-
	White-----M--	72	11	2	2	-	-	2	-	1	-	-	-	2	1	1	1	4	6	3	9	9	10	5	2	1	-
	F--	65	4	3	1	-	-	2	-	-	2	-	-	1	1	-	3	2	1	5	7	6	8	11	6	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	13	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1	3	2	2	-	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	69	-	-	-	-	-	-	-	-	-	-	-	2	4	1	6	4	6	10	14	10	8	4	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	2	3	1	5	4	5	8	10	8	4	4	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	4	2	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	10	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	2	1	-	2	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	2	1	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	39	3	-	-	-	-	-	-	-	-	-	2	1	-	-	1	3	3	3	4	9	6	1	3	-	-
	White-----M--	19	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	1	4	2	1	2	-	-
	F--	20	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	3	5	4	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																										
543,	Gastritis, etc.*--	32	6	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	3	2	4	4	4	5	-	-	-
571,	White-----M--	10	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-
572	F--	22	5	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	3	2	2	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	79	-	-	-	-	-	-	-	-	-	-	2	5	3	12	7	10	9	14	4	6	6	1	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	7	8	11	2	3	4	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	2	-	5	2	3	1	3	2	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	1	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	2	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	4	5	4	1	1	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	4	5	4	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	72	53	2	-	1	2	5	1	1	1	-	-	1	-	1	1	-	-	-	2	-	1	-	-	-	-
	White-----M--	36	27	2	-	-	-	2	1	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	36	26	-	-	1	2	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	49	1	-	-	-	-	-	-	-	1	-	2	2	1	-	1	2	1	2	12	6	8	3	5	-	2
795	White-----M--	28	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	1	2	7	5	4	1	1	-	1
	F--	21	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	5	1	4	2	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	325	29	3	-	1	1	4	6	2	3	5	4	11	6	12	13	24	48	37	41	31	21	12	10	-	1
sid-	White-----M--	191	14	3	-	1	1	4	3	1	1	1	2	5	2	6	12	18	31	25	25	16	8	7	5	-	-
ual	F--	133	15	-	-	-	-	-	3	1	2	4	2	6	4	6	1	6	17	12	16	14	13	5	5	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-	Accidents---------	322	9	7	5	6	3	12	9	23	24	14	7	14	12	15	10	12	10	12	22	29	29	18	15	4	1
E962	White-----M--	225	6	4	2	4	3	10	8	22	20	14	5	11	11	12	8	8	8	9	14	14	17	6	6	2	1
	F--	97	3	3	3	2	-	2	1	1	4	-	2	3	1	3	2	4	2	3	8	15	12	12	9	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	103	1	-	-	1	-	3	1	14	18	8	4	7	5	7	4	4	3	4	7	7	3	2	-	-	-
	White-----M--	85	1	-	-	1	-	3	1	13	15	8	3	5	5	4	3	1	3	4	6	6	1	2	-	-	-
	F--	18	-	-	-	-	-	-	-	1	3	-	1	2	-	3	1	3	-	-	1	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	219	8	7	5	5	3	9	8	9	6	6	3	7	7	8	6	8	7	8	15	22	26	16	15	4	1
E802,	White-----M--	140	5	4	2	3	3	7	7	9	5	6	2	6	6	8	5	7	5	5	8	8	16	4	6	2	1
E840-	F--	79	3	3	3	2	-	2	1	-	1	-	1	1	1	-	1	1	2	3	7	14	10	12	9	2	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	70	-	-	-	-	-	-	-	1	4	3	7	4	8	5	5	8	7	4	4	7	2	1	-	-	-
E970-	White-----M--	51	-	-	-	-	-	-	-	1	4	3	4	1	4	3	5	5	5	4	2	7	2	1	-	-	-
E979	F--	19	-	-	-	-	-	-	-	-	-	-	3	3	4	2	-	3	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	6	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-
E980-	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
E985	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY																										
	ALL CAUSES------	54,290	2,954	164	102	78	65	229	146	231	304	403	608	940	1,509	2,198	3,042	4,445	5,927	7,094	7,140	6,722	5,226	3,170	1,255	323	15
	White-----M--	27,816	1,377	74	50	32	29	133	94	140	153	186	275	458	749	1,221	1,744	2,597	3,500	4,031	3,737	3,251	2,259	1,219	413	88	6
	F--	22,253	955	62	27	30	28	63	43	53	98	122	198	308	516	682	929	1,473	2,052	2,695	3,043	3,200	2,809	1,859	797	206	3
	Nonwhite--M--	2,351	377	14	16	8	4	19	6	23	32	53	68	87	138	173	212	220	205	209	203	135	82	37	17	8	5
	F--	1,870	245	14	9	8	4	14	3	15	21	42	67	87	104	122	157	155	170	159	157	136	76	55	28	21	1
001-019	Tuberculosis, all forms--------	584	2	2	1	2	-	-	-	3	6	12	27	41	47	58	59	57	74	77	47	34	19	12	1	3	-
	White-----M--	340	-	1	-	1	-	-	-	-	-	1	5	16	16	29	41	39	51	63	29	27	12	7	-	2	-
	F--	93	-	-	-	-	-	-	-	-	1	5	4	9	10	7	3	9	11	6	14	5	5	2	1	1	-
	Nonwhite--M--	91	1	-	1	-	-	-	-	1	1	2	8	9	11	17	10	7	8	8	3	1	2	1	-	-	-
	F--	60	1	1	-	1	-	-	-	2	4	4	10	7	10	5	5	2	4	-	1	1	-	2	-	-	-
001-008	Tuberculosis of respiratory system----------	532	1	1	-	-	-	-	-	2	5	10	23	36	40	47	55	55	68	76	47	31	19	12	1	3	-
	White-----M--	322	-	-	-	-	-	-	-	-	-	1	4	14	16	26	39	38	47	62	29	25	12	7	-	2	-
	F--	85	-	-	-	-	-	-	-	-	1	4	3	9	8	5	3	9	9	6	14	5	5	2	1	1	-
	Nonwhite--M--	80	1	-	-	-	-	-	-	-	1	2	7	7	10	14	9	7	8	8	3	-	2	1	-	-	-
	F--	45	-	1	-	-	-	-	-	2	3	3	9	6	6	2	4	1	4	-	1	1	-	2	-	-	-
010-019	Tuberculosis, other forms------	52	1	1	1	2	-	-	-	1	1	2	4	5	7	11	4	2	6	1	-	3	-	-	-	-	-
	White-----M--	18	-	1	-	1	-	-	-	-	-	-	1	2	-	3	2	1	4	1	-	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	1	-	-	-	-	1	-	-	1	2	1	3	1	-	-	-	-	1	-	-	-	-	-
	F--	15	1	-	-	1	-	-	-	-	1	1	1	1	4	3	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	107	1	-	-	-	-	-	-	-	-	-	-	1	2	11	19	10	19	15	17	6	3	2	1	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	5	9	7	10	3	2	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	4	1	1	-	1	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	1	8	4	2	1	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	2	1	1	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	33	12	3	2	1	-	4	-	3	-	-	1	-	1	-	1	-	1	2	2	-	-	-	-	-	-
	White-----M--	12	5	1	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	13	5	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	33	-	-	-	-	1	3	7	2	1	8	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	-	-	-	-	-	1	4	-	-	5	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	1	2	3	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	112	5	7	8	1	-	11	6	1	4	3	9	3	8	2	8	9	6	7	5	4	4	-	-	1	-
	White-----M--	53	4	2	4	-	-	5	2	-	1	1	3	1	6	1	2	6	4	4	3	2	2	-	-	-	-
	F--	43	1	3	3	1	-	4	3	-	1	2	3	-	1	1	5	3	2	3	2	2	2	-	-	1	-
	Nonwhite--M--	8	-	1	1	-	-	1	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	1	-	-	-	1	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*----	9,834	10	9	16	23	18	37	15	30	48	62	106	228	352	578	781	1,174	1,350	1,541	1,316	1,113	659	287	66	13	2
	White-----M--	5,048	4	6	5	11	8	21	9	20	22	26	47	80	125	260	353	593	752	903	719	602	322	131	25	4	-
	F--	4,269	6	3	8	11	7	13	6	9	21	29	56	119	194	260	361	497	536	587	544	473	331	146	41	9	2
	Nonwhite--M--	271	-	-	2	1	3	2	-	-	2	1	-	9	16	29	37	47	31	28	33	22	3	5	-	-	-
	F--	246	-	-	1	-	-	1	-	1	3	6	3	20	17	29	30	37	31	23	20	16	3	5	-	-	-
140-148	Of buccal cavity and pharynx------	228	-	-	-	-	-	-	-	1	2	3	1	5	13	9	10	32	23	45	32	31	13	6	2	-	-
	White-----M--	171	-	-	-	-	-	-	-	1	1	2	1	4	8	8	5	27	16	38	21	23	11	4	1	-	-
	F--	42	-	-	-	-	-	-	-	-	1	1	-	1	3	1	2	3	6	2	11	6	2	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	4	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,871	3	-	-	-	1	-	3	1	1	11	20	59	78	164	262	398	520	636	643	557	350	128	29	7	-
	White-----M--	2,033	1	-	-	-	-	-	2	1	1	4	13	24	31	84	147	203	295	380	338	286	158	55	9	1	-
	F--	1,654	2	-	-	-	1	-	1	-	-	4	7	26	42	63	98	167	194	238	273	254	189	69	20	6	-
	Nonwhite--M--	106	-	-	-	-	-	-	-	-	-	1	-	6	2	10	8	21	16	10	19	10	2	1	-	-	-
	F--	78	-	-	-	-	-	-	-	-	-	2	-	3	3	7	9	7	15	8	13	7	1	3	-	-	-
160-164	Of respiratory system (not secondary)-------	1,365	-	-	-	-	-	1	-	-	1	3	5	19	40	102	121	225	244	245	180	113	41	20	4	1	-
	White-----M--	1,120	-	-	-	-	-	-	-	-	-	-	4	12	31	83	97	185	211	212	149	91	28	14	2	1	-
	F--	182	-	-	-	-	-	1	-	-	-	3	1	7	4	11	8	28	25	27	27	19	13	6	2	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	4	7	16	9	7	3	4	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	1	3	-	2	-	-	-	-	-
170	Of breast---------	896	-	1	-	-	-	-	-	-	-	3	15	46	59	83	115	121	111	105	79	61	55	33	7	2	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	F--	850	-	1	-	-	-	-	-	-	-	3	13	41	58	76	109	110	107	103	74	60	53	33	7	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	2	5	1	7	5	9	3	1	5	1	2	-	-	-	-
171-179	Of genital organs-	1,287	-	-	1	-	-	-	-	3	11	11	16	29	58	80	97	154	170	205	153	151	90	46	12	-	-
	White-----M--	453	-	-	-	-	-	-	-	1	6	5	2	3	3	2	6	27	53	75	83	83	65	32	7	-	-
	F--	727	-	-	1	-	-	-	-	2	4	2	13	19	47	65	81	108	103	119	64	59	25	10	5	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	7	5	6	6	6	-	3	-	-	-
	F--	68	-	-	-	-	-	-	-	-	1	4	1	6	7	11	8	12	9	5	-	3	-	1	-	-	-
180, 181	Of urinary organs-	506	2	1	-	2	3	4	-	-	1	1	2	3	13	22	16	57	69	91	75	76	41	22	4	1	-
	White-----M--	345	2	1	-	1	1	2	-	-	-	1	2	1	6	13	10	40	55	68	55	50	23	12	2	-	-
	F--	137	-	-	-	1	1	2	-	-	-	-	-	1	5	5	5	15	12	17	18	24	18	10	2	1	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	-	-	1	1	4	1	2	1	3	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	3	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	895	2	4	2	5	10	10	4	8	16	9	20	30	46	70	85	97	113	120	93	79	44	22	3	2	1
	White-----M--	484	1	2	1	3	4	5	2	6	6	5	11	14	24	45	44	56	67	71	42	42	23	8	-	2	-
	F--	376	1	2	1	2	4	5	2	2	10	4	9	13	19	21	35	36	43	47	48	35	20	13	3	-	1
	Nonwhite--M--	20	-	-	-	-	2	-	-	-	-	-	-	-	2	3	3	2	2	1	2	1	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	3	1	1	1	1	-	-	-	-	-
204	Leukemia and aleukemia----------	379	3	2	11	15	3	20	6	8	10	11	8	16	16	19	30	44	48	43	25	21	13	3	4	-	-
	White-----M--	216	-	2	4	6	2	13	4	4	6	5	4	9	6	7	21	27	26	31	12	14	9	1	3	-	-
	F--	144	3	-	5	8	1	5	2	4	2	6	4	5	9	11	6	14	22	11	13	7	4	1	1	-	-
	Nonwhite--M--	8	-	-	1	1	-	1	-	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	11	-	-	1	-	-	1	-	-	-	-	-	2	1	1	2	2	-	-	-	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*---	407	-	1	2	1	1	2	2	9	6	10	19	21	29	29	45	46	52	51	36	24	12	7	1	-	1
	White-----M--	221	-	1	-	1	1	1	1	7	2	4	10	13	16	18	22	26	28	27	19	13	5	5	1	-	-
	F--	157	-	-	1	-	-	-	1	1	4	6	9	6	7	7	17	16	24	23	16	9	7	2	-	-	1
	Nonwhite--M--	19	-	-	1	-	-	1	-	-	-	-	-	1	4	3	4	3	-	-	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	-	1	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	163	4	2	1	2	1	5	1	3	1	6	6	12	10	17	12	13	16	14	17	9	5	6	-	-	-
	White-----M--	57	3	1	-	1	-	4	1	-	-	1	2	1	2	5	3	3	7	6	8	5	2	2	-	-	-
	F--	79	1	-	1	1	1	1	-	1	-	4	1	7	7	9	6	9	8	6	8	3	1	4	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	1	-	-	1	-	-	-	-
	F--	20	-	1	-	-	-	-	-	2	1	-	3	4	1	1	1	1	1	1	1	1	1	-	-	-	-
260	Diabetes mellitus-	1,116	1	-	-	-	1	1	3	1	4	7	6	13	13	31	39	98	153	246	204	172	80	39	3	1	-
	White-----M--	355	1	-	-	-	1	-	1	1	2	2	1	6	5	13	17	33	54	74	61	57	20	6	-	-	-
	F--	697	-	-	-	-	-	1	2	-	2	4	3	5	5	11	18	51	92	164	133	113	57	33	2	1	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	1	4	3	3	1	1	-	1	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	1	2	7	2	13	3	5	7	1	2	-	-	-	-
290-293	Anemias----------	99	3	1	-	1	-	-	2	1	1	-	3	2	4	7	5	4	8	12	16	15	7	4	3	-	-
	White-----M--	36	-	1	-	-	-	-	-	-	-	-	1	-	-	3	2	3	4	5	7	7	2	-	1	-	-
	F--	49	1	-	-	-	-	-	2	1	1	-	1	2	3	1	2	-	3	7	7	8	4	4	2	-	-
	Nonwhite--M--	10	-	-	-	1	-	-	-	-	-	-	-	-	1	3	1	-	1	-	2	-	1	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	57	19	2	2	2	2	4	-	1	-	2	-	3	2	3	1	6	1	3	1	2	-	1	-	-	-
	White-----M--	28	10	1	1	2	-	2	-	1	-	-	-	1	2	-	1	4	-	1	-	2	-	-	-	-	-
	F--	19	4	1	1	-	2	2	-	-	-	-	-	2	-	2	-	1	-	2	1	-	-	1	-	-	-
	Nonwhite--M--	7	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	31,007	13	4	2	1	2	13	14	27	51	67	167	321	617	971	1,566	2,375	3,533	4,273	4,673	4,643	3,922	2,464	1,029	250	9
	White-----M--	15,773	5	1	2	1	-	7	6	12	23	28	75	193	368	595	990	1,480	2,114	2,399	2,392	2,150	1,624	898	338	66	6
	F--	13,264	3	3	-	-	1	4	5	6	21	24	53	75	157	242	372	698	1,171	1,634	2,031	2,291	2,167	1,496	653	157	-
	Nonwhite--M--	1,031	3	-	-	-	1	2	2	6	4	9	19	29	48	73	105	117	126	132	138	98	63	29	16	8	3
	F--	939	2	-	-	-	-	-	1	3	3	6	20	24	44	61	99	80	122	108	112	104	68	41	22	19	-
330-334, 400-468	Diseases of cardiovascular system-	30,476	13	4	1	1	1	10	12	20	36	62	146	302	595	937	1,536	2,328	3,485	4,196	4,622	4,581	3,876	2,438	1,018	247	9
	White-----M--	15,533	5	1	1	1	-	5	4	8	12	24	65	185	356	580	975	1,459	2,097	2,365	2,375	2,116	1,606	888	333	86	6
	F--	13,031	3	3	-	-	-	3	5	3	17	23	47	69	151	231	365	679	1,147	1,593	1,999	2,269	2,141	1,480	647	156	-
	Nonwhite--M--	1,015	3	-	-	-	1	2	2	6	4	9	18	27	47	71	103	116	124	131	136	97	62	29	16	8	3
	F--	897	2	-	-	-	-	-	1	3	3	6	16	21	41	55	93	74	117	107	112	99	67	41	22	17	-
330-334	Vascular lesions, etc.*----------	5,100	5	1	-	1	1	7	5	3	6	12	25	44	84	107	183	324	537	701	829	860	779	391	158	35	2
	White-----M--	2,186	1	-	-	1	-	5	2	1	3	3	10	17	36	41	78	149	261	350	361	339	304	143	49	10	2
	F--	2,526	2	1	-	-	-	1	2	1	3	5	7	14	28	42	64	128	225	299	414	481	449	236	103	21	-
	Nonwhite--M--	200	2	-	-	-	1	1	1	-	-	3	2	7	10	10	22	22	20	32	34	16	10	4	2	1	-
	F--	208	-	-	-	-	-	-	-	1	-	1	6	6	10	14	19	25	31	20	20	24	16	8	4	3	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																										
400-402	Rheumatic fever---	33	-	1	-	-	-	-	4	2	-	-	-	3	1	2	4	4	6	2	-	2	1	1	-	-	-
	White-----M--	13	-	1	-	-	-	-	1	-	-	-	-	3	-	-	1	2	3	1	-	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	2	-	-	-	-	-	1	2	2	2	3	1	-	1	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	23,610	6	1	1	-	-	2	1	14	19	44	109	237	495	805	1,288	1,922	2,844	3,327	3,558	3,417	2,819	1,794	734	166	7
	White-----M--	12,540	3	-	1	-	-	-	1	6	7	19	51	158	315	528	867	1,262	1,780	1,917	1,895	1,621	1,177	649	241	38	4
	F--	9,698	1	1	-	-	-	1	-	2	9	15	34	48	117	183	279	523	884	1,232	1,490	1,654	1,552	1,099	464	110	-
	Nonwhite--M--	746	1	-	-	-	-	1	-	4	1	6	16	17	34	56	75	91	99	93	90	74	47	18	14	6	3
	F--	626	1	-	-	-	-	-	-	2	2	4	8	14	29	38	67	46	81	85	83	68	43	28	15	12	-
410-416	Chronic rheumatic heart disease----	763	2	-	1	-	-	-	-	10	10	18	33	56	83	100	114	108	94	46	37	25	19	7	-	-	-
	White-----M--	303	-	-	1	-	-	-	-	3	4	7	12	26	32	36	46	45	41	14	14	14	6	2	-	-	-
	F--	407	1	-	-	-	-	-	-	1	4	9	18	23	44	58	63	59	49	32	21	9	12	4	-	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	4	1	-	3	2	1	3	3	1	2	-	2	1	1	1	-	-	-
	F--	27	-	-	-	-	-	-	-	2	1	2	-	5	6	3	2	3	2	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,900	-	1	-	-	-	1	-	3	4	16	42	132	305	523	866	1,357	2,047	2,379	2,500	2,273	1,784	1,097	457	107	6
	White-----M--	9,064	-	-	-	-	-	-	-	2	2	11	29	104	221	390	660	972	1,347	1,448	1,389	1,129	776	407	147	27	3
	F--	6,072	-	1	-	-	-	-	-	1	2	2	7	13	49	75	128	314	584	830	1,012	1,066	964	665	294	65	-
	Nonwhite--M--	440	-	-	-	-	-	1	-	-	-	3	6	11	20	34	45	56	66	54	52	40	23	10	10	6	3
	F--	324	-	-	-	-	-	-	-	-	-	-	-	4	15	24	33	15	50	47	47	38	21	15	6	9	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,035	1	-	-	-	-	1	1	-	3	4	9	26	50	99	164	235	358	500	525	674	644	498	205	38	-
	White-----M--	2,006	1	-	-	-	-	-	1	-	1	1	4	21	35	64	111	146	220	278	286	313	276	176	66	6	-
	F--	1,770	-	-	-	-	-	1	-	-	2	-	4	4	9	24	35	62	106	181	204	328	342	308	130	30	-
	Nonwhite--M--	129	-	-	-	-	-	-	-	-	-	1	-	1	3	4	8	15	18	20	20	21	12	5	1	-	-
	F--	130	-	-	-	-	-	-	-	-	-	2	1	-	3	7	10	12	14	21	15	12	14	9	8	2	-
430-434	Other diseases of heart---------	341	3	-	-	-	-	-	-	1	1	4	12	8	6	20	14	32	43	46	37	45	43	14	8	3	1
	White-----M--	161	2	-	-	-	-	-	-	1	-	-	4	3	3	11	6	12	25	25	15	23	22	6	1	1	1
	F--	143	-	-	-	-	-	-	-	-	-	3	4	4	2	4	5	14	16	18	20	19	20	7	5	2	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	1	1	-	5	1	5	2	2	1	3	-	-	1	-	-
	F--	14	1	-	-	-	-	-	-	-	1	-	3	-	1	-	2	1	-	1	1	-	1	1	1	-	-
440-443	Hypertension with heart dis.--	2,571	-	-	-	-	-	-	-	-	1	2	13	15	51	63	130	190	302	356	459	400	329	178	64	18	-
	White-----M--	1,006	-	-	-	-	-	-	-	-	-	-	2	4	24	27	44	87	147	152	191	142	97	58	27	4	-
	F--	1,306	-	-	-	-	-	-	-	-	1	1	1	4	13	22	48	74	129	171	233	232	214	115	35	13	-
	Nonwhite--M--	128	-	-	-	-	-	-	-	-	-	1	6	2	10	10	18	14	11	17	15	9	11	2	2	-	-
	F--	131	-	-	-	-	-	-	-	-	-	-	4	5	4	4	20	15	15	16	20	17	7	3	-	1	-
444-447	Hypertension without mention of heart----------	371	-	-	-	-	-	-	-	-	4	4	5	9	10	11	16	23	24	46	56	53	49	48	12	1	-
	White-----M--	150	-	-	-	-	-	-	-	-	-	2	2	2	3	4	5	9	11	20	23	21	24	17	6	1	-
	F--	174	-	-	-	-	-	-	-	-	-	2	1	4	3	-	6	11	10	24	25	31	24	27	6	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	3	-	-	2	3	4	2	1	2	2	3	-	-	3	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	2	1	-	5	1	1	1	-	-	-
450	General arteriosclerosis--------	982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	13	26	65	122	199	201	193	109	43	-
	White-----M--	437	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	12	42	56	105	85	76	33	16	-
	F--	489	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	10	20	53	85	105	110	73	25	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	9	6	4	3	-	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	4	3	7	4	3	1	-
451-468	Other diseases of circulatory sys.-	380	2	1	-	-	-	1	2	1	7	2	7	9	5	12	34	42	48	55	57	50	27	11	5	2	-
	White-----M--	227	1	-	-	-	-	-	-	1	2	-	2	5	2	7	20	29	30	35	40	29	16	3	4	1	-
	F--	128	-	1	-	-	-	1	1	-	5	1	5	3	2	4	10	11	15	17	17	17	10	7	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	-	1	1	1	-	-	-
	F--	13	1	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	1	1	-	3	-	-	-	1	-
592-594	Chronic nephritis, etc.*----------	531	-	-	1	-	1	3	2	7	15	5	21	19	22	34	30	47	48	77	51	62	46	26	11	3	-
	White-----M--	240	-	-	1	-	-	2	2	4	11	4	10	8	12	15	15	21	17	34	17	34	18	10	5	-	-
	F--	233	-	-	-	-	1	1	-	3	4	1	6	6	6	11	7	19	24	41	32	22	26	16	6	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	2	1	2	1	1	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	4	3	3	6	6	6	5	1	-	5	1	-	-	2	-
480-493	Influenza and pneumonia, etc.*-	1,360	233	29	16	7	2	18	7	10	3	12	9	21	39	37	50	65	72	110	166	159	136	91	51	16	1
	White-----M--	614	80	10	9	2	1	11	3	7	-	4	1	8	14	21	20	36	40	56	93	76	59	45	14	4	-
	F--	535	69	14	2	3	1	5	4	2	1	4	3	6	12	9	18	16	25	44	62	72	73	44	34	12	-
	Nonwhite--M--	137	53	3	4	-	-	2	-	1	2	3	3	4	9	5	9	11	6	6	9	4	3	-	-	-	-
	F--	74	31	2	1	2	-	-	-	-	-	1	2	3	4	2	3	2	1	4	2	7	1	2	3	-	1
480-483	Influenza---------	27	1	-	1	-	1	1	1	-	-	-	-	-	-	1	-	1	2	3	7	1	3	3	-	1	-
	White-----M--	16	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	2	1	6	1	1	2	-	-	-
	F--	10	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	1	-	1	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,333	232	29	15	7	1	17	6	10	3	12	9	21	39	36	50	64	70	107	159	158	133	88	51	15	1
	White-----M--	598	80	10	9	2	1	10	2	7	-	4	1	8	14	21	20	35	38	55	87	75	58	43	14	4	-
	F--	525	68	14	2	3	-	5	4	2	1	4	3	6	12	8	18	16	25	42	61	72	71	43	34	11	-
	Nonwhite--M--	136	53	3	3	-	-	2	-	1	2	3	3	4	9	5	9	11	6	6	9	4	3	-	-	-	-
	F--	74	31	2	1	2	-	-	-	-	-	1	2	3	4	2	3	2	1	4	2	7	1	2	3	-	1
500-502	Bronchitis---------	95	15	3	3	2	1	2	-	-	-	-	1	2	2	-	3	7	10	9	12	6	7	4	5	1	-
	White-----M--	55	6	2	3	1	1	1	-	-	-	-	-	1	1	-	2	5	8	7	8	2	3	2	1	1	-
	F--	30	5	-	-	1	-	1	-	-	-	-	1	-	-	-	1	1	2	1	4	3	4	2	4	-	-
	Nonwhite--M--	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	418	5	-	-	-	-	-	-	-	2	1	8	5	18	31	41	60	54	64	49	43	23	12	2	-	-
	White-----M--	291	5	-	-	-	-	-	-	-	1	1	4	4	10	24	28	42	42	41	35	32	12	8	2	-	-
	F--	101	-	-	-	-	-	-	-	-	1	-	3	1	4	6	9	12	9	19	14	9	10	4	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	5	2	4	-	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	72	-	1	-	1	-	2	1	-	1	1	3	5	4	5	8	11	5	6	5	4	4	5	-	-	-
	White-----M--	38	-	-	-	1	-	-	1	-	1	1	3	3	2	2	6	6	2	2	3	1	1	3	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	3	2	2	3	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-
	F--	5	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	337	34	1	3	-	1	1	-	-	-	-	5	11	12	9	11	23	31	35	40	56	33	25	3	3	-
	White-----M--	156	12	1	2	-	1	-	-	-	-	-	2	6	5	6	5	12	14	17	14	28	16	13	1	1	-
	F--	150	13	-	-	-	-	-	-	-	-	-	1	3	5	3	3	9	16	17	22	26	17	11	2	2	-
	Nonwhite--M--	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	1	-	-	-
	F--	18	4	-	1	-	-	1	-	-	-	-	2	2	2	-	3	1	-	-	1	1	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*--	206	55	11	3	-	1	1	-	2	6	3	1	3	3	13	6	15	16	18	17	20	8	3	-	1	-
571,	White-----M--	95	19	8	-	-	-	1	-	1	1	1	1	3	2	6	3	9	7	10	8	11	3	1	-	-	-
572	F--	83	14	1	2	-	1	-	-	1	5	2	-	-	1	7	2	4	9	8	9	9	5	2	-	1	-
	Nonwhite--M--	17	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	822	2	1	-	-	-	1	-	-	2	8	17	39	88	99	100	111	109	126	65	34	12	7	1	-	-
	White-----M--	513	2	-	-	-	-	1	-	-	2	2	7	17	47	59	64	65	79	85	46	24	9	3	1	-	-
	F--	262	-	-	-	-	-	-	-	-	-	1	9	17	32	30	33	38	28	38	19	10	3	4	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	3	-	4	6	8	2	7	2	2	-	-	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	2	1	1	3	2	1	1	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	63	1	-	1	-	-	1	-	-	-	3	6	3	1	3	5	5	8	8	4	6	5	2	1	-	-
	White-----M--	32	1	-	1	-	-	1	-	-	-	1	3	1	-	1	3	3	5	4	3	2	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	3	3	-	4	3	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	30	43	42	40	26	7	2	-
	White-----M--	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	28	41	41	38	26	7	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	60	...	...	...	...	...	...	-	2	11	17	14	8	7	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	48	...	...	...	...	...	...	-	1	10	15	11	4	6	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	...	...	...	...	...	...	-	1	1	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	53	...	...	...	...	...	...	-	2	11	14	11	7	7	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	45	...	...	...	...	...	...	-	1	10	14	9	4	6	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	8	...	...	...	...	...	...	-	1	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	601	463	29	10	9	7	13	6	8	5	2	3	5	9	5	8	7	4	2	5	1	-	-	-	-	-
	White-----M--	286	213	19	5	3	3	9	4	5	1	-	1	2	2	3	5	2	3	2	3	1	-	-	-	-	-
	F--	255	201	9	3	4	4	2	2	3	4	1	2	3	6	2	2	4	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	39	32	-	2	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	21	17	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,864	1,860	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	911	910	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	566	564	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	156	155	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	867	864	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	469	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	259	257	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	58	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	863	862	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	381	380	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	127	14	-	-	1	-	-	1	-	2	4	2	1	1	4	4	7	9	8	3	6	11	19	19	10	1
795	White-----M--	48	7	-	-	-	-	-	1	-	-	-	1	-	-	2	-	6	5	6	1	3	5	8	2	1	-
	F--	62	5	-	-	-	-	-	-	-	1	-	1	-	-	-	4	1	4	2	2	3	5	11	15	8	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	4	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1
	F--	8	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-
Re-	All other diseases	2,098	106	20	10	8	7	32	20	21	30	33	56	68	111	120	117	187	241	288	263	158	125	53	19	5	-
sid-	White-----M--	1,119	49	11	5	4	2	17	11	10	7	15	18	26	42	56	65	106	150	179	155	87	66	24	11	3	-
ual	F--	793	41	6	3	2	4	11	7	10	17	8	20	25	43	52	39	66	82	93	98	71	57	28	8	2	-
	Nonwhite--M--	84	6	2	2	1	-	1	1	1	3	5	9	7	12	5	8	5	5	7	2	-	2	-	-	-	-
	F--	102	10	1	-	1	1	3	1	-	3	5	9	10	14	7	5	10	4	9	8	-	-	1	-	-	-
E800-	Accidents---------	2,239	84	31	22	17	21	76	59	106	104	122	112	103	104	134	121	143	150	149	138	162	115	106	42	16	2
E962	White-----M--	1,336	36	7	12	5	12	50	47	77	80	85	78	66	67	91	75	100	107	93	72	72	53	38	9	4	-
	F--	630	20	16	2	7	6	13	9	14	9	13	15	18	18	20	26	32	35	46	57	87	59	64	32	11	1
	Nonwhite--M--	199	19	4	4	4	-	10	3	11	14	17	14	14	17	20	17	8	5	7	6	1	2	1	-	-	1
	F--	74	9	4	4	1	3	3	-	4	1	7	5	5	2	3	3	3	3	3	3	2	1	3	1	1	-
E810-	Motor-vehicle																										
E835	accidents--------	767	3	3	4	4	9	28	17	54	61	73	68	55	43	53	43	59	55	43	44	27	15	5	-	1	-
	White-----M--	546	2	1	4	3	6	22	10	37	45	53	47	35	32	37	30	41	41	32	30	22	10	5	-	1	-
	F--	143	1	1	-	1	2	4	5	12	7	9	10	12	8	8	8	13	10	11	12	4	5	-	-	-	-
	Nonwhite--M--	62	-	-	-	-	-	1	2	4	9	8	8	7	3	8	4	4	3	-	1	-	-	-	-	-	-
	F--	16	-	1	-	-	1	1	-	1	-	3	3	1	-	-	1	1	1	-	1	1	-	-	-	-	-
E800-	All ot. accidents-	1,472	81	28	18	13	12	48	42	52	43	49	44	48	61	81	78	84	95	106	94	135	100	101	42	15	2
E802,	White-----M--	790	34	6	8	2	6	28	37	40	35	32	31	31	35	54	45	59	66	61	42	50	43	33	9	3	-
E840-	F--	487	19	15	2	6	4	9	4	2	2	4	5	6	10	12	18	19	25	35	45	83	54	64	32	11	1
E962	Nonwhite--M--	137	19	4	4	4	-	9	1	7	5	9	6	7	14	12	13	4	2	7	5	1	2	1	-	-	1
	F--	58	9	3	4	1	2	2	-	3	1	4	2	4	2	3	2	2	2	3	2	1	1	3	1	1	-
E963,	Suicide----------	430	-	-	-	-	-	-	1	7	9	14	21	28	35	53	64	51	42	45	27	20	8	2	2	1	-
E970-	White-----M--	310	-	-	-	-	-	-	1	4	7	10	15	18	25	38	46	34	32	34	23	14	6	2	1	-	-
E979	F--	108	-	-	-	-	-	-	-	2	2	3	6	9	9	15	18	14	9	9	4	4	2	-	1	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
E964,	Homicide----------	122	7	-	1	-	-	2	2	3	13	15	20	11	17	4	12	1	2	5	3	4	-	-	-	-	-
E980-	White-----M--	35	3	-	-	-	-	-	2	1	5	2	2	3	6	1	2	-	1	3	2	2	-	-	-	-	-
E985	F--	22	2	-	1	-	-	2	-	-	-	2	4	1	2	1	4	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	47	2	-	-	-	-	-	-	1	5	6	8	6	8	2	6	1	-	1	-	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	3	5	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO																										
	ALL CAUSES------	5,544	1,106	94	40	24	22	54	44	74	117	109	126	139	168	216	270	334	381	433	479	448	397	266	89	30	82
	White-----M--	2,892	507	26	13	8	12	27	26	44	65	60	80	70	79	124	153	221	249	250	284	248	213	139	41	11	42
	F--	1,961	393	33	18	12	7	22	13	22	21	29	29	47	67	74	102	96	109	154	175	167	164	112	42	17	36
	Nonwhite--M--	360	117	23	6	-	2	2	2	5	23	10	9	17	11	11	10	9	15	18	14	23	17	10	2	2	2
	F--	231	91	12	3	4	1	3	3	3	8	10	8	5	11	7	5	8	8	11	6	10	3	5	4	-	2
001-019	Tuberculosis, all forms--------	113	2	5	1	1	2	1	-	-	7	2	10	10	7	12	11	8	12	4	8	7	1	1	-	-	1
	White-----M--	43	1	-	-	-	-	1	-	-	-	-	2	5	1	5	5	4	7	1	6	3	1	1	-	-	-
	F--	36	-	3	-	1	-	-	-	-	-	2	3	3	5	3	6	2	2	3	-	2	-	-	-	-	1
	Nonwhite--M--	19	1	2	-	-	1	-	-	-	2	-	3	2	-	1	-	-	3	-	2	2	-	-	-	-	-
	F--	15	-	-	1	-	1	-	-	-	5	-	2	-	1	3	-	2	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	101	1	2	-	1	-	1	-	-	5	2	9	10	7	12	10	8	11	4	8	7	1	1	-	-	1
	White-----M--	40	-	-	-	-	-	1	-	-	-	-	1	5	1	5	4	4	7	1	6	3	1	1	-	-	-
	F--	34	-	1	-	1	-	-	-	-	-	2	3	3	5	3	6	2	2	3	-	2	-	-	-	-	1
	Nonwhite--M--	16	1	1	-	-	-	-	-	-	2	-	3	2	-	1	-	-	2	-	2	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	3	-	2	-	1	3	-	2	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	12	1	3	1	-	2	-	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	21	1	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	5	1	2	3	-	-	-	-
	White-----M--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	3	-	1	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	13	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	8	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	3	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	22	7	10	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	21	4	1	-	-	-	2	-	-	1	3	-	2	1	1	-	1	1	2	2	-	-	-	-	-	-
	White-----M--	12	3	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	2	2	-	-	-	-	-	-
	F--	8	1	-	-	-	-	2	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*	644	2	3	2	4	1	9	4	4	7	10	10	17	26	43	50	66	79	84	73	63	48	24	7	1	7
	White----M--	349	1	1	-	2	1	6	1	1	3	4	4	6	8	15	19	40	49	53	45	36	30	16	4	-	4
	F--	271	1	2	2	2	-	3	3	3	4	3	5	10	17	27	30	23	28	25	27	25	17	8	2	1	3
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	3	1	4	1	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	2	-	1	-	-	1	-	-
140-148	Of buccal cavity and pharynx	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	1	-	-	-	-
	White----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	224	1	-	-	-	-	-	-	1	1	3	1	1	1	7	19	17	25	33	42	33	23	8	5	-	3
	White----M--	128	1	-	-	-	-	-	-	-	-	-	1	-	-	5	7	7	17	22	26	17	14	6	2	-	3
	F--	85	-	-	-	-	-	-	-	1	1	2	-	1	1	2	12	8	6	8	15	15	9	2	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
160-164	Of respiratory system (not secondary)	74	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	15	15	15	6	6	3	3	-	-	-
	White----M--	61	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	14	14	13	4	5	3	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	42	-	-	-	-	-	-	-	-	-	-	1	2	5	11	5	4	7	1	1	1	2	1	-	-	1
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	1	2	5	11	4	4	7	1	1	1	2	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	108	-	-	-	-	-	-	-	-	2	2	6	7	8	9	9	3	12	9	7	11	11	7	2	1	2
	White----M--	44	-	-	-	-	-	-	-	-	1	1	2	-	-	-	3	-	4	6	4	8	9	4	2	-	-
	F--	59	-	-	-	-	-	-	-	-	1	1	3	6	8	9	6	3	8	2	3	2	1	3	-	1	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	27	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	5	2	7	3	3	-	2	-	-	-
	White----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	3	2	2	-	1	-	-	-
	F--	11	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	4	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	102	-	2	-	2	-	4	3	1	2	1	2	4	3	6	8	16	13	12	8	7	5	2	-	-	1
	White----M--	53	-	1	-	2	-	3	-	1	1	-	1	3	-	3	5	10	9	3	3	3	2	2	-	-	1
	F--	45	-	1	-	-	-	1	3	-	1	-	1	1	2	3	3	5	4	8	5	4	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	32	-	1	1	2	1	2	1	1	1	1	-	-	4	2	1	2	1	4	3	-	3	1	-	-	-
	White----M--	24	-	-	-	-	1	1	1	-	1	1	-	-	4	2	1	1	1	4	3	-	2	1	-	-	-
	F--	8	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	27	-	-	-	-	-	2	-	1	1	3	-	2	1	3	3	1	3	2	3	2	-	-	-	-	-
	White----M--	17	-	-	-	-	-	2	-	-	-	2	-	2	1	2	-	1	2	1	3	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	30	1	1	-	-	-	1	1	1	1	-	-	4	1	2	3	2	1	4	4	1	-	1	-	-	1
	White----M--	12	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	1	-	2	3	1	-	-	-	-	-
	F--	16	1	1	-	-	-	1	-	-	-	-	-	4	-	1	2	1	1	2	-	-	-	1	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	63	-	-	-	-	-	1	1	-	1	1	2	-	3	1	6	8	8	9	10	4	3	1	1	-	3
	White----M--	22	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	5	1	5	-	2	-	-	-	1
	F--	37	-	-	-	-	-	1	1	-	1	1	-	-	2	-	5	4	3	5	5	4	1	1	1	-	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
290-293	Anemias	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	12	6	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1
	White----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,817	6	2	1	-	-	1	3	5	5	11	9	35	37	67	90	135	181	205	275	249	246	165	49	17	23
	White----M--	1,033	2	1	-	-	-	-	2	1	1	4	6	19	19	40	57	95	116	120	156	139	129	88	24	4	10
	F--	707	4	-	1	-	-	1	-	4	3	5	3	13	10	21	28	37	56	76	114	96	112	75	25	12	11
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	1	-	-	2	3	3	3	1	6	5	3	10	4	1	-	1	1
	F--	33	-	1	-	-	-	-	1	-	-	2	-	1	5	3	2	2	3	4	2	4	1	1	-	-	1
330-334, 400-468	Diseases of cardiovascular system	1,736	5	2	1	-	-	-	2	4	5	8	7	28	32	62	84	132	173	203	265	241	236	158	49	17	22
	White----M--	993	1	1	-	-	-	-	1	-	1	2	5	18	17	38	53	92	114	120	149	135	122	86	24	4	10
	F--	675	4	-	1	-	-	-	-	4	3	5	2	10	9	18	27	37	51	75	111	92	109	70	25	12	10
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	1	-	-	-	3	3	2	1	5	5	3	10	4	1	-	1	1
	F--	28	-	1	-	-	-	-	1	-	-	1	-	-	3	3	2	2	3	3	2	4	1	1	-	-	1
330-334	Vascular lesions, etc.*	428	1	1	1	-	-	-	-	1	1	2	1	6	5	7	13	25	41	41	77	63	68	55	9	6	4
	White----M--	220	-	1	-	-	-	-	-	-	1	-	-	3	1	1	6	14	20	23	38	33	36	36	5	1	1
	F--	193	1	-	1	-	-	-	-	1	-	1	1	3	2	5	7	11	17	17	37	28	32	18	4	4	3
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	1	2	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																										
400-402	Rheumatic fever---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,168	4	1	-	-	-	2	1	4	6	5	19	24	50	64	98	126	150	174	156	143	83	33	8	17
	White-----M--	695	1	-	-	-	-	1	-	-	2	4	12	15	35	43	71	90	89	104	91	71	41	15	2	8
	F--	427	3	-	-	-	-	-	1	3	4	1	7	7	11	18	24	32	54	67	56	67	41	18	6	7
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	4	5	2	8	4	-	-	-	1
	F--	17	-	1	-	-	-	1	-	-	-	-	-	2	2	2	2	-	2	1	1	1	1	-	-	1
410-416	Chronic rheumatic heart disease----	66	1	-	-	-	-	1	1	3	4	4	6	4	7	7	4	3	8	4	2	4	3	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	1	3	2	2	3	4	2	-	3	3	1	1	2	-	-	-
	F--	32	1	-	-	-	-	-	1	2	3	1	4	2	3	2	1	3	4	1	-	3	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	747	-	-	-	-	-	1	-	1	-	1	11	13	35	46	69	85	104	119	100	82	45	20	4	11
	White-----M--	491	-	-	-	-	-	1	-	-	-	1	8	9	26	38	57	63	66	75	64	44	24	8	1	6
	F--	241	-	-	-	-	-	-	-	1	-	-	3	3	8	8	12	19	36	43	33	35	21	12	3	4
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	3	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	141	1	-	-	-	-	-	-	-	-	1	-	1	2	2	5	9	10	14	24	20	26	15	8	2	1
	White-----M--	62	1	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	4	9	9	8	10	5	5	-	-
	F--	74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	4	6	4	14	10	15	10	3	2	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	87	2	1	-	-	-	-	-	-	-	1	-	1	4	5	1	6	16	9	6	14	10	9	-	1	1
	White-----M--	53	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	2	13	4	6	9	5	6	-	1	-
	F--	23	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	3	-	3	4	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	-	1
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	127	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	10	12	15	21	20	21	11	5	1	4
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	10	7	11	9	11	4	2	-	2
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	1	7	9	10	10	6	3	1	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	37	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	3	1	6	2	8	5	3	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	4	2	1	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-	3	2	4	3	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	9	10	18	15	5	3	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	6	13	7	3	1	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	3	5	8	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	33	-	-	-	-	-	-	1	-	-	1	3	2	2	4	4	2	3	2	4	2	1	1	-	1
	White-----M--	23	-	-	-	-	-	-	-	-	-	1	3	1	1	4	3	2	2	2	1	-	1	1	-	1
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	81	1	-	-	-	-	1	1	1	-	3	2	7	5	5	6	3	8	2	10	8	10	7	-	-	1
	White-----M--	40	1	-	-	-	-	-	1	1	-	2	1	1	2	2	4	3	2	-	7	4	7	2	-	-	-
	F--	32	-	-	-	-	-	1	-	-	-	-	1	3	1	3	1	-	5	1	3	4	3	5	-	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	253	123	11	5	-	1	2	-	1	2	3	1	5	4	4	6	4	2	8	10	21	18	15	3	-	4
	White-----M--	99	48	1	1	-	-	1	-	-	-	2	-	1	2	2	3	2	-	5	5	8	8	9	-	-	1
	F--	85	27	4	3	-	1	1	-	1	1	1	-	4	2	2	3	2	2	2	5	8	7	3	3	-	3
	Nonwhite--M--	41	24	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	5	2	3	-	-	-
	F--	28	24	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
480-483	Influenza---------	14	7	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	1	-	2	-	-	-
	White-----M--	6	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	239	116	11	5	-	1	2	-	1	2	2	1	4	4	3	6	4	2	7	10	20	18	13	3	-	4
	White-----M--	93	45	1	1	-	-	1	-	-	-	1	-	1	2	2	3	2	-	4	5	8	8	8	-	-	1
	F--	81	27	4	3	-	1	1	-	1	1	1	-	3	2	1	3	2	2	2	5	7	7	2	3	-	3
	Nonwhite--M--	38	21	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	5	2	3	-	-	-
	F--	27	23	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
500-502	Bronchitis--------	26	12	3	1	-	-	1	-	-	-	-	-	-	-	-	1	2	2	-	1	2	-	1	-	-	-
	White-----M--	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-
	F--	11	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	33	1	-	-	-	-	-	-	-	-	-	2	1	2	2	2	6	7	3	5	1	-	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	3	6	2	4	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	13	-	-	-	1	1	-	-	-	-	2	-	1	1	-	1	1	-	2	3	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-
	F--	6	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	33	7	-	-	-	-	-	-	-	2	-	1	1	-	1	5	2	-	2	2	5	2	1	1	-	1
	White-----M--	17	1	-	-	-	-	-	-	-	2	-	1	1	-	1	2	1	-	1	-	4	2	1	-	-	-
	F--	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	-	-	1	-	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																										
543,	Gastritis, etc.*--	144	117	6	2	-	2	1	-	-	-	-	2	-	1	-	-	-	1	3	-	4	3	1	-	-	1
571,	White-----M--	48	39	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	-	-	-	-
572	F--	54	43	2	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	1	-	-	1
	Nonwhite--M--	25	21	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	17	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	48	-	-	-	-	-	-	1	-	1	-	1	3	4	10	6	5	4	3	4	1	4	-	-	-	1
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	1	2	2	8	5	3	3	2	4	1	1	-	-	-	1
	F--	11	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	2	1	-	-	-	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	11	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	1
	White-----M--	9	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	4	6	4	1	2	1
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	6	3	1	2	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	17	...	...	...	...	...	...	-	3	4	1	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	1	2	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	14	...	...	...	...	...	...	-	2	3	1	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	...	...	...	-	1	1	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	123	99	8	1	-	2	3	-	1	-	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	3
	White-----M--	54	43	1	-	-	2	3	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	52	40	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	3
	Nonwhite--M--	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	528	528	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	431	90	14	2	2	1	1	2	2	3	8	2	11	10	12	18	25	31	27	30	38	38	27	20	8	9
795	White-----M--	226	38	4	1	-	-	-	1	-	1	2	2	6	6	9	13	19	21	17	19	20	19	12	8	4	4
	F--	123	30	2	1	1	1	-	-	1	1	2	-	4	2	3	4	6	5	9	6	12	10	8	7	3	5
	Nonwhite--M--	43	12	4	-	-	-	-	-	1	1	-	-	1	1	-	-	-	3	1	2	2	8	4	2	1	-
	F--	39	10	4	-	1	-	1	1	-	-	4	-	-	1	-	1	-	2	-	3	4	1	3	3	-	-
Re-	All other diseases	321	41	4	7	3	1	6	1	7	4	8	11	3	19	19	24	20	22	45	23	18	17	7	3	1	7
sid-	White-----M--	182	23	1	3	2	-	3	1	2	2	3	2	3	9	12	14	16	18	26	14	12	8	2	3	-	3
ual	F--	118	13	2	4	1	-	3	-	4	2	4	7	-	10	7	8	2	4	19	7	5	9	3	-	1	3
	Nonwhite--M--	12	3	1	-	-	1	-	-	-	-	-	2	-	-	-	2	1	-	-	1	-	-	1	-	-	-
	F--	9	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1
E800-	Accidents---------	646	34	21	12	11	9	20	25	45	71	47	62	33	41	27	34	34	17	20	21	22	5	14	4	1	16
E962	White-----M--	401	17	12	7	4	7	9	16	35	46	34	52	17	23	16	22	17	13	9	13	12	1	4	1	1	13
	F--	147	10	7	3	4	2	9	6	8	6	6	4	4	11	6	8	11	2	7	6	9	3	10	3	-	2
	Nonwhite--M--	76	5	2	2	-	-	1	2	2	18	6	3	10	5	4	3	4	2	2	2	1	1	-	-	-	1
	F--	22	2	-	-	3	-	1	1	-	1	1	3	2	2	1	1	2	-	2	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	295	3	8	2	2	1	6	8	30	44	25	31	17	23	12	16	22	9	11	10	6	1	-	1	1	6
	White-----M--	194	1	6	1	1	1	1	4	22	31	16	27	9	13	6	8	12	7	6	9	6	-	-	-	1	6
	F--	64	-	1	1	1	-	5	4	8	2	5	2	3	6	5	5	9	1	3	1	-	1	-	1	-	-
	Nonwhite--M--	29	1	1	-	-	-	-	-	-	11	3	1	5	3	1	2	-	1	-	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-
E800-	All ot. accidents-	351	31	13	10	9	8	14	17	15	27	22	31	16	18	15	18	12	8	9	11	16	4	14	3	-	10
E802,	White-----M--	207	16	6	6	3	6	8	12	13	15	18	25	8	10	10	14	5	6	3	4	6	1	4	1	-	7
E840-	F--	83	10	6	2	3	2	4	2	-	4	1	2	1	5	1	3	2	1	4	5	9	2	10	2	-	2
E962	Nonwhite--M--	47	4	1	2	-	-	1	2	2	7	3	2	5	2	3	1	4	1	2	2	1	1	-	-	-	1
	F--	14	1	-	-	3	-	1	1	-	1	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	62	-	-	-	-	-	-	1	1	3	4	4	9	3	10	4	5	6	2	1	5	1	2	-	-	1
E970-	White-----M--	45	-	-	-	-	-	-	1	1	3	3	2	5	2	8	2	5	4	1	1	3	1	2	-	-	1
E979	F--	13	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1	-	2	-	-	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	34	1	-	-	-	-	-	1	2	5	5	4	2	2	4	2	2	2	-	-	1	-	-	-	-	1
E980-	White-----M--	29	1	-	-	-	-	-	1	2	5	4	3	2	1	4	1	2	2	-	-	-	-	-	-	-	1
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

420487 O - 57 - 20

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK																										
	ALL CAUSES------	165,770	8,340	483	307	236	178	707	445	694	1,048	1,285	1,745	2,710	4,202	6,604	9,646	13,235	17,434	21,551	22,457	21,056	16,415	10,051	3,817	1,013	111
	White-----M--	85,623	4,078	223	153	113	90	382	247	423	588	616	760	1,230	2,018	3,605	5,622	7,833	10,287	12,246	11,813	10,220	7,349	3,982	1,337	336	72
	F--	69,165	2,787	178	105	88	71	253	143	205	292	374	579	915	1,476	2,163	3,022	4,403	6,100	8,324	9,816	10,242	8,715	5,870	2,392	650	22
	Nonwhite--M--	5,904	798	44	30	15	6	44	33	40	102	164	223	299	382	457	556	569	626	518	435	294	150	77	24	6	12
	F--	5,058	677	38	19	20	11	28	22	26	66	131	183	266	326	379	446	430	421	463	393	300	201	122	64	21	5
001-019	Tuberculosis, all forms--------	1,756	5	16	6	5	-	4	2	7	27	56	67	115	123	161	215	192	231	195	163	96	46	15	8	-	1
	White-----M--	1,072	2	5	2	1	-	1	-	1	3	15	21	34	47	90	145	141	175	150	130	67	27	11	4	-	-
	F--	285	-	5	2	1	-	1	1	2	7	14	12	23	31	28	26	27	25	22	18	21	14	2	2	-	1
	Nonwhite--M--	264	3	2	1	3	-	1	-	2	6	15	14	33	30	30	34	22	27	18	10	7	3	1	2	-	-
	F--	135	-	4	1	-	-	1	1	2	11	12	20	25	15	13	10	2	4	5	5	1	2	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,642	2	3	2	1	-	-	1	7	23	53	59	109	117	152	212	185	220	183	156	91	43	14	8	-	1
	White-----M--	1,034	1	1	-	-	-	-	-	1	3	15	21	33	45	87	145	139	170	144	126	65	24	10	4	-	-
	F--	257	-	1	-	-	-	-	1	2	6	13	12	22	29	27	26	23	22	18	16	20	14	2	2	-	1
	Nonwhite--M--	235	1	1	1	1	-	-	-	2	3	14	9	31	29	27	34	21	25	16	9	5	3	1	2	-	-
	F--	116	-	-	1	-	-	-	-	2	11	11	17	23	14	11	7	2	3	5	5	1	2	1	-	-	-
010-019	Tuberculosis, other forms------	114	3	13	4	4	-	4	1	-	4	3	8	6	6	9	3	7	11	12	7	5	3	1	-	-	-
	White-----M--	38	1	4	2	1	-	1	-	-	-	-	-	1	2	3	-	2	5	6	4	2	3	1	-	-	-
	F--	28	-	4	2	1	-	1	-	-	1	1	-	1	2	1	-	4	3	4	2	1	-	-	-	-	-
	Nonwhite--M--	29	2	1	-	2	-	1	-	-	3	1	5	2	1	3	-	1	2	2	1	2	-	-	-	-	-
	F--	19	-	4	-	-	-	1	1	-	-	1	3	2	1	2	3	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	346	2	-	-	-	-	-	-	-	1	3	3	10	13	25	41	45	64	62	36	24	12	5	-	-	-
	White-----M--	189	-	-	-	-	-	-	-	-	-	2	1	4	6	8	20	22	41	44	22	15	4	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	1	-	-	1	5	4	12	9	6	5	5	5	4	-	-	-
	Nonwhite--M--	64	2	-	-	-	-	-	-	-	1	-	1	2	4	9	13	5	7	10	5	2	2	1	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	4	2	3	4	6	7	2	4	2	1	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	22	2	1	1	-	3	1	1	-	1	1	1	1	1	1	1	1	1	-	3	-	-	1	-	-	-
	White-----M--	8	2	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F--	11	-	-	1	-	2	1	-	-	1	-	-	1	-	-	1	1	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	66	17	9	2	7	3	2	3	6	3	-	1	1	1	2	3	-	1	1	1	2	1	-	-	-	-
	White-----M--	34	11	5	-	3	1	1	1	3	3	-	1	-	-	-	2	-	1	-	-	2	-	-	-	-	-
	F--	21	3	4	1	3	2	-	2	2	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
080	Acute poliomyelitis----------	80	2	-	1	2	1	5	10	13	11	8	13	8	2	2	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	1	-	1	1	-	3	5	10	4	5	8	5	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	29	-	-	-	1	1	2	4	3	5	3	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	28	3	7	2	2	-	9	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	1	2	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	2	4	-	1	-	3	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	340	34	14	8	1	1	12	6	11	9	14	13	15	27	18	22	24	26	23	23	22	6	9	2	-	-
	White-----M--	157	21	3	5	1	-	6	3	7	1	3	5	5	13	7	11	9	19	12	13	9	2	1	1	-	-
	F--	141	11	7	2	-	-	4	3	4	7	8	3	6	7	4	9	14	6	11	9	13	4	8	1	-	-
	Nonwhite--M--	17	2	1	1	-	1	-	-	-	1	2	-	2	4	1	2	-	-	-	-	-	-	-	-	-	-
	F--	25	-	3	-	-	-	2	-	-	-	1	5	2	3	6	-	1	1	-	1	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*----	29,961	35	21	34	47	38	155	72	81	120	179	311	613	1,045	1,731	2,496	3,452	4,238	4,711	4,240	3,258	1,932	883	225	38	6
	White-----M--	14,977	17	13	15	26	20	91	34	38	68	79	112	202	324	664	1,110	1,705	2,317	2,656	2,346	1,651	973	407	96	9	4
	F--	13,388	14	5	16	18	17	56	30	39	43	81	165	338	603	901	1,164	1,508	1,690	1,893	1,762	1,517	915	460	123	28	2
	Nonwhite--M--	837	2	1	3	1	-	6	7	2	6	7	11	28	45	73	116	132	156	86	74	50	21	8	1	1	-
	F--	759	2	2	-	2	1	2	1	2	3	12	23	45	73	93	106	107	75	76	58	40	23	8	5	-	-
140-148	Of buccal cavity and pharynx------	644	1	-	-	-	-	-	1	1	-	2	5	6	17	29	63	76	83	118	101	67	55	13	5	1	-
	White-----M--	506	-	-	-	-	-	-	-	-	-	1	3	4	7	18	47	63	72	105	82	48	44	10	2	-	-
	F--	98	1	-	-	-	-	-	-	1	-	1	2	1	5	9	9	7	7	8	17	15	9	3	2	1	-
	Nonwhite--M--	33	-	-	-	-	-	-	1	-	-	-	-	1	4	2	7	5	3	4	1	4	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	11,320	6	-	2	1	-	4	2	1	8	27	42	137	238	453	758	1,224	1,565	1,989	1,916	1,502	924	404	104	11	2
	White-----M--	5,849	4	-	1	1	-	2	1	-	3	12	17	57	100	213	375	642	854	1,129	1,010	752	463	170	40	2	1
	F--	4,864	1	-	-	-	-	2	-	1	5	13	17	64	106	187	306	480	614	775	840	717	437	229	61	8	1
	Nonwhite--M--	367	-	-	1	-	-	-	-	-	-	1	4	9	18	36	44	66	69	45	41	18	11	2	1	1	-
	F--	240	1	-	-	-	-	-	1	-	-	1	4	7	14	17	33	36	28	40	25	15	13	3	2	-	-
160-164	Of respiratory system (not secondary)-------	4,208	1	-	-	-	-	-	-	1	5	8	19	35	124	269	458	616	837	758	539	335	140	44	14	2	3
	White-----M--	3,419	1	-	-	-	-	-	-	1	2	5	11	20	89	196	371	511	709	647	456	258	95	33	9	2	3
	F--	558	-	-	-	-	-	-	-	-	3	2	8	9	25	44	40	69	75	93	72	63	43	7	5	-	-
	Nonwhite--M--	188	-	-	-	-	-	-	-	-	-	1	-	6	10	24	36	31	45	12	9	11	2	1	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11	5	8	6	2	3	-	3	-	-	-
170	Of breast---------	3,020	-	-	-	-	-	-	-	-	1	11	56	126	222	344	330	416	369	346	267	255	159	86	23	9	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	6	6	3	1	3	4	1	1	-	-
	F--	2,884	-	-	-	-	-	-	-	-	1	10	52	115	207	324	315	389	354	341	259	246	155	85	22	9	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	102	-	-	-	-	-	-	-	-	-	1	3	9	14	20	10	21	9	2	7	6	-	-	-	-	-
171-179	Of genital organs-	3,806	-	1	-	-	-	2	2	5	17	24	46	100	173	235	329	335	463	538	563	472	312	151	33	4	1
	White-----M--	1,357	-	1	-	-	-	1	-	-	10	9	10	8	4	14	25	51	133	203	304	255	206	103	19	1	-
	F--	2,168	-	-	-	-	-	1	2	5	5	11	25	74	134	190	268	252	302	310	231	200	96	44	14	3	1
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	1	1	-	2	2	-	3	7	12	11	14	7	6	4	-	-	-
	F--	211	-	-	-	-	-	-	-	-	1	3	11	16	33	31	33	25	16	14	14	10	4	-	-	-	-
180, 181	Of urinary organs-	1,523	1	2	3	7	-	10	1	-	-	3	7	20	15	42	92	147	233	261	243	226	124	65	18	3	-
	White-----M--	987	1	-	1	2	-	7	1	-	-	-	5	9	7	32	56	106	163	173	164	141	68	39	11	1	-
	F--	487	-	1	2	4	-	3	-	-	-	2	-	6	8	8	29	37	61	82	74	83	54	25	6	2	-
	Nonwhite--M--	28	-	1	-	-	-	-	-	-	-	1	1	2	-	-	6	4	5	4	1	2	1	-	-	-	-
	F--	21	-	-	-	1	-	-	-	-	-	-	1	3	-	2	1	-	4	2	4	-	1	1	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2,894	10	6	11	10	9	50	28	33	33	37	61	85	130	195	261	370	382	400	334	213	125	84	22	5	-
	White-----M--	1,455	5	5	3	6	4	24	15	18	21	18	28	42	64	100	125	176	202	224	168	108	54	33	11	1	-
	F--	1,286	4	1	7	2	5	22	11	13	9	16	30	37	53	75	122	168	160	161	159	100	68	49	10	4	-
	Nonwhite--M--	84	1	-	1	1	-	3	2	1	3	2	1	2	7	10	9	11	14	8	4	3	-	1	-	-	-
	F--	69	-	-	-	1	-	1	-	1	-	1	2	4	6	10	5	15	6	7	3	2	3	1	1	-	-
204	Leukemia and aleukemia----------	1,197	14	7	16	24	23	77	33	20	29	33	32	42	49	68	78	104	118	126	121	97	56	23	5	2	-
	White-----M--	632	6	3	9	14	10	48	13	11	16	17	14	23	22	38	37	61	65	68	70	46	24	13	3	1	-
	F--	507	6	3	6	10	12	26	16	8	10	15	15	14	25	26	29	41	50	56	48	47	31	10	2	1	-
	Nonwhite--M--	31	1	-	1	-	-	2	4	-	2	-	3	2	1	1	4	2	2	1	2	3	-	-	-	-	-
	F--	27	1	1	-	-	1	1	-	1	1	1	-	3	1	3	8	-	1	1	1	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	1,349	2	5	2	5	6	12	5	20	27	34	43	62	77	96	127	164	188	175	156	91	37	13	1	1	-
	White-----M--	739	-	4	1	3	6	9	4	8	16	17	23	37	30	53	70	89	113	104	91	40	15	5	-	1	-
	F--	536	2	-	1	2	-	2	1	11	10	11	16	18	40	38	46	65	67	67	62	46	22	8	1	-	-
	Nonwhite--M--	35	-	-	-	-	-	1	-	1	-	1	2	4	3	-	6	6	6	1	2	2	-	-	-	-	-
	F--	39	-	1	-	-	-	-	-	-	1	5	2	3	4	5	5	4	2	3	1	3	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	588	12	5	4	3	1	10	8	9	10	16	21	33	37	55	41	62	58	69	54	47	23	6	4	-	-
	White-----M--	266	9	3	2	3	1	3	3	3	6	5	7	8	16	19	19	31	37	35	27	17	9	2	1	-	-
	F--	256	2	2	2	-	-	2	5	5	2	10	5	16	15	26	19	24	18	30	25	30	11	4	3	-	-
	Nonwhite--M--	18	1	-	-	-	-	2	-	1	-	-	1	-	-	3	2	1	1	3	1	-	2	-	-	-	-
	F--	48	-	-	-	-	-	3	-	-	2	1	8	9	6	7	1	6	2	1	1	-	1	-	-	-	-
260	Diabetes mellitus-	3,236	-	1	1	-	-	1	7	3	11	22	25	33	43	83	165	295	488	624	587	449	256	113	26	2	1
	White-----M--	1,180	-	-	-	-	-	-	4	-	5	8	13	16	21	40	71	113	175	211	218	163	87	29	5	-	1
	F--	1,870	-	1	-	-	-	1	1	3	4	12	8	10	17	33	71	148	283	388	350	273	165	80	20	2	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	-	-	4	3	2	3	6	12	10	7	11	6	2	1	-	-	-
	F--	119	-	-	1	-	-	-	2	-	2	2	-	4	3	7	17	22	20	18	8	7	2	3	1	-	-
290-293	Anemias----------	249	4	1	1	3	-	9	7	1	4	3	5	4	7	4	11	9	24	28	37	42	17	19	9	-	-
	White-----M--	111	1	-	-	1	-	3	7	1	1	1	3	1	3	2	6	5	9	14	16	19	5	10	3	-	-
	F--	122	3	-	1	2	-	5	-	-	2	-	1	-	3	2	4	3	15	12	19	23	12	9	6	-	-
	Nonwhite--M--	8	-	1	-	-	-	1	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	2	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	176	47	12	9	3	2	5	4	4	1	3	4	8	6	8	9	12	14	14	2	6	2	1	-	-	-
	White-----M--	79	24	7	5	1	1	2	2	1	1	-	2	3	2	1	3	6	7	7	-	3	1	-	-	-	-
	F--	50	14	3	3	2	1	3	-	2	-	2	1	1	1	-	3	3	5	2	1	2	1	-	-	-	-
	Nonwhite--M--	27	5	2	1	-	-	-	1	1	-	1	1	2	2	4	1	2	-	3	-	-	-	1	-	-	-
	F--	20	4	-	-	-	-	-	1	-	-	-	-	2	1	3	2	1	2	2	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	94,357	33	17	7	6	3	32	38	56	119	233	414	831	1,633	2,845	4,669	6,976	9,787	13,011	14,713	14,759	12,291	7,856	3,119	843	66
	White-----M--	48,350	16	4	6	3	-	12	12	19	56	109	194	457	943	1,816	3,016	4,397	5,858	7,318	7,477	6,933	5,300	3,023	1,054	278	49
	F--	41,276	9	6	1	2	1	17	21	29	54	83	128	208	401	662	1,176	2,052	3,316	5,064	6,680	7,412	6,728	4,681	1,991	542	12
	Nonwhite--M--	2,325	5	2	-	-	-	-	1	6	3	19	43	83	140	186	248	280	335	320	278	194	101	53	19	5	4
	F--	2,406	3	5	-	1	2	3	4	2	6	22	49	83	149	181	229	247	278	309	278	220	162	99	55	18	1
330-334, 400-468	Diseases of cardiovascular system-	93,038	31	16	6	2	2	23	32	46	91	201	370	785	1,557	2,760	4,575	6,855	9,667	12,858	14,554	14,636	12,181	7,797	3,093	834	66
	White-----M--	47,721	14	3	5	1	-	10	10	16	41	91	173	438	914	1,773	2,971	4,335	5,809	7,244	7,401	6,871	5,239	2,995	1,042	276	49
	F--	40,707	9	6	1	-	1	11	18	23	43	74	118	195	371	634	1,140	2,007	3,253	4,990	6,601	7,357	6,680	4,651	1,977	535	12
	Nonwhite--M--	2,264	5	2	-	-	-	-	-	5	3	17	36	77	135	178	240	270	332	317	277	191	100	53	19	5	4
	F--	2,346	3	5	-	1	1	2	4	2	4	19	43	75	139	175	224	243	273	307	275	217	162	98	55	18	1
330-334	Vascular lesions, etc.*----------	14,820	20	9	3	1	-	5	8	8	18	39	60	106	172	267	580	785	1,280	1,966	2,454	2,612	2,266	1,463	567	126	5
	White-----M--	6,419	10	2	2	1	-	3	2	4	10	19	20	41	52	114	260	368	650	945	1,133	1,114	894	552	179	42	2
	F--	7,705	4	4	1	-	-	1	6	4	7	17	26	38	81	109	244	354	543	927	1,222	1,440	1,332	885	377	81	2
	Nonwhite--M--	307	3	1	-	-	-	-	-	-	-	2	9	12	17	16	27	36	44	42	48	29	9	7	4	1	-
	F--	389	3	2	-	-	-	1	-	-	1	1	5	15	22	28	49	27	43	52	51	29	31	19	7	2	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																										
400-402	Rheumatic fever---	86	-	-	1	-	1	9	7	3	6	2	6	4	11	9	7	7	5	4	3	-	1	-	-	-	-
	White-----M--	33	-	-	1	-	-	3	3	2	2	-	2	3	4	4	2	2	3	1	1	-	-	-	-	-	-
	F--	40	-	-	-	-	1	5	2	1	4	2	2	1	3	4	4	4	1	3	2	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	2	-	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	73,063	10	7	1	1	1	7	12	29	53	139	277	623	1,299	2,389	3,842	5,864	8,048	10,435	11,454	11,227	9,035	5,601	2,086	564	59
	White-----M--	38,907	4	1	1	-	-	3	5	8	25	66	141	373	835	1,598	2,632	3,839	4,981	6,048	5,937	5,383	3,946	2,149	709	178	45
	F--	30,552	4	2	-	-	-	4	5	14	26	48	81	145	264	500	850	1,594	2,580	3,893	5,094	5,528	4,864	3,335	1,322	369	10
	Nonwhite--M--	1,818	2	1	-	-	-	-	-	5	1	14	24	57	105	151	199	226	271	254	214	145	84	43	14	4	4
	F--	1,786	-	3	-	1	1	-	2	2	1	11	31	48	95	140	161	205	216	240	209	171	121	74	41	13	-
410-416	Chronic rheumatic heart disease----	2,424	-	1	-	-	-	2	4	24	35	82	109	165	231	333	317	374	250	212	116	76	55	27	9	2	-
	White-----M--	1,037	-	-	-	-	-	-	1	7	13	38	39	70	103	161	139	167	104	90	41	35	19	8	2	-	-
	F--	1,231	-	-	-	-	-	2	2	12	21	33	59	70	108	143	160	191	136	116	75	40	35	19	7	2	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	4	-	5	2	6	7	11	7	8	5	2	-	-	-	-	-	-	-
	F--	99	-	1	-	-	-	-	1	1	1	6	9	19	13	18	11	8	5	4	-	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	55,870	4	-	-	-	-	3	3	2	9	34	107	343	821	1,677	2,906	4,579	6,376	8,300	9,091	8,687	6,869	4,110	1,481	415	53
	White-----M--	31,961	2	-	-	-	-	2	1	1	7	22	81	263	645	1,297	2,231	3,288	4,234	5,092	4,993	4,348	3,114	1,648	514	137	41
	F--	21,809	2	-	-	-	-	1	2	1	1	7	13	48	97	237	492	1,049	1,864	2,898	3,798	4,119	3,606	2,373	926	267	8
	Nonwhite--M--	1,157	-	-	-	-	-	-	-	-	1	3	9	25	51	91	115	145	164	174	153	107	65	35	12	3	4
	F--	943	-	-	-	-	-	-	-	-	-	2	4	7	28	52	68	97	114	136	147	113	84	54	29	8	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,368	1	3	-	1	1	-	4	1	4	7	19	28	69	106	169	233	429	626	908	1,156	1,164	908	423	105	3
	White-----M--	2,686	1	1	-	-	-	-	3	-	3	2	3	8	28	46	81	112	188	308	420	509	473	329	138	32	1
	F--	3,229	-	1	-	-	-	-	-	-	1	2	3	8	10	19	47	79	167	253	445	616	665	566	274	71	2
	Nonwhite--M--	232	-	1	-	-	-	-	-	1	-	2	7	7	17	19	27	19	45	30	24	16	10	5	1	1	-
	F--	221	-	-	-	1	1	-	1	-	-	1	6	5	14	22	14	23	29	35	19	15	16	8	10	1	-
430-434	Other diseases of heart---------	709	5	3	1	-	-	2	1	2	4	11	12	19	32	33	48	48	95	104	87	83	62	37	14	5	1
	White-----M--	375	1	-	1	-	-	1	-	-	2	2	6	9	16	19	26	25	58	71	41	42	29	17	7	1	1
	F--	289	2	1	-	-	-	1	1	1	2	6	2	4	14	10	17	21	30	30	43	41	32	20	7	4	-
	Nonwhite--M--	26	2	-	-	-	-	-	-	-	-	3	2	4	1	2	3	1	4	2	2	-	-	-	-	-	-
	F--	19	-	2	-	-	-	-	-	1	-	-	2	2	1	2	2	1	3	1	1	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	7,692	-	-	-	-	-	-	-	-	1	5	30	68	146	240	402	630	898	1,193	1,252	1,225	865	519	159	37	2
	White-----M--	2,848	-	-	-	-	-	-	-	-	-	2	12	23	43	75	155	247	397	487	442	449	311	147	48	8	2
	F--	3,994	-	-	-	-	-	-	-	-	1	-	4	15	35	91	134	254	383	596	733	712	546	357	108	25	-
	Nonwhite--M--	346	-	-	-	-	-	-	-	-	-	1	4	15	29	28	47	53	53	46	35	22	9	3	1	-	-
	F--	504	-	-	-	-	-	-	-	-	-	2	10	15	39	46	66	76	65	64	42	42	19	12	2	4	-
444-447	Hypertension without mention of heart----------	1,078	-	-	-	-	-	1	-	-	4	7	9	21	40	43	57	69	93	120	155	162	148	103	38	7	1
	White-----M--	488	-	-	-	-	-	-	-	-	2	4	5	4	12	23	24	38	38	52	74	70	68	49	21	3	1
	F--	472	-	-	-	-	-	1	-	-	1	1	2	2	8	8	20	20	47	56	70	86	75	54	17	4	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	1	1	-	7	9	7	6	4	3	7	5	3	2	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	2	8	11	5	7	7	5	5	6	3	3	-	-	-	-
450	General arteriosclerosis--------	3,058	-	-	-	-	-	-	-	-	-	-	1	2	3	7	30	43	107	189	360	523	664	598	395	135	1
	White-----M--	1,326	-	-	-	-	-	-	-	-	-	-	1	2	1	5	18	28	46	105	172	243	293	229	131	51	1
	F--	1,627	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	48	69	171	257	360	363	256	81	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	7	8	8	11	4	1	1	-	-
	F--	81	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	7	9	12	7	5	7	3	-
451-468	Other diseases of circulatory sys.-	933	1	-	1	-	-	1	5	6	10	14	17	29	32	45	59	87	134	144	128	112	67	32	7	2	-
	White-----M--	548	-	-	1	-	-	1	-	2	2	2	4	15	10	29	35	60	91	93	84	61	38	16	2	2	-
	F--	311	1	-	-	-	-	-	5	4	5	6	7	9	15	11	14	23	34	42	42	46	28	14	5	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	1	-	1	1	1	4	5	3	6	6	2	3	1	2	-	-	-
	F--	38	-	-	-	-	-	-	-	-	2	6	5	4	6	1	5	1	3	3	-	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,319	2	1	1	4	1	9	6	10	28	32	44	46	76	85	94	121	120	153	159	123	110	59	26	9	-
	White-----M--	629	2	1	1	2	-	2	2	3	15	18	21	19	29	43	45	62	49	74	76	62	61	28	12	2	-
	F--	569	-	-	-	2	-	6	3	6	11	9	10	13	30	28	36	45	63	74	79	55	48	30	14	7	-
	Nonwhite--M--	61	-	-	-	-	-	-	1	1	-	2	7	6	7	8	8	10	3	3	1	3	1	-	-	-	-
	F--	60	-	-	-	-	1	1	-	-	2	3	6	8	10	6	5	4	5	2	3	3	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	4,476	598	97	53	35	14	43	30	25	33	46	71	80	122	155	208	216	301	371	481	497	481	333	147	38	1
	White-----M--	2,223	243	52	22	13	5	20	17	14	11	15	20	34	60	79	124	136	190	213	257	252	229	136	69	12	-
	F--	1,737	203	31	19	17	5	20	13	11	16	7	21	19	37	47	47	53	88	132	194	226	241	188	76	26	-
	Nonwhite--M--	323	90	11	9	3	-	2	-	-	3	15	21	18	19	22	25	20	15	16	18	6	7	2	-	-	1
	F--	193	62	3	3	2	4	1	-	-	3	9	9	9	6	7	12	7	8	10	12	13	4	7	2	-	-
480-483	Influenza---------	90	11	-	1	1	1	-	-	-	2	6	2	3	3	7	8	3	5	9	5	3	12	4	3	1	-
	White-----M--	41	7	-	-	-	-	-	-	-	1	2	-	1	-	3	4	1	4	5	2	2	5	2	2	-	-
	F--	35	2	-	1	1	1	-	-	-	-	-	-	1	2	3	3	2	1	4	2	1	7	2	1	1	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	4,386	587	97	52	34	13	43	30	25	31	40	69	77	119	148	200	213	296	362	476	494	469	329	144	37	1
	White-----M--	2,182	236	52	22	13	5	20	17	14	10	13	20	33	60	76	120	135	186	208	255	250	224	134	67	12	-
	F--	1,702	201	31	18	16	4	20	13	11	16	7	21	18	35	44	44	51	87	128	192	225	234	186	75	25	-
	Nonwhite--M--	314	89	11	9	3	-	2	-	-	2	13	20	17	18	22	24	20	15	16	17	6	7	2	-	-	1
	F--	188	61	3	3	2	4	1	-	-	3	7	8	9	6	6	12	7	8	10	12	13	4	7	2	-	-
500-502	Bronchitis---------	364	68	19	8	5	6	6	-	1	2	2	7	3	4	10	8	31	34	39	41	26	17	18	7	2	-
	White-----M--	232	28	9	5	5	5	5	-	-	1	-	2	2	-	6	6	26	27	29	30	22	10	10	3	1	-
	F--	97	23	9	3	-	1	-	-	-	1	1	3	1	2	2	2	2	5	10	9	4	7	7	4	1	-
	Nonwhite--M--	21	9	-	-	-	-	1	-	-	-	1	1	-	2	1	-	2	2	-	1	-	-	1	-	-	-
	F--	14	8	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1,316	6	-	-	-	-	1	-	-	2	7	17	38	47	109	135	161	176	190	156	148	81	31	11	-	-
	White-----M--	979	4	-	-	-	-	1	-	-	1	5	10	27	25	79	103	131	145	151	118	106	55	15	3	-	-
	F--	261	1	-	-	-	-	-	-	-	-	2	3	6	9	14	22	24	26	32	37	37	25	15	8	-	-
	Nonwhite--M--	59	1	-	-	-	-	-	-	-	1	-	3	3	11	12	8	6	4	5	1	4	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	-	1	2	-	1	1	1	-	-	-
550-553	Appendicitis------	278	-	1	5	2	1	3	1	2	4	6	6	5	5	20	27	29	28	29	26	25	32	14	7	-	-
	White-----M--	167	-	1	3	2	-	2	-	2	2	3	3	2	4	12	20	17	17	19	19	15	11	8	5	-	-
	F--	97	-	-	1	-	1	1	-	-	-	2	2	2	-	7	6	10	10	10	6	10	21	6	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	-	1	-	1	1	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	854	73	8	1	2	1	6	1	4	2	4	5	10	22	34	46	63	72	119	112	110	92	55	11	1	-
	White-----M--	433	39	3	1	2	1	3	1	3	1	3	1	5	5	14	22	39	42	62	52	62	44	23	5	-	-
	F--	362	27	3	-	-	-	1	-	1	1	1	2	3	9	15	17	18	27	52	56	44	46	32	6	1	-
	Nonwhite--M--	23	2	1	-	-	-	2	-	-	-	-	-	1	3	-	3	4	2	3	1	1	-	-	-	-	-
	F--	36	5	1	-	-	-	2	-	-	-	-	2	1	5	5	4	2	1	2	3	3	2	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																										
543,	Gastritis, etc.*--	558	105	25	7	2	2	3	4	2	5	8	11	16	13	28	31	30	44	38	62	49	39	24	9	1	-
571,	White-----M--	270	48	18	7	1	1	-	2	1	2	5	5	5	6	14	21	20	30	15	24	22	13	9	1	-	-
572	F--	250	32	4	-	1	1	3	1	1	3	3	6	10	4	12	9	9	13	23	38	27	26	15	8	1	-
	Nonwhite--M--	19	13	1	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	F--	19	12	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,402	6	1	1	1	-	2	1	2	2	18	38	131	203	291	339	349	313	304	205	122	40	26	5	1	1
	White-----M--	1,468	2	-	1	1	-	-	-	1	1	6	14	49	100	180	198	227	218	210	138	85	21	13	2	-	1
	F--	750	2	1	-	-	-	2	1	1	1	8	8	48	72	90	109	98	89	88	61	36	19	12	3	1	-
	Nonwhite--M--	105	1	-	-	-	-	-	-	-	-	1	7	17	18	13	16	16	5	5	4	1	-	1	-	-	-
	F--	79	1	-	-	-	-	-	-	-	-	3	9	17	13	8	16	8	1	1	2	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	154	2	3	5	-	1	10	1	2	7	3	6	6	9	13	10	14	20	12	9	8	9	3	1	-	-
	White-----M--	78	-	-	3	-	-	5	1	1	2	1	4	3	2	7	9	7	9	8	4	7	4	1	-	-	-
	F--	62	2	1	2	-	1	5	-	1	4	2	2	2	5	1	-	6	10	4	5	1	5	2	1	-	-
	Nonwhite--M--	9	-	1	-	-	-	-	-	-	1	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	610	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	24	55	93	115	135	108	50	11	8	1
	White-----M--	584	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	21	53	85	112	130	106	49	10	8	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	8	3	5	2	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	140	...	...	...	...	...	...	1	4	31	35	28	27	12	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	93	...	...	...	...	...	...	1	3	23	20	18	18	8	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	47	...	...	...	...	...	...	-	1	8	15	10	9	4	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	38	...	...	...	...	...	...	-	-	12	10	4	11	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	19	...	...	...	...	...	...	-	-	6	3	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	...	...	...	...	...	...	-	-	6	7	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	102	...	...	...	...	...	...	1	4	19	25	24	16	11	2	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	74	...	...	...	...	...	...	1	3	17	17	15	11	8	2	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	28	...	...	...	...	...	...	-	1	2	8	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,905	1,404	81	28	16	15	57	24	20	20	19	19	27	20	34	27	21	25	21	11	11	2	3	-	-	-
	White-----M--	977	722	38	16	5	4	28	10	12	10	11	6	16	7	17	20	14	10	16	6	7	1	1	-	-	-
	F--	753	549	33	10	8	8	26	11	8	7	6	12	7	9	16	6	7	13	5	5	4	1	2	-	-	-
	Nonwhite--M--	86	61	7	1	1	2	1	1	-	1	2	1	3	2	1	1	-	1	-	-	-	-	-	-	-	-
	F--	89	72	3	1	2	1	2	2	-	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	5,339	5,338	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,593	2,592	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,733	1,733	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	549	549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	464	464	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,520	2,520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,362	1,362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	770	770	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	2,533	2,532	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,100	1,099	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	872	872	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,017	106	20	14	3	2	12	6	26	45	57	59	56	70	88	80	59	72	57	42	48	31	23	20	15	6
795	White-----M--	508	63	11	4	2	-	7	3	12	24	21	19	16	24	45	50	39	42	39	24	23	17	8	8	6	1
	F--	339	25	2	2	-	1	4	-	9	6	11	17	21	31	32	26	18	26	15	18	23	14	15	12	9	2
	Nonwhite--M--	112	11	3	4	1	1	-	3	-	11	19	13	12	11	9	4	2	3	2	-	1	-	-	-	-	2
	F--	58	7	4	4	-	-	1	-	5	4	6	10	7	4	2	-	-	1	1	-	1	-	-	-	-	1
Re-	All other diseases	6,228	252	45	35	26	28	76	51	60	71	105	177	203	262	321	426	559	733	904	718	532	363	200	62	14	5
sid-	White-----M--	3,290	140	20	20	12	19	38	27	23	31	40	63	81	107	151	230	308	425	533	421	287	194	94	20	4	2
ual	F--	2,442	75	22	11	14	9	29	18	24	29	34	76	79	101	132	147	212	261	343	280	230	165	101	41	9	-
	Nonwhite--M--	296	24	1	2	-	-	7	2	7	7	15	21	24	34	18	27	27	34	13	15	9	3	4	1	-	1
	F--	200	13	2	2	-	-	2	4	6	4	16	17	19	20	20	22	12	13	15	2	6	1	1	-	1	2
E800-	Accidents---------	7,136	175	75	73	64	56	238	158	301	426	309	281	295	331	388	440	398	475	508	530	576	497	346	130	49	17
E962	White-----M--	4,208	88	27	32	29	31	143	113	241	315	211	177	176	222	256	284	259	322	322	288	269	210	121	44	17	11
	F--	2,284	56	32	28	18	20	66	29	43	58	38	54	65	73	80	102	109	132	153	217	294	279	220	85	30	3
	Nonwhite--M--	443	13	9	8	5	2	21	11	11	39	43	41	38	30	42	36	25	17	19	12	8	7	3	-	-	3
	F--	201	18	7	5	12	3	8	5	6	14	17	9	16	6	10	18	5	4	14	13	5	1	2	1	2	-
E810-	Motor-vehicle																										
E835	accidents--------	2,310	8	10	16	24	25	109	43	177	285	157	159	115	127	128	148	119	149	135	146	125	70	21	7	2	5
	White-----M--	1,547	4	4	9	13	15	67	31	140	217	107	104	73	84	84	95	69	101	83	93	82	49	12	6	2	3
	F--	558	3	5	7	7	8	34	9	25	39	22	34	25	33	30	40	42	41	40	45	40	20	7	1	-	1
	Nonwhite--M--	146	-	-	-	2	1	6	2	6	23	21	17	12	8	10	8	7	6	6	5	2	1	2	-	-	1
	F--	59	1	1	-	2	1	2	1	6	6	7	4	5	2	4	5	1	1	6	3	1	-	-	-	-	-
E800-	All ot. accidents-	4,826	167	65	57	40	31	129	115	124	141	152	122	180	204	260	292	279	326	373	384	451	427	325	123	47	12
E802,	White-----M--	2,661	84	23	23	16	16	76	82	101	98	104	73	103	138	172	189	190	221	239	195	187	161	109	38	15	8
E840-	F--	1,726	53	27	21	11	12	32	20	18	19	16	20	40	40	50	62	67	91	113	172	254	259	213	84	30	2
E962	Nonwhite--M--	297	13	9	8	3	1	15	9	5	16	22	24	26	22	32	28	18	11	13	7	6	6	1	-	-	2
	F--	142	17	6	5	10	2	6	4	-	8	10	5	11	4	6	13	4	3	8	10	4	1	2	1	2	-
E963,	Suicide----------	1,345	-	-	-	-	-	-	1	23	34	74	83	89	89	134	169	192	140	121	80	59	36	15	3	1	2
E970-	White-----M--	978	-	-	-	-	-	-	-	15	24	54	55	61	60	85	117	151	110	93	62	51	26	8	3	1	2
E979	F--	335	-	-	-	-	-	-	1	8	6	17	22	25	29	41	47	40	29	27	18	8	10	7	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	3	2	3	3	-	7	5	1	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	426	8	2	1	1	-	3	7	30	47	53	58	49	55	39	15	20	13	6	9	3	1	2	-	-	4
E980-	White-----M--	149	3	1	1	-	-	1	2	15	15	13	13	18	20	10	6	9	7	4	7	2	-	2	-	-	-
E985	F--	63	-	1	-	-	-	1	-	5	12	8	5	3	7	6	3	4	3	-	1	1	1	-	-	-	2
	Nonwhite--M--	163	1	-	-	1	-	-	5	9	16	21	35	22	18	19	5	6	3	-	1	-	-	-	-	-	1
	F--	51	4	-	-	-	-	1	-	1	4	11	5	6	10	4	1	1	-	2	-	-	-	-	-	-	1
E965,	Operations of war-	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA																										
	ALL CAUSES	32,274	3,500	234	136	103	73	250	232	435	546	537	681	909	1,217	1,557	1,910	2,394	2,818	3,353	3,558	3,322	2,425	1,380	492	198	14
	White M	12,874	1,013	66	39	35	21	95	98	201	259	214	227	326	450	659	812	1,075	1,224	1,394	1,526	1,419	972	544	156	45	4
	White F	8,968	729	53	33	23	20	54	48	82	70	75	122	157	241	294	367	504	659	891	1,196	1,311	1,095	636	224	80	4
	Nonwhite M	5,679	983	63	39	18	14	50	43	93	124	145	182	218	301	359	394	450	521	579	437	299	200	99	41	24	3
	Nonwhite F	4,753	775	52	25	27	18	51	43	59	93	103	150	208	225	245	337	365	414	489	399	293	158	101	71	49	3
001-019	Tuberculosis, all forms	261	1	-	2	1	1	1	3	1	6	6	18	19	26	31	29	24	31	10	22	14	11	3	1	-	-
	White M	89	-	-	-	1	-	-	-	-	-	1	6	5	6	13	9	10	11	3	11	5	6	2	-	-	-
	White F	36	-	-	-	-	1	-	-	-	-	1	1	2	3	4	1	3	6	2	4	5	2	-	1	-	-
	Nonwhite M	80	-	-	1	-	-	-	1	-	1	2	5	7	11	10	12	10	8	3	4	2	2	1	-	-	-
	Nonwhite F	56	1	-	1	-	-	1	2	1	5	2	6	5	6	4	7	1	6	2	3	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system	231	-	-	-	-	-	-	2	1	6	6	17	14	25	30	26	23	27	9	20	12	9	3	1	-	-
	White M	82	-	-	-	-	-	-	-	-	-	1	5	3	6	13	9	10	10	3	11	4	5	2	-	-	-
	White F	31	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	3	6	2	3	4	2	-	1	-	-
	Nonwhite M	75	-	-	-	-	-	-	1	-	1	2	5	6	11	10	11	9	8	3	3	2	2	1	-	-	-
	Nonwhite F	43	-	-	-	-	-	-	1	1	5	2	6	4	5	4	5	1	3	1	3	2	-	-	-	-	-
010-019	Tuberculosis, other forms	30	1	-	2	1	1	1	1	-	-	-	1	5	1	1	3	1	4	1	2	2	2	-	-	-	-
	White M	7	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	1	-	-	-	-
	White F	5	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite M	5	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite F	13	1	-	1	-	-	1	1	-	-	-	-	1	1	-	2	-	3	1	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae	59	1	-	-	-	-	-	-	-	1	-	-	5	4	8	10	5	5	6	8	3	1	-	-	1	1
	White M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	3	4	-	1	-	-	-	-
	White F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite M	30	1	-	-	-	-	-	-	-	1	-	-	3	1	4	6	3	4	1	3	2	-	-	-	-	1
	Nonwhite F	9	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	1	1	-	-	-	-	1	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	14	7	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite M	5	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat	10	1	1	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	White M	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	31	25	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	14	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	31	6	9	2	3	1	6	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White M	12	3	4	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	8	2	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite M	4	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	7	-	2	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	7	-	-	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	126	28	6	4	3	2	3	7	3	3	4	3	4	4	4	7	6	11	8	5	5	1	4	1	-	-
	White M	47	7	4	2	-	-	1	4	1	-	2	-	1	-	1	4	3	4	4	3	1	1	3	1	-	-
	White F	17	2	2	-	1	-	-	-	1	-	-	1	-	2	1	-	1	2	1	-	2	-	1	-	-	-
	Nonwhite M	31	13	-	1	1	1	-	2	-	2	1	-	2	-	2	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite F	31	6	-	1	1	1	2	1	1	1	1	2	1	2	-	2	1	4	2	1	1	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*	3,948	3	11	10	13	6	35	30	30	37	43	72	141	223	274	334	456	508	557	423	366	233	107	28	8	-
	White-----M--	1,562	2	3	6	6	3	19	17	9	20	20	19	37	55	95	122	176	212	228	185	163	99	49	14	3	-
	F--	1,501	1	5	1	6	3	7	10	7	9	12	28	55	106	107	117	177	176	188	164	152	106	47	14	3	-
	Nonwhite--M--	412	-	2	1	-	-	7	2	7	2	5	8	9	21	23	33	49	59	89	39	31	18	6	-	1	-
	F--	473	-	1	2	1	-	2	1	7	6	6	17	40	41	49	62	54	61	52	35	20	10	5	-	1	-
140-148	Of buccal cavity and pharynx	99	-	-	-	-	-	-	-	-	-	-	1	3	3	6	7	18	12	18	7	12	7	3	2	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	8	6	8	3	7	2	1	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	6	2	5	3	4	5	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,155	-	-	-	-	-	2	-	1	2	8	14	19	39	61	84	141	161	198	128	143	101	37	15	1	-
	White-----M--	487	-	-	-	-	-	1	-	-	1	4	3	11	14	25	33	64	76	72	59	61	42	14	7	-	-
	F--	401	-	-	-	-	-	-	-	1	1	1	6	4	9	18	28	42	41	65	46	63	48	19	8	1	-
	Nonwhite--M--	166	-	-	-	-	-	1	-	-	-	2	2	-	12	11	15	21	26	42	15	9	8	2	-	-	-
	F--	101	-	-	-	-	-	-	-	-	-	1	3	4	4	7	8	14	18	19	8	10	3	2	-	-	-
160-164	Of respiratory system (not secondary)	403	-	-	-	-	-	1	1	1	-	2	4	8	20	34	46	51	71	76	41	18	18	10	1	-	-
	White-----M--	283	-	-	-	-	-	1	1	-	-	1	3	3	11	26	33	37	53	61	23	12	9	8	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	3	2	4	4	4	8	7	10	4	7	1	-	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	1	1	2	5	3	7	7	7	5	4	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	3	3	4	1	2	1	-	-	-
170	Of breast	349	-	-	-	-	-	-	-	-	2	3	7	23	39	47	31	45	48	36	32	18	10	5	1	2	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	272	-	-	-	-	-	-	-	-	1	3	3	12	31	35	21	39	43	29	25	16	7	5	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	F--	72	-	-	-	-	-	-	-	-	1	-	4	11	8	12	10	4	5	7	6	1	3	-	-	-	-
171-179	Of genital organs	757	-	-	1	-	-	-	1	2	2	7	17	36	54	56	73	75	95	105	85	80	45	19	1	3	-
	White-----M--	195	-	-	1	-	-	-	-	-	-	2	1	4	2	3	3	6	25	24	34	43	30	14	-	3	-
	F--	322	-	-	-	-	-	-	1	1	1	2	9	15	33	34	36	42	40	45	32	18	8	4	1	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	7	9	22	12	16	6	-	-	-	-
	F--	158	-	-	-	-	-	-	-	1	1	3	7	17	19	16	27	20	21	14	7	3	1	1	-	-	-
180, 181	Of urinary organs	155	-	-	2	1	1	2	1	1	2	-	1	1	5	5	13	23	20	18	26	14	9	8	1	1	-
	White-----M--	67	-	-	2	-	-	1	1	1	1	-	-	-	4	3	7	9	7	10	12	4	2	3	-	-	-
	F--	57	-	-	-	-	1	1	-	-	-	-	-	1	1	1	3	9	4	6	10	8	7	4	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	-	-	-	1	-	-	-
	F--	21	-	-	-	1	-	-	-	-	1	-	1	-	-	1	2	3	4	1	4	2	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*	595	2	3	3	4	2	11	7	14	15	10	12	23	39	42	58	63	62	55	62	53	32	19	4	-	-
	White-----M--	261	2	1	2	1	-	5	1	5	9	5	5	7	12	22	30	34	21	29	29	24	8	7	2	-	-
	F--	218	-	1	-	3	2	4	5	1	2	3	4	10	19	7	15	19	29	17	23	23	20	9	2	-	-
	Nonwhite--M--	48	-	1	1	-	-	1	-	3	2	-	1	2	1	4	2	5	5	6	5	4	3	2	-	-	-
	F--	68	-	-	-	-	-	1	1	5	2	2	2	4	7	9	11	5	7	3	5	2	1	1	-	-	-
204	Leukemia and aleukemia	240	1	7	4	5	3	15	16	8	7	5	6	9	11	12	6	28	14	25	22	19	11	4	2	-	-
	White-----M--	116	-	1	1	2	3	8	12	3	5	2	2	3	4	4	3	11	8	12	14	9	6	1	2	-	-
	F--	86	1	4	1	3	-	1	2	3	2	2	3	3	5	6	3	11	5	7	8	10	4	2	-	-	-
	Nonwhite--M--	26	-	1	-	-	-	5	2	2	-	1	1	1	2	1	-	4	1	3	-	-	1	1	-	-	-
	F--	12	-	1	2	-	-	1	-	-	-	-	-	2	-	1	-	2	-	3	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	195	-	1	-	3	-	4	4	3	7	8	10	19	13	11	16	12	25	26	20	9	-	2	1	1	-
	White-----M--	99	-	1	-	3	-	3	2	-	4	6	5	8	5	7	7	6	16	12	10	2	-	1	1	-	-
	F--	59	-	-	-	-	-	1	2	1	2	1	2	5	6	1	7	5	4	7	7	6	-	1	-	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	2	-	1	3	4	1	1	1	-	2	6	2	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	1	3	1	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	112	3	2	1	-	-	4	3	7	6	1	7	11	8	9	14	10	9	4	5	6	-	1	1	-	-
	White-----M--	27	1	-	-	-	-	-	1	4	1	-	1	2	4	-	5	4	1	1	1	-	-	1	-	-	-
	F--	37	1	2	-	-	-	1	-	1	2	1	1	3	1	5	5	2	4	1	2	5	-	-	-	-	-
	Nonwhite--M--	13	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	2	4	1	1	-	-	-	-	-	-
	F--	35	1	-	-	-	-	3	2	2	2	-	5	5	3	4	2	2	-	1	1	1	-	-	1	-	-
260	Diabetes mellitus	422	4	-	-	-	-	1	3	5	7	7	12	10	14	18	28	36	61	59	66	54	21	13	3	-	-
	White-----M--	129	-	-	-	-	-	-	1	-	1	3	3	2	3	6	6	13	18	22	24	14	7	6	-	-	-
	F--	157	1	-	-	-	-	-	1	4	1	3	5	-	1	5	4	9	23	21	30	32	10	5	2	-	-
	Nonwhite--M--	44	2	-	-	-	-	-	-	1	1	-	2	5	3	2	5	6	7	5	2	1	1	1	-	-	-
	F--	92	1	-	-	-	-	1	1	-	4	1	2	3	7	5	13	8	13	11	10	7	3	1	1	-	-
290-293	Anemias	63	6	5	1	1	1	-	1	-	2	4	1	2	1	3	2	2	3	7	6	4	7	4	-	-	-
	White-----M--	26	1	1	1	-	1	-	-	-	-	-	-	1	-	1	-	2	-	5	4	-	6	3	-	-	-
	F--	15	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	1	3	1	1	-	-	-
	Nonwhite--M--	11	3	3	-	1	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	1	-	2	2	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	46	24	2	2	1	4	3	2	1	-	1	-	1	1	-	2	-	-	2	-	-	-	-	-	-	-
	White-----M--	16	6	1	2	-	2	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	14	7	-	-	1	2	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,090	19	5	5	5	2	18	33	47	53	77	170	333	539	804	1,083	1,490	1,799	2,285	2,535	2,448	1,801	1,037	357	139	6
	White-----M--	7,069	8	1	1	1	1	6	9	10	15	27	45	111	205	360	477	684	786	960	1,070	1,033	714	395	119	30	1
	F--	4,964	3	2	2	-	1	4	9	12	8	14	24	36	65	97	161	245	372	579	848	959	823	486	153	59	2
	Nonwhite--M--	2,654	6	1	2	2	-	3	2	11	13	14	44	90	156	204	244	312	356	383	321	224	144	73	31	16	2
	F--	2,403	2	1	-	2	-	5	13	14	17	22	57	96	113	143	201	249	285	363	296	232	120	83	54	34	1
330-334, 400-468	Diseases of cardiovascular system	16,639	18	5	5	5	2	16	31	39	50	69	156	311	520	771	1,051	1,453	1,754	2,236	2,480	2,406	1,767	1,006	348	134	6
	White-----M--	6,917	7	1	1	1	1	6	9	9	15	22	41	102	198	348	466	673	773	944	1,052	1,018	704	382	115	28	1
	F--	4,875	3	2	2	-	1	3	9	8	7	13	21	36	63	93	157	241	366	570	839	947	808	474	151	59	2
	Nonwhite--M--	2,544	6	1	2	2	-	2	2	9	13	13	42	82	152	193	238	297	343	369	307	216	139	69	31	14	2
	F--	2,303	2	1	-	2	-	5	11	13	15	21	52	91	107	137	190	242	272	353	282	225	116	81	51	33	1
330-334	Vascular lesions, etc.*	4,395	6	1	1	-	-	5	1	7	7	13	27	72	102	159	259	322	447	548	727	707	542	304	102	35	1
	White-----M--	1,471	2	-	-	-	-	3	1	2	2	3	5	16	21	49	59	99	129	183	258	279	219	98	38	5	-
	F--	1,474	1	1	1	-	-	1	-	2	2	2	3	8	16	25	49	60	119	145	279	296	243	161	45	15	-
	Nonwhite--M--	712	3	-	-	-	-	1	-	1	1	5	6	28	35	44	78	78	98	102	101	61	43	17	6	4	-
	F--	738	-	-	-	-	-	-	-	2	2	3	13	20	30	41	73	85	101	118	89	71	37	28	13	11	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA--Continued																										
400-402	Rheumatic fever---	36	-	-	1	1	-	6	15	5	2	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	2	5	2	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	4	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	11,168	12	4	2	4	1	5	13	24	33	52	108	202	378	571	744	1,071	1,232	1,598	1,612	1,527	1,072	605	206	87	5
	White-----M--	5,079	5	1	-	1	-	1	2	3	11	18	31	79	170	288	386	556	615	733	746	668	429	248	64	23	1
	F--	3,080	2	1	1	-	1	1	5	5	4	11	15	24	40	60	103	169	235	398	515	582	487	269	91	39	2
	Nonwhite--M--	1,643	3	1	1	1	-	1	-	7	9	8	30	43	100	139	145	207	223	249	180	136	87	44	19	8	2
	F--	1,366	2	1	-	2	-	2	6	9	9	15	32	56	68	84	110	139	159	218	171	141	69	44	32	17	-
410-416	Chronic rheumatic heart disease----	296	-	-	-	-	-	1	9	8	16	15	20	24	28	21	20	19	28	28	25	14	11	6	2	-	1
	White-----M--	109	-	-	-	-	-	-	2	-	4	5	7	7	7	10	8	5	18	9	14	5	5	3	-	-	-
	F--	107	-	-	-	-	-	-	2	1	4	8	8	11	13	7	6	8	7	10	5	7	6	2	1	-	1
	Nonwhite--M--	37	-	-	-	-	-	-	-	2	5	1	2	3	5	2	2	3	2	5	3	1	-	1	-	-	-
	F--	43	-	-	-	-	-	1	5	5	3	1	3	3	3	2	4	3	1	4	3	1	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	6,652	5	2	1	-	-	-	-	7	7	23	52	104	212	344	484	711	801	1,022	965	900	580	303	92	35	2
	White-----M--	3,597	2	-	-	-	-	-	-	2	3	6	22	54	129	223	306	442	482	547	505	449	244	140	30	11	-
	F--	1,813	1	1	1	-	-	-	-	-	-	1	3	7	13	34	63	115	159	281	322	344	269	138	44	16	1
	Nonwhite--M--	725	1	1	-	-	-	-	-	2	1	7	14	21	50	63	73	95	100	109	77	52	37	11	7	3	1
	F--	517	1	-	-	-	-	-	-	3	3	9	13	22	20	24	42	59	60	85	61	55	30	14	11	5	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,202	1	1	-	1	1	1	-	-	2	3	5	3	17	27	29	64	85	147	191	207	200	136	54	27	-
	White-----M--	450	1	1	-	1	-	1	-	-	-	2	-	2	4	14	5	17	24	54	83	80	86	52	19	4	-
	F--	410	-	-	-	-	1	-	-	-	-	-	2	-	5	2	5	10	14	27	54	90	92	65	27	16	-
	Nonwhite--M--	188	-	-	-	-	-	-	-	-	2	-	1	1	3	8	9	24	23	36	29	20	17	10	3	2	-
	F--	154	-	-	-	-	-	-	-	-	-	1	2	-	5	3	10	13	24	30	25	17	5	9	5	5	-
430-434	Other diseases of heart---------	792	6	1	1	3	-	3	4	8	6	6	10	31	49	56	81	71	86	91	104	84	51	27	7	5	1
	White-----M--	348	2	-	-	-	-	-	-	1	4	3	1	14	22	22	40	41	38	41	52	32	21	10	2	1	1
	F--	136	1	-	-	-	-	1	3	4	-	1	-	2	4	6	8	6	12	13	19	28	17	8	2	1	-
	Nonwhite--M--	175	2	-	1	1	-	1	-	2	1	-	7	5	13	18	20	14	22	23	18	16	5	4	1	1	-
	F--	133	1	1	-	2	-	1	1	1	1	2	2	10	10	10	13	10	14	14	15	8	8	5	2	2	-
440-443	Hypertension with heart dis.--	2,226	-	-	-	-	-	-	-	1	2	5	21	40	72	123	130	206	232	310	327	322	230	133	51	20	1
	White-----M--	575	-	-	-	-	-	-	-	-	-	2	1	2	8	19	27	51	53	82	92	102	73	43	13	7	-
	F--	594	-	-	-	-	-	-	-	-	-	1	2	4	5	11	21	30	43	67	115	113	103	56	17	6	-
	Nonwhite--M--	518	-	-	-	-	-	-	-	1	-	-	6	13	29	48	41	71	76	76	53	47	28	18	8	2	1
	F--	539	-	-	-	-	-	-	-	-	2	2	12	21	30	45	41	54	60	85	67	60	26	16	13	5	-
444-447	Hypertension without mention of heart----------	272	-	-	-	-	-	-	1	-	3	2	13	20	22	19	16	17	16	28	26	38	32	14	4	1	-
	White-----M--	65	-	-	-	-	-	-	1	-	-	-	3	2	2	3	6	4	6	6	11	12	6	3	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	2	6	6	17	19	8	1	-	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	2	-	5	6	12	7	5	4	4	7	4	4	3	2	2	1	-
	F--	69	-	-	-	-	-	-	-	-	1	2	4	10	7	7	3	6	4	9	5	5	4	1	1	-	-
450	General arteriosclerosis--------	517	-	-	-	-	-	-	-	-	-	-	-	1	2	3	11	17	35	36	79	105	106	77	35	10	-
	White-----M--	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	9	12	25	46	43	30	12	-	-
	F--	192	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	12	25	40	52	34	14	5	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	13	7	15	11	6	5	4	1	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	9	7	5	14	8	5	8	5	4	-
451-468	Other diseases of circulatory sys.-	251	-	-	1	-	1	-	1	3	5	2	8	14	15	19	21	25	23	25	36	29	15	6	1	1	-
	White-----M--	108	-	-	1	-	1	-	-	2	1	1	2	3	5	8	12	13	13	10	12	13	7	3	1	-	-
	F--	70	-	-	-	-	-	-	-	-	1	-	2	2	4	5	3	6	4	8	14	12	7	2	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	1	-	1	5	5	1	4	3	5	4	7	4	-	1	-	-	-
	F--	32	-	-	-	-	-	-	1	1	2	1	3	4	1	5	2	3	1	3	3	-	1	-	-	1	-
592-594	Chronic nephritis, etc.*----------	451	1	-	-	-	-	2	2	8	3	8	14	22	19	33	32	37	45	49	55	42	34	31	9	5	-
	White-----M--	152	1	-	-	-	-	-	-	1	-	5	4	9	7	12	11	11	13	16	18	15	10	13	4	2	-
	F--	89	-	-	-	-	-	1	-	4	1	1	3	-	2	4	4	4	6	9	9	12	15	12	2	-	-
	Nonwhite--M--	110	-	-	-	-	-	1	-	2	-	1	2	8	4	11	6	15	13	14	14	8	5	4	-	2	-
	F--	100	-	-	-	-	-	-	2	1	2	1	5	5	6	6	11	7	13	10	14	7	4	2	3	1	-
480-493	Influenza and pneumonia, etc.*-	1,215	431	45	24	11	5	16	15	13	8	13	16	12	19	35	31	28	46	55	101	92	96	55	32	12	2
	White-----M--	335	76	9	3	1	-	1	5	5	3	4	5	3	4	11	12	9	17	16	36	42	38	23	8	3	1
	F--	290	54	6	7	2	1	2	5	1	2	1	3	2	4	4	5	2	14	13	38	34	43	28	15	4	-
	Nonwhite--M--	339	180	18	8	1	2	10	2	4	-	3	4	3	7	13	10	8	9	15	12	4	11	4	7	4	-
	F--	251	121	12	6	7	2	3	3	3	3	5	4	4	4	7	4	9	8	11	15	12	4	-	2	1	1
480-483	Influenza---------	105	24	1	1	-	1	1	1	-	1	1	4	1	3	2	3	4	4	5	14	8	15	6	2	3	-
	White-----M--	28	5	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	1	-	4	5	4	2	-	-	-
	F--	29	2	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	2	5	-	9	2	2	2	-
	Nonwhite--M--	25	10	1	-	-	1	-	-	-	-	-	1	-	2	1	-	1	1	3	1	-	1	2	-	-	-
	F--	23	7	-	-	-	-	1	-	-	1	1	1	-	1	-	-	1	1	-	4	3	1	-	-	1	-
490-493	Pneumonia, etc.*--	1,110	407	44	23	11	4	15	14	13	7	12	12	11	16	33	28	24	44	50	87	84	81	49	30	9	2
	White-----M--	307	71	9	3	1	-	1	5	5	3	4	4	2	4	11	9	7	16	16	32	37	34	21	8	3	1
	F--	261	52	6	6	2	1	2	4	1	2	1	2	2	4	3	5	2	13	11	33	34	34	26	13	2	-
	Nonwhite--M--	314	170	17	8	1	1	10	2	4	-	3	3	3	5	12	10	7	8	12	11	4	10	2	7	4	-
	F--	228	114	12	6	7	2	2	3	3	2	4	3	4	3	7	4	8	7	11	11	9	3	-	2	-	1
500-502	Bronchitis--------	53	18	3	1	1	-	3	-	-	1	-	1	-	1	1	1	-	6	1	3	5	4	2	-	1	-
	White-----M--	24	4	1	-	-	-	2	-	-	1	-	1	-	1	-	1	-	5	-	1	2	3	1	-	1	-
	F--	14	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-
	Nonwhite--M--	7	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	142	1	-	-	-	-	-	-	-	3	-	6	5	10	11	12	18	16	11	24	15	6	3	1	-	-
	White-----M--	86	-	-	-	-	-	-	-	-	2	-	-	2	4	9	8	15	9	6	17	9	4	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	4	2	5	4	1	1	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	-	3	1	3	-	3	1	3	-	1	2	1	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	3	1	-	-	1	-	-	-
550-553	Appendicitis------	34	-	-	-	-	-	-	3	2	1	1	1	1	2	6	4	2	2	1	3	2	2	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	1	1	-	-	1	1	1	3	1	-	1	-	1	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	2	1	-	-	-	-	-	2	2	1	1	-	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	128	24	2	-	-	-	1	-	-	-	1	4	3	2	8	8	6	10	12	18	17	3	6	3	-	-
	White-----M--	42	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	3	3	2	10	10	2	3	1	-	-
	F--	42	7	1	-	-	-	-	-	-	-	-	2	1	-	5	1	1	2	6	4	6	1	3	2	-	-
	Nonwhite--M--	21	8	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	3	1	3	-	-	-	-	-	-
	F--	23	4	-	-	-	-	1	-	-	-	1	1	-	1	2	4	2	2	3	1	1	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																										
543,	Gastritis, etc.*--	256	152	23	5	1	1	3	-	1	1	1	2	2	2	4	4	7	10	6	3	13	11	2	1	1	-
571,	White-----M--	62	27	6	-	1	-	1	-	1	-	-	2	-	-	1	1	2	4	2	2	7	4	-	1	-	-
572	F--	46	14	4	1	-	-	-	-	-	1	-	-	1	2	2	1	2	3	2	1	5	5	2	-	-	-
	Nonwhite--M--	78	63	7	1	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	1	-	-	1	-
	F--	70	48	6	3	-	1	2	-	-	-	-	-	1	-	-	1	2	2	2	-	1	1	-	-	-	-
581	Cirrhosis of liver	184	1	-	1	-	-	1	-	-	1	5	6	12	23	23	23	21	22	16	14	7	5	3	-	-	-
	White-----M--	98	1	-	-	-	-	-	-	-	-	4	2	6	14	14	11	10	14	11	7	2	2	-	-	-	-
	F--	48	-	-	-	-	-	1	-	-	-	1	1	4	4	4	9	6	2	1	6	3	3	3	-	-	-
	Nonwhite--M--	26	-	-	1	-	-	-	-	-	-	-	2	2	4	4	1	3	3	4	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	3	-	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	65	-	1	1	1	2	1	2	1	3	4	5	5	2	6	5	8	2	6	4	2	3	1	-	-	-
	White-----M--	18	-	1	-	1	2	-	-	1	1	2	1	-	-	2	1	1	2	1	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	1	1	-	-	-	-	2	-	1	1	2	-	-	-	1	2	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	1	1	3	1	-	3	1	1	-	3	1	-	1	-	-	-	-
	F--	18	-	-	1	-	-	-	-	-	1	1	1	2	2	-	2	4	-	2	2	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	96	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	11	22	22	17	11	3	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	15	20	14	11	2	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	7	2	3	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	96	...	...	...	...	...	...	-	12	16	16	23	17	9	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	2	5	3	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	72	...	...	...	...	...	...	-	10	11	13	18	12	5	3	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	8	...	...	...	...	...	...	-	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	88	...	...	...	...	...	...	-	12	15	13	21	16	8	3	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	23	...	...	...	...	...	...	-	2	5	2	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	65	...	...	...	...	...	...	-	10	10	11	16	11	4	3	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	511	394	28	11	9	5	11	7	7	2	5	8	7	5	3	4	2	2	-	-	-	1	-	-	-	-
	White-----M--	219	166	11	5	7	-	8	4	4	2	-	3	3	1	1	2	1	1	-	-	-	-	-	-	-	-
	F--	159	122	8	3	-	5	3	3	2	-	2	2	2	2	1	2	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	74	59	3	2	2	-	-	-	-	-	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	59	47	6	1	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,906	1,905	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	607	606	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	440	440	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	741	741	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	265	265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,034	1,033	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	321	320	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	678	183	9	6	4	2	4	5	1	7	4	7	19	22	19	25	31	46	44	54	53	45	32	29	24	3
795	White-----M--	190	22	-	1	2	1	2	-	-	2	-	1	4	9	4	13	10	21	14	23	17	17	12	7	6	2
	F--	142	30	1	3	1	-	-	-	1	-	-	1	2	1	3	3	2	6	5	16	18	14	13	14	7	1
	Nonwhite--M--	163	57	5	1	1	-	-	-	-	1	2	4	6	5	7	8	11	11	17	3	10	6	5	1	2	-
	F--	183	74	3	1	-	1	2	5	-	4	2	1	7	7	5	1	8	8	8	12	8	8	2	7	9	-
Re-	All other diseases	1,473	105	18	15	13	4	15	19	34	50	55	52	68	64	89	124	115	113	134	137	110	84	36	13	6	-
sid-	White-----M--	548	34	5	5	3	1	5	9	8	13	11	12	25	24	39	43	54	52	57	58	45	27	18	-	-	-
ual	F--	429	15	2	4	3	2	5	4	14	10	7	10	13	21	22	35	27	30	40	47	48	45	12	9	4	-
	Nonwhite--M--	263	24	6	4	3	-	2	2	7	12	16	16	19	10	20	22	20	20	22	19	12	6	1	-	-	-
	F--	233	32	5	2	4	1	3	4	5	15	21	14	11	9	8	24	14	11	15	13	5	6	5	4	2	-
E800-	Accidents---------	2,542	152	61	36	32	36	118	91	233	275	207	177	155	155	124	114	91	81	92	89	74	67	56	19	6	1
E962	White-----M--	1,242	37	16	11	8	9	44	45	149	181	117	100	86	79	60	58	48	36	38	39	39	23	14	3	2	-
	F--	450	26	15	9	9	7	26	13	31	25	20	21	20	15	14	15	18	10	19	26	28	34	32	13	3	1
	Nonwhite--M--	623	48	15	12	6	10	26	27	48	55	59	49	42	52	42	34	16	25	22	17	6	5	6	1	-	-
	F--	227	41	15	4	9	10	22	6	5	14	11	7	7	9	8	7	9	10	13	7	1	5	4	2	1	-
E810-	Motor-vehicle																										
E835	accidents--------	1,217	7	22	14	11	17	58	34	169	198	134	97	79	74	53	49	49	37	46	30	26	9	4	-	-	-
	White-----M--	696	1	7	4	4	3	23	13	116	140	83	57	45	39	22	27	29	17	23	18	13	6	1	-	-	-
	F--	192	-	8	4	4	3	18	9	25	17	12	16	10	11	6	9	10	5	9	5	6	3	2	-	-	-
	Nonwhite--M--	261	3	3	5	2	7	9	9	25	33	37	20	20	19	22	12	5	12	11	4	2	-	1	-	-	-
	F--	68	3	4	1	1	4	8	3	3	8	2	4	4	5	3	1	5	3	3	3	-	-	-	-	-	-
E800-	All ot. accidents-	1,325	145	39	22	21	19	60	57	64	77	73	80	76	81	71	65	42	44	46	59	48	58	52	19	6	1
E802,	White-----M--	546	36	9	7	4	6	21	32	33	41	34	43	41	40	38	31	19	19	15	21	21	17	13	3	2	-
E840-	F--	258	26	7	5	5	4	8	4	6	8	8	5	10	4	8	6	8	5	10	21	22	31	30	13	3	1
E962	Nonwhite--M--	362	45	12	7	4	3	17	18	23	22	22	29	22	33	20	22	11	13	11	13	4	5	5	1	-	-
	F--	159	38	11	3	8	6	14	3	2	6	9	3	3	4	5	6	4	7	10	4	1	5	4	2	1	-
E963,	Suicide----------	330	-	-	-	-	-	-	-	9	16	26	31	37	42	45	28	26	24	19	14	8	4	1	-	-	-
E970-	White-----M--	244	-	-	-	-	-	-	-	5	10	16	18	27	31	32	25	22	21	13	13	7	3	1	-	-	-
E979	F--	52	-	-	-	-	-	-	-	2	1	5	8	5	6	11	2	2	3	5	1	-	1	-	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	1	5	3	4	5	5	2	1	2	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	334	4	-	-	1	-	2	3	24	46	56	58	40	38	27	15	5	5	4	1	-	2	2	-	-	1
E980-	White-----M--	62	3	-	-	-	-	-	1	1	7	6	7	9	8	5	6	5	2	-	1	-	1	-	-	-	-
E985	F--	32	-	-	-	-	-	1	-	3	4	4	8	3	2	3	3	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	177	1	-	-	-	-	-	1	11	28	33	34	20	20	16	4	-	3	4	-	-	-	2	-	-	-
	F--	63	-	-	-	1	-	1	1	9	7	13	9	8	8	3	2	-	-	-	-	-	-	-	-	-	1
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA																										
	ALL CAUSES------	5,270	433	42	19	13	10	33	35	45	60	58	68	88	108	164	200	300	450	559	737	691	613	367	137	37	3
	White-----M--	3,164	228	21	8	6	6	21	22	30	45	36	49	52	64	105	141	188	284	346	465	412	349	206	63	14	3
	F--	1,986	174	16	10	5	4	12	11	12	11	16	13	31	37	56	56	109	158	207	261	273	259	157	73	23	-
	Nonwhite--M--	61	20	2	1	1	-	-	2	3	4	4	5	5	4	3	3	1	5	1	8	5	2	1	1	-	-
	F--	39	11	3	-	1	-	-	-	-	-	-	1	-	3	-	-	2	3	5	3	1	3	3	-	-	-
001-019	Tuberculosis, all forms--------	21	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	1	6	1	1	1	1	2	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	1	1	1	-	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	17	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	4	1	-	1	1	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	1	-	1	-	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	7	1	1	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Con.																										
140-205	Malignant neoplasms, etc.*----	781	-	-	-	3	1	3	5	5	1	10	7	19	26	31	48	71	95	118	119	87	81	40	9	1	1
	White-----M--	430	-	-	-	1	1	1	1	2	1	6	6	8	9	16	23	35	46	61	78	53	48	26	7	-	1
	F--	341	-	-	-	2	-	2	4	2	-	4	1	11	16	15	24	35	48	55	41	32	33	13	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	3	1	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	297	-	-	-	-	-	-	-	1	-	1	1	2	6	7	13	23	37	49	50	39	41	19	6	1	1
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	12	22	23	32	20	25	11	4	-	1
	F--	128	-	-	-	-	-	-	-	1	-	1	-	-	3	4	6	11	14	26	18	18	16	7	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
160-164	Of respiratory system (not secondary)--------	77	-	-	-	-	-	-	-	-	-	-	1	1	3	3	7	12	12	15	13	5	3	2	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	10	7	12	11	4	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	3	2	1	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	55	-	-	-	-	-	-	-	-	-	-	-	4	5	3	7	6	9	7	4	5	5	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	53	-	-	-	-	-	-	-	-	-	-	-	4	5	3	7	5	9	7	4	5	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	129	-	-	-	-	-	-	-	-	-	2	1	3	4	5	5	10	11	20	17	20	19	9	3	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	1	1	1	-	-	4	-	4	11	12	17	15	8	3	-	-
	F--	51	-	-	-	-	-	-	-	-	-	1	-	2	3	5	1	10	7	9	5	3	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	39	-	-	-	3	-	-	-	-	-	-	-	1	-	2	3	4	8	2	5	5	5	1	-	-	-
	White-----M--	27	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	2	4	2	3	5	4	-	-	-	-
	F--	12	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	91	-	-	-	-	-	2	3	2	-	3	3	6	2	5	8	8	11	12	15	6	2	3	-	-	-
	White-----M--	52	-	-	-	-	-	-	1	1	-	2	3	1	-	4	4	7	6	7	9	4	-	3	-	-	-
	F--	37	-	-	-	-	-	2	2	1	-	1	-	5	2	1	4	1	5	4	6	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	37	-	-	-	-	1	1	2	1	-	1	-	-	3	4	2	1	2	8	5	3	1	2	-	-	-
	White-----M--	21	-	-	-	-	1	1	-	-	-	1	-	-	2	2	1	1	-	4	4	2	-	2	-	-	-
	F--	14	-	-	-	-	-	-	2	-	-	-	-	-	1	2	1	-	2	3	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	44	-	-	-	-	-	-	-	1	1	3	1	1	3	2	2	6	5	2	7	3	4	3	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	1	1	2	-	1	2	2	1	3	3	-	5	1	2	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	3	2	2	2	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	16	-	-	-	-	-	-	1	-	-	1	-	-	2	4	-	2	1	-	2	-	3	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	2	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	82	-	-	-	-	-	-	-	-	2	2	3	1	5	3	1	5	6	18	14	11	8	3	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	2	1	2	1	3	2	1	2	1	5	9	5	3	1	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	5	12	5	6	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	12	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	2	-	-	-	-
	White-----M--	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	12	4	2	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,836	3	-	1	-	-	1	3	5	9	9	12	23	41	73	115	160	257	332	505	487	420	256	96	27	1
	White-----M--	1,743	1	-	-	-	-	1	2	4	4	6	8	15	30	51	91	112	175	220	308	286	233	142	42	11	1
	F--	1,064	1	-	1	-	-	-	-	1	4	3	3	7	10	21	23	47	77	111	190	199	184	112	54	16	-
	Nonwhite--M--	18	1	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	4	-	4	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	1	2	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,791	3	-	1	-	-	1	2	1	5	7	10	23	40	72	112	156	253	327	500	482	418	255	96	26	1
	White-----M--	1,719	1	-	-	-	-	1	1	1	2	5	8	15	29	51	89	110	174	217	306	283	231	141	42	11	1
	F--	1,045	1	-	1	-	-	-	-	-	2	2	1	7	10	20	22	46	75	109	187	197	184	112	54	15	-
	Nonwhite--M--	17	1	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	3	-	4	1	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	1	1	2	-	-	-
330-334	Vascular lesions, etc.*----------	652	1	-	1	-	-	-	-	-	2	-	2	1	7	10	25	33	66	60	114	139	113	50	21	7	-
	White-----M--	354	-	-	-	-	-	-	-	-	1	-	2	-	4	6	18	19	36	34	59	70	62	27	12	4	-
	F--	292	-	-	1	-	-	-	-	-	-	-	-	1	3	4	7	14	29	26	54	69	50	22	9	3	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Con.																										
400-402	Rheumatic fever---	5	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,915	1	-	-	-	-	-	1	1	2	7	9	21	30	59	81	119	176	248	357	294	282	171	65	12	-
	White-----M--	1,219	1	-	-	-	-	-	-	1	1	5	6	14	24	43	65	89	131	166	230	181	141	93	25	3	-
	F--	677	-	-	-	-	-	-	-	-	1	2	1	6	5	15	15	30	43	81	122	111	119	77	40	9	-
	Nonwhite--M--	13	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	2	-	4	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	-	-	-
410-416	Chronic rheumatic heart disease----	80	-	-	-	-	-	-	1	1	1	-	2	5	6	9	10	6	14	8	8	3	2	3	1	-	-
	White-----M--	43	-	-	-	-	-	-	-	1	-	-	1	3	4	3	5	4	8	5	3	2	1	2	1	-	-
	F--	34	-	-	-	-	-	-	-	-	1	-	-	2	1	6	5	2	6	3	5	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,371	-	-	-	-	-	-	-	-	1	5	5	13	21	45	58	96	127	187	274	205	183	107	40	4	-
	White-----M--	933	-	-	-	-	-	-	-	-	1	3	4	10	19	37	50	74	101	127	189	133	106	58	19	2	-
	F--	428	-	-	-	-	-	-	-	-	-	2	1	2	2	7	8	22	26	59	83	70	75	48	21	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	169	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	6	14	21	29	36	36	18	4	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	8	12	17	18	20	4	1	-
	F--	82	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	9	12	18	16	14	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	112	1	-	-	-	-	-	-	-	-	2	1	2	-	3	6	11	12	14	20	15	14	7	2	2	-
	White-----M--	72	1	-	-	-	-	-	-	-	-	2	1	1	-	3	5	8	7	11	13	9	6	5	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	3	5	6	8	2	2	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	183	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	6	17	25	34	42	27	18	4	2	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	11	15	13	20	10	8	1	-	-
	F--	98	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	6	10	20	22	17	10	3	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	41	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	7	5	8	9	7	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	4	5	4	4	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	3	5	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	17	27	30	24	10	7	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	10	19	21	16	5	4	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	8	9	8	5	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	52	1	-	-	-	-	-	1	-	-	-	-	-	1	3	3	2	4	9	7	13	4	3	-	-	1
	White-----M--	35	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	1	3	9	3	8	3	1	-	-	1
	F--	17	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	5	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	45	-	-	-	-	-	-	1	4	4	2	2	-	1	1	3	4	4	5	5	5	2	1	-	1	-
	White-----M--	24	-	-	-	-	-	-	1	3	2	1	-	-	1	-	2	2	1	3	2	3	2	1	-	-	-
	F--	19	-	-	-	-	-	-	-	1	2	1	2	-	-	1	1	1	2	2	3	2	-	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	152	24	7	2	-	1	-	-	-	3	2	1	-	1	2	2	7	3	17	10	18	24	17	7	3	1
	White-----M--	90	13	3	-	-	-	-	-	-	1	2	1	-	1	1	2	6	2	8	7	8	19	10	4	1	1
	F--	55	6	4	2	-	1	-	-	-	2	-	-	-	-	-	-	1	1	8	3	10	5	7	3	2	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-483	Influenza---------	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	149	24	7	2	-	1	-	-	-	2	2	1	-	1	2	2	7	3	17	9	18	23	17	7	3	1
	White-----M--	88	13	3	-	-	-	-	-	-	-	2	1	-	1	1	2	6	2	8	6	8	19	10	4	1	1
	F--	54	6	4	2	-	1	-	-	-	2	-	-	-	-	-	-	1	1	8	3	10	4	7	3	2	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis--------	18	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	2	1	-	2	-	-	-
	White-----M--	14	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	2	-	-	2	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	26	-	-	-	-	-	-	-	1	-	-	-	3	2	1	1	-	5	2	2	6	2	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	5	1	2	5	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	7	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	32	4	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	5	5	3	4	2	2	-	-
	White-----M--	17	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	3	-	3	1	-	-	-
	F--	15	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	3	1	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Con.																										
543,	Gastritis, etc.*--	23	8	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	3	1	4	2	-	-
571,	White-----M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
572	F--	14	2	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	2	1	3	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	39	-	-	-	-	-	-	-	-	-	-	-	2	6	1	3	6	3	6	6	1	3	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	4	1	1	3	1	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	5	3	-	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	12	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	3	2	1	1	-	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	7	5	1	1	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	7	5	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	89	65	5	-	3	1	5	1	2	-	-	-	-	-	1	1	2	1	1	-	-	1	-	-	-	-
	White-----M--	45	30	1	-	3	1	4	1	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
	F--	42	33	4	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	56	4	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	5	10	9	8	5	4	-
795	White-----M--	35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	3	8	5	3	3	2	-
	F--	15	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	5	1	2	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Re-	All other diseases	258	25	6	3	1	3	4	2	1	2	3	3	10	9	9	3	18	26	22	28	27	27	15	9	2	-
sid-	White-----M--	133	11	5	1	-	2	3	-	-	2	1	2	5	1	2	1	7	10	14	22	18	15	9	2	-	-
ual	F--	119	13	-	1	1	1	1	2	1	-	2	1	5	6	7	2	11	15	8	6	9	12	6	7	2	-
	Nonwhite--M--	5	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	418	11	12	9	4	3	19	21	29	37	24	29	20	13	25	11	14	27	22	25	26	21	11	5	-	-
E962	White-----M--	297	2	6	5	2	1	12	15	21	31	17	26	15	10	19	8	11	22	17	18	18	12	6	3	-	-
	F--	96	4	5	4	1	2	7	5	6	3	5	2	3	1	5	3	3	5	4	4	8	9	5	2	-	-
	Nonwhite--M--	19	2	1	-	-	-	-	1	2	3	2	1	2	1	1	-	-	-	-	3	-	-	-	-	-	-
	F--	6	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	171	2	3	4	1	-	5	7	16	27	19	18	11	4	8	5	6	16	5	8	3	2	-	1	-	-
	White-----M--	128	-	3	3	1	-	5	5	10	23	13	16	6	2	6	4	4	13	4	6	2	1	-	1	-	-
	F--	33	1	-	1	-	-	-	2	5	3	5	1	3	1	2	1	2	3	-	1	1	1	-	-	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	247	9	9	5	3	3	14	14	13	10	5	11	9	9	17	6	8	11	17	17	23	19	11	4	-	-
E802,	White-----M--	169	2	3	2	1	1	7	10	11	8	4	10	9	8	13	4	7	9	13	12	16	11	6	2	-	-
E840-	F--	63	3	5	3	1	2	7	3	1	-	-	1	-	-	3	2	1	2	4	3	7	8	5	2	-	-
E962	Nonwhite--M--	10	1	1	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	F--	5	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	49	-	-	-	-	-	-	-	-	3	4	4	3	2	6	8	3	7	4	1	1	1	1	1	-	-
E970-	White-----M--	37	-	-	-	-	-	-	-	-	2	2	2	3	2	3	7	2	6	4	1	1	1	-	1	-	-
E979	F--	11	-	-	-	-	-	-	-	-	1	1	2	-	-	3	1	1	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	5	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
E980-	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
E985	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO																										
	ALL CAUSES------	85,478	5,549	311	201	161	125	448	298	564	613	752	1,058	1,392	2,123	3,035	4,293	5,911	8,030	9,959	10,902	11,324	9,604	6,043	2,208	550	24
	White-----M--	44,501	2,673	151	86	83	55	241	177	366	380	418	503	733	1,133	1,660	2,480	3,420	4,676	5,584	5,844	5,700	4,627	2,506	824	170	11
	F--	34,349	1,993	109	83	60	55	170	90	142	167	205	343	431	658	946	1,267	1,784	2,677	3,726	4,523	5,171	4,702	3,368	1,319	351	9
	Nonwhite--M--	3,778	487	27	21	8	7	18	21	34	40	76	113	112	185	244	299	429	420	381	324	253	146	92	26	13	2
	F--	2,850	396	24	11	10	8	19	10	22	26	53	99	116	147	185	247	278	257	268	211	200	129	77	39	16	2
001-019	Tuberculosis, all forms--------	673	4	3	2	-	-	1	1	6	7	15	40	32	50	55	58	74	74	84	84	55	19	7	1	1	-
	White-----M--	383	1	2	1	-	-	-	-	-	2	4	14	14	22	25	32	48	50	62	57	31	11	7	-	-	-
	F--	141	1	1	1	-	-	-	1	3	3	5	12	10	13	13	7	7	12	10	17	18	6	-	1	-	-
	Nonwhite--M--	115	2	-	-	-	-	-	-	1	1	6	8	7	9	14	14	16	11	10	9	5	1	-	-	1	-
	F--	34	-	-	-	-	-	1	-	2	1	-	6	1	6	3	5	3	1	2	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	607	2	1	-	-	-	-	-	4	7	15	37	31	46	51	49	69	68	79	73	49	18	7	-	1	-
	White-----M--	355	1	1	-	-	-	-	-	-	2	4	13	14	21	24	28	45	49	61	49	26	10	7	-	-	-
	F--	123	1	-	-	-	-	-	-	2	3	5	11	9	12	12	6	5	10	9	15	17	6	-	-	-	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	1	1	6	7	7	7	13	11	16	9	8	8	5	1	-	-	1	-
	F--	28	-	-	-	-	-	-	-	1	1	-	6	1	6	2	4	3	-	1	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	66	2	2	2	-	-	1	1	2	-	-	3	1	4	4	9	5	6	5	11	6	1	-	1	-	-
	White-----M--	28	-	1	1	-	-	-	-	-	-	-	1	-	1	1	4	3	1	1	8	5	1	-	-	-	-
	F--	18	-	1	1	-	-	-	1	1	-	-	1	1	1	1	1	2	2	1	2	1	-	-	1	-	-
	Nonwhite--M--	14	2	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	2	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	274	2	-	-	-	-	-	-	-	1	-	1	4	13	29	31	33	52	40	36	16	12	2	2	-	-
	White-----M--	147	1	-	-	-	-	-	-	-	1	-	-	2	5	10	17	14	30	28	20	10	8	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1	4	13	1	6	4	1	-	1	-	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	-	2	4	10	9	13	5	8	7	1	3	1	-	-	-
	F--	26	1	-	-	-	-	-	-	-	-	-	1	-	4	2	4	2	4	3	3	1	-	-	1	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	9	2	-	-	-	-	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
	F--	4	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	13	1	-	-	1	-	1	1	1	-	1	1	-	-	-	2	1	-	2	-	-	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	8	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	15	9	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	5	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	73	24	14	8	5	2	4	3	2	1	-	1	-	1	1	1	-	2	-	1	1	1	1	-	-	-
	White-----M--	30	9	9	4	1	-	2	1	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	37	11	4	4	4	2	2	2	-	1	-	1	-	1	-	-	-	1	-	1	1	1	1	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	36	2	1	1	1	-	7	3	2	1	8	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	2	-	-	1	-	3	2	2	1	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	4	1	-	-	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	2	3	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	165	18	4	4	1	1	9	2	4	3	4	6	4	8	13	10	14	10	17	5	13	5	6	3	1	-
	White-----M--	77	10	2	1	1	1	3	2	3	-	1	3	2	5	6	4	4	6	11	2	6	3	1	-	-	-
	F--	68	7	-	3	-	-	5	-	-	3	2	-	1	2	6	3	8	3	5	3	7	2	5	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	1	-	1	2	-	1	1	1	2	-	-	-	-	-	-	-	1	-
	F--	9	1	2	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*	13,862	19	17	30	33	18	70	54	49	53	93	176	279	431	729	1,013	1,439	1,828	2,093	1,990	1,642	1,104	539	141	19	3
	White----M--	6,721	8	6	17	20	12	40	32	29	32	46	61	97	129	265	414	659	948	1,130	1,037	849	584	240	59	7	-
	F--	6,233	9	8	11	11	5	26	16	19	17	40	87	157	256	387	485	621	749	836	887	741	489	282	79	12	3
	Nonwhite--M--	504	2	1	2	2	1	3	3	-	3	1	4	9	15	36	61	95	87	83	40	26	18	11	1	-	-
	F--	404	-	2	-	-	-	1	3	1	1	6	24	16	31	41	53	64	44	44	26	26	13	6	2	-	-
140-148	Of buccal cavity and pharynx	289	-	-	-	-	-	2	-	-	-	-	-	4	10	15	15	34	34	43	50	44	24	11	3	-	-
	White----M--	219	-	-	-	-	-	-	-	-	-	-	-	1	9	8	11	27	29	32	43	32	18	8	1	-	-
	F--	53	-	-	-	-	-	1	-	-	-	-	-	3	1	3	2	4	3	8	7	11	6	3	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	2	-	1	-	-	1	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	4,981	4	-	-	-	-	-	1	3	3	9	26	51	72	166	299	477	641	850	853	724	504	225	60	12	1
	White----M--	2,554	2	-	-	-	-	-	1	3	2	7	10	15	28	73	149	240	340	489	464	370	248	88	21	4	-
	F--	2,070	1	-	-	-	-	-	-	-	1	2	11	30	31	64	111	176	244	295	356	331	240	130	38	8	1
	Nonwhite--M--	214	1	-	-	-	-	-	-	-	-	-	2	4	7	16	21	39	35	43	22	10	9	5	-	-	-
	F--	143	-	-	-	-	-	-	-	-	-	-	3	2	6	13	18	22	22	23	11	13	7	2	1	-	-
160-164	Of respiratory system (not secondary)	1,689	-	-	1	-	-	-	2	1	3	5	16	26	43	113	171	267	332	291	211	118	62	20	5	2	-
	White----M--	1,308	-	-	-	-	-	-	-	-	1	3	8	16	28	89	132	208	275	235	165	91	43	10	2	2	-
	F--	254	-	-	1	-	-	-	1	1	1	2	6	5	9	15	12	35	33	41	39	24	18	8	3	-	-
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	-	-	1	4	3	8	25	23	23	12	6	3	-	1	-	-	-
	F--	18	-	-	-	-	-	-	1	-	1	-	1	1	3	1	2	1	1	3	1	-	1	1	-	-	-
170	Of breast	1,284	1	-	-	-	-	-	-	-	-	4	19	40	87	125	136	143	168	166	148	108	75	54	7	2	1
	White----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	1	-	-	-
	F--	1,206	1	-	-	-	-	-	-	-	-	2	12	38	78	118	127	128	163	156	142	106	74	51	7	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	-	-	-	-	-	-	-	-	-	2	7	2	9	7	9	14	5	7	4	2	1	2	-	-	-
171-179	Of genital organs	2,264	-	-	-	2	-	-	2	2	8	22	46	63	81	146	171	205	228	311	304	312	217	113	30	-	1
	White----M--	834	-	-	-	2	-	-	-	1	4	5	7	6	4	7	12	27	61	119	143	176	159	81	20	-	-
	F--	1,257	-	-	-	-	-	-	2	1	4	13	30	47	66	124	139	155	143	174	147	124	50	28	9	-	1
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	13	13	8	5	6	3	-	-	-
	F--	112	-	-	-	-	-	-	-	-	-	4	9	10	11	14	17	14	11	5	6	7	2	1	1	-	-
180, 181	Of urinary organs	666	-	1	2	1	3	5	-	2	-	2	2	8	12	28	37	49	94	102	117	89	64	35	11	2	-
	White----M--	409	-	1	2	-	1	3	-	-	-	-	2	4	2	21	21	22	57	74	82	54	38	19	5	1	-
	F--	228	-	-	-	1	1	2	-	2	-	2	-	4	9	5	12	22	33	25	33	31	25	14	6	1	-
	Nonwhite--M--	23	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	4	3	2	1	3	1	2	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,509	9	7	11	9	3	25	19	13	18	21	32	44	77	79	105	169	193	188	173	132	99	59	23	1	-
	White----M--	731	5	3	7	6	-	11	11	9	13	10	15	25	32	42	47	80	106	95	74	61	46	24	9	-	-
	F--	703	3	4	3	3	3	14	5	4	4	10	13	17	41	34	48	68	80	85	96	68	50	35	14	1	-
	Nonwhite--M--	44	1	-	1	-	-	-	2	-	1	1	-	1	3	1	6	12	5	6	-	3	1	-	-	-	-
	F--	31	-	-	-	-	-	-	1	-	-	-	4	1	1	2	4	9	2	2	3	-	2	-	-	-	-
204	Leukemia and aleukemia	592	4	7	13	13	7	29	19	18	8	17	14	12	19	29	42	45	55	67	64	60	37	11	2	-	-
	White----M--	332	1	2	7	7	6	19	15	10	5	13	9	7	7	13	21	28	29	41	31	35	22	3	1	-	-
	F--	238	3	3	6	5	1	9	4	8	3	4	4	5	11	12	19	17	24	22	32	23	14	8	1	-	-
	Nonwhite--M--	15	-	1	-	1	-	1	-	-	-	-	1	-	-	4	2	-	1	2	1	-	1	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	588	1	2	3	8	5	9	11	10	13	13	21	31	30	28	37	50	83	75	70	55	22	11	-	-	-
	White----M--	327	-	-	1	5	5	7	5	6	7	8	10	23	19	12	21	26	51	42	33	30	10	6	-	-	-
	F--	224	1	1	1	2	-	-	4	3	4	5	11	8	10	12	15	16	26	30	35	23	12	5	-	-	-
	Nonwhite--M--	25	-	-	1	1	-	2	1	-	2	-	-	-	1	1	-	5	5	3	2	1	-	-	-	-	-
	F--	12	-	1	-	-	-	-	1	1	-	-	-	-	-	3	1	3	1	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	241	17	6	1	2	1	1	5	4	3	8	11	16	15	19	18	26	19	16	19	17	10	7	-	-	-
	White----M--	89	9	2	-	1	1	1	1	2	2	1	3	4	4	5	6	9	9	6	11	5	5	2	-	-	-
	F--	116	6	4	1	1	-	-	4	2	1	4	6	7	7	9	8	13	9	7	8	10	4	5	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	-	2	-	-	-	-	-	-	-
	F--	27	2	-	-	-	-	-	-	-	-	2	1	5	3	2	3	4	1	1	-	2	1	-	-	-	-
260	Diabetes mellitus	1,917	1	4	1	1	1	3	3	4	4	13	16	23	28	54	98	170	242	336	391	280	168	60	14	2	-
	White----M--	693	-	1	1	1	1	2	2	1	-	10	3	13	10	20	46	60	83	103	147	107	59	20	2	1	-
	F--	1,089	1	2	-	-	-	1	1	2	4	3	13	8	13	22	41	88	136	210	223	165	105	40	11	-	-
	Nonwhite--M--	42	-	1	-	-	-	-	-	-	-	-	-	1	1	4	1	6	7	6	10	2	3	-	-	-	-
	F--	93	-	-	-	-	-	-	-	1	-	-	-	1	4	8	10	16	16	17	11	6	1	-	1	1	-
290-293	Anemias	163	3	3	2	1	1	2	2	1	1	4	2	1	2	5	5	9	12	18	21	24	25	14	4	1	-
	White----M--	71	1	1	-	1	-	1	2	-	1	2	1	-	-	2	3	3	6	6	8	15	11	4	2	1	-
	F--	74	1	-	1	-	-	1	-	-	-	1	-	-	2	3	-	6	3	10	13	7	14	10	2	-	-
	Nonwhite--M--	9	-	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-
	F--	9	1	-	1	-	1	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	90	34	7	3	3	1	5	1	-	-	1	1	1	2	4	3	7	5	5	4	2	1	-	-	-	-
	White----M--	49	20	3	1	2	1	3	1	-	-	-	-	1	1	1	2	2	2	4	2	2	1	-	-	-	-
	F--	24	10	3	-	-	-	2	-	-	-	1	1	-	1	1	-	1	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	F--	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	46,843	42	10	7	4	4	28	29	42	55	83	195	376	795	1,339	2,103	3,076	4,437	5,896	6,886	7,782	6,974	4,573	1,681	412	14
	White----M--	24,641	19	7	4	1	2	10	14	20	20	37	104	227	500	859	1,353	1,962	2,705	3,367	3,663	3,860	3,280	1,871	622	127	7
	F--	19,282	17	1	1	1	2	13	12	17	28	27	53	77	172	285	479	760	1,345	2,153	2,864	3,607	3,512	2,573	1,016	263	4
	Nonwhite--M--	1,601	2	1	2	1	-	1	-	3	3	5	22	27	67	104	149	205	228	211	210	173	92	69	15	9	2
	F--	1,319	4	1	-	1	-	4	3	2	4	14	16	45	56	91	122	149	159	165	149	142	90	60	28	13	1
330-334, 400-468	Diseases of cardiovascular system	46,108	41	8	6	3	2	26	24	34	46	66	179	353	769	1,304	2,070	3,011	4,376	5,817	6,796	7,686	6,901	4,512	1,657	407	14
	White----M--	24,298	19	5	3	-	-	10	13	17	17	31	99	215	485	843	1,339	1,926	2,673	3,330	3,620	3,814	3,248	1,848	610	126	7
	F--	18,964	16	1	1	1	2	11	8	13	23	20	45	70	165	274	466	741	1,320	2,116	2,826	3,565	3,474	2,536	1,005	261	4
	Nonwhite--M--	1,569	2	1	2	1	-	1	-	2	3	3	19	27	65	102	146	200	228	210	205	166	92	69	15	8	2
	F--	1,277	4	1	-	1	-	4	3	2	3	12	16	41	54	85	119	144	155	161	145	141	87	59	27	12	1
330-334	Vascular lesions, etc.*	10,411	15	3	3	-	2	8	6	8	12	12	37	63	109	200	318	490	752	1,199	1,604	1,996	1,911	1,166	400	93	4
	White----M--	4,681	8	2	2	-	-	3	4	4	3	5	17	23	41	84	145	255	368	602	725	945	830	441	140	30	4
	F--	5,039	4	-	-	-	2	5	2	2	8	5	12	23	44	75	119	160	290	503	771	973	1,036	696	250	59	-
	Nonwhite--M--	369	2	1	1	-	-	-	-	2	-	-	3	4	13	18	23	41	55	60	61	46	23	11	3	2	-
	F--	322	1	-	-	-	-	-	-	-	1	2	5	13	11	23	31	34	39	34	47	32	22	18	7	2	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																										
400-402	Rheumatic fever---	61	2	-	-	-	-	10	11	5	1	1	4	1	4	4	1	4	5	2	2	4	-	-	-	-	-
	White-----M--	32	1	-	-	-	-	3	6	3	1	-	2	1	2	2	1	3	4	1	1	1	-	-	-	-	-
	F--	21	1	-	-	-	-	3	3	2	-	1	1	-	1	2	-	1	1	1	1	3	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	31,822	20	5	1	1	-	8	4	18	26	41	123	256	611	1,034	1,644	2,377	3,399	4,272	4,728	5,057	4,235	2,728	998	228	8
	White-----M--	17,745	7	3	-	-	-	4	1	8	11	22	73	178	428	724	1,138	1,594	2,186	2,527	2,643	2,552	2,057	1,157	364	65	3
	F--	12,249	10	1	-	-	-	3	3	8	11	12	30	40	107	182	323	540	950	1,502	1,879	2,316	2,070	1,495	611	153	3
	Nonwhite--M--	1,012	-	-	1	1	-	-	-	-	2	2	11	19	39	74	102	143	154	128	119	101	56	46	9	4	1
	F--	816	3	1	-	-	-	1	-	2	2	5	9	19	37	54	81	100	109	115	87	88	52	30	14	6	1
410-416	Chronic rheumatic heart disease----	1,077	-	-	-	-	-	-	2	10	19	15	43	51	85	104	111	139	111	139	90	74	46	32	5	1	-
	White-----M--	508	-	-	-	-	-	-	-	3	8	8	24	23	41	51	60	75	60	57	44	27	17	10	-	-	-
	F--	489	-	-	-	-	-	-	2	6	8	5	14	21	34	38	43	56	43	77	43	45	27	21	5	1	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	2	-	3	4	4	8	6	3	5	3	2	1	1	-	-	-	-
	F--	38	-	-	-	-	-	-	-	1	1	2	2	3	6	7	2	5	3	2	1	1	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	22,019	5	-	-	1	-	2	-	2	3	12	60	157	411	752	1,240	1,745	2,557	3,141	3,367	3,403	2,755	1,680	598	125	3
	White-----M--	13,435	1	-	-	-	-	-	-	2	2	9	42	139	332	608	938	1,313	1,797	1,990	2,008	1,825	1,419	742	226	40	2
	F--	7,631	2	-	-	-	-	1	-	-	1	1	7	7	48	84	197	304	625	1,012	1,253	1,484	1,275	891	359	80	-
	Nonwhite--M--	583	-	-	-	1	-	-	-	-	-	1	6	6	20	40	67	83	91	79	70	52	31	26	7	2	1
	F--	370	2	-	-	-	-	1	-	-	-	1	5	5	11	20	38	45	44	60	36	42	30	21	6	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,492	10	1	1	-	-	3	1	3	1	6	3	8	22	32	57	113	198	296	439	686	728	570	248	66	-
	White-----M--	1,649	4	1	-	-	-	1	1	2	-	1	-	5	12	14	34	58	113	168	240	323	328	243	87	14	-
	F--	1,674	6	-	-	-	-	2	-	1	1	5	2	2	6	13	12	38	58	106	184	337	379	317	156	49	-
	Nonwhite--M--	89	-	-	1	-	-	-	-	-	-	-	1	1	1	2	4	8	14	10	8	16	14	8	1	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	9	13	12	7	10	7	2	4	3	-
430-434	Other diseases of heart---------	1,074	5	4	-	-	-	3	1	2	2	4	10	13	31	49	59	67	101	125	169	156	141	79	39	14	-
	White-----M--	550	2	2	-	-	-	3	-	1	1	3	4	7	17	25	33	40	56	70	98	75	71	26	11	5	-
	F--	430	2	1	-	-	-	-	1	1	-	1	6	1	8	14	16	16	32	50	58	70	67	51	27	8	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	4	4	7	5	5	5	3	9	5	2	-	-	1	-
	F--	44	1	1	-	-	-	-	-	-	1	-	-	1	2	3	5	6	8	2	4	6	1	2	1	-	-
440-443	Hypertension with heart dis.--	4,160	-	-	-	-	-	-	-	1	1	4	7	27	62	97	177	313	432	571	663	738	565	367	108	22	5
	White-----M--	1,603	-	-	-	-	-	-	-	-	-	1	3	4	26	26	73	108	160	242	253	302	222	136	40	6	1
	F--	2,025	-	-	-	-	-	-	-	-	1	-	1	9	11	33	55	126	192	257	341	380	322	215	64	15	3
	Nonwhite--M--	248	-	-	-	-	-	-	-	-	-	1	1	4	10	17	20	44	39	33	30	27	8	12	1	1	-
	F--	284	-	-	-	-	-	-	-	1	-	2	2	10	15	21	29	35	41	39	39	29	13	4	3	-	1
444-447	Hypertension without mention of heart----------	702	-	-	-	1	-	-	-	-	1	3	6	20	26	23	42	43	55	83	92	103	102	68	29	5	-
	White-----M--	299	-	-	-	-	-	-	-	-	1	-	1	8	7	10	17	19	25	37	43	46	48	22	13	2	-
	F--	291	-	-	-	1	-	-	-	-	-	1	-	3	6	4	7	14	24	37	40	49	46	42	15	2	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	1	3	3	8	4	14	6	4	4	5	2	5	3	1	1	-
	F--	48	-	-	-	-	-	-	-	-	-	1	2	6	5	5	4	4	2	5	4	6	3	1	-	-	-
450	General arteriosclerosis--------	2,443	-	-	-	-	-	-	-	-	-	-	-	-	2	6	28	42	71	155	264	448	608	520	219	78	2
	White-----M--	1,182	-	-	-	-	-	-	-	-	-	-	-	-	1	2	16	23	41	98	146	232	293	217	86	27	-
	F--	1,126	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	11	22	42	98	189	298	286	125	46	1
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	6	12	14	15	7	7	2	1	1
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	6	12	10	10	6	4	-
451-468	Other diseases of circulatory sys.-	669	4	-	2	1	-	-	3	3	6	9	9	13	17	37	37	55	94	106	106	78	45	30	11	3	-
	White-----M--	359	3	-	1	-	-	-	2	2	1	4	6	5	6	21	22	32	49	65	62	38	20	11	7	2	-
	F--	238	1	-	1	-	-	-	-	1	4	1	2	4	6	11	10	15	33	31	37	35	24	17	4	1	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	1	-	1	1	4	4	2	4	9	6	6	2	1	2	-	-	-
	F--	29	-	-	-	1	-	-	1	-	-	4	-	3	1	1	3	4	3	4	1	3	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	735	1	2	1	1	2	2	5	8	9	17	16	23	26	35	33	65	61	79	90	96	73	61	24	5	-
	White-----M--	343	-	2	1	1	2	-	1	3	3	6	5	12	15	16	14	36	32	37	43	46	32	23	12	1	-
	F--	318	1	-	-	-	-	2	4	4	5	7	8	7	7	11	13	19	25	37	38	42	38	37	11	2	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	1	-	2	3	-	2	2	3	5	-	1	5	7	-	-	-	1	-
	F--	42	-	-	-	-	-	-	-	-	1	2	-	4	2	6	3	5	4	4	4	1	3	1	1	1	-
480-493	Influenza and pneumonia, etc.*-	2,041	346	53	16	5	6	25	14	9	16	13	17	21	33	48	65	81	128	157	196	256	251	173	85	27	-
	White-----M--	993	156	26	5	2	2	12	5	5	5	3	6	11	21	25	36	49	72	89	114	127	109	72	33	8	-
	F--	794	125	13	9	2	3	11	8	4	5	3	9	6	3	12	12	19	34	50	67	110	126	97	47	19	-
	Nonwhite--M--	149	33	7	2	-	-	1	-	-	3	4	1	2	7	8	8	10	17	9	9	15	9	-	4	-	-
	F--	105	32	7	-	1	1	1	1	-	3	3	1	2	2	3	9	3	5	9	6	4	7	4	1	-	-
480-483	Influenza---------	185	14	3	-	1	-	1	-	1	3	2	3	1	1	6	5	3	14	16	15	21	34	25	13	3	-
	White-----M--	72	6	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	9	7	10	12	12	5	4	-	-
	F--	101	7	2	-	1	-	1	-	1	2	1	3	-	-	2	1	1	5	7	5	9	21	20	9	3	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	1,856	332	50	16	4	6	24	14	8	13	11	14	20	32	42	60	78	114	141	181	235	217	148	72	24	-
	White-----M--	921	150	25	5	2	2	12	5	5	5	3	6	10	20	23	35	48	63	82	104	115	97	67	29	8	-
	F--	693	118	11	9	1	3	10	8	3	3	2	6	6	3	10	11	18	29	43	62	101	105	77	38	16	-
	Nonwhite--M--	143	32	7	2	-	-	1	-	-	3	3	1	2	7	7	8	9	17	7	9	15	9	-	4	-	-
	F--	99	32	7	-	1	1	1	1	-	2	3	1	2	2	2	6	3	5	9	6	4	6	4	1	-	-
500-502	Bronchitis---------	174	36	7	1	-	3	2	-	3	-	-	2	5	4	2	4	8	10	22	20	14	11	15	4	1	-
	White-----M--	92	12	2	-	-	1	-	-	2	-	-	1	1	3	2	4	5	9	19	15	8	4	4	-	-	-
	F--	59	12	3	1	-	1	2	-	1	-	-	1	3	-	-	-	1	-	3	3	6	7	10	4	1	-
	Nonwhite--M--	14	6	1	-	-	1	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	1	-	-	-
	F--	9	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	533	1	-	-	-	-	3	-	1	-	1	7	24	23	37	34	58	76	80	72	70	24	16	5	1	-
	White-----M--	385	-	-	-	-	-	1	-	1	-	-	6	16	15	29	29	43	61	51	58	47	14	10	3	1	-
	F--	112	-	-	-	-	-	2	-	-	-	-	1	3	6	5	4	10	10	24	13	17	9	6	2	-	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	-	-	-	-	3	2	2	-	5	4	3	1	4	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	1	2	-	2	1	-	-	-	-
550-553	Appendicitis------	159	-	-	2	2	-	5	3	1	3	3	4	5	5	10	18	14	17	14	18	14	14	6	1	-	-
	White-----M--	89	-	-	1	2	-	3	1	-	2	1	-	2	3	7	12	8	10	7	7	8	10	4	1	-	-
	F--	52	-	-	1	-	-	2	1	1	-	-	3	3	2	2	3	3	5	6	9	5	4	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	3	2	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	-	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	532	60	4	2	-	3	-	-	3	2	4	4	6	12	19	21	26	61	55	65	67	67	41	8	2	-
	White-----M--	246	36	3	2	-	2	-	-	1	1	1	1	1	4	7	9	10	27	26	24	39	33	15	4	-	-
	F--	249	22	1	-	-	1	-	-	1	1	2	2	3	5	10	10	10	29	25	38	26	31	26	4	2	-
	Nonwhite--M--	22	2	-	-	-	-	-	-	1	-	-	-	-	-	2	1	4	1	4	2	2	3	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	2	4	-	1	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																										
543, 571, 572	Gastritis, etc.*	330	94	17	4	-	2	-	1	1	-	3	7	3	6	11	17	12	19	23	23	34	28	16	8	1	-
	White-----M	157	45	11	2	-	1	-	-	-	-	1	2	2	3	6	11	3	12	9	15	13	11	8	2	-	-
	F	148	35	4	2	-	1	-	1	1	-	2	4	-	1	5	5	8	7	13	7	21	17	7	6	1	-
	Nonwhite--M	14	8	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-
	F	11	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-
581	Cirrhosis of liver	993	3	-	1	-	-	-	2	2	-	4	19	42	85	109	139	122	132	122	97	63	33	12	4	1	1
	White-----M	642	1	-	-	-	-	-	-	1	-	-	8	27	50	69	91	87	88	91	63	38	18	8	2	-	-
	F	302	1	-	-	-	-	-	2	1	-	3	7	13	25	30	40	29	41	30	33	24	15	4	2	1	1
	Nonwhite--M	21	-	-	-	-	-	-	-	-	-	1	-	1	4	6	3	3	2	-	-	1	-	-	-	-	-
	F	28	1	-	1	-	-	-	-	-	-	-	4	1	6	4	5	3	1	1	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	135	2	-	1	1	2	4	5	3	2	5	3	7	10	5	13	13	7	14	7	11	11	7	2	-	-
	White-----M	70	1	-	1	1	1	2	3	-	1	4	2	1	5	3	8	6	3	5	3	7	9	3	1	-	-
	F	47	-	-	-	-	1	2	2	1	1	-	1	5	2	1	5	6	1	6	3	4	2	3	1	-	-
	Nonwhite--M	12	1	-	-	-	-	-	-	1	-	-	-	1	3	1	-	-	2	2	-	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate	362	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	10	19	28	65	92	74	47	21	4	-
	White-----M	340	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	16	25	65	90	72	43	19	3	-
	Nonwhite--M	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	3	-	2	2	4	2	1	-
640-689	Complications of pregnancy, etc.*	82	...	...	...	...	...	...	-	6	13	20	17	16	9	-	-	-	-	-	-	-	-	1	-	-	-
	White-----F	66	...	...	...	...	...	...	-	3	12	18	12	13	7	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--F	16	...	...	...	...	...	...	-	3	1	2	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	10	...	...	...	...	...	...	-	1	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	9	...	...	...	...	...	...	-	-	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	72	...	...	...	...	...	...	-	5	12	17	14	14	9	-	-	-	-	-	-	-	-	1	-	-	-
	White-----F	57	...	...	...	...	...	...	-	3	11	15	9	11	7	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--F	15	...	...	...	...	...	...	-	2	1	2	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,228	911	57	23	18	14	38	14	12	17	10	15	13	14	8	14	18	10	13	4	2	3	-	-	-	-
	White-----M	600	462	31	8	6	5	16	8	7	6	5	5	6	3	4	6	11	3	3	2	1	2	-	-	-	-
	F	503	354	19	12	10	8	21	4	5	9	5	6	7	8	3	8	6	7	7	2	1	1	-	-	-	-
	Nonwhite--M	61	48	4	1	2	-	1	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F	64	47	3	2	-	1	-	-	-	2	-	4	-	2	1	-	1	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,487	3,485	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1,669	1,668	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,229	1,228	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,761	1,760	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	880	880	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	630	629	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	1,557	1,556	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	709	708	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	545	545	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	671	45	4	1	4	1	5	2	8	9	15	21	29	40	23	34	37	43	42	43	47	78	73	43	23	1
	White-----M	337	25	3	1	2	-	2	1	3	7	7	8	9	17	10	20	24	23	28	25	21	42	35	16	8	-
	F	237	11	-	-	2	1	-	1	2	2	2	6	9	12	9	7	9	14	10	14	20	31	37	25	13	-
	Nonwhite--M	55	4	-	-	-	-	3	-	2	-	5	2	8	6	2	3	3	4	2	4	5	1	1	-	-	-
	F	42	5	1	-	-	-	-	-	1	-	1	5	3	5	2	4	1	2	2	-	1	4	-	2	2	1
Residual	All other diseases	4,106	277	32	33	24	13	54	33	37	37	60	100	126	160	184	234	320	439	492	463	452	304	152	65	14	1
	White-----M	2,069	131	13	12	13	3	29	18	17	19	20	35	62	79	90	120	171	241	259	258	214	169	71	22	3	-
	F	1,631	98	15	15	10	9	21	11	14	17	24	40	40	55	61	82	110	163	200	180	217	122	76	40	10	1
	Nonwhite--M	238	26	4	4	-	1	2	4	4	1	8	16	10	14	16	18	25	23	20	17	12	8	2	2	1	-
	F	168	22	-	2	1	-	2	-	2	-	8	9	14	12	17	14	14	12	13	8	9	5	3	1	-	-
E800-E962	Accidents	4,951	100	61	56	52	51	173	116	333	324	301	266	256	247	225	229	229	265	270	313	318	345	266	113	40	2
	White-----M	3,033	47	27	25	26	22	106	81	249	250	230	180	179	182	157	166	156	175	163	184	160	140	81	34	11	2
	F	1,510	36	26	19	17	20	51	22	64	50	40	50	45	31	48	39	42	70	94	117	151	195	180	74	29	-
	Nonwhite--M	278	8	3	8	2	4	6	10	16	18	23	25	24	27	17	19	22	16	10	11	1	4	2	2	-	-
	F	130	9	5	4	7	5	10	3	4	6	8	11	8	7	3	5	9	4	3	1	6	6	3	3	-	-
E810-E835	Motor-vehicle accidents	2,137	17	14	18	25	27	83	38	216	252	220	168	141	122	115	103	105	132	105	94	77	45	13	5	2	-
	White-----M	1,473	12	6	9	12	11	49	27	158	190	168	116	101	89	74	71	70	84	67	64	50	33	8	2	2	-
	F	506	3	7	6	9	11	29	7	47	45	34	37	27	18	32	23	23	39	35	29	26	12	4	3	-	-
	Nonwhite--M	111	-	-	2	-	1	2	3	8	13	12	9	10	12	9	8	9	8	3	1	1	-	-	-	-	-
	F	47	2	1	1	4	4	3	1	3	4	6	6	3	3	-	1	3	1	-	-	-	-	1	-	-	-
E800-E802, E840-E962	All ot. accidents	2,814	83	47	38	27	24	90	78	117	72	81	98	115	125	110	126	124	133	165	219	241	300	253	108	38	2
	White-----M	1,560	35	21	16	14	11	57	54	91	60	62	64	78	93	83	95	86	91	96	120	110	107	73	32	9	2
	F	1,004	33	19	13	8	9	22	15	17	5	6	13	18	13	16	16	19	31	59	88	125	183	176	71	29	-
	Nonwhite--M	167	8	3	6	2	3	4	7	8	5	11	16	14	15	8	11	13	8	7	10	-	4	2	2	-	-
	F	83	7	4	3	3	1	7	2	1	2	2	5	5	4	3	4	6	3	3	1	6	6	2	3	-	-
E963, E970-E979	Suicide	1,026	-	-	-	-	-	-	1	15	35	47	76	65	94	72	115	99	115	113	77	52	38	9	2	-	1
	White-----M	748	-	-	-	-	-	-	-	13	23	35	48	45	61	49	82	73	90	87	63	42	29	6	1	-	1
	F	228	-	-	-	-	-	-	1	1	7	8	20	16	28	20	27	20	23	24	13	9	7	3	1	-	-
	Nonwhite--M	39	-	-	-	-	-	-	-	-	3	2	7	2	5	2	5	5	2	2	1	1	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	278	9	-	1	-	-	1	1	14	26	35	44	34	34	33	13	15	8	6	1	-	2	-	-	-	1
	White-----M	80	4	-	-	-	-	1	-	6	7	7	8	9	9	7	6	6	6	2	-	-	1	-	-	-	1
	F	48	4	-	1	-	-	-	-	-	6	8	5	4	6	7	1	3	-	1	1	-	1	-	-	-	-
	Nonwhite--M	112	1	-	-	-	-	-	1	4	8	17	25	14	15	13	4	5	2	3	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	4	5	3	6	7	4	6	2	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA																										
	ALL CAUSES------	19,724	1,339	106	57	41	36	126	103	152	205	217	278	311	433	713	906	1,244	1,591	2,095	2,362	2,668	2,366	1,617	550	177	31
	White-----M--	10,598	610	41	25	22	15	76	52	95	133	116	144	159	230	404	516	732	957	1,215	1,329	1,406	1,207	765	266	72	11
	F--	6,976	448	40	18	12	12	42	37	42	44	64	76	99	131	200	265	360	454	652	817	1,070	999	765	240	82	7
	Nonwhite--M--	1,189	160	16	12	2	6	3	8	8	20	22	28	31	34	55	61	87	99	129	129	108	85	41	24	10	11
	F--	961	121	9	2	5	3	5	6	7	8	15	30	22	38	54	64	65	81	99	87	84	75	46	20	13	2
001-019	Tuberculosis, all forms--------	185	2	1	-	1	1	-	-	1	2	6	14	6	12	11	12	15	17	23	20	23	12	5	1	-	-
	White-----M--	91	-	-	-	-	-	-	-	-	2	1	2	3	5	8	5	8	12	15	9	10	7	3	1	-	-
	F--	40	-	-	-	-	-	-	-	-	-	2	2	1	2	2	5	2	4	2	2	10	4	2	-	-	-
	Nonwhite--M--	25	1	1	-	-	-	-	-	-	-	-	5	1	3	-	1	5	1	2	3	2	-	-	-	-	-
	F--	29	1	-	-	1	1	-	-	1	-	3	5	1	2	1	1	-	-	4	6	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	169	-	-	-	-	-	-	-	1	-	6	14	6	11	11	12	13	17	20	17	23	12	5	1	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	1	2	3	4	8	5	7	12	13	7	10	7	3	1	-	-
	F--	39	-	-	-	-	-	-	-	-	-	2	2	1	2	2	5	2	4	1	2	10	4	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	5	1	3	-	1	4	1	2	3	2	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	-	3	5	1	2	1	1	-	-	4	5	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	16	2	1	-	1	1	-	-	-	2	-	-	-	1	-	-	2	-	3	3	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	2	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1[1]	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	40	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	6	5	5	6	3	2	1	-	-	1
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	4	3	2	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	1	1	2	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	3	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	1	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	3	2	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	76	9	5	2	-	1	6	2	3	-	2	1	1	3	6	6	2	6	2	8	4	4	2	1	-	-
	White-----M--	35	4	1	-	-	-	4	-	2	-	-	-	1	-	4	1	1	3	1	6	3	2	1	1	-	-
	F--	33	4	3	2	-	1	2	2	-	-	2	1	-	2	1	3	1	2	1	2	1	2	1	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*	3,125	4	7	5	5	8	14	14	11	18	22	39	64	100	168	238	306	373	429	382	406	313	154	38	5	2
	White-----M--	1,535	-	6	4	4	4	10	5	6	12	10	10	28	34	69	103	125	200	224	204	203	166	81	24	2	1
	F--	1,319	4	1	1	1	4	4	8	5	5	11	24	30	51	82	113	149	134	161	146	177	131	62	11	3	1
	Nonwhite--M--	132	-	-	-	-	-	-	-	-	1	-	1	2	4	6	10	18	20	23	16	15	10	5	1	-	-
	F--	139	-	-	-	-	-	-	1	-	-	1	4	4	11	11	12	14	19	21	16	11	6	6	2	-	-
140-148	Of buccal cavity and pharynx	76	-	-	-	-	-	-	-	-	-	-	1	-	-	7	6	5	15	9	10	8	6	8	1	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	5	9	6	9	4	4	6	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	3	-	4	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,014	-	1	-	-	-	-	-	2	3	1	11	5	25	34	62	90	111	153	161	144	125	66	19	1	-
	White-----M--	507	-	-	-	-	-	-	-	2	2	1	4	2	12	15	30	43	67	81	87	62	58	32	8	1	-
	F--	417	-	1	-	-	-	-	-	-	1	-	7	2	11	13	30	35	34	54	63	69	58	31	8	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	8	5	13	5	7	6	3	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	5	6	6	3	-	2	-	-
160-164	Of respiratory system (not secondary)	372	-	-	-	-	-	-	-	-	1	2	-	7	11	26	37	49	72	57	37	37	27	6	1	1	1
	White-----M--	282	-	-	-	-	-	-	-	-	1	1	-	6	6	23	28	36	57	49	29	25	17	2	1	-	1
	F--	62	-	-	-	-	-	-	-	-	-	1	-	-	4	2	4	7	9	6	6	11	8	3	-	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	6	1	2	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-
170	Of breast	241	-	-	-	-	-	-	-	-	-	1	8	4	16	27	20	32	30	29	24	25	15	9	-	-	1
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	223	-	-	-	-	-	-	-	-	-	1	7	4	12	25	19	29	30	27	21	24	15	8	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	3	-	2	3	1	-	1	-	-	-
171-179	Of genital organs	559	-	-	-	-	-	-	-	1	3	3	7	16	18	35	40	56	68	74	54	83	60	31	7	3	-
	White-----M--	221	-	-	-	-	-	-	-	-	1	1	-	2	1	1	3	6	24	28	27	50	45	24	7	1	-
	F--	274	-	-	-	-	-	-	-	1	2	2	5	11	13	29	31	45	31	37	21	28	11	5	-	2	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	3	4	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	2	3	4	4	6	4	9	6	1	2	-	2	-	-	-
180, 181	Of urinary organs	126	1	-	-	-	-	-	1	-	-	3	-	4	3	4	10	6	18	15	13	24	17	6	1	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	4	13	8	8	14	8	2	1	-	-
	F--	45	1	-	-	-	-	-	-	-	-	2	-	3	1	1	4	2	2	3	4	10	9	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	3	1	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	448	1	2	2	2	-	6	5	7	5	5	7	13	18	23	41	41	41	59	52	48	44	18	8	-	-
	White-----M--	237	-	2	2	1	-	4	2	4	5	3	3	8	8	11	21	20	19	33	28	25	24	9	5	-	-
	F--	177	1	-	-	1	-	2	3	3	-	2	3	5	8	10	16	20	19	18	19	18	19	7	3	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	4	2	3	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	3	4	3	2	1	1	-	-	-
204	Leukemia and aleukemia	148	2	2	3	3	8	4	6	1	3	6	1	3	5	3	9	13	7	16	13	24	10	6	-	-	-
	White-----M--	82	-	2	2	3	4	2	3	-	1	4	-	1	3	3	4	7	4	10	7	15	3	4	-	-	-
	F--	54	2	-	1	-	4	2	3	1	2	2	1	2	-	-	2	4	2	5	4	8	7	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	141	-	2	-	-	-	4	2	-	3	1	4	12	4	9	13	14	11	17	18	13	9	4	1	-	-
	White-----M--	84	-	2	-	-	-	4	-	-	2	-	3	8	2	7	9	4	7	9	9	8	7	2	1	-	-
	F--	50	-	-	-	-	-	-	2	-	-	1	1	3	2	1	4	7	4	8	8	5	2	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	77	2	2	-	-	-	2	3	1	2	3	3	4	5	4	7	9	8	4	7	5	2	3	1	-	-
	White-----M--	30	2	1	-	-	-	2	1	1	1	-	1	1	2	1	2	3	4	3	2	1	-	1	1	-	-
	F--	38	-	1	-	-	-	-	2	-	1	3	1	3	2	3	4	5	3	1	4	2	1	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	2	1	-	-	-	-
260	Diabetes mellitus	304	-	-	-	-	-	-	-	-	5	5	4	4	4	9	11	12	32	41	68	56	37	14	2	-	-
	White-----M--	119	-	-	-	-	-	-	-	-	3	2	3	3	1	-	5	5	10	12	31	22	17	4	1	-	-
	F--	138	-	-	-	-	-	-	-	-	1	2	1	1	3	6	3	2	15	24	30	26	14	9	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	4	4	1	5	4	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	3	1	6	3	2	1	-	-	-
290-293	Anemias	50	-	3	-	-	1	-	2	-	-	-	-	1	1	-	1	3	1	4	3	14	10	4	1	1	-
	White-----M--	22	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	1	7	5	2	1	-	-
	F--	18	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	6	4	2	-	1	-
	Nonwhite--M--	6	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*	19	5	4	3	-	1	-	1	-	-	-	2	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	8	2	-	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	8	1	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,094	5	1	2	-	2	5	9	13	21	21	45	72	128	285	397	645	882	1,214	1,473	1,712	1,564	1,087	382	114	15
	White-----M--	5,670	2	-	1	-	-	3	1	4	9	9	24	42	82	186	262	435	560	737	857	929	793	504	183	46	1
	F--	3,539	2	1	-	-	1	2	5	8	8	10	11	16	23	56	71	134	226	354	502	669	675	533	174	54	4
	Nonwhite--M--	472	-	-	1	-	1	-	2	-	1	-	4	6	10	22	30	39	49	65	75	64	48	24	15	8	8
	F--	413	1	-	-	-	-	-	1	1	3	2	6	8	13	21	34	37	47	58	39	50	48	26	10	6	2
330-334, 400-468	Diseases of cardiovascular system	9,855	5	1	1	-	1	3	8	11	19	16	41	64	124	271	387	628	865	1,191	1,448	1,679	1,529	1,070	371	109	13
	White-----M--	5,561	2	-	1	-	-	1	-	3	9	6	20	41	80	181	255	427	552	725	846	917	777	495	177	45	1
	F--	3,468	2	1	-	-	1	2	5	7	7	8	11	13	23	52	69	128	220	350	494	659	661	527	171	53	4
	Nonwhite--M--	439	-	-	-	-	-	-	2	-	1	-	4	3	10	20	29	39	47	61	70	58	46	22	14	7	6
	F--	387	1	-	-	-	-	-	1	1	2	2	6	7	11	18	34	34	46	55	38	45	45	26	9	4	2
330-334	Vascular lesions, etc.*	2,397	2	-	-	-	-	-	2	2	5	5	6	15	16	37	67	103	164	237	377	437	466	315	106	32	3
	White-----M--	1,155	-	-	-	-	-	-	-	2	2	3	2	6	6	18	36	43	82	120	208	201	232	137	44	12	1
	F--	1,023	1	-	-	-	-	-	2	-	2	2	3	4	3	10	19	39	57	85	138	206	207	170	57	18	-
	Nonwhite--M--	108	-	-	-	-	-	-	-	-	1	-	-	-	3	6	2	10	10	18	17	16	15	5	3	1	1
	F--	111	1	-	-	-	-	-	-	-	-	-	1	5	4	3	10	11	15	14	14	14	12	3	2	1	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																										
400-402	Rheumatic fever---	12	-	-	-	-	1	-	3	-	-	-	1	-	1	1	1	-	2	-	-	1	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	6,718	2	1	1	-	-	3	3	8	10	11	30	47	100	222	308	502	667	894	979	1,115	908	637	201	60	9
	White-----M--	4,036	1	-	1	-	-	1	-	1	5	3	14	35	69	158	209	372	449	568	590	658	481	297	101	25	-
	F--	2,151	1	1	-	-	-	2	2	7	3	6	8	8	19	38	48	82	154	249	324	393	378	308	88	28	4
	Nonwhite--M--	295	-	-	-	-	-	-	1	-	-	-	4	3	6	12	27	28	37	41	45	37	24	13	8	5	4
	F--	234	-	-	-	-	-	-	-	-	2	2	4	1	6	14	24	20	27	36	20	27	25	19	4	2	1
410-416	Chronic rheumatic heart disease----	185	-	-	-	-	-	-	-	5	6	3	9	9	13	20	11	14	19	28	19	9	7	9	4	-	-
	White-----M--	78	-	-	-	-	-	-	-	1	3	-	1	5	8	9	3	10	9	8	10	2	4	4	1	-	-
	F--	86	-	-	-	-	-	-	-	4	2	2	5	4	3	8	6	2	9	19	7	5	3	4	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	1	2	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	2	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,635	-	-	-	-	-	2	-	1	1	4	14	29	65	151	238	389	499	663	710	796	555	374	109	29	6
	White-----M--	3,010	-	-	-	-	-	1	-	-	-	2	10	26	51	121	180	301	358	455	452	481	318	186	56	12	-
	F--	1,386	-	-	-	-	-	1	-	1	-	2	1	2	11	19	31	63	109	177	227	281	220	175	50	14	2
	Nonwhite--M--	147	-	-	-	-	-	-	-	-	-	-	2	1	2	6	14	17	19	15	24	24	9	7	2	2	3
	F--	92	-	-	-	-	-	-	-	-	1	-	1	-	1	5	13	8	13	16	7	10	8	6	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	626	-	-	-	-	-	-	-	1	1	-	2	2	2	10	10	27	36	44	71	111	147	109	39	13	1
	White-----M--	323	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	17	19	29	43	61	71	45	22	5	-
	F--	237	-	-	-	-	-	-	-	1	1	-	1	-	1	3	2	4	12	8	24	41	64	57	12	6	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	3	3	6	2	4	2	1
	F--	35	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	4	2	1	6	6	5	1	-	-
430-434	Other diseases of heart---------	524	2	1	1	-	-	1	2	1	2	3	3	4	13	25	24	40	54	67	65	64	63	53	28	7	1
	White-----M--	313	1	-	1	-	-	-	-	-	2	1	2	2	8	16	18	32	38	40	38	45	24	27	15	3	-
	F--	154	1	1	-	-	-	1	1	1	-	1	1	-	2	4	1	5	11	16	21	15	32	24	11	4	1
	Nonwhite--M--	37	-	-	-	-	-	-	1	-	-	-	-	2	1	4	3	2	3	10	4	2	2	1	2	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	2	1	2	2	5	1	-	-	-
440-443	Hypertension with heart dis.--	748	-	-	-	-	-	-	1	-	-	1	2	3	7	16	25	32	59	92	114	135	136	92	21	11	1
	White-----M--	314	-	-	-	-	-	-	-	-	-	-	1	-	1	7	5	12	25	36	47	69	64	35	7	5	-
	F--	288	-	-	-	-	-	-	1	-	-	1	-	2	2	4	8	8	13	29	45	51	59	48	12	4	1
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	-	3	1	6	7	13	10	12	7	7	2	-	1	-
	F--	77	-	-	-	-	-	-	-	-	-	-	1	1	1	4	6	5	8	17	10	8	6	7	2	1	-
444-447	Hypertension without mention of heart----------	156	-	-	-	-	-	-	-	-	1	-	1	1	2	6	4	5	7	15	31	22	30	21	7	3	-
	White-----M--	63	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	10	18	11	5	9	-	2	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	7	9	18	12	4	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	3	-	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	2	2	-	4	-	2	-	-
450	General arteriosclerosis--------	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	29	42	81	105	89	53	12	-
	White-----M--	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	14	19	37	54	48	30	5	-
	F--	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	11	18	40	45	34	20	6	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	3	2	1	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	4	1	-	-
451-468	Other diseases of circulatory sys.-	145	1	-	-	-	-	-	-	1	3	-	3	1	5	5	5	14	15	16	19	23	19	8	4	2	1
	White-----M--	82	1	-	-	-	-	-	-	-	1	-	3	-	4	2	5	10	11	13	11	9	5	4	2	1	-
	F--	49	-	-	-	-	-	-	-	-	2	-	-	1	1	3	-	2	3	2	7	11	12	3	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	1
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-
592-594	Chronic nephritis, etc.*----------	239	-	-	1	-	1	2	1	2	2	5	4	8	4	14	10	17	17	23	25	33	35	17	11	5	2
	White-----M--	109	-	-	-	-	-	2	1	1	-	3	4	1	2	5	7	8	8	12	11	12	16	9	6	1	-
	F--	71	-	-	-	-	-	-	-	1	1	2	-	3	-	4	2	6	6	4	8	10	14	6	3	1	-
	Nonwhite--M--	33	-	-	1	-	1	-	-	-	-	-	-	3	-	2	1	-	2	4	5	6	2	2	1	1	2
	F--	26	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	3	1	3	1	5	3	-	1	2	-
480-493	Influenza and pneumonia, etc.*-	593	78	19	9	3	1	11	5	7	3	3	3	2	8	15	8	21	23	36	61	72	90	67	39	9	-
	White-----M--	279	26	4	4	1	-	5	2	3	2	-	2	-	4	8	4	10	17	20	27	38	42	35	22	3	-
	F--	228	23	7	2	2	1	6	1	4	1	3	-	1	3	4	3	6	4	11	25	27	43	31	15	5	-
	Nonwhite--M--	42	20	2	2	-	-	-	1	-	-	-	-	1	-	-	1	3	1	1	5	2	3	-	-	-	-
	F--	44	9	6	1	-	-	-	1	-	-	-	1	-	1	3	-	2	1	4	4	5	2	1	2	1	-
480-483	Influenza---------	59	6	-	-	2	-	-	2	1	-	-	-	-	-	3	-	-	1	5	6	6	14	8	3	2	-
	White-----M--	22	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	2	3	5	3	-	1	-
	F--	30	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	3	3	3	9	5	2	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
490-493	Pneumonia, etc.*--	534	72	19	9	1	1	11	3	6	3	3	3	2	8	12	8	21	22	31	55	66	76	59	36	7	-
	White-----M--	257	24	4	4	1	-	5	-	3	2	-	2	-	4	6	4	10	17	18	25	35	37	32	22	2	-
	F--	196	22	7	2	-	1	6	1	3	1	3	-	1	3	3	3	6	4	8	22	24	34	26	13	5	-
	Nonwhite--M--	38	18	2	2	-	-	-	1	-	-	-	-	1	-	-	1	3	-	1	4	2	3	-	-	-	-
	F--	41	8	6	1	-	-	-	1	-	-	-	1	-	1	3	-	2	1	4	4	5	2	1	1	-	-
500-502	Bronchitis--------	18	4	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	6	-	4	-	-	-
	White-----M--	7	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	F--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	126	-	-	-	-	-	-	-	1	1	2	2	8	3	9	16	11	17	15	12	15	9	5	-	-	-
	White-----M--	97	-	-	-	-	-	-	-	1	-	1	1	6	2	8	11	10	13	12	9	14	6	3	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	1	-	2	1	-	3	-	4	3	-	1	3	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	44	-	-	-	-	-	3	1	3	1	1	1	1	2	1	3	1	4	6	5	2	5	3	-	1	-
	White-----M--	24	-	-	-	-	-	2	-	3	1	-	-	-	-	1	2	1	2	2	2	2	4	2	-	-	-
	F--	14	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	1	3	3	-	1	1	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	113	11	-	2	1	-	-	-	-	-	2	-	4	3	4	4	7	6	15	14	15	11	11	1	2	-
	White-----M--	48	4	-	-	1	-	-	-	-	-	-	-	2	1	2	1	4	3	7	5	5	5	8	-	-	-
	F--	41	3	-	-	-	-	-	-	-	-	2	-	1	2	1	2	2	1	6	5	8	4	3	-	1	-
	Nonwhite--M--	15	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	-	1	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	-	-	1	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																										
543,	Gastritis, etc.*--	79	35	6	2	1	-	-	-	-	-	-	1	-	-	3	1	-	4	6	-	5	7	7	1	-	-
571,	White-----M--	27	9	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	4	-	2	2	3	-	-	-
572	F--	29	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	4	-	-	-
	Nonwhite--M--	13	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	6	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
581	Cirrhosis of liver	123	-	-	-	-	-	-	-	1	-	-	1	7	8	11	6	16	12	20	11	15	9	6	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	3	4	7	2	11	9	12	5	8	7	5	-	-	-
	F--	38	-	-	-	-	-	-	-	1	-	-	1	3	2	4	3	4	2	4	5	7	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	37	2	-	-	-	1	1	2	-	-	-	2	1	1	3	3	-	2	3	4	6	1	5	-	-	-
	White-----M--	21	-	-	-	-	1	1	-	-	-	-	2	1	-	1	2	-	1	3	2	2	1	4	-	-	-
	F--	11	1	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	1	4	-	1	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	11	19	24	31	20	3	3	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	10	16	23	27	19	2	3	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	4	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	24	...	...	...	...	...	...	-	5	2	1	5	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	1	2	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	4	-	1	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	22	...	...	...	...	...	...	-	5	2	1	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	...	...	...	-	1	2	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	12	...	...	...	...	...	...	-	4	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	262	204	13	2	1	2	9	4	4	2	3	2	4	-	3	-	6	-	2	1	-	-	-	-	-	-
	White-----M--	126	99	4	-	-	2	5	2	3	1	-	1	3	-	2	-	3	-	1	-	-	-	-	-	-	-
	F--	108	81	8	1	1	-	3	2	1	1	3	-	1	-	1	-	3	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	16	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	10	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	825	825	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	439	439	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	574	42	1	2	-	-	2	1	1	6	6	8	5	8	20	22	37	26	53	56	65	72	83	36	17	5
795	White-----M--	274	17	-	1	-	-	1	1	1	3	2	4	1	4	9	14	21	10	30	32	32	31	31	18	8	3
	F--	170	12	-	1	-	-	-	-	-	3	2	1	2	-	3	4	10	8	8	13	20	27	42	10	4	-
	Nonwhite--M--	83	9	1	-	-	-	1	-	-	-	1	-	1	2	5	3	4	7	9	8	9	8	8	4	1	2
	F--	47	4	-	-	-	-	-	-	-	-	1	3	1	2	3	1	2	1	6	3	4	6	2	4	4	-
Re-	All other diseases	1,016	46	5	5	7	7	12	11	5	12	9	24	24	36	45	53	67	78	119	130	123	100	67	16	12	3
sid-	White-----M--	508	19	3	1	5	-	8	7	1	5	5	12	9	20	27	23	39	39	61	73	55	53	29	5	8	1
ual	F--	404	18	2	3	2	4	3	2	3	3	2	8	10	14	12	24	17	32	46	51	61	40	32	10	3	2
	Nonwhite--M--	57	6	-	1	-	2	-	-	1	2	-	2	4	1	4	2	7	3	9	4	4	5	-	-	-	-
	F--	47	3	-	-	-	1	1	2	-	2	2	2	1	1	2	4	4	4	3	2	3	2	6	1	1	-
E800-	Accidents---------	1,436	49	32	17	17	9	53	46	85	114	103	97	61	77	81	72	56	71	63	64	80	81	64	28	13	3
E962	White-----M--	864	24	16	9	9	5	30	32	65	84	72	70	40	52	48	48	31	53	39	32	35	34	24	7	2	3
	F--	407	13	8	4	4	1	19	11	15	16	18	17	10	19	17	16	20	15	17	20	40	43	35	19	10	-
	Nonwhite--M--	113	6	7	3	2	2	2	3	4	12	9	8	11	5	10	5	4	2	5	6	2	-	2	2	1	-
	F--	52	6	1	1	2	1	2	-	1	2	4	2	-	1	6	3	1	1	2	6	3	4	3	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	608	9	14	7	8	4	21	12	52	78	62	54	30	42	34	38	27	41	25	21	16	10	1	1	-	1
	White-----M--	402	6	8	5	3	2	10	7	35	61	42	39	21	27	17	27	14	29	15	13	12	6	1	1	-	1
	F--	145	3	3	1	2	1	10	4	13	8	13	11	4	12	12	8	12	10	8	4	2	4	-	-	-	-
	Nonwhite--M--	47	-	3	-	2	1	1	1	3	7	7	4	5	3	3	1	1	1	1	2	1	-	-	-	-	-
	F--	14	-	-	1	1	-	-	-	1	2	-	-	-	-	2	2	-	1	1	2	1	-	-	-	-	-
E800-	All ot. accidents-	828	40	18	10	9	5	32	34	33	36	41	43	31	35	47	34	29	30	38	43	64	71	63	27	13	2
E802,	White-----M--	462	18	8	4	6	3	20	25	30	23	30	31	19	25	31	21	17	24	24	19	23	28	23	6	2	2
E840-	F--	262	10	5	3	2	-	9	7	2	8	5	6	6	7	5	8	8	5	9	16	38	39	35	19	10	-
E962	Nonwhite--M--	66	6	4	3	-	1	1	2	1	5	2	4	6	2	7	4	3	1	4	4	1	-	2	2	1	-
	F--	38	6	1	-	1	1	2	-	-	-	4	2	-	1	4	1	1	-	1	4	2	4	3	-	-	-
E963,	Suicide----------	215	-	-	-	-	-	-	-	8	9	12	10	18	23	18	30	17	17	20	11	14	3	4	-	-	1
E970-	White-----M--	153	-	-	-	-	-	-	-	5	6	8	6	7	17	13	23	14	12	16	9	10	3	3	-	-	1
E979	F--	49	-	-	-	-	-	-	-	3	2	3	3	10	4	3	7	3	3	3	1	4	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	2	1	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	97	-	-	-	1	1	3	-	2	5	15	12	14	7	11	7	6	2	4	3	2	1	-	-	-	1
E980-	White-----M--	44	-	-	-	-	1	3	-	-	2	5	4	7	2	4	4	5	2	1	2	-	1	-	-	-	1
E985	F--	12	-	-	-	1	-	-	-	-	-	-	2	2	2	2	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	2	3	9	6	4	2	4	2	1	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	2	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON																										
	ALL CAUSES------	15,378	936	63	49	35	29	93	78	139	127	139	180	244	376	522	783	997	1,325	1,787	2,009	2,030	1,705	1,142	464	106	20
	White-----M--	9,079	513	29	23	18	16	61	47	93	93	96	124	137	227	336	503	697	897	1,141	1,216	1,150	845	557	205	41	14
	F--	5,977	374	31	24	16	12	30	28	42	30	33	47	84	135	167	259	279	407	617	766	860	841	575	257	62	1
	Nonwhite--M--	199	27	2	1	1	-	2	2	4	3	7	5	11	7	9	15	11	17	17	22	14	12	5	1	2	2
	F--	123	22	1	1	-	1	-	1	-	1	3	4	12	7	10	6	10	4	12	5	6	7	5	1	1	3
001-019	Tuberculosis, all forms--------	83	1	1	-	-	-	-	-	-	1	1	3	6	3	10	10	9	7	10	6	6	7	-	2	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	1	-	2	1	2	9	8	7	4	10	4	4	2	-	2	-	-
	F--	18	1	1	-	-	-	-	-	-	-	-	1	3	1	1	1	2	1	-	1	1	4	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	75	-	-	-	-	-	-	-	-	1	-	2	5	3	9	10	9	6	10	5	6	7	-	2	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	1	-	2	1	2	8	8	7	3	10	4	4	2	-	2	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	2	1	-	1	1	4	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	8	1	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	39	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	6	9	8	2	2	3	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	3	2	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	13	-	-	-	-	-	3	3	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	3	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	27	7	2	1	-	-	-	2	-	-	-	3	2	1	1	1	1	2	1	1	-	1	1	-	-	-
	White-----M--	15	6	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	1	1	-	1	1	-	-	-
	F--	11	1	2	1	-	-	-	2	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																										
140-205	Malignant neoplasms, etc.*	2,312	2	7	8	5	6	20	14	14	9	11	24	47	88	136	177	201	270	340	317	315	172	96	28	3	2
	White-----M--	1,228	1	4	5	3	2	14	8	8	6	7	10	21	33	59	69	110	156	199	175	186	81	51	18	2	-
	F--	1,050	1	3	3	2	4	6	6	6	3	4	13	25	53	73	104	88	110	137	140	126	89	43	10	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	1	2	3	1	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	3	-	-	1	-	-	-	2
140-148	Of buccal cavity and pharynx	36	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	6	5	3	8	3	1	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	4	5	2	7	3	1	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	800	-	1	-	1	-	1	-	1	-	2	3	6	16	34	49	69	83	133	127	136	89	40	7	1	1
	White-----M--	457	-	-	-	1	-	1	-	1	-	-	1	3	12	17	24	42	52	81	70	80	44	21	6	1	-
	F--	329	-	1	-	-	-	-	-	-	-	2	1	3	3	14	22	25	30	51	57	56	45	18	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	1
160-164	Of respiratory system (not secondary)	254	-	-	-	-	-	-	-	1	-	1	3	2	10	12	28	33	45	53	33	17	6	8	2	-	-
	White-----M--	204	-	-	-	-	-	-	-	1	-	1	2	2	8	10	20	31	36	44	26	13	6	3	1	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	2	8	8	7	3	-	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	223	-	-	-	-	-	-	-	-	1	1	1	10	17	23	33	25	24	21	21	19	17	5	4	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	219	-	-	-	-	-	-	-	-	1	1	1	10	17	23	33	24	23	20	20	19	17	5	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
171-179	Of genital organs	361	-	-	-	-	-	-	-	1	-	2	3	8	19	23	19	25	31	48	65	56	28	23	9	-	1
	White-----M--	156	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	4	15	19	35	39	15	15	7	-	-
	F--	196	-	-	-	-	-	-	-	1	-	-	3	5	17	21	19	21	16	28	28	16	11	8	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	1
180, 181	Of urinary organs	119	-	-	4	1	-	1	-	1	-	-	1	1	1	3	11	9	19	12	18	21	7	6	2	1	-
	White-----M--	87	-	-	4	-	-	1	-	-	-	-	-	1	-	1	10	7	16	9	14	14	4	4	1	1	-
	F--	32	-	-	-	1	-	-	-	1	-	-	1	-	1	2	1	2	3	3	4	7	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	265	1	2	1	2	3	8	9	4	3	1	5	9	9	22	20	24	30	37	21	32	13	7	2	-	-
	White-----M--	135	1	2	-	1	1	7	5	2	2	1	3	4	2	14	6	14	14	22	10	15	5	3	1	-	-
	F--	127	-	-	1	1	2	1	4	2	1	-	2	5	6	8	14	10	15	15	11	16	8	4	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	139	1	3	3	1	2	8	4	3	4	1	4	6	9	7	5	5	11	17	19	15	6	4	1	-	-
	White-----M--	81	-	2	1	1	1	3	2	1	4	-	3	5	4	6	3	3	6	11	11	9	2	2	1	-	-
	F--	58	1	1	2	-	1	5	2	2	-	1	1	1	5	1	2	2	5	6	8	6	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	115	-	1	-	-	1	2	1	3	1	3	4	5	4	9	10	10	21	14	10	11	3	2	-	-	-
	White-----M--	77	-	-	-	-	-	2	1	3	-	3	1	4	3	7	5	8	13	8	6	9	2	2	-	-	-
	F--	38	-	1	-	-	1	-	-	-	1	-	3	1	1	2	5	2	8	6	4	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	51	1	-	-	-	-	1	1	-	-	1	1	2	2	3	5	7	5	6	7	6	-	2	1	-	-
	White-----M--	30	1	-	-	-	-	1	-	-	-	1	1	-	-	2	3	4	3	2	5	5	-	2	-	-	-
	F--	21	-	-	-	-	-	-	1	-	-	-	-	2	2	1	2	3	2	4	2	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	170	-	-	-	-	-	1	-	-	1	1	4	2	4	2	4	9	17	24	35	31	17	14	4	-	-
	White-----M--	86	-	-	-	-	-	1	-	-	-	1	2	2	2	-	2	6	7	14	14	18	9	5	3	-	-
	F--	78	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	2	10	9	21	13	6	9	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	36	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	6	3	4	6	3	5	3	-	-
	White-----M--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	4	1	3	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	3	4	2	2	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	23	11	1	2	2	1	-	-	-	1	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	16	10	-	2	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	7	1	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,701	2	2	1	-	1	1	5	7	13	13	31	71	117	194	396	572	786	1,158	1,373	1,415	1,278	853	330	75	7
	White-----M--	5,159	1	-	-	-	1	-	2	-	6	6	22	43	87	137	293	433	548	751	842	776	624	409	142	30	6
	F--	3,428	1	2	1	-	-	-	3	6	7	6	7	24	28	48	94	128	228	390	514	628	642	441	186	44	-
	Nonwhite--M--	68	-	-	-	-	-	1	-	1	-	-	-	2	-	4	6	7	8	9	14	6	7	2	1	-	-
	F--	46	-	-	-	-	-	-	-	-	-	1	2	2	2	5	3	4	2	8	3	5	5	1	1	1	1
330-334, 400-468	Diseases of cardiovascular system	8,574	2	1	1	-	1	1	3	3	8	11	29	64	111	186	389	564	779	1,145	1,349	1,402	1,266	850	328	74	7
	White-----M--	5,099	1	-	-	-	1	-	1	-	3	5	21	41	83	133	292	427	546	745	829	769	616	408	142	30	6
	F--	3,370	1	1	1	-	-	-	2	2	5	5	6	19	26	46	91	126	223	383	505	624	638	439	184	43	-
	Nonwhite--M--	66	-	-	-	-	-	1	-	1	-	-	-	2	-	4	4	7	8	9	14	6	7	2	1	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	2	2	2	3	2	4	2	8	1	3	5	1	1	1	1
330-334	Vascular lesions, etc.*	1,872	-	1	-	-	-	-	-	-	1	3	7	13	13	26	57	80	124	214	323	360	318	232	85	14	1
	White-----M--	936	-	-	-	-	-	-	-	-	-	1	5	5	4	8	28	40	73	113	183	191	144	103	34	3	1
	F--	911	-	1	-	-	-	-	-	-	1	1	1	7	9	16	29	37	51	97	134	167	170	128	51	11	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	3	5	2	3	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	1	-	1	1	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																										
400-402	Rheumatic fever---	6	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	4	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,987	1	-	-	-	1	1	2	2	5	5	20	47	95	156	321	458	604	868	933	916	812	495	193	48	4
	White-----M--	3,735	1	-	-	-	1	-	1	-	3	3	14	35	78	122	257	368	434	592	584	502	395	236	84	22	3
	F--	2,182	-	-	-	-	-	-	1	1	2	2	5	10	15	30	59	83	161	264	340	408	411	258	107	25	-
	Nonwhite--M--	43	-	-	-	-	-	1	-	1	-	-	-	2	-	2	3	4	7	5	9	4	3	1	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	2	7	-	2	3	-	1	1	1
410-416	Chronic rheumatic heart disease----	213	-	-	-	-	-	-	-	2	5	2	3	11	13	17	10	22	39	27	28	16	10	5	3	-	-
	White-----M--	109	-	-	-	-	-	-	-	-	3	1	2	4	7	7	7	15	19	14	13	10	4	2	1	-	-
	F--	99	-	-	-	-	-	-	-	1	2	1	1	6	6	9	2	7	20	12	15	6	6	3	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,385	-	-	-	-	-	-	-	-	-	1	17	35	72	118	271	351	468	686	700	647	539	319	125	33	3
	White-----M--	2,945	-	-	-	-	-	-	-	-	-	1	12	31	65	101	229	299	360	497	458	375	285	154	58	17	3
	F--	1,393	-	-	-	-	-	-	-	-	-	-	4	3	5	15	40	47	101	180	235	267	250	165	66	15	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	5	4	7	3	2	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	2	5	-	2	2	-	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	386	1	-	-	-	-	-	-	-	-	2	-	-	1	3	9	19	26	41	40	64	79	70	25	6	-
	White-----M--	224	1	-	-	-	-	-	-	-	-	1	-	-	1	1	6	16	21	25	25	35	43	36	12	1	-
	F--	159	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	5	16	15	29	34	34	13	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	209	-	-	-	-	1	1	2	-	-	-	-	1	4	7	8	15	13	18	34	34	36	18	14	3	-
	White-----M--	131	-	-	-	-	1	-	1	-	-	-	-	-	3	6	5	10	8	13	23	24	18	11	6	2	-
	F--	74	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	4	5	5	10	10	18	6	8	1	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	794	-	-	-	-	-	-	-	-	-	-	-	-	5	11	23	51	58	96	131	155	148	83	26	6	1
	White-----M--	326	-	-	-	-	-	-	-	-	-	-	-	-	2	7	10	28	26	43	65	58	45	33	7	2	-
	F--	457	-	-	-	-	-	-	-	-	-	-	-	-	3	3	12	22	30	51	65	96	103	50	18	4	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
444-447	Hypertension without mention of heart----------	82	-	-	-	-	-	-	-	-	-	1	1	4	-	2	3	1	7	10	10	13	14	14	1	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	6	5	5	6	8	3	1	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	5	5	7	6	10	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	475	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	23	30	59	91	107	96	48	9	2
	White-----M--	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	19	20	43	55	63	57	22	5	2
	F--	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	16	36	42	39	26	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	152	1	-	-	-	-	-	-	-	2	2	1	-	3	2	5	16	21	23	24	22	15	12	1	2	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	12	14	15	14	15	6	8	1	-	-
	F--	57	1	-	-	-	-	-	-	-	2	1	-	-	2	-	2	4	7	7	10	6	9	4	-	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	127	-	1	-	-	-	-	2	4	5	2	2	7	6	8	7	8	7	13	24	13	12	3	2	1	-
	White-----M--	60	-	-	-	-	-	-	1	-	3	1	1	2	4	4	1	6	2	6	13	7	8	1	-	-	-
	F--	58	-	1	-	-	-	-	1	4	2	1	1	5	2	2	3	2	5	7	9	4	4	2	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	2	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	396	60	5	7	1	2	5	2	2	3	3	1	4	8	5	10	21	13	18	41	50	53	46	27	8	1
	White-----M--	211	28	3	2	1	1	3	-	2	2	-	-	2	4	4	7	11	7	13	23	30	31	24	12	1	-
	F--	162	25	1	3	-	-	2	2	-	1	2	1	1	4	1	2	9	6	5	16	18	21	20	15	6	1
	Nonwhite--M--	12	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-
	F--	11	3	-	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	2	-	-	-
480-483	Influenza---------	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	3	-	2	2	1	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	2	-	1	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	384	60	5	7	1	2	5	2	2	3	3	1	4	6	5	9	21	12	18	41	47	53	44	25	7	1
	White-----M--	203	28	3	2	1	1	3	-	2	2	-	-	2	2	4	6	11	6	13	23	28	31	23	11	1	-
	F--	158	25	1	3	-	-	2	2	-	1	2	1	1	4	1	2	9	6	5	16	17	21	19	14	5	1
	Nonwhite--M--	12	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-
	F--	11	3	-	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	2	-	-	-
500-502	Bronchitis--------	70	12	6	2	1	-	1	-	-	-	-	-	1	-	1	2	5	9	3	4	11	6	3	2	1	-
	White-----M--	47	8	3	-	1	-	1	-	-	-	-	-	-	-	1	2	3	9	2	3	8	3	2	1	-	-
	F--	22	4	2	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	3	3	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	95	-	-	-	-	-	-	-	1	-	-	-	1	1	9	2	7	13	17	23	8	6	3	3	1	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	1	-	7	2	5	10	13	16	5	5	2	3	1	-
	F--	21	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	3	2	6	3	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	20	1	-	-	-	-	2	4	-	1	-	-	1	-	-	1	-	3	1	1	-	2	2	1	-	-
	White-----M--	10	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	1	-	2	1	1	-	-
	F--	9	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	86	14	-	-	-	-	-	-	-	2	-	-	2	-	2	1	6	7	10	11	13	6	7	5	-	-
	White-----M--	41	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	6	4	8	5	1	2	-	-
	F--	43	7	-	-	-	-	-	-	-	2	-	-	1	-	1	-	3	4	4	7	5	1	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																										
543,	Gastritis, etc.*--	52	11	4	-	1	2	-	-	-	-	-	1	1	-	-	1	3	7	3	7	3	4	2	2	-	-
571,	White-----M--	29	5	2	-	-	2	-	-	-	-	-	1	1	-	-	1	2	4	1	4	1	3	1	1	-	-
572	F--	19	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	109	1	-	-	-	-	-	-	-	-	-	2	4	17	12	19	10	12	11	7	8	3	1	2	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	3	8	5	10	7	8	5	3	2	1	-	-	-	-
	F--	51	1	-	-	-	-	-	-	-	-	-	1	1	8	5	9	3	4	4	4	6	2	1	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	15	1	-	-	-	-	-	2	2	-	-	1	-	-	2	-	1	1	-	2	1	2	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	11	15	13	8	3	2	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	11	14	13	8	3	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	8	...	...	...	...	...	...	-	1	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	1	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	7	...	...	...	...	...	...	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	213	163	6	4	3	-	6	2	5	2	3	1	4	-	2	6	1	3	1	1	-	-	-	-	-	-
	White-----M--	111	88	1	3	1	-	3	2	4	1	1	-	1	-	1	3	-	1	1	-	-	-	-	-	-	-
	F--	96	70	5	1	2	-	3	-	1	1	2	1	3	-	1	2	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	533	533	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	159	25	1	-	-	-	1	-	-	1	-	4	1	4	6	4	3	7	6	7	13	15	26	21	10	4
795	White-----M--	93	17	1	-	-	-	1	-	-	-	-	4	-	2	5	2	2	6	5	4	7	8	14	9	4	2
	F--	58	6	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	1	1	3	6	6	11	12	5	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Re-	All other diseases	710	51	7	8	3	5	12	3	5	3	11	10	19	27	44	46	53	56	87	78	72	60	31	14	3	2
sid-	White-----M--	434	32	6	4	1	3	6	3	4	3	4	5	9	14	31	32	37	42	52	59	39	29	12	5	-	2
ual	F--	259	17	1	4	2	2	6	-	1	-	5	5	7	12	11	13	15	13	33	19	32	31	18	9	3	-
	Nonwhite--M--	10	2	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	2	-	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	1	-	-	-	-	-
E800-	Accidents----------	1,084	36	20	15	16	12	38	40	98	76	70	67	55	76	56	65	44	52	46	50	44	49	37	16	3	3
E962	White-----M--	765	16	8	7	9	7	26	31	73	68	62	56	38	56	43	46	33	45	34	31	29	22	18	3	1	3
	F--	279	17	11	8	6	5	11	6	22	5	7	6	10	14	12	18	11	7	11	17	14	27	19	13	2	-
	Nonwhite--M--	30	2	1	-	1	-	1	2	3	2	1	3	4	5	1	1	-	-	1	1	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	1	-	1	-	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	434	4	5	4	6	2	18	10	62	55	31	33	23	33	25	26	18	17	18	14	12	13	3	1	-	1
	White-----M--	301	1	2	3	3	1	13	7	43	51	25	26	13	22	16	16	10	14	14	5	6	8	-	1	-	1
	F--	110	2	2	1	2	1	5	1	17	3	6	4	5	6	8	10	8	3	3	9	6	5	3	-	-	-
	Nonwhite--M--	16	1	1	-	1	-	-	1	2	-	-	2	2	4	1	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	650	32	15	11	10	10	20	30	36	21	39	34	32	43	31	39	26	35	28	36	32	36	34	15	3	2
E802,	White-----M--	464	15	6	4	6	6	13	24	30	17	37	30	25	34	27	30	23	31	20	26	23	14	18	2	1	2
E840-	F--	169	15	9	7	4	4	6	5	5	2	1	2	5	8	4	8	3	4	8	8	8	22	16	13	2	-
E962	Nonwhite--M--	14	1	-	-	-	-	1	1	1	2	1	1	2	1	-	1	-	-	-	1	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide----------	251	-	-	-	-	-	-	-	1	8	16	18	14	24	27	22	33	35	21	14	11	4	2	-	-	1
E970-	White-----M--	192	-	-	-	-	-	-	-	1	5	12	11	10	18	20	16	27	29	15	11	11	3	2	-	-	1
E979	F--	57	-	-	-	-	-	-	-	-	3	4	7	4	6	7	6	6	4	6	3	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	48	1	1	-	1	-	1	-	1	3	4	6	4	3	5	5	5	4	2	1	-	1	-	-	-	-
E980-	White-----M--	24	1	1	-	1	-	1	-	-	1	-	5	1	1	4	3	2	1	1	1	-	-	-	-	-	-
E985	F--	12	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	1	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	3	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA																										
	ALL CAUSES------	113,564	5,960	347	213	146	107	486	359	598	730	882	1,256	1,752	2,845	4,217	6,301	8,339	11,621	14,648	15,536	14,563	12,027	7,297	2,582	615	137
	White-----M--	59,181	2,959	172	97	84	58	254	199	391	452	487	609	870	1,536	2,309	3,601	4,792	6,711	8,185	8,238	7,338	5,598	3,053	923	191	74
	F--	46,414	2,043	126	92	45	37	174	125	156	183	271	414	636	915	1,395	1,914	2,679	4,095	5,624	6,538	6,756	6,097	4,070	1,577	395	57
	Nonwhite--M--	4,413	518	26	14	11	5	37	21	28	59	79	115	130	226	270	455	490	478	481	413	249	169	85	38	12	4
	F--	3,556	440	23	10	6	7	21	14	23	36	45	118	116	168	243	331	378	337	358	347	220	163	89	44	17	2
001-019	Tuberculosis, all forms--------	1,223	7	7	2	1	-	3	-	4	16	46	71	68	86	107	139	121	145	154	130	62	38	16	-	-	-
	White-----M--	736	2	2	-	-	-	2	-	1	3	12	19	26	34	71	91	80	111	114	91	43	24	10	-	-	-
	F--	201	2	3	1	1	-	-	-	2	7	11	18	16	16	13	11	10	14	21	22	15	11	5	-	-	-
	Nonwhite--M--	185	1	2	1	-	-	1	-	-	4	13	15	7	22	12	26	26	17	18	15	2	3	-	-	-	-
	F--	101	2	-	-	-	-	-	-	1	2	10	19	19	12	11	11	5	3	1	2	2	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,134	4	4	1	1	-	-	-	3	13	43	63	61	79	98	132	113	135	149	124	61	36	14	-	-	-
	White-----M--	704	1	1	-	-	-	-	-	1	1	10	18	23	34	70	90	77	105	110	88	42	23	10	-	-	-
	F--	187	2	2	1	1	-	-	-	1	7	11	18	16	17	12	9	8	13	20	21	15	10	3	-	-	-
	Nonwhite--M--	163	1	1	-	-	-	-	-	-	3	12	10	6	20	9	24	24	16	18	14	2	3	-	-	-	-
	F--	80	-	-	-	-	-	-	-	1	2	10	17	16	8	7	9	4	1	1	1	2	-	1	-	-	-
010-019	Tuberculosis, other forms------	89	3	3	1	-	-	3	-	1	3	3	8	7	7	9	7	8	10	5	6	1	2	2	-	-	-
	White-----M--	32	1	1	-	-	-	2	-	-	2	2	1	3	-	1	1	3	6	4	3	1	1	-	-	-	-
	F--	14	-	1	-	-	-	-	-	1	-	-	-	-	1	1	2	2	1	1	1	-	1	2	-	-	-
	Nonwhite--M--	22	-	1	1	-	-	1	-	-	1	1	5	1	2	3	2	2	1	-	1	-	-	-	-	-	-
	F--	21	2	-	-	-	-	-	-	-	-	-	2	3	4	4	2	1	2	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	268	1	1	-	-	-	-	1	-	-	1	4	4	16	18	36	37	50	38	30	22	6	3	-	-	-
	White-----M--	137	1	1	-	-	-	-	-	-	-	-	1	-	9	7	13	18	29	27	18	10	2	1	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	2	1	4	2	7	5	6	4	7	5	2	2	-	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	1	-	3	2	8	12	12	12	7	5	5	2	-	-	-	-
	F--	15	-	-	-	-	-	-	1	-	-	-	1	-	1	1	4	2	3	-	-	2	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	9	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	10	2	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	52	10	6	7	4	2	5	2	2	2	-	-	1	1	2	4	1	2	1	-	-	-	-	-	-	-
	White-----M--	29	9	4	4	3	-	3	-	2	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	15	1	2	3	1	2	2	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	-	-	2	2	-	3	2	-	1	3	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	1	2	-	3	1	-	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	11	6	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	270	39	10	8	1	-	12	9	7	7	9	7	8	8	19	17	16	22	27	13	10	5	10	4	2	-
	White-----M--	121	19	4	6	-	-	6	1	3	1	3	4	3	3	8	9	7	12	14	6	6	2	3	1	-	-
	F--	126	15	5	2	1	-	4	7	4	5	6	1	2	3	8	7	8	10	13	7	4	3	7	3	1	-
	Nonwhite--M--	8	2	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	15	3	1	-	-	-	1	1	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	1	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*----	18,264	17	17	28	29	20	83	50	57	58	107	203	384	581	998	1,492	1,865	2,519	2,883	2,678	2,015	1,379	621	147	20	13
	White-----M--	8,962	9	8	11	19	14	48	30	30	35	54	66	112	193	385	661	894	1,319	1,542	1,414	1,082	697	269	57	6	7
	F--	8,213	4	8	15	7	5	34	17	22	18	43	120	235	340	522	687	801	1,061	1,195	1,127	871	648	336	79	13	5
	Nonwhite--M--	584	3	1	-	2	-	-	2	2	3	4	5	15	19	35	77	92	79	93	84	38	14	8	6	1	1
	F--	505	1	-	2	1	1	1	1	3	2	6	12	22	29	56	67	78	60	53	53	24	20	8	5	-	-
140-148	Of buccal cavity and pharynx------	414	-	1	-	-	1	-	-	2	-	2	2	5	13	16	35	43	66	70	65	39	28	20	5	1	-
	White-----M--	340	-	-	-	-	1	-	-	1	-	1	2	4	9	12	25	37	61	56	51	34	23	17	5	1	-
	F--	58	-	1	-	-	-	-	-	-	-	1	-	1	4	3	7	3	4	11	11	4	5	3	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	6,953	2	-	-	-	-	2	-	2	5	12	30	91	148	278	474	630	932	1,238	1,161	905	660	298	73	8	4
	White-----M--	3,520	-	-	-	-	-	1	-	1	3	6	11	34	61	132	226	324	520	662	615	463	319	117	21	2	2
	F--	3,027	-	-	-	-	-	1	-	1	-	4	18	47	75	118	193	246	355	516	484	413	331	173	46	5	1
	Nonwhite--M--	242	1	-	-	-	-	-	-	-	2	1	1	6	6	17	32	34	36	36	37	21	4	4	2	1	1
	F--	164	1	-	-	-	-	-	-	-	-	1	-	4	6	11	23	26	21	24	25	8	6	4	4	-	-
160-164	Of respiratory system (not secondary)-------	2,218	-	-	-	-	-	1	1	2	1	6	9	34	66	134	231	318	426	414	279	171	90	29	2	1	3
	White-----M--	1,750	-	-	-	-	-	1	1	1	1	4	6	19	45	101	183	257	354	339	221	134	63	16	1	-	3
	F--	322	-	-	-	-	-	-	-	-	-	2	2	12	12	21	28	29	48	49	47	36	22	12	1	1	-
	Nonwhite--M--	117	-	-	-	-	-	-	-	1	-	-	-	2	5	6	18	28	19	22	10	1	5	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	1	1	4	6	2	4	5	4	1	-	-	1	-	-	-
170	Of breast---------	1,597	1	-	-	-	-	-	-	-	1	7	34	67	109	157	176	174	228	186	158	136	89	59	10	4	1
	White-----M--	23	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	3	3	4	-	1	-	-	-
	F--	1,502	-	-	-	-	-	-	-	-	1	7	34	61	105	145	167	159	215	178	147	129	84	55	10	4	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	6	3	12	7	12	8	5	7	3	5	2	-	-	-
171-179	Of genital organs--	2,759	-	-	-	1	-	-	2	2	15	20	51	74	107	166	206	251	331	366	428	347	263	97	27	1	4
	White-----M--	949	-	-	-	1	-	-	1	-	6	7	11	7	7	9	12	25	68	130	198	222	165	64	15	-	1
	F--	1,595	-	-	-	-	-	-	1	-	8	9	31	58	86	137	174	200	240	207	204	110	88	31	7	1	3
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	11	21	17	9	4	2	4	-	-
	F--	141	-	-	-	-	-	-	-	2	1	4	9	9	14	19	18	23	12	8	9	6	6	-	1	-	-
180, 181	Of urinary organs--	891	3	-	3	2	-	5	-	3	-	2	7	7	12	33	61	84	97	154	168	130	81	30	7	2	-
	White-----M--	568	2	-	1	1	-	1	-	1	-	2	2	4	9	18	43	57	63	114	108	77	42	16	5	2	-
	F--	282	1	-	2	-	-	4	-	2	-	-	4	2	2	11	13	22	29	37	51	50	37	13	2	-	-
	Nonwhite--M--	25	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	4	4	2	6	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	1	1	3	1	2	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,986	5	3	7	6	4	25	23	18	18	22	28	43	69	128	184	234	269	266	243	183	118	64	22	3	1
	White-----M--	1,013	3	1	2	3	3	15	13	10	12	15	12	16	25	68	99	123	154	134	120	90	57	26	10	1	1
	F--	846	1	2	4	2	1	9	8	8	5	5	15	22	39	53	64	87	97	117	111	85	60	37	12	2	-
	Nonwhite--M--	67	1	-	-	-	-	-	1	-	-	1	1	3	3	5	12	15	5	7	8	3	1	1	-	-	-
	F--	60	-	-	1	1	-	1	1	-	1	1	-	2	2	2	9	9	13	8	4	5	-	-	-	-	-
204	Leukemia and aleukemia----------	745	5	10	16	20	14	41	17	13	12	15	18	36	26	26	45	51	79	95	97	58	33	17	1	-	-
	White-----M--	391	2	4	7	14	9	23	10	6	8	9	9	12	17	10	18	29	38	50	58	32	17	9	-	-	-
	F--	317	2	5	8	5	4	18	7	6	3	5	8	22	7	13	20	18	39	42	35	26	15	8	1	-	-
	Nonwhite--M--	25	1	1	-	1	-	-	-	1	1	1	-	2	2	2	5	2	2	2	2	-	-	-	-	-	-
	F--	12	-	-	1	-	1	-	-	-	-	-	1	-	-	1	2	2	-	1	2	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	701	1	3	2	-	1	9	7	15	6	21	24	27	31	60	80	80	91	94	79	46	17	7	-	-	-
	White-----M--	408	1	3	1	-	1	7	5	10	5	10	13	16	19	35	53	39	56	54	40	26	11	3	-	-	-
	F--	264	-	-	1	-	-	2	1	5	1	10	8	10	10	21	21	37	34	38	37	18	6	4	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	-	-	1	3	1	2	3	3	3	1	1	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	381	11	4	1	2	1	7	4	5	10	6	13	25	24	42	44	30	28	43	33	32	7	8	-	1	-
	White-----M--	147	5	2	1	-	1	2	2	-	5	-	5	12	8	16	18	8	13	13	14	17	3	2	-	-	-
	F--	197	4	1	-	1	-	3	2	5	5	5	5	9	13	26	22	18	13	23	19	13	3	6	-	1	-
	Nonwhite--M--	15	2	-	-	1	-	2	-	-	-	-	-	2	-	-	1	1	1	3	-	1	1	-	-	-	-
	F--	22	-	1	-	-	-	-	-	-	-	1	3	2	3	-	3	3	1	4	-	1	-	-	-	-	-
260	Diabetes mellitus--	2,454	1	3	-	-	-	4	2	7	10	19	18	23	34	64	130	235	354	475	447	342	186	83	9	5	3
	White-----M--	791	-	1	-	-	-	2	1	5	3	12	9	13	16	26	48	95	106	139	119	104	62	21	4	3	2
	F--	1,517	-	2	-	-	-	2	-	1	7	5	8	9	12	28	63	123	222	310	311	227	120	60	5	1	1
	Nonwhite--M--	47	1	-	-	-	-	-	1	1	-	2	1	1	1	2	3	6	9	6	5	3	4	-	-	1	-
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	5	8	16	11	17	20	12	8	-	2	-	-	-
280-293	Anemias----------	204	8	4	-	-	1	7	5	2	1	2	1	5	1	4	7	9	16	25	32	27	27	12	6	2	-
	White-----M--	73	2	1	-	-	-	1	4	-	-	-	1	-	-	2	3	3	8	8	15	11	10	1	3	-	-
	F--	118	5	1	-	-	-	6	1	2	-	1	-	4	-	1	3	6	8	17	17	14	17	11	2	2	-
	Nonwhite--M--	7	-	1	-	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	F--	6	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
340	Nonmeningococcal meningitis*------	109	40	4	7	3	3	4	2	1	2	1	2	5	4	3	7	6	3	8	-	3	-	-	1	-	-
	White-----M--	54	21	2	2	3	2	2	2	1	1	-	-	2	2	1	5	2	-	3	-	2	-	-	1	-	-
	F--	34	8	1	4	-	-	2	-	-	1	-	2	1	1	2	2	3	1	5	-	1	-	-	-	-	-
	Nonwhite--M--	13	8	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	8	3	1	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	65,041	30	12	7	7	5	31	42	60	106	207	350	573	1,208	1,928	3,161	4,520	6,560	8,794	10,090	10,183	8,901	5,638	2,046	485	97
	White-----M--	33,674	13	3	3	5	1	11	17	32	52	109	185	333	743	1,178	1,940	2,707	3,822	4,907	5,319	4,993	4,052	2,329	728	143	49
	F--	27,606	13	5	2	1	4	13	18	18	44	80	110	164	293	510	812	1,336	2,258	3,369	4,284	4,870	4,604	3,176	1,257	320	45
	Nonwhite--M--	1,957	3	3	-	-	-	4	2	3	3	6	26	38	95	129	225	254	269	272	244	164	116	64	26	9	2
	F--	1,804	1	1	2	1	-	3	5	7	7	12	29	38	77	111	184	223	211	246	243	156	129	69	35	13	1
330-334, 400-468	Diseases of cardiovascular system--	63,871	30	12	7	7	5	23	33	50	78	179	317	534	1,169	1,871	3,101	4,428	6,437	8,666	9,943	10,037	8,776	5,575	2,018	479	96
	White-----M--	33,130	13	3	3	5	1	10	14	27	36	93	165	322	723	1,156	1,912	2,661	3,773	4,848	5,252	4,914	3,993	2,299	718	140	49
	F--	27,096	13	5	2	1	4	8	12	15	33	69	101	145	282	485	792	1,298	2,198	3,311	4,221	4,810	4,543	3,147	1,239	318	44
	Nonwhite--M--	1,898	3	3	-	-	-	2	2	3	2	6	24	33	90	126	220	249	262	265	237	159	114	62	26	8	2
	F--	1,747	1	1	2	1	-	3	5	5	7	11	27	34	74	104	177	220	204	242	233	154	126	67	35	13	1
330-334	Vascular lesions, etc.*----------	12,270	15	6	2	2	3	6	9	8	9	31	48	66	177	257	468	700	1,092	1,646	2,059	2,158	1,841	1,164	404	80	19
	White-----M--	5,531	5	2	-	1	1	2	3	7	2	18	18	22	72	121	183	324	510	782	1,028	1,000	802	455	142	24	7
	F--	5,918	8	3	1	1	2	3	4	1	6	12	22	27	69	94	196	272	456	744	927	1,078	1,003	676	249	52	12
	Nonwhite--M--	426	1	1	-	-	-	1	1	-	-	1	4	10	20	24	47	57	70	50	54	44	20	13	6	2	-
	F--	395	1	-	1	-	-	-	1	-	1	-	4	7	16	18	42	47	56	70	50	36	16	20	7	2	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA— Continued																										
400-402	Rheumatic fever---	87	-	-	2	-	1	5	10	1	7	4	5	5	10	10	4	7	7	3	3	3	-	-	-	-	-
	White-----M--	50	-	-	1	-	-	3	5	-	4	3	4	3	5	5	-	6	4	2	2	3	-	-	-	-	-
	F--	28	-	-	-	-	1	1	3	1	2	1	1	2	4	5	2	-	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	1	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	47,005	13	5	3	5	1	9	11	32	54	125	241	429	921	1,516	2,503	3,547	5,076	6,608	7,332	7,147	6,020	3,726	1,288	321	72
	White-----M--	25.415	7	-	2	4	-	4	5	17	28	65	138	288	621	989	1,661	2,242	3,117	3,855	3,942	3,547	2,734	1,556	459	96	38
	F--	19,069	5	2	1	-	1	2	4	10	19	47	69	105	195	363	558	973	1,648	2,397	3,057	3,396	3,103	2,086	786	210	32
	Nonwhite--M--	1,321	1	2	-	-	-	1	1	2	2	4	16	19	59	87	161	171	176	196	168	102	84	43	19	5	2
	F--	1,200	-	1	-	1	-	2	1	3	5	9	18	17	46	77	123	161	135	160	165	102	99	41	24	10	-
410-416	Chronic rheumatic heart disease----	1,680	-	-	1	-	-	1	5	21	25	58	92	84	131	190	197	201	194	161	136	92	56	28	6	1	-
	White-----M--	751	-	-	-	-	-	-	2	8	10	26	41	40	66	80	89	85	100	65	63	35	29	10	1	1	-
	F--	840	-	-	1	-	-	-	2	9	12	28	41	41	61	99	98	105	89	85	67	54	27	17	4	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	1	2	1	-	3	3	1	3	6	6	5	2	4	1	-	-	-	-	-
	F--	51	-	-	-	-	-	1	-	2	2	4	7	-	3	8	4	5	-	9	2	2	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	31,529	2	-	-	1	-	-	-	4	17	35	103	281	620	1,055	1,831	2,571	3,770	4,764	5,038	4,687	3,698	2,142	684	173	53
	White-----M--	18,740	2	-	-	1	-	-	-	3	12	24	80	227	477	794	1,366	1,800	2,478	2,989	2,896	2,491	1,794	955	264	56	31
	F--	11,490	-	-	-	-	-	-	-	-	4	8	13	41	93	182	304	596	1,122	1,602	1,957	2,094	1,809	1,145	393	106	21
	Nonwhite--M--	724	-	-	-	-	-	-	-	-	-	1	4	8	36	43	97	95	105	107	86	57	46	20	15	3	1
	F--	575	-	-	-	-	-	-	-	1	1	2	6	5	14	36	64	80	65	66	99	45	49	22	12	8	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,330	5	1	1	1	-	2	1	2	6	15	17	16	51	81	134	253	361	629	899	1,140	1,262	966	374	105	8
	White-----M--	2,913	2	-	1	1	-	1	1	2	4	7	9	6	28	47	79	137	201	329	464	521	533	393	117	26	4
	F--	3,119	3	-	-	-	-	1	-	-	1	6	5	6	16	18	34	82	133	253	393	587	688	559	253	77	4
	Nonwhite--M--	163	-	-	-	-	-	-	-	-	1	1	1	2	4	10	10	20	11	28	26	19	19	10	-	1	-
	F--	135	-	1	-	-	-	-	-	-	-	1	2	2	3	6	11	14	16	19	16	13	22	4	4	1	-
430-434	Other diseases of heart---------	1,409	6	4	1	3	1	6	5	5	4	12	13	20	35	39	77	113	142	183	206	213	165	103	43	8	2
	White-----M--	711	3	-	1	2	-	3	2	4	1	6	3	5	17	19	40	68	79	99	112	106	81	39	16	4	1
	F--	557	2	2	-	-	1	1	2	1	1	3	6	7	11	14	22	31	48	71	78	99	73	56	24	4	-
	Nonwhite--M--	74	1	2	-	-	-	1	-	-	-	2	3	3	4	6	8	7	7	9	8	3	4	3	2	-	1
	F--	67	-	-	-	1	-	1	1	-	2	1	1	5	3	-	7	7	8	4	8	5	7	5	1	-	-
440-443	Hypertension with heart dis.--	6,057	-	-	-	-	-	-	-	-	2	5	16	28	84	151	264	409	609	871	1,053	1,015	839	467	181	34	9
	White-----M--	2,300	-	-	-	-	-	-	-	-	1	2	5	10	33	49	87	152	259	373	407	394	297	159	61	9	2
	F--	3,063	-	-	-	-	-	-	-	-	1	2	4	10	14	50	100	159	256	386	562	562	506	309	112	23	7
	Nonwhite--M--	322	-	-	-	-	-	-	-	-	-	-	5	3	14	25	40	43	48	50	44	22	15	10	2	1	-
	F--	372	-	-	-	-	-	-	-	-	-	1	2	5	23	27	37	55	46	62	40	37	21	9	6	1	-
444-447	Hypertension without mention of heart----------	808	-	-	-	-	-	-	-	1	-	6	10	17	28	35	43	53	53	83	113	130	114	85	25	11	1
	White-----M--	348	-	-	-	-	-	-	-	-	-	4	2	4	12	16	19	22	27	37	52	60	47	34	10	1	1
	F--	345	-	-	-	-	-	-	-	-	-	-	2	2	3	7	10	16	21	41	49	61	62	48	14	9	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	1	-	-	3	3	7	6	7	9	3	3	4	5	2	2	-	1	-
	F--	59	-	-	-	-	-	-	-	-	-	2	3	8	6	6	7	6	2	2	8	4	3	1	1	-	-
450	General arteriosclerosis--------	2,782	-	-	-	-	-	-	-	-	-	-	1	1	5	9	13	33	77	187	321	502	715	560	290	65	3
	White-----M--	1,293	-	-	-	-	-	-	-	-	-	-	-	1	3	4	9	16	41	94	159	253	361	229	101	19	3
	F--	1,402	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	12	25	83	145	234	343	322	185	45	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	6	9	7	6	4	1	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	7	4	8	8	5	5	3	1	-
451-468	Other diseases of circulatory sys.-	919	2	1	-	-	-	3	3	8	8	13	12	16	28	44	70	88	132	139	115	97	86	40	11	2	1
	White-----M--	493	1	1	-	-	-	1	1	3	2	3	3	4	10	21	40	51	74	78	69	51	49	25	6	-	-
	F--	334	-	-	-	-	-	2	1	3	6	9	6	9	10	13	23	25	45	45	42	41	32	15	5	2	-
	Nonwhite--M--	49	1	-	-	-	-	-	-	-	-	1	1	1	4	7	2	8	9	10	2	1	2	-	-	-	-
	F--	43	-	-	-	-	-	-	1	2	-	-	2	2	4	3	5	4	4	6	2	4	3	-	-	-	1
592-594	Chronic nephritis, etc.*----------	1,170	-	-	-	-	-	8	9	10	28	28	33	39	39	57	60	92	123	128	147	146	125	63	28	6	1
	White-----M--	544	-	-	-	-	-	1	3	5	16	16	20	11	20	22	28	46	49	59	67	79	59	30	10	3	-
	F--	510	-	-	-	-	-	5	6	3	11	11	9	19	11	25	20	38	60	58	63	60	61	29	18	2	1
	Nonwhite--M--	59	-	-	-	-	-	2	-	-	1	-	2	5	5	3	5	5	7	7	7	5	2	2	-	1	-
	F--	57	-	-	-	-	-	-	-	2	-	1	2	4	3	7	7	3	7	4	10	2	3	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	2,862	373	57	29	11	8	26	13	19	21	19	29	52	62	85	105	143	209	280	305	357	333	217	85	22	2
	White-----M--	1,386	155	24	10	6	5	13	4	8	7	6	11	25	28	45	48	88	117	151	158	189	153	101	24	8	2
	F--	1,092	131	27	14	4	3	10	7	9	6	6	10	18	15	15	26	23	54	99	121	148	165	110	58	13	-
	Nonwhite--M--	238	44	4	3	-	-	2	1	1	4	4	4	6	13	12	23	18	31	21	14	14	11	5	2	1	-
	F--	146	43	2	2	1	-	1	1	1	4	3	4	3	6	13	8	14	7	9	12	6	4	1	1	-	-
480-483	Influenza---------	155	9	4	3	-	2	2	-	2	1	1	1	5	2	7	3	6	11	9	17	25	18	20	6	1	-
	White-----M--	63	4	2	1	-	1	-	-	-	-	-	-	3	2	5	2	4	5	1	7	11	7	7	1	-	-
	F--	83	4	1	2	-	1	2	-	2	1	1	-	2	-	1	-	1	5	8	10	14	10	13	4	1	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	2,707	364	53	26	11	6	24	13	17	20	18	28	47	60	78	102	137	198	271	288	332	315	197	79	21	2
	White-----M--	1,323	151	22	9	6	4	13	4	8	7	6	11	22	26	40	46	84	112	150	151	178	146	94	23	8	2
	F--	1,009	127	26	12	4	2	8	7	7	5	5	10	16	15	14	26	22	49	91	111	134	155	97	54	12	-
	Nonwhite--M--	234	44	3	3	-	-	2	1	1	4	4	3	6	13	12	23	17	31	21	14	14	11	5	1	1	-
	F--	141	42	2	2	1	-	1	1	1	4	3	4	3	6	12	7	14	6	9	12	6	3	1	1	-	-
500-502	Bronchitis--------	177	30	8	6	2	2	1	1	1	1	1	-	1	4	7	8	20	10	17	10	13	17	7	5	5	-
	White-----M--	106	18	5	5	1	1	1	1	-	1	-	-	-	2	3	4	16	8	13	7	8	7	3	1	1	-
	F--	56	9	3	1	-	1	-	-	1	-	1	-	1	1	2	3	2	2	2	2	5	10	4	3	3	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	1	-	-
	F--	7	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	698	5	-	-	-	-	-	-	-	2	2	3	19	29	56	58	66	111	129	86	67	42	16	6	1	-
	White-----M--	537	3	-	-	-	-	-	-	-	1	2	2	13	21	47	47	54	92	98	66	43	29	13	5	1	-
	F--	130	2	-	-	-	-	-	-	-	1	-	-	5	7	4	7	4	14	28	20	23	11	3	1	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	3	3	-	-	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	-	-	1	-	-	-	-	-
550-553	Appendicitis------	152	1	-	4	-	1	6	3	3	2	2	4	2	7	10	12	15	20	16	23	10	7	3	1	-	-
	White-----M--	98	-	-	1	-	1	5	2	3	2	1	1	2	6	9	10	8	13	10	13	5	3	2	1	-	-
	F--	46	1	-	3	-	-	1	1	-	-	-	2	-	-	1	2	5	6	4	10	5	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	715	60	1	2	-	-	2	-	2	-	4	6	7	18	22	25	53	79	93	109	90	78	49	11	3	1
	White-----M--	336	39	-	-	-	-	-	-	2	-	2	2	1	6	8	7	23	45	44	47	43	36	26	2	2	1
	F--	338	20	1	1	-	-	2	-	-	-	2	3	3	10	11	13	21	29	43	59	46	41	23	9	1	-
	Nonwhite--M--	27	-	-	1	-	-	-	-	-	-	-	1	-	2	2	3	7	4	4	2	-	1	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	-	-	3	-	1	2	2	1	2	1	1	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																										
543,	Gastritis, etc.*--	422	103	19	1	1	2	4	3	2	6	6	5	8	14	11	17	19	38	39	36	36	30	15	6	1	-
571,	White-----M--	204	50	9	-	-	1	3	1	-	1	4	2	4	8	4	13	7	23	19	14	18	13	8	2	-	-
572	F--	190	32	10	1	1	1	1	2	2	4	1	3	4	4	7	4	11	14	20	21	18	17	7	4	1	-
	Nonwhite--M--	15	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	13	9	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	1,208	3	1	-	-	-	-	-	-	2	12	26	52	78	122	161	147	171	176	128	70	42	16	1	-	-
	White-----M--	783	2	1	-	-	-	-	-	-	-	5	12	31	48	71	108	102	120	120	80	49	29	5	-	-	-
	F--	365	-	-	-	-	-	-	-	-	2	6	9	20	24	43	36	34	46	53	47	20	13	11	1	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	3	1	3	1	14	5	4	1	1	-	-	-	-	-	-
	F--	27	1	-	-	-	-	-	-	-	-	1	2	-	3	7	3	6	1	2	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	186	2	1	-	3	-	9	5	5	7	6	8	2	12	13	10	16	10	23	23	14	8	7	1	1	-
	White-----M--	90	2	1	-	2	-	5	1	3	5	3	3	-	4	6	4	7	6	12	9	8	6	2	1	-	-
	F--	77	-	-	-	-	-	3	4	2	2	3	4	2	2	6	2	6	4	10	13	6	2	5	-	1	-
	Nonwhite--M--	8	-	-	-	1	-	-	-	-	-	-	-	-	3	-	2	1	-	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	-	1	-	3	1	2	2	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24	59	77	76	82	43	19	6	2
	White-----M--	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	17	53	74	75	78	42	18	6	2
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	3	1	4	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	93	...	...	...	...	...	...	-	5	21	16	30	13	4	2	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	70	...	...	...	...	...	...	-	3	15	14	20	12	3	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	...	...	...	...	...	...	-	2	6	2	10	1	1	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	86	...	...	...	...	...	...	-	4	19	15	29	11	4	2	2	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	66	...	...	...	...	...	...	-	3	14	13	19	11	3	1	2	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	20	...	...	...	...	...	...	-	1	5	2	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	1,259	938	59	35	11	8	26	12	23	8	13	20	17	10	19	17	13	13	9	2	3	1	-	1	-	1
	White-----M--	622	463	29	15	3	5	13	6	15	4	5	13	5	7	6	11	4	8	6	2	-	1	-	-	-	1
	F--	547	407	19	18	6	2	12	6	7	4	7	5	12	2	13	6	9	5	3	-	3	-	-	1	-	-
	Nonwhite--M--	51	39	4	1	2	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	29	7	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,779	3,777	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,889	1,888	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,230	1,229	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	355	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,822	1,822	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	942	942	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	570	570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,703	1,701	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	822	821	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	598	597	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	813	52	7	5	-	1	3	1	3	5	4	16	16	18	48	55	60	81	84	96	71	77	60	33	14	3
795	White-----M--	472	28	5	3	-	1	3	-	1	2	2	5	8	11	30	34	35	59	59	67	38	35	27	14	3	2
	F--	239	15	1	-	-	-	-	1	-	1	1	3	3	6	13	12	13	16	16	21	22	33	31	19	11	1
	Nonwhite--M--	60	5	-	2	-	-	-	-	-	2	1	2	3	1	3	8	7	3	6	6	6	4	1	-	-	-
	F--	42	4	1	-	-	-	-	-	2	-	-	6	2	-	2	1	5	3	3	2	5	5	1	-	-	-
Re-	All other diseases	5,517	273	43	24	21	14	59	46	48	51	63	103	127	198	269	372	483	663	825	711	541	334	163	66	14	6
sid-	White-----M--	3,171	144	24	11	11	7	28	22	26	31	28	41	50	104	142	225	304	431	526	436	300	174	72	23	7	4
ual	F--	1,963	88	16	10	9	5	26	20	18	14	23	44	50	66	96	110	144	199	270	245	223	153	85	41	7	1
	Nonwhite--M--	219	26	1	3	-	2	4	3	1	2	11	7	11	16	15	21	19	18	18	20	12	5	3	1	-	-
	F--	164	15	2	-	1	-	1	1	3	4	1	11	16	12	16	16	16	15	11	10	6	2	3	1	-	1
E800-	Accidents---------	5,662	160	76	42	46	37	185	148	315	340	245	245	233	297	248	294	300	358	360	403	461	403	301	127	32	6
E962	White-----M--	3,477	77	42	23	30	19	106	98	242	266	190	180	171	206	162	210	209	238	234	213	245	163	108	32	10	3
	F--	1,717	51	19	15	11	13	47	36	58	38	34	29	39	54	47	49	65	96	101	170	208	235	186	94	20	2
	Nonwhite--M--	338	13	10	1	4	2	21	12	13	30	20	27	21	30	34	25	22	16	21	8	2	2	3	-	-	1
	F--	130	19	5	3	1	3	11	2	2	6	1	9	2	7	5	10	4	8	4	12	6	3	4	1	2	-
E810-	Motor-vehicle																										
E835	accidents--------	1,948	9	14	13	22	18	100	61	218	233	149	123	105	101	89	107	111	116	119	92	85	38	18	2	1	4
	White-----M--	1,385	4	7	7	13	11	63	36	162	182	115	95	73	75	60	77	76	83	86	57	61	24	15	2	-	1
	F--	415	4	4	5	7	6	25	22	48	28	20	17	18	19	18	22	24	27	30	29	24	13	2	-	1	2
	Nonwhite--M--	117	1	2	-	2	-	10	1	7	19	13	7	13	6	9	3	9	5	3	4	-	1	1	-	-	1
	F--	31	-	1	1	-	1	2	2	1	4	1	4	1	1	2	5	2	1	-	2	-	-	-	-	-	-
E800-	All ot. accidents-	3,714	151	62	29	24	19	85	87	97	107	96	122	128	196	159	187	189	242	241	311	376	365	283	125	31	2
E802,	White-----M--	2,092	73	35	16	17	8	43	62	80	84	75	85	98	131	102	133	133	155	148	156	184	139	93	30	10	2
E840-	F--	1,302	47	15	10	4	7	22	14	10	10	14	12	21	35	29	27	41	69	71	141	184	222	184	94	19	-
E962	Nonwhite--M--	221	12	8	1	2	2	11	11	6	11	7	20	8	24	25	22	13	11	18	4	2	1	2	-	-	-
	F--	99	19	4	2	1	2	9	-	1	2	-	5	1	6	3	5	2	7	4	10	6	3	4	1	2	-
E963,	Suicide----------	1,046	-	-	-	-	-	-	1	12	36	65	57	78	101	93	110	132	117	86	66	54	21	9	5	1	2
E970-	White-----M--	806	-	-	-	-	-	-	1	11	29	43	42	53	65	72	84	102	101	70	53	47	18	8	5	1	1
E979	F--	212	-	-	-	-	-	-	-	-	4	18	12	21	31	18	26	28	14	16	12	7	3	1	-	-	1
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	-	2	3	3	4	2	-	2	1	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	3	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	252	9	-	1	1	-	1	5	15	15	23	34	28	28	25	16	18	17	3	7	3	-	-	2	-	1
E980-	White-----M--	82	4	-	-	-	-	-	4	6	3	5	5	5	10	9	4	7	12	2	3	2	-	-	1	-	-
E985	F--	39	3	-	-	-	-	-	-	2	3	2	3	4	6	4	2	3	2	1	2	1	-	-	-	-	1
	Nonwhite--M--	103	1	-	1	1	-	-	-	5	8	13	19	15	11	10	9	6	1	-	2	-	-	-	1	-	-
	F--	28	1	-	-	-	-	1	1	2	1	3	7	4	1	2	1	2	2	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND																										
	ALL CAUSES------	8,697	419	29	19	13	14	31	15	26	39	48	71	99	184	308	412	650	869	1,089	1,201	1,227	1,022	637	226	48	1
	White-----M--	4,590	224	14	12	9	12	19	9	18	27	32	41	53	109	187	259	388	525	613	648	568	449	273	66	14	1
	F--	3,938	179	14	6	3	2	11	6	7	10	14	29	41	73	116	138	242	335	454	533	620	555	359	157	34	-
	Nonwhite--M--	100	9	-	1	-	-	-	-	1	-	1	1	3	1	3	7	14	7	11	16	11	9	3	2	-	-
	F--	69	7	1	-	1	-	1	-	-	2	1	-	2	1	2	8	6	2	11	4	8	9	2	1	-	-
001-019	Tuberculosis, all forms--------	60	1	-	-	1	-	-	1	-	-	1	-	1	5	4	8	8	12	6	7	3	2	-	-	-	-
	White-----M--	45	1	-	-	-	-	-	-	-	-	1	-	-	3	2	7	6	9	6	6	2	2	-	-	-	-
	F--	11	-	-	-	1	-	-	1	-	-	-	-	1	2	2	-	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	54	1	-	-	-	-	-	-	-	-	1	-	1	5	3	8	7	11	6	7	3	1	-	-	-	-
	White-----M--	42	1	-	-	-	-	-	-	-	-	1	-	-	3	2	7	5	8	6	6	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	6	3	1	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	-	-	2	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	22	-	1	-	1	1	5	2	3	1	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	1	-	2	-	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	1	-	-	1	3	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	17	1	1	-	-	-	2	-	-	-	-	-	1	3	1	2	3	2	-	-	-	-	-	1	-	-
	White-----M--	14	1	1	-	-	-	1	-	-	-	-	-	-	2	1	2	3	2	-	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*----	1,580	1	1	4	-	2	2	-	5	9	9	12	20	42	83	120	177	210	235	231	199	136	58	20	4	-
	White-----M--	797	1	-	2	-	2	1	-	2	5	5	7	4	17	30	50	80	111	128	133	106	79	28	6	-	-
	F--	755	-	1	2	-	-	1	-	2	4	4	5	16	25	53	64	90	98	104	94	89	55	30	14	4	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	5	1	1	4	2	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	-	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	40	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	5	5	4	5	8	7	-	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	4	4	5	7	5	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	611	-	-	-	-	-	1	-	-	1	1	2	2	12	22	35	59	81	95	111	85	65	30	9	-	-
	White-----M--	315	-	-	-	-	-	-	-	-	-	-	-	-	3	10	17	30	43	51	68	46	33	12	2	-	-
	F--	293	-	-	-	-	-	1	-	-	1	1	2	2	9	12	17	29	38	42	43	39	32	18	7	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	188	-	-	-	-	-	-	-	1	-	1	1	-	4	9	18	32	38	32	23	17	9	2	1	-	-
	White-----M--	165	-	-	-	-	-	-	-	-	-	1	1	-	3	9	17	26	34	32	19	12	9	2	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	4	4	-	3	5	-	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	163	-	-	-	-	-	-	-	-	-	1	1	3	4	18	17	25	19	22	13	19	10	6	3	2	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	159	-	-	-	-	-	-	-	-	-	1	1	3	4	18	16	24	19	21	12	19	10	6	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	198	-	-	1	-	-	-	-	-	-	1	3	6	7	12	19	15	21	33	19	32	19	10	-	-	-
	White-----M--	78	-	-	1	-	-	-	-	-	-	1	2	-	-	-	2	2	3	10	13	20	16	8	-	-	-
	F--	115	-	-	-	-	-	-	-	-	-	-	1	6	7	12	15	13	18	23	6	10	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
180, 181	Of urinary organs-	82	-	-	-	-	1	1	-	-	-	-	-	1	2	1	4	12	11	14	16	10	6	2	1	-	-
	White-----M--	52	-	-	-	-	1	1	-	-	-	-	-	-	2	1	3	6	7	10	11	4	5	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	4	4	5	1	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	183	-	-	2	-	-	-	-	1	2	2	4	2	8	13	18	21	20	18	28	16	17	5	4	2	-
	White-----M--	95	-	-	1	-	-	-	-	1	2	2	3	1	5	7	6	11	12	11	10	9	8	4	2	-	-
	F--	82	-	-	1	-	-	-	-	-	-	-	1	1	3	6	10	10	8	6	17	6	8	1	2	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	51	1	1	1	-	1	-	-	3	2	-	1	1	2	2	4	2	4	9	9	5	1	1	1	-	-
	White-----M--	28	1	-	-	-	1	-	-	1	2	-	1	-	1	-	2	1	2	5	5	4	1	-	1	-	-
	F--	22	-	1	1	-	-	-	-	1	-	-	-	1	1	2	2	1	2	4	4	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	64	-	-	-	-	-	-	-	-	4	3	-	4	2	3	5	6	11	8	7	7	2	2	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	1	-	3	2	2	3	1	6	4	1	4	2	1	-	-	-
	F--	32	-	-	-	-	-	-	-	-	3	2	-	1	-	1	2	5	5	4	5	3	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	51	2	1	-	-	-	-	-	1	-	-	1	3	5	2	3	7	5	7	3	4	3	2	1	1	-
	White-----M--	28	-	1	-	-	-	-	-	-	-	-	-	2	2	1	2	5	5	4	-	3	1	1	-	1	-
	F--	22	2	-	-	-	-	-	-	1	-	-	1	1	3	1	1	2	-	2	3	1	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	214	-	-	-	-	-	-	-	-	-	1	1	2	3	5	8	21	34	37	43	32	17	9	1	-	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	5	12	16	16	13	6	2	1	-	-
	F--	132	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	16	21	20	27	19	11	7	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	2	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	5	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,990	1	1	-	-	1	1	1	4	8	7	14	42	68	141	185	338	493	636	762	836	742	499	173	37	-
	White-----M--	2,595	-	-	-	-	1	1	1	2	6	4	9	28	49	102	137	226	318	351	399	387	308	212	46	8	-
	F--	2,305	1	-	-	-	-	-	-	2	2	2	4	11	17	36	43	103	172	273	348	437	418	283	124	29	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	7	3	7	11	7	7	2	2	-	-
	F--	36	-	1	-	-	-	-	-	-	-	1	-	1	1	1	3	2	-	5	4	5	9	2	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	4,910	1	1	-	-	1	1	1	3	7	7	13	38	64	136	179	328	487	628	753	825	734	493	173	37	-
	White-----M--	2,552	-	-	-	-	1	1	1	1	5	4	8	25	47	101	136	220	314	347	393	381	304	209	46	8	-
	F--	2,269	1	-	-	-	-	-	-	2	2	2	4	10	15	32	39	99	170	269	345	432	414	280	124	29	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	7	3	7	11	7	7	2	2	-	-
	F--	36	-	1	-	-	-	-	-	-	-	1	-	1	1	1	3	2	-	5	4	5	9	2	1	-	-
330-334	Vascular lesions, etc.*----------	867	-	-	-	-	-	1	-	-	2	2	3	8	8	20	17	53	71	91	143	173	155	87	28	5	-
	White-----M--	386	-	-	-	-	-	1	-	-	1	2	2	2	4	12	8	31	43	47	56	69	65	35	8	-	-
	F--	460	-	-	-	-	-	-	-	-	1	-	1	5	4	8	7	20	28	41	84	102	84	51	19	5	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	4	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	1	2	1	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—																										
	Continued																										
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	3,752	-	1	-	-	1	-	1	1	4	4	8	29	55	113	155	262	405	510	574	611	517	354	119	28	-
	White-----M--	2,020	-	-	-	-	1	-	1	-	4	2	6	22	42	88	122	180	266	281	312	293	210	154	31	5	-
	F--	1,667	-	-	-	-	-	-	-	1	-	2	2	5	11	22	31	75	136	220	250	309	297	197	86	23	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	6	3	7	8	5	3	2	1	-	-
	F--	25	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	4	4	7	1	1	-	-
410-416	Chronic rheumatic heart disease----	98	-	-	-	-	-	-	1	1	3	2	4	7	8	12	16	10	12	7	4	9	1	-	1	-	-
	White-----M--	43	-	-	-	-	-	-	1	-	3	1	2	4	4	6	8	4	4	2	1	2	-	-	1	-	-
	F--	54	-	-	-	-	-	-	-	1	-	1	2	2	4	6	8	6	8	5	3	7	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,943	-	-	-	-	-	-	-	-	1	1	3	20	41	80	117	204	326	426	441	471	413	274	99	26	-
	White-----M--	1,663	-	-	-	-	-	-	-	-	1	1	3	17	34	69	103	148	225	252	257	233	168	121	26	5	-
	F--	1,236	-	-	-	-	-	-	-	-	-	-	-	2	6	9	13	50	98	169	177	232	236	150	73	21	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	5	3	5	5	4	2	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	7	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	255	-	-	-	-	1	-	-	-	-	-	-	2	2	5	4	7	12	26	39	52	44	51	9	1	-
	White-----M--	127	-	-	-	-	1	-	-	-	-	-	-	1	2	3	3	5	6	12	20	25	23	24	2	-	-
	F--	125	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	6	14	18	27	20	27	6	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	44	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-	4	5	4	10	5	4	4	3	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	4	2	7	3	1	3	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	3	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	412	-	-	-	-	-	-	-	-	-	1	1	-	3	13	18	37	50	47	80	74	55	25	7	1	-
	White-----M--	160	-	-	-	-	-	-	-	-	-	-	1	-	1	7	8	21	27	13	27	30	18	6	1	-	-
	F--	236	-	-	-	-	-	-	-	-	-	1	-	-	1	5	9	15	23	30	49	41	37	19	5	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	2	-	-	1	-	-
444-447	Hypertension without mention of heart----------	64	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	6	7	14	16	8	3	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	4	5	5	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	9	11	7	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	11	15	23	40	39	22	4	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	9	9	10	20	16	7	3	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	20	23	15	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	66	1	-	-	-	-	-	-	2	1	-	2	1	1	2	2	8	6	10	14	4	6	5	1	-	-
	White-----M--	42	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	5	3	6	12	4	4	3	-	-	-
	F--	23	1	-	-	-	-	-	-	1	1	-	1	-	-	2	-	3	3	4	2	-	2	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	80	-	-	-	-	-	-	-	1	1	-	1	4	4	5	6	10	6	8	9	11	8	6	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	1	1	-	1	3	2	1	1	6	4	4	6	6	4	3	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	4	2	4	3	5	4	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	171	18	3	-	3	-	1	-	-	-	3	-	6	5	7	5	5	9	13	18	14	33	18	8	2	-
	White-----M--	93	14	-	-	2	-	-	-	-	-	2	-	-	2	4	3	4	4	11	15	7	12	7	4	2	-
	F--	70	3	3	-	1	-	1	-	-	-	1	-	5	3	2	1	-	4	2	3	6	21	10	4	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	168	18	3	-	3	-	1	-	-	-	3	-	6	5	7	5	5	8	13	18	13	33	17	8	2	-
	White-----M--	91	14	-	-	2	-	-	-	-	-	2	-	-	2	4	3	4	3	11	15	7	12	6	4	2	-
	F--	69	3	3	-	1	-	1	-	-	-	1	-	5	3	2	1	-	4	2	3	5	21	10	4	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	18	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	2	-	-	-	-	-
	White-----M--	11	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-
	F--	7	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	73	-	-	-	-	-	-	1	-	-	-	1	1	-	4	6	8	11	13	7	12	6	3	-	-	-
	White-----M--	57	-	-	-	-	-	-	1	-	-	-	-	1	-	3	5	7	9	10	5	9	5	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	3	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	White-----M--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	59	6	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	9	12	8	9	5	3	-	-	1
	White-----M--	27	4	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	3	3	3	1	2	-	-	1
	F--	31	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	5	6	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*	29	4	1	-	-	-	-	-	1	-	-	1	1	1	-	1	1	2	4	4	6	1	1	-	-	-
	White-----M	15	3	1	-	-	-	-	-	1	-	-	1	1	1	-	1	1	2	1	-	1	1	-	-	-	-
	F	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	101	-	-	-	-	-	-	-	-	1	-	2	1	7	6	19	12	10	15	14	8	6	-	-	-	-
	White-----M	67	-	-	-	-	-	-	-	-	1	-	-	1	3	5	11	8	7	12	12	4	3	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	2	-	4	1	8	4	3	3	2	3	3	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	1	2	2	1	-	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	9	5	4	1	-	-	-
	White-----M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	5	4	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	126	91	7	3	-	-	2	2	-	1	4	-	1	4	3	2	2	1	3	-	-	-	-	-	-	-
	White-----M	57	38	3	2	-	-	1	1	-	1	1	-	1	2	2	1	1	1	2	-	-	-	-	-	-	-
	F	68	53	4	1	-	-	1	1	-	-	2	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	258	258	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	-	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	384	22	1	3	1	1	2	1	2	1	4	11	10	16	26	29	34	35	52	55	36	26	13	3	-	-
	White-----M	211	16	1	3	1	1	1	1	2	-	1	3	5	11	14	18	19	19	32	28	17	11	7	-	-	-
	F	169	5	-	-	-	-	1	-	-	1	3	8	5	5	12	10	14	15	20	27	19	15	6	3	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	372	9	7	5	6	6	15	7	9	14	14	18	5	14	15	10	12	19	29	21	53	36	27	17	4	-
	White-----M	226	4	5	3	4	6	11	5	8	12	13	15	4	10	14	8	7	11	20	10	23	13	10	7	3	-
	F	136	3	2	1	1	-	3	2	1	1	1	3	-	4	1	1	5	8	8	11	29	23	17	10	1	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	2	-	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents	98	-	3	-	4	3	6	1	5	9	10	12	2	7	7	3	3	5	7	2	6	2	1	-	-	-
	White-----M	78	-	2	-	2	3	4	1	4	8	10	10	2	5	7	3	2	2	5	1	5	1	1	-	-	-
	F	17	-	1	-	1	-	1	-	1	1	-	2	-	2	-	-	1	3	1	1	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	274	9	4	5	2	3	9	6	4	5	4	6	3	7	8	7	9	14	22	19	47	34	26	17	4	-
	White-----M	148	4	3	3	2	3	7	4	4	4	3	5	2	5	7	5	5	9	15	9	18	12	9	7	3	-
	F	119	3	1	1	-	-	2	2	-	-	1	1	-	2	1	1	4	5	7	10	28	22	17	10	1	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide	57	-	-	-	-	-	-	-	-	2	1	4	2	4	7	5	12	5	9	3	1	2	-	-	-	-
	White-----M	42	-	-	-	-	-	-	-	-	1	1	2	2	3	4	5	10	4	7	2	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-	2	1	2	1	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	14	-	-	-	-	1	-	-	-	2	-	1	2	2	-	1	3	-	-	-	1	-	1	-	-	-
	White-----M	7	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

420487 O - 57 - 22

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA																										
	ALL CAUSES------	18,152	2,170	165	91	74	54	152	128	222	300	355	445	599	762	995	1,342	1,557	1,796	1,873	1,708	1,438	1,056	542	205	104	19
	White-----M--	6,011	534	22	16	14	12	38	42	77	98	111	124	183	244	326	390	502	623	682	728	602	409	166	47	19	2
	F--	3,987	361	19	8	11	13	35	14	31	35	44	66	80	100	126	168	217	329	470	480	558	452	263	83	21	3
	Nonwhite--M--	4,364	708	63	35	24	12	44	46	65	98	113	134	175	238	274	405	430	479	373	281	143	102	51	40	21	10
	F--	3,790	567	61	32	25	17	35	26	49	69	87	121	161	180	269	379	408	365	348	219	135	93	62	35	43	4
001-019	Tuberculosis, all forms--------	231	2	2	2	-	2	-	1	10	13	18	16	27	19	20	21	17	14	13	16	7	8	1	2	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	1	-	-	6	3	6	6	8	5	5	6	4	4	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	4	5	2	2	-	1	1	1	4	1	3	1	1	-	-
	Nonwhite--M--	78	1	-	1	-	1	-	1	3	4	7	4	12	8	7	11	4	6	3	3	1	1	-	-	-	-
	F--	73	1	2	1	-	1	-	-	7	8	11	8	4	6	5	4	4	2	4	3	1	-	-	1	-	-
001-008	Tuberculosis of respiratory system----------	214	-	1	1	-	1	-	1	9	12	16	14	26	18	20	19	16	13	13	16	7	8	1	2	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	1	-	-	6	3	6	5	8	5	5	6	4	4	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	3	5	2	2	-	1	1	1	4	1	3	1	1	-	-
	Nonwhite--M--	70	-	-	-	-	-	-	1	3	4	6	4	11	7	7	10	4	5	3	3	1	1	-	-	-	-
	F--	66	-	1	1	-	1	-	-	6	7	10	7	4	6	5	4	3	2	4	3	1	-	-	1	-	-
010-019	Tuberculosis, other forms------	17	2	1	1	-	1	-	-	1	1	2	2	1	1	-	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	-	1	-	1	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	7	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	61	2	-	-	-	-	-	-	-	-	-	2	2	7	5	15	11	4	8	3	2	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	4	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	34	2	-	-	-	-	-	-	-	-	-	1	1	6	2	10	7	3	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	1	1	-	-	-	-	-	-
040	Typhoid fever-----	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	14	8	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	7	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	12	-	1	3	-	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	22	13	4	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	6	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	2	1	1	2	1	1	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	2	1	1	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	1	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	13	4	-	-	1	2	2	2	2	2	2	6	3	5	6	3	5	5	3	1	1	-	-	-	-
	White-----M--	17	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	1	-	1	-	-	-	-
	F--	14	1	-	-	-	1	1	-	-	1	-	1	1	1	1	-	2	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	22	6	2	-	-	-	-	2	1	-	1	1	3	1	2	2	-	-	-	1	-	-	-	-	-	-
	F--	15	2	2	-	-	-	1	-	1	1	1	-	2	-	1	2	-	2	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	2,045	4	2	2	5	3	20	13	15	19	36	53	79	112	156	211	222	281	274	229	161	89	32	15	8	4
	White-----M--	674	2	1	1	1	1	8	4	6	5	9	12	23	27	34	62	72	88	94	99	72	37	11	4	1	-
	F--	677	1	-	-	4	2	9	3	4	5	10	19	25	33	45	63	50	97	96	74	65	44	18	5	4	1
	Nonwhite--M--	310	1	1	-	-	-	2	5	3	4	6	4	7	17	30	30	49	59	44	29	7	3	1	4	2	2
	F--	384	-	-	1	-	-	1	1	2	5	11	18	24	35	47	56	51	37	40	27	17	5	2	2	1	1
140-148	Of buccal cavity and pharynx------	43	-	-	-	-	-	-	-	-	-	-	2	1	-	2	8	6	9	7	4	1	3	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	5	3	4	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	613	-	-	-	1	1	1	1	1	1	1	10	16	28	36	53	65	100	96	89	55	35	15	4	3	1
	White-----M--	191	-	-	-	-	1	-	1	-	-	1	4	4	8	9	16	15	24	32	35	22	12	6	-	1	-
	F--	192	-	-	-	1	-	-	-	-	1	-	3	6	8	6	7	9	30	34	31	26	19	7	2	2	-
	Nonwhite--M--	131	-	-	-	-	-	1	-	1	-	-	-	4	5	13	16	24	30	16	13	2	3	1	1	-	1
	F--	99	-	-	-	-	-	-	-	-	-	-	3	2	7	8	14	17	16	14	10	5	1	1	1	-	-
160-164	Of respiratory system (not secondary)-------	229	-	-	-	-	-	-	1	-	1	3	3	3	13	22	27	35	38	33	27	16	5	-	2	-	-
	White-----M--	141	-	-	-	-	-	-	1	-	1	1	-	2	6	10	20	23	26	17	21	11	-	-	2	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	7	2	4	4	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	1	3	-	6	7	3	10	5	6	4	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	-	2	3	-	1	1	-	-	-	-
170	Of breast---------	184	-	-	-	-	-	-	-	-	1	3	8	12	16	23	27	20	19	16	14	12	7	4	1	-	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	109	-	-	-	-	-	-	-	-	1	1	3	3	7	15	16	9	13	11	9	8	7	4	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	2	5	9	9	8	11	10	4	5	5	4	-	-	-	-	-
171-179	Of genital organs-	427	-	-	-	-	-	1	-	-	4	13	9	22	28	36	42	45	49	55	48	41	21	4	5	2	2
	White-----M--	88	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	2	14	18	24	17	4	1	-	-
	F--	160	-	-	-	-	-	-	-	-	1	4	4	13	10	16	17	24	27	19	15	8	2	-	-	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	6	9	12	9	4	-	-	3	1	1
	F--	125	-	-	-	-	-	1	-	-	3	7	5	8	15	18	19	12	11	10	6	5	2	-	1	1	1
180, 181	Of urinary organs-	76	-	-	-	1	1	1	-	-	-	-	-	2	2	5	8	7	12	14	9	12	1	-	-	1	-
	White-----M--	30	-	-	-	1	-	-	-	-	-	-	-	-	1	3	3	3	4	7	4	4	-	-	-	-	-
	F--	24	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	1	3	3	5	6	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	1	-	-	-	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	2	2	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	286	3	-	1	1	-	5	3	9	6	7	13	12	17	25	30	31	22	30	28	18	12	8	3	2	-
	White-----M--	117	1	-	1	-	-	2	-	5	2	2	5	8	9	9	8	19	9	10	13	8	4	1	1	-	-
	F--	90	1	-	-	1	-	3	1	1	1	2	5	1	4	5	11	1	8	12	7	9	7	6	2	2	-
	Nonwhite--M--	40	1	-	-	-	-	-	2	1	2	2	-	2	2	7	3	5	5	5	3	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	2	1	1	3	1	2	4	8	6	-	3	5	1	1	1	-	-	-
204	Leukemia and aleukemia----------	99	-	2	1	2	1	9	4	2	3	5	6	6	4	2	5	4	20	12	4	3	3	1	-	-	-
	White-----M--	39	-	1	-	-	-	4	1	1	1	2	3	2	1	1	4	-	10	5	2	1	-	-	-	-	-
	F--	38	-	-	-	2	1	4	2	1	1	1	2	2	2	-	1	1	5	5	2	2	3	1	-	-	-
	Nonwhite--M--	15	-	1	-	-	-	1	1	-	1	2	1	1	1	-	-	2	3	1	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	88	1	-	-	-	-	3	4	3	3	4	2	5	4	5	11	9	12	11	6	3	2	-	-	-	-
	White-----M--	40	1	-	-	-	-	2	1	-	1	2	-	5	2	1	4	4	6	6	2	1	2	-	-	-	-
	F--	28	-	-	-	-	-	1	-	2	-	2	1	-	1	1	4	3	4	4	3	2	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	2	1	1	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	1	-	1	-	1	3	1	1	-	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	52	3	-	1	-	-	2	-	1	2	2	4	7	8	6	4	3	4	-	4	1	-	-	-	-	-
	White-----M--	11	-	-	1	-	-	-	-	-	1	-	1	-	1	1	2	1	1	-	1	1	-	-	-	-	-
	F--	20	1	-	-	-	-	2	-	1	1	1	1	1	3	3	1	-	2	-	3	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	2	5	4	2	1	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	248	-	-	-	-	1	-	1	2	1	4	7	4	8	12	26	27	33	37	42	31	9	3	-	-	-
	White-----M--	75	-	-	-	-	1	-	1	-	-	2	2	-	3	2	7	4	15	6	17	9	4	2	-	-	-
	F--	78	-	-	-	-	-	-	-	2	1	-	3	-	1	2	4	7	4	18	14	17	4	1	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	2	-	3	2	1	7	6	2	3	5	2	1	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	2	1	2	7	8	10	12	10	6	3	-	-	-	-	-
290-293	Anemias----------	36	5	5	1	-	1	-	-	1	1	-	3	4	1	1	5	2	1	2	-	2	-	1	-	-	-
	White-----M--	10	2	2	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	7	2	-	1	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	15	1	3	-	-	1	-	-	-	-	-	1	4	-	-	2	1	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	30	10	3	4	4	-	2	-	2	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	1	2	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	5	-	1	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,208	16	4	-	-	2	10	12	23	36	65	109	211	336	532	768	996	1,149	1,279	1,162	1,038	811	419	149	71	8
	White-----M--	3,222	5	1	-	-	-	-	2	8	5	13	20	58	111	184	202	320	405	472	493	427	311	133	35	15	2
	F--	2,147	3	1	-	-	-	4	1	2	2	6	12	11	38	52	63	125	177	301	323	408	346	196	62	13	1
	Nonwhite--M--	1,989	5	1	-	-	-	4	3	5	15	22	38	72	108	145	259	265	318	264	197	105	80	39	28	13	3
	F--	1,850	3	1	-	-	2	2	6	8	14	24	39	70	81	151	244	286	249	242	149	98	74	51	24	30	2
330-334, 400-468	Diseases of cardiovascular system-	8,967	16	3	-	-	2	6	11	19	34	59	102	201	324	516	748	970	1,126	1,241	1,144	1,019	788	413	146	71	8
	White-----M--	3,166	5	1	-	-	-	-	1	6	5	13	17	56	106	182	199	316	401	466	489	416	303	132	35	15	2
	F--	2,097	3	1	-	-	-	1	1	2	2	5	11	10	38	50	60	124	174	294	317	403	336	191	60	13	1
	Nonwhite--M--	1,920	5	-	-	-	-	4	3	4	14	18	37	70	103	137	253	256	310	250	191	105	78	39	27	13	3
	F--	1,784	3	1	-	-	2	1	6	7	13	23	37	65	77	147	236	274	241	231	147	95	71	51	24	30	2
330-334	Vascular lesions, etc.*----------	2,471	4	1	-	-	1	1	1	4	9	24	28	56	87	137	201	272	306	346	327	258	228	113	44	22	1
	White-----M--	653	1	1	-	-	-	-	-	1	1	2	2	4	19	25	25	50	69	89	130	101	83	34	10	6	-
	F--	600	-	-	-	-	-	-	-	1	-	1	1	1	9	17	20	38	45	91	91	102	109	49	21	4	-
	Nonwhite--M--	610	3	-	-	-	-	1	-	2	4	8	18	24	35	42	77	81	101	92	59	22	17	14	7	3	-
	F--	608	-	-	-	-	1	-	1	-	4	13	7	27	24	53	79	103	91	74	47	33	19	16	6	9	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																										
400-402	Rheumatic fever---	24	-	-	-	-	1	4	7	4	-	-	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	2	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	1	1	4	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,843	11	2	-	-	-	1	3	9	21	30	49	124	221	344	512	649	751	825	739	677	483	261	83	41	7
	White-----M--	2,313	4	-	-	-	-	-	-	3	3	10	13	51	84	144	164	257	307	354	332	281	191	85	20	8	2
	F--	1,353	3	1	-	-	-	-	-	-	2	2	8	8	28	30	36	81	118	189	209	274	202	123	31	7	1
	Nonwhite--M--	1,141	1	-	-	-	-	1	2	2	9	9	10	31	62	85	163	153	193	136	115	68	47	23	18	8	3
	F--	1,036	3	1	-	-	-	-	1	4	7	9	18	34	47	85	149	158	133	144	83	54	43	30	14	18	1
410-416	Chronic rheumatic heart disease----	124	1	-	-	-	-	-	-	6	9	9	6	8	9	9	8	14	12	12	7	5	4	3	1	1	-
	White-----M--	44	-	-	-	-	-	-	-	1	1	4	1	5	4	1	4	6	5	3	3	2	1	2	-	1	-
	F--	25	1	-	-	-	-	-	-	-	2	-	3	1	3	2	1	3	5	2	-	1	1	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	3	1	-	2	1	3	2	4	2	3	1	-	1	-	-	-	-
	F--	31	-	-	-	-	-	-	-	4	3	4	2	-	1	3	1	1	-	4	3	2	1	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	3,353	1	-	-	-	-	-	1	2	5	14	28	74	117	191	295	392	436	510	432	413	261	129	33	15	4
	White-----M--	1,729	1	-	-	-	-	-	-	1	1	5	10	41	63	117	142	204	242	272	239	205	126	49	7	2	2
	F--	781	-	-	-	-	-	-	-	-	-	1	3	4	15	14	25	59	62	124	129	160	104	60	17	3	1
	Nonwhite--M--	473	-	-	-	-	-	-	1	1	2	5	5	13	20	37	70	76	81	59	41	30	16	7	4	4	1
	F--	370	-	-	-	-	-	-	-	-	2	3	10	16	19	23	58	53	51	55	23	18	15	13	5	6	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	632	1	-	-	-	-	1	-	1	2	2	6	3	15	27	37	44	77	71	88	86	86	52	17	15	1
	White-----M--	158	-	-	-	-	-	-	-	1	1	-	1	-	1	4	1	8	17	16	28	25	33	14	3	5	-
	F--	198	-	-	-	-	-	-	-	-	-	-	2	-	1	5	2	3	13	19	29	44	41	25	10	4	-
	Nonwhite--M--	130	-	-	-	-	-	1	-	-	-	1	-	-	7	8	19	15	26	12	16	9	7	5	1	3	-
	F--	146	1	-	-	-	-	-	-	-	1	1	3	3	6	10	15	18	21	24	15	8	5	8	3	3	1
430-434	Other diseases of heart---------	298	8	2	-	-	-	-	2	-	3	4	6	11	18	31	27	34	30	33	27	21	16	17	7	1	-
	White-----M--	86	3	-	-	-	-	-	-	-	-	1	1	2	7	8	4	5	13	12	10	5	4	7	4	-	-
	F--	57	2	1	-	-	-	-	-	-	-	1	-	2	-	2	2	4	4	6	7	11	6	7	2	-	-
	Nonwhite--M--	86	1	-	-	-	-	-	1	-	2	1	4	3	9	8	12	10	8	10	7	4	3	2	1	-	-
	F--	69	2	1	-	-	-	-	1	-	1	1	1	4	2	13	9	15	5	5	3	1	3	1	-	1	-
440-443	Hypertension with heart dis.--	1,436	-	-	-	-	-	-	-	-	2	1	3	28	62	86	145	165	196	199	185	152	116	60	25	9	2
	White-----M--	296	-	-	-	-	-	-	-	-	-	-	-	3	9	14	13	34	30	51	52	44	27	13	6	-	-
	F--	292	-	-	-	-	-	-	-	-	-	-	-	1	9	7	6	12	34	38	44	58	50	31	2	-	-
	Nonwhite--M--	428	-	-	-	-	-	-	-	-	2	1	1	13	25	29	60	48	76	54	50	25	20	9	12	1	2
	F--	420	-	-	-	-	-	-	-	-	-	-	2	11	19	36	66	71	56	56	39	25	19	7	5	8	-
444-447	Hypertension without mention of heart----------	180	-	-	-	-	-	-	-	1	1	1	12	14	7	14	13	20	18	14	21	17	19	5	3	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	1	6	-	6	9	6	3	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	3	6	4	8	1	1	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	1	5	12	3	4	7	7	5	4	3	3	2	-	-	-	-
	F--	52	-	-	-	-	-	-	-	1	1	-	6	1	3	6	3	8	4	7	6	1	3	1	1	-	-
450	General arteriosclerosis--------	311	-	-	-	-	-	-	-	-	-	-	1	-	2	2	11	13	31	37	46	63	52	29	16	8	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	15	15	21	20	10	4	1	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	8	23	16	16	7	2	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	8	9	16	14	12	10	1	2	2	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	12	2	9	7	6	2	3	3	-
451-468	Other diseases of circulatory sys.-	138	1	-	-	-	-	-	-	1	3	4	8	6	7	16	11	16	20	19	11	4	6	5	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	1	1	-	-	3	9	7	8	10	8	6	4	3	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	-	2	1	1	-	3	2	1	7	7	3	-	1	2	-	-	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	-	1	-	2	3	2	3	1	7	2	-	-	-	2	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	1	5	2	2	1	1	-	1	4	2	-	-	2	-	-	-
592-594	Chronic nephritis, etc.*----------	241	-	1	-	-	-	4	1	4	2	6	7	10	14	16	20	26	23	38	18	19	23	6	3	-	-
	White-----M--	56	-	-	-	-	-	-	1	2	-	-	3	2	5	2	3	4	4	6	4	11	8	1	-	-	-
	F--	50	-	-	-	-	-	3	-	-	-	1	1	1	-	2	3	1	3	7	6	5	10	5	2	-	-
	Nonwhite--M--	69	-	1	-	-	-	-	-	1	1	4	1	2	5	8	6	9	8	14	6	-	2	-	1	-	-
	F--	66	-	-	-	-	-	1	-	1	1	1	2	5	4	4	8	12	8	11	2	3	3	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	689	252	35	17	5	4	11	13	4	4	4	12	13	19	14	26	36	46	29	37	27	33	26	13	8	1
	White-----M--	130	39	1	1	-	2	3	1	1	1	-	3	1	4	3	5	4	10	10	12	12	12	2	1	2	-
	F--	112	24	1	2	1	-	1	3	1	-	1	1	2	1	-	-	2	6	3	13	7	13	20	9	1	-
	Nonwhite--M--	237	109	18	4	1	1	3	1	-	2	1	3	5	9	6	13	18	16	7	6	5	2	3	1	3	-
	F--	210	80	15	10	3	1	4	8	2	1	2	5	5	5	5	8	12	14	9	6	3	6	1	2	2	1
480-483	Influenza---------	81	21	2	1	2	1	3	2	-	-	-	1	2	4	1	3	10	6	5	3	4	1	5	2	1	1
	White-----M--	7	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-	-	-
	F--	13	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	1	-	4	1	-	-
	Nonwhite--M--	33	16	2	-	-	-	1	-	-	-	-	1	2	1	1	1	3	3	1	-	1	-	-	-	-	-
	F--	28	2	-	1	2	1	2	-	-	-	-	-	-	1	-	1	6	-	4	2	2	1	-	1	1	1
490-493	Pneumonia, etc.*--	608	231	33	16	3	3	8	11	4	4	4	11	11	15	13	23	26	40	24	34	23	32	21	11	7	-
	White-----M--	123	38	1	1	-	2	3	-	1	1	-	3	1	2	3	4	4	9	10	12	12	12	1	1	2	-
	F--	99	22	1	2	1	-	1	2	1	-	1	1	2	1	-	-	1	4	3	12	6	13	16	8	1	-
	Nonwhite--M--	204	93	16	4	1	1	2	1	-	2	1	2	3	8	5	12	15	13	6	6	4	2	3	1	3	-
	F--	182	78	15	9	1	-	2	8	2	1	2	5	5	4	5	7	6	14	5	4	1	5	1	1	1	-
500-502	Bronchitis--------	29	12	2	-	-	-	1	-	-	-	-	-	1	-	-	1	-	2	2	3	1	1	1	-	2	-
	White-----M--	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	65	-	-	-	-	-	-	-	-	1	1	2	4	6	7	5	5	5	8	12	5	3	1	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	4	4	6	7	3	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	2	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	1	-	2	2	4	2	1	-	1	2	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-
550-553	Appendicitis------	29	-	-	1	-	-	3	-	1	1	1	2	4	1	1	3	1	1	3	1	3	2	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	2	-	2	2	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	1	-	-	1	-	-	-	1	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	93	10	4	-	-	-	-	-	2	1	-	2	5	6	6	8	7	5	9	9	11	6	1	1	-	-
	White-----M--	24	1	1	-	-	-	-	-	1	-	-	-	1	1	1	1	1	1	4	4	3	3	-	1	-	-
	F--	24	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	1	5	6	2	-	-	-	-
	Nonwhite--M--	23	3	2	-	-	-	-	-	1	1	-	-	1	1	1	4	2	2	3	-	2	-	-	-	-	-
	F--	22	4	1	-	-	-	-	-	-	-	-	1	3	3	3	3	1	-	1	-	-	1	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	197	123	17	9	4	2	1	-	-	1	-	2	2	2	2	4	3	5	2	3	6	5	2	1	1	-
	White-----M--	25	11	1	1	-	1	-	-	-	-	-	2	-	1	1	1	-	2	-	1	1	2	-	-	-	-
	F--	24	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	3	2	-	-	-
	Nonwhite--M--	82	59	4	4	3	1	1	-	-	-	-	-	2	-	1	2	1	2	1	1	-	-	-	-	-	-
	F--	66	45	10	2	1	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-	1	1	-
581	Cirrhosis of liver	97	-	-	-	-	-	-	-	1	1	1	4	5	10	9	18	10	12	8	11	3	3	1	-	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	1	1	4	7	7	11	4	7	2	7	2	3	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	2	2	2	1	-	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	4	1	1	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	-	1	-	4	1	2	3	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	45	1	4	4	1	-	1	1	-	-	2	4	2	3	3	2	4	3	4	2	3	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	1	3	1	-	-	-	-
	Nonwhite--M--	18	1	1	4	1	-	-	-	-	-	-	3	-	1	1	2	2	1	1	-	-	-	-	-	-	-
	F--	8	-	2	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	13	14	13	4	6	2	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	12	3	5	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	10	4	1	1	1	1	-	-
640-689	Complications of pregnancy, etc.*-	64	...	...	...	...	...	...	-	5	11	12	17	14	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	60	...	...	...	...	...	...	-	5	10	12	16	13	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion---------	6	...	...	...	...	...	...	-	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	58	...	...	...	...	...	...	-	3	11	11	15	14	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	55	...	...	...	...	...	...	-	3	10	11	14	13	4	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	280	210	12	5	6	1	5	1	6	6	1	3	6	5	2	3	2	2	1	1	1	-	1	-	-	-
	White-----M--	95	74	2	1	1	-	1	-	1	2	1	1	3	2	2	1	2	1	-	-	-	-	-	-	-	-
	F--	101	76	3	1	1	1	3	1	3	2	-	1	3	2	-	1	-	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	46	32	4	2	3	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	38	28	3	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,125	1,124	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	332	332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	336	335	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	439	438	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	107	106	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn---------	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	592	592	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	692	182	15	6	4	1	2	5	8	8	10	10	20	46	51	67	58	62	37	42	17	13	15	5	7	1
	White-----M--	89	8	2	-	-	-	-	-	1	-	1	2	2	7	8	14	13	10	5	5	3	3	4	1	-	-
	F--	54	14	1	-	-	-	-	-	-	-	-	1	4	3	1	2	3	4	1	5	5	3	4	2	1	-
	Nonwhite--M--	268	76	7	2	2	-	2	3	2	3	4	2	9	21	22	23	26	23	12	14	5	5	2	1	1	1
	F--	281	84	5	4	2	1	-	2	5	5	5	5	5	15	20	28	16	25	19	18	4	2	5	1	5	-
Residual	All other diseases	760	77	12	9	4	5	9	9	15	13	21	31	38	38	50	52	58	78	71	62	49	32	15	10	2	-
	White-----M--	264	25	1	1	2	1	4	5	6	4	1	8	11	13	12	14	20	29	31	31	25	14	5	1	-	-
	F--	179	10	3	-	-	4	1	-	2	-	2	5	8	6	10	9	10	22	25	19	20	14	8	1	-	-
	Nonwhite--M--	178	25	6	5	2	-	2	3	3	4	9	6	9	11	16	18	13	20	7	7	4	3	-	5	-	-
	F--	139	17	2	3	-	-	2	1	4	5	9	12	10	8	12	11	15	7	8	5	-	1	2	3	2	-
E800-E962	Accidents---------	1,458	98	36	20	35	27	73	61	104	138	121	113	100	76	68	63	58	54	54	44	48	34	17	7	5	4
	White-----M--	619	24	8	7	7	5	18	26	47	70	69	60	49	35	34	33	26	20	22	24	20	9	2	3	1	-
	F--	216	13	5	1	5	3	12	4	14	17	14	12	13	3	6	12	8	6	11	9	15	16	11	3	2	1
	Nonwhite--M--	443	31	14	7	11	8	25	25	33	39	35	36	30	33	21	14	21	17	13	9	7	6	4	-	1	3
	F--	180	30	9	5	12	11	18	6	10	12	3	5	8	5	7	4	3	11	8	2	6	3	-	1	1	-
E810-E835	Motor-vehicle accidents---------	679	5	10	8	11	10	30	15	74	99	84	63	53	37	32	31	27	27	21	14	15	8	2	1	-	2
	White-----M--	357	1	4	5	3	5	12	8	39	57	50	37	31	20	12	13	14	12	10	12	9	2	1	-	-	-
	F--	109	2	2	1	3	1	6	2	11	16	13	9	6	1	4	9	6	5	6	-	2	2	-	1	-	1
	Nonwhite--M--	164	1	2	1	3	2	6	4	17	19	20	15	15	13	11	7	7	7	3	2	3	4	1	-	-	1
	F--	49	1	2	1	2	2	6	1	7	7	1	2	1	3	5	2	-	3	2	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	779	93	26	12	24	17	43	46	30	39	37	50	47	39	36	32	31	27	33	30	33	26	15	6	5	2
	White-----M--	262	23	4	2	4	-	6	18	8	13	19	23	18	15	22	20	12	8	12	12	11	7	1	3	1	-
	F--	107	11	3	-	2	2	6	2	3	1	1	3	7	2	2	3	2	1	5	9	13	14	11	2	2	-
	Nonwhite--M--	279	30	12	6	8	6	19	21	16	20	15	21	15	20	10	7	14	10	10	7	4	2	3	-	1	2
	F--	131	29	7	4	10	9	12	5	3	5	2	3	7	2	2	2	3	8	6	2	5	3	-	1	1	-
E963, E970-E979	Suicide----------	174	-	-	-	-	-	-	-	3	7	11	8	18	21	21	26	19	19	11	7	2	1	-	-	-	-
	White-----M--	130	-	-	-	-	-	-	-	2	2	8	3	13	16	21	19	15	15	8	6	1	1	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	3	3	3	4	1	-	7	2	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	1	-	2	1	3	-	-	2	3	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	232	1	-	1	-	-	1	2	14	32	40	39	26	28	20	7	9	4	3	1	3	-	-	-	-	1
	White-----M--	50	1	-	-	-	-	-	-	2	5	5	5	8	9	3	3	3	3	2	-	1	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	2	4	1	1	1	-	2	2	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	132	-	-	-	-	-	-	2	9	21	24	29	14	14	13	2	3	-	-	-	-	-	-	-	-	1
	F--	33	-	-	1	-	-	-	-	3	4	7	4	3	4	4	-	1	1	-	-	1	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA																										
	ALL CAUSES------	5,930	487	37	21	14	9	34	34	60	65	60	78	86	124	172	229	331	493	642	785	770	715	453	178	52	1
	White-----M--	3,418	245	13	11	4	5	20	18	33	35	37	43	42	73	110	142	224	319	394	482	447	388	229	89	14	1
	F--	2,219	164	16	10	10	3	8	14	17	18	9	29	31	41	52	70	99	159	227	285	303	319	214	86	35	-
	Nonwhite--M--	169	44	3	-	-	1	3	-	2	10	7	3	5	6	8	12	4	10	16	13	10	3	5	3	1	-
	F--	124	34	5	-	-	-	3	2	8	2	7	3	8	4	2	5	4	5	5	5	10	5	5	-	2	-
001-019	Tuberculosis, all forms--------	43	2	2	-	-	2	1	-	1	2	4	-	3	1	3	-	1	7	5	4	2	3	-	-	-	-
	White-----M--	16	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	4	3	1	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	2	-	-	-	-
	Nonwhite--M--	12	2	1	-	-	1	1	-	1	1	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	35	-	1	-	-	1	-	-	-	2	4	-	3	1	3	-	1	6	4	4	2	3	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	4	3	1	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	2	-	-	-	-
	Nonwhite--M--	7	-	1	-	-	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	11	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	4	-	2	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	1	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	2	-	-	-	-	2	1	1	1	-	-	2	1	-	1	1	-	1	-	3	3	-	-	-	-
	White-----M--	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-
	F--	9	1	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	885	2	1	1	4	1	4	8	2	5	5	11	14	21	37	53	75	121	126	133	122	93	33	11	2	-
	White-----M--	483	2	-	-	1	1	4	4	2	-	2	6	5	7	17	23	39	72	70	84	67	54	18	5	1	-
	F--	384	-	1	1	3	-	-	3	-	5	2	5	9	13	20	26	36	46	55	48	52	38	14	6	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1	2	1	-	3	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	3	1	1	1	2	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	2	1	1	1	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	330	2	-	-	-	-	-	-	-	-	1	3	5	7	5	7	23	50	48	63	50	45	15	5	1	-
	White-----M--	192	2	-	-	-	-	-	-	-	-	1	1	4	2	4	2	12	29	28	45	25	25	9	2	1	-
	F--	128	-	-	-	-	-	-	-	-	-	-	2	1	4	1	2	11	18	19	18	24	19	6	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-
160-164	Of respiratory system (not secondary)--------	96	-	-	-	-	-	-	-	-	-	-	-	-	5	3	11	13	19	16	13	9	6	-	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	4	3	9	13	16	11	9	5	5	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	5	3	3	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Of breast---------	83	-	-	-	-	-	-	-	-	-	1	1	2	3	7	13	13	9	9	5	8	8	2	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	1	1	2	3	7	13	13	8	9	5	7	8	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	110	-	-	-	-	-	-	-	1	-	1	1	4	5	3	6	4	7	11	18	23	16	8	2	-	-
	White-----M--	57	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	5	7	8	17	11	5	2	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	4	5	3	4	3	2	4	10	6	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
180, 181	Of urinary organs-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	8	4	8	7	1	1	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	6	2	7	6	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	116	-	-	-	1	-	2	1	-	2	1	2	-	1	10	12	9	18	19	18	12	7	1	-	-	-
	White-----M--	57	-	-	-	-	-	2	1	-	-	-	1	-	1	4	8	4	9	8	11	4	4	-	-	-	-
	F--	58	-	-	-	1	-	-	-	-	2	1	1	-	-	6	4	5	9	11	7	7	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	59	-	1	1	3	1	1	6	1	-	-	3	1	-	4	-	3	7	7	5	8	3	3	1	-	-
	White-----M--	32	-	-	-	1	1	1	2	1	-	-	3	-	-	2	-	1	4	6	3	5	2	-	-	-	-
	F--	26	-	1	1	2	-	-	3	-	-	-	-	1	-	2	-	2	3	1	2	3	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	43	-	-	-	-	-	1	1	-	3	-	1	2	-	3	4	6	7	5	6	3	-	1	-	-	-
	White-----M--	28	-	-	-	-	-	1	1	-	-	-	1	1	-	2	3	4	6	2	5	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	3	-	-	1	-	1	1	2	1	3	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	13	-	-	-	2	-	1	-	-	-	-	1	-	-	1	3	1	1	1	-	-	2	-	-	-	-
	White-----M--	6	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	91	-	-	-	-	-	-	-	-	3	-	4	-	2	2	2	3	13	17	13	15	13	3	1	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	4	4	6	8	4	2	-	-	-
	F--	53	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	8	12	7	7	9	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	22	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	3	1	2	4	3	2	1	-	-
	White-----M--	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	2	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	2	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	14	10	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	6	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,155	6	2	-	-	-	2	1	3	8	6	13	24	45	78	108	177	256	382	519	522	506	332	126	39	-
	White-----M--	1,860	4	-	-	-	-	-	-	2	3	4	5	13	30	52	72	134	168	239	318	305	274	160	66	11	-
	F--	1,218	1	2	-	-	-	2	1	-	4	1	7	9	12	24	31	37	82	134	188	206	227	166	58	26	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	1	-	1	-	2	2	3	3	4	8	9	6	2	4	2	-	-
	F--	30	1	-	-	-	-	-	-	1	-	1	-	2	1	-	2	3	2	1	4	5	3	2	-	2	-
330-334, 400-468	Diseases of cardiovascular system-	3,116	6	2	-	-	-	2	1	2	4	6	11	24	43	78	104	175	255	378	514	516	502	331	123	39	-
	White-----M--	1,837	4	-	-	-	-	-	-	1	1	4	5	13	30	52	70	132	167	236	313	302	272	159	65	11	-
	F--	1,204	1	2	-	-	-	2	1	-	3	1	5	9	10	24	29	37	82	133	188	204	225	166	56	26	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	4	8	9	6	2	4	2	-	-
	F--	29	1	-	-	-	-	-	-	1	-	1	-	2	1	-	2	3	2	1	4	4	3	2	-	2	-
330-334	Vascular lesions, etc.*----------	760	3	1	-	-	-	-	1	1	2	-	2	7	7	13	14	32	44	89	138	138	151	81	30	6	-
	White-----M--	383	1	-	-	-	-	-	-	1	-	-	-	2	3	6	4	17	22	40	73	75	89	34	14	2	-
	F--	352	1	1	-	-	-	-	1	-	2	-	2	4	3	7	9	13	18	48	61	59	61	44	15	3	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	3	-	1	1	-	-
	F--	14	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	3	1	1	2	-	1	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																										
400-402	Rheumatic fever---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,123	-	1	-	-	-	2	-	1	1	5	8	16	35	58	84	131	198	274	350	347	308	207	73	24	-
	White-----M--	1,328	-	-	-	-	-	-	-	-	-	3	4	11	27	43	63	107	136	186	225	212	163	101	41	6	-
	F--	749	-	1	-	-	-	2	-	-	1	1	3	4	6	13	17	21	60	80	117	129	142	103	32	17	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	1	7	7	3	2	3	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	1	1	1	3	1	-	-	1	-
410-416	Chronic rheumatic heart disease----	72	-	-	-	-	-	-	-	-	-	1	3	5	6	5	5	9	9	10	10	6	-	2	1	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	3	4	2	3	5	4	5	6	5	-	-	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	1	3	2	2	3	2	4	5	4	4	-	-	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,505	-	-	-	-	-	1	-	-	1	-	4	6	25	44	65	94	162	208	265	243	200	138	43	6	-
	White-----M--	1,005	-	-	-	-	-	-	-	-	-	-	3	4	22	34	53	79	117	156	171	154	113	71	27	1	-
	F--	480	-	-	-	-	-	1	-	-	1	-	-	2	3	8	10	13	43	51	91	86	87	64	16	4	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	1	3	3	-	3	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	250	-	-	-	-	-	1	-	1	-	-	1	1	1	1	5	6	13	20	28	51	56	39	16	10	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	5	5	11	21	31	29	18	8	3	-
	F--	108	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	8	7	7	19	27	21	8	7	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	110	-	1	-	-	-	-	-	-	-	4	-	2	2	5	3	10	4	11	21	16	16	8	6	1	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	3	-	2	-	3	-	8	2	5	14	10	9	5	2	-	-
	F--	32	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	3	5	4	3	4	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	3	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
440-443	Hypertension with heart dis.--	186	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	12	10	25	26	31	36	20	7	7	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	10	8	9	13	12	12	7	3	2	-
	F--	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	14	12	19	24	13	4	5	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	55	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	5	10	4	11	9	1	2	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	1	4	7	1	2	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	5	3	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis--------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	12	19	26	32	16	7	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	7	10	12	16	8	1	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	9	14	16	8	6	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	54	3	-	-	-	-	-	-	-	1	1	1	1	1	3	2	8	7	3	4	8	6	2	3	-	-
	White-----M--	35	3	-	-	-	-	-	-	-	1	1	1	-	-	2	1	5	6	2	3	4	4	1	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	1	4	2	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	39	-	-	-	-	-	-	-	1	4	-	2	-	2	-	4	2	1	4	5	6	4	1	3	-	-
	White-----M--	23	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	2	1	3	5	3	2	1	1	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	-	-	1	-	2	2	-	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	154	32	1	1	-	-	1	1	1	-	1	1	1	1	3	2	7	8	9	17	16	17	22	8	4	-
	White-----M--	85	10	-	1	-	-	1	-	-	-	-	1	1	1	2	1	4	5	5	12	10	12	12	6	1	-
	F--	41	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	1	4	4	5	9	2	3	-
	Nonwhite--M--	15	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-
	F--	13	9	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
480-483	Influenza---------	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	148	30	1	1	-	-	1	1	1	-	1	1	1	1	3	2	7	7	9	16	15	17	22	7	4	-
	White-----M--	80	8	-	1	-	-	1	-	-	-	-	1	1	1	2	1	4	4	5	11	10	12	12	5	1	-
	F--	40	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	1	4	3	5	9	2	3	-
	Nonwhite--M--	15	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-
	F--	13	9	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
500-502	Bronchitis--------	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
	F--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	7	4	5	5	5	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	6	4	2	4	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	1	2	3	1	1	-	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	2	2	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	41	5	1	-	-	-	-	-	1	-	-	1	1	1	1	4	1	3	6	4	6	6	-	-	-	-
	White-----M--	21	3	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	1	4	1	4	2	-	-	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	3	2	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*	30	16	2	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	2	1	2	-	-
	White-----M	11	4	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	1	-	-
	F	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-
	Nonwhite--M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	40	-	-	-	-	-	1	-	-	-	-	-	2	2	1	9	4	3	5	4	3	3	1	2	-	-
	White-----M	23	-	-	-	-	-	1	-	-	-	-	-	2	2	1	5	3	2	4	2	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	2	2	-	2	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
590, 591	Acute nephritis, etc.*	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	6	6	1	-	-
	White-----M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	6	6	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	6	...	...	...	...	...	...	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	...	...	...	...	...	...	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	6	...	...	...	...	...	...	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	...	...	...	...	...	...	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	100	78	6	3	2	2	1	1	2	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M	44	37	1	1	-	-	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	51	37	4	2	2	2	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	83	9	2	-	-	-	1	-	1	2	-	1	-	1	-	5	2	6	7	5	6	9	12	10	3	1
	White-----M	41	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	5	3	5	3	6	7	5	-	1
	F	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	2	4	5	2	-
	Nonwhite--M	11	4	-	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	1	-
	F	10	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	1	-	-	-
Residual	All other diseases	286	21	5	3	2	1	3	5	5	2	3	6	8	12	5	14	23	25	40	31	32	19	16	4	1	-
	White-----M	172	10	3	1	1	1	2	3	4	1	2	3	2	8	4	11	14	19	28	17	20	8	10	-	-	-
	F	97	4	2	2	1	-	1	1	1	1	-	3	3	4	-	3	9	6	11	13	11	11	6	3	1	-
	Nonwhite--M	7	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-
	F	10	4	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
E800-E962	Accidents	469	17	11	11	3	3	14	15	41	35	32	34	21	26	26	14	23	28	21	29	15	21	18	10	1	-
	White-----M	297	8	6	7	1	2	9	9	23	27	22	23	16	16	19	10	16	20	14	17	9	10	9	4	-	-
	F	129	5	4	4	2	1	4	6	12	2	5	8	2	6	2	3	7	6	5	12	6	11	9	6	1	-
	Nonwhite--M	26	3	-	-	-	-	-	-	-	5	4	2	2	1	4	1	-	2	2	-	-	-	-	-	-	-
	F	17	1	1	-	-	-	1	-	6	1	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	200	1	2	2	-	1	6	6	27	22	21	17	11	17	13	9	10	16	8	4	4	2	1	-	-	-
	White-----M	122	-	-	-	-	1	5	-	11	16	13	12	7	10	10	5	6	12	4	3	4	2	1	-	-	-
	F	57	1	2	2	-	-	1	6	12	2	4	5	2	5	1	3	4	4	2	1	-	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	3	3	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	4	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	269	16	9	9	3	2	8	9	14	13	11	17	10	9	13	5	13	12	13	25	11	19	17	10	1	-
	White-----M	175	8	6	7	1	1	4	9	12	11	9	11	9	6	9	5	10	8	10	14	5	8	8	4	-	-
	F	72	4	2	2	2	1	3	-	-	-	1	3	-	1	1	-	3	2	3	11	6	11	9	6	1	-
	Nonwhite--M	15	3	-	-	-	-	-	-	-	2	1	2	1	1	3	-	-	2	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	65	-	-	-	-	-	-	-	1	2	2	2	1	8	8	4	9	8	7	8	2	2	1	-	-	-
	White-----M	54	-	-	-	-	-	-	-	-	1	2	2	1	6	7	4	7	6	6	7	2	2	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	2	1	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	12	-	-	-	-	-	-	-	-	4	2	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	2	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE																										
	ALL CAUSES------	29,013	2,485	157	90	77	55	217	136	228	360	366	486	646	947	1,273	1,594	1,997	2,415	3,149	3,488	3,486	2,964	1,643	557	192	5
	White-----M--	13,100	990	62	39	26	27	103	87	139	189	182	215	293	413	578	723	921	1,160	1,452	1,561	1,661	1,287	712	192	67	1
	F--	9,466	747	40	27	33	16	67	29	44	89	71	112	163	230	297	353	457	630	954	1,212	1,399	1,336	784	291	85	-
	Nonwhite--M--	3,472	425	35	11	7	6	32	12	25	47	65	87	97	148	199	266	328	351	406	379	211	188	86	35	24	2
	F--	2,975	323	20	13	11	6	15	8	20	35	48	72	93	156	199	252	291	274	337	316	215	153	61	39	16	2
001-019	Tuberculosis, all forms--------	510	5	5	3	4	1	4	1	3	7	19	21	24	42	32	39	45	43	56	65	43	31	14	3	-	-
	White-----M--	233	-	1	-	-	-	1	1	1	1	9	7	7	11	17	19	23	31	27	35	18	17	6	1	-	-
	F--	164	3	2	-	3	1	1	-	1	3	1	5	11	15	9	7	7	10	17	26	22	12	6	2	-	-
	Nonwhite--M--	75	2	2	2	1	-	1	-	-	1	4	3	3	11	5	11	11	-	10	4	3	-	1	-	-	-
	F--	38	-	-	1	-	-	1	-	1	2	5	6	3	5	1	2	4	2	2	-	-	2	1	-	-	-
001-008	Tuberculosis of respiratory system----------	457	1	1	1	3	-	-	-	1	4	17	19	22	37	32	36	42	41	51	64	39	30	13	3	-	-
	White-----M--	220	-	-	-	-	-	-	-	-	1	8	6	7	10	17	18	22	31	25	35	16	17	6	1	-	-
	F--	144	1	-	-	3	-	-	-	-	1	1	5	9	15	9	5	7	9	15	25	21	11	5	2	-	-
	Nonwhite--M--	62	-	1	1	-	-	-	-	-	-	3	3	3	8	5	11	10	-	10	4	2	-	1	-	-	-
	F--	31	-	-	-	-	-	-	-	1	2	5	5	3	4	1	2	3	1	1	-	-	2	1	-	-	-
010-019	Tuberculosis, other forms------	53	4	4	2	1	1	4	1	2	3	2	2	2	5	-	3	3	2	5	1	4	1	1	-	-	-
	White-----M--	13	-	1	-	-	-	1	1	1	-	1	1	-	1	-	1	1	-	2	-	2	-	-	-	-	-
	F--	20	2	2	-	-	1	1	-	1	2	-	-	2	-	-	2	-	1	2	1	1	1	1	-	-	-
	Nonwhite--M--	13	2	1	1	1	-	1	-	-	1	1	-	-	3	-	-	1	-	-	-	1	-	-	-	-	-
	F--	7	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	67	-	-	-	-	-	-	-	-	-	1	1	-	1	6	10	10	13	11	8	4	2	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	7	7	4	3	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	4	3	3	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	6	3	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
	White-----M--	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	7	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	White-----M--	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	24	15	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	3	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	29	7	3	4	4	3	1	-	1	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	16	4	1	3	2	1	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	3	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	1	-	-	-	-	2	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	2	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	92	17	2	1	4	1	6	4	2	-	1	2	5	6	6	2	2	4	10	8	3	-	5	1	-	-
	White-----M--	38	3	1	-	2	1	3	4	-	-	1	1	1	2	2	-	-	1	7	4	1	-	3	1	-	-
	F--	27	6	1	1	1	-	3	-	-	-	-	-	1	2	3	-	2	1	2	2	1	-	1	-	-	-
	Nonwhite--M--	15	4	-	-	1	-	-	-	1	-	-	-	2	2	-	1	-	2	1	-	1	-	-	-	-	-
	F--	12	4	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	2	-	-	1	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*	3,904	5	12	8	5	9	29	10	18	23	35	62	110	181	289	332	392	456	582	483	388	312	119	37	7	-
	White----M--	1,636	1	8	3	3	7	17	6	8	9	19	21	30	55	97	137	168	218	241	209	160	145	58	14	2	-
	F--	1,589	4	3	4	2	2	10	3	8	13	12	28	52	76	129	126	129	161	237	193	182	135	56	21	3	-
	Nonwhite--M--	328	-	-	-	-	-	2	1	2	-	2	7	8	14	23	25	42	47	61	44	24	19	4	1	2	-
	F--	351	-	1	1	-	-	-	-	-	1	2	6	20	36	40	44	53	30	43	37	22	13	1	1	-	-
140-148	Of buccal cavity and pharynx	96	-	-	-	-	-	-	-	-	1	1	-	-	2	5	11	8	15	12	14	15	5	6	1	-	-
	White----M--	56	-	-	-	-	-	-	-	-	-	1	-	-	1	1	8	7	8	6	7	8	4	5	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	4	4	4	1	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	-	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	2	2	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,203	-	-	-	-	1	-	-	-	1	7	7	18	37	62	85	123	158	218	184	133	116	36	16	1	-
	White----M--	506	-	-	-	-	1	-	-	-	-	2	2	6	16	29	40	57	67	98	70	55	46	12	5	-	-
	F--	459	-	-	-	-	-	-	-	-	1	3	1	7	11	15	25	32	55	81	78	61	54	23	11	1	-
	Nonwhite--M--	148	-	-	-	-	-	-	-	-	-	2	2	3	5	13	11	18	24	29	21	8	11	1	-	-	-
	F--	90	-	-	-	-	-	-	-	-	-	-	2	2	5	5	9	16	12	10	15	9	5	-	-	-	-
160-164	Of respiratory system (not secondary)	472	1	-	-	-	-	-	-	1	-	-	9	5	20	42	49	68	77	85	52	31	25	6	-	1	-
	White----M--	338	1	-	-	-	-	-	-	-	-	-	6	3	12	32	37	52	64	52	38	20	15	5	-	1	-
	F--	74	-	-	-	-	-	-	-	1	-	-	1	-	5	7	4	8	4	22	6	7	8	1	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	1	1	3	3	7	6	6	9	7	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	2	1	1	1	-	-	-	-
170	Of breast	324	-	-	-	-	-	-	-	-	-	1	9	21	35	37	37	38	28	33	31	27	18	6	3	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	267	-	-	-	-	-	-	-	-	-	1	8	16	26	29	31	28	23	28	25	25	18	6	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	-	1	5	9	8	6	10	5	5	6	2	-	-	-	-	-
171-179	Of genital organs	761	-	-	-	-	-	-	-	-	6	4	15	27	39	73	62	73	65	111	90	87	66	35	5	3	-
	White----M--	219	-	-	-	-	-	-	-	-	-	2	4	-	1	4	3	11	14	29	40	38	46	24	2	1	-
	F--	359	-	-	-	-	-	-	-	-	5	1	10	15	22	50	43	34	38	51	33	34	14	8	1	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6	13	10	10	4	2	1	2	-
	F--	125	-	-	-	-	-	-	-	-	1	1	1	12	16	19	16	18	7	18	7	5	2	1	1	-	-
180, 181	Of urinary organs	134	1	1	-	-	-	4	-	-	-	-	1	3	1	6	5	18	14	19	19	18	16	6	2	-	-
	White----M--	67	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	6	11	10	14	8	7	2	1	-	-
	F--	51	1	1	-	-	-	2	-	-	-	-	-	1	-	1	2	7	2	7	5	10	7	4	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	3	1	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	560	1	5	5	-	1	15	5	5	4	12	10	18	25	39	56	44	64	67	57	47	52	20	6	2	-
	White----M--	261	-	3	2	-	1	8	4	2	3	7	5	8	14	16	29	23	33	28	25	17	22	8	3	-	-
	F--	233	1	1	2	-	-	7	-	2	1	5	5	9	7	18	15	15	23	28	25	28	25	11	3	2	-
	Nonwhite--M--	30	-	-	-	-	-	-	1	1	-	-	-	1	1	1	4	2	5	6	4	1	2	1	-	-	-
	F--	36	-	1	1	-	-	-	-	-	-	-	-	-	3	4	8	4	3	5	3	1	3	-	-	-	-
204	Leukemia and aleukemia	176	2	5	3	5	6	8	3	10	6	6	3	6	3	14	14	5	16	14	17	20	5	3	2	-	-
	White----M--	107	-	4	1	3	4	7	1	6	3	4	1	4	1	8	11	3	13	6	8	12	3	2	2	-	-
	F--	56	2	1	2	2	2	1	2	3	3	2	1	1	-	4	3	1	3	7	8	5	2	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	178	-	1	-	-	1	2	2	2	5	4	8	12	19	11	13	15	19	23	19	10	9	1	2	-	-
	White----M--	82	-	1	-	-	1	1	1	-	3	3	3	8	9	5	6	9	8	12	7	2	2	-	1	-	-
	F--	70	-	-	-	-	-	-	1	2	2	-	2	3	5	4	2	4	11	9	9	8	6	1	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	1	-	-	-	-	2	1	4	2	3	2	-	2	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	91	6	1	-	-	1	1	1	-	3	5	8	10	9	6	8	2	6	8	6	5	2	3	-	-	-
	White----M--	20	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	2	4	2	3	-	1	-	-	-
	F--	35	2	1	-	-	-	1	1	-	3	2	4	3	3	3	3	-	2	2	2	2	-	1	-	-	-
	Nonwhite--M--	12	3	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	2	1	-	-	-	-	-	-
	F--	24	1	-	-	-	1	-	-	-	-	2	3	4	5	2	1	-	1	-	1	-	2	1	-	-	-
260	Diabetes mellitus	315	-	-	-	-	-	2	4	-	3	4	6	5	9	12	21	21	40	49	43	41	41	10	3	1	-
	White----M--	126	-	-	-	-	-	2	3	-	2	1	4	1	7	4	8	8	16	15	17	19	14	3	2	-	-
	F--	126	-	-	-	-	-	-	-	-	1	3	-	1	1	3	4	9	12	23	19	19	24	7	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	1	-	-	-	2	2	-	1	4	4	1	3	1	1	1	-	-	1	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	-	11	8	6	2	2	-	1	-	-
290-293	Anemias	64	4	3	-	-	-	1	-	1	-	1	3	1	1	4	2	2	3	7	13	6	8	4	-	-	-
	White----M--	24	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	3	7	3	3	-	-	-	-
	F--	23	2	1	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	2	3	2	5	3	-	-	-
	Nonwhite--M--	11	1	1	-	-	-	1	-	-	-	1	-	-	1	2	1	-	1	-	-	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	49	15	4	2	3	-	2	-	2	2	1	4	-	3	2	1	1	1	4	-	2	-	-	-	-	-
	White----M--	23	8	1	1	1	-	1	-	2	2	-	1	-	3	1	-	1	-	1	-	-	-	-	-	-	-
	F--	9	3	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	3	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	F--	8	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,589	15	1	1	-	1	16	20	23	40	49	96	179	338	535	718	1,066	1,358	1,846	2,243	2,405	2,021	1,123	364	126	5
	White----M--	6,698	4	-	-	-	1	6	13	10	17	23	35	80	148	267	334	517	659	882	1,014	1,161	863	483	131	49	1
	F--	4,932	6	-	1	-	-	6	4	4	12	6	25	36	70	81	126	220	332	520	790	980	937	539	181	56	-
	Nonwhite--M--	1,497	3	1	-	-	-	3	3	2	3	7	14	27	57	86	124	174	195	230	234	122	119	55	25	11	2
	F--	1,462	2	-	-	-	-	1	-	7	8	13	22	36	63	101	134	155	172	214	205	142	102	46	27	10	2
330-334, 400-468	Diseases of cardiovascular system	14,238	14	1	-	-	-	15	16	18	32	40	92	169	321	510	697	1,041	1,333	1,809	2,198	2,367	1,979	1,101	356	124	5
	White----M--	6,556	3	-	-	-	-	6	11	7	11	19	34	73	143	257	328	510	653	870	995	1,142	842	475	128	48	1
	F--	4,841	6	-	-	-	-	6	3	4	11	4	23	36	66	75	122	215	325	509	778	965	923	534	180	56	-
	Nonwhite--M--	1,431	3	1	-	-	-	2	2	2	2	4	14	26	51	82	118	167	189	223	226	120	115	50	22	10	2
	F--	1,410	2	-	-	-	-	1	-	5	8	13	21	34	61	96	129	149	166	207	199	140	99	42	26	10	2
330-334	Vascular lesions, etc.*	3,905	7	-	-	-	-	4	6	5	8	6	11	40	65	104	151	253	319	467	646	714	582	361	114	39	3
	White----M--	1,489	2	-	-	-	-	1	5	2	3	3	4	10	16	33	49	88	123	180	243	324	209	146	31	16	1
	F--	1,521	3	-	-	-	-	2	-	1	2	-	4	13	16	25	40	66	87	141	253	300	298	183	69	18	-
	Nonwhite--M--	416	1	-	-	-	-	1	1	-	-	1	-	7	10	16	27	55	54	62	74	37	41	16	10	2	1
	F--	479	1	-	-	-	-	-	-	2	3	2	3	10	23	30	35	44	55	84	76	53	34	16	4	3	1

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE--Con.																										
400-402	Rheumatic fever---	42	-	-	-	-	-	9	7	3	3	3	4	-	2	3	2	2	3	-	-	-	-	1	-	-	-
	White-----M--	17	-	-	-	-	-	4	5	2	-	1	1	-	-	-	-	1	2	-	-	-	-	1	-	-	-
	F--	16	-	-	-	-	-	3	2	1	2	-	3	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,342	6	1	-	-	-	1	3	10	19	29	72	116	230	364	508	743	949	1,255	1,440	1,477	1,238	627	185	67	2
	White-----M--	4,620	1	-	-	-	-	1	1	3	7	14	27	57	119	206	265	407	500	652	705	723	560	273	72	25	-
	F--	2,987	3	-	-	-	-	-	1	2	6	4	14	20	45	45	74	136	227	347	488	604	557	301	82	31	-
	Nonwhite--M--	905	1	1	-	-	-	-	1	2	2	3	13	16	34	56	82	106	122	146	134	75	66	29	11	4	1
	F--	830	1	-	-	-	-	-	-	3	4	8	18	23	32	55	87	94	100	110	113	75	55	24	20	7	1
410-416	Chronic rheumatic heart disease----	289	-	-	-	-	-	-	1	5	8	11	21	20	29	17	29	29	20	23	26	24	15	9	2	-	-
	White-----M--	114	-	-	-	-	-	-	-	1	4	5	4	10	9	7	12	15	6	10	12	11	5	3	-	-	-
	F--	113	-	-	-	-	-	-	1	1	4	3	9	7	16	6	12	7	11	9	9	7	6	5	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	2	-	-	2	-	3	4	4	4	-	3	2	3	-	-	1	-	-
	F--	34	-	-	-	-	-	-	-	1	-	3	6	3	1	-	1	3	3	1	3	3	4	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,619	1	-	-	-	-	-	-	2	4	10	25	60	122	223	294	478	633	787	901	905	703	334	105	32	-
	White-----M--	3,222	-	-	-	-	-	-	-	2	1	5	18	39	91	167	203	319	394	452	489	480	345	154	48	15	-
	F--	1,767	-	-	-	-	-	-	-	-	1	-	2	10	12	25	33	82	152	230	318	367	316	158	47	14	-
	Nonwhite--M--	362	-	-	-	-	-	-	-	-	-	2	3	6	13	18	34	49	44	66	58	30	23	11	4	1	-
	F--	268	1	-	-	-	-	-	-	-	2	3	2	5	6	13	24	28	43	39	36	28	19	11	6	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,139	3	1	-	-	-	-	-	3	2	3	7	6	19	24	29	42	77	131	166	201	231	137	37	19	1
	White-----M--	457	-	-	-	-	-	-	-	-	1	2	4	-	4	9	9	16	25	50	71	93	102	54	11	6	-
	F--	409	3	-	-	-	-	-	-	1	-	-	1	2	5	3	6	10	12	37	49	86	97	69	19	9	-
	Nonwhite--M--	135	-	1	-	-	-	-	-	-	-	-	-	1	2	4	5	6	22	26	28	8	17	10	3	2	-
	F--	138	-	-	-	-	-	-	-	2	1	1	2	3	8	8	9	10	18	18	18	14	15	4	4	2	1
430-434	Other diseases of heart---------	624	2	-	-	-	-	-	2	-	3	2	4	15	21	34	49	63	54	93	88	85	50	37	16	6	-
	White-----M--	240	1	-	-	-	-	-	1	-	-	1	1	7	11	12	13	18	20	44	37	31	21	14	8	-	-
	F--	148	-	-	-	-	-	-	-	-	1	1	2	-	4	4	6	9	9	18	17	29	21	16	6	5	-
	Nonwhite--M--	137	1	-	-	-	-	-	1	-	1	-	-	5	2	9	19	15	18	23	19	15	4	3	1	1	-
	F--	99	-	-	-	-	-	-	-	-	1	-	1	3	4	9	11	21	7	8	15	10	4	4	1	-	-
440-443	Hypertension with heart dis.--	1,671	-	-	-	-	-	1	-	-	2	3	15	15	39	66	107	131	165	221	259	262	239	110	25	10	1
	White-----M--	587	-	-	-	-	-	1	-	-	1	1	-	1	4	13	28	39	55	96	96	108	87	48	5	4	-
	F--	550	-	-	-	-	-	-	-	-	-	-	-	1	8	7	17	28	43	53	95	115	117	53	10	3	-
	Nonwhite--M--	243	-	-	-	-	-	-	-	-	1	1	8	4	14	21	20	32	38	28	27	19	22	5	2	-	1
	F--	291	-	-	-	-	-	-	-	-	-	1	7	9	13	25	42	32	29	44	41	20	13	4	8	3	-
444-447	Hypertension without mention of heart----------	283	-	-	-	-	-	-	-	-	-	2	3	7	16	16	16	20	26	28	34	46	39	19	9	2	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	1	1	3	3	4	4	4	10	12	11	18	17	10	3	1	-
	F--	92	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	6	5	11	23	18	8	5	1	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	1	3	5	5	5	2	6	6	8	3	2	1	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	-	1	6	4	4	8	4	5	4	2	2	-	1	-	-
450	General arteriosclerosis--------	451	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	13	32	46	103	105	80	46	16	-
	White-----M--	211	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	7	10	14	58	53	39	21	6	-
	F--	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	19	31	40	37	23	6	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	8	4	5	4	1	4	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	5	10	7	-	1	-	-
451-468	Other diseases of circulatory sys.-	215	1	-	-	-	-	1	-	-	2	-	2	6	7	21	17	19	23	27	32	27	15	13	2	-	-
	White-----M--	117	-	-	-	-	-	-	-	-	1	-	1	3	4	11	10	9	11	16	22	19	3	6	1	-	-
	F--	57	-	-	-	-	-	1	-	-	1	-	1	3	1	1	4	5	4	6	7	7	10	5	1	-	-
	Nonwhite--M--	24	1	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	5	3	2	1	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	3	2	1	-	1	2	-	-	-
592-594	Chronic nephritis, etc.*----------	351	1	-	1	-	1	1	4	5	8	9	4	10	17	25	21	25	25	37	45	38	42	22	8	2	-
	White-----M--	142	1	-	-	-	1	-	2	3	6	4	1	7	5	10	6	7	6	12	19	19	21	8	3	1	-
	F--	91	-	-	1	-	-	-	1	-	1	2	2	-	4	6	4	5	7	11	12	15	14	5	1	-	-
	Nonwhite--M--	66	-	-	-	-	-	1	1	-	1	3	-	1	6	4	6	7	6	7	8	2	4	5	3	1	-
	F--	52	-	-	-	-	-	-	-	2	-	-	1	2	2	5	5	6	6	7	6	2	3	4	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,029	172	27	12	7	7	8	5	5	6	9	7	15	19	21	27	40	45	73	108	115	132	114	39	16	-
	White-----M--	387	66	8	4	2	2	3	1	2	-	4	2	2	9	7	9	10	12	28	45	55	52	45	13	6	-
	F--	381	46	7	7	4	1	3	1	1	2	2	2	4	3	4	5	7	11	30	36	45	68	62	21	9	-
	Nonwhite--M--	158	37	7	1	1	2	2	1	1	1	3	2	6	4	6	8	10	14	8	17	12	6	6	3	-	-
	F--	103	23	5	-	-	2	-	2	1	3	-	1	3	3	4	5	13	8	7	10	3	6	1	2	1	-
480-483	Influenza---------	137	12	2	1	-	-	2	1	1	1	-	1	1	2	-	5	6	5	12	21	18	23	18	2	3	-
	White-----M--	43	3	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	4	8	6	10	7	-	-	-
	F--	47	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	4	7	12	9	1	3	-
	Nonwhite--M--	24	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	2	1	6	3	1	2	-	-	-
	F--	23	3	-	-	-	-	-	1	-	-	-	-	-	1	-	4	3	2	3	3	2	-	-	1	-	-
490-493	Pneumonia, etc.*--	892	160	25	11	7	7	6	4	4	5	9	6	14	17	21	22	34	40	61	87	97	109	96	37	13	-
	White-----M--	344	63	7	4	2	2	2	1	2	-	4	1	2	8	7	8	10	12	24	37	49	42	38	13	6	-
	F--	334	43	6	6	4	1	3	1	1	1	2	2	4	3	4	5	7	10	26	32	38	56	53	20	6	-
	Nonwhite--M--	134	34	7	1	1	2	1	1	-	1	3	2	5	4	6	8	7	12	7	11	9	5	4	3	-	-
	F--	80	20	5	-	-	2	-	1	1	3	-	1	3	2	4	1	10	6	4	7	1	6	1	1	1	-
500-502	Bronchitis--------	69	16	3	3	-	-	-	1	-	-	-	-	2	1	1	1	3	8	3	7	10	3	5	2	-	-
	White-----M--	35	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	2	6	3	2	6	1	3	1	-	-
	F--	22	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	4	3	2	2	1	-	-
	Nonwhite--M--	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	132	1	-	-	-	-	-	-	-	2	2	5	5	6	6	12	9	15	14	22	16	13	3	1	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	1	2	2	5	5	5	5	7	12	7	13	7	10	2	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	7	2	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	1	2	3	1	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	4	1	1	-	-	-	-
550-553	Appendicitis------	36	-	1	-	1	1	-	1	1	1	1	-	1	2	3	5	5	2	3	4	1	1	2	-	-	-
	White-----M--	17	-	-	-	-	1	-	-	1	1	-	-	-	1	1	2	4	1	2	2	1	-	-	-	-	-
	F--	11	-	1	-	1	-	-	1	-	-	-	-	1	-	1	-	1	-	-	2	-	1	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	137	19	1	-	-	-	1	2	-	2	2	-	4	5	5	7	7	13	18	11	17	12	8	2	1	-
	White-----M--	55	10	-	-	-	-	1	-	-	-	-	-	1	1	2	2	1	5	10	4	11	5	1	-	1	-
	F--	46	6	-	-	-	-	-	1	-	1	1	-	1	2	2	1	3	3	6	2	2	6	7	2	-	-
	Nonwhite--M--	22	2	-	-	-	-	-	1	-	-	-	-	-	1	1	4	3	2	1	4	2	1	-	-	-	-
	F--	14	1	1	-	-	-	-	-	-	1	1	-	2	1	-	-	-	3	1	1	2	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE--Con.																										
543,	Gastritis, etc.*--	153	83	6	1	3	1	4	-	1	1	-	1	2	3	2	3	2	7	8	4	8	6	5	2	-	-
571,	White-----M--	47	21	2	-	-	-	1	-	-	-	-	-	2	1	-	2	1	3	3	3	5	-	2	1	-	-
572	F--	48	22	2	1	2	1	1	-	-	1	-	1	-	1	-	-	-	1	4	-	3	4	3	1	-	-
	Nonwhite--M--	27	21	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	F--	31	19	2	-	1	-	1	-	-	-	-	-	-	1	1	1	1	2	-	1	-	1	-	-	-	-
581	Cirrhosis of liver	181	2	-	-	-	-	1	-	1	1	1	4	13	17	19	31	21	17	22	13	10	4	3	1	-	-
	White-----M--	113	2	-	-	-	-	-	-	1	1	1	2	9	12	10	22	10	9	15	7	7	4	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	5	6	4	5	2	-	1	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	2	2	2	1	-	-	1	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	4	-	1	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	75	-	1	1	-	2	1	2	3	3	-	5	2	3	6	5	7	7	8	5	5	5	4	-	-	-
	White-----M--	37	-	-	1	-	2	-	1	1	-	-	3	-	1	5	2	2	4	5	2	2	2	4	-	-	-
	F--	20	-	-	-	-	-	1	1	-	3	-	-	2	-	1	3	4	1	2	1	-	1	-	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	128	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	9	15	35	32	18	1	3	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	14	27	28	15	1	1	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	5	1	8	4	3	-	2	-
640-	Complications of																										
689	pregnancy, etc.*-	51	...	...	...	...	...	...	-	5	12	7	8	11	7	1	-	-	-	-	-	-	-	-	-	-	-
	White------F--	31	...	...	...	...	...	...	-	3	8	5	4	6	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	20	...	...	...	...	...	...	-	2	4	2	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	...	...	...	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White------F--	2	...	...	...	...	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	45	...	...	...	...	...	...	-	4	8	7	8	10	7	1	-	-	-	-	-	-	-	-	-	-	-
660-	White------F--	29	...	...	...	...	...	...	-	3	6	5	4	6	5	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	16	...	...	...	...	...	...	-	1	2	2	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	431	339	13	7	6	4	9	6	2	3	3	5	3	4	7	4	3	5	3	3	1	-	1	-	-	-
	White-----M--	221	171	8	1	4	2	5	4	2	2	-	3	2	-	5	3	1	3	3	2	-	-	-	-	-	-
	F--	143	120	2	1	2	-	2	2	-	-	2	1	1	4	-	1	1	1	-	1	1	-	1	-	-	-
	Nonwhite--M--	32	26	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	35	22	1	4	-	2	1	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,321	1,319	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	541	541	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	421	419	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	500	499	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	171	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	725	724	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	225	224	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,763	268	20	6	6	3	10	3	7	8	17	34	35	77	87	121	136	142	160	178	150	135	96	43	21	-
795	White-----M--	639	78	6	2	2	1	3	1	1	2	3	13	14	31	33	38	41	58	58	78	62	57	41	9	7	-
	F--	344	46	2	1	-	1	-	-	2	2	2	3	4	8	12	12	21	21	31	34	42	36	37	22	5	-
	Nonwhite--M--	431	74	8	3	1	1	4	1	4	2	5	12	12	17	24	43	35	38	36	38	20	29	12	6	6	-
	F--	349	70	4	-	3	-	3	1	-	2	7	6	5	21	18	28	39	25	35	28	26	13	6	6	3	-
Re-	All other diseases	1,288	86	15	10	6	5	22	13	9	24	23	26	45	56	65	87	94	109	136	143	122	108	50	26	8	-
sid-	White-----M--	548	34	9	8	2	2	10	9	1	10	10	6	16	28	29	35	42	49	58	59	53	50	21	7	-	-
ual	F--	467	29	3	-	3	2	7	3	4	5	10	8	14	16	21	24	25	34	44	61	53	49	27	18	7	-
	Nonwhite--M--	158	15	3	1	1	1	3	1	2	4	1	7	10	4	6	12	18	17	21	17	8	4	1	-	1	-
	F--	115	8	-	1	-	-	2	-	2	5	2	5	5	8	9	16	9	9	13	6	8	5	1	1	-	-
E800-	Accidents----------	1,903	80	29	26	23	14	89	61	131	175	128	131	110	99	103	109	78	75	96	83	78	92	53	31	9	-
E962	White-----M--	1,116	32	14	13	7	7	42	44	100	126	88	91	81	68	58	70	44	36	51	41	40	32	21	9	1	-
	F--	450	20	4	6	10	4	30	10	18	27	15	19	15	13	18	19	16	24	21	24	31	53	27	21	5	-
	Nonwhite--M--	218	18	8	2	1	2	13	3	10	20	21	13	10	13	20	11	10	10	16	9	2	3	2	-	1	-
	F--	119	10	3	5	5	1	4	4	3	2	4	8	4	5	7	9	8	5	8	9	5	4	3	1	2	-
E810-	Motor-vehicle																										
E835	accidents---------	913	12	4	10	10	6	46	34	88	130	92	81	63	55	48	51	39	39	31	36	20	11	5	2	-	-
	White-----M--	595	6	3	5	2	3	20	25	66	95	60	55	51	38	24	30	22	18	19	27	13	8	3	2	-	-
	F--	190	5	-	3	6	2	20	7	16	20	15	15	8	6	11	14	10	12	6	5	7	2	-	-	-	-
	Nonwhite--M--	92	1	1	-	-	1	4	1	5	13	16	7	4	8	10	4	3	5	6	2	-	-	1	-	-	-
	F--	36	-	-	2	2	-	2	1	1	2	1	4	-	3	3	3	4	4	-	2	-	1	1	-	-	-
E800-	All ot. accidents-	990	68	25	16	13	8	43	27	43	45	36	50	47	44	55	58	39	36	65	47	58	81	48	29	9	-
E802,	White-----M--	521	26	11	8	5	4	22	19	34	31	28	36	30	30	34	40	22	18	32	14	27	24	18	7	1	-
E840-	F--	260	15	4	3	4	2	10	3	2	7	-	4	7	7	7	5	6	12	15	19	24	51	27	21	5	-
E962	Nonwhite--M--	126	17	7	2	1	1	9	2	5	7	5	6	6	5	10	7	7	5	10	7	2	3	1	-	1	-
	F--	83	10	3	3	3	1	2	3	2	-	3	4	4	2	4	6	4	1	8	7	5	3	2	1	2	-
E963,	Suicide----------	266	-	-	-	-	-	-	-	6	6	18	18	30	21	28	28	33	20	20	17	15	4	2	-	-	-
E970-	White-----M--	207	-	-	-	-	-	-	-	4	3	12	13	23	17	21	20	27	17	17	14	13	4	2	-	-	-
E979	F--	47	-	-	-	-	-	-	-	2	3	4	5	5	4	4	7	3	3	3	3	1	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	267	-	3	-	-	-	2	1	6	27	38	38	34	36	25	19	14	16	-	4	4	-	-	-	-	-
E980-	White-----M--	93	-	-	-	-	-	1	-	3	8	9	9	16	11	9	8	6	7	-	2	4	-	-	-	-	-
E985	F--	27	-	2	-	-	-	-	1	-	1	4	5	3	4	-	3	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	117	-	-	-	-	-	-	-	2	13	17	22	12	17	14	7	7	5	-	1	-	-	-	-	-	-
	F--	30	-	1	-	-	-	1	-	1	5	8	2	3	4	2	1	-	2	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS																										
	ALL CAUSES------	65,417	7,278	563	292	213	144	485	397	654	926	1,033	1,108	1,389	2,010	2,842	3,789	4,718	5,559	6,759	7,168	7,085	5,876	3,448	1,171	461	49
	White-----M--	32,815	3,320	248	127	100	57	247	215	387	530	513	550	674	983	1,487	1,967	2,600	3,096	3,600	3,728	3,522	2,713	1,504	463	169	15
	F--	21,980	2,513	197	115	75	48	161	105	158	204	265	285	379	547	696	916	1,119	1,446	2,045	2,504	2,875	2,701	1,751	624	237	14
	Nonwhite--M--	5,940	799	72	30	22	21	45	53	69	117	152	154	170	269	352	477	566	565	640	543	381	248	111	41	30	13
	F--	4,682	646	46	20	16	18	32	24	40	75	103	119	166	211	307	429	433	452	474	393	307	214	82	43	25	7
001-019	Tuberculosis, all forms--------	832	17	17	9	4	2	12	3	8	19	41	41	43	70	70	90	79	61	88	64	40	37	15	-	1	1
	White-----M--	452	9	10	5	1	2	7	1	1	5	15	15	20	34	38	52	57	34	57	38	21	23	6	-	1	-
	F--	236	7	6	3	2	-	4	1	5	7	16	16	14	22	18	17	14	14	16	16	16	13	8	-	-	1
	Nonwhite--M--	97	1	1	1	1	-	-	-	-	2	6	6	7	8	10	16	5	10	12	7	2	1	1	-	-	-
	F--	47	-	-	-	-	-	1	1	2	5	4	4	2	6	4	5	3	3	3	3	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	747	9	5	3	-	-	3	1	7	16	39	40	40	67	63	85	75	55	85	60	38	37	15	-	1	1
	White-----M--	410	4	3	1	-	-	2	1	1	5	13	15	20	34	33	50	54	33	56	35	20	23	6	-	1	-
	F--	211	5	2	2	-	-	-	-	5	6	16	15	11	21	18	16	13	13	16	15	15	13	8	-	-	1
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	2	6	6	7	7	8	14	5	7	10	7	2	1	1	-	-	-
	F--	43	-	-	-	-	-	1	-	1	5	4	4	2	5	4	5	3	2	3	3	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	85	8	12	6	4	2	9	2	1	1	2	1	3	3	7	5	4	6	3	4	2	-	-	-	-	-
	White-----M--	42	5	7	4	1	2	5	-	-	-	2	-	-	-	5	2	3	1	1	3	1	-	-	-	-	-
	F--	25	2	4	1	2	-	4	1	-	1	-	1	3	1	-	1	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	14	1	1	1	1	-	-	-	-	-	-	-	-	1	2	2	-	3	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	218	2	-	-	-	-	1	-	-	1	-	3	6	7	16	26	37	32	34	27	14	9	2	1	-	-
	White-----M--	92	1	-	-	-	-	-	-	-	-	-	2	1	2	3	14	17	12	14	13	7	4	1	1	-	-
	F--	27	1	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	4	1	5	3	4	1	-	-	-
	Nonwhite--M--	73	-	-	-	-	-	1	-	-	1	-	-	3	5	9	5	13	11	16	5	3	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	5	5	3	4	1	-	-	-	-	-
040	Typhoid fever------	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	149	109	4	3	3	2	2	-	-	-	2	-	1	1	-	2	4	2	2	3	2	1	5	1	-	-
	White-----M--	68	52	1	3	2	-	-	-	-	-	2	-	1	1	-	-	3	-	-	1	1	-	-	1	-	-
	F--	62	46	3	-	1	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	5	-	-	-
	Nonwhite--M--	13	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-
	F--	6	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	11	4	1	1	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	5	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	13	2	-	1	1	2	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	59	43	9	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	21	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	9	2	2	4	-	3	1	-	-	-	-	2	1	1	-	1	-	-	-	-	-	1	-	-	-
	White-----M--	12	3	2	-	-	-	2	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	8	4	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	78	11	5	9	5	2	9	6	8	7	7	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	5	2	4	4	2	6	3	1	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	5	3	4	1	-	1	3	7	4	3	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	35	12	10	4	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	8	4	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	3	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	316	80	20	12	6	1	21	5	9	11	12	9	9	11	17	9	12	11	15	16	9	15	3	-	3	-
	White-----M--	114	29	10	5	2	1	9	-	3	1	5	3	2	2	8	2	9	5	3	6	2	6	-	-	1	-
	F--	116	24	6	5	3	-	5	3	2	6	3	5	5	2	6	5	1	3	10	4	6	7	3	-	2	-
	Nonwhite--M--	49	12	3	-	1	-	2	1	4	4	1	1	1	3	2	-	2	3	1	5	1	2	-	-	-	-
	F--	37	15	1	2	-	-	5	1	-	-	3	-	1	4	1	2	-	-	1	1	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*	9,539	12	21	20	22	22	56	33	34	64	79	147	239	400	653	837	1,066	1,258	1,299	1,209	1,028	632	316	68	20	4
	White-----M--	4,522	3	8	13	12	9	29	16	20	30	37	53	74	126	256	360	501	633	669	635	525	324	151	27	11	-
	F--	3,855	8	11	6	9	9	23	14	10	24	35	72	120	197	279	325	406	455	466	476	447	274	145	35	7	2
	Nonwhite--M--	619	-	2	-	1	2	3	3	2	6	2	9	19	28	51	73	81	106	96	63	31	23	11	3	2	2
	F--	543	1	-	1	-	2	1	-	2	4	5	13	26	49	67	79	78	64	68	35	25	11	9	3	-	-
140-148	Of buccal cavity and pharynx	211	-	-	-	-	1	-	-	-	-	-	1	2	7	13	14	36	36	35	27	14	13	7	4	1	-
	White-----M--	150	-	-	-	-	1	-	-	-	-	-	-	1	4	12	9	27	27	24	16	11	8	6	3	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	8	7	8	9	3	5	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	2,888	2	2	-	-	-	3	2	2	9	8	21	42	76	143	202	301	414	428	418	410	258	111	31	5	-
	White-----M--	1,451	2	1	-	-	-	1	1	-	5	4	11	12	31	63	105	159	202	230	219	214	128	49	12	2	-
	F--	1,086	-	-	-	-	-	1	-	1	2	4	6	24	32	43	55	95	145	146	164	180	116	54	16	2	-
	Nonwhite--M--	244	-	1	-	-	-	1	1	-	1	-	2	4	7	24	26	33	50	36	29	10	11	6	1	1	-
	F--	107	-	-	-	-	-	-	-	1	1	-	2	2	6	13	16	14	17	16	6	6	3	2	2	-	-
160-164	Of respiratory system (not secondary)	1,265	1	-	-	-	1	-	-	-	5	7	3	20	49	106	151	185	198	206	159	112	39	18	3	2	-
	White-----M--	945	-	-	-	-	1	-	-	-	2	2	3	14	33	79	111	144	162	157	117	75	28	14	1	2	-
	F--	187	1	-	-	-	-	-	-	-	2	4	-	2	6	10	15	15	23	29	32	34	8	4	2	-	-
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	1	1	-	4	9	14	19	17	11	13	4	1	2	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	9	2	7	6	2	1	-	-	-	-
170	Of breast	766	-	-	-	-	1	-	-	-	2	4	16	35	59	87	96	110	87	81	70	65	32	16	4	-	1
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	1	-	2	2	1	-	1	-	-
	F--	668	-	-	-	-	-	-	-	-	1	3	13	30	49	77	85	92	79	75	60	56	29	15	3	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	83	-	-	-	-	1	-	-	-	1	1	2	5	10	10	10	14	6	5	8	7	2	1	-	-	-
171-179	Of genital organs	1,573	-	-	-	-	-	-	-	3	6	16	35	45	95	109	138	156	163	190	213	170	141	80	11	2	-
	White-----M--	508	-	-	-	-	-	-	-	3	3	6	5	1	6	1	12	23	38	69	105	92	89	47	6	2	-
	F--	797	-	-	-	-	-	-	-	-	3	8	25	31	66	78	96	104	90	85	85	58	39	25	4	-	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	5	13	17	14	13	9	3	1	-	-
	F--	182	-	-	-	-	-	-	-	-	-	2	4	13	21	27	25	24	22	19	9	7	4	5	-	-	-
180, 181	Of urinary organs	435	1	5	4	2	4	5	1	-	1	2	4	2	9	14	36	37	71	61	56	52	38	21	6	3	-
	White-----M--	236	-	2	2	-	1	2	-	-	-	1	2	2	5	9	19	24	42	36	33	27	19	8	-	2	-
	F--	152	1	2	2	2	1	2	1	-	1	1	1	-	-	4	11	8	18	18	19	22	19	12	6	1	-
	Nonwhite--M--	36	-	1	-	-	2	1	-	-	-	-	-	-	3	1	3	4	9	6	3	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	1	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,467	1	7	6	5	6	17	11	9	19	21	35	55	64	123	141	151	180	186	157	134	77	48	8	5	1
	White-----M--	707	-	4	6	2	1	9	6	5	11	12	12	30	26	58	67	70	95	88	85	63	35	17	4	1	-
	F--	576	1	3	-	3	4	7	3	3	6	6	17	20	29	46	46	53	61	67	59	66	40	30	2	3	1
	Nonwhite--M--	96	-	-	-	-	-	-	2	-	1	1	3	2	3	7	13	18	14	16	10	3	1	-	1	1	-
	F--	88	-	-	-	-	1	1	-	1	1	2	3	3	6	12	15	10	10	15	3	2	1	1	1	-	-
204	Leukemia and aleukemia	533	4	7	10	13	9	26	12	15	10	16	17	23	22	31	24	45	56	54	60	42	24	11	-	1	1
	White-----M--	292	1	1	5	9	5	13	7	8	4	10	11	9	11	17	15	21	35	33	34	24	11	7	-	1	-
	F--	202	2	6	4	4	4	12	5	6	5	6	4	7	8	12	6	19	16	18	26	16	13	3	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	1	-	1	-	-	1	4	2	1	2	1	3	2	-	2	-	1	-	-	1
	F--	17	1	-	1	-	-	-	-	-	1	-	1	3	1	1	1	4	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	401	3	-	-	2	-	5	7	5	12	5	15	15	19	27	35	45	53	58	49	29	10	4	1	1	1
	White-----M--	220	-	-	-	1	-	4	2	4	5	2	8	5	10	17	21	29	31	32	24	17	5	3	-	-	-
	F--	137	3	-	-	-	-	1	5	-	4	3	5	5	5	8	8	12	16	20	22	12	5	1	1	1	-
	Nonwhite--M--	29	-	-	-	1	-	-	-	1	3	-	2	5	1	1	4	2	3	3	2	-	-	-	-	-	1
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	3	3	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	288	6	3	-	3	4	12	11	5	8	4	13	24	28	20	33	18	22	18	19	16	13	4	3	-	1
	White-----M--	104	3	1	-	1	-	9	4	1	2	2	4	4	6	7	10	4	13	9	7	8	7	1	1	-	-
	F--	126	2	2	-	2	2	3	4	3	5	1	4	9	15	11	13	12	5	6	10	7	5	3	2	-	-
	Nonwhite--M--	15	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	1	3	1	2	1	1	-	-	-	1
	F--	43	1	-	-	-	1	-	2	1	1	1	5	11	7	1	8	1	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus	882	3	3	-	-	-	3	3	3	11	12	13	17	15	41	52	89	111	130	128	110	85	41	7	5	-
	White-----M--	325	1	2	-	-	-	2	-	1	5	6	5	7	8	18	15	30	33	44	53	44	29	19	1	2	-
	F--	415	-	1	-	-	-	1	1	-	5	4	5	3	5	10	22	40	55	66	59	58	50	22	6	2	-
	Nonwhite--M--	49	1	-	-	-	-	-	1	1	1	1	-	1	1	2	5	10	7	7	7	2	2	-	-	-	-
	F--	93	1	-	-	-	-	-	1	1	-	1	3	6	1	11	10	9	16	13	9	6	4	-	-	1	-
290-293	Anemias	157	12	4	1	4	1	7	5	4	2	4	5	3	4	1	3	8	8	8	17	15	27	10	3	1	-
	White-----M--	59	6	2	-	3	-	4	1	-	-	-	1	-	-	-	-	5	1	2	4	11	13	4	2	-	-
	F--	66	3	1	-	-	-	1	1	1	1	1	3	1	4	1	3	1	4	4	11	4	14	6	-	1	-
	Nonwhite--M--	19	3	-	-	1	-	2	1	2	-	2	-	1	-	-	-	1	3	1	2	-	-	-	-	-	-
	F--	13	-	1	1	-	1	-	2	1	1	1	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-
340	Nonmeningococcal meningitis*	111	46	19	9	5	-	2	1	3	1	-	2	3	4	1	2	4	3	3	1	1	-	-	-	-	1
	White-----M--	46	19	6	5	2	-	2	1	2	-	-	1	1	1	1	-	-	2	1	1	-	-	-	-	-	1
	F--	36	13	7	3	3	-	-	-	-	1	-	1	2	1	-	-	2	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	17	9	3	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	12	5	3	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	30,641	51	19	9	10	8	27	33	37	84	117	181	351	702	1,241	1,822	2,434	3,007	3,984	4,522	4,704	3,909	2,307	785	276	21
	White-----M--	15,569	17	2	3	5	3	13	15	14	33	45	83	179	361	691	981	1,418	1,754	2,144	2,358	2,285	1,762	965	306	108	4
	F--	10,283	18	9	4	4	3	9	7	11	30	36	42	69	123	208	321	453	653	1,166	1,552	1,942	1,846	1,214	420	136	7
	Nonwhite--M--	2,478	9	6	2	-	1	2	6	6	7	13	19	39	108	170	262	307	293	362	345	245	155	71	29	16	5
	F--	2,311	7	2	-	1	1	3	5	6	14	23	37	64	90	172	258	256	307	312	267	232	146	57	30	16	5
330-334, 400-468	Diseases of cardiovascular system	29,855	49	15	9	8	7	24	25	31	68	107	158	326	675	1,194	1,765	2,368	2,945	3,911	4,436	4,611	3,823	2,249	763	267	21
	White-----M--	15,255	15	2	3	4	3	11	10	10	26	38	74	167	372	674	961	1,389	1,732	2,117	2,321	2,246	1,729	944	297	106	4
	F--	10,032	18	6	4	3	3	8	5	9	26	34	36	61	118	198	309	437	632	1,133	1,525	1,911	1,817	1,190	408	134	7
	Nonwhite--M--	2,368	9	5	2	-	-	2	5	6	4	13	16	38	101	162	253	295	287	352	330	234	141	66	29	13	5
	F--	2,200	7	2	-	1	1	3	5	6	12	22	32	60	84	160	242	247	294	309	260	220	136	49	29	14	5
330-334	Vascular lesions, etc.*	7,114	15	4	4	3	3	13	9	9	9	24	43	64	102	206	343	447	613	916	1,079	1,188	1,070	647	223	73	7
	White-----M--	2,925	5	1	2	2	2	6	5	1	4	9	12	20	38	67	84	146	256	406	490	529	464	268	83	24	1
	F--	2,773	6	2	2	1	1	4	1	2	5	8	12	15	23	56	105	120	170	316	401	507	520	341	117	36	2
	Nonwhite--M--	638	2	1	-	-	-	1	2	3	-	3	5	8	16	37	67	82	78	85	96	68	44	17	13	8	2
	F--	778	2	-	-	-	-	2	1	3	-	4	14	21	25	46	87	99	109	109	92	84	42	21	10	5	2

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																										
400-402	Rheumatic fever	44	-	-	-	-	1	6	6	1	4	4	2	3	4	-	2	4	4	1	-	2	-	-	-	-	-
	White-----M	17	-	-	-	-	-	2	2	1	-	1	-	-	2	-	2	2	3	1	-	1	-	-	-	-	-
	F	20	-	-	-	-	1	3	2	-	4	2	1	3	2	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	20,675	29	11	4	5	3	5	8	19	45	68	101	234	529	909	1,335	1,809	2,200	2,822	3,114	3,079	2,401	1,358	436	139	12
	White-----M	11,408	10	1	1	2	1	3	2	8	19	25	58	142	325	573	841	1,185	1,399	1,628	1,713	1,555	1,099	586	170	59	3
	F	6,480	10	4	1	2	1	1	2	5	13	18	18	36	86	128	184	295	437	772	1,040	1,258	1,146	711	237	70	5
	Nonwhite--M	1,536	4	4	2	-	-	1	2	3	3	9	11	24	70	111	167	197	192	245	203	148	81	37	14	5	3
	F	1,251	5	2	-	1	1	-	2	3	10	16	14	32	48	97	143	132	172	177	158	118	75	24	15	5	1
410-416	Chronic rheumatic heart disease	448	1	-	-	-	1	-	1	11	12	16	17	29	38	41	38	43	45	54	43	25	19	7	6	1	-
	White-----M	225	-	-	-	-	-	-	-	5	6	4	10	17	20	21	21	25	25	25	21	13	9	2	1	-	-
	F	172	1	-	-	-	-	-	1	3	5	9	4	10	10	16	11	14	16	26	19	8	9	4	5	1	-
	Nonwhite--M	23	-	-	-	-	-	-	-	1	-	1	1	1	2	3	2	1	1	2	2	4	1	1	-	-	-
	F	28	-	-	-	-	1	-	-	2	1	2	2	1	6	1	4	3	3	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	14,238	2	1	-	2	-	1	1	2	12	25	62	144	377	671	1,013	1,368	1,671	2,016	2,164	2,082	1,500	803	237	74	10
	White-----M	8,642	1	-	-	1	-	1	-	1	4	14	42	100	266	481	714	979	1,155	1,256	1,273	1,128	728	359	99	37	3
	F	4,124	1	1	-	1	-	-	-	-	1	3	9	16	52	76	119	205	312	555	702	806	692	413	124	32	4
	Nonwhite--M	848	-	-	-	-	-	-	-	1	2	3	4	11	41	63	100	118	113	122	109	85	47	17	7	3	2
	F	624	-	-	-	-	-	-	1	-	5	5	7	17	18	51	80	66	91	83	80	63	33	14	7	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,803	8	3	1	-	-	1	-	-	8	3	2	10	18	32	45	76	109	160	258	320	375	237	99	38	-
	White-----M	816	1	1	1	-	-	1	-	-	5	2	2	2	9	13	14	31	57	78	133	147	163	107	38	11	-
	F	746	3	-	-	-	-	-	-	-	3	-	-	2	3	10	9	18	17	39	98	147	192	123	57	25	-
	Nonwhite--M	138	2	-	-	-	-	-	-	-	-	-	-	3	4	6	15	17	19	25	13	14	12	5	2	1	-
	F	103	2	2	-	-	-	-	-	-	-	1	-	3	2	3	7	10	16	18	14	12	8	2	2	1	-
430-434	Other diseases of heart	1,740	18	6	3	3	2	3	6	6	12	18	12	31	49	72	113	153	173	236	239	235	192	103	35	19	1
	White-----M	871	8	-	-	1	1	1	2	2	4	5	3	17	18	39	57	75	89	126	137	126	87	51	13	9	-
	F	462	5	2	1	1	1	1	1	2	4	4	4	4	11	9	17	26	32	46	60	79	83	43	18	8	-
	Nonwhite--M	235	2	4	2	-	-	1	2	1	1	4	3	3	10	16	20	28	32	42	30	16	7	8	2	-	1
	F	172	3	-	-	1	-	-	1	1	3	5	2	7	10	8	19	24	20	22	12	14	15	1	2	2	-
440-443	Hypertension with heart dis.	2,446	-	1	-	-	-	-	-	-	1	6	8	20	47	93	126	169	202	356	410	417	315	208	59	7	1
	White-----M	854	-	-	-	-	-	-	-	-	-	-	1	6	12	19	35	75	73	143	149	141	112	67	19	2	-
	F	976	-	1	-	-	-	-	-	-	-	2	1	4	10	17	28	32	60	106	161	218	170	128	33	4	1
	Nonwhite--M	292	-	-	-	-	-	-	-	-	-	1	3	6	13	23	30	33	27	54	49	29	14	6	3	1	-
	F	324	-	-	-	-	-	-	-	-	1	3	3	4	12	34	33	29	42	53	51	29	19	7	4	-	-
444-447	Hypertension without mention of heart	489	-	-	-	-	-	-	-	-	3	1	4	17	24	31	32	32	29	58	55	75	69	40	16	3	-
	White-----M	172	-	-	-	-	-	-	-	-	2	-	1	4	2	14	7	10	10	18	22	31	28	16	6	1	-
	F	160	-	-	-	-	-	-	-	-	1	-	1	3	1	-	6	8	8	22	19	32	26	23	9	1	-
	Nonwhite--M	79	-	-	-	-	-	-	-	-	-	1	-	5	11	9	9	6	6	6	11	7	6	1	1	-	-
	F	78	-	-	-	-	-	-	-	-	-	-	2	5	10	8	10	8	5	12	3	5	9	-	-	1	-
450	General arteriosclerosis	1,002	-	-	-	-	-	-	-	-	-	-	-	-	4	8	10	22	29	49	129	201	234	185	80	49	2
	White-----M	453	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	12	19	26	63	93	110	68	35	20	-
	F	440	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	9	47	90	109	105	41	26	-
	Nonwhite--M	58	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	1	8	15	8	6	8	1	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	2	6	4	10	9	4	3	3	2
451-468	Other diseases of circulatory sys.	531	5	-	1	-	-	-	2	2	7	10	8	8	12	40	43	54	70	65	59	66	49	19	8	3	-
	White-----M	280	-	-	-	-	-	-	1	-	1	3	3	1	4	19	22	34	45	38	33	37	28	6	3	2	-
	F	159	2	-	1	-	-	-	-	2	3	6	4	4	6	13	13	9	10	14	18	23	16	10	4	1	-
	Nonwhite--M	55	3	-	-	-	-	-	1	-	1	-	-	1	2	3	6	6	9	8	5	3	4	3	-	-	-
	F	37	-	-	-	-	-	-	-	-	2	1	1	2	-	5	2	5	6	5	3	3	1	-	1	-	-
592-594	Chronic nephritis, etc.*	786	2	4	-	2	1	3	8	6	16	10	23	25	27	47	57	66	62	73	86	93	86	58	22	9	-
	White-----M	314	2	-	-	1	-	2	5	4	7	7	9	12	9	17	20	29	22	27	37	39	33	21	9	2	-
	F	251	-	3	-	1	-	1	2	2	4	2	6	8	5	10	12	16	21	33	27	31	29	24	12	2	-
	Nonwhite--M	110	-	1	-	-	1	-	1	-	3	-	3	1	7	8	9	12	6	10	15	11	14	5	-	3	-
	F	111	-	-	-	-	-	-	-	-	2	1	5	4	6	12	16	9	13	3	7	12	10	8	1	2	-
480-493	Influenza and pneumonia, etc.*	2,156	555	109	41	17	12	29	18	18	15	14	18	22	41	42	50	77	103	138	183	168	238	137	73	37	1
	White-----M	905	196	37	19	10	3	7	6	7	4	2	6	7	19	21	16	36	50	56	80	85	120	75	31	12	-
	F	756	196	35	12	3	4	15	6	7	3	9	3	5	10	13	16	14	28	42	62	59	94	57	39	24	-
	Nonwhite--M	292	92	23	10	2	3	3	3	2	6	1	5	6	9	5	9	14	19	21	24	15	14	4	1	1	-
	F	203	71	14	-	2	2	4	3	2	2	2	4	4	3	3	9	13	6	19	17	9	10	1	2	-	1
480-483	Influenza	189	35	10	5	2	-	2	-	2	1	3	3	3	3	4	5	4	7	24	15	20	26	6	7	2	-
	White-----M	76	9	4	2	-	-	-	-	1	-	-	1	1	3	2	1	1	3	6	5	8	19	5	4	1	-
	F	54	7	3	2	1	-	1	-	-	-	2	-	1	-	1	2	1	1	11	6	9	4	-	2	-	-
	Nonwhite--M	35	13	3	1	-	-	-	-	-	1	-	1	-	-	-	1	2	2	3	2	1	3	1	-	1	-
	F	24	6	-	-	1	-	1	-	1	-	1	1	1	-	1	1	-	1	4	2	2	-	-	1	-	-
490-493	Pneumonia, etc.*	1,967	520	99	36	15	12	27	18	16	14	11	15	19	38	38	45	73	96	114	168	148	212	131	66	35	1
	White-----M	829	187	33	17	10	3	7	6	6	4	2	5	6	16	19	15	35	47	50	75	77	101	70	27	11	-
	F	702	189	32	10	2	4	14	6	7	3	7	3	4	10	12	14	13	27	31	56	50	90	57	37	24	-
	Nonwhite--M	257	79	20	9	2	3	3	3	2	5	1	4	6	9	5	8	12	17	18	22	14	11	3	1	-	-
	F	179	65	14	-	1	2	3	3	1	2	1	3	3	3	2	8	13	5	15	15	7	10	1	1	-	1
500-502	Bronchitis	131	30	12	5	2	-	2	1	-	1	1	-	1	-	1	2	4	14	9	15	9	16	2	2	2	-
	White-----M	71	14	5	1	-	-	2	1	-	-	-	-	1	-	1	2	2	11	5	12	3	7	2	1	1	-
	F	45	10	5	3	2	-	-	-	-	-	1	-	-	-	-	-	1	2	3	3	4	9	-	1	1	-
	Nonwhite--M	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	282	6	-	-	-	-	-	-	2	-	1	6	8	14	15	17	33	31	46	44	34	17	7	1	-	-
	White-----M	204	2	-	-	-	-	-	-	1	-	-	4	6	7	8	11	24	22	37	35	25	15	6	1	-	-
	F	49	1	-	-	-	-	-	-	1	-	1	-	1	3	5	4	1	7	7	8	8	1	1	-	-	-
	Nonwhite--M	24	1	-	-	-	-	-	-	-	-	-	2	1	4	2	1	7	1	2	1	1	1	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	91	1	1	-	-	-	6	4	3	-	4	2	6	5	7	4	10	9	10	10	4	2	3	-	-	-
	White-----M	44	1	1	-	-	-	5	-	2	-	1	1	4	2	3	1	4	5	5	4	2	2	1	-	-	-
	F	28	-	-	-	-	-	1	4	-	-	2	-	1	1	1	1	3	3	5	4	2	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	1	-	-	2	-	-	-
560, 561, 570	Hernia, intestinal obstruction	378	49	3	2	-	-	2	-	-	1	4	2	5	8	12	28	22	37	35	44	44	45	22	7	6	-
	White-----M	130	22	1	-	-	-	2	-	-	-	-	-	1	1	2	7	6	9	18	17	18	17	6	1	2	-
	F	173	17	1	2	-	-	-	-	-	1	3	2	3	3	4	11	9	19	13	19	19	24	13	6	4	-
	Nonwhite--M	48	7	1	-	-	-	-	-	-	-	1	-	-	3	1	6	6	7	3	2	7	2	2	-	-	-
	F	27	3	-	-	-	-	-	-	-	-	-	-	1	1	5	4	1	2	1	6	-	2	1	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																										
543, 571, 572	Gastritis, etc.*	843	589	79	9	4	3	5	3	-	3	2	4	2	4	11	9	13	15	16	18	21	13	14	5	1	-
	White-----M--	384	266	48	3	2	2	1	2	-	1	2	4	1	3	5	4	3	7	8	6	5	6	4	1	-	-
	F--	321	223	22	5	2	1	3	1	-	2	-	-	1	-	2	2	4	3	5	9	15	7	9	4	1	-
	Nonwhite--M--	73	47	9	1	-	-	1	-	-	-	-	-	-	1	3	1	5	2	1	1	1	-	-	-	-	-
	F--	65	53	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	-	-	1	-	-	-
581	Cirrhosis of liver	581	3	1	1	1	-	1	1	-	2	2	6	33	54	63	65	64	71	68	57	52	24	11	-	1	-
	White-----M--	348	1	-	-	-	-	1	-	-	-	1	1	15	34	36	40	43	44	48	30	34	16	3	-	1	-
	F--	180	-	1	-	1	-	-	1	-	-	-	4	11	18	16	21	13	21	17	25	17	6	8	-	-	-
	Nonwhite--M--	34	2	-	1	-	-	-	-	-	1	1	-	5	2	5	4	5	4	2	1	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	1	2	-	6	-	3	2	1	1	-	2	-	-	-	-
590, 591	Acute nephritis, etc.*	152	5	2	4	2	3	5	4	6	5	4	7	1	8	12	9	19	6	14	10	10	12	3	-	1	-
	White-----M--	65	3	-	2	1	-	3	2	2	3	-	1	-	4	5	4	7	4	7	3	6	7	-	-	1	-
	F--	44	2	1	1	1	2	2	-	4	2	2	1	-	2	3	1	5	1	6	-	3	2	3	-	-	-
	Nonwhite--M--	22	-	1	-	-	1	-	1	-	-	-	2	1	2	2	1	3	-	-	4	1	3	-	-	-	-
	F--	21	-	-	1	-	-	-	1	-	-	2	3	-	-	2	3	4	1	1	3	-	-	-	-	-	-
610	Hyperplasia of prostate	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	15	36	43	55	52	37	13	3	1
	White-----M--	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	23	34	44	45	33	11	1	1
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	13	9	11	7	4	2	2	-
640-689	Complications of pregnancy, etc.*	132	...	...	...	...	...	...	-	10	24	34	28	20	14	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	83	...	...	...	...	...	...	-	3	12	20	19	16	11	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	49	...	...	...	...	...	...	-	7	12	14	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	23	...	...	...	...	...	...	-	1	5	8	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	-	4	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	1	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	109	...	...	...	...	...	...	-	9	19	26	24	17	12	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	69	...	...	...	...	...	...	-	3	8	16	16	14	10	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	40	...	...	...	...	...	...	-	6	11	10	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,088	841	40	23	19	11	29	18	13	9	6	6	11	17	4	11	7	9	4	1	5	-	3	-	-	1
	White-----M--	512	396	18	12	12	4	13	8	7	3	3	3	4	9	2	4	3	4	3	-	3	-	1	-	-	-
	F--	439	333	18	10	6	4	12	9	5	5	3	2	6	7	-	5	3	5	1	-	2	-	2	-	-	1
	Nonwhite--M--	74	61	1	-	1	2	3	1	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	63	51	3	1	-	1	1	-	1	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy	4,056	4,055	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,945	1,944	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,350	1,350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	426	426	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,610	1,609	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	848	847	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	517	517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	2,083	2,083	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	923	923	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	716	716	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,935	210	14	11	15	5	9	5	10	10	20	16	16	46	68	97	107	134	202	178	202	204	185	90	73	8
	White-----M--	873	89	8	4	8	1	2	4	2	1	4	8	6	27	35	56	55	65	98	85	95	86	80	35	17	2
	F--	562	57	4	6	5	3	3	-	5	4	7	2	6	6	10	7	12	25	46	47	61	77	81	45	41	2
	Nonwhite--M--	284	34	1	-	2	-	2	1	2	1	5	3	1	5	11	21	24	29	37	29	30	17	13	4	9	3
	F--	216	30	1	1	-	1	2	-	1	4	4	3	3	8	12	13	16	15	21	17	16	24	11	6	6	1
Residual	All other diseases	3,168	232	46	27	15	12	44	39	37	47	72	70	87	111	111	202	234	306	338	327	300	283	150	55	19	4
	White-----M--	1,572	110	16	11	5	7	21	16	18	20	25	28	31	49	56	116	119	175	186	180	157	124	70	21	9	2
	F--	1,107	76	21	12	6	2	18	19	9	12	29	18	31	33	30	49	60	81	108	119	115	139	77	32	10	1
	Nonwhite--M--	271	28	4	1	2	3	2	-	3	6	10	14	6	14	15	22	35	29	24	15	20	13	3	1	-	1
	F--	218	18	5	3	2	-	3	4	7	9	8	10	19	15	10	15	20	21	20	13	8	7	-	1	-	-
E800-E962	Accidents	5,378	279	116	85	67	50	186	189	394	481	428	352	328	302	304	273	269	210	195	196	211	225	165	55	12	6
	White-----M--	3,273	102	59	31	28	21	104	130	272	370	295	247	215	187	205	173	183	142	111	99	115	85	71	21	2	5
	F--	1,317	89	33	37	19	15	54	25	77	66	70	55	46	61	61	66	39	43	49	71	81	127	92	33	8	-
	Nonwhite--M--	562	49	13	11	9	6	20	31	39	38	48	35	52	41	32	28	30	21	29	14	7	5	2	1	-	1
	F--	226	39	11	6	11	8	8	3	6	7	15	15	15	13	6	6	17	4	6	12	8	8	-	-	2	-
E810-E835	Motor-vehicle accidents	2,599	45	39	37	21	17	85	71	269	310	268	216	191	175	169	157	144	109	90	78	60	37	9	-	-	2
	White-----M--	1,692	24	17	13	9	7	52	50	182	233	180	152	122	107	110	90	99	76	51	51	38	18	9	-	-	2
	F--	593	14	13	20	8	6	24	15	62	48	50	38	34	43	42	46	27	23	28	20	17	15	-	-	-	-
	Nonwhite--M--	243	3	4	3	4	2	6	6	20	26	27	20	27	18	13	18	14	8	11	5	4	4	-	-	-	-
	F--	71	4	5	1	-	2	3	-	5	3	11	6	8	7	4	3	4	2	-	2	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	2,779	234	77	48	46	33	101	118	125	171	160	136	137	127	135	116	125	101	105	118	151	188	156	55	12	4
	White-----M--	1,581	78	42	18	19	14	52	80	90	137	115	95	93	80	95	83	84	66	60	48	77	67	62	21	2	3
	F--	724	75	20	17	11	9	30	10	15	18	20	17	12	18	19	20	12	20	21	51	64	112	92	33	8	-
	Nonwhite--M--	319	46	9	8	5	4	14	25	19	12	21	15	25	23	19	10	16	13	18	9	3	1	2	1	-	1
	F--	155	35	6	5	11	6	5	3	1	4	4	9	7	6	2	3	13	2	6	10	7	8	-	-	2	-
E963, E970-E979	Suicide	765	-	-	-	-	-	-	4	20	36	41	67	64	71	78	105	79	67	51	31	28	16	5	2	-	-
	White-----M--	572	-	-	-	-	-	-	-	13	21	25	39	49	53	62	85	60	52	44	25	24	15	4	1	-	-
	F--	152	-	-	-	-	-	-	4	5	9	14	21	15	15	11	15	17	12	6	2	3	1	1	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	2	5	2	6	-	2	4	3	2	3	1	3	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide	657	3	2	-	-	-	5	7	29	83	121	106	83	67	53	36	24	16	16	2	3	1	-	-	-	-
	White-----M--	260	1	1	-	-	-	2	3	19	28	39	38	41	25	23	12	9	8	8	1	2	-	-	-	-	-
	F--	59	2	-	-	-	-	2	1	3	5	5	8	11	6	4	7	3	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	275	-	-	-	-	-	-	3	5	39	59	50	26	28	23	14	11	7	8	1	-	1	-	-	-	-
	F--	63	-	1	-	-	-	1	-	2	11	18	10	5	8	3	3	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH																										
	ALL CAUSES------	5,311	509	46	29	21	9	37	32	63	88	62	62	116	157	187	252	331	455	528	658	647	505	323	147	44	3
	White-----M--	2,999	266	21	14	12	6	19	21	40	50	38	39	75	102	123	170	220	282	337	377	331	229	147	64	14	2
	F--	2,191	223	21	13	9	2	17	11	23	36	24	19	37	51	60	74	106	166	177	272	302	265	174	81	28	-
	Nonwhite--M--	78	9	1	-	-	1	1	-	-	1	-	3	1	2	3	4	5	4	10	6	11	9	2	2	2	1
	F--	43	11	3	2	-	-	-	-	-	1	-	1	3	2	1	4	-	3	4	3	3	2	-	-	-	-
001-019	Tuberculosis, all forms--------	30	-	1	-	-	-	-	-	-	-	-	-	1	3	1	7	4	4	4	2	1	1	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	4	4	4	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	26	-	1	-	-	-	-	-	-	-	-	-	1	2	1	6	3	4	3	2	1	1	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	3	4	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	12	4	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	1	-	1	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	9	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*----	698	1	4	5	3	1	8	5	1	6	8	4	17	23	43	52	67	90	110	102	74	50	20	4	-	-
	White-----M--	365	1	-	1	2	1	4	2	-	3	4	3	5	8	26	27	39	42	59	56	46	26	9	1	-	-
	F--	321	-	4	4	1	-	4	3	1	2	4	1	12	15	16	24	27	47	48	46	26	22	11	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	3	2	2	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	227	-	-	1	-	-	-	-	-	1	-	-	2	3	13	14	23	32	39	44	26	19	8	2	-	-
	White-----M--	128	-	-	1	-	-	-	-	-	-	-	-	2	1	10	9	15	19	21	25	11	10	4	-	-	-
	F--	94	-	-	-	-	-	-	-	-	1	-	-	-	2	3	5	7	12	18	19	13	8	4	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	76	-	-	-	-	-	-	-	-	-	1	1	-	1	11	7	10	14	16	6	7	1	-	1	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	1	-	1	10	5	8	10	14	4	6	-	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	-	2	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	59	-	-	-	-	-	-	-	-	-	-	-	2	4	7	5	6	10	9	7	4	3	2	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	2	3	6	5	6	10	9	7	3	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	104	-	-	-	-	-	-	-	-	-	-	1	5	7	3	8	8	10	14	17	14	14	3	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	11	10	9	2	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	-	1	5	7	3	5	6	7	9	6	4	4	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	34	-	3	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	9	7	3	2	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	6	4	3	1	-	-	-	-
	F--	13	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	3	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	88	1	-	3	1	-	-	2	-	1	3	-	4	4	4	6	11	13	7	7	10	7	4	-	-	-
	White-----M--	46	1	-	-	1	-	-	-	-	-	3	-	2	2	2	2	8	5	4	2	9	3	2	-	-	-
	F--	41	-	-	3	-	-	-	2	-	-	-	-	2	2	2	4	3	8	3	5	1	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	51	-	-	1	2	1	5	3	1	1	4	1	1	1	1	4	5	3	6	3	4	2	1	1	-	-
	White-----M--	24	-	-	-	1	1	1	2	-	1	1	1	-	1	-	2	2	1	4	2	3	1	-	-	-	-
	F--	27	-	-	1	1	-	4	1	1	-	3	-	1	-	1	2	3	2	2	1	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	44	-	1	-	-	-	3	-	-	3	-	1	1	2	2	3	1	3	7	9	4	2	2	-	-	-
	White-----M--	28	-	-	-	-	-	3	-	-	2	-	1	-	2	1	2	1	1	4	6	2	2	1	-	-	-
	F--	15	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	3	3	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	21	1	-	-	1	-	1	-	1	-	1	-	1	2	1	2	1	1	1	4	2	1	-	-	-	-
	White-----M--	9	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	1	2	1	-	-	-	-	-
	F--	12	1	-	-	-	-	1	-	-	-	1	-	-	2	-	1	1	1	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	101	-	-	-	-	-	1	-	1	1	-	1	1	7	5	3	8	13	14	17	17	7	3	2	-	-
	White-----M--	42	-	-	-	-	-	1	-	-	-	-	1	1	5	4	2	4	5	5	5	4	3	1	1	-	-
	F--	59	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	4	8	9	12	13	4	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	9	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	3	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,565	2	-	1	-	-	1	2	9	13	8	15	33	57	73	115	165	243	282	410	447	340	226	94	27	2
	White-----M--	1,432	2	-	1	-	-	1	1	5	3	3	9	23	43	45	79	110	159	186	232	226	150	102	40	11	1
	F--	1,090	-	-	-	-	-	-	1	4	10	5	6	10	13	26	33	52	78	89	174	213	184	122	54	16	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	7	5	2	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	1	1	1	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,510	2	-	1	-	-	-	1	6	11	8	14	30	55	71	112	160	239	277	405	440	333	223	93	27	2
	White-----M--	1,403	2	-	1	-	-	-	-	4	2	3	9	21	41	43	78	108	157	183	230	223	147	99	40	11	1
	F--	1,065	-	-	-	-	-	-	1	2	9	5	5	9	13	26	32	49	76	87	171	209	180	122	53	16	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	7	5	2	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	1	1	1	-	-	-	-
330-334	Vascular lesions, etc.*----------	505	1	-	-	-	-	-	1	-	2	-	1	5	7	10	15	25	38	52	72	106	76	55	32	7	-
	White-----M--	238	1	-	-	-	-	-	-	-	1	-	-	2	3	1	7	11	24	26	38	55	27	23	15	4	-
	F--	261	-	-	-	-	-	-	1	-	1	-	1	3	4	9	7	14	14	24	34	50	47	32	17	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																										
400-402	Rheumatic fever---	14	-	-	-	-	-	-	-	2	-	2	-	3	3	-	1	-	1	1	-	-	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	2	-	-	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,823	1	-	1	-	-	-	-	4	6	6	13	21	39	55	90	132	194	209	306	307	229	150	44	14	2
	White-----M--	1,067	1	-	1	-	-	-	-	2	1	3	9	16	32	37	67	95	128	146	175	154	106	73	16	4	1
	F--	723	-	-	-	-	-	-	-	2	5	3	4	5	6	16	22	34	60	59	128	146	119	76	28	10	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	2	6	3	1	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	1	1	-	-	-	-
410-416	Chronic rheumatic heart disease----	108	-	-	-	-	-	-	-	1	3	3	8	6	9	9	15	16	13	8	10	4	3	-	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	1	4	3	6	3	6	7	7	6	4	2	-	-	-	-	-
	F--	59	-	-	-	-	-	-	-	1	3	2	4	3	3	6	9	9	6	2	6	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,163	-	-	-	-	-	-	-	-	-	2	3	12	23	37	63	85	136	146	203	200	136	83	26	6	2
	White-----M--	756	-	-	-	-	-	-	-	-	-	2	3	10	22	31	55	69	94	103	122	109	74	49	11	1	1
	F--	386	-	-	-	-	-	-	-	-	-	-	-	2	-	5	7	14	38	40	78	89	59	34	15	5	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	1	2	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	241	1	-	-	-	-	-	-	-	1	1	-	2	4	3	2	4	18	23	32	51	48	35	11	5	-
	White-----M--	112	1	-	-	-	-	-	-	-	1	-	-	2	3	1	2	3	9	13	15	24	19	15	2	2	-
	F--	123	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	9	9	17	24	28	19	9	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	81	-	-	1	-	-	-	-	3	2	-	-	-	-	3	1	6	8	10	17	12	6	9	2	1	-
	White-----M--	56	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	4	8	9	17	5	2	4	1	1	-
	F--	24	-	-	-	-	-	-	-	1	2	-	-	-	-	2	-	2	-	1	-	6	4	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	230	-	-	-	-	-	-	-	-	-	-	2	1	3	3	9	21	19	22	44	40	36	23	5	2	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	12	10	15	17	14	11	5	2	-	-
	F--	131	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	8	7	7	27	25	25	18	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	4	3	3	4	3	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	2	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	88	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	5	12	17	18	14	13	6	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	9	10	11	3	7	3	-
	F--	40	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	7	7	10	6	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	55	-	-	-	-	-	-	-	-	2	-	-	1	6	5	5	2	4	5	11	7	6	-	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	2	3	4	6	3	2	-	1	-	-
	F--	21	-	-	-	-	-	-	-	-	2	-	-	1	2	-	3	-	1	-	4	4	4	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	55	-	-	-	-	-	1	1	3	2	-	1	3	2	2	3	5	4	5	5	7	7	3	1	-	-
	White-----M--	29	-	-	-	-	-	1	1	1	1	-	-	2	2	2	1	2	2	3	2	3	3	3	-	-	-
	F--	25	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	3	2	2	3	4	4	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	127	27	5	-	1	-	-	-	1	1	-	1	2	3	1	3	5	7	12	9	14	12	11	12	-	-
	White-----M--	73	15	1	-	1	-	-	-	-	-	-	-	-	1	1	2	5	7	9	6	7	6	7	5	-	-
	F--	48	10	4	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	3	3	5	6	4	6	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	7	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	120	27	4	-	1	-	-	-	1	1	-	-	2	3	1	2	5	7	11	7	14	12	10	12	-	-
	White-----M--	70	15	1	-	1	-	-	-	-	-	-	-	-	1	1	2	5	7	8	4	7	6	7	5	-	-
	F--	44	10	3	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	3	3	5	6	3	6	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	13	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	F--	7	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	38	1	-	-	-	-	-	-	-	1	-	-	2	-	3	1	8	2	5	9	3	3	-	-	-	-
	White-----M--	29	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	8	2	4	7	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	2	1	2	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	39	9	-	1	2	-	-	-	-	-	1	-	-	1	1	2	-	4	3	3	7	2	3	-	-	-
	White-----M--	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	5	1	2	-	-	-
	F--	22	7	-	-	2	-	-	-	-	-	1	-	-	1	1	1	-	2	3	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																										
543,	Gastritis, etc.*	22	6	2	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	1	3	1	1	1	-	-
571,	White-----M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-
572	F	10	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	2	1	-	1	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	52	-	1	-	-	-	-	-	-	-	-	3	6	4	9	6	5	9	5	3	-	-	-	1	-	-
	White-----M	30	-	-	-	-	-	-	-	-	-	-	1	4	3	5	3	4	5	3	1	-	-	-	1	-	-
	F	20	-	1	-	-	-	-	-	-	-	-	2	1	1	4	2	1	4	2	2	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	5	5	-	-	-
	White-----M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	5	5	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	6	...	...	...	...	...	...	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	6	...	...	...	...	...	...	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	6	...	...	...	...	...	...	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	6	...	...	...	...	...	...	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	112	81	7	4	-	2	1	-	2	3	2	2	1	3	1	2	-	1	-	-	-	-	-	-	-	-
	White-----M	61	43	4	2	-	1	1	-	1	2	1	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	F	48	35	3	2	-	1	-	-	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	257	14	2	3	-	-	-	-	-	2	1	1	6	5	11	8	13	16	25	31	23	38	27	19	12	-
795	White-----M	141	6	1	-	-	-	-	-	-	-	1	-	5	2	10	6	11	13	21	21	8	18	9	7	2	-
	F	101	5	-	1	-	-	-	-	-	1	-	1	-	3	1	1	2	3	3	10	14	18	18	11	9	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-
	F	10	3	1	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
Re-	All other diseases	271	17	1	5	2	1	3	1	4	3	6	6	6	4	9	11	27	33	40	34	27	14	11	4	2	-
sid-	White-----M	152	11	-	2	2	1	1	1	3	1	2	2	4	3	5	7	15	19	24	21	13	5	7	3	-	-
ual	F	113	6	1	3	-	-	2	-	1	2	4	2	2	1	4	4	11	14	14	13	14	9	4	1	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents	460	17	18	9	10	5	19	21	38	48	22	20	28	28	20	26	14	24	14	17	18	22	11	8	3	-
E962	White-----M	315	6	13	7	6	3	10	15	27	34	19	17	22	21	15	23	10	19	10	9	11	9	3	5	1	-
	F	135	11	5	2	4	1	9	6	11	14	3	1	5	6	4	3	4	5	4	6	6	12	8	3	2	-
	Nonwhite--M	6	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	192	5	4	3	3	3	10	9	27	29	12	7	12	9	10	7	4	11	6	9	5	4	2	1	-	-
	White-----M	138	2	1	2	1	2	5	7	18	23	10	5	10	6	9	6	2	10	5	6	4	1	2	1	-	-
	F	51	3	3	1	2	1	5	2	9	6	2	-	1	3	1	1	2	1	1	3	1	3	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	268	12	14	6	7	2	9	12	11	19	10	13	16	19	10	19	10	13	8	8	13	18	9	7	3	-
E802,	White-----M	177	4	12	5	5	1	5	8	9	11	9	12	12	15	6	17	8	9	5	3	7	8	1	4	1	-
E840-	F	84	8	2	1	2	-	4	4	2	8	1	1	4	3	3	2	2	4	3	3	5	9	8	3	2	-
E962	Nonwhite--M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide	70	-	-	-	-	-	-	1	4	4	7	4	5	12	5	9	5	-	6	4	1	2	-	-	-	1
E970-	White-----M	58	-	-	-	-	-	-	1	3	4	6	4	5	8	5	7	3	-	5	4	1	1	-	-	-	1
E979	F	11	-	-	-	-	-	-	-	1	-	1	-	-	4	-	2	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	22	-	-	-	-	-	-	1	1	4	3	1	2	5	1	2	1	-	-	-	-	-	1	-	-	-
E980-	White-----M	12	-	-	-	-	-	-	-	-	2	1	-	2	4	1	1	1	-	-	-	-	-	-	-	-	-
E985	F	8	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT																										
	ALL CAUSES------	4,241	244	13	12	4	8	23	17	35	38	33	22	33	77	101	173	237	345	457	537	653	567	410	144	33	25
	White-----M--	2,391	151	7	5	-	2	14	13	30	27	27	12	20	46	62	119	159	226	278	311	342	265	187	65	11	12
	F--	1,845	92	6	7	4	6	9	4	5	11	6	10	13	31	39	54	78	119	177	225	310	302	223	79	22	13
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	43	-	-	1	-	-	-	-	-	-	-	-	-	1	-	6	10	4	7	9	2	2	1	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	4	7	7	2	2	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	2	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	40	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	9	4	7	9	2	2	1	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	4	7	7	2	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	7	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	1	1	-	-	-
	White-----M--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*	668	1	1	1	1	2	4	1	1	6	5	5	11	19	26	46	55	73	95	100	108	61	34	9	1	2
	White----M	354	-	1	-	-	-	2	1	1	3	3	1	4	8	13	28	33	42	51	59	55	32	12	5	-	-
	F	314	1	-	1	1	2	2	-	-	3	2	4	7	11	13	18	22	31	44	41	53	29	22	4	1	2
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	4	1	1	2	-	-	-
	White----M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	231	-	-	-	-	-	-	-	-	-	-	1	2	5	3	14	16	28	35	38	41	29	13	5	-	1
	White----M	128	-	-	-	-	-	-	-	-	-	-	-	2	3	3	9	11	19	17	20	21	17	3	3	-	-
	F	103	-	-	-	-	-	-	-	-	-	-	1	-	2	-	5	5	9	18	18	20	12	10	2	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	83	-	-	-	-	-	-	-	-	-	-	-	-	3	4	12	10	10	18	13	7	2	3	1	-	-
	White----M	74	-	-	-	-	-	-	-	-	-	-	-	-	2	4	11	10	7	17	12	7	2	2	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	-	-	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	52	-	-	-	-	-	-	-	-	-	-	1	1	4	6	5	6	2	7	4	8	5	3	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	1	1	4	6	5	6	2	6	4	8	5	3	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	123	-	-	-	-	-	1	-	-	-	-	1	4	2	5	3	10	12	12	18	35	10	9	-	-	1
	White----M	51	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	4	2	10	19	6	5	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	1	4	2	3	3	8	8	10	8	16	4	4	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	37	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	4	7	3	5	1	1	1	-
	White----M	25	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	3	6	1	3	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	2	1	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	71	-	-	-	-	-	3	1	-	4	3	1	2	4	5	4	3	9	9	8	7	6	-	2	-	-
	White----M	39	-	-	-	-	-	1	1	-	2	2	-	1	3	3	3	3	4	7	5	3	-	-	1	-	-
	F	32	-	-	-	-	-	2	-	-	2	1	1	1	1	2	1	-	5	2	3	4	6	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	20	1	-	-	1	2	-	-	1	-	-	1	1	-	-	1	1	-	2	1	4	2	2	-	-	-
	White----M	11	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	2	2	2	-	-	-
	F	9	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	34	-	-	1	-	-	-	-	-	2	2	-	1	1	2	3	2	4	5	7	2	1	1	-	-	-
	White----M	15	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	2	2	3	1	1	-	-	-	-
	F	19	-	-	1	-	-	-	-	-	1	1	-	-	1	2	1	1	2	3	4	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	6	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	56	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	10	6	9	11	3	4	1	-	-
	White----M	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	3	-	2	5	1	2	1	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	6	7	6	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	6	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	1	-	2	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White----M	5	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,418	-	-	1	-	-	-	1	3	2	5	3	10	23	45	79	112	179	259	356	453	425	310	115	24	13
	White----M	1,293	-	-	1	-	-	-	-	3	1	4	2	5	15	30	57	73	118	157	204	232	191	137	51	6	6
	F	1,123	-	-	-	-	-	-	1	-	1	1	1	5	8	15	22	39	61	100	152	221	234	173	64	18	7
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,385	-	-	1	-	-	-	1	3	2	5	2	10	22	44	79	110	177	254	350	448	419	306	115	24	13
	White----M	1,273	-	-	1	-	-	-	-	3	1	4	1	5	15	29	57	72	117	154	200	229	187	135	51	6	6
	F	1,110	-	-	-	-	-	-	1	-	1	1	1	5	7	15	22	38	60	98	150	219	232	171	64	18	7
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*	529	-	-	-	-	-	-	-	-	1	1	-	2	4	7	20	19	30	53	84	114	112	66	12	2	2
	White----M	230	-	-	-	-	-	-	-	-	1	-	-	2	2	2	13	8	15	21	40	54	43	26	3	-	-
	F	299	-	-	-	-	-	-	-	-	-	1	-	-	2	5	7	11	15	32	44	60	69	40	9	2	2
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																										
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,641	-	-	1	-	-	-	1	2	1	3	2	7	17	34	56	89	143	184	247	298	259	187	81	18	11
	White-----M--	940	-	-	1	-	-	-	-	2	-	3	1	3	13	26	42	63	99	123	152	155	121	90	35	5	6
	F--	699	-	-	-	-	-	-	1	-	1	-	1	4	4	8	14	26	44	59	95	143	138	97	46	13	5
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	41	-	-	-	-	-	-	-	2	1	1	-	3	3	5	6	4	4	4	1	3	2	1	1	-	-
	White-----M--	24	-	-	-	-	-	-	-	2	-	1	-	-	2	4	2	4	3	2	-	-	2	1	1	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	3	1	1	4	-	1	2	1	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,207	-	-	-	-	-	-	1	-	-	1	1	4	10	21	44	65	110	147	196	218	191	121	54	15	8
	White-----M--	712	-	-	-	-	-	-	-	-	-	1	1	3	8	18	36	47	78	97	124	119	89	59	23	4	5
	F--	493	-	-	-	-	-	-	1	-	-	-	-	1	2	3	8	18	32	48	72	99	102	62	31	11	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	207	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	9	11	17	25	40	38	40	20	3	2
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	10	13	14	23	19	20	7	1	-
	F--	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	4	11	17	19	20	13	2	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	38	-	-	1	-	-	-	-	-	-	1	-	-	-	2	2	1	5	5	4	6	5	3	3	-	-
	White-----M--	25	-	-	1	-	-	-	-	-	-	1	-	-	-	2	1	-	3	4	4	3	2	3	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	3	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	148	-	-	-	-	-	-	-	-	-	-	1	-	3	6	3	10	13	11	21	31	23	22	3	-	1
	White-----M--	65	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	7	5	7	10	10	9	7	3	-	1
	F--	83	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	3	8	4	11	21	14	15	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	44	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	5	3	6	12	9	3	1	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	4	3	2	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	2	5	8	6	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	143	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	7	12	27	33	40	17	3	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	5	18	17	15	9	1	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	9	16	25	8	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	27	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	5	4	3	3	4	2	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	2	1	2	1	2	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	2	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	33	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	5	6	5	6	4	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	3	4	3	4	2	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	106	10	2	-	-	1	-	-	1	-	-	-	-	3	3	5	5	9	5	11	12	14	14	7	3	1
	White-----M--	59	6	-	-	-	-	-	-	-	-	-	-	-	2	1	5	4	4	4	7	7	5	7	3	3	1
	F--	46	3	2	-	-	1	-	-	1	-	-	-	-	1	2	-	1	5	1	4	5	9	7	4	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	98	10	2	-	-	1	-	-	1	-	-	-	-	3	3	5	5	9	5	8	10	13	13	6	3	1
	White-----M--	58	6	-	-	-	-	-	-	-	-	-	-	-	2	1	5	4	4	4	6	7	5	7	3	3	1
	F--	39	3	2	-	-	1	-	-	1	-	-	-	-	1	2	-	1	5	1	2	3	8	6	3	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	1	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	-	1	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	32	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	3	7	4	4	4	2	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	7	3	1	2	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	3	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	4	10	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	4	1	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	6	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT-Con.																										
543,	Gastritis, etc.*--	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	1	-	1	1	-	1	-
571,	White-----M--	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	1	-	-	-
572	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	27	-	-	-	-	-	-	-	1	1	1	-	-	1	2	2	4	3	1	2	3	2	2	-	-	2
	White-----M--	16	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	3	1	1	2	2	2	-	-	-
	F--	11	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	5	2	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	55	38	1	1	-	1	4	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	3
	White-----M--	34	25	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2
	F--	21	13	-	1	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	61	1	1	-	-	-	-	-	-	-	-	-	1	2	1	1	5	13	11	5	10	5	3	1	1	-
795	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	12	7	2	6	1	1	1	-	-
	F--	21	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	3	3	4	2	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	203	11	2	2	2	-	1	-	4	2	1	1	-	10	6	14	18	26	24	20	20	19	16	3	-	1
sid-	White-----M--	127	6	-	2	-	-	1	-	4	-	-	-	-	7	3	9	13	21	15	10	11	12	11	2	-	-
ual	F--	75	5	2	-	2	-	-	-	-	2	1	1	-	3	3	5	5	5	9	9	9	7	5	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents---------	223	3	3	3	-	2	10	12	22	23	14	9	7	8	9	7	6	10	15	7	17	12	14	5	2	3
E962	White-----M--	161	2	2	2	-	2	5	10	20	20	13	8	7	8	6	6	5	5	10	6	9	6	5	-	1	3
	F--	62	1	1	1	-	-	5	2	2	3	1	1	-	-	3	1	1	5	5	1	8	6	9	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	82	-	1	2	-	2	4	4	15	17	7	5	5	2	3	2	1	4	5	1	1	-	-	-	-	1
	White-----M--	68	-	1	2	-	2	1	4	13	14	7	4	5	2	2	2	1	2	3	1	1	-	-	-	-	1
	F--	14	-	-	-	-	-	3	-	2	3	-	1	-	-	1	-	-	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	141	3	2	1	-	-	6	8	7	6	7	4	2	6	6	5	5	6	10	6	16	12	14	5	2	2
E802,	White-----M--	93	2	1	-	-	-	4	6	7	6	6	4	2	6	4	4	4	3	7	5	8	6	5	-	1	2
E840-	F--	48	1	1	1	-	-	2	2	-	-	1	-	-	-	2	1	1	3	3	1	8	6	9	5	1	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	50	-	-	-	-	-	-	-	1	1	5	1	1	3	6	3	7	8	8	3	3	-	-	-	-	-
E970-	White-----M--	44	-	-	-	-	-	-	-	1	1	4	1	1	2	5	3	5	8	7	3	3	-	-	-	-	-
E979	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA																										
	ALL CAUSES------	30,215	2,786	161	75	72	59	174	146	262	332	420	558	829	1,089	1,403	1,772	2,228	2,638	3,204	3,450	3,427	2,685	1,595	567	206	77
	White-----M--	12,393	1,006	57	26	24	17	73	60	120	140	196	203	320	444	604	759	981	1,150	1,352	1,446	1,458	1,085	619	190	50	13
	F--	9,264	739	42	18	16	21	49	30	54	47	70	114	165	235	312	395	443	634	893	1,183	1,378	1,232	773	293	107	21
	Nonwhite--M--	4,786	590	39	19	18	10	28	32	57	98	88	134	199	224	273	334	449	492	571	439	329	193	95	32	19	24
	F--	3,772	451	23	12	14	11	24	24	31	47	66	107	145	186	214	284	355	362	388	382	262	175	108	52	30	19
001-019	Tuberculosis, all forms--------	371	2	1	-	1	-	1	-	2	10	5	19	27	24	38	45	34	32	40	36	29	13	8	2	1	1
	White-----M--	123	-	-	-	-	-	1	-	-	-	2	1	7	5	13	16	10	11	17	17	11	7	4	1	-	-
	F--	69	2	-	-	-	-	-	-	-	2	1	6	4	7	5	5	3	3	8	10	8	3	2	-	-	-
	Nonwhite--M--	116	-	1	-	1	-	-	-	-	1	2	5	9	6	15	19	14	15	9	5	7	2	2	1	1	1
	F--	63	-	-	-	-	-	-	-	2	7	-	7	7	6	5	5	7	3	6	4	3	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	344	2	-	-	-	-	-	-	2	10	5	17	25	20	33	44	32	31	37	34	28	13	7	2	1	1
	White-----M--	114	-	-	-	-	-	-	-	-	-	2	1	7	4	11	15	9	10	15	17	11	7	4	1	-	-
	F--	64	2	-	-	-	-	-	-	-	2	1	6	4	6	5	5	2	3	8	9	7	3	1	-	-	-
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	1	2	5	8	6	12	19	14	15	8	4	7	2	2	1	1	1
	F--	57	-	-	-	-	-	-	-	2	7	-	5	6	4	5	5	7	3	5	4	3	1	-	-	-	-
010-019	Tuberculosis, other forms------	27	-	1	-	1	-	1	-	-	-	-	2	2	4	5	1	2	1	3	2	1	-	1	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	1	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	7	-	1	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	118	2	-	-	-	-	-	-	-	-	1	1	5	10	11	17	16	14	19	8	6	3	4	-	-	1
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	3	4	3	3	2	1	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	1	1	-	-	-
	Nonwhite--M--	65	1	-	-	-	-	-	-	-	-	-	1	3	6	4	11	11	7	12	5	2	-	2	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	1	-	1	2	3	2	1	3	-	-	1	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	7	2	1	2	1	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	19	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	29	8	3	3	2	2	1	1	4	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	13	2	2	2	1	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	6	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
080	Acute poliomyelitis----------	10	-	-	-	1	-	1	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	89	15	1	-	1	-	5	3	4	1	4	8	4	4	6	5	4	9	3	2	3	2	4	1	-	-
	White-----M--	29	3	-	-	1	-	4	-	1	-	-	2	2	2	3	1	1	4	1	2	1	1	-	-	-	-
	F--	31	5	1	-	-	-	-	1	1	-	2	3	1	-	1	2	2	4	-	-	2	1	4	1	-	-
	Nonwhite--M--	14	2	-	-	-	-	1	-	1	1	1	2	1	-	2	1	-	1	1	-	-	-	-	-	-	-
	F--	15	5	-	-	-	-	-	2	1	-	1	1	-	2	-	1	1	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*----	4,030	5	8	12	9	4	24	19	22	23	36	51	130	190	285	377	437	513	544	509	428	227	134	30	9	4
	White-----M--	1,576	4	5	4	5	2	15	11	7	9	15	17	32	57	87	149	162	216	222	218	175	100	53	10	1	-
	F--	1,588	1	3	7	3	1	8	2	10	8	12	17	58	90	117	138	147	183	202	185	196	102	71	19	5	3
	Nonwhite--M--	487	-	-	1	-	-	-	2	2	2	3	3	8	20	37	58	71	71	77	68	40	16	6	1	1	-
	F--	379	-	-	-	1	1	1	4	3	4	6	14	32	23	44	32	57	43	43	38	17	9	4	-	2	1
140-148	Of buccal cavity and pharynx------	102	-	-	-	-	-	-	-	-	1	-	-	3	8	10	11	12	10	13	12	6	9	5	2	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	5	4	9	4	6	10	9	6	6	5	2	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	1	2	2	-	2	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	3	3	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,310	1	-	-	1	-	-	-	1	3	4	8	17	40	65	107	132	181	189	208	177	98	59	13	5	1
	White-----M--	505	1	-	-	-	-	-	-	1	1	-	3	4	14	26	48	46	69	70	87	67	40	22	5	1	-
	F--	490	-	-	-	1	-	-	-	-	1	1	1	4	14	18	29	43	64	64	72	86	48	33	8	2	1
	Nonwhite--M--	203	-	-	-	-	-	-	-	-	-	1	1	3	10	14	22	30	31	35	32	14	7	3	-	-	-
	F--	112	-	-	-	-	-	-	-	-	1	2	3	6	2	7	8	13	17	20	17	10	3	1	-	2	-
160-164	Of respiratory system (not secondary)--------	514	-	-	-	-	-	1	1	3	-	1	3	8	20	44	70	74	84	100	50	36	12	7	-	-	-
	White-----M--	353	-	-	-	-	-	-	-	1	-	1	2	3	14	29	49	54	66	67	39	21	6	1	-	-	-
	F--	73	-	-	-	-	-	1	-	1	-	-	-	2	4	4	6	5	3	19	4	13	5	6	-	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	1	-	-	-	2	2	11	14	14	13	13	6	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	2	1	1	-	-	-	-	-	-
170	Of breast---------	356	-	-	-	-	-	-	-	-	1	3	4	20	34	47	39	38	45	43	33	22	13	9	2	-	3
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	296	-	-	-	-	-	-	-	-	1	1	2	15	27	39	30	30	41	36	30	21	11	8	2	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	2	2	5	6	8	9	8	4	5	3	1	2	1	-	-	1
171-179	Of genital organs-	658	-	-	-	-	-	-	-	2	2	7	15	36	36	53	57	72	73	75	83	75	46	21	3	2	-
	White-----M--	167	-	-	-	-	-	-	-	-	1	1	4	3	2	-	4	7	16	16	31	38	29	13	2	-	-
	F--	310	-	-	-	-	-	-	-	1	1	4	6	19	24	36	40	33	33	40	31	23	11	6	1	1	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	10	10	12	12	4	1	-	1	-
	F--	115	-	-	-	-	-	-	-	1	-	2	5	14	10	16	8	22	14	9	9	2	2	1	-	-	-
180, 181	Of urinary organs-	152	-	-	1	-	-	1	-	-	-	-	-	2	6	7	13	12	27	19	22	22	11	8	1	-	-
	White-----M--	75	-	-	1	-	-	-	-	-	-	-	-	-	5	3	9	4	16	13	9	5	5	5	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	2	7	2	8	13	5	3	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	4	3	2	1	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	538	2	2	7	3	-	8	6	8	6	10	11	26	25	26	46	65	57	63	57	55	26	19	8	2	-
	White-----M--	215	2	-	2	3	-	3	3	3	3	4	7	11	7	11	17	33	22	22	23	23	8	7	1	-	-
	F--	218	-	2	4	-	-	5	2	3	2	4	3	10	11	6	20	18	23	28	22	23	15	9	6	2	-
	Nonwhite--M--	60	-	-	1	-	-	-	-	1	-	2	-	1	5	5	6	5	7	9	7	7	1	2	1	-	-
	F--	45	-	-	-	-	-	-	1	1	1	-	1	4	2	4	3	9	5	4	5	2	2	1	-	-	-
204	Leukemia and aleukemia----------	210	1	4	4	5	3	10	8	4	7	2	5	12	12	17	17	13	16	22	22	16	7	2	1	-	-
	White-----M--	103	-	4	1	2	1	10	5	2	3	1	-	7	5	5	4	7	10	14	11	8	3	-	-	-	-
	F--	69	1	-	3	2	1	-	-	1	2	1	3	4	5	7	4	5	5	5	7	7	3	2	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	2	-	1	-	-	-	-	-	6	1	1	3	3	1	1	-	-	-	-
	F--	19	-	-	-	1	1	-	1	1	1	-	2	1	2	5	3	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	190	1	2	-	-	1	4	4	4	3	9	5	6	9	16	17	19	20	20	22	19	5	4	-	-	-
	White-----M--	89	1	1	-	-	1	2	3	-	1	8	1	4	4	9	9	7	11	8	9	7	3	-	-	-	-
	F--	67	-	1	-	-	-	2	-	4	1	1	2	2	2	3	5	7	6	6	9	10	2	4	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	-	2	-	2	2	3	3	2	3	4	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	2	1	3	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	106	5	1	-	1	-	2	5	-	4	4	8	6	8	10	12	7	8	8	4	6	5	1	-	-	1
	White-----M--	41	3	1	-	-	-	1	2	-	1	2	1	1	1	6	6	2	4	3	1	3	3	-	-	-	-
	F--	40	1	-	-	1	-	-	2	-	2	1	4	2	5	1	4	3	4	4	1	1	2	1	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	1	2	1	-	-	-	-	-
	F--	17	1	-	-	-	-	-	1	-	1	-	3	3	2	1	2	2	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	403	-	-	-	-	1	3	3	3	3	8	5	14	11	18	26	40	40	66	65	42	41	14	-	-	-
	White-----M--	108	-	-	-	-	-	1	1	-	1	2	2	5	4	7	5	12	8	18	14	14	11	3	-	-	-
	F--	176	-	-	-	-	1	1	2	3	1	3	-	2	2	3	6	11	14	30	43	20	24	10	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	1	-	-	-	-	2	5	2	-	4	4	5	4	1	4	2	-	-	-	-
	F--	85	-	-	-	-	-	-	-	-	1	3	1	2	3	8	11	13	13	14	7	4	4	1	-	-	-
290-293	Anemias----------	57	4	5	1	-	1	1	-	2	3	1	-	4	2	1	1	4	2	4	7	1	7	3	1	2	-
	White-----M--	16	2	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	3	3	-	3	1	-	-	-
	F--	18	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	1	3	1	4	1	1	1	-
	Nonwhite--M--	17	2	2	-	-	1	-	-	-	2	-	-	3	-	1	1	1	1	-	1	-	-	1	-	1	-
	F--	6	-	-	1	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	42	21	3	1	2	1	2	-	1	-	-	-	3	2	2	-	1	1	1	-	1	-	-	-	-	-
	White-----M--	7	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	10	5	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	16	7	1	-	2	-	1	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	9	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	16,245	14	5	2	2	-	6	13	19	28	55	144	245	407	632	900	1,321	1,634	2,093	2,360	2,497	2,010	1,203	446	154	55
	White-----M--	6,686	2	2	-	1	-	2	5	7	9	21	45	91	176	289	376	607	709	892	961	1,039	795	464	147	37	9
	F--	5,147	3	-	-	-	-	1	2	6	8	12	27	31	53	98	163	208	345	537	801	1,003	946	576	230	81	16
	Nonwhite--M--	2,314	5	1	1	-	-	3	4	4	3	15	38	66	88	132	170	264	319	374	309	245	143	75	28	11	16
	F--	2,098	4	2	1	1	-	-	2	2	8	7	34	57	90	113	191	242	261	290	289	210	126	88	41	25	14
330-334, 400-468	Diseases of cardiovascular system-	15,862	14	3	1	2	-	6	9	16	22	50	127	234	387	611	873	1,285	1,598	2,056	2,317	2,453	1,972	1,183	441	151	51
	White-----M--	6,557	2	1	-	1	-	2	4	7	5	18	39	82	167	281	371	599	696	878	950	1,026	784	455	144	36	9
	F--	5,050	3	-	-	-	-	1	2	5	8	12	25	29	51	94	156	202	338	529	784	988	933	568	228	79	15
	Nonwhite--M--	2,246	5	-	1	-	-	3	2	3	3	14	36	66	83	128	165	253	316	367	299	236	139	74	28	11	14
	F--	2,009	4	2	-	1	-	-	1	1	6	6	27	57	86	108	181	231	248	282	284	203	116	86	41	25	13
330-334	Vascular lesions, etc.*----------	3,849	3	-	-	-	-	-	2	2	5	10	27	52	83	133	199	259	350	509	556	654	535	304	113	37	16
	White-----M--	1,205	-	-	-	-	-	-	1	2	2	2	9	9	19	38	46	70	102	158	174	250	180	103	35	3	2
	F--	1,382	-	-	-	-	-	-	1	-	2	3	5	7	14	30	45	48	74	141	206	273	284	159	64	22	4
	Nonwhite--M--	622	3	-	-	-	-	-	-	-	1	4	8	21	22	30	43	78	82	113	81	63	38	20	5	5	5
	F--	640	-	-	-	-	-	-	-	-	-	1	5	15	28	35	65	63	92	97	95	68	33	22	9	7	5

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																										
400-402	Rheumatic fever---	29	-	-	-	2	-	5	6	-	1	1	1	3	3	2	2	1	1	-	-	1	-	-	-	-	-
	White-----M--	14	-	-	-	1	-	2	2	-	-	1	-	1	2	2	2	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	10,716	9	3	1	-	-	1	1	12	13	32	75	154	278	446	628	981	1,160	1,432	1,578	1,594	1,249	723	250	89	27
	White-----M--	4,883	2	1	-	-	-	-	1	5	3	14	27	67	140	228	308	502	560	679	715	692	528	291	86	27	7
	F--	3,258	2	-	-	-	-	1	-	4	5	5	14	20	33	63	104	141	246	369	518	645	570	342	122	44	10
	Nonwhite--M--	1,382	1	-	1	-	-	-	-	2	1	9	20	31	55	86	111	163	209	217	181	145	83	43	15	5	4
	F--	1,193	4	2	-	-	-	-	-	1	4	4	14	36	50	69	105	155	145	167	164	112	68	47	27	13	6
410-416	Chronic rheumatic heart disease----	285	1	-	-	-	-	-	1	8	5	10	15	18	25	22	34	21	22	24	24	15	23	15	2	-	-
	White-----M--	117	-	-	-	-	-	-	1	4	1	6	5	8	9	8	14	11	5	14	10	4	8	9	-	-	-
	F--	111	1	-	-	-	-	-	-	3	2	3	7	4	12	9	16	5	12	5	10	8	11	3	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	2	2	4	2	2	-	5	3	2	1	4	1	-	-	-
	F--	28	-	-	-	-	-	-	-	1	2	-	1	4	-	3	2	5	-	2	2	2	-	2	2	-	-
420	Arteriosclerotic heart dis., etc.*	6,660	3	-	-	-	-	1	-	2	3	12	32	88	181	306	431	666	793	943	1,014	949	699	360	123	38	16
	White-----M--	3,577	-	-	-	-	-	-	-	-	2	6	16	48	119	195	261	416	469	522	525	462	324	149	44	14	5
	F--	1,920	1	-	-	-	-	1	-	-	1	-	3	10	13	36	65	95	169	242	333	383	303	172	66	21	6
	Nonwhite--M--	687	-	-	-	-	-	-	-	2	-	4	7	16	28	50	60	88	101	117	86	63	39	17	5	2	2
	F--	476	2	-	-	-	-	-	-	-	-	2	6	14	21	25	45	67	54	62	70	41	33	22	8	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,414	3	-	-	-	-	-	-	-	1	4	7	13	16	33	43	54	105	167	197	253	231	184	66	33	4
	White-----M--	482	1	-	-	-	-	-	-	-	-	1	1	4	1	8	4	12	27	52	71	103	88	74	25	8	2
	F--	486	-	-	-	-	-	-	-	-	-	2	-	2	2	5	7	8	22	45	60	102	104	84	27	15	1
	Nonwhite--M--	235	1	-	-	-	-	-	-	-	1	1	3	4	7	9	16	21	36	31	32	28	21	15	7	2	-
	F--	211	1	-	-	-	-	-	-	-	-	-	3	3	6	11	16	13	20	39	34	20	18	11	7	8	1
430-434	Other diseases of heart---------	461	2	3	1	-	-	-	-	2	4	4	12	9	16	19	24	39	40	51	60	72	53	36	8	4	2
	White-----M--	189	1	1	-	-	-	-	-	1	-	1	5	1	6	7	13	18	16	17	29	30	26	13	3	1	-
	F--	131	-	-	-	-	-	-	-	1	2	-	3	1	2	6	2	7	9	14	15	23	23	14	5	3	1
	Nonwhite--M--	86	-	-	1	-	-	-	-	-	-	2	2	3	5	3	6	8	9	16	9	13	3	5	-	-	1
	F--	55	1	2	-	-	-	-	-	-	2	1	2	4	3	3	3	6	6	4	7	6	1	4	-	-	-
440-443	Hypertension with heart dis.--	1,896	-	-	-	-	-	-	-	-	-	2	9	26	40	66	96	181	200	247	283	305	243	128	51	14	5
	White-----M--	518	-	-	-	-	-	-	-	-	-	-	-	6	5	10	16	45	43	74	80	93	82	46	14	4	-
	F--	610	-	-	-	-	-	-	-	-	-	-	1	3	4	7	14	26	34	63	100	129	129	69	24	5	2
	Nonwhite--M--	345	-	-	-	-	-	-	-	-	-	1	6	6	11	22	27	46	58	50	52	40	16	5	3	1	1
	F--	423	-	-	-	-	-	-	-	-	-	1	2	11	20	27	39	64	65	60	51	43	16	8	10	4	2
444-447	Hypertension without mention of heart----------	228	-	-	-	-	-	-	-	-	-	2	11	13	11	17	17	19	16	15	28	33	21	15	6	3	1
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	6	6	-	7	16	8	5	1	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	4	1	1	8	8	7	8	4	3	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	1	5	9	4	10	4	5	4	9	9	5	3	1	1	-	-
	F--	47	-	-	-	-	-	-	-	-	-	1	3	3	5	2	6	4	5	5	4	4	3	1	-	-	1
450	General arteriosclerosis--------	760	-	-	-	-	-	-	-	-	-	-	1	1	-	3	9	13	34	64	127	142	147	128	66	21	4
	White-----M--	265	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	7	23	41	51	60	49	20	5	-
	F--	280	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	8	12	43	53	61	55	35	10	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	15	19	27	21	14	9	6	1	4
	F--	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	10	16	17	12	15	5	5	-
451-468	Other diseases of circulatory sys.-	280	2	-	-	-	-	-	-	2	3	5	12	11	12	10	18	32	37	36	28	29	20	13	6	1	3
	White-----M--	131	-	-	-	-	-	-	-	-	-	1	2	4	6	7	8	17	20	18	13	17	8	7	2	1	-
	F--	75	1	-	-	-	-	-	-	1	1	4	3	2	1	1	2	8	9	6	9	8	11	4	3	-	1
	Nonwhite--M--	41	1	-	-	-	-	-	-	1	1	-	3	3	2	1	4	3	6	9	1	2	1	1	1	-	1
	F--	33	-	-	-	-	-	-	-	-	1	-	4	2	3	1	4	4	2	3	5	2	-	1	-	-	1
592-594	Chronic nephritis, etc.*----------	383	-	2	1	-	-	-	4	3	6	5	17	11	20	21	27	36	36	37	43	44	38	20	5	3	4
	White-----M--	129	-	1	-	-	-	-	1	-	4	3	6	9	9	8	5	8	13	14	11	13	11	9	3	1	-
	F--	97	-	-	-	-	-	-	-	1	-	-	2	2	2	4	7	6	7	8	17	15	13	8	2	2	1
	Nonwhite--M--	68	-	1	-	-	-	-	2	1	-	1	2	-	5	4	5	11	3	7	10	9	4	1	-	-	2
	F--	89	-	-	1	-	-	-	1	1	2	1	7	-	4	5	10	11	13	8	5	7	10	2	-	-	1
480-493	Influenza and pneumonia, etc.*-	937	230	22	8	8	6	11	8	4	6	9	8	19	27	27	40	41	45	62	71	102	90	60	21	9	3
	White-----M--	321	57	4	-	1	2	4	5	3	1	4	3	3	10	11	16	13	17	18	23	52	41	20	10	3	-
	F--	264	43	9	1	3	3	2	-	-	1	1	1	6	6	5	3	7	7	14	26	39	39	35	9	3	1
	Nonwhite--M--	205	71	8	5	1	1	3	1	-	3	2	1	8	8	6	12	15	10	21	13	6	4	2	-	2	2
	F--	147	59	1	2	3	-	2	2	1	1	2	3	2	3	5	9	6	11	9	9	5	6	3	2	1	-
480-483	Influenza---------	60	8	1	-	-	-	-	1	-	1	1	1	-	-	3	4	2	3	7	5	11	6	5	-	1	-
	White-----M--	13	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	4	3	-	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	1	5	2	5	-	-	-
	Nonwhite--M--	11	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	3	1	-	-	-	-	-	-
	F--	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	2	1	-	-	-	-
490-493	Pneumonia, etc.*--	877	222	21	8	8	6	11	7	4	5	8	7	19	27	24	36	39	42	55	66	91	84	55	21	8	3
	White-----M--	308	56	4	-	1	2	4	4	3	1	4	2	3	10	10	15	13	17	18	23	48	38	20	10	2	-
	F--	245	43	9	1	3	3	2	-	-	1	-	1	6	6	4	2	7	6	12	25	34	37	30	9	3	1
	Nonwhite--M--	194	68	8	5	1	1	3	1	-	2	2	1	8	8	5	12	13	10	18	12	6	4	2	-	2	2
	F--	130	55	-	2	3	-	2	2	1	1	2	3	2	3	5	7	6	9	7	6	3	5	3	2	1	-
500-502	Bronchitis--------	62	12	2	3	-	-	-	-	-	-	-	-	1	2	-	1	5	2	6	8	8	5	5	1	1	-
	White-----M--	33	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	1	4	7	5	2	3	-	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	3	1	2	1	1	-
	Nonwhite--M--	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	8	2	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	155	2	1	-	1	-	1	-	-	1	3	5	2	12	12	19	10	18	24	12	16	10	4	1	-	1
	White-----M--	98	1	-	-	-	-	-	-	-	-	3	3	1	10	8	10	7	10	17	7	11	6	3	-	-	1
	F--	30	-	1	-	-	-	1	-	-	-	-	-	-	-	2	4	1	3	5	4	3	4	1	1	-	-
	Nonwhite--M--	17	1	-	-	1	-	-	-	-	1	-	1	1	1	2	3	2	1	2	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	4	-	-	2	-	-	-	-	-
550-553	Appendicitis------	40	-	1	-	1	-	-	1	-	1	3	-	2	2	3	4	5	4	4	3	2	3	1	-	-	-
	White-----M--	17	-	1	-	1	-	-	-	-	-	1	-	1	2	-	2	-	3	4	-	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	2	-	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	154	11	1	1	-	1	-	-	-	2	3	3	5	4	13	7	9	14	18	19	18	16	4	4	1	-
	White-----M--	49	4	-	-	-	1	-	-	-	-	-	-	1	-	4	1	2	5	3	7	11	5	3	2	-	-
	F--	49	3	-	-	-	-	-	-	-	-	1	-	1	-	4	4	2	2	7	8	5	9	1	1	1	-
	Nonwhite--M--	33	2	-	-	-	-	-	-	-	2	2	1	3	2	2	-	4	4	6	3	-	1	-	1	-	-
	F--	23	2	1	1	-	-	-	-	-	-	-	2	-	2	3	2	1	3	2	1	2	1	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																										
543,	Gastritis, etc.*--	165	90	9	2	3	3	2	1	2	2	1	1	1	2	-	5	3	2	8	6	7	6	7	1	1	-
571,	White-----M--	37	19	1	-	-	1	-	-	2	1	1	-	-	-	-	2	1	-	2	2	3	-	1	1	-	-
572	F--	56	17	5	1	1	1	2	-	-	-	-	1	1	2	-	3	1	1	3	3	4	4	5	-	1	-
	Nonwhite--M--	36	28	1	-	2	1	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	36	26	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-
581	Cirrhosis of liver	220	-	-	-	-	-	2	-	-	-	5	6	17	34	27	32	27	16	23	10	10	8	3	-	-	-
	White-----M--	124	-	-	-	-	-	1	-	-	-	1	2	6	15	12	20	22	11	15	5	8	3	3	-	-	-
	F--	56	-	-	-	-	-	1	-	-	-	2	2	5	9	10	4	4	4	4	5	2	4	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	1	4	5	3	5	1	1	4	-	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	2	1	2	5	2	3	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	58	1	-	-	-	2	3	2	1	-	3	3	4	4	3	2	2	2	6	12	2	3	1	1	1	-
	White-----M--	22	-	-	-	-	1	-	-	1	-	1	2	1	2	3	-	1	-	3	5	-	1	1	-	-	-
	F--	12	-	-	-	-	1	1	1	-	-	-	-	1	-	-	1	-	1	2	1	1	-	-	1	1	-
	Nonwhite--M--	12	1	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1	1	2	1	1	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	1	-	-	4	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	108	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	11	13	23	18	25	11	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	6	19	14	22	9	1	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	8	7	4	4	3	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	57	...	...	...	...	...	...	1	4	7	11	13	10	10	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	...	...	...	-	-	3	2	2	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	41	...	...	...	...	...	...	1	4	4	9	11	5	6	-	1	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	51	...	...	...	...	...	...	1	4	7	9	11	8	10	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	15	...	...	...	...	...	...	-	-	3	2	2	4	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	36	...	...	...	...	...	...	1	4	4	7	9	4	6	-	1	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	445	348	21	7	5	5	8	3	7	5	4	7	5	5	3	5	1	3	1	1	1	-	-	-	-	-
	White-----M--	200	160	11	3	2	2	4	2	2	1	-	2	1	2	3	3	-	-	1	1	-	-	-	-	-	-
	F--	168	128	8	3	1	3	2	-	4	2	2	5	2	1	-	2	1	3	-	-	1	-	-	-	-	-
	Nonwhite--M--	44	34	1	1	1	-	1	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	26	1	-	1	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,691	1,691	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	639	639	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	447	447	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	717	717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	832	832	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	329	61	5	3	2	2	1	-	2	1	5	9	12	18	12	17	16	21	18	25	11	35	21	23	7	2
795	White-----M--	120	18	2	2	1	-	-	-	1	-	-	2	5	8	5	9	9	6	7	13	5	9	6	7	5	-
	F--	71	12	-	-	-	1	-	-	-	-	3	2	-	4	1	2	1	3	3	6	2	10	10	10	1	-
	Nonwhite--M--	69	20	2	1	1	-	-	-	-	1	1	3	4	2	4	2	3	6	5	1	2	8	1	1	1	-
	F--	69	11	1	-	-	1	1	-	1	-	1	2	3	4	2	4	3	6	3	5	2	8	4	5	-	2
Residual	All other diseases	1,507	143	21	10	7	7	19	19	19	13	36	35	70	83	108	100	116	106	152	150	112	96	53	21	9	2
	White-----M--	623	53	8	6	1	1	7	6	6	4	14	6	24	26	44	46	49	53	69	77	48	42	25	7	1	-
	F--	462	34	5	2	2	4	7	6	6	4	8	11	15	18	32	28	28	29	51	46	51	37	22	11	5	-
	Nonwhite--M--	235	30	3	2	3	1	2	5	4	1	4	9	20	22	16	14	27	17	19	13	8	9	2	-	2	2
	F--	187	26	5	-	1	1	3	2	3	4	10	9	11	17	16	12	12	7	13	14	5	8	4	3	1	-
E800-	Accidents---------	2,020	95	43	19	23	20	76	60	134	172	149	146	157	130	130	95	87	81	69	89	90	74	51	13	11	6
E962	White-----M--	1,018	29	14	7	10	5	30	25	79	98	93	84	95	64	67	56	45	52	29	43	40	27	17	4	3	2
	F--	387	22	7	2	4	4	20	11	16	14	15	20	19	17	20	12	12	11	14	31	34	37	30	8	7	-
	Nonwhite--M--	438	24	15	6	3	5	12	16	29	53	33	32	32	40	36	23	22	13	21	9	7	3	2	-	-	2
	F--	177	20	7	4	6	6	14	8	10	7	8	10	11	9	7	4	8	5	5	6	9	7	2	1	1	2
E810-	Motor-vehicle																										
E835	accidents--------	830	4	6	2	10	5	31	20	85	122	91	77	85	48	53	36	30	33	30	25	21	12	2	1	-	1
	White-----M--	452	1	3	1	4	2	11	8	46	73	56	46	53	24	21	19	16	21	13	17	9	7	-	1	-	-
	F--	144	2	1	-	2	-	9	8	12	12	11	14	11	5	14	8	6	5	6	7	7	2	2	-	-	-
	Nonwhite--M--	185	1	2	1	3	2	5	3	20	34	18	15	14	15	17	7	6	7	10	-	3	2	-	-	-	-
	F--	49	-	-	-	1	1	6	1	7	3	6	2	7	4	1	2	2	-	1	1	2	1	-	-	-	1
E800-	All ot. accidents-	1,190	91	37	17	13	15	45	40	49	50	58	69	72	82	77	59	57	48	39	64	69	62	49	12	11	5
E802,	White-----M--	566	28	11	6	6	3	19	17	33	25	37	38	42	40	46	37	29	31	16	26	31	20	17	3	3	2
E840-	F--	243	20	6	2	2	4	11	3	4	2	4	6	8	12	6	4	6	6	8	24	27	35	28	8	7	-
E962	Nonwhite--M--	253	23	13	5	-	3	7	13	9	19	15	17	18	25	19	16	16	6	11	9	4	1	2	-	-	2
	F--	128	20	7	4	5	5	8	7	3	4	2	8	4	5	6	2	6	5	4	5	7	6	2	1	1	1
E963,	Suicide----------	418	-	-	-	-	-	-	1	10	16	25	38	41	57	41	46	32	47	17	26	14	5	2	-	-	-
E970-	White-----M--	300	-	-	-	-	-	-	-	5	10	21	25	29	45	31	31	27	30	12	16	13	4	1	-	-	-
E979	F--	81	-	-	-	-	-	-	1	3	-	2	8	8	10	8	11	5	11	4	7	1	1	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	2	5	1	4	4	2	2	4	-	5	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E964,	Homicide----------	292	4	-	-	-	-	2	4	19	34	45	43	43	39	18	11	6	12	4	2	3	1	1	-	-	1
E980-	White-----M--	70	1	-	-	-	-	1	1	2	5	13	4	12	12	6	3	-	4	2	2	1	1	-	-	-	-
E985	F--	29	2	-	-	-	-	-	-	3	1	1	4	3	5	2	3	2	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	150	1	-	-	-	-	1	2	13	22	20	29	22	16	7	4	4	5	2	-	1	-	-	-	-	1
	F--	43	-	-	-	-	-	-	1	1	6	11	6	6	6	3	1	-	-	-	-	1	-	1	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON																										
	ALL CAUSES------	24,517	1,531	85	70	56	43	120	90	149	187	184	285	414	608	953	1,197	1,504	2,141	2,817	3,488	3,208	2,724	1,747	716	188	12
	White-----M--	14,328	831	38	43	22	14	79	57	104	127	116	162	230	352	581	798	988	1,382	1,767	2,095	1,823	1,418	887	321	87	6
	F--	9,429	560	36	17	29	23	36	28	41	39	47	101	153	224	322	359	471	706	984	1,325	1,328	1,279	842	381	93	5
	Nonwhite--M--	484	89	5	6	4	2	5	4	3	10	12	12	18	21	35	26	26	34	42	46	40	19	12	8	5	-
	F--	276	51	6	4	1	4	-	1	1	11	9	10	13	11	15	14	19	19	24	22	17	8	6	6	3	1
001-019	Tuberculosis, all forms--------	162	-	1	1	1	1	3	-	2	4	1	8	8	10	14	20	12	12	17	24	8	11	3	1	-	-
	White-----M--	99	-	-	-	-	-	-	-	1	2	1	3	1	4	8	12	10	12	12	18	7	8	2	-	-	-
	F--	36	-	-	1	1	-	-	-	1	1	-	2	6	3	4	4	1	-	2	6	-	2	1	1	-	-
	Nonwhite--M--	22	-	-	-	-	1	3	-	-	-	-	3	1	2	2	4	-	-	3	2	1	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	142	-	1	1	-	-	-	-	1	4	-	7	7	10	10	18	12	11	16	22	7	11	3	1	-	-
	White-----M--	90	-	-	-	-	-	-	-	-	2	-	3	1	4	6	10	10	11	11	16	6	8	2	-	-	-
	F--	33	-	-	1	-	-	-	-	1	1	-	2	6	3	3	4	1	-	2	5	-	2	1	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	-	-	3	1	1	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	20	-	-	-	1	1	3	-	1	-	1	1	1	-	4	2	-	1	1	2	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	1	1	-	1	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	1	3	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	64	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	10	13	12	10	3	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	8	11	7	1	3	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	5	6	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	6	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	4	4	2	-	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	2	2	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	13	-	-	-	-	-	2	1	2	1	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	55	8	4	2	2	1	2	1	1	-	1	4	1	3	7	2	6	-	3	1	3	3	-	-	-	-
	White-----M--	23	3	-	-	2	-	2	-	1	-	1	2	-	3	2	1	3	-	1	1	1	-	-	-	-	-
	F--	29	4	4	2	-	1	-	1	-	-	-	2	1	-	5	1	2	-	1	-	2	3	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*	3,959	5	3	4	5	7	28	11	14	20	18	53	72	122	205	291	373	494	600	581	502	307	177	59	6	2
	White—M	2,110	4	1	3	4	2	22	7	8	14	7	28	19	35	76	145	193	254	332	335	298	179	108	33	2	1
	F	1,757	-	2	1	1	5	6	4	5	6	8	24	49	82	124	137	169	230	253	237	194	125	67	25	3	-
	Nonwhite—M	59	-	-	-	-	-	-	-	1	-	1	-	2	3	3	5	7	4	10	6	10	3	2	1	1	-
	F	33	1	-	-	-	-	-	-	-	-	2	1	2	2	2	4	4	6	5	3	-	-	-	-	-	1
140-148	Of buccal cavity and pharynx	60	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	6	5	10	5	6	6	6	3	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	4	8	2	5	5	4	1	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	1	2	3	1	1	2	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,405	-	-	-	-	-	-	-	-	-	3	6	15	26	48	80	117	167	223	246	227	137	79	28	2	1
	White—M	782	-	-	-	-	-	-	-	-	-	1	3	3	12	24	48	61	100	133	134	126	72	49	16	-	-
	F	579	-	-	-	-	-	-	-	-	-	1	2	10	12	23	30	52	63	82	106	93	64	29	11	1	-
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	1	6	4	8	1	1	1	1	-
	F	13	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	3	2	2	-	-	-	-	-	1
160-164	Of respiratory system (not secondary)	465	-	-	-	-	-	-	-	-	1	1	2	6	6	27	53	68	69	82	76	43	24	6	1	-	-
	White—M	383	-	-	-	-	-	-	-	-	1	-	2	5	5	19	41	63	60	70	61	36	15	4	1	-	-
	F	67	-	-	-	-	-	-	-	-	-	1	-	1	-	7	10	3	7	8	13	7	8	2	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	2	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast	371	-	-	-	-	-	-	-	-	1	2	5	8	31	42	40	43	45	56	38	23	19	12	5	1	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	F	366	-	-	-	-	-	-	-	-	1	2	5	8	31	42	38	42	44	55	38	23	19	12	5	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	661	-	-	-	-	-	-	-	-	1	2	13	19	26	35	43	49	88	95	83	91	65	36	13	1	1
	White—M	305	-	-	-	-	-	-	-	-	1	1	5	-	4	1	4	9	24	44	56	65	53	27	9	1	1
	F	344	-	-	-	-	-	-	-	-	-	1	8	17	21	33	37	38	63	49	27	25	12	9	4	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	1	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	192	-	-	-	-	2	1	-	-	-	-	1	1	4	4	17	14	22	28	35	31	14	13	4	1	-
	White—M	137	-	-	-	-	-	-	-	-	-	-	1	1	3	2	16	10	14	18	24	23	11	9	4	1	-
	F	53	-	-	-	-	2	1	-	-	-	-	-	-	1	2	1	3	8	10	11	7	3	4	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	419	2	-	-	-	1	10	6	4	5	4	12	10	15	27	24	44	53	58	48	50	26	14	5	1	-
	White—M	224	1	-	-	-	-	10	3	4	5	1	8	4	5	17	13	24	27	29	25	26	13	7	2	-	-
	F	184	-	-	-	-	1	-	3	-	-	1	4	6	9	9	11	19	24	28	23	24	12	6	3	1	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	1	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	172	2	2	3	5	3	11	5	4	4	3	7	6	5	6	9	12	16	22	19	14	6	8	-	-	-
	White—M	100	2	-	2	4	1	7	4	1	3	2	4	3	2	3	6	8	8	13	12	6	3	6	-	-	-
	F	70	-	2	1	1	2	4	1	3	1	1	3	3	3	3	2	4	8	9	6	8	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	214	1	1	1	-	1	6	-	6	8	3	7	6	8	13	17	20	29	26	31	17	10	3	-	-	-
	White—M	136	1	1	1	-	1	5	-	3	4	2	5	3	4	9	11	12	17	16	21	11	7	2	-	-	-
	F	74	-	-	-	-	-	1	-	2	4	1	2	3	4	4	4	7	12	10	10	6	3	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	97	3	1	-	1	-	5	1	-	3	2	2	7	6	9	7	11	11	7	7	3	7	2	2	-	-
	White—M	42	1	1	-	-	-	2	-	-	2	1	1	3	1	5	4	8	4	3	4	-	1	1	-	-	-
	F	55	2	-	-	1	-	3	1	-	1	1	1	4	5	4	3	3	7	4	3	3	6	1	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	363	-	-	-	-	-	-	1	2	1	5	11	3	6	10	8	23	26	57	81	65	42	15	5	2	-
	White—M	141	-	-	-	-	-	-	1	-	1	2	6	3	3	4	1	12	12	20	26	22	16	7	4	1	-
	F	216	-	-	-	-	-	-	-	2	-	3	5	-	3	6	7	11	13	37	52	42	25	8	1	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
290-293	Anemias	51	1	-	2	-	-	-	-	-	-	-	2	-	-	2	2	1	6	1	6	7	9	8	4	-	-
	White—M	25	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	4	5	7	-	-	-
	F	24	-	-	1	-	-	-	-	-	-	-	2	-	-	1	2	-	4	1	1	3	4	1	4	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	29	7	2	4	1	1	-	1	1	2	-	1	-	1	1	-	1	1	1	-	2	2	-	-	-	-
	White—M	10	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	12	3	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite—M	4	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,390	7	2	1	2	3	4	8	7	15	25	45	116	213	392	550	795	1,245	1,701	2,283	2,145	1,939	1,249	501	136	6
	White—M	7,940	2	2	1	1	2	3	5	4	10	13	25	72	137	279	411	569	855	1,111	1,376	1,189	982	612	219	57	3
	F	5,176	2	-	-	1	1	1	2	3	3	9	17	37	65	92	125	206	362	549	866	923	942	625	269	73	3
	Nonwhite—M	166	1	-	-	-	-	-	1	-	-	1	1	3	6	13	8	11	19	26	28	20	10	8	7	3	-
	F	108	2	-	-	-	-	-	-	-	2	2	2	4	5	8	6	9	9	15	13	13	5	4	6	3	-
330-334, 400-468	Diseases of cardiovascular system	13,212	7	2	1	2	3	3	6	6	12	20	40	111	208	382	534	788	1,232	1,680	2,257	2,126	1,920	1,233	497	136	6
	White—M	7,849	2	2	1	1	2	2	4	3	8	10	23	71	135	275	402	566	850	1,098	1,364	1,179	968	606	217	57	3
	F	5,096	2	-	-	1	1	1	1	3	3	7	14	34	62	87	118	203	355	542	853	914	937	615	267	73	3
	Nonwhite—M	163	1	-	-	-	-	-	1	-	-	1	1	3	6	12	8	10	18	26	28	20	10	8	7	3	-
	F	104	2	-	-	-	-	-	-	-	1	2	2	3	5	8	6	9	9	14	12	13	5	4	6	3	-
330-334	Vascular lesions, etc.*	2,899	4	2	1	1	1	2	2	-	1	3	7	13	34	62	68	110	210	343	552	517	504	319	116	25	2
	White—M	1,432	1	2	1	1	1	1	2	-	-	2	-	7	11	28	36	58	122	189	291	239	226	157	47	9	1
	F	1,403	2	-	-	-	-	1	-	-	1	1	7	5	18	29	31	47	83	143	250	268	275	161	65	15	1
	Nonwhite—M	40	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	3	2	7	9	8	2	-	-	1	-
	F	24	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	3	4	2	2	1	1	4	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																										
400-402	Rheumatic fever---	12	-	-	-	-	1	-	2	1	-	1	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,353	3	-	-	1	1	1	2	4	9	11	31	87	167	306	450	643	969	1,243	1,577	1,464	1,227	765	302	86	4
	White-----M--	5,905	1	-	-	-	-	1	1	2	6	4	23	59	120	238	355	485	692	848	989	861	664	375	140	39	2
	F--	3,269	-	-	-	1	1	-	-	2	2	5	6	24	42	56	83	144	257	368	562	582	552	380	157	43	2
	Nonwhite--M--	111	1	-	-	-	-	-	1	-	-	1	1	3	2	7	7	7	14	17	18	10	8	7	5	2	-
	F--	68	1	-	-	-	-	-	-	-	1	1	1	1	3	5	5	7	6	10	8	11	3	3	-	2	-
410-416	Chronic rheumatic heart disease----	325	-	-	-	-	-	-	-	3	3	7	9	23	16	32	28	40	49	35	33	23	11	8	4	-	1
	White-----M--	166	-	-	-	-	-	-	-	2	3	3	5	10	8	17	16	24	24	15	20	10	4	4	1	-	-
	F--	154	-	-	-	-	-	-	-	1	-	3	4	13	6	15	11	16	25	19	13	13	7	4	3	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,005	1	-	-	-	-	-	-	1	2	1	17	46	134	238	362	527	771	986	1,217	1,060	840	533	206	60	3
	White-----M--	4,695	1	-	-	-	-	-	-	-	1	1	16	37	107	200	308	417	591	691	800	649	474	273	97	30	2
	F--	2,192	-	-	-	-	-	-	-	1	1	-	1	6	25	30	48	101	164	276	396	397	358	254	106	27	1
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	5	12	15	14	6	6	4	3	1	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	4	4	7	8	2	2	-	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	781	-	-	-	1	1	-	-	-	1	-	-	6	4	12	21	26	39	58	121	146	168	111	50	16	-
	White-----M--	433	-	-	-	-	-	-	-	-	1	-	-	3	1	6	11	18	23	39	68	88	94	52	22	7	-
	F--	324	-	-	-	1	1	-	-	-	-	-	-	3	3	4	6	7	14	16	49	55	72	56	28	9	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	1	2	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	1	1	1	1	-	-	-
430-434	Other diseases of heart---------	360	2	-	-	-	-	1	2	-	3	3	3	8	4	9	13	11	35	46	46	64	60	30	14	6	-
	White-----M--	197	-	-	-	-	-	1	1	-	1	-	1	5	1	5	6	5	19	34	30	37	31	12	6	2	-
	F--	147	-	-	-	-	-	-	-	-	1	2	1	2	3	3	7	5	15	10	16	26	29	17	7	3	-
	Nonwhite--M--	10	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	1	-	1	1	1	-
	F--	6	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	882	-	-	-	-	-	-	-	-	-	-	2	4	9	15	26	39	75	118	160	171	148	83	28	4	-
	White-----M--	414	-	-	-	-	-	-	-	-	-	-	1	4	3	10	14	21	35	69	71	77	61	34	14	-	-
	F--	452	-	-	-	-	-	-	-	-	-	-	-	-	5	4	11	15	39	47	88	91	86	49	13	4	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	131	-	-	-	-	-	-	-	-	-	2	-	2	3	4	5	6	8	15	25	22	23	11	5	-	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	5	10	12	12	8	5	2	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	4	3	4	11	10	15	6	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
450	General arteriosclerosis--------	571	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	12	34	62	89	145	126	66	24	-
	White-----M--	276	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	8	17	38	46	61	61	26	8	-
	F--	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	18	23	42	83	64	36	15	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
451-468	Other diseases of circulatory sys.-	246	-	-	-	-	-	-	-	1	2	3	2	9	4	7	8	20	30	43	41	34	21	12	8	1	-
	White-----M--	164	-	-	-	-	-	-	-	-	2	3	-	3	2	5	6	14	21	33	34	21	9	8	2	1	-
	F--	75	-	-	-	-	-	-	-	1	-	-	1	5	1	-	2	6	8	10	7	12	12	4	6	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	178	-	-	-	-	-	1	2	1	3	5	5	5	5	10	16	7	13	21	26	19	19	16	4	-	-
	White-----M--	91	-	-	-	-	-	1	1	1	2	3	2	1	2	4	9	3	5	13	12	10	14	6	2	-	-
	F--	80	-	-	-	-	-	-	1	-	-	2	3	3	3	5	7	3	7	7	13	9	5	10	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	750	164	12	4	6	4	6	8	4	4	4	6	9	20	17	24	20	32	44	68	72	78	84	45	15	-
	White-----M--	418	80	4	2	4	-	4	4	2	1	2	3	5	12	11	18	13	19	32	48	40	36	40	27	11	-
	F--	269	46	5	1	1	3	2	3	2	2	1	3	2	7	4	6	7	11	12	17	29	41	42	18	4	-
	Nonwhite--M--	45	26	2	-	1	-	-	1	-	-	1	-	2	1	1	-	-	2	-	3	2	1	2	-	-	-
	F--	18	12	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	42	3	1	1	1	-	-	1	-	-	-	-	1	1	-	1	2	2	2	4	7	6	6	1	2	-
	White-----M--	15	1	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	2	2	-	1	-
	F--	23	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	2	-	1	5	3	4	1	1	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	708	161	11	3	5	4	6	7	4	4	4	6	8	19	17	23	18	30	42	64	65	72	78	44	13	-
	White-----M--	403	79	4	1	3	-	4	4	2	1	2	3	4	12	11	17	13	19	30	46	39	34	38	27	10	-
	F--	246	45	4	1	1	3	2	2	2	2	1	3	2	6	4	6	5	9	12	16	24	38	38	17	3	-
	Nonwhite--M--	41	25	2	-	1	-	-	1	-	-	1	-	2	1	1	-	-	2	-	2	1	-	2	-	-	-
	F--	18	12	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	39	12	2	1	1	-	2	-	-	-	-	1	-	-	-	2	2	1	2	5	2	2	2	2	-	-
	White-----M--	26	7	1	-	-	-	2	-	-	-	-	1	-	-	-	1	1	1	2	4	2	1	1	2	-	-
	F--	10	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	168	-	-	-	1	-	-	-	-	-	-	-	2	4	9	11	12	18	12	26	38	17	13	4	1	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	-	1	4	6	11	8	14	6	15	31	10	11	4	1	-
	F--	40	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	3	4	6	10	5	6	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	34	1	-	-	-	1	-	1	-	1	-	-	1	-	3	1	1	5	7	5	4	1	1	1	-	-
	White-----M--	20	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	4	4	3	3	-	-	1	-	-
	F--	12	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	1	2	2	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	144	20	-	1	-	-	-	-	1	3	-	-	1	6	4	3	10	4	17	22	13	18	14	7	-	-
	White-----M--	86	11	-	1	-	-	-	-	1	2	-	-	-	4	3	1	5	3	11	15	6	13	7	3	-	-
	F--	54	7	-	-	-	-	-	-	-	1	-	-	1	2	1	2	4	1	6	6	7	5	7	4	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																										
543,	Gastritis, etc.*--	122	27	3	4	-	-	-	-	3	-	1	1	2	2	4	6	8	6	7	17	13	10	5	2	1	-
571,	White-----M--	63	9	2	3	-	-	-	-	1	-	1	1	1	-	3	5	5	5	3	11	5	4	2	1	1	-
572	F--	46	9	-	-	-	-	-	-	2	-	-	-	1	2	1	1	3	-	4	6	7	6	3	1	-	-
	Nonwhite--M--	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	254	1	-	-	-	-	-	-	1	-	1	8	11	20	29	36	23	33	31	28	18	6	5	2	1	-
	White-----M--	148	1	-	-	-	-	-	-	1	-	-	1	5	14	17	25	12	18	21	18	10	2	2	-	1	-
	F--	97	-	-	-	-	-	-	-	-	-	-	7	4	6	11	11	10	13	10	8	8	4	3	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	24	2	-	2	-	-	-	-	1	2	-	-	1	2	3	2	1	1	1	4	2	-	-	-	-	-
	White-----M--	14	1	-	2	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-	2	2	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	24	17	24	13	1	3	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	24	17	24	13	1	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	13	...	...	...	...	...	...	-	-	2	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	-	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	13	...	...	...	...	...	...	-	-	2	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	11	...	...	...	...	...	...	-	-	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	304	203	18	10	9	5	9	10	2	1	4	2	3	6	5	7	-	4	3	1	1	-	1	-	-	-
	White-----M--	167	114	9	7	2	2	5	8	2	-	2	1	1	3	3	5	-	1	1	-	-	-	1	-	-	-
	F--	125	80	9	3	7	2	4	2	-	1	2	1	2	3	2	2	-	2	2	-	1	-	-	-	-	-
	Nonwhite--M--	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	922	922	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	515	515	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	348	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	448	448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	440	440	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	177	10	-	2	-	-	-	-	1	-	1	1	1	6	6	10	8	8	23	18	15	26	21	11	7	2
795	White-----M--	98	5	-	1	-	-	-	-	-	-	1	-	-	3	5	6	7	7	14	11	10	14	8	3	2	1
	F--	69	3	-	-	-	-	-	-	1	-	-	-	1	3	1	1	1	1	8	7	5	11	13	8	4	1
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-
	F--	6	2	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Re-	All other diseases	1,240	65	8	9	6	5	9	13	14	7	14	16	39	41	57	83	74	109	144	162	156	111	62	28	7	1
sid-	White-----M--	734	40	5	4	-	1	5	6	10	5	5	6	21	22	33	55	41	74	95	98	103	57	32	13	3	-
ual	F--	467	21	2	4	6	4	4	6	4	1	8	8	17	18	23	27	27	31	47	59	50	52	28	15	4	1
	Nonwhite--M--	19	1	1	1	-	-	-	1	-	-	-	-	1	-	1	1	2	2	1	2	3	2	-	-	-	-
	F--	20	3	-	-	-	-	-	-	-	1	1	2	-	1	-	-	4	2	1	3	-	-	2	-	-	-
E800-	Accidents---------	1,585	63	24	21	21	14	43	32	84	106	74	85	95	91	117	86	67	78	83	90	97	98	67	41	8	-
E962	White-----M--	1,058	28	9	15	9	6	30	23	66	80	61	62	71	69	87	65	54	59	54	56	58	54	28	10	4	-
	F--	436	28	11	2	8	5	12	8	16	15	5	16	15	14	20	15	12	17	28	34	39	42	39	31	4	-
	Nonwhite--M--	64	3	-	2	3	1	1	-	2	8	7	6	7	6	9	5	1	1	1	-	-	1	-	-	-	-
	F--	27	4	4	2	1	2	-	1	-	3	1	1	2	2	1	1	-	1	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	545	6	7	3	7	2	14	6	51	71	40	39	34	38	32	30	23	34	29	33	20	17	8	1	-	-
	White-----M--	377	2	3	3	2	1	9	4	38	54	32	26	22	28	24	20	16	22	18	20	15	11	6	1	-	-
	F--	135	4	3	-	3	1	5	2	13	11	3	11	7	7	5	7	7	10	11	13	5	5	2	-	-	-
	Nonwhite--M--	22	-	-	-	1	-	-	-	-	3	5	2	3	2	3	2	-	1	-	-	-	-	-	-	-	-
	F--	11	-	1	-	1	-	-	-	-	3	-	-	2	1	-	1	-	1	-	-	-	1	-	-	-	-
E800-	All ot. accidents-	1,040	57	17	18	14	12	29	26	33	35	34	46	61	53	85	56	44	44	54	57	77	81	59	40	8	-
E802,	White-----M--	681	26	6	12	7	5	21	19	28	26	29	36	49	41	63	45	38	37	36	36	43	43	22	9	4	-
E840-	F--	301	24	8	2	5	4	7	6	3	4	2	5	8	7	15	8	5	7	17	21	34	37	37	31	4	-
E962	Nonwhite--M--	42	3	-	2	2	1	1	-	2	5	2	4	4	4	6	3	1	-	1	-	-	1	-	-	-	-
	F--	16	4	3	2	-	2	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	352	-	-	-	-	-	-	2	8	8	18	19	25	35	46	34	41	35	34	16	14	10	5	-	1	1
E970-	White-----M--	264	-	-	-	-	-	-	1	5	5	13	11	17	27	29	24	33	28	28	15	12	9	5	-	1	1
E979	F--	79	-	-	-	-	-	-	-	3	2	4	7	7	7	15	9	8	7	6	1	2	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	85	2	1	-	-	1	3	-	1	7	10	8	12	9	8	7	5	1	3	6	1	-	-	-	-	-
E980-	White-----M--	50	2	1	-	-	-	2	-	-	3	6	6	7	6	4	5	2	-	1	4	1	-	-	-	-	-
E985	F--	16	-	-	-	-	1	1	-	-	1	2	1	2	1	1	1	2	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	1	1	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA																										
	ALL CAUSES------	16,787	1,206	91	55	28	24	102	96	156	191	202	255	337	465	710	917	1,131	1,439	1,748	2,058	2,146	1,733	1,122	432	103	40
	White-----M--	9,241	679	44	24	14	15	61	58	99	131	117	135	192	269	421	543	657	820	988	1,155	1,142	883	543	190	39	22
	F--	6,360	464	40	29	11	8	37	32	45	48	63	101	114	149	205	251	355	475	609	779	921	789	541	226	58	10
	Nonwhite--M--	740	32	1	1	3	1	2	3	8	8	17	10	17	27	55	76	77	86	107	93	50	33	19	7	4	3
	F--	446	31	6	1	-	-	2	3	4	4	5	9	14	20	29	47	42	58	44	31	33	28	19	9	2	5
001-019	Tuberculosis, all forms--------	207	-	1	3	-	-	-	1	-	2	10	12	16	13	23	28	26	20	19	13	7	8	4	-	-	1
	White-----M--	110	-	-	2	-	-	-	-	-	1	4	7	2	7	14	16	15	12	10	10	5	3	1	-	-	1
	F--	67	-	1	1	-	-	-	1	-	1	3	3	10	5	7	4	9	4	7	2	2	5	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	3	1	2	7	-	4	2	1	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	197	-	1	-	-	-	-	1	-	2	9	12	16	10	23	27	26	20	19	12	7	7	4	-	-	1
	White-----M--	107	-	-	-	-	-	-	-	-	1	4	7	2	6	14	16	15	12	10	10	5	3	1	-	-	1
	F--	64	-	1	-	-	-	-	1	-	1	3	3	10	4	7	4	9	4	7	2	2	4	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	3	-	2	6	-	4	2	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	10	-	-	3	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	1	-	1	-	-	-	-
	White-----M--	3	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	63	1	-	-	-	-	-	-	-	-	-	-	-	2	6	7	12	6	12	10	6	1	-	-	-	-
	White-----M--	35	1	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	3	8	4	4	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	4	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	9	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	8	5	2	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	4	3	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	3	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	-	1	-	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	44	6	3	1	1	1	3	2	-	1	2	2	-	3	4	2	4	-	1	1	2	2	1	1	1	-
	White-----M--	27	5	2	-	1	-	2	1	-	1	-	-	-	2	2	1	4	-	1	1	1	1	1	-	1	-
	F--	15	1	1	1	-	1	1	1	-	-	1	2	-	1	2	1	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*	2,348	4	4	7	4	4	16	12	11	14	24	28	56	94	156	190	234	281	324	305	301	165	80	22	6	6
	White--M	1,173	2	2	3	1	4	13	9	7	11	9	3	19	31	59	97	106	142	170	163	176	93	37	11	1	4
	F	1,050	2	1	3	2	-	3	3	3	3	15	24	34	54	81	79	113	124	136	125	118	70	40	11	5	1
	Nonwhite--M	75	-	-	1	1	-	-	-	-	-	-	-	1	1	14	8	10	8	14	10	3	-	3	-	-	1
	F	50	-	1	-	-	-	-	-	1	-	-	1	2	8	2	6	5	7	4	7	4	2	-	-	-	-
140-148	Of buccal cavity and pharynx	45	-	-	-	-	-	-	-	-	-	1	1	-	2	8	5	4	4	5	7	1	3	1	3	-	-
	White--M	31	-	-	-	-	-	-	-	-	-	1	-	-	1	6	4	3	3	3	6	-	2	-	2	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	1	1	1	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	797	-	-	-	-	-	-	-	2	-	3	7	12	14	36	48	73	88	124	140	133	69	35	7	2	4
	White--M	388	-	-	-	-	-	-	-	2	-	3	1	4	9	16	22	36	40	61	70	68	34	16	3	-	3
	F	358	-	-	-	-	-	-	-	-	-	-	6	6	4	12	21	31	44	52	61	63	33	19	4	2	-
	Nonwhite--M	30	-	-	-	-	-	-	-	-	-	-	-	1	1	7	2	2	1	9	5	1	-	-	-	-	1
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	3	2	4	1	2	-	-	-	-
160-164	Of respiratory system (not secondary)	285	-	-	1	-	-	-	-	-	-	-	1	7	12	21	38	47	54	40	25	21	11	6	1	-	-
	White--M	222	-	-	1	-	-	-	-	-	-	-	-	5	9	13	33	33	44	37	18	16	9	3	1	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	1	2	2	5	1	8	7	3	7	4	2	3	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	3	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	169	-	-	-	-	-	-	-	-	-	2	1	9	19	18	15	18	20	25	12	11	9	8	2	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
	F	154	-	-	-	-	-	-	-	-	-	2	1	8	16	16	14	18	18	22	10	10	9	8	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	2	1	-	-	-	-	-	-
171-179	Of genital organs	433	-	1	-	-	-	-	-	-	3	5	10	18	21	30	32	39	43	51	61	61	38	18	2	-	-
	White--M	168	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	6	14	22	30	43	31	13	1	-	-
	F	246	-	-	-	-	-	-	-	-	3	5	8	16	19	30	25	32	27	27	26	16	7	4	1	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-	1	-	-	-
	F	9	-	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	2	1	-	-	-	-	-
180, 181	Of urinary organs	109	-	1	2	1	-	1	-	1	-	2	1	-	4	4	7	8	18	18	10	17	9	1	4	-	-
	White--M	72	-	1	1	-	-	1	-	1	-	1	-	-	3	3	6	6	10	16	5	12	2	1	3	-	-
	F	33	-	-	1	1	-	-	-	-	-	1	1	-	1	-	1	2	6	2	5	4	7	-	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	297	2	-	1	1	2	5	7	2	6	5	3	6	13	23	24	27	34	29	34	40	18	8	3	3	1
	White--M	163	2	-	-	-	2	4	4	2	6	2	-	5	4	13	12	13	19	15	20	23	10	4	1	1	1
	F	124	-	-	1	1	-	1	3	-	-	3	3	1	9	9	10	13	13	12	14	16	8	3	2	2	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	113	2	2	3	2	2	8	5	3	3	4	1	1	2	7	10	7	8	19	6	10	5	1	-	1	1
	White--M	61	-	1	1	1	2	6	5	1	3	-	-	1	1	3	5	3	3	8	5	8	4	-	-	-	-
	F	48	2	1	1	-	-	2	-	1	-	4	1	-	1	4	5	4	5	10	1	2	1	1	-	1	1
	Nonwhite--M	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	100	-	-	-	-	-	2	-	3	2	2	3	3	7	9	11	11	12	13	10	7	3	2	-	-	-
	White--M	64	-	-	-	-	-	2	-	1	2	2	1	2	4	4	10	6	9	7	8	5	1	-	-	-	-
	F	32	-	-	-	-	-	-	-	2	-	-	2	1	2	4	1	5	3	6	1	2	2	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	64	1	2	-	-	-	3	2	2	7	6	-	-	6	2	9	3	4	6	4	4	1	1	1	-	-
	White--M	22	-	2	-	-	-	-	1	1	2	3	-	-	-	2	3	2	2	1	-	2	-	1	-	-	-
	F	36	1	-	-	-	-	3	1	-	3	3	-	-	4	-	5	1	2	5	4	2	1	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	261	-	-	-	1	-	-	-	-	1	5	5	2	9	12	13	21	29	36	41	48	27	7	3	1	-
	White--M	84	-	-	-	-	-	-	-	-	1	3	3	-	4	4	5	6	4	12	15	14	10	2	1	-	-
	F	148	-	-	-	1	-	-	-	-	-	2	1	1	1	6	4	11	23	21	23	32	14	5	2	1	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	1	1	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	1	2	2	1	2	-	-	-	-
290-293	Anemias	39	1	-	-	-	-	-	1	1	1	-	1	1	1	1	3	-	1	3	6	7	6	2	2	1	-
	White--M	15	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	3	3	3	-	1	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	2	3	4	3	2	1	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	18	4	-	-	-	1	2	-	-	-	-	1	1	-	1	1	1	-	2	1	2	-	1	-	-	-
	White--M	12	2	-	-	-	1	1	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	-	-	-	-
	F	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,011	2	3	1	-	1	7	9	19	18	21	53	106	163	288	447	589	852	1,061	1,376	1,494	1,259	842	315	67	18
	White--M	4,954	2	2	1	-	1	4	3	9	10	7	24	63	114	184	276	369	505	595	765	779	658	407	142	27	7
	F	3,418	-	1	-	-	-	3	4	9	8	12	24	30	38	64	106	155	256	371	526	650	554	405	161	35	6
	Nonwhite--M	380	-	-	-	-	-	-	1	1	-	2	3	5	7	20	35	41	48	63	65	39	27	15	4	3	1
	F	259	-	-	-	-	-	-	1	-	-	-	2	8	4	20	30	24	43	32	20	26	20	15	8	2	4
330-334, 400-468	Diseases of cardiovascular system	8,808	2	3	1	-	1	7	9	15	15	15	50	101	156	280	435	579	834	1,039	1,359	1,463	1,224	824	312	66	18
	White--M	4,851	2	2	1	-	1	4	3	7	8	3	21	61	110	181	268	364	497	585	757	762	641	398	141	27	7
	F	3,334	-	1	-	-	-	3	4	7	7	10	24	27	36	60	103	152	249	361	518	637	538	398	159	34	6
	Nonwhite--M	372	-	-	-	-	-	-	1	1	-	2	3	5	7	19	34	40	45	62	64	39	27	15	4	3	1
	F	251	-	-	-	-	-	-	1	-	-	-	2	8	3	20	30	23	43	31	20	25	18	13	8	2	4
330-334	Vascular lesions, etc.*	1,984	1	1	-	-	-	2	-	2	3	2	7	13	20	37	72	94	168	206	338	396	334	197	80	6	5
	White--M	982	1	1	-	-	-	1	-	1	2	1	3	4	13	12	32	43	82	99	176	201	179	98	29	2	2
	F	868	-	-	-	-	-	1	-	1	1	1	3	5	6	18	23	37	67	82	145	179	147	98	49	3	2
	Nonwhite--M	72	-	-	-	-	-	-	-	-	-	-	-	2	1	1	10	5	10	15	12	8	4	1	1	1	1
	F	62	-	-	-	-	-	-	-	-	-	-	1	2	-	6	7	9	9	10	5	8	4	-	1	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																										
400-402	Rheumatic fever---	18	-	-	-	-	1	3	6	3	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	White-----M--	8	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	8	-	-	-	-	-	1	3	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	6,202	-	2	1	-	-	1	2	7	12	13	37	83	126	232	346	462	625	775	950	958	795	534	185	44	12
	White-----M--	3,552	-	1	1	-	-	-	1	3	6	2	17	54	91	162	228	306	390	458	540	505	418	258	90	17	4
	F--	2,206	-	1	-	-	-	1	1	3	6	9	16	20	28	40	74	110	169	255	351	410	344	252	88	24	4
	Nonwhite--M--	273	-	-	-	-	-	-	-	1	-	2	3	3	5	16	24	32	35	42	46	27	20	13	3	1	-
	F--	171	-	-	-	-	-	-	-	-	-	-	1	6	2	14	20	14	31	20	13	16	13	11	4	2	4
410-416	Chronic rheumatic heart disease----	200	-	-	-	-	-	-	2	3	7	6	13	16	13	23	16	24	19	21	16	8	6	5	-	-	-
	White-----M--	96	-	-	-	-	-	-	1	2	4	1	2	9	6	16	7	11	12	14	5	4	1	1	-	-	-
	F--	97	-	-	-	-	-	-	1	1	3	5	10	6	5	7	7	13	6	7	11	4	7	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,066	-	-	1	-	-	-	-	1	3	4	20	51	96	168	270	339	427	532	659	608	453	302	98	27	7
	White-----M--	2,545	-	-	1	-	-	-	-	-	2	1	13	36	77	128	196	247	293	343	399	334	257	154	49	13	2
	F--	1,287	-	-	-	-	-	-	-	1	1	1	6	9	16	21	50	67	100	159	224	252	181	137	46	13	3
	Nonwhite--M--	154	-	-	-	-	-	-	-	-	-	2	1	3	1	12	14	20	19	23	25	15	11	6	1	1	-
	F--	80	-	-	-	-	-	-	-	-	-	-	-	3	2	7	10	5	15	7	11	7	4	5	2	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	725	-	1	-	-	-	-	-	-	-	1	-	6	2	8	16	25	48	68	100	135	153	108	45	7	2
	White-----M--	361	-	-	-	-	-	-	-	-	-	-	-	4	1	3	4	15	28	31	56	60	75	58	22	3	1
	F--	318	-	1	-	-	-	-	-	-	-	1	-	1	1	2	7	9	15	31	38	68	73	45	22	3	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	4	6	6	3	3	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	-	1	2	2	1	1	-
430-434	Other diseases of heart---------	321	-	1	-	-	-	1	-	2	2	2	1	7	7	11	15	19	31	40	39	52	52	24	9	5	1
	White-----M--	185	-	1	-	-	-	-	-	-	-	-	1	4	6	6	10	11	21	28	21	30	24	12	8	1	1
	F--	108	-	-	-	-	-	1	-	1	2	2	-	2	1	2	2	5	5	10	14	19	28	10	1	3	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	2	4	2	3	3	-	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	1	-
440-443	Hypertension with heart dis.--	880	-	-	-	-	-	-	-	1	-	-	3	3	8	22	29	55	100	114	136	155	129	95	33	5	2
	White-----M--	365	-	-	-	-	-	-	-	1	-	-	1	1	1	9	11	22	36	42	59	77	61	33	11	-	-
	F--	396	-	-	-	-	-	-	-	-	-	-	-	2	5	8	8	16	43	48	64	67	55	56	19	5	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	-	-	2	-	2	1	5	10	9	13	12	3	6	2	2	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	7	12	11	1	8	7	4	1	-	2
444-447	Hypertension without mention of heart----------	140	-	-	-	-	-	-	-	1	-	-	1	-	5	6	5	9	10	10	17	27	19	20	8	2	-
	White-----M--	66	-	-	-	-	-	-	-	1	-	-	-	-	3	4	1	7	5	5	7	13	9	7	4	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	4	3	7	13	10	13	4	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-	-	-	-	-	-
450	General arteriosclerosis--------	334	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	8	8	23	35	67	68	69	37	13	1
	White-----M--	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	11	24	34	31	33	17	7	1
	F--	142	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	9	9	29	34	33	17	5	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	3	3	1	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-
451-468	Other diseases of circulatory sys.-	130	1	-	-	-	-	1	1	2	-	-	3	5	5	4	9	6	22	25	18	15	6	4	2	1	-
	White-----M--	73	1	-	-	-	-	1	1	-	-	-	1	3	3	3	4	5	13	12	10	9	3	2	1	1	-
	F--	50	-	-	-	-	-	-	-	2	-	-	2	2	1	1	5	1	7	12	5	6	3	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	203	-	-	-	-	-	-	-	4	3	6	3	5	7	8	12	10	18	22	17	31	35	18	3	1	-
	White-----M--	103	-	-	-	-	-	-	-	2	2	4	3	2	4	3	8	5	8	10	8	17	17	9	1	-	-
	F--	84	-	-	-	-	-	-	-	2	1	2	-	3	2	4	3	3	7	10	8	13	16	7	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	554	120	25	3	2	2	7	4	4	6	1	8	12	5	10	18	21	20	33	51	51	72	50	20	8	1
	White-----M--	283	63	7	-	1	-	5	2	2	3	-	2	8	3	8	10	11	13	22	27	26	33	24	9	3	1
	F--	233	49	16	3	1	1	1	2	1	3	1	5	4	1	-	6	6	6	7	20	24	37	23	11	5	-
	Nonwhite--M--	24	5	1	-	-	1	1	-	1	-	-	-	-	1	2	1	1	1	4	2	1	2	-	-	-	-
	F--	14	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	2	-	-	3	-	-	-
480-483	Influenza---------	70	7	2	-	-	-	-	-	2	-	-	2	1	-	1	6	2	3	2	7	9	13	6	4	3	-
	White-----M--	26	5	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	1	4	3	3	3	1	-	-
	F--	39	1	2	-	-	-	-	-	1	-	-	1	1	-	-	4	-	2	-	3	5	10	3	3	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	484	113	23	3	2	2	7	4	2	6	1	6	11	5	9	12	19	17	31	44	42	59	44	16	5	1
	White-----M--	257	58	7	-	1	-	5	2	1	3	-	1	8	3	7	9	10	12	21	23	23	30	21	8	3	1
	F--	194	48	14	3	1	1	1	2	-	3	1	4	3	1	-	2	6	4	7	17	19	27	20	8	2	-
	Nonwhite--M--	21	5	1	-	-	1	1	-	1	-	-	-	-	1	2	1	-	1	3	2	-	2	-	-	-	-
	F--	12	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	2	-	-	3	-	-	-
500-502	Bronchitis--------	32	8	2	3	-	-	1	-	-	-	-	-	-	-	-	1	1	4	1	1	4	4	2	-	-	-
	White-----M--	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	-	-	-	-
	F--	15	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	1	3	2	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	94	-	-	-	-	-	-	-	-	-	-	1	1	7	2	8	18	16	9	16	9	5	-	1	-	1
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	1	5	2	5	14	9	7	13	9	3	-	-	-	1
	F--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	6	1	3	-	2	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	24	-	-	1	-	-	-	-	2	-	-	1	2	1	3	3	1	3	1	4	1	1	-	-	-	-
	White-----M--	13	-	-	1	-	-	-	-	1	-	-	-	2	1	1	1	1	1	-	3	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	95	9	-	1	2	-	1	-	-	-	1	-	3	-	4	3	6	10	8	17	7	10	9	2	1	1
	White-----M--	47	4	-	1	1	-	1	-	-	-	-	-	1	-	1	1	3	6	4	9	3	6	5	1	-	-
	F--	43	5	-	-	1	-	-	-	-	-	1	-	2	-	3	2	3	1	3	8	4	4	4	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																										
543,	Gastritis, etc.*	53	26	1	-	-	1	1	-	-	-	3	-	-	2	1	1	2	1	2	3	4	1	2	1	1	-
571,	White-----M--	27	13	-	-	-	1	1	-	-	-	2	-	-	-	-	1	1	1	1	-	2	1	1	1	1	-
572	F--	25	12	1	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	1	3	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	126	1	-	-	-	-	-	-	-	-	1	3	8	16	7	15	9	20	16	16	7	6	1	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	3	4	10	5	10	8	15	11	12	4	3	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	-	3	5	1	5	1	2	5	4	2	3	1	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	39	2	-	1	-	-	-	-	2	-	1	3	3	-	1	6	3	3	5	2	4	1	2	-	-	-
	White-----M--	21	1	-	-	-	-	-	-	1	-	-	2	3	-	1	3	2	2	1	1	3	-	1	-	-	-
	F--	16	1	-	1	-	-	-	-	1	-	1	1	-	-	-	1	1	1	4	1	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	8	14	9	10	8	2	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	14	9	10	8	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	16	...	...	...	...	...	...	-	3	3	2	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	2	3	2	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	15	...	...	...	...	...	...	-	3	3	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	14	...	...	...	...	...	...	-	2	3	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	227	161	14	9	1	1	3	6	5	3	1	4	3	1	4	1	4	2	3	-	1	-	-	-	-	-
	White-----M--	99	76	7	1	-	1	1	1	3	1	1	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-
	F--	113	76	6	8	-	-	2	4	2	1	-	2	1	1	2	-	3	2	3	-	-	-	-	-	-	-
	Nonwhite--M--	7	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	8	5	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	717	717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	429	429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualified	343	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	349	48	3	3	-	-	-	1	1	1	4	3	4	12	15	10	13	21	28	30	34	41	31	34	11	1
795	White-----M--	183	28	1	2	-	-	-	-	1	1	3	1	2	9	7	7	6	13	21	16	18	18	12	14	3	-
	F--	134	17	2	1	-	-	-	1	-	-	-	2	2	2	5	2	4	4	2	11	15	20	18	17	8	1
	Nonwhite--M--	21	1	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	2	5	3	-	1	-	2	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	2	1	1	-	-
Re-	All other diseases	821	41	6	3	2	3	9	11	10	14	13	26	22	31	47	54	86	72	87	91	86	52	38	10	3	4
sid-	White-----M--	469	21	2	1	1	2	6	7	7	6	4	10	12	16	33	30	48	38	59	65	49	22	22	4	2	2
ual	F--	285	18	3	2	-	1	3	4	3	6	5	12	9	10	13	18	25	27	20	22	33	29	16	5	-	1
	Nonwhite--M--	50	1	-	-	1	-	-	-	-	1	2	2	-	5	-	4	12	5	7	4	3	1	-	1	1	-
	F--	17	1	1	-	-	-	-	-	-	1	2	2	1	-	1	2	1	2	1	-	1	-	-	-	-	1
E800-	Accidents	1,207	37	15	16	12	9	39	45	82	108	80	79	72	73	95	69	46	53	58	47	47	58	39	18	3	7
E962	White-----M--	808	19	10	8	8	5	20	31	57	89	64	64	57	55	76	51	32	34	36	25	23	14	19	4	1	6
	F--	311	16	4	8	4	4	17	11	21	15	8	13	8	11	7	8	9	11	15	18	23	43	20	14	2	1
	Nonwhite--M--	73	-	-	-	-	-	1	2	4	4	8	1	6	7	10	10	4	7	4	4	1	-	-	-	-	-
	F--	15	2	1	-	-	-	1	1	-	-	-	1	1	-	2	-	1	1	3	-	-	1	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	410	1	3	2	6	3	19	9	45	73	42	40	20	20	23	18	15	22	17	14	8	5	3	-	1	1
	White-----M--	295	1	3	1	4	1	12	5	32	61	29	29	14	14	21	14	9	16	9	8	5	3	3	-	1	-
	F--	86	-	-	1	2	2	6	3	12	10	6	10	4	4	2	3	5	3	4	3	3	2	-	-	-	1
	Nonwhite--M--	26	-	-	-	-	-	1	-	1	2	7	1	2	2	-	1	1	3	2	3	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
E800-	All ot. accidents	797	36	12	14	6	6	20	36	37	35	38	39	52	53	72	51	31	31	41	33	39	53	36	18	2	6
E802,	White-----M--	513	18	7	7	4	4	8	26	25	28	35	35	43	41	55	37	23	18	27	17	18	11	16	4	-	6
E840-	F--	225	16	4	7	2	2	11	8	9	5	2	3	4	7	5	5	4	8	11	15	20	41	20	14	2	-
E962	Nonwhite--M--	47	-	-	-	-	-	-	2	3	2	1	-	4	5	10	9	3	4	2	1	1	-	-	-	-	-
	F--	12	2	1	-	-	-	1	-	-	-	-	1	1	-	2	-	1	1	1	-	-	1	-	-	-	-
E963,	Suicide	186	-	-	-	-	-	-	-	8	6	17	15	12	14	19	19	21	14	20	9	8	2	2	-	-	-
E970-	White-----M--	127	-	-	-	-	-	-	-	6	3	10	10	8	6	13	11	14	12	17	8	6	1	2	-	-	-
E979	F--	46	-	-	-	-	-	-	-	1	2	5	4	4	7	6	5	5	1	3	1	2	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	1	1	1	-	1	-	3	2	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	80	2	1	-	-	-	-	2	5	4	10	6	9	11	8	8	8	-	5	-	1	-	-	-	-	-
E980-	White-----M--	50	1	1	-	-	-	-	2	3	2	7	3	7	6	2	6	6	-	3	-	1	-	-	-	-	-
E985	F--	16	1	-	-	-	-	-	-	1	-	2	2	1	2	4	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	-	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN																										
	ALL CAUSES------	35,034	2,190	144	78	58	54	186	154	250	301	305	324	463	717	1,078	1,624	2,190	3,197	4,131	4,868	4,769	4,112	2,682	1,067	292	-
	White-----M--	20,002	1,188	69	46	34	21	104	88	171	221	205	182	270	426	687	1,024	1,417	2,014	2,554	2,710	2,620	2,090	1,276	473	112	-
	F--	14,513	882	66	31	23	30	77	63	73	67	84	128	174	265	360	568	726	1,143	1,531	1,931	2,125	2,008	1,392	588	178	-
	Nonwhite--M--	290	57	4	1	-	2	1	3	3	9	10	10	11	15	17	14	28	28	31	15	13	7	7	4	-	-
	F--	229	63	5	-	1	1	4	-	3	4	6	4	8	11	14	18	19	12	15	12	11	7	7	2	2	-
001-019	Tuberculosis, all forms--------	178	-	1	-	-	-	-	-	1	-	2	3	10	16	13	15	15	22	26	25	15	8	4	2	-	-
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	5	9	6	6	13	15	23	19	10	5	2	1	-	-
	F--	50	-	1	-	-	-	-	-	1	-	1	3	3	6	5	6	2	4	2	6	5	3	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	1	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	159	-	1	-	-	-	-	-	-	-	2	2	9	14	12	13	8	19	25	25	15	8	4	2	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	-	-	-	4	7	6	4	6	14	22	19	10	5	2	1	-	-
	F--	46	-	1	-	-	-	-	-	-	-	1	2	3	6	5	6	2	2	2	6	5	3	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	19	-	-	-	-	-	-	-	1	-	-	1	1	2	1	2	7	3	1	-	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	7	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	10	11	10	4	1	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	8	9	5	3	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	4	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	9	-	-	-	-	1	1	-	1	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	26	9	8	2	-	1	1	-	-	-	-	1	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	White-----M--	13	4	5	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	13	5	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	166	5	3	4	6	2	30	30	15	16	19	21	7	4	1	-	3	-	-	-	-	-	-	-	-	-
	White-----M--	86	2	1	1	4	1	13	19	7	10	9	7	7	3	-	-	2	-	-	-	-	-	-	-	-	-
	F--	79	2	2	3	2	1	17	11	8	6	10	14	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	3	2	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	92	11	4	2	-	-	4	4	2	1	3	2	5	8	8	3	6	5	6	7	5	2	3	-	1	-
	White-----M--	54	8	2	2	-	-	2	3	1	-	2	2	4	5	5	2	3	2	3	3	3	-	1	-	1	-
	F--	35	2	2	-	-	-	2	1	-	1	-	-	1	3	3	1	3	3	3	4	2	2	2	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*----	5,771	12	7	7	13	13	16	15	15	23	24	60	90	153	273	425	513	795	869	897	743	484	247	68	9	-
	White-----M--	3,073	5	4	5	9	6	8	7	12	11	17	27	35	47	108	203	256	442	498	512	421	273	126	40	1	-
	F--	2,634	6	3	2	4	7	8	8	3	9	7	30	52	101	158	217	249	346	363	381	318	210	117	27	8	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	2	-	1	1	1	4	3	3	4	4	3	2	1	2	-	-	-
	F--	33	1	-	-	-	-	-	-	-	1	-	2	2	4	3	2	5	3	4	1	2	-	2	1	-	-
140-148	Of buccal cavity and pharynx------	120	-	-	-	-	-	-	-	-	-	-	2	-	3	5	10	11	25	17	20	9	10	6	1	1	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	-	2	-	3	4	7	9	21	13	14	8	8	4	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	1	2	2	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)---------	2,314	1	2	-	-	-	-	-	-	4	2	11	14	42	66	128	195	301	379	413	358	235	127	34	2	-
	White-----M--	1,305	1	2	-	-	-	-	-	-	2	1	7	6	16	41	67	105	184	223	245	200	125	62	18	-	-
	F--	988	-	-	-	-	-	-	-	-	1	1	4	8	26	24	59	89	115	151	164	155	110	64	15	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	3	1	4	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	2	-	1	1	-	-
160-164	Of respiratory system (not secondary)--------	569	-	-	-	-	-	-	-	-	-	2	4	7	10	26	64	73	125	102	77	47	19	10	3	-	-
	White-----M--	475	-	-	-	-	-	-	-	-	-	2	2	6	8	23	60	67	106	89	57	35	12	6	2	-	-
	F--	86	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	3	18	12	20	12	7	4	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast---------	518	-	-	-	-	-	-	-	-	-	-	7	17	30	44	58	57	64	68	66	52	34	15	3	3	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	1	1	-	-	-	-
	F--	509	-	-	-	-	-	-	-	-	-	-	6	17	29	44	57	56	64	66	65	51	33	15	3	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	882	-	1	-	-	-	-	2	2	3	3	12	18	33	56	66	60	105	114	136	127	89	46	9	-	-
	White-----M--	391	-	1	-	-	-	-	-	2	2	2	2	4	2	1	7	9	30	53	81	88	66	34	7	-	-
	F--	476	-	-	-	-	-	-	2	-	1	1	9	12	30	52	58	49	73	60	55	39	23	10	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	2	1	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	329	-	-	1	2	-	2	-	-	-	-	-	1	3	13	23	25	51	50	50	55	31	12	8	2	-
	White-----M--	226	-	-	-	2	-	1	-	-	-	-	-	1	2	8	18	18	37	37	28	37	25	5	6	1	-
	F--	100	-	-	1	-	-	1	-	-	-	-	-	-	1	5	5	6	13	13	22	17	6	7	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	542	3	1	3	2	3	5	7	4	5	6	6	16	16	37	43	54	71	65	70	50	43	25	6	1	-
	White-----M--	287	1	-	2	-	-	2	4	2	2	4	4	10	8	16	23	27	37	40	42	25	21	13	4	-	-
	F--	247	2	1	1	2	3	3	3	2	2	2	2	6	6	20	19	26	33	25	28	25	22	11	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	283	5	3	2	9	9	8	4	7	5	3	8	7	7	14	13	18	25	42	45	27	15	6	1	-	-
	White-----M--	166	2	1	2	7	6	4	1	6	2	1	2	5	3	8	7	10	13	24	34	16	9	2	1	-	-
	F--	113	2	2	-	2	3	4	3	1	2	2	5	2	4	6	6	8	12	18	11	11	5	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	214	3	-	1	-	1	1	2	2	6	8	10	10	9	12	20	20	28	32	20	18	8	-	3	-	-
	White-----M--	121	1	-	1	-	-	1	2	2	3	7	7	3	4	7	13	10	14	18	10	11	6	-	1	-	-
	F--	91	2	-	-	-	1	-	-	-	3	1	3	7	4	4	7	10	14	14	10	7	2	-	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	113	4	-	-	-	-	3	1	-	3	2	4	7	8	6	10	5	13	15	9	5	8	8	2	-	-
	White-----M--	41	4	-	-	-	-	2	-	-	2	1	2	3	3	1	2	1	4	2	4	3	5	2	-	-	-
	F--	71	-	-	-	-	-	-	1	-	1	1	2	4	5	5	8	4	9	13	5	2	3	6	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	650	1	1	-	-	-	3	1	3	5	6	9	12	9	14	26	47	85	102	134	96	73	19	4	-	-
	White-----M--	266	1	-	-	-	-	3	1	1	2	3	3	5	7	9	11	22	37	40	48	38	25	6	4	-	-
	F--	374	-	1	-	-	-	-	-	2	3	3	6	7	1	5	14	23	44	62	86	57	47	13	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
290-293	Anemias----------	92	3	1	-	-	1	-	-	1	-	1	1	2	1	2	-	4	2	4	13	22	18	12	3	1	-
	White-----M--	45	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	3	4	15	9	6	2	-	-
	F--	44	2	1	-	-	-	-	-	1	-	-	1	1	-	2	-	2	-	1	9	7	9	6	1	1	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	37	15	4	2	-	-	2	-	-	1	-	-	2	-	1	2	1	3	2	1	-	1	-	-	-	-
	White-----M--	22	9	1	2	-	-	1	-	-	1	-	-	1	-	1	1	1	3	-	-	-	1	-	-	-	-
	F--	12	4	2	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	19,877	6	3	-	1	-	11	12	20	24	48	56	140	271	469	785	1,189	1,794	2,557	3,011	3,351	3,042	2,036	824	227	-
	White-----M--	11,319	3	1	-	-	-	4	3	12	12	30	33	94	178	344	541	830	1,172	1,593	1,752	1,806	1,520	955	347	89	-
	F--	8,371	3	1	-	1	-	5	9	8	11	14	21	41	83	112	228	334	601	933	1,243	1,527	1,512	1,073	473	138	-
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	-	3	2	3	6	6	6	17	16	21	7	10	5	4	3	-	-
	F--	78	-	1	-	-	-	2	-	-	1	1	-	2	4	7	10	8	5	10	9	8	5	4	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	19,584	6	3	-	1	-	6	9	15	21	39	47	130	258	449	762	1,172	1,772	2,526	2,982	3,312	3,020	2,011	820	223	-
	White-----M--	11,167	3	1	-	-	-	3	3	10	9	24	28	88	173	333	527	820	1,160	1,580	1,735	1,790	1,506	939	347	88	-
	F--	8,240	3	1	-	1	-	2	6	5	11	11	17	38	77	105	220	329	591	916	1,231	1,504	1,504	1,064	469	135	-
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	-	3	2	2	4	5	6	17	16	21	7	10	5	4	3	-	-
	F--	72	-	1	-	-	-	1	-	-	1	1	-	2	4	6	9	6	5	9	9	8	5	4	1	-	-
330-334	Vascular lesions, etc.*----------	4,363	1	-	-	-	-	-	-	2	7	5	7	17	38	70	122	204	348	565	717	855	742	455	167	41	-
	White-----M--	2,148	1	-	-	-	-	-	-	1	-	3	3	8	16	32	51	100	175	315	370	432	344	203	76	18	-
	F--	2,165	-	-	-	-	-	-	-	1	6	2	3	7	20	33	68	99	165	244	339	419	395	250	91	23	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	7	4	2	1	2	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	3	1	2	6	3	1	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN--Con.																										
400-402	Rheumatic fever---	26	-	-	-	-	-	2	7	3	1	1	2	-	1	2	2	1	1	-	-	2	-	1	-	-	-
	White-----M--	12	-	-	-	-	-	2	2	2	-	1	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-
	F--	14	-	-	-	-	-	-	5	1	1	-	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	13,788	3	3	-	1	-	4	2	7	10	26	30	101	208	364	608	927	1,361	1,843	2,100	2,218	1,993	1,314	527	138	-
	White-----M--	8,247	-	1	-	-	-	1	1	5	6	16	19	75	153	289	456	688	946	1,195	1,272	1,232	1,005	621	213	53	-
	F--	5,424	3	1	-	1	-	2	1	2	4	7	10	24	50	71	142	223	402	624	821	973	981	687	310	85	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	3	1	1	2	1	5	13	9	17	4	8	3	2	3	-	-
	F--	45	-	1	-	-	-	1	-	-	-	-	-	1	3	3	5	3	4	7	3	5	4	4	1	-	-
410-416	Chronic rheumatic heart disease----	449	-	-	-	-	-	-	2	2	4	11	13	19	36	41	48	56	53	49	49	30	20	11	4	1	-
	White-----M--	240	-	-	-	-	-	-	1	1	2	4	6	9	17	27	28	30	28	29	28	12	10	7	1	-	-
	F--	200	-	-	-	-	-	-	1	1	2	5	6	9	18	14	18	26	25	19	21	17	10	4	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	9,862	-	-	-	-	-	1	-	1	4	8	14	67	149	272	486	733	1,086	1,438	1,589	1,561	1,297	776	308	72	-
	White-----M--	6.302	-	-	-	-	-	-	-	1	4	8	11	60	129	229	383	574	789	973	1,001	913	682	390	123	32	-
	F--	3,492	-	-	-	-	-	1	-	-	-	-	3	6	19	42	97	147	289	450	583	639	611	383	182	40	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	11	7	8	4	5	1	2	3	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	7	1	4	3	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,870	1	1	-	-	-	-	-	2	2	2	2	6	4	13	26	50	73	148	216	321	424	361	166	52	-
	White-----M--	945	-	-	-	-	-	-	-	1	-	1	1	2	2	9	18	34	53	85	121	173	194	163	67	21	-
	F--	909	1	-	-	-	-	-	-	1	2	1	1	4	2	3	7	14	20	61	95	145	228	195	98	31	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	1	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	1	-	-
430-434	Other diseases of heart---------	291	2	2	-	1	-	3	-	2	-	5	1	4	6	11	15	18	32	34	41	41	38	24	9	2	-
	White-----M--	177	-	1	-	-	-	1	-	2	-	3	1	3	2	8	12	11	22	19	25	25	24	13	5	-	-
	F--	106	2	1	-	1	-	1	-	-	-	1	-	1	2	3	3	7	9	13	15	16	14	11	4	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,316	-	-	-	-	-	-	-	-	-	-	-	5	13	27	33	70	117	174	205	265	214	142	40	11	-
	White-----M--	583	-	-	-	-	-	-	-	-	-	-	-	1	3	16	15	39	54	89	97	109	95	48	17	-	-
	F--	717	-	-	-	-	-	-	-	-	-	-	-	4	9	9	17	29	59	81	107	156	118	94	23	11	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	247	-	-	-	-	-	-	-	1	-	3	4	5	4	4	8	14	16	21	35	40	46	26	13	7	-
	White-----M--	127	-	-	-	-	-	-	-	1	-	2	3	3	2	3	5	10	8	8	15	16	28	13	6	4	-
	F--	114	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	8	13	20	24	18	13	7	3	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	914	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	19	58	96	160	221	205	110	37	-
	White-----M--	489	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	14	37	58	93	119	96	52	13	-
	F--	423	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	21	37	66	102	109	58	24	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	246	2	-	-	-	-	-	-	2	3	4	4	6	7	9	20	21	27	39	34	37	18	10	3	-	-
	White-----M--	144	2	-	-	-	-	-	-	1	3	2	2	2	2	8	12	17	17	25	20	16	10	5	-	-	-
	F--	100	-	-	-	-	-	-	-	1	-	2	2	4	5	-	8	3	10	14	14	21	8	5	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	293	-	-	-	-	-	5	3	5	3	9	9	10	13	20	23	17	22	31	29	39	22	25	4	4	-
	White-----M--	152	-	-	-	-	-	1	-	2	3	6	5	6	5	11	14	10	12	13	17	16	14	16	-	1	-
	F--	131	-	-	-	-	-	3	3	3	-	3	4	3	6	7	8	5	10	17	12	23	8	9	4	3	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	687	138	20	7	3	2	12	7	9	4	5	6	10	8	19	15	21	31	38	65	76	88	67	26	10	-
	White-----M--	384	76	9	5	1	-	2	2	4	3	2	5	6	6	16	12	14	20	28	37	48	43	31	11	3	-
	F--	280	45	9	2	2	2	10	5	5	1	3	1	4	2	3	3	6	11	10	27	28	45	35	15	6	-
	Nonwhite--M--	12	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
480-483	Influenza---------	36	5	1	-	-	-	3	1	1	-	-	1	-	1	-	-	-	3	1	3	5	5	2	2	2	-
	White-----M--	11	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	4	2	1	-	-	-
	F--	25	4	1	-	-	-	3	-	1	-	-	1	-	1	-	-	-	2	1	2	1	3	1	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	651	133	19	7	3	2	9	6	8	4	5	5	10	7	19	15	21	28	37	62	71	83	65	24	8	-
	White-----M--	373	75	9	5	1	-	2	1	4	3	2	5	6	6	16	12	14	19	28	36	44	41	30	11	3	-
	F--	255	41	8	2	2	2	7	5	4	1	3	-	4	1	3	3	6	9	9	25	27	42	34	13	4	-
	Nonwhite--M--	12	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
500-502	Bronchitis--------	52	12	2	4	-	3	-	-	-	1	1	3	-	1	-	2	1	2	3	3	2	5	5	2	-	-
	White-----M--	30	7	1	3	-	1	-	-	-	-	1	1	-	1	-	-	1	1	2	1	2	4	4	-	-	-
	F--	20	5	1	-	-	2	-	-	-	1	-	2	-	-	-	2	-	-	1	2	-	1	1	2	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	229	1	-	-	-	-	-	-	-	1	1	3	6	9	13	16	27	27	34	39	29	17	5	1	-	-
	White-----M--	173	-	-	-	-	-	-	-	-	1	1	2	3	9	11	13	24	24	28	25	20	10	2	-	-	-
	F--	51	1	-	-	-	-	-	-	-	-	-	1	2	-	2	2	3	2	5	14	9	6	3	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	70	1	2	1	1	1	-	2	4	-	-	3	-	1	4	5	7	8	6	10	6	5	2	1	-	-
	White-----M--	51	1	2	1	1	-	-	1	2	-	-	3	-	1	3	5	5	6	5	7	4	2	1	1	-	-
	F--	18	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	1	2	1	3	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	204	24	1	1	-	-	-	-	-	-	2	3	5	8	9	9	13	16	18	26	31	15	15	8	-	-
	White-----M--	101	11	1	1	-	-	-	-	-	-	1	1	2	4	5	5	7	8	11	13	15	4	9	3	-	-
	F--	94	11	-	-	-	-	-	-	-	-	-	2	2	2	3	3	6	8	7	13	16	10	6	5	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																										
543,	Gastritis, etc.*--	153	39	10	2	1	1	4	-	-	2	2	-	3	5	7	2	5	13	12	6	18	13	5	3	-	-
571,	White-----M--	77	18	5	1	1	1	3	-	-	-	1	-	2	1	2	2	4	9	8	4	7	7	1	-	-	-
572	F--	67	14	4	1	-	-	1	-	-	2	1	-	1	4	5	-	-	4	4	2	11	6	4	3	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	319	1	-	-	-	-	1	-	1	1	4	4	9	22	30	47	40	45	41	33	23	12	-	5	-	-
	White-----M--	227	-	-	-	-	-	1	-	1	-	2	3	5	14	24	34	33	30	35	25	11	7	-	2	-	-
	F--	89	1	-	-	-	-	-	-	-	1	-	1	4	7	6	13	7	15	6	8	12	5	-	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	41	-	1	2	-	-	3	1	-	1	3	-	3	2	2	1	4	2	2	1	1	8	1	3	-	-
	White-----M--	27	-	-	1	-	-	2	1	-	-	3	-	3	2	2	1	1	1	1	1	-	5	1	2	-	-
	F--	13	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	3	1	1	-	1	3	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	14	22	37	44	43	39	13	3	-
	White-----M--	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	14	21	37	43	43	38	13	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	25	...	...	...	...	...	...	-	-	3	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	-	3	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	23	...	...	...	...	...	...	-	-	3	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	23	...	...	...	...	...	...	-	-	3	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	514	386	23	8	5	7	11	8	9	8	3	3	3	3	7	9	3	5	8	2	1	2	-	-	-	-
	White-----M--	271	216	10	1	2	4	6	-	6	1	2	-	-	1	5	5	3	2	4	2	-	1	-	-	-	-
	F--	228	157	12	7	3	3	5	8	3	6	1	3	3	2	2	4	-	3	4	-	1	1	-	-	-	-
	Nonwhite--M--	6	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,346	1,346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	725	725	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	555	555	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	619	619	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	353	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
775	infancy, and im-																										
	maturity unquali-																										
	fied----------	673	673	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	343	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	163	10	1	-	-	-	-	-	-	1	1	-	2	-	2	2	3	9	7	11	20	27	25	29	13	-
795	White-----M--	95	5	1	-	-	-	-	-	-	1	1	-	1	-	1	1	3	8	5	10	12	12	12	16	6	-
	F--	65	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	8	15	13	13	7	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,468	101	16	11	10	8	16	11	12	25	16	29	38	47	60	100	116	141	182	190	129	108	66	26	10	-
sid-	White-----M--	821	54	8	7	6	2	9	4	9	17	8	11	18	30	40	61	66	85	111	100	74	49	33	16	3	-
ual	F--	617	44	7	4	3	4	6	7	3	8	7	16	17	16	17	36	47	54	69	88	55	59	33	10	7	-
	Nonwhite--M--	17	2	-	-	1	1	-	-	-	-	-	2	3	1	1	-	2	2	1	2	-	-	-	-	-	-
	F--	13	1	1	-	1	1	1	-	-	-	1	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-
E800-	Accidents---------	2,012	59	34	25	18	12	66	59	152	160	123	83	79	102	84	81	112	104	123	111	121	121	121	44	18	-
E962	White-----M--	1,389	37	17	15	10	4	45	47	110	146	104	66	60	81	67	69	83	81	86	80	61	58	44	12	6	-
	F--	574	18	15	10	8	8	20	9	37	9	16	11	17	18	13	11	24	22	36	29	60	63	77	32	11	-
	Nonwhite--M--	25	-	1	-	-	-	-	3	2	3	2	4	-	3	3	-	2	-	1	1	-	-	-	-	-	-
	F--	24	4	1	-	-	-	1	-	3	2	1	2	2	-	1	1	3	1	-	1	-	-	-	-	1	-
E810-	Motor-vehicle																										
E835	accidents--------	910	11	16	5	10	2	32	21	119	125	85	53	41	60	45	35	50	46	62	42	20	20	10	-	-	-
	White-----M--	680	6	8	5	5	-	21	17	83	113	69	38	29	43	36	27	34	37	46	30	14	13	6	-	-	-
	F--	204	5	7	-	5	2	10	4	33	9	15	9	12	14	7	7	12	9	16	11	6	7	4	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	1	-	4	-	3	2	-	1	-	-	1	-	-	-	-	-	-
	F--	13	-	1	-	-	-	1	-	2	2	1	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,102	48	18	20	8	10	34	38	33	35	38	30	38	42	39	46	62	58	61	69	101	101	111	44	18	-
E802,	White-----M--	709	31	9	10	5	4	24	30	27	33	35	28	31	38	31	42	49	44	40	50	47	45	38	12	6	-
E840-	F--	370	13	8	10	3	6	10	5	4	-	1	2	5	4	6	4	12	13	20	18	54	56	73	32	11	-
E962	Nonwhite--M--	12	-	1	-	-	-	-	3	1	2	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	11	4	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	1	-
E963,	Suicide----------	417	-	-	-	-	-	-	1	4	17	22	20	19	30	47	60	42	49	41	26	26	9	2	2	-	-
E970-	White-----M--	321	-	-	-	-	-	-	-	4	13	14	15	13	21	31	45	35	39	36	21	24	6	2	2	-	-
E979	F--	91	-	-	-	-	-	-	1	-	4	7	4	6	8	15	15	7	10	5	4	2	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	41	1	-	-	-	-	2	2	1	4	3	4	6	7	5	3	1	-	1	1	-	-	-	-	-	-
E980-	White-----M--	17	-	-	-	-	-	1	-	1	1	1	1	2	3	5	1	-	-	1	-	-	-	-	-	-	-
E985	F--	18	1	-	-	-	-	1	2	-	1	-	3	3	4	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING																										
	ALL CAUSES------	2,453	245	21	12	12	5	14	16	36	33	35	24	70	84	111	95	148	208	283	324	241	226	135	57	17	1
	White-----M--	1,569	132	11	5	6	1	8	10	25	22	19	16	44	55	75	63	105	142	204	227	147	141	70	31	9	1
	F--	801	89	8	6	6	3	5	6	8	11	11	8	23	26	31	28	40	62	75	86	89	83	64	25	8	-
	Nonwhite--M--	46	16	-	1	-	-	1	-	2	-	3	-	2	2	4	2	-	3	2	4	2	2	-	-	-	-
	F--	37	8	2	-	-	1	-	-	1	-	2	-	1	1	1	2	3	1	2	7	3	-	1	1	-	-
001-019	Tuberculosis, all forms--------	9	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	1	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	9	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	1	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	-	2	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	5	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*	306	1	1	1	2	-	3	1	6	-	2	3	4	9	21	21	34	35	45	49	27	23	13	3	2	-
	White----M--	165	1	1	-	-	-	2	-	5	-	1	1	2	2	9	8	14	18	26	32	16	16	8	2	1	-
	F--	135	-	-	1	2	-	1	1	1	-	1	2	2	6	11	13	18	17	19	15	11	7	5	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	112	-	-	-	-	-	-	-	-	-	-	-	3	2	5	9	15	12	14	19	12	11	7	2	1	-
	White----M--	55	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	8	5	9	11	2	7	4	1	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	7	7	5	7	10	4	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	40	-	-	-	-	-	-	1	-	-	-	-	-	-	2	4	4	10	6	7	5	1	-	-	-	-
	White----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	9	5	6	5	1	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	28	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	7	2	7	2	-	1	2	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	7	2	7	2	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	44	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	2	4	5	12	3	7	2	1	-	-
	White----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	3	5	2	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	3	3	4	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	13	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	2	2	-	2	-	-	-	-
	White----M--	9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	2	1	-	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	36	-	-	1	1	-	1	-	1	-	1	1	-	1	5	1	4	4	6	3	4	-	1	-	1	-
	White----M--	19	-	-	-	-	-	1	-	1	-	1	-	-	-	3	-	-	1	4	2	4	-	1	-	1	-
	F--	16	-	-	1	1	-	-	-	-	-	-	1	-	1	2	1	3	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	20	1	1	-	1	-	1	-	3	-	-	-	-	1	2	-	-	3	2	2	2	-	1	-	-	-
	White----M--	15	1	1	-	-	-	-	-	3	-	-	-	-	1	1	-	-	2	2	2	1	-	1	-	-	-
	F--	5	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	10	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	3	2	1	-	-	-	-	-
	White----M--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	8	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	1	-	1	1	1	-	-	-
	White----M--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	44	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	1	4	6	9	8	5	1	1	-	-
	White----M--	23	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	2	7	4	3	-	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4	3	1	3	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
290-293	Anemias	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,210	-	1	-	-	-	1	-	3	2	2	1	14	29	50	47	79	120	174	219	165	153	95	43	11	1
	White----M--	815	-	1	-	-	-	1	-	1	-	1	-	9	18	35	37	61	91	132	156	102	96	45	23	5	1
	F--	377	-	-	-	-	-	-	-	2	2	1	1	5	10	12	9	18	27	40	57	62	56	50	19	6	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	2	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	1,181	-	1	-	-	-	1	-	1	1	2	1	13	27	50	45	77	117	172	211	161	153	93	43	11	1
	White----M--	799	-	1	-	-	-	1	-	-	-	1	-	9	18	35	35	59	88	131	152	100	96	44	23	5	1
	F--	364	-	-	-	-	-	-	-	1	1	1	1	4	8	12	9	18	27	39	53	60	56	49	19	6	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	2	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	1	-	-
330-334	Vascular lesions, etc.*	261	-	1	-	-	-	-	-	-	-	-	-	2	3	5	4	11	13	37	46	46	48	25	17	3	-
	White----M--	159	-	1	-	-	-	-	-	-	-	-	-	-	1	3	3	8	7	27	29	28	31	12	9	-	-
	F--	97	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	3	6	8	16	18	17	13	7	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

*For complete category title, see table 55A.

Table 55B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																										
400-402	Rheumatic fever---	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	832	-	-	-	-	-	1	-	-	-	2	-	10	21	42	39	60	97	129	152	105	93	54	21	5	1
	White-----M--	587	-	-	-	-	-	1	-	-	-	1	-	8	16	30	32	47	75	101	114	65	57	22	13	4	1
	F--	232	-	-	-	-	-	-	-	-	-	1	-	2	4	10	6	13	20	28	33	39	35	32	8	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	24	-	-	-	-	-	-	-	-	-	1	-	2	-	5	3	3	3	1	3	2	-	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	1	3	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	566	-	-	-	-	-	1	-	-	-	1	-	6	19	34	30	48	78	99	106	66	48	23	6	1	-
	White-----M--	439	-	-	-	-	-	1	-	-	-	1	-	6	15	27	27	41	64	80	79	47	36	10	4	1	-
	F--	117	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	7	12	19	23	19	12	13	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	133	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	11	14	22	19	29	20	9	3	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	12	16	10	14	10	4	3	-
	F--	53	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	7	2	5	8	14	10	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	5	6	1	1	2	1	1	1
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	4	6	-	1	-	1	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	86	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	5	10	15	17	15	8	5	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	4	10	7	6	2	4	-	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	6	5	10	9	6	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	1	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	7	6	7	11	4	3	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	4	5	8	1	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	31	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	4	3	4	3	3	4	2	1	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	2	2	2	3	2	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	-	2	1	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	29	-	-	-	-	-	-	-	2	1	-	-	1	2	-	2	2	3	2	8	4	-	2	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	3	1	4	2	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	1	4	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	71	18	1	-	2	1	-	1	-	1	1	-	2	1	2	-	1	1	10	5	6	6	5	6	1	-
	White-----M--	42	9	-	-	1	-	-	-	-	-	-	-	2	1	2	-	1	-	6	3	4	5	4	3	1	-
	F--	18	3	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	3	2	1	1	1	3	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
480-483	Influenza---------	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	64	17	1	-	2	-	-	1	-	1	1	-	2	1	2	-	-	1	9	3	6	6	5	5	1	-
	White-----M--	39	9	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	-	6	2	4	5	4	2	1	-
	F--	17	3	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	3	1	1	1	1	3	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	2	3	4	-	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	3	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	12	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-	-	1	2	-	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

by Age, Color, and Sex: Each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																										
543,	Gastritis, etc.*	13	7	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-
571,	White-----M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
572	F	9	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	12	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	2	-	-	2	1	-	-	-
	White-----M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	3	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	3	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	42	31	3	1	-	1	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	23	18	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	12	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	27	1	1	1	-	1	-	-	-	1	-	-	-	2	1	-	1	2	4	2	3	2	2	3	-	-
795	White-----M	17	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	2	2	2	2	1	2	1	-	-
	F	10	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	136	13	1	4	1	-	1	1	1	3	3	1	5	5	10	3	11	13	17	17	10	12	4	-	-	-
sid-	White-----M	78	6	-	1	1	-	1	1	-	1	1	1	1	3	7	2	8	8	13	8	6	7	2	-	-	-
ual	F	54	7	1	3	-	-	-	-	1	2	1	-	4	2	3	1	2	5	4	8	3	5	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
E800-	Accidents	274	8	11	2	6	2	4	11	25	19	17	10	25	21	14	12	13	15	13	9	12	12	9	1	3	-
E962	White-----M	202	6	7	2	3	1	2	8	18	17	11	8	19	19	11	10	11	11	11	6	7	6	5	1	2	-
	F	61	2	4	-	3	1	1	3	4	2	4	2	4	2	2	1	2	4	2	2	5	6	4	-	1	-
	Nonwhite--M	10	-	-	-	-	-	1	-	2	-	2	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	114	2	2	-	3	2	-	3	18	15	12	8	12	10	2	4	3	7	4	1	2	1	3	-	-	-
	White-----M	80	1	1	-	2	1	-	2	14	13	7	6	7	8	2	3	2	4	3	1	-	1	2	-	-	-
	F	29	1	1	-	1	1	-	1	2	2	4	2	3	2	-	1	1	3	1	-	2	-	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	160	6	9	2	3	-	4	8	7	4	5	2	13	11	12	8	10	8	9	8	10	11	6	1	3	-
E802,	White-----M	122	5	6	2	1	-	2	6	4	4	4	2	12	11	9	7	9	7	8	5	7	5	3	1	2	-
E840-	F	32	1	3	-	2	-	1	2	2	-	-	-	1	-	2	-	1	1	1	2	3	6	3	-	1	-
E962	Nonwhite--M	5	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	59	-	-	-	-	-	-	-	-	4	6	4	7	10	6	5	3	4	1	5	2	2	-	-	-	-
E970-	White-----M	46	-	-	-	-	-	-	-	-	2	4	2	6	8	4	3	3	4	1	5	2	2	-	-	-	-
E979	F	12	-	-	-	-	-	-	-	-	2	1	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	10	-	-	-	-	-	1	-	-	1	-	1	3	1	-	1	-	1	1	-	-	-	-	-	-	-
E980-	White-----M	8	-	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	1	1	-	-	-	-	-	-	-
E985	F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A.

NOTE.—The list includes cholera (043), plague (058), and smallpox (084). There were no deaths reported for these causes.

Table 56. Deaths From 64 Selected Causes:

(By place of occurrence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 085-096, 120-138
1	UNITED STATES----	1,528,717	14,940	13,676	1,264	3,834	34	556	235	150	467	907	1,043	345	15	18	4,151
2	Alabama----------	26,240	345	317	28	81	-	13	9	25	22	23	18	2	1	-	81
3	Arizona----------	7,914	256	230	26	17	-	12	-	-	7	3	6	25	-	-	40
4	Arkansas----------	14,977	265	249	16	43	-	13	1	-	23	6	10	5	-	-	40
5	California----------	114,463	1,076	993	83	293	2	34	10	4	11	51	38	30	-	2	282
6	Colorado----------	13,850	151	144	7	21	-	6	3	-	3	10	8	5	1	-	37
7	Connecticut----------	21,558	163	150	13	44	-	-	4	-	-	11	18	8	-	-	56
8	Delaware----------	3,859	42	38	4	9	-	1	1	-	-	-	-	1	-	-	8
9	District of Columbia-------	9,142	117	97	20	42	-	-	-	-	2	7	7	-	-	-	39
10	Florida----------	34,983	277	252	25	100	2	19	4	7	13	16	12	2	-	-	168
11	Georgia----------	31,064	271	253	18	97	1	33	10	18	23	24	15	7	2	-	104
12	Idaho----------	4,814	19	17	2	6	-	-	1	-	2	2	9	1	-	-	13
13	Illinois----------	94,227	865	797	68	173	1	13	9	-	8	43	51	8	-	-	159
14	Indiana----------	41,698	314	279	35	104	2	4	9	4	8	37	20	4	1	-	121
15	Iowa----------	26,914	101	84	17	56	-	5	5	1	4	12	15	5	-	-	60
16	Kansas----------	18,954	101	96	5	51	-	2	5	-	5	6	5	2	-	-	53
17	Kentucky----------	27,299	457	421	36	73	-	19	10	5	18	35	8	6	-	-	96
18	Louisiana----------	24,468	286	257	29	159	3	20	2	5	19	29	12	6	1	2	116
19	Maine----------	10,110	67	55	12	18	-	1	2	-	3	6	4	4	-	-	21
20	Maryland----------	24,299	345	320	25	102	1	1	3	1	4	16	12	4	1	-	68
21	Massachusetts----------	53,509	468	445	23	78	1	9	3	-	1	21	168	18	-	1	108
22	Michigan----------	62,985	475	437	38	124	-	10	8	2	8	42	33	8	-	-	156
23	Minnesota----------	29,140	129	110	19	60	-	2	7	7	1	8	11	9	-	-	76
24	Mississippi----------	19,257	193	170	23	38	-	46	7	2	34	12	6	7	-	1	72
25	Missouri----------	43,505	409	373	36	144	2	5	11	-	9	18	9	8	-	-	137
26	Montana----------	6,129	46	36	10	12	-	-	-	1	1	5	8	4	-	-	20
27	Nebraska----------	13,009	54	50	4	18	1	2	3	4	3	4	5	-	-	-	42
28	Nevada----------	2,166	32	30	2	11	-	1	1	-	1	1	2	-	-	-	2
29	New Hampshire----------	6,539	25	24	1	8	-	-	-	-	1	4	7	1	-	-	13
30	New Jersey----------	53,138	575	528	47	102	1	5	2	1	3	34	36	8	1	-	108
31	New Mexico----------	5,667	115	102	13	21	-	20	1	1	11	6	4	23	-	-	22
32	New York----------	165,643	1,760	1,642	118	341	1	2	21	1	6	64	77	28	-	3	340
33	North Carolina----------	32,300	284	256	28	59	1	15	10	5	31	32	8	3	1	2	127
34	North Dakota----------	5,190	22	19	3	8	-	-	1	-	3	3	1	4	-	-	6
35	Ohio----------	85,175	675	612	63	279	1	9	12	6	15	71	37	8	-	-	162
36	Oklahoma----------	19,224	178	163	15	36	2	13	5	1	11	12	6	4	-	1	73
37	Oregon----------	15,297	83	75	8	39	-	-	2	1	1	4	12	2	-	-	26
38	Pennsylvania----------	113,281	1,212	1,123	89	275	1	3	10	4	10	49	20	12	-	-	271
39	Rhode Island----------	8,625	56	51	5	19	-	2	1	-	1	6	26	-	-	-	18
40	South Carolina----------	18,011	220	203	17	57	3	14	3	11	22	15	8	2	2	2	66
41	South Dakota----------	5,856	43	34	9	10	-	2	1	3	1	6	1	1	-	-	21
42	Tennessee----------	30,123	527	469	58	69	1	21	5	4	24	26	10	7	1	1	105
43	Texas----------	65,637	818	736	82	220	2	147	11	13	59	26	76	35	2	2	315
44	Utah----------	5,382	34	29	5	7	-	1	-	2	2	3	3	-	-	-	13
45	Vermont----------	4,270	44	41	3	6	-	-	-	-	-	5	1	5	-	-	8
46	Virginia----------	29,801	354	326	28	116	2	18	6	5	19	28	8	5	1	-	86
47	Washington----------	24,564	166	146	20	66	1	2	1	6	3	15	18	2	-	1	54
48	West Virginia----------	16,920	218	207	11	62	2	5	4	-	8	22	7	4	-	-	46
49	Wisconsin----------	35,012	200	183	17	48	-	6	9	-	1	24	166	9	-	-	92
50	Wyoming----------	2,539	7	7	-	12	-	-	2	-	2	2	1	3	-	-	4

United States and Each State, 1955

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	
240,681	5,522	85,872	29,914	21,945	37,509	11,502	26,958	10,816	10,643	5,168	25,488	3,107	1,873	831,353	815,532	174,142	1
3,320	81	1,080	342	279	721	104	458	128	127	72	283	63	51	13,259	12,825	3,463	2
1,006	22	325	147	93	144	46	128	57	44	26	95	7	26	3,233	3,148	596	3
2,109	64	699	213	152	420	73	292	105	91	44	187	33	25	7,800	7,529	1,963	4
18,628	465	6,309	2,520	1,861	2,768	936	1,996	864	909	385	1,342	178	136	62,140	61,378	12,775	5
2,081	35	695	225	190	341	109	245	108	133	37	163	21	16	6,867	6,739	1,498	6
3,899	106	1,476	528	379	503	185	388	150	184	79	364	37	21	12,216	12,073	2,447	7
575	18	195	85	58	97	28	52	21	21	13	84	9	5	2,147	2,100	363	8
1,576	46	490	204	174	225	80	182	85	90	66	115	19	18	4,644	4,573	845	9
5,206	135	1,649	741	392	866	287	704	221	211	108	481	100	61	18,271	17,909	4,105	10
3,911	113	1,159	457	350	813	145	539	184	151	110	412	63	58	16,313	15,811	4,908	11
658	13	220	57	68	125	31	78	36	30	16	80	6	6	2,549	2,491	516	12
15,439	367	5,768	1,986	1,449	2,317	795	1,432	630	695	271	1,256	196	77	54,415	53,341	9,765	13
6,282	135	2,266	723	574	1,058	290	676	302	258	90	725	95	45	23,672	23,201	5,475	14
4,308	62	1,566	389	400	725	212	520	226	208	98	452	73	20	15,453	15,224	4,018	15
2,703	58	903	261	264	489	124	307	159	138	71	299	54	16	10,347	10,096	2,473	16
3,624	82	1,313	382	283	676	131	429	181	147	90	365	73	34	14,578	14,177	3,304	17
3,646	98	1,130	567	261	619	182	481	160	148	131	431	63	64	11,950	11,659	2,426	18
1,568	35	605	167	146	265	66	187	42	55	24	160	22	8	5,959	5,835	1,274	19
3,902	106	1,307	545	350	598	193	483	160	160	107	490	45	39	13,168	12,916	2,145	20
9,532	287	3,689	1,111	915	1,249	473	1,011	365	432	204	982	95	46	30,359	29,949	5,754	21
10,288	222	3,815	1,298	882	1,625	465	1,034	460	487	211	1,422	168	78	33,324	32,714	7,347	22
4,955	78	1,875	443	506	733	254	550	267	249	87	513	72	29	16,225	15,991	3,964	23
2,219	49	713	234	185	450	91	338	97	62	83	211	37	31	9,285	8,936	2,438	24
6,873	179	2,481	865	622	1,105	302	724	324	271	115	635	104	42	23,999	23,380	5,226	25
818	16	313	95	70	122	43	63	61	35	15	107	14	5	3,126	3,057	727	26
2,115	48	793	228	195	317	98	201	107	128	34	267	27	6	7,142	7,030	1,722	27
210	6	76	29	10	33	19	19	9	9	7	24	-	4	937	918	164	28
1,052	23	426	133	93	130	65	99	52	31	20	144	11	3	3,787	3,717	733	29
9,345	212	3,765	1,294	844	1,250	488	824	318	350	137	1,096	96	55	30,689	30,176	5,058	30
642	8	222	76	42	103	29	98	34	30	26	63	4	12	1,831	1,753	437	31
30,250	660	11,356	4,253	3,040	3,837	1,534	2,946	1,235	1,389	597	3,245	251	175	94,062	92,738	14,756	32
3,957	101	1,156	417	346	762	149	599	240	187	111	416	66	46	17,122	16,670	4,395	33
753	12	280	72	56	129	37	89	36	42	18	83	12	12	2,803	2,763	659	34
13,802	296	4,968	1,676	1,290	2,260	653	1,484	587	588	236	1,930	160	91	46,729	46,010	10,393	35
3,019	71	978	359	236	541	123	441	140	130	76	298	48	20	9,887	9,655	2,357	36
2,270	38	781	250	220	353	116	254	144	114	47	168	35	23	8,707	8,584	1,868	37
18,354	415	6,962	2,245	1,619	2,758	893	1,991	760	711	394	2,445	202	112	64,710	63,532	12,228	38
1,520	30	602	176	156	195	74	174	45	68	50	214	11	7	4,971	4,892	868	39
1,984	35	603	222	182	419	76	268	93	86	50	245	32	30	9,163	8,923	2,456	40
865	11	324	93	76	108	37	109	59	48	12	95	23	12	3,132	3,089	749	41
4,149	103	1,247	526	332	792	151	603	195	200	102	334	66	56	14,967	14,591	3,979	42
9,642	213	2,912	1,278	776	1,591	435	1,496	533	408	292	893	157	112	30,719	29,925	7,120	43
725	14	237	78	61	106	34	94	54	47	23	104	8	7	2,554	2,500	502	44
654	18	226	80	54	122	38	65	18	33	6	54	6	7	2,459	2,426	529	45
3,842	100	1,261	477	339	637	153	511	187	177	96	397	60	42	16,168	15,792	3,866	46
3,983	60	1,423	473	367	662	192	425	170	211	100	365	56	30	13,378	13,196	2,910	47
2,421	50	827	297	170	439	118	302	116	102	61	252	39	16	9,020	8,810	1,970	48
5,723	123	2,299	564	510	871	332	537	277	210	111	659	89	35	19,901	19,604	4,347	49
278	3	107	33	28	40	13	32	14	8	9	43	1	3	1,216	1,186	261	50

Table 56. Deaths From 64 Selected Causes:

(By place of occurrence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES----	1,131	584,620	18,626	405,830	65,622	20,659	73,883	11,162	32,486	11,991	15,821	44,510	2,755	41,755	3,057	9,730	2,273
2	Alabama----------	31	8,487	204	4,861	1,054	608	1,760	262	418	164	434	939	183	756	40	136	30
3	Arizona----------	16	2,300	98	1,669	236	88	209	49	122	65	85	335	15	320	38	59	14
4	Arkansas----------	4	5,097	121	3,405	439	356	776	107	240	118	271	542	59	483	27	57	21
5	California----------	68	43,701	1,613	33,106	3,489	760	4,733	605	2,933	1,296	762	3,172	54	3,118	233	915	154
6	Colorado----------	22	4,681	253	3,514	414	71	429	93	277	168	128	670	15	655	40	110	28
7	Connecticut----------	16	8,781	264	6,843	652	119	903	147	492	190	143	475	7	468	47	142	26
8	Delaware----------	1	1,567	51	1,004	203	23	286	49	86	34	47	124	4	120	9	25	2
9	District of Columbia--------	6	3,386	105	1,909	587	92	693	72	137	127	71	274	3	271	23	65	10
10	Florida----------	21	12,585	362	9,067	990	747	1,419	265	593	340	362	846	87	759	61	207	46
11	Georgia----------	49	9,794	234	5,934	1,037	550	2,039	347	466	247	502	1,128	181	947	55	161	48
12	Idaho----------	7	1,799	74	1,228	233	80	184	30	97	42	58	121	11	110	15	30	3
13	Illinois----------	56	40,550	1,188	27,547	6,141	1,446	4,228	697	1,696	577	1,074	3,402	64	3,338	212	570	153
14	Indiana----------	29	16,004	490	11,076	1,752	576	2,110	309	1,119	265	471	1,109	91	1,018	67	250	59
15	Iowa----------	17	9,980	286	7,165	1,179	340	1,010	226	806	177	229	714	47	667	51	168	40
16	Kansas----------	6	6,864	212	4,772	840	254	786	153	448	152	251	463	58	405	27	111	33
17	Kentucky----------	32	9,798	297	5,919	1,126	771	1,685	233	635	175	401	1,003	87	916	57	134	29
18	Louisiana----------	11	8,471	131	5,529	722	437	1,652	164	367	200	291	912	80	832	47	121	41
19	Maine----------	3	4,137	122	2,930	559	86	440	69	274	78	124	291	23	268	20	84	13
20	Maryland----------	16	9,942	256	5,452	1,935	246	2,053	160	440	213	252	610	18	592	58	126	30
21	Massachusetts----------	32	22,219	768	16,838	1,959	622	2,032	321	1,171	452	410	1,503	28	1,475	125	415	72
22	Michigan----------	40	23,201	831	16,635	2,344	885	2,506	430	1,234	462	610	1,617	59	1,558	132	434	119
23	Minnesota----------	20	10,826	412	7,899	1,096	257	1,162	190	717	274	234	765	24	741	50	185	36
24	Mississippi----------	24	5,921	170	3,141	721	447	1,442	208	238	107	349	625	106	519	28	66	19
25	Missouri----------	41	16,389	526	10,542	2,471	652	2,198	359	1,042	323	619	1,353	91	1,262	74	276	62
26	Montana----------	2	2,076	74	1,402	260	149	191	38	156	58	69	187	12	175	12	25	9
27	Nebraska----------	10	4,862	145	3,308	661	247	501	64	284	88	112	364	42	322	24	77	23
28	Nevada----------	3	697	21	532	56	37	51	21	17	16	19	55	1	54	3	14	2
29	New Hampshire----------	1	2,687	76	1,975	257	87	292	40	191	65	70	141	4	137	13	66	9
30	New Jersey----------	29	23,397	710	15,767	4,053	335	2,532	363	976	353	513	1,344	28	1,316	93	402	71
31	New Mexico----------	2	1,184	65	757	138	96	128	37	65	28	78	252	14	238	24	34	13
32	New York----------	85	72,806	2,425	55,672	6,342	686	7,681	1,077	3,072	942	1,324	4,489	92	4,397	363	1,330	279
33	North Carolina----------	36	11,199	295	6,667	1,210	791	2,236	274	518	248	452	1,202	104	1,098	51	143	34
34	North Dakota----------	5	1,881	80	1,347	166	108	180	42	126	50	40	148	2	146	18	26	7
35	Ohio----------	64	31,711	1,082	21,921	3,484	1,061	4,163	704	2,460	678	719	2,051	187	1,864	176	540	155
36	Oklahoma----------	12	6,572	178	4,518	617	522	737	154	421	139	232	587	61	526	20	121	42
37	Oregon----------	5	5,999	215	4,399	386	206	793	80	475	157	123	388	12	376	68	93	20
38	Pennsylvania----------	89	46,724	1,731	31,225	6,316	1,403	6,049	806	2,775	910	1,178	2,849	154	2,695	176	692	155
39	Rhode Island----------	1	3,735	89	2,947	245	44	410	64	163	61	79	176	5	171	16	70	6
40	South Carolina----------	24	5,824	119	3,352	631	295	1,427	177	310	132	240	690	81	609	29	63	28
41	South Dakota----------	2	2,105	72	1,485	252	110	186	52	127	54	43	152	6	146	9	37	13
42	Tennessee----------	45	9,581	306	5,761	1,162	647	1,705	290	450	246	376	1,065	138	927	71	136	37
43	Texas----------	43	20,723	449	14,258	1,816	1,748	2,452	489	1,005	545	794	2,152	189	1,963	133	283	90
44	Utah----------	14	1,817	109	1,146	246	85	231	24	88	55	54	127	7	120	14	36	10
45	Vermont----------	1	1,681	42	1,207	238	37	157	47	143	25	33	104	8	96	11	32	5
46	Virginia----------	31	10,647	279	6,623	1,417	453	1,875	230	751	267	376	920	60	860	66	154	39
47	Washington----------	13	9,335	320	6,996	779	359	881	131	571	236	182	758	41	717	38	172	35
48	West Virginia----------	17	6,216	205	4,094	710	320	887	142	342	123	210	572	69	503	35	91	25
49	Wisconsin----------	26	13,842	451	9,909	1,868	293	1,321	240	910	239	297	673	36	637	54	229	73
50	Wyoming----------	3	839	20	577	133	27	82	11	42	30	30	71	7	64	4	17	5

NOTE.—The list of 64 selected causes includes cholera (043), plague (058), and smallpox (084). There were no deaths reported for these causes.

United States and Each State, 1955—Continued

Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
8,654	7,754	16,763	2,393	6,062	1,901	266	1,635	20,502	64,043	29,255	4,201	30,587	19,914	69,146	93,443	38,426	55,017	16,760	7,418	29	1
121	168	143	74	100	88	7	81	355	1,475	657	128	690	1,137	1,223	1,911	859	1,052	251	381	-	2
48	133	84	13	33	14	3	11	154	475	157	50	268	134	627	794	384	410	117	81	2	3
82	108	117	37	79	28	3	25	171	586	236	58	292	464	646	1,176	447	729	110	121	1	4
627	459	2,186	92	392	117	32	85	1,536	4,679	2,457	244	1,978	440	5,286	7,112	3,524	3,588	1,968	445	8	5
83	94	141	29	64	16	4	12	252	759	363	58	338	42	745	1,030	455	575	213	104	-	6
112	80	292	25	73	16	2	14	280	710	365	26	319	70	988	1,049	353	696	223	30	-	7
32	10	46	7	15	7	2	5	48	133	69	9	55	17	193	240	112	128	43	12	1	8
70	36	169	12	29	13	2	11	158	598	353	21	224	9	474	393	99	294	99	58	-	9
217	216	379	73	148	58	13	45	439	1,552	655	106	791	850	1,734	2,453	1,048	1,405	461	393	1	10
146	247	210	100	130	100	17	83	464	1,704	706	139	859	416	1,492	2,450	1,122	1,328	319	422	-	11
25	17	34	10	15	8	-	8	63	218	86	9	123	82	237	468	184	284	83	17	-	12
475	396	1,047	118	412	70	11	59	1,036	3,334	1,989	302	1,043	812	3,420	4,486	1,877	2,609	873	426	1	13
236	184	353	69	161	32	3	29	571	1,674	690	92	892	180	1,758	2,777	1,189	1,588	548	133	-	14
146	101	163	35	128	23	2	21	330	859	401	38	420	155	1,245	1,718	613	1,105	340	30	-	15
145	72	144	44	98	23	5	18	264	751	375	35	341	373	963	1,433	613	820	240	49	1	16
155	176	218	34	112	43	4	39	403	1,232	547	103	582	337	1,278	2,108	907	1,201	286	202	1	17
150	166	215	60	75	45	6	39	402	1,631	662	160	809	295	1,157	1,803	703	1,100	190	213	-	18
55	37	73	17	38	5	-	5	111	330	170	15	145	52	450	540	177	363	116	11	-	19
152	95	278	35	75	27	7	20	362	1,097	460	77	560	76	1,117	1,411	500	911	278	153	-	20
305	196	688	64	166	24	2	22	600	1,517	660	72	785	250	2,477	2,568	621	1,947	394	51	-	21
378	269	793	70	223	61	5	56	1,032	3,096	1,336	155	1,605	331	2,974	4,116	2,036	2,080	738	244	1	22
171	113	262	36	145	25	1	24	536	1,109	471	46	592	124	1,408	1,654	613	1,041	291	38	1	23
95	225	110	67	68	79	7	72	230	1,075	403	103	569	1,811	737	1,368	562	806	134	236	-	24
265	168	438	82	235	49	5	44	489	1,479	675	85	719	636	1,946	2,737	1,079	1,658	475	220	1	25
40	23	56	11	14	3	-	3	74	276	128	15	133	209	319	593	244	349	75	21	-	26
78	54	93	21	82	18	2	16	197	516	214	23	279	72	624	884	331	553	136	19	-	27
10	12	32	6	8	4	-	4	21	123	55	7	61	75	128	338	186	152	76	26	-	28
39	34	78	9	28	3	-	3	72	183	75	13	95	52	324	339	110	229	67	6	-	29
321	196	799	60	206	56	6	50	535	1,812	845	128	839	116	2,000	2,278	815	1,463	435	120	-	30
31	146	50	11	23	16	3	13	117	522	203	37	282	455	314	751	383	368	71	35	-	31
862	562	2,413	154	609	142	39	103	1,926	5,347	2,529	288	2,530	1,029	6,238	6,927	2,163	4,764	1,323	422	4	32
129	256	187	65	93	97	8	89	511	1,891	737	134	1,020	683	1,475	2,525	1,222	1,303	325	337	-	33
31	27	38	12	26	5	1	4	85	279	122	15	142	59	253	391	153	238	49	7	-	34
521	328	982	131	362	81	11	70	1,224	3,495	1,757	173	1,565	661	4,100	4,851	2,089	2,762	1,018	276	-	35
105	76	116	35	109	25	3	22	251	814	320	58	436	567	976	1,386	569	817	211	93	-	36
85	51	110	14	62	8	1	7	210	529	282	23	224	156	704	1,093	434	659	244	42	-	37
724	429	1,204	192	393	92	7	85	1,304	3,813	1,837	259	1,717	794	5,544	5,537	1,872	3,665	1,048	250	1	38
59	27	104	14	26	2	-	2	116	267	111	5	151	9	379	380	94	286	59	13	-	39
93	199	95	43	64	64	6	58	273	1,120	440	93	587	693	741	1,486	696	790	178	223	-	40
40	29	37	6	27	6	-	6	94	274	129	21	124	82	287	462	200	262	62	11	-	41
148	163	195	79	138	50	5	45	470	1,385	528	101	756	1,811	1,355	2,002	968	1,034	268	274	1	42
380	838	582	153	265	133	22	111	1,091	4,043	1,612	359	2,072	1,936	3,200	5,386	2,602	2,784	773	656	2	43
40	19	53	6	25	7	-	7	120	322	164	13	145	267	282	478	211	267	68	22	-	44
26	17	29	6	17	3	-	3	57	174	94	12	68	63	198	219	87	132	51	3	-	45
147	154	202	59	99	58	6	52	413	1,647	689	139	819	323	1,453	2,108	909	1,199	416	289	1	46
145	120	259	22	87	15	-	15	307	926	451	36	439	180	1,250	1,580	514	1,066	351	71	1	47
96	62	138	40	67	14	1	13	219	721	319	54	348	346	851	1,190	398	792	186	80	-	48
203	153	315	39	214	25	2	23	493	1,338	616	52	670	159	1,443	2,070	954	1,116	420	38	-	49
10	13	13	2	4	3	-	3	36	153	55	12	86	24	133	394	145	249	60	14	-	50

420487 O - 57 - 25

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UNITED STATES	1,528,717	14,940	3,834	1,043	6,878	240,681	85,872	29,914	124,895	25,488	831,353	815,532	174,142	1,131	584,620	18,626
2	Metropolitan counties	899,333	9,439	2,484	654	3,245	151,471	54,470	20,338	76,663	15,736	490,146	482,212	93,727	622	356,034	12,114
3	Nonmetropolitan counties	629,384	5,501	1,350	389	3,633	89,210	31,402	9,576	48,232	9,752	341,207	333,320	80,415	509	228,586	6,512
4	ALABAMA	26,380	353	80	18	178	3,351	1,079	340	1,932	286	13,306	12,872	3,469	30	8,519	207
5	Metropolitan counties	9,759	155	48	3	66	1,366	434	168	764	111	4,956	4,848	1,164	9	3,344	73
6	Nonmetropolitan counties	16,621	198	32	15	112	1,985	645	172	1,168	175	8,350	8,024	2,305	21	5,175	134
7	Autauga	181	7	-	-	1	22	5	1	16	3	91	87	20	-	56	2
8	Baldwin	392	-	-	1	2	54	15	7	32	2	199	196	38	1	133	4
9	Barbour	283	3	-	-	-	26	11	3	12	3	151	147	53	1	87	1
10	Bibb	142	1	1	-	3	15	7	1	7	2	85	79	21	-	54	2
11	Blount	179	3	-	-	-	26	9	1	16	1	92	90	23	-	62	1
12	Bullock	161	2	-	-	2	7	2	-	5	2	81	79	22	-	56	1
13	Butler	256	1	1	-	1	17	6	1	10	-	117	110	27	-	78	3
14	Calhoun	689	10	1	-	-	97	30	9	58	15	357	342	118	-	204	7
15	Anniston	338	6	-	-	-	53	19	3	31	5	167	158	53	-	96	5
16	Balance of county	351	4	1	-	-	44	11	6	27	10	190	184	65	-	108	2
17	Chambers	366	5	1	1	2	41	11	1	29	3	200	198	69	-	118	3
18	Cherokee	116	2	-	-	-	16	4	-	12	2	59	58	11	1	39	-
19	Chilton	241	2	1	-	-	28	11	1	16	1	137	132	35	-	90	3
20	Choctaw	154	2	1	-	2	12	3	2	7	2	80	79	22	1	50	14
21	Clarke	263	4	1	-	4	28	7	2	19	3	122	122	35	1	84	1
22	Clay	119	-	-	-	2	12	3	2	7	1	62	62	16	1	40	1
23	Cleburne	95	-	-	-	1	11	6	-	5	2	51	49	10	-	34	-
24	Coffee	187	1	1	-	-	26	6	1	19	1	83	82	31	-	49	-
25	Colbert	335	6	2	-	2	47	14	7	26	4	155	149	51	-	94	-
26	Sheffield	114	1	1	-	1	22	8	4	10	1	51	51	19	-	31	-
27	Balance of county	221	5	1	-	1	25	6	3	16	3	104	98	32	-	63	-
28	Conecuh	180	1	1	-	1	22	8	4	10	3	107	103	21	-	62	2
29	Coosa	102	1	-	-	-	8	5	-	3	2	53	52	13	1	36	-
30	Covington	315	4	1	1	3	40	12	3	25	1	155	151	48	1	95	5
31	Crenshaw	155	2	-	-	-	16	5	4	7	2	84	80	28	-	48	1
32	Cullman	327	7	1	1	1	49	14	5	30	4	163	160	53	-	100	3
33	Dale	199	2	-	-	-	26	8	2	16	1	95	92	13	-	71	-
34	Dallas	592	5	1	-	7	46	14	1	31	3	286	265	76	-	176	5
35	Selma	278	2	1	-	3	23	6	1	16	1	141	136	40	-	90	1
36	Balance of county	314	3	-	-	4	23	6	-	15	2	145	129	36	-	86	4
37	De Kalb	338	5	1	-	1	57	15	4	38	1	174	167	33	1	120	3
38	Elmore	291	-	-	-	1	32	8	2	22	5	148	141	52	1	78	3
39	Escambia	287	3	1	1	2	38	13	3	22	3	142	132	31	-	94	2
40	Etowah	773	11	3	-	5	117	42	8	67	11	367	360	79	1	247	4
41	Gadsden	463	4	3	-	-	74	26	8	40	6	217	212	45	1	147	2
42	Balance of county	310	7	-	-	5	43	16	-	27	5	150	148	34	-	100	2
43	Fayette	149	4	-	-	2	15	8	-	7	1	83	82	16	-	63	1
44	Franklin	199	3	-	-	2	32	12	1	19	3	88	85	29	-	49	3
45	Geneva	176	1	-	-	2	27	9	3	15	2	94	90	27	-	57	3
46	Greene	176	1	-	-	2	22	10	1	11	-	79	79	28	1	39	1
47	Hale	205	3	1	-	2	27	8	2	17	3	114	106	32	-	67	-
48	Henry	133	-	-	-	-	21	5	1	15	2	72	67	20	-	43	-
49	Houston	423	3	-	-	4	42	15	1	26	4	219	211	62	-	138	3
50	Dothan	234	1	-	-	-	27	11	1	15	1	120	114	31	-	77	3
51	Balance of county	189	2	-	-	4	15	4	-	11	3	99	97	31	-	61	-
52	Jackson	270	7	-	-	1	40	13	7	20	2	135	132	48	1	71	1
53	Jefferson	5,261	85	28	2	39	784	261	110	413	56	2,649	2,594	661	5	1,748	47
54	Birmingham	3,265	47	19	1	26	477	155	64	258	33	1,687	1,659	407	3	1,130	30
55	Bessemer	383	6	3	1	2	54	24	8	22	7	190	187	57	1	112	3
56	Fairfield	102	3	1	-	-	13	5	3	5	1	48	48	11	-	35	1
57	Homewood	101	2	1	-	1	17	6	2	9	-	58	58	17	-	40	1
58	Balance of county	1,410	27	4	-	10	223	71	33	119	15	666	642	169	1	431	12
59	Lamar	124	1	-	-	-	9	3	2	4	-	71	70	18	1	45	1
60	Lauderdale	367	4	-	1	3	49	21	6	22	4	185	177	41	1	119	1
61	Florence	182	1	-	1	1	26	11	4	11	1	90	84	21	1	54	-
62	Balance of county	185	3	-	-	2	23	10	2	11	3	95	93	20	-	65	1
63	Lawrence	160	3	1	1	4	20	7	2	11	5	64	62	12	-	44	-
64	Lee	342	1	1	-	5	35	12	-	23	8	173	167	58	-	96	3
65	Auburn	48	-	-	-	-	3	1	-	2	1	25	25	10	-	14	-
66	Opelika	121	1	1	-	2	10	3	-	7	3	54	53	15	-	35	-
67	Balance of county	173	-	-	-	3	22	8	-	14	4	94	89	33	-	47	3
68	Limestone	288	7	-	-	3	31	17	2	12	1	147	146	36	1	103	1
69	Lowndes	148	3	3	-	-	17	8	1	8	1	68	64	19	1	38	4
70	Macon	231	2	-	-	-	30	8	7	15	2	117	110	37	-	66	7
71	Madison	628	11	1	1	6	63	17	7	39	10	307	300	56	1	211	6
72	Huntsville	322	6	1	-	3	36	10	4	22	7	165	161	41	1	105	3
73	Balance of county	306	5	-	1	3	27	7	3	17	3	142	139	15	-	106	3
74	Marengo	304	2	1	-	3	33	9	6	18	3	150	139	59	1	76	2
75	Marion	156	4	-	-	1	18	4	1	13	4	82	80	28	1	45	1
76	Marshall	348	5	-	-	5	40	11	5	24	3	172	162	35	-	117	3
77	Mobile	2,023	29	10	-	10	247	70	21	156	28	1,073	1,053	204	-	801	11
78	Mobile	1,226	12	7	-	4	153	39	12	102	17	691	678	130	-	516	3
79	Prichard	208	7	1	-	2	22	7	2	13	4	104	102	23	-	75	2
80	Balance of county	589	10	2	-	4	72	24	7	41	7	278	273	51	-	210	6
81	Monroe	205	3	-	-	-	26	6	3	17	1	96	94	33	1	54	1
82	Montgomery	1,310	26	5	1	9	171	47	25	99	11	681	659	161	3	442	9
83	Montgomery	1,046	23	4	-	6	130	35	22	73	6	560	545	135	2	368	8
84	Balance of county	264	3	1	1	3	41	12	3	26	5	121	114	26	1	74	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-genital mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
405,830	73,883	86,281	11,162	32,486	11,991	15,821	44,510	9,730	7,754	16,763	2,393	1,901	20,502	64,043	19,914	38,426	55,017	16,760	7,418	99,369	1
254,572	43,307	46,041	6,212	18,135	7,482	7,934	25,373	6,321	3,714	12,394	1,159	897	12,084	37,687	8,250	18,243	28,712	9,556	4,386	57,382	2
151,258	30,576	40,240	4,950	14,351	4,509	7,887	19,137	3,409	4,040	4,369	1,234	1,004	8,418	26,356	11,664	20,183	26,305	7,204	3,032	41,987	3
4,891	1,759	1,662	262	422	170	434	945	139	170	141	76	91	362	1,481	1,141	864	1,048	245	393	1,712	4
1,997	685	589	91	166	74	108	301	43	46	75	21	22	145	583	257	278	369	82	186	646	5
2,894	1,074	1,073	171	256	96	326	644	95	124	66	55	69	217	898	884	586	679	163	207	1,066	6
35	5	14	1	5	5	4	11	-	2	1	-	1	1	7	4	9	8	1	-	12	7
72	33	24	9	10	5	3	19	3	2	1	-	1	11	28	18	18	21	2	2	8	8
49	24	13	1	4	1	4	10	2	2	2	3	3	2	14	23	4	14	1	7	13	9
26	16	10	1	2	1	6	6	1	1	1	-	1	2	7	3	5	3	-	2	3	10
49	2	10	1	3	1	2	7	1	-	-	1	-	3	7	8	10	11	-	3	6	11
28	15	12	1	-	-	2	7	1	1	1	-	1	-	2	34	8	2	2	-	8	12
42	19	14	1	3	1	7	9	2	1	1	1	2	3	15	15	23	9	5	6	27	13
107	24	66	4	10	6	15	21	3	5	2	2	3	16	27	33	20	17	7	13	40	14
48	16	27	3	3	3	9	12	-	3	-	1	2	7	15	25	7	8	2	7	18	15
59	8	39	1	7	3	6	9	3	2	2	1	1	9	12	8	13	9	5	6	22	16
73	26	16	3	6	2	2	13	3	9	3	-	-	9	19	10	11	12	5	4	15	17
15	13	11	1	3	3	1	3	1	-	-	-	1	2	4	10	4	4	1	2	5	18
57	17	13	3	3	1	5	9	1	-	-	1	1	3	13	11	3	12	4	4	10	19
15	15	6	3	2	1	1	6	-	1	-	1	-	-	8	15	2	9	1	2	10	20
45	21	17	1	1	-	-	8	1	2	-	1	1	3	24	15	10	13	1	7	15	21
26	5	8	1	3	1	-	5	-	-	2	1	2	-	12	3	5	3	1	1	7	22
21	7	6	-	5	-	2	3	-	-	-	-	1	-	7	2	3	4	-	3	7	23
29	6	14	-	1	1	1	8	-	2	2	-	1	6	13	10	7	8	1	-	17	24
58	13	23	1	1	2	6	24	5	2	1	1	1	6	21	9	14	11	6	2	16	25
19	2	10	-	1	-	-	11	-	-	-	1	-	2	8	3	2	2	2	-	6	26
39	11	13	1	-	2	6	13	5	2	1	-	1	4	13	6	12	9	4	2	10	27
27	14	19	3	14	3	4	2	-	-	-	-	1	1	11	13	4	7	2	2	2	28
25	8	3	-	-	2	1	2	-	-	-	1	-	3	9	5	6	3	1	2	6	29
43	28	19	5	-	2	4	16	2	4	3	3	-	4	9	15	9	16	6	2	21	30
29	6	12	1	3	-	4	2	2	-	2	-	1	-	5	7	8	4	5	2	13	31
56	15	26	3	3	1	3	9	3	3	-	-	-	4	11	9	14	11	1	4	32	32
28	15	28	1	6	1	3	3	2	-	-	-	1	3	19	3	9	12	1	1	21	33
94	30	47	5	5	3	21	34	-	5	2	5	3	9	49	43	17	20	5	9	43	34
51	12	26	2	3	1	5	13	-	5	2	-	-	5	25	9	7	10	4	6	21	35
43	18	21	3	2	2	16	21	-	-	-	5	3	4	24	34	10	10	1	3	22	36
78	13	26	-	10	3	7	14	2	-	-	-	-	3	7	8	14	16	2	2	31	37
48	15	12	3	7	-	7	12	3	2	2	2	2	5	11	16	9	13	2	3	23	38
54	25	13	3	3	1	10	10	2	3	1	1	2	1	23	8	14	9	1	3	19	39
152	48	43	9	18	6	7	20	2	5	3	1	1	14	55	34	31	23	4	8	58	40
102	26	17	4	9	6	5	14	2	4	-	-	1	9	32	22	17	14	2	7	35	41
50	22	26	5	9	-	2	6	-	1	3	1	-	5	23	12	14	9	2	1	23	42
38	10	14	1	1	1	1	3	1	1	-	-	-	1	8	5	8	4	3	3	7	43
30	8	8	2	5	-	3	14	-	-	-	1	1	5	7	5	8	9	1	-	20	44
35	8	11	1	4	1	4	4	-	-	3	1	1	1	7	6	9	7	3	1	7	45
23	10	5	5	6	-	-	3	-	-	-	-	-	1	7	33	4	6	-	2	16	46
24	15	28	3	2	2	8	2	-	3	1	-	-	-	4	28	5	5	1	1	5	47
25	9	9	2	1	1	5	1	2	-	-	-	3	4	2	5	8	6	1	1	5	48
69	30	36	5	4	2	8	11	4	6	1	1	-	4	25	21	11	14	11	7	35	49
39	14	21	2	3	1	6	4	3	4	1	1	-	2	21	7	5	8	6	5	18	50
30	16	15	3	1	1	2	7	1	2	-	-	-	2	4	14	6	6	5	2	17	51
43	13	14	4	8	-	3	14	4	-	1	-	2	5	10	10	11	12	1	-	15	52
962	374	365	46	93	41	55	194	25	14	28	8	10	72	282	163	133	196	47	105	341	53
611	271	218	33	62	24	28	119	15	8	17	5	7	34	172	114	71	108	30	69	206	54
52	32	25	5	8	4	3	12	-	2	1	-	2	3	27	10	10	16	1	4	32	55
29	4	1	1	-	1	-	5	1	-	1	-	-	3	4	1	3	6	-	4	8	56
27	1	11	-	1	-	-	2	1	-	-	-	-	5	2	-	1	2	1	2	6	57
243	66	110	7	22	12	24	56	8	4	9	3	1	27	77	38	48	64	15	26	89	58
26	7	11	3	3	-	1	4	-	1	-	-	1	5	4	1	1	5	1	3	17	59
76	19	23	6	7	3	8	14	1	4	2	-	-	7	21	16	11	15	5	3	22	60
35	13	6	5	2	1	6	6	-	2	1	-	-	5	14	6	4	9	3	2	10	61
41	6	17	1	5	2	2	8	1	2	1	-	-	2	7	10	7	6	2	1	12	62
24	11	9	1	3	2	2	4	1	4	1	-	-	3	4	15	5	8	1	2	14	63
47	36	10	7	5	1	6	9	-	1	1	1	-	1	20	15	7	16	6	7	35	64
9	5	-	-	-	1	-	-	-	-	-	-	-	1	4	2	2	4	1	-	5	65
16	16	3	1	2	-	1	3	-	1	1	1	-	-	6	7	1	6	3	3	18	66
22	15	7	6	3	-	5	6	-	-	-	-	-	-	10	6	4	6	2	4	12	67
55	23	24	5	1	-	1	12	3	3	2	-	-	7	12	13	8	18	-	1	20	68
17	7	10	4	2	-	4	5	-	-	3	-	2	2	3	22	3	4	-	3	9	69
30	24	5	3	2	2	7	13	3	1	1	2	-	1	10	22	3	11	1	-	12	70
131	47	27	4	19	9	7	26	3	5	-	2	2	8	53	36	18	27	7	10	32	71
60	27	15	4	7	3	4	11	2	2	-	2	1	3	31	16	10	7	3	6	10	72
71	20	12	-	12	6	3	15	1	3	-	-	1	5	22	20	8	20	4	4	22	73
37	20	17	2	-	1	11	14	3	4	-	3	1	2	5	40	3	9	3	1	24	74
30	7	7	1	3	2	2	7	1	1	-	-	2	2	7	6	7	3	1	2	8	75
64	15	35	1	9	-	10	11	4	2	1	-	3	4	13	10	24	17	6	2	26	76
520	165	105	13	20	15	20	30	9	9	27	3	6	42	145	12	77	82	19	43	122	77
342	106	65	8	14	10	13	21	7	5	20	2	3	18	78	6	36	45	10	27	64	78
43	21	9	2	1	1	2	2	-	3	2	-	-	4	20	1	6	11	-	9	10	79
135	38	31	3	5	4	5	7	2	1	5	1	3	20	47	5	35	26	9	7	48	80
39	7	7	3	2	1	2	12	4	5	1	2	-	1	13	7	10	12	1	2	9	81
301	74	58	16	27	10	22	38	7	13	14	8	2	14	81	29	29	46	10	25	90	82
254	61	45	10	20	10	15	31	6	11	12	5	2	12	64	16	21	37	9	20	71	83
47	13	13	6	7	-	7	7	1	2	2	3	-	2	17	13	8	9	1	5	19	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ALABAMA—Continued																
1	Morgan	494	10	-	2	6	80	25	6	49	2	250	248	73	-	166	4
2	Decatur	230	5	-	-	-	38	12	5	21	1	125	124	38	-	81	-
3	Balance of county	264	5	-	2	6	42	13	1	28	1	125	124	35	-	85	4
4	Perry	174	-	-	-	1	11	3	1	7	3	95	91	21	-	62	-
5	Pickens	183	1	-	-	2	13	3	1	9	1	100	93	31	-	49	-
6	Pike	311	3	-	-	1	32	15	3	14	2	169	162	70	-	86	2
7	Randolph	188	1	1	-	3	16	6	-	10	2	108	107	28	-	78	-
8	Russell	392	4	2	-	3	47	14	4	29	5	186	182	59	-	106	2
9	Phenix City	206	3	-	-	2	28	7	3	18	2	109	107	32	-	67	2
10	Balance of county	186	1	2	-	1	19	7	1	11	3	77	75	27	-	39	-
11	St. Clair	228	3	1	-	1	36	10	4	22	5	102	99	29	-	59	-
12	Shelby	257	2	1	-	1	35	17	2	16	3	136	131	41	1	83	1
13	Sumter	239	4	-	-	-	33	15	4	14	2	104	103	29	-	66	3
14	Talladega	539	8	2	1	1	60	16	7	37	5	254	234	64	-	155	2
15	Talladega	123	2	-	-	-	10	-	1	9	2	64	62	22	-	37	1
16	Balance of county	416	6	2	1	1	50	16	6	28	3	190	172	42	-	118	1
17	Tallapoosa	316	1	-	-	3	41	16	4	21	2	160	148	29	-	107	-
18	Tuscaloosa	754	7	1	2	4	88	26	6	56	8	358	341	97	-	231	7
19	Tuscaloosa	407	4	-	-	2	52	11	5	36	2	199	188	51	-	131	4
20	Balance of county	347	3	1	2	2	36	15	1	20	6	159	153	46	-	100	3
21	Walker	498	6	1	1	3	77	26	6	45	7	238	232	67	-	155	3
22	Washington	98	2	-	-	2	6	1	1	4	1	44	43	16	-	22	-
23	Wilcox	232	1	1	-	-	19	5	-	14	1	124	102	33	-	60	3
24	Winston	133	2	-	1	1	22	6	2	14	-	63	63	13	-	47	-
25	ARIZONA	7,600	248	18	6	88	991	314	147	530	90	3,088	3,001	587	15	2,173	97
26	Metropolitan counties	3,451	103	8	3	23	501	150	77	274	39	1,541	1,507	312	5	1,083	55
27	Nonmetropolitan counties	4,149	145	10	3	65	490	164	70	256	51	1,547	1,494	275	10	1,090	42
28	Apache	198	9	-	-	13	18	5	1	12	1	27	27	6	2	16	-
29	Cochise	361	4	-	-	4	49	20	10	19	3	171	171	31	-	126	5
30	Coconino	205	12	-	-	8	14	8	1	5	5	47	47	10	-	33	-
31	Gila	239	8	3	-	4	21	6	2	13	2	101	92	15	-	70	6
32	Graham	110	2	1	-	1	17	5	5	7	1	43	41	12	-	24	-
33	Greenlee	77	-	-	-	2	9	2	-	7	2	25	21	5	-	14	1
34	Maricopa	3,451	103	8	3	23	501	150	77	274	39	1,541	1,507	312	5	1,083	55
35	Phoenix	1,460	46	6	1	7	219	64	41	114	18	697	686	144	2	492	19
36	Mesa	152	2	-	-	2	24	8	3	13	3	64	64	14	1	42	5
37	Balance of county	1,839	55	2	2	14	258	78	33	147	18	780	757	154	2	549	31
38	Mohave	88	2	-	1	1	6	1	2	3	2	34	33	10	-	20	-
39	Navajo	230	15	-	-	11	12	2	1	9	3	46	43	7	1	31	3
40	Pima	1,524	52	4	2	10	215	70	31	114	15	627	603	116	4	439	15
41	Tucson	654	19	3	1	4	94	26	14	54	9	311	299	64	2	214	4
42	Balance of county	870	33	1	1	6	121	44	17	60	6	316	304	52	2	225	11
43	Pinal	423	24	-	-	5	32	7	5	20	9	123	117	22	1	81	4
44	Santa Cruz	77	1	1	-	1	8	5	2	1	-	39	38	7	1	28	3
45	Yavapai	303	7	1	-	3	54	17	7	30	4	149	148	21	-	116	2
46	Yuma	314	9	-	-	2	35	16	3	16	4	115	113	13	1	92	3
47	ARKANSAS	15,218	269	41	8	90	2,133	697	211	1,225	192	7,867	7,591	1,981	7	5,129	123
48	Metropolitan counties	1,827	24	6	-	6	283	76	43	164	25	999	981	234	3	661	9
49	Nonmetropolitan counties	13,391	245	35	8	84	1,850	621	168	1,061	167	6,868	6,610	1,747	4	4,468	114
50	Arkansas	173	4	-	-	1	25	7	5	13	3	82	80	17	-	60	2
51	Ashley	191	-	-	-	3	22	8	2	12	5	89	85	24	-	52	2
52	Baxter	101	-	-	-	1	16	4	4	8	2	54	52	13	-	37	1
53	Benton	330	3	1	-	-	41	14	2	25	7	190	186	45	-	127	3
54	Boone	122	4	-	1	-	13	5	1	7	-	74	70	16	-	51	2
55	Bradley	134	2	1	-	-	23	10	1	12	2	64	62	9	-	48	1
56	Calhoun	61	1	-	-	-	11	3	-	8	-	31	31	8	-	21	2
57	Carroll	103	1	-	-	-	17	9	1	7	3	59	55	19	-	31	-
58	Chicot	227	2	2	-	6	31	8	4	19	3	106	103	17	-	77	2
59	Clark	183	3	1	-	-	32	11	1	20	1	90	89	24	-	54	-
60	Clay	198	8	-	-	-	28	11	2	15	6	100	93	27	-	61	2
61	Cleburne	82	3	-	-	-	6	4	-	2	-	56	52	15	-	31	-
62	Cleveland	76	2	-	-	1	10	4	2	4	1	41	40	11	-	29	-
63	Columbia	208	4	1	-	1	28	11	5	12	4	105	97	22	-	64	1
64	Conway	140	1	2	-	-	22	8	1	13	1	84	83	17	-	64	-
65	Craighead	359	7	1	-	1	37	8	5	24	2	195	192	60	-	121	3
66	Jonesboro	165	1	-	-	1	17	5	2	10	1	96	96	27	-	65	2
67	Balance of county	194	6	1	-	-	20	3	3	14	1	99	96	33	-	56	1
68	Crawford	211	2	1	-	-	41	6	3	32	2	113	112	34	-	69	2
69	Crittenden	421	8	1	-	6	33	13	2	18	5	182	176	63	1	104	2
70	Cross	197	5	1	-	5	26	9	4	13	2	96	92	22	-	69	-
71	Dallas	114	3	-	1	1	11	2	1	8	1	66	58	15	-	37	3
72	Desha	202	3	2	-	2	20	6	4	10	3	87	80	24	-	54	-
73	Drew	125	2	-	-	2	15	5	2	8	1	71	70	23	-	43	-
74	Faulkner	173	1	-	-	2	26	8	1	17	-	101	96	23	-	66	2
75	Franklin	93	2	-	-	1	7	5	-	2	2	50	50	17	-	31	-
76	Fulton	58	1	-	-	-	2	2	-	-	1	37	31	5	-	24	-
77	Garland	556	7	1	-	5	78	28	3	47	7	315	310	58	-	240	13
78	Hot Springs	447	5	1	-	3	65	24	3	38	5	256	252	50	-	193	9
79	Balance of county	109	2	-	-	2	13	4	-	9	2	59	58	8	-	47	4
80	Grant	58	1	-	-	-	8	2	3	3	-	34	34	12	-	20	-
81	Greene	188	4	-	-	2	26	10	1	15	3	96	94	18	1	71	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
102	18	42	4	2	3	2	17	5	3	1	-	-	4	25	16	11	25	7	3	27	1
48	12	21	1	2	2	1	4	2	1	1	-	-	-	11	7	5	10	3	1	16	2
54	6	21	3	-	1	1	13	3	2	-	-	-	4	14	9	6	15	4	2	11	3
17	24	21	3	3	2	4	8	4	3	-	3	1	2	10	5	7	6	-	2	13	4
27	15	7	6	6	1	7	9	-	1	2	1	-	-	12	13	5	10	3	2	8	5
45	17	22	4	1	1	7	14	-	3	1	1	2	6	21	9	9	13	1	7	17	6
42	25	11	1	-	-	1	4	-	1	1	-	-	1	3	12	5	9	4	2	15	7
62	24	18	7	8	2	4	19	-	5	3	1	3	3	20	19	8	22	2	5	35	8
44	10	11	3	4	1	2	9	-	1	3	-	1	2	7	5	4	6	1	3	20	9
18	14	7	4	4	1	2	10	-	4	-	1	2	1	13	14	4	16	1	2	15	10
37	8	14	3	7	1	3	6	1	1	1	2	-	1	9	12	12	9	2	6	18	11
49	17	16	2	4	-	5	10	2	2	1	-	2	3	7	8	10	11	1	3	19	12
34	11	18	2	6	-	1	10	1	1	1	1	5	1	27	17	3	9	-	3	17	13
92	30	31	5	7	3	20	31	2	6	1	2	1	8	40	18	25	28	5	10	31	14
27	3	6	1	2	-	2	9	1	1	-	-	-	4	11	1	2	5	1	1	9	15
65	27	25	4	5	3	18	22	1	5	1	2	1	4	29	17	23	23	4	9	22	16
53	33	21	3	7	2	12	8	3	1	2	2	2	1	25	5	13	13	5	6	23	17
155	45	24	7	4	2	17	24	2	6	6	3	4	16	53	27	31	33	8	13	60	18
90	26	11	2	3	1	11	12	2	4	3	3	3	10	28	11	16	12	6	5	33	19
65	19	13	5	1	1	6	12	-	2	3	-	1	6	25	16	15	21	2	8	27	20
91	39	22	4	4	2	6	23	1	2	3	3	-	3	22	34	15	21	9	4	25	21
10	8	4	-	4	1	1	3	-	2	-	-	2	1	10	7	1	4	-	5	8	22
23	16	18	7	-	2	22	13	1	2	-	-	1	3	11	28	7	6	1	2	11	23
25	12	10	1	1	1	-	8	-	2	1	-	1	3	6	7	8	2	-	-	6	24
1,555	205	316	46	116	64	87	329	55	129	82	14	13	160	476	135	335	376	108	77	782	25
801	99	128	21	55	31	34	126	30	38	38	5	4	71	190	30	127	146	48	45	335	26
754	106	188	25	61	33	53	203	25	91	44	9	9	89	286	105	208	230	60	32	447	27
8	-	8	-	2	1	-	18	1	10	1	-	1	8	15	17	13	17	-	3	26	28
93	6	22	4	9	1	-	14	2	6	6	1	1	4	23	3	10	19	4	2	35	29
25	2	6	1	1	2	-	16	3	10	1	2	1	6	23	9	12	12	3	1	20	30
46	4	14	1	5	1	9	7	1	8	7	-	1	3	17	1	8	13	7	4	23	31
20	2	2	1	3	1	2	4	2	4	1	-	-	3	7	2	7	5	-	-	10	32
8	2	3	-	2	-	4	3	-	1	1	-	-	6	9	5	7	2	-	-	5	33
801	99	128	21	55	31	34	126	30	38	38	5	4	71	190	30	127	146	48	45	335	34
387	44	42	8	28	12	11	45	13	10	19	1	2	17	50	18	45	49	25	18	154	35
28	1	8	2	2	3	-	6	-	2	2	-	-	1	8	4	6	7	1	-	20	36
386	54	78	11	25	16	23	75	17	26	17	4	2	53	132	8	76	90	22	27	161	37
10	3	7	1	2	-	1	4	1	4	1	-	1	-	4	3	6	7	3	-	8	38
21	-	7	1	3	-	3	26	-	12	1	1	-	2	13	23	8	16	6	3	32	39
321	46	57	6	22	16	24	65	9	12	11	2	1	37	96	22	71	56	21	7	189	40
148	27	35	2	11	6	12	24	3	2	4	-	-	15	27	4	26	22	7	3	76	41
173	19	22	4	11	10	12	41	6	10	7	2	1	22	69	18	45	34	14	4	113	42
52	8	17	7	5	1	6	16	-	21	5	1	3	11	41	12	35	31	6	11	37	43
17	4	4	-	-	2	1	5	2	1	-	-	-	1	4	-	2	3	2	-	7	44
82	10	22	2	5	4	1	10	3	-	4	1	-	1	7	2	7	17	4	-	29	45
51	19	19	1	2	4	2	15	1	2	5	1	-	7	27	6	22	32	4	1	26	46
3,409	791	806	109	242	123	276	538	60	117	124	34	28	183	604	478	467	779	111	120	975	47
512	96	44	20	43	20	18	52	8	8	17	3	4	28	79	15	51	63	9	30	117	48
2,897	695	762	89	199	103	258	486	52	109	107	31	24	155	525	463	416	716	102	90	858	49
29	18	11	-	2	1	2	4	1	-	2	2	-	2	6	10	3	14	-	-	14	50
30	10	10	4	1	4	4	10	1	2	1	-	-	2	5	16	9	12	2	-	12	51
25	-	11	-	2	-	2	5	-	1	1	1	1	-	5	2	4	5	-	-	3	52
102	5	17	-	10	4	4	10	4	3	3	1	-	5	6	2	8	15	1	-	30	53
29	6	14	-	3	-	4	4	-	-	-	-	-	2	3	-	1	3	2	2	13	54
39	5	3	1	4	-	2	4	-	1	-	2	1	1	4	3	5	11	-	4	6	55
13	1	5	-	1	1	-	1	-	-	-	-	-	3	-	1	5	3	-	-	5	56
24	4	3	2	2	1	4	4	-	-	-	2	-	1	1	-	3	2	2	-	8	57
50	7	18	4	2	3	3	8	-	2	1	-	2	1	13	17	6	14	1	1	11	58
44	6	4	2	7	2	1	8	2	1	2	1	-	3	6	13	2	9	2	-	7	59
39	6	14	-	2	3	7	11	-	1	-	1	-	1	10	6	3	8	-	-	15	60
24	3	4	2	3	1	4	2	-	1	-	-	-	-	3	1	1	1	-	-	8	61
18	4	7	-	-	-	1	1	-	-	1	-	-	-	5	2	1	3	1	1	6	62
45	9	9	2	7	2	8	1	2	1	1	-	-	1	13	6	8	10	1	4	17	63
33	7	24	-	1	1	1	4	1	1	1	-	-	-	6	-	4	4	1	2	6	64
72	16	30	2	6	3	3	6	-	6	-	-	1	4	19	10	20	18	7	1	24	65
41	5	17	2	1	1	-	1	-	1	-	-	-	2	8	4	11	10	1	1	10	66
31	11	13	-	5	2	3	5	-	5	-	-	1	2	11	6	9	6	6	-	14	67
56	7	4	3	4	2	1	7	1	1	2	-	-	3	4	7	7	9	2	1	8	68
45	19	38	2	3	3	6	9	-	8	8	1	2	5	27	44	16	23	1	8	34	69
44	16	9	1	-	-	4	9	-	1	4	-	-	3	7	10	5	10	-	1	12	70
22	5	7	2	3	1	8	2	-	2	1	-	-	2	2	2	3	11	-	-	6	71
22	13	19	-	1	1	7	7	-	8	3	-	2	1	11	9	4	23	2	3	12	72
22	7	14	3	1	-	1	8	-	-	-	1	-	-	4	6	2	4	1	1	7	73
49	11	4	-	6	1	5	9	-	-	1	-	-	1	2	5	13	4	1	-	7	74
23	2	6	-	2	-	-	8	-	-	-	1	-	1	-	3	1	4	1	-	12	75
19	4	1	1	1	-	6	1	2	-	-	-	-	-	3	2	-	5	1	-	3	76
174	24	29	5	3	4	5	22	1	2	7	3	2	3	24	3	5	28	5	4	34	77
144	20	20	3	3	3	4	18	1	1	6	2	2	3	15	3	2	22	4	3	30	78
30	4	9	2	-	1	1	4	-	1	1	1	-	-	9	-	3	6	1	1	4	79
17	1	2	-	2	-	-	2	-	1	1	-	-	-	4	-	-	1	-	-	6	80
41	21	7	2	2	-	2	7	3	1	1	-	2	2	6	4	10	12	1	2	6	81

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ARKANSAS—Continued																
1	Hempstead	216	8	-	-	-	43	15	3	25	2	100	99	37	-	55	1
2	Hot Spring	157	4	-	-	1	20	5	3	12	1	79	76	12	-	58	2
3	Howard	113	-	-	-	-	16	3	1	12	3	63	62	14	-	43	1
4	Independence	220	7	1	-	-	29	10	7	12	7	124	117	28	-	82	2
5	Izard	74	-	-	-	-	9	3	-	6	-	46	43	8	-	34	1
6	Jackson	219	7	2	-	3	33	16	3	14	2	95	92	30	-	59	-
7	Jefferson	718	14	2	1	2	97	26	8	63	5	369	350	65	1	241	9
8	Pine Bluff	463	8	2	1	1	69	20	5	44	3	241	229	52	-	163	7
9	Balance of county	255	6	-	-	1	28	6	3	19	2	128	121	33	1	78	2
10	Johnson	131	2	-	-	1	22	4	3	15	4	67	60	11	-	48	1
11	Lafayette	102	1	-	-	-	14	4	2	8	-	57	56	18	-	34	-
12	Lawrence	153	4	-	-	1	22	11	1	10	4	88	83	27	-	53	2
13	Lee	191	5	1	-	1	16	10	-	6	2	97	90	29	-	59	1
14	Lincoln	117	2	1	-	2	11	4	1	6	1	57	56	13	-	35	-
15	Little River	94	1	1	-	-	9	1	1	7	-	47	46	17	-	29	-
16	Logan	194	3	-	-	-	37	16	4	17	4	104	99	25	-	65	1
17	Lonoke	191	4	1	-	2	28	7	2	19	4	93	91	28	-	58	2
18	Madison	68	3	-	-	-	16	4	-	12	1	30	30	11	-	17	1
19	Marion	53	1	-	-	-	8	2	-	6	-	32	31	9	-	21	2
20	Miller	289	9	1	1	4	46	16	5	25	4	120	120	39	-	76	2
21	Texarkana[1]	187	6	1	-	1	34	11	5	18	2	83	83	23	-	56	1
22	Balance of county	102	3	-	1	3	12	5	-	7	2	37	37	16	-	20	1
23	Mississippi	525	11	-	-	6	55	17	5	33	12	224	220	66	1	144	3
24	Blytheville	177	5	-	-	3	18	5	3	10	7	81	79	17	-	58	1
25	Balance of county	348	6	-	-	3	37	12	2	23	5	143	141	49	1	86	2
26	Monroe	160	1	1	-	-	25	8	2	15	1	74	73	17	-	54	1
27	Montgomery	31	2	-	-	-	4	2	-	2	-	19	18	2	-	15	1
28	Nevada	131	-	-	-	-	17	3	2	12	2	72	70	25	-	38	1
29	Newton	51	2	-	-	-	4	4	-	-	-	31	30	10	-	18	1
30	Ouachita	225	5	-	-	3	30	8	1	21	-	114	112	30	-	69	1
31	Camden	104	1	-	-	2	12	4	1	7	-	53	52	16	-	29	-
32	Balance of county	121	4	-	-	1	18	4	-	14	-	61	60	14	-	40	1
33	Perry	55	1	-	-	-	9	5	-	4	1	30	28	11	-	16	-
34	Phillips	426	8	5	-	4	41	15	4	22	2	217	199	40	-	146	1
35	Helena	121	2	-	-	-	14	4	2	8	1	60	54	9	-	41	-
36	Balance of county	305	6	5	-	4	27	11	2	14	1	157	145	31	-	105	1
37	Pike	76	1	-	-	-	8	-	2	6	1	43	36	9	-	27	1
38	Poinsett	228	3	-	-	1	30	10	5	15	1	95	92	20	-	68	1
39	Polk	142	3	-	-	-	19	5	2	12	-	80	78	17	-	58	-
40	Pope	167	2	-	-	-	29	14	1	14	2	90	89	29	-	57	-
41	Prairie	70	4	-	-	-	8	2	2	4	-	37	34	9	-	25	1
42	Pulaski	1,827	24	6	-	6	283	76	43	164	25	999	981	234	3	661	9
43	Little Rock	1,088	12	4	-	1	167	40	26	101	10	614	601	148	3	404	5
44	North Little Rock	382	7	2	-	3	60	19	8	33	8	209	206	45	-	145	3
45	Balance of county	357	5	-	-	2	56	17	9	30	7	176	174	41	-	112	1
46	Randolph	106	5	-	-	-	15	4	2	9	1	63	63	23	-	38	2
47	St. Francis	291	2	-	1	5	40	18	2	20	3	117	113	33	-	73	1
48	Saline	127	3	-	1	-	26	12	1	13	4	61	61	18	-	41	2
49	Scott	38	2	-	-	-	5	1	1	3	-	19	19	3	-	16	-
50	Searcy	59	-	-	-	-	4	1	-	3	-	35	33	8	-	24	1
51	Sebastian	531	7	2	-	2	88	34	8	46	9	301	295	71	-	205	7
52	Fort Smith	451	6	2	-	2	73	27	7	39	9	247	243	60	-	167	7
53	Balance of county	80	1	-	-	-	15	7	1	7	-	54	52	11	-	38	-
54	Sevier	99	3	-	-	-	14	5	3	6	2	55	53	16	-	33	1
55	Sharp	69	2	-	-	-	12	5	1	6	1	40	39	10	-	25	1
56	Stone	44	-	-	-	-	6	1	-	5	1	25	24	2	-	22	-
57	Union	390	7	-	-	1	66	15	5	46	7	179	171	55	-	106	1
58	El Dorado	213	4	-	-	-	40	11	1	28	5	102	98	29	-	63	1
59	Balance of county	177	3	-	-	1	26	4	4	18	2	77	73	26	-	43	-
60	Van Buren	65	-	-	-	1	9	2	2	5	-	33	31	13	-	17	-
61	Washington	391	2	2	-	2	78	24	6	48	5	217	213	56	-	140	6
62	Fayetteville	124	-	1	-	1	25	9	3	13	2	64	64	15	-	41	2
63	Balance of county	267	2	1	-	1	53	15	3	35	3	153	149	41	-	99	4
64	White	259	4	-	1	1	33	10	2	21	1	129	121	25	-	90	2
65	Woodruff	133	5	-	1	1	22	10	3	9	-	66	59	16	-	37	2
66	Yell	118	1	-	-	-	22	8	2	12	-	66	62	14	-	43	3
67	CALIFORNIA	114,515	1,072	292	40	424	18,588	6,318	2,521	9,749	1,347	62,075	61,311	12,753	66	43,691	1,609
68	Metropolitan counties	93,101	849	241	33	326	15,390	5,198	2,082	8,110	1,068	51,129	50,520	10,553	56	35,867	1,320
69	Nonmetropolitan counties	21,414	223	51	7	98	3,198	1,120	439	1,639	279	10,946	10,791	2,200	10	7,824	289
70	Alameda	7,416	62	24	3	30	1,215	400	157	658	103	4,238	4,194	825	-	3,085	110
71	Oakland	4,142	40	14	1	19	709	228	97	384	54	2,391	2,370	473	-	1,739	60
72	Berkeley	1,053	9	3	-	6	165	51	22	92	16	636	628	123	-	452	12
73	Alameda	514	-	3	-	2	89	30	8	51	6	282	273	63	-	198	8
74	San Leandro	331	1	-	-	1	54	24	6	24	7	182	180	40	-	130	6
75	Albany	109	-	-	-	-	23	8	4	11	1	66	66	12	-	46	3
76	Hayward	356	3	3	1	2	44	15	3	26	4	192	189	31	-	149	6
77	Piedmont	93	1	-	-	-	11	1	3	7	2	62	62	18	-	37	1
78	Balance of county	818	8	1	1	-	120	43	14	63	13	427	426	65	-	334	14
79	Alpine	5	-	-	-	-	-	-	-	-	-	3	3	2	-	1	-
80	Amador	112	-	-	-	1	12	7	2	3	-	70	70	26	-	33	-
81	Butte	822	6	1	-	3	113	42	13	58	10	479	475	74	-	376	18
82	Chico	227	1	-	-	1	30	14	-	16	2	135	134	25	-	100	6
83	Balance of county	595	5	1	-	2	83	28	13	42	8	344	341	49	-	276	12
84	Calaveras	106	-	-	-	-	16	7	-	9	2	63	62	12	-	48	3

[1]Includes data for Texarkana, Ark., only.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
44	3	7	1	4	2	1	11	2	2	-	-	-	1	5	4	5	14	2	-	17	1
35	12	9	1	5	-	3	6	-	-	3	-	-	2	4	10	5	10	1	2	9	2
36	5	1	2	3	-	1	3	-	3	1	-	-	1	4	1	2	7	-	-	9	3
53	9	18	-	5	2	7	7	2	-	1	4	-	-	4	-	11	12	1	1	9	4
23	5	5	-	1	-	3	4	1	-	-	-	-	-	-	3	-	4	1	-	6	5
37	9	13	-	1	2	3	19	1	1	2	1	-	-	12	7	7	11	2	-	14	6
135	55	42	6	8	9	19	20	4	6	11	-	-	9	37	26	19	32	6	6	52	7
91	37	28	2	6	6	12	12	2	3	5	-	-	5	22	13	11	23	4	4	34	8
44	18	14	4	2	3	7	8	2	3	6	-	-	4	15	13	8	9	2	2	18	9
30	9	8	-	-	1	7	5	2	-	2	-	-	2	6	1	5	5	-	-	7	10
31	3	-	-	4	-	1	8	1	-	-	-	1	2	2	3	2	6	1	1	3	11
32	15	4	-	1	2	5	6	-	-	2	-	-	2	2	1	6	7	2	2	4	12
24	15	19	-	2	-	7	10	-	2	-	-	2	1	12	11	4	17	-	-	10	13
30	3	2	6	-	2	1	3	-	1	1	-	-	-	6	10	4	13	-	2	3	14
24	2	3	-	-	-	1	3	-	3	2	-	1	-	4	5	7	2	-	1	8	15
37	6	21	3	4	2	5	4	-	1	1	-	-	3	-	6	5	10	3	1	12	16
36	16	4	1	2	2	2	8	-	2	-	-	2	3	7	4	2	11	3	3	14	17
10	4	2	1	1	-	-	1	-	-	-	-	-	3	-	1	3	5	-	-	5	18
10	3	6	-	1	-	1	4	-	-	-	-	-	1	-	3	-	1	-	-	3	19
47	15	12	2	2	1	-	7	-	3	2	-	-	5	20	17	16	11	3	4	16	20
34	11	10	1	2	1	-	3	-	1	1	-	-	2	15	10	6	6	2	3	11	21
13	4	2	1	-	-	-	4	-	2	1	-	-	3	5	7	10	5	1	1	5	22
87	17	37	3	2	4	4	30	-	9	4	-	1	5	38	17	23	38	6	3	43	23
26	8	23	1	-	3	2	4	-	1	1	-	-	-	8	5	5	12	3	1	23	24
61	9	14	2	2	1	2	26	-	8	3	-	1	5	30	12	18	26	3	2	20	25
31	14	8	-	-	2	1	11	-	4	1	1	-	4	9	6	4	10	-	-	8	26
6	5	3	1	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	2	27
29	3	5	1	4	2	2	3	1	1	-	2	-	5	2	1	5	7	-	-	13	28
11	4	2	-	1	1	1	2	1	-	-	1	-	1	1	1	1	2	-	-	4	29
41	11	16	3	7	3	2	7	1	2	3	-	-	3	12	5	12	11	4	4	9	30
18	4	7	3	3	1	1	2	-	2	1	-	-	1	7	1	8	7	-	-	7	31
23	7	9	-	4	2	1	5	1	-	2	-	-	2	5	4	4	4	4	4	2	32
8	-	8	-	1	-	2	4	-	1	-	-	-	2	-	2	1	2	-	-	2	33
71	50	24	2	8	3	18	15	-	9	5	-	2	2	19	35	8	33	4	2	15	34
22	13	6	-	1	3	6	1	-	2	3	-	-	1	10	9	2	14	-	-	2	35
49	37	18	2	7	-	12	14	-	7	2	-	2	1	9	26	6	19	4	2	13	36
17	5	4	-	-	-	7	2	2	-	1	-	-	1	-	4	4	3	-	-	6	37
49	11	7	-	1	3	3	10	-	1	3	2	-	2	13	8	17	19	2	1	20	38
33	6	19	-	1	2	2	8	-	1	-	-	-	3	9	4	4	6	1	-	4	39
43	7	7	2	-	1	1	6	-	-	-	-	-	3	4	5	8	7	-	-	11	40
20	1	3	-	-	-	3	2	-	-	1	-	-	-	4	-	3	4	-	-	7	41
512	96	44	20	43	20	18	52	8	8	17	3	4	28	79	15	51	63	9	30	117	42
326	47	26	12	24	10	13	24	5	6	12	2	3	14	43	7	30	33	5	18	78	43
109	27	6	7	6	3	3	10	1	1	1	1	1	4	19	2	13	12	1	6	21	44
77	22	12	1	13	7	2	18	2	1	4	-	-	10	17	6	8	18	3	6	18	45
31	2	3	2	-	-	-	3	1	1	3	-	-	1	2	1	2	3	-	1	4	46
48	13	11	1	6	1	4	14	1	-	2	1	1	5	24	27	8	19	2	3	16	47
32	3	4	2	-	-	-	5	-	1	1	-	-	2	1	-	3	7	2	1	9	48
14	2	-	-	-	-	-	3	1	-	1	-	-	2	1	2	-	1	-	-	1	49
16	3	4	-	1	-	2	2	1	-	1	1	-	-	-	1	1	4	2	-	7	50
169	16	13	1	12	6	6	6	4	-	3	-	1	14	20	3	15	18	3	4	31	51
137	15	8	1	10	5	4	5	3	-	2	-	1	14	19	3	15	15	3	4	28	52
32	1	5	-	2	1	2	1	1	-	1	-	-	-	1	-	-	3	-	-	3	53
21	4	7	-	4	-	2	4	-	1	1	-	-	2	2	1	4	3	1	1	5	54
16	4	4	-	2	2	1	-	1	-	-	-	-	2	-	1	-	4	2	-	4	55
17	3	2	-	-	-	1	2	-	-	-	-	-	1	-	4	-	1	-	-	4	56
47	20	38	3	5	2	8	16	4	1	3	-	-	3	13	5	17	26	5	7	30	57
29	14	19	-	4	2	4	5	2	-	2	-	-	2	10	4	9	11	2	3	12	58
18	6	19	3	1	-	4	11	2	1	1	-	-	1	3	1	8	15	3	4	18	59
12	1	4	-	-	1	2	2	-	-	-	-	-	-	2	1	4	5	1	-	7	60
92	23	19	4	11	2	4	5	-	1	2	1	-	4	10	8	11	14	4	1	24	61
25	7	7	2	5	1	-	2	-	-	-	-	-	2	4	2	4	4	-	1	12	62
67	16	12	2	6	1	4	3	-	1	2	1	-	2	6	6	7	10	4	-	12	63
63	21	4	-	5	1	8	9	2	5	2	-	-	4	7	19	3	14	2	1	22	64
19	13	3	2	3	1	7	4	-	-	1	-	-	1	6	5	3	5	1	2	10	65
30	7	3	1	1	3	4	5	1	3	-	-	-	1	2	-	3	6	-	1	7	66
33,104	4,716	4,262	601	2,924	1,276	764	3,176	912	461	2,184	91	118	1,528	4,682	460	3,609	3,638	1,974	451	7,393	67
27,316	3,871	3,360	498	2,500	1,046	609	2,446	753	351	1,879	77	102	1,229	3,776	241	2,592	2,697	1,641	364	5,917	68
5,788	845	902	103	424	230	155	730	159	110	305	14	16	299	906	219	1,017	941	333	87	1,476	69
2,175	307	493	61	146	77	44	156	60	22	174	8	7	101	283	35	137	180	127	21	430	70
1,231	191	257	33	76	49	21	89	37	10	115	4	2	37	123	11	60	105	74	10	237	71
363	30	47	16	27	10	8	21	10	5	15	1	1	13	34	5	21	18	21	4	49	72
131	19	40	2	9	1	9	9	2	1	12	2	1	6	36	5	6	11	8	2	31	73
81	17	26	2	6	2	2	6	4	-	8	-	1	9	17	3	7	4	4	1	22	74
31	4	8	1	6	1	-	-	1	-	-	-	-	1	3	-	1	2	2	-	9	75
82	11	50	-	6	3	3	7	1	3	6	-	-	7	27	6	8	11	6	3	22	76
32	2	2	1	5	1	-	3	-	1	2	-	-	1	-	1	1	1	1	-	6	77
224	33	63	6	11	10	1	21	5	2	16	1	2	27	43	4	33	28	11	1	54	78
-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	79
29	3	1	5	6	-	-	1	1	-	2	-	-	-	6	-	5	5	2	-	7	80
270	36	52	2	16	7	4	38	9	2	5	-	1	5	21	2	17	30	11	7	62	81
70	15	9	-	5	4	1	13	3	1	2	-	-	-	6	-	4	5	2	1	21	82
200	21	43	2	11	3	3	25	6	1	3	-	1	5	15	2	13	25	9	6	41	83
39	1	5	-	1	1	1	3	-	-	2	1	-	-	2	2	2	5	1	-	7	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Colusa	146	-	-	-	2	18	8	1	9	5	81	81	12	-	63	1
2	Contra Costa	1,972	15	8	1	11	360	126	51	183	31	894	883	152	-	658	25
3	Richmond	507	-	4	-	4	86	29	12	45	9	252	248	44	-	182	6
4	Antioch	80	1	-	-	1	11	3	1	7	2	42	42	6	-	30	-
5	El Cerrito	125	-	-	-	-	31	10	2	19	-	65	65	12	-	49	2
6	Pittsburg	121	5	-	-	1	31	13	5	13	4	43	42	4	-	31	3
7	San Pablo	116	1	-	-	-	20	7	3	10	1	42	41	10	-	29	3
8	Balance of county	1,023	8	4	1	5	181	64	28	89	15	450	445	76	-	337	11
9	Del Norte	120	4	1	-	-	13	6	3	4	-	51	50	13	-	35	-
10	El Dorado	181	1	-	-	1	23	9	4	10	1	92	92	23	-	59	1
11	Fresno	2,584	31	5	-	12	413	155	61	197	34	1,296	1,271	244	4	948	26
12	Fresno	1,170	16	2	-	6	182	63	29	90	12	653	642	117	2	485	16
13	Balance of county	1,414	15	3	-	6	231	92	32	107	22	643	629	127	2	463	10
14	Glenn	139	1	-	-	-	27	8	8	11	1	79	77	13	-	59	1
15	Humboldt	826	6	2	-	4	120	44	17	59	10	412	401	57	1	317	11
16	Eureka	324	4	-	-	1	64	30	7	27	5	178	177	27	-	139	2
17	Balance of county	502	2	2	-	3	56	14	10	32	5	234	224	30	1	178	9
18	Imperial	465	10	1	1	3	58	15	16	27	6	197	193	40	1	136	4
19	Brawley	94	3	1	1	1	14	3	4	7	-	36	36	7	-	25	1
20	El Centro	85	1	-	-	1	7	-	3	4	1	38	38	9	1	26	-
21	Balance of county	286	6	-	-	1	37	12	9	16	5	123	119	24	-	85	3
22	Inyo	98	-	1	-	-	7	-	-	7	-	57	56	12	-	41	2
23	Kern	1,769	29	5	-	10	265	91	35	139	16	777	760	164	4	546	24
24	Bakersfield	499	16	4	-	3	71	25	8	38	4	240	233	58	2	160	5
25	Balance of county	1,290	13	1	-	7	194	66	27	101	12	537	527	106	2	386	19
26	Kings	398	2	-	-	2	62	21	7	34	10	206	199	51	-	122	5
27	Hanford	118	1	-	-	-	21	7	1	13	6	67	67	18	-	38	1
28	Balance of county	280	1	-	-	2	41	14	6	21	4	139	132	33	-	84	4
29	Lake	171	2	-	-	-	27	9	2	16	4	95	91	15	-	70	3
30	Lassen	141	-	-	-	-	28	12	4	12	2	65	62	9	-	47	3
31	Los Angeles	47,344	373	105	16	167	7,854	2,609	1,034	4,211	523	26,924	26,623	5,776	30	18,428	702
32	Long Beach	3,261	14	8	-	5	541	168	82	291	23	1,989	1,972	428	1	1,368	44
33	Los Angeles	23,334	243	65	5	68	3,770	1,279	509	1,982	294	13,327	13,177	2,814	7	9,119	352
34	Pasadena	1,608	10	3	-	5	268	92	32	144	14	1,035	1,031	260	1	675	17
35	Alhambra	564	3	-	-	1	108	44	12	52	5	358	353	105	-	231	10
36	Burbank	633	2	1	-	6	112	35	12	65	9	339	336	73	1	239	11
37	Glendale	1,271	5	2	-	1	216	76	12	128	13	796	788	156	3	554	27
38	Santa Monica	923	4	2	-	2	156	47	18	91	9	561	554	110	-	369	11
39	South Gate	420	1	1	-	1	61	20	10	31	3	259	257	56	-	178	10
40	Belvedere (twp.)[2 3]	249	2	2	-	3	39	22	5	12	5	125	121	29	1	85	2
41	Beverly Hills	337	1	-	-	1	74	27	4	43	7	193	192	47	-	133	4
42	Compton	424	4	2	-	3	77	17	17	43	5	220	216	41	2	162	5
43	Huntington Park	368	1	-	-	-	72	22	13	37	4	213	212	52	1	142	4
44	Inglewood	520	3	1	-	2	87	24	16	47	6	293	292	54	-	205	10
45	Lynwood	222	3	-	-	1	38	12	-	26	1	117	117	29	-	83	4
46	Pomona	436	1	1	-	-	64	22	6	36	6	262	262	59	-	185	7
47	Redondo Beach	294	2	-	1	5	45	14	5	26	5	163	162	27	1	111	3
48	Arcadia	268	2	-	-	-	48	16	6	26	-	174	172	45	-	119	5
49	Azusa	97	-	-	-	1	13	6	1	6	2	55	55	10	-	41	-
50	Bell	172	1	-	-	2	23	9	3	11	3	91	91	14	-	67	2
51	Culver City	221	-	-	-	-	46	11	6	29	1	123	123	21	-	95	3
52	Gardena	163	1	-	1	-	24	4	5	15	2	86	81	21	-	55	4
53	Hawthorne	204	-	1	-	1	39	10	5	24	2	106	104	20	-	76	4
54	Hermosa Beach	135	1	-	-	-	12	-	4	8	-	85	85	27	-	51	4
55	Manhattan Beach	166	-	2	-	-	31	5	5	21	-	91	89	20	-	61	1
56	Maywood	127	-	1	-	-	32	14	2	16	-	72	72	14	-	54	1
57	Monrovia	318	4	1	-	5	43	18	6	19	3	202	202	44	-	135	8
58	Montebello	187	2	-	-	-	34	7	10	17	3	101	99	26	-	67	6
59	Monterey Park	208	4	-	-	1	30	9	4	17	2	133	133	32	-	91	4
60	San Fernando	148	-	-	-	-	19	6	4	7	2	83	81	19	-	50	-
61	San Gabriel	213	-	1	-	-	38	14	4	20	1	121	121	28	-	80	3
62	San Marino	117	-	-	-	2	25	7	1	17	1	73	72	17	-	47	2
63	South Pasadena	221	1	-	-	-	48	14	3	31	-	127	125	26	-	88	3
64	Torrance	284	-	-	1	-	56	14	10	32	2	121	121	23	-	89	3
65	Whittier	325	-	-	-	1	51	22	2	27	3	198	194	45	-	136	7
66	Balance of county	8,906	58	11	8	50	1,514	500	200	814	87	4,632	4,561	984	12	3,187	121
67	Madera	305	7	1	-	2	52	20	8	24	4	129	127	30	-	95	6
68	Madera	121	2	-	-	2	18	7	4	7	1	54	53	17	-	35	2
69	Balance of county	184	5	1	-	-	34	13	4	17	3	75	74	13	-	60	4
70	Marin	840	6	2	-	2	166	58	24	84	5	453	448	99	-	314	9
71	San Rafael	195	2	1	-	1	42	11	6	25	-	107	106	25	-	73	2
72	Balance of county	645	4	1	-	1	124	47	18	59	5	346	342	74	-	241	7
73	Mariposa	67	1	-	-	-	9	6	-	3	2	40	40	8	-	26	-
74	Mendocino	438	5	2	2	1	43	17	8	18	5	226	222	45	-	164	5
75	Merced	574	6	4	-	4	82	28	14	40	15	254	251	43	1	199	3
76	Merced	162	3	2	-	1	22	6	4	12	5	71	70	13	-	55	-
77	Balance of county	412	3	2	-	3	60	22	10	28	10	183	181	30	1	144	3
78	Modoc	84	-	-	-	2	7	3	1	3	-	44	43	4	-	38	2
79	Mono	19	-	-	-	-	2	1	-	1	-	10	9	2	-	7	1
80	Monterey	1,044	14	2	1	6	141	41	17	83	16	501	494	113	-	348	9
81	Monterey	141	-	-	-	-	21	4	3	14	1	76	74	16	-	47	-
82	Salinas	171	1	1	1	1	28	12	2	14	3	83	83	23	-	56	1
83	Balance of county	732	13	1	-	5	92	25	12	55	12	342	337	74	-	245	8
84	Napa	473	6	1	-	3	85	34	10	41	3	268	261	47	1	187	4
85	Napa	219	4	-	-	2	37	13	7	17	-	124	120	28	-	81	3
86	Balance of county	254	2	1	-	1	48	21	3	24	3	144	141	19	1	106	1
87	Nevada	234	3	2	-	1	38	16	6	16	1	135	134	26	-	100	3

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
37	12	13	1	5	-	-	3	1	-	1	-	-	2	5	1	7	10	-	1	9	1
479	81	73	17	31	25	11	56	13	5	40	4	3	41	136	10	63	83	49	8	141	2
136	20	20	9	7	6	4	18	4	2	14	-	1	7	33	1	13	14	10	3	32	3
24	3	3	-	4	2	-	2	-	1	1	1	-	-	6	-	3	3	2	-	4	4
38	6	3	1	1	2	-	1	-	-	-	-	-	6	8	1	-	4	2	-	7	5
20	2	6	1	6	-	1	4	-	1	4	-	-	2	9	-	2	3	2	-	10	6
16	7	3	-	1	1	1	4	2	-	2	2	-	3	12	1	6	7	2	1	10	7
245	43	38	6	12	14	5	27	7	1	19	1	2	23	68	7	39	52	31	4	78	8
26	2	7	1	-	1	1	2	1	2	-	-	1	2	8	-	5	14	2	-	14	9
46	3	9	1	6	3	-	6	2	1	2	-	-	3	5	1	7	10	6	-	20	10
723	90	109	4	48	23	25	96	17	29	44	1	3	38	136	4	136	84	41	15	149	11
382	44	43	2	24	12	11	38	10	6	25	-	-	15	40	2	36	30	20	4	73	12
341	46	66	2	24	11	14	58	7	23	19	1	3	23	96	2	100	54	21	11	76	13
50	4	4	1	2	2	2	1	1	3	-	-	-	2	1	1	7	5	1	2	7	14
259	16	31	4	13	9	11	19	4	-	10	-	-	9	42	2	54	68	7	3	54	15
117	4	16	2	5	4	1	3	1	-	6	-	-	5	7	-	11	15	1	1	22	16
142	12	15	2	8	5	10	16	3	-	4	-	-	4	35	2	43	53	6	2	32	17
78	15	39	4	7	5	4	18	2	6	13	-	1	12	36	4	23	33	1	7	33	18
12	3	9	-	1	3	-	3	-	3	3	-	-	2	9	3	1	7	-	-	7	19
16	4	6	1	1	-	-	4	-	-	3	-	1	3	6	-	4	9	-	1	6	20
50	8	24	3	5	2	4	11	2	3	7	-	-	7	21	1	18	17	1	6	20	21
32	4	3	-	3	-	1	-	1	1	2	-	-	1	2	-	10	8	1	-	7	22
420	69	33	9	19	18	17	92	14	20	26	1	3	34	88	7	134	82	40	9	137	23
121	28	6	2	6	5	7	19	2	3	9	1	1	8	22	4	29	17	12	1	33	24
299	41	27	7	13	13	10	73	12	17	17	-	2	26	66	3	105	65	28	8	104	25
91	13	13	1	17	8	7	16	4	2	7	-	2	3	12	4	22	16	7	2	19	26
29	3	5	1	9	1	-	3	1	-	4	-	-	1	5	2	4	1	-	-	2	27
62	10	8	-	8	7	7	13	3	2	3	-	2	2	7	2	18	15	7	2	17	28
49	9	9	-	6	-	4	-	1	1	1	-	-	1	3	2	8	8	2	1	15	29
37	4	3	-	4	2	3	3	-	-	2	1	-	3	9	-	6	8	3	1	10	30
14,080	2,015	1,631	268	1,642	479	301	1,159	358	169	908	42	64	572	1,706	101	1,174	1,145	794	179	3,011	31
1,030	147	147	18	123	34	17	48	20	8	51	5	4	26	97	9	85	68	56	7	197	32
6,905	1,059	803	140	880	217	150	623	193	80	524	16	33	234	750	56	510	558	399	110	1,476	33
523	72	63	8	69	18	4	38	14	3	19	-	-	5	17	5	19	40	30	3	80	34
182	22	17	2	8	7	5	12	4	1	1	-	-	4	9	-	12	7	5	2	32	35
191	12	25	1	16	6	3	13	6	6	12	3	1	12	20	2	19	20	9	-	41	36
418	48	61	7	58	10	8	27	7	6	10	2	2	14	19	2	23	32	24	1	69	37
295	41	22	9	47	19	7	11	3	2	20	-	-	12	17	1	26	24	17	-	56	38
139	18	11	3	13	7	2	8	5	1	9	-	-	4	14	-	10	13	5	-	25	39
65	13	5	1	4	1	4	12	1	1	14	-	2	6	9	-	7	5	3	2	11	40
113	9	7	1	9	2	1	8	1	-	5	1	-	1	4	-	5	9	9	1	17	41
120	19	18	2	9	-	4	12	3	1	6	1	1	3	20	-	16	12	8	3	27	42
116	11	11	-	13	4	1	11	-	1	4	1	-	3	8	1	7	7	7	3	25	43
150	22	23	5	23	5	1	17	4	2	10	-	1	3	14	1	21	10	5	1	39	44
59	14	6	1	4	-	-	6	4	4	2	-	-	6	7	2	7	5	5	-	14	45
140	23	15	2	11	5	-	8	7	2	3	1	1	1	17	-	20	12	2	2	26	46
81	9	18	1	13	9	1	5	1	1	3	-	-	5	14	1	7	8	5	2	21	47
90	9	15	3	3	2	2	3	-	2	4	-	-	1	9	-	1	9	1	-	14	48
31	6	4	1	3	-	-	1	-	1	1	-	-	1	6	-	8	3	2	-	3	49
54	4	7	1	8	1	-	2	2	1	2	1	-	1	6	1	7	7	5	1	16	50
77	7	8	1	5	1	-	3	1	-	5	-	1	3	6	1	10	1	4	-	16	51
43	3	5	1	4	-	5	6	1	-	3	-	1	1	8	-	6	4	5	-	14	52
59	6	7	1	4	3	2	3	1	2	2	-	-	5	17	-	4	4	3	2	12	53
38	6	3	-	6	1	-	2	2	1	6	-	-	-	5	-	2	6	3	-	10	54
48	8	4	1	4	3	2	3	-	-	2	-	-	5	11	-	3	-	4	-	14	55
47	3	3	-	4	-	-	1	1	1	2	-	-	1	4	-	3	2	-	-	7	56
86	26	15	5	12	6	-	6	1	2	7	1	-	3	11	-	7	3	1	-	18	57
48	9	4	2	3	1	2	7	2	2	3	-	-	3	3	-	8	5	1	-	13	58
75	7	5	2	5	3	-	5	-	-	3	-	-	1	4	-	6	3	1	1	14	59
43	4	3	2	7	3	2	6	1	-	1	-	-	1	10	-	5	4	5	1	10	60
61	7	9	1	7	5	-	2	1	4	3	-	-	4	11	-	4	6	4	1	12	61
38	5	2	-	7	1	1	1	2	-	1	-	-	-	1	1	2	2	1	-	5	62
74	9	2	1	8	2	2	4	3	-	7	-	-	1	2	-	2	5	6	-	15	63
72	5	9	-	8	1	-	6	3	1	4	-	1	10	28	-	9	13	6	1	22	64
111	13	5	3	7	3	4	6	2	1	5	-	-	4	8	-	13	2	7	-	24	65
2,458	339	269	42	237	99	71	233	62	32	154	10	16	188	520	18	280	236	146	35	616	66
63	14	12	-	1	1	2	8	2	2	8	-	-	4	18	2	14	16	3	-	33	67
24	8	1	-	-	1	1	2	1	-	6	-	-	1	10	-	2	7	-	-	15	68
39	6	11	-	1	-	1	6	1	2	2	-	-	3	8	2	12	9	3	-	18	69
254	24	27	2	16	17	5	13	5	1	13	-	-	14	49	1	30	34	10	5	31	70
62	2	7	1	3	4	1	1	2	1	5	-	-	2	7	-	4	12	2	-	6	71
192	22	20	1	13	13	4	12	3	-	8	-	-	12	42	1	26	22	8	5	25	72
24	1	1	1	3	2	-	-	-	-	1	-	-	-	3	-	-	3	1	1	6	73
125	9	25	2	6	5	4	10	3	3	8	-	-	7	28	3	25	25	6	1	35	74
157	20	19	-	6	2	3	19	-	1	11	1	1	13	29	3	32	33	11	7	48	75
44	4	7	-	1	1	1	3	-	-	4	1	1	3	10	-	7	4	4	2	19	76
113	16	12	-	5	1	2	16	-	1	7	-	-	10	19	3	25	29	7	5	29	77
28	1	7	-	1	-	1	6	-	2	1	-	-	3	3	-	4	5	1	1	5	78
5	-	1	-	-	-	1	1	-	1	-	-	-	1	2	-	1	-	-	-	1	79
268	30	41	5	13	15	7	48	4	6	16	2	-	25	61	6	62	42	17	4	70	80
38	3	6	1	4	6	2	8	2	-	2	-	-	4	3	-	7	5	2	-	10	81
43	5	7	-	3	1	-	7	1	-	5	-	-	4	8	-	7	6	3	-	12	82
187	22	28	4	6	8	5	33	1	6	9	2	-	17	50	6	48	31	12	4	48	83
113	21	49	1	21	4	7	9	2	2	4	-	1	7	14	1	12	13	8	3	31	84
48	8	22	-	10	1	4	5	2	1	-	-	-	4	12	-	5	4	1	3	15	85
65	13	27	1	11	3	3	4	-	1	4	-	1	3	2	1	7	9	7	-	16	86
46	35	16	1	7	-	1	8	1	1	4	-	-	1	2	3	5	8	6	-	15	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Orange	2,901	26	7	1	9	490	161	69	260	27	1,566	1,544	333	1	1,119	48
2	Santa Ana	676	6	3	-	3	109	40	12	57	5	384	380	81	-	275	15
3	Anaheim	265	4	-	-	-	37	7	7	23	4	151	148	35	-	104	5
4	Fullerton	231	2	-	1	2	46	17	6	23	2	119	117	28	-	80	7
5	Newport Beach	137	-	-	-	-	28	7	3	18	1	77	76	19	-	55	1
6	Orange	162	4	-	-	-	16	4	2	10	1	110	109	21	-	80	2
7	Balance of county	1,430	10	4	-	4	254	86	39	129	14	725	714	149	1	525	18
8	Placer	419	5	3	-	-	80	27	11	42	6	202	197	27	-	164	6
9	Plumas	108	-	-	-	-	11	3	1	7	2	58	57	10	-	41	1
10	Riverside	2,332	25	4	3	9	333	112	35	186	25	1,132	1,123	235	-	780	32
11	Riverside	681	6	-	-	1	106	36	8	62	8	354	350	79	-	238	13
12	Corona	124	-	1	1	1	14	5	-	9	1	70	69	12	-	49	-
13	Balance of county	1,527	19	3	2	7	213	71	27	115	16	708	704	144	-	493	19
14	Sacramento	3,240	53	13	1	13	498	156	80	262	53	1,696	1,681	316	4	1,275	39
15	Sacramento	1,988	39	8	1	5	312	101	53	158	33	1,091	1,081	207	1	821	22
16	Balance of county	1,252	14	5	-	8	186	55	27	104	20	605	600	109	3	454	17
17	San Benito	135	2	-	-	1	27	10	5	12	3	66	65	10	-	53	3
18	San Bernardino	3,270	40	2	1	13	495	157	72	266	30	1,566	1,548	319	3	1,133	64
19	San Bernardino	842	6	1	-	3	138	44	24	70	7	399	392	76	-	288	16
20	Colton	143	2	-	-	1	19	9	2	8	6	66	63	11	-	48	3
21	Ontario	300	3	1	-	1	50	11	7	32	7	137	136	21	-	104	7
22	Redlands	209	4	-	-	-	29	8	1	20	1	114	114	24	-	82	5
23	Balance of county	1,776	25	-	1	8	259	85	38	136	9	850	843	187	3	613	33
24	San Diego	5,926	39	13	1	34	904	289	125	490	63	3,038	2,993	692	5	2,054	73
25	San Diego	3,614	27	10	1	24	547	182	79	286	38	1,919	1,897	444	2	1,292	43
26	Chula Vista	183	-	-	-	-	20	7	4	9	2	105	102	21	-	71	5
27	Coronado	104	-	-	-	-	14	5	4	5	1	55	55	12	-	41	-
28	La Mesa	160	-	-	-	-	34	10	4	20	-	78	77	20	-	49	3
29	National City	174	2	-	-	2	22	6	3	13	4	89	86	25	-	56	1
30	Oceanside	146	1	-	-	3	23	7	5	11	3	60	60	14	-	42	2
31	Balance of county	1,545	9	3	-	5	244	72	26	146	15	732	716	156	3	503	19
32	San Francisco, coextensive with San Francisco (city)	9,289	118	42	-	6	1,611	592	242	777	100	5,055	4,988	883	6	3,732	112
33	San Joaquin	2,016	36	3	1	11	298	113	40	145	21	1,055	1,040	193	1	769	26
34	Stockton	874	21	1	1	4	119	46	19	54	9	486	477	86	-	361	12
35	Lodi	194	4	-	-	-	28	13	3	12	2	107	106	25	-	73	2
36	Balance of county	948	11	2	-	7	151	54	18	79	10	462	457	82	1	335	12
37	San Luis Obispo	602	5	3	-	6	95	29	18	48	9	326	325	69	-	234	6
38	San Luis Obispo	147	2	-	-	1	27	8	5	14	3	71	71	17	-	48	1
39	Balance of county	455	3	3	-	5	68	21	13	34	6	255	254	52	-	186	5
40	San Mateo	2,254	14	11	4	5	385	143	41	201	22	1,238	1,222	276	-	864	35
41	Redwood City	324	1	2	-	2	56	20	5	31	3	175	173	46	-	118	8
42	San Mateo	427	3	1	1	1	81	27	11	43	3	242	239	50	-	174	10
43	Burlingame	203	-	1	-	-	31	16	2	13	1	124	124	33	-	80	4
44	Daly City	188	1	1	-	1	38	12	5	21	-	99	98	16	-	75	-
45	Menlo Park	192	1	-	1	-	30	12	4	14	1	120	116	26	-	86	3
46	San Bruno	114	-	1	-	-	20	8	2	10	3	68	68	19	-	46	1
47	San Carlos	107	1	1	-	-	17	6	2	9	2	64	64	15	-	43	-
48	South San Francisco	144	4	1	-	-	25	12	4	9	2	58	57	10	-	41	3
49	Balance of county	555	3	3	2	1	87	30	6	51	7	288	283	61	-	201	6
50	Santa Barbara	1,106	8	1	-	5	213	71	38	104	12	578	577	120	-	406	15
51	Santa Barbara	639	3	-	-	-	124	43	24	57	8	364	363	79	-	249	11
52	Santa Maria	118	2	-	-	1	25	6	4	15	2	54	54	8	-	44	-
53	Balance of county	349	3	1	-	4	64	22	10	32	2	160	160	33	-	113	4
54	Santa Clara	3,234	28	6	4	9	565	197	68	300	39	1,728	1,712	371	2	1,216	42
55	San Jose	1,162	13	2	1	1	199	80	27	92	12	656	648	135	1	451	14
56	Palo Alto	343	-	-	-	2	68	18	4	46	5	196	196	36	-	142	8
57	Santa Clara	139	4	-	1	3	25	8	1	16	3	71	71	16	-	48	1
58	Balance of county	1,590	12	4	2	3	273	91	36	146	19	805	797	184	1	575	19
59	Santa Cruz	1,009	4	2	-	4	155	64	18	73	5	646	637	140	-	450	16
60	Santa Cruz	450	-	-	-	1	66	26	4	36	2	298	293	83	-	184	5
61	Watsonville	143	1	-	-	2	24	14	1	9	1	77	76	13	-	59	7
62	Balance of county	416	3	2	-	1	65	24	13	28	2	271	268	44	-	207	4
63	Shasta	366	7	-	-	1	42	15	9	18	9	166	161	51	-	103	3
64	Redding	111	2	-	-	-	15	6	2	7	1	56	53	20	-	31	2
65	Balance of county	255	5	-	-	1	27	9	7	11	8	110	108	31	-	72	1
66	Sierra	25	-	-	-	-	4	-	2	2	2	8	8	-	-	7	-
67	Siskiyou	330	1	2	-	1	59	25	7	27	7	176	176	40	-	119	3
68	Solano	815	7	-	-	4	136	42	18	76	17	382	373	74	-	272	9
69	Vallejo	359	3	-	-	1	62	21	6	35	6	165	159	34	-	115	4
70	Balance of county	456	4	-	-	3	74	21	12	41	11	217	214	40	-	157	5
71	Sonoma	1,406	17	5	-	2	222	82	33	107	20	752	738	133	-	554	22
72	Petaluma	179	3	-	-	-	27	6	2	19	4	99	94	15	-	73	3
73	Santa Rosa	312	4	3	-	1	54	19	12	23	2	176	175	41	-	119	4
74	Balance of county	915	10	2	-	1	141	57	19	65	14	477	469	77	-	362	15
75	Stanislaus	1,162	8	2	-	2	165	48	20	97	15	653	650	146	-	465	18
76	Modesto	272	3	2	-	-	35	9	4	22	3	153	152	35	-	109	3
77	Balance of county	890	5	-	-	2	130	39	16	75	12	500	498	111	-	356	15
78	Sutter	293	4	1	-	2	33	8	1	24	3	138	135	37	-	87	5
79	Tehama	191	1	2	-	1	39	20	6	13	4	111	111	33	-	74	-
80	Trinity	59	-	-	-	-	9	3	2	4	-	26	24	4	-	16	-
81	Tulare	1,208	11	-	-	7	183	60	22	101	18	607	597	125	1	431	18
82	Tulare	143	1	-	-	-	28	7	2	19	3	63	60	13	-	39	2
83	Visalia	111	1	-	-	1	17	9	-	8	3	68	68	13	-	51	1
84	Balance of county	954	9	-	-	6	138	44	20	74	12	476	469	99	1	341	15
85	Tuolumne	168	-	-	-	1	22	7	3	12	1	100	99	20	-	74	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
865	101	105	13	49	29	22	76	22	13	28	7	2	42	136	8	113	85	48	5	190	1
213	18	29	4	15	5	4	17	4	4	7	2	1	11	21	1	25	14	13	2	44	2
79	13	7	-	8	1	3	7	1	1	2	-	-	6	14	3	9	3	3	1	19	3
55	8	10	2	3	4	2	10	1	1	1	1	-	4	8	-	9	3	5	-	16	4
45	4	5	-	1	1	1	3	1	2	3	-	-	1	4	-	4	2	4	-	7	5
63	6	9	1	6	1	1	4	-	1	-	-	1	1	4	-	3	3	-	-	14	6
410	52	45	6	16	17	11	35	15	4	15	4	-	19	85	4	63	60	23	2	90	7
116	19	23	1	3	2	5	18	6	1	4	-	-	3	12	5	11	27	6	1	29	8
35	2	3	-	3	3	1	4	4	1	1	1	-	2	1	1	7	7	-	-	8	9
584	93	71	16	61	31	9	124	12	11	38	1	2	35	109	31	124	82	43	10	179	10
180	33	12	5	18	10	4	36	4	3	17	1	-	16	24	6	23	17	5	-	54	11
40	5	4	2	3	3	1	7	1	-	1	-	-	2	8	1	7	2	-	1	6	12
364	55	55	9	40	18	4	81	7	8	20	-	2	17	77	24	94	63	38	9	119	13
987	136	113	5	41	40	15	87	41	9	82	1	3	51	146	4	113	107	50	13	206	14
629	92	78	4	25	23	10	60	25	3	66	1	1	26	52	3	48	61	31	9	113	15
358	44	35	1	16	17	5	27	16	6	16	-	2	25	94	1	65	46	19	4	93	16
40	5	5	1	1	-	1	2	1	-	4	-	-	-	5	5	5	-	1	1	12	17
870	123	76	14	44	35	18	162	30	14	52	2	1	56	187	8	157	123	51	20	260	18
222	34	14	5	14	11	7	49	10	2	12	-	-	15	48	2	36	30	11	4	69	19
36	2	7	-	3	1	3	12	1	-	1	-	-	2	7	-	4	6	5	-	11	20
79	13	5	2	3	6	1	16	1	-	9	-	-	4	15	1	13	8	4	-	30	21
59	11	7	3	2	3	-	11	-	2	1	-	-	3	6	-	6	8	2	2	20	22
474	63	43	4	22	14	7	74	18	10	29	2	1	32	111	5	98	71	29	14	130	23
1,547	263	171	28	140	74	45	164	49	35	94	-	6	102	369	12	208	248	112	20	415	24
969	178	102	18	95	46	22	95	29	20	64	-	3	59	220	6	94	132	60	15	251	25
56	7	3	2	6	2	3	3	1	3	3	-	-	5	16	-	4	9	2	-	10	26
31	7	3	1	-	1	-	-	1	-	2	-	-	2	10	1	2	4	-	-	12	27
35	8	3	-	3	5	1	2	2	1	2	-	-	4	6	1	3	7	4	-	16	28
49	2	4	1	2	2	3	5	-	-	3	-	-	3	11	-	8	11	2	-	12	29
29	4	7	-	2	2	-	7	1	1	3	-	-	4	14	-	6	4	3	1	12	30
378	57	49	6	32	16	16	52	15	10	17	-	3	25	92	4	91	81	41	4	102	31
2,901	417	302	46	180	141	67	256	106	19	313	7	5	75	245	16	142	348	191	48	586	32
615	72	56	14	44	19	15	76	13	3	35	1	3	24	61	13	96	98	45	10	113	33
303	32	14	3	20	7	9	29	9	3	19	-	1	6	21	7	30	33	19	8	48	34
59	7	5	2	4	2	1	14	1	-	2	-	1	1	3	-	10	10	3	1	7	35
253	33	37	9	20	10	5	33	3	-	14	1	1	17	37	6	56	55	23	1	58	36
168	24	36	2	17	3	1	17	2	-	3	-	-	5	27	4	28	18	11	3	40	37
35	2	10	-	5	1	-	9	1	-	-	-	-	2	8	1	5	3	2	-	12	38
133	22	26	2	12	2	1	8	1	-	3	-	-	3	19	3	23	15	9	3	28	39
653	94	82	10	35	37	16	41	11	13	36	1	3	47	109	8	66	57	58	4	121	40
85	14	11	1	3	5	2	5	2	1	3	-	1	13	12	1	12	8	8	-	19	41
130	17	17	1	6	8	3	10	1	6	8	-	-	8	9	2	11	7	14	1	18	42
59	7	10	3	3	5	-	2	2	1	3	-	-	4	5	1	3	7	4	1	13	43
58	11	6	-	4	3	1	5	-	-	3	-	1	4	12	-	5	5	6	1	6	44
72	6	5	-	2	2	4	5	2	1	4	-	-	2	8	2	5	3	1	-	6	45
34	6	5	1	-	2	-	-	-	1	2	1	-	2	6	-	1	1	3	-	5	46
36	1	6	1	2	3	-	1	1	-	1	-	-	1	6	1	2	-	2	-	7	47
25	6	7	-	3	3	1	5	-	1	3	-	-	7	17	-	4	5	3	-	9	48
154	26	15	3	12	6	5	8	3	2	9	-	1	6	34	1	23	21	17	1	38	49
302	51	38	5	24	22	1	26	11	6	19	-	-	15	43	5	41	42	22	1	58	50
195	25	18	4	20	11	1	16	7	4	12	-	-	5	14	2	19	18	11	-	32	51
26	11	7	1	-	1	-	3	-	-	-	-	-	2	9	1	9	5	1	-	4	52
81	15	13	-	4	10	-	7	4	2	7	-	-	8	20	2	13	19	10	1	22	53
945	130	99	13	70	40	16	79	24	12	53	3	1	49	157	17	114	77	52	12	204	54
350	46	41	9	33	19	8	34	7	2	16	3	-	11	39	5	39	27	16	3	76	55
106	14	14	-	14	4	-	10	-	4	2	-	1	2	9	2	2	13	8	1	18	56
39	6	2	-	4	3	-	1	2	1	3	-	-	3	5	-	7	3	1	-	6	57
450	64	42	4	19	14	8	34	15	5	32	-	-	33	104	10	66	34	27	8	104	58
336	47	51	7	34	6	9	14	11	4	17	-	-	7	18	3	22	30	11	-	56	59
131	26	22	5	17	4	5	5	6	2	10	-	-	3	4	3	3	12	1	-	34	60
46	2	4	-	4	-	1	2	1	2	1	-	-	1	3	-	8	7	3	-	10	61
159	19	25	2	13	2	3	7	4	-	6	-	-	3	11	-	11	11	7	-	12	62
80	6	14	1	3	3	5	10	-	1	9	-	-	5	19	3	28	22	6	3	35	63
22	3	4	-	1	1	3	3	-	-	5	-	-	2	5	-	7	2	1	-	12	64
58	3	10	1	2	2	2	7	-	1	4	-	-	3	14	3	21	20	5	3	23	65
3	2	2	1	-	-	-	1	1	-	-	-	-	1	2	-	2	2	2	-	-	66
96	6	14	1	10	6	-	6	2	-	1	-	-	6	9	2	21	14	5	-	18	67
222	18	23	3	14	10	9	25	4	7	7	-	1	17	56	4	43	28	13	4	60	68
95	8	8	-	5	5	6	9	3	-	2	-	-	5	30	2	19	13	7	3	29	69
127	10	15	3	9	5	3	16	1	7	5	-	1	12	26	2	24	15	6	1	31	70
409	59	64	9	24	18	14	45	21	3	16	3	2	11	31	81	34	27	13	2	99	71
50	11	9	1	1	4	5	5	-	-	1	-	-	-	6	7	6	3	1	1	16	72
93	9	13	4	7	4	1	10	3	-	3	2	-	1	10	12	5	5	5	-	16	73
266	39	42	4	16	10	8	30	18	3	12	1	2	10	15	62	23	19	7	1	67	74
335	66	46	4	27	8	3	36	5	5	11	-	1	15	52	4	44	41	27	5	71	75
85	16	5	1	7	-	1	9	3	2	2	-	1	4	7	1	13	10	12	1	11	76
250	50	41	3	20	8	2	27	2	3	9	-	-	11	45	3	31	31	15	4	60	77
68	7	7	3	5	3	3	12	4	1	1	-	-	1	14	1	17	38	4	1	18	78
62	3	9	1	3	-	-	3	1	-	-	-	-	4	3	-	6	5	1	-	10	79
12	2	2	1	2	1	2	1	-	-	1	-	-	-	1	-	3	10	-	-	8	80
316	49	48	5	15	20	10	39	7	10	16	1	1	22	54	16	74	49	14	6	73	81
34	2	1	1	4	3	3	7	1	1	4	-	-	4	5	3	2	4	2	-	15	82
42	2	6	1	-	3	-	-	3	-	1	-	-	2	5	1	2	1	-	2	4	83
240	45	41	3	11	14	7	32	3	9	11	1	1	16	44	12	70	44	12	4	54	84
60	4	8	1	3	1	1	4	6	1	4	1	-	1	3	1	7	5	3	-	8	85

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Ventura	991	15	1	-	6	155	53	20	82	13	476	468	98	-	343	15
2	Oxnard	180	4	-	-	-	32	12	5	15	1	73	72	8	-	61	2
3	San Buenaventura	192	3	-	-	-	46	16	6	24	4	90	90	22	-	63	3
4	Santa Paula	96	-	-	-	1	9	4	-	5	2	54	53	15	-	35	-
5	Balance of county	523	8	1	-	5	68	21	9	36	6	259	253	53	-	184	10
6	Yolo	456	4	-	-	2	58	26	5	27	9	253	252	31	1	208	8
7	Yuba	291	3	2	-	3	45	12	7	26	3	138	138	30	-	98	7
8	COLORADO	13,343	111	20	7	67	1,984	688	209	1,107	158	6,685	6,560	1,460	21	4,547	242
9	Metropolitan counties	6,945	71	17	3	33	1,077	349	122	606	87	3,446	3,393	755	10	2,355	129
10	Nonmetropolitan counties	6,398	40	3	4	34	907	319	87	501	71	3,239	3,167	705	11	2,192	113
11	Adams	320	2	1	-	4	44	13	5	26	4	137	136	37	-	92	3
12	Aurora (part)	54	1	1	-	1	8	1	-	7	1	20	20	8	-	12	-
13	Aurora (total)	123	3	1	-	1	16	4	1	13	2	43	43	14	-	28	-
14	Balance of county	266	1	-	-	3	36	12	5	19	3	117	116	29	-	80	3
15	Alamosa	78	2	-	-	-	9	6	-	3	-	42	41	6	1	31	2
16	Arapahoe	504	5	-	-	4	76	24	8	44	3	253	251	55	-	180	6
17	Aurora (part)	69	2	-	-	-	10	3	1	6	1	23	23	6	-	16	-
18	Englewood	248	1	-	-	2	38	8	4	26	1	133	132	27	-	95	3
19	Balance of county	187	2	-	-	2	28	13	3	12	1	97	96	22	-	69	3
20	Archuleta	24	-	-	-	1	1	1	-	-	-	11	11	-	-	10	-
21	Baca	55	-	1	-	1	4	3	-	1	1	29	29	4	-	24	1
22	Bent	91	-	-	-	1	12	4	1	7	2	46	45	11	-	31	1
23	Boulder	502	4	-	-	1	79	29	9	41	7	280	280	63	-	192	11
24	Boulder	239	4	-	-	1	37	13	4	20	4	134	134	32	-	95	4
25	Balance of county	263	-	-	-	-	42	16	5	21	3	146	146	31	-	97	7
26	Chaffee	86	1	-	-	1	19	6	3	10	-	45	45	16	-	27	-
27	Cheyenne	20	-	-	-	-	1	-	-	1	-	8	8	1	-	6	1
28	Clear Creek	38	-	-	-	-	4	1	-	3	-	19	18	2	-	12	3
29	Conejos	64	-	-	-	-	5	1	-	4	-	26	26	6	1	16	1
30	Costilla	36	-	-	-	1	7	2	1	4	-	10	10	2	-	8	-
31	Crowley	38	1	-	-	-	9	3	-	6	1	18	17	2	-	15	-
32	Custer	10	-	-	-	-	3	2	-	1	-	4	4	1	-	3	-
33	Delta	169	-	-	-	1	27	9	1	17	1	104	101	18	-	75	5
34	Denver, coextensive with Denver (city)	4,735	56	11	2	14	749	247	83	419	66	2,405	2,373	498	8	1,654	93
35	Dolores	13	-	-	-	-	1	-	-	1	-	6	6	-	-	6	2
36	Douglas	33	-	-	-	-	6	3	-	3	1	15	15	3	-	11	-
37	Eagle	46	-	-	-	-	6	-	1	5	-	15	15	3	-	11	-
38	Elbert	38	-	-	-	-	4	-	2	2	1	23	21	3	-	14	-
39	El Paso	915	12	-	1	3	140	36	15	89	6	457	450	98	2	305	15
40	Colorado Springs	772	9	-	-	3	123	33	13	77	5	386	382	87	2	254	15
41	Balance of county	143	3	-	1	-	17	3	2	12	1	71	68	11	-	51	-
42	Fremont	248	3	-	-	1	36	15	4	17	1	140	137	44	2	87	5
43	Garfield	103	-	-	2	2	15	5	-	10	-	53	53	7	1	43	1
44	Gilpin	11	-	-	-	-	2	-	-	2	-	5	4	-	-	4	-
45	Grand	25	-	-	-	-	1	-	-	1	-	16	15	5	-	8	-
46	Gunnison	29	1	-	-	-	6	3	-	3	-	9	8	-	-	8	-
47	Hinsdale	6	-	-	-	-	1	-	-	1	-	3	3	1	-	1	-
48	Huerfano	112	-	-	-	2	24	10	2	12	-	55	54	11	-	39	4
49	Jackson	20	-	-	-	-	2	1	1	-	-	9	9	2	-	6	-
50	Jefferson	509	5	1	-	4	91	29	10	52	8	245	239	59	1	165	9
51	Kiowa	25	-	-	-	-	1	1	-	-	-	17	17	3	-	10	-
52	Kit Carson	54	-	-	-	-	10	3	-	7	1	30	30	7	-	21	-
53	Lake	67	-	-	-	-	7	4	-	3	2	29	29	9	-	20	4
54	La Plata	140	-	-	-	1	24	9	3	12	-	64	59	18	1	38	4
55	Larimer	424	-	-	-	2	70	15	10	45	2	223	219	47	-	160	7
56	Fort Collins	187	-	-	-	-	23	7	3	13	1	110	107	27	-	75	2
57	Balance of county	237	-	-	-	2	47	8	7	32	1	113	112	20	-	85	5
58	Las Animas	243	1	1	-	-	28	10	1	17	4	115	113	16	1	82	2
59	Trinidad	151	1	1	-	-	17	5	1	11	4	81	79	11	-	58	1
60	Balance of county	92	-	-	-	-	11	5	-	6	-	34	34	5	1	24	1
61	Lincoln	36	-	-	-	-	7	2	1	4	-	19	19	3	-	13	-
62	Logan	154	-	-	-	2	24	9	5	10	1	81	76	20	-	54	1
63	Mesa	412	2	-	-	2	53	22	5	26	6	228	219	54	-	136	9
64	Grand Junction	208	1	-	-	-	28	14	3	11	3	117	112	25	-	72	7
65	Balance of county	204	1	-	-	2	25	8	2	15	3	111	107	29	-	64	2
66	Mineral	6	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-
67	Moffat	61	-	-	-	-	12	7	2	3	-	20	20	7	-	11	-
68	Montezuma	97	4	-	-	3	9	3	1	5	2	34	31	6	-	24	1
69	Montrose	139	1	-	-	-	18	8	1	9	4	59	59	17	-	38	5
70	Morgan	166	-	-	-	1	22	11	1	10	2	73	70	23	-	42	5
71	Otero	245	1	-	-	2	32	11	1	20	4	133	129	18	-	100	3
72	Ouray	28	1	-	-	-	2	1	-	1	-	18	17	9	1	7	-
73	Park	20	-	-	-	-	4	4	-	-	-	9	9	3	-	5	-
74	Phillips	44	-	-	1	-	6	4	-	2	1	27	27	6	-	20	-
75	Pitkin	24	-	-	-	-	4	2	1	1	-	12	12	2	-	10	-
76	Prowers	104	1	-	-	1	13	3	2	8	3	54	54	4	-	50	2
77	Pueblo	877	3	4	1	7	117	36	16	65	6	406	394	106	1	264	18
78	Pueblo	772	2	3	1	5	106	31	14	61	6	366	357	96	-	240	17
79	Balance of county	105	1	1	-	2	11	5	2	4	-	40	37	10	1	24	1
80	Rio Blanco	29	-	-	-	-	4	-	-	4	-	18	18	4	-	13	2
81	Rio Grande	109	3	-	-	1	9	3	1	5	1	50	48	11	-	33	1
82	Routt	73	-	-	-	-	4	1	2	1	1	38	36	4	-	28	1
83	Saguache	33	-	-	-	-	4	-	1	3	1	11	11	4	-	5	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
238	50	40	1	15	11	8	31	5	8	23	1	-	20	63	2	49	39	17	1	66	1
41	10	8	-	2	1	1	7	-	3	2	-	-	8	15	1	11	5	3	-	15	2
47	8	5	-	4	1	-	7	2	-	4	-	-	4	7	-	9	3	5	-	8	3
27	5	3	-	1	2	1	3	1	-	4	-	-	1	2	-	6	4	2	-	7	4
123	27	24	1	8	7	6	14	2	5	13	1	-	7	39	1	23	27	7	1	36	5
172	16	12	2	6	4	1	14	4	2	3	-	-	5	23	10	18	16	6	2	27	6
64	12	15	2	5	3	-	10	3	-	8	-	-	3	17	1	14	20	4	1	16	7
3,399	423	483	90	281	161	125	657	103	93	144	27	16	222	760	46	406	566	206	65	1,000	8
1,820	215	191	53	133	87	53	372	50	36	85	10	6	120	414	18	169	259	122	45	505	9
1,579	208	292	37	148	74	72	285	53	57	59	17	10	102	346	28	237	307	84	20	495	10
74	13	2	3	4	-	1	8	3	-	2	2	-	13	35	-	20	12	7	1	25	11
11	1	-	-	-	-	-	1	-	-	1	-	-	1	5	-	2	2	2	-	8	12
26	2	-	-	1	-	-	2	-	-	1	-	-	4	16	-	7	6	5	1	13	13
63	12	2	3	4	-	1	7	3	-	1	2	-	12	30	-	18	10	5	1	17	14
18	8	3	2	-	1	1	7	-	-	2	-	-	-	3	-	6	1	-	-	6	15
147	12	15	4	8	4	2	20	4	2	1	-	1	11	40	-	17	17	12	2	36	16
15	1	-	-	1	-	-	1	-	-	-	-	-	3	11	-	5	4	3	1	5	17
76	7	9	3	5	2	1	10	-	-	-	-	-	3	20	-	8	8	5	-	19	18
56	4	6	1	2	2	1	9	4	2	1	-	1	5	9	-	4	5	4	1	12	19
7	-	3	-	1	-	-	1	-	-	-	1	-	1	1	-	1	3	1	-	2	20
16	5	2	-	1	-	-	2	-	-	-	-	-	-	4	-	5	2	-	-	6	21
20	6	4	1	1	1	1	-	-	2	2	1	-	3	6	-	4	3	1	-	8	22
149	14	18	5	13	7	-	21	2	2	4	2	-	3	24	-	15	12	6	-	40	23
75	7	9	-	2	5	-	7	1	1	3	1	-	1	9	-	7	6	2	-	21	24
74	7	9	5	11	2	-	14	1	1	1	1	-	2	15	-	8	6	4	-	19	25
13	3	11	-	1	1	-	1	-	-	1	-	-	1	3	-	2	5	-	-	7	26
2	2	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	3	-	-	4	27
7	1	1	-	3	1	1	4	2	-	-	1	-	-	-	-	1	1	1	-	5	28
12	-	3	-	2	1	-	8	1	1	-	-	1	1	5	-	4	6	1	1	4	29
6	2	-	-	-	-	-	-	-	5	1	1	-	-	3	-	1	5	-	-	2	30
13	1	1	-	-	-	1	1	-	-	1	-	-	2	1	-	1	1	2	-	-	31
3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	32
51	3	16	2	5	1	3	7	2	-	-	-	-	2	5	-	6	5	2	-	7	33
1,257	159	145	38	105	70	32	246	34	20	64	5	4	66	258	15	94	172	79	30	345	34
3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	35
8	3	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	3	1	1	2	36
5	-	6	-	1	-	-	6	-	3	-	-	-	2	2	-	1	3	-	-	8	37
14	-	-	1	-	3	2	1	-	-	-	-	-	1	1	-	3	1	-	-	3	38
245	27	18	7	24	14	7	28	9	5	10	1	-	16	63	4	42	37	10	1	70	39
205	18	16	7	20	12	4	26	7	4	8	1	-	12	50	4	32	30	10	1	61	40
40	9	2	-	4	2	3	2	2	1	2	-	-	4	13	-	10	7	-	-	9	41
53	4	25	1	2	1	3	15	1	2	3	1	1	2	8	1	5	10	5	-	13	42
22	4	16	-	1	1	-	4	1	-	2	1	-	2	3	-	1	5	2	-	10	43
3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	2	-	-	-	44
5	3	-	1	-	1	1	1	-	-	2	-	-	1	1	-	2	-	-	-	1	45
4	-	4	-	-	-	1	1	-	-	-	-	-	1	2	-	3	2	1	-	3	46
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	47
25	5	5	1	2	1	1	11	-	3	1	-	-	1	3	-	1	5	1	-	5	48
5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	49
131	10	15	5	4	5	6	25	4	3	6	1	-	11	33	-	17	19	8	4	24	50
10	-	-	-	3	1	-	-	-	-	-	-	-	1	2	-	2	-	-	-	2	51
19	-	2	-	2	-	-	2	-	1	1	-	2	1	2	-	-	-	-	-	4	52
11	3	2	-	-	-	-	6	2	1	-	1	-	2	7	1	2	2	1	-	4	53
26	-	6	-	3	1	5	3	1	4	2	-	-	2	12	4	3	6	2	1	11	54
119	17	17	-	8	4	4	18	-	1	2	3	-	9	18	-	9	23	6	-	38	55
58	8	7	-	3	2	3	9	-	1	2	1	-	4	6	-	1	10	1	-	18	56
61	9	10	-	5	2	1	9	-	-	-	2	-	5	12	-	8	13	5	-	20	57
64	6	10	-	11	3	2	19	2	2	5	1	2	2	19	6	6	9	1	1	19	58
46	4	7	-	7	3	2	11	1	1	2	-	2	1	10	4	1	5	-	-	9	59
18	2	3	-	4	-	-	8	1	1	3	1	-	1	9	2	5	4	1	1	10	60
10	3	-	1	2	-	-	3	-	1	-	-	-	-	2	-	-	1	1	-	2	61
38	7	8	-	-	2	5	5	1	-	-	-	-	4	7	-	7	7	2	1	12	62
94	15	18	4	20	5	9	15	5	2	5	-	1	6	16	3	15	18	4	2	29	63
45	7	13	2	10	3	5	6	3	2	3	-	-	3	8	2	7	9	2	1	13	64
49	8	5	2	10	2	4	9	2	-	2	-	1	3	8	1	8	9	2	1	16	65
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	66
9	1	1	-	2	-	-	5	-	-	1	-	-	1	4	-	5	7	1	-	5	67
18	2	3	-	1	-	3	12	-	5	1	-	1	1	7	1	3	6	1	-	7	68
26	1	6	-	3	1	-	5	-	-	-	-	-	4	14	2	9	7	4	1	11	69
27	3	7	-	3	2	3	6	1	2	2	-	-	-	18	-	11	14	2	1	11	70
67	14	16	4	4	3	4	11	1	2	2	2	1	2	14	1	3	8	3	-	23	71
3	2	2	-	-	-	1	-	-	-	-	-	-	-	3	-	2	1	-	-	1	72
4	-	1	-	-	1	-	1	-	-	-	-	-	1	1	1	1	1	-	-	1	73
13	1	6	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	5	74
10	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-	2	75
27	5	16	-	-	-	-	4	-	-	1	-	-	3	7	-	4	3	2	1	7	76
211	21	14	3	12	8	12	73	5	11	12	2	1	19	48	3	21	39	16	8	75	77
191	19	13	3	11	7	9	60	5	10	12	1	1	18	40	3	20	32	9	7	65	78
20	2	1	-	1	1	3	13	-	1	-	1	-	1	8	-	1	7	7	1	10	79
9	1	1	-	-	1	-	1	-	-	-	-	-	-	1	-	4	-	-	-	1	80
22	6	4	1	3	-	2	8	-	4	-	-	1	5	4	1	1	11	1	1	8	81
21	2	4	1	2	1	2	4	2	-	1	1	-	1	4	-	3	8	-	-	6	82
3	1	1	-	2	-	-	-	1	-	-	-	-	1	6	1	-	4	-	1	3	83

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	COLORADO—Continued																
1	San Juan	12	-	-	-	1	1	-	-	1	-	6	5	1	-	4	1
2	San Miguel	23	-	-	-	-	3	3	-	-	-	7	7	1	-	6	1
3	Sedgwick	40	-	-	-	-	5	3	-	2	2	21	21	4	-	14	-
4	Summit	9	-	-	-	-	2	-	1	1	-	3	2	-	-	2	-
5	Teller	43	-	-	-	-	9	7	-	2	-	22	22	10	-	11	6
6	Washington	64	-	-	-	-	10	2	1	7	-	37	36	4	-	31	1
7	Weld	589	2	1	-	3	72	26	7	39	10	292	286	71	1	186	5
8	Greeley	264	1	-	-	2	41	14	4	23	6	139	137	30	1	86	2
9	Balance of county	325	1	1	-	1	31	12	3	16	4	153	149	41	-	100	3
10	Yuma	75	-	-	-	-	12	5	-	7	3	40	40	10	-	27	-
11	CONNECTICUT	21,783	158	45	20	82	3,960	1,474	545	1,941	373	12,267	12,121	2,434	16	8,823	270
12	Metropolitan counties	17,140	128	36	13	60	3,154	1,190	437	1,527	304	9,597	9,478	1,867	14	6,954	226
13	Nonmetropolitan counties	4,643	30	9	7	22	806	284	108	414	69	2,670	2,643	567	2	1,869	44
14	Fairfield	5,553	41	8	8	18	1,039	368	152	519	87	3,121	3,072	649	5	2,180	67
15	Bridgeport	1,804	20	2	4	5	337	133	39	165	30	1,084	1,066	229	-	762	22
16	Stamford	756	8	3	-	1	154	42	28	84	17	371	368	78	-	259	6
17	Norwalk	578	5	1	-	1	93	40	17	36	12	312	303	67	1	212	10
18	Stratford (town)[2]	334	1	-	-	-	58	13	7	38	1	216	213	46	1	152	4
19	Danbury	375	3	-	1	4	67	15	8	44	4	207	200	41	-	142	5
20	Shelton	122	-	-	-	-	30	12	7	11	3	65	65	8	-	54	1
21	Balance of county	1,584	4	2	3	7	300	113	46	141	20	866	857	180	3	599	19
22	Hartford	5,484	46	11	2	24	1,019	394	129	496	94	3,050	3,013	599	4	2,210	66
23	Hartford	1,918	24	5	-	6	336	129	40	167	40	1,054	1,040	208	1	769	22
24	New Britain	739	9	2	1	3	146	54	24	68	11	390	384	66	1	299	12
25	Bristol	334	1	3	1	4	77	29	12	36	5	167	167	38	1	112	5
26	East Hartford (town)[2]	250	2	-	-	2	46	13	7	26	2	127	123	31	-	85	2
27	West Hartford (town)[2]	482	3	-	-	2	94	35	7	52	8	303	299	62	1	221	1
28	Balance of county	1,761	7	1	-	7	320	134	39	147	28	1,009	1,000	194	-	724	24
29	Litchfield	1,164	9	3	3	6	190	79	24	87	23	644	635	149	-	439	11
30	Torrington	297	2	-	-	3	53	21	5	27	4	162	161	37	-	107	-
31	Balance of county	867	7	3	3	3	137	58	19	60	19	482	474	112	-	332	11
32	Middlesex	723	4	2	-	3	123	43	14	66	15	414	412	93	-	285	7
33	Middletown	246	1	1	-	1	38	17	5	16	3	151	151	27	-	108	4
34	Balance of county	477	3	1	-	2	85	26	9	50	12	263	261	66	-	177	3
35	New Haven	6,103	41	17	3	18	1,096	428	156	512	123	3,426	3,393	619	5	2,564	93
36	New Haven	1,854	16	8	1	5	306	121	46	139	42	1,056	1,044	177	1	810	21
37	Waterbury	1,138	6	1	1	5	194	80	25	89	24	609	603	109	1	456	17
38	Meriden	506	5	3	-	1	109	43	15	51	8	272	270	39	-	216	5
39	West Haven (town)[2]	379	1	-	-	1	69	21	11	37	10	221	220	36	1	168	7
40	Ansonia	222	3	-	-	2	37	17	4	16	8	128	127	29	-	88	5
41	Derby	116	-	1	-	-	29	18	2	9	2	61	61	11	-	47	1
42	Naugatuck	196	1	-	-	-	42	21	4	17	2	107	106	19	1	80	3
43	Wallingford	236	1	-	-	-	40	18	5	17	7	146	145	22	-	117	4
44	Balance of county	1,456	8	4	1	4	270	89	44	137	20	826	817	177	1	582	30
45	New London	1,584	10	2	4	11	279	87	45	147	15	902	894	189	2	619	15
46	New London	352	3	1	1	-	52	14	9	29	1	216	214	37	-	140	7
47	Norwich	387	-	-	2	3	85	29	14	42	4	203	199	55	-	132	2
48	Balance of county	845	7	1	1	8	142	44	22	76	10	483	481	97	2	347	6
49	Tolland	430	3	1	-	1	71	28	9	34	4	269	265	56	-	194	5
50	Windham	742	4	1	-	1	143	47	16	80	12	441	437	80	-	332	6
51	Willimantic	152	1	-	-	-	32	8	3	21	3	86	84	16	-	63	-
52	Balance of county	590	3	1	-	1	111	39	13	59	9	355	353	64	-	269	6
53	DELAWARE	3,730	41	9	-	13	555	183	77	295	78	2,055	2,007	335	1	1,514	45
54	Metropolitan counties	2,496	23	7	-	11	381	137	49	195	54	1,379	1,349	223	-	1,034	37
55	Nonmetropolitan counties	1,234	18	2	-	2	174	46	28	100	24	676	658	112	1	480	8
56	Kent	493	5	-	-	-	70	21	11	38	7	272	269	38	-	205	3
57	New Castle	2,496	23	7	-	11	381	137	49	195	54	1,379	1,349	223	-	1,034	37
58	Wilmington	1,446	15	4	-	10	226	81	25	120	35	812	798	138	-	602	19
59	Balance of county	1,050	8	3	-	1	155	56	24	75	19	567	551	85	-	432	18
60	Sussex	741	13	2	-	2	104	25	17	62	17	404	389	74	1	275	5
61	DISTRICT OF COLUMBIA	8,349	131	42	2	37	1,311	436	172	703	103	4,427	4,360	824	6	3,207	85
62	FLORIDA	33,494	276	96	12	230	5,198	1,627	758	2,813	456	17,119	16,767	3,931	21	11,647	341
63	Metropolitan counties	16,885	155	52	7	93	2,873	902	431	1,540	261	8,689	8,549	1,916	9	6,056	182
64	Nonmetropolitan counties	16,609	121	44	5	137	2,325	725	327	1,273	195	8,430	8,218	2,015	12	5,591	159
65	Alachua	514	5	3	-	3	74	25	8	41	4	256	249	71	-	153	2
66	Gainesville	228	3	1	-	2	39	10	6	23	1	102	99	28	-	56	2
67	Balance of county	286	2	2	-	1	35	15	2	18	3	154	150	43	-	97	-
68	Baker	74	-	-	-	-	3	-	-	3	-	37	36	9	-	26	-
69	Bay	362	2	-	-	4	44	13	8	23	7	150	148	37	-	98	3
70	Panama City	242	1	-	-	3	28	10	6	12	4	99	98	21	-	70	3
71	Balance of county	120	1	-	-	1	16	3	2	11	3	51	50	16	-	28	-
72	Bradford	101	1	-	-	1	9	1	6	2	1	60	57	8	-	44	1
73	Brevard	351	-	1	-	1	59	14	10	35	5	186	182	56	-	117	2
74	Broward	1,359	11	3	-	12	196	62	34	100	18	679	665	154	-	472	18
75	Fort Lauderdale	666	7	1	-	5	108	33	16	59	11	320	312	70	-	227	9
76	Hollywood	246	-	1	-	1	35	14	8	13	2	158	153	33	-	110	4
77	Balance of county	447	4	1	-	6	53	15	10	28	5	201	200	51	-	135	5

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
2	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	1	1
5	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	3	3	-	1	1	2
10	2	2	-	3	-	-	-	2	-	-	-	-	2	1	-	4	2	-	-	1	3
2	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	1	4
2	2	1	-	-	1	-	2	-	-	1	-	-	-	1	-	-	3	-	2	3	5
23	2	5	-	-	1	1	3	1	-	-	-	-	-	2	-	2	2	2	-	5	6
155	14	12	4	15	9	6	25	9	8	3	-	-	11	31	1	24	29	14	4	50	7
76	6	2	3	13	4	2	10	6	3	2	-	-	1	11	1	5	11	3	-	22	8
79	8	10	1	2	5	4	15	3	5	1	-	-	10	20	-	19	18	11	4	28	9
20	7	-	-	2	1	-	2	-	-	1	-	-	-	2	-	1	5	1	-	8	10
6,874	897	782	151	495	202	146	481	142	81	304	26	15	288	731	78	351	732	222	29	1,398	11
5,398	738	592	126	361	156	119	378	110	60	247	21	13	228	578	67	259	576	163	26	1,122	12
1,476	159	190	25	134	46	27	103	32	21	57	5	2	60	153	11	92	156	59	3	276	13
1,724	218	171	42	133	63	49	142	28	15	73	5	3	69	187	14	90	182	56	10	357	14
618	66	56	9	56	10	18	46	6	4	15	1	1	20	53	3	21	45	19	5	83	15
198	40	15	7	8	16	3	20	8	1	15	-	1	6	27	2	15	34	9	3	61	16
177	10	15	7	11	5	9	15	3	2	12	1	-	8	28	1	11	23	8	-	42	17
105	31	12	3	10	1	3	6	2	2	4	2	-	2	14	-	4	6	1	-	15	18
108	11	18	3	9	5	7	12	1	1	5	-	-	5	15	-	3	11	4	-	32	19
35	14	4	-	1	2	-	1	-	-	2	1	-	1	3	-	1	4	1	-	10	20
483	46	51	13	38	24	9	42	8	5	20	-	1	27	47	8	35	59	14	2	114	21
1,746	229	169	39	114	47	37	92	41	18	85	8	3	78	194	20	83	173	56	11	376	22
649	66	32	8	39	15	14	34	17	4	32	1	1	27	72	11	23	63	21	2	145	23
210	37	40	7	10	1	6	9	7	2	17	2	-	6	23	1	15	25	11	1	58	24
87	10	10	3	9	4	-	9	7	2	4	-	-	8	13	-	2	11	-	1	19	25
69	5	9	1	4	2	4	3	1	-	9	-	-	6	16	2	5	10	1	-	18	26
189	18	13	3	8	4	4	9	-	3	6	-	-	1	5	1	5	7	1	1	33	27
542	93	65	17	44	21	9	28	9	7	17	5	2	30	65	5	33	57	22	6	103	28
331	46	51	6	30	11	9	31	11	7	16	3	-	11	33	2	22	60	12	-	78	29
97	6	4	3	11	3	1	5	2	-	5	3	-	2	14	1	7	12	1	-	21	30
234	40	47	3	19	8	8	26	9	7	11	-	-	9	19	1	15	48	11	-	57	31
227	32	19	8	16	10	2	13	3	4	6	-	1	11	16	6	19	16	16	1	50	32
81	16	7	5	6	5	-	3	1	2	1	-	1	4	5	-	2	5	8	-	19	33
146	16	12	3	10	5	2	10	2	2	5	-	-	7	11	6	17	11	8	1	31	34
1,928	291	252	45	114	46	33	144	41	27	89	8	7	81	197	33	86	221	51	5	389	35
606	90	93	10	32	14	12	45	15	7	30	1	3	17	57	10	22	63	13	4	133	36
320	66	53	13	21	3	6	33	7	4	28	6	2	14	38	4	22	58	8	-	74	37
182	21	8	2	8	5	2	6	3	2	4	-	-	9	21	-	13	12	9	-	29	38
133	20	8	3	10	2	1	7	1	2	5	-	1	6	5	1	2	18	4	-	25	39
61	13	9	-	8	2	1	9	2	1	2	-	-	1	7	3	2	4	2	-	11	40
28	9	9	-	2	1	-	3	-	-	1	-	-	3	3	1	1	4	-	-	7	41
62	5	10	2	3	1	1	5	3	-	-	1	-	2	11	1	1	8	2	1	9	42
100	9	4	1	5	-	1	4	1	3	4	-	1	1	10	2	5	3	-	-	8	43
436	58	58	14	25	18	9	32	9	8	15	-	-	28	45	11	18	51	13	-	93	44
519	38	47	6	61	17	8	31	12	8	24	2	1	23	67	3	30	48	19	2	91	45
117	9	7	2	30	5	2	4	5	1	6	-	-	6	13	2	7	7	6	1	20	46
111	4	15	3	5	4	4	9	2	2	4	1	1	5	19	-	4	16	3	1	23	47
291	25	25	1	26	8	2	18	5	5	14	1	-	12	35	1	19	25	10	-	48	48
158	11	20	-	11	4	4	9	2	-	1	-	-	6	20	-	10	13	3	-	17	49
241	32	53	5	16	4	4	19	4	2	10	-	-	9	17	-	11	19	9	-	40	50
50	7	6	2	3	-	2	3	-	1	3	-	-	2	1	-	2	4	2	-	12	51
191	25	47	3	13	4	2	16	4	1	7	-	-	7	16	-	9	15	7	-	28	52
971	273	225	43	86	28	48	119	24	9	43	9	7	56	137	17	104	129	41	10	274	53
664	193	140	21	48	23	30	85	22	4	35	6	6	42	89	7	49	78	27	5	186	54
307	80	85	22	38	5	18	34	2	5	8	3	1	14	48	10	55	51	14	5	88	55
123	38	41	7	19	-	3	11	1	1	-	1	-	4	18	4	29	24	8	2	36	56
664	193	140	21	48	23	30	85	22	4	35	6	6	42	89	7	49	78	27	5	186	57
386	121	76	12	29	17	14	50	11	2	25	4	5	21	35	3	25	39	10	4	110	58
278	72	64	9	19	6	16	35	11	2	10	2	1	21	54	4	24	39	17	1	76	59
184	42	44	15	19	5	15	23	1	4	8	2	1	10	30	6	26	27	6	3	52	60
1,790	677	655	72	151	100	67	253	60	27	164	9	11	107	474	15	119	302	91	60	604	61
8,247	1,377	1,682	263	582	323	352	836	200	215	363	70	58	460	1,559	823	977	1,304	446	388	2,408	62
4,384	641	849	101	288	179	140	343	108	65	211	28	23	215	693	344	420	560	250	193	1,302	63
3,863	736	833	162	294	144	212	493	92	150	152	42	35	245	866	479	557	744	196	195	1,106	64
94	30	27	10	10	5	7	17	1	6	2	-	2	9	30	22	14	23	8	6	29	65
36	13	5	3	8	4	3	7	1	4	1	-	1	4	17	8	5	8	5	4	15	66
58	17	22	7	2	1	4	10	-	2	1	-	1	5	13	14	9	15	3	2	14	67
15	3	8	-	1	-	1	2	-	3	2	-	-	1	6	1	4	8	-	2	5	68
60	21	14	6	5	2	2	6	2	7	5	1	3	13	28	11	9	29	7	5	29	69
41	15	11	2	4	1	1	3	2	6	3	-	1	8	18	8	5	21	6	4	22	70
19	6	3	4	1	1	1	3	-	1	2	1	2	5	10	3	4	8	1	1	7	71
33	3	7	1	4	-	3	3	-	-	1	-	-	-	6	4	3	4	2	1	5	72
83	15	17	2	6	1	4	13	-	4	-	-	1	6	18	2	6	18	4	4	23	73
366	41	47	6	19	14	14	40	5	9	20	3	1	30	78	7	42	51	23	23	108	74
171	22	25	1	9	5	8	19	3	3	10	2	-	13	39	4	20	24	12	12	53	75
91	9	6	3	3	4	5	6	1	-	5	1	-	5	5	-	3	5	2	-	16	76
104	10	16	2	7	5	1	15	1	6	5	-	1	12	34	3	19	22	9	11	39	77

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	Calhoun	67	-	-	-	1	10	4	2	4	2	38	34	8	-	22	-
2	Charlotte	62	-	-	-	1	12	3	-	9	-	27	27	7	-	18	-
3	Citrus	96	-	-	-	-	7	3	1	3	-	64	63	15	-	41	-
4	Clay	126	-	-	-	2	11	2	1	8	3	69	65	15	-	45	2
5	Collier	88	1	-	-	1	15	2	2	11	-	32	30	5	-	22	2
6	Columbia	172	2	-	-	3	22	9	2	11	1	76	74	27	-	45	1
7	Dade	6,137	53	15	5	35	1,114	364	195	555	97	3,094	3,048	593	3	2,227	75
8	Miami	3,056	37	7	1	18	575	175	105	295	54	1,529	1,507	293	1	1,082	28
9	Miami Beach	611	-	1	-	1	112	48	16	48	15	370	369	57	-	288	7
10	Coral Gables	214	-	1	-	-	47	20	7	20	2	127	124	31	-	87	8
11	Hialeah	236	3	2	-	1	44	14	9	21	4	107	105	22	-	78	4
12	North Miami	143	2	-	-	1	28	13	3	12	2	72	72	16	-	49	2
13	Balance of county	1,877	11	4	4	14	308	94	55	159	20	889	871	174	2	643	26
14	De Soto	102	-	-	-	3	17	6	1	10	-	62	60	17	-	43	1
15	Dixie	37	-	-	-	-	7	3	1	3	-	20	20	6	-	10	-
16	Duval	3,044	50	17	-	20	459	113	61	285	53	1,425	1,387	342	1	957	20
17	Jacksonville	2,304	42	13	-	14	341	89	46	206	37	1,096	1,064	269	1	730	16
18	Balance of county	740	8	4	-	6	118	24	15	79	16	329	323	73	-	227	4
19	Escambia	1,014	13	-	1	7	136	36	24	76	11	408	399	102	3	264	9
20	Pensacola	489	9	-	1	5	62	18	15	29	5	199	194	49	1	128	4
21	Balance of county	525	4	-	-	2	74	18	9	47	6	209	205	53	2	136	5
22	Flagler	45	-	-	-	-	6	2	2	2	-	22	21	3	-	15	-
23	Franklin	52	-	1	-	-	5	1	3	1	1	28	28	5	-	22	-
24	Gadsden	322	1	1	1	2	38	18	6	14	3	138	131	38	-	79	-
25	Gilchrist	24	-	-	-	-	3	3	-	-	-	13	13	5	-	8	-
26	Glades	28	-	-	-	-	4	1	-	3	1	6	6	1	-	4	-
27	Gulf	62	-	-	-	1	8	-	1	7	2	28	28	10	-	16	-
28	Hamilton	76	1	-	-	1	10	2	1	7	1	33	33	11	1	15	1
29	Hardee	105	-	-	-	1	14	3	1	10	3	45	42	13	-	25	1
30	Hendry	69	1	-	-	-	9	4	-	5	3	35	35	7	-	24	1
31	Hernando	71	-	-	-	1	7	-	2	5	-	39	35	11	-	18	-
32	Highlands	194	3	-	-	1	25	7	1	17	3	106	99	29	-	59	3
33	Hillsborough	2,862	27	7	1	18	465	126	72	267	42	1,372	1,346	315	1	954	24
34	Tampa	2,328	23	4	1	14	389	100	63	226	34	1,113	1,090	245	-	784	23
35	Balance of county	534	4	3	-	4	76	26	9	41	8	259	256	70	1	170	1
36	Holmes	122	-	-	-	3	11	1	2	8	2	70	66	19	-	42	-
37	Indian River	146	1	-	-	1	22	6	2	14	1	80	79	12	-	62	2
38	Jackson	330	4	1	-	3	38	16	4	18	2	179	175	58	1	103	3
39	Jefferson	127	3	-	-	-	12	4	-	8	5	72	68	28	-	37	-
40	Lafayette	33	-	-	-	-	4	-	-	4	-	16	16	3	-	13	-
41	Lake	532	2	2	-	5	98	27	17	54	6	263	258	55	-	188	4
42	Lee	368	3	-	-	4	57	16	6	35	7	166	165	40	-	115	5
43	Fort Myers	237	2	-	-	2	34	8	4	22	4	115	115	32	-	74	3
44	Balance of county	131	1	-	-	2	23	8	2	13	3	51	50	8	-	41	2
45	Leon	427	4	-	-	1	65	19	7	39	1	200	196	60	-	117	2
46	Tallahassee	270	3	-	-	-	39	12	5	22	-	138	137	40	-	80	1
47	Balance of county	157	1	-	-	1	26	7	2	17	1	62	59	20	-	37	1
48	Levy	102	1	1	-	1	12	5	2	5	-	56	56	16	-	34	1
49	Liberty	13	-	-	-	-	3	-	1	2	-	5	5	2	-	3	-
50	Madison	155	1	2	1	-	18	7	-	11	-	73	71	13	1	52	1
51	Manatee	509	5	1	-	5	69	23	13	33	8	295	285	61	1	196	8
52	Bradenton	283	3	1	-	4	38	15	5	18	5	173	169	39	-	112	4
53	Balance of county	226	2	-	-	1	31	8	8	15	3	122	116	22	1	84	4
54	Marion	445	4	1	-	4	57	26	9	22	6	228	220	54	-	154	5
55	Ocala	160	2	1	-	3	16	11	1	4	1	82	78	20	-	55	2
56	Balance of county	285	2	-	-	1	41	15	8	18	5	146	142	34	-	99	3
57	Martin	109	-	-	-	2	15	3	4	8	2	57	56	17	-	34	2
58	Monroe	293	2	1	-	3	45	16	8	21	3	125	122	26	-	87	2
59	Key West	244	2	1	-	3	40	12	7	21	1	106	103	23	-	72	2
60	Balance of county	49	-	-	-	-	5	4	1	-	2	19	19	3	-	15	-
61	Nassau	117	1	1	-	1	8	2	-	6	1	68	66	11	-	49	2
62	Okaloosa	212	2	-	-	4	22	5	3	14	3	75	74	21	-	51	-
63	Okeechobee	42	-	1	-	-	8	3	-	5	2	14	14	4	-	10	-
64	Orange	1,621	15	4	1	9	250	84	24	142	29	860	855	208	1	596	17
65	Orlando	974	11	3	-	2	154	59	12	83	21	523	521	133	-	361	9
66	Balance of county	647	4	1	1	7	96	25	12	59	8	337	334	75	1	235	8
67	Osceola	227	3	-	-	2	20	8	3	9	1	141	140	37	-	90	3
68	Palm Beach	1,539	8	6	-	9	226	65	28	133	21	822	811	211	1	564	22
69	West Palm Beach	573	3	3	-	3	78	22	10	46	11	314	307	97	1	195	5
70	Lake Worth	232	-	-	-	1	45	12	1	32	3	139	138	31	-	101	2
71	Balance of county	734	5	3	-	5	103	31	17	55	7	369	366	83	-	268	15
72	Pasco	305	3	-	-	5	43	17	5	21	5	162	159	36	-	112	2
73	Pinellas	3,221	10	9	-	11	585	215	79	291	40	1,938	1,913	458	3	1,322	46
74	St. Petersburg	2,096	5	6	-	7	354	136	45	173	23	1,308	1,291	311	2	883	30
75	Clearwater	312	2	-	-	-	66	24	9	33	6	178	177	44	1	122	4
76	Balance of county	813	3	3	-	4	165	55	25	85	11	452	445	103	-	317	12
77	Polk	1,262	8	5	-	13	178	60	28	90	10	659	644	138	-	453	11
78	Lakeland	377	2	1	-	4	64	23	9	32	2	210	203	49	-	146	1
79	Balance of county	885	6	4	-	9	114	37	19	58	8	449	441	89	-	307	10
80	Putnam	297	3	2	-	6	31	10	-	21	4	153	135	25	-	106	5
81	St. Johns	293	3	1	-	1	51	20	5	26	5	155	153	37	-	100	6
82	St. Augustine	194	3	1	-	-	40	16	4	20	5	101	100	24	-	65	2
83	Balance of county	99	-	-	-	1	11	4	1	6	-	54	53	13	-	35	4
84	St. Lucie	243	2	1	-	5	46	13	8	25	1	110	106	24	-	79	4
85	Fort Pierce	201	2	1	-	5	36	12	6	18	-	88	84	18	-	65	4
86	Balance of county	42	-	-	-	-	10	1	2	7	1	22	22	6	-	14	-
87	Santa Rosa	149	1	-	-	-	9	2	-	7	1	87	84	23	-	58	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	3	7	2	1	1	4	1	-	-	-	-	-	1	3	1	-	7	2	-	1	1
17	1	-	1	-	1	-	4	-	1	1	-	-	-	2	1	3	3	-	-	7	2
30	7	4	2	5	-	1	1	1	-	-	-	-	3	2	7	2	3	1	-	5	3
32	5	6	1	2	2	4	9	-	-	1	-	-	-	4	3	6	5	2	-	11	4
18	1	1	1	1	1	2	4	2	2	1	-	-	1	5	4	6	6	1	2	5	5
29	5	10	1	1	-	2	12	2	3	1	-	1	4	9	4	4	5	2	6	15	6
1,771	189	192	37	119	69	46	127	43	25	92	4	8	66	285	48	152	205	105	81	483	7
841	99	114	20	73	38	22	70	22	11	58	3	3	21	111	26	71	107	55	41	236	8
260	9	12	3	10	11	1	6	5	2	4	-	-	2	2	3	12	19	9	1	47	9
65	8	6	-	3	3	3	4	1	-	3	-	-	1	5	2	1	5	1	1	13	10
60	5	9	-	4	1	2	1	2	1	4	-	-	8	13	1	5	11	5	2	22	11
40	3	4	2	3	2	-	3	2	-	2	-	-	3	6	1	3	3	3	1	11	12
505	65	47	12	26	14	18	43	11	11	21	1	5	31	148	15	60	60	32	35	154	13
27	3	12	-	-	-	2	4	-	2	1	-	-	3	2	1	1	3	1	1	1	14
7	-	3	-	2	2	-	3	-	-	-	-	-	1	2	-	-	1	-	-	3	15
616	162	159	24	32	31	38	82	23	8	45	11	9	52	166	38	109	130	40	45	262	16
465	123	126	18	23	23	32	66	18	6	34	9	6	38	128	31	71	87	25	39	203	17
151	39	33	6	9	8	6	16	5	2	11	2	3	14	38	7	38	43	15	6	59	18
170	54	31	6	17	7	9	30	4	11	10	1	3	19	100	73	44	50	9	18	66	19
86	20	18	2	10	4	5	18	3	3	3	-	3	6	49	39	15	23	4	9	33	20
84	34	13	4	7	3	4	12	1	8	7	1	-	13	51	34	29	27	5	9	33	21
6	5	4	2	1	-	1	1	-	-	-	-	-	-	6	2	3	3	-	1	1	22
14	4	4	-	1	-	-	2	-	-	-	1	-	-	3	2	2	2	1	1	3	23
53	19	7	9	2	3	7	13	4	9	5	-	1	9	24	14	14	19	4	4	18	24
7	-	1	-	-	-	-	1	-	-	-	-	-	2	2	-	1	1	1	-	-	25
3	1	-	-	1	-	-	2	-	1	-	-	-	1	-	-	6	2	-	-	5	26
14	2	-	1	1	-	-	2	2	1	1	-	-	-	3	-	7	4	-	-	3	27
9	1	4	4	2	-	-	4	-	1	1	-	-	1	5	3	2	4	2	-	7	28
20	1	3	1	2	1	3	5	1	1	1	-	1	2	2	-	7	7	4	3	8	29
15	-	8	1	3	-	-	1	-	1	1	-	-	2	7	5	1	1	-	1	1	30
15	1	2	3	3	-	4	2	-	-	-	-	-	1	4	2	3	2	1	-	9	31
45	7	4	2	6	3	7	5	1	1	1	-	1	5	13	1	5	9	1	4	9	32
598	117	215	14	40	22	26	51	12	16	26	10	3	43	123	208	81	76	45	32	204	33
489	97	175	9	34	18	23	42	10	9	21	9	3	31	101	171	59	59	38	26	171	34
109	20	40	5	6	4	3	9	2	7	5	1	-	12	22	37	22	17	7	6	33	35
25	5	12	1	4	-	4	3	1	-	-	-	-	-	3	11	8	4	-	-	6	36
46	9	5	-	4	1	1	4	-	-	-	-	-	-	8	5	5	4	3	1	11	37
64	13	23	7	6	-	4	7	2	2	2	1	3	2	10	27	14	10	-	2	21	38
15	19	3	2	-	1	4	4	-	-	1	1	-	-	7	7	1	7	-	-	7	39
7	3	3	-	-	-	-	1	-	2	-	-	-	1	1	-	3	1	1	-	3	40
125	40	19	1	8	6	5	13	3	4	3	-	4	4	26	13	16	21	-	3	46	41
82	7	21	4	5	1	1	16	2	6	-	-	-	9	15	19	12	14	3	5	30	42
51	6	14	4	4	1	-	11	-	3	-	-	-	7	8	11	10	9	1	4	16	43
31	1	7	-	1	-	1	5	2	3	-	-	-	2	7	8	2	5	2	1	14	44
60	24	31	4	5	10	4	13	3	2	5	4	1	3	29	22	11	25	7	6	25	45
41	15	23	4	3	10	1	8	1	2	4	2	-	-	22	10	6	13	5	4	13	46
19	9	8	-	2	-	3	5	2	-	1	2	1	3	7	12	5	12	2	2	12	47
14	12	7	1	2	3	-	5	-	1	1	-	1	2	4	5	3	4	1	-	4	48
3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	2	-	-	-	49
33	6	12	2	1	2	2	2	1	3	-	4	-	2	8	11	3	8	1	2	15	50
136	9	43	1	23	3	10	13	5	3	3	1	-	4	19	13	14	13	9	-	29	51
79	3	26	-	16	2	4	3	3	2	2	-	-	3	10	1	5	8	4	-	18	52
57	6	17	1	7	1	6	10	2	1	1	1	-	1	9	12	9	5	5	-	11	53
83	34	32	2	4	6	8	14	2	3	4	2	1	7	22	16	16	19	1	7	31	54
30	12	11	1	1	1	4	3	-	2	-	-	1	3	8	6	4	8	-	6	14	55
53	22	21	1	3	5	4	11	2	1	4	2	-	4	14	10	12	11	1	1	17	56
24	7	1	3	2	-	1	-	2	1	2	-	-	2	3	4	6	7	-	1	5	57
64	8	13	1	7	1	3	9	-	1	2	1	-	7	26	11	9	16	5	5	22	58
51	7	12	1	7	-	3	9	-	1	2	1	-	6	25	8	2	12	4	2	19	59
13	1	1	-	-	1	-	-	-	-	-	-	-	1	1	3	7	4	1	3	3	60
30	4	13	1	3	2	2	3	1	-	-	-	-	1	5	7	3	9	1	1	6	61
25	9	17	-	-	2	1	11	1	1	4	1	-	3	26	8	16	17	3	4	11	62
7	1	2	-	-	-	-	-	-	1	-	-	1	-	4	-	3	1	2	1	4	63
367	71	141	8	25	17	5	31	12	5	10	1	2	29	65	36	39	53	19	24	127	64
224	38	90	2	15	10	2	17	8	2	8	1	1	13	37	14	20	27	12	18	82	65
143	33	51	6	10	7	3	14	4	3	2	-	1	16	28	22	19	26	7	6	45	66
68	7	12	3	6	4	1	6	2	2	4	-	-	1	6	5	5	7	2	2	18	67
421	48	73	13	12	10	11	38	8	11	24	3	2	15	59	16	59	64	28	15	105	68
149	17	24	5	6	3	7	7	5	3	9	-	1	7	17	5	16	26	13	9	43	69
86	5	8	3	2	1	1	4	-	1	5	-	-	2	4	-	5	6	3	-	14	70
186	26	41	5	4	6	3	27	3	7	10	3	1	6	38	11	38	32	12	6	48	71
80	16	14	2	8	1	3	7	-	-	2	2	-	1	19	9	13	11	7	1	15	72
1,032	102	142	18	72	40	25	52	18	11	38	2	1	25	54	14	39	96	41	11	226	73
689	73	91	14	52	29	17	38	9	8	17	1	-	12	33	9	28	65	27	6	140	74
95	8	15	1	4	5	1	-	5	-	7	-	1	1	10	2	-	9	5	-	20	75
248	21	36	3	16	6	7	14	4	3	14	1	-	12	11	3	11	22	9	5	66	76
330	71	41	18	23	12	15	35	12	9	8	2	3	21	75	23	42	57	9	14	79	77
121	18	6	4	3	1	7	7	2	1	3	-	-	5	22	3	5	18	3	1	24	78
209	53	35	14	20	11	8	28	10	8	5	2	3	16	53	20	37	39	6	13	55	79
55	6	40	1	2	1	18	14	-	2	-	2	2	4	12	4	6	22	2	5	23	80
53	24	17	3	10	3	2	6	-	4	-	1	-	2	5	8	11	13	4	6	17	81
35	21	7	3	7	1	1	3	-	1	-	1	-	1	4	4	7	8	1	3	11	82
18	3	10	-	3	2	1	3	-	3	-	-	-	1	1	4	4	5	3	3	6	83
66	4	5	1	1	1	4	8	5	6	1	-	-	3	15	4	6	8	1	4	17	84
53	3	5	-	1	-	4	8	4	6	1	-	-	3	12	4	6	7	1	4	13	85
13	1	-	1	-	1	-	-	1	-	-	-	-	-	3	-	-	1	-	-	4	86
42	6	9	-	3	-	3	6	-	-	2	-	-	4	16	11	4	3	1	-	4	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	Sarasota	488	1	3	-	1	98	36	15	47	2	271	269	50	1	203	9
2	Sarasota	324	-	3	-	1	67	23	9	35	1	178	176	36	1	129	6
3	Balance of county	164	1	-	-	-	31	13	6	12	1	93	93	14	-	74	3
4	Seminole	291	3	-	-	3	48	19	3	26	5	141	136	26	-	95	1
5	Sanford	142	1	-	-	2	25	11	2	12	3	72	69	14	-	50	-
6	Balance of county	149	2	-	-	1	23	8	1	14	2	69	67	12	-	45	1
7	Sumter	101	-	-	-	-	14	3	2	9	2	48	45	14	-	25	1
8	Suwannee	140	1	1	-	-	19	10	3	6	1	79	78	21	-	50	-
9	Taylor	112	-	-	-	2	17	5	3	9	-	49	47	14	-	29	-
10	Union	51	1	-	-	1	4	2	1	1	-	30	30	8	-	22	1
11	Volusia	1,152	9	3	1	3	170	46	22	102	15	672	659	135	2	470	8
12	Daytona Beach	460	4	1	-	1	74	15	11	48	5	276	270	50	1	200	2
13	Balance of county	692	5	2	1	2	96	31	11	54	10	396	389	85	1	270	6
14	Wakulla	49	1	-	-	-	10	2	3	5	-	22	22	9	-	8	-
15	Walton	132	-	1	-	1	14	2	2	10	2	66	65	15	-	44	1
16	Washington	123	-	1	1	2	12	2	1	9	2	64	63	22	1	31	-
17	GEORGIA	30,919	274	98	14	216	3,868	1,151	456	2,261	410	16,277	15,772	4,899	51	9,768	228
18	Metropolitan counties	11,868	122	42	7	60	1,663	494	220	949	198	6,138	5,964	1,726	20	3,820	102
19	Nonmetropolitan counties	19,051	152	56	7	156	2,205	657	236	1,312	212	10,139	9,808	3,173	31	5,948	126
20	Appling	102	-	-	-	-	10	2	4	4	-	54	52	22	-	29	-
21	Atkinson	58	-	-	-	-	3	1	-	2	2	38	34	12	-	19	1
22	Bacon	67	2	1	-	1	8	3	2	3	1	30	30	8	-	22	1
23	Baker	45	-	-	-	-	5	-	1	4	-	25	25	5	-	20	-
24	Baldwin	220	2	3	-	2	25	10	4	11	2	121	115	36	1	71	4
25	Banks	57	-	-	-	1	6	4	-	2	1	36	35	12	-	19	1
26	Barrow	115	1	1	-	-	23	5	8	10	1	54	52	22	-	29	-
27	Bartow	230	2	-	-	1	16	6	3	7	3	106	102	25	1	68	1
28	Ben Hill	120	-	2	-	1	11	2	2	7	2	70	70	26	1	42	1
29	Berrien	89	1	-	-	1	9	1	1	7	-	57	57	14	-	42	-
30	Bibb	1,203	9	5	1	12	157	52	24	81	17	593	571	148	-	377	4
31	Macon	905	8	4	1	8	120	36	19	65	15	447	427	118	-	274	1
32	Balance of county	298	1	1	-	4	37	16	5	16	2	146	144	30	-	103	3
33	Bleckley	78	-	-	-	1	13	2	1	10	1	47	47	16	-	26	-
34	Brantley	51	-	-	-	1	8	1	1	6	2	23	22	6	-	14	-
35	Brooks	178	-	-	-	3	20	4	-	16	1	107	100	46	-	50	-
36	Bryan	64	-	1	-	-	2	1	-	1	-	35	32	13	1	16	-
37	Bulloch	219	2	2	-	-	25	5	3	17	3	114	111	49	-	48	1
38	Burke	239	-	4	-	-	20	7	-	13	5	120	118	32	-	72	3
39	Butts	84	1	-	-	2	10	5	-	5	-	39	34	8	-	25	-
40	Calhoun	113	1	-	-	1	10	7	-	3	2	67	67	12	-	55	3
41	Camden	74	-	-	-	-	12	2	3	7	1	33	31	8	-	20	-
42	Candler	60	2	-	-	-	5	1	1	3	-	32	31	14	-	15	-
43	Carroll	276	3	-	-	-	44	14	2	28	2	152	145	45	1	92	1
44	Catoosa	100	1	-	-	2	15	5	3	7	1	51	51	15	-	33	-
45	Charlton	53	-	-	-	2	5	1	1	3	1	15	15	7	-	8	-
46	Chatham	1,669	20	9	1	8	204	57	28	119	23	931	908	330	7	535	18
47	Savannah	1,395	18	7	-	7	168	43	23	102	21	787	767	282	6	450	17
48	Balance of county	274	2	2	1	1	36	14	5	17	2	144	141	48	1	85	1
49	Chattahoochee	19	-	-	-	-	3	1	-	2	-	5	4	1	-	3	-
50	Chattooga	137	1	-	-	2	21	7	2	12	1	63	63	19	-	40	1
51	Cherokee	150	1	-	-	-	21	4	2	15	2	84	84	28	1	51	2
52	Clarke	321	3	2	-	1	34	9	4	21	4	170	160	59	-	93	5
53	Athens	258	1	1	-	1	29	7	4	18	2	141	134	52	-	75	5
54	Balance of county	63	2	1	-	-	5	2	-	3	2	29	26	7	-	18	-
55	Clay	54	1	-	-	-	4	-	-	4	1	38	38	13	-	24	-
56	Clayton	171	-	1	1	1	23	5	1	17	2	88	82	20	1	51	1
57	College Park (part)	18	-	-	-	-	5	-	-	5	-	7	7	4	-	2	-
58	Balance of county	153	-	1	1	1	18	5	1	12	2	81	75	16	1	49	-
59	Clinch	82	1	-	-	-	4	1	-	3	-	40	40	9	-	28	-
60	Cobb	548	4	1	-	-	71	18	11	42	5	274	268	86	1	169	6
61	Marietta	197	1	1	-	-	23	7	5	11	1	98	97	28	-	66	2
62	Balance of county	351	3	-	-	-	48	11	6	31	4	176	171	58	1	103	4
63	Coffee	185	3	-	-	-	17	5	3	9	3	77	77	26	-	44	1
64	Colquitt	263	2	1	-	3	30	2	7	21	6	135	130	49	-	75	1
65	Moultrie	132	-	1	-	1	16	2	1	13	5	67	65	20	-	40	-
66	Balance of county	131	2	-	-	2	14	-	6	8	1	68	65	29	-	35	1
67	Columbia	102	-	1	-	2	7	1	1	5	-	56	56	18	-	35	-
68	Cook	98	-	-	-	1	11	3	1	7	1	53	50	16	-	30	2
69	Coweta	228	-	1	-	1	30	10	2	18	4	124	121	35	-	76	2
70	Crawford	57	-	-	-	-	5	2	-	3	1	33	33	16	-	14	-
71	Crisp	165	2	1	-	1	22	11	2	9	4	94	90	31	-	57	4
72	Dade	61	1	-	-	-	5	1	1	3	1	27	25	6	-	17	1
73	Dawson	32	-	-	-	-	1	-	-	1	-	16	16	8	-	7	1
74	Decatur	231	2	-	-	3	27	8	1	18	4	98	98	34	1	59	-
75	De Kalb	1,113	7	3	-	5	172	50	21	101	19	553	543	113	1	391	5
76	Atlanta (part)	325	1	2	-	1	58	18	8	32	5	163	162	32	-	119	1
77	Decatur	276	1	1	-	1	45	14	7	24	4	134	131	34	1	88	1
78	Balance of county	512	5	-	-	3	69	18	6	45	10	256	250	47	-	184	3
79	Dodge	142	1	-	1	-	26	4	5	17	3	78	75	21	-	49	-
80	Dooly	129	2	-	-	-	14	7	-	7	2	69	57	23	-	28	-
81	Dougherty	434	3	4	-	6	38	8	4	26	1	204	195	62	-	123	4
82	Albany	374	3	4	-	6	34	7	2	25	1	176	168	57	-	102	4
83	Balance of county	60	-	-	-	-	4	1	2	1	-	28	27	5	-	21	-
84	Douglas	103	-	-	-	-	12	3	1	8	1	60	59	18	-	38	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
146	24	24	3	3	9	2	7	5	3	5	2	-	8	6	11	10	13	7	2	33	1
91	16	16	3	2	5	2	6	3	-	3	2	-	3	4	8	4	10	5	-	26	2
55	8	8	-	1	4	-	1	2	3	2	-	-	5	2	3	6	3	2	2	7	3
56	20	18	4	6	5	5	12	3	2	1	1	-	3	18	5	8	13	2	1	22	4
30	13	7	3	1	1	3	5	2	1	-	1	-	1	8	2	5	4	1	1	8	5
26	7	11	1	5	4	2	7	1	1	1	-	-	2	10	3	3	9	1	-	14	6
14	5	5	1	4	1	3	5	-	-	2	-	-	2	5	2	9	5	1	1	5	7
39	9	2	2	3	2	1	3	-	3	1	1	-	-	9	3	2	7	-	2	8	8
25	2	2	1	2	1	2	2	-	4	4	1	1	4	5	-	4	8	-	2	9	9
13	3	5	-	-	-	-	-	-	-	1	-	-	1	3	-	2	4	-	1	3	10
370	43	49	16	24	12	13	27	8	11	13	5	-	12	24	8	26	42	15	13	75	11
163	19	16	8	5	6	6	13	3	5	4	2	-	4	9	1	5	14	8	7	24	12
207	24	33	8	19	6	7	14	5	6	9	3	-	8	15	7	21	28	7	6	51	13
4	1	3	2	3	-	-	1	-	-	-	-	-	-	1	6	-	4	-	3	1	14
21	3	19	-	5	1	1	7	1	-	1	-	1	2	5	5	7	6	3	2	8	15
23	1	7	-	9	-	1	2	-	-	1	1	1	1	3	9	5	5	1	1	11	16
5,929	2,027	1,584	343	468	243	505	1,131	158	245	212	98	99	465	1,695	420	1,094	1,326	319	416	2,084	17
2,402	793	523	126	167	105	174	371	64	61	102	27	24	211	708	66	379	460	149	167	849	18
3,527	1,234	1,061	217	301	138	331	760	94	184	110	71	75	254	987	354	715	866	170	249	1,235	19
21	5	3	1	-	-	2	15	-	-	1	-	1	-	5	1	2	5	-	2	6	20
11	2	5	-	3	-	4	2	-	1	1	-	-	1	-	-	3	4	-	-	3	21
19	-	2	-	-	-	-	4	1	-	-	-	1	2	6	-	4	1	1	-	4	22
12	5	3	-	-	-	-	1	-	-	-	-	-	-	3	2	-	5	-	-	4	23
54	6	7	1	3	3	6	14	-	3	4	-	-	4	9	2	2	8	5	6	8	24
12	3	3	2	2	-	1	2	1	-	-	-	-	-	1	1	1	5	-	-	2	25
19	7	3	1	-	-	2	4	-	-	1	-	-	1	6	2	4	5	4	3	5	26
46	16	5	3	3	2	4	24	1	4	-	-	1	2	19	-	10	12	4	5	20	27
26	9	6	-	1	-	-	2	-	1	-	-	-	1	5	2	1	10	2	-	10	28
27	10	5	1	-	-	-	5	-	1	-	-	1	-	4	-	-	5	2	-	3	29
268	68	37	22	12	12	22	34	10	13	8	5	3	21	89	9	46	54	17	20	80	30
191	54	28	17	8	10	20	24	6	8	7	5	1	15	71	8	30	39	11	16	61	31
77	14	9	5	4	2	2	10	4	5	1	-	2	6	18	1	16	15	6	4	19	32
16	4	6	2	3	-	-	2	-	-	-	-	-	1	2	-	2	1	1	3	4	33
8	2	4	1	-	1	1	1	-	2	-	1	-	2	3	2	1	3	-	1	1	34
27	14	9	2	-	2	7	5	-	-	1	1	3	3	3	1	5	12	3	3	7	35
10	3	3	1	1	-	3	6	-	1	-	1	1	3	2	-	1	6	1	1	3	36
23	14	10	5	3	6	3	5	-	-	5	1	-	3	7	10	8	16	-	3	15	37
30	13	26	7	4	3	2	9	1	3	-	2	1	2	18	6	6	21	2	4	15	38
17	1	7	-	-	1	5	10	-	-	-	-	-	3	6	1	-	4	1	1	6	39
25	22	5	-	-	-	-	6	-	1	1	-	-	2	2	2	2	7	-	4	5	40
13	4	3	-	1	2	2	4	-	-	-	-	-	1	1	-	8	6	1	-	7	41
12	1	2	1	1	-	1	1	-	-	-	-	-	2	2	2	2	3	2	-	7	42
57	15	19	2	5	-	7	9	1	1	-	-	1	4	11	1	6	14	2	4	21	43
24	2	7	2	1	-	-	3	-	-	-	-	-	3	4	1	5	6	-	-	8	44
5	2	1	-	-	-	-	2	1	3	2	-	-	1	7	2	3	5	-	-	4	45
339	104	74	13	13	10	23	63	7	14	11	7	4	26	93	4	52	57	10	24	101	46
285	89	59	10	10	9	20	51	3	11	9	7	3	20	75	3	38	47	8	24	88	47
54	15	15	3	3	1	3	12	4	3	2	-	1	6	18	1	14	10	2	-	13	48
2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	5	-	-	3	49
25	9	5	-	2	2	-	11	1	-	-	-	1	2	10	1	3	5	2	2	11	50
29	10	10	-	2	2	-	6	1	3	2	-	-	-	6	4	3	2	1	1	13	51
63	17	8	3	1	4	10	12	4	4	1	3	-	7	14	1	9	9	5	4	34	52
51	14	5	3	1	3	7	10	3	2	1	1	-	5	12	-	9	7	4	4	25	53
12	3	3	-	-	1	3	2	1	2	-	2	-	2	2	1	-	2	1	-	9	54
14	2	8	1	-	-	-	2	-	-	-	-	-	-	3	-	-	-	-	1	4	55
34	12	5	2	8	-	6	9	-	1	3	1	-	6	9	-	5	6	4	4	7	56
2	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	2	57
32	12	5	1	8	-	6	8	-	1	3	1	-	5	9	-	4	5	4	4	5	58
16	6	6	-	1	2	-	2	-	2	2	-	-	2	14	1	5	2	-	3	4	59
99	40	24	2	5	5	6	15	4	4	4	1	-	9	52	2	33	23	11	4	31	60
37	17	10	1	1	1	1	8	1	1	3	-	-	2	24	1	13	6	3	1	10	61
62	23	14	1	4	4	5	7	3	3	1	1	-	7	28	1	20	17	8	3	21	62
28	9	6	1	6	-	-	9	1	2	-	1	1	1	18	3	5	14	4	8	18	63
43	23	8	1	5	-	5	11	-	2	2	1	1	4	10	5	14	12	2	5	17	64
19	16	5	1	4	-	2	7	-	1	-	-	-	2	7	3	6	5	1	2	8	65
24	7	3	-	1	-	3	4	-	1	2	1	1	2	3	2	8	7	1	3	9	66
20	10	5	1	2	-	-	7	-	1	-	1	1	-	6	1	5	5	2	1	6	67
15	4	9	2	2	-	3	4	1	4	-	1	-	-	4	-	2	5	-	1	10	68
45	14	15	1	8	1	3	9	2	-	4	1	-	4	5	5	9	8	2	3	16	69
10	3	1	2	1	-	-	2	1	1	1	1	-	-	1	-	1	5	-	-	5	70
26	11	16	2	-	-	4	5	1	2	2	-	-	1	9	1	3	5	1	2	9	71
9	4	3	1	1	-	2	7	-	-	-	-	-	1	3	1	11	2	-	-	2	72
5	-	1	-	1	-	-	3	-	-	-	-	-	-	1	-	5	3	-	1	2	73
26	23	10	-	4	-	-	9	2	4	1	1	2	3	14	12	16	12	-	2	19	74
278	69	39	8	18	12	10	25	7	3	18	-	1	31	68	3	46	44	21	8	79	75
90	15	13	1	7	3	1	4	3	1	7	-	-	8	23	-	8	11	5	3	22	76
65	15	7	2	3	3	3	10	3	1	6	-	-	8	16	1	11	11	3	2	18	77
123	39	19	5	8	6	6	11	1	1	5	-	1	15	29	2	27	22	13	3	39	78
32	6	11	1	2	2	3	2	-	-	1	-	-	-	4	1	4	8	2	1	10	79
20	2	6	1	5	-	12	13	-	-	-	1	1	2	4	5	3	4	-	2	7	80
68	36	15	6	2	2	9	19	2	3	3	1	2	12	45	8	18	21	3	10	31	81
54	32	12	6	1	2	8	19	2	3	3	1	1	11	34	7	15	13	3	9	29	82
14	4	3	-	1	-	1	-	-	-	-	-	1	1	11	1	3	8	-	1	2	83
25	8	4	-	3	-	1	4	-	1	-	-	-	1	6	2	5	1	2	-	8	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Early	134	2	-	-	1	10	1	2	7	-	76	75	14	-	58	1
2	Echols	19	-	-	-	-	1	-	-	1	-	9	8	4	-	3	-
3	Effingham	95	1	-	-	-	10	3	3	4	-	53	52	26	1	24	1
4	Elbert	157	2	-	-	1	12	2	1	9	2	88	85	22	2	49	-
5	Emanuel	194	1	1	-	2	16	3	1	12	2	101	97	38	-	53	-
6	Evans	73	1	-	-	-	11	4	2	5	2	33	33	8	-	18	-
7	Fannin	107	1	-	-	1	12	3	1	8	2	57	56	20	-	33	2
8	Fayette	71	2	-	-	-	7	2	-	5	-	33	33	9	-	21	-
9	Floyd	509	8	1	-	3	67	25	7	35	6	271	270	77	1	169	8
10	Rome	309	5	-	-	2	36	16	4	16	5	170	169	45	1	111	5
11	Balance of county	200	3	1	-	1	31	9	3	19	1	101	101	32	-	58	3
12	Forsyth	72	-	-	-	-	12	3	1	8	1	38	38	15	-	22	-
13	Franklin	111	-	-	-	-	12	7	-	5	1	63	61	17	-	43	1
14	Fulton	4,925	62	17	3	25	729	226	81	422	105	2,541	2,465	684	6	1,583	56
15	Atlanta (part)	4,303	56	16	3	22	638	196	66	376	86	2,224	2,154	600	6	1,381	51
16	Atlanta (total)	4,628	57	18	3	23	696	214	74	408	91	2,387	2,316	632	6	1,500	52
17	College Park (part)	97	1	1	-	1	16	4	4	8	4	46	46	13	-	30	-
18	College Park (total)	115	1	1	-	1	21	4	4	13	4	53	53	17	-	32	-
19	East Point	199	3	-	-	-	34	10	5	19	4	102	98	28	-	63	2
20	Balance of county	326	2	-	-	2	41	16	6	19	11	169	167	43	-	109	3
21	Gilmer	68	1	-	-	-	8	3	-	5	-	38	38	15	-	23	-
22	Glascock	33	-	-	-	-	5	1	1	3	1	19	19	8	-	10	1
23	Glynn	265	3	2	-	2	31	7	7	17	3	128	121	38	-	79	6
24	Brunswick	199	3	2	-	2	25	6	6	13	2	101	97	35	-	59	4
25	Balance of county	66	-	-	-	-	6	1	1	4	1	27	24	3	-	20	2
26	Gordon	172	-	-	-	-	32	9	2	21	1	91	89	24	-	57	1
27	Grady	150	2	-	-	2	15	6	4	5	2	76	74	16	-	56	2
28	Greene	139	1	1	-	1	23	5	3	15	1	84	81	26	1	47	-
29	Gwinnett	275	3	-	-	1	39	15	2	22	2	154	152	50	-	85	5
30	Habersham	130	-	-	-	1	23	7	3	13	4	63	62	27	-	31	1
31	Hall	296	2	1	-	3	40	13	6	21	3	137	134	52	-	70	3
32	Gainesville	140	2	-	-	1	22	6	2	14	2	67	67	30	-	31	2
33	Balance of county	156	-	1	-	2	18	7	4	7	1	70	67	22	-	39	1
34	Hancock	106	2	-	-	-	4	2	1	1	-	68	65	21	1	40	-
35	Haralson	99	-	2	-	1	8	3	1	4	4	45	44	9	-	28	1
36	Harris	86	-	-	-	1	10	3	1	6	2	53	52	23	-	22	2
37	Hart	112	1	-	-	1	15	7	-	8	1	58	54	21	-	31	1
38	Heard	58	-	-	-	1	4	2	-	2	-	36	35	15	-	19	-
39	Henry	131	1	-	-	-	19	5	4	10	2	72	70	23	-	39	1
40	Houston	178	1	-	-	2	24	5	4	15	-	90	87	34	-	44	1
41	Irwin	85	-	-	-	-	10	4	-	6	1	49	49	16	-	27	-
42	Jackson	162	1	-	-	1	16	7	-	9	2	88	84	33	-	43	-
43	Jasper	88	1	-	1	-	14	10	-	4	-	41	41	20	-	19	-
44	Jeff Davis	78	1	-	-	-	4	1	-	3	-	46	44	18	1	22	-
45	Jefferson	205	2	1	-	6	15	3	1	11	1	123	119	37	1	74	-
46	Jenkins	106	2	-	-	2	8	2	1	5	-	53	50	25	-	23	-
47	Johnson	82	2	-	-	-	11	3	2	6	1	47	46	21	2	20	-
48	Jones	58	-	-	-	2	5	3	-	2	-	34	31	9	-	19	-
49	Lamar	102	1	-	-	3	12	4	1	7	2	60	58	19	-	36	1
50	Lanier	35	-	1	-	1	3	-	1	2	-	19	17	7	-	10	-
51	Laurens	296	1	-	-	2	28	8	4	16	-	149	142	36	1	93	1
52	Dublin	137	1	-	-	2	9	3	3	3	-	77	75	18	1	50	-
53	Balance of county	159	-	-	-	-	19	5	1	13	-	72	67	18	-	43	1
54	Lee	65	-	-	-	-	11	3	2	6	2	35	35	14	-	19	-
55	Liberty	88	-	-	-	1	6	-	-	6	2	44	43	15	-	27	2
56	Lincoln	61	-	-	-	3	8	4	-	4	-	28	26	8	-	14	-
57	Long	41	1	-	-	-	3	-	-	3	-	26	23	3	-	18	-
58	Lowndes	331	2	2	-	4	38	11	2	25	2	165	159	60	-	88	1
59	Valdosta	221	1	2	-	2	27	6	-	21	-	103	100	40	-	54	-
60	Balance of county	110	1	-	-	2	11	5	2	4	2	62	59	20	-	34	1
61	Lumpkin	47	1	-	-	1	2	2	-	-	-	26	26	6	-	17	-
62	McDuffie	86	-	1	-	2	10	2	-	8	-	52	52	12	-	38	-
63	McIntosh	68	-	-	-	1	8	-	3	5	3	38	38	9	-	25	2
64	Macon	135	-	1	-	1	16	5	1	10	-	71	64	21	2	33	-
65	Madison	119	1	-	-	-	16	5	2	9	1	66	63	22	-	37	-
66	Marion	72	-	-	-	1	10	2	2	6	-	39	36	19	-	15	-
67	Meriwether	167	2	-	1	1	15	5	-	10	1	97	95	35	-	52	1
68	Miller	67	-	-	-	1	9	3	-	6	-	39	38	11	-	24	-
69	Mitchell	199	1	-	-	4	28	7	2	19	3	110	103	27	1	72	2
70	Monroe	116	-	-	-	-	16	5	4	7	1	52	50	9	-	39	1
71	Montgomery	54	1	-	-	-	2	-	-	2	-	33	31	11	-	17	-
72	Morgan	98	-	-	-	2	14	6	1	7	-	55	54	17	-	32	-
73	Murray	87	-	-	-	-	13	4	2	7	2	39	39	7	-	29	1
74	Muscogee	907	9	3	1	1	134	42	24	68	8	435	422	125	3	265	3
75	Columbus	727	8	3	-	1	116	37	20	59	6	341	328	95	2	207	2
76	Balance of county	180	1	-	1	-	18	5	4	9	2	94	94	30	1	58	1
77	Newton	174	1	-	-	-	23	5	1	17	2	96	96	34	-	59	2
78	Oconee	41	-	-	-	-	6	-	1	5	-	23	21	6	-	14	-
79	Oglethorpe	86	2	-	-	1	3	1	1	1	3	47	45	11	-	32	1
80	Paulding	92	-	-	-	1	13	3	2	8	2	54	53	15	-	34	-
81	Peach	101	-	-	-	-	12	5	-	7	1	60	60	10	-	48	-
82	Pickens	68	1	-	-	-	13	4	1	8	2	31	31	8	1	19	1
83	Pierce	105	-	-	-	1	23	8	1	14	1	52	52	25	-	24	1
84	Pike	78	-	-	-	3	10	4	1	5	5	39	37	11	-	24	1
85	Polk	215	1	-	-	4	23	2	3	18	1	131	127	26	-	94	-
86	Pulaski	65	1	-	-	-	6	5	-	1	-	38	38	10	-	20	-
87	Putnam	78	2	-	-	-	11	1	4	6	-	43	42	11	-	30	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
24	26	7	1	2	-	1	1	-	-	-	2	1	-	12	1	7	10	-	2	9	1
2	1	-	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	3	2	2
10	10	3	-	1	-	1	4	-	-	-	1	1	-	1	6	2	8	-	2	6	3
25	10	14	3	2	7	3	5	2	-	-	9	-	-	6	2	7	9	2	1	9	4
29	9	15	5	1	-	4	9	1	1	2	-	-	1	7	6	4	14	4	4	18	5
12	2	4	1	3	3	-	2	3	-	2	-	1	-	6	1	2	5	-	-	7	6
16	6	9	1	1	1	1	3	3	-	-	-	-	2	3	5	2	6	1	1	8	7
17	2	2	1	2	-	-	2	1	1	-	-	-	-	4	3	5	6	-	-	7	8
110	31	20	7	12	4	1	12	6	4	4	-	1	9	27	4	13	20	4	10	39	9
69	22	15	4	7	1	1	6	3	4	3	-	-	5	16	3	5	13	2	5	26	10
41	9	5	3	5	3	-	6	3	-	1	-	1	4	11	1	8	7	2	5	13	11
12	5	5	-	-	1	-	2	1	-	-	-	1	1	3	1	2	1	1	1	7	12
28	10	4	-	1	-	2	5	-	1	-	1	1	-	9	1	6	5	1	-	5	13
915	371	241	49	91	52	76	154	27	19	42	9	9	76	238	29	128	177	63	84	388	14
794	325	211	42	78	47	70	129	22	18	40	9	9	61	200	25	106	157	53	80	349	15
884	340	224	43	85	50	71	133	25	19	47	9	9	69	223	25	114	168	58	83	371	16
16	11	3	1	2	-	-	3	1	-	-	-	-	4	6	1	1	3	-	3	6	17
18	11	3	2	2	-	-	4	1	-	-	-	-	5	6	1	2	4	-	3	8	18
42	6	13	1	4	2	4	9	-	-	1	-	-	6	12	1	6	5	4	-	12	19
63	29	14	5	7	3	2	13	4	1	1	-	-	5	20	2	15	12	6	1	21	20
19	3	1	-	-	-	-	8	-	-	1	-	1	1	3	3	1	1	-	2	-	21
5	-	4	1	-	-	-	1	1	-	1	-	-	-	1	2	-	-	1	-	1	22
42	15	16	1	1	2	7	13	-	3	2	2	-	5	15	3	8	15	-	1	29	23
35	10	10	1	-	2	4	9	-	2	2	1	-	3	11	2	3	9	-	-	22	24
7	5	6	-	1	-	3	4	-	1	-	1	-	2	4	1	5	6	-	1	7	25
37	7	12	2	6	-	2	2	2	-	2	-	1	1	2	-	8	6	1	1	22	26
26	15	13	1	1	-	2	9	-	2	-	1	1	2	16	2	2	5	4	3	6	27
27	13	7	1	6	-	3	6	-	1	-	-	-	-	3	1	4	3	2	-	8	28
57	12	11	4	9	4	2	13	2	-	-	-	-	5	9	5	14	7	3	2	16	29
19	6	5	1	3	-	1	4	-	1	2	-	-	3	4	1	5	10	-	-	9	30
39	21	7	3	5	4	3	12	-	1	4	-	1	5	16	4	21	15	4	3	24	31
16	10	3	1	4	1	-	4	-	-	2	-	-	2	12	1	8	6	1	-	10	32
23	11	4	2	1	3	3	8	-	1	2	-	1	3	4	3	13	9	3	3	14	33
19	11	10	2	1	-	3	7	1	-	2	-	-	1	4	4	1	5	1	-	6	34
16	4	7	3	3	1	1	1	-	2	-	1	-	1	7	3	6	7	1	4	6	35
14	5	1	4	2	1	1	-	1	-	1	-	1	-	6	1	2	1	2	-	5	36
22	4	4	-	2	-	4	6	1	2	1	5	-	1	11	3	1	1	-	-	4	37
8	5	6	-	-	1	1	-	1	-	1	-	-	-	2	2	3	4	1	-	3	38
24	12	2	5	3	-	2	2	-	2	1	-	-	-	5	-	9	2	2	2	12	39
24	8	11	8	1	-	3	11	2	2	-	-	4	5	11	2	5	7	-	1	11	40
19	5	3	2	4	-	-	6	-	1	-	-	-	-	3	3	3	2	1	1	5	41
36	3	4	3	5	-	4	9	-	1	-	-	-	3	7	2	10	8	-	2	12	42
16	-	3	1	1	-	-	3	1	-	1	-	1	-	4	2	2	2	-	3	12	43
16	1	5	2	1	-	2	4	-	-	-	-	1	-	5	1	3	5	3	1	4	44
42	14	18	3	3	1	4	4	4	-	1	-	2	2	6	5	10	4	2	1	16	45
11	-	12	-	2	-	3	5	2	2	-	2	1	1	5	11	3	1	-	-	8	46
16	3	1	1	1	1	1	3	-	1	-	-	-	4	5	1	2	3	-	-	2	47
13	1	5	-	1	2	3	4	-	-	-	-	-	-	-	2	1	5	1	1	3	48
25	7	3	-	2	1	2	2	-	2	-	-	-	3	4	-	1	5	2	-	5	49
5	1	4	-	-	-	2	4	-	1	-	-	-	1	1	-	1	2	-	-	1	50
41	30	21	2	3	7	7	8	1	3	1	1	2	4	20	10	12	12	7	3	32	51
29	10	11	-	1	5	2	2	1	1	-	1	-	3	10	3	4	3	2	2	16	52
12	20	10	2	2	2	5	6	-	2	1	-	2	1	10	7	8	9	5	1	16	53
8	7	4	-	1	1	-	2	-	1	-	-	1	1	2	2	1	3	-	-	4	54
14	5	6	-	-	1	1	4	-	1	-	1	-	-	9	-	9	5	-	-	6	55
7	2	5	3	1	-	2	2	-	1	-	1	-	1	2	4	2	5	-	-	4	56
9	7	2	-	1	1	3	1	-	1	-	-	-	-	1	1	2	2	-	-	3	57
52	16	19	1	7	3	6	10	2	4	1	2	3	4	23	7	12	17	4	7	22	58
33	11	10	-	4	2	3	7	1	4	1	2	2	2	18	6	7	11	3	5	17	59
19	5	9	1	3	1	3	3	1	-	-	-	1	2	5	1	5	6	1	2	5	60
12	2	3	-	3	-	-	5	-	-	-	-	-	1	1	2	3	-	1	-	4	61
23	8	7	-	2	-	-	2	-	-	1	-	-	1	7	2	3	1	-	1	3	62
15	5	3	-	3	1	-	2	-	-	-	-	-	-	3	2	-	5	1	-	5	63
14	15	4	3	2	3	7	7	1	2	1	-	-	3	7	4	5	6	-	2	8	64
24	6	7	3	-	1	3	2	-	3	1	1	-	-	10	-	4	2	1	1	10	65
9	6	-	1	-	1	3	5	1	3	-	-	-	2	3	-	2	-	1	-	5	66
28	12	11	4	2	2	2	5	-	-	1	-	3	1	4	3	8	10	2	1	12	67
14	5	5	-	2	1	1	1	-	1	3	-	-	1	1	1	1	5	-	1	3	68
39	24	7	1	2	-	7	7	2	4	1	-	-	1	9	7	5	5	1	2	9	69
14	15	9	1	-	1	2	8	-	1	1	-	1	2	6	8	10	5	-	-	5	70
12	1	4	2	-	1	2	3	1	1	-	-	2	-	2	-	1	4	2	-	2	71
18	3	11	1	2	2	1	3	1	-	1	-	1	2	2	4	3	5	-	2	3	72
16	9	3	1	1	1	-	9	-	-	-	1	-	1	2	1	7	6	1	2	3	73
162	64	36	11	10	8	13	28	3	3	6	1	3	23	87	6	22	38	16	10	70	74
121	56	28	9	8	7	13	21	1	2	5	1	2	17	73	5	17	28	13	8	59	75
41	8	8	2	2	1	-	7	2	1	1	-	1	6	14	1	5	10	3	2	11	76
34	9	14	-	2	1	-	3	1	1	2	-	1	2	7	2	5	12	-	3	13	77
11	1	2	-	1	-	2	2	-	1	-	-	-	1	1	-	4	-	1	2	-	78
15	12	4	1	-	1	2	2	-	1	-	-	1	-	4	4	3	7	1	-	7	79
24	6	4	3	1	-	1	1	1	-	-	-	-	1	2	1	5	6	-	1	4	80
12	31	5	1	1	-	-	3	-	4	-	-	-	2	5	2	4	4	-	-	4	81
14	4	-	-	2	1	-	2	1	-	-	-	1	1	2	-	4	2	3	-	5	82
16	4	3	-	3	-	-	2	2	4	-	-	1	1	4	5	2	-	-	2	5	83
5	4	14	1	-	1	2	3	1	-	-	-	1	1	3	4	1	1	2	-	4	84
67	16	11	3	2	2	4	6	-	2	3	2	-	5	8	1	6	13	-	1	8	85
9	8	3	2	5	1	-	1	-	-	-	-	-	1	4	6	2	-	-	1	5	86
22	2	6	-	1	-	1	3	1	-	-	-	-	1	2	1	2	4	-	2	6	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Quitman	34	-	-	-	-	3	-	-	3	-	23	23	7	-	15	-
2	Rabun	54	-	1	-	1	10	5	-	5	2	25	25	1	-	24	-
3	Randolph	133	2	-	1	1	21	6	3	12	-	68	66	15	-	46	-
4	Richmond	1,015	8	3	-	7	129	32	23	74	18	562	544	162	1	353	7
5	Augusta	768	8	3	-	6	103	26	20	57	16	434	420	131	1	265	5
6	Balance of county	247	-	-	-	1	26	6	3	17	2	128	124	31	-	88	2
7	Rockdale	74	2	-	-	2	12	6	1	5	-	39	38	7	-	30	-
8	Schley	33	1	1	-	-	1	-	-	1	2	18	17	7	-	10	1
9	Screven	176	2	3	-	-	12	4	-	8	-	97	95	37	-	53	-
10	Seminole	61	-	-	-	-	6	2	-	4	-	32	31	4	-	24	-
11	Spalding	290	2	1	-	1	37	9	4	24	7	152	139	46	2	81	1
12	Griffin	187	2	1	-	-	25	8	2	15	4	97	88	30	1	50	1
13	Balance of county	103	-	-	-	1	12	1	2	9	3	55	51	16	1	31	-
14	Stephens	123	-	-	-	-	17	3	1	13	-	71	69	11	-	54	-
15	Stewart	95	-	-	-	-	10	5	-	5	-	48	48	13	-	34	-
16	Sumter	242	-	1	-	4	27	6	6	15	2	124	121	46	-	69	-
17	Americus	140	-	-	-	2	17	4	3	10	-	70	67	28	-	35	-
18	Balance of county	102	-	1	-	2	10	2	3	5	2	54	54	18	-	34	-
19	Talbot	95	-	-	-	1	10	3	1	6	-	53	49	30	2	15	3
20	Taliaferro	48	-	-	-	-	3	-	-	3	-	23	22	6	-	13	-
21	Tattnall	118	-	-	-	1	10	2	1	7	2	74	73	15	-	54	1
22	Taylor	83	-	-	-	1	5	1	-	4	1	52	52	26	1	23	-
23	Telfair	103	2	-	-	1	15	3	3	9	1	55	54	26	-	25	1
24	Terrell	143	2	-	-	5	16	7	1	8	1	75	70	20	1	39	-
25	Thomas	311	3	1	-	1	34	6	4	24	7	178	168	69	-	90	2
26	Thomasville	182	1	1	-	-	24	3	3	18	4	93	87	36	-	45	1
27	Balance of county	129	2	-	-	1	10	3	1	6	3	85	81	33	-	45	1
28	Tift	194	4	1	-	4	21	6	4	11	2	100	96	26	-	59	1
29	Toombs	151	2	-	-	3	12	3	2	7	1	82	80	22	-	49	1
30	Towns	37	1	-	-	-	8	3	-	5	1	17	17	3	-	13	-
31	Treutlen	48	1	-	-	1	6	2	-	4	1	22	20	7	-	12	-
32	Troup	435	3	2	-	2	58	21	7	30	3	230	222	84	-	129	3
33	La Grange	231	3	1	-	-	37	11	6	20	1	116	113	46	-	61	2
34	Balance of county	204	-	1	-	2	21	10	1	10	2	114	109	38	-	68	1
35	Turner	78	1	1	-	-	10	1	1	8	-	40	40	15	-	25	-
36	Twiggs	87	-	-	-	1	2	1	-	1	-	42	39	16	-	21	-
37	Union	44	1	-	-	1	6	5	-	1	-	26	24	5	-	15	-
38	Upson	206	2	1	-	1	28	5	4	19	3	116	115	25	-	89	1
39	Walker	291	2	1	1	-	40	11	4	25	3	154	152	43	1	100	2
40	Walton	177	1	-	1	2	28	6	3	19	2	86	83	23	-	54	3
41	Ware	248	2	1	-	2	23	8	1	14	5	136	133	34	1	85	3
42	Waycross	191	2	1	-	1	16	6	1	9	4	110	107	26	1	72	3
43	Balance of county	57	-	-	-	1	7	2	-	5	1	26	26	8	-	13	-
44	Warren	83	-	-	-	-	11	4	1	6	2	40	36	13	-	19	-
45	Washington	224	2	-	-	-	20	10	1	9	2	139	138	41	-	68	1
46	Wayne	114	-	1	-	-	15	5	2	8	-	58	57	15	-	39	-
47	Webster	27	-	-	1	-	3	1	-	2	-	12	12	5	-	6	-
48	Wheeler	58	-	-	-	1	5	1	2	2	-	34	33	11	-	21	-
49	White	110	1	-	-	-	14	6	-	8	2	61	60	18	-	40	1
50	Whitfield	270	7	-	-	2	37	15	2	20	2	147	144	43	1	95	4
51	Dalton	146	3	-	-	2	19	7	-	12	2	78	78	17	1	56	2
52	Balance of county	124	4	-	-	-	18	8	2	8	-	69	66	26	-	39	2
53	Wilcox	75	-	-	-	1	10	7	-	3	1	44	41	13	-	27	-
54	Wilkes	143	-	1	-	2	16	5	2	9	4	74	69	29	-	39	1
55	Wilkinson	79	1	1	-	1	14	2	1	11	-	33	33	13	-	19	-
56	Worth	147	4	-	-	2	12	4	2	6	1	78	75	30	-	41	1
57	IDAHO	4,935	22	6	11	21	700	234	63	403	78	2,576	2,517	526	7	1,811	80
58	Nonmetropolitan counties	4,935	22	6	11	21	700	234	63	403	78	2,576	2,517	526	7	1,811	80
59	Ada	641	2	1	1	2	101	30	11	60	9	356	350	75	1	249	12
60	Boise City	502	1	1	1	2	84	21	9	54	7	273	270	57	1	193	8
61	Balance of county	139	1	-	-	-	17	9	2	6	2	83	80	18	-	56	4
62	Adams	27	-	-	-	-	5	-	-	5	-	16	16	1	-	12	-
63	Bannock	289	4	-	1	2	47	15	3	29	6	132	125	22	-	94	6
64	Pocatello (part)	229	2	-	1	1	40	13	2	25	3	103	101	15	-	79	5
65	Pocatello (total)	229	2	-	1	1	40	13	2	25	3	103	101	15	-	79	5
66	Balance of county	60	2	-	-	1	7	2	1	4	3	29	24	7	-	15	1
67	Bear Lake	47	-	-	1	-	7	1	-	6	-	21	21	2	-	17	1
68	Benewah	72	-	1	-	1	14	5	3	6	-	35	33	8	-	24	-
69	Bingham	155	-	-	-	1	24	6	1	17	2	71	68	10	-	54	5
70	Blaine	35	-	1	-	-	4	-	1	3	-	20	20	8	-	12	-
71	Boise	16	-	-	-	1	2	1	-	1	-	9	9	2	-	7	1
72	Bonner	146	1	-	1	-	14	4	1	9	3	94	90	15	-	71	3
73	Bonneville	218	-	-	1	2	28	10	2	16	1	102	100	21	-	66	3
74	Idaho Falls	168	-	-	1	2	23	8	2	13	-	80	78	16	-	52	2
75	Balance of county	50	-	-	-	-	5	2	-	3	1	22	22	5	-	14	1
76	Boundary	47	1	-	-	-	7	1	1	5	-	26	25	3	-	19	1
77	Butte	19	-	-	-	-	4	1	-	3	-	8	7	2	-	5	-
78	Camas	6	-	-	-	-	2	2	-	-	-	3	3	1	-	2	-
79	Canyon	436	2	-	1	2	63	21	7	35	10	241	236	51	1	177	5
80	Caldwell	135	1	-	-	1	19	7	3	9	6	71	69	14	-	53	-
81	Nampa	153	1	-	1	-	19	8	1	10	2	94	92	17	1	72	3
82	Balance of county	148	-	-	-	1	25	6	3	16	2	76	75	20	-	52	2
83	Caribou	29	-	1	-	-	2	1	-	1	2	14	14	7	-	7	-
84	Cassia	109	-	-	-	-	16	5	-	11	-	62	60	11	-	46	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6	7	2	1	-	-	-	1	-	1	-	-	-	-	4	-	1	-	-	-	1	1
18	4	2	-	-	-	-	4	-	-	-	-	-	-	3	-	4	-	-	-	4	2
19	16	11	2	3	-	2	1	1	1	1	-	-	1	9	2	4	9	-	4	7	3
246	50	50	10	13	5	18	30	3	3	11	3	-	17	56	5	35	45	7	12	61	4
180	41	39	9	10	4	14	22	3	1	9	3	-	7	40	3	19	28	6	5	52	5
66	9	11	1	3	1	4	8	-	2	2	-	-	10	16	2	16	17	1	7	9	6
28	1	1	-	-	1	1	3	-	-	-	1	-	1	4	-	1	4	1	1	3	7
5	2	2	-	-	-	1	1	-	-	-	-	-	1	1	-	2	1	-	1	3	8
33	11	9	3	2	-	2	6	-	2	2	-	1	1	10	7	8	12	3	2	8	9
10	2	12	-	1	2	1	5	-	-	-	-	1	1	2	-	5	3	-	3	3	10
51	18	11	4	5	1	13	11	3	1	2	1	1	7	16	1	13	9	2	5	18	11
35	8	6	2	5	-	9	6	3	1	1	-	1	6	10	1	6	5	1	4	13	12
16	10	5	2	-	1	4	5	-	-	1	1	-	1	6	-	7	4	1	1	5	13
30	13	11	3	-	1	2	1	-	4	2	-	-	4	5	-	5	2	1	2	9	14
30	3	1	1	-	-	-	2	-	5	-	2	1	5	6	-	4	5	-	1	6	15
35	15	19	4	2	-	3	8	-	5	-	1	1	7	19	11	6	8	3	1	14	16
15	8	12	2	2	-	3	6	-	3	-	-	1	4	9	5	4	5	3	-	11	17
20	7	7	2	-	-	-	2	-	2	-	1	-	3	10	6	2	3	-	1	3	18
7	2	3	2	-	-	4	6	-	1	-	-	-	2	4	5	2	6	1	1	3	19
5	5	3	1	1	1	1	3	1	-	2	-	1	1	2	2	2	2	-	2	4	20
28	9	16	-	3	1	1	4	-	-	1	-	2	1	4	1	3	3	1	-	11	21
16	3	4	1	1	-	-	7	1	2	-	-	-	3	2	1	3	3	-	-	2	22
16	2	6	-	2	1	1	3	1	1	1	-	-	1	6	2	1	8	-	1	4	23
20	15	4	5	4	1	5	2	-	3	1	-	-	1	14	6	4	2	1	4	6	24
55	19	14	1	4	4	10	7	2	2	-	2	-	5	15	2	8	16	1	1	26	25
29	8	7	-	3	3	6	5	2	1	-	2	-	4	9	2	3	12	-	1	18	26
26	11	7	1	1	1	4	2	-	1	-	-	-	1	6	-	5	4	1	-	8	27
29	18	11	1	7	3	4	5	1	4	1	-	1	2	12	3	10	7	1	3	12	28
30	8	10	4	5	-	2	3	-	2	-	1	-	1	6	2	10	11	1	4	10	29
7	1	5	-	1	-	-	1	-	-	1	-	-	-	2	1	-	4	-	-	1	30
9	-	3	1	-	-	2	2	-	-	1	-	-	1	1	-	6	4	1	-	1	31
84	16	26	4	4	1	8	21	5	5	2	1	-	7	21	6	22	11	-	10	26	32
40	8	11	3	3	-	3	10	2	5	1	1	-	6	10	4	9	6	-	5	14	33
44	8	15	1	1	1	5	11	3	-	1	-	-	1	11	2	13	5	-	5	12	34
19	3	3	-	-	-	-	3	-	2	-	-	-	-	10	-	3	3	1	3	1	35
11	1	9	1	1	-	3	6	1	1	-	1	1	1	12	3	2	4	1	1	8	36
9	-	6	1	3	-	2	-	-	-	-	-	-	-	3	1	2	3	-	-	1	37
49	17	22	-	-	1	1	8	1	3	-	1	-	2	5	2	12	6	4	3	8	38
69	18	11	3	4	1	2	11	1	-	2	1	-	3	13	6	10	10	4	4	25	39
32	9	10	3	-	3	3	6	1	2	2	-	1	5	11	3	5	10	2	1	8	40
56	10	16	4	6	3	3	4	2	1	1	-	2	4	10	-	14	17	4	2	18	41
44	10	15	3	3	2	3	1	1	1	1	-	2	4	9	-	11	9	3	1	14	42
12	-	1	1	3	1	-	3	1	-	-	-	-	-	1	-	3	8	1	1	4	43
14	3	2	3	1	-	4	5	2	4	-	3	-	-	5	1	1	4	-	1	4	44
39	13	15	8	17	4	1	8	-	3	-	1	1	2	13	2	10	9	-	1	11	45
30	6	3	1	1	1	1	2	1	-	1	-	-	-	8	-	6	7	-	4	11	46
4	1	1	-	-	1	-	1	-	-	-	1	2	-	1	-	2	1	-	-	3	47
15	2	4	-	-	1	1	2	-	1	1	-	-	-	2	6	1	2	-	-	3	48
21	10	8	1	-	1	1	6	1	-	1	-	-	2	6	-	6	2	1	1	6	49
66	16	9	2	2	1	3	10	1	1	2	2	2	2	19	1	11	7	2	2	13	50
38	10	6	1	2	1	-	3	-	-	2	1	1	2	8	-	9	6	1	2	7	51
28	6	3	1	-	-	3	7	1	1	-	1	1	-	11	1	2	1	1	-	6	52
16	6	5	1	-	-	3	6	-	1	1	-	1	-	-	2	2	3	1	1	1	53
22	8	8	1	-	-	5	8	-	1	1	1	1	1	11	3	3	6	2	2	6	54
10	6	3	-	-	1	-	2	1	2	-	-	-	-	5	7	2	1	1	3	5	55
20	9	11	3	-	1	3	7	-	4	-	-	2	2	6	6	7	8	1	2	5	56
1,231	188	312	30	95	48	59	121	32	18	38	9	10	75	224	85	181	283	87	17	341	57
1,231	188	312	30	95	48	59	121	32	18	38	9	10	75	224	85	181	283	87	17	341	58
190	28	19	6	11	8	6	13	4	4	1	-	-	14	25	9	18	22	15	2	42	59
150	22	13	5	10	4	3	10	2	3	1	-	-	13	14	8	15	16	14	1	36	60
40	6	6	1	1	4	3	3	2	1	-	-	-	1	11	1	3	6	1	1	6	61
11	-	1	-	3	-	-	-	1	-	-	-	1	-	1	1	-	1	-	-	1	62
68	9	11	3	1	5	7	7	-	-	3	-	1	4	10	11	9	17	5	1	29	63
57	8	9	3	1	3	2	5	-	-	3	-	1	4	9	10	4	14	4	1	24	64
57	8	9	3	1	3	2	5	-	-	3	-	1	4	9	10	4	14	4	1	24	65
11	1	2	-	-	2	5	2	-	-	-	-	-	-	1	1	5	3	1	-	5	66
8	3	5	1	1	-	-	2	1	-	-	-	-	1	2	5	2	1	-	-	4	67
19	1	4	-	-	1	2	6	1	-	-	-	-	-	4	-	1	5	1	-	3	68
36	5	8	-	4	-	3	3	1	-	2	-	-	-	12	4	11	12	1	-	11	69
10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	4	70
6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	71
31	10	27	-	2	2	4	4	-	-	-	-	-	2	5	3	5	6	2	1	5	72
41	14	8	1	6	6	2	9	2	1	5	-	1	5	13	1	7	16	3	-	21	73
31	12	7	-	5	5	2	8	2	1	4	-	1	4	9	1	3	11	2	-	16	74
10	2	1	1	1	1	-	1	-	-	1	-	-	1	4	-	4	5	1	-	5	75
8	3	7	-	2	1	1	-	1	-	-	-	-	-	3	2	1	3	-	-	3	76
2	-	3	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	3	1	1	77
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	78
109	27	36	1	4	2	5	13	-	1	1	2	-	8	9	3	18	12	10	3	37	79
38	3	12	-	1	1	2	5	-	1	-	-	-	5	3	-	2	2	3	3	13	80
36	17	16	1	1	-	2	4	-	-	1	2	-	1	-	-	9	5	2	-	12	81
35	7	8	-	2	1	1	4	-	-	-	-	-	2	6	3	7	5	5	-	12	82
6	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	1	-	1	83
31	1	12	1	1	1	2	1	-	-	-	-	1	3	5	2	3	6	2	-	8	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IDAHO—Continued																
1	Clark	10	-	-	-	-	-	-	-	-	-	9	9	1	-	8	-
2	Clearwater	73	-	1	1	1	8	3	1	4	2	36	36	9	-	25	-
3	Custer	24	-	-	-	-	3	2	-	1	1	14	14	3	-	10	-
4	Elmore	81	1	-	-	-	11	5	-	6	1	35	33	8	-	23	-
5	Franklin	64	-	-	-	-	14	2	-	12	-	35	35	9	-	26	2
6	Fremont	63	-	-	-	1	6	5	1	-	1	32	32	5	-	24	2
7	Gem	79	-	-	-	-	12	4	1	7	1	44	44	9	-	34	2
8	Gooding	91	2	-	-	-	7	1	2	4	4	47	46	10	-	32	3
9	Idaho	119	1	1	-	1	12	7	2	3	2	53	52	9	-	39	1
10	Jefferson	76	-	-	-	-	11	2	-	9	2	39	39	7	-	32	2
11	Jerome	90	-	-	1	1	12	4	-	8	4	49	47	7	-	36	4
12	Kootenai	257	4	-	-	1	30	10	3	17	3	154	150	47	-	96	3
13	Coeur d'Alene	140	1	-	-	-	17	6	1	10	2	89	87	25	-	57	2
14	Balance of county	117	3	-	-	1	13	4	2	7	1	65	63	22	-	39	1
15	Latah	172	-	-	2	-	30	12	2	16	-	90	88	20	-	55	-
16	Moscow	69	-	-	2	-	12	5	-	7	-	33	31	9	-	18	-
17	Balance of county	103	-	-	-	-	18	7	2	9	-	57	57	11	-	37	-
18	Lemhi	58	1	-	-	-	6	4	-	2	2	29	28	6	-	19	-
19	Lewis	36	-	-	-	-	7	3	1	3	-	17	15	5	-	9	2
20	Lincoln	36	-	-	-	-	3	-	-	3	-	17	17	4	-	11	1
21	Madison	57	-	-	-	-	12	3	-	9	-	29	28	5	1	21	2
22	Minidoka	91	-	-	-	1	13	5	-	8	1	46	46	11	1	30	-
23	Nez Perce	260	-	-	-	1	37	12	4	21	4	139	137	33	-	90	6
24	Lewiston	205	-	-	-	-	27	10	2	15	4	110	108	27	-	70	4
25	Balance of county	55	-	-	-	1	10	2	2	6	-	29	29	6	-	20	2
26	Oneida	42	-	-	-	-	3	1	-	2	-	20	19	3	-	15	-
27	Owyhee	42	-	-	-	-	8	2	2	4	-	21	21	4	-	14	1
28	Payette	117	1	-	-	-	17	11	4	2	-	73	71	13	-	54	3
29	Power	34	2	-	-	-	7	4	1	2	2	11	11	3	-	6	1
30	Pocatello (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	Balance of county	34	2	-	-	-	7	4	1	2	2	11	11	3	-	6	1
32	Shoshone	220	-	-	-	1	31	10	6	15	2	96	95	16	-	72	1
33	Teton	13	-	-	-	-	2	1	-	1	-	9	9	1	-	7	1
34	Twin Falls	315	-	-	1	1	44	14	3	27	12	163	162	27	2	118	2
35	Twin Falls	148	-	-	-	-	27	6	2	19	7	71	71	11	-	53	2
36	Balance of county	167	-	-	1	1	17	8	1	8	5	92	91	16	2	65	-
37	Valley	27	-	-	-	-	4	1	-	3	-	14	14	-	-	14	2
38	Washington	96	-	-	-	1	10	3	-	7	1	45	44	12	1	29	-
39	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	ILLINOIS	95,528	892	175	53	253	15,632	5,825	2,034	7,773	1,291	55,074	53,977	9,890	59	40,998	1,224
41	Metropolitan counties	68,456	768	139	45	157	11,521	4,344	1,577	5,600	897	38,967	38,246	6,581	44	29,654	903
42	Nonmetropolitan counties	27,072	124	36	8	96	4,111	1,481	457	2,173	394	16,107	15,731	3,309	15	11,344	321
43	Adams	886	7	1	2	-	136	41	21	74	11	528	520	115	2	360	14
44	Quincy	598	4	1	-	-	86	28	18	40	8	358	351	84	2	237	12
45	Balance of county	288	3	-	2	-	50	13	3	34	3	170	169	31	-	123	2
46	Alexander	258	8	-	-	1	30	14	2	14	6	158	151	34	1	96	21
47	Cairo	172	4	-	-	-	21	10	1	10	4	108	103	26	1	65	14
48	Balance of county	86	4	-	-	1	9	4	1	4	2	50	48	8	-	31	7
49	Bond	178	1	-	-	2	24	12	3	9	2	118	116	22	-	81	2
50	Boone	184	1	-	-	1	26	8	3	15	5	119	115	33	-	78	-
51	Brown	98	-	-	-	-	18	9	1	8	5	63	60	17	-	41	3
52	Bureau	438	1	-	-	1	66	26	8	32	3	275	273	62	-	198	4
53	Calhoun	82	-	-	-	-	11	3	1	7	2	46	46	15	-	25	-
54	Carroll	249	-	-	-	2	30	10	2	18	3	161	160	43	-	104	6
55	Cass	171	1	-	-	-	21	11	-	10	3	105	103	22	-	74	3
56	Champaign	819	2	3	-	4	126	49	11	66	14	424	407	83	-	288	5
57	Champaign	345	-	2	-	1	55	21	6	28	5	185	173	40	-	118	3
58	Urbana	168	-	-	-	-	28	8	3	17	4	81	79	16	-	55	1
59	Balance of county	306	2	1	-	3	43	20	2	21	5	158	155	27	-	115	1
60	Christian	432	3	1	-	-	64	21	12	31	6	260	253	53	1	187	6
61	Clark	206	-	-	-	4	26	10	2	14	4	133	132	28	-	95	2
62	Clay	193	-	-	-	-	30	9	7	14	4	120	117	19	1	90	6
63	Clinton	223	4	-	-	3	28	15	-	13	3	129	128	19	1	98	2
64	Centralia (part)	3	-	-	-	-	2	2	-	-	-	1	1	-	-	1	-
65	Balance of county	220	4	-	-	3	26	13	-	13	3	128	127	19	1	97	2
66	Coles	448	1	-	-	-	65	26	9	30	5	266	256	57	-	174	2
67	Mattoon	205	-	-	-	-	30	12	4	14	2	122	121	20	-	90	-
68	Balance of county	243	1	-	-	-	35	14	5	16	3	144	135	37	-	84	2
69	Cook	50,283	670	113	32	103	8,462	3,270	1,185	4,007	639	28,911	28,397	4,565	27	22,486	664
70	Chicago	41,192	628	102	14	78	6,802	2,702	971	3,129	491	23,818	23,397	3,677	25	18,631	546
71	Berwyn	581	1	-	1	-	119	44	13	62	11	351	344	47	-	279	12
72	Cicero	710	5	2	1	2	133	50	18	65	14	419	409	64	-	328	4
73	Evanston	833	5	-	1	1	157	62	20	75	10	518	510	105	-	379	9
74	Oak Park	768	1	-	-	1	156	61	24	71	15	468	459	80	-	354	9
75	Elgin (part)	19	-	-	-	-	4	2	1	1	-	11	11	2	-	9	-
76	Maywood	289	2	-	-	2	59	23	4	32	6	158	152	30	-	115	1
77	Blue Island	224	-	-	-	-	27	13	3	11	7	144	142	21	1	114	2
78	Brookfield	138	1	-	-	-	23	11	1	11	3	80	80	6	-	67	4
79	Calumet City	134	2	-	1	2	20	6	6	8	2	64	63	10	-	52	1
80	Chicago Heights	265	1	-	-	1	33	8	5	20	9	146	137	38	-	89	3
81	Des Plaines	172	1	-	-	1	29	11	5	13	4	91	89	17	-	65	-
82	Elmwood Park	160	-	-	-	-	31	13	7	11	3	85	83	10	-	72	2
83	Evergreen Park	98	-	-	-	-	15	3	2	10	-	59	59	11	-	44	2
84	Forest Park	156	2	1	-	-	29	11	2	16	3	82	81	21	-	60	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
16	2	7	-	1	1	-	1	2	-	1	-	-	-	6	4	4	1	-	-	5	2
9	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	2	3
23	-	-	-	1	1	2	1	-	-	-	-	-	1	11	-	4	10	2	1	3	4
20	2	2	-	-	-	-	1	-	-	1	-	-	1	2	1	3	2	-	-	4	5
17	2	3	2	1	-	-	3	-	-	2	-	-	1	4	1	2	6	-	-	4	6
20	1	11	-	1	-	-	1	-	1	1	-	-	1	1	-	2	4	4	-	7	7
16	2	11	1	3	-	1	8	2	-	1	-	-	-	3	4	3	5	1	-	4	8
21	7	10	-	3	1	1	2	1	-	1	1	-	-	10	1	8	15	6	-	4	9
15	5	10	-	-	-	-	1	-	-	2	-	-	1	6	-	4	6	-	-	4	10
26	2	4	1	1	2	2	3	-	1	-	-	-	2	3	2	2	4	-	-	6	11
58	11	24	1	5	1	4	3	1	3	5	-	2	1	7	2	10	12	1	2	16	12
32	7	16	-	5	-	2	2	-	2	3	-	1	1	2	2	6	3	-	-	9	13
26	4	8	1	-	1	2	1	1	1	2	-	1	-	5	-	4	9	1	2	7	14
40	5	10	2	9	2	2	3	1	2	1	1	2	2	12	2	3	12	3	-	6	15
10	2	6	-	3	1	2	1	-	-	1	1	1	2	6	-	2	3	1	-	4	16
30	3	4	2	6	1	-	2	1	2	-	-	1	-	6	2	1	9	2	-	2	17
8	3	8	-	-	1	3	4	-	-	-	-	-	1	2	-	1	6	-	1	5	18
4	1	2	-	1	-	2	1	-	-	-	-	-	3	1	1	1	3	-	-	2	19
8	1	1	-	1	1	-	1	-	-	-	1	-	-	1	1	1	5	2	-	4	20
13	1	5	-	1	-	1	-	-	-	-	-	-	-	3	2	3	5	1	-	2	21
21	2	7	-	4	-	-	2	2	-	1	-	-	-	4	-	6	5	4	-	6	22
64	11	9	2	9	3	2	7	6	1	1	1	-	4	13	3	9	14	2	-	18	23
52	9	5	1	8	2	2	5	3	1	1	-	-	4	12	3	8	9	2	-	16	24
12	2	4	1	1	1	-	2	3	-	-	1	-	-	1	-	1	5	-	-	2	25
11	-	4	1	-	-	1	-	-	-	-	-	-	1	2	2	1	5	2	-	6	26
11	1	1	1	1	1	-	2	-	-	-	-	-	-	-	-	2	2	2	1	4	27
37	8	6	-	1	3	2	2	-	-	-	-	-	1	4	1	4	4	1	-	9	28
1	-	4	2	-	-	-	1	-	-	-	-	-	-	4	-	-	3	1	-	3	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	4	2	-	-	-	1	-	-	-	-	-	-	4	-	-	3	1	-	3	31
60	4	7	2	2	3	1	5	-	2	6	2	-	8	13	1	15	19	2	1	16	32
6	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	33
98	7	11	1	13	1	1	7	4	2	3	-	2	4	15	2	13	13	6	2	21	34
43	2	6	1	5	1	-	3	3	1	1	-	-	3	5	1	6	3	3	-	14	35
55	5	5	-	8	-	1	4	1	1	2	-	2	1	10	1	7	10	3	2	7	36
7	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	1	-	1	37
16	5	8	1	-	1	1	2	-	-	-	1	-	2	2	13	-	6	3	1	9	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
27,912	4,256	7,606	708	1,711	611	1,097	3,398	604	394	1,050	125	72	1,041	3,356	776	1,994	2,680	898	442	5,328	40
20,151	3,057	5,543	517	1,000	450	721	2,646	461	304	861	88	53	763	2,586	590	1,238	1,755	599	398	3,600	41
7,761	1,199	2,063	191	711	161	376	752	143	90	169	37	19	278	770	186	756	925	299	44	1,728	42
255	25	66	8	27	8	8	26	8	2	9	1	-	12	27	5	16	24	9	-	62	43
166	14	45	6	20	2	7	15	5	2	7	-	-	8	21	2	10	15	5	-	51	44
89	11	21	2	7	6	1	11	3	-	2	1	-	4	6	3	6	9	4	-	11	45
47	13	15	3	15	2	7	10	-	1	2	1	-	6	6	1	5	12	1	-	10	46
28	10	13	2	9	-	5	5	-	1	2	1	-	4	5	1	3	8	-	-	5	47
19	3	2	1	6	2	2	5	-	-	-	-	-	2	1	-	2	4	1	-	5	48
49	13	17	5	6	2	2	4	2	-	1	-	-	2	8	1	2	6	-	-	5	49
61	12	5	-	3	1	4	6	1	-	1	1	-	2	5	-	1	4	4	-	7	50
28	4	6	2	-	-	3	2	-	-	1	-	-	1	-	1	2	2	1	-	2	51
150	12	32	1	11	1	2	5	3	5	1	-	-	5	13	2	7	14	8	-	29	52
10	6	9	1	4	1	-	3	-	-	-	1	-	1	1	1	3	4	2	-	7	53
66	9	23	2	11	-	1	4	4	2	-	-	-	3	5	-	5	12	-	-	18	54
59	8	4	1	6	-	2	3	1	-	1	-	-	-	6	-	7	6	4	-	13	55
214	26	43	6	17	13	17	34	6	4	9	1	1	16	36	7	24	35	6	2	65	56
93	7	15	4	6	5	12	14	2	3	2	1	1	5	14	2	7	15	2	2	27	57
41	7	6	-	5	3	2	8	3	-	2	-	-	3	7	2	5	5	-	-	20	58
80	12	22	2	6	5	3	12	1	1	5	-	-	8	15	3	12	15	4	-	18	59
149	8	24	2	5	5	7	11	3	1	3	1	-	6	16	2	12	13	5	-	25	60
54	10	29	1	7	1	1	6	1	-	-	-	-	1	2	1	5	9	1	-	13	61
58	7	19	2	3	2	3	8	-	-	-	-	-	2	2	2	2	7	-	-	16	62
52	17	27	5	4	1	1	-	-	2	2	-	-	1	14	7	7	11	2	-	10	63
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
52	17	26	5	4	1	1	-	-	2	2	-	-	1	14	7	7	11	2	-	10	65
137	12	23	-	22	3	10	13	6	2	2	1	-	1	15	-	16	12	8	1	34	66
78	5	7	-	10	1	1	7	3	1	1	1	-	-	8	-	5	6	3	1	15	67
59	7	16	-	12	2	9	6	3	1	1	-	-	1	7	-	11	6	5	-	19	68
15,202	2,260	4,360	387	615	317	514	2,091	351	227	712	61	36	511	1,849	358	733	1,196	403	345	2,480	69
12,481	1,870	3,734	323	502	239	421	1,801	297	190	593	55	35	372	1,477	289	557	996	312	315	1,970	70
194	24	49	5	10	3	7	23	2	2	5	-	-	2	11	-	5	10	7	3	28	71
252	27	45	5	9	3	10	22	2	3	14	-	-	8	19	4	3	10	9	1	39	72
248	33	89	6	9	11	8	28	6	1	6	1	-	6	18	6	11	11	2	3	42	73
225	40	80	6	13	6	9	28	5	3	5	-	-	9	10	3	7	7	5	2	43	74
6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	75
81	18	15	3	2	2	6	11	1	-	2	1	-	3	12	6	6	-	4	1	15	76
97	8	7	3	1	2	2	8	1	1	1	-	-	3	7	1	4	10	1	1	8	77
44	9	10	2	2	3	-	2	-	1	3	-	-	4	3	2	2	4	1	-	9	78
40	6	5	1	-	-	1	4	1	1	4	-	-	2	10	2	5	7	1	-	6	79
65	10	11	4	3	3	9	8	-	1	4	1	-	5	17	-	9	9	1	4	16	80
50	3	12	1	2	4	2	10	-	-	2	-	-	4	10	-	5	6	3	1	5	81
51	7	12	-	-	1	2	4	-	1	5	-	-	4	9	1	5	5	2	-	5	82
35	3	4	-	2	2	-	4	1	1	-	-	-	2	4	2	2	-	2	1	5	83
41	7	10	-	-	-	1	9	2	-	8	-	-	3	4	2	-	2	1	-	8	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
	Cook—Continued																
1	Harvey	194	1	1	-	-	27	4	4	19	3	102	99	16	-	79	3
2	La Grange	151	-	1	1	-	33	11	2	20	5	76	76	12	-	59	1
3	Melrose Park	159	1	-	2	3	23	5	3	15	5	78	78	11	-	62	4
4	Park Ridge	189	-	-	-	-	46	19	4	23	2	106	105	19	-	77	-
5	River Forest	101	-	-	-	-	13	3	1	9	2	68	67	18	-	46	2
6	Skokie	206	2	-	1	-	46	11	3	32	1	103	103	21	-	77	1
7	Wilmette	205	-	-	-	-	44	15	3	26	1	115	114	17	-	94	-
8	Winnetka	106	1	1	-	1	20	6	-	14	-	67	65	15	-	46	2
9	Balance of county	3,233	16	5	10	11	573	176	83	314	42	1,702	1,674	297	1	1,288	54
10	Crawford	265	-	-	-	-	47	17	8	22	5	166	155	28	1	116	2
11	Cumberland	112	2	-	-	2	18	4	4	10	1	64	62	15	-	39	2
12	De Kalb	414	-	1	-	3	73	21	11	41	5	232	220	67	1	135	4
13	De Kalb	110	-	-	-	-	13	3	1	9	3	68	66	18	1	44	2
14	Balance of county	304	-	1	-	3	60	18	10	32	2	164	154	49	-	91	2
15	De Witt	190	1	-	-	1	32	12	2	18	2	112	108	16	-	82	3
16	Douglas	208	2	-	-	-	34	12	4	18	1	120	108	23	-	82	3
17	Du Page	1,647	6	1	3	5	290	120	25	145	24	919	911	188	4	681	22
18	Downers Grove	149	1	-	-	-	24	8	1	15	2	87	86	17	1	66	1
19	Elmhurst	250	1	-	1	1	40	17	3	20	2	144	142	25	-	108	7
20	Wheaton	124	-	-	-	-	19	5	3	11	1	69	69	18	-	50	3
21	Balance of county	1,124	4	1	2	4	207	90	18	99	19	619	614	128	3	457	11
22	Edgar	281	-	-	-	1	42	14	4	24	2	175	172	40	-	124	2
23	Edwards	109	-	-	-	-	11	2	3	6	2	59	59	16	-	38	3
24	Effingham	230	-	-	-	-	45	17	3	25	1	117	112	19	-	84	1
25	Fayette	241	-	-	-	2	35	9	5	21	4	147	143	23	-	102	4
26	Ford	184	1	-	1	-	26	7	2	17	1	121	115	16	-	85	3
27	Franklin	531	7	-	-	6	88	27	14	47	13	295	283	44	-	216	6
28	West Frankfort	136	1	-	-	1	21	3	3	15	5	84	81	10	-	64	1
29	Balance of county	395	6	-	-	5	67	24	11	32	8	211	202	34	-	152	5
30	Fulton	467	1	-	-	3	63	22	3	38	4	308	304	65	-	220	13
31	Canton	127	-	-	-	1	23	8	2	13	1	77	76	19	-	53	3
32	Balance of county	340	1	-	-	2	40	14	1	25	3	231	228	46	-	167	10
33	Gallatin	130	2	-	-	-	18	8	3	7	-	82	79	20	-	57	1
34	Greene	215	1	-	-	1	29	8	7	14	4	128	126	25	-	96	3
35	Grundy	185	1	-	-	-	21	6	2	13	2	108	107	19	-	85	1
36	Hamilton	145	1	1	-	-	21	5	4	12	-	100	98	24	-	68	-
37	Hancock	328	1	-	-	1	44	16	5	23	-	220	219	54	-	151	3
38	Hardin	72	2	-	-	-	13	4	2	7	1	36	36	9	-	25	-
39	Henderson	102	-	-	-	2	12	4	-	8	-	62	62	10	-	48	-
40	Henry	513	3	1	-	2	82	24	8	50	12	309	305	72	-	219	9
41	Kewanee	201	2	1	-	1	35	8	4	23	7	107	105	17	-	86	4
42	Balance of county	312	1	-	-	1	47	16	4	27	5	202	200	55	-	133	5
43	Iroquois	357	1	-	-	2	49	22	2	25	7	204	203	43	-	150	1
44	Jackson	421	2	-	-	2	51	14	7	30	4	263	251	49	-	181	4
45	Carbondale	125	-	-	-	-	16	4	3	9	3	84	82	15	-	60	-
46	Balance of county	296	2	-	-	2	35	10	4	21	1	179	169	34	-	121	4
47	Jasper	163	-	-	-	-	30	18	2	10	4	96	95	22	-	65	-
48	Jefferson	346	1	-	-	2	48	14	3	31	6	188	183	44	-	124	1
49	Mount Vernon	194	1	-	-	2	28	9	2	17	3	103	101	25	-	71	1
50	Balance of county	152	-	-	-	-	20	5	1	14	3	85	82	19	-	53	-
51	Jersey	138	-	-	-	1	27	11	5	11	1	76	74	18	-	49	1
52	Jo Daviess	246	-	-	-	3	35	13	1	21	7	143	142	39	1	92	1
53	Johnson	91	2	-	-	-	14	7	-	7	3	55	47	9	-	35	-
54	Kane	1,644	2	2	-	4	285	112	34	139	28	941	923	180	1	680	21
55	Aurora	629	1	1	-	3	112	40	14	58	10	360	351	74	1	251	7
56	Elgin (part)	488	1	-	-	1	91	43	11	37	9	282	279	53	-	205	7
57	Elgin (total)	507	1	-	-	1	95	45	12	38	9	293	290	55	-	214	7
58	Balance of county	527	-	1	-	-	82	29	9	44	9	299	293	53	-	224	7
59	Kankakee	663	2	2	1	1	126	46	15	65	8	366	360	66	1	279	8
60	Kankakee	312	1	1	1	1	60	18	10	32	3	169	166	30	-	129	5
61	Balance of county	351	1	1	-	-	66	28	5	33	5	197	194	36	1	150	3
62	Kendall	119	-	-	-	-	19	5	3	11	1	60	56	10	-	40	1
63	Knox	652	2	3	-	1	110	43	11	56	5	404	400	90	-	288	5
64	Galesburg	413	1	3	-	1	70	22	9	39	5	258	257	63	-	178	2
65	Balance of county	239	1	-	-	-	40	21	2	17	-	146	143	27	-	110	3
66	Lake	1,649	8	1	4	5	303	97	40	166	23	841	830	146	1	624	20
67	Waukegan	421	4	-	1	2	85	33	8	44	7	196	194	34	-	141	3
68	Highland Park	152	-	-	-	-	30	9	4	17	-	88	87	13	-	69	-
69	Balance of county	1,076	4	1	3	3	188	55	28	105	16	557	549	99	1	414	17
70	La Salle	1,176	3	2	-	5	181	77	15	89	18	671	658	127	1	501	20
71	La Salle	142	-	-	-	2	24	10	3	11	1	79	78	17	-	60	1
72	Ottawa	237	1	1	-	-	36	15	4	17	5	136	131	16	-	108	1
73	Streator (part)	196	-	-	-	1	33	14	2	17	4	108	106	23	-	76	5
74	Streator (total)	203	-	-	-	1	36	15	3	18	4	109	107	23	-	77	5
75	Balance of county	601	2	1	-	2	88	38	6	44	8	348	343	71	1	257	13
76	Lawrence	212	-	-	-	-	27	9	1	17	2	127	125	24	-	96	4
77	Lee	368	2	1	-	-	48	15	2	31	11	202	194	33	-	148	3
78	Dixon	177	2	-	-	-	24	7	1	16	3	107	101	17	-	75	2
79	Balance of county	191	-	1	-	-	24	8	1	15	8	95	93	16	-	73	1
80	Livingston	421	1	-	-	1	64	18	9	37	7	249	242	49	-	178	6
81	Streator (part)	7	-	-	-	-	3	1	1	1	-	1	1	-	-	1	-
82	Balance of county	414	1	-	-	1	61	17	8	36	7	248	241	49	-	177	6
83	Logan	306	2	-	-	2	58	18	6	34	4	170	167	35	-	120	3
84	Lincoln	165	-	-	-	-	33	9	3	21	2	92	91	23	-	58	2
85	Balance of county	141	2	-	-	2	25	9	3	13	2	78	76	12	-	62	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
59	13	4	1	2	1	3	7	3	1	3	-	-	1	8	3	7	5	1	1	20	1
45	4	9	2	1	2	-	4	2	-	-	1	-	4	8	-	2	4	2	-	8	2
50	2	6	2	2	1	-	3	2	2	6	-	-	2	11	1	2	4	1	-	13	3
57	10	10	2	3	4	1	3	2	1	4	-	-	2	10	1	1	3	1	-	7	4
37	4	3	1	2	-	1	1	-	-	1	1	-	1	2	-	2	1	2	-	7	5
53	10	13	-	3	2	-	5	-	-	5	1	-	5	5	4	5	2	7	1	13	6
58	14	22	-	1	2	1	4	-	1	3	-	-	3	4	1	5	4	2	2	16	7
32	4	8	1	1	2	2	2	-	-	-	-	-	-	3	1	-	-	3	-	7	8
901	131	202	19	45	24	28	99	24	17	38	-	1	66	187	29	87	95	32	9	190	9
74	7	33	2	3	5	11	4	-	2	2	-	-	2	6	-	2	9	4	1	15	10
26	5	6	-	7	1	2	2	-	-	2	-	-	3	-	1	2	4	2	-	9	11
91	14	26	5	9	3	12	19	1	1	1	-	1	4	12	3	11	20	9	1	17	12
31	4	7	1	-	2	2	7	-	-	-	-	-	2	2	1	5	4	2	-	3	13
60	10	19	4	9	1	10	12	1	1	1	-	1	2	10	2	6	16	7	1	14	14
32	16	31	1	7	2	4	7	1	1	-	-	-	2	7	2	5	9	2	-	6	15
51	7	21	1	2	-	12	5	-	-	1	2	-	1	8	-	4	13	7	-	10	16
477	58	124	9	18	11	8	63	7	3	7	6	2	29	65	8	42	48	16	2	101	17
45	2	18	1	-	1	1	4	-	-	-	1	-	4	8	-	3	5	1	-	9	18
75	10	16	2	5	2	2	11	2	-	-	1	-	3	11	3	7	10	2	-	11	19
31	6	10	1	-	-	-	3	2	-	1	-	-	2	8	1	2	1	2	-	13	20
326	40	80	5	13	8	5	45	3	3	6	4	2	20	38	4	30	32	11	2	68	21
84	15	23	-	7	1	3	4	2	2	-	2	-	3	7	2	4	10	2	2	21	22
17	7	11	1	4	-	-	5	-	1	1	-	1	3	3	1	4	5	2	-	11	23
60	9	14	-	9	-	5	5	2	3	4	-	-	2	8	3	7	12	1	-	20	24
52	12	34	-	17	1	4	10	-	1	-	-	-	1	7	2	7	10	6	-	9	25
57	8	17	3	8	3	6	6	-	2	-	1	-	-	3	1	9	3	1	-	8	26
157	17	36	4	17	2	12	16	3	5	6	2	1	5	3	3	14	20	7	-	37	27
56	2	5	1	4	2	3	3	-	1	1	2	-	-	-	1	4	2	-	-	10	28
101	15	31	3	13	-	9	13	3	4	5	-	1	5	3	2	10	18	7	-	27	29
155	23	29	6	12	1	4	16	5	1	3	-	-	2	9	3	7	9	6	1	26	30
39	7	4	2	2	-	1	4	2	1	2	-	-	-	2	2	3	2	-	1	6	31
116	16	25	4	10	1	3	12	3	-	1	-	-	2	7	1	4	7	6	-	20	32
27	12	17	-	2	-	3	1	1	2	1	-	-	1	2	6	5	1	-	-	8	33
45	13	35	1	3	1	2	9	4	-	-	-	-	1	12	4	3	4	3	2	10	34
58	12	14	-	3	-	1	2	-	-	1	-	1	4	4	3	7	10	1	-	20	35
34	10	24	2	4	-	2	3	-	-	-	-	-	1	-	2	4	3	1	-	8	36
101	10	37	2	10	2	1	7	1	-	1	-	1	1	6	-	13	12	4	-	16	37
16	2	7	1	1	-	-	4	-	2	1	-	-	2	2	-	2	5	1	-	1	38
36	2	10	3	1	-	-	2	1	-	1	-	-	-	2	-	6	6	-	-	8	39
160	20	30	4	7	3	4	12	2	-	4	2	-	9	12	-	9	12	10	-	32	40
61	9	12	1	1	-	2	5	-	-	3	2	-	3	5	-	5	5	6	-	14	41
99	11	18	3	6	3	2	7	2	-	1	-	-	6	7	-	4	7	4	-	18	42
114	15	20	2	7	1	1	8	3	1	1	-	-	2	13	13	12	7	5	1	28	43
123	23	31	4	12	5	12	10	1	1	7	1	1	1	13	3	17	10	5	1	28	44
49	3	8	1	3	3	2	3	-	-	-	1	-	-	1	2	4	4	-	1	6	45
74	20	23	3	9	2	10	7	1	1	7	-	1	1	12	1	13	6	5	-	22	46
44	12	9	1	7	-	1	6	-	-	1	-	-	-	4	1	1	3	4	-	13	47
71	15	37	4	6	5	5	8	2	1	4	-	-	6	8	6	16	12	5	-	33	48
40	11	19	3	2	-	2	4	1	-	4	-	-	4	5	4	7	6	1	-	21	49
31	4	18	1	4	5	3	4	1	1	-	-	-	2	3	2	9	6	4	-	12	50
29	10	9	-	7	-	2	3	-	1	1	1	-	1	8	1	3	3	5	-	6	51
67	6	18	1	7	2	1	4	-	-	3	-	-	2	11	1	6	14	3	-	14	52
26	6	3	1	2	-	8	3	-	-	-	-	-	1	-	1	1	5	-	-	6	53
465	74	120	14	38	10	18	64	12	11	14	2	1	14	55	8	32	48	22	4	95	54
155	31	58	5	18	2	9	26	1	2	2	1	-	5	23	1	9	20	9	3	40	55
151	22	25	5	10	6	3	19	6	3	4	1	1	5	10	4	6	12	6	-	27	56
157	25	25	5	10	6	3	20	6	3	4	1	1	5	10	4	7	13	7	-	27	57
159	21	37	4	10	2	6	19	5	6	8	-	-	4	22	3	17	16	7	1	28	58
229	17	25	4	8	2	6	22	2	1	2	-	-	8	24	7	31	15	6	3	36	59
109	8	7	1	4	2	3	13	2	1	1	-	-	3	11	3	15	6	4	-	17	60
120	9	18	3	4	-	3	9	-	-	1	-	-	5	13	4	16	9	2	3	19	61
27	4	8	1	4	1	4	4	-	1	-	-	-	2	6	-	5	5	2	-	14	62
238	25	20	2	14	6	4	19	6	1	1	1	1	3	16	1	14	20	8	-	36	63
147	15	14	2	10	4	1	9	4	1	1	-	-	1	12	-	9	14	3	-	21	64
91	10	6	-	4	2	3	10	2	-	-	1	1	2	4	1	5	6	5	-	15	65
478	65	61	14	28	17	11	45	14	9	26	1	3	35	81	22	43	52	22	8	103	66
118	9	11	5	8	6	2	15	2	3	9	-	1	10	21	5	9	13	4	4	30	67
57	10	2	-	2	3	1	7	1	-	3	-	-	1	5	1	3	5	3	-	5	68
303	46	48	9	18	8	8	23	11	6	14	1	2	24	55	16	31	34	15	4	68	69
366	42	73	2	19	8	13	33	5	2	9	-	-	15	53	4	36	46	11	1	81	70
47	4	8	-	1	-	1	3	2	-	3	-	-	6	4	1	3	6	-	-	8	71
80	11	16	-	3	4	5	5	-	-	2	-	-	3	11	-	8	9	2	-	18	72
54	5	12	1	5	1	2	9	1	1	1	-	-	2	10	-	2	7	1	-	16	73
55	5	12	1	5	1	2	9	1	1	1	-	-	2	10	1	2	7	2	-	17	74
185	22	37	1	10	3	5	16	2	1	3	-	-	4	28	3	23	24	8	1	39	75
70	15	7	1	3	1	2	14	2	1	-	-	2	1	5	-	5	8	1	-	17	76
94	15	36	3	8	2	8	11	3	1	2	1	-	7	13	1	13	10	5	1	36	77
51	7	15	1	6	2	6	4	1	1	1	-	-	2	4	1	4	3	3	1	16	78
43	8	21	2	2	-	2	7	2	-	1	1	-	5	9	-	9	7	2	-	20	79
116	16	40	3	9	3	7	16	2	3	2	1	-	5	15	3	13	12	4	-	23	80
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	81
115	16	40	3	9	3	7	16	2	3	2	1	-	5	15	2	13	12	3	-	22	82
73	13	31	-	10	2	3	14	5	-	1	1	1	2	8	3	5	14	4	-	12	83
31	9	16	-	8	2	1	7	3	-	1	1	-	1	4	-	1	8	3	-	9	84
42	4	15	-	2	-	2	7	2	-	-	-	1	1	4	3	4	6	1	-	3	85

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	McDonough	349	-	1	-	-	54	19	6	29	4	206	201	48	-	145	2
2	Macomb	149	-	1	-	-	21	9	3	9	3	89	84	19	-	63	1
3	Balance of county	200	-	-	-	-	33	10	3	20	1	117	117	29	-	82	1
4	McHenry	646	2	-	-	1	93	34	17	42	13	376	373	63	-	296	10
5	McLean	856	4	1	-	5	105	30	11	64	8	550	541	114	1	389	10
6	Bloomington	437	4	1	-	2	58	13	8	37	1	285	280	64	-	193	2
7	Balance of county	419	-	-	-	3	47	17	3	27	7	265	261	50	1	196	8
8	Macon	972	6	-	-	4	158	50	15	93	17	544	531	113	-	391	13
9	Decatur	736	6	-	-	1	116	32	12	72	14	417	406	85	-	300	10
10	Balance of county	236	-	-	-	3	42	18	3	21	3	127	125	28	-	91	3
11	Macoupin	530	2	-	-	-	100	30	14	56	6	305	300	53	-	237	3
12	Madison	1,807	11	4	2	5	287	90	41	156	16	1,000	984	200	1	727	20
13	Alton	372	5	1	-	1	54	13	9	32	5	226	225	47	1	174	4
14	Granite City	301	2	1	-	1	40	15	8	17	2	167	163	24	-	131	1
15	Collinsville (part)	126	-	-	-	-	19	5	3	11	-	72	71	12	-	54	-
16	Collinsville (total)	137	-	-	-	-	22	7	3	12	-	78	77	15	-	57	-
17	Wood River	69	-	-	-	-	14	4	3	7	-	36	35	10	-	23	4
18	Balance of county	939	4	2	2	3	160	53	18	89	9	499	490	107	-	345	11
19	Marion	408	-	1	-	2	59	27	6	26	6	242	238	49	-	181	7
20	Centralia (part)	153	-	-	-	-	23	9	2	12	4	97	95	16	-	74	2
21	Centralia (total)	156	-	-	-	-	25	11	2	12	4	98	96	16	-	75	2
22	Balance of county	255	-	1	-	2	36	18	4	14	2	145	143	33	-	107	5
23	Marshall	145	1	-	1	1	25	9	-	16	6	84	80	15	-	58	8
24	Mason	203	2	-	-	-	37	17	3	17	2	116	115	16	-	91	2
25	Massac	171	2	-	-	3	16	5	4	7	6	111	111	22	-	81	1
26	Menard	131	1	-	-	-	16	6	1	9	1	84	84	15	-	69	-
27	Mercer	203	-	1	-	1	22	8	1	13	2	127	127	30	-	91	1
28	Monroe	154	1	-	-	-	31	15	2	14	3	84	84	17	-	63	1
29	Montgomery	389	1	-	-	-	55	20	8	27	7	237	226	51	-	165	1
30	Morgan	390	1	1	-	-	69	25	3	41	3	225	223	59	-	144	3
31	Jacksonville	233	1	1	-	-	35	11	3	21	2	137	136	26	-	95	3
32	Balance of county	157	-	-	-	-	34	14	-	20	1	88	87	33	-	49	-
33	Moultrie	131	1	-	-	-	22	6	3	13	1	75	73	13	-	54	3
34	Ogle	360	-	-	-	1	61	29	2	30	9	186	185	38	-	134	1
35	Peoria	1,698	9	4	-	2	294	88	48	158	21	1,011	996	200	2	683	30
36	Peoria	1,197	7	4	-	1	195	58	39	98	14	741	729	156	1	495	25
37	Balance of county	501	2	-	-	1	99	30	9	60	7	270	267	44	1	188	5
38	Perry	216	1	1	-	-	38	15	8	15	2	124	120	14	-	98	3
39	Piatt	177	-	1	-	-	14	9	-	5	2	122	118	19	-	93	6
40	Pike	236	2	-	-	-	28	9	2	17	4	155	154	35	-	109	-
41	Pope	41	-	-	-	-	6	3	-	3	-	28	28	5	-	23	3
42	Pulaski	179	4	2	-	2	25	12	3	10	3	94	89	27	-	55	2
43	Putnam	56	1	-	-	-	13	7	1	5	-	30	30	6	-	22	3
44	Randolph	332	-	-	-	1	43	18	5	20	6	210	206	40	-	147	2
45	Richland	152	-	-	1	-	21	6	3	12	2	94	93	16	-	72	3
46	Rock Island	1,396	5	-	1	5	245	89	32	124	24	799	786	169	1	541	20
47	Moline	446	2	-	1	1	82	26	10	46	8	259	254	56	-	178	5
48	Rock Island	541	2	-	-	2	99	37	13	49	11	311	306	57	1	215	9
49	East Moline	144	-	-	-	1	24	10	3	11	2	74	73	19	-	49	-
50	Balance of county	265	1	-	-	1	40	16	6	18	3	155	153	37	-	99	6
51	St. Clair	2,287	18	4	-	7	377	126	59	192	36	1,207	1,144	220	3	856	23
52	East St. Louis	1,083	12	2	-	3	159	54	25	80	18	573	526	100	1	395	10
53	Belleville	445	3	-	-	2	83	27	9	47	7	250	246	62	-	170	1
54	Collinsville (part)	11	-	-	-	-	3	2	-	1	-	6	6	3	-	3	-
55	Balance of county	748	3	2	-	2	132	43	25	64	11	378	366	55	2	286	12
56	Saline	398	6	-	-	2	66	19	12	35	6	237	225	38	-	172	1
57	Harrisburg	154	2	-	-	1	25	4	5	16	3	88	82	15	-	58	1
58	Balance of county	244	4	-	-	1	41	15	7	19	3	149	143	23	-	114	-
59	Sangamon	1,544	10	5	1	7	249	85	25	139	22	870	859	205	1	597	21
60	Springfield	1,130	7	3	1	6	188	64	18	106	15	638	628	154	1	429	15
61	Balance of county	414	3	2	-	1	61	21	7	33	7	232	231	51	-	168	6
62	Schuyler	105	-	-	-	-	25	14	2	9	2	64	63	17	-	42	3
63	Scott	80	1	-	-	-	18	7	2	9	1	38	38	11	-	24	1
64	Shelby	283	-	1	-	-	52	23	4	25	4	174	161	39	-	114	4
65	Stark	82	-	-	-	-	8	2	1	5	1	57	56	14	-	39	2
66	Stephenson	511	-	-	-	1	87	29	11	47	8	308	303	60	-	224	6
67	Freeport	331	-	-	-	1	61	19	8	34	7	195	191	38	-	140	4
68	Balance of county	180	-	-	-	-	26	10	3	13	1	113	112	22	-	84	2
69	Tazewell	611	3	2	-	-	106	42	14	50	10	307	296	66	1	207	7
70	Pekin	220	1	2	-	-	39	17	5	17	2	112	109	23	-	78	2
71	Balance of county	391	2	-	-	-	67	25	9	33	8	195	187	43	1	129	5
72	Union	203	3	-	-	3	35	10	4	21	3	110	107	23	-	72	1
73	Vermilion	1,060	4	3	1	4	171	61	21	89	15	634	616	130	1	425	10
74	Danville	609	4	3	-	3	92	38	8	46	10	366	353	70	-	243	8
75	Balance of county	451	-	-	1	1	79	23	13	43	5	268	263	60	1	182	2
76	Wabash	174	-	1	-	-	20	5	3	12	3	99	99	28	-	63	4
77	Warren	244	1	1	-	-	37	14	4	19	3	151	148	24	1	117	1
78	Monmouth	146	1	1	-	-	24	10	3	11	2	92	89	20	-	65	-
79	Balance of county	98	-	-	-	-	13	4	1	8	1	59	59	4	1	52	1
80	Washington	192	-	-	-	1	29	10	3	16	1	129	128	42	-	76	-
81	Wayne	234	1	-	-	-	35	11	2	22	3	149	147	26	-	114	2
82	White	222	-	-	-	-	30	15	3	12	1	137	135	39	-	84	1
83	Whiteside	535	2	1	-	3	73	23	8	42	19	309	302	65	1	211	7
84	Sterling	168	1	-	-	2	22	6	2	14	5	98	97	19	-	71	2
85	Balance of county	367	1	1	-	1	51	17	6	28	14	211	205	46	1	140	5
86	Will	1,445	11	3	-	6	225	81	34	110	26	813	797	139	1	618	23
87	Joliet	856	9	2	-	3	140	44	23	73	16	492	485	81	1	376	13
88	Balance of county	589	2	1	-	3	85	37	11	37	10	321	312	58	-	242	10

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
96	9	38	2	6	-	5	10	1	2	3	1	-	-	5	-	13	11	1	5	32	1
39	4	19	-	2	-	5	3	1	1	-	-	-	-	3	-	4	3	1	5	14	2
57	5	19	2	4	-	-	7	-	1	3	1	-	-	2	-	9	8	-	-	18	3
184	40	62	2	9	3	3	24	5	2	7	-	1	4	13	2	32	22	5	3	41	4
276	45	58	11	20	6	9	17	2	3	4	1	-	15	22	5	25	28	9	-	52	5
132	25	34	5	12	6	5	9	-	2	2	1	-	4	10	3	9	13	3	-	30	6
144	20	24	6	8	-	4	8	2	1	2	-	-	11	12	2	16	15	6	-	22	7
257	57	64	3	18	6	13	28	8	4	7	3	-	10	48	1	29	37	10	1	57	8
199	41	50	-	15	6	11	20	8	4	6	2	-	6	39	1	19	27	8	1	41	9
58	16	14	3	3	-	2	8	-	-	1	1	-	4	9	-	10	10	2	-	16	10
160	32	42	1	7	2	5	11	3	2	7	-	-	2	11	2	12	28	4	1	34	11
420	85	202	16	33	7	16	55	8	11	18	2	-	24	77	55	38	63	11	6	114	12
95	32	43	-	1	2	1	8	-	2	1	-	-	2	16	12	4	11	3	1	20	13
75	9	46	1	7	-	4	7	2	3	3	-	-	6	20	7	6	10	-	1	23	14
39	6	9	3	1	1	1	4	2	1	1	-	-	1	6	5	-	5	2	-	8	15
41	7	9	3	1	1	1	4	2	1	1	-	-	1	6	5	-	5	2	-	10	16
9	1	9	1	1	-	1	2	1	-	-	-	-	2	2	3	4	1	1	-	3	17
202	37	95	11	23	4	9	34	3	5	13	2	-	13	33	28	24	36	5	4	60	18
110	15	49	-	4	4	4	8	2	1	2	2	-	4	10	8	8	16	5	1	31	19
46	7	19	-	3	2	2	1	1	-	2	-	-	2	5	2	2	3	-	1	10	20
46	7	20	-	3	2	2	1	1	-	2	-	-	2	5	2	2	3	-	1	10	21
64	8	30	-	1	2	2	7	1	1	-	2	-	2	5	6	6	13	5	-	21	22
38	8	4	1	6	-	4	3	-	-	-	-	-	2	4	1	4	6	1	-	6	23
60	12	17	3	3	2	1	4	2	-	1	-	-	1	5	2	7	3	1	1	19	24
39	24	17	-	7	1	-	4	1	-	-	-	-	-	5	-	3	6	-	1	13	25
57	4	8	-	-	-	-	3	-	-	-	-	2	1	2	1	3	8	-	-	9	26
65	12	13	1	3	2	-	5	1	-	2	-	-	4	3	1	6	8	4	-	16	27
49	5	8	-	3	1	-	-	2	1	1	-	-	-	4	3	6	6	2	-	10	28
93	12	59	3	7	-	11	13	2	1	2	-	-	5	9	5	10	14	7	-	21	29
105	12	24	2	17	1	2	18	1	-	2	-	-	2	12	3	9	12	4	1	27	30
68	8	16	-	14	1	1	11	1	-	2	-	-	1	8	2	8	6	4	1	13	31
37	4	8	2	3	-	1	7	-	-	-	-	-	1	4	1	1	6	-	-	14	32
39	5	7	1	4	1	2	6	-	-	1	-	-	1	6	1	3	4	1	-	9	33
95	15	23	1	5	7	1	4	4	-	2	-	-	8	18	2	18	12	9	1	25	34
480	69	104	12	79	20	15	41	14	5	12	1	1	13	60	3	47	31	19	2	108	35
346	50	74	7	56	14	12	35	12	4	9	-	1	6	39	1	26	23	9	2	68	36
134	19	30	5	23	6	3	6	2	1	3	1	-	7	21	2	21	8	10	-	40	37
65	14	16	2	6	-	4	6	1	3	1	1	-	2	7	3	4	4	1	1	16	38
59	9	19	1	5	-	4	2	1	2	-	-	-	-	3	1	10	5	-	-	14	39
81	14	14	1	7	2	1	7	-	2	1	1	-	3	5	2	5	6	2	-	13	40
16	1	3	-	-	-	-	1	-	-	2	-	-	-	-	1	-	2	-	-	1	41
41	5	7	1	5	1	5	3	1	3	2	1	-	3	8	-	6	4	2	1	15	42
12	1	6	-	1	1	-	-	-	-	-	-	-	-	3	1	1	2	1	1	3	43
102	15	28	2	17	-	4	5	2	1	2	-	-	4	12	3	8	13	2	-	20	44
63	3	3	1	4	-	1	2	-	-	2	-	-	1	5	-	1	6	4	-	13	45
408	45	68	7	60	8	13	23	6	1	19	-	1	15	55	9	40	52	10	3	83	46
132	16	25	2	15	3	5	8	3	-	5	-	-	4	9	3	17	16	3	-	25	47
169	15	22	3	27	3	5	8	2	-	9	-	-	5	25	2	10	20	2	3	30	48
39	5	5	-	4	1	1	3	-	-	3	-	1	1	5	3	5	10	2	-	10	49
68	9	16	2	14	1	2	4	1	1	2	-	-	5	16	1	8	6	3	-	18	50
544	111	178	18	34	13	63	82	16	12	16	5	1	34	97	53	54	77	25	21	145	51
233	68	84	8	14	8	47	48	8	6	9	1	1	14	43	31	21	38	9	19	68	52
116	12	41	3	8	3	4	10	2	4	2	1	-	7	24	5	7	12	2	-	24	53
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	54
193	30	53	7	12	2	12	24	6	2	5	3	-	13	30	17	26	27	14	2	51	55
104	36	31	2	11	2	12	8	2	1	2	-	-	1	6	7	9	11	4	-	30	56
31	13	13	2	5	2	6	4	2	1	-	-	-	-	1	4	6	6	1	-	10	57
73	23	18	-	6	-	6	4	-	-	2	-	-	1	5	3	3	5	3	-	20	58
461	48	67	13	30	13	11	27	9	7	20	2	1	22	43	40	50	32	19	4	104	59
340	30	44	12	22	10	10	19	6	5	15	2	1	14	28	28	36	21	14	3	80	60
121	18	23	1	8	3	1	8	3	2	5	-	-	8	15	12	14	11	5	1	24	61
22	-	17	4	-	-	1	1	1	-	-	-	-	-	3	-	1	1	2	-	5	62
18	1	4	1	2	-	-	5	-	-	1	-	-	-	6	1	6	-	-	-	3	63
53	12	45	4	4	-	13	6	2	-	2	-	-	2	4	3	4	9	1	-	19	64
25	4	8	1	2	-	1	3	1	-	-	-	-	-	2	1	1	5	1	-	2	65
138	45	35	3	12	4	5	12	4	1	2	-	-	7	10	4	15	11	7	1	33	66
90	22	24	3	8	2	4	9	3	1	1	-	-	4	10	3	4	6	5	1	20	67
48	23	11	-	4	2	1	3	1	-	1	-	-	3	-	1	11	5	2	-	13	68
145	31	24	5	9	8	11	14	1	3	3	2	1	13	37	5	27	26	13	-	38	69
55	9	12	1	2	5	3	7	-	1	3	-	-	7	11	2	7	9	2	-	15	70
90	22	12	4	7	3	8	7	1	2	-	2	1	6	26	3	20	17	11	-	23	71
63	4	4	1	10	1	3	4	-	1	1	-	-	3	7	1	6	12	1	2	11	72
315	35	65	14	40	6	18	37	5	1	12	1	-	15	26	1	22	37	10	4	57	73
184	20	31	10	24	6	13	24	3	-	8	-	-	10	14	1	8	21	5	3	34	74
131	15	34	4	16	-	5	13	2	1	4	1	-	5	12	-	14	16	5	1	23	75
41	3	15	2	6	-	-	7	1	2	1	2	1	1	7	-	9	5	-	3	12	76
68	13	35	1	5	-	3	6	-	-	-	-	1	5	6	1	9	10	1	-	12	77
37	9	19	1	3	-	3	4	-	-	-	-	1	3	5	1	3	4	-	-	5	78
31	4	16	-	2	-	-	2	-	-	-	-	-	2	1	-	6	6	1	-	7	79
50	13	13	1	8	1	1	8	-	-	-	-	-	1	5	-	2	2	1	-	13	80
62	22	28	-	6	1	2	6	2	-	1	1	1	-	5	1	6	5	3	-	15	81
72	6	5	2	10	-	2	9	-	-	-	-	1	3	5	2	10	12	-	-	12	82
144	21	39	6	12	7	7	12	1	4	3	2	1	8	23	2	17	22	4	-	29	83
58	6	5	2	3	2	1	4	-	-	2	1	-	4	6	-	7	9	1	-	6	84
86	15	34	4	9	5	6	8	1	4	1	1	1	4	17	2	10	13	3	-	23	85
371	105	119	12	18	9	16	49	8	3	13	3	4	13	59	22	42	40	12	2	91	86
214	65	84	5	14	8	7	27	2	2	9	-	4	8	33	11	20	20	4	1	53	87
157	40	35	7	4	1	9	22	6	1	4	3	-	5	26	11	22	20	8	1	38	88

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Williamson	599	8	3	1	2	86	31	12	43	3	371	363	63	-	262	5
2	Marion	145	-	-	1	-	15	5	3	7	1	95	94	21	-	67	1
3	Balance of county	454	8	3	-	2	71	26	9	36	2	276	269	42	-	195	4
4	Winnebago	1,473	9	-	2	4	240	94	25	121	11	804	792	190	1	563	19
5	Rockford	1,068	8	-	1	3	184	73	21	90	6	593	583	138	1	414	17
6	Balance of county	405	1	-	1	1	56	21	4	31	5	211	209	52	-	149	2
7	Woodford	229	-	1	-	1	44	15	4	25	1	135	134	40	-	81	1
8	INDIANA	42,093	321	111	20	188	6,396	2,293	737	3,366	724	23,848	23,366	5,496	33	16,130	504
9	Metropolitan counties	18,011	172	58	8	82	2,828	976	369	1,483	322	9,742	9,553	2,114	8	6,710	228
10	Nonmetropolitan counties	24,082	149	53	12	106	3,568	1,317	368	1,883	402	14,106	13,813	3,382	25	9,420	276
11	Adams	212	1	-	-	1	26	10	2	14	2	117	111	32	-	72	5
12	Allen	1,762	19	5	1	10	258	88	28	142	31	966	948	180	1	706	29
13	Fort Wayne	1,395	16	3	1	8	216	75	24	117	23	778	761	147	1	567	22
14	Balance of county	367	3	2	-	2	42	13	4	25	8	188	187	33	-	139	7
15	Bartholomew	388	2	1	1	1	63	20	9	34	8	224	221	64	-	142	5
16	Columbus	211	1	-	-	-	38	11	6	21	6	118	117	38	-	73	4
17	Balance of county	177	1	1	1	1	25	9	3	13	2	106	104	26	-	69	1
18	Benton	128	-	-	-	-	15	6	2	7	3	88	85	23	-	56	1
19	Blackford	161	1	1	-	-	22	7	2	13	3	94	90	34	1	48	2
20	Boone	303	3	1	-	2	54	25	4	25	3	172	168	38	1	121	2
21	Brown	63	-	-	-	-	3	1	-	2	1	41	41	11	-	28	3
22	Carroll	190	1	-	-	-	27	13	3	11	1	131	129	33	-	84	4
23	Cass	461	4	-	-	1	61	21	5	35	8	274	269	55	1	184	4
24	Logansport	288	2	-	-	1	40	14	4	22	6	173	170	28	1	124	2
25	Balance of county	173	2	-	-	-	21	7	1	13	2	101	99	27	-	60	2
26	Clark	465	4	-	-	-	58	17	7	34	8	247	244	53	-	178	6
27	Jeffersonville	166	3	-	-	-	18	3	2	13	4	94	92	19	-	69	1
28	Balance of county	299	1	-	-	-	40	14	5	21	4	153	152	34	-	109	5
29	Clay	327	4	2	-	1	52	26	3	23	4	193	189	42	1	139	5
30	Clinton	387	3	-	-	2	49	17	3	29	6	236	236	61	1	151	4
31	Frankfort	207	2	-	-	2	25	8	2	15	2	127	127	36	1	80	1
32	Balance of county	180	1	-	-	-	24	9	1	14	4	109	109	25	-	71	3
33	Crawford	107	-	-	-	-	12	6	-	6	2	78	72	16	-	43	3
34	Daviess	297	2	-	-	1	39	9	7	23	5	187	182	36	2	130	5
35	Washington	165	1	-	-	-	21	5	5	11	4	106	102	16	1	78	3
36	Balance of county	132	1	-	-	1	18	4	2	12	1	81	80	20	1	52	2
37	Dearborn	270	3	-	-	1	33	14	1	18	6	153	149	32	-	100	3
38	Decatur	212	2	-	-	-	25	7	7	11	2	144	142	44	-	89	1
39	De Kalb	322	1	1	-	-	46	15	4	27	9	184	179	44	-	121	3
40	Delaware	903	10	5	-	3	116	37	17	62	14	504	496	122	-	341	10
41	Muncie	654	7	4	-	1	88	25	15	48	10	350	343	81	-	240	9
42	Balance of county	249	3	1	-	2	28	12	2	14	4	154	153	41	-	101	1
43	Dubois	240	1	-	-	-	40	11	5	24	4	128	126	35	-	80	4
44	Elkhart	880	6	6	1	6	124	43	10	71	17	515	511	123	2	340	11
45	Elkhart	434	3	3	1	4	64	19	6	39	4	249	248	57	1	165	5
46	Goshen	152	-	1	-	-	21	6	1	14	4	96	96	18	-	70	-
47	Balance of county	294	3	2	-	2	39	18	3	18	9	170	167	48	1	105	6
48	Fayette	231	1	1	-	-	47	21	6	20	1	128	125	35	1	79	4
49	Connersville	180	1	1	-	-	38	17	6	15	1	99	96	24	1	63	1
50	Balance of county	51	-	-	-	-	9	4	-	5	-	29	29	11	-	16	3
51	Floyd	475	10	-	1	1	73	26	7	40	4	289	286	55	-	187	9
52	New Albany	356	9	-	1	1	54	19	5	30	3	192	191	34	-	140	6
53	Balance of county	119	1	-	-	-	19	7	2	10	1	77	75	21	-	47	3
54	Fountain	228	5	-	-	-	35	13	2	20	5	149	146	36	1	92	6
55	Franklin	179	1	-	-	3	23	13	1	9	3	107	105	20	1	75	1
56	Fulton	201	-	-	-	1	34	9	3	22	4	123	122	22	-	98	2
57	Gibson	390	2	1	-	5	63	28	4	31	5	214	211	58	2	140	1
58	Grant	655	7	2	1	-	79	22	17	40	8	402	396	95	2	278	6
59	Marion	401	4	-	-	-	52	14	12	26	5	237	231	52	2	167	5
60	Balance of county	254	3	2	1	-	27	8	5	14	3	165	165	43	-	111	1
61	Greene	354	2	-	-	2	46	21	9	16	5	221	214	54	-	149	1
62	Hamilton	369	2	-	-	1	52	17	6	29	4	227	224	58	-	156	4
63	Hancock	250	1	1	-	2	30	13	4	13	5	159	159	46	-	100	-
64	Harrison	167	-	-	-	-	30	17	1	12	3	88	73	20	-	45	1
65	Hendricks	293	3	-	-	2	44	14	2	28	6	170	167	49	-	111	-
66	Henry	467	5	3	-	1	60	27	3	30	11	266	259	61	-	185	5
67	New Castle	219	3	2	-	1	29	13	2	14	3	119	116	26	-	85	-
68	Balance of county	248	2	1	-	-	31	14	1	16	8	147	143	35	-	100	5
69	Howard	548	5	-	-	3	101	38	10	53	13	286	282	79	-	185	7
70	Kokomo	415	2	-	-	2	79	32	8	39	9	217	214	60	-	141	6
71	Balance of county	133	3	-	-	1	22	6	2	14	4	69	68	19	-	44	1
72	Huntington	417	3	-	-	6	66	26	7	33	7	252	250	60	1	161	6
73	Huntington	206	3	-	-	3	37	16	3	18	5	117	117	23	1	85	4
74	Balance of county	211	-	-	-	3	29	10	4	15	2	135	133	37	-	76	2
75	Jackson	292	-	1	-	1	46	22	3	21	6	183	182	43	-	116	4
76	Jasper	162	2	1	-	-	28	9	3	16	4	87	84	22	-	57	-
77	Jay	286	1	1	-	1	40	11	6	23	5	178	173	44	-	115	2
78	Jefferson	237	4	-	-	2	10	5	-	5	6	153	147	43	-	93	3
79	Jennings	163	1	-	-	2	27	12	1	14	3	82	80	31	-	46	-
80	Johnson	336	1	1	-	-	43	17	6	20	6	190	186	35	-	133	1
81	Knox	486	2	2	-	2	84	40	9	35	7	275	271	53	-	194	6
82	Vincennes	218	-	2	-	1	43	16	6	21	5	114	112	20	-	82	1
83	Balance of county	268	2	-	-	1	41	24	3	14	2	161	159	33	-	112	5
84	Kosciusko	369	1	1	-	3	46	18	2	26	6	223	218	37	-	166	3

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
217	27	13	8	29	1	8	17	3	-	4	2	-	5	8	3	16	24	9	-	34	1
55	9	2	-	6	-	1	2	-	-	1	-	-	2	3	2	6	4	2	-	11	2
162	18	11	8	23	1	7	15	3	-	3	2	-	3	5	1	10	20	7	-	23	3
443	49	52	7	20	11	12	64	7	8	14	-	2	30	60	6	61	53	17	-	81	4
326	34	37	6	16	8	10	45	5	7	9	-	1	14	41	4	39	40	6	-	62	5
117	15	15	1	4	3	2	19	2	1	5	-	1	16	19	2	22	13	11	-	19	6
55	8	17	1	11	1	1	6	1	1	1	-	-	3	9	1	12	1	2	-	10	7
11,170	2,109	2,347	317	1,123	267	482	1,127	261	183	362	66	31	592	1,686	194	1,148	1,596	543	134	2,562	8
4,800	865	817	164	434	123	189	483	127	85	225	25	15	306	914	83	453	694	202	87	1,100	9
6,370	1,244	1,530	153	689	144	293	644	134	98	137	41	16	286	772	111	695	902	341	47	1,462	10
56	5	6	1	5	1	6	7	1	1	-	-	1	5	11	2	15	7	5	-	10	11
483	84	110	16	33	12	18	40	14	11	24	5	3	37	79	3	46	62	24	5	119	12
393	70	82	11	26	9	17	30	12	9	20	4	1	26	66	2	27	43	17	4	89	13
90	14	28	5	7	3	1	10	2	2	4	1	2	11	13	1	19	19	7	1	30	14
99	21	17	4	7	4	3	18	3	2	1	-	-	9	11	-	7	12	5	2	18	15
56	8	5	2	3	1	1	4	1	1	1	-	-	5	6	-	5	8	5	-	12	16
43	13	12	2	4	3	2	14	2	1	-	-	-	4	5	-	2	4	-	2	6	17
34	16	5	2	1	3	3	3	1	-	1	-	-	1	2	1	6	-	1	-	6	18
29	7	10	1	5	1	4	4	-	-	1	-	-	1	2	-	11	6	2	-	13	19
79	18	22	1	6	1	4	6	2	2	2	-	1	2	10	8	6	9	3	-	17	20
17	4	4	1	1	-	-	1	-	-	-	-	-	1	-	-	2	5	3	-	6	21
55	13	12	2	9	1	2	4	2	1	-	-	-	1	3	-	4	4	2	-	9	22
125	16	39	5	21	3	5	18	4	2	4	-	-	5	17	2	8	18	5	1	29	23
84	9	29	2	14	1	3	10	1	1	3	-	-	2	10	-	4	13	2	1	19	24
41	7	10	3	7	2	2	8	3	1	1	-	-	3	7	2	4	5	3	-	10	25
102	42	28	3	7	3	3	27	7	7	2	1	1	9	30	2	8	16	7	1	30	26
36	21	11	1	2	1	2	10	2	2	1	1	-	3	5	1	1	7	2	-	12	27
66	21	17	2	5	2	1	17	5	5	1	-	1	6	25	1	7	9	5	1	18	28
77	38	19	-	3	4	4	13	-	-	2	2	-	3	5	3	6	10	6	-	21	29
105	15	27	5	17	1	-	6	-	3	2	3	-	7	11	3	12	16	4	-	24	30
57	5	17	-	9	1	-	4	-	2	1	2	-	4	7	3	9	6	2	-	9	31
48	10	10	5	8	-	-	2	-	1	1	1	-	3	4	-	3	10	2	-	15	32
32	2	6	1	11	1	6	1	-	-	-	-	-	2	1	-	-	3	2	-	6	33
67	17	41	4	10	-	5	5	5	1	1	-	1	3	4	-	8	15	6	3	11	34
39	7	29	2	5	-	4	4	2	1	1	-	1	1	2	-	1	7	2	3	8	35
28	10	12	2	5	-	1	1	3	-	-	-	-	2	2	-	7	8	4	-	3	36
66	9	22	-	14	3	4	6	1	2	2	-	-	4	14	4	12	12	4	-	13	37
80	6	2	3	5	1	2	2	1	-	1	-	-	1	6	1	2	12	3	-	10	38
70	29	19	2	11	1	5	16	1	1	1	1	-	3	8	4	10	17	3	1	15	39
272	34	25	6	15	12	8	19	5	5	6	-	1	19	47	7	21	37	12	4	68	40
194	24	13	5	9	8	7	15	5	5	5	-	-	13	43	6	12	33	8	4	45	41
78	10	12	1	6	4	1	4	-	-	1	-	1	6	4	1	9	4	4	-	23	42
51	6	19	2	6	3	2	14	-	2	1	-	-	2	6	1	9	11	4	-	17	43
238	48	43	7	34	5	4	21	4	4	6	-	-	11	41	2	21	34	9	2	50	44
118	20	22	3	19	3	1	12	1	1	4	-	-	5	23	-	10	17	6	1	26	45
47	15	8	2	6	-	-	4	1	2	1	-	-	3	2	-	4	5	-	-	8	46
73	13	13	2	9	2	3	5	2	1	1	-	-	3	16	2	7	12	3	1	16	47
62	4	9	5	4	1	3	-	1	1	1	-	-	5	11	-	4	6	7	-	17	48
52	2	8	4	3	1	3	-	-	-	1	-	-	4	10	-	4	3	3	-	15	49
10	2	1	1	1	-	-	-	1	1	-	-	-	1	1	-	-	3	4	-	2	50
119	38	21	4	17	3	3	18	2	1	8	-	-	9	25	1	5	13	3	2	30	51
91	27	16	2	13	2	1	15	1	1	6	-	-	4	22	1	4	10	3	2	27	52
28	11	5	2	4	1	2	3	1	-	2	-	-	5	3	-	1	3	-	-	3	53
59	8	19	2	11	4	3	1	1	-	-	1	-	1	5	1	5	9	1	-	9	54
57	8	9	1	7	1	2	5	1	2	1	-	-	1	6	-	5	5	8	1	7	55
48	29	19	-	2	-	1	8	-	-	2	2	-	1	2	2	3	9	2	-	8	56
88	13	38	2	5	4	3	20	2	1	3	-	-	3	9	-	9	22	7	2	22	57
206	39	27	4	12	5	6	14	5	2	3	1	1	7	27	1	19	24	11	2	39	58
119	25	18	3	6	1	6	9	5	1	2	1	1	6	17	1	12	18	6	1	23	59
87	14	9	1	6	4	-	5	-	1	1	-	-	1	10	-	7	6	5	1	16	60
80	23	45	1	9	1	7	9	3	-	1	2	-	3	11	1	5	7	8	1	27	61
87	22	43	1	8	1	3	7	-	1	4	1	-	5	10	3	10	21	2	2	17	62
78	14	8	1	11	1	-	6	3	-	2	-	-	4	3	2	5	8	4	-	15	63
27	10	7	3	5	-	15	3	2	1	3	-	-	3	3	1	3	8	4	1	14	64
72	17	22	2	5	-	3	14	2	5	1	-	1	4	6	-	4	9	5	-	17	65
126	20	34	-	10	3	7	20	4	2	-	3	-	6	12	-	14	17	12	1	30	66
60	8	17	-	4	1	3	11	2	2	-	2	-	2	6	-	7	8	5	1	16	67
66	12	17	-	6	2	4	9	2	-	-	1	-	4	6	-	7	9	7	-	14	68
140	11	27	1	12	5	4	10	5	3	7	2	1	7	16	1	24	18	9	1	36	69
106	7	22	-	11	2	3	8	5	3	5	1	1	5	15	1	15	13	8	1	25	70
34	4	5	1	1	3	1	2	-	-	2	1	-	2	1	-	9	5	1	-	11	71
89	17	49	1	25	2	2	4	2	-	3	-	1	3	12	7	9	13	5	-	24	72
42	7	32	-	8	-	-	2	2	-	2	-	1	-	6	4	5	5	3	-	11	73
47	10	17	1	17	2	2	2	-	-	1	-	-	3	6	3	4	8	2	-	13	74
61	32	19	3	19	1	1	8	1	3	1	-	-	3	3	-	7	11	3	1	14	75
44	7	6	-	5	-	3	4	1	-	2	-	-	2	5	1	7	9	2	-	7	76
84	10	19	3	9	2	5	6	2	1	-	2	-	2	7	6	6	9	4	1	14	77
69	9	12	1	10	-	6	5	3	1	-	-	-	2	8	2	9	8	3	-	21	78
32	7	7	-	2	1	2	8	2	2	-	-	-	3	7	-	1	6	5	1	13	79
116	13	3	1	12	5	4	21	-	1	3	2	-	5	13	-	8	17	4	-	21	80
131	22	35	3	19	2	4	17	3	1	6	-	-	5	10	4	9	13	6	1	39	81
55	12	14	-	8	2	2	8	1	-	2	-	-	2	5	1	2	6	3	-	23	82
76	10	21	3	11	-	2	9	2	1	4	-	-	3	5	3	7	7	3	1	16	83
109	29	25	5	7	3	5	8	3	1	-	-	2	9	10	-	8	14	12	-	22	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Lagrange	140	-	-	-	1	18	6	2	10	2	84	84	21	1	55	1
2	Lake	3,473	34	15	4	22	563	208	75	280	71	1,713	1,679	362	3	1,214	49
3	Gary	1,383	10	5	-	5	209	87	30	92	33	651	637	157	1	429	21
4	East Chicago	522	9	1	2	6	79	28	15	36	11	263	254	39	1	200	9
5	Hammond	739	7	4	1	5	131	41	22	68	13	380	374	73	-	285	6
6	Hobart	96	-	-	-	-	19	5	1	13	3	43	43	10	1	29	1
7	Balance of county	733	8	5	1	6	125	47	7	71	11	376	371	83	-	271	12
8	La Porte	794	1	-	-	6	138	61	17	60	8	451	444	99	1	310	10
9	Michigan City	295	1	-	-	1	54	18	4	32	3	169	167	34	1	117	4
10	La Porte	213	-	-	-	2	34	15	7	12	-	131	129	39	-	81	2
11	Balance of county	286	-	-	-	3	50	28	6	16	5	151	148	26	-	112	4
12	Lawrence	363	1	-	-	2	51	14	4	33	5	222	217	40	-	166	2
13	Bedford	153	1	-	-	2	20	7	3	10	3	92	90	11	-	75	2
14	Balance of county	210	-	-	-	-	31	7	1	23	2	130	127	29	-	91	-
15	Madison	1,043	6	1	-	6	146	48	9	89	25	597	591	143	1	404	8
16	Anderson	562	2	1	-	2	82	24	4	54	16	329	324	83	-	214	6
17	Elwood	135	1	-	-	3	18	6	3	9	-	78	77	13	-	63	-
18	Balance of county	346	3	-	-	1	46	18	2	26	9	190	190	47	1	127	2
19	Marion	6,175	65	19	1	25	961	339	136	486	108	3,366	3,308	762	2	2,296	63
20	Indianapolis	5,102	55	16	-	21	774	287	105	382	91	2,813	2,769	658	2	1,896	51
21	Balance of county	1,073	10	3	1	4	187	52	31	104	17	553	539	104	-	400	12
22	Marshall	318	-	2	1	1	56	17	5	34	4	192	189	65	-	109	2
23	Martin	116	2	1	-	2	18	5	2	11	-	53	52	8	-	37	-
24	Miami	356	-	-	-	1	56	25	4	27	3	220	220	42	-	169	8
25	Peru	184	-	-	-	-	31	10	4	17	2	113	113	17	-	90	6
26	Balance of county	172	-	-	-	1	25	15	-	10	1	107	107	25	-	79	2
27	Monroe	375	4	1	-	2	56	18	7	31	7	211	202	34	-	150	3
28	Bloomington	229	2	1	-	1	36	11	6	19	7	135	129	22	-	100	1
29	Balance of county	146	2	-	-	1	20	7	1	12	-	76	73	12	-	50	2
30	Montgomery	383	2	2	-	-	56	18	3	35	5	230	223	63	1	149	12
31	Crawfordsville	176	1	2	-	-	29	7	2	20	2	103	97	28	1	65	5
32	Balance of county	207	1	-	-	-	27	11	1	15	3	127	126	35	-	84	7
33	Morgan	265	3	-	-	2	39	6	12	21	3	130	128	38	-	84	3
34	Newton	129	-	1	2	1	20	11	1	8	2	75	75	16	-	50	1
35	Noble	306	1	-	-	2	48	17	5	26	7	170	160	34	-	111	3
36	Ohio	48	-	-	-	-	8	3	1	4	-	30	28	11	1	15	1
37	Orange	178	1	-	-	-	31	13	-	18	3	97	96	30	-	59	2
38	Owen	149	1	-	-	-	17	8	1	8	3	96	92	23	-	64	-
39	Parke	195	-	-	1	-	33	12	1	20	8	117	110	28	-	75	1
40	Perry	165	2	-	-	1	18	7	1	10	-	84	80	19	-	51	2
41	Pike	156	2	1	-	1	26	5	5	16	3	94	94	22	-	66	2
42	Porter	411	5	1	-	-	69	22	8	39	4	218	208	44	-	156	5
43	Valparaiso	129	2	-	-	-	20	7	1	12	1	75	70	15	-	53	-
44	Balance of county	282	3	1	-	-	49	15	7	27	3	143	138	29	-	103	5
45	Posey	224	2	1	-	3	31	11	6	14	2	135	135	35	-	91	5
46	Pulaski	123	-	1	-	1	13	4	2	7	1	70	66	14	-	49	3
47	Putnam	227	-	-	-	1	32	9	4	19	3	146	144	40	-	91	2
48	Randolph	319	2	-	1	2	54	21	2	31	5	191	189	55	-	127	4
49	Ripley	207	1	-	-	-	28	11	1	16	2	125	121	28	-	78	1
50	Rush	261	-	2	-	2	44	14	4	26	2	148	147	26	-	110	-
51	St. Joseph	1,891	10	4	-	8	358	125	41	192	31	1,034	1,013	240	2	698	32
52	South Bend	1,179	7	3	-	5	235	80	30	125	22	651	638	152	1	437	17
53	Mishawaka	289	-	-	-	2	50	19	4	27	5	167	163	32	1	115	5
54	Balance of county	423	3	1	-	1	73	26	7	40	4	216	212	56	-	146	10
55	Scott	120	-	1	1	-	11	2	2	7	1	65	64	16	-	48	6
56	Shelby	354	5	2	-	1	41	15	6	20	5	224	221	57	1	149	5
57	Shelbyville	143	2	-	-	-	15	8	2	5	2	96	94	32	-	60	2
58	Balance of county	211	3	2	-	1	26	7	4	15	3	128	127	25	1	89	3
59	Spencer	164	3	-	-	-	30	11	4	15	3	101	99	26	-	64	1
60	Starke	180	1	-	1	-	24	15	1	8	4	95	94	26	-	65	1
61	Steuben	199	-	1	-	2	37	11	5	21	1	103	100	26	-	65	2
62	Sullivan	309	-	2	-	-	51	19	7	25	7	184	181	47	-	125	8
63	Switzerland	100	2	-	-	-	11	2	1	8	2	60	58	20	-	32	2
64	Tippecanoe	688	7	1	-	2	97	26	13	58	9	404	395	75	-	303	13
65	Lafayette	439	4	1	-	2	64	15	11	38	6	257	250	49	-	194	8
66	West Lafayette	71	1	-	-	-	13	5	1	7	2	42	41	8	-	33	2
67	Balance of county	178	2	-	-	-	20	6	1	13	1	105	104	18	-	76	3
68	Tipton	157	-	-	-	-	26	9	5	12	3	89	86	22	2	57	3
69	Union	61	-	-	-	-	12	4	-	8	2	40	40	9	-	28	-
70	Vanderburgh	1,610	15	5	-	9	254	71	34	149	27	924	912	217	-	606	15
71	Evansville	1,439	13	4	-	8	240	67	32	141	24	817	806	184	-	539	12
72	Balance of county	171	2	1	-	1	14	4	2	8	3	107	106	33	-	67	3
73	Vermillion	249	2	-	-	2	52	17	7	28	10	127	122	27	-	77	2
74	Vigo	1,257	5	5	1	4	187	65	24	98	28	719	687	123	-	484	15
75	Terre Haute	921	3	4	1	2	138	45	20	73	21	525	502	88	-	357	10
76	Balance of county	336	2	1	-	2	49	20	4	25	7	194	185	35	-	127	5
77	Wabash	330	-	1	-	-	56	17	13	26	11	183	179	53	-	115	4
78	Wabash	129	-	-	-	-	24	5	5	14	5	60	58	12	-	41	-
79	Balance of county	201	-	1	-	-	32	12	8	12	6	123	121	41	-	74	4
80	Warren	88	-	-	-	-	14	6	-	8	2	56	55	8	-	46	-
81	Warrick	244	2	-	-	-	30	17	3	10	-	162	161	33	-	109	4
82	Washington	192	1	-	-	-	32	12	-	20	2	119	116	26	-	84	1
83	Wayne	696	3	3	1	3	107	37	15	55	16	391	387	118	-	245	6
84	Richmond	434	1	2	-	2	74	26	10	38	12	243	240	73	-	151	4
85	Balance of county	262	2	1	1	1	33	11	5	17	4	148	147	45	-	94	2
86	Wells	247	1	-	-	-	35	18	1	16	4	142	137	44	-	90	3
87	White	216	2	-	1	5	35	12	4	19	5	118	116	19	-	91	2
88	Whitley	209	1	1	-	1	36	17	2	17	1	135	133	28	-	99	4

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
43	4	7	1	6	-	-	3	1	-	1	-	-	1	4	-	7	6	2	-	10	1
932	122	111	31	49	20	34	108	26	16	50	2	2	70	228	41	116	135	37	21	199	2
326	39	43	16	21	13	14	48	12	8	18	1	1	25	107	33	54	51	15	14	83	3
144	36	11	4	9	1	9	21	6	5	11	1	-	10	27	1	7	22	6	5	29	4
220	24	35	7	6	3	6	19	7	2	7	-	-	13	53	4	19	31	6	1	36	5
24	1	3	-	2	1	-	3	-	-	2	-	-	3	7	-	4	2	-	-	10	6
218	22	19	4	11	2	5	17	1	1	12	-	1	19	34	3	32	29	10	1	41	7
240	21	39	3	27	4	7	8	2	3	7	1	-	14	36	3	24	30	11	2	49	8
90	9	14	3	10	2	2	3	-	-	2	-	-	5	17	1	4	14	4	1	16	9
64	7	8	-	8	1	2	1	2	2	3	1	-	2	8	-	5	5	1	1	15	10
86	5	17	-	9	1	3	4	-	1	2	-	-	7	11	2	15	11	6	-	18	11
86	40	38	2	8	1	5	13	2	-	1	2	-	-	14	2	9	9	1	1	28	12
37	20	16	1	2	1	2	4	2	-	1	1	-	-	6	1	4	3	1	-	12	13
49	20	22	1	6	-	3	9	-	-	-	1	-	-	8	1	5	6	-	1	16	14
298	45	53	11	27	5	6	14	4	5	8	2	-	15	57	1	44	36	11	2	63	15
153	19	36	5	19	3	5	7	2	4	6	-	-	9	34	-	22	15	6	1	24	16
42	13	8	-	1	-	1	2	-	1	1	1	-	1	8	1	4	4	-	-	12	17
103	13	9	6	7	2	-	5	2	-	1	1	-	5	15	-	18	17	5	1	27	18
1,663	312	258	53	155	40	58	164	43	22	72	9	3	98	316	6	151	272	65	35	374	19
1,365	267	213	47	132	34	44	136	36	19	64	5	3	71	249	5	121	229	50	35	309	20
298	45	45	6	23	6	14	28	7	3	8	4	-	27	67	1	30	43	15	-	65	21
83	12	12	3	10	2	3	7	4	1	1	2	1	4	10	1	4	4	4	-	19	22
21	5	11	2	4	1	1	6	1	-	-	-	1	4	8	-	3	11	1	-	5	23
118	23	20	2	7	-	-	6	1	1	3	-	-	8	10	-	10	10	2	1	24	24
60	13	11	1	5	-	-	4	1	1	-	-	-	2	7	-	7	3	-	-	13	25
58	10	9	1	2	-	-	2	-	-	3	-	-	6	3	-	3	7	2	1	11	26
101	29	17	1	17	-	9	11	2	5	3	2	1	6	20	1	10	8	5	1	19	27
68	20	11	1	6	-	6	4	2	3	3	-	-	1	11	1	5	2	5	1	9	28
33	9	6	-	11	-	3	7	-	2	-	2	1	5	9	-	5	6	-	-	10	29
98	17	22	2	6	2	7	11	1	2	-	-	1	5	9	-	9	15	7	-	28	30
41	8	11	1	2	-	6	3	1	-	-	-	-	2	5	-	5	8	2	-	13	31
57	9	11	1	4	2	1	8	-	2	-	-	1	3	4	-	4	7	5	-	15	32
50	8	23	-	4	2	2	9	2	1	1	-	-	6	15	3	14	15	3	-	19	33
31	5	13	3	5	1	-	4	-	-	-	-	-	2	3	-	6	2	1	-	10	34
80	9	19	2	10	3	10	9	2	2	2	-	1	5	7	2	10	15	4	-	19	35
12	-	2	-	1	-	2	1	-	-	-	-	-	1	1	-	1	2	-	-	4	36
37	5	15	1	6	-	1	11	3	1	1	1	-	2	3	2	2	6	2	1	11	37
35	22	7	2	3	-	4	2	-	-	-	-	-	1	2	1	5	9	3	-	9	38
56	9	9	2	1	4	7	4	2	-	2	-	-	2	2	-	9	4	2	-	9	39
41	5	3	-	10	-	4	7	-	2	1	-	-	1	12	1	8	7	1	2	18	40
42	7	15	-	5	1	-	5	-	2	2	-	-	-	1	-	3	3	3	-	10	41
111	8	32	2	4	2	10	11	1	2	-	1	-	2	17	6	23	13	8	-	30	42
34	2	17	1	-	1	5	4	-	-	-	-	-	1	5	1	7	2	1	-	10	43
77	6	15	1	4	1	5	7	1	2	-	1	-	1	12	5	16	11	7	-	20	44
64	10	12	3	5	1	-	7	4	-	1	-	-	-	7	1	2	8	2	3	15	45
31	5	10	1	2	-	4	3	-	-	1	1	-	2	3	1	4	9	4	-	9	46
67	16	6	-	12	1	2	-	1	-	1	1	-	1	4	1	6	6	5	1	18	47
66	27	30	-	5	2	2	3	1	2	3	-	-	1	6	3	9	14	4	-	18	48
53	12	12	4	8	3	4	8	1	-	1	1	1	3	10	1	10	6	-	-	9	49
96	7	7	1	9	1	1	7	2	-	1	-	-	4	7	2	10	10	6	-	14	50
546	58	62	16	50	7	21	42	11	8	28	2	2	33	72	9	44	71	26	4	94	51
338	41	41	12	34	2	13	25	4	3	20	1	2	21	39	6	24	37	18	4	52	52
98	5	7	3	9	3	4	4	3	2	3	1	-	5	13	1	5	12	4	-	12	53
110	12	14	1	7	2	4	13	4	3	5	-	-	7	20	2	15	22	4	-	30	54
25	6	11	-	-	-	1	6	1	3	-	-	-	3	7	2	1	9	2	-	7	55
91	36	17	2	10	2	3	6	1	1	1	-	-	7	19	1	7	9	6	1	17	56
38	10	10	-	1	1	2	2	-	-	1	-	-	2	9	1	3	1	3	-	6	57
53	26	7	2	9	1	1	4	1	1	-	-	-	5	10	-	4	8	3	1	11	58
37	13	13	1	6	2	2	3	-	1	-	-	1	1	4	2	5	2	2	-	6	59
49	7	8	-	3	-	1	6	-	1	2	-	-	2	7	-	13	14	1	-	9	60
46	8	9	3	6	-	3	8	1	1	2	-	-	3	1	1	3	21	2	-	12	61
78	18	21	1	5	3	3	10	2	-	2	-	-	3	5	2	7	9	9	-	16	62
23	1	6	-	6	-	2	2	1	-	-	-	-	-	1	3	3	5	2	2	6	63
191	32	67	2	12	3	9	26	1	-	3	1	-	3	26	2	21	32	9	2	42	64
126	24	36	-	6	1	7	18	-	-	3	-	-	3	13	2	12	21	5	1	27	65
18	1	12	-	-	-	1	2	-	-	-	1	-	-	4	-	-	-	1	-	5	66
47	7	19	2	6	2	1	6	1	-	-	-	-	-	9	-	9	11	3	1	10	67
47	3	4	-	5	-	3	4	1	2	-	-	-	3	2	-	12	8	-	1	6	68
18	3	7	-	3	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	69
370	130	91	14	59	16	12	37	9	9	18	2	1	22	81	5	25	42	12	11	102	70
327	118	82	13	54	16	11	32	9	7	15	2	1	20	66	5	22	38	10	11	95	71
43	12	9	1	5	-	1	5	-	2	3	-	-	2	15	-	3	4	2	-	7	72
50	11	14	1	14	3	5	10	2	2	3	-	-	-	4	-	5	7	4	1	18	73
313	45	111	21	49	10	32	28	10	6	17	4	2	9	36	9	37	46	16	4	84	74
239	33	75	19	30	8	23	17	8	3	13	2	2	9	28	7	27	34	8	4	65	75
74	12	36	2	19	2	9	11	2	3	4	2	-	-	8	2	10	12	8	-	19	76
81	21	9	4	4	3	4	12	3	-	6	-	-	3	16	2	6	13	3	-	15	77
29	10	2	2	1	2	2	4	3	-	5	-	-	1	9	1	2	7	2	-	6	78
52	11	7	2	3	1	2	8	-	-	1	-	-	2	7	1	4	6	1	-	9	79
28	7	11	-	1	-	1	1	-	-	1	-	-	1	1	-	4	2	-	-	6	80
61	24	20	5	12	2	1	6	1	1	1	-	-	2	12	-	9	6	2	-	10	81
59	10	14	-	5	1	3	4	-	-	-	1	-	1	6	-	8	6	-	-	12	82
178	31	30	2	12	10	4	16	5	5	6	1	-	9	26	-	17	21	9	1	56	83
117	19	11	1	9	6	3	12	1	5	4	1	-	4	19	-	8	8	4	-	34	84
61	12	19	1	3	4	1	4	4	-	2	-	-	5	7	-	9	13	5	1	22	85
68	15	4	1	-	2	5	6	4	1	-	1	-	3	6	-	9	9	2	-	24	86
61	7	21	-	5	1	2	3	-	1	-	1	-	2	7	1	5	5	4	1	20	87
74	6	15	2	3	1	2	2	3	1	1	-	-	5	5	-	3	8	1	-	5	88

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	IOWA	26,772	106	54	14	92	4,274	1,554	394	2,326	449	15,354	15,125	3,981	15	9,924	282
2	Metropolitan counties	7,260	34	19	2	27	1,172	394	132	646	108	4,068	4,025	989	6	2,716	97
3	Nonmetropolitan counties	19,512	72	35	12	65	3,102	1,160	262	1,680	341	11,286	11,100	2,992	9	7,208	185
4	Adair	131	-	2	-	-	23	11	3	9	1	70	68	14	-	49	3
5	Adams	94	-	-	-	-	16	5	3	8	1	52	52	12	-	36	-
6	Allamakee	172	-	-	-	-	22	8	2	12	1	101	99	30	-	60	4
7	Appanoose	242	2	1	1	1	38	13	5	20	7	145	143	43	-	96	3
8	Audubon	102	-	1	-	-	17	3	1	13	2	64	64	16	-	43	1
9	Benton	233	-	-	-	-	38	21	4	13	2	145	143	38	-	96	-
10	Black Hawk	911	-	-	-	4	132	46	14	72	12	538	535	128	3	365	16
11	Waterloo	618	-	-	-	3	91	29	11	51	8	370	368	87	3	249	12
12	Cedar Falls	140	-	-	-	-	23	11	2	10	1	92	92	21	-	66	1
13	Balance of county	153	-	-	-	1	18	6	1	11	3	76	75	20	-	50	3
14	Boone	303	4	1	-	2	42	13	5	24	5	178	177	50	1	108	-
15	Boone	165	2	1	-	2	22	6	3	13	3	99	99	31	-	58	-
16	Balance of county	138	2	-	-	-	20	7	2	11	2	79	78	19	1	50	-
17	Bremer	177	1	-	-	1	22	6	-	16	4	108	107	43	-	58	4
18	Buchanan	225	1	-	-	2	39	13	1	25	6	133	130	33	-	82	1
19	Buena Vista	199	-	1	-	-	28	10	-	18	3	105	103	28	-	69	2
20	Butler	175	-	-	1	-	28	11	1	16	5	105	102	23	-	75	1
21	Calhoun	149	-	-	-	-	25	5	2	18	1	80	79	19	-	48	-
22	Carroll	208	-	-	-	-	33	7	1	25	1	116	116	22	-	82	3
23	Cass	208	-	-	-	-	37	10	4	23	5	122	117	37	-	71	-
24	Cedar	181	1	-	-	1	33	13	6	14	3	99	99	21	-	68	2
25	Cerro Gordo	443	2	2	-	2	78	29	7	42	7	236	233	51	1	154	4
26	Mason City	288	1	1	-	-	51	21	4	26	5	158	155	34	1	111	3
27	Balance of county	155	1	1	-	2	27	8	3	16	2	78	78	17	-	53	1
28	Cherokee	154	-	-	-	1	27	11	1	15	2	87	86	22	-	58	1
29	Chickasaw	156	-	-	-	-	26	12	3	11	2	90	90	19	-	63	1
30	Clarke	117	-	-	-	-	18	4	4	10	-	70	68	12	-	52	2
31	Clay	187	-	-	-	-	26	9	2	15	4	119	119	35	-	78	-
32	Clayton	242	1	-	-	2	37	21	-	16	6	137	132	41	-	82	3
33	Clinton	545	2	2	-	2	106	42	13	51	7	305	298	92	-	184	7
34	Clinton	347	-	1	-	1	71	28	7	36	4	196	192	63	-	117	6
35	Balance of county	198	2	1	-	1	35	14	6	15	3	109	106	29	-	67	1
36	Crawford	193	3	1	1	-	40	13	4	23	1	97	97	27	-	57	-
37	Dallas	278	2	1	-	3	35	11	3	21	2	164	162	45	-	110	1
38	Davis	107	-	-	-	1	17	8	2	7	3	65	64	17	-	41	3
39	Decatur	144	1	-	-	-	31	11	2	18	1	87	85	25	-	48	1
40	Delaware	195	-	-	-	-	18	7	1	10	1	120	118	54	-	80	1
41	Des Moines	472	2	-	-	1	84	34	9	41	7	286	283	81	-	175	6
42	Burlington	369	1	-	-	1	67	27	8	32	7	216	214	58	-	133	6
43	Balance of county	103	1	-	-	-	17	7	1	9	-	70	69	23	-	42	-
44	Dickinson	130	-	-	-	2	13	5	1	7	4	76	75	15	1	52	1
45	Dubuque	786	3	2	2	2	130	49	10	71	12	427	423	113	-	277	8
46	Dubuque	599	2	1	2	2	96	35	6	55	9	342	338	91	-	219	7
47	Balance of county	187	1	1	-	-	34	14	4	16	3	85	85	22	-	58	1
48	Emmet	124	1	-	-	-	17	6	-	11	3	74	74	13	-	54	-
49	Fayette	293	1	1	-	3	40	12	4	24	12	183	180	45	-	119	3
50	Floyd	218	1	-	-	-	40	19	5	16	4	124	124	29	1	78	2
51	Charles City	112	-	-	-	-	21	11	2	8	2	64	64	14	-	41	1
52	Balance of county	106	1	-	-	-	19	8	3	8	2	60	60	15	1	37	1
53	Franklin	184	1	-	-	-	31	13	2	16	3	102	99	23	-	63	1
54	Fremont	137	-	-	-	-	17	8	2	7	5	88	85	18	-	60	1
55	Greene	149	1	1	-	-	28	11	1	16	5	88	87	16	-	65	4
56	Grundy	110	-	-	-	1	13	-	3	10	3	70	68	21	-	41	1
57	Guthrie	155	1	-	-	-	20	8	1	11	4	90	90	28	1	52	3
58	Hamilton	199	-	-	-	-	32	9	3	20	3	110	108	22	-	79	-
59	Hancock	136	-	-	-	2	22	15	2	5	3	73	72	23	-	41	2
60	Hardin	237	-	-	-	-	39	13	2	24	5	138	138	27	-	95	2
61	Harrison	203	2	-	-	1	34	11	3	20	2	124	121	34	-	73	1
62	Henry	184	-	-	-	1	34	12	2	20	3	112	109	25	-	79	-
63	Howard	136	-	-	-	-	21	8	2	11	5	87	87	22	1	48	2
64	Humboldt	114	-	-	-	-	19	9	1	9	1	65	65	15	-	47	2
65	Ida	97	-	-	-	-	12	4	-	8	4	52	51	13	-	32	-
66	Iowa	180	-	-	-	-	27	8	5	14	1	106	105	28	-	65	-
67	Jackson	221	1	2	-	-	32	15	-	17	4	132	129	35	-	76	1
68	Jasper	322	1	-	1	1	48	19	6	23	2	185	182	48	-	120	2
69	Newton	124	-	-	-	-	19	10	3	6	-	75	74	13	-	56	1
70	Balance of county	198	1	-	1	1	29	9	3	17	2	110	108	35	-	64	1
71	Jefferson	146	2	-	-	-	31	9	-	22	-	73	73	23	-	47	2
72	Johnson	369	2	1	-	-	57	19	7	31	6	204	203	66	-	123	4
73	Iowa City	216	-	-	-	-	34	14	3	17	5	121	120	45	-	69	2
74	Balance of county	153	2	1	-	-	23	5	4	14	1	83	83	21	-	54	2
75	Jones	199	1	1	-	1	41	20	2	19	5	108	106	13	1	76	-
76	Keokuk	209	-	-	-	1	37	14	1	22	1	129	128	41	-	73	2
77	Kossuth	228	-	-	-	-	42	16	3	23	4	130	129	28	-	86	3
78	Lee	504	6	2	5	2	80	31	5	44	8	294	284	80	-	194	2
79	Fort Madison	158	4	1	1	1	28	10	2	16	2	98	95	26	-	64	1
80	Keokuk	217	1	-	1	1	30	14	3	13	3	130	124	35	-	85	-
81	Balance of county	129	1	1	3	-	22	7	-	15	3	66	65	19	-	45	1
82	Linn	1,083	4	2	-	2	183	66	18	99	19	622	611	145	-	417	18
83	Cedar Rapids	763	3	1	-	1	126	48	12	66	15	444	434	95	-	304	15
84	Balance of county	320	1	1	-	1	57	18	6	33	4	178	177	50	-	113	3
85	Louisa	102	-	-	-	-	19	6	3	10	2	58	56	22	-	30	-
86	Lucas	146	-	-	-	-	24	12	2	10	4	82	81	32	-	42	1
87	Lyon	120	-	-	-	-	20	9	2	9	1	68	67	14	-	45	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
7,136	1,001	1,505	218	811	176	229	711	169	98	165	35	21	349	848	162	636	1,093	332	32	1,778	1
2,020	271	328	49	199	66	43	188	61	25	54	6	7	120	307	31	149	277	84	12	509	2
5,116	730	1,177	169	612	110	186	523	108	73	111	29	14	229	541	131	487	816	248	20	1,269	3
31	8	7	-	4	1	2	3	1	-	-	2	-	2	2	1	4	6	2	-	12	4
22	5	9	2	-	2	-	4	1	-	-	-	-	2	5	1	1	2	2	-	7	5
38	3	15	-	7	2	2	4	2	3	-	-	-	3	4	-	2	15	2	-	13	6
43	7	43	-	3	1	2	1	2	1	4	-	-	1	4	3	4	6	4	-	17	7
29	3	10	-	2	1	-	2	-	-	-	-	-	-	5	-	1	4	1	-	5	8
76	5	15	1	7	1	2	3	1	1	1	-	1	1	6	1	7	12	4	-	10	9
273	34	42	2	33	4	3	15	7	2	8	2	2	19	32	6	21	42	6	-	63	10
189	23	25	2	23	4	2	11	5	2	4	2	2	15	26	4	8	18	5	-	44	11
50	4	11	-	5	-	-	2	-	-	2	-	-	1	3	-	3	6	-	-	7	12
34	7	6	-	5	-	1	2	2	-	2	-	-	3	3	2	10	18	1	-	12	13
63	31	14	2	13	3	1	16	4	1	2	1	-	1	3	2	9	12	3	-	17	14
31	22	5	1	7	2	-	5	4	1	2	-	-	1	1	2	4	5	2	-	9	15
32	9	9	1	6	1	1	11	-	-	-	1	-	-	2	-	5	7	1	-	8	16
34	9	11	4	2	-	1	2	1	1	2	-	-	-	8	-	9	4	1	-	13	17
55	8	18	5	10	-	3	5	3	1	3	1	-	2	9	-	7	2	2	-	9	18
56	4	7	3	2	1	2	11	2	2	1	-	-	4	12	-	2	6	2	-	20	19
52	7	15	-	4	-	3	10	-	-	2	-	-	1	3	-	5	6	-	-	9	20
39	3	6	2	7	3	1	1	1	-	3	-	-	1	1	1	5	5	5	-	20	21
59	12	8	4	7	1	-	2	3	-	2	-	-	3	10	2	12	5	2	-	17	22
55	5	11	1	7	1	5	9	-	1	1	-	1	3	2	1	6	3	2	2	13	23
56	3	7	2	7	1	-	3	-	-	2	-	-	1	4	1	4	16	2	-	11	24
128	19	13	2	12	3	3	24	2	3	1	1	-	9	14	5	7	20	8	-	22	25
89	11	8	-	7	2	3	19	1	3	-	1	-	7	9	1	3	10	7	-	11	26
39	8	5	2	5	1	-	5	1	-	1	-	-	2	5	4	4	10	1	-	11	27
36	10	11	-	5	1	1	1	1	-	-	-	-	1	6	2	4	9	1	-	12	28
40	12	10	3	5	-	-	3	-	-	4	-	-	-	2	1	7	15	2	-	4	29
24	7	19	2	1	1	2	4	-	-	-	-	-	1	3	-	3	5	1	1	11	30
66	3	9	1	5	-	-	4	1	-	1	-	-	3	6	-	7	8	4	-	4	31
60	6	13	3	4	2	5	4	2	4	2	-	-	5	6	1	2	11	4	-	18	32
119	22	36	5	15	2	7	11	1	1	2	-	-	7	16	2	5	21	11	-	44	33
77	8	26	3	8	1	4	8	-	1	2	-	-	5	7	2	3	12	8	-	26	34
42	14	10	2	7	1	3	3	1	-	-	-	-	2	9	-	2	9	3	-	18	35
44	6	7	1	12	-	-	4	1	1	1	-	-	5	8	1	6	7	3	-	13	36
80	12	17	1	5	1	2	8	1	2	2	2	-	6	7	2	6	10	5	1	19	37
29	2	7	1	5	-	1	3	-	-	-	-	-	-	1	1	2	2	1	-	11	38
31	6	10	1	10	1	2	3	-	-	-	-	-	-	1	1	2	6	1	-	10	39
44	6	9	2	1	1	2	6	1	1	-	1	-	2	8	2	6	5	3	-	21	40
132	20	17	1	25	1	3	9	1	-	3	3	-	7	11	-	5	23	3	-	27	41
103	13	11	-	22	1	2	9	1	-	3	2	-	6	11	-	5	19	2	-	19	42
29	7	6	1	3	-	1	-	-	-	-	1	-	1	-	-	-	4	1	-	8	43
35	3	13	1	5	1	1	5	1	-	-	-	-	4	6	-	2	3	7	-	7	44
196	35	38	5	25	3	4	22	3	2	6	-	1	18	36	6	18	34	10	-	52	45
159	27	26	4	21	3	4	19	1	2	3	-	1	11	28	2	10	25	6	-	37	46
37	8	12	1	4	-	-	3	2	-	3	-	-	7	8	4	8	9	4	-	15	47
46	2	6	-	6	1	-	2	1	-	-	-	-	3	8	-	3	4	1	-	7	48
76	23	17	1	14	1	3	10	-	1	2	-	-	-	7	1	6	8	2	-	16	49
65	9	2	3	12	1	-	3	2	1	-	-	-	1	6	-	8	12	4	-	12	50
34	5	1	2	6	1	-	1	-	1	-	-	-	1	3	-	7	3	1	-	8	50
31	4	1	1	6	-	-	2	2	-	-	-	-	-	3	-	1	9	3	-	4	52
53	2	7	8	5	-	3	2	1	-	2	-	1	1	6	5	7	8	3	-	11	53
41	10	8	2	4	1	3	2	-	-	2	-	-	1	1	3	-	6	1	1	10	54
44	7	10	-	4	2	1	2	1	-	-	-	-	2	5	-	3	6	1	-	6	55
29	3	8	-	5	1	2	1	-	-	-	-	1	1	1	1	6	4	3	-	5	56
32	8	9	2	6	1	-	6	1	-	-	1	-	1	3	1	5	5	6	-	11	57
55	10	14	1	4	2	2	8	2	-	1	-	-	5	8	-	8	10	1	1	10	58
31	3	5	6	1	1	1	8	2	-	-	-	1	-	4	-	4	6	2	-	9	59
76	2	15	2	12	2	-	7	2	1	1	1	-	1	4	1	5	12	3	-	17	60
55	4	13	-	9	5	3	6	2	-	1	-	1	2	2	-	5	8	-	-	13	61
54	7	18	-	5	-	3	1	-	-	-	-	-	1	5	-	4	6	4	-	13	62
36	2	8	-	16	-	-	5	-	1	-	-	-	-	3	-	4	3	-	-	7	63
39	-	6	-	2	1	-	5	-	-	-	-	-	1	7	-	4	6	1	-	5	64
20	4	8	1	5	-	1	7	-	2	-	-	-	-	6	-	2	3	1	1	7	65
48	6	11	2	9	1	1	5	1	1	1	-	-	3	3	2	8	14	1	-	7	66
45	11	19	2	16	-	3	9	1	3	1	-	-	6	6	1	3	8	1	-	11	67
93	10	15	1	12	1	3	4	1	-	1	-	1	2	12	1	14	16	6	-	26	68
43	7	5	1	4	-	1	2	-	-	1	-	-	1	8	-	4	4	2	-	8	69
50	3	10	-	8	1	2	2	1	-	-	-	1	1	4	1	10	12	4	-	18	70
30	4	11	-	3	-	-	4	1	1	1	-	-	2	1	2	6	6	1	-	15	71
91	12	16	5	8	1	1	9	-	6	2	-	-	11	20	3	2	20	7	-	19	72
50	7	10	3	3	-	1	4	-	4	2	-	-	6	14	1	2	6	3	-	14	73
41	5	6	2	5	1	-	5	-	2	-	-	-	5	6	2	-	14	4	-	5	74
50	11	15	-	16	-	2	3	1	1	-	-	1	1	7	3	4	8	-	-	13	75
58	5	8	2	10	2	1	7	3	-	2	-	-	1	1	1	4	9	1	-	12	76
67	4	12	1	13	1	1	6	4	1	-	1	-	2	7	2	11	7	2	-	9	77
131	20	41	3	4	3	10	17	2	3	1	-	-	3	9	-	16	15	4	2	35	78
48	3	12	1	3	1	3	7	1	1	1	-	-	-	1	-	-	3	2	-	7	79
50	15	20	2	1	1	6	6	1	2	-	-	-	2	5	-	8	8	1	1	17	80
33	2	9	-	-	1	1	4	-	-	-	-	-	1	3	-	8	4	1	1	11	81
319	38	42	7	30	12	11	17	5	4	7	1	1	15	48	2	21	47	14	1	68	82
238	29	22	6	20	9	10	11	3	4	4	1	1	11	28	1	18	32	10	1	48	83
81	9	20	1	10	3	1	6	2	-	3	-	-	4	20	1	3	15	4	-	20	84
22	6	2	-	3	1	2	2	2	-	-	-	-	-	2	-	4	3	1	-	9	85
20	3	18	3	3	1	1	4	-	-	2	2	-	1	3	1	2	2	2	-	17	86
33	2	10	1	7	-	1	3	1	-	1	-	1	3	3	-	5	4	1	-	9	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Madison	172	-	-	-	1	26	9	2	15	5	99	98	24	-	70	1
2	Mahaska	268	1	-	-	2	48	21	3	24	3	154	152	50	-	88	2
3	Oskaloosa	146	1	-	-	1	26	11	3	12	1	92	91	30	-	55	1
4	Balance of county	122	-	-	-	1	22	10	-	12	2	62	61	20	-	33	1
5	Marion	252	1	-	-	1	54	15	6	33	4	130	129	33	-	82	1
6	Marshall	376	4	1	-	1	49	16	5	28	9	230	226	74	-	131	4
7	Marshalltown	217	2	1	-	1	27	9	3	15	6	138	134	47	-	74	1
8	Balance of county	159	2	-	-	-	22	7	2	13	3	92	92	27	-	57	3
9	Mills	135	2	1	-	-	18	5	-	13	2	73	71	19	-	45	1
10	Mitchell	130	-	-	-	-	26	12	2	12	5	71	70	13	-	51	3
11	Monona	158	1	-	-	-	23	9	1	13	4	96	93	24	-	62	-
12	Monroe	136	-	-	-	-	22	8	3	11	5	65	55	19	-	34	5
13	Montgomery	173	1	-	-	3	17	4	1	12	3	105	105	21	-	75	1
14	Muscatine	405	1	2	-	1	61	20	7	34	10	234	229	53	-	164	6
15	Muscatine	270	-	1	-	1	45	18	6	21	8	155	151	37	-	110	4
16	Balance of county	135	1	1	-	-	16	2	1	13	2	79	78	16	-	54	2
17	O'Brien	164	-	-	-	1	29	13	5	11	2	97	93	24	-	65	3
18	Osceola	89	1	-	-	-	13	4	2	7	1	36	36	3	-	29	2
19	Page	237	2	-	-	1	34	12	-	22	4	165	163	36	-	109	5
20	Palo Alto	120	-	-	-	2	18	7	2	9	-	59	56	22	-	29	-
21	Plymouth	239	-	-	-	3	34	15	4	15	5	126	125	27	-	90	4
22	Pocahontas	127	-	-	-	-	25	10	4	11	3	65	64	18	-	37	6
23	Polk	2,384	8	7	1	8	376	126	50	200	28	1,349	1,335	349	2	886	29
24	Des Moines	2,102	6	5	1	8	332	108	43	181	22	1,191	1,179	301	2	790	24
25	Balance of county	282	2	2	-	-	44	18	7	19	6	158	156	48	-	96	5
26	Pottawattamie	805	3	2	-	1	131	38	18	75	9	466	463	113	-	318	6
27	Council Bluffs	566	2	2	-	1	87	24	15	48	8	327	324	81	-	221	2
28	Balance of county	239	1	-	-	-	44	14	3	27	1	139	139	32	-	97	4
29	Poweshiek	201	-	-	-	-	28	10	1	17	4	130	130	38	-	88	1
30	Ringgold	121	-	-	-	-	23	8	2	13	3	73	73	19	-	47	2
31	Sac	167	-	-	-	2	22	4	1	17	4	106	104	39	-	58	-
32	Scott	1,047	8	5	-	6	160	47	20	93	11	558	552	119	1	381	12
33	Davenport	828	8	4	-	6	124	37	16	71	7	450	444	102	1	301	9
34	Balance of county	219	-	1	-	-	36	10	4	22	4	108	108	17	-	80	3
35	Shelby	163	-	-	-	1	26	10	4	12	2	98	97	25	-	66	1
36	Sioux	209	2	-	-	-	31	14	3	14	6	113	107	27	1	71	2
37	Story	306	2	2	-	-	61	17	3	41	5	165	165	46	-	104	-
38	Ames	115	-	1	-	-	25	7	2	16	1	59	59	21	-	37	-
39	Balance of county	191	2	1	-	-	36	10	1	25	4	106	106	25	-	67	-
40	Tama	243	1	-	-	1	46	17	5	24	3	137	137	46	-	83	1
41	Taylor	159	1	-	-	-	22	10	-	12	4	105	104	24	-	70	-
42	Union	183	-	-	-	1	14	7	-	7	2	119	118	37	-	77	2
43	Van Buren	141	-	-	1	1	21	8	1	12	1	95	93	37	-	54	-
44	Wapello	442	4	3	-	1	60	19	6	35	3	263	261	69	-	179	4
45	Ottumwa	325	4	3	-	1	44	14	6	24	1	193	192	51	-	133	4
46	Balance of county	117	-	-	-	-	16	5	-	11	2	70	69	18	-	46	-
47	Warren	154	-	-	-	1	24	9	1	14	3	93	87	26	1	52	4
48	Washington	235	-	-	-	1	32	15	5	12	2	145	137	29	-	92	3
49	Wayne	145	1	-	-	-	23	11	-	12	1	80	77	21	-	53	5
50	Webster	475	1	2	-	2	75	28	5	42	11	246	240	60	-	168	3
51	Fort Dodge	316	1	2	-	1	60	22	4	34	6	163	158	34	-	118	2
52	Balance of county	159	-	-	-	1	15	6	1	8	5	83	82	26	-	50	1
53	Winnebago	143	-	1	-	1	28	10	5	13	1	78	78	22	-	51	2
54	Winneshiek	202	-	1	-	-	29	15	4	10	3	123	122	39	-	71	4
55	Woodbury	1,030	11	3	1	6	190	71	12	107	29	535	529	135	-	349	16
56	Sioux City	859	11	3	1	6	161	57	10	94	22	433	429	111	-	282	13
57	Balance of county	171	-	-	-	-	29	14	2	13	7	102	100	24	-	67	3
58	Worth	108	-	-	-	-	13	8	-	5	3	60	60	16	-	41	2
59	Wright	184	-	-	-	1	23	9	-	14	6	114	112	28	-	77	1
60	KANSAS	19,042	103	48	5	74	2,720	911	258	1,551	297	10,383	10,132	2,502	9	6,858	210
61	Metropolitan counties	5,400	38	20	4	23	792	248	94	450	73	2,643	2,575	622	6	1,753	69
62	Nonmetropolitan counties	13,642	65	28	1	51	1,928	663	164	1,101	224	7,740	7,557	1,880	3	5,105	141
63	Allen	216	4	1	-	-	28	9	3	16	4	125	120	29	-	73	1
64	Anderson	135	1	-	-	1	19	4	-	15	-	84	83	28	-	53	1
65	Atchison	266	-	1	-	1	35	17	3	15	6	153	151	28	-	116	-
66	Atchison	183	-	1	-	1	26	12	3	11	5	101	100	21	-	75	-
67	Balance of county	83	-	-	-	-	9	5	-	4	1	52	51	7	-	41	-
68	Barber	88	1	-	-	-	12	5	-	7	1	51	50	10	-	38	-
69	Barton	229	2	-	-	1	33	10	2	21	6	110	108	27	-	72	3
70	Great Bend	104	1	-	-	1	12	5	1	6	1	49	47	14	-	31	2
71	Balance of county	125	1	-	-	-	21	5	1	15	5	61	59	13	-	41	1
72	Bourbon	225	-	-	-	-	31	7	1	23	2	131	126	23	-	98	3
73	Fort Scott	135	-	-	-	-	19	3	1	15	2	79	75	15	-	58	3
74	Balance of county	90	-	-	-	-	12	4	-	8	-	52	51	8	-	40	-
75	Brown	171	-	1	-	-	22	10	-	12	2	105	103	24	-	78	-
76	Butler	308	-	1	-	-	41	12	5	24	1	180	177	48	-	120	3
77	El Dorado	107	-	1	-	-	24	7	3	14	-	60	59	18	-	40	1
78	Balance of county	201	-	-	-	-	17	5	2	10	1	120	118	30	-	80	2
79	Chase	55	-	-	-	-	9	4	3	2	-	39	38	11	-	27	1
80	Chautauqua	76	-	-	-	-	9	2	-	7	6	41	41	14	-	24	2
81	Cherokee	267	5	2	-	1	46	19	6	21	3	150	143	27	-	97	6
82	Cheyenne	43	-	-	-	-	5	2	1	2	2	23	22	2	-	20	1
83	Clark	25	1	-	-	-	5	2	-	3	-	13	10	3	-	7	1
84	Clay	158	1	-	-	2	19	7	3	9	3	92	89	26	-	59	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
60	5	4	1	1	2	1	4	-	2	2	-	-	2	3	-	6	9	5	-	8	1
52	6	28	5	9	-	2	3	3	-	1	2	-	3	5	6	10	13	2	-	12	2
29	5	20	3	3	-	1	1	2	-	-	-	-	-	2	5	3	6	1	-	5	3
23	1	8	2	6	-	1	2	1	-	1	2	-	3	3	1	7	7	1	-	7	4
61	4	16	4	6	4	1	4	3	-	2	1	-	4	6	2	5	9	3	1	22	5
93	16	18	7	12	2	4	8	1	-	2	-	-	3	6	1	11	10	7	1	32	6
56	6	11	6	6	1	4	5	1	-	1	-	-	2	4	-	7	6	2	-	14	7
37	10	7	1	6	1	-	3	-	-	1	-	-	1	2	1	4	4	5	1	18	8
27	5	12	1	4	2	2	5	1	-	-	-	-	1	3	1	2	9	3	-	14	9
39	5	4	1	3	2	1	4	-	-	-	1	-	1	3	5	3	-	1	-	10	10
43	3	16	3	4	-	3	3	-	3	2	-	-	-	1	-	7	5	-	-	13	11
19	2	8	-	2	-	10	4	-	1	1	1	-	2	4	12	2	6	-	-	11	12
61	1	12	2	5	2	-	6	1	1	1	-	-	1	3	2	5	9	2	-	13	13
116	22	20	-	11	1	5	8	3	1	4	1	1	5	13	-	8	22	5	3	22	14
74	17	15	-	3	1	4	6	2	-	4	1	-	4	9	-	6	11	3	3	11	15
42	5	5	-	8	-	1	2	1	1	-	-	1	1	4	-	2	11	2	-	11	16
56	1	5	1	3	-	4	5	1	1	-	-	-	4	2	2	6	7	1	1	5	17
21	4	2	2	2	-	-	1	-	-	1	-	-	1	5	-	4	3	-	-	3	18
84	6	14	3	15	-	2	7	1	-	-	-	-	-	3	1	3	4	3	-	9	19
23	1	5	1	3	1	3	7	-	1	1	-	-	2	3	2	8	4	2	-	11	20
67	5	14	2	3	3	1	8	-	-	1	-	-	8	10	1	4	16	2	-	21	21
26	-	5	1	6	2	1	2	2	1	2	-	-	1	5	-	5	10	1	-	5	22
700	87	70	14	64	20	14	81	25	3	20	1	1	39	107	9	42	73	26	5	175	23
626	77	63	14	55	17	12	76	21	3	19	1	1	34	92	7	37	60	22	4	160	24
74	10	7	-	9	3	2	5	4	-	1	-	-	5	15	2	5	13	4	1	15	25
240	27	45	6	20	6	3	24	3	2	6	-	-	18	24	1	19	29	14	-	53	26
166	21	32	6	13	3	3	18	1	2	3	-	-	12	23	1	13	22	10	-	34	27
74	6	13	-	7	3	-	6	2	-	3	-	-	6	1	-	6	7	4	-	19	28
68	7	12	-	1	3	-	5	-	1	-	-	1	7	5	1	4	7	1	-	7	29
35	3	7	1	6	-	-	-	1	-	2	-	-	1	2	-	2	7	4	-	3	30
43	5	10	1	2	4	2	3	1	-	2	-	1	1	6	-	3	7	1	1	7	31
250	48	71	14	26	11	6	33	10	7	11	1	-	15	44	8	27	44	17	4	78	32
195	40	57	7	22	11	6	25	9	6	11	-	-	11	31	7	19	34	11	4	61	33
55	8	14	7	4	-	-	8	1	1	-	1	-	4	13	1	8	10	6	-	17	34
49	4	12	-	5	1	1	4	-	1	1	-	-	1	3	1	5	12	-	-	8	35
49	3	17	1	7	-	6	5	1	1	2	1	-	4	8	5	6	12	1	-	11	36
87	4	13	6	8	1	-	12	2	1	3	-	-	4	6	-	8	14	4	-	17	37
33	-	4	-	1	-	-	6	2	1	1	-	-	2	4	-	1	4	1	-	7	38
54	4	9	6	7	1	-	6	-	-	2	-	-	2	2	-	7	10	3	-	10	39
49	17	16	3	4	1	-	6	1	1	1	-	-	4	5	1	7	12	4	-	13	40
55	5	10	4	4	2	1	5	-	-	1	-	-	1	3	1	-	6	2	-	8	41
53	7	15	1	1	2	1	13	-	1	1	-	-	1	1	-	6	8	3	1	12	42
36	5	13	-	2	-	2	1	1	-	-	-	-	1	-	2	1	5	3	-	8	43
127	27	21	2	10	1	2	10	2	2	5	2	-	5	17	4	11	22	2	-	26	44
94	21	14	1	6	1	1	7	1	1	4	1	-	3	12	3	7	17	2	-	21	45
33	6	7	1	4	-	1	3	1	1	1	1	-	2	5	1	4	5	-	-	5	46
37	6	5	1	5	2	6	2	2	-	1	-	-	-	3	1	2	8	2	-	12	47
59	13	17	4	11	1	8	6	-	1	-	-	-	4	2	-	7	18	4	-	13	48
31	4	13	2	1	-	3	5	2	1	1	1	1	-	3	2	1	6	2	-	15	49
100	38	27	3	7	2	6	13	7	2	1	-	-	4	17	9	8	18	14	3	42	50
70	29	17	3	3	-	5	7	4	1	1	-	-	3	9	6	7	12	4	1	28	51
30	9	10	-	4	2	1	6	3	1	-	-	-	1	8	3	1	6	10	2	14	52
42	5	2	1	4	-	-	4	1	2	2	1	-	1	4	1	1	3	-	-	14	53
47	10	10	2	10	-	1	3	1	-	1	-	-	2	8	2	6	8	2	-	13	54
238	37	58	6	26	13	6	18	11	7	2	1	3	14	52	5	19	42	7	2	72	55
192	31	46	5	19	12	4	17	10	6	2	1	3	12	48	5	16	34	4	2	62	56
46	6	12	1	7	1	2	1	1	1	-	-	-	2	4	-	3	8	3	-	10	57
30	5	4	-	1	2	-	5	1	-	1	-	-	-	8	-	5	3	1	-	8	58
59	4	13	2	3	2	2	7	2	1	-	2	-	2	6	1	2	2	3	-	12	59
4,760	794	1,094	150	453	160	251	473	113	73	139	44	25	268	769	379	587	852	246	51	1,393	60
1,276	216	192	35	111	48	68	138	31	26	52	7	11	106	329	233	157	218	90	37	372	61
3,484	578	902	115	342	112	183	335	82	47	87	37	14	162	440	146	430	634	156	14	1,021	62
43	14	15	7	7	4	5	9	2	-	1	-	1	4	4	1	7	8	3	1	13	63
44	1	7	1	1	-	1	2	-	2	2	-	-	1	6	-	2	5	-	2	8	64
70	19	27	3	3	1	2	7	1	4	-	5	-	2	6	1	5	12	5	-	22	65
42	15	18	2	2	-	1	6	1	4	-	5	-	-	5	1	3	10	2	-	12	66
28	4	9	1	1	1	1	1	-	-	-	-	-	2	1	-	2	2	3	-	10	67
29	6	3	-	1	1	1	4	-	-	-	-	-	1	4	1	7	2	-	-	4	68
47	6	16	-	6	1	4	4	-	-	3	1	1	4	14	-	16	11	1	2	20	69
24	1	4	-	2	-	2	2	-	-	1	1	-	2	9	-	10	4	-	2	9	70
23	5	12	-	4	1	2	2	-	-	2	-	1	2	5	-	6	7	1	-	11	71
72	19	4	2	2	1	5	5	1	-	1	2	-	1	9	2	8	6	4	-	22	72
43	9	3	1	-	1	4	5	1	-	1	2	-	-	7	-	4	3	1	-	11	73
29	10	1	1	2	-	1	-	-	-	-	-	-	1	2	2	4	3	3	-	11	74
62	11	5	1	-	-	2	9	1	1	-	1	-	2	3	-	7	6	2	-	9	75
86	19	12	5	4	-	3	8	2	-	2	1	-	4	12	3	11	11	4	-	27	76
26	12	1	-	1	-	1	3	1	-	-	-	-	1	2	-	3	3	-	-	9	77
60	7	11	5	3	-	2	5	1	-	2	1	-	3	10	3	8	8	4	-	18	78
20	4	2	-	-	-	1	1	1	-	-	-	-	3	-	1	-	1	-	-	-	79
16	4	2	-	2	1	-	2	-	1	-	-	-	-	1	3	3	2	-	-	8	80
73	5	13	1	14	4	7	3	1	-	1	1	-	3	10	1	5	17	1	-	17	81
13	-	6	-	-	-	1	1	-	-	-	-	-	1	3	-	-	2	2	-	4	82
4	1	1	-	-	-	3	-	-	-	1	-	-	-	1	1	-	1	-	-	2	83
35	3	21	-	3	1	3	5	1	1	-	-	1	2	1	-	2	13	3	1	11	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 060	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Cloud	173	-	1	-	-	23	2	4	17	1	111	109	26	-	78	2
2	Coffey	124	-	-	-	1	16	5	2	9	1	79	79	19	-	52	2
3	Comanche	34	-	-	-	-	5	2	-	3	-	18	17	5	-	12	1
4	Cowley	437	3	1	-	3	44	12	3	29	4	235	230	56	-	148	4
5	Arkansas City	135	1	1	-	2	12	3	1	8	3	95	92	24	-	58	-
6	Winfield	140	2	-	-	-	22	8	1	13	-	82	80	19	-	51	2
7	Balance of county	162	-	-	-	1	10	1	1	8	1	58	58	13	-	39	2
8	Crawford	518	4	-	-	1	77	27	12	38	10	310	300	78	-	201	5
9	Pittsburg	248	1	-	-	1	40	12	8	20	3	150	147	43	-	93	2
10	Balance of county	270	3	-	-	-	37	15	4	18	7	160	153	35	-	108	3
11	Decatur	54	-	-	-	-	9	1	1	7	-	29	29	5	-	21	1
12	Dickinson	231	-	-	-	-	33	14	2	17	4	128	124	30	-	83	1
13	Doniphan	115	-	1	-	1	27	15	-	12	-	61	61	21	-	36	1
14	Douglas	304	4	1	-	-	52	14	5	33	5	158	154	29	-	121	3
15	Lawrence	207	2	1	-	-	32	7	3	22	4	105	103	20	-	80	1
16	Balance of county	97	2	-	-	-	20	7	2	11	1	53	51	9	-	41	2
17	Edwards	68	1	-	-	-	8	2	1	5	1	38	37	8	-	28	1
18	Elk	70	2	-	1	-	7	-	1	6	2	39	39	9	-	24	2
19	Ellis	126	-	-	-	-	13	3	3	7	2	68	68	15	1	51	2
20	Ellsworth	80	-	-	-	-	11	2	-	9	3	47	44	12	-	29	-
21	Finney	96	-	-	-	1	8	2	2	4	1	47	41	13	-	28	-
22	Garden City	80	-	-	-	1	6	1	2	3	1	42	36	12	-	24	-
23	Balance of county	16	-	-	-	-	2	1	-	1	-	5	5	1	-	4	-
24	Ford	175	1	1	-	1	31	11	1	19	5	86	84	19	-	62	3
25	Dodge City	106	1	1	-	1	18	6	-	12	2	50	49	8	-	38	2
26	Balance of county	69	-	-	-	-	13	5	1	7	3	36	35	11	-	24	1
27	Franklin	211	5	-	-	-	27	10	2	15	9	129	124	28	-	81	3
28	Ottawa	118	3	-	-	-	13	5	1	7	7	75	71	16	-	47	1
29	Balance of county	93	2	-	-	-	14	5	1	8	2	54	53	12	-	34	2
30	Geary	178	2	-	-	1	16	9	-	7	1	82	78	17	-	55	1
31	Junction City	132	2	-	-	1	14	8	-	6	1	71	69	15	-	49	1
32	Balance of county	46	-	-	-	-	2	1	-	1	-	11	9	2	-	6	-
33	Gove	32	-	-	-	-	3	1	-	2	-	22	22	6	-	14	-
34	Graham	42	-	-	-	2	5	2	-	3	-	24	23	3	-	18	2
35	Grant	23	-	-	-	-	2	2	-	-	2	9	8	1	-	6	-
36	Gray	41	-	-	-	-	4	2	1	1	-	27	27	7	-	20	-
37	Greeley	3	-	-	-	-	1	-	-	1	-	2	2	1	-	1	-
38	Greenwood	144	2	-	-	-	24	14	1	9	1	86	82	20	-	58	1
39	Hamilton	28	-	-	-	-	4	-	-	4	-	9	9	2	-	7	1
40	Harper	113	-	-	-	2	12	3	1	8	4	71	70	24	-	38	2
41	Harvey	200	2	1	-	1	32	11	3	18	1	107	106	24	-	77	-
42	Newton	127	1	1	-	1	20	10	-	10	1	62	62	14	-	44	-
43	Balance of county	73	1	-	-	-	12	1	3	8	-	45	44	10	-	33	-
44	Haskell	14	-	-	-	-	2	-	1	1	-	8	8	2	-	5	-
45	Hodgeman	24	-	-	-	-	-	-	-	-	3	14	14	-	-	13	-
46	Jackson	128	-	-	-	-	13	3	1	9	-	95	94	17	-	72	2
47	Jefferson	136	1	-	-	-	22	6	1	15	4	84	83	20	-	50	3
48	Jewell	123	-	1	-	-	10	4	1	5	1	87	86	18	-	64	1
49	Johnson	554	3	1	2	7	85	24	6	55	6	287	284	62	1	198	7
50	Kearny	26	-	-	-	-	5	1	1	3	-	12	12	5	-	7	-
51	Kingman	79	-	-	-	-	13	3	1	9	1	47	42	5	-	33	3
52	Kiowa	40	-	-	-	-	8	1	1	6	1	22	22	11	-	10	-
53	Labette	341	3	1	-	1	53	19	3	31	9	195	192	60	-	117	3
54	Parsons	176	2	1	-	-	28	9	1	18	5	104	103	32	-	61	1
55	Balance of county	165	1	-	-	1	25	10	2	13	4	91	89	28	-	56	2
56	Lane	37	1	-	-	1	8	4	1	3	-	14	14	2	-	9	-
57	Leavenworth	422	3	2	-	-	59	20	8	31	2	244	241	72	-	159	5
58	Leavenworth	266	1	1	-	-	38	11	6	21	1	148	146	49	-	91	2
59	Balance of county	156	2	1	-	-	21	9	2	10	1	96	95	23	-	68	3
60	Lincoln	71	-	-	-	-	18	8	1	9	1	39	38	14	-	22	-
61	Linn	125	1	2	-	2	12	4	-	8	-	76	73	23	-	45	2
62	Logan	32	-	-	-	1	-	-	-	-	2	16	16	3	-	12	-
63	Lyon	279	-	1	-	-	56	20	6	30	1	152	146	33	-	97	6
64	Emporia	188	-	-	-	-	35	9	4	22	1	105	103	25	-	67	4
65	Balance of county	91	-	1	-	-	21	11	2	8	-	47	43	8	-	30	2
66	McPherson	223	-	-	-	-	37	14	2	21	5	129	129	31	-	85	1
67	Marion	176	-	-	-	-	28	14	1	13	3	105	103	26	-	71	1
68	Marshall	237	-	1	-	-	36	12	5	19	7	140	134	55	-	69	1
69	Meade	39	-	-	-	-	3	1	-	2	2	20	20	4	-	13	-
70	Miami	195	-	1	-	1	24	9	2	13	3	117	112	27	-	68	2
71	Mitchell	95	-	-	-	-	15	3	1	11	-	63	61	19	-	37	2
72	Montgomery	561	-	2	-	1	70	25	6	39	8	327	317	73	-	216	7
73	Coffeyville	219	-	1	-	1	25	11	2	12	3	132	126	28	-	85	-
74	Independence	143	-	-	-	-	15	8	2	5	3	85	82	25	-	52	6
75	Balance of county	199	-	1	-	-	30	6	2	22	2	110	109	20	-	79	1
76	Morris	99	1	-	-	-	14	4	1	9	-	66	65	22	-	37	1
77	Morton	21	-	-	-	-	3	2	-	1	-	7	7	-	-	7	-
78	Nemaha	143	-	-	-	2	17	2	3	12	5	80	80	27	-	42	1
79	Neosho	214	-	1	-	2	34	5	4	25	6	124	120	31	-	80	1
80	Chanute	122	-	-	-	-	19	2	3	14	5	71	69	20	-	45	1
81	Balance of county	92	-	1	-	2	15	3	1	11	1	53	51	11	-	35	-
82	Ness	43	-	-	-	-	8	2	1	5	1	20	20	5	-	12	-
83	Norton	108	1	-	-	1	21	6	-	15	2	51	50	13	-	34	1
84	Osage	163	1	-	-	-	22	8	1	13	3	106	105	25	-	74	2
85	Osborne	105	-	-	-	1	14	3	-	11	1	61	60	17	-	41	1
86	Ottawa	80	-	-	-	1	15	8	1	6	2	40	40	11	-	28	3
87	Pawnee	101	-	-	-	-	8	3	1	4	2	63	62	16	-	41	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
58	11	7	2	1	2	2	5	2	1	1	1	-	-	4	1	7	3	1	-	11	1
25	10	15	-	8	-	-	3	1	-	2	-	-	1	3	2	2	4	-	-	9	2
10	-	1	-	-	-	1	1	-	1	-	1	-	-	1	1	-	3	-	-	3	3
119	11	14	5	19	2	5	13	1	-	1	-	-	-	7	5	15	80	-	-	25	4
49	4	5	2	7	1	3	3	-	-	-	-	-	-	4	1	7	2	-	-	4	5
43	2	4	2	7	1	2	5	-	-	1	-	-	-	2	1	3	7	-	-	15	6
27	5	5	1	5	-	-	5	1	-	-	-	-	-	1	3	5	71	-	-	6	7
131	23	42	5	12	4	10	13	4	-	7	2	1	3	9	-	12	22	8	-	35	8
62	11	18	3	8	-	3	7	1	-	2	1	-	3	4	-	5	8	1	-	21	9
69	12	24	2	4	4	7	6	3	-	5	1	1	-	5	-	7	14	7	-	14	10
14	1	5	-	3	-	-	-	-	-	-	-	-	-	1	2	5	1	2	-	5	11
48	8	26	-	9	2	4	4	1	1	2	1	1	1	10	2	5	13	5	-	20	12
21	2	12	-	3	1	-	5	1	-	2	-	-	1	3	-	2	5	1	-	5	13
87	17	14	1	2	1	4	10	1	1	1	1	-	7	16	5	12	10	2	-	18	14
55	15	9	1	1	1	2	8	1	1	1	-	-	6	13	5	6	8	2	-	12	15
32	2	5	-	1	-	2	2	-	-	-	1	-	1	3	-	6	2	-	-	6	16
23	1	3	1	-	-	1	-	1	-	-	-	-	1	2	-	2	3	5	-	6	17
18	3	1	3	2	1	-	7	3	-	1	-	-	-	-	-	2	-	-	-	6	18
37	2	10	1	-	-	-	3	1	-	1	-	-	3	11	2	9	7	-	-	6	19
15	3	11	-	3	-	3	2	-	-	1	-	-	-	3	-	2	3	2	-	6	20
20	4	4	-	-	-	6	4	-	3	2	-	-	2	7	2	2	2	1	-	14	21
16	4	4	-	-	-	6	3	-	2	2	-	-	2	6	1	1	1	-	-	12	22
4	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	1	1	-	2	23
41	8	10	2	-	1	2	6	2	1	2	-	-	3	14	1	4	5	-	-	12	24
28	3	5	2	-	1	1	1	2	-	2	-	-	2	10	1	2	3	-	-	10	25
13	5	5	-	-	-	1	5	-	1	-	-	-	1	4	-	2	2	-	-	2	26
53	9	16	3	10	2	5	2	-	2	-	1	-	2	4	-	3	6	1	-	20	27
31	5	10	2	5	1	4	-	-	1	-	1	-	1	2	-	1	4	1	-	9	28
22	4	6	1	5	1	1	2	-	1	-	-	-	1	2	-	2	2	-	-	11	29
38	7	9	1	5	-	4	3	1	2	1	1	-	8	8	1	21	13	1	-	16	30
33	6	9	1	4	-	2	3	-	1	1	-	-	8	7	-	4	9	1	-	9	31
5	1	-	-	1	-	2	-	1	1	-	1	-	-	1	1	17	4	-	-	7	32
10	2	2	1	1	-	-	2	-	-	1	-	-	1	-	-	1	1	-	-	1	33
9	1	6	-	1	1	1	1	1	-	-	-	-	1	-	1	3	3	-	-	1	34
5	1	-	-	1	-	1	1	-	-	-	-	-	-	2	-	1	4	-	-	2	35
17	-	3	-	-	-	-	2	-	-	1	-	-	1	2	-	1	2	1	-	-	36
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
39	9	9	-	3	1	4	2	-	-	-	1	-	-	1	1	8	4	1	-	13	38
5	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-	4	3	-	-	3	39
28	3	5	3	3	2	1	3	-	-	1	-	-	1	3	-	6	1	1	-	8	40
58	10	9	1	3	1	1	6	-	1	2	-	1	2	11	1	2	10	-	-	20	41
34	7	3	1	2	1	-	4	-	-	1	-	1	2	9	1	2	6	-	-	15	42
24	3	6	-	1	-	1	2	-	1	1	-	-	-	2	-	-	4	-	-	5	43
5	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	44
3	5	5	-	-	1	-	1	-	1	1	-	-	-	-	-	3	1	-	-	-	45
27	5	38	2	3	-	1	4	1	-	-	-	-	-	3	1	1	4	1	-	5	46
37	6	4	2	10	1	1	3	-	-	1	-	-	-	4	-	1	4	3	-	9	47
42	8	13	1	1	2	1	3	-	-	-	-	-	-	2	2	2	6	-	-	9	48
152	16	23	1	17	5	3	13	4	3	7	-	-	12	31	4	16	20	15	2	36	49
3	2	2	-	-	-	-	-	-	1	-	-	-	-	4	2	2	-	-	-	-	50
23	4	3	2	2	-	5	2	-	-	-	1	-	-	-	2	2	6	1	-	4	51
10	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	2	2	2	-	-	52
88	9	17	6	3	6	3	10	3	2	4	1	-	2	7	-	8	17	3	-	22	53
50	1	9	5	1	4	1	8	1	1	2	1	-	-	2	-	4	4	3	-	10	54
38	8	8	1	2	2	2	2	2	1	2	-	-	2	5	-	4	13	-	-	12	55
7	-	2	-	1	2	-	1	-	-	-	-	-	1	2	-	2	1	-	-	6	56
101	28	25	-	7	3	3	11	2	2	1	1	1	7	13	1	14	22	4	3	30	57
60	16	13	-	5	1	2	7	1	2	1	-	1	4	8	1	10	13	4	-	25	58
41	12	12	-	2	2	1	4	1	-	-	1	-	3	5	-	4	9	-	3	5	59
21	1	-	-	1	1	1	-	1	1	-	1	-	-	-	-	1	5	1	-	3	60
31	6	6	1	2	2	3	7	-	-	-	-	-	1	1	3	2	5	1	1	11	61
10	1	1	1	-	-	-	1	-	-	1	-	-	1	4	1	3	-	1	-	1	62
64	13	14	3	11	2	6	7	1	2	-	-	-	5	7	1	13	8	4	1	20	63
48	8	7	3	6	2	2	3	1	1	-	-	-	5	7	1	6	7	2	-	14	64
16	5	7	-	5	-	4	4	-	1	-	-	-	-	-	-	7	1	2	1	6	65
56	13	15	-	12	1	-	8	-	4	-	1	-	2	7	2	4	6	1	-	17	66
59	2	9	1	2	3	2	2	-	-	-	-	-	1	4	6	7	5	2	-	13	67
43	1	24	1	8	1	6	7	3	-	2	-	1	4	2	5	2	7	2	-	18	68
11	1	1	-	2	1	-	2	1	-	-	-	-	2	1	-	1	2	-	-	5	69
47	13	6	1	13	3	5	5	1	1	2	-	-	2	5	2	6	8	3	-	14	70
27	4	4	1	3	1	2	3	-	-	3	-	-	3	-	-	-	1	1	-	6	71
140	20	49	12	8	8	10	9	2	1	4	2	2	7	18	20	8	19	4	1	56	72
63	9	13	9	1	3	6	4	2	-	1	-	1	3	11	2	3	8	2	-	20	73
25	3	18	2	3	-	3	2	-	1	-	-	1	3	4	8	2	6	-	1	12	74
52	8	18	1	4	5	1	3	-	-	3	2	-	1	3	10	3	5	2	-	24	75
25	7	4	1	3	2	1	1	1	-	-	-	-	-	4	-	2	2	2	1	5	76
5	-	2	-	-	-	-	-	-	-	1	-	-	2	-	-	3	2	-	-	3	77
29	3	9	1	9	1	-	6	3	-	-	-	-	2	11	-	3	6	1	-	7	78
55	6	18	-	8	1	4	3	3	1	-	-	1	2	6	1	-	10	3	-	17	79
33	2	9	-	3	1	2	3	1	-	-	-	1	2	3	-	-	3	2	-	12	80
22	4	9	-	5	-	2	-	2	1	-	-	-	-	3	1	-	7	1	-	5	81
8	-	4	-	2	1	-	-	-	-	1	-	-	1	2	-	2	3	1	-	4	82
24	3	6	-	-	3	1	1	1	-	1	-	-	-	5	-	4	8	1	-	11	83
46	8	18	2	4	-	1	4	1	-	-	-	-	1	4	-	2	7	1	-	11	84
17	6	17	-	1	1	1	3	-	1	-	-	-	1	3	1	2	6	2	-	9	85
21	2	2	-	1	-	-	1	1	-	-	-	-	1	1	-	2	9	-	-	7	86
27	6	8	2	1	2	1	3	-	-	1	-	1	3	3	-	6	4	2	-	5	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Phillips	96	-	-	-	2	18	8	-	10	1	52	51	7	-	42	11
2	Pottawatomie	129	1	-	-	1	21	6	-	15	4	69	69	19	1	45	-
3	Pratt	117	-	-	-	-	18	4	3	11	4	56	56	10	-	44	-
4	Rawlins	53	-	-	-	1	14	5	3	6	-	25	25	3	-	19	-
5	Reno	514	4	-	-	4	61	16	4	41	4	284	282	59	-	194	5
6	Hutchinson	369	2	-	-	4	47	10	3	34	3	188	186	43	-	124	5
7	Balance of county	145	2	-	-	-	14	6	1	7	1	96	96	16	-	70	-
8	Republic	147	-	-	-	-	24	7	1	16	1	90	88	23	-	59	1
9	Rice	130	1	-	-	1	18	8	-	10	1	68	65	11	-	52	2
10	Riley	209	1	-	-	-	26	11	1	14	6	108	105	25	-	72	2
11	Manhattan	131	-	-	-	-	19	7	-	12	4	67	65	15	-	47	2
12	Balance of county	78	1	-	-	-	7	4	1	2	2	41	40	10	-	25	-
13	Rooks	80	-	-	-	-	12	4	2	6	2	44	43	12	-	27	2
14	Rush	63	-	-	-	-	10	7	-	3	1	37	34	8	-	26	1
15	Russell	113	-	-	-	-	20	6	3	11	-	50	49	15	-	31	1
16	Saline	325	1	2	-	3	39	9	3	27	4	171	167	38	-	111	3
17	Salina	261	1	2	-	3	33	8	3	22	4	133	130	33	-	81	3
18	Balance of county	64	-	-	-	-	6	1	-	5	-	38	37	5	-	30	-
19	Scott	38	-	-	-	1	3	-	-	3	-	18	17	2	1	12	1
20	Sedgwick	2,087	13	9	2	8	293	85	36	172	30	859	835	207	2	561	26
21	Wichita	1,866	13	9	2	7	276	77	36	163	27	762	742	185	2	495	21
22	Balance of county	221	-	-	-	1	17	8	-	9	3	97	93	22	-	66	5
23	Seward	67	-	-	-	-	9	2	1	6	3	31	31	8	-	22	-
24	Shawnee	1,062	8	1	-	4	164	61	21	82	12	597	586	173	1	364	11
25	Topeka	879	5	1	-	4	135	50	18	67	9	500	491	143	1	311	10
26	Balance of county	183	3	-	-	-	29	11	3	15	3	97	95	30	-	53	1
27	Sheridan	37	-	-	-	-	9	4	-	5	1	19	19	2	-	16	-
28	Sherman	63	-	-	-	-	10	3	1	6	3	30	30	6	-	20	1
29	Smith	99	1	-	-	-	10	3	3	4	1	62	62	14	-	42	3
30	Stafford	77	-	1	-	1	10	4	1	5	1	49	47	7	-	38	1
31	Stanton	10	-	-	-	-	2	-	-	2	-	5	5	-	-	4	-
32	Stevens	25	-	-	-	-	1	-	-	1	1	18	17	2	-	14	1
33	Sumner	301	3	-	-	-	41	20	5	16	4	174	172	46	-	112	1
34	Thomas	60	-	1	-	-	6	3	-	3	2	29	29	8	-	20	-
35	Trego	42	-	-	-	-	8	2	-	6	1	22	21	7	-	12	-
36	Wabaunsee	90	-	-	-	-	15	8	3	4	5	53	52	13	-	36	2
37	Wallace	22	-	-	-	-	3	1	-	2	-	15	14	5	-	7	-
38	Washington	128	-	-	-	2	24	13	1	10	4	55	54	13	-	34	1
39	Wichita	18	-	-	-	-	3	1	-	2	-	11	11	3	-	8	-
40	Wilson	158	-	-	-	-	27	13	1	13	1	104	103	29	-	59	1
41	Woodson	69	-	-	-	1	10	5	1	4	1	48	47	20	-	26	2
42	Wyandotte	1,697	14	9	-	4	250	78	31	141	25	900	870	180	2	630	25
43	Kansas City	1,480	13	7	-	3	213	64	26	123	24	791	765	154	2	553	23
44	Balance of county	217	1	2	-	1	37	14	5	18	1	109	105	26	-	77	2
45	KENTUCKY	27,591	465	73	8	191	3,729	1,343	397	1,989	373	14,735	14,333	3,361	30	9,879	297
46	Metropolitan counties	8,867	138	28	4	41	1,346	447	170	729	131	4,826	4,743	1,028	12	3,361	116
47	Nonmetropolitan counties	18,724	327	45	4	150	2,383	896	227	1,260	242	9,909	9,590	2,333	18	6,518	181
48	Adair	151	5	1	-	3	12	6	-	6	6	88	86	34	-	48	-
49	Allen	148	5	-	-	-	18	7	2	9	-	89	89	111	-	73	1
50	Anderson	101	1	-	-	1	13	5	-	8	1	55	54	16	-	34	1
51	Ballard	86	1	1	-	-	17	8	1	8	2	40	39	5	-	31	-
52	Barren	266	6	-	-	1	32	14	3	15	3	166	162	39	-	108	4
53	Bath	96	-	-	-	-	12	3	2	7	2	60	60	15	-	45	4
54	Bell	319	8	1	-	2	53	15	7	31	6	137	129	33	-	90	5
55	Middlesborough	110	3	-	-	-	20	4	4	12	5	48	46	16	-	29	4
56	Balance of county	209	5	1	-	2	33	11	3	19	1	89	83	17	-	61	1
57	Boone	135	1	-	-	-	17	5	-	12	1	81	80	11	-	62	3
58	Bourbon	190	4	-	-	1	24	7	4	13	2	105	103	19	1	74	1
59	Boyd	407	5	1	1	2	78	28	7	43	9	210	209	53	-	140	3
60	Ashland	251	3	1	-	-	49	20	5	24	5	136	135	39	-	88	3
61	Balance of county	156	2	-	1	2	29	8	2	19	4	74	74	14	-	52	-
62	Boyle	190	5	-	-	-	30	13	4	13	2	95	93	16	-	70	-
63	Bracken	113	5	-	-	-	10	4	1	5	1	72	68	16	-	48	-
64	Breathitt	117	3	1	-	3	7	3	-	4	-	58	57	9	-	43	2
65	Breckinridge	150	2	-	1	-	19	6	1	12	1	90	89	18	-	63	3
66	Bullitt	126	1	3	-	2	19	10	2	7	2	58	56	10	-	39	1
67	Butler	97	1	-	-	-	11	2	1	8	2	55	55	14	-	36	2
68	Caldwell	170	3	-	-	-	29	9	3	17	3	107	107	29	-	74	2
69	Calloway	171	2	-	-	1	24	6	2	16	1	112	111	26	-	75	1
70	Campbell	910	10	-	-	5	165	56	14	95	20	493	487	113	1	346	14
71	Newport	366	3	-	-	2	70	24	3	43	11	182	181	48	-	122	9
72	Fort Thomas	138	1	-	-	-	26	12	2	12	1	86	86	19	-	63	2
73	Balance of county	406	6	-	-	3	69	20	9	40	8	225	220	46	1	161	3
74	Carlisle	71	1	1	-	1	6	3	1	2	1	46	45	13	-	29	-
75	Carroll	113	3	-	-	2	15	8	3	4	3	63	61	18	-	37	-
76	Carter	161	3	-	-	1	30	14	2	14	2	68	67	15	-	49	2
77	Casey	134	4	-	-	1	28	16	-	12	1	58	54	10	-	39	-
78	Christian	481	3	5	-	1	43	15	3	25	5	228	212	42	1	154	2
79	Hopkinsville	237	1	1	-	-	20	4	2	14	4	106	99	15	-	77	1
80	Balance of county	244	2	4	-	1	23	11	1	11	1	122	113	27	1	77	1
81	Clark	216	6	-	-	-	40	13	3	24	1	125	121	20	-	96	6
82	Clay	160	1	-	-	-	13	3	4	6	3	79	77	17	-	57	-
83	Clinton	92	3	1	-	-	14	4	-	10	1	40	40	4	-	28	1
84	Crittenden	113	3	-	-	-	24	12	1	11	1	54	54	14	1	34	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
23	11	7	-	2	-	1	2	-	-	-	-	-	4	1	-	3	4	-	-	9	1
31	5	9	-	2	2	-	2	-	2	-	-	-	-	1	1	4	7	3	-	13	2
33	7	4	1	-	1	-	3	2	-	1	-	-	2	4	-	5	7	2	-	13	3
13	1	5	-	3	-	-	-	-	-	-	-	1	-	6	-	2	1	1	-	2	4
130	34	25	3	24	2	2	10	3	1	5	1	-	9	29	22	22	14	4	-	37	5
81	20	18	3	14	2	2	8	3	1	5	1	-	6	23	18	18	11	4	-	27	6
49	14	7	-	10	-	-	2	-	-	-	-	-	3	6	4	4	3	-	-	10	7
42	1	15	4	2	-	2	3	1	-	1	-	-	1	3	-	4	6	2	-	11	8
41	2	7	-	2	-	3	2	1	-	-	-	-	-	2	3	9	5	4	-	15	9
39	14	17	1	7	-	3	5	3	1	1	2	1	6	10	6	6	11	2	-	14	10
26	10	9	1	2	-	2	-	2	1	1	2	-	3	9	1	6	8	1	-	7	11
13	4	8	-	5	-	1	5	1	-	-	-	1	3	1	5	-	3	1	-	7	12
15	3	7	1	2	1	1	2	-	-	1	-	-	2	3	2	4	-	2	-	6	13
14	2	9	-	-	-	3	1	2	-	-	1	-	1	2	-	1	1	-	-	6	14
27	3	-	1	1	1	1	3	2	1	1	-	-	-	6	-	9	9	8	-	4	15
80	12	16	2	11	5	4	11	1	1	5	1	-	7	18	3	8	15	2	-	33	16
57	8	13	1	10	5	3	6	1	1	4	1	-	7	16	1	8	12	1	-	27	17
23	4	3	1	1	-	1	5	-	-	1	-	-	-	2	2	-	3	1	-	6	18
5	5	1	-	1	1	1	1	-	-	1	-	-	-	1	-	3	2	3	1	4	19
406	79	50	12	39	14	24	53	13	8	14	4	5	56	152	194	74	100	37	10	153	20
360	68	46	12	34	14	20	42	11	8	14	4	5	50	140	172	59	83	33	8	141	21
46	11	4	-	5	-	4	11	2	-	-	-	-	6	12	22	15	17	4	2	12	22
18	-	4	1	-	-	-	1	-	-	1	2	-	2	5	-	6	3	1	-	3	23
269	40	44	10	28	10	11	16	4	7	12	-	1	14	52	26	23	35	13	7	66	24
235	31	35	8	18	10	9	14	3	4	10	-	1	12	47	22	15	30	10	5	52	25
34	9	9	2	10	-	2	2	1	3	2	-	-	2	5	4	8	5	3	2	14	26
12	1	3	-	-	1	-	1	-	-	1	-	-	-	2	-	1	-	1	-	2	27
15	2	2	1	2	1	-	1	3	-	-	-	-	-	1	2	1	5	1	-	6	28
22	7	10	1	1	4	-	2	2	1	1	-	-	-	-	2	1	8	-	-	8	29
26	1	10	1	1	-	2	1	-	-	-	-	-	1	1	1	2	2	-	-	7	30
4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	31
11	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	1	3	-	-	-	32
82	10	19	2	9	3	2	4	3	-	4	1	-	3	8	-	11	20	6	-	19	33
17	1	2	-	-	1	-	-	-	-	-	-	-	2	6	-	2	4	1	-	7	34
7	4	1	-	-	2	1	1	-	-	-	-	-	1	2	-	2	1	1	-	3	35
25	2	7	1	2	-	1	1	-	-	-	1	-	1	-	-	1	7	-	-	6	36
7	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	1	37
26	3	4	1	5	1	1	6	-	-	-	1	-	1	1	11	2	4	3	-	14	38
4	1	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	39
42	4	12	3	12	-	1	2	1	1	-	-	-	1	-	1	3	2	3	-	12	40
17	1	6	-	1	-	1	1	1	-	-	-	-	-	1	-	2	-	1	-	3	41
449	81	75	12	27	19	30	56	10	8	19	3	5	24	94	9	44	63	25	18	117	42
390	72	68	11	27	18	26	48	9	5	17	2	3	20	89	9	40	49	21	17	100	43
59	9	7	1	-	1	4	8	1	3	2	1	2	4	5	-	4	14	4	1	17	44
6,002	1,684	1,696	242	639	182	402	1,014	133	176	225	38	42	416	1,225	346	862	1,187	281	200	1,872	45
2,210	572	463	68	196	78	83	279	50	45	119	14	11	128	377	52	230	323	84	57	584	46
3,792	1,112	1,433	174	443	104	319	735	83	131	106	24	31	288	848	294	632	864	197	143	1,288	47
28	6	14	1	2	1	2	1	-	-	1	-	-	1	14	1	4	4	1	3	6	48
40	12	20	1	3	1	-	10	-	-	-	-	-	-	6	2	2	4	3	1	8	49
24	7	2	3	1	-	1	10	-	-	1	-	-	2	1	1	2	5	2	-	6	50
25	4	2	2	1	-	1	1	-	-	1	-	-	-	5	3	2	2	1	-	10	51
60	23	21	6	7	2	4	8	-	1	1	-	-	2	11	2	8	9	3	2	11	52
38	-	3	-	-	-	-	4	-	1	1	-	-	1	5	1	-	1	2	1	5	53
49	4	32	2	4	-	8	12	1	2	6	-	-	4	17	6	12	19	2	7	24	54
15	-	10	-	1	-	2	3	1	-	3	-	-	1	2	2	1	8	-	3	10	55
34	4	22	2	3	-	6	9	-	2	3	-	-	3	15	4	11	11	2	4	14	56
40	9	10	-	4	3	1	1	3	-	-	-	-	-	2	5	4	8	2	-	10	57
42	13	18	2	6	1	2	6	1	3	3	-	-	2	12	2	3	10	4	1	7	58
102	19	16	2	12	2	1	11	5	2	5	1	-	6	11	8	8	19	3	3	19	59
64	9	12	2	4	2	1	6	3	-	4	-	-	5	5	4	6	10	2	2	10	60
38	10	4	-	8	-	-	5	2	2	1	1	-	1	6	4	2	9	1	1	9	61
29	13	28	5	1	1	2	10	-	-	2	-	-	2	8	1	7	9	4	1	14	62
22	4	22	2	1	1	4	5	1	1	-	2	-	1	1	-	1	3	1	1	8	63
25	7	9	1	3	1	1	3	-	-	-	-	1	3	6	3	7	7	3	3	9	64
17	14	29	5	3	-	1	4	1	1	1	-	-	3	5	4	3	4	4	1	6	65
25	9	4	-	6	1	2	1	1	1	1	-	-	2	10	-	10	4	3	-	8	66
20	6	8	-	3	2	-	3	-	-	1	-	-	1	5	1	6	1	1	-	9	67
48	15	9	-	4	-	-	3	-	-	1	-	1	-	2	5	1	6	2	-	7	68
51	8	15	1	7	2	1	2	-	2	1	-	-	3	1	-	7	3	2	-	10	69
226	43	63	10	13	4	6	20	3	5	12	3	-	13	38	5	17	40	6	2	53	70
77	17	19	3	4	4	1	8	2	4	5	-	-	3	19	4	5	16	3	2	27	71
50	3	8	2	2	-	-	3	1	-	3	2	-	3	1	-	3	3	1	-	4	72
99	23	36	5	7	-	5	9	-	1	4	1	-	7	18	1	9	21	2	-	22	73
17	1	11	2	-	1	1	1	-	-	-	-	-	2	2	-	3	4	-	-	3	74
25	6	6	-	6	-	2	5	-	-	2	-	-	3	3	1	2	2	2	-	7	75
32	7	8	-	2	1	1	6	-	1	2	-	1	3	12	2	15	4	-	-	11	76
17	11	11	1	3	1	4	1	-	-	1	-	-	1	5	1	5	13	3	-	12	77
102	32	18	8	6	1	16	30	4	4	2	1	1	12	28	3	36	30	5	1	39	78
53	16	7	5	2	-	7	13	3	3	2	-	1	5	13	2	17	19	1	1	25	79
49	16	11	3	4	1	9	17	1	1	-	1	-	7	15	1	19	11	4	-	14	80
57	15	18	-	5	-	4	9	2	1	-	-	-	1	6	1	4	4	3	1	12	81
45	9	3	-	3	-	2	7	-	1	3	1	1	5	7	5	11	6	-	10	7	82
13	11	3	6	-	2	-	9	1	1	-	-	-	-	4	2	5	4	-	-	7	83
24	4	5	4	1	-	-	7	-	-	-	-	-	2	-	8	1	1	-	-	12	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Cumberland	81	2	-	1	-	5	2	1	2	4	51	48	16	-	27	1
2	Daviess	601	11	-	-	7	80	36	8	36	10	323	313	59	3	232	7
3	Owensboro	403	6	-	-	4	61	27	7	27	7	205	199	36	2	148	3
4	Balance of county	198	5	-	-	3	19	9	1	9	3	118	114	23	1	84	4
5	Edmonson	82	2	-	-	1	12	3	1	8	1	43	42	12	-	29	-
6	Elliott	55	-	-	-	1	7	2	-	5	2	28	27	10	-	16	-
7	Estill	141	4	-	-	-	16	3	1	12	3	69	66	19	-	46	2
8	Fayette	1,044	15	6	-	6	124	44	18	62	14	626	621	148	1	413	13
9	Lexington	837	14	4	-	6	93	35	14	44	10	500	495	128	1	321	11
10	Balance of county	207	1	2	-	-	31	9	4	18	4	126	126	20	-	92	2
11	Fleming	108	-	1	-	-	15	5	-	10	1	69	64	15	-	40	3
12	Floyd	258	3	1	-	3	37	19	3	15	7	107	104	21	-	76	5
13	Franklin	238	4	2	-	2	38	6	5	27	2	125	118	33	-	72	2
14	Frankfort	157	3	-	-	1	22	4	1	17	1	90	84	24	-	53	2
15	Balance of county	81	1	2	-	1	16	2	4	10	1	35	34	9	-	19	-
16	Fulton	163	-	-	-	2	17	8	3	6	1	88	86	20	-	58	1
17	Gallatin	47	1	-	-	1	3	3	-	-	2	29	29	11	-	17	-
18	Garrard	99	1	-	-	1	13	6	-	7	9	50	47	23	-	18	-
19	Grant	108	2	-	-	-	9	6	-	3	-	61	58	12	-	42	1
20	Graves	333	5	-	-	2	41	12	2	27	2	188	188	57	-	114	3
21	Grayson	158	2	-	-	-	23	8	1	14	-	90	88	10	-	73	-
22	Green	115	2	1	-	-	14	6	1	7	-	73	72	23	-	45	-
23	Greenup	213	3	-	-	4	27	9	3	15	3	97	96	26	-	62	2
24	Hancock	52	-	-	-	1	7	1	2	4	2	28	28	9	-	18	-
25	Hardin	319	14	-	-	1	42	18	3	21	8	127	125	19	1	95	3
26	Harlan	429	6	-	-	3	45	15	4	26	7	186	181	38	-	127	8
27	Harrison	164	2	-	-	-	20	11	-	9	2	100	100	28	1	65	2
28	Hart	139	6	-	-	-	18	7	1	10	-	78	73	14	-	53	-
29	Henderson	329	1	4	-	2	38	14	4	20	7	196	188	57	-	118	1
30	Henderson	196	-	3	-	-	31	12	2	17	3	115	111	32	-	71	1
31	Balance of county	133	1	1	-	2	7	2	2	3	4	81	77	25	-	47	-
32	Henry	152	3	-	-	1	24	7	3	14	-	90	88	26	-	52	-
33	Hickman	83	3	-	-	-	13	4	1	8	-	42	41	4	-	34	1
34	Hopkins	368	5	-	-	3	52	19	6	27	3	208	204	44	1	135	3
35	Madisonville	123	-	-	-	-	23	7	2	14	-	68	67	18	1	40	1
36	Balance of county	245	5	-	-	3	29	12	4	13	3	140	137	26	-	95	2
37	Jackson	86	4	-	-	-	8	2	1	5	-	49	49	18	-	26	-
38	Jefferson	5,327	96	20	3	22	769	247	104	418	69	2,859	2,794	605	8	1,972	70
39	Louisville	4,434	87	15	3	20	637	212	87	338	60	2,432	2,377	521	6	1,675	55
40	Balance of county	893	9	5	-	2	132	35	17	80	9	427	417	84	2	297	15
41	Jessamine	126	3	1	-	-	11	4	-	7	2	68	67	8	-	53	3
42	Johnson	176	4	-	-	-	16	10	2	4	-	117	115	38	1	69	4
43	Kenton	1,179	12	1	-	6	210	72	27	111	19	638	632	109	2	490	16
44	Covington	774	10	-	-	5	127	39	16	72	15	415	412	74	1	311	9
45	Balance of county	405	2	1	-	1	83	33	11	39	4	223	220	35	1	179	7
46	Knott	82	-	-	-	3	12	5	2	5	-	29	29	2	-	26	-
47	Knox	233	3	-	-	-	28	11	4	13	3	119	111	22	-	80	3
48	Larue	102	2	-	-	-	11	4	1	6	1	51	44	12	-	25	3
49	Laurel	193	-	-	-	-	21	10	3	8	2	102	96	18	-	69	6
50	Lawrence	138	1	-	-	-	10	4	-	6	1	90	83	27	-	52	-
51	Lee	72	-	-	-	-	10	5	1	4	1	33	33	10	1	21	2
52	Leslie	57	3	-	-	1	6	2	-	4	1	21	18	2	-	15	2
53	Letcher	212	4	2	-	2	28	13	3	12	1	89	83	22	1	54	1
54	Lewis	120	2	-	-	1	11	5	1	5	1	70	69	20	-	41	1
55	Lincoln	137	2	-	-	1	23	10	2	11	2	72	70	21	1	41	1
56	Livingston	77	1	-	-	1	13	2	1	10	3	37	32	12	-	16	-
57	Logan	234	3	-	-	1	28	10	2	16	-	127	127	22	-	101	1
58	Lyon	49	-	-	-	-	6	3	-	3	1	30	29	8	-	16	-
59	McCracken	534	8	1	-	3	85	29	7	49	9	285	276	65	-	187	4
60	Paducah	395	7	1	-	3	63	23	3	37	6	213	208	51	-	139	2
61	Balance of county	139	1	-	-	-	22	6	4	12	3	72	68	14	-	48	2
62	McCreary	111	-	-	-	1	18	4	4	10	2	46	45	11	-	32	-
63	McLean	113	1	-	-	-	11	4	1	6	1	66	65	13	1	45	-
64	Madison	293	4	1	-	4	43	14	6	23	1	156	154	48	-	95	1
65	Richmond	126	2	-	-	1	16	6	1	9	-	64	63	15	-	42	-
66	Balance of county	167	2	1	-	3	27	8	5	14	1	92	91	33	-	53	1
67	Magoffin	87	-	1	-	1	4	-	1	3	1	44	43	14	1	26	4
68	Marion	151	1	-	-	1	24	10	1	13	2	72	72	11	-	51	2
69	Marshall	147	1	2	-	2	16	6	2	8	5	82	81	24	-	55	1
70	Martin	72	1	-	-	2	5	2	-	3	-	31	30	11	-	18	-
71	Mason	218	5	1	-	2	25	9	5	11	6	137	135	32	-	98	-
72	Meade	85	1	-	-	5	8	1	2	5	-	38	38	5	-	25	1
73	Menifee	40	-	-	-	-	5	1	1	3	3	19	18	6	-	12	-
74	Mercer	165	3	1	-	1	26	11	2	13	-	87	86	17	-	63	-
75	Metcalfe	99	3	-	-	-	8	4	-	4	-	63	61	28	-	31	-
76	Monroe	117	7	1	-	-	14	2	1	11	1	66	64	15	-	36	1
77	Montgomery	168	2	1	-	7	18	8	2	8	1	96	94	16	-	67	1
78	Morgan	94	-	-	-	1	9	5	1	3	2	45	45	6	-	37	-
79	Muhlenberg	337	-	-	-	1	47	17	6	24	4	189	178	45	1	116	2
80	Nelson	188	6	-	-	1	21	11	2	8	1	86	82	17	-	57	1
81	Nicholas	101	4	-	-	-	14	2	-	12	3	52	51	15	-	29	2
82	Ohio	226	4	-	-	-	33	6	4	23	4	120	111	19	-	83	1
83	Oldham	90	-	-	-	1	6	2	-	4	3	52	51	22	-	27	2
84	Owen	107	2	-	-	1	12	4	-	8	4	64	62	17	-	40	2
85	Owsley	50	2	-	-	-	2	-	2	-	2	30	30	13	-	13	-
86	Pendleton	108	-	-	-	1	15	10	1	4	1	63	63	12	-	47	1
87	Perry	255	10	1	-	1	23	6	3	14	1	114	109	24	-	74	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined con-ditions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
15	10	1	-	5	-	3	5	-	-	-	1	-	1	1	-	3	2	-	1	4	1
154	38	33	4	10	5	10	20	4	4	3	1	-	8	30	9	14	27	6	4	40	2
99	25	21	2	7	4	6	13	4	4	3	1	-	5	17	5	10	21	4	4	29	3
55	13	12	2	3	1	4	7	-	-	-	-	-	3	13	4	4	6	2	-	11	4
14	10	5	1	-	-	1	5	-	1	-	-	-	1	2	-	4	3	1	-	6	5
6	7	3	-	1	-	1	3	1	-	-	-	1	-	2	-	2	4	-	3	1	6
31	5	8	-	1	-	3	5	1	1	1	-	-	3	9	3	2	4	3	1	16	7
240	60	100	13	38	8	5	36	4	5	9	1	1	16	36	5	23	28	10	5	74	8
187	47	76	7	31	7	5	28	3	5	9	1	-	14	28	4	21	23	6	5	63	9
53	13	24	6	7	1	-	8	1	-	-	-	1	2	8	1	2	5	4	-	11	10
27	4	6	2	7	-	5	4	-	1	1	-	-	1	1	-	4	4	1	1	4	11
48	13	10	3	1	3	3	11	-	2	3	-	1	3	16	10	12	13	2	3	24	12
49	11	10	1	7	5	7	6	2	-	4	-	-	1	6	4	9	8	4	1	20	13
37	7	7	-	4	3	6	4	1	-	3	-	-	1	4	2	3	5	2	-	15	14
12	4	3	1	3	2	1	2	1	-	1	-	-	-	2	2	6	3	2	1	5	15
37	12	8	3	4	1	2	11	2	1	2	-	-	1	2	6	6	12	1	-	11	16
14	2	1	-	1	-	-	1	-	-	1	-	-	1	1	-	2	1	-	-	4	17
8	2	8	1	5	-	3	2	-	2	-	-	1	1	8	-	1	3	2	-	5	18
33	2	6	1	3	-	3	2	1	-	-	1	-	-	1	-	1	11	2	-	17	19
50	24	37	3	12	2	-	10	2	6	3	2	-	6	10	5	11	17	4	-	19	20
24	29	20	1	4	-	2	5	3	-	-	1	-	3	3	2	5	7	-	2	12	21
23	10	12	-	3	1	1	4	-	1	1	-	-	-	3	1	7	2	1	-	5	22
45	4	11	-	8	-	1	14	1	3	-	-	1	5	8	5	16	8	3	1	14	23
9	3	6	-	1	-	-	3	-	-	-	-	-	-	3	1	2	4	-	-	1	24
51	15	26	2	7	1	2	11	4	1	-	-	-	16	36	5	14	10	4	2	24	25
86	18	15	5	7	4	5	23	2	3	5	2	4	11	25	12	12	37	-	8	38	26
39	10	14	-	6	-	-	5	-	1	2	-	-	3	4	-	5	5	4	2	9	27
29	10	14	3	3	-	5	2	-	1	-	-	-	1	10	2	7	4	3	-	7	28
85	18	14	3	10	-	8	6	-	2	3	1	1	3	14	-	5	16	1	7	22	29
54	7	9	2	6	-	4	4	-	1	1	1	1	1	10	-	2	8	1	3	11	30
31	11	5	1	4	-	4	2	-	1	2	-	-	2	4	-	3	8	-	4	11	31
38	7	7	-	8	2	2	8	3	-	1	-	-	-	-	1	3	3	1	1	13	32
17	4	12	-	3	-	1	2	2	1	-	-	1	1	4	-	-	5	-	-	9	33
75	26	31	4	17	3	4	10	-	5	2	-	-	3	9	3	8	28	3	5	21	34
26	5	8	1	5	2	1	3	-	1	1	-	-	3	1	-	4	7	-	3	9	35
49	21	23	3	12	1	3	7	-	4	1	-	-	-	8	3	4	21	3	2	12	36
14	8	4	1	3	1	-	1	-	-	-	-	2	2	1	3	2	5	1	-	8	37
1,332	370	200	37	114	58	65	174	35	27	78	6	7	77	257	30	154	195	52	43	354	38
1,114	323	183	32	92	51	55	140	28	23	67	4	5	56	208	23	113	156	41	37	279	39
218	47	17	5	22	7	10	34	7	4	11	2	2	21	49	7	41	39	11	6	75	40
35	10	5	1	4	1	1	4	1	-	2	-	-	-	5	4	6	4	1	1	13	41
39	9	17	1	4	2	2	8	1	-	-	-	-	3	5	1	2	5	2	1	11	42
310	80	84	6	19	6	6	38	3	6	15	3	3	16	35	4	28	41	13	4	84	43
188	56	58	6	16	4	3	26	2	3	12	2	3	7	21	3	18	34	9	3	59	44
122	24	26	-	3	2	3	12	1	3	3	1	-	9	14	1	10	7	4	1	25	45
16	4	6	-	-	1	-	3	2	1	-	-	-	2	8	5	2	3	1	2	9	46
44	4	29	3	6	-	8	15	-	5	2	1	3	4	9	3	10	15	1	2	10	47
14	6	2	1	5	1	7	10	-	3	1	-	-	3	6	2	2	4	1	-	5	48
33	20	10	1	6	2	6	8	3	1	2	-	-	1	14	4	13	9	2	2	9	49
28	9	15	1	1	2	7	6	1	-	-	-	-	3	12	1	2	4	1	1	5	50
12	4	3	-	-	1	-	6	-	-	-	-	-	-	7	-	-	5	-	3	7	51
7	2	4	1	-	-	3	2	-	-	-	-	-	3	5	2	4	4	-	2	3	52
21	20	12	-	2	4	6	10	-	6	1	-	1	3	18	10	9	13	3	3	9	53
28	6	6	1	7	-	1	7	-	1	1	-	-	2	6	2	4	3	1	-	8	54
17	4	19	1	5	1	2	4	-	1	1	-	-	1	2	2	10	7	-	2	7	55
3	8	5	2	1	1	5	3	1	-	-	-	1	-	-	2	3	5	1	-	6	56
58	9	33	-	4	-	-	8	1	-	1	-	-	2	17	2	13	9	3	-	19	57
13	2	1	5	-	-	1	2	-	-	1	-	-	-	1	-	1	3	-	-	4	58
131	19	33	8	15	1	9	9	1	3	5	-	-	11	25	8	11	24	9	5	32	59
96	14	27	5	12	1	5	8	-	2	4	-	-	5	20	5	6	15	6	5	26	60
35	5	6	3	3	-	4	1	1	1	1	-	-	6	5	3	5	9	3	-	6	61
14	6	12	1	1	-	1	4	1	-	1	-	-	7	5	1	6	11	-	-	8	62
23	7	15	1	5	-	1	6	-	-	1	1	-	4	4	-	2	3	-	-	13	63
63	14	17	3	7	1	2	19	1	1	3	-	-	6	10	9	5	10	1	1	18	64
29	6	7	-	6	-	1	10	-	1	2	-	-	1	5	5	2	3	-	1	13	65
34	8	10	3	1	1	1	9	1	-	1	-	-	5	5	4	3	7	1	-	5	66
9	8	5	-	2	-	1	12	-	1	-	-	1	1	4	-	7	3	-	-	7	67
30	12	7	3	7	-	-	5	2	-	1	1	1	6	12	-	3	8	2	2	8	68
36	8	10	-	1	1	1	4	-	3	-	-	-	-	5	-	10	6	5	-	6	69
9	1	8	-	-	1	1	5	-	-	-	-	-	4	7	2	3	6	2	-	4	70
59	23	16	-	4	1	2	7	1	-	1	-	-	4	7	2	2	6	1	-	11	71
16	3	5	2	6	-	-	3	-	-	-	-	-	2	9	-	6	5	1	-	7	72
3	2	7	-	-	-	1	-	-	1	-	-	1	2	-	-	2	-	1	1	5	73
44	15	4	-	5	1	1	7	-	1	1	1	1	3	4	3	7	6	2	-	11	74
15	7	9	-	2	-	2	4	-	1	-	-	1	-	5	1	1	2	5	-	5	75
21	5	9	-	13	-	2	3	-	-	-	-	-	2	6	1	3	3	5	-	5	76
45	16	5	-	10	1	2	4	-	-	1	-	-	5	11	-	2	4	-	-	16	77
12	21	4	-	1	1	-	2	1	2	1	-	1	1	12	1	6	4	-	1	5	78
63	32	19	5	8	3	11	16	2	4	1	-	1	4	14	4	9	14	5	1	21	79
26	20	10	2	3	3	4	13	2	1	-	-	1	3	14	1	6	10	2	1	19	80
18	3	6	2	5	-	1	4	-	-	-	-	-	2	3	-	1	5	1	1	11	81
30	14	38	5	2	2	9	6	-	5	-	-	-	-	8	5	10	8	1	-	22	82
20	1	4	1	1	-	1	7	-	1	-	-	-	3	7	1	1	5	-	2	1	83
25	-	13	-	5	-	2	4	-	-	1	-	-	1	2	2	4	2	-	-	8	84
7	4	2	1	2	1	-	3	-	-	-	-	-	1	1	-	1	3	-	1	4	85
31	5	10	3	1	-	-	1	-	-	-	-	-	2	5	1	1	7	4	1	6	86
37	3	33	3	8	-	5	5	1	6	1	-	-	4	12	8	15	31	-	7	15	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Pike	473	3	2	1	11	49	12	9	28	8	201	193	53	-	125	6
2	Powell	42	1	1	-	-	8	5	-	3	-	16	16	3	-	12	-
3	Pulaski	324	11	-	-	7	35	10	4	21	5	181	171	50	1	116	12
4	Robertson	39	-	-	-	-	3	2	-	1	-	30	30	6	-	23	1
5	Rockcastle	105	1	-	-	1	21	9	4	8	-	48	45	16	-	27	1
6	Rowan	80	1	-	-	1	10	6	-	4	-	38	37	7	-	20	-
7	Russell	105	3	-	1	2	10	5	2	3	1	56	54	17	-	36	-
8	Scott	172	3	-	-	2	25	10	2	13	2	101	97	40	-	51	5
9	Shelby	200	3	1	-	1	30	13	6	11	1	109	105	20	-	72	1
10	Simpson	110	2	1	-	1	17	9	-	8	-	60	58	9	-	49	-
11	Spencer	63	2	-	-	3	10	4	-	6	-	28	27	8	-	14	-
12	Taylor	146	7	-	-	4	20	10	1	9	1	75	73	23	-	49	-
13	Todd	144	3	1	-	3	16	8	1	7	-	86	83	22	-	56	3
14	Trigg	101	2	-	-	1	13	7	1	5	-	52	52	10	-	41	-
15	Trimble	55	2	-	-	-	7	3	-	4	2	29	29	9	-	18	-
16	Union	211	2	-	-	1	34	15	3	16	-	108	101	32	-	66	-
17	Warren	427	8	1	-	4	60	17	5	38	8	222	215	56	-	140	3
18	Bowling Green	276	7	1	-	3	36	11	4	21	4	140	136	35	-	92	2
19	Balance of county	151	1	-	-	1	24	6	1	17	4	82	79	21	-	48	1
20	Washington	110	5	-	-	2	12	3	1	8	1	60	57	9	-	46	1
21	Wayne	124	3	-	-	3	14	7	1	6	1	70	69	13	1	53	-
22	Webster	203	3	1	-	1	20	10	-	10	4	129	115	28	-	79	-
23	Whitley	278	1	-	-	-	39	14	7	18	3	144	138	26	-	106	4
24	Wolfe	56	-	1	-	1	5	-	-	5	-	20	20	10	-	9	-
25	Woodford	104	2	-	-	-	15	8	-	7	-	64	63	18	-	41	3
26	LOUISIANA	24,312	275	162	11	198	3,627	1,121	556	1,950	426	11,897	11,605	2,411	10	8,438	131
27	Metropolitan parishes	10,153	134	102	5	54	1,638	493	266	879	187	5,063	4,952	932	4	3,690	59
28	Nonmetropolitan parishes	14,159	141	60	6	144	1,989	628	290	1,071	239	6,834	6,653	1,479	6	4,748	72
29	Acadia	367	6	-	-	3	67	25	12	30	7	167	162	34	-	114	3
30	Crowley	116	3	-	-	1	17	6	3	8	3	51	50	8	-	38	2
31	Balance of parish	251	3	-	-	2	50	19	9	22	4	116	112	26	-	76	1
32	Allen	172	4	-	-	1	28	11	5	12	1	74	71	17	-	51	1
33	Ascension	212	3	2	-	2	23	5	2	16	3	92	92	26	1	59	3
34	Assumption	151	1	1	-	2	33	5	3	25	3	77	77	9	-	64	-
35	Avoyelles	295	4	-	-	2	40	14	8	18	4	154	152	24	-	114	3
36	Beauregard	155	-	1	1	-	22	6	5	11	2	78	77	14	-	58	1
37	Bienville	181	4	-	-	2	22	8	1	13	5	77	70	18	-	49	-
38	Bossier	250	1	-	-	3	32	6	5	21	3	104	97	29	-	62	-
39	Bossier City	96	1	-	-	2	17	3	3	11	-	28	27	1	-	25	-
40	Balance of parish	154	-	-	-	1	15	3	2	10	3	76	70	28	-	37	-
41	Caddo	1,659	24	11	3	9	248	62	36	150	18	821	792	205	-	535	4
42	Shreveport	1,304	16	10	3	7	202	53	29	120	15	651	626	157	-	425	2
43	Balance of parish	355	8	1	-	2	46	9	7	30	3	170	166	48	-	110	2
44	Calcasieu	740	7	3	2	9	105	32	21	52	14	353	339	70	-	251	2
45	Lake Charles	391	2	1	2	6	66	22	15	29	8	182	178	40	-	128	1
46	Balance of parish	349	5	2	-	3	39	10	6	23	6	171	161	30	-	123	1
47	Caldwell	73	-	-	-	-	14	5	1	8	2	33	33	3	-	28	-
48	Cameron	44	-	-	-	-	3	1	2	-	2	17	17	7	-	9	-
49	Catahoula	89	1	-	-	1	13	2	4	7	1	43	43	7	-	34	1
50	Claiborne	188	-	2	-	2	24	8	1	15	5	106	106	29	-	73	-
51	Concordia	166	1	3	-	-	19	4	1	14	2	88	85	21	-	59	-
52	De Soto	228	3	1	-	1	24	15	1	8	4	138	134	37	-	90	-
53	East Baton Rouge	1,182	10	11	-	6	164	56	18	90	20	588	575	129	-	381	6
54	Baton Rouge	937	10	9	-	5	134	49	15	70	16	451	439	96	-	295	6
55	Balance of parish	245	-	2	-	1	30	7	3	20	4	137	136	33	-	86	-
56	East Carroll	148	1	1	-	1	23	4	2	17	3	73	71	28	-	40	1
57	East Feliciana	127	3	-	-	1	18	3	1	14	-	55	53	9	-	41	1
58	Evangeline	226	2	-	-	2	32	14	6	12	1	93	92	22	1	62	1
59	Franklin	245	-	2	-	2	36	10	4	22	5	117	115	30	-	80	3
60	Grant	120	4	1	-	1	15	8	3	4	5	61	61	13	-	43	1
61	Iberia	365	5	-	-	1	52	24	6	22	7	167	164	39	-	118	2
62	New Iberia	187	4	-	-	1	23	9	3	11	3	91	88	16	-	68	-
63	Balance of parish	178	1	-	-	-	29	15	3	11	4	76	76	23	-	50	2
64	Iberville	290	2	2	1	1	37	14	4	19	3	156	151	37	-	107	1
65	Jackson	126	1	-	-	1	15	3	5	7	3	50	48	11	-	34	-
66	Jefferson	844	6	5	1	7	135	42	28	65	11	398	395	57	-	317	2
67	Gretna	139	1	-	-	2	24	10	4	10	2	71	71	9	-	57	-
68	Balance of parish	705	5	5	1	5	111	32	24	55	9	327	324	48	-	260	2
69	Jefferson Davis	222	-	-	-	1	30	11	1	18	7	101	97	26	-	68	-
70	Lafayette	463	6	1	-	9	69	21	10	38	8	212	208	34	-	164	5
71	Lafayette	311	4	1	-	5	40	14	5	21	4	145	142	24	-	108	4
72	Balance of parish	152	2	-	-	4	29	7	5	17	4	67	66	10	-	56	1
73	Lafourche	345	1	2	-	7	44	12	14	18	6	163	161	28	-	126	2
74	La Salle	118	-	-	-	1	19	10	2	7	2	70	67	12	-	51	1
75	Lincoln	170	2	-	-	1	29	9	3	17	3	87	84	23	-	53	-
76	Ruston	76	-	-	-	1	13	3	2	8	-	39	39	15	-	23	-
77	Balance of parish	94	2	-	-	-	16	6	1	9	3	48	45	8	-	30	-
78	Livingston	137	-	-	-	1	14	3	1	10	3	71	67	15	-	47	2
79	Madison	173	4	-	-	1	21	7	5	9	2	70	70	21	-	45	1
80	Morehouse	268	-	3	-	1	29	10	1	18	6	129	124	33	-	85	-
81	Bastrop	120	-	2	-	-	13	4	1	8	3	51	51	10	-	40	-
82	Balance of parish	148	-	1	-	1	16	6	-	10	3	78	73	23	-	45	-
83	Natchitoches	277	6	2	-	2	39	14	9	16	4	137	131	26	-	95	-
84	Orleans, coextensive with New Orleans	6,349	94	75	1	31	1,077	329	180	568	137	3,190	3,125	536	4	2,402	47

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
74	14	31	6	6	3	8	25	3	5	1	3	1	8	37	14	15	33	4	5	44	1
3	2	7	-	1	-	-	3	-	-	-	-	-	2	4	1	-	3	1	-	2	2
70	12	22	-	3	1	10	9	1	1	1	-	-	4	9	3	7	19	2	2	27	3
17	1	4	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	1	4
14	6	6	1	1	-	3	5	-	-	-	-	-	2	1	-	4	12	-	2	8	5
13	3	4	3	7	-	1	4	-	1	1	-	-	1	9	2	3	4	1	-	4	6
14	2	20	-	1	-	2	5	1	-	-	-	-	1	2	-	3	4	1	-	15	7
20	7	19	1	5	-	4	4	-	-	-	-	-	2	5	3	4	6	4	-	11	8
47	12	12	5	8	-	4	8	2	2	-	-	-	1	6	-	6	5	5	2	18	9
20	13	16	-	-	-	2	4	-	1	-	-	-	1	4	4	2	3	-	1	9	10
8	2	4	-	3	2	1	3	-	1	-	-	-	-	3	3	1	5	1	-	3	11
26	14	9	-	1	-	2	2	1	1	-	-	-	3	12	2	8	4	-	1	5	12
25	10	18	-	3	2	3	6	1	1	1	-	-	1	4	2	6	5	2	1	5	13
24	3	14	1	-	-	-	7	1	-	1	-	-	1	3	3	4	4	-	2	7	14
14	1	3	-	1	1	-	1	1	-	-	-	-	1	2	1	4	1	1	-	3	15
49	5	12	1	1	1	7	5	-	5	1	1	-	-	8	11	4	9	-	-	22	16
90	21	26	4	10	5	7	24	3	3	2	1	-	6	15	3	16	17	5	5	24	17
64	12	14	1	4	4	4	18	2	2	1	-	-	5	13	3	8	8	4	4	17	18
26	9	12	3	6	1	3	6	1	1	1	1	-	1	2	-	8	9	1	1	7	19
24	13	8	-	1	1	3	5	-	-	1	-	-	5	4	-	3	4	3	-	5	20
20	27	6	-	1	1	1	2	1	2	-	1	-	5	1	1	5	4	-	1	10	21
35	11	33	3	4	1	14	5	1	1	3	-	-	1	7	3	1	8	1	-	14	22
66	11	25	-	5	1	6	15	2	2	-	1	-	5	11	11	6	15	-	-	23	23
3	2	4	1	-	-	-	3	-	-	-	-	-	-	2	4	3	8	-	1	8	24
25	2	11	-	2	2	1	3	-	1	1	-	-	2	3	1	2	2	2	1	5	25
5,499	1,649	1,159	184	368	194	292	908	122	165	205	59	47	409	1,631	308	677	1,064	197	211	1,713	26
2,477	741	413	77	155	94	111	328	55	42	133	27	12	160	606	53	204	366	90	96	798	27
3,022	908	746	107	213	100	181	580	67	123	72	32	35	249	1,025	255	473	698	107	115	915	28
52	24	35	6	7	1	5	13	3	2	1	1	-	8	28	8	17	10	2	-	24	29
18	6	12	-	3	1	1	7	-	1	-	-	-	2	11	4	7	5	-	-	4	30
34	18	23	6	4	-	4	6	3	1	1	1	-	6	17	4	10	5	2	-	20	31
42	7	1	1	2	-	3	4	-	3	1	-	1	6	13	5	2	11	3	-	15	32
36	12	8	-	3	3	-	12	2	1	1	-	1	2	8	30	4	11	1	-	14	33
42	12	10	-	4	-	-	6	-	3	1	-	-	2	2	1	2	9	-	1	7	34
85	19	7	4	6	4	2	9	1	2	1	3	1	6	16	5	8	11	2	3	23	35
45	4	8	3	2	-	1	15	-	2	-	-	-	3	10	2	4	2	2	1	10	36
28	10	11	2	-	1	7	8	1	2	-	-	-	3	8	20	4	13	3	-	9	37
42	12	8	2	3	1	7	9	-	6	-	-	-	4	25	2	15	19	1	3	23	38
21	2	2	-	1	-	1	2	-	3	-	-	-	2	16	-	7	8	-	1	9	39
21	10	6	2	2	1	6	7	-	3	-	-	-	2	9	2	8	11	1	2	14	40
352	139	40	14	23	15	29	71	7	5	12	8	2	17	120	7	53	69	13	16	125	41
285	105	33	12	17	15	25	55	7	5	9	7	1	12	98	6	36	45	11	15	93	42
67	34	7	2	6	-	4	16	-	-	3	1	1	5	22	1	17	24	2	1	32	43
195	36	18	3	3	12	14	21	5	7	6	3	-	13	60	2	37	40	2	4	47	44
100	18	9	1	1	8	4	7	4	6	2	1	-	8	27	1	11	22	1	2	32	45
95	18	9	2	2	4	10	14	1	1	4	2	-	5	33	1	26	18	1	2	15	46
18	7	3	1	1	-	-	1	1	1	-	-	1	-	7	-	3	3	-	2	5	47
4	3	2	-	1	-	-	3	1	1	-	-	-	2	5	-	2	6	-	-	2	48
23	5	5	1	1	-	-	4	-	1	-	-	-	1	9	-	3	5	-	1	6	49
59	7	7	2	1	1	-	6	1	1	1	-	-	1	9	2	10	3	2	3	10	50
12	35	12	-	2	3	3	11	1	6	-	1	1	1	14	5	5	1	-	1	6	51
62	11	17	1	4	2	4	7	-	-	2	-	1	5	14	7	4	4	1	3	9	52
236	83	56	31	29	5	13	32	8	9	8	3	2	28	83	19	31	34	15	18	93	53
181	62	46	21	23	4	12	26	6	5	8	3	2	24	72	17	23	27	12	13	74	54
55	21	10	10	6	1	1	6	2	4	-	-	-	4	11	2	8	7	3	5	19	55
13	5	21	1	1	1	2	4	1	1	-	-	1	1	9	4	2	8	2	-	13	56
22	10	8	-	2	1	2	13	1	-	1	-	-	-	18	1	5	2	4	1	4	57
41	12	8	1	5	1	1	25	2	5	1	1	-	2	14	10	8	8	3	2	15	58
47	22	8	1	3	1	2	9	1	2	1	1	-	5	18	2	7	11	3	2	21	59
38	2	2	1	3	1	-	3	-	1	-	-	1	2	4	1	3	9	-	-	9	60
61	22	33	-	4	3	3	21	3	1	5	-	1	5	34	2	11	20	2	4	24	61
35	13	20	-	3	1	3	8	2	-	3	-	-	4	23	1	4	8	1	2	9	62
26	9	13	-	1	2	-	13	1	1	2	-	1	1	11	1	7	12	1	2	15	63
73	16	17	-	4	3	5	13	1	1	1	-	2	1	25	1	13	12	2	2	14	64
18	7	9	1	2	-	2	3	-	-	-	1	-	1	6	18	6	7	-	3	11	65
236	51	28	4	6	11	3	26	6	5	13	2	2	16	62	2	28	36	14	7	62	66
42	11	4	-	3	2	-	4	3	-	2	-	-	2	11	-	4	6	2	-	5	67
194	40	24	4	3	9	3	22	3	5	11	2	2	14	51	2	24	30	12	7	57	68
58	8	2	-	2	1	4	8	1	3	-	-	1	7	13	3	12	13	3	-	19	69
114	24	21	1	7	2	4	21	4	7	5	-	-	7	35	4	15	18	2	8	32	70
72	19	13	1	7	2	3	13	4	7	4	-	-	5	24	3	11	15	1	8	17	71
42	5	8	-	-	-	1	8	-	-	1	-	-	2	11	1	4	3	1	-	15	72
84	17	23	3	1	3	2	12	1	1	2	2	2	9	34	4	12	15	3	1	24	73
43	2	5	3	1	-	3	4	-	-	1	-	-	1	9	-	2	7	-	-	2	74
30	10	13	4	2	2	3	6	1	-	-	-	-	1	8	3	10	4	1	2	12	75
15	5	3	1	-	-	-	3	-	-	-	-	-	-	1	1	8	3	-	1	6	76
15	5	10	3	2	2	3	3	1	-	-	-	-	1	7	2	2	1	1	1	6	77
21	9	15	1	4	-	4	5	-	1	2	-	-	4	8	5	2	10	-	3	8	78
15	15	14	3	1	-	-	2	1	2	1	1	-	3	11	19	5	10	1	7	12	79
31	33	21	3	3	-	5	14	-	6	-	-	1	5	33	4	8	13	3	3	10	80
17	14	9	-	1	-	-	6	-	1	-	-	1	3	21	-	5	8	2	1	3	81
14	19	12	3	2	-	5	8	-	5	-	-	-	2	12	4	3	5	1	2	7	82
48	15	32	1	7	2	6	11	-	4	1	2	-	6	19	5	7	9	4	2	17	83
1,611	462	282	28	94	61	65	196	34	23	98	14	6	98	330	25	89	224	46	53	508	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	Ouachita	767	7	1	-	8	113	37	12	64	12	396	378	110	2	248	1
2	Monroe	462	2	1	-	2	70	21	7	42	11	239	227	61	1	151	-
3	West Monroe	116	4	-	-	1	19	9	1	9	-	55	53	23	1	28	-
4	Balance of parish	189	1	-	-	5	24	7	4	13	1	102	98	26	-	69	1
5	Plaquemines	112	2	-	-	2	16	3	4	9	-	45	44	5	-	36	1
6	Pointe Coupee	190	-	1	-	-	28	9	4	15	2	112	109	29	-	76	-
7	Rapides	813	12	12	1	15	119	43	13	63	13	399	386	82	-	276	8
8	Alexandria	392	4	6	1	4	51	20	3	28	8	191	184	40	-	133	-
9	Balance of parish	421	8	6	-	11	68	23	10	35	5	208	202	42	-	143	8
10	Red River	105	-	-	-	1	13	3	-	10	2	44	43	12	-	28	1
11	Richland	218	4	1	-	2	20	5	2	13	2	107	104	20	-	78	1
12	Sabine	180	2	1	-	1	28	9	1	18	1	95	94	28	1	62	3
13	St. Bernard	119	-	-	-	1	14	4	4	6	1	66	65	5	-	55	-
14	St. Charles	96	-	1	-	1	14	3	4	7	1	45	43	4	-	39	-
15	St. Helena	65	-	-	-	2	9	1	-	8	2	30	30	4	-	23	1
16	St. James	175	1	1	-	1	16	5	2	9	4	94	92	27	-	60	-
17	St. John the Baptist	159	1	1	-	1	24	8	2	14	5	81	80	19	-	59	1
18	St. Landry	577	7	3	-	12	76	31	11	34	13	246	240	53	-	170	2
19	Opelousas	125	1	2	-	3	15	6	2	7	5	58	55	10	-	43	-
20	Balance of parish	452	6	1	-	9	61	25	9	27	8	188	185	43	-	127	2
21	St. Martin	184	3	-	-	5	32	7	8	17	1	75	75	14	-	58	1
22	St. Mary	388	3	1	-	8	49	10	10	29	9	188	178	28	-	130	1
23	St. Tammany	311	1	1	1	2	43	14	6	23	5	144	142	23	-	98	3
24	Tangipahoa	498	4	1	-	5	68	24	12	32	6	254	247	68	-	167	7
25	Tensas	125	1	-	-	-	19	10	1	8	1	66	66	15	-	45	-
26	Terrebonne	360	3	-	-	2	58	10	13	35	11	155	150	20	-	118	1
27	Houma	168	3	-	-	2	24	7	4	13	4	74	74	7	-	59	-
28	Balance of parish	192	-	-	-	-	34	3	9	22	7	81	76	13	-	59	1
29	Union	144	2	1	-	1	20	7	2	11	-	73	72	16	-	51	-
30	Vermilion	262	7	-	-	2	46	14	7	25	4	120	118	17	-	97	1
31	Vernon	185	-	-	-	2	24	4	5	15	2	90	89	23	-	62	-
32	Washington	321	3	2	-	3	43	11	7	25	6	158	156	20	-	125	1
33	Bogalusa	171	2	2	-	3	20	7	2	11	2	92	90	12	-	69	-
34	Balance of parish	150	1	-	-	-	23	4	5	14	4	66	66	8	-	56	1
35	Webster	325	1	2	-	4	46	11	7	28	3	163	162	44	1	95	2
36	West Baton Rouge	112	1	1	-	2	20	10	2	8	1	56	56	18	-	37	1
37	West Carroll	139	2	1	-	-	25	4	3	18	4	66	66	7	-	55	-
38	West Feliciana	102	1	1	-	-	15	4	2	9	3	50	49	5	-	35	-
39	Winn	115	1	-	-	-	14	7	1	6	-	69	65	16	-	46	-
40	MAINE	10,213	69	17	4	38	1,624	620	176	828	160	5,970	5,840	1,284	4	4,125	131
41	Metropolitan counties	2,030	13	4	-	8	338	134	41	163	23	1,159	1,145	209	1	856	29
42	Nonmetropolitan counties	8,183	56	13	4	30	1,286	486	135	665	137	4,811	4,695	1,075	3	3,269	102
43	Androscoggin	927	6	2	-	3	147	56	14	77	12	528	515	125	-	354	16
44	Lewiston	449	5	-	-	3	68	27	5	36	5	247	240	54	-	174	8
45	Auburn	244	1	1	-	-	44	15	6	23	2	133	130	32	-	92	4
46	Balance of county	234	-	1	-	-	35	14	3	18	5	148	145	39	-	88	4
47	Aroostook	738	10	1	-	4	109	41	7	61	8	375	352	94	-	228	6
48	Cumberland	2,030	13	4	-	8	338	134	41	163	23	1,159	1,145	209	1	856	29
49	Portland	1,013	6	2	-	4	172	67	20	85	11	577	572	111	-	427	14
50	South Portland	241	2	-	-	-	51	19	9	23	4	133	131	26	-	91	2
51	Westbrook	124	1	-	-	-	22	8	3	11	2	63	62	8	-	48	2
52	Balance of county	652	4	2	-	4	93	40	9	44	6	386	380	64	1	290	11
53	Franklin	218	-	-	-	1	37	19	2	16	7	135	133	26	-	99	1
54	Hancock	404	2	-	-	-	66	26	4	36	6	263	259	68	-	177	5
55	Kennebec	954	6	1	-	3	145	47	16	82	23	567	553	140	1	376	12
56	Augusta	219	1	-	-	-	39	11	7	21	6	120	118	38	-	75	2
57	Waterville	214	1	-	-	1	32	11	2	19	3	129	125	29	-	93	2
58	Balance of county	521	4	1	-	2	74	25	7	42	14	318	310	73	1	208	8
59	Knox	403	1	-	-	2	74	31	11	32	6	249	244	48	1	180	4
60	Lincoln	263	-	-	-	2	41	12	6	23	3	162	158	32	-	114	6
61	Oxford	500	4	1	1	-	71	29	11	31	11	306	302	63	-	216	4
62	Penobscot	1,121	9	3	1	3	165	63	19	83	21	661	643	124	-	467	14
63	Bangor	397	4	1	1	1	55	22	4	29	4	244	240	53	-	168	6
64	Balance of county	724	5	2	-	2	110	41	15	54	17	417	403	71	-	299	8
65	Piscataquis	190	1	-	-	-	35	13	2	20	2	96	94	25	-	60	3
66	Sagadahoc	262	1	2	-	1	36	14	4	18	-	164	164	45	-	107	2
67	Bath	141	1	-	-	-	21	7	1	13	-	92	92	26	-	59	1
68	Balance of county	121	-	2	-	1	15	7	3	5	-	72	72	19	-	48	1
69	Somerset	470	2	-	-	3	78	34	4	38	8	276	270	63	-	186	7
70	Waldo	284	3	-	-	2	49	17	2	30	1	163	159	46	-	100	3
71	Washington	416	5	1	-	2	57	24	6	27	11	256	252	57	-	179	3
72	York	1,033	6	2	2	4	178	60	27	91	18	610	597	119	1	426	16
73	Biddeford	189	2	1	1	2	26	8	6	12	7	111	110	23	-	78	5
74	Saco	127	1	1	-	1	21	3	5	13	-	77	76	16	1	50	-
75	Balance of county	717	3	-	1	1	131	49	16	66	11	422	411	80	-	298	11
76	MARYLAND	24,221	325	98	14	98	3,849	1,300	537	2,012	485	13,204	12,949	2,148	15	9,988	258
77	Metropolitan counties	17,320	256	76	10	63	2,877	962	425	1,490	339	9,332	9,158	1,452	12	7,146	196
78	Nonmetropolitan counties	6,901	69	22	4	35	972	338	112	522	146	3,872	3,791	696	3	2,842	62
79	Allegany	890	5	2	-	5	122	39	16	67	21	535	520	81	-	414	8
80	Cumberland	429	3	2	-	2	55	18	12	25	12	265	258	33	-	211	5
81	Balance of county	461	2	-	-	3	67	21	4	42	9	270	262	48	-	203	3

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
153	76	18	5	7	6	18	31	3	2	2	3	2	10	61	4	20	23	10	12	47	1
91	46	14	3	5	6	12	20	3	2	2	2	1	7	32	4	10	14	5	8	27	2
19	7	2	-	1	-	2	3	-	-	-	-	-	1	11	-	7	4	3	2	6	3
43	23	2	2	1	-	4	8	-	-	-	1	1	2	18	-	3	5	2	2	14	4
26	4	5	1	2	-	1	2	-	2	1	-	2	2	6	2	9	15	1	-	5	5
36	22	18	2	2	-	3	4	1	-	-	-	-	1	10	6	3	6	3	1	12	6
186	36	46	6	15	7	13	25	5	6	5	3	2	14	45	7	18	48	2	7	55	7
90	19	24	1	7	3	7	13	2	2	4	3	-	7	24	4	7	32	2	5	22	8
96	17	22	5	8	4	6	12	3	4	1	-	2	7	21	3	11	16	-	2	33	9
16	6	5	2	-	1	1	2	-	1	1	-	1	2	6	15	5	4	-	1	7	10
47	18	12	1	1	4	3	9	1	4	2	-	1	6	28	-	7	14	1	-	9	11
39	14	6	1	1	1	1	6	-	1	-	-	-	4	12	1	8	6	3	1	10	12
42	6	7	-	3	2	1	3	-	-	2	-	-	1	11	-	3	3	2	2	10	13
29	7	3	-	-	-	2	1	-	1	-	-	-	4	5	-	7	7	2	-	7	14
15	3	4	1	2	-	-	4	2	-	-	-	-	-	3	6	1	3	-	-	3	15
31	19	10	2	1	2	2	7	-	4	1	-	1	8	14	1	3	8	1	-	10	16
34	19	5	-	1	1	1	2	1	1	-	-	1	3	14	-	3	4	2	2	13	17
108	30	30	3	11	3	6	37	2	6	2	1	1	15	45	6	22	41	6	5	31	18
26	11	6	1	1	-	3	5	1	1	1	-	-	2	12	1	2	7	1	2	6	19
82	19	24	2	10	3	3	32	1	5	1	1	1	13	33	5	20	34	5	3	25	20
35	19	3	1	1	1	-	14	-	3	-	-	2	3	17	2	7	12	1	-	7	21
69	30	30	2	17	1	10	20	2	1	-	6	4	3	24	7	11	28	2	3	19	22
66	14	15	-	15	6	2	10	3	2	5	1	-	3	19	4	8	28	4	3	24	23
126	15	19	5	2	5	7	25	3	2	5	-	-	9	29	4	17	28	2	3	33	24
39	5	1	4	2	-	-	8	-	-	1	-	-	1	9	2	3	7	-	1	6	25
71	19	27	1	8	3	5	12	2	2	4	1	-	8	28	2	20	21	2	1	28	26
36	10	13	1	4	3	-	5	1	-	3	1	-	1	14	-	10	13	2	1	10	27
35	9	14	-	4	-	5	7	1	2	1	-	-	7	14	2	10	8	-	-	18	28
34	9	8	3	2	-	1	7	3	1	-	-	-	4	7	-	3	7	1	1	13	29
75	11	10	1	2	1	2	8	2	3	2	-	-	7	22	2	8	8	3	2	16	30
44	11	7	1	2	1	1	9	-	-	3	-	-	4	14	1	8	5	4	-	19	31
86	26	12	-	5	6	2	11	1	2	-	-	1	8	24	-	10	24	2	2	21	32
51	13	5	-	4	5	2	6	1	1	-	-	1	4	13	-	4	11	-	1	8	33
35	13	7	-	1	1	-	5	-	1	-	-	-	4	11	-	6	13	2	1	13	34
53	27	13	7	14	1	1	9	3	3	-	1	-	3	25	6	14	8	1	3	30	35
16	12	8	1	-	-	-	1	-	2	-	-	-	2	6	1	4	4	1	1	9	36
33	7	15	2	1	1	-	4	-	-	1	-	2	4	9	-	3	6	1	3	8	37
26	6	3	4	5	-	1	6	-	1	2	-	-	3	9	-	-	3	-	1	7	38
27	10	9	1	2	-	4	3	-	-	-	-	-	1	8	1	3	6	-	-	9	39
2,917	436	641	67	273	87	130	288	85	39	76	16	5	124	325	54	176	364	114	11	654	40
625	90	112	11	49	19	14	72	22	8	18	1	-	19	65	12	40	74	24	4	126	41
2,292	346	529	56	224	68	116	216	63	31	58	15	5	105	260	42	136	290	90	7	528	42
256	51	31	7	18	11	13	19	13	2	16	2	-	14	30	3	15	34	10	1	70	43
131	28	7	3	7	2	7	8	10	-	9	-	-	8	17	1	9	16	6	1	36	44
71	10	7	1	1	4	3	8	2	1	5	1	-	2	8	1	3	10	2	-	20	45
54	13	17	3	10	5	3	3	1	1	2	1	-	4	5	1	3	8	2	-	14	46
168	18	36	7	19	4	23	31	3	6	3	1	1	18	48	2	31	31	8	1	47	47
625	90	112	11	49	19	14	72	22	8	18	1	-	19	65	12	40	74	24	4	126	48
315	41	57	4	21	9	5	38	9	5	12	-	-	6	33	5	17	43	10	3	60	49
68	7	14	4	7	3	2	6	4	-	-	-	-	3	12	1	3	10	1	-	11	50
35	3	8	-	3	3	1	4	-	1	-	1	-	3	6	3	2	3	4	-	9	51
207	39	33	3	18	4	6	24	9	2	6	-	-	7	14	3	18	18	9	1	46	52
80	7	11	-	4	4	2	7	1	-	-	1	-	7	4	-	1	8	4	-	5	53
121	22	29	2	9	3	4	8	2	1	1	-	-	2	8	2	4	11	5	-	23	54
262	39	63	6	28	2	14	33	10	1	7	1	1	10	30	3	16	25	11	1	60	55
51	14	8	1	4	-	2	15	1	-	1	-	-	3	8	-	1	4	5	-	15	56
75	7	9	-	2	1	4	3	2	-	2	-	-	1	8	-	5	11	1	-	15	57
136	18	46	5	22	1	8	15	7	1	4	1	1	6	14	3	10	10	5	1	30	58
103	22	51	4	8	3	5	7	4	2	2	1	-	2	10	3	2	13	2	-	23	59
82	13	13	3	8	1	4	4	1	1	-	1	-	1	3	2	6	11	4	-	21	60
168	20	24	6	11	6	4	13	2	-	6	1	-	5	17	-	10	21	6	-	25	61
325	39	89	12	28	12	18	35	9	4	5	1	-	16	44	9	11	37	16	-	71	62
115	11	36	3	12	4	4	13	6	1	1	-	-	4	18	1	4	10	4	-	25	63
210	28	53	9	16	8	14	22	3	3	4	1	-	12	26	8	7	27	12	-	46	64
38	8	11	1	7	1	2	1	1	2	-	-	-	3	7	4	3	10	1	2	22	65
81	12	12	1	11	-	-	8	3	2	1	-	-	2	6	-	3	15	4	-	14	66
46	8	4	-	7	-	-	3	2	1	1	-	-	1	2	-	-	7	1	-	9	67
35	4	8	1	4	-	-	5	1	1	-	-	-	1	4	-	3	8	3	-	5	68
131	10	38	1	17	3	6	14	2	1	3	1	1	7	8	4	5	23	3	-	33	69
58	18	21	1	11	1	4	7	1	-	2	1	1	5	6	2	4	8	6	-	23	70
112	24	40	-	12	4	4	8	1	1	3	1	-	2	12	3	10	14	5	-	24	71
307	43	60	5	33	13	13	21	10	8	9	3	1	11	27	5	15	29	5	2	67	72
57	7	9	-	7	2	1	6	-	1	3	-	1	1	3	3	3	6	1	-	11	73
40	5	5	2	5	2	1	2	1	1	1	-	-	-	3	-	2	3	-	1	12	74
210	31	46	3	21	9	11	13	9	6	5	3	-	10	21	2	10	20	4	1	44	75
5,529	2,046	2,155	158	432	208	255	614	127	103	270	37	28	323	1,144	80	498	876	273	149	1,626	76
3,871	1,559	1,520	107	282	159	174	438	94	61	218	21	17	237	835	60	304	609	184	114	1,175	77
1,658	487	635	51	150	49	81	176	33	42	52	16	11	86	309	20	194	267	89	35	451	78
210	66	130	2	16	7	15	19	4	4	14	1	1	6	27	2	20	26	11	2	63	79
102	38	66	-	11	3	7	10	2	2	11	-	-	4	10	1	3	12	6	1	28	80
108	28	64	2	5	4	8	9	2	2	3	1	1	2	17	1	17	14	5	1	35	81

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MARYLAND—Continued																
1	Anne Arundel	987	16	4	-	1	152	52	27	73	19	518	508	78	1	386	13
2	Annapolis	221	4	1	-	-	38	15	4	19	2	109	107	18	-	80	2
3	Balance of county	766	12	3	-	1	114	37	23	54	17	409	401	60	1	306	11
4	Baltimore	2,528	22	3	3	11	452	140	69	243	43	1,375	1,354	185	3	1,089	37
5	District 12[2] [3]	258	1	1	-	1	47	15	7	25	5	117	115	13	1	95	5
6	District 13[2] [3]	161	2	-	1	1	28	13	3	12	5	81	81	9	-	70	2
7	Balance of county	2,109	19	2	2	9	377	112	59	206	33	1,177	1,158	163	2	924	30
8	Baltimore (city)	10,846	193	63	3	33	1,760	599	275	886	222	5,920	5,809	920	7	4,554	116
9	Calvert	133	-	-	-	1	16	4	3	9	4	68	68	8	-	52	-
10	Caroline	237	5	1	1	1	47	13	5	29	3	124	120	14	-	96	3
11	Carroll	474	4	1	-	-	73	26	5	42	8	273	265	45	-	199	1
12	Cecil	378	5	-	-	1	59	21	9	29	11	189	184	28	-	147	5
13	Charles	244	3	1	-	2	23	7	3	13	3	110	106	29	-	69	3
14	Dorchester	341	7	1	-	4	50	17	5	28	4	199	197	32	1	152	1
15	Cambridge	163	5	1	-	1	22	5	2	15	1	92	92	17	1	72	-
16	Balance of county	178	2	-	-	3	28	12	3	13	3	107	105	15	-	80	1
17	Frederick	675	1	1	1	6	90	26	9	55	26	402	398	68	1	301	10
18	Frederick	227	-	-	1	1	30	10	1	19	11	131	131	16	1	106	3
19	Balance of county	448	1	1	-	5	60	16	8	36	15	271	267	52	-	195	7
20	Garrett	181	1	-	-	3	23	11	1	11	3	106	106	24	-	72	1
21	Harford	462	2	2	-	4	69	23	10	36	8	238	236	29	-	194	2
22	Howard	216	4	-	1	1	37	16	7	14	3	108	107	14	-	86	2
23	Kent	173	2	-	-	-	22	8	4	10	1	95	95	31	-	55	2
24	Montgomery	1,485	6	4	2	7	288	97	35	156	28	783	768	151	-	558	16
25	Takoma Park (part)	106	-	-	-	1	19	9	-	10	2	63	62	16	-	41	3
26	Takoma Park (total)	136	-	-	-	1	27	12	1	14	4	74	73	16	-	50	3
27	Balance of county	1,379	6	4	2	6	269	88	35	146	26	720	706	135	-	517	13
28	Prince Georges	1,474	19	2	2	11	225	74	19	132	27	736	719	118	1	559	14
29	College Park	61	-	-	-	1	11	5	1	5	3	28	28	7	-	19	1
30	Hyattsville	236	1	-	1	1	29	8	4	17	4	112	109	18	-	89	3
31	Mount Rainier	89	1	-	-	-	10	3	2	5	3	48	48	7	-	39	-
32	Takoma Park (part)	30	-	-	-	-	8	3	1	4	2	11	11	-	-	9	-
33	Balance of county	1,058	17	2	1	9	167	55	11	101	15	537	523	86	1	403	10
34	Queen Annes	159	1	1	1	-	19	3	4	12	4	90	85	17	-	60	4
35	St. Marys	226	2	1	-	1	34	14	3	17	2	106	105	23	-	72	1
36	Somerset	246	4	-	-	1	35	19	3	13	3	130	126	24	1	94	2
37	Talbot	261	2	1	-	-	43	12	7	24	2	154	152	40	-	100	1
38	Washington	865	6	6	-	3	119	47	8	64	24	530	521	97	-	388	11
39	Hagerstown	495	5	2	-	1	71	31	4	36	19	299	292	45	-	229	4
40	Balance of county	370	1	4	-	2	48	16	4	28	5	231	229	52	-	159	7
41	Wicomico	489	11	2	-	2	52	14	6	32	12	289	277	71	-	197	4
42	Salisbury	225	5	-	-	1	25	8	6	11	8	133	127	33	-	90	2
43	Balance of county	264	6	2	-	1	27	6	-	21	4	156	150	38	-	107	2
44	Worcester	251	4	2	-	-	39	18	4	17	4	126	123	21	-	94	1
45	MASSACHUSETTS	53,345	464	79	174	160	9,361	3,659	1,084	4,618	978	30,408	29,999	5,734	33	22,299	748
46	Metropolitan counties	51,949	459	75	170	154	9,115	3,561	1,059	4,495	961	29,572	29,179	5,544	33	21,726	732
47	Nonmetropolitan counties	1,396	5	4	4	6	246	98	25	123	17	836	820	190	-	573	16
48	Barnstable	662	3	2	2	3	127	50	14	63	7	391	388	98	-	259	7
49	Barnstable (town)[2]	132	-	-	1	-	25	8	5	12	3	84	84	19	-	60	3
50	Balance of county	530	3	2	1	3	102	42	9	51	4	307	304	79	-	199	4
51	Berkshire	1,567	6	2	2	6	272	100	31	141	23	918	888	186	-	653	13
52	Pittsfield	625	4	1	-	2	119	37	18	64	11	350	344	64	-	257	6
53	Adams (town)[2]	154	-	-	-	-	28	12	3	13	4	98	96	18	-	71	1
54	North Adams	252	-	-	1	1	45	24	3	18	4	152	142	30	-	103	2
55	Balance of county	536	2	1	1	3	80	27	7	46	4	318	306	74	-	222	4
56	Bristol	4,369	53	5	7	11	811	311	77	423	106	2,461	2,424	520	5	1,729	52
57	Fall River	1,255	22	-	2	5	277	115	26	136	37	681	669	139	1	481	19
58	New Bedford	1,333	13	4	1	3	246	99	24	123	29	744	732	150	4	523	11
59	Taunton	468	4	-	-	1	75	25	5	45	9	284	278	57	-	204	9
60	Attleboro	259	7	-	1	-	40	16	5	19	4	140	140	36	-	97	2
61	Dartmouth (town)[2]	71	1	-	-	-	12	5	1	6	2	50	50	9	-	35	1
62	Fairhaven (town)[2]	124	1	-	1	-	21	5	1	15	4	66	66	14	-	47	1
63	North Attleborough (town)[2]	145	-	-	2	-	18	6	2	10	-	86	85	24	-	59	2
64	Balance of county	714	5	1	-	2	122	40	13	69	21	410	404	91	-	283	7
65	Dukes	78	-	-	-	-	14	7	1	6	-	52	52	10	-	37	2
66	Essex	6,284	41	14	17	21	1,130	452	129	549	95	3,760	3,694	757	2	2,681	87
67	Lawrence	921	8	3	-	3	167	79	17	71	15	540	523	141	-	348	7
68	Lynn	1,235	7	3	2	6	220	92	21	107	17	738	732	139	1	554	12
69	Beverly	368	3	1	4	2	63	22	3	38	7	215	214	36	-	163	7
70	Gloucester	298	4	-	-	-	41	17	6	18	7	200	197	36	-	150	3
71	Haverhill	600	6	1	2	2	122	47	11	64	12	334	329	71	-	243	4
72	Salem	537	2	1	2	3	106	41	17	48	13	303	297	57	-	211	6
73	Amesbury (town)[2]	129	1	-	-	1	21	9	1	11	-	77	74	19	-	48	1
74	Andover (town)[2]	156	-	-	1	-	29	9	2	18	1	103	101	24	-	73	3
75	Danvers (town)[2]	216	1	-	1	-	31	9	3	19	-	150	148	26	-	101	3
76	Marblehead (town)[2]	140	2	-	-	-	21	7	6	8	1	82	81	19	-	55	4
77	Methuen (town)[2]	290	-	2	1	-	56	24	11	21	1	177	173	52	-	107	6
78	Newburyport	197	1	1	-	-	24	7	6	11	4	128	126	20	-	99	6
79	Peabody	260	2	-	1	2	49	18	5	26	5	158	156	24	-	115	5
80	Saugus (town)[2]	163	-	1	2	-	28	7	6	15	-	93	91	21	1	67	5
81	Swampscott (town)[2]	124	2	-	-	-	30	14	2	14	-	81	78	16	-	58	6
82	Balance of county	650	2	1	1	2	122	50	12	60	12	381	374	56	-	289	9

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
221	82	70	7	28	8	10	24	7	1	10	4	3	17	63	10	26	40	9	5	58	1
37	22	19	-	6	3	2	5	1	-	4	1	-	3	20	4	6	10	2	1	10	2
184	60	51	7	22	5	8	19	6	1	6	3	3	14	43	6	20	30	7	4	48	3
642	177	233	12	43	22	21	42	15	6	22	3	2	51	127	6	60	85	32	7	161	4
72	6	12	3	2	1	2	1	-	2	3	1	-	9	21	1	9	12	3	1	23	5
40	14	14	-	2	-	-	4	2	-	2	-	-	3	9	-	3	6	2	-	12	6
530	157	207	9	39	21	19	37	13	4	17	2	2	39	97	5	48	67	27	6	126	7
2,289	1,064	1,085	74	154	100	111	296	60	40	164	12	11	118	444	38	134	385	94	87	769	8
32	11	9	-	3	5	-	8	-	-	1	2	-	-	5	-	5	12	2	1	8	9
56	17	20	4	6	-	4	2	-	-	-	1	-	4	4	1	8	10	6	2	17	10
112	48	38	4	15	2	8	15	2	1	3	2	-	2	14	1	14	19	10	1	31	11
87	29	26	2	6	1	5	12	3	3	5	-	3	8	17	1	6	25	7	1	22	12
39	17	10	2	6	-	4	17	1	6	2	-	1	6	21	2	11	16	1	2	16	13
113	23	15	3	5	4	2	6	2	-	2	1	1	2	13	-	9	14	2	2	22	14
57	10	5	-	-	2	-	2	1	-	1	-	1	2	10	-	6	8	1	-	9	15
56	13	10	3	5	2	2	4	1	-	1	1	-	-	3	-	3	6	1	2	13	16
181	44	66	4	17	7	4	7	5	3	4	1	1	14	21	3	17	17	15	3	37	17
68	17	18	2	2	4	-	2	2	1	3	-	-	3	13	-	5	5	7	1	11	18
113	27	48	2	15	3	4	5	3	2	1	1	1	11	8	3	12	12	8	2	26	19
31	13	27	2	6	2	-	6	1	3	1	1	-	1	8	-	7	9	1	-	7	20
98	46	48	1	8	4	2	18	5	3	2	-	-	11	26	3	17	14	4	2	34	21
47	18	19	-	5	2	1	9	-	3	-	-	-	2	17	-	3	7	1	-	20	22
35	6	12	1	6	2	-	7	-	4	1	-	-	2	7	2	6	5	1	2	16	23
402	83	57	9	31	19	15	38	2	9	10	-	-	20	87	2	28	43	29	7	92	24
26	9	3	1	3	1	1	2	-	1	1	-	-	1	4	1	2	2	3	1	3	25
32	12	3	1	5	1	1	2	1	1	2	-	-	2	6	1	2	2	3	1	7	26
376	74	54	8	28	18	14	36	2	8	9	-	-	19	83	1	26	41	26	6	89	27
317	153	75	5	26	10	17	38	10	5	12	2	1	31	114	4	56	56	20	8	95	28
15	2	1	-	1	1	-	1	1	1	-	-	-	2	4	-	2	-	2	-	5	29
57	15	14	-	2	-	3	4	3	1	1	-	-	8	30	2	8	9	2	2	18	30
24	11	4	-	2	-	-	1	1	-	3	-	-	-	5	-	3	5	-	-	9	31
6	3	-	-	2	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	4	32
215	122	56	5	19	9	14	32	4	3	7	2	1	20	73	2	43	42	16	6	59	33
27	9	20	1	5	2	5	5	1	1	1	3	1	-	6	-	1	11	-	1	12	34
43	6	22	4	5	1	1	6	-	4	3	-	1	7	22	3	6	8	2	-	18	35
56	8	28	3	4	-	4	6	-	1	1	-	-	2	17	1	9	14	1	2	19	36
61	17	21	5	5	2	2	6	-	-	2	2	-	5	10	-	7	8	3	-	16	37
260	48	69	5	27	4	9	11	5	4	5	-	1	7	38	1	23	26	6	2	48	38
148	34	43	4	12	2	7	6	5	1	3	-	-	4	18	-	14	11	5	-	31	39
112	14	26	1	15	2	2	5	-	3	2	-	1	3	20	1	9	15	1	2	17	40
124	39	30	4	4	1	12	8	2	2	3	1	1	5	23	-	13	17	11	7	28	41
55	23	10	1	3	-	6	2	2	-	2	-	1	4	14	-	3	6	6	5	8	42
69	16	20	3	1	1	6	6	-	2	1	1	-	1	9	-	10	11	5	2	20	43
46	22	25	4	1	3	3	8	2	-	2	1	-	2	13	-	12	9	5	5	17	44
16,898	2,046	2,607	317	1,172	444	409	1,509	403	191	681	67	24	564	1,498	258	675	1,959	403	56	3,433	45
16,456	1,986	2,552	306	1,133	437	393	1,482	393	189	665	65	24	546	1,464	253	655	1,910	390	53	3,354	46
442	60	55	11	39	7	16	27	10	2	16	2	-	18	34	5	20	49	13	3	79	47
202	31	19	9	18	4	3	11	4	2	10	1	-	9	16	2	6	19	6	2	39	48
49	6	2	2	2	1	-	3	-	2	-	-	-	1	1	1	2	2	1	-	6	49
153	25	17	7	16	3	3	8	4	-	10	1	-	8	15	1	4	17	5	2	33	50
455	75	110	10	31	8	30	28	5	9	18	3	1	14	48	3	35	50	21	1	102	51
175	27	49	4	16	3	6	16	3	1	8	2	-	8	17	1	18	19	11	1	33	52
51	5	14	2	3	2	2	-	-	-	1	-	-	2	4	-	1	4	1	-	11	53
76	7	18	-	8	1	10	1	1	2	3	-	1	1	11	-	3	8	-	-	18	54
153	36	29	4	4	2	12	11	1	6	6	1	-	3	16	2	13	19	9	-	40	55
1,170	211	296	35	102	33	37	135	25	16	36	5	1	46	117	37	46	152	27	3	269	56
286	59	117	9	32	7	12	29	9	4	10	2	1	10	34	4	11	37	6	1	73	57
356	65	91	13	29	13	12	42	5	8	9	2	-	10	31	24	9	47	8	1	97	58
143	31	21	5	10	2	6	14	4	1	6	-	-	4	18	1	4	17	2	-	24	59
80	6	9	-	6	1	-	14	2	1	1	-	-	9	8	1	2	8	1	-	20	60
25	3	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	61
36	4	6	-	4	1	-	2	-	1	1	-	-	2	2	2	2	9	1	-	9	62
45	4	8	-	2	-	1	6	1	-	2	-	-	2	7	-	5	7	1	-	8	63
199	39	38	8	13	9	6	28	4	1	7	1	-	9	17	5	13	25	7	1	35	64
29	2	4	-	4	1	-	1	1	-	1	-	-	1	2	-	-	1	1	-	4	65
2,088	227	279	37	168	49	66	132	43	21	58	7	1	46	131	21	59	233	57	5	392	66
272	28	41	5	23	6	17	20	4	2	11	3	1	4	20	1	9	37	8	1	64	67
445	52	45	4	21	13	6	25	11	4	15	-	-	5	29	5	14	37	11	1	85	68
136	6	14	1	9	5	1	7	2	-	3	-	-	6	7	-	2	11	8	-	27	69
94	24	29	1	7	3	3	-	1	-	1	1	-	1	6	5	1	10	1	-	19	70
187	22	30	3	8	4	5	10	3	2	11	-	-	9	8	-	7	28	4	-	39	71
172	16	17	5	19	5	6	18	5	4	3	-	-	4	14	-	2	20	4	1	32	72
41	4	2	-	6	1	3	6	3	1	-	-	-	3	1	1	1	6	-	-	7	73
61	7	2	-	3	1	2	4	-	-	2	-	-	1	3	-	-	3	2	-	7	74
83	6	9	3	17	1	2	5	3	-	1	-	-	-	4	-	3	12	1	1	3	75
46	3	2	1	6	-	1	3	2	2	1	1	-	3	2	2	2	9	-	-	7	76
82	9	10	4	10	-	4	7	2	2	2	-	-	2	4	-	2	10	5	-	17	77
68	6	19	2	4	1	2	2	2	-	-	-	-	1	11	1	2	6	2	1	11	78
89	6	15	1	16	-	2	2	2	-	4	-	-	2	6	2	4	6	2	-	13	79
49	6	7	-	2	-	2	6	2	1	-	1	-	1	3	-	1	8	2	-	14	80
41	3	8	1	3	-	3	-	-	1	1	-	-	-	1	-	1	2	-	-	5	81
222	29	29	6	14	9	7	17	1	2	3	1	-	4	12	4	8	28	7	-	42	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MASSACHUSETTS—Con.																
1	Franklin	600	2	2	2	3	96	37	9	50	10	361	350	72	-	257	6
2	Greenfield (town)[2]	188	-	-	-	-	31	12	5	14	3	111	108	21	-	82	1
3	Balance of county	412	2	2	2	3	65	25	4	36	7	250	242	51	-	175	5
4	Hampden	4,193	24	5	9	8	719	272	83	364	68	2,380	2,355	418	4	1,790	57
5	Springfield	1,937	16	2	4	4	320	118	33	169	29	1,089	1,080	192	-	809	32
6	Holyoke	711	4	2	-	2	102	37	16	49	10	435	430	69	1	334	13
7	Chicopee	412	2	1	1	-	83	40	10	33	12	218	215	38	1	166	3
8	Westfield	260	2	-	-	1	48	16	9	23	3	142	142	28	-	109	3
9	West Springfield (town)[2]	210	-	-	-	-	37	16	3	18	5	126	125	29	-	92	1
10	Balance of county	663	-	-	4	1	129	45	12	72	9	370	363	62	2	280	5
11	Hampshire	825	10	-	3	-	147	58	26	63	14	465	456	62	-	375	14
12	Northampton	280	5	-	-	-	52	19	10	23	7	155	152	22	-	127	2
13	Amherst (town)[2]	83	1	-	-	-	16	8	1	7	-	48	48	8	-	39	2
14	Easthampton (town)[2]	102	1	-	2	-	16	6	3	7	3	61	59	5	-	52	2
15	South Hadley (town)[2]	81	-	-	1	-	17	9	1	7	2	45	44	9	-	33	-
16	Balance of county	279	3	-	-	-	46	16	11	19	2	156	153	18	-	124	8
17	Middlesex	11,711	58	19	36	33	2,093	817	218	1,058	203	6,727	6,650	1,288	7	4,914	181
18	Cambridge	1,369	11	1	4	5	227	81	25	121	20	764	761	126	1	582	31
19	Somerville	1,084	9	1	2	2	212	86	25	101	25	609	596	98	-	445	20
20	Lowell	1,295	3	3	-	3	223	92	30	101	23	744	739	155	1	537	16
21	Malden	707	3	2	-	2	126	51	10	65	7	445	437	81	-	333	9
22	Medford	641	3	-	3	1	108	42	13	53	12	378	369	70	-	279	8
23	Newton	797	1	2	-	2	167	64	17	86	15	463	462	102	2	326	13
24	Arlington (town)[2]	483	2	2	2	1	105	38	13	54	8	261	261	55	-	189	6
25	Belmont (town)[2]	290	2	1	1	1	49	23	2	24	-	192	190	38	1	140	-
26	Everett	453	3	3	1	-	73	26	10	37	12	266	261	48	-	198	9
27	Framingham (town)[2]	317	1	-	4	1	40	17	3	20	5	177	174	34	1	121	8
28	Melrose	318	2	-	1	-	62	20	2	40	4	187	185	30	-	138	5
29	Waltham	466	3	-	3	3	79	36	5	38	11	275	272	52	-	203	14
30	Watertown (town)[2]	380	2	-	-	1	74	42	5	27	5	204	201	40	-	157	9
31	Lexington (town)[2]	169	-	-	1	4	34	11	5	18	1	94	93	13	-	65	1
32	Marlborough	204	2	2	-	-	30	8	4	18	1	124	124	24	-	96	3
33	Natick (town)[2]	194	-	-	1	1	21	8	-	13	8	123	120	29	1	78	3
34	Reading (town)[2]	174	-	-	3	1	26	6	7	13	2	111	111	25	-	78	1
35	Stoneham (town)[2]	174	-	-	-	-	47	16	4	27	3	100	99	19	-	76	2
36	Wakefield (town)[2]	207	-	-	-	-	38	17	5	16	4	126	125	19	-	97	2
37	Winchester (town)[2]	171	-	1	-	1	34	16	3	15	6	102	100	27	-	68	2
38	Woburn	211	1	-	-	2	41	15	4	22	1	118	118	29	-	79	2
39	Balance of county	1,607	10	1	10	2	277	102	26	149	30	864	852	174	-	629	17
40	Nantucket	56	-	-	-	-	9	4	1	4	-	32	30	10	-	20	1
41	Norfolk	4,260	33	2	22	15	752	259	84	409	65	2,480	2,451	479	5	1,788	53
42	Brookline (town)[2]	731	7	-	4	1	124	53	12	59	11	458	453	94	1	328	8
43	Quincy	802	4	-	2	1	142	50	13	79	8	474	467	91	1	340	14
44	Weymouth (town)[2]	357	3	1	-	2	53	17	8	28	7	200	195	36	1	147	6
45	Braintree (town)[2]	240	2	-	-	3	46	10	4	32	3	138	137	24	-	107	-
46	Dedham (town)[2]	201	3	-	-	-	43	18	5	20	3	119	116	19	1	84	4
47	Milton (town)[2]	264	3	-	-	2	48	13	7	28	4	165	165	24	1	122	1
48	Needham (town)[2]	182	1	-	1	-	32	14	3	15	2	107	107	18	-	81	3
49	Norwood (town)[2]	169	1	-	-	2	35	16	3	16	4	93	92	24	-	60	3
50	Randolph (town)[2]	92	-	-	4	-	13	4	4	5	-	53	52	8	-	41	-
51	Stoughton (town)[2]	124	-	-	1	-	20	9	1	10	1	70	68	12	-	51	1
52	Wellesley (town)[2]	147	-	-	-	-	24	4	6	14	2	86	86	21	-	59	2
53	Balance of county	951	9	1	10	4	172	51	18	103	20	517	513	108	-	368	11
54	Plymouth	2,402	23	2	23	7	414	171	44	199	47	1,400	1,384	279	-	1,016	26
55	Brockton	802	6	-	6	1	128	58	16	54	14	479	473	97	-	345	4
56	Hingham (town)[2]	108	1	-	-	-	19	8	1	10	1	70	70	13	-	50	1
57	Middleborough (town)[2]	147	1	-	1	-	24	7	1	16	5	91	89	15	-	69	3
58	Plymouth (town)[2]	172	3	-	-	-	27	15	3	9	6	104	101	26	-	72	5
59	Balance of county	1,173	12	2	16	6	216	83	23	110	21	656	651	128	-	480	13
60	Suffolk	10,492	173	17	35	45	1,824	735	245	844	230	5,560	5,489	973	9	4,165	181
61	Boston	9,511	168	16	31	43	1,664	675	215	774	206	5,001	4,942	874	7	3,742	157
62	Chelsea	376	4	-	1	1	61	26	11	24	11	202	194	34	1	150	7
63	Revere	379	1	-	-	1	57	23	13	21	11	225	223	41	1	173	16
64	Winthrop (town)[2]	226	-	1	3	-	42	11	6	25	2	132	130	24	-	100	1
65	Worcester	5,846	38	9	16	8	953	386	122	445	110	3,421	3,388	582	1	2,615	68
66	Worcester	2,296	18	4	2	2	390	147	54	189	42	1,323	1,315	219	-	1,031	31
67	Fitchburg	507	3	2	-	1	78	31	8	39	12	300	293	63	-	213	6
68	Athol (town)[2]	134	-	-	1	-	18	10	-	8	3	82	80	18	-	59	-
69	Clinton (town)[2]	164	-	-	1	-	21	7	4	10	1	107	106	18	-	81	1
70	Gardner	198	-	-	-	-	27	11	6	10	1	126	124	22	-	100	1
71	Leominster	236	3	-	-	-	41	17	9	15	4	140	140	20	-	117	2
72	Milford (town)[2]	150	-	1	-	-	29	13	3	13	1	89	87	24	-	54	1
73	Northbridge (town)[2]	84	-	-	-	-	11	1	1	9	3	48	48	7	-	36	2
74	Southbridge (town)[2]	186	-	1	1	1	39	21	2	16	3	110	108	14	-	87	1
75	Webster (town)[2]	124	1	-	-	-	23	13	2	8	1	68	68	10	-	56	3
76	Balance of county	1,767	13	1	11	4	276	115	33	128	39	1,028	1,019	167	1	781	20
77	MICHIGAN	63,362	479	124	34	233	10,340	3,829	1,301	5,210	1,421	33,422	32,814	7,354	41	23,290	849
78	Metropolitan counties	40,101	361	84	17	156	6,813	2,486	913	3,414	940	20,413	20,052	4,250	28	14,524	583
79	Nonmetropolitan counties	23,261	118	40	17	77	3,527	1,343	388	1,796	481	13,009	12,762	3,104	13	8,766	266
80	Alcona	71	-	-	-	1	10	5	3	2	2	45	44	9	-	33	2
81	Alger	103	1	-	-	1	9	4	2	3	2	56	56	10	-	40	4
82	Allegan	557	-	-	-	2	82	29	10	43	11	332	329	75	-	224	6

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
194	27	30	2	17	2	11	13	5	-	5	-	-	8	12	3	13	26	4	1	34	1
61	6	14	1	3	1	3	4	1	-	1	-	-	5	3	1	4	11	1	-	12	2
133	21	16	1	14	1	8	9	4	-	4	-	-	3	9	2	9	15	3	1	22	3
1,382	165	186	30	75	38	25	97	28	15	63	10	2	56	121	80	53	139	48	6	262	4
623	63	91	14	42	23	9	43	10	10	33	4	2	20	59	58	24	60	18	5	127	5
273	27	21	8	13	5	5	21	3	-	14	1	-	11	16	-	6	29	11	-	44	6
118	28	17	3	5	2	3	7	3	2	5	1	-	8	15	2	6	13	5	-	28	7
81	14	11	1	4	-	-	6	4	2	3	2	-	3	9	-	8	9	3	-	15	8
75	7	9	1	2	1	1	2	1	-	2	1	-	1	4	7	4	8	3	-	9	9
212	26	37	3	9	7	7	18	7	1	6	1	-	13	18	13	5	20	8	1	39	10
256	33	72	4	10	5	9	42	4	3	13	-	-	5	10	3	17	37	8	1	43	11
77	20	28	-	2	1	3	16	3	-	3	-	-	2	2	1	6	12	1	-	15	12
28	4	5	1	-	-	-	5	1	-	-	-	-	1	2	-	1	4	-	-	4	13
37	2	11	-	2	-	2	5	-	-	1	-	-	-	1	1	1	4	1	-	5	14
28	-	5	-	2	-	1	1	-	-	2	-	-	2	1	-	1	4	1	-	4	15
86	7	23	3	4	4	3	15	-	3	7	-	-	-	4	1	8	13	5	1	15	16
3,838	438	457	67	287	87	77	328	93	43	131	15	6	143	384	37	160	417	77	7	701	17
467	40	44	8	30	14	3	39	13	6	18	2	1	16	52	7	11	64	10	2	96	18
315	47	63	8	44	1	13	33	7	5	17	2	2	13	22	2	15	40	6	1	59	19
414	61	46	6	29	11	5	54	17	6	18	2	1	12	34	5	22	48	6	1	70	20
268	31	25	5	15	3	8	20	5	1	7	2	1	6	16	-	5	20	3	-	36	21
223	20	28	2	10	8	9	15	7	3	4	1	-	7	27	2	6	19	3	-	42	22
266	29	18	7	18	7	1	22	4	1	9	2	-	10	23	1	7	21	6	-	41	23
150	16	17	4	8	5	-	17	3	1	7	-	-	6	12	1	9	16	4	-	26	24
118	7	15	2	6	3	2	5	1	-	1	-	-	1	7	2	1	7	2	-	17	25
147	23	19	3	8	4	5	4	6	3	1	-	-	10	17	-	4	18	2	-	30	26
89	16	8	1	15	2	3	10	-	1	8	-	-	8	18	-	6	10	4	-	24	27
111	9	13	3	11	3	2	6	2	1	4	-	-	3	10	1	5	9	1	-	20	28
155	14	20	3	13	1	3	10	4	4	1	1	-	3	13	1	8	18	3	-	26	29
120	12	16	-	3	1	3	8	2	1	8	1	-	8	10	-	5	20	2	-	29	30
48	6	12	2	8	5	1	5	-	1	1	-	-	3	9	1	2	3	1	-	9	31
73	10	10	-	3	1	-	6	2	2	1	-	-	3	9	-	3	6	2	-	11	32
64	8	3	5	7	-	3	3	-	-	1	1	-	4	8	1	3	6	3	-	10	33
66	5	6	1	6	1	-	2	1	1	-	-	-	1	3	1	1	8	3	-	10	34
58	8	8	-	3	1	1	5	1	-	-	-	1	1	3	1	1	4	-	-	7	35
82	9	4	-	8	1	1	5	-	-	1	-	-	3	6	2	2	7	-	-	13	36
62	1	3	2	2	1	2	2	2	-	-	1	-	2	5	-	-	4	1	-	10	37
63	7	7	-	7	3	-	5	3	1	2	-	-	3	9	1	4	5	3	-	12	38
481	59	72	5	33	11	12	52	13	5	22	-	-	20	71	8	40	64	12	3	103	39
17	-	2	-	-	-	2	2	-	-	-	1	-	-	4	-	1	3	2	-	2	40
1,394	150	191	30	107	42	29	103	38	17	40	3	1	44	157	18	53	143	30	-	264	41
271	25	24	3	20	7	5	9	6	4	4	1	1	5	4	3	9	28	5	-	47	42
280	22	24	4	25	6	7	22	6	4	10	-	-	7	27	5	6	28	5	-	51	43
101	18	22	4	4	3	5	7	6	3	4	-	-	5	20	2	3	17	6	-	18	44
84	13	10	1	2	3	1	6	3	-	1	-	-	2	11	-	4	9	-	-	12	45
63	9	8	2	8	2	3	3	-	-	1	-	-	1	4	-	5	8	1	-	10	46
103	6	12	4	8	6	-	5	3	1	1	-	-	-	4	-	2	6	1	-	19	47
62	5	11	1	6	1	-	4	-	-	2	-	-	2	6	1	2	5	1	-	16	48
48	6	3	3	5	-	1	2	3	-	3	-	-	1	9	-	1	2	-	-	13	49
34	3	4	-	1	2	1	2	-	-	1	1	-	-	5	1	1	3	-	-	8	50
41	3	6	-	2	3	2	7	-	-	2	-	-	2	4	-	3	3	2	-	9	51
50	6	1	2	3	1	-	7	1	-	1	-	-	3	3	-	3	6	1	-	10	52
257	34	66	6	23	8	4	29	10	5	10	1	-	16	40	6	14	28	8	-	51	53
750	95	145	15	49	25	16	60	24	7	21	1	-	23	59	14	31	88	13	2	143	54
263	26	52	4	14	13	6	24	7	1	8	1	-	9	19	3	13	30	5	-	48	55
40	6	3	-	6	1	-	2	1	2	-	-	-	-	2	-	2	4	-	-	4	56
56	6	4	1	3	1	2	1	1	1	-	-	-	2	2	-	1	5	1	-	11	57
50	7	10	1	1	1	3	6	1	-	1	-	-	-	2	3	1	8	1	-	9	58
341	50	76	9	25	9	5	27	14	3	12	-	-	12	34	8	14	41	6	2	71	59
3,096	392	496	55	189	98	71	385	89	31	227	15	6	97	291	20	109	442	66	22	808	60
2,784	342	459	48	179	92	59	357	84	30	209	15	4	87	254	19	99	407	63	19	735	61
111	21	11	-	4	5	8	11	3	1	9	-	-	4	20	1	3	11	2	2	29	62
120	23	14	4	3	1	2	9	1	-	8	-	2	4	11	-	6	13	-	1	29	63
81	6	12	3	3	-	2	8	1	-	1	-	-	2	6	-	1	11	1	-	15	64
2,027	200	320	23	115	52	33	172	44	27	58	6	6	72	166	20	92	209	43	6	370	65
825	68	107	7	36	22	8	76	17	12	20	1	1	28	65	6	28	87	11	5	158	66
148	17	42	3	11	3	7	16	-	2	5	-	1	6	16	1	5	15	6	-	38	67
43	9	7	-	2	1	2	3	-	2	2	-	-	3	1	-	2	4	2	-	11	68
64	6	10	-	6	1	1	3	2	1	2	1	1	5	2	1	4	3	-	-	9	69
75	6	18	-	2	-	2	7	3	-	3	-	1	2	8	1	-	8	2	-	9	70
84	19	12	1	1	1	-	6	4	1	-	1	1	2	2	1	7	7	3	-	13	71
44	3	6	2	6	1	2	5	-	1	1	1	1	3	6	2	-	3	-	-	7	72
25	5	4	-	5	-	-	2	2	-	3	-	-	1	4	-	2	2	2	-	4	73
61	8	17	3	1	3	2	1	2	-	3	-	-	1	8	-	3	2	2	1	8	74
44	5	4	-	-	2	-	1	2	-	3	-	-	1	6	3	4	3	-	-	8	75
614	54	93	7	45	18	9	52	12	8	16	2	-	20	48	5	37	75	15	-	105	76
16,649	2,527	3,265	434	1,227	468	608	1,628	437	277	802	69	59	1,036	3,108	340	2,145	2,097	746	244	4,321	77
10,528	1,739	1,674	294	646	310	361	1,103	288	158	586	32	44	703	2,255	242	1,331	1,205	473	206	2,691	78
6,121	788	1,591	140	581	158	247	525	149	119	216	37	15	333	853	98	814	892	273	38	1,630	79
25	2	4	-	2	-	1	3	-	-	-	-	-	-	-	-	1	3	2	-	4	80
23	6	7	2	3	1	-	5	-	1	1	-	-	2	5	3	5	3	3	1	5	81
175	13	30	4	19	7	3	17	1	1	3	1	2	6	18	1	21	10	8	-	41	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Alpena	222	-	-	-	1	30	12	3	15	5	122	121	24	1	86	1
2	Alpena	144	-	-	-	1	20	8	2	10	4	82	81	15	-	62	1
3	Balance of county	78	-	-	-	-	10	4	1	5	1	40	40	9	1	24	-
4	Antrim	130	-	-	-	1	21	9	-	12	4	79	78	16	-	59	3
5	Arenac	102	-	-	-	-	12	5	-	7	2	55	55	12	-	39	1
6	Baraga	108	1	-	-	-	14	5	1	8	3	65	62	27	-	34	-
7	Barry	304	-	-	-	1	41	11	6	24	8	178	172	38	-	119	2
8	Bay	903	-	-	-	5	138	45	22	71	20	498	490	96	-	362	13
9	Bay City	588	-	-	-	2	91	28	13	50	12	336	330	65	-	237	10
10	Balance of county	315	-	-	-	3	47	17	9	21	8	162	160	31	-	125	3
11	Benzie	106	1	-	-	1	13	4	3	6	4	58	57	18	-	36	1
12	Berrien	1,217	10	3	1	6	224	70	41	113	21	668	656	134	1	464	23
13	Benton Harbor	253	5	2	-	1	45	11	13	21	5	135	134	32	-	91	3
14	Niles	144	-	-	-	1	32	11	5	16	3	77	75	13	-	58	5
15	St. Joseph	99	-	-	-	-	19	4	4	11	1	56	56	11	-	37	2
16	Balance of county	721	5	1	1	4	128	44	19	65	12	400	391	78	1	278	13
17	Branch	341	2	-	-	-	60	23	10	27	3	191	188	46	-	123	5
18	Calhoun	1,193	4	2	2	6	178	60	21	97	27	637	626	149	1	426	14
19	Battle Creek	511	3	1	1	4	77	21	11	45	16	270	265	63	1	178	5
20	Albion	114	1	-	-	-	14	3	-	11	1	66	63	18	-	42	1
21	Balance of county	568	-	1	1	2	87	36	10	41	10	301	298	68	-	206	8
22	Cass	373	3	-	-	1	67	26	5	36	7	201	199	45	-	144	6
23	Charlevoix	171	-	-	-	-	25	15	2	8	2	99	98	19	-	74	3
24	Cheboygan	160	-	1	-	1	20	8	-	12	1	96	95	22	1	70	1
25	Chippewa	282	-	-	-	1	32	14	3	15	3	175	174	40	-	129	5
26	Sault Ste. Marie	167	-	-	-	1	23	9	2	12	2	105	105	23	-	81	2
27	Balance of county	115	-	-	-	-	9	5	1	3	1	70	69	17	-	48	3
28	Clare	118	1	1	-	-	23	6	1	16	2	68	65	13	-	49	1
29	Clinton	341	3	1	-	3	36	14	1	21	4	198	194	44	-	121	4
30	Crawford	41	1	-	-	-	2	2	-	-	3	23	23	6	-	14	-
31	Delta	393	3	1	1	-	61	28	4	29	5	220	215	36	-	167	5
32	Escanaba	179	-	-	1	-	25	12	1	12	1	98	96	22	-	70	-
33	Balance of county	214	3	1	-	-	36	16	3	17	4	122	119	14	-	97	5
34	Dickinson	269	5	-	-	-	45	21	5	19	8	157	155	41	-	100	1
35	Eaton	458	2	-	-	3	65	24	6	35	8	257	253	57	1	182	7
36	Emmet	189	-	1	-	1	26	9	3	14	1	121	120	15	-	101	4
37	Genesee	2,538	15	6	1	10	372	131	47	194	46	1,288	1,264	269	2	870	36
38	Flint	1,672	11	5	1	5	242	86	30	126	31	833	815	175	2	565	24
39	Balance of county	866	4	1	-	5	130	45	17	68	15	455	449	94	-	305	12
40	Gladwin	123	-	-	-	-	25	14	2	9	5	75	74	25	-	47	-
41	Gogebic	337	4	1	-	-	54	22	5	27	8	183	180	40	-	131	1
42	Ironwood	158	1	1	-	-	28	15	3	10	5	81	78	21	-	52	-
43	Balance of county	179	3	-	-	-	26	7	2	17	3	102	102	19	-	79	1
44	Grand Traverse	305	1	1	1	2	40	12	6	22	8	168	168	45	-	115	2
45	Traverse City	178	1	-	1	1	23	8	4	11	5	98	98	22	-	70	-
46	Balance of county	127	-	1	-	1	17	4	2	11	3	70	70	23	-	45	2
47	Gratiot	377	2	-	-	2	53	22	2	29	10	223	218	58	2	141	1
48	Hillsdale	342	1	1	-	1	45	14	5	26	12	199	194	35	-	138	3
49	Houghton	510	-	1	2	4	73	36	4	33	12	310	303	73	-	210	4
50	Huron	318	2	1	-	-	44	20	2	22	8	193	189	39	-	137	3
51	Ingham	1,509	10	-	4	7	231	77	23	131	39	824	808	177	-	571	27
52	Lansing	889	8	-	-	1	134	50	11	73	23	485	476	103	-	331	16
53	East Lansing	72	-	-	1	-	11	3	1	7	2	38	36	7	-	28	-
54	Balance of county	548	2	-	3	6	86	24	11	51	14	301	296	67	-	212	11
55	Ionia	470	1	-	1	-	63	23	10	30	10	280	269	65	-	181	7
56	Iosco	123	-	-	-	-	19	8	-	11	2	75	75	18	-	54	1
57	Iron	256	2	-	1	1	45	16	7	22	5	134	133	43	-	82	4
58	Isabella	259	2	-	-	1	37	13	6	18	6	137	134	33	-	88	1
59	Mount Pleasant	91	-	-	-	1	12	4	3	5	3	45	44	10	-	29	-
60	Balance of county	168	2	-	-	-	25	9	3	13	3	92	90	23	-	59	1
61	Jackson	1,166	8	2	-	4	182	57	29	96	21	619	600	133	1	416	20
62	Jackson	641	4	2	-	1	113	32	19	62	11	340	329	72	-	232	12
63	Balance of county	525	4	-	-	3	69	25	10	34	10	279	271	61	1	184	8
64	Kalamazoo	1,167	5	1	-	7	184	69	20	95	28	648	636	151	1	442	16
65	Kalamazoo	615	5	1	-	4	108	43	13	52	16	339	331	71	1	238	7
66	Balance of county	552	-	-	-	3	76	26	7	43	12	309	305	80	-	204	9
67	Kalkaska	57	-	-	-	-	12	3	2	7	1	31	31	11	-	18	-
68	Kent	3,166	14	8	-	11	497	188	64	245	71	1,728	1,708	425	1	1,116	37
69	Grand Rapids	2,151	11	3	-	6	364	132	48	184	47	1,166	1,153	296	-	741	26
70	Balance of county	1,015	3	5	-	5	133	56	16	61	24	562	555	129	1	375	11
71	Keweenaw	48	-	-	-	1	5	2	1	2	1	27	27	6	-	21	-
72	Lake	73	2	-	-	-	12	5	1	6	7	34	30	4	-	24	-
73	Lapeer	390	2	1	1	-	55	19	6	30	5	203	199	46	-	136	4
74	Leelanau	82	1	-	-	1	10	5	1	4	1	51	50	9	-	40	1
75	Lenawee	745	5	2	1	1	120	45	14	61	11	410	396	79	2	286	8
76	Adrian	214	1	-	1	-	27	8	3	16	3	122	118	20	-	91	3
77	Balance of county	531	4	2	-	1	93	37	11	45	8	288	278	59	2	195	5
78	Livingston	313	3	-	-	1	53	20	4	29	4	172	170	32	-	124	5
79	Luce	76	1	1	1	-	8	4	2	2	3	32	31	8	-	23	-
80	Mackinac	110	-	-	-	-	17	8	2	7	2	59	57	13	-	41	-
81	Macomb	1,792	7	1	2	8	299	101	36	162	49	876	860	195	3	624	22
82	East Detroit	164	2	-	1	-	30	11	5	14	7	83	81	18	1	59	2
83	Mount Clemens	268	1	-	-	5	39	11	2	26	11	151	146	44	-	96	-
84	Roseville	172	-	-	-	2	33	12	6	15	1	76	76	14	-	59	3
85	St. Clair Shores	234	-	-	1	-	47	10	8	29	4	84	82	18	1	56	-
86	Balance of county	954	4	1	-	1	150	57	15	78	26	482	475	101	1	354	17
87	Manistee	252	2	-	-	1	28	10	3	15	2	168	165	50	-	111	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
55	9	21	1	5	4	1	4	2	2	1	2	-	4	12	-	8	13	1	-	15	1
41	6	14	1	2	1	1	4	1	1	1	2	-	2	6	-	3	7	1	-	9	2
14	3	7	-	3	3	-	-	1	1	-	-	-	2	6	-	5	6	-	-	6	3
47	5	4	-	1	2	1	-	-	-	-	-	-	1	3	-	4	6	-	-	11	4
26	3	9	-	3	1	-	2	3	-	1	-	1	2	3	1	4	3	-	-	13	5
27	1	6	-	1	-	3	2	1	-	-	-	-	3	2	2	3	3	-	-	9	6
97	8	12	6	5	4	6	6	1	2	-	-	1	4	9	4	7	7	6	1	28	7
240	36	73	5	22	5	8	24	9	4	5	-	1	17	41	1	35	29	10	-	66	8
152	26	49	5	18	5	6	16	7	-	3	-	-	14	20	1	17	17	6	-	46	9
88	10	24	-	4	-	2	8	2	4	2	-	1	3	21	-	18	12	4	-	20	10
21	3	11	1	2	-	1	-	1	-	1	-	1	2	3	1	3	8	-	-	9	11
343	45	53	13	34	10	12	26	10	6	13	1	-	15	38	2	35	39	10	3	86	12
72	8	8	3	5	3	1	5	4	1	2	-	-	6	8	-	6	9	2	1	16	13
39	2	12	1	1	2	2	2	1	1	5	-	-	1	3	-	4	2	2	-	10	14
30	1	4	1	6	1	-	1	-	2	1	-	-	-	2	2	3	3	-	-	9	15
202	34	29	8	22	4	9	18	5	2	5	1	-	8	25	-	22	25	6	2	51	16
94	11	13	5	11	3	3	8	-	2	2	1	-	3	13	1	12	11	5	-	27	17
305	36	71	11	33	6	11	26	8	9	9	3	-	12	54	9	50	40	13	5	99	18
131	19	23	4	15	4	5	9	2	4	6	1	-	2	18	4	19	19	6	4	45	19
24	6	11	1	1	1	3	3	-	-	1	-	-	-	10	1	6	3	-	-	8	20
150	11	37	6	17	1	3	14	6	5	2	2	-	10	26	4	25	18	7	1	46	21
83	12	43	2	8	-	2	17	1	4	1	1	-	7	11	1	14	14	5	-	18	22
48	6	17	2	3	-	1	4	2	1	1	-	-	3	5	-	5	5	4	-	15	23
41	17	11	-	2	-	1	2	7	-	2	-	-	1	3	-	6	6	1	-	11	24
77	18	29	-	2	3	1	10	-	-	3	-	-	3	10	2	9	11	4	-	19	25
51	10	18	-	1	-	-	4	-	-	3	-	-	3	5	-	2	5	1	-	13	26
26	8	11	-	1	3	1	6	-	-	-	-	-	-	5	2	7	6	3	-	6	27
38	3	7	-	2	1	3	3	1	1	1	1	-	1	2	-	2	3	1	-	7	28
76	24	17	2	24	3	4	7	2	-	2	-	-	4	17	-	13	13	10	-	28	29
11	-	3	1	2	-	-	1	-	-	-	-	-	-	1	-	3	-	2	-	5	30
91	11	60	1	7	4	5	10	2	1	8	3	-	8	13	1	11	17	1	-	27	31
42	7	21	1	2	1	2	8	2	-	4	3	-	3	7	1	6	7	-	-	13	32
49	4	39	-	5	3	3	2	-	1	4	-	-	5	6	-	5	10	1	-	14	33
75	2	22	1	8	5	2	4	2	3	2	-	-	6	8	1	4	5	4	-	15	34
119	23	33	1	10	2	4	9	4	1	5	1	-	7	10	2	14	23	4	1	42	35
74	11	12	-	2	2	1	4	3	-	-	-	-	2	6	-	7	5	2	-	10	36
670	78	86	19	83	21	24	52	7	11	22	1	2	45	229	13	131	81	33	18	155	37
445	46	50	14	45	14	18	34	5	9	16	-	1	29	167	8	80	48	24	16	107	38
225	32	36	5	38	7	6	18	2	2	6	1	1	16	62	5	51	33	9	2	48	39
32	2	13	1	1	-	1	2	-	-	-	-	-	-	5	-	1	4	-	-	6	40
82	9	39	1	7	1	3	6	3	1	2	-	-	4	10	4	13	21	4	-	19	41
35	3	14	-	5	-	3	3	1	-	1	-	-	-	5	3	7	8	2	-	12	42
47	6	25	1	2	1	-	3	2	1	1	-	-	4	5	1	6	13	2	-	7	43
80	9	24	2	4	2	-	11	-	-	3	1	-	5	17	-	7	17	4	-	19	44
47	7	16	1	4	1	-	6	-	-	3	-	-	2	13	-	3	9	3	-	10	45
33	2	8	1	-	1	-	5	-	-	-	1	-	3	4	-	4	8	1	-	9	46
97	13	30	2	14	1	5	10	2	2	3	1	-	4	4	1	23	16	1	-	20	47
103	6	26	1	17	3	5	9	-	-	1	-	-	5	6	2	21	9	7	1	22	48
166	6	34	3	16	1	7	10	3	2	4	-	-	7	8	5	12	24	3	1	29	49
86	15	33	1	10	2	4	10	2	1	6	1	-	5	9	1	7	10	3	-	15	50
428	57	59	13	32	15	16	18	5	4	14	-	1	20	86	4	60	31	25	8	118	51
250	39	26	11	20	11	9	8	2	2	11	-	1	11	53	2	41	21	11	2	73	52
25	1	2	-	1	-	2	1	-	-	-	-	-	3	5	-	2	1	3	-	5	53
153	17	31	2	11	4	5	9	3	2	3	-	-	6	28	2	17	9	11	6	40	54
119	13	42	-	17	6	11	9	3	4	2	-	-	5	11	3	21	16	7	-	34	55
43	4	6	1	2	-	-	1	1	1	2	-	-	2	8	-	2	3	-	-	7	56
58	11	9	1	6	1	1	4	5	1	2	-	1	3	6	3	8	10	4	-	21	57
67	5	15	1	10	2	3	5	3	1	3	-	-	5	7	-	11	8	7	-	26	58
25	-	4	-	4	1	1	2	1	-	2	-	-	4	5	-	3	1	2	-	10	59
42	5	11	1	6	1	2	3	2	1	1	-	-	1	2	-	8	7	5	-	16	60
301	50	45	6	31	13	19	26	7	3	4	-	2	23	57	4	65	43	15	5	76	61
173	22	25	2	15	8	11	15	4	2	2	-	-	14	32	3	30	21	5	2	40	62
128	28	20	4	16	5	8	11	3	1	2	-	2	9	25	1	35	22	10	3	36	63
320	45	61	6	27	9	12	37	5	3	6	3	1	23	50	3	34	35	15	3	76	64
166	24	41	5	13	3	8	23	4	2	3	1	-	11	21	3	9	14	7	1	43	65
154	21	20	1	14	6	4	14	1	1	3	2	1	12	29	-	25	21	8	2	33	66
13	2	3	-	-	2	-	-	-	1	-	-	-	1	2	-	2	4	-	-	3	67
785	94	200	38	103	25	20	54	21	14	34	-	2	52	138	68	103	106	29	3	213	68
523	73	119	23	75	18	13	38	13	10	21	-	2	28	84	55	58	79	19	2	145	69
262	21	81	15	28	7	7	16	8	4	13	-	-	24	54	13	45	27	10	1	68	70
18	2	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	-	-	6	71
12	2	10	1	1	-	4	-	-	-	1	-	-	-	3	-	6	1	1	-	6	72
106	4	22	1	15	1	4	15	4	1	3	1	-	5	24	-	12	15	6	2	35	73
21	14	4	-	-	1	1	-	1	2	-	-	-	1	1	-	3	5	1	-	4	74
199	24	55	7	15	7	14	12	1	6	4	1	-	11	39	7	24	30	6	1	53	75
66	11	11	-	5	2	4	4	-	2	1	-	-	1	12	3	7	10	2	1	17	76
133	13	44	7	10	5	10	8	1	4	3	1	-	10	27	4	17	20	4	-	36	77
95	5	19	3	9	2	2	3	1	-	5	-	-	7	13	-	16	12	2	2	19	78
16	2	5	-	-	-	1	2	-	1	-	1	-	1	4	-	7	7	-	-	7	79
31	2	8	-	3	-	2	4	-	-	-	-	-	3	6	-	5	5	2	-	7	80
437	67	98	15	15	8	16	39	13	6	20	2	-	46	142	6	74	75	23	7	97	81
41	8	8	2	1	-	2	1	1	-	3	-	-	4	15	-	5	4	1	2	5	82
49	15	32	2	2	2	5	4	2	1	1	1	-	5	14	1	3	10	1	1	17	83
47	7	2	1	2	-	-	3	1	-	2	-	-	10	21	-	5	8	3	-	7	84
49	2	5	5	2	-	2	8	2	1	5	-	-	5	28	2	10	18	4	-	15	85
251	35	51	5	8	6	7	23	7	4	9	1	-	22	64	3	51	35	14	4	53	86
92	2	15	-	2	2	3	7	2	2	1	-	-	4	6	1	2	10	1	-	15	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Marquette	529	3	-	3	1	84	23	6	55	10	311	309	69	-	217	5
2	Marquette	175	-	-	2	-	28	9	-	19	4	106	106	19	-	80	2
3	Balance of county	354	3	-	1	1	56	14	6	36	6	205	203	50	-	137	3
4	Mason	254	-	3	-	1	42	22	-	20	9	150	150	26	-	120	4
5	Mecosta	203	-	1	-	1	26	10	2	14	6	121	120	36	-	80	1
6	Menominee	271	-	-	-	-	45	15	4	26	6	156	152	35	1	108	2
7	Menominee	141	-	-	-	-	24	8	1	15	5	86	83	23	-	55	1
8	Balance of county	130	-	-	-	-	21	7	3	11	1	70	69	12	1	53	1
9	Midland	270	-	-	-	2	49	20	5	24	4	134	130	32	-	88	2
10	Midland	114	-	-	-	-	20	7	2	11	1	54	54	14	-	38	1
11	Balance of county	156	-	-	-	2	29	13	3	13	3	80	76	18	-	50	1
12	Missaukee	68	-	-	-	-	15	5	-	10	3	40	38	9	-	27	-
13	Monroe	748	4	-	1	3	123	47	19	57	13	370	366	112	-	222	6
14	Monroe	237	1	-	-	2	38	8	9	21	2	121	120	39	-	74	3
15	Balance of county	511	3	-	1	1	85	39	10	36	11	249	246	73	-	148	3
16	Montcalm	414	3	1	-	-	62	25	8	29	4	237	230	49	-	158	5
17	Montmorency	55	-	-	-	-	11	4	1	6	1	24	22	8	-	14	1
18	Muskegon	1,182	9	5	1	4	191	72	35	84	19	613	597	158	1	391	20
19	Muskegon	548	4	4	-	3	83	31	16	36	10	311	301	88	-	189	11
20	Muskegon Heights	166	4	-	-	-	27	5	8	14	2	82	80	17	-	60	4
21	Balance of county	468	1	1	1	1	81	36	11	34	7	220	216	53	1	142	5
22	Newaygo	258	3	1	-	3	36	18	5	13	1	149	144	30	-	106	2
23	Oakland	3,533	23	4	2	11	640	246	61	333	77	1,679	1,648	353	3	1,165	34
24	Pontiac	641	7	2	-	3	118	44	13	61	14	304	295	63	-	211	3
25	Ferndale	257	1	-	1	-	35	11	5	19	4	133	130	28	-	84	7
26	Royal Oak	410	1	-	-	1	72	18	5	49	12	207	205	33	-	159	5
27	Berkley	116	-	-	-	-	22	9	1	12	4	59	59	9	-	48	2
28	Birmingham	195	2	-	-	1	34	16	2	16	5	96	93	20	-	65	1
29	Hazel Park	135	2	-	-	1	26	13	2	11	3	53	52	9	-	40	-
30	Balance of county	1,779	10	2	1	5	333	135	33	165	35	827	814	191	3	558	16
31	Oceana	179	-	1	-	1	24	7	2	15	3	104	102	23	-	73	4
32	Ogemaw	107	-	-	-	-	18	11	2	5	3	59	57	22	-	31	-
33	Ontonagon	129	1	-	-	-	12	8	1	3	3	80	77	32	-	42	1
34	Osceola	151	1	-	-	2	20	7	-	13	5	81	78	22	-	52	2
35	Oscoda	25	-	-	-	-	5	4	-	1	-	13	12	4	-	7	2
36	Otsego	75	1	-	-	-	4	2	-	2	4	41	41	6	-	32	1
37	Ottawa	707	3	1	-	2	117	51	8	58	15	411	406	99	-	276	8
38	Holland	164	2	1	-	-	26	12	1	13	5	97	97	28	-	60	1
39	Balance of county	543	1	-	-	2	91	39	7	45	10	314	309	71	-	216	7
40	Presque Isle	132	-	-	-	1	19	3	2	14	4	70	69	18	-	48	-
41	Roscommon	75	-	-	-	1	11	8	1	2	3	44	44	10	-	31	1
42	Saginaw	1,595	8	-	1	7	259	84	36	139	54	837	827	215	2	538	21
43	Saginaw	970	5	-	-	2	151	52	18	81	40	518	512	134	1	331	11
44	Balance of county	625	3	-	1	5	108	32	18	58	14	319	315	81	1	207	10
45	St. Clair	1,010	5	1	-	3	141	50	13	78	33	565	552	126	-	397	13
46	Fort Huron	425	1	-	-	1	58	24	2	32	10	244	238	51	-	177	7
47	Balance of county	585	4	1	-	2	83	26	11	46	23	321	314	75	-	220	6
48	St. Joseph	422	6	1	-	-	69	21	9	39	8	238	235	80	-	138	7
49	Sanilac	367	-	3	-	1	56	27	6	23	9	207	201	59	-	134	3
50	Schoolcraft	106	1	-	-	-	20	10	4	6	3	59	59	11	-	45	1
51	Shiawassee	510	2	-	-	1	80	28	9	43	10	290	288	65	-	199	4
52	Owosso	163	1	-	-	1	22	4	1	17	4	90	90	18	-	68	2
53	Balance of county	347	1	-	-	-	58	24	8	26	6	200	198	47	-	131	2
54	Tuscola	393	2	-	-	-	48	19	2	27	8	228	222	77	1	131	8
55	Van Buren	559	1	1	-	1	79	29	7	43	9	328	327	91	-	215	7
56	Washtenaw	1,041	5	2	-	3	171	59	13	99	24	512	500	138	-	328	7
57	Ann Arbor	344	2	1	-	-	63	20	5	38	5	184	180	45	-	125	1
58	Ypsilanti	207	-	-	-	2	32	13	1	18	7	88	84	23	-	51	3
59	Balance of county	490	3	1	-	1	76	26	7	43	12	240	236	70	-	152	3
60	Wayne	22,732	271	62	7	86	4,011	1,488	575	1,948	535	11,416	11,211	2,236	15	8,420	357
61	Detroit	17,526	230	51	5	57	3,105	1,146	448	1,511	412	8,973	8,812	1,749	11	6,636	293
62	Dearborn	806	6	3	-	8	154	50	22	82	21	401	396	78	-	300	9
63	Hamtramck	441	9	3	-	1	82	39	19	24	9	205	199	41	-	151	6
64	Highland Park	450	4	-	-	-	74	37	15	22	11	254	253	58	-	181	5
65	Lincoln Park	248	3	-	-	2	53	24	4	25	5	103	102	15	1	74	3
66	Wyandotte	362	3	-	2	4	66	29	8	29	6	168	166	38	-	120	4
67	Allen Park	106	1	-	-	-	18	6	2	10	3	40	40	5	-	33	-
68	Ecorse	156	2	-	-	1	28	17	3	8	5	63	63	14	1	46	1
69	Grosse Pointe Park	112	1	-	-	-	16	7	2	7	3	65	65	12	-	49	2
70	Grosse Pointe Woods	86	1	-	-	1	13	5	2	6	3	35	35	10	-	23	-
71	Inkster	202	2	2	-	1	30	8	4	18	5	70	66	21	-	43	2
72	Livonia	203	-	-	-	-	39	16	6	17	8	94	92	17	-	71	4
73	River Rouge	163	-	-	-	2	24	12	4	8	5	74	72	18	-	51	1
74	Balance of county	1,871	9	3	-	9	309	92	36	181	39	871	850	160	2	642	27
75	Wexford	206	-	-	-	-	35	13	9	13	2	109	106	29	1	74	3
76	Cadillac	101	-	-	-	-	13	6	3	4	1	54	52	11	1	40	1
77	Balance of county	105	-	-	-	-	22	7	6	9	1	55	54	18	-	34	2
78	MINNESOTA	28,641	124	59	9	104	4,735	1,799	410	2,526	518	16,104	15,875	3,946	21	10,764	405
79	Metropolitan counties	13,353	70	39	6	54	2,335	846	238	1,251	241	7,396	7,314	1,674	6	5,135	194
80	Nonmetropolitan counties	15,288	54	20	3	50	2,400	953	172	1,275	277	8,708	8,561	2,272	15	5,629	211
81	Aitkin	145	-	-	-	-	24	11	2	11	-	91	90	28	-	58	2
82	Anoka	298	1	-	-	3	48	21	4	23	5	144	144	39	-	87	3
83	Becker	237	2	-	-	-	36	14	1	21	2	143	142	33	-	97	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
143	17	52	6	16	1	2	14	2	3	6	-	-	6	16	2	8	19	4	3	34	1
54	7	17	4	3	-	-	2	1	1	1	-	-	-	5	-	5	6	1	1	12	2
89	10	35	2	13	1	2	12	1	2	5	-	-	6	11	2	3	13	3	2	22	3
90	7	19	1	1	2	-	5	-	3	2	-	-	2	5	-	3	12	2	-	15	4
62	7	10	-	4	-	1	5	1	1	4	-	1	2	3	1	4	12	-	1	13	5
72	12	22	2	5	1	4	6	4	2	-	-	-	1	8	1	7	9	4	-	22	6
43	6	5	2	2	1	3	1	3	-	-	-	-	1	1	1	1	5	3	-	10	7
29	6	17	-	3	-	1	5	1	2	-	-	-	-	7	-	6	4	1	-	12	8
65	8	13	-	8	2	4	1	1	1	3	-	-	6	10	1	24	14	2	1	17	9
31	1	5	-	2	-	-	-	1	1	2	-	-	5	7	1	7	7	-	-	8	10
34	7	8	-	6	2	4	1	-	-	1	-	-	1	3	-	17	7	2	1	9	11
20	-	7	1	1	-	2	2	-	-	-	-	-	1	1	-	4	1	-	-	1	12
158	21	37	6	17	9	4	23	6	8	10	4	-	14	34	3	49	17	8	1	57	13
57	5	9	2	3	2	1	8	-	4	6	2	-	2	9	1	12	5	2	1	21	14
101	16	28	4	14	7	3	15	6	4	4	2	-	12	25	2	37	12	6	-	36	15
101	12	40	5	13	5	7	5	2	4	5	2	-	8	8	4	16	20	4	-	29	16
8	2	3	-	-	-	2	1	-	1	-	1	-	2	4	-	-	2	1	1	6	17
296	33	42	4	30	13	16	22	9	11	21	1	2	16	61	3	36	41	12	3	102	18
136	19	23	1	14	9	10	9	3	1	12	-	1	7	24	-	11	14	3	1	47	19
46	5	5	-	3	-	2	6	1	4	4	1	1	1	8	-	3	4	2	1	15	20
114	9	14	3	13	4	4	7	5	6	5	-	-	8	29	3	22	23	7	1	40	21
57	11	36	1	7	-	5	11	3	3	3	-	1	2	8	1	3	12	1	-	17	22
861	106	164	40	58	29	31	92	24	22	46	1	8	96	247	11	148	105	47	8	242	23
148	17	43	5	8	8	9	15	6	4	7	-	2	23	39	1	25	18	11	1	41	24
61	5	11	7	6	5	3	10	4	3	4	-	-	4	14	-	6	9	4	3	22	25
129	9	16	-	10	3	2	11	2	3	7	-	-	13	28	-	11	12	5	-	25	26
35	5	6	-	2	-	-	4	2	-	1	1	-	2	4	-	6	2	2	1	6	27
51	3	10	2	4	2	3	6	1	1	2	-	3	7	8	1	4	2	2	-	20	28
29	5	6	1	1	1	1	4	1	1	-	-	-	2	20	-	8	3	1	1	9	29
408	62	72	25	27	10	13	42	8	10	25	-	3	45	134	9	88	59	22	2	119	30
45	7	17	1	5	-	2	5	2	1	3	1	-	4	3	1	5	5	2	1	13	31
24	3	4	2	2	-	2	2	1	-	-	-	-	3	4	-	3	5	1	1	7	32
32	1	8	1	2	-	3	2	1	1	2	-	-	2	6	-	1	8	4	1	5	33
22	3	25	-	3	1	3	2	-	-	3	-	1	3	3	1	9	7	4	-	9	34
3	-	2	-	1	-	1	1	-	-	-	-	-	1	-	-	3	-	-	-	2	35
23	5	3	-	-	3	-	1	1	-	1	-	1	2	4	-	1	7	-	-	7	36
186	37	45	3	27	1	5	15	4	7	5	-	-	12	27	2	20	22	7	-	37	37
43	10	6	1	8	-	-	1	1	1	2	-	-	4	4	-	1	6	1	-	12	38
143	27	39	2	19	1	5	14	3	6	3	-	-	8	23	2	19	16	6	-	25	39
39	5	4	1	2	-	1	8	2	-	-	1	1	1	4	-	6	7	-	-	8	40
23	2	5	1	2	-	-	1	-	1	3	-	-	1	1	-	3	2	2	-	2	41
379	42	96	20	43	9	10	34	11	6	21	3	2	32	82	10	60	52	12	7	97	42
239	25	56	15	28	3	6	19	7	5	14	1	-	19	44	6	30	33	6	6	64	43
140	17	40	5	15	6	4	15	4	1	7	2	2	13	38	4	30	19	6	1	33	44
259	67	58	7	17	5	13	26	10	5	10	1	-	16	41	4	34	38	10	1	66	45
113	31	26	4	4	2	6	16	2	4	3	-	-	5	13	1	13	14	5	1	34	46
146	36	32	3	13	3	7	10	8	1	7	1	-	11	28	3	21	24	5	-	32	47
95	9	27	1	11	5	3	4	3	1	3	-	-	5	13	1	13	15	6	-	36	48
92	13	26	2	4	2	6	4	1	-	2	1	1	6	16	-	19	16	6	-	19	49
34	1	9	1	2	-	-	3	-	-	1	-	-	-	5	-	1	3	4	-	6	50
143	20	32	3	16	5	2	8	3	1	5	2	-	9	17	4	22	20	6	-	30	51
51	8	7	-	2	2	-	3	-	1	1	-	-	2	9	1	10	6	1	-	11	52
92	12	25	3	14	3	2	5	3	-	4	2	-	7	8	3	12	14	5	-	19	53
91	11	21	-	9	4	6	10	2	-	4	-	1	5	21	2	18	19	8	-	17	54
151	22	35	2	16	3	1	17	2	-	7	1	-	8	11	2	15	31	10	3	33	55
235	22	64	9	21	4	12	27	7	2	14	2	-	18	78	4	34	45	15	3	75	56
91	5	28	3	6	1	4	7	1	-	5	1	-	4	23	2	4	9	6	-	27	57
34	9	5	3	7	-	4	5	2	-	3	-	-	6	21	-	8	12	4	1	16	58
110	8	31	3	8	3	4	15	4	2	6	1	-	8	34	2	22	24	5	2	32	59
6,107	1,164	792	132	232	176	205	727	186	85	414	22	25	349	1,183	122	621	648	264	147	1,551	60
4,725	995	623	109	180	127	161	554	147	57	338	15	17	229	820	89	409	492	200	130	1,196	61
238	27	26	3	6	9	5	26	6	4	13	1	1	13	38	3	36	13	12	2	45	62
112	20	13	3	2	2	6	16	7	1	14	1	-	2	24	5	6	12	2	1	41	63
138	21	17	1	7	6	1	15	4	2	7	-	-	6	14	2	10	9	6	3	29	64
58	10	3	1	7	4	1	8	-	1	4	-	-	5	21	4	14	8	4	-	13	65
94	6	16	2	3	3	2	10	4	4	5	-	-	10	18	3	16	13	6	-	24	66
24	4	5	-	2	-	-	2	2	-	2	-	-	8	10	2	3	2	-	1	12	67
34	6	5	-	-	2	-	10	1	1	3	1	3	2	11	1	2	11	1	-	10	68
39	5	3	1	1	2	-	2	1	2	1	-	-	2	3	-	1	4	2	-	9	69
14	3	6	-	1	1	-	3	1	-	1	1	-	7	9	-	-	2	1	-	8	70
31	5	5	1	1	-	4	8	1	2	1	-	3	6	36	3	9	8	1	3	11	71
58	4	5	1	1	2	2	6	-	-	2	-	-	6	17	-	8	8	3	1	11	72
38	7	5	1	1	1	2	3	2	3	4	-	1	2	10	2	8	6	2	-	15	73
504	51	60	9	20	17	21	64	10	8	19	3	-	51	152	8	99	60	24	6	127	74
45	9	17	1	1	-	3	4	-	3	1	-	-	2	6	-	9	4	3	-	28	75
25	4	10	-	-	-	2	3	-	1	1	-	-	2	3	-	2	4	2	-	15	76
20	5	7	1	1	-	1	1	-	2	-	-	-	-	3	-	7	-	1	-	13	77
7,863	1,159	1,337	179	717	248	229	752	173	112	248	33	28	474	1,111	128	632	1,032	297	36	1,932	78
3,795	591	555	75	279	145	82	356	96	48	167	14	9	218	529	45	239	428	129	16	918	79
4,068	568	782	104	438	103	147	396	77	64	81	19	19	256	582	83	393	604	168	20	1,014	80
47	4	5	-	3	1	1	2	-	-	1	-	-	-	4	-	1	8	5	1	8	81
66	5	13	4	9	5	-	12	3	1	1	-	-	10	19	2	13	12	2	1	21	82
81	7	7	3	8	1	1	12	1	2	2	1	1	1	7	2	8	11	-	1	5	83

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Beltrami	241	1	-	-	5	34	16	1	17	-	119	118	26	1	77	2
2	Bemidji	101	1	-	-	3	20	7	1	12	-	54	53	14	-	34	2
3	Balance of county	140	-	-	-	2	14	9	-	5	-	65	65	12	1	43	-
4	Benton	122	-	-	-	2	17	6	1	10	3	61	61	10	-	49	3
5	St. Cloud (part)	26	-	-	-	-	2	1	-	1	1	16	16	1	-	15	3
6	Balance of county	96	-	-	-	2	15	5	1	9	2	45	45	9	-	34	-
7	Big Stone	78	-	-	-	1	17	9	1	7	1	44	44	13	-	26	-
8	Blue Earth	360	2	2	-	2	72	25	7	40	6	192	191	48	-	126	5
9	Mankato	187	2	2	-	1	38	14	3	21	4	103	102	24	-	70	2
10	Balance of county	173	-	-	-	1	34	11	4	19	2	89	89	24	-	56	3
11	Brown	241	1	-	-	1	37	15	-	22	4	128	126	36	-	76	1
12	Carlton	230	-	-	-	-	43	19	3	21	3	124	121	29	-	85	5
13	Carver	164	-	-	-	3	27	13	2	12	-	92	91	22	-	49	3
14	Cass	188	1	1	-	1	25	6	5	14	4	105	104	17	-	76	3
15	Chippewa	137	-	-	2	-	28	10	1	17	4	81	76	15	-	51	-
16	Chisago	163	-	-	-	1	29	13	1	15	6	90	85	20	1	57	6
17	Clay	268	1	-	-	-	41	17	5	19	6	135	133	42	-	85	3
18	Moorhead	127	-	-	-	-	14	4	4	6	2	68	66	19	-	44	2
19	Balance of county	141	1	-	-	-	27	13	1	13	4	67	67	23	-	41	1
20	Clearwater	106	-	-	-	1	18	7	-	11	1	57	55	11	1	38	-
21	Cook	30	-	-	-	-	4	4	-	-	-	17	16	5	-	10	-
22	Cottonwood	140	-	-	-	1	21	9	1	11	3	73	70	17	-	42	1
23	Crow Wing	304	1	-	-	1	58	21	9	28	7	174	169	33	-	126	6
24	Brainerd	127	-	-	-	-	19	8	3	8	4	79	78	14	-	60	3
25	Balance of county	177	1	-	-	1	39	13	6	20	3	95	91	19	-	66	3
26	Dakota	375	2	1	1	1	69	21	8	40	9	185	182	50	1	118	5
27	South St. Paul	99	1	-	-	1	17	4	-	13	2	43	41	4	-	34	2
28	Balance of county	276	1	1	1	-	52	17	8	27	7	142	141	46	1	84	3
29	Dodge	102	-	-	-	-	15	9	1	5	-	66	66	12	-	49	-
30	Douglas	209	-	-	-	-	38	15	3	20	5	114	113	30	-	72	3
31	Faribault	249	2	-	-	-	40	16	4	20	6	146	141	41	-	87	3
32	Fillmore	252	1	-	-	-	35	13	4	18	6	173	169	54	-	102	1
33	Freeborn	311	4	1	-	-	45	15	5	25	1	177	173	37	2	124	2
34	Albert Lea	145	1	1	-	-	19	5	3	11	1	81	79	19	-	55	-
35	Balance of county	166	3	-	-	-	26	10	2	14	-	96	94	18	2	69	2
36	Goodhue	370	1	1	-	-	62	26	3	33	7	207	205	67	-	123	4
37	Red Wing	134	-	1	-	-	22	10	1	11	3	72	72	18	-	49	1
38	Balance of county	236	1	-	-	-	40	16	2	22	4	135	133	49	-	74	3
39	Grant	84	-	-	-	-	6	2	-	4	2	58	56	18	-	36	1
40	Hennepin	6,867	41	24	2	29	1,241	442	133	666	133	3,789	3,743	900	2	2,601	99
41	Minneapolis	5,602	34	22	2	21	1,019	363	112	544	105	3,147	3,112	755	2	2,175	82
42	Richfield	103	2	-	-	1	19	7	-	12	1	42	42	11	-	30	1
43	Robbinsdale	104	-	-	-	-	23	10	2	11	1	49	49	17	-	28	-
44	St. Louis Park	171	-	-	-	-	30	8	5	17	4	96	95	24	-	64	4
45	Balance of county	887	5	2	-	7	150	54	14	82	22	455	445	113	-	304	12
46	Houston	145	1	-	-	-	26	6	5	15	1	74	73	27	-	42	-
47	Hubbard	105	-	-	-	1	25	13	2	10	5	57	57	13	-	42	1
48	Isanti	131	-	-	-	1	22	11	1	10	-	84	84	21	-	52	3
49	Itasca	305	2	-	-	-	48	20	4	24	5	174	170	32	-	128	8
50	Jackson	143	-	1	-	-	20	6	1	13	3	84	82	20	-	57	-
51	Kanabec	66	-	-	-	1	13	7	1	5	3	37	37	10	-	24	1
52	Kandiyohi	237	2	1	-	1	41	14	2	25	1	125	119	26	-	85	5
53	Kittson	94	-	-	-	-	12	9	1	2	1	56	56	14	-	35	2
54	Koochiching	152	-	1	-	-	26	15	1	10	8	73	73	15	-	51	3
55	Lac qui Parle	128	-	-	-	-	20	10	1	9	5	73	72	22	-	46	1
56	Lake	101	-	1	-	-	16	10	1	5	2	52	52	9	-	39	3
57	Lake of the Woods	53	-	-	-	-	3	2	-	1	-	31	31	11	-	18	1
58	Le Sueur	167	-	-	1	-	19	10	1	8	6	96	95	17	-	68	1
59	Lincoln	111	-	-	-	-	13	3	-	10	3	67	66	21	-	40	1
60	Lyon	199	2	-	-	-	16	6	2	8	4	121	119	39	-	72	3
61	McLeod	215	2	-	-	2	32	16	1	15	2	128	127	37	1	68	2
62	Mahnomen	50	-	-	-	-	11	7	-	4	1	26	25	12	-	12	1
63	Marshall	157	1	-	-	-	25	8	3	14	-	97	97	31	-	64	1
64	Martin	202	1	-	-	2	32	13	-	19	5	112	111	27	-	80	3
65	Meeker	177	1	-	-	-	28	12	-	16	5	103	100	28	-	64	4
66	Mille Lacs	161	-	-	-	-	21	5	-	16	4	87	87	29	-	55	4
67	Morrison	230	2	-	-	1	40	10	2	28	3	121	119	29	-	81	2
68	Mower	325	-	1	-	2	48	13	6	29	6	181	179	59	1	106	6
69	Austin	187	-	1	-	2	26	7	3	16	5	108	106	39	1	58	3
70	Balance of county	138	-	-	-	-	22	6	3	13	1	73	73	20	-	48	3
71	Murray	119	1	-	-	-	20	6	1	13	4	70	69	19	-	48	4
72	Nicollet	159	-	-	-	-	17	6	1	10	3	97	96	18	-	68	-
73	Nobles	171	-	-	-	2	28	7	5	16	2	100	98	33	-	60	3
74	Norman	128	-	-	-	2	17	10	2	5	-	80	79	26	-	51	4
75	Olmsted	406	1	2	-	-	78	29	4	45	2	221	218	51	-	148	4
76	Rochester	306	1	2	-	-	61	24	3	34	1	166	163	35	-	110	4
77	Balance of county	100	-	-	-	-	17	5	1	11	1	55	55	16	-	38	-
78	Otter Tail	472	2	-	-	3	64	28	7	29	9	274	271	87	-	166	7
79	Fergus Falls	116	-	-	-	1	20	6	3	11	2	61	61	23	-	31	1
80	Balance of county	356	2	-	-	2	44	22	4	18	7	213	210	64	-	135	6
81	Pennington	123	-	-	-	-	19	5	-	14	4	73	72	22	-	43	-
82	Pine	191	-	-	-	-	30	12	3	15	3	123	123	35	-	81	6
83	Pipestone	135	1	-	-	-	16	4	-	12	3	78	75	17	-	51	1
84	Polk	291	1	-	-	-	44	19	2	23	5	168	164	40	-	106	5
85	Pope	122	1	-	-	-	22	11	1	10	1	81	78	24	-	51	2
86	Ramsey	3,524	20	9	3	13	609	223	55	331	61	1,926	1,906	448	1	1,312	48
87	St. Paul	3,199	19	8	1	13	542	194	51	297	57	1,769	1,749	418	1	1,194	43
88	Balance of county	325	1	1	2	-	67	29	4	34	4	157	157	30	-	118	5

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
56	8	11	3	11	-	1	11	1	-	-	-	1	8	14	1	6	10	1	1	28	1
22	4	6	2	3	-	1	4	-	-	-	-	-	5	5	-	1	1	-	-	7	2
34	4	5	1	8	-	-	7	1	-	-	-	1	3	9	1	5	9	1	1	21	3
29	10	7	1	1	-	-	10	-	-	1	-	-	1	7	1	4	6	1	-	8	4
7	2	3	-	-	-	-	1	-	-	-	-	-	-	4	1	-	-	-	-	1	5
22	8	4	1	1	-	-	9	-	-	1	-	-	1	3	-	4	6	1	-	7	6
16	4	6	2	3	-	-	1	-	-	-	-	-	-	4	-	-	6	-	-	4	7
87	16	18	-	15	2	1	4	1	1	1	1	-	3	15	2	12	18	3	1	22	8
50	9	9	-	7	1	1	1	-	1	1	1	-	1	8	1	7	8	2	-	6	9
37	7	9	-	8	1	-	3	1	-	-	-	-	2	7	1	5	10	1	1	16	10
49	17	9	4	9	1	2	6	1	1	3	1	-	3	10	1	6	9	4	1	24	11
60	10	10	1	5	1	3	5	-	1	-	2	2	3	8	1	5	17	2	2	12	12
31	4	11	4	13	3	1	5	1	-	1	-	-	5	5	-	4	7	-	-	14	13
56	4	13	2	6	3	1	4	2	1	1	-	-	3	5	-	7	10	2	2	14	14
38	6	7	2	7	1	5	2	-	1	-	-	-	4	4	-	1	1	3	-	6	15
44	1	6	3	3	1	5	1	1	2	1	-	-	2	4	6	3	5	1	-	11	16
61	6	15	1	5	-	2	7	1	-	4	-	-	9	15	2	8	11	6	1	21	17
30	3	9	1	2	-	2	4	1	-	3	-	-	4	9	-	5	6	3	-	8	18
31	3	6	-	3	-	-	3	-	-	1	-	-	5	6	2	3	5	3	1	13	19
21	1	16	-	5	-	2	7	-	-	-	-	-	3	2	5	5	2	-	1	4	20
7	1	2	-	-	1	1	-	-	-	-	-	-	-	4	3	-	1	-	-	1	21
26	5	10	1	7	3	3	5	-	-	-	-	-	5	6	1	3	6	2	-	14	22
93	19	8	2	5	3	5	7	2	1	3	1	-	8	4	1	6	11	3	-	16	23
47	8	2	1	2	1	1	2	1	-	1	-	-	4	1	-	6	4	2	-	4	24
46	11	6	1	3	2	4	5	1	1	2	1	-	4	3	1	-	7	1	-	12	25
82	16	15	3	7	3	3	12	3	1	3	1	-	10	24	1	10	18	2	-	22	26
21	8	3	1	1	1	2	2	1	-	2	-	-	4	8	-	2	7	1	-	8	27
61	8	12	2	6	2	1	10	2	1	1	1	-	6	16	1	8	11	1	-	14	28
39	6	4	1	3	1	-	1	-	-	-	-	-	-	4	-	2	6	2	-	6	29
52	6	11	1	9	1	1	6	1	1	-	-	-	3	2	1	7	9	5	1	16	30
71	5	8	4	7	2	5	7	1	1	1	-	-	3	6	1	7	6	4	-	18	31
72	9	20	1	11	1	4	4	3	1	2	-	-	2	2	-	3	7	1	-	12	32
87	17	18	-	6	4	4	5	-	1	5	-	-	6	14	4	12	15	1	1	19	33
37	8	10	-	5	-	2	3	-	-	4	-	-	2	8	2	2	6	1	1	13	34
50	9	8	-	1	4	2	2	-	1	1	-	-	4	6	2	10	9	-	-	6	35
88	17	14	2	12	1	2	14	2	-	1	1	-	7	11	-	8	16	4	1	27	36
30	11	7	-	4	1	-	6	1	-	-	-	-	3	6	-	3	5	-	1	11	37
58	6	7	2	8	-	2	8	1	-	1	1	-	4	5	-	5	11	4	-	16	38
25	1	9	-	2	-	2	-	1	2	-	-	-	-	2	-	6	5	1	-	1	39
1,947	243	312	38	133	69	46	185	48	24	82	8	4	108	273	25	106	205	60	5	475	40
1,618	202	273	31	115	54	35	148	37	20	69	7	4	73	175	22	83	166	50	5	393	41
22	4	3	-	1	-	-	1	-	-	2	-	-	4	17	-	2	4	1	-	7	42
22	5	1	3	1	-	-	6	2	-	3	-	-	2	7	-	1	1	-	-	9	43
49	4	7	-	2	5	1	2	2	1	3	1	-	4	7	-	3	5	3	-	10	44
236	28	28	4	14	10	10	28	7	3	5	-	-	25	67	3	17	29	6	-	56	45
31	2	9	-	4	-	1	6	-	-	-	-	-	2	11	4	5	5	1	-	9	46
30	4	7	2	-	-	-	3	-	-	-	-	-	2	-	1	1	4	1	-	5	47
38	4	7	-	7	4	-	1	2	1	1	-	-	-	3	1	1	-	2	-	12	48
85	16	19	1	8	1	4	7	1	-	-	-	-	-	12	-	9	19	5	-	23	49
47	6	4	2	2	1	2	4	-	3	1	-	-	2	5	-	1	6	1	-	12	50
17	2	4	-	3	-	-	2	-	1	-	-	-	2	1	-	-	1	2	-	3	51
57	4	19	1	4	3	6	10	2	-	-	-	-	5	9	5	7	8	2	-	18	52
24	6	3	2	4	1	-	2	-	-	-	-	-	1	2	1	6	2	1	-	10	53
34	9	5	1	4	2	-	7	-	1	1	-	-	5	4	-	3	9	-	-	14	54
35	8	2	-	2	2	1	1	-	1	-	-	-	1	7	-	4	7	1	-	8	55
30	3	3	-	3	1	-	1	2	-	3	-	-	1	5	-	3	6	3	-	6	56
17	-	-	-	2	-	-	3	2	-	1	-	-	2	3	1	-	4	-	-	3	57
50	9	8	1	6	3	1	3	-	1	2	-	-	7	9	1	5	2	3	-	12	58
34	2	3	1	4	-	1	6	1	1	-	-	-	-	3	-	3	6	1	-	7	59
58	8	3	2	6	-	2	2	1	1	3	-	2	3	8	-	7	8	4	-	17	60
54	6	6	2	19	-	1	6	1	1	3	-	1	2	3	-	7	12	5	-	8	61
10	1	-	-	-	1	1	-	-	-	-	-	-	2	1	-	1	2	-	-	6	62
37	2	24	-	2	-	-	2	-	-	2	-	-	-	7	-	2	9	1	-	11	63
61	6	10	-	2	2	1	2	2	-	2	1	-	3	8	4	12	4	3	1	8	64
52	1	7	-	7	1	3	3	1	-	2	-	-	3	3	2	6	6	3	-	11	65
44	1	6	-	3	-	-	10	2	-	1	-	-	3	7	2	4	7	3	-	10	66
61	10	8	-	8	1	2	9	4	-	1	-	-	4	11	1	6	10	2	-	15	67
80	7	13	8	5	-	2	10	5	3	-	-	2	4	9	2	10	9	7	-	26	68
45	3	7	5	3	-	2	3	-	1	-	-	2	4	6	2	6	4	2	-	15	69
35	4	6	3	2	-	-	7	5	2	-	-	-	-	3	-	4	5	5	-	11	70
37	3	4	1	1	-	1	1	-	2	-	-	-	4	3	-	1	3	-	-	8	71
48	7	13	1	9	-	1	3	1	-	1	1	-	4	6	1	5	8	2	-	10	72
48	4	5	-	2	3	2	3	1	-	2	-	-	6	9	-	4	4	2	-	8	73
40	1	6	-	2	-	1	2	1	-	-	-	-	3	7	-	6	3	-	-	7	74
124	10	10	3	11	5	3	11	5	2	4	-	1	11	14	-	12	14	6	1	21	75
92	6	8	3	10	5	3	7	4	1	3	-	1	9	12	-	9	9	4	-	16	76
32	4	2	-	1	-	-	4	1	1	1	-	-	2	2	-	3	5	2	1	5	77
127	10	22	3	11	4	3	15	8	2	1	1	-	13	12	-	7	20	8	-	33	78
19	3	8	1	5	1	-	3	1	1	1	-	-	4	1	-	1	7	2	-	11	79
108	7	14	2	6	3	3	12	7	1	-	1	-	9	11	-	6	13	6	-	22	80
29	6	8	-	6	1	1	3	-	-	-	1	1	3	3	-	2	4	1	1	8	81
56	5	14	1	5	1	-	6	-	2	-	-	-	1	8	-	6	1	1	-	10	82
40	4	6	2	4	1	3	6	-	2	1	-	-	1	9	1	2	5	-	-	10	83
85	7	9	4	12	2	4	6	-	1	2	-	2	3	15	3	6	9	2	-	24	84
31	7	11	-	1	2	3	1	-	-	-	-	-	-	2	3	-	3	-	-	8	85
960	174	130	22	81	42	20	97	28	16	47	3	3	55	140	5	65	114	37	6	267	86
869	161	121	22	74	40	20	90	25	14	45	3	2	43	113	5	58	104	35	6	247	87
91	13	9	-	7	2	-	7	3	2	2	-	1	12	27	-	7	10	2	-	20	88

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Red Lake	57	-	-	-	-	7	3	2	2	1	29	28	6	-	19	1
2	Redwood	180	1	-	-	1	27	9	3	15	6	102	100	31	-	58	3
3	Renville	216	-	-	-	-	37	16	1	20	5	126	123	29	-	88	3
4	Rice	337	1	-	-	-	42	14	2	26	11	205	200	46	-	145	3
5	Faribault	155	-	-	-	-	17	4	1	12	7	95	93	20	-	72	3
6	Balance of county	182	1	-	-	-	25	10	1	14	4	110	107	26	-	73	-
7	Rock	104	-	-	-	-	14	7	2	5	1	60	60	16	-	39	-
8	Roseau	104	-	1	-	-	20	8	1	11	1	53	52	11	-	40	-
9	St. Louis	2,269	6	5	-	8	368	139	38	191	33	1,352	1,339	237	2	1,017	39
10	Duluth	1,156	3	4	-	5	184	75	22	87	17	699	692	124	2	520	18
11	Hibbing	155	1	-	-	-	27	9	6	12	3	96	95	15	-	70	4
12	Virginia	165	-	-	-	1	29	13	1	15	2	96	96	15	-	78	1
13	Balance of county	813	2	1	-	2	128	42	9	77	11	461	456	83	-	349	16
14	Scott	185	-	-	-	1	29	11	1	17	3	103	102	24	-	57	3
15	Sherburne	106	-	-	-	-	14	4	1	9	2	59	59	7	1	47	2
16	St. Cloud (part)	19	-	-	-	-	2	1	-	1	1	10	10	2	-	8	-
17	Balance of county	87	-	-	-	-	12	3	1	8	1	49	49	5	1	39	2
18	Sibley	149	-	-	-	1	19	7	-	12	3	103	101	33	-	64	2
19	Stearns	577	4	1	-	2	99	48	7	44	5	324	319	67	1	233	9
20	St. Cloud (part)	219	3	-	-	-	37	16	3	18	1	126	126	18	-	99	2
21	St. Cloud (total)	264	3	-	-	-	41	18	3	20	3	152	152	21	-	122	5
22	Balance of county	358	1	1	-	2	62	32	4	26	4	198	193	49	1	134	7
23	Steele	227	1	1	-	1	49	13	8	28	3	130	127	38	-	80	3
24	Owatonna	132	1	-	-	-	28	8	5	15	2	78	76	25	-	45	1
25	Balance of county	93	-	1	-	1	21	5	3	13	1	52	51	13	-	35	2
26	Stevens	98	-	-	-	-	16	5	1	10	3	55	53	14	1	31	2
27	Swift	143	1	-	-	1	20	8	-	12	4	77	75	22	1	47	3
28	Todd	213	-	-	-	-	29	8	2	19	2	129	124	29	1	87	2
29	Traverse	57	-	-	-	-	10	6	1	3	-	34	34	11	-	18	2
30	Wabasha	180	-	1	-	-	30	14	2	14	4	110	110	32	-	72	3
31	Wadena	114	-	-	-	1	21	8	2	11	5	62	62	20	1	40	-
32	Waseca	169	-	-	-	-	26	13	-	13	3	99	99	32	2	59	1
33	Washington	326	1	1	-	3	46	14	4	28	4	167	163	57	-	97	5
34	Watonwan	124	-	-	-	-	26	9	1	16	5	59	58	14	-	40	2
35	Wilkin	74	1	1	-	-	8	3	-	5	1	36	35	10	-	24	-
36	Winona	403	3	1	-	1	58	23	4	31	4	241	238	79	-	145	4
37	Winona	273	3	1	-	1	38	17	3	18	4	159	156	49	-	100	2
38	Balance of county	130	-	-	-	-	20	6	1	13	-	82	82	30	-	45	2
39	Wright	280	1	-	-	-	45	21	4	20	8	162	160	38	-	115	7
40	Yellow Medicine	163	2	1	-	1	24	7	2	15	7	92	90	21	-	61	3
41	MISSISSIPPI	19,453	206	36	6	187	2,325	737	261	1,327	216	9,350	9,003	2,452	25	5,961	177
42	Metropolitan counties	1,285	22	4	1	11	154	42	24	88	15	606	585	143	2	402	14
43	Nonmetropolitan counties	18,168	184	32	5	176	2,171	695	237	1,239	201	8,744	8,418	2,309	23	5,559	163
44	Adams	350	2	1	-	3	34	9	4	21	3	182	178	37	-	123	6
45	Natchez	263	1	-	-	3	23	5	4	14	3	146	143	30	-	100	6
46	Balance of county	87	1	1	-	-	11	4	-	7	-	36	35	7	-	23	-
47	Alcorn	229	2	-	-	5	29	7	1	21	1	122	118	30	-	77	2
48	Amite	154	2	-	-	1	22	6	4	12	2	69	68	21	-	43	-
49	Attala	195	1	-	-	4	25	9	2	14	1	100	100	19	-	77	5
50	Benton	64	-	-	-	-	11	4	-	7	-	30	29	6	1	19	-
51	Bolivar	626	7	3	-	9	64	21	6	37	8	263	252	51	-	189	-
52	Calhoun	121	2	-	-	-	15	5	-	10	-	62	61	15	-	42	1
53	Carroll	124	1	-	-	1	13	4	-	9	4	57	54	16	1	25	2
54	Chickasaw	162	3	1	-	1	22	7	3	12	-	84	80	30	1	45	1
55	Choctaw	101	2	-	-	2	17	3	1	13	-	51	51	20	-	26	-
56	Claiborne	121	1	-	-	1	9	2	1	6	4	60	57	18	-	35	1
57	Clarke	187	2	-	-	-	28	6	4	18	4	94	91	29	-	58	3
58	Clay	171	2	-	-	2	19	7	3	9	4	92	90	15	-	72	-
59	Coahoma	518	11	3	-	6	50	15	2	33	5	252	234	70	-	151	2
60	Clarksdale	221	4	1	-	1	25	7	1	17	1	119	111	31	-	70	2
61	Balance of county	297	7	2	-	5	25	8	1	16	4	133	123	39	-	81	-
62	Copiah	274	4	-	-	4	32	14	5	13	1	139	136	30	-	101	1
63	Covington	128	3	-	1	-	19	7	1	11	2	65	59	19	-	33	2
64	De Soto	223	1	-	-	2	28	13	2	13	2	79	78	30	-	41	-
65	Forrest	429	3	1	-	-	66	18	12	36	3	212	206	59	-	138	1
66	Hattiesburg	281	1	1	-	-	47	15	9	23	3	134	130	40	-	85	-
67	Balance of county	148	2	-	-	-	19	3	3	13	-	78	76	19	-	53	1
68	Franklin	91	1	-	-	-	16	6	3	7	-	48	45	11	-	33	-
69	George	91	-	-	-	-	16	4	4	8	1	51	50	7	-	42	1
70	Greene	75	2	-	-	-	15	3	4	8	2	29	28	6	-	19	1
71	Grenada	182	2	1	-	1	20	4	3	13	1	79	78	32	-	43	-
72	Hancock	94	-	1	-	1	13	4	4	5	1	54	53	11	-	39	-
73	Harrison	684	6	3	-	8	96	34	8	54	8	328	326	62	-	245	7
74	Biloxi	237	2	1	-	3	34	13	2	19	4	101	101	21	-	76	4
75	Gulfport	235	3	1	-	4	28	9	3	16	3	106	104	18	-	84	2
76	Balance of county	212	1	1	-	1	34	12	3	19	1	121	121	23	-	85	1
77	Hinds	1,285	22	4	1	11	154	42	24	88	15	606	585	143	2	402	14
78	Jackson	927	15	3	1	10	114	34	16	64	9	434	417	101	2	290	12
79	Balance of county	358	7	1	-	1	40	8	8	24	6	172	168	42	-	112	2
80	Holmes	321	8	-	1	1	42	9	6	27	5	157	156	63	1	75	2
81	Humphreys	226	2	2	-	2	20	10	4	6	2	86	80	20	-	55	-
82	Issaquena	50	-	-	-	2	5	2	-	3	2	24	24	6	-	17	1
83	Itawamba	115	1	-	-	-	14	5	-	9	-	63	62	11	-	51	7

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	2	-	-	2	1	1	3	-	2	1	-	-	-	3	-	-	4	1	1	5	1
39	5	11	4	5	2	2	2	1	1	-	1	-	2	6	1	4	9	1	-	15	2
66	9	10	-	5	1	3	6	-	1	2	1	-	3	2	-	8	6	3	-	16	3
92	38	12	1	7	1	5	8	-	-	2	-	-	2	20	2	9	15	3	-	17	4
42	27	-	-	-	1	2	2	-	-	2	-	-	-	8	2	4	10	-	-	8	5
50	11	12	1	7	-	3	6	-	-	-	-	-	2	12	-	5	5	3	-	9	6
29	4	6	1	4	-	-	1	1	-	1	-	1	2	3	1	8	5	-	-	6	7
30	1	9	-	1	-	1	6	1	3	-	-	-	1	9	-	1	3	-	-	5	8
740	153	85	8	49	26	13	50	14	6	34	2	2	35	73	12	45	79	28	4	133	9
368	93	41	6	26	14	7	25	5	3	15	1	-	15	33	3	21	40	11	2	70	10
54	6	6	2	6	2	1	2	-	-	3	-	-	2	5	-	2	4	2	-	8	11
60	8	9	-	3	-	-	3	-	-	4	-	1	2	3	7	2	7	4	-	4	12
258	46	29	-	14	10	5	20	9	3	12	1	1	16	32	2	20	28	11	2	51	13
42	4	8	4	14	3	1	4	2	-	1	-	-	8	8	-	2	7	2	1	14	14
33	4	8	1	1	2	-	3	1	-	-	-	-	1	6	-	3	6	2	-	9	15
7	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	2	16
26	3	8	1	1	2	-	2	1	-	-	-	-	1	5	-	3	4	2	-	7	17
50	2	10	-	3	1	2	4	1	-	-	-	-	1	3	-	5	2	2	-	5	18
161	28	35	1	14	3	5	21	1	5	2	-	1	11	35	3	7	15	3	-	38	19
70	14	13	1	7	1	-	4	1	2	-	-	-	5	19	2	5	5	2	-	7	20
84	17	16	1	7	1	-	6	1	2	-	-	-	5	24	3	5	7	2	-	10	21
91	14	22	-	7	2	5	17	-	3	2	-	1	6	16	1	2	10	1	-	31	22
54	8	15	1	7	1	3	3	1	-	-	-	-	4	5	-	3	5	2	-	19	23
32	6	6	-	6	-	2	3	1	-	-	-	-	2	4	-	1	2	1	-	9	24
22	2	9	1	1	1	1	-	-	-	-	-	-	2	1	-	2	3	1	-	10	25
27	1	1	-	5	2	2	2	1	-	1	-	-	2	3	-	1	7	2	-	5	26
32	6	6	3	2	-	2	1	-	-	-	-	-	4	8	1	7	4	2	-	13	27
58	12	15	1	3	3	5	8	1	-	-	-	-	2	12	2	6	8	2	-	12	28
10	3	3	1	4	-	-	1	-	-	-	-	-	1	2	1	-	1	-	-	7	29
43	12	14	-	6	-	-	3	-	-	-	2	-	1	4	-	4	7	1	-	13	30
28	6	6	-	1	-	-	2	-	1	-	1	-	2	1	2	2	6	1	-	7	31
27	7	24	1	3	2	-	4	-	-	1	-	1	2	7	-	6	7	1	-	12	32
84	-	8	2	6	1	4	6	2	5	2	2	2	6	22	-	10	20	5	1	21	33
22	5	11	3	1	-	1	2	-	1	-	-	-	2	4	-	2	7	3	-	13	34
20	3	1	-	1	-	1	4	-	-	-	-	-	1	9	-	2	5	1	-	5	35
96	22	23	-	10	4	3	6	2	2	5	-	1	7	13	4	14	15	4	-	22	36
67	16	15	-	3	4	3	5	2	1	5	-	1	6	7	3	9	10	4	-	14	37
29	6	8	-	7	-	-	1	-	1	-	-	-	1	6	1	5	5	-	-	8	38
77	18	13	1	4	2	2	4	1	1	2	1	-	6	10	1	8	12	2	-	16	39
45	3	10	3	4	1	2	9	-	1	-	-	-	3	9	-	1	5	1	-	7	40
3,152	1,459	1,173	210	238	117	347	629	61	222	108	68	74	248	1,072	1,792	544	820	128	230	1,131	41
202	127	59	14	13	11	21	22	4	12	10	6	4	23	84	111	46	45	10	25	70	42
2,950	1,332	1,114	196	225	106	326	607	57	210	98	62	70	225	988	1,681	498	775	118	205	1,061	43
47	43	27	5	10	3	4	7	-	11	4	-	1	8	24	24	8	16	1	4	17	44
42	29	23	2	9	2	3	5	-	9	4	-	1	7	23	8	4	8	1	3	14	45
5	14	4	3	1	1	1	2	-	2	-	-	-	1	1	16	4	8	-	1	3	46
53	16	6	4	5	2	4	13	-	2	1	-	2	3	10	7	6	6	2	2	16	47
24	14	5	2	1	1	1	6	-	-	-	1	1	2	14	18	-	6	1	-	9	48
37	7	28	3	-	1	-	4	-	2	1	1	-	5	13	12	7	7	3	1	8	49
8	6	5	3	-	-	1	2	-	-	-	-	-	-	2	8	1	3	-	1	6	50
75	85	29	5	6	1	11	26	1	14	1	3	5	3	32	91	11	43	6	5	31	51
25	11	5	1	1	2	1	6	-	-	-	1	-	2	4	13	3	6	1	2	4	52
14	6	3	10	2	-	3	1	1	-	1	-	-	-	7	23	1	5	2	1	6	53
21	12	11	-	3	1	4	3	-	4	-	-	1	-	7	17	1	6	1	-	11	54
14	2	10	1	3	1	-	3	-	1	-	-	-	-	4	7	-	3	-	-	11	55
23	9	2	1	2	1	3	2	1	1	-	1	1	2	7	9	-	12	-	1	9	56
31	8	16	1	3	-	3	4	-	1	-	2	-	1	10	15	7	6	-	4	9	57
39	23	10	-	3	-	2	5	-	-	1	1	2	1	9	11	4	9	1	3	5	58
58	46	45	6	5	2	18	21	3	8	2	1	5	9	35	43	10	16	1	11	26	59
28	25	15	4	4	2	8	9	2	2	1	1	-	5	15	11	5	4	-	4	13	60
30	21	30	2	1	-	10	12	1	6	1	-	5	4	22	32	5	12	1	7	13	61
65	25	10	2	1	2	3	11	2	5	2	1	1	1	17	17	6	9	2	1	19	62
20	6	5	1	5	1	6	4	1	-	2	-	-	-	8	4	3	6	1	1	8	63
23	7	11	4	2	1	1	6	-	1	2	-	-	3	13	38	14	16	-	2	16	64
93	21	23	2	4	3	6	12	1	3	3	2	4	5	27	26	10	17	2	5	27	65
62	8	15	1	2	2	4	7	-	3	3	-	4	4	22	17	7	10	1	2	15	66
31	13	8	1	2	1	2	5	1	-	-	2	-	1	5	9	3	7	1	3	12	67
22	3	8	-	1	-	3	3	-	-	2	-	-	-	3	2	1	3	-	2	10	68
17	16	8	1	-	-	1	2	-	-	-	-	-	-	2	3	3	9	1	1	2	69
14	1	3	-	1	2	1	1	-	-	2	-	-	-	2	10	4	-	-	2	6	70
26	7	10	1	1	1	1	7	1	2	1	-	-	-	9	22	11	5	1	1	18	71
30	6	3	-	-	3	1	2	-	1	2	-	-	-	2	5	3	2	-	1	6	72
149	46	43	6	9	4	2	14	4	-	8	2	-	17	57	38	17	30	1	7	40	73
42	14	16	-	3	1	-	1	3	-	2	-	-	9	36	17	4	9	-	2	9	74
52	18	12	1	1	-	2	9	1	-	3	2	-	6	14	12	6	12	1	2	22	75
55	14	15	5	5	3	-	4	-	-	3	-	-	2	7	9	7	9	-	3	9	76
202	127	59	14	13	11	21	22	4	12	10	6	4	23	84	111	46	45	10	25	70	77
152	90	36	9	9	6	17	18	1	8	10	6	2	19	72	69	31	28	7	23	47	78
50	37	23	5	4	5	4	4	3	4	-	-	2	4	12	42	15	17	3	2	23	79
33	26	14	4	10	3	1	16	-	1	1	2	1	-	13	23	14	16	-	4	16	80
33	15	7	3	1	1	6	10	1	5	-	-	1	6	14	35	4	13	2	11	10	81
10	2	4	1	-	-	-	1	1	-	-	-	-	-	3	6	1	2	-	-	3	82
17	21	6	-	-	-	1	7	-	-	-	-	-	1	8	4	2	7	1	1	6	83

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSISSIPPI--Continued																
1	Jackson	305	2	-	-	-	38	13	6	19	8	130	128	30	1	90	3
2	Pascagoula	87	-	-	-	-	10	-	4	6	1	37	37	9	-	27	1
3	Balance of county	218	2	-	-	-	28	13	2	13	7	93	91	21	1	63	2
4	Jasper	159	1	-	-	2	19	7	1	11	4	79	74	29	-	41	3
5	Jefferson	151	-	-	-	-	16	4	1	11	2	80	77	18	-	55	7
6	Jefferson Davis	149	1	-	-	1	18	5	-	13	1	69	65	16	-	44	2
7	Jones	424	3	-	-	-	41	12	6	23	6	230	222	59	-	156	-
8	Laurel	211	2	-	-	-	16	7	3	6	1	107	104	30	-	71	-
9	Balance of county	213	1	-	-	-	25	5	3	17	5	123	118	29	-	85	-
10	Kemper	134	-	1	-	2	13	7	-	6	1	62	59	18	-	38	5
11	Lafayette	169	-	-	1	3	20	6	1	13	2	92	87	31	-	53	-
12	Lamar	98	1	-	-	1	11	2	3	6	1	52	50	19	-	25	-
13	Lauderdale	688	7	-	-	3	74	20	8	46	11	345	336	100	-	223	11
14	Meridian	478	6	-	-	3	55	16	5	34	5	243	239	63	-	166	6
15	Balance of county	210	1	-	-	-	19	4	3	12	6	102	97	37	-	57	5
16	Lawrence	118	2	-	-	2	19	6	2	11	2	53	53	20	-	32	-
17	Leake	180	1	-	-	3	22	8	-	14	3	107	103	26	-	72	4
18	Lee	359	2	-	-	5	56	18	4	34	3	196	192	56	-	125	6
19	Tupelo	131	-	-	-	1	20	8	2	10	2	71	68	23	-	42	2
20	Balance of county	228	2	-	-	4	36	10	2	24	1	125	124	33	-	83	4
21	Leflore	488	7	1	-	6	52	22	4	26	6	195	188	67	-	109	4
22	Greenwood	226	3	-	-	2	35	13	3	19	3	94	94	38	-	51	1
23	Balance of county	262	4	1	-	4	17	9	1	7	3	101	94	29	-	58	3
24	Lincoln	232	-	-	-	3	40	19	4	17	5	111	108	21	1	79	1
25	Lowndes	363	5	1	-	1	36	16	2	16	3	187	182	46	-	127	1
26	Columbus	195	3	1	-	1	17	5	2	10	2	102	100	24	-	71	1
27	Balance of county	168	2	-	-	-	19	13	-	6	1	85	82	22	-	56	-
28	Madison	284	1	1	-	3	33	18	2	13	5	122	117	50	-	58	1
29	Marion	188	3	-	-	3	18	5	3	10	2	92	89	30	-	54	-
30	Marshall	212	1	1	-	3	26	6	2	18	4	102	98	24	1	66	3
31	Monroe	321	5	-	-	2	38	11	4	23	1	161	146	37	-	98	8
32	Montgomery	144	1	-	1	-	11	4	-	7	-	77	77	16	2	54	2
33	Neshoba	194	2	-	-	-	23	7	3	13	2	89	86	32	1	49	3
34	Newton	190	-	1	-	1	20	6	1	13	4	99	98	25	-	61	1
35	Noxubee	196	1	-	-	-	17	5	1	11	1	85	83	26	-	52	2
36	Oktibbeha	172	2	-	-	1	25	8	1	16	2	91	88	31	1	50	3
37	Panola	297	1	-	-	1	38	13	7	18	1	151	145	35	-	101	3
38	Pearl River	194	2	-	-	3	17	3	6	8	2	95	92	23	-	61	3
39	Perry	79	-	-	-	-	8	3	3	2	1	36	35	16	-	17	-
40	Pike	351	4	-	-	4	50	17	9	24	2	177	173	46	-	111	6
41	McComb	136	2	-	-	3	21	8	3	10	2	70	68	13	-	49	1
42	Balance of county	215	2	-	-	1	29	9	6	14	-	107	105	33	-	62	5
43	Pontotoc	145	4	-	-	2	22	8	2	12	1	79	77	18	-	55	1
44	Prentiss	170	3	-	-	1	19	7	2	10	4	93	88	13	-	68	3
45	Quitman	231	3	3	-	5	24	9	-	15	-	90	84	34	-	45	1
46	Rankin	215	3	-	-	-	22	5	-	17	4	97	94	15	-	68	-
47	Scott	180	2	-	-	-	20	3	3	14	1	90	81	22	1	53	1
48	Sharkey	111	1	-	-	1	16	4	1	11	-	45	39	11	-	26	1
49	Simpson	148	1	-	-	-	33	14	2	17	1	62	60	15	-	43	-
50	Smith	96	-	-	-	-	14	2	-	12	1	54	52	14	-	37	1
51	Stone	60	1	-	-	1	12	2	2	8	1	31	31	5	-	23	-
52	Sunflower	423	6	-	-	8	52	11	8	33	2	166	154	58	-	90	3
53	Tallahatchie	275	1	-	-	5	28	13	2	13	1	126	119	38	-	76	-
54	Tate	140	1	-	-	2	16	6	1	9	3	76	74	15	1	55	3
55	Tippah	130	4	1	-	-	23	8	1	14	1	65	61	14	-	47	1
56	Tishomingo	105	3	-	-	2	11	4	-	7	4	60	57	15	-	38	1
57	Tunica	236	4	-	-	8	21	5	3	13	1	89	78	20	3	44	1
58	Union	162	-	-	-	1	12	6	2	4	2	99	95	33	-	60	1
59	Walthall	128	1	-	-	1	22	9	1	12	3	62	59	14	-	36	-
60	Warren	475	6	4	1	3	50	12	7	31	3	234	229	58	2	156	4
61	Vicksburg	344	6	2	1	1	33	8	4	21	2	173	169	41	2	117	3
62	Balance of county	131	-	2	-	2	17	4	3	10	1	61	60	17	-	39	1
63	Washington	749	8	1	-	12	71	21	9	41	8	338	323	84	3	220	4
64	Greenville	382	4	1	-	5	41	12	5	24	5	180	173	52	1	109	4
65	Balance of county	367	4	-	-	7	30	9	4	17	3	158	150	32	2	111	-
66	Wayne	147	-	-	-	2	20	3	6	11	2	75	72	10	1	55	2
67	Webster	105	-	-	-	1	13	2	2	9	1	53	52	18	-	30	2
68	Wilkinson	126	-	-	-	4	16	7	-	9	1	64	63	18	-	42	-
69	Winston	179	2	-	-	-	21	5	5	11	3	87	80	22	-	52	2
70	Yalobusha	152	3	1	-	3	14	8	-	6	-	80	75	21	-	48	-
71	Yazoo	335	1	-	-	5	40	10	7	23	2	132	124	33	1	77	3
72	MISSOURI	43,102	403	148	12	183	6,728	2,445	841	3,442	638	23,886	23,291	5,203	37	16,351	503
73	Metropolitan counties	22,803	228	99	4	80	3,823	1,354	530	1,939	357	12,126	11,864	2,459	20	8,499	307
74	Nonmetropolitan counties	20,299	175	49	8	103	2,905	1,091	311	1,503	281	11,760	11,427	2,744	17	7,852	196
75	Adair	226	-	1	-	1	30	8	6	16	3	137	128	35	1	83	2
76	Kirksville	143	-	-	-	1	20	3	5	12	1	91	88	23	1	58	2
77	Balance of county	83	-	1	-	-	10	5	1	4	2	46	40	12	-	25	-
78	Andrew	164	-	-	-	-	26	9	4	13	3	105	105	28	-	71	1
79	Atchison	84	1	-	-	1	15	7	1	7	2	48	48	11	-	35	2
80	Audrain	246	5	1	-	-	40	10	7	23	5	138	133	28	-	93	1
81	Mexico	127	3	1	-	-	19	4	2	13	3	67	64	11	-	47	1
82	Balance of county	119	2	-	-	-	21	6	5	10	2	71	69	17	-	46	-
83	Barry	234	5	-	-	-	38	13	8	17	6	140	128	36	1	87	5
84	Barton	133	-	-	-	2	23	7	2	14	3	71	70	23	-	41	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
59	14	14	1	5	1	2	13	-	2	1	2	1	5	29	16	17	14	1	7	19	1
17	3	6	-	1	-	-	1	-	-	1	1	-	3	8	5	7	3	-	2	8	2
42	11	8	1	4	1	2	12	-	2	-	1	1	2	21	11	10	11	1	5	11	3
21	8	9	-	-	4	5	6	-	1	-	2	-	1	7	10	10	4	1	2	10	4
19	12	17	1	2	1	3	7	-	1	-	-	3	1	7	15	1	9	1	2	6	5
38	2	2	1	3	1	4	2	1	1	1	-	1	3	5	17	8	8	-	2	10	6
92	22	42	5	1	1	8	14	5	3	7	4	1	9	29	16	18	9	2	3	24	7
43	10	18	3	-	-	3	9	3	3	3	3	1	6	23	8	7	2	1	1	15	8
49	12	24	2	1	1	5	5	2	-	4	1	-	3	6	8	11	7	1	2	9	9
17	8	8	2	1	-	3	4	-	1	1	-	-	5	4	21	2	8	-	-	9	10
36	4	13	-	3	-	5	6	-	1	1	-	1	2	10	13	2	2	2	2	9	11
18	4	3	2	3	1	2	4	-	-	1	-	1	-	3	5	9	3	1	-	5	12
124	48	40	3	9	1	9	17	2	8	5	-	1	11	27	66	14	28	3	11	55	13
98	34	28	3	6	1	4	12	2	6	4	-	1	10	23	35	10	21	3	8	31	14
26	14	12	-	3	-	5	5	-	2	1	-	-	1	4	31	4	7	-	3	24	15
20	9	3	1	-	-	-	2	-	-	-	1	-	2	6	11	4	8	-	-	6	16
48	14	6	1	2	2	4	4	-	-	1	-	1	2	12	5	1	7	1	2	8	17
68	32	19	5	2	4	4	6	1	1	-	3	1	5	15	19	10	12	-	-	24	18
23	10	7	1	-	2	3	3	1	-	-	1	-	1	5	6	4	8	-	-	8	19
45	22	12	4	2	2	1	3	-	1	-	2	1	4	10	13	6	4	-	-	16	20
49	43	13	5	4	3	7	18	5	8	2	2	2	5	28	94	10	21	4	2	20	21
20	26	4	2	1	2	-	4	4	-	2	1	-	3	18	30	5	10	2	1	9	22
29	17	9	3	3	1	7	14	1	8	-	1	2	2	10	64	5	11	2	1	11	23
38	20	20	3	4	-	3	8	1	-	1	2	1	5	16	7	14	7	3	3	5	24
53	27	46	3	4	2	5	20	-	4	3	-	1	4	12	31	17	16	2	6	14	25
31	19	20	-	3	2	2	12	-	2	3	-	1	2	6	11	8	10	-	2	12	26
22	8	26	3	1	-	3	8	-	2	-	-	-	2	6	20	9	6	2	4	2	27
28	16	13	3	4	2	5	12	-	5	-	-	1	2	17	47	7	8	1	1	18	28
34	9	11	4	-	1	3	12	-	-	-	2	-	3	10	16	2	5	2	2	16	29
32	16	15	3	2	2	4	3	-	3	2	-	1	2	13	16	7	13	3	7	5	30
58	13	19	2	8	1	15	16	1	3	5	3	1	4	10	28	3	13	1	3	23	31
19	17	16	-	3	2	-	8	1	3	-	1	1	1	8	6	7	8	3	2	5	32
26	10	10	3	2	1	1	8	1	3	-	-	-	1	20	12	12	3	3	2	13	33
41	14	5	3	4	5	1	8	1	1	1	-	-	4	1	17	8	4	2	2	16	34
29	14	7	2	3	-	2	8	1	2	1	1	-	3	7	41	5	5	-	3	15	35
22	13	12	3	3	-	3	6	-	-	-	1	-	2	9	17	2	4	2	1	7	36
60	17	21	4	3	2	6	5	2	6	1	1	3	2	19	27	8	12	3	1	15	37
35	10	13	5	1	2	3	6	1	4	1	1	-	1	11	9	6	17	1	4	13	38
10	3	4	-	1	1	1	1	1	-	1	-	-	1	2	9	2	7	1	1	8	39
72	18	15	4	10	2	4	9	2	3	1	2	4	4	24	18	7	14	4	1	21	40
37	7	4	3	3	-	2	1	1	1	-	1	1	1	12	8	2	4	1	-	5	41
35	11	11	1	7	2	2	8	1	2	1	1	3	3	12	10	5	10	3	1	16	42
25	22	7	1	1	2	2	6	-	-	-	-	-	2	6	3	6	2	4	1	7	43
39	15	11	3	2	2	5	5	1	1	-	-	-	2	3	10	9	4	1	-	14	44
24	11	9	4	1	-	6	7	1	3	3	1	1	4	20	29	6	15	2	5	9	45
32	20	16	3	6	2	3	8	-	3	5	1	-	2	17	15	10	11	3	3	11	46
30	13	9	1	3	1	9	1	-	5	1	1	1	2	12	12	6	14	2	1	9	47
15	4	6	1	1	-	6	2	-	5	-	1	-	1	5	16	3	7	-	3	5	48
26	8	9	1	-	1	2	7	-	-	1	-	1	3	6	7	2	3	3	3	15	49
19	8	9	-	-	1	2	2	2	1	1	-	-	1	4	4	2	3	1	1	5	50
17	3	3	2	-	1	-	3	-	2	-	-	-	1	1	3	-	1	-	-	3	51
52	25	10	5	1	-	12	17	-	21	3	1	1	6	19	51	13	17	3	8	29	52
39	26	11	3	2	-	7	13	1	2	-	1	1	2	10	39	8	13	1	3	20	53
20	19	13	2	-	1	2	2	-	-	-	-	1	3	5	10	2	4	-	2	13	54
20	22	4	-	-	-	4	4	-	3	1	-	-	2	8	5	2	7	-	-	4	55
21	5	11	2	2	-	3	3	-	-	-	-	-	1	4	1	3	2	1	-	10	56
22	8	13	7	3	1	11	9	1	4	1	2	3	4	11	31	1	33	2	5	6	57
22	9	28	1	1	-	4	4	1	4	-	-	-	2	9	7	8	4	1	2	6	58
18	7	11	1	7	1	3	4	-	1	1	-	1	2	10	9	6	2	-	-	3	59
75	58	19	-	6	7	5	11	1	2	4	3	-	4	33	63	4	15	3	4	27	60
58	42	14	-	4	5	4	6	1	2	3	2	-	3	28	45	2	9	2	4	19	61
17	16	5	-	2	2	1	5	-	-	1	1	-	1	5	18	2	6	1	-	8	62
81	61	74	10	4	2	15	26	3	12	1	3	4	16	51	110	9	31	5	7	33	63
35	24	46	8	2	1	7	20	2	4	1	2	2	5	21	50	3	13	1	1	21	64
46	37	28	2	2	1	8	6	1	8	-	1	2	11	30	60	6	18	4	6	12	65
28	13	12	2	2	2	3	8	1	2	-	1	3	1	6	8	6	3	3	1	5	66
20	7	1	1	2	1	1	1	1	-	1	-	-	2	3	6	5	8	1	-	9	67
20	14	8	2	1	-	1	4	-	6	-	-	-	-	5	16	2	2	1	1	4	68
35	5	10	2	3	1	7	7	1	2	-	-	-	1	6	10	8	9	1	2	19	69
30	5	13	2	3	1	5	6	-	2	1	-	1	1	8	8	3	5	-	1	15	70
33	17	24	4	8	1	8	15	-	3	1	1	1	1	9	68	9	12	3	6	26	71
10,531	2,191	3,126	356	1,033	311	595	1,343	259	170	432	81	48	465	1,448	635	1,084	1,664	476	223	2,776	72
5,705	1,138	1,349	164	528	194	262	692	166	89	324	35	23	270	898	411	466	843	231	162	1,476	73
4,826	1,053	1,777	192	505	117	333	651	93	81	108	46	25	195	550	224	618	821	245	61	1,300	74
65	7	9	1	8	-	9	1	-	2	1	-	-	2	6	4	5	8	4	-	21	75
47	4	5	-	6	-	3	1	-	1	1	-	-	2	2	3	3	4	2	-	11	76
18	3	4	1	2	-	6	-	-	1	-	-	-	-	4	1	2	4	2	-	10	77
51	8	11	-	6	-	-	4	1	-	-	-	-	1	7	-	1	4	3	-	9	78
22	7	4	-	-	2	-	-	-	-	1	-	-	-	2	-	4	5	1	-	4	79
43	27	22	3	6	3	5	10	-	2	1	1	-	1	6	1	4	4	5	1	21	80
24	13	9	1	3	2	3	8	-	1	-	1	-	1	4	-	3	2	1	-	13	81
19	14	13	2	3	1	2	2	-	1	1	-	-	-	2	1	1	2	4	1	8	82
53	8	21	-	4	-	12	4	-	-	1	1	-	-	6	-	4	9	1	2	17	83
35	-	5	2	2	2	1	6	-	-	-	-	-	-	-	4	5	3	1	1	14	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI--Continued																
1	Bates	214	2	-	-	-	29	16	2	11	3	123	114	32	-	67	2
2	Benton	105	-	-	-	1	10	5	1	4	-	70	68	28	-	35	-
3	Bollinger	140	3	-	-	-	26	8	7	11	3	82	80	14	-	61	2
4	Boone	395	2	-	-	1	57	20	10	27	6	226	222	64	-	142	3
5	Columbia	223	2	-	-	1	34	12	5	17	2	127	125	38	-	76	2
6	Balance of county	172	-	-	-	-	23	8	5	10	4	99	97	26	-	66	1
7	Buchanan	1,163	10	6	-	3	179	63	19	97	18	693	686	200	2	436	10
8	St. Joseph	989	8	6	-	2	154	56	15	83	16	593	586	172	2	369	8
9	Balance of county	174	2	-	-	1	25	7	4	14	2	100	100	28	-	67	2
10	Butler	419	6	2	-	1	50	19	7	24	3	231	227	57	-	160	2
11	Poplar Bluff	220	3	1	-	1	22	10	5	7	2	122	118	22	-	87	1
12	Balance of county	199	3	1	-	-	28	9	2	17	1	109	109	35	-	73	1
13	Caldwell	118	2	1	-	-	13	5	1	7	1	73	71	28	-	41	-
14	Callaway	215	2	1	-	-	22	8	5	9	2	137	132	36	-	85	1
15	Fulton	89	-	-	-	-	12	3	3	6	-	58	57	17	-	36	-
16	Balance of county	126	2	1	-	-	10	5	2	3	2	79	75	19	-	49	1
17	Camden	90	-	1	-	-	13	7	-	6	1	55	51	11	-	37	10
18	Cape Girardeau	380	2	1	-	1	60	20	1	39	5	237	233	50	-	163	5
19	Cape Girardeau	204	1	1	-	1	32	8	1	23	1	138	135	28	-	98	3
20	Balance of county	176	1	-	-	-	28	12	-	16	4	99	98	22	-	65	2
21	Carroll	197	-	-	-	1	29	11	4	14	3	121	118	42	-	64	2
22	Carter	50	-	-	-	-	8	6	-	2	-	30	29	8	-	18	1
23	Cass	221	1	-	-	-	33	13	3	17	4	126	123	36	1	71	1
24	Cedar	136	1	-	-	-	28	7	3	18	4	76	72	14	-	55	2
25	Chariton	180	2	-	-	1	25	12	2	11	4	118	116	18	-	88	2
26	Christian	138	2	2	-	-	16	6	1	9	1	81	80	18	-	49	3
27	Clark	109	1	-	-	-	21	9	-	12	3	61	61	20	-	41	-
28	Clay	425	4	2	-	3	65	23	9	33	7	233	228	66	-	138	4
29	Kansas City (part)	93	-	1	-	1	20	7	4	9	1	41	39	11	-	23	1
30	Balance of county	332	4	1	-	2	45	16	5	24	6	192	189	55	-	115	3
31	Clinton	159	1	1	-	-	27	7	4	16	-	90	89	26	-	59	1
32	Cole	332	-	-	-	1	49	15	4	30	1	208	205	37	-	155	4
33	Jefferson City	229	-	-	-	1	37	8	4	25	-	148	147	23	-	116	2
34	Balance of county	103	-	-	-	-	12	7	-	5	1	60	58	14	-	39	2
35	Cooper	173	1	-	-	-	18	8	1	9	3	109	109	20	-	77	-
36	Crawford	140	-	-	-	1	26	8	3	15	-	74	74	13	1	52	-
37	Dade	110	-	-	-	1	17	11	-	6	1	62	60	22	-	33	-
38	Dallas	114	-	-	1	-	17	9	1	7	2	66	63	17	-	37	-
39	Daviess	130	-	-	-	2	20	8	1	11	2	72	68	22	-	34	1
40	De Kalb	99	-	1	-	1	11	4	-	7	-	61	59	14	-	44	1
41	Dent	119	3	1	-	-	12	2	3	7	4	64	63	10	-	50	1
42	Douglas	102	-	-	-	2	13	4	1	8	1	61	59	19	-	37	-
43	Dunklin	349	10	-	-	2	35	7	8	20	10	184	178	42	1	124	1
44	Franklin	406	2	-	-	5	60	16	6	38	4	227	224	40	-	161	1
45	Gasconade	114	1	-	-	1	19	8	3	8	2	64	63	12	-	46	1
46	Gentry	159	-	-	-	-	27	13	3	11	5	90	87	22	-	60	2
47	Greene	1,114	12	2	3	5	179	67	28	84	19	624	618	132	2	443	15
48	Springfield	837	9	2	3	3	135	49	24	62	15	471	467	92	1	342	12
49	Balance of county	277	3	-	-	2	44	18	4	22	4	153	151	40	1	101	3
50	Grundy	168	-	1	-	2	25	12	-	13	3	105	100	27	-	57	3
51	Harrison	165	1	-	-	1	23	9	3	11	-	91	89	22	-	64	2
52	Henry	274	3	-	-	3	46	20	3	23	4	169	160	37	1	112	2
53	Hickory	55	-	-	-	-	11	5	1	5	-	33	32	9	-	20	-
54	Holt	123	-	-	-	1	16	11	2	3	2	68	67	27	-	37	1
55	Howard	147	-	-	-	1	20	7	2	11	3	89	88	24	-	60	1
56	Howell	259	3	-	-	3	39	14	7	18	3	155	152	45	-	101	3
57	Iron	119	-	-	-	1	12	5	1	6	1	66	64	17	-	44	3
58	Jackson	5,964	64	29	-	25	967	315	135	519	82	3,139	3,064	653	11	2,140	94
59	Kansas City (part)	4,756	55	24	-	20	770	245	113	412	62	2,503	2,441	505	10	1,703	73
60	Kansas City (total)	4,849	55	25	-	21	790	252	117	421	63	2,544	2,480	516	10	1,726	74
61	Independence	376	3	3	-	3	51	15	3	33	8	210	203	56	-	137	9
62	Balance of county	832	6	2	-	2	146	53	19	74	12	426	420	92	1	300	12
63	Jasper	920	25	4	-	3	152	48	17	87	6	521	512	107	3	369	9
64	Joplin (part)	463	12	2	-	2	74	26	9	39	5	262	261	49	1	197	5
65	Joplin (total)	471	12	2	-	2	74	26	9	39	5	267	266	49	1	202	5
66	Carthage	145	3	-	-	-	25	4	4	17	-	84	82	18	-	55	1
67	Balance of county	312	10	2	-	1	53	18	4	31	1	175	169	40	2	117	3
68	Jefferson	421	4	2	-	3	61	26	8	27	5	225	221	52	-	160	2
69	Johnson	270	2	1	1	1	31	12	4	15	1	158	151	29	-	97	3
70	Knox	97	1	-	-	-	10	3	-	7	-	62	58	14	-	40	1
71	Laclede	190	3	-	-	2	19	5	4	10	2	110	105	16	-	82	-
72	Lafayette	293	2	1	-	-	34	13	2	19	4	171	168	41	1	119	3
73	Lawrence	250	6	-	-	1	49	13	10	26	1	132	131	30	-	91	3
74	Lewis	146	1	1	2	1	21	9	1	11	2	81	76	22	-	46	1
75	Lincoln	194	-	-	-	1	26	11	3	12	4	120	117	36	1	77	2
76	Linn	275	2	-	-	2	40	17	3	20	4	170	160	36	-	110	1
77	Livingston	196	2	-	-	1	19	12	1	6	3	126	122	30	-	80	3
78	McDonald	144	1	1	-	-	17	12	-	5	2	81	80	18	-	55	3
79	Macon	252	-	-	1	-	47	22	2	23	2	142	136	28	-	90	1
80	Madison	92	-	-	-	1	22	7	2	13	-	44	43	7	-	32	9
81	Maries	63	-	-	-	-	15	6	-	9	1	35	33	7	-	24	2
82	Marion	370	1	1	-	2	57	16	10	31	5	213	208	50	-	147	3
83	Hannibal (part)	261	1	1	-	1	40	13	8	19	4	147	143	35	-	101	2
84	Hannibal (total)	263	1	1	-	1	40	13	8	19	4	149	145	37	-	101	2
85	Balance of county	109	-	-	-	1	17	3	2	12	1	66	65	15	-	46	1
86	Mercer	90	-	-	-	1	10	4	1	5	1	49	46	9	-	34	1
87	Miller	129	1	-	-	-	23	9	1	13	1	78	76	23	-	50	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
39	13	13	4	10	1	9	9	-	1	3	1	1	3	2	3	4	11	2	-	17	1
25	5	5	2	2	1	2	2	-	-	1	-	-	-	4	2	4	5	1	1	4	2
29	14	16	2	3	-	2	3	1	-	2	-	1	2	3	3	4	3	-	-	4	3
94	21	24	8	8	-	4	13	4	1	3	2	1	5	18	2	10	11	6	-	27	4
47	12	15	7	4	-	2	7	3	1	2	-	-	3	13	-	3	9	3	-	13	5
47	9	9	1	4	-	2	6	1	-	1	2	1	2	5	2	7	2	3	-	14	6
328	30	68	3	37	8	7	41	10	3	16	1	2	7	44	5	18	26	6	3	72	7
284	26	51	3	34	6	7	32	8	3	15	1	1	5	37	4	12	20	5	3	64	8
44	4	17	-	3	2	-	9	2	-	1	-	1	2	7	1	6	6	1	-	8	9
97	19	42	-	7	3	4	20	3	2	4	-	-	5	15	2	10	21	6	4	34	10
53	11	22	-	6	3	4	14	1	1	1	-	-	3	7	2	6	8	4	2	20	11
44	8	20	-	1	-	-	6	2	1	3	-	-	2	8	-	4	13	2	2	14	12
27	9	5	1	1	-	2	5	-	2	-	-	1	-	3	1	3	5	2	-	6	13
41	19	24	1	9	1	5	10	1	1	-	-	-	2	6	-	6	7	1	1	16	14
19	10	7	-	4	-	1	3	-	1	-	-	-	1	3	-	1	3	-	1	6	15
22	9	17	1	5	1	4	7	1	-	-	-	-	1	3	-	5	4	1	-	10	16
21	1	5	1	1	1	4	1	-	-	1	1	-	1	1	-	6	1	-	-	8	17
99	29	30	5	13	2	4	3	-	-	-	1	2	1	4	3	13	13	3	1	30	18
61	21	13	3	5	1	3	1	-	-	-	-	1	1	2	1	3	3	2	-	16	19
38	8	17	2	8	1	1	2	-	-	-	1	1	-	2	2	10	10	1	1	14	20
35	3	24	4	7	1	3	4	-	-	1	1	-	1	5	7	3	7	3	1	10	21
9	5	3	3	-	-	1	3	-	-	-	-	-	1	1	1	2	2	1	-	1	22
52	9	9	5	9	1	3	5	3	1	1	-	-	2	4	-	8	7	3	-	23	23
31	6	16	1	2	-	4	4	-	1	-	2	-	-	1	2	7	-	4	-	6	24
39	19	28	1	9	-	2	6	1	1	-	1	-	-	2	-	6	6	3	-	4	25
35	2	9	7	5	1	1	5	1	-	1	-	-	1	4	2	6	4	1	-	11	26
25	4	12	-	-	-	-	5	-	-	-	-	-	-	2	2	3	6	-	-	5	27
107	12	15	3	19	2	5	9	-	3	7	-	1	6	17	5	13	17	7	2	24	28
18	1	3	2	3	-	2	1	-	1	3	-	-	3	2	1	5	4	1	1	7	29
89	11	12	1	16	2	3	8	-	2	4	-	1	3	15	4	8	13	6	1	17	30
25	9	24	-	2	2	1	4	3	1	2	-	-	-	2	1	9	5	1	-	12	31
99	28	24	6	7	-	3	10	2	-	3	-	1	9	8	-	5	14	3	-	18	32
75	21	18	2	6	-	1	6	1	-	1	-	-	4	6	-	3	11	3	-	8	33
24	7	6	4	1	-	2	4	1	-	2	-	1	5	2	-	2	3	-	-	10	34
48	5	24	1	11	-	-	5	2	-	2	1	-	1	5	-	4	9	1	2	10	35
27	9	16	-	6	2	-	5	1	-	-	-	-	1	1	6	4	6	4	-	11	36
22	4	7	1	3	1	2	2	2	-	-	-	-	-	-	4	2	6	3	-	10	37
23	7	7	4	5	-	3	2	1	-	1	1	-	-	3	2	4	5	1	1	7	38
19	5	9	2	9	1	4	5	1	-	-	-	-	-	3	1	3	10	3	-	8	39
17	4	22	-	1	-	2	1	1	-	-	-	-	5	2	3	4	1	2	-	6	40
29	11	9	2	1	-	1	8	-	1	1	-	-	3	3	2	4	6	1	1	5	41
15	6	16	1	2	-	2	5	-	-	-	-	-	-	4	3	2	4	2	-	5	42
79	17	27	2	5	4	6	17	3	1	4	2	2	5	21	4	6	19	1	4	19	43
108	15	37	5	12	6	3	11	2	-	3	1	2	3	12	5	17	17	4	-	31	44
30	2	13	2	3	-	1	2	-	-	1	-	-	1	3	-	8	7	-	-	5	45
35	3	20	3	1	1	3	11	1	1	-	1	-	2	1	1	2	3	5	-	9	46
300	73	55	5	32	4	6	36	9	4	10	3	1	8	34	10	27	45	16	4	63	47
232	55	43	3	25	4	4	24	8	4	8	3	1	5	26	7	20	36	10	4	43	48
68	18	12	2	7	-	2	12	1	-	2	-	-	3	8	3	7	9	6	-	20	49
31	13	10	1	13	2	5	5	-	-	1	-	-	-	3	2	4	6	2	1	8	50
32	11	19	-	3	-	2	9	-	2	-	-	-	1	1	2	10	4	7	-	13	51
65	13	32	5	5	-	9	4	2	-	1	-	-	1	2	3	13	7	4	-	12	52
11	3	6	-	1	2	1	3	-	-	1	-	-	1	1	-	2	-	1	-	2	53
25	3	8	-	2	1	1	10	-	-	4	2	-	5	2	2	3	3	1	-	4	54
38	5	16	1	2	1	1	4	1	-	2	1	1	1	4	-	1	6	-	-	13	55
63	16	19	4	1	1	3	4	1	1	-	-	2	-	13	2	6	7	6	1	13	56
27	3	11	1	1	1	2	13	-	2	-	-	-	2	7	-	5	4	2	-	4	57
1,489	291	266	47	162	51	75	193	40	17	78	11	2	75	229	177	133	203	59	39	402	58
1,165	236	229	35	143	45	62	166	34	15	64	8	1	56	176	167	70	155	51	33	326	59
1,183	237	232	37	146	45	64	167	34	16	67	8	1	59	178	168	75	159	52	34	333	60
102	20	6	1	8	1	7	5	1	1	-	-	-	8	15	2	17	14	3	1	31	61
222	35	31	11	11	5	6	22	5	1	14	3	1	11	38	8	46	34	5	5	45	62
252	41	67	8	18	7	9	19	5	8	5	1	1	12	24	5	22	40	15	2	50	63
138	23	31	4	5	5	1	8	3	6	5	-	1	7	11	1	11	19	7	1	26	64
140	25	32	4	5	5	1	9	3	6	5	-	1	8	11	1	11	20	7	1	26	65
40	4	10	2	6	1	2	3	-	1	-	-	-	2	7	1	2	4	5	-	8	66
74	14	26	2	7	1	6	8	2	1	-	1	-	3	6	3	9	17	3	1	16	67
100	17	41	6	1	2	4	14	2	1	4	-	-	6	14	5	25	16	5	2	27	68
62	11	21	7	15	3	7	8	1	2	1	-	1	1	13	2	7	24	4	-	11	69
21	4	14	1	2	1	4	2	-	-	-	-	-	1	5	-	3	3	1	-	9	70
48	14	20	1	4	2	5	7	1	1	-	1	-	1	8	-	8	8	3	-	16	71
81	16	19	3	2	2	3	8	5	2	-	-	-	4	4	3	7	10	8	2	28	72
52	13	23	-	7	3	1	14	2	-	1	1	-	2	2	2	4	12	4	-	17	73
34	6	5	1	5	2	5	2	1	-	-	-	-	1	6	2	10	7	1	-	7	74
47	11	17	-	3	-	3	4	1	-	1	-	-	1	5	1	5	7	3	-	15	75
70	17	22	3	9	2	10	4	2	1	4	2	-	2	5	4	3	10	-	1	19	76
49	5	23	3	8	1	4	9	1	1	1	-	1	-	8	1	5	8	1	-	9	77
35	5	12	1	5	1	1	11	1	-	-	-	-	4	-	3	2	7	5	-	9	78
57	10	22	3	13	2	6	3	1	-	4	-	-	1	8	10	4	9	3	1	16	79
11	6	6	-	3	1	1	4	1	-	-	-	-	-	4	-	7	2	1	-	6	80
15	4	3	-	2	-	2	3	-	-	-	-	-	-	1	1	3	2	-	-	2	81
102	17	25	3	4	4	5	9	2	2	3	-	-	3	11	15	6	16	4	-	20	82
67	14	18	2	4	1	4	8	2	2	3	-	-	2	9	11	3	8	3	-	16	83
67	14	18	2	4	1	4	8	2	2	3	-	-	2	9	11	3	8	3	-	16	84
35	3	7	1	-	3	1	1	-	-	-	-	-	1	2	4	3	8	1	-	4	85
22	4	7	-	3	-	3	-	1	-	-	-	-	-	-	-	6	9	1	-	12	86
29	10	10	1	2	-	2	3	-	1	-	-	-	-	1	-	2	4	3	-	12	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Mississippi	237	6	1	-	-	33	16	4	13	3	114	112	31	-	73	1
2	Moniteau	130	-	-	-	1	18	8	3	7	1	83	80	17	-	56	1
3	Monroe	150	-	1	-	-	13	5	2	6	-	102	99	25	-	67	1
4	Montgomery	172	3	-	-	1	31	12	1	18	3	98	94	17	-	68	1
5	Morgan	114	-	1	-	1	17	3	2	12	2	67	65	20	-	43	3
6	New Madrid	279	5	-	-	7	29	11	5	13	2	132	127	39	-	80	1
7	Sikeston (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Balance of county	279	5	-	-	7	29	11	5	13	2	132	127	39	-	80	1
9	Newton	256	6	1	-	1	34	9	6	19	5	144	138	19	1	103	4
10	Joplin (part)	8	-	-	-	-	-	-	-	-	-	5	5	-	-	5	-
11	Balance of county	248	6	1	-	1	34	9	6	19	5	139	133	19	1	98	4
12	Nodaway	274	-	-	-	1	41	21	1	19	2	170	169	45	1	121	1
13	Oregon	112	1	-	-	-	15	6	2	7	4	74	74	13	-	59	3
14	Osage	139	1	-	-	1	19	6	2	11	1	92	91	20	-	62	1
15	Ozark	65	1	-	-	-	11	4	-	7	1	38	38	10	-	27	-
16	Pemiscot	393	6	2	-	10	47	19	7	21	4	170	165	52	-	104	3
17	Perry	136	-	-	-	-	21	4	2	15	-	88	87	24	-	55	1
18	Pettis	373	1	1	2	-	66	27	6	33	8	224	217	43	-	165	4
19	Sedalia	275	1	-	2	-	53	21	5	27	7	164	157	32	-	119	4
20	Balance of county	98	-	1	-	-	13	6	1	6	1	60	60	11	-	46	-
21	Phelps	205	1	1	-	2	31	13	2	16	5	119	115	20	-	90	1
22	Pike	237	2	2	-	-	26	8	3	15	5	135	131	27	-	98	3
23	Platte	163	-	-	-	2	17	7	1	9	1	97	95	32	-	59	-
24	Polk	188	1	-	-	-	16	4	2	10	1	134	130	39	-	86	1
25	Pulaski	147	-	-	-	2	22	7	2	13	-	71	67	10	-	52	3
26	Putnam	106	-	-	-	-	9	5	1	3	1	66	64	19	-	41	-
27	Ralls	75	2	-	-	-	15	6	1	8	1	45	43	10	-	27	-
28	Hannibal (part)	2	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
29	Balance of county	73	2	-	-	-	15	6	1	8	1	43	41	8	-	27	-
30	Randolph	344	-	2	-	2	59	19	4	36	6	193	192	41	-	133	3
31	Moberly	213	-	2	-	-	38	12	4	22	4	120	119	22	-	84	1
32	Balance of county	131	-	-	-	2	21	7	-	14	2	73	73	19	-	49	2
33	Ray	206	-	1	-	-	29	10	5	14	3	123	121	40	-	65	-
34	Reynolds	69	-	-	-	-	7	3	-	4	2	44	42	9	-	32	1
35	Ripley	113	1	-	-	-	16	7	3	6	1	67	66	21	-	42	-
36	St. Charles	286	1	-	-	-	52	18	6	28	7	175	171	27	-	125	5
37	St. Charles	130	-	-	-	-	23	10	2	11	3	86	84	15	-	59	2
38	Balance of county	156	1	-	-	-	29	8	4	17	4	89	87	12	-	66	3
39	St. Clair	126	1	-	-	-	20	8	-	12	2	69	66	19	-	43	1
40	St. Francois	344	3	1	-	1	60	14	10	36	10	183	180	45	-	122	4
41	St. Louis	3,840	15	8	-	17	675	227	103	345	62	1,956	1,917	323	1	1,467	47
42	University City	446	1	-	-	1	83	19	22	42	11	247	244	43	-	180	3
43	Clayton	167	1	-	-	1	31	8	6	17	2	87	86	14	-	63	1
44	Ferguson	101	-	-	-	1	20	7	3	10	-	48	47	6	-	36	-
45	Jennings	138	-	-	-	1	34	11	6	17	2	64	60	10	-	49	3
46	Kirkwood	235	1	-	-	2	41	13	4	24	2	117	117	24	-	86	3
47	Maplewood	123	-	-	-	1	13	1	2	10	5	68	67	12	-	50	4
48	Overland	192	1	-	-	2	40	17	3	20	3	86	84	15	1	63	1
49	Richmond Heights	151	1	-	-	1	23	8	2	13	2	91	90	9	-	71	6
50	Webster Groves	235	1	-	-	2	45	13	8	24	3	129	127	21	-	99	3
51	Balance of county	2,052	9	8	-	5	345	130	47	168	32	1,019	995	169	-	770	23
52	St. Louis (city)	10,011	122	52	1	27	1,706	643	230	833	162	5,306	5,180	1,058	4	3,750	132
53	Ste. Genevieve	74	1	-	-	-	10	5	2	3	2	49	47	9	-	35	2
54	Saline	306	1	1	-	-	56	26	7	23	6	164	156	32	-	115	1
55	Schuyler	73	-	-	-	-	11	6	-	5	-	47	46	14	-	27	1
56	Scotland	102	-	-	-	1	17	9	-	8	1	67	63	13	-	49	2
57	Scott	281	3	3	1	4	33	10	2	21	5	149	146	22	-	116	2
58	Sikeston (part)	110	1	-	-	1	10	5	-	5	1	58	56	9	-	44	-
59	Sikeston (total)	110	1	-	-	1	10	5	-	5	1	58	56	9	-	44	-
60	Balance of county	171	2	3	1	3	23	5	2	16	4	91	90	13	-	72	2
61	Shannon	61	1	1	-	-	8	2	-	6	4	31	29	11	-	18	2
62	Shelby	138	-	-	-	3	17	7	1	9	2	88	76	16	-	53	1
63	Stoddard	259	3	1	-	1	33	13	2	18	6	141	137	30	1	98	2
64	Stone	77	2	-	-	1	9	5	1	3	2	43	43	6	-	35	1
65	Sullivan	147	1	1	-	1	18	2	5	11	1	93	88	22	-	55	2
66	Taney	101	-	-	-	-	14	5	1	8	-	67	66	16	-	47	2
67	Texas	159	2	-	-	-	20	13	-	7	2	89	86	9	1	73	1
68	Vernon	257	2	2	-	-	26	9	2	15	3	162	160	21	-	126	5
69	Warren	105	-	-	-	-	18	7	3	8	5	65	64	10	-	52	-
70	Washington	130	2	-	-	2	16	11	2	3	4	78	77	23	1	45	1
71	Wayne	81	1	-	-	1	11	5	-	6	2	44	43	7	-	33	-
72	Webster	143	1	-	-	-	19	7	1	11	1	85	85	25	1	55	3
73	Worth	73	-	-	-	-	8	1	-	7	-	48	48	13	-	28	-
74	Wright	177	1	1	-	-	31	12	4	15	1	96	94	22	-	65	2
75	MONTANA	6,151	52	12	8	30	830	308	98	424	111	3,145	3,078	728	1	2,092	81
76	Nonmetropolitan counties	6,151	52	12	8	30	830	308	98	424	111	3,145	3,078	728	1	2,092	81
77	Beaverhead	86	2	1	-	1	6	2	1	3	-	45	43	11	-	29	1
78	Big Horn	102	1	1	-	3	11	7	1	3	2	35	34	8	-	24	-
79	Blaine	87	1	1	-	-	13	6	1	6	1	41	40	11	-	28	-
80	Broadwater	42	1	-	-	-	6	-	1	5	1	15	14	4	-	8	-
81	Carbon	105	-	1	-	-	15	6	3	6	1	51	51	15	-	29	2
82	Carter	26	1	-	-	1	3	2	-	1	2	13	13	4	-	9	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
47	8	17	2	5	1	2	9	-	6	3	-	-	4	17	1	11	18	-	2	9	1
34	4	17	-	7	-	3	5	-	-	1	-	-	3	4	-	6	3	1	-	4	2
39	8	19	3	3	1	3	5	1	-	-	-	1	2	1	3	2	12	-	1	6	3
40	10	17	3	5	1	4	2	-	1	1	2	-	2	5	3	3	4	3	-	10	4
22	9	9	-	1	1	2	5	1	1	1	-	-	-	-	-	2	5	4	-	7	5
33	18	28	3	5	-	5	12	2	4	1	1	1	6	14	5	19	13	2	2	22	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
33	18	28	3	5	-	5	12	2	4	1	1	1	6	14	5	19	13	2	2	22	8
60	16	23	2	9	4	6	4	1	-	2	1	-	5	9	1	11	10	-	-	21	9
2	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	10
58	14	22	2	9	4	6	3	1	-	2	1	-	4	9	1	11	9	-	-	21	11
80	13	27	1	1	-	1	6	2	1	1	-	-	3	4	5	5	12	3	-	18	12
33	14	9	-	2	-	-	2	-	-	1	-	-	1	1	1	2	1	-	-	9	13
38	10	13	2	6	1	1	1	1	1	1	-	-	2	3	-	4	4	-	-	8	14
16	4	7	-	1	-	-	4	1	1	-	-	-	-	5	-	2	1	-	-	-	15
70	20	11	3	4	2	5	14	1	7	2	2	1	4	23	18	24	22	7	6	23	16
43	3	8	2	5	1	1	1	-	1	-	-	-	3	5	-	5	1	1	-	10	17
96	20	45	1	6	2	7	13	3	-	1	-	-	3	8	3	10	10	2	1	17	18
64	15	36	1	4	1	7	4	2	-	1	-	-	2	8	3	4	7	2	1	14	19
32	5	9	-	2	1	-	9	1	-	-	-	-	1	-	-	6	3	-	-	3	20
58	15	16	1	4	-	4	6	1	1	2	-	-	2	6	-	1	12	1	2	12	21
49	15	31	2	4	-	4	6	-	-	2	5	-	1	8	1	10	12	3	3	16	22
48	4	7	-	4	-	2	5	-	-	-	-	-	2	14	1	6	8	1	1	8	23
44	10	31	1	4	-	4	9	-	-	-	1	-	-	2	2	3	3	2	-	14	24
34	8	7	-	4	1	4	6	1	-	-	-	-	5	14	2	7	3	2	1	11	25
24	4	13	2	2	-	2	4	1	1	-	-	-	2	-	1	4	5	2	-	10	26
19	2	6	-	5	1	2	-	-	-	-	-	-	-	-	2	1	3	1	-	5	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
19	2	6	-	5	1	2	-	-	-	-	-	-	-	-	2	1	3	1	-	5	29
84	17	29	2	14	2	1	4	-	1	4	-	-	2	9	11	5	17	5	-	24	30
57	12	14	-	11	2	1	2	-	-	2	-	-	2	9	2	2	12	1	-	17	31
27	5	15	2	3	-	-	2	-	1	2	-	-	-	-	9	3	5	4	-	7	32
38	8	19	3	12	1	2	4	1	-	2	-	-	-	5	3	7	11	3	1	13	33
19	1	11	-	1	-	2	4	1	-	-	2	-	-	-	-	1	3	3	-	2	34
35	2	5	1	2	-	1	4	-	-	-	-	1	3	4	2	2	3	-	-	9	35
76	13	31	4	10	5	4	8	2	-	2	-	-	1	7	2	6	8	1	-	14	36
48	3	6	1	5	4	2	3	1	-	-	-	-	-	4	1	1	3	-	-	5	37
28	10	25	3	5	1	2	5	1	-	2	-	-	1	3	1	5	5	1	-	9	38
31	3	8	-	3	1	3	5	1	1	-	-	1	-	-	4	3	7	1	-	11	39
91	10	17	3	7	3	3	14	-	-	2	-	1	4	11	1	6	12	4	2	29	40
966	178	276	28	62	36	39	91	29	15	37	7	6	73	192	170	96	116	51	12	212	41
137	12	28	3	12	6	3	16	7	-	1	1	-	6	11	14	2	8	11	1	25	42
45	7	10	1	4	4	1	2	2	-	1	1	-	3	8	8	6	2	1	1	10	43
24	8	4	-	1	4	1	2	-	-	1	-	-	1	6	4	4	6	3	-	5	44
30	5	11	1	-	-	4	3	3	-	2	-	-	2	3	9	1	4	3	1	6	45
50	11	22	2	5	-	-	6	1	1	4	-	1	3	15	10	6	9	2	1	13	46
35	4	7	1	3	1	1	7	1	-	2	-	-	1	3	6	4	3	1	-	8	47
43	6	13	-	4	1	2	3	-	-	5	1	-	7	16	5	5	7	1	-	10	48
43	8	14	4	3	3	1	4	1	3	-	-	-	3	7	4	1	3	-	-	7	49
68	10	18	3	3	1	2	3	2	3	1	-	-	1	6	12	8	6	3	-	10	50
491	107	149	13	27	16	24	45	12	8	20	4	5	46	117	98	59	68	26	8	118	51
2,439	541	638	74	206	88	126	314	76	47	174	13	11	100	375	42	173	428	91	102	689	52
15	1	17	-	3	-	2	5	-	-	-	-	-	-	-	-	-	1	-	-	6	53
66	19	29	-	6	3	8	15	-	1	-	3	1	1	5	3	13	13	7	1	15	54
18	1	7	-	4	1	1	3	-	-	-	1	-	-	-	2	1	2	1	-	5	55
32	2	13	1	-	-	4	1	-	-	1	-	-	-	1	-	-	6	-	-	7	56
61	26	27	2	5	1	3	12	1	4	-	1	-	2	10	-	19	13	3	1	17	57
22	11	11	1	2	-	2	8	-	2	-	-	-	1	2	-	10	4	2	-	10	58
22	11	11	1	2	-	2	8	-	2	-	-	-	1	2	-	10	4	2	-	10	59
39	15	16	1	3	1	1	4	1	2	-	1	-	1	8	-	9	9	1	1	7	60
5	5	6	-	-	-	2	2	1	-	-	-	1	2	1	1	2	2	-	1	3	61
36	8	8	1	6	-	12	3	1	-	-	-	-	2	2	1	3	5	2	-	9	62
51	12	33	2	5	1	4	11	-	2	-	-	-	5	11	3	13	12	-	1	16	63
25	6	3	-	1	1	-	5	-	-	-	-	-	2	-	-	4	2	-	-	7	64
34	5	14	4	6	1	5	3	2	-	1	-	-	3	4	-	2	6	1	-	10	65
30	4	11	2	1	-	1	5	-	-	-	-	-	2	2	-	3	6	1	-	1	66
48	17	7	-	2	1	3	5	-	1	2	-	-	1	6	-	9	13	2	1	6	67
77	21	23	2	6	5	2	7	3	-	2	-	-	1	5	3	9	12	4	2	14	68
31	6	15	-	2	-	1	4	-	1	-	1	-	-	-	1	1	3	1	-	5	69
25	3	16	3	5	-	1	4	-	-	-	-	-	2	4	2	-	3	1	-	12	70
18	6	9	-	3	-	1	3	1	-	-	-	-	2	1	1	4	5	1	-	4	71
34	9	9	2	2	-	-	2	-	1	1	-	-	1	2	1	7	9	1	1	11	72
18	2	8	2	4	1	-	5	-	2	1	-	-	-	1	-	-	1	1	-	6	73
55	6	2	1	4	2	2	15	-	-	2	1	-	2	1	-	1	7	1	1	16	74
1,406	194	411	41	158	58	67	185	27	22	54	12	3	78	276	208	239	338	75	19	427	75
1,406	194	411	41	158	58	67	185	27	22	54	12	3	78	276	208	239	338	75	19	427	76
11	5	12	-	3	-	2	6	1	-	-	-	-	1	4	4	2	4	-	-	9	77
14	2	8	-	1	1	1	8	-	2	3	-	-	-	5	4	9	6	1	1	10	78
13	2	13	-	-	1	1	2	-	1	-	-	-	-	4	-	5	7	-	-	11	79
6	-	2	-	1	1	1	2	-	-	1	-	-	1	-	4	-	5	2	-	4	80
20	2	5	1	5	1	-	5	2	1	-	-	-	4	2	3	2	5	1	-	12	81
7	1	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	1	-	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MONTANA--Continued																
1	Cascade	514	1	1	2	3	71	28	12	31	10	256	252	46	-	187	9
2	Great Falls	401	1	1	2	3	49	17	8	24	8	214	212	41	-	157	8
3	Balance of county	113	-	-	-	-	22	11	4	7	2	42	40	5	-	30	1
4	Chouteau	80	-	-	-	-	6	2	2	2	2	43	43	10	-	31	-
5	Custer	139	-	-	-	-	18	6	2	10	3	85	83	15	-	63	4
6	Daniels	32	-	-	-	1	6	2	1	3	-	14	14	2	-	11	-
7	Dawson	98	1	-	-	-	12	4	1	7	2	46	46	16	-	26	-
8	Deer Lodge	155	2	-	-	1	18	8	2	8	2	72	72	10	-	59	5
9	Anaconda	140	2	-	-	1	17	7	2	8	2	68	68	10	-	55	5
10	Balance of county	15	-	-	-	-	1	1	-	-	-	4	4	-	-	4	-
11	Fallon	37	-	-	-	-	6	2	1	3	2	20	19	4	-	14	-
12	Fergus	152	-	-	-	1	22	8	-	14	7	74	69	11	-	48	1
13	Flathead	323	-	-	-	-	56	21	5	30	2	184	183	50	-	114	2
14	Gallatin	216	1	1	-	-	28	10	2	16	2	127	124	29	-	89	5
15	Bozeman	124	-	-	-	-	18	7	1	10	1	74	72	14	-	55	2
16	Balance of county	92	1	1	-	-	10	3	1	6	1	53	52	15	-	34	3
17	Garfield	14	-	-	-	-	3	-	-	3	-	7	7	3	-	3	-
18	Glacier	104	5	-	-	1	10	3	-	7	3	35	35	9	-	24	1
19	Golden Valley	14	-	-	-	1	2	1	-	1	-	6	6	-	-	6	2
20	Granite	25	-	-	-	-	5	-	1	4	-	10	10	4	-	6	-
21	Hill	142	1	-	-	-	23	9	3	11	3	74	74	17	-	47	1
22	Jefferson	31	1	-	-	-	3	3	-	-	-	16	15	2	-	13	-
23	Judith Basin	37	-	-	-	-	3	1	-	2	2	19	19	3	-	14	-
24	Lake	146	-	-	1	1	17	5	2	10	1	62	62	20	-	37	3
25	Lewis and Clark	272	1	-	-	1	40	12	4	24	3	171	162	26	-	121	4
26	Helena	210	-	-	-	1	29	8	4	17	2	134	126	24	-	93	3
27	Balance of county	62	1	-	-	-	11	4	-	7	1	37	36	2	-	28	1
28	Liberty	26	-	-	-	-	3	1	1	1	-	13	13	3	-	9	-
29	Lincoln	97	-	-	-	2	12	4	3	5	3	48	46	7	-	36	-
30	McCone	22	-	-	-	-	1	-	-	1	2	10	10	1	-	9	-
31	Madison	66	-	-	-	-	8	2	1	5	1	34	33	6	-	25	2
32	Meagher	21	-	-	-	-	1	1	-	-	-	14	14	3	-	9	-
33	Mineral	27	-	-	-	-	3	1	1	1	-	16	15	2	-	12	1
34	Missoula	363	-	1	1	4	61	27	6	28	3	192	187	48	-	118	7
35	Missoula	286	-	1	1	3	53	23	6	24	3	150	146	40	-	92	7
36	Balance of county	77	-	-	-	1	8	4	-	4	-	42	41	8	-	26	-
37	Musselshell	72	-	-	-	-	11	4	1	6	2	42	41	15	-	25	1
38	Park	152	1	-	-	-	14	3	2	9	2	103	100	29	-	62	2
39	Petroleum	8	-	-	-	-	2	-	-	2	-	1	1	-	-	1	-
40	Phillips	69	-	-	-	2	9	3	1	5	1	36	35	15	-	19	-
41	Pondera	60	2	-	-	-	6	3	-	3	2	25	25	3	-	22	2
42	Powder River	19	-	-	-	-	4	2	1	1	1	11	11	3	-	8	-
43	Powell	71	-	-	-	-	9	3	-	6	1	37	36	9	-	26	4
44	Prairie	19	-	-	-	-	3	3	-	-	1	12	10	3	-	6	-
45	Ravalli	118	-	-	1	-	14	4	3	7	1	67	67	18	-	39	2
46	Richland	84	-	1	-	1	15	8	1	6	4	44	43	5	-	35	1
47	Roosevelt	107	3	-	-	-	10	3	-	7	4	50	48	12	-	33	4
48	Rosebud	62	2	-	-	-	7	2	1	4	-	28	27	5	-	16	-
49	Sanders	79	1	-	-	1	7	2	1	4	1	47	47	18	-	23	-
50	Sheridan	51	-	-	-	1	4	1	-	3	-	32	32	5	-	26	1
51	Silver Bow	716	20	4	-	2	90	31	18	41	13	349	343	86	-	226	5
52	Butte	641	19	4	-	2	81	28	15	38	13	310	304	73	-	207	5
53	Balance of county	75	1	-	-	-	9	3	3	3	-	39	39	13	-	19	-
54	Stillwater	51	1	-	-	-	6	-	1	5	1	31	30	15	-	13	1
55	Sweet Grass	45	-	-	1	-	2	2	-	-	1	25	24	5	-	18	1
56	Teton	51	-	-	-	1	6	2	1	3	3	20	19	4	-	14	-
57	Toole	73	1	-	-	-	14	7	1	6	1	31	30	12	-	14	-
58	Treasure	13	-	-	-	1	2	1	1	-	1	4	4	1	-	3	-
59	Valley	82	-	-	-	-	15	9	-	6	1	34	33	8	-	22	2
60	Wheatland	33	-	-	-	-	10	5	-	5	1	14	14	2	-	6	-
61	Wibaux	11	-	-	-	-	-	-	-	-	1	10	8	3	-	5	-
62	Yellowstone	501	2	-	2	-	77	26	8	43	8	242	240	51	1	171	5
63	Billings	385	2	-	-	-	59	20	6	33	6	189	188	40	-	135	5
64	Balance of county	116	-	-	2	-	18	6	2	10	2	53	52	11	1	36	-
65	Yellowstone Nat. Park (part)	3	-	-	-	-	1	-	-	1	-	2	2	1	-	1	-
66	NEBRASKA	13,115	59	18	5	61	2,140	801	223	1,116	267	7,175	7,061	1,725	9	4,887	150
67	Metropolitan counties	4,250	31	10	-	19	712	269	84	359	70	2,270	2,232	520	4	1,563	52
68	Nonmetropolitan counties	8,865	28	8	5	42	1,428	532	139	757	197	4,905	4,829	1,205	5	3,324	98
69	Adams	266	-	-	1	-	47	12	6	29	9	139	136	42	-	87	2
70	Hastings	208	-	-	1	-	35	11	5	19	5	116	116	36	-	71	2
71	Balance of county	58	-	-	-	-	12	1	1	10	4	23	22	6	-	16	-
72	Antelope	105	-	-	-	-	16	6	-	10	1	73	71	16	-	51	-
73	Arthur	5	-	-	-	-	1	-	-	1	-	2	2	-	-	2	-
74	Banner	6	-	-	-	-	1	1	-	-	-	4	4	-	-	3	1
75	Blaine	8	-	-	-	-	1	-	1	-	-	6	6	1	-	5	-
76	Boone	103	-	-	-	1	16	7	2	7	3	55	55	10	-	41	-
77	Box Butte	114	-	-	-	4	14	5	2	7	-	55	53	15	-	37	2
78	Boyd	40	-	-	-	-	9	4	1	4	2	17	17	9	-	7	1
79	Brown	57	-	-	-	-	9	4	-	5	2	32	32	6	-	26	4
80	Buffalo	233	-	-	-	2	42	15	2	25	2	134	134	18	-	107	3
81	Kearney	123	-	-	-	1	21	6	-	15	-	78	78	6	-	65	1
82	Balance of county	110	-	-	-	1	21	9	2	10	2	56	56	12	-	42	2
83	Burt	128	-	-	-	1	15	6	2	7	3	72	72	16	-	52	3
84	Butler	109	-	-	-	-	23	12	1	10	4	62	62	11	-	46	4

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
99	26	53	5	10	4	4	12	-	1	4	-	-	6	28	31	19	24	8	2	35	1
85	23	41	4	7	3	2	6	-	1	3	-	-	4	20	23	16	20	6	2	22	2
14	3	12	1	3	1	2	6	-	-	1	-	-	2	8	8	3	4	2	-	13	3
21	7	3	-	1	1	-	1	-	1	-	-	-	1	6	4	2	6	3	1	4	4
45	4	10	-	3	2	2	4	-	1	-	-	-	1	9	1	3	8	2	-	4	5
5	-	6	-	-	1	-	1	-	-	3	-	-	-	4	-	1	1	-	-	1	6
20	-	6	-	4	-	-	4	1	-	2	-	1	1	8	1	8	6	-	-	5	7
31	6	17	-	2	1	-	2	-	-	2	-	-	-	10	8	9	10	2	-	17	8
30	6	14	-	2	1	-	2	-	-	2	-	-	-	9	7	4	9	1	-	16	9
1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	1	-	1	10
11	-	3	-	1	-	1	2	-	-	1	-	-	1	1	1	1	2	-	-	-	11
33	5	9	2	7	1	5	2	-	2	3	1	-	4	7	5	3	6	3	2	10	12
86	10	16	1	17	1	1	11	-	1	1	1	-	5	13	2	7	16	4	-	20	13
62	8	14	-	1	5	3	5	2	2	2	2	-	3	6	3	5	17	-	-	10	14
40	2	11	-	1	2	2	3	2	1	2	-	-	3	4	1	2	8	-	-	5	15
22	6	3	-	-	3	1	2	-	1	-	2	-	-	2	2	3	9	-	-	5	16
2	-	1	-	1	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	17
11	-	12	1	-	1	-	5	-	-	3	-	-	4	4	2	10	9	-	2	11	18
3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	2	19
3	1	2	-	-	-	-	1	-	-	-	1	-	2	-	-	1	2	1	-	2	20
35	5	6	2	8	-	-	3	-	-	-	1	-	1	7	8	6	3	-	-	12	21
10	1	2	-	-	-	1	1	-	-	-	-	-	-	1	-	2	3	1	-	3	22
10	3	1	-	2	-	-	3	-	-	1	-	-	-	1	2	3	2	-	-	1	23
25	3	6	1	2	2	-	-	1	1	1	1	-	1	7	11	7	13	4	-	17	24
67	12	38	-	13	2	9	6	1	-	2	-	-	2	8	3	2	10	5	1	16	25
54	9	27	-	9	-	8	5	1	-	2	-	-	2	7	1	2	7	5	1	11	26
13	3	11	-	4	2	1	1	-	-	-	-	-	-	1	2	-	3	-	-	5	27
8	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	4	1	1	-	1	28
19	14	3	-	1	2	2	2	-	-	-	-	-	-	4	-	8	9	4	-	5	29
7	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	-	3	30
17	-	6	1	-	1	1	2	1	1	-	-	-	2	3	6	-	2	4	-	2	31
5	1	3	-	2	-	-	1	-	-	1	-	-	-	1	-	2	1	-	-	-	32
6	2	3	1	-	-	1	1	-	-	-	-	-	-	-	-	2	2	2	-	1	33
88	10	13	9	6	6	5	11	1	1	-	-	-	5	14	14	13	14	5	-	23	34
65	9	11	5	3	6	4	10	1	1	-	-	-	3	10	10	7	10	5	-	18	35
23	1	2	4	3	-	1	1	-	-	-	-	-	2	4	4	6	4	-	-	5	36
23	-	1	-	1	-	1	1	-	-	1	-	-	-	1	-	5	4	-	1	4	37
47	5	8	-	7	2	3	1	1	-	1	-	-	2	2	4	4	8	-	1	8	38
-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	1	39
16	2	1	-	-	1	1	2	1	-	-	-	-	1	6	-	3	3	-	-	5	40
20	-	-	-	-	-	-	5	-	-	1	-	-	3	5	2	4	-	1	1	3	41
7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	42
18	1	3	-	-	1	1	3	-	-	-	1	-	-	6	2	5	6	1	-	-	43
5	-	1	-	1	-	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	44
33	-	4	3	6	1	-	4	2	-	-	-	-	1	1	13	3	1	3	1	6	45
26	1	7	1	2	-	1	3	-	1	-	-	-	-	1	2	3	3	2	-	4	46
21	3	5	1	2	-	2	3	-	1	-	-	-	-	11	2	9	8	2	1	3	47
14	-	2	1	3	2	1	4	-	1	-	-	-	-	4	2	3	5	1	-	5	48
20	1	2	1	5	-	-	1	1	-	-	-	-	-	4	5	1	7	1	-	2	49
19	3	3	1	-	-	-	2	-	-	-	1	-	1	1	-	5	3	-	-	1	50
123	29	69	3	20	8	6	18	5	3	9	1	1	5	27	30	16	51	4	-	68	51
112	28	62	2	15	7	6	15	5	3	8	-	1	5	26	26	15	46	3	-	59	52
11	1	7	1	5	1	-	3	-	-	1	1	-	-	1	4	1	5	1	-	9	53
10	-	2	1	-	1	1	1	-	-	-	-	-	2	3	-	-	1	1	-	4	54
13	2	2	-	1	-	1	3	1	-	-	-	-	-	-	1	2	2	-	1	6	55
10	2	2	-	1	-	1	1	-	-	1	-	-	2	1	8	-	3	1	-	4	56
12	-	2	2	1	1	1	1	-	-	-	-	-	1	2	3	4	6	1	-	8	57
3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	58
15	4	1	-	2	1	1	6	-	-	1	-	-	-	4	-	8	9	1	-	3	59
6	-	-	2	3	1	-	1	-	-	-	-	-	-	1	2	1	-	-	1	2	60
4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
140	10	16	-	12	5	2	19	4	1	9	1	1	13	29	12	21	16	3	2	39	62
109	7	14	-	8	5	1	15	2	1	8	-	1	9	23	10	16	12	1	2	29	63
31	3	2	-	4	-	1	4	2	-	1	1	-	4	6	2	5	4	2	-	10	64
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
3,316	510	911	65	285	90	114	369	78	55	99	21	17	197	511	72	337	567	135	18	914	66
1,165	173	173	26	89	30	38	129	31	18	46	5	4	81	199	23	71	175	46	12	298	67
2,151	337	738	39	196	60	76	240	47	37	53	16	13	116	312	49	266	392	89	6	616	68
64	8	13	2	3	4	1	9	1	1	3	3	-	3	11	1	9	7	1	-	21	69
52	8	9	2	3	4	-	6	1	-	3	2	-	3	9	1	6	3	-	-	17	70
12	-	4	-	-	-	1	3	-	1	-	1	-	-	2	-	3	4	1	-	4	71
26	5	20	1	2	1	2	2	-	-	-	-	1	1	1	-	2	3	2	-	3	72
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	73
2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	74
2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	75
27	1	13	2	2	-	-	5	1	-	1	-	-	-	7	1	2	4	-	-	7	76
26	5	4	-	1	-	2	4	-	1	1	-	-	3	9	1	3	4	5	-	10	77
5	-	1	-	-	1	-	2	-	-	-	-	-	2	2	-	2	1	1	-	2	78
15	1	6	-	-	-	-	1	1	-	-	-	-	1	-	-	2	2	1	-	6	79
87	4	13	2	5	2	-	5	3	1	3	2	1	1	8	-	8	6	2	-	13	80
56	3	5	-	5	2	-	3	2	-	-	2	1	-	5	-	2	4	2	-	2	81
31	1	8	2	-	-	-	2	1	1	3	-	-	1	3	-	6	2	-	-	11	82
28	9	12	1	3	-	-	4	-	-	-	-	-	2	3	2	5	8	-	-	13	83
35	1	6	2	3	-	-	2	-	-	-	-	-	1	3	-	1	6	-	-	7	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Cass	178	2	-	1	-	23	9	4	10	2	110	109	31	-	74	-
2	Cedar	108	-	-	-	-	17	5	1	11	3	67	64	17	-	43	-
3	Chase	39	-	-	-	-	6	2	-	4	1	23	23	6	-	16	1
4	Cherry	72	2	-	-	-	10	3	6	1	2	33	32	5	-	26	-
5	Cheyenne	128	2	1	-	-	22	10	1	11	2	55	53	6	-	44	2
6	Clay	104	-	-	-	-	19	7	2	10	3	57	55	17	-	36	2
7	Colfax	111	-	-	1	1	26	10	1	15	2	56	55	13	-	29	1
8	Cuming	118	1	-	1	1	21	4	1	16	3	71	71	12	-	58	1
9	Custer	177	-	-	-	2	30	13	2	15	4	101	100	16	-	77	1
10	Dakota	98	-	-	-	-	14	6	1	7	1	50	50	10	-	37	1
11	Dawes	86	-	1	-	1	16	7	1	8	-	48	48	10	-	33	1
12	Dawson	197	-	-	-	-	30	11	-	19	3	99	96	22	-	71	1
13	Deuel	31	-	1	-	-	5	3	-	2	-	17	16	1	-	14	-
14	Dixon	82	1	-	-	1	12	5	-	7	2	36	35	7	-	24	2
15	Dodge	309	-	-	-	1	46	15	8	23	11	179	178	39	-	131	-
16	Fremont	195	-	-	-	1	30	10	6	14	5	114	113	28	-	81	-
17	Balance of county	114	-	-	-	-	16	5	2	9	6	65	65	11	-	50	-
18	Douglas	3,022	26	9	-	16	511	201	59	251	46	1,592	1,564	338	2	1,129	29
19	Omaha	2,753	23	9	-	15	466	187	54	225	43	1,445	1,417	307	2	1,024	26
20	Balance of county	269	3	-	-	1	45	14	5	26	3	147	147	31	-	105	3
21	Dundy	29	-	-	-	-	5	3	-	2	-	14	14	1	-	13	-
22	Fillmore	109	-	-	-	-	27	5	5	17	2	65	65	12	-	47	1
23	Franklin	64	-	-	-	-	9	6	1	2	2	36	36	6	-	28	3
24	Frontier	36	-	-	-	-	4	-	-	4	-	22	22	7	-	14	-
25	Furnas	109	-	-	-	2	16	9	2	5	2	59	59	15	-	37	-
26	Gage	288	-	-	-	1	43	16	3	24	5	163	162	42	-	113	4
27	Beatrice	138	-	-	-	-	22	7	3	12	1	84	83	19	-	60	1
28	Balance of county	150	-	-	-	1	21	9	-	12	4	79	79	23	-	53	3
29	Garden	26	-	-	-	-	3	2	-	1	-	15	15	3	-	11	-
30	Garfield	30	-	-	-	-	7	3	-	4	2	16	16	6	-	7	-
31	Gosper	21	-	-	-	-	1	-	-	1	1	11	11	1	-	9	-
32	Grant	6	-	-	-	-	1	-	1	-	-	3	3	1	-	2	-
33	Greeley	59	2	-	-	-	4	1	-	3	3	35	35	9	-	19	-
34	Hall	339	1	1	-	1	52	12	11	29	5	181	176	64	-	102	6
35	Grand Island	264	-	1	-	1	42	9	9	24	5	139	134	47	-	79	4
36	Balance of county	75	1	-	-	-	10	3	2	5	-	42	42	17	-	23	2
37	Hamilton	99	-	-	-	-	9	1	1	7	2	68	67	29	-	32	-
38	Harlan	63	-	-	-	-	14	8	1	5	-	39	37	7	-	24	3
39	Hayes	9	-	-	-	-	2	1	1	-	-	4	3	2	-	1	-
40	Hitchcock	52	1	-	-	-	7	2	1	4	-	28	27	6	1	16	-
41	Holt	150	1	-	-	-	23	9	1	13	5	78	77	23	1	48	1
42	Hooker	17	-	-	-	-	2	1	-	1	-	10	10	3	-	7	1
43	Howard	66	-	-	-	1	9	4	-	5	2	39	39	10	-	26	2
44	Jefferson	142	-	-	-	-	16	3	2	11	5	85	83	18	-	54	2
45	Johnson	74	-	-	-	1	8	5	-	3	1	45	44	15	-	26	1
46	Kearney	80	1	-	-	-	9	3	1	5	2	47	47	8	-	36	-
47	Keith	56	-	-	-	-	7	2	-	5	1	32	32	10	-	21	1
48	Keya Paha	13	-	-	-	-	2	-	-	2	-	8	8	1	-	6	1
49	Kimball	45	-	-	-	1	4	2	1	1	-	20	20	3	-	16	3
50	Knox	115	2	-	-	3	22	9	4	9	6	59	57	10	-	43	4
51	Lancaster	1,125	5	1	-	3	182	63	21	98	22	632	622	170	2	401	21
52	Lincoln	986	5	1	-	3	156	53	19	84	20	559	550	143	2	357	17
53	Balance of county	139	-	-	-	-	26	10	2	14	2	73	72	27	-	44	4
54	Lincoln	235	1	2	-	1	52	15	5	32	4	105	102	30	-	69	1
55	North Platte	153	1	2	-	-	34	13	2	19	1	69	66	22	-	41	1
56	Balance of county	82	-	-	-	1	18	2	3	13	3	36	36	8	-	28	-
57	Logan	13	-	-	-	-	-	-	-	-	-	6	6	-	-	6	1
58	Loup	3	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
59	McPherson	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
60	Madison	257	1	-	-	-	37	12	7	18	5	149	148	34	-	104	3
61	Norfolk	131	-	-	-	-	21	5	5	11	3	77	77	20	-	54	1
62	Balance of county	126	1	-	-	-	16	7	2	7	2	72	71	14	-	50	2
63	Merrick	102	-	1	-	-	12	2	1	9	1	62	62	20	-	38	-
64	Morrill	61	-	-	-	-	11	3	1	7	1	27	27	4	-	21	1
65	Nance	76	1	-	-	1	13	4	3	6	1	51	51	16	-	34	-
66	Nemaha	132	-	-	-	1	24	10	2	12	3	79	79	23	-	53	-
67	Nuckolls	99	-	-	1	-	17	9	-	8	3	54	53	13	-	39	1
68	Otoe	171	-	-	-	1	26	10	2	14	2	109	107	41	-	57	2
69	Pawnee	71	1	-	-	1	14	8	-	6	2	45	45	11	-	34	2
70	Perkins	31	-	-	-	-	3	3	-	-	-	21	20	2	-	16	-
71	Phelps	107	-	-	-	-	23	12	2	9	5	57	57	15	-	41	1
72	Pierce	87	-	-	-	1	17	5	2	10	-	49	48	7	-	41	1
73	Platte	175	-	-	-	1	31	11	4	16	4	93	89	22	-	62	3
74	Polk	94	-	-	-	-	18	10	1	7	3	52	52	20	1	30	1
75	Red Willow	127	-	-	-	1	14	4	-	10	2	76	75	19	-	52	1
76	Richardson	184	-	-	-	-	27	9	4	14	4	112	112	28	-	81	2
77	Rock	33	-	-	-	-	5	4	-	1	-	17	14	1	-	13	-
78	Saline	171	1	-	-	-	34	18	3	13	10	97	92	28	-	60	-
79	Sarpy	103	-	-	-	-	19	5	4	10	2	46	46	12	-	33	2
80	Saunders	182	-	-	-	-	29	13	2	14	2	110	110	39	-	60	2
81	Scotts Bluff	278	1	-	-	1	47	13	7	27	4	130	130	37	-	82	-
82	Scottsbluff	135	-	-	-	1	28	9	5	14	3	61	61	14	-	42	-
83	Balance of county	143	1	-	-	-	19	4	2	13	1	69	69	23	-	40	-
84	Seward	138	1	-	-	-	22	15	1	6	3	74	72	16	-	54	5
85	Sheridan	95	-	-	-	2	19	7	2	10	3	49	47	12	-	33	-
86	Sherman	58	-	-	-	-	10	3	-	7	-	35	35	6	1	25	-
87	Sioux	15	-	-	-	-	3	-	-	3	1	8	8	1	-	7	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
47	7	20	1	3	-	1	4	-	-	2	-	-	1	10	1	2	9	1	-	10	1
23	1	19	-	2	2	3	3	-	-	-	1	-	2	1	-	4	2	1	-	7	2
11	3	1	-	1	-	-	-	1	-	-	-	-	-	-	1	1	4	2	-	-	3
16	2	8	-	1	-	1	1	-	-	-	-	-	1	7	-	5	1	1	-	9	4
34	1	7	-	3	-	2	5	2	-	2	-	2	3	6	-	7	5	3	-	11	5
22	6	6	-	2	-	2	3	-	1	-	1	-	-	2	2	2	3	-	-	11	6
22	1	5	-	10	3	1	4	1	-	-	-	-	-	3	2	2	2	1	-	10	7
36	9	12	-	1	-	-	4	-	-	2	-	-	1	2	-	2	4	-	-	5	8
55	4	17	1	4	2	1	6	-	-	1	1	-	2	1	2	5	10	1	-	11	9
22	7	7	1	2	-	-	3	1	-	-	-	-	-	6	1	1	8	-	-	13	10
19	10	3	1	4	-	-	-	1	-	-	-	-	1	5	-	-	5	-	-	8	11
49	4	17	-	3	-	3	6	1	3	2	-	-	4	7	1	7	14	1	-	19	12
9	3	2	-	1	-	1	-	-	-	-	-	-	-	1	-	1	2	1	-	3	13
19	1	2	-	4	-	1	4	-	1	1	-	-	1	6	-	7	4	-	-	6	14
81	21	29	2	3	3	1	13	1	-	-	-	-	5	12	3	15	10	1	-	12	15
44	16	21	1	-	3	1	11	1	-	-	-	-	3	6	3	7	6	1	-	7	16
37	5	8	1	3	-	-	2	-	-	-	-	-	2	6	-	8	4	-	-	5	17
880	125	95	14	57	24	28	96	21	12	43	4	2	56	146	16	49	125	30	11	211	18
796	115	87	13	52	19	28	85	21	10	39	4	2	50	137	15	47	114	27	10	191	19
84	10	8	1	5	5	-	11	-	2	4	-	-	6	9	1	2	11	3	1	20	20
11	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	-	-	2	21
20	4	22	-	6	-	-	3	-	-	-	-	-	-	2	-	3	2	-	-	5	22
17	3	5	-	2	-	-	3	-	-	1	-	1	-	2	-	4	2	1	1	2	23
7	-	7	-	1	-	-	1	1	-	-	-	-	-	1	-	2	1	-	-	4	24
25	6	6	2	4	1	-	6	1	1	-	-	-	2	3	1	2	4	1	-	9	25
77	14	18	1	4	2	1	11	1	-	4	-	-	5	5	2	7	18	3	-	20	26
41	8	10	-	2	2	1	6	1	-	4	-	-	4	2	2	2	7	-	-	3	27
36	6	8	1	2	-	-	5	-	-	-	-	-	1	3	-	5	11	3	-	17	28
6	2	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	3	29
5	1	1	2	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	30
7	-	2	-	-	1	-	-	-	-	-	1	-	1	1	-	-	2	2	-	1	31
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	32
16	1	2	-	7	-	-	1	1	-	-	-	-	-	4	-	-	5	1	-	3	33
65	9	22	-	6	4	5	12	2	4	4	1	1	7	15	2	14	10	3	-	23	34
51	8	16	-	5	3	5	10	2	3	3	1	-	6	14	2	9	4	2	-	20	35
14	1	6	-	1	1	-	2	-	1	1	-	1	1	1	-	5	6	1	-	3	36
14	2	16	1	4	1	1	-	-	-	-	-	-	-	8	-	1	4	-	-	7	37
19	-	2	1	5	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	6	38
-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	39
11	3	2	-	4	-	1	-	-	-	-	-	-	1	3	1	2	3	1	-	5	40
28	3	16	-	2	3	1	5	1	-	1	1	-	2	5	1	3	9	2	1	12	41
5	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	42
15	4	5	1	-	2	-	1	-	-	1	-	-	-	1	1	1	4	1	-	5	43
37	1	14	-	8	3	2	4	1	-	2	2	-	2	2	3	4	3	3	-	10	44
18	3	4	-	2	1	1	-	-	-	-	-	-	-	3	-	4	7	1	-	4	45
30	3	3	-	2	1	-	4	1	1	-	-	-	-	2	-	-	3	2	-	8	46
17	-	3	-	-	1	-	2	-	-	1	-	-	2	3	-	3	1	-	-	4	47
5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	48
7	4	2	-	1	-	-	-	1	-	-	-	-	1	7	-	4	3	1	-	3	49
24	4	11	1	-	3	2	-	1	-	1	-	-	1	7	-	-	8	1	-	4	50
265	41	74	12	31	6	10	29	10	6	3	1	2	22	44	7	20	44	12	1	79	51
235	38	67	12	30	6	9	23	10	5	3	1	2	20	39	6	12	39	9	1	72	52
30	3	7	-	1	-	1	6	-	1	-	-	-	2	5	1	8	5	3	-	7	53
52	5	11	-	2	1	3	9	2	2	3	-	-	4	10	-	5	13	4	1	17	54
30	5	5	-	2	1	3	7	1	-	3	-	-	3	8	-	2	9	2	1	10	55
22	-	6	-	-	-	-	2	1	2	-	-	-	1	2	-	3	4	2	-	7	56
5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	1	57
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	59
60	14	27	2	5	3	1	5	-	2	-	-	2	5	10	-	12	11	3	-	15	60
31	7	15	-	2	1	-	2	-	1	-	-	1	2	7	-	3	5	2	-	7	61
29	7	12	2	3	2	1	3	-	1	-	-	1	3	3	-	9	6	1	-	8	62
28	6	4	2	1	1	-	1	2	1	3	-	-	-	-	1	8	3	-	-	7	63
13	-	7	1	-	1	-	1	1	-	-	-	-	1	1	1	3	8	1	-	5	64
25	3	6	-	1	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-	3	65
35	4	14	-	3	-	-	2	1	-	1	-	-	1	4	2	1	7	-	-	6	66
27	2	9	-	1	-	1	5	-	1	1	-	-	1	3	1	2	5	-	-	5	67
36	8	11	-	5	4	2	2	2	1	-	1	-	2	7	1	4	4	1	-	8	68
16	6	10	-	-	-	-	2	-	-	1	-	-	1	1	-	-	2	-	-	1	69
8	5	3	-	1	1	1	-	-	-	-	-	-	2	-	-	3	-	-	-	2	70
19	5	16	-	1	-	-	2	1	-	-	-	-	1	6	-	2	2	1	-	7	71
18	3	19	-	-	-	1	-	-	1	-	-	-	2	1	-	2	2	1	-	11	72
42	8	9	-	3	2	4	2	-	1	-	-	-	4	8	-	4	10	4	-	13	73
21	3	5	-	1	-	-	1	-	-	1	1	-	2	1	-	4	2	2	-	7	74
33	11	7	1	2	1	1	2	1	-	1	-	-	-	4	-	3	10	-	-	13	75
58	13	8	-	3	-	-	7	1	1	-	-	-	3	3	3	3	7	4	-	9	76
10	2	1	-	-	-	3	1	-	-	-	-	-	-	1	-	2	3	-	-	4	77
33	1	26	2	2	-	5	5	-	1	-	-	-	-	2	2	4	4	1	-	10	78
20	7	4	-	1	-	-	4	-	-	-	-	-	3	9	-	2	6	4	-	8	79
39	7	12	1	10	-	-	10	1	1	1	-	-	2	4	-	6	4	3	-	9	80
49	7	26	-	10	1	-	9	1	2	-	-	2	7	21	2	8	16	3	-	24	81
26	2	14	-	4	1	-	4	-	-	-	-	-	3	8	2	6	6	1	-	12	82
23	5	12	-	6	-	-	5	1	2	-	-	2	4	13	-	2	10	2	-	12	83
36	4	9	1	1	-	2	7	1	3	2	-	-	3	2	-	6	6	2	-	6	84
26	3	4	-	2	-	2	4	1	1	-	-	-	1	2	-	2	4	-	-	7	85
18	2	5	-	3	-	-	-	-	-	1	-	1	-	3	1	1	4	-	-	2	86
4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Stanton	49	1	-	-	1	14	8	1	5	-	18	18	6	-	11	-
2	Thayer	119	-	-	-	1	18	5	2	11	3	69	66	17	-	48	3
3	Thomas	13	-	-	-	-	3	-	-	3	-	7	7	3	-	4	1
4	Thurston	71	3	-	-	-	7	5	-	2	2	23	23	3	-	18	-
5	Valley	63	1	1	-	-	11	2	1	8	2	39	39	7	-	28	1
6	Washington	122	-	-	-	2	21	7	1	13	1	61	59	13	1	39	-
7	Wayne	67	-	-	-	1	17	1	2	14	5	28	27	5	-	20	-
8	Webster	87	-	-	-	-	7	4	-	3	2	47	45	12	-	31	-
9	Wheeler	10	-	-	-	-	2	1	-	1	-	7	7	4	-	3	-
10	York	157	-	-	-	1	23	10	2	11	8	99	97	21	-	72	-
11	NEVADA	1,987	41	12	4	8	227	80	33	114	24	860	845	157	2	628	22
12	Nonmetropolitan counties	1,987	41	12	4	8	227	80	33	114	24	860	845	157	2	628	22
13	Churchill	78	-	-	-	-	8	3	1	4	2	34	33	8	-	25	2
14	Clark	641	17	2	3	6	69	24	13	32	11	249	245	38	-	190	6
15	Las Vegas	413	14	2	3	4	51	18	12	21	9	173	169	27	-	133	4
16	Balance of county	228	3	-	-	2	18	6	1	11	2	76	76	11	-	57	2
17	Douglas	23	-	1	-	-	6	6	-	-	1	7	6	2	-	4	-
18	Elko	105	1	-	-	-	10	4	1	5	3	38	38	9	-	23	2
19	Esmeralda	11	1	-	-	-	2	1	-	1	-	4	4	2	-	2	-
20	Eureka	9	-	-	-	-	2	-	-	2	-	4	2	-	-	2	-
21	Humboldt	46	-	-	-	-	3	2	-	1	-	19	19	1	-	18	1
22	Lander	20	1	-	-	-	3	-	-	3	-	6	6	2	-	4	-
23	Lincoln	42	-	-	-	-	4	1	1	2	1	18	18	5	-	13	1
24	Lyon	43	-	-	1	-	4	-	1	3	-	15	14	2	-	10	1
25	Mineral	66	4	-	-	-	5	2	-	3	-	19	19	3	-	14	1
26	Nye	62	4	-	-	-	9	4	1	4	-	23	22	10	-	12	-
27	Ormsby	53	-	-	-	-	11	9	-	2	-	19	19	3	-	16	1
28	Pershing	47	-	-	-	-	3	-	1	2	-	21	21	-	1	17	-
29	Storey	11	-	-	-	-	-	-	-	-	-	9	8	3	-	3	-
30	Washoe	637	11	9	-	2	78	20	13	45	5	342	340	59	1	257	6
31	Reno	500	8	8	-	-	58	14	9	35	4	275	274	45	1	209	4
32	Balance of county	137	3	1	-	2	20	6	4	10	1	67	66	14	-	48	2
33	White Pine	93	2	-	-	-	10	4	1	5	1	33	31	10	-	18	1
34	NEW HAMPSHIRE	6,464	26	9	7	20	1,041	410	133	498	147	3,711	3,644	719	1	2,633	80
35	Metropolitan counties	1,874	9	4	1	4	330	133	40	157	47	1,037	1,019	176	1	741	24
36	Nonmetropolitan counties	4,590	17	5	6	16	711	277	93	341	100	2,674	2,625	543	-	1,892	56
37	Belknap	362	2	1	1	1	53	16	12	25	3	229	228	51	-	161	4
38	Laconia	172	-	1	1	-	32	11	9	12	1	106	106	29	-	72	1
39	Balance of county	190	2	-	-	1	21	5	3	13	2	123	122	22	-	89	3
40	Carroll	222	1	-	1	-	32	13	3	16	6	137	137	30	-	98	1
41	Cheshire	463	1	-	-	1	51	14	11	26	17	284	283	60	-	199	6
42	Keene	191	1	-	-	1	18	7	4	7	4	121	121	35	-	76	3
43	Balance of county	272	-	-	-	-	33	7	7	19	13	163	162	25	-	123	3
44	Coos	382	1	-	-	1	59	22	5	32	11	207	203	37	-	156	1
45	Berlin	177	-	-	-	1	29	11	4	14	9	94	93	14	-	76	1
46	Balance of county	205	1	-	-	-	30	11	1	18	2	113	110	23	-	80	-
47	Grafton	536	4	-	-	2	81	40	5	36	13	290	285	67	-	202	12
48	Hillsborough	1,874	9	4	1	4	330	133	40	157	47	1,037	1,019	176	1	741	24
49	Manchester	967	2	3	1	1	186	72	27	87	32	532	524	79	1	392	16
50	Nashua	412	4	-	-	1	71	30	8	33	7	227	219	54	-	148	4
51	Balance of county	495	3	1	-	2	73	31	5	37	8	278	276	43	-	201	4
52	Merrimack	764	6	2	1	6	121	44	19	58	15	439	427	77	-	320	5
53	Concord	326	4	-	-	3	52	22	3	27	5	197	192	40	-	138	4
54	Balance of county	438	2	2	1	3	69	22	16	31	10	242	235	37	-	182	1
55	Rockingham	953	1	-	3	3	155	66	19	70	17	554	539	126	-	368	13
56	Portsmouth	217	-	-	-	1	38	19	4	15	-	124	121	25	-	87	3
57	Balance of county	736	1	-	3	2	117	47	15	55	17	430	418	101	-	281	10
58	Strafford	583	1	2	-	1	102	39	12	51	15	329	319	59	-	236	10
59	Dover	232	1	-	-	1	39	16	6	17	5	137	134	22	-	100	2
60	Rochester	131	-	1	-	-	20	6	2	12	6	70	69	19	-	47	1
61	Balance of county	220	-	1	-	-	43	17	4	22	4	122	116	18	-	89	7
62	Sullivan	325	-	-	-	1	57	23	7	27	3	205	204	36	-	152	4
63	Claremont	149	-	-	-	1	25	9	2	14	1	96	96	13	-	76	2
64	Balance of county	176	-	-	-	-	32	14	5	13	2	109	108	23	-	76	2
65	NEW JERSEY	54,290	584	107	33	167	9,834	3,871	1,365	4,598	1,116	31,007	30,476	5,100	33	23,610	763
66	Metropolitan counties	47,674	543	92	33	143	8,699	3,446	1,192	4,081	996	27,076	26,610	4,449	30	20,662	698
67	Nonmetropolitan counties	6,616	41	15	-	24	1,135	425	173	537	120	3,931	3,866	651	3	2,948	65
68	Atlantic	1,916	16	11	-	10	310	121	38	151	39	1,177	1,161	209	-	892	21
69	Atlantic City	987	14	8	-	3	144	62	21	61	21	626	618	113	-	474	12
70	Pleasantville	159	-	-	-	1	31	11	4	16	3	104	104	17	-	81	3
71	Balance of county	770	2	3	-	6	135	48	13	74	15	447	439	79	-	337	6
72	Bergen	5,566	50	6	14	14	1,100	414	176	510	113	3,101	3,059	547	1	2,249	97
73	Garfield	241	4	-	-	-	46	18	5	23	10	128	126	25	-	93	1
74	Hackensack	350	7	2	-	-	72	27	14	31	6	195	194	29	-	147	2
75	Teaneck (twp.)[2] [3]	316	2	-	2	-	81	30	12	39	2	174	170	16	-	141	8
76	Bergenfield	193	1	-	3	-	39	19	7	13	4	99	98	19	-	71	3
77	Cliffside Park	174	2	-	-	-	31	13	4	14	7	97	97	17	-	72	-
78	Dumont	110	-	-	1	-	18	8	2	8	3	60	60	8	-	47	5

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6	3	2	-	1	-	-	1	1	1	-	-	-	-	1	-	2	1	3	-	5	1
28	8	9	-	1	-	3	2	1	-	1	-	-	1	3	1	2	5	2	-	10	2
2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	3
13	-	5	-	1	1	-	2	-	2	1	-	-	-	9	1	4	5	1	3	8	4
20	2	5	-	4	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	5	5
27	3	9	1	5	-	2	4	1	1	-	-	1	3	-	-	8	5	2	-	12	6
12	3	5	-	2	-	1	1	-	-	1	-	-	-	3	1	2	6	-	-	2	7
20	1	10	1	-	1	2	5	2	-	-	-	-	2	4	2	1	5	-	-	10	8
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	9
37	11	24	1	2	1	2	2	2	-	1	-	1	1	1	-	5	5	1	-	7	10
465	45	96	20	17	21	15	54	12	12	31	5	5	25	124	65	123	110	63	20	162	11
465	45	96	20	17	21	15	54	12	12	31	5	5	25	124	65	123	110	63	20	162	12
15	3	5	-	-	-	1	3	-	-	1	-	-	-	1	5	5	7	3	-	9	13
141	15	28	4	6	7	4	17	2	10	6	2	3	12	61	2	52	32	17	12	56	14
96	11	22	3	5	1	4	12	1	7	4	2	2	10	33	1	30	12	10	7	26	15
45	4	6	1	1	6	-	5	1	3	2	-	1	2	28	1	22	20	7	5	30	16
2	-	2	-	-	-	1	1	-	-	-	-	-	-	1	1	1	2	-	-	2	17
14	1	6	2	3	1	-	4	2	1	1	-	-	1	3	11	6	5	6	2	11	18
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	19
1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	2	20
9	1	7	-	-	-	-	1	-	1	2	-	-	1	3	6	3	1	2	-	4	21
1	-	3	-	-	-	-	1	-	-	-	-	-	-	1	2	2	-	1	-	3	22
8	-	4	-	-	-	-	1	-	-	-	-	-	1	2	2	5	2	-	-	6	23
6	1	2	1	-	1	1	-	-	-	1	1	-	2	1	3	3	3	-	-	9	24
6	-	7	-	1	1	-	1	-	-	1	-	-	1	8	13	4	4	1	1	4	25
9	-	3	-	-	-	1	3	-	-	-	-	-	-	4	7	3	2	-	1	6	26
11	1	3	-	-	-	-	1	3	-	3	-	-	-	2	1	3	3	4	-	3	27
13	-	4	2	-	1	-	3	1	-	-	-	-	1	3	-	5	6	1	-	3	28
1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	29
214	22	15	8	5	10	2	13	3	-	15	1	2	6	30	3	24	33	22	4	34	30
176	18	11	6	5	8	1	12	2	-	13	1	1	5	21	2	20	23	17	4	26	31
38	4	4	2	-	2	1	1	1	-	2	-	1	1	9	1	4	10	5	-	8	32
13	1	3	3	-	-	2	5	1	-	1	1	-	-	4	5	6	10	5	-	9	33
1,930	287	336	42	191	58	67	143	69	32	79	10	3	72	194	49	103	219	70	6	454	34
542	90	85	14	65	22	18	43	18	15	26	4	2	24	65	19	22	63	17	1	123	35
1,388	197	251	28	126	36	49	100	51	17	53	6	1	48	129	30	81	156	53	5	331	36
116	29	12	5	7	4	1	9	5	-	4	-	-	4	9	-	2	10	3	-	26	37
57	7	7	1	3	1	-	3	-	-	2	-	-	1	5	-	1	2	1	-	16	38
59	22	5	4	4	3	1	6	5	-	2	-	-	3	4	-	1	8	2	-	10	39
70	16	11	1	7	1	-	4	1	1	1	2	-	-	2	-	7	8	4	-	15	40
154	12	27	7	17	-	1	6	11	3	4	-	-	3	13	1	13	12	3	-	40	41
55	5	13	4	6	-	-	-	7	2	2	-	-	-	4	-	5	7	1	-	18	42
99	7	14	3	11	-	1	6	4	1	2	-	-	3	9	1	8	5	2	-	22	43
114	13	28	2	4	4	4	13	4	2	6	-	-	1	13	2	8	18	5	-	31	44
64	-	11	1	2	-	1	4	3	1	3	-	-	1	5	1	1	8	2	-	15	45
50	13	17	1	2	4	3	9	1	1	3	-	-	-	8	1	7	10	3	-	16	46
150	15	25	1	13	2	5	10	8	-	6	1	-	6	18	21	7	24	9	2	34	47
542	90	85	14	65	22	18	43	18	15	26	4	2	24	65	19	22	63	17	1	123	48
301	46	29	10	29	13	8	23	10	6	17	1	-	10	38	2	13	30	9	1	50	49
103	17	24	1	14	2	8	11	5	9	6	1	1	7	15	7	2	9	2	-	27	50
138	27	32	3	22	7	2	9	3	-	3	2	1	7	12	10	7	24	6	-	46	51
248	31	36	3	15	12	12	16	7	4	10	2	1	13	12	1	10	32	6	1	59	52
106	9	19	1	5	8	5	7	3	1	4	2	1	3	1	-	4	16	2	-	21	53
142	22	17	2	10	4	7	9	4	3	6	-	-	10	11	1	6	16	4	1	38	54
255	32	68	4	37	4	15	26	7	4	14	-	-	13	28	3	15	24	14	1	71	55
64	13	7	-	8	1	3	4	1	2	7	-	-	6	8	1	3	5	3	-	14	56
191	19	61	4	29	3	12	22	6	2	7	-	-	7	20	2	12	19	11	1	57	57
167	31	28	1	18	5	10	11	7	3	6	1	-	5	24	2	9	16	5	1	43	58
75	7	16	-	8	4	3	3	4	2	2	-	-	2	8	1	-	5	2	-	20	59
36	4	6	1	1	1	1	3	1	1	-	1	-	2	3	1	5	7	1	-	9	60
56	20	6	-	9	-	6	5	2	-	4	-	-	1	13	-	4	4	2	1	14	61
114	18	16	4	8	4	1	5	1	-	2	-	-	3	10	-	10	12	4	-	12	62
56	13	5	2	4	1	-	-	-	-	2	-	-	-	5	-	2	9	2	-	6	63
58	5	11	2	4	3	1	5	1	-	-	-	-	3	5	-	8	3	2	-	6	64
15,900	2,571	4,376	371	982	380	531	1,360	418	206	822	63	60	601	1,864	127	767	1,472	430	122	3,130	65
14,013	2,167	3,784	324	822	323	466	1,201	366	171	760	60	58	538	1,657	102	629	1,287	370	102	2,791	66
1,887	404	592	47	160	57	65	159	52	35	62	3	2	63	207	25	138	185	60	20	339	67
648	111	112	13	36	11	16	50	20	5	35	1	-	11	44	7	27	43	13	4	93	68
347	59	56	8	17	6	8	27	7	4	24	1	-	2	19	4	8	23	7	3	42	69
52	11	15	2	4	-	-	3	2	-	1	-	-	1	3	1	1	4	-	1	3	70
249	41	41	3	15	5	8	20	11	1	10	-	-	8	22	2	18	16	6	-	48	71
1,663	254	235	46	164	52	42	134	42	16	81	10	6	71	186	10	71	139	53	5	344	72
72	12	8	5	3	-	2	10	1	1	8	1	-	3	4	-	3	3	5	1	13	73
104	27	14	1	13	4	1	4	4	2	1	1	3	1	7	1	6	13	3	-	22	74
116	6	11	2	8	3	4	10	1	2	6	-	-	4	6	-	4	5	1	-	16	75
54	10	4	1	5	2	1	6	3	1	4	2	-	3	13	-	2	4	1	1	7	76
54	12	6	2	5	1	-	2	1	1	3	1	-	3	5	-	1	5	-	-	15	77
35	4	3	2	-	3	-	2	1	-	2	1	-	-	4	-	1	2	2	-	13	78

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY—Continued																
	Bergen—Continued																
1	East Paterson	77	-	-	1	-	16	7	1	8	5	37	36	4	-	30	2
2	Englewood	238	2	-	-	-	43	18	5	20	5	143	142	30	-	105	5
3	Fair Lawn	172	-	-	1	-	29	11	1	17	9	93	93	18	-	69	2
4	Fort Lee	139	1	-	-	-	26	6	7	13	4	83	81	16	-	62	3
5	Lodi	133	3	-	-	-	29	5	3	21	2	69	68	15	-	47	3
6	Lyndhurst (twp.)[2] [3]	190	2	-	-	1	32	12	9	11	1	115	113	27	-	76	3
7	North Arlington	102	-	1	-	-	16	6	4	6	1	65	65	9	-	49	5
8	Ridgefield Park	146	2	-	-	-	33	12	8	13	1	80	80	13	-	50	2
9	Ridgewood	219	1	-	1	-	53	17	8	28	3	125	124	27	-	87	2
10	Rutherford	209	2	-	-	1	42	19	8	15	3	123	120	22	-	81	4
11	Balance of county	2,557	21	3	5	12	494	186	78	230	47	1,415	1,392	252	1	1,022	47
12	Burlington	1,394	12	6	-	6	240	89	34	117	31	804	788	141	1	608	20
13	Burlington	152	4	1	-	-	18	6	3	9	6	98	92	16	-	68	2
14	Balance of county	1,242	8	5	-	6	222	83	31	108	25	706	696	125	1	540	18
15	Camden	3,283	52	9	-	15	546	204	79	263	64	1,877	1,833	309	3	1,441	49
16	Camden	1,290	32	7	-	5	218	86	32	100	25	691	672	116	1	524	13
17	Collingswood	186	4	-	-	-	34	13	7	14	6	108	107	21	-	80	5
18	Gloucester City	166	2	-	-	-	25	12	2	11	3	102	99	18	-	79	2
19	Haddonfield	185	2	-	-	-	26	12	6	8	2	110	105	20	-	79	4
20	Pennsauken (twp.)[2] [3]	199	2	1	-	1	32	9	6	17	3	124	121	26	1	87	4
21	Balance of county	1,257	10	1	-	9	211	72	26	113	25	742	729	108	1	592	21
22	Cape May	684	2	2	-	1	118	44	20	54	10	428	420	80	-	313	3
23	Cumberland	1,104	15	3	-	9	148	54	15	79	24	652	641	121	-	471	12
24	Bridgeton	238	1	1	-	3	30	11	3	16	4	145	144	27	-	104	3
25	Millville	208	2	1	-	1	32	10	-	22	8	132	130	25	-	101	3
26	Balance of county	658	12	1	-	5	86	33	12	41	12	375	367	69	-	266	6
27	Essex	10,163	117	18	8	28	1,862	723	217	922	199	5,839	5,717	869	5	4,556	162
28	Newark	5,117	83	12	3	15	836	334	104	398	114	2,858	2,793	429	4	2,221	76
29	East Orange	1,074	8	4	-	2	196	70	25	101	17	656	639	100	-	505	21
30	Irvington	641	5	-	-	2	138	51	22	85	16	373	366	44	-	307	9
31	Belleville	298	2	-	2	-	55	24	7	24	6	186	184	28	-	147	4
32	Bloomfield	461	1	-	-	2	108	34	12	62	7	256	252	39	-	193	9
33	Montclair	532	3	1	-	2	92	37	10	45	9	326	318	49	-	247	8
34	Nutley	251	1	-	1	-	59	24	4	31	5	155	151	28	-	118	4
35	Orange	412	4	1	-	-	82	29	8	45	7	230	227	35	-	183	4
36	West Orange	274	4	-	-	1	56	29	3	24	4	160	157	24	-	125	6
37	Maplewood (twp.)[2] [3]	193	-	-	-	-	56	29	1	26	1	112	110	14	1	90	2
38	Millburn (twp.)[2] [3]	119	1	-	-	1	26	9	1	16	3	73	71	7	-	59	1
39	South Orange	181	1	-	-	-	40	16	6	18	1	99	96	15	-	79	4
40	Verona	93	1	-	-	1	17	9	1	7	-	54	54	9	-	42	5
41	Balance of county	517	3	-	2	2	101	28	13	60	9	301	299	48	-	240	9
42	Gloucester	1,120	13	3	-	1	167	50	23	94	24	648	635	121	-	486	9
43	Woodbury	161	1	-	-	-	24	8	4	12	5	93	89	16	-	69	3
44	Balance of county	959	12	3	-	1	143	42	19	82	19	555	546	105	-	417	6
45	Hudson	7,220	106	11	1	13	1,348	569	207	572	167	4,063	3,994	580	6	3,258	99
46	Jersey City	3,394	58	7	-	8	634	259	110	265	87	1,827	1,791	284	4	1,416	49
47	Bayonne	779	13	2	-	2	146	62	25	59	17	461	453	63	1	382	9
48	Hoboken	603	10	1	-	1	108	49	12	47	10	337	336	35	-	296	12
49	Union City	680	5	-	1	-	128	54	19	55	14	405	398	62	1	325	9
50	Kearny	409	6	-	-	1	86	35	8	43	4	236	235	33	-	194	5
51	North Bergen (twp.)[2] [3]	421	4	-	-	-	71	37	6	28	8	257	251	32	-	210	3
52	West New York	363	1	1	-	-	72	33	11	28	12	219	216	26	-	179	6
53	Harrison	140	4	-	-	-	24	11	4	9	2	82	81	16	-	63	4
54	Weehawken (twp.)[2] [3]	179	1	-	-	-	30	15	4	11	7	113	112	19	-	87	1
55	Balance of county	232	4	-	-	1	49	14	8	27	6	124	121	10	-	106	1
56	Hunterdon	532	3	-	-	-	88	33	11	44	9	325	322	55	-	241	8
57	Mercer	2,518	57	6	3	5	438	179	52	207	51	1,420	1,390	244	2	1,058	27
58	Trenton	1,494	36	4	1	5	248	116	28	104	30	847	829	145	1	629	19
59	Princeton	127	-	-	-	-	30	6	5	19	1	68	67	14	1	48	1
60	Balance of county	897	21	2	2	-	160	57	19	84	20	505	494	85	-	381	7
61	Middlesex	2,783	17	2	1	17	564	242	101	221	49	1,464	1,449	241	1	1,144	44
62	New Brunswick	409	4	1	-	2	75	32	14	29	7	218	214	44	-	158	5
63	Perth Amboy	433	1	1	-	-	97	48	21	28	5	227	226	39	-	181	6
64	Woodbridge (twp.)[2] [3]	310	-	-	-	1	78	29	12	37	4	171	170	26	-	138	6
65	Carteret	136	1	-	-	2	26	13	3	10	4	57	56	11	-	41	3
66	Sayreville	97	-	-	-	-	20	11	3	6	1	51	51	9	-	38	2
67	South River	112	1	-	-	2	28	7	3	18	1	52	51	6	-	43	2
68	Balance of county	1,286	10	-	1	10	240	102	45	93	27	688	681	106	1	545	20
69	Monmouth	2,947	15	9	-	10	537	200	81	256	53	1,738	1,709	256	2	1,337	30
70	Asbury Park	263	4	3	-	1	44	14	8	22	2	163	161	21	-	130	4
71	Long Branch	242	1	-	-	1	55	20	6	29	4	127	126	24	-	96	2
72	Neptune (twp.)[2] [3]	210	3	2	-	1	39	17	4	18	4	130	127	29	-	90	-
73	Red Bank	197	1	-	-	-	43	15	7	21	4	113	110	20	1	80	3
74	Balance of county	2,035	6	4	-	7	356	134	56	166	39	1,205	1,185	162	1	941	21
75	Morris	1,833	17	4	2	3	325	122	40	163	31	1,048	1,034	189	5	773	23
76	Dover	170	3	1	-	-	30	12	5	13	3	105	104	15	1	85	3
77	Madison	113	2	-	1	-	18	5	3	10	4	61	59	16	1	39	1
78	Morristown	209	5	-	-	1	24	8	1	15	4	124	123	26	1	85	3
79	Balance of county	1,341	7	3	1	2	253	97	31	125	20	758	748	132	2	564	16
80	Ocean	905	4	-	-	3	160	57	36	67	17	541	532	94	1	409	8
81	Passaic	3,695	21	4	1	12	675	267	86	322	106	2,121	2,085	373	4	1,602	62
82	Paterson	1,662	13	2	-	5	295	126	36	133	52	955	943	164	1	729	22
83	Clifton	566	2	1	-	1	109	43	11	55	11	340	333	70	1	246	8
84	Passaic	637	4	1	1	2	98	42	11	45	20	377	367	61	1	288	12
85	Hawthorne	145	-	-	-	-	35	10	7	18	6	82	80	13	-	64	-
86	Balance of county	685	2	-	-	4	138	46	21	71	17	367	362	65	1	275	20
87	Salem	484	2	4	-	1	68	22	9	37	9	278	273	64	-	194	6

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
20	1	7	-	1	1	1	1	1	-	1	-	-	2	2	1	1	-	3	-	6	1
66	17	17	1	6	-	1	7	1	-	2	-	-	3	6	1	2	7	4	-	12	2
52	8	7	2	3	1	-	4	2	-	1	1	-	2	7	-	4	7	1	1	10	3
43	12	4	1	1	1	2	-	1	-	1	-	-	2	6	-	2	5	4	-	4	4
35	6	3	2	3	1	1	3	-	-	1	-	-	5	6	1	2	3	2	-	7	5
63	8	2	7	3	-	2	9	1	-	1	1	-	3	5	-	4	5	-	-	10	6
27	13	4	1	6	-	-	-	1	-	2	-	-	1	2	-	1	1	2	-	9	7
40	3	5	-	15	2	-	3	-	-	1	-	-	1	3	-	1	5	-	-	16	8
72	8	5	1	4	5	1	6	1	-	3	-	1	-	4	-	3	5	4	1	8	9
52	12	13	3	11	3	3	4	2	1	3	-	-	1	6	1	2	8	-	1	9	10
758	95	122	15	77	25	23	63	21	8	41	2	2	37	100	5	32	61	21	-	167	11
413	69	106	6	23	9	16	37	6	4	9	4	-	10	61	3	25	47	12	5	72	12
44	10	12	1	3	4	6	2	1	-	-	-	-	-	6	2	3	6	1	-	4	13
369	59	94	5	20	5	10	35	5	4	9	4	-	10	55	1	22	41	11	5	68	14
904	211	277	27	31	22	44	93	20	13	46	5	3	33	124	3	31	95	16	4	234	15
329	89	93	13	11	7	19	36	6	3	27	2	2	13	54	2	9	45	7	4	102	16
50	8	17	-	4	2	1	2	1	1	2	-	-	1	3	-	2	8	1	-	13	17
55	9	13	1	-	1	3	7	2	1	1	-	-	3	1	-	3	3	-	-	13	18
41	14	20	4	2	-	5	8	2	-	1	1	-	1	9	-	2	3	2	-	16	19
51	12	20	3	2	2	3	5	2	-	1	-	-	1	9	-	1	3	1	-	13	20
378	79	114	6	12	10	13	35	7	8	14	2	1	14	48	1	14	33	5	-	77	21
190	50	70	4	16	7	8	18	7	2	10	-	-	4	15	8	12	14	1	1	31	22
262	96	101	9	34	6	11	24	5	10	9	-	1	16	37	6	27	49	7	8	54	23
57	21	23	3	8	2	1	7	-	2	2	-	-	3	12	1	6	10	1	1	9	24
58	19	21	2	2	-	2	-	-	2	1	-	-	3	-	1	4	6	2	1	12	25
147	56	57	4	24	4	8	17	5	6	6	-	1	10	25	4	17	33	4	6	33	26
3,216	443	735	68	160	59	122	212	81	43	170	14	10	114	353	19	100	304	80	39	553	27
1,658	214	273	30	79	30	65	127	35	31	110	9	5	53	225	6	57	167	38	30	303	28
305	47	132	7	21	6	17	21	10	-	10	3	-	14	25	2	11	31	8	2	54	29
233	27	38	5	8	2	7	4	3	2	10	1	-	10	13	2	5	16	7	1	33	30
99	19	25	3	5	1	2	2	2	1	4	-	-	3	6	-	1	11	3	-	14	31
123	24	37	4	11	5	4	10	5	4	3	1	1	4	15	1	2	13	5	-	23	32
145	25	69	3	16	3	8	12	5	3	13	-	1	4	11	2	8	13	-	2	25	33
81	15	18	1	4	-	4	-	2	-	-	-	-	1	3	-	2	6	1	-	15	34
121	14	44	5	-	4	3	10	6	-	5	-	-	4	17	1	2	16	2	1	24	35
79	14	26	1	2	5	3	5	4	1	3	-	2	6	9	-	3	4	3	-	9	36
68	6	14	-	3	2	2	2	2	-	1	-	-	1	2	1	1	4	2	-	8	37
45	4	9	2	3	-	2	2	1	-	1	-	-	2	3	-	-	3	-	-	3	38
61	7	7	1	1	-	3	3	2	-	2	-	1	4	2	-	2	8	2	1	13	39
28	6	3	2	-	1	-	3	2	-	1	-	-	1	1	-	2	3	3	-	4	40
170	21	40	4	7	-	2	11	2	1	7	-	-	7	21	4	4	9	6	2	25	41
311	85	81	8	13	7	13	18	7	8	11	3	1	11	43	7	33	31	11	3	77	42
47	10	9	1	2	1	4	3	1	1	1	-	-	1	11	1	3	3	2	-	11	43
264	75	72	7	11	6	9	15	6	7	10	3	1	10	32	6	30	28	9	3	66	44
1,662	283	1,214	45	80	25	69	209	64	22	162	7	12	73	205	15	69	167	51	6	449	45
716	111	540	24	47	16	36	124	25	13	84	6	4	32	104	7	34	94	17	1	228	46
191	48	134	2	4	1	8	20	6	2	18	-	2	6	19	2	4	17	5	-	37	47
141	23	120	-	3	2	1	15	7	4	12	-	2	7	19	2	6	15	3	1	43	48
147	30	139	2	7	1	7	11	11	-	12	1	1	7	11	-	8	14	9	1	41	49
113	22	54	2	5	1	3	9	3	2	9	-	-	3	16	-	2	6	7	-	17	50
115	18	74	3	4	2	6	9	4	1	12	-	2	9	8	3	2	4	3	-	24	51
89	8	76	4	7	-	3	7	5	-	11	-	1	3	13	1	5	5	2	2	23	52
36	5	18	1	-	1	1	1	2	-	-	-	-	3	7	-	-	3	2	-	10	53
49	10	27	4	2	-	1	7	1	-	2	-	-	-	4	-	1	1	-	-	12	54
65	8	32	3	1	1	3	6	-	-	2	-	-	3	4	-	7	8	3	1	14	55
180	19	34	6	16	4	3	17	7	1	4	-	-	5	13	3	8	7	10	-	32	56
764	124	143	9	45	32	30	79	15	3	39	4	3	27	88	5	34	62	11	9	159	57
459	73	78	9	26	19	18	42	10	3	26	4	1	16	56	1	18	35	7	7	97	58
38	2	7	-	2	2	1	5	-	-	1	-	-	-	5	-	2	-	2	-	13	59
267	49	58	-	17	11	11	32	5	-	12	-	2	11	27	4	14	27	2	2	49	60
846	86	168	15	36	12	15	67	16	10	50	2	5	41	126	3	63	96	38	9	143	61
124	5	24	3	7	2	4	10	5	-	8	-	1	6	18	-	8	14	5	3	24	62
137	22	16	3	3	-	1	14	1	2	5	-	-	3	17	-	10	17	7	2	24	63
107	16	9	1	5	-	1	5	2	2	7	-	-	6	12	-	3	6	3	-	10	64
31	1	6	-	4	-	1	4	-	-	1	-	-	1	17	-	3	10	2	-	8	65
34	-	2	1	2	1	-	2	1	1	1	-	1	1	4	-	3	5	2	2	2	66
28	2	11	-	-	2	1	1	2	1	5	-	-	2	4	-	1	2	4	1	5	67
385	40	100	7	15	7	7	31	5	4	23	2	3	22	54	3	35	42	15	1	70	68
865	166	276	20	69	25	29	60	25	11	28	3	1	25	105	7	54	79	24	10	153	69
85	17	24	2	5	3	2	3	5	1	3	-	-	2	6	1	1	8	1	-	15	70
68	11	15	2	4	-	1	7	3	-	7	-	-	2	16	-	2	3	2	-	12	71
54	12	24	1	5	2	3	4	1	-	1	-	-	1	6	-	-	8	2	-	8	72
48	13	16	2	4	3	3	5	1	-	3	-	-	3	9	-	3	2	1	1	8	73
610	113	197	13	51	17	20	41	15	10	14	3	1	17	68	6	48	58	18	9	110	74
562	90	98	12	33	22	14	47	13	3	22	2	2	23	78	4	29	56	13	1	110	75
53	14	15	-	1	2	1	1	2	-	4	-	1	-	5	-	1	5	-	-	9	76
30	4	4	-	2	1	2	3	1	-	1	-	-	3	6	-	1	3	2	-	7	77
67	6	9	1	6	4	1	5	1	-	1	1	-	3	10	-	3	10	1	1	15	78
412	66	70	11	24	15	10	38	9	3	16	1	1	17	57	4	24	38	10	-	79	79
273	41	87	3	14	11	9	22	5	4	5	-	-	5	25	1	29	25	12	1	46	80
1,178	152	210	24	61	21	36	91	28	10	73	3	4	46	120	10	34	99	15	4	218	81
541	74	92	12	23	14	12	47	14	5	36	1	2	18	57	6	12	42	8	2	90	82
188	23	27	8	8	-	7	10	5	1	10	1	1	8	13	1	6	14	2	1	29	83
220	27	29	2	12	3	10	14	5	1	19	1	-	4	18	-	5	19	2	1	45	84
51	5	8	-	2	1	2	3	-	1	3	-	-	-	4	-	-	-	-	-	11	85
178	23	54	2	16	3	5	17	4	2	5	-	1	16	28	3	11	24	3	-	43	86
142	20	26	4	4	7	5	24	4	4	4	1	1	4	21	2	13	13	7	4	20	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY—Continued																
1	Somerset	958	4	-	-	5	156	67	19	70	20	546	538	113	-	384	15
2	North Plainfield	142	1	-	-	1	18	9	1	8	1	93	91	19	-	67	2
3	Somerville	114	-	-	-	1	15	8	3	4	2	63	61	17	-	38	2
4	Balance of county	702	3	-	-	3	123	50	15	58	17	390	386	77	-	279	11
5	Sussex	444	2	1	-	1	84	37	10	37	7	247	242	45	-	177	4
6	Union	4,058	57	8	3	12	790	331	95	364	85	2,275	2,242	386	2	1,699	58
7	Elizabeth	1,179	22	4	1	4	203	95	23	85	23	677	667	135	1	481	19
8	Linden	253	4	-	-	-	47	16	7	24	6	128	128	20	-	102	3
9	Plainfield	494	6	-	-	-	101	33	13	55	16	265	261	38	-	209	6
10	Union (twp.)[2 3]	324	-	-	-	-	82	33	14	35	4	182	179	25	-	144	4
11	Cranford (twp.)[2 3]	185	4	1	-	-	34	12	3	19	4	99	97	16	-	69	3
12	Hillside (twp.)[2 3]	178	1	-	-	1	37	18	4	15	5	102	101	12	-	84	2
13	Rahway	250	5	-	-	-	38	21	4	13	8	139	139	22	-	112	4
14	Roselle	185	6	1	-	4	33	8	3	22	5	104	104	22	1	72	1
15	Roselle Park	112	1	-	-	-	29	11	2	16	2	63	60	8	-	47	2
16	Summit	198	2	1	-	-	38	21	5	12	3	116	113	23	-	82	3
17	Westfield	218	-	1	-	-	44	22	6	16	1	143	142	27	-	102	3
18	Balance of county	482	6	-	2	3	104	41	11	52	8	257	251	38	-	195	8
19	Warren	683	2	-	-	1	110	46	16	48	8	415	412	63	-	318	6
20	Phillipsburg	239	-	-	-	-	29	9	5	15	2	155	153	19	-	129	3
21	Balance of county	444	2	-	-	1	81	37	11	33	6	260	259	44	-	189	3
22	NEW MEXICO	5,544	113	21	4	83	644	224	74	346	63	1,817	1,736	428	2	1,168	66
23	Metropolitan counties	1,162	22	3	-	4	160	58	15	87	7	388	364	89	1	247	18
24	Nonmetropolitan counties	4,382	91	18	4	79	484	166	59	259	56	1,429	1,372	339	1	921	48
25	Bernalillo	1,162	22	3	-	4	160	58	15	87	7	388	364	89	1	247	18
26	Albuquerque	954	18	3	-	2	138	51	14	73	5	337	315	77	1	211	15
27	Balance of county	208	4	-	-	2	22	7	1	14	2	51	49	12	-	36	3
28	Catron	21	-	-	-	-	3	-	1	2	-	6	6	1	-	5	1
29	Chaves	296	9	2	-	4	34	7	5	22	4	110	108	19	-	81	4
30	Roswell	238	7	2	-	3	27	3	5	19	4	91	89	18	-	64	2
31	Balance of county	58	2	-	-	1	7	4	-	3	-	19	19	1	-	17	2
32	Colfax	136	1	1	-	4	21	11	2	8	2	63	59	10	-	47	1
33	Curry	181	2	-	-	1	21	7	1	13	2	88	86	24	-	58	2
34	Clovis	135	1	-	-	1	15	5	1	9	2	63	61	17	-	40	2
35	Balance of county	46	1	-	-	-	6	2	-	4	-	25	25	7	-	18	-
36	De Baca	35	-	-	-	-	3	-	-	3	1	12	12	6	-	6	-
37	Dona Ana	290	6	2	-	3	44	15	8	21	2	96	93	34	-	48	-
38	Las Cruces	134	3	2	-	1	21	6	2	13	1	48	47	16	-	26	-
39	Balance of county	156	3	-	-	2	23	9	6	8	1	48	46	18	-	22	-
40	Eddy	289	2	-	-	5	36	9	9	18	-	104	98	19	-	70	1
41	Carlsbad	148	-	-	-	2	23	6	5	12	-	60	57	13	-	38	-
42	Balance of county	141	2	-	-	3	13	3	4	6	-	44	41	6	-	32	1
43	Grant	170	5	-	2	2	27	8	5	14	7	50	49	11	-	36	2
44	Guadalupe	54	1	-	-	1	5	1	-	4	1	21	20	4	-	13	-
45	Harding	24	-	-	-	-	2	1	-	1	-	10	10	3	-	7	1
46	Hidalgo	38	2	-	-	-	6	1	-	5	1	13	13	5	-	6	1
47	Lea	258	4	3	-	5	20	9	2	9	4	75	72	13	-	54	1
48	Hobbs	131	2	-	-	2	11	6	1	4	2	34	32	4	-	25	1
49	Balance of county	127	2	3	-	3	9	3	1	5	2	41	40	9	-	29	-
50	Lincoln	50	-	-	-	-	11	6	-	5	-	22	22	7	-	13	-
51	Los Alamos	31	-	-	-	1	5	2	-	3	-	5	5	-	-	5	-
52	Luna	99	2	-	-	1	17	6	1	10	1	31	28	7	-	18	-
53	McKinley	287	14	2	-	11	17	6	3	8	2	47	44	10	-	33	7
54	Mora	62	-	-	-	-	3	-	-	3	-	15	14	3	-	9	-
55	Otero	142	4	-	-	4	19	9	-	10	1	40	38	8	-	25	1
56	Quay	129	-	-	1	-	16	7	2	7	3	77	76	19	-	46	-
57	Rio Arriba	191	1	2	-	8	11	3	2	6	2	45	42	3	-	34	3
58	Roosevelt	94	-	1	-	1	14	4	3	7	4	42	41	7	-	30	2
59	Sandoval	107	3	-	-	2	11	6	1	4	-	23	20	4	-	14	1
60	San Juan	222	10	-	-	10	9	3	3	3	4	46	45	9	-	33	-
61	San Miguel	255	3	-	1	6	23	8	-	15	1	84	80	17	-	54	7
62	Santa Fe	280	4	2	-	3	26	5	4	17	6	95	92	28	1	58	5
63	Santa Fe	208	3	1	-	3	20	4	2	14	5	74	72	20	-	47	3
64	Balance of county	72	1	1	-	-	6	1	2	3	1	21	20	8	1	11	2
65	Sierra	96	5	1	-	-	12	4	1	7	2	43	40	11	-	24	-
66	Socorro	86	-	1	-	1	8	3	1	4	-	33	33	11	-	21	2
67	Taos	138	3	-	-	3	15	7	-	8	-	36	33	15	-	15	1
68	Torrance	75	2	-	-	-	12	4	-	8	2	26	24	7	-	15	-
69	Union	59	-	-	-	-	14	5	2	7	-	25	25	8	-	15	2
70	Valencia	187	8	1	-	3	19	9	3	7	4	46	44	16	-	28	3
71	NEW YORK	165,770	1,756	346	80	469	29,961	11,320	4,208	14,433	3,236	94,357	93,038	14,820	86	73,063	2,424
72	Metropolitan counties	136,381	1,606	299	64	366	25,476	9,748	3,677	12,051	2,704	76,710	75,700	11,271	72	60,469	2,072
73	Nonmetropolitan counties	29,389	150	47	16	103	4,485	1,572	531	2,382	532	17,647	17,338	3,549	14	12,594	352
74	Albany	3,087	30	6	-	11	497	175	68	254	65	1,891	1,866	299	-	1,453	28
75	Albany	1,893	20	4	-	5	297	110	47	140	41	1,169	1,156	169	-	919	17
76	Cohoes	252	3	1	-	1	42	14	6	22	2	151	146	17	-	122	1
77	Watervliet	212	2	1	-	1	32	12	2	18	10	137	135	26	-	99	5
78	Balance of county	730	5	-	-	4	126	39	13	74	12	434	429	87	-	313	5
79	Allegany	505	-	-	-	4	66	21	5	40	9	294	288	66	-	200	5

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
275	48	46	9	20	12	8	29	8	5	5	-	2	17	35	2	28	27	11	1	57	1
52	8	5	1	2	2	2	6	-	1	-	-	1	4	3	-	3	2	1	-	7	2
26	7	3	4	2	-	2	8	1	3	-	-	-	1	7	-	4	2	-	-	7	3
197	33	38	4	16	10	4	15	7	1	5	-	1	12	25	2	21	23	10	1	43	4
117	32	24	5	11	4	5	18	3	7	6	-	-	8	12	-	8	11	6	-	23	5
1,212	150	279	36	95	24	33	91	37	21	48	3	9	50	152	9	56	90	30	6	226	6
346	37	79	11	35	4	10	25	16	8	23	2	2	16	37	3	10	39	4	1	59	7
73	14	12	1	5	-	-	8	2	1	3	-	3	5	12	-	4	3	4	-	23	8
137	18	48	2	10	2	4	20	3	3	3	-	-	8	19	-	8	12	5	1	24	9
98	14	28	2	7	1	3	1	4	1	3	-	-	2	9	-	4	5	4	1	22	10
55	4	7	3	6	3	2	5	1	2	-	-	-	4	8	1	1	4	1	-	16	11
61	6	15	3	1	1	1	5	-	1	3	-	-	-	3	-	2	-	2	-	16	12
83	9	16	-	3	2	-	4	2	1	2	-	-	3	16	1	3	11	2	-	15	13
56	6	9	3	4	2	-	2	3	-	-	-	-	3	6	1	3	3	-	3	8	14
33	6	6	2	2	1	3	-	-	-	3	-	-	1	-	-	5	4	-	-	4	15
51	13	15	3	3	2	3	7	1	1	1	-	1	1	11	-	3	4	3	-	5	16
72	9	18	5	6	2	1	4	2	1	1	-	1	1	4	1	4	-	1	-	9	17
147	14	26	1	13	4	6	10	3	2	6	1	2	6	27	2	9	5	4	-	25	18
217	41	54	2	21	8	3	20	5	4	5	1	-	7	21	3	16	18	9	2	36	19
83	17	26	1	1	3	2	6	2	3	3	-	-	1	8	1	5	6	1	-	17	20
134	24	28	1	20	5	1	14	3	1	2	1	-	6	13	2	11	12	8	2	19	21
747	127	228	37	68	33	81	253	33	144	48	11	17	123	528	431	295	351	62	34	469	22
155	31	43	7	9	11	24	40	8	21	17	2	5	29	126	91	43	67	12	6	111	23
592	96	185	30	59	22	57	213	25	123	31	9	12	94	402	340	252	284	50	28	358	24
155	31	43	7	9	11	24	40	8	21	17	2	5	29	126	91	43	67	12	6	111	25
133	22	41	7	8	11	22	30	8	18	13	2	4	24	100	60	32	54	11	3	92	26
22	9	2	-	1	-	2	10	-	3	4	-	1	5	26	31	11	13	1	3	19	27
3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	5	3	-	-	-	2	28
55	4	18	1	7	-	2	8	-	4	1	-	-	4	39	9	21	15	3	3	26	29
46	3	13	1	6	-	2	5	-	1	1	-	-	4	29	7	15	14	3	3	22	30
9	1	5	-	1	-	-	3	-	3	-	-	-	-	10	2	6	1	-	-	4	31
30	8	8	-	2	-	4	10	-	1	-	-	-	1	9	2	5	6	1	-	9	32
46	4	6	1	2	1	2	1	1	2	-	-	-	5	15	-	7	27	-	-	9	33
31	4	3	1	2	1	2	1	-	2	-	-	-	4	13	-	4	23	-	-	6	34
15	-	3	-	-	-	-	-	1	-	-	-	-	1	2	-	3	4	-	-	3	35
5	-	1	-	-	-	-	1	-	-	-	-	-	1	2	2	7	-	1	-	5	36
32	4	12	5	3	3	3	7	1	5	2	1	2	8	23	17	21	15	5	1	29	37
20	2	4	1	1	3	1	1	-	1	2	1	1	5	14	5	5	9	3	1	10	38
12	2	8	4	2	-	2	6	1	4	-	-	1	3	9	12	16	6	2	-	19	39
54	7	8	2	5	2	6	15	5	12	4	-	1	5	34	4	11	20	6	-	25	40
30	4	4	2	2	2	3	5	2	5	2	-	-	1	13	1	5	13	6	-	10	41
24	3	4	-	3	-	3	10	3	7	2	-	1	4	21	3	6	7	-	-	15	42
20	3	11	1	1	-	1	5	-	3	-	1	1	5	18	4	13	4	2	1	20	43
11	-	2	2	1	-	1	-	-	-	1	1	-	1	8	9	1	2	-	-	2	44
4	-	2	-	-	-	-	3	-	-	-	-	-	-	3	1	2	1	-	-	2	45
3	1	1	2	-	-	-	-	-	4	-	-	-	-	2	5	1	2	-	-	2	46
37	9	7	1	3	1	3	11	-	1	3	-	-	4	37	14	24	32	2	3	16	47
17	4	3	1	1	1	2	4	-	-	1	-	-	1	21	9	15	16	2	3	8	48
20	5	4	-	2	-	1	7	-	1	2	-	-	3	16	5	9	16	-	-	8	49
10	1	2	-	1	1	-	3	1	1	-	-	-	1	2	-	2	4	-	-	3	50
5	-	-	-	-	-	-	-	1	-	1	-	-	3	3	1	2	4	3	1	1	51
12	5	1	1	1	1	3	3	-	2	1	1	-	1	10	3	11	7	-	3	5	52
15	5	6	-	-	1	3	46	1	13	3	-	2	11	20	32	17	19	3	2	25	53
2	4	3	-	2	-	1	4	1	2	-	-	-	1	5	14	3	3	1	2	8	54
18	3	3	2	1	2	2	9	1	3	-	-	-	3	12	6	7	16	3	1	13	55
33	2	11	-	11	-	1	2	-	3	-	-	-	1	4	3	5	6	2	1	5	56
22	6	3	2	1	2	3	10	-	4	3	-	-	2	16	45	14	13	1	1	13	57
24	4	-	-	4	-	1	8	-	-	1	-	-	3	3	1	3	3	1	-	9	58
5	2	6	1	-	1	3	3	1	5	1	-	-	1	6	21	5	9	1	-	15	59
20	2	11	1	2	-	1	19	1	21	1	1	1	7	22	9	20	24	4	-	13	60
19	7	21	-	6	3	4	11	2	15	3	2	1	7	21	45	9	8	1	-	12	61
37	5	11	3	2	-	3	11	6	7	4	1	-	3	39	21	11	11	2	2	26	62
30	5	9	3	2	-	2	8	6	4	4	1	-	1	32	7	7	9	2	1	20	63
7	-	2	-	-	-	1	3	-	3	-	-	-	2	7	14	4	2	-	1	6	64
13	-	11	1	3	1	3	1	-	2	-	-	-	-	7	-	2	4	1	1	15	65
10	2	7	1	-	-	-	4	1	5	1	-	2	-	6	8	1	6	-	-	9	66
9	1	4	1	1	1	3	4	1	3	-	-	-	5	8	25	10	7	2	4	12	67
8	2	5	1	-	1	2	4	-	2	-	-	-	1	1	9	4	2	1	-	9	68
10	1	2	1	-	1	-	3	-	-	-	1	-	1	5	-	1	2	-	-	7	69
20	3	2	-	-	-	2	7	1	3	-	-	2	8	22	25	9	12	4	2	11	70
55,870	7,692	7,077	1,078	3,058	933	1,319	4,476	1,316	558	2,402	154	140	1,905	5,339	1,017	2,310	4,826	1,345	426	9,351	71
46,751	6,421	5,225	838	2,297	753	1,010	3,877	1,080	466	2,149	112	121	1,559	4,468	885	1,686	3,852	1,000	399	7,502	72
9,119	1,271	1,852	240	761	180	309	599	236	92	253	42	19	346	871	132	624	974	345	27	1,849	73
1,146	137	142	26	63	25	25	66	28	15	44	2	2	32	80	11	45	67	20	5	170	74
725	93	84	17	37	14	13	44	20	11	27	1	2	19	50	9	23	33	9	4	105	75
94	8	19	1	5	1	5	5	2	-	4	-	-	4	6	-	3	11	2	-	15	76
71	9	14	4	5	1	2	5	2	1	3	-	-	1	3	-	1	4	-	-	9	77
256	27	25	4	16	9	5	12	4	3	10	1	-	8	21	2	18	19	9	1	41	78
130	21	44	1	19	2	6	5	3	2	2	1	-	12	20	6	15	25	7	1	35	79

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Broome	1,966	19	3	2	8	321	132	31	158	38	1,176	1,160	269	1	822	30
2	Binghamton	996	13	2	-	4	170	72	14	84	21	601	592	151	-	406	15
3	Endicott	219	2	-	-	2	27	8	5	14	6	137	136	44	-	85	1
4	Johnson City	180	1	-	-	-	30	16	3	11	3	108	104	23	-	75	2
5	Balance of county	571	3	1	2	2	94	36	9	49	8	332	328	51	1	256	12
6	Cattaraugus	890	6	2	-	1	137	43	13	81	14	520	517	128	-	361	26
7	Olean	269	1	-	-	-	45	15	8	22	5	160	159	45	-	105	4
8	Balance of county	621	5	2	-	1	92	28	5	59	9	360	358	83	-	256	22
9	Cayuga	918	1	2	1	6	144	61	14	69	19	549	545	102	-	382	7
10	Auburn	475	1	2	1	5	67	29	8	30	12	294	290	65	-	202	6
11	Balance of county	443	-	-	-	1	77	32	6	39	7	255	255	37	-	180	1
12	Chautauqua	1,622	7	3	1	7	256	96	35	125	30	978	963	185	2	676	16
13	Jamestown	531	4	2	-	1	89	28	16	45	7	325	321	81	1	208	5
14	Dunkirk	220	2	1	-	2	34	15	4	15	13	121	118	10	-	98	-
15	Balance of county	871	1	-	1	4	133	53	15	65	10	532	524	94	1	370	11
16	Chemung	999	6	3	1	7	167	55	26	86	15	580	571	127	-	420	11
17	Elmira	636	5	2	-	5	112	33	17	62	11	360	354	79	-	257	8
18	Balance of county	363	1	1	1	2	55	22	9	24	4	220	217	48	-	163	3
19	Chenango	504	2	1	1	4	74	27	6	41	3	329	302	48	-	234	7
20	Clinton	599	1	-	-	4	91	38	18	35	7	363	354	54	-	286	5
21	Plattsburgh	206	1	-	-	-	33	12	10	11	3	127	125	20	-	97	2
22	Balance of county	393	-	-	-	4	58	26	8	24	4	236	229	34	-	189	3
23	Columbia	639	2	2	-	1	106	29	17	60	11	402	394	63	-	316	10
24	Hudson	170	1	-	-	-	24	7	5	12	5	113	109	12	-	91	4
25	Balance of county	469	1	2	-	1	82	22	12	48	6	289	285	51	-	225	6
26	Cortland	427	2	-	-	-	58	21	4	33	17	244	238	50	-	178	8
27	Cortland	212	-	-	-	-	28	12	-	16	10	116	113	23	-	84	3
28	Balance of county	215	2	-	-	-	30	9	4	17	7	128	125	27	-	94	5
29	Delaware	549	1	-	-	2	68	22	8	38	9	344	342	74	-	246	10
30	Dutchess	1,456	5	4	1	4	255	85	30	140	29	843	836	133	1	645	26
31	Poughkeepsie	514	3	3	-	1	90	29	12	49	12	307	305	44	1	235	6
32	Beacon	156	-	-	1	-	31	12	4	15	3	87	86	14	-	68	1
33	Balance of county	786	2	1	-	3	134	44	14	76	14	449	445	75	-	342	19
34	Erie	9,869	96	24	3	28	1,678	613	258	807	248	5,423	5,339	935	4	4,080	106
35	Buffalo	6,658	73	18	1	16	1,142	414	178	550	190	3,672	3,608	648	3	2,754	65
36	Lackawanna	272	3	1	-	2	39	10	11	18	6	137	134	18	-	109	3
37	Kenmore	205	2	-	-	1	38	15	3	20	4	114	113	15	-	89	6
38	Tonawanda	194	1	-	1	-	35	15	4	16	4	112	110	24	-	80	3
39	Balance of county	2,540	17	5	1	9	424	159	62	203	44	1,388	1,374	230	1	1,048	29
40	Essex	434	3	-	1	3	63	16	9	38	5	254	253	52	-	182	4
41	Franklin	527	13	-	-	3	68	25	8	35	9	323	317	70	-	232	5
42	Fulton	666	2	-	-	5	106	42	12	52	17	417	411	96	1	288	11
43	Gloversville	322	1	-	-	3	45	16	4	25	13	210	208	53	-	145	4
44	Johnstown	135	-	-	-	2	28	13	5	10	1	76	75	23	-	47	2
45	Balance of county	209	1	-	-	-	33	13	3	17	3	131	128	20	1	96	5
46	Genesee	546	2	-	-	3	86	28	9	49	11	322	315	76	-	211	6
47	Batavia	196	2	-	-	2	31	11	6	14	5	112	111	18	-	80	4
48	Balance of county	350	-	-	-	1	55	17	3	35	6	210	204	58	-	131	2
49	Greene	451	4	-	1	1	66	25	9	32	7	283	280	62	-	199	6
50	Hamilton	53	1	-	-	-	8	1	1	6	2	26	26	1	-	23	-
51	Herkimer	756	5	1	-	5	130	52	17	61	11	438	431	92	-	305	9
52	Jefferson	1,106	3	3	2	3	161	58	15	88	19	687	679	152	1	483	15
53	Watertown	467	1	1	-	1	65	28	3	34	7	288	285	57	-	210	4
54	Balance of county	639	2	2	2	2	96	30	12	54	12	399	394	95	1	273	11
55	Lewis	261	1	-	1	-	50	19	8	23	3	163	161	35	-	120	-
56	Livingston	430	2	1	-	1	64	21	15	28	8	250	249	62	1	172	9
57	Madison	568	2	-	-	2	86	27	11	48	13	354	346	69	-	262	4
58	Oneida	135	1	-	-	-	21	5	4	12	1	83	77	19	-	56	1
59	Balance of county	433	1	-	-	2	65	22	7	36	12	271	269	50	-	206	3
60	Monroe	5,528	44	8	2	13	970	346	111	513	81	3,309	3,275	614	2	2,358	85
61	Rochester	4,002	39	6	1	8	717	261	93	363	69	2,390	2,371	433	2	1,717	61
62	Irondequoit (town)[2]	280	1	1	-	2	61	21	5	35	4	146	146	19	-	115	1
63	Balance of county	1,246	4	1	1	3	192	64	13	115	8	773	758	162	-	526	23
64	Montgomery	783	1	1	1	1	120	48	7	65	20	475	462	97	2	323	8
65	Amsterdam	425	-	-	-	1	59	20	4	35	14	256	251	58	-	174	2
66	Balance of county	358	1	1	1	-	61	28	3	30	6	219	211	39	2	149	6
67	Nassau	7,269	49	15	9	20	1,392	447	224	721	139	3,891	3,843	633	4	2,996	161
68	Hempstead	288	3	1	-	1	61	18	12	31	4	161	160	33	-	121	7
69	Valley Stream	311	-	-	-	3	65	22	13	30	6	167	167	25	-	131	8
70	Floral Park	196	2	-	-	-	42	21	6	15	2	116	115	24	-	85	10
71	Freeport	325	5	-	-	2	66	24	10	32	8	170	168	31	-	126	6
72	Garden City	197	1	-	-	-	37	12	1	24	1	119	115	25	-	84	4
73	Glen Cove	173	2	-	-	1	30	12	4	14	3	91	90	14	-	75	8
74	Long Beach	181	-	1	1	1	45	16	6	23	5	94	94	12	-	73	3
75	Lynbrook	205	-	-	-	-	33	11	3	19	3	129	127	17	-	99	6
76	Mineola	157	-	1	-	-	31	11	4	16	3	88	88	10	-	72	3
77	Rockville Centre	213	2	1	-	-	38	15	4	19	7	126	125	24	-	95	2
78	Balance of county	5,023	34	11	8	12	944	285	161	498	97	2,630	2,594	418	4	2,035	104
79	New York City	85,034	1,198	201	32	211	16,362	6,462	2,403	7,497	1,676	47,434	46,826	6,210	42	38,491	1,368
80	Bronx Bor. (Bronx)	14,584	168	27	5	54	3,000	1,190	443	1,367	376	7,995	7,895	997	8	6,546	257
81	Brooklyn Bor. (Kings)	27,531	332	49	12	56	5,185	2,127	735	2,323	642	15,761	15,550	2,137	9	12,767	456
82	Manhattan Bor. (N. Y.)	24,985	538	89	7	69	4,457	1,720	669	2,068	376	13,546	13,391	1,751	15	10,958	333
83	Queens Bor. (Queens)	15,817	126	30	8	29	3,348	1,280	501	1,567	252	8,885	8,762	1,154	10	7,235	293
84	Richmond Bor. (Richmond)	2,117	34	6	-	3	372	145	55	172	30	1,247	1,228	171	-	985	29
85	Niagara	1,971	9	6	-	8	321	111	51	159	37	1,139	1,118	172	1	892	21
86	Niagara Falls	907	5	3	-	4	162	58	31	73	16	495	486	86	1	379	11
87	Lockport	322	-	-	-	2	47	13	5	29	8	201	197	28	-	156	3

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
652	71	69	12	43	13	16	46	10	7	22	3	1	28	73	6	28	35	18	2	120	1
317	43	31	4	24	7	9	19	6	3	11	3	1	12	29	4	9	14	9	2	63	2
77	5	2	2	2	3	1	5	-	-	3	-	-	1	9	1	5	7	1	-	13	3
64	6	3	3	3	-	2	4	1	1	6	-	-	2	6	-	4	3	3	-	10	4
194	17	33	3	14	3	4	18	3	3	2	-	-	13	29	1	10	11	5	-	34	5
228	27	80	4	20	4	3	24	6	-	8	4	-	16	26	4	26	31	14	-	51	6
83	5	13	2	5	2	1	7	4	-	4	-	-	2	5	-	7	7	9	-	13	7
145	22	67	2	15	2	2	17	2	-	4	4	-	14	21	4	19	24	5	-	38	8
262	39	74	12	41	8	4	20	5	7	12	1	-	10	30	2	17	21	9	-	62	9
156	14	26	3	14	6	4	11	3	4	10	-	-	1	14	1	5	13	3	-	28	10
106	25	48	9	27	2	-	9	2	3	2	1	-	9	16	1	12	8	6	-	34	11
459	63	138	27	62	11	15	31	10	5	10	4	-	14	49	5	40	47	19	3	103	12
153	16	34	5	22	4	4	5	5	1	6	-	-	6	15	4	10	13	5	2	31	13
81	7	10	3	6	1	3	2	-	3	3	1	-	1	7	-	7	6	3	-	14	14
225	40	94	19	34	6	8	24	5	1	1	3	-	7	27	1	23	28	11	1	58	15
344	22	43	4	12	8	9	24	8	1	8	-	-	15	36	2	13	37	7	1	68	16
209	15	25	2	9	7	6	20	4	-	7	-	-	10	20	1	6	23	6	1	43	17
135	7	18	2	3	1	3	4	4	1	1	-	-	5	16	1	7	14	1	-	25	18
154	29	44	6	9	5	27	4	7	6	3	-	2	2	14	1	7	15	2	-	27	19
188	37	56	2	9	3	9	9	3	1	3	2	-	7	20	4	17	21	4	1	41	20
74	9	12	1	5	2	2	2	1	1	2	-	-	3	8	2	1	6	-	1	15	21
114	28	44	1	4	1	7	7	2	-	1	2	-	4	12	2	16	15	4	-	26	22
241	37	28	2	12	1	8	14	8	2	6	-	-	3	8	3	14	16	8	-	33	23
72	9	6	1	5	-	4	4	3	-	1	-	-	1	3	-	4	3	-	-	8	24
169	28	22	1	7	1	4	10	5	2	5	-	-	2	5	3	10	13	8	-	25	25
131	8	31	3	7	-	6	12	3	-	2	2	1	5	14	2	8	14	5	-	38	26
63	5	13	3	3	-	3	4	-	-	1	2	1	1	7	2	6	7	2	-	25	27
68	3	18	-	4	-	3	8	3	-	1	-	-	4	7	-	2	7	3	-	13	28
185	24	27	5	14	3	2	18	4	2	5	-	1	4	8	3	14	20	6	-	40	29
501	75	43	12	41	4	7	33	9	7	19	1	-	21	34	7	36	39	16	4	89	30
184	36	9	7	17	1	2	13	1	3	6	1	-	6	11	1	8	7	4	3	34	31
55	5	7	-	3	1	1	3	2	-	-	-	-	2	6	2	1	8	3	-	7	32
262	34	27	5	21	2	4	17	6	4	13	-	-	13	17	4	27	24	9	1	48	33
3,100	411	463	78	178	64	84	206	87	37	139	12	4	134	379	23	178	329	80	26	735	34
2,119	285	285	47	116	40	64	146	64	26	101	8	2	82	215	17	91	226	43	18	507	35
92	7	7	1	5	1	3	10	-	2	7	-	1	4	12	-	4	11	3	2	28	36
66	2	15	3	2	4	1	5	3	-	2	-	-	3	9	1	3	5	1	-	14	37
59	9	9	2	3	1	2	5	2	-	3	1	-	2	7	-	4	5	1	-	11	38
764	108	147	25	52	18	14	40	18	9	26	3	1	43	136	5	76	82	32	6	175	39
135	12	31	5	11	3	1	13	1	2	6	-	1	10	14	2	9	12	3	-	32	40
184	26	17	3	12	-	6	18	4	2	5	-	-	8	13	1	10	23	6	1	20	41
188	27	62	8	13	5	6	19	6	2	6	2	-	4	13	-	11	14	6	-	36	42
83	17	41	1	7	2	2	7	3	-	6	1	-	-	4	-	2	6	2	-	19	43
32	3	10	1	3	1	1	5	2	2	-	1	-	1	2	-	1	4	3	-	7	44
73	7	11	6	3	2	3	7	1	-	-	-	-	3	7	-	8	4	1	-	10	45
152	27	26	5	19	4	7	5	4	2	6	-	-	9	15	1	19	18	4	2	37	46
55	12	9	2	10	1	1	3	1	1	2	-	-	1	6	-	4	6	3	2	15	47
97	15	17	3	9	3	6	2	3	1	4	-	-	8	9	1	15	12	1	-	22	48
142	12	39	4	11	4	3	6	3	-	6	-	1	5	7	4	6	14	4	-	33	49
15	6	2	-	2	-	-	1	-	-	1	-	-	1	3	3	1	3	1	-	2	50
208	23	65	6	23	5	7	15	7	5	10	-	-	1	22	1	12	30	10	-	53	51
360	57	51	10	23	10	8	26	7	1	8	1	-	15	31	10	17	32	13	-	67	52
169	25	12	7	6	5	3	8	6	-	5	-	-	10	18	7	4	8	5	-	33	53
191	32	39	3	17	5	5	18	1	1	3	1	-	5	13	3	13	24	8	-	34	54
97	10	13	2	3	1	2	2	1	1	-	-	-	4	7	2	3	11	3	-	9	55
117	13	33	3	8	3	1	7	8	1	4	1	-	7	14	2	17	10	5	-	30	56
172	17	69	5	6	4	8	11	5	3	4	1	-	8	13	1	9	17	4	-	35	57
47	1	7	-	1	1	6	2	1	2	2	-	-	4	3	-	2	1	1	-	11	58
125	16	62	5	5	3	2	9	4	1	2	1	-	4	10	1	7	16	3	-	24	59
1,933	155	185	27	226	48	34	122	49	22	67	3	1	77	192	12	74	115	57	8	302	60
1,412	108	136	17	165	37	19	87	33	16	52	3	1	50	135	8	45	83	41	8	210	61
101	10	3	-	9	3	-	7	3	3	4	-	-	11	9	-	1	5	4	-	18	62
420	37	46	10	52	8	15	28	13	3	11	-	-	16	48	4	28	27	12	-	74	63
211	41	63	9	24	7	13	20	6	3	9	1	1	6	11	-	17	34	11	-	45	64
109	24	39	4	10	5	5	9	3	3	6	-	1	6	7	-	8	21	3	-	28	65
102	17	24	5	14	2	8	11	3	-	3	1	-	-	4	-	9	13	8	-	17	66
2,338	268	229	44	113	53	48	162	43	22	96	8	4	122	266	188	100	238	62	12	431	67
98	6	10	1	3	2	1	5	3	-	6	1	1	3	6	3	2	9	1	2	15	68
102	15	6	4	4	3	-	1	-	1	4	-	-	5	14	11	7	8	2	1	16	69
58	9	8	1	3	2	1	1	1	-	1	-	-	2	8	6	1	6	1	-	7	70
95	14	11	2	7	2	2	6	3	-	4	1	-	3	9	7	4	15	5	-	17	71
62	9	9	1	3	2	4	5	2	-	1	-	-	1	5	7	1	8	-	1	8	72
53	7	7	-	-	1	1	3	1	1	2	1	-	3	9	6	1	6	1	-	12	73
61	4	5	5	3	1	-	2	3	-	1	-	-	5	2	4	1	5	1	1	9	74
74	12	7	-	9	2	2	5	2	1	2	-	-	6	1	4	1	6	3	-	9	75
53	10	6	1	4	1	-	2	2	-	5	-	-	1	2	2	1	4	1	-	14	76
80	7	6	1	1	4	1	6	2	1	6	-	-	1	2	4	1	7	-	-	9	77
1,602	175	154	28	76	33	36	126	24	18	64	5	3	92	208	134	80	164	47	7	315	78
29,813	4,337	2,973	496	1,187	400	608	2,797	684	268	1,486	59	89	849	2,669	550	877	2,445	519	316	4,312	79
5,236	664	389	94	189	61	100	429	121	39	219	13	16	151	440	128	148	399	78	35	743	80
9,854	1,591	866	130	402	105	211	869	227	102	384	23	29	303	914	85	280	634	133	97	1,414	81
8,219	1,191	1,215	133	384	150	155	1,000	195	69	581	16	36	193	803	260	262	899	148	163	1,278	82
5,659	824	459	108	183	72	123	425	129	55	278	5	7	186	441	69	166	450	146	18	764	83
845	67	44	31	29	12	19	74	12	3	24	2	1	16	71	8	21	63	14	3	113	84
617	89	165	16	31	6	21	45	17	11	21	2	2	35	87	2	43	53	17	3	113	85
284	35	49	7	11	2	9	27	11	7	16	1	-	20	37	-	15	20	8	3	57	86
92	15	46	5	7	1	4	2	3	1	1	1	1	4	12	1	3	11	3	-	21	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK--Continued																
	Niagara--Continued																
1	North Tonawanda	238	1	1	-	-	36	16	5	15	6	139	134	20	-	109	4
2	Balance of county	504	3	2	-	2	76	24	10	42	7	304	301	38	-	248	3
3	Oneida	2,433	11	6	2	7	411	154	34	223	47	1,433	1,409	233	2	1,105	25
4	Utica	1,160	6	5	-	2	210	86	20	104	23	661	650	113	1	515	13
5	Rome	364	2	-	-	1	43	14	2	27	9	244	240	32	-	194	2
6	Balance of county	909	3	1	2	4	158	54	12	92	15	528	519	88	1	396	10
7	Onondaga	3,844	36	8	2	13	676	223	114	339	73	2,210	2,175	417	4	1,604	48
8	Syracuse	2,566	23	6	1	6	429	150	69	210	46	1,528	1,507	274	4	1,122	30
9	Balance of county	1,278	13	2	1	7	247	73	45	129	27	682	668	143	-	482	18
10	Ontario	713	6	-	-	2	101	41	9	51	10	440	437	83	-	324	16
11	Geneva	203	1	-	-	1	28	10	3	15	2	125	123	24	-	88	3
12	Balance of county	510	5	-	-	1	73	31	6	36	8	315	314	59	-	236	13
13	Orange	2,047	17	3	1	3	338	115	42	181	27	1,205	1,189	218	1	894	36
14	Newburgh	455	4	1	-	-	64	17	8	39	4	274	266	62	-	182	4
15	Middletown	331	4	-	-	-	64	24	4	36	4	199	199	34	-	156	7
16	Balance of county	1,261	9	2	1	3	210	74	30	106	19	732	724	122	1	556	25
17	Orleans	408	1	1	-	2	51	15	5	31	9	258	253	36	-	203	4
18	Oswego	927	6	2	-	5	152	56	13	83	11	543	529	120	2	369	5
19	Fulton	176	1	-	-	1	26	10	1	15	3	109	106	25	1	73	1
20	Oswego	279	2	-	-	1	40	14	6	20	6	170	161	41	-	102	2
21	Balance of county	472	3	2	-	3	86	32	6	48	2	264	262	54	1	194	2
22	Otsego	688	1	-	-	1	95	30	13	52	14	434	429	92	-	306	11
23	Oneonta	181	-	-	-	-	31	10	3	18	7	105	102	22	-	72	2
24	Balance of county	507	1	-	-	1	64	20	10	34	7	329	327	70	-	234	9
25	Putnam	254	2	-	-	-	57	25	4	28	2	153	149	37	-	104	5
26	Rensselaer	1,822	19	3	-	2	276	112	36	128	44	1,137	1,116	227	1	822	21
27	Troy	1,042	16	1	-	1	161	71	24	66	28	632	620	142	-	442	15
28	Rensselaer	160	1	-	-	-	25	4	2	19	3	109	107	13	-	85	2
29	Balance of county	620	2	2	-	1	90	37	10	43	13	396	389	72	1	295	4
30	Rockland	916	4	2	1	3	142	51	17	74	23	522	512	84	-	402	12
31	St. Lawrence	1,144	4	5	1	3	138	39	17	82	27	654	648	139	-	468	7
32	Massena	130	-	2	1	1	17	3	4	10	4	73	71	14	-	47	-
33	Ogdensburg	172	2	1	-	-	25	7	4	14	8	96	95	23	-	69	2
34	Balance of county	842	2	2	-	2	96	29	9	58	15	485	482	102	-	352	5
35	Saratoga	989	5	2	-	1	156	51	25	80	18	576	562	118	-	409	13
36	Saratoga Springs	242	1	1	-	-	38	12	6	20	8	136	132	27	-	96	-
37	Balance of county	747	4	1	-	1	118	39	19	60	10	440	430	91	-	313	13
38	Schenectady	1,519	14	2	2	2	276	95	27	154	46	930	918	135	-	710	21
39	Schenectady	1,082	13	1	-	2	185	62	18	105	37	682	674	99	-	518	12
40	Balance of county	437	1	1	2	-	91	33	9	49	9	248	244	36	-	192	9
41	Schoharie	297	-	-	-	-	51	28	1	22	6	181	178	42	-	123	1
42	Schuyler	210	-	1	-	1	30	9	5	16	3	126	125	33	-	86	-
43	Seneca	352	4	-	-	4	45	19	3	23	7	200	195	43	-	141	1
44	Steuben	1,143	8	4	1	4	164	51	21	92	24	645	634	138	2	447	7
45	Corning	195	1	2	-	1	24	5	4	15	3	111	108	24	-	79	3
46	Hornell	187	1	-	-	-	38	13	6	19	3	100	99	27	-	67	1
47	Balance of county	761	6	2	1	3	102	33	11	58	18	434	427	87	2	301	3
48	Suffolk	3,614	27	3	3	18	629	240	93	296	60	2,048	2,028	345	3	1,559	48
49	Sullivan	548	8	-	1	1	80	26	12	42	12	328	311	48	-	247	8
50	Tioga	388	1	-	-	3	63	24	3	36	6	241	240	72	1	139	1
51	Tompkins	516	1	-	1	2	78	29	5	44	11	321	312	69	-	217	3
52	Ithaca	252	-	-	1	-	36	14	1	21	2	168	164	33	-	115	2
53	Balance of county	264	1	-	-	2	42	15	4	23	9	153	148	36	-	102	1
54	Ulster	1,282	6	3	-	2	223	79	32	112	23	738	718	127	-	545	18
55	Kingston	452	3	3	-	-	77	25	7	45	4	255	248	49	-	178	5
56	Balance of county	830	3	-	-	2	146	54	25	67	19	483	470	78	-	367	13
57	Warren	541	5	1	-	-	78	23	13	42	9	338	335	57	-	255	3
58	Glens Falls	288	2	-	-	-	38	15	8	15	4	179	178	26	-	134	2
59	Balance of county	273	3	1	-	-	40	8	5	27	5	159	157	31	-	121	1
60	Washington	631	5	1	-	2	86	33	12	41	5	400	396	70	-	300	3
61	Wayne	748	1	-	-	3	106	37	7	62	17	468	462	105	-	320	5
62	Newark	97	-	-	-	-	15	4	2	9	3	55	55	15	-	36	1
63	Balance of county	651	1	-	-	3	91	33	5	53	14	413	407	90	-	284	4
64	Westchester	6,753	45	11	6	17	1,395	535	193	667	116	3,729	3,684	606	8	2,870	89
65	Yonkers	1,666	15	2	1	4	336	129	50	157	38	920	904	120	3	727	32
66	Mount Vernon	752	5	2	-	1	151	54	20	77	18	406	401	62	-	316	16
67	New Rochelle	676	1	2	1	-	139	58	22	59	6	378	374	67	-	281	5
68	White Plains	533	5	1	-	1	117	39	13	65	11	290	287	44	-	232	5
69	Mamaroneck	158	-	-	-	-	40	18	6	16	2	87	85	14	-	67	2
70	Ossining	180	1	-	-	1	33	13	5	15	6	109	108	22	-	81	2
71	Peekskill	241	2	-	1	-	47	20	7	20	3	132	129	19	-	104	2
72	Port Chester	249	-	2	-	2	64	26	11	27	4	132	131	21	1	106	3
73	Rye	134	1	-	1	-	44	14	9	21	3	58	57	18	1	36	1
74	Scarsdale	143	-	-	1	-	34	10	3	21	-	82	80	17	-	60	-
75	Balance of county	2,021	15	2	1	8	390	154	47	189	25	1,135	1,128	202	3	860	21
76	Wyoming	379	1	2	-	1	57	17	4	36	7	237	233	61	-	148	2
77	Yates	251	1	-	-	1	36	17	5	14	7	161	154	39	-	110	4
78	NORTH CAROLINA	32,274	261	59	7	223	3,948	1,155	403	2,390	422	17,090	16,639	4,395	36	11,168	296
79	Metropolitan counties	7,462	57	16	3	28	1,033	315	122	596	77	4,065	3,984	959	5	2,763	92
80	Nonmetropolitan counties	24,812	204	43	4	195	2,915	840	281	1,794	345	13,025	12,655	3,436	31	8,405	204
81	Alamance	481	3	-	-	-	62	13	6	43	9	259	255	63	-	174	6
82	Burlington	158	1	-	-	-	19	5	2	12	-	88	86	20	-	59	1
83	Balance of county	323	2	-	-	-	43	8	4	31	9	171	169	43	-	115	5

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
67	13	25	1	4	-	5	7	1	3	3	-	-	3	13	-	4	5	2	-	14	1
174	26	45	3	9	3	3	9	2	-	1	-	1	8	25	1	21	17	4	-	21	2
703	146	231	12	42	15	24	44	17	8	33	5	3	19	74	8	48	71	20	6	160	3
356	61	85	3	13	5	11	24	10	4	19	2	3	8	37	-	18	36	9	4	79	4
101	36	55	3	11	-	4	3	3	1	3	1	-	4	12	1	7	6	4	2	18	5
246	49	91	6	18	10	9	17	4	3	11	2	-	7	25	7	23	29	7	-	63	6
1,314	96	146	15	101	34	35	78	28	17	36	3	3	53	150	8	60	90	39	1	260	7
934	67	91	13	74	20	21	52	22	14	26	1	3	36	92	5	33	48	22	1	172	8
380	29	55	2	27	14	14	26	6	3	10	2	-	17	58	3	27	42	17	-	88	9
231	32	45	7	15	8	3	17	5	5	11	-	1	11	20	3	19	16	11	-	35	10
64	4	17	2	7	2	2	1	3	1	7	-	1	4	7	-	6	3	2	-	11	11
167	28	28	5	8	6	1	16	2	4	4	-	-	7	13	3	13	13	9	-	24	12
652	107	99	11	47	18	16	39	15	3	25	2	-	24	68	16	45	73	19	4	120	13
146	12	20	3	16	3	8	8	5	-	6	-	-	10	12	11	9	20	2	1	24	14
111	25	13	3	4	2	-	9	1	-	-	-	-	-	7	2	10	9	4	-	18	15
395	70	66	5	27	13	8	22	9	3	19	2	-	14	49	3	26	44	13	3	78	16
134	25	40	5	6	3	5	5	2	1	6	1	2	4	13	-	12	8	3	1	28	17
271	40	53	4	28	6	14	22	4	2	8	-	1	17	41	3	12	46	9	-	43	18
50	10	12	-	5	2	3	3	1	2	-	-	-	4	8	1	2	5	1	-	9	19
74	9	17	1	14	3	9	4	1	-	6	-	1	3	11	2	2	15	2	-	13	20
147	21	24	3	9	1	2	15	2	-	2	-	-	10	22	-	8	26	6	-	21	21
233	28	34	4	19	8	5	8	11	4	1	-	1	7	13	8	10	20	12	-	48	22
57	9	4	1	6	1	3	3	3	4	-	-	-	3	2	-	3	5	4	-	11	23
176	19	30	3	13	7	2	5	8	-	1	-	1	4	11	8	7	15	8	-	37	24
64	10	25	-	7	1	4	4	2	-	1	-	-	2	3	2	5	3	1	-	17	25
640	63	98	19	37	10	21	32	18	6	28	2	1	19	50	2	24	56	17	2	84	26
335	30	62	11	17	8	12	22	12	3	17	-	-	14	29	2	9	30	6	1	58	27
72	8	3	-	7	2	2	-	1	1	3	-	-	1	6	-	2	3	-	-	5	28
233	25	33	8	13	-	7	10	5	2	8	2	1	4	15	-	13	23	11	1	21	29
305	58	27	7	14	5	10	22	6	4	11	3	-	10	35	6	19	37	9	1	56	30
366	45	50	11	26	4	6	32	7	4	6	2	-	13	62	4	25	51	21	2	83	31
37	6	4	3	6	1	2	4	-	1	1	1	-	2	7	-	1	6	-	-	9	32
61	-	6	-	3	-	1	4	1	-	1	-	-	1	9	1	4	7	3	-	9	33
268	39	40	8	17	3	3	24	6	3	4	1	-	10	46	3	20	38	18	2	65	34
317	34	45	6	22	7	14	28	10	2	8	2	-	12	27	13	17	34	15	-	63	35
82	10	4	-	8	1	4	9	3	1	1	-	-	4	6	7	1	11	2	-	13	36
235	24	41	6	14	6	10	19	7	1	7	2	-	8	21	6	16	23	13	-	50	37
579	55	55	15	44	14	12	21	9	4	12	-	-	24	43	1	9	31	24	1	68	38
420	47	39	10	36	11	8	15	8	4	6	-	-	13	30	1	3	20	14	1	47	39
159	8	16	5	8	3	4	6	1	-	6	-	-	11	13	-	6	11	10	-	21	40
89	16	17	-	13	-	3	3	3	1	1	-	-	3	7	3	7	8	4	-	19	41
61	12	13	1	4	1	1	5	1	-	1	1	-	3	2	-	5	11	3	-	17	42
90	15	35	1	10	-	5	9	1	2	3	1	-	6	20	2	10	18	2	-	18	43
323	42	75	8	33	6	11	21	11	3	6	1	1	8	42	4	30	52	17	2	95	44
48	9	19	1	2	2	3	4	3	1	1	-	1	2	8	-	4	7	3	-	19	45
54	8	4	-	4	1	1	5	-	-	1	-	-	-	7	2	4	11	-	-	15	46
221	25	52	7	27	3	7	12	8	2	4	1	-	6	27	2	22	34	14	2	61	47
1,222	157	132	24	85	12	20	68	17	13	46	2	6	69	151	9	100	69	44	8	204	48
175	18	46	6	5	5	17	7	8	2	2	-	1	6	15	1	9	15	7	-	45	49
110	8	20	4	20	4	1	6	4	2	3	1	-	8	12	-	4	11	2	-	21	50
169	28	17	8	14	4	9	10	5	-	6	1	1	8	14	4	5	10	9	1	28	51
88	18	7	5	8	3	4	4	5	-	5	-	1	-	6	1	2	5	4	-	12	52
81	10	10	3	6	1	5	6	-	-	1	1	-	8	8	3	3	5	5	1	16	53
374	64	89	9	31	6	20	25	15	6	11	1	1	9	42	1	19	45	17	1	94	54
131	23	19	4	13	4	7	9	4	4	9	1	-	3	17	1	7	17	3	1	34	55
243	41	70	5	18	2	13	16	11	2	2	-	1	6	25	-	12	28	14	-	60	56
192	17	43	8	13	2	3	6	7	3	1	1	1	8	12	-	12	20	8	-	31	57
97	12	23	8	9	1	1	2	4	-	-	1	-	2	7	-	5	6	2	-	16	58
95	5	20	-	4	1	2	4	3	3	1	-	1	6	5	-	7	14	6	-	15	59
230	36	31	2	22	2	4	15	3	1	4	3	-	1	22	2	11	25	13	-	32	60
237	50	28	9	25	3	6	9	5	1	9	2	1	6	20	-	25	24	6	3	42	61
24	8	3	2	2	-	-	2	3	-	2	2	-	1	3	-	-	2	2	1	6	62
213	42	25	7	23	3	6	7	2	1	7	-	1	5	17	-	25	22	4	2	36	63
2,181	355	245	41	110	49	45	153	60	27	98	8	5	87	197	58	69	166	64	8	434	64
523	116	56	10	32	12	16	44	14	7	26	4	3	21	45	10	18	48	15	1	94	65
223	37	40	5	13	5	5	27	10	1	9	1	-	9	27	3	4	17	5	1	55	66
234	28	14	9	12	5	4	14	7	4	11	1	2	8	22	8	8	16	7	2	39	67
167	39	21	-	9	2	3	12	5	1	5	1	-	11	14	7	4	9	5	2	32	68
49	11	5	1	1	2	2	6	1	-	4	-	-	-	3	3	-	-	-	-	12	69
61	8	10	2	-	3	1	3	-	1	2	-	-	4	2	-	-	5	1	-	12	70
84	5	13	-	6	-	3	8	3	2	5	-	-	3	8	-	5	8	1	-	13	71
91	8	4	1	-	2	1	2	3	-	3	-	-	2	6	3	4	4	3	-	15	72
29	5	1	-	2	-	1	2	-	1	2	-	-	2	7	1	-	2	2	-	8	73
50	9	1	1	1	1	2	3	1	1	2	1	-	-	4	-	1	2	1	-	10	74
670	89	80	12	34	17	7	32	16	9	29	-	-	27	59	23	25	55	24	2	144	75
122	9	15	1	22	1	4	1	6	-	4	1	-	4	6	1	12	6	7	-	26	76
83	5	18	3	1	1	7	5	2	-	3	1	1	-	10	-	4	6	2	-	11	77
6,652	2,226	1,994	272	517	251	451	1,215	142	256	184	65	96	511	1,906	678	1,217	1,325	330	334	2,005	78
1,796	483	392	72	110	75	81	277	52	47	52	16	12	103	445	53	208	258	67	90	503	79
4,856	1,743	1,602	200	407	176	370	938	90	209	132	49	84	408	1,461	625	1,009	1,067	263	244	1,502	80
130	17	21	6	7	5	4	15	5	2	3	1	2	12	28	6	21	12	3	6	32	81
45	6	7	3	1	3	2	3	3	1	1	-	1	4	9	3	8	7	1	1	8	82
85	11	14	3	6	2	2	12	2	1	2	1	1	8	19	3	13	5	2	5	24	83

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Alexander	99	1	-	-	1	16	7	1	8	2	42	41	20	1	16	-
2	Alleghany	81	-	-	-	-	9	2	1	6	-	44	40	15	-	24	-
3	Anson	207	2	2	-	2	32	10	1	21	1	98	92	18	-	67	1
4	Ashe	187	2	1	-	-	26	8	4	14	-	104	104	36	-	58	3
5	Avery	94	-	-	1	1	8	3	-	5	-	43	43	13	-	29	3
6	Beaufort	394	3	-	-	1	41	11	6	24	5	198	195	65	-	119	5
7	Bertie	231	5	-	-	4	22	9	3	10	1	120	112	44	-	61	4
8	Bladen	206	1	-	-	2	17	5	2	10	3	103	101	28	1	70	1
9	Brunswick	132	1	-	-	1	18	5	1	12	2	65	63	13	-	47	-
10	Buncombe	1,083	10	5	2	5	175	63	18	94	11	594	589	137	-	428	13
11	Asheville	587	8	5	-	2	98	36	10	52	6	315	311	68	-	233	4
12	Balance of county	496	2	-	2	3	77	27	8	42	5	279	278	69	-	195	9
13	Burke	250	2	-	1	2	34	11	3	20	6	133	129	37	1	86	3
14	Cabarrus	402	5	-	-	1	47	18	2	27	7	232	231	64	1	148	1
15	Concord	126	3	-	-	-	19	6	1	12	2	67	66	21	-	41	-
16	Balance of county	276	2	-	-	1	28	12	1	15	5	165	165	43	1	107	1
17	Caldwell	295	-	-	-	2	41	12	3	26	5	152	151	28	1	105	1
18	Camden	54	-	-	-	1	13	6	1	6	-	31	31	12	-	19	2
19	Carteret	221	1	-	-	1	33	9	2	22	7	115	110	27	-	80	-
20	Caswell	131	3	-	-	1	17	5	1	11	2	69	68	13	-	45	1
21	Catawba	440	2	-	-	4	53	16	3	34	7	235	233	46	-	179	9
22	Hickory	128	-	-	-	-	18	2	2	14	3	69	69	15	-	54	1
23	Balance of county	312	2	-	-	4	35	14	1	20	4	166	164	31	-	125	8
24	Chatham	216	2	1	-	-	24	8	5	11	3	134	132	31	-	83	-
25	Cherokee	142	-	-	-	2	20	7	1	12	2	75	73	12	-	57	2
26	Chowan	130	1	1	-	1	10	4	-	6	1	71	69	26	1	36	2
27	Clay	35	1	-	-	-	4	3	1	-	-	21	20	8	-	11	2
28	Cleveland	452	3	-	2	4	69	19	9	41	6	218	214	66	-	137	1
29	Shelby	139	1	-	2	2	27	5	5	17	3	65	65	16	-	45	-
30	Balance of county	313	2	-	-	2	42	14	4	24	3	153	149	50	-	92	1
31	Columbus	459	2	1	-	5	43	10	5	28	6	223	220	62	-	148	3
32	Craven	446	4	2	-	3	50	15	12	23	6	213	208	53	-	151	3
33	New Bern	215	3	1	-	1	27	9	4	14	3	117	114	25	-	86	2
34	Balance of county	231	1	1	-	2	23	6	8	9	3	96	94	28	-	65	1
35	Cumberland	717	4	1	-	11	70	18	4	48	10	310	296	87	-	182	4
36	Fayetteville	328	2	-	-	3	35	7	2	26	6	137	130	38	-	77	2
37	Balance of county	389	2	1	-	8	35	11	2	22	4	173	166	49	-	105	2
38	Currituck	80	-	-	-	-	11	3	1	7	1	53	53	4	-	47	1
39	Dare	43	-	-	-	-	5	3	-	2	-	27	26	7	-	19	-
40	Davidson	471	2	-	-	3	53	11	8	34	5	265	259	76	1	177	2
41	Lexington	117	-	-	-	1	7	1	-	6	2	66	62	17	-	45	-
42	Thomasville	87	2	-	-	-	9	-	2	7	1	45	45	18	1	26	2
43	Balance of county	267	-	-	-	2	37	10	6	21	2	154	152	41	-	106	-
44	Davie	128	2	-	-	2	18	6	1	11	1	75	71	23	-	45	-
45	Duplin	337	-	2	-	1	38	9	8	21	3	194	188	55	-	115	2
46	Durham	797	7	1	-	4	115	33	13	69	9	433	424	120	-	278	9
47	Durham	567	6	1	-	3	87	28	9	50	6	308	300	91	-	193	6
48	Balance of county	230	1	-	-	1	28	5	4	19	3	125	124	29	-	85	3
49	Edgecombe	449	9	-	-	1	35	7	1	27	2	236	228	61	-	145	2
50	Rocky Mount (part)	128	4	-	-	-	9	3	-	6	1	71	70	18	-	47	-
51	Balance of county	321	5	-	-	1	26	4	1	21	1	165	158	43	-	98	2
52	Forsyth	1,301	17	-	1	4	171	55	15	101	14	713	698	159	-	478	25
53	Winston-Salem	896	14	-	1	1	124	39	11	74	10	471	465	105	-	318	19
54	Balance of county	405	3	-	-	3	47	16	4	27	4	242	233	54	-	160	6
55	Franklin	279	3	-	-	3	30	8	6	16	8	162	158	43	-	106	1
56	Gaston	720	5	4	-	1	99	23	13	63	9	384	380	92	1	269	16
57	Gastonia	251	2	3	-	-	27	8	1	18	3	140	137	35	-	93	3
58	Balance of county	469	3	1	-	1	72	15	12	45	6	244	243	57	1	176	13
59	Gates	98	1	-	-	-	15	3	-	12	-	59	58	15	-	42	1
60	Graham	46	1	-	-	-	7	3	1	3	1	17	17	8	-	9	-
61	Granville	232	4	-	-	2	22	6	2	14	7	124	112	35	1	67	-
62	Greene	119	5	-	-	2	14	4	-	10	1	61	59	13	-	44	1
63	Guilford	1,497	8	4	-	3	205	64	26	115	15	843	821	222	-	548	19
64	Greensboro	631	5	3	-	1	96	28	12	56	7	353	345	89	-	237	8
65	High Point	359	-	-	-	1	47	17	7	23	3	201	192	59	-	119	7
66	Balance of county	507	3	1	-	1	62	19	7	36	5	289	284	74	-	192	4
67	Halifax	527	5	2	-	4	51	13	5	33	3	300	294	111	-	163	3
68	Harnett	398	6	1	-	4	44	22	4	18	3	208	203	54	2	132	1
69	Haywood	255	1	-	-	2	37	12	6	19	6	139	135	39	1	85	4
70	Henderson	271	1	1	-	1	55	16	4	35	3	131	129	38	-	82	4
71	Hertford	199	4	-	-	3	24	9	1	14	2	100	97	27	-	66	2
72	Hoke	106	1	3	-	2	5	1	-	4	1	51	50	17	1	30	-
73	Hyde	76	-	-	-	1	9	3	1	5	-	40	39	10	-	25	-
74	Iredell	460	-	1	-	2	61	19	4	38	8	269	258	57	2	180	3
75	Statesville	149	-	1	-	-	25	8	1	16	-	78	77	14	-	57	1
76	Balance of county	311	-	-	-	2	36	11	3	22	8	191	181	43	2	123	2
77	Jackson	145	-	-	-	1	24	9	2	13	-	68	66	12	-	51	2
78	Johnston	489	6	-	-	5	60	17	6	37	10	246	240	63	1	159	3
79	Jones	89	-	1	-	2	14	3	-	11	2	45	44	17	-	24	2
80	Lee	185	2	-	-	4	23	5	2	16	1	89	87	13	-	71	1
81	Sanford	102	1	-	-	3	16	3	2	11	1	48	47	6	-	39	-
82	Balance of county	83	1	-	-	1	7	2	-	5	-	41	40	7	-	32	1
83	Lenoir	403	1	-	-	3	44	13	5	26	7	214	212	75	-	127	1
84	Kinston	195	-	-	-	1	22	8	1	13	4	114	113	42	-	68	-
85	Balance of county	208	1	-	-	2	22	5	4	13	3	100	99	33	-	59	1
86	Lincoln	196	-	-	-	-	33	8	4	21	2	108	107	28	1	75	2
87	McDowell	156	-	-	-	3	16	5	1	10	5	67	65	17	1	43	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
10	5	1	1	2	1	1	3	-	-	-	1	-	3	4	12	2	4	-	1	7	1
8	2	14	-	-	1	4	5	-	-	-	-	-	-	1	1	4	6	1	1	9	2
26	28	12	2	2	3	6	10	-	-	1	1	-	2	9	17	8	8	2	-	12	3
28	11	16	-	9	1	-	4	-	-	3	-	-	5	4	10	6	6	3	-	13	4
24	-	2	-	1	-	-	4	-	-	-	-	-	2	2	21	2	-	2	1	7	5
56	21	37	-	9	2	3	23	-	3	2	1	1	3	26	13	20	25	2	3	24	6
33	10	14	-	6	1	8	9	-	3	1	-	1	4	11	12	9	13	-	4	12	7
32	26	11	-	1	1	2	8	-	-	-	-	-	3	23	2	13	13	2	2	14	8
19	10	18	2	-	1	2	4	-	2	1	-	1	-	11	6	7	5	-	2	6	9
304	62	49	8	11	5	5	49	9	7	4	3	-	9	45	6	30	32	7	8	72	10
163	39	27	3	4	3	4	26	7	3	4	2	-	2	17	5	16	19	2	6	44	11
141	23	22	5	7	2	1	23	2	4	-	1	-	7	28	1	14	13	5	2	28	12
61	16	6	-	4	1	4	14	2	1	1	-	1	2	7	10	12	9	1	2	10	13
91	39	17	4	6	8	1	19	3	1	2	-	2	4	15	2	10	17	5	3	27	14
23	9	9	1	2	1	1	5	1	1	1	-	-	-	7	1	1	8	1	1	8	15
68	30	8	3	4	7	-	14	2	-	1	-	2	4	8	1	9	9	4	2	19	16
64	22	19	5	8	3	1	9	1	3	1	-	2	5	17	5	14	11	4	2	21	17
11	1	5	-	-	-	-	2	-	-	-	-	-	-	2	-	1	-	2	-	2	18
51	10	19	1	1	1	5	4	2	1	-	1	-	3	10	7	11	8	4	-	13	19
28	8	8	3	5	2	1	6	1	-	-	-	1	1	6	2	4	2	3	2	11	20
91	39	40	3	4	1	2	10	3	3	2	1	1	3	22	14	26	24	7	2	21	21
35	8	10	-	-	-	-	2	1	-	-	-	-	-	7	4	6	7	3	1	7	22
56	31	30	3	4	1	2	8	2	3	2	1	1	3	15	10	20	17	4	1	14	23
54	17	12	3	13	2	2	2	-	2	-	-	-	3	13	1	6	6	3	4	12	24
28	13	14	-	3	1	2	5	-	-	-	-	1	1	13	5	6	7	2	-	3	25
19	5	10	1	5	-	2	6	-	-	1	-	1	1	8	4	4	9	-	-	11	26
6	-	3	1	-	-	1	1	-	-	1	-	-	1	1	1	-	1	-	-	3	27
92	20	24	1	8	2	4	24	1	6	1	-	2	7	23	6	24	25	1	4	26	28
30	5	10	1	2	1	-	6	-	-	-	-	1	1	7	-	6	10	-	2	6	29
62	15	14	-	6	1	4	18	1	6	1	-	1	6	16	6	18	15	1	2	20	30
63	35	47	4	5	1	3	19	-	7	1	5	4	8	34	13	29	23	2	9	25	31
99	26	23	-	3	1	5	15	-	5	6	-	1	7	44	3	19	35	4	7	22	32
58	14	12	-	2	1	3	8	-	4	3	-	-	2	18	1	3	10	1	4	9	33
41	12	11	-	1	-	2	7	-	1	3	-	1	5	26	2	16	25	3	3	13	34
94	46	38	3	16	8	14	28	4	8	2	1	4	23	74	56	25	32	8	10	36	35
42	17	16	2	10	3	7	13	4	3	2	-	3	10	41	25	5	15	5	2	17	36
52	29	22	1	6	5	7	15	-	5	-	1	1	13	33	31	20	17	3	8	19	37
22	4	20	-	1	1	-	4	-	1	-	-	1	1	1	-	1	3	-	1	2	38
15	1	3	-	-	-	1	3	-	1	-	1	-	1	1	-	1	2	-	1	-	39
120	32	23	-	4	1	6	9	3	1	4	4	3	8	23	3	21	26	5	2	31	40
31	5	9	-	-	-	4	3	2	-	1	2	1	1	8	1	4	7	-	1	10	41
12	11	1	-	-	-	-	1	-	-	-	-	-	1	5	2	5	5	2	-	9	42
77	16	13	-	4	1	2	5	1	1	3	2	2	6	10	-	12	14	3	1	12	43
34	5	6	1	2	-	4	3	-	-	2	1	-	1	3	1	7	2	1	-	9	44
57	19	37	6	11	1	6	12	-	1	1	1	-	10	15	9	16	14	2	4	14	45
171	69	29	1	17	8	9	23	3	6	9	-	2	9	47	16	21	23	15	5	49	46
115	57	15	1	11	4	8	15	2	4	6	-	1	6	39	11	11	15	9	3	34	47
56	12	14	-	6	4	1	8	1	2	3	-	1	3	8	5	10	8	6	2	15	48
84	32	27	5	15	2	8	17	-	7	4	1	3	7	33	12	17	27	4	4	30	49
32	6	9	-	4	1	1	4	-	1	2	1	1	3	11	2	3	5	3	-	7	50
52	26	18	5	11	1	7	13	-	6	2	-	2	4	22	10	14	22	1	4	23	51
310	82	61	21	27	13	15	43	11	9	12	5	1	17	80	11	30	35	7	20	100	52
201	63	35	18	15	9	6	30	9	8	10	4	1	8	54	8	23	28	4	17	71	53
109	19	26	3	12	4	9	13	2	1	2	1	-	9	26	3	7	7	3	3	29	54
69	24	12	4	5	-	4	8	-	2	3	1	-	4	18	2	11	9	2	5	8	55
178	32	43	4	6	8	4	22	4	3	3	1	2	18	50	3	18	34	7	3	50	56
66	9	15	1	3	5	3	6	2	-	1	-	1	5	20	2	9	10	4	1	15	57
112	23	28	3	3	3	1	16	2	3	2	1	1	13	30	1	9	24	3	2	35	58
21	13	7	-	-	1	1	-	1	-	-	-	-	1	3	5	8	2	1	1	1	59
5	3	1	-	-	-	-	3	1	-	-	-	-	1	4	6	1	-	2	-	2	60
26	14	27	1	7	1	12	6	1	4	4	1	1	3	11	9	8	8	2	3	12	61
18	15	10	1	-	1	2	3	2	1	1	-	-	-	9	2	7	5	2	1	3	62
365	85	79	17	21	13	22	59	17	5	4	2	2	19	73	5	36	62	10	20	105	63
167	35	27	11	3	5	8	27	6	2	1	-	1	8	25	1	12	21	2	12	48	64
81	21	10	3	8	3	9	9	6	3	1	-	1	5	21	-	10	14	2	3	32	65
117	29	42	3	10	5	5	23	5	-	2	2	-	6	27	4	14	27	6	5	25	66
82	54	24	4	10	6	6	25	-	11	4	-	2	8	33	7	18	20	4	2	28	67
85	27	19	4	9	2	5	15	1	3	2	2	2	8	19	3	17	12	4	9	25	68
54	18	9	-	5	5	4	16	1	1	1	1	1	2	8	-	3	12	6	-	18	69
56	8	14	-	4	5	2	13	2	4	2	-	-	4	17	2	5	12	1	1	16	70
28	21	15	1	2	1	3	11	1	3	3	-	1	-	13	1	8	8	1	2	14	71
18	8	4	2	-	-	1	6	-	-	-	-	-	3	6	9	6	3	-	-	10	72
17	3	5	-	4	-	1	4	-	-	1	1	1	1	2	2	4	5	-	-	5	73
83	39	55	8	8	3	11	20	4	1	-	-	1	3	28	-	9	15	3	4	31	74
28	16	12	1	3	2	1	7	3	1	-	-	1	3	8	-	3	7	-	1	11	75
55	23	43	7	5	1	10	13	1	-	-	-	-	-	20	-	6	8	3	3	20	76
41	6	2	-	2	1	2	6	-	2	1	-	1	7	2	3	10	5	6	-	9	77
92	37	27	4	8	5	6	12	1	3	2	1	1	4	19	12	24	22	7	10	44	78
10	7	5	1	-	2	1	2	-	1	1	-	3	-	7	2	2	1	-	1	5	79
41	19	10	1	2	-	2	7	1	1	-	-	1	4	9	1	7	11	1	3	20	80
25	10	4	1	1	-	1	4	-	1	-	-	1	3	5	1	2	3	-	1	12	81
16	9	6	-	1	-	1	3	1	-	-	-	-	1	4	-	5	8	1	2	8	82
65	32	29	2	6	2	2	17	-	1	2	1	1	11	27	3	11	22	4	6	28	83
32	19	17	-	3	-	1	5	-	-	1	1	-	5	11	-	3	12	-	2	14	84
33	13	12	2	3	2	1	12	-	1	1	-	1	6	16	3	8	10	4	4	14	85
46	14	13	-	2	1	1	5	-	2	-	-	-	4	7	4	4	7	4	3	13	86
21	8	13	1	2	1	2	5	1	-	-	-	1	2	14	17	8	5	3	-	9	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA--Con.																
1	Macon	100	-	-	-	-	13	1	-	12	3	53	50	10	1	37	3
2	Madison	146	-	-	-	-	13	4	-	9	-	82	79	22	-	52	4
3	Martin	193	2	-	-	4	13	3	1	9	2	102	101	21	-	73	-
4	Mecklenburg	1,620	5	5	-	8	219	63	28	128	15	867	846	181	3	609	17
5	Charlotte	1,179	4	3	-	7	157	44	22	91	12	626	613	129	3	442	8
6	Balance of county	441	1	2	-	1	62	19	6	37	3	241	233	52	-	167	9
7	Mitchell	112	3	-	-	2	18	5	2	11	2	54	54	13	-	38	3
8	Montgomery	142	-	-	-	2	14	6	1	7	2	81	78	24	-	49	1
9	Moore	276	4	1	-	3	26	11	5	10	5	147	145	41	-	96	2
10	Nash	569	6	-	-	7	63	16	8	39	7	286	278	76	-	187	6
11	Rocky Mount (part)	184	1	-	-	1	28	8	2	18	2	102	99	25	-	64	2
12	Rocky Mount (total)	312	5	-	-	1	37	11	2	24	3	173	169	43	-	111	2
13	Balance of county	365	5	-	-	6	35	8	6	21	5	184	179	51	-	123	4
14	New Hanover	651	5	2	-	3	88	21	19	48	3	330	323	102	-	194	1
15	Wilmington	509	3	2	-	2	62	12	10	40	3	265	259	85	-	151	1
16	Balance of county	142	2	-	-	1	26	9	9	8	-	65	64	17	-	43	-
17	Northampton	213	5	-	-	2	21	3	1	17	1	118	113	33	-	69	-
18	Onslow	274	3	-	-	3	18	4	2	12	2	107	102	25	-	68	4
19	Orange	204	1	-	-	1	33	9	3	21	2	110	108	37	-	66	2
20	Pamlico	85	-	-	-	-	4	2	-	2	-	54	49	9	-	34	2
21	Pasquotank	238	4	-	-	6	35	8	5	22	1	119	118	18	-	96	1
22	Elizabeth City	172	3	-	-	5	30	5	5	20	1	88	87	11	-	73	-
23	Balance of county	66	1	-	-	1	5	3	-	2	-	31	31	7	-	23	1
24	Pender	162	2	-	-	-	17	4	3	10	1	80	78	26	-	43	1
25	Perquimans	102	3	1	-	-	9	1	1	7	1	57	57	22	-	35	2
26	Person	190	1	-	-	-	22	8	1	13	4	93	91	17	1	68	1
27	Pitt	519	10	2	-	6	41	7	4	30	6	286	280	61	2	209	6
28	Greenville	154	4	-	-	1	16	2	3	11	1	98	98	20	-	75	3
29	Balance of county	365	6	2	-	5	25	5	1	19	5	188	182	41	2	134	3
30	Polk	99	-	-	-	-	17	6	2	9	2	54	53	18	-	32	2
31	Randolph	363	1	1	-	3	51	15	8	28	6	199	195	45	-	141	2
32	Richmond	340	1	1	-	3	35	5	4	26	8	197	193	55	1	126	-
33	Robeson	708	5	4	-	11	56	11	6	39	10	314	301	101	-	183	2
34	Rockingham	486	2	-	-	3	61	23	4	34	6	266	258	66	2	177	5
35	Reidsville	97	-	-	-	1	10	6	2	2	-	50	47	16	-	30	2
36	Balance of county	389	2	-	-	2	51	17	2	32	6	216	211	50	2	147	3
37	Rowan	571	5	2	-	2	75	25	4	46	14	339	333	83	-	228	3
38	Salisbury	188	2	2	-	1	21	7	1	13	2	114	113	29	-	77	-
39	Balance of county	383	3	-	-	1	54	18	3	33	12	225	220	54	-	151	3
40	Rutherford	341	1	-	-	2	52	21	4	27	1	202	197	66	-	115	4
41	Sampson	405	-	-	-	6	44	16	1	27	8	212	206	57	-	136	1
42	Scotland	244	2	-	-	1	25	7	1	17	5	130	129	24	-	94	2
43	Stanly	281	2	-	-	1	38	10	5	23	7	141	135	40	-	91	-
44	Albemarle	103	1	-	-	-	10	3	1	6	2	59	57	15	-	42	-
45	Balance of county	178	1	-	-	1	28	7	4	17	5	82	78	25	-	49	-
46	Stokes	146	1	-	-	1	23	7	-	16	-	72	70	11	-	53	1
47	Surry	320	4	1	-	2	48	14	2	32	-	167	167	51	-	106	4
48	Swain	79	1	-	-	2	6	1	-	5	-	45	45	16	-	25	2
49	Transylvania	100	1	-	-	2	21	6	-	15	1	53	50	9	-	36	-
50	Tyrrell	51	-	-	-	1	3	2	-	1	-	33	33	1	-	31	-
51	Union	350	3	-	-	1	39	10	2	27	12	182	168	32	3	120	4
52	Monroe	93	-	-	-	-	6	2	1	3	3	49	46	7	-	35	2
53	Balance of county	257	3	-	-	1	33	8	1	24	9	133	122	25	3	85	2
54	Vance	235	1	1	-	2	26	8	3	15	2	119	114	29	-	79	-
55	Henderson	107	1	-	-	1	12	4	-	8	-	56	56	13	-	41	-
56	Balance of county	128	-	1	-	1	14	4	3	7	2	63	58	16	-	38	-
57	Wake	1,164	10	1	-	4	148	37	22	89	13	615	606	140	2	422	9
58	Raleigh	616	8	1	-	1	89	21	14	54	8	329	325	82	-	223	7
59	Balance of county	548	2	-	-	3	59	16	8	35	5	286	281	58	2	199	2
60	Warren	178	-	-	-	3	21	11	-	10	4	94	92	32	-	52	4
61	Washington	118	2	-	-	-	8	2	1	5	3	70	67	20	-	44	-
62	Watauga	146	2	-	-	-	19	7	3	9	3	75	72	18	-	48	1
63	Wayne	528	6	2	-	5	56	17	5	34	11	290	283	75	-	184	4
64	Goldsboro	213	4	1	-	3	17	8	2	7	7	118	113	27	-	70	1
65	Balance of county	315	2	1	-	2	39	9	3	27	4	172	170	48	-	114	3
66	Wilkes	348	1	1	-	1	41	12	2	27	4	187	184	44	1	132	7
67	Wilson	482	5	-	-	2	39	6	3	30	9	249	207	54	-	139	-
68	Wilson	251	4	-	-	1	19	2	1	16	8	132	102	19	-	75	-
69	Balance of county	231	1	-	-	1	20	4	2	14	1	117	105	35	-	64	-
70	Yadkin	163	1	-	-	-	22	7	1	14	5	82	79	19	1	55	2
71	Yancey	105	1	-	-	-	15	3	1	11	-	54	54	16	1	33	3
72	NORTH DAKOTA	5,270	21	6	1	18	781	297	77	407	82	2,836	2,791	652	5	1,915	80
73	Nonmetropolitan counties	5,270	21	6	1	18	781	297	77	407	82	2,836	2,791	652	5	1,915	80
74	Adams	49	-	1	-	-	6	2	-	4	2	28	27	8	-	18	4
75	Barnes	163	-	-	-	-	29	14	-	15	3	98	98	22	-	70	1
76	Benson	97	1	-	-	-	14	3	4	7	-	55	54	10	-	33	1
77	Billings	11	-	-	-	-	1	-	-	1	-	6	6	-	-	6	-
78	Bottineau	98	-	-	-	-	12	4	3	5	2	59	58	18	-	35	2
79	Bowman	53	-	-	-	-	8	5	1	2	-	28	28	9	-	17	1
80	Burke	60	1	-	-	-	8	2	-	6	-	40	39	14	-	22	1
81	Burleigh	225	2	1	-	-	30	9	1	20	3	112	112	12	-	89	4
82	Bismarck	176	2	-	-	-	24	8	-	16	2	94	94	11	-	73	2
83	Balance of county	49	-	1	-	-	6	1	1	4	1	18	18	1	-	16	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
22	8	4	1	1	-	3	3	1	1	-	-	1	1	5	6	2	3	1	1	6	1
36	4	8	1	2	2	3	8	1	-	-	-	-	2	7	5	8	4	1	2	13	2
32	25	16	2	1	4	1	8	-	-	-	1	3	2	13	9	5	14	2	3	10	3
419	117	56	9	21	23	21	61	6	12	13	6	4	28	122	4	43	63	15	22	102	4
303	93	38	7	14	18	13	40	6	12	10	5	2	23	92	-	31	46	11	16	76	5
116	24	18	2	7	5	8	21	-	-	3	1	2	5	30	4	12	17	4	6	26	6
19	9	7	1	1	1	-	1	3	2	-	-	-	1	2	9	3	3	1	-	8	7
31	9	8	2	1	2	3	2	1	2	1	-	-	2	7	4	6	5	1	4	8	8
61	18	15	2	3	3	2	8	-	1	3	-	-	1	16	10	16	14	5	1	15	9
122	38	21	8	3	4	8	20	-	6	3	1	2	14	44	13	24	21	7	2	43	10
41	12	9	5	2	3	3	5	-	3	2	-	-	5	8	3	5	9	-	-	10	11
73	18	18	5	6	4	4	9	-	4	4	1	1	8	19	5	8	14	3	-	17	12
81	26	12	3	1	1	5	15	-	3	1	1	2	9	36	10	19	12	7	2	33	13
135	25	33	10	11	6	7	26	1	3	8	-	3	4	54	8	19	32	7	10	45	14
100	20	30	9	8	6	6	16	1	3	6	-	3	3	40	8	13	23	7	8	41	15
35	5	3	1	3	-	1	10	-	-	2	-	-	1	14	-	6	9	-	2	4	16
36	19	14	3	8	-	5	5	-	2	-	2	-	1	20	1	7	11	3	1	13	17
43	7	14	-	6	3	5	9	1	2	3	-	-	10	48	2	28	15	6	3	14	18
37	17	10	1	3	1	2	5	-	-	-	-	-	3	11	1	7	14	4	2	10	19
16	4	12	-	4	2	5	3	-	2	-	1	-	3	6	-	2	5	1	-	4	20
61	19	15	2	1	1	1	14	1	2	3	-	1	2	11	-	9	13	1	-	16	21
45	17	11	2	1	-	1	8	-	2	1	-	1	1	8	-	5	6	1	-	12	22
16	2	4	-	-	1	-	6	1	-	2	-	-	1	3	-	4	7	-	-	4	23
18	11	13	1	6	2	2	9	1	2	-	-	-	3	16	1	4	10	2	3	11	24
19	3	11	-	-	-	-	2	-	1	-	-	-	2	11	3	4	2	-	1	5	25
31	14	22	2	1	2	2	13	2	1	-	1	-	6	11	2	14	6	3	2	9	26
88	75	40	2	4	2	6	26	2	6	2	2	-	12	32	9	16	18	6	7	30	27
41	17	14	1	1	1	-	6	-	1	1	1	-	2	3	3	2	4	3	1	7	28
47	58	26	1	3	1	6	20	2	5	1	1	-	10	29	6	14	14	3	6	23	29
16	8	6	1	1	1	1	4	2	-	-	-	-	-	5	-	6	4	1	1	3	30
85	31	23	4	4	1	4	11	-	1	6	-	2	3	18	3	23	12	5	5	13	31
73	36	17	4	5	2	4	9	1	3	-	1	-	4	13	5	15	15	1	5	23	32
101	54	26	8	5	4	13	34	1	14	4	-	4	9	50	71	24	27	10	17	43	33
88	32	52	3	7	3	8	20	7	1	3	1	2	6	26	5	19	14	7	6	31	34
9	7	12	-	-	1	3	6	4	-	-	-	-	1	5	-	4	7	1	1	7	35
79	25	40	3	7	2	5	14	3	1	3	1	2	5	21	5	15	7	6	5	24	36
158	32	35	5	12	5	6	19	4	2	1	1	2	10	18	3	22	16	3	5	28	37
52	17	8	-	5	2	1	10	-	-	-	1	-	2	5	2	6	5	1	2	12	38
106	15	27	5	7	3	5	9	4	2	1	-	2	8	13	1	16	11	2	3	16	39
68	13	30	4	8	4	5	13	2	5	1	-	-	7	10	2	11	9	2	2	19	40
83	30	22	3	6	4	6	12	-	7	2	2	1	9	22	3	23	25	5	4	20	41
41	29	22	2	8	1	1	8	1	5	2	-	-	4	17	8	8	7	1	5	15	42
77	8	6	1	2	1	6	8	-	1	2	3	-	7	15	18	12	9	5	1	11	43
37	1	4	-	-	-	2	2	-	-	1	2	-	2	7	5	7	1	1	-	3	44
40	7	2	1	2	1	4	6	-	1	1	1	-	5	8	13	5	8	4	1	8	45
27	18	7	4	-	2	2	11	1	2	1	-	-	1	6	-	7	8	2	2	8	46
48	25	29	4	5	1	-	12	1	1	1	-	-	1	12	10	20	13	4	1	22	47
19	2	2	2	2	-	-	2	1	-	-	1	-	2	6	1	5	-	1	2	4	48
16	13	7	4	1	-	3	2	1	1	1	-	-	1	5	-	3	1	1	-	6	49
12	8	11	-	1	-	-	1	-	1	-	-	-	-	2	2	2	3	-	-	3	50
75	26	15	-	11	2	14	12	-	5	1	-	1	8	13	5	18	19	6	1	24	51
21	9	3	-	3	1	3	4	-	3	-	-	-	2	3	2	4	7	2	-	8	52
54	17	12	-	8	1	11	8	-	2	1	-	1	6	10	3	14	12	4	1	16	53
41	23	15	1	2	3	5	11	-	5	-	-	2	4	11	11	15	11	-	3	11	54
25	9	7	-	-	2	-	2	-	2	-	-	1	4	6	4	7	4	-	1	6	55
16	14	8	1	2	1	5	9	-	3	-	-	1	-	5	7	8	7	-	2	5	56
227	68	118	16	13	13	9	42	6	8	10	-	3	21	78	11	48	43	13	15	75	57
118	27	71	9	8	3	4	20	3	3	3	-	1	12	48	4	15	16	3	8	44	58
109	41	47	7	5	10	5	22	3	5	7	-	2	9	30	7	33	27	10	7	31	59
23	18	7	3	5	-	2	5	-	2	-	-	2	1	11	4	9	9	3	-	10	60
15	8	21	1	-	2	3	2	-	4	-	-	-	1	4	8	4	9	-	1	2	61
33	6	8	-	3	3	3	7	-	2	-	1	-	5	5	1	7	6	4	1	8	62
105	27	48	6	17	1	7	23	3	5	3	1	2	10	23	7	14	18	7	2	40	63
41	6	22	5	10	1	5	13	2	1	3	-	1	2	10	1	3	8	-	1	18	64
64	21	26	1	7	-	2	10	1	4	-	1	1	8	13	6	11	10	7	1	22	65
68	39	18	2	2	3	3	21	2	-	6	-	-	9	19	10	11	9	1	4	21	66
104	22	13	8	6	-	42	18	2	6	4	1	5	14	42	2	6	25	10	3	40	67
56	10	9	3	5	-	30	8	-	3	2	-	2	10	23	2	1	15	2	1	18	68
48	12	4	5	1	-	12	10	2	3	2	1	3	4	19	-	5	10	8	2	22	69
44	4	5	1	2	1	3	3	1	2	1	-	-	3	2	13	10	5	-	-	13	70
23	4	3	1	3	-	-	5	-	-	-	-	-	1	2	3	6	10	-	-	8	71
1,371	183	281	41	126	52	45	152	26	23	39	12	5	89	273	56	171	247	49	5	378	72
1,371	183	261	41	126	52	45	152	26	23	39	12	5	89	273	56	171	247	49	5	378	73
10	-	4	1	-	-	1	-	-	-	1	-	-	-	2	1	-	4	-	-	4	74
40	11	18	2	4	-	-	6	1	-	-	1	-	1	11	-	3	4	1	-	5	75
21	6	5	1	8	2	1	1	2	1	2	-	-	1	4	-	3	8	-	-	5	76
5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	77
26	3	4	-	3	2	1	3	-	1	1	-	-	1	7	-	1	1	1	-	9	78
11	1	4	-	2	-	-	1	-	-	-	-	-	2	2	3	2	2	2	-	3	79
16	2	3	1	2	-	1	3	-	-	-	-	-	2	-	-	-	4	-	-	2	80
71	9	5	1	4	6	-	8	3	-	1	1	1	9	15	8	6	7	2	-	16	81
59	9	3	1	4	5	-	7	2	-	-	1	-	8	13	4	3	5	2	-	9	82
12	-	2	-	-	1	-	1	1	-	1	-	1	1	2	4	3	2	-	-	7	83

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH DAKOTA—Continued																
1	Cass	527	-	1	-	1	71	22	8	41	4	306	302	87	1	189	9
2	Fargo	374	-	1	-	-	46	13	5	28	2	215	212	60	1	134	6
3	Balance of county	153	-	-	-	1	25	9	3	13	2	91	90	27	-	55	3
4	Cavalier	93	1	-	-	-	10	2	-	8	1	57	56	19	-	33	-
5	Dickey	82	-	-	-	-	14	8	1	5	-	44	43	5	-	37	-
6	Divide	55	-	-	-	-	15	8	-	7	1	27	26	2	-	24	-
7	Dunn	60	-	-	-	-	12	5	-	7	-	25	24	6	-	16	1
8	Eddy	32	-	-	-	-	6	1	1	4	-	19	19	5	-	14	-
9	Emmons	89	-	-	-	1	6	4	-	2	3	34	34	6	-	23	1
10	Foster	42	1	-	-	-	6	1	2	3	-	23	23	5	-	16	-
11	Golden Valley	23	-	-	-	-	6	2	-	4	-	13	13	4	-	8	2
12	Grand Forks	349	4	1	-	1	42	11	7	24	7	195	194	37	1	143	9
13	Grand Forks	233	2	1	-	1	26	9	4	13	6	127	126	26	1	90	8
14	Balance of county	116	2	-	-	-	16	2	3	11	1	68	68	11	-	53	1
15	Grant	44	-	-	-	-	8	3	3	2	2	26	24	6	-	17	2
16	Griggs	65	-	-	-	1	9	4	-	5	2	31	31	9	-	22	1
17	Hettinger	53	-	-	-	-	5	1	1	3	3	29	29	7	-	22	2
18	Kidder	39	1	-	-	-	4	1	-	3	-	25	25	8	-	15	1
19	La Moure	70	1	-	-	-	9	4	1	4	1	43	43	8	-	34	1
20	Logan	34	-	-	-	-	4	3	-	1	-	21	20	3	-	14	1
21	McHenry	108	-	-	-	-	20	4	1	15	-	60	58	14	-	42	1
22	McIntosh	54	-	-	-	-	10	6	1	3	-	24	24	7	-	15	1
23	McKenzie	70	1	-	-	-	13	4	1	8	-	34	33	6	-	22	1
24	McLean	120	-	-	-	1	22	10	-	12	2	64	62	8	-	51	3
25	Mercer	63	-	-	-	-	10	3	-	7	-	30	30	6	-	20	-
26	Morton	170	-	-	-	-	20	4	4	12	2	101	97	29	-	56	2
27	Mountrail	99	1	-	-	2	12	10	-	2	4	51	51	16	-	33	3
28	Nelson	66	-	-	-	-	12	5	1	6	2	32	31	9	-	20	1
29	Oliver	10	-	-	-	-	2	1	-	1	-	8	8	2	-	6	-
30	Pembina	99	1	-	-	-	16	8	1	7	2	46	46	11	-	35	1
31	Pierce	47	-	-	-	-	8	4	-	4	2	23	23	3	-	18	-
32	Ramsey	138	-	1	-	-	31	10	3	18	1	70	70	24	-	40	2
33	Ransom	82	-	-	-	1	8	3	-	5	1	54	53	9	-	39	1
34	Renville	44	-	-	-	-	6	2	-	4	-	30	29	8	1	16	-
35	Richland	174	-	-	-	1	35	15	6	14	6	92	89	19	-	59	4
36	Rolette	109	2	1	-	1	18	4	4	10	1	37	34	12	-	19	1
37	Sargent	70	-	-	-	-	8	2	2	4	-	39	39	8	-	30	-
38	Sheridan	25	-	-	-	-	1	-	-	1	-	13	13	3	-	8	-
39	Sioux	35	-	-	-	2	1	-	-	1	1	11	11	2	-	9	-
40	Slope	22	-	-	-	-	3	2	-	1	-	15	13	2	-	11	-
41	Stark	129	-	-	-	1	18	5	3	10	10	63	62	13	-	44	2
42	Steele	46	-	-	-	-	12	7	1	4	1	24	24	4	-	20	1
43	Stutsman	184	-	-	-	2	27	12	5	10	-	123	120	22	-	86	3
44	Jamestown	109	-	-	-	1	15	7	2	6	-	78	76	15	-	52	2
45	Balance of county	75	-	-	-	1	12	5	3	4	-	45	44	7	-	34	1
46	Towner	47	-	-	1	-	7	2	1	4	1	22	22	4	-	17	-
47	Traill	107	1	-	-	2	15	8	1	6	3	64	63	14	-	45	-
48	Walsh	177	-	-	-	-	20	10	2	8	2	94	91	26	1	57	1
49	Ward	349	1	-	-	1	46	24	2	20	5	159	159	33	-	114	5
50	Minot	243	-	-	-	1	36	18	2	16	4	106	106	21	-	78	2
51	Balance of county	106	1	-	-	-	10	6	-	4	1	53	53	12	-	36	3
52	Wells	70	-	-	-	-	17	6	-	11	-	33	33	10	-	21	2
53	Williams	163	2	-	-	-	28	7	5	16	2	76	75	18	1	45	1
54	OHIO	85,478	673	274	36	291	13,862	4,981	1,689	7,192	1,917	46,843	46,108	10,411	61	31,822	1,077
55	Metropolitan counties	56,849	492	202	28	192	9,638	3,462	1,302	4,874	1,343	30,401	29,921	6,463	44	20,895	777
56	Nonmetropolitan counties	28,629	181	72	8	99	4,224	1,519	387	2,318	574	16,442	16,187	3,948	17	10,927	300
57	Adams	194	3	-	-	-	25	8	1	16	5	110	106	30	-	61	4
58	Allen	894	5	3	-	2	146	58	13	75	15	490	479	126	-	316	6
59	Lima	574	5	2	-	2	111	41	12	58	7	297	292	71	-	198	4
60	Balance of county	320	-	1	-	-	35	17	1	17	8	193	187	55	-	118	2
61	Ashland	341	-	-	-	2	37	14	5	18	10	213	209	49	-	143	3
62	Ashland	165	-	-	-	1	15	4	1	10	1	101	100	24	-	67	1
63	Balance of county	176	-	-	-	1	22	10	4	8	9	112	109	25	-	76	2
64	Ashtabula	926	4	1	-	2	168	68	11	89	19	474	468	116	1	321	9
65	Ashtabula	247	1	1	-	-	50	21	2	27	5	127	123	31	-	81	4
66	Conneaut	117	1	-	-	-	21	9	-	12	1	59	59	15	-	41	2
67	Balance of county	562	2	-	-	2	97	38	9	50	13	288	286	70	1	199	3
68	Athens	500	2	4	-	3	74	27	4	43	13	288	278	73	-	186	7
69	Athens	114	-	-	-	-	22	9	-	13	1	67	65	17	-	43	1
70	Balance of county	386	2	4	-	3	52	18	4	30	12	221	213	56	-	143	6
71	Auglaize	372	3	1	-	2	44	15	-	29	10	202	195	52	1	125	-
72	Belmont	991	5	3	-	3	168	54	26	88	23	560	552	122	2	386	4
73	Bellaire	149	-	-	-	-	22	3	3	16	8	87	85	14	-	67	-
74	Martins Ferry	142	1	1	-	-	28	10	5	13	2	84	82	11	-	55	1
75	Balance of county	700	4	2	-	3	118	41	18	59	13	389	385	97	2	264	3
76	Brown	265	2	-	-	-	43	14	5	24	2	134	131	33	-	93	3
77	Butler	1,428	12	4	2	10	209	74	19	116	27	755	741	150	2	522	15
78	Hamilton	661	5	1	-	5	102	37	10	55	17	344	336	66	2	244	3
79	Middletown	334	3	-	1	2	51	19	4	28	4	171	170	39	-	112	3
80	Balance of county	433	4	3	1	3	56	18	5	33	6	240	235	45	-	166	9
81	Carroll	193	-	2	-	-	24	11	8	5	1	122	121	18	1	87	1
82	Champaign	328	1	-	-	3	47	17	4	26	8	183	181	49	-	127	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
156	10	14	4	15	6	4	9	2	3	4	-	-	11	29	4	12	21	6	1	42	1
110	8	10	3	9	5	3	7	2	2	4	-	-	9	22	4	9	16	5	1	29	2
46	2	4	1	6	1	1	2	-	1	-	-	-	2	7	-	3	5	1	-	13	3
24	3	6	-	3	1	1	1	2	-	1	-	-	2	3	-	2	5	1	1	6	4
31	4	2	-	1	-	1	2	-	1	-	-	-	2	7	1	3	2	-	-	6	5
20	1	3	-	-	-	1	4	-	-	-	-	-	-	1	-	1	2	-	-	4	6
9	1	5	-	2	-	1	3	-	1	1	-	-	-	7	2	1	2	-	-	6	7
11	3	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	-	-	-	2	8
10	4	8	2	2	1	-	2	1	-	1	-	-	-	8	-	-	5	1	-	7	9
16	-	-	-	2	-	-	1	-	-	-	-	-	-	4	-	-	2	1	-	4	10
4	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	11
90	14	30	5	5	3	1	6	2	1	8	2	-	6	20	2	11	10	4	-	27	12
61	5	16	3	3	3	1	5	2	1	5	-	-	5	14	2	8	8	3	-	17	13
29	9	14	2	2	-	-	1	-	-	3	2	-	1	6	-	3	2	1	-	10	14
9	-	6	-	1	-	2	1	-	-	-	-	-	-	1	-	1	4	-	-	1	15
18	-	3	-	-	-	-	1	1	-	-	1	-	-	3	-	5	3	-	-	8	16
14	3	3	-	-	-	-	1	-	1	-	-	-	-	1	-	2	4	2	-	5	17
10	1	3	1	-	1	-	-	-	-	-	-	-	1	1	1	2	2	-	-	2	18
25	5	3	1	-	-	-	3	-	-	-	-	-	3	3	-	3	1	1	-	2	19
13	-	-	2	1	-	1	-	-	-	-	1	-	-	3	-	1	1	-	-	3	20
32	6	3	2	-	-	2	4	-	-	-	1	-	1	5	2	5	2	1	-	7	21
7	2	5	-	-	2	-	4	1	1	-	1	-	2	2	2	-	2	1	-	4	22
17	-	4	-	5	-	1	2	-	-	1	-	-	1	6	1	3	4	2	-	2	23
41	7	-	1	1	1	2	6	1	-	-	-	-	2	6	3	4	3	-	-	6	24
16	2	2	-	3	1	-	-	1	-	-	-	-	3	4	1	4	3	-	-	7	25
39	5	10	2	9	1	4	4	2	1	1	-	-	5	11	1	4	6	1	-	11	26
18	8	4	-	-	2	-	-	-	1	1	-	-	2	4	-	2	8	-	-	11	27
9	4	6	1	-	1	1	1	-	-	2	-	-	1	2	1	6	1	-	-	6	28
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
30	-	4	-	-	-	-	4	-	-	-	-	-	-	6	-	8	8	1	-	7	30
13	4	1	1	1	-	-	1	-	-	-	-	-	2	4	-	2	4	1	-	-	31
33	1	4	2	3	1	-	2	-	-	1	-	-	5	6	-	5	3	3	-	10	32
23	6	9	-	1	4	1	3	-	-	1	-	-	1	-	1	2	5	1	-	4	33
12	-	4	-	3	1	1	1	-	-	-	-	-	-	1	-	1	4	-	-	1	34
48	4	3	3	7	1	3	5	-	-	1	1	-	1	5	2	2	10	2	-	11	35
15	1	2	1	1	1	3	4	-	3	2	1	-	2	5	6	7	11	-	1	7	36
24	1	5	-	1	-	-	1	-	-	2	-	-	3	3	1	2	3	1	-	7	37
6	2	-	-	1	1	-	4	1	-	-	-	-	-	1	-	2	-	1	-	2	38
4	2	3	-	-	-	-	4	-	-	-	-	-	-	2	2	5	3	-	1	3	39
8	-	3	-	-	-	2	1	-	-	1	-	-	-	1	-	-	1	-	-	-	40
37	2	3	1	2	2	1	1	-	1	-	-	1	-	7	-	4	8	3	-	12	41
15	1	3	-	-	-	-	2	-	-	1	-	-	-	-	1	-	1	-	-	4	42
66	10	7	2	8	2	3	4	-	-	-	-	-	4	4	1	5	7	1	-	6	43
39	8	3	1	6	2	2	2	-	-	-	-	-	3	1	1	1	1	1	-	5	44
27	2	4	1	2	-	1	2	-	-	-	-	-	1	3	-	4	6	-	-	1	45
13	-	4	-	1	-	-	2	1	-	-	1	-	-	2	1	-	3	1	-	5	46
35	4	6	-	4	-	1	2	-	-	-	-	-	-	6	-	4	5	-	-	5	47
35	2	19	1	3	3	3	4	3	1	-	-	1	4	16	1	5	8	-	-	18	48
64	24	21	2	6	4	-	20	2	3	2	1	1	6	14	7	18	23	2	1	37	49
42	16	18	2	4	1	-	16	2	2	2	-	1	5	8	3	16	12	2	1	26	50
22	8	3	-	2	3	-	4	-	1	-	1	-	1	6	4	2	11	-	-	11	51
12	2	5	-	2	-	-	1	-	1	-	-	1	-	6	-	5	3	-	-	3	52
36	2	6	1	9	1	1	7	-	1	3	-	-	3	9	-	5	12	3	-	12	53
22,019	4,160	4,566	702	2,443	669	735	2,041	533	330	993	135	82	1,228	3,487	671	2,137	2,814	1,026	278	5,827	54
14,599	2,928	2,591	473	1,524	522	480	1,336	394	206	800	81	60	858	2,585	460	1,257	1,743	665	234	3,874	55
7,420	1,232	1,975	229	919	147	255	705	139	124	193	54	22	370	902	211	880	1,071	361	44	1,953	56
42	8	7	3	12	-	4	3	2	1	-	-	-	-	13	-	11	6	2	-	13	57
219	33	58	4	22	11	11	22	5	5	11	-	-	9	35	6	37	32	10	2	59	58
130	25	39	3	14	6	5	15	4	2	7	-	-	7	18	4	29	25	7	2	30	59
89	8	19	1	8	5	6	7	1	3	4	-	-	2	17	2	8	7	3	-	29	60
107	9	24	8	8	1	4	9	1	1	1	-	-	4	8	7	17	16	4	-	11	61
50	8	8	6	3	-	1	4	-	1	1	-	-	4	6	4	11	6	3	-	7	62
57	1	16	2	5	1	3	5	1	-	-	-	-	-	2	3	6	10	1	-	4	63
220	34	58	7	20	3	6	29	7	9	7	6	-	12	29	6	25	47	16	3	62	64
56	8	13	1	9	1	4	4	2	3	4	1	-	6	7	2	2	10	4	1	17	65
28	4	7	2	1	-	-	1	1	-	1	-	-	2	4	2	2	9	1	-	12	66
136	22	38	4	10	2	2	24	4	6	2	5	-	4	18	2	21	28	11	2	33	67
120	23	36	4	12	3	10	13	1	2	4	-	-	5	4	5	13	21	7	1	40	68
25	8	9	-	4	1	2	4	-	-	3	-	-	3	-	-	2	4	1	-	7	69
95	15	27	4	8	2	8	9	1	2	1	-	-	2	4	5	11	17	6	1	33	70
82	19	24	4	12	1	7	13	1	3	4	-	1	8	7	1	11	13	10	-	38	71
271	52	59	8	28	6	8	27	4	5	12	-	-	19	20	3	15	39	13	2	70	72
52	1	14	2	-	2	2	2	-	-	2	-	-	2	4	2	2	6	2	1	9	73
42	7	5	2	12	2	2	1	1	-	2	-	-	5	1	-	1	6	2	1	6	74
177	44	40	4	16	2	4	24	3	5	8	-	-	12	15	1	12	27	9	-	55	75
62	10	18	3	1	1	3	13	2	1	5	-	-	3	9	1	9	14	7	-	20	76
398	52	57	12	39	16	14	37	17	7	10	2	1	31	82	12	47	54	9	8	92	77
195	29	17	5	13	6	8	9	4	6	6	-	-	17	39	7	20	30	4	5	40	78
85	7	17	2	11	6	1	15	7	-	2	1	-	7	19	2	10	11	-	3	25	79
118	16	23	5	15	4	5	13	6	1	2	1	1	7	24	3	17	13	5	-	27	80
40	12	34	1	11	3	1	4	-	-	1	-	-	4	1	3	8	5	4	-	14	81
94	14	17	1	4	-	2	3	4	4	1	1	1	5	13	1	9	13	5	-	26	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO--Continued																
1	Clark	1,288	12	7	-	3	196	66	22	108	22	733	723	178	1	474	21
2	Springfield	975	10	7	-	2	152	53	21	78	18	553	546	132	1	358	14
3	Balance of county	313	2	-	-	1	44	13	1	30	4	180	177	46	-	116	7
4	Clermont	528	1	4	-	1	80	34	11	35	9	301	298	80	-	196	8
5	Clinton	325	2	-	1	1	42	17	3	22	9	192	192	49	-	125	5
6	Columbiana	1,149	17	5	1	2	186	62	24	100	16	675	664	126	1	483	13
7	East Liverpool	310	7	1	-	-	40	16	6	18	7	181	178	36	-	118	6
8	Salem	148	1	1	-	-	23	10	1	12	2	89	89	17	-	67	3
9	Balance of county	691	9	3	1	2	123	36	17	70	7	405	397	73	1	298	4
10	Coshocton	373	5	-	-	3	55	21	4	30	9	210	206	57	1	139	3
11	Coshocton	175	1	-	-	3	25	10	3	12	3	103	103	28	-	72	2
12	Balance of county	198	4	-	-	-	30	11	1	18	6	107	103	29	1	67	1
13	Crawford	478	2	2	-	1	75	26	10	39	14	265	261	83	-	161	2
14	Bucyrus	142	-	-	-	-	23	11	-	12	4	82	81	15	-	60	-
15	Balance of county	336	2	2	-	1	52	15	10	27	10	183	180	68	-	101	2
16	Cuyahoga	14,797	144	50	5	35	2,670	987	392	1,291	428	7,748	7,648	1,520	15	5,595	220
17	Cleveland	9,922	123	42	-	22	1,722	644	263	815	313	5,080	5,011	995	10	3,678	139
18	Cleveland Heights	660	3	1	-	2	128	44	13	71	12	399	393	87	-	274	11
19	Lakewood	764	3	1	-	1	148	54	15	79	15	459	457	94	2	330	15
20	East Cleveland	413	1	-	-	2	80	36	14	30	13	234	231	40	-	177	2
21	Euclid	355	2	1	-	1	77	29	15	33	8	173	172	35	-	126	6
22	Parma	349	2	-	1	1	71	26	14	31	12	164	164	27	-	125	6
23	Shaker Heights	278	-	-	-	2	64	21	7	36	4	162	159	26	1	121	3
24	Berea	108	-	-	1	-	24	9	2	13	3	55	53	10	-	35	1
25	Garfield Heights	221	2	-	1	-	43	15	7	21	6	116	114	16	-	89	7
26	Maple Heights	120	-	-	-	-	23	7	5	11	3	60	60	12	-	41	2
27	Rocky River	134	-	-	1	-	26	10	7	9	4	79	78	20	-	52	3
28	South Euclid	140	-	-	-	-	25	7	4	14	3	87	85	16	1	60	4
29	University Heights	105	1	-	-	1	21	9	1	11	4	62	62	11	-	47	2
30	Balance of county	1,228	7	5	1	3	218	76	25	117	28	618	609	131	1	440	19
31	Darke	467	3	-	-	2	63	21	5	37	16	279	275	61	-	198	3
32	Defiance	307	2	-	-	-	46	16	5	25	5	186	180	42	-	122	5
33	Defiance	134	1	-	-	-	19	5	3	11	3	81	79	22	-	52	2
34	Balance of county	173	1	-	-	-	27	11	2	14	2	105	101	20	-	70	3
35	Delaware	334	1	1	-	-	48	14	3	31	5	201	195	46	-	142	2
36	Delaware	138	-	1	-	-	18	6	1	11	1	83	81	26	-	52	-
37	Balance of county	196	1	-	-	-	30	8	2	20	4	116	114	20	-	90	2
38	Erie	711	1	3	-	5	117	50	11	56	10	407	400	90	-	269	19
39	Sandusky	436	1	2	-	2	77	33	7	37	9	248	242	54	-	156	16
40	Balance of county	275	-	1	-	3	40	17	4	19	1	159	158	36	-	113	3
41	Fairfield	560	2	1	-	-	73	30	8	35	21	300	300	83	-	195	6
42	Lancaster	283	1	-	-	-	38	16	4	18	10	152	152	46	-	92	3
43	Balance of county	277	1	1	-	-	35	14	4	17	11	148	148	37	-	103	3
44	Fayette	305	1	-	-	1	37	15	2	20	1	185	185	45	-	110	3
45	Washington Court House	154	-	-	-	1	18	8	1	9	1	101	101	22	-	61	2
46	Balance of county	151	1	-	-	-	19	7	1	11	-	84	84	23	-	49	1
47	Franklin	5,415	41	15	1	16	887	312	113	462	122	2,904	2,863	662	2	1,994	78
48	Columbus	4,135	32	10	1	14	680	246	91	343	99	2,208	2,175	492	2	1,522	56
49	Bexley	116	-	-	-	-	25	11	2	12	1	71	71	22	-	44	1
50	Balance of county	1,164	9	5	-	2	182	55	20	107	22	625	617	148	-	428	21
51	Fulton	292	-	-	-	-	48	12	5	31	9	172	169	36	-	122	2
52	Gallia	248	2	1	-	1	37	19	-	18	3	140	140	42	-	88	1
53	Geauga	249	-	-	-	-	43	14	3	26	8	137	137	38	-	88	3
54	Greene	473	2	-	1	2	71	19	12	40	10	268	262	83	1	160	6
55	Xenia	166	1	-	-	-	32	10	4	18	4	96	93	32	-	59	1
56	Balance of county	307	1	-	1	2	39	9	8	22	6	172	169	51	1	101	5
57	Guernsey	449	3	-	-	-	79	31	8	40	9	265	257	56	-	186	6
58	Cambridge	207	2	-	-	-	38	16	4	18	4	122	120	24	-	92	4
59	Balance of county	242	1	-	-	-	41	15	4	22	5	143	137	32	-	94	2
60	Hamilton	8,530	78	46	4	27	1,478	547	192	739	173	4,497	4,434	945	4	3,044	123
61	Cincinnati	6,372	71	43	3	18	1,079	408	150	521	120	3,356	3,313	709	4	2,247	95
62	Norwood	374	2	1	-	1	55	14	7	34	8	220	216	37	-	163	4
63	Balance of county	1,784	5	2	1	8	344	125	35	184	45	921	905	199	-	634	24
64	Hancock	508	3	-	-	1	96	25	9	62	7	289	283	72	1	187	3
65	Findlay	279	2	-	-	-	49	10	5	34	3	169	166	38	1	114	2
66	Fostoria (part)	53	-	-	-	1	12	3	1	8	3	25	25	7	-	17	-
67	Balance of county	176	1	-	-	-	35	12	3	20	1	95	92	27	-	56	1
68	Hardin	340	2	1	-	4	52	16	6	30	5	198	194	61	-	108	5
69	Harrison	204	-	1	-	4	22	7	2	13	5	127	125	25	-	89	2
70	Henry	241	-	-	2	1	40	17	4	19	7	127	124	33	-	85	4
71	Highland	316	1	1	1	1	40	15	3	22	3	186	185	54	-	114	3
72	Hocking	216	1	-	-	-	40	17	4	19	3	114	109	30	-	73	2
73	Holmes	188	1	-	-	-	23	12	1	10	3	109	107	27	-	76	2
74	Huron	471	2	-	-	-	59	19	10	30	13	261	257	52	-	192	2
75	Jackson	320	6	1	-	-	46	11	6	29	7	179	177	51	1	107	6
76	Jefferson	1,054	10	5	-	5	159	52	19	88	26	605	595	141	3	415	11
77	Steubenville	466	5	4	-	1	80	26	10	44	11	259	252	59	2	176	7
78	Balance of county	588	5	1	-	4	79	26	9	44	15	346	343	82	1	239	4
79	Knox	440	2	1	-	2	71	27	5	39	9	272	267	82	-	164	4
80	Mount Vernon	174	2	-	-	-	27	9	2	16	3	113	109	32	-	71	-
81	Balance of county	266	-	1	-	2	44	18	3	23	6	159	158	50	-	93	4
82	Lake	758	9	1	1	5	129	41	16	72	12	409	398	92	-	289	15
83	Painesville	188	2	-	1	2	19	4	2	13	2	106	97	24	-	68	4
84	Balance of county	570	7	1	-	3	110	37	14	59	10	303	301	68	-	221	11
85	Lawrence	435	3	-	-	3	68	29	13	26	8	230	213	47	-	155	7
86	Ironton	164	-	-	-	-	28	15	6	7	2	96	88	27	-	57	5
87	Balance of county	271	3	-	-	3	40	14	7	19	6	134	125	20	-	98	2

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
354	44	55	15	36	19	10	38	6	2	4	-	2	21	45	-	33	59	16	1	88	1
275	35	34	14	27	14	7	30	5	1	4	-	1	12	37	-	22	37	10	1	73	2
79	9	21	1	9	5	3	8	1	1	-	-	1	9	8	-	11	22	6	-	15	3
128	20	40	1	19	2	3	15	2	2	2	2	1	3	25	4	8	15	12	-	41	4
97	6	17	4	12	2	-	8	1	3	1	2	-	3	6	-	14	13	9	1	17	5
385	51	34	8	41	5	11	17	6	4	6	1	3	12	40	6	35	33	7	-	77	6
91	13	8	3	18	3	3	4	-	2	4	-	2	2	18	2	10	7	4	-	19	7
57	4	3	2	3	-	-	2	-	1	-	1	-	1	7	-	6	4	-	-	10	8
237	34	23	3	20	2	8	11	6	1	2	-	1	9	15	4	19	22	3	-	48	9
85	7	44	2	7	-	4	12	3	3	2	-	2	6	10	3	7	15	6	-	22	10
47	3	20	1	2	-	-	5	3	2	-	-	-	3	5	1	4	7	2	-	8	11
38	4	24	1	5	-	4	7	-	1	2	-	2	3	5	2	3	8	4	-	14	12
121	13	25	1	13	3	4	11	3	4	5	-	1	5	16	2	14	19	4	3	32	13
45	3	12	-	4	2	1	2	1	2	1	-	-	2	3	1	5	6	-	-	10	14
76	10	13	1	9	1	3	9	2	2	4	-	1	3	13	1	9	13	4	3	22	15
3,837	980	558	127	262	129	100	329	121	49	268	24	13	217	660	89	220	431	188	82	1,026	16
2,432	714	393	87	158	83	69	249	84	40	196	18	8	140	448	65	150	310	127	78	707	17
214	34	15	8	22	2	6	15	7	1	3	-	1	2	11	3	6	18	8	-	40	18
237	55	23	3	22	6	2	14	4	-	9	1	1	12	29	7	5	15	4	1	35	19
138	16	21	2	6	6	3	10	4	2	8	-	-	6	12	3	4	12	3	-	19	20
84	22	14	3	6	2	1	3	2	2	11	-	-	11	20	2	5	11	2	-	24	21
90	20	9	2	7	3	-	3	1	-	3	-	-	8	37	-	11	7	3	-	25	22
98	14	6	-	3	8	3	2	1	-	3	-	1	1	5	2	3	3	7	-	18	23
28	3	3	1	3	4	2	1	1	-	-	1	-	1	6	-	1	4	2	-	8	24
60	14	8	1	3	5	2	4	2	-	5	-	-	5	10	-	2	7	4	-	14	25
28	7	4	1	5	1	-	2	2	1	4	-	-	4	4	1	3	2	3	-	8	26
40	1	8	2	2	2	1	1	1	1	3	1	-	2	5	-	-	1	4	-	5	27
44	9	3	2	5	1	2	-	1	-	3	-	-	2	1	2	4	2	2	-	8	28
38	4	3	-	3	1	-	1	-	-	1	-	-	1	3	-	-	4	1	-	5	29
306	67	48	15	17	5	9	24	11	2	19	3	2	22	69	4	26	35	18	3	110	30
137	39	19	4	11	1	4	8	2	4	3	-	-	7	12	-	16	18	4	-	30	31
80	16	21	3	12	1	6	4	1	1	-	-	-	1	11	5	10	16	4	-	15	32
33	10	7	-	5	-	2	-	1	1	-	-	-	-	6	2	6	5	1	-	8	33
47	6	14	3	7	1	4	4	-	-	-	-	-	1	5	3	4	11	3	-	7	34
106	13	21	2	4	1	6	8	1	3	2	-	-	2	9	4	8	14	6	-	21	35
41	6	5	1	2	-	2	3	1	2	1	-	-	2	6	2	3	6	2	-	7	36
65	7	16	1	2	1	4	5	-	1	1	-	-	-	3	2	5	8	4	-	14	37
173	36	41	2	37	2	7	26	4	1	3	1	-	8	20	8	24	25	8	-	40	38
92	19	29	1	29	2	6	13	3	-	1	1	-	5	15	4	12	12	5	-	26	39
81	17	12	1	8	-	1	13	1	1	2	-	-	3	5	4	12	13	3	-	14	40
137	16	36	3	14	5	-	15	5	2	3	1	-	6	21	5	12	29	11	2	51	41
72	4	13	2	9	3	-	7	5	1	3	-	-	4	11	3	6	15	8	1	18	42
65	12	23	1	5	2	-	8	-	1	-	1	-	2	10	2	6	14	3	1	33	43
73	8	26	4	21	5	-	8	2	1	2	-	-	2	7	3	11	6	4	1	33	44
41	2	16	3	10	5	-	6	-	1	1	-	-	1	2	1	2	2	2	1	14	45
32	6	10	1	11	-	-	2	2	-	1	-	-	1	5	2	9	4	2	-	19	46
1,273	357	286	35	121	49	41	138	37	23	65	8	9	80	269	119	109	158	66	14	334	47
953	275	238	25	101	33	33	108	30	14	53	6	4	54	190	95	82	133	52	13	257	48
29	6	8	1	3	1	-	2	-	2	1	-	-	-	1	1	1	2	1	-	8	49
291	76	40	9	17	15	8	28	7	7	11	2	5	26	78	23	26	23	13	1	69	50
78	23	19	1	9	1	3	4	2	2	-	-	1	1	10	2	12	11	6	-	12	51
59	10	18	3	5	2	-	10	-	2	1	-	-	1	11	-	3	11	2	2	21	52
55	8	22	1	8	2	-	3	-	-	2	-	-	4	14	2	5	6	7	1	17	53
127	8	19	1	10	7	6	7	3	2	3	3	1	10	29	-	13	18	3	2	25	54
46	6	6	-	-	2	3	4	-	2	1	-	-	2	7	-	1	8	1	2	5	55
81	2	13	1	10	5	3	3	3	-	2	3	1	8	22	-	12	10	2	-	20	56
121	23	36	2	12	1	8	9	1	1	1	2	1	7	11	2	4	16	5	-	33	57
66	6	16	1	2	1	2	2	-	1	-	-	-	4	7	2	2	6	3	-	14	58
55	17	20	1	10	-	6	7	1	-	1	2	1	3	4	-	2	10	2	-	19	59
2,129	418	374	79	279	83	63	253	70	34	107	12	16	108	399	47	179	262	99	36	605	60
1,564	309	279	68	218	67	43	203	58	25	89	9	12	70	288	33	132	186	73	34	470	61
118	21	20	2	10	4	4	7	2	-	7	-	1	5	12	3	10	14	5	-	21	62
447	88	75	9	51	12	16	43	10	9	11	3	3	33	99	11	37	62	21	2	114	63
130	18	36	5	18	-	6	9	4	1	7	-	-	9	8	7	13	20	1	-	33	64
85	10	17	2	11	-	3	5	2	1	5	-	-	5	4	1	5	11	-	-	17	65
8	4	5	-	1	-	-	1	-	-	-	-	-	3	2	-	1	2	-	-	3	66
37	4	14	3	6	-	3	3	2	-	2	-	-	1	2	6	7	7	1	-	13	67
73	8	22	5	19	1	4	10	2	1	2	2	-	5	5	-	5	10	2	-	34	68
59	3	25	1	8	2	2	3	1	1	-	1	-	1	5	3	2	8	3	-	17	69
45	7	29	3	3	-	3	5	2	1	1	1	1	3	9	2	10	9	4	1	15	70
77	9	25	4	12	1	1	14	1	1	1	-	-	-	10	3	9	10	6	1	27	71
45	6	20	4	2	-	5	13	2	-	1	-	-	5	6	-	3	8	4	1	15	72
55	5	14	-	4	-	2	10	-	1	3	-	-	1	8	-	10	6	-	-	13	73
107	20	63	6	6	1	4	8	1	2	7	2	1	9	16	16	18	22	3	-	31	74
67	25	9	4	13	1	2	11	-	-	1	1	-	5	6	-	13	19	2	-	23	75
298	46	60	6	22	8	10	20	3	-	20	1	1	14	23	19	25	35	14	3	66	76
120	18	31	4	9	2	7	10	1	-	11	1	-	5	13	11	8	14	5	-	27	77
178	28	29	2	13	6	3	10	2	-	9	-	1	9	10	8	17	21	9	3	39	78
114	18	28	3	14	4	5	9	3	2	2	1	-	6	11	1	9	12	3	2	22	79
53	8	10	1	4	1	4	2	1	1	2	1	-	1	4	1	2	6	1	-	7	80
61	10	18	2	10	3	1	7	2	1	-	-	-	5	7	-	7	6	2	2	15	81
217	25	32	7	6	4	11	13	2	2	8	2	-	14	39	2	24	27	8	1	50	82
48	6	10	2	1	2	9	2	1	-	1	-	-	9	11	1	4	7	2	-	18	83
169	19	22	5	5	2	2	11	1	2	7	2	-	5	28	1	20	20	6	1	32	84
101	20	27	2	7	2	17	14	1	-	2	-	2	9	28	-	12	20	1	1	33	85
34	7	11	1	2	1	8	3	-	-	1	-	1	2	8	-	3	9	1	-	10	86
67	13	16	1	5	1	9	11	1	-	1	-	1	7	20	-	9	11	-	1	23	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Licking	862	7	4	-	3	130	47	6	77	16	477	473	93	-	332	8
2	Newark	456	5	3	-	3	75	31	1	43	6	241	240	49	-	167	3
3	Balance of county	406	2	1	-	-	55	16	5	34	10	236	233	44	-	165	5
4	Logan	408	1	1	-	-	50	15	8	27	12	228	219	55	-	138	1
5	Bellefontaine	127	-	-	-	-	9	3	-	6	4	71	69	14	-	49	-
6	Balance of county	281	1	1	-	-	41	12	8	21	8	157	150	41	-	89	1
7	Lorain	1,560	16	3	1	4	237	103	19	115	41	821	806	159	1	600	19
8	Lorain	527	6	1	-	3	75	35	8	32	18	279	273	44	1	218	10
9	Elyria	322	4	1	1	-	50	24	2	24	5	183	180	44	-	128	2
10	Balance of county	711	6	1	-	1	112	44	9	59	18	359	353	71	-	254	7
11	Lucas	4,381	26	19	6	20	673	233	86	354	116	2,420	2,382	506	2	1,607	58
12	Toledo	3,612	23	18	3	12	563	207	71	285	99	2,003	1,970	414	1	1,339	46
13	Balance of county	769	3	1	3	8	110	26	15	69	17	417	412	92	1	268	12
14	Madison	234	5	1	-	2	25	7	4	14	2	134	125	40	-	82	1
15	Mahoning	2,660	19	7	2	9	512	211	75	226	71	1,392	1,365	295	2	957	38
16	Youngstown (part)	1,905	13	6	2	7	380	160	60	160	55	974	950	193	2	683	33
17	Youngstown (total)	1,913	13	6	2	7	380	160	60	160	55	980	956	196	2	686	33
18	Campbell	101	-	1	-	1	18	9	2	7	1	60	59	15	-	38	1
19	Struthers	107	-	-	-	-	21	9	1	11	4	50	50	14	-	32	1
20	Balance of county	547	6	-	-	1	93	33	12	48	11	308	306	73	-	204	3
21	Marion	495	5	1	-	-	76	32	8	36	9	286	281	69	-	180	6
22	Marion	337	3	1	-	-	58	27	7	24	9	185	184	41	-	122	3
23	Balance of county	158	2	-	-	-	18	5	1	12	-	101	97	28	-	58	3
24	Medina	459	1	2	1	1	70	26	6	38	5	266	265	65	-	170	6
25	Meigs	282	4	-	-	-	39	13	4	22	2	180	179	43	-	130	1
26	Mercer	297	2	-	-	1	46	24	2	20	9	171	170	32	-	124	2
27	Miami	649	7	1	-	1	88	29	7	52	15	395	386	89	2	267	8
28	Piqua	205	3	1	-	1	24	9	4	11	2	125	122	31	1	83	2
29	Troy	136	1	-	-	-	15	6	-	9	3	82	81	23	-	54	4
30	Balance of county	308	3	-	-	-	49	14	3	32	10	188	183	35	1	130	2
31	Monroe	197	1	1	-	2	21	8	4	9	4	128	124	37	-	76	3
32	Montgomery	4,080	41	16	1	18	636	219	84	333	70	2,184	2,152	514	2	1,319	40
33	Dayton	2,779	27	12	-	13	425	149	52	224	47	1,503	1,479	341	2	900	30
34	Balance of county	1,301	14	4	1	5	211	70	32	109	23	681	673	173	-	419	10
35	Morgan	137	1	-	-	-	18	7	3	8	3	82	82	23	-	56	2
36	Morrow	189	1	-	-	-	22	9	1	12	4	115	113	31	-	73	-
37	Muskingum	835	7	3	-	3	117	33	8	76	19	484	478	101	-	345	9
38	Zanesville	519	3	3	-	2	65	20	6	39	13	308	304	61	-	223	7
39	Balance of county	316	4	-	-	1	52	13	2	37	6	176	174	40	-	122	2
40	Noble	140	2	-	-	1	22	12	-	10	1	72	71	19	-	44	2
41	Ottawa	336	2	1	-	4	58	24	7	27	4	190	188	34	-	141	5
42	Paulding	173	-	-	-	-	34	14	1	19	8	95	94	29	-	54	3
43	Perry	338	4	2	-	-	49	21	3	25	9	202	199	45	-	150	5
44	Pickaway	297	1	-	-	3	38	10	3	25	10	171	165	49	-	102	2
45	Pike	159	1	-	-	1	18	7	-	11	2	81	79	16	1	53	3
46	Portage	609	4	2	1	1	114	39	10	65	10	338	334	98	-	214	6
47	Kent	109	1	-	1	-	23	6	2	15	2	61	61	16	-	36	2
48	Balance of county	500	3	2	-	1	91	33	8	50	8	277	273	82	-	178	4
49	Preble	308	3	-	-	1	44	15	1	28	2	186	185	44	-	124	1
50	Putnam	270	1	1	-	-	49	20	4	25	5	149	145	34	-	97	-
51	Richland	854	7	3	-	3	131	43	10	78	20	444	440	114	1	285	12
52	Mansfield	459	6	3	-	1	67	25	4	38	12	255	255	70	1	156	9
53	Balance of county	395	1	-	-	2	64	18	6	40	8	189	185	44	-	129	3
54	Ross	492	4	2	-	5	68	28	7	33	6	279	277	73	-	182	6
55	Chillicothe	238	1	1	-	3	29	7	2	20	2	147	147	41	-	96	2
56	Balance of county	254	3	1	-	2	39	21	5	13	4	132	130	32	-	86	4
57	Sandusky	570	4	-	-	1	94	33	9	52	20	318	315	52	-	237	6
58	Fremont	220	1	-	-	-	45	14	8	23	11	112	111	21	-	87	3
59	Balance of county	350	3	-	-	1	49	19	1	29	9	206	204	31	-	150	3
60	Scioto	815	5	2	-	6	111	37	17	57	13	471	463	110	-	324	9
61	Portsmouth	404	1	2	-	5	63	18	9	36	7	234	231	56	-	157	3
62	Balance of county	411	4	-	-	1	48	19	8	21	6	237	232	54	-	167	6
63	Seneca	556	4	1	-	-	100	28	10	62	11	334	331	73	-	230	9
64	Fostoria (part)	121	1	1	-	-	22	4	2	16	2	68	66	11	-	49	-
65	Fostoria (total)	174	1	1	-	1	34	7	3	24	5	93	91	18	-	66	-
66	Tiffin	219	2	-	-	-	35	11	4	20	7	133	132	29	-	95	5
67	Balance of county	216	1	-	-	-	43	13	4	26	2	133	133	33	-	86	4
68	Shelby	305	1	-	-	4	43	13	4	26	6	181	178	43	-	124	2
69	Sidney	152	-	-	-	2	21	5	3	13	5	87	86	29	-	53	2
70	Balance of county	153	1	-	-	2	22	8	1	13	1	94	92	14	-	71	-
71	Stark	2,817	15	8	-	18	458	153	58	247	57	1,610	1,587	385	5	1,074	40
72	Canton	1,350	7	5	-	8	232	78	26	128	32	752	739	168	3	515	20
73	Alliance	289	1	1	-	-	48	20	6	22	3	167	163	46	-	99	3
74	Massillon	375	4	1	-	5	60	16	12	32	10	217	215	50	-	145	3
75	Balance of county	803	3	1	-	5	118	39	14	65	12	474	470	121	2	315	14
76	Summit	3,784	42	13	2	8	681	220	94	367	85	1,977	1,943	391	2	1,421	56
77	Akron	2,604	28	13	1	5	463	151	65	247	58	1,374	1,351	275	2	982	35
78	Barberton	284	5	-	1	1	58	19	6	33	5	143	141	27	-	104	6
79	Cuyahoga Falls	275	1	-	-	-	55	21	8	26	9	141	136	26	-	104	5
80	Balance of county	621	8	-	-	2	105	29	15	61	13	319	315	63	-	231	10
81	Trumbull	1,504	12	2	2	4	260	84	49	127	37	798	778	147	-	567	20
82	Youngstown (part)	8	-	-	-	-	-	-	-	-	-	6	6	3	-	3	-
83	Warren	546	6	-	-	-	108	43	18	47	17	281	272	54	-	197	7
84	Girard	98	1	-	1	1	15	3	1	11	1	56	56	12	-	38	-
85	Niles	156	1	-	-	-	25	8	4	13	7	81	80	14	-	57	3
86	Balance of county	696	4	2	1	3	112	30	26	56	12	374	364	64	-	272	10

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
236	49	39	7	35	6	4	21	8	4	2	1	-	12	25	8	27	33	9	2	73	1
123	22	19	2	20	2	1	10	5	2	2	-	-	8	14	4	11	13	5	1	48	2
113	27	20	5	15	4	3	11	3	2	-	1	-	4	11	4	16	20	4	1	25	3
92	27	18	3	21	2	9	10	1	-	3	2	-	8	7	6	19	12	5	3	40	4
35	8	6	-	5	1	2	4	-	-	1	-	-	6	2	1	5	4	3	-	17	5
57	19	12	3	16	1	7	6	1	-	2	2	-	2	5	5	14	8	2	3	23	6
418	91	72	7	32	7	15	30	6	10	20	-	1	34	83	23	53	47	24	4	102	7
146	33	29	1	8	1	6	5	2	-	10	-	-	14	29	5	16	22	6	1	35	8
83	24	19	1	4	3	3	7	-	-	5	-	1	6	11	7	6	8	4	1	22	9
189	34	24	5	20	3	6	18	4	10	5	-	-	14	43	11	31	17	14	2	45	10
1,088	210	251	40	173	54	38	76	39	11	80	8	2	43	176	20	114	126	45	11	350	11
904	173	216	34	136	46	33	68	30	8	73	5	1	33	133	20	89	107	27	9	288	12
184	37	35	6	37	8	5	8	9	3	7	3	1	10	43	-	25	19	18	2	62	13
60	5	16	-	2	1	9	7	-	1	-	-	-	10	4	4	11	9	2	-	17	14
710	83	126	29	62	20	27	57	20	9	39	5	2	45	111	4	62	91	28	13	162	15
493	63	94	16	42	14	24	42	17	9	29	4	2	31	87	1	43	71	18	12	102	16
496	63	94	16	42	14	24	42	17	9	29	4	2	31	87	1	44	72	18	12	102	17
26	7	4	5	1	-	1	2	-	-	1	-	-	1	1	-	1	3	1	-	10	18
26	1	4	-	3	1	-	5	1	-	3	-	-	3	5	-	3	1	1	-	10	19
165	12	24	8	16	5	2	8	2	-	6	1	-	10	18	3	15	16	8	1	40	20
120	36	18	7	19	6	5	13	3	2	2	-	-	9	21	-	15	17	5	1	30	21
82	25	12	4	13	4	1	10	3	1	1	-	-	6	20	-	10	8	4	1	17	22
38	11	6	3	6	2	4	3	-	1	1	-	-	3	1	-	5	9	1	-	13	23
129	14	21	6	21	3	1	6	-	-	3	2	1	9	20	2	14	15	9	-	32	24
87	8	34	-	5	1	1	9	-	2	2	-	-	3	2	-	3	12	1	-	23	25
80	15	27	3	11	-	1	8	1	2	1	-	-	5	13	-	8	7	2	-	21	26
191	27	41	4	20	4	9	7	7	3	4	-	-	9	18	2	15	23	5	2	47	27
64	6	11	1	3	3	3	2	4	1	2	-	-	4	3	1	4	10	-	-	18	28
40	3	7	1	3	-	1	1	-	-	2	-	-	3	9	-	2	5	2	1	10	29
87	18	23	2	14	1	5	4	3	2	-	-	-	2	6	1	9	8	3	1	19	30
46	6	21	1	9	1	4	9	-	-	1	2	-	1	1	1	3	11	2	1	8	31
970	144	165	41	241	35	32	86	28	19	47	3	4	72	223	13	122	128	60	33	276	32
650	100	120	29	184	23	24	52	18	16	33	3	3	50	142	6	87	86	40	29	187	33
320	44	45	12	57	12	8	34	10	3	14	-	1	22	81	7	35	42	20	4	89	34
44	6	4	-	3	-	-	5	-	-	-	-	-	1	3	7	1	5	4	1	6	35
54	8	11	1	7	1	2	3	1	2	1	-	-	4	6	1	7	5	-	-	17	36
242	29	65	5	19	8	6	20	6	2	5	1	-	11	33	7	26	21	4	1	65	37
158	17	41	5	10	5	4	14	3	2	4	-	-	6	24	1	12	17	-	-	42	38
84	12	24	-	9	3	2	6	3	-	1	1	-	5	9	6	14	4	4	1	23	39
22	8	12	1	7	-	1	5	-	2	1	-	-	4	1	2	2	7	2	-	16	40
94	16	26	5	7	1	2	5	4	3	1	-	-	4	11	3	12	14	5	-	15	41
33	5	13	3	6	2	1	6	-	-	-	1	-	1	5	1	8	6	1	-	7	42
88	17	40	1	3	-	3	5	-	2	1	-	-	1	10	1	13	14	4	-	21	43
71	7	22	4	10	-	6	10	1	-	3	-	1	3	5	5	4	13	3	-	26	44
29	9	12	2	6	1	2	5	-	2	1	2	-	6	13	2	6	6	1	2	10	45
148	17	43	6	14	2	4	20	2	2	5	-	-	3	19	2	24	17	7	-	38	46
24	4	6	3	6	-	-	1	1	-	1	-	-	-	3	-	2	4	1	-	8	47
124	13	37	3	8	2	4	19	1	2	4	-	-	3	16	2	22	13	6	-	30	48
87	13	23	2	12	3	1	5	2	-	3	-	-	5	8	-	16	7	5	2	19	49
69	19	9	-	13	1	4	10	1	1	3	-	-	5	10	4	5	12	2	-	12	50
172	44	57	6	25	9	4	27	4	4	12	1	1	15	43	5	34	28	16	3	53	51
103	20	24	5	20	3	-	9	2	1	7	1	-	7	16	1	15	16	5	-	35	52
69	24	33	1	5	6	4	18	2	3	5	-	1	8	27	4	19	12	11	3	18	53
111	19	46	8	10	4	2	17	1	4	3	4	-	8	19	4	21	19	8	-	20	54
60	10	24	1	5	4	-	9	1	-	2	1	-	3	7	2	10	5	3	-	12	55
51	9	22	7	5	-	2	8	-	4	1	3	-	5	12	2	11	14	5	-	8	56
161	31	39	2	23	1	3	9	1	3	4	2	-	9	18	4	18	22	11	-	32	57
55	15	14	-	3	-	1	2	-	1	1	-	-	5	9	3	6	9	4	-	11	58
106	16	25	2	20	1	2	7	1	2	3	2	-	4	9	1	12	13	7	-	21	59
220	35	60	7	20	2	8	23	4	3	9	2	-	5	29	4	29	43	6	2	48	60
110	18	26	5	12	1	3	11	-	1	6	1	-	2	11	3	13	19	1	-	24	61
110	17	34	2	8	1	5	12	4	2	3	1	-	3	18	1	16	24	5	2	24	62
169	23	29	6	20	2	3	10	5	-	4	-	1	8	18	2	9	17	3	-	29	63
35	4	10	2	2	2	2	5	1	-	1	-	-	2	4	-	1	4	-	-	9	64
43	8	15	2	3	2	2	6	1	-	1	-	-	5	6	-	2	6	-	-	12	65
71	11	8	1	7	-	1	3	3	-	1	-	1	4	10	1	4	5	1	-	9	66
63	8	11	3	11	-	-	2	1	-	2	-	-	2	4	1	4	8	2	-	11	67
73	15	34	-	8	3	3	5	-	-	4	-	-	4	20	1	9	8	3	-	16	68
31	8	12	-	2	2	1	3	-	-	2	-	-	2	10	1	5	3	1	-	10	69
42	7	22	-	6	1	2	2	-	-	2	-	-	2	10	-	4	5	2	-	6	70
779	119	136	15	83	25	23	78	11	9	28	2	1	32	110	24	67	75	34	5	175	71
372	59	64	3	34	16	13	38	5	4	17	-	1	16	63	11	26	39	13	2	79	72
71	8	17	1	13	4	4	8	1	2	4	-	-	3	10	5	5	5	5	-	21	73
112	12	18	4	15	1	2	9	-	-	1	-	-	4	11	2	10	12	6	2	21	74
224	40	37	7	21	4	4	23	5	3	6	2	-	9	26	6	26	19	10	1	54	75
1,001	178	186	25	68	36	34	85	16	15	57	9	4	70	177	72	79	92	35	6	259	76
689	129	129	21	44	27	23	61	14	11	43	7	2	42	125	51	44	56	27	5	174	77
81	10	7	3	4	3	2	2	-	1	1	1	-	7	13	5	7	5	4	-	25	78
76	8	15	-	4	2	5	6	1	1	5	-	1	9	12	4	9	9	-	-	12	79
155	31	35	1	16	4	4	16	1	2	8	1	1	12	27	12	19	22	4	1	48	80
409	68	70	20	33	11	20	26	5	4	19	2	1	30	76	7	46	49	12	10	102	81
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	82
147	19	24	8	10	3	9	10	2	2	5	-	1	11	22	4	17	16	5	3	36	83
31	2	5	2	4	-	-	-	1	-	1	-	-	4	5	-	1	3	-	-	8	84
37	11	6	1	6	2	1	5	1	-	3	1	-	4	10	-	2	1	2	-	13	85
191	36	35	9	13	6	10	11	1	2	10	1	-	11	39	3	25	28	5	7	45	86

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Tuscarawas	808	2	4	-	5	125	39	9	77	12	464	460	116	2	306	7
2	New Philadelphia	161	-	-	-	1	25	4	3	18	4	104	103	29	-	66	2
3	Balance of county	647	2	4	-	4	100	35	6	59	8	360	357	87	2	240	5
4	Union	233	1	-	-	1	18	6	1	11	6	159	158	31	-	115	5
5	Van Wert	278	-	-	-	-	44	15	7	22	6	170	166	28	1	121	1
6	Van Wert	112	-	-	-	-	15	5	3	7	2	64	63	9	-	48	-
7	Balance of county	166	-	-	-	-	29	10	4	15	4	106	103	19	1	73	1
8	Vinton	108	1	-	-	-	20	13	1	6	-	57	57	17	-	35	2
9	Warren	420	5	-	-	2	59	22	3	34	6	221	219	59	-	149	5
10	Washington	527	5	5	-	2	60	24	3	33	7	344	339	77	-	230	4
11	Marietta	214	3	2	-	-	22	8	1	13	4	143	142	38	-	96	-
12	Balance of county	313	2	3	-	2	38	16	2	20	3	201	197	39	-	134	4
13	Wayne	637	2	3	-	3	77	22	11	44	14	366	361	91	2	219	7
14	Wooster	168	-	1	-	-	23	6	4	13	7	95	95	25	-	60	-
15	Balance of county	469	2	2	-	3	54	16	7	31	7	271	266	66	2	159	7
16	Williams	368	2	-	-	-	41	19	1	21	6	216	210	53	1	143	3
17	Wood	613	3	1	1	-	89	29	11	49	13	347	344	86	-	222	3
18	Bowling Green	118	1	-	-	-	21	6	2	13	5	66	66	17	-	43	-
19	Balance of county	495	2	1	1	-	68	23	9	36	8	281	278	69	-	179	3
20	Wyandot	233	-	1	-	1	36	14	3	19	3	138	138	38	-	91	2
21	OKLAHOMA	19,724	185	40	6	124	3,125	1,014	372	1,739	304	10,094	9,855	2,397	12	6,718	185
22	Metropolitan counties	5,248	50	13	3	43	790	247	110	433	76	2,587	2,541	619	-	1,722	53
23	Nonmetropolitan counties	14,476	135	27	3	81	2,335	767	262	1,306	228	7,507	7,314	1,778	12	4,996	132
24	Adair	107	6	-	-	1	12	4	1	7	3	59	57	17	1	37	2
25	Alfalfa	101	1	-	-	-	15	3	2	10	-	65	63	13	-	44	1
26	Atoka	119	2	-	-	-	16	5	2	9	4	54	51	7	-	43	2
27	Beaver	52	1	-	-	1	8	4	-	4	1	25	25	8	-	16	-
28	Beckham	189	2	-	-	-	31	13	2	16	1	104	98	29	-	67	2
29	Blaine	123	1	-	-	-	21	8	2	11	1	62	62	14	-	42	2
30	Bryan	269	2	-	-	2	43	16	4	23	7	138	135	31	-	96	3
31	Durant	117	1	-	-	-	18	4	1	13	3	71	68	17	-	48	2
32	Balance of county	152	1	-	-	2	25	12	3	10	4	67	67	14	-	48	1
33	Caddo	295	3	-	-	-	46	9	6	31	8	127	123	36	1	81	1
34	Canadian	197	1	-	-	-	26	9	2	15	-	110	109	33	-	66	-
35	El Reno	126	1	-	-	-	18	7	2	9	-	76	75	24	-	45	-
36	Balance of county	71	-	-	-	-	8	2	-	6	-	34	34	9	-	21	-
37	Carter	371	2	-	1	1	58	21	3	34	1	194	193	55	1	129	3
38	Ardmore	229	2	-	-	1	42	13	1	28	1	114	114	34	-	75	3
39	Balance of county	142	-	-	1	-	16	8	2	6	-	80	79	21	1	54	-
40	Cherokee	143	6	-	-	2	21	7	1	13	-	73	72	13	-	56	2
41	Choctaw	194	3	-	-	1	23	10	2	11	5	105	104	26	-	72	2
42	Cimarron	28	-	-	-	-	5	2	-	3	-	14	14	5	-	9	-
43	Cleveland	245	-	-	-	2	48	17	4	27	5	119	118	34	1	77	2
44	Norman	166	-	-	-	1	30	8	2	20	4	84	84	25	-	55	2
45	Balance of county	79	-	-	-	1	18	9	2	7	1	35	34	9	1	22	-
46	Coal	81	-	-	-	1	12	6	1	5	1	50	48	10	-	36	1
47	Comanche	391	3	-	-	-	66	21	4	41	7	183	180	40	-	131	7
48	Lawton	280	2	-	-	-	48	16	3	29	5	131	128	30	-	91	6
49	Balance of county	111	1	-	-	-	18	5	1	12	2	52	52	10	-	40	1
50	Cotton	78	-	-	-	-	19	8	1	10	4	39	36	9	-	26	1
51	Craig	163	2	1	-	1	17	5	2	10	5	99	99	20	-	69	2
52	Creek	384	6	1	-	4	60	21	10	29	11	197	189	32	-	142	4
53	Sapulpa	138	3	1	-	-	26	8	4	14	4	63	62	11	-	47	2
54	Balance of county	246	3	-	-	4	34	13	6	15	7	134	127	21	-	95	2
55	Custer	184	2	-	-	-	36	13	4	19	1	101	101	14	-	80	2
56	Delaware	143	2	-	-	2	21	8	2	11	-	78	72	21	-	45	-
57	Dewey	63	-	-	-	-	19	7	1	11	-	25	24	3	-	18	1
58	Ellis	70	-	-	-	-	9	5	1	3	-	47	45	11	-	33	-
59	Garfield	465	2	1	1	4	77	28	5	44	8	247	242	65	-	156	7
60	Enid	352	2	1	1	3	64	23	4	37	5	181	176	48	-	111	5
61	Balance of county	113	-	-	-	1	13	5	1	7	3	66	66	17	-	45	2
62	Garvin	231	-	-	-	3	42	14	3	25	3	111	109	31	-	67	-
63	Grady	340	-	2	-	2	54	18	6	30	5	177	175	38	-	124	1
64	Chickasha	181	-	2	-	1	27	8	3	16	3	102	101	21	-	73	1
65	Balance of county	159	-	-	-	1	27	10	3	14	2	75	74	17	-	51	-
66	Grant	88	-	-	-	-	9	2	1	6	-	51	50	18	-	28	-
67	Greer	129	-	-	-	-	21	9	2	10	2	78	76	28	-	40	-
68	Harmon	61	-	-	-	-	10	3	1	6	1	40	39	11	-	26	1
69	Harper	73	-	-	-	-	6	-	2	4	-	45	43	8	-	29	-
70	Haskell	84	2	-	-	1	10	4	2	4	3	51	50	15	1	31	1
71	Hughes	168	3	-	-	1	30	7	5	18	1	87	83	26	-	52	3
72	Jackson	190	1	-	-	1	34	13	5	16	4	81	79	16	-	50	3
73	Jefferson	119	-	1	-	-	16	4	2	10	2	57	57	14	-	37	1
74	Johnston	97	3	-	-	2	12	2	2	8	1	54	51	15	-	34	-
75	Kay	538	-	1	-	1	90	30	8	52	9	267	260	51	-	194	3
76	Ponca City	203	-	1	-	-	40	12	6	22	4	98	98	17	-	75	1
77	Balance of county	335	-	-	-	1	50	18	2	30	5	169	162	34	-	119	2
78	Kingfisher	106	2	-	-	-	16	5	4	7	5	56	56	12	-	41	1
79	Kiowa	147	2	-	-	1	28	8	3	17	-	77	77	16	-	60	-
80	Latimer	84	-	-	-	-	20	5	2	13	2	39	38	8	1	25	-
81	Le Flore	292	5	-	-	4	55	15	7	33	5	151	147	45	-	90	5
82	Lincoln	185	1	-	-	-	28	10	2	16	2	109	108	20	-	76	4

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
192	37	70	3	26	7	4	16	7	4	8	1	-	11	26	4	17	39	17	-	46	1
42	10	12	2	5	1	1	1	-	-	-	-	-	3	1	-	4	5	4	-	9	2
150	27	58	1	21	6	3	15	7	4	8	1	-	8	25	4	13	34	13	-	37	3
83	14	13	1	9	2	1	5	3	-	2	-	-	3	4	-	6	4	4	-	17	4
82	10	28	1	13	2	4	3	2	1	-	1	-	2	7	4	8	8	5	-	17	5
35	2	11	1	4	1	1	2	2	-	-	-	-	-	2	4	2	4	4	-	11	6
47	8	17	-	9	1	3	1	-	1	-	1	-	2	5	-	6	4	1	-	6	7
21	4	8	2	3	-	-	1	-	-	2	-	-	-	3	2	3	4	1	-	14	8
101	18	25	3	6	2	2	5	2	1	1	-	-	12	19	3	18	22	3	1	40	9
176	22	28	8	19	5	5	15	1	1	5	1	-	5	7	1	9	15	10	1	33	10
77	11	8	2	5	1	1	8	1	-	2	1	-	2	7	-	2	4	3	-	10	11
99	11	20	6	14	4	4	7	-	1	3	-	-	3	-	1	7	11	7	1	23	12
159	20	33	5	37	7	5	19	2	4	5	5	1	9	21	8	26	20	6	-	46	13
43	6	11	-	9	1	-	3	-	2	2	-	1	1	6	4	2	6	1	-	14	14
116	14	22	5	28	6	5	16	2	2	3	5	-	8	15	4	24	14	5	-	32	15
79	24	37	3	8	2	6	8	-	3	3	-	3	4	11	5	21	13	4	-	28	16
162	24	33	2	33	1	3	14	2	2	5	2	1	6	23	3	28	25	8	2	38	17
31	6	6	-	6	-	-	1	1	-	2	-	-	-	4	-	5	6	-	-	6	18
131	18	27	2	27	1	3	13	1	2	3	2	1	6	19	3	23	19	8	2	32	19
63	14	12	4	5	-	-	2	1	-	3	-	-	2	8	1	7	12	-	1	17	20
4,635	748	1,150	156	427	145	239	593	126	79	123	37	24	262	825	574	608	828	215	97	1,455	21
1,241	150	278	30	128	42	46	134	43	24	28	10	7	90	329	182	159	198	71	29	382	22
3,394	598	872	126	299	103	193	459	83	55	95	27	17	172	496	392	449	630	144	68	1,073	23
17	9	9	-	2	-	2	3	1	-	-	-	-	1	4	2	3	4	-	2	6	24
40	1	2	-	4	2	2	4	1	-	-	-	-	1	1	-	-	2	3	1	7	25
18	14	9	-	1	-	3	5	-	-	-	-	-	-	6	10	8	3	1	-	10	26
10	5	1	-	1	-	-	2	-	-	1	-	-	-	1	1	2	4	4	-	1	27
45	12	8	1	1	-	6	4	-	-	1	2	-	-	6	5	8	5	1	2	17	28
29	3	8	2	3	1	-	4	2	1	-	-	1	2	2	2	3	10	-	1	10	29
69	14	10	2	4	2	3	14	3	-	1	1	-	4	9	11	5	12	4	1	12	30
37	7	2	1	1	1	3	3	1	-	-	-	-	2	1	4	3	5	1	-	4	31
32	7	8	1	3	1	-	11	2	-	1	1	-	2	8	7	2	7	3	1	8	32
45	12	23	2	2	1	4	15	3	2	8	1	-	6	14	11	8	17	5	-	21	33
53	3	10	-	10	-	1	9	-	-	1	-	-	-	9	6	6	6	4	-	19	34
36	2	7	-	6	-	1	3	-	-	-	-	-	-	6	4	5	2	1	-	10	35
17	1	3	-	4	-	-	6	-	-	1	-	-	-	3	2	1	4	3	-	9	36
85	22	19	3	3	2	1	11	2	1	2	1	-	6	16	7	14	26	5	4	19	37
51	13	8	1	2	2	-	4	2	-	1	-	-	4	7	4	9	15	5	2	16	38
34	9	11	2	1	-	1	7	-	1	1	1	-	2	9	3	5	11	-	2	3	39
35	4	15	1	1	1	1	6	1	-	2	-	-	1	1	5	3	5	2	1	14	40
39	19	12	-	5	1	1	4	2	1	3	-	-	1	8	10	4	6	2	3	13	41
8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	4	42
62	6	7	2	4	-	1	19	-	1	2	-	-	5	4	7	9	9	3	-	12	43
44	4	5	2	2	-	-	13	-	1	2	-	-	2	4	3	7	5	3	-	7	44
18	2	2	-	2	-	1	6	-	-	-	-	-	3	-	4	2	4	-	-	5	45
18	11	6	-	2	-	2	3	-	-	1	-	1	1	2	3	1	2	-	-	3	46
64	23	37	1	4	4	3	6	2	2	3	1	-	3	37	10	17	15	2	4	30	47
48	18	19	1	3	3	3	4	1	2	2	1	-	2	28	7	12	9	2	4	20	48
16	5	18	-	1	1	-	2	1	-	1	-	-	1	9	3	5	6	-	-	10	49
20	1	4	-	1	-	3	1	-	-	-	-	-	1	1	-	1	3	1	1	7	50
48	6	13	-	8	2	-	5	1	-	1	-	1	-	2	7	5	3	3	1	9	51
90	13	35	8	4	3	8	11	5	3	2	-	-	3	18	7	4	22	4	-	26	52
30	4	11	1	1	2	1	4	1	1	1	-	-	-	12	1	1	8	1	-	11	53
60	9	24	7	3	1	7	7	4	2	1	-	-	3	6	6	3	14	3	-	15	54
52	9	17	4	3	-	-	7	-	1	1	1	-	3	5	3	2	11	-	-	10	55
37	1	7	1	3	2	6	2	-	-	-	-	-	2	2	6	9	6	1	1	11	56
10	3	4	1	2	-	1	3	-	-	-	-	-	1	3	1	3	5	-	-	3	57
31	1	1	-	1	-	2	4	-	-	1	-	-	-	2	1	1	2	-	-	3	58
115	11	23	-	14	7	5	8	3	2	2	-	-	9	19	11	11	23	5	1	31	59
82	8	16	-	11	6	5	6	3	2	2	-	-	8	14	7	9	16	1	-	27	60
33	3	7	-	3	1	-	2	-	-	-	-	-	1	5	4	2	7	4	1	4	61
48	11	8	2	7	2	2	6	-	2	1	-	-	1	15	3	12	10	5	2	15	62
75	21	27	1	11	1	2	7	5	2	4	-	-	4	12	6	16	10	-	2	32	63
43	15	14	-	7	-	1	4	3	1	-	-	-	4	8	2	6	3	-	1	14	64
32	6	13	1	4	1	1	3	2	1	4	-	-	-	4	4	10	7	-	1	18	65
23	-	5	-	2	2	1	-	-	-	2	1	-	1	2	5	1	3	2	2	9	66
26	2	12	2	3	3	2	5	-	-	2	-	-	-	4	2	2	2	4	-	7	67
15	2	8	-	2	-	1	1	-	-	-	-	-	-	1	1	1	1	1	1	3	68
18	5	6	3	3	-	2	-	1	1	-	1	-	-	3	1	2	5	-	-	8	69
24	3	3	-	1	2	1	1	-	-	-	-	-	1	2	4	2	1	1	-	5	70
42	4	3	3	1	1	4	7	-	-	-	-	1	1	2	8	7	8	1	-	11	71
39	2	6	1	9	3	2	15	1	1	1	-	-	-	11	3	9	4	1	3	20	72
31	3	2	2	4	-	-	1	2	-	-	1	-	1	4	11	5	6	1	-	11	73
29	1	4	1	-	1	3	1	-	1	2	-	-	4	1	3	4	5	-	-	4	74
126	25	40	6	7	2	7	14	4	1	1	3	-	9	19	8	17	43	8	-	43	75
54	12	8	1	3	2	-	6	-	-	-	1	-	5	12	4	7	8	3	-	14	76
72	13	32	5	4	-	7	8	4	1	1	2	-	4	7	4	10	35	5	-	29	77
29	3	8	-	2	1	-	3	2	-	4	-	-	2	1	1	1	4	1	1	7	78
41	9	10	-	-	1	-	7	2	-	2	-	-	2	5	3	2	7	1	-	8	79
15	2	8	-	3	1	1	3	-	-	1	-	-	-	3	3	2	4	-	-	7	80
54	13	18	4	7	1	4	5	2	2	3	-	-	4	8	9	11	5	3	-	20	81
49	10	13	-	10	2	1	12	1	1	1	-	-	-	1	3	6	8	-	-	12	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OKLAHOMA—Continued																
1	Logan	258	2	1	-	-	44	20	2	22	2	132	128	38	2	84	1
2	Guthrie	166	2	1	-	-	32	18	2	12	-	84	82	26	2	52	-
3	Balance of county	92	-	-	-	-	12	2	-	10	2	48	46	12	-	32	1
4	Love	71	-	-	-	-	15	7	-	8	2	32	31	14	-	16	-
5	McClain	98	1	-	-	1	13	2	-	11	3	60	59	17	-	38	2
6	McCurtain	242	6	1	-	4	40	13	3	24	5	102	98	30	-	61	-
7	McIntosh	119	4	-	-	2	18	3	1	14	1	54	54	18	-	33	-
8	Major	65	1	-	-	1	17	6	5	6	4	29	29	7	-	17	-
9	Marshall	79	-	-	-	-	11	4	1	6	5	45	44	9	-	35	2
10	Mayes	193	2	-	-	1	37	14	7	16	2	83	79	21	-	54	3
11	Murray	120	2	-	-	-	16	4	2	10	-	69	67	19	-	44	-
12	Muskogee	697	2	5	-	5	99	40	6	53	8	387	372	76	-	264	7
13	Muskogee	491	1	3	-	2	74	34	5	35	4	275	264	52	-	190	4
14	Balance of county	206	1	2	-	3	25	6	1	18	4	112	108	24	-	74	3
15	Noble	111	-	2	-	1	22	10	3	9	-	61	58	13	-	38	2
16	Nowata	142	2	1	-	-	27	8	3	16	-	72	71	14	-	54	2
17	Okfuskee	166	5	-	-	1	33	6	5	22	1	77	70	20	-	42	-
18	Oklahoma	2,875	29	8	3	20	411	138	53	220	41	1,416	1,392	350	-	944	27
19	Oklahoma City	2,350	23	7	-	12	336	119	40	177	35	1,159	1,136	292	-	759	21
20	Midwest City	62	1	1	2	2	7	-	1	6	1	27	27	3	-	24	-
21	Balance of county	463	5	-	1	6	68	19	12	37	5	230	229	55	-	161	6
22	Okmulgee	425	2	-	-	2	67	21	7	39	6	228	223	43	-	169	1
23	Okmulgee	183	1	-	-	1	33	13	3	17	4	95	93	19	-	70	-
24	Balance of county	242	1	-	-	1	34	8	4	22	2	133	130	24	-	99	1
25	Osage	250	3	2	-	-	31	6	6	19	7	123	120	29	-	77	4
26	Ottawa	326	10	-	-	1	51	13	9	29	3	177	171	30	2	125	3
27	Miami	130	6	-	-	-	26	8	5	13	1	69	65	13	1	45	2
28	Balance of county	196	4	-	-	1	25	5	4	16	2	108	106	17	1	80	1
29	Pawnee	151	1	-	-	-	22	10	5	7	3	83	82	26	-	51	2
30	Payne	318	2	1	-	1	60	18	5	37	11	160	154	40	2	98	3
31	Stillwater	133	1	-	-	-	24	8	2	14	2	63	61	14	1	39	-
32	Balance of county	185	1	1	-	1	36	10	3	23	9	97	93	26	1	59	3
33	Pittsburg	376	2	1	-	1	63	13	13	37	4	201	192	64	-	119	2
34	McAlester	162	1	1	-	1	24	6	4	14	3	77	74	23	-	49	1
35	Balance of county	214	1	-	-	-	39	7	9	23	1	124	118	41	-	70	1
36	Pontotoc	278	2	-	-	2	44	14	4	26	3	130	128	30	-	90	4
37	Ada	165	2	-	-	1	28	8	2	18	1	78	76	18	-	53	3
38	Balance of county	113	-	-	-	1	16	6	2	8	2	52	52	12	-	37	1
39	Pottawatomie	375	1	2	-	2	54	21	5	28	4	213	210	67	-	128	4
40	Shawnee	216	1	1	-	2	34	12	4	18	2	122	121	41	-	73	3
41	Balance of county	159	-	1	-	-	20	9	1	10	2	91	89	26	-	55	1
42	Pushmataha	108	2	-	-	4	22	8	2	12	2	56	53	11	-	34	-
43	Roger Mills	54	-	-	-	-	12	4	3	5	1	25	23	3	-	20	-
44	Rogers	207	3	-	-	1	33	12	4	17	4	102	101	18	-	72	2
45	Seminole	305	2	-	-	1	55	21	5	29	7	141	137	31	-	91	2
46	Seminole	80	-	-	-	-	14	4	1	9	1	37	37	7	-	21	1
47	Balance of county	225	2	-	-	1	41	17	4	20	6	104	100	24	-	70	1
48	Sequoyah	156	3	1	-	1	22	7	3	12	2	94	92	24	-	60	1
49	Stephens	294	3	-	-	5	46	17	9	20	4	138	138	24	-	100	3
50	Duncan	139	1	-	-	1	22	8	4	10	3	70	70	8	-	55	2
51	Balance of county	155	2	-	-	4	24	9	5	10	1	68	68	16	-	45	1
52	Texas	111	1	-	-	-	21	3	5	13	-	52	52	11	-	39	2
53	Tillman	173	1	1	-	2	34	12	7	15	3	86	85	23	-	54	-
54	Tulsa	2,373	21	5	-	23	379	109	57	213	35	1,171	1,149	269	-	778	26
55	Tulsa	1,958	17	4	-	16	331	93	51	187	27	957	938	219	-	637	23
56	Balance of county	415	4	1	-	7	48	16	6	26	8	214	211	50	-	141	3
57	Wagoner	114	1	1	-	-	14	5	-	9	1	68	63	9	-	49	3
58	Washington	300	1	-	1	3	46	10	8	28	3	158	155	35	-	111	2
59	Bartlesville	185	1	-	1	1	32	8	6	18	2	98	96	21	-	68	2
60	Balance of county	115	-	-	-	2	14	2	2	10	1	60	59	14	-	43	-
61	Washita	124	-	1	-	1	15	1	1	13	3	58	57	17	-	40	-
62	Woods	137	1	-	-	-	21	8	1	12	1	76	73	17	-	47	1
63	Woodward	146	1	-	-	-	20	7	3	10	5	89	87	12	-	67	4
64	OREGON	15,378	83	39	13	37	2,312	800	254	1,258	170	8,701	8,574	1,872	6	5,987	213
65	Metropolitan counties	7,173	45	22	3	14	1,082	354	130	598	76	4,204	4,148	903	4	2,940	114
66	Nonmetropolitan counties	8,205	38	17	10	23	1,230	446	124	660	94	4,497	4,426	969	2	3,047	99
67	Baker	161	1	1	1	-	27	11	2	14	-	93	92	17	-	69	1
68	Benton	209	1	-	1	2	29	13	3	13	4	120	117	30	-	78	2
69	Corvallis	115	-	-	1	2	13	7	2	4	3	66	64	20	-	38	-
70	Balance of county	94	1	-	-	-	16	6	1	9	1	54	53	10	-	40	2
71	Clackamas	862	4	3	1	2	111	36	11	64	10	521	511	103	1	373	7
72	Clatsop	313	1	-	1	-	47	15	4	28	7	179	178	47	-	114	4
73	Astoria	126	1	-	-	-	21	6	2	13	4	74	74	19	-	48	3
74	Balance of county	187	-	-	1	-	26	9	2	15	3	105	104	28	-	66	1
75	Columbia	221	1	2	-	1	34	15	7	12	4	129	128	20	1	101	5
76	Coos	461	3	1	-	2	70	20	9	41	3	242	241	49	-	169	2
77	Crook	72	1	-	-	1	10	2	-	8	-	31	30	4	-	26	-
78	Curry	85	-	-	-	1	9	2	-	7	2	36	35	5	-	26	-
79	Deschutes	188	1	-	-	-	28	10	4	14	-	104	103	17	-	79	2
80	Bend	100	1	-	-	-	17	5	3	9	-	50	50	9	-	38	-
81	Balance of county	88	-	-	-	-	11	5	1	5	-	54	53	8	-	41	2
82	Douglas	492	3	2	-	-	71	22	4	45	4	246	244	62	1	150	6
83	Gilliam	28	-	-	-	-	4	-	1	3	-	12	12	3	-	7	-
84	Grant	53	-	-	-	-	4	1	-	3	-	23	23	8	-	12	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
58	16	9	2	-	2	4	15	-	1	2	-	1	1	9	6	7	12	1	-	22	1
33	11	8	1	-	1	2	9	-	1	2	-	1	-	5	1	4	9	-	-	15	2
25	5	1	1	-	1	2	6	-	-	-	-	-	1	4	5	3	3	1	-	7	3
11	3	2	1	-	-	1	2	-	1	-	-	-	1	4	2	1	3	1	-	7	4
33	-	3	-	4	-	1	-	2	-	-	-	-	2	3	-	5	1	1	-	6	5
35	7	19	2	5	-	4	11	-	-	5	-	-	1	11	10	4	14	-	4	24	6
24	2	7	2	1	-	-	4	1	2	-	-	1	1	5	3	3	8	1	1	10	7
8	1	8	2	3	-	-	2	-	-	-	-	1	-	2	-	1	2	-	-	5	8
25	2	6	-	-	-	1	4	-	-	-	-	-	-	-	2	3	5	-	-	4	9
37	8	6	-	3	1	4	6	1	1	1	-	-	6	5	6	11	16	4	2	9	10
34	7	3	-	3	1	2	8	2	1	-	-	-	-	2	-	9	4	-	-	7	11
178	22	57	9	17	6	15	12	4	2	1	-	1	8	24	20	18	20	8	8	65	12
137	17	32	8	10	4	11	7	3	2	1	-	1	6	17	13	12	12	8	5	45	13
41	5	25	1	7	2	4	5	1	-	-	-	-	2	7	7	6	8	-	3	20	14
25	4	7	1	6	-	3	3	1	-	-	1	-	-	2	6	1	2	-	-	9	15
36	3	13	-	3	-	1	1	1	-	2	-	-	3	4	11	2	3	2	-	11	16
30	6	6	6	1	1	7	13	2	1	-	-	1	3	5	4	2	8	1	-	9	17
651	73	193	21	52	25	24	79	19	11	16	6	-	43	184	144	79	100	32	17	217	18
535	52	151	16	45	24	23	63	17	8	14	5	-	36	149	122	58	80	23	16	187	19
16	-	8	-	-	-	-	1	-	-	-	-	-	1	5	1	7	2	1	-	3	20
100	21	34	5	7	1	1	15	2	3	2	1	-	6	30	21	14	18	8	1	27	21
105	26	37	2	6	3	5	14	2	2	1	-	-	6	22	10	10	17	5	1	30	22
40	7	23	1	2	1	2	5	-	1	1	-	-	3	12	4	6	3	-	1	13	23
65	19	14	1	4	2	3	9	2	1	-	-	-	3	10	6	4	14	5	-	17	24
55	9	9	3	6	5	3	11	1	1	6	-	-	3	10	5	10	9	4	-	24	25
91	13	18	2	9	3	6	11	4	1	-	2	-	8	6	5	10	11	2	2	22	26
34	6	3	1	4	1	4	5	2	-	-	1	-	6	2	2	2	4	1	-	3	27
57	7	15	1	5	2	2	6	2	1	-	1	-	2	4	3	8	7	1	2	19	28
25	10	14	2	2	1	1	5	-	-	-	1	-	1	4	3	6	9	3	1	9	29
73	4	18	-	13	1	6	13	1	-	1	-	1	5	16	5	1	11	2	-	27	30
28	2	9	-	7	-	2	8	-	-	-	-	1	5	11	4	-	4	1	-	9	31
45	2	9	-	6	1	4	5	1	-	1	-	-	-	5	1	1	7	1	-	18	32
82	15	20	-	5	4	9	7	2	1	1	2	1	4	8	13	8	18	5	5	29	33
33	9	6	-	1	1	3	5	1	-	-	1	-	3	3	8	4	9	2	5	14	34
49	6	14	-	4	3	6	2	1	1	1	1	1	1	5	5	4	9	3	-	15	35
73	5	8	5	1	2	2	10	1	-	3	-	-	8	14	8	11	12	1	3	26	36
43	2	5	3	1	1	2	5	1	-	2	-	-	3	13	2	4	5	-	3	17	37
30	3	3	2	-	1	-	5	-	-	1	-	-	5	1	6	7	7	1	-	9	38
94	13	17	5	9	1	3	14	2	5	1	1	-	3	7	6	15	14	2	2	27	39
53	7	10	1	5	1	1	7	1	2	-	1	-	1	5	1	9	8	2	2	15	40
41	6	7	4	4	-	2	7	1	3	1	-	-	2	2	5	6	6	-	-	12	41
20	7	7	2	4	2	3	2	-	-	1	-	-	-	3	3	1	3	1	1	7	42
19	1	-	-	-	-	2	3	-	-	-	1	-	1	1	1	1	4	-	-	4	43
46	17	7	2	6	3	1	5	-	1	3	2	1	7	6	6	8	9	2	1	13	44
58	11	20	11	3	1	4	18	2	1	3	-	2	-	10	14	11	14	-	-	24	45
14	2	4	8	1	-	-	5	1	-	-	-	-	-	4	2	2	4	-	-	10	46
44	9	16	3	2	1	4	13	1	1	3	-	2	-	6	12	9	10	-	-	14	47
38	9	12	1	3	4	2	2	-	2	-	1	-	1	5	4	5	6	2	-	5	48
79	13	5	5	6	3	-	5	3	1	4	-	1	2	12	9	20	14	3	1	23	49
41	9	3	-	4	3	-	2	-	1	3	-	1	1	9	4	6	5	-	1	9	50
38	4	2	5	2	-	-	3	3	-	1	-	-	1	3	5	14	9	3	-	14	51
29	2	6	1	1	-	-	2	1	-	-	-	-	3	3	2	5	9	1	-	11	52
43	6	5	2	3	3	1	5	-	-	1	-	-	2	5	4	8	7	2	1	11	53
590	77	85	9	76	17	22	55	24	13	12	4	7	47	145	38	80	98	39	12	165	54
492	60	62	6	62	14	19	47	21	11	11	4	7	35	123	26	61	87	31	11	131	55
98	17	23	3	14	3	3	8	3	2	1	-	-	12	22	12	19	11	8	1	34	56
28	3	15	1	4	-	5	3	-	-	-	2	-	-	4	5	2	7	1	-	5	57
83	10	16	-	8	1	3	4	3	4	2	-	-	5	8	9	10	13	2	-	28	58
51	6	9	-	6	1	2	3	3	2	-	-	-	4	5	6	8	5	-	-	14	59
32	4	7	-	2	-	1	1	-	2	2	-	-	1	3	3	2	8	2	-	14	60
27	9	4	-	-	-	1	3	-	-	1	-	1	2	4	4	6	7	2	-	16	61
30	4	12	2	7	-	3	2	-	-	-	1	1	3	5	5	3	5	1	-	12	62
38	10	15	2	2	4	2	1	1	1	-	-	-	2	1	-	4	3	5	1	12	63
4,385	794	595	82	475	152	127	396	95	52	109	15	8	213	533	159	434	650	251	48	1,060	64
2,176	411	239	39	196	66	56	199	45	26	53	7	1	75	230	83	123	225	135	30	495	65
2,209	383	356	43	279	86	71	197	50	26	56	8	7	138	303	76	311	425	116	18	565	66
54	5	9	1	5	-	1	2	-	-	-	-	-	4	6	2	3	4	1	-	16	67
56	11	9	-	5	4	3	1	1	-	2	-	-	5	9	-	6	9	3	1	15	68
30	3	5	-	4	2	2	1	-	-	1	-	-	3	7	-	2	6	1	1	8	69
26	8	4	-	1	2	1	-	1	-	1	-	-	2	2	-	4	3	2	-	7	70
244	88	34	4	27	3	10	16	5	2	3	3	1	13	34	7	14	35	28	1	48	71
85	17	8	1	10	6	1	9	1	-	1	-	-	-	14	3	10	12	4	1	23	72
34	9	2	1	4	2	-	-	1	-	-	-	-	-	4	-	3	6	-	-	12	73
51	8	6	-	6	4	1	9	-	-	1	-	-	-	10	3	7	6	4	1	11	74
66	20	10	-	5	1	1	6	3	-	1	-	-	1	7	1	8	13	1	-	9	75
123	19	25	3	13	7	1	14	3	1	1	-	-	5	15	4	20	32	10	2	35	76
21	3	2	-	-	-	1	6	-	-	-	-	-	2	2	1	3	11	1	-	3	77
18	4	4	-	4	-	1	3	1	-	-	-	-	1	6	1	6	10	4	-	5	78
58	5	14	2	2	3	1	4	-	-	2	-	-	4	6	3	7	9	2	1	17	79
29	3	6	2	-	1	-	3	-	-	2	-	-	3	2	1	3	5	2	1	10	80
29	2	8	-	2	2	1	1	-	-	-	-	-	1	4	2	4	4	-	-	7	81
117	8	19	3	22	6	2	12	4	2	2	1	1	16	21	2	24	40	8	-	33	82
5	2	-	-	-	2	-	-	-	1	1	-	-	-	1	-	3	1	1	-	4	83
11	1	-	1	2	-	-	2	-	-	1	-	-	-	2	1	3	9	2	-	6	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OREGON—Continued																
1	Harney	55	1	-	-	-	4	1	2	1	-	25	25	6	-	15	-
2	Hood River	140	-	-	-	1	19	6	1	12	1	85	85	33	-	46	1
3	Jackson	589	1	2	1	1	94	32	7	55	7	342	338	84	-	231	6
4	Medford	204	-	1	-	1	33	9	4	20	3	123	121	36	-	79	1
5	Balance of county	385	1	1	1	-	61	23	3	35	4	219	217	48	-	152	5
6	Jefferson	49	-	-	-	1	2	-	-	2	-	19	19	-	-	18	2
7	Josephine	309	3	-	-	-	39	17	4	18	1	178	173	36	-	118	8
8	Klamath	351	1	-	-	2	42	14	5	23	2	163	162	38	-	112	2
9	Klamath Falls	147	-	-	-	-	17	5	2	10	1	72	72	18	-	47	1
10	Balance of county	204	1	-	-	2	25	9	3	13	1	91	90	20	-	65	1
11	Lake	62	-	-	-	-	13	4	3	6	-	35	35	16	-	18	-
12	Lane	965	3	1	2	3	142	44	19	79	9	533	525	89	-	385	15
13	Eugene	300	1	-	1	2	52	18	6	28	1	175	174	27	-	127	4
14	Springfield	90	-	1	-	-	11	-	5	6	2	49	49	8	-	36	1
15	Balance of county	575	2	-	1	1	79	26	8	45	6	309	302	54	-	222	10
16	Lincoln	229	2	1	-	-	31	10	2	19	3	133	132	30	-	83	4
17	Linn	459	1	-	-	-	56	27	5	24	3	272	265	56	-	181	4
18	Albany	114	1	-	-	-	17	10	-	7	2	71	69	15	-	48	-
19	Balance of county	345	-	-	-	-	39	17	5	17	1	201	196	41	-	133	4
20	Malheur	169	-	3	3	2	23	6	5	12	5	76	76	22	-	49	2
21	Marion	937	7	2	-	-	172	56	14	102	12	533	528	111	-	359	11
22	Salem (part)	412	4	-	-	-	78	24	4	50	3	244	240	52	-	158	7
23	Salem (total)	433	4	-	-	-	78	24	4	50	3	261	257	56	-	169	7
24	Balance of county	525	3	2	-	-	94	32	10	52	9	289	288	59	-	201	4
25	Morrow	41	-	-	-	-	7	3	-	4	1	19	19	4	-	14	1
26	Multnomah	5,682	39	19	1	11	861	273	109	479	56	3,335	3,297	724	3	2,330	94
27	Portland	4,636	35	16	1	8	705	229	93	383	42	2,745	2,713	581	2	1,929	73
28	Balance of county	1,046	4	3	-	3	156	44	16	96	14	590	584	143	1	401	21
29	Polk	213	1	-	1	1	30	13	2	15	5	129	126	24	-	84	3
30	Salem (part)	21	-	-	-	-	-	-	-	-	-	17	17	4	-	11	-
31	Balance of county	192	1	-	1	1	30	13	2	15	5	112	109	20	-	73	3
32	Sherman	25	-	-	-	-	5	3	1	1	-	12	12	5	-	7	-
33	Tillamook	178	-	-	-	1	24	9	2	13	-	99	95	22	-	63	5
34	Umatilla	373	2	2	-	1	60	23	4	33	4	181	172	46	-	115	2
35	Pendleton	111	-	1	-	1	19	8	2	9	2	51	49	14	-	30	-
36	Balance of county	262	2	1	-	-	41	15	2	24	2	130	123	32	-	85	2
37	Union	191	2	-	-	1	23	15	1	7	8	116	108	17	-	80	6
38	Wallowa	65	-	-	-	-	11	4	1	6	1	35	35	7	-	26	-
39	Wasco	178	2	-	-	2	38	17	4	17	2	93	92	18	-	70	3
40	Washington	629	2	-	1	1	110	45	10	55	10	348	340	76	-	237	13
41	Wheeler	25	-	-	-	-	8	3	3	2	-	11	10	1	-	9	-
42	Yamhill	319	-	-	-	-	54	28	5	21	6	193	191	42	-	133	2
43	PENNSYLVANIA	113,564	1,223	268	19	359	18,264	6,953	2,218	9,093	2,454	65,041	63,871	12,270	87	47,005	1,680
44	Metropolitan counties	88,616	1,024	221	13	276	14,487	5,459	1,848	7,180	1,917	50,486	49,619	9,281	72	36,859	1,342
45	Nonmetropolitan counties	24,948	199	47	6	83	3,777	1,494	370	1,913	537	14,555	14,252	2,989	15	10,146	338
46	Adams	439	5	-	-	2	60	23	2	35	14	253	241	56	-	167	3
47	Allegheny	16,002	175	39	1	49	2,735	1,050	376	1,309	308	8,799	8,655	1,746	15	6,340	223
48	Pittsburgh	8,277	117	26	-	24	1,408	547	192	669	159	4,435	4,366	919	10	3,157	107
49	McKeesport	636	5	1	1	1	97	39	11	47	9	375	372	75	-	270	6
50	Mount Lebanon (twp.)[2] [3]	239	-	-	-	-	56	20	7	29	3	150	146	22	-	118	5
51	Wilkinsburg	348	5	-	-	5	51	21	7	23	4	197	191	37	-	141	5
52	Bellevue	117	2	-	-	-	24	5	2	17	2	68	67	17	-	46	2
53	Bethel	55	1	-	-	-	17	6	3	8	-	26	25	2	-	23	2
54	Braddock	197	2	-	-	-	23	14	3	6	4	99	99	17	-	77	4
55	Brentwood	83	-	-	-	1	12	5	2	5	3	55	53	5	-	47	2
56	Carnegie	174	-	-	-	-	25	11	5	9	6	90	89	13	-	67	1
57	Clairton	157	-	-	-	-	32	8	9	15	4	85	83	16	-	62	3
58	Coraopolis	136	1	2	-	-	27	6	4	17	6	70	70	11	-	55	3
59	Dormont	127	1	-	-	-	24	13	4	7	-	80	78	17	-	55	3
60	Duquesne	195	4	-	-	2	26	11	3	12	8	101	99	22	-	73	1
61	Harrison (twp.)[2] [3]	102	-	-	-	-	17	7	4	6	1	58	55	10	-	43	1
62	Homestead	145	2	-	-	-	34	11	7	16	5	63	62	13	-	46	2
63	McKees Rocks	222	-	1	-	1	47	20	8	19	2	114	113	22	-	87	3
64	Munhall	167	3	-	-	1	24	12	2	10	9	104	103	17	1	78	-
65	North Braddock	128	3	-	-	1	23	12	5	6	3	70	69	13	-	52	2
66	Shaler (twp.)[2] [3]	104	2	-	-	-	13	4	1	8	2	62	61	8	-	50	1
67	Stowe (twp.)[2] [3]	56	1	-	-	-	12	5	2	5	-	31	31	8	-	23	1
68	Swissvale	145	-	-	-	1	26	10	4	12	2	86	82	21	-	59	-
69	Turtle Creek	132	-	-	-	1	16	6	3	7	4	78	77	14	1	58	4
70	West Mifflin	115	-	1	-	-	24	10	2	12	1	64	64	11	-	48	-
71	Balance of county	3,945	26	8	-	11	677	247	86	344	71	2,238	2,200	436	3	1,605	65
72	Armstrong	786	6	1	-	2	113	47	10	56	9	486	479	103	-	337	19
73	Beaver	1,632	20	2	-	3	283	113	35	135	34	898	876	187	-	611	25
74	Aliquippa	252	4	-	-	1	52	22	5	25	4	136	132	37	-	87	1
75	Ambridge	157	2	-	-	-	35	12	7	16	2	86	81	15	-	59	4
76	Beaver Falls	204	5	1	-	-	24	13	3	8	5	129	125	34	-	85	3
77	Ellwood City (part)	4	-	-	-	-	-	-	-	-	-	4	4	-	-	3	-
78	Balance of county	1,015	9	1	-	2	172	66	20	86	23	543	534	101	-	377	17
79	Bedford	403	3	-	-	6	52	20	3	29	9	247	236	47	-	167	6
80	Berks	2,864	21	4	-	5	452	150	41	261	79	1,747	1,728	345	4	1,225	47
81	Reading	1,404	8	1	-	2	240	94	24	122	41	872	867	162	3	620	23
82	Balance of county	1,460	13	3	-	3	212	56	17	139	38	875	861	183	1	605	24

[2] Classified as urban under a special rule.
[3] Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9	1	5	1	2	1	-	2	-	1	-	-	-	2	2	3	3	5	2	-	5	1
38	5	2	-	6	-	-	4	1	-	-	-	-	1	5	1	1	7	2	-	12	2
159	31	35	1	15	7	4	12	5	3	4	-	-	14	14	2	14	17	3	2	51	3
58	8	12	-	4	2	2	4	1	1	1	-	-	2	4	1	5	7	-	1	16	4
101	23	23	1	11	5	2	8	4	2	3	-	-	12	10	1	9	10	3	1	35	5
10	5	1	1	-	-	-	2	1	1	1	-	-	3	2	-	8	5	-	-	4	6
77	9	24	3	15	1	5	10	1	-	3	1	-	3	11	6	13	16	3	-	21	7
79	18	13	4	5	3	1	8	4	1	6	-	-	7	13	3	19	22	5	4	49	8
37	2	7	2	4	1	-	3	2	1	1	-	-	3	1	-	9	10	4	1	22	9
42	16	6	2	1	2	1	5	2	-	5	-	-	4	12	3	10	12	1	3	27	10
16	2	-	-	1	-	-	-	-	-	-	-	-	1	4	-	4	2	1	-	2	11
300	34	36	5	31	15	8	29	5	-	5	1	2	19	47	8	33	54	16	1	52	12
97	11	15	2	11	7	1	10	1	-	3	-	-	3	10	5	8	9	7	1	11	13
30	4	1	1	4	-	-	2	-	-	-	-	-	-	5	-	5	11	-	-	4	14
173	19	20	2	16	8	7	17	4	-	2	1	2	16	32	3	20	34	9	-	37	15
61	9	9	4	10	5	1	7	2	-	4	-	1	2	5	1	15	5	4	-	13	16
136	24	17	5	21	2	7	7	1	1	5	-	-	8	18	4	23	27	5	1	27	17
30	11	7	-	5	1	2	2	-	-	1	-	-	3	3	2	7	3	1	-	1	18
106	13	10	5	16	1	5	5	1	1	4	-	-	5	15	2	16	24	4	1	26	19
34	9	4	-	4	1	-	2	1	1	1	1	-	3	11	10	6	6	3	-	12	20
261	55	32	4	44	10	5	18	4	2	3	-	1	18	29	4	35	20	19	1	57	21
111	25	15	3	21	6	4	10	3	1	2	-	1	5	8	2	9	9	9	-	24	22
121	25	16	3	23	6	4	12	3	1	3	-	1	5	8	2	10	9	9	-	24	23
150	30	17	1	23	4	1	8	1	1	1	-	-	13	21	2	26	11	10	1	33	24
8	2	3	-	1	-	-	-	-	-	-	1	-	1	2	-	2	4	-	-	4	25
1,762	288	186	28	152	60	38	162	35	23	49	3	-	57	175	71	96	162	96	25	406	26
1,469	241	146	26	122	53	32	134	29	20	43	2	-	44	121	53	74	128	79	25	332	27
293	47	40	2	30	7	6	28	6	3	6	1	-	13	54	18	22	34	17	-	74	28
52	12	17	-	18	-	3	6	1	2	2	1	-	1	5	1	7	7	4	-	9	29
10	-	1	-	2	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	30
42	12	16	-	16	-	3	4	1	2	1	1	-	1	5	1	6	7	4	-	9	31
6	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	-	-	-	32
48	6	4	-	7	3	4	7	-	1	2	1	-	4	8	2	1	11	4	1	12	33
89	17	7	-	9	2	9	12	4	6	5	-	1	3	17	5	17	23	2	-	28	34
23	6	1	-	3	2	2	4	3	1	1	-	-	1	3	1	5	5	-	-	13	35
66	11	6	-	6	-	7	8	1	5	4	-	1	2	14	4	12	18	2	-	15	36
57	1	16	1	7	3	8	2	1	-	1	1	-	5	5	1	4	10	1	-	10	37
17	5	4	-	1	1	-	1	1	2	-	-	-	-	1	1	1	4	1	-	6	38
58	8	1	1	3	-	1	5	-	1	1	-	-	2	5	3	6	6	-	-	12	39
170	35	19	7	17	3	8	21	5	1	1	1	-	5	21	5	13	28	11	4	41	40
5	1	3	-	-	-	1	-	-	-	-	-	1	-	1	-	1	2	-	1	-	41
75	33	23	2	11	3	2	4	4	-	2	-	-	2	8	2	4	19	4	2	15	42
31,529	6,057	7,739	808	2,782	919	1,170	2,862	698	422	1,208	186	93	1,259	3,779	813	1,948	3,714	1,046	252	7,656	43
24,799	4,905	5,813	637	2,039	731	867	2,232	560	322	1,039	142	73	996	3,077	683	1,368	2,842	780	226	5,852	44
6,730	1,152	1,926	171	743	188	303	630	138	100	169	44	20	263	702	130	580	872	266	26	1,804	45
96	28	40	4	11	3	12	17	3	1	1	1	1	3	17	2	18	16	2	-	23	46
4,897	574	646	84	370	100	144	368	104	56	254	23	16	178	563	434	237	508	133	48	974	47
2,447	275	328	46	178	56	69	222	51	34	143	7	6	91	304	289	113	263	59	35	491	48
197	35	32	1	23	3	3	12	7	3	13	-	1	9	13	5	5	20	4	1	54	49
96	7	10	-	5	1	4	3	-	1	2	-	-	1	6	1	2	3	2	-	9	50
108	12	16	2	6	5	6	4	7	2	5	-	-	2	9	7	6	7	1	-	36	51
30	9	5	-	3	1	1	-	1	1	1	-	-	1	2	1	3	4	2	1	4	52
19	1	1	-	-	-	1	2	-	1	-	-	-	1	3	-	-	1	2	-	1	53
60	10	3	1	4	-	-	2	2	-	4	-	-	4	9	13	1	11	-	1	22	54
40	2	3	1	-	-	2	1	1	-	1	-	-	-	1	1	2	-	-	-	5	55
50	3	13	3	6	-	1	8	-	-	5	1	-	1	14	3	6	5	3	-	7	56
41	9	9	1	3	1	2	6	3	-	2	1	-	-	5	2	3	2	4	1	7	57
40	7	5	1	1	2	-	3	1	-	-	1	-	2	8	-	1	3	2	1	8	58
43	6	3	1	4	1	2	2	2	-	3	-	1	-	3	2	2	-	1	-	6	59
55	9	8	-	2	2	2	4	1	-	3	1	-	1	14	5	2	8	1	1	13	60
37	3	2	-	1	1	3	-	-	-	2	-	-	-	8	-	1	4	-	-	11	61
37	3	4	-	3	-	1	3	1	-	4	1	-	3	4	4	5	4	2	-	10	62
70	6	8	1	2	1	1	8	-	1	2	-	-	2	5	9	2	10	1	1	16	63
66	8	4	1	6	-	1	-	-	1	4	1	-	1	6	4	1	3	-	1	4	64
35	9	6	1	2	1	1	4	-	1	1	-	-	1	5	3	2	2	1	-	8	65
41	4	4	-	3	-	1	1	1	-	3	-	-	-	3	2	2	3	2	-	8	66
20	1	1	-	-	-	-	2	-	-	1	-	-	-	1	2	-	3	-	-	3	67
47	7	5	-	2	-	4	3	1	-	3	-	-	3	1	4	2	4	1	-	8	68
44	6	4	-	4	-	1	2	1	1	2	-	-	3	7	2	3	6	-	-	6	69
38	6	4	1	3	1	-	4	-	-	-	-	-	-	3	3	3	2	3	-	7	70
1,236	136	168	23	109	24	38	72	24	10	50	10	8	52	129	72	70	140	42	5	230	71
203	32	83	2	34	3	7	20	5	3	6	1	-	7	26	4	12	28	6	6	45	72
442	61	83	13	56	9	22	33	7	2	24	3	2	20	57	16	34	55	35	2	102	73
66	7	13	2	4	2	4	7	-	-	5	1	1	-	8	3	3	2	3	1	21	74
51	1	3	1	5	1	5	2	1	-	2	-	-	1	1	4	3	7	4	-	7	75
62	11	9	1	3	2	4	5	2	1	4	1	-	3	6	1	3	5	2	-	7	76
2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
261	42	57	9	44	3	9	19	4	1	13	1	1	16	42	8	25	41	26	1	67	78
101	15	45	5	15	2	11	10	3	1	-	1	-	4	15	2	14	12	3	-	21	79
885	107	186	22	114	18	19	50	18	10	35	6	4	27	70	21	47	77	26	5	160	80
467	56	74	14	59	9	5	24	6	3	19	3	3	10	30	9	20	29	3	3	78	81
418	51	112	8	55	9	14	26	12	7	16	3	1	17	40	12	27	48	23	2	82	82

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Con.																
1	Blair	1,573	10	7	2	3	242	83	28	131	38	958	938	196	1	637	33
2	Altoona	948	6	5	1	3	161	57	16	88	21	558	549	121	1	363	15
3	Balance of county	625	4	2	1	-	81	26	12	43	17	400	389	75	-	274	18
4	Bradford	598	3	-	1	-	115	57	10	48	10	352	351	57	1	257	11
5	Bucks	1,739	13	2	1	3	259	93	38	128	35	1,018	1,003	192	-	740	36
6	Bristol	134	2	-	-	-	16	4	4	8	5	73	72	13	-	53	1
7	Balance of county	1,605	11	2	1	3	243	89	34	120	30	945	931	179	-	687	35
8	Butler	1,007	5	-	1	6	162	54	14	94	16	601	590	134	1	389	24
9	Butler	237	1	-	-	2	43	16	6	21	3	146	145	39	-	92	7
10	Balance of county	770	4	-	1	4	119	38	8	73	13	455	445	95	1	297	17
11	Cambria	1,960	18	4	1	8	259	118	29	112	53	1,082	1,055	195	3	771	30
12	Johnstown	810	5	2	-	4	101	42	13	46	20	466	452	73	-	348	14
13	Balance of county	1,150	13	2	1	4	158	76	16	66	33	616	603	122	3	423	16
14	Cameron	60	-	-	-	-	6	4	-	2	2	31	31	10	-	18	-
15	Carbon	669	12	-	-	1	101	42	9	50	14	390	378	77	-	282	14
16	Centre	559	1	2	-	2	72	21	7	44	17	330	328	77	1	230	7
17	State College	75	-	-	-	-	12	3	-	9	2	44	44	18	1	22	-
18	Balance of county	484	1	2	-	2	60	18	7	35	15	286	284	59	-	208	7
19	Chester	1,668	15	9	1	6	253	92	31	130	43	945	926	165	3	696	21
20	Coatesville	163	3	-	-	2	34	17	4	13	4	82	77	13	-	59	3
21	Phoenixville	150	1	1	-	1	24	9	6	9	2	89	89	8	-	79	2
22	West Chester	235	1	2	-	-	33	13	1	19	4	142	137	31	-	98	4
23	Balance of county	1,120	10	6	1	3	162	53	20	89	33	632	623	113	3	460	12
24	Clarion	372	-	-	-	2	65	31	5	29	6	209	208	49	-	143	4
25	Clearfield	862	3	3	-	1	116	41	13	62	18	501	486	96	-	349	9
26	Du Bois	156	-	-	-	-	22	5	2	15	1	99	98	22	-	68	1
27	Balance of county	706	3	3	-	1	94	36	11	47	17	402	388	74	-	281	8
28	Clinton	389	3	-	-	1	59	27	4	28	9	235	234	53	-	165	1
29	Lock Haven	151	-	-	-	-	26	9	2	15	3	90	90	24	-	56	-
30	Balance of county	238	3	-	-	1	33	18	2	13	6	145	144	29	-	109	1
31	Columbia	589	3	1	-	3	85	30	9	46	22	361	347	81	-	231	6
32	Berwick	159	-	1	-	-	20	5	3	12	3	110	110	28	-	69	2
33	Bloomsburg	132	-	-	-	-	29	12	3	14	6	74	70	10	-	58	2
34	Balance of county	298	3	-	-	3	36	13	3	20	13	177	167	43	-	104	2
35	Crawford	843	4	2	-	3	146	63	11	72	20	493	485	107	2	334	13
36	Meadville	227	2	-	-	1	48	20	4	24	5	122	118	20	1	90	3
37	Balance of county	616	2	2	-	2	98	43	7	48	15	371	367	87	1	244	10
38	Cumberland	940	11	5	-	2	139	46	12	81	12	598	592	126	-	421	9
39	Carlisle	197	1	2	-	1	32	14	3	15	3	129	129	32	-	86	-
40	Balance of county	743	10	3	-	1	107	32	9	66	9	469	463	94	-	335	9
41	Dauphin	2,294	23	6	1	7	356	110	38	208	56	1,401	1,382	264	2	1,044	36
42	Harrisburg	1,277	15	2	1	4	211	67	20	124	23	789	782	154	-	588	18
43	Steelton	140	3	-	-	-	18	6	4	8	5	89	89	10	-	77	2
44	Balance of county	877	5	4	-	3	127	37	14	76	28	523	511	100	2	379	16
45	Delaware	4,328	34	12	-	14	779	294	96	389	76	2,462	2,427	369	1	1,895	84
46	Chester	857	14	4	-	1	157	68	24	65	21	436	428	47	-	348	11
47	Upper Darby (twp.)[2] [3]	726	2	1	-	1	131	53	10	68	13	444	438	77	-	336	21
48	Haverford (twp.)[2] [3]	372	1	1	-	3	72	29	8	35	11	221	219	30	-	170	7
49	Darby	166	3	-	-	-	24	10	2	12	1	99	98	16	-	77	4
50	Lansdowne	185	1	-	-	-	29	13	2	14	3	110	107	23	-	77	1
51	Yeadon	104	2	-	-	-	18	8	1	9	3	67	67	14	-	50	2
52	Balance of county	1,916	11	6	-	9	348	113	49	186	24	1,085	1,070	162	1	837	38
53	Elk	344	6	1	-	-	68	26	8	34	14	166	163	32	-	123	5
54	Erie	2,282	17	6	2	11	377	136	47	194	64	1,247	1,232	256	4	888	30
55	Erie	1,476	16	6	1	5	247	92	35	120	43	801	793	172	2	580	17
56	Balance of county	806	1	-	1	6	130	44	12	74	21	446	439	86	2	308	13
57	Fayette	1,839	14	2	1	4	290	106	31	153	42	1,036	1,005	231	2	716	21
58	Connellsville	158	2	-	-	-	22	12	3	7	5	94	92	13	-	75	1
59	Uniontown	317	2	-	-	-	46	15	1	30	4	200	195	55	-	133	4
60	Balance of county	1,364	10	2	1	4	222	79	27	116	33	742	718	163	2	508	16
61	Forest	59	-	-	-	-	9	2	1	6	1	32	32	14	-	15	1
62	Franklin	748	11	4	1	1	99	29	12	58	11	457	450	104	-	315	14
63	Chambersburg	201	3	1	1	-	28	8	5	15	-	124	121	30	-	83	2
64	Waynesboro	110	-	1	-	-	16	3	1	12	1	69	68	14	-	52	3
65	Balance of county	437	8	2	-	1	55	18	6	31	10	264	261	60	-	180	9
66	Fulton	96	-	-	-	-	11	4	-	7	3	56	56	4	-	41	-
67	Greene	393	3	1	-	4	67	30	4	33	11	224	209	34	-	162	3
68	Huntingdon	454	5	-	-	5	59	22	10	27	4	269	265	59	-	187	2
69	Indiana	708	4	-	-	3	119	46	12	61	12	430	415	76	1	309	9
70	Indiana	131	1	-	-	-	19	9	1	9	3	89	85	16	-	63	2
71	Balance of county	577	3	-	-	3	100	37	11	52	9	341	330	60	1	246	7
72	Jefferson	555	-	1	-	2	90	36	9	45	10	331	323	68	-	235	7
73	Juniata	157	2	1	-	2	16	5	1	10	6	96	94	17	-	64	3
74	Lackawanna	2,989	42	9	-	7	477	202	49	226	60	1,748	1,708	256	-	1,344	37
75	Scranton	1,579	27	5	-	2	248	112	24	112	31	930	910	135	-	726	19
76	Carbondale	218	2	-	-	2	38	7	6	25	6	142	138	24	-	99	4
77	Dunmore	217	1	-	-	-	36	14	3	19	2	126	121	22	-	84	3
78	Balance of county	975	12	4	-	3	155	69	16	70	21	550	539	75	-	435	11
79	Lancaster	2,344	16	8	1	8	341	113	36	192	56	1,409	1,380	298	1	963	35
80	Lancaster	751	7	1	-	4	117	37	12	68	21	447	440	99	-	305	10
81	Columbia	139	1	-	-	1	21	7	4	10	4	82	82	21	-	58	-
82	Balance of county	1,454	8	7	1	3	203	69	20	114	31	880	858	178	1	600	25
83	Lawrence	1,101	9	2	-	2	168	63	19	86	21	637	624	127	2	426	21
84	New Castle	617	9	1	-	1	96	38	12	46	14	356	347	75	1	241	9
85	Ellwood City (part)	95	-	-	-	-	20	9	2	9	1	51	51	9	-	35	2
86	Ellwood City (total)	99	-	-	-	-	20	9	2	9	1	55	55	9	-	38	2
87	Balance of county	389	-	1	-	1	52	16	5	31	6	230	226	43	1	150	10

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
472	45	87	17	75	12	20	31	11	4	10	6	1	18	44	2	30	46	16	2	92	1
286	20	42	9	47	8	9	21	7	2	7	3	-	12	26	1	13	27	11	1	62	2
186	25	45	8	28	4	11	10	4	2	3	3	1	6	18	1	17	19	5	1	30	3
152	34	60	2	28	6	1	23	2	2	5	-	-	3	16	3	16	15	10	1	21	4
476	99	129	12	46	13	15	46	16	7	17	6	1	24	73	4	35	58	26	-	95	5
34	5	13	2	2	2	1	6	1	-	3	-	-	3	4	1	3	4	4	-	9	6
442	94	116	10	44	11	14	40	15	7	14	6	1	21	69	3	32	54	22	-	86	7
306	33	26	11	46	9	11	19	9	3	9	-	-	14	20	7	23	37	11	2	62	8
75	8	2	2	10	2	1	3	2	1	3	-	-	2	5	1	3	5	-	-	17	9
231	25	24	9	36	7	10	16	7	2	6	-	-	12	15	6	20	32	11	2	45	10
543	72	126	21	57	8	27	78	17	12	18	1	-	25	88	9	36	74	11	-	166	11
250	33	51	7	20	4	14	35	9	4	8	1	-	9	35	2	15	22	3	-	69	12
293	39	75	14	37	4	13	43	8	8	10	-	-	16	53	7	21	52	8	-	97	13
12	1	5	1	2	-	-	-	-	-	-	-	-	-	9	-	2	2	-	-	8	14
167	40	61	5	9	5	12	12	1	4	3	3	-	3	13	1	12	24	9	-	66	15
156	33	34	4	13	3	2	6	5	1	5	-	-	8	24	5	16	25	2	2	36	16
17	2	3	1	2	-	-	-	1	-	-	-	-	-	3	-	2	4	-	1	6	17
139	31	31	3	11	3	2	6	4	1	5	-	-	8	21	5	14	21	2	1	30	18
459	106	110	14	33	15	19	41	6	8	13	4	1	14	64	8	45	60	21	1	110	19
37	12	7	3	-	2	5	5	2	2	2	-	-	2	5	-	6	4	-	-	10	20
45	22	10	-	1	1	-	2	-	1	3	-	-	1	7	-	1	7	1	-	9	21
63	15	16	2	3	3	5	8	-	1	3	2	-	2	8	1	5	6	3	-	14	22
314	57	77	9	29	9	9	26	4	4	5	2	1	9	44	7	33	43	17	1	77	23
90	20	29	-	15	1	1	10	5	2	-	-	-	5	3	1	15	12	5	1	31	24
263	26	51	7	29	5	15	27	10	5	5	1	1	8	23	4	20	40	7	-	69	25
47	10	10	2	6	-	1	4	2	3	1	-	1	1	7	-	1	5	1	-	8	26
216	16	41	5	23	5	14	23	8	2	4	1	-	7	16	4	19	35	6	-	61	27
117	14	33	5	5	6	1	7	3	3	2	-	1	5	14	1	6	9	7	2	22	28
38	4	14	3	5	2	-	3	1	2	2	-	-	1	6	1	2	1	4	1	8	29
79	10	19	2	-	4	1	4	2	1	-	-	1	4	8	-	4	8	3	1	14	30
149	30	46	2	25	8	14	9	3	2	1	2	-	8	16	4	5	17	5	-	42	31
45	11	11	-	8	5	-	2	1	-	1	-	-	2	4	2	1	6	-	-	6	32
32	9	15	1	1	-	4	1	1	1	-	-	-	1	3	1	2	4	-	-	9	33
72	10	20	1	16	3	10	6	1	1	-	2	-	5	9	1	2	7	5	-	27	34
194	45	82	9	25	8	8	23	5	2	3	1	-	12	26	2	17	17	11	-	56	35
43	20	24	1	5	1	4	6	1	1	3	1	-	4	10	1	3	2	2	-	15	36
151	25	58	8	20	7	4	17	4	1	-	-	-	8	16	1	14	15	9	-	41	37
296	64	52	8	29	8	6	29	2	3	1	3	1	9	27	1	13	33	7	1	43	38
63	12	11	2	8	1	-	7	1	2	1	1	-	1	1	1	-	8	-	-	6	39
233	52	41	6	21	7	6	22	1	1	-	2	1	8	26	-	13	25	7	1	37	40
661	197	150	17	37	18	19	39	11	8	12	4	4	17	65	8	30	70	17	3	156	41
388	114	68	10	19	11	7	20	7	5	9	2	2	11	37	5	10	34	6	3	81	42
42	18	15	-	1	1	-	1	2	-	-	2	-	-	4	-	-	1	-	-	15	43
231	65	67	7	17	6	12	18	2	3	3	-	2	6	24	3	20	35	11	-	60	44
1,190	308	313	28	90	44	35	123	24	20	41	2	3	70	182	13	53	119	39	14	248	45
222	60	55	5	15	13	8	34	4	5	14	1	2	11	38	-	13	21	8	7	66	46
225	45	45	3	18	4	6	15	4	8	7	-	1	10	20	3	3	17	9	1	38	47
113	20	30	-	14	5	2	4	2	1	3	-	-	7	9	3	1	11	1	1	20	48
30	19	24	1	4	-	1	7	-	-	1	-	-	2	11	1	-	5	1	3	8	49
54	13	9	1	2	4	3	5	-	1	1	-	-	2	8	-	4	5	5	-	11	50
35	4	9	1	2	-	-	3	1	-	-	-	-	1	3	-	-	-	1	-	5	51
511	147	141	17	35	18	15	55	13	5	15	1	-	37	93	6	32	60	14	2	100	52
94	17	7	-	6	2	3	5	5	1	9	-	-	7	11	2	12	8	3	-	26	53
623	83	152	10	52	20	15	71	21	9	21	3	-	26	87	16	57	72	17	3	155	54
408	59	96	4	24	11	8	49	17	7	20	2	-	13	53	5	30	43	14	2	102	55
215	24	56	6	28	9	7	22	4	2	1	1	-	13	34	11	27	29	3	1	53	56
521	78	96	9	34	13	31	48	6	7	12	5	5	24	68	9	41	79	17	7	122	57
52	10	12	1	3	-	2	4	-	1	1	1	-	2	10	1	3	5	-	-	7	58
96	14	19	2	2	3	5	5	2	-	1	1	-	2	11	1	9	8	2	-	23	59
373	54	65	6	29	10	24	39	4	6	10	3	5	20	47	7	29	66	15	7	92	60
14	-	-	-	2	1	-	5	-	1	-	-	-	-	1	-	3	1	1	-	5	61
202	28	71	7	18	6	7	20	3	5	1	4	2	8	19	1	24	17	11	-	49	62
61	7	13	3	5	-	3	7	1	-	-	1	1	4	6	1	5	6	1	-	11	63
26	4	19	1	-	1	1	1	-	2	1	1	1	1	2	-	1	4	2	-	7	64
115	17	39	3	13	5	3	12	2	3	-	2	-	3	11	-	18	7	8	-	31	65
25	6	10	1	7	3	-	3	1	-	-	1	-	-	4	-	3	4	1	-	9	66
126	12	21	3	7	3	15	8	3	2	3	-	-	3	15	-	7	19	4	-	19	67
114	38	33	-	19	-	4	10	1	1	-	2	-	6	13	3	13	19	4	-	40	68
201	31	68	6	20	3	15	14	2	-	7	2	1	8	15	1	15	23	6	-	46	69
39	5	17	2	4	-	4	3	1	-	-	-	-	1	1	-	1	6	1	-	5	70
162	26	51	4	16	3	11	11	1	-	7	2	1	7	14	1	14	17	5	-	41	71
128	34	66	5	11	4	8	12	4	3	3	1	-	2	10	2	11	29	9	-	35	72
37	7	17	1	10	2	2	4	-	-	-	-	-	-	4	1	11	5	1	-	8	73
793	179	335	16	73	19	40	47	23	8	52	4	-	44	67	10	38	79	16	2	256	74
440	94	173	6	27	16	20	26	14	2	27	4	-	22	41	6	21	38	5	-	130	75
49	23	23	3	12	-	4	1	-	-	4	-	-	3	2	-	3	4	-	-	11	76
51	7	23	2	12	1	5	2	1	3	3	-	-	6	1	1	1	14	-	-	20	77
253	55	116	5	22	2	11	18	8	3	18	-	-	13	23	3	13	23	11	2	95	78
638	118	172	20	72	26	29	46	12	7	19	3	1	25	78	4	57	66	20	3	164	79
197	46	52	8	22	6	7	15	3	6	5	-	-	7	27	-	15	19	4	-	53	80
35	8	15	1	1	1	-	-	1	-	1	-	-	1	6	-	4	7	-	-	10	81
406	64	105	11	49	19	22	31	8	1	13	3	1	17	45	4	38	40	16	3	101	82
319	29	57	13	51	5	13	42	7	2	11	3	1	14	28	4	24	34	15	-	77	83
186	19	27	7	22	1	9	23	4	1	7	3	-	5	20	1	12	17	8	-	39	84
27	5	1	2	4	1	-	4	1	1	2	-	-	4	1	-	-	3	-	-	7	85
29	5	2	2	4	2	-	4	1	1	2	-	-	4	1	-	-	3	-	-	7	86
106	5	29	4	25	3	4	15	2	-	2	-	1	5	7	3	12	14	7	-	31	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Con.																
1	Lebanon	880	1	3	-	6	130	50	20	60	19	517	499	77	-	386	9
2	Lebanon	395	1	-	-	4	56	21	9	26	11	233	228	41	-	171	7
3	Balance of county	485	-	3	-	2	74	29	11	34	8	284	271	36	-	215	2
4	Lehigh	2,091	15	6	-	9	323	120	36	167	53	1,265	1,255	229	-	931	25
5	Allentown	1,223	7	5	-	5	183	71	21	91	33	755	752	135	-	563	12
6	Bethlehem (part)	144	-	-	-	2	27	10	3	14	6	80	79	18	-	56	2
7	Balance of county	724	8	1	-	2	113	39	12	62	14	430	424	76	-	312	11
8	Luzerne	4,359	61	6	-	16	693	279	76	338	121	2,359	2,294	369	3	1,769	75
9	Wilkes-Barre	967	15	3	-	4	168	65	16	87	27	526	511	85	-	390	18
10	Hazleton	391	5	-	-	1	68	23	9	36	14	204	201	32	-	157	8
11	Hanover (twp.)[2] [3]	120	3	-	-	1	16	8	2	6	1	66	65	12	-	45	3
12	Kingston	253	4	1	-	-	29	12	4	13	5	162	157	32	-	116	2
13	Nanticoke	254	8	1	-	-	40	17	7	16	3	131	124	7	1	108	7
14	Pittston	189	1	-	-	3	34	14	2	18	4	108	104	16	-	84	1
15	Plains (twp.)[2] [3]	114	-	-	-	1	22	11	2	9	2	56	55	6	-	48	-
16	Plymouth	157	4	-	-	2	21	8	1	12	4	87	87	13	-	65	2
17	Balance of county	1,914	21	1	-	4	295	121	33	141	61	1,019	990	166	2	756	34
18	Lycoming	1,146	5	1	1	5	176	65	16	95	22	688	675	139	1	484	16
19	Williamsport	590	4	1	1	3	95	33	10	52	12	351	347	66	-	257	6
20	Balance of county	556	1	-	-	2	81	32	6	43	10	337	328	73	1	227	10
21	McKean	554	1	1	-	1	85	37	6	42	9	334	330	83	-	224	7
22	Bradford	224	-	1	-	-	33	14	1	18	2	137	136	36	-	93	1
23	Balance of county	330	1	-	-	1	52	23	5	24	7	197	194	47	-	131	6
24	Mercer	1,193	6	3	-	3	219	76	34	109	33	635	626	127	-	468	24
25	Sharon	294	2	-	-	-	51	23	8	20	7	145	143	30	-	105	6
26	Farrell	143	-	2	-	-	25	8	4	13	6	70	68	12	-	53	1
27	Balance of county	756	4	1	-	3	143	45	22	76	20	420	415	85	-	310	17
28	Mifflin	441	2	1	-	1	62	22	11	29	9	262	258	46	-	197	7
29	Lewistown	170	-	-	-	-	27	7	5	15	-	103	103	20	-	79	4
30	Balance of county	271	2	1	-	1	35	15	6	14	9	159	155	26	-	118	3
31	Monroe	438	5	1	-	1	70	26	7	37	8	225	222	55	-	140	5
32	Montgomery	3,957	25	2	-	14	716	270	84	362	93	2,284	2,257	427	4	1,672	60
33	Abington (twp.)[2] [3]	362	5	-	-	2	64	19	3	42	11	203	202	33	-	162	6
34	Lower Merion (twp.)[2] [3]	509	4	-	-	2	99	37	11	51	14	299	296	61	-	211	10
35	Norristown	432	4	-	-	1	73	27	11	35	10	253	251	49	1	188	3
36	Cheltenham (twp.)[2] [3]	228	1	-	-	2	42	12	3	27	5	144	143	25	-	113	1
37	Conshohocken	152	-	-	-	-	29	8	6	15	3	82	81	13	1	65	2
38	Pottstown	273	3	-	-	1	42	13	8	21	3	171	171	33	-	121	5
39	Balance of county	2,001	8	2	-	6	367	154	42	171	47	1,132	1,113	213	2	812	33
40	Montour	135	-	-	-	1	16	7	-	9	-	92	92	10	-	78	4
41	Northampton	2,061	16	5	-	4	343	128	61	154	43	1,271	1,258	196	-	999	25
42	Bethlehem (part)	580	5	3	-	2	118	42	25	51	11	330	328	56	-	259	5
43	Bethlehem (total)	724	5	3	-	4	145	52	28	65	17	410	407	74	-	315	7
44	Easton	547	5	-	-	1	87	29	18	40	7	340	335	45	-	270	8
45	Balance of county	934	6	2	-	1	138	57	18	63	25	601	595	95	-	470	12
46	Northumberland	1,316	22	3	-	2	181	66	17	98	41	789	772	154	-	564	16
47	Mount Carmel	180	4	-	-	-	29	14	1	14	5	99	97	21	-	70	1
48	Shamokin	242	4	1	-	-	40	14	4	22	8	142	139	23	-	104	5
49	Sunbury	208	2	-	-	-	34	7	2	25	7	123	117	21	-	88	4
50	Balance of county	686	12	2	-	2	78	31	10	37	21	425	419	89	-	302	6
51	Perry	267	2	1	-	1	53	29	2	22	5	157	155	36	-	113	4
52	Philadelphia, coextensive with Philadelphia (city)	24,371	435	65	-	76	3,948	1,494	584	1,870	483	13,677	13,417	2,308	23	10,189	368
53	Pike	133	-	-	-	-	21	9	5	7	4	73	73	10	-	54	1
54	Potter	201	-	1	-	-	27	5	2	20	1	125	123	16	-	96	1
55	Schuylkill	2,375	45	6	-	7	345	144	37	164	59	1,307	1,283	268	1	906	29
56	Mahanoy City	171	2	-	-	-	23	13	2	8	1	103	102	19	-	72	1
57	Pottsville	356	8	1	-	2	62	21	7	34	4	202	196	52	-	128	2
58	Shenandoah	230	6	1	-	-	33	15	4	14	10	101	99	16	-	74	2
59	Tamaqua	140	4	2	-	-	21	10	2	9	6	78	76	16	-	56	-
60	Balance of county	1,478	25	2	-	5	206	85	22	99	38	823	810	165	1	576	24
61	Snyder	236	4	2	-	-	30	11	3	16	4	150	149	26	1	114	6
62	Somerset	817	4	-	-	4	125	44	8	73	19	470	466	110	2	326	9
63	Sullivan	84	-	-	-	-	12	7	-	5	1	53	53	13	-	35	-
64	Susquehanna	381	1	-	-	1	60	23	6	31	5	217	214	30	-	174	6
65	Tioga	440	2	2	-	1	66	28	5	33	8	252	250	37	-	200	2
66	Union	209	1	1	-	-	33	17	3	13	5	118	117	29	-	78	1
67	Venango	702	4	2	-	2	115	51	18	46	15	391	386	108	-	251	10
68	Franklin	131	1	1	-	-	24	9	7	8	2	81	81	21	-	54	3
69	Oil City	273	2	1	-	1	44	21	6	17	7	151	148	45	-	94	1
70	Balance of county	298	1	-	-	1	47	21	5	21	6	159	157	42	-	103	6
71	Warren	442	2	1	1	-	70	28	4	38	9	257	253	57	1	183	3
72	Warren	182	1	-	-	-	39	17	2	20	3	106	104	24	-	77	2
73	Balance of county	260	1	1	1	-	31	11	2	18	6	151	149	33	1	106	1
74	Washington	2,026	14	7	1	11	328	135	40	153	40	1,173	1,156	288	3	790	29
75	Washington	329	3	3	-	2	46	15	7	24	5	205	203	63	-	126	7
76	Canonsburg	119	-	-	-	-	13	4	-	9	3	68	68	20	-	44	1
77	Donora	105	1	2	-	1	8	4	1	3	3	61	60	16	-	40	1
78	Balance of county	1,473	10	2	1	8	261	112	32	117	29	839	825	189	3	580	20
79	Wayne	351	-	-	-	1	54	32	2	20	9	207	200	58	-	124	6
80	Westmoreland	3,013	18	8	2	7	490	198	32	260	76	1,769	1,743	381	-	1,248	49
81	New Kensington	264	1	1	-	-	43	18	4	21	9	142	139	41	-	92	4
82	Arnold	80	-	-	-	-	15	5	3	7	5	38	37	7	-	30	2
83	Greensburg	203	1	-	-	-	29	14	2	13	7	122	122	26	-	89	3
84	Jeannette	165	1	-	1	-	30	9	3	18	3	96	96	14	-	79	3

[2] Classified as urban under a special rule.
[3] Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
240	59	78	3	27	6	18	26	3	4	3	1	3	14	26	13	20	30	9	-	52	1
107	26	31	1	10	5	5	12	3	2	1	1	1	4	12	6	5	16	2	-	25	2
133	33	47	2	17	1	13	14	-	2	2	-	2	10	14	7	15	14	7	-	27	3
629	122	155	15	66	14	10	39	9	6	13	3	1	21	58	7	33	59	33	2	136	4
379	78	94	9	39	6	3	25	5	4	5	2	1	7	37	2	23	28	15	1	80	5
41	1	12	-	4	1	1	2	-	-	1	-	-	4	6	-	1	1	2	-	12	6
209	43	49	6	23	7	6	12	4	2	7	1	-	10	15	5	9	30	16	1	44	7
1,106	227	361	27	100	26	65	82	33	21	55	9	2	38	92	22	49	148	33	3	516	8
236	52	84	8	25	3	15	10	12	2	12	1	-	4	20	3	17	24	9	-	110	9
94	21	34	2	9	1	3	12	5	2	5	-	-	3	12	4	2	14	2	-	38	10
28	5	9	2	4	2	1	1	-	-	-	2	-	-	1	-	1	7	-	-	21	11
70	14	30	1	6	2	5	3	1	3	3	-	-	2	7	-	1	7	3	-	22	12
70	12	19	-	8	-	7	4	1	-	7	-	-	1	5	1	-	8	3	1	40	13
53	11	19	1	2	1	4	1	-	-	-	-	-	3	4	3	1	8	1	1	17	14
32	8	8	-	1	-	1	1	-	-	1	-	-	1	3	-	3	7	1	-	16	15
40	7	16	1	3	5	-	3	1	-	4	-	-	1	2	1	-	3	1	-	23	16
483	97	142	12	42	12	29	47	13	14	23	6	2	23	38	10	24	70	13	1	229	17
344	42	82	8	29	14	13	29	9	5	8	1	-	18	36	8	26	23	12	1	72	18
185	23	43	4	14	6	4	14	4	4	6	1	-	8	19	7	11	5	4	-	40	19
159	19	39	4	15	8	9	15	5	1	2	-	-	10	17	1	15	18	8	1	32	20
150	38	29	2	15	6	4	18	1	3	5	1	-	8	15	-	13	17	3	1	38	21
61	23	8	1	3	3	1	8	1	1	2	1	-	1	2	-	5	9	1	-	20	22
89	15	21	1	12	3	3	10	-	2	3	-	-	7	13	-	8	8	2	1	18	23
305	57	82	2	21	8	9	39	9	8	8	2	-	18	37	3	29	46	13	1	81	24
68	14	17	1	7	-	2	17	2	3	4	1	-	6	7	-	9	13	6	-	21	25
39	8	5	-	1	2	2	5	2	1	2	-	-	3	3	1	1	6	1	-	15	26
198	35	60	1	13	6	5	17	5	4	2	1	-	9	27	2	19	27	6	1	45	27
132	24	34	-	12	3	4	10	-	2	3	1	1	4	6	2	15	9	13	-	38	28
55	8	12	-	4	-	-	3	-	1	2	-	1	1	2	1	5	1	5	-	18	29
77	16	22	-	8	3	4	7	-	1	1	1	-	3	4	1	10	8	8	-	20	30
80	17	38	4	18	5	3	13	2	6	-	1	-	1	19	1	8	43	6	-	28	31
1,093	214	305	15	101	38	27	97	25	13	42	4	4	47	130	12	59	106	50	3	231	32
98	17	41	-	5	2	1	12	2	2	1	-	-	3	14	1	5	9	7	-	21	33
143	27	31	3	8	13	3	18	2	-	9	-	-	2	13	-	2	8	6	-	31	34
121	24	40	2	8	3	2	11	1	2	5	2	-	6	8	2	5	15	7	1	26	35
69	18	25	-	5	-	1	3	-	-	2	-	1	3	6	-	3	8	2	-	6	36
45	10	8	-	2	-	1	7	2	2	4	-	-	-	5	3	3	4	-	-	8	37
88	10	18	1	14	2	-	3	-	2	-	-	-	5	8	-	4	8	2	-	21	38
529	108	142	9	59	18	19	43	18	5	21	2	3	28	76	6	37	54	26	2	118	39
51	7	16	2	-	2	-	4	-	-	2	-	-	-	2	-	3	4	2	-	9	40
699	100	175	4	40	19	13	44	11	2	16	1	1	23	48	2	21	61	20	-	129	41
205	24	25	1	7	5	2	7	4	-	4	-	-	8	17	-	4	12	8	-	47	42
246	25	37	1	11	6	3	9	4	-	5	-	-	12	23	-	5	13	10	-	59	43
173	38	51	1	9	10	5	20	2	1	6	1	-	8	8	1	5	20	2	-	33	44
321	38	99	2	24	4	6	17	5	1	6	-	1	7	23	1	12	29	10	-	49	45
335	76	137	16	25	13	17	20	7	4	15	3	1	8	25	11	23	39	13	-	109	46
47	15	7	-	5	1	2	3	-	1	3	-	1	1	5	1	3	3	2	-	20	47
61	13	25	3	7	2	3	2	2	1	4	-	-	1	4	5	3	6	1	-	18	48
42	15	27	2	4	2	6	5	1	-	2	1	-	2	5	2	6	4	2	-	12	49
185	33	78	11	9	8	6	10	4	2	6	2	-	4	11	3	11	26	8	-	59	50
82	9	18	1	3	2	2	9	1	1	1	-	-	1	8	1	4	8	-	-	14	51
6,272	1,855	1,694	236	411	250	260	786	164	84	328	36	24	265	972	49	294	877	159	123	1,526	52
35	12	6	2	6	1	-	1	1	-	3	-	-	1	2	2	3	13	1	-	8	53
52	10	33	3	7	1	2	13	1	1	1	-	1	3	4	2	3	7	3	-	8	54
606	106	165	14	77	17	24	47	10	14	24	4	1	19	47	16	36	90	17	2	279	55
49	9	13	1	8	2	1	2	-	1	1	-	-	-	3	-	-	8	3	-	24	56
90	14	22	-	12	4	6	6	3	1	3	1	1	3	7	-	11	13	1	-	27	57
49	3	20	-	7	2	2	4	1	1	5	-	-	2	5	4	5	13	2	1	36	58
39	5	12	-	4	-	2	1	-	-	2	-	-	2	2	1	3	3	-	-	15	59
379	75	98	13	46	9	13	34	6	11	13	3	-	12	30	11	17	53	11	1	177	60
74	18	16	1	6	1	1	13	2	1	1	-	-	3	2	-	11	6	3	-	4	61
215	55	47	1	20	7	4	13	2	6	5	1	2	9	22	8	21	25	11	1	69	62
30	-	5	-	3	2	-	-	-	-	1	-	-	1	3	-	2	3	1	-	7	63
115	20	33	2	6	2	3	11	3	-	1	2	-	8	11	2	5	10	10	-	34	64
115	24	59	3	8	2	2	12	1	1	1	-	-	7	14	1	15	17	5	-	35	65
39	9	29	2	8	-	1	7	-	1	2	1	-	1	13	1	1	7	2	-	15	66
178	27	36	3	23	1	5	20	6	3	4	1	-	6	31	3	22	18	10	-	49	67
39	6	6	-	6	-	-	3	1	-	1	-	-	1	3	-	4	5	2	-	2	68
66	13	14	2	6	1	3	6	3	2	1	-	-	2	12	3	6	4	3	-	25	69
73	8	16	1	11	-	2	11	2	1	2	1	-	3	16	-	12	9	5	-	22	70
133	8	39	1	6	5	4	16	2	1	4	-	-	3	13	1	15	15	2	-	30	71
55	5	15	1	-	2	2	5	-	-	2	-	-	-	6	-	2	4	-	-	14	72
78	3	24	-	6	3	2	11	2	1	2	-	-	3	7	1	13	11	2	-	16	73
593	64	104	18	37	20	17	37	13	5	22	7	2	24	70	12	42	68	16	3	131	74
97	10	12	4	5	5	2	3	3	1	4	-	1	4	10	3	6	7	3	-	20	75
27	5	11	-	2	2	-	7	-	2	2	-	-	2	6	-	1	2	1	1	11	76
29	1	9	-	2	2	1	6	2	-	2	1	-	1	2	1	1	7	1	-	5	77
440	48	72	14	28	11	14	21	8	2	14	6	1	17	52	8	34	52	11	2	95	78
84	9	25	1	15	2	7	4	2	2	3	-	1	5	7	1	11	13	4	-	27	79
924	116	159	19	76	19	26	55	18	12	24	4	3	29	107	14	59	82	38	3	195	80
71	3	14	1	4	1	3	6	1	1	2	1	-	3	19	2	3	5	2	-	23	81
22	3	3	-	-	-	1	1	-	-	3	-	-	1	2	-	1	4	1	-	9	82
63	15	7	1	6	1	-	2	1	1	-	1	-	1	10	2	4	3	3	-	16	83
60	7	9	-	1	2	-	3	1	-	2	-	-	1	5	-	3	6	1	-	12	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Con.																
	Westmoreland—Continued																
1	Latrobe	142	-	-	-	-	18	7	2	9	3	88	87	27	-	55	2
2	Monessen	166	-	2	-	1	31	11	-	20	4	94	93	19	-	66	1
3	Balance of county	1,993	15	5	1	6	324	134	18	172	45	1,189	1,169	247	-	838	34
4	Wyoming	187	-	-	-	1	23	8	2	13	3	118	118	24	1	83	2
5	York	2,113	15	6	-	6	350	115	37	198	42	1,271	1,245	249	3	892	32
6	York	809	7	4	-	1	136	52	15	69	13	488	485	96	2	343	10
7	Hanover	181	-	-	-	-	33	17	3	13	3	107	99	22	-	70	2
8	Balance of county	1,123	8	2	-	5	181	46	19	116	26	676	661	131	1	479	20
9	RHODE ISLAND	8,697	60	18	22	27	1,580	611	188	781	214	4,990	4,910	867	1	3,752	98
10	Metropolitan counties	7,620	51	17	16	26	1,398	540	171	687	196	4,396	4,330	769	1	3,304	89
11	Nonmetropolitan counties	1,077	9	1	6	1	182	71	17	94	18	594	580	98	-	448	9
12	Bristol	321	1	-	1	3	68	31	5	32	6	173	170	40	-	121	4
13	Bristol (town)[2]	134	1	-	-	-	30	16	2	12	3	70	69	13	-	54	2
14	Balance of county	187	-	-	1	3	38	15	3	20	3	103	101	27	-	67	2
15	Kent	892	3	1	1	3	161	63	19	79	15	511	501	93	-	387	9
16	Warwick	502	3	-	-	-	87	35	10	42	6	301	294	56	-	224	5
17	West Warwick (town)[2]	211	-	-	1	1	39	13	7	19	4	114	114	21	-	90	3
18	Balance of county	179	-	1	-	2	35	15	2	18	5	96	93	16	-	73	1
19	Newport	590	6	1	4	1	113	36	15	62	10	316	304	55	-	236	5
20	Newport	366	5	1	2	-	68	22	9	37	4	191	185	34	-	144	3
21	Balance of county	224	1	-	2	1	45	14	6	25	6	125	119	21	-	92	2
22	Providence	6,407	47	16	14	20	1,169	446	147	576	175	3,712	3,659	636	1	2,796	76
23	Providence	2,906	29	10	3	10	521	207	59	255	82	1,679	1,651	320	1	1,245	25
24	Cranston	545	4	2	1	2	86	29	10	47	8	328	324	56	-	240	9
25	Pawtucket	942	5	-	2	2	189	67	33	89	28	543	538	80	-	416	16
26	Woonsocket	560	-	-	2	-	95	39	8	48	14	360	355	52	-	288	10
27	East Providence (town)[2]	359	2	-	2	-	77	29	11	37	8	193	186	34	-	140	6
28	Central Falls	249	1	1	1	2	45	17	8	20	9	146	145	14	-	117	2
29	Cumberland (town)[2]	122	-	-	-	1	29	12	2	15	4	62	62	7	-	46	1
30	Johnston (town)[2]	115	-	-	-	1	21	11	2	8	4	66	66	15	-	47	3
31	Lincoln (town)[2]	111	1	-	-	-	20	5	4	11	1	65	65	14	-	48	2
32	North Providence (town)[2]	138	2	-	-	-	34	11	2	21	4	73	72	10	-	58	1
33	Balance of county	360	3	3	3	2	52	19	8	25	13	197	195	34	-	151	1
34	Washington	487	3	-	2	-	69	35	2	32	8	278	276	43	-	212	4
35	Westerly (town)[2]	138	1	-	-	-	25	11	-	14	6	76	76	10	-	63	1
36	Balance of county	349	2	-	2	-	44	24	2	18	2	202	200	33	-	149	3
37	SOUTH CAROLINA	18,152	231	61	7	143	2,045	613	229	1,203	248	9,208	8,967	2,471	24	5,843	124
38	Metropolitan counties	4,699	39	24	3	32	599	201	75	323	69	2,209	2,149	528	5	1,450	33
39	Nonmetropolitan counties	13,453	192	37	4	111	1,446	412	154	880	179	6,999	6,818	1,943	19	4,393	91
40	Abbeville	168	4	-	-	-	22	8	1	13	7	92	91	28	-	53	1
41	Aiken	563	5	-	-	9	68	23	5	41	9	288	277	72	1	186	6
42	Allendale	107	4	1	-	-	9	2	-	7	-	64	61	13	-	46	-
43	Anderson	757	10	-	-	4	91	25	10	56	7	429	417	93	1	292	8
44	Anderson	309	3	-	-	2	37	11	4	22	1	167	158	32	-	117	4
45	Balance of county	448	7	-	-	2	54	14	6	34	6	262	259	61	1	175	4
46	Bamberg	151	-	-	-	-	16	4	1	11	2	76	75	31	-	41	-
47	Barnwell	141	2	-	-	2	18	4	2	12	2	74	72	31	-	37	-
48	Beaufort	272	3	1	-	5	36	12	7	17	4	115	113	37	-	69	-
49	Berkeley	246	3	1	-	1	27	8	5	14	1	126	119	36	-	76	-
50	Calhoun	137	1	-	-	2	12	4	-	8	1	68	66	14	-	49	-
51	Charleston	1,591	10	9	-	14	191	74	27	90	16	580	562	143	-	378	15
52	Charleston	808	7	4	-	6	114	43	14	57	4	344	332	80	-	225	9
53	Balance of county	783	3	5	-	8	77	31	13	33	12	236	230	63	-	153	6
54	Cherokee	287	6	-	-	2	32	10	3	19	4	151	150	34	-	106	4
55	Chester	262	4	-	-	-	35	11	4	20	2	158	152	31	1	108	2
56	Chesterfield	290	2	1	-	2	32	7	2	23	3	145	138	37	-	87	1
57	Clarendon	247	7	-	-	3	15	8	2	5	4	123	122	43	1	68	1
58	Colleton	271	3	1	-	3	30	7	4	19	-	133	131	23	1	102	1
59	Darlington	517	5	-	-	5	41	13	6	22	6	255	246	68	3	163	3
60	Dillon	244	5	2	1	2	25	7	3	15	3	102	100	24	1	68	2
61	Dorchester	175	2	-	-	1	17	3	2	12	3	86	85	21	-	57	-
62	Edgefield	164	1	-	-	-	18	5	2	11	1	92	89	34	-	49	-
63	Fairfield	187	5	-	-	2	19	7	1	11	2	107	104	28	-	65	1
64	Florence	754	16	2	-	4	69	21	8	40	10	362	349	121	1	208	6
65	Florence	304	7	1	-	2	36	11	7	18	5	151	147	51	-	90	4
66	Balance of county	450	9	1	-	2	33	10	1	22	5	211	202	70	1	118	2
67	Georgetown	282	5	-	-	2	24	9	2	13	3	141	137	48	1	80	-
68	Greenville	1,278	14	7	3	3	184	53	19	112	19	660	642	155	3	427	5
69	Greenville	518	7	5	1	1	78	21	8	49	5	269	260	62	-	183	3
70	Balance of county	760	7	2	2	2	106	32	11	63	14	391	382	93	3	244	2
71	Greenwood	327	1	2	-	2	40	8	5	27	7	183	179	44	-	122	6
72	Greenwood	140	-	-	-	1	14	1	2	11	3	89	87	16	-	66	5
73	Balance of county	187	1	2	-	1	26	7	3	16	4	94	92	28	-	56	1
74	Hampton	178	2	-	-	-	17	3	1	13	1	92	89	19	-	69	-
75	Horry	437	8	-	-	3	30	9	3	18	5	218	211	67	-	135	-
76	Jasper	130	3	-	-	5	12	4	3	5	1	66	66	34	-	32	1
77	Kershaw	272	2	2	-	4	29	8	4	17	7	137	131	32	-	90	4
78	Lancaster	274	2	1	-	1	33	12	2	19	4	142	138	30	-	96	1
79	Laurens	381	3	1	-	4	51	14	2	35	6	186	182	52	-	114	3
80	Lee	192	3	-	-	4	16	7	1	8	4	83	82	25	-	54	3
81	Lexington	407	2	1	-	3	48	12	6	30	8	208	205	57	1	135	1

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
43	6	4	1	2	2	1	2	-	-	2	1	-	5	7	1	3	2	2	-	8	1
42	12	11	3	5	-	1	3	1	-	1	-	-	-	4	-	4	6	2	-	13	2
623	70	111	13	58	13	20	38	14	10	14	1	3	18	60	9	41	56	27	3	114	3
68	6	7	1	7	2	-	3	1	-	1	-	-	-	8	6	4	8	-	1	10	4
588	82	190	18	63	20	26	38	4	11	9	7	-	25	76	8	49	53	23	3	117	5
230	30	73	8	28	8	3	20	1	2	4	-	-	13	22	-	20	16	6	1	55	6
42	9	17	3	3	1	8	-	1	3	2	1	-	3	8	-	3	6	4	-	7	7
316	43	100	7	32	11	15	18	2	6	3	6	-	9	46	8	26	31	13	2	55	8
2,943	412	299	64	160	66	80	171	73	29	101	13	2	126	258	8	98	274	57	14	562	9
2,587	367	261	57	145	54	66	147	65	25	88	13	2	101	207	4	78	236	47	10	497	10
356	45	38	7	15	12	14	24	8	4	13	-	-	25	51	4	20	38	10	4	65	11
92	11	14	-	5	4	3	4	3	2	2	2	-	3	3	-	5	12	1	-	32	12
41	3	8	-	1	1	1	2	2	1	1	2	-	1	-	-	3	4	-	-	14	13
51	8	6	-	4	3	2	2	1	1	1	-	-	2	3	-	2	8	1	-	18	14
307	37	34	-	14	7	10	21	14	3	12	1	-	18	19	1	6	25	8	1	68	15
186	14	19	-	8	6	7	14	6	3	6	1	-	8	7	1	3	16	5	-	35	16
63	18	6	-	3	-	-	4	4	-	5	-	-	5	6	-	3	6	2	-	17	17
58	5	9	-	3	1	3	3	4	-	1	-	-	5	6	-	-	3	1	1	16	18
196	18	17	2	4	7	12	12	6	2	9	-	-	14	28	1	5	22	6	4	30	19
124	14	3	1	3	3	6	8	3	2	3	-	-	10	25	1	-	20	2	4	17	20
72	4	14	1	1	4	6	4	3	-	6	-	-	4	3	-	5	2	4	-	13	21
2,188	319	213	57	126	43	53	122	48	20	74	10	2	80	185	3	67	199	38	9	397	22
1,004	131	85	15	45	25	28	58	21	13	33	3	-	38	80	1	30	86	17	9	183	23
183	34	14	4	18	6	4	7	3	3	7	1	-	7	23	-	6	22	5	-	30	24
321	51	28	18	20	4	5	17	5	2	14	1	-	9	23	1	7	28	3	-	63	25
206	36	36	2	11	2	5	5	3	1	9	2	1	7	11	-	9	17	3	-	21	26
102	15	17	4	6	2	7	7	1	-	4	1	1	5	10	-	3	14	5	-	26	27
88	12	15	7	7	-	1	9	3	-	2	-	-	2	6	-	2	6	2	-	12	28
37	6	2	2	6	1	-	3	1	-	1	-	-	3	2	-	1	5	-	-	10	29
39	3	2	1	3	-	-	1	2	1	1	-	-	2	2	-	1	3	-	-	10	30
36	8	2	1	2	-	-	2	1	-	-	1	-	3	7	-	1	3	-	-	6	31
50	4	3	-	4	-	1	2	1	-	1	-	-	1	5	-	1	3	-	-	11	32
122	19	9	3	4	3	2	11	7	-	2	1	-	3	16	1	6	12	3	-	25	33
160	27	21	5	11	5	2	12	2	2	4	-	-	11	23	3	15	16	4	-	35	34
52	8	2	2	-	1	-	2	-	1	3	-	-	5	3	-	2	4	1	-	9	35
108	19	19	3	11	4	2	10	2	1	1	-	-	6	20	3	13	12	3	-	26	36
3,353	1,436	930	180	311	138	241	689	65	197	97	45	64	280	1,125	692	679	779	174	232	1,091	37
876	372	169	38	78	50	60	143	21	25	38	8	11	89	282	358	148	189	58	70	284	38
2,477	1,064	761	142	233	88	181	546	44	172	59	37	53	191	843	334	531	590	116	162	807	39
34	7	11	1	7	2	1	4	-	-	-	-	-	4	8	3	7	6	1	1	9	40
117	48	15	3	10	5	11	17	2	3	4	4	2	6	28	9	23	25	10	6	44	41
20	19	7	-	2	-	3	3	2	3	-	1	1	2	4	1	3	1	1	3	4	42
153	78	53	10	14	7	12	25	6	5	5	2	-	9	33	11	23	34	9	7	47	43
58	36	19	6	2	1	9	12	2	5	3	-	-	3	19	4	12	11	2	2	24	44
95	42	34	4	12	6	3	13	4	-	2	2	-	6	14	7	11	23	7	5	23	45
28	8	5	1	1	1	1	5	2	-	1	-	-	1	10	2	4	13	2	2	15	46
25	9	3	1	3	-	2	1	-	5	-	-	-	4	10	2	9	5	1	1	5	47
26	25	18	1	4	2	2	13	-	1	3	2	2	1	20	26	10	12	3	1	14	48
49	18	9	2	4	1	7	8	2	-	1	1	3	3	11	24	10	8	1	1	14	49
17	27	5	1	2	-	2	5	-	2	1	1	1	2	7	4	8	7	1	2	12	50
211	107	45	10	20	11	18	45	4	8	10	2	6	24	109	331	37	73	20	32	70	51
121	68	27	7	16	4	12	24	3	5	4	1	1	7	50	128	15	28	13	16	34	52
90	39	18	3	4	7	6	21	1	3	6	1	5	17	59	203	22	45	7	16	36	53
63	15	24	2	5	3	1	15	3	2	-	-	2	8	20	1	10	7	1	6	17	54
59	35	12	4	7	1	6	8	2	-	3	-	1	2	5	2	11	14	2	3	10	55
54	24	8	3	10	1	7	10	-	6	-	1	1	2	24	2	16	16	4	1	22	56
36	11	20	3	6	1	1	9	3	1	2	1	3	6	18	18	7	17	2	-	8	57
59	15	27	-	3	2	2	10	1	4	2	1	2	3	9	4	16	22	3	4	20	58
121	21	18	5	5	2	9	25	4	3	2	1	3	9	48	9	28	29	5	7	32	59
39	19	6	1	7	1	2	13	-	9	2	2	1	5	23	3	14	7	2	5	18	60
26	23	8	1	2	4	1	10	-	2	-	-	-	2	10	5	6	12	5	3	11	61
29	8	12	4	1	1	3	6	-	1	-	-	2	-	11	2	9	8	1	3	9	62
36	15	13	4	5	2	3	10	-	1	-	-	1	-	12	1	9	5	4	-	9	63
110	41	51	11	7	1	13	35	3	28	8	2	3	15	72	12	32	21	6	8	46	64
47	17	22	2	3	1	4	11	2	12	4	-	1	4	26	4	8	7	2	3	18	65
63	24	29	9	4	-	9	24	1	16	4	2	2	11	46	8	24	14	4	5	28	66
38	16	26	2	5	1	4	10	-	5	-	-	3	2	23	8	20	16	3	3	14	67
266	100	56	15	21	21	18	42	11	6	13	1	1	30	68	8	55	38	12	18	85	68
111	45	24	4	7	4	9	18	4	4	6	1	-	9	23	3	25	13	6	9	31	69
155	55	32	11	14	17	9	24	7	2	7	-	1	21	45	5	30	25	6	9	54	70
71	35	10	4	7	2	4	13	3	3	1	-	2	4	15	2	12	16	3	7	11	71
38	16	7	2	1	2	2	1	1	2	1	-	-	3	5	1	6	6	-	3	4	72
33	19	3	2	6	-	2	12	2	1	-	-	2	1	10	1	6	10	3	4	7	73
45	18	6	-	1	-	3	18	2	4	1	-	-	2	11	2	9	4	2	3	8	74
72	30	33	5	2	2	7	32	1	4	-	2	-	8	40	16	18	20	4	8	20	75
13	13	5	-	-	-	-	2	-	-	-	-	-	-	4	7	12	7	-	4	7	76
51	18	17	3	5	1	6	14	-	2	-	1	1	4	18	3	8	16	1	6	17	77
64	29	2	1	5	6	4	9	1	5	2	-	-	3	21	5	10	14	3	1	17	78
78	18	15	3	10	3	4	22	-	2	1	1	1	7	13	9	18	12	8	5	31	79
30	14	7	3	-	-	1	15	-	6	2	1	2	2	17	12	5	9	-	3	8	80
68	24	42	3	7	2	3	13	-	4	1	2	1	8	28	13	19	15	2	3	28	81

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	SOUTH CAROLINA—Con.																
1	McCormick	94	2	1	-	4	5	-	1	4	1	45	45	19	-	21	1
2	Marion	314	8	1	-	2	36	12	6	18	5	155	151	60	1	78	3
3	Marlboro	333	7	-	-	2	27	7	2	18	2	182	180	57	1	100	1
4	Newberry	288	5	1	-	1	50	13	5	32	3	142	138	34	-	89	1
5	Oconee	260	3	-	-	3	34	8	3	23	4	137	134	37	-	91	3
6	Orangeburg	625	16	1	-	6	57	18	7	32	16	314	307	87	2	196	3
7	Orangeburg	138	4	-	-	1	13	5	3	5	1	66	65	13	-	50	-
8	Balance of county	487	12	1	-	7	44	13	4	27	15	248	242	74	2	146	3
9	Pickens	267	3	-	2	2	47	12	3	32	5	156	154	31	-	110	2
10	Richland	1,267	10	8	-	6	155	51	24	80	25	681	668	158	1	459	7
11	Columbia	823	6	6	-	3	110	34	19	57	16	441	432	93	-	306	5
12	Balance of county	444	4	2	-	3	45	17	5	23	9	240	236	65	1	153	2
13	Saluda	118	-	-	-	2	15	3	2	10	2	72	69	20	-	46	1
14	Spartanburg	1,128	9	6	1	6	142	37	12	93	14	617	605	158	3	414	10
15	Spartanburg	353	2	4	-	2	48	17	6	25	3	193	189	39	-	144	2
16	Balance of county	775	7	2	1	4	94	20	6	68	11	424	416	119	3	270	8
17	Sumter	565	11	2	-	6	53	20	3	30	7	289	276	73	-	188	5
18	Sumter	163	5	1	-	-	21	8	1	12	-	80	79	24	-	51	2
19	Balance of county	402	6	1	-	6	32	12	2	18	7	209	199	49	-	137	3
20	Union	216	-	2	-	-	25	4	7	14	3	141	136	58	-	75	2
21	Williamsburg	365	7	2	-	4	34	13	2	19	5	191	183	53	-	100	2
22	York	603	7	5	-	5	57	13	9	35	4	344	338	101	1	210	8
23	Rock Hill	233	3	2	-	1	24	7	2	15	2	128	126	43	1	73	5
24	Balance of county	370	4	3	-	4	33	6	7	20	2	216	212	58	-	137	3
25	SOUTH DAKOTA	5,930	43	11	1	33	865	330	96	459	91	3,155	3,116	760	2	2,123	72
26	Metropolitan counties	682	3	-	-	6	119	40	9	70	8	366	364	70	-	261	8
27	Nonmetropolitan counties	5,248	40	11	1	27	766	290	87	389	83	2,789	2,752	690	2	1,862	64
28	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Aurora	41	-	-	-	-	4	-	1	3	-	24	24	7	-	15	1
30	Beadle	209	-	-	-	-	33	13	2	18	3	115	111	35	-	68	3
31	Huron	142	-	-	-	-	17	9	2	6	3	80	76	20	-	51	2
32	Balance of county	67	-	-	-	-	16	4	-	12	-	35	35	15	-	17	1
33	Bennett	28	-	-	-	1	4	1	2	1	-	13	13	10	-	1	-
34	Bon Homme	88	-	-	-	-	11	3	1	7	-	58	58	22	-	33	3
35	Brookings	150	1	1	-	1	29	15	1	13	-	80	80	24	-	52	1
36	Brown	298	-	1	1	2	56	19	8	29	6	150	148	30	-	111	2
37	Aberdeen	211	-	-	-	1	43	14	7	22	4	109	107	21	-	82	2
38	Balance of county	87	-	1	1	1	13	5	1	7	2	41	41	9	-	29	-
39	Brule	71	2	-	-	-	12	3	1	8	2	44	43	14	-	29	2
40	Buffalo	9	-	-	-	1	-	-	-	-	-	3	3	-	-	3	1
41	Butte	98	-	1	-	-	14	5	1	8	1	43	43	6	-	32	1
42	Campbell	30	-	-	-	-	6	4	-	2	-	15	15	7	-	7	-
43	Charles Mix	120	1	1	-	-	23	6	4	13	3	55	55	13	-	40	-
44	Clark	84	-	-	-	-	12	5	1	6	-	52	51	14	-	36	1
45	Clay	99	1	-	-	-	10	4	1	5	1	68	67	16	1	44	-
46	Codington	167	-	-	-	1	29	12	7	10	3	93	90	24	-	63	2
47	Watertown	140	-	-	-	-	24	12	5	7	3	80	77	22	-	53	2
48	Balance of county	27	-	-	-	1	5	-	2	3	-	13	13	2	-	10	-
49	Corson	50	5	-	-	-	5	1	-	4	-	18	18	5	-	11	-
50	Custer	51	1	-	-	-	4	1	-	3	1	20	20	4	-	15	-
51	Davison	157	-	1	-	-	21	7	4	10	4	94	92	18	-	68	3
52	Mitchell	129	-	1	-	-	18	6	4	8	4	76	74	15	-	53	2
53	Balance of county	28	-	-	-	-	3	1	-	2	-	18	18	3	-	15	1
54	Day	107	3	-	-	-	16	5	-	11	-	67	67	24	-	38	2
55	Deuel	74	-	-	-	-	12	6	2	4	2	48	48	13	-	35	1
56	Dewey	34	-	-	-	-	8	2	-	6	-	9	9	-	-	6	-
57	Douglas	45	-	-	-	-	2	1	-	1	1	26	26	12	-	12	-
58	Edmunds	48	1	-	-	-	8	2	2	4	-	26	25	8	-	14	-
59	Fall River	135	2	1	-	-	24	10	4	10	5	67	67	18	-	41	3
60	Faulk	40	-	-	-	-	5	1	-	4	2	29	29	10	-	17	-
61	Grant	99	-	-	-	-	14	4	3	7	2	64	62	18	-	39	4
62	Gregory	75	-	-	-	1	6	5	-	1	1	38	36	6	-	24	-
63	Haakon	34	-	-	-	1	5	2	1	2	1	21	21	2	-	17	-
64	Hamlin	58	1	-	-	-	7	4	-	3	2	38	38	8	-	28	1
65	Hand	52	-	-	-	1	6	4	1	1	1	31	30	5	-	21	1
66	Hanson	31	-	-	-	-	12	4	1	7	-	13	13	2	-	11	-
67	Harding	20	-	-	-	-	-	-	-	-	2	9	9	-	-	9	-
68	Hughes	76	-	-	-	2	10	3	1	6	-	34	33	6	-	24	2
69	Hutchinson	97	-	-	-	-	17	6	3	8	2	49	48	9	-	36	1
70	Hyde	34	-	-	-	-	5	2	1	2	-	17	16	2	-	13	-
71	Jackson	15	-	-	-	-	2	-	-	2	-	7	7	2	-	3	-
72	Jerauld	44	-	-	-	-	10	5	2	3	1	26	26	3	-	20	1
73	Jones	21	1	-	-	-	1	-	-	1	-	12	12	4	-	8	-
74	Kingsbury	91	-	-	-	1	14	3	3	8	-	59	58	18	-	34	2
75	Lake	117	-	-	-	-	24	12	-	12	5	50	49	13	-	33	1
76	Lawrence	179	3	2	-	-	21	8	3	10	2	91	89	16	-	65	6
77	Lincoln	115	2	-	-	-	19	5	-	14	1	68	68	9	-	51	1
78	Lyman	35	-	-	-	-	7	4	-	3	-	17	17	9	-	6	-
79	McCook	77	-	-	-	-	11	4	1	6	2	47	46	11	-	32	1
80	McPherson	50	-	-	-	-	9	4	1	4	1	30	30	9	-	19	-
81	Marshall	49	-	-	-	-	3	2	-	1	1	34	33	9	-	23	-
82	Meade	104	-	-	-	-	15	5	1	9	1	46	45	10	-	30	2
83	Mellette	25	-	-	-	2	3	2	-	1	-	14	14	3	-	10	-
84	Miner	52	-	-	-	-	7	-	1	6	-	36	36	13	-	20	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
10	9	1	2	-	3	-	8	-	1	-	-	-	1	7	6	1	5	-	2	5	1
46	18	11	4	6	2	4	17	-	4	-	-	-	4	29	11	9	16	1	2	14	2
72	22	11	6	8	2	2	11	-	5	2	1	1	6	28	1	15	13	3	6	21	3
51	22	15	3	6	6	4	15	2	-	1	-	-	6	13	2	12	10	2	5	18	4
62	6	20	1	3	2	3	10	-	1	2	-	1	3	9	1	11	15	-	3	23	5
90	66	37	8	12	2	7	26	3	9	2	5	5	12	33	16	23	29	3	8	39	6
24	19	7	1	1	-	1	5	-	1	1	1	-	4	7	1	11	7	-	2	13	7
66	47	30	7	11	2	6	21	3	8	1	4	5	8	26	15	12	22	3	6	26	8
77	12	19	6	5	2	2	5	-	2	-	1	-	2	19	-	7	10	3	5	18	9
282	117	53	10	27	13	13	39	4	8	11	1	2	29	77	10	33	53	16	14	85	10
194	77	30	9	16	8	9	30	4	3	8	-	2	16	41	5	22	33	13	10	54	11
88	40	23	1	11	5	4	9	-	5	3	1	-	13	36	5	11	20	3	4	31	12
21	16	8	-	1	2	3	3	1	2	1	-	-	1	2	3	2	4	1	1	6	13
248	109	47	7	16	7	12	33	1	11	8	-	2	17	70	9	44	37	12	10	79	14
79	46	17	2	3	1	4	9	-	3	3	-	2	3	28	2	6	12	2	6	25	15
169	63	30	5	13	6	8	24	1	8	5	-	-	14	42	7	38	25	10	4	54	16
73	59	51	4	10	3	11	20	1	8	1	4	3	7	33	37	10	28	2	7	36	17
22	18	9	1	1	2	1	3	-	1	-	2	1	4	14	1	7	6	2	2	13	18
51	41	42	3	9	1	10	17	1	7	1	2	2	3	19	36	3	22	-	5	23	19
49	9	15	1	2	-	5	4	-	1	-	-	-	2	5	2	5	11	3	3	9	20
53	27	18	17	12	1	8	13	-	11	-	2	4	2	20	20	9	15	1	6	19	21
111	56	35	4	15	7	6	18	1	9	4	2	1	10	30	17	20	24	5	3	37	22
42	22	4	2	6	1	2	5	1	3	3	1	1	4	14	11	9	4	2	1	14	23
69	34	31	2	9	6	4	13	-	6	1	1	-	6	16	6	11	20	3	2	23	24
1,505	186	360	55	122	54	39	154	39	30	40	6	6	100	282	83	200	269	65	12	425	25
203	22	28	9	17	7	2	18	9	1	5	-	-	17	23	5	23	28	8	3	40	26
1,302	164	332	46	105	47	37	136	30	29	35	6	6	83	259	78	177	241	57	9	385	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
12	1	1	1	1	-	-	2	-	1	1	-	-	1	2	2	-	2	-	-	2	29
50	9	6	2	5	1	4	6	1	-	1	-	-	6	8	1	7	9	1	-	18	30
39	6	4	2	2	1	4	3	1	-	1	-	-	5	8	1	5	8	-	-	10	31
11	3	2	-	3	-	-	3	-	-	-	-	-	1	-	-	2	1	1	-	8	32
1	-	-	-	-	2	-	1	-	-	-	-	-	2	1	-	-	2	1	1	2	33
21	3	6	1	1	1	-	1	-	-	-	-	-	3	5	1	2	1	1	-	5	34
37	4	10	-	1	3	-	4	1	1	-	-	-	2	7	-	4	8	2	-	9	35
82	8	19	-	5	2	2	6	1	2	2	-	-	5	12	2	11	15	4	-	22	36
59	7	14	-	2	2	2	4	1	2	2	-	-	4	9	1	7	10	2	-	12	37
23	1	5	-	3	-	-	2	-	-	-	-	-	1	3	1	4	5	2	-	10	38
20	-	7	-	-	-	1	1	-	-	1	-	-	-	2	-	2	-	1	-	4	39
1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	2	40
22	3	6	-	4	1	-	1	-	2	-	-	-	1	10	1	10	6	-	-	8	41
6	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	2	3	-	-	3	42
22	2	16	-	1	1	-	5	-	3	-	1	-	3	8	-	5	2	-	1	9	43
23	2	10	1	-	-	1	1	1	-	-	-	-	1	5	-	1	3	-	-	8	44
32	5	7	4	1	1	1	4	1	-	-	-	-	2	2	1	4	1	2	-	2	45
50	2	9	1	2	-	3	2	2	1	1	-	1	2	11	1	4	8	-	-	8	46
43	2	6	1	1	-	3	2	1	1	1	-	1	2	8	1	4	6	-	-	6	47
7	-	3	-	1	-	-	-	1	-	-	-	-	-	3	-	-	2	-	-	2	48
8	1	2	1	-	1	-	2	-	2	1	-	-	1	2	-	4	2	1	-	7	49
13	2	-	-	-	1	-	1	1	1	-	1	-	6	1	2	1	6	-	-	5	50
57	1	7	1	3	2	2	4	-	-	-	1	-	3	5	1	4	12	1	-	6	51
45	1	5	1	3	2	2	4	-	-	-	1	-	2	5	1	4	8	1	-	4	52
12	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	2	53
27	3	6	2	2	1	-	4	-	-	1	-	-	2	2	1	2	2	1	-	6	54
29	1	4	-	-	-	-	3	-	1	-	-	-	-	1	1	1	2	-	-	3	55
4	2	-	2	-	1	-	-	-	2	-	-	-	-	2	-	3	3	-	1	6	56
9	1	2	-	1	1	-	1	-	1	-	-	-	2	1	3	1	4	-	-	3	57
8	2	4	1	2	-	1	-	-	-	1	-	1	-	3	-	-	3	-	-	5	58
21	6	11	1	7	-	-	6	2	-	4	-	-	2	3	-	4	5	1	-	9	59
11	-	6	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	60
25	-	10	3	1	1	2	-	-	1	-	-	-	2	5	-	1	3	1	-	6	61
16	4	4	2	3	1	2	6	2	1	-	1	-	1	3	-	2	5	3	-	5	62
10	4	3	1	-	1	-	1	1	-	-	-	-	1	-	-	-	1	-	-	2	63
25	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	6	64
8	7	5	2	-	2	1	1	-	-	-	-	-	1	1	1	2	2	-	-	5	65
9	-	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	3	66
5	-	4	-	-	-	-	-	-	1	-	-	-	-	3	-	2	3	-	-	-	67
16	3	3	-	3	-	1	1	-	1	-	-	1	3	12	1	4	5	-	-	2	68
32	-	3	1	1	1	1	1	1	-	1	-	-	1	3	1	4	7	1	-	9	69
7	2	4	-	-	1	1	1	1	-	1	-	-	1	2	-	2	1	1	-	2	70
3	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	1	71
10	2	7	1	2	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	1	72
2	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	3	73
26	2	4	-	6	-	1	3	-	-	-	-	-	-	2	1	2	-	2	-	7	74
19	7	6	1	2	-	1	2	2	-	3	-	-	1	3	7	5	3	-	-	12	75
39	1	19	-	4	4	2	3	2	-	2	-	-	-	9	1	4	14	4	-	21	76
37	4	9	4	3	1	-	5	-	-	-	1	1	1	2	-	3	5	2	-	5	77
5	-	1	-	1	1	-	3	-	-	1	-	-	-	1	1	-	2	-	-	3	78
24	7	-	1	1	1	1	1	-	-	-	-	-	2	1	3	1	3	-	-	6	79
14	2	3	-	1	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-	5	80
15	3	5	-	1	-	1	2	-	-	-	-	-	2	2	2	1	-	-	-	2	81
16	6	6	-	3	2	1	-	-	2	1	-	-	1	11	2	5	9	3	-	8	82
5	2	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	83
15	-	5	-	3	-	-	-	-	-	-	-	-	-	2	-	1	4	-	-	2	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334. 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	SOUTH DAKOTA—Continued																
1	Minnehaha	682	3	-	-	6	119	40	9	70	8	366	364	70	-	261	8
2	Sioux Falls	529	2	-	-	4	90	30	7	53	4	279	279	53	-	203	6
3	Balance of county	153	1	-	-	2	29	10	2	17	4	87	85	17	-	58	2
4	Moody	100	-	-	-	1	15	8	-	7	1	58	58	14	-	40	-
5	Pennington	327	2	2	-	1	48	14	7	27	6	130	129	28	-	94	5
6	Rapid City	263	2	2	-	-	43	11	7	25	5	102	101	23	-	71	4
7	Balance of county	64	-	-	-	1	5	3	-	2	1	28	28	5	-	23	1
8	Perkins	67	2	1	-	-	11	9	1	1	1	32	32	10	-	20	2
9	Potter	35	-	-	-	1	7	3	-	4	-	14	14	1	-	12	-
10	Roberts	127	-	-	-	1	15	6	3	6	4	64	64	16	1	43	-
11	Sanborn	55	-	-	-	2	7	4	-	3	-	28	26	3	-	19	-
12	Shannon	76	5	-	-	-	3	2	-	1	-	17	16	2	-	12	-
13	Spink	110	1	-	-	2	18	4	2	12	1	64	64	15	-	41	2
14	Stanley	14	-	-	-	1	2	2	-	-	-	8	8	4	-	4	-
15	Sully	20	-	-	-	-	5	3	-	2	-	7	7	1	-	5	-
16	Todd	51	1	-	-	1	3	-	2	1	2	15	14	5	-	8	-
17	Tripp	76	-	-	-	-	14	5	-	9	2	36	36	11	-	24	-
18	Turner	84	-	-	-	-	9	4	2	3	1	56	56	18	-	35	-
19	Union	83	-	-	-	-	5	1	1	3	3	49	48	11	-	35	-
20	Walworth	66	-	-	-	1	8	4	1	3	1	39	39	3	-	34	3
21	Washabaugh	11	3	-	-	-	-	-	-	-	-	3	3	1	-	1	-
22	Yankton	153	1	-	-	2	20	7	3	10	2	94	93	24	-	63	3
23	Ziebach	10	1	-	-	-	-	-	-	-	-	7	7	2	-	5	-
24	TENNESSEE	29,013	510	67	9	184	3,904	1,203	472	2,229	315	14,589	14,238	3,905	42	9,342	289
25	Metropolitan counties	12,600	201	43	5	63	1,803	533	258	1,012	156	5,900	5,762	1,545	18	3,796	119
26	Nonmetropolitan counties	16,413	309	24	4	121	2,101	670	214	1,217	159	8,689	8,476	2,360	24	5,546	170
27	Anderson	324	3	-	-	1	48	8	6	34	2	136	132	25	-	92	2
28	Bedford	236	3	-	-	2	34	11	4	19	3	123	122	28	-	82	2
29	Benton	105	3	-	-	1	12	7	1	4	1	62	60	22	1	33	-
30	Bledsoe	62	-	-	-	-	8	3	2	3	-	28	28	8	-	18	2
31	Blount	374	4	2	-	4	50	11	8	31	4	180	172	54	2	105	3
32	Bradley	287	7	-	-	4	29	8	4	17	3	150	148	45	-	98	2
33	Cleveland	167	3	-	-	2	13	5	2	6	2	90	89	23	-	64	-
34	Balance of county	120	4	-	-	2	16	3	2	11	1	60	59	22	-	34	2
35	Campbell	263	6	-	-	2	39	14	8	17	3	110	106	33	-	67	4
36	Cannon	74	3	-	-	-	11	1	-	10	1	41	40	6	-	34	-
37	Carroll	241	3	-	1	2	41	13	6	22	-	149	139	28	-	96	-
38	Carter	295	5	-	-	1	27	7	2	18	8	159	156	55	1	95	6
39	Elizabethton	81	-	-	-	-	6	2	-	4	-	47	47	19	1	26	1
40	Balance of county	214	5	-	-	1	21	5	2	14	8	112	109	36	-	69	5
41	Cheatham	70	2	-	-	-	11	3	-	8	2	40	39	8	1	27	2
42	Chester	82	2	-	-	-	8	3	2	3	1	47	47	21	-	21	-
43	Claiborne	185	8	1	-	2	23	9	4	10	1	83	80	15	2	56	5
44	Clay	58	-	-	-	-	9	3	1	5	1	33	33	6	-	26	-
45	Cocke	215	6	-	-	1	23	10	2	11	1	95	89	30	-	53	1
46	Coffee	242	6	-	-	7	25	11	1	13	3	130	129	29	1	87	4
47	Crockett	142	2	-	-	1	14	6	1	7	2	88	83	29	-	48	1
48	Cumberland	138	1	-	-	2	16	5	-	11	2	57	51	16	-	33	3
49	Davidson	3,139	40	9	2	16	476	141	70	265	42	1,451	1,425	386	3	934	27
50	Nashville	2,159	23	8	2	9	306	90	45	171	30	1,002	979	268	2	635	18
51	Balance of county	980	17	1	-	7	170	51	25	94	12	449	446	118	1	299	9
52	Decatur	63	-	-	-	-	11	2	-	9	-	28	26	13	-	12	-
53	De Kalb	90	1	-	-	-	8	1	-	7	3	63	63	7	-	55	1
54	Dickson	191	2	-	-	1	27	11	-	16	2	106	103	24	-	69	1
55	Dyer	290	8	1	-	2	37	15	3	19	2	160	154	39	-	103	4
56	Dyersburg	130	5	-	-	1	17	8	-	9	1	74	71	16	-	48	1
57	Balance of county	160	3	1	-	1	20	7	3	10	1	86	83	23	-	55	3
58	Fayette	202	3	-	-	3	21	7	2	12	3	93	90	29	2	54	3
59	Fentress	97	4	-	-	1	9	1	1	7	-	51	50	25	-	23	3
60	Franklin	217	3	-	-	-	28	8	2	18	3	117	115	36	-	76	1
61	Gibson	422	4	-	1	1	60	14	9	37	5	237	231	77	-	144	1
62	Giles	240	2	-	-	1	20	9	4	7	4	152	150	36	-	97	3
63	Grainger	112	-	-	-	1	7	3	1	3	2	61	59	14	-	42	-
64	Greene	309	9	-	-	2	39	19	3	17	1	173	172	42	3	121	3
65	Grundy	105	2	-	-	1	11	3	-	8	-	63	63	18	-	43	-
66	Hamblen	199	2	-	-	2	35	9	-	26	1	108	104	19	-	71	1
67	Morristown	107	2	-	-	1	19	6	-	13	1	54	51	11	-	33	1
68	Balance of county	92	-	-	-	1	16	3	-	13	-	54	53	8	-	38	-
69	Hamilton	2,063	45	5	1	10	312	103	45	164	28	922	902	243	2	590	19
70	Chattanooga	1,474	34	4	1	5	198	69	28	101	20	650	636	186	1	395	11
71	Balance of county	589	11	1	-	5	114	34	17	63	8	272	266	57	1	195	8
72	Hancock	70	3	-	-	1	9	3	2	4	-	33	31	13	-	15	-
73	Hardeman	181	3	-	-	1	24	6	1	17	4	83	82	26	-	47	2
74	Hardin	115	5	2	-	1	16	5	-	11	2	42	42	16	-	24	1
75	Hawkins	226	6	1	-	-	29	11	1	17	3	121	111	24	-	80	4
76	Haywood	216	5	-	-	3	23	4	-	19	-	100	95	21	-	65	1
77	Henderson	126	4	-	-	1	14	2	2	10	-	76	76	38	-	34	2
78	Henry	231	1	-	-	1	32	9	1	22	4	131	128	43	-	72	2
79	Hickman	122	5	-	-	2	22	6	3	13	-	57	56	21	-	30	-
80	Houston	52	1	-	-	-	7	2	-	5	1	31	31	8	-	21	1
81	Humphreys	103	1	-	-	1	18	8	3	7	-	63	62	18	-	40	-
82	Jackson	110	4	-	-	2	11	4	1	6	2	52	48	13	-	29	2
83	Jefferson	155	5	1	-	-	15	4	1	10	3	80	77	15	-	57	1
84	Johnson	84	-	-	-	-	12	2	1	9	-	41	41	9	-	30	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the *Sixth Revision of the International Lists, 1948*)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
203	22	28	9	17	7	2	18	9	1	5	-	-	17	23	5	23	28	8	3	40	1
157	17	23	8	11	4	-	17	5	-	3	-	-	15	18	5	15	24	8	3	37	2
46	5	5	1	6	3	2	1	4	1	2	-	-	2	5	-	8	4	-	-	3	3
21	13	6	-	3	1	-	-	1	-	-	-	-	-	2	2	4	4	4	-	8	4
76	5	8	2	3	2	1	8	2	2	4	-	1	8	44	7	15	14	4	2	27	5
59	4	4	2	3	2	1	6	2	2	3	-	1	6	40	5	11	11	1	2	19	6
17	1	4	-	-	-	-	2	-	-	1	-	-	2	4	2	4	3	3	-	8	7
13	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-	4	7	2	-	7	8
6	-	6	1	-	-	-	1	-	-	1	-	-	-	4	1	1	2	-	-	3	9
32	5	6	1	3	-	-	11	-	1	-	-	-	1	7	4	5	2	-	-	12	10
16	2	1	-	3	1	2	-	-	-	1	1	-	-	3	2	8	1	-	-	2	11
5	-	7	-	2	-	1	7	-	2	-	-	1	2	6	8	8	5	-	2	10	12
31	1	7	1	6	1	-	1	1	-	-	-	-	-	5	2	2	4	2	-	7	13
3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	14
3	-	2	-	-	1	-	2	1	-	-	-	-	1	-	-	-	3	-	-	1	15
5	3	-	-	1	-	1	-	-	-	1	-	-	-	3	8	5	6	-	1	5	16
19	2	3	-	1	-	-	2	1	-	1	-	-	3	4	1	2	4	1	-	5	17
20	7	8	-	3	-	-	4	1	-	-	-	-	-	-	-	2	4	-	1	6	18
29	1	5	1	1	-	1	4	2	-	-	-	-	2	6	-	-	2	1	-	9	19
24	2	5	1	-	1	-	2	-	1	2	-	-	-	2	-	3	2	1	-	4	20
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	21
47	4	9	1	4	1	1	6	-	-	2	-	-	-	7	-	3	6	5	-	5	22
3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	23
5,619	1,671	1,763	283	451	215	351	1,029	132	153	181	75	51	431	1,321	1,763	913	990	266	267	1,863	24
2,308	658	711	129	170	104	138	381	66	56	102	29	8	209	668	1,034	342	412	119	143	860	25
3,311	1,013	1,052	154	281	111	213	648	66	97	79	46	43	222	653	729	571	578	147	124	1,003	26
62	16	12	6	5	4	4	15	-	2	1	-	-	13	24	14	19	17	8	-	21	27
49	20	11	5	4	3	1	12	1	1	-	-	2	2	7	-	11	16	3	1	15	28
21	5	7	1	1	2	2	5	1	-	-	-	-	1	1	4	6	3	2	-	3	29
15	-	1	-	2	-	-	4	1	1	-	-	-	2	4	2	2	3	-	2	5	30
72	20	10	1	8	2	8	14	4	2	-	1	-	7	16	33	10	6	3	1	33	31
67	19	10	1	3	1	2	17	1	1	2	1	-	3	14	21	7	8	3	2	14	32
48	10	6	-	1	1	1	11	1	-	1	1	-	2	7	12	4	4	2	2	10	33
19	9	4	1	2	-	1	6	-	1	1	-	-	1	7	9	3	4	1	-	4	34
25	18	20	2	2	2	4	20	1	2	1	-	2	8	15	20	9	8	1	4	12	35
25	5	4	-	-	-	1	1	-	-	-	1	-	-	3	2	7	1	2	-	1	36
64	8	24	9	5	1	10	7	-	-	1	-	-	1	3	5	8	5	1	2	12	37
66	7	16	2	2	1	3	11	4	2	-	4	1	6	7	18	7	7	2	2	24	38
21	-	4	-	-	1	-	3	3	-	-	1	1	2	4	3	3	1	-	-	7	39
45	7	12	2	2	-	3	8	1	2	-	3	-	4	3	15	4	6	2	2	17	40
18	1	6	1	-	2	1	1	1	-	-	-	-	1	-	6	1	2	1	-	2	41
18	2	1	1	4	-	-	4	-	2	-	-	-	1	5	1	4	3	-	-	4	42
30	5	16	2	3	2	3	14	1	-	-	-	-	4	8	8	5	8	1	1	17	43
14	11	1	1	-	-	-	3	-	-	-	-	-	-	1	-	1	3	-	1	6	44
32	17	3	-	6	-	6	14	-	3	2	1	-	2	9	23	10	9	2	3	11	45
47	15	21	3	8	1	1	9	-	-	1	1	-	7	18	5	12	7	1	1	9	46
30	10	7	3	2	1	5	9	-	2	1	2	1	-	6	2	2	5	1	1	3	47
22	5	3	1	-	1	6	5	-	2	-	-	-	5	7	10	6	6	2	-	17	48
572	157	178	33	47	22	26	97	20	17	26	10	2	44	163	237	83	118	25	49	212	49
358	128	131	27	32	15	23	64	13	13	15	9	2	28	111	179	51	89	18	43	144	50
214	29	47	6	15	7	3	33	7	4	11	1	-	16	52	58	32	29	7	6	68	51
6	-	6	1	-	-	2	3	-	1	-	1	-	-	-	10	3	1	1	1	3	52
32	10	12	-	-	1	-	2	-	-	-	-	-	2	2	-	2	1	-	1	5	53
40	17	11	3	4	3	3	5	-	1	2	-	1	3	9	3	5	10	2	-	12	54
58	26	15	2	8	2	6	5	1	2	1	1	1	3	11	9	6	12	2	-	26	55
28	15	4	1	5	1	3	4	-	2	1	-	-	1	3	3	2	7	1	-	8	56
30	11	11	1	3	1	3	1	1	-	-	1	1	2	8	6	4	5	1	-	18	57
30	7	14	-	3	2	3	10	-	1	1	-	-	-	6	40	1	10	1	-	9	58
12	3	5	-	-	2	1	3	-	-	-	-	1	1	6	8	5	1	-	-	7	59
47	8	20	2	-	1	2	12	3	1	1	1	-	3	8	5	11	5	2	2	12	60
75	31	37	2	4	4	6	9	1	5	2	2	1	6	21	12	5	10	3	4	33	61
54	16	24	5	9	3	2	7	-	1	-	-	-	1	6	9	6	13	4	1	13	62
17	16	9	1	1	1	2	3	-	-	-	1	-	1	6	16	2	5	-	1	6	63
68	28	22	1	5	-	1	13	2	-	-	1	1	3	16	10	10	9	4	-	16	64
33	4	6	-	1	1	-	2	2	-	-	1	-	1	3	3	7	4	2	-	3	65
52	9	9	4	6	4	4	9	1	1	2	2	-	2	5	4	6	4	4	-	11	66
25	3	4	2	2	3	3	8	-	1	2	2	-	1	4	1	2	1	3	-	6	67
27	6	5	2	4	1	1	1	1	1	-	-	-	1	1	3	4	3	1	-	5	68
368	81	122	18	24	25	20	89	8	9	19	4	3	29	102	164	62	68	18	35	130	69
233	65	86	15	17	22	14	71	7	3	15	3	3	17	77	144	38	43	11	30	100	70
135	16	36	3	7	3	6	18	1	6	4	1	-	12	25	20	24	25	7	5	30	71
7	2	6	1	2	-	2	6	-	-	-	-	-	-	4	9	2	2	1	-	-	72
26	10	9	3	6	-	1	10	1	-	3	-	1	1	8	15	5	9	-	3	10	73
16	3	4	1	1	-	-	9	-	1	1	1	3	3	4	5	9	5	2	1	3	74
48	11	17	-	5	2	10	9	1	-	-	-	-	6	7	10	11	4	1	2	15	75
26	27	11	5	3	1	5	18	2	2	3	2	2	3	9	23	3	8	-	2	8	76
20	4	8	1	3	-	-	3	-	2	-	-	1	1	4	8	4	1	1	-	6	77
45	17	8	1	10	2	3	6	-	1	3	-	-	-	3	12	8	10	1	1	17	78
16	9	5	1	2	2	1	5	-	-	1	-	-	6	-	9	3	4	2	1	5	79
2	8	10	-	2	-	-	1	-	1	-	-	-	1	2	1	-	1	1	1	3	80
30	8	2	1	2	1	1	1	-	1	-	-	-	2	3	2	3	3	-	-	5	81
17	4	6	-	6	-	4	6	-	-	2	-	-	-	2	11	3	2	-	2	11	82
34	11	11	3	1	1	3	9	-	-	-	-	-	3	5	7	9	6	-	1	11	83
12	10	7	1	1	-	-	6	-	-	-	-	1	2	3	6	2	4	1	-	6	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Knox	1,928	39	3	1	7	278	77	34	167	32	963	939	206	2	658	22
2	Knoxville	1,159	19	3	-	7	166	46	25	95	18	583	575	127	1	394	15
3	Balance of county	769	20	-	1	-	112	31	9	72	14	380	364	79	1	264	7
4	Lake	82	1	2	-	4	8	2	1	5	1	44	44	14	1	27	1
5	Lauderdale	232	3	1	-	3	36	13	2	21	3	110	108	25	2	72	2
6	Lawrence	200	9	-	-	3	24	7	2	15	1	105	103	25	1	66	1
7	Lewis	57	-	-	-	1	7	3	1	3	2	18	18	2	-	14	-
8	Lincoln	258	6	-	-	4	27	4	-	23	3	145	144	38	1	98	3
9	Loudon	207	3	-	-	1	21	4	2	15	2	97	94	21	-	62	1
10	McMinn	272	3	1	1	3	37	9	3	25	1	137	134	33	-	93	2
11	McNairy	153	2	-	-	-	17	7	4	6	2	87	85	24	1	55	3
12	Macon	124	3	-	-	1	11	1	-	10	2	75	73	18	-	45	-
13	Madison	578	7	2	-	2	75	22	15	38	3	338	334	99	1	219	6
14	Jackson	361	4	1	-	1	51	16	14	21	1	218	217	63	-	144	4
15	Balance of county	217	3	1	-	1	24	6	1	17	2	120	117	36	1	75	2
16	Marion	176	3	-	-	-	29	5	4	20	-	88	88	22	-	58	2
17	Marshall	187	5	2	-	-	32	11	4	17	2	104	103	28	-	69	1
18	Maury	428	7	-	-	5	52	19	5	28	2	228	226	67	2	146	6
19	Columbia	170	5	-	-	2	19	3	2	14	1	92	91	29	-	56	3
20	Balance of county	258	2	-	-	3	33	16	3	14	1	136	135	38	2	90	3
21	Meigs	31	1	-	-	-	3	-	-	3	-	16	15	5	-	10	-
22	Monroe	202	4	1	-	3	16	5	2	9	1	93	90	22	-	67	3
23	Montgomery	383	14	-	-	2	40	11	7	22	2	208	197	65	-	112	3
24	Clarksville	194	6	-	-	-	20	5	6	9	-	114	108	32	-	64	1
25	Balance of county	189	8	-	-	2	20	6	1	13	2	94	89	33	-	48	2
26	Moore	48	3	-	-	1	11	4	-	7	-	19	19	2	-	14	-
27	Morgan	105	1	-	-	2	14	4	-	10	1	54	53	18	-	33	1
28	Obion	255	9	-	-	1	31	10	6	15	1	151	149	38	-	109	4
29	Overton	126	1	-	-	1	13	5	2	6	2	73	72	13	1	55	1
30	Perry	54	-	1	-	-	6	1	1	4	1	28	28	6	-	22	1
31	Pickett	38	1	-	-	-	7	3	1	3	-	14	14	8	-	4	-
32	Polk	104	1	-	-	1	14	4	1	9	1	50	49	13	-	32	2
33	Putnam	222	7	-	-	2	37	8	4	25	1	117	115	23	-	86	2
34	Rhea	157	5	-	-	1	21	5	3	13	1	72	70	14	-	50	-
35	Roane	253	4	-	-	2	35	9	4	22	5	121	116	32	-	67	4
36	Robertson	260	4	-	-	1	32	9	2	21	4	156	151	40	-	104	1
37	Rutherford	378	6	1	-	1	56	22	6	28	7	204	199	57	-	129	3
38	Murfreesboro	155	4	1	-	-	28	15	2	11	4	88	85	29	-	51	1
39	Balance of county	223	2	-	-	1	28	7	4	17	3	116	114	28	-	78	2
40	Scott	134	5	1	-	1	14	3	1	10	3	71	69	13	-	51	5
41	Sequatchie	53	1	-	-	-	6	4	1	1	-	20	20	8	-	11	-
42	Sevier	187	2	-	1	-	20	7	-	13	2	87	83	23	-	54	3
43	Shelby	4,772	70	24	1	25	639	193	95	351	48	2,248	2,192	631	9	1,417	46
44	Memphis	4,039	59	23	1	17	549	163	87	299	39	1,939	1,897	529	6	1,245	37
45	Balance of county	733	11	1	-	8	90	30	8	52	9	309	295	102	3	172	9
46	Smith	138	2	-	-	-	22	6	3	13	1	67	64	21	-	39	-
47	Stewart	80	3	-	-	-	4	2	1	1	1	42	42	11	-	25	-
48	Sullivan	715	12	3	-	4	113	43	12	58	9	347	334	78	1	229	7
49	Bristol[4]	211	2	-	-	2	29	19	2	8	3	116	115	25	-	83	4
50	Kingsport	144	-	-	-	-	29	7	3	19	1	57	54	10	-	40	1
51	Balance of county	360	10	3	-	2	55	17	7	31	5	174	165	43	1	106	2
52	Sumner	288	2	-	-	1	35	11	5	19	1	156	154	46	1	99	2
53	Tipton	258	-	1	-	5	30	7	5	18	1	126	124	55	-	63	1
54	Trousdale	41	1	-	-	-	6	3	2	1	2	20	20	3	-	17	-
55	Unicoi	98	2	-	-	1	16	4	1	11	1	57	57	20	-	35	2
56	Union	57	-	-	-	-	9	1	-	8	-	27	26	11	-	15	1
57	Van Buren	19	-	-	-	-	4	1	-	3	-	6	6	3	-	3	-
58	Warren	241	2	-	-	1	26	17	2	7	-	133	132	35	-	94	4
59	Washington	524	9	1	-	3	76	26	11	39	3	302	294	79	1	199	14
60	Johnson City	274	7	-	-	2	39	10	7	22	2	152	151	39	-	106	8
61	Balance of county	250	2	1	-	1	37	16	4	17	1	150	143	40	1	93	6
62	Wayne	80	4	-	-	2	16	7	1	8	1	33	33	9	-	22	-
63	Weakley	280	3	-	-	-	36	12	2	22	-	179	171	42	-	124	3
64	White	149	1	-	-	1	16	6	1	9	5	85	85	21	-	60	1
65	Williamson	218	3	1	-	2	32	11	1	20	-	125	124	35	-	86	2
66	Wilson	260	4	-	-	2	33	10	4	19	1	137	137	52	-	74	2
67	TEXAS	65,417	832	218	78	616	9,539	2,888	1,265	5,386	882	30,641	29,855	7,114	44	20,675	448
68	Metropolitan counties	31,039	432	126	37	204	4,781	1,373	686	2,722	432	14,285	13,951	3,149	21	9,832	244
69	Nonmetropolitan counties	34,378	400	92	41	412	4,758	1,515	579	2,664	450	16,356	15,904	3,965	23	10,843	204
70	Anderson	299	6	-	-	2	42	9	10	23	5	148	138	40	-	92	3
71	Palestine	154	2	-	-	-	24	6	8	10	2	79	72	27	-	44	-
72	Balance of county	145	4	-	-	2	18	3	2	13	3	69	66	13	-	48	3
73	Andrews	34	-	-	-	-	5	2	1	2	-	9	9	2	-	7	-
74	Angelina	289	1	3	-	2	58	17	8	33	1	130	128	34	-	80	1
75	Lufkin	151	-	2	-	-	26	6	4	16	-	66	65	13	-	41	1
76	Balance of county	138	1	1	-	2	32	11	4	17	1	64	63	21	-	39	-
77	Aransas	47	1	1	-	1	9	1	1	7	-	19	18	4	-	14	-
78	Archer	39	-	-	-	-	7	1	3	3	1	21	20	6	-	14	-
79	Armstrong	22	-	1	-	-	5	2	-	3	-	9	9	1	-	7	-
80	Atascosa	165	4	-	-	2	16	2	-	14	5	67	67	16	-	49	-
81	Austin	139	2	-	-	-	29	8	5	16	2	73	69	16	-	50	-
82	Bailey	53	-	-	1	1	12	2	2	8	-	14	14	3	-	11	-
83	Bandera	42	-	-	-	-	3	2	1	-	-	21	21	9	-	10	-
84	Bastrop	208	2	-	1	1	30	9	2	19	3	122	119	25	-	83	3

[4]Includes data for Bristol, Tenn., only.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
422	104	110	24	33	16	24	58	12	8	15	7	-	40	90	95	44	62	16	20	138	1
260	52	67	19	23	11	8	32	7	6	7	6	-	22	50	62	27	33	9	16	86	2
162	52	43	5	10	5	16	26	5	2	8	1	-	18	40	33	17	29	7	4	52	3
15	4	7	1	1	-	-	-	-	-	-	-	-	-	5	3	5	5	1	-	3	4
40	17	13	2	6	1	2	18	1	2	1	-	1	1	12	6	9	5	2	3	15	5
31	10	24	7	2	2	2	8	-	-	-	1	-	2	7	20	3	9	2	1	5	6
10	1	3	1	-	1	-	4	1	-	-	-	-	2	5	4	6	1	1	-	5	7
46	8	41	3	2	2	1	5	-	-	1	3	1	2	16	4	13	7	4	2	15	8
38	9	14	4	6	1	3	6	-	-	1	1	1	6	12	16	6	8	1	1	24	9
46	22	23	3	4	1	3	15	-	-	2	-	2	4	12	11	13	14	1	4	11	10
41	7	4	2	3	-	2	1	1	-	2	-	-	3	3	12	8	7	2	-	6	11
23	11	11	-	8	2	2	2	-	1	1	-	-	1	4	7	2	3	-	1	10	12
139	56	18	2	7	6	4	15	3	3	-	4	2	2	16	35	20	13	2	7	29	13
98	35	7	-	6	4	1	9	2	2	-	3	2	-	13	18	8	7	1	3	17	14
41	21	11	2	1	2	3	6	1	1	-	1	-	2	3	17	12	6	1	4	12	15
41	12	3	1	6	1	-	3	1	5	2	-	1	2	8	7	8	9	-	2	8	16
40	12	16	2	4	-	1	2	1	1	-	2	2	1	11	3	4	5	1	1	8	17
82	30	28	3	6	2	2	26	2	2	5	-	1	6	16	3	11	18	6	8	30	18
27	11	15	1	3	2	1	9	1	-	3	-	1	3	5	2	2	8	-	2	15	19
55	19	13	2	3	-	1	17	1	2	2	-	-	3	11	1	9	10	6	6	15	20
5	1	4	-	-	-	1	-	-	-	-	-	-	-	1	2	3	1	-	-	4	21
31	27	6	-	-	1	3	16	2	4	2	2	-	3	11	8	8	10	3	2	13	22
70	5	34	1	18	1	11	12	1	7	-	-	2	8	13	10	13	17	6	4	24	23
40	4	19	1	10	1	6	7	-	4	-	-	-	5	8	3	1	10	3	2	11	24
30	1	15	-	8	-	5	5	1	3	-	-	2	3	5	7	12	7	3	2	13	25
7	4	3	1	2	-	-	1	-	-	1	-	-	1	-	1	5	2	-	-	3	26
18	1	13	-	-	2	1	1	-	-	1	-	-	1	3	4	6	1	1	2	13	27
71	18	16	-	2	-	2	12	2	1	-	-	2	1	5	5	10	5	6	-	13	28
31	12	11	1	1	1	1	2	1	-	1	-	-	1	2	8	2	6	1	-	12	29
17	1	3	-	-	-	-	-	-	1	-	-	-	2	5	5	-	2	1	-	2	30
4	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	3	4	1	1	3	31
25	3	2	2	1	1	1	6	-	-	-	-	-	2	7	4	4	4	2	2	6	32
50	13	21	1	2	3	2	7	-	-	2	1	-	1	6	8	7	6	1	-	19	33
25	8	17	1	3	2	2	6	-	1	1	-	1	2	7	2	16	7	2	2	10	34
39	13	11	9	7	1	5	12	1	3	4	-	1	9	11	9	9	7	2	1	17	35
65	14	24	1	3	3	5	11	2	1	-	-	-	1	7	7	6	11	5	3	9	36
83	20	23	4	7	2	5	9	3	1	-	1	1	6	22	5	10	13	3	2	27	37
35	7	8	1	3	1	3	1	1	-	-	-	-	2	7	3	5	1	-	2	8	38
48	13	15	3	4	1	2	8	2	1	-	1	1	4	15	2	5	12	3	-	19	39
20	16	10	-	4	1	2	5	1	1	1	-	-	3	3	4	8	4	-	2	7	40
9	-	2	1	-	-	-	3	-	-	-	-	-	1	10	1	2	1	-	3	5	41
29	10	12	5	1	-	4	8	-	-	1	-	1	3	9	10	7	8	4	1	23	42
812	280	279	47	53	35	56	108	22	18	41	7	3	76	273	491	124	141	49	38	326	43
717	240	251	39	47	31	42	84	20	14	37	6	3	64	219	408	94	113	37	31	282	44
95	40	28	8	6	4	14	24	2	4	4	1	-	12	54	83	30	28	12	7	44	45
20	16	3	1	3	-	3	6	1	-	1	-	-	2	9	8	-	5	1	1	12	46
12	3	10	3	2	1	-	4	-	-	-	-	-	1	2	9	4	1	-	-	9	47
141	39	42	4	14	8	13	24	8	6	2	1	-	11	47	19	17	29	5	6	52	48
48	17	14	1	4	2	1	4	4	1	2	-	-	6	7	2	8	7	1	1	16	49
32	2	5	1	3	-	3	9	-	2	-	-	-	-	20	4	1	9	1	2	9	50
61	20	23	2	7	6	9	11	4	3	-	1	-	5	20	13	8	13	3	3	27	51
70	14	13	4	3	1	2	15	1	2	1	2	1	7	6	7	17	13	3	2	16	52
43	12	7	1	4	1	2	7	-	3	1	-	1	3	11	25	8	10	3	1	22	53
8	8	1	-	-	-	-	1	-	-	-	1	1	-	2	1	-	1	1	-	4	54
29	1	3	-	1	1	-	3	1	1	-	-	-	-	4	1	5	3	-	-	3	55
7	4	3	-	-	-	1	-	-	1	2	-	-	3	3	1	4	3	1	-	3	56
3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	1	-	-	2	57
54	12	24	2	-	1	1	6	1	1	4	-	1	5	10	18	6	6	1	6	14	58
125	36	24	4	4	7	8	17	3	2	5	4	-	3	16	4	20	20	5	4	27	59
67	18	13	2	1	3	1	12	2	1	2	4	-	2	6	1	8	13	4	3	14	60
58	18	11	2	3	4	7	5	1	1	3	-	-	1	10	3	12	7	1	1	13	61
12	6	4	-	2	-	-	1	-	-	-	-	-	2	2	8	4	5	-	-	2	62
88	19	14	1	4	-	8	11	-	2	1	-	-	2	8	8	10	5	1	-	14	63
36	12	11	1	3	-	-	7	1	1	2	-	1	2	5	9	1	7	1	1	3	64
55	8	21	-	2	1	1	10	-	1	-	-	-	4	4	4	7	5	4	2	14	65
51	11	10	3	6	2	-	8	1	6	1	-	-	3	12	8	10	13	3	2	16	66
14,238	2,446	3,543	489	1,002	531	786	2,156	282	843	581	152	132	1,088	4,056	1,935	2,599	2,779	765	657	4,586	67
7,178	1,060	1,350	222	436	291	334	984	155	307	339	61	49	607	2,267	591	1,099	1,237	381	421	2,244	68
7,060	1,386	2,193	267	566	240	452	1,172	127	536	242	91	83	481	1,789	1,344	1,500	1,542	384	236	2,342	69
49	16	24	2	2	2	10	11	-	2	1	1	2	2	10	20	9	14	3	3	18	70
24	7	13	-	-	1	7	6	-	1	1	1	1	1	6	8	5	5	2	1	9	71
25	9	11	2	2	1	3	5	-	1	-	-	1	1	4	12	4	9	1	2	9	72
7	-	-	-	-	-	-	1	-	2	-	-	-	-	7	2	3	2	-	-	3	73
55	11	13	4	8	2	2	8	3	2	1	-	1	3	16	16	9	11	1	1	22	74
28	5	7	2	7	2	1	5	1	2	-	-	1	1	11	11	9	6	-	-	10	75
27	6	6	2	1	-	1	3	2	-	1	-	-	2	5	5	-	5	1	1	12	76
13	-	1	-	-	-	1	1	-	2	1	-	-	-	2	1	7	-	-	-	2	77
8	2	4	-	-	-	1	2	-	1	-	-	-	-	1	2	1	1	-	-	2	78
5	-	2	-	1	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	2	79
33	7	9	1	1	-	-	4	2	4	2	1	-	1	10	10	10	10	-	4	13	80
30	6	14	-	1	2	4	8	-	2	-	-	-	2	3	1	5	1	2	-	9	81
8	-	3	-	-	-	-	1	1	3	-	-	1	-	6	3	1	3	-	1	5	82
6	1	3	-	2	-	-	2	-	-	-	-	-	-	2	1	2	4	1	-	6	83
43	21	16	4	5	2	3	4	-	2	-	2	-	-	9	5	6	7	-	2	12	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Baylor	47	-	-	-	-	3	1	1	1	-	28	28	11	-	14	-
2	Bee	165	3	1	1	5	23	9	1	13	-	68	67	27	-	34	-
3	Bell	531	4	-	1	1	69	18	9	42	7	250	249	56	-	176	3
4	Temple	241	2	-	-	-	37	13	4	20	4	121	120	23	-	86	2
5	Balance of county	290	2	-	1	1	32	5	5	22	3	129	129	33	-	90	1
6	Bexar	4,493	105	17	6	30	623	196	69	358	71	2,044	1,984	415	5	1,431	32
7	San Antonio	4,093	98	16	6	30	558	176	64	318	66	1,848	1,795	381	5	1,285	28
8	Balance of county	400	7	1	-	-	65	20	5	40	5	196	189	34	-	146	4
9	Blanco	38	-	-	-	-	3	2	-	1	2	20	19	3	-	13	-
10	Borden	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
11	Bosque	136	1	-	-	-	18	6	1	11	1	82	79	19	-	55	-
12	Bowie	477	3	1	1	2	88	31	9	48	8	234	229	63	-	156	8
13	Texarkana[5]	223	1	1	1	1	43	16	3	24	5	115	114	37	-	72	3
14	Balance of county	254	2	-	-	1	45	15	6	24	3	119	115	26	-	84	5
15	Brazoria	383	4	2	-	6	46	15	5	26	9	174	172	44	-	111	1
16	Brazos	281	2	-	-	2	39	14	5	20	1	124	124	30	1	85	1
17	Bryan	180	1	-	-	2	30	11	3	16	1	79	79	22	1	50	1
18	Balance of county	101	1	-	-	-	9	3	2	4	-	45	45	8	-	35	-
19	Brewster	46	-	1	-	-	8	2	-	6	1	20	20	6	1	12	-
20	Briscoe	24	-	-	-	-	2	-	-	2	-	9	9	1	-	8	-
21	Brooks	48	2	-	-	1	8	3	1	4	-	18	18	1	-	17	-
22	Brown	242	1	1	-	2	39	9	7	23	1	118	116	18	-	89	3
23	Brownwood	179	1	1	-	2	30	6	7	17	1	86	86	15	-	60	1
24	Balance of county	63	-	-	-	-	9	3	-	6	-	32	32	3	-	29	2
25	Burleson	108	-	-	-	1	16	3	1	12	-	57	52	10	-	38	1
26	Burnet	111	1	-	-	-	21	6	3	12	1	55	55	14	-	35	1
27	Caldwell	202	5	-	1	1	25	8	2	15	3	101	98	19	-	77	-
28	Calhoun	86	-	-	-	1	7	3	-	4	1	38	38	10	-	26	1
29	Callahan	93	-	-	-	-	14	6	-	8	1	52	52	18	-	27	3
30	Cameron	984	25	4	7	30	114	45	17	52	4	327	317	66	2	234	1
31	Brownsville	317	5	-	2	3	37	15	5	17	2	112	105	26	-	73	-
32	Harlingen	201	4	1	3	8	21	8	3	10	1	64	63	8	1	53	-
33	San Benito	119	6	2	-	6	12	5	3	4	-	42	41	5	-	34	-
34	Balance of county	347	10	1	2	13	44	17	6	21	1	109	108	27	1	74	1
35	Camp	104	2	-	-	-	17	8	2	7	3	45	44	19	-	22	-
36	Carson	61	1	-	-	-	7	2	-	5	2	30	30	9	-	17	1
37	Cass	223	3	1	-	3	24	8	3	13	1	122	119	32	-	79	-
38	Castro	49	-	1	-	1	4	1	1	2	3	13	13	4	-	8	1
39	Chambers	65	-	-	-	-	4	1	1	2	1	33	33	7	-	25	1
40	Cherokee	321	5	1	-	3	44	16	4	24	4	177	173	51	-	114	2
41	Childress	95	-	-	-	1	18	10	2	6	3	41	41	10	-	29	1
42	Clay	72	1	-	-	-	14	5	2	7	3	34	33	8	-	23	-
43	Cochran	24	-	-	-	-	5	2	1	2	2	9	9	1	-	7	1
44	Coke	26	-	-	1	-	4	1	-	3	-	13	13	5	-	8	-
45	Coleman	129	1	1	-	-	22	5	3	14	2	72	69	12	-	50	-
46	Collin	431	4	-	-	3	74	18	10	46	9	221	220	64	-	145	1
47	McKinney	144	-	-	-	1	21	5	3	13	1	74	74	21	-	49	1
48	Balance of county	287	4	-	-	2	53	13	7	33	8	147	146	43	-	96	-
49	Collingsworth	66	1	-	-	-	13	5	-	8	-	38	38	11	-	24	-
50	Colorado	188	1	-	1	-	22	6	4	12	1	104	100	34	-	60	3
51	Comal	152	2	1	-	1	18	4	1	13	1	77	76	18	-	53	-
52	New Braunfels	113	1	1	-	-	9	2	-	7	-	61	60	15	-	41	-
53	Balance of county	39	1	-	-	1	9	2	1	6	1	16	16	3	-	12	-
54	Comanche	122	2	-	-	-	23	9	3	11	-	63	61	12	-	44	-
55	Concho	32	1	-	1	-	3	-	2	1	-	17	17	5	-	10	-
56	Cooke	189	1	-	-	-	32	5	4	23	3	90	90	19	-	59	3
57	Gainesville	115	1	-	-	-	21	2	3	16	3	54	54	12	-	39	2
58	Balance of county	74	-	-	-	-	11	3	1	7	-	36	36	7	-	20	1
59	Coryell	143	-	-	-	1	15	3	2	10	3	78	77	15	-	56	-
60	Cottle	45	1	-	-	1	4	-	2	2	1	22	20	6	-	14	-
61	Crane	24	1	-	-	-	3	3	-	-	-	8	7	2	-	5	2
62	Crockett	22	-	1	-	-	5	1	2	2	-	7	7	1	-	4	-
63	Crosby	68	-	-	1	-	7	3	1	3	-	34	33	7	-	25	-
64	Culberson	19	-	-	-	-	-	-	-	-	-	8	7	-	-	7	-
65	Dallam	31	-	-	-	-	2	-	1	1	-	20	20	3	-	15	-
66	Dallas	5,398	46	31	7	35	905	250	128	527	68	2,678	2,642	586	4	1,901	44
67	Dallas	4,292	42	25	6	24	733	202	107	424	57	2,117	2,085	464	4	1,503	32
68	Garland	77	2	-	-	3	17	4	3	10	-	32	32	7	-	25	2
69	Grand Prairie (part)	144	1	-	-	2	24	4	3	17	1	58	58	11	-	45	2
70	Grand Prairie (total)	146	1	-	-	2	24	4	3	17	1	59	59	11	-	46	2
71	Highland Park	108	-	3	-	-	19	4	2	13	2	69	69	17	-	46	2
72	University Park	140	-	-	-	1	28	9	5	14	-	80	80	15	-	56	-
73	Balance of county	637	1	3	1	5	84	27	8	49	8	322	318	72	-	226	6
74	Dawson	118	1	-	-	4	16	5	1	10	2	52	51	12	-	33	1
75	Lamesa	86	1	-	-	2	11	4	1	6	2	41	40	11	-	24	1
76	Balance of county	32	-	-	-	2	5	1	-	4	-	11	11	1	-	9	-
77	Deaf Smith	82	1	-	-	1	10	1	4	5	1	33	32	9	-	19	-
78	Delta	89	1	-	-	2	12	5	1	6	4	45	45	15	-	26	-
79	Denton	338	2	-	-	3	43	16	7	20	2	189	184	38	1	130	2
80	Denton	180	1	-	-	-	21	8	4	9	1	106	102	25	1	69	-
81	Balance of county	158	1	-	-	3	22	8	3	11	1	83	82	13	-	61	2
82	De Witt	221	3	2	1	1	31	10	2	19	2	111	107	28	-	73	-
83	Dickens	39	-	-	-	-	9	2	-	7	-	25	23	2	-	21	-
84	Dimmit	77	4	-	-	4	9	2	2	5	2	23	20	10	-	8	-
85	Donley	53	-	-	-	1	7	-	1	6	1	28	28	5	-	21	1
86	Duval	88	3	-	-	6	11	1	2	8	2	35	34	6	-	27	-
87	Eastland	236	-	-	-	-	37	14	3	20	3	122	115	36	-	73	4

[5]Includes data for Texarkana, Tex., only.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-genital mal-form-a-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
9	2	3	1	1	1	-	1	-	-	-	-	-	-	4	3	-	3	2	-	3	1
21	1	12	-	3	3	1	5	-	4	2	2	-	-	9	9	11	7	2	-	13	2
129	17	27	6	7	4	1	12	2	3	6	1	3	11	44	24	23	35	2	1	32	3
65	10	9	5	3	3	1	3	2	3	4	1	2	3	16	12	3	13	-	-	15	4
64	7	18	1	4	1	-	9	-	-	2	-	1	8	28	12	20	22	2	1	17	5
1,030	136	233	28	63	42	60	167	22	94	66	18	7	98	336	51	124	155	54	48	357	6
924	121	212	24	61	39	53	152	20	93	65	17	7	88	313	42	113	136	46	47	332	7
106	15	21	4	2	3	7	15	2	1	1	1	-	10	23	9	11	19	8	1	25	8
5	-	8	1	1	1	1	1	-	1	1	-	-	-	1	2	2	1	1	-	3	9
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	10
41	3	11	1	4	-	3	-	1	-	2	-	-	-	2	10	8	3	-	1	7	11
95	28	25	1	6	3	5	12	1	-	1	1	1	3	18	18	15	23	6	6	35	12
42	16	11	1	3	1	1	3	1	-	-	-	-	3	7	6	5	8	2	2	19	13
53	12	14	-	3	2	4	9	-	-	1	1	1	-	11	12	10	15	4	4	16	14
68	13	29	4	7	6	2	16	1	3	2	-	2	12	19	15	23	14	7	4	24	15
46	27	11	2	2	4	-	5	-	7	9	4	1	5	18	23	7	10	4	5	15	16
31	12	6	2	2	2	-	2	-	4	8	3	1	4	11	11	5	3	2	3	10	17
15	15	5	-	-	2	-	3	-	3	1	1	-	1	7	12	2	7	2	2	5	18
7	-	5	-	1	-	-	2	-	1	-	-	-	1	4	-	1	2	1	1	3	19
8	-	-	-	-	-	-	1	-	1	-	-	-	-	3	5	1	-	-	-	2	20
11	3	3	-	-	-	-	-	1	5	1	-	-	2	4	1	2	3	-	-	-	21
55	8	23	6	3	2	-	11	3	1	-	1	-	5	10	8	6	17	3	-	15	22
44	7	8	6	3	2	-	7	3	1	-	1	-	2	9	7	4	11	2	-	11	23
11	1	15	-	-	-	-	4	-	-	-	-	-	3	1	1	2	6	1	-	4	24
23	11	3	3	1	-	5	3	-	-	-	1	-	2	5	8	4	2	4	-	5	25
29	2	3	-	5	1	-	6	1	1	1	-	-	4	5	6	1	2	2	-	4	26
42	17	18	1	1	-	3	11	-	7	-	-	1	1	11	3	6	10	4	-	12	27
21	2	2	1	1	-	-	1	-	6	1	-	-	2	6	2	6	7	-	-	8	28
17	2	5	-	7	-	-	6	-	-	-	-	-	1	3	2	4	1	1	1	7	29
138	34	61	3	8	4	10	48	3	45	10	1	4	27	87	97	30	37	9	3	72	30
57	7	9	2	3	1	7	19	1	21	2	-	2	7	25	37	10	8	4	-	20	31
28	7	18	-	-	1	1	9	1	4	3	-	-	9	29	13	5	9	1	-	16	32
21	3	10	-	2	-	1	7	-	4	3	-	-	4	7	6	1	3	1	1	14	33
32	17	24	1	3	2	1	13	1	16	2	1	2	7	26	41	14	17	3	2	22	34
16	2	4	-	2	1	1	2	1	1	-	-	-	-	4	4	4	3	2	6	10	35
12	3	1	1	2	1	-	1	-	1	-	-	-	1	2	1	5	5	-	-	5	36
50	13	16	2	5	1	3	5	1	-	2	-	-	2	9	12	13	8	-	2	15	37
5	1	1	-	1	-	-	-	-	5	-	-	-	2	7	1	4	3	-	1	4	38
15	3	6	1	-	-	-	4	-	-	2	-	-	1	7	-	2	4	1	-	6	39
78	17	17	4	3	1	4	15	2	1	-	1	1	4	17	5	9	8	1	1	22	40
16	5	7	-	-	2	-	4	-	1	-	-	-	-	-	4	3	3	-	-	17	41
18	4	1	-	2	-	1	2	-	-	-	-	-	-	-	1	5	3	1	-	8	42
6	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	2	3	-	-	1	43
8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	-	-	2	44
31	4	15	2	3	2	3	3	-	1	-	-	-	1	4	1	7	5	1	-	8	45
110	16	18	3	6	2	1	10	2	4	-	2	-	6	10	23	13	19	3	-	28	46
34	6	8	-	3	1	-	6	2	3	-	1	-	2	7	5	5	6	-	-	10	47
76	10	10	3	3	1	1	4	-	1	-	1	-	4	3	18	8	13	3	-	18	48
16	5	3	-	3	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	6	49
31	11	15	2	3	1	4	2	-	1	-	2	-	3	10	10	7	4	-	1	19	50
38	3	12	1	3	1	1	4	-	2	2	1	-	2	7	5	9	6	3	-	11	51
27	3	11	1	3	-	1	4	-	2	1	1	-	2	6	5	6	4	2	-	8	52
11	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	3	2	1	-	3	53
26	2	16	2	3	-	2	3	2	1	-	-	-	-	2	5	2	5	2	-	12	54
6	1	3	1	1	-	-	1	-	-	-	1	-	-	1	1	2	1	2	-	1	55
44	6	6	3	7	2	-	5	1	2	1	-	-	1	7	5	13	11	1	2	14	56
33	2	2	2	-	1	-	3	-	1	-	-	-	-	5	3	6	7	1	2	8	57
11	4	4	1	7	1	-	2	1	1	1	-	-	1	2	2	7	4	-	-	6	58
42	3	11	-	4	2	1	2	-	1	2	-	-	1	11	7	4	8	1	-	9	59
11	-	3	-	-	-	2	4	-	3	-	-	1	-	1	-	2	3	-	-	2	60
2	-	1	-	-	-	1	-	-	-	-	-	-	1	3	-	1	6	-	-	1	61
3	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	2	-	-	3	3	62
22	-	3	-	1	-	1	5	-	1	4	-	-	1	5	-	5	-	-	1	4	63
7	-	-	-	-	-	1	-	-	-	-	-	-	1	4	-	-	4	-	-	2	64
10	1	4	1	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	4	65
1,496	185	176	47	66	38	36	128	31	29	51	4	8	90	344	39	154	204	69	89	388	66
1,197	144	130	38	48	28	32	108	26	18	40	3	6	61	271	36	110	169	57	79	304	67
18	4	1	-	-	-	-	1	-	-	1	-	-	1	5	-	4	2	-	1	8	68
31	5	7	-	1	1	-	1	-	2	-	-	2	9	19	-	6	5	3	1	10	69
32	5	7	-	1	1	-	1	-	2	-	-	2	9	20	-	6	5	3	1	10	70
35	5	4	3	1	2	-	-	1	1	1	-	-	2	-	-	-	2	2	-	6	71
46	5	5	3	4	2	-	2	-	-	3	-	-	2	2	-	1	3	1	-	17	72
169	22	29	3	12	5	4	16	4	8	6	1	-	15	47	3	33	23	6	8	43	73
21	5	6	-	3	3	1	2	1	9	-	-	-	1	10	1	4	6	2	2	5	74
15	4	4	-	3	2	1	1	1	5	-	-	-	-	7	1	2	4	2	2	4	75
6	1	2	-	-	1	-	1	-	4	-	-	-	1	3	-	2	2	-	-	1	76
17	1	1	1	2	1	1	1	-	2	1	-	-	1	15	3	5	2	1	2	3	77
23	-	3	-	4	-	-	1	-	-	1	-	-	-	4	5	-	1	4	-	9	78
91	19	18	2	10	3	5	5	1	3	1	-	-	7	21	2	11	15	6	1	26	79
48	12	9	1	5	1	4	3	1	1	-	-	-	6	10	1	5	8	2	1	13	80
43	7	9	1	5	2	1	2	-	2	1	-	-	1	11	1	6	7	4	-	13	81
36	17	20	-	5	1	4	7	1	1	4	2	-	3	10	8	5	9	5	-	15	82
17	3	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	2	1	-	1	83
6	2	-	-	1	1	3	2	1	2	-	-	1	1	9	6	4	3	1	-	5	84
9	2	9	-	1	1	-	1	-	-	-	-	-	1	4	1	-	3	-	-	6	85
11	8	8	-	1	-	1	3	-	1	-	-	-	3	1	5	4	4	1	2	7	86
48	3	18	-	5	1	7	11	1	2	1	-	-	-	5	12	18	7	2	-	15	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Ector	310	2	-	-	2	39	16	3	20	2	110	105	23	1	76	2
2	Odessa	293	1	-	-	2	37	16	2	19	2	107	102	23	1	73	2
3	Balance of county	17	1	-	-	-	2	-	1	1	-	3	3	-	-	3	-
4	Edwards	20	-	-	-	-	1	-	-	1	-	17	17	4	-	13	-
5	Ellis	458	3	3	-	6	72	20	7	45	9	243	241	60	-	166	5
6	Waxahachie	132	-	-	-	2	20	7	1	12	4	62	62	19	-	34	1
7	Balance of county	326	3	3	-	4	52	13	6	33	5	181	179	41	-	132	4
8	El Paso	1,584	31	5	1	18	200	78	24	98	29	577	548	139	3	350	22
9	El Paso	1,292	29	3	1	14	170	68	20	82	25	476	451	126	3	282	18
10	Balance of county	292	2	2	-	4	30	10	4	16	4	101	97	13	-	68	4
11	Erath	185	1	-	-	-	33	10	2	21	1	115	112	22	-	83	-
12	Falls	288	5	2	-	1	37	10	4	23	2	159	151	47	-	97	2
13	Fannin	301	5	-	-	3	41	14	6	21	8	166	162	36	-	109	1
14	Fayette	237	-	-	-	3	35	15	4	16	2	129	123	45	-	65	1
15	Fisher	72	1	-	-	-	11	5	-	6	2	32	32	3	-	28	-
16	Floyd	98	1	1	-	-	16	3	2	11	3	48	47	17	-	29	-
17	Foard	39	-	-	-	1	3	1	1	1	-	21	20	3	-	17	-
18	Fort Bend	257	3	1	-	4	34	11	4	19	4	87	83	20	-	62	-
19	Franklin	63	-	-	-	2	8	3	-	5	-	35	33	9	-	20	-
20	Freestone	162	2	1	-	1	12	4	1	7	3	87	86	26	1	55	2
21	Frio	78	6	2	1	2	12	4	-	8	-	25	22	5	-	17	-
22	Gaines	62	1	-	-	1	7	-	2	5	-	28	28	4	-	23	-
23	Galveston	1,050	15	7	1	4	146	36	26	84	16	569	562	126	-	385	5
24	Galveston	723	12	6	1	3	104	26	18	60	13	408	403	93	-	277	5
25	Texas City	104	1	-	-	-	15	1	4	10	-	44	44	7	-	34	-
26	Balance of county	223	2	1	-	1	27	9	4	14	3	117	115	26	-	74	-
27	Garza	53	1	-	-	-	7	3	-	4	2	18	18	6	-	11	-
28	Gillespie	120	4	-	1	1	14	7	1	6	1	62	60	10	-	48	-
29	Glasscock	2	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-
30	Goliad	59	2	2	-	2	7	3	-	4	-	21	21	6	-	15	-
31	Gonzales	199	1	-	-	1	30	8	5	17	4	98	97	24	-	65	-
32	Gray	183	-	1	-	-	25	12	4	9	3	93	91	22	-	63	4
33	Pampa	138	-	1	-	-	17	6	4	7	2	70	68	14	-	50	3
34	Balance of county	45	-	-	-	-	8	6	-	2	1	23	23	8	-	13	1
35	Grayson	726	5	1	2	2	109	32	13	64	9	393	381	104	1	250	3
36	Denison	257	-	1	1	-	37	14	5	18	1	139	134	44	-	77	-
37	Sherman	211	4	-	1	1	34	7	5	22	4	112	110	24	-	83	3
38	Balance of county	258	1	-	-	1	38	11	3	24	4	142	137	36	1	90	-
39	Gregg	488	9	2	-	3	82	23	14	45	7	246	240	62	-	163	4
40	Longview	217	5	-	-	3	32	5	11	16	5	104	101	23	-	74	2
41	Balance of county	271	4	2	-	-	50	18	3	29	2	142	139	39	-	89	2
42	Grimes	187	4	-	-	1	26	12	3	11	2	104	98	16	1	73	1
43	Guadalupe	237	2	1	-	5	30	16	2	12	4	116	104	18	-	73	1
44	Hale	248	-	1	1	8	33	7	2	24	2	84	82	14	1	64	1
45	Plainview	151	-	-	-	4	20	5	2	13	-	56	55	10	1	42	-
46	Balance of county	97	-	1	1	4	13	2	-	11	2	28	27	4	-	22	1
47	Hall	87	-	1	-	2	10	4	3	3	-	34	32	15	-	17	-
48	Hamilton	109	2	-	-	-	22	6	2	14	1	66	66	15	-	47	1
49	Hansford	30	-	-	-	-	7	3	1	3	1	11	10	2	-	8	-
50	Hardeman	109	-	-	1	-	17	5	4	8	-	63	63	21	-	38	1
51	Hardin	171	-	-	-	1	28	6	7	15	1	76	75	22	-	46	-
52	Harris	7,027	111	40	7	35	1,134	296	198	640	97	3,054	2,979	644	2	2,110	53
53	Houston	5,919	103	36	3	32	965	254	172	539	85	2,576	2,508	559	2	1,755	42
54	Baytown	180	4	-	-	-	34	7	3	24	2	84	82	15	-	63	2
55	Bellaire	61	-	1	-	-	12	2	2	8	-	28	28	6	-	20	1
56	Pasadena	177	-	-	2	1	22	7	8	7	2	68	68	18	-	45	-
57	West University Place	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Balance of county	690	4	3	2	2	101	26	13	62	8	298	293	46	-	227	8
59	Harrison	385	6	3	-	6	51	17	5	29	1	219	201	57	-	132	2
60	Marshall	206	5	2	-	3	24	7	3	14	-	123	113	31	-	77	1
61	Balance of county	179	1	1	-	3	27	10	2	15	1	96	88	26	-	55	1
62	Hartley	29	-	-	-	-	1	-	-	1	-	12	12	4	-	8	-
63	Haskell	111	-	-	-	-	21	5	2	14	1	53	52	9	-	39	3
64	Hays	154	1	-	-	1	19	6	4	9	2	73	72	17	-	51	-
65	Hemphill	27	-	-	-	-	9	2	-	7	-	11	10	3	-	7	-
66	Henderson	178	4	-	-	3	24	11	4	9	3	95	92	25	-	56	3
67	Hidalgo	1,119	31	2	4	48	103	42	14	47	14	366	353	67	-	267	3
68	Edinburg	95	1	-	-	6	9	2	-	7	1	30	30	1	-	29	-
69	McAllen	197	7	-	1	1	20	8	4	8	2	79	76	13	-	56	1
70	Mercedes	84	1	-	-	5	9	3	2	4	1	28	26	10	-	15	1
71	Mission	72	3	-	-	-	7	5	-	2	2	30	29	6	-	22	-
72	Balance of county	671	19	2	3	36	58	24	8	26	8	199	192	37	-	145	1
73	Hill	310	2	2	-	2	57	19	7	31	10	162	160	42	-	107	-
74	Hockley	108	1	-	-	3	12	5	3	4	2	26	26	5	-	18	-
75	Hood	44	-	-	-	-	3	-	1	2	2	34	33	7	-	25	-
76	Hopkins	211	1	-	-	-	28	5	4	19	2	131	128	37	-	84	1
77	Houston	196	1	-	-	4	29	7	2	20	2	103	100	24	1	69	-
78	Howard	193	-	-	-	-	16	2	3	11	1	81	80	21	-	55	-
79	Big Spring	154	-	-	-	-	12	1	3	8	1	67	66	16	-	46	-
80	Balance of county	39	-	-	-	-	4	1	-	3	-	14	14	5	-	9	-
81	Hudspeth	27	1	-	-	1	1	-	-	1	-	5	5	1	-	4	-
82	Hunt	386	1	1	1	-	51	19	4	28	3	212	209	51	-	143	4
83	Greenville	180	1	-	1	-	25	6	2	17	2	95	94	29	-	54	1
84	Balance of county	206	-	1	-	-	26	13	2	11	1	117	115	22	-	89	3
85	Hutchinson	177	1	-	1	2	18	5	1	12	2	84	82	17	1	60	-
86	Borger	130	1	-	1	1	15	4	1	10	1	62	60	14	-	42	-
87	Balance of county	47	-	-	-	1	3	1	-	2	1	22	22	3	1	18	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
50	6	18	2	2	1	5	7	-	4	3	2	1	9	26	9	25	29	10	8	22	1
48	6	17	2	2	1	5	6	-	4	1	2	1	9	25	7	25	27	10	8	19	2
2	-	1	-	-	-	-	1	-	-	2	-	-	-	1	2	-	2	-	-	3	3
12	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4
114	21	26	5	4	6	2	10	1	7	-	2	2	5	17	16	15	12	6	5	24	5
28	3	2	1	4	4	-	1	1	4	-	-	1	1	5	8	5	5	2	2	9	6
86	18	24	4	-	2	2	9	-	3	-	2	1	4	12	8	10	7	4	3	15	7
244	32	52	13	23	20	29	88	7	34	21	3	4	35	176	34	61	75	25	7	151	8
202	21	41	11	15	14	25	71	6	26	20	2	3	31	137	27	44	58	20	7	122	9
42	11	11	2	8	6	4	17	1	8	1	1	1	4	41	7	17	17	5	-	29	10
45	9	29	2	4	1	3	5	-	-	1	-	-	1	1	3	5	6	1	-	12	11
65	9	21	3	3	1	8	9	-	7	2	-	1	1	10	12	2	14	2	4	18	12
77	10	21	7	6	4	4	10	1	-	3	3	1	2	6	6	7	12	4	1	22	13
44	5	15	2	9	2	6	4	1	1	2	1	1	3	5	10	8	11	3	1	17	14
21	4	3	-	-	1	-	1	-	1	1	1	-	2	5	1	2	2	1	-	9	15
22	-	7	-	1	-	1	4	1	2	-	-	-	1	5	3	5	4	1	-	3	16
11	6	-	-	-	-	1	4	-	-	-	-	-	-	1	-	5	2	-	-	2	17
41	13	8	-	1	-	4	16	2	3	1	-	-	4	21	20	14	12	5	4	22	18
11	4	5	-	4	-	2	3	-	-	-	-	-	-	-	5	2	1	1	-	6	19
21	12	20	1	2	1	1	6	1	1	1	3	-	2	6	7	7	6	5	2	9	20
13	1	3	-	-	-	3	4	-	5	1	-	-	-	4	8	3	-	1	-	4	21
14	4	5	-	-	1	-	2	-	1	1	-	-	-	7	-	4	4	-	1	5	22
297	30	53	17	18	16	7	50	4	2	11	2	1	17	65	12	28	30	9	14	47	23
205	23	44	9	15	9	5	37	4	1	9	2	1	9	25	7	15	20	3	10	33	24
28	2	4	-	1	2	-	3	-	1	1	-	-	4	16	1	4	6	1	1	6	25
64	5	5	8	2	5	2	10	-	-	1	-	-	4	24	4	9	4	5	3	8	26
11	-	-	-	1	-	-	3	-	1	-	1	-	1	9	2	3	1	-	-	4	27
25	5	18	-	-	2	2	2	-	1	2	-	-	2	3	-	4	3	6	1	13	28
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
7	2	6	-	-	-	-	-	-	2	-	1	-	2	6	2	5	2	-	-	5	30
41	8	16	2	5	1	1	7	-	2	4	1	1	3	10	8	8	6	2	2	11	31
45	7	7	3	3	-	2	1	1	-	2	-	-	4	19	4	9	9	1	2	9	32
38	4	5	3	1	-	2	1	1	-	2	-	-	4	16	2	6	8	-	1	7	33
7	3	2	-	2	-	-	-	-	-	-	-	-	-	3	2	3	1	1	1	2	34
164	31	52	5	18	3	12	11	1	4	3	2	-	9	34	13	29	42	6	4	47	35
50	11	16	2	9	2	5	2	-	1	2	1	-	6	16	4	9	13	2	1	21	36
55	9	16	2	-	1	2	2	-	3	1	-	-	2	6	4	11	13	2	-	11	37
59	11	20	1	9	-	5	7	1	-	-	1	-	1	12	5	9	16	2	3	15	38
110	16	33	5	6	4	6	12	2	-	6	-	2	8	15	14	15	20	5	10	30	39
45	6	21	2	2	-	3	6	2	-	2	-	1	1	9	10	5	9	3	3	17	40
65	10	12	3	4	4	3	6	-	-	4	-	1	7	6	4	10	11	2	7	13	41
30	14	28	3	4	1	6	8	2	5	2	-	-	1	6	3	1	6	3	1	12	42
40	8	24	4	8	1	12	8	-	2	1	-	2	4	16	7	9	8	4	2	16	43
46	3	14	1	1	1	2	14	1	12	4	2	1	5	25	7	12	10	1	-	25	44
33	2	7	1	-	1	1	6	-	4	2	2	1	4	16	5	6	5	-	-	20	45
13	1	7	-	1	-	1	8	1	8	2	-	-	1	9	2	6	5	1	-	5	46
12	3	2	-	-	-	2	5	-	-	2	-	-	1	4	6	7	6	-	2	7	47
25	7	14	1	2	1	-	2	1	-	1	-	-	-	-	-	-	5	1	-	8	48
6	1	1	-	-	-	1	1	-	-	-	-	-	2	1	-	2	2	-	1	2	49
25	2	10	-	1	3	-	3	-	1	-	-	-	1	4	5	2	5	2	-	5	50
27	13	6	2	4	1	1	6	1	1	-	-	1	-	4	17	12	7	1	1	14	51
1,389	293	375	57	97	69	75	205	33	30	86	16	10	132	528	214	291	279	95	142	488	52
1,148	244	321	47	85	60	68	176	27	27	80	13	7	101	436	176	227	227	75	129	418	53
37	10	14	2	1	1	2	4	1	2	1	-	1	7	8	1	8	7	2	2	12	54
14	2	3	-	2	-	-	-	-	-	-	1	1	3	6	1	-	1	3	-	4	55
34	6	5	2	1	2	-	2	2	1	1	1	-	7	30	2	13	7	6	3	7	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
156	31	32	6	8	6	5	23	3	-	4	1	1	14	48	34	43	37	9	8	47	58
78	19	33	3	6	3	18	11	2	3	1	1	1	1	9	10	15	14	5	3	23	59
45	12	19	1	3	1	10	3	1	1	1	-	-	1	7	3	9	7	2	2	12	60
33	7	14	2	3	2	8	8	1	2	-	1	1	-	2	7	6	7	3	1	11	61
3	2	3	-	-	-	-	1	-	-	-	-	-	-	5	3	1	3	-	1	2	62
30	2	4	-	4	-	1	8	-	3	-	-	-	1	8	5	2	8	1	-	-	63
32	2	17	2	2	-	1	7	-	9	2	1	1	2	12	3	7	4	2	-	8	64
6	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	4	-	-	2	65
32	8	13	2	7	2	3	5	-	-	1	-	-	3	4	7	3	10	3	-	13	66
149	33	82	7	6	6	13	79	2	70	15	2	10	22	116	42	60	54	10	3	66	67
15	6	8	-	-	-	-	11	-	6	1	1	-	2	12	1	3	4	-	-	7	68
33	7	15	2	2	3	3	10	-	5	6	-	-	7	21	13	9	3	5	-	8	69
10	1	3	-	1	-	2	9	-	6	-	-	-	2	10	4	3	3	1	-	2	70
12	3	7	1	-	-	1	3	-	5	1	-	-	2	6	4	2	2	-	-	5	71
79	16	49	4	3	3	7	46	2	48	7	1	10	9	67	20	43	42	4	3	44	72
64	10	33	1	6	4	2	6	-	3	-	-	-	4	6	10	12	14	3	2	15	73
13	1	4	-	3	-	-	6	-	6	2	-	-	1	9	5	18	6	-	4	7	74
17	4	4	-	1	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	75
52	16	15	1	3	3	3	6	1	-	1	-	-	2	5	10	7	9	-	1	7	76
42	9	18	1	5	-	3	11	-	2	-	1	-	-	3	10	7	8	5	1	9	77
42	3	10	-	3	1	1	4	1	6	2	-	-	5	19	7	15	12	6	1	17	78
34	3	9	-	3	1	1	4	1	6	1	-	-	3	16	6	12	5	5	1	14	79
8	-	1	-	-	-	-	-	-	-	1	-	-	2	3	1	3	7	1	-	3	80
3	-	1	-	-	-	-	-	1	-	-	-	-	2	3	3	6	2	-	-	2	81
96	22	21	2	12	1	3	15	-	5	2	-	1	2	20	10	12	15	3	-	32	82
39	8	6	1	9	1	1	5	-	3	1	-	-	1	11	2	8	7	1	-	17	83
57	14	15	1	3	-	2	10	-	2	1	-	1	1	9	8	4	8	2	-	15	84
42	1	17	-	1	3	2	-	1	1	1	-	1	5	10	2	19	13	1	1	14	85
30	1	11	-	1	3	2	-	1	1	1	-	1	5	8	1	11	7	-	1	12	86
12	-	6	-	-	-	-	-	-	-	-	-	-	-	2	1	8	6	1	-	2	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS--Continued																
1	Irion	11	-	-	-	-	2	1	-	1	-	3	3	-	-	3	-
2	Jack	71	-	-	-	1	12	3	2	7	-	36	34	7	-	24	1
3	Jackson	85	1	1	-	-	11	3	2	6	2	38	36	8	-	25	-
4	Jasper	164	4	-	-	1	33	7	4	22	1	74	70	18	-	46	2
5	Jeff Davis	17	-	-	-	-	-	-	-	-	-	8	8	1	-	6	-
6	Jefferson	1,498	17	7	3	8	253	84	40	129	25	728	698	150	-	504	4
7	Beaumont	802	8	2	2	6	122	40	19	63	19	404	388	82	-	280	4
8	Port Arthur	438	6	4	-	1	91	29	17	45	5	196	188	38	-	138	-
9	Balance of county	258	3	1	1	1	40	15	4	21	1	128	122	30	-	86	-
10	Jim Hogg	39	3	-	-	1	8	2	2	4	-	10	10	1	-	7	-
11	Jim Wells	208	5	-	-	3	29	10	2	17	2	67	63	16	-	43	2
12	Alice	138	5	-	-	2	21	6	2	13	-	46	45	11	-	30	1
13	Balance of county	70	-	-	-	1	8	4	-	4	2	21	18	5	-	13	1
14	Johnson	350	6	-	-	1	41	10	6	25	10	183	179	40	1	124	3
15	Cleburne	184	4	-	-	1	17	4	3	10	3	109	107	27	1	71	1
16	Balance of county	166	2	-	-	-	24	6	3	15	7	74	72	13	-	53	2
17	Jones	165	-	-	-	2	32	11	4	17	1	81	78	20	-	53	-
18	Karnes	149	4	-	-	3	24	10	2	12	2	60	58	12	-	45	1
19	Kaufman	329	5	1	-	4	54	22	4	28	4	157	156	36	-	107	6
20	Terrell	131	3	-	-	1	23	8	1	14	1	61	61	15	-	43	2
21	Balance of county	198	2	1	-	3	31	14	3	14	3	96	95	21	-	64	4
22	Kendall	59	1	-	-	-	8	5	-	3	1	32	31	5	-	23	-
23	Kenedy	8	1	-	-	1	-	-	-	-	-	2	2	-	-	2	-
24	Kent	15	-	-	-	-	4	1	1	2	-	9	8	1	-	6	-
25	Kerr	171	8	-	-	-	28	7	4	17	-	86	86	26	1	52	-
26	Kimble	38	1	-	-	1	6	4	1	1	-	16	16	3	-	12	1
27	King	6	-	-	-	-	1	1	-	-	-	2	2	1	-	1	-
28	Kinney	16	-	-	-	-	1	-	-	1	-	6	6	3	-	3	-
29	Kleberg	174	1	1	-	1	16	5	2	9	4	56	56	18	-	36	-
30	Kingsville	155	1	1	-	1	15	5	1	9	4	52	52	16	-	34	-
31	Balance of county	19	-	-	-	-	1	-	1	-	-	4	4	2	-	2	-
32	Knox	65	-	-	-	2	11	4	2	5	-	32	32	7	-	22	1
33	Lamar	417	3	1	-	6	58	22	7	29	5	227	217	59	-	147	3
34	Paris	241	1	1	-	4	34	13	6	15	2	133	130	40	-	86	3
35	Balance of county	176	2	-	-	2	24	9	1	14	3	94	87	19	-	61	-
36	Lamb	145	1	2	-	5	13	3	-	10	1	54	51	21	-	29	1
37	Lampasas	90	1	-	-	-	13	6	-	7	1	52	52	8	-	41	-
38	La Salle	54	1	-	-	2	5	4	-	1	1	26	26	2	-	22	-
39	Lavaca	235	2	-	-	1	44	18	2	24	6	119	106	28	-	73	-
40	Lee	105	1	1	-	1	13	5	3	5	4	56	53	16	-	36	2
41	Leon	133	-	1	-	2	17	6	3	8	1	71	66	23	-	37	-
42	Liberty	267	2	1	-	2	33	7	8	18	4	112	108	28	-	68	1
43	Limestone	229	3	-	-	1	50	15	7	28	3	116	115	29	-	80	-
44	Lipscomb	26	-	-	-	-	5	2	-	3	-	11	11	1	-	9	-
45	Live Oak	61	2	-	-	-	8	-	2	6	1	21	20	4	-	16	-
46	Llano	46	-	-	-	-	5	2	1	2	1	27	27	6	-	20	-
47	Loving	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
48	Lubbock	777	11	2	1	14	92	30	4	58	7	324	315	75	-	214	9
49	Lubbock	583	7	1	1	8	77	22	4	51	5	236	232	53	-	157	8
50	Balance of county	194	4	1	-	6	15	8	-	7	2	88	83	22	-	57	1
51	Lynn	64	1	-	-	2	7	3	3	1	1	26	25	3	-	22	-
52	McCulloch	101	2	-	-	-	18	8	2	8	1	58	58	15	-	43	1
53	McLennan	1,181	14	2	-	8	159	39	25	95	22	601	592	162	1	394	5
54	Waco	811	9	1	-	5	120	32	18	70	13	407	401	100	1	277	5
55	Balance of county	370	5	1	-	3	39	7	7	25	9	194	191	62	-	117	-
56	McMullen	9	-	-	-	-	-	-	-	-	-	4	4	-	-	4	-
57	Madison	73	-	2	-	-	9	1	1	7	2	33	33	10	-	18	-
58	Marion	100	1	-	-	-	10	3	1	6	2	71	69	17	-	45	-
59	Martin	35	1	-	-	-	6	2	-	4	-	12	11	2	-	6	1
60	Mason	36	-	-	-	-	8	5	-	3	1	13	12	2	-	8	-
61	Matagorda	210	2	-	1	2	18	6	6	6	4	119	117	23	-	83	1
62	Maverick	88	2	-	1	1	9	2	3	4	4	27	27	5	-	21	1
63	Medina	137	2	1	-	1	26	8	1	17	-	59	57	14	1	38	-
64	Menard	38	-	-	-	-	11	5	-	6	-	21	20	8	-	12	-
65	Midland	229	1	1	-	3	43	12	8	23	2	79	79	16	-	51	6
66	Midland	213	1	1	-	3	40	12	6	22	2	76	76	16	-	50	6
67	Balance of county	16	-	-	-	-	3	-	2	1	-	3	3	-	-	1	-
68	Milam	249	3	-	-	4	36	14	2	20	2	134	129	32	-	86	1
69	Mills	55	-	-	-	2	16	10	2	4	3	29	28	5	-	18	1
70	Mitchell	119	1	-	-	1	13	4	-	9	4	58	58	16	-	34	-
71	Montague	154	-	-	-	-	30	8	-	22	1	92	90	31	-	52	2
72	Montgomery	255	4	2	-	5	35	13	6	16	5	98	96	29	-	52	2
73	Moore	54	-	-	-	-	8	3	-	5	1	18	18	4	-	14	-
74	Morris	83	-	-	-	1	7	2	-	5	1	44	43	16	-	24	1
75	Motley	32	-	-	-	-	2	-	-	2	-	19	17	3	-	12	1
76	Nacogdoches	243	3	-	-	2	32	11	5	16	3	119	115	42	1	65	1
77	Nacogdoches	116	1	-	-	1	9	3	2	4	1	67	64	26	1	32	-
78	Balance of county	127	2	-	-	1	23	8	3	12	2	52	51	16	-	33	1
79	Navarro	425	6	-	-	3	61	22	7	32	4	230	226	78	-	132	3
80	Corsicana	249	3	-	-	1	34	13	5	16	3	143	141	54	-	78	1
81	Balance of county	176	3	-	-	2	27	9	2	16	1	87	85	24	-	54	2
82	Newton	74	-	-	-	-	6	1	1	4	-	29	29	9	-	17	-
83	Nolan	154	1	-	1	-	27	5	1	21	3	77	73	16	1	53	-
84	Sweetwater	119	-	-	1	-	22	3	1	18	2	59	55	13	1	40	-
85	Balance of county	35	1	-	-	-	5	2	-	3	1	18	18	3	-	13	-
86	Nueces	1,138	12	4	5	12	163	60	24	79	18	439	435	91	-	315	9
87	Corpus Christi	860	10	3	4	10	130	46	21	63	13	343	340	76	-	240	6
88	Balance of county	278	2	1	1	2	33	14	3	16	5	96	95	15	-	75	3

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	1	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	2	1
16	2	5	1	2	-	2	3	-	-	-	-	-	1	1	3	1	7	-	-	6	2
20	4	1	1	1	1	2	2	1	2	1	-	1	1	5	5	2	3	2	1	6	3
27	3	14	-	5	1	4	8	-	1	-	1	1	-	11	3	8	8	2	-	8	4
5	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	3	-	-	2	2	5
384	58	58	11	21	12	30	31	10	5	9	4	3	23	105	12	50	71	15	12	107	6
212	34	30	9	13	4	16	16	5	4	5	2	-	11	51	7	18	36	9	6	69	7
107	13	18	2	5	5	8	9	5	1	1	2	3	8	31	3	18	24	2	4	24	8
65	11	10	-	3	3	6	6	-	-	3	-	-	4	23	2	14	11	4	2	14	9
5	-	2	-	2	-	-	5	-	-	1	-	-	1	-	3	-	3	1	-	3	10
24	7	10	2	2	-	4	15	1	3	-	1	1	5	21	18	3	8	6	2	18	11
17	5	7	2	2	-	1	6	1	1	-	1	-	4	16	11	2	5	3	1	13	12
7	2	3	-	-	-	3	9	-	2	-	-	1	1	5	7	1	3	3	1	5	13
74	17	30	5	6	3	4	9	4	2	4	-	-	2	8	7	14	17	7	2	33	14
41	10	19	4	3	1	2	4	3	1	2	-	-	1	2	4	3	6	4	-	20	15
33	7	11	1	3	2	2	5	1	1	2	-	-	1	6	3	11	11	3	2	13	16
39	5	9	1	4	-	3	3	2	4	3	-	-	-	7	4	5	7	1	-	13	17
31	3	10	-	1	-	2	7	1	3	1	-	-	8	9	4	6	8	1	2	6	18
74	16	11	1	8	4	1	12	1	6	2	-	-	2	15	6	16	12	1	3	28	19
32	5	4	-	1	2	-	6	-	1	2	-	-	1	8	1	5	5	1	-	12	20
42	11	7	1	7	2	1	6	1	5	-	-	-	1	7	5	11	7	-	3	16	21
19	2	2	1	1	1	1	-	1	-	-	-	-	-	2	2	2	1	1	-	8	22
1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	23
4	-	2	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	24
43	5	4	1	4	2	-	6	-	-	2	-	-	1	5	4	8	3	7	-	13	25
8	3	-	-	1	-	-	2	-	1	1	-	-	2	3	2	2	1	-	-	-	26
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	27
3	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	1	-	-	-	1	28
24	5	7	-	1	1	-	10	2	10	1	1	-	5	21	6	7	17	2	-	13	29
23	4	7	-	1	1	-	9	2	10	1	1	-	4	19	5	5	14	1	-	10	30
1	1	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	3	1	-	3	31
17	1	3	2	-	1	-	2	-	-	1	-	-	-	-	4	2	3	-	1	7	32
91	27	26	4	4	3	10	17	2	4	1	-	1	3	10	10	10	22	2	2	33	33
50	16	17	-	2	2	3	6	1	3	-	-	-	2	6	7	5	12	1	2	21	34
41	11	9	4	2	1	7	11	1	1	1	-	1	1	4	3	5	10	1	-	12	35
22	3	3	-	1	-	3	4	3	10	1	-	1	2	17	3	9	8	1	-	10	36
26	10	5	1	2	-	-	5	-	1	-	-	-	1	2	3	4	2	2	-	3	37
11	2	9	1	1	-	-	2	-	-	-	-	-	-	3	3	2	6	-	-	3	38
46	17	10	2	-	3	13	9	1	1	2	-	-	3	8	6	3	6	5	1	18	39
17	4	13	-	-	1	3	1	1	3	2	-	1	2	-	7	2	4	-	-	6	40
24	3	10	3	2	1	5	4	-	-	-	1	1	1	2	10	2	4	-	4	12	41
46	6	15	4	7	1	4	15	1	3	2	1	-	2	28	18	10	13	-	3	17	42
53	8	19	3	3	-	1	3	-	2	1	-	1	1	4	12	8	9	2	3	10	43
7	2	-	-	-	1	-	2	-	-	-	-	-	-	3	1	-	-	-	-	4	44
9	1	6	-	-	-	1	3	1	3	1	-	-	-	7	5	3	2	-	-	4	45
17	2	1	-	-	1	-	-	1	-	-	1	-	-	1	2	2	2	2	-	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
163	18	24	2	9	15	9	22	4	20	6	1	1	17	70	20	52	31	8	15	59	48
116	15	18	2	6	14	4	15	3	9	4	1	1	13	52	15	43	24	7	12	49	49
47	3	6	-	3	1	5	7	1	11	2	-	-	4	18	5	9	7	1	3	10	50
20	1	1	-	-	-	1	2	-	2	-	-	-	-	4	1	4	2	4	-	8	51
31	5	6	-	-	-	-	2	-	1	-	-	1	1	4	-	1	-	2	-	10	52
252	55	82	7	17	11	9	47	5	11	10	1	-	21	54	36	40	47	8	9	86	53
177	39	56	3	12	8	6	35	4	8	6	-	-	16	39	26	26	27	7	7	55	54
75	16	26	4	5	3	3	12	1	3	4	1	-	5	15	10	14	20	1	2	31	55
3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	56
11	2	5	1	3	1	-	2	-	-	-	-	-	1	2	2	8	4	1	1	6	57
31	3	11	2	1	4	2	3	-	-	1	-	-	-	-	2	2	1	1	-	6	58
4	-	1	-	2	1	1	1	-	2	-	-	-	-	5	1	1	2	-	-	4	59
2	2	4	1	-	1	1	2	-	2	-	-	-	-	-	1	2	4	-	-	3	60
43	13	26	1	10	-	2	2	1	-	2	-	1	2	11	4	9	10	4	1	17	61
16	2	2	-	1	-	-	11	1	-	-	-	-	2	8	2	5	7	-	1	7	62
25	3	10	-	3	1	2	9	-	-	3	1	-	3	6	7	6	4	1	-	8	63
9	1	2	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	2	64
37	5	3	4	4	4	-	5	-	4	3	-	1	10	16	5	16	14	9	1	16	65
37	5	2	4	3	3	-	5	-	4	3	-	1	9	15	4	16	10	8	1	14	66
-	-	1	-	1	1	-	-	-	-	-	-	-	1	1	1	-	4	1	-	2	67
57	13	15	1	8	2	5	10	-	1	2	1	-	4	6	3	12	12	5	3	11	68
16	1	-	-	5	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	1	69
27	3	4	1	7	-	-	4	-	-	1	-	-	1	6	4	17	3	1	-	5	70
39	4	7	-	5	2	2	1	2	-	-	-	-	1	4	11	2	3	1	-	6	71
35	6	9	3	11	1	2	9	-	3	1	-	-	3	16	19	11	15	2	5	22	72
8	3	3	-	-	-	-	-	-	1	1	-	-	5	4	-	5	4	-	-	7	73
15	2	6	-	2	1	1	2	1	-	-	1	-	-	2	1	5	7	1	-	10	74
9	-	2	-	2	-	2	2	-	1	-	-	-	1	2	-	-	4	-	-	1	75
35	15	14	4	-	3	4	15	1	2	3	2	-	4	11	6	8	11	1	3	17	76
18	8	6	4	-	1	3	5	1	1	1	1	-	4	7	1	3	5	-	-	8	77
17	7	8	-	-	2	1	10	-	1	2	1	-	-	4	5	5	6	1	3	9	78
88	15	26	3	9	4	4	12	2	4	-	2	-	2	18	16	11	20	2	4	28	79
53	8	16	1	5	3	2	9	1	2	-	-	-	1	9	11	4	12	2	2	12	80
35	7	10	2	4	1	2	3	1	2	-	2	-	1	9	5	7	8	-	2	16	81
10	2	5	2	-	1	-	5	-	1	-	2	-	-	7	4	4	5	1	1	9	82
50	1	2	1	2	-	4	2	1	1	1	-	-	5	5	7	8	7	3	-	5	83
38	1	1	1	-	-	4	1	1	1	1	-	-	5	5	5	7	4	2	-	3	84
12	-	1	-	2	-	-	1	-	-	-	-	-	-	-	2	1	3	1	-	2	85
248	25	33	3	12	14	4	49	4	26	8	4	5	33	134	12	60	59	17	11	63	86
193	20	21	3	8	13	3	34	4	21	7	3	4	22	88	7	46	38	12	10	51	87
55	5	12	-	4	1	1	15	-	5	1	1	1	11	46	5	14	21	5	1	12	88

420487 O - 57 - 32

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Ochiltree	38	-	-	-	-	5	3	-	2	-	21	20	2	1	16	-
2	Oldham	9	2	-	1	-	1	-	-	1	-	4	3	1	-	2	2
3	Orange	299	3	1	-	4	38	8	8	22	3	140	134	28	-	99	2
4	Orange	200	1	1	-	3	25	3	7	15	2	97	92	21	-	68	2
5	Balance of county	99	2	-	-	1	13	5	1	7	1	43	42	7	-	31	-
6	Palo Pinto	219	2	-	-	1	31	5	5	21	3	103	98	18	-	71	1
7	Panola	132	1	1	1	2	21	10	2	9	3	56	54	20	-	32	1
8	Parker	176	1	-	-	1	24	12	2	10	3	92	92	25	-	60	-
9	Parmer	51	-	-	-	-	7	2	2	3	-	26	25	3	-	19	-
10	Pecos	50	3	-	-	2	8	4	-	4	1	16	14	4	-	9	-
11	Polk	139	-	-	-	1	16	7	2	7	2	68	65	20	-	41	1
12	Potter	659	8	1	-	3	91	22	10	59	3	301	287	56	1	205	6
13	Amarillo (part)	620	8	1	-	3	90	22	10	58	3	280	266	50	-	193	6
14	Amarillo (total)	647	8	1	1	3	94	24	10	60	3	291	277	53	-	201	6
15	Balance of county	39	-	-	-	-	1	-	-	1	-	21	21	6	1	12	-
16	Presidio	41	-	-	-	-	6	1	-	5	1	13	13	4	-	9	-
17	Rains	37	-	-	-	-	4	-	-	4	1	21	20	8	-	10	2
18	Randall	81	-	-	1	-	13	5	-	8	1	39	38	10	-	28	-
19	Amarillo (part)	27	-	-	1	-	4	2	-	2	-	11	11	3	-	8	-
20	Balance of county	54	-	-	-	-	9	3	-	6	1	28	27	7	-	20	-
21	Reagan	27	-	-	-	-	5	-	-	5	-	7	7	2	-	5	-
22	Real	22	-	-	-	-	3	-	-	3	-	10	10	-	-	9	1
23	Red River	180	3	-	-	1	24	10	2	12	2	105	103	31	-	70	2
24	Reeves	122	2	-	-	3	19	2	2	15	1	34	32	11	1	16	-
25	Refugio	90	2	-	-	-	8	3	-	5	1	48	48	14	-	30	-
26	Roberts	7	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-
27	Robertson	193	3	-	-	3	29	9	5	15	2	95	90	18	-	68	1
28	Rockwall	57	1	-	-	-	2	-	-	2	-	36	35	4	-	27	1
29	Runnels	156	-	-	-	1	26	8	4	14	-	86	85	24	-	59	-
30	Rusk	351	2	2	-	6	45	17	4	24	8	157	150	21	-	117	2
31	Sabine	49	1	-	-	2	8	-	1	7	-	26	26	6	-	18	-
32	San Augustine	84	-	-	-	1	8	6	-	2	-	41	41	8	-	32	-
33	San Jacinto	54	-	-	-	1	7	2	-	5	-	21	21	9	-	11	-
34	San Patricio	316	4	2	-	11	24	5	1	18	4	130	129	32	-	90	1
35	San Saba	69	1	-	-	-	4	1	1	2	3	36	35	6	-	28	-
36	Schleicher	28	-	-	-	-	9	3	1	5	1	13	13	3	-	9	-
37	Scurry	141	-	-	1	1	20	4	6	10	1	64	61	12	-	46	2
38	Snyder	93	-	-	1	-	12	1	3	8	1	44	42	9	-	32	2
39	Balance of county	48	-	-	-	1	8	3	3	2	-	20	19	3	-	14	-
40	Shackelford	46	-	-	-	1	4	1	1	2	-	25	25	7	-	17	-
41	Shelby	186	1	-	-	3	27	9	4	14	-	109	107	29	-	69	-
42	Sherman	20	-	-	-	-	-	-	-	-	2	10	10	2	-	7	-
43	Smith	632	7	2	-	9	102	36	13	53	4	305	289	71	1	196	4
44	Tyler	328	4	1	-	4	56	19	6	31	2	164	153	37	1	105	1
45	Balance of county	304	3	1	-	5	46	17	7	22	2	141	136	34	-	91	3
46	Somervell	17	-	-	-	-	2	1	-	1	-	10	10	1	-	7	-
47	Starr	91	1	-	-	6	9	5	2	2	-	31	31	5	-	22	1
48	Stephens	94	-	-	-	-	15	6	1	8	1	39	39	11	-	28	-
49	Sterling	12	2	-	-	-	1	-	-	1	1	3	3	1	-	2	-
50	Stonewall	26	1	-	-	-	6	2	1	3	-	10	10	2	-	7	-
51	Sutton	20	1	-	-	-	3	-	-	3	-	10	10	1	-	9	-
52	Swisher	49	-	-	-	2	6	3	-	3	1	29	28	10	-	15	-
53	Tarrant	3,357	24	6	2	14	532	134	82	316	42	1,684	1,653	405	4	1,144	28
54	Fort Worth	2,697	21	5	2	12	434	110	70	254	34	1,328	1,301	327	4	892	24
55	Grand Prairie (part)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
56	White Settlement	27	-	1	-	-	3	3	-	-	-	12	11	4	-	5	-
57	Balance of county	631	3	-	-	2	95	21	12	62	8	343	340	74	-	246	4
58	Taylor	499	6	2	-	3	72	19	9	44	4	240	236	51	-	174	2
59	Abilene	408	4	2	-	3	65	18	8	39	2	195	192	42	-	141	1
60	Balance of county	91	2	-	-	-	7	1	1	5	2	45	44	9	-	33	1
61	Terrell	20	-	-	-	-	1	1	-	-	-	16	16	-	-	15	-
62	Terry	107	1	1	-	2	9	2	2	5	2	32	32	12	-	18	3
63	Throckmorton	23	1	-	-	-	4	1	-	3	-	9	9	2	-	7	-
64	Titus	154	3	1	-	-	26	9	2	15	2	67	64	15	-	46	-
65	Tom Green	468	10	-	3	6	77	23	9	45	3	191	189	47	-	125	6
66	San Angelo	421	10	-	3	6	66	19	9	38	3	174	172	43	-	112	6
67	Balance of county	47	-	-	-	-	11	4	-	7	-	17	17	4	-	13	-
68	Travis	1,209	13	-	-	10	201	64	22	115	17	574	560	118	1	404	9
69	Austin	1,116	13	-	-	10	183	60	18	105	17	536	523	115	1	372	9
70	Balance of county	93	-	-	-	-	18	4	4	10	-	38	37	3	-	32	-
71	Trinity	90	-	-	-	1	9	3	-	6	2	51	51	15	-	32	-
72	Tyler	98	1	2	-	2	10	3	1	6	2	55	53	20	-	28	-
73	Upshur	177	2	-	1	3	21	6	-	15	3	108	107	22	-	73	-
74	Upton	33	-	-	-	-	2	-	1	1	1	9	9	3	-	6	-
75	Uvalde	137	1	1	-	4	10	2	2	6	2	69	67	15	-	51	2
76	Val Verde	201	3	-	-	8	20	9	2	9	-	68	68	22	1	36	1
77	Del Rio	182	2	-	-	8	20	9	2	9	-	63	63	20	1	33	1
78	Balance of county	19	1	-	-	-	-	-	-	-	-	5	5	2	-	3	-
79	Van Zandt	218	4	-	-	3	37	10	5	22	-	121	118	20	-	91	6
80	Victoria	298	5	2	-	5	36	11	9	16	9	123	121	28	-	83	4
81	Victoria	208	2	1	-	3	26	9	7	10	6	84	84	20	-	57	3
82	Balance of county	90	3	1	-	2	10	2	2	6	3	39	37	8	-	26	1
83	Walker	131	-	-	-	1	15	4	2	9	1	69	68	14	-	50	-
84	Waller	125	2	2	1	1	18	5	2	11	3	65	62	19	-	37	-
85	Ward	79	1	1	-	1	9	4	-	5	-	26	26	8	-	17	1
86	Washington	219	2	3	-	2	31	11	2	18	2	102	101	27	-	66	1
87	Webb	396	11	2	-	4	66	25	8	33	7	121	118	27	-	79	2
88	Laredo	373	9	2	-	4	64	25	8	31	7	112	109	24	-	73	2
89	Balance of county	23	2	-	-	-	2	-	-	2	-	9	9	3	-	6	-

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
12	-	4	-	-	1	1	-	-	-	-	-	-	1	3	-	5	-	1	-	2	1
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
63	4	30	2	4	1	6	10	1	1	3	2	-	9	25	6	10	18	5	3	17	3
39	3	24	1	1	1	5	9	-	-	3	2	-	5	15	4	4	11	3	3	12	4
24	1	6	1	3	-	1	1	1	1	-	-	-	4	10	2	6	7	2	-	5	5
47	12	11	4	3	2	5	6	-	2	-	-	-	2	13	13	8	9	4	4	18	6
22	2	7	1	-	1	2	5	-	1	1	-	-	5	6	6	8	6	1	-	8	7
45	7	8	-	5	2	-	4	2	-	2	1	-	3	3	5	6	9	4	2	14	8
15	1	3	2	-	1	1	-	-	-	-	1	-	1	3	1	6	2	2	1	1	9
7	-	2	-	-	1	2	-	-	1	-	-	-	2	5	1	3	3	-	2	3	10
18	15	7	1	1	2	3	-	-	-	2	-	-	1	5	12	11	7	1	-	13	11
145	28	26	4	11	10	14	18	5	-	7	1	1	19	64	6	41	29	9	3	49	12
135	26	26	4	10	9	14	18	5	-	6	1	1	18	61	6	33	29	8	3	46	13
141	28	26	4	10	9	14	19	5	-	6	1	1	20	64	6	33	30	10	3	48	14
10	2	-	-	1	1	-	-	-	-	1	-	-	1	3	-	8	-	1	-	3	15
7	-	2	-	-	-	-	-	-	1	-	-	-	1	2	6	3	4	-	-	4	16
5	1	2	2	-	-	1	2	-	-	-	-	-	-	2	1	4	-	1	-	1	17
19	6	3	-	-	-	1	2	1	1	-	-	-	2	9	-	-	4	2	-	6	18
6	2	-	-	-	-	-	1	-	-	-	-	-	2	3	-	-	1	2	-	2	19
13	4	3	-	-	-	1	1	1	1	-	-	-	-	6	-	-	3	-	-	4	20
5	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	6	1	1	1	-	21
4	1	3	1	-	-	-	2	-	-	-	-	-	-	1	1	1	2	-	1	1	22
40	20	8	1	1	-	2	7	-	4	1	-	2	1	2	3	4	9	1	-	11	23
14	-	2	-	4	-	2	1	-	9	1	-	1	1	15	5	7	10	2	2	9	24
23	4	3	2	1	1	-	3	-	3	-	-	-	4	5	2	4	3	1	1	5	25
1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	-	-	26
29	12	26	-	3	1	5	6	-	4	1	6	-	-	4	14	4	4	3	3	12	27
21	1	4	1	-	3	1	2	-	-	-	-	-	1	2	1	2	3	1	-	6	28
47	5	7	-	1	1	1	5	1	-	1	-	-	3	5	7	3	8	4	-	6	29
80	18	17	7	3	2	7	15	2	2	3	4	-	5	9	23	17	24	2	4	21	30
13	3	2	1	1	-	-	4	-	-	-	1	-	1	-	1	2	1	1	-	1	31
22	8	2	-	1	-	-	6	-	1	1	-	-	1	1	3	7	4	2	-	8	32
5	-	6	-	1	-	-	6	-	-	-	-	-	1	2	6	4	1	-	2	3	33
62	11	16	2	4	1	1	11	-	17	1	3	4	2	34	17	8	20	5	3	16	34
11	6	11	-	-	1	1	2	-	-	-	1	-	3	5	6	1	3	-	-	4	35
8	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	1	36
33	8	3	-	3	-	3	6	1	5	-	-	-	-	3	5	14	10	-	1	9	37
21	6	3	-	1	-	2	5	-	3	-	-	-	-	2	3	7	7	-	1	7	38
12	2	-	-	2	-	1	1	1	2	-	-	-	-	1	2	7	3	-	-	2	39
15	1	1	-	1	-	-	-	1	1	1	-	-	1	1	4	2	1	-	-	4	40
43	13	13	5	1	3	2	6	-	1	-	-	2	3	4	11	6	2	-	1	10	41
7	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	4	-	1	-	-	42
135	24	33	9	11	1	16	15	6	3	2	1	-	7	31	24	30	29	6	5	44	43
83	8	13	3	6	1	11	6	4	1	2	-	-	3	18	11	14	14	5	1	18	44
52	16	20	6	5	-	5	9	2	2	-	1	-	4	13	13	16	15	1	4	26	45
6	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	46
14	3	4	2	2	-	-	9	-	-	3	-	2	-	5	6	4	6	1	1	7	47
13	7	8	-	-	-	-	-	-	-	2	1	-	3	4	4	8	4	1	1	11	48
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	49
4	2	1	-	1	-	-	1	-	-	1	-	-	1	-	-	1	3	-	1	1	50
6	2	1	-	-	-	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	51
13	-	2	-	3	-	1	-	-	-	-	-	-	-	1	1	1	7	-	-	1	52
882	100	134	17	55	28	31	76	17	17	43	6	3	70	210	52	93	125	51	51	239	53
689	81	98	14	40	24	27	67	15	16	36	4	3	49	161	43	83	104	36	47	197	54
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	55
4	-	1	1	1	-	1	-	-	-	-	-	-	-	4	1	-	1	1	-	4	56
188	19	35	2	14	4	3	9	2	1	7	2	-	21	44	8	10	20	14	4	38	57
126	24	22	3	7	1	4	14	-	6	5	1	-	5	30	12	29	17	7	4	42	58
101	20	19	2	7	-	3	9	-	6	5	-	-	4	25	6	25	13	7	4	33	59
25	4	3	1	-	1	1	5	-	-	-	1	-	1	5	6	4	4	-	-	9	60
5	2	8	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	61
12	2	1	1	-	1	-	6	-	6	-	-	1	1	18	3	7	9	-	-	9	62
6	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	4	-	-	2	63
32	6	8	1	1	1	3	2	1	2	1	-	2	3	5	3	10	8	3	1	14	64
92	13	14	2	12	3	2	11	1	11	4	-	2	11	24	30	16	20	3	4	41	65
84	13	9	2	12	3	2	10	1	11	4	-	2	10	24	24	12	17	3	4	37	66
8	-	5	-	-	-	-	1	-	-	-	-	-	1	-	6	4	3	-	-	4	67
299	45	51	11	19	7	14	33	7	11	11	-	2	22	78	22	38	54	10	10	96	68
279	39	45	11	17	7	13	31	7	9	11	-	1	21	73	18	29	50	10	9	88	69
20	6	6	-	2	-	1	2	-	2	-	-	1	1	5	4	9	4	-	1	8	70
20	6	6	-	1	3	-	6	2	2	-	-	-	1	1	5	3	2	-	-	5	71
23	2	3	-	2	3	2	1	-	-	-	1	1	2	2	1	5	1	1	2	9	72
54	9	10	2	7	3	1	5	-	-	-	-	1	-	8	1	11	3	2	-	8	73
3	2	1	-	-	-	-	-	-	1	1	-	1	1	2	-	10	2	-	1	2	74
33	7	9	-	-	1	2	6	-	6	1	-	-	2	13	2	3	5	1	2	9	75
28	1	6	3	4	2	-	12	-	3	3	-	-	12	27	4	9	13	-	1	18	76
25	1	6	3	4	2	-	12	-	3	3	-	-	11	21	4	7	12	-	1	15	77
3	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	2	1	-	-	3	78
56	18	11	1	4	2	3	7	1	1	2	-	-	3	1	7	7	10	1	-	13	79
50	8	21	3	7	-	2	9	1	4	-	1	-	4	18	18	15	21	2	2	23	80
32	6	16	-	7	-	-	8	1	3	-	1	-	3	13	11	9	17	2	1	17	81
18	2	5	3	-	-	2	1	-	1	-	-	-	1	5	7	6	4	-	1	6	82
34	8	8	1	2	1	1	6	1	1	-	-	1	-	1	17	3	4	1	1	9	83
18	7	12	4	-	2	3	4	-	-	1	-	-	-	4	6	7	6	1	2	2	84
15	1	-	-	1	-	-	6	-	1	-	-	1	3	6	4	3	9	3	-	5	85
28	11	26	3	4	1	1	11	7	5	3	1	1	2	5	13	9	3	-	1	16	86
53	10	14	1	9	2	3	35	1	11	4	-	2	2	33	28	14	28	1	1	25	87
49	10	12	1	9	2	3	35	1	11	3	-	2	2	33	27	13	23	-	1	24	88
4	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	5	1	-	1	89

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Wharton	272	3	2	-	3	39	12	3	24	9	130	129	46	-	80	-
2	Wheeler	85	-	-	-	-	18	4	2	12	1	45	43	8	-	33	10
3	Wichita	723	4	2	-	3	126	31	17	78	6	361	351	98	-	243	10
4	Wichita Falls	522	3	2	-	3	83	21	9	53	4	261	255	70	-	179	6
5	Balance of county	201	1	-	-	-	43	10	8	25	2	100	96	28	-	64	4
6	Wilbarger	136	1	-	-	2	10	3	1	6	2	73	72	18	-	50	1
7	Vernon	99	1	-	-	1	9	3	1	5	2	51	50	13	-	33	1
8	Balance of county	37	-	-	-	1	1	-	-	1	-	22	22	5	-	17	-
9	Willacy	144	2	-	3	11	17	6	1	10	2	41	38	9	1	24	-
10	Williamson	358	4	1	-	3	52	14	9	29	7	182	172	47	-	119	-
11	Wilson	120	3	1	-	1	17	7	3	7	3	57	57	18	-	37	2
12	Winkler	55	1	-	-	-	7	2	1	4	-	14	13	1	-	11	-
13	Wise	162	1	-	-	-	27	8	2	17	1	86	84	10	1	57	-
14	Wood	178	-	-	-	3	21	4	3	14	2	111	107	27	-	72	1
15	Yoakum	35	-	-	-	-	4	1	2	1	-	13	13	1	-	12	-
16	Young	153	1	-	-	2	26	6	3	17	3	74	73	9	-	60	1
17	Zapata	12	-	-	-	-	-	-	-	-	-	5	5	1	-	4	-
18	Zavala	87	3	-	-	2	9	3	-	6	3	21	20	2	-	17	-
19	UTAH	5,311	30	6	3	21	698	227	76	395	101	2,565	2,510	505	14	1,823	108
20	Metropolitan counties	2,979	17	3	2	11	423	132	48	243	57	1,400	1,374	268	4	1,007	66
21	Nonmetropolitan counties	2,332	13	3	1	10	275	95	28	152	44	1,165	1,136	237	10	816	42
22	Beaver	33	-	-	-	1	8	3	1	4	-	15	14	1	-	13	1
23	Box Elder	134	-	-	-	-	13	6	2	5	4	69	68	20	2	42	2
24	Cache	213	1	-	-	-	20	5	4	11	2	139	134	29	-	96	3
25	Logan	91	-	-	-	-	9	2	3	4	1	59	56	13	-	40	1
26	Balance of county	122	1	-	-	-	11	3	1	7	1	80	78	16	-	56	2
27	Carbon	163	-	1	1	1	22	10	4	8	2	74	71	10	-	54	2
28	Daggett	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Davis	185	-	-	-	1	22	7	1	14	2	95	94	8	3	77	7
30	Duchesne	47	-	-	-	1	8	5	1	2	1	21	21	1	-	19	2
31	Emery	51	1	-	-	-	4	2	-	2	2	24	24	3	-	17	2
32	Garfield	36	-	-	-	-	6	3	1	2	2	16	16	4	-	11	1
33	Grand	30	1	-	-	-	4	1	-	3	-	13	12	2	-	10	3
34	Iron	72	-	-	-	-	7	2	2	3	1	39	34	7	-	27	3
35	Juab	56	-	-	-	1	3	1	1	1	-	32	31	13	-	18	-
36	Kane	19	-	-	-	-	2	-	-	2	-	12	12	2	-	10	-
37	Millard	73	-	-	-	-	14	3	1	10	-	30	29	11	1	16	-
38	Morgan	28	-	-	-	1	5	2	1	2	2	14	14	3	-	10	-
39	Piute	14	-	-	-	-	1	-	-	1	-	7	7	2	-	4	-
40	Rich	9	1	-	-	1	2	-	-	2	-	3	3	1	-	2	-
41	Salt Lake	2,357	14	3	1	7	335	110	36	189	46	1,100	1,081	224	2	785	48
42	Salt Lake City	1,767	10	2	-	6	252	87	20	145	33	843	835	167	-	608	36
43	Balance of county	590	4	1	1	1	83	23	16	44	13	257	246	57	2	177	12
44	San Juan	51	1	-	-	-	2	1	-	1	-	10	10	2	-	6	-
45	Sanpete	118	-	-	-	-	13	3	1	9	2	71	71	16	-	51	2
46	Sevier	80	-	-	-	-	12	8	-	4	3	41	40	12	-	27	-
47	Summit	57	-	-	-	-	7	1	1	5	-	26	26	5	1	17	-
48	Tooele	104	1	-	-	-	10	1	-	9	4	45	44	9	2	32	-
49	Uintah	76	-	-	-	-	9	2	-	7	1	30	30	3	1	25	1
50	Utah	541	5	2	-	2	71	25	6	40	14	256	250	60	-	171	13
51	Provo	168	2	1	-	2	20	8	-	12	5	69	69	12	-	49	3
52	Balance of county	373	3	1	-	-	51	17	6	28	9	187	181	48	-	122	10
53	Wasatch	43	2	-	-	1	1	-	-	1	-	26	25	4	-	19	-
54	Washington	89	-	-	-	-	8	4	1	3	2	52	51	9	-	38	-
55	Wayne	9	-	-	-	-	1	-	-	1	-	5	5	-	-	4	-
56	Weber	622	3	-	1	4	88	22	12	54	11	300	293	44	2	222	18
57	Ogden	482	2	-	-	3	75	21	11	43	9	234	231	32	1	177	11
58	Balance of county	140	1	-	1	1	13	1	1	11	2	66	62	12	1	45	7
59	VERMONT	4,241	43	5	1	17	668	231	83	354	56	2,418	2,385	529	1	1,641	41
60	Nonmetropolitan counties	4,241	43	5	1	17	668	231	83	354	56	2,418	2,385	529	1	1,641	41
61	Addison	197	1	-	-	1	28	6	4	18	3	113	113	14	-	85	1
62	Bennington	298	3	-	-	3	50	20	5	25	3	181	180	34	-	138	4
63	Caledonia	290	3	1	-	1	47	17	4	26	2	169	165	41	-	106	2
64	Chittenden	628	1	2	-	2	95	32	18	45	8	330	326	53	-	235	10
65	Burlington	335	1	2	-	1	46	16	9	21	5	184	182	26	-	139	6
66	Balance of county	293	-	-	-	1	49	16	9	24	3	146	144	27	-	96	4
67	Essex	81	-	-	-	-	8	3	-	5	3	41	41	13	-	24	1
68	Franklin	358	3	-	-	1	65	23	3	39	5	194	190	40	-	129	3
69	Grand Isle	41	-	-	-	-	5	3	-	2	2	26	26	3	-	16	-
70	Lamoille	122	-	1	-	1	9	3	-	6	4	83	83	24	-	56	4
71	Orange	207	3	-	-	1	32	10	4	18	2	120	118	26	-	80	-
72	Orleans	239	1	-	-	1	40	20	4	16	3	129	127	39	-	77	1
73	Rutland	572	5	-	1	1	114	37	19	58	7	342	340	76	-	244	6
74	Rutland	254	1	-	-	-	45	15	6	24	3	157	156	40	-	109	2
75	Balance of county	318	4	-	1	1	69	22	13	34	4	185	184	36	-	135	4
76	Washington	448	17	-	-	1	65	21	10	34	4	259	255	59	-	180	4
77	Barre	116	8	-	-	-	19	5	3	11	-	65	63	15	-	42	-
78	Balance of county	332	9	-	-	1	46	16	7	23	4	194	192	44	-	138	4
79	Windham	333	2	-	-	1	43	13	6	24	5	192	184	49	-	117	4
80	Windsor	427	4	1	-	3	67	23	6	38	5	239	237	58	1	154	1

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
48	10	22	1	-	2	1	6	-	5	3	1	-	6	18	4	10	10	4	3	16	1
8	7	8	-	2	-	2	3	-	-	2	-	-	1	2	-	6	2	-	1	4	2
185	26	22	2	4	4	10	22	3	5	2	1	-	15	35	23	37	26	5	5	42	3
140	18	15	1	3	2	6	14	2	4	2	1	-	14	30	13	22	21	4	5	34	4
45	8	7	1	1	2	4	8	1	1	-	-	-	1	5	10	15	5	1	-	8	5
41	4	4	4	-	-	1	6	2	3	1	-	-	-	3	9	7	6	1	-	10	6
28	-	4	4	-	-	1	3	1	1	1	-	-	-	3	9	4	5	1	-	7	7
13	4	-	-	-	-	-	3	1	2	-	-	-	-	-	-	3	1	-	-	3	8
14	2	8	-	1	3	3	13	-	7	1	-	1	5	13	2	7	7	1	1	10	9
86	11	22	2	2	2	10	9	3	6	4	1	1	4	17	8	21	9	2	-	24	10
14	9	12	-	2	-	-	5	-	1	-	-	1	3	4	5	13	2	1	-	3	11
8	-	3	-	-	1	1	1	1	1	1	-	-	3	8	6	5	3	-	-	4	12
35	7	15	2	12	2	2	3	-	1	2	-	-	2	3	5	9	12	-	-	10	13
51	9	11	1	5	2	4	3	2	-	2	-	-	2	6	3	5	2	3	-	13	14
11	-	1	-	-	-	-	-	-	2	-	-	-	2	4	-	5	1	1	-	3	15
47	3	9	-	2	2	1	4	1	2	1	-	-	1	7	5	8	7	1	-	10	16
1	-	3	-	-	-	-	3	-	-	-	-	-	1	-	1	1	1	-	-	-	17
8	6	3	-	1	-	1	5	-	5	1	-	-	-	10	5	8	2	-	1	12	18
1,163	230	322	25	88	55	55	127	38	22	52	6	6	112	321	257	192	268	70	22	394	19
681	134	126	19	50	26	26	71	22	9	41	2	1	64	178	191	94	129	36	15	213	20
482	96	196	6	38	29	29	56	16	13	11	4	5	48	143	66	98	139	34	7	181	21
7	-	5	-	-	-	1	-	-	-	-	-	-	1	2	1	3	-	-	-	2	22
22	8	10	1	2	1	1	3	-	1	-	-	-	3	7	3	6	9	2	-	14	23
56	12	25	1	6	2	5	1	2	-	-	-	-	7	12	5	3	6	2	-	13	24
28	4	7	-	2	1	3	1	1	-	-	-	-	2	7	1	-	1	-	-	9	25
28	8	18	1	4	1	2	-	1	-	-	-	-	5	5	4	3	5	2	-	4	26
34	6	12	-	2	5	3	5	2	-	1	-	-	4	8	2	6	15	4	-	15	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	28
48	11	11	2	2	2	1	4	1	1	-	-	-	6	11	2	8	10	4	-	18	29
8	2	7	-	1	-	-	-	-	-	-	-	-	-	3	1	-	4	3	-	5	30
10	1	4	2	-	2	-	4	1	-	-	1	-	-	2	1	-	3	2	-	6	31
9	1	-	-	1	-	-	-	-	-	-	-	1	-	4	3	1	1	-	-	2	32
6	1	-	-	-	-	1	2	-	-	-	1	-	-	3	-	2	2	1	1	-	33
16	4	4	-	-	-	5	4	-	2	1	1	-	1	2	2	4	2	2	2	2	34
12	-	6	-	-	-	1	-	-	-	-	-	-	1	2	3	-	5	2	1	6	35
7	-	3	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	36
8	3	5	-	1	-	1	1	1	1	1	1	-	2	3	7	1	6	-	-	5	37
7	2	1	-	1	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-	1	38
1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	40
524	97	116	14	35	21	19	53	18	6	35	1	1	51	142	163	71	93	29	11	177	41
405	76	91	13	30	17	8	37	16	6	33	-	-	33	102	133	42	65	18	6	130	42
119	21	25	1	5	4	11	16	2	-	2	1	1	18	40	30	29	28	11	5	47	43
4	-	2	-	-	2	-	2	-	3	-	-	-	2	5	6	11	4	1	2	2	44
33	7	9	-	4	-	-	2	2	-	2	-	-	-	7	7	1	4	2	-	5	45
11	4	12	-	-	1	1	4	1	1	-	-	-	-	5	-	3	3	1	-	6	46
11	1	5	-	1	2	-	-	-	-	1	-	-	3	2	2	3	6	1	-	6	47
21	6	5	-	1	-	1	3	2	2	-	-	-	1	7	2	6	7	2	1	11	48
7	6	11	-	1	-	-	3	-	2	-	-	1	1	6	3	5	7	1	-	7	49
105	12	41	-	9	10	6	14	2	-	4	-	2	11	43	9	23	36	1	-	46	50
35	4	7	-	5	3	-	11	-	-	-	-	1	6	11	1	5	12	1	-	21	51
70	8	34	-	4	7	6	3	2	-	4	-	1	5	32	8	18	24	-	-	25	52
16	1	2	-	-	2	1	-	-	-	-	-	-	1	2	1	2	4	-	-	3	53
19	6	13	-	4	-	1	2	-	-	-	-	1	3	3	3	7	3	1	-	4	54
3	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	55
157	37	10	5	15	5	7	18	4	3	6	1	-	13	36	28	23	36	7	4	36	56
129	29	8	4	12	5	3	16	4	3	6	1	-	11	30	22	8	22	3	4	29	57
28	8	2	1	3	-	4	2	-	-	-	-	-	2	6	6	15	14	4	-	7	58
1,207	148	245	44	143	27	33	106	32	15	27	5	3	55	169	61	82	141	50	2	285	59
1,207	148	245	44	143	27	33	106	32	15	27	5	3	55	169	61	82	141	50	2	285	60
55	11	18	4	10	-	-	9	2	1	1	-	-	4	2	2	6	7	4	-	13	61
108	10	16	2	5	1	1	9	2	1	1	-	-	2	5	2	6	6	7	1	16	62
86	10	8	1	15	2	4	4	2	1	1	1	2	3	15	7	11	6	3	-	11	63
168	28	29	10	22	6	4	9	4	5	5	-	1	10	40	19	11	27	9	-	50	64
98	17	18	3	12	2	2	7	2	1	4	-	1	4	19	14	4	9	2	-	29	65
70	11	11	7	10	4	2	2	2	4	1	-	-	6	21	5	7	18	7	-	21	66
16	3	4	3	1	-	-	5	1	1	1	-	-	2	1	1	3	4	-	1	9	67
93	9	24	-	19	2	4	12	3	-	1	2	-	3	16	2	7	13	3	-	28	68
6	2	8	-	5	2	-	-	-	1	-	-	-	1	1	1	1	1	-	-	2	69
42	1	9	-	2	1	-	3	-	-	1	-	-	2	5	1	2	4	1	-	5	70
56	6	18	1	9	2	2	5	2	-	1	-	-	4	3	1	3	7	3	-	20	71
60	6	10	3	8	-	2	6	1	-	1	-	-	5	19	-	7	9	-	-	17	72
197	17	24	2	14	4	2	7	6	1	7	1	-	9	20	6	5	13	4	-	23	73
86	10	11	1	6	-	1	3	5	1	3	-	-	7	10	3	-	5	3	-	8	74
111	7	13	1	8	4	1	4	1	-	4	1	-	2	10	3	5	8	1	-	15	75
136	19	21	2	12	2	4	13	5	1	4	-	-	6	16	2	4	9	5	-	37	76
35	2	5	-	5	1	2	3	2	-	-	-	-	2	5	-	-	2	3	-	7	77
101	17	16	2	7	1	2	10	3	1	4	-	-	4	11	2	4	7	2	-	30	78
78	10	25	10	7	1	8	9	1	2	3	1	-	-	17	12	4	16	5	-	20	79
106	16	31	6	14	4	2	15	3	1	-	-	-	4	9	5	12	19	6	-	34	80

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	VIRGINIA[6]	30,215	371	118	10	174	4,030	1,310	514	2,206	403	16,245	15,862	3,849	29	10,716	285
2	Metropolitan counties	10,820	120	48	6	55	1,582	481	230	871	155	5,697	5,596	1,317	11	3,803	104
3	Nonmetropolitan counties	19,395	251	70	4	119	2,448	829	284	1,335	248	10,548	10,266	2,532	18	6,913	181
4	Accomack	409	10	4	-	2	47	16	6	25	4	225	219	57	-	148	2
5	Albemarle	268	4	-	-	-	27	8	3	16	1	147	145	36	-	98	2
6	Alleghany	103	-	-	-	-	10	5	2	3	-	63	61	12	-	45	-
7	Amelia	94	2	-	-	1	8	1	1	6	-	57	55	18	-	33	-
8	Amherst	164	1	1	-	-	22	7	1	14	4	93	92	27	1	57	1
9	Appomattox	95	1	-	-	1	9	4	1	4	2	48	46	9	-	34	-
10	Arlington[2]	846	6	2	1	4	173	59	23	91	6	392	389	72	-	293	9
11	Augusta	325	3	-	-	1	53	15	3	35	3	172	169	41	-	122	9
12	Bath	62	-	1	-	-	5	3	1	1	3	35	33	6	-	22	2
13	Bedford	302	2	-	-	1	43	20	5	18	3	178	172	53	1	112	16
14	Bland	43	-	-	-	1	7	3	-	4	-	21	20	5	-	12	-
15	Botetourt	184	4	1	-	2	15	8	2	5	1	109	109	30	-	74	2
16	Brunswick	186	2	2	-	3	10	7	-	3	1	120	119	27	-	81	2
17	Buchanan	217	2	-	-	7	20	7	2	11	1	70	67	16	-	46	3
18	Buckingham	140	1	3	-	3	15	5	1	9	2	82	82	30	-	46	1
19	Campbell	288	2	-	-	2	44	21	7	16	5	155	150	43	-	100	1
20	Caroline	134	2	-	-	-	18	12	-	6	-	66	65	14	-	46	1
21	Carroll	195	4	-	-	2	30	9	3	18	3	105	102	26	-	66	1
22	Charles City	52	2	-	-	2	5	3	1	1	1	31	28	10	-	17	-
23	Charlotte	142	2	1	-	1	17	5	1	11	1	76	73	18	-	45	1
24	Chesterfield	306	4	-	-	3	45	15	7	23	3	160	156	31	2	108	5
25	Clarke	85	-	-	-	-	8	3	-	5	2	46	45	7	-	36	1
26	Craig	35	-	1	-	-	4	1	1	2	-	22	20	5	-	13	-
27	Culpeper	169	-	-	-	2	23	6	1	16	4	99	98	14	-	78	4
28	Cumberland	74	-	-	-	-	15	10	1	4	-	38	38	13	-	24	-
29	Dickenson	123	-	-	-	2	20	5	5	10	1	49	48	5	1	35	-
30	Dinwiddie	155	2	2	-	-	13	8	1	4	2	94	91	20	-	61	-
31	Essex	92	1	-	-	-	14	6	5	3	-	43	43	8	1	29	1
32	Fairfax	627	6	-	2	3	90	29	13	48	11	288	286	66	1	198	3
33	Fauquier	233	2	-	-	1	35	11	-	24	5	132	131	37	-	88	1
34	Floyd	91	-	-	-	1	13	4	2	7	2	45	43	12	1	28	2
35	Fluvanna	62	1	-	-	1	2	1	-	1	1	43	43	14	-	23	1
36	Franklin	199	3	-	-	2	22	6	4	12	5	102	100	31	-	62	1
37	Frederick	146	1	-	-	2	20	9	2	9	2	88	85	21	-	58	-
38	Giles	146	-	1	-	1	17	8	2	7	2	72	71	13	-	52	2
39	Gloucester	122	1	1	-	-	19	5	3	11	2	71	69	18	-	46	-
40	Goochland	71	2	-	-	-	9	4	1	4	2	43	42	14	-	28	1
41	Grayson	168	2	-	1	3	21	8	2	11	2	97	95	15	-	74	8
42	Greene	46	1	-	-	-	11	5	-	6	-	22	22	6	-	15	-
43	Greensville	136	2	-	-	3	18	5	4	9	-	67	65	20	-	41	-
44	Halifax	341	3	2	-	3	40	13	3	24	4	189	183	47	-	120	4
45	Hanover	219	3	2	-	1	28	9	4	15	3	123	122	39	-	74	-
46	Henrico	423	4	-	1	2	71	22	12	37	6	235	229	48	-	160	3
47	Henry	227	1	-	-	1	25	6	4	15	5	99	95	17	-	70	3
48	Highland	42	-	-	-	-	10	4	-	6	-	22	22	6	1	15	3
49	Isle of Wight	193	6	1	-	-	32	11	6	15	1	100	97	33	-	56	2
50	James City	68	-	-	-	-	7	1	1	5	1	32	31	8	-	19	1
51	King and Queen	71	1	-	-	-	14	5	2	7	1	37	35	14	-	18	-
52	King George	49	1	-	-	-	8	3	-	5	1	22	22	4	-	16	-
53	King William	84	2	-	-	-	18	7	2	9	-	45	44	12	-	27	-
54	Lancaster	99	3	-	-	2	8	2	2	4	1	62	61	12	-	35	-
55	Lee	237	7	2	-	5	41	14	6	21	4	113	108	15	1	81	5
56	Loudoun	234	4	-	-	2	28	11	2	15	1	139	135	24	-	100	3
57	Louisa	168	-	-	-	-	16	9	-	7	3	109	105	27	-	62	-
58	Lunenburg	127	2	1	-	-	16	7	-	9	-	71	71	19	-	43	2
59	Madison	77	3	1	-	-	13	8	-	5	1	37	35	6	-	24	-
60	Mathews	109	-	-	-	1	13	6	1	6	-	80	80	16	-	56	1
61	Mecklenburg	283	1	-	-	3	36	13	2	21	2	151	150	45	-	94	2
62	Middlesex	75	-	-	-	-	10	6	-	4	-	50	44	14	-	25	-
63	Montgomery	237	3	-	-	2	33	10	3	20	1	139	130	28	-	94	1
64	Nansemond	293	10	1	-	1	22	8	-	14	5	162	151	59	-	82	-
65	Nelson	137	-	-	-	1	9	2	1	6	5	85	85	18	-	64	2
66	New Kent	55	-	1	-	-	5	3	-	2	2	27	27	5	-	18	-
67	Norfolk	391	5	-	-	2	48	9	8	31	4	173	170	37	-	126	2
68	Northampton	241	4	1	-	1	34	13	5	16	3	131	123	38	-	72	1
69	Northumberland	104	2	-	-	1	12	6	2	4	1	71	70	18	-	42	-
70	Nottoway	167	4	1	-	-	14	6	-	8	4	101	100	26	-	63	1
71	Orange	146	2	-	-	-	20	9	4	7	2	78	78	18	-	46	-
72	Page	172	3	-	-	1	20	6	5	9	1	111	105	20	2	77	3
73	Patrick	119	1	-	-	-	12	3	1	8	2	60	59	11	-	44	3
74	Pittsylvania	476	5	2	-	2	42	9	3	30	7	270	261	56	1	177	6
75	Powhatan	51	1	1	-	-	8	3	1	4	1	29	27	9	-	11	-
76	Prince Edward	142	2	1	-	1	10	3	3	4	3	79	75	24	-	38	-
77	Prince George	91	-	-	-	-	13	3	2	8	2	42	41	14	-	20	1
78	Prince William	210	6	-	-	1	27	6	6	15	4	90	87	22	-	58	6
79	Princess Anne	332	4	3	-	2	47	15	8	24	4	156	155	33	1	110	2
80	Pulaski	210	3	-	-	1	25	10	3	12	3	118	116	27	-	79	-
81	Rappahannock	81	-	-	-	1	9	3	-	6	2	50	50	14	-	35	-
82	Richmond	65	1	-	-	-	7	3	1	3	2	40	37	10	-	23	1
83	Roanoke	353	2	1	-	1	48	18	4	26	2	196	193	42	1	137	10
84	Rockbridge	235	5	-	-	2	38	11	11	16	8	118	113	26	-	77	4
85	Rockingham	306	4	4	1	1	32	12	2	18	4	179	173	37	-	123	2
86	Russell	192	1	-	-	3	27	6	5	16	3	95	95	18	-	66	-
87	Scott	189	5	-	-	1	19	9	1	9	-	103	103	15	-	82	4

[2]Classified as urban under a special rule.
[6]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
6,660	1,896	1,875	228	760	280	383	937	155	165	220	58	57	445	1,691	329	830	1,190	418	292	2,077	1
2,432	716	551	71	293	101	101	307	58	52	107	14	17	193	660	84	244	393	146	104	778	2
4,228	1,180	1,324	157	467	179	282	630	97	113	113	44	40	252	1,031	245	586	797	272	188	1,299	3
86	26	34	1	8	5	6	15	2	6	-	1	3	5	17	6	13	18	3	5	23	4
57	13	26	1	7	3	2	9	-	1	2	-	-	5	16	3	6	22	9	1	15	5
24	15	6	4	-	-	2	6	1	2	-	-	-	1	8	-	2	5	-	1	4	6
26	5	2	3	-	1	2	4	1	1	1	1	-	-	4	-	3	4	1	1	5	7
40	8	8	1	5	1	1	6	-	-	1	-	1	1	11	4	3	3	3	1	9	8
13	16	5	-	3	-	2	5	-	-	-	-	-	1	5	-	8	3	1	5	6	9
229	33	22	5	11	8	3	20	5	7	8	1	1	21	63	9	16	31	19	1	60	10
76	12	25	2	-	4	3	10	4	-	3	1	-	3	15	1	7	9	12	1	27	11
10	3	7	-	3	2	2	2	-	1	-	-	-	-	6	-	2	4	-	-	3	12
65	14	17	2	3	1	6	20	-	1	1	-	-	4	13	1	5	13	3	3	11	13
7	2	3	-	2	1	1	1	1	-	-	-	1	-	1	1	2	1	-	-	6	14
42	7	23	-	3	2	-	7	-	1	-	-	-	1	5	-	12	7	4	2	13	15
41	18	20	1	10	-	1	3	-	3	-	-	1	4	12	2	7	5	5	3	3	16
21	10	12	1	-	4	3	11	1	3	-	-	1	6	23	5	17	20	4	2	24	17
35	5	5	2	3	1	-	4	-	1	-	-	-	1	4	1	3	4	-	1	15	18
53	20	26	2	5	-	5	11	1	-	-	-	-	3	21	6	11	11	2	1	13	19
27	4	14	1	3	1	1	4	1	1	1	-	-	2	2	5	6	8	3	4	11	20
40	9	16	1	6	3	3	1	-	1	1	1	-	3	9	2	9	8	2	-	14	21
8	4	5	1	-	-	3	2	-	-	-	1	-	1	-	-	1	2	-	2	2	22
30	6	8	1	7	2	3	7	-	-	-	-	-	2	10	2	6	8	-	1	8	23
79	11	13	4	11	-	4	7	1	2	3	-	-	11	16	1	8	14	6	3	19	24
21	3	11	-	2	-	1	6	-	-	1	-	-	-	8	-	2	5	1	-	6	25
6	1	6	-	1	1	2	1	-	-	-	-	-	-	1	-	-	1	1	-	4	26
46	11	17	1	5	-	1	5	1	-	-	-	-	1	7	-	9	4	3	1	10	27
16	1	7	-	1	-	-	2	-	-	-	-	-	1	5	1	4	-	3	-	5	28
12	10	13	1	4	2	1	6	2	1	-	-	-	3	9	1	2	8	2	4	13	29
36	13	12	2	7	1	3	5	1	-	1	-	1	-	8	2	7	6	3	1	7	30
15	8	5	-	4	1	-	2	-	-	1	-	-	1	3	7	1	7	3	-	9	31
144	27	24	3	13	5	2	18	5	-	12	2	1	17	48	16	24	25	9	5	45	32
66	9	12	-	5	1	1	8	-	-	2	1	1	1	8	-	8	12	4	3	10	33
15	4	7	-	2	-	2	3	2	-	-	1	-	5	3	2	3	4	-	-	7	34
12	1	9	1	2	3	-	1	-	-	-	-	-	-	5	1	1	4	-	-	2	35
30	18	13	1	4	2	2	10	2	-	1	-	1	2	15	7	6	5	3	2	11	36
39	5	14	1	3	2	3	3	-	-	1	1	-	1	4	-	5	5	1	-	12	37
36	6	8	-	3	3	1	5	2	-	2	-	-	5	12	1	6	4	4	-	12	38
26	14	6	1	4	-	2	3	1	-	1	3	-	2	1	-	2	5	-	1	9	39
11	1	15	-	-	-	1	-	-	3	-	-	-	-	-	1	2	3	2	1	3	40
24	4	38	-	5	1	2	8	2	2	-	-	-	3	4	4	3	3	2	2	9	41
5	3	7	-	-	1	-	-	-	-	-	-	-	-	2	3	1	2	2	1	1	42
28	6	7	1	2	1	2	5	1	-	2	-	-	1	11	7	4	3	2	-	10	43
74	21	21	3	10	3	6	15	1	2	-	-	4	1	24	3	8	12	2	7	21	44
42	16	16	2	6	1	1	10	-	1	3	-	1	-	11	2	7	8	2	-	14	45
97	37	23	3	14	4	6	11	2	1	3	1	-	8	17	-	12	12	10	2	25	46
42	10	15	2	4	2	4	9	-	2	1	-	1	5	23	7	20	7	7	3	11	47
5	5	2	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	7	48
31	17	6	1	6	1	3	5	1	-	-	1	2	2	7	2	6	12	1	3	11	49
11	3	4	-	3	1	1	6	-	1	2	1	-	2	6	-	-	2	-	2	6	50
12	1	5	1	2	-	2	1	-	-	-	1	-	1	5	1	2	1	-	-	6	51
13	-	3	-	2	-	-	-	1	1	-	-	-	-	5	4	4	1	-	-	1	52
13	4	10	1	1	3	1	3	1	1	-	-	-	1	2	1	-	6	-	-	4	53
24	6	5	3	8	3	1	2	-	2	-	2	-	-	2	2	3	6	1	1	2	54
42	14	20	1	7	3	5	11	2	6	2	-	-	4	6	2	3	10	1	4	14	55
72	19	6	5	2	4	4	10	-	1	3	-	-	2	8	2	5	16	3	3	7	56
33	9	20	3	12	1	4	6	2	1	1	-	-	1	6	3	6	4	2	2	6	57
23	7	11	-	7	2	-	3	-	1	1	1	1	3	3	-	3	5	3	6	7	58
19	3	2	1	4	-	2	3	1	-	1	-	-	-	2	-	6	3	2	1	3	59
44	4	7	1	6	1	-	-	1	-	-	-	-	1	1	1	1	5	-	2	3	60
53	13	26	5	5	1	1	13	1	1	2	-	4	1	22	6	7	8	6	5	14	61
14	5	6	-	4	1	6	4	-	-	-	-	-	-	1	-	3	5	-	-	2	62
65	17	11	1	5	2	9	5	2	1	2	1	-	3	6	2	8	7	5	1	16	63
49	12	21	1	6	3	11	9	3	3	-	1	1	5	20	5	12	11	2	5	15	64
43	13	6	-	2	1	-	3	-	2	-	-	-	2	3	1	2	7	3	2	12	65
11	5	2	-	2	2	-	-	-	-	-	-	-	1	3	1	4	2	1	1	7	66
65	45	14	2	4	1	3	18	2	3	3	1	-	9	49	2	12	20	6	9	25	67
47	15	9	4	7	2	8	6	-	3	1	-	1	1	7	5	11	10	1	4	17	68
21	12	9	-	10	-	1	1	1	-	1	-	-	-	4	1	1	1	1	2	4	69
47	6	9	3	8	-	1	7	1	-	1	3	1	-	4	3	3	3	2	1	14	70
25	5	16	3	9	2	-	4	1	3	1	-	-	1	4	3	3	8	1	3	12	71
36	16	22	-	2	4	6	4	-	1	-	1	-	-	7	1	6	3	4	-	9	72
17	14	10	1	1	2	1	3	3	-	2	-	1	-	9	2	8	6	1	-	9	73
102	33	36	6	20	1	9	14	1	2	2	1	1	9	25	10	20	17	7	5	34	74
9	1	1	2	3	2	2	2	-	-	-	-	-	1	1	2	1	1	1	-	2	75
27	4	7	2	9	2	4	6	1	2	2	-	-	-	6	-	7	11	2	-	9	76
9	5	5	1	6	-	1	4	3	-	1	1	-	1	8	1	4	3	3	-	5	77
31	11	10	1	6	-	3	9	-	-	2	-	1	4	19	2	15	11	6	-	13	78
74	13	21	-	8	3	1	11	2	2	4	-	1	7	30	4	14	13	5	1	22	79
47	16	16	-	5	5	2	5	-	1	1	1	1	5	6	1	10	10	4	1	14	80
22	4	9	-	1	-	-	-	1	1	-	-	-	1	5	1	2	2	1	-	5	81
9	9	4	-	3	1	3	3	-	-	-	-	1	-	6	-	2	2	-	-	1	82
90	22	15	2	8	3	3	6	1	1	1	-	-	7	11	4	17	15	8	1	31	83
47	8	18	2	6	2	5	18	-	-	1	-	-	2	7	1	7	6	5	3	14	84
70	21	30	4	4	5	6	5	-	1	1	1	-	5	22	4	7	10	5	-	20	85
41	17	8	3	3	5	-	8	2	1	2	2	-	2	9	3	10	9	-	-	15	86
51	8	19	-	4	2	-	9	-	2	1	2	-	7	5	3	5	9	2	3	13	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[6]—Continued																
1	Shenandoah	202	3	2	-	1	21	9	2	10	3	133	126	36	-	80	2
2	Smyth	248	3	-	-	1	32	11	3	18	10	137	133	37	1	86	4
3	Southampton	247	6	2	-	1	34	12	2	20	1	144	137	30	-	97	2
4	Spotsylvania	109	2	3	-	1	14	4	1	9	-	60	58	12	1	39	-
5	Stafford	127	1	-	-	1	15	3	3	9	1	68	68	24	-	40	-
6	Surry	64	3	-	-	1	9	-	1	8	-	34	31	10	-	17	-
7	Sussex	112	2	-	-	2	13	5	1	7	2	61	59	15	-	37	2
8	Tazewell	377	2	2	-	2	46	13	6	27	3	181	175	31	-	130	6
9	Warren	141	-	-	-	1	18	8	1	9	3	81	80	20	-	53	2
10	Washington	306	3	-	-	1	43	16	8	19	3	161	156	41	1	104	-
11	Westmoreland	157	-	-	-	-	18	4	2	12	-	97	95	29	-	58	-
12	Wise	356	8	4	1	3	64	25	11	28	7	159	153	43	1	108	3
13	Wythe	213	3	2	-	2	23	6	1	16	1	123	121	30	1	89	2
14	York	118	1	1	-	-	14	4	2	8	-	61	61	13	-	42	-
	Independent Cities[7]																
15	Alexandria	584	12	3	1	4	107	26	14	67	9	268	264	53	-	192	7
16	Bristol[8]	113	1	-	-	2	16	5	1	10	-	56	54	13	-	37	1
17	Buena Vista	42	-	-	-	-	6	3	-	3	-	16	16	4	-	12	1
18	Charlottesville	243	5	-	1	1	38	14	7	17	3	123	120	26	-	85	1
19	Clifton Forge	65	-	-	-	1	6	3	1	2	1	39	38	9	-	23	-
20	Colonial Heights	59	-	-	-	-	14	2	2	10	1	33	33	10	-	20	-
21	Covington[9]	98	-	-	-	-	17	3	1	13	2	59	58	9	-	44	-
22	Danville	419	3	-	-	2	43	8	7	28	5	230	224	55	-	150	3
23	Falls Church	112	-	-	-	-	24	5	3	16	1	46	45	4	-	37	2
24	Fredericksburg	115	2	-	-	-	18	8	1	9	3	54	54	13	-	38	1
25	Galax[10]	24	-	-	-	-	3	1	1	1	-	12	12	2	-	10	1
26	Hampton[11]	483	6	4	-	1	61	14	12	35	5	242	232	49	-	169	3
27	Harrisonburg	114	1	-	-	1	15	6	1	8	3	62	58	14	1	40	-
28	Hopewell	108	2	-	-	-	15	6	1	8	2	51	47	13	-	28	-
29	Lynchburg	482	4	1	-	2	74	19	5	50	6	274	270	76	1	174	3
30	Martinsville	123	3	-	-	-	14	4	1	9	1	58	57	8	-	47	2
31	Newport News	461	7	2	-	2	51	12	8	31	5	227	222	54	-	152	-
32	Norfolk	2,177	31	17	-	12	275	86	37	152	28	1,174	1,152	300	1	740	18
33	Norton[12]	46	-	-	-	1	10	5	3	2	1	20	19	-	-	17	2
34	Petersburg	407	6	3	-	2	49	10	9	30	5	241	238	56	1	170	4
35	Portsmouth	789	7	3	-	10	92	26	18	48	13	435	429	119	2	278	4
36	Radford	77	1	-	-	-	7	2	-	5	4	44	44	3	-	38	2
37	Richmond	2,731	24	13	-	7	395	126	60	209	49	1,546	1,510	369	3	1,009	26
38	Roanoke	959	12	4	1	5	143	37	20	86	11	534	524	122	-	349	11
39	South Norfolk	190	3	2	-	-	24	8	3	13	8	94	94	21	-	66	2
40	Staunton	196	2	-	-	-	31	8	2	21	1	117	115	20	-	89	1
41	Suffolk	141	5	-	-	-	18	5	1	12	2	73	72	16	-	55	-
42	Virginia Beach[13]	60	-	-	-	-	10	4	1	5	1	30	29	5	-	23	1
43	Warwick[14]	263	2	2	-	1	33	7	2	24	3	125	123	37	-	76	1
44	Waynesboro	93	1	1	-	-	15	5	2	8	-	50	50	11	-	34	1
45	Williamsburg	43	-	-	-	-	8	4	-	4	-	26	26	5	-	18	1
46	Winchester	165	2	2	-	1	22	8	3	11	-	101	100	31	-	63	2
47	WASHINGTON	24,517	162	64	13	86	3,959	1,405	465	2,089	363	13,390	13,212	2,899	12	9,353	325
48	Metropolitan counties	14,158	104	44	9	58	2,377	843	289	1,245	183	7,762	7,683	1,617	6	5,491	193
49	Nonmetropolitan counties	10,359	58	20	4	28	1,582	562	176	844	180	5,628	5,529	1,282	6	3,862	132
50	Adams	62	-	-	-	-	10	4	-	6	-	39	39	9	-	25	1
51	Asotin	143	1	1	-	-	19	3	2	14	1	75	75	14	-	56	2
52	Benton	298	1	-	-	3	45	14	4	27	4	131	128	29	-	91	3
53	Kennewick	100	-	-	-	3	18	6	1	11	3	42	41	7	-	31	1
54	Balance of county	198	1	-	-	-	27	8	3	16	1	89	87	22	-	60	2
55	Chelan	356	2	-	-	1	63	18	12	33	4	189	186	37	-	130	8
56	Wenatchee	178	1	-	-	1	38	13	5	20	2	95	93	18	-	64	3
57	Balance of county	178	1	-	-	-	25	5	7	13	2	94	93	19	-	66	5
58	Clallam	247	1	-	-	-	28	8	6	14	6	141	135	29	-	95	-
59	Port Angeles	112	1	-	-	-	14	4	3	7	3	71	68	15	-	49	-
60	Balance of county	135	-	-	-	-	14	4	3	7	3	70	67	14	-	46	-
61	Clark	799	2	-	1	2	152	56	23	73	12	461	454	93	-	322	5
62	Vancouver	415	1	-	1	1	76	24	15	37	7	242	236	45	-	172	2
63	Balance of county	384	1	-	-	1	76	32	8	36	5	219	218	48	-	150	3
64	Columbia	67	-	1	-	-	6	3	-	3	1	41	41	9	-	28	-
65	Cowlitz	419	2	-	-	6	67	23	6	38	9	206	201	44	-	151	10
66	Longview	159	1	-	-	2	23	8	1	14	2	87	85	23	-	62	5
67	Balance of county	260	1	-	-	4	44	15	5	24	7	119	116	21	-	89	5
68	Douglas	70	-	-	-	-	15	8	2	5	1	37	36	16	-	18	2
69	Ferry	36	-	1	-	-	6	-	2	4	-	23	22	7	-	14	1
70	Franklin	147	-	-	-	-	17	6	2	9	2	72	72	16	-	56	2
71	Pasco	112	-	-	-	-	11	3	2	6	1	62	62	15	-	47	2
72	Balance of county	35	-	-	-	-	6	3	-	3	1	10	10	1	-	9	-
73	Garfield	28	-	-	-	-	9	3	-	6	-	11	11	3	-	8	-
74	Grant	189	1	-	-	2	23	5	3	15	5	82	81	9	-	69	3
75	Grays Harbor	594	4	-	-	-	83	28	6	49	5	340	330	72	-	241	5
76	Aberdeen	233	2	-	-	-	30	9	3	18	2	139	136	28	-	99	2
77	Hoquiam	111	1	-	-	-	18	8	-	10	2	76	76	13	-	60	-
78	Balance of county	250	1	-	-	-	35	11	3	21	1	125	118	31	-	82	3
79	Island	126	1	1	-	-	25	9	3	13	-	69	69	19	1	46	1
80	Jefferson	115	1	-	-	-	24	12	3	9	3	57	57	12	1	40	1

[6] Independent cities have the same status as counties and are listed after counties.

[7] Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.

[8] Includes data for Bristol, Va., only.

[9] Covington, formerly a town in Alleghany County, shown as an independent city beginning with 1953.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-genital mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
43	14	21	2	7	1	7	2	2	1	2	-	-	2	4	1	5	4	3	-	13	1
68	5	9	2	5	2	4	11	1	1	-	1	-	7	5	1	8	10	3	-	17	2
49	31	15	3	4	3	7	11	-	-	2	-	1	1	6	3	8	8	4	3	12	3
28	4	7	2	2	2	2	3	1	1	-	-	-	1	5	-	6	4	4	-	4	4
28	6	6	-	3	1	-	3	2	-	1	-	-	2	12	2	7	5	1	-	6	5
5	5	7	2	1	1	3	-	-	1	-	-	1	3	3	-	3	2	-	-	4	6
19	11	5	2	3	2	2	1	-	-	-	-	-	1	7	1	7	7	1	2	5	7
83	26	15	2	10	2	6	16	2	3	1	-	-	10	23	5	8	26	9	3	35	8
28	5	18	3	3	1	1	5	2	1	1	-	-	1	8	-	2	3	4	-	11	9
73	12	19	3	4	3	5	15	1	1	1	1	1	4	20	5	5	14	5	4	18	10
31	9	18	-	7	1	2	4	1	2	2	1	-	2	16	1	5	3	1	-	4	11
78	15	12	-	-	1	6	7	-	6	2	-	2	3	25	5	14	15	4	5	22	12
55	12	20	-	-	1	2	5	-	-	-	-	-	5	13	2	3	6	3	-	22	13
31	10	1	3	2	1	-	7	-	-	1	-	-	-	10	-	5	11	-	2	5	14
139	32	14	4	10	5	4	9	2	4	4	-	-	11	52	3	14	23	11	8	39	15
24	5	7	-	3	1	2	4	-	-	2	1	-	5	4	1	2	7	-	1	11	16
9	-	2	-	-	-	-	-	1	-	1	-	-	2	-	-	2	3	1	-	10	17
59	11	14	-	5	4	3	13	1	-	1	-	1	-	10	2	7	7	5	3	22	18
13	8	2	1	4	1	1	1	-	-	-	-	-	1	5	1	1	2	1	-	6	19
16	2	2	-	1	2	-	-	-	-	-	-	-	2	1	1	1	-	1	-	5	20
33	4	7	1	1	3	1	1	1	2	-	-	-	1	1	-	1	4	2	-	7	21
87	39	21	5	12	2	6	18	4	1	4	2	-	8	19	7	10	17	3	9	34	22
24	8	3	-	2	2	1	3	1	-	1	-	-	5	12	1	4	3	1	-	10	23
34	2	1	2	-	1	-	1	1	-	4	-	1	3	7	2	2	6	1	-	10	24
6	-	3	-	-	-	-	3	-	-	-	1	-	-	1	-	-	1	1	-	2	25
110	31	25	2	8	4	10	14	5	2	5	2	-	12	39	1	7	22	9	6	40	26
31	6	3	-	2	1	4	1	1	-	2	-	-	-	5	-	3	5	3	1	11	27
20	5	3	2	4	-	4	3	-	-	2	-	-	3	8	2	3	5	-	2	10	28
104	38	29	5	11	3	4	12	2	2	4	-	1	3	25	2	6	16	3	7	38	29
29	12	4	1	1	-	1	1	-	-	1	-	-	2	10	7	2	7	2	3	12	30
98	33	21	2	7	7	5	12	4	5	5	2	-	5	37	19	4	24	3	7	40	31
443	144	135	19	70	22	22	69	9	11	24	2	7	33	159	3	42	78	22	29	152	32
10	4	1	-	2	-	1	1	-	2	-	-	-	1	6	1	-	1	-	-	2	33
125	31	10	3	5	3	3	9	1	5	7	-	-	1	26	-	2	11	6	3	30	34
149	62	63	9	10	11	6	33	2	9	9	-	5	12	42	2	9	40	12	11	43	35
23	7	6	1	2	-	-	-	2	-	-	-	-	1	4	-	2	6	-	1	5	36
632	217	134	11	94	24	36	74	15	7	28	2	2	31	114	31	51	90	24	26	202	37
229	51	58	6	34	13	10	24	10	3	5	3	-	19	29	8	19	20	11	7	91	38
38	14	12	3	4	-	-	4	1	2	2	2	-	2	18	-	2	9	2	1	14	39
64	12	12	3	2	1	2	1	1	1	1	-	-	1	4	1	2	12	1	-	20	40
29	14	12	-	-	1	1	4	1	-	-	-	-	4	6	-	5	3	1	2	17	41
16	2	4	1	-	-	1	1	-	1	-	1	-	1	5	-	2	3	-	1	4	42
56	13	6	5	5	-	2	8	-	2	-	-	1	8	28	3	6	16	4	2	19	43
26	3	4	3	-	2	-	-	1	1	1	-	-	1	8	-	3	3	2	-	6	44
10	4	3	-	3	-	-	-	-	-	-	1	-	-	2	5	-	1	-	-	-	45
39	5	17	-	5	1	1	5	1	1	1	-	-	2	5	-	5	1	6	1	9	46
7,005	882	1,141	131	571	246	178	750	168	122	254	24	13	304	922	177	545	1,040	352	85	1,724	47
4,181	516	601	67	346	156	79	455	96	63	179	14	7	173	531	63	259	543	202	53	983	48
2,824	366	540	64	225	90	99	295	72	59	75	10	6	131	391	114	286	497	150	32	741	49
16	4	4	-	5	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	6	50
47	3	4	1	2	2	-	2	-	1	-	-	-	-	6	1	4	8	5	2	17	51
72	6	10	1	5	2	3	11	-	1	-	1	1	7	38	-	18	15	3	-	19	52
24	2	4	1	2	-	1	5	-	-	-	-	-	1	9	-	6	7	-	-	6	53
48	4	6	-	3	2	2	6	-	1	-	1	1	6	29	-	12	8	3	-	13	54
107	5	10	3	13	3	3	10	1	3	2	-	-	4	11	3	8	20	3	3	29	55
55	2	4	1	8	2	2	4	-	2	1	-	-	2	6	1	3	2	1	1	18	56
52	3	6	2	5	1	1	6	1	1	1	-	-	2	5	2	5	18	2	2	11	57
78	7	10	2	5	4	6	5	1	1	1	-	-	5	15	3	11	17	3	-	9	58
42	5	2	2	1	1	3	3	1	-	-	-	-	3	5	-	2	2	2	-	5	59
36	2	8	-	4	3	3	2	-	1	1	-	-	2	10	3	9	15	1	-	4	60
245	42	30	2	22	15	7	13	3	1	1	-	-	9	30	2	15	22	10	5	58	61
137	21	12	1	11	7	6	8	2	1	-	-	-	6	13	1	6	9	6	3	32	62
108	21	18	1	11	8	1	5	1	-	1	-	-	3	17	1	9	13	4	2	26	63
25	3	-	-	4	-	-	2	1	-	1	-	-	1	1	2	1	2	1	1	5	64
110	10	21	-	3	3	5	9	4	2	5	-	1	9	13	6	11	24	5	1	39	65
46	5	6	-	-	-	2	3	1	-	2	-	1	2	7	1	1	6	3	1	16	66
64	5	15	-	3	3	3	6	3	2	3	-	-	7	6	5	10	18	2	-	23	67
16	-	-	-	2	-	1	3	1	-	-	-	-	-	1	-	3	3	1	-	5	68
5	1	7	-	1	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-	2	69
43	5	6	-	-	-	-	3	-	3	3	-	-	-	7	-	7	11	3	4	15	70
36	4	5	-	-	-	-	3	-	2	3	-	-	-	5	-	4	7	1	3	10	71
7	1	1	-	-	-	-	-	-	1	-	-	-	-	2	-	3	4	2	1	5	72
6	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	-	2	73
60	3	3	-	2	1	1	5	1	1	3	1	-	6	19	2	12	11	1	4	10	74
179	28	29	2	10	5	10	20	4	2	5	-	-	2	21	9	7	41	10	1	40	75
69	12	16	1	6	2	3	2	-	1	3	-	-	-	6	5	2	15	4	1	21	76
48	7	5	-	2	1	-	3	1	-	1	-	-	-	3	1	-	3	1	-	1	77
62	9	8	1	2	2	7	15	3	1	1	-	-	2	12	3	5	23	5	-	18	78
38	2	5	1	-	2	-	2	-	-	-	-	-	-	12	1	4	3	-	1	7	79
27	6	6	-	1	3	-	5	-	1	2	1	-	-	4	-	3	4	4	-	6	80

[10]Galax, formerly a town in Carroll and Grayson Counties, shown as an independent city beginning with 1955.
[11]Elizabeth City County annexed to the independent city of Hampton in 1952.
[12]Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.
[13]Virginia Beach, formerly a town in Princess Anne County, shown as an independent city beginning with 1955.
[14]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WASHINGTON—Continued																
1	King	8,122	70	28	2	35	1,400	491	176	733	105	4,379	4,328	948	4	3,116	111
2	Seattle	6,484	53	24	1	23	1,135	383	146	606	76	3,520	3,478	770	4	2,485	92
3	Renton	157	2	1	-	-	24	7	-	17	4	81	79	15	-	61	3
4	Balance of county	1,481	15	3	1	12	241	101	30	110	25	778	771	163	-	570	16
5	Kitsap	709	4	1	-	3	102	23	12	67	12	389	382	86	-	271	8
6	Bremerton	275	1	1	-	1	42	14	4	24	5	141	137	24	-	100	4
7	Balance of county	434	3	-	-	2	60	9	8	43	7	248	245	62	-	171	4
8	Kittitas	196	-	1	-	1	27	5	3	19	3	118	113	26	-	80	2
9	Klickitat	125	4	-	-	-	12	4	1	7	3	67	65	11	1	48	2
10	Lewis	473	5	3	-	-	74	26	4	44	8	265	259	65	-	171	1
11	Lincoln	110	-	-	-	-	19	5	2	12	3	56	55	10	-	40	1
12	Mason	146	1	-	-	1	24	10	1	13	2	73	71	15	-	52	1
13	Okanogan	223	1	1	-	-	33	11	3	19	3	109	108	22	-	82	5
14	Pacific	198	1	-	-	-	31	12	2	17	5	109	108	27	-	75	3
15	Pend Oreille	66	-	-	-	-	13	5	3	5	2	33	33	7	-	25	1
16	Pierce	2,733	17	8	6	10	411	142	50	219	34	1,526	1,513	295	1	1,101	37
17	Tacoma	1,903	14	8	4	8	284	94	35	155	24	1,060	1,052	216	1	754	26
18	Puyallup	145	-	-	-	1	16	5	3	8	1	98	97	19	-	69	2
19	Balance of county	685	3	-	2	1	111	43	12	56	9	368	364	60	-	278	9
20	San Juan	29	-	1	-	-	2	1	-	1	1	20	20	6	-	13	-
21	Skagit	490	5	1	-	-	73	31	10	32	7	277	269	68	-	180	8
22	Skamania	44	1	-	-	-	6	2	1	3	2	22	22	6	-	14	1
23	Snohomish	1,283	3	2	-	5	197	80	19	98	24	728	716	204	1	467	15
24	Everett	513	1	2	-	2	80	33	7	40	7	311	308	82	-	202	3
25	Balance of county	770	2	-	-	3	117	47	12	58	17	417	408	122	1	265	12
26	Spokane	2,504	15	8	-	11	414	154	40	220	32	1,396	1,388	281	1	952	40
27	Spokane	1,970	14	6	-	6	329	126	36	167	26	1,117	1,111	211	1	[illegible]	26
28	Balance of county	534	1	2	-	5	85	28	4	53	6	279	277	70	-	177	14
29	Stevens	202	1	-	-	1	35	17	3	15	5	104	102	23	1	73	4
30	Thurston	449	2	1	2	1	77	26	10	41	13	252	250	50	-	180	2
31	Olympia	209	1	1	1	-	31	10	3	18	5	124	123	24	-	89	1
32	Balance of county	240	1	-	1	1	46	16	7	23	8	128	127	26	-	91	1
33	Wahkiakum	39	-	-	-	-	3	1	-	2	-	17	17	4	-	10	-
34	Walla Walla	376	6	-	-	-	70	24	11	35	8	192	191	46	-	128	3
35	Walla Walla	270	6	-	-	-	48	18	6	24	5	141	140	33	-	94	2
36	Balance of county	106	-	-	-	-	22	6	5	11	3	51	51	13	-	34	1
37	Whatcom	707	4	1	-	1	103	46	7	50	13	433	426	104	1	281	5
38	Bellingham	428	2	-	-	1	65	26	5	34	9	262	256	68	1	158	3
39	Balance of county	279	2	1	-	-	38	20	2	16	4	171	170	36	-	123	2
40	Whitman	262	1	-	-	2	40	17	3	20	7	147	147	26	-	107	5
41	Pullman	44	1	-	-	1	10	5	1	4	3	16	16	5	-	10	-
42	Balance of county	218	-	-	-	1	30	12	2	16	4	131	131	21	-	97	5
43	Yakima	1,335	5	4	2	1	201	72	30	99	18	704	692	151	-	497	26
44	Yakima	572	4	-	-	-	93	31	14	48	8	323	318	76	-	224	14
45	Balance of county	763	1	4	2	1	108	41	16	51	10	381	374	75	-	273	12
46	WEST VIRGINIA	16,787	207	63	7	90	2,348	797	285	1,266	261	9,011	8,808	1,984	18	6,202	200
47	Metropolitan counties	5,487	67	23	-	23	826	252	128	446	94	2,976	2,918	644	2	2,091	77
48	Nonmetropolitan counties	11,300	140	40	7	67	1,522	545	157	820	167	6,035	5,890	1,340	16	4,111	123
49	Barbour	203	1	-	-	4	22	11	1	10	2	126	125	39	-	82	1
50	Berkeley	319	1	3	-	1	41	17	4	20	10	159	150	25	1	115	2
51	Martinsburg	189	-	3	-	-	28	11	3	14	5	101	95	15	1	74	1
52	Balance of county	130	1	-	-	1	13	6	1	6	5	58	55	10	-	41	1
53	Boone	213	1	1	-	-	29	13	4	12	2	98	98	26	-	66	5
54	Braxton	180	2	1	-	1	20	10	3	7	3	92	90	19	-	58	2
55	Brooke	250	4	1	-	1	37	14	3	20	3	153	152	34	-	108	5
56	Weirton (part)	13	-	-	-	-	4	3	1	-	-	7	7	-	-	7	-
57	Balance of county	237	4	1	-	1	33	11	2	20	3	146	145	34	-	101	5
58	Cabell	991	11	6	-	5	144	39	19	86	22	554	550	122	-	395	8
59	Huntington (part)	819	9	6	-	4	125	34	15	76	17	454	451	99	-	322	6
60	Huntington (total)	839	9	6	-	4	127	34	16	77	17	466	461	100	-	331	6
61	Balance of county	172	2	-	-	1	19	5	4	10	5	100	99	23	-	73	2
62	Calhoun	83	2	-	-	-	13	5	-	8	2	30	28	8	-	15	-
63	Clay	84	-	-	-	1	10	3	1	6	2	39	38	10	-	25	-
64	Doddridge	93	-	-	-	-	10	5	1	4	1	56	55	7	-	46	-
65	Fayette	614	10	-	-	2	78	26	16	36	6	330	326	74	2	229	8
66	Gilmer	93	3	1	-	1	19	8	1	10	1	36	35	8	-	24	1
67	Grant	84	3	-	-	-	9	4	-	5	-	51	51	16	-	31	1
68	Greenbrier	322	5	1	-	1	38	13	4	21	4	177	172	30	-	130	5
69	Hampshire	113	2	-	1	-	22	10	-	12	2	55	54	13	-	37	-
70	Hancock	303	3	2	-	1	58	16	12	30	8	150	150	42	-	97	4
71	Weirton (part)	189	2	2	-	-	41	12	9	20	5	88	88	23	-	59	2
72	Weirton (total)	202	2	2	-	-	45	15	10	20	5	95	95	23	-	66	2
73	Balance of county	114	1	-	-	1	17	4	3	10	3	62	62	19	-	38	2
74	Hardy	64	1	-	-	-	9	5	2	2	1	37	37	13	-	20	-
75	Harrison	748	7	1	-	2	121	40	11	70	10	421	415	95	1	302	4
76	Clarksburg	319	2	1	-	-	54	22	4	28	5	180	180	40	1	130	2
77	Balance of county	429	5	-	-	2	67	18	7	42	5	241	235	55	-	172	2
78	Jackson	130	4	-	1	1	11	3	2	6	1	75	74	18	-	50	-
79	Jefferson	211	1	1	-	2	29	9	4	16	8	118	116	17	-	88	4
80	Kanawha	1,929	28	11	-	8	278	80	47	151	31	979	957	193	-	702	29
81	Charleston	796	13	7	-	1	120	35	19	66	6	430	424	79	-	313	10
82	South Charleston	122	3	-	-	1	22	8	4	10	1	50	50	10	-	38	2
83	Balance of county	1,011	12	4	-	6	136	37	24	75	24	499	483	104	-	351	17
84	Lewis	239	2	-	-	-	39	19	1	19	-	132	126	32	-	83	4

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,323	299	383	35	131	94	51	307	53	36	124	5	6	83	261	28	134	325	132	38	571	1
1,852	244	297	30	108	81	42	247	44	25	115	4	5	66	203	20	90	246	101	33	453	2
38	9	11	2	-	1	2	7	-	1	2	-	-	-	10	-	6	5	1	1	12	3
433	46	75	3	23	12	7	53	9	10	7	1	1	17	48	8	38	74	30	4	106	4
211	21	31	2	17	6	7	15	3	6	8	1	1	10	31	1	23	30	23	5	41	5
78	6	12	1	8	4	4	4	1	2	3	1	1	5	13	1	10	14	10	2	17	6
133	15	19	1	9	2	3	11	2	4	5	-	-	5	18	-	13	16	13	3	24	7
55	9	14	2	5	-	5	4	2	2	4	-	-	1	1	1	3	12	2	-	14	8
35	5	6	-	4	1	2	3	-	-	-	-	-	3	6	2	6	9	2	-	8	9
119	16	35	5	13	5	6	15	4	2	5	-	-	1	13	7	10	19	5	3	34	10
27	9	3	1	3	1	1	2	-	1	-	-	-	2	8	3	1	3	1	1	10	11
46	3	2	-	3	1	2	5	1	2	2	-	-	3	3	-	5	4	2	-	18	12
57	6	14	-	3	1	1	6	2	2	2	1	-	4	12	1	8	17	3	-	18	13
53	11	8	1	2	3	1	4	-	-	3	-	-	3	8	1	2	11	5	-	15	14
20	-	4	-	1	-	-	2	-	-	-	-	-	1	1	-	3	4	1	1	5	15
874	89	101	12	77	27	13	60	19	13	29	2	-	47	131	22	52	117	34	6	189	16
591	55	82	11	54	16	8	42	12	7	21	-	-	36	100	16	30	76	25	4	132	17
57	7	3	-	7	2	1	-	2	1	1	1	-	1	1	1	2	5	2	-	12	18
226	27	16	1	16	9	4	18	5	5	7	1	-	10	30	5	20	36	7	2	45	19
11	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	20
123	20	29	5	13	3	8	16	2	2	2	-	-	6	11	5	7	25	1	-	50	21
9	3	1	-	2	-	-	-	1	-	-	-	-	-	1	1	2	1	1	-	6	22
335	41	76	6	28	10	12	28	14	8	11	2	1	13	37	23	26	53	23	2	83	23
150	19	30	2	17	5	3	10	9	1	5	-	-	6	12	3	10	16	5	-	33	24
185	22	46	4	11	5	9	18	5	7	6	2	1	7	25	20	16	37	18	2	50	25
739	86	87	18	116	20	8	75	21	13	25	7	1	34	109	11	58	79	26	4	165	26
604	73	72	14	93	17	6	60	19	13	20	3	1	24	73	8	42	57	22	4	126	27
135	13	15	4	23	3	2	15	2	-	5	4	-	10	36	3	16	22	4	-	39	28
51	3	15	2	2	1	2	2	1	-	-	1	-	3	3	4	5	19	2	-	16	29
125	27	26	4	13	3	2	12	6	-	1	-	-	5	12	13	5	16	6	-	25	30
62	15	11	2	7	1	1	4	3	-	1	-	-	1	7	2	3	11	3	-	11	31
63	12	15	2	6	2	1	8	3	-	-	-	-	4	5	11	2	5	3	-	14	32
9	1	-	1	-	2	-	1	1	-	2	-	-	2	2	-	2	7	2	-	-	33
97	16	12	4	9	4	1	6	2	1	1	-	-	5	20	7	8	11	8	-	31	34
72	9	11	3	7	3	1	4	2	-	1	-	-	2	11	5	6	7	7	-	25	35
25	7	1	1	2	1	-	2	-	1	-	-	-	3	9	2	2	4	1	-	6	36
203	30	43	6	24	10	7	23	8	3	2	1	1	12	16	2	12	23	2	-	47	37
114	14	27	5	16	8	6	13	2	2	2	1	1	6	9	2	7	17	2	-	25	38
89	16	16	1	8	2	1	10	6	1	-	-	-	6	7	-	5	6	-	-	22	39
68	16	18	2	10	2	-	8	2	4	4	-	-	2	8	1	6	8	4	-	18	40
9	1	-	-	1	-	-	1	-	2	1	-	-	1	1	-	2	2	1	-	2	41
59	15	18	2	9	2	-	7	2	2	3	-	-	1	7	1	4	6	3	-	16	42
341	43	87	13	20	11	12	64	10	11	6	-	1	21	49	15	57	57	17	3	89	43
149	25	36	5	7	6	5	21	6	2	3	-	-	8	15	4	16	28	5	-	36	44
192	18	51	8	13	5	7	43	4	9	3	-	1	13	34	11	41	29	12	3	53	45
4,066	890	1,046	140	334	130	203	554	94	53	126	39	16	227	717	349	410	797	186	80	1,152	46
1,445	283	286	35	103	43	58	178	26	16	53	16	6	66	236	68	130	231	70	25	357	47
2,621	607	760	105	231	87	145	376	68	37	73	23	10	161	481	281	280	566	116	55	795	48
66	8	7	1	1	2	1	2	-	-	-	-	-	1	9	5	7	8	3	3	10	49
71	13	29	4	1	4	9	14	2	1	-	1	-	4	12	15	9	21	-	1	24	50
51	9	13	2	1	2	6	3	2	1	-	-	-	2	7	7	3	13	-	-	14	51
20	4	16	2	-	2	3	11	-	-	-	1	-	2	5	8	6	8	-	1	10	52
36	10	15	1	4	1	-	7	1	1	2	-	-	3	11	5	13	17	-	2	20	53
27	9	20	3	10	-	2	6	-	2	2	1	1	1	5	15	7	7	1	-	13	54
74	4	25	1	6	3	1	3	-	-	2	1	1	4	12	1	5	8	3	-	11	55
6	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	56
68	4	24	1	6	3	1	3	-	-	2	1	1	4	10	1	5	8	3	-	11	57
301	36	50	12	12	9	4	47	5	1	12	2	1	12	36	5	22	25	11	4	66	58
256	26	34	12	9	9	3	35	3	1	10	2	1	8	30	5	18	22	10	3	56	59
262	28	35	12	9	9	5	35	3	1	10	2	1	8	30	6	18	24	10	3	59	60
45	10	16	-	3	-	1	12	2	-	2	-	-	4	6	-	4	3	1	1	10	61
11	1	3	1	3	1	2	1	-	-	1	-	-	3	2	15	8	-	2	-	4	62
15	2	8	1	1	1	1	4	2	-	-	-	-	-	3	5	2	8	2	1	5	63
35	5	6	-	1	1	1	2	3	1	1	-	-	-	3	4	3	2	1	-	6	64
131	43	47	6	11	4	4	22	4	1	2	2	-	8	26	16	15	39	3	6	44	65
15	3	5	-	3	-	1	6	-	-	1	-	-	1	1	7	1	7	2	-	6	66
22	4	4	1	2	1	-	3	-	1	-	-	-	1	2	3	3	4	-	-	4	67
81	23	21	4	5	3	5	12	3	1	2	2	1	3	20	3	7	16	3	-	23	68
22	3	12	1	1	2	1	11	-	-	-	-	-	-	4	-	-	5	-	-	11	69
67	10	16	-	9	2	-	3	2	1	7	2	-	7	22	1	2	15	2	1	16	70
42	9	6	-	5	1	-	-	1	1	6	1	-	6	16	1	1	9	1	1	7	71
48	9	7	-	5	1	-	-	1	1	6	1	-	6	18	1	1	9	1	1	7	72
25	1	10	-	4	1	-	3	1	-	1	1	-	1	6	-	1	6	1	-	9	73
14	2	4	-	1	3	-	-	1	-	1	-	-	1	1	4	1	1	2	-	4	74
184	44	70	2	13	2	6	18	4	2	5	2	1	15	25	7	15	16	9	5	62	75
84	20	24	2	6	1	-	7	2	-	5	-	1	6	14	3	4	6	3	1	25	76
100	24	46	-	7	1	6	11	2	2	-	2	-	9	11	4	11	10	6	4	37	77
19	3	28	-	2	4	1	8	-	-	3	2	-	3	3	6	1	5	-	-	6	78
48	27	9	3	7	1	2	6	1	2	1	-	-	1	9	-	3	14	2	-	13	79
485	121	67	9	38	15	22	77	9	7	19	4	1	25	98	25	60	96	34	11	128	80
224	45	34	4	20	8	6	29	5	2	12	1	-	7	29	10	19	24	16	5	60	81
33	3	-	1	1	-	-	7	1	-	3	-	-	3	8	2	4	10	1	1	5	82
228	73	33	4	17	7	16	41	3	5	4	3	1	15	61	13	37	62	17	5	63	83
40	10	29	3	4	4	6	14	2	-	1	1	-	2	8	4	8	8	2	-	16	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WEST VIRGINIA—Con.																
1	Lincoln	160	7	-	-	2	27	7	2	18	2	65	62	9	1	50	3
2	Logan	500	6	2	1	6	65	19	11	35	5	194	191	60	1	123	3
3	McDowell	586	12	7	-	9	72	22	13	37	7	278	270	41	3	208	5
4	Marion	664	5	1	-	3	102	45	8	49	7	402	397	73	-	288	15
5	Fairmont	304	1	-	-	1	47	20	3	24	4	185	182	38	-	126	3
6	Balance of county	360	4	1	-	2	55	25	5	25	3	217	215	35	-	162	12
7	Marshall	339	2	1	-	3	69	20	8	41	5	181	180	41	-	130	6
8	Moundsville	146	-	-	-	1	28	8	2	18	4	73	73	15	-	56	3
9	Balance of county	193	2	1	-	2	41	12	6	23	1	108	107	26	-	74	3
10	Mason	199	4	2	-	-	20	8	2	10	4	102	98	32	1	57	1
11	Mercer	641	5	3	-	3	94	22	10	62	11	351	345	75	-	248	9
12	Bluefield[15]	221	2	2	-	-	34	9	4	21	8	121	119	27	-	89	3
13	Balance of county	420	3	1	-	3	60	13	6	41	3	230	226	48	-	159	6
14	Mineral	208	2	1	1	-	32	18	3	11	3	119	113	19	2	84	1
15	Mingo	299	8	-	1	4	47	15	4	28	4	128	122	30	1	72	4
16	Monongalia	512	5	1	-	3	78	24	8	46	9	290	285	71	-	185	3
17	Morgantown	258	4	-	-	1	33	13	5	15	7	154	153	36	-	102	2
18	Balance of county	254	1	1	-	2	45	11	3	31	2	136	132	35	-	83	1
19	Monroe	131	1	-	-	-	20	9	2	9	1	71	69	20	-	41	1
20	Morgan	89	-	1	-	-	13	2	1	10	3	54	54	17	-	35	1
21	Nicholas	211	1	-	-	-	19	6	3	10	3	119	117	21	1	89	3
22	Ohio	766	3	2	-	1	129	44	19	66	18	465	452	106	-	325	14
23	Wheeling	656	3	2	-	1	110	40	16	54	17	398	388	85	-	283	11
24	Balance of county	110	-	-	-	-	19	4	3	12	1	67	64	21	-	42	3
25	Pendleton	78	-	-	-	1	11	3	2	6	2	37	35	11	-	21	-
26	Pleasants	67	-	-	-	1	9	3	-	6	-	39	39	11	-	27	-
27	Pocahontas	94	3	-	-	-	12	5	3	4	1	58	58	16	-	40	4
28	Preston	232	1	1	-	1	28	15	3	10	5	126	122	31	-	82	10
29	Putnam	160	2	-	1	1	21	6	4	11	2	85	81	16	-	59	-
30	Raleigh	645	24	3	1	-	77	28	10	39	8	339	331	63	2	248	6
31	Beckley	180	4	2	-	-	17	4	2	11	2	105	104	17	-	81	2
32	Balance of county	465	20	1	1	-	60	24	8	28	6	234	227	46	2	167	4
33	Randolph	264	1	-	-	2	31	9	1	21	3	149	145	30	-	93	4
34	Ritchie	164	-	1	-	1	24	12	-	12	2	89	89	28	-	51	3
35	Roane	170	2	-	-	-	26	4	3	19	6	79	77	20	-	53	1
36	Summers	189	-	-	-	2	18	5	3	10	2	106	104	27	-	69	1
37	Taylor	195	2	-	-	4	34	9	6	19	7	109	105	21	-	70	6
38	Tucker	106	1	1	-	-	15	8	-	7	2	70	70	25	-	40	-
39	Tyler	127	-	2	-	1	16	3	3	10	2	86	83	23	-	58	2
40	Upshur	204	1	-	-	2	21	8	-	13	4	99	98	18	1	70	2
41	Wayne	295	6	-	-	2	33	13	4	16	1	164	151	32	-	105	3
42	Huntington (part)	20	-	-	-	-	2	-	1	1	-	12	10	1	-	9	-
43	Balance of county	275	6	-	-	2	31	13	3	15	1	152	141	31	-	96	3
44	Webster	102	-	1	-	-	5	4	-	1	-	54	53	13	-	37	2
45	Wetzel	192	2	1	-	-	26	8	6	12	4	107	102	22	-	71	-
46	Wirt	58	-	-	-	1	9	1	1	7	-	35	35	8	-	26	-
47	Wood	688	4	3	-	3	87	37	5	45	7	407	395	96	-	284	4
48	Parkersburg	472	3	2	-	2	56	24	4	28	6	287	280	66	-	201	2
49	Balance of county	216	1	1	-	1	31	13	1	17	1	120	115	30	-	83	2
50	Wyoming	186	6	-	-	3	21	5	1	15	2	87	81	17	1	60	-
51	WISCONSIN	35,034	178	50	166	141	5,771	2,314	569	2,888	650	19,877	19,584	4,363	26	13,788	449
52	Metropolitan counties	13,751	72	28	81	53	2,405	931	285	1,189	229	7,717	7,607	1,519	7	5,585	194
53	Nonmetropolitan counties	21,283	106	22	85	88	3,366	1,383	284	1,699	421	12,160	11,977	2,844	19	8,203	255
54	Adams	104	-	-	-	-	14	7	2	5	1	63	62	9	-	45	-
55	Ashland	200	1	1	-	-	37	19	2	16	1	120	119	27	-	82	3
56	Ashland	118	1	1	-	-	18	8	-	10	1	74	73	16	-	51	2
57	Balance of county	82	-	-	-	-	19	11	2	6	-	46	46	11	-	31	1
58	Barron	350	1	1	1	1	44	22	2	20	5	215	213	54	-	140	7
59	Bayfield	157	-	-	-	-	23	9	5	9	4	94	91	21	-	68	2
60	Brown	846	-	1	7	4	124	40	8	76	22	492	485	150	2	311	5
61	Green Bay	492	-	1	5	2	75	23	4	48	14	277	273	95	-	170	4
62	Balance of county	354	-	-	2	2	49	17	4	28	8	215	212	55	2	141	1
63	Buffalo	131	-	-	-	-	19	6	2	11	1	85	84	28	-	45	-
64	Burnett	110	-	-	-	1	12	7	1	4	3	71	71	21	-	47	2
65	Calumet	187	-	-	1	1	29	13	1	15	8	99	95	24	-	63	1
66	Chippewa	435	2	-	-	2	47	24	6	17	15	247	246	57	1	161	1
67	Eau Claire (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Chippewa Falls	140	1	-	-	1	15	9	1	5	5	82	82	23	-	51	1
69	Balance of county	294	1	-	-	1	32	15	5	12	10	165	164	34	1	110	-
70	Clark	309	3	-	-	1	54	22	4	28	9	163	162	41	-	109	2
71	Columbia	429	2	-	2	2	64	32	3	29	12	239	236	58	-	158	3
72	Crawford	190	2	1	1	-	18	7	2	9	3	113	111	22	-	78	1
73	Dane	1,528	5	2	17	9	256	93	30	133	20	824	808	163	1	593	23
74	Madison	811	2	2	12	5	146	51	18	77	9	430	421	87	1	311	14
75	Balance of county	717	3	-	5	4	110	42	12	56	11	394	387	76	-	282	9
76	Dodge	564	3	-	3	4	105	30	5	70	8	324	316	91	1	199	4
77	Beaver Dam	128	-	-	-	1	27	8	3	16	1	72	70	16	-	49	2
78	Watertown (part)	23	1	-	-	-	4	1	-	3	1	15	15	4	-	10	-
79	Balance of county	413	2	-	3	3	74	21	2	51	6	237	231	71	1	140	2
80	Door	199	-	1	-	-	25	15	2	8	2	119	111	30	-	76	6
81	Douglas	542	4	1	-	4	87	38	9	40	9	331	326	63	1	243	4
82	Superior	410	3	1	-	2	65	29	7	29	7	257	254	52	-	189	2
83	Balance of county	132	1	-	-	2	22	9	2	11	2	74	72	11	1	54	2
84	Dunn	240	-	1	-	1	36	17	2	17	3	143	141	47	-	85	5

[15] Includes data for Bluefield, W. Va., only.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
26	8	13	-	2	-	3	8	1	1	-	-	1	1	15	4	2	6	1	2	15	1
64	20	36	3	-	4	3	17	6	2	6	-	1	7	31	43	14	53	6	5	30	2
129	45	29	6	10	2	8	26	3	3	4	-	1	7	38	9	19	34	5	10	42	3
200	38	35	7	24	5	5	17	5	1	9	-	1	10	19	2	12	28	8	-	32	4
93	16	14	2	14	2	3	6	1	1	5	-	-	6	9	2	2	15	2	-	17	5
107	22	21	5	10	3	2	11	4	-	4	-	1	4	10	-	10	13	6	-	15	6
92	18	14	-	8	1	1	10	1	-	3	-	-	1	13	3	4	10	4	1	28	7
40	5	8	-	2	-	-	5	-	-	3	-	-	-	6	2	1	4	2	-	17	8
52	13	6	-	6	1	1	5	1	-	-	-	-	1	7	1	3	6	2	1	11	9
41	2	13	2	2	4	4	17	-	1	1	2	-	5	6	5	8	5	3	-	14	10
132	59	48	11	8	3	6	20	8	1	4	1	-	9	32	6	10	34	9	2	38	11
41	22	23	2	1	-	2	4	3	1	2	-	-	2	6	4	2	12	3	1	14	12
91	37	25	9	7	3	4	16	5	-	2	1	-	7	26	2	8	22	6	1	24	13
46	5	32	-	6	2	6	2	1	-	4	-	-	6	6	-	2	7	4	-	18	14
51	11	6	8	6	5	6	13	-	1	3	1	-	8	11	8	12	19	-	2	29	15
139	15	28	8	16	5	5	20	2	2	5	1	-	8	12	1	11	21	8	2	33	16
81	5	14	5	9	1	1	10	2	2	3	-	-	2	7	1	5	4	4	1	18	17
58	10	14	3	7	4	4	10	-	-	2	1	-	6	5	-	6	17	4	1	15	18
21	11	8	2	5	1	2	-	2	-	-	-	-	2	2	4	5	8	1	-	14	19
26	3	5	-	2	-	-	1	1	-	-	1	-	-	1	-	4	4	-	-	6	20
54	20	12	-	5	1	2	4	-	-	2	-	-	3	22	5	9	12	-	1	11	21
235	31	45	5	13	3	13	10	5	4	8	4	1	6	19	4	9	25	9	1	43	22
206	30	36	5	12	3	10	8	5	3	8	4	-	4	16	3	8	23	6	1	36	23
29	1	9	-	1	-	3	2	-	1	-	-	1	2	3	1	1	2	3	-	7	24
16	2	3	1	2	-	2	-	1	-	-	-	1	2	3	4	2	8	-	2	4	25
22	1	4	1	-	-	-	2	3	-	1	-	-	1	3	-	3	3	-	-	2	26
33	1	2	-	1	1	-	-	2	-	-	-	-	-	3	1	2	4	2	-	6	27
54	9	9	1	6	2	3	5	2	1	-	-	-	3	10	9	3	16	1	1	20	28
24	19	16	2	4	-	4	2	1	-	1	-	-	3	6	6	5	10	-	3	11	29
161	54	27	6	5	7	8	15	3	2	2	1	1	11	23	12	16	39	10	3	55	30
56	15	8	2	2	2	1	3	3	-	2	-	1	2	7	2	2	9	4	-	15	31
105	39	19	4	3	5	7	12	-	2	-	1	-	9	16	10	14	30	6	3	40	32
58	16	15	3	17	2	4	6	2	2	1	-	-	2	16	6	6	12	4	1	20	33
40	4	4	1	8	1	-	3	1	1	1	-	-	6	4	9	4	6	1	2	9	34
33	10	9	1	3	-	2	10	1	-	-	-	-	2	7	4	3	12	7	-	11	35
42	10	16	2	4	2	2	10	1	2	2	4	1	3	12	2	2	6	3	1	12	36
38	4	22	2	10	2	4	8	-	2	-	-	-	1	7	1	2	4	1	-	13	37
32	3	5	2	3	-	-	-	-	-	-	-	-	1	4	2	3	2	1	-	4	38
42	4	10	-	2	-	3	4	-	-	-	-	-	-	1	-	5	4	1	-	5	39
45	8	15	2	5	2	1	8	-	-	-	1	-	3	8	15	7	10	1	-	24	40
60	20	22	2	6	6	13	6	-	2	-	1	2	3	10	13	13	13	4	1	21	41
6	2	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	2	-	-	3	42
54	18	21	2	6	6	11	6	-	2	-	1	2	3	10	12	13	11	4	1	18	43
22	5	8	-	3	-	1	4	-	-	-	1	-	6	6	3	3	8	2	-	9	44
48	16	7	-	6	3	5	9	-	-	1	-	-	2	7	8	4	10	1	-	10	45
19	2	5	-	1	-	-	-	-	-	1	-	-	-	2	3	1	2	-	-	4	46
221	25	34	7	5	3	12	26	2	3	4	-	-	8	37	4	7	26	4	1	55	47
160	15	24	6	4	3	7	17	2	3	3	-	-	5	25	2	2	14	1	1	41	48
61	10	10	1	1	-	5	9	-	-	1	-	-	3	12	2	5	12	3	-	14	49
36	10	14	2	1	-	6	5	1	1	1	1	-	2	9	7	6	14	3	5	12	50
9,862	1,316	2,161	247	914	246	293	687	229	153	319	41	25	514	1,346	163	910	1,102	417	41	2,254	51
4,244	460	687	95	281	120	110	267	110	56	167	15	8	217	621	35	305	347	154	25	839	52
5,618	856	1,474	152	633	126	183	420	119	97	152	26	17	297	725	128	605	755	263	16	1,415	53
34	2	9	-	6	2	1	3	1	-	-	-	-	-	3	2	6	5	2	-	4	54
60	8	11	2	7	1	1	1	-	2	1	-	-	-	11	1	2	7	3	-	12	55
35	6	8	2	4	-	1	1	-	2	-	-	-	-	7	1	1	3	2	-	6	56
25	2	3	-	3	1	-	-	-	-	1	-	-	-	4	-	1	4	1	-	6	57
98	11	24	1	15	3	2	10	1	-	3	1	-	3	13	4	8	10	2	-	27	58
54	7	5	-	2	-	3	2	-	2	2	-	-	1	2	-	2	14	1	-	10	59
222	32	52	4	11	7	7	13	4	4	6	-	1	13	45	9	20	17	10	-	54	60
121	19	26	-	3	5	4	8	2	2	6	-	-	8	27	3	9	9	3	-	41	61
101	13	26	4	8	2	3	5	2	2	-	-	1	5	18	6	11	8	7	-	13	62
33	7	5	2	7	2	1	2	-	-	1	-	-	-	4	2	1	2	4	-	10	63
34	3	8	2	1	-	-	5	-	-	-	-	-	-	-	2	2	4	1	1	8	64
42	4	16	1	4	3	4	3	-	1	4	-	-	4	2	-	3	10	1	-	21	65
128	13	19	4	20	3	1	6	3	2	3	1	-	7	26	8	16	15	7	-	28	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	67
40	3	7	2	6	-	-	2	1	-	1	1	-	3	10	1	5	3	2	-	7	68
88	10	12	2	14	3	1	4	2	2	2	-	-	4	15	7	11	12	5	-	21	69
81	6	20	2	9	1	1	12	3	1	2	-	1	6	7	4	7	9	3	1	23	70
97	20	38	-	15	5	3	13	2	-	2	-	1	8	10	6	15	13	9	-	29	71
38	18	21	7	4	-	2	9	3	-	1	1	-	3	5	1	4	7	1	1	16	72
440	49	81	13	23	15	16	32	13	5	11	2	-	33	84	8	44	57	14	-	92	73
239	27	31	7	8	7	9	15	5	3	8	1	-	21	52	6	14	24	11	-	45	74
201	22	50	6	15	8	7	17	8	2	3	1	-	12	32	2	30	33	3	-	47	75
144	23	28	4	17	4	8	8	2	1	5	1	-	11	11	1	18	21	2	-	36	76
34	8	5	1	4	-	2	2	-	-	2	-	-	2	2	1	2	3	1	-	12	77
3	2	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	78
107	13	18	2	13	4	6	6	1	-	3	1	-	9	9	-	16	18	1	-	24	79
39	9	22	2	3	-	8	3	4	1	-	1	-	2	9	-	3	12	-	1	16	80
172	25	42	2	12	5	5	13	5	2	4	-	-	2	18	1	7	20	7	1	26	81
138	16	33	1	9	3	3	10	4	2	2	-	-	1	13	1	4	14	5	-	19	82
34	9	9	1	3	2	2	3	1	-	2	-	-	1	5	-	3	6	2	1	7	83
61	7	12	-	5	4	2	9	-	-	1	-	-	4	7	-	5	6	4	-	20	84

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Eau Claire	454	1	2	-	2	64	32	7	25	6	279	274	41	-	218	2
2	Eau Claire (part)	297	1	1	-	-	42	22	3	17	6	189	184	30	-	142	2
3	Eau Claire (total)	298	1	1	-	-	42	22	3	17	6	189	184	30	-	142	2
4	Balance of county	157	-	1	-	2	22	10	4	8	-	90	90	11	-	76	-
5	Florence	42	-	-	-	-	9	4	-	5	1	22	22	5	-	15	-
6	Fond du Lac	783	3	-	3	1	118	45	11	62	19	446	436	113	1	285	5
7	Fond du Lac	423	3	-	2	1	71	27	9	35	11	229	225	63	-	140	3
8	Balance of county	360	-	-	1	-	47	18	2	27	8	217	211	50	1	145	2
9	Forest	95	-	-	-	-	15	4	2	9	2	51	49	11	-	37	-
10	Grant	463	3	-	-	3	78	26	10	42	8	263	261	52	-	187	1
11	Green	287	-	-	2	-	46	18	9	19	5	165	163	41	1	112	4
12	Green Lake	200	1	-	3	-	39	13	2	24	6	117	115	25	-	80	2
13	Iowa	231	1	-	-	-	29	8	3	18	4	128	125	27	-	82	2
14	Iron	100	2	1	-	2	18	5	4	9	1	53	52	12	-	36	-
15	Jackson	162	2	-	1	-	29	16	4	9	1	94	94	24	-	62	1
16	Jefferson	539	3	-	1	1	94	47	8	39	15	306	302	69	3	196	6
17	Watertown (part)	151	2	-	1	-	26	16	2	8	3	85	84	13	1	61	3
18	Watertown (total)	174	3	-	1	-	30	17	2	11	4	100	99	17	1	71	3
19	Balance of county	388	1	-	-	1	68	31	6	31	12	221	216	56	2	135	3
20	Juneau	194	1	-	1	-	23	9	1	13	-	116	116	30	-	78	1
21	Kenosha	827	5	2	7	5	141	54	18	69	18	459	452	96	-	325	13
22	Kenosha	619	4	2	5	1	107	41	13	53	15	351	347	74	-	250	12
23	Balance of county	208	1	-	2	4	34	13	5	16	3	108	105	22	-	75	1
24	Kewaunee	154	-	-	5	1	28	17	2	9	7	79	79	15	-	53	2
25	La Crosse	646	6	1	2	6	103	37	12	54	11	406	400	120	1	265	13
26	La Crosse	478	6	-	2	6	80	30	9	41	9	292	289	90	1	188	8
27	Balance of county	168	-	1	-	-	23	7	3	13	2	114	111	30	-	77	5
28	Lafayette	163	1	-	-	-	26	10	2	14	4	93	93	22	1	62	3
29	Langlade	230	2	-	-	2	42	15	4	23	7	128	118	34	1	77	-
30	Lincoln	250	-	2	4	-	38	12	4	22	4	143	141	39	-	88	-
31	Manitowoc	662	2	-	2	3	102	45	9	48	26	361	357	85	1	254	8
32	Manitowoc	279	1	-	1	1	39	16	2	21	13	161	158	29	-	120	2
33	Two Rivers	90	-	-	-	-	13	5	1	7	3	50	50	7	-	41	1
34	Balance of county	293	1	-	1	2	50	24	6	20	10	150	149	49	1	93	5
35	Marathon	692	2	1	3	5	97	36	9	52	11	408	405	94	-	276	12
36	Wausau	333	1	-	1	3	43	18	2	23	4	213	210	43	-	147	7
37	Balance of county	359	1	1	2	2	54	18	7	29	7	195	195	51	-	129	5
38	Marinette	354	4	1	-	2	68	27	5	36	11	197	194	34	1	145	6
39	Marinette	151	2	-	-	-	35	14	2	19	3	82	81	18	-	58	2
40	Balance of county	203	2	1	-	2	33	13	3	17	8	115	113	16	1	87	4
41	Marquette	104	2	-	-	-	19	8	-	11	2	61	60	16	-	38	1
42	Milwaukee	8,925	54	19	46	25	1,606	616	198	792	141	5,014	4,943	920	2	3,711	133
43	Milwaukee	7,016	47	16	26	13	1,268	485	162	621	111	3,945	3,888	745	1	2,903	104
44	Wauwatosa	513	3	-	5	4	80	33	10	37	6	317	315	49	-	241	5
45	West Allis	478	2	2	8	1	94	41	9	44	12	249	249	43	-	194	5
46	Cudahy	113	-	-	-	-	18	5	1	12	1	65	62	12	1	44	5
47	Shorewood	131	-	1	-	-	26	5	2	19	-	77	75	10	-	57	1
48	South Milwaukee	110	-	-	-	4	22	10	1	11	1	52	52	9	-	40	-
49	Whitefish Bay	108	-	-	2	-	23	5	4	14	1	60	56	11	-	43	4
50	Balance of county	456	2	-	5	3	75	32	9	34	9	249	246	41	-	189	9
51	Monroe	340	2	1	-	1	57	21	6	30	7	198	195	43	-	144	4
52	Oconto	255	-	1	1	-	47	21	2	24	1	147	138	29	-	101	1
53	Oneida	207	1	-	-	1	37	10	8	19	2	109	108	26	-	76	6
54	Outagamie	771	1	-	7	3	125	57	9	59	17	407	402	105	1	274	9
55	Appleton	372	-	-	2	1	56	27	5	24	10	208	204	48	1	136	6
56	Balance of county	399	1	-	5	2	69	30	4	35	7	199	198	57	-	138	3
57	Ozaukee	239	1	-	1	-	51	22	3	26	3	125	124	36	-	83	-
58	Pepin	73	-	-	-	-	12	4	1	7	1	39	39	10	-	25	-
59	Pierce	238	2	-	1	-	38	18	3	17	3	124	122	40	-	69	-
60	Polk	261	1	-	-	2	30	12	1	17	6	160	155	39	-	107	6
61	Portage	313	1	-	-	1	58	24	5	29	6	176	174	26	-	135	5
62	Stevens Point	144	-	-	-	-	21	6	-	15	3	88	87	14	-	68	2
63	Balance of county	169	1	-	-	1	37	18	5	14	3	88	87	12	-	67	3
64	Price	183	1	-	2	1	30	13	4	13	3	109	107	28	-	65	1
65	Racine	1,083	4	3	4	6	191	90	22	79	19	597	593	127	1	402	16
66	Racine	751	1	3	1	5	134	65	15	54	14	409	408	93	1	273	12
67	Balance of county	332	3	-	3	1	57	25	7	25	5	188	185	34	-	129	4
68	Richland	211	3	-	1	1	24	11	3	10	2	121	119	30	-	75	4
69	Rock	1,015	6	1	1	6	159	62	9	88	16	549	544	136	2	367	13
70	Beloit	321	1	1	-	2	49	16	4	29	6	171	170	47	-	115	4
71	Janesville	313	3	-	1	2	53	23	2	28	4	163	162	40	1	108	6
72	Balance of county	381	2	-	-	2	57	23	3	31	8	215	212	49	1	144	3
73	Rusk	168	-	-	-	-	30	13	1	16	2	101	100	21	-	70	1
74	St. Croix	250	2	-	1	1	31	12	-	19	2	144	142	42	1	88	4
75	Sauk	425	-	1	1	1	75	29	6	40	9	243	241	56	-	160	7
76	Sawyer	126	2	-	-	-	22	8	1	13	7	67	66	12	-	52	-
77	Shawano	327	1	-	1	2	62	26	5	31	1	179	175	35	-	132	8
78	Sheboygan	884	5	-	9	6	152	74	8	70	17	500	491	124	-	341	10
79	Sheboygan	502	3	-	4	3	86	44	7	35	12	272	268	56	-	196	7
80	Balance of county	382	2	-	5	3	66	30	1	35	5	228	223	68	-	145	3
81	Taylor	135	-	-	-	1	17	8	1	8	1	72	70	10	-	58	3
82	Trempealeau	219	2	-	-	-	35	17	1	17	4	130	130	38	-	77	1
83	Vernon	288	2	-	1	1	46	20	5	21	2	165	162	21	-	129	3
84	Vilas	92	-	-	-	-	17	7	-	10	-	53	53	8	-	41	2
85	Walworth	490	2	1	-	4	81	28	9	44	9	292	290	60	1	184	9
86	Washburn	123	2	-	-	2	24	13	1	10	3	71	71	26	-	42	2
87	Washington	348	1	1	3	2	59	17	4	38	9	181	174	39	-	121	9

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
158	21	37	3	7	5	5	13	2	-	4	1	1	9	19	1	11	10	1	-	28	1
103	15	22	3	5	4	5	8	1	-	3	1	1	6	11	1	6	7	-	-	13	2
103	15	22	3	5	4	5	8	1	-	3	1	1	6	12	1	6	7	-	-	13	3
55	6	15	-	2	1	-	5	1	-	1	-	-	3	8	-	5	3	1	-	15	4
6	-	9	-	2	-	-	-	1	-	-	-	-	-	-	1	1	3	2	-	2	5
192	34	54	1	31	5	10	12	4	1	7	2	1	12	28	14	19	29	7	-	57	6
96	13	28	1	17	4	4	5	3	1	6	2	1	8	17	9	7	15	4	-	28	7
96	21	26	-	14	1	6	7	1	-	1	-	-	4	11	5	12	14	3	-	29	8
25	2	10	-	-	1	2	4	-	-	1	-	-	-	1	3	7	5	1	-	5	9
158	12	36	2	19	1	2	18	6	2	1	2	1	3	16	11	11	21	2	-	34	10
77	10	21	1	8	-	2	2	2	1	3	-	-	2	12	-	13	12	8	-	14	11
36	13	29	1	9	-	2	4	-	2	2	-	-	-	3	4	3	7	-	-	9	12
65	8	7	4	10	2	3	7	-	4	2	-	-	1	10	2	8	10	6	-	19	13
15	9	12	-	2	2	1	-	-	-	1	-	-	1	-	-	3	5	3	-	10	14
50	3	8	-	8	-	-	5	1	1	1	-	-	-	2	2	5	7	1	-	10	15
107	27	56	3	28	3	4	4	-	3	3	1	2	3	23	1	22	16	8	-	33	16
31	9	18	2	7	-	1	1	-	2	-	-	1	2	7	-	7	2	1	-	11	17
34	11	23	3	7	-	1	1	1	3	-	-	1	2	7	-	7	2	1	-	11	18
76	18	38	1	21	3	3	3	-	1	3	1	1	1	16	1	15	14	7	-	22	19
49	4	24	1	7	-	-	3	2	1	-	-	-	2	8	1	9	7	5	-	15	20
241	32	39	9	15	7	7	20	1	6	8	2	-	15	28	3	29	31	8	1	38	21
188	24	26	5	11	7	4	14	1	4	7	1	-	14	24	1	19	17	3	1	28	22
53	8	13	4	4	-	3	6	-	2	1	1	-	1	4	2	10	14	5	-	10	23
38	5	8	1	10	-	-	1	2	-	2	-	-	5	3	-	5	2	4	-	10	24
196	31	25	2	5	7	6	9	2	3	5	1	-	11	17	-	3	25	6	-	29	25
142	20	18	2	2	6	3	6	2	3	5	1	-	9	10	-	1	19	4	-	23	26
54	11	7	-	3	1	3	3	-	-	-	-	-	2	7	-	2	6	2	-	6	27
37	8	14	1	5	2	-	3	-	1	2	-	-	4	2	-	6	1	3	1	16	28
58	9	10	1	2	3	10	8	-	1	-	1	-	-	9	-	4	8	-	1	17	29
68	7	13	1	11	2	2	7	1	1	2	-	-	4	8	-	10	7	3	-	16	30
183	24	39	3	12	2	4	19	4	6	4	1	-	6	20	3	23	20	11	-	49	31
93	10	15	2	6	1	3	9	-	4	1	1	-	4	11	1	5	7	2	-	18	32
30	2	8	1	1	-	-	-	3	1	1	-	-	-	4	1	2	4	-	-	8	33
60	12	16	-	5	1	1	10	1	1	2	-	-	2	5	1	16	9	9	-	23	34
207	18	39	7	24	4	3	13	4	4	6	-	-	8	29	3	20	22	6	1	49	35
106	10	24	1	16	3	3	2	1	2	-	-	-	5	13	2	10	9	1	-	23	36
101	8	15	6	8	1	-	11	3	2	6	-	-	3	16	1	10	13	5	1	26	37
102	12	25	3	10	1	3	3	2	2	1	1	-	6	14	-	6	10	3	1	22	38
39	8	9	1	4	-	1	1	2	-	-	-	-	2	4	-	2	6	2	-	10	39
63	4	16	2	6	1	2	2	-	2	1	1	-	4	10	-	4	4	1	1	12	40
20	3	14	3	2	1	1	-	1	2	1	-	-	-	2	2	2	3	1	-	6	41
2,835	298	445	60	173	77	71	164	81	36	131	10	5	139	397	8	171	187	106	22	563	42
2,208	239	352	53	134	52	57	138	64	27	113	6	3	108	317	6	136	153	84	18	417	43
200	14	22	1	15	9	2	7	3	1	4	1	1	8	17	-	9	10	3	-	34	44
149	15	25	2	10	-	-	6	6	2	9	1	1	7	19	-	6	8	5	-	40	45
34	1	4	1	3	1	3	2	1	-	1	1	-	2	7	-	-	1	2	-	12	46
41	7	8	-	2	6	2	2	1	-	-	-	-	1	4	-	3	2	2	4	8	47
32	1	7	1	1	1	-	2	1	-	-	-	-	4	8	1	3	3	1	-	8	48
29	6	4	-	1	1	4	2	-	3	1	-	-	1	3	-	2	-	3	-	7	49
142	15	23	2	7	7	3	5	5	3	3	1	-	8	22	1	12	10	6	-	37	50
90	30	20	3	3	2	3	5	1	-	3	1	1	5	7	3	12	11	2	-	23	51
61	5	34	1	7	-	9	8	2	1	1	-	-	1	10	3	4	9	4	2	13	52
55	9	6	1	4	1	1	7	-	1	2	-	-	1	9	4	5	9	2	-	17	53
179	31	55	4	14	4	5	13	8	7	2	2	2	25	41	1	20	29	6	-	55	54
89	15	26	3	14	2	4	2	5	3	2	1	1	14	16	1	8	14	2	-	26	55
90	16	29	1	-	2	1	11	3	4	-	1	1	11	25	-	12	15	4	-	29	56
64	5	14	1	3	1	1	6	-	1	3	-	-	5	11	1	5	9	2	-	15	57
22	2	1	-	3	1	-	3	1	-	-	-	-	3	4	-	1	3	1	-	5	58
52	8	9	3	9	1	2	6	2	1	2	-	-	5	8	2	3	12	6	-	23	59
72	13	16	4	5	-	5	5	1	1	1	-	-	2	11	-	4	16	4	-	17	60
107	12	11	7	6	-	2	4	2	-	3	1	-	6	12	1	7	9	3	1	22	61
55	6	5	3	2	-	1	2	-	-	3	-	-	1	8	-	1	4	1	-	12	62
52	6	6	4	4	-	1	2	2	-	-	1	-	5	4	1	6	5	2	1	10	63
47	-	17	1	13	-	2	5	2	-	1	2	1	3	3	2	5	1	2	1	9	64
334	24	28	7	47	9	4	25	6	3	7	1	2	15	49	6	34	35	9	1	66	65
227	12	22	4	33	4	1	18	5	2	5	1	2	11	38	4	20	21	3	1	53	66
107	12	6	3	14	5	3	7	1	1	2	-	-	4	11	2	14	14	6	-	13	67
50	6	15	3	8	3	2	4	2	-	2	-	-	-	11	1	8	11	3	-	17	68
255	47	52	6	29	4	5	16	14	10	6	1	1	18	45	3	44	36	13	-	68	69
74	10	27	3	4	1	1	7	6	2	2	-	-	3	17	-	23	11	4	-	16	70
84	13	5	-	12	1	1	4	6	6	-	-	-	7	12	3	9	9	1	-	30	71
97	24	20	3	13	2	3	5	2	2	4	1	1	8	16	-	12	16	8	-	22	72
58	4	7	2	5	2	1	4	-	1	-	-	-	1	5	1	6	5	2	-	10	73
61	6	17	1	8	2	2	8	-	-	2	-	-	7	12	2	8	8	4	-	18	74
106	23	24	6	18	1	2	6	4	-	3	-	-	2	12	3	11	23	5	-	26	75
42	9	1	-	2	-	1	1	-	-	-	-	-	-	5	-	5	3	2	2	10	76
98	13	13	1	4	3	4	4	2	-	3	1	1	8	10	-	15	9	6	-	22	77
222	28	81	7	15	4	9	12	4	3	8	-	2	16	21	2	19	29	17	-	62	78
137	15	37	5	9	2	4	5	4	2	6	-	2	12	15	-	9	18	9	-	40	79
85	13	44	2	6	2	5	7	-	1	2	-	-	4	6	2	10	11	8	-	22	80
24	2	29	-	1	1	2	7	1	-	-	1	-	1	6	3	5	5	2	-	13	81
51	11	14	2	8	5	-	3	-	1	5	-	-	2	8	2	8	5	3	-	11	82
85	10	31	6	5	1	3	6	-	3	-	-	-	5	7	-	16	12	3	-	19	83
31	3	5	-	3	1	-	4	-	-	1	-	-	1	2	-	4	4	1	-	5	84
126	21	28	1	41	3	2	7	-	2	3	-	-	9	13	-	14	16	11	1	25	85
33	-	7	1	2	-	-	3	-	1	-	-	-	-	2	1	2	5	-	-	7	86
71	18	23	4	8	2	7	4	2	2	5	-	1	4	22	3	8	19	4	-	18	87

Table 57. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Waukesha	914	11	-	8	3	148	58	15	75	13	519	515	122	1	351	12
2	Waukesha	210	2	-	1	1	34	12	4	18	4	114	114	25	-	81	2
3	Balance of county	704	9	-	7	2	114	46	11	57	9	405	401	97	1	270	10
4	Waupaca	389	1	1	4	1	57	19	2	36	17	240	238	51	-	173	3
5	Waushara	170	1	-	-	1	27	14	1	12	-	111	106	30	-	66	1
6	Winnebago	949	4	2	7	3	141	58	17	66	19	565	560	103	1	429	17
7	Oshkosh	489	1	1	1	1	74	30	9	35	7	314	312	44	1	248	6
8	Menasha	117	-	-	-	-	18	9	1	8	6	60	59	15	-	41	2
9	Neenah	131	1	-	4	1	21	6	5	10	3	62	62	17	-	42	3
10	Balance of county	212	2	1	2	1	28	13	2	13	3	129	127	27	-	98	6
11	Wood	450	1	-	1	3	62	23	6	33	11	252	252	59	-	166	8
12	Marshfield	116	-	-	-	1	22	8	3	11	-	74	74	23	-	46	5
13	Wisconsin Rapids	119	1	-	-	-	12	2	-	10	5	58	58	13	-	41	-
14	Balance of county	215	-	-	1	2	28	13	3	12	6	120	120	23	-	79	3
15	WYOMING	2,453	9	11	1	11	306	112	40	154	44	1,210	1,181	261	4	832	24
16	Nonmetropolitan counties	2,453	9	11	1	11	306	112	40	154	44	1,210	1,181	261	4	832	24
17	Albany	120	-	-	-	-	14	7	2	5	-	62	61	9	-	44	2
18	Laramie	97	-	-	-	-	13	6	2	5	-	48	48	7	-	35	2
19	Balance of county	23	-	-	-	-	1	1	-	-	-	14	13	2	-	9	-
20	Big Horn	101	1	-	-	-	18	6	1	11	-	40	39	10	1	27	-
21	Campbell	54	-	-	-	-	2	1	-	1	2	27	26	7	-	17	-
22	Carbon	143	-	2	1	2	17	6	4	7	1	80	78	11	-	65	3
23	Converse	61	-	-	-	-	6	-	2	4	2	35	35	7	-	28	2
24	Crook	32	-	-	-	-	2	1	-	1	-	24	23	5	-	18	-
25	Fremont	193	2	2	-	3	19	7	4	8	6	75	72	22	1	43	1
26	Goshen	95	-	-	-	1	13	3	-	10	5	53	53	10	-	38	1
27	Hot Springs	71	-	-	-	-	11	5	1	5	-	32	32	7	-	21	2
28	Johnson	53	-	1	-	-	7	2	3	2	-	35	35	9	-	24	1
29	Laramie	373	1	2	-	2	37	12	5	20	2	188	183	41	-	126	1
30	Cheyenne	316	1	2	-	2	35	12	5	18	2	156	151	29	-	110	1
31	Balance of county	57	-	-	-	-	2	-	-	2	-	32	32	12	-	16	-
32	Lincoln	72	-	-	-	-	13	4	1	8	1	26	25	6	1	17	-
33	Natrona	273	-	1	-	2	44	20	8	16	6	122	117	27	1	83	5
34	Casper	224	-	1	-	1	39	19	8	12	6	101	96	20	1	71	5
35	Balance of county	49	-	-	-	1	5	1	-	4	-	21	21	7	-	12	-
36	Niobrara	41	-	-	-	-	3	1	-	2	2	20	20	4	-	13	-
37	Park	107	-	-	-	-	11	5	-	6	2	62	61	9	-	45	1
38	Platte	65	1	-	-	-	8	2	-	6	1	45	44	11	-	31	-
39	Sheridan	206	3	1	-	1	39	16	4	19	5	104	104	31	-	66	1
40	Sheridan	156	2	1	-	1	30	14	3	13	3	81	81	24	-	51	1
41	Balance of county	50	1	-	-	-	9	2	1	6	2	23	23	7	-	15	-
42	Sublette	17	-	-	-	-	1	1	-	-	-	5	5	-	-	5	-
43	Sweetwater	166	1	2	-	-	20	7	3	10	4	73	69	16	-	51	1
44	Rock Springs	103	1	2	-	-	14	6	2	6	3	46	44	12	-	30	-
45	Balance of county	63	-	-	-	-	6	1	1	4	1	27	25	4	-	21	1
46	Teton	29	-	-	-	-	2	-	-	2	2	13	12	2	-	10	-
47	Uinta	42	-	-	-	-	3	2	-	1	-	24	24	3	-	20	1
48	Washakie	69	-	-	-	-	11	3	1	7	2	30	29	4	-	21	1
49	Weston	69	-	-	-	-	5	1	1	3	1	34	33	9	-	19	1
50	Yellowstone Nat. Park (part)	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
51	Yellowstone Nat. Park (total)	4	-	-	-	-	1	-	-	1	-	3	3	2	-	1	-

NOTES:

The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

ropolitan and Nonmetropolitan Counties and Specified Urban Places, 1955—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
242	34	63	4	34	3	4	13	5	5	11	2	-	15	29	1	31	29	13	1	57	1
55	7	17	-	7	1	-	4	1	1	2	1	-	4	5	-	6	8	7	-	15	2
187	27	46	4	27	2	4	9	4	4	9	1	-	11	24	1	25	21	6	1	42	3
125	9	36	5	6	3	2	5	3	-	1	-	-	4	9	4	11	6	4	-	21	4
46	4	15	1	9	-	5	3	-	-	1	-	-	-	2	-	8	7	3	-	6	5
267	79	66	5	18	4	5	15	7	6	7	-	-	14	38	4	16	34	10	-	57	6
145	59	38	4	13	2	2	10	5	3	4	-	-	3	16	1	6	12	5	-	25	7
30	4	5	1	2	-	1	2	2	-	2	-	-	4	4	1	2	7	1	-	8	8
26	3	10	-	2	1	-	2	-	1	-	-	-	2	9	2	4	8	1	-	10	9
66	13	13	-	1	1	2	1	-	2	1	-	-	5	9	-	4	7	3	-	14	10
106	16	36	7	15	5	-	12	3	6	3	-	1	8	14	2	17	16	4	-	34	11
37	1	3	2	3	-	-	3	1	1	2	-	-	-	-	-	4	3	-	-	5	12
22	5	14	1	3	-	-	4	1	5	1	-	-	4	7	1	7	3	-	-	10	13
47	10	29	4	9	5	-	5	1	-	-	-	1	4	7	1	6	10	4	-	19	14
566	86	156	11	42	31	29	71	18	13	12	2	3	42	152	27	114	160	59	10	178	15
566	86	156	11	42	31	29	71	18	13	12	2	3	42	152	27	114	160	59	10	178	16
33	4	5	1	5	2	1	5	1	-	-	1	-	-	8	3	1	14	4	-	7	17
25	3	5	1	3	2	-	5	1	-	-	1	-	-	5	3	-	12	4	-	5	18
8	1	-	-	2	-	1	-	-	-	-	-	-	-	3	-	1	2	-	-	2	19
19	5	3	-	1	-	1	4	-	1	1	-	-	-	8	1	7	7	3	-	10	20
16	1	-	-	2	-	1	2	1	-	-	-	-	1	2	-	6	7	2	-	2	21
39	2	21	-	1	1	2	3	-	-	-	-	-	-	9	1	5	9	2	1	10	22
16	5	5	-	-	-	-	2	-	-	-	-	-	1	6	1	3	1	2	-	2	23
12	2	4	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-	2	24
27	6	9	3	1	2	3	11	1	3	1	-	2	6	18	-	12	12	2	-	18	25
25	9	3	-	3	2	-	1	2	-	-	-	-	3	2	-	4	5	-	-	6	26
15	2	2	-	2	2	-	2	1	-	2	-	-	-	2	2	2	5	3	-	9	27
17	-	6	-	1	1	-	2	-	1	-	-	-	-	2	-	-	-	1	-	4	28
96	13	16	4	7	5	5	9	2	3	-	-	-	10	31	1	17	18	16	-	34	29
86	10	13	3	5	4	5	8	2	3	-	-	-	9	28	1	15	11	12	-	29	30
10	3	3	1	2	1	-	1	-	-	-	-	-	1	3	-	2	7	4	-	5	31
7	2	8	-	1	-	1	-	1	-	-	-	-	3	4	2	5	9	1	1	6	32
53	7	18	1	4	1	5	9	4	1	1	1	-	7	14	1	15	16	9	1	19	33
45	5	16	-	3	1	5	5	4	1	-	1	-	6	11	1	10	12	8	1	16	34
8	2	2	1	1	-	-	4	-	-	1	-	-	1	3	-	5	4	1	-	3	35
6	6	1	-	1	2	-	-	-	-	1	-	1	-	1	-	5	4	1	-	3	36
33	3	8	-	6	1	1	3	-	1	1	-	-	2	7	3	4	6	1	1	3	37
9	4	18	-	1	1	1	1	-	-	-	-	-	-	4	-	-	1	-	-	4	38
58	3	4	-	3	4	-	6	2	-	2	-	-	1	9	-	4	11	4	1	13	39
44	2	4	-	2	4	-	3	1	-	1	-	-	-	8	-	3	7	3	1	11	40
14	1	-	-	1	-	-	3	1	-	1	-	-	1	1	-	1	4	1	-	2	41
3	1	1	-	-	-	-	-	-	1	-	-	-	1	-	3	-	2	1	2	1	42
33	6	11	-	-	2	4	6	-	1	3	-	-	3	12	2	10	13	5	2	9	43
20	3	7	-	-	2	2	4	-	-	1	-	-	2	6	2	3	7	4	1	7	44
13	3	4	-	-	-	2	2	-	1	2	-	-	1	6	-	7	6	1	1	2	45
8	-	2	-	-	-	1	-	-	-	-	-	-	-	1	1	3	4	-	-	3	46
13	1	5	-	-	1	-	2	1	-	-	-	-	-	3	1	1	3	-	1	3	47
13	2	5	1	-	3	1	2	1	-	-	-	-	-	3	2	3	9	2	-	4	48
15	2	1	1	3	1	1	1	-	1	-	-	-	4	6	2	5	4	-	-	6	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Grand Prairie, Tex., under Dallas County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

420487 O - 57 - 33

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 58B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
UNITED STATES	34
CALIFORNIA	2
Los Angeles	1
Santa Clara	1
DELAWARE	1
New Castle	1
FLORIDA	1
Gulf	1
GEORGIA	1
Richmond	1
ILLINOIS	1
Cook	1
INDIANA	2
Marion	1
Whitley	1
LOUISIANA[1]	3
Catahoula	1
Rapides	2
MARYLAND	1
Baltimore (independent city)	1
MASSACHUSETTS	1
Norfolk	1
MICHIGAN	1
Wayne	1
MISSOURI	2
Polk	1
St. Louis (independent city)	1
NEBRASKA	1
Sheridan	1
NEW JERSEY	1
Sussex	1
NEW YORK	1
Albany	1
NORTH CAROLINA	1
Granville	1
OHIO	1
Cuyahoga	1
OKLAHOMA	2
Le Flore	1
Payne	1
SOUTH CAROLINA	3
Calhoun	1
Lee	1
Newberry	1
TENNESSEE	1
Jackson	1
TEXAS	2
Cherokee	1
El Paso	1
VIRGINIA[2]	2
Greensville	1
VIRGINIA[2]—Continued	
Independent City	
Norfolk	1
WASHINGTON	1
Cowlitz	1
WEST VIRGINIA	2
Kanawha	1
Taylor	1
DYSENTERY, ALL FORMS (045-048)	
UNITED STATES	556
ALABAMA	13
Autauga	1
Baldwin	1
Bullock	1
Houston	2
Jefferson	1
Lawrence	2
Lee	1
Limestone	1
Marion	1
Marshall	1
Tuscaloosa	1
ARIZONA	11
Coconino	2
Maricopa	4
Navajo	2
Pima	3
ARKANSAS	13
Ashley	2
Chicot	1
Columbia	1
Desha	2
Jackson	1
Lee	1
Miller	2
St. Francis	1
Sebastian	1
Washington	1
CALIFORNIA	34
Fresno	2
Imperial	3
Los Angeles	14
Madera	1
Orange	2
Riverside	1
Sacramento	1
San Bernardino	2
San Diego	4
San Joaquin	2
San Luis Obispo	1
Sonoma	1
COLORADO	6
Archuleta	1
Chaffee	1
Denver	1
Huerfano	1
Pueblo	2
DELAWARE	1
Sussex	1
DISTRICT OF COLUMBIA	1
FLORIDA	18
Bay	1
Broward	3
Clay	1
Dade	1
Duval	3
Lake	1
Lee	1
Marion	1
Palm Beach	2
Pasco	1
Polk	1
FLORIDA—Continued	
St. Johns	1
Washington	1
GEORGIA	33
Calhoun	1
Colquitt	1
Dougherty	2
Elbert	1
Fulton	3
Hart	1
Jackson	1
Jefferson	1
Jenkins	1
Lamar	1
Laurens	1
Lincoln	1
Miller	1
Mitchell	1
Morgan	1
Pike	2
Sumter	1
Telfair	1
Terrell	4
Toombs	1
Treutlen	1
Troup	1
Union	1
Walton	1
Ware	1
Wilcox	1
ILLINOIS	14
Bond	1
Cook	7
Franklin	1
Henderson	2
McLean	1
St. Clair	1
Winnebago	1
INDIANA	4
Elkhart	1
Huntington	1
Vanderburg	1
White	1
IOWA	4
Black Hawk	1
Dallas	1
Polk	1
Scott	1
KANSAS	2
Reno	1
Saline	1
KENTUCKY	18
Adair	1
Breathitt	1
Elliott	1
Floyd	2
Fulton	2
Jefferson	1
Knott	1
Pike	5
Pulaski	1
Spencer	2
Todd	1
LOUISIANA[1]	20
Bienville	1
Claiborne	1
De Soto	1
East Carroll	1
Iberia	1
Jefferson	1
Livingston	1
Natchitoches	1
Ouachita	4
Rapides	5
St. Landry	1
St. Tammany	1
Union	1
MAINE	2
Cumberland	1
Sagadahoc	1
MARYLAND	1
Baltimore (independent city)	1
MASSACHUSETTS	8
Bristol	1
Suffolk	6
Worcester	1
MICHIGAN	10
Chippewa	1
Kalamazoo	1
Leelanau	1
Lenawee	1
Muskegon	1
St. Clair	1
Sanilac	1
Wayne	3
MINNESOTA	2
Beltrami	1
Chisago	1
MISSISSIPPI	47
Amite	1
Attala	1
Bolivar	2
Claiborne	1
Coahoma	1
Grenada	1
Harrison	1
Hinds	4
Holmes	1
Jasper	2
Lauderdale	1
Lawrence	2
Leake	2
Leflore	3
Marion	1
Marshall	1
Monroe	2
Panola	1
Pearl River	1
Pike	1
Quitman	1
Sharkey	1
Tallahatchie	2
Tate	1
Tishomingo	1
Tunica	1
Walthall	1
Warren	1
Washington	5
Wilkinson	3
MISSOURI	5
Douglas	1
Harrison	1
Howell	1
Pemiscot	1
Phelps	1
NEBRASKA	2
Box Butte	1
Nemaha	1
NEVADA	1
Clark	1
NEW JERSEY	5
Bergen	1
Hudson	2
Middlesex	1
Passaic	1
NEW MEXICO	20
Chaves	1
Curry	1
Dona Ana	2
Eddy	2
Guadalupe	1
Lea	1
McKinley	1
Otero	3
Sandoval	2
San Juan	2
San Miguel	1
Santa Fe	1
Taos	2

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508).

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
NEW YORK	2
New York City[3]	1
Oneida	1
NORTH CAROLINA	14
Craven	1
Durham	1
Greene	1
Halifax	1
Haywood	1
Jones	1
Lenoir	1
Martin	1
Mecklenburg	1
Onslow	2
Rockingham	1
Swain	1
Transylvania	1
OHIO	9
Champaign	1
Cuyahoga	1
Franklin	1
Jefferson	1
Lawrence	2
Scioto	2
Tuscarawas	1
OKLAHOMA	13
Bryan	1
Choctaw	1
Coal	1
Delaware	1
Grady	1
Hughes	1
Kay	1
Muskogee	1
Oklahoma	3
Pontotoc	1
Washita	1
PENNSYLVANIA	3
Fayette	1
Luzerne	1
Washington	1
RHODE ISLAND	2
Bristol	1
Providence	1
SOUTH CAROLINA	14
Aiken	3
Calhoun	1
Charleston	1
Darlington	1
Georgetown	1
Lexington	1
McCormick	1
Marion	1
Oconee	1
Orangeburg	1
Sumter	1
York	1
SOUTH DAKOTA	2
Todd	1
Walworth	1
TENNESSEE	20
Benton	1
Bradley	2
Coffee	3
Fayette	1
Gibson	1
Haywood	2
Hickman	1
Knox	1
Lake	1
Macon	1
Obion	1
Shelby	4
Tipton	1
TEXAS	149
Anderson	1
Bee	3
TEXAS—Continued	
Bell	1
Bexar	3
Brown	1
Burleson	1
Cameron	9
Childress	1
Dallas	9
Dawson	1
Denton	1
Dimmit	2
Duval	2
Ector	1
Ellis	2
El Paso	7
Fort Bend	2
Gaines	1
Goliad	1
Guadalupe	3
Hale	5
Harris	3
Hidalgo	28
Hill	1
Hockley	2
Houston	1
Jim Wells	1
Kaufman	1
Knox	1
Lamar	1
Lamb	2
Leon	1
Lubbock	2
McLennan	1
Midland	1
Milam	2
Montgomery	2
Nacogdoches	1
Navarro	1
Nueces	3
Reeves	1
Robertson	2
San Augustine	1
San Patricio	2
Shelby	1
Smith	2
Tom Green	4
Travis	1
Uvalde	4
Val Verde	4
Van Zandt	1
Victoria	2
Ward	1
Wichita	1
Willacy	6
Williamson	2
Wood	1
Zavala	1
UTAH	1
Wasatch	1
VIRGINIA[2]	18
Accomack	1
Brunswick	1
Buchanan	2
Charles City	2
Hanover	1
Mecklenburg	1
Nansemond	1
Prince Edward	1
Rockbridge	1
Rockingham	1
Spotsylvania	1
Independent Cities	
Lynchburg	1
Norfolk	1
Portsmouth	2
Richmond	1
WASHINGTON	2
Pierce	1
Snohomish	1
WEST VIRGINIA	6
Logan	1
McDowell	1
Mingo	1
Pleasants	1
Upshur	1
Wayne	1
WISCONSIN	6
Brown	1
Columbia	1
Grant	1
Milwaukee	1
Shawano	1
Taylor	1
DIPHTHERIA (055)	
UNITED STATES	150
ALABAMA	24
Butler	1
Clarke	1
Covington	1
Geneva	1
Greene	1
Jefferson	5
Lawrence	2
Lee	1
Limestone	1
Madison	1
Marengo	1
Mobile	1
Montgomery	1
Russell	1
Tallapoosa	2
Tuscaloosa	3
CALIFORNIA	4
Alameda	1
Los Angeles	1
Orange	1
Tulare	1
FLORIDA	7
Broward	1
Dade	1
De Soto	1
Lee	1
Marion	1
Orange	1
Pinellas	1
GEORGIA	18
Bartow	1
Bibb	1
Butts	2
Columbia	1
Decatur	1
De Kalb	2
Early	1
Fulton	2
Hall	1
Lowndes	1
Mitchell	1
Randolph	1
Richmond	1
Sumter	1
Tift	1
INDIANA	4
Bartholomew	1
Elkhart	1
Huntington	1
Wayne	1
IOWA	1
Scott	1
KENTUCKY	5
McCracken	1
Meade	4
LOUISIANA[1]	5
Acadia	1
Ascension	1
Lafayette	1
St. Martin	1
Webster	1
MARYLAND	1
Dorchester	1
MICHIGAN	2
Genesee	1
Wayne	1
MINNESOTA	7
Beltrami	2
Hennepin	3
Hubbard	1
Ramsey	1
MISSISSIPPI	2
Copiah	1
Wilkinson	1
MONTANA	1
Cascade	1
NEBRASKA	4
Box Butte	1
Douglas	3
NEW JERSEY	1
Atlantic	1
NEW MEXICO	1
Rio Arriba	1
NEW YORK	1
Cayuga	1
NORTH CAROLINA	4
Craven	1
Mitchell	1
Pitt	1
Surry	1
OHIO	6
Franklin	4
Lucas	1
Pickaway	1
OKLAHOMA	1
Tulsa	1
OREGON	1
Multnomah	1
PENNSYLVANIA	4
Delaware	1
Montgomery	2
Philadelphia	1
SOUTH CAROLINA	12
Anderson	2
Charleston	2
Chesterfield	1
Darlington	1
Florence	1
Georgetown	1
Horry	1
Marion	1
Williamsburg	1
York	1
SOUTH DAKOTA	3
Gregory	1
Hughes	1
Sanborn	1
TENNESSEE	5
Coffee	1
Monroe	1
Shelby	1
Wayne	2
TEXAS	13
Cameron	2
Dawson	1
Harris	2
Harrison	1
Hidalgo	3
Jefferson	1
San Patricio	1
Van Zandt	1
Washington	1

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508)

AREA AND CAUSE OF DEATH	Deaths
DIPHTHERIA (055)—Continued	
UTAH	2
Salt Lake	2
VIRGINIA[2]	5
Fluvanna	1
Giles	1
Independent Cities	
Portsmouth	2
Winchester	1
WASHINGTON	6
Cowlitz	1
King	5
WHOOPING COUGH (056)	
UNITED STATES	467
ALABAMA	22
Choctaw	2
Clarke	1
Elmore	1
Franklin	1
Greene	1
Hale	1
Jefferson	6
Limestone	1
Madison	3
Marshall	1
Mobile	1
Pickens	1
Randolph	1
Walker	1
ARIZONA	7
Graham	1
Maricopa	4
Mohave	1
Yavapai	1
ARKANSAS	23
Arkansas	1
Chicot	3
Crittenden	3
Cross	1
Dallas	1
Franklin	1
Garland	1
Hot Spring	1
Jackson	1
Mississippi	2
Ouachita	2
Poinsett	1
Pulaski	1
St. Francis	1
Union	1
Van Buren	1
Woodruff	1
CALIFORNIA	11
Contra Costa	1
Los Angeles	6
Riverside	1
San Bernardino	2
San Luis Obispo	1
COLORADO	3
El Paso	1
Huerfano	1
Weld	1
FLORIDA	13
Duval	2
Hardee	1
Highlands	1
Hillsborough	2
Manatee	2
Marion	1
Palm Beach	1
Pinellas	1
Putnam	1
St. Lucie	1

AREA AND CAUSE OF DEATH	Deaths
GEORGIA	23
Ben Hill	1
Bibb	1
Colquitt	1
Columbia	1
Hall	1
Houston	1
Jenkins	1
Jones	1
Laurens	1
Lincoln	1
McDuffie	1
Macon	1
Marion	1
Mitchell	1
Oglethorpe	1
Richmond	2
Rockdale	2
Tattnall	1
Terrell	1
Tift	1
Wilkes	1
IDAHO	2
Nez Perce	1
Shoshone	1
ILLINOIS	8
Knox	1
La Salle	1
Massac	1
Pulaski	1
Rock Island	2
Union	1
Will	1
INDIANA	8
Delaware	1
Elkhart	2
Lake	1
Martin	1
Rush	1
Tippecanoe	1
Vanderburgh	1
IOWA	5
Buchanan	1
Clayton	1
Dubuque	1
Scott	1
Wapello	1
KANSAS	5
Doniphan	1
Nemaha	2
Sedgwick	1
Shawnee	1
KENTUCKY	18
Carter	1
Daviess	1
Fayette	1
Greenup	2
Jefferson	1
Kenton	1
McCracken	1
McCreary	1
Montgomery	2
Nelson	1
Pike	4
Union	1
Washington	1
LOUISIANA[1]	19
Acadia	1
Caddo	2
Calcasieu	3
Jefferson	1
Lafourche	1
Madison	1
Natchitoches	1
Orleans	1
Ouachita	1
St. Landry	3
St. Mary	3
Vermilion	1

AREA AND CAUSE OF DEATH	Deaths
MAINE	3
Androscoggin	1
Kennebec	2
MARYLAND	5
Baltimore (independent city)	1
Frederick	1
Montgomery	1
Prince Georges	2
MASSACHUSETTS	1
Suffolk	1
MICHIGAN	8
Genesee	1
Houghton	1
Iron	1
Saginaw	1
Wayne	4
MINNESOTA	1
Hennepin	1
MISSISSIPPI	34
Bolivar	3
Choctaw	2
Coahoma	1
De Soto	1
Humphreys	2
Lee	4
Lincoln	1
Madison	2
Pontotoc	1
Quitman	3
Sunflower	2
Tallahatchie	2
Tishomingo	1
Tunica	3
Washington	2
Webster	1
Yalobusha	1
Yazoo	2
MISSOURI	9
Carroll	1
Howell	1
Jackson	1
Jasper	1
Laclede	1
New Madrid	2
Scotland	1
Scott	1
MONTANA	1
Deer Lodge	1
NEBRASKA	3
Knox	2
Sheridan	1
NEVADA	1
Washoe	1
NEW HAMPSHIRE	1
Grafton	1
NEW JERSEY	3
Mercer	1
Middlesex	2
NEW MEXICO	11
Bernalillo	1
Colfax	2
Dona Ana	1
Lea	1
Luna	1
Rio Arriba	1
Roosevelt	1
San Miguel	3
NEW YORK	6
Albany	1
Dutchess	1

AREA AND CAUSE OF DEATH	Deaths
NEW YORK—Continued	
Herkimer	1
New York City[3]	2
Ontario	1
NORTH CAROLINA	31
Cleveland	1
Craven	1
Cumberland	4
Gaston	1
Guilford	1
Halifax	1
Hoke	1
Jackson	1
Johnston	1
Jones	1
Lenoir	2
Martin	1
Nash	4
Northampton	1
Pasquotank	3
Pitt	2
Richmond	1
Rockingham	1
Stanly	1
Wake	1
Wayne	1
NORTH DAKOTA	3
Emmons	1
Stutsman	1
Traill	1
OHIO	15
Allen	2
Athens	1
Auglaize	3
Franklin	1
Hamilton	2
Hardin	1
Madison	1
Montgomery	1
Ross	1
Stark	1
Wyandot	1
OKLAHOMA	11
Carter	1
Le Flore	1
McCurtain	1
McIntosh	1
Okfuskee	1
Okmulgee	1
Pushmataha	2
Sequoyah	1
Tulsa	2
OREGON	1
Jefferson	1
PENNSYLVANIA	10
Allegheny	3
Bucks	1
Cambria	1
Greene	1
Philadelphia	2
Schuylkill	1
Tioga	1
RHODE ISLAND	1
Providence	1
SOUTH CAROLINA	22
Anderson	1
Beaufort	2
Berkeley	1
Charleston	1
Chesterfield	1
Clarendon	1
Fairfield	1
Jasper	1
Laurens	1
Lee	2
McCormick	2
Marlboro	1
Orangeburg	2
Saluda	1

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
SOUTH CAROLINA—Continued	
Spartanburg	1
Sumter	2
Williamsburg	1
SOUTH DAKOTA	1
Minnehaha	1
TENNESSEE	24
Bedford	1
Blount	3
Campbell	1
Crockett	1
Cumberland	1
Fayette	1
Greene	1
Hamilton	2
Haywood	1
Henderson	1
Henry	1
Hickman	1
Lake	1
Lawrence	1
Maury	1
Monroe	1
Montgomery	1
Robertson	1
Tipton	3
TEXAS	59
Angelina	1
Atascosa	1
Bailey	1
Bexar	9
Bowie	1
Cameron	1
Cherokee	1
Coryell	1
Dallas	1
Dawson	1
Deaf Smith	1
El Paso	1
Fannin	1
Harris	1
Hidalgo	4
Hockley	1
Jones	1
Karnes	1
Kaufman	1
Lamar	1
Lamb	1
Lubbock	3
McLennan	1
Maverick	1
Medina	1
Nacogdoches	1
Orange	1
Panola	1
Pecos	2
Polk	1
Rusk	1
San Patricio	1
Shelby	1
Smith	1
Starr	2
Taylor	1
Tom Green	1
Val Verde	3
Van Zandt	1
Wilbarger	1
Wilson	1
Wood	1
UTAH	2
Juab	1
Weber	1
VIRGINIA[2]	19
Appomattox	1
Bedford	1
Brunswick	1
Buckingham	2
Carroll	1
Charlotte	1
Chesterfield	1
Frederick	1
VIRGINIA[2]—Continued	
Halifax	2
Lee	1
Mecklenburg	1
Russell	1
Scott	1
Sussex	1
Independent Cities	
Newport News	1
Petersburg	1
Portsmouth	1
WASHINGTON	3
Pierce	1
Spokane	2
WEST VIRGINIA	9
Greenbrier	1
Jackson	1
Jefferson	1
Kanawha	1
Logan	1
McDowell	2
Summers	1
Wyoming	1
WYOMING	2
Fremont	1
Natrona	1
MENINGOCOCCAL INFECTIONS (057)	
UNITED STATES	907
ALABAMA	23
Chambers	1
Clay	1
Dallas	1
Escambia	1
Etowah	1
Jefferson	6
Lauderdale	2
Marengo	1
Marshall	1
Mobile	2
Montgomery	3
Morgan	2
Perry	1
ARIZONA	3
Apache	1
Cochise	1
Gila	1
ARKANSAS	6
Craighead	1
Johnson	1
Lawrence	1
Pulaski	2
White	1
CALIFORNIA	49
Alameda	5
Contra Costa	1
Fresno	1
Humboldt	2
Los Angeles	19
Mendocino	1
Monterey	2
Orange	1
Sacramento	4
San Benito	1
San Bernardino	2
San Diego	6
San Joaquin	2
Santa Cruz	1
Ventura	1
COLORADO	12
Adams	1
Denver	2
El Paso	1
Jefferson	2
COLORADO—Continued	
La Plata	1
Larimer	1
Mesa	1
Otero	1
Pueblo	1
Weld	1
CONNECTICUT	11
Fairfield	3
Hartford	3
Litchfield	1
New Haven	2
New London	1
Tolland	1
DISTRICT OF COLUMBIA	5
FLORIDA	17
Brevard	1
Dade	1
Duval	2
Escambia	1
Hillsborough	2
Jackson	1
Lake	1
Lee	1
Marion	1
Martin	1
Nassau	1
Osceola	1
Pinellas	1
Polk	1
Taylor	1
GEORGIA	24
Bacon	1
Bleckley	1
Catoosa	1
Chatham	4
Cook	1
Fannin	1
Floyd	1
Fulton	2
Haralson	1
Harris	1
Heard	1
Lamar	1
Lanier	1
Lowndes	1
McDuffie	1
McIntosh	1
Muscogee	1
Paulding	1
Polk	1
Upson	1
IDAHO	2
Benewah	1
Idaho	1
ILLINOIS	43
Boone	1
Cook	20
De Witt	1
Du Page	1
Franklin	1
Jefferson	1
Jo Daviess	1
Kane	1
Lake	2
La Salle	1
McLean	1
Macon	1
Madison	2
Rock Island	2
St. Clair	1
Sangamon	2
Vermilion	2
Will	2
INDIANA	38
Allen	3
Daviess	1
Elkhart	1
Floyd	1
Franklin	3
Hancock	1
Hendricks	1
INDIANA—Continued	
Huntington	1
Jefferson	1
Jennings	1
Knox	1
Lagrange	1
Lake	4
La Porte	1
Madison	2
Marion	3
Monroe	1
Posey	1
Randolph	1
Rush	1
St. Joseph	2
Steuben	1
Vanderburgh	3
Vigo	2
IOWA	12
Buchanan	1
Cherokee	1
Dallas	1
Grundy	1
Marshall	1
Polk	3
Pottawattamie	1
Sac	1
Scott	1
Woodbury	1
KANSAS	7
Anderson	1
Barton	1
Johnson	1
Saline	1
Sedgwick	1
Wyandotte	2
KENTUCKY	34
Barren	1
Boyd	1
Bullitt	2
Campbell	2
Carroll	1
Daviess	3
Fayette	1
Gallatin	1
Henry	1
Jefferson	7
Kenton	1
Knott	1
Letcher	1
Madison	1
Magoffin	1
Martin	1
Meade	1
Montgomery	1
Pulaski	1
Rowan	1
Taylor	1
Warren	1
Wayne	2
LOUISIANA[1]	27
Ascension	1
Avoyelles	1
Calcasieu	2
East Baton Rouge	1
Franklin	1
Grant	1
Jefferson	2
Lafourche	3
Orleans	3
Plaquemines	1
Rapides	1
Richland	2
St. Landry	1
St. Martin	1
St. Mary	2
Tangipahoa	1
Vermilion	1
Webster	1
West Baton Rouge	1
MAINE	6
Aroostook	1
Cumberland	4
Somerset	1

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
MARYLAND	13
Anne Arundel	1
Baltimore	3
Baltimore (independent city)	5
Calvert	1
Garrett	1
Washington	1
Wicomico	1
MASSACHUSETTS	22
Bristol	2
Essex	2
Hampden	1
Middlesex	3
Norfolk	2
Plymouth	2
Suffolk	8
Worcester	2
MICHIGAN	42
Bay	1
Berrien	1
Eaton	1
Emmet	1
Genesee	4
Ingham	3
Jackson	1
Kent	3
Livingston	1
Macomb	4
Marquette	1
Midland	1
Monroe	2
Muskegon	1
Oakland	4
Oceana	1
Saginaw	1
Wayne	11
MINNESOTA	6
Hennepin	2
Norman	1
Ramsey	1
St. Louis	2
MISSISSIPPI	13
Attala	1
Copiah	1
Harrison	2
Jefferson Davis	1
Lafayette	1
Leflore	1
Lincoln	1
Pearl River	1
Pike	1
Sunflower	1
Warren	1
Wayne	1
MISSOURI	16
Buchanan	1
Franklin	1
Jackson	2
Madison	1
Pemiscot	2
Pulaski	1
St. Louis	1
St. Louis (independent city)	7
MONTANA	5
Daniels	1
Glacier	1
Golden Valley	1
Phillips	1
Treasure	1
NEBRASKA	4
Douglas	2
Hall	1
Kimball	1
NEVADA	2
Clark	1
Washoe	1
NEW HAMPSHIRE	3
Merrimack	2
Rockingham	1
NEW JERSEY	33
Atlantic	4
Bergen	1
Burlington	2
Camden	7
Cumberland	2
Essex	8
Hudson	1
Middlesex	1
Passaic	3
Salem	1
Union	3
NEW MEXICO	7
Bernalillo	1
Colfax	2
Eddy	1
McKinley	1
San Juan	2
NEW YORK	66
Allegany	1
Chautauqua	1
Clinton	1
Dutchess	2
Erie	5
Genesee	2
Herkimer	2
Jefferson	1
Montgomery	1
Nassau	4
New York City[3]	35
Oneida	1
Onondaga	2
Oswego	1
St. Lawrence	1
Tioga	1
Wayne	1
Westchester	4
NORTH CAROLINA	31
Alexander	1
Bertie	1
Caldwell	1
Cherokee	1
Cleveland	1
Columbus	1
Cumberland	1
Forsyth	1
Franklin	1
Greene	1
Harnett	1
Hertford	1
Iredell	1
Lee	1
Mecklenburg	2
Mitchell	1
Moore	1
New Hanover	1
Pitt	1
Randolph	1
Robeson	1
Rockingham	1
Sampson	2
Stokes	1
Surry	1
Swain	1
Warren	2
Wilson	1
NORTH DAKOTA	3
Mountrail	1
Ransom	1
Stark	1
OHIO	73
Athens	1
Belmont	2
Butler	3
Clark	2
Columbiana	1
Cuyahoga	7
Fairfield	1
Fayette	1
Franklin	2
OHIO—Continued	
Greene	2
Hamilton	13
Jefferson	1
Lake	1
Licking	2
Lorain	2
Lucas	6
Mahoning	1
Montgomery	6
Ottawa	2
Pike	1
Preble	1
Scioto	2
Shelby	2
Stark	4
Summit	1
Trumbull	1
Tuscarawas	3
Washington	1
Wayne	1
OKLAHOMA	11
Garfield	2
McClain	1
McCurtain	1
McIntosh	1
Major	1
Muskogee	1
Oklahoma	1
Ottawa	1
Pottawatomie	1
Tulsa	1
OREGON	4
Clackamas	1
Klamath	1
Multnomah	2
PENNSYLVANIA	52
Adams	1
Allegheny	5
Bedford	2
Cambria	1
Centre	1
Clarion	1
Columbia	1
Cumberland	2
Dauphin	2
Delaware	1
Erie	1
Huntingdon	1
Indiana	2
Juniata	1
Lackawanna	2
Lawrence	1
Lebanon	1
Lehigh	1
Luzerne	2
Mifflin	1
Montgomery	2
Philadelphia	14
Schuylkill	1
Somerset	1
Venango	1
Westmoreland	1
York	2
RHODE ISLAND	6
Kent	1
Providence	5
SOUTH CAROLINA	15
Aiken	2
Barnwell	1
Charleston	2
Greenville	1
Jasper	1
Laurens	1
Lee	1
Lexington	1
Orangeburg	1
Pickens	2
Richland	2
SOUTH DAKOTA	6
Codington	1
Haakon	1
Hand	1
SOUTH DAKOTA—Continued	
Minnehaha	2
Spink	1
TENNESSEE	29
Bradley	1
Coffee	1
Davidson	1
Dickson	1
Dyer	1
Grundy	1
Hamilton	1
Knox	3
Lake	1
Lauderdale	1
Lincoln	2
Loudon	1
McMinn	1
Madison	1
Maury	2
Morgan	1
Polk	1
Putnam	1
Scott	1
Shelby	3
Sullivan	1
Washington	2
TEXAS	27
Bexar	1
Brazoria	1
Cameron	1
Cherokee	1
Dallas	2
El Paso	2
Foard	1
Fort Bend	1
Hale	1
Harris	4
Harrison	1
Jack	1
Jefferson	2
Jones	1
Lavaca	1
Liberty	1
McLennan	1
Milam	1
Smith	1
Tarrant	1
Taylor	1
UTAH	4
Beaver	1
Davis	1
Duchesne	1
Rich	1
VERMONT	5
Bennington	1
Caledonia	1
Chittenden	1
Rutland	1
Windsor	1
VIRGINIA[2]	29
Buchanan	3
Campbell	2
Carroll	1
Chesterfield	1
Fairfax	1
Floyd	1
Lancaster	1
Lee	1
Norfolk	1
Pittsylvania	1
Pulaski	1
Russell	1
Tazewell	1
Warren	1
Wythe	1
Independent Cities	
Alexandria	2
Bristol	1
Danville	1
Norfolk	1
Petersburg	1
Portsmouth	1
Richmond	2
Roanoke	1
Warwick[4]	1

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
WASHINGTON	15
Benton	1
Grant	1
King	7
Kitsap	2
Pierce	2
Spokane	2
WEST VIRGINIA	20
Barbour	1
Brooke	1
Cabell	3
Fayette	2
Kanawha	1
Logan	1
McDowell	3
Marion	2
Mercer	1
Putnam	1
Tyler	1
Wood	2
Wyoming	1
WISCONSIN	26
Barron	1
Brown	2
Dane	1
Dodge	1
Douglas	1
Dunn	1
Eau Claire	1
Grant	1
Kenosha	1
La Crosse	1
Manitowoc	1
Marathon	2
Milwaukee	1
Outagamie	2
Polk	1
Racine	2
Rock	1
Shawano	1
Sheboygan	1
Washington	1
Winnebago	1
Wood	1
MEASLES (085)	
UNITED STATES	345
ALABAMA	2
Mobile	1
Montgomery	1
ARIZONA	26
Apache	9
Cochise	1
Coconino	3
Gila	1
Greenlee	1
Maricopa	2
Navajo	4
Pima	3
Pinal	1
Yavapai	1
ARKANSAS	5
Crittenden	2
Cross	1
St. Francis	2
CALIFORNIA	30
Alameda	1
Fresno	2
Kern	1
Kings	1
Los Angeles	13
Merced	1
Monterey	1
Riverside	1
Sacramento	2
San Bernardino	2
San Diego	1
CALIFORNIA—Continued	
San Mateo	1
Santa Barbara	1
Stanislaus	1
Yuba	1
COLORADO	5
Arapahoe	1
Denver	2
Montezuma	1
Morgan	1
CONNECTICUT	8
Hartford	3
Litchfield	1
New Haven	4
DELAWARE	1
New Castle	1
FLORIDA	2
Clay	1
Gadsden	1
GEORGIA	7
Bibb	1
Clayton	1
Decatur	1
Fulton	1
Gwinnett	1
Spalding	1
Taylor	1
IDAHO	1
Clearwater	1
ILLINOIS	11
Champaign	1
Cook	5
Fayette	1
Jo Daviess	1
Kankakee	1
Randolph	1
Williamson	1
INDIANA	4
Allen	1
Huntington	1
Lake	1
St. Joseph	1
IOWA	5
Fayette	1
Lee	1
Plymouth	1
Polk	1
Woodbury	1
KANSAS	2
Pottawatomie	1
Scott	1
KENTUCKY	6
Bell	1
Fayette	1
Scott	1
Spencer	1
Todd	1
Webster	1
LOUISIANA[1]	6
Bossier	1
Claiborne	1
Lafayette	1
Ouachita	1
St. Landry	1
Tangipahoa	1
MAINE	4
Aroostook	1
Knox	1
Penobscot	1
Washington	1
MARYLAND	4
Baltimore (independent city)	1
Harford	1
Washington	2
MASSACHUSETTS	18
Bristol	2
Essex	2
Hampden	1
Middlesex	5
Norfolk	2
Plymouth	1
Suffolk	2
Worcester	3
MICHIGAN	8
Barry	1
Gratiot	1
Kalamazoo	1
Macomb	1
Oakland	1
Saginaw	1
Washtenaw	1
Wayne	1
MINNESOTA	9
Beltrami	1
Carver	1
Cass	1
Clearwater	1
Hennepin	1
Isanti	1
Martin	1
Ramsey	1
St. Louis	1
MISSISSIPPI	6
Bolivar	2
Coahoma	1
Marshall	1
Tunica	2
MISSOURI	8
Daviess	1
Dunklin	1
Holt	1
Jackson	1
New Madrid	1
Newton	1
Pemiscot	1
St. Louis (independent city)	1
MONTANA	4
Big Horn	3
Lake	1
NEW HAMPSHIRE	1
Hillsborough	1
NEW JERSEY	8
Bergen	2
Essex	1
Hudson	1
Middlesex	1
Monmouth	1
Union	2
NEW MEXICO	22
Chaves	1
Grant	1
Lea	2
McKinley	8
Otero	1
San Juan	6
Valencia	3
NEW YORK	28
Albany	1
Chemung	1
Chenango	1
Clinton	1
Columbia	1
Erie	2
Franklin	1
Fulton	1
NEW YORK—Continued	
Herkimer	1
Jefferson	2
Livingston	1
Madison	1
Monroe	1
Niagara	1
New York City[3]	6
Oneida	1
Oswego	1
St. Lawrence	1
Steuben	1
Suffolk	1
Ulster	1
NORTH CAROLINA	3
Bertie	1
Davidson	1
Franklin	1
NORTH DAKOTA	4
Griggs	1
Mountrail	1
Sioux	2
OHIO	9
Darke	1
Franklin	1
Hancock	1
Lucas	2
Mahoning	1
Portage	1
Stark	1
Washington	1
OKLAHOMA	4
Creek	1
Le Flore	1
Tulsa	2
OREGON	2
Multnomah	1
Wasco	1
PENNSYLVANIA	11
Crawford	1
Lancaster	2
Lebanon	1
Lehigh	1
Luzerne	1
Lycoming	1
Montour	1
Somerset	1
Westmoreland	1
York	1
SOUTH CAROLINA	2
Florence	1
Horry	1
SOUTH DAKOTA	1
Buffalo	1
TENNESSEE	6
Bedford	1
Hardin	1
Lawrence	1
Maury	1
Shelby	1
Williamson	1
TEXAS	35
Atascosa	1
Bee	1
Bexar	3
Cameron	5
Cass	1
Dallas	1
Ellis	1
El Paso	1
Hardin	1
Harrison	1
Henderson	1
Hidalgo	1
Houston	1

See footnotes on p. 514.

Table 58A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1955—Continued

(See headnote on p. 508)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
TEXAS—Continued	
Karnes	1
Kaufman	1
Kenedy	1
Kleberg	1
Leon	1
Lubbock	1
Lynn	1
Nueces	1
San Patricio	2
Terry	1
Tom Green	1
Upshur	1
TEXAS—Continued	
Willacy	2
Wood	1
VERMONT	5
Addison	1
Chittenden	1
Lamoille	1
Orange	1
Washington	1
VIRGINIA[2]	5
Arlington	1
Dickenson	1
VIRGINIA[2]—Continued	
Southampton	1
Wise	1
Independent City	
Lynchburg	1
WASHINGTON	2
Snohomish	1
Whitman	1
WEST VIRGINIA	4
Gilmer	1
Kanawha	1
WEST VIRGINIA—Continued	
Logan	1
McDowell	1
WISCONSIN	8
Chippewa	1
Fond du Lac	1
Kewaunee	1
Milwaukee	4
Wood	1
WYOMING	3
Fremont	1
Laramie	1
Natrona	1

[1]Divisions of Louisiana known as parishes.
[2]Independent cities have the same status as counties and are listed after the counties.
[3]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[4]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

Table 58B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Urban places with populations of 10,000 or more in 1950 are listed in which there was one death (or more) from the specified cause. Counties in which urban places are located are shown in parentheses. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
CALIFORNIA:	
Los Angeles (Los Angeles)	1
DELAWARE:	
Wilmington (New Castle)	1
GEORGIA:	
Augusta (Richmond)	1
ILLINOIS:	
Chicago (Cook)	1
INDIANA:	
Indianapolis (Marion)	1
MARYLAND:	
Baltimore (independent city)	1
MASSACHUSETTS:	
Norwood (town) (Norfolk)[1]	1
MISSOURI:	
St. Louis (independent city)	1
OHIO:	
Cleveland (Cuyahoga)	1
TEXAS:	
El Paso (El Paso)	1
VIRGINIA:	
Norfolk (independent city)	1
DYSENTERY, ALL FORMS (045-048)	
ALABAMA:	
Opelika (Lee)	1
ARIZONA:	
Phoenix (Maricopa)	1
Tucson (Pima)	1
ARKANSAS:	
Fayetteville (Washington)	1
Fort Smith (Sebastian)	1
CALIFORNIA:	
Alhambra (Los Angeles)	1
Brawley (Imperial)	1
Burbank (Los Angeles)	2
Colton (San Bernardino)	1
Corona (Riverside)	1
El Centro (Imperial)	1
Fresno (Fresno)	2
Fullerton (Orange)	1
Los Angeles (Los Angeles)	4
Madera (Madera)	1
Monterey Park (Los Angeles)	1
National City (San Diego)	1
San Diego (San Diego)	2
Santa Monica (Los Angeles)	1
Stockton (San Joaquin)	1
COLORADO:	
Denver (Denver)	1
Pueblo (Pueblo)	1
DISTRICT OF COLUMBIA:	
Washington, D. C.	1
FLORIDA:	
Fort Lauderdale (Broward)	1
Jacksonville (Duval)	2
Ocala (Marion)	1
GEORGIA:	
Albany (Dougherty)	2
Atlanta (Fulton)	3
Dublin (Laurens)	1
ILLINOIS:	
Chicago (Cook)	7
East St. Louis (St. Clair)	1
Rockford (Winnebago)	1
West Frankfort (Franklin)	1
INDIANA:	
Evansville (Vanderburgh)	1
Huntington (Huntington)	1
IOWA:	
Davenport (Scott)	1
Des Moines (Polk)	1
Waterloo (Black Hawk)	1
KANSAS:	
Hutchinson (Reno)	1
Salina (Saline)	1
KENTUCKY:	
Louisville (Jefferson)	1
LOUISIANA:	
Alexandria (Rapides)	1
Monroe (Ouachita)	2
New Iberia (Iberia)	1
Opelousas (St. Landry)	1
MARYLAND:	
Baltimore (independent city)	1
MASSACHUSETTS:	
Boston (Suffolk)	6
Worcester (Worcester)	1
MICHIGAN:	
Dearborn (Wayne)	1
Detroit (Wayne)	1
Port Huron (St. Clair)	1
Sault Ste. Marie (Chippewa)	1
MISSISSIPPI:	
Gulfport (Harrison)	1
Jackson (Hinds)	3
McComb (Pike)	1
Meridian (Lauderdale)	1
NEVADA:	
Las Vegas (Clark)	1
NEW JERSEY:	
Jersey City (Hudson)	1
Passaic (Passaic)	1
NEW MEXICO:	
Clovis (Curry)	1
Las Cruces (Dona Ana)	1
Santa Fe (Santa Fe)	1
NEW YORK:	
New York City[2]	1
Utica (Oneida)	1
NORTH CAROLINA:	
Charlotte (Mecklenburg)	1
Durham (Durham)	1
Kinston (Lenoir)	1
New Bern (Craven)	1
OHIO:	
Cleveland Heights (Cuyahoga)	1
Columbus (Franklin)	1
Portsmouth (Scioto)	2
OKLAHOMA:	
Chickasha (Grady)	1
Oklahoma City (Oklahoma)	2
PENNSYLVANIA:	
Wilkes-Barre (Luzerne)	1
RHODE ISLAND:	
Providence (Providence)	1
TENNESSEE:	
Cleveland (Bradley)	2
Knoxville (Knox)	1
Memphis (Shelby)	2
TEXAS:	
Alice (Jim Wells)	1
Austin (Travis)	1
Brownwood (Brown)	1
Corpus Christi (Nueces)	3
Dallas (Dallas)	8
Del Rio (Val Verde)	4
Edinburg (Hidalgo)	3
El Paso (El Paso)	6
Grand Prairie (Dallas)	1
Harlingen (Cameron)	4
Houston (Harris)	3
Lubbock (Lubbock)	1
Mercedes (Hidalgo)	5
Midland (Midland)	1
Odessa (Ector)	1
Paris (Lamar)	1
Plainview (Hale)	4
San Angelo (Tom Green)	4
San Antonio (Bexar)	3
Tyler (Smith)	1
Victoria (Victoria)	2
Waco (McLennan)	1
Wichita Falls (Wichita)	1
VIRGINIA:	
Lynchburg (independent city)	1
Norfolk (independent city)	1
Portsmouth (independent city)	2
Richmond (independent city)	1
WASHINGTON:	
Tacoma (Pierce)	1
WISCONSIN:	
Green Bay (Brown)	1
Milwaukee (Milwaukee)	1
DIPHTHERIA (055)	
ALABAMA:	
Birmingham (Jefferson)	4
Montgomery (Montgomery)	1
Phenix City (Russell)	1
Prichard (Mobile)	1
Tuscaloosa (Tuscaloosa)	2
CALIFORNIA:	
Burbank (Los Angeles)	1
Oakland (Alameda)	1
FLORIDA:	
Fort Myers (Lee)	1
St. Petersburg (Pinellas)	1
GEORGIA:	
Atlanta (Fulton)	2
Augusta (Richmond)	1
Decatur (De Kalb)	1
Macon (Bibb)	1
INDIANA:	
Elkhart (Elkhart)	1
Huntington (Huntington)	1
IOWA:	
Davenport (Scott)	1
KENTUCKY:	
Paducah (McCracken)	1
LOUISIANA:	
Crowley (Acadia)	1
Lafayette (Lafayette)	1
MICHIGAN:	
Detroit (Wayne)	1
Flint (Genesee)	1
MINNESOTA:	
Bemidji (Beltrami)	2
Minneapolis (Hennepin)	3
St. Paul (Ramsey)	1
MONTANA:	
Great Falls (Cascade)	1
NEBRASKA:	
Omaha (Douglas)	3
NEW YORK:	
Auburn (Cayuga)	1
OHIO:	
Columbus (Franklin)	4
Toledo (Lucas)	1
OREGON:	
Portland (Multnomah)	1
PENNSYLVANIA:	
Abington (twp.) (Montgomery)[1 3]	1
Philadelphia (Philadelphia)	1
Pottstown (Montgomery)	1
Upper Darby (twp.) (Delaware)[1 3]	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
TEXAS:	
Beaumont (Jefferson)	1
Edinburg (Hidalgo)	1
Harlingen (Cameron)	1
Houston (Harris)	2
Lamesa (Dawson)	1
Marshall (Harrison)	1
UTAH:	
Salt Lake City (Salt Lake)	2
VIRGINIA:	
Portsmouth (independent city)	2
Winchester (independent city)	1
WASHINGTON:	
Seattle (King)	5
WHOOPING COUGH (056)	
ALABAMA:	
Birmingham (Jefferson)	4
Huntsville (Madison)	3
Mobile (Mobile)	1
ARIZONA:	
Mesa (Maricopa)	1
ARKANSAS:	
Blytheville (Mississippi)	1
Camden (Ouachita)	2
Little Rock (Pulaski)	1
CALIFORNIA:	
Los Angeles (Los Angeles)	3
Monrovia (Los Angeles)	1
Ontario (San Bernardino)	1

See footnotes on p. 517.

Table 58B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1955—Continued

(See headnote on p. 515)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
COLORADO:	
Colorado Springs (El Paso)	1
FLORIDA:	
Bradenton (Manatee)	2
Fort Pierce (St. Lucie)	1
Jacksonville (Duval)	2
Ocala (Marion)	1
Tampa (Hillsborough)	2
GEORGIA:	
Augusta (Richmond)	1
Dublin (Laurens)	1
Gainesville (Hall)	1
Macon (Bibb)	1
ILLINOIS:	
East Moline (Rock Island)	1
Galesburg (Knox)	1
Rock Island (Rock Island)	1
INDIANA:	
Elkhart (Elkhart)	1
Evansville (Vanderburgh)	1
Gary (Lake)	1
Lafayette (Tippecanoe)	1
Muncie (Delaware)	1
IOWA:	
Davenport (Scott)	1
Dubuque (Dubuque)	1
Ottumwa (Wapello)	1
KANSAS:	
Topeka (Shawnee)	1
Wichita (Sedgwick)	1
KENTUCKY:	
Lexington (Fayette)	1
Louisville (Jefferson)	1
Paducah (McCracken)	1
LOUISIANA:	
Lake Charles (Calcasieu)	2
New Orleans (Orleans)	1
Opelousas (St. Landry)	1
MAINE:	
Lewiston (Androscoggin)	1
Waterville (Kennebec)	1
MARYLAND:	
Baltimore (independent city)	1
MASSACHUSETTS:	
Boston (Suffolk)	1
MICHIGAN:	
Detroit (Wayne)	3
River Rouge (Wayne)	1
Saginaw (Saginaw)	1
MINNESOTA:	
Minneapolis (Hennepin)	1
MISSISSIPPI:	
Greenville (Washington)	2
Tupelo (Lee)	1
MISSOURI:	
Joplin (Jasper)	1
Kansas City (Jackson)	1
MONTANA:	
Anaconda (Deer Lodge)	1
NEW JERSEY:	
New Brunswick (Middlesex)	1
South River (Middlesex)	1
Trenton (Mercer)	1
NEW MEXICO:	
Albuquerque (Bernalillo)	1
NEW YORK:	
New York City[2]	2
Watervliet (Albany)	1
NORTH CAROLINA:	
Elizabeth City (Pasquotank)	2
Fayetteville (Cumberland)	1
Goldsboro (Wayne)	1
Greenville (Pitt)	1
Reidsville (Rockingham)	1
Shelby (Cleveland)	1
OHIO:	
Canton (Stark)	1
Cincinnati (Hamilton)	1
Columbus (Franklin)	1
Dayton (Montgomery)	1
Lima (Allen)	2
OKLAHOMA:	
Ardmore (Carter)	1
Tulsa (Tulsa)	1
PENNSYLVANIA:	
Duquesne (Allegheny)	1
Johnstown (Cambria)	1
Philadelphia (Philadelphia)	2
Pittsburgh (Allegheny)	2
RHODE ISLAND:	
Providence (Providence)	1
SOUTH CAROLINA:	
Anderson (Anderson)	1
SOUTH DAKOTA:	
Sioux Falls (Minnehaha)	1
TENNESSEE:	
Columbia (Maury)	1
TEXAS:	
Abilene (Taylor)	1
Dallas (Dallas)	1
Del Rio (Val Verde)	3
El Paso (El Paso)	1
Houston (Harris)	1
Lamesa (Dawson)	1
Lubbock (Lubbock)	1
McAllen (Hidalgo)	1
Nacogdoches (Nacogdoches)	1
Paris (Lamar)	1
San Angelo (Tom Green)	1
San Antonio (Bexar)	9
San Benito (Cameron)	1
Terrell (Kaufman)	1
Texarkana (Bowie)[4]	1
Vernon (Wilbarger)	1
Waco (McLennan)	1
VIRGINIA:	
Newport News (independent city)	1
Petersburg (independent city)	1
Portsmouth (independent city)	1
WASHINGTON:	
Spokane (Spokane)	1
Tacoma (Pierce)	1
WYOMING:	
Casper (Natrona)	1
MENINGOCOCCAL INFECTIONS (057)	
ALABAMA:	
Bessemer (Jefferson)	1
Birmingham (Jefferson)	3
Florence (Lauderdale)	1
Mobile (Mobile)	1
Montgomery (Montgomery)	3
ARKANSAS:	
Jonesboro (Craighead)	1
North Little Rock (Pulaski)	2
CALIFORNIA:	
Burbank (Los Angeles)	1
Inglewood (Los Angeles)	1
Los Angeles (Los Angeles)	7
Monrovia (Los Angeles)	1
Oakland (Alameda)	5
Oceanside (San Diego)	1
Pittsburg (Contra Costa)	1
Redondo Beach (Los Angeles)	1
Sacramento (Sacramento)	2
San Bernardino (San Bernardino)	1
San Diego (San Diego)	5
Stockton (San Joaquin)	1
COLORADO:	
Colorado Springs (El Paso)	1
Denver (Denver)	2
Greeley (Weld)	1
Pueblo (Pueblo)	1
CONNECTICUT:	
Bridgeport (Fairfield)	2
Bristol (Hartford)	1
New Haven (New Haven)	1
Norwalk (Fairfield)	1
Norwich (New London)	1
Torrington (Litchfield)	1
Waterbury (New Haven)	1
DISTRICT OF COLUMBIA:	
Washington, D. C.	5
FLORIDA:	
Fort Myers (Lee)	1
Jacksonville (Duval)	1
Ocala (Marion)	1
St. Petersburg (Pinellas)	1
Tampa (Hillsborough)	1
GEORGIA:	
Atlanta (Fulton)	2
Columbus (Muscogee)	1
Savannah (Chatham)	3
Valdosta (Lowndes)	1
ILLINOIS:	
Chicago (Cook)	15
Danville (Vermilion)	1
Decatur (Macon)	1
Elgin (Kane)	1
Granite City (Madison)	1
Joliet (Will)	2
Melrose Park (Cook)	1
Moline (Rock Island)	1
Mt. Vernon (Jefferson)	1
Springfield (Sangamon)	1
Streator (La Salle)	1
Waukegan (Lake)	1
Winnetka (Cook)	1
INDIANA:	
Anderson (Madison)	1
East Chicago (Lake)	3
Elkhart (Elkhart)	1
Evansville (Vanderburgh)	3
Fort Wayne (Allen)	3
Indianapolis (Marion)	3
New Albany (Floyd)	1
South Bend (St. Joseph)	2
Terre Haute (Vigo)	1
Vincennes (Knox)	1
IOWA:	
Council Bluffs (Pottawattamie)	1
Davenport (Scott)	1
Des Moines (Polk)	3
Marshalltown (Marshall)	1
Sioux City (Woodbury)	1
KANSAS:	
Great Bend (Barton)	1
Kansas City (Wyandotte)	1
Salina (Saline)	1
KENTUCKY:	
Bowling Green (Warren)	1
Covington (Kenton)	1
Lexington (Fayette)	1
Louisville (Jefferson)	7
Owensboro (Daviess)	1
LOUISIANA:	
Gretna (Jefferson)	1
Lake Charles (Calcasieu)	2
New Orleans (Orleans)	3
MAINE:	
Portland (Cumberland)	3
MARYLAND:	
Baltimore (independent city)	5
Salisbury (Wicomico)	1
MASSACHUSETTS:	
Amesbury (town) (Essex)[1]	1
Belmont (town) (Middlesex)[1]	1
Beverly (Essex)	1
Boston (Suffolk)	8
Braintree (town) (Norfolk)[1]	1
Fall River (Bristol)	1
Holyoke (Hampden)	1
Malden (Middlesex)	1
New Bedford (Bristol)	1
Southbridge (town) (Worcester)[1]	1
Woburn (Middlesex)	1
MICHIGAN:	
Bay City (Bay)	1
Dearborn (Wayne)	1
Detroit (Wayne)	9
Flint (Genesee)	2
Grand Rapids (Kent)	2
Hazel Park (Oakland)	1
Lansing (Ingham)	1
Monroe (Monroe)	2
Mount Clemens (Macomb)	2
Muskegon (Muskegon)	1
Pontiac (Oakland)	1
Roseville (Macomb)	1
Saginaw (Saginaw)	1
MINNESOTA:	
Duluth (St. Louis)	1
Minneapolis (Hennepin)	1
St. Paul (Ramsey)	1
MISSISSIPPI:	
Biloxi (Harrison)	1
Greenwood (Leflore)	1
McComb (Pike)	1
MISSOURI:	
Independence (Jackson)	1
Kansas City (Jackson)	1
St. Joseph (Buchanan)	1
St. Louis (independent city)	7
NEBRASKA:	
Grand Island (Hall)	1
Omaha (Douglas)	2
NEVADA:	
Las Vegas (Clark)	1
NEW HAMPSHIRE:	
Concord (Merrimack)	1
Portsmouth (Rockingham)	1
NEW JERSEY:	
Atlantic City (Atlantic)	1
Bridgeton (Cumberland)	1
Camden (Camden)	2
Jersey City (Hudson)	1
Millburn (twp.) (Essex)[1 3]	1
Newark (Essex)	7
Passaic (Passaic)	1
Paterson (Passaic)	2
Roselle (Union)	1

See footnotes on p. 517.

Table 58B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1955—Continued

(See headnote on p. 515)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
NEW YORK:	
Amsterdam (Montgomery)	1
Batavia (Genesee)	1
Buffalo (Erie)	4
Fulton (Oswego)	1
Hempstead (Nassau)	1
Massena (St. Lawrence)	1
New York City[2]	35
Poughkeepsie (Dutchess)	1
Syracuse (Onondaga)	2
Yonkers (Westchester)	1
NORTH CAROLINA:	
Charlotte (Mecklenburg)	2
Sanford (Lee)	1
Shelby (Cleveland)	1
Wilmington (New Hanover)	1
Wilson (Wilson)	1
OHIO:	
Canton (Stark)	2
Cincinnati (Hamilton)	7
Cleveland (Cuyahoga)	4
Columbus (Franklin)	1
Dayton (Montgomery)	5
Hamilton (Butler)	1
Lorain (Lorain)	1
Newark (Licking)	2
Norwood (Hamilton)	1
Parma (Cuyahoga)	1
Portsmouth (Scioto)	1
Salem (Columbiana)	1
Sidney (Shelby)	1
Springfield (Clark)	1
Toledo (Lucas)	4
Washington Court House (Fayette)	1
OKLAHOMA:	
Enid (Garfield)	2
Oklahoma City (Oklahoma)	1
Shawnee (Pottawatomie)	1
Tulsa (Tulsa)	1
OREGON:	
Portland (Multnomah)	1
PENNSYLVANIA:	
Allentown (Lehigh)	1
Brentwood (Allegheny)	1
Carlisle (Cumberland)	1
Harrisburg (Dauphin)	2
Lebanon (Lebanon)	1
Monessen (Westmoreland)	1
New Castle (Lawrence)	1
Oil City (Venango)	1
Philadelphia (Philadelphia)	14
Pittsburgh (Allegheny)	3
Scranton (Lackawanna)	1
Wilkes-Barre (Luzerne)	1
RHODE ISLAND:	
Central Falls (Providence)	1
Pawtucket (Providence)	2
Providence (Providence)	2
SOUTH CAROLINA:	
Charleston (Charleston)	2
Columbia (Richland)	1
Greenville (Greenville)	1
Orangeburg (Orangeburg)	1
SOUTH DAKOTA:	
Sioux Falls (Minnehaha)	2
TENNESSEE:	
Bristol (Sullivan)[5]	1
Columbia (Maury)	1
Jackson (Madison)	1
Knoxville (Knox)	3
Memphis (Shelby)	3
TEXAS:	
Abilene (Taylor)	1
Beaumont (Jefferson)	2
Brownsville (Cameron)	1
Dallas (Dallas)	1
El Paso (El Paso)	1
Fort Worth (Tarrant)	1
Houston (Harris)	3
San Antonio (Bexar)	1
Tyler (Smith)	1
Waco (McLennan)	1
VERMONT:	
Burlington (Chittenden)	1
VIRGINIA:	
Alexandria (independent city)	2
Bristol (independent city)[6]	1
Danville (independent city)	1
Norfolk (independent city)	1
Petersburg (independent city)	1
Portsmouth (independent city)	1
Richmond (independent city)	2
Roanoke (independent city)	1
Warwick (independent city)[7]	1
WASHINGTON:	
Bremerton (Kitsap)	1
Kennewick (Benton)	1
Puyallup (Pierce)	1
Seattle (King)	6
Spokane (Spokane)	1
Tacoma (Pierce)	1
WEST VIRGINIA:	
Huntington (Cabell)	2
Parkersburg (Wood)	2
WISCONSIN:	
Appleton (Outagamie)	1
Beloit (Rock)	1
La Crosse (La Crosse)	1
Milwaukee (Milwaukee)	1
Racine (Racine)	2
Superior (Douglas)	1
Wausau (Marathon)	1
MEASLES (085)	
ALABAMA:	
Montgomery (Montgomery)	1
ARIZONA:	
Phoenix (Maricopa)	1
Tucson (Pima)	1
CALIFORNIA:	
Bakersfield (Kern)	1
Belvedere (twp.) (Los Angeles)[1 3]	1
Daly City (San Mateo)	1
CALIFORNIA—Continued	
Los Angeles (Los Angeles)	5
Merced (Merced)	1
San Diego (San Diego)	1
San Leandro (Alameda)	1
Santa Maria (Santa Barbara)	1
COLORADO:	
Denver (Denver)	2
Englewood (Arapahoe)	1
CONNECTICUT:	
Ansonia (New Haven)	1
Bristol (Hartford)	1
New Britain (Hartford)	1
DELAWARE:	
Wilmington (New Castle)	1
GEORGIA:	
Atlanta (Fulton)	1
ILLINOIS:	
Chicago (Cook)	4
Kankakee (Kankakee)	1
INDIANA:	
Gary (Lake)	1
Huntington (Huntington)	1
South Bend (St. Joseph)	1
IOWA:	
Des Moines (Polk)	1
Fort Madison (Lee)	1
Sioux City (Woodbury)	1
KENTUCKY:	
Lexington (Fayette)	1
LOUISIANA:	
Lafayette (Lafayette)	1
MARYLAND:	
Baltimore (independent city)	1
Hagerstown (Washington)	1
MASSACHUSETTS:	
Boston (Suffolk)	2
Cambridge (Middlesex)	2
Fall River (Bristol)	2
Fitchburg (Worcester)	1
Haverhill (Essex)	1
Lawrence (Essex)	1
Lexington (town) (Middlesex)[1]	1
Milton (town) (Norfolk)[1]	1
Newton (Middlesex)	1
Worcester (Worcester)	1
MICHIGAN:	
Detroit (Wayne)	1
Mount Clemens (Macomb)	1
Pontiac (Oakland)	1
MINNESOTA:	
Minneapolis (Hennepin)	1
St. Paul (Ramsey)	1
Virginia (St. Louis)	1
MISSOURI:	
Kansas City (Jackson)	1
St. Louis (independent city)	1
NEW HAMPSHIRE:	
Nashua (Hillsborough)	1
NEW JERSEY:	
Elizabeth (Union)	2
Jersey City (Hudson)	1
Newark (Essex)	1
Woodbridge (twp.) (Middlesex)[1 3]	1
NEW MEXICO:	
Hobbs (Lea)	1
Roswell (Chaves)	1
NEW YORK:	
Albany (Albany)	1
Buffalo (Erie)	1
Elmira (Chemung)	1
Johnstown (Fulton)	1
Lackawanna (Erie)	1
New York City[2]	6
Niagara Falls (Niagara)	1
Rochester (Monroe)	1
Watertown (Jefferson)	1
OHIO:	
Canton (Stark)	1
Columbus (Franklin)	1
Fostoria (Hancock)	1
Toledo (Lucas)	1
Youngstown (Mahoning)	1
OKLAHOMA:	
Tulsa (Tulsa)	2
PENNSYLVANIA:	
Bethlehem (Lehigh)	1
Columbia (Lancaster)	1
Lebanon (Lebanon)	1
Meadville (Crawford)	1
Pittston (Luzerne)	1
TEXAS:	
Brownsville (Cameron)	1
Dallas (Dallas)	1
El Paso (El Paso)	1
Kingsville (Kleberg)	1
San Angelo (Tom Green)	1
San Antonio (Bexar)	3
VIRGINIA:	
Arlington (county)[1]	1
Lynchburg (independent city)	1
WEST VIRGINIA:	
South Charleston (Kanawha)	1
WISCONSIN:	
Fond du Lac (Fond du Lac)	1
Milwaukee (Milwaukee)	3
Wauwatosa (Milwaukee)	1
WYOMING:	
Cheyenne (Laramie)	1

[1]Classified as urban under a special rule.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.
[4]Includes data for Texarkana, Tex., only.
[5]Includes data for Bristol, Tenn., only.
[6]Includes data for Bristol, Va., only.
[7]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

NOTES:

Urban places listed in this table are incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Atlanta, Ga.; Bethlehem, Pa.; Elgin, Ill.; Fostoria, Ohio; Grand Prairie, Tex.; Huntington, W. Va.; Joplin, Mo.; Kansas City, Mo.; Streator, Ill.; and Youngstown, Ohio.

U. S. GOVERNMENT PRINTING OFFICE : 1957 O - 420487