VITAL STATISTICS OF THE UNITED STATES

1961

VOLUME II—MORTALITY

PART A

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
ANTHONY J. CELEBREZZE, SECRETARY
PUBLIC HEALTH SERVICE
LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON: 1964

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*
THEODORE D. WOOLSEY, *Assistant Director*
O. K. SAGEN, PH. D., *Assistant Director*

NATIONAL VITAL STATISTICS DIVISION

O. K. SAGEN, PH. D., *Chief*
ROBERT D. GROVE, PH. D., *Assistant Chief*
MONROE G. SIRKEN, PH. D., *Surveys and Actuarial Branch*
ELEANOR L. MADIGAN, *Computer Applications Branch*
J. K. KNEE, *Conference and Training Branch*
HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*
LILLIAN GURALNICK, *Mortality Statistics Branch*
ANDERS S. LUNDE, PH. D., *Natality Statistics Branch*
HAZEL V. AUNE, *Registration Methods Branch*
MARVIN C. TEMPLETON, *Statistical Operations Branch*
MARSHALL C. EVANS, *Administrative Services*
JOHN STORCK, PH. D., *Staff Assistant*

VITAL STATISTICS OF THE UNITED STATES, 1961

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. Mortality Analysis and Summary — Separate release.

Text discussion of national trends and differences between population groups; charts. Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; and maternal mortality.

Section 2. Life Tables — Separate release.

Text discussion of national trends in expectation of life. Abridged life tables and interpolated values of the l_x and q_x by single years of age for the national population by color and sex.

Section 3. Infant Mortality — Separate release.

Text discussion of national trends for infant and neonatal mortality. Tabulations of infant deaths and death rates by color, by sex, by cause of death, and by State. Additional frequency tables by month of death, urban and rural and metropolitan and nonmetropolitan areas.

Section 4. Fetal Mortality — Separate release.

Text discussion of registration practices; trend analysis; tabulations of numbers of deaths and ratios by age of mother, period of gestation, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, birth weight.

Section 5. General Mortality: Tables

Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, and marital status.

Section 6. Accident Mortality Detail: Tables

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 7. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics in Volume II.

Section 8. Index

Consolidated indexes of the text and statistical tables in Volume II.

PART B

Section 9. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates. Tabulations shown by each State, county, specified urban places, population-size groups, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 10. Puerto Rico and Virgin Islands: Tables

Frequency tabulations for most variables shown in other sections in Volume II. General mortality rates by age, sex, and cause of death.

Symbols used in tables

Class or item not applicable----------	...
Data not available----------	---
Quantity zero in frequency tables----------	-
Quantity zero in rate or percent tables----------	0
Rate or percent more than 0 but less than 0.05------	0.0
Both frequency and population base zero in rate or percent tables----------	-
Figures within parentheses not included in totals----	( )

Section 1. Mortality Analysis and Summary

	Page
Introduction	1-3
Highlights of 1961	1-3
Specific death rates by age, color, and sex	1-3
Leading causes of death, 1961	1-3
General mortality trends	1-3
Rates for the total population	1-3
Death rates by age, color, and sex	1-5
Causes of death, 1951 to 1961	1-6
Residence statistics	1-9
Mortality by geographic division	1-10
Crude death rates	1-10
Age-specific rates	1-10
Random variation	1-10
Maternal mortality	1-10

Figures

1-1. Death rates by age, color, and sex: United States, 1961	1-4
1-2. The 10 leading causes of death, by color and sex: United States, 1961	1-5
1-3. Death rates: Death-registration States, 1900-1961	1-6
1-4. Age-adjusted death rates by color and sex: Death-registration States, 1900-1961	1-6
1-5. Maternal mortality rates by color: Birth-registration States, 1915-61	1-11

Text Tables

1-A. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-61	1-12
1-B. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-61	1-13
1-C. Death rates by age, color, and sex: United States, 1951-61	1-14
1-D. Death rates by age, color, and sex: United States, 1961	1-15
1-E. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1961	1-15
1-F. Deaths and death rates for males, including deaths among Armed Forces abroad, by age and color: United States, 1961	1-16
1-G. Mortality from 15 leading causes of death: United States, 1961	1-16
1-H. Age-adjusted death rates for selected causes, by color and sex: United States, 1961	1-16
1-J. Death rates for 59 selected causes: United States, 1951-61	1-17
1-K. Death rates for 59 selected causes, by age, color, and sex: United States, 1961	1-18

Text Tables—Continued

		Page
1-L.	Death rates for geographic divisions: United States, 1900-1961	1-26
1-M.	Death rates: United States, each division and State, 1951-61	1-27
1-N.	Deaths and death rates by age: United States, each division and State, 1961	1-28
1-O.	Deaths of nonresidents in each State and deaths of residents in other States: United States, 1961	1-29
1-P.	Deaths from 59 selected causes: United States, each division and State, 1961	1-30
1-Q.	Death rates for 59 selected causes: United States, each division and State, 1961	1-34
1-R.	Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1961	1-38
1-S.	Maternal mortality rates by color: Birth-registration States or United States, 1915-61	1-39
1-T.	Average maternal mortality rates for urban and rural areas in metropolitan and nonmetropolitan counties: United States and each geographic division, 1959-61	1-39
1-U.	Average maternal mortality rates by color: United States, each division and State, 1959-61	1-40

SECTION 1. MORTALITY ANALYSIS AND SUMMARY

INTRODUCTION

Highlights of 1961

In 1961 the crude death rate for the United States was 9.3 per 1,000 population, higher only than the record low of 9.2 in 1954. The total number of registered deaths for 1961 was 1,701,522, a figure actually somewhat smaller than that recorded for 1960.

The low death rate for 1961 may have resulted from the relative absence of severe outbreaks of influenza. In the previous year, when the rate was 9.5, these outbreaks had occurred throughout most of the United States.

The death rate for influenza and pneumonia was 30.2 per 100,000 population in 1961, 19 percent below that for 1960. Proportionally smaller declines occurred in all of the causes of death generally associated with outbreaks of influenza. The death rates for diseases of heart and for general arteriosclerosis, like that for influenza and pneumonia, were the lowest since 1956.

The rates for males (10.7 per 1,000 population) matched the previous low recorded in 1954. The rate for females (7.9) was slightly above the 1954 record (7.8). For both sexes of nearly all age groups death rates were the lowest ever recorded. The crude death rates for all geographic divisions were below those of the previous year. The greatest relative decline occurred in the Mountain States, the least in the Middle Atlantic.

Specific death rates by age, color, and sex

Figure 1-1 and table 1-D show the age-specific death rates for 1961 for white and nonwhite males and females. The age pattern of mortality is, as usual, similar for each of the four color-sex groups; high rates in infancy are followed by successively lower rates until the minimum is reached during grade school age; then the rates rise for each older age group. The one exception is that the rate for white males is higher at ages 20-24 than at 25-29 years. This is also true for the population including Armed Forces abroad (table 1-F) and reflects the predominance of accidents, particularly motor vehicle accidents, as a cause of death among white male adults.

The mortality rates are, in general, higher for nonwhites than for whites and for males than for females. The excess mortality for nonwhites is evident in every age group under 75 years, but beyond this age group the rates for whites are higher.

The lower rates for nonwhite groups in the oldest age categories may result from more inaccurate statements of age among the nonwhite population. Excess mortality for males is slightly greater among whites than among nonwhites, and the relative differences in rates by color for age-sex groups are greater for females than for males.

When death rates for the period 1951-61 are examined by age (table 1-C), it may be seen that the larger part of the declines registered between 1951 and 1961 occurred in the years from 1951 to 1954. From 1954 to 1960, in fact, the age-specific death rates at ages 1-44 were virtually unchanged, while for the age groups 45-84 years the very moderate rate changes that took place reflected largely the presence or absence of epidemic conditions during the particular year. In 1961 age-specific rates for all groups between ages 1 and 84 years were as low as they have ever been. The age group 85 years and over, by virtue of being an open-end category, is not strictly comparable to the other age groups. Deaths in this age group in 1961 are shown by single years of age in table 1-E.

Leading causes of death, 1961

In 1961 nearly 90 percent of all deaths were from the 15 leading causes[1] of death (table 1-G). The first 15 causes and their rank order were the same as in 1960. The first three causes of death alone—diseases of heart, malignant neoplasms, and vascular lesions of central nervous system—accounted for 66 percent of all deaths (figure 1-2). About 40 percent of all deaths to whites were from diseases of heart compared with about 29 percent to nonwhites. Malignant neoplasms, too, was a cause of death proportionally greater among whites than among nonwhites.

The chief change in rank order among the 15 leading causes of death in recent years has resulted from the decline in tuberculosis mortality. This cause, which ranked as the 7th leading cause of death in 1950, was 15th in 1959, and dropped below this place in 1960. This death rate has fallen continuously from 22.5 per 100,000 population in 1950 to 5.4 in 1961. Ulcer of stomach and duodenum replaced tuberculosis in 1960 as 15th cause; its appearance was the first change in causes included among the leading 15 in 8 years.

GENERAL MORTALITY TRENDS

Rates for the total population

Crude death rates.—Table 1-A and figure 1-3 show the crude death rate for each year from 1900 through 1961. Within this period the crude death rate decreased by 47

[1]For explanation of method of ranking, see Technical Appendix.

FIGURE 1-1


DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1961
(Rates per 1,000 population in specified groups)
RATES FOR AGES 1-29 YEARS
AGE
AGE IN YEARS
White male
White female
Nonwhite male
Nonwhite female

FIGURE 1-2

THE 10 LEADING CAUSES OF DEATH, BY COLOR AND SEX: UNITED STATES, 1961

(Rates per 100,000 estimated midyear population in specified group)



percent, from 17.2 per 1,000 population in 1900 to a low of 9.2 in 1954. The decline from 1900 to 1953 had been fairly continuous, the only major interruption being the influenza pandemic of 1918, when the rate rose to 18.1. The decrease in the death rate between 1953 and 1954, which was unusually large, reflected primarily the fact that 1954 was a year singularly free of epidemics of respiratory diseases. Since that year the crude rate appears to have fluctuated within a narrow range, rising to 9.6 in 1957 and declining to 9.3 in 1961.

It will be seen from figure 1-3 that the rate of decline varied throughout the period 1900-1954. Between 1900 and 1917 the rate declined almost three times faster than it did for the period 1921-37. Probably reflecting the successive introduction of serum therapy, the chemotherapeutic drugs, and antibiotic agents, the trend again accelerated beginning in 1938. The fall in the crude death rate for 1938-54 was almost twice as rapid as that for the preceding period. Changes in the crude death rate over the years are brought about not only by changes in health conditions but also by changes in the characteristics of the population—particularly the age distribution. The decline in the rate during the first half of this century resulted chiefly from improved mortality among infants, children, and young adults. The survival of children to adult ages, the halt in the flow of immigrants after World War I, and the decline in fertility of successive cohorts of American women—all contributed to the aging of the population. The median age of the population of the death-registration States advanced from 26.2 years in 1910 to 30.2 years in 1950. Since 1950, however, the relatively high level of the birth rate has checked the rise in the median age, bringing the figure down to 29.2 years in 1961.

Age-adjusted death rates.—A rate free of the influence of the changes in age composition of the population is needed to evaluate the trend of mortality. The age-adjusted death rate is such a refinement of the crude death rate, valuable because it removes the effect of differences in age composition between two populations. The age-adjusted rates in this volume are computed by using the distribution of the enumerated population of the United States in 1940 as a standard population. Each figure represents the rate that would have existed if the age-specific rates of the data year prevailed in a population whose age distribution was like that of the United States in 1940. The age-adjusted death rates for the total population and for the four color-sex groups are shown in table 1-B for the expanding group of death-registration States from 1900 to 1961.

For the total population and for each color-sex group the age-adjusted death rates in 1961 were the lowest ever recorded.

Age-adjusted rates are abstract figures and should not be compared with the crude rates for the same year. However, they may be compared with other age-adjusted rates based on the same standard population. The trend of the crude death rates discussed earlier showed that the rate of decline had decreased following the 1918 epidemic, and had resumed at an accelerated pace after 1938. From the age-adjusted rates (figure 1-4), it may be seen that the rate of decline in the period 1921-37 was only slightly lower than that for the period 1900-1917. However, the decline during the period 1938-54 was even more rapid than that shown by the crude death rates.

After remaining at 7.6 per 1,000 population from 1954 to 1956, the age-adjusted death rate rose as a result of the influenza epidemic to 7.8 in 1957 and returned to 7.6 in 1958. In 1959 it dropped to 7.5 but rose again in 1960 to 7.6. The rate declined to an all-time low of 7.3 in 1961. If the years of notable influenza epidemics are excluded there would appear to be a continuation of the downward trend in this rate.

Death rates by age, color, and sex

Specific rates.—Death rates by age, color, and sex for 1951-61 are shown in table 1-C. This table continues the series shown in Volume I of *Vital Statistics of the United States, 1950,* table 8.40, for 1900-1950. The figures show that the rates tended to become relatively stable since 1954.

708 - 814 O - 63 - 2

FIGURE 1-3



Without exception, the 1961 rate was lower than that for 1951 for each color-sex group at every age interval through 84 years. Declines between 1951 and 1961 were proportionally greater for females than for males at all ages above infancy. Reductions in the death rates for the nonwhite population were greater at most age groups than were those for the white population. Among males and females of both color groups rate declines in excess of 12 percent occurred at all age groups under 45 years. For the total population in the age groups 55-84 years the rates were from 7 to 11 percent lower in 1961 than in 1951.

FIGURE 1-4



Age-adjusted death rates.—Figure 1-4 shows that the gap between the age-adjusted death rate for males and for females for both color groups has increased in recent decades. Among the white population the age-adjusted death rate for males in 1961 was 65 percent greater than that for females; this compares with 52 percent in 1951. For the nonwhite population the age-adjusted death rate for males was 35 percent above the rate for females in 1961 and 25 percent in 1951. The divergence between the age-adjusted death rates of the two color groups has lessened over the years; nevertheless, considerable difference remains. In 1961 the age-adjusted rate was 43 percent higher for nonwhites than for whites. In 1951 and in 1941 the rates for the nonwhite population were 51 and 61 percent, respectively, above the rates for the white population.

Causes of death, 1951 to 1961

During the past decade most of the year-to-year changes in death rates for the causes shown in table 1-J have been slight. Death rates for diseases that respond to new or increased use of drugs, and those that reflect improved nutritional levels or better conditions of environmental sanitation have continued in most cases to decline, while rates for some of the chronic diseases associated with aging have remained almost level or even increased during this period. The changes which occurred between 1957 and 1958 were to

varying extents also influenced by the fact that the cause of death in these 2 years was assigned under two successive revisions of the International Lists, the Sixth and the Seventh.[2] Age-adjusted death rates for specified causes of death are shown by color and sex in table 1-H.

The list of causes of death shown in tables 1-J and 1-K is based on List B, the Abbreviated List of 50 Causes for Tabulation of Mortality, recommended by the World Health Organization. This list serves to illustrate major trends in mortality; additional detailed data are shown in Section 5, Volume II, *Vital Statistics of the United States, 1961,* for the 255 selected cause list, an extension of List A, the International List of 150 Causes for Tabulation of Morbidity and Mortality.[3] Deaths assigned to these causes by age, race, and sex appear in table 5-9 for 1961 and in a similar table for earlier years. Deaths and death rates for each cause appear in table 5-6 for 1961 and in an equivalent table for earlier years.

Infectious diseases.—The remarkable decline in tuberculosis mortality since the start of the 20th century continued without interruption during the past decade. The death rate for tuberculosis, all forms, dropped from 20.1 per 100,000 population in 1951 to 5.4 in 1961 (table 1-J). For both sexes, the tuberculosis death rate for 1961 falls to a low at 5-14 years of age of only 0.1 per 100,000 population (table 1-K) and then rises in each succeeding age group to a peak at 85 years and over of 56.1 per 100,000 population for males and 26.3 for females. From 15 to 24 years of age the rate was higher for females than for males, but in all other age groups the rates for males are equal to or higher than those for females. From 35 to 74 years of age the rate rises more rapidly for males so that the sex differential is greatest at ages 55-74 years, after which it decreases somewhat.

Tuberculosis mortality varies widely by color, and the death rate for nonwhites—12.1 per 100,000 population in 1961—was more than 2½ times that of 4.6 for whites. The color differential was most marked in the younger groups, with the rates for nonwhites more than eight times those for whites aged 15-34 years.

Most deaths from tuberculosis are from tuberculosis of the respiratory system, for which the death rate in 1961 was 5.0 per 100,000 population, compared with that of 0.4 for tuberculosis, other forms. The relative difference in mortality by sex is considerably greater for respiratory than for the nonrespiratory forms of the disease. In 1961 the respiratory tuberculosis death rate for males was 7.6 per 100,000 population, more than three times that for females (2.5). For nonrespiratory tuberculosis, the death rate for males was 0.5, for females, 0.4.

The trend of the death rate for syphilis and its sequelae has been steadily downward from 4.1 per 100,000 population in 1951 to 1.6 in 1961. In 1939, the year that marks the approximate beginning of the rapid decline for this cause, the rate was 15.0 per 100,000 population. In 1961 the rates were 2.3 for males and 0.9 for females.

The death rates for pneumonia, except pneumonia of newborn, declined swiftly after the introduction of chemotherapy in 1938, reaching their lowest levels during the years 1949-56. The influenza epidemic of 1957-58 resulted in sharp increases in the rates for all ages. In 1959 the age-specific rates declined from the 1957 and 1958 levels, but these rose again in 1960, reflecting the epidemic in the early part of the year. In 1961 they dropped again, attaining the lowest level since 1956.

Another group of respiratory diseases, comprising category numbers 525-527 of the International Lists, and included in the residual of table 1-J has shown a remarkable increase in rates in recent years. For the group as a whole relatively little, if any, of the rise can be ascribed to increased assignments under the Seventh Revision of the International Lists as compared with the Sixth Revision.[4] For emphysema without mention of bronchitis (527.1), the subcategory showing the most rapid rise, an increase of only about 2 percent resulted from transfers in classification. In the years from 1951 to 1961 the average annual increment in the death rate for emphysema without mention of bronchitis has been 18 percent. The rates for individual years (per 100,000 population) are:

1961	5.6
1960	5.2
1959	4.4
1958	3.9
1957	3.4
1956	2.7
1955	2.2
1954	1.9
1953	1.6
1952	1.2
1951	1.1

Deaths from emphysema without mention of bronchitis were first separately tabulated in 1949. Thus age-specific death rates by sex can be obtained for the 3-year periods around the two most recent censuses. These rates per 100,000 population for detailed age groups 35 years and over (in which occur nearly all deaths from this cause) are as follows:

AGE GROUP	MALE		FEMALE	
	1959-61 (average)	1949-51 (average)	1959-61 (average)	1949-51 (average)
35-44 years	1.1	0.4	0.4	0.1
45-54 years	6.4	1.8	1.1	0.2
55-64 years	28.8	6.1	2.5	0.5
65-74 years	62.2	8.2	5.4	0.8
75-84 years	74.4	8.2	10.8	2.1
85 years and over	75.8	13.7	17.6	4.1

[2]For a discussion of the comparability between the Sixth and Seventh Revisions, see Section 1, Volume I, *Vital Statistics of the United States, 1958*, National Office of Vital Statistics. Washington, U.S. Government Printing Office, 1960.

[3]See discussion on cause of death in the Technical Appendix.

[4]Source: Unpublished National Vital Statistics Division data.

For both males and females death rates for emphysema without mention of bronchitis multiplied several fold between 1949-51 and 1959-61 for all age groups 35 years and over, with the largest proportionate increases among these groups occurring at ages 65-74 years and 75-84 years. Death rates for males for this cause are substantially higher than those for females at all ages; the greatest sex differential occurred at ages 55-64 years and 65-74 years where during both census periods rates for males were in excess of 10 times those for females.

Chronic diseases.—In 1961, 55 percent of all deaths were caused by the major cardiovascular-renal diseases compared with 53 percent in 1951 (table 1-J). The importance of this group of diseases, which had risen steadily over the first half of the present century (the group accounted for 20 percent of all deaths in 1900), thus appears to have changed relatively little in the last decade. The death rate for the major cardiovascular diseases, which had been generally increasing from 1949 to 1956, rose sharply in 1957 and 1958, chiefly as a result of the influenza epidemic, attaining record levels of 523.7 deaths per 100,000 population each year. The death rate for 1960 (521.8) was almost as high. The death rates in 1959 and 1961, although 1 and 2 percent below those of 1957-58, were higher than in 1956.

Within this complex of diseases the trends for the various components have varied, reflecting a number of factors. Some of these are the improved diagnostic ability of physicians, the increasing proportion of deaths occurring in hospitals or related institutions, and new concepts in the developing science of medicine. Another important factor has been the revision of the International Lists. A small increment in the level of the rates for the major cardiovascular-renal group since 1958 (less than 1 percent) has been brought about by changes in classification introduced in the Seventh Revision.[5] Changes within the major cardiovascular-renal group in the Seventh Revision compared with the Sixth Revision resulted largely from changes in designating assignments when two or more conditions classifiable to the group are jointly reported. Preference for arteriosclerotic heart disease was discontinued, resulting in a decrease of about 8 percent for this category and in much of the increase for other causes. Causes receiving increased assignments, and the percentage change between the Sixth and Seventh Revisions included: other diseases of heart (10), hypertensive heart disease (11), and other hypertensive disease (33). The relatively large increase for the latter group occurred in part because of a greater preference given to conditions in this category beginning in 1958.

Cardiovascular-renal disease mortality varies considerably by age, color, and sex. The risk of dying from this group of diseases, which is progressively higher with increasing age, is greater for males than for females at every age after adolescence. The ratio of death rates is at a maximum at ages 35-64 years when the rates for males are more than twice those for females. The rates for nonwhites are at least twice those for whites at all ages under 55 years. They are also higher at 55-74 years but are below rates for whites at older ages.

[5]See reference cited in footnote 2.

The death rate for vascular lesions affecting central nervous system, one of the components of the diseases of cardiovascular system, varied within a fairly narrow range from 1951 to 1956, then rose in 1957-58 and declined in 1959-60 but remained above the level of the earlier years. The rate recorded in 1961 was lower than that for any year of the previous decade with the exception of 1954. In 1961 the death rates for this cause were higher for both the nonwhite males and females than for the white at all ages under 75 years. Among persons in the age groups from 25 to 64 years the level of mortality was three to almost five times higher among nonwhites than among whites. The rates were higher for the whites of both sexes only at ages 75 years and over.

The death rates for other diseases of circulatory system have increased every year since 1951; the rate of 11.3 per 100,000 population in 1961 was more than twice that of a decade earlier. The rates for rheumatic fever and chronic rheumatic heart disease, nonrheumatic chronic endocarditis and other myocardial degeneration, hypertensive heart disease and chronic and unspecified nephritis and other renal sclerosis have decreased annually, with but few exceptions, since 1951. The downward trend for other hypertensive disease was only apparently interrupted in 1958, the first year the Seventh Revision of the International Lists was used. When rates are adjusted for the change produced by the revision, it is evident that the declining trend was continued.[6] Since 1955 the death rate for general arteriosclerosis has fluctuated at a level higher than the low point of 1954 but below the levels which prevailed from 1951 to 1953.

The death rate for arteriosclerotic heart disease, including coronary disease, has increased formidably during the past decade. The death rate for this cause was 274.6 per 100,000 population in 1961 compared with 219.5 in 1951. The percent of all deaths from major cardiovascular-renal diseases attributed to this component rose from 43 to 54 percent during this period. For both sexes in 1961 the rates were low at ages under 25 years and then rose rapidly in successive age groups to reach their highest point at 85 years and over. From 15 to 44 years of age the increase in the death rates was more rapid for males than for females, the ratio of death rates by sex being over 5 for ages 35-44 years. After age 45 years the rate rose faster for females so that at 85 years and over the sex differential was slight.

Mortality from malignant neoplasms increased fairly steadily over the last decade, although at a rate much reduced from that of preceding periods. Small increments were shown for the death rate each year from 1951—when it was 140.5 per 100,000 population—through 1957. The rate in 1958 was slightly lower than that in 1957, partly as a result of fewer assignments of deaths under the Seventh Revision. It has since continued upward, reaching 149.5 in 1961. While the total death rate for malignant neoplasms for the nonwhite population remains below that for the white, the age-adjusted rates are higher.

When mortality for malignant neoplasms is examined by site it is seen that the outstanding change for males has been the continued increase in death rates for malignant neoplasm

[6]See reference cited in footnote 2.

of respiratory system. This rate has increased every year since 1930, the first year in which this group of sites was separately classified; the rate was 39.9 per 100,000 population in 1961 compared with 23.1 in 1950. Among males increases in rates have also occurred for malignant neoplasms of genital organs and for leukemia and aleukemia. For females, the major changes have been decreases in the rates for malignant neoplasms of genital organs and for malignant neoplasms of digestive organs. Increases have occurred in the rates for most of the other groups of sites shown in table 1-K.

The death rates for diabetes mellitus have fluctuated within a fairly narrow range in recent years; the rate for 1961 of 16.5 per 100,000 population was slightly lower than the rate of 16.7 for 1960, which was the highest since 1949. The death rate for diabetes mellitus of 19.4 per 100,000 population for females in 1961 was 44 percent higher than that for males (13.5). The sex differential characteristic of diabetes mortality is largely a consequence of higher rates for females than for males at ages 55 years and over. In the age group 45-54 years, for example, mortality rates for males and females were almost identical in 1961, while at ages 65-74 years the rate for females was 41 percent higher than that for males.

The death rate for cirrhosis of liver has been rising slowly since the midthirties. At ages under 25 years this is a minor cause of death, but the rate rises steeply with increasing age. Since 1940 the rates have generally been increasing at ages 25-74 years and declining at ages 75 years and over. The death rate for males in 1961 was twice as high as that for females.

Deaths from external causes.—The death rate for accidents declined slightly from 1951 to 1953, then fell by about 7 percent in 1954 and remained at approximately the same level through 1957. The rate decreased in 1958, chiefly as a result of fewer assignments to nonmotor vehicle accidents under the Seventh Revision, and remained about the same in 1959 and 1960. The rate in 1961 was the lowest ever recorded. In the list of 59 selected causes, accidents are classified as motor vehicle and nonmotor vehicle, primarily in order to treat separately the former group which is relatively homogeneous compared with the latter category.

The death rate for motor vehicle accidents was generally lower in 1958-61 than in the previous 8 years, and there appeared to be a slight but irregular downward trend. The death rate for nonmotor vehicle accidents declined rapidly from a rate of 55.7 per 100,000 population in 1943 to 33.8 in 1954. Between 1954 and 1957 the rate remained fairly level. As noted before, there was a decrease in assignments to nonmotor vehicle accidents with the advent of the Seventh Revision in 1958. The death rate for 1958 to 1960 was about 31; in 1961 it fell to 29.6, the lowest ever recorded. The long-term decrease has probably resulted in part from improved housing conditions, greater control of industrial hazards, and better medical treatment of accidents.

The category nonmotor vehicle accidents includes a number of types of accidents for which the distribution of deaths varies considerably by age and sex. For example, the death rate for accidental falls is highest among elderly females, while the loss from accidental drowning is greatest among young males. As a result, trends in age-specific death rates reflect trends in fatality for particular kinds of accidents.

While the death rate for nonmotor vehicle accidents in 1961 was 23 percent lower than in 1951, the comparable decline in the rate for motor vehicle accidents was 14 percent. Since 1951 the number of automobiles registered and the number of vehicle miles driven have risen annually. The risk of death from a motor vehicle accident depends on these factors rather than on the size of the population, so the death rate based on the population reflects only partially the hazards involved. The figures shown in table 1-K indicate the loss of population through motor vehicle accidents and are thus comparable with figures for other causes of death.

The death rate for suicide has been below 11 per 100,000 population since 1951 and far below the record high of 17.4 per 100,000 population in 1932. The lowest rate—9.8—was recorded in 1957. Since then the level of the rate has risen, partly as a result of increased assignments under the Seventh Revision. Rates for suicide are much higher for males than for females, and in each sex group are higher for whites than for nonwhites.

The death rate for homicide reached a high of 9.8 per 100,000 in 1933 and then fell steadily for more than a decade. From the postwar high of 6.4 in 1946 the rate dropped to 4.5 in 1955 and has since hovered about this level. In each sex group, rates have been much higher for nonwhites than for whites. As with suicide, rates are higher for males than for females in almost all age groups.

RESIDENCE STATISTICS

A death in 1961 is classified as "nonresident" if the information on the death certificate indicates that it did not occur in the county or county equivalent in which the decedent had usually resided. Of the 1,701,522 deaths registered in the United States in 1961, 17 percent were nonresident according to the present definition (table 1-O). About four in five of the nonresident deaths occurred in the State of residence.

A summary of deaths in 1961 by place of occurrence and by place of residence is given for each State in table 1-0, showing the total amount of interstate and intrastate movement for individual States. For most States the total deaths of residents do not vary markedly from total deaths occurring within their boundaries, and for those States the reallocation of interstate nonresident deaths is relatively unimportant. The reallocation does, however, have a major effect on the data for certain communities lying close to State borders.

When the number of deaths on an occurrence and on a residence basis are compared, the largest proportionate difference is seen in the figures for the District of Columbia. The excess of 17 percent in the number of deaths occurring in the District of Columbia over the total deaths of residents is due largely to the use of hospitals in Washington by residents of Maryland and Virginia.

MORTALITY BY GEOGRAPHIC DIVISION

Crude death rates

Differences in the crude death rates for States and larger geographic divisions may reflect differences in health conditions to some extent, but, in part, may also be attributed to the major variations in the age, race, and sex composition of the population for each area. For example, the relatively high death rates for most of the States of the Northeast are associated with the older average age of persons living in this area and do not necessarily indicate less favorable mortality conditions.

The crude death rates in 1961 by State of residence, shown in table 1-M, range from 5.2 per 1,000 population for Hawaii to 11.6 for the District of Columbia. In Hawaii the percentage of the population over 65 years of age (4.7) is smaller than in any other State except Alaska, where the crude death rate is almost as low. In the District of Columbia, the proportion of the population over 65 years of age (9.5) is almost the same as the average for the entire country (9.3). Other factors such as the color composition of the population may contribute to the level of the rate.

Between 1960 and 1961 the crude death rate declined in all but two States and the District of Columbia. All geographic divisions showed decreases in rates, ranging from 1.0 percent in the Middle Atlantic to 3.7 percent in the Mountain Division. The greatest declines in crude death rates occurred in Alaska, Hawaii, New Mexico, South Dakota, and Wyoming. Death rates for geographic divisions of the United States from the period when the division as a whole became part of the death-registration area through 1961 are shown in table 1-L.

Age-specific rates

Table 1-N gives death rates by age for residents of each division and State for 1961. For each age group the death rates show substantial variation among the States. The lowest death rates up to 44 years were found in the New England States while rates in the East South Central Division were among the highest. The rates were lowest at ages 45-64 years in the West North Central Division and at ages 65 years and over in the West South Central Division. The highest rates for ages 45-64 years occurred in the South Atlantic Division, and for 65 years and over in the Middle Atlantic Division.

For each age group up to age 45 the highest death rate for a State was at least twice the lowest rate. The greatest contrast was for persons at ages 5-19 years, where the rate per 100,000 population for Alaska was 2.5 times that for Connecticut. The smallest difference was for persons at ages 65 years and over, where the rate for Vermont was 1.4 times that for Florida.

The actual number of deaths by age in each division and State is also shown in table 1-N. These figures indicate, for example, that 26.5 percent of all deaths in Alaska were of children under 5 years of age, while the corresponding proportion in Massachusetts was 5.1 percent. Differences in the population composition of geographic areas as well as in age-specific rates are reflected in the diverse rates by cause. Death rates for 59 causes of death for each division and State are found in table 1-Q and the number of deaths in table 1-P.

Random variation

In the statistical analysis of geographic variation of rates, a problem arises because the rates based on different population sizes have varying degrees of reliability. The rate for a large population is subject to less random variation than the rate for a small population. Thus, a rate that is the same for two areas of different population size may be significantly greater than the rate for the United States for the area of larger population, but not for the smaller. One method for the assessment of differences between rates can be made by examining the deviation of each rate from the value for the United States weighted by the standard error of the rate. The distribution of the weighted deviations divided by the standard error of this distribution is approximately normal with a mean of zero and a variance of unity. If the computed value for any State is greater than 2, it may be assumed that random variation could not account for the difference between the death rates for that State and for the United States.

By this criterion of significance, the crude death rates for New York and Pennsylvania were significantly greater than the United States average of 9.3 deaths for 1,000 population. For neither of these States is this the case for any of the age groups under 65 years. The crude death rate for Texas was significantly lower than the national average. For the specified broad age groups, there were only two States in which an age-specific rate was significantly lower than the national figure—Texas and Florida both for the age group 65 years and over. In contrast, there were four States in which one or more age-specific rates were significantly above the national average, as follows: South Carolina and Georgia for age groups 20-44 and 45-64 years, Mississippi for the group under 5 years, and Pennsylvania for 65 years and over.

MATERNAL MORTALITY

There were 1,573 maternal deaths registered in the United States in 1961. These are deaths in which the underlying cause reported by the certifying physician indicated that the death was the result of a complication of pregnancy or delivery (International List numbers 640-689, Deliveries and complications of pregnancy, childbirth, and the puerperium).[7] The maternal death rate was 36.9 per 100,000 live births. For nonwhite women the rate was 101.3, or more than four times the rate of 24.9 for white women (table 1-R). The maternal mortality rate has declined consistently since the first year this figure was recorded. Rates for 1915-61

[7] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*. Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1. Geneva, Switzerland, 1957.

are shown in table 1-S by color. Little change was evident until the midthirties, when the rates began a rapid drop which continued until 1956 (figure 1-5). In the last 5 years, rates for white mothers have been reduced slowly, reaching a minimum this year.

The large differences in rates by color obtain at every age shown in table 1-R. The risk of maternal death for both white and nonwhite mothers is lowest at ages under 25 years. The ratio of the rates is also at a minimum, with the nonwhite figure about three times the white. From age 25 years and over the maternal death rate increases with age until by age 40-44 years the figure is almost seven times that at 20-24 years. The chief causes of maternal deaths are also shown in table 1-R.

FIGURE 1-5



When the number of maternal deaths is further classified by other variables, for example, by geographic areas, the number in any recent year may be too small to provide statistically reliable rates. Combined data for several years prove more useful to measure differences in rates between groups or areas (tables 1-T and 1-U). Rates based on deaths for the 3 years 1959 to 1961 and births in the same years are shown by State in table 1-U. The rates in this period for Alabama and Mississippi were significantly higher than for the entire United States, and higher than for any other State.

Average rates for 1959-61 are shown in table 1-T for the geographic divisions and for the urban and rural areas of metropolitan and nonmetropolitan counties within these divisions.[8] As in earlier years, the lowest maternal mortality rates were found in the rural parts of metropolitan counties. These comprise chiefly the unincorporated suburbs around large cities. The rate of 49.0 for the rural parts of nonmetropolitan counties was almost twice that of 25.0 for the rural area of the metropolitan counties. In seven out of the nine divisions of the country, the rate was higher for the urban part of the metropolitan counties than for the rural. This difference varied greatly, from 11 percent for the East South Central States to 85 percent for the Middle Atlantic States. This relationship was reversed for the nonmetropolitan counties in eight of the nine divisions. In all divisions except the West North Central, rates were consistently higher for the rural portions of each division than for the cities.

[8] For detailed definitions, see Technical Appendix.

Table 1-A. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-61

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1, for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

AREA AND YEAR	NUMBER			RATE								
	Total	White	Nonwhite	Total			White			Nonwhite		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]												
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	11.0	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.4	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.5	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.2	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES[2]												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-B. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-61

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Based on age-specific rates shown in Vital Statistics of the United States as follows: Rates for 1900-1939 are shown in table 8.40 of the 1950 report; for 1940-50, in table AO of the 1954 report; and for 1951-61, in table 1-C of this report)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1961	7.3	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.4	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.8	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.1	9.2
1957	7.8	9.5	6.1	7.4	9.2	5.7	10.8	12.3	9.4
1956	7.6	9.4	6.0	7.3	9.0	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.0	5.7	10.4	11.8	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.3
1953	8.0	9.7	6.5	7.7	9.4	6.1	11.5	13.0	10.0
1952	8.1	9.8	6.6	7.8	9.4	6.2	11.8	13.2	10.3
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.6
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES[2]									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

708 - 814 O - 63 - 3

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1951-61

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group; enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1961	9.3	25.3	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.6	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	191.2
1958	9.5	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.3	87.8	191.1
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.7	17.8	38.9	88.4	198.4
1956	9.4	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.5	37.8	88.5	181.8
1955	9.3	28.5	1.1	0.5	1.1	1.5	3.1	7.6	17.3	37.9	89.0	179.3
1954	9.2	29.2	1.2	0.5	1.1	1.5	3.1	7.8	17.4	37.6	87.5	172.6
1953	9.6	30.7	1.3	0.6	1.2	1.6	3.3	8.2	18.4	39.1	92.4	183.4
1952	9.6	32.1	1.4	0.6	1.3	1.7	3.4	8.3	18.7	39.2	91.9	183.0
1951	9.7	32.3	1.4	0.6	1.3	1.8	3.5	8.5	18.8	40.0	93.2	192.3
MALE												
1961	10.7	28.5	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.9	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.2	1.2	0.6	1.5	1.9	3.7	9.7	22.7	47.6	99.0	204.3
1958	11.0	31.8	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.4	100.8	204.2
1957	11.1	31.6	1.2	0.6	1.6	1.9	3.8	9.9	23.5	48.8	100.7	201.9
1956	10.8	32.1	1.2	0.6	1.7	1.9	3.7	9.6	23.0	47.2	100.6	195.1
1955	10.8	32.1	1.2	0.6	1.6	1.9	3.8	9.8	22.6	46.9	100.5	191.7
1954	10.7	33.0	1.3	0.6	1.6	2.0	3.8	9.9	22.6	46.3	98.5	185.0
1953	11.1	34.7	1.4	0.7	1.7	2.1	4.1	10.4	23.8	47.6	103.4	197.8
1952	11.1	36.2	1.5	0.7	1.8	2.2	4.2	10.5	23.9	47.5	102.6	194.6
1951	11.1	36.6	1.5	0.7	1.7	2.2	4.3	10.6	23.9	48.6	103.9	207.4
FEMALE												
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.2	11.5	27.9	72.7	187.5
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.9	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	182.8
1958	8.1	24.6	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.5	182.5
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	78.5	179.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.4	12.3	29.4	78.7	173.0
1955	7.9	24.7	1.0	0.4	0.7	1.1	2.4	5.5	12.3	29.7	79.5	171.1
1954	7.8	25.3	1.1	0.4	0.7	1.1	2.4	5.7	12.4	29.6	78.4	164.3
1953	8.1	26.5	1.2	0.4	0.8	1.2	2.6	6.0	13.2	31.2	83.1	173.7
1952	8.2	27.9	1.3	0.5	0.8	1.3	2.7	6.2	13.5	31.5	82.8	175.1
1951	8.2	27.8	1.3	0.5	0.9	1.4	2.8	6.3	13.8	32.2	84.2	182.0
WHITE												
1961	9.3	22.4	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.2	0.9	0.5	1.0	1.3	2.6	6.8	16.2	36.8	86.8	196.2
1958	9.4	24.6	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.5	88.9	195.9
1957	9.5	24.7	1.0	0.5	1.1	1.3	2.7	6.9	16.8	38.1	89.5	193.0
1956	9.3	25.1	1.0	0.4	1.1	1.3	2.6	6.8	16.5	37.2	89.8	186.6
1955	9.2	25.3	1.0	0.5	1.1	1.3	2.7	6.9	16.4	37.2	90.2	184.4
1954	9.1	26.1	1.1	0.5	1.0	1.3	2.7	7.0	16.5	37.0	88.6	177.2
1953	9.4	27.5	1.2	0.5	1.1	1.4	2.9	7.3	17.5	38.3	93.2	187.8
1952	9.4	28.6	1.3	0.6	1.2	1.4	2.9	7.5	17.7	38.5	92.6	187.6
1951	9.5	29.3	1.2	0.6	1.1	1.5	3.0	7.6	17.8	39.3	94.1	197.3
WHITE MALE												
1961	10.7	25.5	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.5	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.6	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.2	100.3	210.2
1958	10.9	27.9	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.7	102.2	209.5
1957	11.0	28.1	1.1	0.6	1.6	1.7	3.4	9.2	22.6	48.2	102.2	207.0
1956	10.8	28.6	1.1	0.5	1.6	1.7	3.3	9.0	22.1	46.7	102.2	200.4
1955	10.7	28.8	1.1	0.6	1.5	1.7	3.4	9.1	21.9	46.5	102.1	197.3
1954	10.6	29.7	1.1	0.6	1.5	1.7	3.4	9.2	21.8	45.9	99.8	190.1
1953	11.0	31.4	1.3	0.6	1.6	1.8	3.6	9.6	23.0	47.1	104.6	202.3
1952	11.0	32.4	1.4	0.7	1.6	1.9	3.7	9.7	23.0	47.0	103.6	199.1
1951	11.0	33.3	1.3	0.7	1.6	1.9	3.8	9.8	23.0	47.9	105.0	212.8
WHITE FEMALE												
1961	7.8	19.2	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	191.7
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.7	0.9	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	187.3
1958	8.0	21.3	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.4	187.1
1957	8.0	21.1	0.9	0.4	0.6	0.9	1.9	4.7	11.3	29.0	79.5	184.0
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.2	28.6	79.8	177.6
1955	7.8	21.7	0.9	0.4	0.6	0.9	2.0	4.7	11.2	28.9	80.5	175.9
1954	7.6	22.4	1.0	0.4	0.6	0.9	2.0	4.9	11.4	28.9	79.3	168.7
1953	8.0	23.4	1.1	0.4	0.6	1.0	2.1	5.1	12.1	30.4	83.7	178.0
1952	8.0	24.7	1.1	0.5	0.7	1.1	2.2	5.2	12.4	30.7	83.5	179.9
1951	8.0	25.1	1.1	0.4	0.7	1.1	2.3	5.4	12.7	31.3	84.9	186.8
NONWHITE												
1961	9.6	41.4	1.7	0.6	1.6	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	46.9	1.9	0.7	1.7	3.2	6.3	13.2	27.1	46.3	72.5	129.8
1958	10.3	49.7	2.0	0.6	1.6	3.3	6.3	13.8	28.1	48.3	73.5	132.0
1957	10.5	47.7	2.0	0.7	1.8	3.5	6.7	14.3	29.3	48.6	72.4	130.5
1956	10.1	47.2	1.9	0.7	1.8	3.3	6.5	13.9	28.5	46.3	71.4	122.0
1955	10.0	47.6	2.0	0.7	1.8	3.3	6.5	14.3	27.5	46.4	71.5	116.7
1954	10.1	48.9	2.1	0.7	1.9	3.5	6.7	15.0	27.5	45.2	72.6	115.5
1953	10.8	51.6	2.2	0.8	2.1	3.8	7.3	16.2	29.6	48.3	79.8	130.3
1952	11.0	55.5	2.5	0.8	2.3	4.1	7.6	16.5	30.2	48.7	80.1	128.1
1951	11.1	51.7	2.5	0.9	2.4	4.2	7.8	16.8	30.5	50.3	80.8	133.3

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1951-61 —Con.

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1961	11.0	45.7	1.8	0.7	2.1	3.8	7.2	14.7	29.9	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.0	2.1	0.8	2.2	4.0	7.3	15.1	30.9	54.5	81.8	139.6
1958	11.6	55.4	2.0	0.7	2.2	4.0	7.2	15.4	31.8	56.4	83.2	145.3
1957	11.9	53.0	2.1	0.8	2.3	4.2	7.5	15.9	33.4	56.0	81.4	144.0
1956	11.4	53.3	2.1	0.8	2.4	4.1	7.3	15.3	32.1	52.8	80.5	133.8
1955	11.4	52.9	2.1	0.8	2.3	4.0	7.4	15.7	31.3	52.9	79.5	127.1
1954	11.5	54.6	2.2	0.8	2.4	4.3	7.4	16.4	31.4	51.2	80.6	126.6
1953	12.3	56.8	2.5	0.9	2.7	4.6	8.2	17.9	34.0	54.8	87.3	144.8
1952	12.5	62.3	2.7	0.9	2.9	4.8	8.5	18.1	34.4	54.5	89.4	142.4
1951	12.5	58.6	2.7	1.0	2.8	4.8	8.5	18.3	34.3	56.3	88.9	146.0
NONWHITE FEMALE												
1961	8.4	36.9	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	41.8	1.7	0.5	1.2	2.6	5.5	11.4	23.4	38.8	64.1	122.3
1958	9.0	44.0	1.9	0.5	1.1	2.7	5.6	12.3	24.5	40.9	64.8	121.7
1957	9.1	42.5	1.8	0.6	1.3	2.8	5.9	12.8	25.2	41.7	64.2	120.3
1956	8.8	41.2	1.8	0.5	1.2	2.7	5.9	12.5	24.9	40.2	62.9	113.3
1955	8.8	42.3	1.9	0.6	1.3	2.7	5.8	12.9	23.8	40.2	63.9	108.9
1954	8.8	43.3	1.9	0.6	1.4	2.9	6.0	13.7	23.6	39.4	64.8	107.2
1953	9.4	46.4	2.0	0.6	1.6	3.1	6.5	14.5	25.3	42.0	72.4	119.8
1952	9.6	48.8	2.3	0.7	1.8	3.5	6.8	15.0	25.9	43.0	70.7	117.9
1951	9.8	44.9	2.3	0.7	2.0	3.6	7.2	15.3	26.8	44.3	72.8	124.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-D. Death Rates by Age, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population in specified group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES[1]	9.3	10.7	7.9	9.3	10.7	7.8	9.6	11.0	8.4
Under 1 year	25.3	28.5	22.0	22.4	25.5	19.2	41.4	45.7	36.9
1-4 years	1.0	1.1	0.9	0.9	1.0	0.8	1.7	1.8	1.6
5-9 years	0.5	0.5	0.4	0.4	0.5	0.4	0.6	0.7	0.5
10-14 years	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.7	0.4
15-19 years	0.9	1.2	0.5	0.8	1.2	0.5	1.2	1.6	0.8
20-24 years	1.2	1.8	0.7	1.1	1.6	0.6	2.0	2.7	1.3
25-29 years	1.3	1.7	0.9	1.1	1.5	0.7	2.6	3.4	1.9
30-34 years	1.6	2.0	1.2	1.3	1.7	1.0	3.6	4.3	3.0
35-39 years	2.3	2.8	1.8	2.0	2.5	1.5	5.1	6.0	4.3
40-44 years	3.6	4.5	2.7	3.2	4.1	2.3	7.4	8.7	6.4
45-49 years	5.7	7.3	4.1	5.2	6.8	3.6	10.0	11.7	8.5
50-54 years	9.1	12.1	6.3	8.4	11.4	5.5	15.9	18.3	13.5
55-59 years	13.3	17.9	8.9	12.5	17.3	7.9	20.7	23.6	17.9
60-64 years	20.9	27.9	14.5	19.6	26.9	13.0	34.4	38.5	30.6
65-69 years	31.0	41.3	22.2	30.0	40.2	21.1	43.0	52.5	34.6
70-74 years	45.2	57.1	35.2	44.6	56.8	34.5	52.9	61.3	45.0
75-79 years	69.1	83.2	57.9	69.5	84.1	58.0	63.6	71.6	56.3
80-84 years	111.4	127.6	99.7	113.6	130.6	101.5	83.0	91.4	75.7
85 and over	195.9	209.1	187.5	200.3	213.9	191.7	142.3	155.9	132.0

[1]Figures for age not stated included in "All Ages" but not distributed among age groups.

Table 1-E. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States)

AGE	Total	WHITE		NONWHITE	
		Male	Female	Male	Female
85 YEARS AND OVER	189,275	73,804	105,224	4,834	5,413
85 years	31,576	13,496	16,399	856	825
86 years	28,350	11,669	15,304	688	689
87 years	24,605	9,926	13,562	558	559
88 years	20,997	8,510	11,562	459	466
89 years	17,993	7,173	9,991	414	415
90 years	15,535	5,590	8,991	433	521
91 years	12,627	4,680	7,324	289	334
92 years	9,716	3,585	5,670	194	267
93 years	7,653	2,727	4,540	167	219
94 years	5,913	2,113	3,503	149	148
95 years	4,424	1,515	2,598	133	178
96 years	3,106	987	1,827	117	175
97 years	2,191	683	1,300	86	122
98 years	1,509	424	930	62	93
99 years	1,040	269	666	41	64
100 years	760	182	433	52	93
101 years	442	111	264	27	40
102 years	259	54	144	18	43
103 years	179	41	99	13	26
104 years	99	28	40	14	17
105 years	88	15	25	19	29
106 years	46	3	13	12	18
107 years	32	5	8	4	15
108 years	43	7	12	10	14
109 years	11	1	3	2	5
110 years	20	1	5	5	9
111 years	12	2	2	2	6
112 years	9	2	1	1	5
113 years	9	1	2	4	2
114 years	8	1	2	-	5
115 years	5	1	-	1	3
116 years	3	2	1	-	-
117 years	6	-	2	1	3
118 years	1	-	-	1	-
119 years	1	-	1	-	-
120 years	1	-	-	-	1
122 years	2	-	-	1	1
125 years	3	-	-	1	2
128 years	1	-	-	-	1

Table 1-F. Deaths and Death Rates for Males, Including Deaths Among Armed Forces Abroad, by Age and Color: United States, 1961

(Rates per 1,000 estimated midyear population in specified group, including Armed Forces abroad)

AGE	NUMBER			RATE		
	Total	White	Nonwhite	Total	White	Nonwhite
15-19 years	8,641	7,336	1,305	1.2	1.2	1.6
20-24 years	9,929	8,122	1,807	1.7	1.6	2.7
25-29 years	9,034	6,982	2,052	1.7	1.5	3.3
30-34 years	11,564	8,863	2,701	2.0	1.7	4.3
35-39 years	17,302	13,509	3,793	2.8	2.5	5.9
40-44 years	26,303	21,358	4,945	4.5	4.1	8.6
45-49 years	39,692	33,439	6,253	7.3	6.8	11.7
50-54 years	58,454	50,091	8,363	12.1	11.4	18.3
55-59 years[1]	75,139	65,611	9,528	17.9	17.3	23.6

[1]Includes deaths among Armed Forces abroad at ages 60 years and over. Rates based on male population aged 55-59 years.

Table 1-G. Mortality From 15 Leading Causes of Death: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population. Ranked on the basis of the List of 59 Selected Causes of Death; see table 1-J. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rank order	CAUSE OF DEATH		RATE	Percent of total deaths
	ALL CAUSES		930.0	100.0
1	Diseases of heart	400-402,410-443	362.6	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	149.5	16.1
3	Vascular lesions affecting central nervous system	330-334	105.5	11.3
4	Accidents	E800-E962	50.4	5.4
...	Motor vehicle accidents	E810-E835	20.8	2.2
...	Other accidents	E800-E802,E840-E962	29.6	3.2
5	Certain diseases of early infancy	760-776	35.9	3.9
6	Influenza and pneumonia, except pneumonia of newborn	480-493	30.2	3.2
7	General arteriosclerosis	450	19.3	2.1
8	Diabetes mellitus	260	16.5	1.8
9	Congenital malformations	750-759	12.0	1.3
10	Cirrhosis of liver	581	11.3	1.2
11	Other diseases of circulatory system	451-468	11.3	1.2
12	Suicide	E963,E970-E979	10.4	1.1
13	Other hypertensive disease	444-447	6.7	0.7
14	Chronic and unspecified nephritis and other renal sclerosis	592-594	6.3	0.7
15	Ulcer of stomach and duodenum	540,541	6.3	0.7
...	All other causes	Residual	95.9	10.3

Table 1-H. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Based on age-specific death rates per 100,000 estimated midyear population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL CAUSES	735.6	920.3	570.0	703.9	891.3	536.3	1,001.1	1,158.6	856.1
Major cardiovascular-renal diseases 330-334,400-468,592-594	387.4	487.8	298.1	375.2	480.8	281.4	499.6	548.1	455.1
Diseases of cardiovascular system 330-334,400-468	382.0	481.4	293.6	370.5	475.1	277.7	486.5	533.3	443.4
Vascular lesions affecting central nervous system 330-334	76.7	82.0	72.1	71.4	77.4	66.2	128.9	127.5	130.2
Diseases of heart 400-402,410-443	278.6	367.7	199.1	273.8	367.5	190.5	318.5	362.5	278.1
General arteriosclerosis 450	12.4	13.8	11.3	12.4	13.7	11.2	12.8	14.2	11.5
Chronic and unspecified nephritis and other renal sclerosis 592-594	5.5	6.5	4.5	4.6	5.7	3.7	13.2	14.8	11.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	125.4	143.6	110.2	123.7	142.0	108.5	140.4	157.8	124.3
Accidents E800-E962	48.1	71.5	25.8	46.2	68.6	24.5	63.3	95.1	34.0
Motor vehicle accidents E810-E835	22.1	33.8	10.9	21.9	33.4	10.9	23.9	38.0	11.0
Other accidents E800-E802,E840-E962	26.1	37.6	14.9	24.3	35.2	13.6	39.4	57.2	23.0
Influenza and pneumonia, except pneumonia of newborn 480-493	22.1	27.6	17.4	19.8	24.8	15.5	39.7	49.7	30.6
Diabetes mellitus 260	13.3	11.7	14.6	12.5	11.4	13.3	21.0	14.9	26.7
Cirrhosis of liver 581	10.6	14.5	7.1	10.3	14.2	6.7	12.8	15.9	9.9
Tuberculosis, all forms 001-019	4.8	7.4	2.6	3.8	6.1	1.9	14.0	19.9	8.5

Table 1-J. Death Rates for 59 Selected Causes: United States, 1951-61

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1951-57 and according to the Seventh Revision for 1958-61)

CAUSE OF DEATH	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
ALL CAUSES	930.0	954.7	938.6	951.2	959.0	935.4	930.4	918.8	958.6	961.0	966.3
Tuberculosis, all forms 001-019	5.4	6.1	6.5	7.1	7.8	8.4	9.1	10.2	12.3	15.8	20.1
Tuberculosis of respiratory system 001-008	5.0	5.6	6.0	6.6	7.3	7.8	8.3	9.3	11.3	14.4	18.4
Tuberculosis, other forms 010-019	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.8	1.1	1.4	1.7
Syphilis and its sequelae 020-029	1.6	1.6	1.7	2.0	2.2	2.3	2.3	3.0	3.3	3.7	4.1
Dysentery, all forms 045-048	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.6	0.6	0.7
Scarlet fever and streptococcal sore throat 050,051	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
Diphtheria 055	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Whooping cough 056	0.0	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.6
Meningococcal infections 057	0.3	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.9	0.7
Acute poliomyelitis 080	0.0	0.1	0.3	0.1	0.1	0.3	0.6	0.8	0.9	2.0	1.0
Measles 085	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.4
Other infective and parasitic diseases 030-044,049,052-054,058-074, 081-084,086-138	3.1	3.2	3.1	3.0	2.8	2.7	2.6	2.7	2.7	2.9	2.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	149.5	149.2	147.3	146.9	148.7	147.9	146.5	145.6	144.7	143.3	140.5
Malignant neoplasm of buccal cavity and pharynx 140-148	3.5	3.4	3.4	3.3	3.4	3.3	3.4	3.3	3.2	3.2	3.2
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	50.1	50.8	50.7	50.9	51.7	52.5	52.3	53.0	53.3	53.4	53.3
Malignant neoplasm of respiratory system, not specified as secondary 160-164	23.1	22.2	21.2	20.4	19.9	19.2	18.2	17.1	16.7	15.6	14.7
Malignant neoplasm of breast 170	13.4	13.4	13.1	13.1	13.3	13.3	13.4	13.0	13.0	12.8	12.5
Malignant neoplasm of genital organs 171-179	21.5	21.6	21.6	22.2	22.6	22.6	22.8	22.9	22.9	22.7	22.5
Malignant neoplasm of urinary organs 180,181	7.1	7.1	7.1	7.0	7.1	7.0	7.0	6.9	6.9	6.9	6.6
Malignant neoplasm of other and unspecified sites 156B,165,190-199	16.4	16.5	16.2	16.1	16.7	16.3	16.4	16.5	16.3	16.6	16.1
Leukemia and aleukemia 204	7.0	7.1	7.0	6.9	6.9	6.8	6.6	6.5	6.3	6.3	6.1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203,205	7.4	7.2	7.1	6.9	7.0	6.8	6.5	6.3	6.1	5.8	5.5
Benign neoplasms and neoplasms of unspecified nature 210-239	2.6	2.7	2.8	2.9	3.0	2.9	3.1	3.2	3.3	3.3	3.4
Asthma 241	2.7	3.0	2.8	2.9	3.9	3.6	3.6	3.8	4.3	4.5	4.5
Diabetes mellitus 260	16.5	16.7	15.9	15.9	16.0	15.7	15.5	15.6	16.3	16.4	16.3
Anemias 290-293	1.8	1.9	1.8	1.8	1.8	1.9	1.9	2.0	2.3	2.6	2.6
Meningitis, except meningococcal and tuberculous 340	1.2	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.3	1.2	1.2
Major cardiovascular-renal diseases 330-334,400-468,592-594	511.7	521.8	515.9	523.7	523.7	510.7	506.0	495.1	514.6	511.6	513.0
Diseases of cardiovascular system 330-334,400-468	505.4	515.1	508.9	515.8	514.9	501.5	496.4	484.5	502.7	498.3	498.3
Vascular lesions affecting central nervous system 330-334	105.5	108.0	108.4	110.1	110.2	106.3	106.0	104.1	107.3	106.8	106.6
Diseases of heart 400-402,410-443	362.6	369.0	363.2	367.8	369.6	361.1	356.5	348.3	361.2	357.4	356.8
Rheumatic fever and chronic rheumatic heart disease 400-402,410-416	9.8	10.3	10.4	10.8	11.8	12.0	12.0	12.1	13.3	13.7	14.1
Arteriosclerotic heart disease, including coronary disease 420	274.6	275.6	268.6	266.3	265.7	255.6	247.0	235.6	236.0	226.1	219.5
Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	29.9	31.8	31.8	33.8	36.8	37.7	39.9	41.0	46.3	49.2	52.6
Other diseases of heart 430-434	13.8	14.3	13.8	14.2	12.8	12.6	12.6	13.0	14.3	14.5	15.1
Hypertensive heart disease 440-443	34.6	37.0	38.6	42.7	42.5	43.3	45.0	46.6	51.3	53.9	55.6
Other hypertensive disease 444-447	6.7	7.1	7.4	8.0	6.5	6.5	6.8	7.1	7.8	8.0	8.6
General arteriosclerosis 450	19.3	20.0	19.6	19.9	19.5	19.1	19.8	18.8	20.4	20.3	20.8
Other diseases of circulatory system 451-468	11.3	11.0	10.3	9.9	9.0	8.4	7.3	6.4	6.0	5.7	5.4
Chronic and unspecified nephritis and other renal sclerosis 592-594	6.3	6.7	7.0	8.0	8.8	9.1	9.6	10.6	11.9	13.3	14.7
Influenza and pneumonia, except pneumonia of newborn 480-493	30.2	37.3	31.2	33.2	35.8	28.2	27.1	25.4	33.0	29.7	31.4
Influenza 480-483	1.2	4.4	1.6	2.6	4.4	1.4	1.7	1.7	6.0	3.6	4.5
Pneumonia, except pneumonia of newborn 490-493	29.0	32.9	29.6	30.6	31.4	26.8	25.4	23.8	27.0	26.1	26.9
Bronchitis 500-502	2.2	2.4	2.2	2.3	2.1	1.9	1.9	1.8	1.9	1.9	1.9
Ulcer of stomach and duodenum 540,541	6.3	6.3	6.0	6.2	6.1	6.0	5.9	5.8	5.8	5.6	5.5
Appendicitis 550-553	1.0	1.0	1.0	1.1	1.2	1.3	1.4	1.4	1.5	1.7	1.9
Hernia and intestinal obstruction 560,561,570	5.0	5.1	5.2	5.1	5.0	5.1	5.3	5.3	5.5	5.4	5.6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	4.3	4.4	4.4	4.5	4.7	4.5	4.7	4.9	5.4	5.6	5.2
Cirrhosis of liver 581	11.3	11.3	10.9	10.8	11.3	10.7	10.2	10.1	10.4	10.2	9.8
Cholelithiasis, cholecystitis, and cholangitis 584,585	2.6	2.6	2.5	2.7	2.9	3.1	3.6	3.5	3.5	3.8	3.7
Acute nephritis, and nephritis with edema including nephrosis 590,591	0.9	0.9	1.0	1.3	1.3	1.4	1.5	1.6	1.8	2.0	2.1
Infections of kidney 600	4.4	4.3	3.9	4.0	3.7	3.4	3.0	2.7	2.6	2.4	2.1
Hyperplasia of prostate 610	2.3	2.5	2.6	2.7	3.0	3.2	3.7	3.8	3.9	4.0	4.2
Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	0.9	0.9	0.9	0.9	1.0	1.0	1.2	1.3	1.5	1.7	1.8
Abortion 650-652	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2
Other complications of pregnancy, childbirth, and the puerperium 640-649,660-689	0.7	0.7	0.7	0.8	0.9	0.9	1.0	1.1	1.3	1.5	1.6
Congenital malformations 750-759	12.0	12.2	12.3	12.4	12.8	12.6	12.5	12.5	12.6	12.7	12.3
Certain diseases of early infancy 760-776	35.9	37.4	38.5	39.8	39.1	38.6	39.0	39.4	40.1	40.9	41.1
Birth injuries, postnatal asphyxia, and atelectasis 760-762	15.8	16.6	17.1	18.2	17.8	17.7	17.8	17.8	17.9	17.6	17.6
Infections of newborn 763-768	2.6	2.7	2.9	3.2	3.0	2.8	2.6	2.7	2.6	2.6	2.6
Other diseases peculiar to early infancy, and immaturity unqualified 769-776	17.5	18.2	18.5	18.4	18.3	18.1	18.6	18.9	19.6	20.7	21.0
Symptoms, senility, and ill-defined conditions 780-795	10.4	11.4	10.8	11.4	11.3	11.3	12.1	12.5	13.7	14.1	14.8
All other diseases Residual	38.0	38.5	37.3	36.6	35.0	32.9	31.9	31.2	32.2	32.6	32.5
Accidents E800-E962	50.4	52.3	52.2	52.3	56.0	56.7	56.9	55.9	60.0	61.7	62.5
Motor vehicle accidents E810-E835	20.8	21.3	21.5	21.3	22.7	23.7	23.4	22.1	24.0	24.3	24.1
Other accidents E800-E802,E840-E962	29.6	31.0	30.7	31.0	33.2	33.0	33.5	33.8	36.1	37.5	38.4
Suicide E963,E970-E979	10.4	10.6	10.6	10.7	9.8	10.0	10.2	10.1	10.1	10.0	10.4
Homicide E964,E980-E985	4.7	4.7	4.6	4.5	4.5	4.6	4.5	4.8	4.8	5.2	4.9

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES	930.0	2,533.6	101.7	43.9	102.8	143.5	292.7	731.8	1,674.7	3,724.4	8,361.3	19,593.7
Male	1,073.8	2,854.8	110.5	52.5	147.2	183.7	366.4	956.2	2,240.0	4,813.0	9,788.6	20,914.4
Female	790.8	2,197.3	92.8	35.0	59.1	104.7	222.6	515.1	1,146.3	2,792.7	7,265.1	18,752.0
White	925.8	2,240.8	90.1	41.8	95.5	121.1	254.3	673.3	1,576.9	3,639.9	8,466.7	20,025.5
Male	1,071.0	2,546.8	98.9	50.1	138.9	158.5	325.9	900.8	2,163.8	4,742.3	9,952.8	21,392.5
Female	784.5	1,920.0	81.0	33.2	52.5	84.6	185.6	452.8	1,029.9	2,700.4	7,337.3	19,166.5
Nonwhite	963.1	4,142.5	169.3	56.9	155.2	310.5	618.4	1,270.6	2,661.2	4,713.0	7,009.8	14,231.9
Male	1,095.1	4,571.3	179.6	67.7	208.1	385.0	723.3	1,474.6	2,991.6	5,615.6	7,818.4	15,593.5
Female	838.4	3,694.5	159.2	46.1	105.4	246.4	525.4	1,079.0	2,341.7	3,891.6	6,293.5	13,202.4
Tuberculosis, all forms (001-019)	5.4	0.5	0.6	0.1	0.4	1.8	4.6	8.1	13.9	21.7	29.8	37.9
Male	8.1	0.7	0.6	0.1	0.3	1.9	5.6	12.2	23.4	37.7	49.5	56.1
Female	2.9	0.4	0.6	0.1	0.5	1.8	3.6	4.1	5.0	8.1	14.8	26.3
White	4.6	0.3	0.4	0.1	0.2	0.8	2.8	6.3	11.6	19.7	28.1	35.2
Male	6.9	0.4	0.4	0.1	0.2	0.9	3.4	9.5	20.0	34.7	46.5	52.5
Female	2.3	0.2	0.4	0.1	0.3	0.8	2.2	3.2	3.8	7.0	14.1	24.4
Nonwhite	12.1	1.8	1.6	0.2	1.9	9.4	20.1	24.5	36.9	45.2	52.4	70.8
Male	16.9	2.4	1.8	0.2	1.6	10.1	25.5	37.8	57.5	71.5	84.7	96.8
Female	7.5	1.2	1.3	0.2	2.3	8.7	15.3	11.9	16.9	21.6	23.9	51.2
Tuberculosis of respiratory system (001-008)	5.0	0.2	0.2	0.0	0.3	1.6	4.2	7.5	13.1	20.6	28.4	35.9
Male	7.6	0.4	0.2	0.0	0.3	1.6	5.1	11.7	22.4	36.3	47.5	55.1
Female	2.5	0.1	0.2	0.0	0.4	1.6	3.3	3.5	4.4	7.2	13.8	23.7
White	4.3	0.1	0.1	0.0	0.2	0.8	2.6	5.9	11.1	18.9	26.9	33.9
Male	6.6	0.2	0.1	0.0	0.1	0.8	3.1	9.1	19.2	33.6	44.9	51.9
Female	2.0	0.1	0.1	0.0	0.2	0.7	2.1	2.9	3.4	6.3	13.2	22.6
Nonwhite	10.6	0.8	0.5	0.0	1.5	7.9	17.8	22.3	33.5	41.0	48.7	61.1
Male	15.4	1.2	0.7	0	1.1	8.3	22.9	36.0	53.2	66.9	79.1	90.3
Female	6.2	0.3	0.4	0.1	1.9	7.6	13.3	9.5	14.4	17.7	21.7	39.0
Tuberculosis, other forms (010-019)	0.4	0.3	0.4	0.1	0.1	0.2	0.4	0.5	0.8	1.1	1.4	2.0
Male	0.5	0.3	0.5	0.1	0.1	0.2	0.5	0.5	1.1	1.4	1.9	1.1
Female	0.4	0.3	0.4	0.1	0.1	0.2	0.4	0.5	0.5	0.9	1.0	2.5
White	0.3	0.2	0.3	0.1	0.1	0.1	0.2	0.3	0.6	0.9	1.2	1.3
Male	0.3	0.2	0.3	0.1	0.0	0.1	0.2	0.4	0.8	1.1	1.6	0.6
Female	0.2	0.2	0.3	0.1	0.1	0.1	0.2	0.3	0.4	0.7	0.9	1.8
Nonwhite	1.4	1.1	1.0	0.2	0.5	1.4	2.3	2.2	3.4	4.2	3.7	9.7
Male	1.6	1.2	1.2	0.2	0.5	1.8	2.6	1.8	4.3	4.6	5.5	6.5
Female	1.3	0.9	0.9	0.2	0.4	1.1	2.0	2.5	2.5	3.9	2.2	12.2
Syphilis and its sequelae (020-029)	1.6	0.5	0.0	0.0	0.0	0.2	0.5	1.8	5.3	8.4	8.5	9.3
Male	2.3	0.6	0	0.0	0.0	0.2	0.7	2.6	8.2	13.6	12.4	13.6
Female	0.9	0.3	0.0	0	0.0	0.1	0.3	1.1	2.5	4.0	5.5	6.6
White	1.2	0.2	0	0.0	0.0	0.1	0.2	0.9	3.7	6.8	7.5	8.2
Male	1.8	0.3	0	0.0	0.0	0.2	0.3	1.3	6.1	11.3	11.2	11.0
Female	0.6	0.1	0	0	0.0	0.1	0.1	0.5	1.3	3.0	4.6	6.4
Nonwhite	4.5	1.8	0.0	0	0.0	0.5	2.6	10.6	21.7	27.6	21.9	23.6
Male	6.1	2.4	0	0	0	0.4	3.5	14.3	28.9	40.3	27.0	41.9
Female	3.1	1.2	0.1	0	0.1	0.5	1.8	7.0	14.9	16.2	17.4	9.8
Dysentery, all forms (045-048)	0.2	2.4	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.6	1.2
Male	0.2	2.5	0.3	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.8	1.3
Female	0.1	2.3	0.2	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4	1.2
White	0.1	1.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.5	1.0
Male	0.1	1.5	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.2
Female	0.1	1.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.9
Nonwhite	0.5	8.2	0.8	0.1	0	0.1	0.2	0.3	0.6	0.7	2.3	4.2
Male	0.6	7.9	0.9	0.1	0	0.2	0.2	0.4	0.6	0.2	3.1	3.2
Female	0.5	8.6	0.6	0.1	0	0.1	0.1	0.3	0.7	1.1	1.6	4.9
Scarlet fever and streptococcal sore throat (050,051)	0.1	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.8
Male	0.1	0.5	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	1.1
Female	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.7
White	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9
Male	0.1	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	1.2
Female	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.7
Nonwhite	0.1	0.8	0.3	0	0.0	0	0.1	0.0	0	0	0	0
Male	0.1	1.2	0.3	0	0.1	0	0	0.1	0	0	0	0
Female	0.1	0.3	0.2	0	0	0	0.2	0	0	0	0	0
Diphtheria (055)	0.0	0.0	0.2	0.1	0.0	0	0.0	0.0	0.0	0.0	0	0
Male	0.0	0.0	0.2	0.1	0	0	0	0.0	0.0	0	0	0
Female	0.0	0.0	0.1	0.1	0.0	0	0.0	0	0.0	0.0	0	0
White	0.0	0.1	0.1	0.1	0.0	0	0.0	0.0	0.0	0.0	0	0
Male	0.0	0.1	0.1	0.1	0	0	0	0.0	0	0	0	0
Female	0.0	0.1	0.1	0.1	0.0	0	0.0	0	0.0	0.0	0	0
Nonwhite	0.1	0	0.6	0.2	0	0	0	0	0.1	0	0	0
Male	0.1	0	0.8	0.2	0	0	0	0	0.1	0	0	0
Female	0.1	0	0.4	0.2	0	0	0	0	0	0	0	0
Whooping cough (056)	0.0	1.3	0.1	0.0	0	0	0	0	0	0.0	0	0
Male	0.0	1.0	0.1	0	0	0	0	0	0	0	0	0
Female	0.0	1.5	0.1	0.0	0	0	0	0	0	0.0	0	0
White	0.0	0.5	0.1	0	0	0	0	0	0	.0.0	0	0
Male	0.0	0.4	0.1	0	0	0	0	0	0	0	0	0
Female	0.0	0.6	0.0	0	0	0	0	0	0	0.0	0	0
Nonwhite	0.2	5.5	0.5	0.0	0	0	0	0	0	0	0	0
Male	0.2	4.2	0.6	0	0	0	0	0	0	0	0	0
Female	0.3	6.7	0.5	0.0	0	0	0	0	0	0	0	0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningococcal infections (057)	0.3	3.8	1.4	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0
Male	0.4	4.0	1.7	0.2	0.2	0.0	0.0	0.1	0.1	0.2	0.3	0
Female	0.3	3.6	1.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0
White	0.3	3.9	1.3	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0
Male	0.3	4.2	1.6	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.4	0
Female	0.3	3.7	1.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0
Nonwhite	0.5	3.2	1.6	0.3	0.3	0.2	0.1	0.2	0.3	0.2	0	0
Male	0.6	3.3	2.1	0.3	0.4	0	0.2	0.3	0.4	0	0	0
Female	0.4	3.1	1.1	0.3	0.1	0.3	0.1	0.2	0.1	0.4	0	0
Acute poliomyelitis (080)	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0	0	0
Male	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0	0	0
Female	0.0	0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0	0	0
White	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0	0	0
Male	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0	0	0
Female	0.0	0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0	0	0
Nonwhite	0.0	0	0.0	0.1	0.0	0	0.1	0	0	0	0	0
Male	0.0	0	0.1	0.1	0.1	0	0	0	0	0	0	0
Female	0.0	0	0	0.1	0	0	0.2	0	0	0	0	0
Measles (085)	0.2	1.6	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
Male	0.2	1.6	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0	0
Female	0.2	1.7	1.5	0.3	0.0	0.1	0.0	0	0.0	0	0.0	0
White	0.2	1.2	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
Male	0.2	1.2	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0	0
Female	0.2	1.1	1.3	0.3	0.0	0.0	0.0	0	0.0	0	0.0	0
Nonwhite	0.5	4.1	2.8	0.3	0.0	0.0	0	0	0	0	0	0
Male	0.5	3.6	3.0	0.3	0	0	0	0	0	0	0	0
Female	0.5	4.6	2.6	0.2	0.1	0.1	0	0	0	0	0	0
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)	3.1	20.0	2.8	0.9	1.0	1.3	1.8	2.8	4.7	7.2	13.2	21.1
Male	3.4	23.4	2.9	0.9	1.0	1.2	1.8	3.0	5.7	9.0	15.8	21.0
Female	2.8	16.4	2.6	0.9	1.0	1.4	1.8	2.7	3.7	5.7	11.2	21.2
White	2.8	16.0	2.4	0.9	0.9	1.1	1.4	2.5	4.3	6.7	13.0	20.8
Male	3.0	19.0	2.5	0.9	0.9	1.1	1.5	2.7	5.4	8.2	15.5	20.0
Female	2.5	12.8	2.2	0.9	0.9	1.0	1.4	2.4	3.3	5.5	11.1	21.3
Nonwhite	5.4	42.1	5.3	1.1	2.0	2.9	4.5	5.7	8.6	12.8	15.9	25.0
Male	5.9	48.0	5.4	1.2	2.1	2.0	4.4	6.1	9.1	18.0	19.6	32.3
Female	4.9	35.9	5.3	1.0	1.9	3.8	4.7	5.3	8.1	8.2	12.5	19.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.5	6.9	10.4	7.1	8.3	19.4	59.4	175.6	392.7	723.2	1,104.7	1,491.2
Male	163.4	6.7	11.3	7.9	10.1	18.5	48.6	169.9	456.8	910.2	1,385.6	1,826.1
Female	136.0	7.0	9.5	6.2	6.6	20.3	69.7	181.2	332.7	563.3	889.0	1,277.8
White	153.0	7.3	11.1	7.4	8.4	19.0	56.1	168.7	382.6	721.1	1,124.4	1,524.6
Male	167.0	7.1	12.0	8.4	10.3	18.5	46.1	162.7	445.6	906.5	1,411.1	1,864.9
Female	139.5	7.6	10.1	6.4	6.6	19.5	65.7	174.5	323.9	563.1	906.5	1,310.7
Nonwhite	122.3	4.4	6.7	4.9	7.7	22.5	87.1	239.7	494.0	748.3	850.7	1,076.4
Male	136.0	4.5	6.8	4.7	9.2	18.4	70.1	237.4	566.9	951.3	1,079.1	1,393.5
Female	109.4	4.3	6.6	5.0	6.2	25.9	102.4	241.8	423.5	564.2	648.4	836.6
Malignant neoplasm of buccal cavity and pharynx (140-148)	3.5	0.0	0.0	0.0	0.1	0.3	1.0	5.1	10.3	15.8	23.3	37.4
Male	5.4	0	0.0	0.0	0.2	0.4	1.4	7.8	17.4	27.0	39.0	62.0
Female	1.6	0.0	0.0	0.0	0.1	0.1	0.7	2.5	3.7	6.3	11.2	21.7
White	3.6	0	0.0	0.0	0.1	0.3	0.9	4.8	10.2	16.0	24.2	39.0
Male	5.5	0	0.0	0.1	0.2	0.4	1.2	7.4	17.2	27.2	40.7	64.9
Female	1.7	0	0.1	0.0	0.0	0.1	0.6	2.4	3.6	6.4	11.6	22.8
Nonwhite	2.7	0.2	0	0	0.1	0.3	2.1	7.6	11.9	14.0	11.5	16.7
Male	4.2	0	0	0	0.1	0.5	3.0	11.7	19.5	24.0	18.4	29.0
Female	1.2	0.3	0	0	0.2	0.1	1.3	3.8	4.5	5.0	5.4	7.3
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	50.1	0.5	0.3	0.1	0.5	2.6	11.9	44.8	123.0	269.1	469.1	644.2
Male	55.7	0.6	0.3	0.1	0.6	2.9	12.5	51.7	148.2	333.6	556.2	697.1
Female	44.7	0.5	0.3	0.1	0.4	2.3	11.4	38.1	99.5	213.9	402.3	610.5
White	51.2	0.5	0.3	0.1	0.4	2.3	10.7	41.6	117.8	267.0	478.6	660.6
Male	56.3	0.5	0.3	0.1	0.5	2.5	11.1	47.5	140.8	329.4	567.6	711.3
Female	46.3	0.5	0.3	0.1	0.3	2.1	10.4	35.9	98.4	213.8	410.9	628.8
Nonwhite	41.9	0.8	0.2	0.0	0.9	4.5	21.8	73.6	175.2	293.5	347.6	440.3
Male	51.6	0.6	0.1	0	1.0	6.0	24.4	90.9	220.9	380.8	419.0	538.7
Female	32.8	0.9	0.3	0.1	0.8	3.2	19.4	57.3	131.1	214.4	284.2	365.9
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	23.1	0.2	0.1	0.0	0.2	1.2	7.7	32.6	84.1	123.9	106.4	86.5
Male	39.9	0.1	0.1	0.0	0.3	1.8	11.9	55.3	153.9	235.9	194.2	149.5
Female	6.7	0.2	0.1	0.0	0.1	0.6	3.7	10.6	18.8	28.0	39.0	46.4
White	23.8	0.2	0.1	0.0	0.2	1.1	7.3	31.7	83.7	125.5	109.2	88.6
Male	41.2	0.2	0.1	0.0	0.3	1.7	11.1	53.6	153.8	239.7	199.6	152.8
Female	7.0	0.2	0.1	0.0	0.1	0.5	3.6	10.4	18.4	28.1	40.4	48.3
Nonwhite	17.3	0.2	0.0	0	0.2	1.7	11.3	41.1	87.3	105.2	70.6	61.1
Male	30.4	0	0	0	0.2	2.5	19.5	71.4	154.5	192.8	129.4	112.9
Female	4.9	0.3	0.1	0	0.1	1.0	4.1	12.6	22.3	26.3	18.5	22.0
Malignant neoplasm of breast (170)	13.4	0.0	0	0.0	0.0	2.0	10.4	25.9	36.4	49.8	74.5	120.9
Male	0.3	0	0	0	0	0.0	0.1	0.4	0.7	1.4	2.0	3.7
Female	26.2	0.0	0	0.0	0.1	4.0	20.2	50.6	69.8	91.2	130.2	195.6
White	14.0	0.0	0	0.0	0.0	2.0	10.0	26.0	36.8	50.9	76.4	125.1
Male	0.3	0	0	0	0	0.0	0.1	0.3	0.7	1.4	1.9	3.8
Female	27.3	0.1	0	0.0	0.1	3.9	19.5	50.9	70.4	93.0	133.0	201.3
Nonwhite	9.2	0	0	0	0.1	2.5	13.8	24.8	32.9	37.3	49.6	69.4
Male	0.2	0	0	0	0	0	0	0.4	0.6	1.4	2.5	3.2
Female	17.8	0	0	0	0.2	4.6	26.0	47.7	64.1	69.4	91.3	119.5

[1]Figures for age not stated included in "Total" but not distributed among age groups:

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of genital organs (171-179)	21.5	0.0	0.2	0.1	0.7	3.3	10.3	24.7	47.9	100.6	187.1	272.0
Male	17.7	0	0.2	0.1	0.8	1.7	1.7	3.8	23.6	102.2	284.2	505.3
Female	25.1	0.1	0.1	0.2	0.7	4.8	18.6	44.9	70.6	99.3	112.5	123.4
White	21.0	0.1	0.2	0.1	0.7	3.0	9.3	22.5	43.8	95.6	184.4	269.9
Male	17.4	0	0.3	0.1	0.9	1.9	1.7	3.1	19.8	95.3	280.3	508.1
Female	24.5	0.1	0.1	0.2	0.6	4.1	16.6	41.3	66.1	95.9	111.5	120.2
Nonwhite	24.9	0	0	0.1	0.8	5.6	18.9	44.7	89.5	159.1	222.8	298.6
Male	19.5	0	0	0.0	0.4	0.6	1.6	10.0	61.0	180.1	331.9	474.2
Female	29.9	0	0	0.2	1.2	10.0	34.3	77.3	117.1	139.9	126.1	165.9
Malignant neoplasm of urinary organs (180,181)	7.1	0.4	1.0	0.3	0.1	0.3	1.5	5.9	17.1	38.3	65.1	93.0
Male	9.6	0.4	0.8	0.3	0.1	0.4	2.0	8.4	25.5	58.0	93.6	125.3
Female	4.7	0.4	1.2	0.3	0.1	0.3	1.0	3.5	9.2	21.4	43.2	72.4
White	7.5	0.4	1.0	0.3	0.1	0.3	1.3	5.7	17.0	38.9	67.7	97.1
Male	10.1	0.4	0.7	0.3	0.1	0.3	1.8	8.3	25.7	59.4	98.2	131.3
Female	4.9	0.4	1.3	0.4	0.0	0.2	0.9	3.2	8.9	21.4	44.6	75.6
Nonwhite	4.6	0.2	1.0	0.3	0.2	0.6	2.7	8.4	17.8	31.4	30.5	41.7
Male	5.9	0	1.2	0.3	0.1	0.6	3.7	10.1	23.6	42.9	39.3	58.1
Female	3.4	0.3	0.8	0.2	0.3	0.7	1.8	6.7	12.1	20.9	22.8	29.3
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.4	2.3	3.1	2.4	2.7	4.4	8.8	21.3	41.7	66.1	97.4	153.9
Male	17.7	2.3	3.4	2.4	3.2	5.0	9.5	24.1	48.4	76.6	109.9	170.5
Female	15.1	2.3	2.8	2.3	2.2	3.9	8.2	18.6	35.5	57.2	87.9	143.4
White	16.9	2.6	3.2	2.4	2.8	4.6	8.9	21.0	41.1	66.1	98.9	157.7
Male	18.4	2.6	3.6	2.5	3.2	5.2	9.7	23.9	48.6	77.2	111.8	174.5
Female	15.5	2.7	2.7	2.3	2.3	4.0	8.1	18.2	34.2	56.6	89.0	147.2
Nonwhite	12.6	0.5	2.7	2.1	2.1	3.4	8.4	23.9	47.6	66.4	79.3	106.9
Male	12.7	0.9	2.5	1.7	2.8	3.5	7.7	25.5	46.1	69.5	87.1	125.8
Female	12.4	0	2.8	2.4	1.5	3.4	9.0	22.5	49.1	63.4	72.3	92.7
Leukemia and aleukemia (204)	7.0	2.5	5.1	3.3	2.2	2.2	3.2	5.9	12.4	26.7	45.6	55.8
Male	8.4	2.4	5.6	3.7	2.7	2.4	3.7	6.9	15.4	35.3	61.6	80.1
Female	5.7	2.7	4.5	2.8	1.6	2.0	2.7	5.0	9.5	19.2	33.3	40.3
White	7.4	2.7	5.6	3.5	2.2	2.2	3.1	6.0	12.5	27.5	47.7	58.3
Male	8.9	2.5	6.2	4.0	2.7	2.4	3.6	7.1	15.7	36.3	64.6	83.8
Female	6.0	2.9	4.9	2.9	1.7	2.1	2.6	4.9	9.5	20.0	34.8	42.3
Nonwhite	4.0	1.7	2.1	1.7	1.7	1.9	3.6	4.9	11.1	16.8	18.7	25.0
Male	4.7	1.8	2.3	1.6	2.5	2.4	4.1	4.4	13.2	24.5	25.8	38.7
Female	3.2	1.5	2.0	1.8	1.0	1.5	3.2	5.4	9.1	9.9	12.5	14.6
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.4	0.8	0.7	0.9	1.8	3.1	4.6	9.4	19.7	33.0	36.1	27.4
Male	8.7	0.9	0.9	1.3	2.3	3.9	5.8	11.5	23.7	40.2	44.7	32.7
Female	6.1	0.8	0.6	0.4	1.4	2.3	3.4	7.4	16.1	26.9	29.6	24.1
White	7.7	0.8	0.7	0.9	1.9	3.2	4.6	9.3	19.7	33.7	37.4	28.3
Male	9.0	0.9	0.9	1.4	2.4	4.0	5.7	11.3	23.3	40.6	46.3	34.5
Female	6.4	0.7	0.6	0.4	1.4	2.4	3.5	7.3	16.3	27.9	30.6	24.4
Nonwhite	5.2	1.1	0.7	0.7	1.5	2.0	4.6	10.7	20.7	24.7	20.2	16.7
Male	6.7	1.2	0.8	1.0	2.1	2.4	6.1	12.9	27.5	35.3	25.8	12.9
Female	3.7	0.9	0.6	0.3	1.0	1.5	3.2	8.5	14.2	15.1	15.2	19.5
Benign neoplasms and neoplasms of unspecified nature (210-239)	2.6	2.9	0.7	0.6	0.7	1.3	2.3	3.9	5.8	7.6	10.6	17.9
Male	2.4	3.4	0.6	0.6	0.7	1.0	1.5	3.2	6.1	8.0	11.3	16.0
Female	2.8	2.4	0.9	0.6	0.7	1.5	3.1	4.5	5.5	7.2	10.1	19.2
White	2.5	3.1	0.7	0.6	0.7	1.1	1.9	3.6	5.5	7.5	10.7	18.1
Male	2.3	3.6	0.5	0.5	0.7	0.9	1.4	3.1	6.1	8.0	11.5	16.2
Female	2.7	2.4	0.9	0.6	0.7	1.2	2.4	4.1	5.0	7.1	10.1	19.3
Nonwhite	3.3	2.1	0.8	0.9	0.9	2.5	5.8	6.5	8.5	8.4	9.5	15.3
Male	2.4	2.1	0.8	0.8	0.9	1.8	2.4	4.8	6.5	8.4	8.6	12.9
Female	4.1	2.1	0.8	1.0	0.8	3.1	8.9	8.2	10.5	8.4	10.3	17.1
Asthma (241)	2.7	0.9	0.4	0.2	0.4	0.8	1.4	3.3	7.0	12.0	16.7	18.6
Male	3.5	0.9	0.4	0.2	0.2	0.6	1.2	3.7	10.1	18.7	26.6	26.1
Female	1.9	1.0	0.3	0.1	0.5	1.0	1.6	2.9	4.1	6.2	9.2	13.9
White	2.6	0.7	0.2	0.1	0.2	0.5	1.1	3.0	6.6	12.1	17.3	18.5
Male	3.4	0.7	0.3	0.2	0.1	0.4	0.9	3.3	9.7	18.9	27.6	25.5
Female	1.8	0.6	0.1	0.1	0.3	0.6	1.2	2.6	3.7	6.2	9.4	14.0
Nonwhite	3.4	2.4	1.0	0.5	1.4	2.9	4.3	6.3	10.6	11.0	9.8	20.8
Male	3.9	2.1	1.1	0.6	1.1	2.8	3.9	7.6	13.2	16.8	14.1	32.3
Female	3.0	2.8	1.0	0.4	1.7	3.1	4.7	5.0	8.1	5.8	6.0	12.2
Diabetes mellitus (260)	16.5	0.3	0.2	0.3	0.7	2.7	4.7	11.3	35.9	91.5	162.8	184.2
Male	13.5	0.1	0.2	0.2	0.7	3.0	5.5	11.2	31.2	74.8	138.8	170.5
Female	19.4	0.5	0.2	0.4	0.8	2.5	4.0	11.4	40.2	105.7	181.3	192.9
White	16.2	0.3	0.2	0.3	0.7	2.5	4.0	9.3	31.6	88.6	165.1	188.6
Male	13.5	0.1	0.2	0.2	0.7	2.9	5.0	10.4	29.6	72.8	142.9	175.4
Female	18.8	0.5	0.2	0.4	0.6	2.1	3.1	8.2	33.6	102.1	181.9	196.9
Nonwhite	18.2	0.5	0.2	0.2	1.3	4.2	10.7	30.0	78.4	124.5	134.3	129.2
Male	12.8	0.3	0.3	0.3	1.0	3.3	10.8	19.2	46.9	97.6	89.6	116.1
Female	23.4	0.6	0.2	0.2	1.7	5.0	10.7	40.2	108.8	148.5	173.9	139.0
Anemias (290-293)	1.8	2.5	1.2	0.5	0.5	0.5	0.5	0.9	2.2	6.5	16.7	35.9
Male	1.8	2.4	1.2	0.4	0.4	0.5	0.5	0.9	2.4	7.6	18.6	39.1
Female	1.8	2.6	1.2	0.6	0.6	0.6	0.6	0.9	2.0	5.6	15.2	33.9
White	1.7	1.5	0.7	0.4	0.2	0.3	0.3	0.8	2.0	6.6	17.1	37.0
Male	1.6	1.5	0.6	0.3	0.2	0.2	0.3	0.8	2.2	7.5	19.2	39.7
Female	1.7	1.5	0.8	0.5	0.3	0.4	0.4	0.8	1.8	5.8	15.5	35.3
Nonwhite	2.9	8.2	4.3	0.9	2.3	2.6	2.3	2.2	3.8	5.7	11.0	22.2
Male	2.9	7.6	5.1	1.0	1.7	2.7	1.9	1.9	4.0	7.7	12.3	32.3
Female	2.8	8.9	3.4	0.8	2.8	2.5	2.7	2.5	3.6	3.9	9.8	14.6

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningitis, except meningococcal and tuberculous (340)	1.2	20.6	2.6	0.4	0.2	0.3	0.4	0.7	1.0	1.6	2.0	1.9
Male	1.5	23.3	3.0	0.5	0.3	0.4	0.4	0.9	1.1	2.0	2.3	2.4
Female	1.0	17.7	2.2	0.4	0.2	0.2	0.3	0.4	0.8	1.3	1.8	1.5
White	1.0	15.5	2.4	0.4	0.2	0.2	0.3	0.5	0.7	1.4	2.1	1.8
Male	1.2	17.7	2.8	0.4	0.2	0.2	0.3	0.7	0.8	1.9	2.4	2.6
Female	0.8	13.1	1.9	0.3	0.2	0.1	0.2	0.4	0.7	1.0	1.8	1.3
Nonwhite	3.2	48.5	4.2	0.8	0.6	0.9	1.4	1.9	3.2	4.0	1.7	2.8
Male	3.6	54.4	4.4	0.9	0.7	1.3	1.4	2.6	4.1	4.1	0.6	0
Female	2.7	42.3	3.9	0.7	0.6	0.6	1.3	1.2	2.3	3.9	2.7	4.9
Major cardiovascular-renal diseases (330-334,400-468,592-594)	511.7	11.9	2.3	2.3	8.3	25.3	98.6	336.9	908.9	2,312.9	5,867.0	14,863.9
Male	578.9	13.3	2.4	2.2	9.2	30.2	138.8	489.7	1,269.1	2,968.8	6,663.5	15,356.1
Female	446.7	10.5	2.2	2.3	7.5	20.6	60.3	189.4	572.2	1,751.6	5,255.3	14,550.2
White	520.6	10.2	1.9	2.0	7.2	20.1	83.9	305.7	847.2	2,253.2	5,949.1	15,240.0
Male	592.1	11.0	2.0	1.9	8.2	25.6	126.0	467.2	1,231.6	2,928.4	6,793.1	15,781.7
Female	451.0	9.4	1.9	2.1	6.2	14.8	43.5	149.3	489.0	1,677.8	5,307.7	14,899.6
Nonwhite	444.1	21.3	4.5	4.0	16.5	64.3	223.3	624.1	1,530.9	3,011.6	4,813.0	10,193.1
Male	475.8	26.0	5.0	4.1	16.2	67.1	252.1	700.4	1,638.0	3,427.3	5,107.4	10,619.4
Female	414.2	16.6	3.9	4.0	16.8	61.9	197.9	552.5	1,427.4	2,631.5	4,552.2	9,870.7
Diseases of cardiovascular system (330-334,400-468)	505.4	11.4	2.2	1.8	6.6	22.5	94.6	330.1	897.2	2,291.3	5,816.9	14,739.5
Male	571.8	12.7	2.2	1.8	7.1	26.7	134.1	481.5	1,255.5	2,942.8	6,602.5	15,210.6
Female	441.1	9.9	2.1	1.9	6.1	18.4	57.1	183.9	562.4	1,733.8	5,213.5	14,439.3
White	514.9	9.7	1.8	1.6	5.6	17.6	80.8	300.4	837.8	2,234.4	5,902.4	15,122.7
Male	585.7	10.6	1.8	1.5	6.2	22.4	122.0	460.4	1,220.4	2,906.3	6,736.4	15,644.3
Female	446.0	8.8	1.8	1.6	4.9	13.0	41.2	145.4	481.3	1,661.9	5,268.6	14,794.9
Nonwhite	432.5	20.4	4.2	3.4	13.8	58.5	212.5	603.6	1,496.6	2,956.5	4,717.3	9,981.9
Male	463.0	24.5	4.4	3.4	13.3	60.9	241.0	678.5	1,600.9	3,356.8	4,996.3	10,383.9
Female	403.7	16.3	3.9	3.3	14.3	56.5	187.2	533.3	1,395.7	2,590.3	4,470.1	9,678.0
Vascular lesions affecting central nervous system (330-334)	105.5	3.4	0.9	0.7	1.7	4.8	14.7	46.9	138.0	451.9	1,421.2	3,709.1
Male	101.1	3.8	1.0	0.7	1.8	4.8	14.8	49.4	154.7	507.9	1,486.0	3,630.1
Female	109.7	2.9	0.8	0.6	1.7	4.7	14.7	44.5	122.4	403.9	1,371.4	3,759.5
White	104.3	3.0	0.8	0.6	1.5	3.6	10.5	35.8	112.6	420.3	1,431.2	3,792.7
Male	99.8	3.4	0.9	0.6	1.7	4.0	10.8	39.3	132.2	478.6	1,502.5	3,708.7
Female	108.6	2.7	0.7	0.6	1.4	3.3	10.2	32.4	94.3	370.6	1,377.1	3,845.5
Nonwhite	114.8	5.3	1.3	0.9	3.1	13.3	50.4	149.1	394.5	821.3	1,294.2	2,670.8
Male	111.1	6.3	1.3	0.9	2.6	11.7	49.3	143.9	377.8	840.5	1,287.7	2,754.8
Female	118.3	4.3	1.2	1.0	3.6	14.7	51.5	153.9	410.7	802.2	1,300.0	2,607.3
Diseases of heart (400-402,410-443)	362.6	6.9	1.2	1.0	4.0	14.9	73.5	267.2	714.9	1,701.7	3,930.9	9,241.6
Male	431.5	7.7	1.1	1.0	4.6	19.3	112.2	412.4	1,041.0	2,256.0	4,587.2	9,738.0
Female	295.8	6.0	1.2	1.0	3.3	10.6	36.7	127.1	410.0	1,227.3	3,426.8	8,925.3
White	373.0	5.7	0.9	0.8	3.4	12.2	66.2	251.9	685.5	1,682.8	4,001.5	9,484.8
Male	446.6	6.2	0.8	0.8	4.1	16.8	106.5	404.9	1,032.3	2,255.3	4,697.6	10,032.2
Female	301.5	5.2	0.9	0.8	2.7	7.8	27.6	103.8	362.4	1,194.9	3,472.5	9,140.8
Nonwhite	282.8	13.3	2.8	2.2	7.9	34.7	135.5	408.0	1,010.7	1,923.5	3,019.9	6,222.2
Male	314.1	16.0	2.8	2.3	8.3	39.3	162.3	482.7	1,125.6	2,264.0	3,262.0	6,464.5
Female	253.1	10.4	2.8	2.2	7.6	30.7	111.7	337.8	899.6	1,613.4	2,805.4	6,039.0
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	9.8	0.1	0.2	0.5	1.9	4.4	9.4	18.8	27.5	31.1	34.3	47.8
Male	9.3	0.2	0.2	0.5	1.9	4.4	9.4	18.8	27.0	31.2	32.1	37.0
Female	10.2	0.0	0.2	0.6	1.8	4.5	9.5	18.8	28.0	31.0	35.9	54.7
White	10.1	0.1	0.1	0.4	1.6	4.1	9.3	19.2	28.4	32.1	35.5	48.7
Male	9.6	0.2	0.1	0.3	1.7	4.2	9.4	19.1	27.9	31.9	33.3	38.0
Female	10.6	0	0.1	0.5	1.6	4.0	9.3	19.3	28.8	32.2	37.1	55.4
Nonwhite	7.1	0.5	0.6	1.5	3.5	6.9	10.2	15.3	18.9	19.5	18.7	37.5
Male	6.8	0.6	0.6	1.4	3.3	6.4	9.4	15.8	18.6	22.5	18.4	25.8
Female	7.3	0.3	0.6	1.6	3.8	7.4	11.0	14.8	19.1	16.8	19.0	46.3
Arteriosclerotic heart disease, including coronary disease (420)	274.6	0.4	0.0	0.1	0.6	6.6	50.5	205.3	566.8	1,345.4	2,933.2	6,444.4
Male	345.6	0.4	0.0	0.1	0.9	10.7	87.0	341.3	869.4	1,861.3	3,563.3	7,057.4
Female	205.8	0.3	0.0	0.1	0.3	2.6	15.7	73.8	284.0	903.9	2,449.3	6,053.7
White	289.4	0.3	0.0	0.1	0.5	5.8	49.0	203.5	564.2	1,362.8	3,021.2	6,660.1
Male	365.5	0.4	0.0	0.0	0.8	9.8	87.0	347.2	885.7	1,900.5	3,692.3	7,326.1
Female	215.3	0.2	0.0	0.1	0.3	1.8	12.4	64.2	264.7	904.5	2,511.1	6,241.5
Nonwhite	161.3	0.6	0.0	0.1	1.2	12.4	63.7	221.5	592.4	1,142.6	1,793.7	3,766.7
Male	191.0	0.6	0.1	0.1	1.8	17.2	87.4	286.6	706.5	1,415.8	2,014.7	4,067.7
Female	133.4	0.6	0	0.1	0.6	8.2	42.6	160.3	482.1	894.6	1,597.8	3,539.0
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	29.9	1.0	0.2	0.1	0.3	0.8	2.5	9.9	32.8	110.1	411.0	1,451.2
Male	30.1	1.0	0.2	0.1	0.4	0.9	3.2	13.8	42.7	132.8	450.6	1,445.5
Female	29.6	1.1	0.2	0.0	0.2	0.6	1.8	6.1	23.6	90.6	380.6	1,454.9
White	30.1	0.9	0.2	0.1	0.3	0.5	1.9	8.1	27.8	101.7	413.8	1,491.6
Male	30.1	0.7	0.2	0.1	0.4	0.7	2.6	11.6	37.7	123.2	455.3	1,486.4
Female	30.2	1.2	0.2	0.0	0.2	0.4	1.3	4.7	18.6	83.4	382.3	1,494.9
Nonwhite	27.8	1.5	0.3	0.1	0.7	2.6	7.5	26.1	83.5	207.8	375.5	950.0
Male	30.4	2.4	0.3	0.2	0.9	2.9	8.8	33.8	92.6	241.7	394.5	990.3
Female	25.3	0.6	0.3	0.1	0.4	2.3	6.4	19.0	74.7	176.9	358.7	919.5
Other diseases of heart (430-434)	13.8	5.3	0.8	0.3	1.0	1.9	5.0	11.9	26.1	55.2	138.1	346.2
Male	16.2	6.1	0.7	0.4	1.3	2.1	6.3	16.5	36.3	71.9	166.1	394.4
Female	11.5	4.5	0.8	0.3	0.8	1.7	3.8	7.6	16.4	40.9	116.6	315.4
White	12.9	4.4	0.6	0.3	0.9	1.3	3.7	9.1	22.1	50.4	135.2	348.8
Male	15.2	4.9	0.5	0.3	1.2	1.6	4.9	13.3	32.1	66.2	163.2	399.4
Female	10.7	3.8	0.6	0.2	0.6	1.1	2.5	5.1	12.7	36.9	113.9	316.9
Nonwhite	20.5	10.5	1.8	0.5	2.1	6.2	16.2	37.7	66.1	111.9	176.9	313.9
Male	23.6	12.4	1.8	0.7	1.8	6.4	18.6	45.8	77.8	136.9	201.2	338.7
Female	17.6	8.6	1.8	0.4	2.4	6.1	14.1	30.0	54.7	89.2	155.4	295.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
Diseases of heart—Con.												
Hypertensive heart disease (440-443)	34.6	0.0	0.0	0.0	0.1	1.2	6.0	21.4	61.7	159.9	414.2	952.0
Male	30.3	0	0.0	0.0	0.1	1.1	6.2	22.0	65.6	158.8	375.0	803.7
Female	38.7	0.0	0	0.0	0.1	1.2	5.9	20.8	58.0	160.9	444.3	1,046.4
White	30.5	0	0.0	0.0	0.1	0.4	2.3	12.0	43.0	135.8	395.9	935.7
Male	26.2	0	0.0	0	0.1	0.5	2.6	13.6	49.0	133.4	353.5	782.3
Female	34.6	0	0	0.0	0.1	0.4	2.0	10.5	37.5	137.9	428.0	1,032.1
Nonwhite	66.0	0.2	0	0.0	0.4	6.5	37.8	107.4	249.8	441.6	655.0	1,154.2
Male	62.3	0	0	0.0	0.5	6.4	38.1	100.7	230.0	447.0	633.1	1,041.9
Female	69.6	0.3	0	0.0	0.4	6.6	37.5	113.7	268.9	435.8	674.5	1,239.0
Other hypertensive disease (444-447)	6.7	0	0	0.0	0.1	1.0	2.7	5.0	9.5	25.0	77.3	223.2
Male	6.7	0	0	0.0	0.2	1.1	3.1	5.8	11.1	27.6	83.3	243.1
Female	6.6	0	0	0.0	0.1	0.9	2.4	4.1	8.1	22.7	72.7	210.5
White	6.0	0	0	0.0	0.0	0.3	1.0	2.9	7.3	22.2	76.2	225.5
Male	6.0	0	0	0	0.1	0.4	1.3	3.7	8.9	24.6	81.6	244.6
Female	6.0	0	0	0.0	0.0	0.2	0.9	2.2	5.7	20.1	72.1	213.5
Nonwhite	12.0	0	0	0.0	0.8	5.7	17.1	23.9	31.9	57.7	92.2	194.4
Male	12.7	0	0	0.0	0.9	6.0	19.6	25.9	32.0	62.6	103.1	225.8
Female	11.2	0	0	0	0.6	5.3	14.9	21.9	31.8	53.2	82.6	170.7
General arteriosclerosis (450)	19.3	0.0	0	0.0	0.0	0.1	0.2	1.6	10.0	53.3	284.7	1,402.5
Male	18.3	0.0	0	0	0.0	0.0	0.4	2.0	13.2	64.5	312.0	1,413.6
Female	20.3	0	0	0.0	0	0.1	0.1	1.1	7.1	43.7	263.7	1,395.4
White	20.3	0.0	0	0.0	0.0	0.1	0.2	1.3	8.7	50.3	288.9	1,452.9
Male	19.0	0.1	0	0	0.0	0.0	0.3	1.8	11.9	61.1	316.9	1,468.4
Female	21.5	0	0	0.0	0	0.1	0.1	0.8	5.8	41.1	267.6	1,443.2
Nonwhite	12.1	0	0	0	0.0	0.1	0.5	3.6	23.1	88.0	230.5	776.4
Male	12.9	0	0	0	0.1	0	0.7	3.8	26.2	102.6	252.8	803.2
Female	11.4	0	0	0	0	0.2	0.3	3.4	20.2	74.6	210.9	756.1
Other diseases of circulatory system (451-468)	11.3	1.1	0.1	0.1	0.8	1.8	3.4	9.5	24.8	59.5	102.8	163.1
Male	14.1	1.2	0.1	0.1	0.5	1.5	3.6	11.9	35.5	86.8	134.1	185.9
Female	8.7	1.0	0.1	0.2	1.0	2.1	3.2	7.1	14.9	36.1	78.8	148.6
White	11.4	1.0	0.1	0.1	0.6	1.4	2.8	8.4	23.7	58.9	104.6	166.8
Male	14.3	1.0	0.1	0.1	0.4	1.2	3.0	10.8	35.1	86.7	137.7	190.4
Female	8.5	0.9	0.1	0.2	0.8	1.6	2.6	6.1	13.1	35.2	79.4	151.9
Nonwhite	10.9	1.8	0.2	0.2	2.0	4.8	8.9	19.1	36.3	66.0	80.4	118.1
Male	12.1	2.1	0.3	0.2	1.4	3.9	9.1	22.1	39.3	87.1	90.8	135.5
Female	9.7	1.5	0	0.2	2.5	5.5	8.8	16.2	33.4	47.0	71.2	104.9
Chronic and unspecified nephritis and other renal sclerosis (592-594)	6.3	0.6	0.2	0.5	1.8	2.9	4.0	6.8	11.7	21.6	50.1	124.3
Male	7.1	0.6	0.2	0.4	2.1	3.5	4.8	8.2	13.6	26.0	60.9	145.5
Female	5.6	0.6	0.1	0.5	1.4	2.3	3.2	5.4	9.8	17.8	41.9	110.8
White	5.7	0.5	0.1	0.4	1.6	2.5	3.2	5.3	9.4	18.7	46.7	117.3
Male	6.4	0.4	0.2	0.4	2.0	3.2	4.1	6.7	11.3	22.1	56.7	137.4
Female	5.0	0.6	0.1	0.4	1.3	1.8	2.3	3.9	7.7	15.9	39.0	104.7
Nonwhite	11.6	0.9	0.3	0.7	2.7	5.8	10.9	20.5	34.3	55.1	95.7	211.1
Male	12.8	1.5	0.8	0.7	2.9	6.2	11.1	21.9	37.1	70.5	111.0	235.5
Female	10.4	0.3	0	0.7	2.4	5.5	10.6	19.2	31.6	41.2	82.1	192.7
Influenza and pneumonia, except pneumonia of newborn (480-493)	30.2	216.0	13.1	2.1	2.2	3.2	7.2	13.9	30.9	86.3	274.4	952.8
Male	34.6	236.3	13.9	2.2	2.6	3.6	8.8	19.0	42.9	120.3	341.8	1,070.7
Female	25.8	194.6	12.4	1.9	1.8	2.9	5.6	9.0	19.7	57.2	222.7	877.6
White	28.1	161.1	10.0	1.9	1.9	2.3	5.3	11.3	26.9	81.2	276.8	972.8
Male	31.9	179.8	10.8	2.0	2.3	2.4	6.4	15.3	37.7	113.2	344.2	1,090.7
Female	24.3	141.5	9.2	1.8	1.5	2.1	4.2	7.4	16.8	54.0	225.5	898.7
Nonwhite	46.3	517.2	31.5	3.3	4.5	10.5	23.3	37.8	71.6	145.9	244.1	704.2
Male	55.6	551.1	32.2	3.5	4.7	13.5	30.4	53.3	93.9	200.7	312.3	848.4
Female	37.5	481.3	30.8	3.0	4.3	8.0	17.0	23.2	50.1	96.3	183.7	595.1
Influenza (480-483)	1.2	6.0	0.5	0.1	0.1	0.1	0.3	0.5	1.2	3.0	12.1	43.9
Male	1.1	6.5	0.5	0.1	0.1	0.1	0.3	0.6	1.4	3.1	12.7	42.0
Female	1.2	5.4	0.5	0.1	0.1	0.1	0.2	0.3	1.0	2.8	11.7	45.1
White	1.1	3.4	0.3	0.1	0.1	0.1	0.2	0.4	1.0	2.6	12.0	43.5
Male	1.0	3.3	0.3	0.1	0.1	0.1	0.3	0.5	1.1	2.7	12.5	40.3
Female	1.1	3.5	0.3	0.1	0.1	0.1	0.2	0.2	0.9	2.5	11.5	45.5
Nonwhite	2.1	20.1	1.5	0.3	0.3	0.3	0.7	1.2	3.3	7.3	14.4	48.6
Male	2.4	24.5	1.5	0.4	0.3	0.3	0.8	1.3	4.0	8.4	15.3	61.3
Female	1.7	15.6	1.5	0.1	0.4	0.2	0.6	1.1	2.6	6.3	13.6	39.0
Pneumonia, except pneumonia of newborn (490-493)	29.0	210.0	12.6	1.9	2.1	3.1	6.9	13.5	29.7	83.3	262.3	908.9
Male	33.5	229.8	13.4	2.0	2.5	3.5	8.5	18.4	41.5	117.1	329.0	1,028.7
Female	24.6	189.3	11.9	1.9	1.7	2.8	5.3	8.7	18.7	54.4	211.0	832.5
White	27.0	157.8	9.7	1.8	1.8	2.2	5.0	10.9	25.9	78.6	264.8	929.3
Male	30.9	176.5	10.5	1.9	2.2	2.3	6.1	14.8	36.6	110.5	331.7	1,050.4
Female	23.2	136.1	8.8	1.7	1.4	2.0	4.0	7.2	15.9	51.4	214.0	853.2
Nonwhite	44.2	497.1	30.0	3.0	4.2	10.3	22.6	36.6	68.3	138.6	229.7	655.6
Male	53.2	526.6	30.7	3.1	4.5	13.1	29.6	52.0	89.9	192.3	296.9	787.1
Female	35.7	465.6	29.3	2.9	4.0	7.8	16.4	22.1	47.5	90.1	170.1	556.1
Bronchitis (500-502)	2.2	14.1	1.6	0.2	0.1	0.1	0.4	1.3	4.2	9.3	15.0	27.4
Male	3.2	16.1	2.0	0.2	0.1	0.2	0.6	1.9	6.7	16.4	24.6	37.5
Female	1.3	11.9	1.2	0.2	0.2	0.1	0.3	0.7	1.8	3.2	7.6	21.0
White	2.2	12.9	1.5	0.2	0.1	0.1	0.4	1.3	4.2	9.5	15.6	28.0
Male	3.2	15.2	1.8	0.2	0.1	0.2	0.5	1.8	6.8	16.8	25.8	39.4
Female	1.3	10.5	1.2	0.2	0.1	0.1	0.2	0.7	1.7	3.2	7.8	20.8
Nonwhite	2.0	20.4	2.2	0.2	0.2	0.3	1.0	1.5	4.1	7.3	7.5	20.8
Male	2.7	21.5	3.3	0.2	0	0.5	1.2	2.5	6.0	12.2	10.4	16.1
Female	1.4	19.3	1.2	0.2	0.4	0.1	0.9	0.5	2.2	2.8	4.9	24.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961—Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ulcer of stomach and duodenum (540,541)	6.3	1.3	0.1	0.0	0.2	0.8	2.4	7.4	15.1	29.7	53.3	82.6
Male	9.4	1.7	0.1	0.0	0.3	1.3	3.7	11.4	24.8	48.9	82.7	122.1
Female	3.3	1.0	0.1	0.0	0.1	0.4	1.2	3.5	6.0	13.2	30.7	57.5
White	6.5	0.9	0.1	0.0	0.2	0.7	2.3	7.1	15.0	30.1	55.1	85.6
Male	9.7	1.1	0.1	0.0	0.2	1.1	3.5	11.0	25.0	49.8	85.9	128.1
Female	3.4	0.7	0.0	0.1	0.1	0.3	1.1	3.3	5.7	13.3	31.6	58.8
Nonwhite	4.6	3.5	0.2	0	0.4	1.9	3.6	9.9	15.5	25.0	30.5	45.8
Male	6.7	4.8	0.1	0	0.5	3.3	5.7	14.8	21.9	39.3	44.8	54.8
Female	2.5	2.1	0.3	0	0.2	0.7	1.7	5.2	9.2	12.1	17.9	39.0
Appendicitis (550-553)	1.0	0.4	0.4	0.3	0.3	0.3	0.5	1.0	1.9	3.5	6.8	12.5
Male	1.2	0.4	0.4	0.4	0.4	0.3	0.6	1.4	2.9	4.6	8.5	13.8
Female	0.8	0.5	0.3	0.3	0.3	0.3	0.3	0.6	1.1	2.5	5.5	11.7
White	0.9	0.5	0.3	0.3	0.3	0.2	0.3	0.8	1.7	3.3	6.8	13.0
Male	1.1	0.4	0.4	0.3	0.4	0.3	0.5	1.2	2.5	4.5	8.5	13.6
Female	0.7	0.5	0.2	0.3	0.2	0.2	0.2	0.5	0.9	2.3	5.5	12.6
Nonwhite	1.5	0.3	0.6	0.6	0.5	0.9	1.7	2.7	4.5	5.2	7.2	6.9
Male	1.9	0.3	0.8	0.6	0.5	1.0	2.1	3.3	6.0	6.2	8.6	16.1
Female	1.2	0.3	0.4	0.6	0.4	0.8	1.3	2.2	3.0	4.3	6.0	0
Hernia and intestinal obstruction (560,561,570)	5.0	21.8	0.5	0.2	0.2	0.5	1.1	3.1	8.0	19.8	50.8	107.8
Male	5.0	25.7	0.6	0.2	0.3	0.4	1.1	2.9	8.8	21.8	52.9	115.2
Female	5.0	17.8	0.3	0.1	0.2	0.6	1.2	3.2	7.4	18.0	49.2	103.1
White	5.0	21.8	0.4	0.2	0.2	0.4	0.8	2.6	7.3	19.4	51.7	110.6
Male	4.9	25.0	0.5	0.2	0.2	0.3	0.8	2.6	8.0	21.4	53.1	116.5
Female	5.1	18.4	0.3	0.1	0.2	0.4	0.9	2.7	6.7	17.7	50.6	106.9
Nonwhite	5.2	22.3	0.8	0.3	0.4	1.5	3.7	6.9	15.2	23.8	39.8	72.2
Male	5.7	29.6	1.3	0.4	0.5	1.3	3.6	5.7	16.5	26.9	50.3	100.0
Female	4.6	14.7	0.4	0.2	0.3	1.8	3.8	8.2	14.0	20.9	30.4	51.2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.3	53.9	3.3	0.3	0.5	0.6	1.0	2.4	4.9	11.4	27.2	51.2
Male	4.5	59.2	3.7	0.3	0.4	0.7	1.2	2.7	5.7	12.8	24.9	52.4
Female	4.1	48.3	2.9	0.3	0.5	0.5	0.9	2.2	4.2	10.2	29.0	50.5
White	3.7	30.7	2.7	0.2	0.5	0.6	1.0	2.4	4.8	11.4	28.0	52.6
Male	3.8	33.9	3.0	0.2	0.4	0.6	1.2	2.7	5.7	12.9	25.8	52.2
Female	3.6	27.3	2.4	0.3	0.5	0.5	0.8	2.1	3.9	10.2	29.8	52.8
Nonwhite	8.4	181.4	6.9	0.4	0.4	0.7	1.4	2.5	6.6	11.3	16.4	34.7
Male	9.3	200.6	7.5	0.4	0.6	0.7	1.2	2.5	5.8	11.5	14.7	54.8
Female	7.5	161.3	6.3	0.3	0.2	0.7	1.5	2.6	7.3	11.0	17.9	19.5
Cirrhosis of liver (581)	11.3	0.7	0.1	0.1	0.3	3.1	12.3	27.5	34.2	35.7	30.1	25.9
Male	15.1	0.8	0.2	0.1	0.3	3.6	14.8	36.1	49.4	55.2	44.7	32.4
Female	7.6	0.6	0.1	0.1	0.4	2.7	9.9	19.2	19.9	19.0	18.8	21.7
White	11.4	0.5	0.1	0.1	0.3	2.1	10.9	27.2	34.6	36.7	31.3	27.0
Male	15.4	0.5	0.1	0.1	0.2	2.5	13.3	35.8	50.3	56.9	46.7	34.5
Female	7.5	0.5	0.1	0.1	0.3	1.6	8.6	18.7	20.1	19.5	19.5	22.2
Nonwhite	10.8	1.7	0.3	0.2	0.9	10.9	24.1	30.8	29.7	23.3	14.4	12.5
Male	13.3	2.1	0.5	0.2	0.8	12.1	27.4	38.6	41.0	35.0	20.9	9.7
Female	8.5	1.2	0	0.2	1.0	9.9	21.3	23.4	18.7	12.7	8.7	14.6
Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.0	0.0	0.0	0.1	0.2	0.6	1.5	4.3	12.9	29.2	65.6
Male	2.2	0	0.0	0.0	0.0	0.1	0.5	1.2	3.9	12.8	27.5	61.4
Female	3.0	0.0	0	0.0	0.1	0.3	0.7	1.8	4.8	12.9	30.5	68.3
White	2.7	0	0.0	0	0.1	0.2	0.6	1.5	4.4	13.3	30.3	69.0
Male	2.3	0	0.0	0	0.0	0.1	0.4	1.2	4.0	13.3	28.8	65.2
Female	3.2	0	0	0	0.1	0.3	0.7	1.8	4.7	13.3	31.4	71.4
Nonwhite	1.2	0.2	0	0.0	0	0.2	0.8	1.4	4.2	8.0	15.0	23.6
Male	0.9	0	0	0.0	0	0	0.7	1.1	3.1	7.2	11.0	19.4
Female	1.5	0.3	0	0.0	0	0.4	1.0	1.6	5.2	8.6	18.5	26.8
Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.9	0.8	0.5	0.3	0.3	0.4	0.5	0.9	1.5	2.6	4.9	11.1
Male	1.0	0.9	0.6	0.3	0.4	0.4	0.6	1.2	1.6	3.5	6.3	10.6
Female	0.7	0.7	0.4	0.3	0.2	0.3	0.5	0.6	1.3	1.8	3.9	11.4
White	0.8	0.7	0.4	0.3	0.3	0.3	0.4	0.7	1.2	2.3	4.6	10.3
Male	0.9	0.8	0.5	0.2	0.4	0.4	0.4	1.0	1.5	3.1	5.9	9.3
Female	0.6	0.7	0.3	0.3	0.2	0.2	0.3	0.5	1.0	1.7	3.5	10.9
Nonwhite	1.7	1.2	1.2	0.6	0.7	1.0	2.0	2.2	4.0	5.8	9.8	20.8
Male	2.0	1.8	1.3	0.6	0.8	1.1	2.4	2.8	3.6	7.9	10.4	25.8
Female	1.5	0.6	1.2	0.6	0.5	0.9	1.7	1.7	4.4	3.9	9.2	17.1
Infections of kidney (600)	4.4	1.0	0.1	0.1	0.3	0.9	1.9	3.8	8.4	19.1	43.2	91.4
Male	4.5	1.1	0.1	0.1	0.3	0.6	1.5	3.4	8.7	23.0	53.9	113.6
Female	4.3	0.9	0.1	0.1	0.4	1.1	2.3	4.2	8.2	15.9	35.0	77.3
White	4.1	0.8	0.1	0.1	0.3	0.7	1.3	2.7	6.7	17.4	42.6	91.9
Male	4.2	0.8	0.0	0.1	0.2	0.5	1.2	2.4	6.7	20.7	53.0	113.9
Female	4.0	0.8	0.1	0.1	0.3	0.9	1.5	3.0	6.6	14.5	34.7	78.1
Nonwhite	7.2	2.0	0.1	0.1	0.6	1.8	6.7	14.0	26.2	40.0	51.9	84.7
Male	7.3	2.7	0.2	0	0.5	1.1	4.4	12.9	27.6	48.9	65.0	109.7
Female	7.1	1.2	0.1	0.3	0.8	2.5	8.8	15.0	24.9	31.9	40.2	65.9
Hyperplasia of prostate (610)	2.3	0	0	0	0	0	0.0	0.2	1.9	10.0	36.0	96.0
Male	4.6	0	0	0	0	0	0.1	0.4	4.0	21.7	82.9	246.5
White	2.2	0	0	0	0	0	0.0	0.1	1.6	8.9	35.0	96.5
Male	4.5	0	0	0	0	0	0.0	0.2	3.2	19.3	81.1	250.1
Nonwhite	2.6	0	0	0	0	0	0.2	1.0	5.6	23.6	49.3	88.9
Male	5.4	0	0	0	0	0	0.4	2.1	11.4	49.9	104.9	206.5
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.9	...	...	0.0	1.6	3.2	1.9	0.1	0	0	0	0
Female	1.7	...	...	0.1	3.1	6.2	3.6	0.2	0	0	0	0
White	0.6	...	...	0.0	1.0	2.0	1.3	0.0	0	0	0	0
Female	1.1	...	...	0.0	1.9	4.0	2.5	0.1	0	0	0	0
Nonwhite	3.2	...	...	0.2	5.7	11.7	6.9	0.4	0	0	0	0
Female	6.2	...	...	0.4	11.0	21.8	13.0	0.8	0	0	0	0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.												
Abortion (650-652)	0.2	...	...	0.0	0.4	0.7	0.3	0.0	0	0	0	0
Female	0.3	...	...	0.0	0.7	1.5	0.5	0.0	0	0	0	0
White	0.1	...	...	0	0.2	0.4	0.2	0.0	0	0	0	0
Female	0.2	...	...	0	0.3	0.8	0.4	0.0	0	0	0	0
Nonwhite	0.8	...	...	0.0	1.8	3.2	0.8	0	0	0	0	0
Female	1.5	...	...	0.0	3.5	6.0	1.6	0	0	0	0	0
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.7	...	...	0.0	1.2	2.4	1.6	0.1	0	0	0	0
Female	1.3	...	...	0.1	2.3	4.7	3.1	0.1	0	0	0	0
White	0.5	...	...	0.0	0.8	1.6	1.1	0.0	0	0	0	0
Female	0.9	...	...	0.0	1.6	3.2	2.1	0.1	0	0	0	0
Nonwhite	2.4	...	...	0.2	3.9	8.5	6.1	0.4	0	0	0	0
Female	4.7	...	...	0.3	7.5	15.9	11.5	0.8	0	0	0	0
Congenital malformations (750-759)	12.0	364.1	11.9	3.5	2.9	1.8	2.3	2.8	2.9	2.7	2.7	3.8
Male	13.2	392.6	11.7	3.7	3.2	2.0	2.6	3.1	3.0	3.3	3.1	5.9
Female	10.8	334.3	12.1	3.2	2.6	1.7	2.0	2.5	2.9	2.1	2.4	2.5
White	11.8	373.7	11.6	3.5	2.9	1.9	2.2	2.8	3.0	2.7	2.7	4.1
Male	13.0	403.2	11.4	3.6	3.2	1.9	2.5	3.2	3.0	3.3	3.0	6.4
Female	10.6	342.8	11.8	3.5	2.5	1.8	2.0	2.5	3.0	2.1	2.4	2.7
Nonwhite	13.5	311.3	13.7	3.3	2.9	1.6	2.4	2.5	2.1	2.7	2.9	0
Male	14.9	333.2	13.1	3.9	2.8	2.1	3.5	2.2	2.7	3.6	3.7	0
Female	12.1	288.0	14.2	2.7	2.9	1.1	1.4	2.7	1.5	1.9	2.2	0
Certain diseases of early infancy (760-776)	35.9	1,541.0	0.1	0.0	0	0.0	0	0	0	0	0	0
Male	42.6	1,763.8	0.1	0.0	0	0	0	0	0	0	0	0
Female	29.4	1,307.9	0.1	0.0	0	0.0	0	0	0	0	0	0
White	30.9	1,386.2	0.1	0.0	0	0.0	0	0	0	0	0	0
Male	37.1	1,602.9	0.1	0.0	0	0	0	0	0	0	0	0
Female	24.9	1,159.1	0.1	0.0	0	0.0	0	0	0	0	0	0
Nonwhite	74.4	2,391.5	0.1	0.0	0	0	0	0	0	0	0	0
Male	85.9	2,660.7	0.1	0.0	0	0	0	0	0	0	0	0
Female	63.5	2,110.7	0.1	0	0	0	0	0	0	0	0	0
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	15.8	679.3	0	0	0	0	0	0	0	0	0	0
Male	19.2	793.2	0	0	0	0	0	0	0	0	0	0
Female	12.6	560.1	0	0	0	0	0	0	0	0	0	0
White	14.2	637.1	0	0	0	0	0	0	0	0	0	0
Male	17.3	750.0	0	0	0	0	0	0	0	0	0	0
Female	11.1	518.8	0	0	0	0	0	0	0	0	0	0
Nonwhite	28.3	911.1	0	0	0	0	0	0	0	0	0	0
Male	33.4	1,034.1	0	0	0	0	0	0	0	0	0	0
Female	23.5	1,783.4	0	0	0	0	0	0	0	0	0	0
Infections of newborn (763-768)	2.6	110.4	0	0	0	0	0	0	0	0	0	0
Male	3.1	127.9	0	0	0	0	0	0	0	0	0	0
Female	2.1	92.2	0	0	0	0	0	0	0	0	0	0
White	1.8	82.6	0	0	0	0	0	0	0	0	0	0
Male	2.2	97.0	0	0	0	0	0	0	0	0	0	0
Female	1.4	67.5	0	0	0	0	0	0	0	0	0	0
Nonwhite	8.2	263.4	0	0	0	0	0	0	0	0	0	0
Male	9.7	300.0	0	0	0	0	0	0	0	0	0	0
Female	6.8	225.5	0	0	0	0	0	0	0	0	0	0
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	17.5	751.3	0.1	0.0	0	0.0	0	0	0	0	0	0
Male	20.4	842.6	0.1	0.0	0	0	0	0	0	0	0	0
Female	14.7	655.6	0.1	0.0	0	0.0	0	0	0	0	0	0
White	14.9	666.5	0.1	0.0	0	0.0	0	0	0	0	0	0
Male	17.5	755.8	0.1	0.0	0	0	0	0	0	0	0	0
Female	12.3	572.9	0.1	0.0	0	0.0	0	0	0	0	0	0
Nonwhite	37.9	1,216.9	0.1	0.0	0	0	0	0	0	0	0	0
Male	42.9	1,326.6	0.1	0.0	0	0	0	0	0	0	0	0
Female	33.1	1,101.8	0.1	0	0	0	0	0	0	0	0	0
Symptoms, senility, and ill-defined conditions (780-795)	10.4	56.2	2.3	0.4	1.3	2.3	4.4	9.2	16.8	30.6	70.9	289.6
Male	12.4	62.7	2.4	0.4	1.4	2.6	5.3	12.8	23.9	42.1	88.2	313.3
Female	8.6	49.4	2.1	0.4	1.1	2.0	3.4	5.8	10.2	20.7	57.6	274.6
White	7.7	27.0	1.3	0.3	0.9	1.4	3.1	6.7	11.8	22.1	57.4	244.9
Male	9.3	31.2	1.4	0.3	1.0	1.7	3.9	9.8	18.3	32.3	72.1	261.7
Female	6.1	22.7	1.2	0.2	0.8	1.2	2.2	3.6	5.7	13.4	46.3	234.2
Nonwhite	31.6	216.5	7.8	1.1	4.0	8.9	15.3	32.7	67.4	130.0	246.4	845.8
Male	35.8	238.4	8.5	1.1	4.7	9.9	17.7	40.6	79.5	154.0	281.0	897.1
Female	27.7	193.6	7.1	1.1	3.4	8.0	13.2	25.3	55.7	108.2	215.8	814.6
All other diseases (Residual)	38.0	97.1	11.0	4.4	6.6	9.9	19.0	36.7	77.2	148.3	254.9	463.7
Male	47.3	110.5	12.0	4.7	7.8	10.2	22.3	45.8	108.6	217.7	340.3	558.0
Female	29.0	83.0	9.9	4.2	5.4	9.6	15.9	28.0	47.8	88.9	189.3	403.6
White	37.6	86.7	10.4	4.4	5.7	7.7	15.9	34.1	75.5	149.0	260.7	471.8
Male	47.0	99.3	11.2	4.5	6.9	7.9	18.5	42.6	107.2	219.7	349.9	564.9
Female	28.5	73.4	9.4	4.3	4.6	7.5	13.5	25.7	46.0	88.8	192.8	413.3
Nonwhite	40.6	154.1	14.6	4.7	12.7	26.6	44.9	61.3	93.8	139.9	181.0	362.5
Male	49.6	172.8	16.8	5.6	14.4	28.9	55.3	75.2	122.5	195.0	225.2	480.6
Female	32.0	134.7	12.4	3.7	11.2	24.6	35.6	48.3	66.0	90.1	141.8	273.2
Accidents (E800-E962)	50.4	84.0	30.8	18.1	54.1	42.4	40.2	47.8	57.7	84.6	199.7	600.5
Male	70.3	93.6	35.1	25.3	89.6	70.3	64.2	74.5	86.8	115.4	226.3	571.0
Female	31.1	74.0	26.5	10.7	19.2	15.4	17.3	22.1	30.5	58.3	179.3	619.3
White	49.0	71.3	27.2	16.9	54.1	39.9	37.1	45.1	54.8	83.1	203.3	624.3
Male	68.0	79.5	32.0	23.8	89.5	66.4	59.1	69.8	82.5	113.3	230.4	591.0
Female	30.5	62.6	22.2	9.6	18.9	14.0	15.9	21.2	29.0	57.4	182.8	645.2
Nonwhite	61.4	154.3	52.0	26.2	54.7	60.9	66.6	72.9	86.7	102.2	153.0	305.6
Male	88.2	172.2	53.4	34.7	90.4	101.7	108.5	118.6	129.2	139.1	177.3	348.4
Female	36.1	135.6	50.6	17.8	21.0	25.7	29.2	30.0	45.7	68.8	131.5	273.2

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-K. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1961 —Continued

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents—Con.												
Motor vehicle accidents (E810-E835)	20.8	7.2	9.7	7.6	36.6	24.3	19.5	21.0	24.4	31.0	40.9	36.3
Male	31.1	7.0	11.2	10.0	59.1	39.7	30.1	31.0	34.7	45.6	63.5	67.6
Female	10.9	7.4	8.2	5.0	14.5	9.6	9.5	11.4	14.8	18.6	23.5	16.4
White	20.8	7.5	9.6	7.4	37.7	23.6	18.7	20.5	23.8	30.9	41.3	36.9
Male	30.9	7.2	10.9	9.8	60.8	38.3	28.6	29.8	33.4	44.9	64.5	67.8
Female	11.0	7.8	8.2	4.9	14.8	9.3	9.2	11.4	14.8	18.9	23.8	17.5
Nonwhite	21.2	5.5	10.3	8.5	29.0	30.0	26.3	26.3	31.0	32.8	35.2	29.2
Male	32.8	6.0	12.4	11.2	46.6	50.9	42.8	42.3	48.1	53.2	52.1	64.5
Female	10.3	4.9	8.2	5.9	12.5	11.9	11.6	11.4	14.6	14.4	20.1	2.4
Other accidents (E800-E802, E840-E962)	29.6	76.8	21.1	10.6	17.5	18.0	20.7	26.8	33.3	53.6	158.8	564.2
Male	39.3	86.6	23.9	15.3	30.5	30.7	34.1	43.5	52.1	69.8	162.8	503.5
Female	20.2	66.6	18.3	5.7	4.7	5.8	7.8	10.7	15.7	39.7	155.7	602.9
White	28.2	63.7	17.6	9.5	16.4	16.3	18.3	24.6	31.0	52.3	162.0	587.4
Male	37.2	72.3	21.0	14.0	28.7	28.1	30.5	40.0	49.2	68.4	166.0	523.2
Female	19.5	54.8	14.1	4.7	4.1	4.7	6.6	9.8	14.2	38.5	159.0	627.7
Nonwhite	40.2	148.8	41.7	17.7	25.7	30.9	40.3	46.6	55.7	69.3	117.9	276.4
Male	55.4	166.2	41.1	23.4	43.8	50.8	65.8	76.3	81.1	85.9	125.2	283.9
Female	25.8	130.7	42.4	11.9	8.6	13.8	17.6	18.7	31.1	54.3	111.4	270.7
Suicide (E963,E970-E979)	10.4	0	0	0.2	5.1	10.3	14.4	20.3	23.1	22.0	26.0	24.9
Male	16.1	0	0	0.3	7.9	14.9	21.2	31.0	37.4	37.7	50.4	56.4
Female	4.9	0	0	0.1	2.3	5.8	7.8	10.0	9.8	8.5	7.2	4.9
White	11.1	0	0	0.2	5.1	10.4	15.2	21.6	24.5	23.3	27.3	26.3
Male	17.1	0	0	0.4	7.9	14.7	22.4	32.8	39.7	39.9	53.2	60.3
Female	5.3	0	0	0.1	2.3	6.1	8.3	10.8	10.4	9.1	7.6	4.9
Nonwhite	4.7	0	0	0.1	4.7	9.4	7.5	8.2	9.0	7.3	8.6	8.3
Male	7.6	0	0	0.1	7.6	16.3	11.5	14.0	14.9	13.2	16.6	12.9
Female	1.9	0	0	0.2	2.0	3.5	3.9	2.7	3.2	1.9	1.6	4.9
Homicide (E964,E980-E985)	4.7	4.6	1.0	0.5	5.7	9.6	8.3	6.3	3.9	2.9	2.9	2.8
Male	7.0	4.7	1.0	0.6	8.8	14.7	12.5	9.9	6.4	4.9	3.8	4.3
Female	2.4	4.4	1.0	0.4	2.7	4.7	4.3	2.8	1.6	1.2	2.1	1.9
White	2.6	3.6	0.8	0.4	2.7	4.4	4.1	3.7	2.6	2.1	2.4	2.1
Male	3.6	3.9	0.8	0.5	4.0	6.4	5.8	5.4	4.1	3.4	2.9	2.6
Female	1.5	3.3	0.8	0.4	1.5	2.4	2.5	2.1	1.2	1.1	2.0	1.8
Nonwhite	20.9	9.8	2.2	1.2	27.0	48.6	43.5	29.7	17.6	11.7	9.5	11.1
Male	33.6	9.4	2.1	1.5	44.3	81.4	71.0	51.3	29.9	21.8	15.3	22.6
Female	8.9	10.1	2.3	0.8	10.7	20.4	19.1	9.5	5.6	2.6	4.3	2.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-L. Death Rates for Geographic Divisions: United States, 1900-1961

(By place of occurrence. Prior to 1933, data for death-registration States only. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1940, 1950, and 1960, and estimated as of July 1 for all other years. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the area)

YEAR	United States[1]	GEOGRAPHIC DIVISION								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific[1]
1961	9.3	10.3	10.3	9.3	9.9	8.9	9.3	8.4	8.0	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1959	9.4	10.5	10.4	9.4	10.0	8.8	9.2	8.4	8.1	8.6
1958	9.5	10.8	10.5	9.5	10.0	9.0	9.6	8.5	8.1	8.7
1957	9.6	10.8	10.6	9.8	10.1	9.0	9.4	8.5	8.2	8.8
1956	9.4	10.6	10.3	9.5	9.7	8.7	9.0	8.3	8.1	8.8
1955	9.3	10.8	10.3	9.5	9.6	8.6	8.9	7.9	8.2	8.8
1950-54	9.5	10.6	10.4	9.8	10.0	8.8	9.1	8.3	8.7	9.1
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

[1]Alaska included beginning 1959, and Hawaii, 1960.

Table 1-M. Death Rates: United States, Each Division and State, 1951-61

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

DIVISION AND STATE	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
UNITED STATES[1]	9.3	9.5	9.4	9.5	9.6	9.4	9.3	9.2	9.6	9.6	9.7
GEOGRAPHIC DIVISIONS:											
New England	10.3	10.6	10.5	10.9	10.8	10.7	10.8	10.3	10.6	10.8	11.1
Middle Atlantic	10.4	10.5	10.5	10.5	10.7	10.3	10.3	10.0	10.5	10.5	10.5
East North Central	9.3	9.6	9.5	9.6	9.8	9.6	9.6	9.4	10.0	10.0	10.1
West North Central	9.8	10.1	9.9	10.0	10.1	9.6	9.6	9.7	10.1	10.1	9.9
South Atlantic	8.8	9.1	8.8	8.9	8.9	8.6	8.5	8.4	8.6	8.8	8.6
East South Central	9.3	9.5	9.2	9.5	9.3	9.0	8.9	8.8	9.1	9.2	9.1
West South Central	8.4	8.7	8.4	8.5	8.5	8.3	8.0	8.2	8.3	8.2	8.5
Mountain	7.8	8.1	8.0	7.9	8.1	7.9	8.0	8.0	8.4	8.6	8.8
Pacific[1]	8.4	8.7	8.6	8.7	8.8	8.8	8.8	8.7	9.0	9.2	9.4
NEW ENGLAND:											
Maine	10.8	11.1	11.3	11.1	10.8	10.9	11.1	10.9	10.9	10.9	11.0
New Hampshire	10.8	11.0	11.2	11.2	11.6	11.4	11.6	11.1	11.1	11.5	11.7
Vermont	10.9	11.4	11.3	11.3	11.7	11.7	11.4	10.8	10.7	11.0	11.3
Massachusetts	10.7	11.0	10.7	[2]11.4	11.2	11.0	11.1	10.7	10.9	11.2	11.7
Rhode Island	10.2	10.5	10.3	10.3	10.1	10.0	10.5	10.0	10.2	10.3	10.5
Connecticut	9.1	9.4	9.4	9.7	9.9	9.7	9.8	9.3	9.7	9.8	9.9
MIDDLE ATLANTIC:											
New York	10.5	10.6	10.6	10.6	10.7	10.3	10.3	10.1	10.6	10.5	10.5
New Jersey	9.7	9.8	9.8	10.0	10.3	9.9	10.1	9.8	10.3	10.2	10.1
Pennsylvania	10.5	10.7	10.6	10.7	10.9	10.6	10.5	10.1	10.6	10.5	10.7
EAST NORTH CENTRAL:											
Ohio	9.4	9.6	9.5	9.7	9.8	9.6	9.5	9.2	10.0	10.3	10.3
Indiana	9.5	9.7	9.6	9.6	9.7	9.6	9.6	9.4	9.9	10.0	10.0
Illinois	9.9	10.2	10.2	10.3	10.7	10.4	10.4	10.2	10.8	10.6	10.7
Michigan	8.5	8.7	8.6	8.6	8.8	8.7	8.7	8.6	9.1	9.0	9.2
Wisconsin	9.3	9.7	9.5	9.7	9.7	9.5	9.6	9.4	10.0	9.8	9.8
WEST NORTH CENTRAL:											
Minnesota	9.0	9.3	9.1	9.2	9.4	9.1	9.0	8.9	9.6	9.2	9.2
Iowa	10.1	10.4	10.3	10.2	10.2	9.7	10.0	9.8	10.2	10.1	10.1
Missouri	10.8	11.2	10.9	11.0	11.1	10.5	10.2	10.7	11.1	11.2	10.9
North Dakota	8.2	8.6	8.5	8.4	8.7	8.3	8.4	8.1	8.4	8.1	8.4
South Dakota	9.1	9.7	9.3	9.3	9.2	8.8	8.8	8.7	8.9	8.9	8.9
Nebraska	9.7	10.0	9.9	9.9	9.9	9.5	9.6	9.7	10.2	10.0	9.8
Kansas	9.6	9.7	9.5	9.5	9.6	9.3	9.2	9.5	9.7	9.9	9.8
SOUTH ATLANTIC:											
Delaware	8.9	9.4	9.0	9.6	9.4	9.1	9.7	9.5	10.2	10.4	10.4
Maryland	8.7	9.0	8.9	9.1	9.2	8.8	8.7	8.7	9.2	9.6	8.7
District of Columbia	11.6	11.5	11.5	11.7	11.6	11.1	10.4	9.7	10.3	10.5	10.4
Virginia	8.4	8.7	8.5	8.5	8.6	8.5	8.5	8.4	8.5	8.7	8.7
West Virginia	9.8	9.7	9.5	9.4	9.5	9.0	8.8	8.4	8.5	8.7	8.5
North Carolina	8.1	8.4	8.0	8.0	7.9	7.6	7.5	7.6	7.6	7.8	7.6
South Carolina	8.4	8.7	8.4	8.4	8.2	8.0	8.0	7.9	8.3	8.4	8.2
Georgia	8.6	9.0	8.6	8.6	8.7	8.4	8.4	8.4	8.6	8.5	8.7
Florida	9.3	9.7	9.3	9.5	9.4	9.4	9.1	9.1	9.3	9.4	9.4
EAST SOUTH CENTRAL:											
Kentucky	9.6	9.9	9.5	9.8	9.9	9.6	9.5	9.2	9.5	9.7	9.3
Tennessee	9.0	9.2	9.0	9.3	9.0	8.6	8.5	8.5	8.8	8.8	8.8
Alabama	9.0	9.3	8.9	9.2	8.9	8.7	8.5	8.6	8.8	8.8	8.9
Mississippi	9.6	10.0	9.7	10.2	9.6	9.3	9.4	9.3	9.6	9.5	9.6
WEST SOUTH CENTRAL:											
Arkansas	9.8	10.0	9.4	9.6	9.3	9.0	8.6	8.5	8.5	8.4	8.2
Louisiana	8.7	9.1	8.8	9.1	9.0	8.7	8.3	8.4	8.8	8.7	8.9
Oklahoma	9.7	9.8	9.6	9.6	9.5	9.4	9.0	9.4	9.3	9.0	9.2
Texas	7.8	8.1	7.8	7.9	8.0	7.8	7.5	7.7	7.9	7.8	8.3
MOUNTAIN:											
Montana	9.3	9.7	9.9	9.4	9.8	10.0	9.9	9.9	10.1	10.1	10.0
Idaho	8.1	8.1	8.3	8.1	8.3	8.1	8.2	8.4	8.5	8.4	8.5
Wyoming	7.8	8.5	8.1	7.9	8.1	7.9	7.8	8.1	8.0	8.4	8.0
Colorado	8.5	8.7	8.6	8.5	8.5	8.3	8.4	8.5	8.9	9.4	9.5
New Mexico	6.5	6.9	6.7	6.8	7.0	6.7	6.9	6.9	7.2	7.3	7.7
Arizona	7.6	7.8	7.7	7.7	7.8	7.8	7.9	7.7	8.7	8.7	9.0
Utah	6.7	6.8	6.7	6.8	6.9	6.7	6.7	6.8	7.0	7.2	7.2
Nevada	8.8	8.9	8.6	8.7	8.3	8.1	8.3	8.4	9.6	9.4	9.9
PACIFIC:											
Washington	9.1	9.3	9.3	9.2	9.2	9.0	9.3	9.2	9.4	9.4	9.6
Oregon	9.4	9.5	9.5	8.9	9.0	8.9	9.1	8.9	9.0	9.2	9.3
California	8.4	8.6	8.4	8.5	8.7	8.7	8.7	8.6	8.9	9.2	9.3
Alaska[3]	5.4	5.8	5.2	(5.4)	(5.5)	(5.6)	(5.4)	(5.5)	(6.1)	(6.4)	(8.3)
Hawaii[4]	5.2	5.6	(5.4)	(5.3)	(5.9)	(5.6)	(5.9)	(5.9)	(5.7)	(5.6)	(5.6)

[1]Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2]There were 1,822 deaths reported for Massachusetts which were counted twice. Figures have not been corrected for this error. The correct resident death rate is probably between 11.0 and 11.4.
[3]Figures for 1951-58 are by place of occurrence.
[4]Figures for 1951-59 are by place of occurrence.

Table 1-N. Deaths and Death Rates by Age: United States, Each Division and State, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in each area for specified group. For sources of populations used, see Technical Appendix)

DIVISION AND STATE	NUMBER							RATE					
	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total[1]	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
UNITED STATES	1,701,522	124,585	28,272	116,802	418,214	1,013,045	604	930.0	604.5	55.8	201.5	1,138.8	5,955.2
GEOGRAPHIC DIVISIONS:													
New England	110,665	6,168	1,322	5,468	25,208	72,424	75	1,032.0	542.5	47.9	167.1	1,123.4	6,347.4
Middle Atlantic	360,875	19,920	4,277	21,675	93,822	221,076	105	1,038.6	558.0	48.7	195.5	1,205.9	6,378.4
East North Central	343,892	23,689	5,268	21,517	82,354	211,021	43	933.9	555.9	52.1	187.2	1,115.6	6,154.0
West North Central	153,143	9,625	2,391	7,942	31,505	101,640	40	982.9	546.6	55.6	173.3	997.9	5,818.0
South Atlantic	233,671	21,475	4,836	21,048	63,753	122,442	117	880.3	703.6	62.5	242.8	1,278.1	5,585.9
East South Central	113,125	10,591	2,354	9,030	27,517	63,534	99	926.6	752.7	63.4	244.5	1,187.6	5,910.1
West South Central	145,502	13,518	3,211	11,533	35,996	81,211	33	842.7	653.4	62.8	212.2	1,087.8	5,505.8
Mountain	55,333	5,874	1,458	4,882	12,916	30,162	41	782.3	630.9	67.0	209.0	1,024.3	5,514.1
Pacific	185,316	13,725	3,155	13,707	45,143	109,535	51	842.8	555.4	52.5	186.8	1,047.9	5,640.3
NEW ENGLAND:													
Maine	10,751	695	184	501	2,215	7,156	-	1,083.8	626.1	66.9	168.7	1,135.9	6,625.9
New Hampshire	6,695	389	101	301	1,416	4,484	4	1,078.1	572.1	60.8	159.3	1,106.3	6,498.6
Vermont	4,311	292	69	200	833	2,916	1	1,091.4	648.9	62.7	180.2	1,067.9	6,627.3
Massachusetts	56,210	2,885	602	2,755	12,978	36,937	53	1,073.9	528.4	45.6	173.9	1,168.1	6,379.4
Rhode Island	8,837	461	97	389	2,108	5,781	1	1,019.3	518.0	43.7	142.0	1,145.7	6,352.7
Connecticut	23,861	1,446	269	1,322	5,658	15,150	16	912.8	520.1	40.3	161.6	1,034.4	6,084.3
MIDDLE ATLANTIC:													
New York	179,345	9,795	2,076	10,979	47,225	109,207	63	1,052.9	561.3	49.1	198.9	1,198.2	6,287.1
New Jersey	60,772	3,661	752	3,804	16,170	36,364	21	973.3	565.8	47.7	190.3	1,196.9	6,258.9
Pennsylvania	120,758	6,464	1,449	6,892	30,427	75,505	21	1,053.0	548.7	48.6	193.3	1,226.4	6,571.4
EAST NORTH CENTRAL:													
Ohio	92,432	6,091	1,346	5,729	21,698	57,565	3	935.9	529.2	49.0	180.2	1,117.3	6,305.0
Indiana	44,867	3,093	698	2,708	9,926	28,417	25	952.4	571.7	53.0	184.5	1,086.0	6,286.9
Illinois	101,706	6,687	1,447	6,598	25,797	61,168	9	991.5	593.3	54.8	209.4	1,186.1	6,147.5
Michigan	67,625	5,290	1,163	4,561	16,987	39,620	4	850.2	549.9	51.0	182.6	1,106.6	6,030.4
Wisconsin	37,262	2,528	614	1,921	7,946	24,251	2	926.5	527.8	54.1	160.4	973.8	5,886.2
WEST NORTH CENTRAL:													
Minnesota	31,103	2,221	507	1,547	6,474	20,345	9	896.3	532.6	51.3	154.7	952.1	5,604.7
Iowa	28,179	1,522	432	1,309	5,440	19,468	8	1,014.0	499.0	56.0	163.8	966.3	5,881.6
Missouri	47,331	2,754	676	2,511	10,434	30,940	16	1,081.1	593.5	59.6	195.6	1,118.3	6,078.6
North Dakota	5,257	452	117	288	1,059	3,340	1	821.4	572.2	60.0	156.5	875.2	5,661.0
South Dakota	6,284	497	140	390	1,256	4,000	1	910.7	577.9	67.0	190.2	944.4	5,479.5
Nebraska	13,936	895	208	714	2,722	9,394	3	973.9	539.2	52.4	163.0	929.0	5,625.1
Kansas	21,053	1,284	311	1,183	4,120	14,153	2	959.6	524.1	51.7	176.0	949.3	5,824.3
SOUTH ATLANTIC:													
Delaware	4,097	349	57	301	1,005	2,380	5	894.5	612.3	45.2	194.2	1,168.6	6,432.4
Maryland	27,727	2,312	429	2,255	7,724	15,003	4	869.7	626.6	48.4	214.4	1,276.7	6,411.5
District of Columbia	8,847	797	87	894	2,774	4,292	3	1,162.5	948.8	51.8	325.1	1,549.7	5,961.1
Virginia	34,068	3,099	660	2,932	9,195	18,166	16	839.3	659.4	55.8	208.7	1,234.2	6,096.0
West Virginia	18,056	1,189	332	1,242	4,332	10,950	11	976.0	639.2	60.7	235.2	1,174.0	6,257.1
North Carolina	37,496	3,958	997	3,894	9,927	18,707	13	812.7	744.0	69.1	254.3	1,198.9	5,773.8
South Carolina	20,201	2,318	594	2,327	6,040	8,884	38	839.3	785.8	74.0	305.0	1,517.6	5,694.9
Georgia	34,382	3,428	822	3,449	9,970	16,704	9	862.4	705.3	67.3	266.5	1,363.9	5,586.6
Florida	48,797	4,025	858	3,754	12,786	27,356	18	934.5	701.2	63.0	225.5	1,220.0	4,582.2
EAST SOUTH CENTRAL:													
Kentucky	29,533	2,298	576	2,106	6,585	17,955	3	960.1	668.0	63.3	228.2	1,123.5	6,045.5
Tennessee	32,698	2,749	623	2,528	8,117	18,674	7	904.5	699.5	59.1	223.1	1,149.7	5,909.5
Alabama	29,672	2,935	661	2,714	7,851	15,442	69	898.6	750.6	64.4	266.3	1,266.3	5,761.9
Mississippi	21,222	2,609	494	1,682	4,954	11,463	20	958.1	935.1	68.5	271.7	1,223.2	5,939.4
WEST SOUTH CENTRAL:													
Arkansas	17,529	1,326	369	1,133	3,979	10,716	6	975.5	673.1	69.0	227.5	1,063.9	5,412.1
Louisiana	28,782	3,109	642	2,461	7,838	14,725	7	866.7	738.5	63.5	246.1	1,308.5	5,937.5
Oklahoma	22,988	1,446	430	1,503	5,023	14,570	16	974.1	580.7	64.7	204.2	1,016.8	5,713.7
Texas	76,203	7,637	1,770	6,436	19,156	41,200	4	778.5	634.8	60.9	201.0	1,040.5	5,329.9
MOUNTAIN:													
Montana	6,371	516	139	495	1,390	3,826	5	934.2	600.0	67.5	232.4	1,069.2	5,797.0
Idaho	5,534	462	170	399	1,157	3,341	5	809.1	556.6	79.8	196.6	918.3	5,568.3
Wyoming	2,641	264	75	213	613	1,472	4	781.4	614.0	72.1	185.2	943.1	5,451.9
Colorado	15,142	1,347	341	1,159	3,237	9,053	5	850.2	615.1	65.0	192.8	969.2	5,588.3
New Mexico	6,362	1,043	226	779	1,434	2,875	5	647.2	724.3	71.3	240.4	956.0	5,324.1
Arizona	10,565	1,359	269	1,049	2,674	5,002	12	759.5	726.7	63.0	221.8	1,173.1	5,156.7
Utah	6,094	618	177	503	1,403	3,391	2	665.3	468.2	58.6	171.1	948.0	5,469.4
Nevada	2,624	265	61	285	808	1,202	3	877.6	697.4	73.5	250.0	1,282.5	6,326.3
PACIFIC:													
Washington	26,434	1,714	440	1,676	5,905	16,690	9	910.9	529.0	53.1	180.8	1,011.1	5,856.1
Oregon	16,882	1,004	305	1,029	3,771	10,770	3	938.4	525.7	59.0	186.1	979.5	5,668.4
California	137,327	10,238	2,249	10,398	34,245	80,163	34	837.5	557.3	51.2	188.5	1,068.2	5,601.9
Alaska	1,274	338	68	240	296	327	5	544.4	938.9	100.0	250.0	986.7	5,450.0
Hawaii	3,399	431	93	364	926	1,565	-	517.4	525.6	46.0	149.8	907.8	5,112.9

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-O. Deaths of Nonresidents in Each State and Deaths of Residents in Other States: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA			DEATHS OF RESIDENTS IN OTHER AREAS			Total deaths of residents
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	1,701,522	286,838	231,102	55,736	286,838	231,102	55,736	1,701,522
Alabama	29,454	4,134	3,482	652	4,352	3,482	870	29,672
Alaska	1,240	239	201	38	273	201	72	1,274
Arizona	11,013	1,581	687	894	1,133	687	446	10,565
Arkansas	17,454	3,986	3,077	909	4,061	3,077	984	17,529
California	137,047	14,279	12,564	1,715	14,559	12,564	1,995	137,327
Colorado	15,622	4,380	3,529	851	3,900	3,529	371	15,142
Connecticut	23,584	2,820	2,235	585	3,097	2,235	862	23,861
Delaware	4,288	752	341	411	561	341	220	4,097
District of Columbia	10,345	2,375	...	2,375	877	...	877	8,847
Florida	49,896	7,394	4,337	3,057	6,295	4,337	1,958	48,797
Georgia	34,612	7,994	6,776	1,218	7,764	6,776	988	34,382
Hawaii	3,440	135	55	80	94	55	39	3,399
Idaho	5,350	1,169	879	290	1,353	879	474	5,534
Illinois	100,266	13,383	11,039	2,344	14,823	11,039	3,784	101,706
Indiana	44,505	8,047	6,520	1,527	8,409	6,520	1,889	44,867
Iowa	28,094	6,291	5,120	1,171	6,376	5,120	1,256	28,179
Kansas	20,843	4,310	3,215	1,095	4,520	3,215	1,305	21,053
Kentucky	29,300	5,731	4,589	1,142	5,964	4,589	1,375	29,533
Louisiana	28,935	6,960	6,240	720	6,807	6,240	567	28,782
Maine	10,706	1,791	1,503	288	1,836	1,503	333	10,751
Maryland	27,512	7,180	5,319	1,861	7,395	5,319	2,076	27,727
Massachusetts	56,451	9,558	8,078	1,480	9,317	8,078	1,239	56,210
Michigan	67,155	10,374	9,332	1,042	10,844	9,332	1,512	67,625
Minnesota	31,802	7,602	5,940	1,662	6,903	5,940	963	31,103
Mississippi	21,034	3,919	3,253	666	4,107	3,253	854	21,222
Missouri	47,907	11,980	9,602	2,378	11,404	9,602	1,802	47,331
Montana	6,294	1,264	1,052	212	1,341	1,052	289	6,371
Nebraska	13,928	3,076	2,470	606	3,084	2,470	614	13,936
Nevada	2,876	677	197	480	425	197	228	2,624
New Hampshire	6,710	1,261	706	555	1,246	706	540	6,695
New Jersey	59,231	9,272	7,566	1,706	10,813	7,566	3,247	60,772
New Mexico	6,432	1,416	919	497	1,346	919	427	6,362
New York	179,277	21,014	17,789	3,225	21,082	17,789	3,293	179,345
North Carolina	37,743	7,698	6,560	1,138	7,451	6,560	891	37,496
North Dakota	5,211	1,698	1,346	352	1,744	1,346	398	5,257
Ohio	92,066	12,971	10,885	2,086	13,337	10,885	2,452	92,432
Oklahoma	22,434	4,516	3,968	548	5,070	3,968	1,102	22,988
Oregon	16,841	3,061	2,442	619	3,102	2,442	660	16,882
Pennsylvania	120,359	16,684	14,032	2,652	17,083	14,032	3,051	120,758
Rhode Island	8,815	1,258	846	412	1,280	846	434	8,837
South Carolina	19,901	3,209	2,745	464	3,509	2,745	764	20,201
South Dakota	6,289	1,911	1,477	434	1,906	1,477	429	6,284
Tennessee	34,032	6,489	4,316	2,173	5,155	4,316	839	32,698
Texas	76,434	12,950	11,380	1,570	12,719	11,380	1,339	76,203
Utah	6,330	1,256	849	407	1,020	849	171	6,094
Vermont	4,300	876	567	309	887	567	320	4,311
Virginia	33,469	11,467	10,080	1,387	12,066	10,080	1,986	34,068
Washington	26,555	3,552	2,767	785	3,431	2,767	664	26,434
West Virginia	18,287	4,508	3,163	1,345	4,277	3,163	1,114	18,056
Wisconsin	37,218	5,840	4,748	1,092	5,884	4,748	1,136	37,262
Wyoming	2,635	550	319	231	556	319	237	2,641

Table 1-P. Deaths From 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	DIVISION AND STATE	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Other infective and parasitic diseases 030-044, 049, 052-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159
1	UNITED STATES	1,701,522	9,938	9,191	747	2,850	300	130	68	76	586	90	434	5,606	273,502	6,322	91,727
	GEOGRAPHIC DIVISIONS:																
2	New England	110,665	515	476	39	146	3	3	1	-	37	7	5	311	19,122	515	6,760
3	Middle Atlantic	360,875	2,437	2,300	137	555	15	12	-	5	93	26	73	905	62,722	1,449	22,498
4	East North Central	343,892	1,688	1,563	125	442	24	21	1	5	127	15	78	983	57,021	1,283	19,883
5	West North Central	153,143	573	531	42	216	7	14	11	1	42	5	35	440	24,678	468	8,407
6	South Atlantic	233,671	1,421	1,285	136	508	62	22	17	21	101	14	84	922	34,029	860	10,382
7	East South Central	113,125	998	910	88	197	38	23	6	18	48	5	50	509	15,585	359	4,836
8	West South Central	145,502	1,132	1,053	79	356	106	14	26	14	41	6	47	746	22,202	532	6,689
9	Mountain	55,333	366	343	23	84	25	9	4	2	24	3	18	235	7,750	146	2,500
10	Pacific	185,316	808	730	78	346	20	12	2	10	73	9	44	555	30,383	710	9,772
	NEW ENGLAND:																
11	Maine	10,751	36	29	7	9	-	-	-	-	5	1	-	28	1,787	43	622
12	New Hampshire	6,695	13	8	5	10	-	1	-	-	1	1	-	23	1,164	17	424
13	Vermont	4,311	25	25	-	6	-	-	-	-	4	2	1	15	656	18	229
14	Massachusetts	56,210	304	292	12	81	1	1	-	-	21	1	2	171	9,641	264	3,447
15	Rhode Island	8,837	32	28	4	7	2	-	-	-	2	2	2	15	1,546	45	561
16	Connecticut	23,861	105	94	11	33	-	1	1	-	4	-	-	59	4,328	128	1,477
	MIDDLE ATLANTIC:																
17	New York	179,345	1,165	1,093	72	232	9	3	-	-	50	14	31	448	31,788	788	11,392
18	New Jersey	60,772	391	366	25	81	4	2	-	1	18	4	17	166	11,090	252	4,057
19	Pennsylvania	120,758	881	841	40	242	2	7	-	4	25	8	25	291	19,844	409	7,049
	EAST NORTH CENTRAL:																
20	Ohio	92,432	468	437	31	184	8	6	-	-	30	5	27	275	15,250	345	5,166
21	Indiana	44,867	267	244	23	84	2	4	-	2	12	3	10	141	6,968	164	2,297
22	Illinois	101,706	502	467	35	68	5	6	-	1	37	1	20	250	17,251	403	6,213
23	Michigan	67,625	334	311	23	82	7	4	1	2	35	-	13	198	11,508	246	3,958
24	Wisconsin	37,262	117	104	13	44	2	1	-	-	13	6	8	119	6,044	125	2,249
	WEST NORTH CENTRAL:																
25	Minnesota	31,103	98	88	10	41	-	3	5	-	6	2	4	89	5,334	81	1,942
26	Iowa	28,179	66	63	3	34	-	1	-	-	8	1	3	84	4,595	93	1,543
27	Missouri	47,331	287	271	16	95	3	4	-	-	11	-	18	121	7,554	177	2,464
28	North Dakota	5,257	8	8	-	2	-	-	1	1	2	-	1	15	768	10	281
29	South Dakota	6,284	20	19	1	6	2	-	2	-	4	-	1	21	980	17	357
30	Nebraska	13,936	37	30	7	8	1	3	2	-	6	1	4	52	2,287	34	809
31	Kansas	21,053	57	52	5	30	1	3	1	-	5	1	4	58	3,160	56	991
	SOUTH ATLANTIC:																
32	Delaware	4,097	26	26	-	9	1	1	-	-	2	-	-	20	678	5	218
33	Maryland	27,727	259	243	16	103	5	1	1	1	12	3	-	97	4,549	111	1,439
34	District of Columbia	8,847	102	91	11	19	-	-	-	-	7	-	2	19	1,398	47	484
35	Virginia	34,068	184	161	23	63	10	3	5	1	15	4	13	121	4,934	115	1,550
36	West Virginia	18,056	124	120	4	29	1	1	-	-	11	1	9	48	2,636	54	850
37	North Carolina	37,496	177	157	20	54	10	5	1	8	12	1	20	173	4,625	119	1,314
38	South Carolina	20,201	132	112	20	53	8	3	3	4	9	3	14	89	2,449	61	721
39	Georgia	34,382	197	176	21	77	22	3	6	3	13	2	17	144	4,519	113	1,290
40	Florida	48,797	220	199	21	101	5	5	1	4	20	-	9	211	8,241	235	2,516
	EAST SOUTH CENTRAL																
41	Kentucky	29,533	307	283	24	55	7	7	1	1	16	-	22	127	4,347	110	1,476
42	Tennessee	32,698	289	261	28	41	9	10	-	2	14	-	9	149	4,635	106	1,389
43	Alabama	29,672	286	261	25	69	5	3	2	10	14	1	10	129	3,877	87	1,119
44	Mississippi	21,222	116	105	11	32	17	3	3	5	4	4	9	104	2,736	56	852
	WEST SOUTH CENTRAL:																
45	Arkansas	17,529	190	182	8	36	13	1	-	4	4	1	13	81	2,511	51	752
46	Louisiana	28,782	238	226	12	111	8	1	3	3	11	2	9	160	4,373	121	1,313
47	Oklahoma	22,988	137	119	18	32	6	2	-	-	1	-	4	92	3,596	67	1,060
48	Texas	76,203	567	526	41	177	79	10	23	7	25	3	21	413	11,722	293	3,564
	MOUNTAIN:																
49	Montana	6,371	25	23	2	12	-	-	-	-	1	1	1	20	962	16	309
50	Idaho	5,534	18	16	2	9	-	2	-	-	3	1	2	11	803	15	273
51	Wyoming	2,641	8	7	1	7	-	1	-	-	1	-	-	3	347	6	103
52	Colorado	15,142	71	67	4	25	1	3	-	-	3	-	3	68	2,190	40	709
53	New Mexico	6,362	68	61	7	8	5	-	3	-	3	1	2	30	775	19	247
54	Arizona	10,565	131	125	6	10	18	1	1	2	6	-	9	68	1,473	29	498
55	Utah	6,094	28	28	-	7	1	1	-	-	2	-	-	28	818	12	248
56	Nevada	2,624	17	16	1	6	-	1	-	-	5	-	1	7	382	9	113
	PACIFIC:																
57	Washington	26,434	83	71	12	55	1	-	1	-	9	3	3	69	4,315	93	1,371
58	Oregon	16,882	59	53	6	18	3	1	-	-	11	2	1	40	2,642	48	855
59	California	137,327	620	563	57	267	15	10	-	8	49	4	26	423	22,732	536	7,252
60	Alaska	1,274	19	17	2	1	-	-	1	2	3	-	14	9	123	6	42
61	Hawaii	3,399	27	26	1	5	1	1	-	-	1	-	-	14	571	27	252

United States, Each Division and State, 1961

Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary	Malignant neoplasm of breast	Malignant neoplasm of genital organs	Malignant neoplasm of urinary organs	Malignant neoplasm of other and unspecified sites	Leukemia and aleukemia	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	Benign neoplasms and neoplasms of unspecified nature	Asthma	Diabetes mellitus	Anemias	Meningitis, except meningococcal and tuberculous	Major cardiovascular-renal diseases	Diseases of cardiovascular system	Vascular lesions affecting central nervous system	Diseases of heart	Rheumatic fever and chronic rheumatic heart disease	Arteriosclerotic heart disease, including coronary disease	
160-164	170	171-179	180,181	156B,165, 190-199	204	200-203, 205	210-239	241	260	290-293	340	330-334, 400-468, 592-594	330-334, 400-468	330-334	400-402, 410-443	400-402, 410-416	420	
42,211	24,542	39,256	13,040	29,977	12,873	13,554	4,751	4,910	30,098	3,280	2,263	936,218	924,622	192,951	663,391	17,872	502,351	1
2,830	1,764	2,436	949	2,128	821	919	341	317	2,096	186	117	63,365	62,662	11,883	45,757	1,321	37,431	2
9,839	5,916	7,949	3,119	6,407	2,586	2,959	1,118	806	7,174	579	384	207,415	205,229	34,117	157,669	4,576	123,457	3
8,496	5,268	8,281	2,843	5,473	2,646	2,848	774	965	7,320	681	377	194,620	192,460	39,833	137,825	3,806	106,320	4
3,319	2,264	3,769	1,236	2,602	1,264	1,349	350	521	2,710	327	158	86,601	85,538	19,775	58,927	1,510	45,273	5
5,639	2,832	5,372	1,521	4,240	1,582	1,601	703	671	3,591	497	388	124,850	122,944	28,438	85,313	2,012	59,129	6
2,295	1,257	2,736	596	1,995	775	746	297	303	1,635	251	172	59,760	58,735	15,672	38,626	772	26,224	7
3,782	1,705	3,454	939	2,833	1,184	1,084	414	417	2,500	340	240	74,691	73,429	17,282	51,065	771	37,702	8
1,052	693	1,175	399	886	485	434	192	291	766	96	109	26,076	25,703	5,384	18,162	843	13,754	9
4,959	2,843	4,084	1,438	3,413	1,550	1,614	562	619	2,306	323	318	98,840	97,922	20,567	70,047	2,161	53,061	10
249	151	273	93	197	72	87	31	38	179	16	18	6,254	6,187	1,316	4,411	104	3,417	11
184	89	154	75	105	56	60	25	31	122	13	3	3,895	3,835	743	2,713	63	2,170	12
98	68	80	32	72	25	34	7	16	52	5	4	2,439	2,419	546	1,652	41	1,324	13
1,415	919	1,224	456	1,075	393	448	183	159	985	92	56	32,165	31,811	5,855	23,469	708	19,210	14
225	147	164	80	189	65	70	27	32	286	22	10	5,193	5,125	833	3,956	91	3,332	15
659	390	541	213	490	210	220	68	41	472	38	26	13,419	13,285	2,590	9,556	314	7,978	16
5,131	3,131	3,863	1,584	3,058	1,293	1,548	566	395	3,154	259	204	102,256	101,219	15,876	79,244	2,383	64,796	17
1,753	1,065	1,380	586	1,056	433	509	149	124	1,331	115	52	34,621	34,257	5,539	26,624	801	20,153	18
2,955	1,720	2,706	949	2,293	860	903	403	287	2,689	205	128	70,538	69,753	12,702	51,801	1,492	38,508	19
2,313	1,401	2,239	770	1,549	689	778	192	241	2,284	173	103	52,158	51,634	11,154	36,074	1,024	27,214	20
1,014	617	1,096	336	747	364	333	111	134	939	84	44	25,517	25,181	5,939	17,092	479	12,875	21
2,658	1,639	2,431	834	1,450	791	832	207	236	1,570	175	107	59,132	58,487	10,393	44,362	1,013	34,634	22
1,819	1,022	1,685	586	1,082	516	594	161	267	1,786	168	73	36,613	36,143	7,751	25,560	874	20,205	23
692	589	830	317	645	286	311	103	87	741	81	50	21,200	21,015	4,596	14,737	416	11,392	24
625	511	744	293	523	294	321	75	66	552	75	38	17,170	17,026	4,043	11,700	397	9,325	25
598	435	696	267	463	258	242	66	106	493	58	19	16,366	16,204	3,929	10,860	260	8,427	26
1,132	632	1,191	364	869	319	386	106	140	779	81	56	26,974	26,538	5,852	18,584	426	13,911	27
72	68	132	40	71	43	51	7	14	83	17	6	2,872	2,834	648	1,960	59	1,574	28
101	89	155	37	102	57	65	16	26	108	15	9	3,390	3,356	789	2,327	62	1,822	29
309	215	358	96	204	139	123	33	68	264	19	8	7,855	7,790	1,811	5,441	135	4,109	30
482	314	493	139	370	154	161	47	81	431	62	22	11,974	11,790	2,703	8,055	171	6,105	31
123	64	100	26	81	31	30	12	13	114	7	3	2,169	2,132	335	1,644	41	1,059	32
825	397	626	214	520	213	204	106	66	517	60	43	15,109	14,898	2,235	11,668	293	6,825	33
225	142	211	56	121	48	64	43	23	102	16	16	4,501	4,437	830	3,143	76	2,248	34
830	402	728	204	649	238	218	109	107	473	75	46	18,326	18,053	4,190	12,518	265	8,664	35
426	188	381	116	362	132	127	37	60	271	30	10	10,082	9,911	2,097	7,093	202	5,252	36
602	420	807	180	689	240	254	125	102	573	72	44	20,115	19,737	4,996	13,305	281	9,017	37
358	202	431	121	331	123	101	54	33	295	48	47	10,651	10,480	2,823	6,887	145	4,577	38
699	391	844	189	577	211	205	92	97	503	84	76	18,372	18,100	5,289	11,459	220	7,846	39
1,551	626	1,244	415	910	346	398	125	170	743	105	103	25,525	25,186	5,643	17,595	489	13,641	40
653	325	707	182	485	208	201	65	94	473	58	38	16,354	16,122	3,873	11,010	233	7,861	41
664	384	761	177	649	258	247	92	92	417	73	39	17,412	17,124	4,709	11,039	213	7,813	42
593	335	753	138	507	176	169	79	72	461	62	52	15,558	15,292	4,198	9,999	183	6,313	43
385	213	515	99	354	133	129	61	45	284	58	43	10,436	10,197	2,892	6,578	143	4,237	44
339	198	463	91	348	141	128	61	48	246	37	24	9,514	9,319	2,389	6,318	100	4,696	45
843	314	622	198	589	186	187	78	86	607	85	74	14,829	14,608	3,127	10,564	116	7,619	46
570	272	598	155	502	184	188	62	67	380	55	29	12,007	11,821	2,892	8,055	126	6,188	47
2,030	921	1,771	495	1,394	673	581	213	216	1,267	163	113	38,341	37,681	8,874	26,128	429	19,199	48
146	98	137	47	103	51	55	21	25	111	15	8	3,212	3,175	647	2,255	78	1,688	49
93	60	135	37	99	52	39	29	23	96	7	7	2,864	2,832	654	1,981	91	1,456	50
45	32	69	17	44	14	17	8	11	41	5	8	1,308	1,294	252	933	37	700	51
292	228	324	121	219	137	120	52	59	175	28	18	7,528	7,460	1,573	5,144	222	4,113	52
110	63	121	31	109	37	38	27	25	84	12	16	2,418	2,350	570	1,558	98	1,089	53
217	104	203	84	166	81	91	37	108	124	12	42	4,558	4,470	855	3,301	130	2,617	54
95	83	127	33	101	66	53	11	21	97	13	7	2,988	2,930	594	2,122	162	1,439	55
54	25	59	29	45	27	21	7	19	38	4	3	1,220	1,192	239	868	25	652	56
652	378	656	219	468	254	224	89	104	406	55	40	14,587	14,478	3,212	10,173	288	7,948	57
390	259	393	107	290	155	145	35	74	205	31	19	9,421	9,346	2,087	6,542	177	5,048	58
3,799	2,177	2,965	1,091	2,589	1,114	1,208	419	413	1,593	224	237	72,996	72,309	14,890	52,053	1,651	39,224	59
21	8	13	6	19	1	7	3	5	11	2	12	351	342	55	243	9	182	60
97	21	57	15	47	26	29	16	23	91	11	10	1,485	1,447	323	1,036	36	659	61

Table 1-P. Deaths From 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	DIVISION AND STATE	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertensive heart disease 440-443	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540,541	Appendicitis 550-553	Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581
1	UNITED STATES	54,632	25,254	63,282	12,185	35,368	20,707	11,596	55,175	2,137	53,038	4,064	11,540	1,819	9,177	7,820	20,737
	GEOGRAPHIC DIVISIONS:																
2	New England	2,497	1,185	3,323	874	2,581	1,567	703	3,842	62	3,760	296	792	111	622	414	1,494
3	Middle Atlantic	12,562	3,285	13,689	2,424	7,030	3,989	2,186	11,805	233	11,572	848	2,613	358	1,882	1,380	5,479
4	East North Central	10,667	4,869	12,183	2,802	8,099	3,901	2,160	10,043	393	9,650	770	2,504	396	1,889	1,401	3,970
5	West North Central	5,161	2,337	4,646	1,046	3,973	1,817	1,063	4,998	269	4,729	333	990	162	884	610	1,309
6	South Atlantic	8,312	4,286	11,574	1,950	4,154	3,089	1,906	7,681	368	7,313	548	1,395	250	1,234	1,323	2,314
7	East South Central	3,431	2,613	5,585	964	2,289	1,184	1,025	3,819	299	3,520	229	560	103	534	633	703
8	West South Central	3,642	3,783	5,167	981	2,448	1,653	1,262	4,766	210	4,556	356	773	172	823	978	1,242
9	Mountain	1,377	898	1,290	281	1,079	797	373	2,161	84	2,077	229	422	92	336	365	665
10	Pacific	6,983	1,998	5,844	863	3,735	2,710	918	6,060	219	5,841	455	1,491	175	973	716	3,561
	NEW ENGLAND:																
11	Maine	407	107	376	75	252	133	67	320	27	293	19	79	6	58	53	74
12	New Hampshire	143	88	249	42	243	94	60	186	7	179	18	40	3	25	21	61
13	Vermont	124	46	117	42	110	69	20	121	3	118	20	32	4	27	22	26
14	Massachusetts	1,216	685	1,650	410	1,263	814	354	2,186	14	2,172	153	430	59	337	196	822
15	Rhode Island	173	73	287	96	135	105	68	201	5	196	30	58	14	46	23	141
16	Connecticut	434	186	644	209	578	352	134	828	6	822	56	153	25	129	99	370
	MIDDLE ATLANTIC:																
17	New York	4,412	1,098	6,555	1,229	3,153	1,717	1,037	6,817	91	6,726	519	1,470	209	856	685	3,235
18	New Jersey	2,801	578	2,291	393	1,044	657	364	1,748	28	1,720	126	417	50	360	274	951
19	Pennsylvania	5,349	1,609	4,843	802	2,833	1,615	785	3,240	114	3,126	203	726	99	666	421	1,293
	EAST NORTH CENTRAL:																
20	Ohio	2,828	1,220	3,788	755	2,460	1,191	524	2,222	152	2,070	230	642	107	533	369	1,043
21	Indiana	1,306	651	1,781	390	1,310	450	336	1,257	61	1,196	81	313	54	287	209	417
22	Illinois	3,742	1,581	3,392	862	1,943	927	645	3,728	55	3,673	237	751	100	531	393	1,291
23	Michigan	1,544	897	2,040	534	1,447	851	470	1,753	70	1,683	168	536	88	334	284	841
24	Wisconsin	1,247	520	1,162	261	939	482	185	1,083	55	1,028	54	262	47	204	146	378
	WEST NORTH CENTRAL:																
25	Minnesota	740	331	907	173	722	388	144	1,069	38	1,031	59	191	28	187	111	292
26	Iowa	950	439	784	192	891	332	162	868	47	821	46	212	28	171	106	189
27	Missouri	1,918	722	1,607	351	1,226	525	436	1,557	88	1,469	120	281	51	245	176	463
28	North Dakota	100	101	126	38	122	66	38	248	12	236	21	31	6	29	20	40
29	South Dakota	177	131	135	38	108	94	34	196	7	189	13	28	6	45	27	45
30	Nebraska	510	268	419	82	311	145	65	405	39	366	33	104	12	68	76	121
31	Kansas	766	345	668	172	593	267	184	655	38	617	41	143	31	139	94	159
	SOUTH ATLANTIC:																
32	Delaware	256	60	228	31	66	56	37	119	3	116	9	33	3	22	21	50
33	Maryland	2,375	377	1,798	162	483	350	211	796	25	771	87	151	25	137	116	344
34	District of Columbia	231	80	508	116	162	186	64	362	3	359	26	76	10	51	39	238
35	Virginia	1,279	551	1,759	247	656	442	273	1,133	47	1,086	78	205	34	179	163	311
36	West Virginia	542	331	766	171	351	199	171	670	43	627	54	92	19	88	59	129
37	North Carolina	1,052	928	2,030	354	620	461	378	1,336	59	1,277	82	179	44	185	221	269
38	South Carolina	508	416	1,241	194	375	201	171	750	60	690	31	111	17	121	167	122
39	Georgia	910	732	1,751	303	588	461	272	1,234	82	1,152	78	222	43	196	204	260
40	Florida	1,159	613	1,493	372	853	733	329	1,281	46	1,235	103	326	55	255	333	591
	EAST SOUTH CENTRAL:																
41	Kentucky	890	672	1,354	189	722	328	232	955	58	897	52	169	25	146	136	200
42	Tennessee	995	671	1,347	318	696	362	288	1,241	80	1,161	75	168	33	140	129	196
43	Alabama	1,043	703	1,757	256	547	292	266	902	103	799	54	145	30	152	175	184
44	Mississippi	503	567	1,128	201	324	202	239	721	58	663	48	78	15	96	193	123
	WEST SOUTH CENTRAL:																
45	Arkansas	364	456	702	153	284	175	195	641	47	594	35	93	25	96	109	84
46	Louisiana	760	624	1,445	198	420	299	221	916	33	883	67	125	31	186	177	254
47	Oklahoma	540	548	653	164	440	270	186	607	34	573	41	147	31	131	110	178
48	Texas	1,978	2,155	2,367	466	1,304	909	660	2,602	96	2,506	213	408	85	410	582	726
	MOUNTAIN:																
49	Montana	211	142	136	22	172	79	37	225	9	216	29	35	7	36	26	68
50	Idaho	175	106	153	29	114	54	32	162	14	148	17	31	10	36	26	33
51	Wyoming	93	45	58	10	60	39	14	80	7	73	10	22	5	22	11	22
52	Colorado	272	206	331	77	359	307	68	754	16	738	53	134	21	95	81	191
53	New Mexico	150	112	109	33	114	75	68	290	16	274	19	52	16	48	66	84
54	Arizona	182	132	240	62	142	110	88	408	19	389	84	84	18	50	119	161
55	Utah	222	101	198	26	81	107	38	174	2	172	12	41	13	35	26	49
56	Nevada	72	54	65	22	37	26	28	68	1	67	5	23	2	14	10	57
	PACIFIC:																
57	Washington	719	412	806	110	633	350	109	908	37	871	61	170	18	138	106	247
58	Oregon	482	261	594	67	399	251	75	673	34	639	49	127	19	89	59	161
59	California	5,716	1,253	4,209	668	2,642	2,056	687	4,256	137	4,119	339	1,164	132	725	524	3,099
60	Alaska	14	28	10	1	30	13	9	69	5	64	2	4	2	5	13	9
61	Hawaii	72	44	225	17	31	40	38	154	6	148	4	26	4	16	14	45

United States, Each Division and State, 1961 —Con.

Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis 584,585	Acute nephritis, and nephritis with edema, including nephrosis 590,591	Infections of kidney 600	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	Other complications of pregnancy, childbirth, and the puerperium 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor vehicle accidents E810-E835	Other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	
4,707	1,584	8,095	4,158	1,573	324	1,249	21,922	65,679	28,945	4,706	32,028	19,094	69,452	92,249	38,091	54,158	18,999	8,578	1
313	85	466	229	63	10	53	1,238	3,405	1,463	201	1,741	602	4,362	4,631	1,385	3,246	979	149	2
1,090	254	1,453	798	287	89	198	3,922	11,218	5,002	646	5,570	1,732	13,165	14,029	4,777	9,252	3,134	1,109	3
1,057	305	1,514	892	254	52	202	4,587	12,865	6,349	812	5,704	1,552	12,873	16,912	7,261	9,651	3,568	1,398	4
529	127	577	458	86	9	77	1,984	5,138	2,283	333	2,522	1,286	6,324	8,597	3,674	4,923	1,664	398	5
484	277	1,468	607	328	66	262	3,212	10,932	4,628	935	5,369	3,871	10,436	14,462	6,010	8,452	2,841	2,107	6
234	163	627	346	179	21	158	1,420	5,101	1,819	499	2,783	4,829	4,421	7,163	3,038	4,125	1,120	1,036	7
344	182	784	352	184	27	157	2,025	6,783	2,691	637	3,455	3,359	6,369	9,985	4,353	5,642	1,485	1,238	8
197	61	239	107	58	11	47	923	2,996	1,230	194	1,572	1,143	3,142	4,878	2,252	2,626	966	303	9
459	130	967	369	134	39	95	2,611	7,241	3,480	449	3,312	720	8,360	11,582	5,341	6,241	3,242	840	10
22	10	42	36	10	-	10	92	378	194	24	160	59	416	527	183	344	130	19	11
15	9	31	14	6	1	5	74	201	74	18	109	84	270	266	92	174	67	2	12
17	1	18	16	1	-	1	55	160	65	7	88	80	202	215	90	125	54	8	13
157	46	276	119	31	8	23	600	1,592	636	106	850	233	2,202	2,394	646	1,748	441	73	14
43	7	23	11	1	-	1	108	252	124	8	120	16	306	315	68	247	53	11	15
59	12	76	33	14	1	13	309	822	370	38	414	131	966	914	306	608	234	36	16
555	103	778	402	168	60	108	1,918	5,565	2,409	340	2,816	743	5,821	6,741	2,324	4,417	1,529	657	17
193	46	245	137	46	13	33	724	2,033	1,004	108	921	144	2,054	2,400	797	1,603	506	150	18
342	105	430	259	73	16	57	1,280	3,620	1,589	198	1,833	845	5,290	4,888	1,656	3,232	1,097	302	19
263	82	430	249	49	11	38	1,259	3,378	1,573	180	1,625	533	3,937	4,418	1,674	2,744	956	328	20
121	62	196	141	41	7	34	597	1,614	741	101	772	237	1,809	2,486	1,117	1,369	475	168	21
269	69	523	235	59	11	48	1,122	3,606	2,218	295	1,093	440	3,046	4,281	1,843	2,438	921	536	22
253	65	242	180	78	21	57	1,104	2,860	1,220	160	1,480	158	2,635	3,729	1,695	2,034	769	296	23
151	27	123	87	27	2	25	505	1,407	597	76	734	184	1,446	1,998	932	1,066	447	70	24
123	20	118	85	16	2	14	496	1,167	537	58	572	173	1,309	1,720	754	966	314	47	25
92	29	69	86	15	3	12	331	811	326	47	438	73	1,235	1,540	691	849	321	37	26
140	41	200	145	24	2	22	536	1,464	689	113	662	681	1,817	2,419	955	1,464	526	216	27
22	3	8	13	5	1	4	81	251	107	27	117	24	226	363	161	202	57	12	28
25	5	26	24	4	-	4	86	255	86	17	152	119	261	459	225	234	50	10	29
59	8	59	36	9	-	9	186	501	235	25	241	72	525	829	339	490	153	30	30
68	21	77	67	13	1	12	268	689	303	46	340	144	951	1,267	549	718	243	46	31
12	4	31	12	7	1	6	64	188	89	6	93	16	202	182	65	117	48	19	32
45	36	115	62	33	9	24	407	1,274	467	107	700	91	1,210	1,367	449	918	336	163	33
14	7	89	22	12	8	4	92	506	376	19	111	51	421	409	93	316	85	89	34
62	42	229	97	52	16	36	525	1,661	711	144	806	475	1,531	2,045	803	1,242	507	250	35
42	20	66	64	20	5	15	242	624	291	50	283	412	735	1,087	365	722	205	78	36
77	47	236	86	55	5	50	544	1,952	827	168	957	915	1,654	2,648	1,317	1,331	451	398	37
34	26	135	37	37	3	34	268	998	349	105	544	683	839	1,548	679	869	169	213	38
80	46	259	89	52	10	42	457	1,703	635	179	889	467	1,648	2,324	1,005	1,319	368	425	39
118	49	308	138	60	9	51	613	2,026	883	157	986	761	2,196	2,852	1,234	1,618	672	472	40
79	35	163	114	42	4	38	371	1,227	490	103	634	281	1,175	1,851	706	1,145	324	216	41
71	40	171	100	31	6	25	413	1,377	503	122	752	1,423	1,376	1,820	795	1,025	346	265	42
56	44	168	73	57	7	50	392	1,391	511	137	743	1,311	1,159	2,056	956	1,100	301	332	43
28	44	125	59	49	4	45	244	1,106	315	137	654	1,814	711	1,436	581	855	149	223	44
33	18	91	68	24	3	21	201	580	188	59	333	527	687	1,175	488	687	138	120	45
61	27	204	54	37	5	32	445	1,657	717	210	730	257	1,230	1,871	726	1,145	265	240	46
76	37	161	78	21	1	20	254	726	267	46	413	1,012	1,009	1,589	736	853	203	107	47
174	100	328	152	102	18	84	1,125	3,820	1,519	322	1,979	1,563	3,443	5,360	2,403	2,957	879	771	48
27	7	18	13	2	-	2	97	259	95	15	149	173	282	541	269	272	93	19	49
16	7	17	2	6	1	5	74	251	101	17	133	75	265	520	247	273	95	16	50
13	6	8	5	1	-	1	40	149	61	9	79	16	147	279	125	154	46	11	51
57	10	70	34	12	1	11	232	748	319	46	383	66	840	1,151	473	678	288	81	52
20	14	27	13	19	6	13	143	497	216	33	248	371	345	710	340	370	97	54	53
38	9	66	16	11	1	10	171	622	219	56	347	176	760	914	439	475	181	77	54
20	7	26	17	7	2	5	130	326	164	13	149	238	347	528	241	287	80	16	55
6	1	7	7	-	-	-	36	144	55	5	84	28	156	235	118	117	86	29	56
61	16	97	63	17	2	15	335	866	420	29	417	155	1,247	1,621	646	975	410	78	57
30	13	85	35	8	-	8	208	482	248	23	211	104	803	1,133	520	613	197	45	58
358	97	765	262	101	36	65	1,963	5,499	2,675	368	2,456	373	6,072	8,349	4,057	4,292	2,531	682	59
-	-	5	1	3	-	3	26	140	41	13	86	50	73	254	29	225	39	23	60
10	4	15	8	5	1	4	79	254	96	16	142	38	165	225	89	136	65	12	61

Table 1-Q. Death Rates for 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 popu-

	DIVISION AND STATE	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Other infective and parasitic diseases 030-044, 049, 052-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159
1	UNITED STATES----	930.0	5.4	5.0	0.4	1.6	0.2	0.1	0.0	0.0	0.3	0.0	0.2	3.1	149.5	3.5	50.1
	GEOGRAPHIC DIVISIONS:																
2	New England----------	1,032.0	4.8	4.4	0.4	1.4	0.0	0.0	0.0	0	0.3	0.1	0.0	2.9	178.3	4.8	63.0
3	Middle Atlantic------	1,038.6	7.0	6.6	0.4	1.6	0.0	0.0	0	0.0	0.3	0.1	0.2	2.6	180.5	4.2	64.8
4	East North Central---	933.9	4.6	4.2	0.3	1.2	0.1	0.1	0.0	0.0	0.3	0.0	0.2	2.7	154.9	3.5	54.0
5	West North Central---	982.9	3.7	3.4	0.3	1.4	0.0	0.1	0.1	0.0	0.3	0.0	0.2	2.8	158.4	3.0	54.0
6	South Atlantic-------	880.3	5.4	4.8	0.5	1.9	0.2	0.1	0.1	0.1	0.4	0.1	0.3	3.5	128.2	3.2	39.1
7	East South Central---	926.6	8.2	7.5	0.7	1.6	0.3	0.2	0.0	0.1	0.4	0.0	0.4	4.2	127.7	2.9	39.6
8	West South Central---	842.7	6.6	6.1	0.5	2.1	0.3	0.1	0.2	0.1	0.2	0.0	0.3	4.3	128.6	3.1	38.7
9	Mountain----------	782.3	5.2	4.8	0.3	1.2	0.4	0.1	0.1	0.0	0.3	0.0	0.3	3.3	109.6	2.1	35.3
10	Pacific----------	842.8	3.7	3.3	0.4	1.6	0.1	0.1	0.0	0.0	0.3	0.0	0.2	2.5	138.2	3.2	44.4
	NEW ENGLAND:																
11	Maine----------	1,083.8	3.6	2.9	0.7	0.9	0	0	0	0	0.5	0.1	0	2.8	180.1	4.3	62.7
12	New Hampshire--------	1,078.1	2.1	1.3	0.8	1.6	0	0.2	0	0	0.2	0.2	0	3.7	187.4	2.7	68.3
13	Vermont----------	1,091.4	6.3	6.3	0	1.5	0	0	0	0	1.0	0.5	0.3	3.8	166.1	4.6	58.0
14	Massachusetts--------	1,073.9	5.8	5.6	0.2	1.5	0.0	0.0	0	0	0.4	0.0	0.0	3.3	184.2	5.0	65.9
15	Rhode Island---------	1,019.3	3.7	3.2	0.5	0.8	0.2	0	0	0	0.2	0.2	0.2	1.7	178.3	5.2	64.7
16	Connecticut----------	912.8	4.0	3.6	0.4	1.3	0	0.0	0.0	0	0.2	0	0	2.3	165.6	4.9	56.5
	MIDDLE ATLANTIC:																
17	New York----------	1,052.9	6.8	6.4	0.4	1.4	0.1	0.0	0	0	0.3	0.1	0.2	2.6	186.6	4.6	66.9
18	New Jersey----------	973.3	6.3	5.9	0.4	1.3	0.1	0.0	0	0.0	0.3	0.1	0.3	2.7	177.6	4.0	65.0
19	Pennsylvania---------	1,053.0	7.7	7.3	0.3	2.1	0.0	0.1	0	0.0	0.2	0.1	0.2	2.5	173.0	3.6	61.5
	EAST NORTH CENTRAL:																
20	Ohio----------	935.9	4.7	4.4	0.3	1.9	0.1	0.1	0	0	0.3	0.1	0.3	2.8	154.4	3.5	52.3
21	Indiana----------	952.4	5.7	5.2	0.5	1.4	0.0	0.1	0	0.0	0.3	0.1	0.2	3.0	147.9	3.5	48.8
22	Illinois----------	991.5	4.9	4.6	0.3	0.7	0.0	0.1	0	0.0	0.4	0.0	0.2	2.4	168.2	3.9	60.6
23	Michigan----------	850.2	4.2	3.9	0.3	1.0	0.1	0.1	0.0	0.0	0.4	0	0.2	2.5	144.7	3.1	49.8
24	Wisconsin----------	926.5	2.9	2.6	0.3	1.1	0.0	0.0	0	0	0.3	0.1	0.2	3.0	150.3	3.1	55.9
	WEST NORTH CENTRAL:																
25	Minnesota----------	896.3	2.8	2.5	0.3	1.2	0	0.1	0.1	0	0.2	0.1	0.1	2.6	153.7	2.3	56.0
26	Iowa----------	1,014.0	2.4	2.3	0.1	1.2	0	0.0	0	0	0.3	0.0	0.1	3.0	165.3	3.3	55.5
27	Missouri----------	1,081.1	6.6	6.2	0.4	2.2	0.1	0.1	0	0	0.3	0	0.4	2.8	172.5	4.0	56.7
28	North Dakota---------	821.4	1.3	1.3	0	0.3	0	0	0.2	0.2	0.3	0	0.2	2.3	120.0	1.6	43.9
29	South Dakota---------	910.7	2.9	2.8	0.1	0.9	0.3	0	0.3	0	0.6	0	0.1	3.0	142.0	2.5	51.7
30	Nebraska----------	973.9	2.6	2.1	0.5	0.6	0.1	0.2	0.1	0	0.4	0.1	0.3	3.6	159.8	2.4	56.5
31	Kansas----------	959.6	2.6	2.4	0.2	1.4	0.0	0.1	0.0	0	0.2	0.0	0.2	2.6	144.0	2.6	45.2
	SOUTH ATLANTIC:																
32	Delaware----------	894.5	5.7	5.7	0	2.0	0.2	0.2	0	0	0.4	0	0	4.4	148.0	1.1	47.6
33	Maryland----------	669.7	8.1	7.6	0.5	3.2	0.2	0.0	0.0	0.0	0.4	0.1	0	3.0	142.7	3.5	45.1
34	District of Columbia-	1,162.5	13.4	12.0	1.4	2.5	0	0	0	0	0.9	0	0.3	2.5	183.7	8.2	63.6
35	Virginia----------	839.3	4.5	4.0	0.6	1.6	0.2	0.1	0.1	0.0	0.4	0.1	0.3	3.0	121.6	2.8	38.2
36	West Virginia--------	976.0	6.7	6.5	0.2	1.6	0.1	0.1	0	0	0.6	0.1	0.5	2.6	142.5	2.9	45.9
37	North Carolina-------	812.7	3.8	3.4	0.4	1.2	0.2	0.1	0.0	0.2	0.3	0.0	0.4	3.7	100.2	2.6	28.5
38	South Carolina-------	839.3	5.5	4.7	0.8	2.2	0.3	0.1	0.1	0.2	0.4	0.1	0.6	3.7	101.7	2.5	30.0
39	Georgia----------	862.4	4.9	4.4	0.5	1.9	0.6	0.1	0.2	0.1	0.3	0.1	0.4	3.6	113.3	2.8	32.4
40	Florida----------	934.5	4.2	3.8	0.4	1.9	0.1	0.1	0.0	0.1	0.4	0	0.2	4.0	157.8	4.5	48.2
	EAST SOUTH CENTRAL:																
41	Kentucky----------	960.1	10.0	9.2	0.8	1.8	0.2	0.2	0.0	0.0	0.5	0	0.7	4.1	141.3	3.6	48.0
42	Tennessee----------	904.5	8.0	7.2	0.8	1.1	0.2	0.3	0	0.1	0.4	0	0.2	4.1	128.2	2.9	38.4
43	Alabama----------	898.6	8.7	7.9	0.8	2.1	0.2	0.1	0.1	0.3	0.4	0.0	0.3	3.9	117.4	2.6	33.9
44	Mississippi----------	958.1	5.2	4.7	0.5	1.4	0.8	0.1	0.1	0.2	0.2	0.2	0.4	4.7	123.5	2.5	38.5
	WEST SOUTH CENTRAL:																
45	Arkansas----------	975.5	10.6	10.1	0.4	2.0	0.7	0.1	0	0.2	0.2	0.1	0.7	4.5	139.7	2.8	41.8
46	Louisiana----------	866.7	7.2	6.8	0.4	3.3	0.2	0.0	0.1	0.1	0.3	0.1	0.3	4.8	131.7	3.6	39.5
47	Oklahoma----------	974.1	5.8	5.0	0.8	1.4	0.3	0.1	0	0	0.0	0	0.2	3.9	152.4	2.8	44.9
48	Texas----------	778.5	5.8	5.4	0.4	1.8	0.8	0.1	0.2	0.1	0.3	0.0	0.2	4.2	119.8	3.0	36.4
	MOUNTAIN:																
49	Montana----------	934.2	3.7	3.4	0.3	1.8	0	0	0	0	0.1	0.1	0.1	2.9	141.1	2.3	45.3
50	Idaho----------	809.1	2.6	2.3	0.3	1.3	0	0.3	0	0	0.4	0.1	0.3	1.6	117.4	2.2	39.9
51	Wyoming----------	781.4	2.4	2.1	0.3	2.1	0	0.3	0	0	0.3	0	0	0.9	102.7	1.8	30.5
52	Colorado----------	850.2	4.0	3.8	0.2	1.4	0.1	0.2	0	0	0.2	0	0.2	3.8	123.0	2.2	39.8
53	New Mexico----------	647.2	6.9	6.2	0.7	0.8	0.5	0	0.3	0	0.3	0.1	0.2	3.1	78.8	1.9	25.1
54	Arizona----------	759.5	9.4	9.0	0.4	0.7	1.3	0.1	0.1	0.1	0.4	0	0.6	4.9	105.9	2.1	35.8
55	Utah----------	665.3	3.1	3.1	0	0.8	0.1	0.1	0	0	0.2	0	0	3.1	89.3	1.3	27.1
56	Nevada----------	877.6	5.7	5.4	0.3	2.0	0	0.3	0	0	1.7	0	0.3	2.3	127.8	3.0	37.8
	PACIFIC:																
57	Washington----------	910.9	2.9	2.4	0.4	1.9	0.0	0	0.0	0	0.3	0.1	0.1	2.4	148.7	3.2	47.2
58	Oregon----------	938.4	3.3	2.9	0.3	1.0	0.2	0.1	0	0	0.6	0.1	0.1	2.2	146.9	2.7	47.5
59	California----------	837.5	3.8	3.4	0.3	1.6	0.1	0.1	0	0.0	0.3	0.0	0.2	2.6	138.6	3.3	44.2
60	Alaska----------	544.4	8.1	7.3	0.9	0.4	0	0	0.4	0.9	1.3	0	6.0	3.8	52.6	2.6	17.9
61	Hawaii----------	517.4	4.1	4.0	0.2	0.8	0.2	0.2	0	0	0.2	0	0	2.1	86.9	4.1	38.4

United States, Each Division and State, 1961

lation in each area. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165, 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Asthma 241	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443	Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	
23.1	13.4	21.5	7.1	16.4	7.0	7.4	2.6	2.7	16.5	1.8	1.2	511.7	505.4	105.5	362.6	9.8	274.6	1
26.4	16.5	22.7	8.9	19.8	7.7	8.6	3.2	3.0	19.5	1.7	1.1	590.9	584.4	110.8	426.7	12.3	349.1	2
28.3	17.0	22.9	9.0	18.4	7.4	8.5	3.2	2.3	20.6	1.7	1.1	597.0	590.7	98.2	453.8	13.5	355.3	3
23.1	14.3	22.5	7.7	14.9	7.2	7.7	2.1	2.6	19.9	1.8	1.0	528.5	522.7	109.2	374.3	10.3	288.7	4
21.3	14.5	24.2	7.9	16.7	8.1	8.7	2.2	3.3	17.4	2.1	1.0	555.8	549.0	126.9	378.2	9.7	290.6	5
21.2	10.7	20.2	5.7	16.0	6.0	6.0	2.6	2.5	13.5	1.9	1.5	470.3	463.2	107.1	321.4	7.6	222.8	6
18.8	10.3	22.4	4.9	16.3	6.3	6.1	2.4	2.5	13.4	2.1	1.4	489.5	481.1	128.4	316.4	6.3	214.8	7
21.9	9.9	20.0	5.4	16.4	6.9	6.3	2.4	2.4	14.5	2.0	1.4	432.6	425.3	100.1	295.8	4.5	218.4	8
14.9	9.8	16.6	5.6	12.5	6.6	6.1	2.7	4.1	10.8	1.4	1.5	368.7	363.4	76.1	256.8	11.9	194.5	9
22.6	12.9	18.6	6.5	15.5	7.0	7.3	2.6	2.8	10.5	1.5	1.4	449.5	445.3	93.5	318.6	9.8	241.3	10
25.1	15.2	27.5	9.4	19.9	7.3	8.8	3.1	3.8	18.0	1.6	1.8	630.4	623.7	132.7	444.7	10.5	344.5	11
29.6	14.3	24.8	12.1	16.9	9.0	9.7	4.0	5.0	19.6	2.1	0.5	627.2	617.6	119.6	436.9	10.1	349.4	12
24.8	17.2	20.3	8.1	18.2	6.3	8.6	1.8	4.1	13.2	1.3	1.0	617.5	612.4	138.2	418.2	10.4	335.2	13
27.0	17.6	23.4	8.7	20.5	7.5	8.6	3.5	3.0	18.8	1.8	1.1	614.5	607.8	111.9	448.4	13.5	367.0	14
26.0	17.0	18.9	9.2	21.8	7.5	8.1	3.1	3.7	33.0	2.5	1.2	599.0	591.1	96.1	456.3	10.5	384.3	15
25.2	14.9	20.7	8.1	18.7	8.0	8.4	2.6	1.6	18.1	1.5	1.0	513.4	508.2	99.1	365.6	12.0	305.2	16
30.1	18.4	22.7	9.3	18.0	7.6	9.1	3.3	2.3	18.5	1.5	1.2	600.3	594.3	93.2	465.2	14.0	380.4	17
28.1	17.1	22.1	9.4	16.9	6.9	8.1	2.4	2.0	21.3	1.8	0.8	554.5	548.6	88.7	426.4	12.8	322.8	18
25.8	15.0	23.6	8.3	20.0	7.5	7.9	3.5	2.5	23.4	1.8	1.1	615.1	608.2	110.8	451.7	13.0	335.8	19
23.4	14.2	22.7	7.8	15.7	7.0	7.9	1.9	2.4	23.1	1.8	1.0	528.1	522.8	112.9	365.3	10.4	275.6	20
21.5	13.1	23.3	7.1	15.9	7.7	7.1	2.4	2.8	19.9	1.8	0.9	541.6	534.5	126.1	362.8	10.2	273.3	21
25.9	16.0	23.7	8.1	14.1	7.7	8.1	2.0	2.3	15.3	1.7	1.0	576.4	570.2	101.3	432.5	9.9	337.6	22
22.9	12.8	21.2	7.4	13.6	6.5	7.5	2.0	3.4	22.5	2.1	0.9	460.3	454.4	97.4	321.3	11.0	254.0	23
17.2	14.6	20.6	7.9	16.0	7.1	7.7	2.6	2.2	18.4	2.0	1.2	527.1	522.5	114.3	366.4	10.3	283.2	24
18.0	14.7	21.4	8.4	15.1	8.5	9.3	2.2	2.5	15.9	2.2	1.1	494.8	490.7	116.5	337.2	11.4	268.7	25
21.5	15.7	25.0	9.6	16.7	9.3	8.7	2.4	3.8	17.7	2.1	0.7	588.9	583.1	141.4	390.8	9.4	303.2	26
25.9	14.4	27.2	8.3	19.8	7.3	8.8	2.4	3.2	17.8	1.9	1.3	616.1	606.2	133.7	424.5	9.7	317.7	27
11.3	10.6	20.6	6.3	11.1	6.7	8.0	1.1	2.2	13.0	2.7	0.9	448.8	442.8	101.3	306.3	9.2	245.9	28
14.6	12.9	22.5	5.4	14.8	8.3	9.4	2.3	3.8	15.7	2.2	1.3	491.3	486.4	114.3	337.2	9.0	264.1	29
21.6	15.0	25.0	6.7	14.3	9.7	8.6	2.3	4.8	18.4	1.3	0.6	548.9	544.4	126.6	380.2	9.4	287.1	30
22.0	14.3	22.5	6.3	16.9	7.0	7.3	2.1	3.7	19.6	2.8	1.0	545.8	537.4	123.2	367.1	7.8	278.3	31
26.9	14.0	21.8	5.7	17.7	6.8	6.6	2.6	2.8	24.9	1.5	0.7	473.6	465.5	73.1	359.0	9.0	231.2	32
25.9	12.5	19.6	6.7	16.3	6.7	6.4	3.3	2.1	16.2	1.9	1.3	473.9	467.3	70.1	366.0	9.2	214.1	33
29.6	18.7	27.7	7.4	15.9	6.3	8.4	5.7	3.0	13.4	2.1	2.1	591.5	583.0	109.1	413.0	10.0	295.4	34
20.4	9.9	17.9	5.0	16.0	5.9	5.4	2.7	2.6	11.7	1.8	1.1	451.5	444.8	103.2	308.4	6.5	213.5	35
23.0	10.2	20.6	6.3	19.6	7.1	6.9	2.0	3.2	14.6	1.6	0.5	545.0	535.7	113.4	383.4	10.9	283.9	36
13.0	9.1	17.5	3.9	14.9	5.2	5.5	2.7	2.2	12.4	1.6	1.0	436.0	427.8	108.3	288.4	6.1	195.4	37
14.9	8.4	17.9	5.0	13.8	5.1	4.2	2.2	1.4	12.3	2.0	2.0	442.5	435.4	117.3	286.1	6.0	190.2	38
17.5	9.8	21.2	4.7	14.5	5.3	5.1	2.3	2.4	12.6	2.1	1.9	460.8	454.0	132.7	287.4	5.5	196.8	39
29.7	12.0	23.8	7.9	17.4	6.6	7.6	2.4	3.3	14.2	2.0	2.0	488.8	482.5	108.1	336.9	9.4	261.2	40
21.2	10.6	23.0	5.9	15.8	6.8	6.5	2.1	3.1	15.4	1.9	1.2	531.7	524.1	125.9	357.9	7.6	255.6	41
18.4	10.6	21.1	4.9	18.0	7.1	6.8	2.5	2.5	11.5	2.0	1.1	481.7	473.7	130.3	305.4	5.9	216.1	42
18.0	10.1	22.8	4.2	15.4	5.3	5.1	2.4	2.2	14.0	1.9	1.6	471.2	463.1	127.1	302.8	5.5	191.2	43
17.4	9.6	23.3	4.5	16.0	6.0	5.8	2.8	2.0	12.8	2.6	1.9	471.2	460.4	130.6	297.0	6.5	191.3	44
18.9	11.0	25.8	5.1	19.4	7.8	7.1	3.4	2.7	13.7	2.1	1.3	529.4	518.6	132.9	351.6	5.6	261.3	45
25.4	9.5	18.7	6.0	17.7	5.6	5.6	2.3	2.6	18.3	2.6	2.2	446.5	439.9	94.2	318.1	3.5	229.4	46
24.2	11.5	25.3	6.6	21.3	7.8	8.0	2.6	2.8	16.1	2.3	1.2	508.8	500.9	122.5	341.3	5.3	262.2	47
20.7	9.4	18.1	5.1	14.2	6.9	5.9	2.2	2.2	12.9	1.7	1.2	391.7	385.0	90.7	266.9	4.4	196.1	48
21.4	14.4	20.1	6.9	15.1	7.5	8.1	3.1	3.7	16.3	2.2	1.2	471.0	465.5	94.9	330.6	11.4	247.5	49
13.6	8.8	19.7	5.4	14.5	7.6	5.7	4.2	3.4	14.0	1.0	1.0	418.7	414.0	95.6	289.6	13.3	212.9	50
13.3	9.5	20.4	5.0	13.0	4.1	5.0	2.4	3.3	12.1	1.5	2.4	387.0	382.8	74.6	276.0	10.9	207.1	51
16.4	12.8	18.2	6.8	12.3	7.7	6.7	2.9	3.3	9.8	1.6	1.0	422.7	418.9	88.3	288.8	12.5	230.9	52
11.2	6.4	12.3	3.2	11.1	3.8	3.9	2.7	2.5	8.5	1.2	1.6	246.0	239.1	58.0	158.5	10.0	110.8	53
15.6	7.5	14.6	6.0	11.9	5.8	6.5	2.7	7.8	8.9	0.9	3.0	327.7	321.4	61.5	237.3	9.3	188.1	54
10.4	9.1	13.9	3.6	11.0	7.2	5.8	1.2	2.3	10.6	1.4	0.8	324.0	319.9	64.8	231.7	17.7	157.1	55
18.1	8.4	19.7	9.7	15.1	9.0	7.0	2.3	6.4	12.7	1.3	1.0	408.0	398.7	79.9	290.3	8.4	218.1	56
22.5	13.0	22.6	7.5	16.1	8.8	7.7	3.1	3.6	14.0	1.9	1.4	502.7	498.9	110.7	350.6	9.9	273.9	57
21.7	14.4	21.8	5.9	16.1	8.6	8.1	1.9	4.1	11.4	1.7	1.1	523.7	519.5	116.0	363.6	9.8	280.6	58
23.2	13.3	18.1	6.7	15.8	6.8	7.4	2.6	2.5	9.7	1.4	1.4	445.2	441.0	90.8	317.5	10.1	239.2	59
9.0	3.4	5.6	2.6	8.1	0.4	3.0	1.3	2.1	4.7	0.9	5.1	150.0	146.2	23.5	103.8	3.8	77.8	60
14.8	3.2	8.7	2.3	7.2	4.0	4.4	2.4	3.5	13.9	1.7	1.5	226.0	220.2	49.2	157.7	5.5	100.3	61

Table 1-Q. Death Rates for 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 popu-

	DIVISION AND STATE	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertensive heart disease 440-443	Other hypertensive dissease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540,541	Appendicitis 550-553	Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581
1	UNITED STATES	29.9	13.8	34.6	6.7	19.3	11.3	6.3	30.2	1.2	29.0	2.2	6.3	1.0	5.0	4.3	11.3
	GEOGRAPHIC DIVISIONS:																
2	New England	23.3	11.1	31.0	8.2	24.1	14.6	6.6	35.8	0.6	35.3	2.8	7.4	1.0	5.8	3.9	13.9
3	Middle Atlantic	36.2	9.5	39.4	7.0	20.2	11.5	6.3	34.0	0.7	33.3	2.4	7.5	1.0	5.4	4.0	15.8
4	East North Central	29.0	13.2	33.0	7.6	22.0	10.6	5.9	27.3	1.1	26.2	2.1	6.8	1.1	5.1	3.8	10.8
5	West North Central	33.1	15.0	29.8	6.7	25.5	11.7	6.8	32.1	1.7	30.4	2.1	6.4	1.0	5.7	3.9	8.4
6	South Atlantic	31.3	16.1	43.6	7.3	15.6	11.6	7.2	28.9	1.4	27.5	2.1	5.3	0.9	4.6	5.0	8.7
7	East South Central	28.1	21.4	45.8	7.9	18.8	9.7	8.4	31.3	2.4	28.8	1.9	4.6	0.8	4.4	5.2	5.8
8	West South Central	21.1	21.9	29.9	5.7	14.2	9.6	7.3	27.6	1.2	26.4	2.1	4.5	1.0	4.8	5.7	7.2
9	Mountain	19.5	12.7	18.2	4.0	15.3	11.3	5.3	30.6	1.2	29.4	3.2	6.0	1.3	4.8	5.2	9.4
10	Pacific	31.8	9.1	26.6	3.9	17.0	12.3	4.2	27.6	1.0	26.6	2.1	6.8	0.8	4.4	3.3	16.2
	NEW ENGLAND:																
11	Maine	41.0	10.8	37.9	7.6	25.4	13.4	6.8	32.3	2.7	29.5	1.9	8.0	0.6	5.8	5.3	7.5
12	New Hampshire	23.0	14.2	40.1	6.8	39.1	15.1	9.7	30.0	1.1	28.8	2.9	6.4	0.5	4.0	3.4	9.8
13	Vermont	31.4	11.6	29.6	10.6	27.8	17.5	5.1	30.6	0.8	29.9	5.1	8.1	1.0	6.8	5.6	6.6
14	Massachusetts	23.2	13.1	31.5	7.8	24.1	15.6	6.8	41.8	0.3	41.5	2.9	8.2	1.1	6.4	3.7	15.7
15	Rhode Island	20.0	8.4	33.1	11.1	15.6	12.1	7.8	23.2	0.6	22.6	3.5	6.7	1.6	5.3	2.7	16.3
16	Connecticut	16.6	7.1	24.6	8.0	22.1	13.5	5.1	31.7	0.2	31.4	2.1	5.9	1.0	4.9	3.8	14.2
	MIDDLE ATLANTIC:																
17	New York	25.9	6.4	38.5	7.2	18.5	10.1	6.1	40.0	0.5	39.5	3.0	8.6	1.2	5.0	4.0	19.0
18	New Jersey	44.9	9.3	36.7	6.3	16.7	10.5	5.8	28.0	0.4	27.5	2.0	6.7	0.8	5.8	4.4	15.2
19	Pennsylvania	46.6	14.0	42.2	7.0	24.7	14.1	6.8	28.3	1.0	27.3	1.8	6.3	0.9	5.8	3.7	11.3
	EAST NORTH CENTRAL:																
20	Ohio	28.6	12.4	38.4	7.6	24.9	12.1	5.3	22.5	1.5	21.0	2.3	6.5	1.1	5.4	3.7	10.6
21	Indiana	27.7	13.8	37.8	8.3	27.8	9.6	7.1	26.7	1.3	25.4	1.7	6.6	1.1	6.1	4.4	8.9
22	Illinois	36.5	15.4	33.1	8.4	18.9	9.0	6.3	36.3	0.5	35.8	2.3	7.3	1.0	5.2	3.8	12.6
23	Michigan	19.4	11.3	25.6	6.7	18.2	10.7	5.9	22.0	0.9	21.2	2.1	6.7	1.1	4.2	3.6	10.6
24	Wisconsin	31.0	12.9	28.9	6.5	23.3	12.0	4.6	26.9	1.4	25.6	1.3	6.5	1.2	5.1	3.6	9.4
	WEST NORTH CENTRAL:																
25	Minnesota	21.3	9.5	26.1	5.0	20.8	11.2	4.1	30.8	1.1	29.7	1.7	5.5	0.8	5.4	3.2	8.4
26	Iowa	34.2	15.8	28.2	6.9	32.1	11.9	5.8	31.2	1.7	29.5	1.7	7.6	1.0	6.2	3.8	6.8
27	Missouri	43.8	16.5	36.7	8.0	28.0	12.0	10.0	35.6	2.0	33.6	2.7	6.4	1.2	5.6	4.0	10.6
28	North Dakota	15.6	15.8	19.7	5.9	19.1	10.3	5.9	38.8	1.9	36.9	3.3	4.8	0.9	4.5	3.1	6.3
29	South Dakota	25.7	19.0	19.6	5.5	15.7	13.6	4.9	28.4	1.0	27.4	1.9	4.1	0.9	6.5	3.9	6.5
30	Nebraska	35.6	18.7	29.3	5.7	21.7	10.1	4.5	28.3	2.7	25.6	2.3	7.3	0.8	4.8	5.3	8.5
31	Kansas	34.9	15.7	30.4	7.8	27.0	12.2	8.4	29.9	1.7	28.1	1.9	6.5	1.4	6.3	4.3	7.2
	SOUTH ATLANTIC:																
32	Delaware	55.9	13.1	49.8	6.8	14.4	12.2	8.1	26.0	0.7	25.3	2.0	7.2	0.7	4.8	4.6	10.9
33	Maryland	74.5	11.8	56.4	5.1	15.2	11.0	6.6	25.0	0.8	24.2	2.7	4.7	0.8	4.3	3.6	10.8
34	District of Columbia	30.4	10.5	66.8	15.2	21.3	24.4	8.4	47.6	0.4	47.2	3.4	10.0	1.3	6.7	5.1	31.3
35	Virginia	31.5	13.6	43.3	6.1	16.2	10.9	6.7	27.9	1.2	26.8	1.9	5.1	0.8	4.4	4.0	7.7
36	West Virginia	29.3	17.9	41.4	9.2	19.0	10.8	9.2	36.2	2.3	33.9	2.9	5.0	1.0	4.8	3.2	7.0
37	North Carolina	22.8	20.1	44.0	7.7	13.4	10.0	8.2	29.0	1.3	27.7	1.8	3.9	1.0	4.0	4.8	5.8
38	South Carolina	21.1	17.3	51.6	8.1	15.6	8.4	7.1	31.2	2.5	28.7	1.3	4.6	0.7	5.0	6.9	5.1
39	Georgia	22.8	18.4	43.9	7.6	14.7	11.6	6.8	31.0	2.1	28.9	2.0	5.6	1.1	4.9	5.1	6.5
40	Florida	22.2	15.6	28.6	7.1	16.3	14.0	6.3	24.5	0.9	23.6	2.0	6.2	1.1	4.9	6.4	11.3
	EAST SOUTH CENTRAL:																
41	Kentucky	28.9	21.8	44.0	6.1	23.5	10.7	7.5	31.0	1.9	29.2	1.7	5.5	0.8	4.7	4.4	6.5
42	Tennessee	27.5	18.6	37.3	8.8	19.3	10.0	8.0	34.3	2.2	32.1	2.1	4.6	0.9	3.9	3.6	5.4
43	Alabama	31.6	21.3	53.2	7.8	16.6	8.8	8.1	27.3	3.1	24.2	1.6	4.4	0.9	4.6	5.3	5.6
44	Mississippi	22.7	25.6	50.9	9.1	14.6	9.1	10.8	32.6	2.6	29.9	2.2	3.5	0.7	4.3	8.7	5.6
	WEST SOUTH CENTRAL:																
45	Arkansas	20.3	25.4	38.1	8.5	15.8	9.7	10.9	35.7	2.6	33.1	1.9	5.2	1.4	5.3	6.1	4.7
46	Louisiana	22.9	18.8	43.5	6.0	12.6	9.0	6.7	27.6	1.0	26.6	2.0	3.8	0.9	5.6	5.3	7.6
47	Oklahoma	22.9	23.2	27.7	6.9	18.6	11.4	7.9	25.7	1.4	24.3	1.7	6.2	1.3	5.6	4.7	7.5
48	Texas	20.2	22.0	24.2	4.8	13.3	9.3	6.7	26.6	1.0	25.6	2.2	4.2	0.9	4.2	5.9	7.4
	MOUNTAIN:																
49	Montana	30.9	20.8	19.9	3.2	25.2	11.6	5.4	33.0	1.3	31.7	4.3	5.1	1.0	5.3	3.8	10.0
50	Idaho	25.6	15.5	22.4	4.2	16.7	7.9	4.7	23.7	2.0	21.6	2.5	4.5	1.5	5.3	3.8	4.8
51	Wyoming	27.5	13.3	17.2	3.0	17.8	11.5	4.1	23.7	2.1	21.6	3.0	6.5	1.5	6.5	3.3	6.5
52	Colorado	15.3	11.6	18.6	4.3	20.2	17.2	3.8	42.3	0.9	41.4	3.0	7.5	1.2	5.3	4.5	10.7
53	New Mexico	15.3	11.4	11.1	3.4	11.6	7.6	6.9	29.5	1.6	27.9	1.9	5.3	1.6	4.9	6.7	8.5
54	Arizona	13.1	9.5	17.3	4.5	10.2	7.9	6.3	29.3	1.4	28.0	6.0	6.0	1.3	3.6	8.6	11.6
55	Utah	24.2	11.0	21.6	2.8	8.8	11.7	4.1	19.0	0.2	18.8	1.3	4.5	1.4	3.8	2.8	5.3
56	Nevada	24.1	18.1	21.7	7.4	12.4	6.7	9.4	22.7	0.3	22.4	1.7	7.7	0.7	4.7	3.3	19.1
	PACIFIC:																
57	Washington	24.8	14.2	27.8	3.8	21.8	12.1	3.8	31.3	1.3	30.0	2.1	5.9	0.6	4.8	3.7	8.5
58	Oregon	25.7	14.5	33.0	3.7	22.2	14.0	4.2	37.4	1.9	35.5	2.7	7.1	1.1	4.9	3.3	8.9
59	California	34.9	7.6	25.7	4.1	16.1	12.5	4.2	26.0	0.8	25.1	2.1	7.1	0.8	4.4	3.2	18.9
60	Alaska	6.0	12.0	4.3	0.4	12.8	5.6	3.8	29.5	2.1	27.4	0.9	1.7	0.9	2.1	5.6	3.8
61	Hawaii	11.0	6.7	34.2	2.6	4.7	6.1	5.8	23.4	0.9	22.5	0.6	4.0	0.6	2.4	2.1	6.8

United States, Each Division and State, 1961—Con.

lation in each area. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis 584,585	Acute nephritis, and nephritis with edema, including nephrosis 590,591	Infections of kidney 600	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	Other complications of pregnancy, childbirth, and the puerperium 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor vehicle accidents E810-E835	Other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	
2.6	0.9	4.4	2.3	0.9	0.2	0.7	12.0	35.9	15.8	2.6	17.5	10.4	38.0	50.4	20.8	29.6	10.4	4.7	1
2.9	0.8	4.3	2.1	0.6	0.1	0.5	11.5	31.8	13.6	1.9	16.2	5.6	40.7	43.2	12.9	30.3	9.1	1.4	2
3.1	0.7	4.2	2.3	0.8	0.3	0.6	11.3	32.3	14.4	1.9	16.0	5.0	37.9	40.4	13.7	26.6	9.0	3.2	3
2.9	0.8	4.1	2.4	0.7	0.1	0.5	12.5	34.9	17.2	2.2	15.5	4.2	35.0	45.9	19.7	26.2	9.7	3.8	4
3.4	0.8	3.7	2.9	0.6	0.1	0.5	12.7	33.0	14.7	2.1	16.2	8.3	40.6	55.2	23.6	31.6	10.7	2.6	5
1.8	1.0	5.5	2.3	1.2	0.2	1.0	12.1	41.2	17.4	3.5	20.2	14.6	39.3	54.5	22.6	31.8	10.7	7.9	6
1.9	1.3	5.1	2.8	1.5	0.2	1.3	11.6	41.8	14.9	4.1	22.8	39.6	36.2	58.7	24.9	33.8	9.2	8.5	7
2.0	1.1	4.5	2.0	1.1	0.2	0.9	11.7	39.3	15.7	3.7	20.0	19.5	36.9	57.9	25.2	32.7	8.6	7.2	8
2.8	0.9	3.4	1.5	0.8	0.2	0.7	13.0	42.4	17.4	2.7	22.2	16.2	44.4	69.0	31.8	37.1	13.7	4.3	9
2.1	0.6	4.4	1.7	0.6	0.2	0.4	11.9	32.9	15.8	2.0	15.1	3.3	38.0	52.7	24.3	28.4	14.7	3.8	10
2.2	1.0	4.2	3.6	1.0	0	1.0	9.3	38.1	19.6	2.4	16.1	5.8	41.9	53.1	18.4	34.7	13.1	1.9	11
2.4	1.4	5.0	2.3	1.0	0.2	0.8	11.9	32.4	11.9	2.9	17.6	13.5	43.5	42.8	14.8	28.0	10.8	0.3	12
4.3	0.3	4.6	4.1	0.3	0	0.3	13.9	40.5	16.5	1.8	22.3	20.3	51.1	54.4	22.8	31.6	13.7	2.0	13
3.0	0.9	5.3	2.3	0.6	0.2	0.4	11.5	30.4	12.2	2.0	16.2	4.5	42.1	45.7	12.3	33.4	8.4	1.4	14
5.0	0.8	2.7	1.3	0.1	0	0.1	12.5	29.1	14.3	0.9	13.8	1.8	35.3	36.3	7.8	28.5	6.1	1.3	15
2.3	0.5	2.9	1.3	0.5	0.0	0.5	11.8	31.4	14.2	1.5	15.8	5.0	37.0	35.0	11.7	23.3	9.0	1.4	16
3.3	0.6	4.6	2.4	1.0	0.4	0.6	11.3	32.7	14.1	2.0	16.5	4.4	34.2	39.6	13.6	25.9	9.0	3.9	17
3.1	0.7	3.9	2.2	0.7	0.2	0.5	11.6	32.6	16.1	1.7	14.8	2.3	32.9	38.4	12.8	25.7	8.1	2.4	18
3.0	0.9	3.7	2.3	0.6	0.1	0.5	11.2	31.6	13.9	1.7	16.0	7.4	46.1	42.6	14.4	28.2	9.6	2.6	19
2.7	0.8	4.4	2.5	0.5	0.1	0.4	12.7	34.2	15.9	1.8	16.5	5.4	39.9	44.7	17.0	27.8	9.7	3.3	20
2.6	1.3	4.2	3.0	0.9	0.1	0.7	12.7	34.3	15.7	2.1	16.4	5.0	38.4	52.8	23.7	29.1	10.1	3.6	21
2.6	0.7	5.1	2.3	0.6	0.1	0.5	10.9	35.2	21.6	2.9	10.7	4.3	29.7	41.7	18.0	23.8	9.0	5.2	22
3.2	0.8	3.0	2.3	1.0	0.3	0.7	13.9	36.0	15.3	2.0	18.6	2.0	33.1	46.9	21.3	25.6	9.7	3.7	23
3.8	0.7	3.1	2.2	0.7	0.0	0.6	12.6	35.0	14.8	1.9	18.2	4.6	36.0	49.7	23.2	26.5	11.1	1.7	24
3.5	0.6	3.4	2.4	0.5	0.1	0.4	14.3	33.6	15.5	1.7	16.5	5.0	37.7	49.6	21.7	27.8	9.0	1.4	25
3.3	1.0	3.2	3.1	0.5	0.1	0.4	11.9	29.2	11.7	1.7	15.8	2.6	44.4	55.4	24.9	30.6	11.6	1.3	26
3.2	0.9	4.6	3.3	0.5	0.0	0.5	12.2	33.4	15.7	2.6	15.1	15.6	41.5	55.3	21.8	33.4	12.0	4.9	27
3.4	0.5	1.3	2.0	0.8	0.2	0.6	12.7	39.2	16.7	4.2	18.3	3.8	35.3	56.7	25.2	31.6	8.9	1.9	28
3.6	0.7	3.8	3.5	0.6	0	0.6	12.5	37.0	12.5	2.5	22.0	17.2	37.8	66.5	32.6	33.9	7.2	1.4	29
4.1	0.6	4.1	2.7	0.6	0	0.6	13.0	35.0	16.4	1.7	16.8	5.0	36.7	57.9	23.7	34.2	10.7	2.1	30
3.1	1.0	3.5	3.1	0.6	0.0	0.5	12.2	31.4	13.8	2.1	15.5	6.6	43.3	57.7	25.0	32.7	11.1	2.1	31
2.6	0.9	6.8	2.6	1.5	0.2	1.3	14.0	41.0	19.4	1.3	20.3	3.5	44.1	39.7	14.2	25.5	10.5	4.1	32
1.4	1.1	3.6	1.9	1.0	0.3	0.8	12.8	40.0	14.6	3.4	22.0	2.9	38.0	42.9	14.1	28.8	10.5	5.1	33
1.8	0.9	11.7	2.9	1.6	1.1	0.5	12.1	66.5	49.4	2.5	14.6	6.7	55.3	53.7	12.2	41.5	11.2	11.7	34
1.5	1.0	5.6	2.4	1.3	0.4	0.9	12.9	40.9	17.5	3.5	19.9	11.7	37.7	50.4	19.8	30.6	12.5	6.2	35
2.3	1.1	3.6	3.5	1.1	0.3	0.8	13.1	33.7	15.7	2.7	15.3	22.3	39.7	58.8	19.7	39.0	11.1	4.2	36
1.7	1.0	5.1	1.9	1.2	0.1	1.1	11.8	42.3	17.9	3.6	20.7	19.8	35.8	57.4	28.5	28.8	9.8	8.6	37
1.4	1.1	5.6	1.5	1.5	0.1	1.4	11.1	41.5	14.5	4.4	22.6	28.4	34.9	64.3	28.2	36.1	7.0	8.8	38
2.0	1.2	6.5	2.2	1.3	0.3	1.1	11.5	42.7	15.9	4.5	22.3	11.7	41.3	58.3	25.2	33.1	9.2	10.7	39
2.3	0.9	5.9	2.6	1.1	0.2	1.0	11.7	38.8	16.9	3.0	18.9	14.6	42.1	54.6	23.6	31.0	12.9	9.0	40
2.6	1.1	5.3	3.7	1.4	0.1	1.2	12.1	39.9	15.9	3.3	20.6	9.1	38.2	60.2	23.0	37.2	10.5	7.0	41
2.0	1.1	4.7	2.8	0.9	0.2	0.7	11.4	38.1	13.9	3.4	20.8	39.4	38.1	50.3	22.0	28.4	9.6	7.3	42
1.7	1.3	5.1	2.2	1.7	0.2	1.5	11.9	42.1	15.5	4.1	22.5	39.7	35.1	62.3	29.0	33.3	9.1	10.1	43
1.3	2.0	5.6	2.7	2.2	0.2	2.0	11.0	49.9	14.2	6.2	29.5	81.9	32.1	64.8	26.2	38.6	6.7	10.2	44
1.8	1.0	5.1	3.8	1.3	0.2	1.2	11.2	32.3	10.5	3.3	18.5	29.3	38.2	65.4	27.2	38.2	7.7	6.7	45
1.8	0.8	6.1	1.6	1.1	0.2	1.0	13.4	49.9	21.6	6.3	22.0	7.7	37.0	56.3	21.9	34.5	8.0	7.2	46
3.2	1.6	6.8	3.3	0.9	0.0	0.8	10.8	30.8	11.3	1.9	17.5	42.9	42.8	67.3	31.2	36.1	8.6	4.5	47
1.8	1.0	3.4	1.6	1.0	0.2	0.9	11.5	39.0	15.5	3.3	20.2	16.0	35.2	54.8	24.6	30.2	9.0	7.9	48
4.0	1.0	2.6	1.9	0.3	0	0.3	14.2	38.0	13.9	2.2	21.8	25.4	41.3	79.3	39.4	39.9	13.6	2.8	49
2.3	1.0	2.5	0.3	0.9	0.1	0.7	10.8	36.7	14.8	2.5	19.4	11.0	38.7	76.0	36.1	39.9	13.9	2.3	50
3.8	1.8	2.4	1.5	0.3	0	0.3	11.8	44.1	18.0	2.7	23.4	4.7	43.5	82.5	37.0	45.6	13.6	3.3	51
3.2	0.6	3.9	1.9	0.7	0.1	0.6	13.0	42.0	17.9	2.6	21.5	3.7	47.2	64.6	26.6	38.1	16.2	4.5	52
2.0	1.4	2.7	1.3	1.9	0.6	1.3	14.5	50.6	22.0	3.4	25.2	37.7	35.1	72.2	34.6	37.6	9.9	5.5	53
2.7	0.6	4.7	1.2	0.8	0.1	0.7	12.3	44.7	15.7	4.0	24.9	12.7	54.6	65.7	31.6	34.1	13.0	5.5	54
2.2	0.8	2.8	1.9	0.8	0.2	0.5	14.2	35.6	17.9	1.4	16.3	26.0	37.9	57.6	26.3	31.3	8.7	1.7	55
2.0	0.3	2.3	2.3	0	0	0	12.0	48.2	18.4	1.7	28.1	9.4	52.2	78.6	39.5	39.1	28.8	9.7	56
2.1	0.6	3.3	2.2	0.6	0.1	0.5	11.5	29.8	14.5	1.0	14.4	5.3	43.0	55.9	22.3	33.6	14.1	2.7	57
1.7	0.7	4.7	1.9	0.4	0	0.4	11.6	26.8	13.8	1.3	11.7	5.8	44.6	63.0	28.9	34.1	11.0	2.5	58
2.2	0.6	4.7	1.6	0.6	0.2	0.4	12.0	33.5	16.3	2.2	15.0	2.3	37.0	50.9	24.7	26.2	15.4	4.2	59
0	0	2.1	0.4	1.3	0	1.3	11.1	59.8	17.5	5.6	36.8	21.4	31.2	108.5	12.4	96.2	16.7	9.8	60
1.5	0.6	2.3	1.2	0.8	0.2	0.6	12.0	38.7	14.6	2.4	21.6	5.8	25.1	34.2	13.5	20.7	9.9	1.8	61

Table 1-R. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1961

(Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND COLOR	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,573	124	273	319	390	321	130	16
White	897	60	156	191	207	197	78	8
Nonwhite	676	64	117	128	183	124	52	8
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	164	16	36	33	33	33	11	2
White	103	7	23	22	22	21	8	-
Nonwhite	61	9	13	11	11	12	3	2
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	281	40	50	44	50	61	29	7
White	143	23	30	26	19	28	14	3
Nonwhite	138	17	20	18	31	33	15	4
Hemorrhage of pregnancy and childbirth (643,644,670-672)	252	12	29	45	72	62	29	3
White	147	7	17	30	37	39	16	1
Nonwhite	105	5	12	15	35	23	13	2
Ectopic pregnancy (645)	89	6	10	22	33	14	3	1
White	32	2	5	9	9	4	2	1
Nonwhite	57	4	5	13	24	10	1	-
Abortion without mention of sepsis or toxemia (650)	95	8	18	24	26	14	5	-
White	54	4	8	12	17	10	3	-
Nonwhite	41	4	10	12	9	4	2	-
Abortion with sepsis (651)	220	16	51	57	52	33	10	1
White	105	5	21	28	21	22	7	1
Nonwhite	115	11	30	29	31	11	3	-
Abortion with toxemia, without mention of sepsis (652)	9	-	-	5	3	-	1	-
White	4	-	-	2	2	-	-	-
Nonwhite	5	-	-	3	1	-	1	-
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)	463	26	79	89	121	104	42	2
White	309	12	52	62	80	73	28	2
Nonwhite	154	14	27	27	41	31	14	-
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	36.9	20.4	18.9	29.5	57.6	90.2	138.1	304.4
White	24.9	12.6	12.6	20.6	35.8	65.3	97.5	181.9
Nonwhite	101.3	47.5	55.5	83.1	184.3	230.1	367.8	932.4
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	3.8	2.6	2.5	3.1	4.9	9.3	11.7	38.1
White	2.9	1.5	1.9	2.4	3.8	7.0	10.0	0
Nonwhite	9.1	6.7	6.2	7.1	11.1	22.3	21.2	233.1
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	6.6	6.6	3.5	4.1	7.4	17.1	30.8	133.2
White	4.0	4.8	2.4	2.8	3.3	9.3	17.5	68.2
Nonwhite	20.7	12.6	9.5	11.7	31.2	61.2	106.1	466.2
Hemorrhage of pregnancy and childbirth (643,644,670-672)	5.9	2.0	2.0	4.2	10.6	17.4	30.8	57.1
White	4.1	1.5	1.4	3.2	6.4	12.9	20.0	22.7
Nonwhite	15.7	3.7	5.7	9.7	35.3	42.7	92.0	233.1
Ectopic pregnancy (645)	2.1	1.0	0.7	2.0	4.9	3.9	3.2	19.0
White	0.9	0.4	0.4	1.0	1.6	1.3	2.5	22.7
Nonwhite	8.5	3.0	2.4	8.4	24.2	18.6	7.1	0
Abortion without mention of sepsis or toxemia (650)	2.2	1.3	1.2	2.2	3.8	3.9	5.3	0
White	1.5	0.8	0.6	1.3	2.9	3.3	3.8	0
Nonwhite	6.1	3.0	4.7	7.8	9.1	7.4	14.1	0
Abortion with sepsis (651)	5.2	2.6	3.5	5.3	7.7	9.3	10.6	19.0
White	2.9	1.1	1.7	3.0	3.6	7.3	8.8	22.7
Nonwhite	17.2	8.2	14.2	18.8	31.2	20.4	21.2	0
Abortion with toxemia, without mention of sepsis (652)	0.2	0	0	0.5	0.4	0	1.1	0
White	0.1	0	0	0.2	0.3	0	0	0
Nonwhite	0.7	0	0	1.9	1.0	0	7.1	0
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)	10.8	4.3	5.5	8.2	17.9	29.2	44.6	38.1
White	8.6	2.5	4.2	6.7	13.8	24.2	35.0	45.5
Nonwhite	23.1	10.4	12.8	17.5	41.3	57.5	99.0	0

Table 1-S. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-61

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time; for discussion of comparability, see Technical Appendix)

YEAR	Total	White	Nonwhite	YEAR	Total	White	Nonwhite
1961	36.9	24.9	101.3	1947	134.5	108.6	334.6
1960	37.1	26.0	97.9	1946	156.7	130.7	358.9
1959	37.4	25.8	102.1	1945	207.2	172.1	454.8
1958	37.6	26.3	101.8	1944	227.9	189.4	506.0
1957	41.0	27.5	118.3	1943	245.2	210.5	509.9
1956	40.8	28.7	110.7	1942	258.7	221.8	544.0
1955	47.0	32.8	130.3	1941	316.5	266.0	678.1
1954	52.4	37.2	143.8	1940	376.0	319.8	773.5
1953	61.1	44.1	166.1	1935-39	493.9	439.9	875.5
1952	67.8	48.9	188.1	1930-34[1]	636.0	575.4	1,080.7
1951	75.0	54.9	201.3	1925-29	668.6	615.0	1,163.7
1950	83.3	61.1	221.6	1920-24	689.5	649.2	1,134.3
1949	90.3	68.1	234.8	1915-19	727.9	700.3	1,253.5
1948	116.6	89.4	301.0				

[1]For 1932-34, Mexicans are included with "Nonwhite."

Table 1-T. Average Maternal Mortality Rates for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each Geographic Division, 1959-61

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group. For 1959, counties are classified as metropolitan or nonmetropolitan according to 1950 definitions. For 1960 and 1961, these counties are classified according to 1960 definitions; see Technical Appendix)

AREA	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNITED STATES[1]	37.1	35.8	39.2	33.0	35.7	25.0	44.0	36.0	49.0
New England	22.9	21.0	26.4	22.0	22.0	22.1	25.7	14.7	31.9
Middle Atlantic	38.1	43.4	25.6	40.5	45.4	24.6	27.2	26.9	27.4
East North Central	29.9	31.4	26.8	30.4	33.1	19.9	28.7	24.2	31.9
West North Central	23.7	23.3	24.4	18.9	19.5	16.0	28.0	30.2	26.6
South Atlantic	51.2	50.7	51.7	40.9	48.5	29.1	61.3	54.8	64.3
East South Central	62.1	47.5	73.5	42.6	43.7	39.4	73.5	52.4	82.5
West South Central	45.6	40.8	55.8	36.1	36.8	32.2	56.7	49.1	63.9
Mountain	32.2	26.3	41.0	24.8	23.8	27.5	38.1	29.3	49.5
Pacific[1]	26.7	27.6	25.2	27.7	29.6	23.4	23.2	15.9	28.5

[1]Includes Alaska for 1959 and Alaska and Hawaii for 1960 and 1961.

Table 1-U. Average Maternal Mortality Rates by Color: United States, Each Division and State, 1959-61

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group, 1959-61)

DIVISION AND STATE	Total	White	Nonwhite
UNITED STATES[1]	37.1	25.6	100.4
GEOGRAPHIC DIVISIONS:			
New England	22.9	20.5	84.5
Middle Atlantic	38.1	27.8	111.3
East North Central	29.9	23.8	78.3
West North Central	23.7	21.1	63.9
South Atlantic	51.2	24.8	114.2
East South Central	62.1	35.0	127.1
West South Central	45.6	31.3	98.4
Mountain	32.2	28.7	76.0
Pacific[1]	26.7	22.2	61.4
NEW ENGLAND:			
Maine	31.5	35.2	112.1
New Hampshire	29.1	29.3	0
Vermont	17.7	17.7	0
Massachusetts	22.3	19.8	85.8
Rhode Island	16.2	16.9	0
Connecticut	22.3	16.9	100.8
MIDDLE ATLANTIC:			
New York	44.4	32.4	124.0
New Jersey	35.1	22.0	119.7
Pennsylvania	30.3	24.2	82.1
EAST NORTH CENTRAL:			
Ohio	28.7	23.6	72.1
Indiana	28.7	24.8	71.5
Illinois	26.2	20.6	55.2
Michigan	36.5	24.9	129.7
Wisconsin	29.7	27.7	105.6
WEST NORTH CENTRAL:			
Minnesota	14.1	13.6	41.4
Iowa	21.3	21.1	33.0
Missouri	35.4	29.2	74.4
North Dakota	27.9	24.9	104.3
South Dakota	22.5	22.3	25.3
Nebraska	20.4	19.3	44.0
Kansas	22.2	19.6	58.5
SOUTH ATLANTIC:			
Delaware	48.3	31.6	119.4
Maryland	36.2	22.3	83.9
District of Columbia	71.3	42.3	84.5
Virginia	50.5	26.3	122.9
West Virginia	37.3	34.0	98.9
North Carolina	50.2	23.3	108.3
South Carolina	64.4	21.2	123.4
Georgia	60.3	24.4	125.1
Florida	49.9	22.2	124.7
EAST SOUTH CENTRAL:			
Kentucky	47.8	42.3	105.9
Tennessee	44.1	30.1	92.8
Alabama	75.9	34.7	144.7
Mississippi	85.8	29.1	134.2
WEST SOUTH CENTRAL:			
Arkansas	58.1	31.5	120.2
Louisiana	48.9	20.7	92.8
Oklahoma	39.1	31.1	88.8
Texas	43.6	34.1	98.4
MOUNTAIN:			
Montana	19.1	18.5	26.3
Idaho	21.5	19.9	106.6
Wyoming	19.8	20.5	0
Colorado	32.4	31.3	59.8
New Mexico	52.8	50.6	71.5
Arizona	34.2	24.1	87.9
Utah	26.8	23.5	165.9
Nevada	26.8	20.4	71.5
PACIFIC:			
Washington	19.9	18.9	36.3
Oregon	24.9	23.0	78.7
California	27.9	22.5	71.1
Alaska	42.0	20.9	85.3
Hawaii[2]	23.1	31.9	19.3

[1]Includes Alaska for 1959 and Alaska and Hawaii for 1960 and 1961.
[2]Rates based on figures by place of occurrence for 1959 and by place of residence for 1960 and 1961.

Section 2. Life Tables

	Page
The life table program	2-3
Life table values for 1961	2-3
Trends and comparisons	2-4
Explanation of the columns of the life table	2-6

General Tables

2-1. Abridged life tables for total, male, and female population: United States, 1961	2-7
2-2. Abridged life tables by color and sex: United States, 1961	2-8
2-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1961	2-9
2-4. Expectation of life at single years of age, by color and sex: United States, 1961	2-10
2-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1961	2-11
2-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-61	2-12

SECTION 2. LIFE TABLES

The mortality rates for a specific period may be summarized by the life table method to obtain measures of comparative longevity. There are two types of life tables—the generation or cohort life table and the current life table. The generation life table provides a "longitudinal" perspective in that it follows the mortality experience of a particular cohort, all persons born in the year 1900 for example, from the moment of birth through consecutive ages in successive calendar years. Based on age-specific mortality rates observed during consecutive calendar years, the generation life table reflects the mortality experience of a cohort from birth until no lives remain in the group.

The better-known current life table may, by contrast, be characterized as "cross-sectional." Unlike the generation life table, the current life table does not represent the mortality experience of an actual cohort. Rather, the current life table considers a hypothetical cohort and assumes that it is subject to the age-specific mortality rates observed for an actual population during a particular period. Thus, for example, a current life table for 1961 assumes a hypothetical cohort subject throughout its lifetime to the age-specific mortality rates prevailing for the actual population in 1961. The current life table may thus be characterized as rendering a "snapshot" of current mortality experience. In this section, the term "life table" refers to the current life table only and not to the generation life table.

The life table program

There are three series of life tables prepared in the National Vital Statistics Division (NVSD)—complete, provisional abridged, and final abridged life tables. The complete life tables for the U.S. population contain life table values for single years of age and are based on decennial census data and deaths for a 3-year period about the census year and have been prepared since 1900. The provisional abridged life tables contain values by age groups and are based on a 10-percent sample of deaths. The final abridged life tables (referred to in this section as "abridged life tables") also contain values by age groups but are based on a complete count of all reported deaths.

In response to a growing number of requests for postcensal life table values, a series of abridged life tables was initiated in 1945. Available annually since that year, the abridged life tables are based on deaths occurring during the calendar year and on midyear postcensal population estimates provided by the U.S. Bureau of the Census. (The population figures used in the 1960 abridged life tables, however, were taken from the April 1 census enumeration.) Refinements in both the techniques for estimating population and the methods for constructing abridged life tables permit the preparation of abridged life tables which provide reasonably accurate data on current trends in expectation of life and survivorship. Abridged life tables for 1945 to 1952 were constructed by the Greville method;[1] since 1953, a modified method has been employed. The 1945 abridged life tables were prepared for white and nonwhite males and females. Since 1946, abridged life tables for the total population have also been available, and since 1957 abridged life tables have been calculated for total males and total females, regardless of color. Starting with 1959, additional abridged life tables have been published for total whites and total nonwhites, regardless of sex.

Numerous requests have been received annually for current life table statistics that are more detailed than those available in the abridged life tables. Therefore, tables showing l_x and $\mathring{e}_x$ values by single years of age, interpolated from the abridged life tables, have been published beginning with 1960.

The demand for information regarding up-to-date life table values has been responsible for the introduction of a third series, provisional abridged life tables. Starting with 1958, provisional abridged life tables have been published, for the total population only, in Part 2 of the Annual Summary, *Monthly Vital Statistics Report.* Values in these life tables are based on population estimates provided by the U.S. Bureau of the Census and on the estimated number of deaths derived from the Current Mortality Sample (CMS). The CMS is a 10-percent sample of death certificates received each month in vital statistics offices; the sample is taken by selecting 1 certificate out of every 10 death certificates received between two dates a month apart.

Life table values for 1961

The two basic sources of data used in the preparation of the U.S. life tables for 1961 are the final mortality statistics and the midyear estimates of the population by age, color, and sex prepared by the U.S. Bureau of the Census.

---

[1] National Office of Vital Statistics, "Method of Constructing the Abridged Life Tables for the United States, 1949," by Thomas N. E. Greville, *Vital Statistics—Special Reports*, Vol. 33, No. 15, 1953.

[2] U. S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1960 and 1961," *Current Population Reports*, Series P-25, No. 246, March 1962.

Expectation of life.—Perhaps the best known of the life table statistics are the estimates of expectation of life $(\overset{o}{e}_x)$, that is, the average remaining lifetime, in years, for persons who have attained a given age (x). Values of expectation of life at specified ages in 1961 are shown for the total U.S. population, total males, and total females in table 2-1; and for total whites, white males, white females, total nonwhites, nonwhite males, and nonwhite females in table 2-2. In addition, values of expectation of life at single years of age, by color and sex, are shown in table 2-4.

The expectation of life at birth $(\overset{o}{e}_0)$ is the most widely used of the expectation of life values. This measure represents the average number of years that the members of the life table cohort may expect to live at the time of birth. In other words, it is the average age at death of the life table cohort. Based on the mortality experience of the population during 1961, the expectation of life at birth is 67.8 years for white males, 74.5 for white females, 61.9 for nonwhite males, and 67.0 for nonwhite females. These values reflect the higher mortality of males over females and of nonwhites over whites. Expectation of life at birth for white females is 6.7 years longer than that for white males, and the corresponding excess for nonwhite females is 5.1 years. However, because of the substantially higher mortality of nonwhites over whites, the life expectancy at birth for white males exceeds that for nonwhite females by 0.8 year.

Expectation of life at birth is strongly affected by the relatively large number of deaths occurring during the first year of life. In comparing the mortality experience of two (or more) populations, it is sometimes preferable to consider expectation of life at age 1 $(\overset{o}{e}_1)$, since this measure is not affected by the infant mortality rate. Indeed, as shown in tables 2-1 and 2-2, $\overset{o}{e}_1$ is higher than $\overset{o}{e}_0$ in all population groups; those persons who survive the hazards of infancy exhibit an increase in the average number of years of life remaining over the number expected when they were 1 year younger. The 1961 values of expectation of life at age 1 are 68.5 years for white males, 75.0 for white females, 63.8 for nonwhite males, and 68.6 for nonwhite females. The increase in expectation of life at age 1 over that at age 0 is substantial for nonwhite males and females (1.9 and 1.6 years, respectively) but considerably smaller for white males and females (0.7 and 0.5 year, respectively), and this reflects the higher infant mortality experience of the nonwhite population.

Values of expectation of life for single years of age are presented in table 2-4. It may be of interest for certain purposes, for example, to examine average remaining lifetime at ages 21, 62, and 65. These ages may be regarded as representing, respectively, the attainment of adulthood, the minimum retirement age prescribed by the Social Security Act, and the normal retirement age. The 1961 values of expectation of life for age 21 are 49.5 years for white males, 55.6 years for white females, 45.1 years for nonwhite males, and 49.5 years for nonwhite females. Corresponding values for age 62 are 14.8, 18.4, 14.3, and 16.9 years; and for age 65 are 13.1, 16.1, 13.0, and 15.5 years.

The concept "expectation of life" is misleading if it implies the notion of forecasting. It is important to understand that expectation of life values forecast average remaining lifetime only for the hypothetical cohort of the life table. Forecasts of expectation of life in 1961 for any actual population must take into consideration not only mortality experience in 1961 but also mortality experience in subsequent calendar years.

Median length of life.—Another possible standard for comparing longevity among different populations is provided by the median length of life at birth, or "probable lifetime," which is the age at which exactly half of the members of the original life table cohort have died. In other words, it is the median age at death of the life table cohort. For the 1961 abridged life tables, which start with cohorts of 100,000 live births, the median length of life at birth is the age at which there remain exactly 50,000 survivors. Readily computed from the l_x values in table 2-3, median length of life at birth, on the basis of the 1961 mortality rates, is 71.6 years for white males, 78.7 for white females, 65.8 for nonwhite males, and 70.7 for nonwhite females. In computing median length of life at birth, it is assumed that deaths are evenly distributed within the age interval containing the median age.

A comparison of these "probable lifetime" measures with those for expectation of life at birth shows that the former exceed the latter for each population group. Thus, median length of life at birth for white males in 1961 is 3.8 years longer than expectation of life at birth; for white females, 4.2 years; for nonwhite males, 3.9; and for nonwhite females, 3.7. These differences are, in large part, brought about by the relatively high toll of mortality to the cohort during the first year of life.

Survivors to specified ages.—Another value which can be readily determined from the life table is the number (or percentage) of persons in the original cohort surviving to a specified age. The l_x columns in tables 2-1 to 2-3 contain such data. Thus on the basis of the 1961 life tables, the percentage of white males in a cohort of 100,000 live births surviving to age 1 is 97.5; of white females, 98.1; of nonwhite males, 95.5; and of nonwhite females, 96.3. At age 21, respective percentages are 95.9, 97.2, 93.2, and 94.8; and at age 65, respective percentages are 66.3, 81.1, 51.9, and 61.3.

Trends and comparisons

Table 2-5 shows expectation of life values $(\overset{o}{e}_x)$ at specified ages as well as numbers of survivors (l_x) to specified ages for selected years during the period 1900 to 1961. Although life table values for periods prior to the 1929-31 life table are not strictly comparable with those for later periods, certain trends may be noted.

The geographic areas covered in life tables prior to 1939-41 were limited to the death-registration areas (data from Texas were estimated for the 1929-31 life tables). Life tables for 1939-41 through 1958 cover the conterminous United States. For 1959 the data include Alaska; and beginning with the year 1960, Alaska and Hawaii. However, it is not believed

that the inclusion of these two States materially affects life table values. Life tables for 1919-21 were constructed using mortality data from the 1920 death-registration States—34 States and the District of Columbia—and for 1900-1902 and 1909-11, from the 1900 death-registration States—10 States and the District of Columbia.

Life expectancy values for 1961 increased slightly from the comparable figures for 1960. The increase in expectation of life at birth was 0.5 year for the total population, 0.4 year for males, and 0.5 year for females. In the 1900-1902 life table, the expectation of life at birth for the white female was 16.1 years greater than for the nonwhite female; in the 1961 life table, the differential is 7.5 years. Comparable figures for males are, respectively, 15.7 and 5.9 years.

In making comparisons between 1900-1902 life table values and current figures, it should be kept in mind that the former data were based on the death-registration States only. The values shown in the 1900-1902 life tables are probably not totally reflective of the entire population. This is particularly true in the case of the nonwhite group because the mortality data covered mainly the urban Northeast and excluded the majority of the nonwhites living in the Southern States. Therefore, complete comparability between 1900-1902 values and current values does not exist.

Females in both color groups during the period 1900 to 1961 have had greater increases in expectation of life at birth than have males. In the 1900-1902 life tables, expectation of life at birth for the white female was 2.9 years longer than for the white male; for the nonwhite female it was 2.5 years in excess of that for the nonwhite male. Comparable figures for the 1961 life tables are, respectively, 6.7 and 5.1 years.

For all color-sex groups, expectation of life values between 1900 and 1961 have increased not only at age 0 but also at every successive age. An inspection of table 2-5 shows that increases are generally greatest for the younger elements of the population, but the recent values even at relatively older ages are substantially higher than in 1900-1902. The increase in expectation of life at age 20 from 1900 to the present is 8.2 years for white males, 12.8 for white females, 10.9 for nonwhite males, and 13.6 for nonwhite females. For the same population groups, respective increases at age 65 are 1.6, 3.9, 2.6, and 4.1 years.

Trends in survivorship may also be determined by an examination of the proportion of persons in the original cohort who survive to specified ages. Between 1900 and 1961, the proportion of the life table cohort reaching age 65 has increased by 69 percent for white males, 85 percent for white females, 173 percent for nonwhite males, and 179 percent for nonwhite females. It is apparent that the greater relative mortality improvement has occurred in the nonwhite population. Although mortality rates for nonwhites are still substantially higher than those for whites, comparatively greater strides have been made in the reduction of the nonwhite mortality rates.

There has been an increasing interest in data on average length of life ($\mathring{e}_0$) for single calendar years prior to the initiation of the annual abridged life table series in 1945. In order to meet these needs, the estimated figures given in table 2-6 have been computed. [3] From these estimates, average annual increases in expectation of life at birth may be computed. Since the turn of the century, the total population has, on the average, each year added 0.38 year to its expectation of life at birth. During the same period, white males have added 0.35 year per annum; white females, 0.42; nonwhite males, 0.48; and nonwhite females, 0.55. Such annual increases have not, however, been evenly distributed over the period since 1900. Average annual increases during 1951 to 1961 are, for example, less marked than those for 1941 to 1951. Average annual increases in expectation of life at birth for 1941 to 1951 were 0.21 year per annum for white males, 0.39 for white females, 0.66 for nonwhite males, and 0.80 for nonwhite females. Corresponding figures for 1951 to 1961 are, respectively, 0.13, 0.21, 0.28, and 0.37 year. These statistics suggest that although increases in expectation of life at birth are still taking place, the rate of increase is slowing down. No clear-cut reason for the leveling off process is apparent.

---

[3] For estimating procedure, see "Estimated Average Length of Life in the Death-Registration States," by Thomas N. E. Greville and Gustav A. Carlson, National Office of Vital Statistics, *Vital Statistics—Special Reports*, Vol. 33, No. 9, 1951.

Explanation of the Columns of the Life Table

Column 1—Age interval (x to x + n).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying $({}_nq_x)$.—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for white males in the age interval 20-25, the proportion dying is 0.0080—out of every 1,000 white males alive and exactly 20 years old at the beginning of the period, 8.0 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 white male babies born alive, 97,458 will complete the first year of life and enter the second; 97,079 will begin the sixth year; 96,019 will reach age 20; and 13,519 will live to age 85.

Column 4—Number dying $({}_nd_x)$.—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 white males born alive, 2,542 die in the first year of life, 379 in the succeeding 4 years, 772 in the 5-year period between exact ages 20 and 25, and 13,519 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population $({}_nL_x$ *and* $T_x)$.—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population--stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for white males in the age interval 20-25 is 478,189. This means that in a stationary population of white males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 478,189 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of white males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,840,535 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,777,190.

Column 7—Average remaining lifetime $(\mathring{e}_x)$.—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 478,189 for white males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,019 (column 3) who reached the 20th birthday out of 100,000 white males born alive. The corresponding figure (4,840,535) in column 6 is the total number of years lived after attaining age 20 by the 96,019 reaching that age. This number of years divided by the number of persons (4,840,535 divided by 96,019) gives 50.4 years as the average remaining lifetime of white males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus, in observing that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 2-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1961

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL						
0-1	0.0253	100,000	2,531	97,766	7,019,722	70.2
1-5	.0040	97,469	389	388,936	6,921,956	71.0
5-10	.0023	97,080	221	484,807	6,533,020	67.3
10-15	.0021	96,859	205	483,820	6,048,213	62.4
15-20	.0044	96,654	423	482,288	5,564,393	57.6
20-25	.0060	96,231	574	479,753	5,082,105	52.8
25-30	.0063	95,657	602	476,812	4,602,352	48.1
30-35	.0080	95,055	761	473,461	4,125,540	43.4
35-40	.0114	94,294	1,079	468,943	3,652,079	38.7
40-45	.0178	93,215	1,663	462,201	3,183,136	34.1
45-50	.0282	91,552	2,581	451,711	2,720,935	29.7
50-55	.0448	88,971	3,988	435,469	2,269,224	25.5
55-60	.0645	84,983	5,479	411,930	1,833,755	21.6
60-65	.0994	79,504	7,900	378,576	1,421,825	17.9
65-70	.1452	71,604	10,394	333,017	1,043,249	14.6
70-75	.2046	61,210	12,521	275,649	710,232	11.6
75-80	.2957	48,689	14,396	207,629	434,583	8.9
80-85	.4346	34,293	14,902	133,097	226,954	6.6
85 and over	1.0000	19,391	19,391	93,857	93,857	4.8
MALE						
0-1	0.0284	100,000	2,843	97,477	6,702,898	67.0
1-5	.0043	97,157	421	387,618	6,605,421	68.0
5-10	.0026	96,736	252	483,010	6,217,803	64.3
10-15	.0027	96,484	257	481,832	5,734,793	59.4
15-20	.0062	96,227	592	479,769	5,252,961	54.6
20-25	.0087	95,635	831	476,136	4,773,192	49.9
25-30	.0084	94,804	792	472,059	4,297,056	45.3
30-35	.0099	94,012	934	467,826	3,824,997	40.7
35-40	.0141	93,078	1,312	462,323	3,357,171	36.1
40-45	.0225	91,766	2,065	454,032	2,894,848	31.5
45-50	.0361	89,701	3,238	440,938	2,440,816	27.2
50-55	.0603	86,463	5,212	420,056	1,999,878	23.1
55-60	.0858	81,251	6,972	389,648	1,579,822	19.4
60-65	.1308	74,279	9,715	347,938	1,190,174	16.0
65-70	.1881	64,564	12,144	293,242	842,236	13.0
70-75	.2514	52,420	13,176	229,656	548,994	10.5
75-80	.3444	39,244	13,514	162,108	319,338	8.1
80-85	.4809	25,730	12,374	96,414	157,230	6.1
85 and over	1.0000	13,356	13,356	60,816	60,816	4.6
FEMALE						
0-1	0.0220	100,000	2,203	98,071	7,359,144	73.6
1-5	.0036	97,797	357	390,319	7,261,073	74.2
5-10	.0019	97,440	188	486,689	6,870,754	70.5
10-15	.0015	97,252	151	485,903	6,384,065	65.6
15-20	.0026	97,101	251	484,918	5,898,162	60.7
20-25	.0034	96,850	325	483,464	5,413,244	55.9
25-30	.0043	96,525	415	481,628	4,929,780	51.1
30-35	.0061	96,110	589	479,152	4,448,152	46.3
35-40	.0089	95,521	852	475,602	3,969,000	41.6
40-45	.0134	94,669	1,267	470,379	3,493,398	36.9
45-50	.0205	93,402	1,915	462,498	3,023,019	32.4
50-55	.0311	91,487	2,843	450,723	2,560,521	28.0
55-60	.0436	88,644	3,865	434,110	2,109,798	23.8
60-65	.0699	84,779	5,925	409,835	1,675,688	19.8
65-70	.1061	78,854	8,365	374,495	1,265,853	16.1
70-75	.1631	70,489	11,498	324,993	891,358	12.6
75-80	.2545	58,991	15,016	258,167	566,365	9.6
80-85	.3992	43,975	17,555	175,199	308,198	7.0
85 and over	1.0000	26,420	26,420	132,999	132,999	5.0

Table 2-2. Abridged Life Tables by Color and Sex: United States, 1961

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL WHITE						
0-1	0.0224	100,000	2,244	97,996	7,101,097	71.0
1-5	.0035	97,756	347	390,194	7,003,101	71.6
5-10	.0022	97,409	211	486,481	6,612,907	67.9
10-15	.0020	97,198	196	485,532	6,126,426	63.0
15-20	.0042	97,002	404	484,066	5,640,894	58.2
20-25	.0054	96,598	534	481,703	5,156,828	53.4
25-30	.0054	96,074	516	479,104	4,675,125	48.7
30-35	.0067	95,558	637	476,275	4,196,021	43.9
35-40	.0098	94,921	926	472,447	3,719,746	39.2
40-45	.0157	93,995	1,478	466,547	3,247,299	34.5
45-50	.0257	92,517	2,380	457,052	2,780,752	30.1
50-55	.0415	90,137	3,740	441,927	2,323,720	25.8
55-60	.0606	86,397	5,234	419,596	1,881,793	21.8
60-65	.0937	81,143	7,603	387,569	1,462,196	18.0
65-70	.1405	73,540	10,331	342,956	1,074,626	14.6
70-75	.2022	63,209	12,778	285,113	731,668	11.6
75-80	.2972	50,431	14,990	214,912	446,555	8.9
80-85	.4412	35,441	15,636	136,949	231,643	6.5
85 and over	1.0000	19,805	19,805	94,694	94,694	4.8
WHITE MALE						
0-1	0.0254	100,000	2,542	97,718	6,777,190	67.8
1-5	.0039	97,458	379	389,935	6,679,472	68.5
5-10	.0025	97,079	242	484,753	6,290,537	64.8
10-15	.0025	96,837	246	483,620	5,805,784	60.0
15-20	.0059	96,591	572	481,629	5,322,164	55.1
20-25	.0080	96,019	772	478,189	4,840,535	50.4
25-30	.0073	95,247	692	474,515	4,362,346	45.8
30-35	.0085	94,555	804	470,856	3,887,831	41.1
35-40	.0123	93,751	1,151	466,980	3,416,975	36.4
40-45	.0203	92,600	1,881	457,782	2,950,895	31.9
45-50	.0337	90,719	3,054	446,483	2,493,113	27.5
50-55	.0559	87,665	4,896	426,855	2,046,630	23.3
55-60	.0830	82,769	6,873	397,539	1,619,775	19.6
60-65	.1264	75,896	9,594	356,402	1,222,236	16.1
65-70	.1839	66,302	12,195	301,910	865,834	13.1
70-75	.2501	54,107	13,530	237,293	563,924	10.4
75-80	.3476	40,577	14,105	167,309	326,631	8.0
80-85	.4893	26,472	12,953	98,503	159,322	6.0
85 and over	1.0000	13,519	13,519	60,719	60,719	4.5
WHITE FEMALE						
0-1	0.0193	100,000	1,929	98,390	7,451,456	74.5
1-5	.0032	98,071	313	391,526	7,353,166	75.0
5-10	.0018	97,758	178	488,309	6,961,640	71.2
10-15	.0015	97,580	145	487,551	6,473,331	66.3
15-20	.0024	97,435	232	486,620	5,985,780	61.4
20-25	.0029	97,203	280	485,336	5,499,154	56.6
25-30	.0035	96,923	342	483,794	5,013,818	51.7
30-35	.0049	96,581	470	481,792	4,530,024	46.9
35-40	.0073	96,111	705	478,903	4,048,232	42.1
40-45	.0113	95,406	1,077	474,519	3,569,329	37.4
45-50	.0180	94,329	1,696	467,870	3,094,810	32.8
50-55	.0274	92,633	2,536	457,217	2,627,140	28.4
55-60	.0391	90,097	3,522	442,246	2,169,923	24.1
60-65	.0631	86,575	5,462	420,002	1,727,677	20.0
65-70	.1011	81,113	8,200	386,335	1,307,675	16.1
70-75	.1600	72,913	11,663	336,836	921,370	12.6
75-80	.2550	61,250	15,621	268,052	584,540	9.5
80-85	.4049	45,629	18,474	181,144	316,488	6.9
85 and over	1.0000	27,155	27,155	135,344	135,344	5.0

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL NONWHITE						
0-1	0.0409	100,000	4,086	96,522	6,442,326	64.4
1-5	.0066	95,914	633	382,082	6,345,804	66.2
5-10	.0029	95,281	279	475,637	5,963,722	62.6
10-15	.0028	95,002	263	474,425	5,488,085	57.8
15-20	.0059	94,739	562	472,431	5,013,660	52.9
20-25	.0098	94,177	927	468,672	4,541,229	48.2
25-30	.0130	93,250	1,208	463,324	4,072,557	43.7
30-35	.0177	92,042	1,628	456,316	3,609,233	39.2
35-40	.0257	90,414	2,322	446,542	3,152,917	34.9
40-45	.0359	88,092	3,165	432,968	2,706,375	30.7
45-50	.0502	84,927	4,263	414,506	2,273,407	26.8
50-55	.0758	80,664	6,114	388,666	1,858,901	23.0
55-60	.0987	74,550	7,359	354,798	1,470,235	19.7
60-65	.1583	67,191	10,636	309,552	1,115,437	16.6
65-70	.1965	56,555	11,114	254,900	805,885	14.2
70-75	.2330	45,441	10,587	200,539	550,985	12.1
75-80	.2742	34,854	9,558	149,942	350,446	10.1
80-85	.3425	25,296	8,664	104,072	200,504	7.9
85 and over	1.0000	16,632	16,632	96,432	96,432	5.8
NONWHITE MALE						
0-1	0.0450	100,000	4,500	96,150	6,193,045	61.9
1-5	.0070	95,500	667	380,330	6,096,895	63.8
5-10	.0033	94,833	311	473,323	5,716,565	60.3
10-15	.0035	94,522	334	471,859	5,243,242	55.5
15-20	.0079	94,188	743	469,276	4,771,383	50.7
20-25	.0134	93,445	1,252	464,233	4,302,107	46.0
25-30	.0168	92,193	1,546	457,196	3,837,874	41.6
30-35	.0211	90,647	1,910	448,644	3,380,678	37.3
35-40	.0301	88,737	2,674	437,292	2,932,034	33.0
40-45	.0418	86,063	3,601	421,781	2,494,742	29.0
45-50	.0584	82,462	4,817	400,892	2,072,961	25.1
50-55	.0867	77,645	6,735	372,097	1,672,069	21.5
55-60	.1113	70,910	7,894	335,256	1,299,972	18.3
60-65	.1757	63,016	11,071	287,500	964,716	15.3
65-70	.2331	51,945	12,110	229,238	677,216	13.0
70-75	.2861	39,835	10,601	172,341	447,978	11.2
75-80	.3035	29,234	8,872	123,451	275,637	9.4
80-85	.3711	20,362	7,556	82,176	152,186	7.5
85 and over	1.0000	12,806	12,806	70,010	70,010	5.5
NONWHITE FEMALE						
0-1	0.0366	100,000	3,662	96,903	6,704,110	67.0
1-5	.0062	96,338	599	383,874	6,607,207	68.6
5-10	.0026	95,739	247	478,000	6,223,333	65.0
10-15	.0020	95,492	191	477,042	5,745,333	60.2
15-20	.0041	95,301	386	475,635	5,268,291	55.3
20-25	.0066	94,915	628	473,077	4,792,656	50.5
25-30	.0096	94,287	909	469,248	4,319,579	45.8
30-35	.0148	93,378	1,377	463,614	3,850,331	41.2
35-40	.0218	92,001	2,001	455,261	3,386,717	36.8
40-45	.0306	90,000	2,758	443,475	2,931,456	32.6
45-50	.0426	87,242	3,717	427,351	2,487,981	28.5
50-55	.0650	83,525	5,433	404,573	2,060,630	24.7
55-60	.0862	78,092	6,730	374,065	1,656,057	21.2
60-65	.1415	71,362	10,099	331,836	1,281,992	18.0
65-70	.1619	61,263	9,915	281,554	950,156	15.5
70-75	.2007	51,348	10,307	230,906	668,602	13.0
75-80	.2470	41,041	10,138	179,535	437,696	10.7
80-85	.3174	30,903	9,808	129,315	258,161	8.4
85 and over	1.0000	21,095	21,095	128,846	128,846	6.1

Table 2-3. Number of Survivors at Single Years of Age, out of 100,000 Born Alive, by Color and Sex: United States, 1961

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,469	97,157	97,797	97,756	97,458	98,071	95,914	95,500	96,338
2	97,311	96,989	97,649	97,619	97,311	97,944	95,637	95,208	96,077
3	97,215	96,884	97,561	97,534	97,218	97,866	95,478	95,036	95,931
4	97,142	96,803	97,496	97,467	97,143	97,808	95,365	94,918	95,822
5	97,080	96,736	97,440	97,409	97,079	97,758	95,281	94,833	95,739
6	97,020	96,663	97,393	97,352	97,009	97,715	95,203	94,744	95,672
7	96,970	96,605	97,352	97,305	96,953	97,676	95,140	94,674	95,615
8	96,928	96,559	97,315	97,265	96,908	97,641	95,088	94,617	95,568
9	96,892	96,520	97,282	97,230	96,871	97,609	95,043	94,568	95,528
10	96,859	96,484	97,252	97,198	96,837	97,580	95,002	94,522	95,492
11	96,827	96,448	97,224	97,168	96,803	97,553	94,961	94,474	95,459
12	96,793	96,408	97,197	97,136	96,765	97,527	94,917	94,420	95,426
13	96,755	96,360	97,168	97,099	96,719	97,499	94,867	94,356	95,390
14	96,709	96,301	97,137	97,055	96,662	97,469	94,809	94,280	95,349
15	96,654	96,227	97,101	97,002	96,591	97,435	94,739	94,188	95,301
16	96,588	96,138	97,060	96,939	96,504	97,396	94,656	94,080	95,244
17	96,511	96,033	97,013	96,865	96,401	97,352	94,558	93,953	95,176
18	96,425	95,912	96,962	96,782	96,284	97,304	94,446	93,805	95,098
19	96,331	95,779	96,907	96,693	96,156	97,254	94,319	93,636	95,011
20	96,231	95,635	96,850	96,598	96,019	97,203	94,177	93,445	94,915
21	96,124	95,480	96,791	96,498	95,872	97,151	94,019	93,231	94,810
22	96,011	95,314	96,729	96,393	95,717	97,097	93,845	92,995	94,694
23	95,894	95,142	96,664	96,286	95,557	97,041	93,657	92,740	94,568
24	95,775	94,971	96,596	96,179	95,399	96,983	93,458	92,471	94,432
25	95,657	94,804	96,525	96,074	95,247	96,923	93,250	92,193	94,287
26	95,540	94,643	96,451	95,971	95,103	96,861	93,032	91,905	94,132
27	95,423	94,486	96,373	95,870	94,955	96,797	92,804	91,607	93,966
28	95,305	94,331	96,291	95,769	94,830	96,729	92,564	91,298	93,786
29	95,183	94,174	96,204	95,666	94,695	96,657	92,311	90,978	93,591
30	95,055	94,012	96,110	95,558	94,555	96,581	92,042	90,647	93,378
31	94,920	93,843	96,009	95,445	94,410	96,500	91,757	90,304	93,145
32	94,777	93,667	95,900	95,326	94,258	96,413	91,455	89,947	92,892
33	94,626	93,482	95,782	95,200	94,099	96,320	91,133	89,571	92,618
34	94,465	93,286	95,656	95,065	93,930	96,220	90,787	89,169	92,321
35	94,294	93,078	95,521	94,921	93,751	96,111	90,414	88,737	92,001
36	94,111	92,856	95,376	94,766	93,559	95,992	90,011	88,271	91,655
37	93,914	92,617	95,219	94,598	93,351	95,863	89,577	87,770	91,283
38	93,700	92,358	95,050	94,415	93,124	95,723	89,113	87,235	90,883
39	93,468	92,076	94,867	94,215	92,875	95,571	88,618	86,666	90,456
40	93,215	91,766	94,669	93,995	92,600	95,406	88,092	86,063	90,000
41	92,938	91,425	94,455	93,753	92,295	95,227	87,532	85,423	89,513
42	92,636	91,050	94,223	93,487	91,957	95,032	86,936	84,744	88,993
43	92,306	90,639	93,972	93,194	91,584	94,819	86,303	84,025	88,441
44	91,945	90,190	93,699	92,872	91,172	94,586	85,634	83,265	87,857
45	91,552	89,701	93,402	92,517	90,719	94,329	84,927	82,462	87,242
46	91,124	89,171	93,080	92,127	90,222	94,047	84,184	81,617	86,596
47	90,658	88,595	92,731	91,700	89,677	93,738	83,400	80,727	85,915
48	90,149	87,961	92,351	91,230	89,075	93,401	82,563	79,779	85,187
49	89,588	87,254	91,937	90,711	88,407	93,033	81,655	78,755	84,394
50	88,971	86,463	91,487	90,137	87,665	92,633	80,664	77,645	83,525
51	88,291	85,580	90,995	89,504	86,842	92,196	79,579	76,437	82,569
52	87,547	84,606	90,460	88,811	85,937	91,721	78,403	75,135	81,529
53	86,744	83,551	89,887	88,059	84,953	91,211	77,155	73,761	80,421
54	85,888	82,430	89,281	87,254	83,896	90,669	75,865	72,346	79,270
55	84,983	81,251	88,644	86,397	82,769	90,097	74,550	70,910	78,092
56	84,029	80,018	87,977	85,487	81,572	89,493	73,225	69,467	76,902
57	83,019	78,723	87,272	84,516	80,298	88,850	71,875	68,003	75,686
58	81,939	77,349	86,515	83,480	78,937	88,158	70,457	66,475	74,397
59	80,772	75,873	85,689	82,358	77,473	87,404	68,909	64,826	72,970
60	79,504	74,279	84,779	81,143	75,896	86,575	67,191	63,016	71,362
61	78,131	72,564	83,778	79,830	74,204	85,665	65,288	61,037	69,553
62	76,654	70,732	82,684	78,418	72,400	84,670	63,224	58,910	67,569
63	75,072	68,785	81,497	76,901	70,482	83,584	61,041	56,660	65,472
64	73,388	66,728	80,220	75,276	68,449	82,400	58,802	54,327	63,349
65	71,604	64,564	78,854	73,540	66,302	81,113	56,555	51,945	61,263
66	69,718	62,296	77,395	71,691	64,043	79,717	54,316	49,523	59,238
67	67,731	59,929	75,837	69,728	61,677	78,205	52,081	47,068	57,260
68	65,646	57,480	74,173	67,656	59,220	76,572	49,857	44,612	55,308
69	63,471	54,971	72,393	65,481	56,691	74,810	47,643	42,192	53,346
70	61,210	52,420	70,489	63,209	54,107	72,913	45,441	39,835	51,348
71	58,870	49,839	68,460	60,845	51,480	70,880	43,258	37,558	49,312
72	56,451	47,232	66,304	58,390	48,814	68,708	41,102	35,364	47,253
73	53,951	44,599	64,013	55,839	46,109	66,386	38,980	33,250	45,179
74	51,364	41,936	61,577	53,187	43,363	63,903	36,896	31,209	43,105
75	48,689	39,244	58,991	50,431	40,577	61,250	34,854	29,234	41,041
76	45,930	36,530	56,256	47,577	37,758	58,428	32,855	27,323	38,991
77	43,097	33,806	53,377	44,635	34,921	55,443	30,901	25,478	36,956
78	40,204	31,087	50,363	41,621	32,082	52,306	28,991	23,702	34,931
79	37,264	28,390	47,225	38,551	29,260	49,030	27,124	21,997	32,914
80	34,293	25,730	43,975	35,441	26,472	45,629	25,296	20,362	30,903
81	31,304	23,120	40,624	32,308	23,734	42,115	23,506	18,790	28,899
82	28,309	20,571	37,183	29,166	21,060	38,500	21,749	17,288	26,907
83	25,319	18,090	33,662	26,027	18,460	34,795	20,021	15,779	24,934
84	22,344	15,684	30,071	22,903	15,944	31,010	18,317	14,301	22,992
85	19,391	13,356	26,420	19,805	13,519	27,155	16,632	12,806	21,095

Table 2-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1961

Age	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.[illegible]	67.0	73.6	71.0	67.8	74.[illegible]	64.4	61.9	67.0
1	71.0	68.0	74.2	71.6	68.[illegible]	75.0	66.2	63.8	68.6
2	70.1	67.1	73.4	70.7	67.[illegible]	74.1	6[illegible].4	63.0	67.8
3	69.2	66.2	72.4	69.8	66.7	73.1	64.5	62.1	66.9
4	68.3	6[illegible].2	71.5	68.8	6[illegible].8	7[illegible].2	63.5	61.2	65.9
5	67.3	64.3	70.5	67.9	64.8	71.2	62.6	60.3	65.0
6	66.3	63.3	6[illegible].5	66.9	63.8	7[illegible].2	61.6	59.3	64.0
7	65.4	62.4	68.6	66.0	62.9	69.3	60.7	58.4	63.1
8	64.4	61.4	67.6	65.0	61.9	68.3	59.7	57.4	62.1
9	63.4	60.4	66.6	64.0	60.9	67.3	58.7	56.4	61.1
10	62.4	59.4	65.6	63.0	60.0	66.3	57.8	55.5	60.2
11	61.5	58.5	64.7	62.1	59.0	65.4	56.8	54.5	59.2
12	60.5	57.5	63.7	61.1	58.0	64.4	55.8	53.5	58.2
13	59.5	56.5	62.7	60.1	57.0	63.4	54.8	52.6	57.2
14	58.5	55.5	61.7	59.1	56.1	62.4	53.9	51.6	56.3
15	57.6	54.6	60.7	58.2	55.1	61.4	52.9	50.7	55.3
16	56.6	53.6	59.8	57.2	54.1	60.5	52.0	49.7	54.3
17	55.7	52.7	58.8	56.2	53.2	59.5	51.0	48.8	53.4
18	54.7	51.8	57.8	55.3	52.3	58.5	50.1	47.9	52.4
19	53.8	50.8	56.9	54.3	51.3	57.5	49.1	46.9	51.4
20	52.8	49.9	55.9	53.4	50.4	56.6	48.2	46.0	50.5
21	51.9	49.0	54.9	52.4	49.5	55.6	47.3	45.1	49.5
22	50.9	48.1	54.0	51.5	48.6	54.6	46.4	44.3	48.6
23	50.0	47.2	53.0	50.6	47.6	53.7	45.5	43.4	47.7
24	49.1	46.2	52.0	49.6	46.7	52.7	44.6	42.5	46.7
25	48.1	45.3	51.1	48.7	45.8	51.7	43.7	41.6	45.8
26	47.2	44.4	50.1	47.7	44.9	50.8	42.8	40.8	44.9
27	46.2	43.5	49.2	46.8	43.9	49.8	41.9	39.9	44.0
28	45.3	42.5	48.2	45.8	43.0	48.8	41.0	39.0	43.0
29	44.3	41.6	47.2	44.9	42.1	47.9	40.1	38.2	42.1
30	43.4	40.7	46.3	43.9	41.1	46.9	39.2	37.3	41.2
31	42.5	39.8	45.3	43.0	40.2	45.9	38.3	36.4	40.3
32	41.5	38.8	44.4	42.0	39.2	45.0	37.5	35.6	39.4
33	40.6	37.9	43.4	41.1	38.3	44.0	36.6	34.7	38.6
34	39.7	37.0	42.5	40.1	37.4	43.1	35.7	33.9	37.7
35	38.7	36.1	41.6	39.2	36.4	42.1	34.9	33.0	36.8
36	37.8	35.2	40.6	38.3	35.5	41.2	34.0	32.2	35.9
37	36.9	34.2	39.7	37.3	34.6	40.2	33.2	31.4	35.1
38	36.0	33.3	38.7	36.4	33.7	39.3	32.4	30.6	34.2
39	35.1	32.4	37.8	35.5	32.8	38.3	31.5	29.8	33.4
40	34.1	31.5	36.9	34.5	31.9	37.4	30.7	29.0	32.6
41	33.2	30.7	36.0	33.6	31.0	36.5	29.9	28.2	31.7
42	32.4	29.8	35.1	32.7	30.1	35.6	29.1	27.4	30.9
43	31.5	28.9	34.2	31.8	29.2	34.6	28.3	26.7	30.1
44	30.6	28.1	33.3	30.9	28.3	33.7	27.5	25.9	29.3
45	29.7	27.2	32.4	30.1	27.5	32.8	26.8	25.1	28.5
46	28.9	26.4	31.5	29.2	26.6	31.9	26.0	24.4	27.7
47	28.0	25.5	30.6	28.3	25.8	31.0	25.2	23.7	26.9
48	27.2	24.7	29.7	27.5	25.0	30.1	24.5	22.9	26.2
49	26.3	23.9	28.8	26.6	24.1	29.2	23.8	22.2	25.4
50	25.5	23.1	28.0	25.8	23.3	28.4	23.0	21.5	24.7
51	24.7	22.4	27.1	25.0	22.6	27.5	22.4	20.9	24.0
52	23.9	21.6	26.3	24.1	21.8	26.6	21.7	20.2	23.3
53	23.1	20.9	25.5	23.4	21.0	25.8	21.0	19.6	22.6
54	22.3	20.2	24.6	22.5	20.3	24.9	20.4	19.0	21.9
55	21.6	19.4	23.8	21.8	19.6	24.1	19.7	18.3	21.2
56	20.8	18.7	23.0	21.0	18.8	23.2	19.1	17.7	20.5
57	20.1	18.0	22.2	20.2	18.1	22.4	18.4	17.1	19.9
58	19.3	17.3	21.3	19.5	17.4	21.6	17.8	16.5	19.2
59	18.6	16.7	20.6	18.7	16.8	20.8	17.2	15.9	18.6
60	17.9	16.0	19.8	18.0	16.1	20.0	16.6	15.3	18.0
61	17.2	15.4	19.0	17.3	15.5	19.2	16.1	14.8	17.4
62	16.5	14.8	18.2	16.6	14.8	18.4	15.6	14.3	16.9
63	15.8	14.2	17.5	15.9	14.2	17.6	15.1	13.9	16.4
64	15.2	13.6	16.8	15.3	13.6	16.9	14.7	13.4	16.0
65	14.6	13.0	16.1	14.6	13.1	16.1	14.2	13.0	15.5
66	14.0	12.5	15.3	14.0	12.5	15.4	13.8	12.7	15.0
67	13.3	12.0	14.7	13.4	12.0	14.7	13.4	12.3	14.5
68	12.8	11.5	14.0	12.7	11.4	14.0	13.0	11.9	14.0
69	12.2	11.0	13.3	12.2	10.9	13.3	12.5	11.6	13.5
70	11.6	10.5	12.6	11.6	10.4	12.6	12.1	11.2	13.0
71	11.0	10.0	12.0	11.0	9.9	12.0	11.7	10.9	12.5
72	10.5	9.5	11.4	10.4	9.4	11.3	11.3	10.5	12.1
73	10.0	9.0	10.8	9.9	9.0	10.7	10.9	10.2	11.6
74	9.4	8.6	10.2	9.4	8.5	10.1	10.5	9.8	11.1
75	8.9	8.1	9.6	8.9	8.0	9.5	10.1	9.4	10.7
76	8.4	7.7	9.0	8.4	7.6	9.0	9.6	9.1	10.2
77	8.0	7.3	8.[illegible]	7.9	7.2	8.4	9.2	8.7	9.7
78	7.5	6.9	8.[illegible]	7.4	6.8	7.9	8.8	8.3	9.3
79	7.0	6.5	7.5	7.0	6.4	7.4	8.4	7.9	8.8
80	6.6	6.1	7.0	6.5	6.0	6.9	7.9	7.5	8.4
81	6.2	5.7	6.6	6.1	5.7	6.5	7.5	7.1	7.9
82	5.8	5.4	6.1	5.7	5.3	6.1	7.1	6.6	7.5
83	5.5	5.1	[illegible].7	5.4	5.0	5.7	6.6	6.2	7.0
84	5.1	4.8	5.4	5.1	4.7	5.3	6.2	5.8	6.6
85	4.8	4.6	5.0	4.8	4.5	5.0	5.8	5.5	6.1

Table 2-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1961

(Alaska included beginning 1959, and Hawaii, 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhites cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population)

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($\mathring{e}_x$)							
	1961	1960	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1961	1960	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.8	67.4	66.31	62.81	59.12	56.34	50.23	48.23
1	97,458	97,398	96,931	95,188	93,768	91,975	87,674	86,655	68.5	68.2	67.41	64.98	62.04	60.24	56.26	54.61
5	97,079	96,997	96,403	94,150	91,738	88,842	82,972	80,864	64.8	64.4	63.77	61.68	59.38	58.31	55.37	54.43
10	96,837	96,739	96,069	93,601	90,810	87,530	81,519	79,109	60.0	59.6	58.98	57.03	54.96	54.15	51.32	50.59
15	96,591	96,485	95,728	93,089	90,074	86,546	80,549	78,037	55.1	54.8	54.18	52.33	50.39	49.74	46.91	46.25
20	96,019	95,887	95,104	92,293	88,904	84,997	79,116	76,376	50.4	50.1	49.52	47.76	46.02	45.60	42.71	42.19
25	95,247	95,097	94,294	91,241	87,371	83,061	77,047	73,907	45.8	45.5	44.93	43.28	41.78	41.60	38.79	38.52
30	94,555	94,372	93,489	90,092	85,707	80,888	74,810	71,219	41.1	40.8	40.29	38.80	37.54	37.65	34.87	34.88
35	93,751	93,558	92,543	88,713	83,812	78,441	72,108	68,245	36.4	36.1	35.68	34.36	33.33	33.74	31.08	31.29
40	92,600	92,377	91,173	86,880	81,457	75,733	68,848	64,954	31.9	31.6	31.17	30.03	29.22	29.86	27.43	27.74
45	90,719	90,465	89,002	84,285	78,345	72,696	65,115	61,369	27.5	27.2	26.87	25.87	25.28	26.00	23.86	24.21
50	87,665	87,304	85,601	80,521	74,288	69,107	60,741	57,274	23.3	23.1	22.85	21.96	21.51	22.22	20.39	20.76
55	82,769	82,264	80,496	75,156	68,981	64,574	55,622	52,491	19.6	19.3	19.11	18.34	17.97	18.59	17.03	17.42
60	75,896	75,215	73,172	67,787	61,933	58,498	48,987	46,452	16.1	15.9	15.76	15.05	14.72	15.25	13.98	14.35
65	66,302	65,496	63,541	58,305	52,984	50,663	40,862	39,245	13.1	12.9	12.75	12.07	11.77	12.21	11.25	11.51
70	54,107	53,377	51,735	46,739	41,880	40,873	31,527	30,640	10.4	10.2	10.07	9.42	9.20	9.51	8.83	9.03
75	40,577	39,545	38,104	33,404	29,471	29,205	21,585	21,387	8.0	7.9	7.77	7.17	7.02	7.30	6.75	6.84
80	26,472	25,414	24,005	19,860	17,221	17,655	12,160	12,266	6.0	5.9	5.88	5.38	5.26	5.47	5.09	5.10
85	13,519	12,629	12,015	9,013	7,572	8,154	5,145	5,252	4.5	4.4	4.35	4.02	3.99	4.06	3.88	3.81
NONWHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.9	61.1	58.91	52.33	47.55	47.14	34.05	32.54
1	95,500	95,196	94,911	91,696	91,268	89,499	78,065	74,674	63.8	63.2	61.06	56.05	51.08	51.63	42.53	42.46
5	94,833	94,432	93,921	89,920	88,412	85,195	68,589	64,385	60.3	59.7	57.69	53.13	48.69	50.18	44.25	45.06
10	94,522	94,092	93,453	89,211	87,311	83,768	66,377	61,730	55.5	54.9	52.96	48.54	44.27	45.99	40.65	41.90
15	94,188	93,716	92,965	88,417	86,152	82,332	64,478	59,867	50.7	50.1	48.23	43.95	39.83	41.75	36.77	38.26
20	93,445	92,937	91,941	86,770	83,621	79,057	61,426	56,733	46.0	45.5	43.73	39.74	35.95	38.36	33.46	35.11
25	92,193	91,674	90,285	84,055	79,516	74,540	57,736	53,285	41.6	41.1	39.49	35.94	32.67	35.54	30.44	32.21
30	90,647	90,108	88,327	80,865	75,083	70,344	54,073	49,867	37.3	36.7	35.31	32.25	29.45	32.51	27.33	29.25
35	88,737	88,222	85,940	77,185	70,049	65,873	49,865	46,541	33.0	32.5	31.21	28.67	26.39	29.54	24.42	26.16
40	86,063	85,543	82,832	72,630	64,710	61,353	45,414	42,989	29.0	28.4	27.29	25.23	23.36	26.53	21.57	23.12
45	82,462	81,913	78,686	67,514	58,432	56,589	40,563	39,230	25.1	24.6	23.59	22.02	20.59	23.55	18.85	20.09
50	77,645	76,839	72,891	60,766	51,748	51,880	35,427	34,766	21.5	21.0	20.25	19.18	17.92	20.47	16.21	17.34
55	70,910	69,848	65,122	52,867	44,436	46,581	29,754	29,987	18.3	17.8	17.36	16.67	15.46	17.50	13.82	14.69
60	63,016	61,616	55,535	44,370	36,790	40,506	23,750	24,194	15.3	14.9	14.91	14.38	13.15	14.74	11.67	12.62
65	51,945	50,236	45,193	35,912	29,314	34,042	17,806	19,015	13.0	12.7	12.75	12.18	10.87	12.07	9.74	10.38
70	39,835	38,773	35,018	27,688	21,741	26,923	12,295	13,829	11.2	10.7	10.74	10.06	8.78	9.58	8.00	8.33
75	29,234	27,869	25,472	19,765	14,419	18,854	7,494	8,892	9.4	8.9	8.83	8.09	6.99	7.61	6.58	6.60
80	20,362	18,938	16,904	12,352	8,239	11,615	3,894	4,831	7.5	7.0	7.07	6.46	5.42	5.83	5.53	5.12
85	12,806	10,876	9,898	6,492	3,660	5,605	1,747	2,030	5.5	5.5	5.38	5.08	4.30	4.53	4.48	4.04
WHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.5	74.1	72.03	67.29	62.67	58.53	53.62	51.08
1	98,071	98,036	97,645	96,211	95,037	93,608	89,774	88,939	75.0	74.6	72.77	68.93	64.93	61.51	58.69	56.39
5	97,758	97,707	97,199	95,309	93,216	90,721	85,349	83,426	71.2	70.8	69.09	65.57	62.17	59.43	57.67	56.03
10	97,580	97,521	96,960	94,890	92,466	89,564	83,979	81,723	66.3	66.0	64.26	60.85	57.65	55.17	53.57	52.15
15	97,435	97,370	96,756	94,534	91,894	88,712	83,093	80,680	61.4	61.1	59.39	56.07	53.00	50.67	49.12	47.79
20	97,203	97,128	96,454	93,984	90,939	87,281	81,750	78,978	56.6	56.2	54.56	51.38	48.52	46.46	44.88	43.77
25	96,923	96,836	96,072	93,228	89,524	85,163	79,865	76,589	51.7	51.4	49.77	46.78	44.25	42.55	40.88	40.05
30	96,581	96,489	95,605	92,320	87,972	82,740	77,676	73,887	46.9	46.6	45.00	42.21	39.99	38.72	36.96	36.42
35	96,111	96,022	94,977	91,211	86,248	80,206	75,200	70,971	42.1	41.8	40.28	37.70	35.73	34.86	33.09	32.82
40	95,406	95,315	94,080	89,805	84,256	77,624	72,425	67,935	37.4	37.1	35.64	33.25	31.52	30.94	29.26	29.17
45	94,329	94,184	92,725	87,920	81,780	74,871	69,341	64,677	32.8	32.5	31.12	28.90	27.39	26.98	25.45	25.51
50	92,633	92,462	90,685	85,267	78,572	71,547	65,629	61,005	28.4	28.0	26.76	24.72	23.41	23.12	21.74	21.89
55	90,097	89,901	87,699	81,520	74,321	67,323	61,053	56,509	24.1	23.8	22.58	20.73	19.60	19.40	18.18	18.43
60	86,575	86,229	83,279	76,200	68,462	61,704	54,900	50,752	20.0	19.7	18.64	17.00	16.05	15.93	14.92	15.23
65	81,113	80,539	76,773	68,701	60,499	54,299	47,086	43,806	16.1	15.9	15.00	13.56	12.81	12.75	11.97	12.23
70	72,913	72,221	67,545	58,363	49,932	44,638	37,482	35,206	12.6	12.4	11.68	10.50	9.98	9.94	9.38	9.59
75	61,250	60,236	54,397	44,685	37,024	32,777	26,569	25,362	9.5	9.3	8.87	7.92	7.56	7.62	7.20	7.33
80	45,629	44,208	38,026	28,882	23,053	20,492	15,929	15,349	6.9	6.8	6.59	5.88	5.63	5.70	5.35	5.50
85	27,155	25,599	21,348	14,487	10,937	9,909	7,152	7,149	5.0	4.9	4.83	4.34	4.24	4.24	4.06	4.10
NONWHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.0	66.3	62.70	55.51	49.51	46.92	37.67	35.04
1	96,338	96,138	95,913	93,318	92,796	91,251	81,493	78,525	68.6	67.9	64.37	58.47	52.33	50.39	45.15	43.54
5	95,739	95,484	95,055	91,710	90,185	87,149	72,768	68,056	65.0	64.4	60.93	55.47	49.81	48.70	46.42	46.04
10	95,492	95,196	94,679	91,092	89,201	85,607	70,508	65,111	60.2	59.6	56.17	50.83	45.33	44.54	42.84	43.02
15	95,301	94,981	94,343	90,363	88,088	83,954	68,218	62,384	55.3	54.7	51.38	46.22	40.87	40.36	39.18	39.79
20	94,915	94,601	93,544	89,505	85,078	80,154	64,764	59,053	50.5	49.9	46.77	42.14	37.22	37.15	36.14	36.89
25	94,287	93,961	92,336	85,961	81,067	75,359	61,430	55,795	45.8	45.2	42.35	38.31	33.93	34.35	32.97	33.90
30	93,378	92,977	90,799	83,147	76,816	70,633	58,281	52,773	41.2	40.7	38.02	34.52	30.67	31.48	29.61	30.70
35	92,001	91,556	88,805	79,879	72,192	65,857	54,595	49,567	36.8	36.3	33.82	30.83	27.47	28.58	26.44	27.52
40	90,000	89,469	86,052	75,908	67,271	61,130	50,568	46,146	32.6	32.1	29.82	27.31	24.30	25.60	23.34	24.37
45	87,242	86,620	82,257	71,061	61,365	56,230	45,947	42,279	28.5	28.0	26.07	24.00	21.39	22.61	20.43	21.36
50	83,525	82,629	77,007	64,886	54,920	50,780	40,886	37,681	24.7	24.3	22.67	21.04	18.60	19.76	17.65	18.67
55	78,092	76,988	70,196	57,419	47,074	44,742	35,415	33,124	21.2	20.9	19.62	18.44	16.27	17.09	14.98	15.88
60	71,362	69,797	61,758	49,102	38,761	37,954	28,908	27,524	18.0	17.7	16.95	16.14	14.22	14.69	12.78	13.80
65	61,263	60,039	52,338	40,718	30,852	31,044	22,302	21,995	15.5	15.2	14.54	13.95	12.24	12.41	10.82	11.38
70	51,348	50,246	42,612	32,579	23,341	24,107	15,871	16,140	13.0	12.7	12.29	11.81	10.38	10.25	9.22	9.62
75	41,041	39,685	32,981	24,668	16,576	17,216	10,657	11,066	10.7	10.4	10.15	9.80	8.62	8.37	7.55	7.90
80	30,903	29,494	23,712	17,157	10,822	11,151	6,324	6,708	8.4	8.1	8.15	8.00	6.90	6.58	6.05	6.48
85	21,095	19,134	15,550	10,658	6,033	5,972	3,029	3,567	6.1	6.2	6.15	6.38	5.48	5.22	5.09	5.10

Table 2-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-61

(Estimates based on life table values shown in table 2-5)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.6	74.2	63.8	61.4	66.5
1958	69.4	66.4	72.7	70.3	67.2	73.7	63.0	60.6	65.5
1957	69.3	66.3	72.5	70.0	67.1	73.5	62.7	60.3	65.2
1956	69.6	66.6	72.8	70.2	67.3	73.7	63.2	61.1	65.9
1955	69.5	66.6	72.7	70.2	67.3	73.6	63.2	61.2	65.9
1954	69.6	66.7	72.7	70.3	67.4	73.6	63.1	61.0	65.8
1953	68.8	65.9	71.9	69.6	66.8	72.9	61.7	59.7	64.4
1952	68.6	65.7	71.6	69.4	66.6	72.7	61.1	59.1	63.7
1951	68.4	65.6	71.3	69.2	66.5	72.4	61.0	59.1	63.3
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

[1]Alaska included beginning 1959, and Hawaii, 1960.

☆ U. S GOVERNMENT PRINTING OFFICE : 1963 O - 697-102

Section 3. Infant Mortality

	Page
Trend of infant mortality	3-3
Infant mortality by age, color, and sex	3-4
Infant mortality by cause	3-4
Infant mortality by geographic area and color	3-7
Infant mortality rates adjusted for changing numbers of births	3-7

Figure

3-1. Infant mortality rates by age: Birth-registration States, 1951-61	3-3

Text Tables

3-A. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-61	3-3
3-B. Infant mortality rates by age, color, and sex: United States, 1961	3-4
3-C. Infant mortality rates by age and color: United States, 1915-61	3-5
3-D. Infant mortality rates for 55 selected causes: United States, 1951-61	3-6
3-E. Infant mortality rates by color: United States, each division and State, 1957-61	3-8
3-F. Neonatal mortality rates by color: United States, each division and State, 1957-61	3-9

General Tables

3-1. Deaths under 1 year, by age, race, and sex: United States and each State, 1961	3-10
3-2. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1961	3-24
3-3. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1961	3-31
3-4. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1961	3-34
3-5. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1961	3-40
3-6. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1961	3-58

SECTION 3. INFANT MORTALITY

Trend of infant mortality

The relatively favorable health conditions experienced by the general population in 1961 (highlighted by the absence of any notable epidemic of respiratory diseases) were reflected in a decline in the infant mortality rate—almost 3 percent below that for 1960 (26.0) and the lowest figure on record for this country (25.3 deaths under 1 year per 1,000 live births).

Although most of this decline took place at ages 28 days and over, both the neonatal mortality rate and the post-neonatal rate were lower than they had ever been. The neonatal mortality rate—deaths under 28 days per 1,000 live births—was 18.4 in 1961 and 18.7 in 1960. These figures are shown separately for white and nonwhite infants for the years 1915 through 1961 in table 3-A.

In recent years it has been recognized that the slope of the curve of the long-term decline in the infant mortality rate has leveled off. In one study it was pointed out that this change in the trend appeared to have begun around 1949 or 1950. The author states, "During the period 1933-49, the infant mortality rate for all races decreased about 4.3 percent each year. . . . However, beginning about 1950 the rate of decrease in infant mortality dropped to 2.0 percent per annum.

FIGURE 3-1

INFANT MORTALITY RATES BY AGE: BIRTH-REGISTRATION STATES, 1915-61



Table 3-A. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-61

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Excludes fetal deaths. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group)

YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE		
	Total	White	Non-White	Total	White	Non-White
1961	25.3	22.4	40.7	18.4	16.9	26.2
1960	26.0	22.9	43.2	18.7	17.2	26.9
1959	26.4	23.2	44.0	19.0	17.5	27.7
1958	27.1	23.8	45.7	19.5	17.8	29.0
1957	26.3	23.3	43.7	19.1	17.5	27.8
1956	26.0	23.2	42.1	18.9	17.5	27.0
1955	26.4	23.6	42.8	19.1	17.7	27.2
1954	26.6	23.9	42.9	19.1	17.8	27.0
1953	27.8	25.0	44.7	19.6	18.3	27.4
1952	28.4	25.5	47.0	19.8	18.5	28.0
1951	28.4	25.8	44.8	20.0	18.9	27.3
1950	29.2	26.8	44.5	20.5	19.4	27.5
1949	31.3	28.9	47.3	21.4	20.3	28.6
1948	32.0	29.9	46.5	22.2	21.2	29.1
1947	32.2	30.1	48.5	22.8	21.7	31.0
1946	33.8	31.8	49.5	24.0	23.1	31.5
1945	38.3	35.6	57.0	24.3	23.3	32.0
1944	39.8	36.9	60.3	24.7	23.6	32.5
1943	40.4	37.5	62.5	24.7	23.7	32.9
1942	40.4	37.3	64.6	25.7	24.5	34.6
1941	45.3	41.2	74.8	27.7	26.1	39.0
1940	47.0	43.2	73.8	28.8	27.2	39.7
1935-39	55.2	49.2	81.3	31.0	29.5	41.4
1930-34[1]	60.4	55.2	~~98.6~~	34.4	32.5	~~48.2~~
1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1915-19	95.7	92.8	149.7	43.4	42.3	58.1

[1]For 1932-34, Mexicans are included with "Nonwhite."

92.9

"The mortality experience of white infants follows the same pattern as the total infant mortality trend. For nonwhites the deceleration in the downward trend is even more marked. In the period 1933-49, the nonwhite infant mortality rate decreased 4.6 percent per annum. Between 1950 and 1956, the rate of decline slowed down to 1.2 percent per year."[1]

The long-term downward trend was broken by successive increases in the infant mortality rate for 1957 and for 1958. Although declines were registered in the 3 subsequent years, only in 1961 did the rate fall below the 1956 level. Thus the infant mortality rates for the most recent 5-year period represent a further deceleration in the rate of decline.

Infant mortality by age, color, and sex

The sex and color differences characteristic of infant mortality in the past are repeated for 1961. These data are shown by age in table 3-B. Rates for all ages under 5 months for both color groups are considerably higher for males than for females. Rates for nonwhite infants, both male and female, are higher than those for white infants at every age—the most pronounced difference occurring during the postneonatal period. The death rates for ages 28 days to 11 months were 1,449.5 per 100,000 live births for nonwhites and 549.8 for whites. For whites, 25 percent of all infant deaths occurred during the postneonatal period as compared with 36 percent for nonwhites.

Infant mortality rates for each year 1951-61 are given by age and color in table 3-C and by cause in table 3-D. These rates are presented per 100,000 live births in order to facilitate comparison of differences in rates from one year to another in categories where frequencies are small.

Between 1951 and 1961, death rates for white and nonwhite infants increased for the age group under 1 day and declined for all other age groups shown in table 3-C. Among infants in the neonatal period, decreases in excess of 25 percent occurred at ages 3 days and over for white infants and at ages 3 through 6 days for nonwhite. Among infants in the postneonatal period, decreases in excess of 25 percent occurred at ages 4 months and over for white infants and at ages 6 months and over for nonwhite. A decrease of less than 10 percent occurred for infants 2 months of age in both color groups. It has been suggested that the rise in infant mortality rates between 1951 and 1961 for the important age interval under 1 day—2 percent among whites and 11 percent among nonwhites—may reflect more accurate reporting of births. The frequency with which deaths soon after delivery are reported as fetal deaths might have diminished in recent years, particularly in consequence of the increasing proportion of deliveries occurring in hospitals.

Infant mortality by cause

Rates by cause for 1951 to 1961 are given in table 3-D. For most of the more frequent causes, the rates change very little from year to year. In 1961 the rate for deaths from congenital malformations was 363.5—7.4 percent under the comparable rate for 1951. This rate has tended to decline gradually over the last decade. The rate for deaths due to influenza and pneumonia, except pneumonia of newborn, has fluctuated within a narrow range. This rate was 215.6 in 1961 compared with a low for the decade of 205.5 in 1955 and a high of 236.7 in 1952.

The death rate for birth injuries has declined annually with but one exception over the past decade; the rate of 232.5

[1] Iwao M. Moriyama, "Recent Change In Infant Mortality Trend," *Public Health Reports*, May 1960.

Table 3-B. Infant Mortality Rates by Age, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 live births in specified color-sex group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	2,529.2	2,841.4	2,201.5	2,243.4	2,541.6	1,928.7	4,071.4	4,483.5	3,649.9
Under 28 days	1,838.7	2,084.8	1,580.3	1,693.5	1,933.6	1,440.2	2,621.9	2,913.4	2,323.8
Under 1 day	1,025.8	1,149.4	896.1	953.5	1,072.3	828.1	1,416.1	1,571.6	1,257.0
Under 1 hour	197.9	211.9	183.2	186.4	199.9	172.2	259.9	277.6	241.8
1-23 hours	827.9	937.5	712.9	767.1	872.4	655.9	1,156.2	1,294.0	1,015.2
1 day	266.5	309.5	221.2	252.4	296.3	206.2	342.0	381.9	301.2
2 days	172.0	203.9	138.6	165.3	196.9	131.9	208.4	242.1	173.9
3 days	79.1	94.4	63.0	74.8	89.8	58.9	102.3	119.4	84.9
4 days	44.3	50.6	37.6	39.0	45.0	32.6	72.7	81.5	63.6
5 days	34.7	38.7	30.5	30.1	34.5	25.4	59.6	61.6	57.6
6 days	24.1	26.5	21.6	21.0	22.9	18.9	41.1	46.2	35.8
7-13 days	93.5	103.1	83.6	78.0	87.4	68.0	177.7	189.0	166.1
14-20 days	56.2	62.8	49.2	45.5	51.3	39.4	113.7	125.9	101.2
21-27 days	42.5	45.9	39.0	34.0	37.2	30.8	88.2	93.9	82.4
28-59 days	162.0	183.8	139.1	128.7	145.8	110.7	341.3	391.7	289.7
2 months	129.4	145.7	112.3	103.8	120.0	86.6	267.7	286.5	248.5
3 months	97.6	108.6	86.1	77.7	88.0	66.9	204.8	221.3	187.9
4 months	70.6	75.4	65.6	54.5	59.1	49.5	157.8	164.8	150.6
5 months	55.6	57.7	53.4	42.7	44.8	40.4	125.3	128.3	122.1
6 months	43.6	46.4	40.7	34.2	35.6	32.7	94.7	105.8	83.3
7 months	34.5	36.8	32.1	27.5	29.5	25.4	72.1	76.4	67.6
8 months	29.7	30.1	29.2	24.6	25.3	24.0	56.8	56.3	57.3
9 months	24.9	27.5	22.2	20.1	22.2	17.9	50.9	56.3	45.5
10 months	21.4	21.9	20.9	18.2	18.6	17.9	38.7	40.3	37.0
11 months	21.2	22.7	19.6	17.8	19.1	16.4	39.6	42.4	36.7

Table 3-C. Infant Mortality Rates by Age and Color: United States, 1951-61

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 live births in specified color group)

AGE AND COLOR	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
TOTAL											
Under 1 year	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7
Under 28 days	1,838.7	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4	1,911.2	1,909.8	1,956.2	1,982.1	2,004.7
Under 1 day	1,025.8	1,034.2	1,023.8	1,021.5	994.8	992.7	1,000.2	962.6	965.5	972.5	977.7
1 day	266.5	271.2	277.7	277.0	275.2	282.1	288.9	281.2	296.0	301.4	307.8
2 days	172.0	176.9	182.3	186.0	183.3	174.5	184.0	193.8	202.0	205.9	206.1
3 days	79.1	82.6	85.2	93.9	89.6	89.1	93.5	97.0	107.5	105.6	109.9
4 days	44.3	46.3	50.1	57.7	53.8	53.2	55.1	58.1	61.9	59.5	62.4
5 days	34.7	34.2	36.8	44.5	42.0	41.5	43.0	43.1	47.4	46.9	48.1
6 days	24.1	25.0	28.3	32.7	31.9	32.2	31.6	32.7	31.1	33.7	34.7
7-13 days	93.5	99.0	105.2	118.9	118.9	116.4	108.1	119.8	121.9	129.1	131.9
14-20 days	56.2	58.2	59.8	64.2	65.9	61.1	61.2	64.2	70.5	72.7	73.1
21-27 days	42.5	45.0	47.8	49.5	50.3	46.8	45.7	49.3	52.3	54.8	53.1
28-59 days	162.0	170.8	172.5	177.1	166.2	161.8	162.4	163.1	173.3	180.7	174.1
2 months	129.4	132.9	132.8	137.1	126.6	122.5	123.7	122.9	136.4	139.4	136.0
3 months	97.6	100.7	102.3	104.7	97.8	94.3	95.3	99.6	108.3	111.6	109.5
4 months	70.6	77.2	74.8	78.8	78.3	74.7	77.2	79.2	88.0	92.0	90.8
5 months	55.6	57.4	62.5	61.6	59.4	57.6	62.2	64.5	72.3	76.1	74.8
6 months	43.6	47.2	47.1	50.8	49.4	47.7	51.7	54.8	60.2	64.8	61.8
7 months	34.5	39.2	38.3	39.0	39.2	40.1	41.5	43.6	48.0	52.5	51.0
8 months	29.7	33.2	32.5	33.4	34.5	34.4	36.0	37.4	42.3	45.6	43.6
9 months	24.9	26.7	26.9	29.5	29.6	27.6	29.1	31.4	35.9	38.6	37.4
10 months	21.4	23.0	23.8	25.3	23.8	25.0	25.9	26.1	25.4	30.8	31.6
11 months	21.2	22.9	22.3	23.8	23.9	23.5	25.1	25.8	28.8	30.0	29.5
WHITE											
Under 1 year	2,243.4	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6	2,361.8	2,387.0	2,503.6	2,550.7	2,585.0
Under 28 days	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6	1,773.6	1,778.8	1,829.3	1,852.9	1,889.0
Under 1 day	953.5	960.7	954.2	948.9	925.3	926.6	934.4	902.2	912.6	924.6	931.0
1 day	252.4	253.3	262.9	260.3	261.1	270.9	278.8	278.7	285.9	289.1	296.3
2 days	165.3	172.0	175.2	176.4	176.0	165.7	178.3	186.3	196.9	198.8	202.1
3 days	74.8	77.7	79.6	84.4	82.4	82.9	88.0	91.1	101.9	99.0	105.5
4 days	39.0	41.3	45.3	50.4	47.7	49.2	49.8	53.5	55.4	53.2	55.4
5 days	30.1	30.4	31.7	38.5	37.1	37.6	37.2	38.3	41.6	41.5	42.4
6 days	21.0	22.5	24.9	27.3	28.0	28.3	27.9	29.0	26.9	29.1	31.0
7-13 days	78.0	85.3	87.8	100.7	101.7	99.6	92.4	103.9	106.7	112.9	116.5
14-20 days	45.5	46.2	48.3	51.9	52.7	50.0	51.1	53.7	58.6	60.5	63.1
21-27 days	34.0	34.8	37.6	38.3	41.1	36.9	35.8	42.0	42.8	44.3	45.7
28-59 days	128.7	133.8	137.0	139.6	134.2	130.4	129.4	132.8	141.2	147.3	143.9
2 months	103.8	103.4	103.3	106.8	99.5	99.0	99.0	99.8	113.6	113.0	112.9
3 months	77.7	78.6	78.5	82.8	76.8	75.9	76.9	79.9	87.6	89.7	91.5
4 months	54.5	57.3	55.7	60.6	61.4	58.3	61.2	63.8	71.5	74.3	74.4
5 months	42.7	43.2	47.6	48.7	45.5	46.0	50.4	52.2	57.9	60.2	61.8
6 months	34.2	35.2	36.0	39.5	38.4	37.9	41.7	43.1	48.4	51.2	50.1
7 months	27.5	30.4	30.4	31.5	31.1	31.7	33.9	36.1	39.5	42.1	42.2
8 months	24.6	26.4	25.4	27.2	27.9	28.3	30.0	31.2	34.8	37.6	36.6
9 months	20.1	21.3	21.4	23.7	23.4	23.0	23.3	25.7	30.3	31.5	31.6
10 months	18.2	18.4	20.1	21.3	20.0	21.0	21.0	22.2	25.0	25.8	26.2
11 months	17.8	18.3	18.1	19.9	19.5	19.5	21.4	21.4	24.5	25.1	24.8
NONWHITE											
Under 1 year	4,071.4	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7	4,283.1	4,286.1	4,467.6	4,703.4	4,481.3
Under 28 days	2,621.9	2,685.7	2,766.9	2,900.5	2,778.5	2,703.2	2,719.0	2,696.4	2,736.8	2,801.3	2,733.5
Under 1 day	1,416.1	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6	1,366.4	1,325.2	1,291.5	1,276.1	1,272.0
1 day	342.0	369.5	360.1	371.8	356.1	346.4	348.0	352.1	358.3	379.0	380.1
2 days	208.4	203.9	221.7	239.9	225.0	225.2	218.1	238.8	233.6	251.4	231.2
3 days	102.3	109.4	116.5	147.4	130.7	124.6	125.7	132.3	141.7	147.4	138.0
4 days	72.7	73.8	76.3	98.7	89.2	76.1	86.6	85.6	102.0	99.6	106.5
5 days	59.6	55.4	65.7	78.7	70.1	63.6	77.1	72.0	83.1	80.9	84.1
6 days	41.1	38.3	47.3	63.3	54.2	54.6	53.2	54.9	56.8	63.1	57.6
7-13 days	177.7	173.9	202.2	221.5	217.3	212.5	200.1	215.1	215.6	231.9	228.7
14-20 days	113.7	124.3	123.6	133.5	140.8	124.5	120.4	127.2	143.8	150.3	135.5
21-27 days	88.2	100.4	104.1	115.2	103.3	104.1	103.6	93.2	110.4	121.7	99.8
28-59 days	341.3	373.5	369.7	389.1	349.1	342.1	355.9	345.1	371.0	392.3	364.4
2 months	267.7	294.8	297.2	308.5	281.5	257.2	269.2	261.4	276.5	307.1	281.4
3 months	204.8	221.7	234.8	228.7	217.7	200.1	203.6	218.0	235.6	250.0	222.9
4 months	157.8	186.3	180.9	181.9	174.8	168.7	171.4	171.7	189.8	203.7	193.7
5 months	125.3	135.6	144.9	134.9	139.3	124.0	131.4	138.2	160.6	176.6	157.1
6 months	94.7	113.2	108.9	114.3	112.6	104.3	110.6	124.6	133.3	150.9	135.9
7 months	72.1	87.5	82.0	81.1	85.7	88.1	86.1	88.9	100.1	118.2	106.5
8 months	56.8	70.5	71.8	68.1	72.5	69.8	71.5	74.3	88.8	96.1	87.6
9 months	50.9	56.3	57.3	62.2	65.2	54.1	63.2	65.5	70.6	83.5	74.2
10 months	38.7	48.2	44.6	48.0	45.3	47.8	54.5	49.5	49.3	62.7	65.6
11 months	39.6	47.8	45.7	51.8	48.6	46.5	46.7	52.5	55.2	60.8	58.8

Table 3-D. Infant Mortality Rates for 55 Selected Causes: United States, 1951-61

(Data refer only to deaths occurring within the United States Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates are deaths under 1 year per 100,000 live births. Numbers after cause of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1951-57 and according to the Seventh Revision for 1958-61. Rates for frequencies less than 20 are underlined)

CAUSE OF DEATH	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
ALL CAUSES	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7
Dysentery, all forms-045-048	2.4	3.3	4.0	4.4	5.1	5.2	6.7	7.5	12.5	13.4	15.0
Septicemia and pyemia-053	8.8	9.6	10.0	10.3	10.2	7.9	7.7	7.3	5.9	6.4	5.1
Whooping cough-056	1.3	1.7	4.3	3.1	2.9	4.1	8.3	6.5	4.7	6.8	17.4
Meningococcal infections-057	3.9	4.6	4.8	5.8	5.8	6.1	6.3	7.5	10.1	10.3	8.1
Tetanus-061	1.5	1.6	1.9	2.0	1.8	1.9	1.9	2.3	2.5	2.4	2.9
Other infective and parasitic diseases-001-044,049-052,054,055,058-060,062-138	12.7	13.1	13.1	13.8	12.5	15.2	13.6	17.4	18.8	25.2	25.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	6.9	7.0	6.6	6.2	6.6	7.2	7.1	7.6	7.7	7.6	7.2
Benign neoplasms and neoplasms of unspecified nature-210-239	2.9	3.2	3.0	3.2	3.1	3.8	4.0	4.2	4.0	3.9	3.9
Diseases of thymus gland-273	2.1	2.7	3.5	3.3	4.0	4.4	6.1	7.2	9.5	11.9	13.4
Meningitis, except meningococcal and tuberculous-340	20.5	20.5	19.7	20.9	18.1	17.9	16.7	16.1	17.6	16.8	15.1
Other diseases of nervous system and sense organs-330-334,341-398	20.1	22.3	22.0	22.9	20.0	19.2	20.4	20.8	21.0	22.1	21.2
Acute upper respiratory infections-470-475	9.1	9.8	11.7	10.8	10.8	9.9	10.4	10.0	10.8	11.2	9.1
Influenza and pneumonia, except pneumonia of newborn-480-493	215.6	230.8	229.6	235.9	225.9	207.4	205.5	206.3	232.5	236.7	221.6
Influenza-480-483	6.0	12.6	8.0	10.6	15.2	6.9	9.1	10.6	26.2	21.3	20.7
Pneumonia, except pneumonia of newborn-490-493	209.6	218.2	221.6	225.3	210.7	200.5	196.4	195.7	206.3	215.3	200.9
Bronchitis-500-502	14.0	15.4	17.3	18.6	18.0	18.8	16.6	17.1	17.1	17.2	15.5
Other diseases of respiratory system-510-522,525-527	37.3	36.1	35.5	36.3	61.6	54.4	46.4	38.3	31.9	25.2	16.6
Pulmonary congestion and hypostasis-522	5.1	4.3	3.7	---	---	---	---	---	---	---	---
Other chronic interstitial pneumonia-525	21.5	21.9	20.9	---	---	---	---	---	---	---	---
Bronchiectasis-526	0.0	0.0	0.0	---	---	---	---	---	---	---	---
Other diseases of lung and pleural cavity-527.2	6.2	5.5	5.9	---	---	---	---	---	---	---	---
All other diseases of respiratory system-510-521,527.1	4.5	4.3	4.9	---	---	---	---	---	---	---	---
Hernia and intestinal obstruction-560,561,570	21.8	21.7	22.5	22.6	24.5	25.9	23.6	25.5	25.5	24.8	25.8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	53.8	61.6	60.1	63.5	72.8	67.4	80.5	89.4	108.0	113.5	105.2
Other diseases of digestive system-530-542,544-553,573-587	15.5	15.9	16.1	17.6	13.0	13.9	12.8	16.4	15.4	15.4	14.7
Congenital malformations-750-759	363.5	361.4	367.0	370.0	371.4	376.5	379.4	376.3	388.7	394.7	392.5
Spina bifida and meningocele-751	24.5	25.7	28.2	27.6	27.6	31.3	29.8	34.1	38.3	41.8	41.5
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	38.1	38.6	38.8	39.7	41.6	40.9	44.6	43.3	46.6	46.6	48.7
Congenital malformations of circulatory system-754	178.7	178.2	177.2	181.0	178.0	177.5	172.4	171.9	170.6	178.2	173.2
Other congenital malformations-750,755-759	122.3	118.8	122.8	121.8	124.2	126.9	132.6	127.0	133.1	128.2	129.1
Certain diseases of early infancy-760-776	1,538.4	1,575.3	1,600.0	1,639.9	1,504.2	1,349.7	1,581.7	1,579.4	1,625.3	1,654.1	1,680.8
Birth injuries-760,761	232.5	238.6	246.5	264.7	267.9	276.6	285.7	280.0	300.1	307.0	314.8
Without mention of immaturity (.0)	90.1	94.0	98.0	108.7	111.6	119.4	123.7	126.9	142.3	148.5	160.8
With immaturity (.5)	142.3	144.6	148.5	156.1	156.3	157.2	162.0	153.1	157.7	158.5	154.0
Intracranial and spinal injury at birth-760	70.6	74.6	80.7	92.9	97.3	104.1	109.6	109.5	122.8	127.9	133.5
Without mention of immaturity (.0)	40.4	43.6	48.1	56.5	60.[illegible]	66.3	70.6	73.6	85.2	90.7	97.7
With immaturity (.5)	30.2	31.0	32.6	36.3	[illegible]	37.7	38.9	36.0	37.6	37.2	35.8
Other birth injury-761	161.8	164.0	165.8	171.9	170.8	172.5	176.1	170.4	177.3	179.1	181.3
Without mention of immaturity (.0)	49.7	50.4	49.8	52.1	51.5	53.0	53.0	53.3	57.1	57.9	63.0
With immaturity (.5)	112.1	113.6	116.0	119.7	119.0	119.5	123.1	117.1	120.2	121.2	118.3
Postnatal asphyxia and atelectasis-762	445.7	458.9	466.1	485.2	443.6	434.2	436.9	432.7	424.2	404.0	403.9
Without mention of immaturity (.0)	119.5	123.4	129.4	138.9	128.1	124.0	138.2	145.5	152.0	149.6	152.1
With immaturity (.5)	326.1	335.5	336.6	346.3	317.5	310.2	298.6	287.3	272.1	254.4	251.8
Pneumonia of newborn-763	83.0	83.2	88.6	95.2	97.3	81.7	76.9	78.2	78.8	76.5	75.3
Without mention of immaturity (.0)	60.3	60.2	62.9	65.1	69.9	57.1	52.4	51.9	53.7	52.6	53.4
With immaturity (.5)	22.6	23.0	25.7	28.1	27.5	24.6	24.4	26.3	25.1	23.9	21.9
Diarrhea of newborn-764	9.8	10.9	11.6	12.8	12.1	12.7	13.5	17.4	17.9	20.1	18.3
Without mention of immaturity (.0)	7.7	8.5	9.1	10.2	9.4	10.2	10.6	13.2	12.8	15.3	13.9
With immaturity (.5)	2.2	2.4	2.5	2.6	2.7	2.5	2.9	4.2	5.1	4.8	4.4
Other infections of newborn-765-768	17.5	18.3	19.1	25.7	20.1	16.5	13.5	12.9	10.7	9.8	11.1
Without mention of immaturity (.0)	11.1	11.9	13.1	16.2	13.5	11.1	8.8	8.7	7.2	6.9	8.4
With immaturity (.5)	6.4	6.4	6.0	9.6	6.7	5.3	4.6	4.3	3.4	3.0	2.6
Neonatal disorders arising from certain diseases of mother during pregnancy-769	21.4	23.5	20.6	19.1	15.3	15.9	17.5	10.1	10.9	12.8	16.3
Without mention of immaturity (.0-.4)	7.8	8.3	6.9	6.5	4.7	4.7	5.5	5.3	6.3	7.2	7.3
With immaturity (.5-.9)	13.6	15.2	13.7	12.6	10.6	11.3	12.0	4.8	4.6	5.6	9.0
Hemolytic disease of newborn (erythroblastosis)-770	49.3	50.4	51.5	56.4	59.3	56.7	59.9	61.9	65.4	68.1	70.0
Without mention of immaturity (.0-.2)	38.6	40.0	40.9	45.8	48.0	45.1	47.2	49.8	52.7	55.0	57.2
With immaturity (.5-.7)	10.7	10.4	10.6	10.6	11.3	11.7	12.7	11.9	12.7	13.1	12.9
Hemorrhagic disease of newborn-771	15.2	14.6	15.9	16.2	17.4	17.3	18.9	21.1	20.4	22.7	25.8
Without mention of immaturity (.0)	8.1	8.2	9.6	9.8	10.8	11.0	11.5	13.3	12.9	15.2	16.7
With immaturity (.5)	5.1	6.3	6.3	6.4	6.5	6.3	7.4	7.8	7.6	7.6	9.2
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	198.9	189.2	179.7	159.5	95.3	93.0	82.2	82.8	87.3	96.4	99.3
Without mention of immaturity (.0)	57.4	55.5	52.7	49.1	23.1	23.2	23.4	24.8	29.2	34.8	36.8
With immaturity (.5)	141.5	131.	127.0	110.4	72.2	69.7	58.8	57.9	58.1	61.6	62.4
Immaturity with mention of any other subsidiary condition-774	31.6	30.8	31.5	30.8	58.5	51.9	46.7	41.1	33.6	33.8	29.8
Immaturity, unqualified-776	435.7	457.0	468.9	476.4	487.3	493.2	530.1	541.4	576.1	602.8	616.2
Symptoms and ill-defined conditions-780-793,795	56.1	59.1	58.1	65.5	60.1	61.4	68.9	69.2	75.9	87.2	90.1
All other diseases-Residual	32.6	32.6	33.6	33.8	33.1	33.4	31.7	33.6	36.7	37.2	35.5
Accidents-E800-E962	93.9	90.0	90.9	93.2	86.3	84.0	81.7	89.1	93.0	97.0	98.9
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	28.8	29.3	27.2	30.7	26.4	23.7	21.7	24.8	26.1	23.8	26.0
Accidental mechanical suffocation in bed and cradle-E924	21.7	23.9	27.0	26.9	25.1	24.3	24.8	28.0	28.3	31.2	34.0
Other accidental causes-E800-E920,E923,E925-E962	33.4	37.8	38.7	36.1	34.9	36.0	35.2	36.4	38.5	42.0	39.0
Homicide-E964,E980-E984	4.5	4.7	3.5	3.2	2.9	3.0	3.2	3.3	2.8	3.3	3.8

in 1961 was 26 percent below that for 1951. The most frequently reported birth injuries are those classified as intracranial and spinal injury at birth. The rate for this cause in 1961 was 47 percent below that for 1951. The rate for deaths from postnatal asphyxia and atelectasis with immaturity increased gradually from 1951 to 1958. For the past 3 years, however, the rate for each year has been lower than that for the preceding year. The death rate recorded for immaturity, unqualified, declined for each of the past 10 years. These changes may be the result of the use of more specific terms in reporting infant deaths.

Immaturity is a major cause of infant deaths. The International Classification of Diseases[2] defines an infant whose birth weight is less than 2,500 grams as immature. Immaturity as a factor associated with the cause of death is contained in the Classification for those causes which fall under the general heading Certain Diseases of Early Infancy. Since the death certificate does not contain an item on weight at birth, the assignments to immaturity in the cause-of-death classification depend entirely on the physician's entry of this fact in the medical certification. Three-fifths of all infant deaths in 1961 were assigned to Certain Diseases of Early Infancy. Within this group, immaturity was mentioned in almost three-fourths of the cases.

Infant mortality by geographic area and color

Infant mortality rates by color for 1957 through 1961 are shown for each State and geographic division in table 3-E, and neonatal mortality rates by the same variables are given in table 3-F. The infant mortality rate for 1961 was lower than that for 1960 for 33 States and the District of Columbia, equal for 4 States, and higher for 13. The rate of 20.3 recorded for Utah was the lowest for any State in 1961. The rate of 37.8 for Mississippi was the highest. The largest proportionate declines between 1960 and 1961 occurred in South Dakota, Georgia, and New Mexico; the largest increases in Vermont and Delaware.

[2]World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume I. Geneva, Switzerland, 1957.

The infant mortality rate for the New England Division in 1961 was 22.6, the lowest for any of the divisions. Next lowest was the West North Central Division, where it was 22.8. Also below the average for the United States were the rates for the Middle Atlantic (23.6), East North Central (23.7), and Pacific Divisions (23.3). Rates were above average in the three southern divisions and in the Mountain Division.

Infant mortality rates adjusted for changing numbers of births

The infant mortality rate is based on live births and infant deaths occurring in the same calendar year. This has the effect of lowering the infant death rate for a year when there has been an increase in the number of births. For a year when the number of births had declined, the opposite effect would occur. A truer measure would result if deaths were allocated to the year in which each infant was born. The following rates for 1940 and 1945-61 approximate such an allocation by taking into account differences in the number of births between consecutive years. For recent years, the adjusted rate has not varied greatly from the conventional rate.

1961	25.3
1960	26.0
1959	26.4
1958	27.0
1957	26.4
1956	26.1
1955	26.4
1954	26.7
1953	27.8
1952	28.5
1951	28.6
1950	29.2
1949	31.4
1948	31.8
1947	32.8
1946	34.6
1945	38.1
1940	47.4

Table 3-E. Infant Mortality Rates by Color: United States, Each Division and State, 1957-61

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 1 year per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	1961			1960			1959			1958			1957		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1]	25.3	22.4	40.7	26.0	22.9	43.2	26.4	23.2	44.0	27.1	23.8	45.7	26.3	23.3	43.7
GEOGRAPHIC DIVISIONS:															
New England	22.6	22.0	34.6	22.2	21.7	35.2	22.9	22.1	43.4	23.4	22.6	44.5	23.1	22.5	41.0
Middle Atlantic	23.6	21.1	41.1	24.3	22.0	41.4	24.8	22.2	43.3	24.8	22.1	45.2	24.1	21.8	42.9
East North Central	23.7	22.1	36.2	24.0	22.1	39.4	24.5	22.7	39.0	24.8	23.1	38.6	24.5	22.5	40.8
West North Central	22.8	21.7	39.2	23.0	21.7	42.5	22.7	21.4	42.4	24.2	22.8	46.7	23.4	22.2	42.7
South Atlantic	29.1	22.8	44.3	30.6	23.6	47.2	31.6	24.6	47.9	31.3	24.5	47.4	30.3	23.6	46.0
East South Central	31.1	25.0	45.8	32.3	25.6	48.4	31.7	25.4	46.6	33.7	26.7	50.7	31.4	25.8	44.7
West South Central	27.2	23.3	41.2	29.0	24.9	44.3	28.7	24.4	45.0	30.7	26.2	47.6	29.3	25.6	43.3
Mountain	26.6	25.0	45.5	27.7	25.7	51.7	28.1	26.4	49.2	29.7	27.6	57.2	30.2	27.9	62.5
Pacific[1]	23.3	22.5	29.3	23.6	22.6	30.5	24.1	23.0	33.3	24.7	23.4	37.2	24.5	23.4	35.6
NEW ENGLAND:															
Maine	25.3	25.2	27.3	25.5	25.7	12.9	26.1	26.2	19.8	26.5	26.5	31.0	25.1	25.2	13.0
New Hampshire	24.4	24.4	16.7	23.6	23.7	10.6	22.1	22.0	38.5	24.9	24.9	29.4	26.4	26.2	69.0
Vermont	27.2	27.2	0	24.1	24.2	0	23.7	23.7	0	22.4	22.4	41.7	25.4	25.3	55.6
Massachusetts	21.6	21.1	33.1	21.6	21.1	34.4	22.3	21.8	35.5	22.8	22.2	38.8	22.7	22.1	39.9
Rhode Island	22.5	22.3	26.6	23.3	22.4	44.4	24.0	23.7	31.7	21.3	20.0	53.1	24.1	23.9	27.7
Connecticut	22.3	20.9	38.6	21.1	20.0	36.9	22.4	20.3	60.0	23.8	22.2	51.2	21.7	20.3	47.1
MIDDLE ATLANTIC:															
New York	23.7	21.1	40.3	24.1	21.5	41.6	24.7	22.1	42.6	24.5	21.8	43.4	23.9	21.5	42.3
New Jersey	23.6	20.7	41.5	24.6	21.9	41.7	24.6	21.7	43.9	24.5	21.3	46.2	24.2	21.6	43.2
Pennsylvania	23.6	21.3	42.3	24.5	22.6	40.6	24.9	22.7	44.0	25.5	22.9	47.7	24.5	22.4	43.7
EAST NORTH CENTRAL:															
Ohio	23.1	21.7	35.4	24.0	22.2	39.4	25.0	23.0	41.3	25.3	23.3	42.9	24.7	22.8	41.6
Indiana	24.0	22.5	40.1	23.9	22.6	37.7	23.4	22.0	38.6	24.6	23.3	39.2	23.8	22.4	40.3
Illinois	24.3	21.8	37.2	25.0	22.2	39.6	25.0	22.4	38.6	24.9	22.4	38.5	25.5	22.2	44.0
Michigan	23.9	22.6	34.3	24.1	22.1	40.4	24.4	23.0	35.9	24.6	23.3	34.4	24.4	23.0	35.6
Wisconsin	22.7	22.3	31.7	21.8	21.2	35.3	23.4	22.6	45.7	23.6	23.1	35.9	22.2	21.5	40.9
WEST NORTH CENTRAL:															
Minnesota	22.2	22.0	34.1	21.6	21.6	22.6	21.1	20.8	34.7	22.8	22.7	28.0	23.0	22.8	36.3
Iowa	20.6	20.4	34.2	21.9	21.7	35.2	21.5	21.2	38.6	22.7	22.3	51.7	20.9	20.5	51.7
Missouri	24.7	21.9	42.4	24.7	21.4	45.4	24.5	21.6	42.6	26.4	23.2	46.5	25.0	22.6	40.9
North Dakota	23.2	22.2	45.6	24.8	24.1	43.3	23.7	23.0	42.3	24.9	23.6	65.8	25.7	24.2	67.7
South Dakota	25.1	22.7	53.2	28.1	24.2	76.0	22.9	20.1	61.4	26.3	23.0	70.9	26.0	23.0	71.8
Nebraska	22.8	22.2	33.4	21.9	21.3	34.3	23.5	22.6	42.8	24.7	23.5	52.6	23.9	23.1	40.9
Kansas	22.1	21.8	26.2	22.1	21.3	33.4	22.6	21.4	39.1	23.0	21.8	40.3	22.4	21.4	37.4
SOUTH ATLANTIC:															
Delaware	26.2	20.7	47.9	23.8	17.8	50.6	24.8	20.8	42.5	28.1	24.2	45.4	23.4	19.4	42.9
Maryland	25.7	21.0	41.7	27.3	22.3	44.6	28.6	23.1	46.9	28.8	23.9	45.6	28.1	22.8	46.4
District of Columbia	35.6	27.2	39.2	36.4	29.4	39.6	36.8	31.4	39.4	38.7	31.7	42.3	35.5	29.3	39.2
Virginia	28.0	23.1	43.1	29.8	24.6	45.5	31.0	24.8	49.0	31.1	25.0	49.2	30.2	24.3	47.4
West Virginia	26.7	26.3	33.7	25.5	24.8	37.7	27.2	26.9	32.8	26.4	25.8	37.5	27.4	26.4	44.0
North Carolina	30.7	22.6	48.3	31.7	22.3	52.4	32.7	24.4	50.2	32.6	24.5	49.2	30.5	22.4	46.6
South Carolina	32.4	22.7	45.7	34.3	23.9	48.5	35.0	23.6	50.1	33.9	23.1	48.3	31.6	22.2	44.0
Georgia	29.4	21.5	43.4	33.0	24.6	48.1	32.5	24.3	47.5	31.1	23.7	44.6	30.4	22.7	44.1
Florida	28.9	23.2	44.9	29.7	23.6	46.1	31.7	25.3	48.7	31.7	24.7	50.2	31.9	24.4	51.6
EAST SOUTH CENTRAL:															
Kentucky	27.8	26.1	46.0	27.9	26.0	48.3	27.3	26.3	37.9	29.1	27.5	46.6	28.7	27.1	45.6
Tennessee	29.2	25.5	42.3	29.4	25.3	43.5	30.3	26.4	43.6	30.9	26.4	47.6	29.2	25.3	42.8
Alabama	31.1	23.7	43.6	32.4	24.9	45.0	31.8	23.5	45.3	35.4	26.1	51.0	32.1	24.6	44.2
Mississippi	37.8	23.6	49.9	41.6	26.6	54.3	39.0	24.6	51.3	41.0	26.8	52.8	37.0	25.8	45.9
WEST SOUTH CENTRAL:															
Arkansas	27.5	21.8	40.9	27.4	22.5	38.7	26.5	22.4	36.2	26.3	21.5	37.5	26.2	21.1	37.6
Louisiana	30.3	21.6	43.7	32.0	22.6	46.9	32.9	21.9	50.1	34.7	25.2	49.6	32.3	24.2	45.1
Oklahoma	24.0	22.1	35.7	25.5	22.7	42.8	24.1	21.5	40.4	27.4	24.5	45.9	25.6	23.2	41.0
Texas	26.7	24.3	40.0	28.9	26.3	43.9	28.5	25.9	43.9	30.6	27.4	49.4	29.5	27.0	43.9
MOUNTAIN:															
Montana	25.6	23.7	47.5	25.0	24.2	34.5	24.5	22.6	50.8	25.7	24.3	47.2	25.1	23.0	56.5
Idaho	23.1	23.0	28.5	22.9	22.7	33.3	22.2	21.8	44.5	23.7	23.3	45.2	24.8	24.3	50.0
Wyoming	27.0	26.0	52.3	28.2	27.5	48.6	26.9	26.1	52.0	27.8	27.0	50.0	26.5	25.9	40.6
Colorado	26.2	25.8	37.1	27.5	26.9	44.0	28.8	28.3	41.8	30.6	30.4	35.0	30.2	30.1	34.7
New Mexico	29.6	28.2	40.3	33.2	30.9	52.8	32.9	31.2	47.3	37.3	33.3	72.8	39.4	36.9	62.0
Arizona	30.6	26.6	52.4	31.9	26.6	60.8	33.1	29.3	52.6	33.0	27.6	61.6	35.7	28.7	76.3
Utah	20.3	19.8	41.9	19.6	18.8	54.0	20.0	19.7	34.8	22.1	21.6	48.4	21.6	20.8	60.8
Nevada	28.3	26.6	41.1	30.1	29.6	33.9	32.4	28.9	56.8	31.9	30.5	42.1	30.8	27.4	59.2
PACIFIC:															
Washington	22.7	21.8	37.5	23.4	22.7	36.7	24.0	23.1	39.2	26.1	24.6	52.3	24.2	23.0	47.0
Oregon	22.9	22.6	31.8	23.2	23.0	29.2	25.1	24.8	35.4	23.4	22.6	52.3	21.9	21.3	40.9
California	23.3	22.5	28.9	23.3	22.5	29.7	23.6	22.8	30.5	24.6	23.3	35.5	24.9	23.8	34.4
Alaska[2]	37.0	25.7	60.2	40.5	27.9	68.2	42.9	26.9	72.9	(38.7)	(27.7)	(63.0)	(38.0)	(25.7)	(70.3)
Hawaii[3]	21.7	21.8	21.6	23.2	21.5	24.0	(24.0)	(23.3)	(24.3)	(23.1)	(20.0)	(24.3)	(24.0)	(22.0)	(24.8)

[1]Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2]Figures for 1957 and 1958 are by place of occurrence.
[3]Figures for 1957-59 are by place of occurrence.

Table 3-F. Neonatal Mortality Rates by Color: United States, Each Division and State, 1957-61

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 28 days per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	1961			1960			1959			1958			1957		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1]	18.4	16.9	26.2	18.7	17.2	26.9	19.0	17.5	27.7	19.5	17.8	29.0	19.1	17.5	27.8
GEOGRAPHIC DIVISIONS:															
New England	17.2	16.9	25.7	16.9	16.5	25.3	17.3	16.8	31.2	17.6	17.0	33.5	17.8	17.4	29.2
Middle Atlantic	18.1	16.4	30.3	18.5	16.9	30.0	18.9	17.1	31.8	18.9	17.0	33.2	18.6	17.0	31.7
East North Central	17.8	16.7	26.1	18.0	16.8	27.3	18.3	17.2	27.0	18.5	17.4	26.8	18.2	17.0	28.6
West North Central	17.0	16.5	25.8	17.2	16.6	26.9	17.1	16.4	27.0	18.2	17.4	30.6	17.5	16.8	27.3
South Atlantic	20.1	17.5	26.5	20.6	17.7	27.5	21.3	18.6	27.8	21.2	18.4	27.9	20.7	17.9	27.2
East South Central	21.1	18.6	26.9	21.2	18.8	27.0	21.2	18.6	27.5	22.3	19.3	29.6	21.4	19.0	27.2
West South Central	18.8	17.0	25.5	19.9	18.2	26.5	19.7	17.6	27.2	20.9	18.6	29.8	20.0	18.3	26.4
Mountain	18.9	18.5	23.9	19.0	18.7	22.4	19.8	19.5	24.1	20.0	19.6	24.1	20.5	20.0	27.3
Pacific[1]	17.1	16.6	20.5	17.3	16.8	21.2	17.7	17.2	22.6	18.4	17.5	27.3	18.1	17.4	25.5
NEW ENGLAND:															
Maine	18.7	18.7	15.2	18.9	19.0	6.5	19.0	19.0	19.8	17.5	17.5	22.1	18.5	18.6	13.0
New Hampshire	17.3	17.3	16.7	18.9	19.0	10.6	16.4	16.4	25.6	19.2	19.2	29.4	18.8	18.7	51.7
Vermont	20.7	20.7	0	18.7	18.7	0	16.5	16.5	0	17.4	17.4	41.7	19.8	19.7	55.6
Massachusetts	16.6	16.4	23.7	16.4	16.1	24.3	16.8	16.6	24.0	17.1	16.7	27.3	17.6	17.3	27.9
Rhode Island	16.9	17.0	14.6	16.3	15.6	32.3	18.2	18.1	20.3	15.7	14.6	42.2	18.6	18.5	20.4
Connecticut	17.3	16.3	30.7	16.4	15.7	27.1	17.6	16.1	45.6	18.9	17.7	40.4	16.9	16.0	33.6
MIDDLE ATLANTIC:															
New York	18.1	16.3	29.7	18.3	16.4	30.8	18.7	16.9	31.5	18.3	16.6	31.2	18.5	16.7	31.9
New Jersey	18.1	16.0	30.9	18.5	17.0	28.6	18.8	16.9	31.7	18.9	16.7	33.7	18.6	17.0	29.9
Pennsylvania	18.2	16.6	31.3	18.9	17.7	29.5	19.1	17.6	32.5	19.7	17.8	36.4	18.8	17.3	32.3
EAST NORTH CENTRAL:															
Ohio	17.9	16.8	27.3	18.4	17.1	29.8	19.3	17.9	31.2	19.3	17.9	31.2	18.7	17.4	30.2
Indiana	17.6	16.5	28.8	17.5	16.8	25.7	17.1	16.4	25.5	18.0	17.3	26.0	17.3	16.4	28.3
Illinois	17.8	16.3	25.3	18.1	16.8	25.3	18.0	16.8	24.6	18.0	16.6	25.6	18.5	16.6	29.1
Michigan	18.0	17.0	25.6	18.3	16.9	29.9	18.5	17.6	26.0	18.7	17.9	24.8	18.6	17.6	26.7
Wisconsin	17.2	17.0	22.8	16.5	16.3	22.2	17.6	17.1	32.2	17.6	17.3	24.9	16.6	16.2	25.6
WEST NORTH CENTRAL:															
Minnesota	16.4	16.4	19.8	16.0	16.1	11.0	15.9	15.8	22.1	17.4	17.4	18.6	17.5	17.4	22.6
Iowa	15.6	15.5	21.8	16.7	16.6	24.1	16.6	16.5	25.4	17.4	17.0	40.2	16.0	15.7	33.3
Missouri	18.1	16.4	29.0	18.0	16.1	30.4	18.2	16.5	28.2	19.6	17.5	32.7	18.3	16.8	28.0
North Dakota	17.8	17.4	27.9	19.1	18.9	22.4	18.1	18.1	19.5	18.6	18.0	35.7	18.4	18.1	28.2
South Dakota	18.3	17.6	26.2	19.6	18.6	32.0	15.4	14.8	23.4	17.6	16.7	29.6	17.3	16.7	27.6
Nebraska	17.6	17.4	22.1	17.3	17.0	24.4	17.5	17.1	26.2	18.6	18.2	27.8	17.9	17.7	23.0
Kansas	16.8	16.7	17.9	16.9	16.5	21.7	17.4	16.6	27.4	17.7	17.1	26.2	17.2	16.5	26.8
SOUTH ATLANTIC:															
Delaware	19.4	16.9	29.4	16.1	12.7	31.4	19.0	16.8	28.4	20.0	18.3	27.4	17.0	13.9	31.9
Maryland	19.3	16.4	29.0	20.0	17.2	29.7	20.8	17.9	30.5	20.9	17.6	32.2	20.8	17.5	32.4
District of Columbia	27.2	22.5	29.3	27.4	22.3	29.8	27.6	25.2	28.7	30.2	27.4	31.6	26.8	22.6	29.3
Virginia	20.1	17.7	27.4	21.0	18.6	28.3	21.6	18.3	31.2	21.8	19.0	30.3	21.8	18.8	30.5
West Virginia	19.6	19.5	21.8	18.1	18.0	18.8	18.6	18.6	18.4	18.3	18.2	20.8	19.7	19.0	31.2
North Carolina	20.4	17.2	27.4	20.2	16.5	28.2	21.2	18.6	26.9	21.1	18.4	26.6	19.9	17.1	25.5
South Carolina	19.6	16.7	23.6	20.3	17.4	24.3	20.2	16.8	24.8	20.3	16.9	24.8	18.6	15.9	22.1
Georgia	19.6	16.6	25.1	21.3	18.4	26.5	21.4	18.6	26.4	20.5	18.0	25.0	20.2	17.5	25.0
Florida	20.2	18.1	26.1	20.8	18.2	27.9	22.3	19.6	29.2	21.9	18.8	29.8	21.8	19.0	29.2
EAST SOUTH CENTRAL:															
Kentucky	20.4	19.3	31.8	19.6	18.7	29.9	19.0	18.5	24.3	20.0	19.2	28.0	20.1	19.4	27.3
Tennessee	20.3	18.7	25.6	20.2	18.6	25.9	21.2	19.6	26.7	21.6	19.0	31.3	20.5	18.4	28.0
Alabama	20.7	17.7	25.6	20.6	18.5	24.2	21.1	17.3	27.5	23.2	19.1	30.1	22.2	18.7	27.9
Mississippi	23.5	18.6	27.8	25.3	20.4	29.6	24.0	18.6	28.5	24.9	20.5	28.5	23.4	20.1	26.0
WEST SOUTH CENTRAL:															
Arkansas	17.4	16.0	20.6	17.6	16.5	20.2	17.2	16.2	19.5	17.2	16.1	19.8	17.2	15.4	21.2
Louisiana	21.7	16.9	29.0	21.7	17.5	28.5	22.7	17.3	31.1	24.5	20.0	31.6	22.7	19.1	28.2
Oklahoma	17.3	16.4	22.7	18.4	17.4	24.3	17.3	16.1	24.5	20.0	18.6	29.0	18.3	17.4	24.3
Texas	18.4	17.3	24.3	20.0	18.7	27.1	19.4	18.2	26.5	20.5	18.5	31.6	19.9	18.7	26.9
MOUNTAIN:															
Montana	18.4	17.4	31.2	17.1	17.3	14.9	16.8	16.7	16.9	17.8	17.6	21.7	17.0	16.4	26.5
Idaho	17.4	17.5	9.5	17.3	17.3	18.2	16.8	16.6	24.0	17.4	17.3	22.6	18.8	19.0	10.0
Wyoming	21.0	20.5	35.9	21.5	21.0	34.7	19.8	20.0	16.0	20.0	19.9	25.0	19.8	19.6	25.0
Colorado	19.6	19.3	28.0	21.2	20.7	33.9	22.0	21.8	26.3	22.3	22.1	25.9	22.8	22.6	28.8
New Mexico	20.0	19.9	20.6	20.2	20.1	21.1	21.6	21.3	24.0	22.3	21.8	26.1	23.4	23.4	23.3
Arizona	19.7	19.0	23.3	19.3	18.8	22.0	21.4	20.6	25.6	19.2	18.3	24.1	20.6	19.3	28.0
Utah	15.1	15.0	21.0	14.5	14.3	25.2	15.3	15.3	15.8	16.7	16.7	17.4	16.7	16.5	26.6
Nevada	21.3	20.8	24.6	21.0	21.8	15.9	22.3	21.4	28.4	23.4	23.8	21.0	23.4	20.7	45.5
PACIFIC:															
Washington	16.3	15.8	23.6	17.2	17.0	21.3	17.6	17.3	22.9	18.9	18.2	30.3	17.4	16.9	26.8
Oregon	16.0	16.0	15.5	16.6	16.5	18.0	18.0	18.0	19.4	16.5	16.1	30.7	15.6	15.3	25.3
California	17.2	16.7	21.2	17.2	16.7	21.8	17.5	17.0	21.8	18.6	17.6	26.9	18.5	17.7	25.4
Alaska[2]	21.8	19.4	26.7	22.7	21.0	26.7	25.7	19.5	37.3	(24.5)	(22.7)	(28.5)	(22.4)	(19.7)	(29.6)
Hawaii[3]	16.7	17.0	16.6	18.4	18.3	18.5	(18.9)	(17.6)	(19.5)	(18.1)	(17.7)	(18.3)	(18.3)	(16.9)	(18.9)

[1]Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2]Figures for 1957 and 1958 are by place of occurrence.
[3]Figures for 1957-59 are by place of occurrence.

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	UNITED STATES	107,956	8,447	35,338	11,373	7,342	3,376	1,889	1,481	1,030
2	Male	62,120	4,632	20,496	6,767	4,457	2,064	1,107	846	580
3	Female	45,836	3,815	14,842	4,606	2,885	1,312	782	635	450
4	White	80,781	6,712	27,621	9,090	5,951	2,693	1,404	1,083	756
5	Male	46,989	3,695	16,129	5,478	3,640	1,661	832	638	424
6	Female	33,792	3,017	11,492	3,612	2,311	1,032	572	445	332
7	Negro	25,573	1,629	7,295	2,163	1,304	651	466	379	263
8	Male	14,242	885	4,137	1,214	760	383	267	198	150
9	Female	11,331	744	3,158	949	544	268	199	181	113
10	Other	1,602	106	422	120	87	32	19	19	11
11	Male	889	52	230	75	57	20	8	10	6
12	Female	713	54	192	45	30	12	11	9	5
13	ALABAMA	2,509	156	694	249	139	77	48	39	30
14	Male	1,361	90	385	154	84	44	34	20	14
15	Female	1,148	66	309	95	55	33	14	19	16
16	White	1,198	88	401	154	80	48	22	15	13
17	Male	670	53	218	103	45	28	15	10	5
18	Female	528	35	183	51	35	20	7	5	8
19	Negro	1,309	68	292	95	58	29	26	24	17
20	Male	689	37	166	51	38	16	19	10	9
21	Female	620	31	126	44	20	13	7	14	8
22	Other	2	-	1	-	1	-	-	-	-
23	Male	2	-	1	-	1	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	ALASKA	280	17	73	21	15	6	7	1	3
26	Male	180	6	45	15	10	3	4	1	3
27	Female	100	11	28	6	5	3	3	-	-
28	White	131	11	44	10	11	5	5	1	3
29	Male	89	5	27	6	7	3	4	1	3
30	Female	42	6	17	4	4	2	1	-	-
31	Negro	7	-	2	-	-	-	1	-	-
32	Male	3	-	1	-	-	-	-	-	-
33	Female	4	-	1	-	-	-	1	-	-
34	Other	142	6	27	11	4	1	1	-	-
35	Male	88	1	17	9	3	-	-	-	-
36	Female	54	5	10	2	1	1	1	-	-
37	ARIZONA	1,129	71	314	116	63	33	15	17	7
38	Male	673	47	186	66	37	23	9	10	4
39	Female	456	24	128	50	26	10	6	7	3
40	White	832	53	264	103	52	29	12	11	4
41	Male	496	34	153	57	31	19	8	7	3
42	Female	336	19	111	46	21	10	4	4	1
43	Negro	81	7	23	4	4	2	2	3	-
44	Male	54	7	18	3	3	2	-	3	-
45	Female	27	-	5	1	1	-	2	-	-
46	Other	216	11	27	9	7	2	1	3	3
47	Male	123	6	15	6	3	2	1	-	1
48	Female	93	5	12	3	4	-	-	3	2
49	ARKANSAS	1,125	71	246	115	68	30	15	26	10
50	Male	637	41	150	69	45	22	8	13	4
51	Female	488	30	96	46	23	8	7	13	6
52	White	628	45	165	85	51	21	7	16	5
53	Male	366	24	103	55	33	14	2	7	2
54	Female	262	21	62	30	18	7	5	9	3
55	Negro	497	26	81	30	17	9	8	10	5
56	Male	271	17	47	14	12	8	6	6	2
57	Female	226	9	34	16	5	1	2	4	3
58	Other	-	-	-	-	-	-	-	-	-
59	Male	-	-	-	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	CALIFORNIA	8,882	693	3,230	779	683	283	148	101	81
62	Male	5,127	367	1,892	454	402	174	84	59	49
63	Female	3,755	326	1,338	325	281	109	64	42	32
64	White	7,612	599	2,730	694	592	255	127	82	72
65	Male	4,430	323	1,605	412	350	156	76	47	46
66	Female	3,182	276	1,125	282	242	99	51	35	26
67	Negro	1,072	78	429	66	75	20	14	15	8
68	Male	600	36	250	35	44	13	5	9	2
69	Female	472	42	179	31	31	7	9	6	6
70	Other	198	16	71	19	16	8	7	4	1
71	Male	97	8	37	7	8	5	3	3	1
72	Female	101	8	34	12	8	3	4	1	-
73	COLORADO	1,172	94	420	136	70	39	20	16	10
74	Male	713	51	272	81	40	31	12	11	7
75	Female	459	43	148	55	30	8	8	5	3
76	White	1,107	86	394	133	69	36	20	14	10
77	Male	673	47	258	80	39	28	12	10	7
78	Female	434	39	136	53	30	8	8	4	3
79	Negro	54	5	23	3	1	2	-	2	-
80	Male	32	2	13	1	1	2	-	1	-
81	Female	22	3	10	2	-	-	-	1	-
82	Other	11	3	3	-	-	1	-	-	-
83	Male	8	2	1	-	-	1	-	-	-
84	Female	3	1	2	-	-	-	-	-	-
85	CONNECTICUT	1,272	109	510	148	73	31	17	12	9
86	Male	742	67	305	85	43	20	10	9	6
87	Female	530	42	205	63	30	11	7	3	3
88	White	1,107	96	436	132	66	25	17	11	9
89	Male	642	59	258	78	40	17	10	8	6
90	Female	465	37	178	54	26	8	7	3	3
91	Negro	162	13	72	15	7	6	-	1	-
92	Male	98	8	45	7	3	3	-	1	-
93	Female	64	5	27	8	4	3	-	-	-
94	Other	3	-	2	1	-	-	-	-	-
95	Male	2	-	2	-	-	-	-	-	-
96	Female	1	-	-	1	-	-	-	-	-

Sex: United States and Each State, 1961

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
70,276	3,993	2,398	1,815	78,482	6,914	5,523	4,166	3,014	2,372	1,863	1,472	1,266	1,064	915	905	1
40,949	2,253	1,374	1,004	45,580	4,018	3,185	2,374	1,649	1,261	1,015	804	657	601	479	497	2
29,327	1,740	1,024	811	32,902	2,896	2,338	1,792	1,365	1,111	848	668	609	463	436	408	3
55,310	2,807	1,639	1,226	60,982	4,636	3,736	2,799	1,961	1,536	1,231	991	887	724	657	641	4
32,497	1,615	949	687	35,748	2,696	2,218	1,627	1,093	828	658	546	467	411	343	354	5
22,813	1,192	690	539	25,234	1,940	1,518	1,172	868	708	573	445	420	313	314	287	6
14,150	1,140	722	561	16,573	2,155	1,671	1,277	979	770	581	436	346	306	235	244	7
7,994	618	402	304	9,318	1,250	902	691	512	400	328	232	175	175	128	131	8
6,156	522	320	257	7,255	905	769	586	467	370	253	204	171	131	107	113	9
816	46	37	28	927	123	116	90	74	66	51	45	33	34	23	20	10
458	20	23	13	514	72	65	56	44	33	29	26	15	15	8	12	11
358	26	14	15	413	51	51	34	30	33	22	19	18	19	15	8	12
1,432	108	69	59	1,668	177	154	126	88	75	52	39	38	37	20	35	13
825	58	36	25	944	100	66	64	38	35	31	23	13	19	10	18	14
607	50	33	34	724	77	88	62	50	40	21	16	25	18	10	17	15
821	42	23	11	897	63	50	42	33	29	13	17	18	12	6	18	16
477	24	11	9	521	35	24	24	13	13	4	10	8	5	5	8	17
344	18	12	2	376	28	26	18	20	16	9	7	10	7	1	10	18
609	66	46	48	769	114	104	84	55	46	39	22	20	25	14	17	19
346	34	25	16	421	65	42	40	25	22	27	13	5	14	5	10	20
263	32	21	32	348	49	62	44	30	24	12	9	15	11	9	7	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
143	7	9	6	165	16	20	17	13	9	6	7	7	8	8	4	25
87	5	5	2	99	10	15	14	12	6	2	5	2	5	6	4	26
56	2	4	4	66	6	5	3	1	3	4	2	5	3	2	-	27
90	5	1	3	99	6	7	3	5	2	-	1	1	2	3	2	28
56	5	-	-	61	5	6	3	5	2	-	1	-	1	3	2	29
34	-	1	3	38	1	1	-	-	-	-	-	1	1	-	-	30
3	-	-	-	3	2	-	1	-	1	-	-	-	-	-	-	31
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	32
2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	33
50	2	8	3	63	8	13	13	8	6	6	6	6	6	5	2	34
30	-	5	2	37	4	9	10	7	4	2	4	2	4	3	2	35
20	2	3	1	26	4	4	3	1	2	4	2	4	2	2	-	36
636	45	26	19	726	73	65	55	53	30	33	30	22	12	19	11	37
382	27	16	11	436	43	40	34	35	16	20	13	13	6	10	7	38
254	18	10	8	290	30	25	21	18	14	13	17	9	6	9	4	39
528	36	17	13	594	47	37	37	29	14	15	16	12	8	17	6	40
312	22	10	9	353	27	28	23	21	9	7	4	7	4	9	4	41
216	14	7	4	241	20	9	14	8	5	8	12	5	4	8	2	42
45	3	5	2	55	4	6	3	2	5	5	1	-	-	-	-	43
36	-	3	-	39	3	2	1	2	3	3	1	-	-	-	-	44
9	3	2	2	16	1	4	2	-	2	2	-	-	-	-	-	45
63	6	4	4	77	22	22	15	22	11	13	13	10	4	2	5	46
34	5	3	2	44	13	10	10	12	4	10	8	6	2	1	3	47
29	1	1	2	33	9	12	5	10	7	3	5	4	2	1	2	48
581	65	39	26	711	84	69	62	54	44	26	23	14	13	13	12	49
352	38	21	15	426	48	34	35	26	21	12	11	5	8	4	7	50
229	27	18	11	285	36	35	27	28	23	14	12	9	5	9	5	51
395	35	19	12	461	37	27	25	22	15	10	11	8	2	3	7	52
240	19	7	6	272	24	15	16	12	9	4	8	2	1	1	2	53
155	16	12	6	189	13	12	9	10	6	6	3	6	1	2	5	54
186	30	20	14	250	47	42	37	32	29	16	12	6	11	10	5	55
112	19	14	9	154	24	19	19	14	12	8	3	3	7	3	5	56
74	11	6	5	96	23	23	18	18	17	8	9	3	4	7	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
5,998	271	162	145	6,576	576	453	324	218	179	137	95	100	71	85	68	61
3,481	155	87	76	3,799	345	275	195	115	98	73	58	47	38	46	38	62
2,517	116	75	69	2,777	231	178	129	103	81	64	37	53	33	39	30	63
5,151	228	149	119	5,647	488	395	280	191	152	115	75	88	60	67	54	64
3,015	133	81	63	3,292	297	242	168	100	85	59	47	43	30	36	31	65
2,136	95	68	56	2,355	191	153	112	91	67	56	28	45	30	31	23	66
705	39	12	23	779	77	49	40	22	22	20	17	10	9	16	11	67
394	21	5	12	432	43	30	24	12	12	13	9	4	6	9	6	68
311	18	7	11	347	34	19	16	10	10	7	8	6	3	7	5	69
142	4	1	3	150	11	9	4	5	5	2	3	2	2	2	3	70
72	1	1	1	75	5	3	3	3	1	1	2	-	2	1	1	71
70	3	-	2	75	6	6	1	2	4	1	1	2	-	1	2	72
805	30	17	23	875	64	50	40	32	20	23	19	14	11	13	11	73
505	16	11	12	544	31	30	24	23	13	13	9	8	6	7	6	74
300	14	6	11	331	33	20	16	9	7	10	11	6	5	6	5	75
762	29	14	21	826	56	48	40	30	18	23	19	13	10	13	11	76
481	15	9	10	515	26	29	24	21	11	13	8	8	5	7	6	77
281	14	5	11	311	30	19	16	9	7	10	11	5	5	6	5	78
36	-	3	2	41	7	2	-	2	-	-	-	1	1	-	-	79
20	-	2	2	24	4	1	-	2	-	-	-	-	1	-	-	80
16	-	1	-	17	3	1	-	-	-	-	-	1	-	-	-	81
7	1	-	-	8	1	-	-	-	2	-	-	-	-	-	-	82
4	1	-	-	5	1	-	-	-	2	-	-	-	-	-	-	83
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	84
909	38	26	17	990	73	59	39	29	30	14	9	8	8	2	11	85
545	19	11	8	583	44	37	18	20	12	9	4	3	5	1	6	86
364	19	15	9	407	29	22	21	9	18	5	5	5	3	1	5	87
792	30	21	16	859	64	52	38	25	23	14	7	7	6	2	10	88
476	13	9	7	505	40	32	17	16	7	9	4	3	3	1	5	89
316	17	12	9	354	24	20	21	9	16	5	3	4	3	1	5	90
114	8	5	1	128	9	7	1	4	7	-	2	1	2	-	1	91
67	6	2	1	76	4	5	1	4	5	-	-	-	2	-	1	92
47	2	3	-	52	5	2	-	-	2	-	2	1	-	-	-	93
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	94
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	95
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	DELAWARE	310	30	94	39	22	9	7	3	5
2	Male	192	16	56	23	15	7	6	2	2
3	Female	118	14	38	16	7	2	1	1	3
4	White	196	25	68	26	15	8	4	1	2
5	Male	115	15	40	13	9	6	3	1	1
6	Female	81	10	28	13	6	2	1	-	1
7	Negro	114	5	26	13	7	1	3	2	3
8	Male	77	1	16	10	6	1	3	1	1
9	Female	37	4	10	3	1	-	-	1	2
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	DISTRICT OF COLUMBIA	725	59	306	66	37	16	12	8	8
14	Male	403	26	173	44	23	11	5	5	4
15	Female	322	33	133	22	14	5	7	3	4
16	White	167	8	73	28	10	5	2	1	-
17	Male	95	3	41	18	8	4	1	1	-
18	Female	72	5	32	10	2	1	1	-	-
19	Negro	553	51	232	38	25	11	10	7	8
20	Male	305	23	131	26	13	7	4	4	4
21	Female	248	28	101	12	12	4	6	3	4
22	Other	5	-	1	-	2	-	-	-	-
23	Male	3	-	1	-	2	-	-	-	-
24	Female	2	-	-	-	-	-	-	-	-
25	FLORIDA	3,376	202	1,043	376	201	120	58	48	30
26	Male	1,988	119	617	225	124	81	34	33	19
27	Female	1,388	83	426	151	77	39	24	15	11
28	White	1,993	137	731	226	146	82	36	30	17
29	Male	1,232	84	446	136	94	55	23	20	11
30	Female	761	53	285	90	52	27	13	10	6
31	Negro	1,378	65	311	150	55	38	22	18	13
32	Male	753	35	171	89	30	26	11	13	8
33	Female	625	30	140	61	25	12	11	5	5
34	Other	5	-	1	-	-	-	-	-	-
35	Male	3	-	-	-	-	-	-	-	-
36	Female	2	-	1	-	-	-	-	-	-
37	GEORGIA	2,953	212	795	265	174	100	63	46	35
38	Male	1,743	127	474	159	111	54	37	24	24
39	Female	1,210	85	321	106	63	46	26	22	11
40	White	1,383	120	442	161	109	60	30	19	14
41	Male	845	72	278	101	66	35	15	7	9
42	Female	538	48	164	60	43	25	15	12	5
43	Negro	1,569	92	352	104	65	40	33	27	21
44	Male	898	55	196	58	45	19	22	17	15
45	Female	671	37	156	46	20	21	11	10	6
46	Other	1	-	1	-	-	-	-	-	-
47	Male	-	-	-	-	-	-	-	-	-
48	Female	1	-	1	-	-	-	-	-	-
49	HAWAII	382	36	136	44	34	10	4	6	5
50	Male	230	23	77	21	28	9	1	3	3
51	Female	152	13	59	23	6	1	3	3	2
52	White	118	15	40	14	9	2	2	4	2
53	Male	65	10	20	6	6	1	-	2	1
54	Female	53	5	20	8	3	1	2	2	1
55	Negro	4	1	1	-	-	-	-	-	-
56	Male	2	1	-	-	-	-	-	-	-
57	Female	2	-	1	-	-	-	-	-	-
58	Other	260	20	95	30	25	8	2	2	3
59	Male	163	12	57	15	22	8	1	1	2
60	Female	97	8	38	15	3	-	1	1	1
61	IDAHO	390	34	127	51	31	13	6	4	6
62	Male	227	24	72	28	18	10	4	2	5
63	Female	163	10	55	23	13	3	2	2	1
64	White	381	34	125	51	30	13	6	4	6
65	Male	223	24	72	28	18	10	4	2	5
66	Female	158	10	53	23	12	3	2	2	1
67	Negro	1	-	-	-	-	-	-	-	-
68	Male	1	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	8	-	2	-	1	-	-	-	-
71	Male	3	-	-	-	-	-	-	-	-
72	Female	5	-	2	-	1	-	-	-	-
73	ILLINOIS	5,771	470	2,065	506	394	168	94	73	54
74	Male	3,312	242	1,198	312	242	101	65	38	26
75	Female	2,459	228	867	194	152	67	29	35	28
76	White	4,309	363	1,549	415	309	138	69	49	39
77	Male	2,541	189	931	257	198	86	51	30	19
78	Female	1,768	174	618	158	111	52	18	19	20
79	Negro	1,445	104	511	91	85	30	25	24	15
80	Male	763	52	256	55	44	15	14	8	7
81	Female	682	52	245	36	41	15	11	16	8
82	Other	17	3	5	-	-	-	-	-	-
83	Male	8	1	1	-	-	-	-	-	-
84	Female	9	2	4	-	-	-	-	-	-
85	INDIANA	2,694	257	870	276	155	88	52	45	24
86	Male	1,592	147	493	163	108	57	29	27	14
87	Female	1,102	110	377	113	47	31	23	18	10
88	White	2,323	232	748	242	136	75	47	40	18
89	Male	1,382	130	431	145	97	47	25	25	11
90	Female	941	102	317	97	39	28	22	15	7
91	Negro	370	25	122	34	19	13	5	5	6
92	Male	209	17	62	18	11	10	4	2	3
93	Female	161	8	60	16	8	3	1	3	3
94	Other	1	-	-	-	-	-	-	-	-
95	Male	1	-	-	-	-	-	-	-	-
96	Female	-	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1961—Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
209	8	6	7	230	29	13	12	7	5	3	4	3	2	1	1	1
127	5	3	5	140	22	7	7	5	3	3	2	-	2	1	-	2
82	3	3	2	90	7	6	5	2	2	-	2	3	-	-	1	3
149	4	4	3	160	15	6	4	3	3	1	1	2	1	-	-	4
88	3	2	1	94	11	2	3	2	1	1	-	-	1	-	-	5
61	1	2	2	66	4	4	1	1	2	-	1	2	-	-	-	6
60	4	2	4	70	14	7	8	4	2	2	3	1	1	1	1	7
39	2	1	4	46	11	5	4	3	2	2	2	-	1	1	-	8
21	2	1	-	24	3	2	4	1	-	-	1	1	-	-	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
512	20	12	11	555	52	33	20	21	11	6	5	7	10	2	3	13
291	6	6	4	307	33	20	10	15	3	1	3	5	4	1	1	14
221	14	6	7	248	19	13	10	6	8	5	2	2	6	1	2	15
127	7	2	2	138	6	4	8	2	1	-	2	2	3	-	1	16
76	2	1	1	80	3	1	5	2	-	-	1	2	1	-	-	17
51	5	1	1	58	3	3	3	-	1	-	1	-	2	-	1	18
392	13	9	9	413	46	29	12	19	10	6	3	5	7	1	2	19
212	4	5	3	224	30	19	5	13	3	1	2	3	3	1	1	20
170	9	4	6	189	16	10	7	6	7	5	1	2	4	-	1	21
3	-	1	-	4	-	-	-	-	-	-	-	-	-	1	-	22
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	23
-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	24
2,078	137	90	53	2,358	220	164	124	120	93	54	65	51	38	46	43	25
1,252	76	48	33	1,409	140	102	63	61	54	23	37	31	20	24	24	26
826	61	42	20	949	80	62	61	59	39	31	28	20	18	22	19	27
1,405	72	46	30	1,553	103	82	58	47	29	16	30	22	19	16	18	28
869	44	29	19	961	70	59	33	26	16	9	17	16	10	6	9	29
536	28	17	11	592	33	23	25	21	13	7	13	6	9	10	9	30
672	65	44	23	804	115	82	66	73	63	38	35	29	18	30	25	31
383	32	19	14	448	68	43	30	35	37	14	20	15	10	18	15	32
289	33	25	9	356	47	39	36	38	26	24	15	14	8	12	10	33
1	-	-	-	1	2	-	-	-	1	-	-	-	1	-	-	34
-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	36
1,690	140	91	55	1,976	231	157	160	94	93	64	52	41	41	22	22	37
1,010	88	45	23	1,166	137	94	98	57	46	38	31	21	23	14	18	38
680	52	46	32	810	94	63	62	37	47	26	21	20	18	8	4	39
955	53	41	18	1,067	75	48	56	29	24	19	21	14	10	9	11	40
583	33	19	7	642	44	34	37	20	15	12	13	5	7	6	10	41
372	20	22	11	425	31	14	19	9	9	7	8	9	3	3	1	42
734	87	50	37	908	156	109	104	65	69	45	31	27	31	13	11	43
427	55	26	16	524	93	60	61	37	31	26	18	16	16	8	8	44
307	32	24	21	384	63	49	43	28	38	19	13	11	15	5	3	45
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
275	9	5	5	294	26	10	7	10	9	8	3	5	6	2	2	49
165	3	4	2	174	18	7	4	5	7	5	1	4	3	-	2	50
110	6	1	3	120	8	3	3	5	2	3	2	1	3	2	-	51
88	1	1	2	92	8	7	-	3	2	1	1	-	2	-	2	52
46	-	1	1	48	6	5	-	1	2	-	-	-	1	-	2	53
42	1	-	1	44	2	2	-	2	-	1	1	-	1	-	-	54
2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	55
1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	56
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	57
185	8	3	3	199	17	3	7	7	7	7	2	5	4	2	-	58
118	3	2	1	124	12	2	4	4	5	5	1	4	2	-	-	59
67	5	1	2	75	5	1	3	3	2	2	1	1	2	2	-	60
272	13	6	3	294	24	19	20	4	11	3	2	7	1	4	1	61
163	5	3	2	173	14	9	9	2	6	3	-	6	1	3	1	62
109	8	3	1	121	10	10	11	2	5	-	2	1	-	1	-	63
269	13	6	3	291	22	18	17	4	11	3	2	7	1	4	1	64
163	5	3	2	173	13	8	7	2	6	3	-	6	1	3	1	65
106	8	3	1	118	9	10	10	2	5	-	2	1	-	1	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
3	-	-	-	3	2	1	2	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	71
3	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	72
3,824	184	120	89	4,217	369	305	226	160	134	102	55	66	50	43	44	73
2,224	92	71	55	2,442	226	174	115	82	68	61	34	31	30	23	26	74
1,600	92	49	34	1,775	143	131	111	78	66	41	21	35	20	20	18	75
2,931	143	87	63	3,224	262	217	150	107	100	73	33	46	37	28	32	76
1,761	71	52	39	1,923	163	130	70	58	52	47	23	20	22	13	20	77
1,170	72	35	24	1,301	99	87	80	49	48	26	10	26	15	15	12	78
885	41	32	26	984	104	87	75	51	34	28	22	20	13	15	12	79
461	21	19	16	517	61	43	44	22	16	14	11	11	8	10	6	80
424	20	13	10	467	43	44	31	29	18	14	11	9	5	5	6	81
8	-	1	-	9	3	1	1	2	-	1	-	-	-	-	-	82
2	-	-	-	2	2	1	1	2	-	-	-	-	-	-	-	83
6	-	1	-	7	1	-	-	-	-	1	-	-	-	-	-	84
1,767	98	56	50	1,971	161	146	101	64	57	49	45	32	28	23	17	85
1,038	54	27	33	1,152	104	90	68	38	31	31	24	19	14	13	8	86
729	44	29	17	819	57	56	33	26	26	18	21	13	14	10	9	87
1,538	78	47	42	1,705	133	120	91	54	52	44	40	27	25	19	13	88
911	44	22	30	1,007	87	70	62	34	30	26	21	16	13	11	5	89
627	34	25	12	698	46	50	29	20	22	18	19	11	12	8	8	90
229	20	9	8	266	27	26	10	10	5	5	5	5	3	4	4	91
127	10	5	3	145	16	20	6	4	1	5	3	3	1	2	3	92
102	10	4	5	121	11	6	4	6	4	-	2	2	2	2	1	93
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA	1,309	126	447	126	90	47	27	18	9
2	Male	745	58	267	75	55	30	15	12	5
3	Female	564	68	180	51	35	17	12	6	4
4	White	1,273	121	436	125	90	45	27	18	9
5	Male	726	58	258	75	55	28	15	12	5
6	Female	547	63	178	50	35	17	12	6	4
7	Negro	34	4	11	1	-	2	-	-	-
8	Male	18	-	9	-	-	2	-	-	-
9	Female	16	4	2	1	-	-	-	-	-
10	Other	2	1	-	-	-	-	-	-	-
11	Male	1	-	-	-	-	-	-	-	-
12	Female	1	1	-	-	-	-	-	-	-
13	KANSAS	1,106	94	384	118	83	36	20	16	11
14	Male	644	55	215	82	48	20	13	12	2
15	Female	462	39	169	36	35	16	7	4	9
16	White	1,021	88	359	107	80	33	17	15	10
17	Male	593	51	196	75	47	19	12	11	1
18	Female	428	37	163	32	33	14	5	4	9
19	Negro	84	6	25	11	3	3	3	1	1
20	Male	50	4	19	7	1	1	1	1	1
21	Female	34	2	6	4	2	2	2	-	-
22	Other	1	-	-	-	-	-	-	-	-
23	Male	1	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	KENTUCKY	1,988	142	629	203	140	66	41	32	31
26	Male	1,129	82	358	115	91	34	23	20	16
27	Female	859	60	271	88	49	32	18	12	15
28	White	1,706	128	554	179	121	53	37	24	28
29	Male	968	74	317	103	82	25	22	16	14
30	Female	738	54	237	76	39	28	15	8	14
31	Negro	279	14	74	24	19	13	4	8	3
32	Male	159	8	41	12	9	9	1	4	2
33	Female	120	6	33	12	10	4	3	4	1
34	Other	3	-	1	-	-	-	-	-	-
35	Male	2	-	-	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	LOUISIANA	2,693	154	830	288	194	82	48	37	21
38	Male	1,539	78	491	163	112	44	32	21	12
39	Female	1,154	76	339	125	82	38	16	16	9
40	White	1,165	81	409	153	87	40	20	19	6
41	Male	680	49	239	88	53	18	14	11	3
42	Female	485	32	170	65	34	22	6	8	3
43	Negro	1,521	72	420	134	107	42	27	18	15
44	Male	857	29	252	75	59	26	17	10	9
45	Female	664	43	168	59	48	16	10	8	6
46	Other	7	1	1	1	-	-	1	-	-
47	Male	2	-	-	-	-	-	1	-	-
48	Female	5	1	1	1	-	-	-	-	-
49	MAINE	595	62	193	57	43	22	9	8	7
50	Male	330	31	110	32	29	14	5	4	5
51	Female	265	31	83	25	14	8	4	4	2
52	White	586	60	193	57	43	20	8	8	7
53	Male	324	30	110	32	29	12	5	4	5
54	Female	262	30	83	25	14	8	3	4	2
55	Negro	5	-	-	-	-	2	1	-	-
56	Male	3	-	-	-	-	2	-	-	-
57	Female	2	-	-	-	-	-	1	-	-
58	Other	4	2	-	-	-	-	-	-	-
59	Male	3	1	-	-	-	-	-	-	-
60	Female	1	1	-	-	-	-	-	-	-
61	MARYLAND	1,996	150	701	198	139	75	37	20	20
62	Male	1,163	85	415	128	75	36	24	11	16
63	Female	833	65	286	70	64	39	13	9	4
64	White	1,269	112	459	135	101	48	17	14	14
65	Male	730	63	269	86	58	27	10	8	12
66	Female	539	49	190	49	43	21	7	6	2
67	Negro	726	38	241	63	38	27	20	6	6
68	Male	432	22	145	42	17	9	14	3	4
69	Female	294	16	96	21	21	18	6	3	2
70	Other	1	-	1	-	-	-	-	-	-
71	Male	1	-	1	-	-	-	-	-	-
72	Female	-	-	-	-	-	-	-	-	-
73	MASSACHUSETTS	2,512	221	889	271	189	85	43	33	19
74	Male	1,425	103	516	167	122	43	22	19	9
75	Female	1,087	118	373	104	67	42	21	14	10
76	White	2,367	204	837	259	186	81	42	33	18
77	Male	1,348	93	487	158	120	43	22	19	9
78	Female	1,019	111	350	101	66	38	20	14	9
79	Negro	142	17	50	12	3	4	1	-	1
80	Male	76	10	28	9	2	-	-	-	-
81	Female	66	7	22	3	1	4	1	-	1
82	Other	3	-	2	-	-	-	-	-	-
83	Male	1	-	1	-	-	-	-	-	-
84	Female	2	-	1	-	-	-	-	-	-
85	MICHIGAN	4,608	402	1,651	474	282	153	83	53	43
86	Male	2,645	218	951	279	174	90	47	26	23
87	Female	1,963	184	700	195	108	63	36	27	20
88	White	3,877	342	1,383	407	245	130	69	48	34
89	Male	2,248	186	796	247	151	80	39	23	17
90	Female	1,629	156	587	160	94	50	30	25	17
91	Negro	711	60	259	67	36	21	14	5	9
92	Male	388	32	150	32	22	10	8	3	6
93	Female	323	28	109	35	14	11	6	2	3
94	Other	20	-	9	-	1	2	-	-	-
95	Male	9	-	5	-	1	-	-	-	-
96	Female	11	-	4	-	-	2	-	-	-

Sex: United States and Each State, 1961 —Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
890	50	31	18	989	72	60	39	35	25	24	20	18	9	10	8	1
517	29	15	7	568	44	37	21	19	15	10	8	10	4	5	4	2
373	21	16	11	421	28	23	18	16	10	14	12	8	5	5	4	3
871	50	28	17	966	70	59	37	35	22	20	20	17	9	10	8	4
506	29	14	7	556	43	36	20	19	14	8	8	9	4	5	4	5
365	21	14	10	410	27	23	17	16	8	12	12	8	5	5	4	6
18	-	3	1	22	2	1	2	-	2	4	-	1	-	-	-	7
11	-	1	-	12	1	1	1	-	-	2	-	1	-	-	-	8
7	-	2	1	10	1	-	1	-	2	2	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	11
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
762	24	29	23	838	51	52	33	25	31	22	12	14	9	10	9	13
447	14	14	17	492	26	33	18	10	17	15	6	6	8	8	5	14
315	10	15	6	346	25	19	15	15	14	7	6	8	1	2	4	15
709	24	27	20	780	43	47	31	24	28	20	9	14	7	10	8	16
412	14	14	15	455	22	29	17	9	16	15	4	6	7	8	5	17
297	10	13	5	325	21	18	14	15	12	5	5	8	-	2	3	18
53	-	2	3	58	7	5	2	1	3	2	3	-	2	-	1	19
35	-	-	2	37	3	4	1	1	1	-	2	-	1	-	-	20
18	-	2	1	21	4	1	1	-	2	2	1	-	1	-	1	21
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,284	84	41	46	1,455	133	95	63	49	45	39	28	26	21	20	14	25
739	50	26	25	840	73	53	34	27	25	19	12	16	12	10	9	26
545	34	15	21	615	60	42	29	22	20	20	16	10	9	10	6	27
1,124	68	31	37	1,260	107	81	56	39	38	28	24	22	19	18	14	28
653	40	18	21	732	60	45	28	21	21	11	9	14	10	9	8	29
471	28	13	16	528	47	36	28	18	17	17	15	8	9	9	6	30
159	16	10	9	194	25	14	7	10	7	10	4	4	2	2	-	31
86	10	8	4	108	12	8	6	6	4	7	3	2	2	1	-	32
73	6	2	5	86	13	6	1	4	3	3	1	2	-	1	-	33
1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	34
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
1,654	129	87	57	1,927	178	138	120	85	58	41	40	22	35	29	20	37
953	66	60	31	1,110	111	67	71	50	37	25	22	9	18	9	10	38
701	63	27	26	817	67	71	49	35	21	16	18	13	17	20	10	39
815	45	29	25	914	65	41	39	19	21	17	12	3	11	15	8	40
475	26	22	12	535	35	21	26	14	13	10	7	1	7	5	6	41
340	19	7	13	379	30	20	13	5	8	7	5	2	4	10	2	42
835	84	58	32	1,009	113	95	81	66	36	24	28	19	24	13	12	43
477	40	38	19	574	76	45	45	36	24	15	15	8	11	4	4	44
358	44	20	13	435	37	51	36	30	12	9	13	11	13	9	8	45
4	-	-	-	4	-	1	-	-	1	-	-	-	-	1	-	46
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	47
3	-	-	-	3	-	-	-	-	1	-	-	-	-	1	-	48
401	20	12	7	440	35	25	25	18	14	6	7	7	8	5	5	49
230	5	5	4	244	20	12	15	11	4	3	5	2	7	3	4	50
171	15	7	3	196	15	13	10	7	10	3	2	5	1	2	1	51
396	20	12	7	435	33	24	25	18	13	6	7	7	8	5	5	52
227	5	5	4	241	18	12	15	11	3	3	5	2	7	3	4	53
169	15	7	3	194	15	12	10	7	10	3	2	5	1	2	1	54
3	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	55
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	56
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	57
2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	58
1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	59
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
1,340	95	42	20	1,497	110	100	71	61	41	29	21	19	24	12	11	61
790	56	22	8	876	60	64	37	31	21	16	12	12	21	7	6	62
550	39	20	12	621	50	36	34	30	20	13	9	7	3	5	5	63
900	54	24	13	991	64	51	42	31	25	17	12	10	10	7	9	64
533	37	13	4	587	29	32	18	16	11	8	6	5	8	4	6	65
367	17	11	9	404	35	19	24	15	14	9	6	5	2	3	3	66
439	41	18	7	505	46	49	29	30	16	12	9	9	14	5	2	67
256	19	9	4	288	31	32	19	15	10	8	6	7	13	3	-	68
183	22	9	3	217	15	17	10	15	6	4	3	2	1	2	2	69
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
1,750	98	47	43	1,938	165	123	75	53	35	34	29	21	11	14	14	73
1,001	55	25	22	1,103	100	66	49	30	18	15	16	10	5	6	7	74
749	43	22	21	835	65	57	26	23	17	19	13	11	6	8	7	75
1,660	92	43	39	1,834	156	112	68	52	32	30	28	21	9	13	12	76
951	54	23	19	1,047	96	62	45	29	16	12	16	10	4	5	6	77
709	38	20	20	787	60	50	23	23	16	18	12	11	5	8	6	78
88	6	3	4	101	9	11	7	1	3	4	1	-	2	1	2	79
49	1	2	3	55	4	4	4	1	2	3	-	-	1	1	1	80
39	5	1	1	46	5	7	3	-	1	1	1	-	1	-	1	81
2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	82
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	83
1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	84
3,141	169	93	71	3,474	256	229	162	113	84	68	65	36	42	41	38	85
1,808	104	56	38	2,006	142	133	104	61	43	36	34	18	21	25	22	86
1,333	65	37	33	1,468	114	96	58	52	41	32	31	18	21	16	16	87
2,658	136	76	58	2,928	206	189	145	94	73	55	53	28	37	34	35	88
1,539	88	49	30	1,706	115	109	94	52	36	30	29	17	19	21	20	89
1,119	48	27	28	1,222	91	80	51	42	37	25	24	11	18	13	15	90
471	32	17	13	533	49	37	17	18	11	13	12	8	4	7	2	91
263	16	7	8	294	27	23	10	8	7	6	5	1	2	4	1	92
208	16	10	5	239	22	14	7	10	4	7	7	7	2	3	1	93
12	1	-	-	13	1	3	-	1	-	-	-	-	1	-	1	94
6	-	-	-	6	-	1	-	1	-	-	-	-	-	-	1	95
6	1	-	-	7	1	2	-	-	-	-	-	-	1	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MINNESOTA	1,912	184	654	211	106	56	26	31	20
2	Male	1,111	100	376	127	69	40	14	22	8
3	Female	801	84	278	84	37	16	12	9	12
4	White	1,857	178	637	208	105	55	26	29	20
5	Male	1,080	96	363	125	68	40	14	21	8
6	Female	777	82	274	83	37	15	12	8	12
7	Negro	27	4	11	2	-	1	-	1	-
8	Male	15	3	8	1	-	-	-	-	-
9	Female	12	1	3	1	-	1	-	1	-
10	Other	28	2	6	1	1	-	-	1	-
11	Male	16	1	5	1	1	-	-	1	-
12	Female	12	1	1	-	-	-	-	-	-
13	MISSISSIPPI	2,252	135	536	189	124	54	43	40	26
14	Male	1,267	77	300	111	78	31	22	22	10
15	Female	985	58	236	78	46	23	21	18	16
16	White	649	47	236	74	56	22	13	10	9
17	Male	386	24	139	52	39	8	8	8	4
18	Female	263	23	97	22	17	14	5	2	5
19	Negro	1,599	88	298	115	68	32	30	30	17
20	Male	879	53	161	59	39	23	14	14	6
21	Female	720	35	137	56	29	9	16	16	11
22	Other	4	-	2	-	-	-	-	-	-
23	Male	2	-	-	-	-	-	-	-	-
24	Female	2	-	2	-	-	-	-	-	-
25	MISSOURI	2,394	166	780	261	163	78	54	30	28
26	Male	1,371	92	454	143	92	49	38	16	21
27	Female	1,023	74	326	118	71	29	16	14	7
28	White	1,833	131	603	223	130	62	43	20	19
29	Male	1,065	72	364	122	74	40	28	10	13
30	Female	768	59	239	101	56	22	15	10	6
31	Negro	560	35	176	38	33	16	11	10	9
32	Male	306	20	90	21	18	9	10	6	8
33	Female	254	15	86	17	15	7	1	4	1
34	Other	1	-	1	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	MONTANA	444	46	121	54	30	13	7	7	8
38	Male	259	27	77	36	21	7	3	6	3
39	Female	185	19	44	18	9	6	4	1	5
40	White	380	40	106	50	25	12	6	5	8
41	Male	226	22	69	33	16	7	3	5	3
42	Female	154	18	37	17	9	5	3	-	5
43	Negro	2	-	1	-	-	-	-	-	-
44	Male	1	-	-	-	-	-	-	-	-
45	Female	1	-	1	-	-	-	-	-	-
46	Other	62	6	14	4	5	1	1	2	-
47	Male	32	5	8	3	5	-	-	1	-
48	Female	30	1	6	1	-	1	1	1	-
49	NEBRASKA	786	70	262	102	66	25	17	9	4
50	Male	460	38	156	60	43	14	12	4	2
51	Female	326	32	106	42	23	11	5	5	2
52	White	733	68	240	100	64	22	17	9	4
53	Male	435	38	148	59	41	12	12	4	2
54	Female	298	30	92	41	23	10	5	5	2
55	Negro	39	2	20	1	2	2	-	-	-
56	Male	18	-	8	-	2	2	-	-	-
57	Female	21	2	12	1	-	-	-	-	-
58	Other	14	-	2	1	-	1	-	-	-
59	Male	7	-	-	1	-	-	-	-	-
60	Female	7	-	2	-	-	1	-	-	-
61	NEVADA	229	9	72	32	28	4	5	1	3
62	Male	126	5	41	18	18	2	2	1	2
63	Female	103	4	31	14	10	2	3	-	1
64	White	189	7	67	25	27	4	4	-	2
65	Male	107	3	39	14	18	2	2	-	1
66	Female	82	4	28	11	9	2	2	-	1
67	Negro	29	-	4	7	-	-	1	1	1
68	Male	13	-	1	4	-	-	-	1	1
69	Female	16	-	3	3	-	-	1	-	-
70	Other	11	2	1	-	1	-	-	-	-
71	Male	6	2	1	-	-	-	-	-	-
72	Female	5	-	-	-	1	-	-	-	-
73	NEW HAMPSHIRE	339	32	119	24	28	7	1	2	5
74	Male	195	13	73	15	17	4	1	1	2
75	Female	144	19	46	9	11	3	-	1	3
76	White	338	32	119	23	28	7	1	2	5
77	Male	194	13	73	14	17	4	1	1	2
78	Female	144	19	46	9	11	3	-	1	3
79	Negro	1	-	-	1	-	-	-	-	-
80	Male	1	-	-	1	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	NEW JERSEY	3,191	262	1,039	424	234	109	61	53	32
86	Male	1,815	137	567	257	151	69	33	34	15
87	Female	1,376	125	472	167	83	40	28	19	17
88	White	2,415	191	805	309	187	97	46	44	22
89	Male	1,377	96	433	191	119	62	26	30	12
90	Female	1,038	95	372	118	68	35	20	14	10
91	Negro	767	70	233	112	47	11	15	9	10
92	Male	432	40	134	64	32	6	7	4	3
93	Female	335	30	99	48	15	5	8	5	7
94	Other	9	1	1	3	-	1	-	-	-
95	Male	6	1	-	2	-	1	-	-	-
96	Female	3	-	1	1	-	-	-	-	-

Sex: United States and Each State, 1961—Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,288	56	37	35	1,416	125	92	63	49	32	32	28	23	16	20	16	1
756	29	17	19	821	69	62	40	27	15	19	15	13	10	11	9	2
532	27	20	16	595	56	30	23	22	17	13	13	10	6	9	7	3
1,258	55	36	35	1,384	119	88	61	45	31	31	28	22	13	19	16	4
735	29	17	19	800	67	60	39	26	14	18	15	13	8	11	9	5
523	26	19	16	584	52	28	22	19	17	13	13	9	5	8	7	6
19	1	-	-	20	2	1	-	2	-	-	-	-	1	1	-	7
12	-	-	-	12	1	1	-	-	-	-	-	-	1	-	-	8
7	1	-	-	8	1	-	-	2	-	-	-	-	-	1	-	9
11	-	1	-	12	4	3	2	2	1	1	-	1	2	-	-	10
9	-	-	-	9	1	1	1	1	1	1	-	-	1	-	-	11
2	-	1	-	3	3	2	1	1	-	-	-	1	1	-	-	12
1,147	123	90	43	1,403	189	144	131	85	82	59	57	37	23	21	21	13
651	73	57	24	805	124	78	67	40	34	38	31	21	11	8	10	14
496	50	33	19	598	65	66	64	45	48	21	26	16	12	13	11	15
467	21	17	5	510	24	26	21	13	14	3	17	7	3	6	5	16
282	11	12	2	307	16	16	14	5	5	3	11	2	1	3	3	17
185	10	5	3	203	8	10	7	8	9	-	6	5	2	3	2	18
678	102	72	38	890	164	118	110	72	68	56	40	30	20	15	16	19
369	62	44	22	497	107	62	53	35	29	35	20	19	10	5	7	20
309	40	28	16	393	57	56	57	37	39	21	20	11	10	10	9	21
2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	22
-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	23
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	24
1,560	91	60	47	1,758	152	135	81	54	56	39	35	22	17	19	26	25
905	57	38	24	1,024	79	79	48	25	30	20	20	10	10	10	16	26
655	34	22	23	734	73	56	33	29	26	19	15	12	7	9	10	27
1,231	62	46	35	1,374	99	94	64	40	41	31	27	18	15	12	18	28
723	41	31	19	814	53	57	36	20	19	18	12	7	9	7	13	29
508	21	15	16	560	46	37	28	20	22	13	15	11	6	5	5	30
328	29	14	12	383	53	41	17	14	15	8	8	4	2	7	8	31
182	16	7	5	210	26	22	12	5	11	2	8	3	1	3	3	32
146	13	7	7	173	27	19	5	9	4	6	-	1	1	4	5	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
286	19	9	6	320	37	26	15	10	11	10	3	1	4	2	5	37
180	11	5	4	200	18	13	6	7	5	5	-	1	3	1	-	38
106	8	4	2	120	19	13	9	3	6	5	3	-	1	1	5	39
252	15	8	3	278	31	22	12	8	9	8	2	1	2	2	5	40
158	10	5	2	175	15	13	5	6	3	5	-	1	2	1	-	41
94	5	3	1	103	16	9	7	2	6	3	2	-	-	1	5	42
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
33	4	1	3	41	5	4	3	2	2	2	1	-	2	-	-	46
22	1	-	2	25	2	-	1	1	2	-	-	-	1	-	-	47
11	3	1	1	16	3	4	2	1	-	2	1	-	1	-	-	48
555	32	14	6	607	48	29	21	22	11	13	9	8	7	5	6	49
329	22	6	2	359	30	17	8	13	8	6	4	4	6	2	3	50
226	10	8	4	248	18	12	13	9	3	7	5	4	1	3	3	51
524	30	13	5	572	45	24	19	21	10	12	8	8	6	3	5	52
316	20	5	2	343	29	14	7	13	8	5	3	4	5	2	2	53
208	10	8	3	229	16	10	12	8	2	7	5	4	1	1	3	54
27	2	1	-	30	2	2	1	1	1	-	1	-	1	-	-	55
12	2	1	-	15	-	1	-	-	-	-	1	-	1	-	-	56
15	-	-	-	15	2	1	1	1	1	-	-	-	-	-	-	57
4	-	-	1	5	1	3	1	-	-	1	-	-	-	2	1	58
1	-	-	-	1	1	2	1	-	-	1	-	-	-	-	1	59
3	-	-	1	4	-	1	-	-	-	-	-	-	-	2	-	60
154	11	6	1	172	15	11	2	7	5	3	5	3	4	2	-	61
89	5	1	-	95	8	6	1	5	3	1	2	3	2	-	-	62
65	6	5	1	77	7	5	1	2	2	2	3	-	2	2	-	63
136	9	2	1	148	9	9	2	6	3	1	3	3	3	2	-	64
79	5	-	-	84	5	5	1	4	2	1	1	3	1	-	-	65
57	4	2	1	64	4	4	1	2	1	-	2	-	2	2	-	66
14	2	3	-	19	3	2	-	1	1	1	1	-	1	-	-	67
7	-	1	-	8	1	1	-	1	1	-	-	-	1	-	-	68
7	2	2	-	11	2	1	-	-	-	1	1	-	-	-	-	69
4	-	1	-	5	3	-	-	-	1	1	1	-	-	-	-	70
3	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-	71
1	-	1	-	2	1	-	-	-	1	1	-	-	-	-	-	72
218	11	4	8	241	25	16	15	5	7	5	6	5	5	3	6	73
126	7	1	3	137	15	9	10	3	6	3	1	3	3	1	4	74
92	4	3	5	104	10	7	5	2	1	2	5	2	2	2	2	75
217	11	4	8	240	25	16	15	5	7	5	6	5	5	3	6	76
125	7	1	3	136	15	9	10	3	6	3	1	3	3	1	4	77
92	4	3	5	104	10	7	5	2	1	2	5	2	2	2	2	78
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,214	109	69	57	2,449	172	130	101	79	51	42	36	33	40	27	31	85
1,263	54	44	31	1,392	101	75	60	46	24	26	17	20	26	13	15	86
951	55	25	26	1,057	71	55	41	33	27	16	19	13	14	14	16	87
1,701	77	49	45	1,872	131	99	75	48	35	28	27	23	30	22	25	88
969	38	34	27	1,068	75	55	49	25	19	19	13	13	21	10	10	89
732	39	15	18	804	56	44	26	23	16	9	14	10	9	12	15	90
507	32	20	12	571	40	29	26	31	16	14	9	10	10	5	6	91
290	16	10	4	320	26	18	11	21	5	7	4	7	5	5	5	92
217	16	10	8	251	14	11	15	10	11	7	5	3	5	2	1	93
6	-	-	-	6	1	2	-	-	-	-	-	-	-	-	-	94
4	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	95
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NEW MEXICO	886	60	264	70	65	36	13	11	13
2	Male	492	40	141	41	33	20	7	5	9
3	Female	394	20	123	29	32	16	6	6	4
4	White	751	52	229	67	62	31	12	9	11
5	Male	434	36	123	40	33	19	7	4	8
6	Female	317	16	106	27	29	12	5	5	3
7	Negro	29	3	15	-	-	2	-	-	-
8	Male	14	2	11	-	-	-	-	-	-
9	Female	15	1	4	-	-	2	-	-	-
10	Other	106	5	20	3	3	3	1	2	2
11	Male	44	2	7	1	-	1	-	1	1
12	Female	62	3	13	2	3	2	1	1	1
13	NEW YORK	8,599	749	3,096	1,014	618	231	130	103	66
14	Male	4,947	401	1,803	599	360	139	70	64	41
15	Female	3,652	348	1,293	415	258	92	60	39	25
16	White	6,617	591	2,330	817	503	190	101	81	58
17	Male	3,827	315	1,334	496	301	118	55	52	37
18	Female	2,790	276	996	321	202	72	46	29	21
19	Negro	1,943	157	759	188	110	41	27	20	8
20	Male	1,099	86	464	96	57	21	15	11	4
21	Female	844	71	295	92	53	20	12	9	4
22	Other	39	1	7	9	5	-	2	2	-
23	Male	21	-	5	7	2	-	-	1	-
24	Female	18	1	2	2	3	-	2	1	-
25	NORTH CAROLINA	3,432	216	909	346	219	102	79	55	42
26	Male	1,989	113	558	203	129	70	43	32	25
27	Female	1,443	103	351	143	90	32	36	23	17
28	White	1,739	127	567	225	136	46	44	27	18
29	Male	1,031	68	358	131	77	32	27	15	10
30	Female	708	59	209	94	59	14	17	12	8
31	Negro	1,636	84	325	119	81	55	35	28	24
32	Male	926	45	190	71	51	37	16	17	15
33	Female	710	39	135	48	30	18	19	11	9
34	Other	57	5	17	2	2	1	-	-	-
35	Male	32	-	10	1	1	1	-	-	-
36	Female	25	5	7	1	1	-	-	-	-
37	NORTH DAKOTA	384	35	125	34	33	13	5	8	3
38	Male	224	17	82	18	20	9	3	2	2
39	Female	160	18	43	16	13	4	2	6	1
40	White	353	33	119	31	32	13	5	8	3
41	Male	206	15	78	17	19	9	3	2	2
42	Female	147	18	41	14	13	4	2	6	1
43	Negro	1	-	-	-	1	-	-	-	-
44	Male	1	-	-	-	1	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	Other	30	2	6	3	-	-	-	-	-
47	Male	17	2	4	1	-	-	-	-	-
48	Female	13	-	2	2	-	-	-	-	-
49	OHIO	5,318	531	1,856	618	385	162	94	83	52
50	Male	3,036	289	1,061	355	223	100	58	49	30
51	Female	2,282	242	795	263	162	62	36	34	22
52	White	4,456	444	1,535	524	341	135	83	69	47
53	Male	2,572	241	885	306	200	83	50	42	28
54	Female	1,884	203	650	218	141	52	33	27	19
55	Negro	856	87	319	94	44	27	11	13	5
56	Male	460	48	176	49	23	17	8	6	2
57	Female	396	39	143	45	21	10	3	7	3
58	Other	6	-	2	-	-	-	-	1	-
59	Male	4	-	-	-	-	-	-	1	-
60	Female	2	-	2	-	-	-	-	-	-
61	OKLAHOMA	1,226	94	381	138	80	37	24	20	14
62	Male	704	51	222	82	46	22	16	11	7
63	Female	522	43	159	56	34	15	8	9	7
64	White	968	80	304	118	67	34	18	15	11
65	Male	555	43	176	68	37	21	12	9	6
66	Female	413	37	128	50	30	13	6	6	5
67	Negro	207	13	70	16	8	3	5	4	3
68	Male	121	7	42	10	6	1	3	2	1
69	Female	86	6	28	6	2	2	2	2	2
70	Other	51	1	7	4	5	-	1	1	-
71	Male	28	1	4	4	3	-	1	-	-
72	Female	23	-	3	-	2	-	-	1	-
73	OREGON	859	73	274	86	60	25	10	12	13
74	Male	513	47	153	58	34	13	6	10	8
75	Female	346	26	121	28	26	12	4	2	5
76	White	818	70	262	85	58	25	10	12	13
77	Male	489	45	146	57	33	13	6	10	8
78	Female	329	25	116	28	25	12	4	2	5
79	Negro	23	3	8	1	1	-	-	-	-
80	Male	13	2	5	1	-	-	-	-	-
81	Female	10	1	3	-	1	-	-	-	-
82	Other	18	-	4	-	1	-	-	-	-
83	Male	11	-	2	-	1	-	-	-	-
84	Female	7	-	2	-	-	-	-	-	-
85	PENNSYLVANIA	5,664	492	2,136	598	403	185	90	63	45
86	Male	3,224	274	1,184	338	255	106	44	34	24
87	Female	2,440	218	952	260	148	79	46	29	21
88	White	4,578	410	1,695	500	351	158	77	45	35
89	Male	2,628	229	947	291	226	90	38	27	18
90	Female	1,950	181	748	209	125	68	39	18	17
91	Negro	1,053	79	414	97	52	27	12	18	10
92	Male	578	45	221	46	29	16	6	7	6
93	Female	475	34	193	51	23	11	6	11	4
94	Other	33	3	27	1	-	-	1	-	-
95	Male	18	-	16	1	-	-	-	-	-
96	Female	15	3	11	-	-	-	1	-	-

Sex: United States and Each State, 1961—Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
532	29	26	11	598	48	47	52	28	22	18	13	24	10	16	10	1
296	16	14	8	334	33	30	25	12	5	12	6	16	3	10	6	2
236	13	12	3	264	15	17	27	16	17	6	7	8	7	6	4	3
473	24	22	10	529	40	38	42	20	15	12	9	19	6	13	8	4
270	13	12	7	302	28	25	22	9	4	8	5	14	2	9	6	5
203	11	10	3	227	12	13	20	11	11	4	4	5	4	4	2	6
20	2	2	-	24	1	-	1	1	-	1	-	-	-	-	1	7
13	-	-	-	13	1	-	-	-	-	-	-	-	-	-	-	8
7	2	2	-	11	-	-	1	1	-	1	-	-	-	-	1	9
39	3	2	1	45	7	9	9	7	7	5	4	5	4	3	1	10
13	3	2	1	19	4	5	3	3	1	4	1	2	1	1	-	11
26	-	-	-	26	3	4	6	4	6	1	3	3	3	2	1	12
6,007	255	161	146	6,569	516	397	298	190	144	132	94	87	60	49	63	13
3,477	149	100	91	3,817	278	237	164	96	81	71	58	47	41	26	31	14
2,530	106	61	55	2,752	238	160	134	94	63	61	36	40	19	23	32	15
4,671	199	131	108	5,109	372	280	223	148	98	104	70	72	52	40	49	16
2,708	116	76	67	2,967	203	172	128	80	52	55	47	41	36	21	25	17
1,963	83	55	41	2,142	169	108	95	68	46	49	23	31	16	19	24	18
1,310	54	30	38	1,432	140	116	73	42	44	28	24	15	8	8	13	19
754	32	24	24	834	73	64	35	16	28	16	11	6	5	5	6	20
556	22	6	14	598	67	52	38	26	16	12	13	9	3	3	7	21
26	2	-	-	28	4	1	2	-	2	-	-	-	-	1	1	22
15	1	-	-	16	2	1	1	-	1	-	-	-	-	-	-	23
11	1	-	-	12	2	-	1	-	1	-	-	-	-	1	1	24
1,968	152	91	71	2,282	264	218	167	132	86	79	53	46	48	23	34	25
1,173	84	54	36	1,347	151	118	98	70	50	46	30	17	28	13	21	26
795	68	37	35	935	113	100	69	62	36	33	23	29	20	10	13	27
1,190	71	35	26	1,322	90	75	57	49	39	27	19	17	19	12	13	28
718	41	23	13	795	51	43	32	26	25	16	10	7	12	6	8	29
472	30	12	13	527	39	32	25	23	14	11	9	10	7	6	5	30
751	81	54	42	928	171	140	105	80	45	51	31	28	27	10	20	31
442	43	30	23	538	98	72	62	42	23	29	18	9	16	7	12	32
309	38	24	19	390	73	68	43	38	22	22	13	19	11	3	8	33
27	-	2	3	32	3	3	5	3	2	1	3	1	2	1	1	34
13	-	1	-	14	2	3	4	2	2	1	2	1	-	-	1	35
14	-	1	3	18	1	-	1	1	-	-	1	-	2	1	-	36
256	21	11	7	295	18	23	8	15	8	3	8	2	2	2	-	37
153	11	8	2	174	10	18	2	10	2	2	2	1	2	1	-	38
103	10	3	5	121	8	5	6	5	6	1	6	1	-	1	-	39
244	17	10	5	276	17	17	7	13	7	3	7	2	2	2	-	40
145	11	7	1	164	9	13	2	9	2	2	1	1	2	1	-	41
99	6	3	4	112	8	4	5	4	5	1	6	1	-	1	-	42
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
11	4	1	2	18	1	6	1	2	1	-	1	-	-	-	-	46
7	-	1	1	9	1	5	-	1	-	-	1	-	-	-	-	47
4	4	-	1	9	-	1	1	1	1	-	-	-	-	-	-	48
3,781	173	86	71	4,111	290	226	183	101	106	81	57	56	38	33	36	49
2,165	88	55	43	2,351	178	124	111	62	54	37	31	32	18	16	22	50
1,616	85	31	28	1,760	112	102	72	39	52	44	26	24	20	17	14	51
3,178	140	69	59	3,446	237	190	147	91	88	69	48	48	36	27	29	52
1,835	72	46	37	1,990	149	109	93	55	48	29	28	26	18	11	17	53
1,343	68	23	22	1,456	88	82	54	36	40	40	20	22	18	16	12	54
600	32	17	12	661	53	36	36	10	18	11	9	8	2	6	6	55
329	15	9	6	359	29	16	18	7	6	7	3	6	-	5	4	56
271	17	8	6	302	24	20	18	3	12	4	6	2	2	1	2	57
3	1	-	-	4	-	-	-	-	-	1	-	-	-	-	1	58
1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1	59
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	60
788	57	19	17	881	67	75	56	33	27	23	15	13	10	12	14	61
457	32	13	6	508	34	48	29	22	15	16	8	5	5	5	9	62
331	25	6	11	373	33	27	27	11	12	7	7	8	5	7	5	63
647	43	15	12	717	48	54	46	21	18	16	12	9	7	10	10	64
372	24	11	4	411	23	34	24	16	12	10	5	4	5	3	7	65
275	19	4	8	306	25	20	22	5	6	6	6	5	2	7	3	66
122	10	4	3	139	13	18	8	10	4	5	1	3	2	2	2	67
72	5	2	1	80	7	12	5	4	3	4	1	1	-	2	2	68
50	5	2	2	59	6	6	3	6	1	1	-	2	2	-	-	69
19	4	-	2	25	6	3	2	2	5	2	2	1	1	-	2	70
13	3	-	1	17	4	2	-	2	-	2	1	-	-	-	-	71
6	1	-	1	8	2	1	2	-	5	-	1	1	1	-	2	72
553	22	16	10	601	56	47	40	31	22	14	11	13	9	10	5	73
329	14	10	4	357	33	28	25	18	13	10	6	10	4	6	3	74
224	8	6	6	244	23	19	15	13	9	4	5	3	5	4	2	75
535	21	16	9	581	49	43	36	30	18	14	10	13	9	10	5	76
318	14	10	3	345	30	25	22	17	11	10	6	10	4	6	3	77
217	7	6	6	236	19	18	14	13	7	4	4	3	5	4	2	78
13	-	-	1	14	5	1	1	-	2	-	-	-	-	-	-	79
8	-	-	1	9	2	1	-	-	1	-	-	-	-	-	-	80
5	-	-	-	5	3	-	1	-	1	-	-	-	-	-	-	81
5	1	-	-	6	2	3	3	1	2	-	1	-	-	-	-	82
3	-	-	-	3	1	2	3	1	1	-	-	-	-	-	-	83
2	1	-	-	3	1	1	-	-	1	-	1	-	-	-	-	84
4,012	179	87	94	4,372	310	262	151	132	91	92	52	69	50	47	36	85
2,259	102	57	53	2,471	184	160	86	73	53	55	32	36	30	24	20	86
1,753	77	30	41	1,901	126	102	65	59	38	37	20	33	20	23	16	87
3,271	152	71	76	3,570	236	194	117	102	72	73	43	56	43	43	29	88
1,866	88	49	45	2,048	138	117	65	57	42	42	28	30	25	21	15	89
1,405	64	22	31	1,522	98	77	52	45	30	31	15	26	18	22	14	90
709	27	16	18	770	74	68	34	29	19	19	9	13	7	4	7	91
376	14	8	8	406	46	43	21	15	11	13	4	6	5	3	5	92
333	13	8	10	364	28	25	13	14	8	6	5	7	2	1	2	93
32	-	-	-	32	-	-	-	1	-	-	-	-	-	-	-	94
17	-	-	-	17	-	-	-	1	-	-	-	-	-	-	-	95
15	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	RHODE ISLAND	413	38	168	35	29	10	2	2	4
2	Male	235	18	89	18	18	7	1	-	2
3	Female	178	20	79	17	11	3	1	2	2
4	White	393	36	161	34	29	9	2	2	4
5	Male	224	18	86	18	18	6	1	-	2
6	Female	169	18	75	16	11	3	1	2	2
7	Negro	20	2	7	1	-	1	-	-	-
8	Male	11	-	3	-	-	1	-	-	-
9	Female	9	2	4	1	-	-	-	-	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	SOUTH CAROLINA	1,939	101	426	188	130	50	42	26	16
14	Male	1,128	62	268	111	86	29	24	13	9
15	Female	811	39	158	77	44	21	18	13	7
16	White	787	51	245	101	78	23	14	9	8
17	Male	474	31	157	57	55	13	6	4	4
18	Female	313	20	88	44	23	10	8	5	4
19	Negro	1,150	50	181	86	52	27	27	17	8
20	Male	652	31	111	53	31	16	17	9	5
21	Female	498	19	70	33	21	11	10	8	3
22	Other	2	-	-	1	-	-	1	-	-
23	Male	2	-	-	1	-	-	1	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	SOUTH DAKOTA	443	55	132	50	20	12	6	3	3
26	Male	254	32	73	33	12	11	6	1	2
27	Female	189	23	59	17	8	1	-	2	1
28	White	370	51	118	46	17	10	6	3	3
29	Male	215	31	65	29	11	10	6	1	2
30	Female	155	20	53	17	6	-	-	2	1
31	Negro	1	-	-	-	1	-	-	-	-
32	Male	1	-	-	-	1	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other	72	4	14	4	2	2	-	-	-
35	Male	38	1	8	4	-	1	-	-	-
36	Female	34	3	6	-	2	1	-	-	-
37	TENNESSEE	2,402	161	676	263	163	67	46	35	24
38	Male	1,390	90	398	161	104	46	28	20	15
39	Female	1,012	71	278	102	59	21	18	15	9
40	White	1,631	114	487	189	126	54	29	30	17
41	Male	945	63	293	119	77	37	16	16	11
42	Female	686	51	194	70	49	17	13	14	6
43	Negro	768	47	188	73	37	13	17	5	7
44	Male	443	27	104	41	27	9	12	4	4
45	Female	325	20	84	32	10	4	5	1	3
46	Other	3	-	1	1	-	-	-	-	-
47	Male	2	-	1	1	-	-	-	-	-
48	Female	1	-	-	-	-	-	-	-	-
49	TEXAS	6,568	420	1,853	749	461	241	116	105	48
50	Male	3,800	224	1,124	470	260	151	67	52	27
51	Female	2,768	196	729	279	201	90	49	53	21
52	White	5,081	339	1,511	605	386	200	87	80	35
53	Male	2,990	182	944	383	215	128	51	38	17
54	Female	2,091	157	567	222	171	72	36	42	18
55	Negro	1,471	78	337	143	73	40	29	25	13
56	Male	802	40	178	86	43	23	16	14	10
57	Female	669	38	159	57	30	17	13	11	3
58	Other	16	3	5	1	2	1	-	-	-
59	Male	8	2	2	1	2	-	-	-	-
60	Female	8	1	3	-	-	1	-	-	-
61	UTAH	538	33	171	81	39	18	10	10	6
62	Male	290	22	81	47	20	12	10	7	6
63	Female	248	11	90	34	19	6	-	3	-
64	White	512	30	165	79	39	18	9	10	6
65	Male	279	21	78	46	20	12	9	7	6
66	Female	233	9	87	33	19	6	-	3	-
67	Negro	7	2	2	1	-	-	1	-	-
68	Male	2	1	-	-	-	-	1	-	-
69	Female	5	1	2	1	-	-	-	-	-
70	Other	19	1	4	1	-	-	-	-	-
71	Male	9	-	3	1	-	-	-	-	-
72	Female	10	1	1	-	-	-	-	-	-
73	VERMONT	255	37	100	28	6	5	2	2	1
74	Male	153	26	62	15	5	4	1	-	1
75	Female	102	11	38	13	1	1	1	2	-
76	White	255	37	100	28	6	5	2	2	1
77	Male	153	26	62	15	5	4	1	-	1
78	Female	102	11	38	13	1	1	1	2	-
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	VIRGINIA	2,722	192	814	318	188	90	54	46	28
86	Male	1,535	102	459	187	127	57	24	19	13
87	Female	1,187	90	355	131	61	33	30	27	15
88	White	1,691	135	536	224	131	61	33	24	15
89	Male	962	74	307	130	95	42	13	12	5
90	Female	729	61	229	94	36	19	20	12	10
91	Negro	1,028	57	278	93	57	29	21	22	13
92	Male	572	28	152	56	32	15	11	7	8
93	Female	456	29	126	37	25	14	10	15	5
94	Other	3	-	-	1	-	-	-	-	-
95	Male	1	-	-	1	-	-	-	-	-
96	Female	2	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1961—Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
288	9	8	6	311	19	32	15	6	8	2	6	3	6	3	2	1
153	6	4	2	165	10	24	9	6	4	1	4	2	6	2	2	2
135	3	4	4	146	9	8	6	-	4	1	2	1	-	1	-	3
277	9	8	6	300	17	30	13	6	7	1	6	3	6	2	2	4
149	6	4	2	161	8	23	8	6	3	-	4	2	6	1	2	5
128	3	4	4	139	9	7	5	-	4	1	2	1	-	1	-	6
11	-	-	-	11	2	2	2	-	1	1	-	-	-	1	-	7
4	-	-	-	4	2	1	1	-	1	1	-	-	-	1	-	8
7	-	-	-	7	-	1	1	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
979	87	60	49	1,175	180	126	127	84	70	40	42	30	23	15	27	13
602	51	33	29	715	105	64	66	50	34	26	19	16	9	7	17	14
377	36	27	20	460	75	62	61	34	36	14	23	14	14	8	10	15
529	23	17	11	580	47	31	33	23	16	8	14	11	9	2	13	16
327	10	8	8	353	32	20	18	13	8	4	6	6	3	2	9	17
202	13	9	3	227	15	11	15	10	8	4	8	5	6	-	4	18
448	64	43	38	593	133	95	94	61	54	32	28	19	14	13	14	19
273	41	25	21	360	73	44	48	37	26	22	13	10	6	5	8	20
175	23	18	17	233	60	51	46	24	28	10	15	9	8	8	6	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
281	19	13	10	323	27	24	12	15	10	8	11	4	3	3	3	25
170	8	8	7	193	13	12	8	9	4	3	7	1	1	2	1	26
111	11	5	3	130	14	12	4	6	6	5	4	3	2	1	2	27
254	16	8	9	287	21	17	5	12	7	5	8	4	1	1	2	28
155	8	5	6	174	9	9	2	9	2	3	5	1	-	1	-	29
99	8	3	3	113	12	8	3	3	5	2	3	3	1	-	2	30
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
26	3	5	1	35	6	7	7	3	3	3	3	-	2	2	1	34
14	-	3	1	18	4	3	6	-	2	-	2	-	1	1	1	35
12	3	2	-	17	2	4	1	3	1	3	1	-	1	1	-	36
1,435	117	66	48	1,666	172	116	107	84	60	50	41	31	28	17	30	37
862	71	39	29	1,001	91	56	64	42	39	23	23	12	16	7	16	38
573	46	27	19	665	81	60	43	42	21	27	18	19	12	10	14	39
1,046	80	48	25	1,199	105	64	62	44	32	35	21	18	19	12	20	40
632	51	30	14	727	52	26	36	20	21	19	13	6	10	4	11	41
414	29	18	11	472	53	38	26	24	11	16	8	12	9	8	9	42
387	37	18	23	465	67	52	44	40	28	15	20	13	9	5	10	43
228	20	9	15	272	39	30	28	22	18	4	10	6	6	3	5	44
159	17	9	8	193	28	22	16	18	10	11	10	7	3	2	5	45
2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	46
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	48
3,993	283	164	93	4,533	473	372	258	215	148	145	100	91	86	72	75	49
2,375	163	90	59	2,687	270	226	138	110	81	71	47	48	46	41	35	50
1,618	120	74	34	1,846	203	146	120	105	67	74	53	43	40	31	40	51
3,243	211	118	58	3,630	315	272	197	144	109	107	72	70	60	55	50	52
1,958	121	69	38	2,186	180	166	108	76	63	56	32	35	33	30	25	53
1,285	90	49	20	1,444	135	106	89	68	46	51	40	35	27	25	25	54
738	72	46	35	891	158	99	61	71	39	37	28	21	25	17	24	55
410	42	21	21	494	90	60	30	34	18	15	15	13	13	11	9	56
328	30	25	14	397	68	39	31	37	21	22	13	8	12	6	15	57
12	-	-	-	12	-	1	-	-	-	1	-	-	1	-	1	58
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	1	59
5	-	-	-	5	-	1	-	-	-	1	-	-	1	-	-	60
368	19	10	3	400	27	29	12	15	9	9	11	10	5	7	4	61
205	13	4	3	225	8	16	7	8	5	3	6	5	2	3	2	62
163	6	6	-	175	19	13	5	7	4	6	5	5	3	4	2	63
356	18	10	3	387	26	26	10	11	8	7	11	10	5	7	4	64
199	12	4	3	218	8	15	6	7	4	3	6	5	2	3	2	65
157	6	6	-	169	18	11	4	4	4	4	5	5	3	4	2	66
6	-	-	-	6	-	-	-	-	-	1	-	-	-	-	-	67
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	68
4	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	69
6	1	-	-	7	1	3	2	4	1	1	-	-	-	-	-	70
4	1	-	-	5	-	1	1	1	1	-	-	-	-	-	-	71
2	-	-	-	2	1	2	1	3	-	1	-	-	-	-	-	72
181	4	3	6	194	18	13	6	6	5	3	1	2	2	3	2	73
114	2	1	2	119	11	9	2	1	3	3	1	1	1	1	1	74
67	2	2	4	75	7	4	4	5	2	-	-	1	1	2	1	75
181	4	3	6	194	18	13	6	6	5	3	1	2	2	3	2	76
114	2	1	2	119	11	9	2	1	3	3	1	1	1	1	1	77
67	2	2	4	75	7	4	4	5	2	-	-	1	1	2	1	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,730	105	67	44	1,946	193	139	125	84	75	44	31	26	23	18	19	85
988	52	41	30	1,111	99	72	72	51	44	26	19	15	11	9	6	86
742	53	26	14	835	94	66	53	33	31	18	12	11	12	9	13	87
1,159	69	40	24	1,292	106	62	59	41	38	22	18	13	17	11	12	88
678	33	28	15	754	55	30	35	22	24	10	11	7	7	4	3	89
481	36	12	9	538	51	32	24	19	14	12	7	6	10	7	9	90
570	36	27	19	652	86	76	66	43	37	22	13	13	6	7	7	91
309	19	13	15	356	44	42	37	29	20	16	8	8	4	5	3	92
261	17	14	4	296	42	34	29	14	17	6	5	5	2	2	4	93
1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	94
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occur-

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WASHINGTON	1,478	110	516	139	104	42	22	14	13
2	Male	875	62	315	79	57	28	14	9	7
3	Female	603	48	203	60	47	14	8	5	6
4	White	1,335	103	467	125	99	40	21	14	11
5	Male	790	59	289	68	54	26	14	9	6
6	Female	545	44	178	57	45	14	7	5	5
7	Negro	59	3	22	6	2	2	1	-	1
8	Male	34	1	11	4	1	2	-	-	1
9	Female	25	2	11	2	1	-	1	-	-
10	Other	84	4	29	8	3	-	-	-	1
11	Male	51	2	15	7	2	-	-	-	-
12	Female	33	2	14	1	1	-	-	-	1
13	WEST VIRGINIA	1,042	71	300	128	83	47	32	13	8
14	Male	588	49	153	77	55	28	18	8	3
15	Female	454	22	147	51	28	19	14	5	5
16	White	977	67	280	124	79	45	28	13	7
17	Male	543	47	140	74	52	26	16	8	2
18	Female	434	20	140	50	27	19	12	5	5
19	Negro	65	4	20	4	4	2	4	-	1
20	Male	45	2	13	3	3	2	2	-	1
21	Female	20	2	7	1	1	-	2	-	-
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	WISCONSIN	2,233	197	833	240	137	60	21	33	24
26	Male	1,262	112	460	149	79	33	16	21	13
27	Female	971	85	373	91	58	27	5	12	11
28	White	2,111	186	785	231	132	55	21	32	21
29	Male	1,189	103	432	146	75	31	16	20	10
30	Female	922	83	353	85	57	24	5	12	11
31	Negro	105	9	47	8	5	5	-	-	2
32	Male	63	7	28	3	4	2	-	-	2
33	Female	42	2	19	5	1	3	-	-	-
34	Other	17	2	1	1	-	-	-	1	1
35	Male	10	2	-	-	-	-	-	1	1
36	Female	7	-	1	1	-	-	-	-	-
37	WYOMING	231	16	76	31	21	8	3	2	3
38	Male	137	9	48	19	9	5	3	1	1
39	Female	94	7	28	12	12	3	-	1	2
40	White	215	14	72	29	19	8	3	2	3
41	Male	132	8	48	18	9	5	3	1	1
42	Female	83	6	24	11	10	3	-	1	2
43	Negro	9	1	3	2	2	-	-	-	-
44	Male	2	1	-	1	-	-	-	-	-
45	Female	7	-	3	1	2	-	-	-	-
46	Other	7	1	1	-	-	-	-	-	-
47	Male	3	-	-	-	-	-	-	-	-
48	Female	4	1	1	-	-	-	-	-	-

Sex: United States and Each State, 1961—Con.

ring within the United States. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
962	50	25	21	1,058	99	92	76	40	28	25	21	10	14	9	6	1
571	30	17	10	628	60	52	48	25	18	8	15	7	7	3	4	2
391	20	8	11	430	39	40	28	15	10	17	6	3	7	6	2	3
880	49	20	19	968	91	76	64	38	25	21	18	9	14	8	5	4
525	30	12	8	575	56	43	40	22	15	7	12	7	7	3	3	5
355	19	8	11	393	35	33	24	14	10	14	6	2	7	5	2	6
37	-	1	1	39	3	3	4	3	2	2	1	-	-	1	1	7
20	-	1	1	22	1	1	3	2	2	1	1	-	-	-	1	8
17	-	-	-	17	2	2	1	1	-	1	-	-	-	1	-	9
45	1	4	1	51	5	13	8	1	1	2	2	1	-	-	-	10
26	-	4	1	31	3	8	5	1	1	-	2	-	-	-	-	11
19	1	-	-	20	2	5	3	-	-	2	-	1	-	-	-	12
682	38	32	14	766	62	51	42	19	28	16	14	13	12	11	8	13
391	24	14	7	436	35	30	22	8	12	6	12	8	6	8	5	14
291	14	18	7	330	27	21	20	11	16	10	2	5	6	3	3	15
643	38	30	13	724	59	46	37	18	25	16	13	11	10	10	8	16
365	24	12	7	408	32	27	19	7	9	6	11	7	4	8	5	17
278	14	18	6	316	27	19	18	11	16	10	2	4	6	2	3	18
39	-	2	1	42	3	5	5	1	3	-	1	2	2	1	-	19
26	-	2	-	28	3	3	3	1	3	-	1	1	2	-	-	20
13	-	-	1	14	-	2	2	-	-	-	-	1	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,545	69	41	36	1,691	130	102	73	62	33	31	31	25	21	19	15	25
883	47	21	16	967	77	50	45	34	18	14	16	11	12	11	7	26
662	22	20	20	724	53	52	28	28	15	17	15	14	9	8	8	27
1,463	68	38	34	1,603	123	97	70	59	28	27	28	23	21	18	14	28
833	46	18	15	912	75	46	44	32	14	12	15	10	12	10	7	29
630	22	20	19	691	48	51	26	27	14	15	13	13	9	8	7	30
76	1	3	2	82	6	3	2	2	2	4	2	1	-	-	1	31
46	1	3	1	51	2	2	1	1	2	2	1	1	-	-	-	32
30	-	-	1	31	4	1	1	1	-	2	1	-	-	-	1	33
6	-	-	-	6	1	2	1	1	3	-	1	1	-	1	-	34
4	-	-	-	4	-	2	-	1	2	-	-	-	-	1	-	35
2	-	-	-	2	1	-	1	-	1	-	1	1	-	-	-	36
160	11	7	2	180	7	11	8	5	4	2	6	1	3	3	1	37
95	6	5	2	108	3	7	6	3	2	-	3	1	2	2	-	38
65	5	2	-	72	4	4	2	2	2	2	3	-	1	1	1	39
150	10	7	2	169	7	11	7	5	4	2	4	1	1	3	1	40
93	6	5	2	106	3	7	5	3	2	-	2	1	1	2	-	41
57	4	2	-	63	4	4	2	2	2	2	2	-	-	1	1	42
8	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-	43
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	44
6	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	2	-	-	1	-	-	-	2	-	2	-	-	46
-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	47
2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	48

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Total, under 1 year	107,956	10,231	8,575	9,004	8,479	8,681	8,435	8,806	8,895	8,791	9,296	9,013	9,750
White	80,781	7,467	6,397	6,851	6,442	6,566	6,441	6,606	6,683	6,592	6,866	6,772	7,098
Nonwhite	27,175	2,764	2,178	2,153	2,037	2,115	1,994	2,200	2,212	2,199	2,430	2,241	2,652
Under 28 days	78,482	6,509	5,549	6,364	6,294	6,633	6,639	7,037	7,116	6,809	6,741	6,314	6,477
White	60,982	5,035	4,319	4,989	4,907	5,159	5,215	5,450	5,499	5,275	5,209	4,905	5,020
Nonwhite	17,500	1,474	1,230	1,375	1,387	1,474	1,424	1,587	1,617	1,534	1,532	1,409	1,457
Under 7 days	70,276	5,747	4,904	5,733	5,627	5,992	6,050	6,375	6,416	6,067	6,012	5,601	5,752
White	55,310	4,540	3,872	4,541	4,434	4,721	4,781	4,979	5,028	4,745	4,712	4,417	4,540
Nonwhite	14,966	1,207	1,032	1,192	1,193	1,271	1,269	1,396	1,388	1,322	1,300	1,184	1,212
Under 1 hour	8,447	664	664	701	727	716	666	710	784	728	736	667	684
White	6,712	524	521	557	592	584	532	583	618	569	576	517	539
Nonwhite	1,735	140	143	144	135	132	134	127	166	159	160	150	145
1-23 hours	35,338	2,808	2,298	2,918	2,795	3,083	3,222	3,210	3,174	3,079	3,004	2,831	2,916
White	27,621	2,225	1,804	2,280	2,167	2,393	2,526	2,479	2,476	2,405	2,346	2,215	2,305
Nonwhite	7,717	583	494	638	628	690	696	731	698	674	658	616	611
1 day	11,373	1,005	802	882	925	940	946	1,035	1,032	971	957	913	965
White	9,090	784	637	729	744	749	758	829	810	770	761	742	777
Nonwhite	2,283	221	165	153	181	191	188	206	222	201	196	171	188
2 days	7,342	590	550	599	579	571	609	718	708	621	646	583	568
White	5,951	499	445	493	468	468	504	593	566	489	511	470	445
Nonwhite	1,391	91	105	106	111	103	105	125	142	132	135	113	123
3 days	3,376	279	254	297	246	296	254	299	314	284	295	283	275
White	2,693	214	197	239	200	247	204	230	253	220	243	224	222
Nonwhite	683	65	57	58	46	49	50	69	61	64	52	59	53
4 days	1,889	180	132	150	153	144	178	157	171	169	170	143	142
White	1,404	127	105	104	113	104	140	108	130	130	134	104	105
Nonwhite	485	53	27	46	40	40	38	49	41	39	36	39	37
5 days	1,481	126	126	108	118	154	98	161	131	124	118	100	119
White	1,083	93	96	75	86	114	64	106	99	96	87	84	83
Nonwhite	398	33	30	31	32	40	34	55	32	28	31	16	36
6 days	1,030	95	78	80	84	88	77	85	102	91	86	81	83
White	756	74	67	64	64	62	53	51	76	66	54	61	64
Nonwhite	274	21	11	16	20	26	24	34	26	25	32	20	19
7-13 days	3,993	337	281	310	337	335	305	343	365	365	351	332	332
White	2,807	226	202	219	247	224	222	245	261	260	248	232	221
Nonwhite	1,186	111	79	91	90	111	83	98	104	105	103	100	111
14-20 days	2,398	239	221	183	205	167	165	165	180	223	214	216	220
White	1,639	154	145	132	139	114	118	115	115	163	150	153	141
Nonwhite	759	85	76	51	66	53	47	50	65	60	64	63	79
21-27 days	1,815	186	143	138	125	139	119	154	155	154	164	165	173
White	1,226	115	100	97	87	100	94	111	95	107	99	103	118
Nonwhite	589	71	43	41	38	39	25	43	60	47	65	62	55
28-59 days	6,914	772	696	591	499	495	452	421	462	571	649	648	658
White	4,636	521	466	402	347	342	317	274	329	374	394	434	436
Nonwhite	2,278	251	230	189	152	153	135	147	133	197	255	214	222
2 months	5,523	665	574	529	448	352	295	290	329	359	538	515	629
White	3,736	446	398	380	310	234	213	195	215	236	345	352	412
Nonwhite	1,787	219	176	149	138	118	82	95	114	123	193	163	217
3 months	4,166	536	435	379	305	312	224	219	229	240	352	434	501
White	2,799	329	298	271	222	202	149	147	149	154	235	318	325
Nonwhite	1,367	207	137	108	83	110	75	72	80	86	117	116	176
4 months	3,014	441	327	262	216	197	149	170	170	190	254	253	385
White	1,961	266	225	180	149	138	106	114	107	135	155	166	220
Nonwhite	1,053	175	102	82	67	59	43	56	63	55	99	87	165
5 months	2,372	357	279	198	174	160	157	143	125	149	157	195	278
White	1,536	220	185	134	118	99	100	91	78	100	113	138	160
Nonwhite	836	137	94	64	56	61	57	52	47	49	44	57	118
6 months	1,863	255	219	170	126	128	130	123	105	116	152	157	182
White	1,231	155	154	126	83	92	79	75	62	71	110	111	113
Nonwhite	632	100	65	44	43	36	51	48	43	45	42	46	69
7 months	1,472	187	132	130	126	84	97	103	86	90	112	140	185
White	991	128	85	97	99	56	70	65	58	57	73	95	108
Nonwhite	481	59	47	33	27	28	27	38	28	33	39	45	77
8 months	1,266	146	119	128	92	116	92	90	70	75	95	100	143
White	887	106	86	89	66	88	63	58	43	54	87	74	93
Nonwhite	379	40	33	39	26	28	29	32	27	21	28	26	50
9 months	1,064	148	86	91	72	78	74	78	75	73	86	97	106
White	724	101	60	62	51	63	48	54	45	48	56	69	67
Nonwhite	340	47	26	29	21	15	26	24	30	25	30	28	39
10 months	915	95	83	86	60	63	65	66	61	59	84	91	102
White	657	72	63	63	43	46	42	39	50	41	59	61	78
Nonwhite	258	23	20	23	17	17	23	27	11	18	25	30	24
11 months	905	120	76	76	67	63	61	66	67	60	76	69	104
White	641	88	58	58	47	47	39	44	48	47	50	49	66
Nonwhite	264	32	18	18	20	16	22	22	19	13	26	20	38
Male													
Total, under 1 year	62,120	5,840	4,849	5,208	4,796	4,993	4,911	5,057	5,219	5,038	5,378	5,233	5,598
White	46,989	4,309	3,647	4,014	3,631	3,813	3,811	3,833	3,958	3,805	4,032	3,982	4,154
Nonwhite	15,131	1,531	1,202	1,194	1,165	1,180	1,100	1,224	1,261	1,233	1,346	1,251	1,444
Under 28 days	45,580	3,718	3,235	3,693	3,593	3,862	3,929	4,090	4,197	3,910	3,924	3,647	3,782
White	35,748	2,916	2,534	2,919	2,798	3,032	3,108	3,195	3,262	3,052	3,080	2,875	2,977
Nonwhite	9,832	802	701	774	795	830	821	895	935	858	844	772	805
Under 7 days	40,949	3,292	2,844	3,331	3,222	3,489	3,597	3,732	3,800	3,494	3,499	3,257	3,392
White	32,497	2,630	2,264	2,659	2,535	2,781	2,863	2,940	2,980	2,754	2,783	2,603	2,705
Nonwhite	8,452	662	580	672	687	708	734	792	820	740	716	654	687
Under 1 hour	4,632	357	362	373	385	417	392	383	457	410	394	341	371
White	3,695	277	288	308	308	334	305	318	354	322	314	271	296
Nonwhite	937	80	74	65	77	83	77	65	103	88	80	70	75

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Male—Continued													
Under 28 days—Continued													
Under 7 days—Continued													
1-23 hours	20,496	1,612	1,315	1,681	1,605	1,782	1,893	1,900	1,848	1,768	1,724	1,647	1,721
White	16,129	1,276	1,048	1,326	1,243	1,411	1,496	1,477	1,439	1,384	1,363	1,292	1,374
Nonwhite	4,367	336	267	355	362	371	397	423	409	384	361	355	347
1 day	6,767	569	475	514	565	549	574	624	622	550	594	555	576
White	5,478	449	374	431	458	443	467	507	489	440	483	463	474
Nonwhite	1,289	120	101	83	107	106	107	117	133	110	111	92	102
2 days	4,457	360	345	368	327	343	377	429	457	382	375	348	346
White	3,640	315	280	299	275	279	306	358	372	302	300	286	268
Nonwhite	817	45	65	69	52	64	71	71	85	80	75	62	78
3 days	2,064	175	149	185	145	180	159	172	183	170	193	188	165
White	1,661	141	117	145	117	152	131	128	148	137	159	153	133
Nonwhite	403	34	32	40	28	28	28	44	35	33	34	35	32
4 days	1,107	103	79	95	81	82	112	96	97	104	96	74	88
White	832	78	63	62	57	59	89	66	78	82	80	52	66
Nonwhite	275	25	16	33	24	23	23	30	19	22	16	22	22
5 days	846	65	68	65	70	92	59	80	82	62	67	62	74
White	638	54	52	49	48	71	37	53	63	50	50	53	58
Nonwhite	208	11	16	16	22	21	22	27	19	12	17	9	16
6 days	580	51	51	50	44	44	41	48	54	48	56	42	51
White	424	40	42	39	29	32	32	33	37	37	34	33	36
Nonwhite	156	11	9	11	15	12	9	15	17	11	22	9	15
7-13 days	2,253	188	174	185	185	191	170	176	202	198	210	190	184
White	1,615	131	123	135	133	129	122	123	149	140	156	134	140
Nonwhite	638	57	51	50	52	62	48	53	53	58	54	56	44
14-20 days	1,374	147	129	97	117	99	93	97	105	139	122	108	121
White	949	97	83	70	80	65	67	68	74	106	88	76	75
Nonwhite	425	50	46	27	37	34	26	29	31	33	34	32	46
21-27 days	1,004	91	88	80	69	83	69	85	90	79	93	92	85
White	687	58	64	55	50	57	56	64	59	52	53	62	57
Nonwhite	317	33	24	25	19	26	13	21	31	27	40	30	28
28-59 days	4,018	449	371	346	272	297	270	246	279	350	390	377	371
White	2,696	297	246	243	188	207	197	163	201	230	234	241	249
Nonwhite	1,322	152	125	103	84	90	73	83	78	120	156	136	122
2 months	3,185	385	318	303	245	194	156	174	212	196	310	314	378
White	2,218	263	226	221	163	138	126	118	144	128	207	226	260
Nonwhite	967	122	92	82	82	56	30	56	68	70	103	88	118
3 months	2,374	307	231	223	188	179	127	111	126	140	201	265	276
White	1,627	189	157	167	141	115	90	73	79	92	138	200	186
Nonwhite	747	118	74	56	47	64	37	38	47	48	63	65	90
4 months	1,649	257	174	154	119	89	79	94	87	106	140	146	204
White	1,093	160	119	108	85	63	57	63	57	77	86	97	121
Nonwhite	556	97	55	46	34	26	22	31	30	29	54	49	83
5 months	1,251	184	143	121	91	80	88	74	64	81	78	110	147
White	828	114	100	79	56	51	59	45	43	56	57	83	85
Nonwhite	433	70	43	42	35	29	29	29	21	25	21	27	62
6 months	1,015	142	112	100	66	78	68	71	58	57	89	83	91
White	658	81	81	76	45	57	39	41	35	36	59	59	49
Nonwhite	357	61	31	24	21	21	29	30	23	21	30	24	42
7 months	804	108	64	69	65	49	55	51	56	47	59	80	101
White	546	75	39	55	51	32	42	33	40	29	40	54	56
Nonwhite	258	33	25	14	14	17	13	18	16	18	19	26	45
8 months	657	80	64	69	45	58	41	40	37	47	53	47	76
White	467	60	40	49	33	43	30	29	25	33	37	37	51
Nonwhite	190	20	24	20	12	15	11	11	12	14	16	10	25
9 months	601	86	53	56	46	35	38	38	40	35	47	61	66
White	411	62	38	42	30	23	25	29	25	21	32	42	42
Nonwhite	190	24	15	14	16	12	13	9	15	14	15	19	24
10 months	479	52	40	37	36	35	32	34	32	29	41	60	51
White	343	38	32	29	23	25	20	21	24	23	28	38	42
Nonwhite	136	14	8	8	13	10	12	13	8	6	13	22	9
11 months	497	72	44	37	30	37	28	34	31	40	46	43	55
White	354	54	35	26	18	27	18	23	23	30	34	30	36
Nonwhite	143	18	9	11	12	10	10	11	8	10	12	13	19
Female													
Total, under 1 year	45,836	4,391	3,726	3,796	3,683	3,688	3,524	3,749	3,676	3,753	3,918	3,780	4,152
White	33,792	3,158	2,750	2,837	2,811	2,753	2,630	2,773	2,725	2,787	2,834	2,790	2,944
Nonwhite	12,044	1,233	976	959	872	935	894	976	951	966	1,084	990	1,208
Under 28 days	32,902	2,791	2,314	2,671	2,701	2,771	2,710	2,947	2,919	2,899	2,817	2,667	2,695
White	25,234	2,119	1,785	2,070	2,109	2,127	2,107	2,255	2,237	2,223	2,129	2,050	2,043
Nonwhite	7,668	672	529	601	592	644	603	692	682	676	688	637	652
Under 7 days	29,327	2,455	2,060	2,402	2,405	2,503	2,453	2,643	2,616	2,573	2,513	2,344	2,360
White	22,813	1,910	1,608	1,882	1,899	1,940	1,918	2,039	2,048	1,991	1,929	1,814	1,835
Nonwhite	6,514	545	452	520	506	563	535	604	568	582	584	530	525
Under 1 hour	3,815	307	302	328	342	299	284	327	327	318	342	326	313
White	3,017	247	233	249	284	250	227	265	264	247	262	246	243
Nonwhite	798	60	69	79	58	49	57	62	63	71	80	80	70
1-23 hours	14,842	1,196	983	1,237	1,190	1,301	1,329	1,310	1,326	1,311	1,280	1,184	1,195
White	11,492	949	756	954	924	982	1,030	1,002	1,037	1,021	983	923	931
Nonwhite	3,350	247	227	283	266	319	299	308	289	290	297	261	264
1 day	4,606	436	327	368	360	391	372	411	410	421	363	358	389
White	3,612	335	263	298	286	306	291	322	321	330	278	279	303
Nonwhite	994	101	64	70	74	85	81	89	89	91	85	79	86
2 days	2,885	230	205	231	252	228	232	289	251	239	271	235	222
White	2,311	184	165	194	193	189	198	235	194	187	211	184	177
Nonwhite	574	46	40	37	59	39	34	54	57	52	60	51	45
3 days	1,312	104	105	112	101	116	95	127	131	114	102	95	110
White	1,032	73	80	94	83	95	73	102	105	83	84	71	89
Nonwhite	280	31	25	18	18	21	22	25	26	31	18	24	21
4 days	782	77	53	55	72	62	66	61	74	65	74	69	54
White	572	49	42	42	56	45	51	42	52	48	54	52	39
Nonwhite	210	28	11	13	16	17	15	19	22	17	20	17	15

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Female—Continued													
Under 28 days—Continued													
Under 7 days—Continued													
5 days	635	61	58	41	48	62	39	81	49	62	51	38	45
White	445	39	44	26	38	43	27	53	36	46	37	31	25
Nonwhite	190	22	14	15	10	19	12	28	13	16	14	7	20
6 days	450	44	27	30	40	44	36	37	48	43	30	39	32
White	332	34	25	25	35	30	21	18	39	29	20	28	28
Nonwhite	118	10	2	5	5	14	15	19	9	14	10	11	4
7-13 days	1,740	149	107	125	152	144	135	167	163	167	141	142	148
White	1,192	95	79	84	114	95	100	122	112	120	92	98	81
Nonwhite	548	54	28	41	38	49	35	45	51	47	49	44	67
14-20 days	1,024	92	92	86	88	68	72	68	75	84	92	108	99
White	690	57	62	62	59	49	51	47	41	57	62	77	66
Nonwhite	334	35	30	24	29	19	21	21	34	27	30	31	33
21-27 days	811	95	55	58	56	56	50	69	65	75	71	73	88
White	539	57	36	42	37	43	38	47	36	55	46	41	61
Nonwhite	272	38	19	16	19	13	12	22	29	20	25	32	27
28-59 days	2,896	323	325	245	227	198	182	175	183	221	259	271	287
White	1,940	224	220	159	159	135	120	111	128	144	160	193	187
Nonwhite	956	99	105	86	68	63	62	64	55	77	99	78	100
2 months	2,338	280	256	226	203	158	139	116	117	163	228	201	251
White	1,518	183	172	159	147	96	87	77	71	110	138	126	152
Nonwhite	820	97	84	67	56	62	52	39	46	53	90	75	99
3 months	1,792	229	204	156	117	133	97	108	103	100	151	169	225
White	1,172	140	141	104	81	87	59	74	70	62	97	118	139
Nonwhite	620	89	63	52	36	46	38	34	33	38	54	51	86
4 months	1,365	184	153	108	97	108	70	76	83	84	114	107	181
White	868	106	106	72	64	75	49	51	50	58	69	69	99
Nonwhite	497	78	47	36	33	33	21	25	33	26	45	38	82
5 months	1,111	173	136	77	83	80	69	69	61	68	79	85	131
White	708	106	85	55	62	48	41	46	35	44	56	55	75
Nonwhite	403	67	51	22	21	32	28	23	26	24	23	30	56
6 months	846	113	107	70	60	50	62	52	47	59	63	74	91
White	573	74	73	50	38	35	40	34	27	35	51	52	64
Nonwhite	275	39	34	20	22	15	22	18	20	24	12	22	27
7 months	668	79	68	61	61	35	42	52	30	43	53	60	84
White	445	53	46	42	48	24	28	32	18	28	33	41	52
Nonwhite	223	26	22	19	13	11	14	20	12	15	20	19	32
8 months	609	66	55	59	47	58	51	50	33	28	42	53	67
White	420	46	46	40	33	45	33	29	18	21	30	37	42
Nonwhite	189	20	9	19	14	13	18	21	15	7	12	16	25
9 months	463	62	33	35	26	43	36	40	35	38	39	36	40
White	313	39	22	20	21	40	23	25	20	27	24	27	25
Nonwhite	150	23	11	15	5	3	13	15	15	11	15	9	15
10 months	436	43	43	49	24	28	33	32	29	30	43	31	51
White	314	34	31	34	20	21	22	18	26	18	31	23	36
Nonwhite	122	9	12	15	4	7	11	14	3	12	12	8	15
11 months	408	48	32	39	37	26	33	32	36	20	30	26	49
White	287	34	23	32	29	20	21	21	25	17	16	19	30
Nonwhite	121	14	9	7	8	6	12	11	11	3	14	7	19
ALABAMA													
Under 1 year	2,509	242	195	204	190	178	199	210	235	211	206	187	252
White	1,198	103	86	102	92	81	110	107	106	106	100	96	109
Nonwhite	1,311	139	109	102	98	97	89	103	129	105	106	91	143
Under 28 days	1,668	144	112	130	134	116	149	166	168	155	133	116	145
White	897	66	58	70	71	61	96	98	89	90	68	60	70
Nonwhite	771	78	54	60	63	55	53	68	79	65	65	56	75
ALASKA													
Under 1 year	280	21	26	21	20	29	17	30	17	26	23	25	26
White	131	12	7	10	9	13	9	13	5	16	13	11	13
Nonwhite	149	9	19	11	11	15	8	17	12	10	10	14	13
Under 28 days	165	9	10	8	14	17	11	22	8	18	18	14	16
White	99	6	6	5	8	10	8	11	3	14	11	8	9
Nonwhite	66	3	4	3	6	7	3	11	5	4	7	6	7
ARIZONA													
Under 1 year	1,129	86	89	98	65	79	100	98	99	105	117	105	88
White	832	65	66	72	52	57	79	69	75	78	79	69	71
Nonwhite	297	21	23	26	13	22	21	29	24	27	38	36	17
Under 28 days	726	60	46	52	45	51	73	67	76	72	72	58	54
White	594	50	36	43	39	41	60	52	61	64	57	46	45
Nonwhite	132	10	10	9	6	10	13	15	15	8	15	12	9
ARKANSAS													
Under 1 year	1,125	110	92	87	69	81	78	94	102	90	83	113	126
White	628	53	51	47	35	42	44	51	60	59	49	71	66
Nonwhite	497	57	41	40	34	39	34	43	42	31	34	42	60
Under 28 days	711	55	51	48	46	53	56	69	71	65	57	73	67
White	461	36	30	30	25	29	37	44	45	49	40	51	45
Nonwhite	250	19	21	18	21	24	19	25	26	16	17	22	22
CALIFORNIA													
Under 1 year	8,882	822	726	769	678	736	738	707	699	749	760	749	749
White	7,612	721	632	651	571	621	645	614	598	637	651	646	625
Nonwhite	1,270	101	94	118	107	115	93	93	101	112	109	103	124
Under 28 days	6,576	537	487	570	538	586	569	559	562	568	573	522	505
White	5,647	468	430	475	455	499	506	486	479	485	490	448	426
Nonwhite	929	69	57	95	83	87	63	73	83	83	83	74	79

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year	1,172	92	76	103	92	98	99	95	102	96	82	125	112
White	1,107	86	71	100	88	90	93	90	96	90	78	118	107
Nonwhite	65	6	5	3	4	8	6	5	6	6	4	7	5
Under 28 days	875	67	46	65	70	75	78	79	83	78	54	92	88
White	826	63	43	65	67	68	72	75	79	73	51	87	83
Nonwhite	49	4	3	-	3	7	6	4	4	5	3	5	5
CONNECTICUT													
Under 1 year	1,272	121	96	107	120	99	87	111	119	96	107	103	106
White	1,107	109	89	93	104	84	75	96	95	81	98	88	95
Nonwhite	165	12	7	14	16	15	12	15	24	15	9	15	11
Under 28 days	990	91	70	84	93	82	72	88	98	77	80	76	79
White	859	83	65	74	81	69	62	76	77	64	75	63	70
Nonwhite	131	8	5	10	12	13	10	12	21	13	5	13	9
DELAWARE													
Under 1 year	310	27	17	19	25	30	22	30	33	31	31	22	23
White	196	20	13	9	16	21	16	19	20	20	16	11	15
Nonwhite	114	7	4	10	9	9	6	11	13	11	15	11	8
Under 28 days	230	21	13	14	17	26	16	22	26	26	23	14	12
White	160	18	10	7	11	18	14	16	17	18	13	9	9
Nonwhite	70	3	3	7	6	8	2	6	9	8	10	5	3
DISTRICT OF COLUMBIA													
Under 1 year	725	46	44	66	71	43	51	60	71	81	68	62	62
White	167	7	6	11	16	9	7	21	22	16	17	19	16
Nonwhite	558	39	38	55	55	34	44	39	49	65	51	43	46
Under 28 days	555	33	32	50	48	36	41	50	57	66	52	43	47
White	138	6	6	5	11	8	6	19	20	13	15	14	15
Nonwhite	417	27	26	45	37	28	35	31	37	53	37	29	32
FLORIDA													
Under 1 year	3,376	321	253	285	254	281	264	298	277	288	291	257	307
White	1,993	182	140	159	145	154	147	182	175	183	174	169	183
Nonwhite	1,383	139	113	126	109	127	117	116	102	105	117	88	124
Under 28 days	2,358	206	140	190	166	184	210	221	222	229	212	187	191
White	1,553	133	82	127	102	118	132	148	149	152	139	128	143
Nonwhite	805	73	58	63	64	66	78	73	73	77	73	59	48
GEORGIA													
Under 1 year	2,953	310	242	193	248	241	220	238	222	225	260	248	306
White	1,383	152	110	98	117	125	97	109	109	112	118	113	143
Nonwhite	1,570	178	132	95	131	116	123	129	113	113	142	135	163
Under 28 days	1,976	160	142	131	172	179	167	182	173	158	161	164	187
White	1,067	87	78	71	90	102	80	97	92	91	90	84	105
Nonwhite	909	73	64	60	82	77	87	85	81	67	71	80	82
HAWAII													
Under 1 year	382	40	21	31	25	35	32	32	26	30	40	33	37
White	118	17	4	9	8	9	7	10	8	11	13	10	12
Nonwhite	264	23	17	22	17	26	25	22	18	19	27	23	25
Under 28 days	294	33	15	21	20	28	28	25	21	24	30	23	26
White	92	13	4	7	7	5	6	10	6	9	9	7	9
Nonwhite	202	20	11	14	13	23	22	15	15	15	21	16	17
IDAHO													
Under 1 year	390	30	27	28	36	30	42	32	33	36	27	31	38
White	381	30	24	28	35	30	41	31	33	35	27	30	37
Nonwhite	9	-	3	-	1	-	1	1	-	1	-	1	1
Under 28 days	294	23	15	24	26	22	39	27	28	28	16	25	21
White	291	23	14	24	26	22	39	26	28	27	16	25	21
Nonwhite	3	-	1	-	-	-	-	1	-	1	-	-	-
ILLINOIS													
Under 1 year	5,771	523	469	486	477	500	453	451	459	466	508	461	518
White	4,309	393	355	363	365	376	341	327	351	355	361	335	387
Nonwhite	1,462	130	114	123	112	124	112	124	108	111	147	126	131
Under 28 days	4,217	361	298	342	349	388	350	359	364	358	376	335	337
White	3,224	277	226	254	277	296	269	261	282	284	277	253	268
Nonwhite	993	84	72	88	72	92	81	98	82	74	99	82	69
INDIANA													
Under 1 year	2,694	267	225	230	229	203	210	216	230	208	204	235	237
White	2,323	230	187	196	202	178	176	188	207	180	179	201	199
Nonwhite	371	37	38	34	27	25	34	28	23	28	25	34	38
Under 28 days	1,971	159	142	160	176	155	164	175	194	161	150	162	173
White	1,705	138	116	134	159	135	136	153	180	139	133	137	145
Nonwhite	266	21	26	26	17	20	28	22	14	22	17	25	28
IOWA													
Under 1 year	1,309	119	101	101	108	108	114	106	102	118	110	97	125
White	1,273	114	99	96	107	106	110	104	98	114	108	94	123
Nonwhite	36	5	2	5	1	2	4	2	4	4	2	3	2
Under 28 days	989	74	70	71	83	88	91	87	79	93	81	76	96
White	966	71	69	67	82	87	89	86	76	91	80	74	94
Nonwhite	23	3	1	4	1	1	2	1	3	2	1	2	2

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year	1,106	99	90	96	80	88	89	98	100	89	91	88	98
White	1,021	87	78	88	76	84	81	91	93	82	86	80	95
Nonwhite	85	12	12	8	4	4	8	7	7	7	5	8	3
Under 28 days	838	66	58	64	54	61	70	88	84	76	73	72	72
White	780	58	50	60	52	59	65	82	79	71	68	65	71
Nonwhite	58	8	8	4	2	2	5	6	5	5	5	7	1
KENTUCKY													
Under 1 year	1,988	199	185	162	161	158	168	151	142	147	191	164	160
White	1,706	166	155	147	133	136	147	130	126	125	165	133	143
Nonwhite	282	33	30	15	28	22	21	21	16	22	26	31	17
Under 28 days	1,455	124	128	112	121	123	144	126	115	108	139	99	116
White	1,260	105	108	103	104	105	125	112	105	89	118	84	102
Nonwhite	195	19	20	9	17	18	19	14	10	19	21	15	14
LOUISIANA													
Under 1 year	2,693	319	210	236	190	213	195	227	233	212	202	210	246
White	1,165	126	96	99	79	102	87	106	100	93	88	91	98
Nonwhite	1,528	193	114	137	111	111	108	121	133	119	114	119	148
Under 28 days	1,927	178	135	156	129	167	150	189	187	170	147	150	169
White	914	89	66	74	61	89	69	85	83	82	71	71	74
Nonwhite	1,013	89	69	82	68	78	81	104	104	88	76	79	95
MAINE													
Under 1 year	595	62	54	46	57	53	48	43	47	54	40	47	44
White	586	61	54	46	57	51	47	43	46	52	39	47	43
Nonwhite	9	1	-	-	-	2	1	-	1	2	1	-	1
Under 28 days	440	39	40	38	46	44	36	32	37	41	26	34	27
White	435	39	40	38	46	42	35	32	37	40	25	34	27
Nonwhite	5	-	-	-	-	2	1	-	-	1	1	-	-
MARYLAND													
Under 1 year	1,996	186	159	185	158	158	144	170	164	154	143	170	205
White	1,269	105	99	126	101	101	102	102	107	104	86	106	128
Nonwhite	727	81	60	59	57	57	42	68	57	50	55	64	77
Under 28 days	1,497	124	108	148	122	122	116	144	128	127	105	120	133
White	991	77	71	99	79	86	81	87	86	85	67	81	92
Nonwhite	506	47	37	49	43	36	35	57	42	42	38	39	41
MASSACHUSETTS													
Under 1 year	2,512	241	215	215	181	210	194	211	198	202	195	218	232
White	2,367	232	201	204	173	197	183	200	189	186	187	200	215
Nonwhite	145	9	14	11	8	13	11	11	9	16	8	18	17
Under 28 days	1,938	181	154	158	141	154	167	170	157	172	156	160	188
White	1,834	174	143	148	135	146	160	163	149	160	151	149	156
Nonwhite	104	7	11	10	6	8	7	7	8	12	5	11	12
MICHIGAN													
Under 1 year	4,608	422	391	411	367	390	365	332	377	345	404	374	430
White	3,877	351	329	354	312	325	308	288	326	288	323	318	355
Nonwhite	731	71	62	57	55	65	57	44	51	57	81	56	75
Under 28 days	3,474	284	262	296	275	302	277	273	323	276	317	278	311
White	2,928	238	220	251	236	251	235	237	277	234	258	237	254
Nonwhite	546	46	42	45	39	51	42	36	46	42	59	41	57
MINNESOTA													
Under 1 year	1,912	161	160	172	160	154	157	160	162	160	156	140	170
White	1,857	153	156	170	157	152	153	156	155	153	153	137	162
Nonwhite	55	8	4	2	3	2	4	4	7	7	3	3	8
Under 28 days	1,416	111	100	120	124	119	124	134	127	129	103	100	125
White	1,384	108	98	120	122	118	120	132	122	125	102	98	119
Nonwhite	32	3	2	-	2	1	4	2	5	4	1	2	6
MISSISSIPPI													
Under 1 year	2,252	249	176	172	149	170	168	191	186	183	216	180	212
White	649	72	46	55	40	55	54	50	57	50	67	55	48
Nonwhite	1,603	177	130	117	109	115	114	141	129	133	149	125	164
Under 28 days	1,403	124	99	109	102	126	117	127	128	124	121	105	121
White	510	53	31	43	34	41	44	46	45	43	53	41	36
Nonwhite	893	71	68	66	68	85	73	81	83	81	68	64	85
MISSOURI													
Under 1 year	2,394	223	187	199	187	187	179	203	207	188	231	190	213
White	1,833	161	144	158	138	147	132	147	167	154	175	138	172
Nonwhite	561	62	43	41	49	40	47	56	40	34	56	52	41
Under 28 days	1,758	151	119	138	128	149	147	168	169	141	174	133	141
White	1,374	108	92	109	96	119	110	125	139	120	138	99	119
Nonwhite	384	43	27	29	32	30	37	43	30	21	36	34	22
MONTANA													
Under 1 year	444	27	31	45	36	43	32	35	34	44	38	44	35
White	380	19	27	41	31	39	28	30	27	39	32	34	33
Nonwhite	64	8	4	4	5	4	4	5	7	5	6	10	2
Under 28 days	320	20	16	35	23	30	25	33	31	28	26	29	24
White	278	15	15	31	20	29	22	28	26	24	23	22	23
Nonwhite	42	5	1	4	3	1	3	5	5	4	3	7	1

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	786	64	61	74	51	66	63	59	75	64	73	65	71
White	733	61	59	67	44	62	58	57	70	62	69	60	64
Nonwhite	53	3	2	7	7	4	5	2	5	2	4	5	7
Under 28 days	607	45	42	55	41	53	53	47	63	55	60	44	49
White	572	44	41	52	36	50	50	46	58	54	56	41	44
Nonwhite	35	1	1	3	5	3	3	1	5	1	4	3	5
NEVADA													
Under 1 year	229	16	21	14	16	27	18	19	19	22	20	18	19
White	189	13	19	10	12	23	13	16	14	21	17	14	17
Nonwhite	40	3	2	4	4	4	5	3	5	1	3	4	2
Under 28 days	172	12	16	11	9	24	14	13	14	19	12	13	15
White	148	10	16	9	6	20	11	13	10	18	11	11	13
Nonwhite	24	2	-	2	3	4	3	-	4	1	1	2	2
NEW HAMPSHIRE													
Under 1 year	339	37	24	28	35	32	31	19	22	30	25	25	31
White	338	37	23	28	35	32	31	19	22	30	25	25	31
Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-
Under 28 days	241	18	11	18	23	24	23	17	20	22	23	20	22
White	240	18	10	18	23	24	23	17	20	22	23	20	22
Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	3,191	277	250	276	257	265	249	287	278	246	244	268	294
White	2,415	203	183	222	202	192	183	217	203	187	198	210	215
Nonwhite	776	74	67	54	55	73	66	70	75	59	46	58	79
Under 28 days	2,449	187	178	201	211	206	201	245	227	201	188	204	200
White	1,872	139	134	166	162	150	151	185	164	151	153	162	155
Nonwhite	577	48	44	35	49	56	50	60	63	50	35	42	45
NEW MEXICO													
Under 1 year	886	73	69	89	84	63	79	70	60	69	80	76	74
White	751	62	60	79	72	54	72	62	49	59	60	58	64
Nonwhite	135	11	9	10	12	9	7	8	11	10	20	18	10
Under 28 days	598	44	44	60	63	45	64	52	47	49	42	46	42
White	529	39	41	54	54	40	60	51	41	42	31	40	36
Nonwhite	69	5	3	6	9	5	4	1	6	7	11	6	6
NEW YORK													
Under 1 year	8,599	787	643	700	675	693	700	704	712	712	785	735	753
White	6,617	620	493	546	522	526	541	549	547	532	586	585	570
Nonwhite	1,982	167	150	154	153	167	159	155	165	180	199	150	183
Under 28 days	6,569	540	448	531	525	531	582	589	591	565	586	549	532
White	5,109	434	349	419	406	405	458	466	456	426	444	433	413
Nonwhite	1,460	106	99	112	119	126	124	123	135	139	142	116	119
NORTH CAROLINA													
Under 1 year	3,332	361	276	294	240	251	247	253	266	288	324	294	338
White	1,739	177	125	166	134	128	141	137	141	135	159	140	156
Nonwhite	1,693	184	151	128	106	123	106	116	125	153	165	154	182
Under 28 days	2,262	201	156	196	155	193	179	196	199	211	214	189	193
White	1,322	115	80	124	96	105	118	121	111	116	118	102	116
Nonwhite	960	86	76	72	59	88	61	75	88	95	96	87	77
NORTH DAKOTA													
Under 1 year	384	45	26	27	37	33	31	36	37	18	34	29	31
White	353	40	26	25	34	31	30	33	32	18	29	27	28
Nonwhite	31	5	-	2	3	2	1	3	5	-	5	2	3
Under 28 days	295	36	23	19	27	30	24	29	27	11	25	20	24
White	276	32	23	18	26	28	23	28	25	11	21	20	21
Nonwhite	19	4	-	1	1	2	1	1	2	-	4	-	3
OHIO													
Under 1 year	5,318	490	396	469	391	438	458	457	430	410	495	436	448
White	4,456	406	334	395	328	373	391	394	355	343	417	354	376
Nonwhite	862	84	62	74	63	65	67	73	75	67	78	82	72
Under 28 days	4,111	347	280	361	297	347	377	373	362	329	375	333	330
White	3,446	289	242	302	245	296	325	314	305	275	309	264	282
Nonwhite	665	58	38	59	52	51	54	59	57	54	66	69	48
OKLAHOMA													
Under 1 year	1,226	127	106	96	80	103	103	97	98	109	91	110	106
White	968	98	85	72	67	81	84	74	81	83	74	84	85
Nonwhite	258	29	21	24	13	22	19	23	17	26	17	26	21
Under 28 days	881	69	62	63	56	85	85	80	75	86	70	75	75
White	717	54	49	51	48	67	68	62	65	71	60	60	62
Nonwhite	164	15	13	12	8	18	17	18	10	15	10	15	13
OREGON													
Under 1 year	859	77	77	84	75	72	61	79	69	66	60	66	73
White	818	75	75	82	64	70	58	74	66	64	55	64	71
Nonwhite	41	2	2	2	11	2	3	5	3	2	5	2	2
Under 28 days	601	50	57	58	56	52	42	56	59	47	41	38	45
White	581	49	55	58	50	52	40	55	56	46	40	37	43
Nonwhite	20	1	2	-	6	-	2	1	3	1	1	1	2
PENNSYLVANIA													
Under 1 year	5,664	522	445	470	500	498	440	452	441	461	442	499	494
White	4,578	430	343	392	417	410	355	362	347	365	365	409	383
Nonwhite	1,086	92	102	78	83	88	85	90	94	96	77	90	111
Under 28 days	4,372	353	305	351	391	397	349	363	367	384	365	391	356
White	3,570	295	244	297	330	327	283	291	289	302	306	324	282
Nonwhite	802	58	61	54	61	70	66	72	78	82	59	67	74

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	413	37	35	36	37	30	35	32	39	29	33	36	34
White	393	35	34	32	37	29	29	32	39	29	32	35	30
Nonwhite	20	2	1	4	-	1	6	-	-	-	1	1	4
Under 28 days	311	26	29	28	28	18	28	31	34	23	24	25	17
White	300	26	29	24	28	18	24	31	34	23	24	24	15
Nonwhite	11	-	-	4	-	-	4	-	-	-	-	1	2
SOUTH CAROLINA													
Under 1 year	1,939	226	164	136	147	132	148	144	157	149	176	172	188
White	787	75	66	60	65	60	66	65	75	60	70	72	53
Nonwhite	1,152	151	98	76	82	72	82	79	82	89	106	100	135
Under 28 days	1,175	109	77	81	96	90	106	99	112	116	110	100	79
White	580	42	39	46	42	44	54	54	60	54	56	54	35
Nonwhite	595	67	38	35	54	46	52	45	52	62	54	46	44
SOUTH DAKOTA													
Under 1 year	443	44	39	39	36	33	42	34	41	38	34	30	33
White	370	34	35	34	33	24	37	31	32	31	27	25	27
Nonwhite	73	10	4	5	3	9	5	3	9	7	7	5	6
Under 28 days	323	31	25	28	25	25	37	24	32	29	27	18	22
White	287	26	23	26	24	21	33	22	27	24	26	17	18
Nonwhite	36	5	2	2	1	4	4	2	5	5	1	1	4
TENNESSEE													
Under 1 year	2,402	267	189	208	187	161	144	198	224	221	191	191	221
White	1,631	173	129	132	135	119	105	128	146	163	122	132	147
Nonwhite	771	94	60	76	52	42	39	70	78	58	69	59	74
Under 28 days	1,666	143	119	138	140	119	120	162	168	167	126	124	140
White	1,199	100	86	93	105	93	88	111	118	131	86	90	98
Nonwhite	467	43	33	45	35	26	32	51	50	36	40	34	42
TEXAS													
Under 1 year	6,568	628	532	500	500	497	510	556	537	532	626	569	581
White	5,081	478	426	388	401	378	396	428	428	414	467	452	425
Nonwhite	1,487	150	106	112	99	119	114	128	109	118	159	117	156
Under 28 days	4,533	371	330	332	351	367	383	434	417	410	429	361	348
White	3,630	306	278	264	281	295	304	337	339	327	336	300	263
Nonwhite	903	65	52	68	70	72	79	97	78	83	93	61	85
UTAH													
Under 1 year	538	44	51	48	39	46	42	28	38	40	55	59	48
White	512	43	50	45	39	46	39	27	32	39	49	57	46
Nonwhite	26	1	1	3	-	-	3	1	6	1	6	2	2
Under 28 days	400	27	32	37	28	39	33	25	31	31	38	42	37
White	387	26	32	35	28	39	31	25	28	31	35	41	36
Nonwhite	13	1	-	2	-	-	2	-	3	-	3	1	1
VERMONT													
Under 1 year	255	18	19	25	24	9	24	22	27	25	23	21	18
White	255	18	19	25	24	9	24	22	27	25	23	21	18
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	194	8	12	20	21	8	18	15	23	22	21	13	13
White	194	8	12	20	21	8	18	15	23	22	21	13	13
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,722	275	201	211	214	217	166	244	235	229	235	226	269
White	1,691	159	122	144	138	142	114	154	141	135	142	141	159
Nonwhite	1,031	116	79	67	76	75	52	90	94	94	93	85	110
Under 28 days	1,946	167	125	152	168	168	126	194	190	165	176	157	158
White	1,292	111	80	110	106	117	86	128	119	106	117	103	109
Nonwhite	654	56	45	42	62	51	40	66	71	59	59	54	49
WASHINGTON													
Under 1 year	1,478	128	117	132	127	118	109	103	119	117	138	130	141
White	1,335	117	108	117	107	106	97	94	108	108	127	118	128
Nonwhite	143	11	9	15	20	12	11	9	11	9	11	12	13
Under 28 days	1,058	84	78	89	86	90	91	83	100	79	93	86	99
White	968	76	72	82	74	81	83	75	90	76	89	79	91
Nonwhite	90	8	6	7	12	9	8	8	10	3	4	7	8
WEST VIRGINIA													
Under 1 year	1,042	96	78	74	92	90	67	83	78	79	93	96	116
White	977	91	71	65	87	87	65	79	73	74	87	94	104
Nonwhite	65	5	7	9	5	3	2	4	5	5	6	2	12
Under 28 days	766	48	58	53	70	73	56	64	68	61	64	71	80
White	724	44	52	47	67	71	54	61	65	58	61	69	75
Nonwhite	42	4	6	6	3	2	2	3	3	3	3	2	5
WISCONSIN													
Under 1 year	2,233	201	188	186	180	192	185	175	198	191	179	169	189
White	2,111	190	176	175	166	179	175	162	187	184	170	160	187
Nonwhite	122	11	12	11	14	13	10	13	11	7	9	9	2
Under 28 days	1,691	139	125	135	145	147	143	142	161	150	146	124	134
White	1,603	132	116	130	135	137	137	133	153	144	138	115	133
Nonwhite	88	7	9	5	10	10	6	9	8	6	8	9	1
WYOMING													
Under 1 year	231	26	11	21	22	21	19	26	19	12	16	15	23
White	215	25	11	18	20	20	18	26	17	12	12	15	21
Nonwhite	16	1	-	3	2	1	1	-	2	-	4	-	2
Under 28 days	180	19	9	13	20	19	16	22	13	9	11	11	16
White	169	18	9	10	18	18	17	22	12	9	10	11	15
Nonwhite	11	1	-	3	2	1	1	-	1	-	1	-	1

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR—ALL CAUSES	107,956	10,231	8,575	9,004	8,479	8,681	8,435	8,806	8,895	8,791	9,296	9,013	9,750
Dysentery, all forms—045-048	102	4	7	6	6	4	4	11	10	12	14	14	10
Septicemia and pyemia—053	375	44	33	32	30	26	21	19	25	25	38	34	48
Whooping cough—056	54	2	3	2	4	7	2	4	9	8	4	3	6
Meningococcal infections—057	163	21	19	20	11	9	9	7	7	9	21	11	19
Tetanus—061	66	5	-	10	6	9	2	5	4	11	6	3	5
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	544	69	52	48	56	43	38	27	37	32	38	52	52
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	293	25	24	29	19	25	30	21	17	22	24	27	30
Benign neoplasms and neoplasms of unspecified nature—210-239	124	11	9	7	8	13	11	13	8	12	9	10	13
Diseases of thymus gland—273	90	9	7	10	8	5	7	2	7	7	12	10	6
Meningitis, except meningococcal and tuberculous—340	876	105	68	75	66	61	65	65	50	65	76	77	103
Other diseases of nervous system and sense organs—330-334,341-398	858	91	82	72	51	66	66	59	71	56	90	81	73
Acute upper respiratory infections—470-475	389	58	46	28	31	29	17	19	19	23	37	38	44
Influenza and pneumonia, except pneumonia of newborn—480-493	9,202	1,445	1,121	865	709	583	458	399	390	497	716	830	1,189
Influenza—480-483	254	62	39	17	11	7	9	14	7	11	21	18	38
Pneumonia, except pneumonia of newborn—490-493	8,948	1,383	1,082	848	698	576	449	385	383	486	695	812	1,151
Bronchitis—500-502	599	85	78	60	49	40	26	31	23	21	51	55	80
Other diseases of respiratory system—510-522,525-527	1,594	192	171	139	134	99	112	104	88	101	146	135	173
Pulmonary congestion and hypostasis—522	217	19	18	17	12	13	21	22	10	19	23	20	23
Other chronic interstitial pneumonia—525	918	112	99	84	78	59	62	55	58	55	77	71	108
Bronchiectasis—526	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	266	37	29	24	22	14	20	16	10	13	29	27	25
All other diseases of respiratory system—510-521,527.1	192	23	25	14	22	13	9	11	10	14	17	17	17
Hernia and intestinal obstruction—560,561,570	931	88	73	78	68	86	88	86	66	76	86	64	72
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2,296	300	197	164	118	135	126	172	180	220	249	206	229
Other diseases of digestive system—530-542,544-553,573-587	660	59	49	52	49	48	59	55	46	58	60	60	65
Congenital malformations—750-759	15,515	1,372	1,230	1,367	1,281	1,241	1,187	1,229	1,357	1,271	1,372	1,263	1,345
Spina bifida and meningocele—751	1,044	105	81	72	77	97	82	85	96	80	100	77	92
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,625	153	127	149	138	139	121	123	150	114	144	127	140
Congenital malformations of circulatory system—754	7,626	655	630	666	641	597	578	617	651	609	659	644	679
Other congenital malformations—750,755-759	5,220	459	392	480	425	408	406	404	460	468	469	415	434
Certain diseases of early infancy—760-776	65,662	5,414	4,636	5,281	5,218	5,537	5,608	5,911	5,920	5,654	5,645	5,380	5,458
Birth injuries—760,761	9,922	807	709	814	763	811	834	913	916	856	853	765	881
Without mention of immaturity (.0)	3,847	315	285	332	275	294	294	348	363	340	358	306	337
With immaturity (.5)	6,075	492	424	482	488	517	540	565	553	516	495	459	544
Intracranial and spinal injury at birth—760	3,014	261	197	255	238	233	232	278	294	276	274	219	257
Without mention of immaturity (.0)	1,725	156	117	156	122	123	127	159	160	155	168	126	156
With immaturity (.5)	1,289	105	80	99	116	110	105	119	134	121	106	93	101
Other birth injury—761	6,908	546	512	559	525	578	602	635	622	580	579	546	624
Without mention of immaturity (.0)	2,122	159	168	176	153	171	167	189	203	185	190	180	181
With immaturity (.5)	4,786	387	344	383	372	407	435	446	419	395	389	366	443
Postnatal asphyxia and atelectasis—762	19,023	1,602	1,344	1,553	1,553	1,596	1,709	1,719	1,688	1,604	1,606	1,552	1,497
Without mention of immaturity (.0)	5,102	449	367	400	431	413	441	467	449	452	436	408	389
With immaturity (.5)	13,921	1,153	977	1,153	1,122	1,183	1,268	1,252	1,239	1,152	1,170	1,144	1,108
Pneumonia of newborn—763	3,541	364	315	272	260	253	252	263	309	296	287	306	364
Without mention of immaturity (.0)	2,575	270	242	215	193	180	173	181	213	212	205	225	266
With immaturity (.5)	966	94	73	57	67	73	79	82	96	84	82	81	98
Diarrhea of newborn—764	419	33	21	28	23	27	21	38	50	44	51	50	33
Without mention of immaturity (.0)	327	25	20	21	19	21	17	26	42	34	41	38	23
With immaturity (.5)	92	8	1	7	4	6	4	12	8	10	10	12	10
Other infections of newborn—765-768	746	64	52	69	60	55	55	78	65	76	59	58	55
Without mention of immaturity (.0)	472	44	35	35	44	31	35	51	42	44	34	40	37
With immaturity (.5)	274	20	17	34	16	24	20	27	23	32	25	18	18
Neonatal disorders arising from certain diseases of mother during pregnancy—769	914	72	76	75	74	93	76	75	71	77	84	72	69
Without mention of immaturity (.0-.4)	334	32	32	30	22	31	17	29	28	24	36	31	22
With immaturity (.5-.9)	580	40	44	45	52	62	59	46	43	53	48	41	47
Hemolytic disease of newborn (erythroblastosis)—770	2,102	185	149	179	166	185	154	187	187	195	168	162	185
Without mention of immaturity (.0-.2)	1,647	149	123	143	127	144	130	141	152	150	128	117	143
With immaturity (.5-.7)	455	36	26	36	39	41	24	46	35	45	40	45	42
Hemorrhagic disease of newborn—771	562	59	47	48	40	43	38	47	62	51	40	43	44
Without mention of immaturity (.0)	346	40	30	37	26	20	22	24	35	34	24	28	26
With immaturity (.5)	216	19	17	11	14	23	16	23	27	17	16	15	18
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	8,491	639	525	654	621	635	758	796	797	755	778	745	788
Without mention of immaturity (.0)	2,452	203	173	185	185	166	192	218	223	209	232	231	235
With immaturity (.5)	6,039	436	352	469	436	469	566	578	574	546	546	514	553
Immaturity with mention of any other subsidiary condition—774	1,347	120	100	106	119	131	108	121	117	115	105	112	93
Immaturity, unqualified—776	18,595	1,469	1,298	1,483	1,539	1,708	1,603	1,674	1,658	1,585	1,614	1,515	1,449
Symptoms and ill-defined conditions—780-793, 795	2,395	312	240	228	174	179	132	166	150	194	162	202	256
All other diseases—Residual	1,393	142	128	130	107	130	93	101	89	115	107	112	139
Accidents—E800-E962	3,581	358	285	284	255	292	261	287	300	288	318	334	319
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,228	119	101	91	95	99	87	92	109	88	101	135	111
Accidental mechanical suffocation in bed and cradle—E924	928	109	80	82	61	70	61	86	70	78	86	83	82
Other accidental causes—E800-E920,E923,E925-E962	1,425	130	104	111	99	123	113	129	121	122	131	116	126
Homicide—E964,E980-E984	194	20	17	17	21	14	13	13	22	14	15	12	16

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1961 —Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS—ALL CAUSES	78,482	6,509	5,549	6,364	6,294	6,633	6,639	7,037	7,116	6,809	6,741	6,314	6,477
Dysentery, all forms 045-048	10	-	-	1	1	1	1	2	-	1	2	1	-
Septicemia and pyemia 053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 056	3	1	-	-	-	-	-	-	1	-	-	-	1
Meningococcal infections 057	15	-	5	2	1	2	-	1	2	-	1	1	-
Tetanus 061	65	5	-	10	6	9	2	5	4	11	5	3	5
Other infective and parasitic diseases 001-044,049-052,054,055,058-060,062-138	107	10	4	6	13	7	12	10	12	10	9	8	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	45	3	4	2	5	4	5	5	3	6	5	2	1
Benign neoplasms and neoplasms of unspecified nature 210-239	67	3	4	3	4	7	6	8	6	8	6	5	7
Diseases of thymus gland 273	17	1	2	2	-	1	2	1	1	2	2	1	2
Meningitis, except meningococcal and tuberculous 340	218	16	13	14	15	17	25	19	15	28	20	21	15
Other diseases of nervous system and sense organs 330-334,341-398	141	13	11	10	8	13	12	11	16	9	14	13	11
Acute upper respiratory infections 470-475	41	4	2	3	4	1	2	5	5	3	3	2	7
Influenza and pneumonia, except pneumonia of newborn 480-493	27	10	3	2	2	1	-	3	1	-	1	1	3
Influenza 480-483	27	10	3	2	2	1	-	3	1	-	1	1	3
Pneumonia, except pneumonia of newborn 490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis 500-502	35	7	4	2	3	4	1	-	2	-	5	3	4
Other diseases of respiratory system 510-522,525-527	193	18	15	15	12	20	10	17	10	26	18	16	16
Pulmonary congestion and hypostasis 522	60	1	2	4	3	5	5	7	3	10	7	5	8
Other chronic interstitial pneumonia 525	15	1	2	-	1	3	1	1	-	2	-	3	1
Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity 527.2	31	5	3	4	-	3	2	3	1	3	4	2	1
All other diseases of respiratory system 510-521,527.1	87	11	8	7	8	9	2	6	6	11	7	6	6
Hernia and intestinal obstruction 560,561,570	683	59	50	62	54	67	69	68	51	54	57	43	49
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	10	3	-	1	-	-	-	2	1	1	1	1	-
Other diseases of digestive system 530-542,544-553,573-587	331	32	17	26	27	24	28	35	26	32	24	28	32
Congenital malformations 750-759	10,141	859	729	858	865	839	804	846	964	870	908	770	829
Spina bifida and meningocele 751	545	51	38	35	43	48	47	49	53	40	50	46	45
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	872	71	64	69	79	76	68	81	89	56	85	64	68
Congenital malformations of circulatory system 754	4,480	374	321	372	388	370	363	367	430	382	389	340	384
Other congenital malformations 750,755-759	4,244	363	306	382	355	343	326	349	392	392	384	320	332
Certain diseases of early infancy 760-776	64,241	5,257	4,523	5,169	5,109	5,445	5,517	5,820	5,807	5,542	5,500	5,233	5,319
Birth injuries 760,761	9,902	806	706	812	763	809	832	911	914	853	852	764	880
Without mention of immaturity (.0)	3,834	315	283	331	275	293	292	346	361	339	357	306	336
With immaturity (.5)	6,068	491	423	481	488	516	540	565	553	514	495	458	544
Intracranial and spinal injury at birth 760	3,014	261	197	255	238	233	232	278	294	276	274	219	257
Without mention of immaturity (.0)	1,725	156	117	156	122	123	127	159	160	155	168	126	156
With immaturity (.5)	1,289	105	80	99	116	110	105	119	134	121	106	93	101
Other birth injury 761	6,888	545	509	557	525	576	600	633	620	577	578	545	623
Without mention of immaturity (.0)	2,109	159	166	175	153	170	165	187	201	184	189	180	180
With immaturity (.5)	4,779	386	343	382	372	406	435	446	419	393	389	365	443
Postnatal asphyxia and atelectasis 762	18,734	1,570	1,320	1,525	1,541	1,576	1,686	1,704	1,665	1,580	1,578	1,527	1,468
Without mention of immaturity (.0)	4,869	425	350	374	412	397	424	456	431	434	414	387	365
With immaturity (.5)	13,865	1,145	970	1,151	1,119	1,181	1,264	1,248	1,234	1,146	1,164	1,140	1,103
Pneumonia of newborn 763	3,541	364	315	272	260	253	252	263	309	296	287	306	364
Without mention of immaturity (.0)	2,575	270	242	215	193	180	173	181	213	212	205	225	266
With immaturity (.5)	966	94	73	57	67	73	79	82	96	84	82	81	98
Diarrhea of newborn 764	417	33	21	29	23	27	21	38	50	43	50	50	33
Without mention of immaturity (.0)	325	25	20	21	19	21	17	26	42	33	40	38	23
With immaturity (.5)	92	8	1	7	4	6	4	12	8	10	10	12	10
Other infections of newborn 765-768	737	63	52	68	60	54	54	77	64	76	58	56	55
Without mention of immaturity (.0)	464	43	35	34	44	30	34	50	41	44	34	38	37
With immaturity (.5)	273	20	17	34	16	24	20	27	23	32	24	18	18
Neonatal disorders arising from certain diseases of mother during pregnancy 769	901	71	74	75	74	92	75	75	68	77	84	68	68
Without mention of immaturity (.0-.4)	324	31	31	30	22	30	16	29	27	24	36	27	21
With immaturity (.5-.9)	577	40	43	43	52	62	59	46	41	53	48	41	47
Hemolytic disease of newborn (erythroblastosis) 770	2,089	182	148	179	164	185	153	187	185	195	168	161	182
Without mention of immaturity (.0-.2)	1,637	147	122	143	126	144	129	141	150	150	128	116	141
With immaturity (.5-.7)	452	35	26	36	38	41	24	46	35	45	40	45	41
Hemorrhagic disease of newborn 771	557	59	47	47	40	41	38	47	62	51	39	42	44
Without mention of immaturity (.0)	341	40	30	36	26	18	22	24	35	34	23	27	26
With immaturity (.5)	216	19	17	11	14	23	16	23	27	17	16	15	18
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	7,759	555	474	601	558	597	711	746	737	701	691	669	719
Without mention of immaturity (.0)	1,816	130	130	138	133	133	150	177	172	163	155	162	173
With immaturity (.5)	5,943	425	344	463	425	464	561	569	565	538	536	507	546
Immaturity with mention of any other subsidiary condition 774	1,129	93	75	90	105	107	99	107	102	95	88	91	77
Immaturity, unqualified 776	18,475	1,461	1,291	1,472	1,531	1,702	1,594	1,665	1,651	1,575	1,605	1,499	1,429
Symptoms and ill-defined conditions 780-793,795	955	98	81	93	76	81	50	90	83	95	81	74	73
All other diseases Residual	438	38	32	37	37	46	35	33	30	48	38	30	34
Accidents E800-E962	579	60	38	35	38	36	50	51	63	54	53	48	53
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	303	29	18	18	21	21	29	30	36	22	27	28	24
Accidental mechanical suffocation in bed and cradle E924	115	12	11	12	4	8	7	7	6	12	12	10	14
Other accidental causes E800-E920,E923,E925-E962	161	19	9	5	13	7	14	14	21	20	14	10	15
Homicide E964,E980-E984	120	12	12	11	14	8	8	5	13	9	8	10	10

Table 3-3. Deaths Under 1 Year; Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS—ALL CAUSES	29,474	3,722	3,026	2,640	2,185	2,048	1,796	1,769	1,779	1,982	2,555	2,699	3,273
Dysentery, all forms 045-048	92	4	7	5	5	3	3	9	10	11	12	13	10
Septicemia and pyemia 053	375	44	33	32	30	26	21	19	25	25	38	34	48
Whooping cough 056	51	1	3	2	4	7	2	4	8	8	4	3	5
Meningococcal infections 057	148	21	14	18	10	7	9	6	5	9	20	10	19
Tetanus 061	1	-	-	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases 001-044,049-052,054,055,058-060,062-138	437	59	48	42	43	36	26	17	25	22	29	44	46
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	248	22	20	27	14	21	25	16	14	16	19	25	29
Benign neoplasms and neoplasms of unspecified nature 210-239	57	8	5	4	4	6	5	5	2	4	3	5	6
Diseases of thymus gland 273	73	8	5	8	8	4	5	1	6	5	10	9	4
Meningitis, except meningococcal and tuberculous 340	658	89	55	61	51	44	40	46	35	37	56	56	88
Other diseases of nervous system and sense organs 330-334,341-398	717	78	71	62	43	53	54	48	55	47	76	68	62
Acute upper respiratory infections 470-475	348	54	44	25	27	28	15	14	14	20	34	36	37
Influenza and pneumonia, except pneumonia of newborn 480-493	9,175	1,435	1,118	863	707	582	458	396	389	497	715	829	1,186
Influenza 480-483	227	52	36	15	9	6	9	11	6	11	20	17	35
Pneumonia, except pneumonia of newborn 490-493	8,948	1,383	1,082	848	698	576	449	385	383	486	695	812	1,151
Bronchitis 500-502	564	78	74	58	46	36	25	31	21	21	46	52	76
Other diseases of respiratory system 510-522,525-527	1,401	174	156	124	122	79	102	87	78	75	128	119	157
Pulmonary congestion and hypostasis 522	157	18	16	13	9	8	16	15	7	9	16	15	15
Other chronic interstitial pneumonia 525	903	111	97	84	77	56	61	54	58	53	77	68	107
Bronchiectasis 526	1	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity 527.2	235	32	26	20	22	11	18	13	9	10	25	25	24
All other diseases of respiratory system 510-521,527.1	105	12	17	7	14	4	7	5	4	3	10	11	11
Hernia and intestinal obstruction 560,561,570	248	29	23	16	14	19	19	16	15	22	29	21	23
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	2,286	297	197	163	118	135	126	170	179	219	248	205	229
Other diseases of digestive system 530-542,544-553,573-587	329	27	32	26	22	24	31	20	20	26	36	32	33
Congenital malformations 750-759	5,374	513	501	509	416	402	383	383	393	401	464	493	516
Spina bifida and meningocele 751	499	54	43	37	34	49	35	36	43	40	50	31	47
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	753	82	63	80	59	61	53	42	61	58	59	63	72
Congenital malformations of circulatory system 754	3,146	281	309	294	253	227	215	250	221	227	270	304	295
Other congenital malformations 750,755-759	976	96	86	98	70	65	80	55	68	76	85	95	102
Certain diseases of early infancy 760-776	1,421	157	113	112	109	92	91	91	113	112	145	147	139
Birth injuries 760,761	20	1	3	2	-	2	2	2	2	3	1	1	1
Without mention of immaturity (.0)	13	-	2	1	-	1	2	2	2	1	1	-	1
With immaturity (.5)	7	1	1	1	-	1	-	-	-	2	-	1	-
Intracranial and spinal injury at birth 760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury 761	20	1	3	2	-	2	2	2	2	3	1	1	1
Without mention of immaturity (.0)	13	-	2	1	-	1	2	2	2	1	1	-	1
With immaturity (.5)	7	1	1	1	-	1	-	-	-	2	-	1	-
Postnatal asphyxia and atelectasis 762	289	32	24	28	22	18	21	15	23	24	28	25	29
Without mention of immaturity (.0)	233	24	17	26	19	16	17	11	18	18	22	21	24
With immaturity (.5)	56	8	7	2	3	2	4	4	5	6	6	4	5
Pneumonia of newborn 763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn 764	2	-	-	-	-	-	-	-	-	1	1	-	-
Without mention of immaturity (.0)	2	-	-	-	-	-	-	-	-	1	1	-	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn 765-768	9	1	-	1	-	1	1	1	1	-	1	2	-
Without mention of immaturity (.0)	8	1	-	1	-	1	1	1	1	-	-	2	-
With immaturity (.5)	1	-	-	-	-	-	-	-	-	-	1	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy 769	13	1	2	-	-	1	1	-	3	-	-	4	1
Without mention of immaturity (.0-.4)	10	1	1	-	-	1	1	-	1	-	-	4	1
With immaturity (.5-.9)	3	-	1	-	-	-	-	-	2	-	-	-	-
Hemolytic disease of newborn (erythroblastosis) 770	13	3	1	-	2	-	1	-	2	-	-	1	3
Without mention of immaturity (.0-.2)	10	2	1	-	1	-	1	-	2	-	-	1	2
With immaturity (.5-.7)	3	1	-	-	1	-	-	-	-	-	-	-	1
Hemorrhagic disease of newborn 771	5	-	-	1	-	2	-	-	-	-	1	1	-
Without mention of immaturity (.0)	5	-	-	1	-	2	-	-	-	-	1	1	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	732	84	51	53	63	38	47	50	60	54	87	76	69
Without mention of immaturity (.0)	636	73	43	47	52	33	42	41	51	46	77	69	62
With immaturity (.5)	96	11	8	6	11	5	5	9	9	8	10	7	7
Immaturity with mention of any other subsidiary condition 774	218	27	25	16	14	24	9	14	15	20	17	21	16
Immaturity, unqualified 776	120	8	7	11	8	6	9	9	7	10	9	16	20
Symptoms and ill-defined conditions 780-793,795	1,440	214	159	135	98	98	82	76	67	99	101	128	183
All other diseases Residual	955	104	96	93	70	84	58	68	59	67	69	82	105
Accidents E800-E962	3,002	298	247	249	217	256	211	236	237	234	265	286	266
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	925	90	83	73	74	78	58	62	73	66	74	107	87
Accidental mechanical suffocation in bed and cradle E924	813	97	69	70	57	62	54	59	64	66	74	73	68
Other accidental causes E800-E920,E923,E925-E962	1,264	111	95	106	86	116	99	115	100	102	117	106	111
Homicide E964,E980-E984	74	8	5	6	7	6	5	8	9	5	7	2	6

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 1 YEAR--ALL CAUSES	107,956	68,220	39,736	66,464	51,983	14,481	41,492	16,237	25,255
Dysentery, all forms---045-048	102	43	59	21	14	7	81	29	52
Septicemia and pyemia---053	375	233	142	215	173	42	160	60	100
Whooping cough---056	54	20	34	20	12	8	34	8	26
Meningococcal infections---057	163	92	71	87	72	15	76	20	56
Tetanus---061	66	39	27	12	11	1	54	28	26
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	544	285	259	257	183	74	287	102	185
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	293	188	105	181	146	35	112	42	70
Benign neoplasms and neoplasms of unspecified nature---210-239	124	76	48	92	58	24	42	18	24
Diseases of thymus gland---273	90	53	37	54	38	16	36	15	21
Meningitis, except meningococcal and tuberculous---340	876	539	337	572	429	143	304	110	194
Other diseases of nervous system and sense organs---330-334,341-398	858	537	321	536	404	132	322	133	189
Acute upper respiratory infections---470-475	389	227	162	228	173	55	161	54	107
Influenza and pneumonia, except pneumonia of newborn---480-493	9,202	5,333	3,869	5,237	4,094	1,143	3,965	1,239	2,726
Influenza---480-483	254	91	163	77	50	27	177	41	136
Pneumonia, except pneumonia of newborn---490-493	8,948	5,242	3,706	5,160	4,044	1,116	3,788	1,198	2,590
Bronchitis---500-502	599	351	248	363	269	94	236	82	154
Other diseases of respiratory system---510-522,525-527	1,594	1,037	557	1,157	875	282	437	162	275
Pulmonary congestion and hypostasis---522	217	159	58	172	141	31	45	18	27
Other chronic interstitial pneumonia---525	918	596	322	718	523	195	200	73	127
Bronchiectasis---526	1	-	1	1	-	1	-	-	-
Other diseases of lung and pleural cavity---527.2	286	151	115	133	107	26	133	44	89
All other diseases of respiratory system---510-521,527.1	192	131	61	133	104	29	59	27	32
Hernia and intestinal obstruction---560,561,570	931	599	332	600	467	133	331	132	199
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	2,296	1,124	1,172	903	675	228	1,393	449	944
Other diseases of digestive system---530-542,544-553,573-587	660	385	275	405	293	112	255	92	163
Congenital malformations---750-759	15,515	9,786	5,729	9,945	7,573	2,372	5,570	2,213	3,357
Spina bifida and meningocele---751	1,044	626	418	648	476	172	396	150	246
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	1,625	1,017	608	1,006	775	231	619	242	377
Congenital malformations of circulatory system---754	7,626	4,815	2,811	4,929	3,736	1,193	2,697	1,079	1,618
Other congenital malformations---750,755-759	5,220	3,328	1,892	3,362	2,586	776	1,858	742	1,116
Certain diseases of early infancy---760-776	65,662	43,247	22,415	41,905	33,263	8,642	23,757	9,984	13,773
Birth injuries---760,761	9,922	6,370	3,552	6,104	4,757	1,347	3,818	1,613	2,205
Without mention of immaturity (.0)---	3,847	2,387	1,460	2,208	1,720	488	1,639	667	972
With immaturity (.5)---	6,075	3,983	2,092	3,896	3,037	859	2,179	946	1,233
Intracranial and spinal injury at birth---760	3,014	1,971	1,043	1,988	1,561	427	1,026	410	616
Without mention of immaturity (.0)---	1,725	1,073	652	1,024	797	227	701	276	425
With immaturity (.5)---	1,289	898	391	964	764	200	325	134	191
Other birth injury---761	6,908	4,399	2,509	4,116	3,196	920	2,792	1,203	1,589
Without mention of immaturity (.0)---	2,122	1,314	808	1,184	923	261	938	391	547
With immaturity (.5)---	4,786	3,085	1,701	2,932	2,273	659	1,854	812	1,042
Postnatal asphyxia and atelectasis---762	19,023	13,096	5,927	13,124	10,531	2,593	5,899	2,565	3,334
Without mention of immaturity (.0)---	5,192	3,394	1,798	3,181	2,487	694	1,921	817	1,104
With immaturity (.5)---	13,831	9,792	4,129	9,943	8,044	1,899	3,978	1,748	2,230
Pneumonia of newborn---763	3,541	2,233	1,308	2,156	1,726	430	1,385	507	878
Without mention of immaturity (.0)---	2,575	1,604	971	1,577	1,250	327	998	354	644
With immaturity (.5)---	966	629	337	579	476	103	387	153	234
Diarrhea of newborn---764	419	217	202	147	122	25	272	95	177
Without mention of immaturity (.0)---	327	164	163	111	91	20	216	73	143
With immaturity (.5)---	92	53	39	36	31	5	56	22	34
Other infections of newborn---765-768	746	465	281	464	356	108	282	109	173
Without mention of immaturity (.0)---	472	284	188	286	214	72	186	70	116
With immaturity (.5)---	274	181	93	178	142	36	96	39	57
Neonatal disorders arising from certain diseases of mother during pregnancy---769	914	570	344	502	402	100	412	168	244
Without mention of immaturity (.0-.4)---	334	211	123	184	152	32	150	59	91
With immaturity (.5-.9)---	580	359	221	318	250	68	262	109	153
Hemolytic disease of newborn (erythroblastosis)---770	2,1[illegible]2	1,296	836	1,379	990	389	723	306	417
Without mention of immaturity (.0-.2)---	1,647	1,015	632	1,076	774	302	571	241	330
With immaturity (.5-.7)---	455	281	174	303	216	87	152	65	87
Hemorrhagic disease of newborn---771	562	375	187	334	287	47	228	88	140
Without mention of immaturity (.0)---	345	225	120	204	177	27	142	49	93
With immaturity (.5)---	216	149	67	130	110	20	86	39	47
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	8,491	5,398	3,093	5,131	4,042	1,089	3,360	1,356	2,004
Without mention of immaturity (.0)---	2,412	1,4[illegible]4	1,049	1,259	980	279	1,193	424	769
With immaturity (.5)---	6,079	3,904	2,045	3,872	3,062	810	2,167	932	1,235
Immaturity with mention of any other subsidiary condition---774	1,347	912	435	870	724	146	477	188	289
Immaturity, unqualified---776	18,596	12,315	6,290	11,694	9,326	2,368	6,901	2,989	3,912
Symptoms and ill-defined conditions---780-793,795	2,395	1,076	1,319	913	685	228	1,482	391	1,091
All other diseases---Residual	1,393	841	552	802	606	196	591	235	356
Accidents---E800-E962	3,081	1,866	1,215	1,819	1,344	475	1,762	622	1,140
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	1,228	687	541	644	469	175	584	218	366
Accidental mechanical suffocation in bed and cradle---E924	928	472	456	425	297	128	503	175	328
Other accidental causes---E800-E920,E923,E925-E962	1,425	807	618	750	578	172	675	229	446
Homicide---E964,E980-E984	194	143	51	150	126	24	44	17	27

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 1 YEAR--ALL CAUSES	80,781	49,989	30,792	49,966	37,353	12,613	30,815	12,636	18,179
Dysentery, all forms---045-048	48	23	25	12	7	5	36	16	20
Septicemia and pyemia---053	244	151	93	137	104	33	107	47	60
Whooping cough---056	18	3	15	7	2	5	11	1	10
Meningococcal infections---057	142	77	65	74	59	15	68	18	50
Tetanus---061	20	12	8	6	5	1	14	7	7
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	389	204	185	194	129	65	195	75	120
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	264	168	96	164	130	34	100	38	62
Benign neoplasms and neoplasms of unspecified nature---210-239	110	67	43	71	49	22	39	18	21
Diseases of thymus gland---273	80	46	34	49	33	16	31	13	18
Meningitis, except meningococcal and tuberculous---340	558	347	211	386	278	108	172	69	103
Other diseases of nervous system and sense organs---330-334,341-398	659	405	254	410	299	111	249	106	143
Acute upper respiratory infections---470-475	272	166	106	170	129	41	102	37	65
Influenza and pneumonia, except pneumonia of newborn---480-493	5,809	3,288	2,521	3,441	2,508	933	2,368	780	1,588
Influenza---480-483	122	41	81	36	21	15	86	20	66
Pneumonia, except pneumonia of newborn---490-493	5,687	3,247	2,440	3,405	2,487	918	2,282	760	1,522
Bronchitis---500-502	465	265	200	279	199	80	186	66	120
Other diseases of respiratory system---510-522,525-527	1,140	719	421	821	593	228	319	126	193
Pulmonary congestion and hypostasis---522	175	127	48	132	109	23	43	18	25
Other chronic interstitial pneumonia---525	631	390	241	489	334	155	142	56	86
Bronchiectasis---526	1	-	1	1	-	1	-	-	-
Other diseases of lung and pleural cavity---527.2	184	105	79	94	72	22	90	33	57
All other diseases of respiratory system---510-521,527.1	149	97	52	105	78	27	44	19	25
Hernia and intestinal obstruction---560,561,570	785	504	281	506	386	120	279	118	161
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	1,106	573	533	488	347	141	618	226	392
Other diseases of digestive system---530-54 ,544-553,573-587	517	294	223	314	218	96	203	76	127
Congenital malformations---750-759	13,473	8,335	5,138	8,549	6,323	2,226	4,924	2,012	2,912
Spina bifida and meningocele---751	955	563	392	589	421	168	366	142	224
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	1,410	882	528	872	655	217	538	227	311
Congenital malformations of circulatory system---754	6,574	4,042	2,532	4,164	3,058	1,106	2,410	984	1,426
Other congenital malformations---750,755-759	4,534	2,848	1,686	2,924	2,189	735	1,610	659	951
Certain diseases of early infancy---760-776	49,974	31,747	18,227	31,357	23,742	7,615	18,617	8,005	10,612
Birth injuries---760,761	8,207	5,151	3,056	4,996	3,767	1,229	3,211	1,384	1,827
Without mention of immaturity (.0)	3,032	1,852	1,180	1,738	1,305	433	1,294	547	747
With immaturity (.5)	5,175	3,299	1,876	3,258	2,462	796	1,917	837	1,080
Intracranial and spinal injury at birth---760	2,324	1,456	868	1,501	1,127	374	823	329	494
Without mention of immaturity (.0)	1,358	826	532	805	605	200	553	221	332
With immaturity (.5)	966	630	336	696	522	174	270	108	162
Other birth injury---761	5,883	3,695	2,188	3,495	2,640	855	2,388	1,055	1,333
Without mention of immaturity (.0)	1,674	1,026	648	933	700	233	741	326	415
With immaturity (.5)	4,209	2,669	1,540	2,562	1,940	622	1,647	729	918
Postnatal asphyxia and atelectasis---762	14,761	9,670	5,091	9,846	7,533	2,313	4,915	2,137	2,778
Without mention of immaturity (.0)	4,027	2,521	1,506	2,444	1,843	601	1,583	678	905
With immaturity (.5)	10,734	7,149	3,585	7,402	5,690	1,712	3,332	1,459	1,873
Pneumonia of newborn---763	2,313	1,408	905	1,427	1,075	352	886	333	553
Without mention of immaturity (.0)	1,664	1,004	660	1,048	779	269	616	225	391
With immaturity (.5)	649	404	245	379	296	83	270	108	162
Diarrhea of newborn---764	177	87	90	69	53	16	108	34	74
Without mention of immaturity (.0)	140	67	73	55	42	13	85	25	60
With immaturity (.5)	37	20	17	14	11	3	23	9	14
Other infections of newborn---765-768	488	293	195	301	219	82	187	74	113
Without mention of immaturity (.0)	324	190	134	201	144	57	123	46	77
With immaturity (.5)	164	103	61	100	75	25	64	28	36
Neonatal disorders arising from certain diseases of mother during pregnancy---769	708	444	264	399	310	89	309	134	175
Without mention of immaturity (.0-.4)	250	152	98	134	107	27	116	45	71
With immaturity (.5-.9)	458	292	166	265	203	62	193	89	104
Hemolytic disease of newborn (erythroblastosis)---770	1,965	1,188	777	1,289	904	385	676	284	392
Without mention of immaturity (.0-.2)	1,545	935	610	1,008	708	300	537	227	310
With immaturity (.5-.7)	420	253	167	281	196	85	139	57	82
Hemorrhagic disease of newborn---771	376	254	122	229	190	39	147	64	83
Without mention of immaturity (.0)	222	153	69	139	118	21	83	35	48
With immaturity (.5)	154	101	53	90	72	18	64	29	35
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	6,410	3,959	2,451	3,823	2,879	944	2,587	1,080	1,507
Without mention of immaturity (.0)	1,706	1,003	703	930	699	231	776	304	472
With immaturity (.5)	4,704	2,956	1,748	2,893	2,180	713	1,811	776	1,035
Immaturity with mention of any other subsidiary condition---774	992	653	339	643	512	131	349	141	208
Immaturity, unqualified---776	13,577	8,640	4,937	8,335	6,300	2,035	5,242	2,340	2,902
Symptoms and ill-defined conditions---780-793,795	975	509	466	494	355	139	481	154	327
All other diseases---Residual	1,034	617	417	599	441	158	435	176	259
Accidents---E800-E962	2,569	1,379	1,190	1,341	939	402	1,228	440	788
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	933	500	433	478	327	151	455	173	282
Accidental mechanical suffocation in bed and cradle---E924	631	314	317	312	198	114	319	116	203
Other accidental causes---E800-E920,E923,E925-E962	1,005	565	440	551	414	137	454	151	303
Homicide---E964,E980-E984	130	90	40	97	78	19	33	12	21

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 1 YEAR—ALL CAUSES	27,175	18,231	8,944	16,498	14,630	1,868	10,677	3,601	7,076
Dysentery, all forms—045-048	54	20	34	9	7	2	45	13	32
Septicemia and pyemia—053	131	82	49	78	69	9	53	13	40
Whooping cough—056	36	17	19	13	10	3	23	7	16
Meningococcal infections—057	21	15	6	13	13	-	8	2	6
Tetanus—061	46	27	19	6	6	-	40	21	19
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	155	81	74	63	54	9	92	27	65
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	29	20	9	17	16	1	12	4	8
Benign neoplasms and neoplasms of unspecified nature—210-239	14	9	5	11	9	2	3	-	3
Diseases of thymus gland—273	10	7	3	5	5	-	5	2	3
Meningitis, except meningococcal and tuberculous—340	318	192	126	186	151	35	132	41	91
Other diseases of nervous system and sense organs—330-334,341-398	199	132	67	126	105	21	73	27	46
Acute upper respiratory infections—470-475	117	61	56	58	44	14	59	17	42
Influenza and pneumonia, except pneumonia of newborn—480-493	3,393	2,045	1,348	1,796	1,586	210	1,597	459	1,138
Influenza—480-483	132	50	82	41	29	12	91	21	70
Pneumonia, except pneumonia of newborn—490-493	3,261	1,995	1,266	1,755	1,557	198	1,506	438	1,068
Bronchitis—500-502	134	86	48	84	70	14	50	16	34
Other diseases of respiratory system—510-522,525-527	454	318	136	336	282	54	118	36	82
Pulmonary congestion and hypostasis—522	42	32	10	40	32	8	2	-	2
Other chronic interstitial pneumonia—525	287	206	81	229	189	40	58	17	41
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	82	46	36	39	35	4	43	11	32
All other diseases of respiratory system—510-521,527.1	43	34	9	28	26	2	15	8	7
Hernia and intestinal obstruction—560,561,570	146	95	51	94	81	13	52	14	38
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,190	551	639	415	328	87	775	223	552
Other diseases of digestive system—530-542,544-553,573-587	143	91	52	91	75	16	52	16	36
Congenital malformations—750-759	2,042	1,451	591	1,396	1,250	146	646	201	445
Spina bifida and meningocele—751	89	63	26	59	55	4	30	8	22
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	215	135	80	134	120	14	81	15	66
Congenital malformations of circulatory system—754	1,052	773	279	765	678	87	287	95	192
Other congenital malformations—750,755-759	686	480	206	438	397	41	248	83	165
Certain diseases of early infancy—760-776	15,688	11,500	4,188	10,548	9,521	1,027	5,140	1,979	3,161
Birth injuries—760,761	1,715	1,219	496	1,108	990	118	607	229	378
Without mention of immaturity (.0)	815	535	280	470	415	55	345	120	225
With immaturity (.5)	900	684	216	638	575	63	262	109	153
Intracranial and spinal injury at birth—760	690	515	175	487	434	53	203	81	122
Without mention of immaturity (.0)	367	247	120	219	192	27	148	55	93
With immaturity (.5)	323	268	55	268	242	26	55	26	29
Other birth injury—761	1,025	704	321	621	556	65	404	148	256
Without mention of immaturity (.0)	448	288	160	251	223	28	197	65	132
With immaturity (.5)	577	416	161	370	333	37	207	83	124
Postnatal asphyxia and atelectasis—762	4,262	3,426	836	3,278	2,998	280	984	428	556
Without mention of immaturity (.0)	1,075	783	292	737	644	93	338	139	199
With immaturity (.5)	3,187	2,643	544	2,541	2,354	187	646	289	357
Pneumonia of newborn—763	1,228	825	403	729	651	78	499	174	325
Without mention of immaturity (.0)	911	600	311	529	471	58	382	129	253
With immaturity (.5)	317	225	92	200	180	20	117	45	72
Diarrhea of newborn—764	242	130	112	78	69	9	164	61	103
Without mention of immaturity (.0)	187	97	90	56	49	7	131	48	83
With immaturity (.5)	55	33	22	22	20	2	33	13	20
Other infections of newborn—765-768	258	172	86	163	137	26	95	35	60
Without mention of immaturity (.0)	148	94	54	85	70	15	63	24	39
With immaturity (.5)	110	78	32	78	67	11	32	11	21
Neonatal disorders arising from certain diseases of mother during pregnancy—769	206	126	80	103	92	11	103	34	69
Without mention of immaturity (.0-.4)	84	59	25	50	45	5	34	14	20
With immaturity (.5-.9)	122	67	55	53	47	6	69	20	49
Hemolytic disease of newborn (erythroblastosis)—770	137	108	29	90	86	4	47	22	25
Without mention of immaturity (.0-.2)	102	80	22	68	66	2	34	14	20
With immaturity (.5-.7)	35	28	7	22	20	2	13	8	5
Hemorrhagic disease of newborn—771	186	121	65	105	97	8	81	24	57
Without mention of immaturity (.0)	124	73	51	65	59	6	59	14	45
With immaturity (.5)	62	48	14	40	38	2	22	10	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,081	1,439	642	1,308	1,163	145	773	276	497
Without mention of immaturity (.0)	746	401	345	329	281	48	417	120	297
With immaturity (.5)	1,335	1,038	297	979	882	97	356	156	200
Immaturity with mention of any other subsidiary condition—774	355	259	96	227	212	15	128	47	81
Immaturity, unqualified—776	5,018	3,675	1,343	3,359	3,026	333	1,659	649	1,010
Symptoms and ill-defined conditions—780-793,795	1,420	567	853	419	330	89	1,001	237	764
All other diseases—Residual	359	224	135	203	165	38	156	59	97
Accidents—E800-E962	1,012	587	425	478	405	73	534	182	352
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	295	187	108	166	142	24	129	45	84
Accidental mechanical suffocation in bed and cradle—E924	297	158	139	113	99	14	184	59	125
Other accidental causes—E800-E920,E923,E925-E962	420	242	178	199	164	35	221	78	143
Homicide—E964,E980-E984	64	53	11	53	48	5	11	5	6

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 28 DAYS—ALL CAUSES	78,482	51,153	27,329	49,868	39,260	10,608	28,614	11,893	16,721
Dysentery, all forms—045-048	10	3	7	2	1	1	8	2	6
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	3	2	1	1	1	-	2	1	1
Meningococcal infections—057	15	8	7	9	6	3	6	2	4
Tetanus—061	65	38	27	12	11	1	53	27	26
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	107	60	47	52	38	14	55	22	33
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	45	24	21	30	20	10	15	4	11
Benign neoplasms and neoplasms of unspecified nature—210-239	67	44	23	48	34	14	19	10	9
Diseases of thymus gland—273	17	9	8	8	6	2	9	3	6
Meningitis, except meningococcal and tuberculous—340	218	133	85	148	110	38	70	23	47
Other diseases of nervous system and sense organs—330-334,341-398	141	76	65	86	55	31	55	21	34
Acute upper respiratory infections—470-475	41	21	20	21	17	4	20	4	16
Influenza and pneumonia, except pneumonia of newborn—480-493	27	9	18	6	3	3	21	6	15
Influenza—480-483	27	9	18	6	3	3	21	6	15
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	35	20	15	21	17	4	14	3	11
Other diseases of respiratory system—510-522,525-527	193	122	71	117	88	29	76	34	42
Pulmonary congestion and hypostasis—522	60	39	21	38	31	7	22	8	14
Other chronic interstitial pneumonia—525	15	8	7	9	5	4	6	3	3
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	31	16	15	13	10	3	18	6	12
All other diseases of respiratory system—510-521,527.1	87	59	28	57	42	15	30	17	13
Hernia and intestinal obstruction—560,561,570	683	441	242	453	346	107	230	95	135
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	10	6	4	2	2	-	8	4	4
Other diseases of digestive system—530-542,544-553,573-587	331	201	130	214	157	57	117	44	73
Congenital malformations—750-759	10,141	6,400	3,741	6,466	4,913	1,553	3,675	1,487	2,188
Spina bifida and meningocele—751	545	329	216	333	246	87	212	83	129
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	872	541	331	521	402	119	351	139	212
Congenital malformations of circulatory system—754	4,480	2,809	1,671	2,852	2,143	709	1,628	666	962
Other congenital malformations—750,755-759	4,244	2,721	1,523	2,760	2,122	638	1,484	599	885
Certain diseases of early infancy—760-776	64,241	42,474	21,767	41,229	32,718	8,511	23,012	9,756	13,256
Birth injuries—760,761	9,902	6,358	3,544	6,091	4,746	1,345	3,811	1,612	2,199
Without mention of immaturity (.0)	3,834	2,380	1,454	2,201	1,714	487	1,633	666	967
With immaturity (.5)	6,068	3,978	2,090	3,890	3,032	858	2,178	946	1,232
Intracranial and spinal injury at birth—760	3,014	1,971	1,043	1,988	1,561	427	1,026	410	616
Without mention of immaturity (.0)	1,725	1,073	652	1,024	797	227	701	276	425
With immaturity (.5)	1,289	898	391	964	764	200	325	134	191
Other birth injury—761	6,888	4,387	2,501	4,103	3,185	918	2,785	1,202	1,583
Without mention of immaturity (.0)	2,109	1,307	802	1,177	917	260	932	390	542
With immaturity (.5)	4,779	3,080	1,699	2,926	2,268	658	1,853	812	1,041
Postnatal asphyxia and atelectasis—762	18,734	12,899	5,835	12,945	10,383	2,562	5,789	2,516	3,273
Without mention of immaturity (.0)	4,869	3,143	1,726	3,039	2,371	668	1,830	772	1,058
With immaturity (.5)	13,865	9,756	4,109	9,906	8,012	1,894	3,959	1,744	2,215
Pneumonia of newborn—763	3,541	2,233	1,308	2,156	1,726	430	1,385	507	878
Without mention of immaturity (.0)	2,575	1,604	971	1,577	1,250	327	998	354	644
With immaturity (.5)	966	629	337	579	476	103	387	153	234
Diarrhea of newborn—764	417	217	200	146	122	24	271	95	176
Without mention of immaturity (.0)	325	164	161	110	91	19	215	73	142
With immaturity (.5)	92	53	39	36	31	5	56	22	34
Other infections of newborn—765-768	737	457	280	457	349	108	280	108	172
Without mention of immaturity (.0)	464	277	187	280	208	72	184	69	115
With immaturity (.5)	273	180	93	177	141	36	96	39	57
Neonatal disorders arising from certain diseases of mother during pregnancy—769	901	562	339	495	396	99	406	166	240
Without mention of immaturity (.0-.4)	324	205	119	179	148	31	145	57	88
With immaturity (.5-.9)	577	357	220	316	248	68	261	109	152
Hemolytic disease of newborn (erythroblastosis)—770	2,089	1,291	798	1,373	985	388	716	306	410
Without mention of immaturity (.0-.2)	1,637	1,011	626	1,071	770	301	566	241	325
With immaturity (.5-.7)	452	280	172	302	215	87	150	65	85
Hemorrhagic disease of newborn—771	557	371	186	331	284	47	226	87	139
Without mention of immaturity (.0)	341	222	119	201	174	27	140	48	92
With immaturity (.5)	216	149	67	130	110	20	86	39	47
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	7,759	5,056	2,703	4,867	3,835	1,032	2,892	1,221	1,671
Without mention of immaturity (.0)	1,816	1,104	712	1,028	797	231	788	307	481
With immaturity (.5)	5,943	3,952	1,991	3,839	3,038	801	2,104	914	1,190
Immaturity with mention of any other subsidiary condition—774	1,129	780	349	736	613	123	393	167	226
Immaturity, unqualified—776	18,475	12,250	6,225	11,632	9,279	2,353	6,843	2,971	3,872
Symptoms and ill-defined conditions—780-793,795	955	415	540	329	256	73	626	159	467
All other diseases—Residual	438	256	182	253	190	63	185	66	119
Accidents—E800-E962	579	307	272	269	195	74	310	112	198
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	303	165	138	135	98	37	168	67	101
Accidental mechanical suffocation in bed and cradle—E924	115	55	60	51	37	14	64	18	46
Other accidental causes—E800-E920,E923,E925-E962	161	87	74	83	60	23	78	27	51
Homicide—E964,E980-E984	120	84	36	92	76	16	28	8	20

Table 3-4 Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961 —Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 28 DAYS--ALL CAUSES	60,982	38,526	22,456	38,267	28,821	9,446	22,715	9,705	13,010
Dysentery, all forms---045-048	2	2	-	-	-	-	2	2	-
Septicemia and pyemia---053	-	-	-	-	-	-	-	-	-
Whooping cough---056	1	-	1	-	-	-	1	-	1
Meningococcal infections---057	13	6	7	8	5	3	5	1	4
Tetanus---061	20	12	8	6	5	1	14	7	7
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	80	45	35	40	27	13	40	18	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	42	22	20	27	18	9	15	4	11
Benign neoplasms and neoplasms of unspecified nature---210-239	61	40	21	42	30	12	19	10	9
Diseases of thymus gland---273	16	9	7	8	6	2	8	3	5
Meningitis, except meningococcal and tuberculous---340	155	96	59	112	81	31	43	15	28
Other diseases of nervous system and sense organs---330-334,341-398	106	52	54	62	34	28	44	18	26
Acute upper respiratory infections---470-475	26	18	8	17	14	3	9	4	5
Influenza and pneumonia, except pneumonia of newborn---480-493	8	2	6	1	-	1	7	2	5
Influenza---480-483	8	2	6	1	-	1	7	2	5
Pneumonia, except pneumonia of newborn---490-493	...	...	...	...	...	...	...	...	...
Bronchitis---500-502	27	17	10	18	14	4	9	3	6
Other diseases of respiratory system---510-522,525-527	148	89	59	85	61	24	63	28	35
Pulmonary congestion and hypostasis---522	45	27	18	25	19	6	20	8	12
Other chronic interstitial pneumonia---525	13	8	5	8	5	3	5	3	2
Bronchiectasis---526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity---527.2	21	12	9	8	7	1	13	5	8
All other diseases of respiratory system---510-521,527.1	69	42	27	44	30	14	25	12	13
Hernia and intestinal obstruction---560,561,570	607	391	216	399	302	97	208	89	119
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	3	3	-	1	1	-	2	2	-
Other diseases of digestive system---530-542,544-553,573-587	263	157	106	165	116	49	98	41	57
Congenital malformations---750-759	8,974	5,566	3,408	5,675	4,203	1,472	3,299	1,363	1,936
Spina bifida and meningocele---751	496	295	201	300	217	83	196	78	118
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	776	478	298	459	346	113	317	132	185
Congenital malformations of circulatory system---754	3,943	2,411	1,532	2,464	1,798	666	1,479	613	866
Other congenital malformations---750,755-759	3,759	2,382	1,377	2,452	1,842	610	1,307	540	767
Certain diseases of early infancy---760-776	49,249	31,345	17,904	30,973	23,448	7,525	18,276	7,897	10,379
Birth injuries---760,761	8,193	5,142	3,051	4,986	3,759	1,227	3,207	1,383	1,824
Without mention of immaturity (.0)	3,022	1,846	1,176	1,732	1,300	432	1,290	546	744
With immaturity (.5)	5,171	3,296	1,875	3,254	2,459	795	1,917	837	1,080
Intracranial and spinal injury at birth---760	2,324	1,456	868	1,501	1,127	374	823	329	494
Without mention of immaturity (.0)	1,358	826	532	805	605	200	553	221	332
With immaturity (.5)	966	630	336	696	522	174	270	108	162
Other birth injury---761	5,869	3,686	2,183	3,485	2,632	853	2,384	1,054	1,330
Without mention of immaturity (.0)	1,664	1,020	644	927	695	232	737	325	412
With immaturity (.5)	4,205	2,666	1,539	2,558	1,937	621	1,647	729	918
Postnatal asphyxia and atelectasis---762	14,557	9,537	5,020	9,728	7,441	2,287	4,829	2,096	2,733
Without mention of immaturity (.0)	3,857	2,411	1,446	2,349	1,771	578	1,508	640	868
With immaturity (.5)	10,700	7,126	3,574	7,379	5,670	1,709	3,321	1,456	1,865
Pneumonia of newborn---763	2,313	1,408	905	1,427	1,075	352	886	333	553
Without mention of immaturity (.0)	1,664	1,004	660	1,048	779	269	616	225	391
With immaturity (.5)	649	404	245	379	296	83	270	108	162
Diarrhea of newborn---764	176	87	89	69	53	16	107	34	73
Without mention of immaturity (.0)	139	67	72	55	42	13	84	25	59
With immaturity (.5)	37	20	17	14	11	3	23	9	14
Other infections of newborn---765-768	485	290	195	299	217	82	186	73	113
Without mention of immaturity (.0)	321	187	134	199	142	57	122	45	77
With immaturity (.5)	164	103	61	100	75	25	64	28	36
Neonatal disorders arising from certain diseases of mother during pregnancy---769	697	438	259	394	306	88	303	132	171
Without mention of immaturity (.0-.4)	241	147	94	130	104	26	111	43	68
With immaturity (.5-.9)	456	291	165	264	202	62	192	89	103
Hemolytic disease of newborn (erythroblastosis)---770	1,955	1,184	771	1,284	900	384	671	284	387
Without mention of immaturity (.0-.2)	1,537	932	605	1,004	705	299	533	227	306
With immaturity (.5-.7)	418	252	166	280	195	85	138	57	81
Hemorrhagic disease of newborn---771	373	251	122	227	188	39	146	63	83
Without mention of immaturity (.0)	219	150	69	137	116	21	82	34	48
With immaturity (.5)	154	101	53	90	72	18	64	29	35
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	6,112	3,824	2,288	3,701	2,791	910	2,411	1,033	1,378
Without mention of immaturity (.0)	1,447	882	565	823	619	204	624	263	361
With immaturity (.5)	4,665	2,942	1,723	2,878	2,172	706	1,787	770	1,017
Immaturity with mention of any other subsidiary condition---774	865	574	291	555	440	115	310	134	176
Immaturity, unqualified---776	13,523	8,610	4,913	8,303	6,278	2,025	5,220	2,332	2,888
Symptoms and ill-defined conditions---780-793,795	380	211	169	195	147	48	185	64	121
All other diseases---Residual	328	188	140	190	135	55	138	53	85
Accidents---E800-E962	396	206	190	190	132	58	206	74	132
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	223	116	107	94	63	31	129	53	76
Accidental mechanical suffocation in bed and cradle---E924	68	34	34	39	29	10	29	5	24
Other accidental causes---E800-E920,E923,E925-E962	105	56	49	57	40	17	48	16	32
Homicide---E964,E980-E984	77	49	28	53	42	11	24	7	17

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1961—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 28 DAYS—ALL CAUSES	17,500	12,627	4,873	11,601	10,439	1,162	5,899	2,188	3,711
Dysentery, all forms—045-048	8	1	7	2	1	1	6	-	6
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	2	-	1	1	-	1	1	-
Meningococcal infections—057	2	2	-	1	1	-	1	1	-
Tetanus—061	45	26	19	6	6	-	39	20	19
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	27	15	12	12	11	1	15	4	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3	2	1	3	2	1	-	-	-
Benign neoplasms and neoplasms of unspecified nature—210-239	6	4	2	6	4	2	-	-	-
Diseases of thymus gland—273	1	-	1	-	-	-	1	-	1
Meningitis, except meningococcal and tuberculous—340	63	37	26	36	29	7	27	8	19
Other diseases of nervous system and sense organs—330-334,341-398	35	24	11	24	21	3	11	3	8
Acute upper respiratory infections—470-475	15	3	12	4	3	1	11	-	11
Influenza and pneumonia, except pneumonia of newborn—480-493	19	7	12	5	3	2	14	4	10
Influenza—480-483	19	7	12	5	3	2	14	4	10
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	8	3	5	3	3	-	5	-	5
Other diseases of respiratory system—510-522,525-527	45	33	12	32	27	5	13	6	7
Pulmonary congestion and hypostasis—522	15	12	3	13	12	1	2	-	2
Other chronic interstitial pneumonia—525	2	-	2	1	-	1	1	-	1
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	10	4	6	5	3	2	5	1	4
All other diseases of respiratory system—510-521,527.1	18	17	1	13	12	1	5	5	-
Hernia and intestinal obstruction—560,561,570	76	50	26	54	44	10	22	6	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	7	3	4	1	1	-	6	2	4
Other diseases of digestive system—530-542,544-553,573-587	68	44	24	49	41	8	19	3	16
Congenital malformations—750-759	1,167	834	333	791	710	81	376	124	252
Spina bifida and meningocele—751	49	34	15	33	29	4	16	5	11
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	96	63	33	62	56	6	34	7	27
Congenital malformations of circulatory system—754	537	398	139	388	345	43	149	53	96
Other congenital malformations—750,755-759	485	339	146	308	280	28	177	59	118
Certain diseases of early infancy—760-776	14,992	11,129	3,863	10,256	9,270	986	4,736	1,859	2,877
Birth injuries—760,761	1,709	1,216	493	1,105	987	118	604	229	375
Without mention of immaturity (.0)	812	534	278	469	414	55	343	120	223
With immaturity (.5)	897	682	215	636	573	63	261	109	152
Intracranial and spinal injury at birth—760	690	515	175	487	434	53	203	81	122
Without mention of immaturity (.0)	367	247	120	219	192	27	148	55	93
With immaturity (.5)	323	268	55	268	242	26	55	26	29
Other birth injury—761	1,019	701	318	618	553	65	401	148	253
Without mention of immaturity (.0)	445	287	158	250	222	28	195	65	130
With immaturity (.5)	574	414	160	368	331	37	206	83	123
Postnatal asphyxia and atelectasis—762	4,177	3,362	815	3,217	2,942	275	960	420	540
Without mention of immaturity (.0)	1,012	732	280	690	600	90	322	132	190
With immaturity (.5)	3,165	2,630	535	2,527	2,342	185	638	288	350
Pneumonia of newborn—763	1,228	825	403	729	651	78	499	174	325
Without mention of immaturity (.0)	911	600	311	529	471	58	382	129	253
With immaturity (.5)	317	225	92	200	180	20	117	45	72
Diarrhea of newborn—764	241	130	111	77	69	8	164	61	103
Without mention of immaturity (.0)	186	97	89	55	49	6	131	48	83
With immaturity (.5)	55	33	22	22	20	2	33	13	20
Other infections of newborn—765-768	252	167	85	158	132	26	94	35	59
Without mention of immaturity (.0)	143	90	53	81	66	15	62	24	38
With immaturity (.5)	109	77	32	77	66	11	32	11	21
Neonatal disorders arising from certain diseases of mother during pregnancy—769	204	124	80	101	90	11	103	34	69
Without mention of immaturity (.0-.4)	83	58	25	49	44	5	34	14	20
With immaturity (.5-.9)	121	66	55	52	46	6	69	20	49
Hemolytic disease of newborn (erythroblastosis)—770	134	107	27	89	85	4	45	22	23
Without mention of immaturity (.0-.2)	100	79	21	67	65	2	33	14	19
With immaturity (.5-.7)	34	28	6	22	20	2	12	8	4
Hemorrhagic disease of newborn—771	184	120	64	104	96	8	80	24	56
Without mention of immaturity (.0)	122	72	50	64	58	6	58	14	44
With immaturity (.5)	62	48	14	40	38	2	22	10	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,647	1,232	415	1,166	1,044	122	481	188	293
Without mention of immaturity (.0)	369	222	147	205	178	27	164	44	120
With immaturity (.5)	1,278	1,010	268	961	866	95	317	144	173
Immaturity with mention of any other subsidiary condition—774	264	206	58	181	173	8	83	33	50
Immaturity, unqualified—776	4,952	3,640	1,312	3,329	3,001	328	1,623	639	984
Symptoms and ill-defined conditions—780-793,795	575	204	371	134	109	25	441	95	346
All other diseases—Residual	110	68	42	63	55	8	47	13	34
Accidents—E800-E962	183	101	82	79	63	16	104	38	66
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	80	49	31	41	35	6	39	14	25
Accidental mechanical suffocation in bed and cradle—E924	47	21	26	12	8	4	35	13	22
Other accidental causes—E800-E920,E923,E925-E962	56	31	25	26	20	6	30	11	19
Homicide—E964,E980-E984	43	35	8	39	34	5	4	1	3

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES—ALL CAUSES	107,956	8,447	35,338	11,373	7,342	3,376	1,889	1,481	1,030
2	Dysentery, all forms 045-048	102	-	-	-	-	2	-	-	-
3	Septicemia and pyemia 053	375	-	-	-	-	-	-	-	-
4	Whooping cough 056	54	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	163	-	1	2	-	2	-	-	1
6	Tetanus 061	66	-	-	-	-	-	2	4	8
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	544	-	10	7	6	7	9	1	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	293	9	8	3	2	-	1	1	2
9	Benign neoplasms and neoplasms of unspecified nature 210-239	124	11	32	4	6	1	5	1	-
10	Diseases of thymus gland 273	90	1	3	3	-	2	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	876	-	3	7	15	12	8	11	11
12	Other diseases of nervous system and sense organs 330-334,341-398	856	4	31	22	19	12	6	5	3
13	Acute upper respiratory infections 470-475	389	-	1	1	2	-	-	3	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	9,202	-	-	-	1	1	2	2	-
15	Influenza 480-483	254	-	-	-	1	1	2	2	-
16	Pneumonia, except pneumonia of newborn 490-493	8,948	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	599	-	2	-	2	-	1	-	1
18	Other diseases of respiratory system 510-522,525-527	1,594	18	55	24	20	6	5	5	4
19	Pulmonary congestion and hypostasis 522	217	3	17	6	7	1	2	1	1
20	Other chronic interstitial pneumonia 525	918	3	4	2	-	-	-	-	-
21	Bronchiectasis 526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	266	3	7	3	3	2	1	2	-
23	All other diseases of respiratory system 510-521,527.1	192	9	27	13	10	3	2	2	3
24	Hernia and intestinal obstruction 560,561,570	931	87	254	73	56	34	16	15	12
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	2,296	-	-	2	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	660	4	22	16	37	34	35	28	21
27	Congenital malformations 750-759	15,515	1,393	2,809	1,046	987	672	419	327	224
28	Spina bifida and meningocele 751	1,044	68	116	41	37	17	14	18	10
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	1,625	233	321	69	51	29	24	13	8
30	Congenital malformations of circulatory system 754	7,626	150	878	634	643	430	251	175	120
31	Other congenital malformations 750,755-759	5,220	942	1,494	302	256	196	130	121	86
32	Certain diseases of early infancy 760-776	65,662	6,671	31,711	9,966	6,023	2,462	1,296	1,001	698
33	Birth injuries 760,761	9,922	1,701	4,968	1,391	875	379	172	119	70
34	Without mention of immaturity (.0)	3,847	708	1,563	626	446	203	92	47	26
35	With immaturity (.5)	6,075	993	3,405	765	429	176	80	72	44
36	Intracranial and spinal injury at birth 760	3,014	144	1,086	603	500	253	118	92	46
37	Without mention of immaturity (.0)	1,725	101	605	337	300	146	75	42	14
38	With immaturity (.5)	1,289	43	481	266	200	107	43	50	32
39	Other birth injury 761	6,908	1,557	3,882	788	375	126	54	27	24
40	Without mention of immaturity (.0)	2,122	607	958	289	146	57	17	5	12
41	With immaturity (.5)	4,786	950	2,924	499	229	69	37	22	12
42	Postnatal asphyxia and atelectasis 762	19,023	1,515	10,057	3,473	1,975	664	267	187	127
43	Without mention of immaturity (.0)	5,102	481	2,183	1,064	624	228	75	36	42
44	With immaturity (.5)	13,921	1,034	7,874	2,409	1,351	436	192	151	85
45	Pneumonia of newborn 763	3,541	23	445	376	367	244	159	153	125
46	Without mention of immaturity (.0)	2,575	19	288	248	283	158	106	92	73
47	With immaturity (.5)	966	4	157	128	84	86	53	61	52
48	Diarrhea of newborn 764	419	1	1	-	2	8	3	11	9
49	Without mention of immaturity (.0)	327	1	1	-	2	8	2	9	7
50	With immaturity (.5)	92	-	-	-	-	-	1	2	2
51	Other infections of newborn 765-768	746	13	74	49	66	58	50	39	50
52	Without mention of immaturity (.0)	472	4	35	28	42	43	34	26	28
53	With immaturity (.5)	274	9	39	21	24	15	16	13	22
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	914	110	463	146	83	38	21	6	9
55	Without mention of immaturity (.0-.4)	334	40	157	57	27	16	11	3	3
56	With immaturity (.5-.9)	580	70	306	89	56	22	10	3	6
57	Hemolytic disease of newborn (erythroblastosis) 770	2,102	449	959	203	150	107	62	44	27
58	Without mention of immaturity (.0-.2)	1,647	348	773	154	121	84	47	24	22
59	With immaturity (.5-.7)	455	101	186	49	29	23	15	20	5
60	Hemorrhagic disease of newborn 771	562	21	186	82	93	50	25	11	23
61	Without mention of immaturity (.0)	346	15	132	47	49	26	16	1	11
62	With immaturity (.5)	216	6	54	35	44	24	9	10	12
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	8,491	514	3,340	1,714	1,063	378	163	118	65
64	Without mention of immaturity (.0)	2,452	93	557	462	334	139	47	24	17
65	With immaturity (.5)	6,039	421	2,783	1,252	729	239	116	94	48
66	Immaturity with mention of any other subsidiary condition 774	1,347	84	459	158	108	64	41	40	29
67	Immaturity, unqualified 776	18,595	2,240	10,759	2,374	1,241	472	333	273	164
68	Symptoms and ill-defined conditions 780-793,795	2,395	119	255	106	88	56	33	26	17
69	All other diseases Residual	1,393	27	97	54	51	27	18	22	7
70	Accidents E800-E962	3,581	19	34	25	43	44	32	26	19
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1,228	-	12	11	32	32	27	19	13
72	Accidental mechanical suffocation in bed and cradle E924	928	-	1	5	5	5	1	2	1
73	Other accidental causes E800-E920,E923,E925-E962	1,425	19	21	9	6	7	4	5	5
74	Homicide E964,E980-E984	194	84	10	12	4	2	1	1	-

by Age, Color, and Sex: United States, 1961

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
70,276	3,993	2,398	1,815	78,482	6,914	5,523	4,166	3,014	2,372	1,863	1,472	1,266	1,064	915	905	1
2	1	2	5	10	13	20	11	11	4	8	3	7	8	2	5	2
-	-	-	-	-	113	59	45	36	29	24	26	19	13	6	5	3
-	-	2	1	3	6	13	6	9	1	4	4	4	2	2	-	4
6	2	4	3	15	17	17	21	11	17	13	14	9	9	9	11	5
14	38	10	3	65	-	-	1	-	-	-	-	-	-	-	-	6
42	25	23	17	107	62	55	52	38	42	23	30	37	30	27	41	7
26	7	9	3	45	33	17	16	18	16	21	19	29	25	20	34	8
60	1	2	4	67	10	4	6	10	8	3	4	5	2	4	1	9
9	1	4	3	17	14	22	15	4	5	6	5	-	-	1	1	10
67	69	49	33	218	102	90	70	62	61	60	62	52	38	25	36	11
102	12	13	14	141	135	93	75	81	68	52	51	50	38	38	36	12
7	5	15	14	41	86	73	64	37	19	24	12	10	12	3	8	13
6	8	7	6	27	2,095	1,896	1,447	1,015	758	558	416	329	272	191	198	14
6	8	7	6	27	40	34	36	24	23	20	14	13	8	10	5	15
...	...	...	...	...	2,055	1,862	1,411	991	735	538	402	316	264	181	193	16
6	12	7	10	35	104	111	97	69	48	32	31	27	17	13	15	17
137	18	18	20	193	377	338	248	144	97	59	42	26	24	29	17	18
38	6	7	9	60	38	48	27	17	12	3	2	3	2	4	1	19
9	2	1	3	15	257	209	159	97	64	38	25	16	16	14	8	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	21
21	4	3	3	31	54	58	44	21	16	10	10	4	5	9	4	22
69	6	7	5	87	28	23	18	8	5	8	5	3	1	2	4	23
547	70	34	32	683	69	40	37	17	19	19	14	14	8	4	7	24
2	4	2	2	10	428	352	270	239	225	184	153	117	122	116	80	25
197	68	38	28	331	75	50	38	30	34	24	19	22	10	18	9	26
7,877	1,102	674	488	10,141	1,478	960	697	516	416	329	239	216	177	172	174	27
321	89	87	48	545	146	79	65	41	43	43	19	22	15	16	10	28
748	43	39	42	872	130	111	90	79	67	48	57	47	45	34	45	29
3,281	603	338	258	4,480	829	586	448	329	250	192	124	116	88	92	92	30
3,527	367	210	140	4,244	373	184	94	67	56	46	39	31	29	30	27	31
59,828	2,305	1,228	880	64,241	604	281	192	92	86	48	36	29	25	16	12	32
9,675	155	49	23	9,902	10	2	3	1	2	-	-	-	1	1	-	33
3,711	77	33	13	3,834	6	2	2	1	1	-	-	-	1	-	-	34
5,964	78	16	10	6,068	4	-	1	-	1	-	-	-	-	1	-	35
2,842	117	39	16	3,014	...	...	...	...	...	...	...	...	...	...	...	36
1,620	65	28	12	1,725	...	...	...	...	...	...	...	...	...	...	...	37
1,222	52	11	4	1,289	...	...	...	...	...	...	...	...	...	...	...	38
6,833	38	10	7	6,888	10	2	3	1	2	-	-	-	1	1	-	39
2,091	12	5	1	2,109	6	2	2	1	1	-	-	-	1	-	-	40
4,742	26	5	6	4,779	4	-	1	-	1	-	-	-	-	1	-	41
18,265	322	98	49	18,734	131	52	46	7	17	11	7	6	7	3	2	42
4,733	71	44	21	4,869	92	46	40	7	17	9	7	4	6	3	2	43
13,532	251	54	28	13,865	39	6	6	-	-	2	-	2	1	-	-	44
1,892	625	533	491	3,541	...	...	...	...	...	...	...	...	...	...	...	45
1,267	448	442	418	2,575	...	...	...	...	...	...	...	...	...	...	...	46
625	177	91	73	966	...	...	...	...	...	...	...	...	...	...	...	47
35	108	150	124	417	1	-	-	-	-	-	-	1	-	-	-	48
30	82	117	96	325	1	-	-	-	-	-	-	1	-	-	-	49
5	26	33	28	92	-	-	-	-	-	-	-	-	-	-	-	50
399	189	103	46	737	5	2	1	-	-	1	-	-	-	-	-	51
240	118	71	35	464	4	2	1	-	-	1	-	-	-	-	-	52
159	71	32	11	273	1	-	-	-	-	-	-	-	-	-	-	53
876	18	3	4	901	7	1	1	1	-	1	-	-	1	-	1	54
314	6	2	2	324	5	1	-	1	-	1	-	-	1	-	1	55
562	12	1	2	577	2	-	1	-	-	-	-	-	-	-	-	56
2,001	74	12	2	2,089	5	3	1	-	1	1	1	-	-	-	1	57
1,573	51	11	2	1,637	3	2	1	-	1	1	1	-	-	-	1	58
428	23	1	-	452	2	1	-	-	-	-	-	-	-	-	-	59
491	45	14	7	557	1	4	-	-	-	-	-	-	-	-	-	60
297	27	11	6	341	1	4	-	-	-	-	-	-	-	-	-	61
194	18	3	1	216	-	-	-	-	-	-	-	-	-	-	-	62
7,355	239	95	70	7,759	232	150	118	68	56	31	24	21	15	10	7	63
1,673	59	46	38	1,816	187	126	108	61	51	27	23	21	15	10	7	64
5,682	180	49	32	5,943	45	24	10	7	5	4	1	-	-	-	-	65
983	83	40	23	1,129	125	53	17	11	4	3	3	1	-	1	-	66
17,856	447	131	41	18,475	87	14	5	4	6	-	1	-	1	1	1	67
702	93	83	77	955	351	340	232	163	110	80	53	37	30	20	24	68
283	50	58	47	438	161	137	113	91	82	77	65	69	65	61	34	69
242	100	115	122	579	568	540	407	318	223	208	171	153	132	130	152	70
146	54	58	45	303	201	209	135	109	69	48	35	37	20	34	28	71
20	24	27	44	115	223	179	125	93	50	51	37	21	22	7	5	72
76	22	30	33	161	144	152	147	116	104	109	99	95	90	89	119	73
114	2	1	3	120	13	15	6	3	4	7	3	5	5	8	5	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE—ALL CAUSES	62,120	4,632	20,496	6,767	4,457	2,064	1,107	846	580
2	Dysentery, all forms 045-048	54	-	-	-	-	1	-	-	-
3	Septicemia and pyemia 053	230	-	-	-	-	-	-	-	-
4	Whooping cough 056	22	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	88	-	1	-	-	2	-	-	-
6	Tetanus 061	41	-	-	-	-	-	1	4	5
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	316	-	7	4	3	2	6	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	146	5	7	3	-	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	74	5	19	1	3	1	2	-	-
10	Diseases of thymus gland 273	56	1	3	1	-	2	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	507	-	1	5	7	8	5	4	5
12	Other diseases of nervous system and sense organs 330-334,341-398	481	3	18	14	10	8	4	5	1
13	Acute upper respiratory infections 470-475	230	-	1	1	1	-	-	2	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	5,142	-	-	-	-	-	2	2	-
15	Influenza 480-483	142	-	-	-	-	-	2	2	-
16	Pneumonia, except pneumonia of newborn 490-493	5,000	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	351	-	2	-	2	-	1	-	-
18	Other diseases of respiratory system 510-522,525-527	946	10	32	19	11	4	4	1	2
19	Pulmonary congestion and hypostasis 522	135	2	10	4	5	1	1	-	1
20	Other chronic interstitial pneumonia 525	538	2	1	1	-	-	-	-	-
21	Bronchiectasis 526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	149	2	4	2	1	1	1	1	-
23	All other diseases of respiratory system 510-521,527.1	123	4	17	12	5	2	2	-	1
24	Hernia and intestinal obstruction 560,561,570	559	41	153	39	26	23	12	7	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	1,289	-	-	1	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	376	1	13	10	17	25	21	14	13
27	Congenital malformations 750-759	8,542	662	1,545	631	609	388	240	195	111
28	Spina bifida and meningocele 751	447	21	49	19	17	8	7	10	6
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	837	110	166	38	21	21	11	7	4
30	Congenital malformations of circulatory system 754	4,385	87	504	408	424	262	142	105	62
31	Other congenital malformations 750,755-759	2,873	444	826	166	147	97	80	73	39
32	Certain diseases of early infancy 760-776	38,380	3,773	18,483	5,909	3,667	1,520	757	570	416
33	Birth injuries 760,761	5,953	1,015	2,961	833	541	261	93	73	40
34	Without mention of immaturity (.0)	2,389	434	904	412	292	152	56	31	13
35	With immaturity (.5)	3,584	581	2,057	421	249	109	37	42	27
36	Intracranial and spinal injury at birth 760	1,910	93	680	393	324	177	64	59	28
37	Without mention of immaturity (.0)	1,122	63	381	234	197	109	46	29	6
38	With immaturity (.5)	788	30	299	159	127	68	18	30	22
39	Other birth injury 761	4,043	922	2,281	440	217	84	29	14	12
40	Without mention of immaturity (.0)	1,247	371	523	178	95	43	10	2	7
41	With immaturity (.5)	2,796	551	1,758	262	122	41	19	12	5
42	Postnatal asphyxia and atelectasis 762	11,308	835	5,983	2,078	1,217	413	155	122	70
43	Without mention of immaturity (.0)	3,130	272	1,302	673	416	147	53	26	25
44	With immaturity (.5)	8,178	563	4,681	1,405	801	266	102	96	45
45	Pneumonia of newborn 763	2,083	12	265	223	235	147	101	86	75
46	Without mention of immaturity (.0)	1,511	9	163	145	181	99	72	50	46
47	With immaturity (.5)	572	3	102	78	54	48	29	36	29
48	Diarrhea of newborn 764	248	1	-	-	2	4	1	6	6
49	Without mention of immaturity (.0)	202	1	-	-	2	4	1	5	5
50	With immaturity (.5)	46	-	-	-	-	-	-	1	1
51	Other infections of newborn 765-768	452	7	39	26	40	34	34	25	36
52	Without mention of immaturity (.0)	292	3	23	14	25	25	21	14	19
53	With immaturity (.5)	160	4	16	12	15	9	13	11	17
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	540	68	268	93	55	17	10	2	6
55	Without mention of immaturity (.0-.4)	186	20	84	37	18	9	4	1	2
56	With immaturity (.5-.9)	354	48	184	56	37	8	6	1	4
57	Hemolytic disease of newborn (erythroblastosis) 770	1,089	202	476	112	89	70	40	27	12
58	Without mention of immaturity (.0-.2)	855	157	382	89	68	57	32	14	10
59	With immaturity (.5-.7)	234	45	94	23	21	13	8	13	2
60	Hemorrhagic disease of newborn 771	365	11	116	56	62	36	19	7	15
61	Without mention of immaturity (.0)	226	7	81	33	31	23	12	1	7
62	With immaturity (.5)	139	4	35	23	31	13	7	6	8
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	5,069	308	1,965	1,068	668	232	89	57	41
64	Without mention of immaturity (.0)	1,500	52	325	315	227	90	27	12	12
65	With immaturity (.5)	3,569	256	1,640	753	441	142	62	45	29
66	Immaturity with mention of any other subsidiary condition 774	768	41	278	94	68	35	27	26	14
67	Immaturity, unqualified 776	10,505	1,273	6,132	1,326	690	271	188	139	101
68	Symptoms and ill-defined conditions 780-793,795	1,365	69	136	69	54	33	14	18	6
69	All other diseases Residual	785	11	51	37	20	15	13	13	3
70	Accidents E800-E962	2,037	7	18	15	25	30	23	10	13
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	716	-	5	7	21	22	19	8	8
72	Accidental mechanical suffocation in bed and cradle E924	537	-	-	3	2	3	1	-	1
73	Other accidental causes E800-E920,E923,E925-E962	784	7	13	5	2	5	3	2	4
74	Homicide E964,E980-E984	103	44	6	8	2	2	1	1	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
40,949	2,253	1,374	1,004	45,580	4,018	3,185	2,374	1,649	1,261	1,015	804	657	601	479	497	1
1	1	1	3	6	5	11	8	5	1	7	1	3	4	1	2	2
-	-	-	-	-	73	34	32	21	14	12	18	12	8	4	2	3
-	-	-	-	-	3	5	4	4	-	3	2	1	-	-	-	4
3	1	1	-	5	11	8	12	9	7	7	9	6	5	5	4	5
10	22	5	3	40	-	-	1	-	-	-	-	-	-	-	-	6
23	13	17	10	63	35	32	37	24	26	11	18	21	16	12	21	7
16	3	5	1	25	12	10	8	11	8	8	12	15	12	9	16	8
31	-	1	3	35	9	4	3	6	4	2	3	4	1	3	-	9
7	1	1	2	11	8	15	9	2	3	4	4	-	-	-	-	10
35	38	30	19	122	53	56	42	36	40	31	38	28	25	15	21	11
63	6	5	6	80	75	50	45	47	37	32	24	23	24	23	21	12
5	3	8	8	24	50	48	33	23	11	13	10	4	7	1	6	13
4	5	5	3	17	1,174	1,105	821	551	403	297	220	183	160	90	121	14
4	5	5	3	17	20	23	21	9	15	9	9	6	4	5	4	15
...	...	...	...	...	1,154	1,082	800	542	388	288	211	177	156	85	117	16
5	7	3	5	20	62	72	58	44	28	17	15	13	12	4	6	17
83	9	13	13	118	224	201	141	85	61	34	17	15	19	23	8	18
24	2	6	5	37	21	30	16	11	8	3	2	2	2	3	-	19
4	-	1	3	8	162	124	91	50	37	21	8	9	12	12	4	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	21
12	2	3	-	17	24	33	23	17	11	6	3	3	5	6	1	22
43	5	3	5	56	17	14	11	6	5	4	4	1	-	2	3	23
305	45	20	19	389	53	29	27	10	11	12	10	7	4	3	4	24
1	2	1	1	5	263	198	150	123	130	98	90	61	67	61	43	25
114	37	24	16	191	44	27	25	20	15	14	10	12	6	7	5	26
4,381	640	373	279	5,673	845	535	383	254	196	159	119	106	97	84	91	27
137	39	38	17	231	66	33	29	18	21	11	8	8	10	9	3	28
378	26	25	22	451	76	55	43	35	28	22	34	26	22	17	28	29
1,994	358	191	162	2,705	476	330	253	163	117	97	54	53	47	43	47	30
1,872	217	119	78	2,286	227	117	58	38	30	29	23	19	18	15	13	31
35,095	1,300	712	487	37,594	342	162	98	58	42	30	14	9	16	7	8	32
5,817	86	25	12	5,940	6	-	3	1	2	-	-	-	1	-	-	33
2,294	45	15	7	2,361	3	-	2	1	1	-	-	-	1	-	-	34
3,523	41	10	5	3,579	3	-	1	-	1	-	-	-	-	-	-	35
1,818	64	19	9	1,910	...	...	...	...	...	...	...	...	...	...	...	36
1,065	38	12	7	1,122	...	...	...	...	...	...	...	...	...	...	...	37
753	26	7	2	788	...	...	...	...	...	...	...	...	...	...	...	38
3,999	22	6	3	4,030	6	-	3	1	2	-	-	-	1	-	-	39
1,229	7	3	-	1,239	3	-	2	1	1	-	-	-	1	-	-	40
2,770	15	3	3	2,791	3	-	1	-	1	-	-	-	-	-	-	41
10,873	185	64	27	11,149	73	28	25	5	7	9	4	1	6	1	-	42
2,914	44	31	13	3,002	51	27	21	5	7	7	4	-	5	1	-	43
7,959	141	33	14	8,147	22	1	4	-	-	2	-	1	1	-	-	44
1,144	353	310	276	2,083	...	...	...	...	...	...	...	...	...	...	...	45
765	251	253	242	1,511	...	...	...	...	...	...	...	...	...	...	...	46
379	102	57	34	572	...	...	...	...	...	...	...	...	...	...	...	47
20	63	97	68	248	-	-	-	-	-	-	-	-	-	-	-	48
18	50	79	55	202	-	-	-	-	-	-	-	-	-	-	-	49
2	13	18	13	46	-	-	-	-	-	-	-	-	-	-	-	50
241	116	59	30	446	2	2	1	-	-	1	-	-	-	-	-	51
144	74	45	23	286	2	2	1	-	-	1	-	-	-	-	-	52
97	42	14	7	160	-	-	-	-	-	-	-	-	-	-	-	53
519	9	2	3	533	2	1	1	-	-	1	-	-	1	-	1	54
175	2	2	1	180	2	1	-	-	-	1	-	-	1	-	1	55
344	7	-	2	353	-	-	1	-	-	-	-	-	-	-	-	56
1,028	44	8	1	1,081	1	2	1	-	1	1	1	-	-	-	1	57
809	31	7	1	848	1	1	1	-	1	1	1	-	-	-	1	58
219	13	1	-	233	-	1	-	-	-	-	-	-	-	-	-	59
322	30	8	4	364	-	1	-	-	-	-	-	-	-	-	-	60
195	20	6	4	225	-	1	-	-	-	-	-	-	-	-	-	61
127	10	2	-	139	-	-	-	-	-	-	-	-	-	-	-	62
4,428	134	56	33	4,651	148	92	58	42	30	16	8	7	7	5	5	63
1,060	34	26	19	1,139	120	77	52	39	27	14	8	7	7	5	5	64
3,368	100	30	14	3,512	28	15	6	3	3	2	-	-	-	-	-	65
583	41	17	14	655	60	33	6	8	1	2	1	1	-	1	-	66
10,120	239	66	19	10,444	50	3	3	2	1	-	-	-	1	-	1	67
399	42	50	42	533	224	186	136	89	55	53	26	18	15	14	16	68
163	24	37	27	251	104	68	64	53	49	44	37	31	32	33	19	69
141	53	61	57	312	340	320	235	174	118	125	104	83	69	76	81	70
90	27	30	24	171	122	125	83	64	33	26	20	23	10	23	16	71
10	12	10	21	53	135	112	71	53	27	34	25	11	8	3	5	72
41	14	21	12	88	83	83	81	57	58	65	59	49	51	50	60	73
64	1	1	-	66	9	9	2	-	2	2	3	2	2	4	2	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE--ALL CAUSES	45,836	3,815	14,842	4,606	2,885	1,312	782	635	450
2	Dysentery, all forms--045-048	48	-	-	-	-	1	-	-	-
3	Septicemia and pyemia--053	145	-	-	-	-	-	-	-	-
4	Whooping cough--056	32	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	75	-	-	2	-	-	-	-	1
6	Tetanus--061	25	-	-	-	-	-	1	-	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	228	-	3	3	3	5	3	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	147	4	1	-	2	-	-	1	2
9	Benign neoplasms and neoplasms of unspecified nature--210-239	50	6	13	3	3	-	3	1	-
10	Diseases of thymus gland--273	34	-	-	2	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	369	-	2	2	8	4	3	7	6
12	Other diseases of nervous system and sense organs--330-334,341-398	377	1	13	8	9	4	2	-	2
13	Acute upper respiratory infections--470-475	159	-	-	-	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	4,060	-	-	-	1	1	-	-	-
15	Influenza--480-483	112	-	-	-	1	1	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	3,948	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	248	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	648	8	23	5	9	2	1	4	2
19	Pulmonary congestion and hypostasis--522	82	1	7	2	2	-	1	1	-
20	Other chronic interstitial pneumonia--525	380	1	3	1	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	117	1	3	1	2	1	-	1	-
23	All other diseases of respiratory system--510-521,527.1	69	5	10	1	5	1	-	2	2
24	Hernia and intestinal obstruction--560,561,570	372	46	101	34	30	11	4	8	8
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,007	-	-	1	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	284	3	9	6	20	9	14	14	8
27	Congenital malformations--750-759	8,973	731	1,264	415	378	284	179	132	113
28	Spina bifida and meningocele--751	597	47	67	22	20	9	7	8	4
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	788	123	155	31	30	8	13	6	4
30	Congenital malformations of circulatory system--754	3,241	63	374	226	219	168	109	70	58
31	Other congenital malformations--750,755-759	2,347	498	668	136	109	99	50	48	47
32	Certain diseases of early infancy--760-776	27,282	2,898	13,228	4,057	2,356	942	539	431	282
33	Birth injuries--760,761	3,969	686	2,007	558	334	118	79	46	30
34	Without mention of immaturity (.0)	1,478	274	859	214	154	51	36	16	13
35	With immaturity (.5)	2,491	412	1,348	344	180	67	43	30	17
36	Intracranial and spinal injury at birth--760	1,104	51	406	210	176	76	54	33	18
37	Without mention of immaturity (.0)	603	38	224	103	103	37	29	13	8
38	With immaturity (.5)	501	13	182	107	73	39	25	20	10
39	Other birth injury--761	2,865	635	1,601	348	158	42	25	13	12
40	Without mention of immaturity (.0)	875	236	435	111	51	14	7	3	5
41	With immaturity (.5)	1,990	399	1,166	237	107	28	18	10	7
42	Postnatal asphyxia and atelectasis--762	7,715	680	4,074	1,395	758	251	112	65	57
43	Without mention of immaturity (.0)	1,972	209	881	391	208	81	22	10	17
44	With immaturity (.5)	5,743	471	3,193	1,004	550	170	90	55	40
45	Pneumonia of newborn--763	1,458	11	180	153	132	97	58	67	50
46	Without mention of immaturity (.0)	1,064	10	125	103	102	59	34	42	27
47	With immaturity (.5)	394	1	55	50	30	38	24	25	23
48	Diarrhea of newborn--764	171	-	1	-	-	4	2	5	3
49	Without mention of immaturity (.0)	125	-	1	-	-	4	1	4	2
50	With immaturity (.5)	46	-	-	-	-	-	1	1	1
51	Other infections of newborn--765-768	294	6	35	23	26	24	16	14	14
52	Without mention of immaturity (.0)	180	1	12	14	17	18	13	12	9
53	With immaturity (.5)	114	5	23	9	9	6	3	2	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	374	42	195	53	28	21	11	4	3
55	Without mention of immaturity (.0-.4)	148	20	73	20	9	7	7	2	1
56	With immaturity (.5-.9)	226	22	122	33	19	14	4	2	2
57	Hemolytic disease of newborn (erythroblastosis)--770	1,013	247	483	91	61	37	22	17	15
58	Without mention of immaturity (.0-.2)	792	191	391	65	53	27	15	10	12
59	With immaturity (.5-.7)	221	56	92	26	8	10	7	7	3
60	Hemorrhagic disease of newborn--771	197	10	70	26	31	14	6	4	8
61	Without mention of immaturity (.0)	120	8	51	14	18	3	4	-	4
62	With immaturity (.5)	77	2	19	12	13	11	2	4	4
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	3,422	206	1,375	646	395	146	74	61	24
64	Without mention of immaturity (.0)	952	41	232	147	107	49	20	12	5
65	With immaturity (.5)	2,470	165	1,143	499	288	97	54	49	19
66	Immaturity with mention of any other subsidiary condition--774	579	43	181	64	40	29	14	14	15
67	Immaturity, unqualified--776	8,090	967	4,627	1,048	551	201	145	134	63
68	Symptoms and ill-defined conditions--780-793,795	1,030	50	119	37	34	23	19	10	11
69	All other diseases--Residual	608	16	46	17	11	12	5	9	4
70	Accidents--E800-E962	1,544	12	16	10	18	14	9	16	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	512	-	7	4	11	10	8	11	5
72	Accidental mechanical suffocation in bed and cradle--E924	391	-	1	2	3	2	-	2	-
73	Other accidental causes--E800-E920,E923,E925-E962	641	12	8	4	4	2	1	3	1
74	Homicide--E964,E980-E984	91	40	4	4	2	-	-	-	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
29,327	1,740	1,024	611	32,902	2,896	2,338	1,792	1,365	1,111	848	668	609	463	436	408	1
1	-	1	2	4	8	9	3	6	3	1	2	4	4	1	3	2
-	-	-	-	-	40	25	13	15	15	12	8	7	5	2	3	3
-	-	2	1	3	3	8	2	5	1	1	2	3	2	2	-	4
3	1	3	3	10	6	9	9	2	10	6	5	3	4	4	7	5
4	16	5	-	25	-	-	-	-	-	-	-	-	-	-	-	6
19	12	6	7	44	27	23	15	14	16	12	12	16	14	15	20	7
10	4	4	2	20	21	7	8	7	8	13	7	14	13	11	18	8
29	1	1	1	32	1	-	3	4	4	1	1	1	1	1	1	9
2	-	3	1	6	6	7	6	2	2	2	1	-	-	1	1	10
32	31	19	14	96	49	34	28	26	21	29	24	24	13	10	15	11
39	6	8	8	61	60	43	30	34	31	20	27	27	14	15	15	12
2	2	7	6	17	36	25	31	14	8	11	2	6	5	2	2	13
2	3	2	3	10	921	791	626	464	355	261	196	146	112	101	77	14
2	3	2	3	10	20	11	15	15	8	11	5	7	4	5	1	15
...	...	...	...	...	901	780	611	449	347	250	191	139	108	96	76	16
1	5	4	5	15	42	39	39	25	20	15	16	14	5	9	9	17
54	9	5	7	75	153	137	107	59	36	25	25	11	5	6	9	18
14	4	1	4	23	17	18	11	6	4	-	-	1	-	1	1	19
5	2	-	-	7	95	85	68	47	27	17	17	7	4	2	4	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	2	-	3	14	30	25	21	4	5	4	7	1	-	3	3	22
26	1	4	-	31	11	9	7	2	-	4	1	2	1	-	1	23
242	25	14	13	294	16	11	10	7	8	7	4	7	4	1	3	24
1	2	1	1	5	165	154	120	116	95	86	63	56	55	55	37	25
83	31	14	12	140	31	23	13	10	19	10	9	10	4	11	4	26
3,496	462	301	209	4,468	633	425	314	262	220	170	120	110	80	88	83	27
184	50	49	31	314	80	46	36	23	22	32	11	14	5	7	7	28
370	17	14	20	421	54	56	47	44	39	26	23	21	23	17	17	29
1,287	245	147	96	1,775	353	256	195	166	133	95	70	63	41	49	45	30
1,655	150	91	62	1,958	146	67	36	29	28	17	16	12	11	15	14	31
24,733	1,005	516	393	26,647	262	119	94	34	44	18	22	20	9	9	4	32
3,858	69	24	11	3,962	4	2	-	-	-	-	-	-	-	1	-	33
1,417	32	18	6	1,473	3	2	-	-	-	-	-	-	-	-	-	34
2,441	37	6	5	2,489	1	-	-	-	-	-	-	-	-	1	-	35
1,024	53	20	7	1,104	...	...	...	...	...	...	...	...	...	...	...	36
555	27	16	5	603	...	...	...	...	...	...	...	...	...	...	...	37
469	26	4	2	501	...	...	...	...	...	...	...	...	...	...	...	38
2,834	16	4	4	2,858	4	2	-	-	-	-	-	-	-	1	-	39
862	5	2	1	870	3	2	-	-	-	-	-	-	-	-	-	40
1,972	11	2	3	1,988	1	-	-	-	-	-	-	-	-	1	-	41
7,392	137	34	22	7,585	58	24	21	2	10	2	3	5	1	2	2	42
1,819	27	13	8	1,867	41	19	19	2	10	2	3	4	1	2	2	43
5,573	110	21	14	5,718	17	5	2	-	-	-	-	1	-	-	-	44
748	272	223	215	1,458	...	...	...	...	...	...	...	...	...	...	...	45
502	197	189	176	1,064	...	...	...	...	...	...	...	...	...	...	...	46
246	75	34	39	394	...	...	...	...	...	...	...	...	...	...	...	47
15	45	53	56	169	1	-	-	-	-	-	-	1	-	-	-	48
12	32	38	41	123	1	-	-	-	-	-	-	1	-	-	-	49
3	13	15	15	46	-	-	-	-	-	-	-	-	-	-	-	50
158	73	44	16	291	3	-	-	-	-	-	-	-	-	-	-	51
96	44	26	12	178	2	-	-	-	-	-	-	-	-	-	-	52
62	29	18	4	113	1	-	-	-	-	-	-	-	-	-	-	53
357	9	1	1	368	5	-	-	1	-	-	-	-	-	-	-	54
139	4	-	1	144	3	-	-	1	-	-	-	-	-	-	-	55
218	5	1	-	224	2	-	-	-	-	-	-	-	-	-	-	56
973	30	4	1	1,008	4	1	-	-	-	-	-	-	-	-	-	57
764	20	4	1	789	2	1	-	-	-	-	-	-	-	-	-	58
209	10	-	-	219	2	-	-	-	-	-	-	-	-	-	-	59
169	15	6	3	193	1	3	-	-	-	-	-	-	-	-	-	60
102	7	5	2	116	1	3	-	-	-	-	-	-	-	-	-	61
67	8	1	1	77	-	-	-	-	-	-	-	-	-	-	-	62
2,927	105	39	37	3,108	84	58	60	26	26	15	16	14	8	5	2	63
613	25	20	19	677	67	49	56	22	24	13	15	14	8	5	2	64
2,314	80	19	18	2,431	17	9	4	4	2	2	1	-	-	-	-	65
400	42	23	9	474	65	20	11	3	3	1	2	-	-	-	-	66
7,736	208	65	22	8,031	37	11	2	2	5	-	1	-	-	1	-	67
303	51	33	35	422	127	154	96	74	55	27	27	19	15	6	8	68
120	26	21	20	187	57	69	49	38	33	33	28	38	33	28	15	69
101	47	54	65	267	228	220	172	144	105	83	67	70	63	54	71	70
56	27	28	21	132	79	84	52	45	36	22	15	14	10	11	12	71
10	12	17	23	62	88	67	54	40	23	17	12	10	14	4	-	72
35	8	9	21	73	61	69	66	59	46	44	40	46	39	39	59	73
50	1	-	3	54	4	6	4	3	2	5	-	3	3	4	3	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, BOTH SEXES—ALL CAUSES	80,781	6,712	27,621	9,090	5,951	2,693	1,404	1,083	756
2	Dysentery, all forms 045-048	48	-	-	-	-	1	-	-	-
3	Septicemia and pyemia 053	244	-	-	-	-	-	-	-	-
4	Whooping cough 056	18	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	142	-	1	1	-	2	-	-	1
6	Tetanus 061	20	-	-	-	-	-	-	2	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-136	389	-	7	5	5	3	6	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	264	9	7	3	2	-	1	-	2
9	Benign neoplasms and neoplasms of unspecified nature 210-239	110	10	29	4	6	1	4	1	-
10	Diseases of thymus gland 273	80	1	3	3	-	2	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	558	-	2	6	8	10	6	9	7
12	Other diseases of nervous system and sense organs 330-334,341-398	659	4	24	16	10	9	5	4	2
13	Acute upper respiratory infections 470-475	272	-	1	1	1	-	-	2	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	5,809	-	-	-	-	-	-	-	-
15	Influenza 480-483	122	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn 490-493	5,687	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	465	-	2	-	2	-	1	-	1
18	Other diseases of respiratory system 510-522,525-527	1,140	14	41	21	17	5	3	4	3
19	Pulmonary congestion and hypostasis 522	175	1	14	5	5	1	2	1	-
20	Other chronic interstitial pneumonia 525	631	3	4	-	-	-	-	-	-
21	Bronchiectasis 526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	184	2	5	3	3	1	-	1	-
23	All other diseases of respiratory system 510-521,527.1	149	8	18	13	9	3	1	2	3
24	Hernia and intestinal obstruction 560,561,570	785	83	236	65	53	30	12	11	8
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	1,106	-	-	-	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	517	4	21	12	29	28	24	19	15
27	Congenital malformations 750-759	13,473	1,255	2,515	927	882	578	373	281	200
28	Spina bifida and meningocele 751	955	64	105	38	32	15	13	17	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	1,410	211	289	62	46	26	20	10	6
30	Congenital malformations of circulatory system 754	6,574	131	759	558	579	371	224	155	108
31	Other congenital malformations 750,755-759	4,534	849	1,362	269	225	166	116	99	77
32	Certain diseases of early infancy 760-776	49,974	5,198	24,523	7,925	4,833	1,941	917	704	492
33	Birth injuries 760,761	8,207	1,429	4,134	1,138	700	326	136	99	51
34	Without mention of immaturity (.0)	3,032	567	1,222	468	345	172	74	39	17
35	With immaturity (.5)	5,175	862	2,912	650	355	154	62	60	34
36	Intracranial and spinal injury at birth 760	2,324	114	799	476	386	217	87	77	34
37	Without mention of immaturity (.0)	1,358	83	464	263	237	125	57	35	11
38	With immaturity (.5)	966	31	335	213	149	92	30	42	23
39	Other birth injury 761	5,883	1,315	3,335	662	314	109	49	22	17
40	Without mention of immaturity (.0)	1,674	484	758	225	108	47	17	4	6
41	With immaturity (.5)	4,209	831	2,577	437	206	62	32	18	11
42	Postnatal asphyxia and atelectasis 762	14,761	1,088	7,735	2,797	1,644	540	194	143	98
43	Without mention of immaturity (.0)	4,027	336	1,723	836	540	193	56	29	34
44	With immaturity (.5)	10,734	752	6,012	1,951	1,104	347	138	114	64
45	Pneumonia of newborn 763	2,313	12	308	270	253	163	109	100	90
46	Without mention of immaturity (.0)	1,664	10	192	178	197	100	67	57	51
47	With immaturity (.5)	649	2	114	92	56	63	42	43	39
48	Diarrhea of newborn 764	177	1	-	-	2	6	1	5	4
49	Without mention of immaturity (.0)	140	1	-	-	2	6	-	4	3
50	With immaturity (.5)	37	-	-	-	-	-	1	1	1
51	Other infections of newborn 765-768	488	7	50	52	52	37	28	26	29
52	Without mention of immaturity (.0)	324	2	27	18	35	27	23	17	14
53	With immaturity (.5)	164	5	23	14	17	10	5	9	15
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	708	82	354	113	67	32	19	5	6
55	Without mention of immaturity (.0-.4)	250	28	116	40	20	14	10	2	2
56	With immaturity (.5-.9)	458	54	238	73	47	18	9	3	4
57	Hemolytic disease of newborn (erythroblastosis) 770	1,965	437	916	193	136	97	48	33	24
58	Without mention of immaturity (.0-.2)	1,545	339	739	146	108	77	36	19	19
59	With immaturity (.5-.7)	420	98	177	47	28	20	12	14	5
60	Hemorrhagic disease of newborn 771	376	18	132	57	61	32	14	10	16
61	Without mention of immaturity (.0)	222	12	93	32	30	16	8	1	6
62	With immaturity (.5)	154	6	39	25	31	16	6	9	10
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	6,410	397	2,595	1,408	900	319	118	84	45
64	Without mention of immaturity (.0)	1,706	74	433	389	303	125	31	11	9
65	With immaturity (.5)	4,704	323	2,162	1,019	597	194	87	73	36
66	Immaturity with mention of any other subsidiary condition 774	992	68	351	131	90	47	29	26	21
67	Immaturity, unqualified 776	13,577	1,659	7,950	1,786	928	342	221	173	108
68	Symptoms and ill-defined conditions 780-793,795	975	44	104	41	48	30	11	9	8
69	All other diseases Residual	1,034	24	75	39	24	20	15	20	4
70	Accidents E800-E962	2,569	14	24	10	30	31	25	15	12
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	933	-	11	6	26	24	22	11	7
72	Accidental mechanical suffocation in bed and cradle E924	631	-	-	2	1	2	-	1	1
73	Other accidental causes E800-E920,E923,E925-E962	1,005	14	13	2	3	5	3	3	4
74	Homicide E964,E980-E984	130	52	6	11	1	2	1	1	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
55,310	2,807	1,639	1,226	60,982	4,636	3,736	2,799	1,961	1,536	1,231	991	887	724	657	641	1
1	-	-	1	2	8	11	6	6	2	6	-	2	2	2	1	2
-	-	-	-	-	62	36	29	20	19	21	21	17	10	5	4	3
-	-	1	-	1	3	4	1	3	1	1	4	-	-	-	-	4
5	2	3	3	13	15	12	20	9	14	13	11	9	7	9	10	5
2	14	3	1	20	-	-	-	-	-	-	-	-	-	-	-	6
28	20	18	14	80	49	40	41	26	27	17	19	24	20	19	27	7
24	7	9	2	42	26	14	12	16	15	17	18	28	24	19	33	8
55	1	1	4	61	9	4	5	9	7	2	3	5	1	3	1	9
9	1	3	3	16	12	21	14	4	2	5	4	-	-	1	1	10
48	49	33	25	155	65	60	49	35	34	32	35	29	24	16	24	11
74	10	10	12	106	105	73	49	59	56	42	38	39	29	33	30	12
5	2	10	9	26	60	53	44	27	14	17	8	7	9	2	5	13
-	2	4	2	8	1,361	1,263	946	632	463	312	239	201	154	111	119	14
-	2	4	2	8	23	18	19	12	10	11	6	4	4	5	2	15
...	...	...	...	...	1,338	1,245	927	620	453	301	233	197	150	106	117	16
6	7	7	7	27	83	85	70	53	43	22	27	21	14	9	11	17
108	10	15	15	148	264	248	176	90	65	49	29	18	18	23	12	18
29	3	7	6	45	33	43	19	16	7	2	1	3	2	3	1	19
7	2	1	3	13	174	146	112	55	44	31	18	12	11	10	5	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	21
15	3	1	2	21	32	45	31	11	10	9	7	2	4	9	3	22
57	2	6	4	69	25	14	14	7	4	7	3	1	1	1	3	23
498	59	28	22	607	44	30	25	11	13	17	12	11	6	4	5	24
-	1	1	1	3	164	159	116	104	106	88	88	66	80	81	51	25
152	54	34	23	263	57	34	30	22	29	20	16	19	6	15	6	26
7,011	962	578	423	8,974	1,272	799	589	437	330	273	201	178	141	142	137	27
293	80	79	44	496	135	76	61	39	37	38	19	18	14	13	9	28
670	34	34	38	776	113	92	73	69	55	43	47	38	35	31	38	29
2,885	542	298	218	3,943	721	491	379	280	194	151	102	94	75	75	69	30
3,163	306	167	123	3,759	303	140	76	49	44	41	33	28	17	23	21	31
46,533	1,476	722	518	49,249	315	145	92	41	46	25	14	16	13	12	6	32
8,013	120	41	19	8,193	7	1	2	1	2	-	-	-	1	-	-	33
2,924	60	27	11	3,022	5	1	1	1	1	-	-	-	1	-	-	34
5,089	60	14	8	5,171	2	-	1	-	1	-	-	-	-	-	-	35
2,190	89	32	13	2,324	...	...	...	...	...	...	...	...	...	...	...	36
1,275	51	22	10	1,358	...	...	...	...	...	...	...	...	...	...	...	37
915	38	10	3	966	...	...	...	...	...	...	...	...	...	...	...	38
5,823	31	9	6	5,869	7	1	2	1	2	-	-	-	1	-	-	39
1,649	9	5	1	1,664	5	1	1	1	1	-	-	-	1	-	-	40
4,174	22	4	5	4,205	2	-	1	-	1	-	-	-	-	-	-	41
14,239	223	64	31	14,557	89	30	37	6	16	9	4	4	5	2	2	42
3,757	53	33	14	3,857	69	28	31	6	16	7	4	3	4	2	2	43
10,482	170	31	17	10,700	20	4	6	-	-	2	-	1	1	-	-	44
1,303	388	309	313	2,313	...	...	...	...	...	...	...	...	...	...	...	45
852	282	262	268	1,664	...	...	...	...	...	...	...	...	...	...	...	46
451	106	47	45	649	...	...	...	...	...	...	...	...	...	...	...	47
19	44	67	46	176	-	-	-	-	-	-	-	1	-	-	-	48
16	32	54	37	139	-	-	-	-	-	-	-	1	-	-	-	49
3	12	13	9	37	-	-	-	-	-	-	-	-	-	-	-	50
261	124	72	28	485	1	1	1	-	-	-	-	-	-	-	-	51
163	85	51	22	321	1	1	1	-	-	-	-	-	-	-	-	52
98	39	21	6	164	-	-	-	-	-	-	-	-	-	-	-	53
678	13	3	3	697	6	1	1	1	-	-	-	-	1	-	1	54
232	5	2	2	241	5	1	-	1	-	-	-	-	1	-	1	55
446	8	1	1	456	1	-	1	-	-	-	-	-	-	-	-	56
1,884	61	9	1	1,955	4	2	-	-	1	1	1	-	-	-	1	57
1,483	45	8	1	1,537	2	2	-	-	1	1	1	-	-	-	1	58
401	16	1	-	418	2	-	-	-	-	-	-	-	-	-	-	59
340	22	7	4	373	-	3	-	-	-	-	-	-	-	-	-	60
198	12	5	4	219	-	3	-	-	-	-	-	-	-	-	-	61
142	10	2	-	154	-	-	-	-	-	-	-	-	-	-	-	62
5,866	154	53	39	6,112	98	65	43	21	23	14	8	10	6	9	1	63
1,375	33	21	18	1,447	78	57	40	17	22	11	8	10	6	9	1	64
4,491	121	32	21	4,665	20	8	3	4	1	3	-	-	-	-	-	65
763	60	29	13	865	73	34	7	10	-	1	1	1	-	-	-	66
13,167	267	68	21	13,523	37	8	1	2	4	-	-	-	-	1	1	67
295	28	32	25	380	151	139	91	69	45	27	24	14	12	12	11	68
221	37	40	30	328	117	101	81	66	58	63	47	50	52	42	29	69
161	64	86	85	396	389	393	308	220	144	157	131	129	98	90	114	70
107	36	47	33	223	153	162	115	80	54	34	27	27	15	24	19	71
7	16	15	30	68	141	132	89	54	29	39	30	20	18	6	5	72
47	12	24	22	105	95	99	104	86	61	84	74	82	65	60	90	73
74	1	1	1	77	5	12	5	2	3	5	2	4	4	7	4	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, MALE—ALL CAUSES	46,989	3,695	16,129	5,478	3,640	1,661	832	638	424
2	Dysentery, all forms 045-048	28	-	-	-	-	-	-	-	-
3	Septicemia and pyemia 053	150	-	-	-	-	-	-	-	-
4	Whooping cough 056	8	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	77	-	1	-	-	2	-	-	-
6	Tetanus 061	14	-	-	-	-	-	-	2	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	232	-	4	2	3	1	5	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	131	5	6	3	-	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	67	4	18	1	3	1	1	-	-
10	Diseases of thymus gland 273	50	1	3	1	-	2	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	327	-	1	5	4	7	5	3	3
12	Other diseases of nervous system and sense organs 330-334,341-398	371	3	14	12	3	5	4	4	1
13	Acute upper respiratory infections 470-475	169	-	1	1	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	3,318	-	-	-	-	-	-	-	-
15	Influenza 480-483	61	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn 490-493	3,257	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	280	-	2	-	2	-	1	-	-
18	Other diseases of respiratory system 510-522,525-527	689	7	19	17	10	4	2	1	1
19	Pulmonary congestion and hypostasis 522	113	-	7	3	4	1	1	-	-
20	Other chronic interstitial pneumonia 525	379	2	1	-	-	-	-	-	-
21	Bronchiectasis 526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	103	2	3	2	1	1	-	1	-
23	All other diseases of respiratory system 510-521,527.1	93	3	8	12	5	2	1	-	1
24	Hernia and intestinal obstruction 560,561,570	461	37	144	35	25	21	9	5	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	625	-	-	-	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	290	1	12	6	12	20	15	11	9
27	Congenital malformations 750-759	7,439	596	1,394	558	541	335	219	169	104
28	Spina bifida and meningocele 751	402	19	44	18	14	7	7	9	5
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	720	99	151	34	18	19	9	6	3
30	Congenital malformations of circulatory system 754	3,825	75	441	359	380	227	130	90	58
31	Other congenital malformations 750,755-759	2,492	403	758	147	129	82	73	64	38
32	Certain diseases of early infancy 760-776	29,573	2,972	14,400	4,772	2,972	1,213	537	419	290
33	Birth injuries 760,761	4,941	856	2,464	684	428	226	74	64	30
34	Without mention of immaturity (.0)	1,884	354	704	324	227	133	42	27	7
35	With immaturity (.5)	3,057	502	1,760	360	201	93	32	37	23
36	Intracranial and spinal injury at birth 760	1,498	77	497	321	251	154	47	53	22
37	Without mention of immaturity (.0)	895	54	284	189	160	97	32	26	4
38	With immaturity (.5)	603	23	213	132	91	57	15	27	18
39	Other birth injury 761	3,443	779	1,967	363	177	72	27	11	8
40	Without mention of immaturity (.0)	989	300	420	135	67	36	10	1	3
41	With immaturity (.5)	2,454	479	1,547	228	110	36	17	10	5
42	Postnatal asphyxia and atelectasis 762	8,897	605	4,640	1,692	1,033	336	117	100	56
43	Without mention of immaturity (.0)	2,473	189	1,015	534	361	124	41	22	21
44	With immaturity (.5)	6,424	416	3,625	1,158	672	212	76	78	35
45	Pneumonia of newborn 763	1,382	5	181	157	166	107	67	57	49
46	Without mention of immaturity (.0)	987	4	104	104	129	68	42	31	28
47	With immaturity (.5)	395	1	77	53	37	39	25	26	21
48	Diarrhea of newborn 764	114	1	-	-	2	3	-	3	3
49	Without mention of immaturity (.0)	91	1	-	-	2	3	-	3	2
50	With immaturity (.5)	23	-	-	-	-	-	-	-	1
51	Other infections of newborn 765-768	294	3	26	18	31	19	20	19	22
52	Without mention of immaturity (.0)	195	1	17	9	21	14	15	10	10
53	With immaturity (.5)	99	2	9	9	10	5	5	9	12
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	420	51	207	74	44	15	9	2	3
55	Without mention of immaturity (.0-.4)	141	15	61	29	14	8	3	1	1
56	With immaturity (.5-.9)	279	36	146	45	30	7	6	1	2
57	Hemolytic disease of newborn (erythroblastosis) 770	1,022	197	457	110	83	64	32	19	10
58	Without mention of immaturity (.0-.2)	801	153	366	87	62	53	24	10	8
59	With immaturity (.5-.7)	221	44	91	23	21	11	8	9	2
60	Hemorrhagic disease of newborn 771	249	9	88	36	37	26	11	6	11
61	Without mention of immaturity (.0)	142	5	59	19	15	16	6	1	3
62	With immaturity (.5)	107	4	29	17	22	10	5	5	8
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	3,917	240	1,567	900	565	199	66	38	31
64	Without mention of immaturity (.0)	1,079	41	260	267	207	85	19	6	8
65	With immaturity (.5)	2,838	199	1,307	633	358	114	47	32	23
66	Immaturity with mention of any other subsidiary condition 774	586	35	216	81	57	26	20	20	10
67	Immaturity, unqualified 776	7,751	970	4,554	1,020	526	192	121	91	65
68	Symptoms and ill-defined conditions 780-793,795	576	23	54	27	29	15	5	6	4
69	All other diseases Residual	575	10	40	26	15	11	11	12	1
70	Accidents E800-E962	1,467	4	12	5	19	22	16	4	9
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	554	-	5	3	17	16	14	4	5
72	Accidental mechanical suffocation in bed and cradle E924	372	-	-	1	1	1	-	-	1
73	Other accidental causes E800-E920,E923,E925-E962	541	4	7	1	1	5	2	-	3
74	Homicide E964,E980-E984	72	32	4	7	1	2	1	1	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
32,497	1,615	949	687	35,748	2,696	2,218	1,627	1,093	828	658	546	467	411	343	354	1
-	-	-	1	1	3	6	4	3	1	6	-	-	2	1	1	2
-	-	-	-	-	44	23	18	11	7	10	14	12	7	3	1	3
-	-	-	-	-	1	2	1	2	-	-	2	-	-	-	-	4
3	1	1	-	5	9	6	12	7	5	7	8	6	3	5	4	5
2	9	2	1	14	-	-	-	-	-	-	-	-	-	-	-	6
15	10	13	9	47	26	26	31	15	21	8	10	15	9	8	16	7
15	3	5	-	23	11	7	5	9	7	6	11	15	12	9	16	8
28	-	-	3	31	8	4	3	6	4	1	3	4	1	2	-	9
7	1	1	2	11	8	14	8	2	1	3	3	-	-	-	-	10
28	29	20	15	92	31	39	31	22	22	16	22	16	15	9	12	11
46	5	4	5	60	59	39	28	35	32	28	18	18	18	19	17	12
4	2	6	5	17	36	36	26	21	8	8	6	2	5	-	4	13
-	1	2	-	3	786	749	564	347	250	159	130	110	94	50	76	14
-	1	2	-	3	13	14	11	4	4	3	2	3	2	1	1	15
...	...	...	...	...	773	735	553	343	246	156	128	107	92	49	75	16
5	5	3	3	16	51	56	42	37	26	11	13	11	9	3	5	17
61	4	10	12	87	156	155	106	58	39	26	10	13	14	18	7	18
16	1	6	5	28	19	27	14	11	4	2	1	2	2	3	-	19
3	-	1	3	7	107	95	66	33	23	16	5	8	8	8	3	20
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	21
10	2	1	-	13	14	25	16	8	8	5	1	2	4	6	1	22
32	1	2	4	39	16	8	10	5	4	3	3	1	-	1	3	23
278	36	15	13	342	34	20	17	5	7	11	8	6	4	3	4	24
-	-	1	-	1	92	98	66	51	65	44	52	35	46	48	27	25
86	26	21	12	145	33	21	19	16	13	12	8	10	3	6	4	26
3,916	554	316	239	5,025	723	448	319	222	155	138	101	87	82	66	73	27
123	36	34	14	207	58	31	28	17	18	10	8	7	9	7	2	28
339	18	20	20	397	63	45	35	33	21	21	28	20	19	16	22	29
1,760	322	170	139	2,391	422	284	212	142	91	82	45	43	44	33	36	30
1,694	178	92	66	2,030	180	88	44	30	25	25	20	17	10	10	13	31
27,575	866	434	294	29,169	180	87	46	25	21	15	7	6	8	5	4	32
4,826	72	22	10	4,930	5	-	2	1	2	-	-	-	1	-	-	33
1,818	39	14	6	1,877	3	-	1	1	1	-	-	-	1	-	-	34
3,008	33	8	4	3,053	2	-	1	-	1	-	-	-	-	-	-	35
1,422	52	17	7	1,498	...	...	...	...	...	...	...	...	...	...	...	36
846	32	11	6	895	...	...	...	...	...	...	...	...	...	...	...	37
576	20	6	1	603	...	...	...	...	...	...	...	...	...	...	...	38
3,404	20	5	3	3,432	5	-	2	1	2	-	-	-	1	-	-	39
972	7	3	-	982	3	-	1	1	1	-	-	-	1	-	-	40
2,432	13	2	3	2,450	2	-	1	-	1	-	-	-	-	-	-	41
8,579	141	43	15	8,778	54	15	21	5	7	8	3	1	4	1	-	42
2,307	35	24	7	2,373	43	15	17	5	7	6	3	-	3	1	-	43
6,272	106	19	8	6,405	11	-	4	-	-	2	-	1	1	-	-	44
789	228	188	177	1,382	...	...	...	...	...	...	...	...	...	...	...	45
510	163	158	156	987	...	...	...	...	...	...	...	...	...	...	...	46
279	65	30	21	395	...	...	...	...	...	...	...	...	...	...	...	47
12	28	46	28	114	-	-	-	-	-	-	-	-	-	-	-	48
11	20	37	23	91	-	-	-	-	-	-	-	-	-	-	-	49
1	8	9	5	23	-	-	-	-	-	-	-	-	-	-	-	50
158	73	41	20	292	-	1	1	-	-	-	-	-	-	-	-	51
97	50	30	16	193	-	1	1	-	-	-	-	-	-	-	-	52
61	23	11	4	99	-	-	-	-	-	-	-	-	-	-	-	53
405	5	2	2	414	2	1	1	-	-	-	-	-	1	-	1	54
132	1	2	1	136	2	1	-	-	-	-	-	-	1	-	1	55
273	4	-	1	278	-	-	1	-	-	-	-	-	-	-	-	56
972	39	6	-	1,017	-	1	-	-	1	1	1	-	-	-	1	57
763	28	5	-	796	-	1	-	-	1	1	1	-	-	-	1	58
209	11	1	-	221	-	-	-	-	-	-	-	-	-	-	-	59
224	15	6	3	248	-	1	-	-	-	-	-	-	-	-	-	60
124	9	5	3	141	-	1	-	-	-	-	-	-	-	-	-	61
100	6	1	-	107	-	-	-	-	-	-	-	-	-	-	-	62
3,606	87	34	20	3,747	68	43	19	11	11	5	2	4	2	4	1	63
893	18	13	11	935	54	37	17	9	11	3	2	4	2	4	1	64
2,713	69	21	9	2,812	14	6	2	2	-	2	-	-	-	-	-	65
465	33	12	8	518	34	22	2	7	-	1	1	1	-	-	-	66
7,539	145	34	11	7,729	17	3	-	1	-	-	-	-	-	-	1	67
163	15	17	16	211	93	92	56	40	27	18	13	4	5	9	8	68
126	16	30	17	189	68	48	45	37	37	36	26	23	26	24	16	69
91	32	47	40	210	241	235	179	122	78	95	79	73	46	52	57	70
64	18	24	18	124	92	100	70	51	29	19	17	19	7	16	10	71
5	5	5	15	29	91	83	50	30	16	27	21	11	6	3	5	72
23	9	18	7	57	58	52	59	41	33	49	41	43	33	33	42	73
48	-	1	-	49	3	7	1	-	2	-	2	1	2	3	2	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, FEMALE--ALL CAUSES	33,792	3,017	11,492	3,612	2,611	1,032	572	445	332
2	Dysentery, all forms 045-048	20	-	-	-	-	1	-	-	-
3	Septicemia and pyemia 053	94	-	-	-	-	-	-	-	-
4	Whooping cough 056	10	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	65	-	-	1	-	-	-	-	1
6	Tetanus 061	6	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	157	-	3	3	2	2	1	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	133	4	1	-	2	-	-	-	2
9	Benign neoplasms and neoplasms of unspecified nature 210-239	43	6	11	3	3	-	3	1	-
10	Diseases of thymus gland 273	30	-	-	2	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	231	-	1	1	4	3	1	6	4
12	Other diseases of nervous system and sense organs 330-334,341-398	288	1	10	4	7	4	1	-	1
13	Acute upper respiratory infections 470-475	103	-	-	-	-	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	2,491	-	-	-	-	-	-	-	-
15	Influenza 480-483	61	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn 490-493	2,430	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	185	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system 510-522,525-527	451	7	22	4	7	1	1	3	2
19	Pulmonary congestion and hypostasis 522	62	1	7	2	1	-	1	1	-
20	Other chronic interstitial pneumonia 525	252	1	3	-	-	-	-	-	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	81	-	2	1	2	-	-	-	-
23	All other diseases of respiratory system 510-521,527.1	56	5	10	1	4	1	-	2	2
24	Hernia and intestinal obstruction 560,561,570	324	46	92	30	28	9	3	6	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	481	-	-	-	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	227	3	9	6	17	8	9	8	8
27	Congenital malformations 750-759	6,034	659	1,121	369	341	243	154	112	96
28	Spina bifida and meningocele 751	553	45	61	20	18	8	6	8	4
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	690	112	138	28	28	7	11	4	3
30	Congenital malformations of circulatory system 754	2,749	56	318	199	199	144	94	65	50
31	Other congenital malformations 750,755-759	2,042	446	604	122	96	84	43	35	39
32	Certain diseases of early infancy 760-776	20,401	2,226	10,123	3,153	1,861	728	380	285	202
33	Birth injuries 760,761	3,266	573	1,670	454	272	100	62	35	21
34	Without mention of immaturity (.0)	1,148	213	518	164	118	39	32	12	10
35	With immaturity (.5)	2,118	360	1,152	290	154	61	30	23	11
36	Intracranial and spinal injury at birth 760	826	37	302	155	135	63	40	24	12
37	Without mention of immaturity (.0)	463	29	180	74	77	28	25	9	7
38	With immaturity (.5)	363	8	122	81	58	35	15	15	5
39	Other birth injury 761	2,440	536	1,368	299	137	37	22	11	9
40	Without mention of immaturity (.0)	685	164	338	90	41	11	7	3	3
41	With immaturity (.5)	1,755	352	1,030	209	96	26	15	8	6
42	Postnatal asphyxia and atelectasis 762	5,864	463	3,095	1,105	611	204	77	43	42
43	Without mention of immaturity (.0)	1,554	147	708	312	179	69	15	7	13
44	With immaturity (.5)	4,310	336	2,387	793	432	135	62	36	29
45	Pneumonia of newborn 763	931	7	125	113	87	56	42	43	41
46	Without mention of immaturity (.0)	677	6	88	74	68	32	25	26	23
47	With immaturity (.5)	254	1	37	39	19	24	17	17	18
48	Diarrhea of newborn 764	63	-	-	-	-	3	1	2	1
49	Without mention of immaturity (.0)	49	-	-	-	-	3	-	1	1
50	With immaturity (.5)	14	-	-	-	-	-	1	1	-
51	Other infections of newborn 765-768	194	4	24	14	21	18	8	7	7
52	Without mention of immaturity (.0)	129	1	10	9	14	13	8	7	4
53	With immaturity (.5)	65	3	14	5	7	5	-	-	3
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	288	31	147	39	23	17	10	3	3
55	Without mention of immaturity (.0-.4)	109	13	55	11	6	6	7	1	1
56	With immaturity (.5-.9)	179	18	92	28	17	11	3	2	2
57	Hemolytic disease of newborn (erythroblastosis) 770	943	240	459	83	53	33	16	14	14
58	Without mention of immaturity (.0-.2)	744	186	373	59	46	24	12	9	11
59	With immaturity (.5-.7)	199	54	86	24	7	9	4	5	3
60	Hemorrhagic disease of newborn 771	127	9	44	21	24	6	3	4	5
61	Without mention of immaturity (.0)	80	7	34	13	15	-	2	-	3
62	With immaturity (.5)	47	2	10	8	9	6	1	4	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	2,493	157	1,028	508	335	120	52	46	14
64	Without mention of immaturity (.0)	627	33	173	122	96	40	12	5	1
65	With immaturity (.5)	1,866	124	855	386	239	80	40	41	13
66	Immaturity with mention of any other subsidiary condition 774	406	33	135	50	33	21	9	6	11
67	Immaturity, unqualified 776	5,826	689	3,396	766	402	150	100	82	43
68	Symptoms and ill-defined conditions 780-793,795	399	21	50	14	19	15	6	3	4
69	All other diseases Residual	459	14	35	13	9	9	4	8	3
70	Accidents E800-E962	1,102	10	12	5	11	9	9	11	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	379	-	6	3	9	8	8	7	2
72	Accidental mechanical suffocation in bed and cradle E924	259	-	-	1	-	1	-	1	-
73	Other accidental causes E800-E920,E923,E925-E962	464	10	6	1	2	-	1	3	1
74	Homicide E964,E980-E984	58	20	2	4	-	-	-	-	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
22,813	1,192	690	539	25,234	1,940	1,518	1,172	868	708	573	445	420	313	314	287	1
1	-	-	-	1	5	5	2	3	1	-	-	2	-	1	-	2
-	-	-	-	-	18	13	11	9	12	11	7	5	3	2	3	3
-	-	1	-	1	2	2	-	1	1	1	2	-	-	-	-	4
2	1	2	3	8	6	6	8	2	9	6	3	3	4	4	6	5
-	5	1	-	6	-	-	-	-	-	-	-	-	-	-	-	6
13	10	5	5	33	23	14	10	11	6	9	9	9	11	11	11	7
9	4	4	2	19	15	7	7	7	8	11	7	13	12	10	17	8
27	1	1	1	30	1	-	2	3	3	1	-	1	-	1	1	9
2	-	2	1	5	4	7	6	2	1	2	1	-	-	1	1	10
20	20	13	10	63	34	21	18	13	12	16	13	13	9	7	12	11
28	5	6	7	46	46	34	21	24	24	14	20	21	11	14	13	12
1	-	4	4	9	24	17	18	6	6	9	2	5	4	2	1	13
-	1	2	2	5	575	514	382	285	213	153	109	91	60	61	43	14
-	1	2	2	5	10	4	8	8	6	8	4	1	2	4	1	15
...	...	...	...	...	565	510	374	277	207	145	105	90	58	57	42	16
1	2	4	4	11	32	29	28	16	17	11	14	10	5	6	6	17
47	6	5	3	61	108	93	70	32	26	23	19	5	4	5	5	18
13	2	1	1	17	14	16	5	5	3	-	-	1	-	-	1	19
4	2	-	-	6	67	51	46	22	21	15	13	4	3	2	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	1	-	2	8	18	20	15	3	2	4	6	-	-	3	2	22
25	1	4	-	30	9	6	4	2	-	4	-	-	1	-	-	23
220	23	13	9	265	10	10	8	6	6	6	4	5	2	1	1	24
-	1	-	1	2	72	61	50	53	41	44	36	31	34	33	24	25
66	28	13	11	118	24	13	11	6	16	8	8	9	3	9	2	26
3,095	408	262	184	3,949	549	351	270	215	175	135	100	91	59	76	64	27
170	44	45	30	289	77	45	33	22	19	28	11	11	5	6	7	28
331	16	14	18	379	50	47	38	36	34	22	19	18	16	15	16	29
1,125	220	128	79	1,552	299	207	167	138	103	69	57	51	31	42	33	30
1,469	128	75	57	1,729	123	52	32	19	19	16	13	11	7	13	8	31
18,958	610	288	224	20,080	135	58	46	16	25	10	7	10	5	7	2	32
3,187	48	19	9	3,263	2	1	-	-	-	-	-	-	-	-	-	33
1,106	21	13	5	1,145	2	1	-	-	-	-	-	-	-	-	-	34
2,081	27	6	4	2,118	-	-	-	-	-	-	-	-	-	-	-	35
768	37	15	6	826	...	...	...	...	...	...	...	...	...	...	...	36
429	19	11	4	463	...	...	...	...	...	...	...	...	...	...	...	37
339	18	4	2	363	...	...	...	...	...	...	...	...	...	...	...	38
2,419	11	4	3	2,437	2	1	-	-	-	-	-	-	-	-	-	39
677	2	2	1	682	2	1	-	-	-	-	-	-	-	-	-	40
1,742	9	2	2	1,755	-	-	-	-	-	-	-	-	-	-	-	41
5,660	82	21	16	5,779	35	15	16	1	9	1	1	3	1	1	2	42
1,450	18	9	7	1,484	26	11	14	1	9	1	1	3	1	1	2	43
4,210	64	12	9	4,295	9	4	2	-	-	-	-	-	-	-	-	44
514	160	121	136	931	...	...	...	...	...	...	...	...	...	...	...	45
342	119	104	112	677	...	...	...	...	...	...	...	...	...	...	...	46
172	41	17	24	254	...	...	...	...	...	...	...	...	...	...	...	47
7	16	21	18	62	-	-	-	-	-	-	-	1	-	-	-	48
5	12	17	14	48	-	-	-	-	-	-	-	1	-	-	-	49
2	4	4	4	14	-	-	-	-	-	-	-	-	-	-	-	50
103	51	31	8	193	1	-	-	-	-	-	-	-	-	-	-	51
66	35	21	6	128	1	-	-	-	-	-	-	-	-	-	-	52
37	16	10	2	65	-	-	-	-	-	-	-	-	-	-	-	53
273	8	1	1	283	4	-	-	1	-	-	-	-	-	-	-	54
100	4	-	1	105	3	-	-	1	-	-	-	-	-	-	-	55
173	4	1	-	178	1	-	-	-	-	-	-	-	-	-	-	56
912	22	3	1	938	4	1	-	-	-	-	-	-	-	-	-	57
720	17	3	1	741	2	1	-	-	-	-	-	-	-	-	-	58
192	5	-	-	197	2	-	-	-	-	-	-	-	-	-	-	59
116	7	1	1	125	-	2	-	-	-	-	-	-	-	-	-	60
74	3	-	1	78	-	2	-	-	-	-	-	-	-	-	-	61
42	4	1	-	47	-	-	-	-	-	-	-	-	-	-	-	62
2,260	67	19	19	2,365	30	22	24	10	12	9	6	6	4	5	-	63
482	15	8	7	512	24	20	23	8	11	8	6	6	4	5	-	64
1,778	52	11	12	1,853	6	2	1	2	1	1	-	-	-	-	-	65
298	27	17	5	347	39	12	5	3	-	-	-	-	-	-	-	66
5,628	122	34	10	5,794	20	5	1	1	4	-	-	-	-	1	-	67
132	13	15	9	169	58	47	35	29	18	9	11	10	7	3	3	68
95	21	10	13	139	49	53	36	29	21	27	21	27	26	18	13	69
70	32	39	45	186	148	158	129	98	66	62	52	56	52	38	57	70
43	18	23	15	99	61	62	45	29	25	15	10	8	8	8	9	71
3	11	10	15	39	50	49	39	24	13	12	9	9	12	3	-	72
24	3	6	15	48	37	47	45	45	28	35	33	39	32	27	48	73
26	1	-	1	28	2	5	4	2	1	5	-	3	2	4	2	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, BOTH SEXES—ALL CAUSES	27,175	1,735	7,717	2,283	1,391	683	485	398	274
2	Dysentery, all forms 045-048	54	-	-	-	-	1	-	-	-
3	Septicemia and pyemia 053	131	-	-	-	-	-	-	-	-
4	Whooping cough 056	36	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	21	-	-	1	-	-	-	-	-
6	Tetanus 061	46	-	-	-	-	-	2	2	8
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	155	-	3	2	1	4	3	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	29	-	1	-	-	-	-	1	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	14	1	3	-	-	-	1	-	-
10	Diseases of thymus gland 273	10	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	318	-	1	1	7	2	2	2	4
12	Other diseases of nervous system and sense organs 330-334,341-398	199	-	7	6	9	3	1	1	1
13	Acute upper respiratory infections 470-475	117	-	-	-	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	3,393	-	-	-	1	1	2	2	-
15	Influenza 480-483	132	-	-	-	1	1	2	2	-
16	Pneumonia, except pneumonia of newborn 490-493	3,261	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	134	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system 510-522,525-527	454	4	14	3	3	1	2	1	1
19	Pulmonary congestion and hypostasis 522	42	2	3	1	2	-	-	-	1
20	Other chronic interstitial pneumonia 525	287	-	-	2	-	-	-	-	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	82	1	2	-	-	1	1	1	-
23	All other diseases of respiratory system 510-521,527.1	43	1	9	-	1	-	1	-	-
24	Hernia and intestinal obstruction 560,561,570	146	4	18	8	3	4	4	4	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	1,190	-	-	2	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	143	-	1	4	8	6	11	9	6
27	Congenital malformations 750-759	2,042	138	294	119	105	94	46	46	24
28	Spina bifida and meningocele 751	89	4	11	3	5	2	1	1	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	215	22	32	7	5	3	4	3	2
30	Congenital malformations of circulatory system 754	1,052	19	119	76	64	59	27	20	12
31	Other congenital malformations 750,755-759	686	93	132	33	31	30	14	22	9
32	Certain diseases of early infancy 760-776	15,688	1,473	7,188	2,041	1,190	521	379	297	208
33	Birth injuries 760,761	1,715	272	834	253	175	53	36	20	19
34	Without mention of immaturity (.0)	815	141	341	138	101	31	18	8	9
35	With immaturity (.5)	900	131	493	115	74	22	18	12	10
36	Intracranial and spinal injury at birth 760	690	30	287	127	114	36	31	15	12
37	Without mention of immaturity (.0)	367	18	141	74	63	21	18	7	3
38	With immaturity (.5)	323	12	146	53	51	15	13	8	9
39	Other birth injury 761	1,025	242	547	126	61	17	5	5	7
40	Without mention of immaturity (.0)	448	123	200	64	38	10	-	1	6
41	With immaturity (.5)	577	119	347	62	23	7	5	4	1
42	Postnatal asphyxia and atelectasis 762	4,262	427	2,322	676	331	124	73	44	29
43	Without mention of immaturity (.0)	1,075	145	460	218	84	35	19	7	8
44	With immaturity (.5)	3,187	282	1,862	458	247	89	54	37	21
45	Pneumonia of newborn 763	1,228	11	139	106	114	81	50	53	35
46	Without mention of immaturity (.0)	911	9	96	70	86	58	39	35	22
47	With immaturity (.5)	317	2	43	36	28	23	11	18	13
48	Diarrhea of newborn 764	242	-	1	-	-	2	2	6	5
49	Without mention of immaturity (.0)	187	-	1	-	-	2	2	5	4
50	With immaturity (.5)	55	-	-	-	-	-	-	1	1
51	Other infections of newborn 765-768	258	6	24	17	14	21	22	13	21
52	Without mention of immaturity (.0)	148	2	8	10	7	16	11	9	14
53	With immaturity (.5)	110	4	16	7	7	5	11	4	7
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	206	28	109	33	16	6	2	1	3
55	Without mention of immaturity (.0-.4)	84	12	41	17	7	2	1	1	1
56	With immaturity (.5-.9)	122	16	68	16	9	4	1	-	2
57	Hemolytic disease of newborn (erythroblastosis) 770	137	12	43	10	14	10	14	11	3
58	Without mention of immaturity (.0-.2)	102	9	34	8	13	7	11	5	3
59	With immaturity (.5-.7)	35	3	9	2	1	3	3	6	-
60	Hemorrhagic disease of newborn 771	186	3	54	25	32	18	11	1	7
61	Without mention of immaturity (.0)	124	3	39	15	19	10	8	-	5
62	With immaturity (.5)	62	-	15	10	13	8	3	1	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	2,081	117	745	306	163	59	45	34	20
64	Without mention of immaturity (.0)	746	19	124	73	31	14	16	13	8
65	With immaturity (.5)	1,335	98	621	233	132	45	29	21	12
66	Immaturity with mention of any other subsidiary condition 774	355	16	108	27	18	17	12	14	8
67	Immaturity, unqualified 776	5,018	581	2,809	588	313	130	112	100	56
68	Symptoms and ill-defined conditions 780-793,795	1,420	75	151	65	40	26	22	19	9
69	All other diseases Residual	359	3	22	15	7	7	3	2	3
70	Accidents E800-E962	1,012	5	10	15	13	13	7	11	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	295	-	1	5	6	8	5	8	6
72	Accidental mechanical suffocation in bed and cradle E924	297	-	1	3	4	3	1	1	-
73	Other accidental causes E800-E920,E923,E925-E962	420	5	8	7	3	2	1	2	1
74	Homicide E964,E980-E984	64	32	4	1	3	-	-	-	-

by Age, Color, and Sex: United States, 1961 —Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
14,966	1,186	759	589	17,500	2,278	1,787	1,367	1,053	836	632	481	379	340	258	264	1
1	1	2	4	8	5	9	5	5	2	2	3	5	6	-	4	2
-	-	-	-	-	51	23	16	16	10	3	5	2	3	1	1	3
-	-	1	1	2	3	9	5	6	-	3	-	4	2	2	-	4
1	-	1	-	2	2	5	1	2	3	-	3	-	2	-	1	5
12	24	7	2	45	-	-	1	-	-	-	-	-	-	-	-	6
14	5	5	3	27	13	15	11	12	15	6	11	13	10	8	14	7
2	-	-	1	3	7	3	4	2	1	4	1	1	1	1	1	8
5	-	1	-	6	1	-	1	1	1	1	1	-	1	1	-	9
-	-	1	-	1	2	1	1	-	3	1	1	-	-	-	-	10
19	20	16	8	63	37	30	21	27	27	28	27	23	14	9	12	11
28	2	3	2	35	30	20	26	22	12	10	13	11	9	5	6	12
2	3	5	5	15	26	20	20	10	5	7	4	3	3	1	3	13
6	6	3	4	19	734	633	501	383	295	246	177	128	118	80	79	14
6	6	3	4	19	17	16	17	12	13	9	8	9	4	5	3	15
...	...	...	...	...	717	617	484	371	282	237	169	119	114	75	76	16
-	5	-	3	8	21	26	27	16	5	10	4	6	3	4	4	17
29	8	3	5	45	113	90	72	54	32	10	13	8	6	6	5	18
9	3	-	3	15	5	5	8	1	5	1	1	-	-	1	-	19
2	-	-	-	2	83	63	47	42	20	7	7	4	5	4	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	1	2	1	10	22	13	13	10	6	1	3	2	1	-	1	22
12	4	1	1	18	3	9	4	1	1	1	2	2	-	1	1	23
49	11	6	10	76	25	10	12	6	6	2	2	3	2	-	2	24
2	3	1	1	7	264	193	154	135	119	96	65	51	42	35	29	25
45	14	4	5	68	18	16	8	8	5	4	3	3	4	3	3	26
866	140	96	65	1,167	206	161	108	79	86	56	38	38	36	30	37	27
28	9	8	4	49	11	3	4	2	6	5	-	4	1	3	1	28
78	9	5	4	96	17	19	17	10	12	5	10	9	10	3	7	29
398	61	40	40	537	108	95	69	49	56	41	22	22	13	17	23	30
364	61	43	17	485	70	44	18	18	12	5	6	3	12	7	6	31
13,295	829	508	362	14,992	289	136	100	51	40	23	22	13	12	4	6	32
1,662	35	8	4	1,709	3	1	1	-	-	-	-	-	-	1	-	33
787	17	6	2	812	1	1	1	-	-	-	-	-	-	-	-	34
875	18	2	2	897	2	-	-	-	-	-	-	-	-	1	-	35
652	28	7	3	690	...	...	...	...	...	...	...	...	...	...	...	36
345	14	6	2	367	...	...	...	...	...	...	...	...	...	...	...	37
307	14	1	1	323	...	...	...	...	...	...	...	...	...	...	...	38
1,010	7	1	1	1,019	3	1	1	-	-	-	-	-	-	1	-	39
442	3	-	-	445	1	1	1	-	-	-	-	-	-	-	-	40
569	4	1	1	574	2	-	-	-	-	-	-	-	-	1	-	41
4,026	99	34	18	4,177	42	22	9	1	1	2	3	2	2	1	-	42
976	18	11	7	1,012	23	20	9	1	1	2	3	1	2	1	-	43
3,050	81	23	11	3,165	19	2	-	-	-	-	-	1	-	-	-	44
589	237	224	178	1,228	...	...	...	...	...	...	...	...	...	...	...	45
415	166	180	150	911	...	...	...	...	...	...	...	...	...	...	...	46
174	71	44	28	317	...	...	...	...	...	...	...	...	...	...	...	47
16	64	83	78	241	1	-	-	-	-	-	-	-	-	-	-	48
14	50	63	59	186	1	-	-	-	-	-	-	-	-	-	-	49
2	14	20	19	55	-	-	-	-	-	-	-	-	-	-	-	50
138	65	31	18	252	4	1	-	-	-	1	-	-	-	-	-	51
77	33	20	13	143	3	1	-	-	-	1	-	-	-	-	-	52
61	32	11	5	109	1	-	-	-	-	-	-	-	-	-	-	53
198	5	-	1	204	1	-	-	-	-	1	-	-	-	-	-	54
82	1	-	-	83	-	-	-	-	-	1	-	-	-	-	-	55
116	4	-	1	121	1	-	-	-	-	-	-	-	-	-	-	56
117	13	3	1	134	1	1	1	-	-	-	-	-	-	-	-	57
90	6	3	1	100	1	-	1	-	-	-	-	-	-	-	-	58
27	7	-	-	34	-	1	-	-	-	-	-	-	-	-	-	59
151	23	7	3	184	1	1	-	-	-	-	-	-	-	-	-	60
99	15	6	2	122	1	1	-	-	-	-	-	-	-	-	-	61
52	8	1	1	62	-	-	-	-	-	-	-	-	-	-	-	62
1,489	85	42	31	1,647	134	85	75	47	33	17	16	11	9	1	6	63
298	26	25	20	369	109	69	68	44	29	16	15	11	9	1	6	64
1,191	59	17	11	1,278	25	16	7	3	4	1	1	-	-	-	-	65
220	23	11	10	264	52	19	10	1	4	2	2	-	-	1	-	66
4,689	180	63	20	4,952	50	6	4	2	2	-	1	-	1	-	-	67
407	65	51	52	575	200	201	141	94	65	53	29	23	18	8	13	68
62	13	18	17	110	44	36	32	25	24	14	18	19	13	19	5	69
81	36	29	37	183	179	147	99	98	79	51	40	24	34	40	38	70
39	18	11	12	80	48	47	20	29	15	14	8	10	5	10	9	71
13	8	12	14	47	82	47	36	39	21	12	7	1	4	1	-	72
29	10	6	11	56	49	53	43	30	43	25	25	13	25	29	29	73
40	1	-	2	43	8	3	1	1	1	2	1	1	1	1	1	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, MALE—ALL CAUSES	15,131	937	4,367	1,289	817	403	275	208	156
2	Dysentery, all forms 045-048	26	-	-	-	-	1	-	-	-
3	Septicemia and pyemia 053	80	-	-	-	-	-	-	-	-
4	Whooping cough 056	14	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	11	-	-	-	-	-	-	-	-
6	Tetanus 061	27	-	-	-	-	-	1	2	5
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	84	-	3	2	-	1	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	15	-	1	-	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	7	1	1	-	-	-	1	-	-
10	Diseases of thymus gland 273	6	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	180	-	-	-	3	1	-	1	2
12	Other diseases of nervous system and sense organs 330-334,341-398	110	-	4	2	7	3	-	1	-
13	Acute upper respiratory infections 470-475	61	-	-	-	-	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	1,824	-	-	-	-	-	2	2	-
15	Influenza 480-483	81	-	-	-	-	-	2	2	-
16	Pneumonia, except pneumonia of newborn 490-493	1,743	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	71	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system 510-522,525-527	257	3	13	2	1	-	2	-	1
19	Pulmonary congestion and hypostasis 522	22	2	3	1	1	-	-	-	1
20	Other chronic interstitial pneumonia 525	159	-	-	1	-	-	-	-	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	46	-	1	-	-	-	1	-	-
23	All other diseases of respiratory system 510-521,527.1	30	1	9	-	-	-	1	-	-
24	Hernia and intestinal obstruction 560,561,570	98	4	9	4	1	2	3	2	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	664	-	-	1	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	86	-	1	4	5	5	6	3	4
27	Congenital malformations 750-759	1,103	66	151	73	68	53	21	26	7
28	Spina bifida and meningocele 751	45	2	5	1	3	1	-	1	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	117	11	15	4	3	2	2	1	1
30	Congenital malformations of circulatory system 754	560	12	63	49	44	35	12	15	4
31	Other congenital malformations 750,755-759	381	41	68	19	18	15	7	9	1
32	Certain diseases of early infancy 760-776	8,807	801	4,083	1,137	695	307	220	151	126
33	Birth injuries 760,761	1,012	159	497	149	113	35	19	9	10
34	Without mention of immaturity (.0)	485	80	200	88	65	19	14	4	6
35	With immaturity (.5)	527	79	297	61	48	16	5	5	4
36	Intracranial and spinal injury at birth 760	412	16	183	72	73	23	17	6	6
37	Without mention of immaturity (.0)	227	9	97	45	37	12	14	3	2
38	With immaturity (.5)	185	7	86	27	36	11	3	3	4
39	Other birth injury 761	600	143	314	77	40	12	2	3	4
40	Without mention of immaturity (.0)	258	71	103	43	28	7	-	1	4
41	With immaturity (.5)	342	72	211	34	12	5	2	2	-
42	Postnatal asphyxia and atelectasis 762	2,411	230	1,343	386	184	77	38	22	14
43	Without mention of immaturity (.0)	657	83	287	139	55	23	12	4	4
44	With immaturity (.5)	1,754	147	1,056	247	129	54	26	18	10
45	Pneumonia of newborn 763	701	7	84	66	69	40	34	29	26
46	Without mention of immaturity (.0)	524	5	59	41	52	31	30	19	18
47	With immaturity (.5)	177	2	25	25	17	9	4	10	8
48	Diarrhea of newborn 764	134	-	-	-	-	1	1	3	3
49	Without mention of immaturity (.0)	111	-	-	-	-	1	1	2	3
50	With immaturity (.5)	23	-	-	-	-	-	-	1	-
51	Other infections of newborn 765-768	158	4	13	8	9	15	14	6	14
52	Without mention of immaturity (.0)	97	2	6	5	4	11	6	4	9
53	With immaturity (.5)	61	2	7	3	5	4	8	2	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	120	17	61	19	11	2	1	-	3
55	Without mention of immaturity (.0-.4)	45	5	23	8	4	1	1	-	1
56	With immaturity (.5-.9)	75	12	38	11	7	1	-	-	2
57	Hemolytic disease of newborn (erythroblastosis) 770	67	5	19	2	6	6	8	8	2
58	Without mention of immaturity (.0-.2)	54	4	16	2	6	4	8	4	2
59	With immaturity (.5-.7)	13	1	3	-	-	2	-	4	-
60	Hemorrhagic disease of newborn 771	116	2	28	20	25	10	8	1	4
61	Without mention of immaturity (.0)	84	2	22	14	16	7	6	-	4
62	With immaturity (.5)	32	-	6	6	9	3	2	1	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	1,152	68	398	168	103	35	23	19	10
64	Without mention of immaturity (.0)	421	11	65	48	20	5	8	6	4
65	With immaturity (.5)	731	57	333	120	83	28	15	13	6
66	Immaturity with mention of any other subsidiary condition 774	182	6	62	13	11	9	7	6	4
67	Immaturity, unqualified 776	2,754	303	1,578	306	164	79	67	48	36
68	Symptoms and ill-defined conditions 780-793,795	789	46	82	42	25	18	9	12	2
69	All other diseases Residual	210	1	11	11	5	4	2	1	2
70	Accidents E800-E962	570	3	6	10	6	8	7	6	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	162	-	-	4	4	6	5	4	3
72	Accidental mechanical suffocation in bed and cradle E924	165	-	-	2	1	2	1	-	-
73	Other accidental causes E800-E920,E923,E925-E962	243	3	6	4	1	-	1	2	1
74	Homicide E964,E980-E984	31	12	2	1	1	-	-	-	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
8,452	638	425	317	9,832	1,322	967	747	556	433	357	258	190	190	136	143	1
1	1	1	2	5	2	5	4	2	-	1	1	3	2	-	1	2
-	-	-	-	-	29	11	14	10	7	2	4	-	1	1	1	3
-	-	-	-	-	2	3	3	2	-	3	-	1	-	-	-	4
-	-	-	-	-	2	2	-	2	2	-	1	-	2	-	-	5
8	13	3	2	26	-	-	1	-	-	-	-	-	-	-	-	6
8	3	4	1	16	9	6	6	9	5	3	8	6	7	4	5	7
1	-	-	1	2	1	3	3	2	1	2	1	-	-	-	-	8
3	-	1	-	4	1	-	-	-	-	1	-	-	-	1	-	9
-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	10
7	9	10	4	30	22	17	11	14	18	15	16	12	10	6	9	11
17	1	1	1	20	16	11	17	12	5	4	6	5	6	4	4	12
1	1	2	3	7	14	12	7	2	3	5	4	2	2	1	2	13
4	4	3	3	14	388	356	257	204	153	138	90	73	66	40	45	14
4	4	3	3	14	7	9	10	5	11	6	7	3	2	4	3	15
...	...	...	...	...	381	347	247	199	142	132	83	70	64	36	42	16
-	2	-	2	4	11	16	16	7	2	6	2	2	3	1	1	17
22	5	3	1	31	68	46	35	27	22	8	7	2	5	5	1	18
8	1	-	-	9	2	3	2	-	4	1	1	-	-	-	-	19
1	-	-	-	1	55	29	25	17	14	5	3	1	4	4	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	2	-	4	10	8	7	9	3	1	2	1	1	-	-	22
11	4	1	1	17	1	6	1	1	1	1	1	-	-	1	-	23
27	9	5	6	47	19	9	10	5	4	1	2	1	-	-	-	24
1	2	-	1	4	171	100	84	72	65	54	38	26	21	13	16	25
28	11	3	4	46	11	6	6	4	2	2	2	2	3	1	1	26
465	86	57	40	648	122	87	64	32	41	21	18	19	15	18	18	27
14	3	4	3	24	8	2	1	1	3	1	-	1	1	2	1	28
39	8	5	2	54	13	10	8	2	7	1	6	6	3	1	6	29
234	36	21	23	314	54	46	41	21	26	15	9	10	3	10	11	30
178	39	27	12	256	47	29	14	8	5	4	3	2	8	5	-	31
7,520	434	278	193	8,425	162	75	52	33	21	15	7	3	8	2	4	32
991	14	3	2	1,010	1	-	1	-	-	-	-	-	-	-	-	33
476	6	1	1	484	-	-	1	-	-	-	-	-	-	-	-	34
515	8	2	1	526	1	-	-	-	-	-	-	-	-	-	-	35
396	12	2	2	412	...	...	...	...	...	...	...	...	...	...	...	36
219	6	1	1	227	...	...	...	...	...	...	...	...	...	...	...	37
177	6	1	1	185	...	...	...	...	...	...	...	...	...	...	...	38
595	2	1	-	598	1	-	1	-	-	-	-	-	-	-	-	39
257	-	-	-	257	-	-	1	-	-	-	-	-	-	-	-	40
338	2	1	-	341	1	-	-	-	-	-	-	-	-	-	-	41
2,294	44	21	12	2,371	19	13	4	-	-	1	1	-	2	-	-	42
607	9	7	6	629	8	12	4	-	-	1	1	-	2	-	-	43
1,687	35	14	6	1,742	11	1	-	-	-	-	-	-	-	-	-	44
355	125	122	99	701	...	...	...	...	...	...	...	...	...	...	...	45
255	88	95	86	524	...	...	...	...	...	...	...	...	...	...	...	46
100	37	27	13	177	...	...	...	...	...	...	...	...	...	...	...	47
8	35	51	40	134	-	-	-	-	-	-	-	-	-	-	-	48
7	30	42	32	111	-	-	-	-	-	-	-	-	-	-	-	49
1	5	9	8	23	-	-	-	-	-	-	-	-	-	-	-	50
83	43	18	10	154	2	1	-	-	-	1	-	-	-	-	-	51
47	24	15	7	93	2	1	-	-	-	1	-	-	-	-	-	52
36	19	3	3	61	-	-	-	-	-	-	-	-	-	-	-	53
114	4	-	1	119	-	-	-	-	-	1	-	-	-	-	-	54
43	1	-	-	44	-	-	-	-	-	1	-	-	-	-	-	55
71	3	-	1	75	-	-	-	-	-	-	-	-	-	-	-	56
56	5	2	1	64	1	1	1	-	-	-	-	-	-	-	-	57
46	3	2	1	52	1	-	1	-	-	-	-	-	-	-	-	58
10	2	-	-	12	-	1	-	-	-	-	-	-	-	-	-	59
98	15	2	1	116	-	-	-	-	-	-	-	-	-	-	-	60
71	11	1	1	84	-	-	-	-	-	-	-	-	-	-	-	61
27	4	1	-	32	-	-	-	-	-	-	-	-	-	-	-	62
822	47	22	13	904	80	49	39	31	19	11	6	3	5	1	4	63
167	16	13	8	204	66	40	35	30	16	11	6	3	5	1	4	64
655	31	9	5	700	14	9	4	1	3	-	-	-	-	-	-	65
118	8	5	6	137	26	11	4	1	1	1	-	-	-	1	-	66
2,581	94	32	8	2,715	33	-	3	1	1	-	-	-	1	-	-	67
236	27	33	26	322	131	94	80	49	28	35	13	14	10	5	8	68
37	8	7	10	62	36	20	19	16	12	8	11	8	6	9	3	69
50	21	14	17	102	99	85	56	52	40	30	25	10	23	24	24	70
26	9	6	6	47	30	25	13	13	4	7	3	4	3	7	6	71
6	7	5	6	24	44	29	21	23	11	7	4	-	2	-	-	72
18	5	3	5	31	25	31	22	16	25	16	18	6	18	17	18	73
16	1	-	-	17	6	2	1	-	-	2	1	1	-	1	-	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, FEMALE—ALL CAUSES	12,044	798	3,350	994	574	280	210	190	118
2	Dysentery, all forms—045-048	28	-	-	-	-	-	-	-	-
3	Septicemia and pyemia—053	51	-	-	-	-	-	-	-	-
4	Whooping cough—056	22	-	-	-	-	-	-	-	-
5	Meningococcal infections—057	10	-	-	1	-	-	-	-	-
6	Tetanus—061	19	-	-	-	-	-	1	-	3
7	Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	71	-	-	-	1	3	2	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14	-	-	-	-	-	-	1	-
9	Benign neoplasms and neoplasms of unspecified nature—210-239	7	-	2	-	-	-	-	-	-
10	Diseases of thymus gland—273	4	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous—340	138	-	1	1	4	1	2	1	2
12	Other diseases of nervous system and sense organs—330-334,341-398	89	-	3	4	2	-	1	-	1
13	Acute upper respiratory infections—470-475	56	-	-	-	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn—480-493	1,569	-	-	-	1	1	-	-	-
15	Influenza—480-483	51	-	-	-	1	1	-	-	-
16	Pneumonia, except pneumonia of newborn—490-493	1,518	...	...	...	...	...	...	...	...
17	Bronchitis—500-502	63	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system—510-522,525-527	197	1	1	1	2	1	-	1	-
19	Pulmonary congestion and hypostasis—522	20	-	-	-	1	-	-	-	-
20	Other chronic interstitial pneumonia—525	128	-	-	1	-	-	-	-	-
21	Bronchiectasis—526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity—527.2	36	1	1	-	-	1	-	1	-
23	All other diseases of respiratory system—510-521,527.1	13	-	-	-	1	-	-	-	-
24	Hernia and intestinal obstruction—560,561,570	48	-	9	4	2	2	1	2	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	526	-	-	1	-	-	-	-	-
26	Other diseases of digestive system—530-542,544-553,573-587	57	-	-	-	3	1	5	6	2
27	Congenital malformations—750-759	939	72	143	46	37	41	25	20	17
28	Spina bifida and meningocele—751	44	2	6	2	2	1	1	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	98	11	17	3	2	1	2	2	1
30	Congenital malformations of circulatory system—754	492	7	56	27	20	24	15	5	8
31	Other congenital malformations—750,755-759	305	52	64	14	13	15	7	13	8
32	Certain diseases of early infancy—760-776	6,881	672	3,105	904	495	214	159	146	80
33	Birth injuries—760,761	703	113	337	104	62	18	17	11	9
34	Without mention of immaturity (.0)	330	61	141	50	36	12	4	4	3
35	With immaturity (.5)	373	52	196	54	26	6	13	7	6
36	Intracranial and spinal injury at birth—760	278	14	104	55	41	13	14	9	6
37	Without mention of immaturity (.0)	140	9	44	29	26	9	4	4	1
38	With immaturity (.5)	138	5	60	26	15	4	10	5	5
39	Other birth injury—761	425	99	233	49	21	5	3	2	3
40	Without mention of immaturity (.0)	190	52	97	21	10	3	-	-	2
41	With immaturity (.5)	235	47	136	28	11	2	3	2	1
42	Postnatal asphyxia and atelectasis—762	1,851	197	979	290	147	47	35	22	15
43	Without mention of immaturity (.0)	418	62	173	79	29	12	7	3	4
44	With immaturity (.5)	1,433	135	806	211	118	35	28	19	11
45	Pneumonia of newborn—763	527	4	55	40	45	41	16	24	9
46	Without mention of immaturity (.0)	387	4	37	29	34	27	9	16	4
47	With immaturity (.5)	140	-	18	11	11	14	7	8	5
48	Diarrhea of newborn—764	108	-	1	-	-	1	1	3	2
49	Without mention of immaturity (.0)	76	-	1	-	-	1	1	3	1
50	With immaturity (.5)	32	-	-	-	-	-	-	-	1
51	Other infections of newborn—765-768	100	2	11	9	5	6	8	7	7
52	Without mention of immaturity (.0)	51	-	2	5	3	5	5	5	5
53	With immaturity (.5)	49	2	9	4	2	1	3	2	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy—769	86	11	48	14	5	4	1	1	-
55	Without mention of immaturity (.0-.4)	39	7	18	9	3	1	-	1	-
56	With immaturity (.5-.9)	47	4	30	5	2	3	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)—770	70	7	24	8	8	4	6	3	1
58	Without mention of immaturity (.0-.2)	48	5	18	6	7	3	3	1	1
59	With immaturity (.5-.7)	22	2	6	2	1	1	3	2	-
60	Hemorrhagic disease of newborn—771	70	1	26	5	7	8	3	-	3
61	Without mention of immaturity (.0)	40	1	17	1	3	3	2	-	1
62	With immaturity (.5)	30	-	9	4	4	5	1	-	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	929	49	347	138	60	26	22	15	10
64	Without mention of immaturity (.0)	325	8	59	25	11	9	8	7	4
65	With immaturity (.5)	604	41	288	113	49	17	14	8	6
66	Immaturity with mention of any other subsidiary condition—774	173	10	46	14	7	8	5	8	4
67	Immaturity, unqualified—776	2,264	278	1,231	282	149	51	45	52	20
68	Symptoms and ill-defined conditions—780-793,795	631	29	69	23	15	8	13	7	7
69	All other diseases—Residual	149	2	11	4	2	3	1	1	1
70	Accidents—E800-E962	442	2	4	5	7	5	-	5	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	133	-	1	1	2	2	-	4	3
72	Accidental mechanical suffocation in bed and cradle—E924	132	-	1	1	3	1	-	1	-
73	Other accidental causes—E800-E920,E923,E925-E962	177	2	2	3	2	2	-	-	-
74	Homicide—E964,E980-E984	33	20	2	-	2	-	-	-	-

by Age, Color, and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,514	548	334	272	7,668	956	820	620	497	403	275	223	189	150	122	121	1
-	-	1	2	3	3	4	1	3	2	1	2	2	4	-	3	2
-	-	-	-	-	22	12	2	6	3	1	1	2	2	-	-	3
-	-	1	1	2	1	6	2	4	-	-	-	3	2	2	-	4
1	-	1	-	2	-	3	1	-	1	-	2	-	-	-	1	5
4	11	4	-	19	-	-	-	-	-	-	-	-	-	-	-	6
6	2	1	2	11	4	9	5	3	10	3	3	7	3	4	9	7
1	-	-	-	1	6	-	1	-	-	2	-	1	1	1	1	8
2	-	-	-	2	-	-	1	1	1	-	1	-	1	-	-	9
-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	10
12	11	6	4	33	15	13	10	13	9	13	11	11	4	3	3	11
11	1	2	1	15	14	9	9	10	7	6	7	6	3	1	2	12
1	2	3	2	8	12	8	13	8	2	2	-	1	1	-	1	13
2	2	-	1	5	346	277	244	179	142	108	87	55	52	40	34	14
2	2	-	1	5	10	7	7	7	2	3	1	6	2	1	-	15
...	...	...	...	...	336	270	237	172	140	105	86	49	50	39	34	16
-	3	-	1	4	10	10	11	9	3	4	2	4	-	3	3	17
7	3	-	4	14	45	44	37	27	10	2	6	6	1	1	4	18
1	2	-	3	6	3	2	6	1	1	-	-	-	-	1	-	19
1	-	-	-	1	28	34	22	25	6	2	4	3	1	-	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	1	-	1	6	12	5	6	1	3	-	1	1	-	-	1	22
1	-	-	-	1	2	3	3	-	-	-	1	2	-	-	1	23
22	2	1	4	29	6	1	2	1	2	1	-	2	2	-	2	24
1	1	1	-	3	93	93	70	63	54	42	27	25	21	22	13	25
17	3	1	1	22	7	10	2	4	3	2	1	1	1	2	2	26
401	54	39	25	519	84	74	44	47	45	35	20	19	21	12	19	27
14	6	4	1	25	3	1	3	1	3	4	-	3	-	1	-	28
39	1	-	2	42	4	9	9	8	5	4	4	3	7	2	1	29
162	25	19	17	223	54	49	28	28	30	26	13	12	10	7	12	30
186	22	16	5	229	23	15	4	10	7	1	3	1	4	2	6	31
5,775	395	228	169	6,567	127	61	48	18	19	8	15	10	4	2	2	32
671	21	5	2	699	2	1	-	-	-	-	-	-	-	1	-	33
311	11	5	1	328	1	1	-	-	-	-	-	-	-	-	-	34
360	10	-	1	371	1	-	-	-	-	-	-	-	-	1	-	35
256	16	5	1	278	...	...	...	...	...	...	...	...	...	...	...	36
126	8	5	1	140	...	...	...	...	...	...	...	...	...	...	...	37
130	8	-	-	138	...	...	...	...	...	...	...	...	...	...	...	38
415	5	-	1	421	2	1	-	-	-	-	-	-	-	1	-	39
185	3	-	-	188	1	1	-	-	-	-	-	-	-	-	-	40
230	2	-	1	233	1	-	-	-	-	-	-	-	-	1	-	41
1,732	55	13	6	1,806	23	9	5	1	1	1	2	2	-	1	-	42
389	9	4	1	383	15	8	5	1	1	1	2	1	-	1	-	43
1,363	46	9	5	1,423	8	1	-	-	-	-	-	1	-	-	-	44
234	112	102	79	527	...	...	...	...	...	...	...	...	...	...	...	45
160	78	85	64	387	...	...	...	...	...	...	...	...	...	...	...	46
74	34	17	15	140	...	...	...	...	...	...	...	...	...	...	...	47
8	29	32	38	107	1	-	-	-	-	-	-	-	-	-	-	48
7	20	21	27	75	1	-	-	-	-	-	-	-	-	-	-	49
1	9	11	11	32	-	-	-	-	-	-	-	-	-	-	-	50
55	22	13	8	98	2	-	-	-	-	-	-	-	-	-	-	51
30	9	5	6	50	1	-	-	-	-	-	-	-	-	-	-	52
25	13	8	2	48	1	-	-	-	-	-	-	-	-	-	-	53
84	1	-	-	85	1	-	-	-	-	-	-	-	-	-	-	54
39	-	-	-	39	-	-	-	-	-	-	-	-	-	-	-	55
45	1	-	-	46	1	-	-	-	-	-	-	-	-	-	-	56
61	8	1	-	70	-	-	-	-	-	-	-	-	-	-	-	57
44	3	1	-	48	-	-	-	-	-	-	-	-	-	-	-	58
17	5	-	-	22	-	-	-	-	-	-	-	-	-	-	-	59
53	8	5	2	68	1	1	-	-	-	-	-	-	-	-	-	60
28	4	5	1	38	1	1	-	-	-	-	-	-	-	-	-	61
25	4	-	1	30	-	-	-	-	-	-	-	-	-	-	-	62
667	38	20	18	743	54	36	36	16	14	6	10	8	4	-	2	63
131	10	12	12	165	43	29	33	14	13	5	9	8	4	-	2	64
536	28	8	6	578	11	7	3	2	1	1	1	-	-	-	-	65
102	15	6	4	127	26	8	6	-	3	1	2	-	-	-	-	66
2,108	86	31	12	2,237	17	6	1	1	1	-	1	-	-	-	-	67
171	38	18	26	253	69	107	61	45	37	18	16	9	8	3	5	68
25	5	11	7	48	8	16	13	9	12	6	7	11	7	10	2	69
31	15	15	20	81	80	62	43	46	39	21	15	14	11	16	14	70
13	9	5	6	33	18	22	7	16	11	7	5	6	2	3	3	71
7	1	7	8	23	38	18	15	16	10	5	3	1	2	1	-	72
11	5	3	6	25	24	22	21	14	18	9	7	7	7	12	11	73
24	-	-	2	26	2	1	-	1	1	-	-	-	1	-	1	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	107,956	60,982	17,500	19,799	9,675	2,509	897	771	301	540
2	Dysentery, all forms 045-048	102	2	8	46	46	1	-	-	-	1
3	Septicemia and pyemia 053	375	-	-	244	131	8	-	-	4	4
4	Whooping cough 056	54	1	2	17	34	7	1	1	1	4
5	Meningococcal infections 057	163	13	2	129	19	6	1	-	-	5
6	Tetanus 061	66	20	45	-	1	7	1	6	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	544	80	27	309	128	15	-	2	5	8
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	293	42	3	222	26	3	-	-	3	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	124	61	6	49	8	5	2	-	2	1
10	Diseases of thymus gland 273	90	16	1	64	9	1	-	-	1	-
11	Meningitis, except meningococcal and tuberculous 340	876	155	63	403	255	30	-	4	9	17
12	Other diseases of nervous system and sense organs 330-334,341-398	858	106	35	553	164	15	3	1	5	6
13	Acute upper respiratory infections 470-475	389	26	15	246	102	11	-	1	5	5
14	Influenza and pneumonia, except pneumonia of newborn 480-493	9,202	8	19	5,801	3,374	198	-	-	49	149
15	Influenza 480-483	254	8	19	114	113	12	-	-	3	9
16	Pneumonia, except pneumonia of newborn 490-493	8,948	...	...	5,687	3,261	186	...	...	46	140
17	Bronchitis 500-502	599	27	8	438	126	5	-	-	2	3
18	Other diseases of respiratory system 510-522,525-527	1,594	148	45	992	409	18	-	2	5	11
19	Pulmonary congestion and hypostasis 522	217	45	15	130	27	1	-	-	-	1
20	Other chronic interstitial pneumonia 525	918	13	2	618	285	8	-	-	3	5
21	Bronchiectasis 526	1	-	-	1	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	266	21	10	163	72	8	-	2	1	5
23	All other diseases of respiratory system 510-521,527.1	192	69	19	80	25	1	-	-	1	-
24	Hernia and intestinal obstruction 560,561,570	931	607	76	178	70	20	9	2	3	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	2,296	3	7	1,103	1,183	104	-	-	22	82
26	Other diseases of digestive system 530-542,544-553,573-587	660	263	68	254	75	19	1	7	5	6
27	Congenital malformations 750-759	15,515	8,974	1,167	4,499	875	267	134	39	63	31
28	Spina bifida and meningocele 751	1,044	496	49	459	40	28	17	2	9	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	1,625	776	96	634	119	25	8	4	8	5
30	Congenital malformations of circulatory system 754	7,626	3,943	537	2,631	515	125	56	16	39	14
31	Other congenital malformations 750,755-759	5,220	3,759	485	775	201	89	53	17	7	12
32	Certain diseases of early infancy 760-776	65,682	49,249	14,992	725	696	1,390	721	605	17	47
33	Birth injuries 760,761	9,922	8,193	1,709	14	6	191	108	80	-	3
34	Without mention of immaturity (.0)	3,847	3,022	812	10	3	109	52	54	-	3
35	With immaturity (.5)	6,075	5,171	897	4	3	82	56	26	-	-
36	Intracranial and spinal injury at birth 760	3,014	2,324	690	...	...	63	36	27	...	...
37	Without mention of immaturity (.0)	1,725	1,358	367	...	...	46	24	22	...	...
38	With immaturity (.5)	1,289	966	323	...	...	17	12	5	...	...
39	Other birth injury 761	6,908	5,869	1,019	14	6	128	72	53	-	3
40	Without mention of immaturity (.0)	2,122	1,664	445	10	3	63	28	32	-	3
41	With immaturity (.5)	4,786	4,205	574	4	3	65	44	21	-	-
42	Postnatal asphyxia and atelectasis 762	19,023	14,557	4,177	204	85	320	206	108	4	2
43	Without mention of immaturity (.0)	5,102	3,857	1,012	170	63	112	64	43	4	1
44	With immaturity (.5)	13,921	10,700	3,165	34	22	208	142	65	-	1
45	Pneumonia of newborn 763	3,541	2,313	1,228	...	...	89	33	56	...	...
46	Without mention of immaturity (.0)	2,575	1,664	911	...	...	64	23	41	...	...
47	With immaturity (.5)	966	649	317	...	...	25	10	15	...	...
48	Diarrhea of newborn 764	419	176	241	1	1	24	1	23	-	-
49	Without mention of immaturity (.0)	327	139	186	1	1	15	1	14	-	-
50	With immaturity (.5)	92	37	55	-	-	9	-	9	-	-
51	Other infections of newborn 765-768	746	485	252	3	6	24	9	15	-	-
52	Without mention of immaturity (.0)	472	321	143	3	5	21	9	12	-	-
53	With immaturity (.5)	274	164	109	-	1	3	-	3	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	914	697	204	11	2	27	13	14	-	-
55	Without mention of immaturity (.0-.4)	334	241	83	9	1	11	8	3	-	-
56	With immaturity (.5-.9)	580	456	121	2	1	16	5	11	-	-
57	Hemolytic disease of newborn (erythroblastosis) 770	2,102	1,955	134	10	3	24	20	4	-	-
58	Without mention of immaturity (.0-.2)	1,647	1,537	100	8	2	19	15	4	-	-
59	With immaturity (.5-.7)	455	418	34	2	1	5	5	-	-	-
60	Hemorrhagic disease of newborn 771	562	373	184	3	2	10	7	3	-	-
61	Without mention of immaturity (.0)	346	219	122	3	2	8	6	2	-	-
62	With immaturity (.5)	216	154	62	-	-	2	1	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	8,491	6,112	1,647	298	434	166	85	42	10	29
64	Without mention of immaturity (.0)	2,452	1,447	369	259	377	94	34	27	9	24
65	With immaturity (.5)	6,039	4,665	1,278	39	57	72	51	15	1	5
66	Immaturity with mention of any other subsidiary condition 774	1,347	865	264	127	91	21	11	5	1	4
67	Immaturity, unqualified 776	18,595	13,523	4,952	54	66	494	228	255	2	9
68	Symptoms and ill-defined conditions 780-793,795	2,395	380	575	595	845	230	11	79	37	103
69	All other diseases Residual	1,393	328	110	706	249	40	6	3	21	10
70	Accidents E800-E962	3,581	396	183	2,173	829	104	5	16	42	41
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1,228	223	80	710	215	32	5	3	14	10
72	Accidental mechanical suffocation in bed and cradle E924	928	68	47	563	250	40	-	7	15	18
73	Other accidental causes E800-E920,E923,E925-E962	1,425	105	56	900	364	32	-	6	13	13
74	Homicide E964,E980-E984	194	77	43	53	21	5	2	3	-	-

From 55 Selected Causes, by Color: United States and Each State, 1961

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ALASKA					ARIZONA					ARKANSAS					CALIFORNIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
280	99	66	32	83	1,129	594	132	238	165	1,125	461	250	167	247	8,882	5,647	929	1,965	341	1
-	-	-	-	-	11	-	-	4	7	7	-	1	-	6	1	-	-	1	-	2
-	-	-	-	-	8	-	-	3	5	3	-	-	1	2	15	-	-	15	-	3
1	-	-	-	1	2	-	-	-	2	3	-	-	1	2	5	-	-	4	1	4
3	-	-	2	1	1	-	-	1	-	-	-	-	-	-	11	1	-	9	1	5
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	6
8	-	1	-	7	16	-	2	10	4	17	1	1	4	11	41	5	-	32	4	7
-	-	-	-	-	7	-	-	5	2	2	1	-	1	-	23	5	-	17	1	8
-	-	-	-	-	2	1	-	1	-	3	1	-	2	-	13	8	-	4	1	9
1	-	-	-	1	2	-	-	2	-	1	-	-	-	1	2	-	-	2	-	10
8	1	3	1	3	22	2	1	11	8	14	-	2	4	8	98	22	5	58	13	11
1	-	1	-	-	4	-	-	1	3	12	-	2	7	3	66	7	-	45	14	12
2	-	1	-	1	3	-	1	1	1	5	-	-	2	3	26	-	-	22	4	13
43	-	-	13	30	118	-	-	80	38	123	-	3	43	77	769	-	-	649	120	14
2	-	-	-	2	4	-	-	4	-	7	-	3	1	3	4	-	-	4	-	15
41	...	...	13	28	114	...	...	76	38	116	...	...	42	74	765	...	...	645	120	16
-	-	-	-	-	10	-	-	10	-	3	-	-	-	3	78	2	-	59	17	17
1	-	-	1	-	17	1	2	12	2	1	-	-	-	1	268	12	2	221	33	18
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	24	4	1	17	2	19
1	-	-	1	-	15	-	1	12	2	-	-	-	-	-	212	1	-	182	29	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2	-	8	-	22
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	22	5	1	14	2	23
1	-	-	-	1	10	3	4	2	1	5	3	1	1	-	90	69	5	15	1	24
11	-	-	1	10	65	-	-	23	42	45	-	-	16	29	79	-	-	67	12	25
2	-	-	1	1	4	2	-	2	-	7	2	2	1	2	47	24	4	19	-	26
18	9	3	2	4	129	69	13	33	14	142	81	14	33	14	1,328	777	77	409	65	27
1	-	1	-	-	10	4	1	4	1	7	3	1	2	1	58	24	1	31	2	28
2	2	-	-	-	14	4	2	7	1	12	6	-	5	1	151	77	5	59	10	29
8	3	-	2	3	63	32	5	19	7	71	36	6	20	9	678	357	37	245	39	30
7	4	2	-	1	42	29	5	3	5	52	36	7	6	3	441	319	34	74	14	31
140	88	51	-	1	622	498	106	10	8	579	354	194	6	25	5,497	4,634	823	36	4	32
10	7	3	-	-	77	66	11	-	-	62	41	21	-	-	1,014	881	131	1	1	33
4	2	2	-	-	39	33	6	-	-	38	19	19	-	-	332	289	42	1	-	34
6	5	1	-	-	38	33	5	-	-	24	22	2	-	-	682	592	89	-	1	35
2	-	2	...	...	21	19	2	...	...	23	13	10	...	...	303	246	57	...	...	36
1	-	1	...	...	13	11	2	...	...	20	11	9	...	...	143	125	18	...	...	37
1	-	1	...	...	8	8	-	...	...	3	2	1	...	...	160	121	39	...	...	38
8	7	1	-	-	56	47	9	-	-	39	28	11	-	-	711	635	74	1	1	39
3	2	1	-	-	26	22	4	-	-	18	8	10	-	-	189	164	24	1	-	40
5	5	-	-	-	30	25	5	-	-	21	20	1	-	-	522	471	50	-	1	41
31	20	10	-	1	142	118	21	3	-	126	87	36	1	2	1,661	1,434	213	13	1	42
11	6	4	-	1	61	51	8	2	-	52	34	15	1	2	356	310	37	9	-	43
20	14	6	-	-	81	67	13	1	-	74	53	21	-	-	1,305	1,124	176	4	1	44
12	10	2	...	...	38	29	9	...	...	37	19	18	...	...	298	249	49	...	...	45
11	10	1	...	...	31	23	8	...	...	24	10	14	...	...	206	172	34	...	...	46
1	-	1	...	...	7	6	1	...	...	13	9	4	...	...	92	77	15	...	...	47
-	-	-	-	-	8	3	5	-	-	11	4	7	-	-	13	8	5	-	-	48
-	-	-	-	-	6	2	4	-	-	10	4	6	-	-	11	7	4	-	-	49
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	2	1	1	-	-	50
1	1	-	-	-	10	5	5	-	-	11	3	8	-	-	57	45	11	1	-	51
1	1	-	-	-	9	5	4	-	-	6	1	5	-	-	37	29	7	1	-	52
-	-	-	-	-	1	-	1	-	-	5	2	3	-	-	20	16	4	-	-	53
2	1	1	-	-	5	5	-	-	-	6	4	2	-	-	85	70	15	-	-	54
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	32	23	9	-	-	55
2	1	1	-	-	4	4	-	-	-	4	2	2	-	-	53	47	6	-	-	56
3	3	-	-	-	17	14	2	1	-	14	14	-	-	-	173	158	13	2	-	57
3	3	-	-	-	13	12	-	1	-	11	11	-	-	-	132	120	11	1	-	58
-	-	-	-	-	4	2	2	-	-	3	3	-	-	-	41	38	2	1	-	59
-	-	-	-	-	5	3	2	-	-	4	2	2	-	-	49	33	16	-	-	60
-	-	-	-	-	2	1	1	-	-	3	1	2	-	-	27	18	9	-	-	61
-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	22	15	7	-	-	62
20	13	7	-	-	97	71	12	6	8	113	58	31	3	21	733	612	107	13	1	63
3	2	1	-	-	35	15	8	4	8	48	16	10	2	20	152	130	10	11	1	64
17	11	6	-	-	62	56	4	2	-	65	42	21	1	1	581	482	97	2	-	65
2	1	1	-	-	11	9	2	-	-	20	10	6	2	2	120	95	21	3	1	66
59	32	27	-	-	212	175	37	-	-	175	112	63	-	-	1,294	1,049	242	3	-	67
14	1	5	2	6	22	6	-	3	13	56	7	17	8	24	40	20	3	15	2	68
3	-	-	2	1	12	4	1	3	4	26	5	6	9	6	96	28	5	49	15	69
23	-	1	7	15	42	8	2	21	11	68	6	4	28	30	275	27	5	210	33	70
7	-	-	2	5	21	6	1	10	4	17	5	-	6	6	106	13	1	80	12	71
2	-	-	2	-	4	2	-	2	-	18	-	3	6	9	47	2	2	38	5	72
14	-	1	3	10	17	-	1	9	7	33	1	1	16	15	122	12	2	92	16	73
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	14	6	-	8	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	COLORADO					CONNECTICUT				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,172	826	49	281	16	1,272	859	131	248	34
2	Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	6	-	-	5	1	3	-	-	1	2
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	1	-	-	1	-	-	-	-	-	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	5	2	1	1	1	-	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	4	1	-	3	-	3	-	-	2	1
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	3	1	1	1	-
10	Diseases of thymus gland-273	1	1	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	9	1	-	8	-	5	1	-	1	3
12	Other diseases of nervous system and sense organs-330-334,341-398	9	-	-	7	2	5	1	-	3	1
13	Acute upper respiratory infections-470-475	9	1	-	7	1	7	-	-	7	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	90	-	-	86	4	98	-	-	84	14
15	Influenza-480-483	-	-	-	-	-	1	-	-	1	-
16	Pneumonia, except pneumonia of newborn-490-493	90	...	...	86	4	97	...	...	83	14
17	Bronchitis-500-502	13	2	-	10	1	7	-	-	7	-
18	Other diseases of respiratory system-510-522,525-527	10	4	-	6	-	14	2	1	11	-
19	Pulmonary congestion and hypostasis-522	-	-	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	4	1	-	3	-	3	-	-	3	-
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	2	1	-	1	-	6	-	-	6	-
23	All other diseases of respiratory system-510-521,527.1	4	2	-	2	-	5	2	1	2	-
24	Hernia and intestinal obstruction-560,561,570	9	7	-	2	-	15	8	2	5	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	20	-	-	18	2	6	-	-	4	2
26	Other diseases of digestive system-530-542,544-553,573-587	3	2	-	1	-	10	3	-	5	2
27	Congenital malformations-750-759	167	99	5	61	2	203	130	5	64	4
28	Spina bifida and meningocele-751	3	1	-	2	-	15	11	-	4	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	16	10	1	5	-	27	12	1	12	2
30	Congenital malformations of circulatory system-754	97	48	3	44	2	84	45	2	35	2
31	Other congenital malformations-750,755-759	51	40	1	10	-	77	62	2	13	-
32	Certain diseases of early infancy-760-776	748	695	43	9	1	822	697	120	5	-
33	Birth injuries-760,761	116	111	5	-	-	127	113	14	-	-
34	Without mention of immaturity (.0)	25	24	1	-	-	37	32	5	-	-
35	With immaturity (.5)	91	87	4	-	-	90	81	9	-	-
36	Intracranial and spinal injury at birth-760	40	39	1	...	...	47	39	8	...	...
37	Without mention of immaturity (.0)	12	11	1	...	...	20	18	2	...	...
38	With immaturity (.5)	28	28	-	...	...	27	21	6	...	...
39	Other birth injury-761	76	72	4	-	-	80	74	6	-	-
40	Without mention of immaturity (.0)	13	13	-	-	-	17	14	3	-	-
41	With immaturity (.5)	63	59	4	-	-	63	60	3	-	-
42	Postnatal asphyxia and atelectasis-762	203	192	8	2	1	243	211	29	3	-
43	Without mention of immaturity (.0)	35	32	-	2	1	51	44	4	3	-
44	With immaturity (.5)	168	160	8	-	-	192	167	25	-	-
45	Pneumonia of newborn-763	29	25	4	...	...	28	24	4	...	...
46	Without mention of immaturity (.0)	17	15	2	...	...	23	20	3	...	...
47	With immaturity (.5)	12	10	2	...	...	5	4	1	...	...
48	Diarrhea of newborn-764	6	6	-	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	4	4	-	-	-	-	-	-	-	-
50	With immaturity (.5)	2	2	-	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	11	11	-	-	-	10	9	1	-	-
52	Without mention of immaturity (.0)	6	6	-	-	-	5	5	-	-	-
53	With immaturity (.5)	5	5	-	-	-	5	4	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	9	9	-	-	-	10	10	-	-	-
55	Without mention of immaturity (.0-.4)	-	-	-	-	-	6	6	-	-	-
56	With immaturity (.5-.9)	9	9	-	-	-	4	4	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	23	22	1	-	-	39	37	2	-	-
58	Without mention of immaturity (.0-.2)	13	12	1	-	-	33	31	2	-	-
59	With immaturity (.5-.7)	10	10	-	-	-	6	6	-	-	-
60	Hemorrhagic disease of newborn-771	16	16	-	-	-	2	2	-	-	-
61	Without mention of immaturity (.0)	5	5	-	-	-	1	1	-	-	-
62	With immaturity (.5)	11	11	-	-	-	1	1	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	146	134	8	4	-	98	78	19	1	-
64	Without mention of immaturity (.0)	17	14	-	3	-	21	17	3	1	-
65	With immaturity (.5)	129	120	8	1	-	77	61	16	-	-
66	Immaturity with mention of any other subsidiary condition-774	20	17	-	3	-	17	13	4	-	-
67	Immaturity, unqualified-776	169	152	17	-	-	248	200	47	1	-
68	Symptoms and ill-defined conditions-780-793,795	7	1	-	6	-	20	5	-	12	3
69	All other diseases-Residual	14	2	-	12	-	19	5	-	14	-
70	Accidents-E800-E962	45	6	-	38	1	31	5	2	22	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	24	4	-	19	1	14	2	1	10	1
72	Accidental mechanical suffocation in bed and cradle-E924	7	-	-	7	-	6	-	-	6	-
73	Other accidental causes-E800-E920,E923,E925-E962	14	2	-	12	-	11	3	1	6	1
74	Homicide-E964,E980-E984	2	2	-	-	-	1	1	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DELAWARE					DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
310	160	70	36	44	725	138	417	29	141	3,376	1,553	805	440	578	2,953	1,067	909	316	661	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	6	-	2	-	4	2
1	-	-	1	-	-	-	-	-	-	13	-	-	8	5	11	-	-	3	8	3
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	3	-	-	-	3	4
-	-	-	-	-	3	-	-	1	2	7	-	-	6	1	6	-	-	6	-	5
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	4	2	2	-	-	6
3	-	2	-	1	1	-	-	-	1	14	-	-	5	9	17	2	2	6	7	7
1	-	-	1	-	1	-	-	-	1	13	2	1	8	2	1	-	-	1	-	8
2	-	-	2	-	-	-	-	-	-	4	-	1	2	1	2	1	-	1	-	9
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	2	-	10
2	-	-	1	1	7	2	-	1	4	49	10	3	12	24	24	4	-	5	15	11
5	-	-	2	3	3	-	-	2	1	35	3	2	17	13	29	4	5	10	10	12
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	7	-	-	2	5	13
26	-	-	12	14	24	-	-	1	23	260	-	-	90	170	349	-	5	85	259	14
-	-	-	-	-	-	-	-	-	-	12	-	-	1	11	26	-	5	2	19	15
26	...	...	12	14	24	...	...	1	23	248	...	...	89	159	323	...	...	83	240	16
2	-	-	-	2	5	1	-	-	4	9	-	-	4	5	10	1	2	4	3	17
6	1	-	1	4	25	-	2	1	22	80	4	1	40	35	66	2	4	22	38	18
-	-	-	-	-	-	-	-	-	-	22	2	1	10	9	2	-	-	2	-	19
4	-	-	1	3	23	-	-	1	22	51	-	-	26	25	27	1	-	10	16	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	33	1	3	8	21	22
1	1	-	-	-	2	-	2	-	-	5	2	-	3	-	4	-	1	2	1	23
2	-	1	-	1	10	1	5	1	3	28	15	5	4	4	22	9	4	4	5	24
7	-	-	-	7	3	-	-	-	3	142	-	-	25	117	97	-	-	21	76	25
3	1	-	1	1	10	2	6	1	1	18	6	4	1	7	10	2	1	5	2	26
50	35	5	9	1	67	15	22	10	20	413	205	51	109	48	334	152	58	75	49	27
4	3	-	1	-	2	1	1	-	-	39	18	1	19	1	35	15	5	12	3	28
-	-	-	-	-	9	2	3	3	1	45	14	7	17	7	51	12	9	17	13	29
25	14	2	8	1	38	8	9	6	15	196	89	20	50	37	140	67	19	35	19	30
21	18	3	-	-	18	4	9	1	4	133	84	23	23	3	108	58	25	11	14	31
188	122	60	1	5	506	114	377	2	13	2,026	1,274	700	18	34	1,703	861	767	10	65	32
28	20	8	-	-	50	26	24	-	-	256	179	77	-	-	196	126	69	-	1	33
11	10	1	-	-	14	9	5	-	-	115	69	46	-	-	101	54	47	-	-	34
17	10	7	-	-	36	17	19	-	-	141	110	31	-	-	95	72	22	-	1	35
15	11	4	...	...	18	7	11	...	...	105	74	31	...	...	55	35	20	...	...	36
5	5	-	...	...	6	4	2	...	...	61	39	22	...	...	47	27	20	...	...	37
10	6	4	...	...	12	3	9	...	...	44	35	9	...	...	8	8	-	...	...	38
13	9	4	-	-	32	19	13	-	-	151	105	46	-	-	141	91	49	-	1	39
6	5	1	-	-	8	5	3	-	-	54	30	24	-	-	54	27	27	-	-	40
7	4	3	-	-	24	14	10	-	-	97	75	22	-	-	87	64	22	-	1	41
61	37	23	1	-	326	50	274	1	1	627	382	238	5	2	439	264	168	4	3	42
9	6	2	1	-	29	3	24	1	1	191	112	74	5	-	129	66	59	2	2	43
52	31	21	-	-	297	47	250	-	-	436	270	164	-	2	310	198	109	2	1	44
3	1	2	...	...	16	5	11	...	...	112	51	61	...	...	130	36	94	...	...	45
2	1	1	...	...	13	3	10	...	...	80	39	41	...	...	96	27	69	...	...	46
1	-	1	...	...	3	2	1	...	...	32	12	20	...	...	34	9	25	...	...	47
2	1	1	-	-	1	-	1	-	-	21	4	17	-	-	20	6	14	-	-	48
-	-	-	-	-	-	-	-	-	-	16	4	12	-	-	15	4	11	-	-	49
2	1	1	-	-	1	-	1	-	-	5	-	5	-	-	5	2	3	-	-	50
1	-	1	-	-	2	-	2	-	-	24	8	16	-	-	29	13	16	-	-	51
1	-	1	-	-	-	-	-	-	-	13	4	9	-	-	17	11	6	-	-	52
-	-	-	-	-	2	-	2	-	-	11	4	7	-	-	12	2	10	-	-	53
2	1	1	-	-	2	2	-	-	-	32	19	11	2	-	29	18	11	-	-	54
1	-	1	-	-	-	-	-	-	-	11	5	4	2	-	9	5	4	-	-	55
1	1	-	-	-	2	2	-	-	-	21	14	7	-	-	20	13	7	-	-	56
10	9	1	-	-	6	3	3	-	-	40	36	3	1	-	42	33	8	-	1	57
8	8	-	-	-	3	2	1	-	-	32	28	3	1	-	34	27	6	-	1	58
2	1	1	-	-	3	1	2	-	-	8	8	-	-	-	8	6	2	-	-	59
3	2	1	-	-	3	-	2	-	1	18	6	12	-	-	16	4	12	-	-	60
1	1	-	-	-	3	-	2	-	1	13	2	11	-	-	11	2	9	-	-	61
2	1	1	-	-	-	-	-	-	-	5	4	1	-	-	5	2	3	-	-	62
24	19	2	-	3	33	9	15	-	9	325	210	86	6	23	292	129	111	5	47	63
9	5	1	-	3	12	1	4	-	7	87	46	13	6	22	96	29	23	4	40	64
15	14	1	-	-	21	8	11	-	2	238	164	73	-	1	196	100	88	1	7	65
6	3	1	-	2	7	2	2	1	2	47	22	16	3	6	35	10	15	1	9	66
48	29	19	-	-	60	17	43	-	-	524	357	163	1	3	475	222	249	-	4	67
2	1	-	-	1	1	-	-	-	1	66	12	17	11	26	73	7	27	7	32	68
4	-	1	3	-	10	-	3	1	6	51	7	7	14	23	46	8	11	9	18	69
5	-	-	2	3	48	2	2	8	36	137	13	11	62	51	126	12	18	37	59	70
3	-	-	1	2	25	-	1	2	22	42	8	5	14	15	45	5	9	13	18	71
2	-	-	1	1	20	2	1	3	14	40	4	-	19	17	41	6	6	10	19	72
-	-	-	-	-	3	-	-	3	-	55	1	6	29	19	40	1	3	14	22	73
1	-	1	-	-	1	1	-	-	-	2	-	1	1	-	4	-	-	1	3	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	HAWAII					IDAHO				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	382	92	202	26	62	390	291	3	90	6
2	Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia 053	-	-	-	-	-	1	-	-	1	-
4	Whooping cough 056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	1	-	-	1	-	-	-	-	-	-
6	Tetanus 061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	1	-	-	-	1	1	-	-	1	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2	-	1	-	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	-	-	-	-	-	3	2	-	1	-
10	Diseases of thymus gland 273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous 340	7	1	2	3	1	4	1	-	3	-
12	Other diseases of nervous system and sense organs 330-334,341-398	2	1	1	-	-	2	-	-	2	-
13	Acute upper respiratory infections 470-475	1	-	-	1	-	2	-	-	2	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	32	-	-	7	25	24	-	-	24	-
15	Influenza 480-483	-	-	-	-	-	1	-	-	1	-
16	Pneumonia, except pneumonia of newborn 490-493	32	...	...	7	25	23	...	...	23	-
17	Bronchitis 500-502	1	-	-	-	1	2	1	-	1	-
18	Other diseases of respiratory system 510-522,525-527	3	-	-	1	2	8	-	-	8	-
19	Pulmonary congestion and hypostasis 522	-	-	-	-	-	1	-	-	1	-
20	Other chronic interstitial pneumonia 525	2	-	-	1	1	4	-	-	4	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	1	-	-	-	1	3	-	-	3	-
23	All other diseases of respiratory system 510-521,527.1	-	-	-	-	-	-	-	-	-	-
24	Hernia and intestinal obstruction 560,561,570	7	3	1	1	2	5	5	-	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	2	-	-	-	2	6	-	-	5	1
26	Other diseases of digestive system 530-542,544-553,573-587	2	2	-	-	-	3	2	-	1	-
27	Congenital malformations 750-759	56	10	17	8	21	57	36	-	18	3
28	Spina bifida and meningocele 751	3	-	-	2	1	2	1	-	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	4	-	1	2	1	5	5	-	-	-
30	Congenital malformations of circulatory system 754	35	5	11	3	16	33	21	-	11	1
31	Other congenital malformations 750,755-759	14	5	5	1	3	17	9	-	6	2
32	Certain diseases of early infancy 760-776	254	74	177	1	2	250	240	3	6	1
33	Birth injuries 760,761	36	6	30	-	-	44	43	-	1	-
34	Without mention of immaturity (.0)	9	-	9	-	-	19	18	-	1	-
35	With immaturity (.5)	27	6	21	-	-	25	25	-	-	-
36	Intracranial and spinal injury at birth 760	17	2	15	...	...	3	3	-	...	...
37	Without mention of immaturity (.0)	4	-	4	...	...	3	3	-	...	...
38	With immaturity (.5)	13	2	11	...	...	-	-	-	...	...
39	Other birth injury 761	19	4	15	-	-	41	40	-	1	-
40	Without mention of immaturity (.0)	5	-	5	-	-	16	15	-	1	-
41	With immaturity (.5)	14	4	10	-	-	25	25	-	-	-
42	Postnatal asphyxia and atelectasis 762	60	15	44	-	1	57	56	1	-	-
43	Without mention of immaturity (.0)	17	2	14	-	1	23	22	1	-	-
44	With immaturity (.5)	43	13	30	-	-	34	34	-	-	-
45	Pneumonia of newborn 763	15	3	12	...	...	15	14	1	...	...
46	Without mention of immaturity (.0)	12	2	10	...	...	8	8	-	...	...
47	With immaturity (.5)	3	1	2	...	...	7	6	1	...	...
48	Diarrhea of newborn 764	1	-	1	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	1	-	1	-	-	-	-	-	-	-
50	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
51	Other infections of newborn 765-768	-	-	-	-	-	2	2	-	-	-
52	Without mention of immaturity (.0)	-	-	-	-	-	-	-	-	-	-
53	With immaturity (.5)	-	-	-	-	-	2	2	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	4	1	3	-	-	3	3	-	-	-
55	Without mention of immaturity (.0-.4)	3	-	3	-	-	1	1	-	-	-
56	With immaturity (.5-.9)	1	1	-	-	-	2	2	-	-	-
57	Hemolytic disease of newborn (erythroblastosis) 770	4	4	-	-	-	10	10	-	-	-
58	Without mention of immaturity (.0-.2)	3	3	-	-	-	6	6	-	-	-
59	With immaturity (.5-.7)	1	1	-	-	-	4	4	-	-	-
60	Hemorrhagic disease of newborn 771	1	-	1	-	-	-	-	-	-	-
61	Without mention of immaturity (.0)	1	-	1	-	-	-	-	-	-	-
62	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	34	14	19	-	1	36	33	-	2	1
64	Without mention of immaturity (.0)	5	3	2	-	-	9	6	-	2	1
65	With immaturity (.5)	29	11	17	-	1	27	27	-	-	-
66	Immaturity with mention of any other subsidiary condition 774	4	2	1	1	-	6	3	-	3	-
67	Immaturity, unqualified 776	95	29	66	-	-	77	76	1	-	-
68	Symptoms and ill-defined conditions 780-793,795	2	1	1	-	-	3	2	-	1	-
69	All other diseases Residual	6	-	1	2	3	7	1	-	6	-
70	Accidents E800-E962	3	-	1	1	1	12	1	-	10	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	2	-	1	-	1	5	1	-	4	-
72	Accidental mechanical suffocation in bed and cradle E924	1	-	-	1	-	2	-	-	1	1
73	Other accidental causes E800-E920,E923,E925-E962	-	-	-	-	-	5	-	-	5	-
74	Homicide E964,E980-E984	-	-	-	-	-	-	-	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ILLINOIS					INDIANA					IOWA					KANSAS					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
5,771	3,224	993	1,085	469	2,694	1,705	266	618	105	1,309	966	23	307	13	1,106	780	58	241	27	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
9	-	-	6	3	9	-	-	9	-	8	-	-	8	-	3	-	-	3	-	3
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4
9	1	-	7	1	6	-	-	6	-	1	-	-	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
25	2	-	20	3	17	3	1	10	3	5	1	-	4	-	3	-	-	3	-	7
11	2	-	9	-	10	2	-	7	1	5	1	-	4	-	2	1	-	1	-	8
7	2	-	4	1	7	4	-	3	-	2	2	-	-	-	1	-	-	1	-	9
3	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	10
28	2	3	17	6	20	6	-	12	2	9	2	-	6	1	4	1	-	3	-	11
35	3	2	26	4	26	-	1	20	5	15	2	-	12	1	7	1	-	6	-	12
7	-	-	6	1	8	1	-	5	2	1	-	-	1	-	6	1	-	5	-	13
748	-	-	438	310	232	-	-	190	42	95	-	-	92	3	88	-	-	75	13	14
3	-	-	2	1	5	-	-	3	2	2	-	-	2	-	3	-	-	3	-	15
745	...	...	436	309	227	...	...	187	40	93	...	...	90	3	85	...	...	72	13	16
40	3	-	28	9	10	-	-	9	1	6	-	-	6	-	7	2	-	4	1	17
28	4	-	18	6	25	5	-	19	1	20	-	-	18	2	11	2	-	9	-	18
5	2	-	3	-	7	4	-	3	-	-	-	-	-	-	2	1	-	1	-	19
10	-	-	8	2	10	-	-	9	1	15	-	-	13	2	2	-	-	2	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	-	4	-	3	-	-	3	-	4	-	-	4	-	5	-	-	5	-	22
9	2	-	3	4	5	1	-	4	-	1	-	-	1	-	2	1	-	1	-	23
61	42	3	13	3	19	13	1	3	2	16	11	-	5	-	7	4	-	3	-	24
108	-	1	66	41	55	-	-	42	13	10	-	-	9	1	20	-	-	15	5	25
32	13	2	13	4	22	11	-	11	-	5	2	-	3	-	3	1	-	2	-	26
807	467	48	249	43	460	275	28	147	10	224	147	1	76	-	186	124	3	56	3	27
67	28	4	29	6	32	13	1	17	1	14	8	-	6	-	11	2	-	9	-	28
89	41	5	35	8	44	21	2	20	1	22	16	-	6	-	15	9	-	5	1	29
401	205	22	151	23	224	118	15	86	5	109	60	-	49	-	92	62	3	26	1	30
250	193	17	34	6	160	123	10	24	3	79	63	1	15	-	68	51	-	16	1	31
3,604	2,649	920	23	12	1,614	1,349	231	30	4	811	786	21	3	1	688	625	55	6	2	32
469	406	63	-	-	249	231	18	-	-	141	138	3	-	-	113	106	7	-	-	33
162	133	29	-	-	111	104	7	-	-	52	51	1	-	-	47	45	2	-	-	34
307	273	34	-	-	138	127	11	-	-	89	87	2	-	-	66	61	5	-	-	35
160	130	30	...	...	46	43	3	...	...	40	40	-	...	...	22	20	2	...	...	36
73	61	12	...	...	33	32	1	...	...	27	27	-	...	...	18	16	2	...	...	37
87	69	18	...	...	13	11	2	...	...	13	13	-	...	...	4	4	-	...	...	38
309	276	33	-	-	203	188	15	-	-	101	98	3	-	-	91	86	5	-	-	39
89	72	17	-	-	78	72	6	-	-	25	24	1	-	-	29	29	-	-	-	40
220	204	16	-	-	125	116	9	-	-	76	74	2	-	-	62	57	5	-	-	41
1,749	1,202	538	3	6	492	411	74	7	-	185	177	7	1	-	190	177	11	2	-	42
305	256	42	2	5	137	112	21	4	-	62	59	2	1	-	70	64	4	2	-	43
1,444	946	496	1	1	355	299	53	3	-	123	118	5	-	-	120	113	7	-	-	44
270	144	126	...	...	77	62	15	...	...	37	35	2	...	...	39	34	5	...	...	45
229	116	113	...	...	57	45	12	...	...	32	30	2	...	...	25	20	5	...	...	46
41	28	13	...	...	20	17	3	...	...	5	5	-	...	...	14	14	-	...	...	47
11	8	3	-	-	10	5	5	-	-	4	2	2	-	-	2	2	-	-	-	48
10	8	2	-	-	10	5	5	-	-	1	1	-	-	-	1	1	-	-	-	49
1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	50
14	11	2	-	1	14	8	5	1	-	6	6	-	-	-	5	5	-	-	-	51
12	9	2	-	1	11	7	3	1	-	3	3	-	-	-	4	4	-	-	-	52
2	2	-	-	-	3	1	2	-	-	3	3	-	-	-	1	1	-	-	-	53
27	22	5	-	-	21	21	-	-	-	8	8	-	-	-	19	18	-	1	-	54
11	10	1	-	-	7	7	-	-	-	4	4	-	-	-	8	7	-	1	-	55
16	12	4	-	-	14	14	-	-	-	4	4	-	-	-	11	11	-	-	-	56
120	114	6	-	-	58	56	2	-	-	27	27	-	-	-	31	31	-	-	-	57
103	97	6	-	-	50	48	2	-	-	20	20	-	-	-	28	28	-	-	-	58
17	17	-	-	-	8	8	-	-	-	7	7	-	-	-	3	3	-	-	-	59
26	23	3	-	-	11	10	1	-	-	6	6	-	-	-	7	7	-	-	-	60
18	15	3	-	-	9	8	1	-	-	3	3	-	-	-	3	3	-	-	-	61
8	8	-	-	-	2	2	-	-	-	3	3	-	-	-	4	4	-	-	-	62
180	163	12	3	2	147	116	16	12	3	157	152	2	2	1	123	106	12	3	2	63
72	65	2	3	2	46	29	5	9	3	27	26	-	1	-	28	22	1	3	2	64
108	98	10	-	-	101	87	11	3	-	130	126	2	1	1	95	84	11	-	-	65
54	32	6	15	1	35	24	6	5	-	18	17	1	-	-	13	11	2	-	-	66
684	524	156	2	2	500	405	89	5	1	222	218	4	-	-	146	128	18	-	-	67
23	8	1	13	1	22	8	2	9	3	7	3	-	4	-	8	4	-	3	1	68
51	9	6	31	5	33	10	1	19	3	18	2	-	15	1	11	3	-	8	-	69
119	14	3	89	13	88	11	1	63	13	50	7	-	40	3	51	11	-	38	2	70
24	4	1	19	-	25	5	-	17	3	14	2	-	11	1	21	8	-	13	-	71
37	3	-	27	7	26	5	-	18	3	15	3	-	11	1	7	-	-	6	1	72
58	7	2	43	6	37	1	1	28	7	21	2	-	18	1	23	3	-	19	1	73
15	3	4	6	2	8	6	-	2	-	1	-	1	-	-	-	-	-	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	KENTUCKY					LOUISIANA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,988	1,260	195	446	87	2,693	914	1,013	251	515
2	Dysentery, all forms-045-048	4	-	-	4	-	3	-	2	-	1
3	Septicemia and pyemia-053	9	-	-	6	3	26	-	-	7	19
4	Whooping cough-056	-	-	-	-	-	3	-	-	-	3
5	Meningococcal infections-057	6	1	-	5	-	2	1	-	-	1
6	Tetanus-061	1	-	1	-	-	2	-	2	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	16	5	-	8	3	10	-	1	4	5
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	7	2	-	5	-	4	-	-	2	2
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	2	-	-	1	1
10	Diseases of thymus gland-273	1	-	-	1	-	2	-	-	2	-
11	Meningitis, except meningococcal and tuberculous-340	15	6	1	7	1	35	5	8	6	16
12	Other diseases of nervous system and sense organs-330-334,341-398	21	1	-	20	-	24	3	2	10	9
13	Acute upper respiratory infections-470-475	9	1	-	8	-	7	-	1	2	4
14	Influenza and pneumonia, except pneumonia of newborn-480-493	188	2	-	153	33	242	1	-	67	174
15	Influenza-480-483	7	2	-	5	-	5	1	-	1	3
16	Pneumonia, except pneumonia of newborn-490-493	181	...	...	148	33	237	...	...	66	171
17	Bronchitis-500-502	4	-	-	4	-	6	-	-	2	4
18	Other diseases of respiratory system-510-522,525-527	12	5	-	7	-	46	1	3	10	32
19	Pulmonary congestion and hypostasis-522	3	1	-	2	-	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	1	-	-	1	-	31	1	-	5	25
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	4	-	-	4	-	5	-	-	1	4
23	All other diseases of respiratory system-510-521,527.1	4	4	-	-	-	10	-	3	4	3
24	Hernia and intestinal obstruction-560,561,570	17	12	-	5	-	16	8	3	4	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	46	-	-	34	12	98	1	-	16	81
26	Other diseases of digestive system-530-542,544-553,573-587	21	6	1	12	2	17	3	2	4	8
27	Congenital malformations-750-759	265	170	15	75	5	329	132	82	59	56
28	Spina bifida and meningocele-751	22	7	1	14	-	21	5	7	6	3
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	27	18	1	8	-	25	9	7	7	2
30	Congenital malformations of circulatory system-754	125	81	2	39	3	158	52	30	41	35
31	Other congenital malformations-750,755-759	91	64	11	14	2	125	66	38	5	16
32	Certain diseases of early infancy-760-776	1,226	1,017	172	28	9	1,657	738	874	7	38
33	Birth injuries-760,761	143	127	16	-	-	257	103	153	1	-
34	Without mention of immaturity (.0)	63	54	9	-	-	125	49	75	1	-
35	With immaturity (.5)	80	73	7	-	-	132	54	78	-	-
36	Intracranial and spinal injury at birth-760	44	34	10	...	...	140	53	87	...	...
37	Without mention of immaturity (.0)	29	24	5	...	...	73	31	42	...	...
38	With immaturity (.5)	15	10	5	...	...	67	22	45	...	...
39	Other birth injury-761	99	93	6	-	-	117	50	66	1	-
40	Without mention of immaturity (.0)	34	30	4	-	-	52	18	33	1	-
41	With immaturity (.5)	65	63	2	-	-	65	32	33	-	-
42	Postnatal asphyxia and atelectasis-762	347	310	33	3	1	460	244	213	3	-
43	Without mention of immaturity (.0)	112	99	10	2	1	115	71	41	3	-
44	With immaturity (.5)	235	211	23	1	-	345	173	172	-	-
45	Pneumonia of newborn-763	76	62	14	...	...	157	53	104	...	...
46	Without mention of immaturity (.0)	56	45	11	...	...	112	38	74	...	...
47	With immaturity (.5)	20	17	3	...	...	45	15	30	...	...
48	Diarrhea of newborn-764	8	5	3	-	-	19	2	17	-	-
49	Without mention of immaturity (.0)	4	4	-	-	-	13	2	11	-	-
50	With immaturity (.5)	4	1	3	-	-	6	-	6	-	-
51	Other infections of newborn-765-768	19	14	4	1	-	34	9	25	-	-
52	Without mention of immaturity (.0)	13	9	3	1	-	25	6	19	-	-
53	With immaturity (.5)	6	5	1	-	-	9	3	6	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	20	17	3	-	-	22	9	13	-	-
55	Without mention of immaturity (.0-.4)	7	7	-	-	-	12	4	8	-	-
56	With immaturity (.5-.9)	13	10	3	-	-	10	5	5	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	43	41	1	1	-	36	20	16	-	-
58	Without mention of immaturity (.0-.2)	32	30	1	1	-	29	16	13	-	-
59	With immaturity (.5-.7)	11	11	-	-	-	7	4	3	-	-
60	Hemorrhagic disease of newborn-771	14	10	4	-	-	26	8	18	-	-
61	Without mention of immaturity (.0)	6	4	2	-	-	15	2	13	-	-
62	With immaturity (.5)	8	6	2	-	-	11	6	5	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	149	104	18	21	6	213	97	91	1	24
64	Without mention of immaturity (.0)	59	28	6	19	6	64	20	23	1	20
65	With immaturity (.5)	90	76	12	2	-	149	77	68	-	4
66	Immaturity with mention of any other subsidiary condition-774	22	17	1	2	2	40	11	20	1	8
67	Immaturity, unqualified-776	385	310	75	-	-	393	182	204	1	6
68	Symptoms and ill-defined conditions-780-793,795	17	6	2	6	3	37	10	18	3	6
69	All other diseases-Residual	20	13	-	5	2	43	2	11	14	16
70	Accidents-E800-E962	83	13	3	53	14	79	9	2	30	38
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	29	8	2	15	4	21	4	1	7	9
72	Accidental mechanical suffocation in bed and cradle-E924	28	4	-	19	5	17	1	1	7	8
73	Other accidental causes-E800-E920,E923,E925-E962	26	1	1	19	5	41	4	-	16	21
74	Homicide-E964,E980-E984	-	-	-	-	-	3	-	2	1	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MAINE					MARYLAND					MASSACHUSETTS					MICHIGAN					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
595	435	5	151	4	1,996	991	506	278	221	2,512	1,834	104	533	41	4,608	2,928	546	949	185	1
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	2
1	-	-	1	-	8	-	-	3	5	6	-	-	5	1	11	-	-	9	2	3
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	4
3	-	-	3	-	2	-	-	2	-	2	1	-	1	-	8	1	-	7	-	5
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
1	-	-	1	-	4	1	1	-	2	8	2	-	5	1	26	5	1	15	5	7
2	-	-	2	-	3	-	-	3	-	9	-	-	8	1	14	1	-	12	1	8
-	-	-	-	-	1	1	-	-	-	4	2	-	2	-	7	3	-	3	1	9
-	-	-	-	-	3	-	-	2	1	1	1	-	-	-	5	1	-	4	-	10
9	4	-	4	1	17	1	2	6	8	19	6	-	11	2	26	2	2	18	4	11
7	1	-	6	-	26	2	1	13	10	23	4	-	17	2	31	2	-	27	2	12
1	-	-	1	-	14	2	1	6	5	3	-	-	3	-	15	1	-	12	2	13
58	1	-	56	1	105	-	-	54	51	206	-	-	193	13	366	-	-	277	89	14
5	1	-	4	-	1	-	-	1	-	-	-	-	-	-	8	-	-	7	1	15
53	...	...	52	1	104	...	...	53	51	206	...	...	193	13	358	...	...	270	88	16
1	-	-	1	-	7	-	-	4	3	7	-	-	7	-	35	1	-	33	1	17
12	3	-	9	-	90	3	1	41	45	52	6	-	44	2	49	6	1	34	8	18
1	1	-	-	-	1	-	-	1	-	7	2	-	5	-	1	1	-	-	-	19
8	-	-	8	-	79	2	-	36	41	25	1	-	22	2	34	-	-	27	7	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	9	1	1	3	4	18	2	-	16	-	5	-	-	5	-	22
3	2	-	1	-	1	-	-	1	-	2	1	-	1	-	9	5	1	2	1	23
8	6	-	2	-	10	8	2	-	-	27	22	-	5	-	38	29	1	7	1	24
11	-	-	11	-	29	-	-	9	20	12	-	-	11	1	54	-	-	45	9	25
4	2	-	2	-	13	5	2	4	2	16	7	-	9	-	19	13	1	5	-	26
66	48	-	18	-	300	166	33	79	22	422	275	10	131	6	808	489	48	236	35	27
12	9	-	3	-	12	5	-	7	-	40	19	2	19	-	59	31	4	23	1	28
8	7	-	1	-	34	19	1	13	1	38	22	-	16	-	82	41	3	36	2	29
26	14	-	12	-	146	64	20	48	14	216	134	7	71	4	408	219	26	137	26	30
20	18	-	2	-	108	78	12	11	7	128	100	1	25	2	259	198	15	40	6	31
378	363	5	10	-	1,274	793	453	10	18	1,592	1,485	92	11	4	2,859	2,334	484	33	8	32
63	62	1	-	-	181	129	52	-	-	219	200	19	-	-	520	451	68	1	-	33
20	20	-	-	-	74	49	25	-	-	62	59	3	-	-	183	149	33	1	-	34
43	42	1	-	-	107	80	27	-	-	157	141	16	-	-	337	302	35	-	-	35
20	20	-	...	...	59	38	21	...	...	70	62	8	...	...	122	108	14	...	...	36
10	10	-	...	...	36	25	11	...	...	26	25	1	...	...	68	59	9	...	...	37
10	10	-	...	...	23	13	10	...	...	44	37	7	...	...	54	49	5	...	...	38
43	42	1	-	-	122	91	31	-	-	149	138	11	-	-	398	343	54	1	-	39
10	10	-	-	-	38	24	14	-	-	36	34	2	-	-	115	90	24	1	-	40
33	32	1	-	-	84	67	17	-	-	113	104	9	-	-	283	253	30	-	-	41
131	127	1	3	-	286	178	104	3	1	417	396	17	3	1	700	608	82	8	2	42
46	44	-	2	-	76	48	25	3	-	118	112	3	2	1	183	157	19	6	1	43
85	83	1	1	-	210	130	79	-	1	299	284	14	1	-	517	451	63	2	1	44
19	19	-	...	...	61	34	27	...	...	82	78	4	...	...	119	93	26	...	...	45
15	15	-	...	...	39	20	19	...	...	66	63	3	...	...	95	75	20	...	...	46
4	4	-	...	...	22	14	8	...	...	16	15	1	...	...	24	18	6	...	...	47
-	-	-	-	-	4	3	1	-	-	4	4	-	-	-	7	3	4	-	-	48
-	-	-	-	-	3	2	1	-	-	3	3	-	-	-	6	3	3	-	-	49
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	50
5	5	-	-	-	42	17	24	-	1	20	19	1	-	-	34	19	14	-	1	51
3	3	-	-	-	14	8	5	-	1	11	11	-	-	-	18	11	6	-	1	52
2	2	-	-	-	28	9	19	-	-	9	8	1	-	-	16	8	8	-	-	53
6	6	-	-	-	19	16	3	-	-	4	3	-	1	-	46	31	14	1	-	54
4	4	-	-	-	6	5	1	-	-	2	1	-	1	-	20	11	8	1	-	55
2	2	-	-	-	13	11	2	-	-	2	2	-	-	-	26	20	6	-	-	56
9	9	-	-	-	30	28	2	-	-	75	75	-	-	-	123	119	4	-	-	57
6	6	-	-	-	19	18	1	-	-	63	63	-	-	-	88	85	3	-	-	58
3	3	-	-	-	11	10	1	-	-	12	12	-	-	-	35	34	1	-	-	59
-	-	-	-	-	11	5	6	-	-	16	14	2	-	-	21	18	3	-	-	60
-	-	-	-	-	5	3	2	-	-	13	11	2	-	-	16	14	2	-	-	61
-	-	-	-	-	6	2	4	-	-	3	3	-	-	-	5	4	1	-	-	62
60	53	1	6	-	147	101	29	4	13	169	160	6	2	1	286	209	61	13	3	63
17	11	-	6	-	45	23	5	4	13	43	39	2	1	1	90	58	18	11	3	64
43	42	1	-	-	102	78	24	-	-	126	121	4	1	-	196	151	43	2	-	65
5	4	-	1	-	30	18	8	1	3	32	27	2	3	-	62	46	7	7	2	66
80	78	2	-	-	463	264	197	2	-	554	509	41	2	2	941	737	201	3	-	67
-	-	-	-	-	7	5	-	2	-	12	4	1	7	-	19	7	1	8	3	68
7	3	-	4	-	26	1	5	13	7	30	8	-	21	1	57	15	2	35	5	69
23	2	-	19	2	50	2	3	27	18	58	10	1	40	7	150	12	5	126	7	70
9	1	-	7	1	12	2	1	8	1	20	5	1	12	2	66	9	3	53	1	71
10	1	-	8	1	12	-	1	6	5	12	1	-	11	-	39	3	-	34	2	72
4	-	-	4	-	26	-	1	13	12	26	4	-	17	5	45	-	2	39	4	73
3	2	-	1	-	4	1	1	-	2	3	1	-	2	-	7	6	-	1	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,912	1,384	32	473	23	2,252	510	893	139	710
2	Dysentery, all forms-045-048	-	-	-	-	-	4	-	1	-	3
3	Septicemia and pyemia-053	4	-	-	4	-	11	-	-	2	9
4	Whooping cough-056	-	-	-	-	-	4	-	-	-	4
5	Meningococcal infections-057	3	-	-	3	-	-	-	-	-	-
6	Tetanus-061	-	-	-	-	-	7	-	7	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	2	-	-	2	-	4	1	-	-	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	10	-	-	10	-	6	-	-	3	3
9	Benign neoplasms and neoplasms of unspecified nature-210-239	2	2	-	-	-	-	-	-	-	-
10	Diseases of thymus gland-273	2	-	-	2	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	12	-	-	12	-	22	-	2	4	16
12	Other diseases of nervous system and sense organs-330-334,341-398	21	1	-	20	-	13	1	2	2	8
13	Acute upper respiratory infections-470-475	9	-	-	9	-	10	1	3	1	5
14	Influenza and pneumonia, except pneumonia of newborn-480-493	141	-	-	131	10	213	-	2	27	184
15	Influenza-480-483	2	-	-	2	-	14	-	2	-	12
16	Pneumonia, except pneumonia of newborn-490-493	139	...	...	129	10	199	...	...	27	172
17	Bronchitis-500-502	13	2	-	11	-	6	-	-	3	3
18	Other diseases of respiratory system-510-522,525-527	71	7	1	60	3	10	-	1	5	4
19	Pulmonary congestion and hypostasis-522	55	5	1	46	3	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	6	-	-	6	-	6	-	-	4	2
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	6	1	-	5	-	3	-	1	-	2
23	All other diseases of respiratory system-510-521,527.1	4	1	-	3	-	1	-	-	1	-
24	Hernia and intestinal obstruction-560,561,570	17	12	-	5	-	8	3	1	1	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	15	-	-	15	-	132	-	1	9	122
26	Other diseases of digestive system-530-542,544-553,573-587	7	6	-	1	-	13	2	3	-	8
27	Congenital malformations-750-759	329	210	2	113	4	187	77	45	35	30
28	Spina bifida and meningocele-751	25	8	-	16	1	17	7	1	7	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	36	25	-	11	-	19	7	-	6	6
30	Congenital malformations of circulatory system-754	155	89	1	62	3	91	36	19	19	17
31	Other congenital malformations-750,755-759	113	88	1	24	-	60	27	25	3	5
32	Certain diseases of early infancy-760-776	1,167	1,125	28	13	1	1,105	401	638	6	60
33	Birth injuries-760,761	222	216	5	1	-	124	59	65	-	-
34	Without mention of immaturity (.0)	61	58	2	1	-	69	30	39	-	-
35	With immaturity (.5)	161	158	3	-	-	55	29	26	-	-
36	Intracranial and spinal injury at birth-760	41	41	-	...	...	39	21	18	...	...
37	Without mention of immaturity (.0)	27	27	-	...	...	33	18	15	...	...
38	With immaturity (.5)	14	14	-	...	...	6	3	3	...	...
39	Other birth injury-761	181	175	5	1	-	85	38	47	-	-
40	Without mention of immaturity (.0)	34	31	2	1	-	36	12	24	-	-
41	With immaturity (.5)	147	144	3	-	-	49	26	23	-	-
42	Postnatal asphyxia and atelectasis-762	315	300	10	4	1	191	109	77	2	3
43	Without mention of immaturity (.0)	75	69	3	2	1	80	39	38	2	1
44	With immaturity (.5)	240	231	7	2	-	111	70	39	-	2
45	Pneumonia of newborn-763	45	45	-	...	...	80	20	60	...	...
46	Without mention of immaturity (.0)	32	32	-	...	...	55	13	42	...	...
47	With immaturity (.5)	13	13	-	...	...	25	7	18	...	...
48	Diarrhea of newborn-764	2	2	-	-	-	41	4	37	-	-
49	Without mention of immaturity (.0)	-	-	-	-	-	33	2	31	-	-
50	With immaturity (.5)	2	2	-	-	-	8	2	6	-	-
51	Other infections of newborn-765-768	11	11	-	-	-	16	5	10	-	1
52	Without mention of immaturity (.0)	6	6	-	-	-	13	4	8	-	1
53	With immaturity (.5)	5	5	-	-	-	3	1	2	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	19	17	1	1	-	17	4	12	1	-
55	Without mention of immaturity (.0-.4)	8	8	-	-	-	4	-	3	1	-
56	With immaturity (.5-.9)	11	9	1	1	-	13	4	9	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	54	54	-	-	-	12	9	3	-	-
58	Without mention of immaturity (.0-.2)	42	42	-	-	-	8	6	2	-	-
59	With immaturity (.5-.7)	12	12	-	-	-	4	3	1	-	-
60	Hemorrhagic disease of newborn-771	8	8	-	-	-	16	7	9	-	-
61	Without mention of immaturity (.0)	2	2	-	-	-	9	2	7	-	-
62	With immaturity (.5)	6	6	-	-	-	7	5	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	134	128	3	3	-	184	70	72	2	40
64	Without mention of immaturity (.0)	22	20	-	2	-	94	27	31	2	34
65	With immaturity (.5)	112	108	3	1	-	90	43	41	-	6
66	Immaturity with mention of any other subsidiary condition-774	25	23	-	2	-	20	8	6	-	6
67	Immaturity, unqualified-776	332	321	9	2	-	404	106	287	1	10
68	Symptoms and ill-defined conditions-780-793,795	13	8	-	2	3	372	15	170	16	171
69	All other diseases-Residual	20	6	-	13	1	21	2	1	3	15
70	Accidents-E800-E962	52	4	1	46	1	103	7	16	22	58
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	21	4	-	17	-	25	4	8	4	9
72	Accidental mechanical suffocation in bed and cradle-E924	12	-	-	12	-	27	1	4	7	15
73	Other accidental causes-E800-E920,E923,E925-E962	19	-	1	17	1	51	2	4	11	34
74	Homicide-E964,E980-E984	2	1	-	1	-	1	-	-	-	1

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MISSOURI					MONTANA					NEBRASKA					NEVADA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,394	1,374	384	459	177	444	278	42	102	22	786	572	35	161	18	229	148	24	41	16	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
5	-	-	5	-	1	-	-	-	1	5	-	-	5	-	1	-	-	1	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	1	-	1	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	5
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
9	1	-	6	2	3	-	-	3	-	-	-	-	-	-	2	-	-	1	1	7
8	-	-	7	1	3	-	-	3	-	4	-	-	4	-	1	-	-	1	-	8
2	1	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	9
10	2	-	5	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	10
10	2	-	4	4	4	-	2	2	-	5	-	-	3	2	2	-	1	1	-	11
13	1	-	8	4	2	-	-	2	-	5	-	-	4	1	2	-	-	2	-	12
2	-	-	2	-	6	-	-	5	1	4	-	-	4	-	-	-	-	-	-	13
206	-	1	147	58	30	-	-	23	7	61	-	-	56	5	20	-	-	13	7	14
2	-	1	-	1	3	-	-	3	-	2	-	-	2	-	-	-	-	-	-	15
204	...	...	147	57	27	...	...	20	7	59	...	...	54	5	20	...	...	13	7	16
10	-	-	7	3	12	1	-	10	1	1	-	-	1	-	-	-	-	-	-	17
37	2	6	14	15	5	1	1	3	-	6	2	-	3	1	3	-	-	2	1	18
8	-	6	2	-	1	-	1	-	-	4	2	-	2	-	-	-	-	-	-	19
22	-	-	9	13	2	-	-	2	-	1	-	-	-	1	2	-	-	2	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	-	-	2	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	22
4	2	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	23
14	11	-	1	2	4	3	-	-	1	8	6	-	2	-	5	2	-	1	2	24
43	-	-	27	16	5	-	1	2	2	8	-	-	6	2	4	-	-	3	1	25
18	5	2	9	2	6	1	-	4	1	3	1	-	1	1	3	2	-	1	-	26
378	216	28	115	19	73	43	7	23	-	132	88	4	37	3	29	18	3	6	2	27
15	9	-	6	-	1	-	-	1	-	8	4	-	4	-	1	-	1	-	-	28
31	13	1	16	1	10	4	-	6	-	20	12	-	7	1	3	3	-	-	-	29
195	103	11	69	12	42	23	5	14	-	65	39	3	22	1	13	4	1	6	2	30
137	91	16	24	6	20	16	2	2	-	39	33	1	4	1	12	11	1	-	-	31
1,464	1,095	334	16	19	259	224	30	3	2	501	467	31	3	-	144	122	20	1	1	32
203	172	31	-	-	47	41	6	-	-	96	92	2	2	-	22	21	1	-	-	33
76	63	13	-	-	17	15	2	-	-	27	25	1	1	-	16	16	-	-	-	34
127	109	18	-	-	30	26	4	-	-	69	67	1	1	-	6	5	1	-	-	35
59	37	22	...	...	10	9	1	...	...	22	22	-	...	...	6	6	-	...	...	36
36	26	10	...	...	7	7	-	...	...	10	10	-	...	...	5	5	-	...	...	37
23	11	12	...	...	3	2	1	...	...	12	12	-	...	...	1	1	-	...	...	38
144	135	9	-	-	37	32	5	-	-	74	70	2	2	-	16	15	1	-	-	39
40	37	3	-	-	10	8	2	-	-	17	15	1	1	-	11	11	-	-	-	40
104	98	6	-	-	27	24	3	-	-	57	55	1	1	-	5	4	1	-	-	41
486	364	112	4	6	48	42	4	2	-	139	130	9	-	-	33	29	3	1	-	42
127	95	24	3	5	18	15	1	2	-	31	28	3	-	-	10	9	-	1	-	43
359	269	88	1	1	30	27	3	-	-	108	102	6	-	-	23	20	3	-	-	44
92	59	33	...	...	13	11	2	...	...	17	17	-	...	...	4	1	3	...	...	45
71	45	26	...	...	7	6	1	...	...	10	10	-	...	...	3	-	3	...	...	46
21	14	7	...	...	6	5	1	...	...	7	7	-	...	...	1	1	-	...	...	47
9	6	3	-	-	2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	48
7	4	3	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	49
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	50
12	8	4	-	-	-	-	-	-	-	6	5	1	-	-	1	-	1	-	-	51
6	4	2	-	-	-	-	-	-	-	4	3	1	-	-	1	-	1	-	-	52
6	4	2	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	53
20	16	3	1	-	4	3	1	-	-	6	6	-	-	-	1	1	-	-	-	54
5	4	-	1	-	2	1	1	-	-	2	2	-	-	-	1	1	-	-	-	55
15	12	3	-	-	2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	56
40	38	2	-	-	8	7	1	-	-	25	25	-	-	-	3	3	-	-	-	57
35	34	1	-	-	6	6	-	-	-	13	13	-	-	-	2	2	-	-	-	58
5	4	1	-	-	2	1	1	-	-	12	12	-	-	-	1	1	-	-	-	59
15	9	4	2	-	3	2	1	-	-	3	3	-	-	-	-	-	-	-	-	60
11	6	3	2	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	61
4	3	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	62
222	159	48	6	9	52	43	7	1	1	54	49	4	1	-	18	14	3	-	1	63
58	36	7	6	9	15	12	1	1	1	11	9	1	1	-	4	3	-	-	1	64
164	123	41	-	-	37	31	6	-	-	43	40	3	-	-	14	11	3	-	-	65
34	24	6	3	1	3	2	-	-	1	10	7	3	-	-	1	1	-	-	-	66
331	240	88	-	3	79	71	8	-	-	143	132	11	-	-	61	52	9	-	-	67
49	18	6	13	12	7	2	-	3	2	2	-	-	2	-	1	1	-	-	-	68
22	4	2	15	1	6	1	1	4	-	10	2	-	8	-	4	1	-	3	-	69
63	13	1	53	16	17	1	-	12	4	26	3	-	20	3	5	1	-	4	-	70
25	10	-	14	1	7	-	-	6	1	7	2	-	5	-	3	1	-	2	-	71
21	3	1	12	5	5	-	-	3	2	9	-	-	8	1	-	-	-	-	-	72
37	-	-	27	10	5	1	-	3	1	10	1	-	7	2	2	-	-	2	-	73
8	2	3	3	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	339	240	1	98	-	3,191	1,872	577	543	199
2	Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia 053	2	-	-	2	-	9	-	-	7	2
4	Whooping cough 056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	1	-	-	1	-	5	-	-	5	-
6	Tetanus 061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-136	2	-	-	2	-	6	1	-	4	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	-	-	-	-	-	7	2	-	5	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	-	-	-	-	-	-	-	-	-	-
10	Diseases of thymus gland 273	-	-	-	-	-	10	1	-	9	-
11	Meningitis, except meningococcal and tuberculous 340	3	1	-	2	-	20	5	-	11	4
12	Other diseases of nervous system and sense organs 330-334,341-398	3	1	-	2	-	21	2	-	15	4
13	Acute upper respiratory infections 470-475	3	-	-	3	-	9	1	-	5	3
14	Influenza and pneumonia, except pneumonia of newborn 480-493	27	-	-	27	-	246	-	-	169	77
15	Influenza 480-483	-	-	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn 490-493	27	...	...	27	-	246	...	...	169	77
17	Bronchitis 500-502	5	1	-	4	-	10	-	2	6	2
18	Other diseases of respiratory system 510-522,525-527	8	-	-	8	-	19	5	3	8	3
19	Pulmonary congestion and hypostasis 522	-	-	-	-	-	4	2	1	1	-
20	Other chronic interstitial pneumonia 525	5	-	-	5	-	9	-	-	6	3
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	2	-	-	2	-	3	2	-	1	-
23	All other diseases of respiratory system 510-521,527.1	1	-	-	1	-	3	1	2	-	-
24	Hernia and intestinal obstruction 560,561,570	4	4	-	-	-	41	29	3	5	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	6	-	-	6	-	52	-	-	29	23
26	Other diseases of digestive system 530-542,544-553,573-587	1	-	-	1	-	18	7	-	7	4
27	Congenital malformations 750-759	49	33	-	16	-	498	294	38	156	10
28	Spina bifida and meningocele 751	6	2	-	4	-	31	16	2	12	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	4	2	-	2	-	52	25	-	26	1
30	Congenital malformations of circulatory system 754	23	15	-	8	-	248	124	19	98	7
31	Other congenital malformations 750,755-759	16	14	-	2	-	167	129	17	20	1
32	Certain diseases of early infancy 760-776	201	196	-	5	-	2,033	1,491	515	14	13
33	Birth injuries 760,761	36	36	-	-	-	269	218	50	-	1
34	Without mention of immaturity (.0)	10	10	-	-	-	116	91	25	-	-
35	With immaturity (.5)	26	26	-	-	-	153	127	25	-	1
36	Intracranial and spinal injury at birth 760	4	4	-	...	...	91	74	17	...	...
37	Without mention of immaturity (.0)	4	4	-	...	...	50	43	7	...	...
38	With immaturity (.5)	-	-	-	...	...	41	31	10	...	...
39	Other birth injury 761	32	32	-	-	-	178	144	33	-	1
40	Without mention of immaturity (.0)	6	6	-	-	-	66	48	18	-	-
41	With immaturity (.5)	26	26	-	-	-	112	96	15	-	1
42	Postnatal asphyxia and atelectasis 762	38	35	-	3	-	735	503	221	7	4
43	Without mention of immaturity (.0)	11	8	-	3	-	225	136	81	5	3
44	With immaturity (.5)	27	27	-	-	-	510	367	140	2	1
45	Pneumonia of newborn 763	14	14	-	...	...	84	61	23	...	...
46	Without mention of immaturity (.0)	8	8	-	...	...	65	48	17	...	...
47	With immaturity (.5)	6	6	-	...	...	19	13	6	...	...
48	Diarrhea of newborn 764	-	-	-	-	-	6	3	3	-	-
49	Without mention of immaturity (.0)	-	-	-	-	-	5	2	3	-	-
50	With immaturity (.5)	-	-	-	-	-	1	1	-	-	-
51	Other infections of newborn 765-768	4	4	-	-	-	18	11	7	-	-
52	Without mention of immaturity (.0)	2	2	-	-	-	12	7	5	-	-
53	With immaturity (.5)	2	2	-	-	-	6	4	2	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	5	5	-	-	-	22	20	1	-	1
55	Without mention of immaturity (.0-.4)	-	-	-	-	-	7	7	-	-	-
56	With immaturity (.5-.9)	5	5	-	-	-	15	13	1	-	1
57	Hemolytic disease of newborn (erythroblastosis) 770	8	8	-	-	-	76	72	4	-	-
58	Without mention of immaturity (.0-.2)	5	5	-	-	-	63	59	4	-	-
59	With immaturity (.5-.7)	3	3	-	-	-	13	13	-	-	-
60	Hemorrhagic disease of newborn 771	2	2	-	-	-	16	14	2	-	-
61	Without mention of immaturity (.0)	1	1	-	-	-	11	10	1	-	-
62	With immaturity (.5)	1	1	-	-	-	5	4	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	32	30	-	2	-	223	164	52	3	4
64	Without mention of immaturity (.0)	5	3	-	2	-	56	46	5	3	2
65	With immaturity (.5)	27	27	-	-	-	167	118	47	-	2
66	Immaturity with mention of any other subsidiary condition 774	1	1	-	-	-	48	33	9	4	2
67	Immaturity, unqualified 776	61	61	-	-	-	536	392	143	-	1
68	Symptoms and ill-defined conditions 780-793,795	10	3	-	7	-	24	9	9	5	1
69	All other diseases Residual	6	1	1	4	-	39	12	1	19	7
70	Accidents E800-E962	8	-	-	8	-	121	13	6	62	40
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	1	-	-	1	-	38	3	3	20	12
72	Accidental mechanical suffocation in bed and cradle E924	1	-	-	1	-	35	4	1	20	10
73	Other accidental causes E800-E920,E923,E925-E962	6	-	-	6	-	48	6	2	22	18
74	Homicide E964,E980-E984	-	-	-	-	-	3	-	-	2	1

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEW MEXICO					NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
886	529	69	222	66	8,599	5,109	1,460	1,506	522	3,432	1,322	960	417	733	384	276	19	77	12	1
2	-	-	1	1	1	-	-	1	-	3	-	-	-	3	-	-	-	-	-	2
4	-	-	4	-	22	-	-	17	5	29	-	-	11	18	1	-	-	-	1	3
-	-	-	-	-	-	-	-	-	-	5	-	1	1	3	1	-	-	1	-	4
2	-	-	2	-	11	-	-	9	2	3	-	-	3	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	6
4	-	-	4	-	31	10	1	18	2	16	2	1	9	4	3	-	-	3	-	7
1	1	-	-	-	23	4	-	15	4	11	1	-	7	3	1	-	-	1	-	8
1	-	-	1	-	16	8	1	7	-	2	2	-	-	-	-	-	-	-	-	9
1	-	-	1	-	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	10
7	1	-	3	3	38	6	5	15	12	23	4	4	5	10	1	-	-	1	-	11
6	-	-	6	-	47	6	1	30	10	28	5	2	13	8	3	-	-	3	-	12
2	1	-	1	-	31	1	1	25	4	14	-	3	2	9	1	-	-	1	-	13
81	-	-	59	22	680	-	1	460	219	385	-	-	116	269	28	-	-	25	3	14
7	-	-	6	1	4	-	1	2	1	10	-	-	2	8	1	-	-	1	-	15
74	...	...	53	21	676	...	...	458	218	375	...	...	114	261	27	...	...	24	3	16
4	-	-	2	2	70	3	1	51	15	15	-	-	8	7	5	-	-	5	-	17
15	1	-	11	3	88	16	2	53	17	36	5	-	19	12	6	1	-	5	-	18
1	1	-	-	-	32	6	1	20	5	1	1	-	-	-	1	1	-	-	-	19
9	-	-	9	-	21	1	-	15	5	18	1	-	13	4	3	-	-	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	-	-	2	3	13	-	-	8	5	13	1	-	5	7	1	-	-	1	-	22
-	-	-	-	-	22	9	1	10	2	4	2	-	1	1	1	-	-	1	-	23
7	4	1	1	1	75	49	9	10	7	19	12	3	-	4	5	3	-	2	-	24
47	-	-	35	12	80	2	-	49	29	124	-	-	19	105	4	-	-	2	2	25
5	2	-	3	-	53	25	7	21	-	17	3	5	5	4	2	1	-	1	-	26
103	77	7	18	1	1,345	765	80	424	76	372	176	54	97	45	58	39	-	17	2	27
11	7	1	3	-	79	41	1	32	5	28	6	3	17	2	5	2	-	3	-	28
11	7	1	2	1	155	75	8	67	5	50	22	8	12	8	5	4	-	1	-	29
43	30	2	11	-	652	324	37	249	42	172	77	21	49	25	26	14	-	10	2	30
38	33	3	2	-	459	325	34	76	24	122	71	22	19	10	22	19	-	3	-	31
497	422	56	16	3	5,564	4,132	1,324	67	41	1,952	1,078	805	14	55	251	231	18	-	2	32
70	66	4	-	-	703	598	105	-	-	302	185	117	-	-	45	41	4	-	-	33
20	17	3	-	-	292	245	47	-	-	126	71	55	-	-	14	13	1	-	-	34
50	49	1	-	-	411	353	58	-	-	176	114	62	-	-	31	28	3	-	-	35
17	17	-	...	...	270	208	62	...	...	86	54	32	...	...	9	8	1	...	...	36
5	5	-	...	...	154	119	35	...	...	55	31	24	...	...	6	6	-	...	...	37
12	12	-	...	...	116	89	27	...	...	31	23	8	...	...	3	2	1	...	...	38
53	49	4	-	-	433	390	43	-	-	216	131	85	-	-	36	33	3	-	-	39
15	12	3	-	-	138	126	12	-	-	71	40	31	-	-	8	7	1	-	-	40
38	37	1	-	-	295	264	31	-	-	145	91	54	-	-	28	26	2	-	-	41
146	130	12	4	-	1,706	1,288	363	34	21	525	299	221	3	2	62	57	5	-	-	42
44	36	4	4	-	467	338	77	32	20	153	83	65	3	2	20	20	-	-	-	43
102	94	8	-	-	1,239	950	286	2	1	372	216	156	-	-	42	37	5	-	-	44
22	17	5	...	...	294	210	84	...	...	126	48	78	...	...	15	14	1	...	...	45
16	11	5	...	...	225	161	64	...	...	85	32	53	...	...	12	11	1	...	...	46
6	6	-	...	...	69	49	20	...	...	41	16	25	...	...	3	3	-	...	...	47
4	4	-	-	-	18	13	5	-	-	22	3	19	-	-	5	2	3	-	-	48
4	4	-	-	-	16	12	4	-	-	17	1	16	-	-	4	2	2	-	-	49
-	-	-	-	-	2	1	1	-	-	5	2	3	-	-	1	-	1	-	-	50
7	5	2	-	-	28	23	4	-	1	20	12	8	-	-	7	6	1	-	-	51
5	4	1	-	-	16	13	2	-	1	14	8	6	-	-	6	6	-	-	-	52
2	1	1	-	-	12	10	2	-	-	6	4	2	-	-	1	-	1	-	-	53
6	3	2	1	-	67	56	10	1	-	45	20	25	-	-	4	4	-	-	-	54
2	-	1	1	-	23	19	3	1	-	16	8	8	-	-	3	3	-	-	-	55
4	3	1	-	-	44	37	7	-	-	29	12	17	-	-	1	1	-	-	-	56
14	14	-	-	-	193	176	15	2	-	31	19	10	1	1	14	13	-	-	1	57
9	9	-	-	-	148	136	10	2	-	23	15	6	1	1	12	12	-	-	-	58
5	5	-	-	-	45	40	5	-	-	8	4	4	-	-	2	1	-	-	1	59
9	7	2	-	-	44	31	12	1	-	22	8	14	-	-	1	1	-	-	-	60
4	2	2	-	-	24	17	6	1	-	14	3	11	-	-	-	-	-	-	-	61
5	5	-	-	-	20	14	6	-	-	8	5	3	-	-	1	1	-	-	-	62
56	42	7	5	2	545	380	142	14	9	256	135	76	6	39	34	32	1	-	1	63
19	12	1	4	2	99	68	11	12	8	95	33	25	6	31	11	9	1	-	1	64
37	30	6	1	-	446	312	131	2	1	161	102	51	-	8	23	23	-	-	-	65
17	13	2	1	1	107	80	11	9	7	38	13	15	4	6	3	1	2	-	-	66
146	121	20	5	-	1,859	1,277	573	6	3	565	336	222	-	7	61	60	1	-	-	67
52	7	3	28	14	131	20	9	59	43	171	8	45	26	92	3	-	1	1	1	68
16	4	2	10	-	91	23	1	55	12	59	9	10	23	17	2	-	-	2	-	69
28	9	-	15	4	159	18	4	115	22	143	16	24	39	64	9	1	-	7	1	70
15	7	-	7	1	52	8	2	38	4	48	11	10	12	15	3	-	-	3	-	71
6	-	-	5	1	25	2	-	22	1	51	-	11	11	29	3	1	-	1	1	72
7	2	-	3	2	82	8	2	55	17	44	5	3	16	20	3	-	-	3	-	73
1	-	-	1	-	35	17	13	3	2	3	1	2	-	-	-	-	-	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	OHIO					OKLAHOMA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	5,318	3,446	665	1,010	197	1,226	717	164	251	94
2	Dysentery, all forms-045-048	2	1	-	1	-	5	-	-	1	4
3	Septicemia and pyemia-053	13	-	-	6	7	4	-	-	2	2
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	9	-	1	7	1	-	-	-	-	-
6	Tetanus-061	1	1	-	-	-	2	1	1	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	19	4	1	14	-	8	1	-	5	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	17	2	-	14	1	2	-	-	2	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	3	2	-	1	-	-	-	-	-	-
10	Diseases of thymus gland-273	1	-	-	1	-	2	1	-	1	-
11	Meningitis, except meningococcal and tuberculous-340	36	8	1	18	9	13	7	-	4	2
12	Other diseases of nervous system and sense organs-330-334,341-398	43	7	3	31	2	14	-	-	12	2
13	Acute upper respiratory infections-470-475	67	9	1	39	18	3	-	-	2	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	313	1	-	256	56	70	1	1	41	27
15	Influenza-480-483	10	1	-	6	3	6	1	1	4	-
16	Pneumonia, except pneumonia of newborn-490-493	303	...	...	250	53	64	...	...	37	27
17	Bronchitis-500-502	31	2	-	27	2	6	1	-	4	1
18	Other diseases of respiratory system-510-522,525-527	119	5	1	89	24	12	2	-	9	1
19	Pulmonary congestion and hypostasis-522	7	3	-	3	1	2	-	-	2	-
20	Other chronic interstitial pneumonia-525	94	1	-	73	20	2	-	-	2	-
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	14	1	1	10	2	7	1	-	5	1
23	All other diseases of respiratory system-510-521,527.1	4	-	-	3	1	1	1	-	-	-
24	Hernia and intestinal obstruction-560,561,570	51	33	4	14	-	10	6	1	2	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	46	-	-	38	8	36	-	-	26	10
26	Other diseases of digestive system-530-542,544-553,573-587	33	14	1	16	2	5	2	-	3	-
27	Congenital malformations-750-759	901	541	62	265	33	182	105	16	55	6
28	Spina bifida and meningocele-751	57	31	2	22	2	8	5	-	2	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	98	45	6	40	7	15	8	1	6	-
30	Congenital malformations of circulatory system-754	434	232	31	153	18	106	52	8	42	4
31	Other congenital malformations-750,755-759	312	233	23	50	6	53	40	7	5	1
32	Certain diseases of early infancy-760-776	3,378	2,750	578	39	11	726	574	139	5	8
33	Birth injuries-760,761	610	534	74	2	-	102	90	12	-	-
34	Without mention of immaturity (.0)	190	171	19	-	-	52	46	6	-	-
35	With immaturity (.5)	420	363	55	2	-	50	44	6	-	-
36	Intracranial and spinal injury at birth-760	144	118	26	...	...	30	27	3	...	...
37	Without mention of immaturity (.0)	80	72	8	...	...	20	19	1	...	...
38	With immaturity (.5)	64	46	18	...	...	10	8	2	...	...
39	Other birth injury-761	466	416	48	2	-	72	63	9	-	-
40	Without mention of immaturity (.0)	110	98	11	-	-	32	27	5	-	-
41	With immaturity (.5)	356	317	37	2	-	40	36	4	-	-
42	Postnatal asphyxia and atelectasis-762	963	820	135	7	1	165	126	34	1	4
43	Without mention of immaturity (.0)	230	189	35	6	-	55	41	13	-	1
44	With immaturity (.5)	733	631	100	1	1	110	85	21	1	3
45	Pneumonia of newborn-763	135	109	26	...	...	27	23	4	...	...
46	Without mention of immaturity (.0)	83	70	13	...	...	17	13	4	...	...
47	With immaturity (.5)	52	39	13	...	...	10	10	-	...	...
48	Diarrhea of newborn-764	9	5	4	-	-	10	5	5	-	-
49	Without mention of immaturity (.0)	8	4	4	-	-	8	4	4	-	-
50	With immaturity (.5)	1	1	-	-	-	2	1	1	-	-
51	Other infections of newborn-765-768	36	28	8	-	-	9	8	1	-	-
52	Without mention of immaturity (.0)	15	14	1	-	-	7	6	1	-	-
53	With immaturity (.5)	21	14	7	-	-	2	2	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	45	36	8	1	-	15	12	3	-	-
55	Without mention of immaturity (.0-.4)	17	16	1	-	-	4	2	2	-	-
56	With immaturity (.5-.9)	28	20	7	1	-	11	10	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	131	123	7	1	-	25	24	1	-	-
58	Without mention of immaturity (.0-.2)	102	95	6	1	-	22	21	1	-	-
59	With immaturity (.5-.7)	29	28	1	-	-	3	3	-	-	-
60	Hemorrhagic disease of newborn-771	19	12	7	-	-	7	5	2	-	-
61	Without mention of immaturity (.0)	9	7	2	-	-	4	3	1	-	-
62	With immaturity (.5)	10	5	5	-	-	3	2	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	469	361	85	16	7	114	89	20	3	2
64	Without mention of immaturity (.0)	117	85	11	15	6	26	20	3	2	1
65	With immaturity (.5)	352	276	74	1	1	88	69	17	1	1
66	Immaturity with mention of any other subsidiary condition-774	71	45	13	10	3	14	8	3	1	2
67	Immaturity, unqualified-776	890	677	211	2	-	238	184	54	-	-
68	Symptoms and ill-defined conditions-780-793,795	52	17	-	27	8	49	4	3	29	13
69	All other diseases-Residual	59	24	5	27	3	20	6	-	11	3
70	Accidents-E800-E962	115	19	4	80	12	57	6	3	37	11
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	34	12	4	16	2	14	4	-	8	2
72	Accidental mechanical suffocation in bed and cradle-E924	29	1	-	24	4	17	2	2	11	2
73	Other accidental causes-E800-E920,E923,E925-E962	52	6	-	40	6	26	-	1	18	7
74	Homicide-E964,E980-E984	9	6	3	-	-	-	-	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

OREGON					PENNSYLVANIA					RHODE ISLAND					SOUTH CAROLINA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
859	581	20	237	21	5,664	3,570	802	1,008	284	413	300	11	93	9	1,939	580	595	207	557	1
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2
6	-	-	6	-	8	-	-	8	-	2	-	-	2	-	-	-	-	-	-	3
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	1	-	-	-	1	4
3	-	-	3	-	4	-	-	4	-	2	1	-	1	-	1	-	-	-	1	5
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	6
7	2	-	4	1	24	5	1	17	1	2	1	-	1	-	14	-	1	4	9	7
6	1	-	5	-	9	2	1	6	-	1	1	-	-	-	5	-	-	5	-	8
-	-	-	-	-	7	2	-	4	1	-	-	-	-	-	1	-	-	1	-	9
-	-	-	-	-	10	1	-	9	-	-	-	-	-	-	1	-	-	-	1	10
7	2	-	5	-	42	7	2	24	9	1	-	-	1	-	26	1	6	5	14	11
6	2	-	4	-	53	5	1	37	10	1	-	-	1	-	11	2	1	3	5	12
3	-	-	3	-	11	-	-	8	3	7	1	-	3	3	14	-	1	3	10	13
91	-	-	81	10	355	-	-	256	99	23	-	-	19	4	250	-	5	61	194	14
1	-	-	1	-	12	-	-	8	4	-	-	-	-	-	21	-	5	2	14	15
90	...	...	80	10	343	...	...	248	95	23	...	...	19	4	239	...	...	59	180	16
10	-	-	9	1	27	-	1	22	4	2	-	-	1	1	8	-	1	2	5	17
11	1	-	9	1	43	7	2	27	7	9	1	-	8	-	18	-	4	4	10	18
4	-	-	4	-	4	-	1	1	2	-	-	-	-	-	5	-	2	1	2	19
2	-	-	2	-	20	1	-	16	3	7	-	-	7	-	6	-	-	3	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	-	1	-	5	-	-	5	-	1	-	-	1	-	4	-	1	-	3	22
3	-	-	2	1	14	6	1	5	2	1	1	-	-	-	3	-	1	-	2	23
7	4	-	3	-	51	35	3	10	3	6	4	-	2	-	17	5	4	4	4	24
8	-	-	6	2	50	-	-	41	9	5	-	-	5	-	97	-	2	7	88	25
6	4	-	2	-	43	13	6	20	4	1	1	-	-	-	9	3	1	4	1	26
142	92	2	47	1	919	560	58	264	37	74	52	-	22	-	182	79	35	42	26	27
3	1	-	2	-	65	34	-	29	2	7	5	-	2	-	13	4	1	6	2	28
14	6	-	8	-	93	52	6	28	7	7	5	-	2	-	20	7	3	4	6	29
73	45	-	27	1	483	258	35	168	22	30	15	-	15	-	76	22	18	25	11	30
52	40	2	10	-	278	216	17	39	6	30	27	-	3	-	73	46	13	7	7	31
482	458	17	6	-	3,619	2,861	700	40	18	252	235	11	5	1	998	475	464	8	51	32
108	105	3	-	-	654	557	97	-	-	47	43	3	1	-	109	63	46	-	-	33
39	37	2	-	-	262	220	42	-	-	10	9	-	1	-	48	24	24	-	-	34
69	68	1	-	-	392	337	55	-	-	37	34	3	-	-	61	39	22	-	-	35
23	23	-	...	...	216	175	41	...	...	5	4	1	...	...	34	15	19	...	...	36
10	10	-	...	...	130	111	19	...	...	2	2	-	...	...	23	12	11	...	...	37
13	13	-	...	...	86	64	22	...	...	3	2	1	...	...	11	3	8	...	...	38
85	82	3	-	-	438	382	56	-	-	42	39	2	1	-	75	48	27	-	-	39
29	27	2	-	-	132	109	23	-	-	8	7	-	1	-	25	12	13	-	-	40
56	55	1	-	-	306	273	33	-	-	34	32	2	-	-	50	36	14	-	-	41
140	132	5	3	-	935	751	168	13	3	77	71	5	1	-	240	144	85	5	6	42
41	37	1	3	-	268	218	37	10	3	17	13	3	1	-	82	43	29	5	5	43
99	95	4	-	-	667	533	131	3	-	60	58	2	-	-	158	101	56	-	1	44
17	17	-	...	...	155	121	34	...	...	7	7	-	...	...	68	15	53	...	...	45
11	11	-	...	...	106	83	23	...	...	3	3	-	...	...	53	10	43	...	...	46
6	6	-	...	...	49	38	11	...	...	4	4	-	...	...	15	5	10	...	...	47
1	1	-	-	-	11	8	3	-	-	-	-	-	-	-	20	1	19	-	-	48
-	-	-	-	-	8	6	2	-	-	-	-	-	-	-	18	1	17	-	-	49
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	2	-	2	-	-	50
5	5	-	-	-	32	25	7	-	-	1	1	-	-	-	17	6	11	-	-	51
4	4	-	-	-	25	21	4	-	-	-	-	-	-	-	13	4	9	-	-	52
1	1	-	-	-	7	4	3	-	-	1	1	-	-	-	4	2	2	-	-	53
10	10	-	-	-	32	27	4	-	1	-	-	-	-	-	23	11	12	-	-	54
3	3	-	-	-	14	10	3	-	1	-	-	-	-	-	9	2	7	-	-	55
7	7	-	-	-	18	17	1	-	-	-	-	-	-	-	14	9	5	-	-	56
13	13	-	-	-	135	130	5	-	-	12	12	-	-	-	28	22	6	-	-	57
12	12	-	-	-	98	95	3	-	-	7	7	-	-	-	20	17	3	-	-	58
1	1	-	-	-	37	35	2	-	-	5	5	-	-	-	8	5	3	-	-	59
2	2	-	-	-	21	17	4	-	-	2	2	-	-	-	16	3	12	-	1	60
-	-	-	-	-	16	14	2	-	-	2	2	-	-	-	12	2	9	-	1	61
2	2	-	-	-	5	3	2	-	-	-	-	-	-	-	4	1	3	-	-	62
69	66	2	1	-	563	418	118	16	11	14	11	2	-	1	137	54	44	3	36	63
13	12	-	1	-	145	95	25	15	10	4	2	1	-	1	76	13	27	3	33	64
56	54	2	-	-	418	323	93	1	1	10	9	1	-	-	61	41	17	-	3	65
8	7	-	1	-	86	46	30	7	3	7	4	-	3	-	14	3	6	-	5	66
109	101	7	1	-	995	761	230	4	-	85	84	1	-	-	328	153	170	-	3	67
6	3	-	3	-	115	13	17	38	47	1	1	-	-	-	157	7	52	18	80	68
11	1	-	8	2	94	38	6	43	7	6	-	-	6	-	21	3	3	5	10	69
45	9	1	33	2	159	15	3	123	18	15	2	-	13	-	93	4	13	31	45	70
21	6	-	14	1	54	7	1	41	5	8	2	-	6	-	30	3	6	12	9	71
9	-	1	8	-	50	5	-	38	7	3	-	-	3	-	24	1	3	7	13	72
15	3	-	11	1	55	3	2	44	6	4	-	-	4	-	39	-	4	12	23	73
1	1	-	-	-	17	5	1	6	5	3	-	-	3	-	2	1	1	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	SOUTH DAKOTA					TENNESSEE				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	443	287	36	83	37	2,402	1,199	467	432	304
2	Dysentery, all forms 045-048	1	-	-	1	-	3	-	-	3	-
3	Septicemia and pyemia 053	-	-	-	-	-	17	-	-	11	6
4	Whooping cough 056	-	-	-	-	-	2	-	-	-	2
5	Meningococcal infections 057	3	1	-	-	2	4	1	-	3	-
6	Tetanus 061	-	-	-	-	-	5	1	4	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	2	-	-	1	1	23	3	-	13	7
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	1	-	-	1	-	8	-	-	7	1
9	Benign neoplasms and neoplasms of unspecified nature 210-239	1	1	-	-	-	1	1	-	-	-
10	Diseases of thymus gland 273	-	-	-	-	-	3	-	-	2	1
11	Meningitis, except meningococcal and tuberculous 340	5	-	-	5	-	20	4	1	3	12
12	Other diseases of nervous system and sense organs 330-334,341-398	3	-	-	1	2	23	5	2	9	7
13	Acute upper respiratory infections 470-475	3	1	1	1	-	6	2	-	4	-
14	Influenza and pneumonia, except pneumonia of newborn 480-493	37	-	-	20	17	220	2	1	116	101
15	Influenza 480-483	-	-	-	-	-	11	2	1	1	7
16	Pneumonia, except pneumonia of newborn 490-493	37	...	...	20	17	209	...	...	115	94
17	Bronchitis 500-502	4	-	1	2	1	14	-	-	6	8
18	Other diseases of respiratory system 510-522,525-527	8	3	-	4	1	11	3	2	4	2
19	Pulmonary congestion and hypostasis 522	1	-	-	1	-	-	-	-	-	-
20	Other chronic interstitial pneumonia 525	1	-	-	1	-	2	-	-	2	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	2	1	-	1	-	5	1	-	2	2
23	All other diseases of respiratory system 510-521,527.1	4	2	-	1	1	4	2	2	-	-
24	Hernia and intestinal obstruction 560,561,570	2	1	-	1	-	12	8	2	2	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	8	-	-	4	4	55	-	-	26	29
26	Other diseases of digestive system 530-542,544-553,573-587	9	7	-	2	-	15	5	2	6	2
27	Congenital malformations 750-759	72	46	3	22	1	282	155	28	71	28
28	Spina bifida and meningocele 751	4	1	1	2	-	25	12	1	12	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	7	2	-	4	1	34	15	-	15	4
30	Congenital malformations of circulatory system 754	35	21	1	13	-	131	67	14	34	16
31	Other congenital malformations 750,755-759	26	22	1	3	-	92	61	13	10	8
32	Certain diseases of early infancy 760-776	255	222	29	2	2	1,377	960	383	17	17
33	Birth injuries 760,761	44	43	1	-	-	175	134	41	-	-
34	Without mention of immaturity (.0)	20	19	1	-	-	71	54	17	-	-
35	With immaturity (.5)	24	24	-	-	-	104	80	24	-	-
36	Intracranial and spinal injury at birth 760	11	11	-	...	...	60	36	24	...	...
37	Without mention of immaturity (.0)	6	6	-	...	...	32	21	11	...	...
38	With immaturity (.5)	5	5	-	...	...	28	15	13	...	...
39	Other birth injury 761	33	32	1	-	-	115	98	17	-	-
40	Without mention of immaturity (.0)	14	13	1	-	-	39	33	6	-	-
41	With immaturity (.5)	19	19	-	-	-	76	65	11	-	-
42	Postnatal asphyxia and atelectasis 762	42	38	3	1	-	328	248	78	1	1
43	Without mention of immaturity (.0)	14	10	3	1	-	96	74	21	1	-
44	With immaturity (.5)	28	28	-	-	-	232	174	57	-	1
45	Pneumonia of newborn 763	15	13	2	...	...	91	53	38	...	...
46	Without mention of immaturity (.0)	10	9	1	...	...	58	35	23	...	...
47	With immaturity (.5)	5	4	1	...	...	33	18	15	...	...
48	Diarrhea of newborn 764	1	-	1	-	-	13	8	5	-	-
49	Without mention of immaturity (.0)	1	-	1	-	-	12	8	4	-	-
50	With immaturity (.5)	-	-	-	-	-	1	-	1	-	-
51	Other infections of newborn 765-768	1	-	1	-	-	18	11	7	-	-
52	Without mention of immaturity (.0)	1	-	1	-	-	13	7	6	-	-
53	With immaturity (.5)	-	-	-	-	-	5	4	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	2	2	-	-	-	16	12	4	-	-
55	Without mention of immaturity (.0-.4)	-	-	-	-	-	4	2	2	-	-
56	With immaturity (.5-.9)	2	2	-	-	-	12	10	2	-	-
57	Hemolytic disease of newborn (erythroblastosis) 770	14	14	-	-	-	31	29	2	-	-
58	Without mention of immaturity (.0-.2)	11	11	-	-	-	22	21	1	-	-
59	With immaturity (.5-.7)	3	3	-	-	-	9	8	1	-	-
60	Hemorrhagic disease of newborn 771	4	2	2	-	-	15	9	6	-	-
61	Without mention of immaturity (.0)	4	2	2	-	-	8	6	2	-	-
62	With immaturity (.5)	-	-	-	-	-	7	3	4	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	54	45	7	-	2	207	152	35	10	10
64	Without mention of immaturity (.0)	8	6	2	-	-	76	49	10	8	9
65	With immaturity (.5)	46	39	5	-	2	131	103	25	2	1
66	Immaturity with mention of any other subsidiary condition 774	5	5	-	-	-	24	14	3	5	2
67	Immaturity, unqualified 776	73	60	12	1	-	459	290	164	1	4
68	Symptoms and ill-defined conditions 780-793,795	9	2	2	1	4	170	34	34	50	52
69	All other diseases Residual	4	1	-	2	1	32	2	3	21	6
70	Accidents E800-E962	16	2	-	13	1	95	11	5	56	23
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	7	1	-	6	-	34	8	2	17	7
72	Accidental mechanical suffocation in bed and cradle E924	3	-	-	3	-	18	-	-	12	6
73	Other accidental causes E800-E920,E923,E925-E962	6	1	-	4	1	43	3	3	27	10
74	Homicide E964,E980-E984	-	-	-	-	-	4	2	-	2	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

TEXAS					UTAH					VERMONT					VIRGINIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
6,568	3,630	903	1,451	584	538	387	13	125	13	255	194	-	61	-	2,722	1,292	654	399	377	1
38	1	2	28	7	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	2
58	-	-	41	17	2	-	-	2	-	1	-	-	1	-	4	-	-	2	2	3
6	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
10	-	1	8	1	-	-	-	-	-	2	-	-	2	-	8	-	-	8	-	5
26	11	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
49	12	5	21	11	3	-	-	3	-	2	-	-	2	-	17	1	2	11	3	7
9	1	-	8	-	1	-	-	1	-	1	-	-	1	-	8	1	-	7	-	8
7	4	2	1	-	3	3	-	-	-	-	-	-	-	-	2	-	1	-	1	9
5	-	-	5	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	10
59	14	1	33	11	3	-	-	3	-	1	-	-	1	-	19	6	2	6	5	11
75	20	2	46	7	4	1	1	2	-	2	2	-	-	-	21	2	2	15	2	12
10	-	-	7	3	2	-	-	2	-	1	-	-	1	-	10	1	-	2	7	13
512	-	-	334	178	29	-	-	26	3	16	-	-	16	-	223	-	-	101	122	14
13	-	-	7	6	1	-	-	1	-	-	-	-	-	-	7	-	-	3	4	15
499	...	...	327	172	28	...	...	25	3	16	...	...	16	-	216	...	...	98	118	16
35	1	-	24	10	-	-	-	-	-	3	-	-	3	-	6	-	-	5	1	17
64	11	3	28	22	7	1	-	6	-	4	-	-	4	-	65	-	-	29	36	18
4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
34	-	1	16	17	2	1	-	1	-	1	-	-	1	-	50	-	-	20	30	20
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	2	1	3	3	5	-	-	5	-	3	-	-	3	-	15	-	-	9	6	22
16	8	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
56	36	4	12	4	6	5	-	1	-	1	1	-	-	-	24	19	-	2	3	24
318	-	1	221	96	9	-	-	5	4	5	-	-	5	-	58	-	1	16	41	25
42	21	7	9	5	3	-	-	3	-	2	-	-	2	-	21	9	1	8	3	26
828	478	62	245	43	93	61	2	29	1	38	25	-	13	-	366	183	39	106	38	27
60	30	2	26	2	-	-	-	-	-	3	1	-	2	-	27	15	1	11	-	28
89	40	6	37	6	6	3	-	3	-	4	4	-	-	-	39	12	2	17	8	29
392	204	28	138	22	58	36	2	19	1	17	7	-	10	-	167	75	18	52	22	30
287	204	26	44	13	29	22	-	7	-	14	13	-	1	-	133	81	18	26	8	31
3,819	2,915	752	109	43	324	310	10	3	1	160	160	-	-	-	1,661	1,043	569	14	35	32
510	436	72	2	-	38	34	4	-	-	35	35	-	-	-	221	152	68	1	-	33
243	204	38	1	-	14	12	2	-	-	15	15	-	-	-	107	64	42	1	-	34
267	232	34	1	-	24	22	2	-	-	20	20	-	-	-	114	88	26	-	-	35
186	156	30	...	...	8	7	1	...	...	10	10	-	...	...	87	63	24	...	...	36
124	104	20	...	...	4	4	-	...	...	6	6	-	...	...	53	35	18	...	...	37
62	52	10	...	...	4	3	1	...	...	4	4	-	...	...	34	28	6	...	...	38
324	280	42	2	-	30	27	3	-	-	25	25	-	-	-	134	89	44	1	-	39
119	100	18	1	-	10	8	2	-	-	9	9	-	-	-	54	29	24	1	-	40
205	180	24	1	-	20	19	1	-	-	16	16	-	-	-	80	60	20	-	-	41
1,009	836	151	18	4	126	121	3	2	-	30	30	-	-	-	490	325	161	2	2	42
335	260	56	15	4	29	27	-	2	-	8	8	-	-	-	141	87	53	1	-	43
674	576	95	3	-	97	94	3	-	-	22	22	-	-	-	349	238	108	1	2	44
222	148	74	...	...	4	4	-	...	...	7	7	-	...	...	104	52	52	...	...	45
164	108	56	...	...	4	4	-	...	...	3	3	-	...	...	67	32	35	...	...	46
58	40	18	...	...	-	-	-	...	...	4	4	-	...	...	37	20	17	...	...	47
42	27	13	1	1	2	2	-	-	-	-	-	-	-	-	10	2	8	-	-	48
38	24	12	1	1	2	2	-	-	-	-	-	-	-	-	8	1	7	-	-	49
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
58	43	15	-	-	7	7	-	-	-	-	-	-	-	-	30	16	13	-	1	51
43	36	7	-	-	6	6	-	-	-	-	-	-	-	-	18	12	6	-	-	52
15	7	8	-	-	1	1	-	-	-	-	-	-	-	-	12	4	7	-	1	53
67	53	14	-	-	4	4	-	-	-	1	1	-	-	-	24	17	7	-	-	54
20	14	6	-	-	1	1	-	-	-	-	-	-	-	-	13	9	4	-	-	55
47	39	8	-	-	3	3	-	-	-	1	1	-	-	-	11	8	3	-	-	56
94	88	5	1	-	17	17	-	-	-	6	6	-	-	-	38	35	3	-	-	57
86	81	5	-	-	16	16	-	-	-	5	5	-	-	-	30	28	2	-	-	58
8	7	-	1	-	1	1	-	-	-	1	1	-	-	-	8	7	1	-	-	59
29	21	8	-	-	-	-	-	-	-	2	2	-	-	-	15	7	8	-	-	60
20	14	6	-	-	-	-	-	-	-	1	1	-	-	-	13	7	6	-	-	61
9	7	2	-	-	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	62
580	384	101	66	29	43	41	-	1	1	21	21	-	-	-	243	142	69	8	24	63
222	113	24	58	27	10	8	-	1	1	3	3	-	-	-	75	36	14	6	19	64
358	271	77	8	2	33	33	-	-	-	18	18	-	-	-	168	106	55	2	5	65
78	50	8	17	3	10	10	-	-	-	4	4	-	-	-	42	17	17	2	6	66
1,130	829	291	4	6	73	70	3	-	-	54	54	-	-	-	444	278	163	1	2	67
146	47	21	46	32	10	1	-	9	-	6	1	-	5	-	93	12	24	18	39	68
100	25	4	50	21	4	1	-	3	-	2	2	-	-	-	38	8	6	12	12	69
281	30	17	166	68	32	3	-	26	3	7	2	-	5	-	71	6	5	36	24	70
84	14	8	46	16	14	2	-	11	1	2	-	-	2	-	32	4	5	17	6	71
79	4	3	48	24	6	1	-	5	-	2	1	-	1	-	16	1	-	5	10	72
118	12	6	72	28	12	-	-	10	2	3	1	-	2	-	23	1	-	14	8	73
15	3	4	6	2	1	1	-	-	-	-	-	-	-	-	5	1	2	1	1	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	CAUSE OF DEATH	WASHINGTON					WEST VIRGINIA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,476	968	90	367	53	1,042	724	42	253	23
2	Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia---053	1	-	-	-	1	1	-	-	1	-
4	Whooping cough---056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections---057	1	-	-	1	-	4	-	-	4	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	14	1	-	12	1	3	-	-	3	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	8	1	-	7	-	5	3	-	2	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	2	1	-	1	-	-	-	-	-	-
10	Diseases of thymus gland---273	2	-	-	2	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	14	[illegible]		12	2	3	1	-	1	1
12	Other diseases of nervous system and sense organs---330-334,341-[illegible]	8	-	-	5	3	3	-	-	3	-
13	Acute upper respiratory infections---470-475	10	-	-	10	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn---480-[illegible]	163	-	-	133	26	102	-	-	92	10
15	Influenza---480-[illegible]	1	-	-	1	-	5	-	-	4	1
16	Pneumonia, except pneumonia of newborn---490-493	158	...	...	132	26	97	...	...	88	9
17	Bronchitis---500-502	18	3	-	14	1	5	-	-	5	-
18	Other diseases of respiratory system---510-512,525-527	26	6	-	18	2	7	2	-	5	-
19	Pulmonary congestion and hypostasis---522	4	3	-	-	1	1	1	-	-	-
20	Other chronic interstitial pneumonia---516	7	-	-	6	1	2	-	-	2	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---517,[illegible]	11	-	-	11	-	3	1	-	2	-
23	All other diseases of respiratory system---510-521,527,[illegible]	4	3	-	1	-	1	-	-	1	-
24	Hernia and intestinal obstruction---550-[illegible]	10	7	-	3	-	11	6	-	5	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	16	-	-	12	4	14	-	-	13	1
26	Other diseases of digestive system---530-542,544-553,573-587	11	6	1	4	-	6	4	-	2	-
27	Congenital malformations---750-759	222	148	5	65	4	168	120	1	45	2
28	Spina bifida and meningocele---751	8	4	-	4	-	18	12	-	6	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	16	4	2	10		6	4	-	1	1
30	Congenital malformations of circulatory system---[illegible]	129	85	2	38	3	83	54	-	28	1
31	Other congenital malformations---750,755-759	70	55	1	13	1	61	50	1	10	-
32	Certain diseases of early infancy---760-776	865	773	81	8	3	624	564	38	17	5
33	Birth injuries---760,761	146	138	8	-	-	92	92	-	-	-
34	Without mention of immaturity (.0)	45	41	4	-	-	39	39	-	-	-
35	With immaturity (.5)	101	97	4	-	-	53	53	-	-	-
36	Intracranial and spinal injury at birth---760	29	28	1	...	...	24	24	-	...	...
37	Without mention of immaturity (.0)	17	16	1	...	...	14	14	-	...	...
38	With immaturity (.5)	12	12	-	...	...	10	10	-	...	...
39	Other birth injury---761	117	110	7	-	-	68	68	-	-	-
40	Without mention of immaturity (.0)	28	25	3	-	-	25	25	-	-	-
41	With immaturity (.5)	89	85	4	-	-	43	43	-	-	-
42	Postnatal asphyxia and atelectasis---762	274	242	25	6	1	199	184	12	3	-
43	Without mention of immaturity (.0)	81	73	2	5	1	45	38	4	3	-
44	With immaturity (.5)	193	169	23	1	-	154	146	8	-	-
45	Pneumonia of newborn---763	22	18	4	...	...	39	36	3	...	...
46	Without mention of immaturity (.0)	17	13	4	...	...	27	26	1	...	...
47	With immaturity (.5)	5	5	-	...	...	12	10	2	...	...
48	Diarrhea of newborn---764	2	1	1	-	-	7	5	2	-	-
49	Without mention of immaturity (.0)	1	-	1	-	-	3	3	-	-	-
50	With immaturity (.5)	1	1	-	-	-	4	2	2	-	-
51	Other infections of newborn---765-768	5	5	-	-	-	4	4	-	-	-
52	Without mention of immaturity (.0)	2	2	-	-	-	2	2	-	-	-
53	With immaturity (.5)	3	3	-	-	-	2	2	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	11	10	1	-	-	6	6	-	-	-
55	Without mention of immaturity (.0-.4)	[illegible]	[illegible]	-	-	-	1	1	-	-	-
56	With immaturity (.5-.9)	9	7	1	-	-	5	5	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---[illegible]	[illegible]	[illegible]	-	-	-	20	20	-	-	-
58	Without mention of immaturity (.0-.2)	32	[illegible]		-	-	19	19	-	-	-
59	With immaturity (.5-.7)	7	7	-	-	-	1	1	-	-	-
60	Hemorrhagic disease of newborn---771	11	8	3	-	-	6	6	-	-	-
61	Without mention of immaturity (.0)	5	5	-	-	-	3	3	-	-	-
62	With immaturity (.5)	6	3	3	-	-	3	3	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,775	106	89	17	-	2	86	68	2	11	5
64	Without mention of immaturity (.0)	29	23	4	-	2	34	21	1	9	3
65	With immaturity (.5)	79	66	13	-	-	52	47	1	2	2
66	Immaturity with mention of any other subsidiary condition---774	15	13	1	1	-	12	11	-	1	-
67	Immaturity, unqualified---775	228	206	21	1	-	153	132	19	2	-
68	Symptoms and ill-defined conditions---780-795,798	15	3	2	8	2	35	12	3	19	1
69	All other diseases---Residual	14	0	1	12	-	10	8	-	8	2
70	Accidents---E800-E962	46	6	-	40	4	35	6	-	28	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E911,E922	26	4	-	20	2	10	2	-	7	1
72	Accidental mechanical suffocation in bed and cradle---E[illegible]	10	-	-	10	-	10	-	-	10	-
73	Other accidental causes---E800-E920,E924,E925-E962	14	2	-	10	2	15	4	-	11	-
74	Homicide---E964,E960-E964	2	2	-	-	-	-	-	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1961—Continued

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WISCONSIN					WYOMING					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,233	1,603	88	508	34	231	169	11	46	5	1
-	-	-	-	-	-	-	-	-	-	2
5	-	-	5	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	4
3	-	-	3	-	1	-	-	1	-	5
-	-	-	-	-	-	-	-	-	-	6
21	6	-	12	3	-	-	-	-	-	7
10	4	-	6	-	-	-	-	-	-	8
4	3	-	1	-	-	-	-	-	-	9
3	1	-	2	-	-	-	-	-	-	10
12	1	-	10	1	2	-	-	2	-	11
22	5	-	17	-	2	-	-	2	-	12
5	1	-	4	-	1	-	-	1	-	13
175	-	-	163	12	17	-	-	15	2	14
11	-	-	11	-	2	-	-	2	-	15
164	...	...	152	12	15	...	...	13	2	16
10	-	-	10	-	1	-	-	1	-	17
23	5	-	18	-	1	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	19
15	1	-	14	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	21
5	2	-	3	-	1	-	-	1	-	22
3	2	-	1	-	-	-	-	-	-	23
15	11	1	3	-	2	1	-	1	-	24
16	-	-	12	4	5	-	-	4	1	25
18	7	-	11	-	-	-	-	-	-	26
364	222	9	126	7	31	26	-	5	-	27
22	14	-	8	-	-	-	-	-	-	28
35	14	-	21	-	1	1	-	-	-	29
176	91	6	72	7	14	11	-	3	-	30
131	103	3	25	-	16	14	-	2	-	31
1,407	1,317	78	10	2	149	136	11	2	-	32
301	286	14	1	-	29	26	3	-	-	33
85	78	6	1	-	11	11	-	-	-	34
216	208	8	-	-	18	15	3	-	-	35
50	48	2	...	...	8	6	2	...	...	36
33	32	1	...	...	5	5	-	...	...	37
17	16	1	...	...	3	1	2	...	...	38
251	238	12	1	-	21	20	1	-	-	39
52	46	5	1	-	6	6	-	-	-	40
199	192	7	-	-	15	14	1	-	-	41
296	271	20	4	1	32	30	2	-	-	42
91	82	6	3	-	8	7	1	-	-	43
205	189	14	1	1	24	23	1	-	-	44
56	53	3	...	...	7	7	-	...	...	45
47	44	3	...	...	3	3	-	...	...	46
9	9	-	...	...	4	4	-	...	...	47
4	4	-	-	-	-	-	-	-	-	48
3	3	-	-	-	-	-	-	-	-	49
1	1	-	-	-	-	-	-	-	-	50
16	15	1	-	-	2	2	-	-	-	51
8	8	-	-	-	-	-	-	-	-	52
8	7	1	-	-	2	2	-	-	-	53
29	29	-	-	-	5	5	-	-	-	54
11	11	-	-	-	3	3	-	-	-	55
18	18	-	-	-	2	2	-	-	-	56
57	55	2	-	-	3	3	-	-	-	57
45	43	2	-	-	2	2	-	-	-	58
12	12	-	-	-	1	1	-	-	-	59
8	8	-	-	-	1	1	-	-	-	60
6	6	-	-	-	1	1	-	-	-	61
2	2	-	-	-	-	-	-	-	-	62
204	180	22	2	-	21	19	1	1	-	63
38	37	-	1	-	8	7	-	1	-	64
166	143	22	1	-	13	12	1	-	-	65
19	14	2	2	1	4	3	-	1	-	66
417	402	14	1	-	45	40	5	-	-	67
7	2	-	5	-	1	1	-	-	-	68
37	8	-	28	1	4	-	-	2	2	69
73	9	-	61	3	13	4	-	9	-	70
22	5	-	16	1	7	2	-	5	-	71
22	3	-	17	2	2	1	-	1	-	72
29	1	-	28	-	4	1	-	3	-	73
3	1	-	1	1	1	1	-	-	-	74

Section 4. Fetal Mortality

Page

Trend of the fetal death ratio ---------- 4-3

Fetal deaths by age of mother, gestation, and legitimacy ---------- 4-3

Fetal deaths by sex and plurality ---------- 4-7

Fetal deaths by period of gestation and geographic area ---------- 4-8

Fetal death ratios by State ---------- 4-8

Figure

4-1. Fetal death ratios by color: Birth-registration States, 1922-61 ---------- 4-7

Text Tables

4-A. Minimum period of gestation for which fetal death registration is required and fetal deaths by period of gestation: United States and each State, 1961 ---------- 4-4

4-B. Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-32, and United States, 1933-61 --- 4-5

4-C. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1961 ---------- 4-6

4-D. Fetal deaths and fetal death ratios, by legitimacy status, age of mother, and color: Total of 35 reporting States, 1961 ---------- 4-6

4-E. Fetal deaths and fetal death rates, by plurality of birth, color, and sex: United States, 1961 ---------- 4-8

4-F. Fetal deaths and fetal death ratios, by period of gestation and color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for urban and rural areas in the United States: 1961 ---------- 4-9

4-G. Fetal death ratios by color: United States, each division and State, 1956-61 ---------- 4-11

General Tables

4-1. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1961 ---------- 4-12

4-2. Fetal deaths by month and color: United States and each State, 1961 ---------- 4-15

4-3. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1961 ---------- 4-17

4-4. Fetal deaths by age of mother and race: United States and each State, 1961 ---------- 4-19

4-5. Fetal deaths by total-birth order and color: United States and each State, 1961 ---------- 4-23

4-6. Fetal deaths by attendant, gestation group, and color: United States and each State, 1961 ---------- 4-25

4-7. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1961 ---------- 4-28

4-8. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1961 ---------- 4-29

4-9. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1961 ---------- 4-30

4-10. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1961 ---------- 4-33

SECTION 4: FETAL MORTALITY

The total number of fetal deaths registered in the United States for 1961 was 97,007. Of these, 68,767 are recorded as having occurred at gestation periods of 20 weeks or over or with gestation not stated and 28,240 at earlier periods. Nine States and New York City required registration of fetal deaths at all gestations in 1961, and these areas account for nearly all of the early fetal deaths recorded during the year. The minimum period of gestation for which fetal death registration is required is shown for each State in table 4-A.

Except for table 4-B, which shows ratios based on all reported fetal deaths, the fetal death rates and ratios presented in this report are based on occurrences at gestations of 20 weeks or over or with gestation not stated. The period of 20 weeks or over is used because it is the maximum span for which registration is required in every State.

As has been noted in previous years, fetal deaths appear not to be fully reported, especially those which occur at gestations of 20-23 weeks. Further information on underreporting in New York City based on a sample of patients of private physicians is given in a special study.[1] The sample contained 530 fetal deaths of which 171 were not reported to the department of health, a deficiency in reporting of 32.3 percent. For two gestation groups the figures are:

	Gestation at termination	
	Under 20 weeks	*20 weeks or over*
Total	345	185
Not reported	139	32
Percent not reported	40.8	17.3

New York City was the first registration area to require reporting of fetal deaths of all gestations. Since this requirement was put into effect in 1948, the department of health in that city has devoted considerable effort toward securing complete registration. It is therefore probable that New York City has achieved a level of completeness equal or superior to that found in most of the other parts of the country. Even so, about one-third of these events and about one-sixth of those occurring after gestations of 20 weeks may be unreported.

Also, the comparatively large number of fetal-death certificates which do not contain information as to length of pregnancy complicates the problem of computing ratios based on events at gestations of 20 weeks or over. About one-fifth of the fetal deaths at gestations of 20 weeks or over in the United States were recorded in areas which require the registration of fetal deaths at all gestations. Out of a total of 7,204 fetal deaths registered for the entire United States, these areas registered 3,255 fetal deaths for which gestation was not reported. In view of the registration requirements in these areas, it cannot be assumed that the fetal deaths for which gestation information is not given belong chiefly to the 20 weeks and over group.

Prior to September 1960, gestation information was not requested on the certificates for Massachusetts. This question now appears on the fetal-death certificates in that State and has removed a sizable number of records from the category of gestation unknown for 1961. Further reduction in the number of these *unknowns* is needed, however, to provide the basis for more accurate rates.

Trend of the fetal death ratio

Fetal death ratios based on events reported as having occurred at gestations of 20 weeks or over or with gestation not stated are given in table 4-B for each year from 1942 to the present. The slight rise from 16.3 in 1957 to 16.5 in 1958 is the only exception to a steady downward trend resulting in a ratio of 16.1 per 1,000 live births for 1960 and 1961, which is less than two-thirds the ratio of 25.6 shown for 1942 when this series was begun. Ratios by color are shown in figure 4-1. Proportionally, the decrease among nonwhites has been somewhat greater than among whites, although the former ratio continues to be substantially higher. The ratio of 14.1 for whites for 1960 and 1961 was the lowest ever recorded. The ratio of 27.0 recorded for nonwhites in 1961 was above the previous lows of 26.8 reached in 1957 and in 1960.

Fetal deaths by age of mother, gestation, and legitimacy

Comparison of fetal losses prior to 20 weeks with those which occur after 20 weeks can be made for areas which require reporting of fetal losses at all gestations. There were 10 such areas in 1961, as shown in the headnote of table 4-C. This table presents frequencies and percentage distribution of fetal deaths by age of mother for these two gestation periods as well as fetal deaths for which gestation

[1] Unpublished fetal mortality data—derived from work sheets used in preparing a thesis for Harvard School of Public Health, April 1962—supplied in a letter of August 9, 1962, from Carl L. Erhardt, Sc. D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

Table 4-A. Minimum Period of Gestation for Which Fetal Death Registration is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1961

(By place of occurrence)

AREA	Minimum period of gestation for which fetal death registration is required	Total fetal deaths	PERIOD OF GESTATION[1]											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
UNITED STATES	...	97,007	23,192	5,048	7,890	7,302	7,461	8,515	5,020	7,804	14,482	2,165	944	7,204
Alabama	Advanced through 5th month (20 weeks)	1,717	2	15	140	191	181	180	141	156	546	17	4	144
Alaska	After 20 weeks	90	1	-	4	13	13	12	9	19	13	3	-	3
Arizona	Advanced to 20th week	513	1	3	50	43	48	63	38	75	143	13	7	29
Arkansas	All periods of gestation	924	[2]139	44	76	59	76	60	54	41	199	5	2	169
California	Advanced to 20th week	4,910	11	28	267	403	421	698	208	815	303	416	252	1,088
Colorado	All periods of gestation	2,200	[2]1,213	240	101	72	87	73	57	82	100	26	4	145
Connecticut	20 weeks	693	1	3	87	77	82	97	69	101	130	14	9	23
Delaware	After 20 weeks	167	-	1	19	12	15	19	8	21	44	5	2	21
District of Columbia	After 5th month	529	4	7	47	58	68	78	33	88	32	35	19	60
Florida	Advanced to 20th week	1,900	-	1	168	214	237	235	193	223	559	34	14	22
Georgia	All periods of gestation	3,437	[2]1,120	291	315	244	245	217	164	175	457	18	6	185
Hawaii	All periods of gestation	1,095	[2]749	92	62	20	29	36	24	29	41	7	1	5
Idaho	After 20 weeks	179	-	2	12	16	12	14	16	16	23	6	-	62
Illinois	After 20 weeks	3,497	12	37	353	416	379	464	289	387	1,035	77	31	17
Indiana	20 weeks	1,570	4	15	140	123	160	155	106	166	377	44	15	265
Iowa	Advanced to 5th month (20 weeks)	740	-	1	66	46	60	101	44	121	168	28	9	96
Kansas	After 20 weeks[3]	586	3	6	47	60	72	90	50	81	132	28	12	5
Kentucky	20 weeks	1,145	3	4	85	135	119	137	107	129	384	19	6	17
Louisiana	After 20 weeks	1,469	4	13	123	170	234	211	141	152	392	14	3	12
Maine	All periods of gestation	417	[2]51	26	31	34	36	42	20	37	50	5	3	82
Maryland	20 weeks[4]	1,178	34	39	101	101	104	156	53	159	40	64	38	289
Massachusetts	20 weeks	1,585	3	5	168	168	176	244	135	222	254	64	30	96
Michigan	After 20 weeks	2,739	6	34	265	298	300	347	238	318	676	85	24	148
Minnesota	After 20 weeks	1,091	6	9	82	91	112	137	70	157	223	41	19	144
Mississippi	All periods of gestation	2,563	[2]841	206	203	180	190	145	92	79	504	12	3	128
Missouri	After 20 weeks	1,534	18	30	144	162	167	183	130	155	357	50	13	125
Montana	After 20 weeks	196	-	-	6	12	11	20	23	33	49	11	6	25
Nebraska	5 months	427	-	7	39	33	41	60	34	64	66	13	6	64
Nevada	After 20 weeks	83	-	-	11	14	6	11	8	8	18	3	-	4
New Hampshire	Advanced to 20th week	206	-	-	23	17	22	25	14	24	44	9	1	27
New Jersey	After 20 weeks	2,037	19	29	212	220	231	272	143	235	434	60	27	155
New Mexico	After 20 weeks	385	-	2	22	38	44	32	30	47	92	13	6	59
New York (excl. N.Y.C.)	20 weeks	2,850	3	21	311	287	306	436	207	386	669	103	27	94
New York City	All periods of gestation	22,076	[2]14,210	2,326	1,306	700	506	532	167	538	197	263	133	1,198
North Carolina	Advanced to 20th week	2,203	2	6	226	265	300	280	149	225	672	44	16	18
North Dakota	Advanced to 20th week	221	2	2	29	24	22	27	18	40	46	9	1	1
Ohio	20 weeks	3,196	-	4	362	343	340	441	258	377	666	101	45	259
Oklahoma	After 20 weeks	656	1	7	26	50	67	87	38	38	183	6	1	172
Oregon	All periods of gestation	1,272	[2]522	159	94	59	54	54	37	65	78	14	4	132
Pennsylvania	After 16 weeks	4,745	3	639	735	521	441	524	326	420	969	103	46	18
Rhode Island	After 20 weeks[3]	397	91	34	38	27	26	44	21	43	54	14	2	3
South Carolina	Advanced to 20th week	1,189	4	9	74	125	164	140	108	77	359	13	8	108
South Dakota	After 20 weeks	274	23	14	26	25	27	35	16	33	64	4	4	3
Tennessee	After 20 weeks	1,444	-	-	147	166	183	204	131	112	478	17	4	2
Texas	After 20 weeks	3,914	6	39	370	414	474	506	406	437	1,086	81	24	71
Utah	After 20 weeks	263	1	2	17	22	22	31	18	46	44	11	3	46
Vermont	All periods of gestation	338	[2]143	20	26	19	18	12	12	26	19	10	4	29
Virginia	All periods of gestation	7,324	[2]3,930	550	323	222	222	183	137	152	371	37	15	1,182
Washington	After 20 weeks	775	3	6	90	93	92	112	68	113	145	27	6	20
West Virginia	5 months[5]	713	2	11	66	74	66	77	43	72	201	12	6	83
Wisconsin	After 20 weeks	1,247	-	9	131	135	143	180	113	176	250	54	21	35
Wyoming	After 20 weeks	108	1	-	4	11	10	16	6	13	26	3	2	16

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 1-3 months to "Under 16 weeks"; 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."

[2]For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas	1	18	65	55
Colorado	25	243	576	369
Georgia	9	235	497	379
Hawaii	10	109	359	271
Maine	-	7	23	21
Mississippi	16	206	319	300
New York City	393	2,411	6,618	4,788
Oregon	5	111	232	174
Vermont	1	18	79	45
Virginia	53	951	1,869	1,057

[3]This State asks but does not require that all fetal deaths be reported irrespective of the month of uterogestation.

[4]For the independent city of Baltimore, registration of fetal deaths is required after 20 weeks of gestation, effective July 1, 1961.

[5]This State specifies as an alternate requirement "an infant that has advanced . . . to a total length of ten inches."

Table 4-B. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-61

(Data refer only to fetal deaths occurring within the specified area. Ratios per 1,000 live births in specified group)

AREA AND YEAR	ALL FETAL DEATHS REPORTED REGARDLESS OF PERIOD OF GESTATION						FETAL DEATHS AT GESTATIONS OF 20 WEEKS OR MORE AND NOT STATED					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES[1]												
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,728	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,336	22.2	19.2	38.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES[2]												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	38.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

Table 4-C. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1961

(By place of residence. Includes fetal deaths for areas in the United States which required reporting of all periods of gestation. These areas are: Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia)

AGE OF MOTHER	NUMBER				PERCENT[1]			
	Total	Period of gestation			Total	Period of gestation		
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated
TOTAL	40,300	25,793	11,349	3,158	100.0	100.0	100.0	100.0
Under 15 years	85	32	47	6	0.2	0.1	0.4	0.2
15-19 years	4,068	2,219	1,535	314	10.2	8.7	13.7	10.2
20-24 years	11,036	7,252	2,899	885	27.7	28.3	25.9	28.7
25-29 years	10,336	6,988	2,575	773	25.9	27.3	23.0	25.0
30-34 years	7,481	4,898	2,031	562	18.8	19.1	18.1	18.2
35-39 years	4,913	3,044	1,502	367	12.3	11.9	13.4	11.9
40-44 years	1,821	1,087	570	164	4.6	4.2	5.1	5.3
45 years and over	157	92	48	17	0.4	0.4	0.4	0.6
Not stated	393	181	142	70	...	...	...	...

[1]Excludes fetal deaths for which age of mother was not stated.

Table 4-D. Fetal Deaths and Fetal Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 35 Reporting States, 1961

(By place of residence. Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For States reporting legitimacy status, see Technical Appendix)

AGE OF MOTHER AND COLOR	NUMBER			RATIO[3]		
	Total	Legitimate[1]	Illegitimate[2]	Total	Legitimate[1]	Illegitimate[2]
TOTAL	45,894	41,485	4,409	15.9	15.3	25.4
Under 15 years	156	43	113	29.5	29.0	29.5
15-19 years	5,734	4,390	1,344	13.9	12.8	19.8
20-24 years	11,392	10,252	1,140	11.7	11.2	21.8
25-29 years	10,093	9,416	677	14.1	13.6	28.5
30-34 years	8,675	8,135	540	19.4	18.8	38.5
35-39 years	6,527	6,118	409	27.7	26.8	51.9
40 years and over	2,832	2,680	152	42.2	41.4	65.7
Not stated	485	451	34	...	...	...
White	33,096	31,811	1,285	13.8	13.6	21.5
Under 15 years	55	24	31	29.4	23.9	34.5
15-19 years	3,733	3,351	382	11.8	11.4	16.1
20-24 years	8,532	8,166	366	10.4	10.2	18.8
25-29 years	7,445	7,278	167	12.3	12.2	22.7
30-34 years	6,231	6,081	150	16.5	16.3	35.5
35-39 years	4,661	4,543	118	23.6	23.3	45.5
40 years and over	2,066	2,009	57	36.8	36.4	64.9
Not stated	373	359	14	...	...	...
Nonwhite	12,798	9,674	3,124	26.8	26.5	27.5
Under 15 years	101	19	82	29.6	39.7	28.0
15-19 years	2,001	1,039	962	21.1	20.5	21.8
20-24 years	2,860	2,086	774	19.3	18.1	23.6
25-29 years	2,648	2,138	510	24.5	23.4	31.2
30-34 years	2,444	2,054	390	34.9	34.1	39.8
35-39 years	1,866	1,575	291	48.6	47.5	55.1
40 years and over	766	671	95	70.0	70.6	66.2
Not stated	112	92	20	...	...	...

[1]Includes legitimacy not stated.
[2]Since the revised certificate of fetal death for Virginia introduced during 1961 did not contain a question on legitimacy status, the count of illegitimate fetal deaths for this State is understated.
[3]Figures for age of mother not stated are distributed.

FIGURE 4-1



was not given on the certificates. The percentage of fetal deaths at gestations of less than 20 weeks is considerably lower for mothers under age 20 than is the case for fetal deaths of longer gestations. This result is similar to that which has been found in previous years. A possible explanation for this is that the early fetal deaths may not be as well reported among the younger mothers because of the high proportion of illegitimate births at these ages.

Information concerning illegitimate fetal deaths by age of mother and color is given in table 4-D. The data for this table are provided by 35 States in which legitimacy is reported on fetal-death certificates. Except for two categories where frequencies are extremely small (nonwhite mothers under 15 years of age and 40 years and over), the fetal death ratios for illegitimate births are higher in every age category than those for legitimate births. It may also be noted that the differences in these ratios are generally smaller among nonwhites than among whites.

Ratios for all fetal deaths in each age group show that some important differences exist when age of mother alone is considered. Ratios are lowest for mothers in the group 20-24 years. In the age groups immediately below and above this (15-19 and 25-29 years) the ratio increases slightly, but it is still below the average for mothers of all ages. With increasing age, the fetal death ratio increases sharply. The fetal death ratio for mothers under 15 years of age is 29.5, nearly double that for all ages. With minor variations, this pattern holds for both whites and nonwhites.

Fetal deaths by sex and plurality

Fetal deaths and fetal death rates (per 1,000 live births and appropriate fetal deaths) are given in table 4-E. Fetal death rates are lower than ratios computed for the same data because of the addition of the fetal death component to the denominator of the rate. They are also more meaningful since the sum of births and fetal deaths represents the entire population known to be exposed to the risk of fetal death. The use of ratios in other fetal death tables has been deemed satisfactory because in groups where the ratios do not vary too greatly among themselves the effect of omitting fetal deaths from the denominator is approximately the same for all ratios in the table and they are therefore comparable. The variation in relative incidence of fetal death between the groups presented in table 4-E is too great to permit the use of ratios. About 6 percent of all fetal deaths in 1961 occurred in plural births. In comparison, 2.0 percent of all live births are plural births. The fetal death rate among twins is 43.6, about three times the fetal death rate for single births. For other plural deliveries (triplets or higher) the rate is 85.7,

Table 4-E. Fetal Deaths and Fetal Death Rates, by Plurality of Birth, Color, and Sex: United States, 1961

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group)

PLURALITY OF BIRTH AND COLOR	NUMBER				RATE[1]		
	Total	Male	Female	Sex not stated	Total	Male	Female
TOTAL	68,767	34,481	29,483	4,803	15.9	16.7	15.0
Fetal deaths in single deliveries	64,786	32,425	27,742	4,619	15.3	16.0	14.4
Fetal deaths in twin deliveries	3,871	2,011	1,686	174	43.6	46.9	40.2
Fetal deaths in other plural deliveries	110	45	55	10	85.7	81.3	89.6
White	50,728	25,304	21,976	3,448	13.9	14.5	13.3
Fetal deaths in single deliveries	47,843	23,833	20,697	3,313	13.4	13.9	12.8
Fetal deaths in twin deliveries	2,798	1,431	1,236	131	39.8	42.2	37.4
Fetal deaths in other plural deliveries	87	40	43	4	87.1	92.1	82.9
Nonwhite	18,039	9,177	7,507	1,355	26.3	28.6	24.0
Fetal deaths in single deliveries	16,943	8,592	7,045	1,306	25.4	27.6	23.2
Fetal deaths in twin deliveries	1,073	580	450	43	57.8	64.8	50.8
Fetal deaths in other plural deliveries	23	5	12	6	80.7	47.6	115.9

[1]Figures for "Sex not stated" are distributed.

almost six times that for single deliveries. High fetal death rates among plural deliveries affect both sexes in about the same proportion.

The fetal death rate for males was over 11 percent higher than that for females. The same percentage difference was found for fetal death rates for single born males and single born females. Among twins, the fetal death rate for males was about 17 percent above that for females. Differences between the sexes with respect to rates for multiple deliveries of three or more babies deviate from the above pattern, but the number of cases involved in a single year is too small to allow for valid comparison.

For fetal deaths in single deliveries, the rate for nonwhites was almost double that for whites. The fetal death rate of 57.8 for nonwhite twins, however, was only 45 percent above the rate of 39.8 for white twins. The increase in rates for plural deliveries for both whites and nonwhites is so large that, to some extent, it overshadows the differences observed by color.

Fetal deaths by period of gestation and geographic area

Fetal deaths and fetal death ratios for whites and nonwhites by selected gestation intervals are given for different types of population aggregates in table 4-F. Counties have been classified as metropolitan when containing at least one city of 50,000 inhabitants or more in 1960 or when contiguous to such a county and socially and economically integrated with the city. Counties not meeting these criteria have been classified as nonmetropolitan. This dichotomy has been superimposed on the standard urban and rural classification used in the past, wherein each incorporated place of 2,500 population or more is classified as urban, and all remaining areas as rural. Table 4-F presents these data for the United States.

A comparison by area type shows that the ratios were lowest for residents of the rural areas in metropolitan counties. Actually such areas are more often suburban than rural in character. For whites, ratios for residents of the urban and rural parts of the nonmetropolitan counties were lower than the ratio for residents of the urban areas in metropolitan counties. For nonwhites, however, the ratio for residents of the rural areas in metropolitan counties was lower than that for the residents of the urban parts of metropolitan counties. Ratios for nonwhites were highest in nonmetropolitan counties. The differences in the ratios by geographic classification which have been described in this paragraph were similar to those found in 1960.

Table 4-F also presents fetal deaths and fetal death ratios by gestation, color, and geographic area.

Fetal death ratios by State

Fetal death ratios by color for each division and State are shown for the years 1957 to 1961 in table 4-G. As mentioned previously, fetal deaths are known to be seriously

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
UNITED STATES	68,767	15,192	46,371	7,204	16.1	3.6	10.9	1.7
White	50,728	10,544	34,699	5,485	14.1	2.9	9.6	1.5
Nonwhite	18,039	4,648	11,672	1,719	27.0	7.0	17.5	2.6
Urban	44,512	10,566	29,158	4,788	16.7	4.0	10.9	1.8
White	31,967	7,019	21,432	3,516	14.5	3.2	9.7	1.6
Nonwhite	12,545	3,547	7,726	1,272	26.9	7.6	16.6	2.7
Rural	24,255	4,626	17,213	2,416	15.2	2.9	10.8	1.5
White	18,761	3,525	13,267	1,969	13.5	2.5	9.5	1.4
Nonwhite	5,494	1,101	3,946	447	27.4	5.5	19.7	2.2
Metropolitan counties	44,053	10,440	28,937	4,676	16.1	3.8	10.6	1.7
White	32,473	7,129	21,638	3,506	14.2	3.1	9.5	1.5
Nonwhite	11,580	3,311	7,099	1,170	26.4	7.6	16.2	2.7
Urban	35,342	8,711	22,837	3,794	17.0	4.2	11.0	1.8
White	24,902	5,636	16,540	2,726	14.8	3.3	9.8	1.6
Nonwhite	10,440	3,075	6,297	1,068	26.8	7.9	16.2	2.7
Rural	8,711	1,729	6,100	882	13.3	2.6	9.3	1.4
White	7,571	1,493	5,298	780	12.5	2.5	8.8	1.3
Nonwhite	1,140	236	802	102	23.4	4.9	16.5	2.1
Nonmetropolitan counties	24,714	4,752	17,434	2,528	16.0	3.1	11.3	1.6
White	18,255	3,415	12,861	1,979	13.9	2.6	9.8	1.5
Nonwhite	6,459	1,337	4,573	549	28.2	5.8	19.9	2.4
Urban	9,170	1,855	6,321	994	15.3	3.1	10.6	1.7
White	7,065	1,383	4,892	790	13.6	2.7	9.4	1.5
Nonwhite	2,105	472	1,429	204	27.2	6.1	18.5	2.6
Rural	15,544	2,897	11,113	1,534	16.5	3.1	11.8	1.6
White	11,190	2,032	7,969	1,189	14.2	2.6	10.1	1.5
Nonwhite	4,354	865	3,144	345	28.6	5.7	20.7	2.3
NEW ENGLAND	3,268	732	2,274	262	13.7	3.1	9.5	1.1
White	3,062	658	2,146	258	13.4	2.9	9.4	1.1
Nonwhite	206	74	128	4	21.0	7.5	13.0	0.4
Metropolitan counties	2,407	553	1,709	145	13.3	3.0	9.4	0.8
White	2,225	488	1,596	141	12.9	2.8	9.2	0.8
Nonwhite	182	65	113	4	20.6	7.3	12.8	0.5
Nonmetropolitan counties	861	179	565	117	15.0	3.1	9.9	2.0
White	837	170	550	117	14.9	3.0	9.8	2.1
Nonwhite	24	9	15	-	24.8	9.3	15.5	0
MIDDLE ATLANTIC	14,433	4,285	8,683	1,465	19.6	5.8	11.8	2.0
White	11,161	2,986	7,167	1,008	17.3	4.6	11.1	1.6
Nonwhite	3,272	1,299	1,516	457	35.0	13.9	16.2	4.9
Metropolitan counties	12,309	3,829	7,119	1,361	20.5	6.4	11.9	2.3
White	9,153	2,561	5,680	912	17.9	5.0	11.1	1.8
Nonwhite	3,156	1,268	1,439	449	35.8	14.4	16.3	5.1
Nonmetropolitan counties	2,124	456	1,564	104	15.3	3.3	11.3	0.7
White	2,008	425	1,487	96	15.1	3.2	11.2	0.7
Nonwhite	116	31	77	8	21.5	5.7	14.3	1.5
EAST NORTH CENTRAL	12,208	2,608	8,872	728	14.0	3.0	10.2	0.8
White	9,931	1,996	7,321	614	12.8	2.6	9.5	0.8
Nonwhite	2,277	612	1,551	114	23.2	6.2	15.8	1.2
Metropolitan counties	8,498	1,872	6,249	377	14.2	3.1	10.5	0.6
White	6,377	1,296	4,804	277	12.6	2.6	9.5	0.5
Nonwhite	2,121	576	1,445	100	23.0	6.2	15.7	1.1
Nonmetropolitan counties	3,710	736	2,623	351	13.5	2.7	9.6	1.3
White	3,554	700	2,517	337	13.2	2.6	9.4	1.3
Nonwhite	156	36	106	14	27.1	6.2	18.4	2.4
WEST NORTH CENTRAL	4,697	848	3,414	435	12.9	2.3	9.3	1.2
White	4,149	722	3,022	405	12.1	2.1	8.8	1.2
Nonwhite	548	126	392	30	24.1	5.5	17.2	1.3
Metropolitan counties	2,266	467	1,675	124	13.1	2.7	9.7	0.7
White	1,843	362	1,368	113	11.8	2.3	8.8	0.7
Nonwhite	423	105	307	11	25.1	6.2	18.2	0.7
Nonmetropolitan counties	2,431	381	1,739	311	12.6	2.0	9.0	1.6
White	2,306	360	1,654	292	12.4	1.9	8.9	1.6
Nonwhite	125	21	85	19	21.0	3.5	14.3	3.2
SOUTH ATLANTIC	12,628	2,648	8,024	1,956	19.9	4.2	12.6	3.1
White	7,174	1,396	4,436	1,342	16.0	3.1	9.9	3.0
Nonwhite	5,454	1,252	3,588	614	29.1	6.7	19.2	3.3
Metropolitan counties	6,255	1,367	3,652	1,236	19.2	4.2	11.2	3.8
White	3,743	758	2,110	895	15.9	3.1	9.0	3.8
Nonwhite	2,512	629	1,542	341	27.6	6.9	17.0	3.8
Nonmetropolitan counties	6,373	1,281	4,372	720	20.6	4.1	14.1	2.3
White	3,431	658	2,326	447	16.1	3.1	10.9	2.1
Nonwhite	2,942	623	2,046	273	30.6	6.5	21.3	2.8
EAST SOUTH CENTRAL	5,753	1,215	4,239	299	19.6	4.1	14.4	1.0
White	3,095	628	2,319	146	14.9	3.0	11.2	0.7
Nonwhite	2,660	587	1,920	153	30.7	6.8	22.2	1.8
Metropolitan counties	1,999	450	1,478	71	18.4	4.1	13.6	0.7
White	1,046	224	786	36	13.7	2.9	10.3	0.5
Nonwhite	953	226	692	35	29.4	7.0	21.4	1.1
Nonmetropolitan counties	3,754	765	2,761	228	20.3	4.1	14.9	1.2
White	2,047	404	1,533	110	15.6	3.1	11.7	0.8
Nonwhite	1,707	361	1,228	118	31.5	6.7	22.6	2.2

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1961 -Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
WEST SOUTH CENTRAL	6,750	1,295	5,028	427	15.8	3.0	11.8	1.0
White	4,485	831	3,348	306	13.4	2.5	10.0	0.9
Nonwhite	2,265	464	1,680	121	24.8	5.1	18.4	1.3
Metropolitan counties	3,779	740	2,882	157	15.5	3.0	11.8	0.6
White	2,605	493	1,998	114	13.4	2.5	10.2	0.6
Nonwhite	1,174	247	884	43	24.0	5.0	18.0	0.9
Nonmetropolitan counties	2,971	555	2,146	270	16.2	3.0	11.7	1.5
White	1,880	338	1,350	192	13.3	2.4	9.6	1.4
Nonwhite	1,091	217	796	78	25.7	5.1	18.7	1.8
MOUNTAIN	2,459	457	1,617	385	13.0	2.4	8.6	2.0
White	2,207	417	1,430	360	12.6	2.4	8.2	2.1
Nonwhite	252	40	187	25	17.6	2.8	13.0	1.7
Metropolitan counties	1,267	290	800	177	13.7	3.1	8.6	1.9
White	1,169	264	732	173	13.4	3.0	8.4	2.0
Nonwhite	98	26	68	4	18.6	4.9	12.9	0.8
Nonmetropolitan counties	1,192	167	817	208	12.4	1.7	8.5	2.2
White	1,038	153	698	187	11.9	1.8	8.0	2.1
Nonwhite	154	14	119	21	17.0	1.5	13.1	2.3
PACIFIC	6,571	1,104	4,220	1,247	12.9	2.2	8.3	2.4
White	5,466	910	3,510	1,046	12.3	2.0	7.9	2.3
Nonwhite	1,105	194	710	201	17.3	3.0	11.1	3.2
Metropolitan counties	5,273	872	3,373	1,028	13.0	2.1	8.3	2.5
White	4,312	703	2,764	845	12.3	2.0	7.9	2.4
Nonwhite	961	169	609	183	17.6	3.1	11.2	3.4
Nonmetropolitan counties	1,298	232	847	219	12.6	2.3	8.2	2.1
White	1,154	207	746	201	12.3	2.2	8.0	2.1
Nonwhite	144	25	101	18	15.7	2.7	11.0	2.0

underreported. The extent to which this underreporting varies from one State or division to another is unknown. Hence, comparison of fetal mortality levels between different geographic locations is difficult. Comparisons between one time period and another for the same State or division can be made, however, subject to the assumption that the extent to which fetal deaths were underreported did not vary greatly over a short period of years. Such an assumption would not be warranted in a State where it was known that concerted efforts toward improvement in reporting had been made.

While fetal death ratios for the United States in 1961 were similar to those in 1960 for both whites and nonwhites, moderate changes were experienced in some of the geographic divisions. The ratio for whites in 1961 was unchanged from the previous year in New England, increased in the South Atlantic, East South Central, and West South Central Divisions, and declined in each of the other divisions. The ratio for nonwhites increased somewhat in all but the Middle Atlantic, East North Central, and East South Central Divisions.

For the 51 areas listed in table 4-G the fetal death ratio was lower in 1961 than in 1960 in 31, higher in 17, and equal to 1960 in 3.

Table 4-G. Fetal Death Ratios by Color: United States, Each Division and State, 1957-61

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Ratios for frequencies less than 20 are underlined)

DIVISION AND STATE	1961			1960			1959			1958			1957		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1]	16.1	14.1	27.0	16.1	14.1	26.8	16.2	14.2	27.3	16.5	14.5	27.5	16.3	14.5	26.8
GEOGRAPHIC DIVISIONS:															
New England	13.7	13.4	21.0	13.6	13.4	19.2	13.5	13.3	19.9	15.1	14.8	22.2	13.7	13.5	19.8
Middle Atlantic	19.6	17.3	35.0	19.7	17.5	35.6	19.6	17.3	36.8	19.8	17.7	35.5	19.7	18.0	33.9
East North Central	14.0	12.8	23.2	14.6	13.5	23.7	14.5	13.4	22.8	14.9	13.8	23.7	14.4	13.8	23.7
West North Central	12.9	12.1	24.1	13.2	12.5	23.3	13.5	12.9	21.9	13.9	13.3	23.1	14.0	13.5	22.2
South Atlantic	19.9	16.0	29.1	18.6	14.7	28.1	18.5	14.3	28.2	18.4	14.3	28.1	18.2	14.3	27.3
East South Central	19.6	14.9	30.7	19.8	14.8	31.7	20.0	14.8	32.2	20.1	15.1	32.1	20.1	15.4	31.1
West South Central	15.8	13.4	24.8	15.3	12.9	24.1	16.0	13.4	25.4	16.2	13.8	25.1	15.9	13.5	24.6
Mountain	13.0	12.6	17.6	13.4	13.2	15.5	13.9	13.7	16.6	14.6	14.2	19.7	14.3	14.1	18.1
Pacific[1]	12.9	12.3	17.3	12.9	12.4	16.6	12.9	12.5	17.3	13.1	12.5	18.6	13.1	12.5	18.8
NEW ENGLAND:															
Maine[2]	14.2	14.3	6.1	14.3	14.4	6.5	15.0	15.0	15.9	15.2	15.2	17.7	16.4	16.4	21.7
New Hampshire	15.4	15.2	66.7	12.7	12.7	10.6	13.1	13.1	25.6	14.0	14.0	14.7	16.2	16.0	51.7
Vermont[2]	18.8	18.8	0	15.0	15.0	0	17.1	17.2	0	20.4	20.3	41.7	22.0	22.0	0
Massachusetts	13.4	13.1	21.5	13.7	13.5	18.7	13.2	13.0	18.7	16.4	16.2	21.9	12.6	12.4	16.3
Rhode Island	14.6	14.2	22.6	14.8	14.5	22.8	14.1	13.7	21.6	13.1	13.0	15.0	14.5	14.5	13.1
Connecticut	12.5	11.8	20.8	12.9	12.4	20.5	12.7	12.2	21.4	12.2	11.5	24.6	12.7	12.0	25.1
MIDDLE ATLANTIC:															
New York[2]	22.9	19.9	42.2	23.2	19.9	45.7	23.3	19.8	46.7	23.0	20.1	44.0	22.9	20.4	42.1
New Jersey	15.3	13.8	25.0	15.3	14.1	23.1	15.1	13.8	23.7	15.9	14.6	25.2	15.7	14.6	23.6
Pennsylvania	16.9	15.5	28.4	17.0	15.9	25.7	16.7	15.4	27.8	17.0	15.8	27.7	17.3	16.3	26.8
EAST NORTH CENTRAL:															
Ohio	13.9	13.1	20.9	14.5	13.8	20.7	14.9	13.9	23.4	14.9	14.1	21.2	14.8	13.8	23.9
Indiana	13.8	12.8	24.9	14.0	13.1	23.4	13.8	13.0	23.3	14.4	13.4	26.4	14.5	13.6	25.7
Illinois	14.7	13.0	23.4	15.0	13.2	24.2	14.7	13.3	22.2	15.5	13.8	24.7	15.5	14.1	23.2
Michigan	14.0	12.8	24.2	15.5	14.1	26.4	14.9	13.9	22.9	15.4	14.2	24.5	15.2	14.0	24.4
Wisconsin	12.7	12.1	26.5	13.3	12.8	23.2	12.7	12.3	22.4	12.8	12.5	18.5	13.3	13.0	19.3
WEST NORTH CENTRAL:															
Minnesota	12.4	12.3	20.4	12.0	11.9	17.7	13.2	13.1	20.8	13.0	12.8	23.4	13.4	13.2	23.3
Iowa	11.6	11.5	17.1	11.6	11.5	21.1	11.7	11.6	14.2	12.4	12.3	20.7	12.4	12.4	18.5
Missouri	14.7	12.8	27.1	15.2	13.7	24.2	15.0	13.7	23.6	15.8	14.3	25.0	16.2	15.3	22.4
North Dakota	13.2	13.0	17.6	13.0	12.7	20.8	11.9	11.7	16.3	13.6	13.6	13.2	11.9	11.7	18.8
South Dakota[3]	13.2	13.0	14.6	12.7	11.9	22.4	15.3	14.4	27.5	16.8	17.0	15.2	16.4	15.3	33.1
Nebraska	12.1	11.7	20.2	12.3	12.1	17.8	13.5	13.3	16.6	12.6	12.3	19.5	12.9	12.7	17.2
Kansas	11.9	11.1	22.8	13.9	13.1	26.1	13.0	12.6	18.8	13.9	13.3	21.9	13.4	12.9	21.2
SOUTH ATLANTIC:															
Delaware	14.2	12.1	22.3	15.0	12.5	26.2	13.9	11.9	22.4	17.4	14.6	29.8	19.5	16.4	34.4
Maryland	15.7	13.4	23.6	15.8	13.6	23.4	16.4	14.4	23.0	15.9	13.2	24.8	15.8	13.5	23.6
District of Columbia	18.6	15.1	20.0	20.0	16.3	21.7	18.2	14.6	20.0	16.1	13.9	17.2	18.7	14.1	21.4
Virginia[2]	29.6	26.5	39.0	22.1	19.3	30.3	18.3	14.8	28.5	18.2	14.6	28.7	18.1	14.4	28.8
West Virginia	17.7	17.5	21.8	15.0	14.4	27.2	16.7	16.1	26.5	17.3	17.1	21.2	16.6	16.2	22.6
North Carolina	19.6	14.5	31.0	19.0	14.1	29.5	19.3	13.9	30.7	19.7	14.5	30.5	18.5	13.9	27.7
South Carolina	19.9	12.5	30.0	21.1	13.3	31.7	20.2	12.6	30.4	20.7	13.0	31.0	18.9	12.7	27.1
Georgia[2]	19.8	14.6	29.0	20.5	15.3	30.1	21.2	16.1	30.6	20.5	15.2	30.1	21.3	16.0	30.8
Florida	16.5	12.6	27.3	15.9	12.3	25.6	17.0	13.1	27.4	17.0	13.2	27.1	16.8	13.3	25.9
EAST SOUTH CENTRAL:															
Kentucky	15.9	15.0	26.4	15.2	14.3	25.0	16.1	15.2	25.4	15.9	15.1	24.1	16.9	15.8	27.8
Tennessee	16.9	14.5	25.4	17.1	14.6	25.8	16.5	13.8	25.9	17.7	15.0	27.6	17.5	14.9	26.8
Alabama	21.2	14.8	32.0	21.9	15.1	33.4	21.6	15.0	32.6	21.0	14.6	31.7	20.6	15.2	29.4
Mississippi[2]	25.3	15.9	33.3	26.1	16.0	34.7	27.2	16.1	36.8	27.5	16.6	36.6	27.0	15.8	35.8
WEST SOUTH CENTRAL:															
Arkansas[2]	18.3	15.1	25.7	16.4	12.6	25.2	16.4	11.9	26.9	14.9	10.8	24.7	16.0	12.7	23.3
Louisiana	16.5	10.8	25.3	16.1	11.0	24.2	16.8	12.1	24.1	18.0	12.6	26.4	17.4	12.3	25.3
Oklahoma	12.8	11.4	21.2	13.6	12.1	23.0	13.5	12.4	20.4	13.3	11.8	23.4	13.2	12.3	19.3
Texas	15.8	14.2	24.6	15.1	13.6	23.9	16.1	14.2	27.0	16.3	15.0	24.3	15.8	14.2	25.2
MOUNTAIN:															
Montana	11.2	11.1	11.9	10.8	10.5	14.9	12.7	12.1	21.2	13.5	12.7	25.5	12.2	11.9	16.8
Idaho	10.5	10.4	15.6	12.1	11.8	24.2	11.5	11.4	20.5	12.1	12.0	16.1	11.2	11.2	10.0
Wyoming	13.0	13.0	13.1	11.2	11.1	13.9	14.4	14.3	16.0	15.4	15.2	21.4	15.5	15.4	15.6
Colorado[2]	16.4	16.0	24.6	17.2	17.0	22.6	16.6	16.5	19.7	17.5	17.3	22.7	17.9	17.5	28.1
New Mexico	13.0	12.7	14.6	14.1	14.0	15.0	13.7	13.8	13.6	14.5	14.0	18.5	14.4	14.3	15.0
Arizona	13.9	12.7	20.3	12.7	12.4	14.5	14.2	13.6	17.0	14.4	13.9	17.4	14.0	13.3	17.6
Utah	9.9	9.8	16.1	10.5	10.5	7.2	11.6	11.4	15.8	12.4	12.0	31.0	11.9	11.8	15.2
Nevada	10.1	10.1	10.3	13.9	13.8	14.8	14.3	14.6	12.5	14.3	13.5	19.9	15.9	15.4	20.7
PACIFIC:															
Washington	11.7	11.3	19.4	11.5	11.1	18.2	11.6	11.2	18.2	11.8	11.5	17.3	12.2	11.8	19.6
Oregon[2]	15.7	15.2	30.2	16.1	16.1	17.2	14.7	14.6	18.5	14.4	13.9	32.8	15.3	15.0	27.3
California	12.8	12.1	18.0	12.8	12.2	17.1	13.0	12.5	17.5	13.1	12.5	18.3	13.0	12.4	18.5
Alaska[2]	11.8	11.4	12.5	12.0	10.2	16.1	13.5	14.4	11.8	(11.6)	(10.9)	(13.1)	(10.5)	(9.5)	(12.9)
Hawaii[2] [5]	14.4	15.3	13.9	15.3	17.9	14.1	(15.3)	(16.4)	(14.9)	(13.0)	(13.0)	(13.0)	(13.0)	(12.0)	(13.3)

[1] Excludes Alaska prior to 1959 and Hawaii prior to 1960.
[2] Maine, Vermont, New York City, Virginia (effective July 1, 1960), Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of gestation period. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, ratios for these areas may be overstated as a result of inclusion of some early fetal deaths from the not stated group.
[3] Required reporting of all fetal deaths through June 1959, after which the registration requirement was limited to fetal deaths at gestations of 20 weeks or more.
[4] Figures for 1957 and 1958 are by place of occurrence.
[5] Figures for 1957 and 1959 are by place of occurrence.

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	Total fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	FETAL DEATHS TO NONRESIDENTS															
			Total	Intra-state non-residents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	68,767	57,780	10,987	9,408	1,579	45	-	11	33	18	7	28	8	14	34	24	-	11
Alabama	1,700	1,493	207	176	31	...	-	-	2	-	-	-	-	-	7	5	-	-
Alaska	89	82	7	7	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona	509	482	27	20	7	-	-	...	-	1	-	-	-	-	-	-	-	-
Arkansas	741	611	130	104	26	-	-	-	...	-	-	-	-	-	-	-	-	-
California	4,781	4,551	320	307	13	-	-	1	-	...	1	-	-	-	-	-	-	-
Colorado	747	546	201	178	23	-	-	-	-	-	...	-	-	-	-	-	-	-
Connecticut	689	630	59	54	5	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	166	156	10	4	6	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	518	364	154	...	156	-	-	-	-	-	-	-	-	...	-	2	-	-
Florida	1,899	1,791	108	96	12	1	-	-	-	-	-	-	-	-	...	2	-	-
Georgia	2,026	1,534	492	431	61	23	-	-	-	-	-	-	-	-	10	...	-	-
Hawaii	254	248	6	5	1	-	-	-	-	-	-	-	-	-	1	-	...	-
Idaho	177	133	44	33	11	-	-	2	-	-	-	-	-	-	-	-	-	...
Illinois	3,448	3,069	379	323	56	3	-	-	1	2	-	-	-	-	1	-	-	-
Indiana	1,551	1,323	228	194	34	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	739	559	180	152	28	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	577	480	97	62	35	-	-	-	1	-	1	-	-	-	-	-	-	-
Kentucky	1,138	880	258	213	45	-	-	-	-	-	-	-	-	-	1	-	-	-
Louisiana	1,452	972	480	467	13	-	-	-	2	-	-	-	-	-	-	-	-	-
Maine	340	290	50	37	13	-	-	-	-	-	-	1	-	-	-	-	-	-
Maryland	1,105	808	297	264	33	1	-	-	-	-	-	-	2	8	-	-	-	-
Massachusetts	1,577	1,323	254	219	35	-	-	-	-	-	-	8	-	-	1	1	-	-
Michigan	2,699	2,287	412	393	19	1	-	-	-	-	1	-	-	-	-	-	-	-
Minnesota	1,076	816	260	231	29	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	1,516	1,240	276	243	33	10	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	1,486	852	634	528	106	-	-	-	4	-	-	-	-	-	-	-	-	-
Montana	196	166	30	27	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	420	335	85	70	15	-	-	-	-	-	1	-	-	-	-	-	-	1
Nevada	83	74	9	5	4	-	-	-	-	2	-	-	-	-	-	-	-	1
New Hampshire	206	174	32	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,989	1,686	303	274	29	-	-	-	-	1	-	-	2	-	-	-	-	-
New Mexico	383	340	43	30	13	-	-	5	-	2	2	-	-	-	-	-	-	-
New York	8,366	7,740	626	520	106	-	-	-	-	2	-	17	-	-	3	-	-	-
North Carolina	2,195	1,853	342	309	33	-	-	-	-	-	-	-	-	1	2	2	-	-
North Dakota	217	148	69	61	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,192	2,695	497	442	55	-	-	-	-	1	-	-	-	-	-	-	-	-
Oklahoma	648	545	103	92	11	-	-	1	-	-	-	-	-	-	-	-	-	-
Oregon	591	505	86	72	14	-	-	1	-	2	-	-	-	-	-	-	-	3
Pennsylvania	4,103	3,484	619	518	101	1	-	-	-	-	-	-	4	-	-	1	-	-
Rhode Island	272	242	30	19	11	-	-	-	-	1	-	2	-	-	-	-	-	-
South Carolina	1,176	1,056	120	96	24	1	-	-	-	-	-	-	-	-	4	-	-	-
South Dakota	237	159	78	65	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,444	1,178	266	179	87	4	-	-	19	-	1	-	-	-	1	10	-	-
Texas	3,869	3,509	360	330	30	-	-	-	4	-	-	-	-	-	1	-	-	-
Utah	260	217	43	37	6	-	-	1	-	1	-	-	-	-	-	-	-	2
Vermont	175	151	24	14	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,844	1,635	1,209	1,143	66	-	-	-	-	1	-	-	-	5	1	1	-	-
Washington	766	687	79	64	15	-	-	-	-	1	-	-	-	-	-	-	-	4
West Virginia	700	537	163	110	53	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	1,238	1,047	191	168	23	-	-	-	-	1	-	-	-	-	1	-	-	-
Wyoming	107	97	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	105	34	23	52	46	29	8	148	21	31	24	27	50	1	13	3	24	112	18
Alabama	4	1	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Arkansas	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-
California	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Colorado	-	-	1	1	1	-	1	-	1	1	-	1	2	-	1	-	-	-	4
Connecticut	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
District of Columbia	-	-	-	-	-	-	-	101	-	-	1	-	-	-	-	-	-	-	-
Florida	1	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
Georgia	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	...	14	-	-	4	1	-	-	-	2	-	1	7	-	-	-	-	2	1
Indiana	20	...	-	1	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Iowa	10	1	...	-	-	-	-	-	-	-	4	-	3	-	6	-	-	-	-
Kansas	-	-	-	...	1	-	-	-	-	-	-	-	26	-	1	-	-	-	-
Kentucky	6	10	-	-	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Louisiana	2	-	-	-	-	...	-	-	-	-	-	3	2	-	-	-	-	-	-
Maine	-	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	11	-	-
Maryland	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	1	-	-	-	-	-	1	-	...	-	-	-	-	-	-	-	9	-	-
Michigan	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-
Minnesota	1	-	5	-	-	-	-	-	-	3	...	-	-	-	-	-	-	-	-
Mississippi	-	1	-	-	-	16	-	-	-	-	1	...	-	-	-	-	-	-	-
Missouri	46	-	4	44	-	1	-	-	1	-	-	-	...	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	1	-	-	-
Nebraska	-	-	6	1	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
New Hampshire	-	-	-	-	-	-	5	-	4	-	-	-	-	-	-	-	...	-	-
	-	-	-		-	-	-	-	-										
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
New York	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	56	-
North Carolina	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
North Dakota	1	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-
Ohio	2	5	1	-	12	-	-	1	-	11	-	-	-	-	-	-	-	-	-
Oklahoma	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	1	-	-	-	-	-	-	24	-	2	-	-	-	1	-	-	-	50	-
Rhode Island	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	2	-	-	-	-	-	-	-	3	-	-	-	5	-	-	-	-
Tennessee	-	-	1	-	12	1	-	-	-	-	-	13	1	-	-	-	-	-	-
Texas	1	-	-	-	-	7	-	-	-	1	-	-	-	-	-	-	-	-	9
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Vermont	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-
Virginia	-	-	-	-	4	-	-	10	-	-	-	1	-	-	-	-	-	2	-
Washington	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	6	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Wisconsin	7	-	2	-	-	-	-	-	-	2	8	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																			Total fetal deaths to residents
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	43	34	9	66	14	13	56	7	38	8	33	44	9	11	97	12	44	31	8	68,767
Alabama	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1,714
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
Arizona	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	513
Arkansas	-	-	-	-	3	-	-	-	-	-	2	11	-	-	-	-	-	-	-	748
California	1	-	-	-	-	2	-	-	-	-	-	1	2	-	-	1	-	-	-	4,876
Colorado	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	4	731
Connecticut	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	712
Delaware	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	168
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-	378
Florida	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1,921
Georgia	-	-	-	1	-	-	-	-	18	-	5	-	-	-	-	-	-	-	-	1,989
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	253
Idaho	-	-	-	-	-	1	-	-	-	-	-	2	3	-	-	3	-	-	-	177
Illinois	1	-	-	2	-	-	-	-	-	-	1	3	-	-	-	1	-	9	-	3,497
Indiana	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,551
Iowa	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	734
Kansas	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	594
Kentucky	-	2	-	11	-	-	-	-	1	-	7	-	-	-	2	-	3	-	-	1,139
Louisiana	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1,468
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	335
Maryland	2	1	-	1	-	-	6	-	-	-	-	-	-	-	6	-	6	-	-	1,220
Massachusetts	4	-	-	1	-	-	-	7	-	-	-	-	-	1	-	-	-	1	-	1,563
Michigan	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	12	-	2,711
Minnesota	-	-	7	1	-	-	-	-	-	4	-	2	-	-	-	-	-	6	-	1,071
Mississippi	-	1	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1,510
Missouri	-	1	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1,430
Montana	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	194
Nebraska	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	-	1	418
Nevada	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	214
New Jersey	13	-	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	2,072
New Mexico	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	388
New York	...	1	-	1	-	1	16	-	-	-	-	-	-	1	1	-	-	1	-	8,303
North Carolina	-	...	-	-	-	-	-	-	13	-	1	-	-	-	12	-	-	1	-	2,196
North Dakota	-	-	...	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	218
Ohio	2	1	-	...	-	-	6	-	-	-	-	-	-	-	-	-	13	-	-	3,203
Oklahoma	-	-	-	-	...	-	-	-	-	-	-	5	-	-	-	-	-	-	-	651
Oregon	-	-	-	-	1	...	-	-	-	-	-	-	1	-	-	6	-	-	-	590
Pennsylvania	5	-	-	9	-	-	...	-	-	-	-	-	-	-	1	-	2	-	-	4,058
Rhode Island	-	-	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	-	268
South Carolina	1	14	-	-	-	-	2	-	...	-	-	-	-	-	2	-	-	-	-	1,190
South Dakota	-	-	1	-	-	-	-	-	-	...	-	1	-	-	-	-	-	-	1	232
Tennessee	1	2	-	-	-	1	1	-	-	-	...	2	-	-	16	-	1	-	-	1,390
Texas	-	-	-	-	4	-	-	-	2	-	-	...	-	-	1	-	-	-	-	3,883
Utah	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	263
Vermont	6	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	176
Virginia	1	10	-	1	-	-	2	-	1	-	8	-	-	-	...	-	18	-	-	2,875
Washington	-	-	-	-	-	7	-	-	1	-	-	-	-	-	-	...	-	-	-	763
West Virginia	-	1	-	29	-	-	3	-	-	-	-	-	-	-	6	-	...	-	-	691
Wisconsin	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	...	-	1,246
Wyoming	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	...	111

Table 4-2. Fetal Deaths by Month and Color: United States and Each State, 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	68,767	5,762	5,230	5,769	5,588	5,769	5,727	6,128	6,207	5,902	5,747	5,560	5,378
White	50,728	4,324	3,865	4,226	4,108	4,278	4,184	4,511	4,592	4,347	4,239	4,078	3,976
Nonwhite	18,039	1,438	1,365	1,543	1,480	1,491	1,543	1,617	1,615	1,555	1,508	1,482	1,402
Alabama	1,714	136	126	171	119	133	136	147	157	149	143	149	148
White	751	65	62	69	53	65	54	57	65	68	62	61	70
Nonwhite	963	71	64	102	66	68	82	90	92	81	81	88	78
Alaska	89	5	7	9	8	9	11	8	4	4	5	10	9
White	58	4	4	6	5	6	7	6	3	1	3	5	8
Nonwhite	31	1	3	3	3	3	4	2	1	3	2	5	1
Arizona	513	46	36	35	52	43	53	48	41	46	47	40	26
White	398	38	25	26	44	32	43	39	30	33	36	32	20
Nonwhite	115	8	11	9	8	11	10	9	11	13	11	8	6
Arkansas	748	63	63	57	56	66	60	73	69	60	68	61	52
White	436	34	31	26	27	47	25	50	43	39	42	41	31
Nonwhite	312	29	32	31	29	19	35	23	26	21	26	20	21
California	4,876	406	358	357	389	429	431	422	448	417	387	399	433
White	4,085	336	308	308	333	364	357	353	380	355	306	337	348
Nonwhite	791	70	50	49	56	65	74	69	68	62	81	62	85
Colorado	731	62	69	67	54	52	59	61	65	54	62	55	71
White	688	61	67	62	49	44	55	57	60	53	59	55	66
Nonwhite	43	1	2	5	5	8	4	4	5	1	3	-	5
Connecticut	712	75	53	54	47	50	60	66	73	74	55	60	45
White	623	63	47	47	44	46	48	61	59	68	46	54	40
Nonwhite	89	12	6	7	3	4	12	5	14	6	9	6	5
Delaware	168	24	12	11	14	9	12	19	14	9	19	15	10
White	115	13	7	9	12	6	8	13	11	8	11	9	8
Nonwhite	53	11	5	2	2	3	4	6	3	1	8	6	2
District of Columbia	378	32	20	32	31	30	34	31	33	30	34	38	33
White	93	10	2	10	7	5	8	8	12	7	6	10	8
Nonwhite	285	22	18	22	24	25	26	23	21	23	28	28	25
Florida	1,921	152	147	168	148	170	159	159	184	162	172	144	156
White	1,081	90	83	103	83	93	85	88	105	89	99	80	83
Nonwhite	840	62	64	65	65	77	74	71	79	73	73	64	73
Georgia	1,989	165	156	163	184	163	158	190	171	175	154	171	139
White	939	85	72	76	88	72	66	92	79	83	86	76	64
Nonwhite	1,050	80	84	87	96	91	92	98	92	92	68	95	75
Hawaii	253	22	16	13	21	26	26	21	26	23	24	19	16
White	83	6	7	4	7	7	7	10	7	4	13	6	5
Nonwhite	170	16	9	9	14	19	19	11	19	19	11	13	11
Idaho	177	19	20	14	5	11	25	19	9	13	14	14	14
White	172	19	20	14	5	11	25	15	9	13	13	14	14
Nonwhite	5	-	-	-	-	-	-	4	-	-	1	-	-
Illinois	3,497	266	267	304	287	304	249	291	314	328	290	292	305
White	2,577	200	188	225	219	228	180	216	232	241	214	201	233
Nonwhite	920	66	79	79	68	76	69	75	82	87	76	91	72
Indiana	1,551	124	113	151	121	120	147	133	135	140	138	111	118
White	1,321	106	96	130	106	104	121	107	113	123	117	100	98
Nonwhite	230	18	17	21	15	16	26	26	22	17	21	11	20
Iowa	734	58	56	53	55	54	60	66	76	77	54	60	65
White	716	56	52	51	54	54	60	63	75	74	53	60	64
Nonwhite	18	2	4	2	1	-	-	3	1	3	1	-	1
Kansas	594	50	38	45	52	43	41	58	50	54	65	49	49
White	520	46	36	37	43	39	31	48	46	48	60	42	44
Nonwhite	74	4	2	8	9	4	10	10	4	6	5	7	5
Kentucky	1,139	102	81	103	83	91	103	95	106	111	80	100	84
White	977	91	68	80	66	80	91	85	91	93	71	89	72
Nonwhite	162	11	13	23	17	11	12	10	15	18	9	11	12
Louisiana	1,468	117	123	91	94	124	123	136	141	137	134	127	121
White	583	44	52	41	37	52	53	61	49	42	55	49	48
Nonwhite	885	73	71	50	57	72	70	75	92	95	79	78	73
Maine	335	30	27	29	31	32	33	25	30	20	32	26	20
White	333	30	26	29	31	32	33	25	29	20	32	26	20
Nonwhite	2	-	1	-	-	-	-	-	1	-	-	-	-
Maryland	1,220	100	105	107	91	93	93	113	113	116	89	103	97
White	809	71	67	75	60	60	66	80	75	72	59	68	56
Nonwhite	411	29	38	32	31	33	27	33	38	44	30	35	41
Massachusetts	1,563	134	119	147	149	142	138	133	126	121	102	115	157
White	1,469	125	114	139	142	131	126	124	121	117	96	107	127
Nonwhite	94	9	5	8	7	11	12	9	5	4	6	8	10
Michigan	2,711	221	231	232	235	225	221	237	243	208	227	228	203
White	2,195	177	184	177	185	183	186	201	202	169	185	188	158
Nonwhite	516	44	47	55	50	42	35	36	41	39	42	40	45
Minnesota	1,071	94	82	77	91	103	76	99	97	93	85	76	98
White	1,038	92	80	74	90	99	75	96	92	88	84	74	94
Nonwhite	33	2	2	3	1	4	1	3	5	5	1	2	4
Mississippi	1,510	128	104	123	132	126	126	145	136	123	115	131	121
White	438	40	29	31	39	42	37	36	33	31	36	47	37
Nonwhite	1,072	88	75	92	93	84	89	109	103	92	79	84	84

Table 4-2. Fetal Deaths by Month and Color: United States and Each State, 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,430	125	106	119	111	119	108	123	138	142	109	113	117
White	1,071	102	74	88	85	92	79	97	97	109	78	81	89
Nonwhite	359	23	32	31	26	27	29	26	41	33	31	32	28
Montana	194	19	10	28	11	16	13	22	25	11	13	18	8
White	178	17	10	27	11	13	12	18	24	9	11	18	8
Nonwhite	16	2	-	1	-	3	1	4	1	2	2	-	-
Nebraska	418	38	31	30	41	38	32	39	33	37	31	30	38
White	386	37	27	28	38	34	31	36	30	35	29	27	34
Nonwhite	32	1	4	2	3	4	1	3	3	2	2	3	4
Nevada	82	5	3	10	9	5	8	7	6	5	11	7	6
White	72	4	1	10	8	3	8	6	5	4	11	7	5
Nonwhite	10	1	2	-	1	2	-	1	1	1	-	-	1
New Hampshire	214	17	15	16	17	20	22	17	17	21	17	15	20
White	210	16	15	16	17	19	22	17	17	21	16	15	19
Nonwhite	4	1	-	-	-	1	-	-	-	-	1	-	1
New Jersey	2,072	171	149	180	179	175	195	180	187	151	193	148	164
White	1,605	134	117	142	138	138	150	134	152	116	145	111	128
Nonwhite	467	37	32	38	41	37	45	46	35	35	48	37	36
New Mexico	388	38	29	30	28	41	34	23	31	31	38	37	28
White	339	33	25	27	24	35	30	22	27	29	33	30	24
Nonwhite	49	5	4	3	4	6	4	1	4	2	5	7	4
New York	8,303	680	696	717	664	713	712	743	718	696	673	668	623
White	6,226	501	538	536	478	511	539	579	533	530	510	505	466
Nonwhite	2,077	179	158	181	186	202	173	164	185	166	163	163	157
North Carolina	2,196	186	164	183	196	174	174	203	175	192	205	163	181
White	1,111	96	90	84	99	90	86	105	85	93	104	83	96
Nonwhite	1,085	90	74	99	97	84	88	98	90	99	101	80	85
North Dakota	218	22	15	23	15	22	16	24	15	15	15	21	15
White	206	21	15	22	14	19	13	23	15	14	15	20	15
Nonwhite	12	1	-	1	1	3	3	1	-	1	-	1	-
Ohio	3,203	273	239	260	274	263	263	274	293	280	276	264	244
White	2,694	237	194	223	229	220	217	221	250	241	227	225	210
Nonwhite	509	36	45	37	45	43	46	53	43	39	49	39	34
Oklahoma	651	46	46	53	50	49	43	62	67	70	48	55	62
White	498	34	33	37	40	37	31	48	54	52	39	42	51
Nonwhite	153	12	13	16	10	12	12	14	13	18	9	13	11
Oregon	590	46	46	44	41	57	54	52	44	53	56	60	37
White	551	45	40	43	37	53	53	49	42	47	54	57	31
Nonwhite	39	1	6	1	4	4	1	3	2	6	2	3	6
Pennsylvania	4,058	354	326	385	335	350	301	353	348	336	368	296	306
White	3,330	299	271	310	261	291	254	280	289	272	302	252	249
Nonwhite	728	55	55	75	74	59	47	73	59	64	66	44	57
Rhode Island	268	26	21	16	21	18	13	33	30	28	31	12	19
White	251	24	16	15	21	17	13	31	27	27	31	11	18
Nonwhite	17	2	5	1	-	1	-	2	3	1	-	1	1
South Carolina	1,190	93	99	101	113	84	86	122	94	106	85	128	79
White	435	40	41	34	40	24	26	48	33	37	34	45	33
Nonwhite	755	53	58	67	73	60	60	74	61	69	51	83	46
South Dakota	232	17	19	11	24	20	16	20	26	26	17	22	14
White	212	17	19	11	23	17	14	19	23	23	16	17	13
Nonwhite	20	-	-	-	1	3	2	1	3	3	1	5	1
Tennessee	1,390	108	98	112	104	117	104	130	146	108	128	122	113
White	927	71	66	70	68	88	66	85	97	72	83	87	74
Nonwhite	463	37	32	42	36	29	38	45	49	36	45	35	39
Texas	3,883	328	271	316	288	315	348	333	366	339	358	321	300
White	2,968	250	212	245	225	247	255	244	282	249	282	247	230
Nonwhite	915	78	59	71	63	68	93	89	84	90	76	74	70
Utah	263	24	19	29	19	29	20	16	33	20	22	22	10
White	253	21	19	29	17	29	19	16	32	20	22	19	10
Nonwhite	10	3	-	-	2	-	1	-	1	-	-	3	-
Vermont	176	16	12	15	18	17	17	10	20	10	16	13	10
White	176	18	12	15	18	17	17	10	20	10	16	13	10
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,875	244	204	263	247	253	283	287	252	244	209	206	183
White	1,942	168	139	168	174	169	188	192	175	179	128	130	132
Nonwhite	933	76	65	95	73	84	95	95	77	65	81	76	51
Washington	763	66	56	55	65	64	73	78	76	62	55	61	52
White	689	61	49	48	57	59	67	70	68	55	49	56	50
Nonwhite	74	5	7	7	8	5	6	8	8	7	6	5	2
West Virginia	691	60	36	46	73	55	45	62	66	62	59	65	62
White	649	59	31	42	69	53	43	58	64	60	54	58	58
Nonwhite	42	1	5	4	4	2	2	4	2	2	5	7	4
Wisconsin	1,246	122	84	102	90	101	109	108	124	100	107	88	111
White	1,144	112	77	95	82	95	100	100	115	92	96	79	101
Nonwhite	102	10	7	7	8	6	9	8	9	8	11	9	10
Wyoming	111	5	7	12	6	6	4	12	16	13	12	12	6
White	107	5	7	12	6	6	4	12	15	12	10	12	6
Nonwhite	4	-	-	-	-	-	-	-	1	1	2	-	-

Table 4-3. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1961

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
TOTAL	68,767	16,271	10,886	10,245	8,458	6,091	4,288	3,023	7,093	2,412
Under 15 years	206	187	13	-	-	-	-	-	-	6
15-19 years	8,253	5,359	1,781	565	160	55	6	7	4	316
20-24 years	17,248	5,851	4,289	3,081	1,828	889	413	174	99	624
25-29 years	15,431	2,250	2,468	2,997	2,637	1,748	1,181	738	988	424
30-34 years	12,964	1,322	1,310	1,963	1,989	1,695	1,234	946	2,146	359
35-39 years	9,719	782	720	1,171	1,356	1,225	1,019	782	2,395	269
40-44 years	3,749	248	225	373	402	394	383	328	1,276	120
45-49 years	339	19	15	26	33	39	30	28	143	6
50 years and over	5	1	-	1	-	2	-	-	1	-
Not stated	853	252	65	68	53	44	22	20	41	288
Male	34,481	8,099	5,479	5,108	4,144	3,102	2,146	1,559	3,710	1,134
Under 15 years	111	99	8	-	-	-	-	-	-	4
15-19 years	4,281	2,778	941	288	71	31	2	4	1	165
20-24 years	8,514	2,911	2,161	1,526	865	429	202	82	44	294
25-29 years	7,692	1,085	1,186	1,529	1,318	911	588	405	495	175
30-34 years	6,438	617	682	952	984	851	607	480	1,099	166
35-39 years	4,928	369	353	585	670	633	519	395	1,278	126
40-44 years	1,900	117	103	180	196	202	200	166	683	53
45-49 years	179	10	7	12	14	19	13	15	87	2
50 years and over	3	-	-	1	-	1	-	-	1	-
Not stated	435	113	38	35	26	25	15	12	22	149
Female	29,483	6,909	4,612	4,397	3,722	2,594	1,871	1,311	3,107	960
Under 15 years	89	83	4	-	-	-	-	-	-	2
15-19 years	3,531	2,327	732	241	74	23	4	3	2	125
20-24 years	7,420	2,488	1,834	1,344	819	390	174	77	50	244
25-29 years	6,550	918	1,065	1,259	1,149	740	508	292	434	185
30-34 years	5,589	545	535	851	865	733	553	423	947	137
35-39 years	4,198	324	307	507	594	507	448	355	1,052	104
40-44 years	1,610	94	103	153	180	169	165	141	553	52
45-49 years	135	5	8	11	17	15	12	13	51	3
50 years and over	1	-	-	-	-	1	-	-	-	-
Not stated	360	125	24	31	24	16	7	7	18	108
Sex not stated	4,803	1,263	795	740	592	395	271	153	276	318
Under 15 years	6	5	1	-	-	-	-	-	-	-
15-19 years	441	254	108	36	15	1	-	-	1	26
20-24 years	1,314	452	294	211	144	70	37	15	5	86
25-29 years	1,189	247	217	209	170	97	85	41	59	64
30-34 years	937	160	93	160	140	111	74	43	100	56
35-39 years	593	89	60	79	92	85	52	32	65	39
40-44 years	239	37	19	40	26	23	18	21	40	15
45-49 years	25	4	-	3	2	5	5	-	5	1
50 years and over	1	1	-	-	-	-	-	-	-	-
Not stated	58	14	3	2	3	3	-	1	1	31
WHITE	50,728	12,676	8,583	8,184	6,559	4,460	2,924	1,881	3,540	1,921
Under 15 years	67	63	1	-	-	-	-	-	-	3
15-19 years	5,502	3,780	1,104	289	75	16	2	3	1	232
20-24 years	13,062	4,818	3,454	2,315	1,198	473	185	72	37	510
25-29 years	11,639	1,889	2,076	2,485	2,073	1,248	728	407	384	349
30-34 years	9,578	1,080	1,090	1,690	1,656	1,305	884	573	1,022	278
35-39 years	7,162	628	592	999	1,132	1,026	782	551	1,231	221
40-44 years	2,815	210	197	329	349	323	301	239	770	97
45-49 years	242	18	13	20	31	31	26	22	77	4
50 years and over	3	1	-	1	-	1	-	-	-	-
Not stated	658	189	56	56	45	37	16	14	18	227
Male	25,304	6,227	4,315	4,066	3,238	2,274	1,488	994	1,826	876
Under 15 years	37	34	1	-	-	-	-	-	-	2
15-19 years	2,811	1,922	585	149	32	7	-	2	1	113
20-24 years	6,456	2,391	1,752	1,143	564	236	87	29	17	237
25-29 years	5,791	906	994	1,272	1,050	638	371	229	194	137
30-34 years	4,748	500	566	814	828	661	442	299	512	126
35-39 years	3,599	291	289	491	560	530	409	284	638	107
40-44 years	1,413	95	87	159	171	163	157	129	411	41
45-49 years	120	9	7	9	12	15	12	12	43	1
50 years and over	2	-	-	1	-	1	-	-	-	-
Not stated	327	79	34	28	21	23	10	10	10	112
Female	21,976	5,486	3,674	3,578	2,900	1,916	1,281	800	1,569	772
Under 15 years	29	28	-	-	-	-	-	-	-	1
15-19 years	2,411	1,694	454	122	32	9	2	1	-	97
20-24 years	5,692	2,074	1,489	1,036	554	203	84	35	15	202
25-29 years	4,999	782	914	1,067	904	542	314	158	165	153
30-34 years	4,137	454	444	739	715	566	400	252	460	107
35-39 years	3,106	267	253	443	500	429	336	243	555	80
40-44 years	1,218	85	95	135	157	141	130	97	335	43
45-49 years	101	5	6	8	17	13	9	10	31	2
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	283	97	19	28	21	13	6	4	8	87

Table 4-3. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1961 —Continued

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
WHITE—Con.										
Sex not stated	3,448	963	594	540	421	270	155	87	145	273
Under 15 years	1	1	-	-	-	-	-	-	-	-
15-19 years	280	164	65	18	11	-	-	-	-	22
20-24 years	914	353	213	136	80	34	14	8	5	71
25-29 years	849	201	168	146	119	68	43	20	25	59
30-34 years	693	126	80	137	113	78	42	22	50	45
35-39 years	457	70	50	65	72	67	37	24	38	34
40-44 years	184	30	15	35	21	19	14	13	24	13
45-49 years	21	4	-	3	2	3	5	-	3	1
50 years and over	1	1	-	-	-	-	-	-	-	-
Not stated	48	13	3	-	3	1	-	-	-	28
NONWHITE	18,039	3,595	2,303	2,061	1,899	1,631	1,364	1,142	3,553	491
Under 15 years	139	124	12	-	-	-	-	-	-	3
15-19 years	2,751	1,579	677	276	85	39	4	4	3	84
20-24 years	4,186	1,033	835	766	630	416	228	102	62	114
25-29 years	3,792	381	392	512	564	500	453	331	604	75
30-34 years	3,386	242	220	273	333	390	350	373	1,124	81
35-39 years	2,557	154	128	172	224	199	237	231	1,164	48
40-44 years	934	38	28	44	53	71	82	89	506	23
45-49 years	97	1	2	6	2	8	4	6	66	2
50 years and over	2	-	-	-	-	1	-	-	1	-
Not stated	195	63	9	12	8	7	6	6	23	61
Male	9,177	1,872	1,164	1,042	906	828	658	565	1,884	258
Under 15 years	74	65	7	-	-	-	-	-	-	2
15-19 years	1,470	856	356	139	39	24	2	2	-	52
20-24 years	2,058	520	409	383	301	193	115	53	27	57
25-29 years	1,901	179	192	257	268	273	217	176	301	38
30-34 years	1,690	117	116	138	156	190	165	161	587	40
35-39 years	1,329	78	64	94	110	103	110	111	640	19
40-44 years	487	22	16	21	25	39	43	37	272	12
45-49 years	59	1	-	3	2	4	1	3	44	1
50 years and over	1	-	-	-	-	-	-	-	1	-
Not stated	108	34	4	7	5	2	5	2	12	37
Female	7,507	1,423	938	819	822	678	590	511	1,538	188
Under 15 years	60	55	4	-	-	-	-	-	-	1
15-19 years	1,120	633	278	119	42	14	2	2	2	28
20-24 years	1,728	414	345	308	265	187	90	42	35	42
25-29 years	1,551	136	151	192	245	198	194	134	269	32
30-34 years	1,452	91	91	112	150	167	153	171	487	30
35-39 years	1,092	57	54	64	94	78	112	112	497	24
40-44 years	392	9	8	18	23	28	35	44	218	9
45-49 years	34	-	2	3	-	2	3	3	20	1
50 years and over	1	-	-	-	-	1	-	-	-	-
Not stated	77	28	5	3	3	3	1	3	10	21
Sex not stated	1,355	300	201	200	171	125	116	66	131	45
Under 15 years	5	4	1	-	-	-	-	-	-	-
15-19 years	161	90	43	18	4	1	-	-	1	4
20-24 years	400	99	81	75	64	36	23	7	-	15
25-29 years	340	46	49	63	51	29	42	21	34	5
30-34 years	244	34	13	23	27	33	32	21	50	11
35-39 years	136	19	10	14	20	18	15	8	27	5
40-44 years	55	7	4	5	5	4	4	8	16	2
45-49 years	4	-	-	-	-	2	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	10	1	-	2	-	2	-	1	1	3

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES	68,767	206	8,253	17,248	15,431	12,964	9,719	3,749	339	5	853
White	50,728	67	5,502	13,062	11,639	9,578	7,162	2,815	242	3	658
Nonwhite	18,039	139	2,751	4,186	3,792	3,386	2,557	934	97	2	195
Negro	17,257	137	2,679	4,037	3,602	3,202	2,432	886	93	1	188
Other	782	2	72	149	190	184	125	48	4	1	7
Alabama	1,714	8	274	385	356	325	250	81	12	1	22
White	751	2	115	204	181	118	80	38	2	-	11
Nonwhite	963	6	159	181	175	207	170	43	10	1	11
Negro	962	6	159	181	175	206	170	43	10	1	11
Other	1	-	-	-	-	1	-	-	-	-	-
Alaska	89	-	7	22	24	18	13	5	-	-	-
White	58	-	6	13	17	12	7	3	-	-	-
Nonwhite	31	-	1	9	7	6	6	2	-	-	-
Negro	4	-	-	2	1	1	-	-	-	-	-
Other	27	-	1	7	6	5	6	2	-	-	-
Arizona	513	-	50	133	105	97	79	27	6	-	16
White	398	-	42	103	91	68	57	19	5	-	13
Nonwhite	115	-	8	30	14	29	22	8	1	-	3
Negro	44	-	4	13	6	8	9	2	-	-	2
Other	71	-	4	17	8	21	13	6	1	-	1
Arkansas	748	-	129	205	135	129	99	38	3	-	10
White	436	-	83	132	87	61	44	20	2	-	7
Nonwhite	312	-	46	73	48	68	55	18	1	-	3
Negro	311	-	46	73	48	67	55	18	1	-	3
Other	1	-	-	-	-	1	-	-	-	-	-
California	4,876	8	586	1,367	1,121	849	651	225	16	-	53
White	4,085	3	479	1,165	944	713	543	188	14	-	36
Nonwhite	791	5	107	202	177	136	108	37	2	-	17
Negro	667	5	100	175	142	111	83	33	1	-	17
Other	124	-	7	27	35	25	25	4	1	-	-
Colorado	731	-	95	212	159	108	93	41	2	-	21
White	688	-	90	199	147	102	89	39	2	-	20
Nonwhite	43	-	5	13	12	6	4	2	-	-	1
Negro	34	-	4	12	8	4	3	2	-	-	1
Other	9	-	1	1	4	2	1	-	-	-	-
Connecticut	712	-	66	176	174	145	106	39	2	-	4
White	623	-	52	143	153	135	97	38	2	-	3
Nonwhite	89	-	14	33	21	10	9	1	-	-	1
Negro	86	-	14	32	20	9	9	1	-	-	1
Other	3	-	-	1	1	1	-	-	-	-	-
Delaware	168	1	17	42	26	40	21	11	-	-	10
White	115	-	8	34	19	28	13	6	-	-	7
Nonwhite	53	1	9	8	7	12	8	5	-	-	3
Negro	53	1	9	8	7	12	8	5	-	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	378	2	44	95	84	76	40	18	-	-	19
White	93	-	9	19	23	16	10	6	-	-	10
Nonwhite	285	2	35	76	61	60	30	12	-	-	9
Negro	284	2	35	76	60	60	30	12	-	-	9
Other	1	-	-	-	1	-	-	-	-	-	-
Florida	1,921	14	286	458	457	356	245	87	14	-	4
White	1,081	4	147	276	268	195	133	48	6	-	4
Nonwhite	840	10	139	182	189	161	112	39	8	-	-
Negro	833	10	139	181	187	158	111	39	8	-	-
Other	7	-	-	1	2	3	1	-	-	-	-
Georgia	1,989	15	325	493	441	320	257	103	12	-	23
White	939	3	152	278	225	137	97	36	2	-	9
Nonwhite	1,050	12	173	215	216	183	160	67	10	-	14
Negro	1,047	12	173	215	214	182	160	67	10	-	14
Other	3	-	-	-	2	1	-	-	-	-	-
Hawaii	253	-	30	61	65	53	27	16	-	-	1
White	83	-	11	29	21	11	8	2	-	-	1
Nonwhite	170	-	19	32	44	42	19	14	-	-	-
Negro	6	-	-	2	3	1	-	-	-	-	-
Other	164	-	19	30	41	41	19	14	-	-	-
Idaho	177	-	21	62	40	16	27	9	2	-	-
White	172	-	21	61	38	15	26	9	2	-	-
Nonwhite	5	-	-	1	2	1	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	5	-	-	1	2	1	1	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1961 —Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Illinois	3,497	9	399	885	770	699	510	195	17	-	13
White	2,577	2	249	669	575	506	400	149	14	-	13
Nonwhite	920	7	150	216	195	193	110	46	3	-	-
Negro	905	7	150	211	192	188	108	46	3	-	-
Other	15	-	-	5	3	5	2	-	-	-	-
Indiana	1,551	2	184	392	320	268	220	93	11	-	61
White	1,321	2	155	343	279	221	178	80	8	-	55
Nonwhite	230	-	29	49	41	47	42	13	3	-	6
Negro	226	-	29	48	40	45	42	13	3	-	6
Other	4	-	-	1	1	2	-	-	-	-	-
Iowa	734	-	84	188	178	130	100	39	3	-	12
White	716	-	82	183	174	125	98	39	3	-	12
Nonwhite	18	-	2	5	4	5	2	-	-	-	-
Negro	16	-	2	3	4	5	2	-	-	-	-
Other	2	-	-	2	-	-	-	-	-	-	-
Kansas	594	2	83	144	142	109	89	19	4	-	2
White	520	2	71	127	126	94	78	16	4	-	2
Nonwhite	74	-	12	17	16	15	11	3	-	-	-
Negro	69	-	11	15	14	15	11	3	-	-	-
Other	5	-	1	2	2	-	-	-	-	-	-
Kentucky	1,139	5	162	309	210	198	169	72	7	-	7
White	977	2	131	268	187	172	142	63	6	-	6
Nonwhite	162	3	31	41	23	26	27	9	1	-	1
Negro	162	3	31	41	23	26	27	9	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Louisiana	1,468	9	204	391	294	256	207	84	6	-	17
White	583	1	78	185	112	104	67	30	1	-	5
Nonwhite	885	8	126	206	182	152	140	54	5	-	12
Negro	880	8	126	206	179	151	139	54	5	-	12
Other	5	-	-	-	3	1	1	-	-	-	-
Maine	335	-	40	75	77	61	42	23	1	1	15
White	333	-	40	75	77	60	41	23	1	1	15
Nonwhite	2	-	-	-	-	1	1	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Maryland	1,220	10	173	285	253	225	191	60	6	-	17
White	809	2	99	202	178	154	131	33	3	-	7
Nonwhite	411	8	74	83	75	71	60	27	3	-	10
Negro	407	8	74	83	72	70	60	27	3	-	10
Other	4	-	-	-	3	1	-	-	-	-	-
Massachusetts	1,563	-	104	356	343	340	268	78	8	-	66
White	1,469	-	93	332	324	321	256	73	7	-	63
Nonwhite	94	-	11	24	19	19	12	5	1	-	3
Negro	88	-	10	23	19	18	10	4	1	-	3
Other	6	-	1	1	-	1	2	1	-	-	-
Michigan	2,711	4	270	669	595	579	424	149	11	-	10
White	2,195	1	194	561	480	473	342	124	10	-	10
Nonwhite	516	3	76	108	115	106	82	25	1	-	-
Negro	507	3	76	106	111	103	82	25	1	-	-
Other	9	-	-	2	4	3	-	-	-	-	-
Minnesota	1,071	-	103	255	264	202	158	65	9	-	15
White	1,038	-	96	250	256	198	151	65	8	-	14
Nonwhite	33	-	7	5	8	4	7	-	1	-	1
Negro	9	-	-	2	2	2	3	-	-	-	-
Other	24	-	7	3	6	2	4	-	1	-	1
Mississippi	1,510	15	276	332	299	249	207	113	7	-	12
White	438	2	91	126	83	66	41	23	2	-	4
Nonwhite	1,072	13	185	206	216	183	166	90	5	-	8
Negro	1,065	13	184	206	215	181	164	90	5	-	7
Other	7	-	1	-	1	2	2	-	-	-	1
Missouri	1,430	4	181	355	328	274	201	69	7	-	13
White	1,071	3	122	280	250	194	153	54	5	-	10
Nonwhite	359	1	59	75	76	80	48	15	2	-	3
Negro	358	1	59	75	76	80	47	15	2	-	3
Other	1	-	-	-	-	-	1	-	-	-	-
Montana	194	1	20	50	40	36	25	14	-	-	8
White	178	1	18	47	40	32	22	10	-	-	8
Nonwhite	16	-	2	3	-	4	3	4	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	15	-	2	2	-	4	3	4	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Nebraska	418	-	44	111	99	82	49	27	1	-	5
White	386	-	40	101	89	78	47	25	1	-	5
Nonwhite	32	-	4	10	10	4	2	2	-	-	-
Negro	30	-	4	10	10	3	2	1	-	-	-
Other	2	-	-	-	-	1	-	1	-	-	-
Nevada	82	1	9	26	20	14	8	2	1	-	1
White	72	1	9	23	18	9	8	2	1	-	1
Nonwhite	10	-	-	3	2	5	-	-	-	-	-
Negro	5	-	-	2	2	1	-	-	-	-	-
Other	5	-	-	1	-	4	-	-	-	-	-
New Hampshire	214	-	21	55	48	43	27	14	2	-	4
White	210	-	21	54	47	42	26	14	2	-	4
Nonwhite	4	-	-	1	1	1	1	-	-	-	-
Negro	2	-	-	1	-	-	1	-	-	-	-
Other	2	-	-	-	1	1	-	-	-	-	-
New Jersey	2,072	4	195	470	482	452	317	123	8	-	21
White	1,605	2	116	350	389	365	251	109	6	-	17
Nonwhite	467	2	79	120	93	87	66	14	2	-	4
Negro	463	2	79	120	92	85	66	13	2	-	4
Other	4	-	-	-	1	2	-	1	-	-	-
New Mexico	388	2	46	87	79	80	52	35	3	-	4
White	339	1	39	77	69	72	45	31	2	-	3
Nonwhite	49	1	7	10	10	8	7	4	1	-	1
Negro	14	-	2	4	3	2	3	-	-	-	-
Other	35	1	5	6	7	6	4	4	1	-	1
New York	8,303	11	712	2,054	2,129	1,693	1,156	411	36	1	100
White	6,226	-	441	1,463	1,619	1,315	933	349	33	1	72
Nonwhite	2,077	11	271	591	510	378	223	62	3	-	28
Negro	2,043	11	268	587	500	367	220	59	3	-	28
Other	34	-	3	4	10	11	3	3	-	-	-
North Carolina	2,196	10	376	545	465	361	298	123	13	-	5
White	1,111	3	168	320	264	159	138	54	3	-	2
Nonwhite	1,085	7	208	225	201	202	160	69	10	-	3
Negro	1,059	7	204	223	193	198	154	67	10	-	3
Other	26	-	4	2	8	4	6	2	-	-	-
North Dakota	218	-	10	58	51	44	37	16	2	-	-
White	206	-	10	56	48	40	34	16	2	-	-
Nonwhite	12	-	-	2	3	4	3	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	-	2	3	4	3	-	-	-	-
Ohio	3,203	9	338	826	716	644	443	186	14	-	27
White	2,694	6	274	697	603	539	373	167	12	-	23
Nonwhite	509	3	64	129	113	105	70	19	2	-	4
Negro	504	3	64	128	112	103	69	19	2	-	4
Other	5	-	-	1	1	2	1	-	-	-	-
Oklahoma	651	3	112	164	138	86	84	25	4	-	35
White	498	2	84	127	109	62	60	20	1	-	33
Nonwhite	153	1	28	37	29	24	24	5	3	-	2
Negro	109	1	18	27	21	20	15	3	3	-	1
Other	44	-	10	10	8	4	9	2	-	-	1
Oregon	590	2	69	172	132	101	79	26	2	-	7
White	551	1	63	161	122	99	71	25	2	-	7
Nonwhite	39	1	6	11	10	2	8	1	-	-	-
Negro	24	1	5	9	4	1	3	1	-	-	-
Other	15	-	1	2	6	1	5	-	-	-	-
Pennsylvania	4,058	10	376	957	952	828	620	255	22	-	38
White	3,330	2	284	771	773	694	529	224	17	-	36
Nonwhite	728	8	92	186	179	134	91	31	5	-	2
Negro	721	8	92	185	177	132	90	30	5	-	2
Other	7	-	-	1	2	2	1	1	-	-	-
Rhode Island	268	1	27	63	68	48	49	10	-	-	2
White	251	1	25	59	64	44	46	10	-	-	2
Nonwhite	17	-	2	4	4	4	3	-	-	-	-
Negro	17	-	2	4	4	4	3	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
South Carolina	1,190	5	183	272	220	207	187	60	5	-	51
White	435	2	72	111	87	68	56	14	2	-	23
Nonwhite	755	3	111	161	133	139	131	46	3	-	28
Negro	755	3	111	161	133	139	131	46	3	-	23
Other	-	-	-	-	-	-	-	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1961 —Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
South Dakota	232	1	23	64	45	39	34	23	1	-	2
White	212	-	22	60	42	36	29	20	1	-	2
Nonwhite	20	1	1	4	3	3	5	3	-	-	-
Negro	3	-	-	-	1	-	1	1	-	-	-
Other	17	1	1	4	2	3	4	2	-	-	-
Tennessee	1,390	10	216	345	267	248	205	64	9	-	6
White	927	2	145	235	202	167	126	42	4	-	4
Nonwhite	463	8	71	110	85	81	79	22	5	-	2
Negro	463	8	71	110	85	81	79	22	5	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Texas	3,883	12	554	990	828	710	522	232	18	-	17
White	2,968	6	404	769	630	547	412	172	16	-	12
Nonwhite	915	6	150	221	198	163	110	60	2	-	5
Negro	910	6	150	217	198	163	110	59	2	-	5
Other	5	-	-	4	-	-	-	1	-	-	-
Utah	263	-	24	69	70	46	34	9	-	1	10
White	253	-	24	66	67	46	32	9	-	1	8
Nonwhite	10	-	-	3	3	-	2	-	-	-	2
Negro	4	-	-	2	1	-	-	-	-	-	1
Other	6	-	-	1	2	-	2	-	-	-	1
Vermont	176	-	15	46	34	40	28	11	-	-	2
White	176	-	15	46	34	40	28	11	-	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,875	12	372	762	661	509	369	145	14	-	31
White	1,942	4	219	542	456	344	243	99	10	-	25
Nonwhite	933	8	153	220	205	165	126	46	4	-	6
Negro	927	8	153	216	205	163	126	46	4	-	6
Other	6	-	-	4	-	2	-	-	-	-	-
Washington	763	-	94	201	184	156	87	32	4	1	4
White	689	-	83	193	157	136	83	30	4	-	3
Nonwhite	74	-	11	8	27	20	4	2	-	1	1
Negro	44	-	7	5	19	9	2	2	-	-	-
Other	30	-	4	3	8	11	2	-	-	1	1
West Virginia	691	1	93	171	134	116	108	45	2	-	21
White	649	1	90	162	126	109	97	42	2	-	20
Nonwhite	42	-	3	9	8	7	11	3	-	-	1
Negro	40	-	3	9	6	7	11	3	-	-	1
Other	2	-	-	-	2	-	-	-	-	-	-
Wisconsin	1,246	3	113	311	267	243	193	96	12	-	8
White	1,144	3	102	284	246	221	178	90	12	-	8
Nonwhite	102	-	11	27	21	22	15	6	-	-	-
Negro	93	-	11	26	18	20	12	6	-	-	-
Other	9	-	-	1	3	2	3	-	-	-	-
Wyoming	111	-	18	32	24	16	14	6	-	-	1
White	107	-	18	31	23	15	13	6	-	-	1
Nonwhite	4	-	-	1	1	1	1	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-
Other	2	-	-	-	1	-	1	-	-	-	-

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to the number of children ever born to mother, including fetal deaths)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
UNITED STATES	68,767	16,271	10,886	10,245	8,458	6,091	4,288	3,023	7,093	2,412
White	50,728	12,676	8,583	8,184	6,559	4,460	2,924	1,881	3,540	1,921
Nonwhite	18,039	3,595	2,303	2,061	1,899	1,631	1,364	1,142	3,553	491
Alabama	1,714	386	230	238	174	137	100	106	316	27
White	751	229	126	138	80	70	27	24	42	15
Nonwhite	963	157	104	100	94	67	73	82	274	12
Alaska	89	11	15	14	17	9	7	8	8	-
White	58	10	13	12	9	5	4	3	2	-
Nonwhite	31	1	2	2	8	4	3	5	6	-
Arizona	513	97	82	78	52	45	31	27	80	21
White	398	80	73	69	39	35	26	20	45	11
Nonwhite	115	17	9	9	13	10	5	7	35	10
Arkansas	748	180	111	76	77	52	52	43	130	27
White	436	134	81	50	44	32	33	16	29	17
Nonwhite	312	46	30	26	33	20	19	27	101	10
California	4,876	1,242	855	861	652	399	267	170	300	130
White	4,085	1,076	742	748	559	312	217	122	213	96
Nonwhite	791	166	113	113	93	87	50	48	87	34
Colorado	731	121	103	74	63	51	38	17	48	216
White	688	111	96	68	59	48	35	17	42	212
Nonwhite	43	10	7	6	4	3	3	-	6	4
Connecticut	712	158	119	139	107	59	45	20	48	17
White	623	141	107	122	92	53	40	18	36	14
Nonwhite	89	17	12	17	15	6	5	2	12	3
Delaware	168	50	24	24	19	10	11	8	18	4
White	115	37	16	22	15	6	7	3	7	2
Nonwhite	53	13	8	2	4	4	4	5	11	2
District of Columbia	378	105	55	57	48	25	26	8	33	21
White	93	27	19	18	11	3	3	-	2	10
Nonwhite	285	78	36	39	37	22	23	8	31	11
Florida	1,921	433	327	290	235	166	129	93	226	22
White	1,081	275	215	196	155	85	58	29	55	13
Nonwhite	840	158	112	94	80	81	71	64	171	9
Georgia	1,989	458	277	268	212	161	135	99	317	62
White	939	271	169	155	119	72	50	23	52	28
Nonwhite	1,050	187	108	113	93	89	85	76	265	34
Hawaii	253	62	49	40	30	25	22	8	16	1
White	83	27	17	11	11	6	6	2	2	1
Nonwhite	170	35	32	29	19	19	16	6	14	-
Idaho	177	36	35	29	19	17	19	8	11	3
White	172	36	35	29	19	17	16	7	11	2
Nonwhite	5	-	-	-	-	-	3	1	-	1
Illinois	3,497	851	590	546	466	339	207	154	291	53
White	2,577	663	472	432	353	250	132	98	131	46
Nonwhite	920	188	118	114	113	89	75	56	160	7
Indiana	1,551	386	222	246	197	155	99	61	139	46
White	1,321	345	200	207	169	136	77	42	105	40
Nonwhite	230	41	22	39	28	19	22	19	34	6
Iowa	734	182	109	102	107	67	47	37	71	12
White	716	177	107	101	106	65	47	35	66	12
Nonwhite	18	5	2	1	1	2	-	2	5	-
Kansas	594	141	104	88	73	61	42	27	51	7
White	520	126	95	79	65	53	39	22	35	6
Nonwhite	74	15	9	9	8	8	3	5	16	1
Kentucky	1,139	251	172	159	129	64	81	48	131	104
White	977	212	150	139	110	55	69	38	108	96
Nonwhite	162	39	22	20	19	9	12	10	23	8
Louisiana	1,468	320	174	172	129	119	103	98	270	83
White	583	146	87	90	64	44	36	24	38	54
Nonwhite	885	174	87	82	65	75	67	74	232	29
Maine	335	87	50	38	41	35	27	22	29	6
White	333	87	49	38	40	35	27	22	29	6
Nonwhite	2	-	1	-	1	-	-	-	-	-
Maryland	1,220	309	209	160	145	108	68	60	98	63
White	809	218	156	113	98	73	43	37	38	33
Nonwhite	411	91	53	47	47	35	25	23	60	30
Massachusetts	1,563	357	211	255	185	165	100	64	126	100
White	1,469	341	199	244	174	151	98	59	110	93
Nonwhite	94	16	12	11	11	14	2	5	16	7
Michigan	2,711	593	419	381	381	299	180	130	271	57
White	2,195	485	349	319	327	246	138	98	186	47
Nonwhite	516	108	70	62	54	53	42	32	85	10
Minnesota	1,071	238	151	153	157	117	84	51	93	24
White	1,038	227	148	149	153	116	82	51	88	24
Nonwhite	33	11	3	4	4	1	2	-	8	-
Mississippi	1,510	327	168	160	126	107	97	92	409	24
White	438	136	83	72	49	29	21	15	30	3
Nonwhite	1,072	191	85	88	77	78	76	77	379	21

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1961 —Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to the number of children ever born to mother, including fetal deaths)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,430	306	222	222	191	108	90	74	180	37
White	1,071	253	176	170	144	81	63	52	97	35
Nonwhite	359	53	46	52	47	27	27	22	83	2
Montana	194	45	21	36	27	20	20	7	14	4
White	178	41	19	34	27	17	19	7	10	4
Nonwhite	16	4	2	2	-	3	1	-	4	-
Nebraska	418	83	73	69	60	36	32	29	27	9
White	386	79	67	64	53	34	31	28	21	9
Nonwhite	32	4	6	5	7	2	1	1	6	-
Nevada	82	24	19	14	6	5	5	2	6	1
White	72	22	17	14	5	3	5	1	4	1
Nonwhite	10	2	2	-	1	2	-	1	2	-
New Hampshire	214	52	45	40	30	19	13	8	7	-
White	210	51	45	39	30	18	13	8	6	-
Nonwhite	4	1	-	1	-	1	-	-	1	-
New Jersey	2,072	538	348	348	238	180	94	69	116	141
White	1,605	425	279	290	185	137	65	40	63	121
Nonwhite	467	113	69	58	53	43	29	29	53	20
New Mexico	388	73	55	59	45	41	27	23	60	5
White	339	65	48	53	40	37	25	17	49	5
Nonwhite	49	8	7	6	5	4	2	6	11	-
New York	8,303	1,994	1,573	1,474	1,050	737	467	307	442	259
White	6,226	1,530	1,185	1,167	799	538	309	218	283	197
Nonwhite	2,077	464	388	307	251	199	158	89	159	62
North Carolina	2,196	531	371	251	246	187	151	97	348	14
White	1,111	322	227	171	144	82	52	38	70	5
Nonwhite	1,085	209	144	80	102	105	99	59	278	9
North Dakota	218	42	26	25	45	18	15	18	27	2
White	206	41	25	25	44	18	14	17	20	2
Nonwhite	12	1	1	-	1	-	1	1	7	-
Ohio	3,203	661	482	479	446	290	206	162	315	162
White	2,694	572	421	407	373	236	170	120	241	154
Nonwhite	509	89	61	72	73	54	36	42	74	8
Oklahoma	651	166	119	84	68	62	39	25	59	29
White	498	133	97	74	51	46	25	16	30	26
Nonwhite	153	33	22	10	17	16	14	9	29	3
Oregon	590	124	104	107	95	56	24	30	47	3
White	551	113	96	100	92	53	24	27	43	3
Nonwhite	39	11	8	7	3	3	-	3	4	-
Pennsylvania	4,058	959	634	615	556	376	289	173	362	94
White	3,330	786	549	527	475	308	229	124	253	79
Nonwhite	728	173	85	88	81	68	60	49	109	15
Rhode Island	268	72	48	41	35	23	19	10	15	5
White	251	66	48	38	35	22	18	9	10	5
Nonwhite	17	6	-	3	-	1	1	1	5	-
South Carolina	1,190	259	155	130	113	99	68	64	269	33
White	435	123	77	66	55	36	20	14	31	13
Nonwhite	755	136	78	64	58	63	48	50	238	20
South Dakota	232	39	39	39	35	23	14	10	28	5
White	212	36	37	37	32	20	12	10	23	5
Nonwhite	20	3	2	2	3	3	2	-	5	-
Tennessee	1,390	380	217	179	167	122	76	51	168	30
White	927	295	147	134	124	69	41	24	68	25
Nonwhite	463	85	70	45	43	53	35	27	100	5
Texas	3,883	893	616	527	473	326	238	153	521	136
White	2,968	718	498	425	362	240	159	109	354	103
Nonwhite	915	175	118	102	111	86	79	44	167	33
Utah	263	58	29	40	36	30	25	14	24	7
White	253	56	28	40	35	28	24	14	23	5
Nonwhite	10	2	1	-	1	2	1	-	1	2
Vermont	176	31	26	23	27	18	17	14	16	4
White	176	31	26	23	27	18	17	14	16	4
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,875	880	384	383	315	217	150	101	244	201
White	1,942	659	279	278	213	142	77	44	102	148
Nonwhite	933	221	105	105	102	75	73	57	142	53
Washington	763	177	133	126	85	95	51	30	58	8
White	689	166	123	117	77	83	47	25	44	7
Nonwhite	74	11	10	9	8	12	4	5	14	1
West Virginia	691	203	106	68	63	62	52	40	76	21
White	649	196	101	66	61	59	48	33	65	20
Nonwhite	42	7	5	2	2	3	4	7	11	1
Wisconsin	1,246	276	157	202	149	134	83	50	124	71
White	1,144	257	141	188	141	123	80	45	106	63
Nonwhite	102	19	16	14	8	11	3	5	18	8
Wyoming	111	24	23	16	16	15	6	3	7	1
White	107	23	23	16	15	15	6	2	6	1
Nonwhite	4	1	-	-	1	-	-	1	1	-

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
UNITED STATES	68,767	64,177	2,554	1,115	15,192	13,854	900	178	46,371	43,749	1,240	892
White	50,728	49,018	1,226	88	10,544	9,993	435	3	34,699	33,880	559	80
Nonwhite	18,039	15,159	1,328	1,027	4,648	3,861	465	175	11,672	9,869	681	812
Alabama	1,714	1,326	116	244	332	247	39	38	1,231	967	62	189
White	751	724	20	6	137	130	7	-	546	530	10	5
Nonwhite	963	602	96	238	195	117	32	38	685	437	52	184
Alaska	89	79	2	3	17	16	1	-	69	60	1	3
White	58	56	2	-	14	13	1	-	44	43	1	-
Nonwhite	31	23	-	3	3	3	-	-	25	17	-	3
Arizona	513	485	20	-	94	87	6	-	389	374	11	-
White	398	380	14	-	81	74	6	-	298	288	7	-
Nonwhite	115	105	6	-	13	13	-	-	91	86	4	-
Arkansas	748	593	59	73	137	113	12	8	450	337	35	62
White	436	419	17	-	87	82	5	-	241	233	8	-
Nonwhite	312	174	42	73	50	31	7	8	209	104	27	62
California	4,876	4,713	114	-	677	645	29	-	3,112	3,077	28	-
White	4,085	3,956	89	-	560	533	24	-	2,618	2,588	24	-
Nonwhite	791	757	25	-	117	112	5	-	494	489	4	-
Colorado	731	687	30	-	171	164	5	-	415	411	1	-
White	688	644	30	-	153	146	5	-	391	387	1	-
Nonwhite	43	43	-	-	18	18	-	-	24	24	-	-
Connecticut	712	701	9	-	169	162	5	-	519	516	3	-
White	623	614	8	-	131	126	4	-	470	467	3	-
Nonwhite	89	87	1	-	38	36	1	-	49	49	-	-
Delaware	168	163	5	-	35	33	2	-	111	109	2	-
White	115	115	-	-	22	22	-	-	78	78	-	-
Nonwhite	53	48	5	-	13	11	2	-	33	31	2	-
District of Columbia	378	355	8	-	78	73	5	-	250	248	1	-
White	93	85	-	-	18	18	-	-	56	56	-	-
Nonwhite	285	270	8	-	60	55	5	-	194	192	1	-
Florida	1,921	1,763	80	54	392	356	27	5	1,502	1,384	51	48
White	1,081	1,059	14	1	207	195	8	-	863	853	6	1
Nonwhite	840	704	66	53	185	161	19	5	639	531	45	47
Georgia	1,989	1,689	100	46	549	461	36	8	1,265	1,074	53	37
White	939	920	10	1	253	249	2	-	598	587	6	1
Nonwhite	1,050	769	90	45	296	212	34	8	667	487	47	36
Hawaii	253	243	9	-	81	78	3	-	167	161	5	-
White	83	81	1	-	37	37	-	-	45	43	1	-
Nonwhite	170	162	8	-	44	41	3	-	122	118	4	-
Idaho	177	170	4	2	33	31	2	-	85	82	1	2
White	172	166	3	2	32	31	1	-	82	79	1	2
Nonwhite	5	4	1	-	1	-	1	-	3	3	-	-
Illinois	3,497	3,296	153	-	776	695	64	-	2,699	2,581	88	-
White	2,577	2,495	61	-	536	508	20	-	2,023	1,971	40	-
Nonwhite	920	801	92	-	240	187	44	-	676	610	48	-
Indiana	1,551	1,489	59	-	273	250	22	-	1,013	986	26	-
White	1,321	1,275	45	-	224	205	19	-	894	871	22	-
Nonwhite	230	214	14	-	49	45	3	-	119	115	4	-
Iowa	734	718	14	-	111	107	4	-	530	522	8	-
White	716	700	14	-	109	105	4	-	515	507	8	-
Nonwhite	18	18	-	-	2	2	-	-	15	15	-	-
Kansas	594	584	7	-	108	105	2	-	474	468	5	-
White	520	510	7	-	95	92	2	-	417	411	5	-
Nonwhite	74	74	-	-	13	13	-	-	57	57	-	-
Kentucky	1,139	1,059	40	34	214	193	15	5	906	851	23	27
White	977	914	30	27	180	167	10	2	780	734	18	23
Nonwhite	162	145	10	7	34	26	5	3	126	117	5	4
Louisiana	1,468	1,332	64	37	297	257	23	8	1,157	1,064	40	29
White	583	568	10	-	116	110	4	-	461	453	6	-
Nonwhite	885	764	54	37	181	147	19	8	696	611	34	29
Maine	335	322	12	-	63	60	3	-	191	184	6	-
White	333	321	11	-	61	59	2	-	191	184	6	-
Nonwhite	2	1	1	-	2	1	1	-	-	-	-	-
Maryland	1,220	1,167	37	5	235	221	13	-	694	680	12	2
White	809	787	19	-	137	130	7	-	473	466	7	-
Nonwhite	411	380	18	5	98	91	6	-	221	214	5	2

See footnotes at end of table.

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Massachusetts	1,563	1,537	22	-	350	335	14	-	1,115	1,108	6	-
White	1,469	1,445	20	-	322	309	12	-	1,051	1,044	6	-
Nonwhite	94	92	2	-	28	26	2	-	64	64	-	-
Michigan	2,711	2,655	47	-	564	536	25	-	1,999	1,974	22	-
White	2,195	2,153	34	-	426	405	18	-	1,633	1,615	16	-
Nonwhite	516	502	13	-	138	131	7	-	366	359	6	-
Minnesota	1,071	1,037	28	-	171	163	6	-	761	739	18	-
White	1,038	1,008	26	-	166	158	6	-	737	717	16	-
Nonwhite	33	31	2	-	5	5	-	-	24	22	2	-
Mississippi	1,510	1,076	97	311	363	266	25	66	1,022	707	62	237
White	438	424	9	3	108	106	1	1	273	267	3	2
Nonwhite	1,072	652	88	308	255	160	24	65	749	440	59	235
Missouri	1,430	1,365	34	-	287	261	8	-	1,024	992	20	-
White	1,071	1,035	26	-	202	191	7	-	768	749	14	-
Nonwhite	359	330	8	-	85	70	1	-	256	243	6	-
Montana	194	191	3	-	19	19	1	-	151	149	2	-
White	178	175	3	-	19	18	1	-	136	134	2	-
Nonwhite	16	16	-	-	-	-	-	-	15	15	-	-
Nebraska	418	412	5	-	71	69	2	-	283	281	1	-
White	386	381	4	-	61	60	1	-	264	262	1	-
Nonwhite	32	31	1	-	10	9	1	-	19	19	-	-
Nevada	82	80	2	-	22	21	1	-	55	55	-	-
White	72	71	1	-	19	18	1	-	49	49	-	-
Nonwhite	10	9	1	-	3	3	-	-	6	6	-	-
New Hampshire	214	211	2	-	38	36	2	-	148	147	-	-
White	210	207	2	-	37	35	2	-	145	144	-	-
Nonwhite	4	4	-	-	1	1	-	-	3	3	-	-
New Jersey	2,072	1,977	54	1	456	412	23	-	1,450	1,408	23	1
White	1,605	1,546	33	1	318	291	13	-	1,155	1,130	14	1
Nonwhite	467	431	21	-	138	121	10	-	295	278	9	-
New Mexico	388	363	11	6	62	60	-	1	267	251	6	5
White	339	316	11	5	57	56	-	-	229	213	6	5
Nonwhite	49	47	-	1	5	4	-	1	38	38	-	-
New York	8,303	7,890	326	-	2,599	2,413	146	-	4,426	4,319	77	-
White	6,226	5,994	168	-	1,766	1,675	63	-	3,599	3,526	52	-
Nonwhite	2,077	1,896	158	-	833	738	83	-	827	793	25	-
North Carolina	2,196	1,948	151	76	482	408	53	13	1,690	1,523	93	63
White	1,111	1,088	19	1	233	225	7	-	869	854	12	1
Nonwhite	1,085	860	132	75	249	183	46	13	821	669	81	62
North Dakota	218	211	6	-	49	46	3	-	165	162	3	-
White	205	199	6	-	43	40	3	-	159	156	3	-
Nonwhite	12	12	-	-	6	6	-	-	6	6	-	-
Ohio	3,203	3,116	78	-	722	678	40	-	2,225	2,186	35	-
White	2,694	2,622	66	-	568	531	34	-	1,901	1,870	29	-
Nonwhite	509	494	12	-	154	147	6	-	324	316	6	-
Oklahoma	651	615	29	2	75	67	8	-	403	382	17	1
White	498	475	18	2	55	50	5	-	306	291	12	1
Nonwhite	153	140	11	-	20	17	3	-	97	91	5	-
Oregon	590	372	15	-	153	147	6	-	306	297	7	-
White	551	535	14	-	142	137	5	-	290	282	7	-
Nonwhite	39	37	1	-	11	10	1	-	16	15	-	-
Pennsylvania	4,058	3,891	129	-	1,230	1,135	75	-	2,807	2,739	51	-
White	3,330	3,204	101	-	902	832	59	-	2,413	2,359	41	-
Nonwhite	728	687	28	-	328	303	16	-	394	380	10	-
Rhode Island	268	256	12	-	64	59	5	-	201	194	7	-
White	251	240	11	-	59	54	5	-	189	183	6	-
Nonwhite	17	16	1	-	5	5	-	-	12	11	1	-
South Carolina	1,190	945	91	132	207	170	21	15	876	694	58	110
White	435	422	10	3	74	71	3	-	329	320	6	3
Nonwhite	755	523	81	129	133	99	18	15	547	374	52	107
South Dakota	232	227	2	1	51	49	2	-	177	174	-	1
White	212	210	2	-	46	44	2	-	162	162	-	-
Nonwhite	20	17	-	1	5	5	-	-	15	12	-	1
Tennessee	1,390	1,307	55	22	306	284	13	2	1,080	1,020	35	20
White	927	894	25	5	203	195	8	-	720	696	16	5
Nonwhite	463	413	30	17	103	89	11	2	360	324	19	15

See footnotes at end of table.

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Texas	3,883	3,570	119	58	786	725	26	8	3,018	2,784	91	49
White	2,968	2,788	74	28	573	548	12	-	2,340	2,194	61	28
Nonwhite	915	782	45	30	213	177	14	8	678	590	30	21
Utah	263	260	2	-	40	40	-	-	176	174	1	-
White	253	250	2	-	40	40	-	-	169	167	1	-
Nonwhite	10	10	-	-	-	-	-	-	7	7	-	-
Vermont	176	169	7	-	48	46	2	-	100	98	2	-
White	176	169	7	-	48	46	2	-	100	98	2	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,875	2,632	215	5	539	488	44	1	1,171	1,049	108	3
White	1,942	1,862	66	2	330	312	11	-	731	707	21	1
Nonwhite	933	770	149	3	209	174	33	1	440	342	87	2
Washington	763	751	12	-	176	169	7	-	566	562	4	-
White	689	679	10	-	157	151	6	-	513	509	4	-
Nonwhite	74	72	2	-	19	18	1	-	53	53	-	-
West Virginia	691	652	34	3	131	125	6	-	465	442	19	3
White	649	615	31	1	122	116	6	-	439	419	18	1
Nonwhite	42	37	3	2	9	9	-	-	26	23	1	2
Wisconsin	1,246	1,219	21	-	273	260	12	-	936	926	8	-
White	1,144	1,120	19	-	242	231	11	-	870	860	8	-
Nonwhite	102	99	2	-	31	29	1	-	66	66	-	-
Wyoming	111	108	3	-	16	16	-	-	79	77	2	-
White	107	104	3	-	16	16	-	-	76	74	2	-
Nonwhite	4	4	-	-	-	-	-	-	3	3	-	-

[1]Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."
[2]It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.
[3]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."

Table 4-7. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1961

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
TOTAL	68,767	13,966	6,850	6,665	7,331	7,273	6,920	4,186	1,629	767	586	12,594
Fetal deaths in single deliveries	64,786	12,539	6,332	6,191	6,837	6,996	6,812	4,151	1,612	763	584	11,969
Fetal deaths in twin deliveries	3,871	1,371	502	465	485	276	106	35	17	4	2	608
Fetal deaths in other plural deliveries	110	56	16	9	9	1	2	-	-	-	-	17
Male	34,481	7,361	3,544	3,509	3,774	3,736	3,656	2,347	985	467	377	4,725
Fetal deaths in single deliveries	32,425	6,600	3,286	3,268	3,531	3,575	3,593	2,328	979	464	377	4,424
Fetal deaths in twin deliveries	2,011	738	250	240	236	161	63	19	6	3	-	295
Fetal deaths in other plural deliveries	45	23	8	1	7	-	-	-	-	-	-	6
Female	29,463	6,015	3,216	3,112	3,522	3,514	3,243	1,818	637	296	206	3,904
Fetal deaths in single deliveries	27,742	5,418	2,961	2,886	3,273	3,398	3,199	1,803	626	295	204	3,679
Fetal deaths in twin deliveries	1,686	569	247	218	247	115	42	15	11	1	2	219
Fetal deaths in other plural deliveries	55	28	8	8	2	1	2	-	-	-	-	6
Sex not stated	4,803	590	90	44	35	23	21	21	7	4	3	3,965
Fetal deaths in single deliveries	4,619	521	85	37	33	23	20	20	7	4	3	3,866
Fetal deaths in twin deliveries	174	64	5	7	2	-	1	1	-	-	-	94
Fetal deaths in other plural deliveries	10	5	-	-	-	-	-	-	-	-	-	5
WHITE	50,728	10,016	4,882	4,757	5,325	5,445	5,407	3,293	1,290	550	394	9,369
Fetal deaths in single deliveries	47,843	8,978	4,528	4,415	4,963	5,242	5,329	3,268	1,275	546	394	8,905
Fetal deaths in twin deliveries	2,798	994	340	334	354	203	76	25	15	4	-	453
Fetal deaths in other plural deliveries	87	44	14	8	8	-	2	-	-	-	-	11
Male	25,304	5,298	2,496	2,480	2,727	2,780	2,810	1,839	769	340	258	3,509
Fetal deaths in single deliveries	23,833	4,732	2,326	2,318	2,553	2,666	2,766	1,826	765	337	258	3,286
Fetal deaths in twin deliveries	1,431	543	164	161	168	114	44	13	4	3	-	217
Fetal deaths in other plural deliveries	40	21	6	1	6	-	-	-	-	-	-	6
Female	21,976	4,288	2,323	2,251	2,570	2,651	2,580	1,442	517	208	134	3,012
Fetal deaths in single deliveries	20,697	3,861	2,143	2,076	2,384	2,562	2,547	1,430	506	207	134	2,847
Fetal deaths in twin deliveries	1,236	405	172	168	184	89	31	12	11	1	-	163
Fetal deaths in other plural deliveries	43	22	8	7	2	-	2	-	-	-	-	2
Sex not stated	3,448	432	63	26	28	14	17	12	4	2	2	2,848
Fetal deaths in single deliveries	3,313	385	59	21	26	14	16	12	4	2	2	2,772
Fetal deaths in twin deliveries	131	46	4	5	2	-	1	-	-	-	-	73
Fetal deaths in other plural deliveries	4	1	-	-	-	-	-	-	-	-	-	3
NONWHITE	18,039	3,950	1,968	1,908	2,006	1,828	1,513	893	339	217	192	3,225
Fetal deaths in single deliveries	16,943	3,561	1,804	1,776	1,874	1,754	1,483	883	337	217	190	3,064
Fetal deaths in twin deliveries	1,073	377	162	131	131	73	30	10	2	-	2	155
Fetal deaths in other plural deliveries	23	12	2	1	1	1	-	-	-	-	-	6
Male	9,177	2,065	1,048	1,029	1,047	956	846	508	216	127	119	1,216
Fetal deaths in single deliveries	8,592	1,868	960	950	978	909	827	502	214	127	119	1,138
Fetal deaths in twin deliveries	580	195	86	79	68	47	19	6	2	-	-	78
Fetal deaths in other plural deliveries	5	2	2	-	1	-	-	-	-	-	-	-
Female	7,507	1,727	893	861	952	863	663	376	120	88	72	892
Fetal deaths in single deliveries	7,045	1,557	818	810	889	836	652	373	120	88	70	832
Fetal deaths in twin deliveries	450	164	75	50	63	26	11	3	-	-	2	56
Fetal deaths in other plural deliveries	12	6	-	1	-	1	-	-	-	-	-	4
Sex not stated	1,355	158	27	18	7	9	4	9	3	2	1	1,117
Fetal deaths in single deliveries	1,306	136	26	16	7	9	4	8	3	2	1	1,094
Fetal deaths in twin deliveries	43	18	1	2	-	-	-	1	-	-	-	21
Fetal death in other plural deliveries	6	4	-	-	-	-	-	-	-	-	-	2

[1]Equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more

Table 4-8. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1961

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
TOTAL	68,767	15,192	7,461	8,515	5,020	7,804	14,462	3,109	7,204
Fetal deaths in single deliveries	64,786	13,937	6,965	8,019	4,730	7,356	13,809	3,037	6,933
Fetal deaths in twin deliveries	3,871	1,215	487	479	279	433	648	71	259
Fetal deaths in other plural deliveries	110	40	9	17	11	15	5	1	12
Male	34,481	7,608	3,875	4,447	2,625	4,050	7,570	1,577	2,731
Fetal deaths in single deliveries	32,425	6,944	3,616	4,189	2,470	3,819	7,238	1,541	2,608
Fetal deaths in twin deliveries	2,011	646	254	252	149	224	330	36	120
Fetal deaths in other plural deliveries	45	16	5	6	6	7	2	-	3
Female	29,483	5,761	3,313	3,901	2,355	3,657	6,833	1,493	2,170
Fetal deaths in single deliveries	27,742	5,258	3,093	3,682	2,225	3,452	6,526	1,458	2,048
Fetal deaths in twin deliveries	1,686	485	216	210	125	198	305	34	113
Fetal deaths in other plural deliveries	55	18	4	9	5	7	2	1	9
Sex not stated	4,803	1,825	273	167	40	97	59	39	2,303
Fetal deaths in single deliveries	4,619	1,735	256	148	35	85	45	38	2,277
Fetal deaths in twin deliveries	174	84	17	17	5	11	13	1	26
Fetal deaths in other plural deliveries	10	6	-	2	-	1	1	-	-
WHITE	50,728	10,544	5,231	6,379	3,711	6,375	10,373	2,630	5,485
Fetal deaths in single deliveries	47,843	9,656	4,890	5,996	3,510	6,014	9,938	2,567	5,272
Fetal deaths in twin deliveries	2,798	858	335	368	193	346	432	62	204
Fetal deaths in other plural deliveries	87	30	6	15	8	15	3	1	9
Male	25,304	5,329	2,693	3,356	1,915	3,297	5,313	1,325	2,076
Fetal deaths in single deliveries	23,833	4,847	2,516	3,160	1,812	3,116	5,107	1,295	1,980
Fetal deaths in twin deliveries	1,431	466	173	191	98	174	205	30	94
Fetal deaths in other plural deliveries	40	16	4	5	5	7	1	-	2
Female	21,976	3,992	2,334	2,900	1,768	3,000	5,023	1,275	1,684
Fetal deaths in single deliveries	20,697	3,640	2,183	2,731	1,675	2,831	4,805	1,243	1,589
Fetal deaths in twin deliveries	1,236	338	149	161	90	162	217	31	88
Fetal deaths in other plural deliveries	43	14	2	8	3	7	1	1	7
Sex not stated	3,448	1,223	204	123	28	78	37	30	1,725
Fetal deaths in single deliveries	3,313	1,169	191	105	23	67	26	29	1,703
Fetal deaths in twin deliveries	131	54	13	16	5	10	10	1	22
Fetal deaths in other plural deliveries	4	-	-	2	-	1	1	-	-
NONWHITE	18,039	4,648	2,230	2,136	1,309	1,429	4,089	479	1,719
Fetal deaths in single deliveries	16,943	4,281	2,075	2,023	1,220	1,342	3,871	470	1,661
Fetal deaths in twin deliveries	1,073	357	152	111	86	87	216	9	55
Fetal deaths in other plural deliveries	23	10	3	2	3	-	2	-	3
Male	9,177	2,277	1,182	1,091	710	753	2,257	252	655
Fetal deaths in single deliveries	8,592	2,097	1,100	1,029	658	703	2,131	246	628
Fetal deaths in twin deliveries	580	180	81	61	51	50	125	6	26
Fetal deaths in other plural deliveries	5	-	1	1	1	-	1	-	1
Female	7,507	1,769	979	1,001	587	657	1,810	218	486
Fetal deaths in single deliveries	7,045	1,618	910	951	550	621	1,721	215	459
Fetal deaths in twin deliveries	450	147	67	49	35	36	88	3	25
Fetal deaths in other plural deliveries	12	4	2	1	2	-	1	-	2
Sex not stated	1,355	602	69	44	12	19	22	9	578
Fetal deaths in single deliveries	1,306	566	65	43	12	18	19	9	574
Fetal deaths in twin deliveries	43	30	4	1	-	1	3	-	4
Fetal deaths in other plural deliveries	6	6	-	-	-	-	-	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
UNITED STATES	68,767	13,966	6,850	6,665	7,331	7,273	6,920	4,186	1,629	767	586	12,594
White	50,728	10,016	4,882	4,757	5,325	5,445	5,407	3,293	1,290	550	394	9,369
Nonwhite	18,039	3,950	1,968	1,908	2,006	1,828	1,513	893	339	217	192	3,225
Male	34,481	7,361	3,544	3,509	3,774	3,736	3,656	2,347	985	467	377	4,725
White	25,304	5,296	2,496	2,480	2,727	2,780	2,810	1,839	769	340	258	3,509
Nonwhite	9,177	2,065	1,048	1,029	1,047	956	846	508	216	127	119	1,216
Female	29,483	6,015	3,216	3,112	3,522	3,514	3,243	1,818	637	296	206	3,904
White	21,976	4,288	2,323	2,251	2,570	2,651	2,580	1,442	517	208	134	3,012
Nonwhite	7,507	1,727	893	861	952	863	663	376	120	88	72	892
Sex not stated	4,803	590	90	44	35	23	21	21	7	4	3	3,965
White	3,448	432	63	26	28	14	17	12	4	2	2	2,848
Nonwhite	1,355	158	27	18	7	9	4	9	3	2	1	1,117
Alabama	1,714	281	203	166	213	197	193	126	51	31	20	233
White	751	121	93	70	90	70	88	62	22	12	8	115
Nonwhite	963	160	110	96	123	127	105	64	29	19	12	118
Alaska	89	15	12	7	13	7	10	9	2	1	2	11
White	58	12	11	4	8	4	4	7	1	1	2	4
Nonwhite	31	3	1	3	5	3	6	2	1	-	-	7
Arizona	513	86	40	33	61	59	53	43	13	6	11	108
White	398	74	32	25	40	43	40	37	9	4	9	85
Nonwhite	115	12	8	8	21	16	13	6	4	2	2	23
Arkansas	748	115	55	70	81	77	83	47	21	18	13	168
White	436	71	30	29	46	38	46	24	16	6	6	124
Nonwhite	312	44	25	41	35	39	37	23	5	12	7	44
California	4,876	1,118	559	536	653	574	537	327	145	43	38	346
White	4,085	933	457	440	538	481	466	282	133	40	30	285
Nonwhite	791	185	102	96	115	93	71	45	12	3	8	61
Colorado	731	128	50	51	62	58	60	15	7	5	2	293
White	688	115	45	48	57	55	58	14	6	5	2	283
Nonwhite	43	13	5	3	5	3	2	1	1	-	-	10
Connecticut	712	192	83	70	100	73	76	36	19	5	6	52
White	623	151	71	63	96	66	67	35	17	4	6	47
Nonwhite	89	41	12	7	4	7	9	1	2	1	-	5
Delaware	168	20	13	14	25	9	14	12	5	1	1	54
White	115	14	9	12	17	7	11	8	3	-	-	34
Nonwhite	53	6	4	2	8	2	3	4	2	1	1	20
District of Columbia	378	110	44	55	48	33	23	17	7	3	3	35
White	93	23	11	15	7	6	6	6	3	-	-	16
Nonwhite	285	87	33	40	41	27	17	11	4	3	3	19
Florida	1,921	406	229	255	271	248	259	133	52	19	21	28
White	1,081	220	135	145	150	139	151	84	31	9	6	11
Nonwhite	840	186	94	110	121	109	108	49	21	10	15	17
Georgia	1,989	400	188	169	161	182	158	101	32	25	13	560
White	939	188	76	83	68	84	94	50	11	6	4	275
Nonwhite	1,050	212	112	86	93	98	64	51	21	19	9	285
Hawaii	253	45	21	20	23	27	17	17	1	2	2	78
White	83	14	5	6	7	6	4	7	-	-	-	34
Nonwhite	170	31	16	14	16	21	13	10	1	2	2	44
Idaho	177	19	5	16	8	18	12	10	3	2	-	84
White	172	18	5	16	7	18	11	10	3	2	-	82
Nonwhite	5	1	-	-	1	-	1	-	-	-	-	2
Illinois	3,497	841	413	393	433	446	404	247	103	51	36	130
White	2,577	566	293	285	313	339	318	207	84	37	29	106
Nonwhite	920	275	120	108	120	107	86	40	19	14	7	24
Indiana	1,551	276	147	129	157	184	180	144	44	25	19	246
White	1,321	225	126	112	140	161	162	127	39	23	16	190
Nonwhite	230	51	21	17	17	23	18	17	5	2	3	56
Iowa	734	106	69	71	83	92	102	70	24	9	5	103
White	716	104	67	68	81	91	98	68	24	9	5	101
Nonwhite	18	2	2	3	2	1	4	2	-	-	-	2
Kansas	594	111	72	60	80	85	68	48	23	11	8	28
White	520	99	61	52	66	72	63	43	21	11	7	25
Nonwhite	74	12	11	8	14	13	5	5	2	-	1	3
Kentucky	1,139	199	116	134	139	156	129	86	32	20	15	113
White	977	166	94	120	123	133	113	76	26	17	11	98
Nonwhite	162	33	22	14	16	23	16	10	6	3	4	15
Louisiana	1,468	274	208	197	204	177	170	93	31	16	13	85
White	583	103	67	67	87	77	74	37	16	8	4	43
Nonwhite	885	171	141	130	117	100	96	56	15	8	9	42
Maine	335	44	21	27	21	29	30	16	8	2	2	135
White	333	43	21	27	21	29	30	16	8	2	2	134
Nonwhite	2	1	-	-	-	-	-	-	-	-	-	1

See footnote at end of table.

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Maryland	1,220	317	122	134	126	125	104	63	31	19	12	167
White	809	203	74	79	76	82	79	46	24	11	9	126
Nonwhite	411	114	48	55	50	43	25	17	7	8	3	41
Massachusetts	1,563	369	155	157	176	177	158	90	42	17	14	208
White	1,469	341	144	147	162	168	149	87	41	16	14	200
Nonwhite	94	28	11	10	14	9	9	3	1	1	-	8
Michigan	2,711	548	296	249	295	298	314	177	67	42	36	389
White	2,195	405	226	184	240	241	279	153	56	32	22	357
Nonwhite	516	143	70	65	55	57	35	24	11	10	14	32
Minnesota	1,071	186	110	84	101	104	119	84	28	16	7	232
White	1,038	177	104	81	101	102	116	80	27	16	7	227
Nonwhite	33	9	6	3	-	2	3	4	1	-	-	5
Mississippi	1,510	226	140	134	150	148	136	78	28	25	16	429
White	438	64	35	38	31	32	42	25	8	6	4	153
Nonwhite	1,072	162	105	96	119	116	94	53	20	19	12	276
Missouri	1,430	250	131	129	170	144	162	92	35	21	11	285
White	1,071	178	91	95	114	103	132	70	26	17	9	236
Nonwhite	359	72	40	34	56	41	30	22	9	4	2	49
Montana	194	13	7	19	23	22	30	15	3	2	2	58
White	178	13	7	18	22	20	27	14	2	1	1	53
Nonwhite	16	-	-	1	1	2	3	1	1	1	1	5
Nebraska	418	64	43	38	43	44	39	34	8	5	4	96
White	386	51	42	34	40	43	37	33	8	3	3	92
Nonwhite	32	13	1	4	3	1	2	1	-	2	1	4
Nevada	82	18	8	8	15	8	5	7	2	-	-	11
White	72	15	7	7	13	8	3	7	2	-	-	10
Nonwhite	10	3	1	1	2	-	2	-	-	-	-	1
New Hampshire	214	34	29	17	19	24	25	10	8	3	1	44
White	210	33	28	17	18	23	25	10	8	3	1	44
Nonwhite	4	1	1	-	1	1	-	-	-	-	-	-
New Jersey	2,072	448	238	202	185	221	187	117	39	23	14	398
White	1,605	328	185	149	143	183	150	96	32	18	11	310
Nonwhite	467	120	53	53	42	38	37	21	7	5	3	88
New Mexico	388	50	33	33	42	52	26	17	9	7	3	116
White	339	44	29	30	34	43	25	14	7	5	3	105
Nonwhite	49	6	4	3	8	9	1	3	2	2	-	11
New York	8,303	1,681	613	607	634	601	554	315	134	53	29	3,082
White	6,226	1,245	465	486	513	510	468	263	117	46	21	2,092
Nonwhite	2,077	436	148	121	121	91	86	52	17	7	8	990
North Carolina	2,196	489	280	273	253	285	260	140	60	28	13	115
White	1,111	271	154	128	120	149	128	68	32	10	4	47
Nonwhite	1,085	218	126	145	133	136	132	72	28	18	9	68
North Dakota	218	49	15	12	31	45	24	20	2	3	1	16
White	206	46	14	12	30	44	23	19	2	1	1	14
Nonwhite	12	3	1	-	1	1	1	1	-	2	-	2
Ohio	3,203	676	312	284	337	331	321	218	69	28	33	594
White	2,694	542	249	236	281	284	284	194	64	25	28	507
Nonwhite	509	134	63	48	56	47	37	24	5	3	5	87
Oklahoma	651	72	45	54	54	66	68	36	16	6	8	226
White	498	57	39	45	37	54	51	31	10	6	6	162
Nonwhite	153	15	6	9	17	12	17	5	6	-	2	64
Oregon	590	126	44	36	45	48	57	28	6	-	-	200
White	551	114	43	34	44	45	55	25	6	-	-	185
Nonwhite	39	12	1	2	1	3	2	3	-	-	-	15
Pennsylvania	4,058	1,168	383	393	421	380	408	272	88	35	35	475
White	3,330	875	304	314	366	339	365	250	77	33	31	376
Nonwhite	728	293	79	79	55	41	43	22	11	2	4	99
Rhode Island	268	69	27	34	29	32	25	20	6	1	-	25
White	251	62	26	30	28	32	24	19	6	1	-	23
Nonwhite	17	7	1	4	1	-	1	1	-	-	-	2
South Carolina	1,190	185	132	149	129	125	123	55	33	16	20	223
White	435	88	51	62	36	47	54	16	12	8	1	60
Nonwhite	755	97	81	87	93	78	69	39	21	8	19	163
South Dakota	232	43	15	19	34	25	30	22	5	3	2	34
White	212	41	13	16	30	23	29	22	5	3	2	28
Nonwhite	20	2	2	3	4	2	1	-	-	-	-	6
Tennessee	1,390	288	158	179	183	160	170	93	33	19	10	97
White	927	184	110	105	118	112	117	66	22	12	6	75
Nonwhite	463	104	48	74	65	48	53	27	11	7	4	22
Texas	3,883	724	427	414	468	530	460	278	126	56	41	359
White	2,968	536	317	303	345	397	384	224	106	48	31	277
Nonwhite	915	188	110	111	123	133	76	54	20	8	10	82

See footnote at end of table.

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah	263	27	20	24	20	24	23	15	5	3	2	100
White	253	27	20	23	17	22	23	14	5	3	2	97
Nonwhite	10	-	-	1	3	2	-	1	-	-	-	3
Vermont	176	45	14	13	13	16	14	10	8	-	1	42
White	176	45	14	13	13	16	14	10	8	-	1	42
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,875	503	219	216	181	198	214	97	43	11	17	1,176
White	1,942	313	125	122	104	123	147	63	34	6	9	896
Nonwhite	933	190	94	94	77	75	67	34	9	5	8	280
Washington	763	147	83	102	97	83	82	57	22	6	9	75
White	689	125	76	93	86	77	75	54	21	6	8	68
Nonwhite	74	22	7	9	11	6	7	3	1	-	1	7
West Virginia	691	130	59	51	69	76	76	49	18	7	4	152
White	649	121	56	49	67	65	75	45	18	6	4	143
Nonwhite	42	9	3	2	2	11	1	4	-	1	-	9
Wisconsin	1,246	214	130	115	139	136	120	77	30	15	10	260
White	1,144	191	111	108	122	125	115	72	29	11	7	253
Nonwhite	102	23	19	7	17	11	5	5	1	4	3	7
Wyoming	111	21	14	13	13	14	8	3	2	2	1	20
White	107	21	14	12	12	14	8	3	2	1	1	19
Nonwhite	4	-	-	1	1	-	-	-	-	1	-	1

[1]Equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1961

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
UNITED STATES	68,767	15,192	7,461	8,515	5,020	7,804	14,462	3,109	7,204
White	50,728	10,544	5,231	6,379	3,711	6,375	10,373	2,630	5,485
Nonwhite	18,039	4,648	2,230	2,136	1,309	1,429	4,089	479	1,719
Male	34,481	7,606	3,875	4,447	2,625	4,050	7,570	1,577	2,731
White	25,304	5,329	2,693	3,356	1,915	3,297	5,313	1,325	2,076
Nonwhite	9,177	2,277	1,182	1,091	710	753	2,257	252	655
Female	29,483	5,761	3,313	3,901	2,355	3,657	6,833	1,493	2,170
White	21,976	3,992	2,334	2,900	1,768	3,000	5,023	1,275	1,684
Nonwhite	7,507	1,769	979	1,001	587	657	1,810	218	486
Sex not stated	4,803	1,825	273	167	40	97	59	39	2,303
White	3,448	1,223	204	123	28	78	37	30	1,725
Nonwhite	1,355	602	69	44	12	19	22	9	578
Alabama	1,714	332	186	180	143	159	543	20	151
White	751	137	77	94	62	81	217	15	68
Nonwhite	963	195	109	86	81	78	326	5	83
Alaska	89	17	13	12	9	19	13	3	3
White	58	14	9	9	6	14	4	2	-
Nonwhite	31	3	4	3	3	5	9	1	3
Arizona	513	94	48	63	39	76	144	19	30
White	398	81	39	51	29	65	100	14	19
Nonwhite	115	13	9	12	10	11	44	5	11
Arkansas	748	137	81	65	56	39	202	7	161
White	436	87	43	34	30	27	101	6	108
Nonwhite	312	50	38	31	26	12	101	1	53
California	4,876	677	421	695	210	813	305	668	1,087
White	4,085	560	349	571	173	683	262	580	907
Nonwhite	791	117	72	124	37	130	43	88	180
Colorado	731	171	81	72	56	78	98	30	145
White	688	153	74	71	52	75	89	30	144
Nonwhite	43	18	7	1	4	3	9	-	1
Connecticut	712	169	88	99	69	105	135	23	24
White	623	131	74	91	65	100	119	21	22
Nonwhite	89	38	14	8	4	5	16	2	2
Delaware	168	35	15	18	8	20	43	7	22
White	115	22	12	13	5	14	29	5	15
Nonwhite	53	13	3	5	3	6	14	2	7
District of Columbia	378	78	51	54	24	63	24	34	50
White	93	18	12	9	4	15	6	10	19
Nonwhite	285	60	39	45	20	48	18	24	31
Florida	1,921	392	239	233	193	222	567	48	27
White	1,081	207	122	130	117	166	292	36	11
Nonwhite	840	185	117	103	76	56	275	12	16
Georgia	1,989	549	235	216	163	173	453	25	175
White	939	253	106	110	65	98	203	16	88
Nonwhite	1,050	296	129	106	98	75	250	9	87
Hawaii	253	81	29	36	24	29	41	8	5
White	83	37	5	9	5	11	12	3	1
Nonwhite	170	44	24	27	19	18	29	5	4
Idaho	177	33	12	14	14	16	23	6	59
White	172	32	12	14	14	14	22	6	58
Nonwhite	5	1	-	-	-	2	1	-	1
Illinois	3,497	776	379	473	295	394	1,047	111	22
White	2,577	536	241	357	221	326	788	90	18
Nonwhite	920	240	138	116	74	68	259	21	4
Indiana	1,551	273	160	150	104	164	376	59	265
White	1,321	224	140	134	88	149	329	54	203
Nonwhite	230	49	20	16	16	15	47	5	62
Iowa	734	111	60	103	43	121	169	34	93
White	716	109	58	102	43	115	163	34	92
Nonwhite	18	2	2	1	-	6	6	-	1
Kansas	594	108	72	88	50	81	141	42	12
White	520	95	60	77	46	75	121	38	8
Nonwhite	74	13	12	11	4	6	20	4	4
Kentucky	1,139	214	119	141	105	129	387	25	19
White	977	180	102	115	93	118	329	23	17
Nonwhite	162	34	17	26	12	11	58	2	2
Louisiana	1,468	297	234	211	142	155	396	19	14
White	583	116	73	88	67	84	140	9	6
Nonwhite	885	181	161	123	75	71	256	10	8
Maine	335	63	35	43	20	36	48	9	81
White	333	61	35	43	20	36	48	9	81
Nonwhite	2	2	-	-	-	-	-	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,220	235	116	171	59	172	59	117	291
White	809	137	77	109	43	120	42	82	199
Nonwhite	411	98	39	62	16	52	17	35	92
Massachusetts	1,563	350	173	236	134	223	256	93	98
White	1,469	322	163	220	129	210	241	88	96
Nonwhite	94	28	10	16	5	13	15	5	2
Michigan	2,711	564	303	349	240	319	679	109	148
White	2,195	426	229	275	190	289	553	97	136
Nonwhite	516	138	74	74	50	30	126	12	12
Minnesota	1,071	171	114	137	69	160	220	61	139
White	1,038	166	110	132	66	156	213	60	135
Nonwhite	33	5	4	5	3	4	7	1	4
Mississippi	1,510	363	192	143	90	79	504	14	125
White	438	108	42	42	24	30	131	4	57
Nonwhite	1,072	255	150	101	66	49	373	10	68
Missouri	1,430	287	163	183	127	154	337	60	119
White	1,071	202	115	138	95	126	244	50	101
Nonwhite	359	85	48	45	32	28	93	10	18
Montana	194	19	11	19	23	32	49	17	24
White	178	19	10	17	22	31	42	14	23
Nonwhite	16	-	1	2	1	1	7	3	1
Nebraska	418	71	43	56	32	64	68	20	64
White	386	61	37	52	30	63	62	20	61
Nonwhite	32	10	6	4	2	1	6	-	3
Nevada	82	22	6	12	8	8	17	4	5
White	72	19	5	11	8	8	14	3	4
Nonwhite	10	3	1	1	-	-	3	1	1
New Hampshire	214	38	26	29	14	25	44	10	28
White	210	37	25	28	14	25	43	10	28
Nonwhite	4	1	1	1	-	-	1	-	-
New Jersey	2,072	456	238	287	145	244	443	93	166
White	1,605	318	184	219	118	203	353	78	132
Nonwhite	467	138	54	68	27	41	90	15	34
New Mexico	388	62	44	32	31	49	93	18	59
White	339	57	36	30	28	41	77	17	53
Nonwhite	49	5	8	2	3	8	16	1	6
New York	8,303	2,599	798	959	374	916	857	522	1,278
White	6,226	1,766	622	742	299	765	745	426	861
Nonwhite	2,077	833	176	217	75	151	112	96	417
North Carolina	2,196	482	291	284	153	224	678	60	24
White	1,111	233	136	167	75	134	309	48	9
Nonwhite	1,085	249	155	117	78	90	369	12	15
North Dakota	218	49	23	26	18	40	47	11	4
White	206	43	22	26	18	38	44	11	4
Nonwhite	12	6	1	-	-	2	3	-	-
Ohio	3,203	722	342	436	259	375	666	147	256
White	2,694	568	283	370	222	322	574	130	225
Nonwhite	509	154	59	66	37	53	92	17	31
Oklahoma	651	75	70	67	37	37	182	10	173
White	498	55	58	51	31	30	127	9	137
Nonwhite	153	20	12	16	6	7	55	1	36
Oregon	590	153	52	53	39	66	78	18	131
White	551	142	49	49	37	63	75	17	119
Nonwhite	39	11	3	4	2	3	3	1	12
Pennsylvania	4,058	1,230	441	518	323	423	956	146	21
White	3,330	902	356	428	269	369	860	131	15
Nonwhite	728	328	85	90	54	54	96	15	6
Rhode Island	268	64	26	45	22	40	52	16	3
White	251	59	23	41	21	38	51	15	3
Nonwhite	17	5	3	4	1	2	1	1	-
South Carolina	1,190	207	175	142	105	79	355	20	107
White	435	74	73	56	30	36	124	10	32
Nonwhite	755	133	102	86	75	43	231	10	75
South Dakota	232	51	24	36	15	30	63	9	4
White	212	46	24	31	13	29	56	9	4
Nonwhite	20	5	-	5	2	1	7	-	-
Tennessee	1,390	306	169	193	128	107	463	20	4
White	927	203	103	121	86	91	304	15	4
Nonwhite	463	103	66	72	42	16	159	5	-
Texas	3,883	786	478	506	407	439	1,083	105	79
White	2,968	573	349	378	313	365	840	95	55
Nonwhite	915	213	129	128	94	74	243	10	24

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1961—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah	263	40	22	31	18	48	44	13	47
White	253	40	22	31	17	43	43	13	44
Nonwhite	10	-	-	-	1	5	1	-	3
Vermont	176	48	17	11	12	26	20	14	28
White	176	48	17	11	12	26	20	14	28
Nonwhite	-	-	-	-	-	-	-	-	-
Virginia	2,875	539	235	197	140	162	378	59	1,165
White	1,942	330	141	122	78	116	232	42	881
Nonwhite	933	209	94	75	62	46	146	17	284
Washington	763	176	93	116	68	113	144	32	21
White	689	157	78	106	65	100	135	29	19
Nonwhite	74	19	15	10	3	13	9	3	2
West Virginia	691	131	64	75	45	67	196	18	95
White	649	122	62	69	42	64	184	18	88
Nonwhite	42	9	2	6	3	3	12	-	7
Wisconsin	1,246	273	143	182	112	178	250	71	37
White	1,144	242	126	169	105	165	236	69	32
Nonwhite	102	31	17	13	7	13	14	2	5
Wyoming	111	16	11	18	6	13	26	5	16
White	107	16	11	16	6	13	25	5	15
Nonwhite	4	-	-	2	-	-	1	-	1

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Section 5. General Mortality: Tables

General Tables

		Page
5-1.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1961	5-2
5-2.	Deaths by month and State of occurrence: United States and each State, 1961	5-5
5-3.	Deaths by month, color, and sex: United States and each State, 1961	5-6
5-4.	Deaths by specified race and sex: United States and each State, 1961	5-12
5-5.	Deaths by marital status, age, color, and sex: United States, 1961	5-13
5-6.	Deaths and death rates for each cause, by color and sex: United States, 1961	5-14
5-7.	Deaths from 255 selected causes, by month: United States, 1961	5-35
5-8.	Deaths from 255 selected causes, by specified race and sex: United States, 1961	5-40
5-9.	Deaths from 255 selected causes, by age, race, and sex: United States, 1961	5-48
5-10.	Deaths from 255 selected causes, by color and sex: United States and each State, 1961	5-98
5-11.	Deaths from 59 selected causes, by age, color, and sex: United States, 1961	5-182
5-12.	Death rates for 59 selected causes, by age, color, and sex: United States, 1961	5-190

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS															
			Total	Intra-state non-residents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	1,701,522	1,414,684	286,838	231,102	55,736	870	72	446	984	1,995	371	862	220	877	1,958	988	39	474
Alabama	29,454	25,320	4,134	3,482	652	...	-	2	3	4	1	1	-	1	145	211	1	-
Alaska	1,240	1,001	239	201	38	-	...	1	-	5	-	-	-	-	-	-	-	-
Arizona	11,013	9,432	1,581	687	894	1	-	...	8	220	36	3	-	1	9	-	-	7
Arkansas	17,454	13,468	3,986	3,077	909	10	-	1	...	22	4	-	-	1	6	1	-	-
California	137,047	122,768	14,279	12,564	1,715	7	7	153	7	...	35	14	1	8	37	6	20	32
Colorado	15,622	11,242	4,380	3,529	851	3	2	18	4	76	...	2	-	3	7	4	2	5
Connecticut	23,584	20,764	2,820	2,235	585	-	-	-	-	5	-	...	-	4	27	1	-	1
Delaware	4,288	3,536	752	341	411	-	-	1	-	2	-	2	...	4	4	4	-	-
District of Columbia	10,345	7,970	2,375	-	2,375	3	-	2	2	23	5	6	2	...	39	23	-	1
Florida	49,896	42,502	7,394	4,337	3,057	88	-	5	8	33	4	67	12	16	...	242	-	2
Georgia	34,612	26,618	7,994	6,776	1,218	249	-	1	3	10	2	4	-	3	280	...	-	-
Hawaii	3,440	3,305	135	55	80	-	1	-	1	30	2	-	-	-	3	1	...	-
Idaho	5,350	4,181	1,169	879	290	-	-	7	1	31	7	-	-	1	-	1	-	...
Illinois	100,266	86,883	13,383	11,039	2,344	15	-	20	43	124	12	5	1	5	127	7	1	3
Indiana	44,505	36,458	8,047	6,520	1,527	4	-	5	3	21	1	-	1	1	46	-	-	1
Iowa	28,094	21,803	6,291	5,120	1,171	1	-	2	3	37	10	1	-	1	12	-	-	-
Kansas	20,843	16,533	4,310	3,215	1,095	3	-	1	21	34	40	2	-	2	1	2	1	-
Kentucky	29,300	23,569	5,731	4,589	1,142	7	-	3	4	12	1	1	-	2	22	6	2	-
Louisiana	28,935	21,975	6,960	6,240	720	45	-	2	74	13	1	2	-	-	49	13	-	-
Maine	10,706	8,915	1,791	1,503	288	-	-	-	-	4	-	19	1	1	14	1	1	-
Maryland	27,512	20,332	7,180	5,319	1,861	5	-	2	-	18	2	14	89	576	64	18	-	1
Massachusetts	56,451	46,893	9,558	8,078	1,480	-	-	-	1	15	4	225	2	12	64	5	-	1
Michigan	67,155	56,781	10,374	9,332	1,042	8	-	7	12	38	2	-	1	-	72	7	2	1
Minnesota	31,802	24,200	7,602	5,940	1,662	5	-	7	8	51	3	3	-	2	30	5	3	3
Mississippi	21,034	17,115	3,919	3,253	666	170	-	1	26	11	1	3	1	6	28	17	-	-
Missouri	47,907	35,927	11,980	9,602	2,378	4	-	5	136	51	13	-	-	2	14	6	-	1
Montana	6,294	5,030	1,264	1,052	212	-	1	5	1	15	-	-	-	1	1	-	-	14
Nebraska	13,928	10,852	3,076	2,470	606	1	-	-	2	31	16	1	1	-	5	1	-	1
Nevada	2,876	2,199	677	197	480	1	-	14	1	311	7	-	-	-	-	-	-	14
New Hampshire	6,710	5,449	1,261	706	555	-	-	1	-	3	1	14	-	1	15	-	-	-
New Jersey	59,231	49,959	9,272	7,566	1,706	1	1	-	-	13	-	26	14	11	92	5	-	-
New Mexico	6,432	5,016	1,416	919	497	-	1	76	9	78	37	-	-	1	1	2	-	1
New York	179,277	158,263	21,014	17,789	3,225	10	1	10	2	67	5	284	7	22	181	17	1	-
North Carolina	37,743	30,045	7,698	6,560	1,138	11	-	-	-	9	3	10	-	21	116	58	1	-
North Dakota	5,211	3,513	1,698	1,346	352	-	-	2	-	7	-	1	-	-	1	-	-	-
Ohio	92,066	79,095	12,971	10,885	2,086	11	-	5	3	30	3	9	2	4	94	8	-	-
Oklahoma	22,434	17,918	4,516	3,968	548	2	-	11	61	34	17	-	-	-	1	2	-	3
Oregon	16,841	13,780	3,061	2,442	619	-	24	7	4	155	4	-	-	-	5	-	2	83
Pennsylvania	120,359	103,675	16,684	14,032	2,652	2	-	1	2	19	-	18	74	17	93	8	-	-
Rhode Island	8,815	7,557	1,258	846	412	1	-	-	-	3	-	94	-	2	8	-	-	-
South Carolina	19,901	16,692	3,209	2,745	464	4	-	-	-	4	-	1	1	7	49	82	-	-
South Dakota	6,289	4,378	1,911	1,477	434	1	-	2	1	7	12	-	1	1	1	-	-	1
Tennessee	34,032	27,543	6,489	4,316	2,173	168	-	-	381	15	-	-	-	4	39	183	-	-
Texas	76,434	63,484	12,950	11,380	1,570	17	-	23	140	115	17	3	1	5	45	23	-	4
Utah	6,330	5,074	1,256	849	407	-	1	33	-	57	25	2	-	-	1	1	-	120
Vermont	4,300	3,424	876	567	309	-	-	-	-	2	-	13	-	-	8	-	-	-
Virginia	33,469	22,002	11,467	10,080	1,387	6	-	3	2	13	1	11	6	102	59	12	-	1
Washington	26,555	23,003	3,552	2,767	785	1	31	1	2	79	2	-	-	-	1	-	2	163
West Virginia	18,287	13,779	4,508	3,163	1,345	3	1	-	1	4	-	1	1	24	17	1	-	-
Wisconsin	37,218	31,378	5,840	4,748	1,092	1	-	4	3	16	2	-	1	1	25	3	-	2
Wyoming	2,635	2,085	550	319	231	1	1	2	1	18	33	-	-	1	2	1	-	8

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	3,784	1,689	1,256	1,305	1,375	567	333	2,076	1,239	1,512	963	854	1,802	289	614	228	540	3,247	427
Alabama	13	8	1	3	6	18	-	3	1	10	4	85	6	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	72	27	30	14	7	3	2	7	8	31	29	3	21	12	9	20	-	5	50
Arkansas	29	4	10	20	3	29	-	1	1	13	2	22	194	-	2	-	-	3	3
California	118	40	43	36	9	11	7	7	32	48	52	-	49	20	37	131	2	24	16
Colorado	28	12	25	105	5	1	1	3	6	20	7	5	37	9	83	3	1	6	72
Connecticut	8	3	1	1	-	-	16	-	112	4	1	-	1	-	-	-	9	32	-
Delaware	1	2	-	-	-	-	2	126	2	3	-	-	1	-	-	-	-	99	-
District of Columbia	15	7	-	3	9	4	2	1,261	15	7	2	4	3	-	1	1	3	21	1
Florida	209	121	24	10	33	17	25	48	131	248	24	17	35	3	1	1	23	186	6
Georgia	13	8	1	4	12	9	3	5	7	15	3	8	4	-	1	-	1	13	-
Hawaii	5	2	1	-	-	-	-	-	3	2	2	-	-	-	-	1	-	3	1
Idaho	-	1	-	2	-	-	-	-	-	-	2	1	3	17	1	8	-	-	3
Illinois	...	617	123	16	82	12	1	7	13	155	42	25	292	4	7	-	6	16	12
Indiana	549	...	114	5	154	-	-	3	3	192	4	5	26	2	5	-	-	5	1
Iowa	433	107	...	19	1	4	1	1	1	10	68	1	116	2	177	-	-	2	1
Kansas	32	1	22	...	5	1	-	1	2	5	3	3	611	1	53	-	1	1	7
Kentucky	79	304	2	6	...	4	-	4	2	36	1	7	14	-	-	-	1	4	-
Louisiana	15	2	5	3	3	...	-	2	3	6	-	189	9	-	-	1	-	2	5
Maine	2	-	-	1	-	1	...	1	102	2	-	-	-	-	-	-	68	11	-
Maryland	13	10	4	2	13	4	2	...	16	7	4	2	5	2	1	-	-	65	-
Massachusetts	14	2	1	3	2	3	132	6	...	8	2	1	1	-	-	-	280	43	-
Michigan	139	111	10	2	13	6	1	9	6	...	15	4	24	1	-	-	-	10	1
Minnesota	128	37	254	16	8	4	1	4	1	48	...	5	21	57	32	1	2	13	4
Mississippi	32	7	3	1	6	179	-	-	-	13	2	...	12	-	4	-	-	1	2
Missouri	977	39	72	748	21	8	-	2	1	13	3	10	...	3	26	-	-	3	8
Montana	8	1	5	1	1	1	-	1	2	1	15	1	2	...	4	3	-	-	-
Nebraska	15	3	268	90	-	1	-	2	1	9	3	1	24	2	...	-	-	-	-
Nevada	10	4	-	2	2	-	-	-	4	8	6	-	9	7	1	...	1	4	1
New Hampshire	-	-	-	-	-	-	86	3	202	1	-	-	-	-	-	-	...	9	1
New Jersey	11	2	1	1	4	4	4	22	38	10	2	-	4	-	2	-	6	...	-
New Mexico	16	7	6	14	3	4	-	1	3	4	3	3	11	1	4	2	-	3	...
New York	37	12	6	7	2	7	19	33	156	43	14	5	14	1	3	-	19	1,355	1
North Carolina	9	5	2	2	8	6	9	21	14	7	1	4	6	1	1	2	-	20	-
North Dakota	4	-	3	-	-	-	-	-	-	1	239	2	-	20	1	-	-	3	-
Ohio	60	269	5	5	403	4	4	14	7	282	9	7	16	1	3	-	2	17	1
Oklahoma	19	7	10	91	3	6	-	-	1	5	5	2	49	3	7	-	1	2	10
Oregon	3	4	7	2	-	1	-	-	1	3	6	1	5	7	6	5	-	1	1
Pennsylvania	30	14	7	4	8	9	1	200	27	27	4	-	5	3	2	-	5	1,143	2
Rhode Island	4	1	-	-	-	-	3	7	237	1	1	1	-	-	-	-	3	10	-
South Carolina	3	4	1	1	3	3	-	7	8	6	-	4	2	-	-	-	-	8	-
South Dakota	8	6	80	3	-	2	-	-	1	3	98	1	7	9	91	1	-	-	-
Tennessee	40	17	3	2	310	12	2	11	2	27	3	394	87	-	-	-	-	2	3
Texas	47	14	17	32	15	183	4	4	6	26	17	25	43	7	5	4	2	14	201
Utah	5	1	3	3	2	-	1	1	-	1	6	1	4	7	3	39	-	-	4
Vermont	2	1	-	-	-	2	1	1	42	-	-	-	1	-	-	-	103	18	-
Virginia	25	8	2	6	34	2	2	98	12	19	4	4	3	-	-	1	-	60	-
Washington	10	3	5	5	-	1	-	3	4	3	17	-	6	51	3	2	1	2	3
West Virginia	9	10	1	1	181	-	-	142	2	11	2	-	-	-	-	-	-	4	1
Wisconsin	477	23	75	9	4	1	1	3	-	116	233	1	9	6	1	1	-	4	-
Wyoming	8	1	3	4	-	-	-	1	1	2	3	-	10	30	37	1	-	-	5

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1961—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																			Total deaths of residents
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	3,293	891	398	2,452	1,102	660	3,051	434	764	429	839	1,339	171	320	1,986	664	1,114	1,136	237	1,701,522
Alabama	9	9	1	4	4	-	7	-	5	1	65	8	1	-	5	2	3	1	-	29,672
Alaska	1	-	-	1	-	4	1	-	-	-	-	-	-	-	-	23	-	2	-	1,274
Arizona	41	3	1	38	21	19	21	1	-	5	8	44	15	2	1	16	1	20	2	10,565
Arkansas	4	2	1	10	246	1	3	-	1	-	49	203	1	-	3	1	-	2	1	17,529
California	109	6	13	61	34	154	43	4	3	16	3	66	33	1	11	113	8	22	6	137,327
Colorado	18	1	2	18	33	8	15	1	1	23	4	66	19	-	1	6	-	12	68	15,142
Connecticut	290	-	-	5	-	1	22	21	2	-	1	2	-	7	6	-	-	2	-	23,861
Delaware	14	-	-	2	-	-	123	-	1	-	-	3	-	-	14	-	1	-	-	4,097
District of Columbia	52	23	-	26	7	2	81	2	19	2	8	12	-	3	650	2	18	3	-	8,847
Florida	646	54	2	237	4	3	217	20	25	3	42	21	-	13	44	2	32	51	2	48,797
Georgia	37	57	-	29	4	1	24	-	288	-	87	6	-	-	16	1	5	4	-	34,382
Hawaii	3	-	-	1	-	1	4	-	1	-	1	1	1	-	-	8	-	1	-	3,399
Idaho	-	-	-	2	-	74	1	-	1	2	2	10	21	-	-	78	-	3	10	5,534
Illinois	64	5	3	62	15	5	39	2	-	7	48	32	3	-	10	8	14	232	2	101,706
Indiana	13	3	1	278	1	1	14	-	2	2	11	14	2	1	8	4	4	16	1	44,867
Iowa	3	2	7	2	5	2	4	-	-	74	2	7	-	-	-	4	1	46	1	28,179
Kansas	6	7	1	8	170	2	10	-	1	2	2	20	-	1	1	3	1	1	3	21,053
Kentucky	15	8	-	222	8	2	13	-	7	1	172	10	1	-	48	4	103	4	-	29,533
Louisiana	13	1	-	4	11	1	2	1	5	-	5	227	-	-	2	1	3	-	-	28,782
Maine	33	1	-	-	-	-	9	7	-	-	-	-	-	5	1	1	1	1	-	10,751
Maryland	76	29	-	32	3	1	313	2	12	-	11	7	1	1	261	5	163	5	-	27,727
Massachusetts	201	5	-	14	-	1	38	311	6	1	4	7	2	44	6	2	6	5	-	56,210
Michigan	30	4	1	220	2	-	39	-	1	1	14	13	-	1	6	4	7	196	1	67,625
Minnesota	20	1	245	12	11	10	10	1	-	143	4	20	3	-	3	18	2	395	8	31,103
Mississippi	5	3	1	3	4	-	2	-	6	-	73	38	1	-	3	-	2	1	-	21,222
Missouri	26	9	1	19	66	1	12	1	-	6	20	34	-	-	3	2	1	8	3	47,331
Montana	-	-	24	-	4	12	3	-	-	8	1	5	5	-	-	38	1	2	25	6,371
Nebraska	5	-	5	2	6	2	4	1	-	59	-	7	1	-	1	11	-	2	22	13,936
Nevada	9	-	2	4	1	13	2	-	-	-	1	5	22	-	2	9	1	1	1	2,624
New Hampshire	25	-	-	-	-	1	4	8	1	1	-	-	-	176	2	-	-	-	-	6,695
New Jersey	703	10	-	14	1	2	657	5	6	-	-	8	-	1	19	4	2	-	-	60,772
New Mexico	5	1	2	7	23	5	4	-	-	2	2	148	2	-	1	1	-	2	1	6,362
New York	...	20	2	56	9	2	605	21	15	1	12	16	-	56	40	4	12	13	-	179,345
North Carolina	51	...	1	22	4	3	38	3	290	-	71	7	1	1	271	2	24	1	1	37,496
North Dakota	-	3	...	1	2	2	1	-	-	47	1	-	-	-	1	8	-	1	1	5,257
Ohio	70	8	2	...	1	1	316	2	3	1	21	17	1	-	17	3	330	15	-	92,432
Oklahoma	3	1	2	8	...	6	8	1	-	-	3	159	1	-	1	1	1	1	-	22,988
Oregon	4	2	9	3	8	...	6	-	-	3	1	6	4	-	-	234	-	-	2	16,882
Pennsylvania	372	25	-	341	5	1	...	3	5	-	8	6	-	2	46	3	98	11	1	120,758
Rhode Island	21	-	-	2	-	1	7	...	1	-	-	-	-	1	1	-	-	2	-	8,837
South Carolina	24	182	-	3	-	1	20	2	...	-	6	6	-	-	16	1	5	-	-	20,201
South Dakota	1	-	49	-	3	-	1	-	-	...	1	2	-	-	-	4	1	7	28	6,284
Tennessee	11	72	-	38	11	-	14	-	17	-	...	24	-	-	267	-	6	7	1	32,698
Texas	36	9	3	22	352	4	16	1	8	3	15	...	1	1	12	11	-	16	1	76,203
Utah	3	1	1	6	4	5	2	-	-	-	-	9	...	1	1	6	-	4	43	6,094
Vermont	103	1	-	1	-	-	1	6	-	-	1	-	-	...	-	-	1	1	-	4,311
Virginia	81	308	-	48	2	3	104	6	20	-	53	7	-	2	...	2	252	2	1	34,068
Washington	13	4	12	2	7	298	6	-	6	5	1	6	5	-	2	...	4	12	1	26,434
West Virginia	13	10	-	547	-	-	158	1	4	-	4	2	-	-	181	6	...	2	-	18,056
Wisconsin	9	1	1	12	3	1	7	-	1	7	1	22	-	-	1	4	-	...	-	37,262
Wyoming	2	-	3	3	7	3	-	-	-	3	-	6	24	-	1	4	-	1	...	2,641

Table 5-2. Deaths by Month and State of Occurrence: United States and Each State, 1961

(Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,701,522	153,942	136,268	144,788	141,426	141,434	135,768	138,833	134,014	132,252	143,225	142,427	157,145
Alabama	29,454	2,717	2,349	2,410	2,423	2,346	2,255	2,472	2,258	2,311	2,528	2,472	2,913
Alaska	1,240	95	74	114	89	107	90	117	121	109	119	103	102
Arizona	11,013	993	855	1,064	913	878	922	907	852	831	878	894	1,026
Arkansas	17,454	1,652	1,404	1,499	1,440	1,447	1,385	1,438	1,400	1,295	1,386	1,415	1,693
California	137,047	12,499	10,840	11,723	10,945	11,188	11,314	10,850	10,909	10,633	11,499	11,890	12,757
Colorado	15,622	1,301	1,172	1,376	1,222	1,271	1,279	1,304	1,250	1,257	1,441	1,359	1,390
Connecticut	23,584	2,187	1,867	1,980	2,037	2,044	1,830	1,910	1,802	1,770	2,010	1,937	2,210
Delaware	4,288	397	321	337	338	351	324	383	358	370	359	350	400
District of Columbia	10,345	976	737	833	890	808	799	828	838	901	908	836	991
Florida	49,896	4,818	4,407	4,631	4,275	4,024	3,744	4,046	3,818	3,531	3,907	4,059	4,636
Georgia	34,612	3,341	2,799	2,875	2,874	2,766	2,710	2,815	2,739	2,627	2,964	2,780	3,322
Hawaii	3,440	318	255	277	311	295	262	285	283	286	303	274	291
Idaho	5,350	417	389	471	438	463	443	459	476	427	453	461	453
Illinois	100,286	8,851	8,006	8,441	8,487	8,605	8,177	7,805	8,000	7,898	8,421	8,417	9,158
Indiana	44,505	4,023	3,652	3,735	3,678	3,781	3,565	3,671	3,407	3,452	3,776	3,743	4,022
Iowa	28,094	2,403	2,236	2,430	2,396	2,319	2,255	2,217	2,296	2,180	2,423	2,302	2,637
Kansas	20,843	1,934	1,704	1,812	1,762	1,689	1,659	1,761	1,592	1,576	1,734	1,743	1,877
Kentucky	29,300	2,656	2,466	2,459	2,414	2,435	2,307	2,393	2,256	2,295	2,442	2,507	2,670
Louisiana	28,935	2,794	2,402	2,343	2,366	2,222	2,216	2,289	2,320	2,266	2,490	2,397	2,830
Maine	10,706	951	904	935	884	894	861	897	868	817	857	906	932
Maryland	27,512	2,506	2,240	2,311	2,388	2,266	2,200	2,276	2,093	2,113	2,246	2,273	2,600
Massachusetts	56,451	5,234	4,495	4,721	4,545	4,742	4,540	4,532	4,417	4,434	4,744	4,691	5,356
Michigan	67,155	5,777	5,351	5,582	5,465	5,803	5,554	5,587	5,408	5,262	5,633	5,644	6,089
Minnesota	31,802	2,824	2,542	2,632	2,639	2,712	2,612	2,615	2,577	2,485	2,658	2,594	2,912
Mississippi	21,034	2,061	1,746	1,750	1,727	1,633	1,631	1,630	1,582	1,654	1,810	1,786	2,024
Missouri	47,907	4,148	3,894	4,022	4,028	4,001	3,814	3,944	3,739	3,733	4,074	3,867	4,643
Montana	6,294	504	467	548	510	559	560	537	505	492	555	516	541
Nebraska	13,928	1,193	1,076	1,160	1,176	1,140	1,140	1,229	1,096	1,075	1,176	1,189	1,278
Nevada	2,876	228	222	228	247	248	278	220	241	220	246	226	272
New Hampshire	6,710	663	505	524	522	582	540	542	564	533	587	558	590
New Jersey	59,231	5,261	4,643	5,314	5,111	4,902	4,686	4,994	4,640	4,555	4,830	4,951	5,344
New Mexico	6,432	528	518	551	540	528	511	538	499	494	547	560	618
New York	179,277	16,118	14,540	15,945	15,106	14,905	14,037	14,734	13,917	14,045	14,828	14,859	16,243
North Carolina	37,743	3,487	2,874	3,200	3,132	3,043	2,944	3,039	2,904	2,998	3,397	3,153	3,572
North Dakota	5,211	438	386	416	450	422	440	416	474	395	434	455	485
Ohio	92,066	8,319	7,291	7,603	7,734	7,757	7,418	7,610	7,157	7,192	7,803	7,782	8,400
Oklahoma	22,434	2,044	1,821	1,909	1,866	1,880	1,680	1,832	1,815	1,748	1,794	1,963	2,082
Oregon	16,841	1,352	1,200	1,381	1,418	1,479	1,403	1,388	1,297	1,363	1,483	1,517	1,560
Pennsylvania	120,359	10,996	9,626	10,129	10,097	10,260	9,651	10,042	9,338	9,204	10,167	9,892	10,957
Rhode Island	8,815	736	675	749	777	758	713	744	724	684	732	724	799
South Carolina	19,901	1,917	1,660	1,682	1,638	1,575	1,567	1,589	1,510	1,531	1,755	1,652	1,825
South Dakota	6,289	482	473	511	542	536	574	521	510	492	540	518	590
Tennessee	34,032	3,177	2,779	2,833	2,794	2,689	2,601	2,739	2,721	2,713	2,941	2,861	3,184
Texas	76,434	7,181	6,280	6,554	6,133	6,123	6,008	6,072	6,261	6,112	6,361	6,392	6,967
Utah	6,330	541	518	506	510	555	511	544	519	500	534	540	552
Vermont	4,300	367	312	341	358	359	370	372	375	363	349	368	366
Virginia	33,469	3,079	2,663	2,731	2,786	2,796	2,535	2,831	2,619	2,547	2,851	2,883	3,148
Washington	26,555	2,248	1,986	2,318	2,175	2,243	2,051	2,196	2,114	2,047	2,307	2,291	2,579
West Virginia	18,287	1,660	1,506	1,542	1,521	1,566	1,437	1,457	1,371	1,421	1,570	1,502	1,734
Wisconsin	37,218	3,305	2,943	3,117	3,124	3,201	3,157	2,990	2,939	2,827	3,143	3,170	3,302
Wyoming	2,635	245	197	233	185	238	208	226	245	188	232	215	223

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,701,522	153,942	136,268	144,788	141,426	141,434	135,768	138,833	134,014	132,252	143,225	142,427	157,145
Male	966,827	86,715	76,563	82,019	79,951	80,688	77,683	78,917	76,546	75,571	81,865	81,000	89,309
Female	734,695	67,227	59,705	62,769	61,475	60,746	58,085	59,916	57,468	56,681	61,360	61,427	67,836
White	1,498,332	135,076	119,800	127,922	124,702	125,154	119,916	122,101	117,970	116,521	125,781	125,563	137,826
Male	854,569	76,358	67,585	72,738	70,710	71,882	68,901	69,661	67,595	66,790	72,112	71,593	78,644
Female	643,763	58,718	52,215	55,184	53,992	53,272	51,015	52,440	50,375	49,731	53,669	53,970	59,182
Nonwhite	203,190	18,866	16,468	16,866	16,724	16,280	15,852	16,732	16,044	15,731	17,444	16,864	19,319
Male	112,258	10,357	8,978	9,281	9,241	8,806	8,782	9,256	8,951	8,781	9,753	9,407	10,665
Female	90,932	8,509	7,490	7,585	7,483	7,474	7,070	7,476	7,093	6,950	7,691	7,457	8,654
ALABAMA	29,672	2,743	2,367	2,429	2,433	2,369	2,277	2,481	2,286	2,322	2,549	2,497	2,919
Male	16,693	1,502	1,335	1,361	1,371	1,316	1,312	1,357	1,296	1,294	1,503	1,405	1,641
Female	12,979	1,241	1,032	1,068	1,062	1,053	965	1,124	990	1,028	1,046	1,092	1,278
White	18,897	1,670	1,467	1,571	1,547	1,521	1,490	1,638	1,441	1,486	1,636	1,584	1,846
Male	11,112	958	856	901	929	880	899	936	841	877	988	938	1,109
Female	7,785	712	611	670	618	641	591	702	600	609	648	646	737
Nonwhite	10,775	1,073	900	858	886	848	787	843	845	836	913	913	1,073
Male	5,581	544	479	460	442	436	413	421	455	417	515	467	532
Female	5,194	529	421	398	444	412	374	422	390	419	398	446	541
ALASKA	1,274	105	80	117	93	112	90	114	114	115	122	106	106
Male	862	69	53	77	59	76	62	70	79	83	88	71	75
Female	412	36	27	40	34	36	28	44	35	32	34	35	31
White	816	81	49	79	59	66	51	70	67	71	80	75	68
Male	603	55	35	54	37	51	39	47	54	57	63	57	54
Female	213	26	14	25	22	15	12	23	13	14	17	18	14
Nonwhite	458	24	31	38	34	46	39	44	47	44	42	31	38
Male	259	14	18	23	22	25	23	23	25	26	25	14	21
Female	199	10	13	15	12	21	16	21	22	18	17	17	17
ARIZONA	10,565	922	780	986	874	847	904	905	849	816	852	852	978
Male	6,667	579	466	634	536	532	578	574	530	523	540	533	642
Female	3,898	343	314	352	338	315	326	331	319	293	312	319	336
White	9,381	828	711	870	791	753	788	775	728	739	733	763	902
Male	5,921	526	425	565	487	482	491	484	449	479	461	475	597
Female	3,460	302	286	305	304	271	297	291	279	260	272	288	305
Nonwhite	1,184	94	69	116	83	94	116	130	121	77	119	89	76
Male	746	53	41	69	49	50	87	90	81	44	79	58	45
Female	438	41	28	47	34	44	29	40	40	33	40	31	31
ARKANSAS	17,529	1,654	1,410	1,511	1,436	1,451	1,398	1,429	1,425	1,322	1,393	1,433	1,677
Male	10,444	1,009	820	887	871	869	830	884	830	766	856	828	994
Female	7,085	645	590	624	565	582	558	545	595	556	537	605	683
White	13,285	1,249	1,075	1,160	1,106	1,091	1,038	1,072	1,106	1,013	1,039	1,078	1,258
Male	8,084	770	645	699	681	669	643	680	667	589	651	628	762
Female	5,201	479	430	461	425	422	395	392	439	424	388	450	496
Nonwhite	4,244	405	335	351	330	360	350	357	319	309	354	355	419
Male	2,360	239	175	188	190	200	187	204	163	177	205	200	232
Female	1,884	166	160	163	140	160	163	153	156	132	149	155	187
CALIFORNIA	137,327	12,429	10,749	11,684	10,919	11,240	11,410	10,924	10,993	10,745	11,592	11,888	12,754
Male	78,712	7,165	6,109	6,678	6,344	6,523	6,562	6,263	6,160	6,211	6,698	6,808	7,191
Female	58,615	5,264	4,640	5,006	4,575	4,717	4,848	4,661	4,833	4,534	4,894	5,080	5,563
White	128,597	11,693	10,070	10,900	10,241	10,532	10,674	10,203	10,288	10,085	10,852	11,118	11,941
Male	73,417	6,691	5,716	6,193	5,935	6,106	6,123	5,823	5,744	5,821	6,250	6,327	6,688
Female	55,180	5,002	4,354	4,707	4,306	4,426	4,551	4,380	4,544	4,264	4,602	4,791	5,253
Nonwhite	8,730	736	679	784	678	708	736	721	705	660	740	770	813
Male	5,295	474	393	485	409	417	439	440	416	390	448	481	503
Female	3,435	262	286	299	269	291	297	281	289	270	292	289	310
COLORADO	15,142	1,260	1,140	1,344	1,192	1,242	1,229	1,254	1,185	1,206	1,379	1,335	1,376
Male	8,658	730	669	763	683	726	699	714	684	678	776	742	794
Female	6,484	530	471	581	509	516	530	540	501	528	603	593	582
White	14,713	1,230	1,109	1,308	1,163	1,210	1,192	1,216	1,162	1,163	1,328	1,302	1,330
Male	8,409	707	649	746	666	708	683	687	673	655	741	726	768
Female	6,304	523	460	562	497	502	509	529	489	508	587	576	562
Nonwhite	429	30	31	36	29	32	37	38	23	43	51	33	46
Male	249	23	20	17	17	18	16	27	11	23	35	16	26
Female	180	7	11	19	12	14	21	11	12	20	16	17	20
CONNECTICUT	23,861	2,208	1,882	2,039	2,081	2,052	1,858	1,925	1,803	1,787	2,028	1,967	2,231
Male	13,198	1,199	997	1,149	1,150	1,157	1,048	1,056	995	1,017	1,116	1,105	1,209
Female	10,663	1,009	885	890	931	895	810	869	808	770	912	862	1,022
White	22,916	2,132	1,794	1,970	2,002	1,971	1,793	1,852	1,709	1,704	1,962	1,891	2,136
Male	12,667	1,153	953	1,108	1,101	1,118	1,011	1,019	939	967	1,077	1,056	1,165
Female	10,249	979	841	862	901	853	782	833	770	737	885	835	971
Nonwhite	945	76	88	69	79	81	65	73	94	83	66	76	95
Male	531	46	44	41	49	39	37	37	56	50	39	49	44
Female	414	30	44	28	30	42	28	36	38	33	27	27	51
DELAWARE	4,097	371	308	319	320	336	311	372	342	357	335	344	382
Male	2,296	220	170	177	180	179	173	219	186	195	180	204	213
Female	1,801	151	138	142	140	157	138	153	156	162	155	140	169
White	3,373	293	263	270	264	277	262	290	281	295	264	285	329
Male	1,862	168	143	149	140	150	142	168	151	161	142	169	179
Female	1,511	125	120	121	124	127	120	122	130	134	122	116	150
Nonwhite	724	78	45	49	56	59	49	82	61	62	71	59	53
Male	434	52	27	28	40	29	31	51	35	34	38	35	34
Female	290	26	18	21	16	30	18	31	26	28	33	24	19

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA	8,847	803	657	690	754	683	696	707	730	759	765	745	858
Male	4,741	432	347	363	401	392	365	383	389	403	402	383	481
Female	4,106	371	310	327	353	291	331	324	341	356	363	362	377
White	4,544	428	362	328	407	346	341	341	383	378	407	379	444
Male	2,401	223	184	169	220	208	170	190	204	184	204	194	251
Female	2,143	205	178	159	187	138	171	151	179	194	203	185	193
Nonwhite	4,303	375	295	362	347	337	355	366	347	381	358	366	414
Male	2,340	209	163	194	181	184	195	193	185	219	198	189	230
Female	1,963	166	132	168	166	153	160	173	162	162	160	177	184
FLORIDA	48,797	4,500	3,973	4,209	4,070	4,000	3,818	4,166	3,966	3,642	3,997	3,973	4,483
Male	29,214	2,710	2,380	2,583	2,431	2,375	2,231	2,458	2,405	2,125	2,411	2,367	2,738
Female	19,583	1,790	1,593	1,626	1,639	1,625	1,587	1,708	1,561	1,517	1,586	1,606	1,745
White	39,851	3,654	3,251	3,450	3,284	3,232	3,100	3,428	3,257	2,994	3,270	3,242	3,689
Male	24,300	2,229	1,982	2,161	2,005	1,977	1,833	2,055	2,006	1,776	1,997	1,964	2,315
Female	15,551	1,425	1,269	1,289	1,279	1,255	1,267	1,373	1,251	1,218	1,273	1,278	1,374
Nonwhite	8,946	846	722	759	786	768	718	738	709	648	727	731	794
Male	4,914	481	398	422	426	398	398	403	399	349	414	403	423
Female	4,032	365	324	337	360	370	320	335	310	299	313	328	371
GEORGIA	34,382	3,332	2,778	2,870	2,854	2,745	2,690	2,810	2,714	2,625	2,922	2,769	3,273
Male	19,373	1,854	1,538	1,611	1,648	1,506	1,522	1,530	1,565	1,521	1,639	1,590	1,849
Female	15,009	1,478	1,240	1,259	1,206	1,239	1,168	1,280	1,149	1,104	1,283	1,179	1,424
White	22,331	2,109	1,808	1,897	1,832	1,821	1,760	1,815	1,813	1,719	1,820	1,820	2,117
Male	13,031	1,240	1,026	1,096	1,089	1,043	1,028	1,033	1,057	1,025	1,085	1,071	1,238
Female	9,300	869	782	801	743	778	732	782	756	694	735	749	879
Nonwhite	12,051	1,223	970	973	1,022	924	930	995	901	906	1,102	949	1,156
Male	6,342	614	512	515	559	463	494	497	508	496	554	519	611
Female	5,709	609	458	458	463	461	436	498	393	410	548	430	545
HAWAII	3,399	311	252	270	306	289	264	279	284	285	301	269	289
Male	2,085	182	152	166	191	180	158	162	186	178	187	168	175
Female	1,314	129	100	104	115	109	106	117	98	107	114	101	114
White	1,154	114	75	88	102	108	81	99	92	103	103	93	96
Male	662	61	44	46	57	68	43	50	56	60	59	61	57
Female	492	53	31	42	45	40	38	49	36	43	44	32	39
Nonwhite	2,245	197	177	182	204	181	183	180	192	182	198	176	193
Male	1,423	121	108	120	134	112	115	112	130	118	128	107	118
Female	822	76	69	62	70	69	68	68	62	64	70	69	75
IDAHO	5,534	451	401	499	461	477	457	465	467	433	455	481	487
Male	3,408	276	255	297	264	303	279	293	275	278	282	308	298
Female	2,126	175	146	202	197	174	178	172	192	155	173	173	189
White	5,443	448	395	490	454	466	450	459	460	422	443	473	483
Male	3,351	274	250	294	259	296	276	290	271	270	274	302	295
Female	2,092	174	145	196	195	170	174	169	189	152	169	171	188
Nonwhite	91	3	6	9	7	11	7	6	7	11	12	8	4
Male	57	2	5	3	5	7	3	3	4	8	8	6	3
Female	34	1	1	6	2	4	4	3	3	3	4	2	1
ILLINOIS	101,706	8,979	8,184	8,600	8,632	8,694	8,278	7,989	8,137	7,885	8,546	8,515	9,267
Male	57,491	5,016	4,612	4,863	4,839	4,949	4,739	4,581	4,648	4,436	4,766	4,778	5,264
Female	44,215	3,963	3,572	3,737	3,793	3,745	3,539	3,408	3,489	3,449	3,780	3,737	4,003
White	91,261	8,100	7,368	7,697	7,762	7,822	7,415	7,165	7,267	7,107	7,656	7,610	8,292
Male	51,778	4,541	4,154	4,385	4,366	4,480	4,252	4,122	4,178	4,020	4,302	4,254	4,724
Female	39,483	3,559	3,214	3,312	3,396	3,342	3,163	3,043	3,089	3,087	3,354	3,356	3,568
Nonwhite	10,445	879	816	903	870	872	863	824	870	778	890	905	975
Male	5,713	475	458	478	473	469	487	459	470	416	464	524	540
Female	4,732	404	358	425	397	403	376	365	400	362	426	381	435
INDIANA	44,867	4,044	3,670	3,793	3,706	3,805	3,597	3,656	3,456	3,495	3,828	3,758	4,059
Male	25,448	2,256	2,087	2,169	2,108	2,157	2,099	2,071	1,913	2,021	2,186	2,069	2,312
Female	19,419	1,788	1,583	1,624	1,598	1,648	1,498	1,585	1,543	1,474	1,642	1,689	1,747
White	42,138	3,801	3,451	3,567	3,478	3,577	3,372	3,446	3,236	3,277	3,602	3,527	3,804
Male	23,899	2,125	1,955	2,043	1,978	2,034	1,975	1,954	1,797	1,898	2,036	1,936	2,168
Female	18,239	1,676	1,496	1,524	1,500	1,543	1,397	1,492	1,439	1,379	1,566	1,591	1,636
Nonwhite	2,729	243	219	226	228	228	225	210	220	218	226	231	255
Male	1,549	131	132	126	130	123	124	117	116	123	150	133	144
Female	1,180	112	87	100	98	105	101	93	104	95	76	98	111
IOWA	28,179	2,418	2,272	2,429	2,416	2,337	2,247	2,253	2,259	2,164	2,419	2,329	2,636
Male	15,844	1,326	1,259	1,307	1,365	1,340	1,304	1,275	1,279	1,195	1,388	1,297	1,509
Female	12,335	1,092	1,013	1,122	1,051	997	943	978	980	969	1,031	1,032	1,127
White	27,869	2,385	2,251	2,405	2,393	2,314	2,217	2,226	2,226	2,139	2,405	2,298	2,610
Male	15,690	1,311	1,246	1,292	1,356	1,327	1,293	1,262	1,259	1,181	1,382	1,283	1,498
Female	12,179	1,074	1,005	1,113	1,037	987	924	964	967	958	1,023	1,015	1,112
Nonwhite	310	33	21	24	23	23	30	27	33	25	14	31	26
Male	154	15	13	15	9	13	11	13	20	14	6	14	11
Female	156	18	8	9	14	10	19	14	13	11	8	17	15
KANSAS	21,053	1,938	1,741	1,825	1,769	1,706	1,668	1,815	1,610	1,574	1,750	1,775	1,882
Male	11,870	1,083	954	1,020	990	982	972	1,007	879	904	978	1,011	1,090
Female	9,183	855	787	805	779	724	696	808	731	670	772	764	792
White	20,017	1,849	1,658	1,728	1,672	1,622	1,585	1,736	1,522	1,506	1,666	1,676	1,797
Male	11,312	1,034	910	971	938	948	930	960	833	865	933	947	1,043
Female	8,705	815	748	757	734	674	655	776	689	641	733	729	754
Nonwhite	1,036	89	83	97	97	84	83	79	88	68	84	99	85
Male	558	49	44	49	52	34	42	47	46	39	45	64	47
Female	478	40	39	48	45	50	41	32	42	29	39	35	38

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY	29,533	2,695	2,502	2,482	2,438	2,437	2,326	2,402	2,305	2,289	2,484	2,505	2,668
Male	16,751	1,517	1,399	1,406	1,355	1,408	1,339	1,359	1,287	1,314	1,430	1,400	1,537
Female	12,782	1,178	1,103	1,076	1,083	1,029	987	1,043	1,018	975	1,054	1,105	1,131
White	26,473	2,416	2,254	2,244	2,166	2,182	2,098	2,126	2,062	2,051	2,239	2,246	2,389
Male	15,080	1,355	1,270	1,274	1,217	1,265	1,196	1,206	1,159	1,183	1,302	1,270	1,383
Female	11,393	1,061	984	970	949	917	902	920	903	868	937	976	1,006
Nonwhite	3,060	279	248	238	272	255	228	276	243	238	245	259	279
Male	1,671	162	129	132	138	143	143	153	128	131	128	130	154
Female	1,389	117	119	106	134	112	85	123	115	107	117	129	125
LOUISIANA	28,782	2,753	2,402	2,330	2,333	2,223	2,191	2,277	2,330	2,267	2,472	2,377	2,827
Male	16,434	1,539	1,348	1,302	1,347	1,246	1,261	1,289	1,373	1,317	1,420	1,372	1,620
Female	12,348	1,214	1,054	1,028	986	977	930	988	957	950	1,052	1,005	1,207
White	17,872	1,678	1,476	1,451	1,460	1,403	1,382	1,391	1,453	1,432	1,525	1,507	1,714
Male	10,646	982	861	849	888	813	810	830	897	854	912	916	1,034
Female	7,226	696	615	602	572	590	572	561	556	578	613	591	680
Nonwhite	10,910	1,075	926	879	873	820	809	886	877	835	947	870	1,113
Male	5,788	557	487	453	459	433	451	459	476	463	508	456	586
Female	5,122	518	439	426	414	387	358	427	401	372	439	414	527
MAINE	10,751	969	915	959	898	916	859	857	819	826	867	920	946
Male	6,041	524	504	531	494	526	488	466	482	476	504	509	537
Female	4,710	445	411	428	404	390	371	391	337	350	363	411	409
White	10,702	964	913	954	895	909	856	854	817	822	859	917	942
Male	6,009	520	503	528	491	522	486	465	480	474	499	506	535
Female	4,693	444	410	426	404	387	370	389	337	348	360	411	407
Nonwhite	49	5	2	5	3	7	3	3	2	4	8	3	4
Male	32	4	1	3	3	4	2	1	2	2	5	3	2
Female	17	1	1	2	-	3	1	2	-	2	3	-	2
MARYLAND	27,727	2,550	2,241	2,335	2,392	2,273	2,197	2,313	2,107	2,116	2,290	2,284	2,629
Male	15,511	1,435	1,218	1,316	1,293	1,290	1,249	1,290	1,174	1,170	1,297	1,296	1,483
Female	12,216	1,115	1,023	1,019	1,099	983	948	1,023	933	946	993	988	1,146
White	22,227	2,038	1,782	1,880	1,926	1,827	1,796	1,846	1,677	1,706	1,855	1,826	2,068
Male	12,387	1,139	977	1,046	1,039	1,032	1,029	1,028	926	933	1,034	1,046	1,158
Female	9,840	899	805	834	887	795	767	818	751	773	821	780	910
Nonwhite	5,500	512	459	455	466	446	401	467	430	410	435	458	561
Male	3,124	296	241	270	254	258	220	262	248	237	263	250	325
Female	2,376	216	218	185	212	188	181	205	182	173	172	208	236
MASSACHUSETTS	56,210	5,217	4,500	4,725	4,513	4,727	4,501	4,529	4,385	4,386	4,717	4,662	5,348
Male	29,881	2,749	2,391	2,483	2,370	2,499	2,405	2,414	2,353	2,377	2,536	2,463	2,841
Female	26,329	2,468	2,109	2,242	2,143	2,228	2,096	2,115	2,032	2,009	2,181	2,199	2,507
White	55,046	5,110	4,408	4,616	4,426	4,627	4,412	4,436	4,290	4,289	4,629	4,559	5,244
Male	29,220	2,691	2,331	2,424	2,322	2,442	2,361	2,359	2,296	2,324	2,487	2,403	2,780
Female	25,826	2,419	2,077	2,192	2,104	2,185	2,051	2,077	1,994	1,965	2,142	2,156	2,464
Nonwhite	1,164	107	92	109	87	100	89	93	95	97	88	103	104
Male	661	58	60	59	48	57	44	55	57	53	49	60	61
Female	503	49	32	50	39	43	45	38	38	44	39	43	43
MICHIGAN	67,625	5,847	5,434	5,674	5,519	5,839	5,560	5,567	5,403	5,281	5,647	5,697	6,157
Male	39,323	3,332	3,157	3,331	3,183	3,420	3,226	3,263	3,177	3,036	3,272	3,352	3,574
Female	28,302	2,515	2,277	2,343	2,336	2,419	2,334	2,304	2,226	2,245	2,375	2,345	2,583
White	61,837	5,368	4,949	5,215	5,054	5,338	5,087	5,083	4,934	4,831	5,118	5,201	5,659
Male	36,110	3,079	2,882	3,081	2,918	3,142	2,959	2,998	2,918	2,789	2,973	3,077	3,294
Female	25,727	2,289	2,067	2,134	2,136	2,196	2,128	2,085	2,016	2,042	2,145	2,124	2,365
Nonwhite	5,788	479	485	459	465	501	473	484	469	450	529	496	498
Male	3,213	253	275	250	265	278	267	285	259	247	299	275	280
Female	2,575	226	210	209	200	223	206	219	210	203	230	221	218
MINNESOTA	31,103	2,770	2,516	2,604	2,576	2,645	2,532	2,501	2,516	2,421	2,591	2,559	2,872
Male	18,182	1,587	1,398	1,534	1,474	1,577	1,491	1,434	1,502	1,460	1,500	1,522	1,703
Female	12,921	1,183	1,118	1,070	1,102	1,068	1,041	1,067	1,014	961	1,091	1,037	1,169
White	30,727	2,733	2,490	2,579	2,554	2,618	2,501	2,468	2,475	2,390	2,558	2,525	2,836
Male	17,962	1,567	1,381	1,524	1,462	1,562	1,471	1,416	1,481	1,440	1,479	1,497	1,682
Female	12,765	1,166	1,109	1,055	1,092	1,056	1,030	1,052	994	950	1,079	1,028	1,154
Nonwhite	376	37	26	25	22	27	31	33	41	31	33	34	36
Male	220	20	17	10	12	15	20	18	21	20	21	25	21
Female	156	17	9	15	10	12	11	15	20	11	12	9	15
MISSISSIPPI	21,222	2,056	1,771	1,746	1,758	1,645	1,661	1,642	1,600	1,662	1,826	1,803	2,052
Male	11,919	1,133	957	974	988	921	934	933	912	944	1,039	1,008	1,175
Female	9,303	923	814	772	770	724	727	709	688	718	787	794	877
White	11,070	1,036	885	962	920	895	879	829	840	848	992	962	1,022
Male	6,481	598	495	559	525	543	526	482	503	501	578	563	608
Female	4,589	438	390	403	395	352	353	347	337	347	414	399	414
Nonwhite	10,152	1,020	886	784	838	750	782	813	760	814	834	841	1,030
Male	5,438	535	462	415	463	378	408	451	409	443	461	446	567
Female	4,714	485	424	369	375	372	374	362	351	371	373	395	463
MISSOURI	47,331	4,134	3,829	3,979	3,987	3,940	3,796	3,872	3,704	3,698	4,006	3,786	4,600
Male	26,669	2,364	2,138	2,213	2,202	2,218	2,132	2,210	2,089	2,077	2,281	2,182	2,563
Female	20,662	1,770	1,691	1,766	1,785	1,722	1,664	1,662	1,615	1,621	1,725	1,604	2,037
White	42,515	3,718	3,449	3,587	3,589	3,528	3,406	3,467	3,304	3,353	3,591	3,390	4,133
Male	24,007	2,130	1,925	1,986	1,993	1,986	1,916	1,983	1,873	1,894	2,062	1,947	2,312
Female	18,508	1,588	1,524	1,601	1,596	1,542	1,490	1,484	1,431	1,459	1,529	1,443	1,821
Nonwhite	4,816	416	380	392	398	412	390	405	400	345	415	396	467
Male	2,662	234	213	227	209	232	216	227	216	183	219	235	251
Female	2,154	182	167	165	189	180	174	178	184	162	196	161	216

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA	6,371	514	487	556	513	562	561	531	499	498	557	538	555
Male	4,006	328	298	347	330	371	349	334	302	334	341	334	338
Female	2,365	186	189	209	183	191	212	197	197	164	216	204	217
White	6,092	494	464	538	485	537	525	508	477	478	534	511	541
Male	3,849	316	289	336	318	357	329	319	291	321	324	320	329
Female	2,243	178	175	202	167	180	196	189	186	157	210	191	212
Nonwhite	279	20	23	18	28	25	36	23	22	20	23	27	14
Male	157	12	9	11	12	14	20	15	11	13	17	14	9
Female	122	8	14	7	16	11	16	8	11	7	6	13	5
NEBRASKA	13,936	1,203	1,083	1,168	1,181	1,139	1,136	1,208	1,109	1,085	1,178	1,176	1,270
Male	8,063	693	602	683	678	655	670	687	644	642	679	687	743
Female	5,873	510	481	485	503	484	466	521	465	443	499	489	527
White	13,522	1,159	1,058	1,136	1,139	1,102	1,099	1,176	1,081	1,062	1,139	1,147	1,224
Male	7,828	666	586	665	651	635	652	671	630	629	655	671	717
Female	5,694	493	472	471	488	467	447	505	451	433	484	476	507
Nonwhite	414	44	25	32	42	37	37	32	28	23	39	29	46
Male	235	27	16	18	27	20	18	16	14	13	24	16	26
Female	179	17	9	14	15	17	19	16	14	10	15	13	20
NEVADA	2,624	210	214	214	221	234	246	203	220	187	216	217	242
Male	1,697	146	139	149	154	148	153	119	130	125	142	127	165
Female	927	64	75	65	67	86	93	84	90	62	74	90	77
White	2,421	198	195	200	203	220	221	184	205	172	201	194	228
Male	1,583	136	126	142	143	139	144	111	121	116	132	114	159
Female	838	62	69	58	60	81	77	73	84	56	69	80	69
Nonwhite	203	12	19	14	18	14	25	19	15	15	15	23	14
Male	114	10	13	7	11	9	9	8	9	9	10	13	6
Female	89	2	6	7	7	5	16	11	6	6	5	10	8
NEW HAMPSHIRE	6,695	683	514	516	528	585	532	519	531	528	580	556	622
Male	3,724	371	281	299	307	337	304	276	298	283	324	294	350
Female	2,971	312	233	217	221	249	228	243	233	245	256	262	272
White	6,684	681	512	514	528	585	531	519	530	528	580	554	622
Male	3,716	369	280	297	307	337	303	276	297	283	324	293	350
Female	2,968	312	232	217	221	248	228	243	233	245	256	261	272
Nonwhite	11	2	2	2	-	1	1	-	1	-	-	2	-
Male	8	2	1	2	-	-	1	-	1	-	-	1	-
Female	3	-	1	-	-	1	-	-	-	-	-	1	-
NEW JERSEY	60,772	5,416	4,806	5,501	5,233	5,028	4,792	5,064	4,750	4,621	4,971	5,120	5,470
Male	33,670	2,942	2,620	2,965	2,808	2,782	2,677	2,858	2,707	2,557	2,803	2,880	3,071
Female	27,102	2,474	2,186	2,536	2,425	2,246	2,115	2,206	2,043	2,064	2,168	2,240	2,399
White	55,518	4,918	4,388	5,063	4,814	4,571	4,398	4,621	4,340	4,183	4,578	4,691	4,953
Male	30,827	2,675	2,404	2,750	2,567	2,542	2,463	2,617	2,463	2,325	2,583	2,647	2,791
Female	24,691	2,243	1,984	2,313	2,247	2,029	1,935	2,004	1,877	1,858	1,995	2,044	2,162
Nonwhite	5,254	498	418	438	419	457	394	443	410	438	393	429	517
Male	2,843	267	216	215	241	240	214	241	244	232	220	233	280
Female	2,411	231	202	223	178	217	180	202	166	206	173	196	237
NEW MEXICO	6,362	540	514	541	519	531	510	526	491	499	532	554	605
Male	3,817	324	306	325	333	309	306	331	293	299	304	336	351
Female	2,545	216	208	216	186	222	204	195	198	200	228	218	254
White	5,832	497	479	496	480	486	471	474	446	471	482	504	546
Male	3,501	297	284	297	309	280	285	296	267	286	273	314	313
Female	2,331	200	195	199	171	206	186	178	179	185	209	190	233
Nonwhite	530	43	35	45	39	45	39	52	45	28	50	50	59
Male	316	27	22	28	24	29	21	35	26	13	31	22	38
Female	214	16	13	17	15	16	18	17	19	15	19	28	21
NEW YORK	179,345	16,146	14,623	16,033	15,176	14,882	13,961	14,752	13,927	14,050	14,757	14,820	16,218
Male	99,439	8,976	8,050	8,836	8,384	8,241	7,731	8,154	7,851	7,849	8,172	8,188	9,007
Female	79,906	7,170	6,573	7,197	6,792	6,641	6,230	6,598	6,076	6,201	6,585	6,632	7,211
White	164,734	14,854	13,471	14,758	13,941	13,702	12,829	13,524	12,755	12,872	13,499	13,684	14,845
Male	91,198	8,234	7,414	8,112	7,696	7,624	7,105	7,437	7,173	7,158	7,465	7,558	8,222
Female	73,536	6,620	6,057	6,646	6,245	6,078	5,724	6,087	5,582	5,714	6,034	6,126	6,623
Nonwhite	14,611	1,292	1,152	1,275	1,235	1,180	1,132	1,228	1,172	1,178	1,258	1,136	1,373
Male	8,241	742	636	724	688	617	626	717	678	691	707	630	785
Female	6,370	550	516	551	547	563	506	511	494	487	551	506	588
NORTH CAROLINA	37,496	3,478	2,858	3,181	3,109	3,046	2,915	3,018	2,881	2,961	3,371	3,127	3,551
Male	21,559	2,029	1,650	1,849	1,769	1,772	1,716	1,756	1,621	1,692	1,953	1,773	1,979
Female	15,937	1,449	1,208	1,332	1,340	1,274	1,199	1,262	1,260	1,269	1,418	1,354	1,572
White	26,275	2,395	1,963	2,259	2,194	2,187	2,074	2,157	2,005	2,067	2,343	2,178	2,453
Male	15,393	1,427	1,160	1,339	1,295	1,306	1,248	1,275	1,140	1,191	1,376	1,249	1,387
Female	10,882	968	803	920	899	881	826	882	865	876	967	929	1,066
Nonwhite	11,221	1,083	895	922	915	859	841	861	876	894	1,028	949	1,098
Male	6,166	602	490	510	474	466	468	481	481	501	577	524	592
Female	5,055	481	405	412	441	393	373	380	395	393	451	425	506
NORTH DAKOTA	5,257	454	389	421	467	423	433	420	471	393	430	467	489
Male	3,196	273	238	239	276	232	280	289	275	250	269	291	284
Female	2,061	181	151	182	191	191	153	131	196	143	161	176	205
White	5,106	442	380	411	453	413	419	406	446	386	418	454	478
Male	3,106	269	234	234	267	225	268	280	257	246	260	286	280
Female	2,000	173	146	177	186	188	151	126	189	140	158	168	198
Nonwhite	151	12	9	10	14	10	14	14	25	7	12	13	11
Male	90	4	4	5	9	7	12	9	18	4	9	5	4
Female	61	8	5	5	5	3	2	5	7	3	3	8	7

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO	92,432	8,346	7,357	7,657	7,778	7,750	7,453	7,636	7,186	7,193	7,820	7,613	8,443
Male	51,667	4,564	4,002	4,287	4,311	4,373	4,190	4,323	4,059	4,104	4,350	4,376	4,728
Female	40,765	3,782	3,355	3,370	3,467	3,377	3,263	3,313	3,127	3,089	3,470	3,437	3,715
White	84,773	7,693	6,766	7,031	7,147	7,126	6,804	6,974	6,576	6,556	7,186	7,149	7,765
Male	47,319	4,206	3,674	3,924	3,927	4,023	3,822	3,952	3,722	3,748	3,994	3,989	4,338
Female	37,454	3,487	3,092	3,107	3,220	3,103	2,982	3,022	2,854	2,808	3,192	3,160	3,427
Nonwhite	7,659	653	591	626	631	624	649	662	610	637	634	664	678
Male	4,348	358	328	363	384	350	368	371	337	356	356	387	390
Female	3,311	295	263	263	247	274	281	291	273	281	278	277	288
OKLAHOMA	22,988	2,094	1,870	1,961	1,924	1,911	1,735	1,886	1,846	1,802	1,830	2,005	2,124
Male	13,445	1,224	1,071	1,166	1,122	1,086	1,013	1,098	1,083	1,113	1,116	1,139	1,214
Female	9,543	870	799	795	802	825	722	788	763	689	714	866	910
White	20,618	1,863	1,677	1,758	1,754	1,706	1,554	1,683	1,688	1,608	1,637	1,794	1,896
Male	12,180	1,100	980	1,059	1,026	984	930	988	1,000	1,002	998	1,025	1,088
Female	8,438	763	697	699	728	722	624	695	688	606	639	769	808
Nonwhite	2,370	231	193	203	170	205	181	203	158	194	193	211	228
Male	1,265	124	91	107	96	102	83	110	83	111	118	114	126
Female	1,105	107	102	96	74	103	98	93	75	83	75	97	102
OREGON	16,882	1,374	1,216	1,401	1,430	1,495	1,380	1,377	1,302	1,348	1,486	1,514	1,559
Male	10,086	781	737	819	844	913	839	859	795	796	912	890	901
Female	6,796	593	479	582	586	582	541	518	507	552	574	624	658
White	16,564	1,349	1,190	1,373	1,387	1,467	1,357	1,351	1,282	1,327	1,465	1,491	1,525
Male	9,885	766	723	802	820	892	827	840	779	782	901	876	877
Female	6,679	583	467	571	567	575	530	511	503	545	564	615	648
Nonwhite	318	25	26	28	43	28	23	26	20	21	21	23	34
Male	201	15	14	17	24	21	12	19	16	14	11	14	24
Female	117	10	12	11	19	7	11	7	4	7	10	9	10
PENNSYLVANIA	120,758	11,062	9,671	10,131	10,109	10,286	9,659	10,101	9,355	9,248	10,156	9,958	11,022
Male	67,161	6,100	5,298	5,645	5,576	5,753	5,463	5,557	5,291	5,111	5,727	5,545	6,095
Female	53,597	4,962	4,373	4,486	4,533	4,533	4,196	4,544	4,064	4,137	4,429	4,413	4,927
White	111,429	10,278	8,871	9,343	9,293	9,511	8,979	9,315	8,595	8,527	9,364	9,199	10,154
Male	61,936	5,684	4,843	5,191	5,149	5,318	5,071	5,132	4,853	4,691	5,277	5,103	5,624
Female	49,493	4,594	4,028	4,152	4,144	4,193	3,908	4,183	3,742	3,836	4,087	4,096	4,530
Nonwhite	9,329	784	800	788	816	775	680	786	760	721	792	759	868
Male	5,225	416	455	454	427	435	392	425	438	420	450	442	471
Female	4,104	368	345	334	389	340	288	361	322	301	342	317	397
RHODE ISLAND	8,837	737	685	757	777	766	719	733	717	687	736	729	794
Male	4,658	374	356	392	411	411	391	380	386	349	398	381	429
Female	4,179	363	329	365	366	355	328	353	331	338	338	348	365
White	8,644	723	669	741	755	756	702	713	699	668	718	721	779
Male	4,540	365	347	385	394	404	380	364	377	340	388	377	419
Female	4,104	358	322	356	361	352	322	349	322	328	330	344	360
Nonwhite	193	14	16	16	22	10	17	20	18	19	18	8	15
Male	118	9	9	7	17	7	11	16	9	9	10	4	10
Female	75	5	7	9	5	3	6	4	9	10	8	4	5
SOUTH CAROLINA	20,201	1,954	1,690	1,703	1,661	1,589	1,595	1,624	1,528	1,554	1,778	1,663	1,862
Male	11,370	1,129	948	936	924	893	900	914	868	873	1,029	907	1,049
Female	8,831	825	742	767	737	696	695	710	660	681	749	756	813
White	11,806	1,093	954	1,022	960	941	981	985	908	907	1,022	986	1,047
Male	6,862	649	559	589	550	558	555	561	535	526	615	564	601
Female	4,944	444	395	433	410	383	426	424	373	381	407	422	446
Nonwhite	8,395	861	736	681	701	648	614	639	620	647	756	677	815
Male	4,508	480	389	347	374	335	345	353	333	347	414	343	448
Female	3,887	381	347	334	327	313	269	286	287	300	342	334	367
SOUTH DAKOTA	6,284	496	480	501	540	533	572	513	498	488	540	528	595
Male	3,866	305	308	322	328	328	360	291	297	293	318	329	387
Female	2,418	191	172	179	212	205	212	222	201	195	222	199	208
White	5,960	466	460	482	516	503	548	490	471	467	504	496	557
Male	3,684	289	294	309	314	311	346	280	291	285	301	309	365
Female	2,276	177	166	173	202	192	202	210	190	182	203	187	192
Nonwhite	324	30	20	19	24	30	24	23	27	21	36	32	38
Male	182	16	14	13	14	17	14	11	16	8	17	20	22
Female	142	14	6	6	10	13	10	12	11	13	19	12	16
TENNESSEE	32,698	3,078	2,683	2,727	2,674	2,560	2,479	2,647	2,567	2,601	2,825	2,751	3,086
Male	18,408	1,673	1,482	1,532	1,494	1,469	1,414	1,485	1,479	1,510	1,572	1,564	1,734
Female	14,290	1,405	1,201	1,195	1,180	1,091	1,065	1,162	1,108	1,091	1,253	1,187	1,352
White	25,800	2,422	2,147	2,111	2,142	2,042	1,951	2,067	2,037	2,109	2,188	2,164	2,420
Male	14,696	1,332	1,206	1,213	1,186	1,192	1,143	1,163	1,173	1,229	1,230	1,258	1,371
Female	11,104	1,090	941	898	956	850	808	904	864	880	958	906	1,049
Nonwhite	6,898	656	536	616	532	518	528	580	550	492	637	587	666
Male	3,712	341	276	319	308	277	271	322	306	281	342	306	363
Female	3,186	315	260	297	224	241	257	258	244	211	295	281	303
TEXAS	76,203	7,180	6,219	6,524	6,117	6,136	6,000	6,066	6,248	6,094	6,368	6,342	6,912
Male	44,545	4,106	3,633	3,775	3,569	3,617	3,527	3,551	3,646	3,526	3,746	3,799	4,050
Female	31,658	3,074	2,586	2,749	2,548	2,516	2,473	2,515	2,602	2,568	2,622	2,543	2,862
White	64,316	5,994	5,198	5,539	5,179	5,210	5,065	5,108	5,352	5,152	5,347	5,369	5,805
Male	37,968	3,458	3,088	3,230	3,057	3,098	2,999	3,028	3,169	2,990	3,196	3,218	3,437
Female	26,348	2,536	2,108	2,309	2,122	2,112	2,066	2,080	2,183	2,162	2,151	2,151	2,368
Nonwhite	11,887	1,186	1,023	985	938	923	935	958	896	942	1,021	973	1,107
Male	6,577	648	545	545	512	519	528	523	477	536	550	581	613
Female	5,310	538	478	440	426	404	407	435	419	406	471	392	494

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	6,094	524	499	486	496	542	491	523	490	481	499	523	540
Male	3,475	294	299	287	287	304	288	286	272	276	288	301	293
Female	2,619	230	200	199	209	238	203	237	218	205	211	222	247
White	5,947	512	490	472	484	531	476	517	472	472	486	507	528
Male	3,371	288	293	279	276	294	275	283	261	271	280	288	283
Female	2,576	224	197	193	208	237	201	234	211	201	206	219	245
Nonwhite	147	12	9	14	12	11	15	6	18	9	13	16	12
Male	104	6	6	8	11	10	13	3	11	5	8	13	10
Female	43	6	3	6	1	1	2	3	7	4	5	3	2
VERMONT	4,311	377	318	349	363	365	382	356	364	340	354	362	381
Male	2,351	190	170	184	203	198	202	194	198	196	206	199	211
Female	1,960	187	148	165	160	167	180	162	166	144	148	163	170
White	4,305	376	317	349	363	365	381	355	363	340	353	362	381
Male	2,349	189	170	184	203	198	202	194	198	196	205	199	211
Female	1,956	187	147	165	160	167	179	161	165	144	148	163	170
Nonwhite	6	1	1	-	-	-	1	1	1	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	4	-	1	-	-	-	1	1	1	-	-	-	-
VIRGINIA	34,068	3,155	2,698	2,804	2,867	2,849	2,601	2,848	2,649	2,648	2,874	2,861	3,214
Male	19,413	1,757	1,505	1,591	1,632	1,627	1,472	1,568	1,563	1,530	1,698	1,620	1,850
Female	14,655	1,398	1,193	1,213	1,235	1,222	1,129	1,280	1,086	1,118	1,176	1,241	1,364
White	25,198	2,320	1,977	2,100	2,161	2,134	1,936	2,067	1,970	1,969	2,115	2,089	2,360
Male	14,473	1,307	1,097	1,211	1,223	1,229	1,112	1,149	1,168	1,151	1,272	1,175	1,379
Female	10,725	1,013	880	889	938	905	824	918	802	818	843	914	981
Nonwhite	8,870	835	721	704	706	715	665	781	679	679	759	772	854
Male	4,940	450	408	380	409	398	360	419	395	379	426	445	471
Female	3,930	385	313	324	297	317	305	362	284	300	333	327	383
WASHINGTON	26,434	2,233	1,984	2,304	2,163	2,203	2,058	2,169	2,107	2,050	2,308	2,287	2,568
Male	15,852	1,346	1,175	1,350	1,305	1,300	1,259	1,333	1,230	1,254	1,390	1,394	1,516
Female	10,582	887	809	954	858	903	799	836	877	796	918	893	1,052
White	25,625	2,167	1,927	2,239	2,093	2,147	1,992	2,107	2,048	1,984	2,229	2,220	2,473
Male	15,327	1,305	1,141	1,310	1,259	1,261	1,219	1,283	1,193	1,208	1,342	1,347	1,459
Female	10,299	862	786	929	834	886	773	824	855	776	887	873	1,014
Nonwhite	808	66	57	65	70	56	66	62	59	66	79	67	95
Male	525	41	34	40	46	39	40	50	37	46	48	47	57
Female	283	25	23	25	24	17	26	12	22	20	31	20	38
WEST VIRGINIA	18,056	1,652	1,481	1,514	1,521	1,570	1,405	1,440	1,356	1,386	1,546	1,484	1,701
Male	10,602	959	845	921	883	912	819	872	807	820	890	891	983
Female	7,454	693	636	593	638	658	586	568	549	566	656	593	718
White	16,918	1,547	1,370	1,405	1,416	1,492	1,309	1,357	1,272	1,312	1,445	1,411	1,582
Male	9,934	899	781	854	826	867	763	825	752	775	828	852	912
Female	6,984	648	589	551	590	625	546	532	520	537	617	559	670
Nonwhite	1,138	105	111	109	105	78	96	83	84	74	101	73	119
Male	668	60	64	67	57	45	56	47	55	45	62	39	71
Female	470	45	47	42	48	33	40	36	29	29	39	34	48
WISCONSIN	37,262	3,332	2,969	3,149	3,137	3,190	3,134	2,955	2,881	2,842	3,157	3,174	3,342
Male	21,353	1,886	1,702	1,771	1,770	1,843	1,764	1,709	1,661	1,668	1,820	1,835	1,924
Female	15,909	1,446	1,267	1,378	1,367	1,347	1,370	1,246	1,220	1,174	1,337	1,339	1,418
White	36,614	3,271	2,914	3,083	3,080	3,137	3,081	2,901	2,836	2,795	3,104	3,117	3,295
Male	20,986	1,852	1,680	1,731	1,733	1,811	1,737	1,675	1,642	1,645	1,786	1,804	1,890
Female	15,628	1,419	1,234	1,352	1,347	1,326	1,344	1,226	1,194	1,150	1,318	1,313	1,405
Nonwhite	648	61	55	66	57	53	53	54	45	47	53	57	47
Male	367	34	22	40	37	32	27	34	19	23	34	31	34
Female	281	27	33	26	20	21	26	20	26	24	19	26	13
WYOMING	2,641	245	206	241	192	231	214	214	232	190	223	229	224
Male	1,689	157	135	154	116	147	138	138	142	122	143	148	149
Female	952	88	71	87	76	84	76	76	90	68	80	81	75
White	2,575	239	202	233	188	227	207	211	226	186	212	224	220
Male	1,657	153	134	152	115	145	138	135	141	119	136	144	145
Female	918	86	68	81	73	82	69	76	85	67	76	80	75
Nonwhite	66	6	4	8	4	4	7	3	6	4	11	5	4
Male	32	4	1	2	1	2	-	3	1	3	7	4	4
Female	34	2	3	6	3	2	7	-	5	1	4	1	-

Table 5-4. Deaths by Specified Race and Sex: United States and Each State, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,701,522	966,827	734,695	854,569	643,763	105,493	87,298	2,511	1,935	1,376	301	1,426	782	1,452	616
Alabama	29,672	16,693	12,979	11,112	7,785	5,577	5,192	2	1	-	-	-	-	2	1
Alaska	1,274	862	412	603	213	11	9	81	66	-	-	1	1	[1]166	[2]123
Arizona	10,565	6,667	3,898	5,921	3,460	284	132	445	300	10	3	4	2	3	1
Arkansas	17,529	10,444	7,085	8,084	5,201	2,359	1,881	-	2	-	-	1	-	-	1
California	137,327	78,712	58,615	73,417	55,180	3,744	2,870	170	126	492	144	522	231	367	64
Colorado	15,142	8,658	6,484	8,409	6,304	192	158	17	13	6	-	24	6	10	3
Connecticut	23,861	13,198	10,663	12,667	10,249	517	410	3	2	6	-	3	1	2	1
Delaware	4,097	2,296	1,801	1,862	1,511	430	288	3	1	1	1	-	-	-	-
District of Columbia	8,847	4,741	4,106	2,401	2,143	2,310	1,956	2	-	16	5	-	-	12	2
Florida	48,797	29,214	19,583	24,300	15,551	4,893	4,025	11	6	5	1	3	-	2	-
Georgia	34,382	19,373	15,009	13,031	9,300	6,340	5,706	-	-	2	2	-	-	-	1
Hawaii	3,399	2,085	1,314	662	492	9	5	4	-	141	72	633	430	[3]636	[4]315
Idaho	5,534	3,408	2,126	3,351	2,092	9	4	34	24	1	-	11	4	2	2
Illinois	101,706	57,491	44,215	51,778	39,483	5,606	4,679	13	10	49	10	31	30	14	3
Indiana	44,867	25,448	19,419	23,899	18,239	1,536	1,178	3	-	7	-	1	1	2	1
Iowa	28,179	15,844	12,335	15,690	12,179	145	147	8	9	-	-	1	-	-	-
Kansas	21,053	11,870	9,183	11,312	8,705	539	464	16	11	1	-	1	2	1	1
Kentucky	29,533	16,751	12,782	15,080	11,393	1,667	1,387	1	-	2	-	-	-	1	2
Louisiana	28,782	16,434	12,348	10,646	7,226	5,766	5,113	8	6	6	-	3	3	5	-
Maine	10,751	6,041	4,710	6,009	4,693	22	7	9	9	-	-	-	-	1	1
Maryland	27,727	15,511	12,216	12,387	9,840	3,106	2,368	3	4	8	1	3	3	4	-
Massachusetts	56,210	29,881	26,329	29,220	25,826	582	484	5	5	63	5	1	4	10	5
Michigan	67,625	39,323	28,302	36,110	25,727	3,142	2,532	39	31	16	6	3	1	13	5
Minnesota	31,103	18,182	12,921	17,962	12,765	130	89	83	62	6	-	-	2	1	3
Mississippi	21,222	11,919	9,303	6,481	4,589	5,422	4,697	14	16	2	1	-	-	-	-
Missouri	47,331	26,669	20,662	24,007	18,508	2,649	2,152	4	1	8	-	-	-	1	1
Montana	6,371	4,006	2,365	3,849	2,243	17	5	129	113	2	-	8	-	3	4
Nebraska	13,936	8,063	5,873	7,828	5,694	182	155	49	23	2	-	2	1	-	-
Nevada	2,624	1,697	927	1,583	838	67	57	39	30	5	-	1	1	2	1
New Hampshire	6,695	3,724	2,971	3,716	2,968	7	3	1	-	-	-	-	-	-	-
New Jersey	60,772	33,670	27,102	30,827	24,691	2,798	2,400	1	1	22	4	5	2	17	4
New Mexico	6,362	3,817	2,545	3,501	2,331	84	56	230	156	1	-	-	-	1	2
New York	179,345	99,439	79,906	91,198	73,536	7,782	6,265	63	54	330	31	29	10	37	10
North Carolina	37,496	21,559	15,937	15,393	10,882	6,029	4,945	133	107	2	-	-	-	2	3
North Dakota	5,257	3,196	2,061	3,106	2,000	15	5	72	53	-	-	1	1	2	2
Ohio	92,432	51,667	40,765	47,319	37,454	4,311	3,298	5	3	17	1	6	5	9	4
Oklahoma	22,988	13,445	9,543	12,180	8,438	968	837	295	267	2	-	-	1	-	-
Oregon	16,882	10,086	6,796	9,885	6,679	98	60	54	44	23	5	20	6	6	2
Pennsylvania	120,758	67,161	53,597	61,936	49,493	5,148	4,079	1	-	37	1	4	-	35	24
Rhode Island	8,837	4,658	4,179	4,540	4,104	108	69	5	6	4	-	-	-	1	-
South Carolina	20,201	11,370	8,831	6,862	4,944	4,504	3,883	3	4	-	-	1	-	-	-
South Dakota	6,284	3,866	2,418	3,684	2,276	5	-	177	142	-	-	-	-	-	-
Tennessee	32,698	18,408	14,290	14,696	11,104	3,706	3,184	1	-	4	-	-	1	1	1
Texas	76,203	44,545	31,658	37,968	28,348	6,517	5,293	13	8	31	1	5	4	11	4
Utah	6,094	3,475	2,619	3,371	2,576	27	12	39	28	5	-	32	3	1	-
Vermont	4,311	2,351	1,960	2,349	1,956	2	3	-	-	-	-	-	-	-	1
Virginia	34,068	19,413	14,655	14,473	10,725	4,927	3,925	2	2	6	-	1	1	4	2
Washington	26,434	15,852	10,582	15,327	10,299	231	126	135	112	31	5	66	24	62	16
West Virginia	18,056	10,602	7,454	9,934	6,984	667	470	1	-	-	-	-	-	-	-
Wisconsin	37,262	21,353	15,909	20,986	15,628	292	225	70	54	4	2	-	-	1	-
Wyoming	2,641	1,689	952	1,657	918	14	10	15	23	-	-	1	1	2	-

[1]Includes 31 deaths among Aleuts and 126 deaths among Eskimos. (In addition there were 3 deaths among Aleuts and Eskimos residing in other States.)
[2]Includes 22 deaths among Aleuts and 96 deaths among Eskimos. (In addition there were 2 deaths among Aleuts and Eskimos residing in other States.)
[3]Includes 244 deaths among Hawaiians and Part-Hawaiians. (In addition there was 1 death among Hawaiians and Part-Hawaiians residing in other States.)
[4]Includes 193 deaths among Hawaiians and Part-Hawaiians. (In addition there was 1 death among Hawaiians and Part-Hawaiians residing in other States.)

Table 5-5. Deaths by Marital Status, Age, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths)

AGE AND COLOR	BOTH SEXES						MALE						FEMALE					
	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
TOTAL	1,701,522	306,396	789,165	531,019	60,487	14,455	966,827	184,373	552,924	177,462	41,494	10,574	734,695	122,023	236,241	353,557	18,993	3,881
Under 15 years	140,833	140,218	-	-	-	615	81,185	80,847	-	-	-	338	59,648	59,371	-	-	-	277
15-19 years	12,024	10,952	929	25	35	83	8,485	8,043	369	7	9	57	3,539	2,909	560	18	26	26
20-24 years	13,480	7,586	5,352	75	318	149	9,626	6,153	3,135	34	186	118	3,854	1,433	2,217	41	132	31
25-34 years	32,241	7,471	21,881	485	1,975	429	20,246	5,634	12,887	169	1,262	294	11,995	1,837	8,994	316	713	135
35-44 years	71,081	9,487	52,482	2,517	5,674	921	43,395	6,710	31,635	759	3,634	657	27,686	2,777	20,847	1,758	2,040	264
45-54 years	152,744	15,775	112,523	11,328	11,338	1,780	98,061	11,020	73,937	3,729	7,983	1,392	54,683	4,755	38,586	7,599	3,355	388
55-59 years	114,190	11,144	80,532	13,964	7,356	1,194	75,135	7,947	56,186	4,716	5,310	976	39,055	3,197	24,346	9,248	2,046	218
60-64 years	151,280	13,886	100,047	27,806	7,936	1,605	96,407	9,763	70,475	9,170	5,711	1,288	54,873	4,123	29,572	18,636	2,225	317
65-69 years	194,935	17,121	118,957	49,045	8,058	1,754	120,411	11,699	84,803	16,745	5,797	1,367	74,524	5,422	34,154	32,300	2,261	387
70-74 years	220,971	19,463	115,559	77,376	6,841	1,732	127,460	12,204	83,252	26,000	4,694	1,310	93,511	7,259	32,307	51,376	2,147	422
75-79 years	221,085	19,739	91,993	102,397	5,400	1,556	117,868	11,089	67,509	34,610	3,561	1,099	103,217	8,650	24,484	67,787	1,839	457
80-84 years	186,779	16,656	56,602	108,894	3,327	1,300	89,553	7,529	42,706	36,421	2,034	863	97,226	9,127	13,896	72,473	1,293	437
85 years and over	189,275	16,789	32,190	136,947	2,216	1,133	78,638	5,671	25,956	45,057	1,302	652	110,637	11,118	6,234	91,890	914	481
Not stated	604	109	118	160	13	204	357	64	74	45	11	163	247	45	44	115	2	41
White	1,498,332	253,976	707,196	473,673	53,078	10,409	854,569	152,508	499,711	157,707	36,857	7,786	643,763	101,468	207,485	315,966	16,221	2,623
Under 15 years	106,746	106,336	-	-	-	410	62,204	61,977	-	-	-	227	44,542	44,359	-	-	-	183
15-19 years	10,048	9,199	754	19	32	44	7,192	6,835	309	7	8	33	2,856	2,364	445	12	24	11
20-24 years	10,737	6,043	4,271	53	282	88	7,849	5,016	2,564	28	167	74	2,888	1,027	1,707	25	115	14
25-34 years	24,012	5,069	16,892	244	1,590	217	15,526	3,931	10,298	88	1,052	157	8,486	1,138	6,594	156	538	60
35-44 years	55,249	6,853	42,152	1,344	4,443	457	34,672	4,877	26,068	426	2,948	353	20,577	1,976	16,084	918	1,495	104
45-54 years	126,748	12,949	96,234	7,064	9,473	1,028	83,448	9,035	64,337	2,404	6,843	829	43,300	3,914	31,897	4,660	2,630	199
55-59 years	97,251	9,647	70,738	9,653	6,407	806	65,608	6,841	50,025	3,333	4,724	685	31,643	2,806	20,713	6,320	1,683	121
60-64 years	130,164	12,329	89,110	20,591	7,007	1,127	84,903	8,661	63,259	6,942	5,099	942	45,261	3,668	25,851	13,649	1,908	185
65-69 years	172,812	15,779	108,384	40,127	7,197	1,325	107,652	10,712	77,130	13,559	5,186	1,065	65,160	5,067	31,254	26,568	2,011	260
70-74 years	201,620	18,364	107,613	67,977	6,301	1,365	116,802	11,435	77,290	22,697	4,323	1,057	84,818	6,929	30,323	45,280	1,978	308
75-79 years	206,467	18,930	86,869	94,273	5,088	1,307	110,061	10,554	63,510	31,705	3,355	937	96,406	8,376	23,359	62,568	1,733	370
80-84 years	177,073	16,112	53,893	102,793	3,157	1,118	84,616	7,201	40,557	34,183	1,923	752	92,457	8,911	13,336	68,610	1,234	366
85 years and over	179,028	16,290	30,222	129,458	2,093	965	73,804	5,390	24,322	42,314	1,222	556	105,224	10,900	5,900	87,144	871	409
Not stated	377	76	64	77	8	152	232	43	42	21	7	119	145	33	22	56	1	33
Nonwhite	203,190	52,420	81,969	57,346	7,409	4,046	112,258	31,865	53,213	19,755	4,637	2,788	90,932	20,555	28,756	37,591	2,772	1,258
Under 15 years	34,087	33,882	-	-	-	205	18,981	18,870	-	-	-	111	15,106	15,012	-	-	-	94
15-19 years	1,976	1,753	175	6	3	39	1,293	1,208	60	-	1	24	683	545	115	6	2	15
20-24 years	2,743	1,543	1,081	22	36	61	1,777	1,137	571	6	19	44	966	406	510	16	17	17
25-34 years	8,229	2,402	4,989	241	385	212	4,720	1,703	2,589	81	210	137	3,509	699	2,400	160	175	75
35-44 years	15,832	2,634	10,330	1,173	1,231	464	8,723	1,833	5,567	333	686	304	7,109	801	4,763	840	545	160
45-54 years	25,996	2,826	16,289	4,264	1,865	752	14,613	1,985	9,600	1,325	1,140	563	11,383	841	6,689	2,939	725	189
55-59 years	16,939	1,497	9,794	4,311	949	388	9,527	1,106	6,161	1,383	586	291	7,412	391	3,633	2,928	363	97
60-64 years	21,116	1,557	10,937	7,215	929	478	11,504	1,102	7,216	2,228	612	346	9,612	455	3,721	4,987	317	132
65-69 years	22,123	1,342	10,573	8,918	861	429	12,759	987	7,673	3,186	611	302	9,364	355	2,900	5,732	250	127
70-74 years	19,351	1,099	7,946	9,399	540	367	10,658	769	5,962	3,303	371	253	8,693	330	1,984	6,096	169	114
75-79 years	14,618	809	5,124	8,124	312	249	7,807	535	3,999	2,905	206	162	6,811	274	1,125	5,219	106	87
80-84 years	9,706	544	2,709	6,101	170	182	4,937	328	2,149	2,238	111	111	4,769	216	560	3,863	59	71
85 years and over	10,247	499	1,968	7,489	123	168	4,834	281	1,634	2,743	80	96	5,413	218	334	4,746	43	72
Not stated	227	33	54	83	5	52	125	21	32	24	4	44	102	12	22	59	1	8

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,701,522	854,569	643,763	112,258	90,932	930.0	1,071.0	784.5	1,095.1	838.4
	I. Infective and parasitic diseases										
001-008	Tuberculosis of respiratory system	9,191	5,269	1,677	1,574	671	5.0	6.6	2.0	15.4	6.2
001	Respiratory tuberculosis with mention of occupational disease of lung	438	399	3	36	-	0.2	0.5	0.0	0.4	0
002	Pulmonary tuberculosis	8,389	4,701	1,597	1,469	622	4.6	5.9	1.9	14.3	5.7
003	Pleural tuberculosis	135	64	40	16	15	0.1	0.1	0.0	0.2	0.1
.0	Pleurisy specified as tuberculous	29	14	5	8	2	0.0	0.0	0.0	0.1	0.0
.1	Pleurisy with effusion without mention of cause	106	50	35	8	13	0.1	0.1	0.0	0.1	0.1
004	Primary tuberculosis complex with symptoms	2	2	-	-	-	0.0	0.0	0	0	0
005	Tracheobronchial glandular tuberculosis with symptoms	5	4	-	-	1	0.0	0.0	0	0	0.0
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	-	-	-	-	-	0	0	0	0	0
007	Other respiratory tuberculosis	3	1	1	-	1	0.0	0.0	0.0	0	0.0
008	Tuberculosis, unspecified site	219	98	36	53	32	0.1	0.1	0.0	0.5	0.3
010-019	Tuberculosis, other forms	747	246	197	163	138	0.4	0.3	0.2	1.6	1.3
010	Tuberculosis of meninges and central nervous system	225	78	61	42	44	0.1	0.1	0.1	0.4	0.4
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	57	17	12	12	16	0.0	0.0	0.0	0.1	0.1
012	Tuberculosis of bones and joints, active or unspecified	77	30	24	17	6	0.0	0.0	0.0	0.2	0.1
.0	Active or unspecified tuberculosis of vertebral column	65	28	19	13	5	0.0	0.0	0.0	0.1	0.0
.1	Active or unspecified tuberculosis of hip	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.2	Active or unspecified tuberculosis of knee	1	-	1	-	-	0.0	0	0.0	0	0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	8	1	3	3	1	0.0	0.0	0.0	0.0	0.0
013	Late effects of tuberculosis of bones and joints	2	-	-	1	1	0.0	0	0	0.0	0.0
.0	Late effects of tuberculosis of vertebral column	2	-	-	1	1	0.0	0	0	0.0	0.0
.1	Late effects of tuberculosis of hip	-	-	-	-	-	0	0	0	0	0
.2	Late effects of tuberculosis of knee	-	-	-	-	-	0	0	0	0	0
.3	Late effects of tuberculosis of other and unspecified bones and joints	-	-	-	-	-	0	0	0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	14	3	9	1	1	0.0	0.0	0.0	0.0	0.0
.0	Primary tuberculosis of skin	-	-	-	-	-	0	0	0	0	0
.1	Erythema nodosum specified as tuberculous	-	-	-	-	-	0	0	0	0	0
.2	Lupus	12	2	9	-	1	0.0	0.0	0.0	0	0.0
.3	Other tuberculosis of skin and subcutaneous cellular tissue	2	1	-	1	-	0.0	0.0	0	0.0	0
015	Tuberculosis of lymphatic system	9	1	3	3	2	0.0	0.0	0.0	0.0	0.0
016	Tuberculosis of genitourinary system	113	49	40	11	13	0.1	0.1	0.0	0.1	0.1
017	Tuberculosis of adrenal glands	18	6	5	5	2	0.0	0.0	0.0	0.0	0.0
018	Tuberculosis of other organs	30	8	7	9	6	0.0	0.0	0.0	0.1	0.1
.0	Tuberculosis of eye	-	-	-	-	-	0	0	0	0	0
.1	Tuberculosis of ear	-	-	-	-	-	0	0	0	0	0
.2	Other	30	8	7	9	6	0.0	0.0	0.0	0.1	0.1
019	Disseminated tuberculosis	202	56	36	62	48	0.1	0.1	0.0	0.6	0.4
.0	Acute miliary tuberculosis specified as nonpulmonary	-	-	-	-	-	0	0	0	0	0
.1	Acute miliary tuberculosis, unspecified	10	2	1	4	3	0.0	0.0	0.0	0.0	0.0
.2	Other forms of disseminated tuberculosis	192	54	35	58	45	0.1	0.1	0.0	0.6	0.4
020-029	Syphilis and its sequelae	2,850	1,405	487	627	331	1.6	1.8	0.6	6.1	3.1
020	Congenital syphilis	36	10	8	9	9	0.0	0.0	0.0	0.1	0.1
.0	Interstitial keratitis	-	-	-	-	-	0	0	0	0	0
.1	Juvenile neurosyphilis	6	2	1	-	3	0.0	0.0	0.0	0	0.0
.2	Other congenital syphilis	30	8	7	9	6	0.0	0.0	0.0	0.1	0.1
021	Early syphilis	1	-	-	-	1	0.0	0	0	0	0.0
.0	Primary syphilis, except extragenital chancre	-	-	-	-	-	0	0	0	0	0
.1	Extragenital chancre	-	-	-	-	-	0	0	0	0	0
.2	Secondary syphilis	1	-	-	-	1	0.0	0	0	0	0.0
.3	Early syphilis, relapse following treatment	-	-	-	-	-	0	0	0	0	0
.4	Early syphilis, unspecified stage	-	-	-	-	-	0	0	0	0	0
022	Aneurysm of aorta	1,250	728	255	162	105	0.7	0.9	0.3	1.6	1.0
023	Other cardiovascular syphilis	1,025	418	121	329	157	0.6	0.5	0.1	3.2	1.4
024	Tabes dorsalis	66	33	15	13	5	0.0	0.0	0.0	0.1	0.0
025	General paralysis of insane	185	92	35	35	23	0.1	0.1	0.0	0.3	0.2
026	Other syphilis of central nervous system	233	102	38	67	26	0.1	0.1	0.0	0.7	0.2
027	Other forms of late syphilis	31	16	10	4	1	0.0	0.0	0.0	0.0	0.0
028	Latent syphilis	-	-	-	-	-	0	0	0	0	0
.0	Early latent	-	-	-	-	-	0	0	0	0	0
.1	Late latent	-	-	-	-	-	0	0	0	0	0
.2	Unspecified	-	-	-	-	-	0	0	0	0	0
029	Syphilis, unqualified	23	6	5	8	4	0.0	0.0	0.0	0.1	0.0
030-039	Gonococcal infection and other venereal diseases	30	10	-	13	7	0.0	0.0	0	0.1	0.1
030	Acute or unspecified gonorrhea	3	2	-	1	-	0.0	0.0	0	0.0	0
031	Chronic gonococcal infection of genitourinary system	1	-	-	-	1	0.0	0	0	0	0.0
032	Gonococcal infection of joint	-	-	-	-	-	0	0	0	0	0
033	Gonococcal infection of eye	-	-	-	-	-	0	0	0	0	0
034	Gonococcal infection of other sites	-	-	-	-	-	0	0	0	0	0
035	Late effects of gonococcal infection	15	8	-	7	-	0.0	0.0	0	0.1	0
036	Chancroid	-	-	-	-	-	0	0	0	0	0
037	Lymphogranuloma venereum	8	-	-	2	6	0.0	0	0	0.0	0.1
038	Granuloma inguinale, venereal	1	-	-	1	-	0.0	0	0	0.0	0
039	Other and unspecified venereal diseases	2	-	-	2	-	0.0	0	0	0.0	0
040-049	Infectious diseases commonly arising in intestinal tract	436	157	115	81	83	0.2	0.2	0.1	0.8	0.8
040	Typhoid fever	17	4	2	4	7	0.0	0.0	0.0	0.0	0.1
041	Paratyphoid fever	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases--Con. Infectious diseases commonly arising in intestinal tract--Con.										
042	Other Salmonella infections	57	25	13	12	7	0.0	0.0	0.0	0.1	0.1
.0	Without food as vehicle of infection	54	24	12	11	7	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection	3	1	1	1	-	0.0	0.0	0.0	0.0	0
043	Cholera	-	-	-	-	-	0	0	0	0	0
044	Brucellosis (undulant fever)	11	6	5	-	-	0.0	0.0	0.0	0	0
045	Bacillary dysentery	128	45	32	28	23	0.1	0.1	0.0	0.3	0.2
.0	Flexner-Boyd group	8	3	2	2	1	0.0	0.0	0.0	0.0	0.0
.1	Schmitz	-	-	-	-	-	0	0	0	0	0
.2	Shiga	2	2	-	-	-	0.0	0.0	0	0	0
.3	Sonne	3	-	2	1	-	0.0	0	0.0	0.0	0
4	Bacillary, other and unspecified	115	40	28	25	22	0.1	0.1	0.0	0.2	0.2
046	Amebiasis	84	37	21	15	11	0.0	0.0	0.0	0.1	0.1
.0	Without mention of liver abscess	58	22	19	11	6	0.0	0.0	0.0	0.1	0.1
.1	With liver abscess	26	15	2	4	5	0.0	0.0	0.0	0.0	0.0
047	Other protozoal dysentery	-	-	-	-	-	0	0	0	0	0
048	Unspecified forms of dysentery	88	26	23	15	24	0.0	0.0	0 0	0.1	0.2
049	Food poisoning (infection and intoxication)	44	12	16	6	10	0.0	0.0	0.0	0.1	0.1
.0	Staphylococcal	3	1	2	-	-	0.0	0.0	0.0	0	0
.1	Botulism	10	2	6	-	2	0.0	0.0	0.0	0	0.0
.2	Unspecified	31	9	8	6	8	0.0	0.0	0.0	0.1	0.1
050-064	Other bacterial diseases	3,060	1,287	1,054	407	312	1.7	1.6	1.3	4.0	2.9
050	Scarlet fever	24	12	10	1	1	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	106	44	48	9	5	0.1	0.1	0.1	0.1	0.0
052	Erysipelas	32	16	15	-	1	0.0	0.0	0.0	0	0.0
053	Septicemia and pyemia	1,886	799	682	228	177	1.0	1.0	0.8	2.2	1.6
.0	Streptococcus	59	29	25	3	2	0.0	0.0	0.0	0.0	0.0
.1	Staphylococcus	299	155	117	16	11	0.2	0.2	0.1	0.2	0.1
.2	Pneumococcus	32	11	9	8	4	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism	141	63	52	15	11	0.1	0.1	0.1	0.1	0.1
.4	Organism unspecified	1,355	541	479	186	149	0.7	0.7	0.6	1.8	1.4
054	Bacterial toxemia	-	-	-	-	-	0	0	0	0	0
055	Diphtheria	68	24	21	14	9	0.0	0.0	0.0	0.1	0.1
056	Whooping cough	76	12	14	21	29	0.0	0.0	0.0	0.2	0.3
.0	Without mention of pneumonia	30	5	4	9	12	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia	46	7	10	12	17	0.0	0.0	0.0	0.1	0.2
057	Meningococcal infections	586	267	219	57	43	0.3	0.3	0.3	0.6	0.4
.0	Meningococcal meningitis	289	133	109	31	16	0.2	0.2	0.1	0.3	0.1
.1	Acute and unspecified meningococcemia	296	133	110	26	27	0.2	0.2	0.1	0.3	0.2
.2	Chronic meningococcemia	-	-	-	-	-	0	0	0	0	0
.3	Other forms of meningococcal infection	1	1	-	-	-	0.0	0.0	0	0	0
058	Plague	2	2	-	-	-	0.0	0.0	0	0	0
.0	Bubonic	2	2	-	-	-	0.0	0.0	0	0	0
.1	Pneumonic	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
059	Tularemia	3	1	-	2	-	0.0	0.0	0	0.0	0
060	Leprosy	8	5	-	2	1	0.0	0.0	0	0.0	0.0
.0	Lepromatous leprosy	3	2	-	-	1	0.0	0.0	0	0	0.0
.1	Neuroleprosy	-	-	-	-	-	0	0	0	0	0
.2	Mixed	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	5	3	-	2	-	0.0	0.0	0	0.0	0
061	Tetanus	242	87	39	70	46	0.1	0.1	0.0	0.7	0.4
062	Anthrax	1	-	1	-	-	0.0	0	0.0	0	0
063	Gas gangrene	22	16	3	3	-	0.0	0.0	0.0	0.0	0
064	Other bacterial diseases	4	2	2	-	-	0.0	0.0	0.0	0	0
.0	Epidemic arthritic erythema	-	-	-	-	-	0	0	0	0	0
.1	Rat-bite fever due to Streptobacillus moniliformis	1	1	-	-	-	0.0	0.0	0	0	0
.2	Glanders	-	-	-	-	-	0	0	0	0	0
.3	Melioidosis	-	-	-	-	-	0	0	0	0	0
.4	Other	3	1	2	-	-	0.0	0.0	0.0	0	0
070-074	Spirochetal diseases, except syphilis	13	7	4	1	1	0.0	0.0	0.0	0.0	0.0
070	Vincent's infection	3	3	-	-	-	0.0	0.0	0	0	0
071	Relapsing fever	-	-	-	-	-	0	0	0	0	0
.0	Louse-borne	-	-	-	-	-	0	0	0	0	0
.1	Tick-borne	-	-	-	-	-	0	0	0	0	0
.2	Unspecified	-	-	-	-	-	0	0	0	0	0
072	Leptospirosis	9	4	3	1	1	0.0	0.0	0.0	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	6	3	2	1	-	0.0	0.0	0.0	0.0	0
.1	Other and unspecified	3	1	1	-	1	0.0	0.0	0.0	0	0.0
073	Yaws	-	-	-	-	-	0	0	0	0	0
074	Other spirochetal infections	1	-	1	-	-	0.0	0	0.0	0	0
.0	Rat-bite fever due to Spirochaeta morsus muris (sodoku)	1	-	1	-	-	0.0	0	0.0	0	0
.1	Other	-	-	-	-	-	0	0	0	0	0
080-096	Diseases attributable to viruses	3,039	1,306	1,278	212	243	1.7	1.6	1.6	2.1	2.2
080	Acute poliomyelitis	90	45	35	5	5	0.0	0.1	0.0	0.0	0.0
.0	Specified as bulbar or policencephalitis	61	28	27	4	2	0.0	0.0	0.0	0.0	0.0
.1	With other paralysis	10	6	3	-	1	0.0	0.0	0.0	0	0.0
.2	Specified as nonparalytic	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	19	11	5	1	2	0.0	0.0	0.0	0.0	0.0
081	Late effects of acute poliomyelitis	149	79	62	2	6	0.1	0.1	0.1	0.0	0.1
082	Acute infectious encephalitis	505	238	195	33	39	0.3	0.3	0.2	0.3	0.4
.0	Arthropod-borne encephalitis	7	5	1	-	1	0.0	0.0	0.0	0	0.0
.1	Lymphocytic choriomeningitis	37	14	17	1	5	0.0	0.0	0.0	0.0	0.0
.2	Lethargic encephalitis	4	3	1	-	-	0.0	0.0	0.0	0	0
.3	Other and unspecified infectious encephalitis	457	216	176	32	33	0.2	0.3	0.2	0.3	0.3

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases--Con.										
	Diseases attributable to viruses--Con.										
083	Late effects of acute infectious encephalitis	92	53	35	3	1	0.1	0.1	0.0	0.0	0.0
.0	Postencephalitic Parkinsonism	62	36	24	2	-	0.0	0.0	0.0	0.0	0
.1	Postencephalitic personality and character disorders	2	-	2	-	-	0.0	0	0.0	0	0
.2	Postencephalitic psychosis	5	3	2	-	-	0.0	0.0	0.0	0	0
.3	Other postencephalitic conditions	23	14	7	1	1	0.0	0.0	0.0	0.0	0.0
084	Smallpox	-	-	-	-	-	0	0	0	0	0
085	Measles	434	156	169	56	53	0.2	0.2	0.2	0.5	0.5
.0	Without mention of pneumonia	166	64	67	13	22	0.1	0.1	0.1	0.1	0.2
.1	With pneumonia	268	92	102	43	31	0.1	0.1	0.1	0.4	0.3
086	Rubella (German measles)	14	6	5	1	2	0.0	0.0	0.0	0.0	0.0
087	Chickenpox	167	80	68	12	7	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster	63	23	38	2	-	0.0	0.0	0.0	0.0	0
089	Mumps	53	20	27	4	2	0.0	0.0	0.0	0.0	0.0
090	Dengue	-	-	-	-	-	0	0	0	0	0
091	Yellow fever	-	-	-	-	-	0	0	0	0	0
092	Infectious hepatitis	976	393	446	63	74	0.5	0.5	0.5	0.6	0.7
093	Glandular fever (infectious mononucleosis)	13	6	6	-	1	0.0	0.0	0.0	0	0.0
094	Rabies	3	2	1	-	-	0.0	0.0	0.0	0	0
095	Trachoma	-	-	-	-	-	0	0	0	0	0
096	Other diseases attributable to viruses	480	205	191	31	53	0.3	0.3	0.2	0.3	0.5
.0	Herpes febrilis	21	10	8	2	1	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis	-	-	-	-	-	0	0	0	0	0
.2	Psittacosis and ornithosis	-	-	-	-	-	0	0	0	0	0
.3	Cowpox	1	-	-	1	-	0.0	0	0	0.0	0
.4	Epidemic hiccough	-	-	-	-	-	0	0	0	0	0
.5	Epidemic myalgia (Bornholm disease)	2	-	2	-	-	0.0	0	0.0	0	0
.6	Foot and mouth disease	-	-	-	-	-	0	0	0	0	0
.7	Sandfly fever	-	-	-	-	-	0	0	0	0	0
.8	Rift Valley fever	-	-	-	-	-	0	0	0	0	0
.9	Other	456	195	181	28	52	0.2	0.2	0.2	0.3	0.5
100-108	Typhus and other rickettsial diseases	12	8	3	-	1	0.0	0.0	0.0	0	0.0
100	Louse-borne epidemic typhus	-	-	-	-	-	0	0	0	0	0
101	Flea-borne endemic typhus (murine)	-	-	-	-	-	0	0	0	0	0
102	Brill's disease, not specified as louse- or flea-borne	-	-	-	-	-	0	0	0	0	0
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	-	-	-	-	-	0	0	0	0	0
104	Tick-borne typhus	11	8	2	-	1	0.0	0.0	0.0	0	0.0
105	Mite-borne typhus	-	-	-	-	-	0	0	0	0	0
106	Volhynian fever (trench fever)	-	-	-	-	-	0	0	0	0	0
107	Typhus, unspecified	1	-	1	-	-	0.0	0	0.0	0	0
108	Other rickettsial diseases	-	-	-	-	-	0	0	0	0	0
110-117	Malaria	3	2	1	-	-	0.0	0.0	0.0	0	0
110	Vivax malaria (benign tertian)	-	-	-	-	-	0	0	0	0	0
111	Malariae malaria (quartan)	-	-	-	-	-	0	0	0	0	0
112	Falciparum malaria (malignant tertian)	1	1	-	-	-	0.0	0.0	0	0	0
113	Ovale malaria	-	-	-	-	-	0	0	0	0	0
114	Mixed malarial infections	-	-	-	-	-	0	0	0	0	0
115	Blackwater fever	-	-	-	-	-	0	0	0	0	0
116	Other and unspecified forms of malaria	2	1	1	-	-	0.0	0.0	0.0	0	0
117	Recurrent induced malaria	-	-	-	-	-	0	0	0	0	0
120-138	Other infective and parasitic diseases	697	311	183	111	92	0.4	0.4	0.2	1.1	0.8
120	Leishmaniasis	-	-	-	-	-	0	0	0	0	0
.0	Visceral (kala-azar)	-	-	-	-	-	0	0	0	0	0
.1	Cutaneous (Oriental sore)	-	-	-	-	-	0	0	0	0	0
.2	Mucocutaneous (American)	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	-	-	-	-	-	0	0	0	0	0
121	Trypanosomiasis	-	-	-	-	-	0	0	0	0	0
.0	African (sleeping sickness)	-	-	-	-	-	0	0	0	0	0
.1	South American (Chagas' disease)	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
122	Other protozoal diseases	10	6	4	-	-	0.0	0.0	0.0	0	0
.0	Coccidiosis	-	-	-	-	-	0	0	0	0	0
.1	Toxoplasmosis	5	3	2	-	-	0.0	0.0	0.0	0	0
.2	Other	5	3	2	-	-	0.0	0.0	0.0	0	0
123	Schistosomiasis	2	1	1	-	-	0.0	0.0	0.0	0	0
.0	Vesical (S. haematobium	-	-	-	-	-	0	0	0	0	0
.1	Intestinal (S. mansoni)	1	1	-	-	-	0.0	0.0	0	0	0
.2	Oriental (S. japonicum)	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified schistosomiasis	1	-	1	-	-	0.0	0	0.0	0	0
124	Other trematode infestation	-	-	-	-	-	0	0	0	0	0
.0	Clonorchiasis	-	-	-	-	-	0	0	0	0	0
.1	Paragonimiasis	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
125	Hydatid disease	3	2	-	1	-	0.0	0.0	0	0.0	0
126	Other cestode infestation	2	1	1	-	-	0.0	0.0	0.0	0	0
127	Filariasis	-	-	-	-	-	0	0	0	0	0
128	Trichinosis	7	4	3	-	-	0.0	0.0	0.0	0	0
129	Ancylostomiasis	1	-	-	-	1	0.0	0	0	0	0.0
130	Infestation with worms of other, mixed, and unspecified type	38	7	1	12	18	0.0	0.0	0.0	0.1	0.2
.0	Ascariasis	23	2	1	9	11	0.0	0.0	0.0	0.1	0.1
.1	Oxyuriasis	-	-	-	-	-	0	0	0	0	0
.2	Mixed intestinal helminth infestation	-	-	-	-	-	0	0	0	0	0
.3	Other	15	5	-	3	7	0.0	0.0	0	0.0	0.1
131	Dermatophytosis	2	1	1	-	-	0.0	0.0	0.0	0	0
132	Actinomycosis	21	14	2	3	2	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	62	24	17	18	3	0.0	0.0	0.0	0.2	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases--Con.										
	Other infective and parasitic diseases--Con.										
134	Other fungus infections	338	192	91	37	18	0.2	0.2	0.1	0.4	0.2
.0	Blastomycosis	16	11	3	2	-	0.0	0.0	0.0	0.0	0
.1	Cryptococcosis (torulosis)	86	47	23	9	7	0.0	0.1	0.0	0.1	0.1
.2	Histoplasmosis	90	61	15	12	2	0.0	0.1	0.0	0.1	0.0
.3	Moniliasis	100	46	38	10	6	0.1	0.1	0.0	0.1	0.1
.4	Sporotrichosis	1	-	-	-	1	0.0	0	0	0	0.0
.5	Other	45	27	12	4	2	0.0	0.0	0.0	0.0	0.0
135	Scabies	-	-	-	-	-	0	0	0	0	0
136	Pediculosis	-	-	-	-	-	0	0	0	0	0
137	Other arthropod infestation	-	-	-	-	-	0	0	0	0	0
138	Other infective and parasitic diseases	211	59	62	40	50	0.1	0.1	0.1	0.4	0.5
.0	Sarcoid of Boeck	181	48	51	34	48	0.1	0.1	0.1	0.3	0.4
.1	Other	30	11	11	6	2	0.0	0.0	0.0	0.1	0.0
	II. Neoplasms										
140-148	Malignant neoplasm of buccal cavity and pharynx	6,322	4,388	1,367	435	132	3.5	5.5	1.7	4.2	1.2
140	Malignant neoplasm of lip	216	192	19	3	2	0.1	0.2	0.0	0.0	0.0
.0	Upper lip	6	4	1	1	-	0.0	0.0	0.0	0.0	0
.1	Lower lip	70	64	5	1	-	0.0	0.1	0.0	0.0	0
.8	Both lips	-	-	-	-	-	0	0	0	0	0
.9	Lip, unspecified (including commissure)	140	124	13	1	2	0.1	0.2	0.0	0.0	0.0
141	Malignant neoplasm of tongue	1,526	1,065	349	87	25	0.8	1.3	0.4	0.8	0.2
.0	Base of tongue	155	120	27	7	1	0.1	0.2	0.0	0.1	0.0
.7	Other specified parts of tongue	30	26	3	1	-	0.0	0.0	0.0	0.0	0
.8	Multiple parts of tongue	-	-	-	-	-	0	0	0	0	0
.9	Part unspecified	1,341	919	319	79	24	0.7	1.2	0.4	0.8	0.2
142	Malignant neoplasm of salivary gland	598	337	220	26	15	0.3	0.4	0.3	0.3	0.1
.0	Parotid gland	455	261	167	19	8	0.2	0.3	0.2	0.2	0.1
.7	Other salivary gland	90	49	33	3	5	0.0	0.1	0.0	0.0	0.0
.8	Multiple salivary glands	-	-	-	-	-	0	0	0	0	0
.9	Gland unspecified	53	27	20	4	2	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth	387	278	67	42	-	0.2	0.3	0.1	0.4	0.0
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	968	637	248	51	32	0.5	0.8	0.3	0.5	0.3
145	Malignant neoplasm of oral mesopharynx	520	364	91	48	17	0.3	0.5	0.1	0.5	0.2
.0	Tonsil (excluding pillars)	467	331	83	41	12	0.3	0.4	0.1	0.4	0.1
.7	Other specified parts of mesopharynx	48	31	7	6	4	0.0	0.0	0.0	0.1	0.0
.8	Multiple parts of mesopharynx	-	-	-	-	-	0	0	0	0	0
.9	Part unspecified	5	2	1	1	1	0.0	0.0	0.0	0.0	0.0
146	Malignant neoplasm of nasopharynx	490	316	110	52	12	0.3	0.4	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	377	299	40	33	5	0.2	0.4	0.0	0.3	0.0
148	Malignant neoplasm of pharynx, unspecified	1,240	900	223	93	24	0.7	1.1	0.3	0.9	0.2
150-159	Malignant neoplasm of digestive organs and peritoneum	92,754	45,360	38,424	5,349	3,621	50.7	56.8	46.8	52.2	33.4
150	Malignant neoplasm of esophagus	4,889	3,114	890	710	175	2.7	3.9	1.1	6.9	1.6
151	Malignant neoplasm of stomach	20,113	10,846	6,611	1,801	855	11.0	13.6	8.1	17.6	7.9
152	Malignant neoplasm of small intestine, including duodenum	743	329	345	38	31	0.4	0.4	0.4	0.4	0.3
.0	Duodenum	226	100	104	13	9	0.1	0.1	0.1	0.1	0.1
.7	Other specified parts of small intestine	265	116	124	16	9	0.1	0.1	0.2	0.2	0.1
.8	Multiple parts of small intestine	-	-	-	-	-	0	0	0	0	0
.9	Part unspecified	252	113	117	9	13	0.1	0.1	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum	29,665	12,634	15,036	884	1,111	16.2	15.8	18.3	8.6	10.2
.0	Cecum, appendix, and ascending colon	4,256	1,738	2,254	121	143	2.3	2.2	2.7	1.2	1.3
.1	Transverse colon, including hepatic and splenic flexures	1,616	694	834	43	45	0.9	0.9	1.0	0.4	0.4
.2	Descending colon	1,333	551	700	39	43	0.7	0.7	0.9	0.4	0.4
.3	Sigmoid colon	6,319	2,876	3,117	145	181	3.5	3.6	3.8	1.4	1.7
.7	Multiple parts of large intestine	66	28	33	4	1	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified	14,489	6,149	7,225	477	638	7.9	7.7	8.8	4.7	5.9
.9	Intestinal tract, part unspecified	1,586	598	873	55	60	0.9	0.7	1.1	0.5	0.6
154	Malignant neoplasm of rectum	10,697	5,663	4,251	426	357	5.8	7.1	5.2	4.2	3.3
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	6,359	2,438	3,412	284	225	3.5	3.1	4.2	2.8	2.1
.0	Liver	2,012	1,072	671	203	66	1.1	1.3	0.8	2.0	0.6
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	4,345	1,365	2,740	81	159	2.4	1.7	3.3	0.8	1.5
.8	Multiple sites	2	1	1	-	-	0.0	0.0	0.0	0	0
156	Malignant neoplasm of liver (secondary and unspecified)	4,219	1,980	1,743	283	213	2.3	2.5	2.1	2.8	2.0
A	Not stated whether primary or secondary	3,192	1,507	1,313	220	152	1.7	1.9	1.6	2.1	1.4
B	Secondary	1,027	473	430	63	61	0.6	0.6	0.5	0.6	0.6
157	Malignant neoplasm of pancreas	14,349	7,632	5,342	817	558	7.8	9.6	6.5	8.0	5.1
158	Malignant neoplasm of peritoneum	808	355	390	30	33	0.4	0.4	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	912	369	404	76	63	0.5	0.5	0.5	0.7	0.6
160-165	Malignant neoplasm of respiratory system	43,115	33,356	6,028	3,162	569	23.6	41.8	7.3	30.8	5.2
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	569	306	201	39	23	0.3	0.4	0.2	0.4	0.2
.0	Nose (internal) and nasal cavities	111	65	38	5	3	0.1	0.1	0.0	0.0	0.0
.1	Eustachian tube and middle ear	28	12	15	-	1	0.0	0.0	0.0	0	0.0
.2	Maxillary sinus	307	154	112	29	12	0.2	0.2	0.1	0.3	0.1
.7	Other specified sinus (accessory)	70	43	20	3	4	0.0	0.1	0.0	0.0	0.0
.8	Multiple sites	9	7	2	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	44	25	14	2	3	0.0	0.0	0.0	0.0	0.0
161	Malignant nepolasm of larynx	2,421	1,972	208	214	27	1.3	2.5	0.3	2.1	0.2
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	19,462	15,477	2,267	1,523	195	10.6	19.4	2.8	14.9	1.8
.0	Trachea	99	71	25	2	1	0.1	0.1	0.0	0.0	0.0
.1	Bronchus and lung	19,333	15,387	2,232	1,520	194	10.6	19.3	2.7	14.8	1.8
.2	Pleura	22	13	8	1	-	0.0	0.0	0.0	0.0	0
.8	Multiple sites	8	6	2	-	-	0.0	0.0	0.0	0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms--Con.										
	Malignant neoplasm of respiratory system--Con.										
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	19,467	14,889	2,976	1,322	280	10.6	18.7	3.6	12.9	2.6
164	Malignant neoplasm of mediastinum	292	194	72	18	8	0.2	0.2	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	904	518	304	46	36	0.5	0.6	0.4	0.4	0.3
170-181	Malignant neoplasm of breast and genitourinary organs	76,838	22,195	46,475	2,625	5,543	42.0	27.8	56.6	25.6	51.1
170	Malignant neoplasm of breast	24,542	212	22,380	19	1,931	13.4	0.3	27.3	0.2	17.8
171	Malignant neoplasm of cervix uteri	8,504	...	6,774	...	1,730	4.6	...	8.3	...	16.0
172	Malignant neoplasm of corpus uteri	1,421	...	1,266	...	155	0.8	...	1.5	...	1.4
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	59	...	43	...	16	0.0	...	0.1	...	0.1
174	Malignant neoplasm of uterus, unspecified	4,398	...	3,734	...	664	2.4	...	4.6	...	6.1
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	8,116	...	7,525	...	591	4.4	...	9.2	...	5.4
.0	Ovary	8,001	...	7,423	...	578	4.4	...	9.0	...	5.3
.1	Fallopian tube and broad ligament	100	...	90	...	10	0.1	...	0.1	...	0.1
.8	Multiple sites	11	...	8	...	3	0.0	...	0.0	...	0.0
.9	Site unspecified	4	...	4	...	-	0.0	...	0.0	...	0
176	Malignant neoplasm of other and unspecified female genital organs	847	...	756	...	91	0.5	...	0.9	...	0.8
.0	Vulva	516	...	462	...	54	0.3	...	0.6	...	0.5
.1	Vagina	279	...	249	...	30	0.2	...	0.3	...	0.3
.7	Other specified sites	9	...	8	...	1	0.0	...	0.0	...	0.0
.8	Multiple sites	12	...	12	...	-	0.0	...	0.0	...	0
.9	Site unspecified	31	...	25	...	6	0.0	...	0.0	...	0.1
177	Malignant neoplasm of prostate	14,941	13,044	...	1,897	...	8.2	16.3	..	18.5	...
178	Malignant neoplasm of testis	664	630	...	34	...	0.4	0.8	..	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	306	235	...	71	...	0.2	0.3	...	0.7	...
.0	Penis	267	199	...	68	...	0.1	0.2	...	0.7	...
.1	Scrotum	17	16	...	1	...	0.0	0.0	...	0.0	...
.7	Other specified sites	15	15	...	-	...	0.0	0.0	...	0	...
.8	Multiple sites	2	1	...	1	...	0.0	0.0	...	0.0	...
.9	Site unspecified	5	4	...	1	...	0.0	0.0	...	0.0	...
180	Malignant neoplasm of kidney	5,215	3,045	1,802	228	140	2.9	3.8	2.2	2.2	1.3
181	Malignant neoplasm of bladder and other urinary organs	7,825	5,029	2,195	376	225	4.3	6.3	2.7	3.7	2.1
.0	Bladder	7,655	4,972	2,106	363	212	4.2	6.2	2.6	3.5	2.0
.7	Other urinary organs	162	53	85	13	11	0.1	0.1	0.1	0.1	0.1
.8	Multiple sites	8	4	2	-	2	0.0	0.0	0.0	0	0.0
190-199	Malignant neoplasm of other and unspecified sites	28,046	13,654	11,948	1,194	1,250	15.3	17.1	14.6	11.6	11.5
190	Malignant melanoma of skin	2,262	1,201	1,009	31	21	1.2	1.5	1.2	0.3	0.2
.0	Lips	1	1	-	-	-	0.0	0.0	0	0	0
.1	Eyelids, including canthi	3	2	1	-	-	0.0	0.0	0.0	0	0
.2	Ear and external auricular canal	14	9	5	-	-	0.0	0.0	0.0	0	0
.3	Other and unspecified parts of face	69	39	29	-	1	0.0	0.0	0.0	0	0.0
.4	Scalp and neck	71	42	29	-	-	0.0	0.1	0.0	0	0
.5	Trunk	280	167	106	3	4	0.2	0.2	0.1	0.0	0.0
.6	Upper limb	127	66	60	-	1	0.1	0.1	0.1	0	0.0
.7	Lower limb	266	103	155	6	2	0.1	0.1	0.2	0.1	0.0
.8	Multiple sites	14	9	5	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	1,417	763	619	22	13	0.8	1.0	0.8	0.2	0.1
191	Other malignant neoplasm of skin	1,808	1,054	644	57	53	1.0	1.3	0.8	0.6	0.5
.0	Lips	87	74	12	-	1	0.0	0.1	0.0	0	0.0
.1	Eyelids, including canthi	26	14	9	1	2	0.0	0.0	0.0	0.0	0.0
.2	Ear and external auricular canal	69	51	18	-	-	0.0	0.1	0.0	0	0
.3	Other and unspecified parts of face	663	376	269	13	5	0.4	0.5	0.3	0.1	0.0
.4	Scalp and neck	218	142	68	4	4	0.1	0.2	0.1	0.0	0.0
.5	Trunk	240	94	111	14	21	0.1	0.1	0.1	0.1	0.2
.6	Upper limb	51	35	14	1	1	0.0	0.0	0.0	0.0	0.0
.7	Lower limb	59	32	20	2	5	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites	41	24	16	-	1	0.0	0.0	0.0	0	0.0
.9	Site unspecified	354	212	107	22	13	0.2	0.3	0.1	0.2	0.1
192	Malignant neoplasm of eye	334	164	148	10	12	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	6,387	3,506	2,479	212	190	3.5	4.4	3.0	2.1	1.8
.0	Brain	4,924	2,664	1,954	144	142	2.7	3.4	2.4	1.4	1.3
.1	Spinal cord	149	78	52	11	8	0.1	0.1	0.1	0.1	0.1
.2	Meninges	42	24	15	1	2	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves	67	37	26	3	1	0.0	0.0	0.0	0.0	0.0
.4	Sympathetic nervous system	330	173	129	15	13	0.2	0.2	0.2	0.1	0.1
.8	Multiple sites	16	11	5	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	859	499	298	38	24	0.5	0.6	0.4	0.4	0.2
194	Malignant neoplasm of thyroid gland	1,038	311	629	28	70	0.6	0.4	0.8	0.3	0.6
195	Malignant neoplasm of other endocrine glands	468	251	184	20	13	0.3	0.3	0.2	0.2	0.1
.0	Suprarenal gland	328	175	132	12	9	0.2	0.2	0.2	0.1	0.1
.1	Parathyroid gland	8	5	3	-	-	0.0	0.0	0.0	0	0
.2	Thymus	78	44	29	3	2	0.0	0.1	0.0	0.0	0.0
.3	Pituitary gland and craniopharyngeal duct	36	13	17	4	2	0.0	0.0	0.0	0.0	0.0
.4	Pineal gland	8	7	1	-	-	0.0	0.0	0.0	0	0
.7	Other specified glands	10	7	2	1	-	0.0	0.0	0.0	0.0	0
.8	Multiple glands	-	-	-	-	-	0	0	0	0	0
196	Malignant neoplasm of bone	1,769	937	690	84	58	1.0	1.2	0.8	0.8	0.5
.0	Bones of the skull and face	268	144	95	17	12	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone	180	109	51	10	10	0.1	0.1	0.1	0.1	0.1
.2	Vertebral colum (excluding sacrum and coccyx)	290	150	122	10	8	0.2	0.2	0.1	0.1	0.1
.3	Ribs, sternum, and clavicle	68	36	28	2	2	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula	86	42	36	6	2	0.0	0.1	0.0	0.1	0.0
.5	Upper limb, short bones	5	3	2	-	-	0.0	0.0	0.0	0	0
.6	Pelvic bones, sacrum, coccyx	171	91	67	8	5	0.1	0.1	0.1	0.1	0.0
.7	Lower limb, long bones	329	72	130	18	9	0.2	0.2	0.2	0.2	0.1
.8	Lower limb, short bones	16	10	4	-	2	0.0	0.0	0.0	0	0.0
.9	Multiple sites and site unspecified	356	180	155	13	8	0.2	0.2	0.2	0.1	0.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms--Con.										
	Malignant neoplasm of other and unspecified sites--Con.										
197	Malignant neoplasm of connective tissue	1,039	506	441	43	49	0.6	0.6	0.5	0.4	0.5
.0	Head, face, and neck	53	27	24	2	-	0.0	0.0	0.0	0.0	0
.1	Trunk	186	85	88	6	7	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	61	40	20	1	-	0.0	0.1	0.0	0.0	0
.3	Lower limb (including hip)	270	128	114	14	14	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites	6	1	4	-	1	0.0	0.0	0.0	0	0.0
.9	Site unspecified	463	225	191	20	27	0.3	0.3	0.2	0.2	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	169	90	66	8	5	0.1	0.1	0.1	0.1	0.0
.0	Head, face, and neck	93	51	32	7	3	0.1	0.1	0.0	0.1	0.0
.1	Intrathoracic	7	6	1	-	-	0.0	0.0	0.0	0	0
.2	Intra-abdominal	12	5	7	-	-	0.0	0.0	0.0	0	0
.3	Axillary and upper limb	3	1	2	-	-	0.0	0.0	0.0	0	0
.4	Inguinal and lower limb	9	7	2	-	-	0.0	0.0	0.0	0	0
.7	Other specified sites	6	1	3	-	2	0.0	0.0	0.0	0	0.0
.8	Multiple sites	12	1	11	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	27	18	8	1	-	0.0	0.0	0.0	0.0	0
199	Malignant neoplasm of other and unspecified sites	12,772	5,634	5,658	701	779	7.0	7.1	6.9	6.8	7.2
A	Of other specified sites, not specified as secondary	977	551	330	45	51	0.5	0.7	0.4	0.4	0.5
B	Primary site not indicated	11,795	5,083	5,328	656	728	6.4	6.4	6.5	6.4	6.7
200-205	Neoplasms of lymphatic and hematopoietic tissues	26,427	14,266	10,236	1,173	752	14.4	17.9	12.5	11.4	6.9
200	Lymphosarcoma and reticulosarcoma	6,284	3,359	2,534	254	137	3.4	4.2	3.1	2.5	1.3
.0	Reticulum cell sarcoma	1,447	765	598	54	30	0.8	1.0	0.7	0.5	0.3
.1	Lymphosarcoma	3,662	2,001	1,458	136	67	2.0	2.5	1.8	1.3	0.6
.2	Other primary malignant neoplasms of lymphoid tissue	1,175	593	478	64	40	0.6	0.7	0.6	0.6	0.4
201	Hodgkin's disease	3,138	1,807	1,110	146	75	1.7	2.3	1.4	1.4	0.7
202	Other forms of lymphoma (reticulosis)	1,030	520	426	49	35	0.6	0.7	0.5	0.5	0.3
.0	Giant follicular lymphoma (Brill-Symmers' disease)	121	47	70	2	2	0.1	0.1	0.1	0.0	0.0
.1	Other	909	473	356	47	33	0.5	0.6	0.4	0.5	0.3
203	Multiple myeloma (plasmocytoma)	3,016	1,451	1,180	233	152	1.6	1.8	1.4	2.3	1.4
204	Leukemia and aleukemia	12,873	7,086	4,953	483	351	7.0	8.9	6.0	4.7	3.2
.0	Lymphatic leukemia	2,998	1,807	1,003	118	70	1.6	2.3	1.2	1.2	0.6
.1	Myeloid leukemia	2,151	1,124	882	84	61	1.2	1.4	1.1	0.8	0.6
.2	Monocytic leukemia	1,015	533	408	41	33	0.6	0.7	0.5	0.4	0.3
.3	Acute leukemia	5,390	2,930	2,154	170	136	2.9	3.7	2.6	1.7	1.3
.4	Other and unspecified leukemia	1,319	692	506	70	51	0.7	0.9	0.6	0.7	0.5
205	Mycosis fungoides	86	43	33	8	2	0.0	0.1	0.0	0.1	0.0
210-229	Benign neoplasm	2,374	783	1,182	109	300	1.3	1.0	1.4	1.1	2.8
210	Benign neoplasm of buccal cavity and pharynx	7	2	5	-	-	0.0	0.0	0.0	0	0
211	Benign neoplasm of other parts of digestive system	205	108	71	11	15	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	112	66	32	6	8	0.1	0.1	0.0	0.1	0.1
213	Benign neoplasm of breast	4	-	3	-	1	0.0	0	0.0	0	0.0
214	Uterine fibromyoma	295	...	147	...	148	0.2	...	0.2	...	1.4
215	Other benign neoplasm of uterus	49	...	42	...	7	0.0	...	0.1	...	0.1
216	Benign neoplasm of ovary	165	...	137	...	28	0.1	...	0.2	...	0.3
217	Benign neoplasm of other female genital organs	3	...	2	...	1	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	1	1	...	-	...	0.0	0.0	...	0	...
219	Benign neoplasm of kidney and other urinary organs	37	23	11	3	-	0.0	0.0	0.0	0.0	0
220	Benign melanoma of skin	1	1	-	-	-	0.0	0.0	0	0	0
221	Pilonidal cyst	4	2	1	-	1	0.0	0.0	0.0	0	0.0
222	Other benign neoplasm of skin	2	2	-	-	-	0.0	0.0	0	0	0
223	Benign neoplasm of brain and other parts of nervous system	962	338	516	54	54	0.5	0.4	0.6	0.5	0.5
224	Benign neoplasm of endocrine glands	301	136	119	22	24	0.2	0.2	0.1	0.2	0.2
225	Benign neoplasm of bone and cartilage	22	13	8	-	1	0.0	0.0	0.0	0	0.0
226	Lipoma	14	5	4	2	3	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue	36	18	15	1	2	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma	109	54	45	7	3	0.1	0.1	0.1	0.1	0.0
229	Benign neoplasm of other and unspecified organs and tissues	45	14	24	3	4	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature	2,377	1,089	1,002	140	146	1.3	1.4	1.2	1.4	1.3
230	Neoplasm of unspecified nature of digestive organs	269	110	132	11	16	0.1	0.1	0.2	0.1	0.1
231	Neoplasm of unspecified nature of respiratory organs	201	122	54	14	11	0.1	0.2	0.1	0.1	0.1
232	Neoplasm of unspecified nature of breast	1	-	1	-	-	0.0	0	0.0	0	0
233	Neoplasm of unspecified nature of uterus	8	...	7	...	1	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	19	...	15	...	4	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	2	...	2	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genitourinary organs	77	43	21	7	6	0.0	0.1	0.0	0.1	0.1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,550	722	651	89	88	0.8	0.9	0.8	0.9	0.8
238	Neoplasm of unspecified nature of skin and musculoskeletal system	30	14	12	4	-	0.0	0.0	0.0	0.0	0
239	Neoplasm of unspecified nature of other and unspecified organs	220	78	107	15	20	0.1	0.1	0.1	0.1	0.2
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
240-245	Allergic disorders	5,011	2,761	1,510	411	329	2.7	3.5	1.8	4.0	3.0
240	Hay fever	2	2	-	-	-	0.0	0.0	0	0	0
241	Asthma	4,910	2,716	1,470	404	320	2.7	3.4	1.8	3.9	3.0
242	Angioneurotic edema	22	8	11	1	2	0.0	0.0	0.0	0.0	0.0
243	Urticaria	2	-	-	1	1	0.0	0	0	0.0	0.0
244	Allergic eczema	4	2	1	-	1	0.0	0.0	0.0	0	0.0
245	Other allergic disorders	71	33	28	5	5	0.0	0.0	0.0	0.0	0.0
250-254	Diseases of thyroid gland	942	158	648	29	107	0.5	0.2	0.8	0.3	1.0
250	Simple goiter	59	5	35	3	16	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter	31	5	21	2	3	0.0	0.0	0.0	0.0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases--Con.										
	Diseases of thyroid gland--Con.										
252	Thyrotoxicosis with or without goiter	526	76	364	15	71	0.3	0.1	0.4	0.1	0.7
.0	Toxic diffuse goiter	477	74	320	15	68	0.3	0.1	0.4	0.1	0.6
.1	Toxic nodular goiter	49	2	44	-	3	0.0	0.0	0.1	0	0.0
253	Myxedema and cretinism	288	58	208	9	13	0.2	0.1	0.3	0.1	0.1
254	Other diseases of thyroid gland	38	14	20	-	4	0.0	0.0	0.0	0	0.0
260	Diabetes mellitus	30,098	10,806	15,450	1,308	2,534	16.5	13.5	18.8	12.8	23.4
270-277	Diseases of other endocrine glands	939	395	448	45	51	0.5	0.5	0.5	0.4	0.5
270	Disorders of pancreatic internal secretion other than diabetes mellitus	50	20	18	7	5	0.0	0.0	0.0	0.1	0.0
271	Diseases of parathyroid gland	55	19	33	-	3	0.0	0.0	0.0	0	0.0
.0	Hyperparathyroidism	41	15	23	-	3	0.0	0.0	0.0	0	0.0
.1	Hypoparathyroidism	11	2	9	-	-	0.0	0.0	0.0	0	0
.2	Other and unspecified	3	2	1	-	-	0.0	0.0	0.0	0	0
272	Diseases of pituitary gland	193	82	88	11	12	0.1	0.1	0.1	0.1	0.1
273	Diseases of thymus gland	116	63	38	10	5	0.1	0.1	0.0	0.1	0.0
274	Diseases of adrenal glands	442	183	223	15	21	0.2	0.2	0.3	0.1	0.2
275	Ovarian dysfunction	-	...	-	...	-	0	...	0	...	0
276	Testicular dysfunction	-	-	...	-	...	0	0	...	0	...
277	Polyglandular dysfunction and other diseases of endocrine glands	83	28	48	2	5	0.0	0.0	0.1	0.0	0.0
280-289	Avitaminoses and other metabolic diseases	3,871	1,609	1,643	297	322	2.1	2.0	2.0	2.9	3.0
280	Beriberi	27	12	11	4	-	0.0	0.0	0.0	0.0	0
281	Pellagra	38	5	19	3	11	0.0	0.0	0.0	0.0	0.1
282	Scurvy	3	3	-	-	-	0.0	0.0	0	0	0
283	Active rickets	4	1	1	2	-	0.0	0.0	0.0	0.0	0
284	Late effects of rickets	-	-	-	-	-	0	0	0	0	0
285	Osteomalacia	12	1	9	1	1	0.0	0.0	0.0	0.0	0.0
286	Other avitaminoses and nutritional deficiency states	1,701	655	698	199	149	0.9	0.8	0.9	1.9	1.4
.0	Steatorrhea and spruce	43	12	22	8	1	0.0	0.0	0.0	0.1	0.0
.1	Vitamin A deficiency	-	-	-	-	-	0	0	0	0	0
.2	Vitamin B deficiency, except beriberi and pellagra	1	1	-	-	-	0.0	0.0	0	0	0
.3	Vitamin C deficiency, except scurvy	-	-	-	-	-	0	0	0	0	0
.4	Vitamin D deficiency, except rickets and osteomalacia	-	-	-	-	-	0	0	0	0	0
.5	Malnutrition, unqualified	1,503	575	615	178	135	0.8	0.7	0.7	1.7	1.2
.6	Kwashiorkor (protein malnutrition)	4	3	-	1	-	0.0	0.0	0	0.0	0
.7	Other and multiple deficiency states	150	64	61	12	13	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin	1,129	418	579	24	108	0.6	0.5	0.7	0.2	1.0
288	Gout	92	71	14	6	1	0.1	0.1	0.0	0.1	0.0
289	Other metabolic diseases	865	443	312	58	52	0.5	0.6	0.4	0.6	0.5
.0	Lipidosis (disturbance of lipid metabolism)	136	85	39	8	4	0.1	0.1	0.0	0.1	0.0
.1	Amyloidosis	157	71	65	12	9	0.1	0.1	0.1	0.1	0.1
.2	Other	572	287	208	38	39	0.3	0.4	0.3	0.4	0.4
	IV. Diseases of the blood and blood-forming organs										
290-299	Diseases of blood and blood-forming organs	5,035	2,172	2,101	379	383	2.8	2.7	2.6	3.7	3.5
290	Pernicious and other hyperchromic anemias	596	230	322	21	23	0.3	0.3	0.4	0.2	0.2
.0	Pernicious anemia	534	210	291	16	17	0.3	0.3	0.4	0.2	0.2
.1	Subacute combined degeneration of spinal cord	21	9	9	1	2	0.0	0.0	0.0	0.0	0.0
.2	Other hyperchromic anemias	41	11	22	4	4	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	99	41	43	9	6	0.1	0.1	0.1	0.1	0.1
292	Other anemias of specified type	1,710	695	628	197	190	0.9	0.9	0.8	1.9	1.8
.0	Familial acholuric jaundice	108	40	54	5	9	0.1	0.1	0.1	0.0	0.1
.1	Acute hemolytic anemia	28	11	15	1	1	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	75	32	40	1	2	0.0	0.0	0.0	0.0	0.0
.3	Leukoerythroblastic anemia	252	144	97	7	4	0.1	0.2	0.1	0.1	0.0
.4	Aplastic anemia	913	450	403	36	24	0.5	0.6	0.5	0.4	0.2
.5	Nonregenerative anemia	22	10	12	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia	302	4	1	147	150	0.2	0.0	0.0	1.4	1.4
.7	Other specified anemias	10	4	6	-	-	0.0	0.0	0.0	0	0
293	Anemia of unspecified type	875	320	399	74	82	0.5	0.4	0.5	0.7	0.8
294	Polycythemia	386	241	126	15	4	0.2	0.3	0.2	0.1	0.0
295	Hemophilia	97	88	-	9	-	0.1	0.1	0	0.1	0
296	Purpura and other hemorrhagic conditions	661	257	321	26	57	0.4	0.3	0.4	0.3	0.5
297	Agranulocytosis	193	86	95	8	4	0.1	0.1	0.1	0.1	0.0
298	Diseases of spleen	223	116	91	9	7	0.1	0.1	0.1	0.1	0.1
.0	Hepatolienal fibrosis	105	57	43	3	2	0.1	0.1	0.1	0.0	0.0
.1	Other	118	59	48	6	5	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	195	98	76	11	10	0.1	0.1	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders										
300-309	Psychoses	1,380	699	497	117	67	0.8	0.9	0.6	1.1	0.6
300	Schizophrenic disorders (dementia praecox)	128	54	55	12	7	0.1	0.1	0.1	0.1	0.1
.0	Simple type	2	1	-	1	-	0.0	0.0	0	0.0	0
.1	Hebephrenic type	9	5	3	1	-	0.0	0.0	0.0	0.0	0
.2	Catatonic type	32	10	18	2	2	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type	23	5	15	2	1	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenic reaction	-	-	-	-	-	0	0	0	0	0
.5	Latent schizophrenia	-	-	-	-	-	0	0	0	0	0
.6	Schizo-affective psychosis	2	1	-	-	0.0	0.0	0.0	0	0	0.0
.7	Other and unspecified	60	32	19	6	3	0.0	0.0	0.0	0.1	0.0
301	Manic-depressive reaction	36	10	15	4	7	0.0	0.0	0.0	0.0	0.1
.0	Manic and circular	13	3	3	2	5	0.0	0.0	0.0	0.0	0.0
.1	Depressive	9	2	7	-	-	0.0	0.0	0.0	0	0
.2	Other	14	5	5	2	2	0.0	0.0	0.0	0.0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders--Con.										
	Psychoses--Con.										
302	Involutional melancholia	14	4	10	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	3	2	1	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	339	113	197	9	20	0.2	0.1	0.2	0.1	0.2
305	Presenile psychosis	122	46	72	-	4	0.1	0.1	0.1	0	0.0
307	Alcoholic psychosis	470	356	38	70	6	0.3	0.4	0.0	0.7	0.1
309	Other and unspecified phychosis	268	114	109	22	23	0.1	0.1	0.1	0.2	0.2
310-318	Psychoneurotic disorders	74	18	51	3	2	0.0	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	5	-	4	-	1	0.0	0	0.0	0	0.0
311	Hysterical reaction without mention of anxiety reaction	46	11	35	-	-	0.0	0.0	0.0	0	0
312	Phobic reaction	-	-	-	-	-	0	0	0	0	0
313	Obsessive-compulsive reaction	1	1	-	-	-	0.0	0.0	0	0	0
314	Neurotic-depressive reaction	6	1	4	1	-	0.0	0.0	0.0	0.0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	4	-	3	1	-	0.0	0	0.0	0.0	0
.0	Neurocirculatory asthenia	3	-	2	1	-	0.0	0	0.0	0.0	0
.1	Other heart manifestations specified as of psychogenic origin	1	-	1	-	-	0.0	0	0.0	0	0
.2	Other circulatory manifestations of psychogenic origin	-	-	-	-	-	0	0	0	0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	2	2	-	-	-	0.0	0.0	0	0	0
.0	Mucous colitis specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.1	Irritability of colon specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.2	Gastric neuroses	2	2	-	-	-	0.0	0.0	0	0	0
.3	Other digestive manifestations specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	-	-	-	-	-	0	0	0	0	0
.0	Psychogenic reactions affecting respiratory system	-	-	-	-	-	0	0	0	0	0
.1	Psychogenic reactions affecting genitourinary system	-	-	-	-	-	0	0	0	0	0
.2	Pruritus of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.3	Other cutaneous neuroses	-	-	-	-	-	0	0	0	0	0
.4	Psychogenic reactions affecting musculoskeletal system	-	-	-	-	-	0	0	0	0	0
.5	Psychogenic reactions affecting other systems	-	-	-	-	-	0	0	0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	10	3	5	1	1	0.0	0.0	0.0	0.0	0.0
.0	Hypochondriacal reaction	-	-	-	-	-	0	0	0	0	0
.1	Depersonalization	-	-	-	-	-	0	0	0	0	0
.2	Occupational neurosis	-	-	-	-	-	0	0	0	0	0
.3	Asthenic reaction	3	2	1	-	-	0.0	0.0	0.0	0	0
.4	Mixed	-	-	-	-	-	0	0	0	0	0
.5	Of other and unspecified types	7	1	4	1	1	0.0	0.0	0.0	0.0	0.0
320-326	Disorders of character, behavior, and intelligence	3,011	1,647	576	583	205	1.6	2.1	0.7	5.7	1.9
320	Pathological personality	1	-	1	-	-	0.0	0	0.0	0	0
.0	Schizoid personality	1	-	1	-	-	0.0	0	0.0	0	0
.1	Paranoid personality	-	-	-	-	-	0	0	0	0	0
.2	Cyclothymic personality	-	-	-	-	-	0	0	0	0	0
.3	Inadequate personality	-	-	-	-	-	0	0	0	0	0
.4	Antisocial personality	-	-	-	-	-	0	0	0	0	0
.5	Asocial personality	-	-	-	-	-	0	0	0	0	0
.6	Sexual deviation	-	-	-	-	-	0	0	0	0	0
.7	Other and unspecified	-	-	-	-	-	0	0	0	0	0
321	Immature personality	-	-	-	-	-	0	0	0	0	0
.0	Emotional instability	-	-	-	-	-	0	0	0	0	0
.1	Passive dependency	-	-	-	-	-	0	0	0	0	0
.2	Aggressiveness	-	-	-	-	-	0	0	0	0	0
.3	Enuresis characterizing immature personality	-	-	-	-	-	0	0	0	0	0
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	0	0	0	0	0
.5	Other and unspecified	-	-	-	-	-	0	0	0	0	0
322	Alcoholism	2,247	1,332	329	443	143	1.2	1.7	0.4	4.3	1.3
.0	Acute	774	419	113	187	55	0.4	0.5	0.1	1.8	0.5
.1	Chronic	903	582	141	135	45	0.5	0.7	0.2	1.3	0.4
.2	Unspecified	570	331	75	121	43	0.3	0.4	0.1	1.2	0.4
323	Other drug addiction	332	129	44	117	42	0.2	0.2	0.1	1.1	0.4
324	Primary childhood behavior disorders	-	-	-	-	-	0	0	0	0	0
325	Mental deficiency	431	186	202	23	20	0.2	0.2	0.2	0.2	0.2
.0	Idiocy	15	7	4	2	2	0.0	0.0	0.0	0.0	0.0
.1	Imbecility	5	1	4	-	-	0.0	0.0	0.0	0	0
.2	Moron	2	-	-	1	1	0.0	0	0	0.0	0.0
.3	Borderline intelligence	-	-	-	-	-	0	0	0	0	0
.4	Mongolism	272	113	131	15	13	0.1	0.1	0.2	0.1	0.1
.5	Other and unspecified types	137	65	63	5	4	0.1	0.1	0.1	0.0	0.0
326	Other and unspecified character, behavior, and intelligence disorders	-	-	-	-	-	0	0	0	0	0
.0	Specific learning defects	-	-	-	-	-	0	0	0	0	0
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.3	Acute situational maladjustment	-	-	-	-	-	0	0	0	0	0
.4	Other and unspecified	-	-	-	-	-	0	0	0	0	0
	VI. Diseases of the nervous system and sense organs										
330-334	Vascular lesions affecting central nervous system	192,951	79,638	89,099	11,387	12,827	105.5	99.8	108.6	111.1	118.3
330	Subarachnoid hemorrhage	7,021	2,656	3,181	517	667	3.8	3.3	3.9	5.0	6.1
331	Cerebral hemorrhage	109,023	44,460	49,508	6,955	8,100	59.6	55.7	60.3	67.8	74.7
332	Cerebral embolism and thrombosis	59,134	25,246	28,117	2,876	2,895	32.3	31.6	34.3	28.1	26.7
333	Spasm of cerebral arteries	4	2	2	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	17,769	7,274	8,291	1,039	1,165	9.7	9.1	10.1	10.1	10.7

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs--Con.										
340-345	Inflammatory diseases of central nervous system	5 040	2,136	1,909	556	439	2.8	2.7	2.3	5.4	4.0
340	Meningitis, except meningococcal and tuberculous	2,263	936	661	373	293	1.2	1.2	0.8	3.6	2.7
.0	H. influenzae	379	178	110	48	43	0.2	0.2	0.1	0.5	0.4
.1	Pneumococcus	473	195	126	91	61	0.3	0.2	0.2	0.9	0.6
.2	Due to other specified organism	250	120	85	19	26	0.1	0.2	0.1	0.2	0.2
.3	With no organism specified as cause	1,161	443	340	215	163	0.6	0.6	0.4	2.1	1.5
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	40	20	15	4	1	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	286	159	83	33	11	0.2	0.2	0.1	0.3	0.1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	389	171	147	41	30	0.2	0.2	0.2	0.4	0.3
344	Late effects of intracranial abscess or pyogenic infection	630	278	247	62	43	0.3	0.3	0.3	0.6	0.4
A	Hydrocephalus not otherwise specified	380	162	152	37	29	0.2	0.2	0.2	0.4	0.3
B	Other late effects of intracranial abscess or pyogenic infection	250	116	95	25	14	0.1	0.1	0.1	0.2	0.1
345	Multiple sclerosis	1,432	572	756	43	61	0.8	0.7	0.9	0.4	0.6
350-357	Other diseases of central nervous system	8,573	4,228	3,331	664	350	4.7	5.3	4.1	6.5	3.2
350	Paralysis agitans	2,851	1,512	1,265	52	22	1.6	1.9	1.5	0.5	0.2
351	Cerebral spastic infantile paralysis	684	338	258	55	33	0.4	0.4	0.3	0.5	0.3
352	Other cerebral paralysis	477	182	197	59	39	0.3	0.2	0.2	0.6	0.4
353	Epilepsy	1,898	843	575	334	146	1.0	1.1	0.7	3.3	1.3
.0	Petit mal	6	4	2	-	-	0.0	0.0	0.0	0	0
.1	Grand mal	367	185	108	55	19	0.2	0.2	0.1	0.5	0.2
.2	Status epilepticus	497	229	141	85	42	0.3	0.3	0.2	0.8	0.4
.3	Other and unspecified	1,028	425	324	194	85	0.6	0.5	0.4	1.9	0.8
354	Migraine	1	-	1	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	1,179	534	464	105	76	0.6	0.7	0.6	1.0	0.7
356	Motor neuron disease and muscular atrophy	1,277	714	498	42	23	0.7	0.9	0.6	0.4	0.2
.0	Progressive muscular atrophy	154	68	78	4	4	0.1	0.1	0.1	0.0	0.0
.1	Amyotrophic lateral sclerosis	1,068	622	396	32	18	0.6	0.8	0.5	0.3	0.2
.2	Spinal type of muscular atrophy	43	20	19	3	1	0.0	0.0	0.0	0.0	0.0
.3	Other and unspecified manifestations	12	4	5	3	-	0.0	0.0	0.0	0.0	0
357	Other diseases of spinal cord	206	105	73	17	11	0.1	0.1	0.1	0.2	0.1
360-369	Diseases of nerves and peripheral ganglia	251	134	90	12	15	0.1	0.2	0.1	0.1	0.1
360	Facial paralysis	4	3	1	-	-	0.0	0.0	0.0	0	0
361	Trigeminal neuralgia	22	7	13	-	2	0.0	0.0	0.0	0	0.0
362	Brachial neuritis	-	-	-	-	-	0	0	0	0	0
363	Sciatica	1	-	1	-	-	0.0	0	0.0	0	0
364	Polyneuritis and polyradiculitis	155	81	54	10	10	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	-	-	-	-	-	0	0	0	0	0
366	Other and unspecified forms of neuralgia and neuritis	23	15	5	1	2	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves	15	8	7	-	-	0.0	0.0	0.0	0	0
368	Other diseases of peripheral nerves except autonomic	17	10	5	1	1	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	14	10	4	-	-	0.0	0.0	0.0	0	0
370-379	Inflammatory diseases of eye	15	8	6	-	1	0.0	0.0	0.0	0	0.0
370	Conjunctivitis and ophthalmia	3	1	1	-	1	0.0	0.0	0.0	0	0.0
371	Blepharitis	-	-	-	-	-	0	0	0	0	0
372	Hordeolum (sty)	3	1	2	-	-	0.0	0.0	0.0	0	0
373	Iritis	-	-	-	-	-	0	0	0	0	0
374	Keratitis	1	1	-	-	-	0.0	0.0	0	0	0
375	Choroiditis	-	-	-	-	-	0	0	0	0	0
376	Other inflammation of uveal tract	4	2	2	-	-	0.0	0.0	0.0	0	0
377	Inflammation of optic nerve and retina	2	2	-	-	-	0.0	0.0	0	0	0
378	Inflammation of lachrymal glands and ducts	-	-	-	-	-	0	0	0	0	0
379	Other inflammatory diseases of eye	2	1	1	-	-	0.0	0.0	0.0	0	0
380-389	Other diseases and conditions of eye	39	13	21	2	3	0.0	0.0	0.0	0.0	0.0
380	Refractive errors	-	-	-	-	-	0	0	0	0	0
381	Corneal ulcer	-	-	-	-	-	0	0	0	0	0
382	Corneal opacity	-	-	-	-	-	0	0	0	0	0
383	Pterygium	-	-	-	-	-	0	0	0	0	0
384	Strabismus	7	1	3	2	1	0.0	0.0	0.0	0.0	0.0
385	Cataract	16	6	9	-	1	0.0	0.0	0.0	0	0.0
386	Detachment of retina	2	-	2	-	-	0.0	0	0.0	0	0
387	Glaucoma	8	3	4	-	1	0.0	0.0	0.0	0	0.0
388	Other diseases of eye	6	3	3	-	-	0.0	0.0	0.0	0	0
389	Blindness	-	-	-	-	-	0	0	0	0	0
.0	Blindness, both eyes, specifically defined	-	-	-	-	-	0	0	0	0	0
.1	Blindness, both eyes, not specifically defined	-	-	-	-	-	0	0	0	0	0
.2	Blindness, one eye, specifically defined	-	-	-	-	-	0	0	0	0	0
.3	Blindness, one eye, not specifically defined	-	-	-	-	-	0	0	0	0	0
390-398	Diseases of ear and mastoid process	321	150	119	25	27	0.2	0.2	0.1	0.2	0.2
390	Otitis externa	-	-	-	-	-	0	0	0	0	0
391	Otitis media without mention of mastoiditis	239	112	86	18	23	0.1	0.1	0.1	0.2	0.2
.0	Acute	33	15	12	4	2	0.0	0.0	0.0	0.0	0.0
.1	Chronic	29	17	10	-	2	0.0	0.0	0.0	0	0.0
.2	Unspecified	177	80	64	14	19	0.1	0.1	0.1	0.1	0.2
392	Otitis media with mastoiditis	28	11	11	4	2	0.0	0.0	0.0	0.0	0.0
.0	Acute	2	-	2	-	-	0.0	0	0.0	0	0
.1	Chronic	9	4	2	1	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	18	7	7	3	1	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	43	21	19	1	2	0.0	0.0	0.0	0.0	0.0
.0	Acute	7	5	2	-	-	0.0	0.0	0.0	0	0
.1	Chronic	18	10	7	-	1	0.0	0.0	0.0	0	0.0
.2	Unspecified	18	6	10	1	1	0.0	0.0	0.0	0.0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.										
	Diseases of ear and mastoid process—Con.										
394	Other inflammatory diseases of ear	4	2	1	1	-	0.0	0.0	0.0	0.0	0
395	Ménière's disease	2	1	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	5	3	1	1	-	0.0	0.0	0.0	0.0	0
397	Deaf mutism	-	-	-	-	-	0	0	0	0	0
398	Other deafness	-	-	-	-	-	0	0	0	0	0
.0	Deafness, both ears	-	-	-	-	-	0	0	0	0	0
.1	Deafness, one ear, and partial deafness in other	-	-	-	-	-	0	0	0	0	0
.2	Deafness, one ear	-	-	-	-	-	0	0	0	0	0
.3	Impairment of hearing, one or both ears	-	-	-	-	-	0	0	0	0	0
	VII. Diseases of the circulatory system										
400-402	Rheumatic fever	608	239	236	62	71	0.3	0.3	0.3	0.6	0.7
400	Rheumatic fever without mention of heart involvement	63	22	28	3	10	0.0	0.0	0.0	0.0	0.1
401	Rheumatic fever with heart involvement	540	215	205	59	61	0.3	0.3	0.2	0.6	0.6
.0	Active rheumatic pericarditis	152	78	51	16	7	0.1	0.1	0.1	0.2	0.1
.1	Active rheumatic endocarditis	50	19	24	5	2	0.0	0.0	0.0	0.0	0.0
.2	Active rheumatic myocarditis	39	14	10	5	10	0.0	0.0	0.0	0.0	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	299	104	120	33	42	0.2	0.1	0.1	0.3	0.4
402	Chorea	5	2	3	-	-	0.0	0.0	0.0	0	0
.0	Without mention of heart involvement	5	2	3	-	-	0.0	0.0	0.0	0	0
.1	With heart involvement	-	-	-	-	-	0	0	0	0	0
410-416	Chronic rheumatic heart disease	17,264	7,420	8,486	640	718	9.4	9.3	10.3	6.2	6.6
410	Diseases of mitral valve	6,176	2,429	3,294	195	258	3.4	3.0	4.0	1.9	2.4
411	Diseases of aortic valve specified as rheumatic	2,002	1,353	544	74	31	1.1	1.7	0.7	0.7	0.3
412	Diseases of tricuspid valve	30	11	13	4	2	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	2	1	1	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	888	372	455	36	25	0.5	0.5	0.6	0.4	0.2
415	Other myocarditis specified as rheumatic	367	141	198	13	15	0.2	0.2	0.2	0.1	0.1
416	Other heart disease specified as rheumatic	7,799	3,113	3,981	318	387	4.3	3.9	4.9	3.1	3.6
420-422	Arteriosclerotic and degenerative heart disease	556,983	315,616	201,466	22,695	17,206	304.4	395.6	245.5	221.4	158.6
420	Arteriosclerotic heart disease, including coronary disease	502,351	291,614	176,697	19,575	14,465	274.6	365.5	215.3	191.0	133.4
.0	Arteriosclerotic heart disease so described	214,865	110,872	89,524	7,881	6,588	117.4	139.0	109.1	76.9	60.7
.1	Heart disease specified as involving coronary arteries	287,039	180,504	87,013	11,673	7,849	156.9	226.2	106.0	113.9	72.4
.2	Angina pectoris without mention of coronary disease	447	238	160	21	28	0.2	0.3	0.2	0.2	0.3
421	Chronic endocarditis not specified as rheumatic	4,780	2,424	1,760	338	258	2.6	3.0	2.1	3.3	2.4
.0	Of mitral valve, specified as nonrheumatic	262	105	120	22	15	0.1	0.1	0.1	0.2	0.1
.1	Of aortic valve, not specified as rheumatic	2,257	1,351	668	156	82	1.2	1.7	0.8	1.5	0.8
.2	Of tricuspid valve, specified as nonrheumatic	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Of pulmonary valve, not specified as rheumatic	62	35	20	5	2	0.0	0.0	0.0	0.0	0.0
.4	Other and ill-defined, not specified as rheumatic	2,197	932	951	155	159	1.2	1.2	1.2	1.5	1.5
422	Other myocardial degeneration	49,852	21,578	23,009	2,782	2,483	27.2	27.0	28.0	27.1	22.9
.0	Fatty degeneration	43	16	21	1	5	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	38,004	16,386	17,738	2,053	1,827	20.8	20.5	21.6	20.0	16.8
.2	Other	11,805	5,176	5,250	728	651	6.5	6.5	6.4	7.1	6.0
430-434	Other diseases of heart	25,254	12,162	8,762	2,416	1,914	13.8	15.2	10.7	23.6	17.6
430	Acute and subacute endocarditis	786	427	224	86	49	0.4	0.5	0.3	0.8	0.5
.0	Acute and subacute bacterial endocarditis	730	407	202	80	41	0.4	0.5	0.2	0.8	0.4
.1	Other acute endocarditis	56	20	22	6	8	0.0	0.0	0.0	0.1	0.1
431	Acute myocarditis not specified as rheumatic	936	422	343	97	74	0.5	0.5	0.4	0.9	0.7
432	Acute pericarditis specified as nonrheumatic	75	38	26	5	6	0.0	0.0	0.0	0.0	0.1
433	Functional disease of heart	5,834	2,661	2,672	256	245	3.2	3.3	3.3	2.5	2.3
.0	Heart block	2,166	1,048	871	133	114	1.2	1.3	1.1	1.3	1.1
.1	Other disorders of heart rhythm	3,642	1,598	1,792	122	130	2.0	2.0	2.2	1.2	1.2
.2	Other functional diseases of heart	26	15	9	1	1	0.0	0.0	0.0	0.0	0.0
434	Other and unspecified diseases of heart	17,623	8,614	5,497	1,972	1,540	9.6	10.8	6.7	19.2	14.2
.0	Kyphoscoliotic heart disease	158	59	91	2	6	0.1	0.1	0.1	0.0	0.1
.1	Congestive heart failure	7,856	3,452	3,029	699	676	4.3	4.3	3.7	6.8	6.2
.2	Left ventricular failure	682	370	218	52	42	0.4	0.5	0.3	0.5	0.4
.3	Other disease of heart	321	172	84	36	29	0.2	0.2	0.1	0.4	0.3
.4	Unspecified disease of heart	8,606	4,561	2,075	1,183	787	4.7	5.7	2.5	11.5	7.3
440-443	Hypertensive heart disease	63,282	20,923	28,425	6,390	7,544	34.6	26.2	34.6	62.3	69.6
440	Essential benign hypertensive heart disease	737	208	397	55	77	0.4	0.3	0.5	0.5	0.7
441	Essential malignant hypertensive heart disease	671	192	203	158	118	0.4	0.2	0.2	1.5	1.1
442	Hypertensive heart disease with arteriolar nephrosclerosis	14,676	5,924	6,234	1,322	1,196	8.0	7.4	7.6	12.9	11.0
443	Other and unspecified hypertensive heart disease	47,198	14,599	21,591	4,855	6,153	25.8	18.3	26.3	47.4	56.7
444-447	Other hypertensive disease	12,185	4,749	4,910	1,307	1,219	6.7	6.0	6.0	12.7	11.2
444	Essential benign hypertension	3,346	976	1,751	266	353	1.8	1.2	2.1	2.6	3.3
445	Essential malignant hypertension	2,069	655	511	492	411	1.1	0.8	0.6	4.8	3.8
446	Hypertension with arteriolar nephrosclerosis	6,591	3,079	2,558	531	423	3.6	3.9	3.1	5.2	3.9
447	Other hypertensive disease without mention of heart	179	39	90	18	32	0.1	0.0	0.1	0.2	0.3
450-456	Diseases of arteries	47,293	22,669	20,981	1,930	1,713	25.8	28.4	25.6	18.8	15.8
450	General arteriosclerosis	35,388	15,196	17,631	1,324	1,237	19.3	19.0	21.5	12.9	11.4
.0	Without mention of gangrene	32,822	13,914	16,636	1,185	1,087	17.9	17.4	20.3	11.6	10.0
.1	With mention of gangrene as a consequence	2,566	1,282	995	139	150	1.4	1.6	1.2	1.4	1.4
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	8,779	5,968	2,135	434	242	4.8	7.5	2.6	4.2	2.2
452	Other aneurysm, except of heart and aorta	676	363	223	45	45	0.4	0.5	0.3	0.4	0.4

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system--Con.										
	Diseases of arteries--Con.										
453	Peripheral vascular disease	220	147	57	9	7	0.1	0.2	0.1	0.1	0.1
.0	Raynaud's disease	19	10	9	-	-	0.0	0.0	0.0	0	0
.1	Thromboangiitis obliterans	115	92	19	4	-	0.1	0.1	0.0	0.0	0
.2	Chilblains	-	-	-	-	-	0	0	0	0	0
.3	Other	86	45	29	5	7	0.0	0.1	0.0	0.0	0.1
454	Arterial embolism and thrombosis	877	467	348	39	23	0.5	0.6	0.4	0.4	0.2
455	Gangrene of unspecified cause	241	111	72	29	29	0.1	0.1	0.1	0.3	0.3
456	Other diseases of arteries	1,112	417	515	50	130	0.6	0.5	0.6	0.5	1.2
460-468	Diseases of veins and other diseases of circulatory system	8,802	3,949	3,638	639	576	4.8	4.9	4.4	6.2	5.3
460	Varicose veins of lower extremities	256	76	148	18	14	0.1	0.1	0.2	0.2	0.1
461	Hemorrhoids	36	15	14	4	3	0.0	0.0	0.0	0.0	0.0
462	Varicose veins of other specified sites	350	216	106	19	9	0.2	0.3	0.1	0.2	0.1
.0	Varicocele	1	1	-	-	-	0.0	0.0	0	0	0
.1	Varicose veins of esophagus	317	201	92	16	8	0.2	0.3	0.1	0.2	0.1
.2	Other	32	14	14	3	1	0.0	0.0	0.0	0.0	0.0
463	Phlebitis and thrombophlebitis of lower extremities	1,109	498	497	62	52	0.6	0.6	0.6	0.6	0.5
464	Phlebitis and thrombophlebitis of other sites	724	289	333	38	64	0.4	0.4	0.4	0.4	0.6
465	Pulmonary embolism and infarction	3,938	1,825	1,520	337	256	2.2	2.3	1.9	3.3	2.4
466	Other venous embolism and thrombosis	1,703	698	780	101	124	0.9	0.9	1.0	1.0	1.1
467	Other diseases of circulatory system	636	314	215	56	51	0.3	0.4	0.3	0.5	0.5
.0	Hypotension	72	35	25	3	9	0.0	0.0	0.0	0.0	0.1
.1	Diseases of capillaries	35	18	14	2	1	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases	529	261	176	51	41	0.3	0.3	0.2	0.5	0.4
468	Certain diseases of lymph nodes and lymph channels	50	18	25	4	3	0.0	0.0	0.0	0.0	0.0
.0	Chronic lymphadenitis	-	-	-	-	-	0	0	0	0	0
.1	Nonspecific mesenteric lymphadenitis	15	4	7	2	2	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified	21	8	11	1	1	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels	14	6	7	1	-	0.0	0.0	0.0	0.0	0
	VIII. Diseases of the respiratory system										
470-475	Acute upper respiratory infections	808	351	268	97	92	0.4	0.4	0.3	0.9	0.8
470	Acute nasopharyngitis (common cold)	55	15	15	12	13	0.0	0.0	0.0	0.1	0.1
471	Acute sinusitis	26	12	9	3	2	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	98	46	35	6	11	0.1	0.1	0.0	0.1	0.1
.0	Sore throat, unqualified	9	3	2	-	4	0.0	0.0	0.0	0	0.0
.1	Other	89	43	33	6	7	0.0	0.1	0.0	0.1	0.1
473	Acute tonsillitis	63	24	23	11	5	0.0	0.0	0.0	0.1	0.0
474	Acute laryngitis and tracheitis	257	129	81	22	25	0.1	0.2	0.1	0.2	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	309	125	105	43	36	0.2	0.2	0.1	0.4	0.3
480-483	Influenza	2,137	783	917	248	189	1.2	1.0	1.1	2.4	1.7
480	Influenza with pneumonia	1,105	382	435	163	125	0.6	0.5	0.5	1.6	1.2
481	Influenza with other respiratory manifestations, and influenza unqualified	894	353	425	64	52	0.5	0.4	0.5	0.6	0.5
482	Influenza with digestive manifestations, but without respiratory symptoms	94	31	39	15	9	0.1	0.0	0.0	0.1	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	44	17	18	6	3	0.0	0.0	0.0	0.1	0.0
490-493	Pneumonia	53,038	24,688	19,019	5,456	3,875	29.0	30.9	23.2	53.2	35.7
490	Lobar pneumonia	8,347	4,106	2,670	967	604	4.6	5.1	3.3	9.4	5.6
491	Bronchopneumonia	31,204	14,650	11,612	2,901	2,041	17.1	18.4	14.2	28.3	18.8
492	Primary atypical pneumonia	4,985	2,313	1,753	500	419	2.7	2.9	2.1	4.9	3.9
493	Pneumonia, other and unspecified	8,502	3,619	2,984	1,088	811	4.6	4.5	3.6	10.6	7.5
500-502	Bronchitis	4,064	2,592	1,043	276	153	2.2	3.2	1.3	2.7	1.4
500	Acute bronchitis	1,031	520	348	88	75	0.6	0.7	0.4	0.9	0.7
501	Bronchitis, unqualified	762	379	255	84	44	0.4	0.5	0.3	0.8	0.4
502	Chronic bronchitis	2,271	1,693	440	104	34	1.2	2.1	0.5	1.0	0.3
.0	Bronchitis with emphysema	1,502	1,238	191	63	10	0.8	1.6	0.2	0.6	0.1
.1	Other	769	455	249	41	24	0.4	0.6	0.3	0.4	0.2
510-527	Other diseases of respiratory system	22,523	15,935	4,560	1,433	595	12.3	20.0	5.6	14.0	5.5
510	Hypertrophy of tonsils and adenoids	139	61	57	7	14	0.1	0.1	0.1	0.1	0.1
.0	Without mention of tonsillectomy or adenoidectomy	8	6	2	-	-	0.0	0.0	0.0	0	0
.1	With tonsillectomy or adenoidectomy	131	55	55	7	14	0.1	0.1	0.1	0.1	0.1
511	Peritonsillar abscess (quinsy)	20	7	10	-	3	0.0	0.0	0.0	0	0.0
512	Chronic pharyngitis and nasopharyngitis	7	3	1	2	1	0.0	0.0	0.0	0.0	0.0
.0	Chronic pharyngitis	1	1	-	-	-	0.0	0.0	0	0	0
.1	Chronic nasopharyngitis	6	2	1	2	1	0.0	0.0	0.0	0.0	0.0
513	Chronic sinusitis	83	51	19	11	2	0.0	0.1	0.0	0.1	0.0
514	Deflected nasal septum	5	2	3	-	-	0.0	0.0	0.0	0	0
515	Nasal polyp	-	-	-	-	-	0	0	0	0	0
516	Chronic laryngitis	3	2	-	-	1	0.0	0.0	0	0	0.0
517	Other diseases of upper respiratory tract	236	107	86	25	18	0.1	0.1	0.1	0.2	0.2
518	Empyema	290	180	64	35	11	0.2	0.2	0.1	0.3	0.1
519	Pleurisy	189	94	63	21	11	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	105	56	30	11	8	0.1	0.1	0.0	0.1	0.1
.1	With effusion, with mention of a bacterial cause other than tuberculosis	1	1	-	-	-	0.0	0.0	0	0	0
.2	Other specified forms of effusion, except tuberculous	83	37	33	10	3	0.0	0.0	0.0	0.1	0.0
520	Spontaneous pneumothorax	85	60	17	5	3	0.0	0.1	0.0	0.0	0.0
521	Abscess of lung	543	328	99	89	27	0.3	0.4	0.1	0.9	0.2
522	Pulmonary congestion and hypostasis	1,587	579	698	118	92	0.9	0.9	0.9	1.2	0.8

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII. Diseases of the respiratory system--Con.										
	Other diseases of respiratory system--Con.										
523	Pneumoconiosis due to silica and silicates (occupational)	1,446	1,384	8	52	2	0.8	1.7	0.0	0.5	0.0
.0	Silicosis	480	448	3	27	2	0.3	0.6	0.0	0.3	0.0
.1	Anthracosilicosis	743	734	-	9	-	0.4	0.9	0	0.1	0
.2	Asbestosis	22	17	4	1	-	0.0	0.0	0.0	0.0	0
.3	Other, including pneumoconiosis unspecified	201	185	1	15	-	0.1	0.2	0.0	0.1	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	58	49	5	4	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia	3,768	2,276	994	315	183	2.1	2.9	1.2	3.1	1.7
526	Bronchiectasis	2,193	1,351	705	100	37	1.2	1.7	0.9	1.0	0.3
527	Other diseases of lung and pleural cavity	11,871	9,301	1,731	649	190	6.5	11.7	2.1	6.3	1.8
.0	Pulmonary collapse (1 year and over)	212	100	84	16	12	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis	10,269	8,501	1,225	468	75	5.6	10.7	1.5	4.6	0.7
.2	Other	1,390	700	422	165	103	0.8	0.9	0.5	1.6	0.9
	IX. Diseases of the digestive system										
530-539	Diseases of buccal cavity and esophagus	925	443	393	44	45	0.5	0.6	0.5	0.4	0.4
530	Dental caries	3	-	2	-	1	0.0	0	0.0	0	0.0
.0	Dental caries, unqualified	2	-	1	-	1	0.0	0	0.0	0	0.0
.1	With pulp exposure	-	-	-	-	-	0	0	0	0	0
.2	With periapical abscess	1	-	1	-	-	0.0	0	0.0	0	0
.3	Other	-	-	-	-	-	0	0	0	0	0
531	Abscesses of supporting structures of teeth	18	8	6	2	2	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal	-	-	-	-	-	0	0	0	0	0
.1	Periodontal (parietal)	3	-	1	-	2	0.0	0	0.0	0	0.0
.2	Other and unspecified	15	8	5	2	-	0.0	0.0	0.0	0.0	0
532	Other inflammatory diseases of supporting structures of teeth	34	15	10	4	5	0.0	0.0	0.0	0.0	0.0
.0	Gingivitis, except ulcerative	1	-	-	-	1	0.0	0	0	0	0.0
.1	Periodontitis (pyorrhea, inflammatory)	11	6	-	1	4	0.0	0.0	0	0.0	0.0
.2	Periodontosis (pyorrhea, degenerative)	-	-	-	-	-	0	0	0	0	0
.3	Other	22	9	10	3	-	0.0	0.0	0.0	0.0	0
533	Disorders of occlusion, eruption, and tooth development	2	-	-	1	1	0.0	0	0	0.0	0.0
.0	Malocclusion	-	-	-	-	-	0	0	0	0	0
.1	Disorders of first dentition	1	-	-	1	-	0.0	0	0	0.0	0
.2	Impacted teeth	1	-	-	-	1	0.0	0	0	0	0.0
.3	Unerupted teeth	-	-	-	-	-	0	0	0	0	0
.4	Partially erupted teeth	-	-	-	-	-	0	0	0	0	0
.5	Congenital anomalies of teeth	-	-	-	-	-	0	0	0	0	0
.6	Chronic dental fluorosis	-	-	-	-	-	0	0	0	0	0
.7	Other	-	-	-	-	-	0	0	0	0	0
534	Toothache from unspecified cause	-	-	-	-	-	0	0	0	0	0
535	Other diseases of teeth and supporting structures	37	11	21	1	4	0.0	0.0	0.0	0.0	0.0
536	Stomatitis	12	3	5	-	4	0.0	0.0	0.0	0	0.0
537	Diseases of salivary glands	165	39	122	2	2	0.1	0.0	0.1	0.0	0.0
538	Other diseases of buccal cavity	40	18	11	5	6	0.0	0.0	0.0	0.0	0.1
539	Diseases of esophagus	614	349	216	29	20	0.3	0.4	0.3	0.3	0.2
.0	Functional disorders of esophagus	52	23	23	4	2	0.0	0.0	0.0	0.0	0.0
.1	Other	562	326	193	25	18	0.3	0.4	0.2	0.2	0.2
540-545	Diseases of stomach and duodenum	12,955	8,612	3,226	781	336	7.1	10.8	3.9	7.6	3.1
540	Ulcer of stomach	5,859	3,748	1,544	401	166	3.2	4.7	1.9	3.9	1.5
.0	Without mention of perforation	3,933	2,540	1,041	244	108	2.1	3.2	1.3	2.4	1.0
.1	With perforation	1,926	1,208	503	157	58	1.1	1.5	0.6	1.5	0.5
541	Ulcer of duodenum	5,681	4,021	1,263	289	108	3.1	5.0	1.5	2.8	1.0
.0	Without mention of perforation	3,623	2,608	787	162	66	2.0	3.3	1.0	1.6	0.6
.1	With perforation	2,058	1,413	476	127	42	1.1	1.8	0.6	1.2	0.4
542	Gastrojejunal ulcer	333	234	77	14	8	0.2	0.3	0.1	0.1	0.1
.0	Without mention of perforation	214	152	49	8	5	0.1	0.2	0.1	0.1	0.0
.1	With perforation	119	82	28	6	3	0.1	0.1	0.0	0.1	0.0
543	Gastritis and duodenitis	423	225	148	29	21	0.2	0.3	0.2	0.3	0.2
544	Disorders of function of stomach	116	49	34	18	15	0.1	0.1	0.0	0.2	0.1
.0	Disorders of gastric secretion	1	1	-	-	-	0.0	0.0	0	0	0
.1	Disorders of gastric motility	53	29	18	4	2	0.0	0.0	0.0	0.0	0.0
.2	Other	62	19	16	14	13	0.0	0.0	0.0	0.1	0.1
545	Other diseases of stomach and duodenum	543	335	160	30	18	0.3	0.4	0.2	0.3	0.2
550-553	Appendicitis	1,819	916	581	190	132	1.0	1.1	0.7	1.9	1.2
550	Acute appendicitis	1,656	840	519	179	118	0.9	1.1	0.6	1.7	1.1
.0	Without mention of peritonitis	166	94	52	15	5	0.1	0.1	0.1	0.1	0.0
.1	With peritonitis	1,490	746	467	164	113	0.8	0.9	0.6	1.6	1.0
551	Appendicitis, unqualified	150	69	58	11	12	0.1	0.1	0.1	0.1	0.1
552	Other appendicitis	6	2	2	-	2	0.0	0.0	0.0	0	0.0
553	Other diseases of appendix	7	5	2	-	-	0.0	0.0	0.0	0	0
560,561	Hernia of abdominal cavity	3,398	1,630	1,437	198	133	1.9	2.0	1.8	1.9	1.2
560	Hernia of abdominal cavity without mention of obstruction	1,364	688	567	69	40	0.7	0.9	0.7	0.7	0.4
.0	Inguinal	122	96	7	18	1	0.1	0.1	0.0	0.2	0.0
.1	Femoral	6	2	3	1	-	0.0	0.0	0.0	0.0	0
.2	Umbilical	248	108	115	12	13	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)	117	35	73	2	7	0.1	0.0	0.1	0.0	0.1
.4	Of other specified site	784	385	357	26	16	0.4	0.5	0.4	0.3	0.1
.5	Of unspecified site	87	62	12	10	3	0.0	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction	2,034	942	870	129	93	1.1	1.2	1.1	1.3	0.9
.0	Inguinal	620	438	92	77	13	0.3	0.5	0.1	0.8	0.1
.1	Femoral	278	71	198	3	6	0.2	0.1	0.2	0.0	0.1
.2	Umbilical	219	62	120	4	33	0.1	0.1	0.1	0.0	0.3
.3	Ventral (incisional)	320	81	209	6	24	0.2	0.1	0.3	0.1	0.2
.4	Of other specified site	265	100	141	11	13	0.1	0.1	0.2	0.1	0.1
.5	Of unspecified site	332	190	110	28	4	0.2	0.2	0.1	0.3	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system--Con.										
570-578	Other diseases of intestines and peritoneum	17,078	7,012	7,081	1,597	1,388	9.3	8.8	8.6	15.6	12.8
570	Intestinal obstruction without mention of hernia	5,779	2,298	2,724	387	370	3.2	2.9	3.3	3.8	3.4
.0	Intussusception	132	69	40	16	7	0.1	0.1	0.0	0.2	0.1
.1	Paralytic ileus	260	119	113	14	14	0.1	0.1	0.1	0.1	0.1
.2	Mesenteric infarction	1,988	855	957	93	83	1.1	1.1	1.2	0.9	0.8
.3	Volvulus	889	407	351	74	57	0.5	0.5	0.4	0.7	0.5
.4	Impaction of intestine	170	52	104	6	8	0.1	0.1	0.1	0.1	0.1
.5	Other	2,340	796	1,159	184	201	1.3	1.0	1.4	1.8	1.9
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4,114	1,382	1,228	825	679	2.2	1.7	1.5	8.0	6.3
.0	Ages between 4 weeks and 2 years	2,596	743	579	711	563	1.4	0.9	0.7	6.9	5.2
.1	Ages 2 years and over	1,518	639	649	114	116	0.8	0.8	0.8	1.1	1.1
572	Chronic enteritis and ulcerative colitis	3,283	1,456	1,615	99	113	1.8	1.8	2.0	1.0	1.0
.0	Regional enteritis	192	107	75	9	1	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis	2,243	976	1,135	58	74	1.2	1.2	1.4	0.6	0.7
.2	Ulcerative colitis	764	340	368	26	30	0.4	0.4	0.4	0.3	0.3
.3	Other	84	33	37	6	8	0.0	0.0	0.0	0.1	0.1
573	Functional disorders of intestines	48	17	25	3	3	0.0	0.0	0.0	0.0	0.0
.0	Constipation	10	4	5	-	1	0.0	0.0	0.0	0	0.0
.1	Mucous colitis	12	3	7	1	1	0.0	0.0	0.0	0.0	0.0
.2	Irritability of colon	-	-	-	-	-	0	0	0	0	0
.3	Other	26	10	13	2	1	0.0	0.0	0.0	0.0	0.0
574	Anal fissure and fistula	6	5	1	-	-	0.0	0.0	0.0	0	0
575	Abscess of anal and rectal regions	82	37	29	10	6	0.0	0.0	0.0	0.1	0.1
576	Peritonitis	626	267	250	57	52	0.3	0.3	0.3	0.6	0.5
577	Peritoneal adhesion	53	13	28	6	6	0.0	0.0	0.0	0.1	0.1
578	Other diseases of intestines and peritoneum	3,087	1,537	1,181	210	159	1.7	1.9	1.4	2.0	1.5
580-587	Diseases of liver, gallbladder, and pancreas	31,128	16,778	11,183	1,793	1,374	17.0	21.0	13.6	17.5	12.7
580	Acute and subacute yellow atrophy of liver	413	167	167	36	43	0.2	0.2	0.2	0.4	0.4
581	Cirrhosis of liver	20,737	12,277	6,181	1,362	917	11.3	15.4	7.5	13.3	8.5
.0	Without mention of alcoholism	13,836	8,019	4,388	831	598	7.6	10.1	5.3	8.1	5.5
.1	With alcoholism	6,901	4,258	1,793	531	319	3.8	5.3	2.2	5.2	2.9
582	Suppurative hepatitis and liver abscess	125	66	36	15	8	0.1	0.1	0.0	0.1	0.1
583	Other diseases of liver	976	457	394	63	62	0.5	0.6	0.5	0.6	0.6
584	Cholelithiasis	3,006	1,142	1,714	65	85	1.6	1.4	2.1	0.6	0.8
585	Cholecystitis and cholangitis, without mention of calculi	1,701	719	875	31	76	0.9	0.9	1.1	0.3	0.7
586	Other diseases of gallbladder and biliary ducts	1,106	431	614	16	45	0.6	0.5	0.7	0.2	0.4
587	Diseases of pancreas	3,064	1,519	1,202	205	138	1.7	1.9	1.5	2.0	1.3
.0	Acute pancreatitis	1,996	1,003	744	148	101	1.1	1.3	0.9	1.4	0.9
.1	Chronic pancreatitis	239	136	59	30	14	0.1	0.2	0.1	0.3	0.1
A	Other diseases of pancreas, except fibrocystic disease	198	94	77	15	12	0.1	0.1	0.1	0.1	0.1
B	Fibrocystic disease of pancreas	631	286	322	12	11	0.3	0.4	0.4	0.1	0.1
	X. Diseases of the genitourinary system										
590-594	Nephritis and nephrosis	13,180	5,781	4,588	1,511	1,300	7.2	7.2	5.6	14.7	12.0
590	Acute nephritis	742	299	244	109	90	0.4	0.4	0.3	1.1	0.8
591	Nephritis with edema, including nephrosis	842	395	278	91	78	0.5	0.5	0.3	0.9	0.7
592	Chronic nephritis	8,892	3,947	3,165	964	816	4.9	4.9	3.9	9.4	7.5
593	Nephritis not specified as acute or chronic	2,582	1,076	871	333	302	1.4	1.3	1.1	3.2	2.8
594	Other renal sclerosis	122	64	30	14	14	0.1	0.1	0.0	0.1	0.1
600-609	Other diseases of urinary system	11,732	5,194	4,452	1,141	945	6.4	6.5	5.4	11.1	8.7
600	Infections of kidney	8,095	3,331	3,247	751	766	4.4	4.2	4.0	7.3	7.1
.0	Pyelitis, pyelocystitis, and pyelonephritis	7,867	3,219	3,163	732	753	4.3	4.0	3.9	7.1	6.9
.1	Abscess of kidney and perirenal tissue	148	73	57	10	8	0.1	0.1	0.1	0.1	0.1
.2	Other	80	39	27	9	5	0.0	0.0	0.0	0.1	0.0
601	Hydronephrosis	271	139	97	26	9	0.1	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	1,210	595	497	53	65	0.7	0.7	0.6	0.5	0.6
603	Other diseases of kidney and ureter	793	367	268	98	60	0.4	0.5	0.3	1.0	0.6
604	Calculi of other parts of urinary system	120	81	27	11	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	333	160	132	24	17	0.2	0.2	0.2	0.2	0.2
606	Other diseases of bladder	289	189	49	45	6	0.2	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	8	4	3	1	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	212	116	12	83	1	0.1	0.1	0.0	0.8	0.0
609	Other diseases of urethra	401	212	120	49	20	0.2	0.3	0.1	0.5	0.2
610-617	Diseases of male genital organs	4,669	4,031	...	638	...	2.6	5.1	...	6.2	...
610	Hyperplasia of prostate	4,158	3,608	...	550	...	2.3	4.5	...	5.4	...
611	Prostatitis	232	195	...	37	...	0.1	0.2	...	0.4	...
612	Other diseases of prostate	198	170	...	28	...	0.1	0.2	...	0.3	...
613	Hydrocele	2	2	...	-	...	0.0	0.0	...	0	...
614	Orchitis and epididymitis	16	13	...	3	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	6	5	...	1	...	0.0	0.0	...	0.0	...
616	Sterility, male	-	-	...	-	...	0	0	...	0	...
617	Other diseases of male genital organs	57	38	...	19	...	0.0	0.0	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	254	-	144	-	110	0.1	0	0.2	0	1.0
620	Chronic cystic disease of breast	-	-	-	-	-	0	0	0	0	0
621	Other diseases of breast	10	-	9	-	1	0.0	0	0.0	0	0.0
.0	Acute mastitis not associated with lactation	5	-	4	-	1	0.0	0	0.0	0	0.0
.1	Hypertrophy of breast	-	-	-	-	-	0	0	0	0	0
.2	Other	5	-	5	-	-	0.0	0	0.0	0	0
622	Acute salpingitis and oophoritis	9	...	3	...	6	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	6	...	2	...	4	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified	80	...	33	...	47	0.0	...	0.0	...	0.4
625	Other diseases of ovary and fallopian tube	21	...	15	...	6	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	128	...	82	...	46	0.1	...	0.1	...	0.4

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genitourinary system--Con.										
630-637	Diseases of uterus and other female genital organs	384	...	315	...	69	0.2	...	0.4	...	0.6
630	Infective disease of uterus, vagina, and vulva	37	...	25	...	12	0.0	...	0.0	...	0.1
.0	Cervicitis	7	...	5	...	2	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus	22	...	14	...	8	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis	8	...	6	...	2	0.0	...	0.0	...	0.0
631	Uterovaginal prolapse	98	...	90	...	8	0.1	...	0.1	...	0.1
632	Malposition of uterus	4	...	4	...	-	0.0	...	0.0	...	0
633	Other diseases of uterus	175	...	140	...	35	0.1	...	0.2	...	0.3
634	Disorders of menstruation	35	...	26	...	9	0.0	...	0.0	...	0.1
635	Menopausal symptoms	2	...	1	...	1	0.0	...	0.0	...	0.0
636	Sterility, female	-	...	-	...	-	0	...	0	...	0
637	Other diseases of female genital organs	33	...	29	...	4	0.0	...	0.0	...	0.0
.0	Leukorrhea	-	...	-	...	-	0	...	0	...	0
.1	Other	33	...	29	...	4	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
640-649	Complications of pregnancy	495	...	255	...	240	0.3	...	0.3	...	2.2
640	Pyelitis and pyelonephritis of pregnancy	8	...	5	...	3	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy	10	...	6	...	4	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	257	...	130	...	127	0.1	...	0.2	...	1.2
.0	Hypertensive disease arising during pregnancy	29	...	6	...	23	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy	26	...	12	...	14	0.0	...	0.0	...	0.1
.2	Preeclampsia of pregnancy	35	...	19	...	16	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy	82	...	40	...	42	0.0	...	0.0	...	0.4
.4	Hyperemesis gravidarum	2	...	2	...	-	0.0	...	0.0	...	0
.5	Other	83	...	51	...	32	0.0	...	0.1	...	0.3
643	Placenta previa	2	...	1	...	1	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	8	...	3	...	5	0.0	...	0.0	...	0.0
645	Ectopic pregnancy	89	...	32	...	57	0.0	...	0.0	...	0.5
.0	Without mention of sepsis	82	...	31	...	51	0.0	...	0.0	...	0.5
.1	With sepsis	7	...	1	...	6	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	2	...	1	...	1	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	...	-	...	1	0.0	...	0	...	0.0
648	Other complications arising from pregnancy	118	...	77	...	41	0.1	...	0.1	...	0.4
.0	Threatened abortion	-	...	-	...	-	0	...	0	...	0
.1	Hydatidiform mole	3	...	1	...	2	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	9	...	1	...	8	0.0	...	0.0	...	0.1
.3	Other	106	...	75	...	31	0.1	...	0.1	...	0.3
650-652	Abortion	324	...	163	...	161	0.2	...	0.2	...	1.5
650	Abortion without mention of sepsis or toxemia	95	...	54	...	41	0.1	...	0.1	...	0.4
.0	Spontaneous or unspecified	47	...	23	...	24	0.0	...	0.0	...	0.2
.1	Induced for medical or legal indications	1	...	1	...	-	0.0	...	0.0	...	0
.2	Induced for other reasons	45	...	29	...	16	0.0	...	0.0	...	0.1
.3	Other	2	...	1	...	1	0.0	...	0.0	...	0.0
651	Abortion with spesis	220	...	105	...	115	0.1	...	0.1	...	1.1
.0	Spontaneous or unspecified	133	...	68	...	65	0.1	...	0.1	...	0.6
.1	Induced for medical or legal indications	3	...	1	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	80	...	33	...	47	0.0	...	0.0	...	0.4
.3	Other	4	...	3	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis	9	...	4	...	5	0.0	...	0.0	...	0.0
.0	Spontaneous or unspecified	7	...	3	...	4	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications	-	...	-	...	-	0	...	0	...	0
.2	Induced for other reasons	2	...	1	...	1	0.0	...	0.0	...	0.0
.3	Other	-	...	-	...	-	0	...	0	...	0
660	Delivery without mention of complication	50	...	33	...	17	0.0	...	0.0	...	0.2
670-678	Delivery with specified complication	473	...	302	...	171	0.3	...	0.4	...	1.6
670	Delivery complicated by placenta previa of antepartum hemorrhage	109	...	74	...	35	0.1	...	0.1	...	0.3
671	Delivery complicated by retained placenta	29	...	13	...	16	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage	104	...	56	...	48	0.1	...	0.1	...	0.4
673	Delivery complicated by abnormality of bony pelvis	4	...	4	...	-	0.0	...	0.0	...	0
674	Delivery complicated by disproportion or malposition of fetus	39	...	19	...	20	0.0	...	0.0	...	0.2
675	Delivery complicated by prolonged labor of other origin	7	...	4	...	3	0.0	...	0.0	...	0.0
676	Delivery with laceration of perineum, without mention of other laceration	1	...	1	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma	97	...	68	...	29	0.1	...	0.1	...	0.3
678	Delivery with other complications of childbirth	83	...	63	...	20	0.0	...	0.1	...	0.2
680-689	Complications of the puerperium	231	...	144	...	87	0.1	...	0.2	...	0.8
680	Puerperal urinary infection without other sepsis	-	...	-	...	-	0	...	0	...	0
681	Sepsis of childbirth and the puerperium	59	...	35	...	24	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	39	...	27	...	12	0.0	...	0.0	...	0.1
683	Pyrexia of unknown origin during the puerperium	-	...	-	...	-	0	...	0	...	0
684	Puerperal pulmonary embolism	48	...	30	...	18	0.0	...	0.0	...	0.2
685	Puerperal eclampsia	18	...	10	...	8	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia	6	...	3	...	3	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	21	...	15	...	6	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	40	...	24	...	16	0.0	...	0.0	...	0.1
.0	Anemia of puerperium	-	...	-	...	-	0	...	0	...	0
.1	Puerperal psychosis	2	...	-	...	2	0.0	...	0	...	0.0
.2	Sudden death from unknown cause in the puerperium	3	...	2	...	1	0.0	...	0.0	...	0.0
.3	Other	35	...	22	...	13	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	-	...	-	...	-	0	...	0	...	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area forzspecified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue										
690-698	Infections of skin and subcutaneous tissue	613	266	241	50	56	0.3	0.3	0.3	0.5	0.5
690	Boil and carbuncle	93	48	38	2	5	0.1	0.1	0.0	0.0	0.0
.0	Of face	5	3	1	-	1	0.0	0.0	0.0	0	0.0
.1	Of neck	13	6	6	-	1	0.0	0.0	0.0	0	0.0
.2	Of trunk	11	5	5	-	1	0.0	0.0	0.0	0	0.0
.3	Of upper arm and forearm	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.4	Of hand	1	-	1	-	-	0.0	0	0.0	0	0
.5	Of buttock	6	1	5	-	-	0.0	0.0	0.0	0	0
.6	Of other parts of lower extremity	3	2	1	-	-	0.0	0.0	0.0	0	0
.7	Of other and multiple sites	34	17	15	1	1	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site	17	13	3	-	1	0.0	0.0	0.0	0	0.0
691	Cellulitis of finger and toe	7	-	5	1	1	0.0	0	0.0	0.0	0.0
692	Other cellulitis and abscess without mention of lymphangitis	414	178	163	33	40	0.2	0.2	0.2	0.3	0.4
.0	Of head and neck	66	24	34	3	5	0.0	0.0	0.0	0.0	0.0
.1	Of trunk	114	57	36	11	10	0.1	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm	26	14	9	2	1	0.0	0.0	0.0	0.0	0.0
.3	Of hand, except fingers	4	1	3	-	-	0.0	0.0	0.0	0	0
.4	Of leg	98	45	37	10	6	0.1	0.1	0.0	0.1	0.1
.5	Of foot, except toes	14	2	10	-	2	0.0	0.0	0.0	0	0.0
.6	Of other, multiple, and unspecified sites	92	35	34	7	16	0.1	0.0	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis	1	1	-	-	-	0.0	0.0	0	0	0
.0	Of head and neck	-	-	-	-	-	0	0	0	0	0
.1	Of trunk	-	-	-	-	-	0	0	0	0	0
.2	Of upper arm and forearm	-	-	-	-	-	0	0	0	0	0
.3	Of hand, except fingers	-	-	-	-	-	0	0	0	0	0
.4	Of leg	1	1	-	-	-	0.0	0.0	0	0	0
.5	Of foot, except toes	-	-	-	-	-	0	0	0	0	0
.6	Of other, multiple, and unspecified sites	-	-	-	-	-	0	0	0	0	0
694	Acute lymphadenitis	1	-	1	-	-	0.0	0	0.0	0	0
695	Impetigo	10	5	3	2	-	0.0	0.0	0.0	0.0	0
696	Infectious warts	-	-	-	-	-	0	0	0	0	0
697	Molluscum contagiosum	-	-	-	-	-	0	0	0	0	0
698	Other local infections of skin and subcutaneous tissue	87	34	31	12	10	0.0	0.0	0.0	0.1	0.1
700-716	Other diseases of skin and subcutaneous tissue	1,538	449	800	88	201	0.8	0.6	1.0	0.9	1.9
700	Seborrheic dermatitis	1	-	1	-	-	0.0	0	0.0	0	0
701	Eczema	6	3	3	-	-	0.0	0.0	0.0	0	0
702	Occupational dermatitis	1	1	-	-	-	0.0	0.0	0	0	0
.0	Due to plants	-	-	-	-	-	0	0	0	0	0
.1	Due to oils and greases	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents	-	-	-	-	-	0	0	0	0	0
.3	Due to drugs	-	-	-	-	-	0	0	0	0	0
.4	Due to other chemicals	-	-	-	-	-	0	0	0	0	0
.5	Due to radiation	-	-	-	-	-	0	0	0	0	0
.6	Other	1	1	-	-	-	0.0	0.0	0	0	0
703	Other dermatitis	26	11	10	3	2	0.0	0.0	0.0	0.0	0.0
.0	Due to plants	-	-	-	-	-	0	0	0	0	0
.1	Due to oils and greases	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents	1	1	-	-	-	0.0	0.0	0	0	0
.3	Due to drugs	7	4	3	-	-	0.0	0.0	0.0	0	0
.4	Due to other chemicals	-	-	-	-	-	0	0	0	0	0
.5	Due to to radiation	-	-	-	-	-	0	0	0	0	0
.6	Due to other specified agents	10	3	2	3	2	0.0	0.0	0.0	0.0	0.0
.7	Unqualified	8	3	5	-	-	0.0	0.0	0.0	0	0
704	Pemphigus	141	59	60	15	7	0.1	0.1	0.1	0.1	0.1
.0	Dermatitis herpetiformis	6	2	3	1	-	0.0	0.0	0.0	0.0	0
.1	Other	135	57	57	14	7	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	365	80	183	21	81	0.2	0.1	0.2	0.2	0.7
.0	Toxic erythema	-	-	-	-	-	0	0	0	0	0
.1	Erythema multiforme (erythema iris)	29	8	14	3	4	0.0	0.0	0.0	0.0	0.0
.2	Erythema nodosum	1	1	-	-	-	0.0	0.0	0	0	0
.3	Rosacea	2	2	-	-	-	0.0	0.0	0	0	0
.4	Lupus erythematosus	271	43	154	7	67	0.1	0.1	0.2	0.1	0.6
.5	Other and unqualified	62	26	15	11	10	0.0	0.0	0.0	0.1	0.1
706	Psoriasis and similar disorders	18	8	7	1	2	0.0	0.0	0.0	0.0	0.0
.0	Psoriasis	18	8	7	1	2	0.0	0.0	0.0	0.0	0.0
.1	Parapsoriasis	-	-	-	-	-	0	0	0	0	0
.2	Pityriasis rosea	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified pityriasis	-	-	-	-	-	0	0	0	0	0
.4	Other	-	-	-	-	-	0	0	0	0	0
707	Lichen planus	-	-	-	-	-	0	0	0	0	0
708	Pruritus and related conditions	2	-	2	-	-	0.0	0	0.0	0	0
.0	Pruritus ani	-	-	-	-	-	0	0	0	0	0
.1	Pruritus of genital organs	-	-	-	-	-	0	0	0	0	0
.2	Prurigo	-	-	-	-	-	0	0	0	0	0
.3	Lichenification and lichen simplex chronicus	2	-	2	-	-	0.0	0	0.0	0	0
.4	Dermatitis factitia (artefacta)	-	-	-	-	-	0	0	0	0	0
.5	Other pruritic conditions	-	-	-	-	-	0	0	0	0	0
709	Corns and callosities	3	-	2	1	-	0.0	0	0.0	0.0	0
710	Other hypertrophic and atrophic conditions of skin	460	120	259	24	57	0.3	0.2	0.3	0.2	0.5
.0	Scleroderma and dermatomyositis	454	118	256	24	56	0.2	0.1	0.3	0.2	0.5
.1	Keratoderma	3	1	2	-	-	0.0	0.0	0.0	0	0
.2	Hereditary edema of legs (Milory's disease)	-	-	-	-	-	0	0	0	0	0
.3	Striae atrophicae	-	-	-	-	-	0	0	0	0	0
.4	Keloid scar	-	-	-	-	-	0	0	0	0	0
.5	Other hypertrophic and atrophic conditions of skin	3	1	1	-	1	0.0	0.0	0.0	0	0.0
711	Other dermatoses	2	1	1	-	-	0.0	0.0	0.0	0	0
712	Diseases of nail	-	-	-	-	-	0	0	0	0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue--Con.										
	Other diseases of skin and subcutaneous tissue--Con.										
713	Diseases of hair and hair follicles	1	-	1	-	-	0.0	0	0.0	0	0
714	Diseases of sweat and sebaceous glands	2	2	-	-	-	0.0	0.0	0	0	0
.0	Diseases of sweat glands	1	1	-	-	-	0.0	0.0	0	0	0
.1	Acne	1	1	-	-	-	0.0	0.0	0	0	0
.2	Other diseases of sebaceous glands	-	-	-	-	-	0	0	0	0	0
715	Chronic ulcer of skin	504	162	268	22	52	0.3	0.2	0.3	0.2	0.5
716	Other diseases of skin	6	2	3	1	-	0.0	0.0	0.0	0.0	0
	XIII. Diseases of the bones and organs of movement										
720-727	Arthritis and rheumatism, except rheumatic fever	2,025	653	1,192	81	99	1.1	0.8	1.5	0.8	0.9
720	Acute arthritis due to pyogenic organisms	31	16	7	8	-	0.0	0.0	0.0	0.1	0
721	Acute nonpyogenic arthritis	-	-	-	-	-	0	0	0	0	0
722	Rheumatoid arthritis and allied conditions	1,298	426	784	40	48	0.7	0.5	1.0	0.4	0.4
.0	Rheumatoid arthritis	1,265	409	772	36	48	0.7	0.5	0.9	0.4	0.4
.1	Spondylitis ankylopoietica	33	17	12	4	-	0.0	0.0	0.0	0.0	0
.2	Chronic rheumatoid nodular fibrositis	-	-	-	-	-	0	0	0	0	0
723	Osteoarthritis (arthrosis) and allied conditions	314	102	184	15	13	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)	281	85	171	13	12	0.2	0.1	0.2	0.1	0.1
.1	Spondylitis osteoarthritica (spondylarthrosis)	32	16	13	2	1	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine	1	1	-	-	-	0.0	0.0	0	0	0
724	Other specified forms of arthritis	19	8	5	2	4	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified	334	92	198	14	30	0.2	0.1	0.2	0.1	0.3
726	Muscular rheumatism	24	7	12	1	4	0.0	0.0	0.0	0.0	0.0
.0	Lumbago	-	-	-	-	-	0	0	0	0	0
.1	Myofibrosis of humeroscapular region	-	-	-	-	-	0	0	0	0	0
.2	Torticollis not specified as congenital, psychogenic, or traumatic	-	-	-	-	-	0	0	0	0	0
.3	Other muscular rheumatism, fibrositis, and myalgia	24	7	12	1	4	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	5	2	2	1	-	0.0	0.0	0.0	0.0	0
730-738	Osteomyelitis and other diseases of bone and joint	631	259	314	31	27	0.3	0.3	0.4	0.3	0.2
730	Osteomyelitis AND periostitis	191	87	71	19	14	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	15	7	5	1	2	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	59	31	19	6	3	0.0	0.0	0.0	0.1	0.0
.2	Unspecified osteomyelitis	117	49	47	12	9	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis	-	-	-	-	-	0	0	0	0	0
731	Osteitis deformans	113	63	43	3	4	0.1	0.1	0.1	0.0	0.0
732	Osteochondrosis	3	2	1	-	-	0.0	0.0	0.0	0	0
733	Other diseases of bone	237	65	161	5	6	0.1	0.1	0.2	0.0	0.1
734	Internal derangement of knee joint	-	-	-	-	-	0	0	0	0	0
735	Displacement of intervertebral disk	50	23	21	4	2	0.0	0.0	0.0	0.0	0.0
736	Affection of sacroiliac joint	-	-	-	-	-	0	0	0	0	0
737	Ankylosis of joint	10	7	3	-	-	0.0	0.0	0.0	0	0
.0	Of spine	7	6	1	-	-	0.0	0.0	0.0	0	0
.1	Of shoulder	-	-	-	-	-	0	0	0	0	0
.2	Of elbow	-	-	-	-	-	0	0	0	0	0
.3	Of wrist	-	-	-	-	-	0	0	0	0	0
.4	Of finger	-	-	-	-	-	0	0	0	0	0
.5	Of hip	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Of knee	-	-	-	-	-	0	0	0	0	0
.7	Of ankle	-	-	-	-	-	0	0	0	0	0
.8	Of other and multiple sites	-	-	-	-	-	0	0	0	0	0
.9	Of unspecified site	1	-	1	-	-	0.0	0	0.0	0	0
738	Other diseases of joint	27	12	14	-	1	0.0	0.0	0.0	0	0.0
740-749	Other diseases of musculoskeletal system	939	467	367	52	53	0.5	0.6	0.4	0.5	0.5
740	Bunion	1	-	1	-	-	0.0	0	0.0	0	0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	7	3	2	2	-	0.0	0.0	0.0	0.0	0
742	Synovitis, bursitis, and tenosynovitis of occupation origin	-	-	-	-	-	0	0	0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	1	1	-	-	-	0.0	0.0	0	0	0
744	Other diseases of muscle, tendon, and fascia	834	436	305	46	47	0.5	0.5	0.4	0.4	0.4
.0	Myasthenia gravis	244	79	124	9	32	0.1	0.1	0.2	0.1	0.3
.1	Inborn defect of muscle	539	331	163	32	13	0.3	0.4	0.2	0.3	0.1
.2	Other	51	26	18	5	2	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	81	20	52	3	6	0.0	0.0	0.1	0.0	0.1
746	Flatfoot	-	-	-	-	-	0	0	0	0	0
747	Hallux valgus and varus	-	-	-	-	-	0	0	0	0	0
748	Clubfoot	1	1	-	-	-	0.0	0.0	0	0	0
749	Other deformities	14	6	7	1	-	0.0	0.0	0.0	0.0	0
	XIV. Congenital malformations										
750-759	Congenital malformations	21,922	10,389	8,691	1,530	1,312	12.0	13.0	10.6	14.9	12.1
750	Monstrosity	1,161	430	650	37	44	0.6	0.5	0.8	0.4	0.4
751	Spina bifida and meningocele	1,195	462	633	51	49	0.7	0.6	0.8	0.5	0.5
752	Congenital hydrocephalus	1,552	684	647	115	108	0.8	0.9	0.8	1.1	1.0
753	Other congenital malformations of nervous system and sense organs	898	406	372	62	58	0.5	0.5	0.5	0.6	0.5
.0	Congenital cataract	2	1	-	1	-	0.0	0.0	0	0.0	0
.1	Other	896	405	372	61	58	0.5	0.5	0.5	0.6	0.5
754	Congenital malformations of circulatory system	11,167	5,408	4,245	811	703	6.1	6.8	5.2	7.9	6.5
.0	Tetralogy of Fallot	635	327	242	38	28	0.3	0.4	0.3	0.4	0.3
.1	Patent ductus arteriosus (Botalli)	371	179	137	24	31	0.2	0.2	0.2	0.2	0.3
.2	Interventricular septal defect	918	436	380	55	47	0.5	0.5	0.5	0.5	0.4
.3	Interauricular septal defect	653	289	291	37	36	0.4	0.4	0.4	0.4	0.3
.4	Fibroelastosis cordis	490	207	164	47	72	0.3	0.3	0.2	0.5	0.7
.5	Other and unspecified malformations of heart	6,184	2,944	2,330	493	417	3.4	3.7	2.8	4.8	3.8
.6	Coarctation of aorta	363	201	137	16	9	0.2	0.3	0.2	0.2	0.1
.7	Other circulatory malformations	1,553	825	564	101	63	0.8	1.0	0.7	1.0	0.6

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIV. Congenital malformations—Con.										
	Congenital malformations—Con.										
755	Cleft palate and harelip	65	21	29	7	8	0.0	0.0	0.0	0.1	0.1
756	Congenital malformations of digestive system	1,814	887	634	166	127	1.0	1.1	0.8	1.6	1.2
.0	Congenital hypertrophic pyloric stenosis	92	59	14	17	2	0.1	0.1	0.0	0.2	0.0
.1	Imperforate anus	156	96	35	11	14	0.1	0.1	0.0	0.1	0.1
.2	Other	1,566	732	585	138	111	0.9	0.9	0.7	1.3	1.0
757	Congenital malformations of genitourinary system	1,756	935	637	111	73	1.0	1.2	0.8	1.1	0.7
.0	Undescended testicle	2	2	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	1,056	517	456	43	40	0.6	0.6	0.6	0.4	0.4
.2	Congenital malformations of external genital organs	17	10	3	2	2	0.0	0.0	0.0	0.0	0.0
.3	Other	681	406	178	66	31	0.4	0.5	0.2	0.6	0.3
758	Congenital malformations of bone and joint	342	146	149	19	28	0.2	0.2	0.2	0.2	0.3
.0	Congenital dislocation of hip	3	1	2	-	-	0.0	0.0	0.0	0	0
.1	Chondrodystrophy	96	37	47	3	9	0.1	0.0	0.1	0.0	0.1
.2	Congenital malformations of skull	75	29	35	7	4	0.0	0.0	0.0	0.1	0.0
.3	Brittle bones	46	14	22	3	7	0.0	0.0	0.0	0.0	0.1
.4	Cervical rib	-	-	-	-	-	0	0	0	0	0
.5	Congenital abnormalities of lumbosacral region	8	6	2	-	-	0.0	0.0	0.0	0	0
.6	Other congenital malformations of bone and joint	114	59	41	6	8	0.1	0.1	0.0	0.1	0.1
759	Other and unspecified congenital malformations not elsewhere classified	1,972	1,010	695	151	116	1.1	1.3	0.8	1.5	1.1
.0	Of respiratory system	565	304	186	44	31	0.3	0.4	0.2	0.4	0.3
.1	Of skin	32	13	12	2	5	0.0	0.0	0.0	0.0	0.0
.2	Of muscle	180	92	71	10	7	0.1	0.1	0.1	0.1	0.1
.3	Other and unspecified	1,195	601	426	95	73	0.7	0.8	0.5	0.9	0.7
	XV. Certain diseases of early infancy										
760-769	Birth injuries, asphyxia, and infections of newborn	34,567	16,049	10,606	4,536	3,376	18.9	20.1	12.9	44.2	31.1
760	Intracranial and spinal injury at birth	3,014	1,498	826	412	278	1.6	1.9	1.0	4.0	2.6
.0	Without mention of immaturity	1,725	895	463	227	140	0.9	1.1	0.6	2.2	1.3
.5	With immaturity	1,289	603	363	185	138	0.7	0.8	0.4	1.8	1.3
761	Other birth injury	6,908	3,443	2,440	600	425	3.8	4.3	3.0	5.9	3.9
.0	Without mention of immaturity	2,122	989	685	258	190	1.2	1.2	0.8	2.5	1.8
.5	With immaturity	4,786	2,454	1,755	342	235	2.6	3.1	2.1	3.3	2.2
762	Postnatal asphyxia and atelectasis	19,023	8,897	5,864	2,411	1,851	10.4	11.2	7.1	23.5	17.1
.0	Without mention of immaturity	5,102	2,473	1,554	657	418	2.8	3.1	1.9	6.4	3.9
.5	With immaturity	13,921	6,424	4,310	1,754	1,433	7.6	8.1	5.3	17.1	13.2
763	Pneumonia of newborn	3,541	1,382	931	701	527	1.9	1.7	1.1	6.8	4.9
.0	Without mention of immaturity	2,575	987	677	524	387	1.4	1.2	0.8	5.1	3.6
.5	With immaturity	966	395	254	177	140	0.5	0.5	0.3	1.7	1.3
764	Diarrhea of newborn	419	114	63	134	108	0.2	0.1	0.1	1.3	1.0
.0	Without mention of immaturity	327	91	49	111	76	0.2	0.1	0.1	1.1	0.7
.5	Without immaturity	92	23	14	23	32	0.1	0.0	0.0	0.2	0.3
765	Ophthalmia neonatorum	1	-	-	-	1	0.0	0	0	0	0.0
.0	Without mention of immaturity	-	-	-	-	-	0	0	0	0	0
.5	With immaturity	1	-	-	-	1	0.0	0	0	0	0.0
766	Pemphigus neonatorum	23	11	6	6	-	0.0	0.0	0.0	0.1	0
.0	Without mention of immaturity	18	8	6	4	-	0.0	0.0	0.0	0.0	0
.5	With immaturity	5	3	-	2	-	0.0	0.0	0	0.0	0
767	Umbilical sepsis	76	28	14	23	11	0.0	0.0	0.0	0.2	0.1
.0	Without mention of immaturity	61	22	14	17	8	0.0	0.0	0.0	0.2	0.1
.5	With immaturity	15	6	-	6	3	0.0	0.0	0	0.1	0.0
768	Other sepsis of newborn	646	255	174	129	88	0.4	0.3	0.2	1.3	0.8
.0	Without mention of immaturity	393	165	109	76	43	0.2	0.2	0.1	0.7	0.4
.5	With immaturity	253	90	65	53	45	0.1	0.1	0.1	0.5	0.4
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	916	421	288	120	87	0.5	0.5	0.4	1.2	0.8
.0-.4	Without mention of immaturity	336	142	109	45	40	0.2	0.2	0.1	0.4	0.4
.0	Attributed to "toxemia of pregnancy"	111	41	27	23	20	0.1	0.1	0.0	0.2	0.2
.1	Attributed to maternal diabetes	109	53	43	6	7	0.1	0.1	0.1	0.1	0.1
.2	Attributed to maternal rubella	6	4	2	-	-	0.0	0.0	0.0	0	0
.3	Attributed to toxoplasmosis	15	6	7	1	1	0.0	0.0	0.0	0.0	0.0
.4	Attributed to other or unspecified diseases of the mother during pregnancy	95	38	30	15	12	0.1	0.0	0.0	0.1	0.1
.5-.9	With immaturity	580	279	179	75	47	0.3	0.3	0.2	0.7	0.4
.5	Attributed to "toxemia of pregnancy"	194	78	63	31	22	0.1	0.1	0.1	0.3	0.2
.6	Attributed to maternal diabetes	118	70	43	3	2	0.1	0.1	0.1	0.0	0.0
.7	Attributed to maternal rubella	6	5	1	-	-	0.0	0.0	0.0	0	0
.8	Attributed to toxoplasmosis	2	-	1	1	-	0.0	0	0.0	0.0	0
.9	Attributed to other or unspecified diseases of the mother during pregnancy	260	126	71	40	23	0.1	0.2	0.1	0.4	0.2
770-776	Other diseases peculiar to early infancy	31,112	13,530	9,803	4,273	3,506	17.0	17.0	11.9	41.7	32.3
770	Hemolytic disease of newborn (erythroblastosis)	2,115	1,027	950	68	70	1.2	1.3	1.2	0.7	0.6
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,583	763	724	50	46	0.9	1.0	0.9	0.5	0.4
.1	Kernicterus, without mention of immaturity	68	39	23	4	2	0.0	0.0	0.0	0.0	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	9	4	4	1	-	0.0	0.0	0.0	0.0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	418	206	188	9	15	0.2	0.3	0.2	0.1	0.1
.6	Kernicterus with immaturity	36	15	11	4	6	0.0	0.0	0.0	0.0	0.1
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	1	-	-	-	1	0.0	0	0	0	0.0
771	Hemorrhagic disease of newborn	562	249	127	116	70	0.3	0.3	0.2	1.1	0.6
.0	Without mention of immaturity	346	142	80	84	40	0.2	0.2	0.1	0.8	0.4
.5	With immaturity	216	107	47	32	30	0.1	0.1	0.1	0.3	0.3
772	Nutritional maladjustment	735	173	120	245	197	0.4	0.2	0.1	2.4	1.8
.0	Without mention of immaturity	611	143	101	204	163	0.3	0.2	0.1	2.0	1.5
.5	With immaturity	124	30	19	41	34	0.1	0.0	0.0	0.4	0.3

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
			White		Nonwhite			White		Nonwhite	
Number	Cause of death	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
	XV. Certain diseases of early infancy—Con.										
	Other diseases peculiar to early infancy—Con.										
773	Ill-defined diseases peculiar to early infancy	7,756	3,744	2,373	907	732	4.2	4.7	2.9	8.8	6.7
.0	Without mention of immaturity	1,841	936	526	217	162	1.0	1.2	0.6	2.1	1.5
.5	With immaturity	5,915	2,808	1,847	690	570	3.2	3.5	2.3	6.7	5.3
774	Immaturity with mention of any other subsidiary condition	1,348	586	406	183	173	0.7	0.7	0.5	1.8	1.6
776	Immaturity, unqualified	18,596	7,751	5,827	2,754	2,264	10.2	9.7	7.1	26.9	20.9
	XVI. Symptoms, senility, and ill-defined conditions										
780-789	Symptoms referable to systems or organs	2,971	1,415	913	377	266	1.6	1.8	1.1	3.7	2.5
780	Certain symptoms referable to nervous system and special senses	130	47	32	34	17	0.1	0.1	0.0	0.3	0.2
.0	Coma and stupor	19	7	3	5	4	0.0	0.0	0.0	0.0	0.0
.1	Delirium	-	-	-	-	-	0	0	0	0	0
.2	Convulsions	103	38	26	26	13	0.1	0.0	0.0	0.3	0.1
.3	Jacksonian epilepsy	2	1	-	1	-	0.0	0.0	0	0.0	0
.4	Abnormal involuntary movement	2	-	-	2	-	0.0	0	0	0.0	0
.5	Disturbance of coordination	1	1	-	-	-	0.0	0.0	0	0	0
.6	Vertigo	-	-	-	-	-	0	0	0	0	0
.7	Disturbance of sleep	1	-	1	-	-	0.0	0	0.0	0	0
.8	Disturbance of memory	-	-	-	-	-	0	0	0	0	0
.9	Meningismus	2	-	2	-	-	0.0	0	0.0	0	0
781	Other symptoms referable to nervous system and special senses	50	19	22	5	4	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight	-	-	-	-	-	0	0	0	0	0
.1	Oculomotor disturbance	-	-	-	-	-	0	0	0	0	0
.2	Photophobia	-	-	-	-	-	0	0	0	0	0
.3	Disturbance of hearing except deafness	-	-	-	-	-	0	0	0	0	0
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory	1	1	-	-	-	0.0	0.0	0	0	0
.5	Stammering and stuttering	-	-	-	-	-	0	0	0	0	0
.6	Other disturbance of speech, including alexia and agraphia	-	-	-	-	-	0	0	0	0	0
.7	Other disturbance of sensation	-	-	-	-	-	0	0	0	0	0
.8	Encephalopathy	49	18	22	5	4	0.0	0.0	0.0	0.0	0.0
.9	Hallucinations	-	-	-	-	-	0	0	0	0	0
782	Symptoms referable to cardiovascular and lymphatic system	2,045	1,018	615	246	166	1.1	1.3	0.7	2.4	1.5
.0	Precordial pain	2	2	-	-	-	0.0	0.0	0	0	0
.1	Palpitation	-	-	-	-	-	0	0	0	0	0
.2	Tachycardia	1	-	1	-	-	0.0	0	0.0	0	0
.3	Pallor and cyanosis (not of newborn)	1	1	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	1,939	982	576	230	151	1.1	1.2	0.7	2.2	1.4
.5	Syncope or collapse	7	3	2	-	2	0.0	0.0	0.0	0	0.0
.6	Edema and dropsy (not of newborn)	14	3	5	6	-	0.0	0.0	0.0	0.1	0
.7	Enlargement of lymph node	2	1	-	-	1	0.0	0.0	0	0	0.0
.8	Splenomegaly	1	-	1	-	-	0.0	0	0.0	0	0
.9	Shock without mention of trauma	78	26	30	10	12	0.0	0.0	0.0	0.1	0.1
783	Symptoms referable to respiratory system	203	101	59	23	20	0.1	0.1	0.1	0.2	0.2
.0	Epistaxis	10	3	4	2	1	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	181	90	55	18	18	0.1	0.1	0.1	0.2	0.2
.2	Dyspnea	2	1	-	1	-	0.0	0.0	0	0.0	0
.3	Cough	2	-	-	1	1	0.0	0	0	0.0	0.0
.4	Excess of sputum	-	-	-	-	-	0	0	0	0	0
.5	Change in voice	-	-	-	-	-	0	0	0	0	0
.6	Stridor	-	-	-	-	-	0	0	0	0	0
.7	Pain in chest	8	7	-	1	-	0.0	0.0	0	0.0	0
784	Symptoms referable to upper gastrointestinal tract	266	148	88	18	12	0.1	0.2	0.1	0.2	0.1
.0	Anorexia	1	1	-	-	-	0.0	0.0	0	0	0
.1	Nausea and vomiting	27	8	12	3	4	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm	-	-	-	-	-	0	0	0	0	0
.3	Heartburn	-	-	-	-	-	0	0	0	0	0
.4	Dysphagia	2	2	-	-	-	0.0	0.0	0	0	0
.5	Hematemesis	235	137	76	14	8	0.1	0.2	0.1	0.1	0.1
.6	Excessive salivation	-	-	-	-	-	0	0	0	0	0
.7	Hiccough	1	-	-	1	-	0.0	0	0	0.0	0
.8	Eructation	-	-	-	-	-	0	0	0	0	0
785	Symptoms referable to abdomen and lower gastrointestinal tract	95	21	35	22	17	0.1	0.0	0.0	0.2	0.2
.0	Abdominal swelling (not referable to any particular organ)	-	-	-	-	-	0	0	0	0	0
.1	Hepatomegaly	6	-	3	1	2	0.0	0	0.0	0.0	0.0
.2	Jaundice (not of newborn)	21	4	12	3	2	0.0	0.0	0.0	0.0	0.0
.3	Ascites	10	1	3	4	2	0.0	0.0	0.0	0.0	0.0
.4	Flatulence	2	1	-	-	1	0.0	0.0	0	0	0.0
.5	Abdominal pain	13	4	4	5	-	0.0	0.0	0.0	0.0	0
.6	Diarrhea, age 2 years and over	40	10	11	9	10	0.0	0.0	0.0	0.1	0.1
.7	Incontinence of feces	-	-	-	-	-	0	0	0	0	0
.8	Melena (age 1 year and over)	3	1	2	-	-	0.0	0.0	0.0	0	0
.9	Visible peristalsis	-	-	-	-	-	0	0	0	0	0
786	Symptoms referable to genitourinary system	26	12	7	4	3	0.0	0.0	0.0	0.0	0.0
.0	Pain referable to urinary system	2	2	-	-	-	0.0	0.0	0	0	0
.1	Retention of urine	12	5	1	4	2	0.0	0.0	0.0	0.0	0.0
.2	Incontinence of urine	4	1	3	-	-	0.0	0.0	0.0	0	0
.3	Frequency of micturition	-	-	-	-	-	0	0	0	0	0
.4	Polyuria	-	-	-	-	-	0	0	0	0	0
.5	Oliguria, anuria (not of newborn)	8	4	3	-	1	0.0	0.0	0.0	0	0.0
.6	Priapism	-	-	-	-	-	0	0	0	0	0
.7	Pain referable to genital organs, including dyspareunia	-	-	-	-	-	0	0	0	0	0
787	Symptoms referable to limbs and back	3	2	1	-	-	0.0	0.0	0.0	0	0
.0	Transient paralysis of limb, cause unknown	-	-	-	-	-	0	0	0	0	0
.1	Pain in limb	1	1	-	-	-	0.0	0.0	0	0	0
.2	Swelling of limb	-	-	-	-	-	0	0	0	0	0
.3	Pain in joint	-	-	-	-	-	0	0	0	0	0
.4	Swelling of joint	-	-	-	-	-	0	0	0	0	0
.5	Pain in back	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Difficulty in walking	-	-	-	-	-	0	0	0	0	0
.7	Abnormality of gait	-	-	-	-	-	0	0	0	0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
			White		Nonwhite			White		Nonwhite	
Number	Cause of death	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con.										
	Symptoms referable to systems or organs—Con.										
788	Other general symptoms	146	45	52	22	27	0.1	0.1	0.1	0.2	0.2
.0	Dehydration	29	10	9	4	6	0.0	0.0	0.0	0.0	0.1
.1	Excessive sweating	-	-	-	-	-	0	0	0	0	0
.2	Rash	-	-	-	-	-	0	0	0	0	0
.3	Subcutaneous nodules	-	-	-	-	-	0	0	0	0	0
.4	Loss of weight	-	-	-	-	-	0	0	0	0	0
.5	Tetany	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Acidosis	9	2	4	2	1	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	-	-	-	-	-	0	0	0	0	0
.8	Pyrexia of unknown origin	88	27	32	13	16	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	18	5	6	3	4	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	7	2	2	3	-	0.0	0.0	0.0	0.0	0
.0	Albuminuria, unqualified	-	-	-	-	-	0	0	0	0	0
.1	Albuminuria, orthostatic	-	-	-	-	-	0	0	0	0	0
.2	Pyuria and bacteriuria	-	-	-	-	-	0	0	0	0	0
.3	Chyluria	-	-	-	-	-	0	0	0	0	0
.4	Hematuria	7	2	2	3	-	0.0	0.0	0.0	0.0	0
.5	Hemoglobinuria	-	-	-	-	-	0	0	0	0	0
.6	Glycosuria	-	-	-	-	-	0	0	0	0	0
.7	Acetonuria	-	-	-	-	-	0	0	0	0	0
.8	Other	-	-	-	-	-	0	0	0	0	0
790-795	Senility and ill-defined diseases	16,123	6,039	4,060	3,291	2,733	8.8	7.6	4.9	32.1	25.2
790	Nervousness and debility	51	21	18	4	8	0.0	0.0	0.0	0.0	0.1
.0	Nervousness	1	-	1	-	-	0.0	0	0.0	0	0
.1	Debility and undue fatigue	48	20	16	4	8	0.0	0.0	0.0	0.0	0.1
.2	Depression	2	1	1	-	-	0.0	0.0	0.0	0	0
791	Headache	-	-	-	-	-	0	0	0	0	0
792	Uremia	605	282	185	85	53	0.3	0.4	0.2	0.8	0.5
794	Senility without mention of psychosis	2,424	759	1,215	199	251	1.3	1.0	1.5	1.9	2.3
795	Ill-defined and unknown causes of mortality	13,043	4,977	2,642	3,003	2,421	7.1	6.2	3.2	29.3	22.3
.0	Other ill-defined conditions	675	274	217	106	78	0.4	0.3	0.3	1.0	0.7
.2	Sudden death (cause unknown)	828	362	193	154	119	0.5	0.5	0.2	1.5	1.1
.3	Found dead (cause unknown)	335	138	59	81	57	0.2	0.2	0.1	0.8	0.5
.4	Died without sign of disease	6,069	2,548	1,056	1,391	1,074	3.3	3.2	1.3	13.6	9.9
.5	Other unknown and unspecified causes	5,136	1,655	1,117	1,271	1,093	2.8	2.1	1.4	12.4	10.1
	XVII. Accidents, poisonings, and violence										
E800-E802	Railway accidents	979	656	96	204	23	0.5	0.8	0.1	2.0	0.2
E800	Railway accident involving railroad employee	136	122	-	14	-	0.1	0.2	0	0.1	0
E801	Railway accident involving passenger	22	12	6	4	-	0.0	0.0	0.0	0.0	0
E802	Railway accident involving other and unspecified person	821	522	90	186	23	0.4	0.7	0.1	1.8	0.2
E810-E825	Motor vehicle traffic accidents	37,025	23,909	8,741	3,285	1,090	20.2	30.0	10.7	32.0	10.0
E810	Motor vehicle traffic accident involving collision with railway train	1,267	821	347	69	30	0.7	1.0	0.4	0.7	0.3
E811	Motor vehicle traffic accident involving collision with streetcar	5	4	1	-	-	0.0	0.0	0.0	0	0
E812	Motor vehicle traffic accident to pedestrian	7,079	4,168	1,615	954	342	3.9	5.2	2.0	9.3	3.2
E813	Motor vehicle traffic accident to pedal cyclist	484	381	37	63	3	0.3	0.5	0.0	0.6	0.0
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object	37	31	1	4	1	0.0	0.0	0.0	0.0	0.0
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	442	394	30	17	1	0.2	0.5	0.0	0.2	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles	12,812	7,710	3,889	869	344	7.0	9.7	4.7	8.5	3.2
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	1	-	-	-	0.0	0.0	0	0	0
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	62	34	23	5	-	0.0	0.0	0.0	0.0	0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	1,611	1,177	275	124	35	0.9	1.5	0.3	1.2	0.3
E820	Motor vehicle traffic accident while boarding and alighting	36	22	12	1	1	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	200	180	17	2	1	0.1	0.2	0.0	0.0	0.0
E822	Motor vehicle traffic accident involving overturning in roadway	1,080	769	179	106	26	0.6	1.0	0.2	1.0	0.2
E823	Motor vehicle traffic accident involving running off roadway	8,422	5,988	1,495	734	205	4.6	7.5	1.8	7.2	1.9
E824	Other noncollision motor vehicle traffic accident	860	553	184	98	25	0.5	0.7	0.2	1.0	0.2
E825	Motor vehicle traffic accident of unspecified nature	2,627	1,676	636	239	76	1.4	2.1	0.8	2.3	0.7
E830-E835	Motor vehicle nontraffic accidents	1,066	709	253	80	24	0.6	0.9	0.3	0.8	0.2
E830	Motor vehicle nontraffic accident to pedestrian	620	385	172	44	19	0.3	0.5	0.2	0.4	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist	-	-	-	-	-	0	0	0	0	0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle	18	17	1	-	-	0.0	0.0	0.0	0	0
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles	23	18	4	1	-	0.0	0.0	0.0	0.0	0
E834	Motor vehicle nontraffic accident while boarding and alighting	27	12	15	-	-	0.0	0.0	0.0	0	0
E835	Motor vehicle nontraffic accident of other and unspecified nature	378	277	61	35	5	0.2	0.3	0.1	0.3	0.0
E840-E845	Other road vehicle accidents	258	176	56	22	4	0.1	0.2	0.1	0.2	0.0
E840	Streetcar accident to pedestrian	12	8	3	1	-	0.0	0.0	0.0	0.0	0
E841	Other streetcar accident, except collision with motor vehicle	2	-	1	-	1	0.0	0	0.0	0	0.0
E842	Accident to pedestrian caused by pedal cycle	9	7	2	-	-	0.0	0.0	0.0	0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	51	39	8	2	2	0.0	0.0	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	4	3	1	-	-	0.0	0.0	0.0	0	0
E845	Other nonmotor road vehicle accidents	180	119	41	19	1	0.1	0.1	0.0	0.2	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.										
E850-E858	Water transport accidents	1,480	1,141	119	202	18	0.8	1.4	0.1	2.0	0.2
E850	Submersion of occupant of small boat	1,221	942	99	164	16	0.7	1.2	0.1	1.6	0.1
E851	Other water transport injury by submersion	96	76	1	19	-	0.1	0.1	0.0	0.2	0
E852	Fall on stairs and ladders in water transport	4	4	-	-	-	0.0	0.0	0	0	0
E853	Other falls from one level to another in water transport	21	15	2	4	-	0.0	0.0	0.0	0.0	0
E854	Falls on same level in water transport	2	2	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	13	12	-	1	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport	13	12	-	1	-	0.0	0.0	0	0.0	0
E857	Other specified accidents in water transport	109	78	16	13	2	0.1	0.1	0.0	0.1	0.0
E858	Water transport accident of unspecified cause	1	-	1	-	-	0.0	0	0.0	0	0
E860-E866	Aircraft accidents	1,341	1,160	147	29	5	0.7	1.5	0.2	0.3	0.0
E860	Accident to personnel in military aircraft	327	318	1	8	-	0.2	0.4	0.0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft	250	170	66	10	4	0.1	0.2	0.1	0.1	0.0
E862	Other injury in commercial "transport" aircraft	1	-	-	1	-	0.0	0	0	0.0	0
E863	Injury to occupant by accident to other specified aircraft	285	245	35	5	-	0.2	0.3	0.0	0.0	0
E864	Aircraft accident at airfield to person not in aircraft	10	9	1	-	-	0.0	0.0	0.0	0	0
E865	Aircraft accident elsewhere to person not in aircraft	10	8	2	-	-	0.0	0.0	0.0	0	0
E866	Other and unspecified aircraft accidents	458	410	42	5	1	0.3	0.5	0.1	0.0	0.0
E870-E888	Accidental poisoning by solid and liquid substances	1,804	771	560	297	176	1.0	1.0	0.7	2.9	1.6
E870	Accidental poisoning by morphine and other opium derivatives	56	30	6	17	3	0.0	0.0	0.0	0.2	0.0
E871	Accidental poisoning by barbituric acid and derivatives	339	115	211	7	6	0.2	0.1	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	182	79	62	23	18	0.1	0.1	0.1	0.2	0.2
E873	Accidental poisoning by bromides	4	3	1	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	169	77	75	11	6	0.1	0.1	0.1	0.1	0.1
E875	Accidental poisoning by sulfonamides	1	1	-	-	-	0.0	0.0	0	0	0
E876	Accidental poisoning by strychnine	6	3	2	-	1	0.0	0.0	0.0	0	0.1
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	2	-	1	-	0.0	0.0	0	0.0	0
E878	Accidental poisoning by other and unspecified drugs	122	49	49	11	13	0.1	0.1	0.1	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	6	2	4	-	-	0.0	0.0	0.0	0	0
E880	Accidental poisoning by alcohol	409	198	33	125	55	0.2	0.2	0.0	1.2	0.5
E881	Accidental poisoning by petroleum products	53	17	8	18	10	0.0	0.0	0.0	0.2	0.1
E882	Accidental poisoning by industrial solvents	40	27	3	7	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	50	22	13	7	8	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds	8	1	4	1	2	0.0	0.0	0.0	0.0	0.0
~~E885~~ E885	Accidental poisoning by lead and its compounds	77	20	5	26	26	0.0	0.0	0 0	0.3	0.2
~~E886~~ E886	Accidental poisoning by arsenic and antimony, and their compounds	32	16	9	7	-	0.0	0.0	0.0	0.1	0
E887	Accidental poisoning by fluorides	8	3	3	-	2	0.0	0.0	0.0	0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	239	108	72	36	23	0.1	0.1	0.1	0.4	0.2
E890-E895	Accidental poisoning by gases and vapors	1,192	778	237	119	58	0.7	1.0	0.3	1.2	0.5
E890	Accidental poisoning by utility (illuminating) gas	302	161	86	33	22	0.2	0.2	0.1	0.3	0.2
E891	Accidental poisoning by motor vehicle exhaust gas	481	353	79	33	16	0.3	0.4	0.1	0.3	0.1
E892	Accidental poisoning by other carbon monoxide gas	273	168	55	34	16	0.1	0.2	0.1	0.3	0.1
E893	Accidental poisoning by cyanide gas	4	3	-	1	-	0.0	0.0	0	0.0	0
E894	Accidental poisoning by other specified gases and vapors	122	84	17	17	4	0.1	0.1	0.0	0.2	0.0
E895	Accidental poisoning by unspecified gases and vapors	10	9	-	1	-	0.0	0.0	0	0.0	0
E900-E904	Accidental falls	18,691	8,428	8,882	889	492	10.2	10.6	10.8	8.7	4.5
E900	Fall on stairs	2,280	1,212	857	150	61	1.2	1.5	1.0	1.5	0.6
E901	Fall from ladders	319	285	16	17	1	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	3,301	1,907	994	277	123	1.8	2.4	1.2	2.7	1.1
E903	Fall on same level	3,682	1,486	1,996	130	70	2.0	1.9	2.4	1.3	0.6
E904	Unspecified falls	9,109	3,538	5,019	315	237	5.0	4.4	6.1	3.1	2.2
E910-E936	Other accidents	26,578	15,781	5,144	3,772	1,881	14.5	19.8	6.3	36.8	17.3
E910	Blow from falling or projected object or missile	1,345	1,108	62	169	6	0.7	1.4	0.1	1.6	0.1
E911	Accident caused by vehicle	52	48	-	4	-	0.0	0.1	0	0.0	0
E912	Accident caused by machinery	1,955	1,712	77	158	8	1.1	2.1	0.1	1.5	0.1
E913	Accident caused by cutting and piercing instruments	115	58	20	30	7	0.1	0.1	0.0	0.3	0.1
E914	Accident caused by electric current	980	805	68	95	12	0.5	1.0	0.1	0.9	0.1
E915	Accident caused by explosion of pressure vessel	46	42	1	3	-	0.0	0.1	0.0	0.0	0
E916	Accident caused by fire and explosion of combustible material	7,102	3,024	1,996	1,034	1,048	3.9	3.8	2.4	10.1	9.7
E917	Accident caused by hot substance, corrosive liquid, and steam	372	152	126	52	42	0.2	0.2	0.2	0.5	0.4
E918	Accident caused by radiation	-	-	-	-	-	0	0	0	0	0
E919	Accident caused by firearm	2,204	1,607	211	311	75	1.2	2.0	0.3	3.0	0.7
E920	Foreign body entering eye and adnexa	1	1	-	-	-	0.0	0.0	0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,991	992	634	205	160	1.1	1.2	0.8	2.0	1.5
E922	Inhalation and ingestion of other object causing obstruction or suffocation	508	247	157	63	41	0.3	0.3	0.2	0.6	0.4
E923	Foreign body entering other orifice	114	55	41	11	7	0.1	0.1	0.0	0.1	0.1
E924	Accidental mechanical suffocation in bed and cradle	968	394	268	169	137	0.5	0.5	0.3	1.6	1.3
E925	Accidental mechanical suffocation in other and unspecified circumstances	513	318	84	75	36	0.3	0.4	0.1	0.7	0.3
E926	Lack of care of infants under 1 year of age	18	6	5	3	4	0.0	0.0	0.0	0.0	0.0
E927	Accidents caused by bites and stings of venomous animals and insects	54	29	16	6	3	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	123	87	22	12	2	0.1	0.1	0.0	0.1	0.0
E929	Accidental drowning	5,208	3,420	737	947	104	2.8	4.3	0.9	9.2	1.0
E930	High and low air pressure	4	3	-	1	-	0.0	0.0	0	0.0	0
E931	Excessive heat and insolation	191	108	53	19	11	0.1	0.1	0.1	0.2	0.1
E932	Excessive cold	207	119	25	52	11	0.1	0.1	0.0	0.5	0.1
E933	Hunger, thirst, and exposure	179	77	26	48	28	0.1	0.1	0.0	0.5	0.3
E934	Cataclysm	147	81	49	12	5	0.1	0.1	0.1	0.1	0.0
E935	Lightning	149	98	113	26	12	0.1	0.1	0.0	0.3	0.1
E936	Other and unspecified accidents	2,032	1,190	453	267	122	1.1	1.5	0.6	2.6	1.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1961 —Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.										
E940-E946	Complications due to nontherapeutic medical and surgical procedures	116	50	44	9	13	0.1	0.1	0.1	0.1	0.1
E940	Generalized vaccinia following vaccination	1	1	-	-	-	0.0	0.0	0	0	0
E941	Postvaccinal encephalitis	4	1	2	1	-	0.0	0.0	0.0	0.0	0
E942	Other complications of smallpox vaccination	-	-	-	-	-	0	0	0	0	0
E943	Postimmunization jaundice and hepatitis	-	-	-	-	-	0	0	0	0	0
E944	Other complications of prophylactic inoculation	11	5	6	-	-	0.0	0.0	0.0	0	0
E945	Complications of anesthesia for nontherapeutic purpose	10	2	6	1	1	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	90	41	30	7	12	0.0	0.1	0.0	0.1	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	1,033	378	499	63	93	0.6	0.5	0.6	0.6	0.9
E950	Therapeutic misadventure in surgical treatment	531	194	249	35	53	0.3	0.2	0.3	0.3	0.5
E951	Therapeutic misadventure in infusion or transfusion	99	43	45	6	5	0.1	0.1	0.1	0.1	0.0
E952	Therapeutic misadventure in local applications	13	3	10	-	-	0.0	0.0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	159	58	84	7	10	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia	55	24	18	3	10	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure	44	18	17	6	3	0.0	0.0	0.0	0.1	0.0
E956	Late complication of surgical operation	117	34	65	6	12	0.1	0.0	0.1	0.1	0.1
E957	Late complication of amputation stump	-	-	-	-	-	0	0	0	0	0
E958	Late complication of irradiation	12	3	9	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment	3	1	2	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning	740	399	224	84	33	0.4	0.5	0.3	0.8	0.3
E960	Late effect of motor vehicle accident	128	79	33	10	6	0.1	0.1	0.0	0.1	0.1
E961	Late effect of accidental poisoning	8	4	3	1	-	0.0	0.0	0.0	0.0	0
E962	Late effect of other accidental injury	550	272	188	63	27	0.3	0.3	0.2	0.6	0.2
E963	Late effect of self-inflicted injury	2	2	-	-	-	0.0	0.0	0	0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	15	7	-	8	-	0.0	0.0	0	0.1	0
E965	Late effects of injuries due to war operations	37	35	-	2	-	0.0	0.0	0	0.0	0
E970-E979	Suicide	18,997	13,675	4,335	783	204	10.4	17.1	5.3	7.6	1.9
E970	Suicide from poisoning by analgesic and soporific substances	1,698	589	1,086	23	20	0.9	0.7	1.3	0.2	0.2
A	By morphine and other opium derivatives	6	1	5	-	-	0.0	0.0	0.0	0	0
B	By barbituric acid and derivatives	1,341	462	847	17	15	0.7	0.6	1.0	0.2	0.1
C	By acetylsalicylic acid	36	6	27	-	3	0.0	0.0	0.0	0	0.0
D	By methyl salicylate	8	2	5	-	1	0.0	0.0	0.0	0	0.0
E	By other salicylates	24	7	15	1	1	0.0	0.0	0.0	0.0	0.0
F	By bromides	1	-	1	-	-	0.0	0	0.0	0	0
G	By antipyretic substances, not elsewhere classified	-	-	-	-	-	0	0	0	0	0
H	By other analgesic and soporific substances	250	100	145	5	-	0.1	0.1	0.2	0.0	0
M	By unspecified drugs	32	11	21	-	-	0.0	0.0	0.0	0	0
E971	Suicide from poisoning by other solid and liquid substances	690	344	276	41	29	0.4	0.4	0.3	0.4	0.3
A	By strychnine	44	28	16	-	-	0.0	0.0	0.0	0	0
B	By phenol compounds	28	19	6	2	1	0.0	0.0	0.0	0.0	0.0
C	By lye and potash	35	14	17	3	1	0.0	0.0	0.0	0.0	0.0
D	By cresol compounds	6	2	4	-	-	0.0	0.0	0.0	0	0
E	By mercury and its compounds	11	4	6	1	-	0.0	0.0	0.0	0.0	0
F	By arsenic and its compounds	89	48	34	4	3	0.0	0.1	0.0	0.0	0.0
G	By fluorides	46	18	19	5	4	0.0	0.0	0.0	0.0	0.0
H	By other and unspecified solid and liquid substances	431	211	174	26	20	0.2	0.3	0.2	0.3	0.2
E972	Suicide from poisoning by gases in domestic use	177	108	66	3	-	0.1	0.1	0.1	0.0	0
E973	Suicide from poisoning by other gases	1,936	1,605	304	26	1	1.1	2.0	0.4	0.3	0.0
A	By motor vehicle exhaust gas	1,795	1,483	285	26	1	1.0	1.9	0.3	0.3	0.0
B	By other motor exhaust gas	2	2	-	-	-	0.0	0.0	0	0	0
C	By other carbon monoxide	124	105	19	-	-	0.1	0.1	0.0	0	0
D	By other poisonous gases	15	15	-	-	-	0.0	0.0	0	0	0
E974	Suicide by hanging and strangulation	3,157	2,297	707	131	22	1.7	2.9	0.9	1.3	0.2
E975	Suicide by submersion (drowning)	621	301	254	38	28	0.3	0.4	0.3	0.4	0.3
E976	Suicide by firearm and explosive	9,037	7,481	1,091	412	53	4.9	9.4	1.3	4.0	0.5
E977	Suicide by cutting and piercing instruments	437	314	93	25	5	0.2	0.4	0.1	0.2	0.0
E978	Suicide by jumping from high place	726	409	218	66	33	0.4	0.5	0.3	0.6	0.3
E979	Suicide by other and unspecified means	518	227	260	18	13	0.3	0.3	0.3	0.2	0.1
E980-E985	Homicide (not in war)	8,563	2,896	1,271	3,435	961	4.7	3.6	1.5	33.5	8.9
E980	Nonaccidental poisoning by another person	24	10	10	3	1	0.0	0.0	0.0	0	0.0
E981	Assault by firearm and explosive	4,753	1,681	740	1,853	479	2.6	2.1	0.9	18.1	4.4
E982	Assault by cutting and piercing instruments	1,819	422	128	1,049	220	1.0	0.5	0.2	10.2	2.0
E983	Assault by other means	1,689	631	391	406	261	0.9	0.8	0.5	4.0	2.4
E984	Injury by intervention of police	237	132	2	103	-	0.1	0.2	0.0	1.0	0
E985	Execution	41	20	-	21	-	0.0	0.0	0	0.2	0
E990-E999	Injury resulting from operations of war	-	-	-	-	-	...	...	...	...	...
E990	Injury due to war operations by gas and chemicals	-	-	-	-	-	...	...	...	...	...
E991	Injury due to war operations by gunshot	-	-	-	-	-	...	...	...	...	...
E992	Injury due to war operations by grenade and landmine	-	-	-	-	-	...	...	...	...	...
E993	Injury due to war operations by bomb	-	-	-	-	-	...	...	...	...	...
E994	Injury due to war operations by marine mine, depth charge, and torpedo	-	-	-	-	-	...	...	...	...	...
E995	Injury due to war operations by explosion of artillery shell	-	-	-	-	-	...	...	...	...	...
E996	Injury due to war operations by explosion of undetermined origin	-	-	-	-	-	...	...	...	...	...
E997	Injury due to war operations by aircraft destruction	-	-	-	-	-	...	...	...	...	...
E998	Injury due to war operations by other and unspecified means	-	-	-	-	-	...	...	...	...	...
E999	Injury due to war operations but occurring after cessation of hostilities	-	-	-	-	-	...	...	...	...	...

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1961

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,701,522	153,942	136,268	144,788	141,426	141,434	135,768	138,833	134,014	132,252	143,225	142,427	157,145
I. Infective and parasitic diseases	20,078	1,925	1,672	1,817	1,740	1,646	1,559	1,588	1,551	1,561	1,695	1,615	1,709
Tuberculosis, all forms 001-019	9,938	953	818	877	839	808	825	803	783	769	846	793	826
Tuberculosis of respiratory system 001-008	9,191	895	755	820	778	736	764	741	731	708	782	726	755
Tuberculosis of meninges and central nervous system 010	225	15	17	17	14	26	17	18	16	18	22	27	18
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	57	4	5	4	7	6	4	7	3	4	5	3	5
Tuberculosis of bones and joints 012,013	79	5	7	10	3	9	7	7	4	8	4	9	6
Tuberculosis of other organs and systems 014-018	184	15	14	10	18	15	19	13	13	12	15	18	22
Disseminated tuberculosis 019	202	19	20	16	19	14	14	17	16	19	18	10	20
Syphilis and its sequelae 020-029	2,850	291	200	236	248	219	215	226	243	232	248	246	246
Congenital syphilis 020	36	2	2	3	5	2	1	4	6	5	5	1	-
Early syphilis 021	1	-	-	-	-	-	-	-	1	-	-	-	-
Aneurysm of aorta 022	1,250	115	76	106	103	93	91	105	95	106	114	119	127
Other cardiovascular syphilis 023	1,025	110	75	86	99	77	82	79	96	68	87	83	83
Tabes dorsalis 024	66	10	4	3	3	6	12	2	4	7	5	1	9
General paralysis of insane 025	185	25	11	22	14	14	13	14	16	22	16	10	8
Other syphilis of central nervous system 026	233	27	25	11	17	21	13	19	22	21	17	27	13
All other syphilis 027-029	54	2	7	5	7	6	3	3	3	3	4	5	6
Gonococcal infection 030-035	19	1	1	2	1	1	2	1	-	-	2	6	2
Typhoid fever 040	17	2	-	2	1	1	-	2	1	3	1	2	2
Paratyphoid fever and other Salmonella infections 041,042	64	5	6	3	6	5	8	2	10	9	7	3	-
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	11	1	-	1	-	4	-	2	-	-	2	1	-
Dysentery, all forms 045-048	300	29	19	24	16	19	20	33	24	34	30	31	21
Food poisoning (infection and intoxication) 049	44	1	4	2	4	5	4	5	3	3	7	4	2
Scarlet fever 050	24	5	4	4	5	1	-	-	1	-	1	1	2
Streptococcal sore throat 051	106	9	12	9	10	11	10	4	4	7	10	9	11
Erysipelas 052	32	3	6	4	4	1	1	3	1	1	3	2	3
Septicemia and pyemia 053	1,886	171	171	160	153	155	124	163	156	148	171	163	151
Diphtheria 055	68	12	4	8	4	3	3	2	2	8	6	9	7
Whooping cough 056	76	3	4	3	6	10	3	6	10	9	9	4	9
Meningococcal infections 057	586	69	58	65	56	47	35	33	31	30	54	47	61
Plague 058	2	-	-	-	-	-	1	1	-	-	-	-	-
Leprosy 060	8	-	1	-	-	1	-	1	1	1	1	1	1
Tetanus 061	242	12	12	21	22	26	17	23	23	32	24	15	15
Anthrax 062	1	-	-	-	-	-	1	-	-	-	-	-	-
Acute poliomyelitis 080	90	6	3	4	4	2	5	6	12	24	15	7	2
Late effects of acute poliomyelitis 081	149	19	13	17	13	11	14	12	6	9	13	12	10
Acute infectious encephalitis 082	505	43	52	37	45	40	29	43	46	38	39	32	61
Late effects of acute infectious encephalitis 083	92	5	10	9	6	6	5	8	6	12	10	8	7
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	434	42	43	71	76	64	39	27	9	6	8	16	33
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	976	72	89	101	72	94	72	80	68	81	92	73	82
Rabies 094	3	2	-	-	-	-	1	-	-	-	-	-	-
Tick-borne typhus 104	11	1	-	-	-	1	2	1	3	2	1	-	-
All other rickettsial diseases 100-103,105-108	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria 110-117	3	-	-	2	1	-	-	-	-	-	-	-	-
Schistosomiasis 123	2	-	1	-	-	-	1	-	-	-	-	-	-
Hydatid disease 125	3	-	-	-	-	-	-	-	-	1	-	1	1
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis 129	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases due to helminths 124,126,128,130	47	5	2	6	2	2	7	1	4	5	4	2	7
All other infective and parasitic diseases 036-039, 054,059,063-074,086-090,093,095,096,120-122,131-138	1,487	163	139	149	146	111	115	99	104	97	90	127	147
II. Neoplasms	278,253	23,383	21,399	23,447	22,635	23,582	22,942	23,397	23,523	22,679	23,893	23,212	24,161
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	273,502	22,987	21,040	23,020	22,263	23,147	22,532	22,997	23,124	22,308	23,507	22,814	23,763
Malignant neoplasm of buccal cavity and pharynx 140-148	6,322	530	508	530	450	547	508	497	533	563	556	542	558
Of lip 140	216	18	12	25	16	15	26	18	18	17	18	14	19
Of tongue 141	1,526	124	119	149	95	128	122	125	130	131	141	126	136
Of other and unspecified parts of buccal cavity 142-144	1,953	171	175	152	144	173	141	153	153	170	173	185	163
Of pharynx 145-148	2,627	217	202	204	195	231	219	201	232	245	224	217	240
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	91,727	7,616	7,092	7,757	7,580	7,652	7,692	7,920	7,748	7,418	7,816	7,601	7,835
Of esophagus 150	4,889	389	389	401	378	392	415	441	431	422	410	405	416
Of stomach 151	20,113	1,693	1,528	1,697	1,713	1,677	1,662	1,716	1,702	1,646	1,686	1,677	1,714
Of small intestine, including duodenum 152	743	51	66	57	45	64	58	69	66	69	54	84	60
Of large intestine, except rectum 153	29,665	2,489	2,242	2,485	2,407	2,481	2,518	2,548	2,550	2,420	2,538	2,502	2,485
Cecum, appendix, and ascending colon 153.0	4,256	351	348	344	320	367	399	317	328	374	365	403	340
Transverse colon, including hepatic and splenic flexures 153.1	1,616	126	125	164	140	130	132	134	126	145	124	132	138
Descending colon 153.2	1,333	111	109	111	119	116	110	120	123	88	117	106	103
Sigmoid colon 153.3	6,319	555	491	533	499	511	543	573	566	507	535	498	508
Multiple parts of large intestine 153.7	66	6	7	2	5	5	9	6	9	5	6	4	2
Large intestine (including colon), part unspecified 153.8	14,489	1,189	1,031	1,190	1,187	1,237	1,200	1,264	1,252	1,192	1,262	1,234	1,251
Intestinal tract, part unspecified 153.9	1,586	151	131	141	137	115	125	134	146	109	129	125	143
Of rectum 154	10,697	913	841	950	955	880	876	914	881	848	912	844	883
Of biliary passages and of liver (stated to be primary site) 155	6,359	491	526	545	513	560	547	556	559	515	486	520	541
Liver 155.0	2,012	144	168	174	152	177	182	180	179	166	147	177	166
Other and multiple sites of biliary passages 155.1,155.8	4,347	347	358	371	361	383	365	376	380	349	339	343	375
Of liver not stated whether primary or secondary 156A	3,192	266	237	285	254	259	274	277	286	243	295	257	259
Of pancreas 157	14,349	1,200	1,120	1,200	1,178	1,201	1,212	1,259	1,133	1,103	1,290	1,160	1,293
Of peritoneum and of unspecified digestive organs 158,159	1,720	124	143	137	137	138	130	140	140	152	143	152	184

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1961 —Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary----------160-164	42,211	3,585	3,181	3,662	3,454	3,539	3,507	3,421	3,616	3,482	3,597	3,544	3,623
Of larynx----------161	2,421	205	189	209	193	200	190	213	199	206	189	221	207
Of bronchus and trachea, and of lung specified as primary----------162	19,462	1,672	1,459	1,688	1,548	1,657	1,679	1,624	1,688	1,609	1,614	1,587	1,637
Of lung, unspecified as to whether primary or secondary----------163	19,467	1,630	1,467	1,682	1,637	1,612	1,570	1,500	1,670	1,615	1,723	1,660	1,701
Of other parts of respiratory system----------160,164	861	78	66	83	76	70	68	84	59	52	71	76	78
Malignant neoplasm of breast----------170	24,542	2,033	1,991	2,037	1,970	2,131	1,939	2,002	1,993	2,017	2,120	2,095	2,214
Malignant neoplasm of genital organs----------171-179	39,256	3,405	3,021	3,295	3,132	3,330	3,221	3,395	3,327	3,167	3,276	3,216	3,471
Of cervix uteri----------171	8,504	738	649	731	681	754	668	729	742	657	701	706	748
Of other and unspecified parts of uterus----------172-174	5,878	506	471	532	462	503	468	537	483	483	457	480	496
Of ovary, fallopian tube, and broad ligament----------175	8,116	719	617	644	662	651	713	668	705	646	730	607	754
Of other and unspecified female genital organs----------176	847	74	59	69	73	65	70	72	81	65	82	64	73
Of prostate----------177	14,941	1,288	1,144	1,229	1,182	1,278	1,230	1,306	1,230	1,242	1,208	1,288	1,316
Of all other unspecified male organs----------178,179	970	80	81	90	72	79	72	83	86	74	98	71	84
Malignant neoplasm of urinary organs----------180,181	13,040	1,094	1,008	1,096	1,074	1,151	1,069	1,078	1,065	1,032	1,217	1,055	1,101
Of kidney----------180	5,215	448	406	437	451	454	444	399	416	418	490	430	422
Of bladder and other urinary organs----------181	7,825	646	602	659	623	697	625	679	649	614	727	625	679
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	29,977	2,458	2,273	2,498	2,454	2,547	2,387	2,472	2,544	2,442	2,679	2,566	2,657
Of skin----------190,191	4,070	300	308	371	324	334	307	353	329	362	348	367	367
Of eye----------192	334	39	21	27	24	26	22	17	26	27	39	30	36
Of brain and other parts of nervous system----------193	6,387	554	455	501	534	511	523	571	552	519	580	551	536
Of thyroid gland----------194	1,038	73	81	83	94	111	90	95	102	73	80	71	85
Of bone----------196	1,769	147	138	156	167	157	131	135	136	153	142	155	162
Of connective tissue----------197	1,039	69	78	96	84	95	90	71	86	81	101	80	108
Of other specified sites, not stated to be secondary----------195,199A	1,445	123	110	110	120	142	128	109	127	122	127	119	108
Of unspecified sites----------156B,165,198,199B	13,895	1,153	1,082	1,154	1,117	1,171	1,096	1,121	1,186	1,105	1,262	1,193	1,255
Leukemia and aleukemia----------204	12,873	1,068	958	1,035	1,083	1,050	1,150	1,092	1,142	1,068	1,075	1,056	1,096
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	13,554	1,198	1,008	1,110	1,066	1,200	1,059	1,120	1,156	1,119	1,171	1,139	1,208
Lymphosarcoma and reticulosarcoma----------200	6,284	536	474	492	519	543	501	521	577	496	540	530	555
Hodgkin's disease----------201	3,138	307	228	275	227	286	250	284	248	272	261	249	251
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	4,132	355	306	343	320	371	308	315	331	351	370	360	402
Benign neoplasms and neoplasms of unspecified nature----------210-239	4,751	396	359	427	372	435	410	400	399	371	386	398	398
Benign neoplasms of female genital organs----------214-217	512	41	34	42	41	48	42	47	58	38	37	39	45
Benign neoplasm of brain and other parts of nervous system----------223	962	69	73	99	93	75	91	69	65	90	78	92	68
Other benign neoplasms----------210-213,218-222,224-229	900	79	69	75	60	90	81	75	69	74	75	75	78
Neoplasm of unspecified nature of female genital organs----------233-235	29	1	4	3	3	2	3	1	1	1	1	4	5
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,550	120	110	141	113	156	128	141	128	118	142	120	133
Other neoplasms of unspecified nature-230-232,236,238,239	798	86	69	67	62	64	65	67	78	50	53	68	69
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	40,861	3,733	3,426	3,402	3,366	3,385	3,209	3,375	3,136	3,158	3,540	3,364	3,767
Asthma----------241	4,910	497	389	407	407	412	377	393	364	346	457	403	458
Nontoxic goiter----------250,251	90	11	9	10	6	10	6	8	6	4	6	7	7
Thyrotoxicosis with or without goiter----------252	526	55	45	54	40	47	50	41	25	29	50	40	50
All other diseases of thyroid gland----------253,254	326	26	37	25	28	29	23	26	19	36	33	19	25
Diabetes mellitus----------260	30,098	2,709	2,536	2,505	2,527	2,479	2,413	2,493	2,331	2,338	2,536	2,463	2,768
Diseases of thymus gland----------273	116	10	7	13	10	7	10	3	9	12	15	13	7
Diseases of adrenal glands----------274	442	44	25	29	37	43	32	42	34	44	34	36	42
Pellagra----------281	38	7	7	6	1	2	2	1	1	4	4	-	3
Other avitaminoses and nutritional deficiency states----------280,282-286	1,747	173	156	147	123	134	122	136	134	133	159	151	179
All other allergic, endocrine, and metabolic diseases----------240,242-245,270-272,275-277,287-289	2,568	201	215	206	187	222	174	232	213	212	246	232	228
IV. Diseases of the blood and blood-forming organs--	5,035	469	417	463	395	414	393	396	415	360	460	411	442
Anemias----------290-293	3,280	296	273	298	253	280	250	265	260	229	311	274	291
Pernicious and other hyperchromic anemias----------290	596	49	46	62	40	55	47	41	45	37	55	60	59
Anemias of other and unspecified type----------291-293	2,684	247	227	236	213	225	203	224	215	192	256	214	232
Purpura and other hemorrhagic conditions----------296	661	63	52	64	60	59	56	49	62	49	51	38	58
Other diseases of blood and blood-forming organs----------294,295,297-299	1,094	110	92	101	82	75	87	82	93	82	98	99	93
V. Mental, psychoneurotic, and personality disorders----------	4,465	434	382	384	380	345	342	384	338	330	381	330	435
Senile psychosis----------304	339	37	33	21	30	33	28	31	21	27	24	28	26
Alcoholic psychosis----------307	470	32	41	37	42	32	43	46	39	30	43	44	41
Other psychoses----------300-303,305,306,308,309	571	50	51	52	39	49	51	48	46	42	57	35	51
Alcoholism----------322	2,247	229	186	201	189	160	169	192	161	158	180	170	252
Mental deficiency----------325	431	50	46	41	39	30	30	29	27	36	39	26	38
Other disorders of personality----------310-321,323,324,326	407	36	25	32	41	41	21	38	44	37	38	27	27
VI. Diseases of the nervous system and sense organs-	207,190	19,149	17,016	17,662	17,405	17,078	16,523	16,897	15,756	16,075	16,979	17,347	19,303
Vascular lesions affecting central nervous system---330-334	192,951	17,792	15,794	16,521	16,282	15,919	15,410	15,684	14,639	15,013	15,766	16,143	17,988
Subarachnoid hemorrhage----------330	7,021	612	558	621	601	592	549	573	548	568	618	578	603
Cerebral hemorrhage----------331	109,023	10,268	8,933	9,429	9,303	9,140	8,589	8,702	8,257	8,376	8,783	9,111	10,132
Cerebral embolism and thrombosis----------332	59,134	5,266	4,836	5,057	4,955	4,780	4,784	4,940	4,471	4,632	4,924	4,968	5,521
Other vascular lesions affecting central nervous system----------333,334	17,773	1,646	1,467	1,414	1,423	1,407	1,488	1,469	1,363	1,437	1,441	1,486	1,732

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Con.													
Meningitis, except meningococcal and tuberculous--------340	2,263	262	210	212	195	185	149	159	135	146	179	199	232
Multiple sclerosis----------345	1,432	123	130	96	103	126	127	136	120	111	114	130	116
Paralysis agitans----------350	2,851	261	233	223	220	223	234	270	233	227	226	237	264
Cerebral spastic infantile paralysis----------351	684	72	56	48	68	59	48	55	48	41	60	52	77
Epilepsy----------353	1,898	145	151	136	154	170	163	170	167	145	167	150	180
Inflammatory diseases of eye----------370-379	15	3	1	1	-	1	1	3	1	-	-	-	4
Cataract----------385	16	3	-	3	1	1	2	-	3	2	1	-	-
Glaucoma----------387	8	-	1	-	1	1	1	-	1	1	-	1	1
Otitis media and mastoiditis----------391-393	310	34	40	31	30	21	18	15	18	14	32	28	29
Other diseases of nervous system and sense organs-----341-344,352,354-369,380-384,386,388-390,394-398	4,762	454	400	391	351	372	370	405	391	375	434	407	412
VII. Diseases of the circulatory system----------	731,671	67,484	59,488	62,978	61,841	61,340	57,784	58,595	55,902	55,277	60,948	61,237	68,797
Diseases of heart----------400-402,410-443	663,391	61,128	53,974	57,186	56,062	55,765	52,594	53,045	50,566	49,983	55,243	55,428	62,417
Rheumatic fever----------400-402	608	67	40	42	58	54	55	58	49	43	43	48	51
Chronic rheumatic heart disease----------410-416	17,264	1,654	1,456	1,503	1,505	1,455	1,384	1,415	1,219	1,294	1,447	1,401	1,531
Diseases of mitral valve----------410	6,176	583	561	551	531	508	496	517	421	469	509	493	537
Diseases of aortic valve specified as rheumatic------411	2,002	180	141	166	179	194	165	186	133	143	171	183	181
Diseases of pulmonary valve and other endocarditis, specified as rheumatic----------413,414	890	84	86	71	65	73	70	73	67	71	64	83	83
Other rheumatic heart diseases----------412,415,416	8,196	807	668	715	730	680	653	659	598	611	703	642	730
Arteriosclerotic heart disease, including coronary disease----------420	502,351	45,929	40,589	42,973	42,137	42,120	39,876	40,281	38,547	38,086	42,141	42,156	47,536
Arteriosclerotic heart disease so described--------420.0	214,865	19,656	17,541	18,836	18,123	17,737	16,842	17,038	16,225	16,281	17,974	17,982	20,630
Heart disease specified as involving coronary arteries----------420.1	287,039	26,235	23,011	24,090	23,981	24,336	23,000	23,209	22,287	21,745	24,134	24,140	26,871
Angina pectoris without mention of coronary disease----------420.2	447	38	37	47	33	47	34	34	35	40	33	34	35
Chronic endocarditis not specified as rheumatic--------421	4,780	472	384	396	382	427	387	379	371	365	420	390	427
Of mitral valve, specified as nonrheumatic---------421.0	262	27	37	30	18	24	28	12	14	9	20	20	23
Of aortic valve, not specified as rheumatic--------421.1	2,257	217	144	190	181	213	170	208	182	168	197	179	208
Of other valves, not specified as rheumatic----------421.2-421.4	2,261	228	183	176	183	190	189	159	175	188	203	191	196
Other myocardial degeneration----------422	49,852	4,676	4,164	4,362	4,259	4,149	3,952	4,020	3,767	3,643	4,016	4,173	4,671
With arteriosclerosis----------422.1	38,004	3,509	3,176	3,263	3,246	3,137	3,002	3,072	2,846	2,820	3,090	3,238	3,605
Without mention of arteriosclerosis---------422.0,422.2	11,848	1,167	988	1,099	1,013	1,012	950	948	921	823	926	935	1,066
Other diseases of heart----------430-434	25,254	2,256	2,020	2,171	2,175	2,086	1,950	2,011	1,958	1,935	2,135	2,149	2,408
Acute and subacute endocarditis----------430	786	56	73	72	55	58	70	69	79	68	60	67	59
Acute myocarditis and acute pericarditis, not specified as rheumatic----------431,432	1,011	100	78	93	85	82	76	88	76	75	89	79	90
Functional disease of heart----------433	5,834	506	469	472	526	461	441	425	473	496	480	526	559
Other and unspecified diseases of heart----------434	17,623	1,594	1,400	1,534	1,509	1,485	1,363	1,429	1,330	1,296	1,506	1,477	1,700
Hypertensive heart disease----------440-443	63,282	6,074	5,341	5,739	5,546	5,474	4,990	4,881	4,655	4,637	5,041	5,111	5,793
Hypertensive heart disease with arteriolar nephrosclerosis----------442	14,676	1,391	1,249	1,395	1,294	1,257	1,163	1,175	1,090	1,023	1,135	1,161	1,343
Other hypertensive heart disease----------440,441,443	48,606	4,683	4,092	4,344	4,252	4,217	3,827	3,706	3,565	3,614	3,906	3,950	4,450
Other hypertensive disease----------444-447	12,185	1,107	1,014	1,044	1,071	1,002	938	1,025	915	881	998	1,061	1,129
Hypertension with arteriolar nephrosclerosis----------446	6,591	578	561	564	593	532	532	546	488	483	524	565	625
Essential hypertension and other hypertensive disease without mention of heart----------444,445,447	5,594	529	453	480	478	470	406	479	427	398	474	496	504
Diseases of arteries----------450-456	47,293	4,443	3,826	4,014	3,962	3,850	3,625	3,803	3,718	3,702	3,956	3,973	4,421
General arteriosclerosis----------450	35,388	3,389	2,943	3,026	2,990	2,863	2,741	2,810	2,767	2,705	2,895	2,941	3,318
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm----------451	8,779	775	659	748	717	734	651	704	698	751	775	755	812
Gangrene of unspecified cause----------455	241	21	25	24	17	16	17	19	21	15	29	19	18
Other arterial diseases----------452-454,456	2,885	258	199	216	238	237	216	270	232	231	257	258	273
Diseases of veins and other diseases of circulatory system----------460-468	8,802	806	674	734	746	723	627	722	703	711	751	775	830
VIII. Diseases of the respiratory system----------	82,570	9,154	7,762	7,684	7,130	6,108	5,514	5,497	5,125	5,585	6,896	7,145	8,970
Acute upper respiratory infections----------470-475	808	103	93	60	69	61	47	47	45	46	68	81	88
Influenza----------480-483	2,137	359	259	203	197	109	74	52	44	87	193	178	382
Pneumonia, except pneumonia of newborn----------490-493	53,038	6,172	5,165	5,115	4,550	3,853	3,423	3,383	3,142	3,529	4,343	4,542	5,821
Lobar pneumonia----------490	8,347	1,022	842	816	696	624	524	532	465	525	662	718	921
Bronchopneumonia----------491	31,204	3,543	2,984	3,058	2,704	2,306	2,044	2,032	1,897	2,096	2,610	2,620	3,310
Primary atypical pneumonia----------492	4,985	606	490	465	417	338	324	322	294	335	374	456	564
Pneumonia, other and unspecified----------493	8,502	1,001	849	776	733	585	531	497	486	573	697	748	1,026
Acute bronchitis----------500	1,031	145	110	99	99	75	55	56	36	51	92	96	117
Bronchitis, chronic and unqualified----------501,502	3,033	315	276	304	288	226	192	226	178	196	288	258	286
Hypertrophy of tonsils and adenoids----------510	139	9	13	14	15	15	15	8	8	8	9	12	13
Empyema and abscess of lung----------518,521	833	81	78	70	80	62	53	54	63	71	74	83	64
Pleurisy----------519	189	19	14	17	9	15	14	19	16	15	12	16	23
Emphysema without mention of bronchitis----------527.1	10,269	877	794	812	855	813	781	805	776	800	938	927	1,091
Other respiratory diseases------511-517,520,522-527.0,527.2	11,093	1,074	960	990	968	879	860	847	817	782	879	952	1,085
IX. Diseases of the digestive system----------	67,303	5,976	5,169	5,700	5,460	5,496	5,342	5,472	5,446	5,498	5,795	5,758	6,191
Diseases of teeth and supporting structures---------530-535	94	10	6	8	7	8	2	10	7	9	9	8	10
Ulcer of stomach----------540	5,859	530	444	489	490	504	494	454	476	482	455	496	545
Ulcer of duodenum----------541	5,681	468	459	495	495	477	424	428	434	432	495	518	556
Gastritis and duodenitis----------543	423	37	20	39	47	40	30	33	33	28	36	43	37
Appendicitis----------550-553	1,819	154	125	170	157	157	154	163	172	149	153	137	128
Hernia and intestinal obstruction----------560,561,570	9,177	764	699	811	740	776	752	775	744	807	757	730	822
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over----------571	4,114	496	346	315	262	252	249	318	344	373	402	347	410
Chronic enteritis and ulcerative colitis----------572	3,283	289	252	288	256	264	298	266	290	260	258	277	285
Cirrhosis of liver----------581	20,737	1,813	1,599	1,746	1,649	1,724	1,647	1,686	1,689	1,614	1,799	1,789	1,982
Without mention of alcoholism----------581.0	13,836	1,175	1,115	1,172	1,085	1,151	1,138	1,140	1,124	1,027	1,176	1,177	1,356
With alcoholism----------581.1	6,901	638	484	574	564	573	509	546	565	587	623	612	626

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Cholelithiasis, cholecystitis, and cholangitis------584,585	4,707	415	387	390	383	364	361	396	368	418	404	415	406
Fibrocystic disease of pancreas----------587B	631	56	53	47	46	47	53	53	41	49	59	57	70
Other diseases of digestive system----------536-539, 542,544,545,573-580,582,583,586,587.0,587.1,587A	10,778	944	779	902	928	883	878	890	848	877	968	941	940
X. Diseases of the genitourinary system----------	30,219	2,604	2,489	2,432	2,595	2,548	2,458	2,472	2,471	2,424	2,564	2,460	2,702
Nephritis and nephrosis----------590-594	13,180	1,189	1,088	1,121	1,172	1,170	1,071	1,029	1,037	971	1,086	1,049	1,197
Acute nephritis----------590	742	54	63	62	74	75	66	62	73	47	41	55	70
Nephritis with edema, including nephrosis----------591	842	77	79	64	76	64	84	65	68	62	60	61	82
Chronic and unspecified nephritis and other renal sclerosis----------592-594	11,596	1,058	946	995	1,022	1,031	921	902	896	862	985	933	1,045
Infections of kidney----------600	8,095	666	640	606	638	643	650	682	688	715	705	705	757
Calculi of urinary system----------602,604	1,330	100	115	116	115	110	97	106	126	125	110	97	113
Other diseases of urinary system----------601,603,605-609	2,307	186	216	181	198	171	190	211	192	170	199	186	207
Hyperplasia of prostate----------610	4,158	373	340	318	381	341	357	356	346	336	347	336	327
Diseases of breast----------620,621	10	5	-	-	-	-	-	1	-	2	1	1	-
Other diseases of genital organs----------611-617,622-637	1,139	85	90	90	91	113	93	87	82	105	116	86	101
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,573	136	141	168	137	121	123	138	147	111	126	111	114
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	164	8	17	13	14	13	15	16	17	14	16	14	7
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	281	20	32	35	32	24	17	20	20	12	32	16	21
Hemorrhage of pregnancy and childbirth------643,644,670-672	252	25	22	25	23	14	25	20	26	14	21	20	17
Ectopic pregnancy----------645	89	10	4	8	9	6	7	9	8	9	7	5	7
Abortion without mention of sepsis or toxemia----------650	95	13	4	10	11	7	5	12	6	12	5	5	5
Abortion with sepsis----------651	220	14	21	23	19	14	15	11	27	24	18	21	13
Abortion with toxemia, without mention of sepsis--------652	9	-	1	-	-	-	-	1	2	1	1	2	1
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----------646-649,660,673-680,683,687-689	463	46	40	54	29	43	39	49	41	25	26	28	43
XII. Diseases of the skin and cellular tissue-------	2,151	182	177	179	175	190	168	163	188	173	188	173	195
Infections of skin and subcutaneous tissue----------690-698	613	44	50	66	40	66	47	42	58	43	57	47	53
Other diseases of skin and subcutaneous tissue------700-716	1,538	138	127	113	135	124	121	121	130	130	131	128	141
XIII. Diseases of the bones and organs of movement--	3,595	337	299	310	301	317	284	314	264	267	308	294	300
Arthritis and spondylitis----------720-725	1,996	185	173	172	169	182	172	172	152	151	158	156	154
Muscular rheumatism and rheumatism unspecified------726,727	29	4	-	1	2	1	3	4	1	2	3	5	3
Osteomyelitis and periostitis----------730	191	18	19	13	15	17	17	18	14	15	21	10	14
Ankylosis and acquired musculoskeletal deformities----------737,745-749	106	5	5	10	9	16	9	10	9	6	6	13	8
Inborn defect of muscle----------744.1	539	51	47	40	46	42	29	42	29	45	57	52	59
Other diseases of musculoskeletal system----------731-736,738-744.0,744.2	734	74	55	74	60	59	54	68	59	48	63	58	62
XIV. Congenital malformations----------	21,922	1,981	1,782	1,911	1,824	1,787	1,742	1,734	1,818	1,745	1,881	1,834	1,883
Spina bifida and meningocele----------751	1,195	123	94	79	89	107	92	98	107	94	120	91	101
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,450	235	198	213	214	193	193	186	200	179	210	220	209
Congenital malformations of circulatory system----------754	11,167	984	932	990	922	913	884	898	912	896	938	941	957
Other congenital malformations----------750,755-759	7,110	639	558	629	599	574	573	552	599	576	613	582	616
XV. Certain diseases of early infancy----------	65,679	5,415	4,637	5,281	5,220	5,538	5,608	5,911	5,924	5,655	5,649	5,380	5,461
XVI. Symptoms, senility, and ill-defined conditions-	19,094	1,968	1,638	1,656	1,549	1,505	1,423	1,468	1,388	1,462	1,535	1,653	1,849
Senility without mention of psychosis----------794	2,424	249	223	219	209	196	173	185	174	172	200	191	234
Symptoms, ill-defined, and unknown causes-------780-793,795	16,670	1,720	1,415	1,437	1,340	1,309	1,250	1,283	1,214	1,290	1,335	1,462	1,615
XVII. Accidents, poisonings, and violence----------	119,863	9,612	8,374	9,314	9,273	10,034	10,354	11,032	10,622	9,892	10,387	10,103	10,866
Accidents----------E800-E962	92,249	7,333	6,349	7,002	6,988	7,627	7,996	8,572	8,204	7,606	8,085	7,869	8,618
Railway accidents----------E800-E802	979	54	66	73	71	94	95	103	96	86	93	77	71
Motor vehicle accidents----------E810-E835	38,091	2,636	2,299	2,755	2,931	3,089	3,162	3,365	3,502	3,316	3,733	3,527	3,776
Motor vehicle traffic accidents----------E810-E825	37,025	2,565	2,257	2,686	2,859	2,970	3,034	3,259	3,371	3,209	3,632	3,463	3,720
Motor vehicle traffic accident involving collision with railway train----------E810	1,267	153	103	95	92	80	105	71	79	79	113	119	178
Motor vehicle traffic accident to pedestrian-----E812	7,079	558	506	586	552	532	513	487	551	573	704	717	799
Other motor vehicle traffic accidents involving collision----------E811,E813-E819	15,454	1,000	896	1,156	1,171	1,228	1,277	1,464	1,513	1,339	1,472	1,391	1,547
Motor vehicle noncollision traffic accidents----------E820-E824	10,598	692	585	688	861	924	891	1,002	990	989	1,074	965	937
Motor vehicle traffic accident of unspecified nature----------E825	2,627	161	167	161	183	206	248	235	238	229	269	271	259
Motor vehicle nontraffic accidents----------E830-E835	1,066	71	42	69	72	119	128	106	131	107	101	64	56
Other road vehicle accidents----------E840-E845	258	13	5	9	18	23	34	35	44	29	24	14	10
Water transport accidents----------E850-E858	1,480	40	53	95	143	188	183	247	183	116	112	68	52
Aircraft accidents----------E860-E866	1,341	106	71	108	111	85	115	97	104	213	84	175	72
Accidental poisoning by solid and liquid substances----------E870-E888	1,804	136	121	155	146	175	134	149	167	148	152	144	177
Accidental poisoning by gases and vapors--------E890-E895	1,192	190	146	89	78	78	33	43	43	38	96	147	211
Accidental falls----------E900-E904	18,691	1,643	1,502	1,543	1,390	1,502	1,586	1,543	1,525	1,494	1,623	1,564	1,776
Fall from one level to another----------E900-E902	5,900	413	438	436	426	528	521	557	535	510	557	482	497
Fall on same level----------E903	3,682	397	352	336	267	301	292	264	278	266	268	294	367
Unspecified falls----------E904	9,109	833	712	771	697	673	773	722	712	718	798	788	912
Blow from falling or projected object or missile----------E910	1,345	90	95	109	102	132	97	129	140	109	125	115	102
Accident caused by machinery----------E912	1,955	87	101	122	176	202	206	179	206	197	193	163	123

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Continued													
Accident caused by electric current----------E914	980	33	38	70	55	80	112	143	142	134	76	61	36
Accident caused by fire and explosion of combustible material----------E916	7,102	1,064	797	684	609	537	374	358	313	313	527	580	946
Accident caused by hot substance, corrosive liquid, steam, and radiation----------E917,E918	372	51	29	35	21	41	28	35	19	22	20	31	40
Accident caused by firearm----------E919	2,204	208	129	146	162	125	141	146	153	189	241	286	278
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	2,499	221	205	204	190	203	190	194	199	198	208	260	227
Accidental drowning----------E929	5,208	134	164	260	338	554	910	1,137	808	400	213	146	144
Excessive heat and insolation----------E931	191	-	-	5	-	4	60	59	36	23	3	-	1
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures----------E940-E959	1,149	89	109	99	87	95	110	84	78	103	100	96	99
All other accidents----------E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,408	538	419	441	360	420	426	526	446	478	462	415	477
Suicide----------E963,E970-E979	18,999	1,558	1,434	1,600	1,639	1,714	1,669	1,620	1,579	1,555	1,596	1,527	1,508
Suicide by poisoning----------E970-E973	4,501	385	331	395	387	405	357	390	367	346	422	373	343
Suicide by hanging and strangulation----------E974	3,157	248	273	271	234	306	310	268	271	273	254	229	220
Suicide by firearm and explosive----------E976	9,037	763	701	764	800	819	783	737	723	732	709	737	769
Suicide by all other means----------E963,E975,E977-E979	2,304	162	129	170	218	184	219	225	218	204	211	188	176
Homicide----------E964,E980-E985	8,578	719	588	709	642	689	688	836	835	725	705	705	737
Assault by firearm and explosive----------E981	4,753	405	331	397	353	381	354	451	454	395	404	404	424
Assault by cutting and piercing instruments----------E982	1,819	130	118	145	145	151	159	197	175	175	143	127	154
Assault by other means----------E964,E980,E983	1,728	156	123	146	126	137	145	162	175	137	134	152	135
Injury by intervention of police----------E985	237	26	15	18	15	18	21	24	26	18	20	15	21
Execution----------E985	41	2	1	3	3	2	9	2	5	-	4	7	3
Injury resulting from operations of war------E965,E990-E999	37	2	3	3	4	4	1	4	4	6	1	2	3

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH		ALL RACES		
				Total	Male	Female
1		ALL CAUSES		1,701,522	966,827	734,695
2		I. Infective and parasitic diseases		20,078	13,199	6,879
3		Tuberculosis, all forms	001-019	9,938	7,254	2,684
4	A 1	Tuberculosis of respiratory system	001-008	9,191	6,843	2,348
5	A 2	Tuberculosis of meninges and central nervous system	010	225	120	105
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands	011	57	29	28
7	A 4	Tuberculosis of bones and joints	012,013	79	48	31
8	A 5 pt.	Tuberculosis of other organs and systems	014-018	184	96	88
9	A 5 pt.	Disseminated tuberculosis	019	202	118	84
10		Syphilis and its sequelae	020-029	2,850	2,032	818
11	A 6	Congenital syphilis	020	36	19	17
12	A 7	Early syphilis	021	1	-	1
13	A 10 pt.	Aneurysm of aorta	022	1,250	890	360
14	A 10 pt.	Other cardiovascular syphilis	023	1,025	747	278
15	A 8	Tabes dorsalis	024	66	46	20
16	A 9	General paralysis of insane	025	185	127	58
17	A 10 pt.	Other syphilis of central nervous system	026	233	169	64
18	A 10 pt.	All other syphilis	027-029	54	34	20
19	A 11	Gonococcal infection	030-035	19	18	1
20	A 12	Typhoid fever	040	17	8	9
21	A 13	Paratyphoid fever and other Salmonella infections	041,042	64	40	24
22	A 14	Cholera	043	-	-	-
23	A 15	Brucellosis (undulant fever)	044	11	6	5
24	A 16	Dysentery, all forms	045-048	300	166	134
25	A 43 pt.	Food poisoning (infection and intoxication)	049	44	18	26
26	A 17	Scarlet fever	050	24	13	11
27	A 18	Streptococcal sore throat	051	106	53	53
28	A 19	Erysipelas	052	32	16	16
29	A 20	Septicemia and pyemia	053	1,886	1,027	859
30	A 21	Diphtheria	055	68	38	30
31	A 22	Whooping cough	056	76	33	43
32	A 23	Meningococcal infections	057	586	324	262
33	A 24	Plague	058	2	2	-
34	A 25	Leprosy	060	8	7	1
35	A 26	Tetanus	061	242	157	85
36	A 27	Anthrax	062	1	-	1
37	A 28	Acute poliomyelitis	080	90	50	40
38	A 30 pt.	Late effects of acute poliomyelitis	081	149	81	68
39	A 29	Acute infectious encephalitis	082	505	271	234
40	A 30 pt.	Late effects of acute infectious encephalitis	083	92	56	36
41	A 31	Smallpox	084	-	-	-
42	A 32	Measles	085	434	212	222
43	A 33	Yellow fever	091	-	-	-
44	A 34	Infectious hepatitis	092	976	456	520
45	A 35	Rabies	094	3	2	1
46	A 36 pt.	Tick-borne typhus	104	11	8	3
47	A 36 pt.	All other rickettsial diseases	100-103,105-108	1	-	1
48	A 37	Malaria	110-117	3	2	1
49	A 38	Schistosomiasis	123	2	1	1
50	A 39	Hydatid disease	125	3	3	-
51	A 40	Filariasis	127	-	-	-
52	A 41	Ancylostomiasis	129	1	-	1
53	A 42	Other diseases due to helminths	124,126,128,130	47	24	23
54	A 43 pt.	All other infective and parasitic diseases	036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,487	821	666
55		II. Neoplasms		278,253	148,278	128,975
56		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	273,502	147,157	126,345
57	A 44	Malignant neoplasm of buccal cavity and pharynx	140-148	6,322	4,823	1,499
58		Of lip	140	216	195	21
59		Of tongue	141	1,526	1,152	374
60		Of other and unspecified parts of buccal cavity	142-144	1,953	1,371	582
61		Of pharynx	145-148	2,627	2,105	522
62		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	150-156A-157-159	91,727	50,173	41,554
63	A 45	Of esophagus	150	4,889	3,824	1,065
64	A 46	Of stomach	151	20,113	12,647	7,466
65	A 47 pt.	Of small intestine, including duodenum	152	743	367	376
66	A 47 pt.	Of large intestine, except rectum	153	29,665	13,518	16,147
67		Cecum, appendix, and ascending colon	153.0	4,256	1,859	2,397
68		Tranverse colon, including hepatic and splenic flexures	153.1	1,616	737	879
69		Descending colon	153.2	1,333	590	743
70		Sigmoid colon	153.3	6,319	3,021	3,298
71		Multiple parts of large intestine	153.7	66	32	34
72		Large intestine (including colon), part unspecified	153.8	14,489	6,626	7,863
73		Intestinal tract, part unspecified	153.9	1,586	653	933
74	A 48	Of rectum	154	10,697	6,089	4,608
75	A 57 pt.	Of biliary passages and of liver (stated to be primary site)	155	6,359	2,722	3,637
76		Liver	155.0	2,012	1,275	737
77		Other and multiple sites of biliary passages	155.1,155.8	4,347	1,447	2,900
78	A 57 pt.	Of liver not stated whether primary or secondary	156A	3,192	1,727	1,465
79	A 57 pt.	Of pancreas	157	14,349	8,449	5,900
80	A 57 pt.	Of peritoneum and of unspecified digestive organs	158,159	1,720	830	890
81		Malignant neoplasm of respiratory system, not specified as secondary	160-164	42,211	35,954	6,257
82	A 49	Of larynx	161	2,421	2,186	235
83	A 50 pt.	Of bronchus and trachea, and of lung specified as primary	162	19,462	17,000	2,462
84	A 50 pt.	Of lung, unspecified as to whether primary or secondary	163	19,467	16,211	3,256
85	A 57 pt.	Of other parts of respiratory system	160,164	861	557	304
86	A 51	Malignant neoplasm of breast	170	24,542	231	24,311

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1961

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,498,332	854,569	643,763	192,791	105,493	87,298	4,446	2,511	1,935	1,677	1,376	301	2,208	1,426	782	2,068	1,452	616	1
15,009	10,010	4,999	4,690	2,950	1,740	203	108	95	54	46	8	40	33	7	82	52	30	2
7,391	5,517	1,874	2,325	1,593	732	114	59	55	37	33	4	28	26	2	43	26	17	3
6,946	5,269	1,677	2,054	1,445	609	94	51	43	32	30	2	26	25	1	39	23	16	4
139	78	61	81	39	42	4	2	2	-	-	-	-	-	-	1	1	-	5
29	17	12	27	11	16	1	1	-	-	-	-	-	-	-	-	-	-	6
54	30	24	22	16	6	2	1	1	1	1	-	-	-	-	-	-	-	7
131	67	64	40	23	17	8	3	5	2	2	-	2	1	1	1	-	1	8
92	56	36	101	59	42	5	1	4	2	-	2	-	-	-	2	2	-	9
1,892	1,405	487	932	604	328	6	5	1	9	9	-	6	4	2	5	5	-	10
18	10	8	17	8	9	1	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	12
983	728	255	259	157	102	1	-	1	1	1	-	5	3	2	1	1	-	13
539	418	121	474	317	157	3	3	-	6	6	-	-	-	-	3	3	-	14
48	33	15	16	11	5	-	-	-	1	1	-	-	-	-	1	1	-	15
127	92	35	58	35	23	-	-	-	-	-	-	-	-	-	-	-	-	16
140	102	38	91	65	26	-	-	-	1	1	-	1	1	-	-	-	-	17
37	22	15	16	11	5	1	1	-	-	-	-	-	-	-	-	-	-	18
10	10	-	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	19
6	4	2	10	4	6	1	-	1	-	-	-	-	-	-	-	-	-	20
43	27	16	20	13	7	-	-	-	1	-	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
184	108	76	96	48	48	19	9	10	-	-	-	-	-	-	1	1	-	24
28	12	16	14	5	9	2	1	1	-	-	-	-	-	-	-	-	-	25
22	12	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
92	44	48	12	8	4	1	1	-	-	-	-	1	-	1	-	-	-	27
31	16	15	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	28
1,481	799	682	385	215	170	13	8	5	3	2	1	1	1	-	3	2	1	29
45	24	21	20	12	8	2	2	-	-	-	-	-	-	-	1	-	1	30
26	12	14	45	19	26	3	1	2	-	-	-	-	-	-	2	1	1	31
486	267	219	93	53	40	4	2	2	1	-	1	-	-	-	2	2	-	32
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	34
126	87	39	115	70	45	1	-	1	-	-	-	-	-	-	-	-	-	35
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
80	45	35	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	37
141	79	62	7	2	5	1	-	1	-	-	-	-	-	-	-	-	-	38
433	238	195	66	30	36	2	2	-	1	-	1	1	-	1	2	1	1	39
88	53	35	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
325	156	169	79	37	42	16	11	5	1	1	-	-	-	-	13	7	6	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
839	393	446	128	61	67	6	1	5	1	1	-	1	-	1	1	-	1	44
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
10	8	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	52
17	12	5	30	12	18	-	-	-	-	-	-	-	-	-	-	-	-	53
1,183	662	521	287	148	139	10	5	5	-	-	-	2	2	-	5	4	1	54
251,753	135,091	116,662	25,077	13,257	11,820	367	173	194	318	247	71	494	331	163	244	179	65	55
247,697	133,219	114,478	24,412	13,020	11,392	355	169	186	310	243	67	490	331	159	238	175	63	56
5,755	4,388	1,367	508	383	125	5	5	-	29	26	3	8	6	2	17	15	2	57
211	192	19	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	58
1,414	1,065	349	106	81	25	-	-	-	1	1	-	1	1	-	4	4	-	59
1,787	1,252	535	152	108	44	3	3	-	4	3	1	2	1	1	5	4	1	60
2,343	1,879	464	246	192	54	1	1	-	24	22	2	5	4	1	8	7	1	61
82,881	44,887	37,994	8,230	4,861	3,369	136	66	70	112	97	15	283	192	91	85	70	15	62
4,004	3,114	890	851	677	174	1	1	-	15	15	-	14	13	1	4	4	-	63
17,457	10,846	6,611	2,424	1,644	780	36	21	15	20	18	2	152	100	52	24	18	6	64
674	329	345	65	35	30	-	-	-	1	1	-	3	2	1	-	-	-	65
27,670	12,634	15,036	1,891	823	1,068	30	14	16	26	18	8	33	17	16	15	12	3	66
3,992	1,738	2,254	250	115	135	1	-	1	3	3	-	9	3	6	1	-	1	67
1,528	694	834	85	42	43	3	1	2	-	-	-	-	-	-	-	-	-	68
1,251	551	700	74	33	41	2	2	-	3	2	1	1	1	-	2	1	1	69
5,993	2,876	3,117	303	130	173	8	6	2	5	2	3	7	4	3	3	3	-	70
61	28	33	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	71
13,374	6,149	7,225	1,065	447	618	14	4	10	12	10	2	15	8	7	9	8	1	72
1,471	598	873	109	52	57	2	1	1	3	1	2	1	1	-	-	-	-	73
9,914	5,663	4,251	736	390	346	8	6	2	12	10	2	20	14	6	7	6	1	74
5,850	2,438	3,412	417	227	190	32	10	22	23	22	1	22	15	7	15	10	5	75
1,743	1,072	671	219	160	59	5	3	2	23	22	1	12	10	2	10	8	2	76
4,107	1,366	2,741	198	67	131	27	7	20	-	-	-	10	5	5	5	2	3	77
2,820	1,507	1,313	352	205	147	6	2	4	1	-	1	7	7	-	6	6	-	78
12,974	7,632	5,342	1,301	762	539	21	11	10	12	11	1	29	21	8	12	12	-	79
1,518	724	794	193	98	95	2	1	1	2	2	-	3	3	-	2	2	-	80
38,562	32,838	5,724	3,438	2,935	503	28	23	5	69	61	8	73	62	11	41	35	6	81
2,180	1,972	208	229	203	26	1	1	-	6	5	1	3	3	-	2	2	-	82
17,744	15,477	2,267	1,621	1,440	181	8	7	1	36	33	3	30	24	6	23	19	4	83
17,865	14,889	2,976	1,512	1,246	266	17	14	3	26	22	4	33	28	5	14	12	2	84
773	500	273	76	46	30	2	1	1	1	1	-	7	7	-	2	2	-	85
22,592	212	22,380	1,911	19	1,892	14	-	14	8	-	8	10	-	10	7	-	7	86

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1		Malignant neoplasm of genital organs 171-179	39,256	15,911	23,345
2	A 52	Of cervix uteri 171	8,504	...	8,504
3	A 53	Of other and unspecified parts of uterus 172-174	5,878	...	5,878
4	A 57 pt.	Of ovary, fallopian tube, and broad ligament 175	8,116	...	8,116
5	A 57 pt.	Of other and unspecified female genital organs 176	847	...	847
6	A 54	Of prostate 177	14,941	14,941	...
7	A 57 pt.	Of all other unspecified male organs 178,179	970	970	...
8	A 57 pt.	Malignant neoplasm of urinary organs 180,181	13,040	8,678	4,362
9		Of kidney 180	5,215	3,273	1,942
10		Of bladder and other urinary organs 181	7,825	5,405	2,420
11		Malignant neoplasm of other and unspecified sites 156B,165,190-199	29,977	15,948	14,029
12	A 55	Of skin 190,191	4,070	2,343	1,727
13	A 57 pt.	Of eye 192	334	174	160
14	A 57 pt.	Of brain and other parts of nervous system 193	6,387	3,718	2,669
15	A 57 pt.	Of thyroid gland 194	1,038	339	699
16	A 56 pt.	Of bone 196	1,769	1,021	748
17	A 56 pt.	Of connective tissue 197	1,039	549	490
18	A 57 pt.	Of other specified sites, not stated to be secondary 195,199A	1,445	867	578
19	A 57 pt.	Of unspecified sites 156B,165,198,199B	13,895	6,937	6,958
20	A 58	Leukemia and aleukemia 204	12,873	7,569	5,304
21	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203,205	13,554	7,870	5,684
22		Lymphosarcoma and reticulosarcoma 200	6,284	3,613	2,671
23		Hodgkin's disease 201	3,138	1,953	1,185
24		Other neoplasms of lymphatic and hematopoietic tissues 202,203,205	4,132	2,304	1,828
25	A 60	Benign neoplasms and neoplasms of unspecified nature 210-239	4,751	2,121	2,630
26		Benign neoplasms of female genital organs 214-217	512	...	512
27		Benign neoplasm of brain and other parts of nervous system 223	962	392	570
28		Other benign neoplasms 210-213,218-222,224-229	900	500	400
29		Neoplasm of unspecified nature of female genital organs 233-235	29	...	29
30		Neoplasm of unspecified nature of brain and other parts of nervous system 237	1,550	811	739
31		Other neoplasms of unspecified nature 230-232,236,238,239	798	418	380
32		III. Allergic, endocrine system, metabolic, and nutritional diseases	40,861	17,819	23,042
33	A 66 pt.	Asthma 241	4,910	3,120	1,790
34	A 61	Nontoxic goiter 250,251	90	15	75
35	A 62	Thyrotoxicosis with or without goiter 252	526	91	435
36	A 66 pt.	All other diseases of thyroid gland 253,254	326	81	245
37	A 63	Diabetes mellitus 260	30,098	12,114	17,984
38	A 66 pt.	Diseases of thymus gland 273	116	73	43
39	A 66 pt.	Diseases of adrenal glands 274	442	198	244
40	A 64 pt.	Pellagra 281	38	8	30
41	A 64 pt.	Other avitaminoses and nutritional deficiency states 280,282-286	1,747	878	869
42	A 66 pt.	All other allergic, endocrine, and metabolic diseases 240,242-245,270-272,275-277,287-289	2,568	1,241	1,327
43		IV. Diseases of the blood and blood-forming organs	5,035	2,551	2,484
44	A 65	Anemias 290-293	3,280	1,587	1,693
45		Pernicious and other hyperchromic anemias 290	596	251	345
46		Anemias of other and unspecified type 291-293	2,684	1,336	1,348
47	A 66 pt.	Purpura and other hemorrhagic conditions 296	661	283	378
48	A 66 pt.	Other diseases of blood and blood-forming organs 294,295,297-299	1,094	681	413
49		V. Mental, psychoneurotic, and personality disorders	4,465	3,067	1,398
50	A 67 pt.	Senile psychosis 304	339	122	217
51	A 67 pt.	Alcoholic psychosis 307	470	426	44
52	A 67 pt.	Other psychoses 300-303,305,306,308,309	571	268	303
53	A 68 pt.	Alcoholism 322	2,247	1,775	472
54	A 69	Mental deficiency 325	431	209	222
55	A 68 pt.	Other disorders of personality 310-321,323,324,326	407	267	140
56		VI. Diseases of the nervous system and sense organs	207,190	98,953	108,237
57	A 70	Vascular lesions affecting central nervous system 330-334	192,951	91,025	101,926
58		Subarachnoid hemorrhage 330	7,021	3,173	3,848
59		Cerebral hemorrhage 331	109,023	51,415	57,608
60		Cerebral embolism and thrombosis 332	59,134	28,122	31,012
61		Other vascular lesions affecting central nervous system 333,334	17,773	8,315	9,458
62	A 71	Meningitis, except meningococcal and tuberculous 340	2,263	1,309	954
63	A 72	Multiple sclerosis 345	1,432	615	817
64	A 78 pt.	Paralysis agitans 350	2,851	1,564	1,287
65	A 78 pt.	Cerebral spastic infantile paralysis 351	684	393	291
66	A 73	Epilepsy 353	1,898	1,177	721
67	A 74	Inflammatory diseases of eye 370-379	15	8	7
68	A 75	Cataract 385	16	6	10
69	A 76	Glaucoma 387	8	3	5
70	A 77	Otitis media and mastoiditis 391-393	310	167	143
71	A 78 pt.	Other diseases of nervous system and sense organs 341-344,352,354-369,380-384,386,388-390,394-398	4,762	2,686	2,076
72		VII. Diseases of the circulatory system	731,671	423,806	307,865
73		Diseases of heart 400-402,410-443	663,391	388,563	274,828
74	A 79	Rheumatic fever 400-402	608	301	307
75	A 80	Chronic rheumatic heart disease 410-416	17,264	8,060	9,204
76		Diseases of mitral valve 410	6,176	2,624	3,552
77		Diseases of aortic valve specified as rheumatic 411	2,002	1,427	575
78		Diseases of pulmonary valve and other endocarditis, specified as rheumatic 413,414	890	409	481
79		Other rheumatic heart diseases 412,415,416	8,196	3,600	4,596

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
34,007	13,909	20,098	5,087	1,952	3,135	86	22	64	25	8	17	35	16	19	16	4	12	1
6,774	...	6,774	1,671	...	1,671	36	...	36	7	...	7	10	...	10	6	...	6	2
5,043	...	5,043	818	...	818	11	...	11	2	...	2	3	...	3	1	...	1	3
7,525	...	7,525	559	...	559	14	...	14	8	...	8	5	...	5	5	...	5	4
756	...	756	87	...	87	3	...	3	-	...	-	1	...	1	-	...	-	5
13,044	13,044	...	1,857	1,857	...	15	15	...	6	6	...	15	15	...	4	4	...	6
865	865	...	95	95	...	7	7	...	2	2	...	1	1	...	-	-	...	7
12,071	8,074	3,997	927	571	356	15	11	4	10	10	-	7	4	3	10	8	2	8
4,847	3,045	1,802	343	207	136	10	8	2	4	4	-	4	3	1	7	6	1	9
7,224	5,029	2,195	584	364	220	5	3	2	6	6	-	3	1	2	3	2	1	10
27,327	14,645	12,682	2,518	1,221	1,297	38	18	20	32	24	8	35	23	12	27	17	10	11
3,908	2,255	1,653	155	84	71	1	1	-	4	2	2	2	1	1	-	-	-	12
312	164	148	20	9	11	-	-	-	1	1	-	1	-	1	-	-	-	13
5,985	3,506	2,479	385	203	182	2	1	1	4	2	2	7	4	3	4	2	2	14
940	311	629	92	27	65	-	-	-	1	-	1	3	-	3	2	1	1	15
1,627	937	690	134	78	56	1	1	-	2	1	1	3	2	1	2	2	-	16
947	506	441	85	38	47	2	1	1	2	2	-	2	1	1	1	1	-	17
1,316	802	514	127	63	64	-	-	-	1	1	-	-	-	-	1	1	-	18
12,292	6,164	6,128	1,520	719	801	32	14	18	17	15	2	17	15	2	17	10	7	19
12,039	7,086	4,953	769	438	331	16	12	4	13	8	5	22	15	7	14	10	4	20
12,463	7,180	5,283	1,024	640	384	17	12	5	12	9	3	17	13	4	21	16	5	21
5,893	3,359	2,534	360	230	130	6	6	-	7	5	2	8	5	3	10	8	2	22
2,917	1,807	1,110	214	142	72	1	1	-	1	1	-	2	1	1	3	1	2	23
3,653	2,014	1,639	450	268	182	10	5	5	4	3	1	7	7	-	8	7	1	24
4,056	1,872	2,184	665	237	428	12	4	8	8	4	4	4	-	4	6	4	2	25
328	...	328	179	...	179	2	...	2	2	...	2	1	...	1	-	...	-	26
854	338	516	101	50	51	1	1	-	2	1	1	1	-	1	3	2	1	27
783	445	338	114	53	61	1	1	-	1	-	1	-	-	-	1	1	-	28
24	...	24	5	...	5	-	...	-	-	...	-	-	...	-	-	...	-	29
1,373	722	651	166	85	81	7	2	5	1	1	-	2	-	2	1	1	-	30
694	367	327	100	49	51	1	-	1	2	2	-	-	-	-	1	-	1	31
35,428	15,729	19,699	5,134	1,922	3,212	109	50	59	67	53	14	59	28	31	64	37	27	32
4,186	2,716	1,470	677	375	302	8	6	2	10	8	2	12	5	7	17	10	7	33
66	10	56	24	5	19	-	-	-	-	-	-	-	-	-	-	-	-	34
440	76	364	81	13	68	4	1	3	-	-	-	-	-	-	1	1	-	35
300	72	228	23	7	16	2	1	1	1	1	-	-	-	-	-	-	-	36
26,256	10,806	15,450	3,646	1,203	2,443	75	31	44	43	34	9	40	18	22	38	22	16	37
101	63	38	13	8	5	1	1	-	1	1	-	-	-	-	-	-	-	38
406	183	223	34	14	20	1	-	1	-	-	-	1	1	-	-	-	-	39
24	5	19	14	3	11	-	-	-	-	-	-	-	-	-	-	-	-	40
1,391	672	719	326	186	140	16	8	8	9	8	1	2	2	-	3	2	1	41
2,258	1,126	1,132	296	108	188	2	2	-	3	1	2	4	2	2	5	2	3	42
4,273	2,172	2,101	724	356	368	14	7	7	3	2	1	9	7	2	12	7	5	43
2,678	1,286	1,392	580	287	293	8	2	6	2	2	-	6	6	-	6	4	2	44
552	230	322	41	19	22	1	-	1	-	-	-	1	1	-	1	1	-	45
2,126	1,056	1,070	539	268	271	7	2	5	2	2	-	5	5	-	5	3	2	46
578	257	321	75	23	52	2	2	-	1	-	1	2	-	2	3	1	2	47
1,017	629	388	69	46	23	4	3	1	-	-	-	1	1	-	3	2	1	48
3,488	2,364	1,124	920	663	257	53	37	16	1	1	-	1	1	-	2	1	1	49
310	113	197	27	9	18	2	-	2	-	-	-	-	-	-	-	-	-	50
394	356	38	72	67	5	4	3	1	-	-	-	-	-	-	-	-	-	51
492	230	262	78	37	41	1	1	-	-	-	-	-	-	-	-	-	-	52
1,661	1,332	329	539	409	130	44	32	12	-	-	-	1	1	-	2	1	1	53
388	186	202	41	22	19	2	1	1	-	-	-	-	-	-	-	-	-	54
243	147	96	163	119	44	-	-	-	1	1	-	-	-	-	-	-	-	55
180,882	86,307	94,575	25,315	12,032	13,283	334	166	168	184	151	33	277	149	128	198	148	50	56
168,737	79,638	89,099	23,360	10,859	12,501	267	131	136	176	145	31	253	133	120	158	119	39	57
5,837	2,656	3,181	1,124	483	641	19	11	8	6	5	1	21	8	13	14	10	4	58
93,968	44,460	49,508	14,570	6,657	7,913	150	69	81	100	81	19	134	70	64	101	78	23	59
53,363	25,246	28,117	5,517	2,714	2,803	77	41	36	61	50	11	80	44	36	36	27	9	60
15,569	7,276	8,293	2,149	1,005	1,144	21	10	11	9	9	-	18	11	7	7	4	3	61
1,597	936	661	620	345	275	29	15	14	2	1	1	2	2	-	13	10	3	62
1,328	572	756	101	42	59	1	1	-	-	-	-	2	-	2	-	-	-	63
2,777	1,512	1,265	63	43	20	3	2	1	3	2	1	4	4	-	1	1	-	64
596	338	258	82	53	29	2	-	2	2	2	-	1	-	1	1	-	1	65
1,418	843	575	458	323	135	11	4	7	1	1	-	3	3	-	7	3	4	66
14	8	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
15	6	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
7	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
260	144	116	42	19	23	5	2	3	-	-	-	-	-	-	3	2	1	70
4,133	2,307	1,826	586	348	238	16	11	5	-	-	-	12	7	5	15	13	2	71
664,631	387,727	276,904	64,395	34,213	30,182	822	499	323	589	509	80	695	456	239	539	402	137	72
603,735	356,360	247,375	57,246	30,486	26,760	739	462	277	547	474	73	627	410	217	497	371	126	73
475	239	236	126	60	66	3	-	3	-	-	-	1	-	1	3	2	1	74
15,906	7,420	8,486	1,270	593	677	33	18	15	18	13	5	13	6	7	24	10	14	75
5,723	2,429	3,294	419	178	241	9	4	5	8	7	1	6	4	2	11	2	9	76
1,897	1,353	544	92	64	28	5	3	2	2	2	-	1	1	-	5	4	1	77
829	373	456	54	32	22	3	2	1	-	-	-	1	1	-	3	1	2	78
7,457	3,265	4,192	705	319	386	16	9	7	8	4	4	5	-	5	5	3	2	79

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----420	502,351	311,189	191,162
2		Arteriosclerotic heart disease so described----420.0	214,865	118,753	96,112
3		Heart disease specified as involving coronary arteries----420.1	287,039	192,177	94,862
4		Angina pectoris without mention of coronary disease----420.2	447	259	188
5	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	4,780	2,762	2,018
6		Of mitral valve, specified as nonrheumatic----421.0	262	127	135
7		Of aortic valve, not specified as rheumatic----421.1	2,257	1,507	750
8		Of other valves, not specified as rheumatic----421.2-421.4	2,261	1,128	1,133
9	A 81 pt.	Other myocardial degeneration----422	49,852	24,360	25,492
10		With arteriosclerosis----422.1	36,004	18,439	19,565
11		Without mention of arteriosclerosis----422.0,422.2	11,848	5,921	5,927
12	A 82	Other diseases of heart----430-434	25,254	14,578	10,676
13		Acute and subacute endocarditis----430	786	513	273
14		Acute myocarditis and acute pericarditis, not specified as rheumatic----431,432	1,011	562	449
15		Functional disease of heart----433	5,834	2,917	2,917
16		Other and unspecified diseases of heart----434	17,623	10,586	7,037
17	A 83	Hypertensive heart disease----440-443	63,282	27,313	35,969
18		Hypertensive heart disease with arteriolar nephrosclerosis----442	14,676	7,246	7,430
19		Other hypertensive heart disease----440,441,443	48,606	20,067	28,539
20	A 84	Other hypertensive disease----444-447	12,185	6,056	6,129
21		Hypertension with arteriolar nephrosclerosis----446	6,591	3,610	2,981
22		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	5,594	2,446	3,148
23	A 85	Diseases of arteries----450-456	47,293	24,599	22,694
24		General arteriosclerosis----450	35,388	16,520	18,868
25		Aortic aneurysm, nonsyphilitic, and dissecting aneurysm----451	8,779	6,402	2,377
26		Gangrene of unspecified cause----455	241	140	101
27		Other arterial diseases----452-454,456	2,885	1,537	1,348
28	A 86	Diseases of veins and other diseases of circulatory system----460-468	8,802	4,588	4,214
29		VIII. Diseases of the respiratory system----	82,570	51,859	30,711
30	A 87	Acute upper respiratory infections----470-475	808	448	360
31	A 88	Influenza----480-483	2,137	1,031	1,106
32		Pneumonia, except pneumonia of newborn----490-493	53,038	30,144	22,894
33	A 89	Lobar pneumonia----490	8,347	5,073	3,274
34	A 90	Bronchopneumonia----491	31,204	17,551	13,653
35	A 91 pt.	Primary atypical pneumonia----492	4,985	2,813	2,172
36	A 91 pt.	Pneumonia, other and unspecified----493	8,502	4,707	3,795
37	A 92	Acute bronchitis----500	1,031	608	423
38	A 93	Bronchitis, chronic and unqualified----501,502	3,033	2,260	773
39	A 94	Hypertrophy of tonsils and adenoids----510	139	68	71
40	A 95	Empyema and abscess of lung----518,521	833	632	201
41	A 96	Pleurisy----519	189	115	74
42	A 97 pt.	Emphysema without mention of bronchitis----527.1	10,269	8,969	1,300
43	A 97 pt.	Other respiratory diseases----511-517,520,522-527.0,527.2	11,093	7,584	3,509
44		IX. Diseases of the digestive system----	67,303	39,994	27,309
45	A 98	Diseases of teeth and supporting structures----530-535	94	42	52
46	A 99	Ulcer of stomach----540	5,859	4,149	1,710
47	A 100	Ulcer of duodenum----541	5,681	4,310	1,371
48	A 101	Gastritis and duodenitis----543	423	254	169
49	A 102	Appendicitis----550-553	1,819	1,106	713
50	A 103	Hernia and intestinal obstruction----560,561,570	9,177	4,513	4,664
51	A 104 pt.	Gastroenteritis, and colitis, except ulcerative, age 4 week and over----571	4,114	2,207	1,907
52	A 104 pt.	Chronic enteritis and ulcerative colitis----572	3,283	1,555	1,728
53	A 105	Cirrhosis of liver----581	20,737	13,639	7,098
54		Without mention of alcoholism----581.0	13,836	8,850	4,986
55		With alcoholism----581.1	6,901	4,789	2,112
56	A 106	Cholelithiasis, cholecystitis, and cholangitis----584,585	4,707	1,957	2,750
57	A 107 pt.	Fibrocystic disease of pancreas----587B	631	298	333
58	A 107 pt.	Other diseases of digestive system----536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	10,778	5,964	4,814
59		X. Diseases of the genitourinary system----	30,219	18,296	11,923
60		Nephritis and nephrosis----590-594	13,180	7,292	5,888
61	A 108	Acute nephritis----590	742	408	334
62	A 109 pt.	Nephritis with edema, including nephrosis----591	842	486	356
63	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	11,596	6,398	5,198
64	A 110	Infections of kidney----600	8,095	4,082	4,013
65	A 111	Calculi of urinary system----602,604	1,330	740	590
66	A 114 pt.	Other diseases of urinary system----601,603,605-609	2,307	1,513	794
67	A 112	Hyperplasia of prostate----610	4,158	4,158	...
68	A 113	Diseases of breast----620,621	10	-	10
69	A 114 pt.	Other diseases of genital organs----611-617,622-637	1,139	511	628
70		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,573	...	1,573
71	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	164	...	164
72	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	281	...	281
73	A 117	Hemorrhage of pregnancy and childbirth----643,644,670-672	252	...	252
74	A 120 pt.	Ectopic pregnancy----645	89	...	89
75	A 118	Abortion without mention of sepsis or toxemia----650	95	...	95
76	A 119	Abortion with sepsis----651	220	...	220
77	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	9	...	9
78	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----646-649,660,673-680,683,687-689	463	...	463

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
468,311	291,614	176,697	32,425	18,357	14,068	485	320	165	397	354	43	421	294	127	312	250	62	1
200,396	110,872	89,524	13,713	7,331	6,382	192	114	78	208	184	24	216	148	68	140	104	36	2
267,517	180,504	87,013	18,663	11,005	7,658	293	206	87	189	170	19	205	146	59	172	146	26	3
398	238	160	49	21	28	-	-	-	-	-	-	-	-	-	-	-	-	4
4,184	2,424	1,760	577	324	253	11	9	2	2	2	-	3	2	1	3	1	2	5
225	105	120	36	21	15	1	1	-	-	-	-	-	-	-	-	-	-	6
2,019	1,351	668	229	149	80	4	4	-	1	1	-	2	1	1	2	1	1	7
1,940	968	972	312	154	158	6	4	2	1	1	-	1	1	-	1	-	1	8
44,587	21,578	23,009	5,115	2,680	2,435	48	27	21	32	29	3	52	32	20	18	14	4	9
34,124	16,386	17,738	3,780	1,987	1,793	25	14	11	23	21	2	42	24	18	10	7	3	10
10,463	5,192	5,271	1,335	693	642	23	13	10	9	8	1	10	8	2	8	7	1	11
20,924	12,162	8,762	4,164	2,309	1,855	91	55	36	18	15	3	27	18	9	30	19	11	12
651	427	224	131	85	46	3	1	2	-	-	-	-	-	-	1	-	1	13
829	460	369	174	97	77	4	2	2	1	1	-	3	2	1	-	-	-	14
5,333	2,661	2,672	466	235	231	15	11	4	4	1	3	12	8	4	4	1	3	15
14,111	8,614	5,497	3,393	1,892	1,501	69	41	28	13	13	-	12	8	4	25	18	7	16
49,348	20,923	28,425	13,569	6,163	7,406	68	33	35	80	61	19	110	58	52	107	75	32	17
12,158	5,924	6,234	2,449	1,279	1,170	19	13	6	10	6	4	19	8	11	21	16	5	18
37,190	14,999	22,191	11,120	4,884	6,236	49	20	29	70	55	15	91	50	41	86	59	27	19
9,659	4,749	4,910	2,485	1,281	1,204	13	5	8	6	6	-	18	12	6	4	3	1	20
5,637	3,079	2,558	930	517	413	7	2	5	4	4	-	10	6	4	3	2	1	21
4,022	1,670	2,352	1,555	764	791	6	3	3	2	2	-	8	6	2	1	1	-	22
43,650	22,669	20,981	3,475	1,826	1,649	56	24	32	32	25	7	46	31	15	34	24	10	23
32,827	15,196	17,631	2,464	1,273	1,191	44	18	26	16	13	3	22	13	9	15	7	8	24
8,103	5,968	2,135	625	390	235	6	4	2	11	11	-	19	15	4	15	14	1	25
183	111	72	56	28	28	-	-	-	1	-	1	1	1	-	-	-	-	26
2,537	1,394	1,143	330	135	195	6	2	4	4	1	3	4	2	2	4	3	1	27
7,587	3,949	3,638	1,189	620	569	14	8	6	4	4	-	4	3	1	4	4	-	28
70,156	44,349	25,807	11,645	7,021	4,624	416	216	200	84	74	10	129	98	31	140	101	39	29
619	351	268	178	90	88	10	6	4	-	-	-	-	-	-	1	1	-	30
1,700	783	917	413	235	178	13	6	7	1	1	-	4	2	2	6	4	2	31
43,707	24,688	19,019	8,724	5,074	3,650	343	179	164	70	61	9	88	67	21	106	75	31	32
6,776	4,106	2,670	1,476	904	572	60	33	27	12	11	1	11	11	-	12	8	4	33
26,262	14,650	11,612	4,665	2,721	1,944	142	72	70	38	35	3	47	34	13	50	39	11	34
4,066	2,313	1,753	825	443	382	36	18	18	12	8	4	20	14	6	26	17	9	35
6,603	3,619	2,984	1,758	1,006	752	105	56	49	8	7	1	10	8	2	18	11	7	36
868	520	348	151	80	71	7	4	3	1	1	-	2	2	-	2	1	1	37
2,767	2,072	695	253	181	72	5	1	4	1	1	-	4	3	1	3	2	1	38
118	61	57	20	6	14	-	-	-	-	-	-	-	-	-	1	1	-	39
671	508	163	160	122	38	-	-	-	-	-	-	2	2	-	-	-	-	40
157	94	63	32	21	11	-	-	-	-	-	-	-	-	-	-	-	-	41
9,726	8,501	1,225	518	445	73	1	1	-	6	5	1	12	11	1	6	6	-	42
9,823	6,771	3,052	1,196	767	429	37	19	18	5	5	-	17	11	6	15	11	4	43
59,292	35,391	23,901	7,390	4,236	3,154	368	165	203	100	94	6	69	45	24	84	63	21	44
73	34	39	21	8	13	-	-	-	-	-	-	-	-	-	-	-	-	45
5,292	3,748	1,544	517	361	156	6	3	3	24	21	3	11	8	3	9	8	1	46
5,284	4,021	1,263	371	266	105	4	3	1	11	11	-	5	3	2	6	6	-	47
373	225	148	46	25	21	1	1	-	2	2	-	-	-	-	1	1	-	48
1,497	916	581	306	182	124	10	5	5	1	1	-	2	1	1	3	1	2	49
8,089	3,928	4,161	1,042	559	483	27	14	13	1	1	-	12	8	4	6	3	3	50
2,610	1,382	1,228	1,377	748	629	110	63	47	1	-	1	4	3	1	12	11	1	51
3,071	1,456	1,615	201	91	110	2	-	2	2	2	-	3	2	1	4	4	-	52
18,458	12,277	6,181	2,063	1,244	819	133	46	87	39	39	-	16	12	4	28	21	7	53
12,407	8,019	4,388	1,309	760	549	61	20	41	30	30	-	14	10	4	15	11	4	54
6,051	4,258	1,793	754	484	270	72	26	46	9	9	-	2	2	-	13	10	3	55
4,450	1,861	2,589	204	65	139	35	17	18	9	8	1	6	5	1	3	1	2	56
608	286	322	23	12	11	-	-	-	-	-	-	-	-	-	-	-	-	57
9,487	5,257	4,230	1,219	675	544	40	13	27	10	9	1	10	3	7	12	7	5	58
24,505	15,006	9,499	5,459	3,136	2,323	111	51	60	53	41	12	46	28	18	45	34	11	59
10,369	5,781	4,588	2,679	1,434	1,245	57	30	27	20	12	8	31	17	14	24	18	6	60
543	299	244	191	105	86	4	2	2	1	-	1	2	1	1	1	1	-	61
673	395	278	156	83	73	8	5	3	-	-	-	2	1	1	3	2	1	62
9,153	5,087	4,066	2,332	1,246	1,086	45	23	22	19	12	7	27	15	12	20	15	5	63
6,578	3,331	3,247	1,441	710	731	41	14	27	19	16	3	9	6	3	7	5	2	64
1,200	676	524	118	55	63	2	1	1	5	4	1	1	-	1	4	4	-	65
1,868	1,187	681	428	317	111	4	3	1	2	2	-	2	2	-	3	2	1	66
3,608	3,608	...	532	532	...	3	3	...	7	7	...	3	3	...	5	5	...	67
9	-	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
873	423	450	260	88	172	4	-	4	-	-	-	-	-	-	2	-	2	69
897	...	897	644	...	644	17	...	17	3	...	3	3	...	3	9	...	9	70
103	...	103	58	...	58	2	...	2	-	...	-	1	...	1	-	...	-	71
143	...	143	134	...	134	1	...	1	1	...	1	-	...	-	2	...	2	72
147	...	147	97	...	97	6	...	6	-	...	-	1	...	1	1	...	1	73
32	...	32	56	...	56	-	...	-	-	...	-	-	...	-	1	...	1	74
54	...	54	40	...	40	1	...	1	-	...	-	-	...	-	-	...	-	75
105	...	105	112	...	112	2	...	2	-	...	-	-	...	-	1	...	1	76
4	...	4	5	...	5	-	...	-	-	...	-	-	...	-	-	...	-	77
309	...	309	142	...	142	5	...	5	2	...	2	1	...	1	4	...	4	78

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XII. Diseases of the skin and cellular tissue	2,151	853	1,298
2	A 121	Infections of skin and subcutaneous tissue 690-698	613	316	297
3	A 126 pt.	Other diseases of skin and subcutaneous tissue 700-716	1,538	537	1,001
4		XIII. Diseases of the bones and organs of movement	3,595	1,543	2,052
5	A 122	Arthritis and spondylitis 720-725	1,996	723	1,273
6	A 123	Muscular rheumatism and rheumatism unspecified 726,727	29	11	18
7	A 124	Osteomyelitis and periostitis 730	191	106	85
8	A 125	Ankylosis and acquired musculoskeletal deformities 737,745-749	106	38	68
9	A 126 pt.	Inborn defect of muscle 744.1	539	363	176
10	A 126 pt.	Other diseases of musculoskeletal system 731-736,738-744.0,744.2	734	302	432
11		XIV. Congenital malformations	21,922	11,919	10,003
12	A 127	Spina bifida and meningocele 751	1,195	513	682
13	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	2,450	1,267	1,183
14	A 128	Congenital malformations of circulatory system 754	11,167	6,219	4,948
15	A 129 pt.	Other congenital malformations 750,755-759	7,110	3,920	3,190
16	A 130-A 135	XV. Certain diseases of early infancy	65,679	38,388	27,291
17		XVI. Symptoms, senility, and ill-defined conditions	19,094	11,122	7,972
18	A 136	Senility without mention of psychosis 794	2,424	958	1,466
19	A 137	Symptoms, ill-defined, and unknown causes 780-793,795	16,670	10,164	6,506
20		XVII. Accidents, poisonings, and violence	119,863	84,180	35,683
21		Accidents E800-E962	92,249	63,337	28,912
22	AE 139 pt.	Railway accidents E800-E802	979	860	119
23	AE 138	Motor vehicle accidents E810-E835	38,091	27,983	10,108
24		Motor vehicle traffic accidents E810-E825	37,025	27,194	9,831
25		Motor vehicle traffic accident involving collision with railway train E810	1,267	890	377
26		Motor vehicle traffic accident to pedestrian E812	7,079	5,122	1,957
27		Other motor vehicle traffic accidents involving collision E811,E813-E819	15,454	10,814	4,640
28		Motor vehicle noncollision traffic accidents E820-E824	10,598	8,453	2,145
29		Motor vehicle traffic accident of unspecified nature E825	2,627	1,915	712
30		Motor vehicle nontraffic accidents E830-E835	1,066	789	277
31	AE 139 pt.	Other road vehicle accidents E840-E845	258	198	60
32	AE 139 pt.	Water transport accidents E850-E858	1,480	1,343	137
33	AE 139 pt.	Aircraft accidents E860-E866	1,341	1,189	152
34	AE 140 pt.	Accidental poisoning by solid and liquid substances E870-E888	1,804	1,068	736
35	AE 140 pt.	Accidental poisoning by gases and vapors E890-E895	1,192	897	295
36	AE 141	Accidental falls E900-E904	18,691	9,317	9,374
37		Fall from one level to another E900-E902	5,900	3,848	2,052
38		Fall on same level E903	3,682	1,616	2,066
39		Unspecified falls E904	9,109	3,853	5,256
40	AE 147 pt.	Blow from falling or projected object or missile E910	1,345	1,277	68
41	AE 142	Accident caused by machinery E912	1,955	1,870	85
42	AE 147 pt.	Accident caused by electric current E914	980	900	80
43	AE 143	Accident caused by fire and explosion of combustible material E916	7,102	4,058	3,044
44	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation E917,E918	372	204	168
45	AE 145	Accident caused by firearm E919	2,204	1,918	286
46	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	2,499	1,507	992
47	AE 146	Accidental drowning E929	5,208	4,367	841
48	AE 147 pt.	Excessive heat and insolation E931	191	127	64
49	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures E940-E959	1,149	500	649
50	AE 147 pt.	All other accidents E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	5,408	3,754	1,654
51	AE 148	Suicide E963,E970-E979	18,999	14,460	4,539
52		Suicide by poisoning E970-E973	4,501	2,739	1,762
53		Suicide by hanging and strangulation E974	3,157	2,428	729
54		Suicide by firearm and explosive E976	9,037	7,893	1,144
55		Suicide by all other means E963,E975,E977-E979	2,304	1,400	904
56	AE 149	Homicide E964,E980-E985	8,578	6,346	2,232
57		Assault by firearm and explosive E981	4,753	3,534	1,219
58		Assault by cutting and piercing instruments E982	1,819	1,471	348
59		Assault by other means E964,E980,E983	1,728	1,065	663
60		Injury by intervention of police E984	237	235	2
61		Execution E985	41	41	-
62	AE 150	Injury resulting from operations of war E965,E990-E999	37	37	-

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1967.

Specified Race and Sex: United States, 1961—Con.

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,756	715	1,041	375	131	244	9	3	6	3	2	1	4	1	3	4	1	3	1
507	266	241	100	48	52	5	2	3	-	-	-	-	-	-	1	-	1	2
1,249	449	800	275	83	192	4	1	3	3	2	1	4	1	3	3	1	2	3
3,252	1,379	1,873	322	159	163	8	2	6	-	-	-	6	-	6	7	3	4	4
1,822	644	1,178	160	77	83	5	-	5	-	-	-	6	-	6	3	2	1	5
23	9	14	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	6
158	87	71	30	18	12	2	1	1	-	-	-	-	-	-	1	-	1	7
96	34	62	9	4	5	-	-	-	-	-	-	-	-	-	1	-	1	8
494	331	163	44	31	13	-	-	-	-	-	-	-	-	-	1	1	-	9
659	274	385	73	27	46	1	1	-	-	-	-	-	-	-	1	-	1	10
19,080	10,389	8,691	2,617	1,407	1,210	111	57	54	20	9	11	43	27	16	51	30	21	11
1,095	462	633	89	46	43	6	3	3	-	-	-	1	-	1	4	2	2	12
2,109	1,090	1,019	316	163	153	15	6	9	3	2	1	2	2	-	5	4	1	13
9,653	5,408	4,245	1,398	741	657	50	28	22	10	6	4	23	16	7	33	20	13	14
6,223	3,429	2,794	814	457	357	40	20	20	7	1	6	17	9	8	9	4	5	15
49,988	29,579	20,409	14,894	8,366	6,528	334	172	162	61	37	24	134	80	54	268	154	114	16
12,427	7,454	4,973	6,338	3,476	2,862	259	146	113	8	7	1	19	12	7	43	27	16	17
1,974	759	1,215	409	179	230	23	10	13	1	1	-	12	8	4	5	1	4	18
10,453	6,695	3,758	5,929	3,297	2,632	236	136	100	7	6	1	7	4	3	38	26	12	19
101,515	70,907	30,608	16,852	12,168	4,684	911	659	252	129	103	26	180	130	50	276	213	63	20
79,294	54,292	25,002	11,762	8,175	3,587	785	561	224	72	55	17	120	86	34	216	168	48	21
752	656	96	193	172	21	31	29	2	-	-	-	1	1	-	2	2	-	22
33,612	24,618	8,994	3,918	2,963	955	385	268	117	36	28	8	61	39	22	79	67	12	23
32,650	23,909	8,741	3,828	2,894	934	379	265	114	36	28	8	60	38	22	72	60	12	24
1,168	821	347	95	66	29	2	2	-	-	-	-	-	-	-	2	1	1	25
5,783	4,168	1,615	1,159	848	311	89	71	18	15	13	2	17	7	10	16	15	1	26
13,988	9,732	4,256	1,300	966	334	105	64	41	13	12	1	24	17	7	24	23	1	27
9,399	7,512	1,887	995	799	196	155	108	47	6	2	4	17	13	4	26	19	7	28
2,312	1,676	636	279	215	64	28	20	8	2	1	1	2	1	1	4	2	2	29
962	709	253	90	69	21	6	3	3	-	-	-	1	1	-	7	7	-	30
232	176	56	14	12	2	9	8	1	1	-	1	1	1	-	1	1	-	31
1,260	1,141	119	182	165	17	12	12	-	12	12	-	3	3	-	11	10	1	32
1,307	1,160	147	24	23	1	1	-	1	1	-	1	4	3	1	4	3	1	33
1,331	771	560	453	282	171	14	10	4	1	-	1	2	2	-	3	3	-	34
1,015	778	237	167	112	55	9	7	2	-	-	-	-	-	-	1	-	1	35
17,310	8,428	8,882	1,296	829	467	55	36	19	6	5	1	10	8	2	14	11	3	36
5,271	3,404	1,867	599	423	176	17	13	4	1	-	1	3	2	1	9	6	3	37
3,482	1,486	1,996	185	116	69	8	7	1	3	3	-	1	1	-	3	3	-	38
8,557	3,538	5,019	512	290	222	30	16	14	2	2	-	6	5	1	2	2	-	39
1,170	1,108	62	160	156	4	12	10	2	1	1	-	-	-	-	2	2	-	40
1,789	1,712	77	158	150	8	4	4	-	-	-	-	3	3	-	1	1	-	41
873	805	68	102	91	11	1	1	-	-	-	-	1	1	-	3	2	1	42
5,020	3,024	1,996	1,969	970	999	82	45	37	3	2	1	4	3	1	24	14	10	43
278	152	126	90	50	40	-	-	-	1	-	1	1	1	-	2	1	1	44
1,818	1,607	211	367	295	72	16	14	2	-	-	-	1	1	-	2	1	1	45
2,030	1,239	791	440	247	193	18	15	3	2	1	1	1	1	-	8	4	4	46
4,157	3,420	737	949	858	91	50	45	5	3	3	-	21	16	5	28	25	3	47
161	108	53	26	16	10	3	3	-	-	-	-	-	-	-	1	-	1	48
971	428	543	171	68	103	3	3	-	-	-	-	1	-	1	3	1	2	49
4,208	2,961	1,247	1,083	716	367	80	51	29	5	3	2	5	3	2	27	20	7	50
18,012	13,677	4,335	781	622	159	60	50	10	49	41	8	55	40	15	42	30	12	51
4,358	2,646	1,712	114	77	37	3	1	2	8	7	1	5	1	4	13	7	6	52
3,004	2,297	707	84	76	8	10	7	3	19	16	3	30	24	6	10	8	2	53
8,572	7,481	1,091	397	351	46	43	40	3	9	8	1	6	5	1	10	8	2	54
2,078	1,253	825	186	118	68	4	2	2	13	10	3	14	10	4	9	7	2	55
4,174	2,903	1,271	4,308	3,370	938	65	47	18	8	7	1	5	4	1	18	15	3	56
2,421	1,681	740	2,292	1,825	467	28	19	9	5	4	1	2	1	1	5	4	1	57
550	422	128	1,248	1,033	215	14	10	4	2	2	-	-	-	-	5	4	1	58
1,049	648	401	647	391	256	21	16	5	1	1	-	3	3	-	7	6	1	59
134	132	2	100	100	-	2	2	-	-	-	-	-	-	-	1	1	-	60
20	20	-	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	61
35	35	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	62

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ALL CAUSES	1,701,522	107,956	6,760	4,119	3,129	2,621	124,585	8,784	7,464	12,024
MALE	966,827	62,120	3,671	2,277	1,769	1,467	71,304	5,118	4,763	8,485
FEMALE	734,695	45,836	3,089	1,842	1,360	1,154	53,281	3,666	2,701	3,539
WHITE MALE	854,569	46,989	2,717	1,722	1,397	1,200	54,025	4,227	3,952	7,192
WHITE FEMALE	643,763	33,792	2,242	1,379	1,025	895	39,333	2,964	2,245	2,856
NEGRO MALE	105,493	14,242	867	524	347	252	16,232	823	763	1,183
NEGRO FEMALE	87,298	11,331	778	434	311	243	13,097	656	428	631
OTHER MALE	6,765	889	87	31	25	15	1,047	68	48	110
OTHER FEMALE	3,634	713	69	29	24	16	851	46	28	52
I. INFECTIVE AND PARASITIC DISEASES	20,078	1,304	479	291	221	156	2,451	444	200	208
WHITE MALE	10,010	509	166	117	95	66	953	191	80	81
WHITE FEMALE	4,999	352	153	104	66	56	731	178	80	75
NEGRO MALE	2,950	211	80	31	31	15	368	36	22	29
NEGRO FEMALE	1,740	180	56	35	21	16	308	33	15	21
OTHER MALE	239	31	14	3	4	2	54	2	1	1
OTHER FEMALE	140	21	10	1	4	1	37	4	2	1
TUBERCULOSIS, ALL FORMS 001-019	9,938	23	46	21	19	14	123	21	16	32
WHITE MALE	5,517	7	14	7	7	4	39	7	7	7
WHITE FEMALE	1,874	4	13	9	3	5	34	6	5	8
NEGRO MALE	1,593	7	15	-	5	1	28	4	2	8
NEGRO FEMALE	732	4	3	4	4	4	19	4	2	7
OTHER MALE	144	1	-	1	-	-	2	-	-	1
OTHER FEMALE	78	-	1	-	-	-	1	-	-	1
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	9,191	10	13	7	6	4	40	3	2	21
WHITE MALE	5,269	4	4	2	2	-	12	1	1	4
WHITE FEMALE	1,677	1	2	4	1	2	10	-	1	6
NEGRO MALE	1,445	3	6	-	1	-	10	-	-	5
NEGRO FEMALE	609	1	-	-	2	2	5	2	-	6
OTHER MALE	129	1	-	1	-	-	2	-	-	-
OTHER FEMALE	62	-	1	-	-	-	1	-	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	225	11	26	10	11	8	66	13	8	6
WHITE MALE	78	1	8	4	5	4	22	4	4	2
WHITE FEMALE	61	3	8	3	2	2	18	5	3	2
NEGRO MALE	39	4	7	-	2	1	14	4	1	1
NEGRO FEMALE	42	3	3	3	2	1	12	-	-	1
OTHER MALE	3	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	57	-	-	-	-	-	-	1	2	1
WHITE MALE	17	-	-	-	-	-	-	1	1	-
WHITE FEMALE	12	-	-	-	-	-	-	-	-	-
NEGRO MALE	11	-	-	-	-	-	-	-	1	-
NEGRO FEMALE	16	-	-	-	-	-	-	-	-	-
OTHER MALE	1	-	-	-	-	-	-	-	-	1
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	79	-	-	-	-	-	-	-	-	2
WHITE MALE	30	-	-	-	-	-	-	-	-	1
WHITE FEMALE	24	-	-	-	-	-	-	-	-	-
NEGRO MALE	16	-	-	-	-	-	-	-	-	1
NEGRO FEMALE	6	-	-	-	-	-	-	-	-	-
OTHER MALE	2	-	-	-	-	-	-	-	-	-
OTHER FEMALE	1	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	184	-	-	-	-	1	1	-	1	-
WHITE MALE	67	-	-	-	-	-	-	-	-	-
WHITE FEMALE	64	-	-	-	-	1	1	-	-	-
NEGRO MALE	23	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	17	-	-	-	-	-	-	-	1	-
OTHER MALE	6	-	-	-	-	-	-	-	-	-
OTHER FEMALE	7	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	202	2	7	4	2	1	16	4	3	2
WHITE MALE	56	2	2	1	-	-	5	1	1	-
WHITE FEMALE	36	-	3	2	-	-	5	1	1	-
NEGRO MALE	59	-	2	-	2	-	4	-	-	1
NEGRO FEMALE	42	-	-	1	-	1	2	2	1	-
OTHER MALE	3	-	-	-	-	-	-	-	-	-
OTHER FEMALE	6	-	-	-	-	-	-	-	-	1
SYPHILIS AND ITS SEQUELAE 020-029	2,850	20	1	-	-	-	21	-	1	1
WHITE MALE	1,405	6	-	-	-	-	6	-	1	1
WHITE FEMALE	487	2	-	-	-	-	2	-	-	-
NEGRO MALE	604	7	-	-	-	-	7	-	-	-
NEGRO FEMALE	328	4	1	-	-	-	5	-	-	-
OTHER MALE	23	1	-	-	-	-	1	-	-	-
OTHER FEMALE	3	-	-	-	-	-	-	-	-	-
CONGENITAL SYPHILIS 020	36	20	1	-	-	-	21	-	-	-
WHITE MALE	10	6	-	-	-	-	6	-	-	-
WHITE FEMALE	8	2	-	-	-	-	2	-	-	-
NEGRO MALE	8	7	-	-	-	-	7	-	-	-
NEGRO FEMALE	9	4	1	-	-	-	5	-	-	-
OTHER MALE	1	1	-	-	-	-	1	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	1	-	-	-	-	-	-	-	-	-
WHITE MALE	-	-	-	-	-	-	-	-	-	-
WHITE FEMALE	-	-	-	-	-	-	-	-	-	-
NEGRO MALE	-	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	1	-	-	-	-	-	-	-	-	-
OTHER MALE	-	-	-	-	-	-	-	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,480	13,562	18,679	28,597	42,484	62,788	89,956	114,190	151,280	194,935	220,971	221,085	186,779	123,521	51,444	12,270	2,040	604	1
																		2
																		3
9,626	8,842	11,404	17,187	26,208	39,631	58,430	75,135	96,407	120,411	127,460	117,868	89,553	53,749	19,927	4,317	645	357	4
3,854	4,720	7,275	11,410	16,276	23,157	31,526	39,055	54,873	74,524	93,511	103,217	97,226	69,772	31,517	7,953	1,395	247	5
																		6
7,849	6,803	8,723	13,406	21,266	33,381	50,067	65,608	84,903	107,652	116,802	110,061	84,616	50,774	18,695	3,878	457	232	7
2,888	3,374	5,112	8,335	12,242	18,263	25,037	31,643	45,261	65,160	84,818	96,406	92,457	66,818	30,028	7,321	1,057	145	8
1,604	1,880	2,524	3,577	4,749	5,962	7,990	9,012	10,848	12,191	10,008	7,217	4,428	2,705	1,112	404	172	109	9
892	1,256	2,031	2,925	3,898	4,735	6,331	7,215	9,397	9,096	8,417	6,536	4,538	2,778	1,424	603	320	94	10
173	159	157	204	193	288	373	515	656	568	650	590	509	270	120	35	16	16	11
74	90	132	150	136	159	158	197	215	268	276	275	231	176	65	29	18	8	12
																		13
235	327	466	756	952	1,165	1,553	1,829	2,012	2,175	2,049	1,574	993	488	157	29	6	9	14
																		15
72	88	144	230	339	492	785	1,026	1,188	1,339	1,247	915	542	225	60	9	2	2	16
84	99	116	186	243	276	319	314	338	428	448	444	345	209	72	12	2	-	17
28	59	91	172	212	262	305	313	321	278	219	119	66	34	10	2	1	3	18
46	75	103	142	139	123	125	145	130	100	106	69	26	15	10	6	1	2	19
4	2	3	11	11	6	12	20	25	23	22	23	11	3	4	-	-	1	20
1	4	9	15	8	6	7	11	10	7	7	4	3	2	1	-	-	1	21
																		22
75	158	256	496	623	735	946	1,053	1,149	1,262	1,165	901	555	275	79	11	1	6	23
13	31	53	138	222	336	540	651	740	876	765	567	343	135	41	4	1	1	24
20	34	48	97	148	143	161	137	147	175	213	214	150	103	28	3	-	-	25
12	43	76	136	150	183	177	193	184	137	123	71	40	23	1	1	-	1	26
27	46	67	102	86	62	53	55	53	50	41	29	9	10	5	3	-	2	27
2	2	3	11	10	5	10	11	16	21	17	17	10	2	3	-	-	1	28
1	2	9	12	7	6	5	6	9	3	6	3	3	2	1	-	-	1	29
																		30
																		31
60	132	227	445	573	684	889	1,001	1,073	1,189	1,113	858	529	263	73	10	1	5	32
11	31	48	126	208	321	520	630	708	845	745	551	327	134	40	4	1	1	33
15	30	40	88	140	127	148	127	130	155	196	198	142	96	26	2	-	-	34
10	30	67	124	135	177	165	184	165	129	116	66	38	21	1	1	-	1	35
22	37	60	90	76	50	41	44	49	41	35	26	9	8	3	3	-	2	36
1	2	3	9	8	5	10	11	14	18	16	15	10	2	3	-	-	-	37
1	2	9	8	6	4	5	5	7	1	5	2	3	2	-	-	-	1	38
																		39
6	8	10	16	16	11	14	10	11	16	1	6	4	3	-	-	-	-	40
2	-	2	3	6	4	3	6	4	9	1	2	3	1	-	-	-	-	41
1	1	2	6	3	1	5	1	3	6	-	2	1	1	-	-	-	-	42
-	4	1	3	5	1	2	-	2	-	-	1	-	-	-	-	-	-	43
2	3	5	2	1	5	4	2	2	1	-	1	-	1	-	-	-	-	44
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	46
																		47
-	3	2	4	3	8	2	5	9	4	8	4	1	-	-	-	-	-	48
-	-	-	-	-	3	-	3	3	-	3	3	-	-	-	-	-	-	49
-	1	-	-	-	2	-	2	1	1	4	-	1	-	-	-	-	-	50
-	1	1	1	1	-	-	-	4	2	-	-	-	-	-	-	-	-	51
-	1	1	3	2	3	2	-	1	1	1	1	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
																		55
2	3	4	3	3	7	9	7	10	4	9	6	6	1	2	1	-	-	56
-	-	2	1	2	3	3	2	3	3	4	1	5	-	-	-	-	-	57
-	1	1	1	-	2	3	-	3	-	4	5	1	1	1	1	-	-	58
2	2	1	1	1	2	1	2	2	-	1	-	-	-	-	-	-	-	59
-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	62
																		63
4	5	10	15	14	15	18	17	21	27	11	16	5	3	-	-	-	1	64
-	-	1	7	4	3	8	10	12	11	3	6	2	-	-	-	-	-	65
3	1	4	2	5	9	4	3	8	11	4	5	2	2	-	-	-	-	66
-	2	4	2	2	-	3	2	1	1	1	3	1	1	-	-	-	-	67
1	2	1	2	1	1	3	2	-	1	2	-	-	-	-	-	-	-	68
-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	1	69
-	-	-	2	1	2	-	-	-	1	-	1	-	-	-	-	-	-	70
																		71
3	7	3	13	14	10	14	13	25	22	23	11	10	5	4	-	-	-	72
-	-	-	1	2	2	6	-	10	8	9	4	6	-	1	-	-	-	73
1	-	1	-	-	2	1	4	2	2	5	4	3	3	1	-	-	-	74
-	4	2	5	6	3	6	5	10	5	5	1	1	1	-	-	-	-	75
2	3	-	5	6	3	1	4	1	5	3	1	-	1	2	-	-	-	76
-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	77
-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	78
																		79
7	15	22	33	82	129	253	368	470	495	446	267	147	62	22	4	2	3	80
4	6	12	11	25	32	89	179	248	274	259	149	70	29	6	2	1	1	81
2	4	3	2	10	16	29	46	54	83	82	68	51	22	11	1	1	-	82
-	2	3	11	30	50	92	83	108	103	61	26	14	9	3	-	-	2	83
1	3	4	9	16	31	43	54	54	32	40	20	12	2	1	1	-	-	84
-	-	-	-	1	-	-	6	6	1	3	4	-	-	1	-	-	-	85
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	86
																		87
1	3	1	2	1	2	1	2	1	-	1	-	-	-	-	-	-	-	88
-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	89
1	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	91
-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES--CON.										
SYPHILIS AND ITS SEQUELAE--CON.										
ANEURYSM OF AORTA.....022	1,250	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	728	-	-	-	-	-	-	-	-	1
FEMALE..	255	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	157	-	-	-	-	-	-	-	-	-
FEMALE..	102	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER CARDIOVASCULAR SYPHILIS.....023	1,025	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	418	-	-	-	-	-	-	-	-	-
FEMALE..	121	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	317	-	-	-	-	-	-	-	-	-
FEMALE..	157	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TABES DORSALIS.....024	66	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE.....025	185	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	92	-	-	-	-	-	-	-	-	-
FEMALE..	35	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	35	-	-	-	-	-	-	-	-	-
FEMALE..	23	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	233	-	-	-	-	-	-	-	1	-
WHITE.....MALE....	102	-	-	-	-	-	-	-	1	-
FEMALE..	38	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	65	-	-	-	-	-	-	-	-	-
FEMALE..	26	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALL OTHER SYPHILIS.....027-029	54	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION.....030-035	19	-	-	-	-	-	-	1	-	-
WHITE.....MALE....	10	-	-	-	-	-	-	1	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER.....040	17	-	-	-	-	-	-	1	2	1
WHITE.....MALE....	4	-	-	-	-	-	-	-	-	1
FEMALE..	2	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	4	-	-	-	-	-	-	-	2	-
FEMALE..	6	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	64	13	1	3	1	-	18	2	3	1
WHITE.....MALE....	27	2	-	1	-	-	3	2	1	-
FEMALE..	16	5	-	-	-	-	5	-	-	1
NEGRO.....MALE....	13	5	1	1	-	-	7	-	-	-
FEMALE..	7	1	-	1	1	-	3	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	1	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS.....044	11	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS.....045-048	300	102	17	8	16	3	146	18	6	2
WHITE.....MALE....	108	28	9	1	3	2	43	9	3	-
FEMALE..	76	20	4	2	5	-	31	6	2	2
NEGRO.....MALE....	48	19	1	2	5	-	27	2	-	-
FEMALE..	48	21	1	3	-	1	26	1	1	-
OTHER.....MALE....	10	7	2	-	1	-	10	-	-	-
FEMALE..	10	7	-	-	2	-	9	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
4	8	12	15	27	50	83	148	192	229	225	128	76	35	13	1	2	1	5
4	5	7	9	12	17	36	83	120	145	143	81	41	18	4	1	1	-	6
-	1	2	-	1	7	10	22	25	47	53	34	30	14	8	-	1	-	7
-	1	1	3	8	16	24	21	32	24	16	5	2	2	1	-	-	1	8
-	1	2	3	6	10	13	21	12	11	12	7	3	1	-	-	-	-	9
-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	11
																		12
1	2	4	10	29	52	115	122	189	173	160	95	42	20	6	3	-	2	13
-	1	2	1	7	9	32	49	84	81	77	47	15	9	2	1	-	1	14
1	-	-	-	3	5	10	12	16	18	18	19	12	5	1	1	-	-	15
-	1	1	5	14	24	52	34	59	56	37	17	10	5	1	-	-	1	16
-	-	1	4	5	14	21	22	29	17	25	11	5	1	1	1	-	-	17
-	-	-	-	-	-	-	5	1	1	3	1	-	-	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
																		20
-	-	-	-	2	2	3	7	9	18	10	9	4	2	-	-	-	-	21
-	-	-	-	-	1	1	5	4	9	5	5	2	1	-	-	-	-	22
-	-	-	-	-	-	1	-	2	3	4	3	1	1	-	-	-	-	23
-	-	-	-	1	-	-	2	-	6	1	-	1	-	-	-	-	-	24
-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
																		29
-	2	1	1	9	11	18	39	38	26	17	11	9	1	2	-	-	-	30
-	-	1	-	1	1	11	21	19	13	13	7	5	-	-	-	-	-	31
-	1	-	-	5	1	-	5	8	7	2	2	3	-	1	-	-	-	32
-	-	-	1	2	4	4	9	4	6	2	1	-	1	1	-	-	-	33
-	1	-	-	1	5	3	4	7	-	-	1	1	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
																		37
1	-	3	4	10	12	28	45	36	43	25	16	7	2	-	-	-	-	38
-	-	2	-	3	3	7	18	17	24	17	7	2	1	-	-	-	-	39
-	-	1	1	1	3	6	5	3	7	3	5	2	1	-	-	-	-	40
-	-	-	2	3	6	12	16	11	8	3	3	1	-	-	-	-	-	41
1	-	-	1	2	-	3	6	5	4	2	-	2	-	-	-	-	-	42
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
																		45
-	-	1	1	3	-	5	5	5	6	8	8	9	2	1	-	-	-	46
-	-	-	-	1	-	2	3	3	2	4	2	5	-	-	-	-	-	47
-	-	-	-	-	-	2	-	-	1	2	5	3	1	1	-	-	-	48
-	-	1	-	2	-	-	1	2	3	1	-	-	1	-	-	-	-	49
-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
																		54
-	-	-	1	3	-	1	1	2	2	3	-	3	2	-	-	-	-	55
-	-	-	1	-	-	-	-	2	1	1	-	2	2	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	2	-	1	1	-	1	2	-	1	-	-	-	-	-	58
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
1	-	1	-	3	1	2	2	2	-	-	1	-	-	-	-	-	-	63
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	64
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	66
1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
																		70
-	-	2	2	1	2	4	3	6	8	2	3	5	2	-	-	-	-	71
-	-	1	-	-	1	2	2	5	4	2	2	2	-	-	-	-	-	72
-	-	1	1	-	-	-	1	-	3	-	-	2	2	-	-	-	-	73
-	-	-	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	74
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
																		79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
																		87
-	-	-	1	-	1	1	1	3	3	1	-	-	-	-	-	-	-	88
-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-	89
-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
1	2	5	3	7	8	14	12	14	11	10	20	9	7	5	-	-	-	96
1	2	1	1	3	4	7	4	5	5	4	10	2	3	1	-	-	-	97
-	-	1	-	2	-	4	2	6	2	4	5	4	2	3	-	-	-	98
-	-	2	-	2	2	2	3	1	1	-	3	2	-	1	-	-	-	99
-	-	1	2	-	2	1	2	2	3	2	2	1	2	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES--CON.										
FOOD POISONING, INFECTION AND INTOXICATION.....049	44	2	-	1	-	1	4	-	2	1
WHITE.....MALE....	12	-	-	-	-	1	1	-	-	-
FEMALE..	16	-	-	-	-	-	-	-	1	1
NEGRO.....MALE....	5	1	-	-	-	-	1	-	-	-
FEMALE..	9	-	-	1	-	-	1	-	1	-
OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
SCARLET FEVER.....050	24	1	2	5	2	-	10	7	3	-
WHITE.....MALE....	12	1	1	1	-	-	3	3	2	-
FEMALE..	10	-	-	3	2	-	5	4	1	-
NEGRO.....MALE....	1	-	-	1	-	-	1	-	-	-
FEMALE..	1	-	1	-	-	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT.....051	106	15	10	2	4	2	33	7	1	4
WHITE.....MALE....	44	6	2	1	2	-	11	4	1	1
FEMALE..	48	4	5	-	2	2	13	3	-	3
NEGRO.....MALE....	8	4	2	1	-	-	7	-	-	-
FEMALE..	4	-	1	-	-	-	1	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
ERYSIPELAS.....052	32	1	-	-	-	-	1	-	-	-
WHITE.....MALE....	16	1	-	-	-	-	1	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA.....053	1,886	375	68	31	21	13	508	29	23	19
WHITE.....MALE....	799	150	26	17	10	3	206	10	7	5
FEMALE..	682	94	22	7	4	7	134	11	10	8
NEGRO.....MALE....	215	72	12	4	6	1	95	4	4	2
FEMALE..	170	49	6	3	1	2	61	4	2	4
OTHER.....MALE....	13	8	-	-	-	-	8	-	-	-
FEMALE..	7	2	2	-	-	-	4	-	-	-
DIPHTHERIA.....055	68	2	7	10	7	6	32	23	6	1
WHITE.....MALE....	24	1	2	2	4	2	11	7	4	-
FEMALE..	21	1	-	2	2	2	7	10	-	1
NEGRO.....MALE....	12	-	3	4	1	-	8	3	1	-
FEMALE..	8	-	2	1	-	1	4	3	1	-
OTHER.....MALE....	2	-	-	-	-	1	1	-	-	-
FEMALE..	1	-	-	1	-	-	1	-	-	-
WHOOPING COUGH.....056	76	54	13	4	2	1	74	1	-	-
WHITE.....MALE....	12	8	3	-	1	-	12	-	-	-
FEMALE..	14	10	2	1	-	-	13	-	-	-
NEGRO.....MALE....	19	13	3	1	1	1	19	-	-	-
FEMALE..	26	20	3	2	-	-	25	1	-	-
OTHER.....MALE....	2	1	1	-	-	-	2	-	-	-
FEMALE..	3	2	1	-	-	-	3	-	-	-
MENINGOCOCCAL INFECTIONS.....057	586	163	93	66	39	28	389	54	17	28
WHITE.....MALE....	267	77	43	33	20	17	190	21	6	13
FEMALE..	219	65	33	25	13	4	140	20	9	9
NEGRO.....MALE....	53	10	11	6	3	3	33	6	1	5
FEMALE..	40	7	6	2	1	4	20	7	1	1
OTHER.....MALE....	4	1	-	-	2	-	3	-	-	-
FEMALE..	3	3	-	-	-	-	3	-	-	-
PLAGUE.....058	2	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	8	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
TETANUS.....061	242	66	3	3	3	7	82	10	10	3
WHITE.....MALE....	87	14	-	2	1	4	21	6	6	2
FEMALE..	39	6	2	1	-	-	9	2	-	-
NEGRO.....MALE....	70	27	-	-	1	3	31	1	4	-
FEMALE..	45	19	1	-	1	-	21	1	-	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ANTHRAX.....062	1	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	-	-	1	2	2	6	5	1	5	4	5	4	1	-	1	-	-	4
-	-	-	-	1	-	-	1	1	2	2	2	2	-	-	-	-	-	5
-	-	-	1	-	1	3	2	-	1	2	1	2	1	-	-	-	-	6
-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	7
-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	1	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	10
																		11
-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
																		20
7	4	3	4	2	3	4	4	2	3	4	6	7	6	2	-	-	-	21
2	1	1	2	-	2	3	2	1	-	3	3	3	3	1	-	-	-	22
4	3	2	1	-	-	1	2	1	3	1	3	4	3	1	-	-	-	23
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
-	-	1	2	2	-	2	3	4	1	2	4	2	5	2	1	-	-	29
-	-	1	1	2	-	-	-	3	1	1	1	2	2	1	-	-	-	30
-	-	-	1	-	-	2	2	1	-	1	3	-	3	1	1	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
																		36
24	28	32	46	40	61	100	109	145	164	183	163	132	55	19	5	1	-	37
10	4	13	15	15	20	43	56	66	67	102	71	60	22	6	1	-	-	38
9	12	12	20	14	25	35	31	57	68	54	75	64	31	9	3	-	-	39
2	4	2	6	5	8	8	8	10	20	19	9	5	1	2	-	1	-	40
3	8	5	5	6	8	13	13	9	9	7	7	3	-	2	1	-	-	41
-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	42
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	43
																		44
																		45
-	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	46
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
7	6	3	6	6	12	14	11	4	10	9	7	3	-	-	-	-	-	62
3	2	-	2	1	4	3	5	1	5	4	4	3	-	-	-	-	-	63
2	2	1	3	3	5	9	2	3	4	4	3	-	-	-	-	-	-	64
1	-	-	1	1	2	-	3	-	-	-	-	-	-	-	-	-	-	65
1	2	2	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	66
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
																		69
																		70
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
-	1	-	1	1	-	1	1	-	1	2	-	-	-	-	-	-	-	79
-	1	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	84
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
																		87
4	3	3	5	7	9	13	18	18	19	19	14	3	1	1	-	-	-	88
3	1	-	1	2	4	2	6	10	6	11	5	1	-	-	-	-	-	89
-	1	1	-	1	1	3	1	2	5	4	6	2	1	-	-	-	-	90
-	-	1	2	2	3	7	5	4	6	2	1	-	-	1	-	-	-	91
1	1	1	2	2	1	1	6	2	2	2	1	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	94
																		95
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES--CON.										
ACUTE POLIOMYELITIS.....080	90	1	-	2	3	4	10	19	6	7
WHITE.....MALE....	45	1	-	1	-	2	4	10	2	4
FEMALE..	35	-	-	1	2	2	5	4	4	2
NEGRO.....MALE....	5	-	-	-	1	-	1	3	-	1
FEMALE..	5	-	-	-	-	-	-	2	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	149	-	-	-	1	-	1	6	9	19
WHITE.....MALE....	79	-	-	-	-	-	-	4	6	12
FEMALE..	62	-	-	-	-	-	-	1	2	5
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	1
FEMALE..	5	-	-	-	1	-	1	-	1	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	505	96	35	25	17	20	193	60	21	21
WHITE.....MALE....	238	54	13	11	8	8	94	28	10	8
FEMALE..	195	28	11	8	7	11	65	29	10	10
NEGRO.....MALE....	30	5	7	2	1	-	15	1	-	3
FEMALE..	36	8	4	4	-	-	16	1	1	-
OTHER.....MALE....	3	1	-	-	-	1	2	-	-	-
FEMALE..	3	-	-	-	1	-	1	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	92	-	1	1	-	1	3	2	3	3
WHITE.....MALE....	53	-	-	-	-	1	1	1	1	1
FEMALE..	35	-	-	1	-	-	1	1	2	2
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	1	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	434	70	97	59	55	23	304	85	19	5
WHITE.....MALE....	156	23	27	25	24	4	103	35	6	2
FEMALE..	169	20	34	23	16	14	107	39	11	2
NEGRO.....MALE....	37	7	14	3	5	3	32	4	1	-
FEMALE..	42	12	9	7	8	1	37	3	-	1
OTHER.....MALE....	19	5	9	1	1	-	16	2	1	-
FEMALE..	11	3	4	-	1	1	9	2	-	-
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	976	23	7	6	7	7	50	19	25	36
WHITE.....MALE....	393	8	3	3	4	4	22	11	9	14
FEMALE..	446	7	2	3	1	1	14	5	10	14
NEGRO.....MALE....	61	7	1	-	-	2	10	2	3	5
FEMALE..	67	1	-	-	2	-	3	1	3	3
OTHER.....MALE....	2	-	1	-	-	-	1	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
RABIES.....094	3	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	11	-	-	-	1	-	1	2	1	-
WHITE.....MALE....	8	-	-	-	1	-	1	-	1	-
FEMALE..	2	-	-	-	-	-	-	2	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	3	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
5	8	16	8	5	2	1	2	1	-	-	-	-	-	-	-	-	-	4
1	2	15	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	5
4	6	1	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
8	10	11	19	15	19	10	10	2	7	2	-	-	-	-	1	-	-	12
6	5	5	9	8	6	5	6	2	3	2	-	-	-	-	-	-	-	13
2	4	6	10	6	13	5	4	-	3	-	-	-	-	-	1	-	-	14
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	15
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
																		20
21	14	20	22	12	25	13	20	28	11	7	10	7	-	-	-	-	-	21
9	7	12	8	6	7	6	10	15	8	2	3	5	-	-	-	-	-	22
9	5	4	12	4	10	7	8	8	3	3	6	2	-	-	-	-	-	23
3	-	-	-	2	2	-	2	1	-	1	-	-	-	-	-	-	-	24
-	1	4	2	-	6	-	-	4	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	26
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
1	-	1	2	8	4	10	21	7	17	5	5	-	-	-	-	-	-	29
-	-	1	1	3	1	7	14	5	13	2	2	-	-	-	-	-	-	30
1	-	-	-	4	3	3	6	2	4	3	3	-	-	-	-	-	-	31
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	32
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
																		36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
																		45
5	6	2	-	3	1	-	2	-	1	-	-	1	-	-	-	-	-	46
3	1	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	47
2	4	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
49	53	42	48	58	76	73	90	70	82	75	74	47	21	6	1	1	-	62
10	11	14	17	13	37	31	37	33	35	31	39	19	9	1	-	-	-	63
26	14	18	21	34	32	35	43	32	43	35	26	27	11	5	1	-	-	64
4	2	3	1	4	1	4	5	5	2	4	5	1	-	-	-	-	-	65
8	5	7	7	7	6	2	3	-	1	5	4	-	1	-	-	1	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	1	-	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	68
																		69
																		70
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
1	-	-	-	-	1	2	1	-	1	-	-	-	1	-	-	-	-	79
1	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
																		87
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	96
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES--CON.										
SCHISTOSOMIASIS.....123	2	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE.....125	3	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	1	-	-	-	-	-	-	1	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	47	3	14	8	1	2	28	4	1	-
WHITE.....MALE....	12	-	1	-	-	1	2	2	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	12	3	4	3	-	-	10	1	1	-
FEMALE..	18	-	9	5	1	1	16	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,487	274	64	36	22	24	420	72	25	24
WHITE.....MALE....	662	122	22	12	10	13	179	30	7	10
FEMALE..	521	86	25	18	9	8	146	35	13	7
NEGRO.....MALE....	148	24	6	3	2	1	36	5	3	4
FEMALE..	139	34	9	2	1	2	48	2	1	3
OTHER.....MALE....	11	5	-	1	-	-	6	-	-	-
FEMALE..	6	3	2	-	-	-	5	-	1	-
II. NEOPLASMS.....	278,253	417	366	460	473	525	2,241	1,626	1,212	1,142
WHITE.....MALE....	135,091	198	190	223	237	245	1,093	823	635	598
FEMALE..	116,662	176	136	189	202	222	925	640	452	418
NEGRO.....MALE....	13,257	19	18	25	14	26	102	70	56	71
FEMALE..	11,820	19	21	19	16	26	101	81	63	48
OTHER.....MALE....	930	3	1	2	1	4	11	8	4	4
FEMALE..	493	2	-	2	3	2	9	4	2	3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	273,502	293	334	429	452	490	1,998	1,504	1,113	1,057
WHITE.....MALE....	133,219	131	177	215	228	237	988	785	587	563
FEMALE..	114,478	133	121	170	195	202	821	583	418	384
NEGRO.....MALE....	13,020	12	17	22	12	23	86	59	50	62
FEMALE..	11,392	12	18	18	13	23	84	67	53	42
OTHER.....MALE....	918	3	1	2	1	3	10	6	3	4
FEMALE..	475	2	-	2	3	2	9	4	2	2
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,322	1	-	2	2	1	6	8	7	15
WHITE.....MALE....	4,388	-	-	1	-	-	1	5	4	13
FEMALE..	1,367	-	-	1	2	1	4	3	3	-
NEGRO.....MALE....	383	-	-	-	-	-	-	-	-	1
FEMALE..	125	1	-	-	-	-	1	-	-	1
OTHER.....MALE....	52	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
OF LIP.....140	216	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	192	-	-	-	-	-	-	-	-	1
FEMALE..	19	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF TONGUE.....141	1,526	-	-	1	-	-	1	-	-	-
WHITE.....MALE....	1,065	-	-	1	-	-	1	-	-	-
FEMALE..	349	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	81	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-144	1,953	1	-	-	-	-	1	1	2	-
WHITE.....MALE....	1,252	-	-	-	-	-	-	-	1	-
FEMALE..	535	-	-	-	-	-	-	1	1	-
NEGRO.....MALE....	108	-	-	-	-	-	-	-	-	-
FEMALE..	44	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
																		20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
																		36
-	1	2	-	1	4	1	1	2	-	-	2	-	-	-	-	-	-	37
-	-	-	-	1	2	-	1	2	-	-	2	-	-	-	-	-	-	38
-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
19	38	44	51	70	67	76	87	81	71	107	90	68	50	21	5	1	-	45
6	14	14	17	31	30	40	47	44	37	52	52	28	19	3	2	-	-	46
3	9	16	11	14	23	17	22	24	27	40	31	36	30	14	2	1	-	47
6	8	4	14	13	10	11	8	6	5	7	2	2	1	2	1	-	-	48
4	7	10	9	12	4	7	9	6	2	8	4	1	-	2	-	-	-	49
-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
1,105	1,673	2,968	5,601	9,379	15,228	22,243	28,037	35,130	41,390	40,221	32,794	21,612	10,788	3,188	550	52	73	54
																		55
591	777	1,125	1,835	3,219	5,754	9,599	13,582	17,840	21,921	21,362	17,157	10,669	4,963	1,313	203	11	21	56
380	688	1,390	2,859	4,687	7,392	9,688	11,172	13,387	15,756	15,913	13,709	9,886	5,295	1,686	298	23	18	57
69	77	151	289	537	863	1,425	1,708	2,081	2,135	1,623	1,054	532	278	91	21	7	17	58
58	122	266	564	885	1,123	1,422	1,422	1,637	1,420	1,119	716	429	212	89	24	7	12	59
6	5	15	28	21	49	64	107	135	97	147	114	73	33	3	3	-	3	60
1	4	21	26	30	47	45	46	50	61	57	44	23	7	6	1	4	2	61
																		62
																		63
1,014	1,552	2,807	5,357	9,064	14,844	21,816	27,576	34,671	40,919	39,846	32,466	21,421	10,667	3,149	538	51	72	64
550	738	1,072	1,768	3,138	5,628	9,441	13,376	17,623	21,719	21,187	17,012	10,589	4,919	1,304	200	11	21	65
341	630	1,324	2,747	4,537	7,201	9,486	10,974	13,210	15,535	15,739	13,548	9,786	5,225	1,658	290	23	18	66
64	69	139	275	524	841	1,399	1,689	2,056	2,113	1,612	1,047	525	275	91	20	7	17	67
52	107	242	516	815	1,081	1,383	1,385	1,599	1,396	1,106	701	425	208	87	24	7	12	68
6	5	13	26	21	49	64	107	133	96	146	114	73	33	3	3	-	3	69
1	3	17	25	29	44	43	45	50	60	56	44	23	7	6	1	3	1	70
																		71
13	14	43	76	175	434	630	784	854	926	840	695	440	254	93	12	2	1	72
6	10	25	31	101	257	425	572	627	689	600	498	299	166	51	6	1	1	73
5	4	11	22	43	106	120	122	147	165	189	170	128	81	39	4	1	-	74
-	-	5	11	19	49	56	62	55	54	38	18	8	4	3	-	-	-	75
1	-	-	7	11	16	20	18	15	13	10	7	2	2	-	1	-	-	76
-	-	1	5	1	5	6	10	10	5	3	2	2	1	-	1	-	-	77
1	-	1	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	78
																		79
-	-	1	2	4	2	6	7	21	33	39	39	27	24	8	2	-	-	80
-	-	1	2	3	2	6	6	17	30	33	32	27	24	7	1	-	-	81
-	-	-	-	1	-	-	-	2	3	5	6	-	-	1	1	-	-	82
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
																		87
-	2	8	15	28	115	155	195	221	227	201	179	101	53	21	2	1	1	88
-	1	5	5	13	59	104	133	167	178	152	130	73	35	7	1	-	1	89
-	1	3	7	11	35	32	37	39	37	42	44	28	18	14	-	1	-	90
-	-	-	3	2	16	15	15	12	10	5	3	-	-	-	-	-	-	91
-	-	-	-	2	5	4	7	2	1	2	1	-	-	-	1	-	-	92
-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
3	3	16	26	47	109	157	213	241	267	277	230	193	107	52	7	1	-	96
1	2	9	11	28	75	93	157	163	180	180	144	109	62	33	3	1	-	97
1	1	5	8	8	26	38	37	54	67	77	76	74	41	17	3	-	-	98
-	-	1	4	7	6	14	16	15	13	15	7	6	2	2	-	-	-	99
1	-	-	3	4	2	10	1	7	5	4	3	1	2	-	-	-	-	100
-	-	-	-	-	-	1	2	2	2	1	-	2	-	-	1	-	-	101
-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX--CON.										
OF PHARYNX.....145-148	2,627	-	-	1	2	1	4	7	5	14
WHITE.....MALE....	1,879	-	-	-	-	-	-	5	3	12
FEMALE..	464	-	-	1	2	1	4	2	2	-
NEGRO.....MALE....	192	-	-	-	-	-	-	-	-	1
FEMALE..	54	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	34	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	91,727	23	18	15	8	6	70	14	16	39
WHITE.....MALE....	44,887	10	9	6	4	2	31	5	6	18
FEMALE..	37,994	8	8	8	3	3	30	9	8	11
NEGRO.....MALE....	4,861	2	-	1	-	-	3	-	-	6
FEMALE..	3,369	2	1	-	1	1	5	-	2	4
OTHER.....MALE....	425	-	-	-	-	-	-	-	-	-
FEMALE..	191	1	-	-	-	-	1	-	-	-
OF ESOPHAGUS.....150	4,889	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	3,114	-	-	-	-	-	-	-	-	-
FEMALE..	890	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	677	-	-	-	-	-	-	-	-	-
FEMALE..	174	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF STOMACH.....151	20,113	1	-	-	-	-	1	-	1	3
WHITE.....MALE....	10,846	-	-	-	-	-	-	-	-	-
FEMALE..	6,611	1	-	-	-	-	1	-	1	2
NEGRO.....MALE....	1,644	-	-	-	-	-	-	-	-	1
FEMALE..	780	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	157	-	-	-	-	-	-	-	-	-
FEMALE..	75	-	-	-	-	-	-	-	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	743	-	-	1	-	-	1	-	1	1
WHITE.....MALE....	329	-	-	1	-	-	1	-	-	-
FEMALE..	345	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	35	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM.....153	29,665	5	-	-	-	-	5	-	4	21
WHITE.....MALE....	12,634	2	-	-	-	-	2	-	1	10
FEMALE..	15,036	2	-	-	-	-	2	-	2	4
NEGRO.....MALE....	823	-	-	-	-	-	-	-	-	5
FEMALE..	1,068	1	-	-	-	-	1	-	1	2
OTHER.....MALE....	61	-	-	-	-	-	-	-	-	-
FEMALE..	43	-	-	-	-	-	-	-	-	-
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,256	3	-	-	-	-	3	-	1	3
WHITE.....MALE....	1,738	1	-	-	-	-	1	-	1	1
FEMALE..	2,254	1	-	-	-	-	1	-	-	1
NEGRO.....MALE....	115	-	-	-	-	-	-	-	-	1
FEMALE..	135	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES..153.1	1,616	1	-	-	-	-	1	-	1	4
WHITE.....MALE....	694	1	-	-	-	-	1	-	-	3
FEMALE..	834	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	42	-	-	-	-	-	-	-	-	1
FEMALE..	43	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
DESCENDING COLON.....153.2	1,333	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	551	-	-	-	-	-	-	-	-	-
FEMALE..	700	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	41	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
SIGMOID COLON.....153.3	6,319	-	-	-	-	-	-	-	-	4
WHITE.....MALE....	2,876	-	-	-	-	-	-	-	-	2
FEMALE..	3,117	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	130	-	-	-	-	-	-	-	-	1
FEMALE..	173	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	66	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-
FEMALE..	33	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE INCLUDING COLON, PART UNSPECIFIED.....153.8	14,489	1	-	-	-	-	1	-	2	10
WHITE.....MALE....	6,149	-	-	-	-	-	-	-	-	4
FEMALE..	7,225	1	-	-	-	-	1	-	1	2
NEGRO.....MALE....	447	-	-	-	-	-	-	-	-	2
FEMALE..	618	-	-	-	-	-	-	-	1	2
OTHER.....MALE....	30	-	-	-	-	-	-	-	-	-
FEMALE..	20	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
10	9	18	33	96	208	312	369	371	399	323	247	119	70	12	1	-	-	6
5	7	10	13	57	121	222	276	280	301	235	192	90	45	4	1	-	-	7
4	2	3	7	23	45	50	48	52	58	65	44	26	22	7	-	-	-	8
-	-	4	4	10	27	27	30	28	31	18	7	2	2	1	-	-	-	9
-	-	-	4	5	9	6	10	5	7	3	3	1	-	-	-	-	-	10
-	-	1	5	1	5	5	5	6	2	2	1	-	1	-	-	-	-	11
1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	12
																		13
																		14
84	164	418	991	1,901	3,533	5,813	8,062	11,440	14,548	15,502	13,591	9,294	4,650	1,338	217	18	24	15
40	78	171	386	800	1,619	2,786	4,034	5,762	7,590	8,000	6,866	4,237	1,895	483	73	3	4	16
27	54	161	404	745	1,335	2,100	2,940	4,260	5,546	6,331	5,945	4,631	2,539	781	125	7	5	17
7	20	46	95	178	314	537	645	807	823	649	385	195	102	33	6	4	6	18
8	10	28	89	161	229	347	386	534	519	415	306	178	93	34	12	4	5	19
2	2	5	11	10	20	30	45	56	40	76	63	40	18	3	1	-	3	20
-	-	7	6	7	16	13	12	21	30	31	26	13	3	4	-	-	1	21
																		22
-	3	3	33	120	265	451	617	727	816	693	554	358	192	41	15	-	1	23
-	2	-	9	42	125	257	378	479	570	497	391	216	116	23	9	-	-	24
-	1	-	12	18	36	49	104	99	135	112	122	119	68	10	5	-	-	25
-	-	2	10	43	70	119	112	112	88	63	32	16	5	4	1	-	-	26
-	-	1	1	17	32	25	18	31	19	14	5	4	3	3	-	-	1	27
-	-	-	1	-	2	1	5	6	4	7	4	3	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	29
																		30
11	40	100	228	417	703	1,138	1,483	2,264	3,205	3,507	3,271	2,248	1,115	320	46	5	7	31
7	17	33	99	184	365	609	800	1,242	1,813	1,988	1,864	1,154	518	133	19	-	1	32
2	13	36	71	133	187	294	380	637	942	1,118	1,142	935	524	168	23	1	1	33
2	5	13	31	53	101	162	199	253	296	250	143	82	37	10	2	2	2	34
-	5	7	22	39	36	62	86	111	129	112	79	54	27	7	1	2	1	35
-	-	5	4	4	5	5	13	16	12	31	36	15	9	-	1	-	1	36
-	-	6	1	4	9	6	5	5	13	8	7	8	-	2	-	-	1	37
																		38
3	2	9	22	34	50	51	75	94	111	104	80	63	29	12	1	-	-	39
2	2	5	12	22	21	24	37	38	48	45	29	31	8	4	-	-	-	40
-	-	3	8	12	21	21	30	46	50	50	43	30	21	8	1	-	-	41
-	-	-	-	-	3	3	5	5	8	6	4	1	-	-	-	-	-	42
1	-	1	2	-	5	3	3	5	5	1	3	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	45
																		46
																		47
41	58	145	338	585	1,134	1,767	2,539	3,503	4,453	5,038	4,582	3,241	1,622	486	87	6	10	48
20	25	59	117	219	431	708	1,041	1,514	2,027	2,345	2,027	1,317	583	162	24	-	2	49
15	21	65	174	301	594	884	1,267	1,668	2,112	2,414	2,346	1,820	986	302	54	3	2	50
2	9	13	18	17	37	73	99	127	145	122	84	38	18	10	2	2	2	51
3	1	8	25	46	65	96	122	177	163	138	113	56	31	9	7	1	3	52
1	2	-	-	2	2	4	6	10	3	12	6	8	2	2	-	-	1	53
-	-	-	4	-	5	2	4	7	3	7	6	2	2	1	-	-	-	54
																		55
5	5	21	58	70	141	193	342	441	622	804	682	503	268	78	14	1	1	56
1	3	11	25	29	60	85	140	196	263	342	257	198	102	21	2	-	-	57
3	1	7	22	36	69	87	166	212	315	425	402	293	156	48	9	-	1	58
-	1	2	5	4	4	8	13	15	26	16	8	4	4	3	-	1	-	59
1	-	1	6	1	7	11	22	18	16	19	13	8	5	3	3	-	-	60
-	-	-	-	-	-	1	1	-	-	1	1	-	-	2	-	-	-	61
-	-	-	-	-	1	1	-	-	2	1	1	-	1	1	-	-	-	62
																		63
6	9	6	23	41	75	104	156	186	251	263	237	161	62	27	3	-	-	64
1	5	3	11	21	26	45	70	70	115	127	94	71	22	8	1	-	-	65
3	2	1	10	20	40	54	79	103	118	127	127	89	40	18	2	-	-	66
1	1	1	1	-	4	2	3	7	6	4	10	-	-	1	-	-	-	67
1	1	1	1	-	5	2	4	5	12	5	5	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	70
																		71
2	4	7	18	41	59	83	95	167	204	210	197	142	88	14	2	-	-	72
1	3	3	3	14	22	25	36	79	82	106	85	56	31	5	-	-	-	73
1	-	3	13	24	35	48	49	77	107	89	106	81	56	9	2	-	-	74
-	-	1	1	-	-	7	7	4	4	4	3	1	1	-	-	-	-	75
-	-	-	1	3	1	3	2	7	10	10	3	1	-	-	-	-	-	76
-	1	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	77
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	78
																		79
7	12	28	61	136	258	402	549	759	1,009	1,048	990	632	325	85	12	-	2	80
3	4	5	15	43	90	167	221	346	494	517	497	293	136	38	4	-	1	81
2	4	18	36	77	147	204	281	361	469	493	463	328	182	45	6	-	-	82
-	3	3	2	3	8	9	15	20	28	21	11	4	2	-	-	-	-	83
1	-	2	7	13	11	20	28	30	18	14	17	4	4	2	2	-	-	84
1	1	-	-	-	-	2	3	1	-	2	-	3	1	-	-	-	1	85
-	-	-	1	-	2	-	1	1	-	1	2	-	-	-	-	-	-	86
																		87
-	-	1	-	-	4	4	7	10	9	14	11	4	2	-	-	-	-	88
-	-	-	-	-	1	2	4	6	1	7	5	1	1	-	-	-	-	89
-	-	1	-	-	2	2	3	2	6	7	6	3	1	-	-	-	-	90
-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
21	26	79	167	269	552	895	1,269	1,764	2,151	2,430	2,213	1,576	762	244	48	5	5	96
14	10	35	61	102	209	347	530	740	1,004	1,136	985	619	259	79	14	-	1	97
6	13	34	85	128	286	447	617	831	979	1,132	1,110	891	473	155	30	3	1	98
1	3	6	9	8	17	44	55	74	68	72	43	24	10	6	2	1	2	99
-	-	4	10	29	38	56	63	106	98	78	68	39	18	4	2	1	1	100
-	-	-	-	2	2	1	1	7	1	8	5	2	1	-	-	-	-	101
-	-	-	2	-	-	-	3	6	1	4	2	1	1	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS, ETC.--CON.										
OF LARGE INTESTINE, EXCEPT RECTUM--CON.										
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,586	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	598	-	-	-	-	-	-	-	-	-
FEMALE..	873	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	52	-	-	-	-	-	-	-	-	-
FEMALE..	57	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OF RECTUM.....154	10,697	-	2	1	-	-	3	-	-	5
WHITE.....MALE....	5,663	-	-	-	-	-	-	-	-	2
FEMALE..	4,251	-	2	1	-	-	3	-	-	2
NEGRO.....MALE....	390	-	-	-	-	-	-	-	-	-
FEMALE..	346	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	36	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
OF BILIARY PASSAGES & OF LIVER STATED TO BE PRIMARY SITE.....155	6,359	10	8	6	4	3	31	7	3	2
WHITE.....MALE....	2,438	7	6	2	2	1	18	3	1	2
FEMALE..	3,412	2	1	4	1	2	10	4	2	-
NEGRO.....MALE....	227	-	-	-	-	-	-	-	-	-
FEMALE..	190	-	1	-	1	-	2	-	-	-
OTHER.....MALE....	57	-	-	-	-	-	-	-	-	-
FEMALE..	35	1	-	-	-	-	1	-	-	-
LIVER.....155.0	2,012	8	8	6	3	3	28	7	3	2
WHITE.....MALE....	1,072	5	6	2	2	1	16	3	1	2
FEMALE..	671	2	1	4	1	2	10	4	2	-
NEGRO.....MALE....	160	-	-	-	-	-	-	-	-	-
FEMALE..	59	-	1	-	-	-	1	-	-	-
OTHER.....MALE....	43	-	-	-	-	-	-	-	-	-
FEMALE..	7	1	-	-	-	-	1	-	-	-
OTHER AND MULTIPLE SITES OF BILIARY PASSAGES.....155.1,155.8	4,347	2	-	-	1	-	3	-	-	-
WHITE.....MALE....	1,366	2	-	-	-	-	2	-	-	-
FEMALE..	2,741	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	67	-	-	-	-	-	-	-	-	-
FEMALE..	131	-	-	-	1	-	1	-	-	-
OTHER.....MALE....	14	-	-	-	-	-	-	-	-	-
FEMALE..	28	-	-	-	-	-	-	-	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,192	3	3	3	1	-	10	2	3	2
WHITE.....MALE....	1,507	1	1	2	1	-	5	-	2	-
FEMALE..	1,313	1	2	1	-	-	4	2	1	1
NEGRO.....MALE....	205	1	-	-	-	-	1	-	-	-
FEMALE..	147	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OF PANCREAS.....157	14,349	2	-	-	-	-	2	2	-	4
WHITE.....MALE....	7,632	-	-	-	-	-	-	1	-	4
FEMALE..	5,342	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....	762	1	-	-	-	-	1	-	-	-
FEMALE..	539	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	55	-	-	-	-	-	-	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-
OF PERITONEUM AND OF UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,720	2	5	4	3	3	17	3	4	1
WHITE.....MALE....	724	-	2	1	1	1	5	1	2	-
FEMALE..	794	2	3	2	2	1	10	2	2	1
NEGRO.....MALE....	98	-	-	1	-	-	1	-	-	-
FEMALE..	95	-	-	-	-	1	1	-	-	-
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	42,211	8	2	5	4	1	20	7	6	21
WHITE.....MALE....	32,838	3	-	2	2	1	8	4	2	14
FEMALE..	5,724	4	1	3	2	-	10	3	4	3
NEGRO.....MALE....	2,935	-	-	-	-	-	-	-	-	2
FEMALE..	503	1	1	-	-	-	2	-	-	2
OTHER.....MALE....	181	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	-
OF LARYNX.....161	2,421	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	1,972	-	-	-	-	-	-	-	-	-
FEMALE..	208	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	203	-	-	-	-	-	-	-	-	-
FEMALE..	26	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY.....162	19,462	3	-	-	1	1	5	1	-	3
WHITE.....MALE....	15,477	2	-	-	-	1	3	1	-	2
FEMALE..	2,267	-	-	-	1	-	1	-	-	1
NEGRO.....MALE....	1,440	-	-	-	-	-	-	-	-	-
FEMALE..	181	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	83	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
OF LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY.....163	19,467	4	-	2	-	-	6	-	2	8
WHITE.....MALE....	14,889	1	-	-	-	-	1	-	1	7
FEMALE..	2,976	3	-	2	-	-	5	-	1	-
NEGRO.....MALE....	1,246	-	-	-	-	-	-	-	-	1
FEMALE..	266	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	76	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
																		6
-	2	3	11	28	45	86	121	176	207	269	252	223	115	38	8	-	2	7
-	-	2	2	10	23	37	40	77	68	110	104	79	32	11	3	-	-	8
-	1	1	8	16	15	42	72	82	118	141	132	135	78	27	5	-	-	9
-	1	-	-	2	3	5	6	6	11	5	9	5	1	-	-	-	-	10
-	-	-	-	-	3	4	3	10	9	12	7	3	4	-	-	-	2	11
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	12
-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	13
																		14
10	25	58	112	236	431	727	937	1,359	1,672	1,726	1,577	1,067	546	180	22	2	2	15
3	11	26	47	100	193	366	508	723	992	964	914	511	233	60	10	-	-	16
4	6	21	51	95	188	286	332	506	577	665	590	516	286	109	11	1	-	17
1	3	7	7	14	25	33	44	74	60	52	35	16	13	5	-	-	1	18
2	3	4	7	26	21	40	51	49	34	39	32	19	11	5	1	1	-	19
-	-	-	-	-	3	1	1	7	6	6	5	3	2	1	-	-	1	20
-	-	-	-	1	1	1	1	-	3	-	1	2	1	-	-	-	-	21
																		22
4	12	23	61	104	197	371	559	908	1,065	1,171	938	569	255	67	11	-	1	23
2	6	8	17	31	95	147	234	361	422	465	343	197	73	11	2	-	-	24
1	5	9	27	47	75	160	254	458	569	648	553	355	171	55	8	-	1	25
-	1	3	9	15	16	29	33	35	33	26	15	7	5	-	-	-	-	26
-	-	3	5	7	8	24	28	36	26	24	15	7	3	1	1	-	-	27
1	-	-	2	2	3	10	8	11	9	2	3	3	3	-	-	-	-	28
-	-	-	1	2	-	1	2	7	6	6	9	-	-	-	-	-	-	29
																		30
4	10	13	32	57	90	170	233	287	308	323	225	141	55	21	2	-	1	31
2	4	4	8	16	50	89	139	173	176	184	115	66	20	4	-	-	-	32
1	5	4	11	22	22	45	54	64	99	112	94	72	30	17	2	-	1	33
-	1	3	7	13	14	21	26	27	19	14	11	2	2	-	-	-	-	34
-	-	2	4	4	2	6	6	11	6	11	5	-	1	-	-	-	-	35
1	-	-	2	2	2	9	7	11	5	1	-	1	2	-	-	-	-	36
-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	37
																		38
-	2	10	29	47	107	201	326	621	757	848	713	428	200	46	9	-	-	39
-	2	4	9	15	45	58	95	188	246	281	228	131	53	7	2	-	-	40
-	-	5	16	25	53	115	200	394	470	536	459	283	141	38	6	-	-	41
-	-	-	2	2	2	8	7	8	14	12	4	5	3	-	-	-	-	42
-	-	1	1	3	6	18	22	25	20	13	10	7	2	1	1	-	-	43
-	-	-	-	-	1	1	1	-	4	1	3	2	1	-	-	-	-	44
-	-	-	1	2	-	1	1	6	3	5	9	-	-	-	-	-	-	45
																		46
3	4	14	31	56	100	195	284	413	514	561	469	316	165	41	8	1	-	47
1	3	8	9	22	40	78	145	221	259	281	218	131	68	13	3	-	-	48
1	1	4	14	18	38	72	96	129	189	229	222	173	87	28	3	1	-	49
1	-	-	2	11	6	18	30	44	34	30	15	6	4	-	1	-	-	50
-	-	2	6	5	13	20	13	19	29	15	13	5	5	-	1	-	-	51
-	-	-	-	-	-	6	-	-	2	4	1	1	1	-	-	-	-	52
-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	53
																		54
3	8	51	140	293	567	999	1,441	1,985	2,473	2,443	1,891	1,247	613	163	19	4	1	55
1	6	24	64	157	314	549	837	1,098	1,355	1,303	976	612	258	65	5	3	-	56
2	1	18	39	97	161	290	421	648	870	969	821	576	328	86	13	1	-	57
-	-	7	17	20	48	93	116	138	138	91	48	24	16	4	-	-	1	58
-	1	1	17	17	40	62	57	95	102	61	38	28	10	8	1	-	-	59
-	-	-	3	2	4	3	10	4	4	13	5	6	1	-	-	-	-	60
-	-	1	-	-	-	2	-	2	4	6	3	1	-	-	-	-	-	61
																		62
9	12	15	26	56	86	114	127	187	239	259	229	185	113	28	8	-	2	63
4	6	8	12	23	35	48	54	86	104	112	104	68	38	12	1	-	1	64
2	4	5	8	24	35	44	56	69	102	126	106	107	68	15	7	-	1	65
1	2	1	1	5	6	7	7	19	21	9	9	5	4	-	-	-	-	66
2	-	1	4	4	9	15	8	11	12	11	8	5	3	1	-	-	-	67
-	-	-	1	-	1	-	2	2	-	-	2	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	69
																		70
																		71
24	57	207	547	1,321	2,481	4,322	6,024	7,301	7,821	6,013	3,542	1,649	660	160	14	2	12	72
16	37	130	324	852	1,734	3,232	4,756	5,945	6,423	4,923	2,728	1,177	429	91	7	-	6	73
7	14	36	135	267	430	566	665	711	813	749	650	391	204	55	5	1	3	74
1	4	25	70	157	260	427	483	539	497	250	131	56	16	12	2	-	3	75
-	1	12	14	39	50	79	85	64	63	51	17	15	6	2	-	1	-	76
-	-	2	4	4	6	15	27	37	21	36	14	10	5	-	-	-	-	77
-	1	-	-	2	1	3	8	5	4	4	2	-	-	-	-	-	-	78
																		79
																		80
-	1	8	16	55	114	261	384	385	420	354	219	126	61	16	1	-	-	81
-	-	4	3	37	69	194	311	320	363	306	200	109	45	10	1	-	-	82
-	-	1	3	7	18	31	34	25	32	20	8	11	13	5	-	-	-	83
-	1	2	10	9	23	28	34	33	23	23	10	4	2	1	-	-	-	84
-	-	1	-	1	4	7	4	3	2	3	1	-	-	-	-	-	-	85
-	-	-	-	-	-	1	1	4	-	2	-	2	1	-	-	-	-	86
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	87
																		88
6	22	88	266	663	1,255	2,029	2,744	3,474	3,789	2,724	1,451	642	231	56	6	1	4	89
4	13	60	160	438	927	1,532	2,218	2,846	3,162	2,277	1,144	479	168	35	6	-	2	90
4	5	14	63	120	179	247	271	309	326	293	230	131	56	15	-	1	1	91
-	3	12	34	83	129	217	208	276	263	118	63	23	5	5	-	-	1	92
-	-	2	8	19	15	23	32	23	28	18	4	5	2	1	-	-	-	93
-	-	-	1	3	4	9	11	16	10	17	8	4	-	-	-	-	-	94
-	1	-	-	-	1	1	4	4	-	1	2	-	-	-	-	-	-	95
																		96
6	23	104	238	571	1,055	1,956	2,801	3,344	3,495	2,830	1,774	827	341	73	4	1	8	97
4	18	62	145	356	707	1,465	2,171	2,714	2,827	2,275	1,330	561	202	39	-	-	4	98
1	5	22	63	130	215	266	335	355	424	404	371	225	123	27	2	-	2	99
1	-	11	24	64	104	173	235	225	199	104	57	29	9	6	2	-	2	100
-	-	8	4	19	27	45	46	35	30	28	10	8	4	1	-	1	-	101
-	-	1	2	1	2	5	10	15	11	16	6	4	3	-	-	-	-	102
-	-	-	-	1	-	2	4	-	4	3	-	-	-	-	-	-	-	

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY--CON.										
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	861	1	2	3	3	-	9	6	4	10
WHITE.....MALE....	500	-	-	2	2	-	4	3	1	5
FEMALE..	273	1	1	1	1	-	4	3	3	2
NEGRO.....MALE....	46	-	-	-	-	-	-	-	-	1
FEMALE..	30	-	1	-	-	-	1	-	-	2
OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	24,542	1	-	-	-	-	1	1	-	2
WHITE.....MALE....	212	-	-	-	-	-	-	-	-	-
FEMALE..	22,380	1	-	-	-	-	1	1	-	-
NEGRO.....MALE....	19	-	-	-	-	-	-	-	-	-
FEMALE..	1,892	-	-	-	-	-	-	-	-	2
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	39	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	39,256	2	8	10	6	5	31	12	30	55
WHITE.....MALE....	13,909	-	7	7	4	2	20	4	6	25
FEMALE..	20,098	2	1	3	2	3	11	6	20	20
NEGRO.....MALE....	1,952	-	-	-	-	-	-	-	1	2
FEMALE..	3,135	-	-	-	-	-	-	2	3	8
OTHER.....MALE....	50	-	-	-	-	-	-	-	-	-
FEMALE..	112	-	-	-	-	-	-	-	-	-
OF CERVIX UTERI.....171	8,504	1	1	-	-	-	2	-	-	3
WHITE.....FEMALE..	6,774	1	1	-	-	-	2	-	-	-
NEGRO.....FEMALE..	1,671	-	-	-	-	-	-	-	-	3
OTHER.....FEMALE..	59	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,878	-	-	1	-	-	1	-	1	3
WHITE.....FEMALE..	5,043	-	-	1	-	-	1	-	1	2
NEGRO.....FEMALE..	818	-	-	-	-	-	-	-	-	1
OTHER.....FEMALE..	17	-	-	-	-	-	-	-	-	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,116	1	-	1	-	3	5	6	22	22
WHITE.....FEMALE..	7,525	1	-	1	-	3	5	4	19	18
NEGRO.....FEMALE..	559	-	-	-	-	-	-	2	3	4
OTHER.....FEMALE..	32	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	847	-	-	1	2	-	3	2	-	-
WHITE.....FEMALE..	756	-	-	1	2	-	3	2	-	-
NEGRO.....FEMALE..	87	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	4	-	-	-	-	-	-	-	-	-
OF PROSTATE.....177	14,941	-	3	2	1	1	7	1	1	3
WHITE.....MALE....	13,044	-	3	2	1	1	7	1	1	3
NEGRO.....MALE....	1,857	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	40	-	-	-	-	-	-	-	-	-
ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS 178,179	970	-	4	5	3	1	13	3	6	24
WHITE.....MALE....	865	-	4	5	3	1	13	3	5	22
NEGRO.....MALE....	95	-	-	-	-	-	-	-	1	2
OTHER.....MALE....	10	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,040	16	20	49	47	45	177	92	20	11
WHITE.....MALE....	8,074	8	8	20	12	11	59	36	6	6
FEMALE..	3,997	7	5	24	31	26	93	46	11	2
NEGRO.....MALE....	571	-	5	1	2	4	12	6	2	-
FEMALE..	356	1	1	3	2	4	11	4	1	3
OTHER.....MALE....	33	-	1	1	-	-	2	-	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-
OF KIDNEY.....180	5,215	14	19	48	47	45	173	87	20	11
WHITE.....MALE....	3,045	6	7	20	12	11	56	32	6	6
FEMALE..	1,802	7	5	23	31	26	92	46	11	2
NEGRO.....MALE....	207	-	5	1	2	4	12	6	2	-
FEMALE..	136	1	1	3	2	4	11	3	1	3
OTHER.....MALE....	21	-	1	1	-	-	2	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	7,825	2	1	1	-	-	4	5	-	-
WHITE.....MALE....	5,029	2	1	-	-	-	3	4	-	-
FEMALE..	2,195	-	-	1	-	-	1	-	-	-
NEGRO.....MALE....	364	-	-	-	-	-	-	-	-	-
FEMALE..	220	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES..156B,165,190-199	29,977	98	122	128	130	125	603	462	412	390
WHITE.....MALE....	14,645	48	66	67	62	58	301	217	198	199
FEMALE..	12,682	47	43	40	56	49	235	184	172	156
NEGRO.....MALE....	1,221	3	6	11	4	9	33	24	16	21
FEMALE..	1,297	-	7	9	7	8	31	33	25	12
OTHER.....MALE....	82	-	-	-	-	-	-	2	-	2
FEMALE..	50	-	-	1	1	1	3	2	1	-
OF SKIN.....190,191	4,070	2	-	1	1	2	6	2	1	19
WHITE.....MALE....	2,255	2	-	1	1	2	6	-	-	14
FEMALE..	1,653	-	-	-	-	-	-	1	1	5
NEGRO.....MALE....	84	-	-	-	-	-	-	-	-	-
FEMALE..	71	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
																		6
10	11	7	27	32	57	76	95	98	117	105	98	54	27	15	3	-	-	7
8	6	4	16	21	31	41	56	65	71	65	54	28	14	7	-	-	-	8
2	4	1	6	10	18	22	25	22	31	32	41	24	12	8	3	-	-	9
-	-	-	2	1	4	9	6	5	12	5	1	-	-	-	-	-	-	10
-	1	1	2	-	4	4	3	3	3	2	2	2	-	-	-	-	-	11
-	-	1	1	-	-	-	5	2	-	1	-	-	1	-	-	-	-	12
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	13
																		14
10	84	374	898	1,622	2,364	3,044	2,876	2,897	2,917	2,643	2,170	1,463	803	291	67	7	8	15
-	-	3	3	7	8	24	27	20	36	32	21	17	9	4	-	-	1	16
9	69	320	758	1,400	2,126	2,743	2,609	2,647	2,687	2,477	2,043	1,380	763	273	62	7	5	17
-	-	-	-	-	2	2	2	2	3	3	1	3	-	-	1	-	-	18
1	15	50	132	208	223	268	233	225	188	131	102	63	31	14	4	-	2	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	1	5	7	5	7	5	3	3	-	3	-	-	-	-	-	-	21
																		22
																		23
130	240	502	971	1,542	2,288	2,863	3,331	4,264	5,400	5,835	5,303	3,823	1,989	545	85	9	8	24
70	90	95	99	86	77	213	440	937	1,788	2,722	3,019	2,463	1,326	366	58	3	2	25
45	110	298	676	1,169	1,798	2,149	2,328	2,610	2,865	2,460	1,785	1,086	509	131	18	2	2	26
1	2	5	6	12	22	76	160	266	373	366	336	178	102	32	8	2	2	27
11	36	101	181	265	372	412	392	437	355	270	143	81	47	16	1	-	2	28
3	-	-	1	-	1	-	-	3	7	5	14	13	3	-	-	-	-	29
-	2	3	8	10	18	13	11	11	12	12	6	2	2	-	-	2	-	30
																		31
19	83	282	561	808	1,007	1,071	990	973	926	744	505	345	144	34	4	-	3	32
12	58	212	419	626	785	833	795	751	743	637	437	307	123	29	4	-	1	33
7	24	68	135	178	214	231	189	215	177	102	64	38	19	5	-	-	2	34
-	1	2	7	4	8	7	6	7	6	5	4	-	2	-	-	-	-	35
																		36
12	27	49	72	164	294	451	653	848	983	929	694	413	214	62	7	1	-	37
10	21	33	55	128	224	357	534	722	872	811	631	385	194	55	6	1	-	38
2	6	16	17	33	68	93	117	126	107	116	61	27	20	7	1	-	-	39
-	-	-	-	3	2	1	2	-	4	2	2	1	-	-	-	-	-	40
																		41
24	34	62	218	445	847	998	1,036	1,151	1,198	943	613	303	146	34	6	2	1	42
22	29	49	189	397	763	913	954	1,067	1,138	893	598	291	138	30	6	1	1	43
2	4	12	28	45	76	80	81	81	58	45	15	11	8	4	-	-	-	44
-	1	1	1	3	8	5	1	3	2	5	-	1	-	-	-	1	-	45
																		46
1	4	9	14	27	40	54	52	86	125	126	122	108	54	17	2	1	-	47
1	2	4	13	18	26	46	45	70	112	119	119	103	54	17	2	-	-	48
-	2	5	1	9	14	8	5	15	13	7	3	5	-	-	-	-	-	49
-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	50
																		51
-	1	1	6	17	48	229	540	1,154	2,112	3,033	3,309	2,607	1,411	389	64	4	4	52
-	1	-	5	11	29	166	393	891	1,745	2,671	2,968	2,422	1,308	360	57	3	2	53
-	-	1	1	6	19	63	147	260	361	357	328	174	101	29	7	1	2	54
-	-	-	-	-	-	-	-	3	6	5	13	11	2	-	-	-	-	55
																		56
74	91	99	100	81	52	60	60	52	56	60	60	47	20	9	2	1	-	57
70	89	95	94	75	48	47	47	46	43	51	51	41	18	6	1	-	-	58
1	2	4	5	6	3	13	13	6	12	9	8	4	1	3	1	1	-	59
3	-	-	1	-	1	-	-	-	1	-	1	2	1	-	-	-	-	60
																		61
																		62
10	17	57	109	244	432	809	1,095	1,615	2,054	2,220	1,836	1,339	672	192	33	1	5	63
6	8	24	64	123	265	501	737	1,053	1,360	1,450	1,154	766	341	91	20	1	3	64
2	6	19	27	69	105	199	255	411	549	639	618	531	313	91	11	-	-	65
1	2	5	11	33	30	62	67	91	88	80	41	21	13	3	1	-	2	66
1	1	9	6	19	26	45	33	54	48	44	20	19	4	7	1	-	-	67
-	-	-	1	-	6	2	3	5	6	5	1	1	1	-	-	-	-	68
-	-	-	-	-	-	-	-	1	3	2	2	1	-	-	-	-	-	69
																		70
10	12	43	84	168	246	453	570	739	830	746	535	309	134	38	5	-	2	71
6	6	20	48	92	152	289	374	445	524	450	310	161	54	12	1	-	1	72
2	5	11	21	48	67	134	155	229	264	269	207	140	74	23	2	-	-	73
1	-	4	10	18	11	16	27	40	26	14	12	2	4	-	1	-	1	74
1	1	8	4	10	11	12	13	21	11	11	5	4	2	3	1	-	-	75
-	-	-	1	-	5	2	1	3	3	2	1	1	-	-	-	-	-	76
-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	77
																		78
-	5	14	25	76	186	356	525	876	1,224	1,474	1,301	1,030	538	154	28	1	3	79
-	2	4	16	31	113	212	363	608	836	1,000	844	605	287	79	19	1	2	80
-	1	8	6	21	38	65	100	182	285	370	411	391	239	68	9	-	-	81
-	2	1	1	15	19	46	40	51	62	66	29	19	9	3	-	-	1	82
-	-	1	2	9	15	33	20	33	37	33	15	15	2	4	-	-	-	83
-	-	-	-	-	1	-	2	2	3	3	-	-	1	-	-	-	-	84
-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	85
																		86
																		87
275	404	596	948	1,197	1,896	2,551	3,038	3,577	3,827	3,555	2,813	1,940	1,020	372	84	11	6	88
147	201	306	439	596	920	1,297	1,570	1,811	1,934	1,719	1,355	832	428	146	26	2	1	89
98	160	242	417	478	774	966	1,156	1,397	1,579	1,566	1,285	1,006	544	208	51	5	3	90
18	20	21	30	60	96	145	134	168	153	121	83	43	24	7	1	1	2	91
11	22	23	57	62	99	135	158	186	149	134	76	51	18	9	4	2	-	92
1	1	1	3	-	5	7	15	7	7	9	12	4	5	-	1	-	-	93
-	-	3	2	1	2	1	5	8	5	6	2	4	1	2	1	1	-	94
																		95
46	88	142	209	224	275	286	304	381	455	454	419	353	258	112	34	2	-	96
31	43	79	107	123	147	160	174	225	260	256	243	184	138	56	8	1	-	97
15	43	57	97	90	117	109	109	128	178	175	168	163	117	54	25	1	-	98
-	1	5	2	8	6	11	10	10	8	12	5	4	2	-	-	-	-	99
-	1	1	3	3	5	5	11	17	9	7	3	2	1	2	-	-	-	100
-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES--CON.										
OF EYE.....192	334	-	5	11	7	6	29	10	6	3
WHITE.....MALE....	164	-	3	5	3	3	14	6	2	1
FEMALE..	148	-	1	3	3	1	8	4	4	1
NEGRO.....MALE....	9	-	-	-	-	1	1	-	-	1
FEMALE..	11	-	1	3	-	1	5	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	1	-	1	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,387	62	93	86	92	82	415	343	231	156
WHITE.....MALE....	3,506	32	53	48	44	38	215	162	117	72
FEMALE..	2,479	29	31	24	38	34	156	129	92	65
NEGRO.....MALE....	203	1	6	8	4	4	23	21	8	11
FEMALE..	182	-	3	5	6	5	19	29	13	7
OTHER.....MALE....	9	-	-	-	-	-	-	1	-	1
FEMALE..	8	-	-	1	-	1	2	1	1	-
OF THYROID GLAND.....194	1,038	-	-	-	-	-	-	1	2	2
WHITE.....MALE....	311	-	-	-	-	-	-	-	2	1
FEMALE..	629	-	-	-	-	-	-	1	-	1
NEGRO.....MALE....	27	-	-	-	-	-	-	-	-	-
FEMALE..	65	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OF BONE.....196	1,769	2	1	2	2	6	13	50	110	125
WHITE.....MALE....	937	-	-	-	1	2	3	22	47	71
FEMALE..	690	1	1	1	1	2	6	25	51	46
NEGRO.....MALE....	78	1	-	1	-	1	3	1	7	6
FEMALE..	56	-	-	-	-	1	1	2	5	1
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	1
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF CONNECTIVE TISSUE.....197	1,039	8	4	5	15	13	45	17	14	36
WHITE.....MALE....	506	5	2	4	6	4	21	8	5	18
FEMALE..	441	3	2	1	9	7	22	7	8	15
NEGRO.....MALE....	38	-	-	-	-	1	1	-	-	-
FEMALE..	47	-	-	-	-	1	1	-	1	3
OTHER.....MALE....	5	-	-	-	-	-	-	1	-	-
FEMALE..	2	-	-	-	-	-	-	1	-	-
OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,445	13	13	14	6	8	54	26	25	16
WHITE.....MALE....	802	7	6	3	3	6	25	12	14	7
FEMALE..	514	5	4	10	3	1	23	13	9	9
NEGRO.....MALE....	63	1	-	1	-	1	3	1	-	-
FEMALE..	64	-	3	-	-	-	3	-	2	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	13,895	11	6	9	7	8	41	13	23	33
WHITE.....MALE....	6,164	2	2	6	4	3	17	7	11	15
FEMALE..	6,128	9	4	1	2	4	20	4	7	14
NEGRO.....MALE....	719	-	-	1	-	1	2	1	1	3
FEMALE..	801	-	-	1	1	-	2	1	4	1
OTHER.....MALE....	54	-	-	-	-	-	-	-	-	-
FEMALE..	29	-	-	-	-	-	-	-	-	-
LEUKEMIA AND ALEUKEMIA.....204	12,873	108	125	189	233	279	934	765	441	310
WHITE.....MALE....	7,086	46	70	95	129	146	486	413	244	174
FEMALE..	4,953	51	48	81	93	113	386	303	160	111
NEGRO.....MALE....	438	4	2	6	5	9	26	19	16	17
FEMALE..	331	4	5	5	3	7	24	24	18	6
OTHER.....MALE....	45	2	-	1	1	3	7	4	2	2
FEMALE..	20	1	-	1	2	1	5	2	1	-
LYMPHOSARCOMA, ETC.....200-203,205	13,554	36	39	31	22	28	156	143	181	214
WHITE.....MALE....	7,180	16	17	17	15	17	82	101	121	114
FEMALE..	5,283	13	15	10	6	7	51	28	40	81
NEGRO.....MALE....	640	3	4	3	1	1	12	10	15	13
FEMALE..	384	3	3	1	-	3	10	4	4	4
OTHER.....MALE....	50	1	-	-	-	-	1	-	1	-
FEMALE..	17	-	-	-	-	-	-	-	-	2
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	6,284	8	11	13	9	21	62	106	114	92
WHITE.....MALE....	3,359	4	5	7	7	14	37	82	77	47
FEMALE..	2,534	2	5	5	2	5	19	19	23	34
NEGRO.....MALE....	230	1	1	-	-	1	3	3	12	7
FEMALE..	130	1	-	1	-	1	3	2	1	2
OTHER.....MALE....	24	-	-	-	-	-	-	-	1	-
FEMALE..	7	-	-	-	-	-	-	-	-	2
HODGKINS DISEASE.....201	3,138	-	1	2	3	4	10	21	59	109
WHITE.....MALE....	1,807	-	1	1	2	2	6	11	39	62
FEMALE..	1,110	-	-	1	1	1	3	5	15	41
NEGRO.....MALE....	142	-	-	-	-	-	-	5	2	5
FEMALE..	72	-	-	-	-	1	1	-	3	1
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES....202,203,205	4,132	28	27	16	10	3	84	16	8	13
WHITE.....MALE....	2,014	12	11	9	6	1	39	8	5	5
FEMALE..	1,639	11	10	4	3	1	29	4	2	6
NEGRO.....MALE....	268	2	3	3	1	-	9	2	1	1
FEMALE..	182	2	3	-	-	1	6	2	-	1
OTHER.....MALE....	22	1	-	-	-	-	1	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
2	-	2	4	11	17	19	29	45	35	43	34	19	15	9	2	-	-	6
1	-	-	3	4	9	12	11	26	18	19	18	11	7	1	1	-	-	7
1	-	1	1	7	6	5	18	18	16	21	14	8	7	8	-	-	-	8
-	-	1	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	9
-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	1	-	-	10
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
																		13
97	161	268	378	417	597	744	770	764	582	303	106	38	12	4	-	-	1	14
44	81	154	190	224	321	429	456	432	336	178	66	20	7	2	-	-	-	15
40	64	97	162	173	243	280	281	298	222	118	38	13	5	2	-	-	1	16
7	7	4	10	11	20	22	16	22	13	4	1	3	-	-	-	-	-	17
5	9	11	15	9	12	11	14	11	11	3	1	2	-	-	-	-	-	18
1	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-	19
-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	20
																		21
3	7	10	10	23	49	69	108	131	178	177	135	99	21	9	3	1	-	22
2	3	3	2	10	17	22	37	39	52	54	31	29	4	2	1	-	-	23
1	3	6	6	10	23	34	60	79	108	110	97	65	17	6	1	1	-	24
-	-	-	-	1	5	4	2	3	4	2	4	1	-	1	-	-	-	25
-	-	1	2	2	4	9	8	10	13	9	3	3	-	-	1	-	-	26
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	28
																		29
47	39	28	43	43	88	124	157	160	204	223	153	98	47	15	2	-	-	30
31	25	11	15	19	38	81	80	91	116	125	77	54	20	10	1	-	-	31
12	10	13	21	20	42	30	62	54	73	83	71	41	24	5	1	-	-	32
2	1	3	2	4	2	5	7	9	9	10	2	3	2	-	-	-	-	33
2	3	1	5	-	5	7	7	6	4	4	2	-	1	-	-	-	-	34
-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	35
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	36
																		37
																		38
26	23	23	53	53	66	79	117	102	126	99	70	54	29	6	1	-	-	39
10	9	11	30	34	28	40	62	47	61	56	32	20	12	2	-	-	-	40
14	6	10	19	14	32	30	46	44	53	36	35	30	16	3	1	-	-	41
2	3	-	1	3	3	5	5	6	7	1	1	-	-	-	-	-	-	42
-	5	1	2	2	3	4	4	5	4	6	2	3	-	1	-	-	-	43
-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	44
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
																		46
23	21	24	42	61	97	132	135	134	145	168	131	113	56	36	5	-	1	47
9	10	10	17	31	53	73	84	84	90	91	77	65	29	18	3	-	-	48
8	9	12	20	17	35	40	37	41	48	65	39	44	25	18	2	-	-	49
4	1	2	3	6	3	14	6	2	5	4	6	1	1	-	-	-	1	50
2	1	-	2	7	5	5	7	7	2	8	9	3	1	-	-	-	-	51
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
																		54
31	65	99	209	365	707	1,098	1,418	1,860	2,102	2,088	1,765	1,166	582	181	37	8	4	55
19	30	38	75	151	307	480	666	867	1,001	940	811	449	211	55	12	1	1	56
7	25	46	91	147	276	438	543	735	881	958	823	642	333	112	21	3	2	57
3	7	6	12	27	56	83	88	115	106	87	63	31	19	6	1	1	1	58
2	3	8	28	39	65	93	107	130	106	95	55	38	14	6	2	2	-	59
-	-	1	1	-	2	3	12	5	5	6	11	3	4	-	1	-	-	60
-	-	-	2	1	1	1	2	8	3	2	2	3	1	2	-	1	-	61
																		62
																		63
224	224	268	354	416	550	682	863	1,096	1,467	1,511	1,326	900	418	103	17	1	3	64
123	113	123	170	216	285	376	463	626	854	864	763	501	233	48	7	1	3	65
74	88	118	139	152	216	254	324	387	543	569	522	375	174	50	8	-	-	66
18	12	14	21	25	17	24	46	39	46	49	25	12	10	1	1	-	-	67
9	10	10	20	19	28	28	25	39	20	24	12	9	1	4	1	-	-	68
-	1	2	1	3	3	-	4	4	3	4	3	2	-	-	-	-	-	69
-	-	1	3	1	1	-	1	1	1	1	1	1	-	-	-	-	-	70
																		71
244	348	342	463	646	866	1,102	1,503	1,627	1,959	1,727	1,190	573	201	55	9	-	5	72
142	201	195	252	357	463	587	777	842	1,045	877	608	297	92	24	3	-	-	73
74	125	117	169	214	311	389	575	640	788	759	530	258	98	30	6	-	-	74
18	9	18	31	40	51	70	90	89	76	56	27	9	4	-	-	-	2	75
10	12	9	10	31	38	49	55	45	41	27	18	7	6	1	-	-	3	76
-	1	2	-	3	3	4	3	11	7	8	5	1	-	-	-	-	-	77
-	-	1	1	1	-	3	3	-	2	-	2	1	1	-	-	-	-	78
																		79
79	93	101	179	291	379	518	717	755	913	871	594	281	99	30	7	-	3	80
49	52	56	102	153	197	276	392	406	494	452	289	143	39	14	2	-	-	81
18	36	32	62	108	145	203	284	305	377	382	281	130	55	16	5	-	-	82
9	2	6	11	14	22	21	25	27	27	22	12	3	2	-	-	-	2	83
3	3	5	3	13	13	17	14	13	11	11	7	5	3	-	-	-	1	84
-	-	1	-	2	2	1	2	4	3	4	4	-	-	-	-	-	-	85
-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	86
																		87
155	239	214	222	227	258	263	251	258	314	235	164	100	27	12	-	-	-	88
89	137	128	113	143	160	158	137	155	179	128	91	52	16	3	-	-	-	89
53	86	77	90	59	79	81	92	78	117	100	69	46	11	8	-	-	-	90
8	7	7	13	18	8	15	17	21	8	5	2	1	-	-	-	-	-	91
5	9	2	6	6	10	8	5	3	9	2	1	-	-	1	-	-	-	92
-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	94
																		95
10	16	27	62	128	229	321	535	614	732	621	432	192	75	13	2	-	2	96
4	12	11	37	61	106	153	248	281	372	297	228	102	37	7	1	-	-	97
3	3	8	17	47	87	105	199	257	294	277	180	82	32	6	1	-	-	98
1	-	5	7	8	21	34	48	41	41	29	13	5	2	-	-	-	-	99
2	-	2	1	12	15	24	36	29	21	14	10	2	3	-	-	-	2	100
-	1	1	-	-	-	3	1	6	3	4	1	1	-	-	-	-	-	101
-	-	-	-	-	-	2	3	-	1	-	-	-	1	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS--CON.										
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,751	124	32	31	21	35	243	122	99	85
WHITE.....MALE....	1,872	67	13	8	9	8	105	38	48	35
FEMALE..	2,184	43	15	19	7	20	104	57	34	34
NEGRO.....MALE....	237	7	1	3	2	3	16	11	6	9
FEMALE..	428	7	3	1	3	3	17	14	10	6
OTHER.....MALE....	12	-	-	-	-	1	1	2	1	-
FEMALE..	18	-	-	-	-	-	-	-	-	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	512	-	-	-	1	-	1	-	2	3
WHITE.....FEMALE..	328	-	-	-	1	-	1	-	1	2
NEGRO.....FEMALE..	179	-	-	-	-	-	-	-	1	1
OTHER.....FEMALE..	5	-	-	-	-	-	-	-	-	-
BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....223	962	10	4	12	6	8	40	15	22	22
WHITE.....MALE....	338	5	3	1	4	2	15	4	9	7
FEMALE..	516	5	-	9	1	5	20	7	9	11
NEGRO.....MALE....	50	-	-	2	-	1	3	-	1	3
FEMALE..	51	-	1	-	1	-	2	3	3	1
OTHER.....MALE....	4	-	-	-	-	-	-	1	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	900	59	10	2	3	3	77	29	21	20
WHITE.....MALE....	445	29	6	2	1	1	39	11	14	11
FEMALE..	338	22	3	-	1	2	28	12	5	6
NEGRO.....MALE....	53	2	1	-	1	-	4	2	2	2
FEMALE..	61	6	-	-	-	-	6	3	-	1
OTHER.....MALE....	2	-	-	-	-	-	-	1	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEOPLASM OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....233-235	29	-	-	-	-	-	-	-	-	-
WHITE.....FEMALE..	24	-	-	-	-	-	-	-	-	-
NEGRO.....FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,550	16	14	15	10	24	79	77	51	39
WHITE.....MALE....	722	11	3	5	4	5	28	22	23	16
FEMALE..	651	4	10	9	4	13	40	38	18	15
NEGRO.....MALE....	85	1	-	-	-	2	3	9	3	4
FEMALE..	81	-	1	1	2	3	7	8	6	3
OTHER.....MALE....	4	-	-	-	-	1	1	-	1	-
FEMALE..	7	-	-	-	-	-	-	-	-	1
OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-232,236,238,239	798	39	4	2	1	-	46	1	3	1
WHITE.....MALE....	367	22	1	-	-	-	23	1	2	1
FEMALE..	327	12	2	1	-	-	15	-	1	-
NEGRO.....MALE....	49	4	-	1	1	-	6	-	-	-
FEMALE..	51	1	1	-	-	-	2	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	40,861	359	126	80	48	39	652	138	150	159
WHITE.....MALE....	15,729	171	45	32	22	14	284	62	51	43
FEMALE..	19,699	116	35	29	13	13	206	53	70	68
NEGRO.....MALE....	1,922	41	27	11	9	7	95	14	14	23
FEMALE..	3,212	28	14	8	4	3	57	6	12	21
OTHER.....MALE....	168	3	2	-	-	1	6	2	2	1
FEMALE..	131	-	3	-	-	1	4	1	1	3
ASTHMA.....241	4,910	40	20	22	8	8	98	29	38	51
WHITE.....MALE....	2,716	13	7	12	3	1	36	12	17	10
FEMALE..	1,470	11	3	5	1	1	21	6	7	22
NEGRO.....MALE....	375	6	5	3	2	2	18	6	7	11
FEMALE..	302	9	5	2	2	2	20	4	4	7
OTHER.....MALE....	29	1	-	-	-	1	2	1	2	-
FEMALE..	18	-	-	-	-	1	1	-	1	1
NONTOXIC GOITER.....250,251	90	3	-	-	-	-	3	-	-	-
WHITE.....MALE....	10	1	-	-	-	-	1	-	-	-
FEMALE..	56	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	5	1	-	-	-	-	1	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	526	2	-	-	-	-	2	1	1	3
WHITE.....MALE....	76	1	-	-	-	-	1	-	-	-
FEMALE..	364	1	-	-	-	-	1	1	-	1
NEGRO.....MALE....	13	-	-	-	-	-	-	-	-	1
FEMALE..	68	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND 253,254	326	13	1	-	-	-	14	2	1	-
WHITE.....MALE....	72	6	-	-	-	-	6	-	-	-
FEMALE..	228	6	-	-	-	-	6	2	1	-
NEGRO.....MALE....	7	1	-	-	-	-	1	-	-	-
FEMALE..	16	-	1	-	-	-	1	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
DIABETES MELLITUS.....260	30,098	13	9	10	5	7	44	48	73	69
WHITE.....MALE....	10,806	2	4	3	3	2	14	19	20	18
FEMALE..	15,450	8	3	5	2	4	22	24	46	32
NEGRO.....MALE....	1,203	1	1	2	-	-	4	4	2	7
FEMALE..	2,443	2	1	-	-	1	4	-	5	11
OTHER.....MALE....	105	-	-	-	-	-	-	1	-	-
FEMALE..	91	-	-	-	-	-	-	-	-	1

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
91	121	161	244	315	384	427	461	459	471	375	328	191	121	39	12	1	1	4
41	39	53	67	81	126	158	206	217	202	175	145	80	44	9	3	-	-	5
39	58	66	112	150	191	202	198	177	221	174	161	100	70	28	8	-	-	6
5	8	12	14	13	22	26	19	25	22	11	7	7	3	-	1	-	-	7
6	15	24	48	70	42	39	37	38	24	13	15	4	4	2	-	-	-	8
-	-	2	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	9
-	1	4	1	1	3	2	1	-	1	1	-	-	-	-	-	1	1	10
																		11
7	12	34	65	98	77	42	28	23	33	28	28	17	9	4	-	-	1	12
5	6	17	33	55	51	29	16	15	24	25	22	16	6	4	-	-	-	13
2	5	16	31	43	25	13	12	8	9	3	6	1	3	-	-	-	-	14
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	15
																		16
24	38	43	57	75	90	115	112	116	92	55	34	8	3	1	-	-	-	17
11	8	17	11	22	25	36	44	46	37	21	20	3	1	1	-	-	-	18
12	26	20	33	39	52	72	58	60	47	32	13	4	1	-	-	-	-	19
1	2	3	6	4	7	4	4	5	4	1	1	-	1	-	-	-	-	20
-	2	2	5	10	6	1	6	5	3	1	-	1	-	-	-	-	-	21
-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	22
-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	23
																		24
23	23	23	44	36	50	83	75	94	94	86	61	26	26	8	1	-	-	25
11	10	10	21	12	26	37	33	51	47	47	33	15	14	3	-	-	-	26
9	7	6	17	14	19	29	31	28	39	34	26	10	12	5	1	-	-	27
2	2	4	1	4	2	9	4	6	4	4	1	-	-	-	-	-	-	28
1	4	2	5	6	2	8	7	9	4	1	1	1	-	-	-	-	-	29
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
																		32
-	-	-	1	1	2	3	4	3	3	1	3	1	3	2	2	-	-	33
-	-	-	1	1	2	2	3	2	3	1	2	1	3	1	2	-	-	34
-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
																		37
34	44	54	68	91	141	146	194	163	162	99	74	23	10	1	-	-	-	38
18	19	24	34	42	62	67	100	89	72	57	34	14	1	-	-	-	-	39
12	18	21	24	37	60	59	75	58	81	39	39	9	7	1	-	-	-	40
1	3	4	5	5	11	10	10	8	5	2	1	-	1	-	-	-	-	41
3	4	2	5	6	7	10	8	7	3	1	-	-	1	-	-	-	-	42
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
-	-	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	44
																		45
3	4	7	9	14	24	38	48	60	87	106	128	116	70	23	9	1	-	46
1	2	2	1	5	13	18	29	31	46	50	58	48	28	5	3	-	-	47
1	1	2	4	4	7	11	15	14	27	43	59	60	41	17	5	-	-	48
1	1	1	2	-	2	3	1	6	9	4	4	7	1	-	1	-	-	49
-	-	2	2	5	2	6	3	8	5	7	7	1	-	1	-	-	-	50
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	52
																		53
																		54
218	400	559	793	1,093	1,486	2,316	3,270	4,650	6,131	6,591	5,956	3,839	1,808	518	103	19	12	55
																		56
79	143	228	325	434	595	974	1,368	1,841	2,275	2,476	2,308	1,382	670	159	28	3	1	57
82	151	206	271	380	540	816	1,255	2,035	3,132	3,498	3,267	2,235	1,044	311	63	11	5	58
12	38	40	81	118	131	157	205	244	279	230	110	64	33	24	6	1	3	59
40	65	78	110	148	212	344	418	482	410	350	243	132	51	20	6	4	3	60
3	1	1	4	7	5	13	10	29	19	18	18	18	9	2	-	-	-	61
2	2	6	2	6	3	12	14	19	16	19	10	8	1	2	-	-	-	62
																		63
43	76	102	132	211	295	391	491	618	679	659	554	263	139	28	12	1	-	64
3	15	20	35	63	110	196	292	385	434	460	383	157	74	11	3	-	-	65
16	24	41	52	82	119	133	119	161	190	157	149	94	56	14	7	-	-	66
3	17	16	14	32	35	35	45	45	39	25	14	4	5	3	1	-	-	67
19	17	22	29	31	30	21	34	24	11	13	5	6	3	-	1	1	-	68
2	1	-	1	-	1	4	-	3	5	1	3	2	1	-	-	-	-	69
-	2	3	1	3	-	2	1	-	-	3	-	-	-	-	-	-	-	70
																		71
-	1	2	2	3	2	9	10	3	13	9	14	7	8	4	-	-	-	72
-	-	1	-	-	2	1	1	-	-	-	3	1	-	-	-	-	-	73
-	-	1	1	2	-	2	3	2	10	8	9	6	7	4	-	-	-	74
-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	75
-	1	-	1	-	-	5	6	1	1	1	2	-	1	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
																		79
7	9	13	20	27	24	43	62	60	78	66	67	35	8	-	-	-	-	80
-	2	1	3	2	5	9	14	8	8	11	6	4	2	-	-	-	-	81
5	4	5	9	14	12	26	41	47	58	49	56	29	6	-	-	-	-	82
-	1	1	5	1	1	-	3	-	-	-	-	-	-	-	-	-	-	83
2	2	6	3	10	6	8	4	2	11	5	5	2	-	-	-	-	-	84
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	86
																		87
2	-	8	4	12	19	21	24	48	48	45	42	19	15	2	-	-	-	88
-	-	2	-	4	8	4	7	9	7	8	8	2	7	-	-	-	-	89
2	-	3	3	4	9	16	16	38	35	35	33	16	8	1	-	-	-	90
-	-	-	-	1	-	-	-	-	2	2	-	1	-	-	-	-	-	91
-	-	3	1	2	2	1	1	1	2	-	1	-	-	1	-	-	-	92
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	93
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
115	256	354	506	643	863	1,498	2,243	3,442	4,836	5,377	4,832	3,111	1,364	351	56	8	9	96
54	108	180	243	284	352	608	854	1,203	1,624	1,823	1,724	1,072	480	111	12	2	1	97
39	94	116	150	197	281	506	893	1,614	2,634	3,036	2,801	1,880	823	218	36	4	4	98
8	19	21	53	71	81	100	135	162	202	182	79	40	16	12	3	-	2	99
14	35	34	58	84	145	267	338	424	353	307	207	99	39	10	5	2	2	100
-	-	1	1	5	2	7	10	23	9	14	13	14	5	-	-	-	-	101
-	-	2	1	2	2	10	13	16	14	15	8	6	1	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES--CON.										
DISEASES OF THYMUS GLAND.....273	116	90	10	3	1	1	105	-	2	2
WHITE.....MALE....	63	50	4	2	1	1	58	-	1	2
FEMALE..	38	30	5	1	-	-	36	-	-	-
NEGRO.....MALE....	8	5	1	-	-	-	6	-	1	-
FEMALE..	5	4	-	-	-	-	4	-	-	-
OTHER.....MALE....	2	1	-	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	442	45	3	1	1	-	50	4	2	6
WHITE.....MALE....	183	28	1	1	1	-	31	2	-	1
FEMALE..	223	13	2	-	-	-	15	2	2	4
NEGRO.....MALE....	14	2	-	-	-	-	2	-	-	1
FEMALE..	20	2	-	-	-	-	2	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
PELLAGRA.....281	38	1	-	-	-	-	1	-	-	1
WHITE.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	3	1	-	-	-	-	1	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,747	25	49	22	17	6	119	12	10	6
WHITE.....MALE....	672	7	11	2	5	1	26	7	4	2
FEMALE..	719	7	11	11	4	1	34	2	2	2
NEGRO.....MALE....	186	8	16	4	6	4	38	2	3	1
FEMALE..	140	2	6	5	2	-	15	1	1	1
OTHER.....MALE....	20	1	2	-	-	-	3	-	-	-
FEMALE..	10	-	3	-	-	-	3	-	-	-
ALL OTHER ALLERGIC, ENDOCRINE, AND METABOLIC DISEASES.....RESIDUAL	2,568	127	34	22	16	17	216	42	23	21
WHITE.....MALE....	1,126	63	18	12	9	9	111	22	9	10
FEMALE..	1,132	39	11	7	6	7	70	16	12	7
NEGRO.....MALE....	108	16	4	2	1	1	24	2	1	2
FEMALE..	188	9	1	1	-	-	11	1	1	-
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	1
FEMALE..	7	-	-	-	-	-	-	1	-	1
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,035	217	112	67	48	41	485	139	110	97
WHITE.....MALE....	2,172	81	32	23	18	13	167	52	37	40
FEMALE..	2,101	52	24	20	15	16	127	59	48	24
NEGRO.....MALE....	356	39	34	16	4	7	100	19	11	9
FEMALE..	368	41	19	6	11	5	82	9	12	23
OTHER.....MALE....	23	2	2	1	-	-	5	-	2	1
FEMALE..	15	2	1	1	-	-	4	-	-	-
ANEMIAS.....290-293	3,280	107	90	51	33	26	307	99	74	62
WHITE.....MALE....	1,286	27	15	12	6	7	67	28	18	17
FEMALE..	1,392	26	20	15	13	10	84	46	36	13
NEGRO.....MALE....	287	25	33	16	3	6	83	16	8	9
FEMALE..	293	29	19	6	11	3	68	9	11	22
OTHER.....MALE....	14	-	2	1	-	-	3	-	1	1
FEMALE..	8	-	1	1	-	-	2	-	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	596	4	-	1	-	-	5	-	1	1
WHITE.....MALE....	230	2	-	-	-	-	2	-	-	-
FEMALE..	322	1	-	-	-	-	1	-	1	-
NEGRO.....MALE....	19	1	-	-	-	-	1	-	-	-
FEMALE..	22	-	-	1	-	-	1	-	-	1
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,684	103	90	50	33	26	302	99	73	61
WHITE.....MALE....	1,056	25	15	12	6	7	65	28	18	17
FEMALE..	1,070	25	20	15	13	10	83	46	35	13
NEGRO.....MALE....	268	24	33	16	3	6	82	16	8	9
FEMALE..	271	29	19	5	11	3	67	9	11	21
OTHER.....MALE....	12	-	2	1	-	-	3	-	1	1
FEMALE..	7	-	1	1	-	-	2	-	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	661	53	8	9	8	8	86	20	13	11
WHITE.....MALE....	257	25	5	6	7	1	44	9	6	3
FEMALE..	321	14	3	3	1	4	25	9	5	7
NEGRO.....MALE....	23	4	-	-	-	1	5	2	1	-
FEMALE..	52	8	-	-	-	2	10	-	1	1
OTHER.....MALE....	3	2	-	-	-	-	2	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....294,295,297-299	1,094	57	14	7	7	7	92	20	23	24
WHITE.....MALE....	629	29	12	5	5	5	56	15	13	20
FEMALE..	388	12	1	2	1	2	18	4	7	4
NEGRO.....MALE....	46	10	1	-	1	-	12	1	2	-
FEMALE..	23	4	-	-	-	-	4	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	1	-
FEMALE..	2	2	-	-	-	-	2	-	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.....	4,465	182	27	28	24	12	273	27	29	60
WHITE.....MALE....	2,364	73	9	11	9	8	110	14	10	25
FEMALE..	1,124	87	14	16	11	4	132	12	12	15
NEGRO.....MALE....	663	11	3	1	-	-	15	1	4	12
FEMALE..	257	10	-	-	4	-	14	-	3	5
OTHER.....MALE....	40	-	1	-	-	-	1	-	-	3
FEMALE..	17	1	-	-	-	-	1	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
1	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	5
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	8
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
																		12
6	14	16	21	28	37	38	41	46	38	41	25	18	10	-	1	-	-	13
3	4	6	5	8	14	17	14	15	19	16	13	9	6	-	-	-	-	14
1	8	9	11	19	19	20	25	24	18	23	10	8	4	-	1	-	-	15
-	-	-	-	-	3	1	2	2	1	1	1	-	-	-	-	-	-	16
2	2	1	5	1	1	-	-	3	-	1	1	1	-	-	-	-	-	17
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	19
																		20
-	-	-	-	-	1	3	2	2	4	3	11	5	4	1	-	-	-	21
-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	1	-	2	7	5	3	1	-	-	-	23
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	2	1	1	2	1	2	-	1	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
9	5	8	22	36	56	79	85	97	144	174	219	284	217	123	32	9	1	29
1	1	3	10	13	28	36	37	52	51	75	97	101	81	34	12	1	-	30
6	2	4	9	15	19	26	27	17	46	68	90	142	117	67	18	6	-	31
-	-	-	1	5	6	9	9	20	21	18	15	16	10	9	2	1	-	32
-	2	1	2	2	3	7	12	8	23	11	13	21	6	9	-	1	1	33
1	-	-	-	1	-	1	-	-	3	2	2	2	3	2	-	-	-	34
1	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	35
																		36
35	38	56	84	132	189	233	312	333	291	217	192	97	43	9	2	1	2	37
17	13	15	29	59	76	102	149	169	130	83	72	36	20	3	1	-	-	38
13	18	27	36	47	81	86	131	131	141	120	112	55	20	6	1	1	1	39
1	1	2	8	7	4	11	10	14	12	2	1	3	2	-	-	-	1	40
3	6	11	10	18	25	33	22	18	7	11	7	3	1	-	-	-	-	41
-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	42
1	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	43
																		44
																		45
92	88	116	148	128	162	239	283	352	499	622	593	468	310	89	12	3	-	46
																		47
23	18	22	42	40	73	111	140	189	256	304	282	212	126	31	6	1	-	48
26	29	48	61	44	60	90	105	127	209	286	286	241	168	55	6	2	-	49
16	16	20	17	16	13	13	19	18	22	21	11	5	8	2	-	-	-	50
26	24	24	26	27	15	22	17	16	10	9	11	8	6	1	-	-	-	51
1	-	-	-	-	1	1	1	2	1	1	3	2	2	-	-	-	-	52
-	1	2	2	1	-	2	1	-	1	1	-	-	-	-	-	-	-	53
																		54
61	55	67	73	59	77	114	149	196	315	412	430	383	254	79	11	3	-	55
9	8	9	17	15	26	48	65	90	155	202	198	177	103	27	6	1	-	56
15	14	22	26	14	27	45	56	80	132	188	209	191	138	49	5	2	-	57
15	14	19	12	11	12	6	15	11	18	14	10	5	7	2	-	-	-	58
22	19	17	17	18	11	14	12	13	9	7	10	8	5	1	-	-	-	59
-	-	-	-	-	1	-	-	2	-	-	3	2	1	-	-	-	-	60
-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	61
																		62
1	2	1	3	8	6	13	13	34	36	99	123	133	81	31	5	-	-	63
-	-	-	-	2	2	4	5	11	10	45	57	53	30	7	2	-	-	64
1	1	1	1	3	3	6	2	18	24	49	60	76	48	24	3	-	-	65
-	1	-	-	1	-	1	3	3	1	2	3	1	2	-	-	-	-	66
-	-	-	2	2	1	2	3	2	-	3	3	2	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	69
																		70
60	53	66	70	51	71	101	136	162	279	313	307	250	173	48	6	3	-	71
9	8	9	17	13	24	44	60	79	145	157	141	124	73	20	4	1	-	72
14	13	21	25	11	24	39	54	62	108	139	149	115	90	25	2	2	-	73
15	13	19	12	10	12	5	12	8	17	12	7	4	5	2	-	-	-	74
22	19	17	15	16	10	12	9	11	9	4	7	6	5	1	-	-	-	75
-	-	-	-	-	1	-	-	2	-	-	3	1	-	-	-	-	-	76
-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	77
																		78
19	16	30	40	35	29	42	40	39	56	62	59	37	19	7	1	-	-	79
6	2	2	7	9	9	15	18	23	24	27	31	13	6	3	-	-	-	80
9	10	21	21	18	17	18	18	11	31	32	27	24	13	4	1	-	-	81
1	-	-	4	2	-	3	1	2	-	2	-	-	-	-	-	-	-	82
3	3	5	7	6	3	4	3	3	1	1	1	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84
-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	85
																		86
12	17	19	35	34	56	83	94	117	128	148	104	48	37	3	-	-	-	87
8	8	11	18	16	38	48	57	76	77	75	53	22	17	1	-	-	-	88
2	5	5	14	12	16	27	31	36	46	66	50	26	17	2	-	-	-	89
-	2	1	1	3	1	4	3	5	4	5	1	-	1	-	-	-	-	90
1	2	2	2	3	1	4	2	-	-	1	-	-	1	-	-	-	-	91
1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
																		94
128	134	252	354	423	472	523	426	358	280	222	179	147	115	48	8	4	3	95
																		96
71	48	97	166	207	264	332	274	218	184	135	88	56	40	21	2	1	1	97
12	11	37	51	85	94	95	99	87	63	63	74	82	67	25	5	3	-	98
32	47	79	93	101	80	72	40	34	23	15	7	3	4	1	-	-	-	99
10	23	32	40	24	26	18	11	15	9	8	9	5	2	1	1	-	1	100
3	5	5	3	3	6	2	2	4	-	1	1	1	-	-	-	-	-	101
-	-	2	1	3	2	4	-	-	1	-	-	-	2	-	-	-	1	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS--CON.										
SENILE PSYCHOSIS.....304	339	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	113	-	-	-	-	-	-	-	-	-
FEMALE..	197	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	18	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSIS.....307	470	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	356	-	-	-	-	-	-	-	-	-
FEMALE..	38	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	67	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	571	2	-	1	-	1	4	-	1	6
WHITE.....MALE....	230	-	-	-	-	1	1	-	-	1
FEMALE..	262	1	-	1	-	-	2	-	1	3
NEGRO.....MALE....	37	1	-	-	-	-	1	-	-	1
FEMALE..	41	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALCOHOLISM.....322	2,247	-	-	-	-	-	-	-	1	8
WHITE.....MALE....	1,332	-	-	-	-	-	-	-	-	3
FEMALE..	329	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	409	-	-	-	-	-	-	-	1	1
FEMALE..	130	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	34	-	-	-	-	-	-	-	-	3
FEMALE..	13	-	-	-	-	-	-	-	-	-
MENTAL DEFICIENCY.....325	431	180	27	27	24	11	269	27	26	15
WHITE.....MALE....	186	73	9	11	9	7	109	14	10	6
FEMALE..	202	86	14	15	11	4	130	12	10	9
NEGRO.....MALE....	22	10	3	1	-	-	14	1	3	-
FEMALE..	19	10	-	-	4	-	14	-	3	-
OTHER.....MALE....	1	-	1	-	-	-	1	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
OTHER DISORDERS OF PERSONALITY 310-321,323,324,326	407	-	-	-	-	-	-	-	1	31
WHITE.....MALE....	147	-	-	-	-	-	-	-	-	15
FEMALE..	96	-	-	-	-	-	-	-	1	3
NEGRO.....MALE....	119	-	-	-	-	-	-	-	-	10
FEMALE..	44	-	-	-	-	-	-	-	-	3
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	207,190	1,734	511	311	237	172	2,965	569	522	535
WHITE.....MALE....	86,307	698	214	152	112	86	1,262	256	231	265
FEMALE..	94,575	519	179	90	86	58	932	212	185	164
NEGRO.....MALE....	12,032	264	59	38	20	11	392	58	64	51
FEMALE..	13,283	206	46	30	15	16	313	41	37	50
OTHER.....MALE....	614	26	7	-	2	-	35	1	2	3
FEMALE..	379	21	6	1	2	1	31	1	3	2
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	192,951	144	45	41	32	26	288	101	141	188
WHITE.....MALE....	79,638	62	19	21	13	11	126	44	58	85
FEMALE..	89,099	47	16	15	9	10	97	39	55	69
NEGRO.....MALE....	10,859	19	6	4	4	1	34	7	15	13
FEMALE..	12,501	13	4	1	5	4	27	11	13	21
OTHER.....MALE....	528	2	-	-	1	-	3	-	-	-
FEMALE..	326	1	-	-	-	-	1	-	-	-
SUBARACHNOID HEMORRHAGE.....330	7,021	43	10	4	3	3	63	18	62	108
WHITE.....MALE....	2,656	21	7	3	3	1	35	7	24	51
FEMALE..	3,181	15	1	-	-	2	18	8	24	42
NEGRO.....MALE....	483	5	1	1	-	-	7	1	9	4
FEMALE..	641	2	1	-	-	-	3	2	5	11
OTHER.....MALE....	34	-	-	-	-	-	-	-	-	-
FEMALE..	26	-	-	-	-	-	-	-	-	-
CEREBRAL HEMORRHAGE.....331	109,023	64	8	6	11	8	97	32	41	46
WHITE.....MALE....	44,460	30	3	2	5	5	45	16	18	17
FEMALE..	49,508	16	2	3	4	3	28	9	17	18
NEGRO.....MALE....	6,657	7	1	-	1	-	9	3	3	5
FEMALE..	7,913	10	2	1	1	-	14	4	3	6
OTHER.....MALE....	298	1	-	-	-	-	1	-	-	-
FEMALE..	187	-	-	-	-	-	-	-	-	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	59,134	12	8	1	2	1	24	6	5	10
WHITE.....MALE....	25,246	4	4	1	-	-	9	1	1	3
FEMALE..	28,117	7	3	-	-	1	11	3	3	4
NEGRO.....MALE....	2,714	1	1	-	1	-	3	-	-	1
FEMALE..	2,803	-	-	-	-	-	-	2	1	2
OTHER.....MALE....	162	-	-	-	1	-	1	-	-	-
FEMALE..	92	-	-	-	-	-	-	-	-	-
OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....333,334	17,773	25	19	30	16	14	104	45	33	24
WHITE.....MALE....	7,276	7	5	15	5	5	37	20	15	14
FEMALE..	8,293	9	10	12	5	4	40	19	11	5
NEGRO.....MALE....	1,005	6	3	3	2	1	15	3	3	3
FEMALE..	1,144	1	1	-	4	4	10	3	4	2
OTHER.....MALE....	34	1	-	-	-	-	1	-	-	-
FEMALE..	21	1	-	-	-	-	1	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	-	-	-	-	-	2	-	7	21	49	63	80	73	33	7	4	-	4
-	-	-	-	-	-	1	-	1	4	19	23	26	22	14	2	1	-	5
-	-	-	-	-	-	-	-	2	15	24	35	50	47	17	4	3	-	6
-	-	-	-	-	-	1	-	-	1	2	1	1	2	1	-	-	-	7
-	-	-	-	-	-	-	-	4	1	4	4	3	-	1	1	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	10
																		11
2	4	25	61	62	80	94	49	43	33	12	4	-	1	-	-	-	-	12
1	3	17	35	40	59	81	41	37	27	10	4	-	1	-	-	-	-	13
-	-	-	8	9	6	8	2	3	2	-	-	-	-	-	-	-	-	14
1	1	8	17	11	13	4	4	3	4	1	-	-	-	-	-	-	-	15
-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	17
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	18
																		19
8	9	16	9	28	30	42	69	81	67	59	61	37	30	12	1	-	1	20
3	4	5	3	8	12	15	23	38	32	28	28	12	12	5	-	-	-	21
1	2	5	4	10	14	19	41	35	29	22	27	22	17	7	1	-	-	22
2	3	3	2	7	-	4	3	2	1	5	3	-	-	-	-	-	-	23
2	-	3	-	3	4	4	2	6	5	4	3	2	1	-	-	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
																		28
34	51	129	238	291	338	363	282	205	152	87	41	19	5	1	-	-	2	29
18	12	51	113	151	187	227	197	133	118	72	31	15	2	1	-	-	1	30
1	3	20	29	49	63	56	43	36	13	9	4	2	1	-	-	-	-	31
8	21	37	59	67	62	62	33	28	17	6	3	2	2	-	-	-	-	32
4	10	14	33	19	19	14	7	4	3	-	2	-	-	-	-	-	-	33
3	5	5	3	2	5	1	2	4	-	-	1	-	-	-	-	-	-	34
-	-	2	1	3	2	3	-	-	1	-	-	-	-	-	-	-	1	35
																		36
14	9	13	9	13	7	8	9	6	1	2	-	3	-	-	-	-	-	37
7	8	7	5	7	1	3	5	3	-	1	-	-	-	-	-	-	-	38
5	-	5	4	6	4	5	4	3	1	1	-	3	-	-	-	-	-	39
2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
70	61	69	37	29	17	14	17	16	6	13	10	8	6	2	-	-	-	45
42	21	17	10	1	5	5	8	6	3	5	2	3	3	1	-	-	-	46
5	6	7	6	11	7	7	9	8	3	7	8	5	2	1	-	-	-	47
19	21	31	15	16	4	1	-	1	-	1	-	-	-	-	-	-	-	48
4	13	14	6	1	1	-	-	1	-	-	-	-	1	-	-	-	-	49
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
568	646	1,139	1,799	2,933	4,460	6,898	9,271	14,472	22,372	30,722	36,386	34,669	24,076	9,642	2,121	353	72	54
																		55
217	262	434	629	1,013	1,641	2,726	3,900	6,203	10,084	13,969	15,965	14,284	9,085	3,172	623	67	19	56
211	216	364	589	962	1,446	2,271	2,957	4,836	8,455	13,195	17,653	18,597	13,866	5,938	1,309	198	19	57
70	77	147	258	478	605	912	1,150	1,519	1,838	1,619	1,244	735	491	213	62	36	13	58
60	81	186	312	461	728	944	1,172	1,818	1,906	1,797	1,378	949	565	296	119	50	20	59
7	6	4	7	15	22	24	58	66	53	91	95	65	34	20	4	1	1	60
3	4	4	4	4	18	21	34	30	36	51	51	39	35	3	4	1	-	61
																		62
																		63
239	344	730	1,310	2,263	3,727	6,062	8,385	13,490	21,051	29,410	35,290	34,036	23,799	9,577	2,106	348	66	64
95	124	267	418	736	1,306	2,332	3,477	5,716	9,366	13,287	15,392	13,997	8,967	3,145	619	64	17	65
84	118	212	422	706	1,167	1,934	2,611	4,429	7,945	12,636	17,170	18,276	13,715	5,902	1,299	196	17	66
25	44	94	187	388	535	851	1,063	1,479	1,788	1,581	1,219	727	486	213	62	36	12	67
33	54	152	273	418	682	905	1,146	1,777	1,868	1,773	1,366	937	563	295	118	50	19	68
-	2	3	7	12	19	21	55	59	50	86	92	61	33	19	4	1	1	69
2	2	2	3	3	18	19	33	30	34	47	51	38	35	3	4	1	-	70
																		71
121	200	377	578	753	934	896	754	617	526	427	312	163	80	23	7	-	2	72
42	73	157	209	249	337	334	301	242	210	169	129	56	21	6	4	-	-	73
45	69	130	240	333	425	425	341	282	252	214	165	95	56	12	3	-	2	74
16	25	30	51	70	67	73	43	33	26	15	6	3	2	2	-	-	-	75
16	32	59	75	92	95	56	60	53	36	25	9	9	-	3	-	-	-	76
-	1	1	2	6	4	4	8	5	-	2	1	-	-	-	-	-	-	77
2	-	-	1	3	6	4	1	2	2	2	2	-	1	-	-	-	-	78
																		79
88	113	282	574	1,204	2,168	3,837	5,420	8,441	12,661	17,035	19,997	18,582	12,413	4,792	993	161	46	80
40	39	88	158	381	719	1,441	2,192	3,491	5,485	7,530	8,641	7,603	4,646	1,587	273	38	12	81
29	39	63	132	306	603	1,159	1,685	2,746	4,836	7,361	9,770	9,955	7,147	2,896	621	77	11	82
6	17	53	115	252	367	559	711	957	1,100	936	689	438	258	124	28	19	8	83
13	16	75	164	261	458	654	775	1,188	1,192	1,131	814	538	326	174	67	25	15	84
-	1	2	3	4	11	13	34	39	29	46	55	32	15	10	2	1	-	85
-	1	1	2	-	10	11	23	20	19	31	28	16	21	1	2	1	-	86
																		87
16	14	43	106	224	456	1,036	1,773	3,593	6,410	9,583	11,542	11,587	8,392	3,378	784	140	12	88
7	3	13	32	84	199	459	820	1,646	3,060	4,492	5,101	4,781	3,174	1,108	230	21	2	89
5	5	10	38	50	108	280	481	1,168	2,333	4,101	5,634	6,288	4,877	2,125	495	94	4	90
1	1	9	13	47	66	168	222	371	492	487	377	205	160	56	22	10	3	91
3	5	11	22	41	80	122	230	388	493	459	380	276	157	80	34	15	2	92
-	-	-	1	2	1	3	12	15	21	32	30	20	15	7	1	-	1	93
-	-	-	-	-	2	4	8	5	11	12	20	17	9	2	2	-	-	94
																		95
14	17	28	52	82	169	293	438	839	1,454	2,365	3,439	3,704	2,914	1,384	322	47	6	96
6	9	9	19	22	51	98	164	337	611	1,096	1,521	1,557	1,126	444	112	5	3	97
5	5	9	12	17	31	70	104	233	524	960	1,601	1,938	1,635	869	180	25	-	98
2	1	2	8	19	35	51	87	118	170	143	147	81	66	31	12	7	1	99
1	1	7	12	24	49	73	81	148	147	158	163	114	80	38	17	10	2	100
-	-	-	1	-	3	1	1	-	-	6	6	9	3	2	1	-	-	101
-	1	1	-	-	-	-	1	3	2	2	1	5	4	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS--CON.										
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,263	876	203	118	68	39	1,304	117	40	30
WHITE.....MALE....	936	327	74	67	36	19	523	52	13	14
FEMALE..	661	231	69	25	23	15	363	40	11	9
NEGRO.....MALE....	345	163	28	12	5	3	211	17	6	2
FEMALE..	275	125	24	14	4	2	169	8	9	5
OTHER.....MALE....	28	17	5	-	-	-	22	-	-	-
FEMALE..	18	13	3	-	-	-	16	-	1	-
MULTIPLE SCLEROSIS.....345	1,432	-	-	-	1	-	1	2	3	8
WHITE.....MALE....	572	-	-	-	-	-	-	2	1	3
FEMALE..	756	-	-	-	1	-	1	-	2	2
NEGRO.....MALE....	42	-	-	-	-	-	-	-	-	-
FEMALE..	59	-	-	-	-	-	-	-	-	3
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
PARALYSIS AGITANS.....350	2,851	2	-	-	-	-	2	1	-	-
WHITE.....MALE....	1,512	1	-	-	-	-	1	1	-	-
FEMALE..	1,265	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	43	-	-	-	-	-	-	-	-	-
FEMALE..	20	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	684	107	40	43	29	29	248	97	108	77
WHITE.....MALE....	338	54	17	19	17	18	125	42	52	42
FEMALE..	258	34	15	13	9	8	79	42	48	24
NEGRO.....MALE....	53	11	4	7	1	-	23	7	7	6
FEMALE..	29	6	3	4	1	3	17	6	1	4
OTHER.....MALE....	2	1	-	-	1	-	2	-	-	-
FEMALE..	4	1	1	-	-	-	2	-	-	1
EPILEPSY.....353	1,898	17	20	24	25	18	104	73	88	138
WHITE.....MALE....	843	8	8	7	11	11	45	29	41	73
FEMALE..	575	5	7	9	11	3	35	22	19	31
NEGRO.....MALE....	323	1	2	3	2	1	9	12	19	21
FEMALE..	135	3	2	5	1	2	13	8	7	11
OTHER.....MALE....	11	-	-	-	-	-	-	1	-	1
FEMALE..	11	-	1	-	-	1	2	1	2	1
INFLAMMATORY DISEASES OF EYE.....370-379	15	1	1	-	-	-	2	-	-	-
WHITE.....MALE....	8	-	1	-	-	-	1	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	16	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	8	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	310	85	17	6	6	3	117	13	12	10
WHITE.....MALE....	144	33	8	2	2	2	47	9	5	3
FEMALE..	116	21	8	2	4	1	36	4	5	5
NEGRO.....MALE....	19	11	1	2	-	-	14	-	1	1
FEMALE..	23	14	-	-	-	-	14	-	-	1
OTHER.....MALE....	4	3	-	-	-	-	3	-	1	-
FEMALE..	4	3	-	-	-	-	3	-	-	-
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,762	502	185	79	76	57	899	165	130	84
WHITE.....MALE....	2,307	213	87	36	33	25	394	77	61	45
FEMALE..	1,826	180	64	26	29	21	320	65	45	24
NEGRO.....MALE....	348	59	18	10	8	6	101	15	16	8
FEMALE..	238	44	13	6	4	5	72	8	7	5
OTHER.....MALE....	31	3	2	-	-	-	5	-	1	2
FEMALE..	12	3	1	1	2	-	7	-	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	731,671	340	74	55	38	42	549	163	270	490
WHITE.....MALE....	387,727	134	20	17	14	16	201	57	92	215
FEMALE..	276,904	107	26	22	11	13	179	59	102	142
NEGRO.....MALE....	34,213	55	13	8	10	4	90	25	37	63
FEMALE..	30,182	36	13	7	3	9	68	20	35	62
OTHER.....MALE....	1,866	5	1	1	-	-	7	2	-	2
FEMALE..	779	3	1	-	-	-	4	-	4	6
DISEASES OF HEART.....400-402,410-443	663,391	292	65	51	34	38	480	147	223	399
WHITE.....MALE....	356,360	114	17	15	13	15	174	54	79	195
FEMALE..	247,375	91	22	20	9	11	153	48	77	102
NEGRO.....MALE....	30,486	48	11	8	9	3	79	24	33	50
FEMALE..	26,760	32	13	7	3	9	64	20	30	47
OTHER.....MALE....	1,717	5	1	1	-	-	7	1	-	2
FEMALE..	693	2	1	-	-	-	3	-	4	3

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
28	27	36	37	53	69	69	81	73	101	80	69	30	13	3	1	1	1	4
7	8	16	18	17	31	34	31	28	54	34	35	12	7	1	-	1	-	5
9	7	8	8	12	17	17	28	21	27	31	29	17	6	1	-	-	-	6
6	7	9	6	11	16	10	17	10	9	6	1	-	-	-	-	-	1	7
4	5	3	5	13	5	8	5	12	10	7	4	1	-	1	1	-	-	8
2	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	10
																		11
17	26	91	120	174	183	212	163	138	132	91	43	19	7	2	-	-	-	12
3	5	33	39	54	69	84	69	65	59	46	24	11	3	2	-	-	-	13
12	16	47	62	105	101	117	84	68	69	41	17	8	4	-	-	-	-	14
1	3	3	7	7	4	5	6	1	3	1	1	-	-	-	-	-	-	15
1	1	7	12	7	9	6	4	4	1	3	1	-	-	-	-	-	-	16
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
-	-	-	3	9	24	61	112	223	491	697	666	374	155	26	3	1	3	20
-	-	-	1	5	17	31	63	119	282	385	350	174	70	9	1	1	2	21
-	-	-	1	3	7	26	41	96	195	295	304	193	83	17	2	-	1	22
-	-	-	-	-	-	2	8	2	8	11	8	2	2	-	-	-	-	23
-	-	-	1	1	-	1	-	3	5	4	2	3	-	-	-	-	-	24
-	-	-	-	-	-	1	-	3	-	1	2	2	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	26
																		27
																		28
45	17	23	9	15	5	5	11	6	5	5	3	2	2	-	-	-	1	29
21	10	12	5	8	3	3	6	2	4	2	1	-	-	-	-	-	-	30
18	7	11	4	6	2	1	5	3	1	2	2	1	2	-	-	-	-	31
6	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	35
																		36
135	135	162	185	203	162	116	111	92	74	43	31	24	18	3	-	-	1	37
53	67	61	84	79	74	50	56	43	34	16	15	14	9	-	-	-	-	38
44	36	50	50	62	45	40	31	35	24	17	14	10	6	3	-	-	1	39
22	16	31	42	47	31	22	21	10	10	7	1	-	2	-	-	-	-	40
13	13	19	8	13	12	4	2	4	4	3	1	-	-	-	-	-	-	41
2	2	-	-	2	-	-	1	-	1	-	-	-	1	-	-	-	-	42
1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	43
																		44
-	-	-	-	-	-	1	-	2	1	-	4	2	2	1	-	-	-	45
-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	46
-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
-	-	-	-	-	-	1	-	4	5	2	2	2	-	-	-	-	-	54
-	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	55
-	-	-	-	-	-	-	-	3	4	-	2	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	-	2	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	63
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
																		69
10	8	6	7	12	11	12	19	15	16	10	13	10	8	1	-	-	-	70
4	7	2	1	11	6	6	9	5	12	8	3	3	2	1	-	-	-	71
5	-	4	5	1	4	6	9	8	2	2	10	5	5	-	-	-	-	72
1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	73
-	1	-	1	-	-	-	-	2	1	-	-	2	1	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	76
																		77
94	89	91	128	204	279	359	389	429	494	384	263	170	71	28	11	1	-	78
34	41	43	63	103	135	185	189	224	271	189	143	69	25	13	3	-	-	79
39	32	32	37	67	103	129	148	172	187	171	101	87	44	14	8	1	-	80
9	7	10	16	24	18	21	35	16	19	12	14	6	1	-	-	-	-	81
9	7	5	12	9	20	20	15	15	16	7	4	6	1	-	-	-	-	82
3	1	1	-	1	3	2	2	2	1	3	1	2	-	1	-	-	-	83
-	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	84
																		85
																		86
718	1,237	2,736	6,451	12,960	22,614	36,504	49,735	70,619	94,246	111,167	114,272	100,150	68,416	29,762	7,242	1,134	236	87
																		88
280	513	1,291	3,694	8,127	14,923	24,095	32,409	43,287	54,760	60,142	57,255	45,120	27,863	10,785	2,264	266	88	89
245	350	621	1,212	2,230	3,982	6,818	10,517	18,382	29,556	42,165	50,041	50,128	37,519	17,584	4,407	602	63	90
89	173	405	829	1,416	2,061	3,044	3,613	4,567	5,478	4,512	3,396	2,201	1,335	544	212	82	41	91
92	183	389	662	1,137	1,541	2,398	2,985	4,073	4,125	3,990	3,246	2,373	1,493	766	336	168	40	92
4	10	16	29	38	75	118	171	247	237	266	224	224	119	53	11	9	4	93
8	8	14	25	12	32	31	40	63	90	92	110	104	87	30	12	7	-	94
																		95
583	1,004	2,337	5,838	12,016	21,235	34,545	47,010	66,311	87,679	102,353	103,542	88,205	58,397	24,301	5,678	898	210	96
249	450	1,192	3,521	7,811	14,366	23,141	30,922	40,888	51,196	55,547	52,030	39,855	23,832	8,793	1,768	218	79	97
195	278	502	1,055	1,999	3,589	6,336	9,866	17,192	27,531	38,831	45,327	44,056	31,938	14,336	3,446	463	55	98
67	131	329	670	1,225	1,839	2,765	3,307	4,210	4,923	4,050	3,013	1,903	1,132	462	172	67	35	99
62	129	288	543	934	1,345	2,163	2,714	3,728	3,724	3,593	2,880	2,095	1,316	636	274	138	37	100
3	9	13	26	36	68	112	163	233	222	246	196	205	109	46	9	7	4	101
7	7	13	23	11	28	28	38	60	83	86	96	91	70	28	9	5	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM--CON.										
DISEASES OF HEART--CON.										
RHEUMATIC FEVER.....400-402	608	5	2	3	6	6	22	52	69	36
WHITE.....MALE....	239	2	-	1	1	3	7	16	16	10
FEMALE..	236	-	-	-	2	2	4	15	28	15
NEGRO.....MALE....	60	2	1	1	2	1	7	11	11	5
FEMALE..	66	1	1	1	1	-	4	10	13	6
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	1	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	17,264	1	1	3	2	3	10	22	54	150
WHITE.....MALE....	7,420	1	-	-	1	-	2	5	15	68
FEMALE..	8,486	-	1	1	-	-	2	5	23	44
NEGRO.....MALE....	593	-	-	-	1	-	1	6	6	18
FEMALE..	677	-	-	1	-	3	4	6	8	18
OTHER.....MALE....	47	-	-	1	-	-	1	-	-	-
FEMALE..	41	-	-	-	-	-	-	-	2	2
DISEASES OF MITRAL VALVE.....410	6,176	1	1	2	1	1	6	9	15	44
WHITE.....MALE....	2,429	1	-	-	-	-	1	1	3	19
FEMALE..	3,294	-	1	-	-	-	1	4	9	15
NEGRO.....MALE....	178	-	-	-	1	-	1	2	2	5
FEMALE..	241	-	-	1	-	1	2	2	1	4
OTHER.....MALE....	17	-	-	1	-	-	1	-	-	-
FEMALE..	17	-	-	-	-	-	-	-	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	2,002	-	-	-	-	-	-	-	5	19
WHITE.....MALE....	1,353	-	-	-	-	-	-	-	4	13
FEMALE..	544	-	-	-	-	-	-	-	1	2
NEGRO.....MALE....	64	-	-	-	-	-	-	-	-	3
FEMALE..	28	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	10	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
DISEASES OF PULMONARY VALVE, ETC., SPEC. AS RHEUMATIC.....413,414	890	-	-	-	-	-	-	-	5	6
WHITE.....MALE....	373	-	-	-	-	-	-	-	-	2
FEMALE..	456	-	-	-	-	-	-	-	2	2
NEGRO.....MALE....	32	-	-	-	-	-	-	-	1	-
FEMALE..	22	-	-	-	-	-	-	-	1	2
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	1	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	8,196	-	-	1	1	2	4	13	29	81
WHITE.....MALE....	3,265	-	-	-	1	-	1	4	8	34
FEMALE..	4,192	-	-	1	-	-	1	1	11	25
NEGRO.....MALE....	319	-	-	-	-	-	-	4	3	10
FEMALE..	386	-	-	-	-	2	2	4	6	11
OTHER.....MALE....	16	-	-	-	-	-	-	-	-	-
FEMALE..	18	-	-	-	-	-	-	-	1	1
ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE.....420	502,351	15	2	2	1	-	20	9	12	49
WHITE.....MALE....	291,614	7	1	-	1	-	9	3	5	30
FEMALE..	176,697	4	-	2	-	-	6	5	4	9
NEGRO.....MALE....	18,357	2	1	-	-	-	3	-	2	7
FEMALE..	14,068	1	-	-	-	-	1	1	1	2
OTHER.....MALE....	1,218	-	-	-	-	-	-	-	-	-
FEMALE..	397	1	-	-	-	-	1	-	-	1
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	214,865	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	110,872	-	-	-	-	-	-	-	-	-
FEMALE..	89,524	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	7,331	-	-	-	-	-	-	-	-	-
FEMALE..	6,382	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	550	-	-	-	-	-	-	-	-	-
FEMALE..	206	-	-	-	-	-	-	-	-	-
HEART DISEASE SPECIFIED AS INVOLVING CORONARY ARTERIES.....420.1	287,039	15	2	2	1	-	20	9	12	49
WHITE.....MALE....	180,504	7	1	-	1	-	9	3	5	30
FEMALE..	87,013	4	-	2	-	-	6	5	4	9
NEGRO.....MALE....	11,005	2	1	-	-	-	3	-	2	7
FEMALE..	7,658	1	-	-	-	-	1	1	1	2
OTHER.....MALE....	668	-	-	-	-	-	-	-	-	-
FEMALE..	191	1	-	-	-	-	1	-	-	1
ANGINA PECTORIS WITHOUT MENTION OF CORONARY DISEASE.....420.2	447	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	238	-	-	-	-	-	-	-	-	-
FEMALE..	160	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	21	-	-	-	-	-	-	-	-	-
FEMALE..	28	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	4,780	6	3	3	1	-	13	4	6	18
WHITE.....MALE....	2,424	3	1	1	1	-	6	2	5	8
FEMALE..	1,760	2	1	2	-	-	5	1	-	5
NEGRO.....MALE....	324	1	-	-	-	-	1	-	-	3
FEMALE..	253	-	-	-	-	-	-	-	1	2
OTHER.....MALE....	14	-	-	-	-	-	-	1	-	-
FEMALE..	5	-	1	-	-	-	1	-	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	262	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	105	-	-	-	-	-	-	-	-	-
FEMALE..	120	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	21	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
22	19	26	42	35	37	37	44	36	39	34	28	17	11	2	-	-	-	5
8	8	12	18	16	18	16	19	13	23	19	12	6	2	-	-	-	-	6
10	6	10	12	9	18	14	18	16	11	15	14	11	8	2	-	-	-	7
2	1	1	3	4	-	3	3	4	3	-	2	-	-	-	-	-	-	8
2	4	2	7	5	1	3	3	3	2	-	-	-	1	-	-	-	-	9
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	11
																		12
252	358	596	943	1,273	1,733	2,119	2,214	2,067	1,890	1,507	1,020	607	338	85	24	2	-	13
95	145	246	397	571	780	958	989	917	842	628	418	215	101	22	6	-	-	14
103	142	246	427	581	802	1,007	1,092	1,027	951	809	561	370	219	60	14	1	-	15
22	29	42	52	49	68	71	56	56	54	29	20	6	7	1	-	-	-	16
25	39	52	60	66	73	75	70	58	36	36	18	15	11	2	4	1	-	17
1	1	4	1	3	8	6	7	5	5	3	1	1	-	-	-	-	-	18
6	2	6	6	3	2	2	-	4	2	2	2	-	-	-	-	-	-	19
																		20
																		21
82	136	223	355	459	626	744	716	647	606	549	410	278	204	50	15	2	-	22
21	46	86	122	180	236	297	298	263	272	224	169	116	60	12	3	-	-	23
48	74	100	199	240	344	409	378	339	302	286	218	151	131	37	8	1	-	24
4	4	13	14	12	20	16	16	19	17	16	11	2	4	-	-	-	-	25
7	11	16	16	23	20	19	22	26	15	22	11	9	9	1	4	1	-	26
-	-	4	1	1	4	3	2	-	-	1	-	-	-	-	-	-	-	27
2	1	4	3	3	2	-	-	-	-	-	1	-	-	-	-	-	-	28
																		29
27	45	75	143	139	213	241	270	245	254	165	86	51	19	5	-	-	-	30
16	34	56	97	112	166	183	178	158	170	94	43	20	7	2	-	-	-	31
8	7	14	29	23	33	48	83	74	73	65	41	28	12	3	-	-	-	32
2	3	2	12	2	8	6	6	8	8	2	1	1	-	-	-	-	-	33
-	1	3	5	1	4	4	1	3	1	2	1	1	-	-	-	-	-	34
-	-	-	-	1	2	-	2	1	2	1	-	1	-	-	-	-	-	35
1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	36
																		37
17	14	32	41	57	96	106	105	121	97	82	64	31	12	2	2	-	-	38
7	3	14	19	27	45	44	47	59	32	40	20	8	5	-	1	-	-	39
7	9	12	17	27	44	54	54	57	60	39	41	22	7	1	1	-	-	40
2	1	4	2	-	4	3	3	4	3	1	3	1	-	-	-	-	-	41
1	1	1	2	3	2	4	-	1	1	2	-	-	-	1	-	-	-	42
-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	43
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
																		45
126	163	266	404	618	798	1,028	1,123	1,054	933	711	460	247	103	28	7	-	-	46
51	62	90	159	252	333	434	466	437	368	270	186	71	29	8	2	-	-	47
40	52	120	182	291	381	496	577	557	516	419	261	169	69	19	5	-	-	48
14	21	23	24	35	36	46	31	25	26	10	5	2	3	1	-	-	-	49
17	26	32	37	39	47	48	47	28	19	10	6	5	2	-	-	-	-	50
1	1	-	-	1	1	2	2	4	2	1	1	-	-	-	-	-	-	51
3	1	1	2	-	-	2	-	3	2	1	1	-	-	-	-	-	-	52
																		53
																		54
107	343	1,131	3,668	8,598	16,050	26,790	37,073	52,774	70,088	80,156	78,805	64,278	41,062	16,738	3,842	611	147	55
57	208	756	2,731	6,525	12,246	19,919	26,546	35,064	43,739	46,213	41,721	30,501	17,585	6,311	1,224	155	66	56
23	54	128	384	996	2,089	4,055	6,923	12,842	20,923	29,314	33,380	31,257	21,908	9,694	2,340	324	39	57
20	49	150	340	673	1,068	1,648	2,033	2,650	3,139	2,425	1,839	1,153	687	301	101	51	18	58
7	25	88	192	378	591	1,070	1,420	2,023	2,074	1,972	1,663	1,159	762	378	166	75	20	59
-	5	7	17	24	42	82	126	158	159	181	143	149	80	29	7	5	4	60
-	2	2	4	2	14	16	25	37	54	51	59	59	40	25	4	1	-	61
																		62
																		63
7	24	153	493	1,341	2,970	5,995	9,930	16,911	26,299	35,350	39,016	36,491	25,518	11,215	2,674	412	66	64
7	16	108	391	992	2,154	4,235	6,640	10,456	15,422	19,190	19,403	16,491	10,413	4,029	806	96	23	65
-	3	16	38	140	418	989	2,092	4,576	8,475	13,829	17,592	18,537	14,153	6,729	1,679	232	26	66
-	4	20	43	138	232	419	653	992	1,354	1,175	967	635	400	192	69	30	8	67
-	-	8	18	67	148	321	492	813	952	1,030	942	708	481	234	112	48	8	68
-	-	1	3	4	12	25	43	57	67	99	77	88	48	15	5	5	1	69
-	1	-	-	-	6	6	10	17	29	27	35	32	23	16	3	1	-	70
																		71
100	319	976	3,173	7,251	13,066	20,768	27,100	35,809	43,734	44,735	39,713	27,733	15,513	5,514	1,166	198	81	72
50	192	646	2,338	5,531	10,080	15,665	19,874	24,575	28,289	26,991	22,284	13,985	7,158	2,279	418	59	43	73
23	51	112	346	856	1,670	3,060	4,827	8,258	12,429	15,451	15,750	12,692	7,740	2,959	660	92	13	74
20	45	130	297	532	835	1,229	1,377	1,654	1,781	1,248	869	517	287	109	32	21	10	75
7	25	80	174	310	443	747	924	1,201	1,118	939	720	451	279	144	53	26	12	76
-	5	6	14	20	30	57	83	101	92	82	66	61	32	14	2	-	3	77
-	1	2	4	2	8	10	15	20	25	24	24	27	17	9	1	-	-	78
																		79
-	-	2	2	6	14	27	43	54	55	71	76	54	31	9	2	1	-	80
-	-	2	2	2	12	19	32	33	28	32	34	25	14	3	-	-	-	81
-	-	-	-	-	1	6	4	8	19	34	38	28	15	6	1	-	-	82
-	-	-	-	3	1	-	3	4	4	2	3	1	-	-	-	-	-	83
-	-	-	-	1	-	2	4	9	4	3	1	-	2	-	1	1	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
																		87
14	23	30	63	108	173	291	385	520	635	689	646	562	391	164	38	6	1	88
8	13	14	39	53	104	181	231	324	345	336	323	236	132	56	7	1	-	89
5	5	9	9	26	36	57	81	121	192	285	274	293	232	98	25	-	1	90
-	2	2	10	15	25	34	37	41	49	35	31	17	10	6	4	2	-	91
1	3	4	4	14	8	18	35	32	46	31	14	15	16	4	2	3	-	92
-	-	-	1	-	-	1	1	2	3	2	2	1	-	-	-	-	-	93
-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	94
																		95
-	1	-	-	1	3	8	8	17	22	45	37	51	43	21	4	-	-	96
-	1	-	-	-	-	4	3	11	8	23	15	19	11	10	-	-	-	97
-	-	-	-	1	2	-	-	3	5	19	20	26	31	9	4	-	-	98
-	-	-	-	-	1	4	3	2	6	-	1	2	1	1	-	-	-	99
-	-	-	-	-	-	-	2	1	2	3	1	4	-	1	-	-	-	100
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM--CON.										
DISEASES OF HEART--CON.										
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC--CON.										
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,257	-	-	1	-	-	1	1	3	10
WHITE.....MALE....	1,351	-	-	1	-	-	1	1	3	2
FEMALE..	668	-	-	-	-	-	-	-	-	4
NEGRO.....MALE....	149	-	-	-	-	-	-	-	-	3
FEMALE..	80	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC.....421.2-421.4	2,261	6	3	2	1	-	12	3	3	7
WHITE.....MALE....	968	3	1	-	1	-	5	1	2	6
FEMALE..	972	2	1	2	-	-	5	1	-	1
NEGRO.....MALE....	154	1	-	-	-	-	1	-	-	-
FEMALE..	158	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	6	-	-	-	-	-	-	1	-	-
FEMALE..	3	-	1	-	-	-	1	-	-	-
OTHER MYOCARDIAL DEGENERATION.....422	49,852	38	10	9	1	6	64	11	12	20
WHITE.....MALE....	21,578	10	3	2	1	4	20	6	7	11
FEMALE..	23,009	19	4	4	-	1	28	3	3	1
NEGRO.....MALE....	2,680	7	2	2	-	-	11	2	1	4
FEMALE..	2,435	2	1	1	-	1	5	-	1	3
OTHER.....MALE....	102	-	-	-	-	-	-	-	-	1
FEMALE..	48	-	-	-	-	-	-	-	-	-
WITH ARTERIOSCLEROSIS.....422.1	38,004	2	-	-	-	-	2	1	1	-
WHITE.....MALE....	16,386	-	-	-	-	-	-	-	-	-
FEMALE..	17,738	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	1,987	-	-	-	-	-	-	1	1	-
FEMALE..	1,793	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	66	-	-	-	-	-	-	-	-	-
FEMALE..	34	-	-	-	-	-	-	-	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	11,848	36	10	9	1	6	62	10	11	20
WHITE.....MALE....	5,192	10	3	2	1	4	20	6	7	11
FEMALE..	5,271	18	4	4	-	1	27	3	3	1
NEGRO.....MALE....	693	7	2	2	-	-	11	1	-	4
FEMALE..	642	1	1	1	-	1	4	-	1	3
OTHER.....MALE....	36	-	-	-	-	-	-	-	-	1
FEMALE..	14	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF HEART.....430-434	25,254	226	47	31	22	23	349	48	68	120
WHITE.....MALE....	12,162	91	12	11	7	8	129	22	31	65
FEMALE..	8,762	66	16	11	7	8	108	18	19	27
NEGRO.....MALE....	2,309	36	7	5	6	2	56	5	12	12
FEMALE..	1,855	27	11	4	2	5	49	3	5	15
OTHER.....MALE....	107	5	1	-	-	-	6	-	-	1
FEMALE..	59	1	-	-	-	-	1	-	1	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	786	4	1	5	1	2	13	7	9	18
WHITE.....MALE....	427	1	1	2	-	1	5	4	2	4
FEMALE..	224	2	-	2	-	1	5	1	3	5
NEGRO.....MALE....	85	1	-	-	1	-	2	1	2	6
FEMALE..	46	-	-	1	-	-	1	1	1	3
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	1	-
ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC.....431,432	1,011	51	15	4	4	3	77	13	10	21
WHITE.....MALE....	460	19	6	1	1	2	29	2	4	13
FEMALE..	369	17	7	3	2	1	30	9	3	3
NEGRO.....MALE....	97	7	1	-	-	-	8	1	2	1
FEMALE..	77	6	1	-	1	-	8	1	1	3
OTHER.....MALE....	5	2	-	-	-	-	2	-	-	1
FEMALE..	3	-	-	-	-	-	-	-	-	-
FUNCTIONAL DISEASE OF HEART.....433	5,834	81	8	6	9	7	111	9	17	33
WHITE.....MALE....	2,661	37	2	4	5	3	51	6	12	21
FEMALE..	2,672	22	3	2	2	3	32	2	4	6
NEGRO.....MALE....	235	11	1	-	2	-	14	1	1	2
FEMALE..	231	8	1	-	-	1	10	-	-	4
OTHER.....MALE....	21	2	1	-	-	-	3	-	-	-
FEMALE..	14	1	-	-	-	-	1	-	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	17,623	90	23	16	8	11	148	19	32	48
WHITE.....MALE....	8,614	34	3	4	1	2	44	10	13	27
FEMALE..	5,497	25	6	4	3	3	41	6	9	13
NEGRO.....MALE....	1,892	17	5	5	3	2	32	2	7	3
FEMALE..	1,501	13	9	3	1	4	30	1	3	5
OTHER.....MALE....	80	1	-	-	-	-	1	-	-	-
FEMALE..	39	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE.....440-443	63,282	1	-	-	1	-	2	1	2	6
WHITE.....MALE....	20,923	-	-	-	1	-	1	-	-	3
FEMALE..	28,425	-	-	-	-	-	-	1	-	1
NEGRO.....MALE....	6,163	-	-	-	-	-	-	-	1	1
FEMALE..	7,406	1	-	-	-	-	1	-	1	1
OTHER.....MALE....	227	-	-	-	-	-	-	-	-	-
FEMALE..	138	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	14,676	1	-	-	-	-	1	-	-	2
WHITE.....MALE....	5,924	-	-	-	-	-	-	-	-	1
FEMALE..	6,234	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	1,279	-	-	-	-	-	-	-	-	-
FEMALE..	1,170	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	43	-	-	-	-	-	-	-	-	-
FEMALE..	26	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
11	14	19	36	62	109	173	237	288	343	339	257	185	116	40	12	1	-	6
6	8	12	24	40	75	126	164	191	219	191	145	84	46	11	2	-	-	7
5	3	4	3	9	18	25	45	59	94	120	94	91	60	27	7	-	-	8
-	2	2	8	6	12	15	18	22	17	19	13	5	2	1	3	1	-	9
-	1	1	1	7	4	6	9	14	12	8	3	5	7	1	-	-	-	10
-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	12
																		13
3	8	11	27	45	61	110	140	215	270	305	352	326	232	103	22	5	1	14
2	4	2	15	13	29	51	64	122	118	122	163	133	75	35	5	1	-	15
-	2	5	6	16	16	32	36	59	93	146	160	176	141	62	14	-	1	16
-	-	-	2	9	12	15	16	17	26	16	17	10	7	4	1	1	-	17
1	2	3	3	7	4	12	24	17	32	20	10	6	9	2	2	3	-	18
-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	19
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	20
																		21
28	47	78	147	293	558	1,041	1,600	2,700	4,244	6,726	8,814	10,027	8,170	4,013	1,071	166	22	22
14	14	27	51	132	284	508	769	1,296	2,002	3,150	4,067	4,279	3,168	1,388	338	38	9	23
8	14	13	43	65	122	236	399	790	1,443	2,712	4,076	5,198	4,639	2,459	658	96	3	24
4	10	22	26	50	86	186	241	311	441	450	318	242	168	63	34	5	5	25
-	9	15	24	43	63	109	185	287	342	391	333	279	181	97	37	26	5	26
1	-	-	1	3	2	1	6	12	9	19	14	18	7	6	1	1	-	27
1	-	1	2	-	1	1	-	4	7	4	6	11	7	-	3	-	-	28
																		29
4	1	15	43	149	301	657	1,100	1,986	3,294	5,207	6,887	7,900	6,402	3,102	813	123	16	30
2	-	4	19	74	168	327	523	944	1,572	2,439	3,141	3,327	2,504	1,043	263	29	7	31
2	-	-	8	25	45	125	258	572	1,100	2,073	3,224	4,159	3,639	1,942	493	70	2	32
-	1	7	10	30	57	130	185	231	343	363	249	191	118	38	27	2	3	33
-	-	3	5	19	31	73	131	230	267	315	258	202	129	75	28	22	4	34
-	-	-	1	1	-	1	3	8	6	14	10	11	6	4	1	-	-	35
-	-	1	-	-	-	1	-	1	6	3	5	10	6	-	1	-	-	36
																		37
24	46	63	104	144	257	384	500	714	950	1,519	1,927	2,127	1,768	911	258	43	6	38
12	14	23	32	58	116	181	246	352	430	711	926	952	664	345	75	9	2	39
6	14	13	35	40	77	111	141	218	343	639	852	1,039	1,000	517	165	26	1	40
4	9	15	16	20	29	56	56	80	98	87	69	51	50	25	7	3	2	41
-	9	12	19	24	32	36	54	57	75	76	75	77	52	22	9	4	1	42
1	-	-	-	2	2	-	3	4	3	5	4	7	1	2	-	1	-	43
1	-	-	2	-	1	-	-	3	1	1	1	1	1	-	2	-	-	44
																		45
																		46
140	157	273	483	739	1,043	1,449	1,817	2,313	2,845	3,321	3,509	3,228	2,168	904	225	47	8	47
63	52	100	201	324	519	717	1,001	1,235	1,453	1,680	1,716	1,476	942	350	71	15	-	48
41	47	66	106	176	194	291	376	573	881	1,167	1,435	1,496	1,105	495	123	17	1	49
13	22	52	91	127	187	257	251	278	285	258	193	117	55	20	12	3	3	50
22	31	52	75	107	132	181	180	208	212	193	148	124	57	31	16	10	4	51
1	3	1	3	3	8	2	7	11	11	17	10	8	7	7	1	-	-	52
-	2	2	7	2	3	1	2	8	3	6	7	7	2	1	2	2	-	53
																		54
23	16	34	39	54	66	64	76	97	72	88	55	34	12	8	1	-	-	55
11	9	17	22	21	35	35	46	67	43	49	33	15	7	2	-	-	-	56
7	3	7	13	21	12	13	18	21	24	28	18	16	3	6	-	-	-	57
2	1	7	2	9	13	10	8	8	3	4	2	3	1	-	1	-	-	58
3	3	3	2	2	5	5	4	1	2	7	2	-	1	-	-	-	-	59
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	61
																		62
																		63
24	21	36	49	45	68	51	70	85	80	83	88	85	57	36	10	2	-	64
9	7	15	24	19	34	22	36	43	40	33	45	40	23	16	5	1	-	65
7	7	15	12	12	19	18	20	28	26	33	33	38	32	19	5	-	-	66
4	1	4	5	8	11	8	9	6	7	10	4	5	2	1	-	-	-	67
4	5	2	7	6	4	3	5	8	5	7	6	2	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	69
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	70
																		71
36	35	38	79	110	131	185	284	393	581	809	962	963	691	288	71	7	1	72
19	12	15	28	44	57	78	150	190	291	376	451	425	295	110	26	4	-	73
12	17	12	22	42	44	66	94	146	233	376	465	514	377	169	37	2	-	74
1	2	2	10	13	14	24	19	31	32	28	22	6	8	2	2	-	1	75
4	3	8	16	10	15	17	19	24	24	21	23	14	7	6	5	1	-	76
-	1	-	-	-	1	-	1	-	1	7	1	2	3	1	-	-	-	77
-	-	1	3	1	-	-	1	2	-	1	-	2	1	-	1	-	-	78
																		79
57	85	165	316	530	778	1,149	1,387	1,738	2,112	2,341	2,404	2,146	1,408	572	143	38	7	80
24	24	53	127	240	393	582	769	935	1,079	1,222	1,187	996	617	222	40	10	-	81
15	20	32	59	101	119	194	244	378	598	730	919	928	693	301	81	15	1	82
6	18	39	74	97	149	215	215	233	243	216	165	103	44	17	9	3	2	83
11	20	39	50	89	108	156	152	175	181	158	117	108	49	25	11	9	4	84
1	2	1	3	3	6	2	6	11	8	10	9	6	4	6	1	-	-	85
-	1	1	3	-	3	-	1	6	3	5	7	5	1	1	1	1	-	86
																		87
20	57	203	492	970	1,641	2,818	3,877	5,901	7,938	9,920	10,720	9,486	6,257	2,395	478	66	32	88
4	10	37	84	190	415	842	1,367	2,039	2,792	3,521	3,773	3,142	1,902	666	122	9	4	89
5	10	30	74	146	328	676	977	1,823	3,130	4,529	5,587	5,431	3,827	1,528	286	25	11	90
6	18	60	148	307	405	566	686	870	952	853	610	368	205	71	21	6	9	91
5	18	75	181	321	477	707	821	1,117	1,012	970	704	503	288	124	49	23	8	92
-	-	1	2	3	8	19	16	45	35	24	26	28	15	4	-	1	-	93
-	1	-	3	3	8	8	10	7	17	23	20	14	20	2	-	2	-	94
																		95
4	14	34	94	173	257	425	594	984	1,363	2,033	2,654	2,734	2,110	964	187	37	12	96
1	4	10	14	36	61	147	223	366	543	885	1,183	1,164	855	359	65	6	1	97
1	4	4	14	24	39	91	133	260	480	822	1,187	1,369	1,131	552	104	15	3	98
1	2	9	25	59	81	82	122	172	189	181	151	110	56	23	7	5	4	99
1	4	10	40	53	72	98	111	178	144	137	124	81	62	28	11	11	4	100
-	-	1	-	-	1	6	3	7	4	6	6	6	2	1	-	-	-	101
-	-	-	1	1	3	1	2	1	3	2	3	4	4	1	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM--CON.										
DISEASES OF HEART--CON.										
HYPERTENSIVE HEART DISEASE--CON.										
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	48,606	-	-	-	1	-	1	1	2	4
WHITE.....MALE....	14,999	-	-	-	1	-	1	-	-	2
FEMALE..	22,191	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....	4,884	-	-	-	-	-	-	-	1	1
FEMALE..	6,236	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	184	-	-	-	-	-	-	-	-	-
FEMALE..	112	-	-	-	-	-	-	-	-	-
OTHER HYPERTENSIVE DISEASE.....444-447	12,185	-	-	-	-	-	-	3	5	7
WHITE.....MALE....	4,749	-	-	-	-	-	-	-	-	1
FEMALE..	4,910	-	-	-	-	-	-	3	4	-
NEGRO.....MALE....	1,281	-	-	-	-	-	-	-	1	5
FEMALE..	1,204	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	26	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	6,591	-	-	-	-	-	-	3	1	2
WHITE.....MALE....	3,079	-	-	-	-	-	-	-	-	-
FEMALE..	2,558	-	-	-	-	-	-	3	1	-
NEGRO.....MALE....	517	-	-	-	-	-	-	-	-	2
FEMALE..	413	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	14	-	-	-	-	-	-	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART.....444,445,447	5,594	-	-	-	-	-	-	-	4	5
WHITE.....MALE....	1,670	-	-	-	-	-	-	-	-	1
FEMALE..	2,352	-	-	-	-	-	-	-	3	-
NEGRO.....MALE....	764	-	-	-	-	-	-	-	1	3
FEMALE..	791	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
DISEASES OF ARTERIES.....450-456	47,293	10	2	2	-	1	15	6	34	54
WHITE.....MALE....	22,669	4	-	1	-	-	5	1	11	11
FEMALE..	20,981	2	1	1	-	1	5	4	18	27
NEGRO.....MALE....	1,826	3	1	-	-	-	4	1	1	4
FEMALE..	1,649	1	-	-	-	-	1	-	4	9
OTHER.....MALE....	104	-	-	-	-	-	-	-	-	-
FEMALE..	64	-	-	-	-	-	-	-	-	3
GENERAL ARTERIOSCLEROSIS.....450	35,388	1	-	-	-	-	1	-	1	-
WHITE.....MALE....	15,196	1	-	-	-	-	1	-	-	-
FEMALE..	17,631	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	1,273	-	-	-	-	-	-	-	-	-
FEMALE..	1,191	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	51	-	-	-	-	-	-	-	-	-
FEMALE..	46	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM.....451	8,779	-	1	1	-	-	2	-	2	4
WHITE.....MALE....	5,968	-	-	1	-	-	1	-	2	2
FEMALE..	2,135	-	1	-	-	-	1	-	-	-
NEGRO.....MALE....	390	-	-	-	-	-	-	-	-	2
FEMALE..	235	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	44	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	241	1	-	-	-	-	1	-	1	-
WHITE.....MALE....	111	-	-	-	-	-	-	-	-	-
FEMALE..	72	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	28	-	-	-	-	-	-	-	-	-
FEMALE..	28	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	2,885	8	1	1	-	1	11	6	30	50
WHITE.....MALE....	1,394	3	-	-	-	-	3	1	9	9
FEMALE..	1,143	2	-	1	-	1	4	4	16	27
NEGRO.....MALE....	135	3	1	-	-	-	4	1	1	2
FEMALE..	195	-	-	-	-	-	-	-	4	9
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	3
DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM....460-468	8,802	38	7	2	4	3	54	7	8	30
WHITE.....MALE....	3,949	16	3	1	1	1	22	2	2	8
FEMALE..	3,638	14	3	1	2	1	21	4	3	13
NEGRO.....MALE....	620	4	1	-	1	1	7	-	2	4
FEMALE..	569	3	-	-	-	-	3	-	1	5
OTHER.....MALE....	19	-	-	-	-	-	-	1	-	-
FEMALE..	7	1	-	-	-	-	1	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	82,570	11,784	1,571	667	392	239	14,653	674	390	368
WHITE.....MALE....	44,349	4,456	576	246	160	105	5,543	270	163	169
FEMALE..	25,807	3,230	466	218	111	74	4,099	268	148	107
NEGRO.....MALE....	7,021	2,074	245	114	65	32	2,530	71	38	40
FEMALE..	4,624	1,766	246	79	52	25	2,168	59	35	46
OTHER.....MALE....	489	139	21	4	1	3	168	3	5	3
FEMALE..	280	119	17	6	3	-	145	3	1	3
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	808	389	55	41	26	15	526	44	9	10
WHITE.....MALE....	351	169	31	20	14	5	239	27	4	2
FEMALE..	268	103	13	14	9	9	148	11	2	4
NEGRO.....MALE....	90	57	5	4	1	-	67	2	2	3
FEMALE..	88	54	5	3	2	1	65	4	1	1
OTHER.....MALE....	7	4	1	-	-	-	5	-	-	-
FEMALE..	4	2	-	-	-	-	2	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
16	43	169	398	797	1,384	2,393	3,283	4,917	6,575	7,887	8,066	6,752	4,147	1,431	291	29	20	6
3	6	27	70	154	354	695	1,144	1,673	2,249	2,636	2,590	1,978	1,047	307	57	3	3	7
4	6	26	60	122	289	585	844	1,563	2,650	3,707	4,400	4,062	2,696	976	182	10	8	8
5	16	51	123	248	324	484	564	698	763	672	459	258	149	48	14	1	5	9
4	14	65	141	268	405	609	710	939	868	833	580	422	226	96	38	12	4	10
-	-	-	2	3	7	13	13	38	31	18	20	22	13	3	-	1	-	11
-	1	-	2	2	5	7	8	6	14	21	17	10	16	1	-	2	-	12
																		13
25	63	152	263	403	462	576	638	869	1,211	1,578	1,860	1,912	1,392	611	131	22	2	14
5	17	26	47	86	135	206	277	345	491	671	800	797	563	232	44	5	1	15
2	7	15	34	61	92	117	140	289	453	666	881	974	741	344	77	10	-	16
9	24	49	115	120	124	129	112	110	144	113	94	65	46	13	4	3	1	17
9	15	61	67	134	107	120	107	122	122	123	81	67	37	22	6	3	-	18
-	-	1	-	1	2	2	1	2	1	3	4	5	3	-	-	1	-	19
-	-	-	-	1	2	2	1	1	-	2	-	4	2	-	-	-	-	20
																		21
2	10	29	38	87	120	186	261	441	701	959	1,168	1,217	878	388	83	16	1	22
1	4	9	7	17	41	72	108	192	325	460	589	623	418	173	35	4	1	23
1	4	4	5	19	21	32	54	146	228	373	489	516	410	201	44	7	-	24
-	-	7	17	23	33	37	51	51	94	76	51	39	27	6	1	2	-	25
-	2	8	9	28	22	43	46	50	53	48	37	34	20	8	3	2	-	26
-	-	1	-	-	1	1	1	1	1	-	2	3	2	-	-	1	-	27
-	-	-	-	-	2	1	1	1	-	2	-	2	1	-	-	-	-	28
																		29
																		30
23	53	123	225	316	342	390	377	428	510	619	692	695	514	223	48	6	1	31
4	13	17	40	69	94	134	169	153	166	211	211	174	145	59	9	1	-	32
1	3	11	29	42	71	85	86	143	225	293	392	458	331	143	33	3	-	33
9	24	42	98	97	91	92	61	59	50	37	43	26	19	7	3	1	1	34
9	13	53	58	106	85	77	61	72	69	75	44	33	17	14	3	1	-	35
-	-	-	-	1	1	1	-	1	-	3	2	2	1	-	-	-	-	36
-	-	-	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-	37
																		38
68	84	130	201	324	526	861	1,395	2,516	4,034	5,867	7,658	9,109	8,098	4,682	1,401	209	21	39
16	26	38	66	144	260	506	867	1,609	2,445	3,286	3,897	4,054	3,243	1,692	443	42	7	40
31	33	60	76	102	151	190	292	565	1,080	2,062	3,256	4,644	4,570	2,813	868	127	7	41
7	10	9	27	41	64	96	120	181	286	273	233	211	140	69	34	11	4	42
12	14	21	29	37	49	66	109	150	205	226	235	177	125	99	51	27	3	43
1	-	1	1	-	2	3	6	9	12	16	24	14	6	7	2	-	-	44
1	1	1	2	-	-	-	1	2	6	4	13	9	14	2	3	2	-	45
																		46
2	4	9	17	39	87	237	517	1,072	2,102	3,849	5,963	7,923	7,506	4,479	1,357	206	17	47
1	2	2	8	26	41	128	275	550	1,038	1,854	2,792	3,407	2,990	1,609	426	41	5	48
-	1	5	4	5	24	57	125	308	707	1,578	2,743	4,144	4,255	2,696	847	125	6	49
1	-	-	3	6	13	25	57	121	198	221	192	198	129	67	28	11	3	50
-	1	2	2	2	9	27	57	89	151	187	212	158	115	98	51	27	3	51
-	-	-	-	-	-	-	3	3	4	5	13	9	5	7	2	-	-	52
-	-	-	-	-	-	-	-	1	4	4	11	7	12	2	3	2	-	53
																		54
5	14	26	45	89	205	389	588	1,146	1,568	1,710	1,416	955	457	134	22	-	2	55
3	6	15	18	47	114	260	424	895	1,206	1,243	954	534	187	49	6	-	2	56
2	4	4	12	13	32	50	80	157	245	385	407	395	252	83	13	-	-	57
-	3	4	12	20	40	50	46	49	70	42	31	10	7	1	3	-	-	58
-	1	2	2	9	18	26	37	38	38	29	16	10	8	1	-	-	-	59
-	-	1	1	-	1	3	1	6	7	11	7	5	1	-	-	-	-	60
-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	-	-	-	61
																		62
1	4	1	2	4	-	5	12	19	20	30	52	33	27	19	9	-	1	63
-	3	1	-	3	-	3	5	7	4	18	27	15	12	9	4	-	-	64
-	-	-	-	1	-	1	1	3	5	7	17	11	12	10	3	-	-	65
-	1	-	2	-	-	1	4	-	7	3	4	1	2	-	2	-	1	66
1	-	-	-	-	-	-	2	9	4	2	3	5	1	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	69
																		70
60	62	94	137	192	234	230	278	279	344	278	227	198	108	50	13	3	1	71
12	15	20	40	68	105	115	163	157	197	171	124	98	54	25	7	1	-	72
29	28	51	60	83	95	82	86	97	123	92	89	94	51	24	5	2	1	73
6	6	5	10	15	11	20	13	11	11	7	6	2	2	1	1	-	-	74
11	12	17	25	26	22	13	13	14	12	8	4	4	1	-	-	-	-	75
1	-	-	-	-	1	-	2	-	1	-	3	-	-	-	-	-	-	76
1	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	77
																		78
42	86	117	149	217	391	522	692	923	1,322	1,369	1,212	924	529	168	32	5	3	79
10	20	35	60	86	162	242	343	445	628	638	528	414	225	68	9	1	1	80
17	32	44	47	68	150	175	219	336	492	606	577	454	270	91	16	2	1	81
6	8	18	17	30	34	54	74	66	125	76	56	22	17	-	2	1	1	82
9	25	19	23	32	40	49	55	73	74	48	50	34	15	9	5	-	-	83
-	1	1	2	1	3	1	1	3	2	1	-	-	1	-	-	1	-	84
-	-	-	-	-	2	1	-	-	1	-	1	-	1	-	-	-	-	85
																		86
359	386	640	1,089	1,450	2,095	2,898	4,227	6,098	8,306	9,398	9,841	8,762	6,521	3,230	967	191	27	87
																		88
149	136	211	414	665	1,048	1,717	2,748	4,134	5,712	6,139	5,887	4,588	2,967	1,287	350	43	9	89
116	119	188	315	366	551	634	839	1,155	1,700	2,445	3,350	3,729	3,248	1,767	550	107	6	90
53	77	140	218	257	343	365	431	519	594	519	354	213	144	66	31	13	5	91
41	49	92	132	147	138	161	181	260	251	257	199	157	120	83	22	24	2	92
-	4	4	7	8	11	16	20	25	41	26	33	55	30	15	9	2	4	93
-	1	5	3	7	4	5	8	5	8	12	18	20	12	12	5	2	1	94
																		95
3	9	9	10	11	14	12	13	12	16	19	21	21	24	16	7	2	-	96
1	3	1	2	4	5	7	7	6	8	9	6	6	8	3	3	-	-	97
2	-	4	4	3	8	3	4	3	6	9	13	12	16	11	3	2	-	98
-	3	3	2	2	1	-	-	1	1	-	-	1	-	1	1	-	-	99
-	2	1	2	1	-	1	1	2	1	1	2	2	-	1	-	-	-	100
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	101
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VIII. DISEASES OF THE RESPIRATORY SYSTEM--CON.										
INFLUENZA.....480-483	2,137	254	40	17	13	13	337	28	11	19
WHITE.....MALE....	783	61	12	5	3	4	85	9	4	9
FEMALE..	917	61	11	3	5	4	84	10	3	6
NEGRO.....MALE....	235	79	6	5	4	2	96	7	1	2
FEMALE..	178	49	9	4	1	3	66	-	1	2
OTHER.....MALE....	13	2	1	-	-	-	3	1	2	-
FEMALE..	11	2	1	-	-	-	3	1	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	53,038	8,948	1,190	468	265	141	11,012	427	294	262
WHITE.....MALE....	24,688	3,257	412	163	104	65	4,001	181	125	128
FEMALE..	19,019	2,430	347	150	72	34	3,033	155	109	71
NEGRO.....MALE....	5,074	1,622	196	82	43	22	1,965	44	29	27
FEMALE..	3,650	1,416	204	65	43	17	1,745	43	27	31
OTHER.....MALE....	382	121	17	3	1	3	145	2	3	2
FEMALE..	225	102	14	5	2	-	123	2	1	3
LOBAR PNEUMONIA.....490	8,347	714	104	53	21	23	915	59	39	41
WHITE.....MALE....	4,106	241	30	17	7	6	301	20	19	17
FEMALE..	2,670	192	29	19	3	5	248	28	14	11
NEGRO.....MALE....	904	133	17	5	2	5	162	7	2	5
FEMALE..	572	127	23	10	9	6	175	4	4	7
OTHER.....MALE....	63	13	3	1	-	1	18	-	-	-
FEMALE..	32	8	2	1	-	-	11	-	-	1
BRONCHOPNEUMONIA.....491	31,204	4,293	651	250	148	85	5,427	245	185	143
WHITE.....MALE....	14,650	1,531	218	93	57	40	1,939	109	84	79
FEMALE..	11,612	1,132	196	75	49	21	1,473	87	61	35
NEGRO.....MALE....	2,721	823	112	47	24	12	1,018	25	18	9
FEMALE..	1,944	726	113	33	18	11	901	22	20	18
OTHER.....MALE....	180	45	6	-	-	1	52	1	1	1
FEMALE..	97	36	6	2	-	-	44	1	1	1
PRIMARY ATYPICAL PNEUMONIA.....492	4,985	2,191	212	76	36	7	2,522	57	33	33
WHITE.....MALE....	2,313	939	94	26	15	3	1,077	31	12	15
FEMALE..	1,753	693	60	31	11	2	797	19	15	12
NEGRO.....MALE....	443	277	23	8	7	1	316	1	3	5
FEMALE..	382	230	28	9	2	-	269	6	1	1
OTHER.....MALE....	57	29	4	1	-	1	35	-	2	-
FEMALE..	37	23	3	1	1	-	28	-	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	8,502	1,750	223	89	60	26	2,148	66	37	45
WHITE.....MALE....	3,619	546	70	27	25	16	684	21	10	17
FEMALE..	2,984	413	62	25	9	6	515	21	19	13
NEGRO.....MALE....	1,006	389	44	22	10	4	469	11	6	8
FEMALE..	752	333	40	13	14	-	400	11	2	5
OTHER.....MALE....	82	34	4	1	1	-	40	1	-	1
FEMALE..	59	35	3	1	1	-	40	1	-	1
ACUTE BRONCHITIS.....500	1,031	360	81	43	19	19	522	31	10	9
WHITE.....MALE....	520	159	44	19	12	10	244	11	5	3
FEMALE..	348	114	25	17	6	5	167	18	5	5
NEGRO.....MALE....	80	34	8	7	1	2	52	2	-	-
FEMALE..	71	43	3	-	-	2	48	-	-	1
OTHER.....MALE....	8	6	1	-	-	-	7	-	-	-
FEMALE..	4	4	-	-	-	-	4	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	3,033	239	60	23	15	6	343	16	13	5
WHITE.....MALE....	2,072	121	27	10	4	2	164	3	7	3
FEMALE..	695	71	16	8	6	2	103	5	6	1
NEGRO.....MALE....	181	30	11	5	2	2	50	4	-	-
FEMALE..	72	16	5	-	2	-	23	4	-	1
OTHER.....MALE....	7	1	-	-	-	-	1	-	-	-
FEMALE..	6	-	1	-	1	-	2	-	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	139	4	3	15	12	21	55	54	10	7
WHITE.....MALE....	61	3	1	9	8	11	32	17	3	3
FEMALE..	57	1	2	5	3	9	20	29	4	2
NEGRO.....MALE....	6	-	-	-	1	-	1	3	-	1
FEMALE..	14	-	-	-	-	1	1	5	3	1
OTHER.....MALE....	1	-	-	1	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	833	40	10	3	2	-	55	3	4	7
WHITE.....MALE....	508	18	3	1	1	-	23	-	2	4
FEMALE..	163	15	3	2	-	-	20	3	-	1
NEGRO.....MALE....	122	6	1	-	1	-	8	-	2	-
FEMALE..	38	1	3	-	-	-	4	-	-	2
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
PLEURISY.....519	189	20	1	1	1	-	23	1	1	1
WHITE.....MALE....	94	6	-	-	-	-	6	-	-	-
FEMALE..	63	11	1	1	-	-	13	1	1	1
NEGRO.....MALE....	21	2	-	-	1	-	3	-	-	-
FEMALE..	11	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	10,269	61	2	4	2	1	70	2	4	5
WHITE.....MALE....	8,501	27	1	2	2	-	32	-	1	2
FEMALE..	1,225	17	1	1	-	-	19	1	2	2
NEGRO.....MALE....	445	13	-	1	-	1	15	1	-	-
FEMALE..	73	4	-	-	-	-	4	-	1	1
OTHER.....MALE....	23	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
15	11	15	35	33	37	59	79	110	131	200	272	320	243	127	48	6	1	4
4	3	6	12	15	15	33	34	43	50	77	120	125	80	42	16	1	-	5
5	5	5	12	11	11	12	26	39	52	88	121	176	146	72	28	4	1	6
2	1	2	6	3	5	8	12	15	16	18	13	10	8	6	4	-	-	7
4	1	2	5	2	6	6	7	12	12	17	15	6	9	4	-	1	-	8
-	1	-	-	1	-	-	-	1	1	-	1	1	-	1	-	-	-	9
-	-	-	-	1	-	-	-	-	-	-	2	2	-	2	-	-	-	10
																		11
																		12
253	269	434	756	920	1,265	1,544	1,913	2,796	4,025	5,282	6,343	6,450	5,169	2,658	799	154	13	13
110	97	130	266	388	585	788	1,021	1,524	2,313	2,917	3,349	3,139	2,265	1,031	291	37	2	14
78	83	121	212	231	324	364	474	713	1,108	1,749	2,551	2,957	2,661	1,486	452	85	2	15
37	50	104	168	180	245	251	275	330	369	382	261	160	107	53	22	11	4	16
28	36	70	101	112	104	124	127	210	198	203	151	135	97	66	22	18	2	17
-	3	4	6	3	5	14	12	15	31	20	19	44	27	13	9	2	3	18
-	-	5	3	6	2	3	4	4	6	11	12	15	12	9	3	1	-	19
																		20
41	65	114	223	279	406	399	452	611	757	837	961	932	740	351	111	13	1	21
18	25	28	69	122	187	187	241	363	456	472	549	495	347	139	49	2	-	22
8	14	29	60	65	96	89	100	120	193	267	348	384	351	185	52	8	-	23
10	16	32	58	55	85	85	81	80	67	61	42	24	16	12	3	-	1	24
5	8	22	34	34	35	35	23	43	33	29	19	21	21	13	5	2	-	25
-	2	-	1	-	2	3	5	5	7	3	1	8	4	2	2	-	-	26
-	-	3	1	3	1	-	2	-	1	5	2	-	1	-	-	1	-	27
																		28
																		29
137	139	215	372	477	630	842	1,061	1,660	2,498	3,414	4,059	4,132	3,268	1,699	491	100	10	30
59	47	72	142	198	291	456	579	892	1,432	1,891	2,099	2,002	1,423	658	166	30	2	31
47	45	58	100	122	182	199	264	460	692	1,147	1,692	1,924	1,712	963	292	55	2	32
16	28	51	85	99	104	119	134	178	236	240	158	94	57	30	13	7	2	33
15	18	31	41	53	50	59	77	122	120	122	87	80	55	34	12	6	1	34
-	1	2	3	3	2	8	6	6	15	11	14	23	13	6	7	2	3	35
-	-	1	1	2	1	1	1	2	3	3	9	9	8	8	1	-	-	36
																		37
36	34	44	55	57	77	92	116	165	216	281	372	344	269	132	38	11	1	38
18	10	13	22	29	40	49	56	89	134	161	221	160	112	51	10	3	-	39
13	15	19	22	17	16	27	40	43	62	93	132	168	140	72	25	6	-	40
2	3	5	5	6	14	10	10	22	7	13	6	6	7	-	1	-	1	41
3	6	5	5	4	7	6	9	10	10	11	9	8	5	5	-	2	-	42
-	-	1	-	-	-	-	1	1	3	2	3	2	4	3	-	-	-	43
-	-	1	1	1	-	-	-	-	-	1	1	-	1	1	2	-	-	44
																		45
																		46
39	31	61	106	107	152	211	284	360	554	750	951	1,042	892	476	159	30	1	47
15	15	17	33	39	67	96	145	180	291	393	480	482	383	183	66	2	-	48
10	9	15	30	27	30	49	70	90	161	242	379	481	458	266	83	16	-	49
9	3	16	20	20	42	37	50	50	59	68	55	36	27	11	5	4	-	50
5	4	12	21	21	12	24	18	35	35	41	36	26	16	14	5	8	1	51
-	-	1	2	-	1	3	-	3	6	4	1	11	6	2	-	-	-	52
-	-	-	-	-	-	2	1	2	2	2	-	6	2	-	-	-	-	53
																		54
5	5	7	13	22	22	30	31	60	61	55	51	43	34	17	3	-	-	55
2	3	4	5	10	15	15	16	36	39	36	26	27	15	7	1	-	-	56
3	-	3	3	4	6	10	10	16	15	17	20	16	18	10	2	-	-	57
-	2	-	2	6	-	4	3	4	2	-	2	-	1	-	-	-	-	58
-	-	-	3	2	1	1	2	4	5	2	2	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
10	8	13	21	48	68	146	208	362	469	453	366	272	141	56	10	4	1	63
2	2	6	9	28	31	109	142	280	373	347	271	181	82	27	3	1	1	64
4	3	5	7	12	25	25	44	59	65	82	86	79	53	24	6	1	-	65
-	3	1	1	4	11	10	16	17	28	20	6	6	3	1	-	-	-	66
4	-	1	4	3	1	2	5	5	2	4	2	3	3	4	-	1	-	67
-	-	-	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	69
																		70
-	3	1	6	1	-	2	-	-	-	-	-	-	-	-	-	-	-	71
-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	74
-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
																		79
6	14	21	26	48	44	75	86	76	107	99	83	41	27	8	1	-	2	80
2	5	6	9	30	19	46	50	47	76	72	57	33	20	6	-	-	1	81
2	2	5	8	4	8	13	11	17	17	19	20	6	5	1	-	-	1	82
1	5	8	7	14	12	13	17	10	12	7	5	-	-	-	1	-	-	83
1	2	2	2	-	5	3	8	2	2	1	-	1	2	1	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
																		87
																		88
1	2	4	6	4	13	6	12	18	28	19	14	21	11	3	1	-	-	89
-	-	-	3	1	3	3	7	10	22	11	9	12	6	1	-	-	-	90
-	1	-	2	2	4	1	1	6	4	7	4	8	4	2	1	-	-	91
1	1	2	1	1	4	1	2	2	1	-	1	1	-	-	-	-	-	92
-	-	2	-	-	2	1	2	-	1	1	-	-	1	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
																		96
4	7	21	57	133	254	516	1,044	1,577	2,075	1,918	1,380	745	338	89	21	3	6	97
2	1	12	38	81	177	392	873	1,389	1,805	1,662	1,135	590	231	62	12	-	4	98
1	3	5	7	31	48	71	107	114	170	199	192	127	93	24	6	2	1	99
1	2	3	12	16	26	45	54	68	86	44	37	18	11	2	3	-	1	100
-	1	1	-	4	2	7	8	4	11	9	11	4	3	1	-	1	-	101
-	-	-	-	1	1	1	2	2	2	4	5	5	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VIII. DISEASES OF THE RESPIRATORY SYSTEM--CON.										
OTHER RESPIRATORY DISEASES.....511-517,520,522-527.0,527.2	11,093	1,469	129	52	37	23	1,710	68	34	43
WHITE.....MALE....	6,771	635	45	17	12	8	717	22	12	15
FEMALE..	3,052	407	47	17	10	11	492	35	16	14
NEGRO.....MALE....	767	231	18	10	11	3	273	8	4	7
FEMALE..	429	182	17	7	4	1	211	3	2	6
OTHER.....MALE....	46	5	1	-	-	-	6	-	-	1
FEMALE..	28	9	1	1	-	-	11	-	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	67,303	3,887	525	198	143	86	4,839	402	259	253
WHITE.....MALE....	35,391	1,376	226	78	62	39	1,781	177	110	105
FEMALE..	23,901	1,032	169	64	47	33	1,345	165	112	102
NEGRO.....MALE....	4,236	771	65	34	19	5	894	34	17	20
FEMALE..	3,154	589	49	19	15	6	678	24	18	25
OTHER.....MALE....	367	77	10	-	-	-	87	1	-	1
FEMALE..	254	42	6	3	-	3	54	1	2	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	94	-	1	-	-	-	1	3	4	2
WHITE.....MALE....	34	-	-	-	-	-	-	1	-	1
FEMALE..	39	-	-	-	-	-	-	1	4	1
NEGRO.....MALE....	8	-	1	-	-	-	1	-	-	-
FEMALE..	13	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	5,859	30	1	3	-	2	36	4	2	12
WHITE.....MALE....	3,748	8	-	-	-	-	8	2	-	6
FEMALE..	1,544	8	-	1	-	1	10	2	2	4
NEGRO.....MALE....	361	9	-	1	-	-	10	-	-	1
FEMALE..	156	4	1	1	-	1	7	-	-	1
OTHER.....MALE....	40	1	-	-	-	-	1	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
ULCER OF DUODENUM.....541	5,681	26	3	2	1	-	32	4	1	5
WHITE.....MALE....	4,021	12	2	2	1	-	17	1	-	4
FEMALE..	1,263	5	1	-	-	-	6	3	1	-
NEGRO.....MALE....	266	6	-	-	-	-	6	-	-	-
FEMALE..	105	3	-	-	-	-	3	-	-	1
OTHER.....MALE....	23	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
GASTRITIS AND DUODENITIS.....543	423	20	2	1	-	1	24	8	2	3
WHITE.....MALE....	225	9	1	1	-	1	12	4	-	2
FEMALE..	148	3	1	-	-	-	4	3	1	-
NEGRO.....MALE....	25	4	-	-	-	-	4	1	1	-
FEMALE..	21	3	-	-	-	-	3	-	-	1
OTHER.....MALE....	4	1	-	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
APPENDICITIS.....550-553	1,819	19	16	16	16	10	77	63	62	40
WHITE.....MALE....	916	8	7	9	6	6	36	25	28	22
FEMALE..	581	9	6	3	5	2	25	20	22	13
NEGRO.....MALE....	182	1	3	4	2	-	10	9	6	3
FEMALE..	124	1	-	-	3	2	6	8	5	2
OTHER.....MALE....	8	-	-	-	-	-	-	1	-	-
FEMALE..	8	-	-	-	-	-	-	-	1	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	9,177	931	41	21	13	7	1,013	40	25	28
WHITE.....MALE....	3,928	461	22	8	6	3	500	23	12	11
FEMALE..	4,161	324	9	6	5	3	347	8	8	13
NEGRO.....MALE....	559	86	10	3	1	1	101	7	2	4
FEMALE..	483	44	-	4	1	-	49	2	2	-
OTHER.....MALE....	26	12	-	-	-	-	12	-	-	-
FEMALE..	20	4	-	-	-	-	4	-	1	-
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER.....571	4,114	2,239	357	91	52	25	2,764	46	24	20
WHITE.....MALE....	1,382	598	145	34	20	12	809	17	11	6
FEMALE..	1,228	467	112	24	12	7	622	18	10	8
NEGRO.....MALE....	748	593	46	20	11	1	671	6	2	5
FEMALE..	629	485	38	11	9	3	546	5	1	-
OTHER.....MALE....	77	62	10	-	-	-	72	-	-	1
FEMALE..	50	34	6	2	-	2	44	-	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	3,283	37	8	3	3	-	51	10	7	27
WHITE.....MALE....	1,456	18	2	-	1	-	21	4	3	8
FEMALE..	1,615	11	3	1	1	-	16	5	3	17
NEGRO.....MALE....	91	4	1	-	1	-	6	1	-	1
FEMALE..	110	4	2	1	-	-	7	-	1	1
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	1	-	-	1	-	-	-
CIRRHOSIS OF LIVER.....581	20,737	29	9	9	4	2	53	21	22	34
WHITE.....MALE....	12,277	10	4	3	1	-	18	9	9	7
FEMALE..	6,181	8	4	3	2	1	18	8	8	19
NEGRO.....MALE....	1,244	7	1	3	1	1	13	3	2	2
FEMALE..	819	3	-	-	-	-	3	1	3	6
OTHER.....MALE....	118	-	-	-	-	-	-	-	-	-
FEMALE..	98	1	-	-	-	-	1	-	-	-
WITHOUT MENTION OF ALCOHOLISM.....581.0	13,836	29	9	9	4	2	53	21	21	32
WHITE.....MALE....	8,019	10	4	3	1	-	18	9	8	6
FEMALE..	4,388	8	4	3	2	1	18	8	8	18
NEGRO.....MALE....	760	7	1	3	1	1	13	3	2	2
FEMALE..	549	3	-	-	-	-	3	1	3	6
OTHER.....MALE....	71	-	-	-	-	-	-	-	-	-
FEMALE..	49	1	-	-	-	-	1	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
62	58	115	159	230	378	508	841	1,087	1,394	1,353	1,311	849	534	256	77	22	4	4
26	20	45	68	108	198	323	598	799	1,026	1,008	914	475	260	108	24	4	1	5
21	22	40	59	67	117	135	162	188	263	275	343	348	252	137	52	13	1	6
11	10	17	19	31	39	32	52	72	79	48	29	17	14	3	-	2	-	7
4	6	13	12	23	17	16	21	21	19	19	16	6	5	6	-	3	-	8
-	-	-	1	1	5	-	5	6	6	2	6	2	3	1	-	-	1	9
-	-	-	-	-	2	2	3	1	1	1	3	1	-	1	1	-	1	10
																		11
																		12
328	518	1,071	2,035	3,166	4,569	5,739	6,121	6,585	7,549	7,591	6,922	5,060	2,984	1,059	203	29	21	13
																		14
129	178	407	930	1,602	2,456	3,297	3,702	3,910	4,524	4,324	3,572	2,391	1,303	404	67	11	11	15
122	151	310	607	960	1,487	1,738	1,758	2,010	2,410	2,814	3,022	2,466	1,573	605	120	17	7	16
42	84	181	256	321	325	399	361	379	361	221	164	99	50	20	8	-	-	17
31	89	144	204	242	259	264	250	236	205	191	130	87	42	26	6	-	3	18
1	3	12	17	14	21	29	30	36	32	30	25	13	11	3	1	-	-	19
3	13	17	21	27	21	12	20	14	17	11	9	4	5	1	1	1	-	20
																		21
3	7	8	4	9	11	4	5	7	7	8	4	3	1	3	-	-	-	22
-	3	5	3	3	2	-	2	4	3	4	2	-	-	1	-	-	-	23
2	3	3	1	3	7	2	-	1	3	-	2	3	1	2	-	-	-	24
-	-	-	-	1	1	-	2	1	-	2	-	-	-	-	-	-	-	25
1	1	-	-	2	1	2	1	1	1	2	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
																		29
14	31	64	85	213	287	455	535	650	837	854	831	529	302	101	12	3	2	30
5	15	30	46	126	191	284	362	468	560	573	524	323	162	55	5	2	1	31
5	4	15	23	49	57	104	109	113	189	234	259	192	128	39	5	1	-	32
3	9	13	10	27	26	45	41	49	62	22	30	5	5	3	-	-	-	33
1	3	3	4	11	12	19	19	16	17	18	10	5	4	4	1	-	1	34
-	-	3	2	-	-	3	2	3	8	6	6	4	2	-	-	-	-	35
-	-	-	-	-	1	-	2	1	1	1	2	-	1	-	1	-	-	36
																		37
16	34	60	107	180	325	471	539	666	835	786	717	523	277	81	20	2	-	38
11	24	37	68	129	226	318	409	503	631	592	501	332	168	40	9	1	-	39
1	3	10	25	27	61	95	92	113	162	151	189	174	100	39	10	1	-	40
4	5	11	10	20	27	40	21	34	31	28	14	9	4	1	1	-	-	41
-	2	2	4	4	6	16	15	13	9	10	11	5	3	1	-	-	-	42
-	-	-	-	-	4	2	1	3	2	5	2	3	1	-	-	-	-	43
-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	44
																		45
5	3	8	6	12	33	34	29	34	49	53	53	37	15	9	4	1	1	46
2	-	3	3	8	20	21	15	19	28	26	31	19	7	3	1	-	1	47
3	2	3	3	1	7	9	8	11	15	23	21	18	7	5	3	1	-	48
-	-	1	-	2	4	2	-	4	3	2	1	-	-	-	-	-	-	49
-	1	1	-	1	2	2	5	-	2	2	-	-	1	-	-	-	-	50
-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
42	38	31	50	61	100	108	139	168	184	203	198	134	86	25	9	1	-	54
20	11	14	22	29	49	58	75	102	102	110	97	69	33	12	2	-	-	55
13	14	7	7	10	25	20	33	33	56	73	84	57	50	12	6	1	-	56
4	6	5	11	13	19	13	21	20	15	10	9	3	3	1	1	-	-	57
5	6	5	8	9	7	16	9	11	9	7	8	3	-	-	-	-	-	58
-	1	-	1	-	-	1	-	1	-	1	-	2	-	-	-	-	-	59
-	-	-	1	-	-	-	1	1	2	2	-	-	-	-	-	-	-	60
																		61
																		62
33	42	74	117	160	270	370	517	758	978	1,228	1,328	1,151	721	265	49	6	4	63
16	12	21	42	40	94	147	224	331	454	558	565	474	291	92	17	2	2	64
9	13	29	39	61	111	146	182	320	403	582	682	620	396	162	25	4	1	65
3	7	8	12	30	20	36	61	55	63	44	44	34	19	6	3	-	-	66
5	9	16	21	28	44	39	50	49	53	40	33	22	12	5	3	-	1	67
-	1	-	1	-	-	-	-	-	2	3	3	1	2	-	1	-	-	68
-	-	-	2	1	1	2	-	3	3	1	1	-	1	-	-	-	-	69
																		70
																		71
6	20	17	24	33	49	64	74	97	135	179	180	191	113	55	18	4	1	72
4	7	9	10	15	19	29	40	46	62	84	74	61	47	25	5	2	-	73
2	8	3	8	12	20	23	18	41	54	74	94	114	55	29	12	2	1	74
-	4	2	3	2	4	6	5	4	9	9	1	7	8	-	-	-	-	75
-	1	3	2	4	5	6	9	4	9	11	10	9	2	1	1	-	-	76
-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	77
-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	78
																		79
53	36	50	81	96	137	190	246	300	416	441	503	363	209	61	6	-	-	80
23	18	26	39	56	62	100	127	150	199	211	193	126	67	21	2	-	-	81
27	13	23	35	27	68	77	98	113	190	208	294	225	136	36	4	-	-	82
2	2	-	3	3	2	7	8	15	18	5	8	5	3	2	-	-	-	83
1	3	1	3	9	5	6	10	21	9	17	7	6	1	2	-	-	-	84
-	-	-	-	1	-	-	2	1	-	-	1	1	2	-	-	-	-	85
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	86
																		87
52	163	536	1,135	1,852	2,611	3,133	2,905	2,514	2,307	1,676	1,006	461	199	42	9	-	6	88
18	46	199	499	921	1,433	1,888	1,889	1,608	1,587	1,108	640	274	98	17	4	-	5	89
14	30	135	339	610	866	927	779	719	589	494	331	172	97	22	3	-	1	90
10	34	107	143	168	170	180	149	105	87	41	19	9	1	-	1	-	-	91
8	42	75	128	125	114	113	68	58	27	26	10	6	2	3	1	-	-	92
-	1	6	10	9	15	18	14	20	12	6	6	-	1	-	-	-	-	93
2	10	14	16	19	13	7	6	4	5	1	-	-	-	-	-	-	-	94
																		95
39	96	317	633	1,046	1,541	1,975	1,886	1,754	1,644	1,314	841	395	181	36	7	-	4	96
14	28	111	262	498	821	1,162	1,195	1,096	1,090	841	523	227	89	15	3	-	3	97
13	23	89	202	361	533	613	539	531	458	415	291	156	90	18	3	-	1	98
6	18	60	80	94	99	113	92	67	59	30	14	7	1	-	-	-	-	99
5	22	47	79	82	71	75	49	43	22	22	9	5	1	3	1	-	-	100
-	-	2	4	3	10	10	8	14	11	5	4	-	-	-	-	-	-	101
1	5	8	6	8	7	2	3	3	4	1	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
IX. DISEASES OF THE DIGESTIVE SYSTEM--CON.										
CIRRHOSIS OF LIVER--CON.										
WITH ALCOHOLISM.....581.1	6,901	-	-	-	-	-	-	-	1	2
WHITE.....MALE....	4,258	-	-	-	-	-	-	-	1	1
FEMALE..	1,793	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	484	-	-	-	-	-	-	-	-	-
FEMALE..	270	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	47	-	-	-	-	-	-	-	-	-
FEMALE..	49	-	-	-	-	-	-	-	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,707	1	1	-	-	-	2	1	1	2
WHITE.....MALE....	1,861	-	1	-	-	-	1	-	-	-
FEMALE..	2,589	-	-	-	-	-	-	-	-	2
NEGRO.....MALE....	65	-	-	-	-	-	-	1	-	-
FEMALE..	139	1	-	-	-	-	1	-	1	-
OTHER.....MALE....	31	-	-	-	-	-	-	-	-	-
FEMALE..	22	-	-	-	-	-	-	-	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	631	189	53	41	37	27	347	162	74	22
WHITE.....MALE....	286	89	25	17	19	11	161	71	30	14
FEMALE..	322	86	25	23	18	16	168	91	43	8
NEGRO.....MALE....	12	8	-	-	-	-	8	-	1	-
FEMALE..	11	6	3	1	-	-	10	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	10,778	366	33	11	17	12	439	40	35	58
WHITE.....MALE....	5,257	163	17	4	8	6	198	20	17	24
FEMALE..	4,230	111	8	3	4	3	129	6	10	17
NEGRO.....MALE....	675	53	3	3	3	2	64	6	3	4
FEMALE..	544	35	5	1	2	-	43	7	5	13
OTHER.....MALE....	32	1	-	-	-	-	1	-	-	-
FEMALE..	40	3	-	-	-	1	4	1	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,219	179	53	42	27	31	332	155	196	302
WHITE.....MALE....	15,006	70	21	14	14	14	133	62	75	137
FEMALE..	9,499	53	15	11	9	11	99	60	82	112
NEGRO.....MALE....	3,136	40	8	11	3	4	66	13	15	20
FEMALE..	2,323	12	8	4	1	2	27	17	20	26
OTHER.....MALE....	154	3	-	-	-	-	3	2	1	4
FEMALE..	101	1	1	2	-	-	4	1	3	3
NEPHRITIS AND NEPHROSIS.....590-594	13,180	58	36	32	21	22	169	126	158	236
WHITE.....MALE....	5,781	21	13	13	10	11	68	47	59	110
FEMALE..	4,588	23	8	7	7	6	51	48	66	86
NEGRO.....MALE....	1,434	10	7	8	3	4	32	13	15	19
FEMALE..	1,245	2	7	3	1	1	14	15	15	14
OTHER.....MALE....	77	1	-	-	-	-	1	2	1	4
FEMALE..	55	1	1	1	-	-	3	1	2	3
ACUTE NEPHRITIS.....590	742	15	15	10	5	7	52	37	17	21
WHITE.....MALE....	299	6	4	5	1	2	18	11	3	15
FEMALE..	244	5	3	2	1	2	13	10	9	6
NEGRO.....MALE....	105	3	4	1	2	2	12	8	2	-
FEMALE..	86	1	4	1	1	1	8	7	3	-
OTHER.....MALE....	4	-	-	-	-	-	-	1	-	-
FEMALE..	4	-	-	1	-	-	1	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	842	19	18	14	9	8	68	40	20	15
WHITE.....MALE....	395	8	8	6	6	3	31	19	6	1
FEMALE..	278	7	4	3	3	4	21	15	11	8
NEGRO.....MALE....	83	2	2	3	-	1	8	1	2	4
FEMALE..	73	1	3	2	-	-	6	4	1	1
OTHER.....MALE....	8	1	-	-	-	-	1	-	-	-
FEMALE..	5	-	1	-	-	-	1	1	-	1
CHRONIC & UNSPECIFIED NEPHRITIS & OTHER RENAL SCLEROSIS.....592-594	11,596	24	3	8	7	7	49	49	121	200
WHITE.....MALE....	5,087	7	1	2	3	6	19	17	50	94
FEMALE..	4,066	11	1	2	3	-	17	23	46	72
NEGRO.....MALE....	1,246	5	1	4	1	1	12	4	11	15
FEMALE..	1,086	-	-	-	-	-	-	4	11	13
OTHER.....MALE....	65	-	-	-	-	-	-	1	1	4
FEMALE..	46	1	-	-	-	-	1	-	2	2
INFECTIONS OF KIDNEY.....600	8,095	41	4	7	2	2	56	17	21	32
WHITE.....MALE....	3,331	14	1	1	1	-	17	6	6	10
FEMALE..	3,247	14	3	3	1	2	23	9	10	17
NEGRO.....MALE....	710	8	-	2	-	-	10	-	-	1
FEMALE..	731	4	-	-	-	-	4	2	4	4
OTHER.....MALE....	41	1	-	-	-	-	1	-	-	-
FEMALE..	35	-	-	1	-	-	1	-	1	-
CALCULI OF URINARY SYSTEM.....602,604	1,330	2	1	-	-	-	3	-	1	5
WHITE.....MALE....	676	1	1	-	-	-	2	-	1	3
FEMALE..	524	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	55	-	-	-	-	-	-	-	-	-
FEMALE..	63	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	9	1	-	-	-	-	1	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2,307	74	12	3	4	7	100	12	14	16
WHITE.....MALE....	1,187	33	6	-	3	3	45	9	9	14
FEMALE..	681	14	4	1	1	3	23	3	5	2
NEGRO.....MALE....	317	21	1	1	-	-	23	-	-	-
FEMALE..	111	6	1	1	-	1	9	-	-	-
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
13	67	219	502	806	1,070	1,158	1,019	760	663	362	165	66	18	6	2	-	2	5
4	18	88	237	423	612	726	694	512	497	267	117	47	9	2	1	-	2	6
1	7	46	137	249	333	314	240	188	131	79	40	16	7	4	-	-	-	7
4	16	47	63	74	71	67	57	36	28	11	5	2	-	-	1	-	-	8
3	20	28	49	43	43	38	19	15	5	4	1	1	1	-	-	-	-	9
-	1	4	6	6	5	8	6	6	1	1	2	-	1	-	-	-	-	10
1	5	6	10	11	6	5	3	1	1	-	-	-	-	-	-	-	-	11
																		12
14	17	28	59	88	120	188	274	415	589	851	768	656	448	160	23	3	-	13
2	3	3	21	25	36	75	104	171	248	383	323	241	172	49	4	-	-	14
12	11	22	31	49	71	98	145	209	300	439	421	387	268	102	19	3	-	15
-	-	-	3	4	3	4	4	10	14	6	4	9	1	2	-	-	-	16
-	3	3	4	7	6	6	16	19	20	14	14	15	5	5	-	-	-	17
-	-	-	-	1	2	2	4	4	5	5	3	2	1	2	-	-	-	18
-	-	-	-	2	2	3	1	2	2	4	3	2	1	-	-	-	-	19
																		20
7	5	1	3	-	2	2	2	-	-	3	-	1	-	-	-	-	-	21
2	2	-	1	-	2	1	1	-	-	1	-	-	-	-	-	-	-	22
4	2	-	2	-	-	1	1	-	-	2	-	-	-	-	-	-	-	23
1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	24
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
83	122	194	364	462	624	720	856	976	1,212	1,309	1,334	1,011	613	257	53	9	7	29
26	37	60	176	250	322	376	454	508	650	674	622	472	258	89	18	4	2	30
30	48	60	94	111	194	236	293	337	449	534	645	504	335	157	33	4	4	31
15	17	33	61	51	49	66	49	82	59	52	34	17	6	5	2	-	-	32
10	17	35	30	42	57	39	48	44	49	44	27	16	12	5	-	-	1	33
1	-	3	2	3	-	3	6	3	2	3	4	-	1	-	-	-	-	34
1	3	3	1	5	2	-	6	2	3	2	2	2	1	1	-	1	-	35
																		36
383	460	623	838	1,063	1,258	1,664	1,952	2,475	3,279	3,898	4,074	3,628	2,408	950	232	42	7	37
																		38
179	195	236	296	367	483	637	823	1,082	1,611	2,108	2,355	2,178	1,364	552	121	11	1	39
111	159	203	284	346	399	499	604	750	1,007	1,175	1,225	1,139	837	313	77	16	2	40
33	36	68	93	139	168	270	286	347	431	428	311	203	131	50	16	8	4	41
52	62	105	152	203	191	237	218	271	210	163	157	96	65	27	17	7	-	42
5	3	5	4	3	10	16	15	17	11	16	19	7	8	4	1	-	-	43
3	5	6	9	5	7	5	6	8	9	8	7	5	3	4	-	-	-	44
																		45
282	340	388	478	618	714	891	952	1,129	1,283	1,417	1,451	1,236	865	332	88	23	4	46
149	169	179	219	258	318	396	430	455	551	640	662	564	345	130	29	2	1	47
72	98	102	124	165	192	233	280	368	440	533	571	524	420	161	41	13	-	48
28	29	53	63	95	89	139	128	143	171	146	111	79	50	19	7	2	3	49
27	37	45	64	94	102	113	107	149	113	88	100	66	46	19	11	6	-	50
4	3	4	2	3	10	7	6	9	4	6	6	2	2	1	-	-	-	51
2	4	5	6	3	3	3	1	5	4	4	1	1	2	2	-	-	-	52
																		53
25	20	22	28	38	39	44	56	48	65	58	61	51	41	10	8	1	-	54
13	7	9	10	12	18	18	25	18	27	27	26	26	11	4	1	-	-	55
3	4	5	6	11	10	13	19	15	25	21	23	16	25	5	5	-	-	56
4	4	3	5	9	6	9	5	8	9	7	5	4	3	1	-	1	-	57
3	5	5	6	6	5	4	7	7	4	3	7	3	1	-	2	-	-	58
1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	59
1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	60
																		61
																		62
21	27	12	23	44	52	51	54	74	67	98	76	53	30	13	3	1	-	63
12	11	8	9	15	28	26	28	30	43	48	39	25	10	5	1	-	-	64
4	9	2	4	14	13	14	13	27	13	33	28	24	18	5	2	-	-	65
3	3	2	7	7	4	6	6	5	6	11	4	2	1	1	-	-	-	66
2	3	-	2	8	5	4	6	10	5	6	4	2	1	2	-	1	-	67
-	1	-	1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	69
																		70
236	293	354	427	536	623	796	842	1,007	1,151	1,261	1,314	1,132	794	309	77	21	4	71
124	151	162	200	231	272	352	377	407	481	565	597	513	324	121	27	2	1	72
65	85	95	114	140	169	206	248	326	402	479	520	484	377	151	34	13	-	73
21	22	48	51	79	79	124	117	130	156	128	102	73	46	17	7	1	3	74
22	29	40	56	80	92	105	94	132	104	79	89	61	44	17	9	5	-	75
3	2	4	1	3	8	6	6	8	4	6	5	1	1	1	-	-	-	76
1	4	5	5	3	3	3	-	4	4	4	1	-	2	2	-	-	-	77
																		78
																		79
49	65	128	195	270	327	468	597	739	1,005	1,133	1,110	998	607	216	54	6	2	80
14	15	36	54	73	91	131	193	276	435	545	541	495	268	98	25	2	-	81
21	34	59	73	93	118	169	234	258	385	421	461	431	298	104	25	2	2	82
5	3	10	19	33	54	69	84	99	100	97	56	40	22	6	1	1	-	83
8	12	22	45	70	63	93	76	98	77	62	40	27	15	5	3	1	-	84
1	-	1	1	-	-	5	6	5	3	4	8	2	3	1	-	-	-	85
-	1	-	3	1	1	1	4	3	5	4	4	3	1	2	-	-	-	86
																		87
14	6	19	33	31	62	93	121	148	190	220	177	124	59	17	6	1	-	88
7	3	8	11	16	33	40	62	77	101	110	99	63	29	9	2	-	-	89
4	2	8	17	9	20	33	40	55	74	98	70	58	27	5	3	-	-	90
-	-	1	1	1	3	4	8	9	9	9	4	3	1	1	-	1	-	91
3	1	2	4	5	5	11	11	6	6	1	3	-	2	1	1	-	-	92
-	-	-	-	-	-	4	-	1	-	2	-	-	-	1	-	-	-	93
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	94
																		95
13	16	29	41	47	74	129	140	196	263	328	307	268	211	79	21	3	-	96
9	7	12	12	18	32	51	59	94	133	182	189	151	113	36	10	2	-	97
3	4	9	14	14	23	32	36	45	72	90	84	98	79	36	8	1	-	98
-	3	3	9	6	16	37	26	41	48	47	20	16	16	5	1	-	-	99
1	2	5	5	9	3	9	18	15	9	7	12	3	2	1	1	-	-	100
-	-	-	1	-	-	-	-	1	1	2	1	-	1	1	1	-	-	101
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
X. DISEASES OF THE GENITOURINARY SYSTEM--CON.										
HYPERPLASIA OF PROSTATE.....610	4,158	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	3,608	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	532	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	18	-	-	-	-	-	-	-	-	-
DISEASES OF BREAST.....620,621	10	2	-	-	-	-	2	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	9	2	-	-	-	-	2	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....611-617,622-637	1,139	2	-	-	-	-	2	-	2	13
WHITE.....MALE....	423	1	-	-	-	-	1	-	-	-
FEMALE..	450	-	-	-	-	-	-	-	1	6
NEGRO.....MALE....	88	1	-	-	-	-	1	-	-	-
FEMALE..	172	-	-	-	-	-	-	-	1	7
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,573	-	-	-	-	-	-	-	12	112
WHITE.....FEMALE..	897	-	-	-	-	-	-	-	3	57
NEGRO.....FEMALE..	644	-	-	-	-	-	-	-	9	52
OTHER.....FEMALE..	32	-	-	-	-	-	-	-	-	3
SEPSIS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM...640,641,681,682,684	164	-	-	-	-	-	-	-	3	13
WHITE.....FEMALE..	103	-	-	-	-	-	-	-	1	6
NEGRO.....FEMALE..	58	-	-	-	-	-	-	-	2	7
OTHER.....FEMALE..	3	-	-	-	-	-	-	-	-	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....642,685,686	281	-	-	-	-	-	-	-	5	35
WHITE.....FEMALE..	143	-	-	-	-	-	-	-	2	21
NEGRO.....FEMALE..	134	-	-	-	-	-	-	-	3	14
OTHER.....FEMALE..	4	-	-	-	-	-	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	252	-	-	-	-	-	-	-	2	10
WHITE.....FEMALE..	147	-	-	-	-	-	-	-	-	7
NEGRO.....FEMALE..	97	-	-	-	-	-	-	-	2	3
OTHER.....FEMALE..	8	-	-	-	-	-	-	-	-	-
ECTOPIC PREGNANCY.....645	89	-	-	-	-	-	-	-	-	6
WHITE.....FEMALE..	32	-	-	-	-	-	-	-	-	2
NEGRO.....FEMALE..	56	-	-	-	-	-	-	-	-	4
OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	95	-	-	-	-	-	-	-	1	7
WHITE.....FEMALE..	54	-	-	-	-	-	-	-	-	4
NEGRO.....FEMALE..	40	-	-	-	-	-	-	-	1	3
OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
ABORTION WITH SEPSIS.....651	220	-	-	-	-	-	-	-	-	16
WHITE.....FEMALE..	105	-	-	-	-	-	-	-	-	5
NEGRO.....FEMALE..	112	-	-	-	-	-	-	-	-	10
OTHER.....FEMALE..	3	-	-	-	-	-	-	-	-	1
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	9	-	-	-	-	-	-	-	-	-
WHITE.....FEMALE..	4	-	-	-	-	-	-	-	-	-
NEGRO.....FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM, AND DELIVERY WITHOUT MENTION OF COMPLICATION.....RESIDUAL	463	-	-	-	-	-	-	-	1	25
WHITE.....FEMALE..	309	-	-	-	-	-	-	-	-	12
NEGRO.....FEMALE..	142	-	-	-	-	-	-	-	1	11
OTHER.....FEMALE..	12	-	-	-	-	-	-	-	-	2
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,151	56	3	10	2	2	73	19	22	36
WHITE.....MALE....	715	16	1	4	1	-	22	7	5	10
FEMALE..	1,041	14	2	2	-	1	19	6	15	15
NEGRO.....MALE....	131	10	-	4	-	1	15	4	-	2
FEMALE..	244	14	-	-	1	-	15	2	2	9
OTHER.....MALE....	7	2	-	-	-	-	2	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	613	41	2	5	-	1	49	5	5	3
WHITE.....MALE....	266	13	-	2	-	-	15	1	2	1
FEMALE..	241	11	2	1	-	-	14	2	3	-
NEGRO.....MALE....	48	6	-	2	-	1	9	2	-	1
FEMALE..	52	10	-	-	-	-	10	-	-	1
OTHER.....MALE....	2	1	-	-	-	-	1	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,538	15	1	5	2	1	24	14	17	33
WHITE.....MALE....	449	3	1	2	1	-	7	6	3	9
FEMALE..	800	3	-	1	-	1	5	4	12	15
NEGRO.....MALE....	83	4	-	2	-	-	6	2	-	1
FEMALE..	192	4	-	-	1	-	5	2	2	8
OTHER.....MALE....	5	1	-	-	-	-	1	-	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	-	-	1	6	11	31	103	201	443	677	883	874	598	266	55	8	1	4
-	-	-	-	2	5	16	65	159	352	560	773	813	558	251	49	5	-	5
-	-	-	1	4	6	15	35	41	88	115	106	58	38	15	6	3	1	6
-	-	-	-	-	-	-	3	1	3	2	4	3	2	-	-	-	-	7
																		8
-	1	-	-	1	-	1	-	2	1	-	-	1	-	-	1	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	1	-	-	1	-	1	-	2	1	-	-	1	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
																		16
25	32	59	90	90	70	51	39	60	94	123	146	127	68	40	7	1	-	17
-	1	1	-	-	4	3	14	21	39	71	91	92	51	28	6	-	-	18
11	20	25	56	64	46	31	14	22	35	33	39	27	13	7	-	-	-	19
-	1	1	-	-	-	6	5	14	15	14	14	7	4	4	1	1	-	20
13	10	31	34	25	18	11	6	3	5	5	2	-	-	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
1	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	23
																		24
																		25
273	319	390	321	130	16	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
156	191	207	197	78	8	-	-	-	-	-	-	-	-	-	-	-	-	28
113	121	172	120	50	7	-	-	-	-	-	-	-	-	-	-	-	-	29
4	7	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
																		32
36	33	33	33	11	2	-	-	-	-	-	-	-	-	-	-	-	-	33
23	22	22	21	8	-	-	-	-	-	-	-	-	-	-	-	-	-	34
12	11	11	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	36
																		37
																		38
50	44	50	61	29	7	-	-	-	-	-	-	-	-	-	-	-	-	39
30	26	19	28	14	3	-	-	-	-	-	-	-	-	-	-	-	-	40
20	17	30	31	15	4	-	-	-	-	-	-	-	-	-	-	-	-	41
-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
																		44
29	45	72	62	29	3	-	-	-	-	-	-	-	-	-	-	-	-	45
17	30	37	39	16	1	-	-	-	-	-	-	-	-	-	-	-	-	46
11	12	33	22	12	2	-	-	-	-	-	-	-	-	-	-	-	-	47
1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
																		49
10	22	33	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	50
5	9	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	51
5	12	24	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
																		54
																		55
18	24	26	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	56
8	12	17	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	57
10	11	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
51	57	52	33	10	1	-	-	-	-	-	-	-	-	-	-	-	-	61
21	28	21	22	7	1	-	-	-	-	-	-	-	-	-	-	-	-	62
29	29	31	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
																		65
																		66
-	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
																		71
																		72
79	89	121	104	42	2	-	-	-	-	-	-	-	-	-	-	-	-	73
52	62	80	73	28	2	-	-	-	-	-	-	-	-	-	-	-	-	74
26	26	33	31	14	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
																		78
46	48	58	91	102	136	136	170	175	190	230	207	203	129	62	14	3	1	79
																		80
6	5	8	25	24	48	44	67	48	81	90	84	76	46	16	3	-	-	81
24	23	30	41	44	56	63	79	83	80	114	109	115	74	40	9	1	1	82
5	3	6	6	11	13	9	4	17	12	13	3	5	1	2	-	-	-	83
9	16	12	18	21	19	19	18	26	16	10	10	7	8	3	2	2	-	84
-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	85
2	1	2	1	1	-	1	1	1	1	-	1	-	-	1	-	-	-	86
																		87
8	8	14	13	18	28	38	49	38	54	72	62	75	46	17	9	2	-	88
4	2	-	8	7	14	18	26	16	35	29	30	31	20	5	2	-	-	89
1	3	8	3	3	9	11	14	14	12	35	28	40	25	10	5	1	-	90
2	1	4	1	4	3	3	-	3	4	5	1	4	-	1	-	-	-	91
-	2	1	1	3	2	6	8	5	3	3	2	-	1	1	2	1	-	92
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	93
1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	94
																		95
38	40	44	78	84	108	98	121	137	136	158	145	128	83	45	5	1	1	96
2	3	8	17	17	34	26	41	32	46	61	54	45	26	11	1	-	-	97
23	20	22	38	41	47	52	65	69	68	79	81	75	49	30	4	-	1	98
3	2	2	5	7	10	6	4	14	8	8	2	1	1	1	-	-	-	99
9	14	11	17	18	17	13	10	21	13	7	8	7	7	2	-	1	-	100
-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	101
1	1	1	1	-	-	1	1	1	1	-	-	-	-	1	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	3,595	150	16	13	6	6	191	30	70	104
WHITE.....MALE	1,379	80	6	3	4	5	98	16	31	80
FEMALE	1,873	60	8	7	-	-	75	13	31	14
NEGRO.....MALE	159	5	1	2	-	1	9	-	3	10
FEMALE	163	5	1	1	2	-	9	1	4	-
OTHER.....MALE	5	-	-	-	-	-	-	-	-	-
FEMALE	16	-	-	-	-	-	-	-	1	-
ARTHRITIS AND SPONDYLITIS.....720-725	1,996	-	-	1	1	-	2	1	7	5
WHITE.....MALE	644	-	-	-	1	-	1	-	2	1
FEMALE	1,178	-	-	-	-	-	-	1	5	2
NEGRO.....MALE	77	-	-	1	-	-	1	-	-	2
FEMALE	83	-	-	-	-	-	-	-	-	-
OTHER.....MALE	2	-	-	-	-	-	-	-	-	-
FEMALE	12	-	-	-	-	-	-	-	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	29	-	-	-	-	-	-	-	-	-
WHITE.....MALE	9	-	-	-	-	-	-	-	-	-
FEMALE	14	-	-	-	-	-	-	-	-	-
NEGRO.....MALE	2	-	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-
OTHER.....MALE	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	191	6	-	-	-	-	6	1	3	3
WHITE.....MALE	87	3	-	-	-	-	3	-	1	1
FEMALE	71	1	-	-	-	-	1	1	2	2
NEGRO.....MALE	18	-	-	-	-	-	-	-	-	-
FEMALE	12	2	-	-	-	-	2	-	-	-
OTHER.....MALE	1	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-
ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737,745-749	106	8	1	-	-	2	11	2	12	4
WHITE.....MALE	34	3	-	-	-	1	4	2	-	1
FEMALE	62	3	1	-	-	-	4	-	10	3
NEGRO.....MALE	4	1	-	-	-	1	2	-	-	-
FEMALE	5	1	-	-	-	-	1	-	2	-
OTHER.....MALE	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	539	109	12	7	3	2	133	21	37	82
WHITE.....MALE	331	59	3	2	3	2	69	12	24	73
FEMALE	163	46	7	3	-	-	56	9	10	4
NEGRO.....MALE	31	3	1	1	-	-	5	-	2	5
FEMALE	13	1	1	1	-	-	3	-	1	-
OTHER.....MALE	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	734	27	3	5	2	2	39	5	11	10
WHITE.....MALE	274	15	3	1	-	2	21	2	4	4
FEMALE	385	10	-	4	-	-	14	2	4	3
NEGRO.....MALE	27	1	-	-	-	-	1	-	1	3
FEMALE	46	1	-	-	2	-	3	1	1	-
OTHER.....MALE	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	1	-
XIV. CONGENITAL MALFORMATIONS	21,922	15,515	955	456	298	236	17,460	753	527	434
WHITE.....MALE	10,389	7,439	410	174	127	103	8,253	348	244	212
FEMALE	8,691	6,034	396	185	122	101	6,838	298	223	168
NEGRO.....MALE	1,407	1,015	64	43	23	14	1,159	54	35	24
FEMALE	1,210	863	70	49	24	15	1,021	40	22	27
OTHER.....MALE	123	88	7	4	1	1	101	8	2	2
FEMALE	102	76	8	1	1	2	88	5	1	1
SPINA BIFIDA AND MENINGOCELE.....751	1,195	1,044	62	24	8	6	1,144	14	14	11
WHITE.....MALE	462	402	22	9	4	3	440	4	7	7
FEMALE	633	553	35	13	4	3	608	8	7	3
NEGRO.....MALE	46	41	2	2	-	-	45	1	-	-
FEMALE	43	39	1	-	-	-	40	1	-	1
OTHER.....MALE	5	4	1	-	-	-	5	-	-	-
FEMALE	6	5	1	-	-	-	6	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,450	1,625	234	109	79	45	2,092	144	77	54
WHITE.....MALE	1,090	720	108	45	34	18	925	68	32	27
FEMALE	1,019	690	100	39	30	19	878	53	34	23
NEGRO.....MALE	163	109	6	10	8	2	135	13	4	2
FEMALE	153	90	18	12	7	5	132	10	6	2
OTHER.....MALE	14	8	-	3	-	1	12	-	1	-
FEMALE	11	8	2	-	-	-	10	-	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	11,167	7,626	496	259	176	153	8,710	499	358	296
WHITE.....MALE	5,408	3,825	207	100	76	68	4,276	224	166	144
FEMALE	4,245	2,749	197	105	74	68	3,193	205	149	111
NEGRO.....MALE	741	509	42	23	10	10	594	33	26	19
FEMALE	657	458	43	30	14	6	551	26	15	19
OTHER.....MALE	70	51	3	1	1	-	56	8	1	2
FEMALE	46	34	4	-	1	1	40	3	1	1
OTHER CONGENITAL MALFORMATIONS.....750,755-759	7,110	5,220	163	64	35	32	5,514	96	78	73
WHITE.....MALE	3,429	2,492	73	20	13	14	2,612	52	39	34
FEMALE	2,794	2,042	64	28	14	11	2,159	32	33	31
NEGRO.....MALE	457	356	14	8	5	2	385	7	5	3
FEMALE	357	276	8	7	3	4	298	3	1	5
OTHER.....MALE	34	25	3	-	-	-	28	-	-	-
FEMALE	39	29	1	1	-	1	32	2	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
60	32	40	64	93	148	183	291	363	418	404	434	363	210	79	14	2	2	2
																		3
38	18	10	29	35	61	78	111	155	153	151	132	104	58	19	1	-	1	4
12	10	15	23	36	59	82	146	179	230	221	276	240	140	55	13	2	1	5
4	2	6	1	11	20	11	16	15	16	11	7	9	5	3	-	-	-	6
4	1	9	9	11	7	11	16	13	15	20	18	8	5	2	-	-	-	7
1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	8
1	1	-	1	-	1	1	1	-	4	-	1	2	2	-	-	-	-	9
																		10
																		11
6	5	9	19	30	68	99	183	252	287	297	301	232	134	51	6	-	2	12
2	1	3	6	12	33	46	67	103	91	93	72	61	35	13	1	-	1	13
3	3	5	9	13	23	46	94	132	168	177	209	157	90	35	5	-	1	14
-	1	1	-	3	6	4	10	9	14	8	5	7	4	2	-	-	-	15
-	-	-	3	2	5	2	11	7	10	18	14	6	4	1	-	-		16
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17
1	-	-	1	-	1	1	1	-	4	-	1	1	1	-	-	-	-	18
																		19
-	-	2	1	1	6	2	4	3	-	1	4	2	3	-	-	-	-	20
-	-	-	-	1	-	-	2	2	-	1	1	-	2	-	-	-	-	21
-	-	1	-	-	3	1	2	1	-	-	3	2	1	-	-	-	-	22
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
2	-	3	4	7	12	11	21	25	30	17	15	16	9	6	-	-	-	28
-	-	-	4	2	7	6	8	6	18	11	8	8	3	1	-	-	-	29
-	-	2	-	2	2	3	10	12	10	5	4	7	4	4	-	-	-	30
-	-	-	-	3	3	2	2	4	-	1	1	-	1	1	-	-	-	31
1	-	1	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	32
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	34
																		35
																		36
2	1	1	4	4	7	4	6	6	7	8	8	12	5	1	1	-	-	37
1	-	1	2	2	3	1	1	4	2	4	1	3	1	1	-	-	-	38
1	-	-	2	1	3	3	5	2	4	3	7	9	4	-	1	-	-	39
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
38	18	6	22	14	27	26	34	28	20	10	14	5	4	-	-	-	-	45
32	13	4	10	3	12	13	14	16	11	6	12	4	3	-	-	-	-	46
4	3	1	8	8	9	11	15	9	9	3	2	1	1	-	-	-	-	47
2	1	1	1	3	6	1	2	1	-	1	-	-	-	-	-	-	-	48
-	1	-	3	-	-	1	2	2	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
12	8	19	14	37	28	41	43	49	74	71	92	96	55	21	7	2	-	53
3	4	2	7	15	6	12	19	24	31	36	38	28	14	4	-	-	-	54
4	4	6	4	12	19	18	20	23	39	33	51	64	40	16	7	2	-	55
2	-	4	-	1	3	3	2	1	2	1	1	2	-	-	-	-	-	56
3	-	7	2	9	-	8	2	1	2	1	2	2	1	1	-	-	-	57
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
																		61
274	199	210	258	291	300	282	243	222	158	141	84	47	33	1	3	-	2	62
																		63
136	91	100	125	139	146	149	111	97	81	76	39	20	20	-	2	-	-	64
105	88	88	100	124	126	110	111	116	64	54	39	23	13	1	1	-	1	65
13	12	13	21	18	13	8	11	7	9	6	3	1	-	-	-	-	-	66
17	7	9	9	8	15	14	9	2	3	4	1	2	-	-	-	-	-	67
2	1	-	3	-	-	1	1	-	-	-	1	1	-	-	-	-	-	68
1	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	1	69
																		70
6	1	-	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	71
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
3	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
16	15	11	9	11	6	3	4	3	3	1	-	-	-	-	-	-	1	79
4	7	7	6	7	1	2	1	1	1	1	-	-	-	-	-	-	-	80
7	6	3	3	-	4	1	2	2	2	-	-	-	-	-	-	-	1	81
3	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	82
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	83
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
																		87
198	149	139	157	143	126	104	71	80	57	39	18	13	9	1	-	-	-	88
96	63	62	77	61	56	50	40	33	23	19	8	4	6	-	-	-	-	89
81	73	63	58	70	55	49	26	45	29	17	9	8	3	1	-	-	-	90
7	7	9	18	8	6	2	3	2	4	2	1	-	-	-	-	-	-	91
12	5	5	3	4	9	3	2	-	1	1	-	1	-	-	-	-	-	92
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
54	34	60	90	136	168	175	168	139	97	101	65	34	24	-	3	-	1	96
33	20	31	42	71	89	97	70	63	57	56	31	16	14	-	2	-	-	97
14	9	22	37	53	67	60	83	69	33	37	29	15	10	-	1	-	-	98
3	4	3	3	8	6	6	7	5	5	4	2	1	-	-	-	-	-	99
4	1	4	6	3	6	11	7	2	1	3	1	1	-	-	-	-	-	100
-	-	-	2	-	-	1	1	-	-	-	1	1	-	-	-	-	-	101
-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	1	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XV. CERTAIN DISEASES OF EARLY INFANCY	65,679	65,662	3	4	1	2	65,672	2	4	-
WHITE.....MALE	29,579	29,573	-	2	1	1	29,577	-	2	-
FEMALE	20,409	20,401	1	2	-	1	20,405	1	2	-
NEGRO.....MALE	8,366	8,365	1	-	-	-	8,366	-	-	-
FEMALE	6,528	6,527	1	-	-	-	6,528	-	-	-
OTHER.....MALE	443	442	-	-	-	-	442	1	-	-
FEMALE	354	354	-	-	-	-	354	-	-	-
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	19,094	2,395	172	110	54	33	2,764	85	58	116
WHITE.....MALE	7,454	576	36	39	11	11	673	31	20	38
FEMALE	4,973	399	43	22	12	8	484	19	18	31
NEGRO.....MALE	3,476	749	48	25	16	6	844	15	11	25
FEMALE	2,862	597	40	18	12	8	675	18	9	20
OTHER.....MALE	192	40	1	3	3	-	47	2	-	-
FEMALE	137	34	4	3	-	-	41	-	-	2
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,424	-	-	-	-	-	-	-	-	-
WHITE.....MALE	759	-	-	-	-	-	-	-	-	-
FEMALE	1,215	-	-	-	-	-	-	-	-	-
NEGRO.....MALE	179	-	-	-	-	-	-	-	-	-
FEMALE	230	-	-	-	-	-	-	-	-	-
OTHER.....MALE	20	-	-	-	-	-	-	-	-	-
FEMALE	21	-	-	-	-	-	-	-	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	16,670	2,395	172	110	54	33	2,764	85	58	116
WHITE.....MALE	6,695	576	36	39	11	11	673	31	20	38
FEMALE	3,758	399	43	22	12	8	484	19	18	31
NEGRO.....MALE	3,297	749	48	25	16	6	844	15	11	25
FEMALE	2,632	597	40	18	12	8	675	18	9	20
OTHER.....MALE	172	40	1	3	3	-	47	2	-	-
FEMALE	116	34	4	3	-	-	41	-	-	2
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	119,863	3,775	1,767	1,327	1,117	999	8,985	3,558	3,433	7,608
WHITE.....MALE	70,907	1,539	765	587	510	474	3,875	1,861	2,166	5,174
FEMALE	30,608	1,160	575	398	320	284	2,737	921	662	1,344
NEGRO.....MALE	12,168	573	201	161	133	119	1,187	409	436	784
FEMALE	4,684	438	194	159	130	112	1,033	305	132	196
OTHER.....MALE	1,105	28	20	13	13	4	78	36	29	85
FEMALE	391	37	12	9	11	6	75	26	8	25
ACCIDENTS.....E800-E962	92,249	3,581	1,711	1,280	1,082	968	8,622	3,468	3,249	6,648
WHITE.....MALE	54,292	1,467	748	572	499	457	3,743	1,824	2,065	4,677
FEMALE	25,002	1,102	558	378	307	278	2,623	889	622	1,184
NEGRO.....MALE	8,175	543	190	154	130	115	1,132	396	412	547
FEMALE	3,587	405	183	154	123	108	973	298	115	138
OTHER.....MALE	870	27	20	13	13	4	77	36	27	80
FEMALE	323	37	12	9	10	6	74	25	8	22
RAILWAY ACCIDENTS.....E800-E802	979	2	6	7	4	1	20	15	28	45
WHITE.....MALE	656	-	5	5	1	1	12	6	20	25
FEMALE	96	-	-	2	2	-	4	4	4	6
NEGRO.....MALE	172	1	1	-	-	-	2	3	4	12
FEMALE	21	1	-	-	-	-	1	2	-	1
OTHER.....MALE	32	-	-	-	1	-	1	-	-	1
FEMALE	2	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	38,091	307	419	373	395	397	1,891	1,536	1,266	4,399
WHITE.....MALE	24,618	133	203	169	194	213	912	827	778	3,079
FEMALE	8,994	138	168	138	131	122	697	432	336	943
NEGRO.....MALE	2,963	17	23	35	39	40	154	162	101	232
FEMALE	955	10	23	22	24	20	99	92	42	78
OTHER.....MALE	402	3	1	4	5	1	14	13	6	49
FEMALE	159	6	1	5	2	1	15	10	3	18
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	37,025	299	270	284	340	366	1,559	1,497	1,233	4,339
WHITE.....MALE	23,909	129	135	129	164	195	752	802	756	3,027
FEMALE	8,741	134	102	103	112	110	561	425	329	937
NEGRO.....MALE	2,894	17	15	28	36	39	135	158	99	230
FEMALE	934	10	16	19	23	20	88	90	41	78
OTHER.....MALE	391	3	1	2	3	1	10	13	5	49
FEMALE	156	6	1	3	2	1	13	9	3	18
MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,267	9	13	10	18	14	64	45	52	158
WHITE.....MALE	821	2	7	5	9	8	31	21	19	100
FEMALE	347	7	6	5	8	6	32	22	31	50
NEGRO.....MALE	66	-	-	-	1	-	1	1	1	5
FEMALE	29	-	-	-	-	-	-	1	1	3
OTHER.....MALE	3	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,079	7	107	162	209	242	727	934	337	245
WHITE.....MALE	4,168	2	56	80	111	130	379	502	218	161
FEMALE	1,615	3	38	52	51	61	205	238	70	43
NEGRO.....MALE	848	-	8	20	27	32	87	121	32	21
FEMALE	311	2	5	10	16	17	50	65	17	9
OTHER.....MALE	106	-	-	-	3	1	4	5	-	10
FEMALE	31	-	-	-	1	1	2	3	-	1
OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	15,454	176	87	55	57	64	439	379	548	1,777
WHITE.....MALE	9,732	80	44	20	23	32	199	216	348	1,222
FEMALE	4,256	81	32	23	25	26	189	116	137	427
NEGRO.....MALE	966	8	5	5	4	3	25	23	43	82
FEMALE	334	4	5	5	4	1	19	13	16	31
OTHER.....MALE	116	1	-	-	-	-	1	7	3	11
FEMALE	50	2	1	2	1	-	6	4	1	4

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
																		3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
																		10
																		11
197	220	300	443	614	850	1,072	1,204	1,460	1,699	1,716	1,740	1,717	1,433	898	322	145	41	12
																		13
66	71	97	158	261	383	525	573	698	786	742	745	666	529	275	76	23	18	14
56	46	71	100	146	164	181	191	238	328	415	512	679	610	479	153	44	8	15
40	50	65	101	105	171	214	254	281	322	296	250	175	137	56	36	21	7	16
29	47	63	79	92	123	138	170	224	246	243	210	160	135	75	50	52	4	17
4	3	3	2	6	7	10	11	13	14	10	11	22	10	11	2	2	2	18
2	3	1	3	4	2	4	5	6	3	10	12	15	12	2	5	3	2	19
																		20
-	-	-	-	-	1	1	4	23	51	105	239	511	636	561	199	93	-	21
-	-	-	-	-	-	1	1	4	6	30	77	184	224	166	48	18	-	22
-	-	-	-	-	-	-	-	3	21	34	98	244	324	345	111	35	-	23
-	-	-	-	-	1	-	-	6	13	17	28	38	35	14	15	12	-	24
-	-	-	-	-	-	-	3	9	11	21	31	30	46	31	22	26	-	25
-	-	-	-	-	-	-	-	-	-	-	3	9	3	4	-	1	-	26
-	-	-	-	-	-	-	-	1	-	3	2	6	4	1	3	1	-	27
																		28
																		29
197	220	300	443	614	849	1,071	1,200	1,437	1,648	1,611	1,501	1,206	797	337	123	52	41	30
66	71	97	158	261	383	524	572	694	780	712	668	482	305	109	28	5	18	31
56	46	71	100	146	164	181	191	235	307	381	414	435	286	134	42	9	8	32
40	50	65	101	105	170	214	254	275	309	279	222	137	102	42	21	9	7	33
29	47	63	79	92	123	138	167	215	235	222	179	130	89	44	28	26	4	34
4	3	3	2	6	7	10	11	13	14	10	8	13	7	7	2	1	2	35
2	3	1	3	4	2	4	5	5	3	7	10	9	8	1	2	2	2	36
																		37
																		38
8,496	6,875	7,110	7,556	7,707	7,829	7,706	7,131	6,309	6,243	5,999	6,029	5,121	3,802	1,761	450	57	98	39
																		40
5,813	4,260	4,313	4,508	4,794	5,014	4,998	4,774	4,013	3,885	3,537	3,277	2,328	1,515	601	123	18	60	41
1,146	1,043	1,217	1,439	1,511	1,623	1,633	1,496	1,538	1,742	2,012	2,399	2,552	2,155	1,097	298	29	14	42
1,098	1,129	1,112	1,142	1,009	894	786	601	499	393	275	184	117	54	30	10	3	16	43
264	291	347	346	303	208	214	183	194	170	150	139	99	59	25	14	5	7	44
132	116	89	88	66	75	67	67	56	40	18	23	17	11	5	4	2	1	45
43	36	32	33	24	15	8	10	9	13	7	7	8	8	3	1	-	-	46
																		47
6,783	4,833	4,685	4,790	4,965	4,999	4,987	4,707	4,441	4,695	4,757	5,147	4,595	3,598	1,704	442	57	77	48
5,022	3,316	3,188	3,065	3,227	3,277	3,189	3,039	2,703	2,768	2,595	2,587	1,920	1,346	558	117	18	48	49
885	689	712	848	911	988	1,040	1,024	1,142	1,424	1,766	2,247	2,457	2,127	1,089	297	29	9	50
600	571	530	615	585	528	537	438	377	310	231	160	102	50	27	10	3	14	51
137	149	169	179	173	137	163	148	171	156	146	133	96	58	24	14	5	5	52
107	84	62	56	53	58	52	51	42	26	13	15	12	9	4	3	2	1	53
32	24	24	27	16	11	6	7	6	11	6	5	8	8	2	1	-	-	54
																		55
42	50	66	67	98	101	89	83	72	56	54	39	35	11	4	-	-	4	56
27	28	39	42	64	74	73	57	49	41	27	33	25	6	4	-	-	4	57
2	4	1	7	5	1	2	13	3	6	18	4	9	3	-	-	-	-	58
7	12	20	15	21	21	10	13	15	7	7	1	1	1	-	-	-	-	59
-	1	1	1	3	1	2	-	3	1	2	1	-	1	-	-	-	-	60
5	5	5	1	5	4	2	-	2	1	-	-	-	-	-	-	-	-	61
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
																		63
																		64
4,689	2,944	2,528	2,415	2,325	2,267	2,126	1,999	1,875	1,871	1,596	1,278	717	278	64	8	1	18	65
3,510	2,041	1,706	1,543	1,502	1,464	1,298	1,231	1,091	1,122	1,005	795	466	195	35	4	-	14	66
673	467	464	501	521	534	558	525	583	566	485	402	210	73	21	2	-	1	67
334	312	244	254	213	189	185	156	142	123	77	47	22	6	7	1	-	2	68
71	63	79	71	61	49	59	54	45	38	22	20	11	-	1	-	-	-	69
73	43	25	32	17	23	22	30	10	17	5	11	5	4	-	1	1	1	70
28	18	10	14	11	8	4	3	4	5	2	3	3	-	-	-	-	-	71
																		72
4,634	2,889	2,477	2,368	2,271	2,199	2,082	1,943	1,826	1,838	1,552	1,254	703	272	63	7	1	18	73
3,459	1,994	1,666	1,507	1,458	1,416	1,270	1,192	1,051	1,102	978	781	456	191	34	3	-	14	74
671	465	458	497	517	519	550	515	577	555	472	392	206	71	21	2	-	1	75
333	307	242	248	207	185	181	149	140	121	74	47	22	6	7	1	-	2	76
71	62	76	71	61	49	58	54	44	38	21	20	11	-	1	-	-	-	77
72	43	25	31	17	22	19	30	10	17	5	11	5	4	-	1	1	1	78
28	18	10	14	11	8	4	3	4	5	2	3	3	-	-	-	-	-	79
																		80
140	93	99	85	80	95	93	68	55	55	37	30	10	7	-	-	-	1	81
102	58	67	55	50	58	63	46	44	41	23	27	8	7	-	-	-	1	82
28	25	25	20	22	23	20	16	10	6	13	2	2	-	-	-	-	-	83
5	7	3	7	5	11	8	5	-	6	-	1	-	-	-	-	-	-	84
3	3	4	3	2	3	2	-	1	2	1	-	-	-	-	-	-	-	85
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	86
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
																		88
187	167	189	215	271	279	356	452	472	572	591	540	351	143	37	5	-	9	89
114	89	100	109	157	164	204	278	279	331	376	337	232	107	23	2	-	6	90
21	16	40	38	42	61	74	79	104	147	155	158	88	28	6	1	-	1	91
26	41	31	47	56	33	63	63	62	62	44	29	17	4	7	1	-	1	92
10	11	13	11	11	11	11	23	20	20	10	10	8	-	1	-	-	-	93
14	6	4	7	3	9	4	8	5	9	4	4	4	4	-	1	-	1	94
2	4	1	3	2	1	-	1	2	3	2	2	2	-	-	-	-	-	95
																		96
1,900	1,304	1,049	1,046	1,028	1,056	961	865	847	810	633	482	226	79	18	2	1	4	97
1,365	891	703	645	635	647	565	483	457	485	393	284	132	49	8	1	-	4	98
365	241	211	272	275	298	303	301	326	278	218	175	85	28	10	1	-	-	99
112	127	94	91	77	76	59	49	44	30	17	11	4	2	-	-	-	-	100
28	24	31	23	33	25	27	20	15	13	5	8	3	-	-	-	-	-	101
24	13	7	9	5	6	5	12	4	4	-	3	1	-	-	-	1	-	102
6	8	3	6	3	4	2	-	1	-	-	1	1	-	-	-	-	-	

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE--CON.										
ACCIDENTS--CON.										
MOTOR VEHICLE ACCIDENTS--CON.										
MOTOR VEHICLE TRAFFIC ACCIDENTS--CON.										
MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,598	75	51	45	51	30	252	101	252	1,803
WHITE.....MALE....	7,512	33	27	18	19	17	114	48	147	1,305
FEMALE..	1,887	29	17	19	25	9	99	33	74	331
NEGRO.....MALE....	799	4	1	2	4	3	14	8	22	101
FEMALE..	196	3	5	3	3	1	15	9	5	31
OTHER.....MALE....	142	2	1	2	-	-	5	1	2	25
FEMALE..	62	4	-	1	-	-	5	2	2	10
MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,627	32	12	12	5	16	77	38	44	356
WHITE.....MALE....	1,676	12	1	6	2	8	29	15	24	239
FEMALE..	636	14	9	4	3	6	36	16	17	86
NEGRO.....MALE....	215	5	1	1	-	1	8	5	1	21
FEMALE..	64	1	1	1	-	1	4	2	2	4
OTHER.....MALE....	24	-	-	-	-	-	-	-	-	3
FEMALE..	12	-	-	-	-	-	-	-	-	3
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,066	8	149	89	55	31	332	39	33	60
WHITE.....MALE....	709	4	68	40	30	18	160	25	22	52
FEMALE..	253	4	66	35	19	12	136	7	7	6
NEGRO.....MALE....	69	-	8	7	3	1	19	4	2	2
FEMALE..	21	-	7	3	1	-	11	2	1	-
OTHER.....MALE....	11	-	-	2	2	-	4	-	1	-
FEMALE..	3	-	-	2	-	-	2	1	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	258	-	1	2	1	4	8	38	44	34
WHITE.....MALE....	176	-	-	1	1	3	5	28	30	18
FEMALE..	56	-	1	1	-	1	3	6	11	15
NEGRO.....MALE....	12	-	-	-	-	-	-	1	1	1
FEMALE..	2	-	-	-	-	-	-	2	-	-
OTHER.....MALE....	10	-	-	-	-	-	-	1	2	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	1,480	5	1	1	7	13	27	50	104	156
WHITE.....MALE....	1,141	-	-	-	5	9	14	32	65	128
FEMALE..	119	3	-	1	2	3	9	12	18	13
NEGRO.....MALE....	165	-	1	-	-	1	2	2	16	13
FEMALE..	17	2	-	-	-	-	2	2	3	2
OTHER.....MALE....	37	-	-	-	-	-	-	2	2	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	1,341	8	5	3	3	4	23	18	23	41
WHITE.....MALE....	1,160	5	3	1	2	1	12	10	18	31
FEMALE..	147	3	2	2	1	3	11	7	4	5
NEGRO.....MALE....	23	-	-	-	-	-	-	-	-	5
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	1	-
FEMALE..	4	-	-	-	-	-	-	1	-	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES.....E870-E888	1,804	48	215	114	49	22	448	22	8	31
WHITE.....MALE....	771	19	83	38	14	3	157	10	3	16
FEMALE..	560	11	48	24	18	10	111	6	4	7
NEGRO.....MALE....	282	13	43	20	8	6	90	4	-	3
FEMALE..	171	5	38	30	7	3	83	2	-	5
OTHER.....MALE....	15	-	2	1	-	-	3	-	1	-
FEMALE..	5	-	1	1	2	-	4	-	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,192	13	12	4	6	1	36	20	16	96
WHITE.....MALE....	778	3	6	1	2	-	12	12	7	44
FEMALE..	237	7	2	2	1	1	13	2	4	40
NEGRO.....MALE....	112	3	1	1	1	-	6	2	2	4
FEMALE..	55	-	2	-	2	-	4	3	2	7
OTHER.....MALE....	7	-	1	-	-	-	1	-	-	1
FEMALE..	3	-	-	-	-	-	-	1	1	-
ACCIDENTAL FALLS.....E900-E904	18,691	192	128	82	45	42	489	123	102	136
WHITE.....MALE....	8,428	74	52	35	22	21	204	74	71	107
FEMALE..	8,882	58	38	19	10	11	136	29	20	13
NEGRO.....MALE....	829	38	13	16	7	6	80	15	9	11
FEMALE..	467	20	20	12	5	2	59	5	-	2
OTHER.....MALE....	60	1	2	-	-	2	5	-	2	2
FEMALE..	25	1	3	-	1	-	5	-	-	1
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,900	143	99	69	34	31	376	89	73	83
WHITE.....MALE....	3,404	54	39	31	15	16	155	55	55	66
FEMALE..	1,867	39	30	16	9	8	102	22	11	7
NEGRO.....MALE....	423	32	12	10	6	4	64	9	5	6
FEMALE..	176	18	14	12	3	2	49	3	-	1
OTHER.....MALE....	21	-	2	-	-	1	3	-	2	2
FEMALE..	9	-	2	-	1	-	3	-	-	1
FALL ON SAME LEVEL.....E903	3,682	4	5	4	2	4	19	8	9	13
WHITE.....MALE....	1,486	2	2	1	1	2	8	5	6	10
FEMALE..	1,996	1	3	1	-	1	6	-	3	3
NEGRO.....MALE....	116	-	-	2	-	1	3	3	-	-
FEMALE..	69	-	-	-	1	-	1	-	-	-
OTHER.....MALE....	14	1	-	-	-	-	1	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
UNSPECIFIED FALLS.....E904	9,109	45	24	9	9	7	94	26	20	40
WHITE.....MALE....	3,538	18	11	3	6	3	41	14	10	31
FEMALE..	5,019	18	5	2	1	2	28	7	6	3
NEGRO.....MALE....	290	6	1	4	1	1	13	3	4	5
FEMALE..	222	2	6	-	1	-	9	2	-	1
OTHER.....MALE....	25	-	-	-	-	1	1	-	-	-
FEMALE..	15	1	1	-	-	-	2	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
																		6
2,012	1,110	949	846	702	587	524	421	321	286	195	131	69	29	4	-	-	4	7
1,592	806	673	592	484	429	349	301	202	174	135	90	48	18	2	-	-	3	8
200	148	146	137	140	95	114	79	87	86	50	35	20	11	2	-	-	-	9
153	117	89	77	53	48	41	20	26	17	8	3	1	-	-	-	-	1	10
23	16	21	24	12	7	12	11	5	3	1	1	-	-	-	-	-	-	11
29	18	14	12	7	6	7	8	1	4	1	2	-	-	-	-	-	-	12
15	5	6	4	6	2	1	2	-	2	-	-	-	-	-	-	-	-	13
																		14
395	215	191	176	190	182	148	137	131	115	96	71	47	14	4	-	-	-	15
286	150	123	106	132	118	89	84	69	71	51	43	36	10	1	-	-	-	16
57	35	36	30	38	42	39	40	50	38	36	22	11	4	3	-	-	-	17
37	15	25	26	16	17	10	12	8	6	5	3	-	-	-	-	-	-	18
7	8	7	10	3	3	6	-	3	-	4	1	-	-	-	-	-	-	19
4	6	-	3	1	1	3	1	-	-	-	2	-	-	-	-	-	-	20
4	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	21
																		22
55	55	51	47	54	68	44	56	49	33	44	24	14	6	1	1	-	-	23
51	47	40	36	44	48	28	39	40	20	27	14	10	4	1	1	-	-	24
2	2	6	4	4	15	8	10	6	11	13	10	4	2	-	-	-	-	25
1	5	2	6	6	4	4	7	2	2	3	-	-	-	-	-	-	-	26
-	1	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	27
1	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
																		30
																		31
11	13	14	10	6	12	6	8	15	9	16	8	3	2	1	-	-	-	32
7	6	10	8	4	10	4	5	12	9	11	5	2	1	1	-	-	-	33
1	5	1	2	1	1	2	2	2	-	2	1	1	-	-	-	-	-	34
1	1	-	-	1	-	-	1	1	-	1	2	-	1	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	1	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	37
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
																		39
172	128	134	133	116	137	104	81	60	41	19	13	3	2	-	-	-	-	40
138	90	103	103	86	106	90	65	52	37	18	12	1	1	-	-	-	-	41
9	8	7	10	8	11	4	7	2	1	-	-	-	-	-	-	-	-	42
18	19	16	15	17	17	9	7	6	3	1	1	2	1	-	-	-	-	43
2	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
4	7	7	5	5	3	-	2	-	-	-	-	-	-	-	-	-	-	45
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
																		47
																		48
233	231	211	191	155	83	57	36	18	8	5	2	1	1	-	-	-	4	49
200	208	194	167	140	78	48	27	13	7	4	-	1	-	-	-	-	2	50
24	19	12	20	12	5	8	9	4	1	1	2	-	1	-	-	-	2	51
8	1	2	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	52
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	54
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
																		56
68	70	114	163	179	182	171	122	76	75	25	25	12	9	-	1	-	3	57
36	25	40	57	75	85	90	66	38	39	13	11	7	3	-	-	-	-	58
12	16	37	62	57	65	52	39	28	28	12	14	5	5	-	-	-	-	59
13	16	25	29	33	22	19	12	7	6	-	-	-	1	-	-	-	2	60
6	11	11	12	12	9	8	5	3	2	-	-	-	-	-	1	-	1	61
1	2	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
																		64
101	89	85	86	82	106	105	80	98	75	48	39	19	7	4	-	-	-	65
66	55	62	60	57	77	75	55	76	47	34	23	10	4	2	-	-	-	66
18	17	13	8	14	17	17	11	12	19	8	14	6	3	1	-	-	-	67
11	10	6	15	7	11	7	9	5	8	4	1	3	-	1	-	-	-	68
3	6	3	3	4	1	6	4	5	1	2	1	-	-	-	-	-	-	69
3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	70
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
149	142	235	331	433	505	659	808	924	1,325	1,866	2,686	3,054	2,831	1,459	383	47	4	72
113	94	146	187	268	311	421	556	551	737	877	1,125	1,064	941	458	105	16	2	73
13	11	33	50	69	92	127	156	254	489	885	1,465	1,932	1,842	971	270	25	-	74
16	30	37	70	70	70	77	74	71	53	51	41	24	11	14	1	2	2	75
6	4	18	21	20	23	27	20	41	42	47	53	27	29	13	6	4	-	76
1	1	1	1	6	9	7	1	7	1	5	1	3	4	2	1	-	-	77
-	2	-	2	-	-	-	1	-	3	1	1	4	4	1	-	-	-	78
																		79
107	96	131	183	242	265	327	406	422	507	551	627	641	476	225	65	7	1	80
86	68	91	122	163	173	226	301	290	329	314	340	282	188	86	13	1	-	81
7	9	16	17	31	43	48	57	81	133	199	266	341	282	138	52	5	-	82
8	14	18	36	38	35	35	40	32	31	25	14	8	3	-	-	1	1	83
6	3	6	6	7	13	17	6	17	12	12	7	8	2	1	-	-	-	84
-	1	-	1	3	1	1	1	2	1	1	-	1	1	-	-	-	-	85
-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	86
																		87
3	9	21	33	51	61	94	105	158	257	414	618	683	681	345	89	11	-	88
2	4	11	14	27	36	47	55	78	144	183	262	227	227	111	21	6	-	89
-	-	2	9	14	9	26	36	59	96	208	341	447	442	225	66	4	-	90
1	4	4	9	8	11	15	11	11	6	11	7	4	2	6	-	-	-	91
-	1	4	1	1	3	4	3	6	11	9	8	5	7	3	1	1	-	92
-	-	-	-	1	2	2	-	4	-	2	-	-	1	-	1	-	-	93
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	94
																		95
39	37	83	115	140	179	238	297	344	561	901	1,441	1,730	1,674	889	229	29	3	96
25	22	44	51	78	102	148	200	183	264	380	523	555	524	261	71	9	2	97
6	2	15	24	24	40	53	63	114	260	478	858	1,144	1,118	608	152	16	-	98
7	12	15	25	24	24	27	23	28	16	15	20	12	6	8	1	1	1	99
-	-	8	14	12	7	6	11	18	19	26	38	14	20	9	5	3	-	100
1	-	1	-	2	6	4	-	1	-	2	1	2	2	2	-	-	-	101
-	1	-	1	-	-	-	-	-	2	-	1	3	4	1	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE--CON.										
ACCIDENTS--CON.										
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,345	4	12	18	12	14	60	60	46	87
WHITE.....MALE....	1,108	2	6	14	9	9	40	39	41	76
FEMALE..	62	1	6	4	3	4	18	19	3	-
NEGRO.....MALE....	156	-	-	-	-	-	-	2	1	7
FEMALE..	4	1	-	-	-	1	2	-	-	-
OTHER.....MALE....	13	-	-	-	-	-	-	-	1	4
FEMALE..	2	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	1,955	1	21	18	25	18	83	57	80	98
WHITE.....MALE....	1,712	-	11	12	17	13	53	38	69	84
FEMALE..	77	1	8	5	4	5	23	13	9	6
NEGRO.....MALE....	150	-	2	1	2	-	5	3	-	8
FEMALE..	8	-	-	-	2	-	2	3	2	-
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	980	11	14	8	7	6	46	15	46	81
WHITE.....MALE....	805	6	8	6	3	4	27	8	35	68
FEMALE..	68	5	5	1	3	1	15	5	2	5
NEGRO.....MALE....	91	-	1	1	-	1	3	1	8	7
FEMALE..	11	-	-	-	1	-	1	1	-	1
OTHER.....MALE....	4	-	-	-	-	-	-	-	1	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	7,102	239	235	265	259	238	1,236	549	196	106
WHITE.....MALE....	3,024	55	65	77	69	57	323	142	77	51
FEMALE..	1,996	54	57	67	69	60	307	169	61	28
NEGRO.....MALE....	970	73	47	47	48	39	254	71	20	12
FEMALE..	999	48	58	67	63	77	313	149	34	14
OTHER.....MALE....	64	6	5	5	7	1	24	8	1	-
FEMALE..	49	3	3	2	3	4	15	10	3	1
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	372	34	64	45	20	8	171	4	1	1
WHITE.....MALE....	152	19	26	11	8	2	66	1	1	-
FEMALE..	126	15	21	17	6	3	62	1	-	-
NEGRO.....MALE....	50	-	11	6	2	2	21	1	-	-
FEMALE..	40	-	6	11	3	1	21	1	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	1	-	1	-	-	1
ACCIDENT CAUSED BY FIREARM.....E919	2,204	5	8	21	27	33	94	120	293	344
WHITE.....MALE....	1,607	1	3	7	14	10	35	65	221	260
FEMALE..	211	3	1	8	6	10	28	25	24	23
NEGRO.....MALE....	295	1	2	4	4	9	20	20	38	47
FEMALE..	72	-	2	2	2	3	9	10	7	9
OTHER.....MALE....	16	-	-	-	-	-	-	-	3	5
FEMALE..	3	-	-	-	1	1	2	-	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	2,499	1,228	173	62	24	22	1,509	45	19	23
WHITE.....MALE....	1,239	554	73	38	11	9	685	24	10	14
FEMALE..	791	379	57	15	5	10	466	15	5	5
NEGRO.....MALE....	247	152	22	7	4	2	187	2	1	2
FEMALE..	193	126	19	2	4	1	152	3	3	2
OTHER.....MALE....	21	10	2	-	-	-	12	1	-	-
FEMALE..	8	7	-	-	-	-	7	-	-	-
ACCIDENTAL DROWNING.....E929	5,208	58	250	186	148	108	750	573	710	781
WHITE.....MALE....	3,420	21	140	129	102	77	469	378	394	538
FEMALE..	737	26	91	46	39	25	227	86	96	52
NEGRO.....MALE....	858	8	8	7	6	6	35	87	199	164
FEMALE..	91	3	5	2	1	-	11	14	15	11
OTHER.....MALE....	89	-	4	1	-	-	5	5	6	15
FEMALE..	13	-	2	1	-	-	3	3	-	1
EXCESSIVE HEAT AND INSOLATION.....E931	191	5	2	4	1	-	12	1	2	6
WHITE.....MALE....	108	2	-	1	1	-	4	1	2	5
FEMALE..	53	1	-	3	-	-	4	-	-	-
NEGRO.....MALE....	16	-	-	-	-	-	-	-	-	1
FEMALE..	10	1	2	-	-	-	3	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,149	31	8	10	5	5	59	26	10	9
WHITE.....MALE....	428	10	1	4	2	3	20	14	5	4
FEMALE..	543	13	5	4	1	1	24	9	3	4
NEGRO.....MALE....	68	4	-	1	1	1	7	2	1	1
FEMALE..	103	3	2	1	1	-	7	1	1	-
OTHER.....MALE....	4	1	-	-	-	-	1	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	5,408	1,390	137	57	44	32	1,660	196	255	174
WHITE.....MALE....	2,961	563	63	23	22	22	693	115	218	129
FEMALE..	1,247	384	48	19	6	8	465	49	18	19
NEGRO.....MALE....	716	233	15	8	8	2	266	18	11	17
FEMALE..	367	185	6	5	8	-	204	8	6	6
OTHER.....MALE....	77	6	3	2	-	-	11	6	1	3
FEMALE..	40	19	2	-	-	-	21	-	1	-
SUICIDE.....E963,E970-E979	18,999	-	-	-	-	-	-	-	76	467
WHITE.....MALE....	13,677	-	-	-	-	-	-	-	58	333
FEMALE..	4,335	-	-	-	-	-	-	-	12	93
NEGRO.....MALE....	622	-	-	-	-	-	-	-	1	27
FEMALE..	159	-	-	-	-	-	-	-	4	9
OTHER.....MALE....	161	-	-	-	-	-	-	-	1	3
FEMALE..	45	-	-	-	-	-	-	-	-	2

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
102	83	105	106	126	143	161	109	64	31	23	19	13	5	1	1	-	-	5
90	66	89	87	106	127	129	89	50	25	21	17	10	5	1	-	-	-	6
2	2	1	-	2	1	2	1	2	2	1	2	3	-	-	1	-	-	7
10	14	15	19	18	13	26	18	9	3	1	-	-	-	-	-	-	-	8
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	1	3	1	2	1	-	-	-	-	-	-	-	-	10
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	11
																		12
131	111	133	162	190	178	191	169	131	106	73	45	11	5	1	-	-	-	13
114	97	118	137	175	155	167	149	126	99	70	45	10	5	1	-	-	-	14
3	2	6	3	1	5	2	1	-	2	-	-	1	-	-	-	-	-	15
14	10	9	21	14	16	20	18	5	4	3	-	-	-	-	-	-	-	16
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	17
-	2	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
																		20
113	127	127	106	102	63	60	39	25	12	13	3	2	-	-	-	-	-	21
93	111	114	90	86	53	43	35	21	10	9	1	1	-	-	-	-	-	22
6	5	3	6	2	4	6	2	2	2	2	1	-	-	-	-	-	-	23
13	10	7	9	13	5	9	2	2	-	1	1	-	-	-	-	-	-	24
1	1	-	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	25
-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
188	218	295	312	382	431	457	424	394	409	440	428	335	189	72	24	3	14	29
106	123	159	158	202	230	237	222	188	176	179	201	131	81	28	4	-	6	30
41	48	55	69	84	117	123	117	110	124	154	149	126	71	32	7	2	2	31
22	20	44	55	56	53	64	44	48	57	52	36	34	15	2	7	-	4	32
17	23	27	24	36	26	29	38	44	51	53	41	42	21	9	5	1	2	33
1	3	5	3	2	4	3	1	4	1	1	-	2	-	-	1	-	-	34
1	1	5	3	2	1	1	2	-	-	1	1	-	1	1	-	-	-	35
																		36
5	3	5	7	7	6	20	14	25	15	19	30	13	17	6	2	-	1	37
2	3	4	6	2	1	8	7	10	6	6	11	6	7	3	1	-	1	38
-	-	-	1	3	1	4	1	8	4	13	11	6	7	3	1	-	-	39
2	-	1	-	2	4	4	3	3	2	-	4	1	2	-	-	-	-	40
1	-	-	-	-	-	4	3	3	3	-	3	-	1	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
																		45
205	157	149	151	122	147	129	105	87	44	26	21	6	2	-	-	-	2	46
150	101	114	110	88	113	100	83	77	38	24	19	6	2	-	-	-	1	47
14	22	10	17	16	10	9	7	3	2	-	1	-	-	-	-	-	-	48
29	27	20	21	13	18	18	12	5	4	2	1	-	-	-	-	-	-	49
10	7	4	2	5	5	-	2	1	-	-	-	-	-	-	-	-	1	50
2	-	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
																		53
27	32	38	45	56	72	87	69	88	105	85	82	56	41	16	2	1	1	54
14	14	17	22	30	43	54	43	54	55	42	51	36	21	8	1	-	1	55
6	12	13	13	19	20	25	21	24	39	36	25	19	18	8	1	1	-	56
4	5	4	4	6	4	5	1	5	7	5	3	-	2	-	-	-	-	57
3	1	2	6	-	2	1	4	4	4	2	3	1	-	-	-	-	-	58
-	-	2	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
																		61
364	237	226	240	227	201	213	171	144	138	85	63	39	21	4	-	-	21	62
252	158	156	163	149	142	144	118	93	102	60	51	25	11	2	-	-	15	63
28	12	21	23	29	21	26	24	22	24	17	7	8	10	1	-	-	3	64
71	51	40	42	38	34	34	22	20	7	5	4	2	-	-	-	-	3	65
4	5	5	3	4	1	5	2	3	2	3	-	3	-	-	-	-	-	66
9	11	4	5	7	3	4	5	6	1	-	1	1	-	1	-	-	-	67
-	-	-	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	68
																		69
2	5	4	11	14	17	9	13	20	19	10	14	14	13	3	2	-	-	70
1	4	4	8	10	10	6	8	15	9	3	10	3	5	-	-	-	-	71
-	1	-	2	-	3	1	2	2	9	5	4	9	6	3	2	-	-	72
1	-	-	-	3	3	1	2	2	-	1	-	1	1	-	-	-	-	73
-	-	-	-	1	1	1	-	-	1	1	-	1	1	-	-	-	-	74
-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
																		78
21	24	26	46	59	68	73	107	99	125	131	114	86	50	11	4	1	-	79
3	3	6	9	14	16	32	52	39	49	63	46	36	15	1	1	-	-	80
13	11	9	18	29	35	35	42	46	60	56	59	47	31	10	2	-	-	81
-	1	5	1	4	8	1	5	5	9	8	4	2	3	-	1	-	-	82
4	9	6	17	12	8	5	7	8	7	4	5	1	1	-	-	-	-	83
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	84
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
160	169	190	208	286	280	270	270	226	231	223	238	176	114	58	15	4	5	87
100	89	107	108	169	182	170	171	148	160	129	131	80	43	14	1	2	2	88
20	27	26	36	39	45	37	44	35	46	71	86	75	57	39	11	1	1	89
26	32	35	41	54	40	47	39	26	17	12	14	10	6	3	-	1	1	90
9	14	11	18	14	8	13	9	11	4	9	6	9	4	1	2	-	1	91
5	6	8	4	7	4	3	7	5	3	-	1	1	1	1	-	-	-	92
-	1	3	1	3	1	-	-	1	1	2	-	1	3	-	1	-	-	93
																		94
																		95
791	985	1,321	1,651	1,838	2,051	2,181	2,047	1,618	1,366	1,092	795	472	185	49	7	-	7	96
527	609	831	1,096	1,282	1,458	1,578	1,560	1,201	1,023	866	650	391	161	42	5	-	6	97
161	251	365	446	473	513	516	420	356	297	208	126	70	21	5	1	-	1	98
65	79	78	65	47	62	61	43	40	27	11	9	6	1	-	-	-	-	99
14	15	24	22	19	11	14	9	9	6	1	-	1	1	-	-	-	-	100
17	24	19	18	9	5	11	12	10	12	5	8	4	1	1	1	-	-	101
7	7	4	4	8	2	1	3	2	1	1	2	-	-	1	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE--CON.										
SUICIDE--CON.										
SUICIDE BY POISONING.....E970-E973	4,501	-	-	-	-	-	-	-	7	92
WHITE.....MALE....	2,646	-	-	-	-	-	-	-	2	59
FEMALE..	1,712	-	-	-	-	-	-	-	2	27
NEGRO.....MALE....	77	-	-	-	-	-	-	-	-	2
FEMALE..	37	-	-	-	-	-	-	-	3	4
OTHER.....MALE....	16	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	3,157	-	-	-	-	-	-	-	44	103
WHITE.....MALE....	2,297	-	-	-	-	-	-	-	40	84
FEMALE..	707	-	-	-	-	-	-	-	2	12
NEGRO.....MALE....	76	-	-	-	-	-	-	-	1	5
FEMALE..	8	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	55	-	-	-	-	-	-	-	1	1
FEMALE..	14	-	-	-	-	-	-	-	-	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,037	-	-	-	-	-	-	-	25	244
WHITE.....MALE....	7,481	-	-	-	-	-	-	-	16	174
FEMALE..	1,091	-	-	-	-	-	-	-	8	48
NEGRO.....MALE....	351	-	-	-	-	-	-	-	-	17
FEMALE..	46	-	-	-	-	-	-	-	1	2
OTHER.....MALE....	61	-	-	-	-	-	-	-	-	2
FEMALE..	7	-	-	-	-	-	-	-	-	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,304	-	-	-	-	-	-	-	-	28
WHITE.....MALE....	1,253	-	-	-	-	-	-	-	-	16
FEMALE..	825	-	-	-	-	-	-	-	-	6
NEGRO.....MALE....	118	-	-	-	-	-	-	-	-	3
FEMALE..	68	-	-	-	-	-	-	-	-	3
OTHER.....MALE....	29	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
HOMICIDE.....E964,E980-E985	8,578	194	56	47	35	31	363	90	108	493
WHITE.....MALE....	2,903	72	17	15	11	17	132	37	43	164
FEMALE..	1,271	58	17	20	13	6	114	32	28	67
NEGRO.....MALE....	3,370	30	11	7	3	4	55	13	23	210
FEMALE..	938	33	11	5	7	4	60	7	13	49
OTHER.....MALE....	73	1	-	-	-	-	1	-	1	2
FEMALE..	23	-	-	-	1	-	1	1	-	1
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	4,753	9	13	14	12	9	57	38	68	287
WHITE.....MALE....	1,681	3	5	9	4	3	24	18	28	88
FEMALE..	740	4	4	3	5	3	19	12	16	46
NEGRO.....MALE....	1,825	2	3	2	-	2	9	5	15	122
FEMALE..	467	-	1	-	3	1	5	2	8	29
OTHER.....MALE....	28	-	-	-	-	-	-	-	1	1
FEMALE..	12	-	-	-	-	-	-	1	-	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,819	7	1	4	2	1	15	9	10	119
WHITE.....MALE....	422	5	-	1	-	1	7	6	4	38
FEMALE..	128	-	-	1	1	-	2	1	3	8
NEGRO.....MALE....	1,033	1	-	2	1	-	4	1	3	59
FEMALE..	215	1	1	-	-	-	2	1	-	13
OTHER.....MALE....	16	-	-	-	-	-	-	-	-	1
FEMALE..	5	-	-	-	-	-	-	-	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,728	178	42	29	21	21	291	43	25	44
WHITE.....MALE....	648	64	12	5	7	13	101	13	9	13
FEMALE..	401	54	13	16	7	3	93	19	9	12
NEGRO.....MALE....	391	27	8	3	2	2	42	7	2	12
FEMALE..	256	32	9	5	4	3	53	4	5	7
OTHER.....MALE....	26	1	-	-	-	-	1	-	-	-
FEMALE..	6	-	-	-	1	-	1	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	237	-	-	-	-	-	-	-	5	42
WHITE.....MALE....	132	-	-	-	-	-	-	-	2	25
FEMALE..	2	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	100	-	-	-	-	-	-	-	3	16
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EXECUTION.....E985	41	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	21	-	-	-	-	-	-	-	-	1
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	37	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	35	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1961—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
176	265	407	507	550	581	575	497	307	220	152	93	55	13	3	-	-	1	5
109	132	236	304	321	341	326	299	185	132	89	63	35	10	3	-	-	-	6
54	101	148	184	217	230	242	190	118	83	62	30	20	3	-	-	-	1	7
4	18	13	13	8	6	5	1	4	2	1	-	-	-	-	-	-	-	8
3	8	6	3	1	4	1	3	-	1	-	-	-	-	-	-	-	-	9
2	3	3	2	1	-	-	3	-	2	-	-	-	-	-	-	-	-	10
4	3	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	11
																		12
90	114	158	214	246	250	330	381	328	284	268	174	109	43	16	3	-	2	13
59	72	101	138	167	178	242	288	237	209	210	133	84	36	15	2	-	2	14
16	29	43	55	67	68	77	84	73	66	52	35	22	6	-	-	-	-	15
11	8	7	15	5	3	6	3	8	2	1	-	1	-	-	-	-	-	16
1	-	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	17
3	3	3	5	3	1	5	4	7	6	5	4	2	1	-	1	-	-	18
-	2	-	1	3	-	-	1	2	1	-	2	-	-	1	-	-	-	19
																		20
448	513	607	759	873	1,005	1,031	926	746	618	502	407	222	89	18	2	-	2	21
320	357	435	571	711	825	875	833	656	540	465	381	213	87	18	2	-	2	22
75	97	114	148	129	135	109	54	65	58	28	19	3	1	-	-	-	-	23
39	41	44	22	21	40	38	32	21	16	9	6	4	1	-	-	-	-	24
5	1	6	8	6	3	7	4	2	1	-	-	-	-	-	-	-	-	25
9	15	8	8	4	2	2	3	2	3	-	1	2	-	-	-	-	-	26
-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
77	93	149	171	169	215	245	243	237	244	170	121	86	40	12	2	-	2	29
39	48	59	83	83	114	135	140	123	142	102	73	59	28	6	1	-	2	30
16	24	60	59	60	80	88	92	100	90	66	42	25	11	5	1	-	-	31
11	12	14	15	13	13	12	7	7	7	-	3	1	-	-	-	-	-	32
5	6	8	11	11	4	6	1	6	4	1	-	1	1	-	-	-	-	33
3	3	5	3	1	2	4	2	1	1	-	3	-	-	1	-	-	-	34
3	-	3	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	35
																		36
922	1,055	1,103	1,105	901	773	537	377	249	176	145	86	54	18	8	1	-	14	37
264	334	293	337	283	273	230	175	108	88	71	39	17	7	1	1	-	6	38
100	103	140	145	127	122	77	52	40	21	38	26	25	7	3	-	-	4	39
433	479	504	462	376	304	188	120	82	56	33	15	9	3	3	-	-	2	40
113	127	154	145	111	60	37	26	14	8	3	6	2	-	1	-	-	2	41
8	7	8	14	4	12	4	4	4	2	-	-	1	1	-	-	-	-	42
4	5	4	2	-	2	1	-	1	1	-	-	-	-	-	-	-	-	43
																		44
569	652	599	647	529	462	305	208	126	92	63	27	12	4	4	-	-	4	45
157	214	177	219	179	177	146	101	59	46	30	11	4	1	1	-	-	1	46
75	67	87	103	86	83	46	34	17	13	19	11	3	1	2	-	-	-	47
269	293	253	250	200	163	94	59	42	27	12	3	5	2	-	-	-	2	48
63	73	75	69	63	32	18	13	7	4	2	2	-	-	1	-	-	1	49
3	3	4	5	1	6	1	1	1	1	-	-	-	-	-	-	-	-	50
2	2	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	51
																		52
220	238	303	274	200	148	109	68	46	22	19	7	8	3	1	-	-	-	53
46	56	56	54	40	27	28	23	15	8	7	4	3	-	-	-	-	-	54
8	11	18	18	13	11	11	4	7	2	2	3	4	2	-	-	-	-	55
133	134	184	159	120	93	60	38	23	11	10	-	-	-	1	-	-	-	56
28	33	43	40	27	13	9	3	1	1	-	-	1	-	-	-	-	-	57
4	2	1	3	-	3	1	-	-	-	-	-	-	1	-	-	-	-	58
1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
81	117	150	156	155	149	113	100	72	60	62	52	33	11	3	1	-	10	61
27	38	36	52	54	59	50	51	32	34	34	24	9	6	-	1	-	5	62
17	25	34	24	28	28	20	14	16	6	17	12	18	4	1	-	-	4	63
13	31	42	38	49	44	30	22	14	16	10	12	4	1	2	-	-	-	64
22	21	36	36	21	15	10	10	6	3	1	4	1	-	-	-	-	1	65
1	1	2	5	3	3	2	3	3	1	-	-	1	-	-	-	-	-	66
1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	67
																		68
46	38	37	25	14	11	9	1	5	2	1	-	1	-	-	-	-	-	69
31	21	18	11	8	8	5	-	2	-	-	-	1	-	-	-	-	-	70
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
15	16	17	13	6	3	4	1	3	2	1	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
																		76
6	10	14	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	77
3	5	6	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
3	5	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
																		84
-	2	1	10	3	6	1	-	1	6	5	1	-	1	-	-	-	-	85
-	1	1	10	2	6	1	-	1	6	5	1	-	1	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	1,701,522	854,569	643,763	112,258	90,932	29,672	11,112	7,785	5,581	5,194
I. INFECTIVE AND PARASITIC DISEASES	20,078	10,010	4,999	3,189	1,880	529	173	84	162	110
TUBERCULOSIS, ALL FORMS 001-019	9,938	5,517	1,874	1,737	810	286	101	51	92	42
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	9,191	5,269	1,677	1,574	671	261	97	47	82	35
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	225	78	61	42	44	9	1	3	-	5
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	57	17	12	12	16	2	1	-	1	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	79	30	24	18	7	3	1	-	2	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	184	67	64	29	24	4	-	1	2	1
DISSEMINATED TUBERCULOSIS 019	202	56	36	62	48	7	1	-	5	1
SYPHILIS AND ITS SEQUELAE 020-029	2,850	1,405	487	627	331	69	16	3	27	23
CONGENITAL SYPHILIS 020	36	10	8	9	9	2	-	-	1	1
EARLY SYPHILIS 021	1	-	-	-	1	1	-	-	-	1
ANEURYSM OF AORTA 022	1,250	728	255	162	105	25	9	2	6	8
OTHER CARDIOVASCULAR SYPHILIS 023	1,025	418	121	329	157	32	5	1	18	8
TABES DORSALIS 024	66	33	15	13	5	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	185	92	35	35	23	4	1	-	-	3
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	233	102	38	67	26	5	1	-	2	2
ALL OTHER SYPHILIS 027-029	54	22	15	12	5	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	19	10	-	8	1	-	-	-	-	-
TYPHOID FEVER 040	17	4	2	4	7	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	64	27	16	13	8	2	2	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	11	6	5	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	300	108	76	58	58	5	2	-	-	3
FOOD POISONING, INFECTION AND INTOXICATION 049	44	12	16	6	10	3	-	-	1	2
SCARLET FEVER 050	24	12	10	1	1	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	106	44	48	9	5	3	2	-	1	-
ERYSIPELAS 052	32	16	15	-	1	1	-	1	-	-
SEPTICEMIA AND PYEMIA 053	1,886	799	682	228	177	33	13	8	5	7
DIPHTHERIA 055	68	24	21	14	9	2	1	-	1	-
WHOOPING COUGH 056	76	12	14	21	29	10	-	2	3	5
MENINGOCOCCAL INFECTIONS 057	586	267	219	57	43	14	6	2	1	5
PLAGUE 058	2	2	-	-	-	-	-	-	-	-
LEPROSY 060	8	5	-	2	1	-	-	-	-	-
TETANUS 061	242	87	39	70	46	14	1	-	10	3
ANTHRAX 062	1	-	1	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	90	45	35	5	5	1	-	1	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	149	79	62	2	6	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	505	238	195	33	39	9	2	2	1	4
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	92	53	35	3	1	2	1	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	434	156	169	56	53	10	3	3	2	2
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	976	393	446	63	74	29	14	3	8	4
RABIES 094	3	2	1	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	11	8	2	-	1	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	-	1	-	-	-	-	-	-	-
MALARIA 110-117	3	2	1	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	2	1	1	-	-	-	-	-	-	-
HYDATID DISEASE 125	3	2	-	1	-	1	1	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	1	-	-	-	1	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	47	12	5	12	18	1	-	-	1	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	1,487	662	521	159	145	33	8	6	9	10
II. NEOPLASMS	278,253	135,091	116,662	14,187	12,313	3,956	1,514	1,324	524	594
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	273,502	133,219	114,478	13,938	11,867	3,877	1,496	1,293	519	569
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	6,322	4,388	1,367	435	132	87	48	25	9	5
OF LIP 140	216	192	19	3	2	6	4	2	-	-
OF TONGUE 141	1,526	1,065	349	87	25	15	8	4	2	1
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	1,953	1,252	535	119	47	34	15	14	2	3
OF PHARYNX 145-148	2,627	1,879	464	226	58	32	21	5	5	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	91,727	44,887	37,994	5,286	3,560	1,119	429	338	191	161
OF ESOPHAGUS 150	4,889	3,114	890	710	175	58	21	14	15	8
OF STOMACH 151	20,113	10,846	6,611	1,801	855	292	107	57	88	40
OF SMALL INTESTINE, INCLUDING DUODENUM 152	743	329	345	38	31	10	5	1	1	3
OF LARGE INTESTINE, EXCEPT RECTUM 153	29,665	12,634	15,036	884	1,111	299	104	119	30	46
CECUM, APPENDIX, AND ASCENDING COLON 153.0	4,256	1,738	2,254	121	143	29	11	11	2	5
TRANSVERSE COLON 153.1	1,616	694	834	43	45	14	3	8	1	2
DESCENDING COLON 153.2	1,333	551	700	39	43	9	3	5	1	-
SIGMOID COLON 153.3	6,319	2,876	3,117	145	181	33	14	13	-	6
MULTIPLE PARTS OF LARGE INTESTINE 153.7	66	28	33	4	1	1	-	-	1	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	14,489	6,149	7,225	477	638	199	68	76	24	31
INTESTINAL TRACT, PART UNSPECIFIED 153.9	1,586	598	873	55	60	14	5	6	1	2
OF RECTUM 154	10,697	5,663	4,251	426	357	89	32	29	13	15
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	6,359	2,438	3,412	284	225	107	37	46	14	10
LIVER 155.0	2,012	1,072	671	203	66	63	22	24	11	6
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	4,347	1,366	2,741	81	159	44	15	22	3	4
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	3,192	1,507	1,313	220	152	18	7	3	1	7
OF PANCREAS 157	14,349	7,632	5,342	817	558	208	105	57	24	22
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	1,720	724	794	106	96	38	11	12	5	10

and Sex: United States and Each State, 1961

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,274	603	213	259	199	10,565	5,921	3,460	746	438	17,529	8,084	5,201	2,360	1,884	1
															2
															3
															4
49	6	3	20	20	246	118	61	46	21	343	150	65	76	52	5
															6
19	3	1	5	10	131	81	22	17	11	190	98	29	40	23	7
17	3	1	4	9	125	80	20	15	10	182	94	29	39	20	8
-	-	-	-	-	3	1	1	1	-	2	1	-	-	1	9
															10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	12
2	-	-	1	1	2	-	-	1	1	3	3	-	-	-	13
-	-	-	-	-	1	-	1	-	-	2	-	-	-	2	14
															15
1	-	-	-	1	10	4	3	3	-	36	13	4	14	5	16
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	5	3	2	-	-	17	9	3	4	1	19
1	-	-	-	1	3	-	1	2	-	14	1	-	10	3	20
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	21
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	22
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
															25
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	27
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	18	5	2	7	4	13	2	3	2	6	31
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	32
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	33
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	1	1	-	-	16	3	7	4	2	23	8	7	7	1	36
															37
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	38
2	-	-	1	1	2	-	-	1	1	4	1	-	1	2	39
3	1	1	1	-	6	3	3	-	-	4	1	1	1	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	1	-	1	-	-	8	-	2	5	1	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	45
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	46
2	-	-	2	-	7	3	2	2	-	5	3	2	-	-	47
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
14	-	-	8	6	9	3	3	3	-	13	5	3	1	4	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	12	4	7	1	-	12	5	5	1	1	53
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
4	1	-	2	1	26	9	8	7	2	27	8	7	4	8	63
															64
126	61	38	12	15	1,510	810	608	51	41	2,572	1,154	907	257	254	65
															66
															67
123	60	36	12	15	1,473	789	595	50	39	2,511	1,134	880	250	247	68
6	1	2	2	1	29	19	8	1	1	51	32	15	3	1	69
-	-	-	-	-	4	4	-	-	-	5	2	3	-	-	70
-	-	-	-	-	6	3	3	-	-	2	1	1	-	-	71
1	-	-	-	1	10	6	2	1	1	23	15	6	1	1	72
5	1	2	2	-	9	6	3	-	-	21	14	5	2	-	73
															74
															75
42	25	10	4	3	498	254	206	26	12	752	357	238	96	61	76
2	1	1	-	-	23	15	5	3	-	34	23	4	6	1	77
13	8	2	2	1	126	69	45	9	3	193	101	48	26	18	78
1	-	1	-	-	5	2	3	-	-	2	-	1	1	-	79
13	8	3	-	2	143	66	72	2	3	215	87	83	23	22	80
2	1	-	-	1	15	8	6	-	1	23	8	13	1	1	81
-	-	-	-	-	10	5	5	-	-	6	1	4	1	-	82
-	-	-	-	-	11	3	8	-	-	10	6	3	-	1	83
1	1	-	-	-	34	18	14	1	1	30	9	16	3	2	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
9	5	3	-	1	57	24	31	1	1	138	60	46	15	17	86
1	1	-	-	-	16	8	8	-	-	8	3	1	3	1	87
															88
3	1	1	1	-	54	35	17	2	-	67	27	28	7	5	89
1	1	-	-	-	55	15	30	7	3	36	21	12	3	-	90
-	-	-	-	-	9	6	1	2	-	22	15	5	2	-	91
1	1	-	-	-	46	9	29	5	3	14	6	7	1	-	92
-	-	-	-	-	13	9	4	-	-	56	30	17	6	3	93
8	5	2	1	-	73	40	27	3	3	136	64	43	20	9	94
1	1	-	-	-	6	3	3	-	-	13	4	2	4	3	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	42,211	32,838	5,724	3,116	533	593	409	63	102	19
OF LARYNX.....161	2,421	1,972	208	214	27	37	26	7	4	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	19,462	15,477	2,267	1,523	195	461	326	45	79	11
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	19,467	14,889	2,976	1,322	280	81	50	9	17	5
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	861	500	273	57	31	14	7	2	2	3
MALIGNANT NEOPLASM OF BREAST.....170	24,542	212	22,380	19	1,931	335	6	239	2	88
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	39,256	13,909	20,098	2,002	3,247	753	162	295	106	190
OF CERVIX UTERI.....171	8,504	...	6,774	...	1,730	236	...	126	...	110
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,878	...	5,043	...	835	117	...	72	...	45
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,116	...	7,525	...	591	112	...	84	...	28
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	847	...	756	...	91	20	...	13	...	7
OF PROSTATE.....177	14,941	13,044	...	1,897	...	257	154	...	103	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	970	865	...	105	...	11	8	...	3	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,040	8,074	3,997	604	365	138	64	42	25	7
OF KIDNEY.....180	5,215	3,045	1,802	228	140	52	24	16	9	3
OF BLADDER AND OTHER URINARY ORGANS.....181	7,825	5,029	2,195	376	225	86	40	26	16	4
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	29,977	14,645	12,682	1,303	1,347	507	212	183	39	73
OF SKIN.....190,191	4,070	2,255	1,653	88	74	89	42	37	4	6
OF EYE.....192	334	164	148	10	12	6	1	4	1	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,387	3,506	2,479	212	190	85	50	28	3	4
OF THYROID GLAND.....194	1,038	311	629	28	70	11	4	2	1	4
OF BONE.....196	1,769	937	690	84	58	31	12	14	2	3
OF CONNECTIVE TISSUE.....197	1,039	506	441	43	49	12	6	4	-	2
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	1,445	802	514	65	64	37	20	9	-	8
OF UNSPECIFIED SITES.....156B,165,198,199B	13,895	6,164	6,128	773	830	236	77	85	28	46
LEUKEMIA AND ALEUKEMIA.....204	12,873	7,086	4,953	483	351	176	89	58	17	12
LYMPHOSARCOMA, ETC.....200-203,205	13,554	7,180	5,283	690	401	169	77	50	28	14
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	6,284	3,359	2,534	254	137	66	37	20	7	2
HODGKINS DISEASE.....201	3,138	1,807	1,110	146	75	50	23	18	6	3
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	4,132	2,014	1,639	290	189	53	17	12	15	9
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	4,751	1,872	2,184	249	446	79	18	31	5	25
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	512	...	328	...	184	17	...	2	...	15
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	962	338	516	54	54	15	5	8	-	2
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	900	445	338	55	62	17	7	6	2	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	29	...	24	...	5	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,550	722	651	89	88	20	6	11	2	1
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	798	367	327	51	53	10	-	4	1	5
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	40,861	15,729	19,699	2,090	3,343	639	189	214	86	150
ASTHMA.....241	4,910	2,716	1,470	404	320	72	28	15	17	12
NONTOXIC GOITER.....250,251	90	10	56	5	19	3	1	1	1	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	526	76	364	15	71	9	-	4	-	5
ALL OTHER DISEASES OF THYROID GLAND.....253,254	326	72	228	9	17	3	2	1	-	-
DIABETES MELLITUS.....260	30,098	10,806	15,450	1,308	2,534	461	135	152	57	117
DISEASES OF THYMUS GLAND.....273	116	63	38	10	5	2	1	1	-	-
DISEASES OF ADRENAL GLANDS.....274	442	183	223	15	21	5	2	3	-	-
PELLAGRA.....281	38	5	19	3	11	6	-	4	1	1
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,747	672	719	206	150	40	10	15	6	9
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	2,568	1,126	1,132	115	195	38	10	18	4	6
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,035	2,172	2,101	379	383	86	26	33	14	13
ANEMIAS.....290-293	3,280	1,286	1,392	301	301	62	21	16	13	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	596	230	322	21	23	4	1	1	1	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,684	1,056	1,070	280	278	58	20	15	12	11
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	661	257	321	26	57	11	2	8	-	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	1,094	629	388	52	25	13	3	9	1	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	4,465	2,364	1,124	703	274	81	30	20	20	11
SENILE PSYCHOSIS.....304	339	113	197	9	20	12	2	7	1	2
ALCOHOLIC PSYCHOSIS.....307	470	356	38	70	6	5	4	1	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	571	230	262	38	41	23	5	11	2	5
ALCOHOLISM.....322	2,247	1,332	329	443	143	35	15	-	16	4
MENTAL DEFICIENCY.....325	431	186	202	23	20	4	2	1	1	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	407	147	96	120	44	2	2	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	207,190	86,307	94,575	12,646	13,662	4,459	1,363	1,349	781	966
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	192,951	79,638	89,099	11,387	12,827	4,198	1,283	1,278	717	920
SUBARACHNOID HEMORRHAGE.....330	7,021	2,656	3,181	517	667	118	40	38	20	20
CEREBRAL HEMORRHAGE.....331	109,023	44,460	49,508	6,955	8,100	2,439	669	687	453	630
CEREBRAL EMBOLISM AND THROMBOSIS.....332	59,134	25,246	28,117	2,876	2,895	1,143	418	407	153	165
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	17,773	7,276	8,293	1,039	1,165	498	156	146	91	105
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,263	936	661	373	293	52	8	7	19	18
MULTIPLE SCLEROSIS.....345	1,432	572	756	43	61	18	6	9	2	1
PARALYSIS AGITANS.....350	2,851	1,512	1,265	52	22	30	17	12	1	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	684	338	258	55	33	22	7	4	5	6
EPILEPSY.....353	1,898	843	575	334	146	51	11	9	15	16
INFLAMMATORY DISEASES OF EYE.....370-379	15	8	6	-	1	-	-	-	-	-
CATARACT.....385	16	6	9	-	1	-	-	-	-	-
GLAUCOMA.....387	8	3	4	-	1	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	310	144	116	23	27	5	-	3	-	2
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,762	2,307	1,826	379	250	83	31	27	22	3

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
21	20	1	-	-	217	184	25	6	2	339	263	42	25	9	5
1	-	1	-	-	15	13	1	1	-	22	18	2	2	-	6
7	7	-	-	-	112	97	12	2	1	131	104	15	9	3	7
13	13	-	-	-	89	73	12	3	1	183	138	25	14	6	8
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	9
8	-	7	-	1	104	2	99	-	3	198	2	157	-	39	10
															11
13	5	5	1	2	203	86	100	7	10	463	144	182	61	76	12
4	...	2	...	2	54	...	51	...	3	114	...	80	...	34	13
1	...	1	...	-	24	...	21	...	3	69	...	42	...	27	14
2	...	2	...	-	30	...	26	...	4	62	...	51	...	11	15
-	...	-	...	-	2	...	2	...	-	13	...	9	...	4	16
6	5	...	1	...	87	81	...	6	...	193	132	...	61	...	17
-	-	...	-	...	6	5	...	1	...	12	12	...	-	...	18
6	1	1	2	2	84	58	22	2	2	91	51	18	15	7	19
4	1	1	1	1	45	29	12	2	2	38	24	7	5	2	20
2	-	-	1	1	39	29	10	-	-	53	27	11	10	5	21
															22
															23
19	5	6	3	5	166	87	71	3	5	348	141	137	28	42	24
2	-	2	-	-	30	17	13	-	-	49	30	15	2	2	25
-	-	-	-	-	1	1	-	-	-	4	2	-	2	-	26
3	1	2	-	-	35	19	16	-	-	38	12	19	-	7	27
-	-	-	-	-	7	3	3	1	-	13	4	5	1	3	28
2	1	1	-	-	8	3	4	-	1	22	12	10	-	-	29
-	-	-	-	-	5	2	3	-	-	5	2	2	-	1	30
-	-	-	-	-	11	8	3	-	-	15	8	6	1	-	31
12	3	1	3	5	69	34	29	2	4	202	71	80	22	29	32
1	-	1	-	-	81	45	29	3	4	141	76	49	11	5	33
7	3	3	-	1	91	54	35	2	-	128	68	42	11	7	34
4	2	1	-	1	42	27	15	-	-	54	26	21	6	1	35
2	-	2	-	-	24	13	11	-	-	29	19	8	1	1	36
															37
1	1	-	-	-	25	14	9	2	-	45	23	13	4	5	38
															39
3	1	2	-	-	37	21	13	1	2	61	20	27	7	7	40
-	...	-	...	-	3	...	2	...	1	3	...	1	...	2	41
1	-	1	-	-	4	3	1	-	-	5	1	4	-	-	42
-	-	-	-	-	7	5	2	-	-	10	5	3	1	1	43
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	44
1	-	1	-	-	17	8	7	1	1	31	10	14	4	3	45
1	1	-	-	-	6	5	1	-	-	11	4	4	2	1	46
															47
															48
22	12	4	3	3	287	141	122	11	13	363	145	121	39	58	49
															50
5	1	3	1	-	108	81	25	1	1	48	30	3	9	6	51
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	52
-	-	-	-	-	7	2	4	-	1	4	-	3	-	1	53
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	54
11	6	1	1	3	124	38	74	4	8	246	90	89	22	45	55
1	-	-	1	-	2	-	2	-	-	2	1	-	1	-	56
1	1	-	-	-	3	2	1	-	-	5	2	3	-	-	57
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	58
2	2	-	-	-	22	8	5	6	3	28	9	13	4	2	59
2	2	-	-	-	18	8	10	-	-	27	12	8	3	4	60
															61
2	-	-	1	1	31	17	11	3	-	43	17	14	8	4	62
															63
2	-	-	1	1	12	4	6	2	-	37	15	12	7	3	64
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	65
2	-	-	1	1	12	4	6	2	-	32	11	11	7	3	66
-	-	-	-	-	6	2	3	1	-	1	-	-	-	1	67
-	-	-	-	-	13	11	2	-	-	5	2	2	1	-	68
															69
19	10	2	3	4	46	23	13	7	3	21	8	6	4	3	70
															71
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	72
1	1	-	-	-	7	6	1	-	-	1	1	-	-	-	73
1	-	-	-	1	2	1	1	-	-	3	-	-	2	1	74
17	9	2	3	3	32	16	8	6	2	10	4	2	2	2	75
-	-	-	-	-	2	-	-	1	1	5	2	3	-	-	76
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	77
															78
78	36	15	13	14	988	457	434	60	37	2,531	989	875	315	352	79
															80
55	31	11	4	9	855	399	386	41	29	2,389	929	838	291	331	81
2	-	1	-	1	45	17	22	4	2	48	16	20	5	7	82
39	22	8	3	6	453	213	205	22	13	1,593	606	560	197	230	83
7	4	1	1	1	251	125	112	8	6	538	230	180	62	66	84
7	5	1	-	1	106	44	47	7	8	210	77	78	27	28	85
12	2	2	5	3	42	15	13	9	5	24	3	3	9	9	86
1	-	1	-	-	6	-	6	-	-	10	6	2	-	2	87
2	2	-	-	-	14	6	8	-	-	12	10	2	-	-	88
1	-	1	-	-	6	3	3	-	-	8	4	2	1	1	89
2	-	-	2	-	10	4	2	3	1	19	9	3	4	3	90
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
1	-	-	1	-	4	-	3	-	1	4	3	1	-	-	94
4	1	-	1	2	51	30	13	7	1	64	25	23	10	6	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	731,671	387,727	276,904	36,079	30,961	11,094	4,615	2,894	1,821	1,764
DISEASES OF HEART....400-402,410-443	663,391	356,360	247,375	32,203	27,453	9,999	4,247	2,574	1,598	1,580
RHEUMATIC FEVER....400-402	608	239	236	62	71	25	7	6	3	9
CHRONIC RHEUMATIC HEART DISEASE....410-416	17,264	7,420	8,486	640	718	158	53	50	23	32
DISEASES OF MITRAL VALVE....410	6,176	2,429	3,294	195	258	77	25	25	10	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	2,002	1,353	544	74	31	15	9	2	3	1
DISEASES OF PULMONARY VALVE, ETC....413,414	890	373	456	36	25	5	2	2	-	1
OTHER RHEUMATIC HEART DISEASES....412,415,416	8,196	3,265	4,192	335	404	61	17	21	10	13
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	502,351	291,614	176,697	19,575	14,465	6,313	3,227	1,703	732	651
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	214,865	110,872	89,524	7,881	6,588	2,088	904	638	282	264
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	287,039	180,504	87,013	11,673	7,849	4,212	2,316	1,062	449	385
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	447	238	160	21	28	13	7	3	1	2
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	4,780	2,424	1,760	338	258	98	32	17	23	26
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	262	105	120	22	15	6	2	1	1	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	2,257	1,351	668	156	82	34	13	4	12	5
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	2,261	968	972	160	161	58	17	12	10	19
OTHER MYOCARDIAL DEGENERATION....422	49,852	21,578	23,009	2,782	2,483	945	271	272	223	179
WITH ARTERIOSCLEROSIS....422.1	38,004	16,386	17,738	2,053	1,827	672	186	186	164	136
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	11,848	5,192	5,271	729	656	273	85	86	59	43
OTHER DISEASES OF HEART....430-434	25,254	12,162	8,762	2,416	1,914	703	304	136	148	115
ACUTE AND SUBACUTE ENDOCARDITIS....430	786	427	224	86	49	7	4	1	-	2
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	1,011	460	369	102	80	14	2	5	5	2
FUNCTIONAL DISEASE OF HEART....433	5,834	2,661	2,672	256	245	83	37	20	14	12
OTHER AND UNSPECIFIED DISEASES OF HEART....434	17,623	8,614	5,497	1,972	1,540	599	261	110	129	99
HYPERTENSIVE HEART DISEASE....440-443	49,282	20,923	28,425	6,390	7,544	1,757	353	390	446	568
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	14,676	5,924	6,234	1,322	1,196	391	104	84	100	103
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	48,606	14,999	22,191	5,068	6,348	1,366	249	306	346	465
OTHER HYPERTENSIVE DISEASE....444-447	12,185	4,749	4,910	1,307	1,219	256	62	66	64	64
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	6,591	3,079	2,558	531	423	85	36	19	18	12
ESSENTIAL HYPERTENSION....444,445,447	5,594	1,670	2,352	776	796	171	26	47	46	52
DISEASES OF ARTERIES....450-456	47,293	22,669	20,981	1,930	1,713	725	270	220	135	100
GENERAL ARTERIOSCLEROSIS....450	35,388	15,196	17,631	1,324	1,237	547	179	184	105	79
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	8,779	5,968	2,135	434	242	117	66	23	22	6
GANGRENE OF UNSPECIFIED CAUSE....455	241	111	72	29	29	10	4	1	3	2
OTHER ARTERIAL DISEASES....452-454,456	2,885	1,394	1,143	143	205	51	21	12	5	13
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	8,802	3,949	3,638	639	576	114	36	34	24	20
VIII. DISEASES OF THE RESPIRATORY SYSTEM	82,570	44,349	25,807	7,510	4,904	1,290	458	310	299	223
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	808	351	268	97	92	20	5	3	5	7
INFLUENZA....480-483	2,137	783	917	248	189	103	32	34	18	19
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	53,038	24,688	19,019	5,456	3,875	799	213	198	218	170
LOBAR PNEUMONIA....490	8,347	4,106	2,670	967	604	193	52	40	59	42
BRONCHOPNEUMONIA....491	31,204	14,650	11,612	2,901	2,041	392	106	127	86	73
PRIMARY ATYPICAL PNEUMONIA....492	4,985	2,313	1,753	500	419	66	26	11	15	14
PNEUMONIA, OTHER AND UNSPECIFIED....493	8,502	3,619	2,984	1,088	811	148	29	20	58	41
ACUTE BRONCHITIS....500	1,031	520	348	88	75	4	1	2	1	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	3,033	2,072	695	188	78	50	27	11	8	4
HYPERTROPHY OF TONSILS AND ADENOIDS....510	139	61	57	7	14	1	-	-	1	-
EMPYEMA AND ABSCESS OF LUNG....518,521	833	508	163	124	38	6	1	-	4	1
PLEURISY....519	189	94	63	21	11	4	1	2	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	10,269	8,501	1,225	468	75	129	101	13	13	2
OTHER RESPIRATORY DISEASES....RESIDUAL	11,093	6,771	3,052	813	457	174	77	47	30	20
IX. DISEASES OF THE DIGESTIVE SYSTEM	67,303	35,391	23,901	4,603	3,408	930	339	242	196	153
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	94	34	39	8	13	5	2	2	-	1
ULCER OF STOMACH....540	5,859	3,748	1,544	401	166	70	28	24	13	5
ULCER OF DUODENUM....541	5,651	4,021	1,263	289	108	75	50	10	11	4
GASTRITIS AND DUODENITIS....543	423	225	148	29	21	5	-	2	2	1
APPENDICITIS....550-553	1,819	916	581	190	132	30	8	5	11	6
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	9,177	3,928	4,161	585	503	152	47	43	37	25
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	4,114	1,382	1,228	825	679	136	16	16	53	51
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	3,283	1,456	1,615	99	113	34	12	15	4	3
CIRRHOSIS OF LIVER....581	20,737	12,277	6,181	1,362	917	184	94	39	25	26
WITHOUT MENTION OF ALCOHOLISM....581.0	13,836	8,019	4,388	831	598	147	70	35	19	23
WITH ALCOHOLISM....581.1	6,901	4,258	1,793	531	319	37	24	4	6	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	4,707	1,861	2,589	96	161	56	18	32	3	3
FIBROCYSTIC DISEASE OF PANCREAS....587B	631	286	322	12	11	10	2	4	1	3
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	10,778	5,257	4,230	707	584	173	62	50	36	25
X. DISEASES OF THE GENITOURINARY SYSTEM	30,219	15,006	9,499	3,290	2,424	645	201	150	163	131
NEPHRITIS AND NEPHROSIS....590-594	13,180	5,781	4,588	1,511	1,300	310	77	70	82	81
ACUTE NEPHRITIS....590	742	299	244	109	90	21	4	4	10	3
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	842	395	278	91	78	23	10	4	3	6
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	11,596	5,087	4,066	1,311	1,132	266	63	62	69	72
INFECTIONS OF KIDNEY....600	8,095	3,331	3,247	751	766	168	43	59	31	35
CALCULI OF URINARY SYSTEM....602,604	1,330	676	524	64	66	25	12	8	2	3
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	2,307	1,187	681	326	113	45	16	8	17	4
HYPERPLASIA OF PROSTATE....610	4,158	3,608	...	550	...	73	48	...	25	...
DISEASES OF BREAST....620,621	10	-	9	-	1	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	1,139	423	450	88	178	24	5	5	6	8

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
287	175	54	38	20	3,615	2,231	1,210	108	66	6,930	3,514	2,035	779	602	2
															3
243	146	45	34	18	3,301	2,070	1,073	96	62	6,318	3,227	1,839	694	558	4
1	-	-	-	1	10	5	5	-	-	3	3	-	-	-	5
8	2	1	2	3	120	59	52	3	6	97	46	27	15	9	6
6	2	1	1	2	45	21	22	-	2	36	17	10	7	2	7
1	-	-	-	1	17	15	2	-	-	7	5	1	1	-	8
-	-	-	-	-	2	1	1	-	-	3	1	1	1	-	9
1	-	-	1	-	56	22	27	3	4	51	23	15	6	7	10
182	125	37	14	6	2,617	1,737	780	66	34	4,696	2,668	1,323	414	291	11
51	28	15	3	5	1,178	724	397	32	25	1,676	862	576	135	103	12
131	97	22	11	1	1,432	1,007	382	34	9	3,014	1,804	744	278	188	13
-	-	-	-	-	7	6	1	-	-	6	2	3	1	-	14
															15
5	2	-	1	2	25	16	7	1	1	35	17	7	5	6	16
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17
2	-	-	1	1	18	13	4	1	-	9	6	-	2	1	18
3	2	-	-	1	6	3	2	-	1	26	11	7	3	5	19
9	5	2	2	-	157	83	64	7	3	329	115	115	58	41	20
5	4	-	1	-	123	69	46	6	2	235	79	88	38	30	21
4	1	2	1	-	34	14	18	1	1	94	36	27	20	11	22
															23
28	9	-	13	6	132	63	60	6	3	456	189	135	72	60	24
-	-	-	-	-	3	3	-	-	-	6	-	3	2	1	25
1	1	-	-	-	15	7	7	1	-	7	1	4	2	-	26
2	-	-	1	1	30	11	19	-	-	63	19	30	8	6	27
25	8	-	12	5	84	42	34	5	3	380	169	98	60	53	28
10	3	5	2	-	240	107	105	13	15	702	189	232	130	151	29
															30
2	-	1	1	-	40	15	19	3	3	188	60	65	34	29	31
8	3	4	1	-	200	92	86	10	12	514	129	167	96	122	32
															33
1	-	1	-	-	62	27	29	4	2	153	51	47	33	22	34
1	-	1	-	-	40	17	19	3	1	65	29	22	9	5	35
-	-	-	-	-	22	10	10	1	1	88	22	25	24	17	36
37	26	7	2	2	217	115	94	7	1	379	203	133	29	14	37
30	22	6	-	2	142	70	68	3	1	284	143	111	21	9	38
5	4	-	1	-	58	38	17	3	-	58	38	13	4	3	39
-	-	-	-	-	-	-	-	-	-	4	1	-	2	1	40
2	-	1	1	-	17	7	9	1	-	33	21	9	2	1	41
6	3	1	2	-	35	19	14	1	1	80	33	16	23	8	42
															43
															44
86	28	7	32	19	879	547	224	64	44	917	425	231	152	109	45
															46
2	-	-	2	-	7	3	2	1	1	12	6	2	1	3	47
5	2	-	3	-	19	10	9	-	-	47	7	5	23	12	48
64	20	3	24	17	389	174	125	50	40	594	248	163	102	81	49
5	-	-	2	3	65	32	17	10	6	92	38	23	20	11	50
27	9	3	9	6	211	99	74	20	18	275	132	67	47	29	51
8	7	-	-	1	50	25	17	6	2	52	15	26	4	7	52
24	4	-	13	7	63	18	17	14	14	175	63	47	31	34	53
															54
-	-	-	-	-	12	8	4	-	-	6	2	2	1	1	55
2	1	-	-	1	72	58	13	1	-	29	17	7	4	1	56
1	-	-	1	-	1	1	-	-	-	2	2	-	-	-	57
2	-	2	-	-	4	4	-	-	-	7	3	1	2	1	58
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	59
4	3	1	-	-	218	191	24	3	-	103	84	11	7	1	60
6	2	1	2	1	157	98	47	9	3	115	55	39	12	9	61
															62
															63
48	20	6	13	9	554	289	145	71	49	555	242	178	66	69	64
															65
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	66
1	1	-	-	-	42	36	4	2	-	49	28	9	8	4	67
3	1	-	2	-	42	34	7	1	-	44	32	6	4	2	68
-	-	-	-	-	1	-	1	-	-	10	4	4	-	2	69
2	1	1	-	-	18	12	4	1	1	25	8	7	3	7	70
5	1	1	1	2	50	20	23	5	2	96	34	40	13	9	71
															72
12	2	-	8	2	98	27	12	35	2-	67	11	19	16	21	73
															74
1	-	1	-	-	20	12	8	-	-	32	14	13	3	2	75
9	6	1	-	2	161	90	43	15	13	84	52	23	5	4	76
6	4	1	-	1	101	63	26	7	5	61	31	23	3	4	77
3	2	-	-	1	60	27	17	8	8	23	21	-	2	-	78
-	-	-	-	-	38	9	19	7	3	33	11	18	1	3	79
2	2	-	-	-	13	6	7	-	-	4	3	-	1	-	80
13	6	2	2	3	71	43	17	5	6	110	45	38	12	15	81
															82
															83
18	8	6	1	3	203	109	64	20	10	422	160	95	113	54	84
															85
9	4	3	1	1	97	55	26	12	4	213	64	54	47	48	86
-	-	-	-	-	3	1	2	-	-	14	3	7	1	3	87
-	-	-	-	-	6	2	3	1	-	4	2	2	-	-	88
9	4	3	1	1	88	52	21	11	4	195	59	45	46	45	89
5	2	2	-	1	66	28	27	5	6	91	37	28	22	4	90
1	-	-	-	1	10	5	4	1	-	12	9	3	-	-	91
1	1	-	-	-	9	4	3	2	-	22	4	8	10	-	92
1	1	...	-	...	16	16	...	-	...	68	39	...	29	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
1	-	1	-	-	5	1	4	-	-	16	7	2	5	2	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1,573	...	897	...	676	57	...	11	...	46
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	164	...	103	...	61	6	...	1	...	5
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	281	...	143	...	138	15	...	2	...	13
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	252	...	147	...	105	14	...	4	...	10
ECTOPIC PREGNANCY.....645	89	...	32	...	57	3	...	-	...	3
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	95	...	54	...	41	-	...	-	...	-
ABORTION WITH SEPSIS.....651	220	...	105	...	115	7	...	1	...	6
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	9	...	4	...	5	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	463	...	309	...	154	12	...	3	...	9
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	2,151	715	1,041	138	257	42	7	17	4	14
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	613	266	241	50	56	11	3	3	2	3
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,538	449	800	88	201	31	4	14	2	11
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	3,595	1,379	1,873	164	179	81	31	39	8	3
ARTHRITIS AND SPONDYLITIS.....720-725	1,996	644	1,178	79	95	49	16	27	5	1
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	29	9	14	2	4	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	191	87	71	19	14	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	106	34	62	4	6	5	1	3	1	-
INBORN DEFECT OF MUSCLE.....744.1	539	331	163	32	13	15	12	2	1	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	734	274	385	28	47	12	2	7	1	2
XIV. CONGENITAL MALFORMATIONS	21,922	10,389	8,691	1,530	1,312	392	137	143	65	47
SPINA BIFIDA AND MENINGOCELE.....751	1,195	462	633	51	49	30	9	19	1	1
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,450	1,090	1,019	177	164	46	16	13	10	7
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	11,167	5,408	4,245	811	703	188	71	67	28	22
OTHER CONGENITAL MALFORMATIONS.....750,755-759	7,110	3,429	2,794	491	396	128	41	44	26	17
XV. CERTAIN DISEASES OF EARLY INFANCY	65,679	29,579	20,409	8,809	6,882	1,391	436	303	356	296
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	19,094	7,454	4,973	3,668	2,999	1,311	302	190	402	417
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,424	759	1,215	199	251	108	10	33	26	39
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	16,670	6,695	3,758	3,469	2,748	1,203	292	157	376	378
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	119,863	70,907	30,608	13,273	5,075	2,689	1,291	462	680	256
ACCIDENTS.....E800-E962	92,249	54,292	25,002	9,045	3,910	2,056	978	395	477	206
RAILWAY ACCIDENTS.....E800-E802	979	656	96	204	23	31	16	1	12	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	38,091	24,618	8,994	3,365	1,114	956	516	191	194	55
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	37,025	23,909	8,741	3,285	1,090	929	501	189	186	53
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,267	821	347	69	30	28	17	9	1	1
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,079	4,168	1,615	954	342	178	67	34	57	20
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	15,454	9,732	4,256	1,082	384	378	193	108	61	16
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,598	7,512	1,887	941	258	316	204	38	62	12
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,627	1,676	636	239	76	29	20	-	5	4
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,066	709	253	80	24	27	15	2	8	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	258	176	56	22	4	4	2	-	2	-
WATER TRANSPORT ACCIDENTS.....E850-E858	1,480	1,141	119	202	18	48	33	1	11	3
AIRCRAFT ACCIDENTS.....E860-E866	1,341	1,160	147	29	5	15	15	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	1,804	771	560	297	176	53	23	11	10	9
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,192	778	237	119	58	11	7	3	1	-
ACCIDENTAL FALLS.....E900-E904	18,691	8,428	8,882	889	492	224	81	91	28	24
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,900	3,404	1,867	444	185	82	42	16	18	6
FALL ON SAME LEVEL.....E903	3,682	1,486	1,996	130	70	91	27	51	6	7
UNSPECIFIED FALLS.....E904	9,109	3,538	5,019	315	237	51	12	24	4	11
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1,345	1,108	62	169	6	37	23	-	14	-
ACCIDENT CAUSED BY MACHINERY.....E912	1,955	1,712	77	158	8	44	36	1	6	1
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	980	805	68	95	12	25	18	1	6	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	7,102	3,024	1,996	1,034	1,048	222	59	38	61	64
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	372	152	126	52	42	5	-	2	2	1
ACCIDENT CAUSED BY FIREARM.....E919	2,204	1,607	211	311	75	69	38	6	20	5
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	2,499	1,239	791	268	201	50	13	15	13	9
ACCIDENTAL DROWNING.....E929	5,208	3,420	737	947	104	113	49	9	50	5
EXCESSIVE HEAT AND INSOLATION.....E931	191	108	53	19	11	3	3	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1,149	428	543	72	106	10	4	1	2	3
ALL OTHER ACCIDENTS.....RESIDUAL	5,408	2,961	1,247	793	407	136	42	24	45	25
SUICIDE.....E963,E970-E979	18,999	13,677	4,335	783	204	301	227	41	28	5
SUICIDE BY POISONING.....E970-E973	4,501	2,646	1,712	93	50	28	23	5	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	3,157	2,297	707	131	22	18	9	5	2	2
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,037	7,481	1,091	412	53	243	187	28	25	3
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,304	1,253	825	147	79	12	8	3	1	-
HOMICIDE.....E964,E980-E985	8,578	2,903	1,271	3,443	961	332	86	26	175	45
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	4,753	1,681	740	1,853	479	204	55	19	102	28
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,819	422	128	1,049	220	86	12	4	58	12
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,728	648	401	417	262	35	13	3	14	5
INJURY BY INTERVENTION OF POLICE.....E984	237	132	2	103	-	7	6	-	1	-
EXECUTION.....E985	41	20	-	21	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	37	35	-	2	-	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	...	-	...	3	11	...	5	...	6	24	...	9	...	15	1
															2
-	...	-	...	-	2	...	2	...	-	3	...	1	...	2	3
-	...	-	...	-	2	...	1	...	1	5	...	1	...	4	4
1	...	-	...	1	2	...	-	...	2	7	...	3	...	4	5
-	...	-	...	-	-	...	-	...	-	3	...	-	...	3	6
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	7
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	8
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	9
2	...	-	...	2	4	...	1	...	3	3	...	2	...	1	10
															11
															12
															13
1	-	-	-	1	17	7	10	-	-	27	6	11	3	7	14
															15
-	-	-	-	-	6	4	2	-	-	10	1	2	2	5	16
1	-	-	-	1	11	3	8	-	-	17	5	9	1	2	17
															18
															19
3	-	2	1	-	36	13	22	1	-	39	19	17	1	2	20
															21
-	-	-	-	-	27	11	16	-	-	30	12	15	1	2	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	3	1	1	1	-	4	2	2	-	-	26
2	-	1	1	-	4	1	3	-	-	5	5	-	-	-	27
															28
															29
26	7	10	4	5	171	91	47	21	12	201	87	80	19	15	30
															31
1	-	-	1	-	11	9	-	1	1	8	2	4	2	-	32
6	2	3	1	-	20	11	6	2	1	19	11	6	-	2	33
12	2	6	2	2	85	40	28	12	5	109	49	41	10	9	34
7	3	1	-	3	55	31	13	6	5	65	25	29	7	4	35
															36
140	56	32	30	22	622	297	211	67	47	580	226	135	135	84	37
															38
50	14	4	17	15	176	63	39	42	32	527	169	122	139	97	39
															40
6	1	-	2	3	21	6	7	4	4	81	16	28	21	16	41
44	13	4	15	12	155	57	32	38	28	446	153	94	118	81	42
															43
															44
316	170	30	71	45	1,173	708	234	174	57	1,434	773	300	254	107	45
															46
254	130	22	65	37	914	545	181	141	47	1,175	639	261	185	90	47
-	-	-	-	-	18	9	-	8	1	18	8	4	6	-	48
29	19	3	4	3	439	261	91	66	21	488	302	105	61	20	49
27	17	3	4	3	425	251	88	65	21	475	293	103	60	19	50
-	-	-	-	-	7	6	1	-	-	27	14	6	3	4	51
2	-	1	1	-	94	54	10	21	9	65	33	15	12	5	52
4	4	-	-	-	151	95	41	11	4	144	87	31	21	5	53
17	12	-	2	3	136	78	26	25	7	87	60	15	11	1	54
4	1	2	1	-	37	18	10	8	1	152	99	36	13	4	55
2	2	-	-	-	14	10	3	1	-	13	9	2	1	1	56
															57
															58
3	2	-	1	-	12	4	1	6	1	4	3	-	1	-	59
38	26	2	9	1	4	4	-	-	-	21	19	-	2	-	60
19	15	-	3	1	21	20	-	1	-	14	13	1	-	-	61
8	2	4	2	-	17	5	9	2	1	16	6	5	3	2	62
5	4	-	-	1	6	3	3	-	-	9	4	4	1	-	63
10	5	1	2	2	75	44	22	7	2	153	74	72	4	3	64
4	4	-	-	-	32	21	8	3	-	25	20	3	2	-	65
1	1	-	-	-	7	4	3	-	-	14	8	6	-	-	66
5	-	1	2	2	36	19	11	4	2	114	46	63	2	3	67
															68
4	3	-	1	-	14	9	2	1	2	18	11	-	7	-	69
2	2	-	-	-	9	8	-	1	-	39	30	-	9	-	70
4	3	1	-	-	14	14	-	-	-	22	18	-	4	-	71
50	11	4	18	17	62	34	9	10	9	111	26	22	30	33	72
2	1	-	-	1	-	-	-	-	-	5	1	3	-	1	73
15	11	1	3	-	33	23	4	5	1	52	31	4	12	5	74
11	4	2	3	2	37	14	15	7	1	29	5	15	4	5	75
21	10	1	9	1	72	51	12	6	3	74	42	7	22	3	76
-	-	-	-	-	9	2	1	6	-	-	-	-	-	-	77
2	-	-	1	1	9	5	4	-	-	11	7	3	-	1	78
31	12	3	9	7	63	35	8	15	5	91	39	16	19	17	79
															80
															81
39	26	5	4	4	181	120	42	14	5	138	102	25	8	3	82
5	2	1	-	2	43	25	18	-	-	19	12	7	-	-	83
2	2	-	-	-	11	4	5	1	1	8	4	3	1	-	84
30	22	3	4	1	117	85	17	13	2	104	83	14	5	2	85
2	-	1	-	1	10	6	2	-	2	7	3	1	2	1	86
															87
23	14	3	2	4	77	42	11	19	5	120	31	14	61	14	88
15	9	3	-	3	47	25	7	13	2	87	24	11	41	11	89
2	2	-	-	-	15	6	3	4	2	17	3	-	12	2	90
6	3	-	2	1	12	9	1	1	1	11	3	3	4	1	91
-	-	-	-	-	2	2	-	-	-	5	1	-	4	-	92
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	93
															94
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	137,327	73,417	55,180	5,295	3,435	15,142	8,409	6,304	249	180
I. INFECTIVE AND PARASITIC DISEASES	1,422	800	413	143	66	174	109	53	7	5
TUBERCULOSIS, ALL FORMS 001-019	620	382	145	68	25	71	54	12	3	2
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	563	359	122	64	18	67	51	11	3	2
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	18	9	7	-	2	1	1	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	3	-	2	1	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	-	1	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	19	10	6	2	1	2	1	1	-	-
DISSEMINATED TUBERCULOSIS 019	16	4	7	1	4	1	1	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	267	176	50	29	12	25	15	6	3	1
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	124	88	26	6	4	11	5	4	2	-
OTHER CARDIOVASCULAR SYPHILIS 023	102	66	12	18	6	12	8	2	1	1
TABES DORSALIS 024	11	6	-	4	1	1	1	-	-	-
GENERAL PARALYSIS OF INSANE 025	3	1	2	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	24	14	8	1	1	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	3	1	2	-	-	1	1	-	-	-
GONOCOCCAL INFECTION 030-035	2	1	-	1	-	-	-	-	-	-
TYPHOID FEVER 040	1	-	1	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	11	4	6	-	1	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	1	1	-	-	-
DYSENTERY, ALL FORMS 045-048	15	9	4	1	1	1	1	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	1	-	-	-	-	-	-	-	-
SCARLET FEVER 050	3	1	2	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	7	3	4	-	-	3	1	2	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	113	55	46	6	6	24	11	12	-	1
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	8	2	4	-	2	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	49	21	21	5	2	3	1	2	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	6	2	2	2	-	1	-	1	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	4	1	2	-	1	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	19	12	7	-	-	5	3	2	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	38	19	17	-	2	4	2	1	1	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	6	5	1	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	26	4	15	5	2	3	2	1	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	82	39	38	-	5	14	5	9	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	2	1	1	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	142	62	47	26	7	19	13	5	-	1
II. NEOPLASMS	23,151	11,602	10,116	839	594	2,242	1,146	1,040	32	24
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	22,732	11,426	9,906	830	570	2,190	1,127	1,008	32	23
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	536	372	122	35	7	40	28	11	1	-
OF LIP 140	9	8	-	-	1	3	3	-	-	-
OF TONGUE 141	129	89	34	6	-	14	9	5	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	160	114	35	9	2	10	7	3	-	-
OF PHARYNX 145-148	238	161	53	20	4	13	9	3	1	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	7,252	3,662	3,086	325	179	709	360	338	6	5
OF ESOPHAGUS 150	390	261	82	36	11	39	28	10	-	1
OF STOMACH 151	1,580	875	547	113	45	157	87	64	3	3
OF SMALL INTESTINE, INCLUDING DUODENUM 152	64	27	33	2	2	7	4	2	1	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	2,242	968	1,186	42	46	213	88	123	2	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	364	149	200	10	5	38	14	24	-	-
TRANSVERSE COLON 153.1	146	66	78	2	-	11	5	6	-	-
DESCENDING COLON 153.2	114	51	58	3	2	8	1	7	-	-
SIGMOID COLON 153.3	610	255	334	10	11	39	15	23	1	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	6	3	3	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	913	406	466	15	26	111	53	57	1	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	89	38	47	2	2	6	-	6	-	-
OF RECTUM 154	907	480	372	32	23	78	47	31	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	556	226	282	28	20	55	26	29	-	-
LIVER 155.0	191	100	69	18	4	11	8	3	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	365	126	213	10	16	44	18	26	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	150	73	64	10	3	11	4	7	-	-
OF PANCREAS 157	1,247	699	466	56	26	129	71	58	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	116	53	54	6	3	20	5	14	-	1

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,861	12,667	10,249	531	414	4,097	1,862	1,511	434	290	8,847	2,401	2,143	2,340	1,963	1
															2
															3
															4
203	118	59	13	13	59	28	12	12	7	149	23	18	65	43	5
															6
105	68	20	10	7	26	15	3	5	3	102	17	10	52	23	7
94	62	20	8	4	26	15	3	5	3	91	17	8	50	16	8
6	3	-	-	3	-	-	-	-	-	1	-	-	-	1	9
															10
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	11
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	12
2	2	-	-	-	-	-	-	-	-	1	-	-	-	1	13
3	1	-	2	-	-	-	-	-	-	5	-	1	-	4	14
															15
33	17	12	1	3	9	3	2	3	1	19	1	3	9	6	16
-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
20	11	9	-	-	3	3	-	-	-	6	-	-	3	3	19
10	4	3	-	3	1	-	-	1	-	10	1	3	5	1	20
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	-	1	-	1	2	-	-	1	1	22
1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	23
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	27
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
26	15	8	2	1	7	5	-	2	-	4	2	-	-	2	36
															37
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	2	2	-	-	2	-	2	-	-	7	1	-	3	3	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	47
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
9	5	4	-	-	2	1	1	-	-	4	-	-	-	4	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
17	5	10	-	2	10	3	3	1	3	7	-	2	1	4	63
															64
4,396	2,341	1,931	75	49	690	290	290	65	45	1,441	366	427	370	278	65
															66
															67
4,328	2,313	1,893	74	48	678	285	288	64	41	1,398	359	419	363	257	68
128	102	22	1	3	5	1	3	1	-	47	22	9	16	-	69
3	3	-	-	-	-	-	-	-	-	1	-	-	1	-	70
40	33	6	-	1	3	1	2	-	-	10	4	3	3	-	71
35	26	8	-	1	1	-	1	-	-	19	12	2	5	-	72
50	40	8	1	1	1	-	-	1	-	17	6	4	7	-	73
															74
															75
1,477	785	646	29	17	218	90	94	25	9	484	115	147	136	86	76
92	68	15	7	2	16	6	2	8	-	51	8	6	30	7	77
335	189	132	11	3	42	21	14	5	2	87	25	15	35	12	78
8	5	3	-	-	2	1	1	-	-	2	1	-	1	-	79
504	233	263	3	5	70	21	44	3	2	154	32	69	25	28	80
80	39	41	-	-	17	7	9	1	-	29	6	14	5	4	81
32	13	18	-	1	2	1	1	-	-	6	1	1	1	3	82
16	5	11	-	-	6	1	5	-	-	9	3	4	1	1	83
126	72	54	-	-	16	6	9	1	-	28	8	11	5	4	84
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	85
200	87	108	3	2	28	6	19	1	2	76	14	37	13	12	86
50	17	31	-	2	1	-	1	-	-	5	-	2	-	3	87
															88
172	104	64	2	2	27	13	9	2	3	60	17	17	14	12	89
89	33	51	2	3	15	4	10	1	-	31	4	13	8	6	90
20	14	5	1	-	5	4	-	1	-	14	2	3	6	3	91
69	19	46	1	3	10	-	10	-	-	17	2	10	2	3	92
50	28	21	1	-	8	5	2	1	-	15	8	5	2	-	93
206	116	86	2	2	33	17	9	5	2	79	19	20	20	20	94
21	9	11	1	-	5	2	3	-	-	5	1	2	1	1	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,799	2,968	602	202	27	292	241	44	5	2
OF LARYNX.....161	180	148	20	11	1	16	15	-	1	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	2,275	1,828	310	126	11	135	116	16	2	1
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,255	936	242	62	15	134	106	26	1	1
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	89	56	30	3	-	7	4	2	1	-
MALIGNANT NEOPLASM OF BREAST.....170	2,177	21	2,059	-	97	228	2	221	-	5
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,965	1,137	1,617	86	125	324	141	168	6	9
OF CERVIX UTERI.....171	652	...	586	...	66	78	...	71	...	7
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	397	...	363	...	34	30	...	30	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	644	...	622	...	22	63	...	61	...	2
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	49	...	46	...	3	6	...	6	...	-
OF PROSTATE.....177	1,137	1,053	...	84	...	141	135	...	6	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	86	84	...	2	...	6	6	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	1,091	703	340	33	15	121	80	40	1	-
OF KIDNEY.....180	442	272	143	21	6	43	24	18	1	-
OF BLADDER AND OTHER URINARY ORGANS.....181	649	431	197	12	9	78	56	22	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	2,589	1,308	1,153	66	62	219	118	93	7	1
OF SKIN.....190,191	389	210	175	1	3	26	13	12	1	-
OF EYE.....192	30	15	13	-	2	6	3	3	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	570	325	218	17	10	47	27	18	1	1
OF THYROID GLAND.....194	79	27	45	1	6	6	3	3	-	-
OF BONE.....196	119	66	47	3	3	19	11	7	1	-
OF CONNECTIVE TISSUE.....197	103	57	37	4	5	8	4	4	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	100	52	43	2	3	7	4	3	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	1,199	556	575	38	30	100	53	43	4	-
LEUKEMIA AND ALEUKEMIA.....204	1,114	606	444	34	30	137	83	50	3	1
LYMPHOSARCOMA, ETC.....200-203,205	1,209	649	483	49	28	120	74	43	3	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	620	327	258	26	9	61	40	20	1	-
HODGKINS DISEASE.....201	252	148	89	7	8	27	18	9	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	337	174	136	16	11	32	16	14	2	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	419	176	210	9	24	52	19	32	-	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	31	...	23	...	8	5	...	5	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	101	40	56	3	2	5	2	3	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	89	40	42	1	6	4	1	3	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	2	...	2	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	134	68	57	3	6	30	12	18	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	62	28	30	2	2	8	4	3	-	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	2,470	1,064	1,187	101	118	286	127	149	5	5
ASTHMA.....241	413	239	137	18	19	59	35	21	1	2
NONTOXIC GOITER.....250,251	8	-	7	-	1	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	32	6	23	3	-	6	-	6	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	30	9	19	1	1	-	-	-	-	-
DIABETES MELLITUS.....260	1,593	634	813	59	87	175	69	102	2	2
DISEASES OF THYMUS GLAND.....273	3	2	-	1	-	1	1	-	-	-
DISEASES OF ADRENAL GLANDS.....274	30	12	17	-	1	6	3	3	-	-
PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	157	76	68	11	2	17	9	5	2	1
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	204	86	103	8	7	22	10	12	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	367	178	156	21	12	43	20	19	1	3
ANEMIAS.....290-293	224	104	95	15	10	28	11	14	1	2
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	27	10	16	-	1	1	-	1	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	197	94	79	15	9	27	11	13	1	2
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	53	24	28	1	-	4	1	2	-	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	90	50	33	5	2	11	8	3	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	359	221	102	32	4	39	24	15	-	-
SENILE PSYCHOSIS.....304	15	4	11	-	-	2	1	1	-	-
ALCOHOLIC PSYCHOSIS.....307	59	41	8	10	-	4	4	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	40	15	21	3	1	7	1	6	-	-
ALCOHOLISM.....322	202	139	44	18	1	21	17	4	-	-
MENTAL DEFICIENCY.....325	28	12	14	1	1	2	1	1	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	15	10	4	-	1	3	-	3	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	16,029	6,939	8,121	547	422	1,706	757	913	15	21
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	14,890	6,343	7,671	489	387	1,573	684	858	11	20
SUBARACHNOID HEMORRHAGE.....330	642	262	322	31	27	62	26	33	2	1
CEREBRAL HEMORRHAGE.....331	7,091	3,048	3,645	222	176	940	420	500	8	12
CEREBRAL EMBOLISM AND THROMBOSIS.....332	5,751	2,397	2,996	205	153	426	181	239	-	6
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,406	636	708	31	31	145	57	86	1	1
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	237	128	77	17	15	18	11	5	1	1
MULTIPLE SCLEROSIS.....345	109	52	52	2	3	21	7	14	-	-
PARALYSIS AGITANS.....350	250	126	121	2	1	26	15	11	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	22	12	9	1	-	8	2	5	1	-
EPILEPSY.....353	118	58	44	12	4	13	11	2	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	2	2	-	-	-	-	-	-	-	-
CATARACT.....385	2	1	1	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	23	8	10	4	1	7	3	3	1	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	376	209	136	20	11	40	24	15	1	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
659	560	81	16	2	123	91	15	17	-	225	97	17	104	7	5
46	42	3	1	-	6	3	1	2	-	22	11	2	9	-	6
173	155	14	4	-	73	56	7	10	-	118	46	5	63	4	7
431	359	59	11	2	42	31	6	5	-	81	38	9	31	3	8
9	4	5	-	-	2	1	1	-	-	4	2	1	1	-	9
390	7	380	-	3	64	-	57	-	7	142	-	94	-	48	10
541	222	301	8	10	100	29	48	8	15	211	27	71	38	75	12
74	...	70	...	4	31	...	23	...	8	56	...	21	...	35	13
86	...	82	...	4	12	...	10	...	2	37	...	12	...	25	14
135	...	133	...	2	20	...	15	...	5	50	...	38	...	12	15
16	...	16	...	-	-	...	-	...	-	3	...	-	...	3	16
221	213	...	8	...	34	26	...	8	...	62	25	...	37	...	17
9	9	...	-	...	3	3	...	-	...	3	2	...	1	...	18
213	143	66	3	1	26	12	10	2	2	56	21	16	12	7	19
76	46	29	1	-	11	3	6	1	1	21	7	5	6	3	20
137	97	37	2	1	15	9	4	1	1	35	14	11	6	4	21
490	257	222	6	5	81	35	33	8	5	121	40	36	26	19	24
61	36	24	-	1	16	7	7	2	-	22	9	8	5	-	25
8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	26
108	66	41	1	-	12	7	3	2	-	27	12	6	3	6	27
12	4	7	-	1	2	1	-	-	1	2	1	-	1	-	28
21	14	7	-	-	4	-	2	2	-	3	1	-	1	1	29
20	7	13	-	-	-	-	-	-	-	5	1	1	2	1	30
15	6	9	-	-	4	2	2	-	-	4	1	1	1	1	31
245	119	118	5	3	43	18	19	2	4	58	15	20	13	10	32
210	120	83	3	4	31	12	17	2	-	48	16	12	11	9	33
220	117	92	8	3	30	15	11	1	3	64	21	17	20	6	34
88	52	34	2	-	19	8	9	1	1	24	9	7	5	3	35
45	27	17	1	-	5	3	1	-	1	16	6	4	4	2	36
87	38	41	5	3	6	4	1	-	1	24	6	6	11	1	38
68	28	38	1	1	12	5	2	1	4	43	7	8	7	21	40
4	...	3	...	1	3	...	-	...	3	13	...	2	...	11	41
9	5	4	-	-	2	1	1	-	-	8	-	2	3	3	42
15	8	7	-	-	2	2	-	-	-	9	4	1	2	2	43
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	44
30	10	19	1	-	5	2	1	1	1	9	2	2	1	4	45
10	5	5	-	-	-	-	-	-	-	3	1	-	1	1	46
586	233	335	6	12	139	49	71	7	12	149	30	32	34	53	49
41	25	12	2	2	13	11	2	-	-	23	2	6	10	5	51
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	52
5	1	4	-	-	2	2	-	-	-	5	-	1	1	3	53
10	3	7	-	-	-	-	-	-	-	1	-	-	-	1	54
472	177	283	2	10	114	34	63	6	11	102	22	20	18	42	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
5	2	3	-	-	-	-	-	-	-	2	1	1	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
18	9	9	-	-	3	1	1	1	-	9	4	1	3	1	59
34	15	17	2	-	7	1	5	-	1	6	1	3	1	1	60
65	36	28	-	1	11	5	3	1	2	25	2	10	6	7	62
38	20	17	-	1	7	4	1	-	2	16	-	6	5	5	64
6	3	3	-	-	2	1	1	-	-	3	-	1	1	1	65
32	17	14	-	1	5	3	-	-	2	13	-	5	4	4	66
11	6	5	-	-	1	-	1	-	-	5	2	1	-	2	67
16	10	6	-	-	3	1	1	1	-	4	-	3	1	-	68
62	37	20	4	1	24	9	2	9	4	26	5	7	10	4	70
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	72
6	4	2	-	-	1	1	-	-	-	3	1	-	2	-	73
4	-	4	-	-	1	-	1	-	-	4	2	1	-	1	74
39	28	7	3	1	22	8	1	9	4	17	2	6	7	2	75
8	3	5	-	-	-	-	-	-	-	-	-	-	-	-	76
2	-	1	1	-	-	-	-	-	-	2	-	-	1	1	77
2,788	1,239	1,446	44	59	377	145	167	38	27	907	184	296	205	222	79
2,590	1,135	1,362	38	55	335	129	151	32	23	830	170	279	170	211	81
102	38	56	-	8	9	1	6	1	1	49	6	10	13	20	82
1,289	569	664	27	29	172	62	77	20	13	360	77	117	73	93	83
985	441	522	6	16	116	51	50	7	8	328	70	112	70	76	84
214	87	120	5	2	38	15	18	4	1	93	17	40	14	22	85
26	13	8	3	2	3	2	-	1	-	16	3	3	6	4	86
27	13	12	-	2	2	-	1	-	1	2	-	1	-	1	87
50	22	27	1	-	4	1	3	-	-	13	5	6	2	-	88
3	1	2	-	-	1	-	1	-	-	1	-	-	1	-	89
22	15	6	1	-	10	6	1	2	1	29	3	2	22	2	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
3	1	2	-	-	1	-	-	1	-	1	-	-	-	1	94
66	38	27	1	-	21	7	10	2	2	15	3	5	4	3	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	57,419	32,143	22,748	1,536	992	5,887	3,332	2,433	73	49
DISEASES OF HEART....400-402,410-443	52,053	29,469	20,325	1,388	871	5,144	2,958	2,078	67	41
RHEUMATIC FEVER....400-402	58	22	29	3	4	7	2	3	1	1
CHRONIC RHEUMATIC HEART DISEASE....410-416	1,593	705	818	36	34	215	92	116	3	4
DISEASES OF MITRAL VALVE....410	679	263	386	13	17	85	35	47	3	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	277	178	90	7	2	23	18	5	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	71	32	34	4	1	12	2	10	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	566	232	308	12	14	95	37	54	-	4
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	39,224	23,592	14,189	966	477	4,113	2,491	1,551	48	23
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	17,538	9,455	7,458	392	233	1,657	880	736	29	12
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	21,655	14,123	6,715	574	243	2,456	1,611	815	19	11
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	31	14	16	-	1	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	415	231	161	16	7	54	38	14	1	1
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	12	5	7	-	-	1	1	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	301	182	107	9	3	37	24	11	1	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	102	44	47	7	4	16	13	3	-	-
OTHER MYOCARDIAL DEGENERATION....422	5,301	2,670	2,401	132	98	218	100	115	2	1
WITH ARTERIOSCLEROSIS....422.1	4,707	2,408	2,102	111	86	172	74	95	2	1
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	594	262	299	21	12	46	26	20	-	-
OTHER DISEASES OF HEART....430-434	1,253	652	522	40	39	206	110	88	6	2
ACUTE AND SUBACUTE ENDOCARDITIS....430	83	52	26	4	1	9	7	1	-	1
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	68	35	29	1	3	10	4	6	-	-
FUNCTIONAL DISEASE OF HEART....433	420	201	205	7	7	66	40	24	1	1
OTHER AND UNSPECIFIED DISEASES OF HEART....434	682	364	262	28	28	121	59	57	5	-
HYPERTENSIVE HEART DISEASE....440-443	4,209	1,597	2,205	195	212	331	125	191	6	9
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	648	278	328	21	21	131	55	73	1	2
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	3,561	1,319	1,877	174	191	200	70	118	5	7
OTHER HYPERTENSIVE DISEASE....444-447	668	294	308	39	27	77	37	38	-	2
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	340	176	138	15	11	48	29	19	-	-
ESSENTIAL HYPERTENSION....444,445,447	328	118	170	24	16	29	8	19	-	2
DISEASES OF ARTERIES....450-456	4,006	2,052	1,811	83	60	493	244	241	4	4
GENERAL ARTERIOSCLEROSIS....450	2,642	1,121	1,455	42	24	359	163	193	2	1
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	1,094	798	238	36	22	100	65	32	1	2
GANGRENE OF UNSPECIFIED CAUSE....455	12	9	2	1	-	1	1	-	-	-
OTHER ARTERIAL DISEASES....452-454,456	258	124	116	4	14	33	15	16	1	1
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	692	328	304	26	34	173	93	76	2	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM	7,039	4,195	2,323	349	172	1,138	698	399	28	13
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	58	29	22	3	4	13	6	6	1	-
INFLUENZA....480-483	137	56	75	5	1	16	6	10	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	4,119	2,165	1,603	225	126	738	403	305	21	9
LOBAR PNEUMONIA....490	591	341	186	48	16	83	42	34	4	3
BRONCHOPNEUMONIA....491	2,457	1,289	1,006	104	58	512	283	217	8	4
PRIMARY ATYPICAL PNEUMONIA....492	698	350	252	52	44	30	11	15	3	1
PNEUMONIA, OTHER AND UNSPECIFIED....493	373	185	159	21	8	113	67	39	6	1
ACUTE BRONCHITIS....500	122	62	40	13	7	18	11	6	-	1
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	217	147	55	10	5	35	26	9	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	15	8	4	2	1	1	-	1	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	71	56	13	2	-	15	6	8	-	1
PLEURISY....519	11	7	4	-	-	1	-	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	1,254	1,044	165	42	3	194	171	19	4	-
OTHER RESPIRATORY DISEASES....RESIDUAL	1,035	621	342	47	25	107	69	34	2	2
IX. DISEASES OF THE DIGESTIVE SYSTEM	6,958	3,912	2,606	263	177	719	389	309	10	11
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	7	4	1	-	2	-	-	-	-	-
ULCER OF STOMACH....540	568	363	170	22	13	62	47	13	1	1
ULCER OF DUODENUM....541	596	432	135	25	4	72	44	28	-	-
GASTRITIS AND DUODENITIS....543	29	16	11	2	-	6	3	3	-	-
APPENDICITIS....550-553	132	71	50	7	4	21	13	8	-	-
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	725	312	365	23	25	95	45	48	1	1
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	186	85	83	6	12	37	12	22	3	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	309	143	157	5	4	38	20	16	-	2
CIRRHOSIS OF LIVER....581	3,099	1,839	1,039	136	85	191	110	73	2	6
WITHOUT MENTION OF ALCOHOLISM....581.0	1,532	870	558	60	44	119	67	47	1	4
WITH ALCOHOLISM....581.1	1,567	969	481	76	41	72	43	26	1	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	358	144	203	5	6	57	22	34	1	-
FIBROCYSTIC DISEASE OF PANCREAS....587B	55	24	29	1	1	4	2	2	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	894	479	363	31	21	136	71	62	2	1
X. DISEASES OF THE GENITOURINARY SYSTEM	2,198	1,152	793	155	98	235	138	90	2	5
NEPHRITIS AND NEPHROSIS....590-594	784	387	293	58	46	78	42	34	1	1
ACUTE NEPHRITIS....590	32	16	6	6	4	4	1	3	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	65	33	24	6	2	6	2	3	1	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	687	338	263	46	40	68	39	28	-	1
INFECTIONS OF KIDNEY....600	765	332	350	46	37	70	36	32	-	2
CALCULI OF URINARY SYSTEM....602,604	133	70	53	6	4	12	8	4	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	190	101	64	20	5	31	14	15	1	1
HYPERPLASIA OF PROSTATE....610	262	237	...	25	...	34	34	...	-	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	64	25	33	-	6	10	4	5	-	1

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10,695	5,884	4,517	162	132	1,797	855	688	144	110	3,607	1,157	953	746	751	1
9,556	5,324	3,979	143	110	1,644	793	622	129	100	3,143	1,055	830	630	628	2
9	5	3	-	1	1	1	-	-	-	3	1	-	1	1	3
305	130	165	4	6	40	13	25	-	2	73	17	26	11	19	4
88	33	52	-	3	20	7	13	-	-	29	4	11	6	8	5
37	27	9	1	-	5	2	2	-	1	11	4	3	2	2	6
11	2	9	-	-	3	2	1	-	-	2	-	1	-	1	7
169	68	95	3	3	12	2	9	-	1	31	9	11	3	8	8
7,978	4,623	3,181	108	66	1,059	588	357	70	44	2,248	887	581	421	359	9
4,358	2,298	1,942	72	46	385	182	158	28	17	984	333	285	179	187	10
3,619	2,325	1,238	36	20	674	406	199	42	27	1,263	554	295	242	172	11
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	12
44	25	15	4	-	16	7	6	3	-	17	4	3	4	6	13
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	14
29	20	8	1	-	9	6	2	1	-	8	3	1	2	2	15
15	5	7	3	-	7	1	4	2	-	7	1	2	2	2	16
390	171	208	4	7	240	94	109	15	22	214	47	80	36	51	17
320	139	173	3	5	208	81	97	11	19	166	39	68	27	32	18
70	32	35	1	2	32	13	12	4	3	48	8	12	9	19	19
186	110	71	4	1	60	24	24	8	4	80	19	21	21	19	20
7	5	2	-	-	1	-	-	1	-	11	1	2	6	2	21
5	3	1	1	-	1	-	1	-	-	1	-	-	-	1	22
59	30	28	-	1	19	6	11	1	1	27	10	8	4	5	23
115	72	40	3	-	39	18	12	6	3	41	8	11	11	11	24
644	260	336	19	29	228	66	101	33	28	508	80	119	136	173	25
148	71	72	3	2	46	16	20	7	3	120	25	37	32	26	26
496	189	264	16	27	182	50	81	26	25	388	55	82	104	147	27
209	104	85	10	10	31	8	12	7	4	116	16	25	40	35	28
135	75	53	3	4	26	6	9	7	4	37	4	11	15	7	29
74	29	32	7	6	5	2	3	-	-	79	12	14	25	28	30
774	388	371	6	9	100	46	41	8	5	231	60	77	43	51	31
578	253	314	4	7	66	25	30	7	4	162	33	72	25	32	32
150	115	32	2	1	25	17	7	1	-	49	19	5	15	10	33
4	1	3	-	-	1	1	-	-	-	2	-	-	-	2	34
42	19	22	-	1	8	3	4	-	1	18	8	-	3	7	35
156	68	82	3	3	22	8	13	-	1	117	26	21	33	37	36
1,172	651	459	40	22	189	94	42	31	22	533	136	85	216	96	37
14	7	6	1	-	1	-	-	-	1	2	2	-	-	-	38
6	2	3	1	-	3	-	1	-	2	3	-	1	1	1	39
822	401	375	27	19	116	51	28	20	17	359	85	60	151	63	40
105	57	43	4	1	14	6	2	6	-	108	28	14	47	19	41
409	191	203	10	5	69	34	15	9	11	193	49	35	78	31	42
88	42	33	9	4	15	6	6	-	3	15	2	2	7	4	43
220	111	96	4	9	18	5	5	5	3	43	6	9	19	9	44
15	9	5	1	-	3	2	-	1	-	14	2	2	4	6	45
41	33	7	-	1	6	5	-	-	1	12	6	2	4	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
9	5	3	1	-	4	2	-	2	-	8	1	-	6	1	48
12	8	4	-	-	2	1	-	1	-	3	1	1	-	1	49
119	101	13	5	-	25	18	5	2	-	66	23	12	24	7	50
134	85	43	4	2	29	15	8	5	1	66	16	7	26	17	51
1,041	590	403	28	20	171	87	45	29	10	523	171	91	148	113	52
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
82	57	23	1	1	15	9	4	1	1	40	19	1	16	4	54
71	51	17	3	-	18	11	4	2	1	36	14	9	7	6	55
10	5	4	1	-	1	-	1	-	-	4	1	2	1	-	56
25	16	8	-	1	3	3	-	-	-	10	2	-	7	1	57
129	58	63	3	5	22	10	7	3	2	51	17	9	17	8	58
35	24	9	2	-	14	4	2	7	1	9	1	1	6	1	59
54	23	30	-	1	6	4	1	1	-	26	9	6	4	7	60
370	210	139	11	10	50	26	11	9	4	238	82	43	54	59	61
242	133	102	3	4	35	19	8	5	3	162	49	33	32	48	62
128	77	37	8	6	15	7	3	4	1	76	33	10	22	11	63
59	36	23	-	-	12	6	5	1	-	14	3	5	1	5	64
5	3	2	-	-	3	-	2	1	-	2	1	1	-	-	65
200	106	85	7	2	27	14	8	4	1	93	22	14	35	22	66
325	160	147	8	10	93	46	28	14	5	215	49	32	78	56	67
146	67	68	5	6	41	18	15	6	2	71	16	11	26	18	68
9	3	5	1	-	3	-	3	-	-	2	1	-	1	-	69
3	1	2	-	-	1	-	-	1	-	5	3	-	1	1	70
134	63	61	4	6	37	18	12	5	2	64	12	11	24	17	71
76	34	39	1	2	31	13	11	5	2	89	15	18	28	28	72
23	6	16	-	1	3	2	-	-	1	9	3	2	1	3	73
29	15	14	-	-	4	2	1	1	-	19	6	1	8	4	74
33	32	...	1	...	12	10	...	2	...	22	9	...	13	...	75
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	76
17	6	9	1	1	1	1	-	-	-	5	-	-	2	3	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	101	...	71	...	30	12	...	11	...	1
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	11	...	6	...	5	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	8	...	5	...	3	3	...	3	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	12	...	10	...	2	1	...	1	...	-
ECTOPIC PREGNANCY.....645	2	...	1	...	1	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	15	...	13	...	2	1	...	1	...	-
ABORTION WITH SEPSIS.....651	21	...	17	...	4	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	32	...	19	...	13	7	...	6	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	164	58	90	8	8	50	15	31	2	2
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	47	26	17	2	2	8	3	5	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	117	32	73	6	6	42	12	26	2	2
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	250	89	150	5	6	44	16	28	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	128	37	88	1	2	21	6	15	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	4	1	3	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	12	4	7	-	1	4	3	1	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	11	3	8	-	-	3	-	3	-	-
INBORN DEFECT OF MUSCLE.....744.1	42	21	21	-	-	4	2	2	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	53	23	23	4	3	12	5	7	-	-
XIV. CONGENITAL MALFORMATIONS.....	1,963	931	839	103	90	232	119	104	7	2
SPINA BIFIDA AND MENINGOCELE.....751	68	30	34	1	3	4	1	3	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	207	107	75	11	14	23	13	9	1	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	1,065	512	451	54	48	141	74	60	5	2
OTHER CONGENITAL MALFORMATIONS.....750,755-759	623	282	279	37	25	64	31	32	1	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	5,499	2,764	1,907	454	374	748	446	258	24	20
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	373	159	178	15	21	66	35	28	2	1
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	107	28	73	1	5	13	6	7	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	266	131	105	14	16	53	29	21	2	1
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	11,565	7,210	3,380	724	251	1,521	1,038	424	41	18
ACCIDENTS.....E800-E962	8,349	5,264	2,446	471	168	1,151	761	347	31	12
RAILWAY ACCIDENTS.....E800-E802	80	60	7	13	-	7	6	-	-	1
MOTOR VEHICLE ACCIDENTS.....E810-E835	4,057	2,694	1,054	227	82	473	336	121	10	6
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	3,948	2,618	1,026	223	81	454	320	119	9	6
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	109	71	33	4	1	32	14	18	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	770	489	212	49	20	63	47	13	2	1
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,748	1,117	492	102	37	155	107	42	5	1
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	1,199	854	262	65	18	134	98	32	1	3
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	122	87	27	3	5	70	54	14	1	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	109	76	28	4	1	19	16	2	1	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	34	27	4	1	2	10	7	3	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	101	82	12	7	-	18	12	4	2	-
AIRCRAFT ACCIDENTS.....E860-E866	259	212	41	6	-	28	22	6	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	183	99	73	9	2	28	11	14	2	1
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	57	31	14	7	5	23	15	7	1	-
ACCIDENTAL FALLS.....E900-E904	1,435	690	669	56	20	226	114	104	6	2
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	428	272	122	24	10	70	40	24	5	1
FALL ON SAME LEVEL.....E903	290	126	151	11	2	51	19	32	-	-
UNSPECIFIED FALLS.....E904	717	292	396	21	8	105	55	48	1	1
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	85	74	6	5	-	26	26	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	113	108	1	4	-	27	25	1	1	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	57	54	1	2	-	13	13	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	526	277	194	37	18	42	24	16	1	1
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	31	14	12	2	3	4	1	1	2	-
ACCIDENT CAUSED BY FIREARM.....E919	120	99	16	4	1	30	26	4	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	259	157	80	13	9	48	27	20	1	-
ACCIDENTAL DROWNING.....E929	414	289	79	36	10	45	39	4	2	-
EXCESSIVE HEAT AND INSOLATION.....E931	61	31	25	2	3	1	1	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	122	44	69	4	5	29	13	15	-	1
ALL OTHER ACCIDENTS.....RESIDUAL	355	222	89	36	8	73	43	27	3	-
SUICIDE.....E963,E970-E979	2,531	1,654	763	88	26	288	229	54	3	2
SUICIDE BY POISONING.....E970-E973	997	510	460	19	8	99	71	25	1	2
SUICIDE BY HANGING AND STRANGULATION.....E974	303	213	63	23	4	32	26	6	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	939	770	133	31	5	141	123	16	2	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	292	161	107	15	9	16	9	7	-	-
HOMICIDE.....E964,E980-E985	682	290	171	164	57	81	47	23	7	4
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	318	127	86	78	27	45	24	16	4	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	134	53	17	52	12	11	7	1	2	1
ASSAULT BY OTHER MEANS.....E964,E980,E983	201	88	66	29	18	23	14	6	1	2
INJURY BY INTERVENTION OF POLICE.....E984	21	14	2	5	-	1	1	-	-	-
EXECUTION.....E985	8	8	-	-	-	1	1	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	3	2	-	1	-	1	1	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
14	...	11	...	3	7	...	3	...	4	12	...	1	...	11	3
															4
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	5
2	...	2	...	-	2	...	1	...	1	1	...	-	...	1	6
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	7
4	...	3	...	1	-	...	-	...	-	-	...	-	...	-	8
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	9
1	...	-	...	1	-	...	-	...	-	7	...	-	...	7	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
4	...	4	...	-	3	...	1	...	2	1	...	-	...	1	12
															13
															14
34	12	19	1	2	5	1	4	-	-	15	2	4	3	6	15
															16
13	7	4	1	1	-	-	-	-	-	6	1	1	2	2	17
21	5	15	-	1	5	1	4	-	-	9	1	3	1	4	18
															19
															20
34	9	23	1	1	18	7	10	1	-	13	3	3	5	2	21
															22
12	2	10	-	-	14	4	9	1	-	8	2	1	3	2	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
5	1	2	1	1	2	2	-	-	-	1	-	-	1	-	25
2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	26
7	4	3	-	-	-	-	-	-	-	1	1	-	-	-	27
8	1	7	-	-	2	1	1	-	-	2	-	2	-	-	28
															29
															30
309	157	137	9	6	64	31	25	4	4	92	21	15	20	36	31
															32
19	7	12	-	-	4	2	2	-	-	2	-	1	-	1	33
33	19	11	2	1	3	-	2	-	1	13	5	2	2	4	34
145	68	71	4	2	31	17	10	2	2	55	11	11	12	21	35
112	63	43	3	3	26	12	11	2	1	22	5	1	6	10	36
															37
822	416	286	73	47	188	72	51	43	22	506	69	47	213	177	38
															39
131	63	52	8	8	16	5	6	3	2	51	21	10	13	7	40
															41
9	2	7	-	-	2	2	-	-	-	1	1	-	-	-	42
122	61	45	8	8	14	3	6	3	2	50	20	10	13	7	43
															44
															45
1,184	721	376	59	28	249	138	64	33	14	583	162	112	208	101	46
															47
914	539	306	47	22	182	103	47	24	8	409	115	80	137	77	48
5	2	3	-	-	1	1	-	-	-	1	-	-	1	-	49
306	216	71	14	5	65	41	12	9	3	93	30	11	41	11	50
300	211	70	14	5	62	40	12	7	3	91	30	10	40	11	51
5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	52
62	39	21	2	-	8	3	3	1	1	28	8	1	17	2	53
95	66	22	6	1	18	14	3	-	1	36	10	7	13	6	54
125	92	24	6	3	23	14	4	5	-	20	9	2	7	2	55
13	9	3	-	1	13	9	2	1	1	7	3	-	3	1	56
6	5	1	-	-	3	1	-	2	-	2	-	1	1	-	57
															58
2	2	-	-	-	1	-	1	-	-	2	1	1	-	-	59
14	12	-	2	-	3	3	-	-	-	1	1	-	-	-	60
9	8	1	-	-	2	2	-	-	-	10	3	1	6	-	61
22	8	6	6	2	3	1	2	-	-	8	-	2	3	3	62
13	8	3	2	-	1	1	-	-	-	1	1	-	-	-	63
280	131	146	2	1	35	14	18	3	-	129	46	35	33	15	64
81	52	28	1	-	10	7	1	2	-	54	21	9	18	6	65
43	15	27	-	1	3	1	2	-	-	25	11	6	7	1	66
156	64	91	1	-	22	6	15	1	-	50	14	20	8	8	67
															68
7	6	-	1	-	3	3	-	-	-	1	-	-	1	-	69
7	7	-	-	-	1	1	-	-	-	2	-	-	2	-	70
1	1	-	-	-	8	7	1	-	-	1	-	1	-	-	71
83	44	28	5	6	16	4	6	5	1	52	9	15	11	17	72
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	73
12	12	-	-	-	5	4	-	1	-	10	5	-	4	1	74
35	15	15	2	3	5	-	2	2	1	38	6	4	13	15	75
50	34	6	8	2	16	13	1	1	1	17	7	4	6	-	76
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77
19	4	12	1	2	6	4	-	-	2	8	1	1	3	3	78
48	28	15	4	1	9	3	3	3	-	34	4	5	13	12	79
															80
															81
234	170	59	4	1	48	33	10	4	1	85	38	24	19	4	82
79	52	25	1	1	13	11	2	-	-	24	8	13	3	-	83
63	48	14	1	-	2	2	-	-	-	14	8	4	2	-	84
57	49	6	2	-	25	17	4	4	-	20	11	-	7	2	85
35	21	14	-	-	8	3	4	-	1	27	11	7	7	2	86
															87
36	12	11	8	5	19	2	7	5	5	89	9	8	52	20	88
13	5	4	2	2	12	2	5	3	2	36	2	2	24	8	89
7	2	-	5	-	3	-	2	1	-	19	-	-	13	6	90
15	4	7	1	3	4	-	-	1	3	29	6	6	11	6	91
1	1	-	-	-	-	-	-	-	-	5	1	-	4	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
															94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	48,797	24,300	15,551	4,914	4,032	34,382	13,031	9,300	6,342	5,709
I. INFECTIVE AND PARASITIC DISEASES	576	228	134	126	88	484	139	84	155	106
TUBERCULOSIS, ALL FORMS 001-019	220	116	33	47	24	197	56	33	72	36
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	199	109	27	44	19	176	55	30	62	29
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	11	6	1	2	2	5	1	-	3	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	2	-	-	1	1	2	-	-	-	2
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	-	1	-	-	1	-	-	1	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	5	1	3	-	1	6	-	3	1	2
DISSEMINATED TUBERCULOSIS 019	2	-	1	-	1	7	-	-	5	2
SYPHILIS AND ITS SEQUELAE 020-029	101	26	15	37	23	77	15	3	41	18
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	45	14	10	11	10	26	8	1	11	6
OTHER CARDIOVASCULAR SYPHILIS 023	43	8	4	21	10	26	3	2	13	8
TABES DORSALIS 024	2	-	1	-	1	3	1	-	2	-
GENERAL PARALYSIS OF INSANE 025	4	1	-	2	1	11	3	-	6	2
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	6	2	-	3	1	8	-	-	6	2
ALL OTHER SYPHILIS 027-029	1	1	-	-	-	3	-	-	3	-
GONOCOCCAL INFECTION 030-035	1	1	-	-	-	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	1	-	-	1	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	-	-	1	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	5	3	-	2	-	22	4	3	9	6
FOOD POISONING, INFECTION AND INTOXICATION 049	3	-	-	1	2	5	-	2	2	1
SCARLET FEVER 050	1	1	-	-	-	1	-	1	-	-
STREPTOCOCCAL SORE THROAT 051	4	2	2	-	-	2	-	-	-	2
ERYSIPELAS 052	2	1	1	-	-	1	-	1	-	-
SEPTICEMIA AND PYEMIA 053	79	24	27	12	16	45	12	16	8	9
DIPHTHERIA 055	1	-	-	-	1	6	3	2	1	-
WHOOPING COUGH 056	4	2	-	1	1	3	-	-	-	3
MENINGOCOCCAL INFECTIONS 057	20	8	5	6	1	13	7	2	2	2
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	17	5	4	6	2	21	6	2	7	6
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	-	-	-	-	-	2	-	-	-	2
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	4	1	3	-	-	5	3	1	1	-
ACUTE INFECTIOUS ENCEPHALITIS 082	26	7	12	3	4	7	5	-	1	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	2	1	1	-	-	1	1	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	9	3	5	1	-	17	5	5	2	5
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	33	13	16	3	1	13	7	3	1	2
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	12	1	-	4	7	2	-	-	1	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	31	13	10	2	6	42	15	10	5	12
II. NEOPLASMS	8,366	4,231	3,055	552	528	4,611	1,721	1,602	607	681
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	8,241	4,183	3,008	541	509	4,519	1,689	1,578	598	654
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	235	153	52	18	12	113	52	33	17	11
OF LIP 140	4	4	-	-	-	3	2	1	-	-
OF TONGUE 141	49	34	12	2	1	31	15	10	4	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	71	48	14	4	5	37	16	13	3	5
OF PHARYNX 145-148	111	67	26	12	6	42	19	9	10	4
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,516	1,266	928	180	142	1,290	472	437	213	168
OF ESOPHAGUS 150	176	95	29	40	12	97	38	16	35	8
OF STOMACH 151	494	265	136	59	34	252	91	50	71	40
OF SMALL INTESTINE, INCLUDING DUODENUM 152	20	9	9	1	1	14	8	3	-	3
OF LARGE INTESTINE, EXCEPT RECTUM 153	772	366	350	15	41	367	117	175	26	49
CECUM, APPENDIX, AND ASCENDING COLON 153.0	131	56	63	3	9	46	16	18	5	7
TRANSVERSE COLON 153.1	31	22	9	-	-	16	4	10	1	1
DESCENDING COLON 153.2	29	14	10	2	3	18	6	8	-	4
SIGMOID COLON 153.3	147	71	73	1	2	62	19	30	4	9
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	397	188	177	8	24	211	68	104	15	24
INTESTINAL TRACT, PART UNSPECIFIED 153.9	37	15	18	1	3	14	4	5	1	4
OF RECTUM 154	270	134	107	12	17	99	35	40	10	14
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	166	73	76	11	6	77	27	37	10	3
LIVER 155.0	51	27	15	9	-	26	10	9	7	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	115	46	61	2	6	51	17	28	3	3
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	111	53	36	14	8	70	25	21	13	11
OF PANCREAS 157	457	250	162	26	19	269	122	77	38	32
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	50	21	23	2	4	45	9	18	10	8

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,399	662	492	1,423	822	5,534	3,351	2,092	57	34	101,706	51,778	39,483	5,713	4,732	1
49	9	4	25	11	46	25	15	4	2	890	474	235	126	55	5
27	2	1	21	3	18	10	3	3	2	502	287	91	95	29	7
26	2	1	20	3	16	9	3	3	1	467	272	84	87	24	8
-	-	-	-	-	-	-	-	-	-	6	2	-	1	3	9
-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	11
-	-	-	-	-	-	-	-	-	-	6	3	2	1	-	12
-	-	-	-	-	1	1	-	-	-	5	3	1	1	-	13
1	-	-	1	-	1	-	-	-	1	14	5	3	5	1	14
5	-	2	1	2	9	7	2	-	-	68	39	17	8	4	16
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
4	-	2	-	2	4	3	1	-	-	24	15	5	2	2	19
-	-	-	-	-	5	4	1	-	-	26	13	7	5	1	20
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	21
-	-	-	-	-	-	-	-	-	-	7	5	1	-	1	22
1	-	-	1	-	-	-	-	-	-	6	3	2	1	-	23
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	27
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	-	1	-	-	-	-	-	-	5	2	3	-	-	31
-	-	-	-	-	2	-	2	-	-	3	1	2	-	-	32
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	33
1	-	-	-	1	1	-	-	1	-	6	5	1	-	-	34
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	35
3	2	1	-	-	3	1	2	-	-	52	28	16	5	3	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	39
1	1	-	-	-	3	2	1	-	-	37	19	11	6	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
7	4	-	2	1	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	45
-	-	-	-	-	2	2	-	-	-	5	1	4	-	-	46
2	-	-	-	2	1	-	1	-	-	36	20	15	-	1	47
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	2	-	2	-	-	20	8	6	2	4	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	-	-	-	1	-	-	-	-	-	76	27	34	7	8	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	62
1	-	-	-	1	2	2	-	-	-	63	31	26	2	4	63
587	104	87	260	136	832	481	342	5	4	17,458	8,470	7,506	784	698	65
571	102	83	256	130	803	466	329	4	4	17,251	8,385	7,407	775	684	68
27	11	2	11	3	15	10	5	-	-	403	289	85	23	6	69
-	-	-	-	-	1	1	-	-	-	13	13	-	-	-	70
5	2	-	3	-	4	3	1	-	-	108	71	28	7	2	71
6	3	-	2	1	7	4	3	-	-	126	74	40	9	3	72
16	6	2	6	2	3	2	1	-	-	156	131	17	7	1	73
252	37	29	130	56	273	158	111	2	2	6,213	3,094	2,598	310	211	76
18	8	2	7	1	5	5	-	-	-	346	240	53	48	5	77
107	13	8	59	27	53	38	13	1	1	1,307	735	440	86	46	78
4	2	-	1	1	3	2	1	-	-	48	19	22	5	2	79
39	4	7	18	10	87	46	41	-	-	2,113	892	1,069	64	88	80
9	1	1	2	5	12	5	7	-	-	284	119	155	5	5	81
1	1	-	-	-	3	1	2	-	-	97	42	48	3	4	82
3	-	-	2	1	4	1	3	-	-	102	44	54	3	1	83
11	1	3	4	3	14	9	5	-	-	425	208	197	10	10	84
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	85
13	1	2	9	1	49	27	22	-	-	1,122	447	567	41	67	86
2	-	1	1	-	5	3	2	-	-	79	29	47	2	1	87
18	3	5	6	4	29	15	14	-	-	748	427	275	26	20	89
25	3	4	11	7	27	10	17	-	-	472	177	265	11	19	90
17	2	3	9	3	6	5	1	-	-	164	89	66	3	6	91
8	1	1	2	4	21	5	16	-	-	308	88	199	8	13	92
9	1	1	7	-	15	9	5	-	1	158	65	81	10	2	93
31	3	2	20	6	48	30	17	1	-	942	498	359	58	27	94
1	-	-	1	-	6	3	3	-	-	79	41	34	2	2	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	1,551	1,206	190	135	20	699	476	77	111	35
OF LARYNX.....161	70	55	8	7	-	40	24	3	11	2
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	627	506	65	52	4	296	205	37	41	13
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	821	624	110	72	15	346	237	34	57	18
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	33	21	7	4	1	17	10	3	2	2
MALIGNANT NEOPLASM OF BREAST.....170	626	3	551	-	72	391	4	279	-	108
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,244	428	577	74	165	844	183	344	120	197
OF CERVIX UTERI.....171	298	...	211	...	87	248	...	138	...	110
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	180	...	137	...	43	111	...	68	...	43
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	242	...	212	...	30	161	...	123	...	38
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	22	...	17	...	5	21	...	15	...	6
OF PROSTATE.....177	470	405	...	65	...	295	180	...	115	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	32	23	...	9	...	8	3	...	5	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	415	272	96	30	17	189	97	45	25	22
OF KIDNEY.....180	125	74	35	11	5	65	46	11	5	3
OF BLADDER AND OTHER URINARY ORGANS.....181	290	198	61	19	12	124	51	34	20	19
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	910	465	341	60	44	577	214	215	70	78
OF SKIN.....190,191	138	82	50	3	3	107	47	51	4	5
OF EYE.....192	14	4	10	-	-	14	4	6	2	2
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	200	101	82	12	5	118	53	43	15	7
OF THYROID GLAND.....194	36	9	19	3	5	12	3	3	1	5
OF BONE.....196	48	30	13	3	2	33	7	16	5	5
OF CONNECTIVE TISSUE.....197	33	13	19	1	-	15	6	6	2	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	45	25	17	1	2	29	12	8	5	4
OF UNSPECIFIED SITES.....156B,165,198,199B	396	201	131	37	27	249	82	82	36	49
LEUKEMIA AND ALEUKEMIA.....204	346	194	126	14	12	211	105	78	13	15
LYMPHOSARCOMA, ETC.....200-203,205	398	196	147	30	25	205	86	70	29	20
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	166	83	60	13	10	75	33	28	10	4
HODGKINS DISEASE.....201	92	46	39	3	4	48	22	10	10	6
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	140	67	48	14	11	82	31	32	9	10
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	125	48	47	11	19	92	32	24	9	27
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	25	...	15	...	10	13	...	1	...	12
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	30	12	14	2	2	19	2	10	2	5
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	28	18	6	2	2	20	10	5	3	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	-	...	1
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	28	13	9	3	3	27	14	7	1	5
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	14	5	3	4	2	12	6	1	3	2
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,115	437	419	90	169	755	224	251	96	184
ASTHMA.....241	170	78	47	21	24	97	39	18	22	18
NONTOXIC GOITER.....250,251	3	-	2	1	-	3	1	2	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	15	4	9	-	2	12	2	2	2	6
ALL OTHER DISEASES OF THYROID GLAND.....253,254	11	-	10	1	-	7	2	2	-	3
DIABETES MELLITUS.....260	743	284	282	52	125	503	145	176	51	131
DISEASES OF THYMUS GLAND.....273	1	-	1	-	-	3	1	1	-	1
DISEASES OF ADRENAL GLANDS.....274	23	11	10	-	2	7	2	5	-	-
PELLAGRA.....281	-	-	-	-	-	6	-	4	-	2
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	64	16	27	12	9	63	17	19	15	12
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	85	44	31	3	7	54	15	22	6	11
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	168	68	52	17	31	115	34	28	28	25
ANEMIAS.....290-293	105	39	32	13	21	84	21	21	22	20
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	9	5	3	-	1	3	1	1	1	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	96	34	29	13	20	81	20	20	21	20
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	24	7	6	2	9	12	5	2	3	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	39	22	14	2	1	19	8	5	3	3
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	153	70	48	23	12	138	67	13	42	16
SENILE PSYCHOSIS.....304	7	1	6	-	-	8	1	2	1	4
ALCOHOLIC PSYCHOSIS.....307	14	10	2	2	-	11	9	1	1	-
OTHER PSYCHOSES.....300-303,305,306,308,309	20	6	9	2	3	10	8	1	-	1
ALCOHOLISM.....322	93	45	20	19	9	99	43	7	39	10
MENTAL DEFICIENCY.....325	11	5	6	-	-	6	4	2	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	8	3	5	-	-	4	2	-	1	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	6,067	2,417	2,439	561	650	5,618	1,581	1,742	1,084	1,211
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,643	2,252	2,292	500	599	5,289	1,470	1,661	1,000	1,158
SUBARACHNOID HEMORRHAGE.....330	267	76	122	22	47	174	61	47	36	30
CEREBRAL HEMORRHAGE.....331	3,139	1,207	1,195	326	411	3,282	801	969	694	818
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,781	786	777	118	100	1,431	508	527	194	202
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	456	183	198	34	41	402	100	118	76	108
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	103	29	29	24	21	76	20	13	31	12
MULTIPLE SCLEROSIS.....345	36	10	23	-	3	9	4	3	2	-
PARALYSIS AGITANS.....350	63	35	26	2	-	36	20	14	1	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	23	8	11	4	-	24	11	9	2	2
EPILEPSY.....353	53	17	16	11	9	62	16	12	19	15
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	1	-	-	-	1
OTITIS MEDIA AND MASTOIDITIS.....391-393	9	3	1	2	3	8	5	2	1	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	137	63	41	18	15	113	35	28	28	22

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
97	24	6	54	13	93	76	17	-	-	2,658	2,075	354	200	29	5
8	3	1	4	-	8	6	2	-	-	178	151	7	18	2	6
44	13	3	19	9	39	33	6	-	-	1,375	1,098	142	119	16	7
37	8	2	23	4	43	34	9	-	-	1,052	799	184	60	9	8
8	-	-	8	-	3	3	-	-	-	53	27	21	3	2	9
21	-	13	-	8	60	-	60	-	-	1,639	13	1,511	-	115	10
															11
57	11	13	8	25	135	70	63	-	2	2,431	829	1,325	82	195	12
16	...	7	...	9	18	...	17	...	1	486	...	386	...	100	13
5	...	1	...	4	17	...	16	...	1	408	...	350	...	58	14
16	...	5	...	11	27	...	27	...	-	563	...	532	...	31	15
1	...	-	...	1	3	...	3	...	-	63	...	57	...	6	16
18	11	...	7	...	67	67	...	-	...	849	772	...	77	...	17
1	-	...	1	...	3	3	...	-	...	62	57	...	5	...	18
15	3	3	8	1	37	27	10	-	-	834	524	245	47	18	19
8	2	-	6	-	17	9	8	-	-	310	197	100	10	3	20
7	1	3	2	1	20	18	2	-	-	524	327	145	37	15	21
															22
															23
47	10	6	20	11	99	62	37	-	-	1,450	716	630	47	57	24
2	-	-	-	2	15	12	3	-	-	205	110	87	3	5	25
1	-	-	-	1	-	-	-	-	-	15	7	7	-	1	26
11	-	3	5	3	23	18	5	-	-	394	217	148	11	18	27
4	2	-	1	1	7	2	5	-	-	72	19	46	2	5	28
4	-	-	4	-	2	1	1	-	-	99	53	40	4	2	29
3	1	-	1	1	5	3	2	-	-	54	25	26	1	2	30
2	1	-	1	-	5	3	2	-	-	69	47	20	1	1	31
20	6	3	8	3	42	23	19	-	-	542	238	256	25	23	32
26	3	2	12	9	52	36	15	1	-	791	429	315	23	24	33
29	3	9	13	4	39	27	11	1	-	832	416	344	43	29	34
14	3	4	5	2	20	14	6	-	-	448	226	189	19	14	35
4	-	2	1	1	10	7	3	-	-	186	105	67	11	3	36
															37
11	-	3	7	1	9	6	2	1	-	198	85	88	13	12	38
															39
16	2	4	4	6	29	15	13	1	-	207	85	99	9	14	40
1	...	-	...	1	1	...	1	...	-	32	...	23	...	9	41
8	2	2	2	2	5	1	3	1	-	65	27	34	4	-	42
3	-	1	1	1	5	4	1	-	-	54	34	15	3	2	43
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	44
3	-	1	1	1	11	7	4	-	-	34	16	14	2	2	45
1	-	-	-	1	6	3	3	-	-	22	8	13	-	1	46
															47
															48
131	17	23	48	43	143	69	71	1	2	2,048	772	1,057	77	142	49
															50
23	1	1	12	9	23	13	9	-	1	236	127	84	12	13	51
-	-	-	-	-	1	-	1	-	-	5	-	4	-	1	52
-	-	-	-	-	4	1	2	-	1	30	6	21	-	3	53
-	-	-	-	-	1	-	1	-	-	9	2	7	-	-	54
91	12	18	31	30	96	46	49	1	-	1,570	539	857	54	120	55
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	56
1	1	-	-	-	4	2	2	-	-	30	13	17	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
6	1	2	2	1	3	2	1	-	-	44	14	24	6	-	59
10	2	2	3	3	11	5	6	-	-	121	69	43	4	5	60
															61
17	3	3	7	4	13	7	6	-	-	273	124	124	8	17	62
															63
11	2	2	6	1	7	5	2	-	-	175	74	81	6	14	64
1	-	-	1	-	1	1	-	-	-	45	20	25	-	-	65
10	2	2	5	1	6	4	2	-	-	130	54	56	6	14	66
2	-	-	-	2	2	-	2	-	-	38	15	19	1	3	67
4	1	1	1	1	4	2	2	-	-	60	35	24	1	-	68
															69
6	2	2	2	-	23	15	6	2	-	133	83	38	7	5	70
															71
1	-	1	-	-	3	3	-	-	-	17	4	13	-	-	72
1	1	-	-	-	3	2	1	-	-	34	29	1	4	-	73
-	-	-	-	-	4	3	1	-	-	17	7	8	-	2	74
4	1	1	2	-	10	6	2	2	-	45	36	5	1	3	75
-	-	-	-	-	2	1	1	-	-	14	6	7	1	-	76
-	-	-	-	-	1	-	1	-	-	6	1	4	1	-	77
															78
369	47	61	146	115	708	344	354	5	5	11,120	4,719	5,407	450	544	79
															80
323	44	54	121	104	654	316	328	5	5	10,393	4,365	5,114	398	516	81
24	2	4	8	10	20	6	13	-	1	309	122	141	19	27	82
180	22	24	78	56	436	214	216	3	3	6,008	2,498	2,963	246	301	83
96	16	19	26	35	143	74	66	2	1	3,246	1,378	1,581	115	172	84
23	4	7	9	3	55	22	33	-	-	830	367	429	18	16	85
10	2	2	5	1	7	4	3	-	-	107	45	26	22	14	86
2	-	1	-	1	3	-	3	-	-	96	43	52	-	1	87
7	1	1	4	1	10	5	5	-	-	152	76	71	5	-	88
2	-	-	-	2	4	2	2	-	-	41	25	15	1	-	89
8	-	1	4	3	7	3	4	-	-	91	46	30	10	5	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	92
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	93
-	-	-	-	-	3	-	3	-	-	19	10	7	1	1	94
17	-	2	12	3	20	14	6	-	-	219	108	91	13	7	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	19,553	10,928	6,129	1,351	1,145	12,811	5,510	3,481	1,933	1,887
DISEASES OF HEART 400-402,410-443	17,595	9,989	5,476	1,155	975	11,459	5,052	3,076	1,689	1,642
RHEUMATIC FEVER 400-402	16	4	7	2	3	10	1	1	3	5
CHRONIC RHEUMATIC HEART DISEASE 410-416	473	213	219	25	16	210	76	72	26	36
DISEASES OF MITRAL VALVE 410	168	74	81	8	5	89	31	35	7	16
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	57	38	16	2	1	22	13	7	1	1
DISEASES OF PULMONARY VALVE, ETC 413,414	26	18	8	-	-	7	1	4	1	1
OTHER RHEUMATIC HEART DISEASES 412,415,416	222	83	114	15	10	92	31	26	17	18
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	13,641	8,417	4,022	684	518	7,846	4,043	2,095	917	791
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	5,873	3,389	1,943	294	247	2,293	1,038	698	279	278
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	7,756	5,022	2,077	388	269	5,540	2,999	1,396	635	510
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	12	6	2	2	2	13	6	1	3	3
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	130	64	38	14	14	87	33	19	17	18
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	3	1	2	-	-	5	1	1	1	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	76	43	12	13	8	51	21	11	10	9
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	51	20	24	1	6	31	11	7	6	7
OTHER MYOCARDIAL DEGENERATION 422	1,029	420	434	96	79	823	297	273	111	142
WITH ARTERIOSCLEROSIS 422.1	798	343	342	61	52	646	245	221	83	97
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	231	77	92	35	27	177	52	52	28	45
OTHER DISEASES OF HEART 430-434	813	400	253	93	67	732	227	193	164	148
ACUTE AND SUBACUTE ENDOCARDITIS 430	24	12	5	4	3	26	8	2	10	6
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	54	23	23	3	5	36	12	1	11	12
FUNCTIONAL DISEASE OF HEART 433	170	84	61	12	13	147	52	61	16	18
OTHER AND UNSPECIFIED DISEASES OF HEART 434	565	281	164	74	46	523	155	129	127	112
HYPERTENSIVE HEART DISEASE 440-443	1,493	471	503	241	278	1,751	375	423	451	502
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	331	134	108	49	40	333	88	85	84	76
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	1,162	337	395	192	238	1,418	287	338	367	426
OTHER HYPERTENSIVE DISEASE 444-447	372	138	89	71	74	303	75	66	77	85
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	216	105	52	31	28	113	45	24	18	26
ESSENTIAL HYPERTENSION 444,445,447	156	33	37	40	46	190	30	42	59	59
DISEASES OF ARTERIES 450-456	1,371	719	482	103	67	831	316	264	125	126
GENERAL ARTERIOSCLEROSIS 450	853	379	369	61	44	588	188	212	91	97
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	429	297	83	36	13	156	94	26	21	15
GANGRENE OF UNSPECIFIED CAUSE 455	4	1	-	-	3	7	3	-	2	2
OTHER ARTERIAL DISEASES 452-454,456	85	42	30	6	7	80	31	26	11	12
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	215	82	82	22	29	218	67	75	42	34
VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,127	1,060	504	355	208	1,822	661	371	457	333
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	12	5	3	3	1	18	6	1	6	5
INFLUENZA 480-483	46	10	10	16	10	82	18	11	32	21
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,235	491	342	247	155	1,152	324	260	312	256
LOBAR PNEUMONIA 490	242	98	62	50	32	186	49	30	54	53
BRONCHOPNEUMONIA 491	791	329	220	146	96	495	151	131	113	100
PRIMARY ATYPICAL PNEUMONIA 492	114	35	44	23	12	122	30	21	40	31
PNEUMONIA, OTHER AND UNSPECIFIED 493	88	29	16	28	15	349	94	78	105	72
ACUTE BRONCHITIS 500	27	13	7	3	4	9	2	2	5	-
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	76	49	20	3	4	69	41	15	7	6
HYPERTROPHY OF TONSILS AND ADENOIDS 510	4	1	1	-	2	2	1	-	1	-
EMPYEMA AND ABSCESS OF LUNG 518,521	22	6	4	11	1	21	8	3	7	3
PLEURISY 519	9	2	1	3	3	2	-	2	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	383	307	50	23	3	181	137	19	18	7
OTHER RESPIRATORY DISEASES RESIDUAL	313	176	66	46	25	286	124	58	69	35
IX. DISEASES OF THE DIGESTIVE SYSTEM	2,044	975	680	212	177	1,290	528	358	223	181
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	3	-	-	1	2	4	-	1	3	-
ULCER OF STOMACH 540	174	105	46	18	5	145	78	26	31	10
ULCER OF DUODENUM 541	152	101	32	15	4	77	45	12	12	8
GASTRITIS AND DUODENITIS 543	14	8	2	1	3	10	3	3	3	1
APPENDICITIS 550-553	55	21	21	11	2	43	12	6	12	13
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	255	96	105	28	26	196	65	74	34	23
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	203	36	24	72	71	146	26	22	57	41
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	116	50	55	7	4	48	17	20	5	6
CIRRHOSIS OF LIVER 581	591	336	195	32	28	260	140	70	25	25
WITHOUT MENTION OF ALCOHOLISM 581.0	418	244	130	26	18	181	94	56	17	14
WITH ALCOHOLISM 581.1	173	92	65	6	10	79	46	14	8	11
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	118	50	64	2	2	80	29	35	5	11
FIBROCYSTIC DISEASE OF PANCREAS 587B	15	7	7	1	-	21	9	10	-	2
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	348	165	129	24	30	260	104	79	36	41
X. DISEASES OF THE GENITOURINARY SYSTEM	998	452	248	167	131	796	242	183	217	154
NEPHRITIS AND NEPHROSIS 590-594	378	141	95	68	74	318	78	75	90	75
ACUTE NEPHRITIS 590	30	5	9	7	9	29	5	3	12	9
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	19	5	5	5	4	17	2	5	6	4
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	329	131	81	56	61	272	71	67	72	62
INFECTIONS OF KIDNEY 600	308	131	103	37	37	259	77	81	48	53
CALCULI OF URINARY SYSTEM 602,604	56	30	16	2	8	27	7	11	4	5
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	79	25	21	29	4	63	24	8	20	11
HYPERPLASIA OF PROSTATE 610	138	109	...	29	...	89	48	...	41	...
DISEASES OF BREAST 620,621	-	-	-	-	-	2	-	1	-	1
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	39	16	13	2	8	38	8	7	14	9

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
1,124	240	184	419	281	2,178	1,383	774	17	4	48,094	25,592	18,563	2,117	1,822	2
															3
1,036	218	172	390	256	1,981	1,273	692	13	3	44,362	23,806	16,873	1,983	1,700	4
3	2	-	-	1	2	2	-	-	-	35	20	11	3	1	5
33	5	11	9	8	89	45	44	-	-	978	398	522	29	29	6
9	2	2	4	1	28	12	16	-	-	329	125	190	6	8	7
3	1	-	2	-	17	12	5	-	-	87	62	23	2	-	8
3	-	-	1	2	6	4	2	-	-	51	21	30	-	-	9
18	2	9	2	5	38	17	21	-	-	511	190	279	21	21	10
659	168	106	248	137	1,456	994	449	11	2	34,634	19,840	12,684	1,172	938	11
353	97	55	124	77	395	244	148	2	1	17,604	9,070	7,314	632	588	12
306	71	51	124	60	1,058	749	299	9	1	17,015	10,762	5,363	540	350	13
-	-	-	-	-	3	1	2	-	-	15	8	7	-	-	14
															15
4	1	1	1	1	18	10	8	-	-	247	141	94	7	5	16
-	-	-	-	-	-	-	-	-	-	17	9	8	-	-	17
4	1	1	1	1	10	8	2	-	-	100	67	25	5	3	18
-	-	-	-	-	8	2	6	-	-	130	65	61	2	2	19
68	12	10	26	20	157	88	69	-	-	3,495	1,447	1,483	290	275	20
54	9	9	18	18	99	52	47	-	-	2,517	1,011	1,057	230	219	21
14	3	1	8	2	58	36	22	-	-	978	436	426	60	56	22
															23
44	8	9	14	13	106	62	41	2	1	1,581	750	411	253	167	24
2	1	-	-	1	3	1	1	1	-	50	25	20	4	1	25
3	-	-	2	1	6	2	3	-	1	83	37	31	9	6	26
14	3	1	5	5	30	15	14	1	-	223	100	116	1	6	27
25	4	8	7	6	67	44	23	-	-	1,225	588	244	239	154	28
225	22	35	92	76	153	72	81	-	-	3,392	1,210	1,668	229	285	29
															30
44	5	8	18	13	59	31	28	-	-	689	313	312	37	27	31
181	17	27	74	63	94	41	53	-	-	2,703	897	1,356	192	258	32
															33
17	3	2	5	7	29	15	12	2	-	862	374	379	52	57	34
11	1	1	4	5	15	10	5	-	-	520	256	211	27	26	35
6	2	1	1	2	14	5	7	2	-	342	118	168	25	31	36
62	16	6	22	18	149	86	61	2	-	2,520	1,249	1,150	65	56	37
31	5	5	10	11	114	63	50	1	-	1,943	867	996	40	40	38
23	9	1	9	4	26	19	6	1	-	432	307	99	21	5	39
2	-	-	1	1	-	-	-	-	-	13	9	4	-	-	40
6	2	-	2	2	9	4	5	-	-	132	66	51	4	11	41
9	3	4	2	-	19	9	9	-	1	350	163	161	17	9	42
															43
															44
207	42	21	106	38	284	186	89	6	3	4,882	2,521	1,433	527	401	45
															46
2	1	1	-	-	4	1	3	-	-	28	12	12	3	1	47
6	1	1	-	4	14	7	6	-	1	55	26	25	2	2	48
148	28	14	81	25	148	87	57	2	2	3,673	1,662	1,157	478	376	49
11	-	1	6	-	21	11	8	-	2	377	215	127	30	5	50
76	14	7	41	14	71	43	26	2	-	2,880	1,235	865	430	350	51
52	8	5	30	9	7	4	3	-	-	208	104	79	11	14	52
9	2	1	4	2	49	29	20	-	-	208	108	86	7	7	53
															54
2	-	-	1	1	2	-	2	-	-	71	42	19	4	6	55
2	-	-	2	-	15	14	1	-	-	166	117	35	9	5	56
-	-	-	-	-	3	2	1	-	-	8	1	6	1	-	57
1	-	-	1	-	2	1	-	1	-	49	34	7	5	3	58
-	-	-	-	-	-	-	-	-	-	10	5	5	-	-	59
19	8	2	8	1	65	57	7	1	-	447	374	59	14	-	60
27	4	3	13	7	31	17	12	2	-	375	248	108	11	8	61
															62
															63
130	40	20	50	20	181	107	71	1	2	3,893	2,174	1,355	225	139	64
															65
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	66
16	7	2	6	1	12	9	3	-	-	400	274	87	25	14	67
10	3	1	5	1	19	16	3	-	-	351	245	83	17	6	68
2	1	-	1	-	2	1	1	-	-	17	8	8	1	-	69
4	2	-	1	1	10	5	5	-	-	100	57	26	8	9	70
16	6	1	6	3	36	20	16	-	-	531	229	244	36	22	71
															72
6	1	1	2	2	15	9	5	1	-	199	80	68	26	25	73
															74
6	-	1	4	1	9	4	5	-	-	177	80	88	3	6	75
45	15	9	16	5	33	21	10	-	2	1,291	803	363	86	39	76
33	11	6	12	4	24	16	8	-	-	889	551	270	48	20	77
12	4	3	4	1	9	5	2	-	2	402	252	93	38	19	78
10	-	2	6	2	16	7	9	-	-	269	100	162	2	5	79
-	-	-	-	-	2	1	1	-	-	31	17	14	-	-	80
15	5	3	3	4	26	13	13	-	-	524	280	210	21	13	81
															82
															83
78	14	5	39	20	66	45	17	1	3	1,702	889	528	166	119	84
															85
42	4	3	22	13	39	24	13	1	1	714	339	257	70	48	86
-	-	-	-	-	2	1	1	-	-	27	11	8	5	3	87
4	-	-	2	2	5	3	1	-	1	42	22	11	5	4	88
38	4	3	20	11	32	20	11	1	-	645	306	238	60	41	89
15	3	1	7	4	17	14	2	-	1	523	218	184	65	56	90
4	1	-	2	1	3	-	2	-	1	61	31	30	-	-	91
8	3	1	3	1	5	5	-	-	-	106	62	32	8	4	92
8	3	...	5	...	2	2	...	-	...	235	213	...	22	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
1	-	-	-	1	-	-	-	-	-	63	26	25	1	11	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	60	...	20	...	40	52	...	19	...	33
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	2	...	3	8	...	2	...	6
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	11	...	3	...	8	9	...	5	...	4
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	10	...	2	...	8	11	...	4	...	7
ECTOPIC PREGNANCY.....645	4	...	1	...	3	3	...	1	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	3	...	-	...	3
ABORTION WITH SEPSIS.....651	7	...	3	...	4	7	...	2	...	5
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	2	...	-	...	2	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	21	...	9	...	12	11	...	5	...	6
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	73	22	34	6	11	59	15	16	10	18
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	27	12	10	1	4	19	6	3	5	5
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	46	10	24	5	7	40	9	13	5	13
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	97	38	41	11	7	87	31	33	13	10
ARTHRITIS AND SPONDYLITIS.....720-725	46	15	21	4	6	56	19	24	4	9
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	-	1	-
OSTEOMYELITIS AND PERIOSTITIS.....730	8	3	4	1	-	5	2	2	1	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	3	2	-	-	1	3	1	1	-	1
INBORN DEFECT OF MUSCLE.....744.1	16	8	4	4	-	9	4	2	3	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	24	10	12	2	-	13	5	4	4	-
XIV. CONGENITAL MALFORMATIONS.....	613	260	208	70	75	457	164	140	86	67
SPINA BIFIDA AND MENINGOCELE.....751	40	24	14	1	1	37	9	20	6	2
CONGENITAL HYDROCEPHALUS, ETC.....752,753	70	28	21	14	7	67	22	18	13	14
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	297	114	102	37	44	219	80	66	41	32
OTHER CONGENITAL MALFORMATIONS.....750,755-759	206	94	71	18	23	134	53	36	26	19
XV. CERTAIN DISEASES OF EARLY INFANCY.....	2,026	808	484	413	321	1,703	536	335	478	354
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	761	274	174	185	128	467	118	86	133	130
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	115	33	57	10	15	80	11	33	13	23
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	646	241	117	175	113	387	107	53	120	107
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	4,000	2,032	882	775	311	3,117	1,460	558	780	319
ACCIDENTS.....E800-E962	2,852	1,464	660	503	225	2,324	1,091	461	523	249
RAILWAY ACCIDENTS.....E800-E802	25	10	2	11	2	36	23	-	11	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,234	711	266	185	72	1,005	571	174	189	71
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,199	697	257	175	70	981	559	168	183	71
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	49	33	14	2	-	30	11	15	2	2
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	260	135	44	55	26	165	80	26	36	23
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	550	324	134	73	19	373	208	79	58	28
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	308	186	56	42	24	362	229	40	78	15
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	32	19	9	3	1	51	31	8	9	3
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	35	14	9	10	2	24	12	6	6	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	8	6	1	1	-	4	3	-	1	-
WATER TRANSPORT ACCIDENTS.....E850-E858	101	66	5	28	2	27	22	4	1	-
AIRCRAFT ACCIDENTS.....E860-E866	60	50	7	2	1	15	14	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	90	25	29	20	16	69	18	16	28	7
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	31	21	5	3	2	19	6	3	7	3
ACCIDENTAL FALLS.....E900-E904	391	149	189	33	20	292	95	133	38	26
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	115	51	37	16	11	80	31	17	21	11
FALL ON SAME LEVEL.....E903	67	27	36	2	2	40	17	15	5	3
UNSPECIFIED FALLS.....E904	209	71	116	15	7	172	47	101	12	12
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	23	16	-	7	-	40	19	2	19	-
ACCIDENT CAUSED BY MACHINERY.....E912	39	26	-	13	-	43	28	3	12	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	39	33	1	3	2	31	23	2	6	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	181	39	34	50	58	242	62	46	67	67
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	-	3	2	1	14	2	4	1	7
ACCIDENT CAUSED BY FIREARM.....E919	75	40	9	20	6	117	78	7	24	8
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	75	35	14	12	14	63	16	13	25	9
ACCIDENTAL DROWNING.....E929	287	155	43	79	10	133	55	17	49	12
EXCESSIVE HEAT AND INSOLATION.....E931	2	1	1	-	-	4	1	-	1	2
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	27	8	15	2	2	18	6	5	2	5
ALL OTHER ACCIDENTS.....RESIDUAL	158	73	36	32	17	152	49	31	42	30
SUICIDE.....E963,E970-E979	672	466	171	25	10	368	274	61	30	3
SUICIDE BY POISONING.....E970-E973	217	116	89	5	7	45	26	18	1	-
SUICIDE BY HANGING AND STRANGULATION.....E974	73	56	14	3	-	30	24	3	3	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	339	271	50	15	3	275	217	33	24	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	43	23	18	2	-	18	7	7	2	2
HOMICIDE.....E964,E980-E985	472	98	51	247	76	425	95	36	227	67
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	284	67	29	146	42	276	64	26	148	38
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	117	14	5	73	25	71	8	1	52	10
ASSAULT BY OTHER MEANS.....E964,E980,E983	60	13	17	21	9	59	16	9	15	19
INJURY BY INTERVENTION OF POLICE.....E984	9	2	-	7	-	16	6	-	10	-
EXECUTION.....E985	2	2	-	-	-	3	1	-	2	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	4	4	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
5	...	3	...	2	6	...	6	...	-	59	...	33	...	26
-	...	-	...	-	1	...	1	...	-	8	...	4	...	4
2	...	1	...	1	1	...	1	...	-	12	...	6	...	6
-	...	-	...	-	-	...	-	...	-	5	...	5	...	-
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1
-	...	-	...	-	1	...	1	...	-	3	...	1	...	2
1	...	1	...	-	-	...	-	...	-	8	...	4	...	4
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
2	...	1	...	1	2	...	2	...	-	21	...	12	...	9
9	-	1	1	7	7	1	6	-	-	94	30	50	4	10
1	-	-	-	1	1	-	1	-	-	33	17	14	1	1
8	-	1	1	6	6	1	5	-	-	61	13	36	3	9
14	3	1	3	7	16	9	7	-	-	154	59	86	6	3
7	-	-	2	5	9	6	3	-	-	77	26	45	4	2
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	-	-	-	1	1	1	-	-	-	6	4	2	-	-
-	-	-	-	-	-	-	-	-	-	5	-	4	-	1
3	1	1	1	-	5	2	3	-	-	32	19	13	-	-
3	2	-	-	1	1	-	1	-	-	33	9	22	2	-
79	13	12	32	22	74	37	34	3	-	1,122	551	442	52	77
3	1	1	1	-	2	1	1	-	-	74	29	35	4	6
8	2	2	3	1	6	5	1	-	-	124	53	55	8	8
49	6	6	21	16	47	23	23	1	-	585	302	215	26	42
19	4	3	7	5	19	8	9	2	-	339	167	137	14	21
254	40	35	111	68	251	145	102	-	4	3,606	1,615	1,059	497	435
38	3	6	21	8	75	50	21	3	1	440	232	161	31	16
13	-	2	7	4	26	14	9	2	1	6	2	4	-	-
25	3	4	14	4	49	36	12	1	-	434	230	157	31	16
302	85	24	153	40	631	447	171	9	4	5,738	3,473	1,406	636	223
225	65	20	111	29	520	363	147	7	3	4,281	2,636	1,134	362	149
-	-	-	-	-	1	1	-	-	-	70	45	15	10	-
89	24	4	46	15	247	171	72	3	1	1,843	1,216	456	133	38
81	22	4	40	15	240	166	70	3	1	1,815	1,198	449	130	38
-	-	-	-	-	9	6	3	-	-	95	59	31	4	1
28	5	1	15	7	30	22	6	2	-	343	200	84	47	12
23	8	2	9	4	74	48	24	1	1	861	569	242	37	13
30	9	1	16	4	61	44	17	-	-	460	337	78	37	8
-	-	-	-	-	66	46	20	-	-	56	33	14	5	4
8	2	-	6	-	7	5	2	-	-	28	18	7	3	-
-	-	-	-	-	2	1	1	-	-	8	7	-	1	-
4	1	-	3	-	10	8	2	-	-	48	40	7	1	-
5	3	-	2	-	2	1	1	-	-	64	50	14	-	-
3	-	1	1	1	5	2	3	-	-	75	28	20	12	15
-	-	-	-	-	7	4	-	2	1	123	85	22	13	3
20	5	4	9	2	66	33	33	-	-	806	428	307	50	21
13	3	3	5	2	16	10	6	-	-	344	217	78	35	14
1	-	-	1	-	6	3	3	-	-	148	68	73	5	2
6	2	1	3	-	44	20	24	-	-	314	143	156	10	5
3	1	-	2	-	16	15	1	-	-	54	44	3	7	-
5	1	-	4	-	18	17	1	-	-	94	83	5	5	1
3	-	-	3	-	6	5	1	-	-	45	37	3	2	3
15	4	2	5	4	14	9	5	-	-	328	139	119	35	35
1	-	-	1	-	2	1	1	-	-	23	11	7	3	2
4	1	-	2	1	24	22	2	-	-	91	57	10	21	3
9	4	1	3	1	10	6	3	1	-	77	42	25	5	5
40	15	1	22	2	43	31	12	-	-	223	155	33	31	4
-	-	-	-	-	2	2	-	-	-	10	6	3	-	1
5	-	4	-	1	3	1	2	-	-	42	15	21	-	6
19	6	3	8	2	42	33	7	1	1	257	148	64	33	12
65	18	4	35	8	95	79	15	1	-	921	667	203	36	15
15	8	1	4	2	12	10	2	-	-	183	117	58	7	1
23	3	1	16	3	11	9	2	-	-	198	145	48	5	-
13	5	-	6	2	64	56	8	-	-	410	341	47	16	6
14	2	2	9	1	8	4	3	1	-	130	64	50	8	8
12	2	-	7	3	16	5	9	1	1	536	170	69	238	59
7	1	-	5	1	11	4	6	1	-	288	89	35	136	28
2	-	-	1	1	1	-	-	-	1	111	30	6	66	9
3	1	-	1	1	3	-	3	-	-	112	36	28	26	22
-	-	-	-	-	1	1	-	-	-	25	15	-	10	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

	CAUSE OF DEATH	INDIANA					IOWA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
2	ALL CAUSES	44,867	23,899	18,239	1,549	1,180	28,179	15,690	12,179	154	156
5	I. INFECTIVE AND PARASITIC DISEASES	505	286	150	46	23	197	117	77	2	1
7	TUBERCULOSIS, ALL FORMS 001-019	267	165	64	26	12	66	43	20	2	1
8	TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	244	156	56	22	10	63	42	18	2	1
9	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	11	4	5	1	1	-	-	-	-	-
10	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
11	GLANDS 011	2	2	-	-	-	-	-	-	-	-
12	TUBERCULOSIS OF BONES AND JOINTS 012,013	2	1	-	1	-	1	1	-	-	-
13	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	6	2	2	1	1	2	-	2	-	-
14	DISSEMINATED TUBERCULOSIS 019	2	-	1	1	-	-	-	-	-	-
16	SYPHILIS AND ITS SEQUELAE 020-029	64	38	14	7	5	34	21	13	-	-
17	CONGENITAL SYPHILIS 020	2	1	1	-	-	1	-	1	-	-
18	EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
19	ANEURYSM OF AORTA 022	22	14	7	1	-	16	8	8	-	-
20	OTHER CARDIOVASCULAR SYPHILIS 023	18	9	2	3	4	7	6	1	-	-
21	TABES DORSALIS 024	3	2	1	-	-	1	-	1	-	-
22	GENERAL PARALYSIS OF INSANE 025	8	6	1	1	-	5	4	1	-	-
23	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	8	4	2	1	1	3	3	-	-	-
24	ALL OTHER SYPHILIS 027-029	3	2	-	1	-	1	-	1	-	-
26	GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
27	TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
28	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	-	-	1	-	-	-	-	-	-
29	CHOLERA 043	-	-	-	-	-	-	-	-	-	-
30	BRUCELLOSIS 044	-	-	-	-	-	2	2	-	-	-
31	DYSENTERY, ALL FORMS 045-048	2	2	-	-	-	-	-	-	-	-
32	FOOD POISONING, INFECTION AND INTOXICATION 049	3	2	1	-	-	1	-	1	-	-
33	SCARLET FEVER 050	1	-	-	-	1	-	-	-	-	-
34	STREPTOCOCCAL SORE THROAT 051	3	-	3	-	-	1	1	-	-	-
35	ERYSIPELAS 052	-	-	-	-	-	2	2	-	-	-
36	SEPTICEMIA AND PYEMIA 053	37	17	16	3	1	27	16	11	-	-
38	DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
39	WHOOPING COUGH 056	2	-	2	-	-	-	-	-	-	-
40	MENINGOCOCCAL INFECTIONS 057	12	5	7	-	-	8	5	3	-	-
41	PLAGUE 058	-	-	-	-	-	-	-	-	-	-
42	LEPROSY 060	-	-	-	-	-	-	-	-	-	-
43	TETANUS 061	4	3	1	-	-	7	6	1	-	-
44	ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
45	ACUTE POLIOMYELITIS 080	3	1	1	1	-	1	1	-	-	-
46	LATE EFFECTS OF ACUTE POLIOMYELITIS 081	4	1	3	-	-	4	1	3	-	-
47	ACUTE INFECTIOUS ENCEPHALITIS 082	22	13	4	3	2	5	1	4	-	-
48	LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	5	4	1	-	-	4	1	3	-	-
49	SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
50	MEASLES 085	10	4	6	-	-	3	2	1	-	-
52	YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
53	INFECTIOUS HEPATITIS 092	23	8	11	2	2	12	6	6	-	-
54	RABIES 094	-	-	-	-	-	-	-	-	-	-
55	TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
56	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
57	MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
58	SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
59	HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
60	FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
61	ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
62	OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	-	1	-	-	1	-	1	-	-
63	ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	41	23	15	3	-	19	9	10	-	-
65	II. NEOPLASMS	7,079	3,460	3,224	217	178	4,661	2,440	2,178	18	25
67	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
68	AND HEMATOPOIETIC TISSUES 140-205	6,968	3,422	3,158	213	175	4,595	2,407	2,147	17	24
69	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	164	107	47	4	6	93	65	26	1	1
70	OF LIP 140	8	8	-	-	-	6	6	-	-	-
71	OF TONGUE 141	38	27	8	-	3	19	12	7	-	-
72	OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	53	29	21	2	1	39	24	13	1	1
73	OF PHARYNX 145-148	65	43	18	2	2	29	23	6	-	-
75	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
76	NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,297	1,134	1,043	72	48	1,543	814	710	7	12
77	OF ESOPHAGUS 150	111	68	23	15	5	48	31	15	2	-
78	OF STOMACH 151	412	246	139	20	7	347	220	122	1	4
79	OF SMALL INTESTINE, INCLUDING DUODENUM 152	14	7	6	1	-	19	11	7	1	-
80	OF LARGE INTESTINE, EXCEPT RECTUM 153	806	333	439	14	20	534	237	291	1	5
81	CECUM, APPENDIX, AND ASCENDING COLON 153.0	102	38	60	-	4	84	42	41	1	-
82	TRANSVERSE COLON 153.1	39	21	17	1	-	30	16	14	-	-
83	DESCENDING COLON 153.2	44	17	26	-	1	29	11	17	-	1
84	SIGMOID COLON 153.3	172	75	93	2	2	108	48	59	-	1
85	MULTIPLE PARTS OF LARGE INTESTINE 153.7	2	-	2	-	-	-	-	-	-	-
86	LARGE INTESTINE, PART UNSPECIFIED 153.8	402	163	217	10	12	254	110	141	-	3
87	INTESTINAL TRACT, PART UNSPECIFIED 153.9	45	19	24	1	1	29	10	19	-	-
89	OF RECTUM 154	278	151	122	3	2	176	95	80	-	1
90	OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	168	48	113	3	4	111	40	70	1	-
91	LIVER 155.0	37	20	15	2	-	25	10	14	1	-
92	OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	131	28	98	1	4	86	30	56	-	-
93	OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	101	47	50	4	-	52	23	27	-	2
94	OF PANCREAS 157	369	219	130	11	9	225	143	81	1	-
95	OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	38	15	21	1	1	31	14	17	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,053	11,312	8,705	558	478	29,533	15,080	11,393	1,671	1,389	28,782	10,646	7,226	5,788	5,122	1
															2
															3
															4
160	87	59	7	7	543	283	176	61	23	546	162	76	182	126	5
															6
57	37	16	3	1	307	167	94	37	9	238	89	29	73	47	7
52	34	15	2	1	283	156	85	35	7	226	87	27	68	44	8
2	2	-	-	-	11	6	5	-	-	4	-	2	2	-	9
															10
-	-	-	-	-	2	1	1	-	-	3	1	-	-	2	11
2	1	-	1	-	2	1	-	1	-	2	1	-	-	1	12
-	-	-	-	-	4	3	-	-	1	1	-	-	1	-	13
1	-	1	-	-	5	-	3	1	1	2	-	-	2	-	14
															15
30	17	10	1	2	55	30	10	10	5	111	20	8	51	32	16
-	-	-	-	-	1	-	1	-	-	4	1	-	1	2	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
18	12	4	1	1	24	14	5	3	2	46	13	4	16	13	19
5	3	2	-	-	20	10	2	6	2	49	5	3	25	16	20
2	-	2	-	-	3	2	1	-	-	-	-	-	-	-	21
2	1	1	-	-	1	1	-	-	-	3	1	-	2	-	22
3	1	1	-	1	4	1	1	1	1	8	-	1	6	1	23
-	-	-	-	-	2	2	-	-	-	1	-	-	1	-	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	1	-	-	7	6	1	-	-	8	1	2	3	2	31
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	32
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	33
3	-	3	-	-	5	1	4	-	-	1	1	-	-	-	34
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	35
18	9	7	1	1	37	15	12	6	4	93	21	19	36	17	36
															37
1	1	-	-	-	1	1	-	-	-	3	2	-	1	-	38
-	-	-	-	-	1	1	-	-	-	3	-	-	1	2	39
5	2	2	1	-	16	8	7	1	-	11	6	-	4	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
3	3	-	-	-	3	1	-	-	2	8	-	1	2	5	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	45
3	3	-	-	-	3	1	2	-	-	2	1	-	-	1	46
6	3	3	-	-	14	8	4	-	2	9	2	4	-	3	47
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
4	1	3	-	-	22	11	9	2	-	9	4	-	3	2	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
12	2	8	-	2	34	14	18	1	1	13	5	5	3	-	53
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	7	-	-	2	5	62
14	7	5	1	1	30	16	10	4	-	24	9	6	1	8	63
															64
3,207	1,608	1,455	73	71	4,412	2,056	1,939	246	171	4,451	1,788	1,250	738	675	65
															66
															67
3,160	1,590	1,430	72	68	4,347	2,030	1,908	244	165	4,373	1,765	1,229	722	657	68
56	35	18	3	-	110	72	24	13	1	121	72	22	21	6	69
4	4	-	-	-	7	6	1	-	-	6	4	1	-	1	70
11	6	5	-	-	23	14	4	4	1	32	23	4	3	2	71
16	8	8	-	-	30	17	10	3	-	34	19	9	4	2	72
25	17	5	3	-	50	35	9	6	-	49	26	8	14	1	73
															74
															75
991	496	451	22	22	1,476	666	659	94	57	1,313	484	372	255	202	76
33	25	6	1	1	68	39	15	14	-	70	32	7	22	9	77
205	128	68	7	2	344	167	134	34	9	348	99	62	118	69	78
14	6	7	1	-	9	6	2	1	-	11	8	1	-	2	79
346	141	189	8	8	471	194	241	16	20	353	125	141	38	49	80
64	25	35	1	3	49	13	30	2	4	46	13	21	6	6	81
23	11	11	1	-	19	9	9	-	1	10	3	5	1	1	82
15	2	12	1	-	25	9	16	-	-	14	3	9	-	2	83
59	28	28	2	1	78	31	42	4	1	50	20	15	9	6	84
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	85
170	73	91	3	3	275	123	131	7	14	218	80	87	19	32	86
15	2	12	-	1	23	8	13	2	-	15	6	4	3	2	87
															88
105	53	47	3	2	144	61	66	10	7	119	43	34	22	20	89
63	24	37	-	2	95	35	53	4	3	69	27	24	11	7	90
12	5	7	-	-	30	17	11	2	-	28	14	3	9	2	91
51	19	30	-	2	65	18	42	2	3	41	13	21	2	5	92
49	26	21	-	2	97	40	48	5	4	65	26	22	8	9	93
158	86	65	2	5	210	105	85	9	11	248	115	73	29	31	94
18	7	11	-	-	38	19	15	1	3	30	9	8	7	6	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	1,014	810	145	54	5	598	499	94	4	1
OF LARYNX.....161	40	35	4	1	-	25	22	2	1	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	451	365	53	32	1	211	180	30	1	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	502	395	82	21	4	348	284	61	2	1
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	21	15	6	-	-	14	13	1	-	-
MALIGNANT NEOPLASM OF BREAST.....170	617	8	574	-	35	435	2	431	-	2
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,096	416	595	32	53	696	337	351	4	4
OF CERVIX UTERI.....171	270	...	242	...	28	107	...	105	...	2
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	168	...	157	...	11	87	...	87	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	186	...	173	...	13	143	...	141	...	2
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	24	...	23	...	1	18	...	18	...	-
OF PROSTATE.....177	423	394	...	29	...	313	309	...	4	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	25	22	...	3	...	28	28	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	336	213	110	10	3	267	168	97	-	2
OF KIDNEY.....180	134	76	51	6	1	119	67	52	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	202	137	59	4	2	148	101	45	-	2
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	747	370	334	23	20	463	219	241	1	2
OF SKIN.....190,191	101	65	33	2	1	70	31	39	-	-
OF EYE.....192	7	4	3	-	-	5	4	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	155	86	63	4	2	108	46	61	-	1
OF THYROID GLAND.....194	32	6	24	1	1	14	3	11	-	-
OF BONE.....196	53	27	21	3	2	30	17	13	-	-
OF CONNECTIVE TISSUE.....197	26	14	9	-	3	25	14	11	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	42	24	16	1	1	28	16	11	-	1
OF UNSPECIFIED SITES.....156B,165,198,199B	331	144	165	12	10	183	88	94	1	-
LEUKEMIA AND ALEUKEMIA.....204	364	192	161	9	2	258	155	103	-	-
LYMPHOSARCOMA, ETC.....200-203,205	333	172	149	9	3	242	148	94	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	172	94	70	6	2	112	70	42	-	-
HODGKINS DISEASE.....201	76	39	36	1	-	52	34	18	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	85	39	43	2	1	78	44	34	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	111	38	66	4	3	66	33	31	1	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	8	...	6	...	2	5	...	5	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	30	5	24	1	-	13	5	8	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	30	16	13	-	1	11	8	2	1	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	26	12	13	1	-	18	9	8	-	1
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	17	5	10	2	-	19	11	8	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,217	489	650	32	46	714	342	364	5	3
ASTHMA.....241	134	79	39	11	5	106	74	31	-	1
NONTOXIC GOITER.....250,251	-	-	-	-	-	1	-	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	22	1	17	-	4	11	-	11	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	5	-	5	-	-	6	1	4	-	1
DIABETES MELLITUS.....260	939	354	536	19	30	493	220	267	5	1
DISEASES OF THYMUS GLAND.....273	2	1	1	-	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	13	7	4	1	1	8	3	5	-	-
PELLAGRA.....281	1	-	1	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	39	18	20	1	-	34	14	20	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	62	29	27	-	6	55	30	25	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	136	67	60	6	3	88	43	42	1	2
ANEMIAS.....290-293	84	36	39	6	3	58	24	31	1	2
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	20	8	11	-	1	18	6	12	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	64	28	28	6	2	40	18	19	1	2
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	10	2	8	-	-	14	8	6	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	42	29	13	-	-	16	11	5	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	75	42	26	5	2	69	42	27	-	-
SENILE PSYCHOSIS.....304	14	7	6	1	-	14	5	9	-	-
ALCOHOLIC PSYCHOSIS.....307	11	7	2	2	-	6	6	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	16	7	8	1	-	11	6	5	-	-
ALCOHOLISM.....322	24	18	3	1	2	23	19	4	-	-
MENTAL DEFICIENCY.....325	6	2	4	-	-	12	6	6	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	4	1	3	-	-	3	-	3	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	6,297	2,838	3,095	192	172	4,205	1,972	2,194	19	20
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,939	2,659	2,938	181	161	3,929	1,835	2,060	16	18
SUBARACHNOID HEMORRHAGE.....330	159	59	88	5	7	83	42	41	-	-
CEREBRAL HEMORRHAGE.....331	3,547	1,597	1,742	113	95	2,343	1,081	1,239	10	13
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,684	766	825	49	44	1,102	522	570	5	5
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	549	237	283	14	15	401	190	210	1	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	44	25	16	1	2	19	7	10	2	-
MULTIPLE SCLEROSIS.....345	50	18	29	3	-	34	14	20	-	-
PARALYSIS AGITANS.....350	78	48	29	1	-	69	37	32	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	13	8	4	1	-	10	5	5	-	-
EPILEPSY.....353	41	20	16	2	3	27	12	12	1	2
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	1	-	1	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	7	3	4	-	-	1	-	1	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	125	57	59	3	6	115	62	53	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
482	397	65	18	2	653	487	106	57	3	843	564	78	169	32	5
17	15	2	-	-	38	28	5	5	-	49	36	5	7	1	6
147	127	15	5	-	238	196	25	16	1	320	211	24	76	9	7
310	252	43	13	2	358	252	68	36	2	465	313	46	86	20	8
8	3	5	-	-	19	11	8	-	-	9	4	3	-	2	9
314	3	299	-	12	325	5	287	-	33	314	5	217	-	92	10
															11
493	199	265	14	15	707	210	414	37	46	622	151	203	114	154	12
87	...	83	...	4	191	...	173	...	18	147	...	73	...	74	13
86	...	80	...	6	107	...	94	...	13	100	...	54	...	46	14
100	...	95	...	5	147	...	133	...	14	103	...	72	...	31	15
7	...	7	...	-	15	...	14	...	1	7	...	4	...	3	16
200	187	...	13	...	228	194	...	34	...	241	134	...	107	...	17
13	12	...	1	...	19	16	...	3	...	24	17	...	7	...	18
139	91	43	3	2	182	106	65	4	7	198	87	59	25	27	19
73	42	28	1	2	80	41	34	2	3	78	32	31	7	8	20
66	49	15	2	-	102	65	31	2	4	120	55	28	18	19	21
															22
															23
370	181	176	4	9	485	257	203	16	9	589	251	155	82	101	24
65	39	25	1	-	99	58	40	1	-	88	58	20	6	4	25
3	1	2	-	-	8	7	1	-	-	7	3	3	1	-	26
64	37	27	-	-	108	62	44	2	-	70	29	20	10	11	27
10	1	8	-	1	18	4	10	1	3	19	4	9	1	5	28
20	11	8	-	1	42	20	19	3	-	33	12	9	7	5	29
14	7	6	-	1	17	8	7	1	1	12	5	4	1	2	30
16	12	4	-	-	23	16	5	1	1	23	13	5	3	2	31
178	73	96	3	6	170	82	77	7	4	337	127	85	53	72	32
154	94	53	5	2	208	124	72	11	1	186	75	64	27	20	33
161	94	60	3	4	201	103	78	12	8	187	76	59	29	23	34
69	45	22	1	1	95	52	36	6	1	81	34	26	11	10	35
33	19	13	-	1	43	25	17	1	-	45	19	16	4	6	36
															37
59	30	25	2	2	63	26	25	5	7	61	23	17	14	7	38
															39
47	18	25	1	3	65	26	31	2	6	78	23	21	16	18	40
6	...	5	...	1	10	...	8	...	2	1	...	1	...	-	41
12	1	9	-	2	24	11	9	1	3	18	5	6	4	3	42
7	5	2	-	-	9	4	5	-	-	11	2	4	2	3	43
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	44
9	6	3	-	-	14	8	5	-	1	36	12	8	7	9	45
13	6	6	1	-	8	3	4	1	-	12	4	2	3	3	46
															47
															48
603	277	282	12	32	677	272	326	25	54	824	197	263	136	228	49
															50
81	47	27	2	5	94	61	25	3	5	86	35	13	24	14	51
1	-	-	-	1	1	-	-	-	1	3	-	1	-	2	52
6	-	6	-	-	8	-	8	-	-	6	-	2	-	4	53
5	2	3	-	-	5	1	4	-	-	8	-	7	-	1	54
431	189	212	9	21	473	170	246	19	38	607	131	210	89	177	55
-	-	-	-	-	2	-	1	-	1	2	2	-	-	-	56
7	2	5	-	-	7	3	3	-	1	10	3	4	2	1	57
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	58
23	12	8	1	2	48	21	18	3	6	46	9	10	13	14	59
49	25	21	-	3	39	16	21	-	2	54	17	16	7	14	60
															61
88	43	41	2	2	85	36	40	2	7	117	29	37	25	26	62
															63
62	32	26	2	2	58	23	28	2	5	85	17	27	20	21	64
14	8	6	-	-	8	1	7	-	-	6	3	2	1	-	65
48	24	20	2	2	50	22	21	2	5	79	14	25	19	21	66
8	2	6	-	-	15	5	8	-	2	12	4	4	2	2	67
18	9	9	-	-	12	8	4	-	-	20	8	6	3	3	68
															69
61	39	18	2	2	67	39	18	8	2	56	25	14	10	7	70
															71
10	3	7	-	-	6	2	4	-	-	4	-	3	-	1	72
9	7	-	1	1	4	4	-	-	-	3	2	-	1	-	73
11	6	5	-	-	12	4	7	1	-	9	4	3	1	1	74
25	21	4	-	-	35	24	2	7	2	31	16	5	7	3	75
1	1	-	-	-	8	3	5	-	-	8	2	3	1	2	76
5	1	2	1	1	2	2	-	-	-	1	1	-	-	-	77
															78
2,892	1,286	1,458	76	72	4,133	1,789	1,881	229	234	3,377	963	980	666	768	79
															80
2,703	1,183	1,377	73	70	3,873	1,673	1,769	207	224	3,127	894	913	599	721	81
73	32	37	3	1	90	30	49	4	7	97	25	30	16	26	82
1,592	683	825	42	42	2,289	1,003	1,011	134	141	2,117	582	568	430	537	83
751	342	366	23	20	1,050	468	493	41	48	684	213	228	124	119	84
287	126	149	5	7	444	172	216	28	28	229	74	87	29	39	85
22	9	9	2	2	38	17	13	5	3	74	15	14	25	20	86
16	6	10	-	-	14	6	7	1	-	12	3	5	1	3	87
55	32	23	-	-	45	27	18	-	-	21	8	10	2	1	88
7	5	2	-	-	15	2	11	1	1	9	4	2	3	-	89
17	9	8	-	-	52	17	25	8	2	39	13	4	17	5	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
2	1	1	-	-	7	5	2	-	-	5	-	2	1	2	94
70	41	28	1	-	89	42	36	7	4	90	26	30	18	16	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	19,242	10,769	7,558	490	425	12,275	7,070	5,086	61	58
DISEASES OF HEART.....400-402,410-443	17,092	9,722	6,561	437	372	10,860	6,355	4,397	55	53
RHEUMATIC FEVER.....400-402	19	12	7	-	-	7	3	4	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	460	240	200	8	12	253	109	139	2	3
DISEASES OF MITRAL VALVE.....410	167	86	75	2	4	111	48	63	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	50	39	10	1	-	29	19	9	-	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	35	15	16	2	2	24	9	14	1	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	208	100	99	3	6	89	33	53	1	2
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	12,875	7,828	4,494	310	243	8,427	5,218	3,134	42	33
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	5,048	2,737	2,095	115	101	3,122	1,649	1,424	25	24
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	7,819	5,086	2,396	195	142	5,300	3,567	1,707	17	9
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	8	5	3	-	-	5	2	3	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	142	74	59	5	4	112	68	44	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	7	3	1	3	-	6	4	2	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	51	30	19	1	1	40	29	11	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	84	41	39	1	3	66	35	31	-	-
OTHER MYOCARDIAL DEGENERATION.....422	1,164	527	607	13	17	838	410	417	6	5
WITH ARTERIOSCLEROSIS.....422.1	716	318	380	8	10	584	286	292	4	2
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	448	209	227	5	7	254	124	125	2	3
OTHER DISEASES OF HEART.....430-434	651	338	274	19	20	439	248	186	2	3
ACUTE AND SUBACUTE ENDOCARDITIS.....430	22	16	6	-	-	6	4	2	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	34	20	12	1	1	15	7	8	-	-
FUNCTIONAL DISEASE OF HEART.....433	179	92	84	2	1	130	73	56	-	1
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	416	210	172	16	18	288	164	120	2	2
HYPERTENSIVE HEART DISEASE.....440-443	1,781	703	920	82	76	784	299	473	3	9
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	982	441	488	30	23	300	129	168	-	3
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	799	262	432	52	53	484	170	305	3	6
OTHER HYPERTENSIVE DISEASE.....444-447	390	169	180	23	18	192	100	91	1	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	224	113	98	8	5	110	60	49	1	-
ESSENTIAL HYPERTENSION.....444,445,447	166	56	82	15	13	82	40	42	-	-
DISEASES OF ARTERIES.....450-456	1,570	775	741	24	30	1,083	539	536	4	4
GENERAL ARTERIOSCLEROSIS.....450	1,310	587	679	21	23	891	415	468	4	4
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	197	149	44	1	3	145	94	51	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	6	4	-	1	1	2	1	1	-	-
OTHER ARTERIAL DISEASES.....452-454,456	57	35	18	1	3	45	29	16	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	190	103	76	6	5	140	76	62	1	1
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,976	1,154	651	110	61	1,280	778	488	8	6
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	19	7	9	2	1	6	2	4	-	-
INFLUENZA.....480-483	61	36	20	2	3	47	18	29	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,196	598	458	87	53	821	465	347	5	4
LOBAR PNEUMONIA.....490	202	114	62	15	11	127	78	48	1	-
BRONCHOPNEUMONIA.....491	727	361	280	53	33	400	233	163	2	2
PRIMARY ATYPICAL PNEUMONIA.....492	115	51	49	12	3	78	44	31	2	1
PNEUMONIA, OTHER AND UNSPECIFIED.....493	152	72	67	7	6	216	110	105	-	1
ACUTE BRONCHITIS.....500	16	12	4	-	-	16	11	5	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	65	50	13	2	-	30	20	10	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	7	5	2	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	23	17	4	2	-	12	10	2	-	-
PLEURISY.....519	-	-	-	-	-	4	2	2	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	326	276	39	8	3	184	162	20	2	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	263	153	102	7	1	160	88	69	1	2
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,704	958	645	60	41	1,006	573	412	9	12
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	4	1	1	2	-	1	1	-	-	-
ULCER OF STOMACH.....540	154	99	49	6	-	92	67	24	1	-
ULCER OF DUODENUM.....541	159	122	34	3	-	120	93	26	-	1
GASTRITIS AND DUODENITIS.....543	17	7	9	-	1	8	2	6	-	-
APPENDICITIS.....550-553	54	36	12	1	5	28	15	11	1	1
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	287	130	137	10	10	171	75	92	1	3
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	106	50	39	10	7	39	25	11	1	2
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	86	40	41	1	4	59	25	33	1	-
CIRRHOSIS OF LIVER.....581	417	275	124	13	5	189	136	49	1	3
WITHOUT MENTION OF ALCOHOLISM.....581.0	321	205	101	11	4	147	106	39	-	2
WITH ALCOHOLISM.....581.1	96	70	23	2	1	42	30	10	1	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	121	47	70	2	2	92	29	61	2	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	21	12	9	-	-	10	5	5	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	278	139	120	12	7	197	100	94	1	2
X. DISEASES OF THE GENITOURINARY SYSTEM	858	477	301	48	32	451	300	143	2	6
NEPHRITIS AND NEPHROSIS.....590-594	398	184	170	26	18	191	117	70	-	4
ACUTE NEPHRITIS.....590	30	10	17	2	1	12	9	2	-	1
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	32	18	12	-	2	17	9	8	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	336	156	141	24	15	162	99	60	-	3
INFECTIONS OF KIDNEY.....600	196	101	78	9	8	89	40	45	2	2
CALCULI OF URINARY SYSTEM.....602,604	33	17	16	-	-	23	15	8	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	56	29	23	2	2	34	23	11	-	-
HYPERPLASIA OF PROSTATE.....610	141	132	...	9	...	86	86	...	-	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	34	14	14	2	4	28	19	9	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
9,087	5,100	3,588	218	181	12,249	6,494	4,582	611	562	11,481	4,568	2,969	2,014	1,930	2
															3
8,055	4,590	3,107	193	165	11,010	5,922	4,045	538	505	10,564	4,265	2,698	1,850	1,751	4
5	4	-	-	1	12	8	3	1	-	7	3	2	-	2	5
166	70	90	3	3	221	95	110	5	11	109	38	27	22	22	6
83	30	49	2	2	67	29	33	2	3	35	13	6	10	6	7
17	12	5	-	-	23	8	13	1	1	4	3	1	-	-	8
6	3	3	-	-	10	1	9	-	-	3	3	-	-	-	9
60	25	33	1	1	121	57	55	2	7	67	19	20	12	16	10
6,105	3,702	2,163	141	99	7,861	4,509	2,717	359	276	7,619	3,555	1,969	1,160	935	11
2,275	1,227	945	59	44	2,657	1,353	1,120	100	84	3,460	1,313	1,050	561	536	12
3,825	2,472	1,216	82	55	5,195	3,148	1,596	259	192	4,153	2,238	917	599	399	13
5	3	2	-	-	9	8	1	-	-	6	4	2	-	-	14
															15
98	66	27	3	2	86	44	35	3	4	62	21	9	23	9	16
8	3	5	-	-	3	1	2	-	-	-	-	-	-	-	17
39	31	7	1	-	29	15	11	2	1	34	13	7	11	3	18
51	32	15	2	2	54	28	22	1	3	28	8	2	12	6	19
668	312	334	9	13	804	372	360	35	37	698	191	190	163	154	20
491	221	261	4	5	559	258	253	23	25	489	137	130	116	106	21
177	91	73	5	8	245	114	107	12	12	209	54	60	47	48	22
															23
345	189	144	6	6	672	352	248	37	35	624	190	128	136	170	24
11	7	3	1	-	12	7	4	1	-	15	6	1	5	3	25
14	8	4	-	2	9	5	3	1	-	26	6	4	7	9	26
108	49	57	1	1	77	40	34	3	-	100	34	37	14	15	27
212	125	80	4	3	574	300	207	32	35	483	144	86	110	143	28
668	247	349	31	41	1,354	542	572	98	142	1,445	267	373	346	459	29
															30
148	66	71	6	5	292	119	121	25	27	136	38	42	27	29	31
520	181	278	25	36	1,062	423	451	73	115	1,309	229	331	319	430	32
															33
172	76	84	9	3	189	90	69	20	10	198	50	41	52	55	34
100	56	39	5	-	96	50	32	11	3	81	32	19	16	14	35
72	20	45	4	3	93	40	37	9	7	117	18	22	36	41	36
756	380	359	10	7	877	406	397	39	35	560	206	184	81	89	37
593	281	298	8	6	722	318	349	26	29	420	133	154	62	71	38
119	79	38	2	-	92	59	22	7	4	88	45	23	14	6	39
3	1	1	-	1	11	3	6	2	-	7	2	1	2	2	40
41	19	22	-	-	52	26	20	4	2	45	26	6	3	10	41
104	54	38	6	6	173	76	71	14	12	159	47	46	31	35	42
															43
															44
998	582	358	31	27	1,357	716	485	99	57	1,351	486	258	360	247	45
															46
9	6	3	-	-	15	10	5	-	-	9	3	1	3	2	47
38	17	17	2	2	58	32	23	2	1	33	8	10	7	8	48
617	313	258	23	23	897	424	344	80	49	883	257	177	250	199	49
89	47	40	1	1	158	72	55	19	12	125	45	20	33	27	50
336	174	133	18	11	427	207	161	39	20	412	121	81	125	85	51
53	28	21	1	3	47	18	23	3	3	95	26	17	29	23	52
139	64	64	3	8	265	127	105	19	14	251	65	59	63	64	53
															54
9	5	4	-	-	8	2	4	-	2	14	7	2	3	2	55
32	23	7	1	1	44	29	14	-	1	53	25	10	16	2	56
3	2	1	-	-	2	-	2	-	-	2	1	1	-	-	57
12	8	4	-	-	11	8	1	1	1	25	11	4	7	3	58
6	3	3	-	-	3	2	1	-	-	4	-	-	4	-	59
132	108	21	3	-	120	98	16	6	-	138	104	12	18	4	60
140	97	40	2	1	199	111	75	10	3	190	70	41	52	27	61
															62
															63
784	447	302	20	15	948	492	368	52	36	1,089	398	293	215	183	64
															65
2	1	1	-	-	2	1	-	-	1	4	1	1	-	2	66
72	44	25	2	1	80	45	31	2	2	61	26	10	17	8	67
71	50	18	1	2	89	65	17	6	1	64	38	12	11	3	68
5	4	-	-	1	4	2	2	-	-	12	4	3	4	1	69
31	18	10	2	1	25	12	8	5	-	31	9	8	8	6	70
139	73	62	2	2	146	59	71	6	10	186	62	57	31	36	71
															72
50	27	18	3	2	82	35	32	12	3	119	13	12	46	48	73
															74
39	19	19	1	-	50	30	17	1	2	46	17	20	3	6	75
159	98	55	3	3	200	126	56	9	9	254	119	68	40	27	76
110	66	40	1	3	141	89	41	4	7	206	88	60	33	25	77
49	32	15	2	-	59	37	15	5	2	48	31	8	7	2	78
68	34	32	1	1	79	28	47	-	4	61	21	29	3	8	79
3	2	1	-	-	20	8	11	-	1	7	3	4	-	-	80
145	77	61	5	2	171	81	76	11	3	244	85	69	52	38	81
															82
															83
419	237	150	18	14	623	335	201	41	46	618	207	136	149	126	84
															85
205	94	95	7	9	267	121	105	14	27	248	77	63	50	58	86
10	5	5	-	-	21	11	8	-	2	15	7	4	3	1	87
11	6	3	-	2	14	5	5	-	4	12	4	2	1	5	88
184	83	87	7	7	232	105	92	14	21	221	66	57	46	52	89
77	35	37	3	2	163	74	64	8	17	204	60	49	43	52	90
17	13	4	-	-	20	10	10	-	-	17	7	5	4	1	91
34	21	7	3	3	35	21	9	4	1	55	25	9	17	4	92
67	62	...	5	...	114	103	...	11	...	54	30	...	24	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
19	12	7	-	-	24	6	13	4	1	40	8	10	11	11	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	41	...	30	...	11	15	...	15	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	4	...	3	...	1	4	...	4	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	4	...	2	...	2	4	...	4	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	4	...	4	...	-	2	...	2	...	-
ECTOPIC PREGNANCY.....645	5	...	2	...	3	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	3	...	2	...	1	2	...	2	...	-
ABORTION WITH SEPSIS.....651	4	...	1	...	3	1	...	1	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	17	...	16	...	1	2	...	2	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	52	18	31	1	2	32	10	22	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	11	8	3	-	-	8	3	5	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	41	10	28	1	2	24	7	17	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	108	44	60	3	1	73	34	38	-	1
ARTHRITIS AND SPONDYLITIS.....720-725	66	26	38	1	1	44	18	26	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	9	4	4	1	-	3	2	1	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	2	1	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	9	6	3	-	-	7	5	1	-	1
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	23	8	14	1	-	17	8	9	-	-
XIV. CONGENITAL MALFORMATIONS.....	597	325	223	25	24	331	177	152	1	1
SPINA BIFIDA AND MENINGOCELE.....751	39	14	23	-	2	17	8	9	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	74	31	37	2	4	34	16	18	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	291	170	94	16	11	168	94	73	1	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	193	110	69	7	7	112	59	52	-	1
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,614	809	570	129	106	811	458	331	13	9
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	237	122	100	13	2	73	40	33	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	58	24	33	1	-	22	10	12	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	179	98	67	12	2	51	30	21	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	3,129	2,041	865	172	51	1,898	1,294	577	15	12
ACCIDENTS.....E800-E962	2,486	1,605	734	110	37	1,540	1,011	506	12	11
RAILWAY ACCIDENTS.....E800-E802	32	28	2	2	-	12	10	-	2	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,117	755	311	39	12	691	486	196	5	4
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,087	732	305	38	12	667	471	188	5	3
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	70	42	24	2	2	36	28	8	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	116	73	29	12	2	59	40	17	1	1
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	542	347	177	12	6	374	238	132	2	2
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	308	235	61	10	2	186	155	29	2	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	51	35	14	2	-	12	10	2	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	30	23	6	1	-	24	15	8	-	1
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	7	6	1	-	-	4	4	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	35	27	5	2	1	22	20	2	-	-
AIRCRAFT ACCIDENTS.....E860-E866	27	24	3	-	-	15	12	3	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	37	19	14	2	2	15	8	7	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	36	31	2	2	1	22	16	5	-	1
ACCIDENTAL FALLS.....E900-E904	526	256	255	9	6	359	153	205	-	1
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	176	108	58	6	4	107	68	39	-	-
FALL ON SAME LEVEL.....E903	105	51	51	3	-	96	28	68	-	-
UNSPECIFIED FALLS.....E904	245	97	146	-	2	156	57	98	-	1
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	22	20	1	1	-	22	22	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	59	54	4	1	-	71	66	5	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	40	35	4	1	-	21	19	2	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	198	124	47	17	10	77	42	32	1	2
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	10	5	4	1	-	4	4	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	38	27	7	4	-	15	13	2	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	48	23	19	3	3	30	20	9	-	1
ACCIDENTAL DROWNING.....E929	108	83	12	13	-	61	56	4	1	-
EXCESSIVE HEAT AND INSOLATION.....E931	3	3	-	-	-	4	3	1	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	25	11	13	1	-	15	5	10	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	118	74	30	12	2	80	52	23	3	2
SUICIDE.....E963,E970-E979	475	362	100	11	2	321	265	55	1	-
SUICIDE BY POISONING.....E970-E973	99	53	43	2	1	51	34	17	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	86	67	19	-	-	89	72	17	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	244	217	19	8	-	153	138	14	1	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	46	25	19	1	1	28	21	7	-	-
HOMICIDE.....E964,E980-E985	168	74	31	51	12	37	18	16	2	1
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	108	48	15	36	9	23	11	10	2	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	14	3	1	9	1	2	-	2	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	40	19	15	4	2	11	6	4	-	1
INJURY BY INTERVENTION OF POLICE.....E984	5	3	-	2	-	1	1	-	-	-
EXECUTION.....E985	1	1	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
13	...	11	...	2	42	...	30	...	12	37	...	9	...	28	3
															4
2	...	2	...	-	5	...	4	...	1	4	...	2	...	2	5
5	...	4	...	1	13	...	8	...	5	9	...	2	...	7	6
-	...	-	...	-	11	...	10	...	1	10	...	3	...	7	7
-	...	-	...	-	3	...	-	...	3	2	...	-	...	2	8
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	9
-	...	-	...	-	3	...	2	...	1	3	...	-	...	3	10
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	11
5	...	4	...	1	6	...	5	...	1	7	...	2	...	5	12
															13
															14
19	9	10	-	-	41	14	20	1	6	50	13	21	4	12	15
															16
5	2	3	-	-	18	7	9	1	1	15	4	6	2	3	17
14	7	7	-	-	23	7	11	-	5	35	9	15	2	9	18
															19
															20
64	22	40	-	2	83	34	40	4	5	50	14	24	7	5	21
															22
35	10	24	-	1	51	20	30	-	1	31	5	18	6	2	23
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24
3	3	-	-	-	5	4	-	1	-	1	1	-	-	-	25
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	26
6	2	3	-	1	14	6	6	2	-	9	7	1	1	-	27
17	7	10	-	-	13	4	4	1	4	7	1	3	-	3	28
															29
															30
268	139	119	9	1	371	191	149	20	11	445	150	128	92	75	31
															32
13	6	7	-	-	26	10	15	1	-	22	5	7	4	6	33
25	12	12	1	-	46	25	17	3	1	38	13	11	9	5	34
139	70	61	7	1	175	91	74	5	5	223	77	65	46	35	35
91	51	39	1	-	124	65	43	11	5	162	55	45	33	29	36
															37
689	367	265	36	21	1,227	615	431	96	85	1,657	453	292	522	390	38
															39
144	66	71	2	5	281	132	120	16	13	257	74	57	53	73	40
															41
48	19	28	-	1	105	43	56	4	2	47	12	12	7	16	42
96	47	43	2	4	176	89	64	12	11	210	62	45	46	57	43
															44
															45
1,557	1,003	478	52	24	2,394	1,582	587	160	65	2,376	1,119	419	615	223	46
															47
1,267	805	406	37	19	1,851	1,194	502	105	50	1,871	897	346	443	185	48
2	2	-	-	-	28	25	2	1	-	22	9	3	9	1	49
549	366	159	16	8	706	521	145	34	6	726	389	128	163	46	50
534	355	155	16	8	689	509	141	33	6	716	384	124	162	46	51
33	19	11	2	1	9	7	2	-	-	31	19	5	6	1	52
51	33	15	2	1	137	96	30	9	2	147	69	19	42	17	53
302	193	96	10	3	200	141	45	13	1	318	182	61	57	18	54
134	101	28	2	3	175	135	29	8	3	176	90	27	50	9	55
14	9	5	-	-	168	130	35	3	-	44	24	12	7	1	56
15	11	4	-	-	17	12	4	1	-	10	5	4	1	-	57
															58
5	3	2	-	-	4	2	1	1	-	1	-	-	1	-	59
7	7	-	-	-	25	17	5	3	-	82	55	4	21	2	60
25	23	2	-	-	5	5	-	-	-	15	14	-	1	-	61
15	11	2	1	1	31	21	8	-	2	23	6	6	5	6	62
28	16	7	3	2	49	28	14	5	2	15	6	2	4	3	63
265	120	141	3	1	408	189	204	4	11	279	116	105	39	19	64
73	46	27	-	-	103	71	25	1	6	60	25	19	12	4	65
124	47	74	2	1	45	19	24	1	1	29	10	15	4	-	66
68	27	40	1	-	260	99	155	2	4	190	81	71	23	15	67
															68
17	13	2	1	1	74	69	1	4	-	27	21	1	5	-	69
56	52	3	1	-	33	30	2	1	-	37	26	-	11	-	70
18	17	1	-	-	21	17	2	1	1	33	18	3	12	-	71
84	44	34	3	3	148	60	49	22	17	207	56	32	53	66	72
6	4	2	-	-	4	2	1	1	-	6	-	2	2	2	73
39	33	6	-	-	57	48	7	2	-	82	55	6	18	3	74
34	21	12	1	-	50	21	19	5	5	38	15	9	5	9	75
49	36	8	5	-	86	66	9	11	-	134	56	12	61	5	76
6	4	1	1	-	1	1	-	-	-	1	1	-	-	-	77
12	4	6	1	1	9	-	9	-	-	41	13	12	4	12	78
50	29	18	1	2	112	72	24	10	6	102	41	21	29	11	79
															80
															81
243	177	63	3	-	324	258	54	10	2	265	183	54	25	3	82
50	30	18	2	-	56	35	19	1	1	28	16	10	1	1	83
27	19	8	-	-	39	27	10	2	-	25	16	4	5	-	84
152	124	27	1	-	210	185	18	6	1	190	141	34	15	-	85
14	4	10	-	-	19	11	7	1	-	22	10	6	4	2	86
															87
46	20	9	12	5	216	127	31	45	13	240	39	19	147	35	88
26	10	7	6	3	157	97	24	30	6	141	28	13	78	22	89
10	2	2	4	2	24	10	1	11	2	57	1	3	45	8	90
7	5	-	2	-	32	17	6	4	5	35	10	3	17	5	91
3	3	-	-	-	3	3	-	-	-	6	-	-	6	-	92
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	93
															94
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	10,751	6,009	4,693	32	17	27,727	12,387	9,840	3,124	2,376
I. INFECTIVE AND PARASITIC DISEASES	79	50	28	1	-	482	191	89	124	78
TUBERCULOSIS, ALL FORMS 001-019	36	23	13	-	-	259	114	32	71	42
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	29	21	8	-	-	243	110	31	68	34
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	1	-	1	-	-	7	2	-	1	4
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	1	-	-	-	1
TUBERCULOSIS OF BONES AND JOINTS 012,013	2	1	1	-	-	1	1	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	-	2	-	-	4	-	1	1	2
DISSEMINATED TUBERCULOSIS 019	2	1	1	-	-	3	1	-	1	1
SYPHILIS AND ITS SEQUELAE 020-029	9	6	2	1	-	103	36	16	30	21
CONGENITAL SYPHILIS 020	-	-	-	-	-	1	-	-	-	1
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	2	1	-	1	-	48	20	10	9	9
OTHER CARDIOVASCULAR SYPHILIS 023	1	1	-	-	-	36	13	1	15	7
TABES DORSALIS 024	-	-	-	-	-	1	-	1	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	5	1	2	1	1
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	6	4	2	-	-	11	2	1	5	3
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	-	1	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	5	1	2	1	1
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	1	-	1	-	-
ERYSIPELAS 052	-	-	-	-	-	1	1	-	-	-
SEPTICEMIA AND PYEMIA 053	13	10	3	-	-	51	17	18	9	7
DIPHTHERIA 055	-	-	-	-	-	1	1	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	1	-	-	1	-
MENINGOCOCCAL INFECTIONS 057	5	2	3	-	-	12	3	5	2	2
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	3	1	-	1	1
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	1	-	-	-	3	1	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	2	1	-	-	1
ACUTE INFECTIOUS ENCEPHALITIS 082	5	3	2	-	-	4	3	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	2	1	1	-	-	1	-	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	3	1	2	-	-	12	3	5	3	1
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	5	3	2	-	-	22	9	6	5	2
II. NEOPLASMS	1,818	993	821	-	4	4,655	2,116	1,787	442	310
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,787	981	802	-	4	4,549	2,063	1,751	434	301
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	43	38	5	-	-	111	85	16	5	5
OF LIP 140	5	5	-	-	-	-	-	-	-	-
OF TONGUE 141	10	9	1	-	-	26	24	2	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	13	13	-	-	-	40	24	11	3	2
OF PHARYNX 145-148	15	11	4	-	-	45	37	3	2	3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	622	331	290	-	1	1,439	620	582	154	83
OF ESOPHAGUS 150	23	15	8	-	-	100	50	12	31	7
OF STOMACH 151	137	92	44	-	1	311	145	102	51	13
OF SMALL INTESTINE, INCLUDING DUODENUM 152	5	2	3	-	-	11	5	4	-	2
OF LARGE INTESTINE, EXCEPT RECTUM 153	221	105	116	-	-	464	196	224	18	26
CECUM, APPENDIX, AND ASCENDING COLON 153.0	42	22	20	-	-	49	26	19	4	-
TRANSVERSE COLON 153.1	10	5	5	-	-	33	19	12	2	-
DESCENDING COLON 153.2	8	2	6	-	-	16	8	6	1	1
SIGMOID COLON 153.3	48	26	22	-	-	102	47	49	4	2
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	3	-	2	1	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	91	39	52	-	-	224	85	115	5	19
INTESTINAL TRACT, PART UNSPECIFIED 153.9	22	11	11	-	-	37	11	21	1	4
OF RECTUM 154	84	49	35	-	-	159	63	72	14	10
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	32	9	23	-	-	81	26	42	5	8
LIVER 155.0	8	4	4	-	-	20	10	6	3	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	24	5	19	-	-	61	16	36	2	7
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	25	16	9	-	-	55	24	22	6	3
OF PANCREAS 157	84	38	46	-	-	211	89	85	26	11
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	11	5	6	-	-	47	22	19	3	3

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
56,210	29,220	25,826	661	503	67,625	36,110	25,727	3,213	2,575	31,103	17,962	12,765	220	156	1
															2
															3
															4
582	380	171	20	11	676	364	172	95	45	248	162	78	6	2	5
															6
304	222	64	14	4	334	196	58	58	22	98	69	24	3	2	7
292	217	61	12	2	311	192	50	52	17	88	62	22	3	1	8
3	2	1	-	-	4	-	-	3	1	1	1	-	-	-	9
															10
-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	11
1	-	1	-	-	1	-	-	-	1	1	-	1	-	-	12
2	1	1	-	-	8	-	6	1	1	7	5	1	-	1	13
6	2	-	2	2	7	4	1	1	1	-	-	-	-	-	14
															15
81	59	17	3	2	82	42	16	19	5	41	29	11	1	-	16
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
63	48	14	1	-	24	15	2	6	1	25	18	7	-	-	19
13	8	2	1	2	35	17	7	9	2	10	8	1	1	-	20
1	-	-	1	-	4	1	2	-	1	1	-	1	-	-	21
2	1	1	-	-	3	2	1	-	-	-	-	-	-	-	22
2	2	-	-	-	8	3	2	2	1	3	3	-	-	-	23
-	-	-	-	-	7	4	2	1	-	2	-	2	-	-	24
															25
-	-	-	-	-	7	4	-	2	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
3	1	2	-	-	1	1	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	1	-	-	7	4	2	-	1	-	-	-	-	-	31
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	32
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	33
1	-	1	-	-	3	2	1	-	-	2	2	-	-	-	34
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	35
83	46	34	1	2	41	19	17	2	3	35	19	16	-	-	36
															37
-	-	-	-	-	1	-	-	1	-	5	1	3	1	-	38
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	39
21	11	9	1	-	35	15	17	2	1	6	3	3	-	-	40
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
2	2	-	-	-	7	1	4	1	1	4	4	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	45
2	-	2	-	-	7	4	2	1	-	7	5	2	-	-	46
6	3	3	-	-	22	12	7	2	1	2	2	-	-	-	47
1	1	-	-	-	4	2	2	-	-	1	-	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
2	1	1	-	-	13	5	5	1	2	4	3	-	1	-	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
23	10	12	-	1	50	28	18	1	3	21	11	10	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	62
48	23	22	1	2	56	25	22	4	5	16	9	7	-	-	63
															64
9,824	5,043	4,593	106	82	11,669	5,908	4,835	522	404	5,409	2,887	2,464	33	25	65
															66
															67
9,641	4,963	4,497	104	77	11,508	5,852	4,757	509	390	5,334	2,856	2,422	33	23	68
264	210	47	6	1	246	176	56	11	3	81	59	20	2	-	69
7	5	2	-	-	9	7	2	-	-	4	4	-	-	-	70
78	58	18	2	-	47	30	14	3	-	15	13	1	1	-	71
63	54	8	1	-	71	47	20	4	-	27	14	13	-	-	72
116	93	19	3	1	119	92	20	4	3	35	28	6	1	-	73
															74
															75
3,447	1,740	1,649	37	21	3,958	2,070	1,588	192	108	1,942	1,072	852	11	7	76
177	131	37	6	3	207	141	36	27	3	81	68	11	2	-	77
712	422	275	10	5	932	549	296	68	19	492	312	174	2	4	78
30	16	13	1	-	33	13	19	-	1	20	12	8	-	-	79
1,232	534	690	3	5	1,228	544	607	39	38	573	255	313	4	1	80
199	84	113	1	1	205	101	93	5	6	121	39	81	1	-	81
58	22	35	-	1	78	30	44	2	2	44	13	30	-	1	82
54	26	28	-	-	67	26	38	2	1	19	12	7	-	-	83
286	140	144	-	2	320	145	156	11	8	117	62	55	-	-	84
-	-	-	-	-	3	-	3	-	-	3	1	2	-	-	85
513	220	290	2	1	483	217	228	18	20	244	122	119	3	-	86
122	42	80	-	-	72	25	45	1	1	25	6	19	-	-	87
															88
447	238	200	6	3	492	280	184	16	12	203	128	73	2	-	89
213	85	122	4	2	257	97	146	8	6	165	58	107	-	-	90
50	33	15	2	-	73	38	24	8	3	29	20	9	-	-	91
163	52	107	2	2	184	59	122	-	3	136	38	98	-	-	92
93	39	53	1	-	139	73	61	3	2	40	19	21	-	-	93
485	254	225	5	1	600	344	203	29	24	333	201	129	1	2	94
58	21	34	1	2	70	29	36	2	3	35	19	16	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	249	212	36	-	1	825	602	79	125	19
OF LARYNX....161	14	11	3	-	-	49	32	5	10	2
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	116	107	8	-	1	304	229	25	43	7
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	114	90	24	-	-	461	333	46	72	10
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	5	4	1	-	-	11	8	3	-	-
MALIGNANT NEOPLASM OF BREAST....170	151	2	149	-	-	397	-	340	-	57
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	273	118	153	-	2	626	171	317	61	77
OF CERVIX UTERI....171	67	...	66	...	1	158	...	121	...	37
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	44	...	43	...	1	87	...	67	...	20
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	40	...	40	...	-	142	...	124	...	18
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	4	...	4	...	-	7	...	5	...	2
OF PROSTATE....177	111	111	...	-	...	213	155	...	58	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	7	7	...	-	...	19	16	...	3	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	93	70	23	-	-	214	119	64	24	7
OF KIDNEY....180	36	26	10	-	-	79	46	22	8	3
OF BLADDER AND OTHER URINARY ORGANS....181	57	44	13	-	-	135	73	42	16	4
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	197	112	85	-	-	520	241	206	38	35
OF SKIN....190,191	18	10	8	-	-	51	26	23	-	2
OF EYE....192	-	-	-	-	-	6	3	3	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	47	27	20	-	-	94	55	28	5	6
OF THYROID GLAND....194	4	-	4	-	-	18	3	14	-	1
OF BONE....196	17	11	6	-	-	28	14	11	3	-
OF CONNECTIVE TISSUE....197	4	3	1	-	-	18	8	9	1	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	10	5	5	-	-	30	9	12	8	1
OF UNSPECIFIED SITES....156B,165,198,199B	97	56	41	-	-	275	123	106	21	25
LEUKEMIA AND ALEUKEMIA....204	72	46	26	-	-	213	117	75	12	9
LYMPHOSARCOMA, ETC....200-203,205	87	52	35	-	-	204	108	72	15	9
LYMPHOSARCOMA AND RETICULOSARCOMA....200	39	20	19	-	-	99	59	33	3	4
HODGKINS DISEASE....201	22	17	5	-	-	40	20	16	4	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	26	15	11	-	-	65	29	23	8	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	31	12	19	-	-	106	53	36	8	9
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	2	...	2	...	-	4	...	2	...	2
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	2	-	2	-	-	11	5	4	-	2
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	5	3	2	-	-	15	7	6	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	2	...	1	...	1
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	15	7	8	-	-	55	31	16	6	2
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	7	2	5	-	-	19	10	7	1	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	241	105	134	1	1	683	217	330	52	84
ASTHMA....241	38	23	15	-	-	66	28	17	12	9
NONTOXIC GOITER....250,251	1	-	1	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	2	1	1	-	-	13	2	7	-	4
ALL OTHER DISEASES OF THYROID GLAND....253,254	3	2	1	-	-	8	-	8	-	-
DIABETES MELLITUS....260	179	70	107	1	1	517	158	267	29	63
DISEASES OF THYMUS GLAND....273	-	-	-	-	-	3	2	-	1	-
DISEASES OF ADRENAL GLANDS....274	2	1	1	-	-	5	2	3	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	5	2	3	-	-	27	10	10	6	1
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	11	6	5	-	-	44	15	18	4	7
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	21	9	12	-	-	81	28	29	15	9
ANEMIAS....290-293	16	7	9	-	-	60	16	23	14	7
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	6	3	3	-	-	14	5	6	2	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	10	4	6	-	-	46	11	17	12	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	2	-	2	-	-	10	4	4	-	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	3	2	1	-	-	11	8	2	1	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	16	13	3	-	-	88	42	16	22	8
SENILE PSYCHOSIS....304	1	-	1	-	-	3	1	2	-	-
ALCOHOLIC PSYCHOSIS....307	1	1	-	-	-	14	10	-	3	1
OTHER PSYCHOSES....300-303,305,306,308,309	1	1	-	-	-	8	4	3	-	1
ALCOHOLISM....322	11	9	2	-	-	49	21	7	17	4
MENTAL DEFICIENCY....325	2	2	-	-	-	12	5	3	2	2
OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	2	1	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	1,419	652	760	5	2	2,483	906	1,083	263	231
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	1,316	603	709	3	1	2,235	812	989	221	213
SUBARACHNOID HEMORRHAGE....330	31	11	20	-	-	152	61	49	18	24
CEREBRAL HEMORRHAGE....331	755	370	385	-	-	1,183	409	530	120	124
CEREBRAL EMBOLISM AND THROMBOSIS....332	409	179	226	3	1	691	274	306	69	42
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	121	43	78	-	-	209	68	104	14	23
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	18	7	9	1	1	43	9	14	14	6
MULTIPLE SCLEROSIS....345	12	6	6	-	-	25	9	13	-	3
PARALYSIS AGITANS....350	19	10	9	-	-	40	20	20	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	1	-	1	-	-	15	8	5	1	1
EPILEPSY....353	20	11	8	1	-	31	11	6	13	1
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	1	-	1	-	-
CATARACT....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	4	1	3	-	-	11	5	1	2	3
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	29	14	15	-	-	82	32	34	12	4

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
1,415	1,192	192	27	4	1,819	1,432	242	129	16	625	525	94	5	1	5
97	89	6	2	-	110	100	4	6	-	32	30	2	-	-	6
411	356	41	14	-	713	577	82	50	4	356	302	49	4	1	7
887	738	134	11	4	963	735	145	71	12	212	177	34	1	-	8
20	9	11	-	-	33	20	11	2	-	25	16	9	-	-	9
919	11	894	-	14	1,022	4	944	1	73	511	5	502	-	4	10
															11
1,224	469	729	4	22	1,685	596	907	71	111	744	361	374	4	5	12
218	...	205	...	13	389	...	321	...	68	106	...	103	...	3	13
211	...	208	...	3	274	...	246	...	28	98	...	98	...	-	14
297	...	291	...	6	316	...	303	...	13	161	...	159	...	2	15
25	...	25	...	-	39	...	37	...	2	14	...	14	...	-	16
448	444	...	4	...	624	558	...	66	...	346	343	...	3	...	17
25	25	...	-	...	43	38	...	5	...	19	18	...	1	...	18
456	309	141	5	1	586	360	187	26	13	293	199	91	3	-	19
179	122	56	-	1	243	137	89	12	5	151	98	51	2	-	20
277	187	85	5	-	343	223	98	14	8	142	101	40	1	-	21
															22
															23
1,075	558	494	16	7	1,082	575	431	37	39	523	285	229	5	4	24
128	71	55	1	1	130	73	54	-	3	62	36	24	1	1	25
7	5	1	1	-	20	10	9	1	-	7	1	6	-	-	26
206	121	81	1	3	303	171	114	12	6	135	82	51	1	1	27
37	10	27	-	-	43	10	28	2	3	17	8	9	-	-	28
55	29	26	-	-	76	49	21	3	3	29	17	11	-	1	29
33	15	18	-	-	43	20	19	-	4	27	18	8	1	-	30
51	30	20	1	-	57	36	19	1	1	11	6	5	-	-	31
558	277	266	12	3	410	206	167	18	19	235	117	115	2	1	32
393	221	163	6	3	516	306	178	21	11	294	182	111	-	1	33
448	253	188	3	4	594	333	224	21	16	321	168	149	3	1	34
173	95	76	1	1	255	135	112	4	4	140	73	65	2	-	35
123	76	47	-	-	151	100	39	8	4	70	36	34	-	-	36
															37
152	82	65	2	3	188	98	73	9	8	111	59	50	1	1	38
															39
183	80	96	2	5	161	56	78	13	14	75	31	42	-	2	40
8	...	6	...	2	30	...	21	...	9	9	...	7	...	2	41
28	8	19	1	-	40	12	25	2	1	19	8	11	-	-	42
17	8	7	1	1	45	24	14	4	3	16	9	7	-	-	43
2	...	2	...	-	1	...	1	...	-	1	...	1	...	-	44
90	41	47	-	2	32	12	13	7	-	15	7	8	-	-	45
38	23	15	-	-	13	8	4	-	1	15	7	8	-	-	46
															47
															48
1,309	549	724	16	20	2,336	933	1,160	91	152	740	343	388	4	5	49
															50
159	99	57	3	-	267	155	79	19	14	86	60	25	-	1	51
2	1	1	-	-	3	1	2	-	-	2	-	2	-	-	52
4	2	2	-	-	26	2	20	1	3	7	2	5	-	-	53
17	1	16	-	-	20	2	15	2	1	5	1	4	-	-	54
985	366	589	11	19	1,786	669	942	56	119	552	235	312	1	4	55
2	1	1	-	-	9	8	1	-	-	2	2	-	-	-	56
12	6	5	-	1	22	11	8	2	1	6	3	3	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
61	37	22	2	-	58	27	22	6	3	25	12	12	1	-	59
67	36	31	-	-	145	58	71	5	11	55	28	25	2	-	60
															61
153	69	81	1	2	236	99	116	6	15	116	64	51	-	1	62
															63
92	39	50	1	2	168	58	93	6	11	75	38	36	-	1	64
30	9	20	1	-	41	19	20	-	2	23	9	13	-	1	65
62	30	30	-	2	127	39	73	6	9	52	29	23	-	-	66
18	8	10	-	-	25	15	8	-	2	14	6	8	-	-	67
43	22	21	-	-	43	26	15	-	2	27	20	7	-	-	68
															69
107	61	40	5	1	178	92	53	21	12	90	68	21	-	1	70
															71
6	1	5	-	-	15	3	9	1	2	14	10	4	-	-	72
19	14	3	1	1	24	21	1	2	-	12	12	-	-	-	73
9	4	4	1	-	25	7	13	3	2	13	5	8	-	-	74
55	37	15	3	-	81	45	15	13	8	35	30	4	-	1	75
12	5	7	-	-	28	15	11	2	-	15	11	4	-	-	76
6	-	6	-	-	5	1	4	-	-	1	-	1	-	-	77
															78
6,315	2,686	3,507	67	55	8,336	3,735	3,915	351	335	4,347	2,183	2,127	18	19	79
															80
5,855	2,446	3,302	57	50	7,751	3,447	3,669	316	319	4,043	2,009	1,998	18	18	81
199	79	110	4	6	330	127	148	26	29	150	67	79	2	2	82
3,126	1,312	1,754	37	23	4,366	1,960	2,064	176	166	2,348	1,154	1,175	10	9	83
2,092	860	1,201	12	19	2,467	1,111	1,147	99	110	1,115	562	543	3	7	84
438	195	237	4	2	588	249	310	15	14	430	226	201	3	-	85
56	28	26	2	-	73	31	25	10	7	38	24	14	-	-	86
58	25	32	1	-	66	28	35	2	1	28	13	15	-	-	87
110	56	53	-	1	138	74	59	3	2	67	39	28	-	-	88
12	6	5	1	-	30	22	6	-	2	29	20	9	-	-	89
79	48	25	5	1	70	30	30	10	-	19	8	10	-	1	90
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	91
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
8	5	3	-	-	10	6	3	-	1	2	1	1	-	-	94
136	72	60	1	3	196	96	87	10	3	120	69	51	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	4,871	2,787	2,068	12	4	12,663	5,939	4,655	1,076	993
DISEASES OF HEART.....400-402,410-443	4,411	2,546	1,854	10	1	11,668	5,537	4,240	984	907
RHEUMATIC FEVER.....400-402	6	1	5	-	-	8	2	3	1	2
CHRONIC RHEUMATIC HEART DISEASE.....410-416	98	49	47	2	-	285	128	130	10	17
DISEASES OF MITRAL VALVE.....410	34	19	14	1	-	86	30	46	4	6
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	14	8	6	-	-	34	23	8	3	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	10	6	3	1	-	8	6	1	-	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	40	16	24	-	-	157	69	75	3	10
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	3,417	2,083	1,327	6	1	6,825	3,790	2,315	403	317
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,288	692	593	2	1	2,110	1,032	821	140	117
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	2,120	1,385	731	4	-	4,707	2,753	1,491	263	200
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	9	6	3	-	-	8	5	3	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	57	26	31	-	-	72	34	23	8	7
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	4	-	4	-	-	5	1	2	1	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	23	11	12	-	-	39	20	10	6	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	30	15	15	-	-	28	13	11	1	3
OTHER MYOCARDIAL DEGENERATION.....422	350	175	174	1	-	2,303	939	928	260	176
WITH ARTERIOSCLEROSIS.....422.1	211	96	114	1	-	2,123	858	855	247	163
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	139	79	60	-	-	180	81	73	13	13
OTHER DISEASES OF HEART.....430-434	107	57	50	-	-	377	158	142	47	30
ACUTE AND SUBACUTE ENDOCARDITIS.....430	2	1	1	-	-	20	9	6	3	2
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	2	2	-	-	-	18	4	9	4	1
FUNCTIONAL DISEASE OF HEART.....433	29	8	21	-	-	124	46	63	11	4
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	74	46	28	-	-	215	99	64	29	23
HYPERTENSIVE HEART DISEASE.....440-443	376	155	220	1	-	1,798	486	699	255	358
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	99	48	50	1	-	429	126	183	63	57
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	277	107	170	-	-	1,369	360	516	192	301
OTHER HYPERTENSIVE DISEASE.....444-447	75	36	38	1	-	162	47	56	29	30
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	40	20	20	-	-	81	30	26	15	10
ESSENTIAL HYPERTENSION.....444,445,447	35	16	18	1	-	81	17	30	14	20
DISEASES OF ARTERIES.....450-456	324	170	151	1	2	682	296	308	40	38
GENERAL ARTERIOSCLEROSIS.....450	252	128	122	1	1	483	183	257	22	21
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	55	31	24	-	-	141	92	25	14	10
GANGRENE OF UNSPECIFIED CAUSE.....455	-	-	-	-	-	6	1	2	1	2
OTHER ARTERIAL DISEASES.....452-454,456	17	11	5	-	1	52	20	24	3	5
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	61	35	25	-	1	151	59	51	23	18
VIII. DISEASES OF THE RESPIRATORY SYSTEM	491	302	187	2	-	1,275	599	343	229	104
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	2	1	1	-	-	17	5	4	3	5
INFLUENZA.....480-483	27	9	18	-	-	25	16	5	3	1
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	293	168	123	2	-	771	326	230	152	63
LOBAR PNEUMONIA.....490	57	35	22	-	-	132	57	39	29	7
BRONCHOPNEUMONIA.....491	157	87	69	1	-	404	187	119	66	32
PRIMARY ATYPICAL PNEUMONIA.....492	30	19	11	-	-	45	16	22	7	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	49	27	21	1	-	190	66	50	50	24
ACUTE BRONCHITIS.....500	4	1	3	-	-	19	5	11	1	2
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	15	14	1	-	-	68	38	19	8	3
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	2	1	-	-	1	-	1	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	8	6	2	-	-	16	6	2	6	2
PLEURISY.....519	1	1	-	-	-	1	-	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	61	52	9	-	-	149	117	18	14	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	77	48	29	-	-	208	86	52	42	28
IX. DISEASES OF THE DIGESTIVE SYSTEM	362	221	138	2	1	1,022	466	340	127	89
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	2	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	38	22	15	1	-	78	45	21	6	6
ULCER OF DUODENUM.....541	41	34	7	-	-	73	49	13	9	2
GASTRITIS AND DUODENITIS.....543	1	1	-	-	-	6	4	1	1	-
APPENDICITIS.....550-553	6	5	1	-	-	25	8	8	5	4
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	58	31	27	-	-	137	41	55	19	22
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	21	16	5	-	-	58	14	19	16	9
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	31	14	17	-	-	52	26	23	2	1
CIRRHOSIS OF LIVER.....581	74	52	20	1	1	344	180	90	48	26
WITHOUT MENTION OF ALCOHOLISM.....581.0	52	37	14	-	1	257	136	68	30	23
WITH ALCOHOLISM.....581.1	22	15	6	1	-	87	44	22	18	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	22	8	14	-	-	45	19	21	2	3
FIBROCYSTIC DISEASE OF PANCREAS.....587B	5	-	5	-	-	10	3	7	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	63	36	27	-	-	194	77	82	19	16
X. DISEASES OF THE GENITOURINARY SYSTEM	180	104	75	1	-	517	206	148	100	63
NEPHRITIS AND NEPHROSIS.....590-594	77	39	37	1	-	247	87	70	53	37
ACUTE NEPHRITIS.....590	4	-	4	-	-	21	11	6	1	3
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	6	5	1	-	-	15	7	1	5	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	67	34	32	1	-	211	69	63	47	32
INFECTIONS OF KIDNEY.....600	42	18	24	-	-	115	39	45	13	18
CALCULI OF URINARY SYSTEM.....602,604	5	1	4	-	-	19	6	10	1	2
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	16	8	8	-	-	58	17	18	20	3
HYPERPLASIA OF PROSTATE.....610	36	36	...	-	...	62	50	...	12	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	4	2	2	-	-	16	7	5	1	3

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,956	13,696	11,875	213	172	28,392	16,060	10,421	1,036	875	12,983	7,824	5,047	69	43	1
															2
															3
23,469	12,616	10,510	193	150	25,560	14,636	9,241	919	764	11,700	7,163	4,441	62	34	4
21	9	12	-	-	20	11	7	2	-	4	1	3	-	-	5
687	274	400	6	7	854	371	414	32	37	393	186	204	2	1	6
238	84	148	4	2	299	124	154	7	14	189	85	104	-	-	7
73	47	24	1	1	82	57	22	-	3	55	38	17	-	-	8
21	13	8	-	-	46	22	23	1	-	37	11	25	1	-	9
355	130	220	1	4	427	168	215	24	20	112	52	58	1	1	10
19,210	10,823	8,135	154	98	20,205	12,316	6,727	665	497	9,325	6,031	3,217	55	22	11
8,115	3,857	4,146	59	53	8,962	4,911	3,519	299	233	3,268	1,944	1,290	26	8	12
11,070	6,954	3,977	94	45	11,220	7,389	3,202	366	263	6,052	4,085	1,924	29	14	13
25	12	12	1	-	23	16	6	-	1	5	2	3	-	-	14
															15
160	82	73	2	3	156	87	58	8	3	137	80	56	1	-	16
13	3	9	-	1	9	5	4	-	-	8	2	6	-	-	17
88	53	33	1	1	67	42	19	4	2	70	42	27	1	-	18
59	26	31	1	1	80	40	35	4	1	59	36	23	-	-	19
1,056	450	594	7	5	1,388	678	651	26	33	603	305	295	-	3	20
728	296	426	3	3	907	432	435	19	21	461	228	231	-	2	21
328	154	168	4	2	481	246	216	7	12	142	77	64	-	1	22
															23
685	385	281	11	8	897	470	364	40	23	331	177	150	2	2	24
33	22	11	-	-	29	19	4	4	2	16	10	4	-	2	25
30	19	11	-	-	16	6	6	2	2	13	6	7	-	-	26
133	65	62	3	3	219	92	108	10	9	113	47	66	-	-	27
489	279	197	8	5	633	353	246	24	10	189	114	73	2	-	28
1,650	593	1,015	13	29	2,040	703	1,020	146	171	907	383	516	2	6	29
															30
221	92	125	2	2	450	199	211	21	19	173	92	78	1	2	31
1,429	501	890	11	27	1,590	504	809	125	152	734	291	438	1	4	32
															33
410	162	242	3	3	534	234	211	41	48	173	81	86	4	2	34
243	110	130	-	3	264	133	99	19	13	75	40	32	3	-	35
167	52	112	3	-	270	101	112	22	35	98	41	54	1	2	36
1,646	736	888	12	10	2,029	1,060	868	55	46	946	491	447	3	5	37
1,263	498	751	8	6	1,447	693	703	30	21	722	339	376	2	5	38
257	175	78	2	2	449	302	111	19	17	163	117	45	1	-	39
11	6	4	1	-	2	1	1	-	-	2	-	2	-	-	40
115	57	55	1	2	131	64	53	6	8	59	35	24	-	-	41
431	182	235	5	9	269	130	101	21	17	164	89	73	-	2	42
															43
															44
3,040	1,775	1,183	52	30	2,789	1,696	779	187	127	1,561	923	608	17	13	45
															46
12	6	6	-	-	29	17	10	1	1	17	12	5	-	-	47
14	4	10	-	-	70	30	36	3	1	38	13	25	-	-	48
2,172	1,154	952	41	25	1,683	915	546	131	91	1,031	580	433	10	8	49
272	148	120	3	1	268	154	73	24	17	172	107	63	1	1	50
1,404	745	617	24	18	747	407	263	47	30	511	297	205	5	4	51
219	120	92	4	3	400	214	106	44	36	81	37	41	2	1	52
277	141	123	10	3	268	140	104	16	8	267	139	124	2	2	53
															54
51	29	21	-	1	39	21	16	-	2	9	5	4	-	-	55
102	75	26	1	-	129	94	29	3	3	50	36	14	-	-	56
5	4	1	-	-	8	3	2	1	2	3	1	2	-	-	57
24	19	3	2	-	23	12	9	1	1	13	7	5	-	1	58
6	6	-	-	-	6	4	1	-	1	2	1	1	-	-	59
265	231	32	2	-	450	373	42	27	8	149	137	10	2	-	60
389	247	132	6	4	352	227	88	20	17	249	131	109	5	4	61
															62
															63
2,455	1,366	1,028	37	24	2,689	1,534	957	120	78	1,118	671	436	4	7	64
															65
2	2	-	-	-	6	2	2	1	1	-	-	-	-	-	66
220	130	85	4	1	267	178	74	11	4	92	72	20	-	-	67
210	152	55	3	-	269	196	60	11	2	99	71	28	-	-	68
18	12	5	1	-	12	8	3	1	-	10	6	4	-	-	69
59	40	17	-	2	88	43	24	14	7	28	17	9	2	-	70
337	155	175	3	4	334	160	152	13	9	187	95	92	-	-	71
															72
58	29	27	-	2	117	58	48	5	6	55	24	30	-	1	73
															74
120	46	74	-	-	155	68	79	3	5	46	21	25	-	-	75
822	518	282	15	7	841	530	249	36	26	292	199	89	1	3	76
616	385	217	10	4	620	385	190	25	20	196	130	64	1	1	77
206	133	65	5	3	221	145	59	11	6	96	69	25	-	2	78
157	68	86	2	1	253	98	142	7	6	123	53	66	1	3	79
18	5	13	-	-	26	16	10	-	-	12	6	6	-	-	80
434	209	209	9	7	321	177	114	18	12	174	107	67	-	-	81
															82
															83
927	499	398	19	11	1,102	600	356	83	63	446	282	155	6	3	84
															85
400	191	192	14	3	535	268	195	41	31	164	94	68	2	-	86
23	9	13	1	-	25	10	7	5	3	8	5	3	-	-	87
23	13	9	1	-	40	22	12	2	4	12	5	7	-	-	88
354	169	170	12	3	470	236	176	34	24	144	84	58	2	-	89
276	129	141	1	5	242	99	102	20	21	118	59	55	1	3	90
37	19	18	-	-	48	26	17	2	3	21	15	6	-	-	91
70	38	32	-	-	55	33	14	4	4	50	28	22	-	-	92
119	115	...	4	...	180	166	...	14	...	85	82	...	3	...	93
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	94
24	7	14	-	3	42	8	28	2	4	8	4	4	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10	...	9	...	1	33	...	13	...	20
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	-	...	1	5	...	3	...	2
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	2	...	-	3	...	-	...	3
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	3	...	3	...	-	4	...	2	...	2
ECTOPIC PREGNANCY.....645	1	...	1	...	-	2	...	-	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	2	...	1	...	1
ABORTION WITH SEPSIS.....651	-	...	-	...	-	7	...	3	...	4
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	3	...	-	10	...	4	...	6
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	17	10	6	-	1	54	11	21	10	12
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	1	1	-	1	11	3	5	2	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	14	9	5	-	-	43	8	16	8	11
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	22	9	13	-	-	53	12	30	4	7
ARTHRITIS AND SPONDYLITIS.....720-725	12	4	8	-	-	30	5	20	2	3
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	2	1	-	1	-
INBORN DEFECT OF MUSCLE.....744.1	3	2	1	-	-	7	6	1	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	6	3	3	-	-	14	-	9	1	4
XIV. CONGENITAL MALFORMATIONS.....	92	50	42	-	-	407	168	161	32	46
SPINA BIFIDA AND MENINGOCELE.....751	13	6	7	-	-	13	5	8	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	12	7	5	-	-	51	19	24	1	7
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	37	23	14	-	-	210	84	78	22	26
OTHER CONGENITAL MALFORMATIONS.....750,755-759	30	14	16	-	-	133	60	51	9	13
XV. CERTAIN DISEASES OF EARLY INFANCY.....	378	207	166	3	2	1,274	484	319	285	186
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	58	23	35	-	-	91	38	36	9	8
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	44	18	26	-	-	17	3	11	1	2
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	14	5	9	-	-	74	35	25	8	6
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	676	474	196	5	1	1,866	964	440	334	128
ACCIDENTS.....E800-E962	527	364	159	3	1	1,367	686	335	242	104
RAILWAY ACCIDENTS.....E800-E802	-	-	-	-	-	9	5	2	2	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	183	137	46	-	-	449	264	93	75	17
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	172	129	43	-	-	439	254	93	75	17
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	4	3	1	-	-	4	4	-	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	45	30	15	-	-	124	61	29	31	3
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	52	34	18	-	-	170	105	37	19	9
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	70	61	9	-	-	94	59	14	19	2
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	1	1	-	-	-	47	25	13	6	3
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	11	8	3	-	-	10	10	-	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	1	-	-	-	1	-	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	20	18	2	-	-	37	27	1	9	-
AIRCRAFT ACCIDENTS.....E860-E866	11	10	-	1	-	19	19	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	7	5	2	-	-	52	25	16	6	5
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	15	11	4	-	-	18	12	5	1	-
ACCIDENTAL FALLS.....E900-E904	96	41	55	-	-	300	121	129	30	20
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	39	19	20	-	-	109	55	37	15	2
FALL ON SAME LEVEL.....E903	18	8	10	-	-	47	21	18	3	5
UNSPECIFIED FALLS.....E904	39	14	25	-	-	144	45	74	12	13
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	7	7	-	-	-	15	10	2	3	-
ACCIDENT CAUSED BY MACHINERY.....E912	11	10	1	-	-	27	23	-	4	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	5	5	-	-	-	10	8	-	1	1
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	50	27	22	1	-	164	48	32	43	41
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	2	1	-	-	6	1	1	3	1
ACCIDENT CAUSED BY FIREARM.....E919	19	17	2	-	-	22	12	3	7	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	16	11	4	1	-	44	19	16	5	4
ACCIDENTAL DROWNING.....E929	42	37	5	-	-	85	44	12	28	1
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	9	4	5	-	-	24	6	9	5	4
ALL OTHER ACCIDENTS.....RESIDUAL	32	21	10	-	1	85	42	13	20	10
SUICIDE.....E963,E970-E979	130	100	28	2	-	336	233	82	17	4
SUICIDE BY POISONING.....E970-E973	30	16	14	-	-	81	41	36	2	2
SUICIDE BY HANGING AND STRANGULATION.....E974	22	19	3	-	-	55	35	17	3	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	63	53	8	2	-	162	138	16	7	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	15	12	3	-	-	38	19	13	5	1
HOMICIDE.....E964,E980-E985	19	10	9	-	-	163	45	23	75	20
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	10	4	6	-	-	86	28	9	39	10
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1	-	1	-	-	34	8	2	20	4
ASSAULT BY OTHER MEANS.....E964,E980,E983	7	5	2	-	-	37	6	12	13	6
INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	5	3	-	2	-
EXECUTION.....E985	-	-	-	-	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
31	...	27	...	4	78	...	48	...	30	16	...	15	...	1	3
															4
3	...	3	...	-	12	...	12	...	-	1	...	1	...	-	5
8	...	8	...	-	11	...	5	...	6	3	...	3	...	-	6
1	...	1	...	-	5	...	5	...	-	2	...	2	...	-	7
1	...	-	...	1	4	...	1	...	3	1	...	1	...	-	8
3	...	1	...	2	5	...	4	...	1	1	...	-	...	1	9
5	...	4	...	1	16	...	6	...	10	1	...	1	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
10	...	10	...	-	25	...	15	...	10	7	...	7	...	-	12
															13
															14
81	26	52	2	1	71	24	35	3	9	39	13	25	-	1	15
															16
18	6	11	1	-	19	7	9	1	2	7	3	4	-	-	17
63	20	41	1	1	52	17	26	2	7	32	10	21	-	1	18
															19
															20
95	31	60	-	4	157	61	83	7	6	72	31	41	-	-	21
															22
47	11	34	-	2	90	31	56	3	-	45	14	31	-	-	23
1	-	1	-	-	2	1	1	-	-	1	-	1	-	-	24
5	1	3	-	1	5	2	1	1	1	3	3	-	-	-	25
3	1	2	-	-	5	1	4	-	-	2	1	1	-	-	26
13	9	4	-	-	26	15	9	2	-	5	4	1	-	-	27
26	9	16	-	1	29	11	12	1	5	16	9	7	-	-	28
															29
															30
600	299	277	13	11	1,104	565	431	58	50	496	246	241	3	6	31
															32
45	12	31	-	2	64	27	32	5	-	28	10	17	-	1	33
68	33	35	-	-	127	63	55	3	6	58	25	32	-	1	34
304	163	127	9	5	571	289	212	38	32	248	129	114	2	3	35
183	91	84	4	4	342	186	132	12	12	162	82	78	1	1	36
															37
1,592	869	627	51	45	2,860	1,382	986	273	219	1,167	674	464	19	10	38
															39
233	136	94	2	1	158	85	59	5	9	173	99	69	4	1	40
															41
8	3	5	-	-	20	11	9	-	-	25	11	14	-	-	42
225	133	89	2	1	138	74	50	5	9	148	88	55	4	1	43
															44
															45
2,910	1,735	1,089	57	29	4,794	2,972	1,321	355	146	2,082	1,492	535	37	18	46
															47
2,394	1,373	946	50	25	3,729	2,313	1,105	215	96	1,720	1,201	472	32	15	48
7	5	2	-	-	17	10	3	3	1	10	9	-	-	1	49
646	462	168	10	6	1,695	1,146	452	70	27	754	554	180	16	4	50
634	452	166	10	6	1,642	1,117	429	69	27	727	533	174	16	4	51
7	4	3	-	-	71	52	18	1	-	30	26	4	-	-	52
206	145	55	4	2	321	212	82	23	4	123	83	36	4	-	53
159	105	51	2	1	661	430	199	20	12	308	220	81	5	2	54
196	152	37	4	3	457	341	92	17	7	225	177	40	7	1	55
66	46	20	-	-	132	82	38	8	4	41	27	13	-	1	56
12	10	2	-	-	53	29	23	1	-	27	21	6	-	-	57
															58
5	4	1	-	-	8	4	4	-	-	8	6	2	-	-	59
34	31	2	1	-	69	56	9	4	-	52	48	2	2	-	60
14	12	2	-	-	33	30	3	-	-	17	13	4	-	-	61
42	22	19	1	-	74	35	21	12	6	15	10	4	1	-	62
17	12	2	2	1	66	41	15	7	3	28	22	5	1	-	63
1,010	418	572	13	7	807	370	373	45	19	345	163	176	1	5	64
283	150	123	7	3	242	135	74	26	7	118	69	46	-	3	65
171	73	96	2	-	94	42	41	9	2	87	33	52	1	1	66
556	195	353	4	4	471	193	258	10	10	140	61	78	-	1	67
															68
17	16	1	-	-	45	38	3	3	1	25	25	-	-	-	69
23	21	-	2	-	78	67	6	5	-	62	59	3	-	-	70
10	10	-	-	-	21	20	1	-	-	15	13	2	-	-	71
181	100	62	10	9	234	121	69	25	19	83	54	25	3	1	72
10	3	7	-	-	13	4	7	1	1	5	4	1	-	-	73
20	18	2	-	-	53	41	5	5	2	44	41	3	-	-	74
63	34	26	1	2	113	61	40	5	7	56	39	17	-	-	75
127	99	23	5	-	204	152	32	18	2	84	62	17	5	-	76
5	3	2	-	-	2	2	-	-	-	6	3	2	-	1	77
43	19	24	-	-	18	6	8	1	3	13	7	5	1	-	78
120	84	31	5	-	179	109	54	11	5	98	69	24	2	3	79
															80
															81
441	320	116	3	2	769	567	170	25	7	314	259	53	1	1	82
143	81	62	-	-	209	130	73	5	1	59	39	20	-	-	83
113	93	17	2	1	149	105	36	7	1	75	66	8	1	-	84
104	95	9	-	-	310	272	33	5	-	140	126	13	-	1	85
81	51	28	1	1	101	60	28	8	5	40	28	12	-	-	86
															87
73	40	27	4	2	296	92	46	115	43	47	32	10	3	2	88
28	17	11	-	-	148	52	22	56	18	24	15	7	1	1	89
15	8	5	2	-	72	14	6	41	11	7	4	1	1	1	90
30	15	11	2	2	71	22	18	17	14	12	10	2	-	-	91
-	-	-	-	-	5	4	-	1	-	4	3	-	1	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
															94
2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	21,222	6,481	4,589	5,438	4,714	47,331	24,007	18,508	2,662	2,154
I. INFECTIVE AND PARASITIC DISEASES	297	60	48	109	80	539	295	142	66	36
TUBERCULOSIS, ALL FORMS 001-019	116	35	22	36	23	287	176	62	31	18
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	105	34	18	34	19	271	171	57	27	16
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	2	-	-	1	1	4	1	2	-	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	-	2	-	2	1	1	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	4	1	2	1	-	6	1	3	2	-
DISSEMINATED TUBERCULOSIS 019	1	-	-	-	1	5	2	-	2	1
SYPHILIS AND ITS SEQUELAE 020-029	32	4	-	21	7	95	46	16	26	7
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	14	4	-	7	3	43	19	10	12	2
OTHER CARDIOVASCULAR SYPHILIS 023	17	-	-	13	4	38	18	6	10	4
TABES DORSALIS 024	-	-	-	-	-	1	1	-	-	-
GENERAL PARALYSIS OF INSANE 025	1	-	-	1	-	6	4	-	2	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	5	3	-	2	-
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	2	1	-	-	1
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	2	1	-	1	-
TYPHOID FEVER 040	2	-	-	-	2	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	-	-	-	1	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	17	1	3	9	4	3	1	-	1	1
FOOD POISONING, INFECTION AND INTOXICATION 049	1	-	-	-	1	2	-	2	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	3	1	-	2	-	4	2	2	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	33	3	9	7	14	38	19	14	2	3
DIPHTHERIA 055	3	-	-	2	1	-	-	-	-	-
WHOOPING COUGH 056	5	-	-	2	3	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	4	1	1	1	1	11	4	6	1	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	16	1	1	9	5	4	1	1	1	1
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	4	2	-	2	-	-	-	-	-	4
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	1	-	-	-	1	4	4	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	6	1	1	2	2	8	1	5	1	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	-	-	-	1	2	1	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	9	3	1	2	3	18	6	9	-	3
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	13	4	5	2	2	20	10	8	2	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	1	-	-	-	1	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	2	-	-	-	2	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	27	4	5	12	6	41	23	16	-	2
II. NEOPLASMS	2,797	953	804	523	517	7,660	3,734	3,264	366	296
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,736	939	786	515	496	7,554	3,702	3,206	356	290
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	56	24	16	10	6	177	131	32	12	2
OF LIP 140	3	3	-	-	-	6	6	-	-	-
OF TONGUE 141	7	3	2	1	1	35	25	7	3	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	19	7	9	2	1	49	37	10	2	-
OF PHARYNX 145-148	27	11	5	7	4	87	63	15	7	2
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	852	279	221	204	148	2,484	1,199	1,065	141	79
OF ESOPHAGUS 150	50	20	10	11	9	111	69	20	20	2
OF STOMACH 151	240	74	45	81	40	475	245	154	59	17
OF SMALL INTESTINE, INCLUDING DUODENUM 152	5	2	3	-	-	25	15	8	1	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	230	68	73	38	51	872	371	447	22	32
CECUM, APPENDIX, AND ASCENDING COLON 153.0	30	9	12	3	6	129	57	67	2	3
TRANSVERSE COLON 153.1	6	-	2	3	1	35	10	24	1	-
DESCENDING COLON 153.2	15	5	4	1	5	52	19	32	1	-
SIGMOID COLON 153.3	23	8	10	1	4	185	75	105	1	4
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	1	1	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	149	44	45	27	33	431	190	202	15	24
INTESTINAL TRACT, PART UNSPECIFIED 153.9	7	2	-	3	2	39	19	17	2	1
OF RECTUM 154	66	21	22	16	7	281	147	124	7	3
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	44	23	10	5	6	191	76	108	5	2
LIVER 155.0	25	13	5	5	2	49	32	12	4	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	19	10	5	-	4	142	44	96	1	1
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	54	13	11	16	14	112	61	43	3	5
OF PANCREAS 157	145	52	42	31	20	377	198	140	23	16
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	18	6	5	6	1	40	17	21	1	1

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,371	3,849	2,243	157	122	13,936	7,828	5,694	235	179	2,624	1,583	838	114	89	1
															2
															3
60	35	14	6	5	114	66	39	3	6	37	23	9	2	3	4
															5
															6
25	14	3	3	5	37	25	8	2	2	17	13	2	-	2	7
23	13	3	2	5	30	22	6	2	-	16	12	2	-	2	8
-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	9
															10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1	-	-	1	-	2	-	2	-	-	-	-	-	-	-	13
-	-	-	-	-	2	1	-	-	1	1	1	-	-	-	14
															15
12	10	1	1	-	8	6	2	-	-	6	4	1	1	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
10	9	1	-	-	2	2	-	-	-	2	2	-	-	-	19
1	1	-	-	-	3	3	-	-	-	2	1	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	22
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	23
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	34
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	35
8	3	4	1	-	14	6	8	-	-	3	3	-	-	-	36
															37
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
1	1	-	-	-	6	6	-	-	-	5	2	3	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	45
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	46
1	1	-	-	-	8	4	3	-	1	2	1	1	-	-	47
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	-	1	-	4	2	1	-	1	1	-	-	-	1	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	2	1	-	-	14	7	5	-	2	2	-	1	1	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
5	-	5	-	-	9	4	5	-	-	-	-	-	-	-	63
															64
983	516	437	16	14	2,320	1,189	1,073	31	27	389	222	135	17	15	65
															66
															67
962	504	428	16	14	2,287	1,174	1,056	31	26	382	216	135	16	15	68
16	13	2	1	-	34	21	10	3	-	9	9	-	-	-	69
1	-	-	1	-	4	4	-	-	-	1	1	-	-	-	70
9	8	1	-	-	8	4	4	-	-	2	2	-	-	-	71
2	1	1	-	-	6	4	2	-	-	2	2	-	-	-	72
4	4	-	-	-	16	9	4	3	-	4	4	-	-	-	73
															74
															75
309	164	136	4	5	809	413	384	8	4	113	63	40	5	5	76
13	9	4	-	-	28	25	3	-	-	7	6	1	-	-	77
64	39	22	1	2	194	112	79	3	-	26	18	6	1	1	78
2	-	2	-	-	10	3	7	-	-	1	1	-	-	-	79
109	50	58	1	-	288	120	165	2	1	37	16	20	-	1	80
17	7	10	-	-	49	20	29	-	-	3	1	2	-	-	81
2	-	2	-	-	18	7	11	-	-	1	1	-	-	-	82
2	1	1	-	-	20	7	11	2	-	4	2	2	-	-	83
22	10	11	1	-	74	36	37	-	1	6	1	5	-	-	84
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	85
57	27	30	-	-	110	42	68	-	-	21	10	10	-	1	86
9	5	4	-	-	16	7	9	-	-	2	1	1	-	-	87
															88
40	24	16	-	-	76	47	29	-	-	9	6	1	2	-	89
20	6	11	-	3	61	23	36	1	1	11	3	5	1	2	90
5	2	3	-	-	26	14	11	1	-	4	2	1	1	-	91
15	4	8	-	3	35	9	25	-	1	7	1	4	-	2	92
6	5	1	-	-	8	2	6	-	-	5	4	-	-	1	93
48	27	20	1	-	133	78	51	2	2	14	8	5	1	-	94
7	4	2	1	-	11	3	8	-	-	3	1	2	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	385	253	43	69	20	1,132	899	151	65	17
OF LARYNX.....161	16	12	1	-	3	61	51	5	2	3
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	148	95	12	32	9	407	335	42	24	6
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	211	142	28	36	5	643	499	98	38	8
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	10	4	2	1	3	21	14	6	1	-
MALIGNANT NEOPLASM OF BREAST.....170	213	-	141	1	71	632	3	582	-	47
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	515	113	146	110	146	1,191	445	607	61	78
OF CERVIX UTERI.....171	143	...	65	...	78	247	...	202	...	45
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	79	...	28	...	51	188	...	168	...	20
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	58	...	43	...	15	225	...	213	...	12
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	12	...	10	...	2	25	...	24	...	1
OF PROSTATE.....177	212	109	...	103	...	480	422	...	58	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	11	4	...	7	...	26	23	...	3	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	99	35	32	18	14	364	234	106	12	12
OF KIDNEY.....180	43	16	15	6	6	141	80	52	4	5
OF BLADDER AND OTHER URINARY ORGANS.....181	56	19	17	12	8	223	154	54	8	7
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	354	122	117	54	61	869	413	389	31	36
OF SKIN.....190,191	50	20	22	4	4	135	74	54	5	2
OF EYE.....192	4	1	2	-	1	8	2	6	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	59	28	18	6	7	153	81	64	4	4
OF THYROID GLAND.....194	3	-	2	-	1	33	6	23	3	1
OF BONE.....196	20	8	4	4	4	52	28	20	3	1
OF CONNECTIVE TISSUE.....197	9	3	3	1	2	19	7	8	-	4
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	20	9	5	1	5	54	31	21	-	2
OF UNSPECIFIED SITES.....156B,165,198,199B	189	53	61	38	37	415	184	193	16	22
LEUKEMIA AND ALEUKEMIA.....204	133	62	34	19	18	319	158	139	12	10
LYMPHOSARCOMA, ETC.....200-203,205	129	51	36	30	12	386	220	135	22	9
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	53	21	17	11	4	179	93	78	5	3
HODGKINS DISEASE.....201	30	18	4	7	1	85	61	18	5	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	46	12	15	12	7	122	66	39	12	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	61	14	18	8	21	106	32	58	10	6
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	10	...	2	...	8	9	...	8	...	1
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	7	2	3	-	2	23	5	12	3	3
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	14	4	4	2	4	20	7	12	-	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	2	...	1	...	1
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	20	7	6	3	4	25	8	12	5	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	9	1	2	3	3	27	12	13	2	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	408	85	114	76	133	1,104	452	503	52	97
ASTHMA.....241	45	11	4	19	11	140	76	46	11	7
NONTOXIC GOITER.....250,251	2	-	-	-	2	2	-	2	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	5	-	2	-	3	11	1	8	-	2
ALL OTHER DISEASES OF THYROID GLAND.....253,254	4	2	2	-	-	12	2	9	1	-
DIABETES MELLITUS.....260	284	55	88	43	98	779	316	363	28	72
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	12	2	6	2	2
DISEASES OF ADRENAL GLANDS.....274	10	2	7	-	1	7	4	-	2	1
PELLAGRA.....281	-	-	-	-	-	2	-	2	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	35	6	9	11	9	77	26	41	4	6
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	23	9	2	3	9	62	25	26	4	7
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	77	22	14	20	21	123	52	61	3	7
ANEMIAS.....290-293	58	13	11	17	17	81	28	45	2	6
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	5	1	1	1	2	19	3	16	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	53	12	10	16	15	62	25	29	2	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	6	1	1	1	3	15	6	7	1	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	13	8	2	2	1	27	18	9	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	32	13	2	10	7	73	33	28	9	3
SENILE PSYCHOSIS.....304	6	3	1	-	2	13	4	9	-	-
ALCOHOLIC PSYCHOSIS.....307	1	1	-	-	-	7	3	2	2	-
OTHER PSYCHOSES.....300-303,305,306,308,309	6	1	-	1	4	22	7	11	1	3
ALCOHOLISM.....322	13	5	-	7	1	24	17	2	5	-
MENTAL DEFICIENCY.....325	4	2	1	1	-	5	1	3	1	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	1	-	1	-	2	1	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	3,053	773	768	708	804	6,222	2,723	2,890	295	314
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,892	734	732	656	770	5,852	2,525	2,762	267	298
SUBARACHNOID HEMORRHAGE.....330	97	23	27	16	31	153	68	65	3	17
CEREBRAL HEMORRHAGE.....331	1,798	423	425	440	510	3,213	1,396	1,511	139	167
CEREBRAL EMBOLISM AND THROMBOSIS.....332	636	202	196	116	122	1,840	786	878	98	78
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	361	86	84	84	107	646	275	308	27	36
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	43	2	7	17	17	56	27	13	12	4
MULTIPLE SCLEROSIS.....345	10	3	5	1	1	28	14	10	1	3
PARALYSIS AGITANS.....350	8	5	2	1	-	101	62	35	2	2
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	9	4	-	3	2	27	16	10	1	-
EPILEPSY.....353	29	6	4	14	5	39	19	15	3	2
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	1	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	3	1	-	1	1	7	4	3	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	59	18	18	15	8	111	55	42	9	5

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
146	120	24	2	-	309	257	45	7	-	54	42	7	3	2	5
5	5	-	-	-	15	13	1	1	-	2	2	-	-	-	6
82	66	15	1	-	262	219	37	6	-	23	20	2	1	-	7
58	49	8	1	-	20	17	3	-	-	24	18	3	2	1	8
1	-	1	-	-	12	8	4	-	-	5	2	2	-	1	9
98	-	97	-	1	215	4	201	-	10	25	1	23	-	1	10
															11
137	63	68	2	4	358	163	184	4	7	59	28	26	3	2	12
28	...	25	...	3	48	...	44	...	4	11	...	10	...	1	13
16	...	15	...	1	45	...	44	...	1	7	...	7	...	-	14
27	...	27	...	-	88	...	86	...	2	10	...	9	...	1	15
1	...	1	...	-	10	...	10	...	-	-	...	-	...	-	16
62	60	...	2	...	163	159	...	4	...	31	28	...	3	...	17
3	3	...	-	...	4	4	...	-	...	-	-	...	-	...	18
47	33	11	3	-	96	62	29	4	1	29	21	8	-	-	19
21	15	4	2	-	39	19	19	1	-	12	8	4	-	-	20
26	18	7	1	-	57	43	10	3	1	17	13	4	-	-	21
															22
															23
103	49	50	1	3	204	102	98	2	2	45	22	18	2	3	24
11	7	4	-	-	33	18	15	-	-	4	2	1	1	-	25
1	-	1	-	-	3	2	1	-	-	1	-	1	-	-	26
19	7	12	-	-	51	29	21	1	-	10	9	1	-	-	27
1	-	1	-	-	11	4	7	-	-	-	-	-	-	-	28
8	5	3	-	-	9	5	4	-	-	1	-	1	-	-	29
3	2	1	-	-	6	5	1	-	-	4	1	3	-	-	30
3	1	2	-	-	11	8	3	-	-	1	1	-	-	-	31
57	27	26	1	3	80	31	46	1	2	24	9	11	1	3	32
51	29	20	2	-	139	85	52	2	-	27	16	8	1	2	33
55	33	20	1	1	123	67	53	1	2	21	14	5	2	-	34
19	11	7	1	-	57	35	22	-	-	11	8	2	1	-	35
13	6	6	-	1	23	9	13	1	-	3	2	1	-	-	36
															37
23	16	7	-	-	43	23	18	-	2	7	4	2	1	-	38
															39
21	12	9	-	-	33	15	17	-	1	7	6	-	1	-	40
2	...	2	...	-	4	...	4	...	-	-	...	-	...	-	41
2	2	-	-	-	6	3	3	-	-	-	-	-	-	-	42
3	2	1	-	-	9	4	5	-	-	1	1	-	-	-	43
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	44
13	7	6	-	-	9	6	2	-	1	4	3	-	1	-	45
1	1	-	-	-	5	2	3	-	-	2	2	-	-	-	46
															47
															48
153	83	65	2	3	382	177	196	3	6	72	41	25	3	3	49
															50
25	19	6	-	-	68	41	24	2	1	19	12	6	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
2	1	1	-	-	4	-	4	-	-	-	-	-	-	-	53
-	-	-	-	-	6	-	6	-	-	1	-	1	-	-	54
111	55	51	2	3	264	123	136	1	4	38	22	13	2	1	55
1	-	1	-	-	1	1	-	-	-	1	-	-	1	-	56
-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
5	4	1	-	-	10	2	8	-	-	3	3	-	-	-	59
9	4	5	-	-	26	8	17	-	1	9	4	4	-	1	60
															61
23	17	5	1	-	34	17	14	2	1	6	2	4	-	-	62
															63
15	10	5	-	-	19	9	7	2	1	4	-	4	-	-	64
4	2	2	-	-	7	2	4	1	-	-	-	-	-	-	65
11	8	3	-	-	12	7	3	1	1	4	-	4	-	-	66
2	1	-	1	-	4	1	3	-	-	1	1	-	-	-	67
6	6	-	-	-	11	7	4	-	-	1	1	-	-	-	68
															69
18	13	3	2	-	25	17	7	-	1	16	5	9	2	-	70
															71
-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	72
2	2	-	-	-	3	2	-	-	1	2	2	-	-	-	73
-	-	-	-	-	3	1	2	-	-	3	1	2	-	-	74
14	10	2	2	-	11	10	1	-	-	7	2	3	2	-	75
2	1	1	-	-	3	1	2	-	-	3	-	3	-	-	76
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	77
															78
705	384	305	6	10	1,927	923	951	32	21	257	128	114	4	11	79
															80
647	358	278	3	8	1,811	860	903	28	20	239	114	112	3	10	81
18	9	9	-	-	52	23	28	1	-	9	1	7	-	1	82
439	243	188	2	6	1,083	522	534	14	13	145	65	69	3	8	83
134	76	55	1	2	504	234	255	9	6	53	30	23	-	-	84
56	30	26	-	-	172	81	86	4	1	32	18	13	-	1	85
8	4	1	2	1	8	2	4	2	-	3	1	1	-	1	86
9	4	5	-	-	21	12	9	-	-	2	2	-	-	-	87
14	7	6	1	-	28	8	20	-	-	1	1	-	-	-	88
-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	89
9	2	6	-	1	17	12	4	1	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
2	1	1	-	-	3	1	1	1	-	1	1	-	-	-	94
16	8	8	-	-	35	24	10	-	1	11	9	1	1	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	7,305	2,634	1,806	1,500	1,365	20,686	10,838	8,168	929	751
DISEASES OF HEART....400-402,410-443	6,578	2,437	1,602	1,321	1,218	18,584	9,861	7,278	808	637
RHEUMATIC FEVER....400-402	14	2	-	3	9	13	4	8	-	1
CHRONIC RHEUMATIC HEART DISEASE....410-416	129	44	34	21	30	413	156	205	27	25
DISEASES OF MITRAL VALVE....410	52	19	17	7	9	189	64	95	13	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	11	6	3	-	2	28	14	9	4	1
DISEASES OF PULMONARY VALVE, ETC....413,414	6	4	2	-	-	19	7	11	1	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	60	15	12	14	19	177	71	90	9	7
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	4,237	1,923	1,109	643	562	13,911	7,963	5,072	514	362
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	1,465	562	436	244	223	6,151	3,116	2,602	234	199
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	2,765	1,359	671	398	337	7,734	4,834	2,458	280	162
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	7	2	2	1	2	26	13	12	-	1
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	76	20	25	20	11	175	83	73	11	8
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	4	2	1	1	-	28	15	7	4	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	21	8	6	6	1	51	29	19	2	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	51	10	18	13	10	96	39	47	5	5
OTHER MYOCARDIAL DEGENERATION....422	427	112	118	108	89	1,743	752	835	90	66
WITH ARTERIOSCLEROSIS....422.1	234	66	67	54	47	1,142	486	569	53	34
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	193	46	51	54	42	601	266	266	37	32
OTHER DISEASES OF HEART....430-434	567	161	93	176	137	722	345	288	55	34
ACUTE AND SUBACUTE ENDOCARDITIS....430	14	2	3	5	4	13	9	2	1	1
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	13	1	5	5	2	50	25	22	2	1
FUNCTIONAL DISEASE OF HEART....433	80	29	25	11	15	198	90	101	6	1
OTHER AND UNSPECIFIED DISEASES OF HEART....434	460	129	60	155	116	461	221	163	46	31
HYPERTENSIVE HEART DISEASE....440-443	1,128	175	223	350	380	1,607	558	797	111	141
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	231	45	47	83	56	471	204	233	17	17
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	897	130	176	267	324	1,136	354	564	94	124
OTHER HYPERTENSIVE DISEASE....444-447	201	26	40	78	57	351	154	130	34	33
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	94	15	21	39	19	198	94	66	19	19
ESSENTIAL HYPERTENSION....444,445,447	107	11	19	39	38	153	60	64	15	14
DISEASES OF ARTERIES....450-456	432	141	133	83	75	1,465	689	644	69	63
GENERAL ARTERIOSCLEROSIS....450	324	99	107	67	51	1,226	539	579	55	53
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	70	34	12	9	15	173	117	41	10	5
GANGRENE OF UNSPECIFIED CAUSE....455	6	1	1	2	2	4	3	1	-	-
OTHER ARTERIAL DISEASES....452-454,456	32	7	13	5	7	62	30	23	4	5
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	94	30	31	18	15	286	134	116	18	18
VIII. DISEASES OF THE RESPIRATORY SYSTEM	957	268	193	276	220	2,276	1,195	732	216	133
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	17	2	3	8	4	12	6	6	-	-
INFLUENZA....480-483	58	8	11	20	19	88	41	44	2	1
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	663	148	140	195	180	1,469	664	535	170	100
LOBAR PNEUMONIA....490	139	27	31	39	42	281	117	108	38	18
BRONCHOPNEUMONIA....491	281	66	71	80	64	785	364	272	93	56
PRIMARY ATYPICAL PNEUMONIA....492	46	12	8	14	12	103	49	41	10	3
PNEUMONIA, OTHER AND UNSPECIFIED....493	197	43	30	62	62	300	134	114	29	23
ACUTE BRONCHITIS....500	10	3	4	1	2	27	10	12	3	2
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	38	19	7	9	3	93	57	27	7	2
HYPERTROPHY OF TONSILS AND ADENOIDS....510	2	1	-	-	1	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	15	6	-	8	1	27	14	6	3	4
PLEURISY....519	5	1	-	4	-	14	3	6	3	2
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	71	47	7	15	2	283	243	31	7	2
OTHER RESPIRATORY DISEASES....RESIDUAL	78	33	21	16	8	263	157	65	21	20
IX. DISEASES OF THE DIGESTIVE SYSTEM	672	209	116	187	160	1,663	851	633	90	89
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	1	-	-	-	1	5	2	3	-	-
ULCER OF STOMACH....540	34	16	4	11	3	137	88	36	10	3
ULCER OF DUODENUM....541	44	24	5	12	3	144	105	29	7	3
GASTRITIS AND DUODENITIS....543	5	2	-	2	1	17	8	5	2	2
APPENDICITIS....550-553	15	3	3	5	4	51	26	21	2	2
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	96	30	14	28	24	245	111	107	10	17
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	171	18	6	79	68	88	33	36	10	9
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	17	9	6	1	1	71	41	27	2	1
CIRRHOSIS OF LIVER....581	123	53	27	22	21	463	261	143	34	25
WITHOUT MENTION OF ALCOHOLISM....581.0	110	48	21	20	21	343	186	110	24	23
WITH ALCOHOLISM....581.1	13	5	6	2	-	120	75	33	10	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	28	9	13	-	6	140	51	80	1	8
FIBROCYSTIC DISEASE OF PANCREAS....5875	4	1	2	1	-	13	2	11	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	134	44	36	26	28	289	123	135	12	19
X. DISEASES OF THE GENITOURINARY SYSTEM	532	118	92	200	122	957	520	280	84	73
NEPHRITIS AND NEPHROSIS....590-594	283	49	43	99	92	477	223	170	42	42
ACUTE NEPHRITIS....590	21	6	2	9	4	21	9	11	-	1
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	23	3	-	10	10	20	11	5	1	3
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	239	40	41	80	78	436	203	154	41	38
INFECTIONS OF KIDNEY....600	125	29	34	40	22	200	87	79	14	20
CALCULI OF URINARY SYSTEM....602,604	12	3	7	1	1	28	15	8	2	3
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	38	13	5	15	5	66	42	12	7	5
HYPERPLASIA OF PROSTATE....610	59	21	...	38	...	145	129	...	16	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	15	3	3	7	2	41	24	11	3	3

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,528	1,614	862	33	19	5,979	3,497	2,339	86	57	953	634	276	24	19	1
2,255	1,446	763	33	13	5,441	3,233	2,081	80	47	868	585	242	22	19	2
2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	3
76	30	44	2	-	131	54	74	1	2	25	14	11	-	-	4
29	10	19	-	-	70	25	42	1	2	2	1	1	-	-	5
14	9	4	1	-	17	11	6	-	-	4	4	-	-	-	6
5	1	4	-	-	3	1	2	-	-	2	1	1	-	-	7
28	10	17	1	-	41	17	24	-	-	17	8	9	-	-	8
1,688	1,153	501	25	9	4,109	2,564	1,454	59	32	652	470	155	11	16	9
526	310	201	10	5	1,477	840	576	41	20	246	165	71	3	7	10
1,160	841	300	15	4	2,629	1,722	877	18	12	406	305	84	8	9	11
2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	12
															13
21	13	7	-	1	43	23	16	4	-	6	4	2	-	-	14
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	15
9	7	2	-	-	19	10	6	3	-	4	2	2	-	-	16
11	6	4	-	1	23	13	9	1	-	2	2	-	-	-	17
190	96	91	2	1	467	237	222	3	5	66	31	32	3	-	18
132	70	60	2	-	340	171	162	3	4	39	17	21	1	-	19
58	26	31	-	1	127	66	60	-	1	27	14	11	2	-	20
															21
142	90	48	3	1	268	175	87	4	2	54	37	10	5	2	22
1	-	1	-	-	8	4	4	-	-	2	1	-	-	1	23
2	1	1	-	-	9	6	3	-	-	1	-	-	-	1	24
31	16	14	1	-	65	39	26	-	-	9	5	1	3	-	25
108	73	32	2	1	186	126	54	4	2	42	31	9	2	-	26
136	62	72	1	1	419	178	226	9	6	65	29	32	3	1	27
															28
33	20	12	-	1	182	91	89	2	-	26	14	9	3	-	29
103	42	60	1	-	237	87	137	7	6	39	15	23	-	1	30
															31
22	14	8	-	-	82	37	41	-	4	22	8	13	1	-	32
10	9	1	-	-	36	17	16	-	3	18	8	9	1	-	33
12	5	7	-	-	46	20	25	-	1	4	-	4	-	-	34
219	131	82	-	6	413	210	195	4	4	54	37	17	-	-	35
172	100	67	-	5	311	154	153	1	3	37	21	16	-	-	36
35	22	12	-	1	80	49	27	3	1	13	12	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
12	9	3	-	-	22	7	15	-	-	4	4	-	-	-	39
32	23	9	-	-	43	17	22	2	2	9	4	4	1	-	40
															41
364	238	106	7	13	600	351	226	13	10	135	92	27	9	7	42
															43
8	5	1	1	1	10	4	6	-	-	1	-	-	1	-	44
9	4	5	-	-	39	16	23	-	-	1	1	-	-	-	45
216	127	75	3	11	366	193	158	6	9	67	41	16	4	6	46
36	32	3	-	1	58	38	18	-	2	13	9	3	1	-	47
106	52	51	2	1	178	89	83	2	4	29	17	6	3	3	48
10	7	3	-	-	52	30	18	1	3	11	5	4	-	2	49
64	36	18	1	9	78	36	39	3	-	14	10	3	-	1	50
															51
14	6	7	1	-	4	4	-	-	-	1	1	-	-	-	52
15	10	5	-	-	29	23	5	1	-	4	2	1	1	-	53
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	54
4	3	1	-	-	3	3	-	-	-	1	1	-	-	-	55
-	-	-	-	-	3	3	-	-	-	1	-	-	-	1	56
60	55	5	-	-	80	68	10	2	-	30	26	4	-	-	57
38	28	7	2	1	64	37	22	4	1	29	20	6	3	-	58
															59
243	124	90	11	18	523	304	202	11	6	139	76	53	5	5	60
															61
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	62
18	11	6	-	1	46	32	12	2	-	16	8	7	1	-	63
17	12	5	-	-	58	45	12	1	-	7	4	2	1	-	64
2	1	-	1	-	6	3	3	-	-	-	-	-	-	-	65
7	4	2	1	-	12	6	5	1	-	2	1	1	-	-	66
36	15	20	-	1	68	27	40	-	1	14	6	6	2	-	67
															68
10	3	5	2	-	34	16	16	-	2	4	2	1	-	1	69
															70
14	3	9	-	2	36	20	16	-	-	6	2	4	-	-	71
68	38	16	3	11	121	84	30	6	1	57	35	20	1	1	72
49	27	15	1	6	41	23	18	-	-	33	19	13	1	-	73
19	11	1	2	5	80	61	12	6	1	24	16	7	-	1	74
27	14	9	2	2	59	23	35	1	-	6	4	2	-	-	75
2	1	1	-	-	4	2	2	-	-	2	-	2	-	-	76
42	22	17	2	1	76	45	29	-	2	25	14	8	-	3	77
															78
84	47	29	5	3	200	128	60	5	7	51	34	12	1	4	79
															80
44	22	17	2	3	73	45	23	2	3	29	17	8	1	3	81
2	1	-	1	-	3	3	-	-	-	-	-	-	-	-	82
5	3	2	-	-	5	3	2	-	-	1	1	-	-	-	83
37	18	15	1	3	65	39	21	2	3	28	16	8	1	3	84
18	8	8	2	-	59	28	27	1	3	7	5	2	-	-	85
-	-	-	-	-	8	4	4	-	-	2	1	1	-	-	86
5	3	2	-	-	14	9	2	2	1	5	4	1	-	-	87
13	12	...	1	...	38	38	...	-	...	7	7	...	-	...	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
4	2	2	-	-	8	4	4	-	-	1	-	-	-	1	90
															91
															92
															93
															94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	49	...	9	...	40	24	...	16	...	8
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	7	...	2	...	5	4	...	4	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	17	...	2	...	15	2	...	1	...	1
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	14	...	1	...	13	6	...	4	...	2
ECTOPIC PREGNANCY.....645	-	...	-	...	-	2	...	-	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	1	...	1	-	...	-	...	-
ABORTION WITH SEPSIS.....651	2	...	1	...	1	2	...	1	...	1
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	7	...	2	...	5	8	...	6	...	2
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	27	4	8	4	11	55	22	25	2	6
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	8	1	3	1	3	17	8	7	-	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	19	3	5	3	8	38	14	18	2	4
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	43	15	12	6	10	104	42	58	3	1
ARTHRITIS AND SPONDYLITIS.....720-725	35	12	10	3	10	53	15	36	1	1
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	1	-	1	-	3	2	1	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	3	1	1	1	-
INBORN DEFECT OF MUSCLE.....744.1	2	1	1	-	-	19	15	4	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	3	1	-	2	-	26	9	16	1	-
XIV. CONGENITAL MALFORMATIONS.....	244	91	54	61	38	536	261	217	30	28
SPINA BIFIDA AND MENINGOCELE.....751	20	7	9	2	2	20	7	12	1	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	24	10	4	7	3	58	30	25	2	1
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	123	49	24	29	21	268	136	105	15	12
OTHER CONGENITAL MALFORMATIONS.....750,755-759	77	25	17	23	12	190	88	75	12	15
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,106	245	163	382	316	1,464	658	453	193	160
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,814	318	128	756	612	681	403	201	45	32
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	76	10	11	27	28	80	34	43	-	3
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,738	308	117	729	584	601	369	158	45	29
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,809	673	258	620	258	3,164	1,928	837	279	120
ACCIDENTS.....E800-E962	1,436	547	214	461	214	2,419	1,464	703	165	87
RAILWAY ACCIDENTS.....E800-E802	12	3	-	7	2	28	20	4	4	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	581	296	84	152	49	955	654	233	53	15
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	564	287	81	149	47	921	629	228	51	13
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	33	13	5	12	3	32	18	12	2	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	102	40	11	37	14	135	90	24	19	2
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	244	131	44	55	14	412	261	129	15	7
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	155	88	18	38	11	307	241	51	12	3
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	30	15	3	7	5	35	19	12	3	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	17	9	3	3	2	34	25	5	2	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	1	-	1	-	9	7	2	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	31	15	6	7	3	28	26	2	-	-
AIRCRAFT ACCIDENTS.....E860-E866	6	5	1	-	-	18	16	2	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	32	10	4	13	5	29	15	11	2	1
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	7	6	-	1	-	30	20	4	3	3
ACCIDENTAL FALLS.....E900-E904	128	39	48	21	20	589	242	298	24	25
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	41	15	12	9	5	152	80	50	15	7
FALL ON SAME LEVEL.....E903	12	5	4	1	2	87	31	49	6	1
UNSPECIFIED FALLS.....E904	75	19	32	11	13	350	131	199	3	17
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	20	8	-	12	-	35	32	1	2	-
ACCIDENT CAUSED BY MACHINERY.....E912	40	21	2	15	2	68	59	3	6	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	17	8	1	6	2	29	26	2	1	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	214	30	30	70	84	190	84	53	27	26
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	7	1	-	4	2	12	6	3	1	2
ACCIDENT CAUSED BY FIREARM.....E919	68	26	7	28	7	75	58	8	9	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	39	11	6	17	5	63	35	19	4	5
ACCIDENTAL DROWNING.....E929	98	32	7	55	4	99	74	18	6	1
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	10	6	1	1	2
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	14	3	3	3	5	18	7	9	-	2
ALL OTHER ACCIDENTS.....RESIDUAL	120	32	15	49	24	134	77	30	22	5
SUICIDE.....E963,E970-E979	149	89	31	25	4	526	386	111	21	8
SUICIDE BY POISONING.....E970-E973	13	7	4	1	1	101	61	34	4	2
SUICIDE BY HANGING AND STRANGULATION.....E974	9	8	1	-	-	67	46	19	2	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	116	69	22	22	3	301	247	40	12	2
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	11	5	4	2	-	57	32	18	3	4
HOMICIDE.....E964,E980-E985	223	36	13	134	40	216	75	23	93	25
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	150	26	7	89	28	111	46	12	42	11
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	40	-	3	32	5	48	8	2	31	7
ASSAULT BY OTHER MEANS.....E964,E980,E983	27	8	3	9	7	47	20	9	11	7
INJURY BY INTERVENTION OF POLICE.....E984	3	2	-	1	-	9	1	-	8	-
EXECUTION.....E985	3	-	-	3	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	3	3	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
2	...	1	...	1	9	...	8	...	1	-	...	-	...	-	3
															4
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	5
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	6
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	7
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	8
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	9
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	12
-	...	-	...	-	8	...	7	...	1	-	...	-	...	-	13
															14
4	1	3	-	-	12	6	5	-	1	3	2	1	-	-	15
															16
-	-	-	-	-	4	3	1	-	-	1	-	1	-	-	17
4	1	3	-	-	8	3	4	-	1	2	2	-	-	-	18
															19
															20
22	11	11	-	-	39	11	28	-	-	8	3	5	-	-	21
															22
14	6	8	-	-	26	5	21	-	-	7	2	5	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
2	2	-	-	-	2	-	2	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3	1	2	-	-	6	5	1	-	-	1	1	-	-	-	27
3	2	1	-	-	5	1	4	-	-	-	-	-	-	-	28
															29
															30
97	51	38	4	4	186	103	74	7	2	36	11	20	1	4	31
															32
1	-	1	-	-	8	3	5	-	-	1	-	-	-	1	33
12	6	6	-	-	27	12	14	1	-	6	1	5	-	-	34
54	28	21	2	3	94	52	37	4	1	16	5	8	1	2	35
30	17	10	2	1	57	36	18	2	1	13	5	7	-	1	36
															37
259	142	85	18	14	501	281	189	13	18	144	76	47	12	9	38
															39
173	121	43	5	4	72	38	31	1	2	28	16	5	5	2	40
															41
14	5	7	-	2	9	1	8	-	-	4	1	2	-	1	42
159	116	36	5	2	63	37	23	1	2	24	15	3	5	1	43
															44
															45
653	452	146	41	14	1,013	720	252	28	13	350	218	96	29	7	46
															47
541	369	121	38	13	829	585	213	19	12	235	142	72	15	6	48
8	6	-	-	2	7	7	-	-	-	6	4	-	2	-	49
269	181	64	22	2	339	244	84	6	5	118	70	39	7	2	50
256	172	60	22	2	326	234	81	6	5	116	69	38	7	2	51
16	14	2	-	-	18	16	2	-	-	-	-	-	-	-	52
18	12	4	2	-	32	21	8	1	2	18	9	6	3	-	53
94	58	28	7	1	188	125	59	3	1	48	30	16	2	-	54
90	63	18	8	1	85	71	10	2	2	28	19	6	1	2	55
38	25	8	5	-	3	1	2	-	-	22	11	10	1	-	56
13	9	4	-	-	13	10	3	-	-	2	1	1	-	-	57
															58
4	2	2	-	-	3	3	-	-	-	-	-	-	-	-	59
4	3	-	1	-	4	4	-	-	-	1	1	-	-	-	60
10	10	-	-	-	20	19	1	-	-	9	9	-	-	-	61
10	3	3	2	2	13	4	8	-	1	3	2	1	-	-	62
6	5	1	-	-	5	4	1	-	-	4	3	1	-	-	63
60	33	23	2	2	193	110	79	1	3	28	11	16	1	-	64
17	11	5	1	-	69	47	19	1	2	3	3	-	-	-	65
6	3	3	-	-	75	35	39	-	1	3	2	1	-	-	66
37	19	15	1	2	49	28	21	-	-	22	6	15	1	-	67
															68
11	10	-	1	-	18	16	-	2	-	8	6	-	2	-	69
19	18	-	1	-	53	48	3	2	-	5	5	-	-	-	70
3	1	2	-	-	12	12	-	-	-	3	2	1	-	-	71
17	14	2	-	1	34	23	9	1	1	14	6	5	2	1	72
-	-	-	-	-	4	3	1	-	-	2	1	1	-	-	73
27	23	2	2	-	22	20	1	1	-	5	4	1	-	-	74
8	3	4	1	-	18	12	5	1	-	4	3	1	-	-	75
44	27	11	6	-	32	26	6	-	-	12	8	2	1	1	76
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	77
10	7	3	-	-	6	2	3	1	-	6	4	2	-	-	78
31	23	4	-	4	44	26	12	4	2	7	3	2	-	2	79
															80
															81
93	71	20	1	1	153	121	30	1	1	86	63	19	3	1	82
13	10	3	-	-	24	17	7	-	-	17	10	7	-	-	83
11	6	4	-	1	32	22	10	-	-	8	7	1	-	-	84
64	52	11	1	-	89	77	10	1	1	55	41	10	3	1	85
5	3	2	-	-	8	5	3	-	-	6	5	1	-	-	86
															87
19	12	5	2	-	30	13	9	8	-	29	13	5	11	-	88
12	7	4	1	-	20	7	8	5	-	14	6	3	5	-	89
3	1	1	1	-	1	-	-	1	-	4	2	-	2	-	90
4	4	-	-	-	8	5	1	2	-	9	4	2	3	-	91
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
															94
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	6,695	3,716	2,968	8	3	60,772	30,827	24,691	2,843	2,411
I. INFECTIVE AND PARASITIC DISEASES	49	30	19	-	-	684	361	166	105	52
TUBERCULOSIS, ALL FORMS 001-019	13	11	2	-	-	391	214	70	77	30
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	8	6	2	-	-	366	209	64	69	24
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	1	1	-	-	-	7	1	-	4	2
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	3	-	-	1	2
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	1	-	-	-	2	1	1	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	2	-	-	-	3	-	2	-	1
DISSEMINATED TUBERCULOSIS 019	1	1	-	-	-	10	3	3	3	1
SYPHILIS AND ITS SEQUELAE 020-029	10	6	4	-	-	81	43	17	12	9
CONGENITAL SYPHILIS 020	-	-	-	-	-	1	1	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	8	5	3	-	-	48	30	13	4	1
OTHER CARDIOVASCULAR SYPHILIS 023	2	1	1	-	-	21	9	2	6	4
TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	6	3	-	2	1
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	4	-	2	-	2
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	-	-	-	1
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	1	1	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	4	3	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	2	2	-	-	-
STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	8	5	3	-	-	72	38	26	6	2
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	1	1	-	-	-
MENINGOCOCCAL INFECTIONS 057	1	1	-	-	-	18	10	4	2	2
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	-	1	-	-	4	2	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	4	2	2	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	4	3	1	-	-	20	8	9	2	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	-	1	-	-	2	2	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	-	-	-	-	-	17	4	7	3	3
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	7	2	5	-	-	27	8	13	2	4
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	3	2	1	-	-	40	23	15	1	1
II. NEOPLASMS	1,189	648	538	3	-	11,239	5,690	4,802	384	363
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,164	638	523	3	-	11,090	5,634	4,724	382	350
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	17	14	3	-	-	252	188	46	16	2
OF LIP 140	-	-	-	-	-	4	4	-	-	-
OF TONGUE 141	5	5	-	-	-	73	54	13	5	1
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	8	7	1	-	-	75	52	15	8	-
OF PHARYNX 145-148	4	2	2	-	-	100	78	18	3	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	424	222	200	2	-	4,057	2,099	1,687	150	121
OF ESOPHAGUS 150	16	15	-	1	-	225	161	37	23	4
OF STOMACH 151	92	55	36	1	-	872	489	312	46	25
OF SMALL INTESTINE, INCLUDING DUODENUM 152	1	-	1	-	-	27	9	17	-	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	158	72	86	-	-	1,391	630	692	30	39
CECUM, APPENDIX, AND ASCENDING COLON 153.0	19	9	10	-	-	198	86	102	6	4
TRANSVERSE COLON 153.1	11	7	4	-	-	72	33	36	1	2
DESCENDING COLON 153.2	8	3	5	-	-	64	30	31	2	1
SIGMOID COLON 153.3	43	21	22	-	-	318	160	139	5	14
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	3	1	2	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	68	29	39	-	-	655	292	331	14	18
INTESTINAL TRACT, PART UNSPECIFIED 153.9	9	3	6	-	-	81	28	51	2	-
OF RECTUM 154	54	29	25	-	-	557	315	212	14	16
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	28	12	16	-	-	230	80	131	8	11
LIVER 155.0	5	4	1	-	-	68	34	24	7	3
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	23	8	15	-	-	162	46	107	1	8
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	24	10	14	-	-	154	87	58	5	4
OF PANCREAS 157	45	25	20	-	-	534	301	196	20	17
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	6	4	2	-	-	67	27	32	4	4

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,362	3,501	2,331	316	214	179,345	91,198	73,536	8,241	6,370	37,496	15,393	10,882	6,166	5,055	1
															2
															3
120	65	36	11	8	1,952	1,033	451	324	144	461	175	106	111	69	4 5
															6
68	37	18	6	7	1,165	648	185	238	94	177	86	29	43	19	7
61	34	16	6	5	1,093	622	167	222	82	157	80	26	37	14	8
2	1	1	-	-	20	8	6	3	3	8	1	1	3	3	9
															10
1	-	1	-	-	7	2	2	2	1	1	-	-	1	-	11
-	-	-	-	-	6	2	2	1	1	5	2	1	2	-	12
2	1	-	-	1	18	10	5	2	1	2	2	-	-	-	13
2	1	-	-	1	21	4	3	8	6	4	1	1	-	2	14
															15
8	3	5	-	-	232	131	38	45	18	54	21	2	20	11	16
-	-	-	-	-	4	3	-	1	-	1	-	-	1	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
5	3	2	-	-	79	41	19	14	5	25	16	-	6	3	19
2	-	2	-	-	92	52	10	19	11	18	4	-	10	4	20
-	-	-	-	-	4	3	-	1	-	2	1	-	-	1	21
-	-	-	-	-	28	18	5	4	1	3	-	2	-	1	22
1	-	1	-	-	23	14	3	5	1	5	-	-	3	2	23
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	24
															25
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	10	5	2	-	3	2	1	-	-	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	30
5	3	-	1	1	9	4	5	-	-	10	3	2	3	2	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	33
-	-	-	-	-	1	1	-	-	-	5	-	3	1	1	34
-	-	-	-	-	6	3	3	-	-	1	-	1	-	-	35
14	9	5	-	-	170	83	68	12	7	70	19	20	19	12	36
															37
3	2	1	-	-	-	-	-	-	-	1	-	-	1	-	38
-	-	-	-	-	-	-	-	-	-	8	-	2	2	4	39
3	2	1	-	-	50	21	18	6	5	12	6	4	-	2	40
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	2	-	1	-	1	12	2	1	7	2	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	14	8	6	-	-	1	1	-	-	-	45
1	-	1	-	-	8	2	6	-	-	5	2	2	-	1	46
3	1	-	2	-	32	14	16	1	1	10	5	3	1	1	47
-	-	-	-	-	14	7	7	-	-	4	1	3	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
2	1	-	1	-	31	15	14	2	-	20	4	8	6	2	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	1	2	-	-	93	42	41	6	4	25	8	10	2	5	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	57
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	1	-	-	1	-	3	-	1	1	1	62
8	4	3	1	-	107	44	40	12	11	37	13	14	5	5	63
															64
802	394	375	16	17	32,354	16,265	13,910	1,174	1,005	4,750	1,868	1,769	539	574	65
															66
															67
775	385	357	16	17	31,788	16,043	13,646	1,149	950	4,625	1,826	1,731	521	547	68
19	12	6	-	1	788	573	138	66	11	119	69	35	12	3	69
3	3	-	-	-	20	19	1	-	-	3	2	-	1	-	70
2	1	1	-	-	228	165	46	15	2	26	16	9	1	-	71
7	4	3	-	-	244	173	50	18	3	42	20	17	3	2	72
7	4	2	-	1	296	216	41	33	6	48	31	9	7	1	73
															74
															75
247	131	102	7	7	11,392	5,857	4,773	465	297	1,314	488	498	192	136	76
7	6	-	1	-	675	436	130	87	22	71	28	21	16	6	77
81	54	24	1	2	2,423	1,361	856	134	72	287	116	70	69	32	78
-	-	-	-	-	79	33	38	7	1	8	3	3	1	1	79
50	22	26	2	-	3,804	1,733	1,896	73	102	394	120	188	38	48	80
9	3	6	-	-	546	241	278	12	15	38	10	24	3	1	81
3	1	2	-	-	260	109	136	3	12	14	5	6	-	3	82
2	2	-	-	-	161	79	75	3	4	18	4	7	3	4	83
13	5	7	1	-	907	441	433	13	20	73	19	39	7	8	84
-	-	-	-	-	11	5	6	-	-	-	-	-	-	-	85
22	11	10	1	-	1,775	800	894	38	43	229	77	100	23	29	86
1	-	1	-	-	144	58	74	4	8	22	5	12	2	3	87
															88
16	6	9	-	1	1,529	848	603	44	34	127	47	55	13	12	89
29	10	16	1	2	704	298	368	28	10	89	31	46	3	9	90
5	3	1	-	1	243	134	83	23	3	22	11	7	1	3	91
24	7	15	1	1	461	164	285	5	7	67	20	39	2	6	92
20	11	9	-	-	321	166	129	15	11	50	17	15	14	4	93
39	21	15	1	2	1,650	892	655	67	36	260	114	88	36	22	94
5	1	3	1	-	207	90	98	10	9	28	12	12	2	2	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	184	163	21	-	-	1,753	1,433	228	76	16
OF LARYNX....161	11	9	2	-	-	110	90	14	6	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	45	40	5	-	-	638	529	70	34	5
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	125	112	13	-	-	973	793	134	35	11
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	3	2	1	-	-	32	21	10	1	-
MALIGNANT NEOPLASM OF BREAST....170	89	-	89	-	-	1,065	10	992	2	61
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	154	67	87	-	-	1,380	457	785	50	88
OF CERVIX UTERI....171	28	...	28	...	-	234	...	193	...	41
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	23	...	23	...	-	250	...	228	...	22
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	33	...	33	...	-	356	...	333	...	23
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	3	...	3	...	-	33	...	31	...	2
OF PROSTATE....177	67	67	...	-	...	479	429	...	50	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	-	-	...	-	...	28	28	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	75	52	23	-	-	586	382	167	21	16
OF KIDNEY....180	27	16	11	-	-	227	139	73	6	9
OF BLADDER AND OTHER URINARY ORGANS....181	48	36	12	-	-	359	243	94	15	7
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	105	56	49	-	-	1,056	559	441	33	23
OF SKIN....190,191	22	15	7	-	-	120	78	38	4	-
OF EYE....192	-	-	-	-	-	13	5	8	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	16	10	6	-	-	247	140	100	6	1
OF THYROID GLAND....194	2	1	1	-	-	44	12	27	1	4
OF BONE....196	2	1	1	-	-	77	42	32	1	2
OF CONNECTIVE TISSUE....197	3	1	2	-	-	31	16	13	1	1
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	5	3	2	-	-	62	33	25	4	-
OF UNSPECIFIED SITES....156B,165,198,199B	55	25	30	-	-	462	233	198	16	15
LEUKEMIA AND ALEUKEMIA....204	56	33	23	-	-	433	238	173	15	7
LYMPHOSARCOMA, ETC....200-203,205	60	31	28	1	-	508	268	205	19	16
LYMPHOSARCOMA AND RETICULOSARCOMA....200	19	9	10	-	-	248	140	96	5	7
HODGKINS DISEASE....201	22	13	8	1	-	114	63	45	5	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	19	9	10	-	-	146	65	64	9	8
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	25	10	15	-	-	149	56	78	2	13
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	3	...	3	...	-	30	...	23	...	7
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	2	-	2	-	-	30	13	15	1	1
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	3	3	-	-	-	33	17	14	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	-	...	1
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	13	5	8	-	-	32	15	15	-	2
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	4	2	2	-	-	23	11	11	-	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	181	96	85	-	-	1,617	566	867	60	124
ASTHMA....241	31	18	13	-	-	124	67	43	5	9
NONTOXIC GOITER....250,251	1	-	1	-	-	1	-	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	-	-	-	-	-	15	3	10	1	1
ALL OTHER DISEASES OF THYROID GLAND....253,254	1	-	1	-	-	4	2	2	-	-
DIABETES MELLITUS....260	122	57	65	-	-	1,331	436	751	41	103
DISEASES OF THYMUS GLAND....273	-	-	-	-	-	13	8	5	-	-
DISEASES OF ADRENAL GLANDS....274	3	2	1	-	-	16	6	9	-	1
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	4	4	-	-	-	52	20	17	9	6
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	19	15	4	-	-	61	24	29	4	4
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	22	13	9	-	-	165	72	73	11	9
ANEMIAS....290-293	13	7	6	-	-	115	48	51	9	7
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	3	2	1	-	-	28	12	16	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	10	5	5	-	-	87	36	35	9	7
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	1	-	1	-	-	17	8	7	-	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	8	6	2	-	-	33	16	15	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	17	14	3	-	-	135	67	29	27	12
SENILE PSYCHOSIS....304	-	-	-	-	-	6	2	4	-	-
ALCOHOLIC PSYCHOSIS....307	4	4	-	-	-	28	23	1	4	-
OTHER PSYCHOSES....300-303,305,306,308,309	3	1	2	-	-	14	7	6	-	1
ALCOHOLISM....322	10	9	1	-	-	59	30	7	16	6
MENTAL DEFICIENCY....325	-	-	-	-	-	13	4	8	-	1
OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	15	1	3	7	4
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	782	369	412	-	1	5,970	2,492	2,969	241	268
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	743	344	398	-	1	5,539	2,292	2,786	213	248
SUBARACHNOID HEMORRHAGE....330	21	10	11	-	-	215	76	109	12	18
CEREBRAL HEMORRHAGE....331	401	174	227	-	-	2,916	1,245	1,432	105	134
CEREBRAL EMBOLISM AND THROMBOSIS....332	261	131	129	-	1	1,951	807	998	71	75
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	60	29	31	-	-	457	164	247	25	21
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	3	1	2	-	-	52	21	16	8	7
MULTIPLE SCLEROSIS....345	2	1	1	-	-	58	17	38	2	1
PARALYSIS AGITANS....350	11	7	4	-	-	109	60	45	3	1
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	3	2	1	-	-	11	2	7	-	2
EPILEPSY....353	6	5	1	-	-	57	31	15	9	2
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	1	-	1	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	1	-	1	-	-	7	6	-	-	1
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	13	9	4	-	-	136	63	61	6	6

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
110	83	22	3	2	5,131	4,097	721	262	51	602	419	79	88	16	5
10	8	2	-	-	343	287	28	23	5	31	19	2	8	2	6
38	31	5	1	1	2,678	2,183	348	132	15	245	171	31	36	7	7
59	44	12	2	1	2,016	1,575	313	103	25	308	224	37	43	4	8
3	-	3	-	-	94	52	32	4	6	18	5	9	1	3	9
63	-	61	-	2	3,131	20	2,937	1	173	420	2	330	2	86	10
															11
121	45	72	2	2	3,863	1,345	2,172	111	235	807	223	300	100	184	12
34	...	33	...	1	737	...	612	...	125	242	...	124	...	118	13
14	...	14	...	-	586	...	535	...	51	94	...	60	...	34	14
24	...	23	...	1	980	...	926	...	54	124	...	100	...	24	15
2	...	2	...	-	104	...	99	...	5	24	...	16	...	8	16
40	39	...	1	...	1,367	1,262	...	105	...	304	209	...	95	...	17
7	6	...	1	...	89	83	...	6	...	19	14	...	5	...	18
31	21	9	1	-	1,584	1,033	467	54	30	180	84	67	17	12	19
17	12	5	-	-	590	359	196	21	14	81	34	34	5	8	20
14	9	4	1	-	994	674	271	33	16	99	50	33	12	4	21
															22
															23
109	54	52	1	2	3,058	1,557	1,308	103	90	689	307	251	58	73	24
11	8	3	-	-	321	181	132	4	4	93	54	31	7	1	25
1	-	1	-	-	25	13	10	2	-	7	3	2	-	2	26
20	10	10	-	-	711	395	279	20	17	141	74	50	4	13	27
2	1	1	-	-	136	53	79	-	4	18	3	10	1	4	28
5	4	1	-	-	178	103	62	8	5	36	10	18	5	3	29
1	1	-	-	-	112	63	44	3	2	26	14	7	3	2	30
11	8	3	-	-	116	62	44	6	4	39	18	11	5	5	31
58	22	33	1	2	1,459	687	658	60	54	329	131	122	33	43	32
37	19	16	1	1	1,293	722	516	31	24	240	116	83	25	16	33
38	20	17	1	-	1,548	839	614	56	39	254	118	88	27	21	34
15	10	5	-	-	746	401	313	19	13	99	51	33	8	7	35
11	4	7	-	-	374	222	133	8	11	77	41	24	7	5	36
															37
12	6	5	1	-	428	216	168	29	15	78	26	31	12	9	38
															39
27	9	18	-	-	566	222	264	25	55	125	42	38	18	27	40
1	...	1	...	-	77	...	48	...	29	12	...	3	...	9	41
4	2	2	-	-	99	44	49	3	3	13	5	3	4	1	42
3	-	3	-	-	113	52	45	6	10	14	4	5	3	2	43
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	44
12	3	9	-	-	182	85	80	7	10	67	26	21	9	11	45
6	4	2	-	-	94	41	41	9	3	18	7	5	2	4	46
															47
															48
143	61	75	3	4	3,934	1,505	2,004	195	230	826	242	287	112	185	49
															50
25	15	10	-	-	395	201	128	37	29	102	41	24	24	13	51
-	-	-	-	-	6	-	3	-	3	2	1	-	-	1	52
5	-	4	1	-	57	13	39	1	4	12	-	9	-	3	53
3	1	-	1	1	35	8	25	2	-	5	3	1	-	1	54
84	37	44	1	2	3,154	1,150	1,678	144	182	573	158	209	71	135	55
1	1	-	-	-	10	7	3	-	-	-	-	-	-	-	56
2	-	2	-	-	27	14	12	-	1	6	4	1	1	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
8	3	4	-	1	72	32	36	2	2	50	12	16	10	12	59
15	4	11	-	-	178	80	80	9	9	76	23	27	6	20	60
															61
29	16	9	2	2	423	188	187	21	27	118	39	29	30	20	62
															63
12	5	5	1	1	259	99	123	18	19	72	18	15	23	16	64
3	2	1	-	-	40	8	30	-	2	5	2	-	2	1	65
9	3	4	1	1	219	91	93	18	17	67	16	15	21	15	66
4	3	1	-	-	79	39	34	1	5	19	6	7	3	3	67
13	8	3	1	1	85	50	30	2	3	27	15	7	4	1	68
															69
21	12	5	4	-	662	301	107	192	62	194	100	33	48	13	70
															71
-	-	-	-	-	17	5	11	-	1	11	3	5	2	1	72
1	1	-	-	-	52	30	3	18	1	7	6	-	1	-	73
5	2	2	1	-	48	18	22	6	2	20	12	6	2	-	74
13	8	2	3	-	246	132	29	62	23	132	69	12	42	9	75
1	1	-	-	-	36	12	22	1	1	16	6	6	1	3	76
1	-	1	-	-	263	104	20	105	34	8	4	4	-	-	77
															78
625	311	285	17	12	17,140	7,131	8,871	545	593	5,311	1,794	1,885	761	871	79
															80
570	279	269	14	8	15,876	6,519	8,378	447	532	4,996	1,672	1,788	708	828	81
28	17	10	1	-	694	255	343	37	59	189	63	62	37	27	82
353	168	168	10	7	8,514	3,485	4,480	236	313	2,830	892	967	451	520	83
115	62	50	2	1	5,311	2,206	2,848	133	124	1,568	572	613	169	214	84
74	32	41	1	-	1,357	573	707	41	36	409	145	146	51	67	85
16	8	3	1	4	204	79	75	31	19	44	15	4	14	11	86
2	1	-	1	-	142	56	74	3	9	24	8	10	3	3	87
4	2	2	-	-	315	177	134	4	-	31	9	20	1	1	88
1	1	-	-	-	43	17	20	5	1	23	9	10	4	-	89
7	4	3	-	-	182	94	39	35	14	56	21	5	18	12	90
-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	91
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	92
-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	93
2	2	-	-	-	21	15	5	-	1	3	1	2	-	-	94
23	14	8	1	-	349	171	142	20	16	133	58	46	13	16	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	3,092	1,713	1,376	3	-	28,718	15,181	11,714	970	853
DISEASES OF HEART....400-402,410-443	2,713	1,528	1,183	2	-	26,624	14,243	10,713	891	777
RHEUMATIC FEVER....400-402	4	2	2	-	-	29	9	13	5	2
CHRONIC RHEUMATIC HEART DISEASE....410-416	59	31	28	-	-	772	312	408	26	26
DISEASES OF MITRAL VALVE....410	20	8	12	-	-	228	89	124	6	9
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	6	3	3	-	-	74	57	14	2	1
DISEASES OF PULMONARY VALVE, ETC....413,414	1	1	-	-	-	33	16	12	2	3
OTHER RHEUMATIC HEART DISEASES....412,415,416	32	19	13	-	-	437	150	258	16	13
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	2,170	1,287	881	2	-	20,153	11,550	7,549	589	465
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	977	500	476	1	-	10,582	5,457	4,632	241	252
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	1,189	786	402	1	-	9,564	6,087	2,916	348	213
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	4	1	3	-	-	7	6	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	19	10	9	-	-	136	69	56	7	4
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	1	-	1	-	-	3	3	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	12	9	3	-	-	80	44	30	4	2
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	6	1	5	-	-	53	22	26	3	2
OTHER MYOCARDIAL DEGENERATION....422	124	53	71	-	-	2,665	1,173	1,285	110	97
WITH ARTERIOSCLEROSIS....422.1	76	31	45	-	-	2,059	871	1,041	77	70
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	48	22	26	-	-	606	302	244	33	27
OTHER DISEASES OF HEART....430-434	88	55	33	-	-	578	281	239	32	26
ACUTE AND SUBACUTE ENDOCARDITIS....430	-	-	-	-	-	17	6	10	1	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	2	2	-	-	-	40	23	8	2	7
FUNCTIONAL DISEASE OF HEART....433	17	7	10	-	-	143	67	70	2	4
OTHER AND UNSPECIFIED DISEASES OF HEART....434	69	46	23	-	-	378	185	151	27	15
HYPERTENSIVE HEART DISEASE....440-443	249	90	159	-	-	2,291	849	1,163	122	157
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	42	22	20	-	-	509	208	246	29	26
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	207	68	139	-	-	1,782	641	917	93	131
OTHER HYPERTENSIVE DISEASE....444-447	42	17	25	-	-	393	154	184	29	26
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	21	10	11	-	-	224	106	94	13	11
ESSENTIAL HYPERTENSION....444,445,447	21	7	14	-	-	169	48	90	16	15
DISEASES OF ARTERIES....450-456	287	148	138	1	-	1,394	656	676	34	28
GENERAL ARTERIOSCLEROSIS....450	243	118	125	-	-	1,044	426	577	23	18
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	35	24	10	1	-	264	187	64	9	4
GANGRENE OF UNSPECIFIED CAUSE....455	-	-	-	-	-	5	1	3	-	1
OTHER ARTERIAL DISEASES....452-454,456	9	6	3	-	-	81	42	32	2	5
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	50	20	30	-	-	307	128	141	16	22
VIII. DISEASES OF THE RESPIRATORY SYSTEM	288	189	99	-	-	2,515	1,430	804	189	92
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	3	3	-	-	-	25	11	9	2	3
INFLUENZA....480-483	7	5	2	-	-	28	11	13	4	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	179	103	76	-	-	1,720	869	638	140	73
LOBAR PNEUMONIA....490	24	11	13	-	-	296	155	104	24	13
BRONCHOPNEUMONIA....491	87	52	35	-	-	1,250	629	464	104	53
PRIMARY ATYPICAL PNEUMONIA....492	34	23	11	-	-	137	66	53	11	7
PNEUMONIA, OTHER AND UNSPECIFIED....493	34	17	17	-	-	37	19	17	1	-
ACUTE BRONCHITIS....500	9	7	2	-	-	38	17	14	4	3
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	9	8	1	-	-	88	65	18	3	2
HYPERTROPHY OF TONSILS AND ADENOIDS....510	1	-	1	-	-	6	2	4	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	4	3	1	-	-	42	26	9	6	1
PLEURISY....519	-	-	-	-	-	9	7	-	1	1
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	30	26	4	-	-	270	230	30	9	1
OTHER RESPIRATORY DISEASES....RESIDUAL	46	34	12	-	-	289	192	69	20	8
IX. DISEASES OF THE DIGESTIVE SYSTEM	215	133	82	-	-	2,600	1,403	956	124	117
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	-	-	-	-	-	4	2	2	-	-
ULCER OF STOMACH....540	16	7	9	-	-	213	147	47	8	11
ULCER OF DUODENUM....541	24	18	6	-	-	204	149	44	7	4
GASTRITIS AND DUODENITIS....543	-	-	-	-	-	21	15	6	-	-
APPENDICITIS....550-553	3	3	-	-	-	50	29	18	1	2
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	25	13	12	-	-	360	147	182	18	13
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	12	3	9	-	-	104	36	38	16	14
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	9	5	4	-	-	149	67	73	2	7
CIRRHOSIS OF LIVER....581	61	45	16	-	-	951	563	298	47	43
WITHOUT MENTION OF ALCOHOLISM....581.0	38	26	12	-	-	660	383	218	28	31
WITH ALCOHOLISM....581.1	23	19	4	-	-	291	180	80	19	12
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	15	9	6	-	-	193	76	111	2	4
FIBROCYSTIC DISEASE OF PANCREAS....587B	3	-	3	-	-	18	7	8	1	2
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	47	30	17	-	-	333	165	129	22	17
X. DISEASES OF THE GENITOURINARY SYSTEM	137	88	47	1	1	945	485	329	63	68
NEPHRITIS AND NEPHROSIS....590-594	69	40	29	-	-	410	186	164	28	32
ACUTE NEPHRITIS....590	3	3	-	-	-	20	10	5	2	3
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	6	2	4	-	-	26	13	9	1	3
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	60	35	25	-	-	364	163	150	25	26
INFECTIONS OF KIDNEY....600	31	18	13	-	-	245	106	104	15	20
CALCULI OF URINARY SYSTEM....602,604	5	4	1	-	-	48	24	20	4	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	14	11	2	1	-	68	31	25	6	6
HYPERPLASIA OF PROSTATE....610	14	14	...	-	...	137	127	...	10	...
DISEASES OF BREAST....620,621	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	4	1	2	-	1	36	11	15	-	10

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,780	1,035	684	41	20	85,343	45,035	35,493	2,507	2,308	14,741	6,684	4,288	2,070	1,699	1
1,558	924	585	35	14	79,244	42,178	32,667	2,294	2,105	13,306	6,156	3,817	1,830	1,503	2
6	2	4	-	-	41	21	17	3	-	17	3	3	10	1	3
92	33	54	1	4	2,342	984	1,199	68	91	264	100	100	30	34	4
33	8	25	-	-	622	243	346	16	17	92	31	44	5	12	5
9	5	3	-	1	233	164	60	6	3	23	17	4	1	1	6
5	2	2	-	1	123	50	66	4	3	13	5	2	3	3	7
45	18	24	1	2	1,364	527	727	42	68	136	47	50	21	18	8
1,089	704	357	24	4	64,796	36,475	25,448	1,611	1,262	9,017	4,809	2,522	962	724	9
382	214	156	11	1	34,618	17,492	15,600	782	744	2,607	1,231	902	246	228	10
707	490	201	13	3	30,156	18,972	9,838	829	517	6,395	3,568	1,618	715	494	11
-	-	-	-	-	22	11	10	-	1	15	10	2	1	2	12
11	8	3	-	-	417	211	168	22	16	79	31	20	13	15	13
-	-	-	-	-	20	9	10	-	1	6	3	2	1	-	14
4	3	1	-	-	166	114	44	5	3	37	18	9	6	4	15
7	5	2	-	-	231	88	114	17	12	36	10	9	6	11	16
139	63	73	1	2	3,995	1,691	2,073	105	126	973	332	391	125	125	17
92	37	53	1	1	3,311	1,373	1,737	91	110	785	262	332	92	99	18
47	26	20	-	1	684	318	336	14	16	188	70	59	33	26	19
112	61	45	4	2	1,098	560	447	51	40	926	374	218	209	125	20
2	-	2	-	-	57	30	22	3	2	17	7	3	5	2	21
3	2	1	-	-	48	24	20	3	1	31	11	7	11	2	22
16	5	10	-	1	404	183	201	7	13	178	70	65	25	18	23
91	54	32	4	1	589	323	204	38	24	700	286	143	168	103	24
109	53	49	5	2	6,555	2,236	3,315	434	570	2,030	507	563	481	479	25
25	12	13	-	-	887	400	387	43	57	555	143	156	146	110	26
84	41	36	5	2	5,668	1,836	2,928	391	513	1,475	364	407	335	369	27
33	13	19	-	1	1,229	511	545	85	88	354	102	82	96	74	28
18	8	9	-	1	749	365	329	25	30	191	71	49	40	31	29
15	5	10	-	-	480	146	216	60	58	163	31	33	56	43	30
150	77	67	2	4	4,194	2,037	1,974	95	88	880	346	325	117	92	31
114	54	56	2	2	3,153	1,348	1,676	65	64	620	212	263	76	69	32
29	21	8	-	-	801	572	198	18	13	179	101	38	30	10	33
1	-	1	-	-	18	12	6	-	-	12	7	-	2	3	34
6	2	2	-	2	222	105	94	12	11	69	26	24	9	10	35
39	21	13	4	1	676	309	307	33	27	201	80	64	27	30	36
441	247	133	31	30	9,107	4,884	3,192	621	410	1,820	683	485	354	298	37
5	2	2	1	-	73	34	24	11	4	22	6	1	4	11	38
16	6	5	3	2	91	31	51	3	6	59	15	24	14	6	39
274	142	84	25	23	6,726	3,208	2,655	505	358	1,277	389	357	288	243	40
48	25	19	1	3	1,130	594	372	108	56	182	64	60	33	25	41
119	59	34	14	12	5,094	2,365	2,089	364	276	574	207	181	95	91	42
31	19	6	2	4	291	141	114	18	18	131	31	27	35	38	43
76	39	25	8	4	211	108	80	15	8	390	87	89	125	89	44
6	3	1	1	1	128	63	43	14	8	18	3	8	2	5	45
13	9	4	-	-	391	286	91	10	4	64	36	14	10	4	46
3	2	1	-	-	8	4	4	-	-	4	1	-	-	3	47
6	3	3	-	-	71	43	17	10	1	20	12	2	5	1	48
-	-	-	-	-	17	9	7	1	-	3	-	1	2	-	49
62	49	13	-	-	820	693	92	31	4	128	101	16	8	3	50
56	31	20	1	4	782	513	208	36	25	225	120	62	21	22	51
340	174	136	13	17	7,907	4,334	2,684	575	314	1,277	532	365	233	147	52
1	-	1	-	-	2	-	2	-	-	2	1	-	-	1	53
25	18	7	-	-	790	522	207	49	12	79	48	16	10	5	54
27	20	7	-	-	680	483	168	21	8	100	56	25	15	4	55
2	1	1	-	-	36	18	16	1	1	7	7	-	-	-	56
16	8	6	-	2	209	107	77	17	8	44	14	12	11	7	57
48	18	26	3	1	856	394	397	32	33	185	51	74	35	25	58
58	20	23	6	9	196	96	64	17	19	174	28	28	74	44	59
6	5	1	-	-	453	205	230	11	7	40	17	13	5	5	60
84	50	30	2	2	3,235	1,819	877	368	171	269	148	61	37	23	61
56	28	26	1	1	2,130	1,189	612	226	103	186	96	46	26	18	62
28	22	4	1	1	1,105	630	265	142	68	83	52	15	11	5	63
20	8	9	1	2	555	247	281	9	18	77	26	38	3	10	64
6	2	3	-	1	48	16	31	1	-	20	14	4	2	-	65
47	24	22	1	-	847	427	334	49	37	280	122	94	41	23	66
147	87	42	11	7	2,748	1,464	944	188	152	883	324	230	185	144	67
82	47	27	5	3	1,140	532	454	94	60	425	138	106	102	79	68
3	1	1	-	1	53	25	15	7	6	20	2	5	7	6	69
11	4	5	1	1	50	27	16	7	-	27	9	7	7	4	70
68	42	21	4	1	1,037	480	423	80	54	378	127	94	88	69	71
27	13	7	4	3	778	342	332	46	58	236	87	88	27	34	72
4	3	1	-	-	152	87	51	7	7	45	11	22	6	6	73
8	4	2	2	-	194	102	69	13	10	59	25	11	16	7	74
13	13	...	-	...	402	377	...	25	...	86	56	...	30	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
13	7	5	-	1	82	24	38	3	17	32	7	3	4	18	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6	...	6	...	-	46	...	22	...	24
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	4	...	3	...	1
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	4	...	4	...	-	6	...	2	...	4
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	3	...	3	...	-
ECTOPIC PREGNANCY.....645	-	...	-	...	-	3	...	1	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	5	...	1	...	4
ABORTION WITH SEPSIS.....651	1	...	1	...	-	8	...	3	...	5
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	1	...	1	...	-	17	...	9	...	8
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	8	3	5	-	-	68	24	37	5	2
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	2	1	1	-	-	21	10	10	1	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	6	2	4	-	-	47	14	27	4	2
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	15	7	8	-	-	110	38	65	3	4
ARTHRITIS AND SPONDYLITIS.....720-725	10	6	4	-	-	52	17	33	2	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	2	-	1	-	1
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	6	2	3	1	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	4	-	4	-	-
INBORN DEFECT OF MUSCLE.....744.1	3	1	2	-	-	14	8	4	-	2
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	2	-	2	-	-	32	11	20	-	1
XIV. CONGENITAL MALFORMATIONS.....	74	35	39	-	-	724	338	304	45	37
SPINA BIFIDA AND MENINGOCELE.....751	6	2	4	-	-	39	18	16	3	2
CONGENITAL HYDROCEPHALUS, ETC.....752,753	8	2	6	-	-	78	34	37	4	3
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	38	20	18	-	-	362	173	148	21	20
OTHER CONGENITAL MALFORMATIONS.....750,755-759	22	11	11	-	-	245	113	103	17	12
XV. CERTAIN DISEASES OF EARLY INFANCY.....	201	116	85	-	-	2,033	861	644	290	238
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	84	52	32	-	-	144	66	50	16	12
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	5	-	5	-	-	32	13	17	-	2
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	79	52	27	-	-	112	53	33	16	10
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	335	210	123	1	1	3,059	1,753	860	310	136
ACCIDENTS.....E800-E962	266	155	109	1	1	2,400	1,362	695	233	110
RAILWAY ACCIDENTS.....E800-E802	1	1	-	-	-	21	15	2	4	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	92	62	29	1	-	797	547	173	62	15
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	90	60	29	1	-	779	532	170	62	15
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	-	1	-	-	9	7	2	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	15	11	4	-	-	239	153	59	21	6
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	35	21	14	-	-	289	210	55	19	5
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	31	24	6	1	-	216	146	46	20	4
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	8	4	4	-	-	26	16	8	2	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	2	2	-	-	-	18	15	3	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	2	-	-	-	3	2	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	5	4	1	-	-	23	19	1	3	-
AIRCRAFT ACCIDENTS.....E860-E866	16	10	6	-	-	40	37	-	2	1
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	4	3	1	-	-	42	20	10	4	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	4	2	2	-	-	42	26	7	4	5
ACCIDENTAL FALLS.....E900-E904	65	23	42	-	-	704	304	324	51	25
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	21	12	9	-	-	239	125	77	27	10
FALL ON SAME LEVEL.....E903	28	7	21	-	-	106	52	45	7	2
UNSPECIFIED FALLS.....E904	16	4	12	-	-	359	127	202	17	13
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	4	3	1	-	-	21	16	3	2	-
ACCIDENT CAUSED BY MACHINERY.....E912	4	4	-	-	-	32	27	1	4	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1	-	1	-	-	15	14	1	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	25	14	10	-	1	222	97	72	29	24
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	-	-	-	-	-	7	3	3	1	-
ACCIDENT CAUSED BY FIREARM.....E919	3	2	1	-	-	30	25	2	2	1
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	3	2	1	-	-	72	28	20	14	10
ACCIDENTAL DROWNING.....E929	18	12	6	-	-	151	100	22	28	1
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	9	4	4	1	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	6	2	4	-	-	37	10	20	2	5
ALL OTHER ACCIDENTS.....RESIDUAL	13	9	4	-	-	132	68	29	20	15
SUICIDE.....E963,E970-E979	67	54	13	-	-	508	348	136	17	7
SUICIDE BY POISONING.....E970-E973	15	10	5	-	-	124	70	51	1	2
SUICIDE BY HANGING AND STRANGULATION.....E974	7	6	1	-	-	166	123	41	2	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	35	33	2	-	-	122	103	11	7	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	10	5	5	-	-	96	52	33	7	4
HOMICIDE.....E964,E980-E985	2	1	1	-	-	150	42	29	60	19
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	2	1	1	-	-	52	20	8	18	6
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	-	-	-	-	-	49	8	4	30	7
ASSAULT BY OTHER MEANS.....E964,E980,E983	-	-	-	-	-	48	13	17	12	6
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	1	1	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
19	...	16	...	3	168	...	104	...	64	55	...	21	...	34	1 2 3 4
3	...	3	...	-	9	...	6	...	3	3	...	2	...	1	5
4	...	3	...	1	8	...	6	...	2	15	...	4	...	11	6
5	...	4	...	1	28	...	20	...	8	12	...	6	...	6	7
-	...	-	...	-	10	...	5	...	5	4	...	2	...	2	8
2	...	2	...	-	12	...	5	...	7	4	...	1	...	3	9
4	...	3	...	1	45	...	19	...	26	1	...	1	...	-	10
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	11
1	...	1	...	-	53	...	41	...	12	16	...	5	...	11	12 13 14
8	2	5	1	-	184	56	99	12	17	60	17	18	6	19	15 16
2	-	2	-	-	46	14	23	6	3	21	8	7	1	5	17
6	2	3	1	-	138	42	76	6	14	39	9	11	5	14	18 19 20
15	6	9	-	-	268	119	134	6	9	92	46	24	12	10	21 22
9	4	5	-	-	112	36	70	4	2	63	31	15	8	9	23
1	-	1	-	-	3	1	-	-	2	1	-	1	-	-	24
1	-	1	-	-	25	12	11	1	1	5	2	1	2	-	25
-	-	-	-	-	11	4	6	-	1	1	1	-	-	-	26
1	-	1	-	-	52	40	12	-	-	12	8	2	2	-	27
3	2	1	-	-	65	26	35	1	3	10	4	5	-	1	28 29 30
143	74	58	4	7	1,918	934	776	114	94	544	220	171	84	69	31 32
13	6	6	-	1	91	33	51	4	3	35	11	18	4	2	33
17	7	8	1	1	214	94	98	8	14	75	35	15	12	13	34
66	31	31	2	2	976	500	367	62	47	273	124	72	42	35	35
47	30	13	1	3	637	307	260	40	30	161	50	66	26	19	36 37
497	247	191	28	31	5,565	2,468	1,731	789	577	1,952	662	430	486	374	38 39
371	214	92	33	32	743	337	246	93	67	915	247	153	289	226	40 41
19	4	14	-	1	41	18	22	-	1	77	19	35	9	14	42
352	210	78	33	31	702	319	224	93	66	838	228	118	280	212	43 44 45
861	556	180	101	24	8,929	5,144	2,603	885	297	3,497	1,760	588	846	303	46 47
710	459	144	87	20	6,741	3,898	2,087	547	209	2,648	1,326	486	591	245	48
8	4	-	4	-	108	73	14	20	1	23	11	1	10	1	49
340	219	67	42	12	2,324	1,568	550	152	54	1,317	736	220	289	72	50
330	215	63	41	11	2,275	1,533	538	151	53	1,285	719	210	287	69	51
2	2	-	-	-	35	21	12	1	1	35	22	7	6	-	52
49	28	6	12	3	728	464	176	63	25	230	100	37	68	25	53
150	97	34	12	7	788	528	210	39	11	526	291	106	105	24	54
126	86	23	16	1	642	475	114	41	12	446	275	51	100	20	55
3	2	-	1	-	82	45	26	7	4	48	31	9	8	-	56
10	4	4	1	1	49	35	12	1	1	32	17	10	2	3	57 58
5	2	1	2	-	14	10	4	-	-	3	2	-	1	-	59
3	3	-	-	-	73	53	7	10	3	48	30	2	13	3	60
22	19	2	-	1	43	33	8	1	1	22	20	1	1	-	61
16	8	7	1	-	96	32	38	18	8	73	28	17	20	8	62
12	7	4	1	-	91	63	16	9	3	13	3	4	4	2	63
60	30	25	5	-	2,198	1,004	1,001	141	52	280	111	126	24	19	64
15	11	4	-	-	756	426	244	61	25	80	36	24	16	4	65
18	10	6	2	-	696	252	410	22	12	68	23	39	2	4	66
27	9	15	3	-	746	326	347	58	15	132	52	63	6	11	67 68
14	14	-	-	-	52	42	4	6	-	29	17	3	8	1	69
18	17	1	-	-	87	84	-	3	-	48	39	1	7	1	70
10	10	-	-	-	51	37	7	7	-	24	18	-	6	-	71
49	30	12	4	3	496	224	187	44	41	241	84	35	57	65	72
1	-	-	1	-	39	18	14	5	2	11	2	2	5	2	73
29	24	3	2	-	87	72	7	8	-	76	47	7	15	7	74
30	17	8	5	-	145	84	41	12	8	79	26	22	16	15	75
40	28	6	6	-	398	266	57	68	7	151	84	12	51	4	76
2	1	1	-	-	7	4	3	-	-	2	-	-	2	-	77
6	3	2	-	1	80	32	36	7	5	25	10	6	5	4	78
45	23	5	14	3	352	199	93	36	24	183	58	27	57	41	79 80 81
97	68	20	7	2	1,529	999	438	72	20	451	324	73	49	5	82
16	11	5	-	-	371	200	164	7	-	60	42	11	4	3	83
8	5	2	-	1	383	282	84	14	3	38	28	9	1	-	84
66	48	11	7	-	319	287	20	12	-	323	240	43	39	1	85
7	4	2	-	1	456	230	170	39	17	30	14	10	5	1	86 87
54	29	16	7	2	657	245	78	266	68	398	110	29	206	53	88
33	16	12	3	2	153	80	22	45	6	260	78	23	133	26	89
12	7	2	3	-	265	76	20	145	24	75	11	3	50	11	90
8	5	2	1	-	216	74	36	68	38	59	19	3	21	16	91
1	1	-	-	-	21	15	-	6	-	3	2	-	1	-	92
-	-	-	-	-	2	-	-	2	-	1	-	-	1	-	93 94
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	5,257	3,106	2,000	90	61	92,432	47,319	37,454	4,348	3,311
I. INFECTIVE AND PARASITIC DISEASES	30	10	19	1	-	1,003	551	245	144	63
TUBERCULOSIS, ALL FORMS 001-019	8	2	6	-	-	468	294	75	77	22
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	8	2	6	-	-	437	286	67	68	16
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	6	2	1	2	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	2	-	-	1	1
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	3	1	-	1	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	15	4	6	4	1
DISSEMINATED TUBERCULOSIS 019	-	-	-	-	-	5	1	1	1	2
SYPHILIS AND ITS SEQUELAE 020-029	2	2	-	-	-	184	90	31	39	24
CONGENITAL SYPHILIS 020	-	-	-	-	-	3	2	1	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	1	1	-	-	-	49	31	8	7	3
OTHER CARDIOVASCULAR SYPHILIS 023	1	1	-	-	-	83	34	13	20	16
TABES DORSALIS 024	-	-	-	-	-	5	4	-	1	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	21	12	3	3	3
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	18	6	3	7	2
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	5	1	3	1	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	1	1	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	1	1	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	1	-	1	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	8	4	4	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	1	1	-	-	-
SCARLET FEVER 050	-	-	-	-	-	1	1	-	-	-
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	5	3	2	-	-
ERYSIPELAS 052	-	-	-	-	-	2	1	1	-	-
SEPTICEMIA AND PYEMIA 053	7	1	5	1	-	95	44	35	9	7
DIPHTHERIA 055	1	-	1	-	-	-	-	-	-	-
WHOOPING COUGH 056	1	-	1	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	2	-	2	-	-	30	13	11	4	2
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	9	6	2	1	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	-	-	-	-	-	5	3	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	7	2	5	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	-	-	-	-	-	28	16	9	2	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	6	4	1	1	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	1	-	1	-	-	27	11	15	-	1
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	2	-	2	-	-	48	16	27	3	2
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	1	1	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	4	4	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	5	4	1	-	-	70	35	24	7	4
II. NEOPLASMS	775	420	340	7	8	15,442	7,493	6,738	706	505
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	768	416	337	7	8	15,250	7,410	6,641	703	496
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	10	7	3	-	-	345	258	65	16	6
OF LIP 140	-	-	-	-	-	10	9	1	-	-
OF TONGUE 141	2	-	2	-	-	76	58	14	2	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	4	3	1	-	-	120	76	35	7	2
OF PHARYNX 145-148	4	4	-	-	-	139	115	15	7	2
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	281	152	125	2	2	5,166	2,599	2,126	271	170
OF ESOPHAGUS 150	8	5	3	-	-	265	198	32	26	9
OF STOMACH 151	85	54	31	-	-	1,036	568	350	88	30
OF SMALL INTESTINE, INCLUDING DUODENUM 152	3	2	1	-	-	51	13	32	3	3
OF LARGE INTESTINE, EXCEPT RECTUM 153	62	26	36	-	-	1,801	826	873	46	56
CECUM, APPENDIX, AND ASCENDING COLON 153.0	11	4	7	-	-	238	102	121	7	8
TRANSVERSE COLON 153.1	4	-	4	-	-	97	52	41	2	2
DESCENDING COLON 153.2	5	2	3	-	-	71	30	38	1	2
SIGMOID COLON 153.3	13	6	7	-	-	366	163	182	7	14
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	5	3	2	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	27	12	15	-	-	909	432	424	26	27
INTESTINAL TRACT, PART UNSPECIFIED 153.9	2	2	-	-	-	115	44	65	3	3
OF RECTUM 154	30	12	17	1	-	631	344	235	27	25
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	27	10	15	1	1	395	140	219	23	13
LIVER 155.0	6	2	4	-	-	110	56	35	16	3
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	21	8	11	1	1	285	84	184	7	10
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	2	-	1	-	1	167	79	75	10	3
OF PANCREAS 157	55	38	17	-	-	716	385	263	41	27
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	9	5	4	-	-	104	46	47	7	4

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
22,988	12,180	8,438	1,265	1,105	16,882	9,885	6,679	201	117	120,758	61,936	49,493	5,225	4,104	2
															3
															4
274	136	68	34	36	135	81	40	9	5	1,485	855	333	193	104	5
															6
137	65	28	25	19	59	39	11	6	3	881	562	142	122	55	7
119	61	25	18	15	53	35	10	5	3	841	548	129	115	49	8
3	-	1	1	1	1	1	-	-	-	7	2	2	1	2	9
															10
2	1	-	1	-	-	-	-	-	-	3	1	1	-	1	11
3	1	1	1	-	1	-	1	-	-	8	3	4	-	1	12
5	1	1	1	2	-	-	-	-	-	12	3	5	2	2	13
5	1	-	3	1	4	3	-	1	-	10	5	1	4	-	14
															15
32	18	6	3	5	18	15	1	2	-	242	126	45	41	30	16
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15	11	3	-	1	7	7	-	-	-	103	73	21	5	4	19
12	2	3	3	4	8	5	1	2	-	85	30	14	21	20	20
-	-	-	-	-	-	-	-	-	-	8	3	3	2	-	21
2	2	-	-	-	1	1	-	-	-	22	11	4	5	2	22
3	3	-	-	-	1	1	-	-	-	17	8	1	6	2	23
-	-	-	-	-	1	1	-	-	-	5	1	2	1	1	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	1	-	-	-	1	-	1	-	-	7	1	-	4	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
6	1	-	2	3	3	1	1	-	1	2	1	1	-	-	31
4	1	1	-	2	-	-	-	-	-	1	1	-	-	-	32
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	33
2	2	-	-	-	1	1	-	-	-	5	2	3	-	-	34
2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	35
25	14	7	2	2	14	9	5	-	-	111	47	45	12	7	36
															37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	4	2	-	1	1	39
1	-	1	-	-	11	4	7	-	-	25	14	8	2	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
5	3	1	1	-	-	-	-	-	-	7	7	-	-	-	43
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	44
-	-	-	-	-	2	-	2	-	-	8	4	4	-	-	45
1	1	-	-	-	1	-	1	-	-	4	2	2	-	-	46
5	3	2	-	-	4	3	1	-	-	32	15	13	2	2	47
1	1	-	-	-	2	1	-	1	-	7	5	2	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
4	2	1	-	1	1	-	1	-	-	25	11	13	-	1	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
14	5	8	-	1	10	4	6	-	-	43	14	27	2	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	62
33	18	12	1	2	8	4	3	-	1	74	36	26	7	5	63
															64
3,658	1,779	1,553	152	174	2,677	1,465	1,176	19	17	20,247	9,867	8,937	817	626	65
															66
															67
3,596	1,746	1,528	151	171	2,642	1,447	1,161	19	15	19,844	9,678	8,766	799	601	68
67	47	15	4	1	48	28	19	-	1	409	297	75	31	6	69
2	2	-	-	-	3	3	-	-	-	13	11	2	-	-	70
10	7	2	1	-	12	6	6	-	-	113	83	17	11	2	71
28	18	8	1	1	16	9	7	-	-	119	85	27	5	2	72
27	20	5	2	-	17	10	6	-	1	164	118	29	15	2	73
															74
															75
1,060	473	476	51	60	855	492	350	8	5	7,049	3,425	3,123	301	200	76
39	28	7	4	-	36	27	9	-	-	357	235	70	45	7	77
234	110	91	16	17	205	134	63	7	1	1,469	810	537	87	35	78
12	6	5	1	-	7	4	3	-	-	58	21	33	3	1	79
315	121	170	11	13	261	126	132	-	3	2,456	1,043	1,268	61	84	80
39	11	23	2	3	37	18	19	-	-	307	124	164	9	10	81
17	4	13	-	-	13	10	3	-	-	139	61	72	3	3	82
10	6	4	-	-	3	1	2	-	-	107	41	59	4	3	83
61	26	32	2	1	66	35	30	-	1	541	248	260	13	20	84
-	-	-	-	-	-	-	-	-	-	11	5	5	1	-	85
171	68	89	6	8	123	55	66	-	2	1,186	496	618	28	44	86
17	6	9	1	1	19	7	12	-	-	165	68	90	3	4	87
															88
90	40	41	3	6	75	47	27	-	1	929	494	387	26	22	89
66	26	31	2	7	76	36	40	-	-	436	147	264	16	9	90
25	13	7	2	3	16	11	5	-	-	93	54	33	4	2	91
41	13	24	-	4	60	25	35	-	-	343	93	231	12	7	92
84	38	35	4	7	33	20	13	-	-	274	132	118	11	13	93
189	93	77	10	9	150	92	57	1	-	933	485	379	47	22	94
31	11	19	-	1	12	6	6	-	-	137	58	67	5	7	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	72	61	9	1	1	2,313	1,742	360	183	28
OF LARYNX.....161	5	5	-	-	-	129	111	9	7	2
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	25	22	3	-	-	984	748	134	92	10
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	39	31	6	1	1	1,148	855	198	81	14
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	3	3	-	-	-	52	28	19	3	2
MALIGNANT NEOPLASM OF BREAST.....170	68	1	67	-	-	1,401	12	1,307	2	80
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	132	71	55	1	5	2,239	757	1,262	95	125
OF CERVIX UTERI.....171	16	...	13	...	3	492	...	425	...	67
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	16	...	15	...	1	344	...	311	...	33
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	28	...	27	...	1	502	...	478	...	24
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	-	...	-	...	-	49	...	48	...	1
OF PROSTATE.....177	69	69	...	-	...	804	714	...	90	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	2	...	1	...	48	43	...	5	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	40	19	21	-	-	770	501	230	26	13
OF KIDNEY.....180	22	9	13	-	-	325	216	96	9	4
OF BLADDER AND OTHER URINARY ORGANS.....181	18	10	8	-	-	445	285	134	17	9
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	71	45	26	-	-	1,549	757	687	60	45
OF SKIN.....190,191	11	9	2	-	-	192	99	82	5	6
OF EYE.....192	1	1	-	-	-	12	5	7	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	21	15	6	-	-	375	209	143	17	6
OF THYROID GLAND.....194	4	1	3	-	-	71	18	53	-	-
OF BONE.....196	7	6	1	-	-	86	56	27	2	1
OF CONNECTIVE TISSUE.....197	3	1	2	-	-	56	20	28	7	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	2	1	1	-	-	82	49	23	4	6
OF UNSPECIFIED SITES.....156B,165,198,199B	22	11	11	-	-	675	301	324	25	25
LEUKEMIA AND ALEUKEMIA.....204	43	33	9	1	-	689	384	274	11	20
LYMPHOSARCOMA, ETC.....200-203,205	51	27	22	2	-	778	400	330	39	9
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	22	15	6	1	-	348	169	162	14	3
HODGKINS DISEASE.....201	12	6	5	1	-	178	105	61	11	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	17	6	11	-	-	252	126	107	14	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	7	4	3	-	-	192	83	97	3	9
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	1	...	1	...	-	15	...	13	...	2
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	2	1	-	-	46	23	23	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	1	-	1	-	-	60	24	29	3	4
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1	1	-	-	-	42	19	20	-	3
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	1	1	-	-	-	29	17	12	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	116	52	59	3	2	2,872	1,113	1,517	102	140
ASTHMA.....241	14	10	4	-	-	241	146	65	17	13
NONTOXIC GOITER.....250,251	-	-	-	-	-	8	-	6	-	2
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	-	-	-	-	-	43	5	35	1	2
ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	18	1	15	1	1
DIABETES MELLITUS.....260	83	32	48	2	1	2,284	836	1,271	68	109
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS.....274	2	1	1	-	-	25	9	14	2	-
PELLAGRA.....281	-	-	-	-	-	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	4	1	1	1	1	79	33	35	6	5
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	12	8	4	-	-	171	81	75	7	8
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	26	17	9	-	-	262	108	121	18	15
ANEMIAS.....290-293	17	11	6	-	-	173	61	87	13	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	9	5	4	-	-	33	11	18	2	2
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	8	6	2	-	-	140	50	69	11	10
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	6	3	3	-	-	36	15	17	3	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	3	3	-	-	-	53	32	17	2	2
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	17	9	4	4	-	206	105	64	25	12
SENILE PSYCHOSIS.....304	1	-	1	-	-	20	6	11	2	1
ALCOHOLIC PSYCHOSIS.....307	4	3	-	1	-	22	17	1	3	1
OTHER PSYCHOSES.....300-303,305,306,308,309	1	1	-	-	-	37	13	19	1	4
ALCOHOLISM.....322	8	5	1	2	-	100	58	20	18	4
MENTAL DEFICIENCY.....325	3	-	2	1	-	23	11	9	1	2
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	-	-	-	-	-	4	-	4	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	697	375	314	4	4	11,984	5,256	5,842	447	439
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	648	345	296	4	3	11,154	4,857	5,495	398	404
SUBARACHNOID HEMORRHAGE.....330	27	9	15	-	3	438	172	210	26	30
CEREBRAL HEMORRHAGE.....331	441	234	206	1	-	6,425	2,769	3,201	220	235
CEREBRAL EMBOLISM AND THROMBOSIS.....332	138	85	51	2	-	3,441	1,542	1,649	132	118
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	42	17	24	1	-	850	374	435	20	21
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	6	5	1	-	-	103	54	25	14	10
MULTIPLE SCLEROSIS.....345	9	3	6	-	-	107	34	61	6	6
PARALYSIS AGITANS.....350	14	8	5	-	1	182	99	76	4	3
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	2	2	-	-	-	38	20	18	-	-
EPILEPSY.....353	5	2	3	-	-	125	58	47	13	7
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	2	1	-	-	1
GLAUCOMA.....387	-	-	-	-	-	1	1	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	1	1	-	-	-	15	8	7	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	12	9	3	-	-	257	124	113	12	8

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
570	445	95	24	6	390	341	45	3	1	2,955	2,305	411	208	31	5
29	25	2	2	-	22	20	2	-	-	164	138	8	15	3	6
167	138	20	9	-	196	175	20	-	1	1,143	892	125	110	16	7
361	274	69	12	6	164	141	20	3	-	1,600	1,246	263	80	11	8
13	8	4	1	-	8	5	3	-	-	48	29	15	3	1	9
272	-	245	1	26	259	2	257	-	-	1,720	19	1,598	1	102	10
															11
598	258	259	35	46	393	186	201	2	4	2,706	1,012	1,461	104	129	12
119	...	97	...	22	73	...	72	...	1	503	...	439	...	64	13
86	...	70	...	16	54	...	54	...	-	463	...	422	...	41	14
90	...	83	...	7	74	...	71	...	3	559	...	539	...	20	15
10	...	9	...	1	4	...	4	...	-	65	...	61	...	4	16
273	239	...	34	...	181	180	...	1	...	1,029	935	...	94	...	17
20	19	...	1	...	7	6	...	1	...	87	77	...	10	...	18
155	84	55	8	8	107	65	42	-	-	949	579	311	37	22	19
77	44	27	3	3	31	15	16	-	-	338	186	127	16	9	20
78	40	28	5	5	76	50	26	-	-	611	393	184	21	13	21
															22
															23
502	232	237	16	17	290	163	121	3	3	2,293	1,102	1,056	61	74	24
68	39	28	-	1	33	22	11	-	-	259	150	100	5	4	25
9	4	5	-	-	3	2	1	-	-	24	15	8	-	1	26
72	37	33	1	1	85	51	32	1	1	390	202	170	9	9	27
9	7	2	-	-	10	5	4	-	1	77	22	50	-	5	28
37	17	17	2	1	21	9	11	1	-	131	68	57	2	4	29
27	13	12	1	1	14	7	7	-	-	79	40	35	2	2	30
23	13	9	-	1	13	7	6	-	-	120	70	40	3	7	31
257	102	131	12	12	111	60	49	1	1	1,213	535	596	40	42	32
184	98	77	6	3	155	95	59	-	1	860	473	348	20	19	33
188	109	69	6	4	145	75	67	3	-	903	466	383	36	18	34
98	53	42	3	-	63	29	33	1	-	410	209	179	15	7	35
38	24	12	2	-	28	19	9	-	-	212	116	87	7	2	36
															37
52	32	15	1	4	54	27	25	2	-	281	141	117	14	9	38
															39
62	33	25	1	3	35	18	15	-	2	403	189	171	18	25	40
6	...	6	...	-	-	...	-	...	-	28	...	21	...	7	41
17	12	4	-	1	14	5	8	-	1	70	19	39	6	6	42
5	3	2	-	-	6	5	1	-	-	64	38	17	4	5	43
-	...	-	...	-	-	...	-	...	-	5	...	5	...	-	44
25	14	8	1	2	6	5	1	-	-	153	88	61	2	2	45
9	4	5	-	-	9	3	5	-	1	83	44	28	6	5	46
															47
															48
540	221	252	21	46	342	155	179	6	2	3,398	1,223	1,891	113	171	49
															50
67	43	20	2	2	74	49	23	2	-	287	161	97	15	14	51
2	1	1	-	-	2	-	2	-	-	8	-	6	-	2	52
5	1	2	1	1	7	1	6	-	-	49	9	32	2	6	53
2	-	2	-	-	4	3	1	-	-	22	5	17	-	-	54
380	147	182	16	35	205	78	124	2	1	2,689	879	1,596	75	139	55
2	1	1	-	-	-	-	-	-	-	13	10	3	-	-	56
12	4	6	-	2	5	3	2	-	-	34	15	17	2	-	57
1	-	1	-	-	-	-	-	-	-	3	3	-	-	-	58
29	6	18	1	4	13	5	7	-	1	120	56	45	13	6	59
40	18	19	1	2	32	16	14	2	-	173	85	78	6	4	60
															61
82	34	37	4	7	52	29	21	2	-	344	138	173	18	15	62
															63
55	19	30	1	5	31	17	13	1	-	205	77	104	13	11	64
15	6	9	-	-	8	4	4	-	-	38	11	25	1	1	65
40	13	21	1	5	23	13	9	1	-	167	66	79	12	10	66
9	4	3	1	1	9	3	5	1	-	46	15	29	-	2	67
18	11	4	2	1	12	9	3	-	-	93	46	40	5	2	68
															69
63	27	26	6	4	57	40	10	6	1	215	115	63	28	9	70
															71
13	4	8	-	1	5	3	2	-	-	17	7	10	-	-	72
3	2	1	-	-	8	6	1	1	-	17	11	2	4	-	73
13	6	6	1	-	2	1	1	-	-	38	17	17	3	1	74
24	13	3	5	3	30	23	3	4	-	112	70	15	20	7	75
7	-	7	-	-	7	6	1	-	-	21	8	12	-	1	76
3	2	1	-	-	5	1	2	1	1	10	2	7	1	-	77
															78
3,116	1,479	1,354	136	147	2,248	1,102	1,121	17	8	13,672	5,988	6,693	465	526	79
															80
2,892	1,366	1,262	127	137	2,087	1,015	1,048	16	8	12,702	5,517	6,293	405	487	81
67	30	28	2	7	83	37	44	1	1	438	179	201	23	35	82
1,815	878	771	80	86	1,085	522	551	8	4	6,800	2,950	3,390	216	244	83
719	335	331	31	22	734	371	354	7	2	4,320	1,881	2,135	129	175	84
291	123	132	14	22	185	85	99	-	1	1,144	507	567	37	33	85
29	14	13	1	1	19	14	5	-	-	128	57	45	11	15	86
12	6	4	1	1	23	9	14	-	-	112	50	54	2	6	87
41	26	15	-	-	42	24	17	1	-	220	113	103	2	2	88
8	3	3	1	1	7	5	2	-	-	34	17	14	3	-	89
26	14	9	1	2	15	10	5	-	-	136	59	51	21	5	90
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	91
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
1	1	-	-	-	3	1	2	-	-	24	12	9	2	1	94
107	49	48	5	5	52	24	28	-	-	311	162	120	19	10	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	2,186	1,377	773	20	16	40,480	21,636	16,152	1,484	1,208
DISEASES OF HEART....400-402,410-443	1,960	1,247	677	20	16	36,074	19,619	14,117	1,301	1,037
RHEUMATIC FEVER....400-402	3	3	-	-	-	29	9	18	2	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	56	26	25	4	1	995	447	489	36	23
DISEASES OF MITRAL VALVE....410	23	8	13	1	1	383	136	224	15	8
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	8	8	-	-	-	140	96	34	9	1
DISEASES OF PULMONARY VALVE, ETC....413,414	2	-	1	1	-	32	13	17	-	2
OTHER RHEUMATIC HEART DISEASES....412,415,416	23	10	11	2	-	440	202	214	12	12
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	1,574	1,053	494	15	12	27,214	15,914	9,861	855	584
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	567	361	196	5	5	11,495	5,925	4,958	345	267
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	1,006	691	298	10	7	15,696	9,979	4,893	510	314
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	1	1	-	-	-	23	10	10	-	3
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	20	12	8	-	-	244	132	96	11	5
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	1	-	1	-	-	12	4	7	1	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	12	8	4	-	-	107	73	29	3	2
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	7	4	3	-	-	125	55	60	7	3
OTHER MYOCARDIAL DEGENERATION....422	80	39	41	-	-	2,584	1,143	1,322	61	58
WITH ARTERIOSCLEROSIS....422.1	55	25	30	-	-	1,988	881	1,032	39	36
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	25	14	11	-	-	596	262	290	22	22
OTHER DISEASES OF HEART....430-434	101	57	41	-	3	1,220	599	499	65	57
ACUTE AND SUBACUTE ENDOCARDITIS....430	2	1	1	-	-	57	37	10	7	3
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	3	3	-	-	-	59	31	21	4	3
FUNCTIONAL DISEASE OF HEART....433	30	20	10	-	-	344	161	154	20	9
OTHER AND UNSPECIFIED DISEASES OF HEART....434	66	33	30	-	3	760	370	314	34	42
HYPERTENSIVE HEART DISEASE....440-443	126	57	68	1	-	3,788	1,375	1,832	271	310
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	33	20	13	-	-	1,103	498	481	57	67
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	93	37	55	1	-	2,685	877	1,351	214	243
OTHER HYPERTENSIVE DISEASE....444-447	38	19	19	-	-	755	301	334	63	57
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	24	13	11	-	-	455	214	193	26	22
ESSENTIAL HYPERTENSION....444,445,447	14	6	8	-	-	300	87	141	37	35
DISEASES OF ARTERIES....450-456	155	87	68	-	-	3,207	1,524	1,506	85	92
GENERAL ARTERIOSCLEROSIS....450	122	63	59	-	-	2,460	1,055	1,279	59	67
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	22	17	5	-	-	589	396	157	22	14
GANGRENE OF UNSPECIFIED CAUSE....455	1	-	1	-	-	5	1	3	1	-
OTHER ARTERIAL DISEASES....452-454,456	10	7	3	-	-	153	72	67	3	11
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	33	24	9	-	-	444	192	195	35	22
VIII. DISEASES OF THE RESPIRATORY SYSTEM	340	200	130	5	5	3,800	2,215	1,195	241	149
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	3	1	2	-	-	92	37	33	9	13
INFLUENZA....480-483	12	6	5	1	-	152	59	87	1	5
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	236	132	95	4	5	2,070	1,077	764	137	92
LOBAR PNEUMONIA....490	39	22	17	-	-	345	202	104	21	18
BRONCHOPNEUMONIA....491	172	99	66	2	5	1,338	674	511	96	57
PRIMARY ATYPICAL PNEUMONIA....492	8	3	4	1	-	208	110	75	11	12
PNEUMONIA, OTHER AND UNSPECIFIED....493	17	8	8	1	-	179	91	74	9	5
ACUTE BRONCHITIS....500	5	2	3	-	-	56	29	19	5	3
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	16	11	5	-	-	174	118	41	11	4
HYPERTROPHY OF TONSILS AND ADENOIDS....510	1	1	-	-	-	9	4	3	-	2
EMPYEMA AND ABSCESS OF LUNG....518,521	4	4	-	-	-	30	20	6	3	1
PLEURISY....519	-	-	-	-	-	10	5	5	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	23	19	4	-	-	587	464	77	36	10
OTHER RESPIRATORY DISEASES....RESIDUAL	40	24	16	-	-	620	402	160	39	19
IX. DISEASES OF THE DIGESTIVE SYSTEM	180	110	62	5	3	3,558	1,935	1,334	167	122
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	-	-	-	-	-	6	2	4	-	-
ULCER OF STOMACH....540	13	9	4	-	-	332	213	95	20	4
ULCER OF DUODENUM....541	18	17	1	-	-	310	226	65	12	7
GASTRITIS AND DUODENITIS....543	-	-	-	-	-	18	8	9	1	-
APPENDICITIS....550-553	6	3	3	-	-	107	56	32	9	10
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	29	15	11	2	1	533	250	235	28	20
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	8	2	4	1	1	153	60	73	12	8
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	12	7	5	-	-	198	91	97	4	6
CIRRHOSIS OF LIVER....581	40	28	10	2	-	1,043	624	319	53	47
WITHOUT MENTION OF ALCOHOLISM....581.0	30	20	8	2	-	778	458	250	33	37
WITH ALCOHOLISM....581.1	10	8	2	-	-	265	166	69	20	10
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	22	10	12	-	-	263	93	161	2	7
FIBROCYSTIC DISEASE OF PANCREAS....587B	4	2	2	-	-	33	18	14	1	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	28	17	10	-	1	562	294	230	25	13
X. DISEASES OF THE GENITOURINARY SYSTEM	74	48	26	-	-	1,565	854	495	128	88
NEPHRITIS AND NEPHROSIS....590-594	41	20	21	-	-	606	296	228	46	36
ACUTE NEPHRITIS....590	-	-	-	-	-	34	15	16	2	1
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	3	1	2	-	-	48	23	20	3	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	38	19	19	-	-	524	258	192	41	33
INFECTIONS OF KIDNEY....600	8	6	2	-	-	430	172	178	43	37
CALCULI OF URINARY SYSTEM....602,604	2	2	-	-	-	87	44	36	3	4
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	9	7	2	-	-	124	82	25	14	3
HYPERPLASIA OF PROSTATE....610	13	13	...	-	...	249	229	...	20	...
DISEASES OF BREAST....620,621	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	1	-	1	-	-	68	31	27	2	8

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,929	5,066	3,174	361	328	7,259	4,421	2,746	63	29	57,051	30,129	23,491	1,878	1,553	1
8,055	4,664	2,798	303	290	6,542	4,041	2,420	57	24	51,801	27,713	21,018	1,690	1,380	2
5	2	-	2	1	5	1	3	-	1	51	20	20	6	5	3
121	55	58	3	5	172	92	76	2	2	1,441	641	718	35	47	4
41	17	21	1	2	64	34	30	-	-	530	218	282	8	22	5
12	10	1	-	1	31	24	5	2	-	141	97	37	6	1	6
5	2	3	-	-	10	3	7	-	-	90	37	47	5	1	7
63	26	33	2	2	67	31	34	-	2	680	289	352	16	23	8
6,188	3,808	2,019	196	165	5,048	3,276	1,719	37	16	38,508	22,253	14,288	1,157	810	9
1,957	1,062	771	61	63	1,880	1,126	737	15	2	16,769	8,615	7,092	620	442	10
4,223	2,742	1,246	134	101	3,157	2,144	978	21	14	21,713	13,623	7,185	537	368	11
8	4	2	1	1	11	6	4	1	-	26	15	11	-	-	12
50	20	21	4	5	57	35	21	1	-	394	188	176	18	12	13
1	-	1	-	-	3	2	1	-	-	16	6	9	1	-	14
25	14	5	4	2	37	25	12	-	-	167	92	59	11	5	15
24	6	15	-	3	17	8	8	1	-	211	90	108	6	7	16
490	231	221	21	17	405	223	179	3	-	4,955	2,141	2,568	135	111	17
300	138	140	14	8	322	180	139	3	-	3,958	1,709	2,050	109	90	18
190	93	81	7	9	83	43	40	-	-	997	432	518	26	21	19
548	293	192	28	35	261	154	102	5	-	1,609	764	735	63	47	20
8	4	2	2	-	11	8	3	-	-	60	24	30	4	2	21
10	2	5	2	1	9	2	7	-	-	68	39	25	3	1	22
130	67	51	7	5	64	32	31	1	-	480	210	251	9	10	23
400	220	134	17	29	177	112	61	4	-	1,001	491	429	47	34	24
653	255	287	49	62	594	260	320	9	5	4,843	1,706	2,513	276	348	25
182	86	74	12	10	206	115	85	4	2	1,261	554	591	59	57	26
471	169	213	37	52	388	145	235	5	3	3,582	1,152	1,922	217	291	27
164	63	74	13	14	67	31	34	2	-	802	309	393	51	49	28
79	28	36	8	7	35	24	10	1	-	467	209	217	22	19	29
85	35	38	5	7	32	7	24	1	-	335	100	176	29	30	30
586	290	250	30	16	575	312	254	4	5	3,671	1,751	1,742	93	85	31
440	197	205	26	12	399	192	202	1	4	2,833	1,218	1,490	61	64	32
97	69	25	2	1	146	105	37	3	1	583	398	154	19	12	33
7	2	4	1	-	2	2	-	-	-	22	13	8	1	-	34
42	22	16	1	3	28	13	15	-	-	233	122	90	12	9	35
124	49	52	15	8	75	37	38	-	-	777	356	338	44	39	36
982	556	326	57	43	1,028	651	349	16	12	5,545	3,441	1,566	343	195	37
6	3	2	-	1	12	5	7	-	-	39	19	16	1	3	38
34	13	16	4	1	34	9	23	1	1	114	47	58	4	5	39
573	286	211	45	31	639	358	260	12	9	3,126	1,548	1,199	222	157	40
92	44	33	8	7	81	54	22	2	3	530	259	188	57	26	41
274	144	108	15	7	378	211	159	7	1	1,652	834	627	111	80	42
44	17	20	2	5	69	32	31	3	3	390	193	150	24	23	43
163	81	50	20	12	111	61	48	-	2	554	262	234	30	28	44
10	3	7	-	-	14	10	3	1	-	51	32	14	4	1	45
31	18	8	3	2	35	29	6	-	-	152	110	30	10	2	46
1	-	1	-	-	2	1	1	-	-	7	4	2	-	1	47
6	3	3	-	-	5	2	2	-	1	65	43	14	6	2	48
2	2	-	-	-	2	2	-	-	-	7	4	3	-	-	49
165	143	19	3	-	197	177	18	1	1	582	473	60	43	6	50
154	85	59	2	8	88	58	29	1	-	1,402	1,161	170	53	18	51
822	406	311	56	49	603	352	226	14	11	4,399	2,431	1,656	167	145	52
1	-	1	-	-	-	-	-	-	-	5	1	3	-	1	53
71	47	20	3	1	67	46	20	1	-	358	226	106	18	8	54
76	57	15	3	1	60	49	11	-	-	368	270	72	14	12	55
12	8	3	-	1	5	3	2	-	-	25	17	7	-	1	56
31	13	10	4	4	19	11	8	-	-	99	55	28	9	7	57
131	53	63	10	5	89	54	34	-	1	666	298	322	21	25	58
64	23	28	7	6	32	11	16	3	2	163	82	69	8	4	59
34	12	20	1	1	22	10	12	-	-	233	93	125	7	8	60
178	98	52	14	14	161	96	50	8	7	1,293	834	369	50	40	61
137	74	47	9	7	98	58	32	2	6	826	527	265	20	14	62
41	24	5	5	7	63	38	18	6	1	467	307	104	30	26	63
76	19	46	4	7	30	11	18	-	1	342	136	197	3	6	64
8	4	4	-	-	9	5	4	-	-	34	18	16	-	-	65
140	72	49	10	9	109	56	51	2	-	813	401	342	37	33	66
525	285	155	48	37	251	150	94	4	3	1,914	1,046	637	134	97	67
223	91	84	26	22	88	47	36	3	2	890	465	326	51	48	68
19	9	5	4	1	6	3	3	-	-	43	26	12	2	3	69
18	9	8	1	-	7	1	6	-	-	62	36	21	3	2	70
186	73	71	21	21	75	43	27	3	2	785	403	293	46	43	71
161	80	55	13	13	85	43	40	1	1	430	183	179	32	36	72
13	11	2	-	-	8	7	1	-	-	92	46	40	3	3	73
29	19	6	3	1	31	16	15	-	-	161	91	51	14	5	74
78	73	...	5	...	35	35	...	-	...	259	225	...	34	...	75
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	76
21	11	8	1	1	4	2	2	-	-	81	36	40	-	5	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	5	...	4	...	1	49	...	37	...	12
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	6	...	4	...	2
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	1	...	-	...	1	4	...	3	...	1
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	6	...	5	...	1
ECTOPIC PREGNANCY.....645	1	...	1	...	-	3	...	1	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	1	...	-	3	...	1	...	2
ABORTION WITH SEPSIS.....651	-	...	-	...	-	8	...	6	...	2
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	2	...	-	19	...	17	...	2
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	10	4	6	-	-	122	56	51	7	8
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	1	1	-	-	-	32	18	10	2	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	9	3	6	-	-	90	38	41	5	6
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	13	5	8	-	-	216	77	126	5	8
ARTHRITIS AND SPONDYLITIS.....720-725	8	2	6	-	-	121	33	84	3	1
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	5	3	2	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	14	5	6	2	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	5	3	2	-	-
INBORN DEFECT OF MUSCLE.....744.1	1	1	-	-	-	27	18	6	-	3
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	4	2	2	-	-	44	15	26	-	3
XIV. CONGENITAL MALFORMATIONS.....	81	39	39	2	1	1,259	630	498	71	60
SPINA BIFIDA AND MENINGOCELE.....751	7	3	4	-	-	67	32	30	2	3
CONGENITAL HYDROCEPHALUS, ETC.....752,753	8	5	2	1	-	150	60	72	10	8
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	35	20	13	1	1	616	326	215	41	34
OTHER CONGENITAL MALFORMATIONS.....750,755-759	31	11	20	-	-	426	212	181	18	15
XV. CERTAIN DISEASES OF EARLY INFANCY.....	251	140	91	11	9	3,378	1,620	1,169	326	263
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	24	13	8	3	-	533	253	197	52	31
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	10	5	5	-	-	67	24	41	1	1
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	14	8	3	3	-	466	229	156	51	30
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	432	287	108	25	12	5,703	3,417	1,673	425	188
ACCIDENTS.....E800-E962	363	232	100	21	10	4,418	2,603	1,415	267	133
RAILWAY ACCIDENTS.....E800-E802	2	-	1	1	-	45	32	6	7	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	161	106	39	8	8	1,674	1,086	453	90	45
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	151	98	38	8	7	1,627	1,049	447	88	43
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	14	10	4	-	-	60	42	17	-	1
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	14	9	3	2	-	299	178	82	28	11
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	75	47	22	4	2	707	429	221	37	20
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	46	30	9	2	5	437	311	97	20	9
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2	2	-	-	-	124	89	30	3	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	10	8	1	-	1	47	37	6	2	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	3	3	-	-	-	7	5	2	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	2	1	1	-	-	49	40	7	2	-
AIRCRAFT ACCIDENTS.....E860-E866	6	5	1	-	-	52	48	4	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	6	2	4	-	-	51	26	18	4	3
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	5	3	1	1	-	91	54	19	10	8
ACCIDENTAL FALLS.....E900-E904	68	31	35	1	1	1,182	522	614	26	20
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	29	15	13	1	-	373	225	138	5	5
FALL ON SAME LEVEL.....E903	20	8	12	-	-	185	56	118	6	5
UNSPECIFIED FALLS.....E904	19	8	10	-	1	624	241	358	15	10
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	4	3	-	1	-	61	52	4	5	-
ACCIDENT CAUSED BY MACHINERY.....E912	14	14	-	-	-	90	81	3	6	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1	1	-	-	-	43	39	3	1	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	31	22	7	2	-	316	135	108	44	29
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	2	-	-	-	18	9	6	-	3
ACCIDENT CAUSED BY FIREARM.....E919	12	10	2	-	-	78	57	12	5	4
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	5	2	3	-	-	86	45	31	4	6
ACCIDENTAL DROWNING.....E929	24	17	4	3	-	218	162	29	27	-
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	7	4	1	2	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	-	-	-	-	-	50	15	29	2	4
ALL OTHER ACCIDENTS.....RESIDUAL	17	10	2	4	1	300	191	66	32	11
SUICIDE.....E963,E970-E979	57	49	6	2	-	956	715	197	36	8
SUICIDE BY POISONING.....E970-E973	5	4	1	-	-	206	135	60	9	2
SUICIDE BY HANGING AND STRANGULATION.....E974	15	14	1	-	-	217	150	60	7	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	29	26	1	2	-	431	375	35	17	4
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	8	5	3	-	-	102	55	42	3	2
HOMICIDE.....E964,E980-E985	12	6	2	2	2	328	98	61	122	47
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	8	5	1	1	1	189	55	41	66	27
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	-	-	-	-	-	59	13	8	31	7
ASSAULT BY OTHER MEANS.....E964,E980,E983	4	1	1	1	1	57	20	12	12	13
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	22	10	-	12	-
EXECUTION.....E985	-	-	-	-	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
21	...	12	...	9	8	...	7	...	1	73	...	47	...	26	3
															4
2	...	1	...	1	2	...	2	...	-	9	...	6	...	3	5
3	...	3	...	-	2	...	2	...	-	13	...	9	...	4	6
7	...	2	...	5	2	...	1	...	1	12	...	7	...	5	7
2	...	1	...	1	-	...	-	...	-	5	...	3	...	2	8
-	...	-	...	-	-	...	-	...	-	6	...	3	...	3	9
1	...	1	...	-	-	...	-	...	-	10	...	4	...	6	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
6	...	4	...	2	2	...	2	...	-	18	...	15	...	3	12
															13
															14
33	11	16	2	4	19	4	14	-	1	148	66	65	8	9	15
															16
12	5	4	2	1	9	2	6	-	1	46	25	17	3	1	17
21	6	12	-	3	10	2	8	-	-	102	41	48	5	8	18
															19
															20
52	13	33	1	5	34	18	16	-	-	235	96	116	11	12	21
															22
32	4	24	1	3	20	8	12	-	-	131	46	74	5	6	23
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	24
1	-	1	-	-	1	-	1	-	-	22	10	9	1	2	25
2	1	-	-	1	1	-	1	-	-	4	2	2	-	-	26
8	3	4	-	1	7	6	1	-	-	33	21	9	3	-	27
9	5	4	-	-	4	3	1	-	-	44	17	21	2	4	28
															29
															30
254	130	96	19	9	208	118	85	3	2	1,280	639	513	78	50	31
															32
9	4	4	1	-	3	1	2	-	-	79	32	43	2	2	33
24	10	11	2	1	17	9	8	-	-	135	59	57	11	8	34
142	80	47	8	7	112	71	38	2	1	657	335	252	44	26	35
79	36	34	8	1	76	37	37	1	1	409	213	161	21	14	36
															37
726	333	246	85	62	482	276	189	10	7	3,620	1,659	1,243	376	342	38
															39
1,012	555	251	131	75	104	54	47	2	1	845	431	262	101	51	40
															41
124	48	57	9	10	38	14	22	1	1	122	53	65	2	2	42
888	507	194	122	65	66	40	25	1	-	723	378	197	99	49	43
															44
															45
1,899	1,149	528	152	70	1,375	969	359	30	17	6,287	3,812	1,807	495	173	46
															47
1,589	937	471	115	66	1,133	796	301	21	15	4,888	2,933	1,501	324	130	48
19	13	2	3	1	9	6	-	3	-	78	59	10	8	1	49
736	464	186	56	30	520	344	160	6	10	1,656	1,126	408	89	33	50
713	448	182	55	28	507	334	157	6	10	1,624	1,108	396	87	33	51
38	23	10	2	3	17	15	2	-	-	22	13	9	-	-	52
73	37	22	12	2	63	40	22	1	-	427	281	99	29	18	53
411	255	115	24	17	200	119	76	2	3	574	382	161	24	7	54
142	105	22	11	4	177	124	46	2	5	374	280	75	17	2	55
49	28	13	6	2	50	36	11	1	2	227	152	52	17	6	56
23	16	4	1	2	13	10	3	-	-	32	18	12	2	-	57
															58
3	3	-	-	-	2	-	2	-	-	13	7	5	-	1	59
12	11	1	-	-	26	24	2	-	-	40	35	2	3	-	60
25	20	3	2	-	21	16	5	-	-	71	64	7	-	-	61
20	7	10	2	1	15	8	5	1	1	137	46	34	46	11	62
23	15	4	2	2	7	7	-	-	-	79	53	15	9	2	63
278	112	151	10	5	135	84	48	2	1	1,398	649	667	56	26	64
67	37	22	6	2	49	38	9	1	1	500	295	157	34	14	65
35	18	17	-	-	29	13	16	-	-	250	107	128	9	6	66
176	57	112	4	3	57	33	23	1	-	648	247	382	13	6	67
															68
18	15	2	1	-	38	35	3	-	-	76	73	-	2	1	69
35	32	2	1	-	24	24	-	-	-	94	82	6	5	1	70
20	18	-	2	-	10	10	-	-	-	53	43	3	7	-	71
121	56	40	12	13	78	49	27	2	-	327	155	113	32	27	72
7	1	5	-	1	6	3	3	-	-	22	15	4	2	1	73
52	39	3	10	-	25	24	1	-	-	71	57	9	4	1	74
33	18	12	1	2	45	32	12	1	-	118	68	40	5	5	75
58	44	8	5	1	95	79	11	3	2	238	176	34	26	2	76
2	1	1	-	-	2	1	1	-	-	4	3	1	-	-	77
23	12	9	1	1	12	6	5	-	1	105	41	55	3	6	78
104	56	32	7	9	63	44	16	3	-	308	181	88	27	12	79
															80
															81
203	159	38	6	-	197	150	45	1	1	1,097	797	255	36	9	82
43	27	16	-	-	44	34	10	-	-	257	154	92	6	5	83
23	18	2	3	-	25	18	5	1	1	259	196	60	3	-	84
121	102	16	3	-	110	87	23	-	-	410	358	38	14	-	85
16	12	4	-	-	18	11	7	-	-	171	89	65	13	4	86
															87
107	53	19	31	4	45	23	13	8	1	302	82	51	135	34	88
72	31	16	21	4	24	11	8	5	-	129	39	25	52	13	89
17	9	1	7	-	4	2	1	1	-	78	10	3	55	10	90
15	11	2	2	-	15	8	4	2	1	84	26	23	24	11	91
3	2	-	1	-	2	2	-	-	-	10	6	-	4	-	92
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	93
															94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	8,837	4,540	4,104	118	75	20,201	6,862	4,944	4,508	3,887
I. INFECTIVE AND PARASITIC DISEASES	62	42	15	2	3	318	86	44	102	86
TUBERCULOSIS, ALL FORMS....001-019	32	26	3	1	2	132	38	9	51	34
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	28	25	1	1	1	112	34	8	43	27
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	1	-	1	-	-	6	-	1	3	2
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	-	-	-	-	-	2	1	-	1	-
TUBERCULOSIS OF BONES AND JOINTS....012,013	1	-	-	-	1	1	-	-	-	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	1	-	1	-	-	2	1	-	1	-
DISSEMINATED TUBERCULOSIS....019	1	1	-	-	-	9	2	-	3	4
SYPHILIS AND ITS SEQUELAE....020-029	7	5	2	-	-	53	16	6	22	9
CONGENITAL SYPHILIS....020	1	1	-	-	-	2	-	-	1	1
EARLY SYPHILIS....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA....022	3	3	-	-	-	29	12	4	9	4
OTHER CARDIOVASCULAR SYPHILIS....023	3	1	2	-	-	13	3	1	7	2
TABES DORSALIS....024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE....025	-	-	-	-	-	4	1	1	1	1
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	-	-	-	-	-	3	-	-	3	-
ALL OTHER SYPHILIS....027-029	-	-	-	-	-	2	-	-	1	1
GONOCOCCAL INFECTION....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER....040	1	1	-	-	-	1	-	-	-	1
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	-	-	-	-	-	1	-	-	1	-
CHOLERA....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS....044	-	-	-	-	-	1	-	1	-	-
DYSENTERY, ALL FORMS....045-048	2	1	1	-	-	8	-	1	1	6
FOOD POISONING, INFECTION AND INTOXICATION....049	-	-	-	-	-	2	1	-	-	1
SCARLET FEVER....050	-	-	-	-	-	1	-	1	-	-
STREPTOCOCCAL SORE THROAT....051	-	-	-	-	-	2	-	2	-	-
ERYSIPELAS....052	-	-	-	-	-	1	1	-	-	-
SEPTICEMIA AND PYEMIA....053	7	2	4	1	-	26	3	12	6	5
DIPHTHERIA....055	-	-	-	-	-	3	-	-	1	2
WHOOPING COUGH....056	-	-	-	-	-	4	-	-	2	2
MENINGOCOCCAL INFECTIONS....057	2	1	1	-	-	9	2	3	-	4
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	-	-	-	-	-	-	-	-	-	-
TETANUS....061	-	-	-	-	-	4	-	-	1	3
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	2	-	1	-	1	3	1	-	1	1
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	1	1	-	-	-	1	-	-	-	1
ACUTE INFECTIOUS ENCEPHALITIS....082	-	-	-	-	-	9	5	2	1	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	-	-	-	-	-	-	-	-	-	-
SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
MEASLES....085	2	-	2	-	-	14	7	-	4	3
YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	5	4	1	-	-	20	6	4	4	6
RABIES....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	-	-	-	-	-	3	-	-	2	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	1	1	-	-	-	20	6	3	5	6
II. NEOPLASMS	1,573	815	722	26	10	2,503	866	811	400	426
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	1,546	804	707	25	10	2,449	855	790	392	412
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	45	39	5	-	1	61	32	13	11	5
OF LIP....140	4	4	-	-	-	2	2	-	-	-
OF TONGUE....141	9	9	-	-	-	14	8	2	2	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	15	12	2	-	1	19	7	7	5	-
OF PHARYNX....145-148	17	14	3	-	-	26	15	4	4	3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	561	278	270	10	3	721	250	207	151	113
OF ESOPHAGUS....150	27	18	5	4	-	57	23	7	17	10
OF STOMACH....151	129	72	55	2	-	180	52	21	65	42
OF SMALL INTESTINE, INCLUDING DUODENUM....152	7	3	4	-	-	7	4	-	2	1
OF LARGE INTESTINE, EXCEPT RECTUM....153	187	69	114	3	1	208	73	88	27	20
CECUM, APPENDIX, AND ASCENDING COLON....153.0	27	5	21	1	-	19	8	7	2	2
TRANSVERSE COLON....153.1	10	4	6	-	-	10	4	2	4	-
DESCENDING COLON....153.2	9	4	5	-	-	7	5	2	-	-
SIGMOID COLON....153.3	44	19	24	-	1	23	10	9	3	1
MULTIPLE PARTS OF LARGE INTESTINE....153.7	1	1	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	92	35	55	2	-	140	42	65	18	15
INTESTINAL TRACT, PART UNSPECIFIED....153.9	4	1	3	-	-	9	4	3	-	2
OF RECTUM....154	70	44	26	-	-	64	23	21	11	9
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	34	12	22	-	-	33	14	15	2	2
LIVER....155.0	6	4	2	-	-	13	7	4	1	1
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	28	8	20	-	-	20	7	11	1	1
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	14	7	7	-	-	30	4	8	7	11
OF PANCREAS....157	79	46	32	1	-	120	50	38	17	15
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	14	7	5	-	2	22	7	9	3	3

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6,284	3,684	2,276	182	142	32,698	14,696	11,104	3,712	3,186	76,203	37,968	26,348	6,577	5,310
56	23	15	8	10	523	242	134	96	51	1,325	661	357	193	114
20	6	2	6	6	289	149	67	50	23	567	337	135	68	27
19	6	2	6	5	261	136	60	44	21	526	319	123	59	25
-	-	-	-	-	15	5	5	4	1	20	8	8	3	1
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	4	2	1	1	-	4	2	-	2	-
-	-	-	-	-	5	4	1	-	-	7	2	3	1	1
1	-	-	-	1	3	1	-	1	1	10	6	1	3	-
6	5	1	-	-	41	16	4	16	5	177	92	20	48	17
-	-	-	-	-	-	-	-	-	-	5	1	3	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	5	1	-	-	5	1	1	1	2	88	62	13	6	7
-	-	-	-	-	20	5	1	12	2	56	15	2	33	6
-	-	-	-	-	3	2	-	1	-	4	2	-	1	1
-	-	-	-	-	6	5	1	-	-	4	2	1	-	1
-	-	-	-	-	7	3	1	2	1	16	8	1	7	-
-	-	-	-	-	-	-	-	-	-	4	2	-	1	1
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1
-	-	-	-	-	-	-	-	-	-	4	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
2	-	2	-	-	9	4	2	2	1	79	35	25	7	12
-	-	-	-	-	-	-	-	-	-	5	2	1	2	-
-	-	-	-	-	2	-	1	1	-	1	1	-	-	-
-	-	-	-	-	8	4	3	1	-	9	4	3	1	1
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
11	4	5	1	1	47	23	13	7	4	133	47	44	23	19
2	1	-	1	-	-	-	-	-	-	23	8	12	1	2
-	-	-	-	-	2	-	-	1	1	7	2	1	3	1
4	1	1	-	2	14	2	11	-	1	25	9	10	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	1	-	-	-	6	-	1	4	1	49	20	7	10	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
-	-	-	-	-	4	4	-	-	-	10	6	4	-	-
2	-	2	-	-	4	1	1	-	2	42	18	17	3	4
1	1	-	-	-	1	-	1	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	9	4	2	1	2	21	8	8	3	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	-	-	1	23	5	13	2	3	61	22	29	4	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
3	2	1	-	-	59	26	14	11	8	101	40	39	14	8
996	531	434	16	15	4,727	1,981	1,856	436	454	11,935	5,669	4,665	891	710
980	525	426	15	14	4,635	1,956	1,818	424	437	11,722	5,594	4,558	880	690
17	15	2	-	-	106	66	30	7	3	293	203	64	23	3
1	-	1	-	-	3	3	-	-	-	13	12	1	-	-
3	3	-	-	-	21	10	9	1	1	65	47	16	2	-
6	5	1	-	-	41	26	11	2	2	75	43	23	7	2
7	7	-	-	-	41	27	10	4	-	140	101	24	14	1
357	202	140	8	7	1,389	561	570	154	104	3,564	1,656	1,357	327	224
16	12	3	1	-	61	29	13	18	1	209	117	47	33	12
99	66	27	5	1	288	132	86	40	30	825	388	255	121	61
4	1	3	-	-	11	5	3	-	3	23	12	10	1	-
105	50	54	-	1	391	126	207	32	26	1,065	429	531	49	56
11	3	8	-	-	52	15	24	7	6	142	46	79	8	9
7	3	4	-	-	15	1	11	3	-	37	16	17	1	3
2	-	2	-	-	22	10	9	2	1	38	7	25	3	3
19	9	9	-	1	60	20	31	4	5	155	73	70	6	6
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
65	34	31	-	-	226	75	127	12	12	660	274	328	26	32
1	1	-	-	-	15	4	5	4	2	32	12	12	5	3
37	24	13	-	-	138	53	61	15	9	281	123	115	22	21
29	15	11	-	3	98	31	56	5	6	339	156	130	31	22
9	6	3	-	-	36	16	14	5	1	191	95	55	28	13
20	9	8	-	3	62	15	42	-	5	148	61	75	3	9
5	2	3	-	-	76	39	26	7	4	86	37	29	12	8
54	30	21	2	1	290	132	102	32	24	673	365	216	52	40
8	2	5	-	1	36	14	16	5	1	63	29	24	6	4

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	225	194	24	7	-	358	225	42	72	19
OF LARYNX.....161	21	20	-	1	-	16	7	5	4	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	169	148	17	4	-	129	87	10	28	4
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	30	24	5	1	-	200	125	25	35	15
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	5	2	2	1	-	13	6	2	5	-
MALIGNANT NEOPLASM OF BREAST.....170	147	1	143	-	3	202	-	133	-	69
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	164	55	102	4	3	431	93	148	61	129
OF CERVIX UTERI.....171	27	...	26	...	1	155	...	74	...	81
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	31	...	29	...	2	58	...	29	...	29
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	45	...	45	...	-	57	...	41	...	16
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	2	...	2	...	-	7	...	4	...	3
OF PROSTATE.....177	56	52	...	4	...	146	89	...	57	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	3	...	-	...	8	4	...	4	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	80	58	21	1	-	121	53	37	17	14
OF KIDNEY.....180	28	19	9	-	-	57	23	23	6	5
OF BLADDER AND OTHER URINARY ORGANS.....181	52	39	12	1	-	64	30	14	11	9
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	189	110	77	2	-	331	121	118	45	47
OF SKIN.....190,191	25	13	12	-	-	46	20	22	1	3
OF EYE.....192	3	1	2	-	-	2	-	2	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	38	28	10	-	-	55	27	17	7	4
OF THYROID GLAND.....194	5	2	3	-	-	2	1	-	-	1
OF BONE.....196	11	6	4	1	-	15	8	6	-	1
OF CONNECTIVE TISSUE.....197	4	3	1	-	-	9	2	3	3	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	7	6	1	-	-	26	10	7	7	2
OF UNSPECIFIED SITES.....156B,165,198,199B	96	51	44	1	-	176	53	61	27	35
LEUKEMIA AND ALEUKEMIA.....204	65	32	33	-	-	123	42	55	19	7
LYMPHOSARCOMA, ETC.....200-203,205	70	37	32	1	-	101	39	37	16	9
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	31	16	15	-	-	48	17	18	8	5
HODGKINS DISEASE.....201	19	11	8	-	-	24	10	10	3	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	20	10	9	1	-	29	12	9	5	3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	27	11	15	1	-	54	11	21	8	14
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	2	...	2	...	-	11	...	3	...	8
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	1	5	-	-	8	1	5	1	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	5	3	2	-	-	5	1	2	2	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	7	2	4	1	-	24	7	11	5	1
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	7	5	2	-	-	6	2	-	-	4
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	352	141	200	8	3	405	102	120	53	130
ASTHMA.....241	32	19	13	-	-	33	14	8	5	6
NONTOXIC GOITER.....250,251	1	-	1	-	-	1	-	-	1	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	-	-	-	-	-	3	-	-	-	3
ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	4	-	1	-	3
DIABETES MELLITUS.....260	286	108	168	7	3	295	73	99	27	96
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	1	-	-	-	1
DISEASES OF ADRENAL GLANDS.....274	6	-	6	-	-	6	1	3	-	2
PELLAGRA.....281	-	-	-	-	-	5	-	1	1	3
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	14	9	4	1	-	29	4	3	16	6
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	12	5	7	-	-	28	10	5	3	10
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	29	14	15	-	-	74	21	21	18	14
ANEMIAS.....290-293	22	11	11	-	-	48	13	8	16	11
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	1	-	-	-	3	1	1	-	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	21	10	11	-	-	45	12	7	16	10
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	5	1	4	-	-	11	2	7	-	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	2	2	-	-	-	15	6	6	2	1
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	23	10	11	1	1	55	23	9	17	6
SENILE PSYCHOSIS.....304	1	-	1	-	-	3	1	1	-	1
ALCOHOLIC PSYCHOSIS.....307	3	3	-	-	-	5	4	-	1	-
OTHER PSYCHOSES.....300-303,305,306,308,309	5	2	3	-	-	2	1	1	-	-
ALCOHOLISM.....322	8	3	4	-	1	36	15	4	14	3
MENTAL DEFICIENCY.....325	5	2	2	1	-	8	1	3	2	2
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	-	1	-	-	1	1	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	909	408	481	9	11	3,013	812	848	664	689
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	833	370	446	7	10	2,823	762	808	610	643
SUBARACHNOID HEMORRHAGE.....330	26	6	17	1	2	120	33	28	27	32
CEREBRAL HEMORRHAGE.....331	450	208	237	2	3	1,696	430	437	403	426
CEREBRAL EMBOLISM AND THROMBOSIS.....332	307	134	166	4	3	799	253	284	127	135
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	50	22	26	-	2	208	46	59	53	50
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	10	7	3	-	-	47	6	3	15	23
MULTIPLE SCLEROSIS.....345	5	3	1	-	1	11	3	4	3	1
PARALYSIS AGITANS.....350	19	7	11	1	-	21	10	9	-	2
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	1	1	-	-	-	14	6	2	4	2
EPILEPSY.....353	16	9	6	1	-	30	2	4	17	7
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	-	-	-	-	-	5	2	1	-	2
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	25	11	14	-	-	62	21	17	15	9

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
101	83	16	2	-	664	490	66	88	20	2,030	1,535	265	201	29	5
5	2	2	1	-	45	29	4	11	1	104	76	11	17	-	6
76	63	12	1	-	277	215	21	39	2	1,508	1,160	192	140	16	7
19	17	2	-	-	326	242	37	33	14	375	274	49	40	12	8
1	1	-	-	-	16	4	4	5	3	43	25	13	4	1	9
89	2	86	-	1	384	3	311	1	69	921	6	799	1	115	10
															11
155	76	76	-	3	761	217	355	70	119	1,771	575	885	140	171	12
18	...	17	...	1	226	...	170	...	56	415	...	323	...	92	13
28	...	28	...	-	108	...	72	...	36	265	...	227	...	38	14
31	...	30	...	1	121	...	100	...	21	341	...	308	...	33	15
2	...	1	...	1	19	...	13	...	6	35	...	27	...	8	16
73	73	...	-	...	273	207	...	66	...	664	528	...	136	...	17
3	3	...	-	...	14	10	...	4	...	51	47	...	4	...	18
37	24	12	-	1	177	85	63	17	12	495	274	162	31	28	19
15	7	8	-	-	80	40	27	7	6	240	122	90	15	13	20
22	17	4	-	1	97	45	36	10	6	255	152	72	16	15	21
															22
															23
102	52	44	4	2	649	274	242	54	79	1,394	666	564	85	79	24
14	5	9	-	-	120	59	59	1	1	272	147	111	10	4	25
2	1	1	-	-	5	4	1	-	-	13	6	5	-	2	26
29	18	11	-	-	121	58	44	7	12	334	178	130	12	14	27
6	3	3	-	-	17	8	8	-	1	31	9	17	4	1	28
9	5	4	-	-	47	22	23	-	2	75	40	29	4	2	29
2	1	1	-	-	31	14	9	4	4	48	19	27	1	1	30
2	2	-	-	-	22	11	9	1	1	77	41	30	5	1	31
38	17	15	4	2	286	98	89	41	58	544	226	215	49	54	32
57	39	18	-	-	258	137	92	15	14	673	365	258	32	18	33
65	32	32	1	-	247	123	89	18	17	581	314	204	40	23	34
31	13	17	1	-	101	48	39	9	5	268	150	99	10	9	35
14	8	6	-	-	66	36	22	3	5	152	86	49	14	3	36
															37
20	11	9	-	-	80	39	28	6	7	161	78	56	16	11	38
															39
16	6	8	1	1	92	25	38	12	17	213	75	107	11	20	40
3	...	3	...	-	14	...	5	...	9	20	...	12	...	8	41
-	-	-	-	-	17	3	10	3	1	56	17	32	3	4	42
1	-	1	-	-	19	6	6	5	2	37	21	13	1	2	43
-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	44
5	1	2	1	1	26	13	9	3	1	58	23	29	4	2	45
7	5	2	-	-	15	3	7	1	4	39	14	19	3	3	46
															47
															48
158	83	71	-	4	616	208	247	65	96	1,810	695	791	126	198	49
															50
26	20	6	-	-	92	39	29	13	11	216	117	56	26	17	51
-	-	-	-	-	2	-	2	-	-	2	1	-	-	1	52
-	-	-	-	-	6	2	4	-	-	20	1	13	1	5	53
3	-	2	-	1	4	4	-	-	-	14	1	12	-	1	54
108	54	51	-	3	417	136	169	41	71	1,267	455	589	77	146	55
-	-	-	-	-	3	-	2	1	-	9	5	3	1	-	56
1	-	1	-	-	5	2	2	1	-	21	9	10	1	1	57
-	-	-	-	-	3	-	3	-	-	5	-	2	-	3	58
5	1	4	-	-	45	11	24	3	7	126	54	50	14	8	59
15	8	7	-	-	39	14	12	6	7	130	52	56	6	16	60
															61
20	11	9	-	-	102	40	37	10	15	242	116	92	21	13	62
															63
15	8	7	-	-	73	26	25	9	13	163	80	56	17	10	64
2	-	2	-	-	9	4	2	1	2	27	12	12	2	1	65
13	8	5	-	-	64	22	23	8	11	136	68	44	15	9	66
3	1	2	-	-	12	4	6	-	2	32	12	15	2	3	67
2	2	-	-	-	17	10	6	1	-	47	24	21	2	-	68
															69
13	6	2	2	3	110	54	35	12	9	173	90	53	20	10	70
															71
3	1	1	-	1	15	5	10	-	-	13	1	9	1	2	72
2	2	-	-	-	6	5	-	1	-	12	8	2	2	-	73
2	1	1	-	-	34	14	17	1	2	22	8	8	2	4	74
6	2	-	2	2	44	27	3	8	6	85	52	16	14	3	75
-	-	-	-	-	9	2	4	2	1	34	20	12	1	1	76
-	-	-	-	-	2	1	1	-	-	7	1	6	-	-	77
															78
853	441	392	9	11	4,964	1,930	1,910	521	603	9,541	3,787	4,051	791	912	79
															80
789	409	368	4	8	4,709	1,830	1,825	481	573	8,874	3,468	3,812	728	866	81
15	9	6	-	-	152	47	58	21	26	306	123	116	31	36	82
510	266	236	3	5	2,696	1,043	1,009	271	373	5,548	2,125	2,382	464	577	83
175	91	81	1	2	1,365	543	575	130	117	1,964	834	906	116	108	84
89	43	45	-	1	496	197	183	59	57	1,056	386	408	117	145	85
9	3	6	-	-	39	10	11	8	10	113	64	27	13	9	86
8	6	2	-	-	19	4	10	3	2	37	17	17	1	2	87
17	9	8	-	-	30	19	11	-	-	98	47	47	4	-	88
3	2	1	-	-	29	14	10	3	2	35	16	15	3	1	89
8	4	3	1	-	38	11	11	14	2	79	30	30	12	7	90
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
1	-	-	1	-	13	2	6	1	4	14	7	6	1	-	94
18	8	4	3	3	86	39	26	11	10	291	138	97	29	27	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	4,292	2,223	1,993	49	27	7,657	2,940	1,966	1,448	1,303
DISEASES OF HEART.....400-402,410-443	3,956	2,078	1,811	45	22	6,887	2,726	1,756	1,255	1,150
RHEUMATIC FEVER.....400-402	1	-	1	-	-	13	2	-	5	6
CHRONIC RHEUMATIC HEART DISEASE.....410-416	90	45	44	1	-	132	37	40	20	35
DISEASES OF MITRAL VALVE.....410	28	10	17	1	-	37	7	19	3	8
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	20	15	5	-	-	16	9	2	2	3
DISEASES OF PULMONARY VALVE, ETC.....413,414	2	1	1	-	-	8	4	2	1	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	40	19	21	-	-	71	17	17	14	23
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	3,332	1,838	1,440	37	17	4,577	2,181	1,210	643	543
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,960	958	978	13	11	1,286	529	446	160	151
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	1,371	879	462	24	6	3,275	1,646	762	482	385
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	1	1	-	-	-	16	6	2	1	7
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	20	12	7	1	-	67	15	12	23	17
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	1	2	-	-	4	1	-	2	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	8	7	1	-	-	26	8	5	10	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	9	4	4	1	-	37	6	7	11	13
OTHER MYOCARDIAL DEGENERATION.....422	153	57	94	1	1	441	132	131	96	82
WITH ARTERIOSCLEROSIS.....422.1	111	44	65	1	1	342	99	108	71	64
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	42	13	29	-	-	99	33	23	25	18
OTHER DISEASES OF HEART.....430-434	73	31	39	2	1	416	138	93	94	91
ACUTE AND SUBACUTE ENDOCARDITIS.....430	2	2	-	-	-	9	4	1	3	1
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	9	6	3	-	-	12	1	3	3	5
FUNCTIONAL DISEASE OF HEART.....433	24	7	16	-	1	69	38	12	5	14
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	38	16	20	2	-	326	95	77	83	71
HYPERTENSIVE HEART DISEASE.....440-443	287	95	186	3	3	1,241	221	270	374	376
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	49	17	32	-	-	299	46	67	94	92
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	238	78	154	3	3	942	175	203	280	284
OTHER HYPERTENSIVE DISEASE.....444-447	96	39	53	1	3	194	38	39	70	47
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	51	20	29	-	2	78	22	24	22	10
ESSENTIAL HYPERTENSION.....444,445,447	45	19	24	1	1	116	16	15	48	37
DISEASES OF ARTERIES.....450-456	188	78	106	3	1	495	151	151	106	87
GENERAL ARTERIOSCLEROSIS.....450	135	43	90	1	1	375	89	127	87	72
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	40	26	14	-	-	86	55	15	11	5
GANGRENE OF UNSPECIFIED CAUSE.....455	-	-	-	-	-	5	1	1	1	2
OTHER ARTERIAL DISEASES.....452-454,456	13	9	2	2	-	29	6	8	7	8
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	52	28	23	-	1	81	25	20	17	19
VIII. DISEASES OF THE RESPIRATORY SYSTEM	322	194	111	12	5	1,047	321	200	306	220
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	9	3	3	3	-	19	3	1	8	7
INFLUENZA.....480-483	5	1	2	2	-	60	10	4	23	23
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	196	101	86	6	3	690	156	151	214	169
LOBAR PNEUMONIA.....490	41	22	17	1	1	130	25	25	47	33
BRONCHOPNEUMONIA.....491	100	49	46	4	1	304	75	72	86	71
PRIMARY ATYPICAL PNEUMONIA.....492	30	20	9	1	-	50	10	12	12	16
PNEUMONIA, OTHER AND UNSPECIFIED.....493	25	10	14	-	1	206	46	42	69	49
ACUTE BRONCHITIS.....500	3	2	-	-	1	10	2	1	4	3
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	27	22	4	-	1	21	12	2	6	1
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	1	-	1	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	2	-	2	-	-	12	3	3	5	1
PLEURISY.....519	-	-	-	-	-	2	-	1	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	43	37	6	-	-	99	75	10	13	1
OTHER RESPIRATORY DISEASES.....RESIDUAL	37	28	8	1	-	133	60	26	32	15
IX. DISEASES OF THE DIGESTIVE SYSTEM	365	214	149	1	1	699	236	179	154	130
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	1	-	1	-	-
ULCER OF STOMACH.....540	26	20	6	-	-	65	28	10	17	10
ULCER OF DUODENUM.....541	32	24	8	-	-	46	28	8	8	2
GASTRITIS AND DUODENITIS.....543	1	1	-	-	-	4	1	-	-	3
APPENDICITIS.....550-553	14	6	8	-	-	17	3	4	5	5
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	46	18	28	-	-	121	32	42	28	19
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	10	5	5	-	-	142	17	9	61	55
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	12	7	5	-	-	21	5	12	1	3
CIRRHOSIS OF LIVER.....581	141	92	47	1	1	122	67	30	17	8
WITHOUT MENTION OF ALCOHOLISM.....581.0	82	49	32	1	-	105	54	28	17	6
WITH ALCOHOLISM.....581.1	59	43	15	-	1	17	13	2	-	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	43	17	26	-	-	34	15	14	1	4
FIBROCYSTIC DISEASE OF PANCREAS.....587B	3	1	2	-	-	8	-	8	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	37	23	14	-	-	118	40	41	16	21
X. DISEASES OF THE GENITOURINARY SYSTEM	126	68	57	-	1	445	121	94	133	97
NEPHRITIS AND NEPHROSIS.....590-594	75	34	41	-	-	197	44	24	70	59
ACUTE NEPHRITIS.....590	3	2	1	-	-	17	3	2	4	8
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	4	1	3	-	-	9	3	1	3	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	68	31	37	-	-	171	38	21	63	49
INFECTIONS OF KIDNEY.....600	23	11	11	-	1	135	35	46	28	26
CALCULI OF URINARY SYSTEM.....602,604	6	4	2	-	-	22	10	9	1	2
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	8	6	2	-	-	33	10	8	13	2
HYPERPLASIA OF PROSTATE.....610	11	11	...	-	...	37	19	...	18	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	3	2	1	-	-	21	3	7	3	8

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,567	1,633	876	34	24	12,415	6,053	4,267	1,141	954	28,807	15,355	9,599	2,106	1,747	1
															2
															3
2,327	1,504	769	33	21	11,039	5,510	3,749	979	801	26,128	14,173	8,510	1,898	1,547	4
3	1	2	-	-	13	4	5	3	1	22	6	9	3	4	5
59	36	23	-	-	200	86	83	14	17	407	154	210	22	21	6
25	15	10	-	-	83	33	40	4	6	150	51	87	6	6	7
8	6	2	-	-	20	15	3	2	-	45	31	13	1	-	8
2	2	-	-	-	13	5	6	2	-	21	10	10	1	-	9
24	13	11	-	-	84	33	34	6	11	191	62	100	14	15	10
1,822	1,240	549	22	11	7,813	4,368	2,577	511	357	19,199	11,358	5,759	1,205	877	11
526	332	187	4	3	2,863	1,390	1,169	176	128	5,565	2,950	2,009	346	260	12
1,295	908	361	18	8	4,939	2,976	1,401	333	229	13,615	8,398	3,747	855	615	13
1	-	1	-	-	11	2	7	2	-	19	10	3	4	2	14
															15
20	8	10	2	-	123	41	36	25	21	160	87	56	8	9	16
1	1	-	-	-	11	4	2	4	1	6	3	3	-	-	17
5	2	2	1	-	41	21	15	1	4	86	55	22	4	5	18
14	5	8	1	-	71	16	19	20	16	68	29	31	4	4	19
157	80	74	3	-	872	310	394	91	77	1,818	760	849	110	99	20
98	53	44	1	-	516	206	228	43	39	1,208	498	574	71	65	21
59	27	30	2	-	356	104	166	48	38	610	262	275	39	34	22
															23
131	70	48	6	7	671	267	196	115	93	2,155	1,072	650	256	177	24
4	2	2	-	-	13	5	2	3	3	30	22	5	2	1	25
2	1	1	-	-	31	10	12	5	4	41	22	12	6	1	26
29	12	17	-	-	75	34	34	4	3	336	146	152	21	17	27
96	55	28	6	7	552	218	148	103	83	1,748	882	481	227	158	28
135	69	63	-	3	1,347	434	458	220	235	2,367	736	977	294	360	29
															30
38	27	11	-	-	268	109	94	35	30	496	192	188	63	53	31
97	42	52	-	3	1,079	325	364	185	205	1,871	544	789	231	307	32
															33
38	20	17	-	1	318	105	88	62	63	466	167	169	66	64	34
24	14	9	-	1	162	65	44	28	25	211	97	76	26	12	35
14	6	8	-	-	156	40	44	34	38	255	70	93	40	52	36
157	88	67	-	2	882	365	366	76	75	1,780	827	759	93	101	37
108	55	52	-	1	696	257	319	60	60	1,304	573	606	52	73	38
32	21	11	-	-	130	78	27	14	11	289	180	74	23	12	39
1	1	-	-	-	1	-	-	1	-	18	8	6	2	2	40
16	11	4	-	1	55	30	20	1	4	169	66	73	16	14	41
45	21	23	1	-	176	73	64	24	15	433	188	161	49	35	42
															43
															44
275	154	88	16	17	1,763	758	626	219	160	3,940	2,032	1,249	375	284	45
															46
4	3	-	1	-	14	5	6	-	3	42	20	12	6	4	47
7	4	2	1	-	80	14	33	16	17	96	43	29	18	6	48
189	98	64	12	15	1,161	448	436	158	119	2,506	1,107	898	276	225	49
38	22	11	3	2	178	58	56	35	29	370	184	125	36	25	50
84	44	30	4	6	675	273	276	73	53	1,147	510	419	122	96	51
20	12	6	1	1	50	21	19	5	5	142	73	46	6	17	52
47	20	17	4	6	258	96	85	45	32	847	340	308	112	87	53
															54
5	1	2	1	1	14	5	4	2	3	40	19	12	5	4	55
8	3	4	-	1	61	38	10	8	5	173	116	33	19	5	56
-	-	-	-	-	3	-	2	-	1	5	1	4	-	-	57
1	1	-	-	-	17	8	5	3	1	50	34	7	6	3	58
2	1	1	-	-	2	1	1	-	-	9	5	3	-	1	59
32	26	6	-	-	184	136	33	13	2	487	414	59	12	2	60
27	17	9	1	-	227	103	96	19	9	532	273	192	33	34	61
															62
															63
237	136	85	9	7	969	449	313	115	92	3,052	1,511	1,115	240	186	64
															65
-	-	-	-	-	2	-	2	-	-	7	2	3	1	1	66
13	9	4	-	-	93	52	21	14	6	211	132	50	20	9	67
15	9	6	-	-	75	48	17	3	7	197	142	37	16	2	68
1	-	1	-	-	1	1	-	-	-	24	12	9	2	1	69
6	5	1	-	-	33	9	16	5	3	85	45	28	10	2	70
45	27	16	-	2	140	64	51	15	10	410	167	182	31	30	71
															72
15	5	5	4	1	89	28	24	20	17	445	166	147	72	60	73
															74
11	5	6	-	-	39	16	18	3	2	113	44	54	6	9	75
45	29	14	2	-	196	108	48	27	13	726	424	241	31	30	76
38	24	12	2	-	140	75	40	18	7	541	315	186	22	18	77
7	5	2	-	-	56	33	8	9	6	185	109	55	9	12	78
25	11	11	3	-	71	26	36	2	7	174	67	101	2	4	79
7	5	2	-	-	13	6	7	-	-	32	15	16	1	-	80
54	31	19	-	4	217	91	73	26	27	628	295	247	48	38	81
															82
															83
100	64	28	4	4	706	310	186	127	83	1,495	696	478	173	148	84
															85
39	21	14	1	3	328	130	87	64	47	760	320	257	86	97	86
1	-	1	-	-	21	8	3	6	4	59	24	22	6	7	87
4	1	3	-	-	19	8	6	4	1	41	17	19	1	4	88
34	20	10	1	3	288	114	78	54	42	660	279	216	79	86	89
26	14	10	1	1	171	57	63	26	25	328	125	147	24	32	90
2	1	1	-	-	33	13	12	6	2	48	29	14	3	2	91
6	5	1	-	-	47	16	13	13	5	146	78	38	27	3	92
24	22	...	2	...	100	84	...	16	...	152	124	...	28	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
3	1	2	-	-	27	10	11	2	4	61	20	22	5	14	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1	...	1	...	-	37	...	3	...	34
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	3	...	-	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	15	...	1	...	14
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	4	...	-	...	4
ECTOPIC PREGNANCY.....645	-	...	-	...	-	4	...	-	...	4
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	-	...	-	...	-	3	...	-	...	3
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	1	...	1	...	-	8	...	2	...	6
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	6	2	4	-	-	24	8	5	5	6
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	2	2	-	-	5	3	1	1	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	2	-	2	-	-	19	5	4	4	6
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	21	8	12	-	1	44	12	16	6	10
ARTHRITIS AND SPONDYLITIS.....720-725	7	3	3	-	1	31	9	12	3	7
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	1	-	-	1	-	-	1	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	2	-	1	-	1
INBORN DEFECT OF MUSCLE.....744.1	3	1	2	-	-	5	1	2	2	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	10	4	6	-	-	5	2	1	-	2
XIV. CONGENITAL MALFORMATIONS.....	108	49	58	-	1	268	101	75	48	44
SPINA BIFIDA AND MENINGOCELE.....751	8	5	3	-	-	16	6	6	2	2
CONGENITAL HYDROCEPHALUS, ETC.....752,753	10	5	5	-	-	28	7	10	6	5
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	51	17	33	-	1	127	42	37	23	25
OTHER CONGENITAL MALFORMATIONS.....750,755-759	39	22	17	-	-	97	46	22	17	12
XV. CERTAIN DISEASES OF EARLY INFANCY.....	252	134	106	5	7	998	297	186	307	208
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	16	8	8	-	-	683	103	58	279	243
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-	22	2	12	5	3
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	16	8	8	-	-	661	101	46	274	240
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	380	210	161	5	4	1,931	813	309	568	241
ACCIDENTS.....E800-E962	315	167	141	3	4	1,548	631	275	436	206
RAILWAY ACCIDENTS.....E800-E802	1	1	-	-	-	19	9	1	7	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	68	48	18	1	1	679	320	130	170	59
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	65	48	15	1	1	666	314	127	167	58
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	20	11	2	4	3
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	21	14	7	-	-	147	47	21	54	25
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	19	14	4	-	1	117	65	30	15	7
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	22	18	3	1	-	115	61	20	22	12
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2	1	1	-	-	267	130	54	72	11
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	3	-	3	-	-	13	6	3	3	1
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	-	-	-	-	-	2	1	-	1	-
WATER TRANSPORT ACCIDENTS.....E850-E858	4	4	-	-	-	26	15	-	11	-
AIRCRAFT ACCIDENTS.....E860-E866	-	-	-	-	-	13	13	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	8	4	3	-	1	36	8	5	15	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	2	-	2	-	-	8	3	-	4	1
ACCIDENTAL FALLS.....E900-E904	152	58	91	2	1	162	61	65	25	11
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	40	20	19	1	-	38	18	6	11	3
FALL ON SAME LEVEL.....E903	62	20	41	-	1	12	4	4	3	1
UNSPECIFIED FALLS.....E904	50	18	31	1	-	112	39	55	11	7
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	3	3	-	-	-	23	11	-	12	-
ACCIDENT CAUSED BY MACHINERY.....E912	1	1	-	-	-	29	19	2	6	2
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	2	2	-	-	-	16	9	1	6	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	23	12	10	-	1	150	31	12	39	68
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	1	2	-	-	4	-	2	1	1
ACCIDENT CAUSED BY FIREARM.....E919	1	1	-	-	-	72	33	8	23	8
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	12	8	4	-	-	48	17	9	14	8
ACCIDENTAL DROWNING.....E929	13	10	3	-	-	98	33	5	57	3
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	2	1	-	-	1
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	4	2	2	-	-	31	7	15	2	7
ALL OTHER ACCIDENTS.....RESIDUAL	18	12	6	-	-	130	40	20	43	27
SUICIDE.....E963,E970-E979	53	36	15	2	-	169	134	19	14	2
SUICIDE BY POISONING.....E970-E973	9	4	4	1	-	18	13	5	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	16	11	5	-	-	11	7	1	3	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	14	13	1	-	-	130	109	10	10	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	14	8	5	1	-	10	5	3	1	1
HOMICIDE.....E964,E980-E985	11	6	5	-	-	213	47	15	118	33
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	1	-	1	-	-	140	36	14	69	21
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	4	3	1	-	-	48	5	-	38	5
ASSAULT BY OTHER MEANS.....E964,E980,E983	5	2	3	-	-	17	4	1	5	7
INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	4	-	-	4	-
EXECUTION.....E985	-	-	-	-	-	4	2	-	2	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4	...	3	...	1	31	...	19	...	12	102	...	64	...	38	1
-	...	-	...	-	5	...	3	...	2	7	...	3	...	4	2
-	...	-	...	-	7	...	3	...	4	26	...	18	...	8	3
3	...	3	...	-	2	...	-	...	2	17	...	12	...	5	4
-	...	-	...	-	2	...	2	...	-	7	...	1	...	6	5
-	...	-	...	-	2	...	2	...	-	5	...	2	...	3	6
-	...	-	...	-	3	...	2	...	1	12	...	8	...	4	7
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	8
1	...	-	...	1	9	...	6	...	3	27	...	19	...	8	9
8	3	4	-	1	37	12	12	4	9	95	26	48	8	13	10
1	-	-	-	1	12	6	4	2	-	31	15	9	4	3	11
7	3	4	-	-	25	6	8	2	9	64	11	39	4	10	12
18	7	8	1	2	90	34	38	10	8	165	67	74	12	12	13
12	4	6	-	2	49	15	27	4	3	96	32	54	6	4	14
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	15
1	-	-	1	-	4	1	-	1	2	5	3	-	-	2	16
-	-	-	-	-	1	-	1	-	-	4	3	1	-	-	17
-	-	-	-	-	25	11	7	5	2	24	16	5	3	-	18
5	3	2	-	-	11	7	3	-	1	35	13	14	2	6	19
86	48	33	2	3	413	179	161	39	34	1,125	531	449	78	67	20
5	2	2	-	1	26	7	18	-	1	68	22	42	2	2	21
8	5	2	-	1	56	29	21	3	3	124	51	58	7	8	22
43	20	21	2	-	210	85	83	19	23	560	265	217	47	31	23
30	21	8	-	1	121	58	39	17	7	373	193	132	22	26	24
255	133	91	17	14	1,377	593	384	233	167	3,820	1,841	1,183	443	353	25
119	61	24	21	13	1,423	469	325	333	296	1,563	673	487	226	177	26
18	3	11	3	1	61	17	27	8	9	323	112	156	26	29	27
101	58	13	18	12	1,362	452	298	325	287	1,240	561	331	200	148	28
519	350	113	43	13	2,432	1,384	554	351	143	7,013	4,218	1,593	874	328	29
459	308	98	41	12	1,820	1,022	462	219	117	5,360	3,261	1,301	541	257	30
2	-	-	2	-	29	18	4	7	-	45	29	1	14	1	31
225	152	44	23	6	795	493	198	78	26	2,403	1,546	547	231	79	32
221	148	44	23	6	757	467	191	73	26	2,331	1,497	533	224	77	33
8	7	1	-	-	17	8	9	-	-	100	70	22	5	3	34
23	14	2	6	1	150	88	30	23	9	351	200	69	64	18	35
106	71	27	7	1	331	198	102	23	8	1,250	783	328	99	40	36
70	47	10	10	3	236	165	44	20	7	590	421	103	53	13	37
14	9	4	-	1	23	8	6	7	2	40	23	11	3	3	38
4	4	-	-	-	38	26	7	5	-	72	49	14	7	2	39
3	3	-	-	-	3	3	-	-	-	23	12	10	1	-	40
6	6	-	-	-	23	16	3	4	-	97	73	5	19	-	41
5	4	1	-	-	11	11	-	-	-	123	118	5	-	-	42
5	1	3	1	-	74	25	11	16	22	82	42	25	8	7	43
9	8	-	1	-	7	6	1	-	-	55	35	11	6	3	44
56	31	23	1	1	270	125	122	15	8	673	296	337	21	19	45
20	14	4	1	1	82	51	21	6	4	188	117	62	5	4	46
3	-	3	-	-	56	17	34	4	1	79	34	40	3	2	47
33	17	16	-	-	132	57	67	5	3	406	145	235	13	13	48
4	4	-	-	-	36	29	2	5	-	67	53	6	8	-	49
23	22	1	-	-	42	40	1	1	-	113	102	2	9	-	50
5	4	1	-	-	19	16	2	1	-	98	76	10	9	3	51
30	14	6	6	4	187	65	64	25	33	467	202	116	65	84	52
1	-	1	-	-	6	1	2	2	1	22	6	5	8	3	53
11	10	1	-	-	51	33	5	11	2	170	142	8	17	3	54
13	6	6	1	-	54	26	14	9	5	172	82	56	17	17	55
18	13	2	3	-	84	51	9	19	5	333	223	51	53	6	56
2	1	-	1	-	1	-	1	-	-	10	7	1	1	1	57
3	1	2	-	-	14	6	5	1	2	72	27	35	3	7	58
38	28	7	2	1	114	58	18	25	13	335	190	70	51	24	59
50	36	12	2	-	346	266	68	9	3	879	649	187	36	7	60
8	4	4	-	-	37	20	15	2	-	173	108	63	1	1	61
9	6	3	-	-	36	25	10	-	1	90	64	21	5	-	62
31	26	3	2	-	237	203	29	5	-	564	444	87	30	3	63
2	-	2	-	-	36	18	14	2	2	52	33	16	-	3	64
10	6	3	-	1	265	95	24	123	23	771	305	105	297	64	65
5	3	2	-	-	175	73	16	76	10	499	207	76	180	36	66
1	1	-	-	-	48	9	3	28	8	159	51	6	86	16	67
4	2	1	-	1	35	11	5	14	5	97	39	23	23	12	68
-	-	-	-	-	6	2	-	4	-	13	7	-	6	-	69
-	-	-	-	-	1	-	-	1	-	3	1	-	2	-	70
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	71

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	6,094	3,371	2,576	104	43	4,311	2,349	1,956	2	4
I. INFECTIVE AND PARASITIC DISEASES	67	38	21	5	3	53	42	11	-	-
TUBERCULOSIS, ALL FORMS....001-019	28	18	5	4	1	25	24	1	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	28	18	5	4	1	25	24	1	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS....012,013	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	-	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS....019	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE....020-029	7	5	1	1	-	6	5	1	-	-
CONGENITAL SYPHILIS....020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA....022	5	4	1	-	-	3	2	1	-	-
OTHER CARDIOVASCULAR SYPHILIS....023	2	1	-	1	-	1	1	-	-	-
TABES DORSALIS....024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE....025	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	-	-	-	-	-	2	2	-	-	-
ALL OTHER SYPHILIS....027-029	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER....040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	2	2	-	-	-	-	-	-	-	-
CHOLERA....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS....044	1	-	1	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS....045-048	1	-	-	-	1	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION....049	1	-	1	-	-	-	-	-	-	-
SCARLET FEVER....050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT....051	1	1	-	-	-	-	-	-	-	-
ERYSIPELAS....052	-	-	-	-	-	2	1	1	-	-
SEPTICEMIA AND PYEMIA....053	5	2	3	-	-	1	1	-	-	-
DIPHTHERIA....055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH....056	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS....057	2	1	1	-	-	4	2	2	-	-
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	-	-	-	-	-	-	-	-	-	-
TETANUS....061	-	-	-	-	-	1	1	-	-	-
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	-	-	-	-	-	2	1	1	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	1	-	-	-	1	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS....082	6	3	3	-	-	3	2	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	-	-	-	-	-	-	-	-	-	-
SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
MEASLES....085	-	-	-	-	-	1	1	-	-	-
YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	4	2	2	-	-	3	1	2	-	-
RABIES....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	8	4	4	-	-	5	3	2	-	-
II. NEOPLASMS	829	423	392	13	1	663	343	320	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	818	418	386	13	1	656	341	315	-	-
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	12	9	2	1	-	18	12	6	-	-
OF LIP....140	-	-	-	-	-	2	2	-	-	-
OF TONGUE....141	1	-	-	1	-	1	1	-	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	6	5	1	-	-	11	7	4	-	-
OF PHARYNX....145-148	5	4	1	-	-	4	2	2	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	248	125	116	6	1	229	120	109	-	-
OF ESOPHAGUS....150	7	4	1	2	-	7	7	-	-	-
OF STOMACH....151	61	37	21	3	-	42	27	15	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM....152	4	1	3	-	-	-	-	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM....153	76	32	44	-	-	73	29	44	-	-
CECUM, APPENDIX, AND ASCENDING COLON....153.0	10	4	6	-	-	15	7	8	-	-
TRANSVERSE COLON....153.1	2	1	1	-	-	21	9	12	-	-
DESCENDING COLON....153.2	3	2	1	-	-	8	2	6	-	-
SIGMOID COLON....153.3	13	4	9	-	-	20	8	12	-	-
MULTIPLE PARTS OF LARGE INTESTINE....153.7	-	-	-	-	-	2	1	1	-	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	40	19	21	-	-	6	1	5	-	-
INTESTINAL TRACT, PART UNSPECIFIED....153.9	8	2	6	-	-	1	1	-	-	-
OF RECTUM....154	21	15	6	-	-	34	15	19	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	34	14	20	-	-	12	5	7	-	-
LIVER....155.0	14	8	6	-	-	3	1	2	-	-
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	20	6	14	-	-	9	4	5	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	2	2	-	-	-	15	6	9	-	-
OF PANCREAS....157	40	18	20	1	1	38	24	14	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	3	2	1	-	-	8	7	1	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WEST VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
34,068	14,473	10,725	4,940	3,930	26,434	15,327	10,299	525	283	18,056	9,934	6,984	668	470	1
															2
															3
419	149	98	103	69	224	128	73	12	11	224	124	77	19	4	4
															5
184	71	30	52	31	83	50	22	7	4	124	78	33	11	2	6
161	67	26	42	26	71	47	17	5	2	120	76	31	11	2	7
4	-	2	2	-	5	2	1	1	1	-	-	-	-	-	8
															9
															10
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	11
5	3	1	1	-	1	-	1	-	-	-	-	-	-	-	12
2	-	-	2	-	5	1	3	-	1	-	-	-	-	-	13
12	1	1	5	5	1	-	-	1	-	1	-	1	-	-	14
															15
63	18	10	20	15	55	34	16	4	1	29	13	10	5	1	16
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
33	11	7	7	8	38	26	12	-	-	10	5	4	1	-	19
17	4	-	10	3	10	6	1	2	1	10	3	3	4	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
7	1	2	3	1	1	-	-	1	-	5	1	3	-	1	22
5	2	1	-	2	5	2	2	1	-	3	3	-	-	-	23
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	27
1	-	-	1	-	2	-	2	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	30
10	-	3	5	2	1	-	1	-	-	1	1	-	-	-	31
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	32
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	34
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	35
44	13	16	8	7	24	12	8	-	4	12	5	5	2	-	36
															37
5	-	-	3	2	1	-	1	-	-	-	-	-	-	-	38
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	39
15	8	6	-	1	9	3	5	1	-	11	8	2	-	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	2	1	1	-	1	1	-	-	-	3	1	1	1	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
4	1	2	1	-	3	2	1	-	-	1	-	1	-	-	45
5	5	-	-	-	5	3	2	-	-	1	-	1	-	-	46
7	5	1	1	-	9	5	4	-	-	5	3	2	-	-	47
5	4	-	1	-	-	-	-	-	-	2	1	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
13	5	5	1	2	3	2	1	-	-	9	2	7	-	-	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
12	4	5	2	1	7	4	2	-	1	8	2	6	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	62
38	11	17	4	6	18	10	7	-	1	16	9	7	-	-	63
															64
5,043	2,108	1,834	604	497	4,404	2,437	1,868	70	29	2,673	1,361	1,146	88	78	65
															66
															67
4,934	2,073	1,790	591	480	4,315	2,390	1,827	69	29	2,636	1,346	1,126	88	76	68
115	71	26	12	6	93	60	29	3	1	54	32	20	2	-	69
4	3	1	-	-	1	1	-	-	-	2	2	-	-	-	70
23	17	5	1	-	23	14	8	-	1	10	4	5	1	-	71
32	16	13	2	1	29	17	11	1	-	15	6	8	1	-	72
56	35	7	9	5	40	28	10	2	-	27	20	7	-	-	73
															74
															75
1,550	605	568	235	142	1,371	748	589	23	11	850	431	357	33	29	76
109	49	14	40	6	68	51	13	4	-	47	29	14	2	2	77
318	128	92	72	26	314	192	111	7	4	194	113	63	11	7	78
15	6	7	1	1	8	5	3	-	-	2	2	-	-	-	79
469	159	225	37	48	396	173	216	4	3	251	103	131	9	8	80
53	22	22	4	5	57	22	35	-	-	35	10	22	-	3	81
20	4	10	4	2	15	5	9	1	-	17	7	9	1	-	82
20	8	10	1	1	14	9	5	-	-	7	4	3	-	-	83
74	28	34	5	7	79	32	47	-	-	62	23	35	2	2	84
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	85
273	93	131	19	30	201	90	107	1	3	114	53	53	6	2	86
29	4	18	4	3	30	15	13	2	-	15	6	8	-	1	87
															88
156	68	58	17	13	186	112	70	2	2	85	36	43	2	4	89
88	36	41	8	3	89	41	47	-	1	69	30	34	2	3	90
34	18	8	7	1	25	15	10	-	-	26	17	6	2	1	91
54	18	33	1	2	64	26	37	-	1	43	13	28	-	2	92
97	33	35	21	8	33	18	14	1	-	49	28	18	2	1	93
272	118	88	33	33	253	144	104	4	1	136	83	45	4	4	94
26	8	8	6	4	24	12	11	1	-	17	7	9	1	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	95	80	13	2	-	98	80	18	-	-
OF LARYNX.....161	1	1	-	-	-	8	7	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	43	38	5	-	-	32	28	4	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	48	39	7	2	-	57	44	13	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	3	2	1	-	-	1	1	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	83	2	81	-	-	68	1	67	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	127	58	68	1	-	80	35	45	-	-
OF CERVIX UTERI.....171	23	...	23	...	-	16	...	16	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	23	...	23	...	-	11	...	11	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	19	...	19	...	-	17	...	17	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	3	...	3	...	-	1	...	1	...	-
OF PROSTATE.....177	56	55	...	1	...	31	31	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	3	...	-	...	4	4	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	33	21	12	-	-	32	17	15	-	-
OF KIDNEY.....180	16	9	7	-	-	13	6	7	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	17	12	5	-	-	19	11	8	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	101	47	53	1	-	72	43	29	-	-
OF SKIN.....190,191	11	7	4	-	-	11	8	3	-	-
OF EYE.....192	5	3	2	-	-	-	-	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	29	16	13	-	-	16	12	4	-	-
OF THYROID GLAND.....194	2	-	2	-	-	-	-	-	-	-
OF BONE.....196	3	3	-	-	-	5	4	1	-	-
OF CONNECTIVE TISSUE.....197	3	2	1	-	-	3	1	2	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	3	1	2	-	-	5	3	2	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	45	15	29	1	-	32	15	17	-	-
LEUKEMIA AND ALEUKEMIA.....204	66	44	20	2	-	25	13	12	-	-
LYMPHOSARCOMA, ETC.....200-203,205	53	32	21	-	-	34	20	14	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	22	13	9	-	-	14	7	7	-	-
HODGKINS DISEASE.....201	15	11	4	-	-	6	4	2	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	16	8	8	-	-	14	9	5	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	11	5	6	-	-	7	2	5	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	-	...	-	...	-	1	...	1	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	1	2	-	-	4	1	3	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	3	1	2	-	-	-	-	-	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	4	3	1	-	-	1	-	1	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	1	-	1	-	-	1	1	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	143	73	66	2	2	80	26	53	1	-
ASTHMA.....241	21	18	2	-	1	16	9	6	1	-
NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	-	1	-	1	1	-	1	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	1	-	1	-	-
DIABETES MELLITUS.....260	97	46	50	1	-	52	13	39	-	-
DISEASES OF THYMUS GLAND.....273	1	-	1	-	-	1	-	1	-	-
DISEASES OF ADRENAL GLANDS.....274	4	-	3	1	-	1	1	-	-	-
PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	5	3	2	-	-	3	2	1	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	12	6	6	-	-	5	1	4	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	20	5	15	-	-	11	4	7	-	-
ANEMIAS.....290-293	13	5	8	-	-	5	3	2	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	2	-	2	-	-	2	1	1	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	11	5	6	-	-	3	2	1	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	4	-	4	-	-	1	-	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	3	-	3	-	-	5	1	4	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	22	14	7	1	-	9	7	2	-	-
SENILE PSYCHOSIS.....304	1	1	-	-	-	1	1	-	-	-
ALCOHOLIC PSYCHOSIS.....307	2	2	-	-	-	1	1	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	2	-	1	1	-	1	-	1	-	-
ALCOHOLISM.....322	7	5	2	-	-	5	4	1	-	-
MENTAL DEFICIENCY.....325	9	6	3	-	-	1	1	-	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	-	1	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	663	312	342	6	3	585	261	324	-	-
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	594	274	312	6	2	546	240	306	-	-
SUBARACHNOID HEMORRHAGE.....330	35	18	16	1	-	16	6	10	-	-
CEREBRAL HEMORRHAGE.....331	308	141	164	1	2	243	105	138	-	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	204	93	107	4	-	221	97	124	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	47	22	25	-	-	66	32	34	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	7	4	3	-	-	4	2	2	-	-
MULTIPLE SCLEROSIS.....345	5	2	3	-	-	7	1	6	-	-
PARALYSIS AGITANS.....350	18	7	11	-	-	12	7	5	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	9	6	3	-	-	2	1	1	-	-
EPILEPSY.....353	10	7	3	-	-	3	2	1	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	1	-	1	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	-	-	-	-	-	1	1	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	19	12	6	-	1	10	7	3	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
830	583	102	128	17	652	537	97	17	1	426	334	60	28	4	5
53	41	1	11	-	32	27	5	-	-	19	15	4	-	-	6
245	172	26	44	3	333	289	37	7	-	148	116	22	9	1	7
517	360	71	73	13	276	213	52	10	1	254	200	33	18	3	8
15	10	4	-	1	11	8	3	-	-	5	3	1	1	-	9
402	6	318	4	74	378	4	371	-	3	188	2	176	-	10	10
															11
728	204	303	82	139	656	315	324	8	9	381	143	210	7	21	12
191	...	114	...	77	107	...	100	...	7	108	...	100	...	8	13
101	...	70	...	31	63	...	63	...	-	54	...	44	...	10	14
134	...	107	...	27	149	...	147	...	2	60	...	57	...	3	15
16	...	12	...	4	14	...	14	...	-	9	...	9	...	-	16
268	188	...	80	...	313	306	...	7	...	140	133	...	7	...	17
18	16	...	2	...	10	9	...	1	...	10	10	...	-	...	18
204	110	54	25	15	219	163	51	4	1	116	72	41	1	2	19
80	43	26	6	5	88	57	27	3	1	49	26	23	-	-	20
124	67	28	19	10	131	106	24	1	-	67	46	18	1	2	21
															22
															23
649	272	252	58	67	468	265	196	6	1	362	177	170	10	5	24
72	38	26	3	5	48	25	23	-	-	51	31	20	-	-	25
5	4	1	-	-	6	5	1	-	-	3	3	-	-	-	26
116	62	39	7	8	93	64	28	1	-	53	27	24	1	1	27
16	2	11	1	2	20	7	13	-	-	9	-	8	1	-	28
35	16	11	5	3	26	18	8	-	-	21	11	9	1	-	29
17	5	6	2	4	17	10	7	-	-	7	4	3	-	-	30
21	9	6	2	4	24	14	10	-	-	25	15	10	-	-	31
367	136	152	38	41	234	122	106	5	1	193	86	96	7	4	32
238	112	91	23	12	254	158	93	3	-	132	73	52	4	3	33
218	110	76	24	8	224	140	77	5	2	127	82	40	3	2	34
96	56	28	10	2	119	74	42	2	1	67	42	24	-	1	35
49	20	20	7	2	36	26	10	-	-	29	20	8	1	-	36
															37
73	34	28	7	4	69	40	25	3	1	31	20	8	2	1	38
															39
109	35	44	13	17	89	47	41	1	-	37	15	20	-	2	40
12	...	9	...	3	3	...	3	...	-	3	...	3	...	-	41
22	6	11	3	2	9	3	6	-	-	3	1	1	-	1	42
13	2	5	3	3	12	8	4	-	-	8	4	4	-	-	43
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	44
41	17	14	4	6	42	26	16	-	-	12	7	5	-	-	45
21	10	5	3	3	23	10	12	1	-	10	3	6	-	1	46
															47
															48
696	215	268	82	131	607	263	328	9	7	380	165	179	9	27	49
															50
107	44	28	18	17	104	62	41	1	-	60	38	18	3	1	51
5	-	2	1	2	2	-	2	-	-	-	-	-	-	-	52
11	-	8	-	3	7	1	6	-	-	7	1	6	-	-	53
8	4	3	-	1	6	5	1	-	-	2	-	2	-	-	54
473	142	192	48	91	406	165	231	4	6	271	114	131	5	21	55
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	56
6	2	1	-	3	5	1	3	-	1	6	1	5	-	-	57
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	58
37	4	15	11	7	34	13	19	2	-	17	6	7	1	3	59
48	19	19	4	6	41	15	24	2	-	17	5	10	-	2	60
															61
107	31	31	18	27	84	46	35	1	2	51	30	18	3	-	62
															63
75	20	18	13	24	55	31	23	-	1	30	17	11	2	-	64
7	2	-	3	2	7	4	3	-	-	8	6	2	-	-	65
68	18	18	10	22	48	27	20	-	1	22	11	9	2	-	66
13	2	8	1	2	9	4	3	1	1	8	3	5	-	-	67
19	9	5	4	1	20	11	9	-	-	13	10	2	1	-	68
															69
142	69	19	40	14	105	79	17	5	4	45	24	18	2	1	70
															71
2	-	1	-	1	7	3	4	-	-	8	2	6	-	-	72
11	8	-	3	-	5	4	1	-	-	2	1	1	-	-	73
10	2	5	2	1	11	9	2	-	-	4	3	1	-	-	74
112	57	11	33	11	76	61	7	5	3	21	15	4	2	-	75
7	2	2	2	1	3	1	2	-	-	8	2	5	-	1	76
-	-	-	-	-	3	1	1	-	1	2	1	1	-	-	77
															78
4,477	1,478	1,656	644	699	3,474	1,732	1,667	39	36	2,227	1,086	975	92	74	79
															80
4,190	1,360	1,569	595	666	3,212	1,594	1,556	33	29	2,097	1,018	923	87	69	81
216	75	77	30	34	136	53	80	2	1	81	35	41	3	2	82
2,440	749	888	356	447	1,845	908	909	17	11	1,228	576	544	57	51	83
1,138	421	445	148	124	985	512	445	13	15	579	299	247	21	12	84
396	115	159	61	61	246	121	122	1	2	209	108	91	6	4	85
46	18	10	8	10	40	24	13	1	2	10	4	3	1	2	86
22	7	11	1	3	37	14	23	-	-	15	6	8	1	-	87
49	22	23	3	1	65	36	27	-	2	22	14	8	-	-	88
25	10	5	5	5	14	9	5	-	-	9	5	4	-	-	89
32	11	6	11	4	20	11	8	-	1	19	11	8	-	-	90
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	93
9	3	4	1	1	5	2	2	-	1	8	4	3	1	-	94
104	47	28	20	9	78	40	32	5	1	47	24	18	2	3	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	2,336	1,310	997	21	8	1,873	1,015	854	-	4
DISEASES OF HEART 400-402,410-443	2,122	1,205	891	19	7	1,652	901	748	-	3
RHEUMATIC FEVER 400-402	2	1	-	-	1	2	2	-	-	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	160	70	89	1	-	39	15	23	-	1
DISEASES OF MITRAL VALVE 410	47	20	27	-	-	11	1	9	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	21	14	7	-	-	7	4	3	-	-
DISEASES OF PULMONARY VALVE, ETC 413,414	11	1	9	1	-	4	2	2	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	81	35	46	-	-	17	8	9	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS 420	1,439	899	527	10	3	1,324	761	562	-	1
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	546	287	257	2	-	646	332	314	-	-
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	892	611	270	8	3	675	427	247	-	1
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	1	1	-	-	-	3	2	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	21	15	5	1	-	20	9	11	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	-	-	-	-	-	3	2	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	12	9	3	-	-	3	1	2	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	9	6	2	1	-	14	6	8	-	-
OTHER MYOCARDIAL DEGENERATION 422	201	92	103	5	1	104	40	64	-	-
WITH ARTERIOSCLEROSIS 422.1	142	63	73	5	1	82	33	49	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	59	29	30	-	-	22	7	15	-	-
OTHER DISEASES OF HEART 430-434	101	59	41	-	1	46	29	17	-	-
ACUTE AND SUBACUTE ENDOCARDITIS 430	5	3	2	-	-	3	3	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	3	1	2	-	-	1	1	-	-	-
FUNCTIONAL DISEASE OF HEART 433	21	10	11	-	-	5	1	4	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART 434	72	45	26	-	1	37	24	13	-	-
HYPERTENSIVE HEART DISEASE 440-443	198	69	126	2	1	117	45	71	-	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	45	18	26	1	-	25	10	15	-	-
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	153	51	100	1	1	92	35	56	-	1
OTHER HYPERTENSIVE DISEASE 444-447	26	9	16	1	-	42	21	21	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	11	4	7	-	-	22	13	9	-	-
ESSENTIAL HYPERTENSION 444,445,447	15	5	9	1	-	20	8	12	-	-
DISEASES OF ARTERIES 450-456	138	65	71	1	1	144	77	67	-	-
GENERAL ARTERIOSCLEROSIS 450	81	36	45	-	-	110	52	58	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	30	19	10	1	-	28	21	7	-	-
GANGRENE OF UNSPECIFIED CAUSE 455	2	-	2	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES 452-454,456	25	10	14	-	1	6	4	2	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	50	31	19	-	-	35	16	18	-	1
VIII. DISEASES OF THE RESPIRATORY SYSTEM	313	212	91	7	3	216	136	80	-	-
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	3	2	1	-	-	4	2	2	-	-
INFLUENZA 480-483	2	1	1	-	-	3	1	2	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	172	98	67	4	3	118	58	60	-	-
LOBAR PNEUMONIA 490	25	14	8	1	2	20	9	11	-	-
BRONCHOPNEUMONIA 491	100	52	45	2	1	73	37	36	-	-
PRIMARY ATYPICAL PNEUMONIA 492	19	11	7	1	-	16	9	7	-	-
PNEUMONIA, OTHER AND UNSPECIFIED 493	28	21	7	-	-	9	3	6	-	-
ACUTE BRONCHITIS 500	1	1	-	-	-	3	3	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	11	6	5	-	-	17	12	5	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	4	4	-	-	-	1	1	-	-	-
PLEURISY 519	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	64	58	4	2	-	37	34	3	-	-
OTHER RESPIRATORY DISEASES RESIDUAL	56	42	13	1	-	33	25	8	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	236	124	104	5	3	163	92	71	-	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH 540	20	12	8	-	-	13	9	4	-	-
ULCER OF DUODENUM 541	21	16	5	-	-	19	14	5	-	-
GASTRITIS AND DUODENITIS 543	3	2	1	-	-	1	1	-	-	-
APPENDICITIS 550-553	13	8	5	-	-	4	4	-	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	35	11	24	-	-	27	15	12	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	15	6	5	2	2	7	2	5	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	8	5	3	-	-	14	9	5	-	-
CIRRHOSIS OF LIVER 581	49	34	13	1	1	26	16	10	-	-
WITHOUT MENTION OF ALCOHOLISM 581.0	33	25	7	-	1	18	8	10	-	-
WITH ALCOHOLISM 581.1	16	9	6	1	-	8	8	-	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	20	7	12	1	-	17	7	10	-	-
FIBROCYSTIC DISEASE OF PANCREAS 587B	3	-	3	-	-	4	-	4	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	49	23	25	1	-	31	15	16	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM	107	67	36	3	1	68	36	31	1	-
NEPHRITIS AND NEPHROSIS 590-594	45	26	17	2	-	21	10	10	1	-
ACUTE NEPHRITIS 590	1	-	1	-	-	-	-	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	6	4	1	1	-	1	1	-	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	38	22	15	1	-	20	9	10	1	-
INFECTIONS OF KIDNEY 600	26	15	11	-	-	18	6	12	-	-
CALCULI OF URINARY SYSTEM 602,604	2	1	1	-	-	5	2	3	-	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	9	4	4	-	1	6	1	5	-	-
HYPERPLASIA OF PROSTATE 610	17	16	...	1	...	16	16	...	-	...
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	8	5	3	-	-	2	1	1	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,863	6,309	4,353	1,729	1,472	11,266	6,886	4,156	162	62	7,814	4,375	2,998	266	175	1
12,518	5,789	3,888	1,552	1,289	10,173	6,289	3,681	147	56	7,093	4,005	2,696	239	153	3
13	2	7	-	4	7	5	2	-	-	6	1	3	-	2	4
252	100	93	34	25	281	139	136	4	2	196	88	99	3	6	5
106	40	42	9	15	107	51	54	1	1	77	34	40	-	3	6
36	22	6	8	-	49	26	22	1	-	20	13	6	1	-	7
11	3	6	2	-	21	10	10	-	1	13	4	9	-	-	8
99	35	39	15	10	104	52	50	2	-	86	37	44	2	3	9
8,664	4,604	2,519	927	614	7,948	5,182	2,621	109	36	5,252	3,165	1,822	181	84	10
3,173	1,487	1,134	327	225	2,819	1,629	1,136	40	14	2,083	1,075	902	67	39	11
5,484	3,112	1,384	599	389	5,122	3,550	1,481	69	22	3,152	2,080	914	113	45	12
7	5	1	1	-	7	3	4	-	-	17	10	6	1	-	13
															14
92	41	22	14	15	85	53	29	3	-	44	25	19	-	-	15
7	2	2	1	2	11	3	7	1	-	3	1	2	-	-	16
45	26	6	8	5	51	33	16	2	-	16	11	5	-	-	17
40	13	14	5	8	23	17	6	-	-	25	13	12	-	-	18
1,187	414	467	160	146	634	317	306	5	6	498	251	223	14	10	19
935	335	360	126	114	476	236	233	4	3	388	198	175	9	6	20
252	79	107	34	32	158	81	73	1	3	110	53	48	5	4	21
															22
551	210	188	82	71	412	248	150	9	5	331	179	135	7	10	23
17	7	5	4	1	9	5	4	-	-	7	5	1	-	1	24
30	9	10	6	5	17	5	12	-	-	16	8	8	-	-	25
159	53	73	17	16	108	68	35	2	3	88	45	39	-	4	26
345	141	100	55	49	278	170	99	7	2	220	121	87	7	5	27
1,759	418	592	335	414	806	345	437	17	7	766	296	395	34	41	28
															29
495	134	171	94	96	294	145	141	6	2	183	76	97	5	5	30
1,264	284	421	241	318	512	200	296	11	5	583	220	298	29	36	31
															32
247	62	65	56	64	110	55	51	1	3	171	87	65	10	9	33
126	38	37	24	27	62	36	23	1	2	118	64	42	7	5	34
121	24	28	32	37	48	19	28	-	1	53	23	23	3	4	35
910	380	334	104	92	837	464	361	9	3	456	228	208	10	10	36
656	238	274	76	68	633	326	302	3	2	351	166	170	7	8	37
193	122	41	17	13	150	111	33	6	-	67	43	21	2	1	38
5	-	1	2	2	6	5	1	-	-	7	4	3	-	-	39
56	20	18	9	9	48	22	25	-	1	31	15	14	1	1	40
188	78	66	17	27	146	78	63	5	-	94	55	29	7	3	41
															42
															43
1,708	756	476	313	163	1,382	832	478	45	27	1,008	600	339	53	16	44
															45
24	7	7	6	4	15	6	8	-	1	3	2	1	-	-	46
47	9	23	10	5	37	16	21	-	-	43	22	18	1	2	47
1,086	415	332	211	128	871	458	356	35	22	627	343	250	23	11	48
180	80	50	29	21	111	57	44	5	5	126	73	45	7	1	49
552	211	187	100	54	461	249	189	17	6	325	168	142	10	5	50
114	35	33	27	19	136	64	58	7	7	49	28	17	1	3	51
240	89	62	55	34	163	88	65	6	4	127	74	46	5	2	52
															53
15	6	7	1	1	25	14	10	-	1	11	6	3	1	1	54
63	38	15	8	2	36	27	8	1	-	43	30	11	2	-	55
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	56
20	11	1	6	2	8	6	2	-	-	5	4	-	1	-	57
2	1	-	-	1	5	1	4	-	-	1	1	-	-	-	58
196	152	26	17	1	222	198	23	1	-	116	92	18	5	1	59
254	116	65	54	19	160	104	45	8	3	159	100	38	20	1	60
															61
															62
1,222	536	389	188	109	940	519	381	15	25	560	319	206	16	19	63
															64
2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	65
107	63	17	20	7	83	64	17	1	1	49	36	10	2	1	66
98	52	26	16	4	87	61	24	1	1	43	33	6	2	2	67
8	4	3	1	-	9	5	4	-	-	5	4	1	-	-	68
34	11	13	6	4	18	9	9	-	-	19	12	4	2	1	69
179	56	84	23	16	138	64	73	-	1	88	39	41	2	6	70
															71
97	25	16	35	21	53	28	19	5	1	37	13	22	1	1	72
															73
58	19	26	7	6	44	19	25	-	-	17	9	6	1	1	74
311	167	84	39	21	247	144	82	8	13	129	90	35	1	3	75
199	109	57	23	10	159	91	59	4	5	91	61	28	1	1	76
112	58	27	16	11	88	53	23	4	8	38	29	7	-	2	77
62	28	28	3	3	61	28	31	-	2	42	13	28	-	1	78
17	8	9	-	-	12	6	5	-	1	8	7	1	-	-	79
249	102	82	38	27	186	90	91	-	5	123	63	52	5	3	80
															81
															82
744	277	217	150	100	347	211	122	10	4	362	205	135	10	12	83
															84
315	95	98	68	54	125	73	44	6	2	191	93	85	6	7	85
17	3	9	3	2	7	4	2	-	1	9	4	4	1	-	86
25	10	8	4	3	9	6	3	-	-	11	5	6	-	-	87
273	82	81	61	49	109	63	39	6	1	171	84	75	5	7	88
229	76	84	37	32	97	47	49	-	1	66	28	35	-	3	89
39	15	19	3	2	16	10	6	-	-	5	1	4	-	-	90
38	17	7	8	6	33	17	14	2	-	20	13	5	1	1	91
97	69	...	28	...	63	61	...	2	...	64	62	...	2	...	92
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	93
26	5	9	6	6	13	3	9	-	1	15	8	5	1	1	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	7	...	6	...	1	1	...	1	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	1	...	1	...	-	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	1	...	-	...	1	-	...	-	...	-
ECTOPIC PREGNANCY.....645	-	...	-	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	2	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	-	...	-	...	-	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	3	...	-	1	...	1	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	9	4	5	-	-	4	1	3	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	2	2	-	-	-	-	-	-	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	7	2	5	-	-	4	1	3	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	24	11	12	-	1	13	5	8	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	17	7	10	-	-	9	4	5	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	2	2	-	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	4	2	1	-	1	-	-	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	1	-	1	-	-	4	1	3	-	-
XIV. CONGENITAL MALFORMATIONS.....	130	60	66	2	2	55	35	20	-	-
SPINA BIFIDA AND MENINGOCELE.....751	1	-	1	-	-	3	1	2	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	7	2	5	-	-	7	6	1	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	83	42	38	2	1	22	15	7	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	39	16	22	-	1	23	13	10	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	326	181	134	6	5	160	98	62	-	-
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	238	124	103	9	2	80	47	33	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	63	24	38	1	-	7	1	6	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	175	100	65	8	2	73	46	27	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	624	413	179	24	8	277	201	76	-	-
ACCIDENTS.....E800-E962	528	342	161	18	7	215	150	65	-	-
RAILWAY ACCIDENTS.....E800-E802	3	3	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	241	157	71	10	3	90	66	24	-	-
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	228	147	68	10	3	86	64	22	-	-
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	9	6	3	-	-	3	3	-	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	38	26	8	4	-	12	8	4	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	88	52	35	1	-	23	17	6	-	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	82	56	19	4	3	44	34	10	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	11	7	3	1	-	4	2	2	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	13	10	3	-	-	4	2	2	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	2	-	-	-	-	-	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	4	4	-	-	-	6	4	2	-	-
AIRCRAFT ACCIDENTS.....E860-E866	16	16	-	-	-	1	1	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	4	3	1	-	-	1	-	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	7	5	1	1	-	2	-	2	-	-
ACCIDENTAL FALLS.....E900-E904	82	31	49	2	-	45	22	23	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	29	13	15	1	-	14	8	6	-	-
FALL ON SAME LEVEL.....E903	14	7	7	-	-	11	6	5	-	-
UNSPECIFIED FALLS.....E904	39	11	27	1	-	20	8	12	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	19	18	-	1	-	5	5	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	15	15	-	-	-	12	11	1	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	5	5	-	-	-	2	2	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	23	15	7	-	1	11	10	1	-	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	2	-	-	-	1	-	1	-	-
ACCIDENT CAUSED BY FIREARM.....E919	12	10	-	2	-	8	7	1	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	23	10	11	1	1	5	3	2	-	-
ACCIDENTAL DROWNING.....E929	27	21	5	1	-	14	11	3	-	-
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	4	1	3	-	-	1	1	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	39	24	13	-	2	11	7	4	-	-
SUICIDE.....E963,E970-E979	80	63	11	5	1	54	46	8	-	-
SUICIDE BY POISONING.....E970-E973	18	11	7	-	-	16	13	3	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	7	4	1	1	1	12	10	2	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	52	46	2	4	-	21	18	3	-	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	3	2	1	-	-	5	5	-	-	-
HOMICIDE.....E964,E980-E985	16	8	7	1	-	8	5	3	-	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	9	5	4	-	-	6	4	2	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1	1	-	-	-	1	-	1	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	5	1	3	1	-	1	1	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	-	-	-	-	-
EXECUTION.....E985	1	1	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
52	...	19	...	33	17	...	16	...	1	20	...	18	...	2	3
3	...	-	...	3	1	...	1	...	-	1	...	1	...	-	5
7	...	2	...	5	2	...	2	...	-	7	...	7	...	-	6
8	...	4	...	4	1	...	1	...	-	5	...	5	...	-	7
4	...	1	...	3	-	...	-	...	-	-	...	-	...	-	8
1	...	-	...	1	1	...	1	...	-	2	...	-	...	2	9
15	...	3	...	12	1	...	1	...	-	3	...	3	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
14	...	9	...	5	11	...	10	...	1	2	...	2	...	-	12
60	12	25	9	14	40	19	21	-	-	19	9	6	1	3	15
10	3	2	3	2	11	6	5	-	-	7	4	3	-	-	17
50	9	23	6	12	29	13	16	-	-	12	5	3	1	3	18
69	23	32	5	9	79	33	41	1	4	25	11	14	-	-	21
37	11	21	2	3	39	12	24	-	3	10	4	6	-	-	23
1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	24
4	1	1	1	1	2	2	-	-	-	3	2	1	-	-	25
1	-	1	-	-	4	2	2	-	-	2	1	1	-	-	26
8	5	1	-	2	17	12	4	1	-	2	2	-	-	-	27
18	6	8	2	2	15	4	10	-	1	8	2	6	-	-	28
525	214	197	62	52	335	167	149	11	8	242	121	116	2	3	31
33	13	19	-	1	9	3	6	-	-	20	6	14	-	-	33
70	20	30	13	7	30	13	13	2	2	16	6	9	1	-	34
257	113	84	28	32	195	89	98	4	4	118	59	57	1	1	35
165	68	64	21	12	101	62	32	5	2	88	50	36	-	2	36
1,661	630	427	328	276	866	477	305	51	33	624	331	250	30	13	38
475	140	111	119	105	155	73	73	5	4	412	216	154	26	16	40
62	17	29	7	9	39	10	28	-	1	57	16	38	1	2	42
413	123	82	112	96	116	63	45	5	3	355	200	116	25	14	43
2,805	1,526	573	546	160	2,109	1,425	569	89	26	1,370	957	335	51	27	46
2,045	1,077	437	409	122	1,621	1,090	448	67	16	1,087	750	281	37	19	48
24	14	1	8	1	9	7	-	2	-	19	16	3	-	-	49
803	463	141	157	42	646	431	183	25	7	365	272	83	8	2	50
783	451	136	154	42	621	414	176	24	7	355	265	80	8	2	51
24	9	2	10	3	16	10	6	-	-	6	4	2	-	-	52
157	68	23	46	20	102	60	37	5	-	67	48	13	4	2	53
285	159	73	40	13	236	151	78	4	3	95	73	22	-	-	54
233	159	23	47	4	179	133	31	11	4	91	70	19	2	-	55
84	56	15	11	2	88	60	24	4	-	96	70	24	2	-	56
20	12	5	3	-	25	17	7	1	-	10	7	3	-	-	57
2	2	-	-	-	4	1	3	-	-	-	-	-	-	-	59
49	31	3	15	-	60	52	2	6	-	11	10	1	-	-	60
15	15	-	-	-	43	37	5	1	-	4	2	2	-	-	61
74	43	10	15	6	15	10	3	2	-	25	14	9	1	1	62
6	5	-	-	1	17	13	4	-	-	20	13	6	1	-	63
361	147	167	32	15	320	172	140	5	3	194	95	90	5	4	64
107	48	37	19	3	94	66	24	3	1	53	33	14	3	3	65
57	27	26	2	2	50	33	16	1	-	13	9	4	-	-	66
197	72	104	11	10	176	73	100	1	2	128	53	72	2	1	67
59	45	3	11	-	39	36	3	-	-	55	51	-	4	-	69
47	37	2	8	-	46	45	1	-	-	28	27	-	1	-	70
25	17	1	7	-	8	7	-	1	-	16	15	1	-	-	71
175	58	38	49	30	93	61	26	4	2	94	56	27	3	8	72
14	4	5	1	4	10	7	3	-	-	2	1	1	-	-	73
61	36	5	16	4	30	24	3	2	1	29	23	4	1	1	74
65	29	19	9	8	44	24	17	3	-	14	10	3	1	-	75
131	68	18	41	4	116	85	20	10	1	76	63	5	7	1	76
2	1	-	1	-	5	4	1	-	-	-	-	-	-	-	77
30	12	6	9	3	25	10	12	2	1	24	8	14	2	-	78
102	50	18	30	4	91	64	22	4	1	111	74	32	3	2	79
507	373	101	26	7	410	296	101	8	5	205	162	37	4	2	82
94	55	33	3	3	117	79	36	-	2	22	13	9	-	-	83
59	44	9	6	-	54	33	14	5	2	26	18	7	1	-	84
321	252	50	16	3	186	152	31	2	1	142	124	14	3	1	85
33	22	9	1	1	53	32	20	1	-	15	7	7	-	1	86
250	73	35	111	31	78	39	20	14	5	78	45	17	10	6	88
152	45	23	66	18	41	19	10	8	4	52	33	12	5	2	89
41	8	2	26	5	11	4	3	3	1	10	3	-	4	3	90
47	15	10	14	8	24	14	7	3	-	14	7	5	1	1	91
5	3	-	2	-	2	2	-	-	-	2	2	-	-	-	92
5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	93
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	37,262	20,986	15,628	367	281	2,641	1,657	918	32	34
I. INFECTIVE AND PARASITIC DISEASES	310	205	96	7	2	20	12	7	-	1
TUBERCULOSIS, ALL FORMS 001-019	117	80	33	4	-	8	4	3	-	1
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	104	76	24	4	-	7	4	2	-	1
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	3	1	2	-	-	1	-	1	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	3	-	3	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	2	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	5	1	4	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	44	36	6	1	1	7	5	2	-	-
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	11	8	3	-	-	6	4	2	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	28	24	2	1	1	1	1	-	-	-
TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	1	1	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	2	1	1	-	-	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	2	2	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	2	2	-	-	-	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	1	1	-	-	-
ERYSIPELAS 052	1	1	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	29	15	14	-	-	-	-	-	-	-
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	13	11	2	-	-	1	1	-	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	6	5	1	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	4	2	2	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	17	7	10	-	-	1	-	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	8	3	3	1	1	-	-	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	15	10	5	-	-	1	-	1	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	-	1	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	51	32	18	1	-	1	1	-	-	-
II. NEOPLASMS	6,147	3,261	2,799	42	45	355	203	145	3	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	6,044	3,217	2,745	38	44	347	199	141	3	4
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	125	96	27	1	1	6	3	3	-	-
OF LIP 140	3	3	-	-	-	-	-	-	-	-
OF TONGUE 141	31	24	7	-	-	2	2	-	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	36	21	13	1	1	1	-	1	-	-
OF PHARYNX 145-148	55	48	7	-	-	3	1	2	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,249	1,269	959	10	11	103	55	44	1	3
OF ESOPHAGUS 150	105	89	15	-	1	3	1	2	-	-
OF STOMACH 151	579	377	198	2	2	23	19	4	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	16	7	8	-	1	1	-	1	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	718	333	377	5	3	39	18	20	-	1
CECUM, APPENDIX, AND ASCENDING COLON 153.0	118	48	69	-	1	7	3	4	-	-
TRANSVERSE COLON 153.1	48	23	25	-	-	3	3	-	-	-
DESCENDING COLON 153.2	30	14	16	-	-	1	-	1	-	-
SIGMOID COLON 153.3	132	63	67	2	-	11	5	6	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	3	-	3	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	325	155	166	2	2	17	7	9	-	1
INTESTINAL TRACT, PART UNSPECIFIED 153.9	62	30	31	1	-	-	-	-	-	-
OF RECTUM 154	277	185	92	-	-	10	7	2	1	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	155	54	101	-	-	6	3	3	-	-
LIVER 155.0	42	25	17	-	-	-	-	-	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	113	29	84	-	-	6	3	3	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	69	36	33	-	-	2	-	2	-	-
OF PANCREAS 157	298	173	120	3	2	19	7	10	-	2
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	32	15	15	-	2	-	-	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	692	589	89	11	3	45	38	6	1	-
OF LARYNX.....161	44	39	3	2	-	-	-	-	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	264	234	23	5	2	24	23	-	1	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	368	302	61	4	1	20	14	6	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	16	14	2	-	-	1	1	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	589	6	572	-	11	32	-	32	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	830	365	449	3	13	69	38	31	-	-
OF CERVIX UTERI.....171	149	...	139	...	10	9	...	9	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	101	...	100	...	1	14	...	14	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	194	...	193	...	1	8	...	8	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	18	...	17	...	1	-	...	-	...	-
OF PROSTATE.....177	341	338	...	3	...	35	35	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	27	27	...	-	...	3	3	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	317	199	115	2	1	17	15	2	-	-
OF KIDNEY.....180	122	74	47	1	-	7	6	1	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	195	125	68	1	1	10	9	1	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	645	330	306	7	2	44	29	14	1	-
OF SKIN.....190,191	65	35	29	1	-	9	9	-	-	-
OF EYE.....192	7	4	3	-	-	2	-	2	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	164	89	71	3	1	8	6	2	-	-
OF THYROID GLAND.....194	31	13	18	-	-	3	2	1	-	-
OF BONE.....196	51	23	27	1	-	3	1	2	-	-
OF CONNECTIVE TISSUE.....197	17	11	6	-	-	1	1	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	37	20	17	-	-	-	-	-	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	273	135	135	2	1	18	10	7	1	-
LEUKEMIA AND ALEUKEMIA.....204	286	174	110	1	1	14	10	3	-	1
LYMPHOSARCOMA, ETC.....200-203,205	311	189	118	3	1	17	11	6	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	156	100	55	1	-	8	5	3	-	-
HODGKINS DISEASE.....201	60	41	17	1	1	3	3	-	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	95	48	46	1	-	6	3	3	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	103	44	54	4	1	8	4	4	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	10	...	10	...	-	1	...	1	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	22	6	15	1	-	2	-	2	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	19	11	6	1	1	-	-	-	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	31	14	15	2	-	5	4	1	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	21	13	8	-	-	-	-	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	987	422	550	6	9	62	31	30	-	1
ASTHMA.....241	87	46	37	3	1	11	9	2	-	-
NONTOXIC GOITER.....250,251	2	-	2	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	18	3	15	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	7	2	5	-	-	-	-	-	-	-
DIABETES MELLITUS.....260	741	309	422	3	7	41	17	23	-	1
DISEASES OF THYMUS GLAND.....273	3	2	1	-	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	14	5	9	-	-	-	-	-	-	-
PELLAGRA.....281	1	1	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	26	11	15	-	-	3	1	2	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	88	43	44	-	1	7	4	3	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	121	61	56	3	1	8	5	3	-	-
ANEMIAS.....290-293	81	37	42	1	1	5	3	2	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	23	10	13	-	-	1	1	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	58	27	29	1	1	4	2	2	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	11	4	7	-	-	-	-	-	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	29	20	7	2	-	3	2	1	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	74	45	27	2	-	6	5	1	-	-
SENILE PSYCHOSIS.....304	12	7	5	-	-	1	-	1	-	-
ALCOHOLIC PSYCHOSIS.....307	5	5	-	-	-	2	2	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	11	5	6	-	-	1	1	-	-	-
ALCOHOLISM.....322	27	19	6	2	-	2	2	-	-	-
MENTAL DEFICIENCY.....325	17	8	9	-	-	-	-	-	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	1	1	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	4,942	2,449	2,410	41	42	284	156	126	2	-
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	4,596	2,272	2,249	38	37	252	133	118	1	-
SUBARACHNOID HEMORRHAGE.....330	147	69	74	3	1	7	4	3	-	-
CEREBRAL HEMORRHAGE.....331	2,558	1,282	1,247	12	17	156	82	74	-	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,326	645	648	16	17	59	28	30	1	-
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	565	276	280	7	2	30	19	11	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	50	28	21	-	1	8	5	3	-	-
MULTIPLE SCLEROSIS.....345	45	18	27	-	-	3	2	1	-	-
PARALYSIS AGITANS.....350	60	28	31	1	-	8	6	2	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	25	11	12	-	2	1	-	1	-	-
EPILEPSY.....353	40	26	12	1	1	4	4	-	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	15	8	7	-	-	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	111	58	51	1	1	8	6	1	1	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	16,419	9,584	6,651	102	82	1,042	684	340	8	10
DISEASES OF HEART.....400-402,410-443	14,737	8,711	5,865	92	69	933	615	302	7	9
RHEUMATIC FEVER.....400-402	10	3	6	-	1	1	1	-	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	406	202	193	7	4	36	15	21	-	-
DISEASES OF MITRAL VALVE.....410	118	53	63	1	1	12	4	8	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	46	33	11	1	1	3	2	1	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	28	11	16	-	1	5	2	3	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	214	105	103	5	1	16	7	9	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	11,392	7,070	4,227	60	35	700	491	199	4	6
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,759	2,584	2,143	18	14	202	124	77	-	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	6,629	4,484	2,082	42	21	498	367	122	4	5
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	2	2	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	85	45	40	-	-	18	11	7	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	5	2	3	-	-	1	-	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	33	20	13	-	-	12	9	3	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	47	23	24	-	-	5	2	3	-	-
OTHER MYOCARDIAL DEGENERATION.....422	1,162	588	565	7	2	75	41	32	1	1
WITH ARTERIOSCLEROSIS.....422.1	846	412	430	3	1	36	23	13	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	316	176	135	4	1	39	18	19	1	1
OTHER DISEASES OF HEART.....430-434	520	330	184	1	5	45	32	13	-	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	20	16	4	-	-	-	-	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	17	11	6	-	-	3	3	-	-	-
FUNCTIONAL DISEASE OF HEART.....433	161	87	73	-	1	5	5	-	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	322	216	101	1	4	37	24	13	-	-
HYPERTENSIVE HEART DISEASE.....440-443	1,162	473	650	17	22	58	24	30	2	2
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	316	160	150	3	3	22	13	9	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	846	313	500	14	19	36	11	21	2	2
OTHER HYPERTENSIVE DISEASE.....444-447	261	133	123	1	4	10	5	5	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	137	79	57	1	-	4	3	1	-	-
ESSENTIAL HYPERTENSION.....444,445,447	124	54	66	-	4	6	2	4	-	-
DISEASES OF ARTERIES.....450-456	1,176	608	558	7	3	80	53	25	1	1
GENERAL ARTERIOSCLEROSIS.....450	939	443	490	5	1	60	36	22	1	1
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	178	129	48	1	-	12	10	2	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	3	1	2	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	56	35	18	1	2	8	7	1	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	245	132	105	2	6	19	11	8	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,561	891	628	28	14	154	110	40	1	3
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	14	8	5	-	1	1	-	1	-	-
INFLUENZA.....480-483	55	25	30	-	-	7	5	1	-	1
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,028	527	469	21	11	73	42	29	1	1
LOBAR PNEUMONIA.....490	134	75	53	5	1	5	4	1	-	-
BRONCHOPNEUMONIA.....491	638	315	304	11	8	45	22	22	1	-
PRIMARY ATYPICAL PNEUMONIA.....492	101	51	45	3	2	5	3	2	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	155	86	67	2	-	18	13	4	-	1
ACUTE BRONCHITIS.....500	20	13	7	-	-	3	3	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	34	19	14	-	1	7	3	3	-	1
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	6	1	4	-	1	2	2	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	20	17	2	1	-	2	2	-	-	-
PLEURISY.....519	4	3	1	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	178	149	25	4	-	42	39	3	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	202	129	71	2	-	17	14	3	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,388	831	526	16	15	117	61	49	5	2
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	1	1	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	124	92	29	-	3	10	4	6	-	-
ULCER OF DUODENUM.....541	138	101	34	2	1	12	9	3	-	-
GASTRITIS AND DUODENITIS.....543	6	3	2	-	1	-	-	-	-	-
APPENDICITIS.....550-553	47	28	16	3	-	5	3	2	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	204	102	95	4	3	22	10	11	1	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	58	27	26	2	3	7	2	4	1	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	82	34	48	-	-	4	3	1	-	-
CIRRHOSIS OF LIVER.....581	378	263	110	4	1	22	10	9	1	2
WITHOUT MENTION OF ALCOHOLISM.....581.0	285	191	92	2	-	14	6	7	-	1
WITH ALCOHOLISM.....581.1	93	72	18	2	1	8	4	2	1	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	151	59	90	1	1	13	7	5	1	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	16	9	7	-	-	1	-	1	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	182	112	68	-	2	21	13	7	1	-
X. DISEASES OF THE GENITOURINARY SYSTEM	531	342	176	8	5	40	19	18	3	-
NEPHRITIS AND NEPHROSIS.....590-594	212	121	83	7	1	20	8	10	2	-
ACUTE NEPHRITIS.....590	13	10	3	-	-	1	-	1	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	14	12	-	2	-	5	2	1	2	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	185	99	80	5	1	14	6	8	-	-
INFECTIONS OF KIDNEY.....600	123	71	49	1	2	8	2	5	1	-
CALCULI OF URINARY SYSTEM.....602,604	26	14	12	-	-	1	1	-	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	57	34	22	-	1	5	2	3	-	-
HYPERPLASIA OF PROSTATE.....610	87	87	...	-	...	5	5	...	-	...
DISEASES OF BREAST.....620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	25	15	9	-	1	1	1	-	-	-

and Sex: United States and Each State, 1961—Con.

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	27	...	26	...	1	1	...	1	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	5	...	-	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	1	...	1	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	7	...	7	...	-	-	...	-	...	-
ECTOPIC PREGNANCY.....645	1	...	1	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	1	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	1	...	1	...	-	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	10	...	10	...	-	1	...	1	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	33	17	13	1	2	2	-	1	-	1
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	11	5	5	1	-	-	-	-	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	22	12	8	-	2	2	-	1	-	1
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	109	39	68	1	1	9	3	6	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	55	14	40	-	1	6	2	4	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	4	1	3	-	-	1	1	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	1	3	-	-	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	21	13	7	1	-	-	-	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	25	10	15	-	-	1	-	1	-	-
XIV. CONGENITAL MALFORMATIONS.....	505	268	212	15	10	40	26	14	-	-
SPINA BIFIDA AND MENINGOCELE.....751	24	11	13	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	59	31	26	-	2	4	3	1	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	257	140	99	10	8	18	12	6	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	165	86	74	5	-	18	11	7	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,407	754	573	47	33	149	82	56	2	9
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	184	89	94	-	1	16	10	6	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	70	22	48	-	-	2	-	2	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	114	67	46	-	1	14	10	4	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,517	1,728	723	48	18	336	250	75	8	3
ACCIDENTS.....E800-E962	1,998	1,340	615	31	12	279	204	68	5	2
RAILWAY ACCIDENTS.....E800-E802	18	18	-	-	-	3	3	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	932	689	226	15	2	125	90	31	2	2
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	895	663	215	15	2	119	85	30	2	2
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	40	32	8	-	-	5	4	1	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	134	93	36	4	1	10	5	4	1	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	420	286	127	7	-	47	34	10	1	2
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	290	244	41	4	1	45	34	11	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	11	8	3	-	-	12	8	4	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	37	26	11	-	-	6	5	1	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	6	6	-	-	-	2	2	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	22	20	2	-	-	2	2	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	21	19	2	-	-	4	3	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	39	16	22	-	1	3	1	2	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	31	27	4	-	-	9	7	2	-	-
ACCIDENTAL FALLS.....E900-E904	433	207	221	1	4	40	22	18	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	147	93	53	-	1	13	10	3	-	-
FALL ON SAME LEVEL.....E903	102	46	54	-	2	2	2	-	-	-
UNSPECIFIED FALLS.....E904	184	68	114	1	1	25	10	15	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	19	17	1	1	-	5	3	1	1	-
ACCIDENT CAUSED BY MACHINERY.....E912	59	49	9	1	-	9	9	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	27	23	4	-	-	2	2	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	90	49	35	3	3	14	11	2	1	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	4	2	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	35	31	3	1	-	18	17	1	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	49	22	24	2	1	14	8	6	-	-
ACCIDENTAL DROWNING.....E929	86	64	20	2	-	8	7	-	1	-
EXCESSIVE HEAT AND INSOLATION.....E931	1	-	1	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	23	12	10	1	-	-	-	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	101	67	29	4	1	21	17	4	-	-
SUICIDE.....E963,E970-E979	447	357	86	3	1	46	39	6	-	1
SUICIDE BY POISONING.....E970-E973	91	64	27	-	-	4	4	-	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	99	72	27	-	-	2	2	-	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	204	190	13	1	-	39	33	5	-	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	53	31	19	2	1	1	-	1	-	-
HOMICIDE.....E964,E980-E985	70	29	22	14	5	11	7	1	3	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	42	16	15	9	2	8	4	1	3	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	8	3	1	3	1	-	-	-	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	20	10	6	2	2	3	3	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	-	-	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	2	2	-	-	-	-	-	-	-	-

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES	1,701,522	107,956	6,760	4,119	3,129	2,621	124,585	8,784	7,464	12,024
2	Male	966,827	62,120	3,671	2,277	1,769	1,467	71,304	5,118	4,763	8,485
3	Female	734,695	45,836	3,089	1,842	1,360	1,154	53,281	3,666	2,701	3,539
4	White Male	854,569	46,989	2,717	1,722	1,397	1,200	54,025	4,227	3,952	7,192
5	Female	643,783	33,792	2,242	1,379	1,025	895	39,333	2,964	2,245	2,856
6	Nonwhite Male	112,258	15,131	954	555	372	267	17,279	891	811	1,293
7	Female	90,932	12,044	847	463	335	259	13,948	702	456	683
8	Tuberculosis, all forms (001-019)	9,938	23	46	21	19	14	123	21	16	32
9	White Male	5,517	7	14	7	7	4	39	7	7	7
10	Female	1,874	4	13	9	3	5	34	6	5	8
11	Nonwhite Male	1,737	8	15	1	5	1	30	4	2	9
12	Female	810	4	4	4	4	4	20	4	2	8
13	Tuberculosis of respiratory system (001-008)	9,191	10	13	7	6	4	40	3	2	21
14	White Male	5,269	4	4	2	2	-	12	1	1	4
15	Female	1,677	1	2	4	1	2	10	-	1	6
16	Nonwhite Male	1,574	4	6	1	1	-	12	-	-	5
17	Female	671	1	1	-	2	2	6	2	-	6
18	Tuberculosis, other forms (010-019)	747	13	33	14	13	10	83	18	14	11
19	White Male	248	3	10	5	5	4	27	6	6	3
20	Female	197	3	11	5	2	3	24	6	4	2
21	Nonwhite Male	163	4	9	-	4	1	18	4	2	4
22	Female	139	3	3	4	2	2	14	2	2	2
23	Syphilis and its sequelae (020-029)	2,850	20	1	-	-	-	21	-	1	1
24	White Male	1,405	6	-	-	-	-	6	-	1	1
25	Female	487	2	-	-	-	-	2	-	-	-
26	Nonwhite Male	627	8	-	-	-	-	8	-	-	-
27	Female	331	4	1	-	-	-	5	-	-	-
28	Dysentery, all forms (045-048)	300	102	17	8	16	3	146	18	6	2
29	White Male	108	28	9	1	3	2	43	9	3	-
30	Female	76	20	4	2	5	-	31	6	2	2
31	Nonwhite Male	58	26	3	2	6	-	37	2	-	-
32	Female	58	28	1	3	2	1	35	1	1	-
33	Scarlet fever and streptococcal sore throat (050,051)	130	16	12	7	6	2	43	14	4	4
34	White Male	56	7	3	2	2	-	14	7	3	1
35	Female	58	4	5	3	4	2	18	7	1	3
36	Nonwhite Male	10	4	2	2	-	-	8	-	-	-
37	Female	6	1	2	-	-	-	3	-	-	-
38	Diphtheria (055)	68	2	7	10	7	6	32	23	6	1
39	White Male	24	1	2	2	4	2	11	7	4	-
40	Female	21	1	-	2	2	2	7	10	-	1
41	Nonwhite Male	14	-	3	4	1	1	9	3	1	-
42	Female	9	-	2	2	-	1	5	3	1	-
43	Whooping cough (056)	76	54	13	4	2	1	74	1	-	-
44	White Male	12	8	3	-	1	-	12	-	-	-
45	Female	14	10	2	1	-	-	13	-	-	-
46	Nonwhite Male	21	14	4	1	1	1	21	-	-	-
47	Female	29	22	4	2	-	-	28	1	-	-
48	Meningococcal infections (057)	586	163	93	66	39	2[illegible]	389	54	17	28
49	White Male	267	77	43	33	20	17	190	21	6	13
50	Female	219	65	33	25	13	4	140	20	9	9
51	Nonwhite Male	57	11	11	6	5	3	36	6	1	5
52	Female	43	10	6	2	1	4	23	7	1	1
53	Acute poliomyelitis (080)	90	1	-	2	3	4	10	19	6	7
54	White Male	45	1	-	1	-	2	4	10	2	4
55	Female	35	-	-	1	2	2	5	4	4	2
56	Nonwhite Male	5	-	-	-	1	-	1	3	-	1
57	Female	5	-	-	-	-	-	-	2	-	-
58	Measles (085)	434	70	97	59	55	23	304	85	19	5
59	White Male	156	23	27	25	24	4	103	35	6	2
60	Female	169	20	34	23	16	14	107	39	11	2
61	Nonwhite Male	56	12	23	4	6	3	48	6	2	-
62	Female	53	15	13	7	9	2	46	5	-	1
63	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	5,606	853	193	114	74	75	1,309	209	125	128
64	White Male	2,420	351	65	46	34	35	531	95	48	53
65	Female	2,046	226	62	38	21	27	374	86	48	48
66	Nonwhite Male	604	159	33	14	10	8	224	14	17	15
67	Female	536	117	33	16	9	5	180	14	12	12
68	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	273,502	293	334	429	452	490	1,998	1,504	1,113	1,057
69	White Male	133,219	131	177	215	228	237	988	785	587	563
70	Female	114,478	133	121	170	195	202	821	583	418	384
71	Nonwhite Male	13,938	15	18	24	13	26	96	65	53	66
72	Female	11,867	14	18	20	16	25	93	71	55	44
73	Malignant neoplasm of buccal cavity and pharynx (140-148)	6,322	1	-	2	2	1	6	8	7	15
74	White Male	4,388	-	-	1	-	-	1	5	4	13
75	Female	1,367	-	-	1	2	1	4	3	3	-
76	Nonwhite Male	435	-	-	-	-	-	-	-	-	1
77	Female	132	1	-	-	-	-	1	-	-	1
78	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	91,727	23	18	15	8	6	70	14	16	39
79	White Male	44,887	10	9	6	4	2	31	5	6	18
80	Female	37,994	8	8	8	3	3	30	9	8	11
81	Nonwhite Male	5,286	2	-	1	-	-	3	-	-	6
82	Female	3,560	3	1	-	1	1	6	-	2	4

Age, Color, and Sex: United States, 1961

causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,480	13,562	18,679	28,597	42,484	62,788	89,956	114,190	151,280	194,935	220,971	221,085	186,779	123,521	51,444	12,270	2,040	604	1
9,626	8,842	11,404	17,187	26,208	39,631	58,430	75,135	96,407	120,411	127,460	117,868	89,553	53,749	19,927	4,317	645	357	2
3,854	4,720	7,275	11,410	16,276	23,157	31,526	39,055	54,873	74,524	93,511	103,217	97,226	69,772	31,517	7,953	1,395	247	3
7,849	6,803	8,723	13,406	21,266	33,381	50,067	65,608	84,903	107,652	116,802	110,061	84,616	50,774	18,695	3,878	457	232	4
2,868	3,374	5,112	8,335	12,242	18,263	25,037	31,643	45,261	65,160	84,818	96,406	92,457	66,818	30,028	7,321	1,057	145	5
1,777	2,039	2,681	3,781	4,942	6,250	8,363	9,527	11,504	12,759	10,658	7,807	4,937	2,975	1,232	439	188	125	6
966	1,346	2,163	3,075	4,034	4,894	6,489	7,412	9,612	9,364	8,693	6,811	4,769	2,954	1,489	632	338	102	7
75	158	256	496	623	735	946	1,053	1,149	1,262	1,165	901	555	275	79	11	1	6	8
13	31	53	138	222	336	540	651	740	876	765	567	343	135	41	4	1	1	9
20	34	48	97	148	143	161	137	147	175	213	214	150	103	28	3	-	-	10
14	45	79	147	160	188	187	204	200	158	140	88	50	25	4	1	-	2	11
28	48	76	114	93	68	58	61	62	53	47	32	12	12	6	3	-	3	12
60	132	227	445	573	684	889	1,001	1,073	1,189	1,113	858	529	263	73	10	1	5	13
11	31	48	126	208	321	520	630	708	845	745	551	327	134	40	4	1	1	14
15	30	40	88	140	127	148	127	130	155	196	198	142	96	26	2	-	-	15
11	32	70	133	143	182	175	195	179	147	132	81	48	23	4	1	-	1	16
23	39	69	98	82	54	46	49	56	42	40	28	12	10	3	3	-	3	17
15	26	29	51	50	51	57	52	76	73	52	43	26	12	6	1	-	1	18
2	-	5	12	14	15	20	21	32	31	20	16	16	1	1	-	-	-	19
5	4	8	9	8	16	13	10	17	20	17	16	8	7	2	1	-	-	20
3	13	9	14	17	6	12	9	21	11	8	7	2	2	-	-	-	1	21
5	9	7	16	11	14	12	12	6	11	7	4	-	2	3	-	-	-	22
7	15	22	33	82	129	253	368	470	495	446	267	147	62	22	4	2	3	23
4	6	12	11	25	32	89	179	248	274	259	149	70	29	6	2	1	1	24
2	4	3	2	10	16	29	46	54	83	82	68	51	22	11	1	1	-	25
-	2	3	11	31	50	92	89	114	104	64	30	14	9	4	-	-	2	26
1	3	4	9	16	31	43	54	54	34	41	20	12	2	1	1	-	-	27
1	2	5	3	7	8	14	12	14	11	10	20	9	7	5	-	-	-	28
1	2	1	1	3	4	7	4	5	5	4	10	2	3	1	-	-	-	29
-	-	1	-	2	-	4	2	6	2	4	5	4	2	3	-	-	-	30
-	-	2	-	2	2	2	3	1	1	-	3	2	-	1	-	-	-	31
-	-	1	2	-	2	1	3	2	3	2	2	1	2	-	-	-	-	32
7	4	3	4	3	4	6	4	2	3	4	6	7	6	2	-	-	-	33
2	1	1	2	1	3	5	2	1	-	3	3	3	3	1	-	-	-	34
4	3	2	1	-	-	1	2	1	3	1	3	4	3	1	-	-	-	35
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	38
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	6	3	6	6	12	14	11	4	10	9	7	3	-	-	-	-	-	48
3	2	-	2	1	4	3	5	1	5	4	4	3	-	-	-	-	-	49
2	2	1	3	3	5	9	2	3	4	4	3	-	-	-	-	-	-	50
1	-	-	1	1	3	-	3	-	-	-	-	-	-	-	-	-	-	51
1	2	2	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	52
5	8	16	8	5	2	1	2	1	-	-	-	-	-	-	-	-	-	53
1	2	15	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	54
4	6	1	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	57
5	6	2	-	3	1	-	2	-	1	-	-	1	-	-	-	-	-	58
3	1	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	59
2	4	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
128	128	159	205	223	274	317	375	372	393	413	373	271	138	49	14	3	-	63
45	43	61	74	83	111	138	184	192	178	212	182	121	55	11	3	-	-	64
50	46	59	76	77	111	115	121	127	161	142	151	135	79	29	8	1	-	65
16	14	10	24	29	24	36	33	31	38	37	21	11	3	5	1	1	-	66
17	25	29	29	34	28	28	37	22	16	22	19	4	1	4	2	1	-	67
1,014	1,552	2,807	5,357	9,064	14,844	21,816	27,576	34,671	40,919	39,846	32,466	21,421	10,667	3,149	538	51	72	68
550	738	1,072	1,768	3,138	5,628	9,441	13,376	17,623	21,719	21,187	17,012	10,589	4,919	1,304	200	11	21	69
341	630	1,324	2,747	4,537	7,201	9,486	10,974	13,210	15,535	15,739	13,548	9,786	5,225	1,658	290	23	18	70
70	74	152	301	545	890	1,463	1,796	2,189	2,209	1,758	1,161	598	308	94	23	7	20	71
53	110	259	541	844	1,125	1,426	1,430	1,649	1,456	1,162	745	448	215	93	25	10	13	72
13	14	43	76	175	434	630	784	854	926	840	695	440	254	93	12	2	1	73
6	10	25	31	101	257	425	572	627	689	600	498	299	166	51	6	1	1	74
5	4	11	22	43	106	120	122	147	165	189	170	128	81	39	4	1	-	75
-	-	6	16	20	54	62	72	65	59	41	20	10	5	3	1	-	-	76
2	-	1	7	11	17	23	18	15	13	10	7	3	2	-	1	-	-	77
84	164	418	991	1,901	3,533	5,813	8,062	11,440	14,548	15,502	13,591	9,294	4,650	1,338	217	18	24	78
40	78	171	386	800	1,619	2,786	4,034	5,762	7,590	8,000	6,866	4,237	1,895	483	73	3	4	79
27	54	161	404	745	1,335	2,100	2,940	4,260	5,546	6,331	5,945	4,631	2,539	781	125	7	5	80
9	22	51	106	188	334	567	690	863	863	725	448	235	120	36	7	4	9	81
8	10	35	95	168	245	360	398	555	549	446	332	191	96	38	12	4	6	82

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	42,211	8	2	5	4	1	20	7	6	21
2	White--Male	32,838	3	-	2	2	1	8	4	2	14
3	White--Female	5,724	4	1	3	2	-	10	3	4	3
4	Nonwhite--Male	3,116	-	-	-	-	-	-	-	-	2
5	Nonwhite--Female	533	1	1	-	-	-	2	-	-	2
6	Malignant neoplasm of breast (170)	24,542	1	-	-	-	-	1	1	-	2
7	White--Male	212	-	-	-	-	-	-	-	-	-
8	White--Female	22,380	1	-	-	-	-	1	1	-	-
9	Nonwhite--Male	19	-	-	-	-	-	-	-	-	-
10	Nonwhite--Female	1,931	-	-	-	-	-	-	-	-	2
11	Malignant neoplasm of genital organs (171-179)	39,256	2	8	10	6	5	31	12	30	55
12	White--Male	13,909	-	7	7	4	2	20	4	6	25
13	White--Female	20,098	2	1	3	2	3	11	6	20	20
14	Nonwhite--Male	2,002	-	-	-	-	-	-	-	1	2
15	Nonwhite--Female	3,247	-	-	-	-	-	-	2	3	8
16	Malignant neoplasm of urinary organs (180,181)	13,040	16	20	49	47	45	177	92	20	11
17	White--Male	8,074	8	8	20	12	11	59	36	6	6
18	White--Female	3,997	7	5	24	31	26	93	46	11	2
19	Nonwhite--Male	604	-	6	2	2	4	14	6	2	-
20	Nonwhite--Female	365	1	1	3	2	4	11	4	1	3
21	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	29,977	98	122	128	130	125	603	462	412	390
22	White--Male	14,645	48	66	67	62	58	301	217	198	199
23	White--Female	12,682	47	43	40	56	49	235	184	172	156
24	Nonwhite--Male	1,303	3	6	11	4	9	33	26	16	23
25	Nonwhite--Female	1,347	-	7	10	8	9	34	35	26	12
26	Leukemia and aleukemia (204)	12,873	108	125	189	233	279	934	765	441	310
27	White--Male	7,086	46	70	95	129	146	486	413	244	174
28	White--Female	4,953	51	48	81	93	113	386	303	160	111
29	Nonwhite--Male	483	6	2	7	6	12	33	23	18	19
30	Nonwhite--Female	351	5	5	6	5	8	29	26	19	6
31	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	13,554	36	39	31	22	28	156	143	181	214
32	White--Male	7,180	16	17	17	15	17	82	101	121	114
33	White--Female	5,283	13	15	10	6	7	51	28	40	81
34	Nonwhite--Male	690	4	4	3	1	1	13	10	16	13
35	Nonwhite--Female	401	3	3	1	-	3	10	4	4	6
36	Benign neoplasms and neoplasms of unspecified nature (210-239)	4,751	124	32	31	21	35	243	122	99	85
37	White--Male	1,872	67	13	8	9	8	105	38	48	35
38	White--Female	2,184	43	15	19	7	20	104	57	34	34
39	Nonwhite--Male	249	7	1	3	2	4	17	13	7	9
40	Nonwhite--Female	446	7	3	1	3	3	17	14	10	7
41	Asthma (241)	4,910	40	20	22	8	8	98	29	38	51
42	White--Male	2,716	13	7	12	3	1	36	12	17	10
43	White--Female	1,470	11	3	5	1	1	21	6	7	22
44	Nonwhite--Male	404	7	5	3	2	3	20	7	9	11
45	Nonwhite--Female	320	9	5	2	2	3	21	4	5	8
46	Diabetes mellitus (260)	30,098	13	9	10	5	7	44	48	73	69
47	White--Male	10,806	2	4	3	3	2	14	19	20	18
48	White--Female	15,450	8	3	5	2	4	22	24	46	32
49	Nonwhite--Male	1,308	1	1	2	-	-	4	5	2	7
50	Nonwhite--Female	2,534	2	1	-	-	1	4	-	5	12
51	Anemias (290-293)	3,280	107	90	51	33	26	307	99	74	62
52	White--Male	1,286	27	15	12	6	7	67	28	18	17
53	White--Female	1,392	26	20	15	13	10	84	46	36	13
54	Nonwhite--Male	301	25	35	17	3	6	86	16	9	10
55	Nonwhite--Female	301	29	20	7	11	3	70	9	11	22
56	Meningitis, except meningococcal and tuberculous (340)	2,263	876	203	118	68	39	1,304	117	40	30
57	White--Male	936	327	74	67	36	19	523	52	13	14
58	White--Female	661	231	69	25	23	15	363	40	11	9
59	Nonwhite--Male	373	180	33	12	5	3	233	17	6	2
60	Nonwhite--Female	293	138	27	14	4	2	185	8	10	5
61	Major cardiovascular-renal diseases (330-334,400-468,592-594)	936,218	508	122	104	77	75	886	313	532	878
62	White--Male	472,452	203	40	40	30	33	346	118	200	394
63	White--Female	370,069	165	43	39	23	23	293	121	203	283
64	Nonwhite--Male	48,777	86	21	17	16	6	146	39	64	97
65	Nonwhite--Female	44,920	54	18	8	8	13	101	35	65	104
66	Diseases of cardiovascular system (330-334,400-468)	924,622	484	119	96	70	68	837	264	411	678
67	White--Male	467,365	196	39	38	27	27	327	101	150	300
68	White--Female	366,003	154	42	37	20	23	276	98	157	211
69	Nonwhite--Male	47,466	81	20	13	15	5	134	34	52	78
70	Nonwhite--Female	43,788	53	18	8	8	13	100	31	52	89
71	Vascular lesions affecting central nervous system (330-334)	192,951	144	45	41	32	26	288	101	141	188
72	White--Male	79,638	62	19	21	13	11	126	44	58	85
73	White--Female	89,099	47	16	15	9	10	97	39	55	69
74	Nonwhite--Male	11,387	21	6	4	5	1	37	7	15	13
75	Nonwhite--Female	12,827	14	4	1	5	4	28	11	13	21
76	Diseases of heart (400-402,410-443)	663,391	292	65	51	34	38	480	147	223	399
77	White--Male	356,360	114	17	15	13	15	174	54	79	195
78	White--Female	247,375	91	22	20	9	11	153	48	77	102
79	Nonwhite--Male	32,203	53	12	9	9	3	86	25	33	52
80	Nonwhite--Female	27,453	34	14	7	3	9	67	20	34	50

Age, Color, and Sex: United States, 1961 —Continued

causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
24	57	207	547	1,321	2,481	4,322	6,024	7,301	7,821	6,013	3,542	1,649	660	160	14	2	12	1
16	37	130	324	852	1,734	3,232	4,756	5,945	6,423	4,923	2,728	1,177	429	91	7	-	6	2
7	14	38	135	267	430	566	665	711	813	749	650	391	204	55	5	1	3	3
1	4	27	74	161	266	442	510	576	518	286	145	66	21	12	2	-	3	4
-	2	12	14	41	51	82	93	69	67	55	19	15	6	2	-	1	-	5
10	84	374	898	1,622	2,364	3,044	2,876	2,897	2,917	2,643	2,170	1,463	803	291	67	7	8	6
-	-	3	3	7	8	24	27	20	36	32	21	17	9	4	-	-	1	7
9	69	320	758	1,400	2,126	2,743	2,609	2,647	2,687	2,477	2,043	1,380	763	273	62	7	5	8
-	-	-	-	-	2	2	2	2	3	3	1	3	-	-	1	-	-	9
1	15	51	137	215	228	275	238	228	191	131	105	63	31	14	4	-	2	10
130	240	502	971	1,542	2,288	2,863	3,331	4,264	5,400	5,835	5,303	3,823	1,989	545	85	9	8	11
70	90	95	99	86	77	213	440	937	1,788	2,722	3,019	2,463	1,326	366	58	3	2	12
45	110	298	676	1,169	1,798	2,149	2,328	2,610	2,865	2,460	1,785	1,086	509	131	18	2	2	13
4	2	5	7	12	23	76	160	269	380	371	350	191	105	32	8	2	2	14
11	38	104	189	275	390	425	403	448	367	282	149	83	49	16	1	2	2	15
10	17	57	109	244	432	809	1,095	1,615	2,054	2,220	1,836	1,339	672	192	33	1	5	16
6	8	24	64	123	265	501	737	1,053	1,360	1,450	1,154	766	341	91	20	1	3	17
2	6	19	27	69	105	199	255	411	549	639	618	531	313	91	11	-	-	18
1	2	5	12	33	36	64	70	98	94	85	42	22	14	3	1	-	2	19
1	1	9	6	19	26	45	33	55	51	46	22	20	4	7	1	-	-	20
275	404	596	948	1,197	1,896	2,551	3,038	3,577	3,827	3,555	2,813	1,940	1,020	372	84	11	6	21
147	201	306	439	596	920	1,297	1,570	1,811	1,934	1,719	1,355	832	428	146	26	2	1	22
98	160	242	417	478	774	966	1,156	1,397	1,579	1,566	1,285	1,006	544	208	51	5	3	23
19	21	22	33	60	101	152	149	175	160	130	95	47	29	7	2	1	2	24
11	22	26	59	63	101	136	163	194	154	140	78	55	19	11	5	3	-	25
224	224	268	354	416	550	682	863	1,096	1,467	1,511	1,326	900	418	103	17	1	3	26
123	113	123	170	216	285	376	463	626	854	864	763	501	233	48	7	1	3	27
74	88	118	139	152	216	254	324	387	543	569	522	375	174	50	8	-	-	28
18	13	16	22	28	20	24	50	43	49	53	28	14	10	1	1	-	-	29
9	10	11	23	20	29	28	26	40	21	25	13	10	1	4	1	-	-	30
244	348	342	463	646	866	1,102	1,503	1,627	1,959	1,727	1,190	573	201	55	9	-	5	31
142	201	195	252	357	463	587	777	842	1,045	877	608	297	92	24	3	-	-	32
74	125	117	169	214	311	389	575	640	788	759	530	258	98	30	6	-	-	33
18	10	20	31	43	54	74	93	100	83	64	32	10	4	-	-	-	2	34
10	12	10	11	32	38	52	58	45	43	27	20	8	7	1	-	-	3	35
91	121	161	244	315	384	427	461	459	471	375	328	191	121	39	12	1	1	36
41	39	53	67	81	126	158	206	217	202	175	145	80	44	9	3	-	-	37
39	58	66	112	150	191	202	198	177	221	174	161	100	70	28	8	-	-	38
5	8	14	16	13	22	26	19	27	23	12	7	7	3	-	1	-	-	39
6	16	28	49	71	45	41	38	38	25	14	15	4	4	2	-	1	1	40
43	76	102	132	211	295	391	491	618	679	659	554	263	139	28	12	1	-	41
3	15	20	35	63	110	196	292	365	434	460	383	157	74	11	3	-	-	42
16	24	41	52	82	119	133	119	161	190	157	149	94	56	14	7	-	-	43
5	18	16	15	32	36	39	45	48	44	26	17	6	6	3	1	-	-	44
19	19	25	30	34	30	23	35	24	11	16	5	6	3	-	1	1	-	45
115	256	354	506	643	863	1,498	2,243	3,442	4,836	5,377	4,832	3,111	1,364	351	56	8	9	46
54	108	180	243	284	352	608	854	1,203	1,624	1,823	1,724	1,072	480	111	12	2	1	47
39	94	116	150	197	281	506	893	1,614	2,634	3,036	2,801	1,880	823	218	36	4	4	48
8	19	22	54	76	83	107	145	185	211	196	92	54	21	12	3	-	2	49
14	35	36	59	86	147	277	351	440	367	322	215	105	40	10	5	2	2	50
61	55	67	73	59	77	114	149	196	315	412	430	383	254	79	11	3	-	51
9	8	9	17	15	26	48	65	90	155	202	198	177	103	27	6	1	-	52
15	14	22	26	14	27	45	56	80	132	188	209	191	138	49	5	2	-	53
15	14	19	12	11	13	6	15	13	18	14	13	7	8	2	-	-	-	54
22	19	17	18	19	11	15	13	13	10	8	10	8	5	1	-	-	-	55
28	27	36	37	53	69	69	81	73	101	80	69	30	13	3	1	1	1	56
7	8	16	18	17	31	34	31	28	54	34	33	12	7	1	-	1	-	57
9	7	8	8	12	17	17	28	21	27	31	29	17	6	1	-	-	-	58
8	7	9	6	11	16	10	17	12	10	7	1	-	-	-	-	-	1	59
4	5	3	5	13	5	8	5	12	10	8	4	1	-	1	1	-	-	60
1,193	1,874	3,820	8,188	15,759	26,964	43,362	58,962	85,116	116,448	141,838	150,876	135,318	93,009	39,648	9,425	1,503	306	61
499	788	1,720	4,312	9,094	16,501	26,779	36,263	49,410	64,607	73,994	73,244	59,630	37,154	14,051	2,910	332	106	62
394	553	928	1,748	3,076	5,318	8,958	13,376	23,137	37,903	55,280	67,731	68,888	51,611	23,637	5,740	811	80	63
142	253	570	1,104	1,936	2,777	4,164	5,025	6,490	7,713	6,579	5,038	3,287	2,020	847	296	129	61	64
158	280	602	1,024	1,653	2,368	3,461	4,298	6,079	8,225	5,985	4,863	3,513	2,224	1,113	479	231	59	65
957	1,581	3,466	7,761	15,223	26,341	42,566	58,120	84,109	115,297	140,577	149,562	134,186	92,215	39,339	9,348	1,482	302	66
375	637	1,558	4,112	8,863	16,229	26,427	35,886	49,003	64,126	73,429	72,647	59,117	36,830	13,930	2,883	330	105	67
329	468	833	1,634	2,936	5,149	8,752	13,128	22,811	37,501	54,801	67,211	68,404	51,234	23,486	5,706	798	80	68
118	229	518	1,052	1,854	2,690	4,034	4,902	6,352	7,553	6,445	4,931	3,213	1,973	829	289	128	58	69
135	247	557	963	1,570	2,273	3,353	4,204	5,943	6,117	5,902	4,773	3,452	2,178	1,094	470	226	59	70
239	344	730	1,310	2,263	3,727	6,062	8,385	13,490	21,051	29,410	35,290	34,036	23,799	9,577	2,106	348	66	71
95	124	267	418	736	1,306	2,332	3,477	5,716	9,366	13,287	15,392	13,997	8,967	3,145	619	64	17	72
84	118	212	422	706	1,167	1,934	2,611	4,429	7,945	12,636	17,170	18,276	13,715	5,902	1,299	196	17	73
25	46	97	194	400	554	872	1,118	1,538	1,838	1,667	1,311	788	519	232	66	37	13	74
35	56	154	276	421	700	924	1,179	1,807	1,902	1,820	1,417	975	598	298	122	51	19	75
583	1,004	2,337	5,838	12,016	21,235	34,545	47,010	66,311	87,679	102,353	103,542	88,205	58,397	24,301	5,678	898	210	76
249	450	1,192	3,521	7,811	14,366	23,141	30,922	40,888	51,196	55,547	52,030	39,855	23,832	8,793	1,768	218	79	77
195	278	502	1,055	1,999	3,589	6,336	9,866	17,192	27,531	38,831	45,327	44,056	31,938	14,336	3,446	463	55	78
70	140	342	696	1,261	1,907	2,877	3,470	4,443	5,145	4,296	3,209	2,108	1,241	508	181	74	39	79
69	136	301	566	945	1,373	2,191	2,752	3,788	3,807	3,679	2,976	2,186	1,386	684	283	143	37	80

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Major cardiovascular-renal diseases—Continued										
	Diseases of cardiovascular system—Continued										
	Diseases of heart—Continued										
1	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	17,872	6	3	6	8	9	32	74	123	186
2	White—Male	7,659	3	-	1	2	3	9	21	31	78
3	Female	8,722	-	1	1	2	2	6	20	51	59
4	Nonwhite—Male	702	2	1	2	3	1	9	17	17	23
5	Female	789	1	1	2	1	3	8	16	24	26
6	Arteriosclerotic heart disease, including coronary disease (420)	502,351	15	2	2	1	-	20	9	12	49
7	White—Male	291,614	7	1	-	1	-	9	3	5	30
8	Female	176,697	4	-	2	-	-	6	5	4	9
9	Nonwhite—Male	19,575	2	1	-	-	-	3	-	2	7
10	Female	14,465	2	-	-	-	-	2	1	1	3
11	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	54,632	44	13	12	2	6	77	15	18	38
12	White—Male	24,002	13	4	3	2	4	26	8	12	19
13	Female	24,769	21	5	6	-	1	33	4	3	6
14	Nonwhite—Male	3,120	8	2	2	-	-	12	3	1	8
15	Female	2,741	2	2	1	-	1	6	-	2	5
16	Other diseases of heart (430-434)	25,254	226	47	31	22	23	349	48	68	120
17	White—Male	12,162	91	12	11	7	8	129	22	31	65
18	Female	8,752	66	16	11	7	8	108	18	19	27
19	Nonwhite—Male	2,416	41	8	5	6	2	62	5	12	13
20	Female	1,914	28	11	4	2	5	50	3	6	15
21	Hypertensive heart disease (440-443)	63,282	1	-	-	1	-	2	1	2	6
22	White—Male	20,923	-	-	-	1	-	1	-	-	3
23	Female	28,425	-	-	-	-	-	-	1	-	1
24	Nonwhite—Male	6,390	-	-	-	-	-	-	-	1	1
25	Female	7,544	1	-	-	-	-	1	-	1	1
26	Other hypertensive disease (444-447)	12,185	-	-	-	-	-	-	3	5	7
27	White—Male	4,749	-	-	-	-	-	-	-	-	1
28	Female	4,910	-	-	-	-	-	-	3	4	-
29	Nonwhite—Male	1,307	-	-	-	-	-	-	-	1	5
30	Female	1,219	-	-	-	-	-	-	-	-	1
31	General arteriosclerosis (450)	35,388	1	-	-	-	-	1	-	1	-
32	White—Male	15,196	1	-	-	-	-	1	-	-	-
33	Female	17,631	-	-	-	-	-	-	-	1	-
34	Nonwhite—Male	1,324	-	-	-	-	-	-	-	-	-
35	Female	1,237	-	-	-	-	-	-	-	-	-
36	Other diseases of circulatory system (451-468)	20,707	47	9	4	4	4	68	13	41	84
37	White—Male	11,422	19	3	2	1	1	26	3	13	19
38	Female	6,988	16	4	2	2	2	26	8	20	40
39	Nonwhite—Male	1,245	7	2	-	1	1	11	2	3	8
40	Female	1,052	5	-	-	-	-	5	-	5	17
41	Chronic and unspecified nephritis and other renal sclerosis (592-594)	11,596	24	3	8	7	7	49	49	121	200
42	White—Male	5,087	7	1	2	3	6	19	17	50	94
43	Female	4,066	11	1	2	3	-	17	23	46	72
44	Nonwhite—Male	1,311	5	1	4	1	1	12	5	12	19
45	Female	1,132	1	-	-	-	-	1	4	13	15
46	Influenza and pneumonia, except pneumonia of newborn (480-493)	55,175	9,202	1,230	485	278	154	11,349	455	305	281
47	White—Male	25,471	3,318	424	168	107	69	4,086	190	129	137
48	Female	19,936	2,491	358	153	77	38	3,117	165	112	77
49	Nonwhite—Male	5,704	1,824	220	90	48	27	2,209	54	35	31
50	Female	4,064	1,569	228	74	46	20	1,937	46	29	36
51	Influenza (480-483)	2,137	254	40	17	13	13	337	28	11	19
52	White—Male	783	61	12	5	3	4	85	9	4	9
53	Female	917	61	11	3	5	4	84	10	3	6
54	Nonwhite—Male	248	81	7	5	4	2	99	8	3	2
55	Female	189	51	10	4	1	3	69	1	1	2
56	Pneumonia, except pneumonia of newborn (490-493)	53,038	8,948	1,190	468	265	141	11,012	427	294	262
57	White—Male	24,688	3,257	412	163	104	65	4,001	181	125	128
58	Female	19,019	2,430	347	150	72	34	3,033	155	109	71
59	Nonwhite—Male	5,456	1,743	213	85	44	25	2,110	46	32	29
60	Female	3,875	1,518	218	70	45	17	1,868	45	28	34
61	Bronchitis (500-502)	4,064	599	141	66	34	25	865	47	23	14
62	White—Male	2,592	280	71	29	16	12	408	14	12	6
63	Female	1,043	185	41	25	12	7	270	23	11	6
64	Nonwhite—Male	276	71	20	12	3	4	110	6	-	-
65	Female	153	63	9	-	3	2	77	4	-	2
66	Ulcer of stomach and duodenum (540,541)	11,540	56	4	5	1	2	68	8	3	17
67	White—Male	7,769	20	2	2	1	-	25	3	-	10
68	Female	2,807	13	1	1	-	1	16	5	3	4
69	Nonwhite—Male	690	16	-	1	-	-	17	-	-	1
70	Female	274	7	1	1	-	1	10	-	-	2
71	Appendicitis (550-553)	1,819	19	16	16	16	10	77	63	62	40
72	White—Male	916	8	7	9	6	6	36	25	28	22
73	Female	581	9	6	3	5	2	25	20	22	13
74	Nonwhite—Male	190	1	3	4	2	-	10	10	6	3
75	Female	132	1	-	-	3	2	6	8	6	2
76	Hernia and intestinal obstruction (560,561,570)	9,177	931	41	21	13	7	1,013	40	25	28
77	White—Male	3,928	461	22	8	6	3	500	23	12	11
78	Female	4,161	324	9	6	5	3	347	8	8	13
79	Nonwhite—Male	585	98	10	3	1	1	113	7	2	4
80	Female	503	48	-	4	1	-	53	2	3	-

Age, Color, and Sex: United States, 1961—Continued

causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
274	377	622	985	1,308	1,770	2,156	2,258	2,103	1,929	1,541	1,048	624	349	87	24	2	-	1
103	153	258	415	587	798	974	1,008	930	865	647	430	221	103	22	6	-	-	2
113	148	256	439	590	820	1,021	1,110	1,043	962	824	575	381	227	62	14	1	-	3
25	31	47	57	56	76	81	66	65	62	32	23	7	7	1	-	-	-	4
33	45	61	74	75	76	80	74	65	40	38	20	15	12	2	4	1	-	5
107	343	1,131	3,668	8,598	16,050	26,790	37,073	52,774	70,088	80,156	78,805	64,278	41,062	16,738	3,842	611	147	6
57	208	756	2,731	6,525	12,246	19,919	26,546	35,064	43,739	46,213	41,721	30,501	17,585	6,311	1,224	155	66	7
23	54	128	384	996	2,089	4,055	6,923	12,842	20,923	29,314	33,380	31,257	21,908	9,694	2,340	324	39	8
20	54	157	357	697	1,110	1,730	2,159	2,808	3,298	2,606	1,982	1,302	767	330	108	56	22	9
7	27	90	196	380	605	1,086	1,445	2,060	2,128	2,023	1,722	1,218	802	403	170	76	20	10
42	70	108	210	401	731	1,332	1,985	3,220	4,879	7,415	9,460	10,589	8,561	4,177	1,109	172	23	11
22	27	41	90	185	388	689	1,000	1,620	2,347	3,486	4,390	4,515	3,300	1,444	345	39	9	12
13	19	22	52	91	158	293	480	911	1,635	2,997	4,350	5,491	4,871	2,557	683	96	4	13
5	12	24	38	68	113	222	285	366	502	506	365	278	185	75	39	8	5	14
2	12	21	30	57	72	128	220	323	395	426	355	305	205	101	42	29	5	15
140	157	273	483	739	1,043	1,449	1,817	2,313	2,845	3,321	3,509	3,228	2,168	904	225	47	8	16
63	52	100	201	324	519	717	1,001	1,235	1,453	1,680	1,716	1,476	942	350	71	15	-	17
41	47	66	106	176	194	291	376	573	881	1,167	1,435	1,496	1,105	495	123	17	1	18
14	25	53	94	130	195	259	258	289	296	275	203	125	62	27	13	3	3	19
22	33	54	82	109	135	182	182	216	215	199	155	131	59	32	18	12	4	20
20	57	203	492	970	1,641	2,818	3,877	5,901	7,938	9,920	10,720	9,486	6,257	2,395	478	66	32	21
4	10	37	84	190	415	842	1,367	2,039	2,792	3,521	3,773	3,142	1,902	666	122	9	4	22
5	10	30	74	146	328	676	977	1,823	3,130	4,529	5,587	5,431	3,827	1,528	286	25	11	23
6	18	61	150	310	413	585	702	915	987	877	636	396	220	75	21	7	9	24
5	19	75	184	324	485	715	831	1,124	1,029	993	724	517	308	126	49	25	8	25
25	63	152	263	403	462	576	638	869	1,211	1,578	1,860	1,912	1,392	611	131	22	2	26
5	17	26	47	86	135	206	277	345	491	671	800	797	563	232	44	5	1	27
2	7	15	34	61	92	117	140	289	453	666	881	974	741	344	77	10	-	28
9	24	50	115	121	126	131	113	112	145	116	98	70	49	13	4	4	1	29
9	15	61	67	135	109	122	108	123	122	125	81	71	39	22	6	3	-	30
2	4	9	17	39	87	237	517	1,072	2,102	3,849	5,963	7,923	7,506	4,479	1,357	206	17	31
1	2	2	8	26	41	128	275	550	1,038	1,854	2,792	3,407	2,990	1,609	426	41	5	32
-	1	5	4	5	24	57	125	308	707	1,578	2,743	4,144	4,255	2,696	847	125	6	33
1	-	-	3	6	13	25	60	124	202	226	205	207	134	74	30	11	3	34
-	1	2	2	2	9	27	57	90	155	191	223	165	127	100	54	29	3	35
108	166	238	333	502	830	1,146	1,570	2,367	3,254	3,387	2,907	2,110	1,121	371	76	8	7	36
25	44	71	118	204	381	620	935	1,504	2,035	2,070	1,633	1,061	478	151	26	2	3	37
48	64	99	119	165	277	308	386	593	865	1,090	1,090	954	585	208	37	4	2	38
13	19	29	44	66	90	129	141	135	223	140	108	40	30	2	8	2	2	39
22	39	39	52	67	82	89	108	135	131	87	76	55	28	10	5	-	-	40
236	293	354	427	536	623	796	842	1,007	1,151	1,261	1,314	1,132	794	309	77	21	4	41
124	151	162	200	231	272	352	377	407	481	565	597	513	324	121	27	2	1	42
65	85	95	114	140	169	206	248	326	402	479	520	484	377	151	34	13	-	43
24	24	52	52	82	87	130	123	138	160	134	107	74	47	18	7	1	3	44
23	33	45	61	83	95	108	94	136	108	83	90	61	46	19	9	5	-	45
268	280	449	791	953	1,302	1,603	1,992	2,906	4,156	5,482	6,615	6,770	5,412	2,785	847	160	14	46
114	100	136	278	403	600	821	1,055	1,567	2,363	2,994	3,469	3,264	2,345	1,073	307	38	2	47
83	88	126	224	242	335	376	500	752	1,160	1,837	2,672	3,133	2,807	1,558	480	89	3	48
39	55	110	180	187	255	273	299	361	417	420	294	215	142	73	35	13	7	49
32	37	77	109	121	112	133	138	226	216	231	180	158	118	81	25	20	2	50
15	11	15	35	33	37	59	79	110	131	200	272	320	243	127	48	6	1	51
4	3	6	12	15	15	33	34	43	50	77	120	125	80	42	16	1	-	52
5	5	5	12	11	11	12	26	39	52	88	121	176	146	72	28	4	1	53
2	2	2	6	4	5	8	12	16	17	18	14	11	8	7	4	-	-	54
4	1	2	5	3	6	6	7	12	12	17	17	8	9	6	-	1	-	55
253	269	434	756	920	1,265	1,544	1,913	2,796	4,025	5,282	6,343	6,450	5,169	2,658	799	154	13	56
110	97	130	266	388	585	788	1,021	1,524	2,313	2,917	3,349	3,139	2,265	1,031	291	37	2	57
78	83	121	212	231	324	364	474	713	1,108	1,749	2,551	2,957	2,661	1,486	452	85	2	58
37	53	108	174	183	250	265	287	345	400	402	280	204	134	66	31	13	7	59
28	36	75	104	118	106	127	131	214	204	214	163	150	109	75	25	19	2	60
15	13	20	34	70	90	176	239	422	530	508	417	315	175	73	13	4	1	61
4	5	10	14	38	46	124	158	316	412	383	297	208	97	34	4	1	1	62
7	3	8	10	16	31	35	54	75	80	99	106	95	71	34	8	1	-	63
-	5	1	3	11	11	14	20	22	31	20	9	8	4	1	-	-	-	64
4	-	1	7	5	2	3	7	9	7	6	5	4	3	4	1	2	-	65
30	65	124	192	393	612	926	1,074	1,316	1,672	1,640	1,548	1,052	579	182	32	5	2	66
16	39	67	114	255	417	602	771	971	1,191	1,165	1,025	655	330	95	14	3	1	67
6	7	25	48	76	118	199	201	226	351	385	448	366	228	78	15	2	-	68
7	14	27	22	47	57	90	65	89	103	61	52	21	12	4	1	-	-	69
1	5	5	8	15	20	35	37	30	27	29	23	10	9	5	2	-	1	70
42	38	31	50	61	100	108	139	168	184	203	198	134	86	25	9	1	-	71
20	11	14	22	29	49	58	75	102	102	110	97	69	33	12	2	-	-	72
13	14	7	7	10	25	20	33	33	56	73	84	57	50	12	6	1	-	73
4	7	5	12	13	19	14	21	21	15	11	9	5	3	1	1	-	-	74
5	6	5	9	9	7	16	10	12	11	9	8	3	-	-	-	-	-	75
33	42	74	117	160	270	370	517	758	978	1,228	1,328	1,151	721	265	49	6	4	76
16	12	21	42	40	94	147	224	331	454	558	565	474	291	92	17	2	2	77
9	13	29	39	61	111	146	182	320	403	582	682	620	396	162	25	4	1	78
3	8	8	13	30	20	36	61	55	65	47	47	35	21	6	4	-	-	79
5	9	16	23	29	45	41	50	52	56	41	34	22	13	5	3	-	1	80

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Gastritis, duodenitis, and colitis, except diarrhea of newborn (543,571,572)	7,820	2,296	367	95	55	26	2,839	64	33	50
2	White--Male	3,063	625	148	35	21	13	842	25	14	16
3	Female	2,991	481	116	25	13	7	642	26	14	25
4	Nonwhite--Male	953	664	57	20	12	1	754	8	3	7
5	Female	813	526	46	15	9	5	601	5	2	2
6	Cirrhosis of liver (581)	20,737	29	9	9	4	2	53	21	22	34
7	White--Male	12,277	10	4	3	1	-	18	9	9	7
8	Female	6,181	8	4	3	2	1	18	8	8	19
9	Nonwhite--Male	1,362	7	1	3	1	1	13	3	2	2
10	Female	917	4	-	-	-	-	4	1	3	6
11	Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,707	1	1	-	-	-	2	1	1	2
12	White--Male	1,861	-	1	-	-	-	1	-	-	-
13	Female	2,589	-	-	-	-	-	-	-	-	2
14	Nonwhite--Male	96	-	-	-	-	-	-	1	-	-
15	Female	161	1	-	-	-	-	1	-	1	-
16	Acute nephritis, and nephritis with edema including nephrosis (590,591)	1,584	34	33	24	14	15	120	77	37	36
17	White--Male	694	14	12	11	7	5	49	30	9	16
18	Female	522	12	7	5	4	6	34	25	20	14
19	Nonwhite--Male	200	6	6	4	2	3	21	10	4	4
20	Female	168	2	8	4	1	1	16	12	4	2
21	Infections of kidney (600)	8,095	41	4	7	2	2	56	17	21	32
22	White--Male	3,331	14	1	1	1	-	17	6	6	10
23	Female	3,247	14	3	3	1	2	23	9	10	17
24	Nonwhite--Male	751	9	-	2	-	-	11	-	-	1
25	Female	766	4	-	1	-	-	5	2	5	4
26	Hyperplasia of prostate (610)	4,158	-	-	-	-	-	-	-	-	-
27	White--Male	3,608	-	-	-	-	-	-	-	-	-
28	Nonwhite--Male	550	-	-	-	-	-	-	-	-	-
29	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,573	...	...	...	...	...	...	...	12	112
30	White--Female	897	...	...	...	...	...	...	...	3	57
31	Nonwhite--Female	676	...	...	...	...	...	...	...	9	55
32	Abortion (650-652)	324	...	...	...	...	...	...	...	1	23
33	White--Female	163	...	...	...	...	...	...	...	-	9
34	Nonwhite--Female	161	...	...	...	...	...	...	...	1	14
35	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	1,249	...	...	...	...	...	...	...	11	89
36	White--Female	734	...	...	...	...	...	...	...	3	48
37	Nonwhite--Female	515	...	...	...	...	...	...	...	8	41
38	Congenital malformations (750-759)	21,922	15,515	955	456	298	236	17,460	753	527	434
39	White--Male	10,389	7,439	410	174	127	103	8,253	348	244	212
40	Female	8,691	6,034	396	185	122	101	6,838	298	223	168
41	Nonwhite--Male	1,530	1,103	71	47	24	15	1,260	62	37	26
42	Female	1,312	939	78	50	25	17	1,109	45	23	28
43	Certain diseases of early infancy (760-776)	65,679	65,662	3	4	1	2	65,672	2	4	-
44	White--Male	29,579	29,573	-	2	1	1	29,577	-	2	-
45	Female	20,409	20,401	1	2	-	1	20,405	1	2	-
46	Nonwhite--Male	8,809	8,807	1	-	-	-	8,808	1	-	-
47	Female	6,882	6,881	1	-	-	-	6,882	-	-	-
48	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	28,945	28,945	-	-	-	-	28,945	-	-	-
49	White--Male	13,838	13,838	-	-	-	-	13,838	-	-	-
50	Female	9,130	9,130	-	-	-	-	9,130	-	-	-
51	Nonwhite--Male	3,423	3,423	-	-	-	-	3,423	-	-	-
52	Female	2,554	2,554	-	-	-	-	2,554	-	-	-
53	Infections of newborn (763-768)	4,706	4,706	-	-	-	-	4,706	-	-	-
54	White--Male	1,790	1,790	-	-	-	-	1,790	-	-	-
55	Female	1,188	1,188	-	-	-	-	1,188	-	-	-
56	Nonwhite--Male	993	993	-	-	-	-	993	-	-	-
57	Female	735	735	-	-	-	-	735	-	-	-
58	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	32,028	32,011	3	4	1	2	32,021	2	4	-
59	White--Male	13,851	13,945	-	2	1	1	13,949	-	2	-
60	Female	10,091	10,083	1	2	-	1	10,087	1	2	-
61	Nonwhite--Male	4,393	4,391	1	-	-	-	4,392	1	-	-
62	Female	3,593	3,592	1	-	-	-	3,593	-	-	-
63	Symptoms, senility, and ill-defined conditions (780-795)	19,094	2,395	172	110	54	33	2,764	85	58	116
64	White--Male	7,454	576	36	39	11	11	673	31	20	36
65	Female	4,973	399	43	22	12	8	484	19	18	31
66	Nonwhite--Male	3,668	789	49	28	19	6	891	17	11	25
67	Female	2,999	631	44	21	12	8	716	18	9	22
68	All other diseases (Residual)	69,452	4,136	728	438	357	272	5,931	917	729	780
69	White--Male	37,468	1,833	318	180	172	130	2,633	419	318	401
70	Female	23,424	1,292	255	166	122	103	1,938	381	294	214
71	Nonwhite--Male	5,084	572	87	55	38	21	773	67	73	88
72	Female	3,476	439	68	37	25	18	587	50	44	77
73	Accidents (E800-E962)	92,249	3,581	1,711	1,280	1,082	968	8,622	3,468	3,249	6,648
74	White--Male	54,292	1,487	748	572	499	457	3,743	1,824	2,065	4,677
75	Female	25,002	1,102	558	378	307	278	2,623	889	622	1,184
76	Nonwhite--Male	9,045	570	210	167	143	119	1,209	432	439	627
77	Female	3,910	442	195	163	133	114	1,047	323	123	160
78	Motor vehicle accidents (E810-E835)	38,091	307	419	373	395	397	1,891	1,536	1,266	4,399
79	White--Male	24,618	133	203	169	194	213	912	827	778	3,079
80	Female	8,994	138	168	138	131	122	697	432	336	943
81	Nonwhite--Male	3,365	20	24	39	44	41	168	175	107	281
82	Female	1,114	16	24	27	26	21	114	102	45	96

Age, Color, and Sex: United States, 1961—Continued

causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
64	59	75	111	141	219	288	349	431	600	673	736	591	337	125	28	5	2	1
29	25	38	52	79	101	150	182	215	289	321	298	206	121	49	8	2	1	2
32	23	29	46	40	95	109	124	165	259	305	409	357	198	70	19	3	1	3
2	6	3	7	8	10	15	16	25	31	17	11	13	14	3	-	-	-	4
1	5	5	6	14	13	14	27	26	21	30	18	15	4	3	1	-	-	5
52	163	536	1,135	1,852	2,611	3,133	2,905	2,514	2,307	1,676	1,006	461	199	42	9	-	6	6
18	46	199	499	921	1,433	1,888	1,889	1,608	1,587	1,108	640	274	98	17	4	-	5	7
14	30	135	339	610	866	927	779	719	589	494	331	172	97	22	3	-	1	8
10	35	113	153	177	185	198	163	125	99	47	25	9	2	-	1	-	-	9
10	52	89	144	144	127	120	74	62	32	27	10	6	2	3	1	-	-	10
14	17	28	59	88	120	188	274	415	589	851	768	656	448	160	23	3	-	11
2	3	3	21	25	36	75	104	171	248	383	323	241	172	49	4	-	-	12
12	11	22	31	49	71	98	145	209	300	439	421	367	268	102	19	3	-	13
-	-	-	3	5	5	6	8	14	19	11	7	11	2	4	-	-	-	14
-	3	3	4	9	8	9	17	21	22	18	17	17	6	5	-	-	-	15
46	47	34	51	82	91	95	110	122	132	156	137	104	71	23	11	2	-	16
25	18	17	19	27	46	44	53	48	70	75	65	51	21	9	2	-	-	17
7	13	7	10	25	23	27	32	42	38	54	51	40	43	10	7	-	-	18
8	8	5	13	16	12	16	11	14	15	18	10	7	5	2	-	1	-	19
6	8	5	9	14	10	8	14	18	9	9	11	6	2	2	2	1	-	20
49	65	128	195	270	327	468	597	739	1,005	1,133	1,110	998	607	216	54	6	2	21
14	15	36	54	73	91	131	193	276	435	545	541	495	268	98	25	2	-	22
21	34	59	73	93	118	169	234	258	385	421	461	431	298	104	25	2	2	23
6	3	11	20	33	54	74	90	104	103	101	64	42	25	7	1	1	-	24
8	13	22	48	71	64	94	80	101	82	66	44	30	16	7	3	1	-	25
-	-	-	1	6	11	31	103	201	443	677	883	874	598	266	55	8	1	26
-	-	-	-	2	5	16	65	159	352	560	773	813	558	251	49	5	-	27
-	-	-	1	4	6	15	38	42	91	117	110	61	40	15	6	3	1	28
273	319	390	321	130	16	-	-	-	-	-	-	-	-	-	-	-	-	29
156	191	207	197	78	8	-	-	-	-	-	-	-	-	-	-	-	-	30
117	128	183	124	52	8	-	-	-	-	-	-	-	-	-	-	-	-	31
69	86	81	47	16	1	-	-	-	-	-	-	-	-	-	-	-	-	32
29	42	40	32	10	1	-	-	-	-	-	-	-	-	-	-	-	-	33
40	44	41	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-	34
204	233	309	274	114	15	-	-	-	-	-	-	-	-	-	-	-	-	35
127	149	167	165	68	7	-	-	-	-	-	-	-	-	-	-	-	-	36
77	84	142	109	46	8	-	-	-	-	-	-	-	-	-	-	-	-	37
274	199	210	258	291	300	282	243	222	158	141	84	47	33	1	3	-	2	38
136	91	100	125	139	146	149	111	97	81	76	39	20	20	-	2	-	-	39
105	88	88	100	124	126	110	111	116	64	54	39	23	13	1	1	-	1	40
15	13	13	24	18	13	9	12	7	9	6	4	2	-	-	-	-	-	41
18	7	9	9	10	15	14	9	2	4	5	2	2	-	-	-	-	1	42
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
197	220	300	443	614	850	1,072	1,204	1,460	1,699	1,716	1,740	1,717	1,433	898	322	145	41	63
66	71	97	158	261	383	525	573	698	786	742	745	666	529	275	76	23	18	64
56	46	71	100	146	164	181	191	238	328	415	512	679	610	479	153	44	8	65
44	53	68	103	111	176	224	265	294	336	306	261	197	147	67	38	23	9	66
31	50	64	82	96	125	142	175	230	249	253	222	175	147	77	55	55	6	67
847	874	1,357	2,000	2,613	3,385	4,281	5,521	6,711	8,301	8,257	7,358	5,078	2,966	1,168	281	64	33	68
341	316	459	820	1,151	1,660	2,291	3,268	4,188	5,269	5,128	4,252	2,593	1,371	466	98	14	12	69
284	291	460	643	850	1,119	1,341	1,603	1,832	2,335	2,595	2,719	2,244	1,446	622	164	37	12	70
124	134	220	306	361	351	394	395	466	463	350	226	141	90	42	12	5	3	71
98	133	218	231	251	255	255	255	225	234	184	161	100	59	38	7	8	6	72
6,783	4,833	4,685	4,780	4,965	4,999	4,987	4,707	4,441	4,695	4,757	5,147	4,595	3,598	1,704	442	57	77	73
5,022	3,316	3,188	3,065	3,227	3,277	3,189	3,039	2,703	2,768	2,595	2,587	1,920	1,346	558	117	18	48	74
885	689	712	848	911	988	1,040	1,024	1,142	1,424	1,766	2,247	2,457	2,127	1,089	297	29	9	75
707	655	592	671	638	586	589	489	419	336	244	175	114	59	31	13	5	15	76
169	173	193	206	189	148	169	155	177	167	152	138	104	66	26	15	5	5	77
4,689	2,944	2,528	2,415	2,325	2,267	2,126	1,999	1,875	1,871	1,596	1,278	717	278	64	8	1	18	78
3,510	2,041	1,706	1,543	1,502	1,464	1,298	1,231	1,091	1,122	1,005	795	466	195	35	4	-	14	79
673	467	464	501	521	534	558	525	563	566	465	402	210	73	21	2	-	1	80
407	355	269	286	230	212	207	186	152	140	82	58	27	10	7	2	1	3	81
99	81	89	85	72	57	63	57	49	43	24	23	14	-	1	-	-	-	82

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Accidents--Continued										
1	Other accidents (E800-E802, E840-E962)	54,158	3,274	1,292	907	687	571	6,731	1,932	1,983	2,249
2	White--Male	29,674	1,334	545	403	305	244	2,831	997	1,287	1,598
3	White--Female	16,008	964	390	240	176	156	1,926	457	286	241
4	Nonwhite--Male	5,680	550	186	128	99	78	1,041	257	332	346
5	Nonwhite--Female	2,796	426	171	136	107	93	933	221	78	64
6	Suicide (E963, E970-E979)	18,999	-	-	-	-	-	-	-	76	467
7	White--Male	13,677	-	-	-	-	-	-	-	58	333
8	White--Female	4,335	-	-	-	-	-	-	-	12	93
9	Nonwhite--Male	783	-	-	-	-	-	-	-	2	30
10	Nonwhite--Female	204	-	-	-	-	-	-	-	4	11
11	Homicide (E964, E980-E985)	8,578	194	56	47	35	31	363	90	108	493
12	White--Male	2,903	72	17	15	11	17	132	37	43	164
13	White--Female	1,271	58	17	20	13	6	114	32	28	67
14	Nonwhite--Male	3,443	31	11	7	3	4	56	13	24	212
15	Nonwhite--Female	961	33	11	5	8	4	61	8	13	50

Age, Color, and Sex: United States, 1961—Continued

causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,094	1,889	2,157	2,375	2,640	2,732	2,861	2,708	2,566	2,824	3,161	3,869	3,878	3,320	1,640	434	56	59	1
1,512	1,275	1,482	1,522	1,725	1,813	1,891	1,808	1,612	1,646	1,590	1,792	1,454	1,151	523	113	18	34	2
212	222	248	347	390	454	482	499	559	858	1,281	1,845	2,247	2,054	1,068	295	29	8	3
300	300	323	385	408	374	382	303	267	196	162	117	87	49	24	11	4	12	4
70	92	104	121	117	91	106	98	128	124	128	115	90	66	25	15	5	5	5
791	985	1,321	1,651	1,838	2,051	2,181	2,047	1,618	1,366	1,092	795	472	185	49	7	-	7	6
527	609	831	1,096	1,282	1,458	1,578	1,560	1,201	1,023	866	650	391	161	42	5	-	6	7
161	251	365	446	473	513	516	420	356	297	208	126	70	21	5	1	-	1	8
82	103	97	83	56	67	72	55	50	39	16	17	10	2	1	1	-	-	9
21	22	28	26	27	13	15	12	11	7	2	2	1	1	1	-	-	-	10
922	1,055	1,103	1,105	901	773	537	377	249	176	145	86	54	18	8	1	-	14	11
284	334	293	337	283	273	230	175	108	88	71	39	17	7	1	1	-	6	12
100	103	140	145	127	122	77	52	40	21	38	26	25	7	3	-	-	4	13
441	486	512	476	380	316	192	124	86	58	33	15	10	4	3	-	-	2	14
117	132	158	147	111	62	38	26	15	9	3	6	2	-	1	-	-	2	15

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	ALL CAUSES	930.0	2,533.6	101.7	45.8	41.8	88.3	120.4
2	Male	1,073.8	2,854.8	110.5	52.5	52.5	124.1	175.9
3	Female	790.8	2,197.3	92.6	38.9	30.7	52.2	67.3
4	White	925.8	2,240.8	90.1	43.7	39.9	84.0	109.4
5	Male	1,071.0	2,546.8	98.9	50.3	49.9	119.6	163.0
6	Female	784.5	1,920.0	81.0	36.7	29.5	48.1	57.8
7	Nonwhite	963.1	4,142.5	169.3	59.0	54.5	119.2	198.5
8	Male	1,095.1	4,571.3	179.6	66.0	69.7	157.7	271.3
9	Female	838.4	3,694.5	159.2	52.0	39.3	81.6	132.9
10	Tuberculosis, all forms (001-019)	5.4	0.5	0.6	0.1	0.1	0.2	0.7
11	Male	8.1	0.7	0.6	0.1	0.1	0.2	0.5
12	Female	2.9	0.4	0.6	0.1	0.1	0.2	0.8
13	White	4.6	0.3	0.4	0.1	0.1	0.1	0.3
14	Male	6.9	0.4	0.4	0.1	0.1	0.1	0.3
15	Female	2.3	0.2	0.4	0.1	0.1	0.1	0.4
16	Nonwhite	12.1	1.8	1.6	0.3	0.2	1.0	3.0
17	Male	16.9	2.4	1.8	0.3	0.2	1.1	2.1
18	Female	7.5	1.2	1.3	0.3	0.2	1.0	3.9
19	Tuberculosis of respiratory system (001-008)	5.0	0.2	0.2	0.0	0.0	0.2	0.5
20	Male	7.6	0.4	0.2	0.0	0.0	0.1	0.4
21	Female	2.5	0.1	0.2	0.0	0.0	0.2	0.7
22	White	4.3	0.1	0.1	0.0	0.0	0.1	0.3
23	Male	6.6	0.2	0.1	0.0	0.0	0.1	0.2
24	Female	2.0	0.1	0.1	0	0.0	0.1	0.3
25	Nonwhite	10.6	0.8	0.5	0.1	0	0.7	2.5
26	Male	15.4	1.2	0.7	0	0	0.6	1.7
27	Female	6.2	0.3	0.4	0.1	0	0.7	3.2
28	Tuberculosis, other forms (010-019)	0.4	0.3	0.4	0.1	0.1	0.1	0.1
29	Male	0.5	0.3	0.5	0.1	0.1	0.1	0.1
30	Female	0.4	0.3	0.4	0.1	0.1	0.1	0.2
31	White	0.3	0.2	0.3	0.1	0.1	0.0	0.1
32	Male	0.3	0.2	0.3	0.1	0.1	0.0	0.0
33	Female	0.2	0.2	0.3	0.1	0.1	0.0	0.1
34	Nonwhite	1.4	1.1	1.0	0.2	0.2	0.4	0.6
35	Male	1.6	1.2	1.2	0.3	0.2	0.5	0.5
36	Female	1.3	0.9	0.9	0.1	0.2	0.2	0.7
37	Syphilis and its sequelae (020-029)	1.6	0.5	0.0	0	0.0	0.0	0.1
38	Male	2.3	0.6	0	0	0.0	0.0	0.1
39	Female	0.9	0.3	0.0	0	0	0	0.1
40	White	1.2	0.2	0	0	0.0	0.0	0.1
41	Male	1.8	0.3	0	0	0.0	0.0	0.1
42	Female	0.6	0.1	0	0	0	0	0.0
43	Nonwhite	4.5	1.8	0.0	0	0	0	0.1
44	Male	6.1	2.4	0	0	0	0	0
45	Female	3.1	1.2	0.1	0	0	0	0.1
46	Dysentery, all forms (045-048)	0.2	2.4	0.3	0.1	0.0	0.0	0.0
47	Male	0.2	2.5	0.3	0.1	0.0	0	0.0
48	Female	0.1	2.3	0.2	0.1	0.0	0.0	0
49	White	0.1	1.3	0.2	0.1	0.0	0.0	0.0
50	Male	0.1	1.5	0.2	0.1	0.0	0	0.0
51	Female	0.1	1.1	0.2	0.1	0.0	0.0	0
52	Nonwhite	0.5	8.2	0.8	0.1	0.0	0	0
53	Male	0.6	7.9	0.9	0.1	0	0	0
54	Female	0.5	8.6	0.6	0.1	0.1	0	0
55	Scarlet fever and streptococcal sore throat (050,051)	0.1	0.4	0.2	0.1	0.0	0.0	0.1
56	Male	0.1	0.5	0.1	0.1	0.0	0.0	0.1
57	Female	0.1	0.2	0.2	0.1	0.0	0.0	0.1
58	White	0.1	0.3	0.2	0.1	0.0	0.0	0.1
59	Male	0.1	0.4	0.1	0.1	0.0	0.0	0.0
60	Female	0.1	0.2	0.2	0.1	0.0	0.1	0.1
61	Nonwhite	0.1	0.8	0.3	0	0	0	0.1
62	Male	0.1	1.2	0.3	0	0	0	0.2
63	Female	0.1	0.3	0.2	0	0	0	0
64	Diphtheria (055)	0.0	0.0	0.2	0.1	0.0	0.0	0
65	Male	0.0	0.0	0.2	0.1	0.1	0	0
66	Female	0.0	0.0	0.1	0.1	0.0	0.0	0
67	White	0.0	0.1	0.1	0.1	0.0	0.0	0
68	Male	0.0	0.1	0.1	0.1	0.1	0	0
69	Female	0.0	0.1	0.1	0.1	0	0.0	0
70	Nonwhite	0.1	0	0.6	0.2	0.1	0	0
71	Male	0.1	0	0.8	0.2	0.1	0	0
72	Female	0.1	0	0.4	0.2	0.1	0	0
73	Whooping cough (056)	0.0	1.3	0.1	0.0	0	0	0
74	Male	0.0	1.0	0.1	0	0	0	0
75	Female	0.0	1.5	0.1	0.0	0	0	0
76	White	0.0	0.5	0.1	0	0	0	0
77	Male	0.0	0.4	0.1	0	0	0	0
78	Female	0.0	0.6	0.0	0	0	0	0
79	Nonwhite	0.2	5.5	0.5	0.0	0	0	0
80	Male	0.2	4.2	0.6	0	0	0	0
81	Female	0.3	6.7	0.5	0.1	0	0	0
82	Meningococcal infections (057)	0.3	3.8	1.4	0.3	0.1	0.2	0.1
83	Male	0.4	4.0	1.7	0.3	0.1	0.3	0.1
84	Female	0.3	3.6	1.1	0.3	0.1	0.1	0.1
85	White	0.3	3.9	1.3	0.2	0.1	0.2	0.1
86	Male	0.3	4.2	1.6	0.3	0.1	0.2	0.1
87	Female	0.3	3.7	1.1	0.2	0.1	0.2	0.0
88	Nonwhite	0.5	3.2	1.6	0.5	0.1	0.4	0.1
89	Male	0.6	3.3	2.1	0.4	0.1	0.6	0.2
90	Female	0.4	3.1	1.1	0.5	0.1	0.1	0.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
125.8	159.8	229.3	359.6	568.9	914.6	1,327.6	2,086.3	3,103.6	4,522.5	6,906.7	11,137.7	19,593.7	1
167.0	199.2	282.9	454.3	731.2	1,208.5	1,788.5	2,788.7	4,126.5	5,710.6	8,318.1	12,756.8	20,914.4	2
86.0	122.0	178.5	269.2	412.3	630.4	887.6	1,446.3	2,216.0	3,523.4	5,785.7	9,971.9	18,752.0	3
107.3	133.8	195.6	315.9	520.2	844.0	1,249.4	1,960.9	2,996.6	4,460.6	6,949.4	11,358.1	20,025.5	4
145.1	170.9	246.4	409.1	683.1	1,143.9	1,727.4	2,688.5	4,024.4	5,675.5	8,414.4	13,058.0	21,392.5	5
70.4	97.6	146.9	226.3	362.3	553.7	793.7	1,300.6	2,107.4	3,445.1	5,797.1	10,149.0	19,166.5	6
260.2	359.1	506.4	744.3	1,004.9	1,585.1	2,073.3	3,444.7	4,304.1	5,287.2	6,355.7	8,295.7	14,231.9	7
337.0	431.7	595.4	865.5	1,172.6	1,826.0	2,358.2	3,847.5	5,250.6	6,125.3	7,162.4	9,142.6	15,593.5	8
193.4	297.1	428.3	635.3	851.1	1,351.9	1,794.7	3,061.1	3,455.4	4,504.1	5,628.9	7,569.8	13,202.4	9
1.5	2.2	4.0	5.3	6.7	9.6	12.2	15.8	20.1	23.8	28.1	33.1	37.9	10
1.4	2.3	4.7	6.6	9.7	15.0	20.4	27.2	35.4	40.5	46.2	56.0	56.1	11
1.5	2.1	3.3	4.0	3.8	4.4	4.5	5.5	6.8	9.8	13.8	16.6	26.3	12
0.7	1.0	2.1	3.5	4.8	7.9	10.1	13.4	18.2	21.6	26.3	31.6	35.2	13
0.7	1.0	2.5	4.3	6.9	12.3	17.1	23.4	32.7	37.2	43.3	52.9	52.5	14
0.7	0.9	1.7	2.7	2.8	3.6	3.4	4.2	5.7	8.7	12.9	16.5	24.4	15
7.1	11.5	19.3	21.0	23.1	26.1	32.4	42.7	41.1	51.1	52.2	53.0	70.8	16
7.4	12.7	23.1	28.0	35.3	40.8	50.5	66.9	65.0	80.5	80.7	92.6	96.8	17
6.9	10.4	15.9	14.6	11.8	12.1	14.8	19.7	19.6	24.4	26.4	19.0	51.2	18
1.2	1.9	3.6	4.9	6.2	9.0	11.6	14.8	18.9	22.8	26.8	31.5	35.9	19
1.2	2.1	4.3	6.1	9.3	14.4	19.6	25.7	34.0	39.3	44.6	53.4	55.1	20
1.3	1.8	2.9	3.7	3.2	3.9	4.0	4.9	5.9	8.9	12.7	15.8	23.7	21
0.6	0.9	1.9	3.3	4.5	7.5	9.7	12.6	17.3	20.8	25.2	30.1	33.9	22
0.7	0.9	2.3	4.0	6.6	11.9	16.6	22.4	31.6	36.2	42.1	50.5	51.9	23
0.6	0.8	1.6	2.6	2.5	3.3	3.2	3.7	5.0	8.0	11.9	15.6	22.6	24
5.5	10.3	17.1	18.7	21.3	23.6	29.9	38.3	36.8	47.0	47.4	51.3	61.1	25
5.3	11.3	20.9	25.0	34.1	38.2	46.3	59.9	60.5	75.9	74.3	88.9	90.3	26
5.6	9.5	13.6	12.9	9.4	9.6	11.9	17.8	15.5	20.7	23.1	19.0	39.0	27
0.2	0.2	0.4	0.4	0.5	0.6	0.6	1.0	1.2	1.1	1.3	1.6	2.0	28
0.2	0.2	0.4	0.5	0.4	0.7	0.7	1.5	1.4	1.3	1.6	2.6	1.1	29
0.2	0.3	0.4	0.3	0.5	0.5	0.5	0.6	0.9	0.9	1.1	0.8	2.5	30
0.0	0.1	0.2	0.2	0.3	0.4	0.4	0.7	0.9	0.8	1.1	1.5	1.3	31
0	0.1	0.2	0.3	0.3	0.5	0.6	1.0	1.2	1.0	1.2	2.5	0.6	32
0.1	0.2	0.2	0.1	0.3	0.3	0.3	0.5	0.6	0.7	1.0	0.9	1.8	33
1.7	1.2	2.2	2.3	1.8	2.6	2.6	4.4	4.3	4.1	4.8	1.7	9.7	34
2.1	1.4	2.2	3.0	1.1	2.6	2.2	7.0	4.5	4.6	6.4	3.7	6.5	35
1.3	1.0	2.2	1.7	2.4	2.5	2.9	1.9	4.1	3.6	3.3	0	12.2	36
0.1	0.2	0.3	0.7	1.2	2.6	4.3	6.5	7.9	9.1	8.3	8.8	9.3	37
0.2	0.3	0.4	1.0	1.5	3.7	6.4	10.5	13.0	14.5	12.6	12.0	13.6	38
0.1	0.1	0.2	0.4	0.8	1.4	2.3	2.8	3.5	4.6	4.9	6.5	6.6	39
0.1	0.1	0.1	0.3	0.5	1.3	2.9	4.5	6.2	7.5	7.3	7.8	8.2	40
0.1	0.2	0.2	0.5	0.7	2.0	4.7	7.9	10.2	12.6	11.4	10.8	11.0	41
0.1	0.1	0.0	0.2	0.3	0.6	1.2	1.6	2.7	3.3	4.1	5.6	6.4	42
0.4	0.5	1.5	3.9	7.3	14.4	17.5	27.4	26.8	28.7	21.7	22.2	23.6	43
0.3	0.5	1.7	5.4	9.4	20.1	22.0	38.1	42.8	36.8	27.5	25.9	41.9	44
0.4	0.5	1.3	2.5	5.4	9.0	13.1	17.2	12.5	21.2	16.5	19.0	9.8	45
0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.6	0.5	1.2	46
0.0	0.1	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.9	0.6	1.3	47
0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.4	0.5	1.2	48
0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.5	0.4	1.0	49
0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.8	0.3	1.2	50
0	0.0	0	0.0	0	0.1	0.1	0.2	0.1	0.2	0.3	0.4	0.9	51
0	0.2	0.1	0.2	0.4	0.3	0.7	0.5	0.8	0.5	2.2	2.6	4.2	52
0	0.3	0	0.4	0.4	0.4	0.7	0.3	0.4	0	2.8	3.7	3.2	53
0	0.1	0.3	0	0.3	0.2	0.7	0.6	1.1	1.0	1.7	1.6	4.9	54
0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.4	0.8	55
0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0	0.1	0.2	0.4	1.1	56
0.1	0.0	0.0	0.0	0	0.0	0.0	0.0	0.1	0.0	0.2	0.4	0.7	57
0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.2	0.4	0.9	58
0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0	0.1	0.2	0.5	1.2	59
0.1	0.0	0.0	0	0	0.0	0.1	0.0	0.1	0.0	0.2	0.4	0.7	60
0	0	0.1	0.2	0.1	0	0	0	0	0	0	0	0	61
0	0	0	0	0.2	0	0	0	0	0	0	0	0	62
0	0	0.1	0.3	0	0	0	0	0	0	0	0	0	63
0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0	0	64
0	0	0	0	0	0.0	0.0	0	0	0	0	0	0	65
0	0	0.0	0	0	0	0.0	0	0	0.0	0	0	0	66
0	0	0.0	0	0	0.0	0.0	0	0	0.0	0	0	0	67
0	0	0	0	0	0.0	0	0	0	0	0	0	0	68
0	0	0.0	0	0	0	0.0	0	0	0.0	0	0	0	69
0	0	0	0	0	0	0.1	0	0	0	0	0	0	70
0	0	0	0	0	0	0.2	0	0	0	0	0	0	71
0	0	0	0	0	0	0	0	0	0	0	0	0	72
0	0	0	0	0	0	0	0	0	0.0	0	0	0	73
0	0	0	0	0	0	0	0	0	0	0	0	0	74
0	0	0	0	0	0	0	0	0	0.0	0	0	0	75
0	0	0	0	0	0	0	0	0	0.0	0	0	0	76
0	0	0	0	0	0	0	0	0	0	0	0	0	77
0	0	0	0	0	0	0	0	0	0.0	0	0	0	78
0	0	0	0	0	0	0	0	0	0	0	0	0	79
0	0	0	0	0	0	0	0	0	0	0	0	0	80
0	0	0	0	0	0	0	0	0	0	0	0	0	81
0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0	82
0.0	0	0.0	0.0	0.1	0.1	0.2	0.0	0.2	0.2	0.3	0.4	0	83
0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0	0	84
0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0	85
0.0	0	0.0	0.0	0.1	0.1	0.1	0.0	0.2	0.2	0.3	0.5	0	86
0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0	0	87
0.2	0.1	0.1	0.2	0.3	0.2	0.5	0	0.2	0.3	0	0	0	88
0	0	0.2	0.2	0.6	0	0.7	0	0	0	0	0	0	89
0.3	0.3	0	0.2	0	0.4	0.2	0	0.4	0.5	0	0	0	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)	0.0	0.0	0.1	0.1	0.0	0.1	0.0
2	Male	0.1	0.0	0.0	0.1	0.0	0.1	0.0
3	Female	0.0	0	0.1	0.1	0.0	0.0	0.1
4	White	0.0	0.0	0.1	0.1	0.0	0.1	0.1
5	Male	0.1	0.1	0.0	0.1	0.0	0.1	0.0
6	Female	0.0	0	0.1	0.0	0.1	0.0	0.1
7	Nonwhite	0.0	0	0.0	0.2	0	0.1	0
8	Male	0.0	0	0.1	0.2	0	0.1	0
9	Female	0.0	0	0	0.1	0	0	0
10	Measles (085)	0.2	1.6	1.4	0.4	0.1	0.0	0.0
11	Male	0.2	1.6	1.4	0.4	0.1	0.0	0.1
12	Female	0.2	1.7	1.5	0.5	0.1	0.0	0.0
13	White	0.2	1.2	1.2	0.4	0.1	0.0	0.1
14	Male	0.2	1.2	1.1	0.4	0.1	0.0	0.1
15	Female	0.2	1.1	1.3	0.5	0.1	0.0	0.0
16	Nonwhite	0.5	4.1	2.6	0.4	0.1	0.1	0
17	Male	0.5	3.6	3.0	0.4	0.2	0	0
18	Female	0.5	4.6	2.6	0.4	0	0.1	0
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	3.1	20.0	2.8	1.1	0.7	0.9	1.1
20	Male	3.4	23.4	2.9	1.1	0.7	1.0	1.1
21	Female	2.8	16.4	2.6	1.1	0.7	0.9	1.2
22	White	2.8	16.0	2.4	1.1	0.6	0.8	1.0
23	Male	3.0	19.0	2.5	1.1	0.6	0.9	0.9
24	Female	2.5	12.8	2.2	1.1	0.6	0.8	1.0
25	Nonwhite	5.4	42.1	5.3	1.0	1.2	1.6	2.4
26	Male	5.9	48.0	5.4	1.0	1.5	1.8	2.4
27	Female	4.9	35.9	5.3	1.0	1.0	1.4	2.3
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.5	6.9	10.4	7.8	6.2	7.8	9.1
29	Male	163.4	6.7	11.3	8.7	7.1	9.2	11.3
30	Female	136.0	7.0	9.5	6.9	5.4	6.3	6.9
31	White	153.0	7.3	11.1	8.3	6.5	7.9	9.1
32	Male	167.0	7.1	12.0	9.3	7.4	9.4	11.4
33	Female	139.5	7.6	10.1	7.2	5.5	6.5	6.8
34	Nonwhite	122.3	4.4	6.7	5.0	4.6	6.6	8.9
35	Male	136.0	4.5	6.8	4.8	4.6	8.0	10.7
36	Female	109.4	4.3	6.6	5.3	4.7	5.3	7.3
37	Malignant neoplasm of buccal cavity and pharynx (140-148)	3.5	0.0	0.0	0.0	0.0	0.1	0.1
38	Male	5.4	0	0.0	0.1	0.0	0.2	0.1
39	Female	1.6	0.0	0.0	0.0	0.0	0.0	0.1
40	White	3.6	0	0.0	0.0	0.0	0.1	0.1
41	Male	5.5	0	0.0	0.1	0.1	0.2	0.1
42	Female	1.7	0	0.1	0.0	0.0	0	0.1
43	Nonwhite	2.7	0.2	0	0	0	0.1	0.1
44	Male	4.2	0	0	0	0	0.1	0
45	Female	1.2	0.3	0	0	0	0.1	0.3
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	50.1	0.5	0.3	0.1	0.1	0.3	0.8
47	Male	55.7	0.6	0.3	0.1	0.1	0.4	0.9
48	Female	44.7	0.5	0.3	0.1	0.1	0.2	0.6
49	White	51.2	0.5	0.3	0.1	0.1	0.2	0.7
50	Male	56.3	0.5	0.3	0.1	0.1	0.3	0.8
51	Female	46.3	0.5	0.3	0.1	0.1	0.2	0.5
52	Nonwhite	41.9	0.8	0.2	0	0.1	0.6	1.2
53	Male	51.6	0.6	0.1	0	0	0.7	1.4
54	Female	32.8	0.9	0.3	0	0.2	0.5	1.1
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	23.1	0.2	0.1	0.0	0.0	0.2	0.2
56	Male	39.9	0.1	0.1	0.0	0.0	0.2	0.3
57	Female	6.7	0.2	0.1	0.0	0.0	0.1	0.1
58	White	23.8	0.2	0.1	0.0	0.0	0.1	0.2
59	Male	41.2	0.2	0.1	0.0	0.0	0.2	0.3
60	Female	7.0	0.2	0.1	0.0	0.1	0.1	0.1
61	Nonwhite	17.3	0.2	0.0	0	0	0.2	0.1
62	Male	30.4	0	0	0	0	0.2	0.2
63	Female	4.9	0.3	0.1	0	0	0.2	0
64	Malignant neoplasm of breast (170)	13.4	0.0	0	0.0	0	0.0	0.1
65	Male	0.3	0	0	0	0	0	0
66	Female	26.2	0.0	0	0.0	0	0.0	0.2
67	White	14.0	0.0	0	0.0	0	0	0.1
68	Male	0.3	0	0	0	0	0	0
69	Female	27.3	0.1	0	0.0	0	0	0.2
70	Nonwhite	9.2	0	0	0	0	0.1	0.1
71	Male	0.2	0	0	0	0	0	0
72	Female	17.8	0	0	0	0	0.2	0.1
73	Malignant neoplasm of genital organs (171-179)	21.5	0.0	0.2	0.1	0.2	0.4	1.2
74	Male	17.7	0	0.2	0.0	0.1	0.4	1.4
75	Female	25.1	0.1	0.1	0.1	0.3	0.4	1.0
76	White	21.0	0.1	0.2	0.1	0.2	0.4	1.2
77	Male	17.4	0	0.3	0.0	0.1	0.4	1.5
78	Female	24.5	0.1	0.1	0.1	0.3	0.3	0.9
79	Nonwhite	24.9	0	0	0.1	0.2	0.6	1.1
80	Male	19.5	0	0	0	0.1	0.2	0.6
81	Female	29.9	0	0	0.1	0.3	1.0	1.5
82	Malignant neoplasm of urinary organs (180,181)	7.1	0.4	1.0	0.5	0.1	0.1	0.1
83	Male	9.6	0.4	0.8	0.4	0.1	0.1	0.1
84	Female	4.7	0.4	1.2	0.5	0.1	0.1	0.1
85	White	7.5	0.4	1.0	0.5	0.1	0.1	0.1
86	Male	10.1	0.4	0.7	0.4	0.1	0.1	0.1
87	Female	4.9	0.4	1.3	0.6	0.1	0.0	0.0
88	Nonwhite	4.6	0.2	1.0	0.4	0.1	0.2	0.1
89	Male	5.9	0	1.2	0.4	0.2	0	0.2
90	Female	3.4	0.3	0.8	0.3	0.1	0.4	0.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961—Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0	1
0.0	0.3	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0	0	2
0.1	0.0	0.1	0.0	0.0	0	0.0	0	0	0	0	0	0	3
0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0	4
0.0	0.3	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0	0	5
0.1	0.0	0.1	0.0	0.0	0	0.1	0	0	0	0	0	0	6
0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	7
0	0	0	0	0	0	0	0	0	0	0	0	0	8
0	0	0.3	0.2	0	0	0	0	0	0	0	0	0	9
0.1	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0	0.1	0	10
0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0	0	0	11
0.1	0.0	0	0.0	0	0	0.0	0	0	0	0	0.1	0	12
0.1	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0	0.1	0	13
0.0	0.0	0	0.0	0.0	0	0.0	0	0.0	0	0	0	0	14
0.1	0.0	0	0.0	0	0	0.0	0	0	0	0	0.1	0	15
0.1	0	0	0	0	0	0	0	0	0	0	0	0	16
0	0	0	0	0	0	0	0	0	0	0	0	0	17
0.1	0	0	0	0	0	0	0	0	0	0	0	0	18
1.2	1.4	1.6	1.9	2.5	3.2	4.4	5.1	6.3	8.5	11.7	16.2	21.1	19
1.1	1.2	1.6	1.9	2.5	3.6	5.2	6.5	7.4	11.2	14.3	18.8	21.0	20
1.3	1.5	1.7	1.8	2.5	2.9	3.6	3.9	5.3	6.2	9.5	14.3	21.2	21
0.9	1.2	1.4	1.5	2.2	2.8	3.9	4.8	5.9	7.8	11.2	16.4	20.8	22
0.9	1.2	1.4	1.6	2.3	3.2	4.8	6.1	6.7	10.3	13.9	18.7	20.0	23
1.0	1.1	1.4	1.4	2.2	2.5	3.0	3.6	5.2	5.8	9.1	14.8	21.3	24
3.0	2.9	3.9	5.2	4.7	6.8	8.6	8.6	10.5	16.1	17.4	12.8	25.0	25
2.3	1.6	3.8	5.1	4.5	7.9	8.2	10.4	15.6	21.3	19.3	20.4	32.3	26
3.6	4.0	4.0	5.4	4.9	5.8	9.0	7.0	5.9	11.4	15.7	6.3	19.5	27
14.4	24.0	43.0	76.7	134.5	221.8	320.6	478.2	651.5	815.5	1,014.2	1,277.3	1,491.2	28
15.3	21.4	34.1	63.8	120.3	225.5	361.2	573.1	820.0	1,028.0	1,282.5	1,593.6	1,826.1	29
13.5	26.5	51.4	89.0	148.3	218.2	281.9	391.6	505.2	636.8	801.2	1,049.6	1,277.8	30
14.4	23.2	40.6	72.4	129.2	212.7	312.8	464.5	646.0	816.9	1,028.6	1,306.9	1,524.6	31
15.7	21.0	32.5	60.4	115.2	215.7	352.2	558.0	811.9	1,029.5	1,300.6	1,634.1	1,864.9	32
13.1	25.3	48.4	83.9	142.8	209.8	275.2	379.6	502.4	639.3	814.7	1,074.2	1,310.7	33
14.1	30.5	62.2	115.2	181.7	308.3	394.9	626.1	713.0	797.8	828.7	894.0	1,076.4	34
12.2	24.5	47.4	95.4	167.0	319.4	444.6	732.1	909.1	1,010.3	1,065.1	1,107.4	1,393.5	35
15.8	35.6	75.3	132.9	195.7	297.1	346.2	525.2	537.3	602.1	615.7	711.1	836.6	36
0.1	0.4	0.6	1.5	3.9	6.4	9.1	11.8	14.7	17.2	21.7	26.2	37.4	37
0.2	0.5	0.8	2.1	5.7	10.1	15.3	20.0	25.6	28.7	36.6	44.0	62.0	38
0.1	0.2	0.5	0.9	2.2	2.9	3.2	4.3	5.3	7.5	9.9	13.4	21.7	39
0.1	0.3	0.5	1.4	3.7	6.1	8.9	11.7	14.8	17.5	22.5	27.4	39.0	40
0.2	0.5	0.6	1.9	5.3	9.7	15.1	19.9	25.8	29.2	38.1	46.1	64.9	41
0.1	0.2	0.4	0.8	2.1	2.7	3.1	4.2	5.3	7.7	10.2	14.1	22.8	42
0	0.5	1.7	2.6	6.4	9.1	11.0	13.1	14.0	13.9	11.7	11.1	16.7	43
0	1.0	2.5	3.5	10.1	13.5	17.8	21.7	24.3	23.6	18.3	18.5	29.0	44
0	0.1	1.0	1.7	3.0	4.8	4.4	4.8	4.8	5.2	5.8	4.8	7.3	45
1.5	3.6	7.9	16.1	32.0	59.1	93.7	157.8	231.6	317.3	424.6	554.2	644.2	46
1.9	3.9	8.1	17.1	36.0	69.3	112.4	191.6	289.7	390.9	516.2	637.0	697.1	47
1.2	3.3	7.8	15.1	28.1	49.2	75.9	126.9	181.2	255.4	351.8	494.6	610.5	48
1.4	3.2	7.1	14.6	29.8	54.9	89.6	151.0	227.8	317.1	431.2	568.8	660.6	49
1.7	3.3	7.1	15.4	33.1	63.7	108.2	182.5	283.7	388.7	524.9	653.9	711.3	50
1.1	3.1	7.1	13.8	26.5	46.4	73.7	122.4	179.4	257.1	357.5	508.3	628.8	51
2.5	6.4	14.8	29.5	52.2	98.9	133.2	231.3	274.7	319.9	339.1	364.1	440.3	52
3.6	8.2	16.7	32.9	62.7	123.8	170.8	288.6	355.1	416.7	411.0	435.2	538.7	53
1.4	4.8	13.2	26.5	42.6	75.0	96.4	176.8	202.6	231.1	274.4	303.2	365.9	54
0.5	1.8	4.4	11.2	22.5	43.9	70.0	100.7	124.5	123.1	110.7	98.3	86.5	55
0.8	2.7	6.6	17.6	36.9	76.0	125.4	188.6	237.9	233.4	202.8	177.1	149.5	56
0.3	0.8	2.3	5.1	8.6	13.0	17.2	20.6	26.2	30.3	37.5	41.6	46.4	57
0.5	1.6	4.1	10.5	21.8	42.7	69.6	100.3	125.5	125.5	113.7	100.6	88.6	58
0.8	2.5	6.0	16.4	35.5	73.8	125.2	188.3	240.1	239.2	208.6	161.6	152.8	59
0.3	0.7	2.4	4.9	8.5	12.5	16.7	20.4	26.3	30.4	39.1	42.9	48.3	60
0.5	2.9	6.5	16.7	28.6	55.9	73.8	105.2	113.8	93.2	71.3	69.2	61.1	61
0.7	4.3	11.7	28.2	49.9	96.5	126.2	192.6	213.2	164.4	133.0	122.2	112.9	62
0.3	1.6	1.9	6.5	8.9	17.1	22.5	22.0	24.7	28.5	15.7	23.8	22.0	63
0.8	3.2	7.2	13.7	21.4	30.9	33.4	40.0	46.4	54.1	67.8	87.2	120.9	64
0	0.1	0.0	0.1	0.2	0.5	0.7	0.6	1.3	1.6	1.6	2.8	3.7	65
1.5	6.2	14.0	26.7	41.9	60.3	64.7	75.8	85.6	98.3	120.4	148.0	195.6	66
0.7	3.1	6.8	13.3	21.5	31.1	33.9	40.2	47.2	55.5	69.5	89.6	125.1	67
0	0.1	0.1	0.1	0.2	0.5	0.7	0.6	1.3	1.6	1.6	2.6	3.8	68
1.4	6.1	13.4	25.9	42.2	60.7	65.4	76.1	86.9	100.6	122.9	151.5	201.3	69
1.2	3.8	10.1	17.8	20.7	29.6	29.4	37.5	37.7	36.6	46.1	56.4	69.4	70
0	0	0	0	0.4	0.4	0.5	0.7	1.2	1.7	0.9	5.6	3.2	71
2.2	7.0	19.1	33.9	39.7	57.3	57.6	72.6	70.5	67.9	86.8	100.0	119.5	72
2.2	4.3	7.8	13.1	20.7	29.1	38.7	58.8	86.0	119.4	165.7	228.0	272.0	73
1.7	1.7	1.7	1.7	1.8	6.0	14.3	34.9	74.3	138.6	237.8	378.1	505.3	74
2.7	6.7	13.5	23.9	39.0	51.5	62.1	80.6	98.1	103.3	108.4	119.9	123.4	75
2.1	3.8	7.0	11.8	18.9	26.5	35.6	53.4	80.7	114.6	161.7	227.6	269.9	76
1.9	1.9	1.8	1.7	1.6	4.9	11.6	29.7	66.8	132.3	230.8	380.1	508.1	77
2.3	5.7	11.9	21.6	35.7	47.5	58.4	75.0	92.7	99.9	107.3	119.2	120.2	78
3.1	8.1	14.5	23.8	37.2	53.5	68.9	117.0	145.3	178.4	217.0	234.2	298.6	79
0.3	0.8	1.1	2.1	4.3	16.6	39.6	90.0	156.4	213.2	321.1	353.7	474.2	80
5.5	14.3	26.3	43.3	67.8	88.5	97.6	142.7	135.4	146.1	123.1	131.7	165.9	81
0.2	0.5	0.9	2.1	3.9	8.2	12.7	22.3	32.7	45.4	57.4	79.8	93.0	82
0.2	0.5	1.3	2.7	5.6	11.7	19.2	33.2	49.8	68.8	84.4	112.3	125.3	83
0.1	0.5	0.5	1.5	2.3	4.9	6.5	12.3	17.8	25.8	35.9	56.5	72.4	84
0.1	0.4	0.8	1.8	3.7	7.9	12.7	22.1	33.1	46.2	59.6	83.2	97.1	85
0.2	0.5	1.2	2.4	5.4	11.4	19.4	33.3	50.8	70.5	88.2	118.2	131.3	86
0.1	0.4	0.5	1.3	2.1	4.4	6.4	11.8	17.8	26.0	37.2	58.3	75.6	87
0.2	1.0	1.3	4.3	5.6	11.6	12.6	24.6	28.2	35.8	27.8	35.9	41.7	88
0.3	0.8	1.9	5.8	6.8	14.0	17.3	32.1	38.7	48.9	38.5	40.7	58.1	89
0.1	1.2	0.8	3.0	4.5	9.4	8.0	17.5	18.8	23.8	18.2	31.7	29.3	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued							
1	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.4	2.3	3.1	2.4	2.3	2.9	2.5
2	Male	17.7	2.3	3.4	2.5	2.4	3.2	3.0
3	Female	15.1	2.3	2.8	2.3	2.3	2.5	1.9
4	White	16.9	2.6	3.2	2.4	2.4	3.0	2.5
5	Male	18.4	2.6	3.6	2.6	2.5	3.3	3.1
6	Female	15.5	2.7	2.7	2.3	2.3	2.6	2.0
7	Nonwhite	12.6	0.5	2.7	2.3	1.8	2.1	2.2
8	Male	12.7	0.9	2.5	1.9	1.4	2.8	2.9
9	Female	12.4	0	2.8	2.6	2.2	1.4	1.5
10	Leukemia and aleukemia (204)	7.0	2.5	5.1	4.0	2.5	2.3	2.0
11	Male	8.4	2.4	5.6	4.5	2.9	2.8	2.6
12	Female	5.7	2.7	4.5	3.5	2.0	1.7	1.5
13	White	7.4	2.7	5.6	4.3	2.6	2.4	2.0
14	Male	8.9	2.5	6.2	4.9	3.1	2.9	2.6
15	Female	6.0	2.9	4.9	3.8	2.1	1.9	1.5
16	Nonwhite	4.0	1.7	2.1	1.8	1.6	1.5	2.0
17	Male	4.7	1.8	2.3	1.7	1.5	2.3	2.7
18	Female	3.2	1.5	2.0	1.9	1.6	0.7	1.2
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.4	0.8	0.7	0.7	1.0	1.6	2.2
20	Male	8.7	0.9	0.9	1.1	1.5	1.9	2.9
21	Female	6.1	0.8	0.6	0.3	0.5	1.3	1.5
22	White	7.7	0.8	0.7	0.6	1.0	1.6	2.2
23	Male	9.0	0.9	0.9	1.2	1.5	1.9	2.9
24	Female	6.4	0.7	0.6	0.3	0.5	1.4	1.5
25	Nonwhite	5.2	1.1	0.7	0.5	0.9	1.1	2.0
26	Male	6.7	1.2	0.8	0.7	1.4	1.6	2.7
27	Female	3.7	0.9	0.6	0.3	0.3	0.7	1.4
28	Benign neoplasms and neoplasms of unspecified nature (210-239)	2.6	2.9	0.7	0.6	0.6	0.6	0.8
29	Male	2.4	3.4	0.6	0.5	0.6	0.6	0.8
30	Female	2.8	2.4	0.9	0.8	0.5	0.6	0.8
31	White	2.5	3.1	0.7	0.6	0.5	0.6	0.8
32	Male	2.3	3.6	0.5	0.5	0.6	0.6	0.9
33	Female	2.7	2.4	0.9	0.7	0.4	0.6	0.8
34	Nonwhite	3.3	2.1	0.8	1.0	0.7	1.0	0.8
35	Male	2.4	2.1	0.8	1.0	0.6	1.1	0.8
36	Female	4.1	2.1	0.8	1.0	0.9	0.8	0.8
37	Asthma (241)	2.7	0.9	0.4	0.2	0.2	0.4	0.4
38	Male	3.5	0.9	0.4	0.2	0.3	0.3	0.1
39	Female	1.9	1.0	0.3	0.1	0.1	0.4	0.6
40	White	2.6	0.7	0.2	0.1	0.2	0.3	0.2
41	Male	3.4	0.7	0.3	0.1	0.2	0.2	0.1
42	Female	1.8	0.6	0.1	0.1	0.1	0.4	0.3
43	Nonwhite	3.4	2.4	1.0	0.4	0.6	1.1	1.7
44	Male	3.9	2.1	1.1	0.5	0.8	1.3	0.8
45	Female	3.0	2.8	1.0	0.3	0.4	1.0	2.6
46	Diabetes mellitus (260)	16.5	0.3	0.2	0.3	0.4	0.5	1.0
47	Male	13.5	0.1	0.2	0.2	0.2	0.4	1.1
48	Female	19.4	0.5	0.2	0.3	0.6	0.6	0.9
49	White	16.2	0.3	0.2	0.3	0.4	0.4	0.9
50	Male	13.5	0.1	0.2	0.2	0.3	0.3	1.1
51	Female	18.8	0.5	0.2	0.3	0.6	0.5	0.8
52	Nonwhite	18.2	0.5	0.2	0.2	0.3	1.1	1.6
53	Male	12.8	0.3	0.3	0.4	0.2	0.9	1.2
54	Female	23.4	0.6	0.2	0	0.4	1.4	1.9
55	Anemias (290-293)	1.8	2.5	1.2	0.5	0.4	0.5	0.5
56	Male	1.8	2.4	1.2	0.5	0.3	0.4	0.4
57	Female	1.8	2.6	1.2	0.6	0.5	0.5	0.6
58	White	1.7	1.5	0.7	0.4	0.3	0.3	0.2
59	Male	1.6	1.5	0.6	0.3	0.2	0.3	0.2
60	Female	1.7	1.5	0.8	0.6	0.5	0.2	0.3
61	Nonwhite	2.9	8.2	4.3	0.9	0.9	1.9	2.7
62	Male	2.9	7.6	5.1	1.2	0.8	1.2	2.3
63	Female	2.8	8.9	3.4	0.7	0.9	2.6	3.0
64	Meningitis, except meningococcal and tuberculous (340)	1.2	20.6	2.6	0.6	0.2	0.2	0.3
65	Male	1.5	23.3	3.0	0.7	0.2	0.2	0.3
66	Female	1.0	17.7	2.2	0.5	0.2	0.2	0.2
67	White	1.0	15.5	2.4	0.6	0.2	0.2	0.2
68	Male	1.2	17.7	2.8	0.6	0.2	0.2	0.1
69	Female	0.8	13.1	1.9	0.5	0.1	0.2	0.2
70	Nonwhite	3.2	48.5	4.2	0.9	0.7	0.4	0.9
71	Male	3.6	54.4	4.4	1.3	0.5	0.2	1.2
72	Female	2.7	42.3	3.9	0.6	0.9	0.6	0.6
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)	511.7	11.9	2.3	1.6	3.0	6.4	10.7
74	Male	578.9	13.3	2.4	1.6	2.9	7.2	11.7
75	Female	446.7	10.5	2.2	1.7	3.1	5.7	9.6
76	White	520.6	10.2	1.9	1.5	2.6	5.7	9.1
77	Male	592.1	11.0	2.0	1.4	2.5	6.6	10.4
78	Female	451.0	9.4	1.9	1.5	2.7	4.8	7.9
79	Nonwhite	444.1	21.3	4.5	2.7	5.6	12.1	21.7
80	Male	475.8	26.0	5.0	2.9	5.5	11.8	21.7
81	Female	414.2	16.6	3.9	2.6	5.6	12.4	21.7
82	Diseases of cardiovascular system (330-334,400-468)	505.4	11.4	2.2	1.4	2.3	5.0	8.5
83	Male	571.8	12.7	2.2	1.4	2.2	5.5	9.0
84	Female	441.1	9.9	2.1	1.4	2.4	4.4	8.1
85	White	514.9	9.7	1.8	1.2	2.0	4.3	7.2
86	Male	585.7	10.6	1.8	1.2	1.9	5.0	7.8
87	Female	446.0	8.8	1.8	1.2	2.1	3.6	6.6
88	Nonwhite	432.5	20.4	4.2	2.4	4.5	10.1	18.3
89	Male	463.0	24.5	4.4	2.5	4.5	9.5	18.0
90	Female	403.7	16.3	3.9	2.3	4.5	10.6	18.6

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961—Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.7	5.1	7.6	10.1	17.2	25.9	35.3	49.3	60.9	72.8	87.9	115.7	153.9	1
4.2	5.7	7.8	11.4	18.8	30.0	40.9	57.4	71.8	82.8	102.3	125.2	170.5	2
3.3	4.5	7.4	8.9	15.6	22.0	30.0	41.9	51.5	64.3	76.4	108.8	143.4	3
3.8	5.3	7.7	10.1	17.1	25.4	35.0	48.3	60.9	72.7	88.9	117.9	157.7	4
4.3	6.0	8.1	11.5	18.8	29.6	41.3	57.3	72.3	83.5	103.6	128.4	174.5	5
3.3	4.6	7.3	8.8	15.4	21.4	29.0	40.1	51.1	63.6	77.3	110.4	147.2	6
3.3	3.6	6.8	10.2	18.2	30.7	38.2	60.2	61.1	73.8	75.2	87.2	106.9	7
3.5	3.5	5.2	10.5	18.9	33.2	36.9	58.5	65.8	74.7	87.2	87.0	125.8	8
3.2	3.6	8.2	9.9	17.6	28.3	39.5	61.8	56.8	72.5	64.5	87.3	92.7	9
2.1	2.3	2.8	3.5	5.0	6.9	10.0	15.1	23.4	30.9	41.4	53.7	55.8	10
2.4	2.4	3.2	4.2	5.6	8.3	12.2	19.4	30.9	41.1	55.8	73.4	80.1	11
1.8	2.2	2.5	2.8	4.4	5.6	8.0	11.3	16.8	22.4	30.0	39.5	40.3	12
2.1	2.3	2.8	3.5	5.0	7.1	10.1	15.3	24.2	31.7	43.3	56.2	58.3	13
2.4	2.4	3.1	4.2	5.8	8.6	12.2	19.8	31.9	42.0	58.3	77.3	83.8	14
1.8	2.3	2.4	2.8	4.3	5.6	8.1	11.1	17.6	23.1	31.4	41.2	42.3	15
1.8	2.0	3.3	4.0	4.4	5.5	9.3	13.5	13.6	21.3	17.8	20.5	25.0	16
2.1	2.6	3.5	4.9	3.8	5.2	12.4	14.4	20.2	30.5	25.7	25.9	38.7	17
1.4	1.5	3.2	3.1	5.0	5.8	6.3	12.7	7.7	13.0	10.7	15.9	14.6	18
3.2	2.9	3.7	5.5	7.8	11.2	17.5	22.4	31.2	35.3	37.2	34.2	27.4	19
4.0	3.8	4.7	6.9	9.5	13.7	20.7	27.2	38.7	42.2	45.2	43.7	32.7	20
2.5	2.1	2.8	4.1	6.2	8.8	14.4	18.1	24.7	29.6	30.8	27.3	24.1	21
3.4	3.0	3.8	5.4	7.8	11.0	17.4	22.3	31.8	36.2	38.3	35.6	28.3	22
4.3	3.8	4.6	6.9	9.5	13.4	20.5	26.7	39.1	42.6	46.5	45.8	34.5	23
2.6	2.2	3.0	4.0	6.2	8.6	14.4	18.4	25.5	30.8	31.9	28.3	24.4	24
1.7	2.2	3.1	6.2	8.3	13.4	18.5	23.7	24.5	24.9	22.6	15.4	16.7	25
1.7	3.2	4.9	7.5	10.1	16.2	23.0	33.4	34.2	36.8	29.4	18.5	12.9	26
1.7	1.4	1.5	5.0	6.6	10.8	14.0	14.3	15.9	14.0	16.5	12.7	19.5	27
1.1	1.4	2.0	2.7	3.5	4.3	5.4	6.3	7.5	7.7	10.2	11.4	17.9	28
0.9	1.2	1.4	1.6	2.7	3.8	5.4	7.1	7.7	8.4	10.7	12.4	16.0	29
1.3	1.6	2.5	3.7	4.2	4.9	5.4	5.7	7.3	7.1	9.9	10.7	19.2	30
1.0	1.2	1.6	2.2	3.2	4.0	5.2	5.9	7.3	7.7	10.3	11.5	18.1	31
0.8	1.0	1.2	1.6	2.6	3.6	5.4	6.9	7.6	8.5	11.1	12.3	16.2	32
1.2	1.3	2.0	2.8	3.8	4.5	5.0	5.1	7.1	7.1	9.7	11.0	19.3	33
1.8	3.1	4.8	7.0	6.0	7.2	7.0	10.6	9.3	7.1	9.6	9.4	15.3	34
1.3	2.3	2.5	2.3	4.1	5.7	4.7	9.0	9.5	6.9	6.4	13.0	12.9	35
2.3	3.8	6.8	11.2	7.8	8.5	9.2	12.1	9.2	7.3	12.4	6.3	17.1	36
0.7	0.9	1.1	1.8	2.7	4.0	5.7	8.5	10.8	13.5	17.3	15.7	18.6	37
0.6	0.6	0.8	1.6	2.7	4.9	8.0	12.5	16.4	21.8	28.2	23.2	26.1	38
0.8	1.1	1.3	1.9	2.7	3.1	3.5	4.9	6.0	6.5	8.6	10.3	13.9	39
0.4	0.6	0.8	1.4	2.3	3.7	5.3	8.2	10.8	13.7	17.9	16.1	18.5	40
0.3	0.4	0.6	1.2	2.3	4.5	7.7	12.2	16.2	22.4	29.3	24.2	25.5	41
0.5	0.8	0.9	1.5	2.4	2.9	3.0	4.6	6.1	6.4	9.0	10.3	14.0	42
2.8	3.0	3.3	5.5	6.0	6.6	9.8	11.7	10.7	11.5	9.6	10.3	20.8	43
3.0	2.6	2.4	5.6	6.8	8.5	11.1	16.1	18.1	14.9	15.6	11.1	32.3	44
2.7	3.4	4.2	5.4	5.2	4.8	8.5	7.6	4.1	8.3	4.1	9.5	12.2	45
2.4	3.0	4.1	5.4	7.8	15.2	26.1	47.5	77.0	110.0	151.0	185.5	184.2	46
2.4	3.5	4.9	6.2	8.0	14.8	23.8	40.2	62.9	90.5	128.2	160.4	170.5	47
2.4	2.5	3.3	4.7	7.6	15.7	28.3	54.1	89.2	126.5	169.1	203.6	192.9	48
2.1	2.9	3.5	4.5	6.4	12.5	22.4	42.4	73.8	107.5	152.3	189.4	188.6	49
2.3	3.5	4.5	5.5	7.2	13.9	22.5	38.1	60.7	88.6	131.8	165.4	175.4	50
2.0	2.2	2.6	3.6	5.6	11.2	22.4	46.4	85.2	123.3	168.4	206.4	196.9	51
4.2	4.3	8.3	13.4	20.7	41.0	60.7	102.0	112.5	141.5	133.5	135.9	129.2	52
3.1	3.5	8.5	13.3	15.6	23.4	35.9	61.9	86.8	112.6	84.4	100.0	116.1	53
5.0	4.9	8.2	13.5	25.6	57.7	85.0	140.1	135.4	166.8	177.7	166.7	139.0	54
0.5	0.6	0.6	0.5	0.7	1.2	1.7	2.7	5.0	8.4	13.4	22.8	35.9	55
0.4	0.5	0.5	0.5	0.7	1.1	1.9	3.0	5.9	9.7	14.9	26.2	39.1	56
0.6	0.7	0.7	0.5	0.7	1.2	1.6	2.5	4.2	7.4	12.3	20.4	33.9	57
0.2	0.3	0.4	0.3	0.5	1.0	1.6	2.6	5.0	8.6	13.7	23.6	37.0	58
0.2	0.2	0.3	0.3	0.5	1.1	1.7	2.8	5.8	9.8	15.1	27.3	39.7	59
0.3	0.4	0.5	0.3	0.5	1.0	1.4	2.3	4.3	7.6	12.6	21.0	35.3	60
2.5	2.7	2.2	2.5	2.2	2.2	3.4	4.2	5.4	6.0	10.0	12.8	22.2	61
2.3	3.1	1.9	1.9	2.4	1.3	3.7	4.3	7.4	8.0	11.9	13.0	32.3	62
2.7	2.3	2.5	3.0	1.9	3.1	3.1	4.1	3.7	4.1	8.3	12.7	14.6	63
0.3	0.3	0.3	0.4	0.6	0.7	0.9	1.0	1.6	1.6	2.2	1.8	1.9	64
0.3	0.4	0.4	0.5	0.9	0.9	1.1	1.2	2.2	1.8	2.5	1.7	2.4	65
0.2	0.2	0.2	0.4	0.4	0.5	0.8	0.9	1.1	1.5	1.8	1.8	1.5	66
0.2	0.2	0.2	0.3	0.5	0.6	0.8	0.7	1.4	1.4	2.2	1.9	1.8	67
0.2	0.3	0.3	0.3	0.6	0.8	0.8	0.9	2.0	1.7	2.7	1.9	2.6	68
0.1	0.2	0.1	0.2	0.3	0.4	0.7	0.6	0.9	1.3	1.7	1.9	1.3	69
0.9	0.9	0.8	2.0	1.9	1.9	2.7	3.9	3.9	4.1	2.2	0.9	2.8	70
1.2	1.4	0.9	1.9	3.0	2.2	4.2	4.0	4.1	4.0	0.9	0	0	71
0.7	0.4	0.7	2.0	0.9	1.7	1.2	3.8	3.7	4.1	3.3	1.6	4.9	72
17.4	32.7	65.7	133.4	244.3	440.8	685.5	1,173.9	1,854.0	2,902.9	4,713.4	8,069.1	14,863.9	73
19.7	40.0	89.1	191.2	355.7	640.0	982.8	1,617.0	2,478.4	3,609.9	5,524.5	8,962.5	15,356.1	74
15.2	25.7	43.4	78.2	136.9	248.3	401.7	770.1	1,312.2	2,308.4	4,069.2	7,425.7	14,550.2	75
14.1	25.6	54.5	114.7	219.8	401.6	637.7	1,092.9	1,777.5	2,860.0	4,745.0	8,243.6	15,240.0	76
16.8	33.7	79.3	175.0	337.7	611.8	954.8	1,564.6	2,415.2	3,595.4	5,599.7	9,202.2	15,781.7	77
11.5	17.7	30.8	56.9	105.5	198.1	335.5	664.9	1,225.8	2,245.3	4,072.8	7,561.8	14,899.6	78
41.0	86.9	157.2	297.6	463.9	813.8	1,141.1	2,050.4	2,711.7	3,432.8	4,304.8	5,812.0	10,193.1	79
41.8	91.8	173.9	339.1	521.0	909.2	1,243.8	2,170.6	3,174.1	3,781.0	4,622.0	6,087.0	10,619.4	80
40.2	82.7	142.6	260.3	411.8	721.0	1,040.7	1,936.0	2,297.0	3,101.0	4,019.0	5,576.2	9,870.7	81
14.7	29.6	62.2	128.9	238.7	432.8	675.7	1,160.0	1,835.6	2,877.1	4,672.4	8,001.6	14,739.5	82
16.4	36.3	85.0	185.8	349.1	630.0	970.9	1,601.2	2,456.4	3,578.6	5,474.8	8,878.9	15,210.6	83
13.0	23.3	40.6	74.5	132.2	242.1	393.9	757.9	1,297.0	2,287.2	4,035.0	7,369.8	14,439.3	84
11.7	23.1	51.7	111.2	215.4	395.3	629.7	1,081.9	1,762.2	2,836.9	4,707.4	8,179.7	15,122.7	85
13.6	30.5	75.6	170.5	332.1	603.8	944.9	1,551.7	2,397.2	3,568.0	5,554.1	9,123.0	15,644.3	86
9.8	15.9	28.8	54.3	102.1	193.5	329.3	655.5	1,212.8	2,225.9	4,041.6	7,508.7	14,794.9	87
36.6	79.7	148.8	283.9	447.5	788.4	1,114.6	2,005.7	2,659.5	3,373.5	4,219.1	5,696.6	9,981.9	88
37.9	83.4	165.7	324.7	504.7	880.8	1,213.4	2,124.4	3,108.2	3,704.0	4,523.9	5,950.0	10,383.9	89
35.5	76.5	134.1	247.2	395.3	698.5	1,017.9	1,892.7	2,257.2	3,058.0	3,944.6	5,479.4	9,678.0	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases—Continued							
	Diseases of cardiovascular system—Continued							
1	Vascular lesions affecting central nervous system (330-334)	105.5	3.4	0.9	0.5	0.8	1.4	2.1
2	Male	101.1	3.8	1.0	0.5	0.8	1.4	2.2
3	Female	109.7	2.9	0.8	0.5	0.8	1.3	2.1
4	White	104.3	3.0	0.8	0.5	0.7	1.3	1.8
5	Male	99.8	3.4	0.9	0.5	0.7	1.4	2.0
6	Female	108.6	2.7	0.7	0.5	0.7	1.2	1.7
7	Nonwhite	114.8	5.3	1.3	0.7	1.2	2.1	4.3
8	Male	111.1	6.3	1.3	0.5	1.3	1.6	3.8
9	Female	118.3	4.3	1.2	0.8	1.1	2.5	4.8
10	Diseases of heart (400-402,410-443)	362.6	6.9	1.2	0.8	1.2	2.9	5.2
11	Male	431.5	7.7	1.1	0.8	1.2	3.6	5.8
12	Female	295.8	6.0	1.2	0.7	1.3	2.2	4.6
13	White	373.0	5.7	0.9	0.6	1.0	2.5	4.5
14	Male	446.6	6.2	0.8	0.6	1.0	3.2	5.2
15	Female	301.5	5.2	0.9	0.6	1.0	1.7	3.9
16	Nonwhite	282.8	13.3	2.8	1.7	2.9	6.2	10.1
17	Male	314.1	16.0	2.8	1.9	2.8	6.3	10.7
18	Female	253.1	10.4	2.8	1.5	2.9	6.0	9.5
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	9.8	0.1	0.2	0.4	0.7	1.4	2.4
20	Male	9.3	0.2	0.2	0.4	0.5	1.5	2.3
21	Female	10.2	0.0	0.2	0.4	0.9	1.3	2.6
22	White	10.1	0.1	0.1	0.2	0.5	1.1	2.2
23	Male	9.6	0.2	0.1	0.3	0.4	1.3	2.1
24	Female	10.6	0	0.1	0.2	0.7	1.0	2.3
25	Nonwhite	7.1	0.5	0.6	1.2	1.8	3.0	4.2
26	Male	6.8	0.6	0.6	1.3	1.5	2.8	3.8
27	Female	7.3	0.3	0.6	1.2	2.1	3.1	4.5
28	Arteriosclerotic heart disease, including coronary disease (420)	274.6	0.4	0.0	0.0	0.1	0.4	1.0
29	Male	345.6	0.4	0.0	0.0	0.1	0.5	1.4
30	Female	205.8	0.3	0.0	0.1	0.1	0.2	0.5
31	White	289.4	0.3	0.0	0.0	0.1	0.3	0.8
32	Male	365.5	0.4	0.0	0.0	0.1	0.5	1.9
33	Female	215.3	0.2	0.0	0.1	0.1	0.2	0.5
34	Nonwhite	161.3	0.6	0.0	0.0	0.1	0.6	2.0
35	Male	191.0	0.6	0.1	0	0.2	0.9	3.1
36	Female	133.4	0.6	0	0.1	0.1	0.4	1.0
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	29.9	1.0	0.2	0.1	0.1	0.3	0.4
38	Male	30.1	1.0	0.2	0.1	0.1	0.4	0.5
39	Female	29.6	1.1	0.2	0.0	0.1	0.2	0.3
40	White	30.1	0.9	0.2	0.1	0.1	0.2	0.4
41	Male	30.1	0.7	0.2	0.1	0.2	0.3	0.5
42	Female	30.2	1.2	0.2	0.0	0.0	0.1	0.3
43	Nonwhite	27.8	1.5	0.3	0.1	0.1	0.8	0.5
44	Male	30.4	2.4	0.3	0.2	0.1	1.0	0.8
45	Female	25.3	0.6	0.3	0	0.2	0.6	0.3
46	Other diseases of heart (430-434)	13.8	5.3	0.8	0.3	0.4	0.9	1.3
47	Male	16.2	6.1	0.7	0.3	0.5	1.1	1.4
48	Female	11.5	4.5	0.8	0.2	0.3	0.6	1.1
49	White	12.9	4.4	0.6	0.2	0.3	0.8	1.1
50	Male	15.2	4.9	0.5	0.3	0.4	1.1	1.3
51	Female	10.7	3.8	0.6	0.2	0.2	0.5	0.8
52	Nonwhite	20.5	10.5	1.8	0.3	0.8	1.7	2.6
53	Male	23.6	12.4	1.8	0.4	1.0	1.6	2.1
54	Female	17.6	8.6	1.8	0.2	0.5	1.8	3.0
55	Hypertensive heart disease (440-443)	34.6	0.0	0.0	0.0	0.0	0.0	0.2
56	Male	30.3	0	0.0	0	0.0	0.1	0.2
57	Female	38.7	0.0	0	0.0	0.0	0.0	0.2
58	White	30.5	0	0.0	0.0	0	0.0	0.1
59	Male	26.2	0	0.0	0	0	0.0	0.1
60	Female	34.6	0	0	0.0	0	0.0	0.1
61	Nonwhite	66.0	0.2	0	0	0.1	0.1	0.8
62	Male	62.3	0	0	0	0.1	0.1	0.9
63	Female	69.6	0.3	0	0	0.1	0.1	0.7
64	Other hypertensive disease (444-447)	6.7	0	0	0.0	0.0	0.1	0.2
65	Male	6.7	0	0	0	0.0	0.1	0.3
66	Female	6.6	0	0	0.0	0.0	0.0	0.2
67	White	6.0	0	0	0.0	0.0	0.0	0.1
68	Male	6.0	0	0	0	0	0.0	0.1
69	Female	6.0	0	0	0.0	0.1	0	0.0
70	Nonwhite	12.0	0	0	0	0.0	0.4	1.3
71	Male	12.7	0	0	0	0.1	0.6	1.4
72	Female	11.2	0	0	0	0	0.1	1.2
73	General arteriosclerosis (450)	19.3	0.0	0	0	0.0	0	0.0
74	Male	18.3	0.0	0	0	0	0	0.0
75	Female	20.3	0	0	0	0.0	0	0
76	White	20.3	0.0	0	0	0.0	0	0.0
77	Male	19.0	0.1	0	0	0	0	0.0
78	Female	21.5	0	0	0	0.0	0	0
79	Nonwhite	12.1	0	0	0	0	0	0.1
80	Male	12.9	0	0	0	0	0	0.2
81	Female	11.4	0	0	0	0	0	0
82	Other diseases of circulatory system (451-468)	11.3	1.1	0.1	0.1	0.2	0.6	1.0
83	Male	14.1	1.2	0.1	0.1	0.2	0.4	0.7
84	Female	8.7	1.0	0.1	0.1	0.3	0.8	1.2
85	White	11.4	1.0	0.1	0.1	0.2	0.5	0.7
86	Male	14.3	1.0	0.1	0.0	0.2	0.3	0.5
87	Female	8.5	0.9	0.1	0.1	0.3	0.7	1.0
88	Nonwhite	10.9	1.8	0.2	0.1	0.3	1.5	2.5
89	Male	12.1	2.1	0.3	0.1	0.3	1.0	2.0
90	Female	9.7	1.5	0	0	0.4	2.0	3.0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961 —Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.2	6.2	10.5	19.2	33.8	61.6	97.5	186.0	335.2	601.9	1,102.5	2,029.6	3,709.1	1
3.2	6.4	10.1	19.7	34.3	66.3	109.4	209.8	384.0	670.0	1,178.8	2,106.1	3,630.1	2
3.2	6.1	10.9	18.6	33.2	57.1	86.1	164.4	292.8	544.7	1,041.9	1,974.5	3,759.5	3
2.6	4.6	7.6	13.6	24.9	47.9	78.2	152.8	300.2	573.5	1,096.0	2,070.1	3,792.7	4
2.6	5.2	7.7	14.2	26.7	53.3	91.5	181.0	350.1	645.6	1,176.8	2,160.0	3,708.7	5
2.5	4.0	7.4	13.0	23.2	42.8	65.5	127.3	257.0	513.2	1,032.5	2,006.1	3,845.5	6
7.8	18.6	34.7	68.1	113.1	191.7	281.2	545.7	727.6	952.7	1,186.1	1,506.8	2,670.8	7
7.6	15.6	30.6	70.1	103.9	190.4	276.7	514.4	756.4	958.0	1,202.8	1,459.3	2,754.8	8
8.0	21.2	38.4	66.3	121.7	192.5	285.5	575.5	701.8	943.0	1,171.1	1,547.6	2,607.3	9
9.3	20.0	46.8	101.7	192.4	351.2	546.6	914.5	1,395.9	2,094.8	3,234.7	5,259.7	9,241.6	10
11.1	26.8	69.4	157.3	300.2	538.1	818.7	1,311.3	1,930.8	2,681.1	3,898.3	5,977.6	9,738.0	11
7.5	13.5	25.4	48.7	88.4	170.5	286.8	553.0	931.8	1,601.7	2,707.6	4,742.8	8,925.3	12
7.7	16.4	41.2	92.5	180.9	331.2	524.0	875.0	1,365.1	2,088.0	3,276.9	5,382.4	9,484.8	13
9.6	23.3	64.7	150.3	294.0	528.7	814.2	1,294.7	1,913.9	2,699.1	3,977.8	6,150.5	10,032.2	14
5.8	9.6	18.6	37.0	71.2	140.1	247.5	494.0	890.4	1,577.2	2,725.6	4,836.0	9,140.8	15
21.2	47.7	93.2	182.9	295.8	540.9	761.6	1,342.7	1,741.6	2,179.0	2,689.1	3,670.1	6,222.2	16
23.1	55.1	109.6	220.8	357.8	628.2	858.9	1,486.0	2,117.3	2,469.0	2,944.0	3,903.7	6,464.5	17
19.5	41.3	78.8	148.8	238.8	456.5	666.3	1,206.4	1,404.8	1,906.2	2,459.5	3,469.8	6,039.0	18
3.5	5.3	7.9	11.1	16.0	21.9	26.3	29.0	30.7	31.5	32.7	37.2	47.8	19
3.5	5.3	7.8	11.1	16.1	21.8	25.6	28.8	31.8	30.4	32.0	32.5	37.0	20
3.5	5.3	8.0	11.0	16.0	22.0	26.9	29.2	29.8	32.5	33.4	40.6	54.7	21
3.2	5.0	7.7	11.1	16.3	22.4	27.2	29.7	31.7	32.5	33.8	38.6	48.7	22
3.3	5.1	7.6	11.3	16.3	22.3	26.5	29.4	32.3	31.4	32.9	34.1	38.0	23
3.1	4.9	7.7	10.9	16.3	22.6	27.8	30.0	31.1	33.5	34.6	41.8	55.4	24
5.8	8.0	9.7	10.9	13.7	17.2	17.1	21.2	19.8	19.1	18.7	18.8	37.5	25
5.1	7.6	9.0	9.8	14.3	17.7	16.3	21.7	25.5	18.4	21.1	13.0	25.8	26
6.5	8.4	10.3	11.8	13.2	16.7	17.9	20.7	14.8	19.7	16.5	23.8	46.3	27
3.2	9.7	29.4	72.8	145.4	272.4	431.0	727.8	1,115.9	1,640.5	2,461.9	3,832.9	6,444.4	28
4.9	15.9	50.8	125.2	246.4	447.8	683.3	1,095.5	1,612.0	2,187.2	3,084.2	4,530.3	7,057.4	29
1.5	3.7	9.1	22.8	48.0	102.8	190.2	392.8	685.4	1,180.7	1,967.6	3,330.8	6,053.7	30
2.8	8.5	28.0	70.9	144.4	269.4	430.0	721.7	1,121.2	1,671.0	2,527.8	3,961.4	6,660.1	31
4.4	14.8	50.2	125.5	250.6	455.1	698.9	1,110.3	1,635.1	2,245.5	3,189.7	4,706.9	7,326.1	32
1.1	2.4	6.8	18.4	41.4	89.7	173.6	369.0	676.7	1,190.7	2,007.2	3,431.1	6,241.5	33
6.2	18.3	40.8	89.3	154.6	300.5	441.1	794.1	1,055.6	1,264.8	1,610.4	2,153.8	3,766.7	34
8.9	25.3	56.2	122.1	208.3	377.7	534.4	939.1	1,357.2	1,497.7	1,818.3	2,411.1	4,067.7	35
3.9	12.4	27.3	59.8	105.2	226.3	349.9	656.1	785.2	1,048.2	1,423.1	1,933.3	3,539.0	36
0.6	0.9	1.7	3.4	6.6	13.5	23.1	44.4	77.7	151.8	295.5	631.4	1,451.2	37
0.7	1.1	2.1	4.4	9.2	16.8	30.6	57.4	97.6	178.9	335.6	682.8	1,445.5	38
0.6	0.7	1.3	2.4	4.1	8.4	15.9	32.5	60.4	129.0	263.7	594.5	1,454.9	39
0.5	0.6	1.3	2.6	5.5	11.0	19.0	38.1	69.0	143.4	294.2	641.8	1,491.6	40
0.6	0.8	1.7	3.6	7.9	15.7	26.3	51.3	87.7	169.4	335.6	696.8	1,486.4	41
0.4	0.4	0.9	1.7	3.1	6.5	12.0	26.2	52.9	121.7	261.6	602.7	1,494.9	42
1.8	3.3	5.0	10.4	16.7	37.4	61.8	112.4	174.5	254.6	313.0	498.3	950.0	43
2.0	3.9	6.0	11.9	21.2	48.5	70.5	122.4	206.6	290.8	334.9	514.8	990.3	44
1.7	2.9	4.2	9.0	12.5	26.7	53.3	102.9	145.8	220.7	293.4	484.1	919.5	45
1.5	2.3	3.9	6.3	9.5	14.7	21.1	31.9	45.3	68.0	109.6	192.5	346.2	46
1.5	2.7	4.9	7.9	13.2	20.2	30.0	44.1	59.9	87.6	135.4	228.1	394.4	47
1.5	2.0	2.9	4.7	5.9	9.5	12.7	20.8	32.6	51.5	89.1	166.9	315.4	48
1.0	1.5	2.8	4.7	7.2	11.3	17.7	27.2	40.5	63.0	106.1	190.6	348.8	49
1.1	2.0	3.7	6.2	10.6	16.4	26.4	39.1	54.3	81.6	131.2	227.8	399.4	50
1.0	1.3	1.9	3.3	3.8	6.4	9.4	16.5	28.5	47.4	86.3	164.2	316.9	51
4.5	7.9	13.0	19.8	29.8	47.1	53.9	82.4	99.4	129.5	155.7	218.8	313.9	52
4.1	8.5	14.8	22.8	36.6	56.6	63.9	98.7	121.8	158.0	186.2	231.5	338.7	53
4.7	7.4	11.4	17.2	23.5	37.9	44.1	68.8	79.3	103.1	128.1	207.9	295.1	54
0.5	1.7	3.9	8.2	14.9	28.6	45.1	81.4	126.4	203.0	334.9	565.7	952.0	55
0.5	1.7	3.9	8.7	15.3	29.5	49.3	85.4	129.5	197.0	311.2	504.0	803.7	56
0.5	1.8	4.0	7.8	14.5	27.8	41.1	77.7	123.7	208.1	353.8	610.1	1,046.4	57
0.2	0.6	1.4	3.2	7.5	17.1	30.1	58.2	102.7	178.1	315.0	549.9	935.7	58
0.2	0.7	1.5	3.7	8.5	19.2	36.0	64.6	104.4	171.1	288.5	484.9	782.3	59
0.2	0.6	1.3	2.7	6.5	14.9	24.5	52.4	101.2	184.0	336.0	596.2	1,032.1	60
2.8	10.1	24.7	52.6	81.0	138.7	187.6	332.6	392.2	510.9	591.3	780.3	1,154.2	61
3.0	9.8	23.6	54.3	77.5	127.7	173.8	306.0	408.2	504.0	583.5	733.3	1,041.9	62
2.7	10.3	25.6	51.0	84.3	149.0	201.2	358.0	379.7	514.5	598.3	820.6	1,239.0	63
0.6	1.3	2.1	3.4	4.2	5.9	7.4	12.0	19.3	32.3	58.1	114.0	223.2	64
0.8	1.3	2.7	3.6	4.8	7.0	9.3	13.2	21.8	35.3	63.4	123.5	243.1	65
0.4	1.3	1.6	3.2	3.6	4.8	5.6	10.9	17.1	29.8	53.9	107.2	210.5	66
0.3	0.4	0.7	1.4	2.3	3.6	5.4	9.6	16.4	29.6	56.6	113.6	225.5	67
0.4	0.5	0.9	1.7	2.8	4.7	7.3	10.9	18.4	32.6	61.2	123.0	244.6	68
0.1	0.3	0.6	1.1	1.8	2.6	3.5	8.3	14.7	27.1	53.0	106.9	213.5	69
3.0	8.2	13.4	21.2	21.2	27.0	27.1	38.3	51.9	65.8	77.8	120.5	194.4	70
4.0	8.1	18.1	21.2	23.6	28.6	28.0	37.5	59.7	66.7	89.9	129.6	225.8	71
2.2	8.4	9.3	21.3	19.0	25.4	26.2	39.2	45.0	64.8	66.9	112.7	170.7	72
0.0	0.1	0.1	0.3	0.8	2.4	6.0	14.8	33.5	78.8	186.3	472.5	1,402.5	73
0.0	0.0	0.2	0.6	1.0	3.2	8.0	19.5	42.5	93.2	211.5	514.8	1,413.6	74
0.0	0.1	0.1	0.1	0.6	1.7	4.1	10.5	25.6	66.7	166.3	441.9	1,395.4	75
0.0	0.0	0.1	0.3	0.7	2.1	5.1	12.9	30.3	75.9	188.3	484.3	1,452.9	76
0.0	0.0	0.1	0.5	0.8	2.9	7.2	17.4	38.8	90.1	213.5	525.8	1,468.4	77
0.0	0.1	0.1	0.1	0.5	1.3	3.1	8.9	22.9	64.1	164.9	454.9	1,443.2	78
0.1	0.1	0.4	0.7	2.0	5.5	14.3	34.9	69.5	113.9	186.1	317.9	776.4	79
0	0	0.5	1.1	2.4	5.5	14.9	41.5	83.1	129.9	188.1	383.3	803.2	80
0.1	0.3	0.3	0.3	1.6	5.6	13.8	28.7	57.2	99.0	184.3	261.9	756.1	81
1.5	2.0	2.7	4.2	7.5	11.7	18.3	32.6	51.8	69.3	90.8	125.8	163.1	82
1.2	1.7	2.7	4.7	8.7	15.5	25.6	47.4	77.4	99.0	122.9	156.8	185.9	83
1.9	2.3	2.7	3.8	6.4	7.9	11.2	19.2	29.6	44.3	65.4	103.5	148.6	84
1.1	1.6	2.1	3.5	6.6	10.4	17.0	31.6	50.3	69.9	91.7	129.2	166.8	85
0.9	1.4	2.2	3.9	7.8	14.2	24.6	47.6	76.1	100.6	124.8	163.7	190.4	86
1.3	1.9	2.1	3.0	5.5	6.8	9.7	17.0	28.0	44.3	65.5	104.7	151.9	87
4.5	5.0	7.1	11.0	15.5	23.3	30.5	44.0	68.9	62.0	80.0	81.2	118.1	88
3.1	4.7	6.9	11.6	16.9	28.2	34.9	45.2	91.8	80.5	99.1	74.1	135.5	89
5.6	5.4	7.2	10.6	14.3	18.5	26.2	43.0	48.3	45.1	62.8	87.3	104.9	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases--Continued							
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)	6.3	0.6	0.2	0.3	0.7	1.5	2.1
2	Male	7.1	0.6	0.2	0.2	0.7	1.7	2.7
3	Female	5.6	0.6	0.1	0.3	0.7	1.3	1.5
4	White	5.7	0.5	0.1	0.2	0.6	1.4	1.9
5	Male	6.4	0.4	0.2	0.2	0.6	1.6	2.6
6	Female	5.0	0.6	0.1	0.3	0.6	1.2	1.3
7	Nonwhite	11.6	0.9	0.3	0.3	1.1	2.1	3.4
8	Male	12.8	1.5	0.6	0.4	1.0	2.3	3.7
9	Female	10.4	0.3	0	0.3	1.1	1.8	3.2
10	Influenza and pneumonia, except pneumonia of newborn (480-493)	30.2	216.0	13.1	2.4	1.7	2.1	2.4
11	Male	34.6	236.3	13.9	2.5	1.8	2.5	2.8
12	Female	25.8	194.6	12.4	2.2	1.6	1.7	2.0
13	White	28.1	161.1	10.0	2.2	1.6	1.8	2.0
14	Male	31.9	179.8	10.8	2.3	1.6	2.3	2.4
15	Female	24.3	141.5	9.2	2.0	1.5	1.3	1.7
16	Nonwhite	46.3	517.2	31.5	3.7	2.8	4.0	5.1
17	Male	55.6	551.1	32.2	4.0	3.0	3.8	6.0
18	Female	37.5	481.3	30.8	3.4	2.5	4.3	4.4
19	Influenza (480-483)	1.2	6.0	0.5	0.1	0.1	0.1	0.1
20	Male	1.1	6.5	0.5	0.2	0.1	0.2	0.1
21	Female	1.2	5.4	0.5	0.1	0.0	0.1	0.2
22	White	1.1	3.4	0.3	0.1	0.0	0.1	0.1
23	Male	1.0	3.3	0.3	0.1	0.1	0.1	0.1
24	Female	1.1	3.5	0.3	0.1	0.0	0.1	0.1
25	Nonwhite	2.1	20.1	1.5	0.3	0.2	0.2	0.4
26	Male	2.4	24.5	1.5	0.6	0.3	0.2	0.3
27	Female	1.7	15.6	1.5	0.1	0.1	0.2	0.6
28	Pneumonia, except pneumonia of newborn (490-493)	29.0	210.0	12.6	2.2	1.6	1.9	2.3
29	Male	33.5	229.8	13.4	2.3	1.7	2.3	2.7
30	Female	24.6	189.3	11.9	2.1	1.6	1.5	1.9
31	White	27.0	157.8	9.7	2.0	1.5	1.7	1.9
32	Male	30.9	176.5	10.5	2.2	1.6	2.1	2.3
33	Female	23.2	138.1	8.8	1.9	1.4	1.2	1.6
34	Nonwhite	44.2	497.1	30.0	3.4	2.6	3.8	4.7
35	Male	53.2	526.6	30.7	3.4	2.8	3.5	5.6
36	Female	35.7	465.6	29.3	3.3	2.4	4.1	3.9
37	Bronchitis (500-502)	2.2	14.1	1.6	0.2	0.1	0.1	0.1
38	Male	3.2	16.1	2.0	0.2	0.1	0.1	0.1
39	Female	1.3	11.9	1.2	0.3	0.1	0.1	0.2
40	White	2.2	12.9	1.5	0.2	0.1	0.1	0.1
41	Male	3.2	15.2	1.8	0.2	0.2	0.1	0.1
42	Female	1.3	10.5	1.2	0.3	0.1	0.1	0.1
43	Nonwhite	2.0	20.4	2.2	0.4	0	0.1	0.3
44	Male	2.7	21.5	3.3	0.4	0	0	0
45	Female	1.4	19.3	1.2	0.3	0	0.2	0.6
46	Ulcer of stomach and duodenum (540,541)	6.3	1.3	0.1	0.0	0.0	0.1	0.3
47	Male	9.4	1.7	0.1	0.0	0	0.2	0.4
48	Female	3.3	1.0	0.1	0.1	0.0	0.1	0.1
49	White	6.5	0.9	0.1	0.0	0.0	0.1	0.2
50	Male	9.7	1.1	0.1	0.0	0	0.2	0.3
51	Female	3.4	0.7	0.0	0.1	0.0	0.1	0.1
52	Nonwhite	4.6	3.5	0.2	0	0	0.2	0.6
53	Male	6.7	4.8	0.1	0	0	0.1	1.1
54	Female	2.5	2.1	0.3	0	0	0.2	0.1
55	Appendicitis (550-553)	1.0	0.4	0.4	0.3	0.3	0.3	0.4
56	Male	1.2	0.4	0.4	0.4	0.4	0.4	0.4
57	Female	0.8	0.5	0.3	0.3	0.3	0.2	0.3
58	White	0.9	0.5	0.3	0.3	0.3	0.3	0.3
59	Male	1.1	0.4	0.4	0.3	0.4	0.4	0.4
60	Female	0.7	0.5	0.2	0.2	0.3	0.2	0.3
61	Nonwhite	1.5	0.3	0.6	0.7	0.5	0.3	0.7
62	Male	1.9	0.3	0.8	0.7	0.5	0.4	0.6
63	Female	1.2	0.3	0.4	0.6	0.5	0.2	0.7
64	Hernia and intestinal obstruction (560,561,570)	5.0	21.8	0.5	0.2	0.1	0.2	0.3
65	Male	5.0	25.7	0.6	0.3	0.2	0.2	0.3
66	Female	5.0	17.8	0.3	0.1	0.1	0.2	0.2
67	White	5.0	21.8	0.4	0.2	0.1	0.2	0.3
68	Male	4.9	25.0	0.5	0.3	0.2	0.2	0.3
69	Female	5.1	18.4	0.3	0.1	0.1	0.2	0.2
70	Nonwhite	5.2	22.3	0.8	0.3	0.2	0.2	0.6
71	Male	5.7	29.6	1.3	0.5	0.2	0.5	0.5
72	Female	4.6	14.7	0.4	0.1	0.3	0	0.7
73	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.3	53.9	3.3	0.3	0.2	0.4	0.6
74	Male	4.5	59.2	3.7	0.3	0.2	0.3	0.6
75	Female	4.1	48.3	2.9	0.3	0.2	0.4	0.6
76	White	3.7	30.7	2.7	0.3	0.2	0.3	0.6
77	Male	3.8	33.9	3.0	0.3	0.2	0.3	0.6
78	Female	3.6	27.3	2.4	0.3	0.2	0.4	0.6
79	Nonwhite	8.4	181.4	6.9	0.5	0.2	0.5	0.2
80	Male	9.3	200.6	7.5	0.6	0.3	0.9	0.3
81	Female	7.5	161.3	6.3	0.4	0.2	0.2	0.1
82	Cirrhosis of liver (581)	11.3	0.7	0.1	0.1	0.1	0.2	0.5
83	Male	15.1	0.8	0.2	0.1	0.1	0.1	0.5
84	Female	7.6	0.6	0.1	0.1	0.1	0.4	0.4
85	White	11.4	0.5	0.1	0.1	0.1	0.2	0.3
86	Male	15.4	0.5	0.1	0.1	0.1	0.1	0.4
87	Female	7.5	0.5	0.1	0.1	0.1	0.3	0.3
88	Nonwhite	10.8	1.7	0.3	0.1	0.2	0.5	1.4
89	Male	13.3	2.1	0.5	0.2	0.2	0.2	1.5
90	Female	8.5	1.2	0	0.1	0.3	0.7	1.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961—Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.7	3.0	3.4	4.5	5.6	8.1	9.8	13.9	18.3	25.8	41.0	67.5	124.3	1
3.3	3.7	4.1	5.4	6.6	10.0	11.9	15.8	22.0	31.3	49.7	83.6	145.5	2
2.1	2.3	2.7	3.7	4.7	6.3	7.8	12.2	15.2	21.2	34.2	55.9	110.8	3
2.5	2.5	2.8	3.5	4.4	6.3	8.0	11.0	15.3	23.1	37.6	64.0	117.3	4
3.2	3.2	3.7	4.4	5.6	8.0	9.9	12.9	18.0	27.5	45.6	79.2	137.4	5
1.8	1.8	2.0	2.6	3.4	4.6	6.2	9.4	13.0	19.5	31.3	53.1	104.7	6
4.4	7.2	8.3	13.7	16.4	25.4	26.6	44.7	52.1	59.3	85.7	115.4	211.1	7
4.0	8.4	8.2	14.4	16.3	28.4	30.4	46.2	65.8	77.0	98.2	137.0	235.5	8
4.7	6.2	8.5	13.1	16.5	22.5	22.8	43.3	39.9	43.0	74.4	96.8	192.7	9
2.6	3.8	6.3	8.1	11.8	16.3	23.2	40.1	66.2	112.2	206.7	403.7	952.8	10
2.9	4.3	7.5	10.2	15.8	22.6	32.2	55.8	95.3	153.0	265.6	495.6	1,070.7	11
2.3	3.4	5.2	6.0	8.0	10.2	14.5	25.8	40.9	77.9	159.9	337.5	877.6	12
2.0	2.5	4.5	6.1	9.4	13.5	20.0	34.9	61.1	106.9	206.7	410.3	972.8	13
2.1	2.7	5.1	7.8	12.3	18.8	27.8	49.6	88.3	145.5	265.2	503.7	1,090.7	14
1.8	2.4	3.9	4.5	6.6	8.3	12.5	21.6	37.5	74.6	160.7	343.9	898.7	15
7.1	13.9	21.3	25.5	33.1	43.3	53.5	95.8	123.2	177.9	206.1	318.8	704.2	16
9.1	17.7	28.3	32.7	47.8	59.6	74.0	120.7	171.6	241.4	269.7	398.1	848.4	17
5.3	10.6	15.2	19.1	19.5	27.7	33.4	72.0	79.7	119.7	148.8	250.8	595.1	18
0.1	0.1	0.3	0.3	0.3	0.6	0.9	1.5	2.1	4.1	8.5	19.1	43.9	19
0.1	0.1	0.3	0.3	0.4	0.8	1.1	1.7	2.3	4.3	9.5	19.4	42.0	20
0.1	0.1	0.3	0.2	0.3	0.4	0.8	1.3	1.9	4.0	7.7	18.9	45.1	21
0.1	0.1	0.2	0.2	0.3	0.5	0.8	1.2	1.8	3.7	8.1	19.3	43.5	22
0.1	0.1	0.2	0.3	0.3	0.8	0.9	1.4	1.9	3.7	9.2	19.3	40.3	23
0.1	0.1	0.2	0.2	0.2	0.3	0.7	1.1	1.7	3.6	7.3	19.3	45.5	24
0.2	0.3	0.8	0.6	1.0	1.5	2.3	4.6	5.6	9.6	13.5	16.2	48.6	25
0.3	0.3	0.9	0.7	0.9	1.7	3.0	5.4	7.0	10.3	12.8	20.4	61.3	26
0.1	0.3	0.7	0.5	1.0	1.3	1.7	3.8	4.4	8.8	14.0	12.7	39.0	27
2.5	3.7	6.1	7.8	11.5	15.7	22.2	38.6	64.1	108.1	198.2	384.6	908.9	28
2.8	4.2	7.2	9.9	15.4	21.8	31.1	54.1	93.0	148.7	256.1	476.2	1,028.7	29
2.2	3.3	4.9	5.8	7.7	9.8	13.8	24.4	39.0	74.0	152.1	318.7	832.5	30
1.9	2.4	4.3	5.8	9.2	12.9	19.2	33.7	59.3	103.2	198.6	391.0	929.3	31
2.1	2.5	4.9	7.5	12.0	18.0	26.9	48.3	86.5	141.7	256.0	484.4	1,050.4	32
1.7	2.3	3.7	4.3	6.4	8.0	11.9	20.5	35.8	71.0	153.4	324.6	853.2	33
6.8	13.6	20.5	25.0	32.1	41.8	51.2	91.2	117.5	168.3	192.6	302.6	655.6	34
8.8	17.4	27.4	32.0	46.9	57.9	71.0	115.4	164.6	231.0	256.9	377.8	787.1	35
5.2	10.3	14.5	18.6	18.4	26.5	31.7	68.2	75.3	110.9	134.7	238.1	556.1	36
0.1	0.2	0.3	0.6	0.8	1.8	2.8	5.8	8.4	10.4	13.0	18.8	27.4	37
0.2	0.2	0.3	0.8	1.1	2.9	4.2	9.8	15.2	18.1	21.6	30.8	37.5	38
0.1	0.2	0.3	0.3	0.6	0.8	1.4	2.2	2.6	4.0	6.2	10.2	21.0	39
0.1	0.2	0.2	0.5	0.8	1.8	2.7	5.9	8.5	10.7	13.6	19.4	28.0	40
0.1	0.2	0.3	0.7	0.9	2.8	4.2	10.0	15.4	18.6	22.7	32.1	39.4	41
0.1	0.2	0.2	0.3	0.6	0.8	1.4	2.2	2.6	4.0	6.4	10.4	20.8	42
0.4	0.1	0.7	1.3	1.2	1.8	3.3	5.1	7.4	7.1	6.1	10.3	20.8	43
0.8	0.2	0.5	1.9	2.1	3.1	5.0	7.4	12.8	11.5	8.3	14.8	16.1	44
0	0.1	1.0	0.8	0.3	0.6	1.7	2.9	2.6	3.1	4.1	6.3	24.4	45
0.6	1.1	1.5	3.3	5.5	9.4	12.5	18.1	26.6	33.6	48.4	62.7	82.6	46
1.0	1.6	2.2	5.2	8.7	14.3	19.9	30.7	44.3	54.9	76.0	96.3	122.1	47
0.2	0.5	0.9	1.5	2.5	4.7	5.4	6.7	11.2	15.6	26.4	38.6	57.5	48
0.5	0.9	1.5	3.1	5.4	9.0	12.5	18.0	26.7	34.3	49.6	65.5	85.6	49
0.8	1.3	2.1	4.9	8.5	13.8	20.3	30.7	44.5	56.6	78.4	101.1	128.1	50
0.1	0.5	0.8	1.4	2.3	4.4	5.0	6.5	11.4	15.6	26.9	40.2	58.8	51
1.5	2.4	2.2	5.1	6.9	13.3	12.5	19.4	25.3	24.6	32.6	26.5	45.8	52
2.3	4.3	3.5	8.2	10.7	19.7	16.1	29.8	42.4	35.1	47.7	38.9	54.8	53
0.7	0.7	1.1	2.4	3.5	7.3	9.0	9.6	10.0	15.0	19.0	15.9	39.0	54
0.4	0.3	0.4	0.5	0.9	1.1	1.6	2.3	2.9	4.2	6.2	8.0	12.5	55
0.3	0.3	0.6	0.7	1.3	1.5	2.3	3.6	4.0	5.4	7.5	10.5	13.8	56
0.4	0.2	0.3	0.3	0.6	0.7	1.0	1.2	2.0	3.1	5.2	6.2	11.7	57
0.3	0.2	0.3	0.4	0.7	0.9	1.4	2.0	2.7	4.0	6.1	8.1	13.0	58
0.2	0.3	0.4	0.6	1.0	1.3	2.0	3.2	3.8	5.3	7.4	10.6	13.6	59
0.3	0.1	0.1	0.2	0.5	0.4	0.8	0.9	1.8	3.0	5.1	6.3	12.6	60
1.0	0.7	1.6	1.8	2.3	3.2	3.8	5.4	5.1	5.5	7.4	6.8	6.9	61
1.2	0.8	1.9	2.3	3.6	3.1	5.2	7.0	6.2	6.3	8.3	9.3	16.1	62
0.9	0.7	1.3	1.4	1.2	3.3	2.4	3.8	4.1	4.7	6.6	4.8	0	63
0.4	0.6	0.9	1.4	2.4	3.8	6.0	10.5	15.6	25.1	41.5	68.6	107.8	64
0.4	0.5	0.9	1.2	2.1	3.8	6.8	11.2	17.8	27.1	43.2	72.5	115.2	65
0.4	0.8	1.0	1.5	2.8	3.7	5.3	9.8	13.6	23.5	40.1	65.8	103.1	66
0.3	0.5	0.7	1.0	2.1	3.3	5.2	9.8	14.9	25.2	42.0	70.2	110.6	67
0.3	0.4	0.8	0.8	1.9	3.4	5.9	10.5	17.0	27.1	43.2	73.1	116.5	68
0.3	0.6	0.7	1.1	2.2	3.2	4.6	9.2	13.0	23.6	41.0	68.1	106.9	69
1.3	1.8	2.7	4.9	5.9	8.2	13.6	17.5	23.5	24.0	35.2	48.7	72.2	70
1.3	1.3	2.0	5.3	3.8	7.9	15.1	18.4	26.7	27.0	43.1	64.8	100.0	71
1.3	2.2	3.2	4.6	7.8	8.5	12.1	16.6	20.7	21.2	28.1	34.9	51.2	72
0.5	0.6	0.9	1.2	2.0	2.9	4.1	5.9	9.6	13.8	23.0	35.2	51.2	73
0.6	0.7	1.0	1.5	2.0	3.4	4.7	6.9	11.0	15.1	21.8	31.2	52.4	74
0.5	0.6	0.8	0.9	1.9	2.5	3.4	5.0	8.3	12.6	23.9	38.2	50.5	75
0.5	0.6	0.9	1.1	2.0	2.9	3.9	5.7	9.5	13.8	23.8	36.1	52.6	76
0.5	0.7	1.0	1.5	2.1	3.4	4.8	6.8	10.8	15.6	22.8	31.8	52.2	77
0.5	0.6	0.8	0.7	1.9	2.4	3.1	4.7	8.4	12.4	24.6	39.2	52.8	78
0.8	0.6	1.0	1.8	2.1	3.1	5.3	8.3	10.1	12.8	12.6	23.9	34.7	79
1.0	0.5	1.1	1.4	1.9	3.3	4.0	8.4	12.8	9.8	10.1	24.1	54.8	80
0.7	0.7	0.8	2.2	2.3	2.9	6.5	8.3	7.7	15.5	14.9	23.8	19.5	81
1.5	4.6	9.1	15.7	23.7	31.9	33.8	34.7	36.7	34.3	31.4	27.5	25.9	82
1.5	5.4	10.7	19.0	29.9	43.1	48.8	50.1	57.8	51.7	46.9	40.3	32.4	83
1.5	3.8	7.6	12.5	17.7	20.9	19.4	20.6	18.5	19.6	19.1	18.3	21.7	84
0.8	3.2	7.5	14.4	23.2	31.6	34.3	35.1	37.7	35.4	32.7	28.6	27.0	85
1.0	3.9	9.2	17.7	29.3	43.1	49.7	50.9	59.3	53.8	48.9	42.3	34.5	86
0.6	2.6	6.0	11.3	17.2	20.5	19.5	20.7	19.0	20.1	19.9	18.9	22.2	87
6.7	15.0	21.9	26.6	28.1	33.9	29.0	30.5	25.5	20.2	15.2	12.8	12.5	88
5.8	18.2	24.1	31.0	34.7	43.2	40.3	41.8	40.7	27.0	22.9	16.7	9.7	89
7.5	12.2	20.1	22.7	22.1	25.0	17.9	19.7	11.8	14.0	8.3	9.5	14.6	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population)

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.0	0.0	0.0	0.0	0.0	0.1
2	Male	2.2	0	0.0	0.0	0	0	0.0
3	Female	3.0	0.0	0	0	0.0	0.0	0.2
4	White	2.7	0	0.0	0	0	0.0	0.1
5	Male	2.3	0	0.0	0	0	0	0.0
6	Female	3.2	0	0	0	0	0.0	0.2
7	Nonwhite	1.2	0.2	0	0.0	0.0	0	0
8	Male	0.9	0	0	0.1	0	0	0
9	Female	1.5	0.3	0	0	0.1	0	0
10	Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.9	0.8	0.5	0.4	0.2	0.3	0.4
11	Male	1.0	0.9	0.6	0.4	0.1	0.3	0.6
12	Female	0.7	0.7	0.4	0.4	0.3	0.2	0.2
13	White	0.8	0.7	0.4	0.3	0.2	0.3	0.3
14	Male	0.9	0.8	0.5	0.4	0.1	0.3	0.5
15	Female	0.6	0.7	0.3	0.3	0.3	0.2	0.1
16	Nonwhite	1.7	1.2	1.2	0.8	0.3	0.4	1.0
17	Male	2.0	1.8	1.3	0.7	0.3	0.5	1.2
18	Female	1.5	0.6	1.2	0.9	0.3	0.2	0.8
19	Infections of kidney (600)	4.4	1.0	0.1	0.1	0.1	0.2	0.4
20	Male	4.5	1.1	0.1	0.1	0.1	0.2	0.4
21	Female	4.3	0.9	0.1	0.1	0.2	0.3	0.5
22	White	4.1	0.8	0.1	0.1	0.1	0.2	0.4
23	Male	4.2	0.8	0.0	0.1	0.1	0.2	0.3
24	Female	4.0	0.8	0.1	0.1	0.1	0.3	0.4
25	Nonwhite	7.2	2.0	0.1	0.1	0.2	0.3	1.0
26	Male	7.3	2.7	0.2	0	0	0.1	0.9
27	Female	7.1	1.2	0.1	0.1	0.4	0.5	1.1
28	Hyperplasia of prostate (610)	2.3	0	0	0	0	0	0
29	Male	4.6	0	0	0	0	0	0
30	White	2.2	0	0	0	0	0	0
31	Male	4.5	0	0	0	0	0	0
32	Nonwhite	2.6	0	0	0	0	0	0
33	Male	5.4	0	0	0	0	0	0
34	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.9	...	...	...	0.1	0.8	2.4
35	Female	1.7	...	...	...	0.1	1.7	4.8
36	White	0.6	...	...	...	0.0	0.5	1.6
37	Female	1.1	...	...	...	0.0	1.0	3.1
38	Nonwhite	3.2	...	...	...	0.4	3.3	8.5
39	Female	6.2	...	...	...	0.8	6.6	16.1
40	Abortion (650-652)	0.2	...	...	...	0.0	0.2	0.6
41	Female	0.3	...	...	...	0.0	0.3	1.2
42	White	0.1	...	...	...	0	0.1	0.3
43	Female	0.2	...	...	...	0	0.2	0.6
44	Nonwhite	0.8	...	...	...	0.0	0.8	2.9
45	Female	1.5	...	...	...	0.1	1.7	5.5
46	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.7	...	...	...	0.1	0.7	1.8
47	Female	1.3	...	...	...	0.1	1.3	3.6
48	White	0.5	...	...	...	0.0	0.4	1.3
49	Female	0.9	...	...	...	0.0	0.8	2.5
50	Nonwhite	2.4	...	...	...	0.3	2.5	5.6
51	Female	4.7	...	...	...	0.7	4.9	10.6
52	Congenital malformations (750-759)	12.0	364.1	11.9	3.9	3.0	3.2	2.4
53	Male	13.2	392.6	11.7	4.2	3.1	3.5	2.8
54	Female	10.8	334.3	12.1	3.6	2.8	2.9	2.1
55	White	11.8	373.7	11.6	3.9	3.0	3.2	2.5
56	Male	13.0	403.2	11.4	4.1	3.1	3.5	2.8
57	Female	10.6	342.8	11.8	3.7	2.9	2.8	2.1
58	Nonwhite	13.5	311.3	13.7	4.0	2.6	3.3	2.4
59	Male	14.9	333.2	13.1	4.6	3.2	3.2	2.3
60	Female	12.1	288.0	14.2	3.3	2.0	3.3	2.5
61	Certain diseases of early infancy (760-776)	35.9	1,541.0	0.1	0.0	0.0	0	0
62	Male	42.6	1,763.8	0.1	0.0	0.0	0	0
63	Female	29.4	1,307.9	0.1	0.0	0.0	0	0
64	White	30.9	1,386.2	0.1	0.0	0.0	0	0
65	Male	37.1	1,602.9	0.1	0	0.0	0	0
66	Female	24.9	1,159.1	0.1	0.0	0.0	0	0
67	Nonwhite	74.4	2,391.5	0.1	0.0	0	0	0
68	Male	85.9	2,660.7	0.1	0.1	0	0	0
69	Female	63.5	2,110.7	0.1	0	0	0	0
70	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	15.8	679.3	0	0	0	0	0
71	Male	19.2	793.2	0	0	0	0	0
72	Female	12.6	560.1	0	0	0	0	0
73	White	14.2	637.1	0	0	0	0	0
74	Male	17.3	750.0	0	0	0	0	0
75	Female	11.1	518.8	0	0	0	0	0
76	Nonwhite	28.3	911.1	0	0	0	0	0
77	Male	33.4	1,034.1	0	0	0	0	0
78	Female	23.5	783.4	0	0	0	0	0
79	Infections of newborn (763-768)	2.6	110.4	0	0	0	0	0
80	Male	3.1	127.9	0	0	0	0	0
81	Female	2.1	92.2	0	0	0	0	0
82	White	1.8	82.6	0	0	0	0	0
83	Male	2.2	97.0	0	0	0	0	0
84	Female	1.4	67.5	0	0	0	0	0
85	Nonwhite	8.2	263.4	0	0	0	0	0
86	Male	9.7	300.0	0	0	0	0	0
87	Female	6.8	225.5	0	0	0	0	0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961—Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.2	0.2	0.5	0.7	1.1	1.9	3.2	5.7	9.4	17.4	24.0	39.1	65.6	1
0.1	0.1	0.4	0.5	0.8	1.7	2.7	5.4	9.2	17.7	23.3	35.9	61.4	2
0.3	0.4	0.5	1.0	1.4	2.1	3.7	6.1	9.6	17.2	24.6	41.4	68.3	3
0.1	0.2	0.5	0.7	1.1	1.9	3.2	5.7	9.5	18.2	25.0	40.3	69.0	4
0.1	0.1	0.4	0.5	0.7	1.7	2.7	5.4	9.3	18.6	24.7	37.2	65.2	5
0.2	0.4	0.5	0.9	1.4	2.2	3.6	6.0	9.7	17.8	25.3	42.5	71.4	6
0.2	0.2	0.5	1.2	1.2	1.6	3.1	5.7	8.0	7.9	10.4	23.9	23.6	7
0	0	0.5	0.9	0.9	1.3	2.0	4.7	7.8	6.3	6.4	20.4	19.4	8
0.4	0.4	0.6	1.4	1.4	1.9	4.1	6.7	8.1	9.3	14.0	27.0	26.8	9
0.4	0.3	0.4	0.7	0.8	1.0	1.3	1.7	2.1	3.2	4.3	6.2	11.1	10
0.5	0.4	0.5	0.7	1.1	1.2	1.5	1.8	2.9	4.2	5.3	8.3	10.6	11
0.4	0.2	0.3	0.6	0.6	0.7	1.0	1.6	1.4	2.4	3.5	4.7	11.4	12
0.3	0.2	0.3	0.5	0.7	0.8	1.1	1.4	1.9	2.9	3.9	5.8	10.3	13
0.4	0.3	0.3	0.5	0.9	1.0	1.4	1.5	2.6	3.6	5.0	7.9	9.3	14
0.3	0.1	0.2	0.5	0.5	0.6	0.8	1.2	1.2	2.2	3.1	4.4	10.9	15
1.2	0.7	1.6	2.5	2.0	2.6	3.1	5.2	4.7	7.4	9.1	11.1	20.8	16
1.3	0.8	2.0	2.8	2.3	3.5	2.7	4.7	6.2	10.3	9.2	13.0	25.8	17
1.1	0.7	1.3	2.2	1.7	1.7	3.4	5.7	3.3	4.7	9.1	9.5	17.1	18
0.6	1.1	1.6	2.3	3.0	4.8	6.9	10.2	16.0	23.2	34.7	59.5	91.4	19
0.3	0.8	1.2	1.8	2.7	4.2	6.7	11.0	18.4	28.9	42.7	76.5	113.6	20
0.9	1.4	1.9	2.7	3.2	5.3	7.1	9.5	13.9	18.3	28.3	47.3	77.3	21
0.5	0.9	1.1	1.6	2.1	3.4	5.5	8.0	14.2	21.4	33.7	59.4	91.9	22
0.3	0.7	1.0	1.4	1.9	3.0	5.1	8.7	16.3	26.5	41.4	76.4	113.9	23
0.7	1.1	1.3	1.7	2.3	3.7	5.9	7.4	12.5	17.1	27.7	47.3	78.1	24
1.2	2.4	5.0	8.6	10.6	17.9	20.8	33.4	36.0	45.6	47.0	61.5	84.7	25
0.5	1.8	3.1	5.8	10.1	16.2	22.3	34.8	42.4	58.0	58.7	77.8	109.7	26
1.9	3.0	6.7	11.2	11.1	19.6	19.4	32.2	30.3	34.2	36.4	47.6	65.9	27
0	0	0.0	0.1	0.1	0.3	1.2	2.8	7.1	13.9	27.6	52.1	96.0	28
0	0	0.0	0.1	0.2	0.6	2.5	5.8	15.2	30.3	62.3	124.5	246.5	29
0	0	0	0.0	0.1	0.2	0.8	2.4	6.1	12.4	26.0	52.1	96.5	30
0	0	0	0.0	0.1	0.4	1.7	5.0	13.2	27.2	59.1	125.5	250.1	31
0	0	0.1	0.3	0.5	1.6	4.7	6.9	17.7	32.0	47.8	52.1	88.9	32
0	0	0.2	0.7	1.1	3.3	9.4	14.0	37.4	67.2	100.9	113.0	206.5	33
3.0	3.3	2.6	1.1	0.1	0	0	0	0	0	0	0	0	34
5.8	6.5	5.0	2.2	0.3	0	0	0	0	0	0	0	0	35
2.0	2.0	1.8	0.7	0.1	0	0	0	0	0	0	0	0	36
4.0	4.0	3.5	1.4	0.2	0	0	0	0	0	0	0	0	37
9.8	13.6	9.2	4.3	0.7	0	0	0	0	0	0	0	0	38
18.4	25.1	17.3	8.2	1.4	0	0	0	0	0	0	0	0	39
0.8	0.7	0.4	0.1	0.0	0	0	0	0	0	0	0	0	40
1.6	1.4	0.7	0.3	0.0	0	0	0	0	0	0	0	0	41
0.4	0.4	0.3	0.1	0.0	0	0	0	0	0	0	0	0	42
0.9	0.8	0.6	0.2	0.0	0	0	0	0	0	0	0	0	43
3.4	3.0	1.1	0.5	0	0	0	0	0	0	0	0	0	44
6.3	5.6	2.1	0.9	0	0	0	0	0	0	0	0	0	45
2.2	2.6	2.2	1.0	0.1	0	0	0	0	0	0	0	0	46
4.2	5.2	4.3	1.9	0.3	0	0	0	0	0	0	0	0	47
1.6	1.6	1.5	0.6	0.1	0	0	0	0	0	0	0	0	48
3.1	3.2	2.9	1.3	0.1	0	0	0	0	0	0	0	0	49
6.5	10.5	8.1	3.8	0.7	0	0	0	0	0	0	0	0	50
12.1	19.5	15.2	7.2	1.4	0	0	0	0	0	0	0	0	51
1.8	1.8	2.1	2.5	2.7	2.9	2.8	3.1	2.5	2.9	2.6	2.8	3.8	52
2.0	2.0	2.5	2.7	2.9	3.3	2.9	3.0	3.1	3.7	3.0	3.1	5.9	53
1.7	1.6	1.7	2.2	2.5	2.5	2.7	3.1	2.0	2.2	2.3	2.6	2.5	54
1.9	1.8	2.0	2.5	2.7	2.9	2.9	3.2	2.5	2.9	2.6	2.8	4.1	55
1.9	2.0	2.3	2.7	3.0	3.4	2.9	3.1	3.0	3.7	3.0	3.1	6.4	56
1.8	1.7	1.8	2.3	2.5	2.4	2.8	3.3	2.1	2.2	2.3	2.5	2.7	57
1.5	1.6	2.4	2.3	2.5	2.5	2.6	1.5	2.5	3.0	2.6	3.4	0	58
2.1	2.1	3.8	3.2	2.4	2.0	3.0	2.3	3.7	3.4	3.7	3.7	0	59
1.0	1.2	1.3	1.6	2.6	2.9	2.2	0.6	1.5	2.6	1.7	3.2	0	60
0	0.0	0	0	0	0	0	0	0	0	0	0	0	61
0	0	0	0	0	0	0	0	0	0	0	0	0	62
0	0.0	0	0	0	0	0	0	0	0	0	0	0	63
0	0.0	0	0	0	0	0	0	0	0	0	0	0	64
0	0	0	0	0	0	0	0	0	0	0	0	0	65
0	0.0	0	0	0	0	0	0	0	0	0	0	0	66
0	0	0	0	0	0	0	0	0	0	0	0	0	67
0	0	0	0	0	0	0	0	0	0	0	0	0	68
0	0	0	0	0	0	0	0	0	0	0	0	0	69
0	0	0	0	0	0	0	0	0	0	0	0	0	70
0	0	0	0	0	0	0	0	0	0	0	0	0	71
0	0	0	0	0	0	0	0	0	0	0	0	0	72
0	0	0	0	0	0	0	0	0	0	0	0	0	73
0	0	0	0	0	0	0	0	0	0	0	0	0	74
0	0	0	0	0	0	0	0	0	0	0	0	0	75
0	0	0	0	0	0	0	0	0	0	0	0	0	76
0	0	0	0	0	0	0	0	0	0	0	0	0	77
0	0	0	0	0	0	0	0	0	0	0	0	0	78
0	0	0	0	0	0	0	0	0	0	0	0	0	79
0	0	0	0	0	0	0	0	0	0	0	0	0	80
0	0	0	0	0	0	0	0	0	0	0	0	0	81
0	0	0	0	0	0	0	0	0	0	0	0	0	82
0	0	0	0	0	0	0	0	0	0	0	0	0	83
0	0	0	0	0	0	0	0	0	0	0	0	0	84
0	0	0	0	0	0	0	0	0	0	0	0	0	85
0	0	0	0	0	0	0	0	0	0	0	0	0	86
0	0	0	0	0	0	0	0	0	0	0	0	0	87

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Certain diseases of early infancy—Continued							
1	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	17.5	751.3	0.1	0.0	0.0	0	0
2	Male	20.4	842.6	0.1	0.0	0.0	0	0
3	Female	14.7	655.6	0.1	0.0	0.0	0	0
4	White	14.9	666.5	0.1	0.0	0.0	0	0
5	Male	17.5	755.8	0.1	0	0.0	0	0
6	Female	12.3	572.9	0.1	0.0	0.0	0	0
7	Nonwhite	37.9	1,216.9	0.1	0.0	0	0	0
8	Male	42.9	1,326.6	0.1	0.1	0	0	0
9	Female	33.1	1,101.8	0.1	0	0	0	0
10	Symptoms, senility, and ill-defined conditions (780-795)	10.4	56.2	2.3	0.4	0.3	0.9	1.8
11	Male	12.4	62.7	2.4	0.5	0.3	0.9	2.0
12	Female	8.6	49.4	2.1	0.4	0.3	0.8	1.5
13	White	7.7	27.0	1.3	0.3	0.2	0.6	1.2
14	Male	9.3	31.2	1.4	0.4	0.3	0.6	1.4
15	Female	6.1	22.7	1.2	0.2	0.2	0.5	1.1
16	Nonwhite	31.6	216.5	7.8	1.3	0.9	2.8	5.4
17	Male	35.8	238.4	8.5	1.3	0.9	3.0	6.7
18	Female	27.7	193.6	7.1	1.3	0.8	2.6	4.3
19	All other diseases (Residual)	38.0	97.1	11.0	4.8	4.1	5.7	7.6
20	Male	47.3	110.5	12.0	5.0	4.3	7.2	8.5
21	Female	29.0	83.0	9.9	4.6	3.8	4.3	6.7
22	White	37.6	86.7	10.4	4.9	3.9	5.1	6.4
23	Male	47.0	99.3	11.2	5.0	4.0	6.7	7.1
24	Female	28.5	73.4	9.4	4.7	3.9	3.6	5.7
25	Nonwhite	40.6	154.1	14.6	4.3	5.0	10.0	16.1
26	Male	49.6	172.8	16.8	5.0	6.3	10.7	18.9
27	Female	32.0	134.7	12.4	3.7	3.8	9.2	13.5
28	Accidents (E800-E962)	50.4	84.0	30.8	18.1	18.2	48.8	60.6
29	Male	70.3	93.6	35.1	23.1	27.6	77.6	104.7
30	Female	31.1	74.0	26.5	12.9	8.5	19.8	18.4
31	White	49.0	71.3	27.2	16.5	17.3	49.0	60.2
32	Male	68.0	79.5	32.0	21.7	26.1	77.8	104.3
33	Female	30.5	62.6	22.2	11.0	8.2	19.9	17.7
34	Nonwhite	61.4	154.3	52.0	28.0	24.2	47.5	63.4
35	Male	88.2	172.2	53.4	32.0	37.7	76.5	107.9
36	Female	36.1	135.6	50.6	23.9	10.6	19.1	23.2
37	Motor vehicle accidents (E810-E835)	20.8	7.2	9.7	8.0	7.1	32.3	41.9
38	Male	31.1	7.0	11.2	10.3	9.8	49.2	71.6
39	Female	10.9	7.4	8.2	5.7	4.3	15.3	13.5
40	White	20.8	7.5	9.6	7.6	7.2	33.6	42.6
41	Male	30.9	7.2	10.9	9.8	9.8	51.2	72.9
42	Female	11.0	7.8	8.2	5.4	4.4	15.9	13.5
43	Nonwhite	21.2	5.5	10.3	10.3	6.5	22.7	36.6
44	Male	32.8	6.0	12.4	13.0	9.2	34.3	62.1
45	Female	10.3	4.9	8.2	7.6	3.9	11.5	13.6
46	Other accidents (E800-E802,E840-E962)	29.6	76.8	21.1	10.1	11.1	16.5	18.7
47	Male	39.3	86.6	23.9	12.9	17.8	28.4	33.1
48	Female	20.2	66.6	18.3	7.2	4.1	4.5	4.9
49	White	28.2	63.7	17.6	8.8	10.1	15.4	17.6
50	Male	37.2	72.3	21.0	11.9	16.3	26.6	31.4
51	Female	19.5	54.8	14.1	5.7	3.8	4.1	4.2
52	Nonwhite	40.2	148.8	41.7	17.7	17.6	24.7	26.8
53	Male	55.4	166.2	41.1	19.0	28.5	42.2	45.8
54	Female	25.8	130.7	42.4	16.4	6.7	7.6	9.6
55	Suicide (E963,E970-E979)	10.4	0	0	0	0.4	3.4	7.1
56	Male	16.1	0	0	0	0.7	5.3	11.1
57	Female	4.9	0	0	0	0.2	1.5	3.2
58	White	11.1	0	0	0	0.5	3.6	7.0
59	Male	17.1	0	0	0	0.7	5.5	10.9
60	Female	5.3	0	0	0	0.2	1.6	3.2
61	Nonwhite	4.7	0	0	0	0.3	2.5	7.5
62	Male	7.6	0	0	0	0.2	3.7	12.5
63	Female	1.9	0	0	0	0.3	1.3	2.9
64	Homicide (E964,E980-E985)	4.7	4.6	1.0	0.5	0.6	3.6	8.2
65	Male	7.0	4.7	1.0	0.5	0.7	5.5	12.9
66	Female	2.4	4.4	1.0	0.4	0.5	1.7	3.8
67	White	2.6	3.6	0.8	0.4	0.5	1.9	3.7
68	Male	3.6	3.9	0.8	0.4	0.5	2.7	5.5
69	Female	1.5	3.3	0.8	0.4	0.4	1.1	2.0
70	Nonwhite	20.9	9.8	2.2	0.8	1.6	15.8	40.4
71	Male	33.6	9.4	2.1	1.0	2.1	25.9	67.3
72	Female	8.9	10.1	2.3	0.6	1.1	6.0	16.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1961—Continued

in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0	0.0	0	0	0	0	0	0	0	0	0	0	0	1
0	0	0	0	0	0	0	0	0	0	0	0	0	2
0	0.0	0	0	0	0	0	0	0	0	0	0	0	3
0	0.0	0	0	0	0	0	0	0	0	0	0	0	4
0	0	0	0	0	0	0	0	0	0	0	0	0	5
0	0.0	0	0	0	0	0	0	0	0	0	0	0	6
0	0	0	0	0	0	0	0	0	0	0	0	0	7
0	0	0	0	0	0	0	0	0	0	0	0	0	8
0	0	0	0	0	0	0	0	0	0	0	0	0	9
2.0	2.6	3.6	5.2	7.7	10.9	14.0	20.1	27.0	35.1	54.4	102.4	289.6	10
2.3	2.9	4.3	6.4	10.4	15.5	19.9	28.7	38.5	47.0	71.0	122.9	313.3	11
1.7	2.3	2.8	4.0	5.1	6.5	8.3	12.3	17.2	25.2	41.1	87.6	274.6	12
1.2	1.6	2.3	3.8	5.5	7.9	9.8	14.1	19.3	25.6	42.3	86.3	244.9	13
1.5	1.9	2.9	5.0	7.8	12.0	15.1	22.1	29.4	36.1	57.0	102.8	261.7	14
1.0	1.4	1.8	2.7	3.3	4.0	4.8	6.8	10.6	16.9	30.8	74.5	234.2	15
7.9	9.8	13.7	17.2	27.3	39.1	53.9	85.5	113.8	152.7	210.0	317.9	845.8	16
8.8	11.0	16.2	19.4	33.4	48.9	65.6	98.3	138.3	175.9	239.4	364.8	887.1	17
7.2	8.8	11.4	15.1	21.7	29.6	42.4	73.2	91.9	131.1	183.5	277.8	814.6	18
8.1	11.6	16.0	22.1	30.7	43.5	64.2	92.6	132.2	169.0	229.9	302.8	463.7	19
8.5	11.9	18.5	26.2	37.1	55.5	87.2	134.6	196.4	245.4	316.0	389.5	558.0	20
7.7	11.4	13.7	18.2	24.5	31.9	42.2	54.2	76.4	104.7	161.4	240.4	403.6	21
6.4	8.9	13.2	18.9	28.0	40.8	62.6	90.7	131.9	170.9	234.6	310.3	471.8	22
6.7	9.0	15.1	22.1	34.0	52.3	86.0	132.6	197.0	249.2	325.1	400.2	564.9	23
6.1	8.8	11.3	15.7	22.2	29.7	40.2	52.6	75.5	105.4	163.5	246.3	413.3	24
20.5	32.5	39.7	50.7	54.6	69.3	79.6	112.7	135.6	145.9	168.3	206.0	362.5	25
22.1	35.4	48.2	63.2	65.9	86.0	97.8	155.9	190.5	201.1	207.3	261.1	480.6	26
19.1	29.9	32.2	39.5	44.3	53.1	61.7	71.7	86.3	95.3	133.1	158.7	273.2	27
44.8	40.1	38.4	42.0	45.3	50.7	54.7	61.2	74.7	97.4	160.8	274.0	600.5	28
75.0	66.0	61.5	67.0	71.3	78.1	84.0	90.3	106.4	127.2	194.9	289.7	571.0	29
15.7	15.2	16.5	18.2	20.2	24.2	26.8	34.8	47.3	72.3	133.7	262.7	619.3	30
42.2	37.7	35.2	39.0	43.0	47.5	52.2	57.9	72.7	96.5	162.7	280.8	624.3	31
70.7	62.4	56.3	62.1	67.1	72.9	80.0	85.6	103.5	126.1	197.8	296.3	591.0	32
14.4	13.6	14.9	16.8	19.6	23.0	25.7	32.8	46.1	71.7	135.1	269.7	645.2	33
63.6	58.2	64.8	68.6	66.2	80.9	78.8	97.2	97.9	108.2	136.1	186.3	305.6	34
108.3	95.3	105.7	111.7	109.9	128.6	121.0	140.1	138.3	140.2	160.6	211.1	348.4	35
24.9	26.5	28.7	29.8	25.7	35.2	37.5	56.4	61.6	78.8	114.0	165.1	273.2	36
27.3	21.6	19.4	19.7	20.5	21.6	23.2	25.9	29.8	32.7	39.9	42.8	36.3	37
45.3	34.5	30.1	30.0	30.9	31.1	33.7	36.0	43.2	48.7	60.2	70.2	67.6	38
10.0	9.3	9.2	9.8	10.5	12.4	13.2	16.7	18.1	19.2	23.8	23.0	16.4	39
26.5	21.0	18.4	19.1	20.1	20.9	22.6	25.2	29.3	33.0	40.3	43.4	36.9	40
43.5	33.4	28.4	28.9	30.0	29.7	32.4	34.5	41.9	48.8	60.8	71.9	67.8	41
9.7	8.9	8.8	9.6	10.6	12.3	13.2	16.8	18.3	19.7	24.2	23.1	17.5	42
33.5	26.5	27.4	25.0	24.3	28.8	29.7	32.8	35.6	29.0	35.2	35.0	29.2	43
58.7	43.3	45.0	40.3	39.8	45.2	46.0	50.8	57.6	47.1	53.2	50.0	64.5	44
11.6	12.2	11.8	11.3	9.9	13.1	13.8	15.6	15.9	12.4	19.0	22.2	2.4	45
17.5	18.5	19.0	22.3	24.8	29.1	31.5	35.4	45.0	64.7	120.9	231.2	564.2	46
29.7	31.5	31.4	37.0	40.4	47.0	50.2	54.4	63.1	78.5	134.7	219.5	503.5	47
5.7	5.9	7.3	8.4	9.7	11.8	13.6	18.1	29.2	53.1	109.9	239.7	602.9	48
15.8	16.7	16.8	19.9	22.8	26.7	29.6	32.7	43.4	63.5	122.4	237.4	587.4	49
27.2	29.0	28.0	33.2	37.1	43.2	47.6	51.0	61.5	77.3	137.0	224.4	523.2	50
4.6	4.7	6.1	7.2	9.0	10.7	12.5	16.1	27.7	52.0	110.9	246.7	627.7	51
30.1	31.7	37.4	43.5	41.9	52.1	49.1	64.4	62.3	79.2	100.9	151.3	276.4	52
49.6	52.0	60.6	71.5	70.2	83.4	75.0	89.3	80.7	93.1	107.3	161.1	283.9	53
13.2	14.3	16.9	18.4	15.8	22.1	23.7	40.8	45.8	66.3	95.0	142.9	270.7	54
9.1	11.3	13.2	15.6	18.6	22.2	23.8	22.3	21.7	22.3	24.8	28.1	24.9	55
13.4	16.2	19.4	23.2	28.1	34.1	38.4	36.2	36.4	39.5	47.1	57.1	56.4	56
5.0	6.6	7.4	8.3	9.4	10.6	9.8	9.7	9.0	7.9	7.2	7.3	4.9	57
9.1	11.6	13.9	16.5	19.9	23.5	25.4	23.5	22.9	23.8	26.1	29.6	26.3	58
13.0	16.3	20.1	24.7	29.8	36.1	41.1	38.0	38.2	42.1	49.7	60.3	60.3	59
5.2	7.0	7.9	8.7	10.2	11.4	10.5	10.2	9.6	8.4	7.6	7.7	4.9	60
9.6	9.3	8.1	6.9	7.2	9.3	8.2	10.0	8.9	4.9	8.3	9.4	8.3	61
17.0	15.6	13.1	9.8	12.6	15.7	13.6	16.7	16.0	9.2	15.6	18.5	12.9	62
3.2	3.8	3.6	4.3	2.3	3.1	2.9	3.5	2.6	1.0	1.7	1.6	4.9	63
9.8	9.4	8.9	7.6	7.0	5.5	4.4	3.4	2.8	3.0	2.7	3.2	2.8	64
15.5	14.1	13.4	11.5	10.9	8.7	7.1	5.6	5.0	4.7	3.8	3.8	4.3	65
4.3	5.0	4.6	3.9	3.3	2.3	1.8	1.4	0.9	1.5	1.8	2.8	1.9	66
4.6	4.2	4.3	3.9	4.0	3.4	2.9	2.2	1.9	2.4	2.2	2.7	2.1	67
7.1	5.7	6.2	5.4	5.6	5.3	4.6	3.4	3.3	3.4	3.0	2.6	2.6	68
2.1	2.7	2.6	2.3	2.4	1.7	1.3	1.1	0.7	1.5	1.6	2.7	1.8	69
47.5	49.7	46.0	40.7	34.1	24.5	18.4	16.5	13.0	9.8	9.1	10.3	11.1	70
80.3	82.4	75.0	66.5	59.3	41.9	30.7	28.8	23.9	19.0	13.8	18.5	22.6	71
19.0	21.7	20.5	17.5	10.8	7.9	6.3	4.8	3.3	1.6	5.0	3.2	2.4	72

Section 6. Accident Mortality Detail: Tables

General Tables — Page

6-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1961 ---------- 6-2

6-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1961 ---------- 6-4

6-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1961 ---------- 6-8

6-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1961 ---------- 6-14

6-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1961 ---------- 6-16

6-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1961 ---------- 6-20

Table 6-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS	37,025	3,109	3,410	45	147	28,512	159	313	221	6	1,103
	White-Male	23,909	2,319	2,189	27	111	18,105	93	203	122	5	735
	White-Female	8,741	347	899	7	22	7,026	47	87	61	1	244
	Nonwhite-Male	3,285	367	238	5	12	2,509	13	19	27	-	95
	Nonwhite-Female	1,090	76	84	6	2	872	6	4	11	-	29
E810	Involving collision with railway train	1,267	227	1	-	-	972	-	-	23	-	44
	White-Male	821	193	1	-	-	589	-	-	8	-	30
	White-Female	347	15	-	-	-	304	-	-	15	-	13
	Nonwhite-Male	69	16	-	-	-	52	-	-	-	-	1
	Nonwhite-Female	30	3	-	-	-	27	-	-	-	-	-
E811	Involving collision with streetcar	5	-	-	-	-	5	-	-	-	-	-
	White-Male	4	-	-	-	-	4	-	-	-	-	-
	White-Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,079	860	3	-	-	5,734	1	-	153	-	328
	White-Male	4,168	520	2	-	-	3,364	1	-	86	-	195
	White-Female	1,615	190	-	-	-	1,321	-	-	36	-	68
	Nonwhite-Male	954	114	1	-	-	769	-	-	22	-	48
	Nonwhite-Female	342	36	-	-	-	280	-	-	9	-	17
E813	To pedal cyclist	484	75	-	-	-	386	-	-	6	-	17
	White-Male	381	53	-	-	-	310	-	-	4	-	14
	White-Female	37	6	-	-	-	28	-	-	1	-	2
	Nonwhite-Male	63	15	-	-	-	46	-	-	1	-	1
	Nonwhite-Female	3	1	-	-	-	2	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object	37	-	-	-	-	37	-	-	-	-	-
	White-Male	31	-	-	-	-	31	-	-	-	-	-
	White-Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-Male	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite-Female	1	-	-	-	-	1	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	442	-	74	-	-	354	5	9	-	-	-
	White-Male	394	-	64	-	-	319	4	7	-	-	-
	White-Female	30	-	6	-	-	22	1	1	-	-	-
	Nonwhite-Male	17	-	3	-	-	13	-	1	-	-	-
	Nonwhite-Female	1	-	1	-	-	-	-	-	-	-	-
E816	Other, involving two or more motor vehicles	12,812	398	3,332	45	147	8,143	153	304	1	6	283
	White-Male	7,710	326	2,122	27	111	4,657	88	196	1	5	177
	White-Female	3,889	23	893	7	22	2,729	46	86	-	1	82
	Nonwhite-Male	869	43	234	5	12	528	13	18	-	-	16
	Nonwhite-Female	344	6	83	6	2	229	6	4	-	-	8
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	-	-	-	1	-	-	-	-	-
	White-Male	1	-	-	-	-	1	-	-	-	-	-
	White-Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	62	11	-	-	-	51	-	-	-	-	-
	White-Male	34	9	-	-	-	25	-	-	-	-	-
	White-Female	23	1	-	-	-	22	-	-	-	-	-
	Nonwhite-Male	5	1	-	-	-	4	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,611	131	-	-	-	1,425	-	-	2	-	53
	White-Male	1,177	109	-	-	-	1,026	-	-	2	-	40
	White-Female	275	7	-	-	-	261	-	-	-	-	7
	Nonwhite-Male	124	14	-	-	-	105	-	-	-	-	5
	Nonwhite-Female	35	1	-	-	-	33	-	-	-	-	1
E820	While boarding and alighting	36	1	-	-	-	24	-	-	11	-	-
	White-Male	22	1	-	-	-	14	-	-	7	-	-
	White-Female	12	-	-	-	-	9	-	-	3	-	-
	Nonwhite-Male	1	-	-	-	-	-	-	-	1	-	-
	Nonwhite-Female	1	-	-	-	-	1	-	-	-	-	-
E821	To rider of motorcycle not involving collision	200	-	-	-	-	200	-	-	-	-	-
	White-Male	180	-	-	-	-	180	-	-	-	-	-
	White-Female	17	-	-	-	-	17	-	-	-	-	-
	Nonwhite-Male	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite-Female	1	-	-	-	-	1	-	-	-	-	-
E822	Involving overturning in roadway	1,080	247	-	-	-	809	-	-	1	-	23
	White-Male	769	187	-	-	-	567	-	-	-	-	15
	White-Female	179	15	-	-	-	156	-	-	-	-	8
	Nonwhite-Male	106	34	-	-	-	72	-	-	-	-	-
	Nonwhite-Female	26	11	-	-	-	14	-	-	1	-	-

Table 6-1 Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	MOTOR VEHICLE TRAFFIC ACCIDENTS—Con.											
E823	Involving running off roadway	8,422	769	-	-	-	7,386	-	-	9	-	258
	White—Male	5,988	635	-	-	-	5,146	-	-	6	-	201
	Female	1,495	53	-	-	-	1,399	-	-	2	-	41
	Nonwhite—Male	734	68	-	-	-	651	-	-	-	-	15
	Female	205	13	-	-	-	190	-	-	1	-	1
E824	Other noncollision accident	860	315	-	-	-	507	-	-	13	-	25
	White—Male	553	226	-	-	-	304	-	-	7	-	16
	Female	184	33	-	-	-	140	-	-	4	-	7
	Nonwhite—Male	98	53	-	-	-	41	-	-	2	-	2
	Female	25	3	-	-	-	22	-	-	-	-	-
E825	Of unspecified nature	2,627	75	-	-	-	2,478	-	-	2	-	72
	White—Male	1,676	60	-	-	-	1,568	-	-	1	-	47
	Female	636	4	-	-	-	616	-	-	-	-	16
	Nonwhite—Male	239	9	-	-	-	222	-	-	1	-	7
	Female	76	2	-	-	-	72	-	-	-	-	2
E830-E835	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1,066	445	7	-	-	581	-	-	9	-	24
	White—Male	709	351	7	-	-	331	-	-	6	-	14
	Female	253	44	-	-	-	198	-	-	3	-	8
	Nonwhite—Male	80	45	-	-	-	33	-	-	-	-	2
	Female	24	5	-	-	-	19	-	-	-	-	-
E830	To pedestrian	620	270	-	-	-	333	-	-	4	-	13
	White—Male	385	213	-	-	-	164	-	-	4	-	4
	Female	172	35	-	-	-	130	-	-	-	-	7
	Nonwhite—Male	44	19	-	-	-	23	-	-	-	-	2
	Female	19	3	-	-	-	16	-	-	-	-	-
E831	To pedal cyclist	-	-	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle	18	-	1	-	-	17	-	-	-	-	-
	White—Male	17	-	1	-	-	16	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles	23	1	6	-	-	16	-	-	-	-	-
	White—Male	18	-	6	-	-	12	-	-	-	-	-
	Female	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	27	3	-	-	-	20	-	-	4	-	-
	White—Male	12	3	-	-	-	8	-	-	1	-	-
	Female	15	-	-	-	-	12	-	-	3	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature	378	171	-	-	-	195	-	-	1	-	11
	White—Male	277	135	-	-	-	131	-	-	1	-	10
	Female	61	9	-	-	-	51	-	-	-	-	1
	Nonwhite—Male	35	25	-	-	-	10	-	-	-	-	-
	Female	5	2	-	-	-	3	-	-	-	-	-

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1961

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES	1,804	986	21	-	17	5	19	34	25	43	654
	White-Male	771	379	11	-	14	2	14	17	11	33	290
	White-Female	560	334	2	-	1	2	-	11	7	2	201
	Nonwhite-Male	297	150	7	-	2	1	5	6	6	5	115
	Nonwhite-Female	176	123	1	-	-	-	-	-	1	3	48
E870	Accidental poisoning by morphine and other opium derivatives	56	28	1	-	-	-	5	2	-	6	14
	White-Male	30	12	-	-	-	-	4	1	-	5	8
	White-Female	6	4	1	-	-	-	-	1	-	-	-
	Nonwhite-Male	17	10	-	-	-	-	1	-	-	1	5
	Nonwhite-Female	3	2	-	-	-	-	-	-	-	-	1
E871	Accidental poisoning by barbituric acid and derivatives	339	213	-	-	-	1	1	12	5	3	104
	White-Male	115	67	-	-	-	1	1	7	1	3	35
	White-Female	211	136	-	-	-	-	-	5	3	-	67
	Nonwhite-Male	7	4	-	-	-	-	-	-	1	-	2
	Nonwhite-Female	6	6	-	-	-	-	-	-	-	-	-
E872	Accidental poisoning by aspirin and salicylates	182	124	1	-	-	1	-	-	1	1	54
	White-Male	79	54	-	-	-	-	-	-	-	1	24
	White-Female	62	39	-	-	-	1	-	-	1	-	21
	Nonwhite-Male	23	17	1	-	-	-	-	-	-	-	5
	Nonwhite-Female	18	14	-	-	-	-	-	-	-	-	4
E873	Accidental poisoning by bromides	4	1	-	-	-	-	-	-	-	-	3
	White-Male	3	1	-	-	-	-	-	-	-	-	2
	White-Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	169	93	1	-	2	-	1	3	4	3	62
	White-Male	77	46	1	-	2	-	-	1	1	3	23
	White-Female	75	40	-	-	-	-	-	2	2	-	31
	Nonwhite-Male	11	3	-	-	-	-	1	-	1	-	6
	Nonwhite-Female	6	4	-	-	-	-	-	-	-	-	2
E875	Accidental poisoning by sulfonamides	1	-	-	-	-	-	-	-	-	-	1
	White-Male	1	-	-	-	-	-	-	-	-	-	1
	White-Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	6	4	-	-	-	-	-	-	-	-	2
	White-Male	3	2	-	-	-	-	-	-	-	-	1
	White-Female	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	1	1	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	-	-	-	-	-	-	1	-	1	1
	White-Male	2	-	-	-	-	-	-	-	-	1	1
	White-Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Male	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	122	51	-	-	-	1	1	2	1	2	64
	White-Male	49	20	-	-	-	-	1	1	-	-	27
	White-Female	49	20	-	-	-	1	-	1	1	1	25
	Nonwhite-Male	11	4	-	-	-	-	-	-	-	1	6
	Nonwhite-Female	13	7	-	-	-	-	-	-	-	-	6
E879	Accidental poisoning by noxious foodstuffs	6	3	-	-	-	-	-	-	-	-	3
	White-Male	2	1	-	-	-	-	-	-	-	-	1
	White-Female	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite-Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	409	173	4	-	4	2	10	4	6	18	188
	White-Male	196	61	3	-	4	1	7	1	3	14	102
	White-Female	33	16	-	-	-	-	-	-	-	-	17
	Nonwhite-Male	125	59	1	-	-	1	3	3	3	2	53
	Nonwhite-Female	55	37	-	-	-	-	-	-	-	2	16
E881	Accidental poisoning by petroleum products	53	38	1	-	-	-	-	2	-	1	11
	White-Male	17	13	1	-	-	-	-	1	-	-	2
	White-Female	8	7	-	-	-	-	-	-	-	-	1
	Nonwhite-Male	18	13	-	-	-	-	-	1	-	1	3
	Nonwhite-Female	10	5	-	-	-	-	-	-	-	-	5
E882	Accidental poisoning by industrial solvents	40	19	-	-	7	-	-	1	1	1	11
	White-Male	27	12	-	-	6	-	-	1	-	1	7
	White-Female	3	1	-	-	1	-	-	-	-	-	1
	Nonwhite-Male	7	4	-	-	-	-	-	-	1	-	2
	Nonwhite-Female	3	2	-	-	-	-	-	-	-	-	1
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	50	38	-	-	1	-	-	-	1	1	9
	White-Male	22	16	-	-	1	-	-	-	1	1	3
	White-Female	13	11	-	-	-	-	-	-	-	-	2
	Nonwhite-Male	7	6	-	-	-	-	-	-	-	-	1
	Nonwhite-Female	8	5	-	-	-	-	-	-	-	-	3

See footnotes at end of table.

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT: Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Con.											
E884	Accidental poisoning by mercury and its compounds	8	2	-	-	-	-	-	1	-	-	5
	White—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	-	-	3
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	2	1	-	-	-	-	-	-	-	-	1
E885	Accidental poisoning by lead and its compounds	77	48	-	-	2	-	-	-	-	-	27
	White—Male	20	9	-	-	-	-	-	-	-	-	11
	Female	5	3	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	26	12	-	-	2	-	-	-	-	-	12
	Female	26	24	-	-	-	-	-	-	-	-	2
E886	Accidental poisoning by arsenic and antimony, and their compounds	32	22	2	-	-	-	1	-	-	1	6
	White—Male	16	10	1	-	-	-	1	-	-	1	3
	Female	9	7	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	7	5	1	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E887	Accidental poisoning by fluorides	8	6	-	-	-	-	-	2	-	-	-
	White—Male	3	2	-	-	-	-	-	1	-	-	-
	Female	3	2	-	-	-	-	-	1	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	239	123	11	-	1	-	-	4	6	5	89
	White—Male	108	52	5	-	1	-	-	3	5	3	39
	Female	72	45	1	-	-	-	-	-	-	1	25
	Nonwhite—Male	36	13	4	-	-	-	-	1	-	-	18
	Female	23	13	1	-	-	-	-	-	1	1	7
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS	1,192	723	24	6	88	13	96	59	4	77	102
	White—Male	778	457	16	5	75	6	67	42	3	44	63
	Female	237	162	4	1	2	6	15	13	-	12	22
	Nonwhite—Male	119	67	4	-	9	-	10	3	1	14	11
	Female	58	37	-	-	2	1	4	1	-	7	6
E890	Accidental poisoning by utility (illuminating) gas	302	257	1	-	1	6	-	18	1	7	11
	White—Male	161	138	1	-	1	2	-	9	1	4	5
	Female	86	70	-	-	-	4	-	8	-	1	3
	Nonwhite—Male	33	30	-	-	-	-	-	1	-	-	2
	Female	22	19	-	-	-	-	-	-	-	2	1
E891	Accidental poisoning by motor vehicle exhaust gas	481	237	14	-	39	3	92	25	-	42	29
	White—Male	353	188	9	-	31	2	63	20	-	22	18
	Female	79	40	4	-	2	1	15	2	-	9	6
	Nonwhite—Male	33	7	1	-	4	-	10	2	-	6	3
	Female	16	2	-	-	2	-	4	1	-	5	2
E892	Accidental poisoning by other carbon monoxide gas	273	189	1	4	15	3	2	8	-	15	36
	White—Male	168	109	1	3	12	1	2	7	-	10	23
	Female	55	42	-	1	-	1	-	1	-	2	8
	Nonwhite—Male	34	25	-	-	3	-	-	-	-	3	3
	Female	16	13	-	-	-	1	-	-	-	-	2
E893	Accidental poisoning by cyanide gas	4	1	1	-	-	1	-	-	-	-	1
	White—Male	3	1	-	-	-	1	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	122	37	7	2	27	-	1	8	3	13	24
	White—Male	84	19	5	2	25	-	1	6	2	8	16
	Female	17	10	-	-	-	-	-	2	-	-	5
	Nonwhite—Male	17	5	2	-	2	-	-	-	1	5	2
	Female	4	3	-	-	-	-	-	-	-	-	1
E895	Accidental poisoning by unspecified gases and vapors	10	2	-	-	6	-	1	-	-	-	1
	White—Male	9	2	-	-	6	-	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS	18,691	10,154	195	21	457	89	1,020	681	2,516	625	2,933
	White—Male	8,428	3,969	173	20	405	62	685	468	959	447	1,240
	Female	8,882	5,442	15	-	9	16	201	166	1,468	88	1,477
	Nonwhite—Male	889	404	5	1	42	10	115	39	48	76	149
	Female	492	339	2	-	1	1	19	8	41	14	67
E900	Fall on stairs	2,280	1,816	3	-	15	6	9	232	63	54	82
	White—Male	1,212	920	2	-	13	3	3	165	28	30	48
	Female	857	726	1	-	1	2	5	56	31	10	25
	Nonwhite—Male	150	118	-	-	1	1	1	7	4	11	7
	Female	61	52	-	-	-	-	-	4	-	3	2
E901	Fall from ladders	319	187	17	-	39	-	6	20	1	26	23
	White—Male	285	165	17	-	37	-	5	18	1	20	22
	Female	16	15	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	17	6	-	-	2	-	1	2	-	6	-
	Female	1	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT: Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL FALLS—Con.											
E902	Other falls from one level to another	3,301	1,469	113	16	341	52	94	166	580	343	127
	White—Male	1,907	655	106	15	304	40	68	133	240	273	73
	Female	994	579	2	-	3	5	13	13	316	29	34
	Nonwhite—Male	277	142	3	1	33	6	11	17	16	31	17
	Female	123	93	2	-	1	1	2	3	8	10	3
E903	Fall on same level	3,682	2,065	19	-	16	14	638	89	677	58	106
	White—Male	1,486	667	14	-	11	8	417	43	251	30	45
	Female	1,996	1,313	5	-	2	5	146	41	407	21	56
	Nonwhite—Male	130	42	-	-	3	1	60	5	9	7	3
	Female	70	43	-	-	-	-	15	-	10	-	2
E904	Unspecified falls	9,109	4,617	43	5	46	17	273	174	1,195	144	2,595
	White—Male	3,538	1,562	34	5	40	11	192	109	439	94	1,052
	Female	5,019	2,809	7	-	3	4	37	56	714	28	1,361
	Nonwhite—Male	315	96	2	-	3	2	42	8	19	21	122
	Female	237	150	-	-	-	-	2	1	23	1	60
E910-E936	OTHER ACCIDENTS	26,578	11,255	2,163	515	1,710	624	698	548	821	5,010	3,234
	White—Male	15,781	5,000	1,751	445	1,447	450	516	408	461	3,587	1,716
	Female	5,144	3,251	138	9	15	85	53	66	251	484	792
	Nonwhite—Male	3,772	1,596	244	57	242	81	118	61	62	849	462
	Female	1,881	1,408	30	4	6	8	11	13	47	90	264
E910	Blow from falling or projected object or missile	1,345	243	126	188	387	35	73	43	5	200	45
	White—Male	1,108	184	102	175	318	33	54	38	4	164	36
	Female	62	36	4	-	1	2	6	3	1	6	3
	Nonwhite—Male	169	18	20	13	67	-	13	2	-	30	6
	Female	6	5	-	-	1	-	-	-	-	-	-
E911	Accident caused by vehicle	52	1	-	41	9	-	-	-	-	-	1
	White—Male	48	1	-	40	6	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	4	-	-	1	3	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	1,955	95	913	75	491	24	120	31	3	135	68
	White—Male	1,712	69	813	68	437	18	101	24	2	122	58
	Female	77	21	45	-	1	5	-	3	-	2	-
	Nonwhite—Male	158	4	50	7	53	1	19	2	1	11	10
	Female	8	1	5	-	-	-	-	2	-	-	-
E913	Accident caused by cutting and piercing instruments	115	63	5	-	4	3	4	8	-	7	21
	White—Male	58	31	4	-	3	1	2	3	-	4	10
	Female	20	12	-	-	-	1	-	2	-	1	4
	Nonwhite—Male	30	16	1	-	1	1	1	3	-	2	5
	Female	7	4	-	-	-	-	1	-	-	-	2
E914	Accident caused by electric current	980	259	102	15	214	12	99	37	1	187	54
	White—Male	805	182	82	15	185	12	83	31	-	172	43
	Female	68	54	6	-	2	-	-	-	1	1	4
	Nonwhite—Male	95	15	11	-	27	-	16	6	-	13	7
	Female	12	8	3	-	-	-	-	-	-	1	-
E915	Accident caused by explosion of pressure vessel	46	4	1	1	30	1	1	4	1	2	1
	White—Male	42	3	1	1	27	1	1	4	1	2	1
	Female	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—Male	3	1	-	-	2	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	7,102	5,741	129	39	297	20	48	196	148	193	291
	White—Male	3,024	2,057	102	38	259	17	38	144	98	136	135
	Female	1,996	1,813	8	-	8	3	4	28	35	17	80
	Nonwhite—Male	1,034	899	14	1	26	-	4	22	5	31	32
	Female	1,048	972	5	-	4	-	2	2	10	9	44
E917	Accident caused by hot substance, corrosive liquid, and steam	372	275	4	-	31	-	1	5	32	9	15
	White—Male	152	95	3	-	22	-	1	4	16	5	6
	Female	126	108	1	-	-	-	-	1	10	2	4
	Nonwhite—Male	52	34	-	-	9	-	-	-	4	2	3
	Female	42	38	-	-	-	-	-	-	2	-	2
E918	Accident caused by radiation	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,204	1,060	253	10	23	17	112	77	2	363	287
	White—Male	1,607	693	231	9	19	14	77	59	2	315	188
	Female	211	148	7	-	1	3	10	3	-	12	27
	Nonwhite—Male	311	160	15	1	3	-	24	13	-	36	59
	Female	75	59	-	-	-	-	1	2	-	-	13
E20	Foreign body entering eye and adnexa	1	1	-	-	-	-	-	-	-	-	-
	White—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,991	909	4	-	-	7	9	46	388	43	585
	White—Male	992	425	2	-	-	3	8	31	213	29	281
	Female	634	284	-	-	-	3	-	11	124	10	202
	Nonwhite—Male	205	111	1	-	-	1	1	2	32	3	54
	Female	160	89	1	-	-	-	-	2	19	1	48

See footnotes at end of table.

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1961—Con.

(Data refer only to deaths occurring within the United States. Includes each three-digit category number from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Con.											
E922	Inhalation and ingestion of other object causing obstruction or suffocation	508	198	2	-	3	-	-	5	85	2	213
	White—Male	247	94	1	-	3	-	-	2	44	2	101
	Female	157	67	1	-	-	-	-	1	22	-	66
	Nonwhite—Male	63	24	-	-	-	-	-	1	11	-	27
	Female	41	13	-	-	-	-	-	1	8	-	19
E923	Foreign body entering other orifice	114	21	2	-	-	4	-	-	7	1	79
	White—Male	55	7	2	-	-	2	-	-	5	1	38
	Female	41	7	-	-	-	1	-	-	2	-	31
	Nonwhite—Male	11	4	-	-	-	1	-	-	-	-	6
	Female	7	3	-	-	-	-	-	-	-	-	4
E924	Accidental mechanical suffocation in bed and cradle	968	894	1	-	-	-	1	1	12	7	52
	White—Male	394	372	1	-	-	-	-	-	3	3	15
	Female	268	236	-	-	-	-	1	1	6	4	20
	Nonwhite—Male	169	159	-	-	-	-	-	-	1	-	9
	Female	137	127	-	-	-	-	-	-	2	-	8
E925	Accidental mechanical suffocation in other and unspecified circumstances	513	214	30	19	55	2	29	3	6	92	63
	White—Male	318	109	26	19	39	2	24	3	2	67	27
	Female	84	51	4	-	-	-	1	-	2	8	18
	Nonwhite—Male	75	29	-	-	16	-	4	-	1	15	10
	Female	36	25	-	-	-	-	-	-	1	2	8
E926	Lack of care of infants under 1 year of age	18	13	-	-	-	-	-	-	-	1	4
	White—Male	6	5	-	-	-	-	-	-	-	1	-
	Female	5	4	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	3	2	-	-	-	-	-	-	-	-	1
	Female	4	2	-	-	-	-	-	-	-	-	2
E927	Accidents caused by bites and stings of venomous animals and insects	54	22	6	-	-	4	2	1	-	4	15
	White—Male	29	8	4	-	-	2	2	1	-	3	9
	Female	16	8	-	-	-	1	-	-	-	1	6
	Nonwhite—Male	6	3	2	-	-	1	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals	123	16	74	1	4	1	4	1	-	8	14
	White—Male	87	12	54	1	4	1	2	-	-	6	7
	Female	22	1	14	-	-	-	2	1	-	1	3
	Nonwhite—Male	12	2	6	-	-	-	-	-	-	1	3
	Female	2	1	-	-	-	-	-	-	-	-	1
E929	Accidental drowning	5,208	500	377	107	44	425	11	35	19	3,495	195
	White—Male	3,420	258	223	62	35	298	7	25	13	2,379	120
	Female	737	194	39	9	-	60	1	6	4	394	30
	Nonwhite—Male	947	36	106	32	9	60	3	3	1	659	38
	Female	104	12	9	4	-	7	-	1	1	63	7
E930	High and low air pressure	4	-	-	-	-	-	-	-	-	4	-
	White—Male	3	-	-	-	-	-	-	-	-	3	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	191	26	7	-	10	6	7	2	6	16	111
	White—Male	108	12	4	-	7	4	7	2	5	11	56
	Female	53	10	-	-	-	1	-	-	1	3	38
	Nonwhite—Male	19	3	2	-	3	1	-	-	-	2	8
	Female	11	1	1	-	-	-	-	-	-	-	9
E932	Excessive cold	207	43	13	-	4	2	15	-	4	55	71
	White—Male	119	22	10	-	2	1	5	-	1	34	44
	Female	25	9	2	-	-	-	3	-	2	1	8
	Nonwhite—Male	52	6	1	-	2	1	7	-	1	16	18
	Female	11	6	-	-	-	-	-	-	-	4	1
E933	Hunger, thirst, and exposure	179	17	5	-	1	1	3	-	-	47	105
	White—Male	77	5	2	-	-	1	-	-	-	26	43
	Female	26	3	-	-	-	-	-	-	-	5	18
	Nonwhite—Male	48	3	2	-	1	-	3	-	-	10	29
	Female	28	6	1	-	-	-	-	-	-	6	15
E934	Cataclysm	147	76	5	-	-	4	17	7	-	31	7
	White—Male	81	32	2	-	-	4	12	5	-	22	4
	Female	49	34	2	-	-	-	3	1	-	6	3
	Nonwhite—Male	12	6	1	-	-	-	2	-	-	3	-
	Female	5	4	-	-	-	-	-	1	-	-	-
E935	Lightning	149	23	56	-	6	14	8	2	-	36	4
	White—Male	98	9	38	-	5	11	4	2	-	28	1
	Female	13	5	3	-	-	-	1	-	-	4	-
	Nonwhite—Male	26	5	10	-	1	2	2	-	-	4	2
	Female	12	4	5	-	-	1	1	-	-	-	1
E936	Other and unspecified accidents	2,032	541	48	19	97	42	134	44	102	72	933
	White—Male	1,190	314	44	17	76	25	88	30	52	52	492
	Female	453	146	2	-	1	5	21	5	41	6	226
	Nonwhite—Male	267	56	2	2	19	12	19	7	5	10	135
	Female	122	25	-	-	1	-	6	2	4	4	80

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL MOTOR VEHICLE TRANSPORT ACCIDENTS (E810-E835)	38,091	307	419	373	395	397	1,891	1,536	1,266	4,399
2	White Male	24,618	133	203	169	194	213	912	827	778	3,079
3	Female	8,994	138	168	138	131	122	697	432	336	943
4	Negro Male	2,963	17	23	35	39	40	154	162	101	232
5	Female	955	10	23	22	24	20	99	92	42	78
6	Other Male	402	3	1	4	5	1	14	13	6	49
7	Female	159	6	1	5	2	1	15	10	3	18
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,554	11	86	74	64	58	293	206	191	258
9	White Male	2,670	3	47	38	36	37	161	119	139	206
10	Female	391	5	32	27	13	15	92	38	26	22
11	Negro Male	350	1	2	5	9	4	21	25	23	20
12	Female	67	1	4	-	3	2	10	20	2	7
13	Other Male	62	1	1	2	2	-	6	2	1	2
14	Female	14	-	-	2	1	-	3	2	-	1
15	Goods transport vehicle and passenger motor vehicle (.1)	3,417	33	17	9	12	21	92	60	74	408
16	White Male	2,196	15	8	2	3	14	42	30	39	266
17	Female	899	13	6	6	6	5	36	26	27	113
18	Negro Male	212	3	2	-	3	2	10	2	5	16
19	Female	77	1	1	1	-	-	3	1	3	9
20	Other Male	26	-	-	-	-	-	-	1	-	4
21	Female	7	1	-	-	-	-	1	-	-	-
22	Goods transport vehicle and motorbus (.2)	45	1	-	-	-	-	1	3	5	2
23	White Male	27	-	-	-	-	-	-	3	1	2
24	Female	7	1	-	-	-	-	1	-	1	-
25	Negro Male	5	-	-	-	-	-	-	-	1	-
26	Female	4	-	-	-	-	-	-	-	1	-
27	Other Male	-	-	-	-	-	-	-	-	-	-
28	Female	2	-	-	-	-	-	-	-	1	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	147	-	-	-	-	-	-	-	2	12
30	White Male	111	-	-	-	-	-	-	-	-	10
31	Female	22	-	-	-	-	-	-	-	2	2
32	Negro Male	9	-	-	-	-	-	-	-	-	-
33	Female	1	-	-	-	-	-	-	-	-	-
34	Other Male	3	-	-	-	-	-	-	-	-	-
35	Female	1	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	29,093	252	297	267	302	295	1,413	1,187	926	3,562
37	White Male	18,436	111	140	118	146	154	669	631	562	2,480
38	Female	7,224	113	120	98	106	95	532	342	255	778
39	Negro Male	2,252	13	18	27	27	28	113	128	67	187
40	Female	761	8	18	19	20	17	82	68	35	59
41	Other Male	290	2	-	2	3	-	7	10	5	41
42	Female	130	5	1	3	-	1	10	8	2	17
43	Passenger motor vehicle and motorbus (.5)	159	1	-	1	-	-	2	1	7	13
44	White Male	93	-	-	-	-	-	-	-	1	9
45	Female	47	1	-	1	-	-	2	1	6	3
46	Negro Male	12	-	-	-	-	-	-	-	-	1
47	Female	5	-	-	-	-	-	-	-	-	-
48	Other Male	1	-	-	-	-	-	-	-	-	-
49	Female	1	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	313	3	3	1	-	1	8	2	6	26
51	White Male	203	2	1	-	-	-	3	2	3	18
52	Female	87	1	2	1	-	1	5	-	3	8
53	Negro Male	16	-	-	-	-	-	-	-	-	-
54	Female	4	-	-	-	-	-	-	-	-	-
55	Other Male	3	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	230	1	2	6	8	1	18	32	26	6
58	White Male	128	1	2	4	5	-	12	18	13	4
59	Female	64	-	-	-	2	-	2	11	11	-
60	Negro Male	22	-	-	1	-	1	2	3	1	1
61	Female	8	-	-	1	-	-	1	-	1	1
62	Other Male	5	-	-	-	-	-	-	-	-	-
63	Female	3	-	-	-	1	-	1	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	6	-	-	-	-	-	-	-	-	-
65	White Male	5	-	-	-	-	-	-	-	-	-
66	Female	1	-	-	-	-	-	-	-	-	-
67	Negro Male	-	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	1,127	5	14	15	9	21	64	45	29	112
72	White Male	749	1	5	7	4	8	25	24	20	84
73	Female	252	4	8	5	4	6	27	14	5	17
74	Negro Male	85	-	1	2	-	5	8	4	4	7
75	Female	28	-	-	1	1	1	3	3	-	2
76	Other Male	12	-	-	-	-	1	1	-	-	2
77	Female	1	-	-	-	-	-	-	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1961

the Seventh Revision of the International Lists, 1955. Numbers after types of vehicles are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,689	2,944	2,528	2,415	2,325	2,267	2,126	1,999	1,875	1,871	1,596	1,278	717	278	64	8	1	18	1
3,510	2,041	1,706	1,543	1,502	1,464	1,298	1,231	1,091	1,122	1,005	795	466	195	35	4	-	14	2
673	467	464	501	421	534	558	525	583	566	485	402	210	73	21	2	-	1	3
334	312	244	254	213	189	185	156	142	123	77	47	22	6	7	1	-	2	4
71	63	79	71	61	49	59	54	45	38	22	20	11	-	1	-	-	-	5
73	43	25	32	17	23	22	30	10	17	5	11	5	4	-	1	1	1	6
28	18	10	14	11	8	4	3	4	5	2	3	3	-	-	-	-	-	7
241	233	268	282	243	279	257	219	175	124	120	77	55	28	3	-	1	1	8
194	196	219	219	189	219	197	177	158	94	85	54	40	21	2	-	-	1	9
5	10	15	18	21	17	23	13	19	17	24	15	9	6	1	-	-	-	10
26	18	30	35	28	35	27	20	18	9	7	6	2	-	-	-	-	-	11
1	2	1	4	1	4	3	4	-	2	2	1	3	-	-	-	-	-	12
11	6	2	5	3	4	7	5	-	2	2	1	1	1	-	-	1	-	13
4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
431	289	258	232	246	231	224	174	183	197	154	104	45	13	2	-	-	-	15
324	192	180	141	159	144	145	108	101	126	86	64	36	12	1	-	-	-	16
78	54	49	59	60	60	58	50	64	58	61	36	8	1	1	-	-	-	17
21	31	21	16	20	21	12	7	14	8	6	2	-	-	-	-	-	-	18
4	8	8	9	7	3	6	6	2	4	1	2	1	-	-	-	-	-	19
3	2	-	5	-	2	3	3	2	1	-	-	-	-	-	-	-	-	20
1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
5	2	1	5	5	4	4	4	2	1	1	-	-	-	-	-	-	-	22
3	1	1	3	3	3	3	2	1	-	1	-	-	-	-	-	-	-	23
-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	24
1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	25
-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	23	11	11	12	13	10	8	9	8	3	7	1	-	-	-	-	-	29
15	17	7	10	9	10	8	3	7	7	3	5	-	-	-	-	-	-	30
1	2	2	-	2	2	2	3	1	-	-	2	1	-	-	-	-	-	31
-	3	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	33
1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,801	2,274	1,885	1,788	1,704	1,609	1,526	1,470	1,401	1,441	1,224	1,018	565	220	54	8	-	17	36
2,828	1,555	1,226	1,111	1,069	996	882	866	777	836	766	622	364	149	30	4	-	13	37
564	382	374	399	410	431	443	424	472	459	374	332	170	62	18	2	-	1	38
274	243	187	188	153	122	140	118	100	100	62	37	19	6	5	1	-	2	39
60	50	68	58	48	38	46	40	40	28	18	15	7	-	1	-	-	-	40
53	32	21	21	14	15	11	19	8	13	2	10	3	3	-	1	-	1	41
22	12	9	11	10	7	4	3	4	5	2	2	2	-	-	-	-	-	42
24	12	13	11	12	15	9	11	8	5	6	5	5	-	-	-	-	-	43
14	7	8	7	8	14	3	7	1	4	4	3	3	-	-	-	-	-	44
5	2	3	2	2	1	4	4	5	1	2	2	2	-	-	-	-	-	45
3	2	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	46
2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	47
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
38	19	14	16	21	20	26	20	26	21	25	13	9	2	1	-	-	-	50
30	8	9	13	15	12	13	14	19	11	18	9	4	1	1	-	-	-	51
5	5	4	2	4	7	12	3	5	8	7	3	5	1	-	-	-	-	52
2	4	1	1	1	1	1	2	1	1	-	1	-	-	-	-	-	-	53
-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
5	6	4	7	6	11	10	13	15	15	19	15	16	4	2	-	-	-	57
2	3	4	2	5	7	6	4	8	9	13	8	6	3	1	-	-	-	58
-	2	-	3	1	1	2	5	3	5	4	5	7	1	1	-	-	-	59
1	1	-	2	-	2	2	1	3	1	1	-	1	-	-	-	-	-	60
-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	61
2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	63
1	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	64
1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
126	86	74	63	76	85	59	80	54	58	43	39	21	11	2	-	-	-	71
99	62	52	37	45	59	40	50	37	34	29	30	13	9	-	-	-	-	72
15	10	17	17	21	14	13	21	14	18	12	7	8	2	-	-	-	-	73
6	9	3	8	9	7	2	7	3	4	1	1	-	-	2	-	-	-	74
4	2	2	-	1	3	3	2	-	2	-	1	-	-	-	-	-	-	75
2	2	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	76
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle traffic accidents (E810-E825)	37,025	299	270	284	340	366	1,559	1,497	1,233	4,339
2	White Male	23,909	129	135	129	164	195	752	802	756	3,027
3	Female	8,741	134	102	103	112	110	561	425	329	937
4	Negro Male	2,894	17	15	28	36	39	135	158	99	230
5	Female	934	10	16	19	23	20	88	90	41	78
6	Other Male	391	3	1	2	3	1	10	13	5	49
7	Female	156	6	1	3	2	1	13	9	3	18
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,109	11	45	49	40	46	191	189	172	229
9	White Male	2,319	3	25	23	22	28	101	106	125	179
10	Female	347	5	15	20	7	12	59	36	25	22
11	Negro Male	314	1	1	4	8	4	18	23	21	18
12	Female	63	1	3	-	2	2	8	20	1	7
13	Other Male	53	1	1	1	-	-	3	2	-	2
14	Female	13	-	-	1	1	-	2	2	-	1
15	Goods transport vehicle and passenger motor vehicle (.1)	3,410	33	17	9	12	21	92	60	72	407
16	White Male	2,189	15	8	2	3	14	42	30	37	265
17	Female	899	13	6	6	6	5	36	26	27	113
18	Negro Male	212	3	2	-	3	2	10	2	5	16
19	Female	77	1	1	1	-	-	3	1	3	9
20	Other Male	26	-	-	-	-	-	-	1	-	4
21	Female	7	1	-	-	-	-	1	-	-	-
22	Goods transport vehicle and motorbus (.2)	45	1	-	-	-	-	1	3	5	2
23	White Male	27	-	-	-	-	-	-	3	1	2
24	Female	7	1	-	-	-	-	1	-	1	-
25	Negro Male	5	-	-	-	-	-	-	-	1	-
26	Female	4	-	-	-	-	-	-	-	1	-
27	Other Male	-	-	-	-	-	-	-	-	-	-
28	Female	2	-	-	-	-	-	-	-	1	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	147	-	-	-	-	-	-	-	2	12
30	White Male	111	-	-	-	-	-	-	-	-	10
31	Female	22	-	-	-	-	-	-	-	2	2
32	Negro Male	9	-	-	-	-	-	-	-	-	-
33	Female	1	-	-	-	-	-	-	-	-	-
34	Other Male	3	-	-	-	-	-	-	-	-	-
35	Female	1	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	28,512	244	195	206	272	276	1,193	1,167	914	3,535
37	White Male	18,105	107	94	95	130	145	571	620	556	2,459
38	Female	7,026	109	76	70	94	86	435	338	249	772
39	Negro Male	2,221	13	12	22	25	27	99	126	67	187
40	Female	744	8	12	16	20	17	73	66	35	59
41	Other Male	288	2	-	1	3	-	6	10	5	41
42	Female	128	5	1	2	-	1	9	7	2	17
43	Passenger motor vehicle and motorbus (.5)	159	1	-	1	-	-	2	1	7	13
44	White Male	93	-	-	-	-	-	-	-	1	9
45	Female	47	1	-	1	-	-	2	1	6	3
46	Negro Male	12	-	-	-	-	-	-	-	-	1
47	Female	5	-	-	-	-	-	-	-	-	-
48	Other Male	1	-	-	-	-	-	-	-	-	-
49	Female	1	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	313	3	3	1	-	1	8	2	6	26
51	White Male	203	2	1	-	-	-	3	2	3	18
52	Female	87	1	2	1	-	1	5	-	3	8
53	Negro Male	16	-	-	-	-	-	-	-	-	-
54	Female	4	-	-	-	-	-	-	-	-	-
55	Other Male	3	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	221	1	2	5	8	1	17	31	26	5
58	White Male	122	1	2	3	5	-	11	17	13	3
59	Female	61	-	-	-	2	-	2	11	11	-
60	Negro Male	22	-	-	1	-	1	2	3	1	1
61	Female	8	-	-	1	-	-	1	-	1	1
62	Other Male	5	-	-	-	-	-	-	-	-	-
63	Female	3	-	-	-	1	-	1	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	6	-	-	-	-	-	-	-	-	-
65	White Male	5	-	-	-	-	-	-	-	-	-
66	Female	1	-	-	-	-	-	-	-	-	-
67	Negro Male	-	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	1,103	5	8	13	8	21	55	44	29	110
72	White Male	735	1	5	6	4	8	24	24	20	82
73	Female	244	4	3	5	3	6	21	13	5	17
74	Negro Male	83	-	-	1	-	5	6	4	4	7
75	Female	28	-	-	1	1	1	3	3	-	2
76	Other Male	12	-	-	-	-	1	1	-	-	2
77	Female	1	-	-	-	-	-	-	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1961 —Con.

the Seventh Revision of the International Lists, 1955. Numbers after types of vehicles are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,634	2,889	2,477	2,368	2,271	2,199	2,082	1,943	1,826	1,838	1,552	1,254	703	272	63	7	1	18	1
3,459	1,994	1,666	1,507	1,458	1,416	1,270	1,192	1,051	1,102	978	781	456	191	34	3	-	14	2
671	465	458	497	517	519	550	515	577	555	472	392	206	71	21	2	-	1	3
333	307	242	248	207	185	181	149	140	121	74	47	22	6	7	1	-	2	4
71	62	76	71	61	49	58	54	44	38	21	20	11	-	1	-	-	-	5
72	43	25	31	17	22	19	30	10	17	5	11	5	4	-	1	1	1	6
28	18	10	14	11	8	4	3	4	5	2	3	3	-	-	-	-	-	7
225	207	244	255	213	243	237	188	146	112	105	73	52	24	2	-	1	1	8
180	172	199	198	163	188	182	151	110	83	74	50	38	18	1	-	-	1	9
5	10	14	18	21	15	22	13	19	16	23	15	8	5	1	-	-	-	10
25	16	28	30	24	32	26	15	17	9	4	6	2	-	-	-	-	-	11
1	2	-	4	1	4	3	4	-	2	2	1	3	-	-	-	-	-	12
10	6	2	4	3	4	4	5	-	2	2	1	1	1	-	-	1	-	13
4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
429	289	257	232	245	231	224	174	183	197	154	104	45	13	2	-	-	-	15
322	192	179	141	158	144	145	108	101	126	86	64	36	12	1	-	-	-	16
78	54	49	59	60	60	58	50	64	58	61	36	8	1	1	-	-	-	17
21	31	21	16	20	21	12	7	14	8	6	2	-	-	-	-	-	-	18
4	8	8	9	7	3	6	6	2	4	1	2	1	-	-	-	-	-	19
3	2	-	5	-	2	3	3	2	1	-	-	-	-	-	-	-	-	20
1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
5	2	1	5	5	4	4	4	2	1	1	-	-	-	-	-	-	-	22
3	1	1	3	3	3	3	2	1	-	1	-	-	-	-	-	-	-	23
-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	24
1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	25
-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	23	11	11	12	13	10	8	9	8	3	7	1	-	-	-	-	-	29
15	17	7	10	9	10	8	3	7	7	3	5	-	-	-	-	-	-	30
1	2	2	-	2	2	2	3	1	-	-	2	1	-	-	-	-	-	31
-	3	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	33
1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,768	2,247	1,861	1,769	1,683	1,578	1,502	1,446	1,383	1,420	1,196	999	555	218	54	7	-	17	36
2,797	1,534	1,209	1,097	1,054	980	869	853	767	827	750	612	356	148	30	3	-	13	37
562	380	369	395	406	418	436	415	466	449	363	323	168	61	18	2	-	1	38
274	240	187	187	151	121	137	116	99	98	62	37	19	6	5	1	-	2	39
60	49	66	58	48	38	45	40	39	28	17	15	7	-	1	-	-	-	40
53	32	21	21	14	14	11	19	8	13	2	10	3	3	-	1	-	1	41
22	12	9	11	10	7	4	3	4	5	2	2	2	-	-	-	-	-	42
24	12	13	11	12	15	9	11	8	5	6	5	5	-	-	-	-	-	43
14	7	8	7	8	14	3	7	1	4	4	3	3	-	-	-	-	-	44
5	2	3	2	2	1	4	4	5	1	2	2	2	-	-	-	-	-	45
3	2	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	46
2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	47
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
38	19	14	16	21	20	26	20	26	21	25	13	9	2	1	-	-	-	50
30	8	9	13	15	12	13	14	19	11	18	9	4	1	1	-	-	-	51
5	5	4	2	4	7	12	3	5	8	7	3	5	1	-	-	-	-	52
2	4	1	1	1	1	1	2	1	1	-	1	-	-	-	-	-	-	53
-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
5	6	3	7	6	10	10	13	14	15	18	14	15	4	2	-	-	-	57
2	3	3	2	5	6	6	4	7	9	13	8	6	3	1	-	-	-	58
-	2	-	3	1	1	2	5	3	5	3	4	6	1	1	-	-	-	59
1	1	-	2	-	2	2	1	3	1	1	-	1	-	-	-	-	-	60
-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	61
2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	63
1	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	64
1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
122	84	73	62	74	85	59	79	53	58	43	39	21	11	2	-	-	-	71
95	60	51	36	43	59	40	50	36	34	29	30	13	9	-	-	-	-	72
15	10	17	17	21	14	13	20	14	18	12	7	8	2	-	-	-	-	73
6	9	3	8	9	7	2	7	3	4	1	1	-	-	2	-	-	-	74
4	2	2	-	1	3	3	2	-	2	-	1	-	-	-	-	-	-	75
2	2	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	76
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle nontraffic accidents (E830-E835)	1,066	8	149	89	55	31	332	39	33	60
2	White Male	709	4	68	40	30	18	160	25	22	52
3	Female	253	4	66	35	19	12	136	7	7	6
4	Negro Male	69	-	8	7	3	1	19	4	2	2
5	Female	21	-	7	3	1	-	11	2	1	-
6	Other Male	11	-	-	2	2	-	4	-	1	-
7	Female	3	-	-	2	-	-	2	1	-	-
8	Goods transport vehicle(s), but no other motor vehicle (.0)	445	-	41	25	24	12	102	17	19	29
9	White Male	351	-	22	15	14	9	60	13	14	27
10	Female	44	-	17	7	6	3	33	2	1	-
11	Negro Male	36	-	1	1	1	-	3	2	2	2
12	Female	4	-	1	-	1	-	2	-	1	-
13	Other Male	9	-	-	1	2	-	3	-	1	-
14	Female	1	-	-	1	-	-	1	-	-	-
15	Goods transport vehicle and passenger motor vehicle (.1)	7	-	-	-	-	-	-	-	2	1
16	White Male	7	-	-	-	-	-	-	-	2	1
17	Female	-	-	-	-	-	-	-	-	-	-
18	Negro Male	-	-	-	-	-	-	-	-	-	-
19	Female	-	-	-	-	-	-	-	-	-	-
20	Other Male	-	-	-	-	-	-	-	-	-	-
21	Female	-	-	-	-	-	-	-	-	-	-
22	Goods transport vehicle and motorbus (.2)	-	-	-	-	-	-	-	-	-	-
23	Goods transport vehicle and unspecified motor vehicle (.3)	-	-	-	-	-	-	-	-	-	-
24	Passenger motor vehicle(s), but no other motor vehicle (.4)	581	8	102	61	30	19	220	20	12	27
25	White Male	331	4	46	23	16	9	98	11	6	21
26	Female	198	4	44	28	12	9	97	4	6	6
27	Negro Male	31	-	6	5	2	1	14	2	-	-
28	Female	17	-	6	3	-	-	9	2	-	-
29	Other Male	2	-	-	1	-	-	1	-	-	-
30	Female	2	-	-	1	-	-	1	1	-	-
31	Passenger motor vehicle and motorbus (.5)	-	-	-	-	-	-	-	-	-	-
32	Passenger motor vehicle and unspecified motor vehicle (.6)	-	-	-	-	-	-	-	-	-	-
33	Motorbus(es), but no other motor vehicle (.7)	9	-	-	1	-	-	1	1	-	1
34	White Male	6	-	-	1	-	-	1	1	-	1
35	Female	3	-	-	-	-	-	-	-	-	-
36	Negro Male	-	-	-	-	-	-	-	-	-	-
37	Female	-	-	-	-	-	-	-	-	-	-
38	Other Male	-	-	-	-	-	-	-	-	-	-
39	Female		-	-	-	-	-	-	-	-	-
40	Motorbus and unspecified motor vehicle (.8)	-	-	-	-	-	-	-	-	-	-
41	Unspecified motor vehicles (.9)	24	-	6	2	1	-	9	1	-	2
42	White Male	14	-	-	1	-	-	1	-	-	2
43	Female	8	-	5	1	-	-	6	1	-	-
44	Negro Male	2	-	1	1	-	-	2	-	-	-
45	Female	-	-	-	-	-	-	-	-	-	-
46	Other Male	-	-	-	-	-	-	-	-	-	-
47	Female	-	-	-	-	-	-	-	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1961 —Con.

the Seventh Revision of the International Lists, 1955. Numbers after types of vehicles are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
55	55	51	47	54	68	44	56	49	33	44	24	14	6	1	1	-	-	1
51	47	40	36	44	48	28	39	40	20	27	14	10	4	1	1	-	-	2
2	2	6	4	4	15	8	10	6	11	13	10	4	2	-	-	-	-	3
1	5	2	6	6	4	4	7	2	2	3	-	-	-	-	-	-	-	4
-	1	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	5
1	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
16	26	24	27	30	36	20	31	29	12	15	4	3	4	1	-	-	-	8
14	24	20	21	26	31	15	26	28	11	11	4	2	3	1	-	-	-	9
-	-	1	-	-	2	1	-	-	1	1	-	1	1	-	-	-	-	10
1	2	2	5	4	3	1	5	1	-	3	-	-	-	-	-	-	-	11
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
33	27	24	19	21	31	24	24	18	21	28	19	10	2	-	1	-	-	24
31	21	17	14	15	16	13	13	10	9	16	10	8	1	-	1	-	-	25
2	2	5	4	4	13	7	9	6	10	11	9	2	1	-	-	-	-	26
-	3	-	1	2	1	3	2	1	2	-	-	-	-	-	-	-	-	27
-	1	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	28
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	33
-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
4	2	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	41
4	2	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47

Table 6-4. Deaths From Nontransport Accidents, by Place of

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of

	PLACE OF ACCIDENT, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)	48,265	3,227	1,266	883	667	542	6,585	1,780	1,768	1,952
2	White----Male----	25,758	1,319	534	392	294	225	2,764	903	1,145	1,385
3	Female--	14,823	944	380	230	170	148	1,872	418	245	194
4	Negro----Male----	4,704	521	165	117	90	73	966	226	288	283
5	Female--	2,457	389	158	131	98	88	864	199	69	56
6	Other----Male----	373	23	18	9	7	3	60	20	16	30
7	Female--	150	31	11	4	8	5	59	14	5	4
8	Home[1] (.0)	23,118	2,388	964	643	461	366	4,822	875	534	371
9	White----Male----	9,805	969	388	247	168	114	1,886	315	330	216
10	Female--	9,189	686	288	172	119	100	1,365	255	104	81
11	Negro----Male----	2,092	403	136	95	77	59	770	119	52	43
12	Female--	1,814	292	131	119	84	87	713	165	42	28
13	Other----Male----	125	18	12	7	7	1	45	10	3	2
14	Female--	93	20	9	3	6	5	43	11	3	1
15	Farm[2] (.1)	2,403	5	49	42	38	33	167	141	224	242
16	White----Male----	1,951	3	27	32	24	24	110	92	166	184
17	Female--	159	1	18	4	7	8	38	32	19	12
18	Negro----Male----	244	-	1	5	5	1	12	7	35	42
19	Female--	30	-	2	1	2	-	5	7	3	2
20	Other----Male----	16	-	-	-	-	-	-	2	1	2
21	Female--	3	1	1	-	-	-	2	1	-	-
22	Mine and quarry (.2)	542	-	-	2	-	1	3	19	27	38
23	White----Male----	470	-	-	2	-	1	3	12	15	25
24	Female--	10	-	-	-	-	-	-	2	3	2
25	Negro----Male----	55	-	-	-	-	-	-	3	7	10
26	Female--	4	-	-	-	-	-	-	2	2	-
27	Other----Male----	3	-	-	-	-	-	-	-	-	1
28	Female--	-	-	-	-	-	-	-	-	-	-
29	Industrial place and premises (.3)	2,272	-	2	1	1	-	4	16	29	77
30	White----Male----	1,941	-	1	1	1	-	3	13	23	65
31	Female--	27	-	1	-	-	-	1	1	1	1
32	Negro----Male----	277	-	-	-	-	-	-	2	5	7
33	Female--	9	-	-	-	-	-	-	-	-	1
34	Other----Male----	18	-	-	-	-	-	-	-	-	3
35	Female--	-	-	-	-	-	-	-	-	-	-
36	Place for recreation and sport (.4)	731	3	15	10	21	19	68	109	139	135
37	White----Male----	520	-	9	9	17	12	47	73	93	102
38	Female--	109	2	6	1	3	5	17	23	24	9
39	Negro----Male----	79	1	-	-	-	2	3	10	19	17
40	Female--	10	-	-	-	1	-	1	3	2	2
41	Other----Male----	13	-	-	-	-	-	-	-	1	5
42	Female--	-	-	-	-	-	-	-	-	-	-
43	Street and highway (.5)	1,833	7	8	9	6	4	34	27	39	80
44	White----Male----	1,282	4	4	6	2	2	18	18	29	59
45	Female--	269	1	3	1	2	-	7	8	4	10
46	Negro----Male----	227	1	1	2	-	1	5	1	3	8
47	Female--	31	-	-	-	2	-	2	-	-	3
48	Other----Male----	21	1	-	-	-	1	2	-	1	-
49	Female--	3	-	-	-	-	-	-	-	2	-
50	Public building (.6)	1,322	8	10	4	3	6	31	23	27	52
51	White----Male----	935	2	5	1	1	3	12	17	20	41
52	Female--	256	3	3	2	2	1	11	2	2	6
53	Negro----Male----	99	-	1	1	-	1	3	2	3	4
54	Female--	18	3	-	-	-	-	3	1	1	1
55	Other----Male----	10	-	-	-	-	1	1	1	1	-
56	Female--	4	-	1	-	-	-	1	-	-	-
57	Resident institution (.7)	3,366	142	4	5	4	1	156	19	16	25
58	White----Male----	1,434	59	2	4	2	-	67	13	10	14
59	Female--	1,726	43	1	1	1	1	47	5	3	7
60	Negro----Male----	112	24	-	-	-	-	24	1	1	2
61	Female--	86	14	1	-	1	-	16	-	1	1
62	Other----Male----	5	1	-	-	-	-	1	-	1	-
63	Female--	3	1	-	-	-	-	1	-	-	1
64	Other specified places (.8)	5,755	35	73	95	86	79	368	439	627	776
65	White----Male----	4,111	15	42	60	59	56	232	295	399	579
66	Female--	586	15	26	29	23	21	114	62	70	43
67	Negro----Male----	846	4	1	4	3	1	13	68	142	128
68	Female--	102	1	2	1	1	1	6	10	11	10
69	Other----Male----	98	-	2	1	-	-	3	3	5	14
70	Female--	12	-	-	-	-	-	-	1	-	2
71	Place not specified (.9)	6,923	639	141	72	47	33	932	112	106	156
72	White----Male----	3,309	287	56	30	20	13	386	55	60	100
73	Female--	2,492	193	34	20	13	12	272	28	15	23
74	Negro----Male----	673	88	25	10	5	8	136	13	21	22
75	Female--	353	79	22	10	7	-	118	11	7	8
76	Other----Male----	64	3	4	1	-	-	8	4	3	3
77	Female--	32	9	-	1	2	-	12	1	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Accident, Age, Race, and Sex: United States, 1961

the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,590	1,410	1,675	1,885	2,168	2,288	2,479	2,337	2,261	2,529	2,897	3,641	3,690	3,206	1,595	424	54	51	1
1,126	924	1,110	1,171	1,392	1,501	1,608	1,562	1,421	1,464	1,447	1,674	1,372	1,116	515	112	18	28	2
157	170	214	283	332	396	422	419	494	777	1,187	1,753	2,150	1,987	1,032	287	28	6	3
227	215	238	317	318	287	324	249	204	167	135	104	75	38	20	8	3	12	4
58	70	79	87	98	75	95	85	112	109	118	104	81	54	22	14	5	5	5
21	26	24	16	25	27	28	18	28	6	6	4	7	5	4	2	-	-	6
1	5	10	11	5	2	2	4	2	6	4	2	5	6	2	1	-	-	7
344	382	521	585	759	809	944	928	976	1,304	1,584	2,089	2,163	1,866	960	256	35	11	8
182	182	256	271	369	412	492	500	475	619	684	869	739	620	307	69	9	3	9
78	104	120	158	206	242	268	271	318	504	737	1,080	1,308	1,179	623	167	19	2	10
45	48	83	92	114	97	114	91	93	94	77	56	56	23	10	8	3	4	11
34	42	49	52	62	51	64	62	81	80	82	80	57	37	17	10	4	2	12
4	3	7	9	5	6	6	1	8	3	2	3	2	3	1	2	-	-	13
1	3	6	3	3	1	-	3	1	4	2	1	1	4	2	-	-	-	14
134	99	93	103	135	161	164	174	147	136	121	89	45	18	5	2	-	3	15
105	77	75	84	115	136	140	149	135	130	113	84	35	15	3	2	-	1	16
5	3	6	6	4	8	3	3	3	2	1	3	8	2	1	-	-	-	17
22	19	9	12	14	16	16	20	8	1	5	1	2	-	1	-	-	2	18
1	-	2	-	1	-	4	-	1	1	1	1	-	1	-	-	-	-	19
1	-	1	1	1	1	1	2	-	2	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
45	36	55	53	72	64	57	45	18	5	3	1	1	-	-	-	-	-	22
37	30	52	47	69	63	50	41	16	5	3	1	1	-	-	-	-	-	23
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	24
7	6	3	6	2	1	6	3	1	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
173	189	227	260	249	256	268	235	172	51	36	15	7	4	2	-	-	2	29
158	167	191	212	219	218	220	201	148	45	34	11	6	3	2	-	-	2	30
-	1	-	5	2	3	4	2	1	-	-	3	1	1	-	-	-	-	31
14	17	33	41	27	33	38	31	20	6	2	1	-	-	-	-	-	-	32
1	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	33
-	3	2	1	-	2	3	1	3	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
56	20	35	24	26	33	18	16	13	9	8	11	6	2	1	2	-	-	36
39	15	28	19	18	24	13	12	10	7	6	9	2	2	1	-	-	-	37
3	2	4	2	4	4	3	2	1	1	2	2	4	-	-	2	-	-	38
13	3	2	1	3	4	2	1	-	1	-	-	-	-	-	-	-	-	39
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	40
1	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
109	89	109	90	121	127	138	114	145	141	127	152	109	63	15	3	-	1	43
78	60	84	60	83	86	104	77	109	107	86	107	62	43	9	2	-	1	44
8	4	6	6	8	10	5	11	16	25	31	40	45	18	6	1	-	-	45
20	22	15	21	29	24	24	25	14	4	5	5	2	-	-	-	-	-	46
1	1	3	2	-	3	3	1	2	5	3	-	-	2	-	-	-	-	47
2	2	1	1	1	4	2	-	4	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	49
59	56	73	79	96	99	106	120	113	97	86	82	75	33	13	1	-	1	50
44	43	55	51	78	78	72	97	91	73	54	41	40	17	9	1	-	1	51
6	3	8	8	8	13	23	13	16	19	28	38	32	16	4	-	-	-	52
9	9	8	19	8	6	8	7	4	5	2	2	-	-	-	-	-	-	53
-	-	2	-	1	2	1	2	1	-	2	1	-	-	-	-	-	-	54
-	1	-	-	1	-	2	1	-	-	-	-	2	-	-	-	-	-	55
-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	56
25	22	30	38	44	76	81	103	127	190	359	475	607	600	293	71	8	1	57
19	14	14	21	21	49	50	66	68	102	166	197	219	203	95	21	4	1	58
2	6	8	10	13	17	23	30	44	75	165	259	379	387	194	48	4	-	59
3	-	5	3	8	7	6	2	8	8	14	10	4	5	1	-	-	-	60
1	2	3	3	2	3	2	5	6	5	14	8	5	5	2	2	-	-	61
-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
467	344	344	374	342	331	345	261	220	176	109	97	63	38	14	1	-	19	64
357	260	263	269	238	241	259	196	158	138	70	77	35	21	9	1	-	14	65
21	19	23	29	27	26	23	18	21	19	23	12	16	16	3	-	-	1	66
70	48	43	66	58	50	50	39	28	16	11	8	4	-	1	-	-	3	67
8	3	8	4	8	7	7	1	5	2	4	-	6	1	-	-	-	1	68
11	13	7	2	10	7	6	6	8	-	1	-	1	-	1	-	-	-	69
-	1	-	4	1	-	-	1	-	1	-	-	1	-	-	-	-	-	70
178	173	188	279	324	332	358	341	330	420	464	630	614	582	292	88	11	13	71
107	76	92	137	182	194	208	223	211	238	231	278	233	192	80	16	5	5	72
33	28	39	59	59	73	69	69	74	132	200	316	337	368	201	69	5	3	73
24	43	37	56	55	49	60	30	28	32	19	21	7	10	7	-	-	3	74
12	21	11	24	21	9	11	14	15	16	12	14	13	8	3	2	1	2	75
2	4	5	1	6	6	8	5	2	1	1	-	2	2	1	-	-	-	76
-	1	4	2	1	1	2	-	-	1	1	1	2	2	-	1	-	-	77

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
UNITED STATES	38,091	3,554	3,417	45	147	29,093	159	313	230	6	1,127
White-Male	24,618	2,670	2,196	27	111	18,436	93	203	128	5	749
White-Female	8,994	391	899	7	22	7,224	47	87	64	1	252
Nonwhite-Male	3,365	412	238	5	12	2,542	13	19	27	-	97
Nonwhite-Female	1,114	81	84	6	2	891	6	4	11	-	29
Alabama	956	99	92	1	2	732	3	16	3	-	8
White-Male	516	67	41	1	1	393	1	6	2	-	4
White-Female	191	6	32	-	-	142	2	6	1	-	2
Nonwhite-Male	194	23	14	-	1	152	-	4	-	-	-
Nonwhite-Female	55	3	5	-	-	45	-	-	-	-	2
Alaska	29	10	1	-	-	17	-	-	-	-	1
White-Male	19	9	1	-	-	9	-	-	-	-	-
White-Female	3	-	-	-	-	3	-	-	-	-	-
Nonwhite-Male	4	-	-	-	-	3	-	-	-	-	1
Nonwhite-Female	3	1	-	-	-	2	-	-	-	-	-
Arizona	439	68	38	-	-	324	-	1	5	-	3
White-Male	261	45	26	-	-	188	-	1	1	-	-
White-Female	91	5	9	-	-	75	-	-	2	-	-
Nonwhite-Male	66	15	1	-	-	45	-	-	2	-	3
Nonwhite-Female	21	3	2	-	-	16	-	-	-	-	-
Arkansas	488	58	43	-	1	380	1	-	2	-	3
White-Male	302	45	27	-	-	226	1	-	1	-	2
White-Female	105	3	11	-	1	90	-	-	-	-	-
Nonwhite-Male	61	7	5	-	-	48	-	-	-	-	1
Nonwhite-Female	20	3	-	-	-	16	-	-	1	-	-
California	4,057	298	362	4	22	2,941	15	47	28	2	338
White-Male	2,694	233	237	2	17	1,923	8	27	21	2	224
White-Female	1,054	45	94	1	2	793	7	15	6	-	91
Nonwhite-Male	227	18	26	-	2	157	-	4	1	-	19
Nonwhite-Female	82	2	5	1	1	68	-	1	-	-	4
Colorado	473	43	32	-	1	371	-	-	22	-	4
White-Male	336	34	24	-	-	266	-	-	8	-	4
White-Female	121	6	7	-	1	93	-	-	14	-	-
Nonwhite-Male	10	3	1	-	-	6	-	-	-	-	-
Nonwhite-Female	6	-	-	-	-	6	-	-	-	-	-
Connecticut	306	23	13	-	2	259	4	3	-	-	2
White-Male	216	20	9	-	2	181	-	2	-	-	2
White-Female	71	2	3	-	-	62	3	1	-	-	-
Nonwhite-Male	14	-	1	-	-	12	1	-	-	-	-
Nonwhite-Female	5	1	-	-	-	4	-	-	-	-	-
Delaware	65	5	8	-	1	44	-	2	-	-	5
White-Male	41	1	6	-	1	26	-	2	-	-	5
White-Female	12	-	1	-	-	11	-	-	-	-	-
Nonwhite-Male	9	4	-	-	-	5	-	-	-	-	-
Nonwhite-Female	3	-	1	-	-	2	-	-	-	-	-
District of Columbia	93	3	3	-	-	83	-	-	1	-	3
White-Male	30	1	1	-	-	28	-	-	-	-	-
White-Female	11	1	-	-	-	10	-	-	-	-	-
Nonwhite-Male	41	1	1	-	-	36	-	-	-	-	3
Nonwhite-Female	11	-	1	-	-	9	-	-	1	-	-
Florida	1,234	111	98	2	3	881	6	27	6	-	100
White-Male	711	63	56	-	1	505	5	15	4	-	62
White-Female	266	9	25	1	1	202	1	9	1	-	17
Nonwhite-Male	185	25	12	-	1	131	-	2	1	-	13
Nonwhite-Female	72	14	5	1	-	43	-	1	-	-	8
Georgia	1,005	115	115	7	1	742	7	2	6	-	10
White-Male	571	61	72	1	-	424	4	1	2	-	6
White-Female	174	10	19	-	-	142	1	1	1	-	-
Nonwhite-Male	189	42	21	3	1	115	1	-	2	-	4
Nonwhite-Female	71	2	3	3	-	61	1	-	1	-	-
Hawaii	89	11	5	-	-	67	-	-	4	-	2
White-Male	24	3	3	-	-	18	-	-	-	-	-
White-Female	4	-	-	-	-	4	-	-	-	-	-
Nonwhite-Male	46	8	2	-	-	33	-	-	1	-	2
Nonwhite-Female	15	-	-	-	-	12	-	-	3	-	-
Idaho	247	28	15	-	4	190	4	-	1	-	5
White-Male	171	22	10	-	2	129	4	-	1	-	3
White-Female	72	5	5	-	-	60	-	-	-	-	2
Nonwhite-Male	3	1	-	-	1	1	-	-	-	-	-
Nonwhite-Female	1	-	-	-	1	-	-	-	-	-	-
Illinois	1,843	132	178	1	5	1,443	12	14	14	1	43
White-Male	1,216	100	113	1	4	942	6	10	6	1	33
White-Female	456	17	51	-	-	370	6	2	4	-	6
Nonwhite-Male	133	12	11	-	1	121	-	1	3	-	4
Nonwhite-Female	38	3	3	-	-	30	-	1	1	-	-

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Indiana	1,117	90	117	2	9	873	-	9	3	-	14
White—Male	755	78	76	2	8	569	-	8	3	-	11
Female	311	6	35	-	1	265	-	1	-	-	3
Nonwhite—Male	39	6	4	-	-	29	-	-	-	-	-
Female	12	-	2	-	-	10	-	-	-	-	-
Iowa	691	68	61	-	7	475	2	46	3	-	29
White—Male	486	62	37	-	6	322	1	34	3	-	21
Female	196	4	24	-	1	147	1	12	-	-	7
Nonwhite—Male	5	1	-	-	-	3	-	-	-	-	1
Female	4	1	-	-	-	3	-	-	-	-	-
Kansas	549	62	55	-	-	423	4	3	-	-	2
White—Male	366	50	40	-	-	272	-	3	-	-	1
Female	159	12	14	-	-	129	3	-	-	-	1
Nonwhite—Male	16	-	-	-	-	15	1	-	-	-	-
Female	8	-	1	-	-	7	-	-	-	-	-
Kentucky	706	82	58	3	2	544	3	1	2	-	11
White—Male	521	71	39	2	2	394	2	-	1	-	10
Female	145	8	17	-	-	117	1	1	1	-	-
Nonwhite—Male	34	3	2	1	-	27	-	-	-	-	1
Female	6	-	-	-	-	6	-	-	-	-	-
Louisiana	726	60	56	1	5	549	1	22	3	-	29
White—Male	389	33	32	1	4	286	1	15	3	-	14
Female	128	4	8	-	-	107	-	3	-	-	6
Nonwhite—Male	163	20	8	-	1	125	-	3	-	-	6
Female	46	3	8	-	-	31	-	1	-	-	3
Maine	183	22	7	-	-	148	-	-	1	-	5
White—Male	137	17	6	-	-	108	-	-	1	-	5
Female	46	5	1	-	-	40	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	449	37	36	-	1	355	-	4	3	-	13
White—Male	264	27	22	-	1	201	-	2	1	-	10
Female	93	4	7	-	-	78	-	2	-	-	2
Nonwhite—Male	75	6	5	-	-	61	-	-	2	-	1
Female	17	-	2	-	-	15	-	-	-	-	-
Massachusetts	646	39	28	1	2	536	-	6	5	-	29
White—Male	462	34	19	1	2	378	-	3	4	-	21
Female	168	5	7	-	-	144	-	3	1	-	8
Nonwhite—Male	10	-	2	-	-	8	-	-	-	-	-
Female	6	-	-	-	-	6	-	-	-	-	-
Michigan	1,695	92	101	1	2	1,479	2	4	4	-	10
White—Male	1,146	75	68	1	1	985	2	4	3	-	7
Female	452	15	30	-	1	402	-	-	1	-	3
Nonwhite—Male	70	2	2	-	-	66	-	-	-	-	-
Female	27	-	1	-	-	26	-	-	-	-	-
Minnesota	754	68	70	1	-	597	2	1	1	-	14
White—Male	554	59	49	-	-	429	2	1	1	-	13
Female	180	9	19	1	-	151	-	-	-	-	-
Nonwhite—Male	16	-	1	-	-	15	-	-	-	-	-
Female	4	-	1	-	-	2	-	-	-	-	1
Mississippi	581	85	91	1	-	399	1	-	2	-	2
White—Male	296	49	49	1	-	196	-	-	-	-	1
Female	84	7	13	-	-	63	-	-	1	-	-
Nonwhite—Male	152	22	23	-	-	104	1	-	1	-	1
Female	49	7	6	-	-	36	-	-	-	-	-
Missouri	955	109	86	1	1	741	11	3	3	-	-
White—Male	654	96	61	1	1	484	8	2	1	-	-
Female	233	7	22	-	-	199	3	-	2	-	-
Nonwhite—Male	53	4	2	-	-	46	-	1	-	-	-
Female	15	2	1	-	-	12	-	-	-	-	-
Montana	269	36	16	1	2	206	4	1	1	-	2
White—Male	181	28	10	1	2	133	3	1	1	-	2
Female	64	4	3	-	-	56	1	-	-	-	-
Nonwhite—Male	22	4	3	-	-	15	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
Nebraska	339	49	71	-	1	213	1	-	1	-	3
White—Male	244	42	53	-	1	144	1	-	1	-	2
Female	84	5	18	-	-	60	-	-	-	-	1
Nonwhite—Male	6	1	-	-	-	5	-	-	-	-	-
Female	5	1	-	-	-	4	-	-	-	-	-
Nevada	118	10	13	-	-	92	1	-	-	-	2
White—Male	70	3	7	-	-	58	1	-	-	-	1
Female	39	4	6	-	-	29	-	-	-	-	-
Nonwhite—Male	7	2	-	-	-	4	-	-	-	-	1
Female	2	1	-	-	-	1	-	-	-	-	-

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
New Hampshire	92	8	8	-	-	75	-	-	-	-	3
White Male	62	6	4	-	-	50	-	-	-	-	2
Female	29	-	4	-	-	25	-	-	-	-	-
Nonwhite Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	797	61	37	-	11	558	6	28	11	1	84
White Male	547	44	32	-	10	381	3	18	7	-	52
Female	173	8	-	-	-	130	3	8	3	1	20
Nonwhite Male	62	8	5	-	1	36	-	2	1	-	9
Female	15	1	-	-	-	11	-	-	-	-	3
New Mexico	340	61	38	3	-	230	1	-	4	-	3
White Male	219	36	28	1	-	146	1	-	4	-	3
Female	67	2	7	1	-	57	-	-	-	-	-
Nonwhite Male	42	15	2	-	-	25	-	-	-	-	-
Female	12	8	1	1	-	2	-	-	-	-	-
New York	2,324	200	121	2	17	1,823	14	21	37	1	88
White Male	1,568	152	80	2	12	1,224	5	17	18	1	57
Female	550	30	34	-	5	431	6	4	13	-	27
Nonwhite Male	152	17	4	-	-	123	1	-	4	-	3
Female	54	1	3	-	-	45	2	-	2	-	1
North Carolina	1,317	140	130	1	-	1,033	4	1	5	-	3
White Male	736	94	78	-	-	554	4	1	3	-	2
Female	220	16	25	-	-	178	-	-	-	-	1
Nonwhite Male	289	27	21	1	-	238	-	-	2	-	-
Female	72	3	6	-	-	63	-	-	-	-	-
North Dakota	161	30	29	-	-	99	-	-	1	-	2
White Male	106	22	16	-	-	67	-	-	-	-	1
Female	39	6	9	-	-	22	-	-	1	-	1
Nonwhite Male	8	1	4	-	-	3	-	-	-	-	-
Female	8	1	-	-	-	7	-	-	-	-	-
Ohio	1,674	129	153	2	10	1,309	10	12	8	-	41
White Male	1,086	109	95	2	8	823	6	7	4	-	32
Female	453	9	45	-	1	382	1	5	3	-	7
Nonwhite Male	90	9	7	-	1	68	2	-	1	-	2
Female	45	2	6	-	-	36	1	-	-	-	-
Oklahoma	736	92	102	-	1	530	4	-	1	-	6
White Male	464	72	73	-	1	312	2	-	1	-	3
Female	186	9	21	-	-	153	1	-	-	-	2
Nonwhite Male	56	9	5	-	-	41	-	-	-	-	1
Female	30	2	3	-	-	24	1	-	-	-	-
Oregon	520	53	35	-	2	410	1	1	-	-	18
White Male	344	42	19	-	2	268	-	-	-	-	13
Female	160	10	15	-	-	128	1	1	-	-	5
Nonwhite Male	6	1	-	-	-	5	-	-	-	-	-
Female	10	-	1	-	-	9	-	-	-	-	-
Pennsylvania	1,656	134	152	1	14	1,270	2	9	13	1	60
White Male	1,126	108	100	-	10	849	2	4	8	1	44
Female	408	18	44	1	4	319	-	5	3	-	14
Nonwhite Male	89	6	5	-	-	76	-	-	1	-	1
Female	33	2	3	-	-	26	-	-	1	-	1
Rhode Island	68	5	1	-	1	59	-	1	-	-	1
White Male	48	4	1	-	1	41	-	1	-	-	-
Female	18	1	-	-	-	16	-	-	-	-	1
Nonwhite Male	1	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
South Carolina	679	44	32	-	2	584	1	-	2	-	14
White Male	320	17	19	-	1	275	1	-	-	-	7
Female	130	9	7	-	-	114	-	-	-	-	-
Nonwhite Male	170	14	4	-	1	143	-	-	1	-	7
Female	59	4	2	-	-	52	-	-	1	-	-
South Dakota	225	24	27	1	-	153	1	7	-	-	12
White Male	152	20	18	1	-	103	-	5	-	-	5
Female	44	3	8	-	-	27	1	1	-	-	4
Nonwhite Male	23	1	1	-	-	17	-	1	-	-	3
Female	6	-	-	-	-	6	-	-	-	-	-
Tennessee	795	88	96	-	1	594	6	-	7	-	3
White Male	493	69	52	-	1	360	4	-	5	-	2
Female	198	8	36	-	-	152	1	-	1	-	-
Nonwhite Male	78	11	5	-	-	60	1	-	1	-	-
Female	26	-	3	-	-	22	-	-	-	-	1
Texas	2,403	312	355	2	3	1,683	11	3	5	-	29
White Male	1,546	245	238	2	1	1,032	6	1	3	-	18
Female	547	27	92	-	1	415	2	2	2	-	6
Nonwhite Male	231	33	16	-	1	176	2	-	-	-	3
Female	79	7	9	-	-	60	1	-	-	-	2

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Utah	241	33	15	-	2	188	-	1	1	-	1
White Male	157	23	9	-	-	125	-	-	-	-	-
Female	71	10	5	-	2	53	-	1	-	-	-
Nonwhite Male	10	-	1	-	-	7	-	-	1	-	1
Female	3	-	-	-	-	3	-	-	-	-	-
Vermont	90	6	3	-	2	68	-	-	-	-	11
White Male	66	5	2	-	2	49	-	-	-	-	8
Female	24	1	1	-	-	19	-	-	-	-	3
Nonwhite Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	803	79	56	-	4	632	3	3	3	-	23
White Male	463	47	34	-	3	364	1	1	-	-	13
Female	141	2	13	-	1	119	-	2	1	-	3
Nonwhite Male	157	27	9	-	-	113	2	-	2	-	4
Female	42	3	-	-	-	36	-	-	-	-	3
Washington	646	39	41	1	-	537	3	8	2	-	15
White Male	431	33	26	1	-	351	3	6	1	-	10
Female	183	3	15	-	-	158	-	2	1	-	4
Nonwhite Male	25	3	-	-	-	21	-	-	-	-	1
Female	7	-	-	-	-	7	-	-	-	-	-
West Virginia	365	28	17	1	2	305	3	2	-	-	7
White Male	272	25	14	1	2	221	3	2	-	-	4
Female	83	3	3	-	-	74	-	-	-	-	3
Nonwhite Male	8	-	-	-	-	8	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
Wisconsin	932	62	90	-	1	756	5	3	5	-	10
White Male	689	58	57	-	1	557	2	2	4	-	8
Female	226	4	32	-	-	185	2	-	1	-	2
Nonwhite Male	15	-	1	-	-	12	1	1	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
Wyoming	125	15	10	4	-	93	-	1	1	-	1
White Male	90	11	7	2	-	67	-	1	1	-	1
Female	31	4	2	2	-	23	-	-	-	-	-
Nonwhite Male	2	-	1	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1961

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
UNITED STATES	48,265	23,118	2,403	542	2,272	731	1,833	1,322	3,366	5,755	6,923
White-Male	25,758	9,805	1,951	470	1,941	521	1,282	930	1,434	4,111	3,309
White-Female	14,823	9,189	159	10	27	109	269	256	1,726	586	2,492
Nonwhite-Male	5,077	2,217	260	58	295	92	248	109	117	944	737
Nonwhite-Female	2,607	1,907	33	4	9	10	34	22	89	114	385
Alabama	967	541	66	14	53	1	31	25	19	127	90
White-Male	389	164	35	13	35	1	23	19	7	64	28
White-Female	192	150	4	-	-	-	2	2	6	4	24
Nonwhite-Male	248	120	25	1	18	-	6	3	3	51	21
Nonwhite-Female	138	107	2	-	-	-	-	1	3	8	17
Alaska	162	75	1	2	7	1	4	3	2	39	28
White-Male	68	17	1	2	4	1	4	3	1	30	5
White-Female	17	12	-	-	-	-	-	-	-	1	4
Nonwhite-Male	47	27	-	-	3	-	-	-	-	7	10
Nonwhite-Female	30	19	-	-	-	-	-	-	1	1	9
Arizona	406	176	27	6	10	11	18	7	7	83	61
White-Male	239	84	19	6	7	8	13	7	3	64	28
White-Female	84	54	3	-	-	1	2	-	3	8	13
Nonwhite-Male	59	26	3	-	3	1	3	-	-	10	13
Nonwhite-Female	24	12	2	-	-	1	-	-	1	1	7
Arkansas	609	236	46	5	27	3	8	13	16	79	176
White-Male	282	78	31	3	22	3	7	10	8	53	67
White-Female	147	68	1	-	1	-	1	2	6	4	64
Nonwhite-Male	113	46	14	2	4	-	-	1	1	18	27
Nonwhite-Female	67	44	-	-	-	-	-	-	1	4	18
California	3,641	1,816	81	12	194	67	170	146	307	476	372
White-Male	2,111	864	77	11	179	41	127	105	138	382	187
White-Female	1,240	799	3	-	2	21	26	29	159	46	155
Nonwhite-Male	211	92	1	1	13	4	17	12	8	39	24
Nonwhite-Female	79	61	-	-	-	1	-	-	2	9	6
Colorado	575	219	31	19	24	13	23	22	67	63	94
White-Male	360	108	28	19	23	12	19	17	30	50	54
White-Female	192	100	2	-	-	-	4	5	35	8	38
Nonwhite-Male	19	7	1	-	1	1	-	-	2	5	2
Nonwhite-Female	4	4	-	-	-	-	-	-	-	-	-
Connecticut	557	299	6	3	17	9	19	5	58	48	93
White-Male	293	147	6	2	17	7	16	3	20	35	40
White-Female	219	132	-	-	-	-	2	2	34	6	43
Nonwhite-Male	30	12	-	1	-	1	1	-	-	7	8
Nonwhite-Female	15	8	-	-	-	1	-	-	4	-	2
Delaware	104	32	3	1	9	1	1	3	5	17	32
White-Male	52	15	2	-	8	1	1	1	-	13	11
White-Female	34	11	-	1	-	-	-	-	5	1	16
Nonwhite-Male	15	5	-	-	1	-	-	1	-	3	5
Nonwhite-Female	3	1	1	-	-	-	-	1	-	-	-
District of Columbia	292	171	-	-	10	2	17	9	36	23	24
White-Male	79	40	-	-	3	-	6	4	11	9	6
White-Female	65	39	-	-	-	-	1	3	14	3	5
Nonwhite-Male	86	45	-	-	7	2	9	2	5	8	8
Nonwhite-Female	62	47	-	-	-	-	1	-	6	3	5
Florida	1,369	667	43	25	49	36	55	39	92	243	120
White-Male	600	215	23	7	29	26	36	27	44	151	42
White-Female	352	226	2	2	-	1	7	6	40	32	36
Nonwhite-Male	272	117	14	13	20	7	11	4	5	56	25
Nonwhite-Female	145	109	4	3	-	2	1	2	3	4	17
Georgia	1,192	704	79	5	51	13	46	25	46	132	91
White-Male	444	205	51	-	33	5	25	15	15	66	29
White-Female	267	197	3	-	1	3	4	2	24	11	22
Nonwhite-Male	312	160	24	4	17	5	17	8	7	46	24
Nonwhite-Female	169	142	1	1	-	-	-	-	-	9	16
Hawaii	119	40	2	-	7	15	4	5	3	32	11
White-Male	36	11	-	-	3	5	2	1	1	11	2
White-Female	12	7	-	-	-	1	-	-	-	1	3
Nonwhite-Male	58	14	2	-	4	9	2	3	1	18	5
Nonwhite-Female	13	8	-	-	-	-	-	1	1	2	1
Idaho	251	55	27	2	21	5	10	7	5	56	63
White-Male	178	33	25	2	21	4	5	6	1	45	36
White-Female	67	20	2	-	-	1	2	1	4	11	26
Nonwhite-Male	4	1	-	-	-	-	2	-	-	-	1
Nonwhite-Female	2	1	-	-	-	-	1	-	-	-	-
Illinois	2,160	1,073	106	12	152	54	108	106	145	239	185
White-Male	1,248	482	96	10	125	43	75	73	69	166	109
White-Female	614	421	8	2	-	6	17	17	65	31	47
Nonwhite-Male	214	90	-	-	25	4	14	12	7	37	25
Nonwhite-Female	104	80	2	-	2	1	2	4	4	5	4

See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Indiana	1,226	587	70	40	62	22	31	43	93	101	177
White—Male	749	314	66	38	53	20	24	29	36	81	88
Female	389	227	4	-	2	2	4	9	50	8	83
Nonwhite—Male	65	30	-	2	7	-	3	5	3	12	3
Female	23	16	-	-	-	-	-	-	4	-	3
Iowa	776	375	90	7	26	18	25	16	67	68	84
White—Male	470	177	79	7	26	14	21	10	28	62	46
Female	294	192	11	-	-	2	4	6	39	4	36
Nonwhite—Male	5	2	-	-	-	1	-	-	-	2	-
Female	7	4	-	-	-	1	-	-	-	-	2
Kansas	654	351	76	3	27	7	18	16	64	42	50
White—Male	394	176	70	3	26	5	12	12	34	31	25
Female	230	155	6	-	1	1	5	4	30	7	21
Nonwhite—Male	20	11	-	-	-	1	1	-	-	4	3
Female	10	9	-	-	-	-	-	-	-	-	1
Kentucky	1,060	497	70	67	38	6	36	15	54	95	182
White—Male	616	225	61	63	36	5	31	11	19	73	92
Female	338	204	8	-	-	-	3	4	30	9	80
Nonwhite—Male	63	38	1	4	2	1	1	-	1	11	4
Female	43	30	-	-	-	-	1	-	4	2	6
Louisiana	967	425	45	3	64	10	28	21	31	147	193
White—Male	412	138	22	1	48	6	16	11	12	77	81
Female	192	112	1	-	-	1	5	4	15	8	46
Nonwhite—Male	241	93	21	2	14	3	7	4	3	55	39
Female	122	82	1	-	2	-	-	2	1	7	27
Maine	301	149	14	2	16	3	13	3	14	53	34
White—Male	193	77	10	2	16	3	7	1	6	50	21
Female	105	70	4	-	-	-	6	1	8	3	13
Nonwhite—Male	2	1	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-
Maryland	818	429	26	7	40	13	35	17	65	100	86
White—Male	361	158	24	3	29	7	14	9	27	58	32
Female	227	149	-	1	1	3	5	3	29	10	26
Nonwhite—Male	149	62	2	3	8	3	14	5	5	31	16
Female	81	60	-	-	2	-	2	-	4	1	12
Massachusetts	1,638	816	16	4	51	18	59	29	226	153	266
White—Male	837	334	15	4	47	16	44	22	87	120	148
Female	743	454	1	-	1	2	12	7	138	26	102
Nonwhite—Male	39	15	-	-	3	-	3	-	-	6	12
Female	19	13	-	-	-	-	-	-	1	1	4
Michigan	1,861	850	80	17	81	35	66	41	112	209	370
White—Male	1,045	399	74	16	69	22	45	28	47	168	177
Female	616	328	5	-	4	8	10	8	57	21	175
Nonwhite—Male	135	71	1	1	8	4	10	5	5	19	11
Female	65	52	-	-	-	1	1	-	3	1	7
Minnesota	856	365	88	4	26	12	27	27	82	106	119
White—Male	559	208	86	4	25	9	20	20	33	79	75
Female	274	148	2	-	-	3	5	6	49	20	41
Nonwhite—Male	13	5	-	-	1	-	2	-	-	5	-
Female	10	4	-	-	-	-	-	1	-	2	3
Mississippi	777	401	60	3	29	8	28	9	22	85	132
White—Male	220	91	19	1	20	2	13	3	9	34	28
Female	118	78	2	-	-	-	1	3	6	2	23
Nonwhite—Male	288	116	34	2	9	6	12	3	4	46	56
Female	154	116	5	-	-	-	2	-	3	3	25
Missouri	1,344	685	98	11	50	17	49	30	119	114	171
White—Male	723	284	88	9	37	13	29	22	59	90	92
Female	443	289	7	-	1	1	11	6	55	14	59
Nonwhite—Male	108	54	3	2	12	3	6	2	3	10	13
Female	70	58	-	-	-	-	3	-	2	-	7
Montana	234	66	23	7	16	-	5	10	11	49	47
White—Male	158	37	20	6	15	-	4	8	7	33	28
Female	52	23	3	-	-	-	1	1	4	9	11
Nonwhite—Male	15	3	-	1	1	-	-	1	-	7	2
Female	9	3	-	-	-	-	-	-	-	-	6
Nebraska	446	194	79	1	17	6	22	17	51	31	28
White—Male	305	113	70	1	14	2	19	14	28	28	16
Female	122	72	7	-	-	4	3	3	22	1	10
Nonwhite—Male	12	4	2	-	3	-	-	-	1	1	1
Female	7	5	-	-	-	-	-	-	-	1	1
Nevada	94	31	2	3	3	2	7	4	3	23	16
White—Male	53	14	1	2	3	2	5	3	1	16	6
Female	31	15	-	-	-	-	2	1	2	1	10
Nonwhite—Male	6	1	1	1	-	-	-	-	-	3	-
Female	4	1	-	-	-	-	-	-	-	3	-

See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
New Hampshire	141	82	5	-	6	5	2	2	12	15	12
White—Male	72	36	4	-	6	3	2	2	2	13	4
Female	68	45	1	-	-	2	-	-	10	2	8
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-
New Jersey	1,466	794	16	2	68	25	84	36	121	170	150
White—Male	722	319	10	2	57	16	61	27	34	124	72
Female	497	327	1	-	3	4	12	4	76	20	50
Nonwhite—Male	159	80	4	-	8	5	9	5	5	24	19
Female	88	68	1	-	-	-	2	-	6	2	9
New Mexico	324	140	15	14	25	5	10	8	6	50	51
White—Male	208	80	12	14	24	4	5	5	4	39	21
Female	72	46	3	-	-	1	1	1	1	4	15
Nonwhite—Male	38	10	-	-	1	-	4	1	1	7	14
Female	6	4	-	-	-	-	-	1	-	-	1
New York	4,054	1,881	94	8	139	55	220	126	365	530	636
White—Male	2,100	779	81	8	123	47	156	85	138	358	325
Female	1,458	900	7	-	3	-	33	29	208	59	219
Nonwhite—Male	352	118	6	-	13	7	29	9	10	97	63
Female	144	84	-	-	-	1	2	3	9	16	29
North Carolina	1,192	633	101	6	34	11	34	28	44	124	177
White—Male	511	215	60	1	18	4	29	21	21	78	64
Female	251	162	6	-	2	3	1	2	16	11	48
Nonwhite—Male	269	137	28	5	13	4	4	4	6	33	35
Female	161	119	7	-	1	-	-	1	1	2	30
North Dakota	187	77	34	2	10	1	10	5	19	19	10
White—Male	115	37	25	1	9	1	7	4	9	16	6
Female	58	36	6	-	-	-	2	1	10	-	3
Nonwhite—Male	12	3	3	1	1	-	1	-	-	3	-
Female	2	1	-	-	-	-	-	-	-	-	1
Ohio	2,484	1,229	106	22	132	40	70	74	205	201	405
White—Male	1,342	537	95	19	116	34	49	52	81	152	207
Female	897	567	8	2	1	4	13	20	116	22	144
Nonwhite—Male	163	69	3	1	15	2	6	1	1	25	40
Female	82	56	-	-	-	-	2	1	7	2	14
Oklahoma	758	384	35	-	36	6	26	13	48	59	151
White—Male	408	168	29	-	33	5	23	8	23	46	73
Female	264	166	3	-	1	1	1	5	23	6	58
Nonwhite—Male	52	25	3	-	2	-	1	-	1	5	15
Female	34	25	-	-	-	-	1	-	1	2	5
Oregon	538	233	16	-	67	6	19	16	41	106	34
White—Male	397	143	14	-	65	5	13	14	25	95	23
Female	125	85	1	-	-	1	4	2	16	7	9
Nonwhite—Male	12	2	-	-	2	-	2	-	-	4	2
Female	4	3	1	-	-	-	-	-	-	-	-
Pennsylvania	2,892	1,316	87	46	122	40	140	80	162	313	586
White—Male	1,582	596	80	46	105	23	92	51	74	241	274
Female	1,003	560	6	-	1	11	29	23	80	29	264
Nonwhite—Male	219	94	1	-	14	6	17	5	7	39	36
Female	88	66	-	-	2	-	2	1	1	4	12
Rhode Island	237	135	-	-	3	3	12	7	50	14	13
White—Male	111	52	-	-	3	3	7	5	24	12	5
Female	121	80	-	-	-	-	5	2	24	2	8
Nonwhite—Male	2	1	-	-	-	-	-	-	1	-	-
Female	3	2	-	-	-	-	-	-	1	-	-
South Carolina	768	353	45	-	24	6	22	12	17	100	189
White—Male	263	92	21	-	15	2	9	7	8	43	66
Female	126	75	1	-	-	1	-	1	3	6	39
Nonwhite—Male	242	87	21	-	9	3	9	4	4	48	57
Female	137	99	2	-	-	-	4	-	2	3	27
South Dakota	212	77	41	2	3	4	8	7	14	22	34
White—Male	140	37	39	2	3	3	5	5	9	17	20
Female	50	28	2	-	-	-	2	1	5	1	11
Nonwhite—Male	16	8	-	-	-	1	-	-	-	4	3
Female	6	4	-	-	-	-	1	1	-	-	-
Tennessee	917	527	60	12	38	10	28	24	38	100	80
White—Male	459	199	50	12	35	6	16	23	13	65	40
Female	247	197	3	-	-	3	2	-	17	7	18
Nonwhite—Male	124	66	6	-	3	1	8	1	4	22	13
Female	87	65	1	-	-	-	2	-	4	6	9
Texas	2,567	1,167	143	10	191	44	59	61	119	367	406
White—Male	1,441	476	116	6	177	32	47	45	64	273	205
Female	689	443	5	2	-	7	3	12	48	35	134
Nonwhite—Male	268	122	19	2	14	5	7	2	6	53	38
Female	169	126	3	-	-	-	2	2	1	6	29

See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1961—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Utah	252	105	8	9	23	8	4	14	21	38	22
White—Male	156	49	8	8	23	8	2	11	5	32	10
Female	84	49	-	-	-	-	2	2	14	5	12
Nonwhite—Male	8	3	-	1	-	-	-	1	2	1	-
Female	4	4	-	-	-	-	-	-	-	-	-
Vermont	117	56	14	1	4	1	3	2	9	19	8
White—Male	78	28	13	1	4	1	1	2	6	17	5
Female	39	28	1	-	-	-	2	-	3	2	3
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,106	533	54	33	45	9	30	23	92	151	136
White—Male	531	204	39	31	32	7	19	17	36	90	56
Female	282	172	-	-	-	1	1	4	48	16	40
Nonwhite—Male	217	100	15	2	13	-	9	2	2	43	31
Female	76	57	-	-	-	1	1	-	6	2	9
Washington	818	307	44	3	64	26	34	33	62	132	113
White—Male	539	157	39	3	63	20	27	27	29	107	67
Female	240	134	4	-	-	4	6	4	32	15	41
Nonwhite—Male	31	9	1	-	1	2	1	2	1	9	5
Female	8	7	-	-	-	-	-	-	-	1	-
West Virginia	658	233	32	80	22	2	16	7	15	78	173
White—Male	439	123	29	75	22	2	13	7	8	64	96
Female	175	91	2	-	-	-	3	-	4	7	68
Nonwhite—Male	27	6	1	5	-	-	-	-	2	6	7
Female	17	13	-	-	-	-	-	-	1	1	2
Wisconsin	961	482	82	5	34	15	34	27	69	97	116
White—Male	568	237	72	5	30	10	31	19	32	75	57
Female	369	231	10	-	2	5	2	8	36	19	56
Nonwhite—Male	14	8	-	-	2	-	-	-	-	3	1
Female	10	6	-	-	-	-	1	-	1	-	2
Wyoming	140	49	16	2	5	1	5	4	15	17	26
White—Male	102	33	16	1	5	1	5	4	8	15	14
Female	35	15	-	-	-	-	-	-	7	1	12
Nonwhite—Male	3	1	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

☆ U. S. GOVERNMENT PRINTING OFFICE : 1963 O - 707-149

Section 7. Technical Appendix

	Page
Sources of data	7-3
Death and fetal death statistics	7-3
Standard certificates	7-3
History	7-4
Classification of data	7-7
Classification by occurrence and residence	7-7
Geographic classification	7-7
Age	7-8
Race and color	7-8
Classification of data—Con.	
Fetal deaths	7-9
Cause of death	7-11
Control of errors	7-13
Interpretation of data	7-13
Completeness of registration	7-13
Population bases for death rates	7-14
Age-adjusted death rates	7-14
Symbols used in tables	7-14

Figures

7-1. Standard Certificate of Death ---- 7-4

7-2. Standard Certificate of Fetal Death ---- 7-5

Text Table

7-A. Inclusion of checkbox items for usual residence on certificates of birth, death, and fetal death: United States, 1961 ---- 7-6

Population Tables

7-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1961 ---- 7-15

7-2. Estimates of the total population of the United States including Armed Forces abroad, by age, color, and sex: July 1, 1961 ---- 7-16

7-3. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1961 ---- 7-16

7-4. Provisional estimates of the total resident population of the United States, each division and State, Puerto Rico, and Virgin Islands: July 1, 1961 ---- 7-17

SECTION 7. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal death statistics

With the exception noted in the next paragraph, tabulations of deaths and fetal deaths for 1961 are based on information obtained from microfilm copies of the original certificates. These copies were received from the registration offices of all States, certain cities, the District of Columbia, Puerto Rico, and the Virgin Islands. The statistical information on these records was edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Vital Statistics Division (NVSD).

The 1961 death statistics for California and Michigan were produced by a somewhat different procedure. The vital statistics offices of these areas coded the information on their certificates according to the rules followed in NVSD. From punchcards prepared for their own use, they reproduced the information required for national tabulations on uniform punchcard forms. The reproduced cards were verified and tabulated with the cards for all of the other areas.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Puerto Rico and the Virgin Islands also send copies of death records to NVSD. Tabulations for these areas are published in Section 10, Part B, Volume II, *Vital Statistics of the United States, 1961*.

Mortality data for the United States are confined to events registered in the United States and as such include events occurring to nonresident aliens. The data do not cover vital events for U.S. citizens occurring outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are confined to events registered in these areas.

Standard certificates

Standard certificates of death and fetal death, issued by the National Vital Statistics Division, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the standard certificate of death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the field of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the standard certificate of death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956.

The current standard certificates of death and fetal death are shown in figures 7-1 and 7-2. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death.

With a few exceptions, only minor changes in content and format were made in the 1956 revision of the standard certificates. In an effort to obtain a more accurate designation for place of residence, the question "Is residence inside city limits?" was added. Studies conducted in a few States had indicated that this question helped to correctly locate the residence of persons who had lived near but outside the corporate limits of cities.

Table 7-A indicates the States that did and those that did not include the checkbox item on city of residence on all or some of the certificate forms used during 1961.

Another item, "Is residence on a farm?" was added to serve several purposes. Federal and State agricultural agencies wanted the information to assess the health status of the farm population and to measure changes in its demographic characteristics. It seemed also that this item would aid in correctly allocating place of residence of persons living near but outside cities. The usefulness of the farm item has been seriously impaired by the change in the definition of farm used in the 1960 Census of Population; the census set forth definite criteria for classifying a farm residence, while the certificates in effect ask the informant to make a

judgment as to whether the residence is on a farm. Incomplete reporting also lessened the value of the item. For these reasons, tabulations based on this item have been discontinued.

The wording of the cause-of-death item on the death certificate was changed to improve its clarity. The separate questions on operations were omitted.

The cause item on the fetal death certificate was revised to conform to the wording used on the death certificate.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900. The time interval between the occurrence of a death and the census

FIGURE 7-1

CERTIFICATE OF DEATH

BIRTH NO. STATE OF STATE FILE NO.

1. **PLACE OF DEATH** a. COUNTY
b. CITY, TOWN, OR LOCATION
c. LENGTH OF STAY IN 1b
d. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE** (*Where deceased lived. If institution: Residence before admission*) a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3 **NAME OF DECEASED** (*Type or print*) *First* *Middle* *Last*
4. DATE OF DEATH *Month* *Day* *Year*
5. SEX
6 COLOR OR RACE
7 MARRIED ☐ NEVER MARRIED ☐ WIDOWED ☐ DIVORCED ☐
8 DATE OF BIRTH
9 AGE (*In years last birthday*) IF UNDER 1 YEAR *Months* *Days* IF UNDER 24 HRS. *Hours* *Min.*
10a. USUAL OCCUPATION (*Give kind of work done during most of working life, even if retired*)
10b. KIND OF BUSINESS OR INDUSTRY
11 BIRTHPLACE (*State or foreign country*)
12. CITIZEN OF WHAT COUNTRY?
13. FATHER'S NAME
14 MOTHER'S MAIDEN NAME
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (*Yes, no, or unknown*) (*If yes, give war or dates of service*)
16. SOCIAL SECURITY NO.
17 **INFORMANT** *Address*

MEDICAL CERTIFICATION

18 **CAUSE OF DEATH** [*Enter only one cause per line for* (a), (b), *and* (c).] INTERVAL BETWEEN ONSET AND DEATH
PART I. DEATH WAS CAUSED BY:
IMMEDIATE CAUSE (a) _____
Conditions, if any, which gave rise to above cause (a), *stating the underlying cause last.* DUE TO (b) _____
DUE TO (c) _____
PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)
19. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

20a. ACCIDENT ☐ SUICIDE ☐ HOMICIDE ☐
20b DESCRIBE HOW INJURY OCCURRED (*Enter nature of injury in Part I or Part II of item 18.*)
20c TIME OF INJURY *Hour* *a. m.* *p. m.* *Month, Day, Year*
20d INJURY OCCURRED WHILE AT WORK ☐ NOT WHILE AT WORK ☐
20e. PLACE OF INJURY (*e. g., in or about home, farm, factory, street, office bldg., etc.*)
20f. CITY, TOWN, OR LOCATION COUNTY STATE

21. *I attended the deceased from* _____, *to* _____ *and last saw her/him alive on* _____
Death occurred at _____ *m on the date stated above; and to the best of my knowledge, from the causes stated.*

22a. **SIGNATURE** (*Degree or title*)
22b ADDRESS
22c. DATE SIGNED

23a BURIAL, CREMATION, REMOVAL (*Specify*)
23b DATE
23c. NAME OF CEMETERY OR CREMATORY
23d. LOCATION (*City, town, or county*) (*State*)

24. FUNERAL DIRECTOR ADDRESS
25. DATE RECD. BY LOCAL REG.
26. REGISTRAR'S SIGNATURE

1956 REVISION OF STANDARD CERTIFICATE
DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE
PHS-798 REV 11/54

enumeration caused these reports to be inaccurate and incomplete.

In 1880 the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities which had efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but death figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records

FIGURE 7-2

CERTIFICATE OF FETAL DEATH[1]

STATE OF — STATE FILE NO.

1. PLACE OF DELIVERY
a. COUNTY
b. CITY, TOWN, OR LOCATION
c. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES ☐ NO ☐

2. USUAL RESIDENCE OF MOTHER (*Where does mother live?*)
a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. NAME OF FETUS (*If given*)
4. SEX OF FETUS MALE ☐ FEMALE ☐ ☐ UNDETERMINED
5a. THIS DELIVERY SINGLE ☐ TWIN ☐ TRIPLET ☐
5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST ☐ 2D ☐ 3D ☐
6. DATE OF DELIVERY (*Month*) (*Day*) (*Year*)

FATHER
7. NAME *First* *Middle* *Last*
8. COLOR OR RACE
9. AGE (*At time of delivery*) YEARS
10. BIRTHPLACE (*State or foreign country*)
11a. USUAL OCCUPATION
11b. KIND OF BUSINESS OR INDUSTRY

MOTHER
12. MAIDEN NAME *First* *Middle* *Last*
13. COLOR OR RACE
14. AGE (*At time of delivery*) YEARS
15. BIRTHPLACE (*State or foreign country*)
16. PREVIOUS DELIVERIES TO MOTHER (*Do NOT include this fetus*)
a. *How many children are now living?*
b. *How many children were born alive but are now dead?*
c. *How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)?*

17. INFORMANT

18a. LENGTH OF PREGNANCY COMPLETED WEEKS
18b. WEIGHT OF FETUS LB. OZ.
19. LEGITIMATE YES ☐ NO ☐
20. WHEN DID FETUS DIE? BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐
21. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

22. CAUSE OF FETAL DEATH
PART I. FETAL DEATH WAS CAUSED BY: (*Enter only one cause per line for (a), (b), and (c)*)
Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity). — IMMEDIATE CAUSE (a) _____
Fetal and/or maternal conditions, if any, GIVING RISE TO THE ABOVE CAUSE *(a) stating* THE UNDERLYING CAUSE LAST. — DUE TO (b) _____ DUE TO (c) _____
PART II. OTHER SIGNIFICANT CONDITIONS *of fetus or mother which may have* CONTRIBUTED *to fetal death, but, in so far as is known, were not related to cause given in* PART I (a).

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.
23a. ATTENDANT'S SIGNATURE (*Specify if M. D., D. O., midwife, or other*)
23b. DATE SIGNED
23c. ATTENDANT'S ADDRESS
If not attended by physician
24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE

25a. BURIAL, CREMATION, REMOVAL (*Specify*)
25b. DATE
25c. NAME OF CEMETERY OR CREMATORY
25d. LOCATION (*City, town, or county*) (*State*)

26. FUNERAL DIRECTOR ADDRESS DATE REC'D BY LOCAL REG. REGISTRAR'S SIGNATURE

[1] Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

1955 REVISION OF STANDARD CERTIFICATE (*Amended*) DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE U. S. GOVERNMENT PRINTING OFFICE 16—72175-1 PHS-797 REV. 11-55

Table 7-A. INCLUSION OF CHECKBOX ITEM FOR USUAL RESIDENCE ON CERTIFICATES OF BIRTH, DEATH, AND FETAL DEATH: UNITED STATES, 1961

(In general, certificates containing checkbox item on usual residence are those certificates revised since the 1956 revisions of the standard certificates. Data were abstracted from copies of certificates received in the National Vital Statistics Division and include only those certificates used by the areas during all or part of 1961. Certificates revised in 1961 but not in use during the year are not included)

REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF--			REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF--		
	Live birth	Death	Fetal death		Live birth	Death	Fetal death
Alabama		X		Nebraska		X	X
Alaska	X	X	X	Nevada	X	X	X
Arizona	X	X	X	New Hampshire			
Arkansas	X	X	X	New Jersey			
California	X	X	X	New Mexico			
Colorado	X	X	X	New York (excl. N.Y.C.)	X	X	X
Connecticut	X	X	X	New York City, N.Y.			
Delaware	X	X	X	North Carolina	X	X	X
District of Columbia	X	X	X	North Dakota	X	X	X
Florida	X	X	X	Ohio	X	X	
Georgia	X	X	X	Oklahoma	X	X	X
Hawaii	X	X	X	Oregon			
Idaho				Pennsylvania	X	X	
Illinois	X	X	X	Rhode Island			X
Indiana	X	X	X	South Carolina	X	X	X
Iowa	X	X	X	South Dakota			
Kansas	X	X	X	Tennessee	X	X	X
Kentucky	X	X	X	Texas	X	X	X
Louisiana	X	X	X	Utah	X	X	X
Maine		X		Vermont			
Maryland (excl. Baltimore)	X		X	Virginia	X	X	X
Baltimore, Md			X	Washington	X	X	X
Massachusetts				West Virginia	X	X	X
Michigan	X	X	X	Wisconsin	X	X	
Minnesota	X	X	X	Wyoming	X	X	X
Mississippi	X	X					
Missouri	X	X	X	Puerto Rico			
Montana	X	X	X	Virgin Islands			X

filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 7-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If those reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States was much lower, representing 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths (stillbirths) have been published each year for the birth-registration areas.

Table 7-1 also presents for each year through 1933 the estimated midyear population of the United States and of those States included in the registration system.

Prior to 1940 most of the national mortality tabulations

published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940, all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time are made. More exact trends for parts of the United States can be secured through the use of some constant area, such as the original registration States or the registration States of 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is obtained through the presentation of such data in the form of rates, which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must, therefore, be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The complete rules used in the classification of geographic and personal items for deaths are set forth in the *Vital Statistics Instruction Manual* "Coding and Punching Geographic and Personal Particulars for Deaths Occurring in 1961," 1961. Comparable rules for coding and punching fetal deaths are contained in "Coding and Punching Geographic and Personal Particulars for Births Occurring in 1961," 1961, with the exception of special instructions given in "Coding and Punching Geographic and Personal Particulars for Fetal Deaths Occurring in 1961," 1962. The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

For the 1961 statistics by place of occurrence, events are classified according to the county in which the vital event took place but not to any smaller geographic unit. In the vital statistics for years prior to 1960, place of occurrence was classified by smaller units within the county in the same detail as are statistics by place of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, all deaths are allocated to the usual place of residence of the decedent as reported on the death certificate. This rule was adopted in 1961 and represents a simpler procedure than that formerly used. Prior to this year, when the length of stay in the place of death was 1 year or more, deaths occurring outside of institutions were allocated to the place of death; that is, the place of occurrence as shown on the death record was assumed to be the actual residence.[1] The place of residence for a sample of 1961 records was coded by both 1961 rules and 1960 rules. Results showed that there was little difference in assignment of codes for State of residence based on the two sets of rules.

The data by place of residence are classified to units within a county as follows: (1) each incorporated place of 10,000 inhabitants or more, (2) each unincorporated place of 10,000 inhabitants or more classified as urban under special rule, (3) the aggregate of incorporated places of 2,500 to 10,000 inhabitants and unincorporated places of this size defined as urban under special rule, and (4) the residual part of the county. For vital statistics purposes, the residual part of the county is referred to as rural.

Deaths of residents and nonresidents occurring within a State are compared with deaths of residents of the same State which occurred within or outside of the State in tables 1-0 and 5-1 in Sections 1 and 5 of this volume. In most cases the number of deaths of residents occurring outside of the State is about the same as the number of deaths of nonresidents occurring within the State.

For residence statistics, all events occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to a place of residence within the United States. For nonresident aliens, the place of residence is considered to be the same as the place of occurrence.

In computing the infant mortality and fetal death rates for individual counties and cities with a population of 10,000 and over in table 9-1 in Section 9, Part B, Volume II, there is a question of the consistency of residence reporting for live births on one hand and infant or fetal deaths on the other. For those States in which item 2e (Is residence within city limits?) is carried on one type of certificate but not on the other, the possibility of error is obvious. In addition, there are States in which residence coding is done by the State or by the local registrars on certificates of live birth but not on certificates of death or vice versa. Here again, residence allocation may not be consistent. In some cases in table 9-2 the unusually high or low infant death rate shown for rural areas of metropolitan counties may be the result of coding errors rather than differences in the force of mortality.

Geographic classification [2]

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are essentially the same as those established by the Bureau

---

[1] National Office of Vital Statistics, *Vital Statistics of the United States, 1950*, Volume I. Washington, U.S. Government Printing Office, 1954. pp. 35-43.

[2] The rules followed in the classification of geographic areas for deaths are set forth in the instruction manuals cited previously. The geographic code structure is given in *Vital Statistics Instruction Manual*, Part II, Section C, "Geographic Code—Final—Births, Deaths, and Fetal Deaths Occurring in 1960-61," National Office of Vital Statistics, Washington, 1961.

of the Budget and used by the Bureau of the Census. The only differences occur in the New England States.

Except in the latter States, an SMSA is a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition, contiguous counties are included in an SMSA if, according to specified criteria, they are (a) essentially metropolitan in character and (b) socially and economically integrated with the central city or cities.[3]

In New England, the Bureau of the Budget uses as geographic components of the SMSA, towns and cities, rather than counties. The National Vital Statistics Division cannot use the SMSA classification in these States because its data are not coded to identify all towns. Instead, the metropolitan State economic area (MSEA), established by the Bureau of the Census, which is made up of county units, is used.[4]

Standard consolidated areas.— For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas, respectively.[5]

Metropolitan and nonmetropolitan counties.—Counties which are included in SMSA's or, in New England, MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan. For the 1950 classification of metropolitan and nonmetropolitan counties, see Volume I of *Vital Statistics of the United States, 1950.*

Urban and rural areas.—Vital statistics data for 1961 are classified as urban or rural according to the population of the area enumerated in the 1960 census. The urban population consists of inhabitants residing in the following places:

1. Each incorporated city, borough, village, and town of 2,500 inhabitants or more (except towns in New England, New York, and Wisconsin).
2. Each town in New England and each township in New Jersey and Pennsylvania that has no incorporated municipality as a subdivision and has either 25,000 inhabitants or more or a population of 2,500 to 25,000 and a density of 1,500 persons or more per square mile.[6]
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that has no incorporated municipality within its boundary and has a density of 1,500 persons or more per square mile.[7]

The rural population consists of inhabitants residing in all other areas.

This classification differs from the 1960 census definition of urban population. The latter definition includes, in addition, persons living in (a) unincorporated places of 2,500 inhabitants or more not included in the above definition of "urban" and (b) incorporated and unincorporated places of less than 2,500 inhabitants located within urban fringes of urbanized areas.

It was not feasible to use the 1960 census definition of urban and rural for classifying vital statistics data since (a) boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only; many unincorporated places do not conform to political units and their boundaries change with population growth; in most instances the residence information on vital records is insufficient to allocate residence to arbitrary delimitations of unincorporated areas; and (b) vital statistics were not tabulated separately for places of less than 2,500 inhabitants. The difference in the percent distribution of the population in 1960 according to NVSD and the Bureau of the Census is as follows:

	Census	*NVSD*	*Percent difference*[8]
Total	100.0	100.0	...
Urban	69.9	61.1	-12.6
Rural	30.1	38.9	+29.2

Age

The age reported on the death record is the age of the decedent at his last birthday. It has been found that a characteristic error in reported age is an excess of ages ending in 0 or 5. To minimize the effect of this error, age is usually tabulated in 5- or 10-year groups.

With respect to computation of death rates, the age classification used by the Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States in 1961 are classified for vital statistics into white, Negro, American Indian, Chinese, Japanese, Aleut, Eskimo, Hawaiian and Part-Hawaiian (combined), and "other nonwhite."

The category "white" includes, in addition to persons reported as "white," those reported as Mexican or Puerto

[3]For a more complete discussion, see *United States Census of Population: 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1960; and *Standard Metropolitan Statistical Areas*, Bureau of the Budget. Washington, U.S. Government Printing Office, 1961.

[4]For discussion of MSEA's see *State Economic Areas*, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1951; and the first reference cited in footnote 3. For the 1960 listing of MSEA's used for New England, see *Vital Statistics Instruction Manual*, Part II, Supplement No. 3 to Section C, "Geographic Code—1960-61 (Final)," National Vital Statistics Division. Washington, 1961.

[5]See footnote 3.

[6]These areas are identified by the symbol (UT) in table 30 of the U.S. Bureau of the Census publication cited in footnote 3.

[7]Arlington County, Virginia, is the only county in this category.

[8]Census figures used as the base.

Rican. If the racial entry on the death record indicates a mixture of Hawaiian and any other race, the race is classified as Part-Hawaiian. If race is given as a mixture of Negro with any other race except Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as "other nonwhite."

In some tables an extended classification is not needed and the divisions are "white," "Negro," and "other." In tables where the main purpose is to isolate the major group, the classifications are simply "white" and "nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in this volume is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration methods used to collect this information.

The 1960 census was the first in which respondents classified themselves with respect to race—in the past censuses the racial classification was generally made by the enumerator on the basis of observation. Since the distribution of the population by white and nonwhite in 1960 was nearly the same as that shown by the postcensal estimates for 1960, it appears that the self-enumeration procedure may have had no effect on the comparability of vital rates for the white and nonwhite groups between 1960 and previous years. Likewise, the increase in the Negro population was consistent with statistics on its natural increase during the past 10 years. Increases in both the Chinese and Japanese populations were large, but again high rates of natural increase and substantial immigration during the decade obscure any effects of self-enumeration.

Self-enumeration procedures may have increased the accuracy of the count of the Indian population in 1960. In past censuses the enumerator often failed to identify off-reservation Indians. In several Southern States, groups of persons of mixed stock of Indian and other races, who for the purpose of reporting vital events consider themselves Indian, had been classified in the 1950 census as "other nonwhite." In censuses prior to 1950, these groups have been variously classified as Negro or Indian. In 1960, the groups in question, with minor exceptions, were classified as Indian.[9]

Observed differences in vital statistics rates for various racial groups should not be interpreted as being necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may be no more than a difference of mortality for different economic classes.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy ...." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the use of a variety of terms such as stillbirth, abortion, and miscarriage. The definition has been adopted by nearly half of the States.[10] In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in Groups I, II, and III	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was introduced. This was revised in 1949 and 1955 and amended in 1956 (see figure 7-2). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.— State requirements for registration of fetal deaths vary. Nine States and New York City require registration of fetal deaths of all periods of gestation. (See table 4-A in Section 4 of this volume.) The other States require registration only for fetuses which have attained a certain minimum gestation period. Most of the minimum periods are 20 weeks. In Pennsylvania, registration is required after 16 weeks, and a few States specify a period of 5 months. Registration of fetal deaths of all gestations is recommended but not required by Kansas and Rhode Island. Illinois regulations require the registration of any fetus which is "a member of a multiple birth (regardless of pregnancy duration) of which any member is liveborn."

There are reasons for believing that not all fetal deaths for which registration is required are reported.[11] Also, underregistration is more of a problem near the lower limit for those States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit

[9] U. S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary*, Final Report PC(1)-1B. Washington, U. S. Government Printing Office, 1961.

[10] Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth."

[11] Leona Baumgartner, Helen M. Wallace, Eva Landsberg, and Vivian Pessin, "The Inadequacy of Routine Reporting of Fetal Deaths," *American Journal of Public Health*, Vol. 39, No. 12, December 1949, pp. 1549-1552. (For a current study, see page 4-1 in Section 4.)

results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true. Excluding fetal deaths at gestation periods under 20 weeks, 11.5 percent of the total for the United States fell in the group 20-23 weeks. The comparable percentage for the areas requiring reporting of all products of conception was 17.2.

It is evident from the data in tables 4-A, 4-8, and 4-10 that there are certain inaccuracies in the reporting of length of gestation. The comparatively large proportion of fetal deaths at 36 weeks of gestation is believed to result from erroneous conversion of 9-month gestations to 36 weeks. In addition, the heavy concentrations at 40 weeks result partly from failure to calculate the exact period of gestation for fetuses of normal size. In an effort to eliminate these inaccuracies, four areas—California, the District of Columbia, Maryland, and New York City—specify "date of last menses" on their certificate, in place of the usual "length of pregnancy" item or its equivalent.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 4 are based on deaths at gestation of 20 weeks or more. These tables include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those who are born prematurely and die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. For these States, the proportion of mothers of first liveborn children reported as having had previous fetal loss has increased because of this change. For this reason, the data in tables 4-3 and 4-5 are not completely comparable with similar data published for the years prior to 1956.

The following States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death for the 1961 data year:

Arkansas	Iowa
Colorado	Kansas
Connecticut	Louisiana
Delaware	Maine
Florida	Maryland
Georgia	Mississippi
Hawaii	Missouri
Indiana	Montana
Nevada	Utah
North Carolina	Vermont
Ohio	Virginia
Oklahoma	Washington
Oregon	West Virginia
Rhode Island	Wisconsin
South Carolina	Wyoming
South Dakota	

Alaska, Massachusetts, Minnesota, Nebraska, and Pennsylvania require such information only on the certificates of fetal deaths. Pennsylvania requires the reporting on the birth record of all fetal deaths of gestations of more than 16 weeks. New York City has for many years required reporting of all previous fetal deaths on certificates of both live birth and fetal death. The other States require reporting for fetal deaths at gestations of 20 weeks or more. Massachusetts is the only State for which the birth record does not request previous fetal loss.

Total-birth order.—The number of a birth or fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

Legitimacy status.—Tabulations which include legitimacy as a factor exclude those States which did not provide for the reporting of this item. The following States included this item on their birth and fetal death certificates in 1961:

Alabama	New Jersey
Alaska	North Carolina
Delaware	North Dakota
District of Columbia	Ohio
Florida	Oregon
Hawaii	Pennsylvania
Illinois	Rhode Island
Indiana	South Carolina
Iowa	South Dakota
Kansas	Tennessee
Kentucky	Texas
Louisiana	Utah
Maine	Virginia
Michigan	Washington
Minnesota	West Virginia
Mississippi	Wisconsin
Missouri	Wyoming
Nevada	

The revised certificate of fetal death for Virginia introduced during 1961 did not contain a question on legitimacy status. Events reported on the revised certificates were counted as legitimate; this resulted in an undercount of illegitimate fetal deaths.

There are no quantitative data on the characteristics of the unwed mothers who may be misreporting legitimacy status. Another source of error is the failure to register fetal deaths at all. It may well be that underregistration is greater in the illegitimate group than in the legitimate.

Cause of death

Beginning with 1958, the cause-of-death statistics published by the National Vital Statistics Division have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955).[12] The *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death* includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality. These lists have been adapted for use in NVSD.

The list of 255 Selected Causes of Deaths is an extension of List A designed so that the original groups can be obtained by a simple addition of titles. The List of 59 Selected Causes of Deaths is an extension of List B, except that certain causes of very low frequency in this country (typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria) are not shown in this list and three categories were added (asthma, infections of kidney, and cholelithiasis, cholecystitis, and cholangitis). In addition, rheumatic fever was included under the rubric diseases of heart for the first time in 1958. The List of 55 Causes of Infant Death was selected by the National Vital Statistics Division from the Detailed List.

Effect of decennial list revisions.— The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the most part, the continuity in the mortality trends has not been considered a problem of great concern. Van Buren[13] described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley[14] measured the change in mortality by cause due to the Fifth Revision. This was done by coding mortality data for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

The Sixth Revision of the International Lists of Diseases and Causes of Death adopted by the World Health Organization in July 1948 was used for mortality data in the United States from 1949 to 1957. This revision represented a more sweeping change than any of the previous revisions. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for morbidity as well as for mortality.

In addition to the sweeping change in the International Classification itself, there was a major change in the methods of selection of the cause of death for primary tabulations for use with the Sixth Revision. A large proportion of the death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, and it is necessary to employ a selection process to determine the one cause to which the death will be assigned. The method of selection used has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death to be used internationally. The form of medical certification is shown in the standard certificate of death (figure 7-1). It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are jointly recorded. In general, if the certification is completed properly, the underlying cause of death indicated by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs sharply from that used in previous years. Formerly definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

In order to make it possible to maintain a comparable time series of mortality rates by cause, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 should be coded according to both the Sixth and Fifth Revisions. In the United States deaths in 1950 were used for dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause by the Fifth Revision. All data for 1950 are classified by both revisions and the results are shown in two reports now in preparation—"Comparability of Mortality Statistics for the Fifth and Sixth Revisions" and "Comparability Ratios Based on Mortality Statistics for the Fifth and Sixth Revisions."

Beginning with 1955, the decennial conferences for revision of the International Lists are to be held in years ending in 5 rather than later in the decade, as had been done previously.

This is to make possible the use of the revised classification for mortality data at the beginning of years ending in 8. The new cycle provides time for sufficient experience with the new classification for fluctuations resulting from variations in interpretation of new provisions to level off by the years ending in 0. Thus, stable mortality data will be

---

[12] For a history and description of both the Sixth and Seventh Revisions, see *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1, World Health Organization. Geneva, Switzerland, 1957.

[13] George H. Van Buren, "Some Things You Can't Prove by Mortality Statistics," *Vital Statistics—Special Reports*, Vol. 12, No. 13, 1940.

[14] Halbert L. Dunn, and William Shackley, "Comparison of Cause-of-Death Assignments by the 1929 and 1938 Revisions of the International Lists: Deaths in the United States, 1940," *Vital Statistics—Special Reports*, Vol. 19, No. 14, 1944.

available for comparison with population figures from the decennial censuses.

In compliance with a recommendation of the Expert Committee on Health Statistics, the Seventh Revision of the International Lists was of limited scope, consisting of essential changes and amendments of errors and inconsistencies. This restriction was set forth because of the change in the revision cycle, which resulted in a relatively short period between the effective date (1949) of the Sixth Revision and the Seventh Revision Conference in 1955 and thus resulted in limited experience with the Sixth Revision.

The amendments of the Seventh Revision included the integration into the manual of the provision contained in an addendum[15] which, having been used with the Sixth Revision, did not represent classification changes. The only change made in the three-digit categories consisted of the rewording of a few titles. In a few cases the rewording included redefining the morbid conditions classifiable to these categories and the transfer of certain terms from one category to another. The three-digit categories affected are listed in Section 1, Volume I, *Vital Statistics of the United States, 1958*. There were also a number of alterations in four-digit categories, mostly consisting of the addition of four-digit subdivisions providing more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for the selection of the cause of death for primary mortality classification were recast for use with the Seventh Revision in order to simplify the prior rules and to organize them from the point of view of the steps which a coder must take in making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made. These mainly involved the selection of the underlying cause for improperly completed certifications. There have been some changes in interpretations for use in adapting coding procedures to reporting practices in the United States.

In the majority of cases, application of the rules for the Seventh Revision results in the same code assignment as that of the Sixth Revision rules. There are some differences in individual assignments affecting a number of categories. Many of these individual assignments are compensatory and result in no break in continuity of trends for various causes of death; the comparability of a number of categories is affected to a limited extent.

In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified by both the Sixth and Seventh Revisions. The comparability ratios for selected causes are shown in table 1-H, Section 1, Volume I, *Vital Statistics of the United States, 1958*, and the results are discussed on pages 1-19 to 1-21 of the same report.

Coding in 1961.—The National Vital Statistics Division annually prepares, for its cause-of-death coding clerks, an instruction manual which contains decisions and interpretations that will apply in that year.

The 1961 revision of the instruction manual for cause-of-death coding[16] consists mainly of modifications intended to clarify some of the explanations and examples. For 1960 and 1961, there are no revisions in coding procedures which affect code assignments. For prior years, changes which may affect code assignments are noted in the introduction to *Vital Statistics of the United States* for the appropriate years.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificate is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made on the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. The studies on the accuracy of cause-of-death statements have taken clinical or pathological reports as the point of departure for comparison with the medical returns on the death certificate. By necessity, these studies have been limited to deaths on which hospital records or autopsy reports were available. Since less than two-thirds of all deaths in 1958 occurred in hospitals, and autopsies were reported as having been performed on only about 19 percent of all cases (see table 6-0, Section 6, Volume I, *Vital Statistics of the United States, 1958*, and table 68 in Volume II), studies based on such data may be subject to considerable bias.

A more satisfactory evaluation of the quality of the cause-of-death statement may be made by including all deaths in the study rather than hospital deaths only. Such a pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956.[17] For particular causes of death, a representative sample of certificates was selected. Questionnaires were sent to the physicians signing the certificates selected asking for the diagnostic methods, with

[15] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, "Supplementary Interpretations and Instructions for Coding Causes of Death." Geneva, Switzerland, 1953.

[16] National Office of Vital Statistics, *Vital Statistics Instruction Manual*, Part II, Section D, "Cause-of-Death Coding for 1961." Washington, 1961.

[17] For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by Iwao M. Moriyama, William S. Baum, William M. Haenszel, and Berwyn F. Mattison, *American Journal of Public Health*, Vol. 48, No. 10, October 1958, pp. 1376-1387.

pertinent findings, on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy while for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. The authors concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.

One index of the quality of reporting of causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the cause of death, this proportion does indicate the care and consideration given to the certification of causes of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas. In 1961 only 1.0 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.1 to 8.2 percent, reflecting differences in the quality of reporting.

Ranking causes of death.—Ranking causes of death is a popular method of presenting mortality statistics. The list of causes and the rules of ranking used are those recommended by the Public Health Conference on Records and Statistics at its 1951 meeting. To obtain results that are comparable, the same basic list of causes and rules of ranking must be used in comparisons of deaths for different areas or different years.

The causes included in the List of 59 Selected Causes of Death are ranked on the basis of the number of deaths assigned to each cause. (See table 1-G in Section 1 of this volume.) Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the single title symptoms, senility and ill-defined conditions, are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (tuberculosis of respiratory system and tuberculosis, other forms) are not ranked. The results of this procedure for the United States are shown in table 1-G.

Control of errors

The coding and punching of mortality data, with the exception of the cause-of-death item, were performed simultaneously and the major portion of the work was verified using a partial sequential sample. The classification of the underlying cause of death and the verification of this item were performed prior to coding the other items on the death certificate.

The sample procedure was used in verifying the work of employees whose performance (as indicated by complete verification) was such so as to consistently produce an error level of less than 4 percent distributed among all the items. The procedure involved the verification of the coding and punching of every 10th card throughout each lot of 2,000 cards. If the 4-percent level of error (8 cards containing one or more incorrectly coded or punched columns) was reached, each succeeding card in the lot was verified. In such lots no review was made of that portion preceding the 8th error card. The work of trainees whose performance was such so as to produce more than 4-percent error was verified completely. Errors determined in either procedure were reviewed to detect and control bias.

The coding and simultaneous punching of fetal deaths, because of their relatively small number, were completely verified.

Tabulating, computing, table preparation, and all other operations subsequent to the preparation of punched cards were verified according to procedures designed to eliminate processing errors.

INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, the major trends and differences will not usually be changed materially by finer analysis.

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to

locate a number of unregistered deaths.[18] A similar situation may exist in other States.

Population bases for death rates

Except as noted, death rates shown in this report for the United States and the individual States are based on the populations present in the respective areas. These populations exclude the Armed Forces and persons living abroad but include the Armed Forces stationed in each area. Unless otherwise noted, all population data shown in this report were provided by the Bureau of the Census.

On July 1, 1961, it was estimated that there were 689,000 persons in the Armed Forces abroad, or 0.4 percent of the total population (table 7-2). The estimates of the total population of the United States by age, color, and sex in 1961 are shown in tables 7-2 and 7-3. These figures are based on data from the 1960 census, preliminary counts of births and deaths for 1960 and 1961, statistics on the number of immigrant aliens admitted to the United States as reported by the Immigration and Naturalization Service, and data on the size and distribution of the Armed Forces.

Provisional estimates of the population in each State for 1961 (table 7-4) are based on the population enumerated in the 1960 census. Final figures for natality and mortality for 1960 and 1961 were not available at the time these population estimates were prepared. Subsequently the estimates were revised using more recent data. Although the differences in the U.S. total and the differences by age as shown in *Current Population Reports*, P-25, No. 246 (first series), and P-25, Nos. 265 and 267 (revised), are negligible, differences in a few State estimates are about 5 percent or more. The provisional State estimates, shown in table 7-4, are published in Series P-25, No. 239; the revised estimates appear in P-25, Nos. 259 and 267. The average difference between these series is less than 1 percent; the largest changes were in the Mountain States:

Montana	2.6
Idaho	0.1
Wyoming	4.7
Colorado	3.4
New Mexico	0.6
Arizona	2.7
Utah	2.5
Nevada	6.0

Population by State by broad age groups.—Populations used to compute rates for individual age groups for each State are published in P-25, No. 267. These rates are shown in table 1-N, Section 1 of this volume. As indicated previously, the population figures in this series (267), which is a revised series, differ from those in 239 (State) and 246 (age). The cross-classification of age by State, consistent with 239 and 246, was not available. To avoid having different rates for the same State within the same report for the 1961 data year, State rates (all ages combined) in table 1-N are based on 239 and as stated previously the age components for each State are computed on 267. Likewise, rates for the total United States for age groups in this table are based on 246.

Age-adjusted death rates

Age-adjusted death rates shown in this report are the death rates that would have been obtained if the age-specific rates for 1961, computed for 10-year-age intervals, prevailed in a standard population whose age distribution was the same as that of the enumerated population in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare directly age-adjusted death rates with the crude rates shown in other tables.

Age-specific rates for 1951-59 used to calculate age-adjusted rates for this period are computed on revised population estimates which reflect the 1950 and 1960 census counts.

[18] Tennessee Department of Public Health, "Results of Survey of Death Registration Completeness," *The Spotlight*, January 1954.

SYMBOLS USED IN TABLES

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

Table 7-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1961

(Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

YEAR	UNITED STATES[1]		YEAR	UNITED STATES[1]		BIRTH-REGISTRATION STATES		DEATH-REGISTRATION STATES	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States[2]	Population residing in area	Number of States[2]	Population residing in area
1961	183,642,000	182,953,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1960	180,004,000	179,323,175	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1959	177,261,000	176,511,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1958	174,060,000	173,239,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1957	171,198,000	170,295,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1956	168,176,000	167,261,000	1927	---	119,038,062	40	104,320,830	42	107,084,532
1955	165,270,000	164,302,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1954	162,417,000	161,191,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1953	159,636,000	158,313,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1952	157,028,000	155,761,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1951	154,360,000	153,384,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1950	151,132,000	150,697,361	1921	---	108,541,489	27	70,807,090	34	87,814,447
1949	149,188,000	148,665,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1948	146,631,000	146,093,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1947	144,126,000	143,446,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1946	141,389,000	140,054,000	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1945	139,928,000	132,481,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1944	138,397,000	132,885,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1943	136,739,000	134,245,000	1914	---	99,117,567	---	---	24	60,963,309
1942	134,860,000	133,920,000	1913	---	97,226,814	---	---	23	58,156,740
1941	133,402,000	133,121,000	1912	---	95,331,300	---	---	22	54,847,700
1940	131,820,000	131,669,275	1911	---	93,867,814	---	---	22	53,929,644
1939	131,028,000	130,879,718	1910	---	92,406,536	---	---	20	47,470,437
1938	129,969,000	129,824,939	1909	---	90,491,525	---	---	18	44,223,513
1937	128,961,000	128,824,829	1908	---	88,708,976	---	---	17	38,634,759
1936	128,181,000	128,053,180	1907	---	87,000,271	---	---	15	34,552,837
1935	127,362,000	127,250,232	1906	---	85,436,556	---	---	15	33,782,288
1934	126,485,000	126,373,773	1905	---	83,819,666	---	---	10	21,767,980
1933	125,690,000	125,578,763	1904	---	82,164,974	---	---	10	21,332,076
			1903	---	80,632,152	---	---	10	20,943,222
			1902	---	79,160,196	---	---	10	20,582,907
			1901	---	77,585,128	---	---	10	20,237,453
			1900	---	76,094,134	---	---	10	19,965,446

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.
Source: U.S. Bureau of the Census, Vital Statistics Rates in the United States, 1900-1940; Historical Statistics of the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1961; Current Population Reports, Series P-25, Nos. 98, 223, 239, and 246.

Table 7-2. Estimates of the Total Population of the United States Including Armed Forces Abroad, by Age, Color, and Sex: July 1, 1961

(Figures represent the sum of the total resident population and Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	183,642,000	90,736,000	92,907,000	162,488,000	80,428,000	82,060,000	21,154,000	10,308,000	10,846,000
Under 1 year	4,261,000	2,176,000	2,086,000	3,605,000	1,845,000	1,760,000	656,000	331,000	326,000
1-4 years	16,347,000	8,311,000	8,036,000	13,955,000	7,115,000	6,840,000	2,393,000	1,196,000	1,196,000
5-9 years	19,172,000	9,748,000	9,424,000	16,472,000	8,398,000	8,074,000	2,700,000	1,350,000	1,350,000
10-14 years	17,859,000	9,075,000	8,784,000	15,535,000	7,912,000	7,623,000	2,324,000	1,163,000	1,161,000
15-19 years	13,739,000	6,958,000	6,781,000	12,073,000	6,129,000	5,943,000	1,666,000	829,000	837,000
20-24 years	11,459,000	5,734,000	5,725,000	10,056,000	5,058,000	4,998,000	1,403,000	676,000	727,000
25-29 years	10,898,000	5,409,000	5,489,000	9,583,000	4,790,000	4,793,000	1,315,000	619,000	696,000
30-34 years	11,770,000	5,805,000	5,965,000	10,414,000	5,178,000	5,237,000	1,355,000	628,000	728,000
35-39 years	12,529,000	6,135,000	6,394,000	11,171,000	5,495,000	5,675,000	1,358,000	640,000	719,000
40-44 years	11,854,000	5,809,000	6,045,000	10,646,000	5,235,000	5,410,000	1,208,000	573,000	635,000
45-49 years	11,050,000	5,434,000	5,616,000	9,940,000	4,900,000	5,041,000	1,109,000	534,000	575,000
50-54 years	9,840,000	4,839,000	5,001,000	8,903,000	4,381,000	4,522,000	937,000	458,000	480,000
55-59 years	8,602,000	4,202,000	4,400,000	7,785,000	3,798,000	3,987,000	817,000	404,000	413,000
60-64 years	7,251,000	3,457,000	3,794,000	6,638,000	3,158,000	3,480,000	613,000	299,000	314,000
65-69 years	6,281,000	2,918,000	3,363,000	5,767,000	2,675,000	3,092,000	514,000	243,000	271,000
70-74 years	4,886,000	2,232,000	2,654,000	4,520,000	2,058,000	2,462,000	366,000	174,000	193,000
75-79 years	3,201,000	1,417,000	1,784,000	2,971,000	1,308,000	1,663,000	230,000	109,000	121,000
80-84 years	1,677,000	702,000	975,000	1,559,000	648,000	911,000	117,000	54,000	63,000
85 years and over	966,000	376,000	590,000	894,000	345,000	549,000	72,000	31,000	41,000

Source: U.S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1960 and 1961," Current Population Reports, Series P-25, No. 246, 1962.

Table 7-3. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1961

(Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	182,953,000	90,040,000	92,903,000	161,846,000	79,790,000	82,057,000	21,097,000	10,251,000	10,846,000
Under 1 year	4,261,000	2,176,000	2,086,000	3,605,000	1,845,000	1,760,000	656,000	331,000	326,000
1-4 years	16,347,000	8,311,000	8,036,000	13,955,000	7,115,000	6,840,000	2,393,000	1,196,000	1,196,000
5-9 years	19,172,000	9,748,000	9,424,000	16,472,000	8,398,000	8,074,000	2,700,000	1,350,000	1,350,000
10-14 years	17,859,000	9,075,000	8,784,000	15,535,000	7,912,000	7,623,000	2,324,000	1,163,000	1,161,000
15-19 years	13,615,000	6,835,000	6,780,000	11,958,000	6,015,000	5,943,000	1,658,000	820,000	837,000
20-24 years	11,196,000	5,472,000	5,724,000	9,813,000	4,816,000	4,997,000	1,382,000	655,000	727,000
25-29 years	10,784,000	5,295,000	5,489,000	9,482,000	4,690,000	4,793,000	1,301,000	605,000	696,000
30-34 years	11,690,000	5,725,000	5,964,000	10,341,000	5,105,000	5,236,000	1,349,000	621,000	728,000
35-39 years	12,470,000	6,076,000	6,393,000	11,116,000	5,441,000	5,675,000	1,354,000	635,000	718,000
40-44 years	11,814,000	5,769,000	6,045,000	10,608,000	5,198,000	5,410,000	1,206,000	571,000	635,000
45-49 years	11,036,000	5,420,000	5,616,000	9,927,000	4,887,000	5,041,000	1,109,000	533,000	575,000
50-54 years	9,836,000	4,835,000	5,001,000	8,899,000	4,377,000	4,522,000	937,000	458,000	480,000
55-59 years	8,601,000	4,201,000	4,400,000	7,784,000	3,798,000	3,987,000	817,000	404,000	413,000
60-64 years	7,251,000	3,457,000	3,794,000	6,638,000	3,158,000	3,480,000	613,000	299,000	314,000
65-69 years	6,281,000	2,918,000	3,363,000	5,767,000	2,675,000	3,092,000	514,000	243,000	271,000
70-74 years	4,886,000	2,232,000	2,654,000	4,520,000	2,058,000	2,462,000	366,000	174,000	193,000
75-79 years	3,201,000	1,417,000	1,784,000	2,971,000	1,308,000	1,663,000	230,000	109,000	121,000
80-84 years	1,677,000	702,000	975,000	1,559,000	648,000	911,000	117,000	54,000	63,000
85 years and over	966,000	376,000	590,000	894,000	345,000	549,000	72,000	31,000	41,000

Source: U.S. Bureau of the Census, "Estimates of the population of the United States, by Age, Color, and Sex: July 1, 1960 and 1961," Current Population Reports, series P-25, No. 246, 1962.

Table 7-4. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, Puerto Rico, and Virgin Islands: July 1, 1961

(Figures include Armed Forces stationed in each area and exclude Armed Forces stationed abroad. Due to rounding to nearest thousand, detailed figures may not add to totals)

AREA	Population
UNITED STATES	182,953,000
GEOGRAPHIC DIVISIONS:	
New England	10,723,000
Middle Atlantic	34,745,000
East North Central	36,822,000
West North Central	15,581,000
South Atlantic	26,545,000
East South Central	12,208,000
West South Central	17,266,000
Mountain	7,073,000
Pacific	21,989,000
New England:	
Maine	992,000
New Hampshire	621,000
Vermont	395,000
Massachusetts	5,234,000
Rhode Island	867,000
Connecticut	2,614,000
Middle Atlantic:	
New York	17,033,000
New Jersey	6,244,000
Pennsylvania	11,468,000
East North Central:	
Ohio	9,876,000
Indiana	4,711,000
East North Central—Con.	
Illinois	10,258,000
Michigan	7,954,000
Wisconsin	4,022,000
West North Central:	
Minnesota	3,470,000
Iowa	2,779,000
Missouri	4,378,000
North Dakota	640,000
South Dakota	690,000
Nebraska	1,431,000
Kansas	2,194,000
South Atlantic:	
Delaware	458,000
Maryland	3,188,000
District of Columbia	761,000
Virginia	4,059,000
West Virginia	1,850,000
North Carolina	4,614,000
South Carolina	2,407,000
Georgia	3,987,000
Florida	5,222,000
East South Central:	
Kentucky	3,076,000
Tennessee	3,615,000
Alabama	3,302,000
East South Central—Con.	
Mississippi	2,215,000
West South Central:	
Arkansas	1,797,000
Louisiana	3,321,000
Oklahoma	2,360,000
Texas	9,788,000
Mountain:	
Montana	682,000
Idaho	684,000
Wyoming	338,000
Colorado	1,781,000
New Mexico	983,000
Arizona	1,391,000
Utah	918,000
Nevada	299,000
Pacific:	
Washington	2,902,000
Oregon	1,799,000
California	16,397,000
Alaska	234,000
Hawaii	657,000
Puerto Rico	2,406,000
Virgin Islands	33,600

Source: U.S. Bureau of the Census, "Provisional Estimates of the Population of States: July 1, 1961," Current Population Reports, Series P-25, No. 239, 1961.

Section 8. Index

SECTION 8. INDEX

The various subjects covered in the text portions of Volume II and the principal variables of the tables and charts are listed in this index. For a comprehensive listing of the contents of the individual tables, the index refers the reader to the "Guide to Tables" for Sections 1 through 7, Part A, and 9 and 10, Part B. These show the specific variables covered in each table, the geographic coverage, and the type of entry (frequencies, rates, ratios, and percentages). Specific cross-classifications are not shown in the "Guides to Tables."

The page numbers of the volumes are two-part numbers separated by hyphens; the first part refers to the section and the second refers to the page within the section; for example, 1-15 means page 15 of Section 1.

Age
- Death rate tables, *see* guides to Sections 1 and 5
- Death rate tables, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, infant deaths, *see* guide to Section 3
- Cause of death, 1-6ff.
- Color, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4
- Death rates, 1-3, 1-5f., 1-6ff., 1-10f.; (Fig. 1-1) 1-4
- Errors in response and reporting, 7-8
- Geographic divisions, 1-10
- Infant mortality rates, 3-3f.; (Fig. 3-1) 3-3
- Random variation in death rates, 1-10
- Sex, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4

Age-adjusted death rates
- Death rate tables, *see* guide to Section 1
- Color, 1-6; (Fig. 1-4) 1-6
- Definition, 7-14
- Sex, 1-6; (Fig. 1-4) 1-6
- Trends, 1-3f., 1-5f., (Fig. 1-4) 1-6

Age of mother (fetal deaths)
- Frequency tables, fetal deaths, *see* guide to Section 4
- Ratio table, fetal deaths, *see* guide to Section 4
- Fetal death ratios, 4-3f.

Attendant at birth (fetal deaths)
- Frequency table, fetal deaths, *see* guide to Section 4

Cause of death
- Age-adjusted death rate table, *see* guide to Section 1
- Death rate tables, *see* guides to Sections 1 and 5
- Death rate table, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, infant deaths, *see* guide to Section 3
- Percentage tables, *see* guide to Section 1
- Age, 1-6ff.
- Age-adjusted death rates, 1-7
- Chronic diseases, 1-3, 1-8ff.
- Coding procedures, 7-12, 7-13
- Color, 1-3, 1-6ff., 1-10f.; (Fig. 1-2) 1-5, (Fig. 1-5) 1-11
- Comparability between revisions of the International Lists, 1-6ff.; 7-11f.
- Death rates, 1-3, 1-5, 1-6ff., 1-10f.; (Fig. 1-2) 1-5, (Fig. 1-5) 1-11

Cause of death—Con.
- External causes, 1-9
- Geographic divisions, 1-10
- Infant mortality rates, 3-4, 3-7
- Infectious diseases, 1-3, 1-7f.
- Leading causes of death, ranked, 1-3; 7-13; (Fig. 1-2) 1-5
- Lists for tabulations, 7-11f.
- Maternal causes of death, 1-10f.
- Medical certification, 7-12f.
- Sex, 1-6ff.; (Fig. 1-2) 1-5

Cities
- Frequency tables, *see* guide to Section 9
- Frequency table, fetal deaths, *see* guide to Section 9
- Frequency table, infant deaths, *see* guide to Section 9

Color
- Age-adjusted death rate tables, *see* guide to Section 1
- Death rate tables, *see* guides to Sections 1, 5, and 9
- Death rate table, fetal deaths, *see* guide to Section 4
- Death rate tables, infant deaths, *see* guides to Sections 3 and 9
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
- Frequency tables, infant deaths, *see* guides to Sections 3 and 9
- Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
- Age, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4
- Age-adjusted death rates, 1-6; (Fig. 1-4) 1-6
- Cause of death, 1-3, 1-6ff., 1-10f.; (Fig. 1-2) 1-5, (Fig. 1-5) 1-11
- Classification scheme, 7-8f.
- Death rates, 1-3, 1-5f., 1-6ff.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5
- Fetal death rates, 4-8
- Fetal death ratios, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
- Infant mortality rates, 3-4f.
- Leading causes of death, ranked, 1-3; (Fig. 1-2) 1-5
- Maternal mortality rates 1-10f.; (Fig. 1-5) 1-11
- Race, 7-8f.
- Self-enumeration, effect on statistics, 7-9
- Sex, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
- Urban and rural areas, 4-8

Comparability of the International Lists
Death rates, 1-6ff.
Fifth and Sixth Revisions, 7-11f.
Sixth and Seventh Revisions, 1-6ff.; 7-11f.

Completeness of registration
Death-registration area, 7-13
Fetal deaths, 4-3, 4-10; 7-9

Control of errors, 7-13

Counties
Frequency tables, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9

Death rates
Death rate tables, *see* guides to Sections 1, 5, and 9
Death rate table, fetal deaths, *see* guide to Section 4
Death rate tables, infant deaths, *see* guides to Sections 3 and 9
Death rates tables, neonatal deaths, *see* guides to Sections 3 and 9
Age, 1-3, 1-5f., 1-6ff., 1-10f.; 3-3f.; (Fig. 1-1) 1-4; (Fig. 3-1) 3-3
Age-adjusted death rates, 1-5f., 1-7, 1-10f.; 7-14; (Fig. 1-4) 1-6
Cause of death, 1-3, 1-5, 1-6ff., 1-10f.; 3-4, 3-7; (Fig. 1-2) 1-5, (Fig. 1-5) 1-11
Color, 1-3, 1-5f., 1-6ff., 1-10f.; 3-4f.; 4-8; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-5) 1-11
Comparability between Revisions, 1-6ff.
Fetal death rates, 4-3f.
Geographic divisions, 1-10 , 1-11; 3-7
Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
Leading causes of death, ranked, 1-3; (Fig. 1-2) 1-5
Maternal mortality rates, 1-10f.; (Fig. 1-5) 1-11
Random variation, 1-10
Sex, 1-3, 1-5f., 1-6ff.; 3-4; 4-7f.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
States, 1-10, 3-7
Trends, 1-3, 1-5ff.; 3-3f., 3-7; (Fig. 1-3) 1-6, (Fig. 1-4) 1-6, (Fig. 1-5) 1-11; (Fig. 3-1) 3-3
Urban and rural areas, 1-11

Death-registration area
Completeness of registration, 7-13
History, 7-4ff., 7-13

Fetal deaths
Death rate table, *see* guide to Section 4
Frequency tables, *see* guides to Sections 4 and 9
Minimum period of gestation required for reporting, *see* guide to Section 4
Ratio tables, *see* guides to Sections 4 and 9
Age of mother, 4-3f.
Classification scheme, 7-9f.
Color, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
Completeness of registration, 4-3, 4-10; 7-10
Errors in reporting length of gestation period, 7-10
Errors of coverage, 4-3, 4-8f.

Fetal deaths—Con.
Fetal death rates, 4-3f.
Fetal death ratios, 4-3, 4-7f., 4-8, 4-10; (Fig. 4-1) 4-7
Geographic divisions, 4-8f.
Legitimacy status, 4-3f.; 7-10
Metropolitan and nonmetropolitan counties, 4-8
Period of gestation, 4-3f.
Plural births, 4-7f.
Sex, 4-7f.
Specification of previous fetal loss on State and standard certificates, 7-9f.
Standard certificate, 7-9; (Fig. 7-2) 7-5
States, 4-8f.
Total-birth order, 7-10
Trends, 4-3, 4-8f.; (Fig. 4-1) 4-7
Urban and rural areas, 4-8

Geographic divisions
Death rate tables, *see* guide to Section 1
Death rate tables, infant deaths, *see* guide to Section 3
Frequency tables, *see* guide to Section 1
Frequency table, fetal deaths, *see* guide to Section 4
Ratio tables, fetal deaths, *see* guide to Section 4
Age, 1-10
Death rates, 1-10ff.
Fetal death ratios, 4-8f.
Infant mortality rates, 3-7
Maternal mortality rates, 1-11
States, 3-7

Infant deaths
Death rate tables, infant deaths, *see* guides to Sections 3 and 9
Death rate tables, neonatal deaths, *see* guides to Sections 3 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Frequency tables, neonatal deaths, *see* guides to Sections 3 and 9
Adjustment of rates for changing numbers of births, 3-7
Age, 3-4f.; (Fig. 3-1) 3-3
Cause of death, 3-4, 3-7
Color, 3-4f.
Geographic divisions, 3-7
Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
Sex, 3-4
States, 3-7
Trends, 3-3f., 3-7; (Fig. 3-1) 3-3

International Lists
Comparability between Revisions, 1-6ff.; 7-11f.
Lists for tabulations, 7-11f.

Legitimacy status (fetal deaths)
Frequency table, fetal deaths, *see* guide to Section 4
Ratio table, fetal deaths, *see* guide to Section 4
Fetal death ratios, 4-3f.
States reporting, 7-10

Life tables
Life table functions, *see* guide to Section 2
Abridged life table, final, 2-3

Life tables—Con.
Abridged life table, interpolated, 2-3
Abridged life table, provisional, 2-3
Color, 2-4, 2-5
Comparison of median length of life to expectation of life, 2-4
Complete life table, 2-3
Current life table, 2-3
Expectation of life, 2-4ff.
Expectation of life at age 1, 2-4
Expectation of life at birth, 2-4, 2-5
Expectation of life at single years of age, 2-4
Explanation of life table functions, 2-6
Age interval, *(x to x+n)*
Expectation of life, average remaining lifetime, $(\overset{o}{e}_x)$
Number dying, $({}_n d_x)$
Number surviving, (l_x)
Proportion dying, $({}_n q_x)$
Stationary population, $({}_n L_x \text{ and } T_x)$
Generation or cohort life table, 2-3
Geographic coverage, 2-4f.
History, 2-3
Median length of life at birth, 2-4
Number of survivors, 2-4, 2-5, 2-6
Sex, 2-4, 2-5
Source of mortality data, 2-3
Source of population data, 2-3
Trends, 2-4f.

Marital status
Frequency table, *see* guide to Section 5

Medical certification of cause of death, 7-12f.

Metropolitan and nonmetropolitan counties
Death rate tables, *see* guide to Section 1
Death rate table, infant deaths, *see* guide to Section 9
Frequency tables, *see* guide to Section 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
Classification scheme, 7-8
Fetal death ratios, 4-8
Maternal mortality rates, 1-11

Maternal mortality
Death rate tables, *see* guide to Section 1
Frequency table, *see* guide to Section 1
Cause of death, 1-10f.
Color, 1-10f.; (Fig. 1-5) 1-11
Geographic divisions, 1-11
Maternal mortality rates, 1-10f.; (Fig. 1-5) 1-11
Metropolitan and nonmetropolitan counties, 1-11
Urban and rural areas, 1-11

Month
Frequency tables, *see* guide to Section 5

Month—Con.
Frequency table, fetal deaths, *see* guide to Section 4
Frequency tables, infant deaths, *see* guide to Section 3

Occurrence, place of death
Death rate table, *see* guide to Section 1
Frequency tables, *see* guides to Sections 1, 5, and 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency table, infant deaths, *see* guide to Section 9
Classification scheme, 7-7
Residence allocation, 7-7f.

Period of gestation (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4
Minimum period of gestation required for the reporting of fetal deaths, *see* guide to Section 4
Ratio table, fetal deaths, *see* guide to Section 4
Fetal death ratios, 4-3f.

Plural births (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4
Rate table, fetal deaths, *see* guide to Section 4
Fetal death rates, 4-7f.

Population data
Population tables, *see* guide to Section 7
Population bases, 7-14

Population-size groups (U.S. totals only)
Death rate table, infant deaths, *see* guide to Section 9
Frequency table, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9
Ratio tables, fetal deaths, *see* guide to Section 9

Puerto Rico and Virgin Islands
Death rate tables, *see* guide to Section 10
Frequency tables, *see* guide to Section 10
Frequency tables, fetal deaths, *see* guide to Section 10
Frequency tables, infant deaths, *see* guide to Section 10
Frequency tables, neonatal deaths, *see* guide to Section 10
Population tables, *see* guide to Section 7
Color, 10-2
Geographic classification, 10-2
Symbols used in tables, 10-2

Race, see Color
Death rate table, *see* guide to Section 1
Frequency tables, *see* guides to Sections 1, 5, 6, and 9
Frequency table, fetal deaths, *see* guide to Section 4
Frequency table, infant deaths, *see* guide to Section 3

Random variation in death rates, 1-10

Ranking leading causes of death
Color, 1-3; (Fig. 1-2) 1-5
Death rates, 1-3; (Fig. 1-2) 1-5
Method of ranking, 7-13
Sex, (Fig. 1-2) 1-5

Residence
Allocation, deaths, 1-10; 7-7f.
Classification scheme, 7-7f.
Errors in response and reporting, 1-9
Resident-nonresident interchange, 1-9
Specification on standard certificates, 7-3f.; (7-A) 7-6

Sex
Death rate tables, *see* guides to Sections 1 and 5
Death rate table, fetal deaths, *see* guide to Section 4
Death rate table, infant deaths, *see* guide to Section 3
Frequency tables, *see* guides to Sections 1, 5, 6, and 9
Frequency tables, fetal deaths, *see* guide to Section 4
Frequency tables, infant deaths, *see* guide to Section 3
Age, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4
Age-adjusted death rates, 1-6; (Fig. 1-4) 1-6
Cause of death, 1-6ff.; (Fig. 1-2) 1-5
Color, 1-3, 1-5f., 1-6ff.; 3-4; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Death rates, 1-3, 1-5f.; 1-6ff.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Fetal death rates, 4-7f.
Infant mortality rates, 3-4
Leading causes of death, ranked, (Fig. 1-2) 1-5

Standard certificates of death and fetal death
History, 7-3f.
Residence specification, 7-3f.; (7-A) 7-6
Specification of previous fetal loss, 7-9f.
Specimens, (Fig. 7-1) 7-4, (Fig. 7-2) 7-5

Standard consolidated areas
Classification scheme, 7-7f.
Standard metropolitan statistical areas, 7-7f.

Standard metropolitan statistical areas
Death rate table, *see* guide to Section 9
Death rate table, infant deaths, *see* guide to Section 9
Frequency tables, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9
Ratio table, fetal deaths, *see* guide to Section 9
Classification scheme, 7-7f.
Standard consolidated areas, 7-8
Urban and rural areas, 7-8

Symbols used in tables, 7-14

Total-birth order (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4

Urban and rural areas
Death rate tables, *see* guide to Section 1
Death rate table, infant deaths, *see* guide to Section 9
Frequency table, *see* guide to Section 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
Classification scheme, 7-8f.
Fetal death ratios, 4-8
Maternal mortality rates, 1-11
Standard metropolitan statistical areas, 7-8

Virgin Islands, see Puerto Rico and Virgin Islands

Weight at birth (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4

Guide to tables in Section 1

(Data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 1	-A	-B	-C	-D	-E	-F	-G	-H	-J	-K	-L	-M	-N-	-O	-P	-Q	-R	-S	-T	-U
PAGE: 1	-12	-13	-14	-15	-15	-16	-16	-16	-17	-18	-26	-27	-28	-29	-30	-34	-38	-39	-39	-40
Geographic area:																				
Divisions											X[1]	X	X		X	X			X	X
Metropolitan and nonmetropolitan counties																			X	
States												X	X	X[2]	X	X				X
United States	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas																			X	
Years:																				
1900-1961	X[3]	X[3]									X[4]									
1915-1961																		X[5]		
1951-1961			X						X			X								
1959-1961 (3-year average)																			X	X
1961 only				X	X	X	X	X		X			X	X	X	X	X			
Type of entry:																				
Age-adjusted rates		X						X												
Number of deaths	X				X	X							X	X	X		X			
Percentage distribution of deaths by cause							X													
Death rates	X		X	X		X	X		X	X	X	X	X			X	X	X	X	X
Characteristics:																				
Age			X	X	X[6]	X[7]				X			X				X			
Cause of death:																				
59 selected causes									X	X					X	X				
Selected causes								X												
15 leading causes							X													
Maternal causes only																	X	X	X	X
Color	X	X	X	X	X[6]	X[7]		X		X							X	X		X
Sex	X	X	X	X	X[6]			X		X										

[1] By place of occurrence.
[2] Both occurrence and residence distributions.
[3] Entire United States for 1933-1961; death-registration States for 1900-1932.
[4] Data by 5-year averages for 1900-1954 and by single years for 1955-1961.
[5] Entire United States for 1933-1961; birth-registration States for 1915-1932. Data by 5-year averages for 1915-1939 and by single years for 1940-1961.
[6] 85 years and over only.
[7] Males only. Armed Forces abroad included.

Guide to tables in Section 2

TABLE: 2	-1	-2	-3	-4	-5	-6
PAGE: 2	-7	-8	-9	-10	-11	-12
Years:						
1900-1961						X[1]
1961 only	X	X	X	X		
Specified years and 1961					X[2]	
Type of entry:						
Proportion dying $({}_nq_x)$	X	X				
Number surviving (l_x)	X	X	X		X	
Number dying $({}_nd_x)$	X	X				
Stationary population $({}_nL_x$ *and* $T_x)$	X	X				
Average remaining lifetime $(\overset{o}{e}_x)$	X	X		X	X	
Estimated average length of life $(\overset{o}{e}_0)$						X
Characteristics:						
Age by:						
Single years			X	X		
5-year intervals	X	X			X	
Sex-color specific		X	X	X	X	X
Sex specific	X		X	X		X
Color specific		X	X	X		X
Total population	X		X	X		X

[1]Entire United States for 1929-1961; death-registration States for 1900-1928.
[2]Entire United States for specified years from 1929-1961; death-registration States for specified years from 1900-1921.

Guide to tables in Section 3

(All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 3	-A	-B	-C	-D	-E	-F	-1	-2	-3	-4	-5	-6
PAGE: 3	-3	-4	-5	-6	-8	-9	-10	-24	-31	-34	-40	-58
Geographic area:												
Divisions					X	X						
Metropolitan and nonmetropolitan counties										X		
States					X	X	X	X				X
United States	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas										X		
Years:												
1915-1961	X[1]											
1951-1961			X	X								
1957-1961					X	X						
1961 only		X					X	X	X	X	X	X
Type of entry:												
Number of infant deaths							X	X	X	X	X	X
Infant mortality rates (per 1,000 live births)	X				X	X						
Infant mortality rates (per 100,000 live births)		X	X	X								
Characteristics:												
Age:												
Under 1 year	X	X	X	X	X		X	X	X	X	X	X
Under 28 days	X	X	X			X	X	X	X	X	X	X
28 days to 11 months									X			X
Detailed age groups (under 1 day-11 months)		X	X				X	X[2]			X	
Cause of death (55 selected causes)				X					X	X	X	X
Color	X	X	X		X	X		X		X	X	X
Month								X	X			
Race							X					
Sex		X					X	X[2]			X	

[1]Entire United States for 1933-1961; birth-registration States for 1915-1932.
[2]For the United States only.

Guide to tables in Section 4

(All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 4	-A	-B	-C	-D	-E	-F	-G	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 4	-4	-5	-6	-6	-8	-9	-11	-12	-15	-17	-19	-23	-25	-28	-29	-30	-33
Geographic area:																	
Divisions						X	X										
Metropolitan and nonmetropolitan counties						X											
Selected areas			X[1]	X[2]													
States	X[3]						X	X[4]	X		X	X	X			X	X
United States	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas						X											
Years:																	
1922-1961		X[5]															
1957-1961							X										
1961 only	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X
Type of entry:																	
Number of fetal deaths	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
Rates per 1,000 live births plus fetal deaths					X												
Ratios (per 1,000 live births)		X		X		X	X										
Minimum period required for reporting	X																
Characteristics:																	
Age of mother			X	X						X	X						
Attendant													X				
Color		X		X	X	X	X		X	X		X	X	X	X	X	X
Legitimacy status				X													
Month									X								
Period of gestation	X		X			X							X		X		X
Plural births					X									X	X		
Race											X						
Sex					X					X				X	X	X[6]	X[6]
Total-birth order										X		X					
Weight at birth														X		X	

[1] Combined totals and percentage distributions for nine States and New York City which require the reporting of early fetal deaths.
[2] Combined totals for 35 States which report legitimacy status.
[3] By place of occurrence.
[4] Both occurrence and residence distributions.
[5] Entire United States, 1933-1961; birth-registration States, 1922-1932.
[6] For the United States only.

Guide to tables in Section 5

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 5	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 5	-2	-5	-6	-12	-13	-14	-35	-40	-48	-98	-182	-190
Geographic area:												
States	X[1]	X[2]	X	X						X		
United States	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:												
Number of deaths	X	X	X	X	X	X	X	X	X	X	X	
Death rates						X						X
Characteristic:												
Age					X				X		X	X
Cause of death:												
Each cause						X						
255 selected causes							X	X	X	X		
59 selected causes											X	X
Color			X		X	X				X	X	X
Marital status					X							
Month		X	X				X					
Race				X				X	X			
Sex			X	X	X	X		X	X	X	X	X

[1]Both occurrence and residence distributions.
[2]By place of occurrence.

Guide to tables in Section 6

(Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence)

TABLE: 6	-1	-2	-3	-4	-5	-6
PAGE: 6	-2	-4	-8	-14	-16	-20
Geographic area:						
States					X	X
United States	X	X	X	X	X	X
Subject matter:						
Motor vehicle accident, by type of vehicle	X		X		X	
Nontransport accident, by place of accident		X		X		X
Characteristics:						
Age			X	X		
Color	X	X			X	X
Detailed accidental causes (E810-E835, E870-E936)	X	X				
Race			X	X		
Sex	X	X	X	X	X	X

Guide to tables in Section 7

POPULATION TABLES

TABLE: 7	-1	-2	-3	-4
PAGE: 7	-15	-16	-16	-17
Geographic area:				
Birth-registration areas	X			
Death-registration areas	X			
Divisions				X
Puerto Rico				X
States				X
United States	X[1]	X[2]	X	X
Virgin Islands				X
Years:				
1900-1961	X[3]			
1961		X[4]	X[4]	X[4]
Characteristics:				
Age		X[5]	X	
Color		X[5]	X	
Sex			X	

[1] Population both inclusive and exclusive of Armed Forces abroad.
[2] Population inclusive of Armed Forces abroad.
[3] Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.
[4] Estimated as of July 1, 1961.
[5] For males only.

Guide to tables in Section 9

(All data are for deaths occurring in the United States. Deaths excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 9	-3	-60	-78	-95	-116	-372	-376	-388	-552	-557
Geographic area:										
Counties	X[1]							X	X	
Metropolitan and nonmetropolitan counties		X	X					X		
Population-size groups (U.S. totals only)		X								
Specified urban places	X							X		X
Standard metropolitan statistical areas				X			X			
States	X[1]	X	X		X	X[2]		X	X	
United States	X	X	X			X		X	X	
Urban and rural areas		X						X		
Type of entry:										
Number of deaths—all ages	X	X	X	X	X	X	X	X	X	X
Number of fetal deaths	X	X								
Number of infant deaths	X	X								
Number of neonatal deaths	X	X								
Fetal death ratios (per 1,000 live births)		X								
Infant mortality rates (per 1,000 live births)		X								
Neonatal mortality rates (per 1,000 live births)		X								
Characteristics:										
Age			X	X	X					
Cause of death:										
59 selected causes					X	X	X			
Selected causes								X		
Specified infective diseases									X	X
Color	X	X	X	X	X					
Sex			X	X	X					

[1]Both occurrence and residence distributions.
[2]By place of occurrence.

SECTION 8 - MORTALITY

Guide to tables in Section 10

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 10	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 10	-3	-3	-4	-8	-12	-12	-13	-14	-14	-15	-16	-17	-17	-17	-18	-18
Geographic area:																
Islands								X[1]								
Municipios							X[1]									
Puerto Rico	X	X	X		X	X	X		X	X	X	X	X	X	X	X
Specified urban places							X	X								
Virgin Islands	X	X		X	X	X		X	X	X	X	X	X	X	X	X
Years:																
1940-1961	X															
1961 only		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																
Number of deaths—all ages	X	X	X	X	X	X	X	X								
Number of fetal deaths							X	X				X	X	X	X	X
Number of infant deaths							X	X	X	X	X[2]					
Number of neonatal deaths							X	X	X	X	X					
Death rates—all ages	X															
Characteristics:																
Age of decedent			X	X						X						
Age of mother													X			
Cause of death:																
59 selected causes			X	X												
55 selected causes of infant mortality											X					
Motor vehicle accidents					X											
Nontransport accidents						X										
Color (for Virgin Islands only)		X		X	X	X		X	X	X	X	X	X	X	X	X
Month		X							X			X				
Period of gestation																X
Place of accident						X										
Sex		X	X	X	X	X				X						
Total-birth order														X		
Type of motor vehicle involved					X											
Weight at birth															X	

[1]Both occurrence and residence distributions.
[2]Number of deaths also shown for the age-group 28 days to 11 months.

* U S GOVERNMENT PRINTING OFFICE · 1963 O—711-809