

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 IDN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|-------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 30 Sample Adult | 23393 | 100.00 |
| 31 Sample Adult Cancer | 0 | 0.00 |
| 34 Adult Alternative Medicine | 0 | 0.00 |
| 40 Sample Child | 0 | 0.00 |
| 44 Child Alternative Medicine | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 23393 | 100.00 |

IDN.000_04.000: HH identifier

| HHX | Frequency | Percent |
|------------|-----------|---------|
| All Values | 23393 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 5970 | 25.52 |
| 2 Quarter 2 | 6851 | 29.29 |
| 3 Quarter 3 | 3530 | 15.09 |
| 4 Quarter 4 | 7042 | 30.10 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 IDN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

IDN.000_30.000: Assignment Week

| ASSIGNWK | Frequency | Percent |
|------------|-----------|---------|
| 01 Week 1 | 1176 | 5.03 |
| 02 Week 2 | 1255 | 5.36 |
| 03 Week 3 | 1763 | 7.54 |
| 04 Week 4 | 1970 | 8.42 |
| 05 Week 5 | 1959 | 8.37 |
| 06 Week 6 | 1833 | 7.84 |
| 07 Week 7 | 1930 | 8.25 |
| 08 Week 8 | 1976 | 8.45 |
| 09 Week 9 | 1842 | 7.87 |
| 10 Week 10 | 1947 | 8.32 |
| 11 Week 11 | 2040 | 8.72 |
| 12 Week 12 | 1852 | 7.92 |
| 13 Week 13 | 1850 | 7.91 |

IDN.000_35.000: Family Serial Number

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 23393 | 100.00 |

IDN.000_40.000: Person Number (in family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 23393 | 100.00 |

IDN.000_65.000: Weight - Interim Annual

| WTIA_SA | Frequency | Percent |
|------------|-----------|---------|
| All Values | 23393 | 100.00 |

IDN.000_70.000: Weight - Final Annual

| WTFA_SA | Frequency | Percent |
|------------|-----------|---------|
| All Values | 23393 | 100.00 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
UCF Variables Wednesday, June 4, 2008
Unweighted Frequencies

UCF.000_00.000: Region

| REGION | Frequency | Percent |
|-------------|-----------|---------|
| 1 Northeast | 3921 | 16.76 |
| 2 Midwest | 5222 | 22.32 |
| 3 South | 8717 | 37.26 |
| 4 West | 5533 | 23.65 |

UCF.000_00.000: Pseudo-stratum for public use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| 001-300 | 23393 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| 01-02 | 23393 | 100.00 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Wednesday, June 4, 2008
 Unweighted Frequencies

HHC.110_00.000: Sex

| SEX | Frequency | Percent |
|----------|-----------|---------|
| 1 Male | 10375 | 44.35 |
| 2 Female | 13018 | 55.65 |

HHC.180_00.000: Hispanic subgroup detail

| HISPAN_I | Frequency | Percent |
|--|-----------|---------|
| 00 Multiple Hispanic | 62 | 0.27 |
| 01 Puerto Rico | 466 | 1.99 |
| 02 Mexican | 1584 | 6.77 |
| 03 Mexican-American | 963 | 4.12 |
| 04 Cuban/Cuban American | 190 | 0.81 |
| 05 Dominican (Republic) | 131 | 0.56 |
| 06 Central or South American | 669 | 2.86 |
| 07 Other Latin American, type not specified | 7 | 0.03 |
| 08 Other Spanish | 124 | 0.53 |
| 09 Hispanic/Latino/Spanish, non-specific type | 0 | 0.00 |
| 10 Hispanic/Latino/Spanish, type refused | 0 | 0.00 |
| 11 Hispanic/Latino/Spanish, type not ascertained | 0 | 0.00 |
| 12 Not Hispanic/Spanish origin | 19197 | 82.06 |

HHC.200_01.000: OMB groups w/multiple race

| RACERPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White only | 17776 | 75.99 |
| 02 Black/African American only | 3749 | 16.03 |
| 03 AIAN only | 230 | 0.98 |
| 04 Asian only | 1255 | 5.36 |
| 05 Race group not releasable (See file layout) | 31 | 0.13 |
| 06 Multiple race | 352 | 1.50 |

HHC.200_01.000: Race coded to single/multiple race group

| MRACRPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White | 17938 | 76.68 |
| 02 Black/African American | 3807 | 16.27 |
| 03 Indian (American), Alaska Native | 270 | 1.15 |
| 09 Asian Indian | 227 | 0.97 |
| 10 Chinese | 275 | 1.18 |
| 11 Filipino | 286 | 1.22 |
| 15 Other Asian (See file layout) | 482 | 2.06 |
| 16 Primary race not releasable (See file layout) | 42 | 0.18 |
| 17 Multiple race, no primary race selected | 66 | 0.28 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Wednesday, June 4, 2008
 Unweighted Frequencies

HHC.200_01.000: Race coded to single/multiple race group

| MRACBPI2 | Frequency | Percent |
|---|-----------|---------|
| 01 White | 16452 | 70.33 |
| 02 Black/African American | 3741 | 15.99 |
| 03 Indian (American) (includes Eskimo, Aleut) | 245 | 1.05 |
| 06 Chinese | 269 | 1.15 |
| 07 Filipino | 272 | 1.16 |
| 12 Asian Indian | 224 | 0.96 |
| 16 Other race (See file layout) | 2116 | 9.05 |
| 17 Multiple race, no primary race selected | 74 | 0.32 |

HHC.420_00.000: Age

| AGE_P | Frequency | Percent |
|------------------|-----------|---------|
| 00 Under 1 year | 0 | 0.00 |
| 01-84 1-84 years | 22850 | 97.68 |
| 85 85+ years | 543 | 2.32 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
FID Variables Wednesday, June 4, 2008
Unweighted Frequencies

6

FID.250_00.000: Marital Status

| R_MARITL | Frequency | Percent |
|---|-----------|---------|
| 0 Under 14 years | 0 | 0.00 |
| 1 Married - spouse in household | 10404 | 44.47 |
| 2 Married - spouse not in household | 369 | 1.58 |
| 3 Married - spouse in household unknown | 0 | 0.00 |
| 4 Widowed | 2262 | 9.67 |
| 5 Divorced | 2986 | 12.76 |
| 6 Separated | 800 | 3.42 |
| 7 Never married | 5216 | 22.30 |
| 8 Living with partner | 1225 | 5.24 |
| 9 Unknown marital status | 131 | 0.56 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AID Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AID.005_00.000: Sample adult status

| PROXYSA | Frequency | Percent |
|---|-----------|---------|
| 1 Physical or mental condition prohibits responding | 290 | 1.24 |
| 2 Sample adult is able to respond | 22849 | 97.67 |
| 3 Unknown | 254 | 1.09 |

AID.010_00.000: Knowledgeable proxy for Sample Adult available

| PROX1 | Frequency | Percent |
|-------|-----------|---------|
| 1 Yes | 287 | 98.97 |
| 2 No | 3 | 1.03 |

Frequency Missing = 23103

AID.015_00.000: Relationship of SA proxy to SA

| PROX2 | Frequency | Percent |
|--|-----------|---------|
| 1 Relative who lives in household | 227 | 79.09 |
| 2 Relative who doesn't live in household | 34 | 11.85 |
| 3 Other caregiver | 22 | 7.67 |
| 4 Other | 4 | 1.39 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23106

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ASD Variables Wednesday, June 4, 2008
Unweighted Frequencies

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Frequency |
|---|-----------|
| 1 Working for pay at a job or business | 13734 |
| 2 With a job or business but not at work | 568 |
| 3 Looking for work | 648 |
| 4 Working, but not for pay, at a family-owned job or business | 151 |
| 5 Not working at a job or business and not looking for work | 8258 |
| 7 Refused | 32 |
| 8 Not ascertained | 1 |
| 9 Don't know | 1 |

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Percent |
|---|---------|
| 1 Working for pay at a job or business | 58.71 |
| 2 With a job or business but not at work | 2.43 |
| 3 Looking for work | 2.77 |
| 4 Working, but not for pay, at a family-owned job or business | 0.65 |
| 5 Not working at a job or business and not looking for work | 35.30 |
| 7 Refused | 0.14 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.00 |

ASD.065_00.000: Main reason for not working last week

| WHYNOWKA | Frequency | Percent |
|--|-----------|---------|
| 01 Taking care of house or family | 1667 | 18.89 |
| 02 Going to school | 617 | 6.99 |
| 03 Retired | 4023 | 45.58 |
| 04 On a planned vacation from work | 259 | 2.93 |
| 05 On family or maternity leave | 41 | 0.46 |
| 06 Temporarily unable to work for health reasons | 250 | 2.83 |
| 07 Have job/contract and off-season | 88 | 1.00 |
| 08 On layoff | 119 | 1.35 |
| 09 Disabled | 1512 | 17.13 |
| 10 Other | 246 | 2.79 |
| 97 Refused | 2 | 0.02 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 0.02 |

Frequency Missing = 14567

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ASD.066_00.000: Ever worked

| EVERWRK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7384 | 82.60 |
| 2 No | 1492 | 16.69 |
| 7 Refused | 54 | 0.60 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 14454

ASD.080_00.000: Detailed industry classification (2002 NAICS)

| INDSTRN1 | Frequency | Percent |
|---|-----------|---------|
| See NAICS Industry Recode Appendix in file layout | 21837 | 100.00 |

Frequency Missing = 1556

ASD.080_00.000: Simple industry classification (2002 NAICS)

| INDSTRN2 | Frequency | Percent |
|---|-----------|---------|
| See NAICS Industry Recode Appendix in file layout | 21837 | 100.00 |

Frequency Missing = 1556

ASD.090_00.000: Detailed occupation classification (2000 SOC)

| OCCUPN1 | Frequency | Percent |
|--|-----------|---------|
| See 2000 SOC Occupation Recode Appendix in file layout | 21837 | 100.00 |

Frequency Missing = 1556

ASD.090_00.000: Simple occupation classification (2000 SOC)

| OCCUPN2 | Frequency | Percent |
|--|-----------|---------|
| See 2000 SOC Occupation Recode Appendix in file layout | 21837 | 100.00 |

Frequency Missing = 1556

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ASD.110_00.000: Class of worker

| WRKCATA | Frequency |
|--|-----------|
| 1 Employee of a PRIVATE company for wages | 16055 |
| 2 A FEDERAL government employee | 653 |
| 3 A STATE government employee | 1253 |
| 4 A LOCAL government employee | 1670 |
| 5 Self-employed in OWN business, professional practice or farm | 1860 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 56 |
| 7 Refused | 215 |
| 8 Not ascertained | 0 |
| 9 Don't know | 75 |

ASD.110_00.000: Class of worker

| WRKCATA | Percent |
|--|---------|
| 1 Employee of a PRIVATE company for wages | 73.52 |
| 2 A FEDERAL government employee | 2.99 |
| 3 A STATE government employee | 5.74 |
| 4 A LOCAL government employee | 7.65 |
| 5 Self-employed in OWN business, professional practice or farm | 8.52 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 0.26 |
| 7 Refused | 0.98 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.34 |

Frequency Missing = 1556

ASD.112_00.000: Current job an incorporated business

| BUSINC1A | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 497 | 26.72 |
| 2 No | 1334 | 71.72 |
| 7 Refused | 13 | 0.70 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.86 |

Frequency Missing = 21533

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ASD.120_00.000: Number of employees at work

| LOCALL1A | Frequency | Percent |
|---------------------------|-----------|---------|
| 01 1-9 employees | 5218 | 23.90 |
| 02 10-24 employees | 3160 | 14.47 |
| 03 25-49 employees | 2204 | 10.09 |
| 04 50-99 employees | 2124 | 9.73 |
| 05 100-249 employees | 2434 | 11.15 |
| 06 250-499 employees | 1367 | 6.26 |
| 07 500-999 employees | 968 | 4.43 |
| 08 1000 employees or more | 2607 | 11.94 |
| 97 Refused | 373 | 1.71 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1382 | 6.33 |

Frequency Missing = 1556

ASD.140_02.000: Years on the job

| YRSWRKPA | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 3426 | 15.69 |
| 01-34 years | 16786 | 76.87 |
| 35 35 or more years | 803 | 3.68 |
| 97 Refused | 527 | 2.41 |
| 98 Not ascertained | 3 | 0.01 |
| 99 Don't know | 292 | 1.34 |

Frequency Missing = 1556

ASD.146_00.000: Current/most recent job also longest held job

| WRKLONGH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10419 | 58.43 |
| 2 No | 7132 | 40.00 |
| 7 Refused | 215 | 1.21 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 65 | 0.36 |

Frequency Missing = 5562

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ASD Variables Wednesday, June 4, 2008
Unweighted Frequencies

12

ASD.150_00.000: Paid by the hour at current/most recent/longest held job

| HOURPDA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13031 | 59.67 |
| 2 No | 8446 | 38.68 |
| 7 Refused | 269 | 1.23 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 91 | 0.42 |

Frequency Missing = 1556

ASD.160_00.000: Paid sick leave at current/most recent/longest held job

| PDSICKA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 11435 | 52.37 |
| 2 No | 9859 | 45.15 |
| 7 Refused | 211 | 0.97 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 332 | 1.52 |

Frequency Missing = 1556

ASD.170_00.000: Have more than one job

| ONEJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1211 | 8.38 |
| 2 No | 13126 | 90.82 |
| 7 Refused | 109 | 0.75 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.05 |

Frequency Missing = 8940

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.010_00.000: Ever been told you have hypertension

| HYPEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6849 | 29.28 |
| 2 No | 16517 | 70.61 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.020_00.000: Ever had hypertension on 2+ visits

| HYPDIFV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6013 | 87.79 |
| 2 No | 824 | 12.03 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.18 |

Frequency Missing = 16544

ACN.020_00.010: Had hypertension, past 12 months

| HYPYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5461 | 79.73 |
| 2 No | 1351 | 19.73 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 37 | 0.54 |

Frequency Missing = 16544

ACN.031_01.000: Ever been told you had coronary heart disease

| CHDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1055 | 4.51 |
| 2 No | 22290 | 95.28 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 33 | 0.14 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.031_01.010: Had coronary heart disease, past 12 months

| CHDYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 766 | 72.61 |
| 2 No | 277 | 26.26 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 1.14 |

Frequency Missing = 22338

ACN.031_02.000: Ever been told you had angina pectoris

| ANGEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 475 | 2.03 |
| 2 No | 22881 | 97.81 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.10 |

ACN.031_02.020: Had angina, past 12 months

| ANGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 260 | 54.74 |
| 2 No | 210 | 44.21 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.05 |

Frequency Missing = 22918

ACN.031_03.000: Ever been told you had a heart attack

| MIEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 806 | 3.45 |
| 2 No | 22560 | 96.44 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.06 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.031_03.030: Had a heart attack, past 12 months

| MIEVYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 132 | 16.38 |
| 2 No | 669 | 83.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.62 |

Frequency Missing = 22587

ACN.031_04.000: Ever been told you had a heart condition/disease

| HRTEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1658 | 7.09 |
| 2 No | 21705 | 92.78 |
| 7 Refused | 16 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.06 |

ACN.031_04.040: Had other heart condition, past 12 months

| HRTYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 940 | 56.69 |
| 2 No | 709 | 42.76 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.54 |

Frequency Missing = 21735

ACN.031_05.000: Ever been told you had a stroke

| STREV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 647 | 2.77 |
| 2 No | 22723 | 97.14 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.05 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.031_05.050: Had stroke, past 12 months

| STRYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 139 | 21.48 |
| 2 No | 504 | 77.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.62 |

Frequency Missing = 22746

ACN.031_06.000: Ever been told you had emphysema

| EPHEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 410 | 1.75 |
| 2 No | 22966 | 98.17 |
| 7 Refused | 11 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.03 |

ACN.031_06.060: Had emphysema, past 12 months

| EPHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 352 | 85.85 |
| 2 No | 57 | 13.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.24 |

Frequency Missing = 22983

ACN.080_00.000: Ever been told you had asthma

| AASMEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2558 | 10.93 |
| 2 No | 20814 | 88.98 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.05 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.085_00.000: Still have asthma

| AASSTILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1748 | 68.33 |
| 2 No | 787 | 30.77 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 23 | 0.90 |

Frequency Missing = 20835

ACN.090_00.000: Had an asthma episode/attack past 12 m

| AASMYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 916 | 35.81 |
| 2 No | 1633 | 63.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.35 |

Frequency Missing = 20835

ACN.100_00.000: Had visit to ER due to asthma past 12 m

| AASMERYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 207 | 22.60 |
| 2 No | 708 | 77.29 |
| 7 Refused | 1 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 22477

ACN.110_00.000: Ever been told you have an ulcer

| ULCEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1599 | 6.84 |
| 2 No | 21764 | 93.04 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.07 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.120_00.000: Had ulcer in past 12 m

| ULCYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 443 | 27.70 |
| 2 No | 1145 | 71.61 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.69 |

Frequency Missing = 21794

ACN.121_01.010: Ever told you had high cholesterol

| CHLEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5808 | 24.83 |
| 2 No | 17483 | 74.74 |
| 7 Refused | 18 | 0.08 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 84 | 0.36 |

ACN.121_01.015: Had high cholesterol, past 12 months

| CHLYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4361 | 75.09 |
| 2 No | 1349 | 23.23 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 97 | 1.67 |

Frequency Missing = 17585

ACN.121_02.020: Ever told you had gum disease

| GUMDISEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1595 | 6.82 |
| 2 No | 21755 | 93.00 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 29 | 0.12 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.121_02.025: Had gum disease, past 12 months

| GUMDISYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 834 | 52.29 |
| 2 No | 751 | 47.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.63 |

Frequency Missing = 21798

ACN.121_03.030: Ever told you had phobia or fears

| PHOBIAEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 949 | 4.06 |
| 2 No | 22416 | 95.82 |
| 7 Refused | 16 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.05 |

ACN.121_03.035: Had phobia or fears, past 12 months

| PHOBIAYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 751 | 79.14 |
| 2 No | 198 | 20.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 22444

ACN.121_04.040: Ever told you had influenza/pneumonia

| AFLUPNEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5484 | 23.44 |
| 2 No | 17862 | 76.36 |
| 7 Refused | 17 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 30 | 0.13 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

ACN.121_04.045: Had influenza/pneumonia, past 12 months

| AFLUPNYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1191 | 21.72 |
| 2 No | 4278 | 78.01 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.26 |

Frequency Missing = 17909

ACN.121_05.050: Ever told you had poor circulation

| PRCIREV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2330 | 9.96 |
| 2 No | 21009 | 89.81 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 39 | 0.17 |

ACN.121_05.055: Had poor circulation, past 12 months

| PRCIRYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1969 | 84.51 |
| 2 No | 354 | 15.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.30 |

Frequency Missing = 21063

ACN.121_06.060: Ever told you had urinary problems

| UREV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2469 | 10.55 |
| 2 No | 20889 | 89.30 |
| 7 Refused | 20 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.121_06.065: Had urinary problems, past 12 months

| URYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1634 | 66.18 |
| 2 No | 832 | 33.70 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.12 |

Frequency Missing = 20924

ACN.123_01.010: Ever told you had ADD/Hyperactivity

| ADDHYP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 557 | 2.38 |
| 2 No | 22795 | 97.44 |
| 7 Refused | 20 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 21 | 0.09 |

ACN.123_02.020: Ever told you had Autism

| AUTISM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 26 | 0.11 |
| 2 No | 23345 | 99.79 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.03 |

ACN.123_03.030: Ever told you had Bipolar Disorder

| BIPDIS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 387 | 1.65 |
| 2 No | 22967 | 98.18 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 26 | 0.11 |

ACN.123_04.040: Ever told you had Dementia

| DEMENTIA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 165 | 0.71 |
| 2 No | 23198 | 99.17 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.07 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.123_05.050: Ever told you had Mania/Psychosis

| MANIAPSY | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 158 | 0.68 |
| 2 No | 23199 | 99.17 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 21 | 0.09 |

ACN.123_06.060: Ever told you had Schizophrenia

| SCHIZPHN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 150 | 0.64 |
| 2 No | 23214 | 99.23 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.123_07.070: Ever told you had Seizures

| SEIZURES | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 423 | 1.81 |
| 2 No | 22944 | 98.08 |
| 7 Refused | 17 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.04 |

ACN.125_00.010: Ever told you had bowel problems

| BOWLEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1326 | 5.67 |
| 2 No | 22026 | 94.16 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 27 | 0.12 |

ACN.125_00.020: Had bowel problems, past 12 months

| BOWLVR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 805 | 60.71 |
| 2 No | 520 | 39.22 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.08 |

Frequency Missing = 22067

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.125_01.030: Had inflammatory bowel, past 12 months

| BOWLTYP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 199 | 24.72 |
| 2 Not mentioned | 588 | 73.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 2.24 |

Frequency Missing = 22588

ACN.125_02.030: Had irritable bowel, past 12 months

| BOWLTYP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 411 | 51.06 |
| 2 Not mentioned | 376 | 46.71 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 2.24 |

Frequency Missing = 22588

ACN.125_03.030: Had severe constipation, past 12 months

| BOWLTYP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 276 | 34.29 |
| 2 Not mentioned | 511 | 63.48 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 2.24 |

Frequency Missing = 22588

ACN.126_00.010: Had acid reflux/heartburn, past 12 months

| ACIDRYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5048 | 21.58 |
| 2 No | 18321 | 78.32 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.126_00.020: Had regular headaches, past 12 months

| HACHEYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3609 | 15.43 |
| 2 No | 19765 | 84.49 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.03 |

ACN.126_00.030: Had memory loss, past 12 months

| MEMLOSyr | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1380 | 5.90 |
| 2 No | 21984 | 93.98 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.07 |

ACN.126_00.040: Had sprains/strains, past 12 months

| SPNYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1510 | 6.45 |
| 2 No | 21858 | 93.44 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.05 |

ACN.126_00.050: Had dental pain, past 12 months

| DENYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2808 | 12.00 |
| 2 No | 20564 | 87.91 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.03 |

ACN.126_00.060: Excessive alcohol/tobacco, past 12 months

| ALCTOBYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1109 | 4.74 |
| 2 No | 22255 | 95.14 |
| 7 Refused | 23 | 0.10 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.03 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.126_00.070: Substance abuse, past 12 months

| SUBABYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 150 | 0.64 |
| 2 No | 23215 | 99.24 |
| 7 Refused | 25 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.01 |

ACN.126_00.080: Skin problems, past 12 months

| SKNYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2034 | 8.69 |
| 2 No | 21345 | 91.25 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.00 |

ACN.128_00.010: Insomnia, past 12 months

| INSYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4415 | 18.87 |
| 2 No | 18943 | 80.98 |
| 7 Refused | 17 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 0.08 |

ACN.128_00.020: Excessive sleepiness, past 12 months

| FATYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2417 | 10.33 |
| 2 No | 20937 | 89.50 |
| 7 Refused | 17 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 22 | 0.09 |

ACN.128_00.030: Frequently depressed, past 12 months

| DEPYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2715 | 11.61 |
| 2 No | 20628 | 88.18 |
| 7 Refused | 20 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 30 | 0.13 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.128_00.040: Frequently anxious, past 12 months

| ANXYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2601 | 11.12 |
| 2 No | 20746 | 88.68 |
| 7 Refused | 19 | 0.08 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 27 | 0.12 |

ACN.130_00.000: Ever told by a doctor you had cancer

| CANEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1785 | 7.63 |
| 2 No | 21585 | 92.27 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.06 |

ACN.140_01.000: What kind of cancer ... Bladder

| CNKIND1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 47 | 2.63 |
| 2 Not mentioned | 1725 | 96.64 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_02.000: What kind of cancer ... Blood

| CNKIND2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 0.39 |
| 2 Not mentioned | 1765 | 98.88 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_03.000: What kind of cancer ... Bone

| CNKIND3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.67 |
| 2 Not mentioned | 1760 | 98.60 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_04.000: What kind of cancer ... Brain

| CNKIND4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 18 | 1.01 |
| 2 Not mentioned | 1754 | 98.26 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_05.000: What kind of cancer ... Breast

| CNKIND5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 327 | 18.32 |
| 2 Not mentioned | 1445 | 80.95 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_06.000: What kind of cancer ... Cervix

| CNKIND6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 127 | 11.77 |
| 2 Not mentioned | 941 | 87.21 |
| 7 Refused | 4 | 0.37 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.65 |

Frequency Missing = 22314

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_07.000: What kind of cancer ... Colon

| CNKIND7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 126 | 7.06 |
| 2 Not mentioned | 1646 | 92.21 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_08.000: What kind of cancer ... Esophagus

| CNKIND8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4 | 0.22 |
| 2 Not mentioned | 1768 | 99.05 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_09.000: What kind of cancer ... Gallbladder

| CNKIND9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1 | 0.06 |
| 2 Not mentioned | 1771 | 99.22 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_10.000: What kind of cancer ... Kidney

| CNKIND10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 30 | 1.68 |
| 2 Not mentioned | 1742 | 97.59 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_11.000: What kind of cancer ... larynx-windpipe

| CNKIND11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 0.11 |
| 2 Not mentioned | 1770 | 99.16 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_12.000: What kind of cancer ... Leukemia

| CNKIND12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 15 | 0.84 |
| 2 Not mentioned | 1757 | 98.43 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_13.000: What kind of cancer ... Liver

| CNKIND13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 13 | 0.73 |
| 2 Not mentioned | 1759 | 98.54 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_14.000: What kind of cancer ... Lung

| CNKIND14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 70 | 3.92 |
| 2 Not mentioned | 1702 | 95.35 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_15.000: What kind of cancer ... Lymphoma

| CNKIND15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 51 | 2.86 |
| 2 Not mentioned | 1721 | 96.41 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_16.000: What kind of cancer ... Melanoma

| CNKIND16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 110 | 6.16 |
| 2 Not mentioned | 1662 | 93.11 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_17.000: What kind of cancer ... mouth/tongue/lip

| CNKIND17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.67 |
| 2 Not mentioned | 1760 | 98.60 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_18.000: What kind of cancer ... Ovary

| CNKIND18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 50 | 4.63 |
| 2 Not mentioned | 1018 | 94.35 |
| 7 Refused | 4 | 0.37 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.65 |

Frequency Missing = 22314

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

31

ACN.140_19.000: What kind of cancer ... Pancreas

| CNKIND19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 0.34 |
| 2 Not mentioned | 1766 | 98.94 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_20.000: What kind of cancer ... Prostate

| CNKIND20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 213 | 30.17 |
| 2 Not mentioned | 491 | 69.55 |
| 7 Refused | 1 | 0.14 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.14 |

Frequency Missing = 22687

ACN.140_21.000: What kind of cancer ... Rectum

| CNKIND21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 14 | 0.78 |
| 2 Not mentioned | 1758 | 98.49 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_22.000: What kind of cancer ... skin (non-melanoma)

| CNKIND22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 367 | 20.56 |
| 2 Not mentioned | 1405 | 78.71 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_23.000: What kind of cancer ... skin (DK kind)

| CNKIND23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 112 | 6.27 |
| 2 Not mentioned | 1660 | 93.00 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_24.000: What kind of cancer ... soft tissue (muscle or fat)

| CNKIND24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 8 | 0.45 |
| 2 Not mentioned | 1764 | 98.82 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_25.000: What kind of cancer ... Stomach

| CNKIND25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10 | 0.56 |
| 2 Not mentioned | 1762 | 98.71 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_26.000: What kind of cancer ... Testis

| CNKIND26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 13 | 1.84 |
| 2 Not mentioned | 691 | 97.88 |
| 7 Refused | 1 | 0.14 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.14 |

Frequency Missing = 22687

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_27.000: What kind of cancer ... throat - pharynx

| CNKIND27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 17 | 0.95 |
| 2 Not mentioned | 1755 | 98.32 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_28.000: What kind of cancer ... Thyroid

| CNKIND28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 35 | 1.96 |
| 2 Not mentioned | 1737 | 97.31 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

ACN.140_29.000: What kind of cancer ... Uterus

| CNKIND29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 87 | 8.06 |
| 2 Not mentioned | 981 | 90.92 |
| 7 Refused | 4 | 0.37 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.65 |

Frequency Missing = 22314

ACN.140_30.000: What kind of cancer ... Other

| CNKIND30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 86 | 4.82 |
| 2 Not mentioned | 1686 | 94.45 |
| 7 Refused | 5 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.45 |

Frequency Missing = 21608

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.140_31.000: What kind of cancer ... more than 3 kinds

| CNKIND31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 16.67 |
| 2 Not mentioned | 15 | 83.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23375

ACN.150_01.000: Age first diagnosed w/bladder cancer

| CANAGE1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 43 | 91.49 |
| 85 85+ years | 4 | 8.51 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23346

ACN.150_02.000: Age first diagnosed w/blood cancer

| CANAGE2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 7 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23386

ACN.150_03.000: Age first diagnosed w/bone cancer

| CANAGE3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 12 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23381

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_04.000: Age first diagnosed w/brain cancer

| CANAGE4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 18 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23375

ACN.150_05.000: Age first diagnosed w/breast cancer

| CANAGE5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 313 | 95.72 |
| 85 85+ years | 5 | 1.53 |
| 97 Refused | 1 | 0.31 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 8 | 2.45 |

Frequency Missing = 23066

ACN.150_06.000: Age first diagnosed w/cervical cancer

| CANAGE6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 127 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23266

ACN.150_07.000: Age first diagnosed w/colon cancer

| CANAGE7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 120 | 95.24 |
| 85 85+ years | 4 | 3.17 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.59 |

Frequency Missing = 23267

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_08.000: Age first diagnosed w/esophageal cancer

| CANAGE8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 4 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23389

ACN.150_09.000: Age first diagnosed w/gallbladder cancer

| CANAGE9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 1 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23392

ACN.150_10.000: Age first diagnosed w/kidney cancer

| CANAGE10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 27 | 90.00 |
| 85 85+ years | 2 | 6.67 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 3.33 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23363

ACN.150_11.000: Age first diagnosed w/larynx-windpipe cancer

| CANAGE11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 2 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23391

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_12.000: Age first diagnosed w/leukemia

| CANAGE12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 15 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23378

ACN.150_13.000: Age first diagnosed w/liver cancer

| CANAGE13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 11 | 84.62 |
| 85 85+ years | 2 | 15.38 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23380

ACN.150_14.000: Age first diagnosed w/lung cancer

| CANAGE14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 69 | 98.57 |
| 85 85+ years | 1 | 1.43 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23323

ACN.150_15.000: Age first diagnosed w/lymphoma

| CANAGE15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 51 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23342

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_16.000: Age first diagnosed w/melanoma

| CANAGE16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 108 | 98.18 |
| 85 85+ years | 1 | 0.91 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.91 |

Frequency Missing = 23283

ACN.150_17.000: Age first diagnosed w/mouth/tongue/lip cancer

| CANAGE17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 12 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23381

ACN.150_18.000: Age first diagnosed w/ovarian cancer

| CANAGE18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 49 | 98.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 2.00 |

Frequency Missing = 23343

ACN.150_19.000: Age first diagnosed w/pancreatic cancer

| CANAGE19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 6 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23387

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_20.000: Age first diagnosed w/prostate cancer

| CANAGE20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 208 | 97.65 |
| 85 85+ years | 3 | 1.41 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 0.94 |

Frequency Missing = 23180

ACN.150_21.000: Age first diagnosed w/rectal cancer

| CANAGE21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 14 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23379

ACN.150_22.000: Age first diagnosed w/skin (non-melanoma) cancer

| CANAGE22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 349 | 95.10 |
| 85 85+ years | 10 | 2.72 |
| 97 Refused | 1 | 0.27 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 1.91 |

Frequency Missing = 23026

ACN.150_23.000: Age first diagnosed w/skin (DK kind) cancer

| CANAGE23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 104 | 92.86 |
| 85 85+ years | 4 | 3.57 |
| 97 Refused | 1 | 0.89 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 2.68 |

Frequency Missing = 23281

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_24.000: Age first diagnosed w/soft tissue cancer

| CANAGE24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 8 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23385

ACN.150_25.000: Age first diagnosed w/stomach cancer

| CANAGE25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 10 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23383

ACN.150_26.000: Age first diagnosed w/testicular cancer

| CANAGE26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 13 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23380

ACN.150_27.000: Age first diagnosed w/throat/pharynx cancer

| CANAGE27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 17 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23376

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.150_28.000: Age first diagnosed w/thyroid cancer

| CANAGE28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 34 | 97.14 |
| 85 85+ years | 1 | 2.86 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23358

ACN.150_29.000: Age first diagnosed w/uterine cancer

| CANAGE29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 86 | 98.85 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.15 |

Frequency Missing = 23306

ACN.150_30.000: Age first diagnosed w/other cancer

| CANAGE30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 83 | 96.51 |
| 85 85+ years | 1 | 1.16 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 2.33 |

Frequency Missing = 23307

ACN.160_00.000: Ever been told that you have diabetes

| DIBEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2036 | 8.70 |
| 2 No | 21120 | 90.28 |
| 3 Borderline | 215 | 0.92 |
| 7 Refused | 11 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.05 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.165_00.000: Ever had prediabetes or other symptoms

| DIBPRE1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 735 | 3.44 |
| 2 No | 20591 | 96.41 |
| 7 Refused | 11 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 0.09 |

Frequency Missing = 2036

ACN.170_00.000: Age first diagnosed w/diabetes

| DIBAGE | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 1970 | 96.76 |
| 85 85+ years | 7 | 0.34 |
| 97 Refused | 2 | 0.10 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 57 | 2.80 |

Frequency Missing = 21357

ACN.170_00.000: Years since first diagnosed w/diabetes

| DIFAGE2 | Frequency | Percent |
|--|-----------|---------|
| 00 Within past year | 107 | 5.26 |
| 01-84 1-84 years | 1863 | 91.50 |
| 85 85+ years | 0 | 0.00 |
| 96 1+ year(s) with diabetes and age is 85+ | 7 | 0.34 |
| 97 Refused | 2 | 0.10 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 57 | 2.80 |

Frequency Missing = 21357

ACN.180_00.000: NOW taking insulin

| INSLN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 529 | 19.09 |
| 2 No | 2238 | 80.77 |
| 7 Refused | 2 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.07 |

Frequency Missing = 20622

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

43

ACN.190_00.000: NOW taking diabetic pills

| DIBPILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1613 | 58.21 |
| 2 No | 1152 | 41.57 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.18 |

Frequency Missing = 20622

ACN.201_01.000: Told that you had hay fever, past 12 m

| AHAYFYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1720 | 7.35 |
| 2 No | 21646 | 92.53 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.201_02.000: Told that you had sinusitis, past 12 m

| SINYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2720 | 11.63 |
| 2 No | 20640 | 88.23 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 0.09 |

ACN.201_03.000: Told you had chronic bronchitis, 12 m

| CBRCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 814 | 3.48 |
| 2 No | 22559 | 96.43 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.03 |

ACN.201_04.000: Told you had weak/failing kidneys, 12 m

| KIDWKYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 409 | 1.75 |
| 2 No | 22954 | 98.12 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.07 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.201_05.000: Told you had liver condition, past 12 m

| LIVYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 311 | 1.33 |
| 2 No | 23057 | 98.56 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.05 |

ACN.250_00.000: Symptoms of joint pain/aching/stiffness past 30 d

| JNTSYMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6570 | 28.09 |
| 2 No | 16794 | 71.79 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.07 |

ACN.260_01.000: Which joint affected...shoulder-right

| JMTHP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1622 | 24.69 |
| 2 Not mentioned | 4925 | 74.96 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_02.000: Which joint affected...shoulder-left

| JMTHP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1477 | 22.48 |
| 2 Not mentioned | 5070 | 77.17 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.260_03.000: Which joint affected...elbow-right

| JMTHP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 866 | 13.18 |
| 2 Not mentioned | 5681 | 86.47 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_04.000: Which joint affected...elbow-left

| JMTHP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 818 | 12.45 |
| 2 Not mentioned | 5729 | 87.20 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_05.000: Which joint affected...hip-right

| JMTHP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1264 | 19.24 |
| 2 Not mentioned | 5283 | 80.41 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_06.000: Which joint affected...hip-left

| JMTHP6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1187 | 18.07 |
| 2 Not mentioned | 5360 | 81.58 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

46

ACN.260_07.000: Which joint affected...wrist-right

| JMTHP7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1031 | 15.69 |
| 2 Not mentioned | 5516 | 83.96 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_08.000: Which joint affected...wrist-left

| JMTHP8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 982 | 14.95 |
| 2 Not mentioned | 5565 | 84.70 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_09.000: Which joint affected...knee-right

| JMTHP9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3417 | 52.01 |
| 2 Not mentioned | 3130 | 47.64 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_10.000: Which joint affected...knee-left

| JMTHP10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3250 | 49.47 |
| 2 Not mentioned | 3297 | 50.18 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.260_11.000: Which joint affected...ankle-right

| JMTHP11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1130 | 17.20 |
| 2 Not mentioned | 5417 | 82.45 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_12.000: Which joint affected...ankle-left

| JMTHP12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1092 | 16.62 |
| 2 Not mentioned | 5455 | 83.03 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_13.000: Which joint affected...toes-right

| JMTHP13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 571 | 8.69 |
| 2 Not mentioned | 5976 | 90.96 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_14.000: Which joint affected...toes-left

| JMTHP14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 547 | 8.33 |
| 2 Not mentioned | 6000 | 91.32 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.260_15.000: Which joint affected...fingers/thumb-right

| JMTHP15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1481 | 22.54 |
| 2 Not mentioned | 5066 | 77.11 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_16.000: Which joint affected...fingers/thumb-left

| JMTHP16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1390 | 21.16 |
| 2 Not mentioned | 5157 | 78.49 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.260_17.000: Which joint affected...other joint not listed

| JMTHP17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 293 | 4.46 |
| 2 Not mentioned | 6254 | 95.19 |
| 7 Refused | 6 | 0.09 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 16 | 0.24 |

Frequency Missing = 16823

ACN.270_00.000: Symptoms begin more than 3 m ago

| JNTCHR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5783 | 88.02 |
| 2 No | 778 | 11.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 8 | 0.12 |

Frequency Missing = 16823

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.280_00.000: Ever seen doctor or hlth prof for joint symptoms

| JNTHP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4802 | 73.09 |
| 2 No | 1763 | 26.83 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 4 | 0.06 |

Frequency Missing = 16823

ACN.290_00.000: Ever been told you had arthritis

| ARTH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5100 | 21.80 |
| 2 No | 18246 | 78.00 |
| 7 Refused | 11 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 36 | 0.15 |

ACN.295_00.000: Limited due to arthritis or joint symptoms

| ARTHLMT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3073 | 38.10 |
| 2 No | 4989 | 61.85 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.05 |

Frequency Missing = 15327

ACN.297_01.010: Ever told you had arthritis

| ARTHTYP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4128 | 80.94 |
| 2 Not mentioned | 947 | 18.57 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

50

ACN.297_02.010: Ever told you had rheumatoid arthritis

| ARTHTYP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 538 | 10.55 |
| 2 Not mentioned | 4537 | 88.96 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

ACN.297_03.010: Ever told you had gout

| ARTHTYP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 286 | 5.61 |
| 2 Not mentioned | 4789 | 93.90 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

ACN.297_04.010: Ever told you had lupus

| ARTHTYP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 61 | 1.20 |
| 2 Not mentioned | 5014 | 98.31 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

ACN.297_05.010: Ever told you had fibromyalgia

| ARTHTYP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 259 | 5.08 |
| 2 Not mentioned | 4816 | 94.43 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.297_06.010: Ever told you had other joint condition

| ARTHTYP6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 292 | 5.73 |
| 2 Not mentioned | 4783 | 93.78 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.47 |

Frequency Missing = 18293

ACN.300_00.000: Had neck pain, past 3 m

| PAINNECK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3105 | 13.27 |
| 2 No | 20263 | 86.62 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.06 |

ACN.310_00.000: Had low back pain, past 3 m

| PAINLB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6067 | 25.94 |
| 2 No | 17299 | 73.95 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.320_00.000: Pain spread down leg/below knees

| PAINLEG | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2079 | 34.27 |
| 2 No | 3965 | 65.35 |
| 7 Refused | 2 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 21 | 0.35 |

Frequency Missing = 17326

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.331_01.000: Had pain in jaw/front of ear, past 3 m

| PAINFACE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 958 | 4.10 |
| 2 No | 22406 | 95.78 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.07 |

ACN.331_02.000: Had severe headache/migraine, past 3 m

| AMIGR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2886 | 12.34 |
| 2 No | 20482 | 87.56 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.05 |

ACN.350_00.000: Had a head/chest cold past 2 w

| ACOLD2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2637 | 11.27 |
| 2 No | 20729 | 88.61 |
| 7 Refused | 11 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.07 |

ACN.360_00.000: Had stomach prob w/vomit/diarrhea, 2 w

| AINTIL2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1006 | 4.30 |
| 2 No | 22366 | 95.61 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 1 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.370_00.000: Currently pregnant

| PREGNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 284 | 3.90 |
| 2 No | 6972 | 95.77 |
| 7 Refused | 5 | 0.07 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 18 | 0.25 |

Frequency Missing = 16113

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.372_00.010: Menstrual problems, past 12 months

| MENSYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1460 | 16.86 |
| 2 No | 7179 | 82.89 |
| 7 Refused | 9 | 0.10 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.15 |

Frequency Missing = 14732

ACN.372_00.020: Menopausal problems, past 12 months

| MENOYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1043 | 34.88 |
| 2 No | 1928 | 64.48 |
| 7 Refused | 5 | 0.17 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.47 |

Frequency Missing = 20403

ACN.372_00.030: Gynecologic problems, past 12 months

| GYNYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 728 | 5.59 |
| 2 No | 12232 | 93.96 |
| 7 Refused | 21 | 0.16 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 36 | 0.28 |

Frequency Missing = 10375

ACN.372_00.040: Prostate problems, past 12 months

| PROSTYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 608 | 9.53 |
| 2 No | 5727 | 89.81 |
| 7 Refused | 15 | 0.24 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 26 | 0.41 |

Frequency Missing = 17016

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.400_00.010: Description of hearing w/o aids

| AHEARST1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 1 Excellent | 13028 | 55.69 |
| 2 Good | 6822 | 29.16 |
| 3 A little trouble hearing | 2175 | 9.30 |
| 4 Moderate trouble | 790 | 3.38 |
| 5 A lot of trouble | 502 | 2.15 |
| 6 Deaf | 51 | 0.22 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 8 | 0.03 |
| 9 Don't know | 14 | 0.06 |

ACN.400_00.020: Hearing worse in one ear

| HRWORS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2868 | 27.67 |
| 2 No | 7203 | 69.49 |
| 7 Refused | 8 | 0.08 |
| 8 Not ascertained | 8 | 0.08 |
| 9 Don't know | 278 | 2.68 |

Frequency Missing = 13028

ACN.400_00.030: Which ear is worse

| HRWHICH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 The right ear | 1373 | 47.87 |
| 2 The left ear | 1436 | 50.07 |
| 7 Refused | 1 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 58 | 2.02 |

Frequency Missing = 20525

ACN.400_00.040: Hearing in right ear

| HRRIGHT | Frequency | Percent |
|----------------------------|-----------|---------|
| 1 Excellent | 287 | 10.01 |
| 2 Good | 917 | 31.97 |
| 3 A little trouble hearing | 833 | 29.04 |
| 4 Moderate trouble | 439 | 15.31 |
| 5 A lot of trouble | 280 | 9.76 |
| 6 Deaf | 87 | 3.03 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 25 | 0.87 |

Frequency Missing = 20525

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.400_00.050: Hearing in left ear

| HRLEFT | Frequency | Percent |
|----------------------------|-----------|---------|
| 1 Excellent | 283 | 9.87 |
| 2 Good | 827 | 28.84 |
| 3 A little trouble hearing | 884 | 30.82 |
| 4 Moderate trouble | 465 | 16.21 |
| 5 A lot of trouble | 309 | 10.77 |
| 6 Deaf | 79 | 2.75 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.03 |
| 9 Don't know | 20 | 0.70 |

Frequency Missing = 20525

ACN.400_00.060: Hear whispers across room

| HRWHISP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6143 | 59.27 |
| 2 No | 3852 | 37.16 |
| 7 Refused | 12 | 0.12 |
| 8 Not ascertained | 9 | 0.09 |
| 9 Don't know | 349 | 3.37 |

Frequency Missing = 13028

ACN.400_00.070: Hear normal voice across room

| HRTALK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2730 | 64.80 |
| 2 No | 1395 | 33.11 |
| 7 Refused | 12 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 76 | 1.80 |

Frequency Missing = 19180

ACN.400_00.080: Hear shouting voice across room

| HRSHOUT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 797 | 53.74 |
| 2 No | 638 | 43.02 |
| 7 Refused | 12 | 0.81 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 36 | 2.43 |

Frequency Missing = 21910

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

56

ACN.400_00.090: Hear voice in better ear

| HRSPEAK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 105 | 15.31 |
| 2 No | 537 | 78.28 |
| 7 Refused | 12 | 1.75 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 32 | 4.66 |

Frequency Missing = 22707

ACN.400_00.100: Trouble with background noise

| HRBACK | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 819 | 7.90 |
| 2 Usually | 1298 | 12.52 |
| 3 About half the time | 1723 | 16.62 |
| 4 Seldom | 2991 | 28.86 |
| 5 Never | 3438 | 33.17 |
| 7 Refused | 12 | 0.12 |
| 8 Not ascertained | 9 | 0.09 |
| 9 Don't know | 75 | 0.72 |

Frequency Missing = 13028

ACN.400_00.110: Frustrated with hearing when talking

| HRFRUST | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 352 | 3.40 |
| 2 Usually | 553 | 5.34 |
| 3 About half the time | 912 | 8.80 |
| 4 Seldom | 2452 | 23.66 |
| 5 Never | 6005 | 57.94 |
| 7 Refused | 13 | 0.13 |
| 8 Not ascertained | 9 | 0.09 |
| 9 Don't know | 69 | 0.67 |

Frequency Missing = 13028

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.400_00.120: Hearing causes worry about safety

| HRSAFETY | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 153 | 1.48 |
| 2 Usually | 239 | 2.31 |
| 3 About half the time | 307 | 2.96 |
| 4 Seldom | 1188 | 11.46 |
| 5 Never | 8397 | 81.01 |
| 7 Refused | 14 | 0.14 |
| 8 Not ascertained | 10 | 0.10 |
| 9 Don't know | 57 | 0.55 |

Frequency Missing = 13028

ACN.400_00.130: Age at first hearing loss

| HEARAGE1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 01 At birth | 78 | 1.76 |
| 02 0 to 2 years of age | 88 | 1.99 |
| 03 3 to 5 years of age | 104 | 2.35 |
| 04 6 to 11 years of age | 191 | 4.31 |
| 05 12 to 19 years of age | 288 | 6.50 |
| 06 20 to 39 years of age | 1045 | 23.59 |
| 07 40 to 59 years of age | 1243 | 28.06 |
| 08 60 to 69 years of age | 591 | 13.34 |
| 09 70 or more years of age | 582 | 13.14 |
| 97 Refused | 9 | 0.20 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 210 | 4.74 |

Frequency Missing = 18963

ACN.400_00.140: Hearing loss sudden/gradual

| HRSUDDEN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Sudden | 661 | 14.92 |
| 2 Gradual | 3670 | 82.84 |
| 7 Refused | 6 | 0.14 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 92 | 2.08 |

Frequency Missing = 18963

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

58

ACN.400_00.150: Main cause of hearing loss

| HRCAUS1 | Frequency | Percent |
|--|-----------|---------|
| 01 Present at birth because mother had German measles (Rubella) or Cytomegalovirus (CMV) | 15 | 0.34 |
| 02 Present at birth for a genetic reason | 73 | 1.65 |
| 03 Present at birth for some other reason, not including genetic or infectious disease | 53 | 1.20 |
| 04 Infectious disease after birth (measles, meningitis, etc.) | 66 | 1.49 |
| 05 Ear infections or Otitis Media | 307 | 6.93 |
| 06 Ear injury (holes in the eardrum, etc.) | 125 | 2.82 |
| 07 Ear surgery | 24 | 0.54 |
| 08 Ear disease such as Meniere's Disease or Otosclerosis | 35 | 0.79 |
| 09 Brain tumor (Acoustic Neuroma, etc) | 8 | 0.18 |
| 10 Loud, brief noise from gunfire, blasts, or explosions | 310 | 7.00 |
| 11 Noise exposure from machinery, aircraft, power tools, loud music, appliances, personal stereos or MP3 players, hair dryers, etc | 1190 | 26.86 |
| 12 Getting older/aging | 1318 | 29.75 |
| 13 Some other cause | 508 | 11.47 |
| 97 Refused | 6 | 0.14 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 391 | 8.83 |

Frequency Missing = 18963

ACN.400_00.160: Told of hearing problem by others

| HRFAM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3057 | 13.09 |
| 2 No | 20251 | 86.68 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 39 | 0.17 |

Frequency Missing = 31

ACN.400_00.170: Last saw doctor/hp about hearing problem

| HRPROBHP | Frequency | Percent |
|------------------------|-----------|---------|
| 0 Never | 13414 | 57.34 |
| 1 In the past year | 2599 | 11.11 |
| 2 1 to 2 years ago | 1717 | 7.34 |
| 3 3 to 4 years ago | 983 | 4.20 |
| 4 5 to 9 years ago | 1125 | 4.81 |
| 5 10 to 14 years ago | 899 | 3.84 |
| 6 15 or more years ago | 2053 | 8.78 |
| 7 Refused | 34 | 0.15 |
| 8 Not ascertained | 12 | 0.05 |
| 9 Don't know | 557 | 2.38 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

59

ACN.405_01.010: Referred to hearing specialist, past 5 years

| HRENT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1445 | 27.27 |
| 2 No | 3842 | 72.50 |
| 7 Refused | 2 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.19 |

Frequency Missing = 18094

ACN.405_02.020: Referred to audiologist, past 5 years

| HRAUD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1072 | 20.23 |
| 2 No | 4200 | 79.26 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 27 | 0.51 |

Frequency Missing = 18094

ACN.410_00.010: Last time hearing tested

| HRTEST | Frequency | Percent |
|------------------------|-----------|---------|
| 0 Never | 7115 | 30.42 |
| 1 In the past year | 2888 | 12.35 |
| 2 1 to 2 years ago | 2143 | 9.16 |
| 3 to 4 years ago | 1537 | 6.57 |
| 4 5 to 9 years ago | 2144 | 9.17 |
| 5 10 to 14 years ago | 1712 | 7.32 |
| 6 15 or more years ago | 4666 | 19.95 |
| 7 Refused | 38 | 0.16 |
| 8 Not ascertained | 13 | 0.06 |
| 9 Don't know | 1137 | 4.86 |

ACN.410_00.020: Cochlear implant recommended

| HRCOCREC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 105 | 0.45 |
| 2 No | 23213 | 99.23 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 13 | 0.06 |
| 9 Don't know | 47 | 0.20 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_00.030: Now use cochlear implant

| HRCOCNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 20 | 19.05 |
| 2 No | 85 | 80.95 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23288

ACN.410_00.040: Now use hearing aid

| HRAIDNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 608 | 2.60 |
| 2 No | 22754 | 97.27 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 13 | 0.06 |
| 9 Don't know | 10 | 0.04 |

ACN.410_00.050: How long used hearing aid

| HRAIDLNG | Frequency | Percent |
|-------------------------|-----------|---------|
| 01 Less than 6 weeks | 11 | 1.81 |
| 02 6 weeks to 11 months | 37 | 6.09 |
| 03 1 to 2 years | 109 | 17.93 |
| 04 3 to 4 years | 85 | 13.98 |
| 05 5 to 9 years | 144 | 23.68 |
| 06 10 to 14 years | 72 | 11.84 |
| 07 15 years or more | 143 | 23.52 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 1.15 |

Frequency Missing = 22785

ACN.410_00.060: How often used hearing aid, past 12 months

| HRAIDYR | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 314 | 51.64 |
| 2 Usually | 98 | 16.12 |
| 3 About half the time | 99 | 16.28 |
| 4 Seldom | 79 | 12.99 |
| 5 Never | 17 | 2.80 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.16 |

Frequency Missing = 22785

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_00.070: Ever used a hearing aid

| HRAIDDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 182 | 0.80 |
| 2 No | 22566 | 99.10 |
| 7 Refused | 9 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.07 |

Frequency Missing = 621

ACN.410_00.080: Hearing aid ever recommended

| HRAIDREC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 282 | 1.25 |
| 2 No | 22272 | 98.59 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.11 |

Frequency Missing = 803

ACN.410_00.090: How long hearing aid used in the past

| HRAIDLGP | Frequency | Percent |
|-------------------------|-----------|---------|
| 01 Less than 6 weeks | 51 | 28.02 |
| 02 6 weeks to 11 months | 42 | 23.08 |
| 03 1 to 2 years | 42 | 23.08 |
| 04 3 to 4 years | 9 | 4.95 |
| 05 5 to 9 years | 13 | 7.14 |
| 06 10 to 14 years | 12 | 6.59 |
| 07 15 years or more | 9 | 4.95 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 2.20 |

Frequency Missing = 23211

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

ACN.410_00.100: How often used hearing aid in the past

| HRAIDOFT | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 34 | 18.68 |
| 2 Usually | 29 | 15.93 |
| 3 About half the time | 51 | 28.02 |
| 4 Seldom | 55 | 30.22 |
| 5 Never | 12 | 6.59 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.55 |

Frequency Missing = 23211

ACN.410_01.110: HA not used - it didn't help

| HRAIDNT1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 68 | 14.14 |
| 2 Not mentioned | 408 | 84.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_02.110: HA not used - too loud

| HRAIDNT2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 80 | 16.63 |
| 2 Not mentioned | 396 | 82.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_03.110: HA not used - whistling sounds

| HRAIDNT3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 29 | 6.03 |
| 2 Not mentioned | 447 | 92.93 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_04.110: HA not used - uncomfortable

| HRAIDNT4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 64 | 13.31 |
| 2 Not mentioned | 412 | 85.65 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_05.110: HA not used - frequent breakdowns

| HRAIDNT5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 16 | 3.33 |
| 2 Not mentioned | 460 | 95.63 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_06.110: HA not used - didn't like look

| HRAIDNT6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 27 | 5.61 |
| 2 Not mentioned | 449 | 93.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_07.110: HA not used - cost too much

| HRAIDNT7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 151 | 31.39 |
| 2 Not mentioned | 325 | 67.57 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_08.110: HA not used - don't need

| HRAIDNT8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 81 | 16.84 |
| 2 Not mentioned | 395 | 82.12 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_09.110: HA not used - other

| HRAIDNT9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 89 | 18.50 |
| 2 Not mentioned | 387 | 80.46 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.04 |

Frequency Missing = 22912

ACN.410_00.120: Use assistive-listening devices

| HRALDS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 285 | 6.43 |
| 2 No | 4134 | 93.32 |
| 7 Refused | 4 | 0.09 |
| 8 Not ascertained | 3 | 0.07 |
| 9 Don't know | 4 | 0.09 |

Frequency Missing = 18963

ACN.410_01.130: ALD - pocket talker

| HRALDTP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 17 | 5.96 |
| 2 Not mentioned | 266 | 93.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_02.130: ALD - amplified telephone

| HRALDTP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 138 | 48.42 |
| 2 Not mentioned | 145 | 50.88 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_03.130: ALD - amplified alarm clock

| HRALDTP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 2.46 |
| 2 Not mentioned | 276 | 96.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_04.130: ALD - signaling system

| HRALDTP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 3.16 |
| 2 Not mentioned | 274 | 96.14 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_05.130: ALD - headset or CCTV

| HRALDTP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 174 | 61.05 |
| 2 Not mentioned | 109 | 38.25 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.410_06.130: ALD - TTY/TDD

| HRALDTP6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 11 | 3.86 |
| 2 Not mentioned | 272 | 95.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_07.130: ALD - video relay service

| HRALDTP7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4 | 1.40 |
| 2 Not mentioned | 279 | 97.89 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_08.130: ALD - sign language interpreter

| HRALDTP8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 2.11 |
| 2 Not mentioned | 277 | 97.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

ACN.410_09.130: ALD - other

| HRALDTP9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10 | 3.51 |
| 2 Not mentioned | 273 | 95.79 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.70 |

Frequency Missing = 23108

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

ACN.412_00.010: Had ringing in ears, past 12 months

| HRTIN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2227 | 9.52 |
| 2 No | 21058 | 90.02 |
| 7 Refused | 28 | 0.12 |
| 8 Not ascertained | 18 | 0.08 |
| 9 Don't know | 62 | 0.27 |

ACN.412_00.020: How long bothered by ringing in ears

| HRTINLNG | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 Less than 3 months | 287 | 12.89 |
| 02 3 to 11 months | 228 | 10.24 |
| 03 1 to 2 years | 361 | 16.21 |
| 04 3 to 4 years | 214 | 9.61 |
| 05 5 to 9 years | 280 | 12.57 |
| 06 10 to 14 years | 235 | 10.55 |
| 07 15 years or more | 560 | 25.15 |
| 97 Refused | 1 | 0.04 |
| 98 Not ascertained | 1 | 0.04 |
| 99 Don't know | 60 | 2.69 |

Frequency Missing = 21166

ACN.412_00.030: How often had ringing in ears, past 12 months

| HRTINOFT | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 1 Almost always | 780 | 35.02 |
| 2 At least once a day | 317 | 14.23 |
| 3 At least once a week | 337 | 15.13 |
| 4 At least once a month | 304 | 13.65 |
| 5 Less frequently than once a month | 457 | 20.52 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 2 | 0.09 |
| 9 Don't know | 29 | 1.30 |

Frequency Missing = 21166

ACN.412_00.040: Ringing in ears only after loud sounds/music

| HRTINMUS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 327 | 14.68 |
| 2 No | 1855 | 83.30 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.13 |
| 9 Don't know | 42 | 1.89 |

Frequency Missing = 21166

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.412_00.050: Ringing in ears when going to sleep

| HRTINSLP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 861 | 38.66 |
| 2 No | 1345 | 60.40 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.13 |
| 9 Don't know | 18 | 0.81 |

Frequency Missing = 21166

ACN.412_00.060: How much a problem, ringing in ears

| HRTNPROB | Frequency | Percent |
|----------------------|-----------|---------|
| 1 No problem | 652 | 29.28 |
| 2 A small problem | 913 | 41.00 |
| 3 A moderate problem | 452 | 20.30 |
| 4 A big problem | 121 | 5.43 |
| 5 A very big problem | 70 | 3.14 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 3 | 0.13 |
| 9 Don't know | 15 | 0.67 |

Frequency Missing = 21166

ACN.412_00.070: Discuss ringing in ears with doctor/HP

| HRTINDIS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1112 | 49.93 |
| 2 No | 1101 | 49.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 4 | 0.18 |
| 9 Don't know | 10 | 0.45 |

Frequency Missing = 21166

ACN.412_00.072: Tried remedies for ringing in ears

| HRTINRM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 346 | 15.54 |
| 2 No | 1870 | 83.97 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 4 | 0.18 |
| 9 Don't know | 7 | 0.31 |

Frequency Missing = 21166

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.412_01.074: Amplification/Hearing aids

| HREMP01 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 33 | 9.54 |
| 2 Not mentioned | 309 | 89.31 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_02.074: Masking wearable device

| HREMP02 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 2.60 |
| 2 Not mentioned | 333 | 96.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_03.074: Masking non-wearable device

| HREMP03 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 2.60 |
| 2 Not mentioned | 333 | 96.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_04.074: Cognitive therapy w/counseling

| HREMP04 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1 | 0.29 |
| 2 Not mentioned | 341 | 98.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.412_05.074: Stress reduction/relaxation methods

| HREMTPO5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 14 | 4.05 |
| 2 Not mentioned | 328 | 94.80 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_06.074: Biofeedback

| HREMTPO6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 5 | 1.45 |
| 2 Not mentioned | 337 | 97.40 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_07.074: Tinnitus Retraining Therapy

| HREMTPO7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 2.60 |
| 2 Not mentioned | 333 | 96.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_08.074: Psychiatric treatment

| HREMTPO8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 0.58 |
| 2 Not mentioned | 340 | 98.27 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

71

ACN.412_09.074: Surgery to cut hearing nerve

| HREMTPO9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4 | 1.16 |
| 2 Not mentioned | 338 | 97.69 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_10.074: Drugs or medications

| HREMTPO10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 160 | 46.24 |
| 2 Not mentioned | 182 | 52.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_11.074: Nutritional supplements

| HREMTPO11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 32 | 9.25 |
| 2 Not mentioned | 310 | 89.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_12.074: Music therapy

| HREMTPO12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 13 | 3.76 |
| 2 Not mentioned | 329 | 95.09 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.412_13.074: TMJ treatment

| HREMT13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 2.02 |
| 2 Not mentioned | 335 | 96.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_14.074: Alternative medicine

| HREMT14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 14 | 4.05 |
| 2 Not mentioned | 328 | 94.80 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.412_15.074: Other remedy or treatment

| HREMT15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 103 | 29.77 |
| 2 Not mentioned | 239 | 69.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.16 |

Frequency Missing = 23047

ACN.413_00.010: Ever used firearms

| HRFIRE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5979 | 25.56 |
| 2 No | 17310 | 74.00 |
| 7 Refused | 53 | 0.23 |
| 8 Not ascertained | 24 | 0.10 |
| 9 Don't know | 27 | 0.12 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.413_00.020: Used firearms for work/leisure

| HRFIRTYTYP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Work | 1150 | 19.23 |
| 2 Leisure | 4070 | 68.07 |
| 3 Both | 753 | 12.59 |
| 7 Refused | 3 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.05 |

Frequency Missing = 17414

ACN.413_00.030: Number of total rounds fired

| HRTOTR | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 1 to less than 100 rounds | 1835 | 30.69 |
| 2 100 to less than 1000 rounds | 1598 | 26.73 |
| 3 1000 to less than 10,000 rounds | 1343 | 22.46 |
| 4 10,000 to less than 50,000 rounds | 495 | 8.28 |
| 5 50,000 rounds or more | 361 | 6.04 |
| 7 Refused | 16 | 0.27 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 331 | 5.54 |

Frequency Missing = 17414

ACN.413_00.040: Number of rounds fired, past 12 months

| HR12MR | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 0 None | 3931 | 65.75 |
| 1 to less than 100 rounds | 1199 | 20.05 |
| 2 100 to less than 1000 rounds | 580 | 9.70 |
| 3 1000 to less than 10,000 rounds | 157 | 2.63 |
| 4 10,000 rounds or more | 33 | 0.55 |
| 7 Refused | 9 | 0.15 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 70 | 1.17 |

Frequency Missing = 17414

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.413_00.050: Wear ear protection for firearms, past 12 months

| HRFRPROT | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 877 | 44.54 |
| 2 Usually | 200 | 10.16 |
| 3 About half the time | 151 | 7.67 |
| 4 Seldom | 148 | 7.52 |
| 5 Never | 591 | 30.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.10 |

Frequency Missing = 21424

ACN.414_00.010: Ever exposed to loud noise at job

| HRWRKNOS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5197 | 23.80 |
| 2 No | 16540 | 75.74 |
| 7 Refused | 35 | 0.16 |
| 8 Not ascertained | 23 | 0.11 |
| 9 Don't know | 43 | 0.20 |

Frequency Missing = 1555

ACN.414_00.020: Time exposed to loud noise at job

| HRWRKTOT | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 Less than 3 months | 281 | 5.41 |
| 02 3 to 11 months | 465 | 8.95 |
| 03 1 to 2 years | 643 | 12.37 |
| 04 3 to 4 years | 606 | 11.66 |
| 05 5 to 9 years | 792 | 15.24 |
| 06 10 to 14 years | 578 | 11.12 |
| 07 15 or more years | 1786 | 34.37 |
| 97 Refused | 3 | 0.06 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 43 | 0.83 |

Frequency Missing = 18196

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.414_00.030: Noise exposure in past 12 months

| HRWRKYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2125 | 40.89 |
| 2 No | 3070 | 59.07 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.04 |

Frequency Missing = 18196

ACN.414_00.040: Wear ear protection at job, past 12 months

| HRWKPROT | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 714 | 33.60 |
| 2 Usually | 232 | 10.92 |
| 3 About half the time | 192 | 9.04 |
| 4 Seldom | 191 | 8.99 |
| 5 Never | 793 | 37.32 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 2 | 0.09 |

Frequency Missing = 21268

ACN.415_00.010: Exposed to leisure-time loud noise

| HRLESNOS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4806 | 20.54 |
| 2 No | 18439 | 78.82 |
| 7 Refused | 36 | 0.15 |
| 8 Not ascertained | 31 | 0.13 |
| 9 Don't know | 81 | 0.35 |

ACN.415_00.030: Leisure-time noise, past 12 months

| HRLESYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3900 | 81.15 |
| 2 No | 896 | 18.64 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 2 | 0.04 |
| 9 Don't know | 7 | 0.15 |

Frequency Missing = 18587

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.415_00.040: Wear ear protection at leisure, past 12 months

| HRLSPROT | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Always | 273 | 7.00 |
| 2 Usually | 272 | 6.97 |
| 3 About half the time | 290 | 7.44 |
| 4 Seldom | 504 | 12.92 |
| 5 Never | 2560 | 65.64 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.03 |

Frequency Missing = 19493

ACN.415_01.020: Motorcycles/Auto racing

| HRLSTP01 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1132 | 23.55 |
| 2 Not mentioned | 3661 | 76.18 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_02.020: Operating farm machinery

| HRLSTP02 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 485 | 10.09 |
| 2 Not mentioned | 4308 | 89.64 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_03.020: Wood cutting/Power tools

| HRLSTP03 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1468 | 30.55 |
| 2 Not mentioned | 3325 | 69.18 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.415_04.020: Lawn mower/snow blower

| HRLSTP04 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2057 | 42.80 |
| 2 Not mentioned | 2736 | 56.93 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_05.020: Firearms

| HRLSTP05 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 952 | 19.81 |
| 2 Not mentioned | 3841 | 79.92 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_06.020: Household appliances

| HRLSTP06 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1684 | 35.04 |
| 2 Not mentioned | 3109 | 64.69 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_07.020: MP3 Player/iPod

| HRLSTP07 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1482 | 30.84 |
| 2 Not mentioned | 3311 | 68.89 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.415_08.020: Playing in a music group

| HRLSTP08 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 376 | 7.82 |
| 2 Not mentioned | 4417 | 91.91 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_09.020: Other music-related activities

| HRLSTP09 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1954 | 40.66 |
| 2 Not mentioned | 2839 | 59.07 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.415_10.020: Other noisy, non-work activities

| HRLSTP10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1050 | 21.85 |
| 2 Not mentioned | 3743 | 77.88 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.23 |

Frequency Missing = 18587

ACN.430_00.000: Trouble seeing even w/glasses/lenses

| AVISION | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2461 | 10.52 |
| 2 No | 20870 | 89.21 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 36 | 0.15 |
| 9 Don't know | 16 | 0.07 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.440_00.000: Blind or unable to see at all

| ABLIND | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 130 | 5.28 |
| 2 No | 2330 | 94.68 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.04 |

Frequency Missing = 20932

ACN.451_00.000: Lost all upper & lower natural teeth

| LUPPRT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1970 | 8.42 |
| 2 No | 21342 | 91.23 |
| 7 Refused | 25 | 0.11 |
| 8 Not ascertained | 38 | 0.16 |
| 9 Don't know | 18 | 0.08 |

ACN.471_01.000: So sad nothing cheers you up, past 30 days

| SAD | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 213 | 0.91 |
| 2 MOST of the time | 543 | 2.32 |
| 3 SOME of the time | 1773 | 7.58 |
| 4 A LITTLE of the time | 2975 | 12.72 |
| 5 NONE of the time | 17571 | 75.11 |
| 7 Refused | 129 | 0.55 |
| 8 Not ascertained | 98 | 0.42 |
| 9 Don't know | 91 | 0.39 |

ACN.471_02.000: How often felt nervous, past 30 days

| NERVOUS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 345 | 1.47 |
| 2 MOST of the time | 542 | 2.32 |
| 3 SOME of the time | 2246 | 9.60 |
| 4 A LITTLE of the time | 4068 | 17.39 |
| 5 NONE of the time | 15867 | 67.83 |
| 7 Refused | 130 | 0.56 |
| 8 Not ascertained | 99 | 0.42 |
| 9 Don't know | 96 | 0.41 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, June 4, 2008
 Unweighted Frequencies

ACN.471_03.000: How often restless/fidgety, past 30 days

| RESTLESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 432 | 1.85 |
| 2 MOST of the time | 670 | 2.86 |
| 3 SOME of the time | 2352 | 10.05 |
| 4 A LITTLE of the time | 3324 | 14.21 |
| 5 NONE of the time | 16285 | 69.61 |
| 7 Refused | 131 | 0.56 |
| 8 Not ascertained | 104 | 0.44 |
| 9 Don't know | 95 | 0.41 |

ACN.471_04.000: How often felt hopeless, past 30 days

| HOPELESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 191 | 0.82 |
| 2 MOST of the time | 297 | 1.27 |
| 3 SOME of the time | 956 | 4.09 |
| 4 A LITTLE of the time | 1261 | 5.39 |
| 5 NONE of the time | 20353 | 87.00 |
| 7 Refused | 132 | 0.56 |
| 8 Not ascertained | 106 | 0.45 |
| 9 Don't know | 97 | 0.41 |

ACN.471_05.000: How often felt everything was an effort, past 30 days

| EFFORT | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 528 | 2.26 |
| 2 MOST of the time | 669 | 2.86 |
| 3 SOME of the time | 1835 | 7.84 |
| 4 A LITTLE of the time | 2291 | 9.79 |
| 5 NONE of the time | 17714 | 75.72 |
| 7 Refused | 132 | 0.56 |
| 8 Not ascertained | 106 | 0.45 |
| 9 Don't know | 118 | 0.50 |

ACN.471_06.000: How often felt worthless, past 30 days

| WORTHLS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 185 | 0.79 |
| 2 MOST of the time | 241 | 1.03 |
| 3 SOME of the time | 724 | 3.09 |
| 4 A LITTLE of the time | 963 | 4.12 |
| 5 NONE of the time | 20933 | 89.48 |
| 7 Refused | 138 | 0.59 |
| 8 Not ascertained | 108 | 0.46 |
| 9 Don't know | 101 | 0.43 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, June 4, 2008
Unweighted Frequencies

81

ACN.530_00.000: Feelings interfered w/life, past 30 days

| MHAMTMO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 829 | 13.56 |
| 2 Some | 1379 | 22.56 |
| 3 A little | 1781 | 29.14 |
| 4 Not at all | 2106 | 34.46 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 4 | 0.07 |
| 9 Don't know | 12 | 0.20 |

Frequency Missing = 17281

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS: Work status: last week, past 12 m

| WRKLYR3 | Frequency | Percent |
|---------------------------------------|-----------|---------|
| 0 Had job last week | 14453 | 61.78 |
| 1 No job last week, had job past 12 m | 1399 | 5.98 |
| 2 No job last week, no job past 12 m | 5924 | 25.32 |
| 3 Never worked | 1491 | 6.37 |
| 7 Refused | 75 | 0.32 |
| 8 Not ascertained | 40 | 0.17 |
| 9 Don't know | 11 | 0.05 |

AHS.040_00.000: Number of work loss days, past 12 m

| WKDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 8727 | 55.05 |
| 001-366 1-366 days | 6835 | 43.12 |
| 997 Refused | 50 | 0.32 |
| 998 Not ascertained | 73 | 0.46 |
| 999 Don't know | 167 | 1.05 |

Frequency Missing = 7541

AHS.050_00.000: Number of bed days, past 12 m

| BEDDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 14723 | 62.94 |
| 001-366 1-366 days | 8116 | 34.69 |
| 997 Refused | 65 | 0.28 |
| 998 Not ascertained | 127 | 0.54 |
| 999 Don't know | 362 | 1.55 |

AHS.060_00.000: Health better/worse/same, compared w/ 12 m ago

| AHSTATYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Better | 4105 | 17.55 |
| 2 Worse | 2050 | 8.76 |
| 3 About the same | 17048 | 72.88 |
| 7 Refused | 24 | 0.10 |
| 8 Not ascertained | 131 | 0.56 |
| 9 Don't know | 35 | 0.15 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

AHS.070_00.000: Have health problem that requires special equipment

| SPECEQ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1659 | 7.09 |
| 2 No | 21575 | 92.23 |
| 7 Refused | 17 | 0.07 |
| 8 Not ascertained | 137 | 0.59 |
| 9 Don't know | 5 | 0.02 |

AHS.091_01.000: How difficult to walk 1/4 mile w/o special equipment

| FLWALK | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 18877 | 80.70 |
| 1 Only a little difficult | 1018 | 4.35 |
| 2 Somewhat difficult | 913 | 3.90 |
| 3 Very difficult | 770 | 3.29 |
| 4 Can't do at all | 1150 | 4.92 |
| 6 Do not do this activity | 457 | 1.95 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 164 | 0.70 |
| 9 Don't know | 31 | 0.13 |

AHS.091_02.000: How difficult to climb 10 steps w/o special equipment

| FLCLIMB | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 19672 | 84.09 |
| 1 Only a little difficult | 908 | 3.88 |
| 2 Somewhat difficult | 836 | 3.57 |
| 3 Very difficult | 680 | 2.91 |
| 4 Can't do at all | 801 | 3.42 |
| 6 Do not do this activity | 285 | 1.22 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 165 | 0.71 |
| 9 Don't know | 31 | 0.13 |

AHS.091_03.000: How difficult to stand 2 hours w/o special equipment

| FLSTAND | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 18356 | 78.47 |
| 1 Only a little difficult | 1158 | 4.95 |
| 2 Somewhat difficult | 965 | 4.13 |
| 3 Very difficult | 842 | 3.60 |
| 4 Can't do at all | 1408 | 6.02 |
| 6 Do not do this activity | 437 | 1.87 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 167 | 0.71 |
| 9 Don't know | 48 | 0.21 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.091_04.000: How difficult to sit 2 hours w/o special equipment

| FLSIT | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20582 | 87.98 |
| 1 Only a little difficult | 868 | 3.71 |
| 2 Somewhat difficult | 808 | 3.45 |
| 3 Very difficult | 439 | 1.88 |
| 4 Can't do at all | 343 | 1.47 |
| 6 Do not do this activity | 144 | 0.62 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 167 | 0.71 |
| 9 Don't know | 29 | 0.12 |

AHS.091_05.000: How difficult to stoop, bend or kneel w/o special equipment

| FLSTOOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 17500 | 74.81 |
| 1 Only a little difficult | 1729 | 7.39 |
| 2 Somewhat difficult | 1443 | 6.17 |
| 3 Very difficult | 1212 | 5.18 |
| 4 Can't do at all | 1054 | 4.51 |
| 6 Do not do this activity | 241 | 1.03 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 169 | 0.72 |
| 9 Don't know | 32 | 0.14 |

AHS.091_06.000: How difficult to reach over head w/o special equipment

| FLREACH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 21016 | 89.84 |
| 1 Only a little difficult | 732 | 3.13 |
| 2 Somewhat difficult | 680 | 2.91 |
| 3 Very difficult | 376 | 1.61 |
| 4 Can't do at all | 276 | 1.18 |
| 6 Do not do this activity | 105 | 0.45 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 169 | 0.72 |
| 9 Don't know | 27 | 0.12 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.141_01.000: How difficult to grasp small objects w/o special equipment

| FLGRASP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 21239 | 90.79 |
| 1 Only a little difficult | 822 | 3.51 |
| 2 Somewhat difficult | 632 | 2.70 |
| 3 Very difficult | 315 | 1.35 |
| 4 Can't do at all | 112 | 0.48 |
| 6 Do not do this activity | 64 | 0.27 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 170 | 0.73 |
| 9 Don't know | 27 | 0.12 |

AHS.141_02.000: How difficult lift/carry 10 lbs w/o special equipment

| FLCARRY | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20340 | 86.95 |
| 1 Only a little difficult | 766 | 3.27 |
| 2 Somewhat difficult | 671 | 2.87 |
| 3 Very difficult | 443 | 1.89 |
| 4 Can't do at all | 641 | 2.74 |
| 6 Do not do this activity | 320 | 1.37 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 171 | 0.73 |
| 9 Don't know | 29 | 0.12 |

AHS.141_03.000: How difficult to push large objects w/o special equipment

| FLPUSH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 19202 | 82.08 |
| 1 Only a little difficult | 864 | 3.69 |
| 2 Somewhat difficult | 750 | 3.21 |
| 3 Very difficult | 548 | 2.34 |
| 4 Can't do at all | 1089 | 4.66 |
| 6 Do not do this activity | 723 | 3.09 |
| 7 Refused | 12 | 0.05 |
| 8 Not ascertained | 173 | 0.74 |
| 9 Don't know | 32 | 0.14 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

AHS.171_01.000: How difficult to go out to events w/o special equipment

| FLSHOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20543 | 87.82 |
| 1 Only a little difficult | 653 | 2.79 |
| 2 Somewhat difficult | 726 | 3.10 |
| 3 Very difficult | 463 | 1.98 |
| 4 Can't do at all | 394 | 1.68 |
| 6 Do not do this activity | 403 | 1.72 |
| 7 Refused | 13 | 0.06 |
| 8 Not ascertained | 173 | 0.74 |
| 9 Don't know | 25 | 0.11 |

AHS.171_02.000: How difficult to participate
in social activities w/o special equipment

| FLSOCL | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20821 | 89.01 |
| 1 Only a little difficult | 586 | 2.51 |
| 2 Somewhat difficult | 578 | 2.47 |
| 3 Very difficult | 351 | 1.50 |
| 4 Can't do at all | 309 | 1.32 |
| 6 Do not do this activity | 536 | 2.29 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 173 | 0.74 |
| 9 Don't know | 24 | 0.10 |

AHS.171_03.000: How difficult to relax at home w/o special equipment

| FLRELAX | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 22061 | 94.31 |
| 1 Only a little difficult | 453 | 1.94 |
| 2 Somewhat difficult | 361 | 1.54 |
| 3 Very difficult | 155 | 0.66 |
| 4 Can't do at all | 67 | 0.29 |
| 6 Do not do this activity | 86 | 0.37 |
| 7 Refused | 14 | 0.06 |
| 8 Not ascertained | 173 | 0.74 |
| 9 Don't know | 23 | 0.10 |

AHS.171_00.000: Any functional limitation, all conditions

| FLA1AR | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Limited in any way | 7537 | 32.22 |
| 2 Not limited in any way | 15638 | 66.85 |
| 3 Unknown if limited | 218 | 0.93 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_01.000: Vision problem causes difficulty with activity

| AFLHCA1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 247 | 3.28 |
| 2 Not mentioned | 7133 | 94.64 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_02.000: Hearing problem causes difficulty with activity

| AFLHCA2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 187 | 2.48 |
| 2 Not mentioned | 7193 | 95.44 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_03.000: Arthritis/rheumatism causes difficulty with activity

| AFLHCA3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2605 | 34.56 |
| 2 Not mentioned | 4775 | 63.35 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_04.000: Back/neck problem causes difficulty with activity

| AFLHCA4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1919 | 25.46 |
| 2 Not mentioned | 5461 | 72.46 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_05.000: Fracture/bone/joint injury causes difficulty with activity

| AFLHCA5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 769 | 10.20 |
| 2 Not mentioned | 6611 | 87.71 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_06.000: Other injury causes difficulty with activity

| AFLHCA6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 209 | 2.77 |
| 2 Not mentioned | 7171 | 95.14 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_07.000: Heart problem causes difficulty with activity

| AFLHCA7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 448 | 5.94 |
| 2 Not mentioned | 6932 | 91.97 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_08.000: Stroke causes difficulty with activity

| AFLHCA8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 182 | 2.41 |
| 2 Not mentioned | 7198 | 95.50 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_09.000: Hypertension causes difficulty with activity

| AFLHCA9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 348 | 4.62 |
| 2 Not mentioned | 7032 | 93.30 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_10.000: Diabetes causes difficulty with activity

| AFLHCA10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 368 | 4.88 |
| 2 Not mentioned | 7012 | 93.03 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_11.000: Lung/breathing problem causes difficulty with activity

| AFLHCA11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 511 | 6.78 |
| 2 Not mentioned | 6869 | 91.14 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_12.000: Cancer causes difficulty with activity

| AFLHCA12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 146 | 1.94 |
| 2 Not mentioned | 7234 | 95.98 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

90

AHS.200_13.000: Birth defect causes difficulty with activity

| AFLHCA13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 22 | 0.29 |
| 2 Not mentioned | 7358 | 97.63 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_14.000: Mental retardation causes difficulty with activity

| AFLHCA14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 27 | 0.36 |
| 2 Not mentioned | 7353 | 97.56 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_15.000: Other developmental problem causes difficulty with activity

| AFLHCA15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 16 | 0.21 |
| 2 Not mentioned | 7364 | 97.70 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_16.000: Senility/dementia/alzheimers causes difficulty with activity

| AFLHCA16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 76 | 1.01 |
| 2 Not mentioned | 7304 | 96.91 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_17.000: Depression/anxiety/emotional
 problem causes difficulty with activity

| AFLHCA17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 576 | 7.64 |
| 2 Not mentioned | 6804 | 90.27 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_18.000: Weight problem causes difficulty with activity

| AFLHCA18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 416 | 5.52 |
| 2 Not mentioned | 6964 | 92.40 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Missing or amputated limb/finger/digit
 causes difficulty with activity

| AFLHC19_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 45 | 0.60 |
| 2 Not mentioned | 7335 | 97.32 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Musculoskeletal/connective tissue
 problem causes difficulty with activity

| AFLHC20_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1193 | 15.83 |
| 2 Not mentioned | 6187 | 82.09 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_00.000: Circulation problem causes difficulty with activity

| AFLHC21_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 223 | 2.96 |
| 2 Not mentioned | 7157 | 94.96 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Endocrine/nutritional/metabolic problem causes difficulty with activity

| AFLHC22_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 55 | 0.73 |
| 2 Not mentioned | 7325 | 97.19 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Nervous system/sensory organ condition causes difficulty with activity

| AFLHC23_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 386 | 5.12 |
| 2 Not mentioned | 6994 | 92.80 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Digestive system problem causes difficulty with activity

| AFLHC24_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 71 | 0.94 |
| 2 Not mentioned | 7309 | 96.97 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

AHS.200_00.000: Genitourinary system problem causes difficulty with activity

| AFLHC25_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 86 | 1.14 |
| 2 Not mentioned | 7294 | 96.78 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Skin/subcutaneous system problem causes difficulty with activity

| AFLHC26_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4 | 0.05 |
| 2 Not mentioned | 7376 | 97.86 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Blood or blood-forming organ
problem causes difficulty with activity

| AFLHC27_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 0.12 |
| 2 Not mentioned | 7371 | 97.80 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Benign tumor/cyst causes difficulty with activity

| AFLHC28_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.16 |
| 2 Not mentioned | 7368 | 97.76 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_00.000: Alcohol/drug/substance abuse
 problem causes difficulty with activity

| AFLHC29_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 0.04 |
| 2 Not mentioned | 7377 | 97.88 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Other mental problem/ADD/Bipolar/Schizophrenia
 causes difficulty with activity

| AFLHC30_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 28 | 0.37 |
| 2 Not mentioned | 7352 | 97.55 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Surgical after-effects/medical
 treatment causes difficulty with activity

| AFLHC31_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 44 | 0.58 |
| 2 Not mentioned | 7336 | 97.33 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: "Old age"/elderly/aging-related
 problem causes difficulty with activity

| AFLHC32_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 177 | 2.35 |
| 2 Not mentioned | 7203 | 95.57 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.200_00.000: Fatigue/tiredness/weakness causes difficulty with activity

| AFLHC33_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 50 | 0.66 |
| 2 Not mentioned | 7330 | 97.25 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_00.000: Pregnancy related problem causes difficulty with activity

| AFLHC34_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 42 | 0.56 |
| 2 Not mentioned | 7338 | 97.36 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_90.000: Other impairment/problem (1) causes difficulty with activity

| AFLHCA90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 158 | 2.10 |
| 2 Not mentioned | 7222 | 95.82 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

AHS.200_91.000: Other impairment/problem (2) causes difficulty with activity

| AFLHCA91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 7380 | 97.92 |
| 7 Refused | 21 | 0.28 |
| 8 Not ascertained | 20 | 0.27 |
| 9 Don't know | 116 | 1.54 |

Frequency Missing = 15856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.300_01.000: Duration of vision prob: Number of units

| ALTIME1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 228 | 92.31 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 12 | 4.86 |
| 97 Refused | 1 | 0.40 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 6 | 2.43 |

Frequency Missing = 23146

AHS.300_02.000: Duration of vision prob: Time unit

| ALUNIT1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.40 |
| 3 Month(s) | 12 | 4.86 |
| 4 Year(s) | 220 | 89.07 |
| 6 Since birth | 12 | 4.86 |
| 7 Refused | 1 | 0.40 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.40 |

Frequency Missing = 23146

AHS.300_02.000: Duration of vision prob (in years)

| ALDURA1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 13 | 5.26 |
| 01-84 years | 227 | 91.90 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 5 | 2.02 |
| 97 Refused | 1 | 0.40 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.40 |

Frequency Missing = 23146

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.300_02.000: Duration of vision prob recode 2

| ALDURB1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 1.21 |
| 2 3-5 months | 4 | 1.62 |
| 3 6-12 months | 22 | 8.91 |
| 4 More than 1 year | 216 | 87.45 |
| 7 Refused | 1 | 0.40 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.40 |

Frequency Missing = 23146

AHS.300_02.000: Vision problem condition status

| ALCHRC1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 242 | 97.98 |
| 2 Not chronic | 3 | 1.21 |
| 9 Unknown if chronic | 2 | 0.81 |

Frequency Missing = 23146

AHS.301_01.000: Duration of hearing prob: Number of units

| ALTIME2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 175 | 93.58 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 9 | 4.81 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.60 |

Frequency Missing = 23206

AHS.301_02.000: Duration of hearing prob: Time unit

| ALUNIT2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.53 |
| 3 Month(s) | 3 | 1.60 |
| 4 Year(s) | 173 | 92.51 |
| 6 Since birth | 9 | 4.81 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.53 |

Frequency Missing = 23206

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

AHS.301_02.000: Duration of hearing prob (in years)

| ALDURA2 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 4 | 2.14 |
| 01-84 years | 180 | 96.26 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 1.07 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.53 |

Frequency Missing = 23206

AHS.301_02.000: Duration of hearing prob recode 2

| ALDURB2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 0.53 |
| 2 3-5 months | 1 | 0.53 |
| 3 6-12 months | 6 | 3.21 |
| 4 More than 1 year | 178 | 95.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.53 |

Frequency Missing = 23206

AHS.301_02.000: Hearing problem condition status

| ALCHRC2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 185 | 98.93 |
| 2 Not chronic | 1 | 0.53 |
| 9 Unknown if chronic | 1 | 0.53 |

Frequency Missing = 23206

AHS.302_01.000: Duration of arthritis/rheumatism: Number of units

| ALTIME3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 2486 | 95.43 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 14 | 0.54 |
| 97 Refused | 6 | 0.23 |
| 98 Not ascertained | 3 | 0.12 |
| 99 Don't know | 96 | 3.69 |

Frequency Missing = 20788

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.302_02.000: Duration of arthritis/rheumatism: Time unit

| ALUNIT3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 0.12 |
| 2 Week(s) | 8 | 0.31 |
| 3 Month(s) | 89 | 3.42 |
| 4 Year(s) | 2447 | 93.93 |
| 6 Since birth | 14 | 0.54 |
| 7 Refused | 6 | 0.23 |
| 8 Not ascertained | 3 | 0.12 |
| 9 Don't know | 35 | 1.34 |

Frequency Missing = 20788

AHS.302_02.000: Duration of arthritis or rheumatism prob (in years)

| ALDURA3 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 80 | 3.07 |
| 01-84 years | 2420 | 92.90 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 61 | 2.34 |
| 97 Refused | 6 | 0.23 |
| 98 Not ascertained | 3 | 0.12 |
| 99 Don't know | 35 | 1.34 |

Frequency Missing = 20788

AHS.302_02.000: Duration of arthritis or rheumatism prob recode 2

| ALDURB3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 24 | 0.92 |
| 2 3-5 months | 21 | 0.81 |
| 3 6-12 months | 138 | 5.30 |
| 4 More than 1 year | 2378 | 91.29 |
| 7 Refused | 6 | 0.23 |
| 8 Not ascertained | 3 | 0.12 |
| 9 Don't know | 35 | 1.34 |

Frequency Missing = 20788

AHS.302_02.000: Arthritis or rheumatism problem condition status

| ALCHRC3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 2605 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 20788

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

100

AHS.303_01.000: Duration of back or neck problem: Number of units

| ALTIME4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1836 | 95.67 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 30 | 1.56 |
| 97 Refused | 6 | 0.31 |
| 98 Not ascertained | 2 | 0.10 |
| 99 Don't know | 45 | 2.34 |

Frequency Missing = 21474

AHS.303_02.000: Duration of back or neck problem: Time unit

| ALUNIT4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 6 | 0.31 |
| 2 Week(s) | 13 | 0.68 |
| 3 Month(s) | 111 | 5.78 |
| 4 Year(s) | 1736 | 90.46 |
| 6 Since birth | 30 | 1.56 |
| 7 Refused | 6 | 0.31 |
| 8 Not ascertained | 2 | 0.10 |
| 9 Don't know | 15 | 0.78 |

Frequency Missing = 21474

AHS.303_02.000: Duration of back or neck prob (in years)

| ALDURA4 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 115 | 5.99 |
| 01-84 years | 1751 | 91.25 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 30 | 1.56 |
| 97 Refused | 6 | 0.31 |
| 98 Not ascertained | 2 | 0.10 |
| 99 Don't know | 15 | 0.78 |

Frequency Missing = 21474

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

101

AHS.303_02.000: Duration of back or neck prob recode 2

| ALDURB4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 44 | 2.29 |
| 2 3-5 months | 28 | 1.46 |
| 3 6-12 months | 139 | 7.24 |
| 4 More than 1 year | 1685 | 87.81 |
| 7 Refused | 6 | 0.31 |
| 8 Not ascertained | 2 | 0.10 |
| 9 Don't know | 15 | 0.78 |

Frequency Missing = 21474

AHS.303_02.000: Back or neck condition status

| ALCHRC4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 1852 | 96.51 |
| 2 Not chronic | 44 | 2.29 |
| 9 Unknown if chronic | 23 | 1.20 |

Frequency Missing = 21474

AHS.304_01.000: Duration of fracture, bone/joint injury: Number of units

| ALTIME5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 748 | 97.27 |
| 95 95+ | 1 | 0.13 |
| 96 Since birth | 5 | 0.65 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 2 | 0.26 |
| 99 Don't know | 13 | 1.69 |

Frequency Missing = 22624

AHS.304_02.000: Duration of fracture, bone/joint injury: Time unit

| ALUNIT5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 5 | 0.65 |
| 2 Week(s) | 18 | 2.34 |
| 3 Month(s) | 147 | 19.12 |
| 4 Year(s) | 588 | 76.46 |
| 6 Since birth | 5 | 0.65 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.26 |
| 9 Don't know | 4 | 0.52 |

Frequency Missing = 22624

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

102

AHS.304_02.000: Duration of fracture, bone/joint injury prob (in years)

| ALDURA5 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 141 | 18.34 |
| 01-84 years | 613 | 79.71 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 9 | 1.17 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 2 | 0.26 |
| 99 Don't know | 4 | 0.52 |

Frequency Missing = 22624

AHS.304_02.000: Duration of fracture, bone/joint injury prob recode 2

| ALDURB5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 48 | 6.24 |
| 2 3-5 months | 43 | 5.59 |
| 3 6-12 months | 95 | 12.35 |
| 4 More than 1 year | 577 | 75.03 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.26 |
| 9 Don't know | 4 | 0.52 |

Frequency Missing = 22624

AHS.304_02.000: Fracture, bone/joint injury condition status

| ALCHRC5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 715 | 92.98 |
| 2 Not chronic | 48 | 6.24 |
| 9 Unknown if chronic | 6 | 0.78 |

Frequency Missing = 22624

AHS.305_01.000: Duration of other injury: Number of units

| ALTIME6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 202 | 96.65 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 1.44 |
| 97 Refused | 1 | 0.48 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.44 |

Frequency Missing = 23184

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

103

AHS.305_02.000: Duration of other injury: Time unit

| ALUNIT6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 4 | 1.91 |
| 2 Week(s) | 6 | 2.87 |
| 3 Month(s) | 47 | 22.49 |
| 4 Year(s) | 145 | 69.38 |
| 6 Since birth | 3 | 1.44 |
| 7 Refused | 1 | 0.48 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.44 |

Frequency Missing = 23184

AHS.305_02.000: Duration of other injury problem (in years)

| ALDURA6 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 51 | 24.40 |
| 01-84 years | 154 | 73.68 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 1 | 0.48 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.44 |

Frequency Missing = 23184

AHS.305_02.000: Duration of other injury problem recode 2

| ALDURB6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 19 | 9.09 |
| 2 3-5 months | 12 | 5.74 |
| 3 6-12 months | 30 | 14.35 |
| 4 More than 1 year | 144 | 68.90 |
| 7 Refused | 1 | 0.48 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.44 |

Frequency Missing = 23184

AHS.305_02.000: Other injury condition status

| ALCHRC6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 186 | 89.00 |
| 2 Not chronic | 19 | 9.09 |
| 9 Unknown if chronic | 4 | 1.91 |

Frequency Missing = 23184

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.306_01.000: Duration of heart problem: Number of units

| ALTIME7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 420 | 93.75 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 12 | 2.68 |
| 97 Refused | 1 | 0.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 15 | 3.35 |

Frequency Missing = 22945

AHS.306_02.000: Duration of heart problem: Time unit

| ALUNIT7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.22 |
| 3 Month(s) | 25 | 5.58 |
| 4 Year(s) | 403 | 89.96 |
| 6 Since birth | 12 | 2.68 |
| 7 Refused | 1 | 0.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 1.34 |

Frequency Missing = 22945

AHS.306_02.000: Duration of heart problem (in years)

| ALDURA7 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 23 | 5.13 |
| 01-84 years | 409 | 91.29 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 9 | 2.01 |
| 97 Refused | 1 | 0.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 6 | 1.34 |

Frequency Missing = 22945

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

105

AHS.306_02.000: Duration of heart problem recode 2

| ALDURB7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 1.56 |
| 2 3-5 months | 7 | 1.56 |
| 3 6-12 months | 30 | 6.70 |
| 4 More than 1 year | 397 | 88.62 |
| 7 Refused | 1 | 0.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 1.34 |

Frequency Missing = 22945

AHS.306_02.000: Heart problem condition status

| ALCHRC7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 448 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 22945

AHS.307_01.000: Duration of stroke problem: Number of units

| ALTIME8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 178 | 97.80 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 2.20 |

Frequency Missing = 23211

AHS.307_02.000: Duration of stroke problem: Time unit

| ALUNIT8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 2 | 1.10 |
| 3 Month(s) | 22 | 12.09 |
| 4 Year(s) | 155 | 85.16 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.65 |

Frequency Missing = 23211

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.307_02.000: Duration of stroke problem (in years)

| ALDURA8 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 20 | 10.99 |
| 01-84 years | 158 | 86.81 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.55 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.65 |

Frequency Missing = 23211

AHS.307_02.000: Duration of stroke problem recode 2

| ALDURB8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 3.30 |
| 2 3-5 months | 7 | 3.85 |
| 3 6-12 months | 11 | 6.04 |
| 4 More than 1 year | 155 | 85.16 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.65 |

Frequency Missing = 23211

AHS.307_02.000: Stroke problem condition status

| ALCHRC8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 182 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23211

AHS.308_01.000: Duration of hypertension/high blood pressure problem: Number of units

| ALTIME9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 334 | 95.98 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 2 | 0.57 |
| 97 Refused | 1 | 0.29 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 11 | 3.16 |

Frequency Missing = 23045

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

107

AHS.308_02.000: Duration of hypertension/high blood pressure problem: Time unit

| ALUNIT9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.29 |
| 3 Month(s) | 9 | 2.59 |
| 4 Year(s) | 329 | 94.54 |
| 6 Since birth | 2 | 0.57 |
| 7 Refused | 1 | 0.29 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 1.72 |

Frequency Missing = 23045

AHS.308_02.000: Duration of hypertension/high blood pressure problem (in years)

| ALDURA9 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 8 | 2.30 |
| 01-84 years | 328 | 94.25 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 5 | 1.44 |
| 97 Refused | 1 | 0.29 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 6 | 1.72 |

Frequency Missing = 23045

AHS.308_02.000: Duration of hypertension/high problem recode 2

| ALDURB9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 2 | 0.57 |
| 2 3-5 months | 3 | 0.86 |
| 3 6-12 months | 8 | 2.30 |
| 4 More than 1 year | 328 | 94.25 |
| 7 Refused | 1 | 0.29 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 1.72 |

Frequency Missing = 23045

AHS.308_02.000: Hypertension/high blood pressure problem condition status

| ALCHRC9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 348 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23045

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

108

AHS.309_01.000: Duration of diabetes: Number of units

| ALTIME10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 351 | 95.38 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 0.27 |
| 97 Refused | 1 | 0.27 |
| 98 Not ascertained | 1 | 0.27 |
| 99 Don't know | 14 | 3.80 |

Frequency Missing = 23025

AHS.309_02.000: Duration of diabetes: Time unit

| ALUNIT10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 11 | 2.99 |
| 4 Year(s) | 350 | 95.11 |
| 6 Since birth | 1 | 0.27 |
| 7 Refused | 1 | 0.27 |
| 8 Not ascertained | 1 | 0.27 |
| 9 Don't know | 4 | 1.09 |

Frequency Missing = 23025

AHS.309_02.000: Duration of diabetes (in years)

| ALDURA10 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 8 | 2.17 |
| 01-84 years | 344 | 93.48 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 10 | 2.72 |
| 97 Refused | 1 | 0.27 |
| 98 Not ascertained | 1 | 0.27 |
| 99 Don't know | 4 | 1.09 |

Frequency Missing = 23025

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

109

AHS.309_02.000: Duration of diabetes prob recode 2

| ALDURB10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 2 | 0.54 |
| 3 6-12 months | 21 | 5.71 |
| 4 More than 1 year | 339 | 92.12 |
| 7 Refused | 1 | 0.27 |
| 8 Not ascertained | 1 | 0.27 |
| 9 Don't know | 4 | 1.09 |

Frequency Missing = 23025

AHS.309_02.000: Diabetes problem condition status

| ALCHRC10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 368 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23025

AHS.310_01.000: Duration of lung/breathing problem: Number of units

| ALTIME11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 458 | 89.63 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 39 | 7.63 |
| 97 Refused | 2 | 0.39 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 12 | 2.35 |

Frequency Missing = 22882

AHS.310_02.000: Duration of lung/breathing problem: Time unit

| ALUNIT11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.39 |
| 2 Week(s) | 2 | 0.39 |
| 3 Month(s) | 17 | 3.33 |
| 4 Year(s) | 441 | 86.30 |
| 6 Since birth | 39 | 7.63 |
| 7 Refused | 2 | 0.39 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 1.57 |

Frequency Missing = 22882

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, June 4, 2008
Unweighted Frequencies

110

AHS.310_02.000: Duration of lung/breathing problem (in years)

| ALDURA11 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 19 | 3.72 |
| 01-84 years | 478 | 93.54 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 4 | 0.78 |
| 97 Refused | 2 | 0.39 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 8 | 1.57 |

Frequency Missing = 22882

AHS.310_02.000: Duration of lung/breathing problem recode 2

| ALDURB11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 1.37 |
| 2 3-5 months | 5 | 0.98 |
| 3 6-12 months | 36 | 7.05 |
| 4 More than 1 year | 453 | 88.65 |
| 7 Refused | 2 | 0.39 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 1.57 |

Frequency Missing = 22882

AHS.310_02.000: Lung/breathing problem condition status

| ALCHRC11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 494 | 96.67 |
| 2 Not chronic | 7 | 1.37 |
| 9 Unknown if chronic | 10 | 1.96 |

Frequency Missing = 22882

AHS.311_01.000: Duration of cancer: Number of units

| ALTIME12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 146 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23247

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

111

AHS.311_02.000: Duration of cancer: Time unit

| ALUNIT12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.68 |
| 2 Week(s) | 3 | 2.05 |
| 3 Month(s) | 36 | 24.66 |
| 4 Year(s) | 106 | 72.60 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23247

AHS.311_02.000: Duration of cancer problem (in years)

| ALDURA12 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 28 | 19.18 |
| 01-84 years | 118 | 80.82 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23247

AHS.311_02.000: Duration of cancer problem recode 2

| ALDURB12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 4.79 |
| 2 3-5 months | 11 | 7.53 |
| 3 6-12 months | 23 | 15.75 |
| 4 More than 1 year | 105 | 71.92 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23247

AHS.311_02.000: Cancer problem condition status

| ALCHRC12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 146 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23247

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

112

AHS.312_01.000: Duration of birth defect: Number of units

| ALTIME13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 0 | 0.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 22 | 100.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23371

AHS.312_02.000: Duration of birth defect: Time unit

| ALUNIT13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 0 | 0.00 |
| 6 Since birth | 22 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23371

AHS.312_02.000: Duration of birth defect problem (in years)

| ALDURA13 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 21 | 95.45 |
| 85 85+ years | 1 | 4.55 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23371

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

113

AHS.312_02.000: Duration of birth defect problem prob recode 2

| ALDURB13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 22 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23371

AHS.312_02.000: Birth defect problem condition status

| ALCHRC13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 22 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23371

AHS.313_01.000: Duration of mental retardation: Number of units

| ALTIME14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 15 | 55.56 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 11 | 40.74 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 3.70 |

Frequency Missing = 23366

AHS.313_02.000: Duration of mental retardation: Time unit

| ALUNIT14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 16 | 59.26 |
| 6 Since birth | 11 | 40.74 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23366

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

114

AHS.313_02.000: Duration of mental retardation problem (in years)

| ALDURA14 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 26 | 96.30 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 3.70 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23366

AHS.313_02.000: Duration of mental retardation problem prob recode 2

| ALDURB14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 27 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23366

AHS.313_02.000: Mental retardation problem condition status

| ALCHRC14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 27 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23366

AHS.314_01.000: Duration of other developmental problem: Number of units

| ALTIME15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 7 | 43.75 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 9 | 56.25 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23377

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

115

AHS.314_02.000: Duration of other developmental problem: Time unit

| ALUNIT15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 7 | 43.75 |
| 6 Since birth | 9 | 56.25 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23377

AHS.314_02.000: Duration of other developmental problem (in years)

| ALDURA15 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 16 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23377

AHS.314_02.000: Duration of other developmental problem recode 2

| ALDURB15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 16 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23377

AHS.314_02.000: Other developmental problem condition status

| ALCHRC15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 16 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23377

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

116

AHS.315_01.000: Duration of senility: Number of units

| ALTIME16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 69 | 90.79 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 9.21 |

Frequency Missing = 23317

AHS.315_02.000: Duration of senility: Time unit

| ALUNIT16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 3 | 3.95 |
| 4 Year(s) | 68 | 89.47 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 6.58 |

Frequency Missing = 23317

AHS.315_02.000: Duration of senility problem (in years)

| ALDURA16 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 2 | 2.63 |
| 01-84 years | 67 | 88.16 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 2.63 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 6.58 |

Frequency Missing = 23317

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

117

AHS.315_02.000: Duration of senility problem recode 2

| ALDURB16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 1 | 1.32 |
| 3 6-12 months | 12 | 15.79 |
| 4 More than 1 year | 58 | 76.32 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 6.58 |

Frequency Missing = 23317

AHS.315_02.000: Senility problem condition status

| ALCHRC16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 76 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23317

AHS.316_01.000: Duration of depression/anxiety/emotional prob: Number of units

| ALTIME17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 512 | 88.89 |
| 95 95+ | 1 | 0.17 |
| 96 Since birth | 48 | 8.33 |
| 97 Refused | 2 | 0.35 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 12 | 2.08 |

Frequency Missing = 22817

AHS.316_02.000: Duration of depression/anxiety/emotional problem: Time unit

| ALUNIT17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.35 |
| 2 Week(s) | 1 | 0.17 |
| 3 Month(s) | 34 | 5.90 |
| 4 Year(s) | 481 | 83.51 |
| 6 Since birth | 48 | 8.33 |
| 7 Refused | 2 | 0.35 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 7 | 1.22 |

Frequency Missing = 22817

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

118

AHS.316_02.000: Duration of depression/anxiety/emotional problem (in years)

| ALDURA17 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 26 | 4.51 |
| 01-84 years | 534 | 92.71 |
| 85 85+ years | 1 | 0.17 |
| 96 Unknown number of years | 5 | 0.87 |
| 97 Refused | 2 | 0.35 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 7 | 1.22 |

Frequency Missing = 22817

AHS.316_02.000: Duration of depression/anxiety/emotional problem recode 2

| ALDURB17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 5 | 0.87 |
| 2 3-5 months | 8 | 1.39 |
| 3 6-12 months | 28 | 4.86 |
| 4 More than 1 year | 525 | 91.15 |
| 7 Refused | 2 | 0.35 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 7 | 1.22 |

Frequency Missing = 22817

AHS.316_02.000: Depression/anxiety/emotional problem condition status

| ALCHRC17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 561 | 97.40 |
| 2 Not chronic | 5 | 0.87 |
| 9 Unknown if chronic | 10 | 1.74 |

Frequency Missing = 22817

AHS.317_01.000: Duration of weight problem: Number of units

| ALTIME18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 378 | 90.87 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 31 | 7.45 |
| 97 Refused | 1 | 0.24 |
| 98 Not ascertained | 1 | 0.24 |
| 99 Don't know | 5 | 1.20 |

Frequency Missing = 22977

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

119

AHS.317_02.000: Duration of weight problem: Time unit

| ALUNIT18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.24 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 6 | 1.44 |
| 4 Year(s) | 373 | 89.66 |
| 6 Since birth | 31 | 7.45 |
| 7 Refused | 1 | 0.24 |
| 8 Not ascertained | 1 | 0.24 |
| 9 Don't know | 3 | 0.72 |

Frequency Missing = 22977

AHS.317_02.000: Duration of weight problem (in years)

| ALDURA18 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 6 | 1.44 |
| 01-84 years | 403 | 96.88 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 0.48 |
| 97 Refused | 1 | 0.24 |
| 98 Not ascertained | 1 | 0.24 |
| 99 Don't know | 3 | 0.72 |

Frequency Missing = 22977

AHS.317_02.000: Duration of weight problem recode 2

| ALDURB18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 0.72 |
| 2 3-5 months | 2 | 0.48 |
| 3 6-12 months | 21 | 5.05 |
| 4 More than 1 year | 385 | 92.55 |
| 7 Refused | 1 | 0.24 |
| 8 Not ascertained | 1 | 0.24 |
| 9 Don't know | 3 | 0.72 |

Frequency Missing = 22977

AHS.317_02.000: Weight problem condition status

| ALCHRC18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 408 | 98.08 |
| 2 Not chronic | 3 | 0.72 |
| 9 Unknown if chronic | 5 | 1.20 |

Frequency Missing = 22977

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.318_01.000: Duration of missing limbs: Number of units

| ALTIME19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 44 | 97.78 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 1 | 2.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23348

AHS.318_02.000: Duration of missing limbs: Time unit

| ALUNIT19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 2.22 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 5 | 11.11 |
| 4 Year(s) | 38 | 84.44 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 1 | 2.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23348

AHS.318_02.000: Duration of missing limbs problem (in years)

| ALDURA19 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 5 | 11.11 |
| 01-84 years | 39 | 86.67 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 1 | 2.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23348

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

121

AHS.318_02.000: Duration of missing limbs problem recode 2

| ALDURB19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 2.22 |
| 2 3-5 months | 1 | 2.22 |
| 3 6-12 months | 6 | 13.33 |
| 4 More than 1 year | 36 | 80.00 |
| 7 Refused | 1 | 2.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23348

AHS.318_02.000: Missing limbs problem condition status

| ALCHRC19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 45 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23348

AHS.319_01.000: Duration of musculoskeletal problem: Number of units

| ALTIME20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1145 | 95.98 |
| 95 95+ | 1 | 0.08 |
| 96 Since birth | 19 | 1.59 |
| 97 Refused | 4 | 0.34 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 24 | 2.01 |

Frequency Missing = 22200

AHS.319_02.000: Duration of musculoskeletal problem: Time unit

| ALUNIT20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.17 |
| 2 Week(s) | 11 | 0.92 |
| 3 Month(s) | 104 | 8.72 |
| 4 Year(s) | 1042 | 87.34 |
| 6 Since birth | 19 | 1.59 |
| 7 Refused | 4 | 0.34 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.92 |

Frequency Missing = 22200

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

122

AHS.319_02.000: Duration of musculoskeletal problem (in years)

| ALDURA20 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 97 | 8.13 |
| 01-84 years | 1068 | 89.52 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 13 | 1.09 |
| 97 Refused | 4 | 0.34 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 11 | 0.92 |

Frequency Missing = 22200

AHS.319_02.000: Duration of musculoskeletal problem recode 2

| ALDURB20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 37 | 3.10 |
| 2 3-5 months | 30 | 2.51 |
| 3 6-12 months | 116 | 9.72 |
| 4 More than 1 year | 995 | 83.40 |
| 7 Refused | 4 | 0.34 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.92 |

Frequency Missing = 22200

AHS.319_02.000: Musculoskeletal problem condition status

| ALCHRC20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 1141 | 95.64 |
| 2 Not chronic | 37 | 3.10 |
| 9 Unknown if chronic | 15 | 1.26 |

Frequency Missing = 22200

AHS.320_01.000: Duration of circulatory problem: Number of units

| ALTIME21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 214 | 95.96 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 5 | 2.24 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 1.79 |

Frequency Missing = 23170

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

123

AHS.320_02.000: Duration of circulatory problem: Time unit

| ALUNIT21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 13 | 5.83 |
| 4 Year(s) | 202 | 90.58 |
| 6 Since birth | 5 | 2.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.35 |

Frequency Missing = 23170

AHS.320_02.000: Duration of circulatory problem (in years)

| ALDURA21 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 11 | 4.93 |
| 01-84 years | 208 | 93.27 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.45 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.35 |

Frequency Missing = 23170

AHS.320_02.000: Duration of circulatory problem recode 2

| ALDURB21 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 1.35 |
| 2 3-5 months | 4 | 1.79 |
| 3 6-12 months | 20 | 8.97 |
| 4 More than 1 year | 193 | 86.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.35 |

Frequency Missing = 23170

AHS.320_02.000: Circulatory problem condition status

| ALCHRC21 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 217 | 97.31 |
| 2 Not chronic | 3 | 1.35 |
| 9 Unknown if chronic | 3 | 1.35 |

Frequency Missing = 23170

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHS.321_01.000: Duration of endocrine problem: Number of units

| ALTIME22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 52 | 94.55 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 5.45 |

Frequency Missing = 23338

AHS.321_02.000: Duration of endocrine problem: Time unit

| ALUNIT22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 4 | 7.27 |
| 4 Year(s) | 50 | 90.91 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.82 |

Frequency Missing = 23338

AHS.321_02.000: Duration of endocrine problem (in years)

| ALDURA22 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 5.45 |
| 01-84 years | 49 | 89.09 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 3.64 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.82 |

Frequency Missing = 23338

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

125

AHS.321_02.000: Duration of endocrine problem recode 2

| ALDURB22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 2 | 3.64 |
| 3 6-12 months | 4 | 7.27 |
| 4 More than 1 year | 48 | 87.27 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.82 |

Frequency Missing = 23338

AHS.321_02.000: Endocrine problem condition status

| ALCHRC22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 54 | 98.18 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 1 | 1.82 |

Frequency Missing = 23338

AHS.322_01.000: Duration of nervous system condition: Number of units

| ALTIME23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 362 | 93.78 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 14 | 3.63 |
| 97 Refused | 1 | 0.26 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 2.33 |

Frequency Missing = 23007

AHS.322_02.000: Duration of nervous system condition: Time unit

| ALUNIT23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 3 | 0.78 |
| 3 Month(s) | 23 | 5.96 |
| 4 Year(s) | 340 | 88.08 |
| 6 Since birth | 14 | 3.63 |
| 7 Refused | 1 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.30 |

Frequency Missing = 23007

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

126

AHS.322_02.000: Duration of nervous system condition (in years)

| ALDURA23 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 20 | 5.18 |
| 01-84 years | 355 | 91.97 |
| 85 85+ years | 1 | 0.26 |
| 96 Unknown number of years | 4 | 1.04 |
| 97 Refused | 1 | 0.26 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 1.30 |

Frequency Missing = 23007

AHS.322_02.000: Duration of nervous system condition recode 2

| ALDURB23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 5 | 1.30 |
| 2 3-5 months | 4 | 1.04 |
| 3 6-12 months | 29 | 7.51 |
| 4 More than 1 year | 342 | 88.60 |
| 7 Refused | 1 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.30 |

Frequency Missing = 23007

AHS.322_02.000: Nervous system condition status

| ALCHRC23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 375 | 97.15 |
| 2 Not chronic | 5 | 1.30 |
| 9 Unknown if chronic | 6 | 1.55 |

Frequency Missing = 23007

AHS.323_01.000: Duration of digestive problems: Number of units

| ALTIME24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 69 | 97.18 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 1.41 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.41 |

Frequency Missing = 23322

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

127

AHS.323_02.000: Duration of digestive problems: Number of units

| ALUNIT24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 2.82 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 9 | 12.68 |
| 4 Year(s) | 58 | 81.69 |
| 6 Since birth | 1 | 1.41 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.41 |

Frequency Missing = 23322

AHS.323_02.000: Duration of digestive problem (in years)

| ALDURA24 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 10 | 14.08 |
| 01-84 years | 60 | 84.51 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.41 |

Frequency Missing = 23322

AHS.323_02.000: Duration of digestive problem recode 2

| ALDURB24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 4 | 5.63 |
| 2 3-5 months | 3 | 4.23 |
| 3 6-12 months | 5 | 7.04 |
| 4 More than 1 year | 58 | 81.69 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.41 |

Frequency Missing = 23322

AHS.323_02.000: Digestive problem condition status

| ALCHRC24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 66 | 92.96 |
| 2 Not chronic | 4 | 5.63 |
| 9 Unknown if chronic | 1 | 1.41 |

Frequency Missing = 23322

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

128

AHS.324_01.000: Duration of genitourinary problem: Number of units

| ALTIME25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 80 | 93.02 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 2 | 2.33 |
| 97 Refused | 1 | 1.16 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 3.49 |

Frequency Missing = 23307

AHS.324_02.000: Duration of genitourinary problem: Time unit

| ALUNIT25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 11 | 12.79 |
| 4 Year(s) | 72 | 83.72 |
| 6 Since birth | 2 | 2.33 |
| 7 Refused | 1 | 1.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23307

AHS.324_02.000: Duration of genitourinary problem (in years)

| ALDURA25 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 8 | 9.30 |
| 01-84 years | 74 | 86.05 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 3.49 |
| 97 Refused | 1 | 1.16 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23307

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

129

AHS.324_02.000: Duration of genitourinary problem recode 2

| ALDURB25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 1.16 |
| 2 3-5 months | 1 | 1.16 |
| 3 6-12 months | 9 | 10.47 |
| 4 More than 1 year | 74 | 86.05 |
| 7 Refused | 1 | 1.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23307

AHS.324_02.000: Genitourinary problem condition status

| ALCHRC25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 84 | 97.67 |
| 2 Not chronic | 1 | 1.16 |
| 9 Unknown if chronic | 1 | 1.16 |

Frequency Missing = 23307

AHS.325_01.000: Duration of skin problems: Number of units

| ALTIME26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 3 | 75.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 25.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23389

AHS.325_02.000: Duration of skin problems: Time unit

| ALUNIT26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 3 | 75.00 |
| 6 Since birth | 1 | 25.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23389

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

130

AHS.325_02.000: Duration of skin problem (in years)

| ALDURA26 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 4 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23389

AHS.325_02.000: Duration of skin problem recode 2

| ALDURB26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 4 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23389

AHS.325_02.000: Skin problems condition status

| ALCHRC26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 4 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23389

AHS.326_01.000: Duration of blood problem: Number of units

| ALTIME27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 9 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23384

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

131

AHS.326_02.000: Duration of blood problem: Time unit

| ALUNIT27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 1 | 11.11 |
| 4 Year(s) | 8 | 88.89 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23384

AHS.326_02.000: Duration of blood problem (in years)

| ALDURA27 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 11.11 |
| 01-84 years | 8 | 88.89 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23384

AHS.326_02.000: Duration of blood problem recode 2

| ALDURB27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 1 | 11.11 |
| 3 6-12 months | 1 | 11.11 |
| 4 More than 1 year | 7 | 77.78 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23384

AHS.326_02.000: Blood problem condition status

| ALCHRC27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 9 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23384

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

132

AHS.327_01.000: Duration of benign tumor: Number of units

| ALTIME28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 12 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23381

AHS.327_02.000: Duration of benign tumor: Time unit

| ALUNIT28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 8.33 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 3 | 25.00 |
| 4 Year(s) | 8 | 66.67 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23381

AHS.327_02.000: Duration of benign tumor (in years)

| ALDURA28 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 4 | 33.33 |
| 01-84 years | 8 | 66.67 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23381

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

133

AHS.327_02.000: Duration of benign tumor recode 2

| ALDURB28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 8.33 |
| 2 3-5 months | 3 | 25.00 |
| 3 6-12 months | 2 | 16.67 |
| 4 More than 1 year | 6 | 50.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23381

AHS.327_02.000: Benign tumor condition status

| ALCHRC28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 11 | 91.67 |
| 2 Not chronic | 1 | 8.33 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23381

AHS.328_01.000: Duration of alcohol or drug problem: Number of units

| ALTIME29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 3 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23390

AHS.328_02.000: Duration of alcohol or drug problem: Time unit

| ALUNIT29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 1 | 33.33 |
| 4 Year(s) | 2 | 66.67 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23390

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

134

AHS.328_02.000: Duration of alcohol or drug problem (in years)

| ALDURA29 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 33.33 |
| 01-84 years | 2 | 66.67 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23390

AHS.328_02.000: Duration of alcohol or drug problem recode 2

| ALDURB29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 1 | 33.33 |
| 4 More than 1 year | 2 | 66.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23390

AHS.328_02.000: Alcohol or drug problem condition status

| ALCHRC29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 3 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23390

AHS.329_01.000: Duration of other mental problem: Number of units

| ALTIME30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 21 | 75.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 7 | 25.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23365

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

135

AHS.329_02.000: Duration of other mental problem: Time unit

| ALUNIT30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 2 | 7.14 |
| 4 Year(s) | 19 | 67.86 |
| 6 Since birth | 7 | 25.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23365

AHS.329_02.000: Duration of other mental problem (in years)

| ALDURA30 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 2 | 7.14 |
| 01-84 years | 26 | 92.86 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23365

AHS.329_02.000: Duration of other mental problem recode 2

| ALDURB30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 1 | 3.57 |
| 3 6-12 months | 1 | 3.57 |
| 4 More than 1 year | 26 | 92.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23365

AHS.329_02.000: Other mental problem condition status

| ALCHRC30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 28 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23365

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

136

AHS.330_01.000: Duration of surgical after-effects: Number of units

| ALTIME31 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 42 | 95.45 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 2.27 |
| 99 Don't know | 1 | 2.27 |

Frequency Missing = 23349

AHS.330_02.000: Duration of surgical after-effects: Time unit

| ALUNIT31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 2.27 |
| 2 Week(s) | 9 | 20.45 |
| 3 Month(s) | 18 | 40.91 |
| 4 Year(s) | 14 | 31.82 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 2.27 |
| 9 Don't know | 1 | 2.27 |

Frequency Missing = 23349

AHS.330_02.000: Duration of surgical after-effects (in years)

| ALDURA31 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 26 | 59.09 |
| 01-84 years | 16 | 36.36 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 2.27 |
| 99 Don't know | 1 | 2.27 |

Frequency Missing = 23349

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

137

AHS.330_02.000: Duration of surgical after-effects recode 2

| ALDURB31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 16 | 36.36 |
| 2 3-5 months | 1 | 2.27 |
| 3 6-12 months | 13 | 29.55 |
| 4 More than 1 year | 12 | 27.27 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 2.27 |
| 9 Don't know | 1 | 2.27 |

Frequency Missing = 23349

AHS.330_02.000: Surgical after-effects condition status

| ALCHRC31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 26 | 59.09 |
| 2 Not chronic | 16 | 36.36 |
| 9 Unknown if chronic | 2 | 4.55 |

Frequency Missing = 23349

AHS.331_01.000: Duration of "old age": Number of units

| ALTIME32 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 133 | 75.14 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 1.69 |
| 97 Refused | 2 | 1.13 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 39 | 22.03 |

Frequency Missing = 23216

AHS.331_02.000: Duration of "old age": Number of units

| ALUNIT32 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 3 | 1.69 |
| 4 Year(s) | 149 | 84.18 |
| 6 Since birth | 3 | 1.69 |
| 7 Refused | 2 | 1.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 11.30 |

Frequency Missing = 23216

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

138

AHS.331_02.000: Duration of "old age" (in years)

| ALDURA32 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 1.69 |
| 01-84 years | 133 | 75.14 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 19 | 10.73 |
| 97 Refused | 2 | 1.13 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 20 | 11.30 |

Frequency Missing = 23216

AHS.331_02.000: Duration of "old age", recode 2

| ALDURB32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 0.56 |
| 2 3-5 months | 2 | 1.13 |
| 3 6-12 months | 18 | 10.17 |
| 4 More than 1 year | 134 | 75.71 |
| 7 Refused | 2 | 1.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 11.30 |

Frequency Missing = 23216

AHS.331_02.000: "Old age" condition status

| ALCHRC32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 177 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23216

AHS.332_01.000: Duration of fatigue problem: Number of units

| ALTIME33 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 43 | 86.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 6.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 8.00 |

Frequency Missing = 23343

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

139

AHS.332_02.000: Duration of fatigue problem: Time unit

| ALUNIT33 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 6 | 12.00 |
| 4 Year(s) | 38 | 76.00 |
| 6 Since birth | 3 | 6.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 6.00 |

Frequency Missing = 23343

AHS.332_02.000: Duration of fatigue problem (in years)

| ALDURA33 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 6 | 12.00 |
| 01-84 years | 40 | 80.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 2.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 6.00 |

Frequency Missing = 23343

AHS.332_02.000: Duration of fatigue problem recode 2

| ALDURB33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 2.00 |
| 2 3-5 months | 2 | 4.00 |
| 3 6-12 months | 9 | 18.00 |
| 4 More than 1 year | 35 | 70.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 6.00 |

Frequency Missing = 23343

AHS.332_02.000: Fatigue problem condition status

| ALCHRC33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 46 | 92.00 |
| 2 Not chronic | 1 | 2.00 |
| 9 Unknown if chronic | 3 | 6.00 |

Frequency Missing = 23343

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

140

AHS.333_01.000: Duration of pregnancy-related problem: Number of units

| ALTIME34 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 41 | 97.62 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 2.38 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23351

AHS.333_02.000: Duration of pregnancy-related problem: Time unit

| ALUNIT34 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 7.14 |
| 2 Week(s) | 2 | 4.76 |
| 3 Month(s) | 35 | 83.33 |
| 4 Year(s) | 1 | 2.38 |
| 6 Since birth | 1 | 2.38 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23351

AHS.333_02.000: Duration of pregnancy-related problem (in years)

| ALDURA34 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 40 | 95.24 |
| 01-84 years | 2 | 4.76 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 23351

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

141

AHS.333_02.000: Duration of pregnancy-related problem recode 2

| ALDURB34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 14.29 |
| 2 3-5 months | 9 | 21.43 |
| 3 6-12 months | 25 | 59.52 |
| 4 More than 1 year | 2 | 4.76 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 23351

AHS.333_02.000: Pregnancy-related condition status

| ALCHRC34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 0 | 0.00 |
| 2 Not chronic | 42 | 100.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23351

AHS.335_01.000: Duration of other N.E.C. problem (1): Number of units

| ALTIME90 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 140 | 88.61 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 7 | 4.43 |
| 97 Refused | 1 | 0.63 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 10 | 6.33 |

Frequency Missing = 23235

AHS.335_02.000: Duration of other N.E.C. problem (1): Time unit

| ALUNIT90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.63 |
| 3 Month(s) | 15 | 9.49 |
| 4 Year(s) | 127 | 80.38 |
| 6 Since birth | 7 | 4.43 |
| 7 Refused | 1 | 0.63 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 4.43 |

Frequency Missing = 23235

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

142

AHS.335_02.000: Duration of other N.E.C. problem (1) (in years)

| ALDURA90 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 14 | 8.86 |
| 01-84 years | 133 | 84.18 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 1.90 |
| 97 Refused | 1 | 0.63 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 4.43 |

Frequency Missing = 23235

AHS.335_02.000: Duration of other N.E.C. problem (1) recode 2

| ALDURB90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 1.90 |
| 2 3-5 months | 4 | 2.53 |
| 3 6-12 months | 23 | 14.56 |
| 4 More than 1 year | 120 | 75.95 |
| 7 Refused | 1 | 0.63 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 4.43 |

Frequency Missing = 23235

AHS.335_02.000: Other N.E.C. problem (1) condition status

| ALCHRC90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 147 | 93.04 |
| 2 Not chronic | 3 | 1.90 |
| 9 Unknown if chronic | 8 | 5.06 |

Frequency Missing = 23235

AHS.336_01.000: Duration of other N.E.C. problem (2): Number of units

| ALTIME91 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 0 | . |
| 95 95+ | 0 | . |
| 96 Since birth | 0 | . |
| 97 Refused | 0 | . |
| 98 Not ascertained | 0 | . |
| 99 Don't know | 0 | . |

Frequency Missing = 23393

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

143

AHS.336_02.000: Duration of other N.E.C. problem (2): Time unit

| ALUNIT91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | . |
| 2 Week(s) | 0 | . |
| 3 Month(s) | 0 | . |
| 4 Year(s) | 0 | . |
| 6 Since birth | 0 | . |
| 7 Refused | 0 | . |
| 8 Not ascertained | 0 | . |
| 9 Don't know | 0 | . |

Frequency Missing = 23393

AHS.336_02.000: Duration of other N.E.C. problem (2) (in years)

| ALDURA91 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | . |
| 01-84 years | 0 | . |
| 85 85+ years | 0 | . |
| 96 Unknown number of years | 0 | . |
| 97 Refused | 0 | . |
| 98 Not ascertained | 0 | . |
| 99 Don't know | 0 | . |

Frequency Missing = 23393

AHS.336_02.000: Duration of other N.E.C. problem (2) recode 2

| ALDURB91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | . |
| 2 3-5 months | 0 | . |
| 3 6-12 months | 0 | . |
| 4 More than 1 year | 0 | . |
| 7 Refused | 0 | . |
| 8 Not ascertained | 0 | . |
| 9 Don't know | 0 | . |

Frequency Missing = 23393

AHS.336_02.000: Other N.E.C. problem (2) condition status

| ALCHRC91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 0 | . |
| 2 Not chronic | 0 | . |
| 9 Unknown if chronic | 0 | . |

Frequency Missing = 23393

AHS.336_02.000: Chronic condition recode for individual w/functional limitation

| ALCNDRT | Frequency |
|---|-----------|
| 1 At least one chronic condition causes functional limitation | 7138 |
| 2 No chronic condition causes functional limitation | 188 |
| 9 Unknown if any chronic condition causes functional limitation | 211 |

AHS.336_02.000: Chronic condition recode for individual w/functional limitation

| ALCNDRT | Percent |
|---|---------|
| 1 At least one chronic condition causes functional limitation | 94.71 |
| 2 No chronic condition causes functional limitation | 2.49 |
| 9 Unknown if any chronic condition causes functional limitation | 2.80 |

Frequency Missing = 15856

AHS.336_02.000: Overall functional limitation recode by condition status

| ALCHRONR | Frequency | Percent |
|---|-----------|---------|
| 0 Not limited in any way (including unknown if limited) | 15856 | 67.78 |
| 1 Limited; caused by at least one chronic condition | 7138 | 30.51 |
| 2 Limited; not caused by chronic condition | 188 | 0.80 |
| 3 Limited; unknown if condition is chronic | 211 | 0.90 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

145

AHB.010_00.000: Ever smoked 100 cigarettes

| SMKEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9311 | 39.80 |
| 2 No | 13689 | 58.52 |
| 7 Refused | 132 | 0.56 |
| 8 Not ascertained | 215 | 0.92 |
| 9 Don't know | 46 | 0.20 |

AHB.020_00.000: Age first smoked fairly regularly

| SMKREG | Frequency | Percent |
|---------------------------|-----------|---------|
| 06-84 6 - 84 years | 8911 | 95.70 |
| 85 85 years or older | 1 | 0.01 |
| 96 Never smoked regularly | 243 | 2.61 |
| 97 Refused | 20 | 0.21 |
| 98 Not ascertained | 2 | 0.02 |
| 99 Don't know | 134 | 1.44 |

Frequency Missing = 14082

AHB.030_00.000: Smoke freq: everyday/some days/not at all

| SMKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day | 3362 | 36.11 |
| 2 Some days | 1010 | 10.85 |
| 3 Not at all | 4929 | 52.94 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 4 | 0.04 |

Frequency Missing = 14082

AHB.030_00.000: Smoking Status: Recode

| SMKSTAT2 | Frequency | Percent |
|----------------------------------|-----------|---------|
| 1 Current every day smoker | 3362 | 14.37 |
| 2 Current some day smoker | 1010 | 4.32 |
| 3 Former smoker | 4929 | 21.07 |
| 4 Never smoker | 13689 | 58.52 |
| 5 Smoker, current status unknown | 10 | 0.04 |
| 9 Unknown if ever smoked | 393 | 1.68 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

146

AHB.040_01.000: Time since quit: # of units

| SMKQTNO | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1 - 94 | 4851 | 98.42 |
| 95 95+ | 0 | 0.00 |
| 97 Refused | 2 | 0.04 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 75 | 1.52 |

Frequency Missing = 18464

AHB.040_02.000: Time since quit: time period

| SMKQTTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 26 | 0.53 |
| 2 Week(s) | 54 | 1.10 |
| 3 Month(s) | 333 | 6.76 |
| 4 Year(s) | 4438 | 90.04 |
| 7 Refused | 2 | 0.04 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 75 | 1.52 |

Frequency Missing = 18464

AHB.040_02.000: Time since quit smoking (in years)

| SMKQTY | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 375 | 7.61 |
| 01-69 1-69 years | 4472 | 90.73 |
| 70 70+ years | 4 | 0.08 |
| 97 Refused | 2 | 0.04 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 75 | 1.52 |

Frequency Missing = 18464

AHB.050_00.000: Number cigs per day (daily smokers)

| CIGSDA1 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 3318 | 98.69 |
| 95 95+ cigarettes | 0 | 0.00 |
| 97 Refused | 12 | 0.36 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 32 | 0.95 |

Frequency Missing = 20031

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

147

AHB.060_00.000: Number days smoked in past 30 days

| CIGDAMO | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 27 | 2.67 |
| 01-30 1-30 days | 948 | 93.86 |
| 97 Refused | 1 | 0.10 |
| 98 Not ascertained | 1 | 0.10 |
| 99 Don't know | 33 | 3.27 |

Frequency Missing = 22383

AHB.070_00.000: Number cigs per day (some day smokers)

| CIGSDA2 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 957 | 97.45 |
| 95 95+ cigarettes | 2 | 0.20 |
| 97 Refused | 2 | 0.20 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 21 | 2.14 |

Frequency Missing = 22411

AHB.070_00.000: Number of cigarettes a day (all current smokers)

| CIGSDAY | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 4275 | 98.39 |
| 95 95+ cigarettes | 2 | 0.05 |
| 97 Refused | 14 | 0.32 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 53 | 1.22 |

Frequency Missing = 19048

AHB.080_00.000: Tried quit smoking 1+ days, past 12 m

| CIGQTYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1888 | 43.18 |
| 2 No | 2465 | 56.38 |
| 7 Refused | 7 | 0.16 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 11 | 0.25 |

Frequency Missing = 19021

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHB Variables Wednesday, June 4, 2008
Unweighted Frequencies

148

AHB.090_01.000: Freq vigorous activity: # of units

| VIGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 14244 | 60.89 |
| 001-995 1-995 time(s) | 8046 | 34.39 |
| 996 Unable to do this type activity | 631 | 2.70 |
| 997 Refused | 87 | 0.37 |
| 998 Not ascertained | 296 | 1.27 |
| 999 Don't know | 89 | 0.38 |

AHB.090_02.000: Freq vigorous activity: Time units

| VIGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 14244 | 60.89 |
| 1 Per day | 1013 | 4.33 |
| 2 Per week | 6260 | 26.76 |
| 3 Per month | 597 | 2.55 |
| 4 Per year | 176 | 0.75 |
| 6 Unable to do this activity | 631 | 2.70 |
| 7 Refused | 87 | 0.37 |
| 8 Not ascertained | 296 | 1.27 |
| 9 Don't know | 89 | 0.38 |

AHB.090_02.000: Freq vigorous activity (times per wk)

| VIGFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 556 | 2.38 |
| 01-28 1-28 times per week | 7490 | 32.02 |
| 95 Never | 14244 | 60.89 |
| 96 Unable to do vigorous activity | 631 | 2.70 |
| 97 Refused | 87 | 0.37 |
| 98 Not ascertained | 296 | 1.27 |
| 99 Don't know | 89 | 0.38 |

AHB.100_01.000: Duration vigorous activity: # units

| VIGLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 7986 | 99.25 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 14 | 0.17 |
| 999 Don't know | 46 | 0.57 |

Frequency Missing = 15347

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

149

AHB.100_02.000: Duration vigorous activity: Time unit

| VIGLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 5132 | 63.78 |
| 2 Hours | 2854 | 35.47 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 14 | 0.17 |
| 9 Don't know | 46 | 0.57 |

Frequency Missing = 15347

AHB.100_02.000: Duration vigorous activity (in minutes)

| VIGMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 7986 | 99.25 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 14 | 0.17 |
| 999 Don't know | 46 | 0.57 |

Frequency Missing = 15347

AHB.110_01.000: Freq moderate activity: # of units

| MODNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 10973 | 46.91 |
| 001-995 1-995 time(s) | 11282 | 48.23 |
| 996 Unable to do this type activity | 455 | 1.95 |
| 997 Refused | 89 | 0.38 |
| 998 Not ascertained | 373 | 1.59 |
| 999 Don't know | 221 | 0.94 |

AHB.110_02.000: Freq moderate activity: Time units

| MODTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 10973 | 46.91 |
| 1 Per day | 2515 | 10.75 |
| 2 Per week | 8141 | 34.80 |
| 3 Per month | 509 | 2.18 |
| 4 Per year | 116 | 0.50 |
| 6 Unable to do this activity | 455 | 1.95 |
| 7 Refused | 89 | 0.38 |
| 8 Not ascertained | 374 | 1.60 |
| 9 Don't know | 221 | 0.94 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHB Variables Wednesday, June 4, 2008
Unweighted Frequencies

150

AHB.110_02.000: Freq light/moderate activity (times per wk)

| MODFREQW | Frequency | Percent |
|--|-----------|---------|
| 00 Less than once per week | 398 | 1.70 |
| 01-28 1-28 times per week | 10883 | 46.52 |
| 95 Never | 10973 | 46.91 |
| 96 Unable to do light or moderate activity | 455 | 1.95 |
| 97 Refused | 89 | 0.38 |
| 98 Not ascertained | 374 | 1.60 |
| 99 Don't know | 221 | 0.94 |

AHB.120_01.000: Duration moderate activity: # of units

| MODLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 11174 | 99.05 |
| 997 Refused | 2 | 0.02 |
| 998 Not ascertained | 8 | 0.07 |
| 999 Don't know | 97 | 0.86 |

Frequency Missing = 12112

AHB.120_02.000: Duration moderate activity: Time unit

| MODLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 8181 | 72.52 |
| 2 Hours | 2993 | 26.53 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 8 | 0.07 |
| 9 Don't know | 97 | 0.86 |

Frequency Missing = 12112

AHB.120_02.000: Duration light/moderate activity (in minutes)

| MODMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 11174 | 99.05 |
| 997 Refused | 2 | 0.02 |
| 998 Not ascertained | 8 | 0.07 |
| 999 Don't know | 97 | 0.86 |

Frequency Missing = 12112

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

AHB.130_01.000: Strength activity freq: # of units

| STRNGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 17238 | 73.69 |
| 001-995 1-995 time(s) | 5234 | 22.37 |
| 996 Unable to do this type activity | 454 | 1.94 |
| 997 Refused | 92 | 0.39 |
| 998 Not ascertained | 286 | 1.22 |
| 999 Don't know | 89 | 0.38 |

AHB.130_02.000: Strength activity freq: Time units

| STRNGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 17238 | 73.69 |
| 1 Per day | 640 | 2.74 |
| 2 Per week | 4194 | 17.93 |
| 3 Per month | 321 | 1.37 |
| 4 Per year | 78 | 0.33 |
| 6 Unable to do this activity | 454 | 1.94 |
| 7 Refused | 92 | 0.39 |
| 8 Not ascertained | 287 | 1.23 |
| 9 Don't know | 89 | 0.38 |

AHB.130_02.000: Freq strength activity (times per wk)

| STRFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 284 | 1.21 |
| 01-28 1-28 times per week | 4949 | 21.16 |
| 95 Never | 17238 | 73.69 |
| 96 Unable to do strength activity | 454 | 1.94 |
| 97 Refused | 92 | 0.39 |
| 98 Not ascertained | 287 | 1.23 |
| 99 Don't know | 89 | 0.38 |

AHB.140_00.000: Ever had 12+ drinks in any one year

| ALC1YR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13595 | 58.12 |
| 2 No | 9279 | 39.67 |
| 7 Refused | 210 | 0.90 |
| 8 Not ascertained | 259 | 1.11 |
| 9 Don't know | 50 | 0.21 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

152

AHB.150_00.000: Had 12+ drinks in ENTIRE LIFE

| ALCLIFE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3550 | 36.23 |
| 2 No | 5708 | 58.26 |
| 7 Refused | 211 | 2.15 |
| 8 Not ascertained | 259 | 2.64 |
| 9 Don't know | 70 | 0.71 |

Frequency Missing = 13595

AHB.160_01.000: Freq drank alcohol pst yr: # of units

| ALC12MNO | Frequency | Percent |
|----------------------|-----------|---------|
| 000 Never | 3527 | 20.57 |
| 001-365 1-365 day(s) | 13336 | 77.78 |
| 997 Refused | 63 | 0.37 |
| 998 Not ascertained | 3 | 0.02 |
| 999 Don't know | 216 | 1.26 |

Frequency Missing = 6248

AHB.160_02.000: Freq drank alcohol pst yr: Time unit

| ALC12MTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 3527 | 20.57 |
| 1 Week | 5949 | 34.70 |
| 2 Month | 3375 | 19.69 |
| 3 Year | 4012 | 23.40 |
| 7 Refused | 63 | 0.37 |
| 8 Not ascertained | 3 | 0.02 |
| 9 Don't know | 216 | 1.26 |

Frequency Missing = 6248

AHB.160_02.000: Freq drank alcohol: Days per week

| ALC12MWK | Frequency | Percent |
|-------------------------------|-----------|---------|
| 00 Less than one day per week | 6525 | 38.06 |
| 01-07 1-7 days per week | 6811 | 39.73 |
| 95 Did not drink in past year | 3527 | 20.57 |
| 97 Refused | 63 | 0.37 |
| 98 Not ascertained | 3 | 0.02 |
| 99 Don't know | 216 | 1.26 |

Frequency Missing = 6248

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

153

AHB.160_02.000: Freq drank alcohol: Days in past year

| ALC12MYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 3527 | 20.57 |
| 001-365 1-365 days | 13336 | 77.78 |
| 997 Refused | 63 | 0.37 |
| 998 Not ascertained | 3 | 0.02 |
| 999 Don't know | 216 | 1.26 |

Frequency Missing = 6248

AHB.170_00.000: Average # drinks on days drank

| ALCMT | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 drinks | 13243 | 99.30 |
| 95 95+ drinks | 3 | 0.02 |
| 97 Refused | 9 | 0.07 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 81 | 0.61 |

Frequency Missing = 10057

AHB.170_00.000: Alcohol drinking status: Recode

| ALCSTAT | Frequency | Percent |
|---|-----------|---------|
| 01 Lifetime abstainer | 5708 | 24.40 |
| 02 Former infrequent | 1994 | 8.52 |
| 03 Former regular | 1529 | 6.54 |
| 04 Former, unknown frequency | 4 | 0.02 |
| 05 Current infrequent | 2824 | 12.07 |
| 06 Current light | 6326 | 27.04 |
| 07 Current moderate | 2990 | 12.78 |
| 08 Current heavier | 1106 | 4.73 |
| 09 Current drinker, frequency/level unknown | 90 | 0.38 |
| 10 Drinking status unknown | 822 | 3.51 |

AHB.180_01.000: Days 5+ drinks, past yr: # days

| ALC5UPNO | Frequency | Percent |
|----------------------|-----------|---------|
| 000 Never/None | 8832 | 66.23 |
| 001-365 1-365 day(s) | 4264 | 31.97 |
| 997 Refused | 19 | 0.14 |
| 998 Not ascertained | 1 | 0.01 |
| 999 Don't know | 220 | 1.65 |

Frequency Missing = 10057

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, June 4, 2008
 Unweighted Frequencies

154

AHB.180_02.000: Days 5+ drinks, past yr: Time unit

| ALC5UPTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 8832 | 66.23 |
| 1 Per week | 598 | 4.48 |
| 2 Per month | 384 | 2.88 |
| 3 Per year | 3282 | 24.61 |
| 7 Refused | 19 | 0.14 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 220 | 1.65 |

Frequency Missing = 10057

AHB.180_02.000: Number of days had 5+ drinks past year

| ALC5UPYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 8832 | 66.23 |
| 001-365 1-365 days | 4264 | 31.97 |
| 997 Refused | 19 | 0.14 |
| 998 Not ascertained | 1 | 0.01 |
| 999 Don't know | 220 | 1.65 |

Frequency Missing = 10057

AHB.190_04.000: Total height in inches

| AHEIGHT | Frequency | Percent |
|--------------------|-----------|---------|
| 59-76 inches | 21439 | 91.65 |
| 96 Not available | 1353 | 5.78 |
| 97 Refused | 154 | 0.66 |
| 98 Not ascertained | 310 | 1.33 |
| 99 Don't know | 137 | 0.59 |

AHB.200_02.000: Weight without shoes (pounds)

| AWEIGHTP | Frequency | Percent |
|---------------------|-----------|---------|
| 100-299 pounds | 20866 | 89.20 |
| 996 Not available | 1353 | 5.78 |
| 997 Refused | 533 | 2.28 |
| 998 Not ascertained | 285 | 1.22 |
| 999 Don't know | 356 | 1.52 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHB Variables Wednesday, June 4, 2008
Unweighted Frequencies

155

AHB.200_02.000: Body Mass Index (BMI)

| BMI | Frequency | Percent |
|-----------------------|-----------|---------|
| 0001-9994 00.01-99.94 | 22119 | 94.55 |
| 9995 99.95+ | 0 | 0.00 |
| 9999 Unknown | 1274 | 5.45 |

AHB.210_00.000: Hours of sleep

| SLEEP | Frequency | Percent |
|--------------------|-----------|---------|
| 01-24 1-24 hours | 22737 | 97.20 |
| 97 Refused | 120 | 0.51 |
| 98 Not ascertained | 291 | 1.24 |
| 99 Don't know | 245 | 1.05 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

156

AAU.020_00.000: Place USUALLY go when sick

| AUSUALPL | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes | 19272 | 82.38 |
| 2 There is NO place | 3545 | 15.15 |
| 3 There is MORE THAN ONE place | 236 | 1.01 |
| 7 Refused | 37 | 0.16 |
| 8 Not ascertained | 301 | 1.29 |
| 9 Don't know | 2 | 0.01 |

AAU.030_00.000: Place to go when sick (most often)

| APLKIND | Frequency | Percent |
|--------------------------------------|-----------|---------|
| 1 Clinic or health center | 3748 | 19.21 |
| 2 Doctor's office or HMO | 14867 | 76.21 |
| 3 Hospital emergency room | 231 | 1.18 |
| 4 Hospital outpatient department | 318 | 1.63 |
| 5 Some other place | 170 | 0.87 |
| 6 Doesn't go to one place most often | 152 | 0.78 |
| 7 Refused | 8 | 0.04 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 12 | 0.06 |

Frequency Missing = 3885

AAU.035_00.000: USUALLY go there for routine/preventive care

| AHCPLROU | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 18185 | 94.06 |
| 2 No | 1134 | 5.87 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.02 |
| 9 Don't know | 12 | 0.06 |

Frequency Missing = 4059

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

157

AAU.037_00.000: Place USUALLY go for routine/preventive care

| AHCPLKND | Frequency | Percent |
|--|-----------|---------|
| 0 Doesn't get preventive care anywhere | 2717 | 52.17 |
| 1 Clinic or health center | 570 | 10.94 |
| 2 Doctor's office or HMO | 1112 | 21.35 |
| 3 Hospital emergency room | 104 | 2.00 |
| 4 Hospital outpatient department | 66 | 1.27 |
| 5 Some other place | 70 | 1.34 |
| 6 Doesn't go to one place most often | 210 | 4.03 |
| 7 Refused | 42 | 0.81 |
| 8 Not ascertained | 307 | 5.89 |
| 9 Don't know | 10 | 0.19 |

Frequency Missing = 18185

AAU.040_00.000: Change health care place, past 12 m

| AHCCHGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1554 | 7.97 |
| 2 No | 17917 | 91.84 |
| 7 Refused | 15 | 0.08 |
| 8 Not ascertained | 6 | 0.03 |
| 9 Don't know | 16 | 0.08 |

Frequency Missing = 3885

AAU.050_00.000: Change related to health insurance

| AHCCHGHI | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 435 | 27.99 |
| 2 No | 1116 | 71.81 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.19 |

Frequency Missing = 21839

AAU.061_01.000: Couldn't get through on phone, past 12 m

| AHCDLYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 549 | 2.35 |
| 2 No | 22479 | 96.09 |
| 7 Refused | 34 | 0.15 |
| 8 Not ascertained | 310 | 1.33 |
| 9 Don't know | 21 | 0.09 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

158

AAU.061_02.000: Couldn't get appt soon enough, past 12 m

| AHCDLYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1237 | 5.29 |
| 2 No | 21789 | 93.14 |
| 7 Refused | 33 | 0.14 |
| 8 Not ascertained | 312 | 1.33 |
| 9 Don't know | 22 | 0.09 |

AAU.061_03.000: Wait too long in dr's office, past 12 m

| AHCDLYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1151 | 4.92 |
| 2 No | 21874 | 93.51 |
| 7 Refused | 33 | 0.14 |
| 8 Not ascertained | 314 | 1.34 |
| 9 Don't know | 21 | 0.09 |

AAU.061_04.000: Not open when you could go, past 12 m

| AHCDLYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 682 | 2.92 |
| 2 No | 22343 | 95.51 |
| 7 Refused | 33 | 0.14 |
| 8 Not ascertained | 315 | 1.35 |
| 9 Don't know | 20 | 0.09 |

AAU.061_05.000: No transportation, past 12 m

| AHCDLYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 472 | 2.02 |
| 2 No | 22553 | 96.41 |
| 7 Refused | 34 | 0.15 |
| 8 Not ascertained | 316 | 1.35 |
| 9 Don't know | 18 | 0.08 |

AAU.111_01.000: Can't afford prescription medicine, past 12 m

| AHCAFYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2097 | 8.96 |
| 2 No | 20939 | 89.51 |
| 7 Refused | 26 | 0.11 |
| 8 Not ascertained | 320 | 1.37 |
| 9 Don't know | 11 | 0.05 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

159

AAU.111_02.000: Can't afford mental health care/counseling, 12 m

| AHCAFYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 600 | 2.56 |
| 2 No | 22428 | 95.87 |
| 7 Refused | 29 | 0.12 |
| 8 Not ascertained | 321 | 1.37 |
| 9 Don't know | 15 | 0.06 |

AAU.111_03.000: Can't afford dental care, past 12 m

| AHCAFYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2804 | 11.99 |
| 2 No | 20230 | 86.48 |
| 7 Refused | 28 | 0.12 |
| 8 Not ascertained | 323 | 1.38 |
| 9 Don't know | 8 | 0.03 |

AAU.111_04.000: Can't afford eyeglasses, past 12 m

| AHCAFYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1641 | 7.01 |
| 2 No | 21386 | 91.42 |
| 7 Refused | 27 | 0.12 |
| 8 Not ascertained | 324 | 1.39 |
| 9 Don't know | 15 | 0.06 |

AAU.135_00.000: Time since last saw a dentist

| ADNLONG2 | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 407 | 1.74 |
| 1 6 months or less | 9652 | 41.26 |
| 2 More than 6 mos, but not more than 1 yr ago | 3944 | 16.86 |
| 3 More than 1 yr, but not more than 2 yrs ago | 3050 | 13.04 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 2649 | 11.32 |
| 5 More than 5 years ago | 3064 | 13.10 |
| 7 Refused | 67 | 0.29 |
| 8 Not ascertained | 334 | 1.43 |
| 9 Don't know | 226 | 0.97 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

160

AAU.141_01.000: Seen/talked to mental health professional, past 12 m

| AHCSYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1584 | 6.77 |
| 2 No | 21383 | 91.41 |
| 7 Refused | 53 | 0.23 |
| 8 Not ascertained | 340 | 1.45 |
| 9 Don't know | 33 | 0.14 |

AAU.141_02.000: Seen/talked to eye doctor, past 12 m

| AHCSYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8278 | 35.39 |
| 2 No | 14674 | 62.73 |
| 7 Refused | 46 | 0.20 |
| 8 Not ascertained | 341 | 1.46 |
| 9 Don't know | 54 | 0.23 |

AAU.141_03.000: Seen/talked to foot doctor, past 12 m

| AHCSYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1600 | 6.84 |
| 2 No | 21371 | 91.36 |
| 7 Refused | 44 | 0.19 |
| 8 Not ascertained | 342 | 1.46 |
| 9 Don't know | 36 | 0.15 |

AAU.141_04.000: Seen/talked to a chiropractor, past 12 m

| AHCSYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1907 | 8.15 |
| 2 No | 21071 | 90.07 |
| 7 Refused | 44 | 0.19 |
| 8 Not ascertained | 342 | 1.46 |
| 9 Don't know | 29 | 0.12 |

AAU.141_05.000: Seen/talked to therapist (PT/OT/etc.), past 12 m

| AHCSYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1915 | 8.19 |
| 2 No | 21053 | 90.00 |
| 7 Refused | 46 | 0.20 |
| 8 Not ascertained | 344 | 1.47 |
| 9 Don't know | 35 | 0.15 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

161

AAU.141_06.000: Seen/talked to a NP/PA/midwife, past 12 m

| AHCSYR6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3434 | 14.68 |
| 2 No | 19515 | 83.42 |
| 7 Refused | 48 | 0.21 |
| 8 Not ascertained | 345 | 1.47 |
| 9 Don't know | 51 | 0.22 |

AAU.200_00.000: Seen/talked to OB/GYN, past 12 m

| AHCSYR7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5126 | 39.38 |
| 2 No | 7661 | 58.85 |
| 7 Refused | 23 | 0.18 |
| 8 Not ascertained | 190 | 1.46 |
| 9 Don't know | 18 | 0.14 |

Frequency Missing = 10375

AAU.211_01.000: Seen/talked to a medical specialist, past 12 m

| AHCSYR8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5951 | 25.44 |
| 2 No | 17001 | 72.68 |
| 7 Refused | 51 | 0.22 |
| 8 Not ascertained | 350 | 1.50 |
| 9 Don't know | 40 | 0.17 |

AAU.211_02.000: Seen/talked to a general doctor, past 12 m

| AHCSYR9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15200 | 64.98 |
| 2 No | 7753 | 33.14 |
| 7 Refused | 45 | 0.19 |
| 8 Not ascertained | 351 | 1.50 |
| 9 Don't know | 44 | 0.19 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

162

AAU.230_00.000: Doctor treats both kids and adults

| AHCSYR10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7894 | 51.93 |
| 2 No | 6022 | 39.62 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1275 | 8.39 |

Frequency Missing = 8193

AAU.240_00.000: # times in ER/ED, past 12 m

| AHERNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 18233 | 77.94 |
| 01 1 | 2945 | 12.59 |
| 02 2-3 | 1296 | 5.54 |
| 03 4-5 | 267 | 1.14 |
| 04 6-7 | 91 | 0.39 |
| 05 8-9 | 41 | 0.18 |
| 06 10-12 | 54 | 0.23 |
| 07 13-15 | 6 | 0.03 |
| 08 16 or more | 31 | 0.13 |
| 97 Refused | 49 | 0.21 |
| 98 Not ascertained | 355 | 1.52 |
| 99 Don't know | 25 | 0.11 |

AAU.250_00.000: Received home care from health professional, past 12 m

| AHCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 537 | 2.30 |
| 2 No | 22460 | 96.01 |
| 7 Refused | 30 | 0.13 |
| 8 Not ascertained | 360 | 1.54 |
| 9 Don't know | 6 | 0.03 |

AAU.260_00.000: # months of home care, past 12 m

| AHCHMOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 months | 510 | 94.97 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 27 | 5.03 |

Frequency Missing = 22856

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

163

AAU.270_00.000: Total number of home visits

| AHCHNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 1 | 52 | 9.68 |
| 02 2-3 | 62 | 11.55 |
| 03 4-5 | 55 | 10.24 |
| 04 6-7 | 38 | 7.08 |
| 05 8-9 | 26 | 4.84 |
| 06 10-12 | 64 | 11.92 |
| 07 13-15 | 23 | 4.28 |
| 08 16 or more | 197 | 36.69 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 20 | 3.72 |

Frequency Missing = 22856

AAU.280_00.000: Total number of office visits, past 12 m

| AHCNOYR2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 4550 | 19.45 |
| 01 1 | 3818 | 16.32 |
| 02 2-3 | 5789 | 24.75 |
| 03 4-5 | 3128 | 13.37 |
| 04 6-7 | 1494 | 6.39 |
| 05 8-9 | 812 | 3.47 |
| 06 10-12 | 1315 | 5.62 |
| 07 13-15 | 515 | 2.20 |
| 08 16 or more | 1390 | 5.94 |
| 97 Refused | 57 | 0.24 |
| 98 Not ascertained | 367 | 1.57 |
| 99 Don't know | 158 | 0.68 |

AAU.290_00.000: Surgery/surgical procedure, past 12 m

| ASRGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2913 | 12.45 |
| 2 No | 20047 | 85.70 |
| 7 Refused | 48 | 0.21 |
| 8 Not ascertained | 371 | 1.59 |
| 9 Don't know | 14 | 0.06 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

164

AAU.300_00.000: # of surgeries, past 12 m

| ASRGNOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 Times | 2909 | 99.86 |
| 95 95+ times | 0 | 0.00 |
| 97 Refused | 1 | 0.03 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 0.10 |

Frequency Missing = 20480

AAU.305_00.000: Time since last seen/talked to health professional

| AMDLONGR | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 481 | 2.06 |
| 1 6 months or less | 15417 | 65.90 |
| 2 More than 6 mos, but not more than 1 yr ago | 3375 | 14.43 |
| 3 More than 1 yr, but not more than 2 yrs ago | 1787 | 7.64 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 1151 | 4.92 |
| 5 More than 5 years ago | 651 | 2.78 |
| 7 Refused | 52 | 0.22 |
| 8 Not ascertained | 373 | 1.59 |
| 9 Don't know | 106 | 0.45 |

AAU.310_00.000: Flu shot past 12 m

| SHTFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7043 | 30.11 |
| 2 No | 15815 | 67.61 |
| 7 Refused | 66 | 0.28 |
| 8 Not ascertained | 382 | 1.63 |
| 9 Don't know | 87 | 0.37 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

165

AAU.312_01.000: Month of most recent flu shot

| ASHFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 213 | 3.02 |
| 02 February | 92 | 1.31 |
| 03 March | 43 | 0.61 |
| 04 April | 29 | 0.41 |
| 05 May | 14 | 0.20 |
| 06 June | 17 | 0.24 |
| 07 July | 22 | 0.31 |
| 08 August | 64 | 0.91 |
| 09 September | 380 | 5.40 |
| 10 October | 3433 | 48.74 |
| 11 November | 2277 | 32.33 |
| 12 December | 377 | 5.35 |
| 97 Refused | 13 | 0.18 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 69 | 0.98 |

Frequency Missing = 16350

AAU.312_02.000: Year of most recent flu shot

| ASHFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 7030 | 99.82 |
| 9997 Refused | 13 | 0.18 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 0 | 0.00 |

Frequency Missing = 16350

AAU.315_00.000: Flu spray past 12 m

| SPRFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 54 | 0.23 |
| 2 No | 22851 | 97.68 |
| 7 Refused | 61 | 0.26 |
| 8 Not ascertained | 384 | 1.64 |
| 9 Don't know | 43 | 0.18 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

166

AAU.318_01.000: Month of most recent flu nasal vaccine

| ASPFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 6 | 11.11 |
| 02 February | 2 | 3.70 |
| 03 March | 1 | 1.85 |
| 04 April | 0 | 0.00 |
| 05 May | 0 | 0.00 |
| 06 June | 0 | 0.00 |
| 07 July | 0 | 0.00 |
| 08 August | 1 | 1.85 |
| 09 September | 5 | 9.26 |
| 10 October | 14 | 25.93 |
| 11 November | 20 | 37.04 |
| 12 December | 4 | 7.41 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.85 |

Frequency Missing = 23339

AAU.318_02.000: Year of most recent flu nasal vaccine

| ASPFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 54 | 100.00 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 0 | 0.00 |

Frequency Missing = 23339

AAU.320_00.000: Pneumonia shot (EVER)

| SHTPNUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4082 | 17.45 |
| 2 No | 18371 | 78.53 |
| 7 Refused | 68 | 0.29 |
| 8 Not ascertained | 388 | 1.66 |
| 9 Don't know | 484 | 2.07 |

AAU.330_00.000: Ever had chickenpox

| APOX | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 17069 | 72.97 |
| 2 No | 4728 | 20.21 |
| 7 Refused | 66 | 0.28 |
| 8 Not ascertained | 394 | 1.68 |
| 9 Don't know | 1136 | 4.86 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, June 4, 2008
 Unweighted Frequencies

167

AAU.340_00.000: Chickenpox, past 12 m

| APOX12MO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 63 | 0.37 |
| 2 No | 17003 | 99.61 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2 | 0.01 |

Frequency Missing = 6324

AAU.350_00.000: Ever had hepatitis

| AHEP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 731 | 3.12 |
| 2 No | 22102 | 94.48 |
| 7 Refused | 67 | 0.29 |
| 8 Not ascertained | 396 | 1.69 |
| 9 Don't know | 97 | 0.41 |

AAU.360_00.000: Ever lived w/ someone w/ hepatitis

| AHEPLIV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 807 | 3.56 |
| 2 No | 21264 | 93.83 |
| 7 Refused | 68 | 0.30 |
| 8 Not ascertained | 399 | 1.76 |
| 9 Don't know | 124 | 0.55 |

Frequency Missing = 731

AAU.370_00.000: Hepatitis B vaccine (EVER)

| SHTHEPB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5975 | 25.54 |
| 2 No | 16000 | 68.40 |
| 7 Refused | 75 | 0.32 |
| 8 Not ascertained | 408 | 1.74 |
| 9 Don't know | 935 | 4.00 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables Wednesday, June 4, 2008
Unweighted Frequencies

168

AAU.380_00.000: # doses of hepatitis B vaccine received

| SHEPDOS | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 Received at least 3 doses | 4886 | 81.77 |
| 2 Received less than 3 doses | 753 | 12.60 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 335 | 5.61 |

Frequency Missing = 17418

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

169

ADS.010_00.000: Donated blood since March 1985

| BLDGV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5456 | 23.32 |
| 2 No | 17274 | 73.84 |
| 7 Refused | 84 | 0.36 |
| 8 Not ascertained | 417 | 1.78 |
| 9 Don't know | 162 | 0.69 |

ADS.020_00.000: Donated blood past 12 months

| BLDG12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1132 | 20.75 |
| 2 No | 4307 | 78.94 |
| 7 Refused | 1 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.29 |

Frequency Missing = 17937

ADS.040_00.000: Ever been tested for HIV

| HIVTST | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8500 | 36.34 |
| 2 No | 13737 | 58.72 |
| 7 Refused | 162 | 0.69 |
| 8 Not ascertained | 428 | 1.83 |
| 9 Don't know | 566 | 2.42 |

ADS.050_00.000: Reason why you have not been tested for HIV/AIDS

| WHYTST_R | Frequency | Percent |
|--|-----------|---------|
| 01 It's unlikely you've been exposed to HIV | 10287 | 74.89 |
| 02 You were afraid to find out if you were HIV positive (that you had HIV) | 46 | 0.33 |
| 03 You didn't want to think about HIV or about being HIV positive | 73 | 0.53 |
| 04 You were worried your name would be reported to the government if you tested positive | 5 | 0.04 |
| 05 You didn't know where to get tested | 43 | 0.31 |
| 06 You don't like needles | 61 | 0.44 |
| 07 You were afraid of losing job, insurance, housing, friends, family, if people knew you were positive for AIDS infection | 4 | 0.03 |
| 08 Some other reason | 128 | 0.93 |
| 09 No particular reason | 2951 | 21.48 |
| 97 Refused | 47 | 0.34 |
| 98 Not ascertained | 5 | 0.04 |
| 99 Don't know | 87 | 0.63 |

Frequency Missing = 9656

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

170

ADS.060_01.000: Month of last test for HIV

| TST12M_M | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January | 483 | 5.68 |
| 02 February | 416 | 4.89 |
| 03 March | 484 | 5.69 |
| 04 April | 402 | 4.73 |
| 05 May | 389 | 4.58 |
| 06 June | 520 | 6.12 |
| 07 July | 402 | 4.73 |
| 08 August | 390 | 4.59 |
| 09 September | 335 | 3.94 |
| 10 October | 397 | 4.67 |
| 11 November | 338 | 3.98 |
| 12 December | 260 | 3.06 |
| 96 Time period format | 1588 | 18.68 |
| 97 Refused | 50 | 0.59 |
| 98 Not ascertained | 2 | 0.02 |
| 99 Don't know | 2044 | 24.05 |

Frequency Missing = 14893

ADS.060_02.000: Year of last test for HIV

| TST12M_Y | Frequency | Percent |
|-------------------------|-----------|---------|
| 1985-2008 | 6492 | 76.38 |
| 9996 Time period format | 1588 | 18.68 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 92 | 1.08 |
| 9999 Don't know | 328 | 3.86 |

Frequency Missing = 14893

ADS.061_00.000: Time period of most recent HIV test

| TIMETST | Frequency | Percent |
|--|-----------|---------|
| 1 6 months or less | 65 | 3.30 |
| 2 More than 6 months but not more than 1 year ago | 112 | 5.69 |
| 3 More than 1 year, but not more than 2 years ago | 237 | 12.04 |
| 4 More than 2 years, but not more than 5 years ago | 513 | 26.07 |
| 5 More than 5 years ago | 984 | 50.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 23 | 1.17 |
| 9 Don't know | 34 | 1.73 |

Frequency Missing = 21425

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

171

ADS.065_00.000: Main reason for last HIV test

| REATST_C | Frequency | Percent |
|---|-----------|---------|
| 01 Someone suggested you should be tested | 398 | 4.68 |
| 02 You might have been exposed through sex or drug use | 348 | 4.09 |
| 03 You might have been exposed through your work or at work | 307 | 3.61 |
| 04 You just wanted to find out if you were infected or not | 1036 | 12.19 |
| 05 For part of a routine medical check-up, or for hospitalization or surgical procedure | 2633 | 30.98 |
| 06 You were sick or had a medical problem | 158 | 1.86 |
| 07 You were pregnant or delivered a baby | 1308 | 15.39 |
| 08 For health or life insurance coverage | 513 | 6.04 |
| 09 For military induction, separation, or military service | 228 | 2.68 |
| 10 For immigration | 274 | 3.22 |
| 11 For marriage license or to get married | 272 | 3.20 |
| 12 You were concerned you could give HIV to someone | 17 | 0.20 |
| 13 You wanted medical care or new treatments if you tested positive | 10 | 0.12 |
| 14 Some other reason | 451 | 5.31 |
| 15 No particular reason | 485 | 5.71 |
| 97 Refused | 37 | 0.44 |
| 98 Not ascertained | 3 | 0.04 |
| 99 Don't know | 22 | 0.26 |

Frequency Missing = 14893

ADS.066_00.000: Who suggested you should be tested

| REASWHOR | Frequency | Percent |
|---|-----------|---------|
| 1 Doctor, nurse or other health care professional | 193 | 48.49 |
| 2 Sex partner | 72 | 18.09 |
| 3 Someone at health department | 16 | 4.02 |
| 4 Family member or friend | 77 | 19.35 |
| 5 Other | 35 | 8.79 |
| 7 Refused | 3 | 0.75 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.50 |

Frequency Missing = 22995

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

172

ADS.070_00.000: Location of last HIV test

| LASTST_C | Frequency | Percent |
|--|-----------|---------|
| 01 Private doctor/HMO | 4361 | 51.31 |
| 02 AIDS clinic/counseling/testing site | 484 | 5.69 |
| 03 Hospital, emergency room, outpatient clinic | 1525 | 17.94 |
| 04 Other type of clinic | 578 | 6.80 |
| 05 Public health department | 491 | 5.78 |
| 06 At home | 288 | 3.39 |
| 07 Drug treatment facility | 20 | 0.24 |
| 08 Military induction or military service site | 276 | 3.25 |
| 09 Immigration site | 93 | 1.09 |
| 10 In a correctional facility (jail or prison) | 42 | 0.49 |
| 11 Other location | 232 | 2.73 |
| 97 Refused | 34 | 0.40 |
| 98 Not ascertained | 4 | 0.05 |
| 99 Don't know | 72 | 0.85 |

Frequency Missing = 14893

ADS.072_00.000: Type of clinic for last HIV test

| CLNTYP_C | Frequency | Percent |
|--|-----------|---------|
| 01 Family planning clinic | 125 | 21.63 |
| 02 Prenatal clinic | 34 | 5.88 |
| 03 Tuberculosis clinic | 0 | 0.00 |
| 04 STD clinic | 9 | 1.56 |
| 05 Community health clinic | 238 | 41.18 |
| 06 Clinic run by employer or insurance company | 52 | 9.00 |
| 07 Other | 111 | 19.20 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 1.56 |

Frequency Missing = 22815

ADS.074_00.000: Who administered the test

| WHOADM | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Nurse or health worker | 266 | 92.36 |
| 2 Self-sampling kit | 19 | 6.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.04 |

Frequency Missing = 23105

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

173

ADS.080_00.000: Gave your first and last names

| GIVNAM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7659 | 90.11 |
| 2 No | 568 | 6.68 |
| 7 Refused | 26 | 0.31 |
| 8 Not ascertained | 4 | 0.05 |
| 9 Don't know | 243 | 2.86 |

Frequency Missing = 14893

ADS.110_00.000: HIV test in the next 12 months

| EXTST12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2064 | 8.82 |
| 2 No | 20307 | 86.81 |
| 7 Refused | 170 | 0.73 |
| 8 Not ascertained | 439 | 1.88 |
| 9 Don't know | 413 | 1.77 |

ADS.140_00.001: Chances of getting AIDS virus

| CHNSADSP | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 High/Already have HIV/AIDS | 119 | 0.51 |
| 2 Medium | 329 | 1.41 |
| 3 Low | 4939 | 21.11 |
| 4 None | 17077 | 73.00 |
| 7 Refused | 164 | 0.70 |
| 8 Not ascertained | 445 | 1.90 |
| 9 Don't know | 320 | 1.37 |

ADS.150_00.000: Are any of these statements true

| STMTRU | Frequency | Percent |
|---|-----------|---------|
| 1 Yes, at least one statement is true | 649 | 2.77 |
| 2 No, none of these statements are true | 21641 | 92.51 |
| 7 Refused | 437 | 1.87 |
| 8 Not ascertained | 452 | 1.93 |
| 9 Don't know | 214 | 0.91 |

2007 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ADS Variables Wednesday, June 4, 2008
Unweighted Frequencies

174

ADS.160_00.000: Had STD other than HIV/AIDS, past 5 yrs

| STD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 407 | 3.06 |
| 2 No | 12374 | 93.11 |
| 7 Refused | 201 | 1.51 |
| 8 Not ascertained | 249 | 1.87 |
| 9 Don't know | 58 | 0.44 |

Frequency Missing = 10104

ADS.170_00.000: Saw a doctor or other health professional

| STDDOC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 375 | 92.14 |
| 2 No | 32 | 7.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 22986

ADS.180_00.000: Place where checked

| STDWHER | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Private doctor | 223 | 59.47 |
| 2 Family planning clinic | 55 | 14.67 |
| 3 STD clinic | 24 | 6.40 |
| 4 Emergency room | 12 | 3.20 |
| 5 Health department | 39 | 10.40 |
| 6 Some other place | 19 | 5.07 |
| 7 Refused | 2 | 0.53 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.27 |

Frequency Missing = 23018

ADS.200_00.000: Ever heard of tuberculosis

| TBHRD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 19448 | 83.14 |
| 2 No | 3316 | 14.18 |
| 7 Refused | 96 | 0.41 |
| 8 Not ascertained | 468 | 2.00 |
| 9 Don't know | 65 | 0.28 |

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

175

ADS.210_00.000: Ever personally known anyone who had TB

| TBKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4062 | 20.89 |
| 2 No | 15248 | 78.40 |
| 7 Refused | 13 | 0.07 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 123 | 0.63 |

Frequency Missing = 3945

ADS.220_00.000: How much do you know about TB

| TB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 2258 | 11.61 |
| 2 Some | 4504 | 23.16 |
| 3 A little | 8129 | 41.80 |
| 4 Nothing | 4438 | 22.82 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 4 | 0.02 |
| 9 Don't know | 104 | 0.53 |

Frequency Missing = 3945

ADS.230_01.000: Breathing air around person sick with TB

| TBSPRD1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10709 | 71.92 |
| 2 Not mentioned | 2158 | 14.49 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

ADS.230_02.000: Sharing eating/drinking utensils

| TBSPRD2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3903 | 26.21 |
| 2 Not mentioned | 8964 | 60.20 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

176

ADS.230_03.000: Through semen/vaginal secretions (sex)

| TBSPRD3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1240 | 8.33 |
| 2 Not mentioned | 11627 | 78.08 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

ADS.230_04.000: From smoking

| TBSPRD4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 651 | 4.37 |
| 2 Not mentioned | 12216 | 82.04 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

ADS.230_05.000: From mosquito or other insect bites

| TBSPRD5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 687 | 4.61 |
| 2 Not mentioned | 12180 | 81.79 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

ADS.230_06.000: Other

| TBSPRD6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 632 | 4.24 |
| 2 Not mentioned | 12235 | 82.16 |
| 7 Refused | 9 | 0.06 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2014 | 13.52 |

Frequency Missing = 8502

2007 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, June 4, 2008
 Unweighted Frequencies

177

ADS.240_00.000: Can TB be cured

| TBCURED | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7400 | 49.69 |
| 2 No | 5231 | 35.13 |
| 7 Refused | 5 | 0.03 |
| 8 Not ascertained | 3 | 0.02 |
| 9 Don't know | 2252 | 15.12 |

Frequency Missing = 8502

ADS.250_00.000: Chances of getting TB

| TBCHANC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 High | 235 | 1.22 |
| 2 Medium | 845 | 4.37 |
| 3 Low | 7731 | 40.00 |
| 4 None | 9421 | 48.74 |
| 5 Already have TB | 78 | 0.40 |
| 7 Refused | 10 | 0.05 |
| 8 Not ascertained | 5 | 0.03 |
| 9 Don't know | 1004 | 5.19 |

Frequency Missing = 4064

ADS.260_00.000: Ashamed if you/family diagnosed with TB

| TBSHAME | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 480 | 2.48 |
| 2 No | 18542 | 95.93 |
| 7 Refused | 7 | 0.04 |
| 8 Not ascertained | 7 | 0.04 |
| 9 Don't know | 293 | 1.52 |

Frequency Missing = 4064

ADS.270_00.000: Spent 24+ hrs living in street, shelter, jail/prison

| HOMELESS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1307 | 5.59 |
| 2 No | 21449 | 91.69 |
| 7 Refused | 111 | 0.47 |
| 8 Not ascertained | 481 | 2.06 |
| 9 Don't know | 45 | 0.19 |