

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Thursday, June 3, 2010
 Unweighted Frequencies

Continuous variables in the frequency
 report only show the range of valid numbers

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Disability Questions Tests 2008/2009	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	2245	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	2245	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
Range of Values	2245	100.00

IDN.000_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	2245	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2245	100.00

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 IDN Variables Thursday, June 3, 2010
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2099	93.50
02 Second injury or poisoning	103	4.59
03 Third injury or poisoning	25	1.11
04 Fourth injury or poisoning	12	0.53
05 Fifth injury or poisoning	6	0.27
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	2245	100.00

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	87	3.88
02 February	122	5.43
03 March	168	7.48
04 April	178	7.93
05 May	220	9.80
06 June	180	8.02
07 July	204	9.09
08 August	231	10.29
09 September	269	11.98
10 October	249	11.09
11 November	175	7.80
12 December	113	5.03
97 Refused	12	0.53
98 Not ascertained	0	0.00
99 Don't know	37	1.65

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2190	99.86
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	3	0.14

Frequency Missing = 52

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096	15	40.54
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	22	59.46

Frequency Missing = 2208

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	3	8.11
3 Months	12	32.43
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	22	59.46

Frequency Missing = 2208

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	153	29.82
2 Middle	205	39.96
3 End	103	20.08
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	52	10.14

Frequency Missing = 1732

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1677	74.70
34	1.51
162	7.22
323	14.39
49	2.18

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	2245	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
2245	100.00

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
2245	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1678	74.74
2 Month, beginning of month, and year	153	6.82
3 Month, middle of month, and year	205	9.13
4 Month, end of month, and year	103	4.59
5 Month and year	51	2.27
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	3	0.13
8 Elapsed time in months	12	0.53
9 No information	40	1.78

2009 National Health Interview Survey (NHIS) 6
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1678	74.74
1 Imputed day based on reported beginning, middle, or end of month	461	20.53
2 Imputed day of the month (no day of month information reported)	51	2.27
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	3	0.13
5 Imputed time interval based on elapsed time reported in months	12	0.53
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	40	1.78

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	89	3.96
02 February	124	5.52
03 March	171	7.62
04 April	181	8.06
05 May	225	10.02
06 June	187	8.33
07 July	208	9.27
08 August	232	10.33
09 September	276	12.29
10 October	251	11.18
11 November	183	8.15
12 December	118	5.26

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	2245	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	138	6.15
2 Elapsed time is <= 91 days	2107	93.85

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent

54	2.41
117	5.21
2074	92.38

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent

01 In a motor vehicle	170	7.75
02 On a bike, scooter, skateboard, skates, skis, horse, etc	89	4.06
03 Pedestrian who was struck by a vehicle such as a car or bicycle	11	0.50
04 In a boat, train, or plane	10	0.46
05 Fall	848	38.65
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	18	0.82
07 Other	1013	46.17
97 Refused	15	0.68
98 Not ascertained	0	0.00
99 Don't know	20	0.91

Frequency Missing = 51

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent

01 Transportation	253	11.27
02 Fire/burn/scald related	19	0.85
03 Fall	874	38.93
04 Poisoning	46	2.05
05 Overexertion/strenuous movements	268	11.94
06 Struck by object or person	272	12.12
07 Animal or insect bite	62	2.76
08 Cut/pierce	130	5.79
09 Machinery	17	0.76
10 Other	304	13.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	243	11.08
02 Back	229	10.44
03 Buttocks	9	0.41
04 Chest	30	1.37
05 Ear	6	0.27
06 Elbow	61	2.78
07 Eye	38	1.73
08 Face	83	3.78
09 Finger/thumb	141	6.43
10 Foot	112	5.10
11 Forearm	62	2.83
12 Groin	10	0.46
13 Hand	136	6.20
14 Head (not face)	149	6.79
15 Hip	44	2.01
16 Jaw	2	0.09
17 Knee	212	9.66
18 Lower leg	75	3.42
19 Mouth	20	0.91
20 Neck	45	2.05
21 Nose	13	0.59
22 Shoulder	125	5.70
23 Stomach	9	0.41
24 Teeth	13	0.59
25 Thigh	22	1.00
26 Toe	44	2.01
27 Upper arm	22	1.00
28 Wrist	118	5.38
29 Other	94	4.28
97 Refused	13	0.59
98 Not ascertained	0	0.00
99 Don't know	14	0.64

Frequency Missing = 51

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	1872	85.32
01 Ankle	2	0.09
02 Back	24	1.09
03 Buttocks	7	0.32
04 Chest	11	0.50
05 Ear	1	0.05
06 Elbow	9	0.41
07 Eye	2	0.09
08 Face	12	0.55
09 Finger/thumb	1	0.05
10 Foot	13	0.59
11 Forearm	11	0.50
12 Groin	3	0.14
13 Hand	13	0.59
14 Head (not face)	22	1.00
15 Hip	20	0.91
16 Jaw	1	0.05
17 Knee	30	1.37
18 Lower leg	25	1.14
19 Mouth	4	0.18
20 Neck	36	1.64
21 Nose	6	0.27
22 Shoulder	21	0.96
23 Stomach	4	0.18
24 Teeth	4	0.18
25 Thigh	4	0.18
26 Toe	2	0.09
27 Upper arm	16	0.73
28 Wrist	5	0.23
29 Other	13	0.59
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 51

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2081	94.85
01 Ankle	2	0.09
02 Back	7	0.32
03 Buttocks	1	0.05
04 Chest	4	0.18
05 Ear	0	0.00
06 Elbow	3	0.14
07 Eye	0	0.00
08 Face	5	0.23
09 Finger/thumb	1	0.05
10 Foot	2	0.09
11 Forearm	2	0.09
12 Groin	1	0.05
13 Hand	2	0.09
14 Head (not face)	4	0.18
15 Hip	3	0.14
16 Jaw	0	0.00
17 Knee	14	0.64
18 Lower leg	8	0.36
19 Mouth	3	0.14
20 Neck	9	0.41
21 Nose	0	0.00
22 Shoulder	8	0.36
23 Stomach	5	0.23
24 Teeth	2	0.09
25 Thigh	7	0.32
26 Toe	3	0.14
27 Upper arm	4	0.18
28 Wrist	8	0.36
29 Other	5	0.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 51

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2163	98.59
01 Ankle	0	0.00
02 Back	0	0.00
03 Buttocks	0	0.00
04 Chest	2	0.09
05 Ear	0	0.00
06 Elbow	2	0.09
07 Eye	0	0.00
08 Face	0	0.00
09 Finger/thumb	0	0.00
10 Foot	0	0.00
11 Forearm	0	0.00
12 Groin	0	0.00
13 Hand	0	0.00
14 Head (not face)	1	0.05
15 Hip	0	0.00
16 Jaw	1	0.05
17 Knee	2	0.09
18 Lower leg	5	0.23
19 Mouth	0	0.00
20 Neck	2	0.09
21 Nose	0	0.00
22 Shoulder	5	0.23
23 Stomach	3	0.14
24 Teeth	0	0.00
25 Thigh	2	0.09
26 Toe	1	0.05
27 Upper arm	1	0.05
28 Wrist	1	0.05
29 Other	3	0.14
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 51

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	457	21.09
02 Sprain, strain, or twist	716	33.04
03 Cut	316	14.58
04 Scrape	70	3.23
05 Bruise	265	12.23
06 Burn	24	1.11
07 Insect bite	31	1.43
08 Animal bite	26	1.20
09 Other	255	11.77
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	7	0.32

Frequency Missing = 78

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2030	93.68
01 Broken bone or fracture	3	0.14
02 Sprain, strain, or twist	13	0.60
03 Cut	16	0.74
04 Scrape	21	0.97
05 Bruise	64	2.95
06 Burn	1	0.05
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	19	0.88
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 78

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	32	9.94
02 Sprain, strain, or twist	101	31.37
03 Cut	28	8.70
04 Scrape	29	9.01
05 Bruise	77	23.91
06 Burn	7	2.17
07 Insect bite	11	3.42
08 Animal bite	0	0.00
09 Other	34	10.56
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	0.93

Frequency Missing = 1923

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	289	89.75
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	0.31
03 Cut	2	0.62
04 Scrape	7	2.17
05 Bruise	19	5.90
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	1.24
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1923

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	10	8.85
02 Sprain, strain, or twist	34	30.09
03 Cut	8	7.08
04 Scrape	8	7.08
05 Bruise	28	24.78
06 Burn	4	3.54
07 Insect bite	9	7.96
08 Animal bite	0	0.00
09 Other	11	9.73
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.88

Frequency Missing = 2132

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	104	92.04
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	4	3.54
05 Bruise	5	4.42
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2132

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	9.68
02 Sprain, strain, or twist	9	29.03
03 Cut	1	3.23
04 Scrape	3	9.68
05 Bruise	8	25.81
06 Burn	2	6.45
07 Insect bite	1	3.23
08 Animal bite	0	0.00
09 Other	4	12.90
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2214

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	29	93.55
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	0	0.00
05 Bruise	1	3.23
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	3.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2214

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	17	33.33
2 No	34	66.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2194

2009 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	432	19.24
2 No	1798	80.09
7 Refused	11	0.49
8 Not ascertained	0	0.00
9 Don't know	4	0.18

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1106	49.27
2 No	1120	49.89
7 Refused	13	0.58
8 Not ascertained	0	0.00
9 Don't know	6	0.27

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1716	76.44
2 No	512	22.81
7 Refused	13	0.58
8 Not ascertained	0	0.00
9 Don't know	4	0.18

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	800	35.63
2 No	1417	63.12
7 Refused	13	0.58
8 Not ascertained	0	0.00
9 Don't know	15	0.67

FIJ.080_06.000: Where received medical care: Any place else

IPOTH	Frequency	Percent
1 Yes	256	11.40
2 No	1967	87.62
7 Refused	14	0.62
8 Not ascertained	0	0.00
9 Don't know	8	0.36

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	169	7.53
2 No	2061	91.80
7 Refused	11	0.49
8 Not ascertained	0	0.00
9 Don't know	4	0.18

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	168	99.41
95 95+ nights	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.59

Frequency Missing = 2076

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	179	66.30
2 No	89	32.96
7 Refused	2	0.74
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1975

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
116	42.96
55	20.37
20	7.41
37	13.70

Episode Public Use File (injqoiep)

FIJ Variables

Thursday, June 3, 2010

Unweighted Frequencies

FIJ.110_00.000: Injured as . . .

Frequency	Percent
39	14.44
1	0.37
0	0.00
2	0.74

Frequency Missing = 1975

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

01 Passenger car
 02 Passenger truck, such as a pickup truck, van, or SUV
 03 Bus
 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 05 Motorcycle (including mopeds and minibikes)
 06 All terrain vehicle or ski/snow-mobile
 07 Farm equipment (such as a tractor)
 08 Industrial or construction vehicle
 09 Other
 97 Refused
 98 Not ascertained
 99 Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent
104	60.82
37	21.64
8	4.68
4	2.34
9	5.26
3	1.75
1	0.58
0	0.00
5	2.92
0	0.00
0	0.00
0	0.00

Frequency Missing = 2074

2009 National Health Interview Survey (NHIS) 19
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 3, 2010
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	111	76.55
2 No	31	21.38
7 Refused	1	0.69
8 Not ascertained	0	0.00
9 Don't know	2	1.38

Frequency Missing = 2100

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	35	39.77
2 No	51	57.95
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	2.27

Frequency Missing = 2157

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	93	10.97
02 Floor or level ground	296	34.91
03 Curb (including sidewalk)	44	5.19
04 Ladder or scaffolding	23	2.71
05 Playground equipment	30	3.54
06 Sports field, court, or rink	91	10.73
07 Building or other structure	15	1.77
08 Chair, bed, sofa, or other furniture	48	5.66
09 Bathtub, shower, toilet, or commode	23	2.71
10 Hole or other opening	14	1.65
11 Other	167	19.69
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	4	0.47

Frequency Missing = 1397

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	835	98.47
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	2	0.24
03 Curb (including sidewalk)	2	0.24
04 Ladder or scaffolding	0	0.00
05 Playground equipment	1	0.12
06 Sports field, court, or rink	1	0.12
07 Building or other structure	3	0.35
08 Chair, bed, sofa, or other furniture	3	0.35
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	1	0.12
11 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1397

FIJ.131_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
415	48.94
55	6.49
40	4.72
30	3.54
151	17.81
147	17.33
0	0.00
0	0.00
10	1.18

Frequency Missing = 1397

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency

1 Swallowing a drug or medical substance mistakenly or in overdose	23
2 Swallowing or touching a harmful solid or liquid substance	3
3 Inhaling harmful gases or vapors	17
4 Eating a poisonous plant or other substance mistaken for food	2
5 Being bitten by a poisonous animal	2
6 Other, please specify	4
7 Refused	0
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent

1 Swallowing a drug or medical substance mistakenly or in overdose	45.10
2 Swallowing or touching a harmful solid or liquid substance	5.88
3 Inhaling harmful gases or vapors	33.33
4 Eating a poisonous plant or other substance mistaken for food	3.92
5 Being bitten by a poisonous animal	3.92
6 Other, please specify	7.84
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2194

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent

01 Driving or riding in a motor vehicle	149	6.64
02 Working at a paid job	242	10.78
03 Working around the house or yard	287	12.78
04 Attending school	64	2.85
05 Unpaid work (such as volunteer work)	11	0.49
06 Sports and exercise	360	16.04
07 Leisure activity (excluding sports)	592	26.37
08 Sleeping, resting, eating, or drinking	99	4.41
09 Cooking	24	1.07
10 Being cared for (hands-on care from other person)	21	0.94
11 Other	368	16.39
97 Refused	10	0.45
98 Not ascertained	0	0.00
99 Don't know	18	0.80

Episode Public Use File (injpoiep)

FIJ Variables

Thursday, June 3, 2010

Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2225	99.11
01 Driving or riding in a motor vehicle	2	0.09
02 Working at a paid job	0	0.00
03 Working around the house or yard	2	0.09
04 Attending school	1	0.04
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	2	0.09
07 Leisure activity	3	0.13
08 Sleeping, resting, eating, or drinking	2	0.09
09 Cooking	2	0.09
10 Being cared for (hands on care from other person)	0	0.00
11 Other	6	0.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	670	29.84
02 Home (outside)	418	18.62
03 School (not residential)	163	7.26
04 Child care center or preschool	10	0.45
05 Residential institution (exclude hospital)	6	0.27
06 Health care facility (include hospital)	28	1.25
07 Street or highway	177	7.88
08 Sidewalk	59	2.63
09 Parking lot	43	1.92
10 Sport facility, athletic field, or playground	192	8.55
11 Shopping center, restaurant, store, bank, gas station, or other place of business	77	3.43
12 Farm	17	0.76
13 Park or recreation area (include bike or jog path)	79	3.52
14 River, lake, stream, or ocean	23	1.02
15 Industrial or construction area	53	2.36
16 Other public building	40	1.78
17 Other	157	6.99
97 Refused	13	0.58
98 Not ascertained	0	0.00
99 Don't know	20	0.89

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2215	98.66
01 Home (inside)	2	0.09
02 Home (outside)	8	0.36
03 School (not residential)	0	0.00
04 Child care center or preschool	1	0.04
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	0	0.00
07 Street or highway	2	0.09
08 Sidewalk	1	0.04
09 Parking lot	2	0.09
10 Sport facility, athletic field, or playground	3	0.13
11 Shopping center, restaurant, store, bank, gas station, or other place of business	5	0.22
12 Farm	1	0.04
13 Park or recreation area (include bike or jog path)	1	0.04
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	0	0.00
16 Other public building	1	0.04
17 Other	3	0.13
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	732	38.94
2 Part-time	177	9.41
3 Not employed	960	51.06
7 Refused	8	0.43
8 Not ascertained	0	0.00
9 Don't know	3	0.16

Frequency Missing = 365

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	428	47.08
2 Less than one day	53	5.83
3 One to five days	242	26.62
4 Six or more days	181	19.91
7 Refused	1	0.11
8 Not ascertained	0	0.00
9 Don't know	4	0.44

Frequency Missing = 1336

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	545	25.70
2 Part-time	59	2.78
3 Not a student	1508	71.10
7 Refused	7	0.33
8 Not ascertained	0	0.00
9 Don't know	2	0.09

Frequency Missing = 124

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	353	58.44
2 Less than one day	50	8.28
3 One to five days	173	28.64
4 Six or more days	28	4.64
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1641

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	2245	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	533	100.00

Frequency Missing = 1712

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	184	100.00

Frequency Missing = 2061

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent

ICD-9-CM codes	70	100.00

Frequency Missing = 2175

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent

ICD-9-CM codes	24	100.00

Frequency Missing = 2221

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent

ICD-9-CM codes	3	100.00

Frequency Missing = 2242

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent

ICD-9-CM codes	1	100.00

Frequency Missing = 2244

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent

Frequency Missing = 2245

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1T	Frequency	Percent

E800-E999 E codes	2245	100.00

FIJ.181_20.000: ICD-9-CM external cause code

ECODE_2T	Frequency	Percent

E800-E999 E codes	62	100.00

Frequency Missing = 2183

FIJ.181_30.000: ICD-9-CM external cause code

ECODE_3T	Frequency	Percent

E800-E999 E codes	0	.

Frequency Missing = 2245