

**Continuous variables in the frequency  
 report only show the range of valid numbers**

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
38 Functioning and Disability	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	3066	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	3066	100.00

IDN.000\_04.000: Household Number

HHX	Frequency	Percent
Range of Values	3066	100.00

IDN.000\_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	3066	100.00

IDN.000\_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	3066	100.00

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injpoiep)  
 IDN Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

IDN.000\_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2827	92.20
02 Second injury or poisoning	176	5.74
03 Third injury or poisoning	42	1.37
04 Fourth injury or poisoning	14	0.46
05 Fifth injury or poisoning	7	0.23
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000\_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	3066	100.00

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.050\_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	251	8.19
02 February	245	7.99
03 March	233	7.60
04 April	266	8.68
05 May	282	9.20
06 June	274	8.94
07 July	270	8.81
08 August	262	8.55
09 September	255	8.32
10 October	230	7.50
11 November	222	7.24
12 December	219	7.14
97 Refused	6	0.20
98 Not ascertained	0	0.00
99 Don't know	51	1.66

FIJ.050\_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2997	99.83
9997 Refused	0	0.00
9998 Not ascertained	5	0.17
9999 Don't know	0	0.00

Frequency Missing = 64

FIJ.051\_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	33	64.71
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	18	35.29

Frequency Missing = 3015

FIJ.051\_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	1	1.96
2 Weeks	7	13.73
3 Months	25	49.02
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	18	35.29

Frequency Missing = 3015

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.052\_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	191	27.40
2 Middle	288	41.32
3 End	158	22.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	60	8.61

Frequency Missing = 2369

FIJ.052\_00.000: Time between the date of injury/poisoning episode and questions were asked

RPCKDMR

-----  
 000-499 0-499 days  
 500 Same month as month the injury/poisoning questions were asked  
 501 Month before the month the injury/poisoning questions were asked  
 502-524 2-24 months before the month the injury/poisoning questions were asked  
 998 Not ascertained

FIJ.052\_00.000: Time between the date of injury/poisoning episode and questions were asked

Frequency	Percent
2302	75.08
41	1.34
212	6.91
454	14.81
57	1.86

FIJ.052\_02.000: Days between the date of injury/poisoning episode and questions were asked

RPD	Frequency	Percent
000-999 0-999 days	3066	100.00

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

BIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
3066	100.00

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

EIETD

-----  
 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
-----	
3066	100.00

FIJ.052\_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
-----		
1 Month, day, and year	2302	75.08
2 Month, beginning of month, and year	191	6.23
3 Month, middle of month, and year	288	9.39
4 Month, end of month, and year	157	5.12
5 Month and year	59	1.92
6 Elapsed time in days	1	0.03
7 Elapsed time in weeks	7	0.23
8 Elapsed time in months	25	0.82
9 No information	36	1.17

FIJ.052\_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
-----		
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	2302	75.08
1 Imputed day based on reported beginning, middle, or end of month	635	20.71
2 Imputed day of the month (no day of month information reported)	59	1.92
3 No imputation necessary (elapsed time reported in days)	1	0.03
4 Imputed time interval based on elapsed time reported in weeks	7	0.23
5 Imputed time interval based on elapsed time reported in months	25	0.82
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	37	1.21

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.052\_00.000: Imputed month

MUMON	Frequency	Percent
01 January	254	8.28
02 February	249	8.12
03 March	240	7.83
04 April	270	8.81
05 May	284	9.26
06 June	280	9.13
07 July	276	9.00
08 August	266	8.68
09 September	260	8.48
10 October	236	7.70
11 November	226	7.37
12 December	225	7.34

FIJ.052\_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	3066	100.00

FIJ.052\_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	130	4.24
2 Elapsed time is <= 91 days	2936	95.76

FIJ.052\_00.000: Elapsed time interval boundary flag

BEIFLG

- 
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
  - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
  - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052\_00.000: Elapsed time interval boundary flag

Frequency	Percent
77	2.51
104	3.39
2885	94.10

2015 National Health Interview Survey (NHIS) 7  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.065\_00.000: Cause of injury episode

ICAUS	Frequency	Percent
-----		
01 In a motor vehicle	187	6.23
02 On a bike, scooter, skateboard, skates, skis, horse, etc	95	3.17
03 Pedestrian who was struck by a vehicle such as a car or bicycle	10	0.33
04 In a boat, train, or plane	10	0.33
05 Fall	1080	35.99
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	34	1.13
07 Other	1541	51.35
97 Refused	11	0.37
98 Not ascertained	0	0.00
99 Don't know	33	1.10

Frequency Missing = 65

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.070\_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	284	9.46
02 Back	323	10.76
03 Buttocks	24	0.80
04 Chest	43	1.43
05 Ear	8	0.27
06 Elbow	67	2.23
07 Eye	43	1.43
08 Face	99	3.30
09 Finger/thumb	209	6.96
10 Foot	203	6.76
11 Forearm	97	3.23
12 Groin	7	0.23
13 Hand	150	5.00
14 Head (not face)	212	7.06
15 Hip	79	2.63
16 Jaw	2	0.07
17 Knee	260	8.66
18 Lower leg	145	4.83
19 Mouth	12	0.40
20 Neck	73	2.43
21 Nose	10	0.33
22 Shoulder	180	6.00
23 Stomach	21	0.70
24 Teeth	7	0.23
25 Thigh	27	0.90
26 Toe	75	2.50
27 Upper arm	27	0.90
28 Wrist	129	4.30
29 Other	165	5.50
97 Refused	9	0.30
98 Not ascertained	0	0.00
99 Don't know	11	0.37

Frequency Missing = 65



2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.070\_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2538	84.57
01 Ankle	7	0.23
02 Back	31	1.03
03 Buttocks	11	0.37
04 Chest	11	0.37
05 Ear	1	0.03
06 Elbow	14	0.47
07 Eye	5	0.17
08 Face	9	0.30
09 Finger/thumb	11	0.37
10 Foot	20	0.67
11 Forearm	22	0.73
12 Groin	2	0.07
13 Hand	21	0.70
14 Head (not face)	30	1.00
15 Hip	25	0.83
16 Jaw	2	0.07
17 Knee	51	1.70
18 Lower leg	26	0.87
19 Mouth	1	0.03
20 Neck	29	0.97
21 Nose	5	0.17
22 Shoulder	39	1.30
23 Stomach	0	0.00
24 Teeth	2	0.07
25 Thigh	12	0.40
26 Toe	5	0.17
27 Upper arm	23	0.77
28 Wrist	16	0.53
29 Other	32	1.07
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 65

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.070\_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2847	94.87
01 Ankle	1	0.03
02 Back	6	0.20
03 Buttocks	4	0.13
04 Chest	3	0.10
05 Ear	0	0.00
06 Elbow	8	0.27
07 Eye	3	0.10
08 Face	4	0.13
09 Finger/thumb	0	0.00
10 Foot	2	0.07
11 Forearm	7	0.23
12 Groin	0	0.00
13 Hand	9	0.30
14 Head (not face)	12	0.40
15 Hip	7	0.23
16 Jaw	2	0.07
17 Knee	15	0.50
18 Lower leg	13	0.43
19 Mouth	0	0.00
20 Neck	10	0.33
21 Nose	3	0.10
22 Shoulder	16	0.53
23 Stomach	2	0.07
24 Teeth	0	0.00
25 Thigh	6	0.20
26 Toe	1	0.03
27 Upper arm	5	0.17
28 Wrist	6	0.20
29 Other	9	0.30
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 65

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Wednesday, April 27, 2016  
 Unweighted Frequencies

11

FIJ.070\_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2943	98.07
01 Ankle	1	0.03
02 Back	3	0.10
03 Buttocks	0	0.00
04 Chest	1	0.03
05 Ear	0	0.00
06 Elbow	5	0.17
07 Eye	1	0.03
08 Face	1	0.03
09 Finger/thumb	0	0.00
10 Foot	0	0.00
11 Forearm	2	0.07
12 Groin	1	0.03
13 Hand	2	0.07
14 Head (not face)	4	0.13
15 Hip	2	0.07
16 Jaw	0	0.00
17 Knee	8	0.27
18 Lower leg	1	0.03
19 Mouth	2	0.07
20 Neck	6	0.20
21 Nose	0	0.00
22 Shoulder	8	0.27
23 Stomach	1	0.03
24 Teeth	0	0.00
25 Thigh	5	0.17
26 Toe	0	0.00
27 Upper arm	0	0.00
28 Wrist	0	0.00
29 Other	4	0.13
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 65

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.072\_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	505	16.94
02 Sprain, strain, or twist	939	31.50
03 Cut	410	13.75
04 Scrape	101	3.39
05 Bruise	365	12.24
06 Burn	39	1.31
07 Insect bite	46	1.54
08 Animal bite	43	1.44
09 Other	527	17.68
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	5	0.17

Frequency Missing = 85

FIJ.072\_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2792	93.66
01 Broken bone or fracture	5	0.17
02 Sprain, strain, or twist	18	0.60
03 Cut	16	0.54
04 Scrape	21	0.70
05 Bruise	95	3.19
06 Burn	1	0.03
07 Insect bite	1	0.03
08 Animal bite	2	0.07
09 Other	30	1.01
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 85

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.074\_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	54	11.66
02 Sprain, strain, or twist	144	31.10
03 Cut	25	5.40
04 Scrape	28	6.05
05 Bruise	129	27.86
06 Burn	6	1.30
07 Insect bite	9	1.94
08 Animal bite	4	0.86
09 Other	61	13.17
97 Refused	1	0.22
98 Not ascertained	0	0.00
99 Don't know	2	0.43

Frequency Missing = 2603

FIJ.074\_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	407	87.90
01 Broken bone or fracture	1	0.22
02 Sprain, strain, or twist	6	1.30
03 Cut	1	0.22
04 Scrape	6	1.30
05 Bruise	35	7.56
06 Burn	2	0.43
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	5	1.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2603

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

14

FIJ.076\_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	13	8.44
02 Sprain, strain, or twist	41	26.62
03 Cut	7	4.55
04 Scrape	14	9.09
05 Bruise	51	33.12
06 Burn	2	1.30
07 Insect bite	6	3.90
08 Animal bite	1	0.65
09 Other	17	11.04
97 Refused	1	0.65
98 Not ascertained	0	0.00
99 Don't know	1	0.65

Frequency Missing = 2912

FIJ.076\_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	128	83.12
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	2	1.30
03 Cut	0	0.00
04 Scrape	4	2.60
05 Bruise	16	10.39
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	2.60
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2912

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.078\_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	5.17
02 Sprain, strain, or twist	15	25.86
03 Cut	3	5.17
04 Scrape	5	8.62
05 Bruise	18	31.03
06 Burn	0	0.00
07 Insect bite	5	8.62
08 Animal bite	1	1.72
09 Other	8	13.79
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3008

FIJ.078\_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	50	86.21
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	1.72
03 Cut	0	0.00
04 Scrape	1	1.72
05 Bruise	6	10.34
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3008

FIJ.080\_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	17	26.15
2 No	48	73.85
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 3001

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.080\_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	625	20.38
2 No	2424	79.06
7 Refused	7	0.23
8 Not ascertained	0	0.00
9 Don't know	10	0.33

FIJ.080\_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1386	45.21
2 No	1662	54.21
7 Refused	8	0.26
8 Not ascertained	0	0.00
9 Don't know	10	0.33

FIJ.080\_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2252	73.45
2 No	798	26.03
7 Refused	8	0.26
8 Not ascertained	0	0.00
9 Don't know	8	0.26

FIJ.080\_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	1108	36.14
2 No	1936	63.14
7 Refused	8	0.26
8 Not ascertained	0	0.00
9 Don't know	14	0.46

FIJ.080\_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	409	13.34
2 No	2642	86.17
7 Refused	8	0.26
8 Not ascertained	0	0.00
9 Don't know	7	0.23



FIJ.090\_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	248	8.09
2 No	2802	91.39
7 Refused	9	0.29
8 Not ascertained	0	0.00
9 Don't know	7	0.23

FIJ.091\_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	243	97.98
95 95+ nights	1	0.40
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	4	1.61

Frequency Missing = 2818

FIJ.109\_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	210	71.92
2 No	82	28.08
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2774

FIJ.110\_00.000: Injured as . . .

IMVWHO

- 
- 1 The driver of a motor vehicle
  - 2 A passenger in a motor vehicle
  - 3 A pedestrian
  - 4 A bicycle rider or tricycle rider
  - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
  - 7 Refused
  - 8 Not ascertained
  - 9 Don't know

Frequency Missing = 2774

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
131	44.86

Frequency Missing

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
59	20.21
12	4.11
52	17.81
37	12.67
0	0.00
0	0.00
1	0.34

Frequency Missing  
 = 2774

FIJ.111\_00.000: Type of vehicle injured person was in

IMVTYP

- 
- 01 Passenger car
  - 02 Passenger truck, such as a pickup truck, van, or SUV
  - 03 Bus
  - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
  - 05 Motorcycle (including mopeds and minibikes)
  - 06 All terrain vehicle or ski/snow-mobile
  - 07 Farm equipment (such as a tractor)
  - 08 Industrial or construction vehicle
  - 09 Other
  - 97 Refused
  - 98 Not ascertained
  - 99 Don't know

Frequency Missing = 2876

FIJ.111\_00.000: Type of vehicle injured person was in

Frequency	Percent
107	56.32
53	27.89
1	0.53
7	3.68
12	6.32
6	3.16
0	0.00
0	0.00
3	1.58
0	0.00
0	0.00
1	0.53

Frequency Missing  
 = 2876

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables Wednesday, April 27, 2016  
 Unweighted Frequencies

19

FIJ.112\_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	136	81.44
2 No	30	17.96
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.60

Frequency Missing = 2899

FIJ.113\_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	42	39.25
2 No	63	58.88
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.87

Frequency Missing = 2959

FIJ.130\_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	147	13.61
02 Floor or level ground	385	35.65
03 Curb (including sidewalk)	54	5.00
04 Ladder or scaffolding	12	1.11
05 Playground equipment	38	3.52
06 Sports field, court, or rink	108	10.00
07 Building or other structure	15	1.39
08 Chair, bed, sofa, or other furniture	60	5.56
09 Bathtub, shower, toilet, or commode	29	2.69
10 Hole or other opening	22	2.04
11 Other	205	18.98
97 Refused	1	0.09
98 Not ascertained	0	0.00
99 Don't know	4	0.37

Frequency Missing = 1986

2015 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables      Wednesday, April 27, 2016  
 Unweighted Frequencies

FIJ.130\_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	1060	98.15
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	2	0.19
03 Curb (including sidewalk)	2	0.19
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	1	0.09
07 Building or other structure	2	0.19
08 Chair, bed, sofa, or other furniture	5	0.46
09 Bathtub, shower, toilet, or commode	2	0.19
10 Hole or other opening	0	0.00
11 Other	6	0.56
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1986

FIJ.131\_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

Frequency Missing = 1986

FIJ.131\_00.000: Cause of fall

Frequency	Percent
523	48.43
67	6.20
48	4.44
18	1.67
220	20.37
196	18.15
1	0.09
0	0.00
7	0.65

Frequency Missing  
 = 1986

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	20
2 Swallowing or touching a harmful solid or liquid substance	7
3 Inhaling harmful gases or vapors	20
4 Eating a poisonous plant or other substance mistaken for food	1
5 Being bitten by a poisonous animal	0
6 Other, please specify	17
7 Refused	0
8 Not ascertained	0
9 Don't know	0

Frequency Missing = 3001

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	30.77
2 Swallowing or touching a harmful solid or liquid substance	10.77
3 Inhaling harmful gases or vapors	30.77
4 Eating a poisonous plant or other substance mistaken for food	1.54
5 Being bitten by a poisonous animal	0.00
6 Other, please specify	26.15
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 3001

FIJ.150\_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	181	5.90
02 Working at a paid job	351	11.45
03 Working around the house or yard	453	14.77
04 Attending school	69	2.25
05 Unpaid work (such as volunteer work)	17	0.55
06 Sports and exercise	438	14.29
07 Leisure activity (excluding sports)	567	18.49
08 Sleeping, resting, eating, or drinking	185	6.03
09 Cooking	55	1.79
10 Being cared for (hands-on care from other person)	34	1.11
11 Other	663	21.62
97 Refused	15	0.49
98 Not ascertained	0	0.00
99 Don't know	38	1.24

## Episode Public Use File (injpoiep)

FIJ Variables Wednesday, April 27, 2016

## Unweighted Frequencies

FIJ.150\_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	3027	98.73
01 Driving or riding in a motor vehicle	1	0.03
02 Working at a paid job	1	0.03
03 Working around the house or yard	4	0.13
04 Attending school	2	0.07
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	8	0.26
07 Leisure activity	13	0.42
08 Sleeping, resting, eating, or drinking	2	0.07
09 Cooking	1	0.03
10 Being cared for (hands on care from other person)	0	0.00
11 Other	7	0.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160\_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	1035	33.76
02 Home (outside)	534	17.42
03 School (not residential)	168	5.48
04 Child care center or preschool	10	0.33
05 Residential institution (exclude hospital)	14	0.46
06 Health care facility (include hospital)	36	1.17
07 Street or highway	223	7.27
08 Sidewalk	65	2.12
09 Parking lot	59	1.92
10 Sport facility, athletic field, or playground	233	7.60
11 Shopping center, restaurant, store, bank, gas station, or other place of business	91	2.97
12 Farm	15	0.49
13 Park or recreation area (include bike or jog path)	102	3.33
14 River, lake, stream, or ocean	29	0.95
15 Industrial or construction area	69	2.25
16 Other public building	64	2.09
17 Other	261	8.51
97 Refused	18	0.59
98 Not ascertained	0	0.00
99 Don't know	40	1.30

## Episode Public Use File (injpoiep)

FIJ Variables Wednesday, April 27, 2016

Unweighted Frequencies

FIJ.160\_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	3022	98.56
01 Home (inside)	0	0.00
02 Home (outside)	6	0.20
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	1	0.03
07 Street or highway	6	0.20
08 Sidewalk	5	0.16
09 Parking lot	5	0.16
10 Sport facility, athletic field, or playground	7	0.23
11 Shopping center, restaurant, store, bank, gas station, or other place of business	2	0.07
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	2	0.07
14 River, lake, stream, or ocean	1	0.03
15 Industrial or construction area	1	0.03
16 Other public building	1	0.03
17 Other	7	0.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170\_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	1026	37.96
2 Part-time	249	9.21
3 Not employed	1413	52.28
7 Refused	9	0.33
8 Not ascertained	0	0.00
9 Don't know	6	0.22

Frequency Missing = 363

FIJ.171\_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	666	52.24
2 Less than one day	64	5.02
3 One to five days	313	24.55
4 Six or more days	229	17.96
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.24

Frequency Missing = 1791

FIJ.180\_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	635	21.37
2 Part-time	63	2.12
3 Not a student	2257	75.97
7 Refused	8	0.27
8 Not ascertained	0	0.00
9 Don't know	8	0.27

Frequency Missing = 95

FIJ.181\_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	465	66.62
2 Less than one day	53	7.59
3 One to five days	158	22.64
4 Six or more days	22	3.15
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2368