U. S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, DIRECTOR

MORTALITY STATISTICS

1933

THIRTY-FOURTH ANNUAL REPORT

RATE TABLES AND GENERAL TABLES FOR CONTINENTAL UNITED STATES WITH SUPPLEMENTAL STATISTICS FOR HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS

PREPARED UNDER THE SUPERVISION OF
DR. T. F. MURPHY
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1936

For sale by the Superintendent of Documents, Washington, D. C. - Price $2.25 (cloth)

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary, rate, and general tables of births in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary, rate, and general tables of deaths in continental United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

INDEX

Page

Index of subjects presented in the detailed tables for the registration area and for the States IV

INTRODUCTION

	Page		Page
Extent of the registration area in 1933	3	Death rates of foreign countries	5
Growth of the registration area, 1880 to 1933	3	Detailed, intermediate, and abridged international list of causes of death	5
Comparison with earlier reports	4	Accuracy of statistics of causes of death	6
Classification by race or color	5		

RATE TABLES

TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in continental United States, and in cities and rural districts of each State: 1933 9

TABLE I B.—Population, total deaths (exclusive of stillbirths), and death rates per 1,000 population, in each city and each county: 1933 12

TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in continental United States: 1932 and 1933 37

NOTE.—In the 1922 and earlier annual reports on Mortality Statistics are tables which contain death rates per 100,000 population from important causes in each registration State and city, and from each cause in cities and rural districts. Beginning with 1923 these statistics are in manuscript only.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1933 41
Deaths in continental United States and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)

TABLE 2.—Deaths (exclusive of stillbirths), by color or race: 1933 44
Deaths of whites, Negroes, Indians, Chinese, Japanese, and other races, in continental United States and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)

TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1933 46
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in continental United States, and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, and color or race: 1933 56
Deaths of whites, Negroes, Indians, Chinese, Japanese, and other races, under 1 year of age, 1 to 4 years, and by 5-year age periods, in continental United States, the total registration States of 1920, and each State.

TABLE 5.—Deaths (exclusive of stillbirths) from selected causes, by color: 1933 70
Deaths from 33 causes, in continental United States, for States, by groups of cities and rural districts, and for individual cities of 10,000 population or more in 1930.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color or race, in continental United States (including District of Columbia): 1933 112
Causes of death by single years under 5 years and by 5-year age periods.

TABLE 7.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, Mexicans, and other races, from each cause, by sex, in continental United States (including District of Columbia): 1933 154

TABLE 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas, and by age, in continental United States and each State: 1933 158
Causes of death by single years under 5 years, and by 5- and 10-year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1933 382
Deaths by single years under 5 years, and by 5- and 10-year age periods, in cities of 100,000 population or more on April 1, 1930.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each State: 1933 427

MAP

Growth of the registration area for deaths: 1880 to 1933 2

SUPPLEMENT

HAWAII 449
PUERTO RICO 449
VIRGIN ISLANDS 449

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color or race, in the registration States of 1920 (including District of Columbia): 1933 478

INDEX

SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA: 1933

AREA	Population, deaths, and rates, by color: cities and rural	POPULATION, DEATHS, AND RATES FOR—		DEATHS BY—												
		Cities of 10,000 population or more	Counties (excluding cities of 10,000 population or more)	Cause in full detail, with rates	Months, cities and rural	Color or race, cities and rural	Age and color, cities and rural	Color or race and sex, by age	Important causes: Cities and rural, by color	Important causes: Cities of 10,000 population or more	Cause, age, and sex, by color or race	Cause, colored races, by sex	Cause; cities and rural, and by age	Important causes by age: large cities	Important causes, by months
	PAGE														
Continental United States	9			37	41	44	46	56	70		112	154	158		427
Cities	9				41	44	46	56	70				158		
Rural	9				41	44	46	56	70				158		
Registration States of 1920								57			478				
Alabama	9	12	17		41	44	46	57	70	78			162	382	427
Arizona	9	12	18		41	44	46	57	70	78			169		428
Arkansas	9	12	18		41	44	46	57	70	78			172		428
California	9	12	19		41	44	46	58	70	80			178	382	429
Colorado	9	12	19		41	44	46	58	70	82			184	385	429
Connecticut	9	12	20		41	44	46	58	70	82			188	385	430
Delaware	9	12	20		41	44	46	58	70	82			192	386	430
District of Columbia	9	12			41	44	46	59		82			195	386	430
Florida	9	12	20		41	44	46	59	70	82			200	387	431
Georgia	9	12	20		41	44	46	59	70	82			206	389	432
Idaho	9	13	22		41	44	46	59	70	84			212		432
Illinois	9	13	22		41	44	48	60	72	84			216	389	433
Indiana	9	13	23		41	44	48	60	72	86			220	390	433
Iowa	9	13	23		41	44	48	60	72	86			224	392	433
Kansas	9	13	23		41	44	48	60	72	86			228	393	434
Kentucky	9	13	24		41	44	48	61	72	88			232	393	434
Louisiana	9	13	24		41	44	48	61	72	88			237	394	435
Maine	9	14	25		41	44	48	61	72	88			243		435
Maryland	9	14	25		42	44	48	61	72	88			247	395	436
Massachusetts	10	14	25		42	44	48	62	72	90			253	395	436
Michigan	10	14	25		42	44	48	62	72	90			257	398	437
Minnesota	10	14	26		42	44	48	62	72	92			261	400	437
Mississippi	10	14	26		42	44	48	62	74	92			265		437
Missouri	10	14	27		42	44	50	63	74	94			271	401	438
Montana	10	14	27		42	44	50	63	74	94			276		438
Nebraska	10	14	28		42	44	50	63	74	94			279	402	439
Nevada	10	14	28		42	44	50	63	74	94			283		439
New Hampshire	10	14	28		42	44	50	64	74	94			286		439
New Jersey	10	15	28		42	44	50	64	74	94			290	402	440
New Mexico	10	15	28		42	44	50	64	74	96			293		440
New York	10	15	28		42	44	50	64	74	96			297	405	440
North Carolina	10	15	29		42	44	50	65	74	98			301		441
North Dakota	10	15	30		42	44	50	65	74	100			307		441
Ohio	10	16	30		42	44	50	65	76	100			311	411	442
Oklahoma	10	16	30		42	44	50	65	76	102			315	414	442
Oregon	10	16	31		42	44	52	66	76	102			321	415	443
Pennsylvania	10	16	31		42	44	52	66	76	102			324	415	443
Rhode Island	10	16	31		42	44	52	66	76	106			329	418	443
South Carolina	10	16	31		42	45	52	66	76	106			332		444
South Dakota	11	17	32		43	45	52	67	76	106			338		444
Tennessee	11	17	32		43	45	52	67	76	106			342	418	445
Texas	11	17	33		43	45	52	67	76	106			348	420	445
Utah	11	17	34		43	45	52	67	76	108			354	424	446
Vermont	11	17	35		43	45	52	68	76	108			358		446
Virginia	11	17	35		43	45	52	68	78	108			361	424	447
Washington	11	17	36		43	45	52	68	78	110			367	425	447
West Virginia	11	17	36		43	45	52	68	78	110			371		448
Wisconsin	11	17	36		43	45	54	69	78	110			375	426	448
Wyoming	11	17	36		43	45	54	69	78	110			379		448
Outlying possessions:															
Hawaii	450				451	450		451	452	452		453	457		461
Puerto Rico					462		462		463	463			465		471
Virgin Islands	472				472		472	472				473	474		475

MORTALITY STATISTICS

1933

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1933



ORIGINAL REGISTRATION STATES, 1900

STATES ADDED SINCE 1900

MORTALITY STATISTICS: 1933

INTRODUCTION

This report for the calendar year 1933 is the thirty-fourth annual report on Mortality Statistics published by the Bureau of the Census. It relates to continental United States, the Territory of Hawaii, Puerto Rico, and the Virgin Islands, and the data were compiled from transcripts of certificates of death received from the registration authorities of the States and other areas. It makes available detailed figures concerning deaths in individual States and in cities of 100,000 population or more, including classifications by sex, color or race, and age, and by cause of death according to the International Classification of Causes of Death. The report was prepared under the direction of Dr. T. F. Murphy, Chief Statistician for Vital Statistics, assisted by Willard C. Smith, Assistant Chief Statistician for Vital Statistics.

In the present volume most of the rate tables regularly carried in the introductory text of prior reports have been omitted. These tables are available and on file in manuscript form in the Bureau of the Census.

EXTENT OF THE REGISTRATION AREA IN 1933

The registration area in 1933 embraced all the States, the District of Columbia, the Territory of Hawaii, Puerto Rico, and the Virgin Islands. These areas were admitted on the basis of approximately complete registration of deaths (at least 90 percent of all deaths) and when the data at hand showed that the deaths were recorded properly under adequate registration laws. This year for the first time since the definite registration area was established in 1880, have such returns for all States been available. Since 1930 the continental area has been complete, with the exception of Texas, which has been represented by eight of the larger cities. In 1933 Texas entered as a full registration State, and the reports will deal henceforth with continental United States and the above outlying areas.

The estimated population of continental United States in 1933 was 125,693,000. In this population there were 1,342,106 deaths representing a rate of 10.7 per 1,000 estimated population.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1933

The first mortality statistics published by the Federal Government related to 1850, and were for the entire United States; these statistics were based on data collected at the decennial census of that year, and decennial collections of similar statistics by census enumerators were continued through 1900. In 1880, however, there was established a registration area for deaths, and for that year, as well as for 1890 and 1900, mortality returns were received from the States and cities included in the area, as well as from enumerators' returns.

The annual collection of mortality statistics for the registration area in the United States began with the calendar year 1900.

Table A shows the States which were included in the area from 1880 to 1933. In each year until 1933 there were also included a number of registration cities in nonregistration States. The Territory of Hawaii was added in 1917, the Virgin Islands in 1924, and Puerto Rico in 1932.

Table A

STATE	Year	STATE	Year	STATE	Year
Massachusetts	1880 [1]	Ohio	1909	Nebraska	1920
New Jersey	1880 [1]	Minnesota	1910	Georgia [7]	1922
Dist. Columbia [2]	1880 [1]	Montana	1910	Idaho	1922
Connecticut	1880 [1]	North Carolina [5]	1910	Wyoming	1922
Delaware [3]	1880 [1]	Utah	1910	Iowa	1923
New Hampshire	1890 [1]	Kentucky	1911	North Dakota	1924
New York	1890 [1]	Missouri	1911	Alabama	1925
Rhode Island	1890 [1]	Virginia	1913	West Virginia	1925
Vermont	1890 [1]	Kansas	1914	Arizona	1926
Maine	1900 [1]	North Carolina [6]	1916	Arkansas	1927
Michigan	1900 [1]	South Carolina	1916	Georgia [8]	1928
Indiana	1900	Tennessee	1917	Oklahoma	1928
California	1906	Illinois	1918	Nevada	1929
Colorado	1906	Louisiana	1918	New Mexico	1929
Maryland	1906	Oregon	1918	South Dakota [4]	1930
Pennsylvania	1906	Delaware [3]	1919	Texas	1933
South Dakota [4]	1906	Florida	1919		
Washington	1908	Mississippi	1919		
Wisconsin	1908				

[1] Census year ending May 31.
[2] Included in States.
[3] Dropped from the area in the census year 1900, readmitted in 1919.
[4] Dropped from the area in 1910, readmitted in 1930.
[5] Included only municipalities having a population of 1,000 or more in 1900; these represented only about 16 percent of the total population.
[6] The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)
[7] Dropped from the area in 1925 when the State registration law was declared unconstitutional.
[8] The State was readmitted to the area in 1928 under a new State registration law. (See note 7.)

Table B shows the growth of the registration area in population and land area from 1880 to 1933. In addition to the registration States, the registration

area for each year, until 1933, included certain cities in nonregistration States.

Table B

CALENDAR YEAR	CONTINENTAL UNITED STATES		REGISTRATION AREA IN CONTINENTAL UNITED STATES			
			Estimated population, July 1		Land area	
	Estimated population, July 1	Land area (square miles)	Number	Percent of total	Square miles	Percent of total
1933	125,693,000	2,973,776	125,693,000	100.0	2,973,776	100.0
1932	124,822,000	2,973,776	120,122,200	96.3	2,711,617	91.2
1931	124,070,000	2,973,776	119,421,000	96.3	2,711,619	91.2
1930 [1]	123,191,000	2,973,776	118,560,800	96.2	2,711,615	91.2
1929	121,526,429	2,973,776	116,317,515	95.7	2,634,743	88.6
1928	119,861,607	2,973,776	114,258,516	95.3	2,402,433	80.8
1927	118,196,785	2,973,776	108,177,568	91.5	2,274,398	76.5
1926	116,531,963	2,973,776	104,938,301	90.1	2,221,892	74.7
1925	114,867,141	2,973,776	102,951,999	89.6	2,108,072	70.9
1924	113,202,319	2,973,776	100,082,062	88.4	2,091,456	70.3
1923	111,537,497	2,973,776	97,816,104	87.7	2,021,237	68.0
1922	109,872,675	2,973,776	93,866,240	85.4	1,965,589	66.1
1921	108,207,853	2,973,776	89,102,434	82.3	1,726,012	58.0
1920 [2]	106,543,031	[3] 2,973,776	87,632,592	82.3	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63.2	1,106,734	37.2
1910 [4]	92,267,080	[5] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[7] 2,974,159	30,765,618	40.5	212,621	7.1
1900 [6]			28,807,269	37.9	176,878	5.9
1890 [6]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [6]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Census year; enumerated population in the United States, 122,775,046, Apr. 1.
[2] Census year; enumerated population in United States, 105,710,620, Jan. 1.
[3] The net reduction of 114 square miles, as compared with area stated by census of 1910, was due to irrigation projects.
[4] Census year; enumerated population in United States, 91,972,266, Apr. 15.
[5] The net reduction of 269 square miles, as compared with area stated by census of 1900, was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[6] Census year ending May 31, enumerated population in United States.
[7] The increase of 194 square miles, as compared with area stated by census of 1890, was due to the reclamation of part of Potomac River Flats in the District of Columbia and a part of Lake Tulare in California.

Table C gives the populations of the registration States of 1900, of 1910, and of 1920, with the percentages that each group forms of the population of continental United States.

Table C

CALENDAR YEAR	ESTIMATED POPULATION, JULY 1, IN THE REGISTRATION STATES OF—			PERCENT OF POPULATION IN CONTINENTAL UNITED STATES INCLUDED IN THE REGISTRATION STATES OF—		
	1900	1910	1920	1900	1910	1920
1933	34,285,000	67,888,000	102,488,000	27.3	54.0	81.5
1932	34,009,000	67,352,000	101,686,000	27.2	54.0	81.5
1931	33,774,000	66,892,000	101,049,000	27.2	53.9	81.4
1930	33,496,000	66,353,000	100,304,000	27.2	53.9	81.4
1929	32,969,412	65,333,243	98,891,372	27.1	53.8	81.4
1928	32,444,044	64,313,750	97,478,973	27.1	53.7	81.3
1927	31,918,674	63,294,258	96,066,572	27.0	53.5	81.3
1926	31,393,306	62,274,768	94,654,174	26.9	53.4	81.2
1925	30,867,938	61,255,276	93,241,774	26.9	53.3	81.2
1924	30,342,569	60,235,785	91,829,374	26.8	53.2	81.1
1923	29,817,199	59,216,293	90,416,974	26.7	53.1	81.1
1922	29,291,830	58,196,801	89,004,577	26.7	53.0	81.0
1921	28,766,462	57,177,309	87,592,175	26.6	52.8	80.9
1920	28,241,094	56,157,816	86,179,774	26.5	52.7	80.9
1919	27,775,859	55,215,586		26.5	52.6	
1918	27,370,760	54,350,619		26.4	52.5	
1917	26,965,661	53,485,656		26.4	52.3	
1916	26,560,563	52,620,689		26.4	52.2	
1915	26,155,465	51,755,724		26.3	52.1	
1914	25,750,367	50,890,758		26.3	52.0	
1913	25,345,269	50,025,794		26.3	51.8	
1912	24,940,171	49,160,826		26.2	51.7	
1911	24,535,073	48,295,860		26.2	51.6	
1910	24,129,976	47,430,895		26.2	51.4	
1909	23,664,144			26.1		
1908	23,182,330			26.0		
1907	22,700,521			26.0		
1906	22,218,713			25.3		
1905	21,736,908			25.8		
1904	[1] 21,336,715			25.8		
1903	[1] 20,990,841			25.9		
1902	[1] 20,648,941			26.0		
1901	[1] 20,307,043			26.1		
1900	[2] 19,960,742			26.3		

[1] Consolidation of estimates of population as of June 1 and of July 1.
[2] Population by census May 31; this is used as basis of rates.

NOTE.—For the States included in these groups, see table A. Estimates of population are based on Federal censuses of 1900 and 1910, 1910 and 1920, and 1920 and 1930. Estimates from 1900 to 1909 from Mortality Statistics, 1909.

COMPARISON WITH EARLIER REPORTS

In this report certain changes have been initiated: The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 inhabitants or more. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification, the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of

cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the mortality reports, and the latter, when combined with the rural population as now defined, corresponds to the population previously designated as rural.

Also the term "other races" has been substituted for "other colored," which included those races not specified as White, Negro, Indian, Chinese, and Japanese. This change has been made to conform with the practice established at the 1930 census of population.

In following the requirements established by the International Commission on the International List of Causes of Death at the 1929 conference in Paris a dual method of classifying accidental causes of death has been employed, as a means of making available statistics comparable with the classification of earlier years. The supplemental figures with appropriate explanation are shown under the heading "Supplemental" at the end of Rate Table II and General Tables 6, 7, and 8.

CLASSIFICATION BY COLOR OR RACE

The classification of deaths by color or race distinguishes White, Negro, Indian, Chinese, Japanese, and "other." (See tables 2 and 4.) "Other" includes Mexicans so far as reported, except in table 7 where they are shown separately. The Mexican element in the population has increased very rapidly in recent years, and for that reason it was given a separate classification in the population census of 1930, having in prior censuses not been distinguished from the white population. It is evident, however, that very many Mexican deaths are designated as "white" on the death certificates. The total number of deaths reported as Mexican in 1933 was 12,853 (see table 7), as compared with 8,264 in 1932.

DEATH RATES OF FOREIGN COUNTRIES

Table D presents death rates for certain foreign countries.

Table E presents death rates for 1900 and from 1915 to 1933 for the registration area of continental United States and for certain countries.

Table D

COUNTRY	ANNUAL CRUDE DEATH RATE PER 1,000 POPULATION									Decrease percent between 1881 to 1885 and 1926 to 1930
	1933	1932	1926 to 1930	1921 to 1925	1916 to 1920	1911 to 1915	1906 to 1910	1901 to 1905	1881 to 1885	
United States (registration area)	10.7	10.9	11.8	11.8	14.5	13.9	15.2	16.2	(1)	(1)
Australia	8.9	8.6	9.3	9.5	10.8	10.7	10.7	11.8	15.7	40.8
Austria	13.2	13.9	14.4	15.8	21.9	20.0	22.4	24.3	30.1	52.2
Belgium	13.1	13.2	13.7	13.4	15.8	14.6	15.9	17.0	20.6	33.5
Ceylon	21.2	20.5	25.1	27.8	30.1	30.6	30.8	26.7	(1)	(1)
Chile	26.8	22.8	25.7	30.2	30.6	28.9	31.2	30.8	26.9	4.5
Denmark	10.6	11.0	11.1	11.2	13.1	12.8	13.7	14.8	18.4	39.7
England and Wales	12.3	12.0	12.1	12.2	14.4	14.3	14.7	16.1	19.4	37.6
Finland	12.9	12.6	13.9	14.2	19.5	16.1	17.4	18.6	22.2	37.4
France	[2]15.8	[2]15.8	16.8	17.2	20.2	19.3	19.2	19.6	22.2	24.3
Germany	[2]11.2	10.8	11.8	13.3	19.1	17.7	17.5	19.9	25.3	53.4
Italy	13.7	14.7	15.7	17.0	21.8	19.3	21.2	22.0	27.3	42.5
Jamaica	19.3	17.2	19.3	23.4	26.0	22.4	24.4	22.6	(1)	(1)
Japan	17.8	17.7	19.4	21.9	23.6	20.0	20.9	20.5	(1)	(1)
Netherlands	8.8	9.0	9.9	10.4	13.7	12.8	14.3	16.1	21.4	53.7
New Zealand	8.0	8.0	8.6	8.6	10.7	9.2	9.8	9.9	10.9	21.1
Norway	10.2	10.6	11.0	11.5	14.2	13.4	13.9	14.6	17.2	36.0
Ontario, Province of	10.0	10.5	11.2	11.3	13.2	12.3	14.0	13.0	11.4	1.8
Scotland	13.2	13.5	13.6	13.9	15.0	15.7	16.1	17.1	19.6	30.6
Spain	16.4	16.4	18.3	20.4	24.8	22.1	24.0	25.9	32.6	43.9
Sweden	[2]11.2	[2]11.6	12.1	12.1	14.6	14.0	14.3	15.5	17.5	30.9
Switzerland	11.4	12.1	12.1	12.5	14.9	14.3	16.0	17.5	21.3	43.2
Uruguay	10.3	10.1	10.8	11.5	13.5	13.0	14.0	12.9	18.8	42.6

[1] Figures not available. [2] The figures are provisional.

Table E

COUNTRY	DEATH RATE PER 1,000 POPULATION									
	1900	1915	1916	1917	1918	1919	1920	1921	1922	1923
United States (registration area)	17.6	13.6	14.0	14.3	18.1	12.9	13.0	11.6	11.7	12.2
Australia	11.8	10.6	11.0	9.7	10.0	12.7	10.5	9.9	9.2	9.9
Austria	25.4	21.3	20.9	22.9	26.4	20.3	19.0	16.9	17.3	15.3
Chile	35.6	26.0	26.3	29.5	29.5	37.0	30.7	32.7	28.4	32.8
England and Wales	18.2	[1]15.7	[1]14.3	[1]14.2	[1]17.3	[1]14.0	[1]12.4	12.1	12.8	11.6
France	21.9	[2]21.0	[2]19.8	[2]20.2	[2]24.6	[2]19.3	17.2	17.7	17.5	16.7
Germany	22.1	21.4	19.2	20.6	24.8	15.6	15.1	13.9	14.4	13.9
Italy	23.8	20.4	19.7	19.2	32.3	19.0	18.8	17.3	17.7	16.6
Japan	20.3	20.1	21.5	21.4	26.8	22.8	25.4	22.7	22.3	22.8
New Zealand	9.4	9.1	9.6	9.6	14.8	9.5	10.2	8.7	8.8	9.0
Scotland	18.5	17.1	14.7	14.4	16.3	15.6	14.0	13.6	14.9	13.0
Spain	28.9	22.0	21.3	22.3	33.1	23.3	23.8	21.3	20.5	20.8
Sweden	16.8	14.7	13.6	13.4	18.0	14.5	13.3	12.4	12.8	11.4

Table E—Continued

COUNTRY	DEATH RATE PER 1,000 POPULATION									
	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933
United States (registration area)	11.7	11.8	12.3	11.4	12.1	11.9	11.3	11.1	10.9	10.7
Australia	9.5	9.2	9.4	9.5	9.5	9.6	8.6	8.7	8.6	8.9
Austria	15.0	14.4	14.9	14.9	14.4	14.5	13.5	14.0	13.9	13.2
Chile	29.2	27.8	27.2	25.8	24.4	26.2	24.7	22.0	22.8	26.8
England and Wales	12.2	12.2	11.6	12.3	11.7	13.4	11.4	12.3	12.0	12.3
France	16.9	17.4	17.5	16.5	16.4	18.0	15.6	16.4	15.6	[3]15.8
Germany	12.3	11.9	11.7	12.0	11.6	12.6	11.1	11.2	10.8	[3]11.2
Italy	16.8	16.8	16.9	15.7	15.8	16.1	13.8	14.8	14.7	13.7
Japan	21.2	20.3	19.2	19.8	19.9	20.0	18.2	19.0	17.7	17.8
New Zealand	8.3	8.3	8.7	8.5	8.5	8.8	8.6	8.3	8.0	8.0
Scotland	14.4	13.5	13.1	13.6	13.4	14.6	13.3	13.3	13.5	13.2
Spain	19.8	19.7	19.0	18.9	18.4	18.0	17.3	17.8	16.4	16.4
Sweden	12.0	11.7	11.8	12.7	12.0	12.2	11.7	12.5	11.6	[3]11.2

[1] Based upon civilian deaths and estimated civilian population.
[2] Based upon the civil population of 77 "departements" not invaded.
[3] The figures are provisional.

DETAILED, INTERMEDIATE, AND ABRIDGED INTERNATIONAL LISTS OF CAUSES OF DEATH

In classifying causes of death the mortality reports of the Bureau of the Census conform to the list in the fourth revision of the Manual of the International List of Causes of Death, which is based upon the proceedings of the International Commission in Paris in 1929 and was prepared and published by the Bureau of the Census.[1]

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths from disease or violence, (2) an intermediate list in which many of the titles are consolidations of the headings of the detailed list, and (3) an abridged list in still more consolidated form.

Table F shows the distribution of deaths in 1930, 1932, and 1933 by the causes of the abridged list, with the corresponding rates and percentages. After each title of the abridged list appears the number or numbers corresponding to the included title or titles of the detailed International List.

[1] A pamphlet, Physicians' Pocket Reference to the International List of Causes of Death, may be obtained without charge upon application to the Bureau of the Census, Department of Commerce, Washington, D. C.

Table F

DEATHS IN REGISTRATION AREA IN CONTINENTAL UNITED STATES

Abridged Int. List no.	CAUSE OF DEATH [1]	Number			Rate per 100,000 estimated population			Percent		
		1933	1932	1930	1933	1932	1930	1933	1932	1930
	All causes (exclusive of stillbirths)	1,342,106	1,308,529	1,343,356	1,067.8	1,089.3	1,133.1	100.0	100.0	100.0
1	Typhoid and paratyphoid fever (1, 2)	4,473	4,441	5,698	3.6	3.7	4.8	0.3	0.3	0.4
2	Typhus fever (3)	81	36	33	0.1	(2)	(2)	(3)	(3)	(3)
3	Smallpox (6)	39	38	165	(2)	(2)	0.1	(3)	(3)	(3)
4	Measles (7)	2,813	1,941	3,820	2.2	1.6	3.2	0.2	0.1	0.3
5	Scarlet fever (8)	2,546	2,577	2,279	2.0	2.1	1.9	0.2	0.2	0.2
6	Whooping-cough (9)	4,463	5,364	5,707	3.6	4.5	4.8	0.3	0.4	0.4
7	Diphtheria (10)	4,937	5,418	5,822	3.9	4.5	4.9	0.4	0.4	0.4
8	Influenza (11)	33,193	37,066	23,066	26.4	30.9	19.5	2.5	2.8	1.7
9	Plague (14)	1			(2)			(3)		
10	Tuberculosis of respiratory system (23)	67,422	67,789	75,120	53.6	56.4	63.4	5.0	5.2	5.6
11	Other forms of tuberculosis (24–32)	7,420	7,720	9,621	5.9	6.4	8.1	0.6	0.6	0.7
12	Syphilis (34)	11,039	10,684	10,554	8.8	8.9	8.9	0.8	0.8	0.8
13	Malaria (38)	4,678	2,568	3,403	3.7	2.1	2.9	0.3	0.2	0.3
14	Other infectious and parasitic diseases (4, 5, 12, 13, 15–22, 33, 35, 36, 37, 39–44)	12,716	11,337	17,038	10.1	9.4	14.4	0.9	0.9	1.3
15	Cancer and other malignant tumors (45–53)	128,479	122,739	115,265	102.2	102.2	97.2	9.6	9.4	8.6
16	Tumors, nonmalignant, or of which the nature is not specified (54, 55)	6,060	5,858	5,691	4.8	4.9	4.8	0.5	0.4	0.4
17	Chronic rheumatism and gout (57, 58)	1,618	1,502	1,573	1.3	1.3	1.3	0.1	0.1	0.1
18	Diabetes mellitus (59)	26,835	26,368	22,528	21.3	22.0	19.0	2.0	2.0	1.7
19	Alcoholism (acute or chronic) (75)	3,297	3,049	4,158	2.6	2.5	3.5	0.2	0.2	0.3
20	Other general diseases and chronic poisoning (56, 60–74, 76, 77)	23,611	23,230	26,629	18.8	19.3	22.5	1.8	1.8	2.0
21	Progressive locomotor ataxia and general paralysis of the insane (80, 83)	5,664	5,761	6,122	4.5	4.8	5.2	0.4	0.4	0.5
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	105,555	104,897	105,317	84.0	87.3	88.8	7.9	8.0	7.8
23	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84–89)	19,740	19,007	21,402	15.7	15.8	18.1	1.5	1.5	1.6
24	Diseases of the heart (90–95)	286,360	268,696	253,084	227.8	223.7	213.5	21.3	20.5	18.8
25	Other diseases of the circulatory system (96–103)	27,644	26,813	28,203	22.0	22.3	23.8	2.1	2.0	2.1
26	Bronchitis (106)	4,062	4,338	4,992	3.2	3.6	4.2	0.3	0.3	0.4
27	Pneumonia (107, 108, 109)	86,949	92,474	98,657	69.2	77.0	83.2	6.5	7.1	7.3
28	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110–114)	9,537	9,123	9,588	7.6	7.6	8.1	0.7	0.7	0.7
29	Diarrhea and enteritis (119, 120)	21,673	19,619	31,192	17.2	16.3	26.3	1.6	1.5	2.3
30	Appendicitis (121)	17,717	17,111	18,100	14.1	14.2	15.3	1.3	1.3	1.3
31	Diseases of the liver and biliary passages (124–127)	19,687	18,739	18,953	15.7	15.6	16.0	1.5	1.4	1.4
32	Other diseases of the digestive system (115–118, 122, 123, 128, 129)	33,496	31,831	33,511	26.6	26.5	28.3	2.5	2.4	2.5
33	Nephritis (130, 131, 132)	104,264	104,751	107,619	83.0	87.2	90.8	7.8	8.0	8.0
34	Other diseases of the genitourinary system (133–139)	17,308	15,880	16,031	13.8	13.2	13.5	1.3	1.2	1.2
35	Puerperal septicemia (140, 142a, 145)	4,887	4,939	5,439	3.9	4.1	4.6	0.4	0.4	0.4
36	Other diseases of pregnancy, childbirth, and the puerperal state (141,142b–144, 146–150)	7,998	8,354	9,726	6.4	7.0	8.2	0.6	0.6	0.7
37	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151–156)	3,729	3,501	3,679	3.0	2.9	3.1	0.3	0.3	0.3
38	Congenital debility and malformations, premature birth, and other diseases of early infancy (157–161)	63,565	63,934	72,246	50.6	53.2	60.9	4.7	4.9	5.4
39	Senility (162)	11,318	10,207	11,766	9.0	8.5	9.9	0.8	0.8	0.9
40	Suicide (163–171)	19,993	20,927	18,551	15.9	17.4	15.6	1.5	1.6	1.4
41	Homicide (172–175)	12,124	11,035	10,617	9.6	9.2	9.0	0.9	0.8	0.8
42	Violent and accidental deaths (suicide and homicide excepted) (176–198)	91,087	85,868	95,527	72.5	71.5	80.6	6.8	6.6	7.1
43	Cause of death not specified or ill-defined (199, 200)	22,028	20,999	24,864	17.5	17.5	21.0	1.6	1.6	1.9

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers in parentheses.
[2] Less than 1/10 of 1 per 100,000 population.
[3] Less than 1/10 of 1 percent.

ACCURACY OF STATISTICS OF CAUSES OF DEATH

It is obvious that the cause of death cannot be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the cause of death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would result in an incorrect classification of the cause of death, not only with reference to the title of the International List of Causes of Death, but also with reference to the class or group of causes into which the list is divided.

Practically all systems of classification in present use are based on the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause of death, one of them must be selected as the cause under which the death shall be classified. One of the principal difficulties in classifying causes of death according to the International List is the fact that every year the names of two or more diseases appear on each of several hundred thousand transcripts of death certificates received by the Bureau of the Census. In many cases no dependence can be placed upon the order in which the terms are written, nor can the compiler rely on the statements "cause of death", or "contributory cause", since these terms are sometimes used with diametrically opposed meanings by physicians.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet, "Relation of Physicians to Mortality Statistics," which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." The purposes of these pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death; and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

Tables G, H, and I, show the results obtained in 1933 by sending queries to physicians.

Table G

AREA	DEATHS IN 1933		
	All causes	Causes queried	
		Number	Percent
Continental United States	1,342,108	19,534	1.5
Alabama	27,104	404	1.5
Arizona	5,539	139	2.5
Arkansas	16,597	707	4.3
California	68,036	538	0.8
Colorado	11,961	256	2.1
Connecticut	17,444	105	0.6
Delaware	3,309	115	3.5
District of Columbia	7,872	146	1.9
Florida	18,759	461	2.5
Georgia	31,194	1,125	3.6
Idaho	4,056	88	2.2
Illinois	82,513	636	0.8
Indiana	38,009	825	2.2
Iowa	25,665	318	1.2
Kansas	19,613	77	0.4
Kentucky	28,520	1,001	3.5
Louisiana	23,112	494	2.1
Maine	11,102	114	1.0
Maryland	20,610	165	0.8
Massachusetts	50,811	275	0.5
Michigan	48,536	605	1.2
Minnesota	25,306	94	0.4
Mississippi	21,666	330	1.5
Missouri	42,521	340	0.8
Montana	5,212	90	1.7
Nebraska	12,924	162	1.3
Nevada	1,233	28	2.3
New Hampshire	6,491	118	1.8
New Jersey	43,497	474	1.1
New Mexico	5,824	144	2.5
New York	148,455	544	0.4
North Carolina	30,547	534	1.7
North Dakota	5,463	89	1.6
Ohio	73,054	588	0.8
Oklahoma	20,309	1,074	5.3
Oregon	10,450	85	0.8
Pennsylvania	106,109	1,059	1.0
Rhode Island	7,895	12	0.2
South Carolina	19,356	540	2.8
South Dakota	6,104	223	3.7
Tennessee	28,123	458	1.6
Texas	58,948	2,765	4.7
Utah	4,384	39	0.9
Vermont	4,621	75	1.6
Virginia	28,454	134	0.5
Washington	16,705	88	0.5
West Virginia	16,605	572	3.4
Wisconsin	29,513	245	0.8
Wyoming	1,975	36	1.8

Table H

Detailed International List no.	UNSATISFACTORY TERMS	REPLIES RECEIVED FROM PHYSICIANS: 1933			International titles and subtitles (detailed list) under which the number of deaths increased most as a result of queries
		Total number	Number of changes in classification	Percent changed	
	Total	13,868	9,105	65.7	7, 8, 9, 11a, 11b, 18, 24, 34, 35, 82a, 87b, 92, 93, 94, 95, 97, 107a, 108, 115a, 119, 120, 121, 131, 132, 140, 145a, 146, 159.
10	Croup, membranous laryngitis	41	32	78.0	11a, 105, 107a.
23	Hemorrhage of lungs (1 mo.+)	143	38	26.6	11a, 92a, 114b.
36	Septicemia, sepsis, blood poisoning	277	195	70.4	100, 115a, 140, 145a, 151, 152, 153, 185, 194b.
69	Autointoxication, toxemia	95	54	56.8	118, 119, 120.
78	Cerebral abscess	142	87	61.3	24, 89a, 89b, 104b, 115a, 194b.
79a	Meningitis, cerebral, and undefined	279	192	68.8	11b, 18, 24, 34, 89a.
79b	Cerebrospinal meningitis (undefined)	249	204	81.9	11b, 18, 24, 89a.
81	Sclerosis	97	85	87.6	82a, 87b, 92a, 93c, 93d, 97.
82a	Cerebral congestion	10	4	40.0	38, 186a.
82c	Cerebral softening	51	27	52.9	82a, 82b, 97.
82d	Hemiplegia, paralysis, general paralysis	1,885	1,469	77.9	34, 81, 82a, 82b, 83, 87b, 92a, 95b, 131, 132.
83	Paresis	448	284	63.4	81, 82a, 82d, 87b, 92a, 93c, 97, 131, 162.
86	Convulsions (under 5 years)	152	100	65.8	119, 159, 160b.
87b	Convulsions (5 years and over), general sclerosis, acute hydrocephalus	33	28	84.8	82a, 97, 146.
91b	Endocarditis (under 45 years)	40	39	97.5	91a, 92a.
95b	Acute cardiac dilatation, cardiac insufficiency	968	790	81.6	75, 91, 92, 93, 94, 131, 157c.
103	Hemorrhage	19	14	73.7	82a, 141.
105	Edema of glottis	8	2	25.0	36, 115a.
107a	Bronchopneumonia	2,034	456	22.4	7, 8, 9, 10, 11a, 108, 119, 157c.
109	Pneumonia (undefined), typhoid pneumonia	2,690	2,531	94.1	1, 7, 11a, 23, 79a, 107a, 108, 110, 111b, 159.
110	Pleurisy	138	59	42.8	11a, 23, 108, 109.
111b	Pulmonary congestion, edema of lung	198	151	76.3	11a, 92a, 93c, 95b, 97, 107a, 108, 131.
114b	Pulmonary abscess	232	132	56.9	11a, 23, 108, 109, 115a, 194b.
116	Stricture of esophagus	28	17	60.7	46a, 181.
118	Gastritis, indigestion, acute indigestion	621	289	46.5	75, 92a, 93c, 117a, 119, 120, 177.
125b	Liver trouble, disease of liver	26	17	65.4	46e, 126, 127.
129	Peritonitis, septic peritonitis	201	129	64.2	35, 117a, 121, 122b, 139b, 140.
130	Acute Bright's disease, acute nephritis	259	95	36.7	11b, 34, 115a, 131, 146.
132	Bright's disease, nephritis, uremia	373	304	81.5	34, 130, 131, 137, 146.
136b	Extravasation of urine	20	13	65.0	35, 136a.
139b	Salpingitis, pyosalpinx, pus-tube	395	272	68.9	34, 35, 140, 145a.
152	Abscess, cellulitis	6	4	66.7	75, 194b.
157a	Hydrocephalus	173	37	21.4	79a, 87b, 157b.
158	Inanition, debility, etc. (under 1 year)	766	399	52.1	23, 34, 89a, 107a, 118, 119, 157d, 159, 160b.
162	Senility, old age	34	15	44.1	95b, 131.
200a	Dropsy, heart failure, natural causes	737	541	73.4	23, 34, 38, 82a, 91, 92, 93, 94, 95b, 124b, 131, 199.

Table I

Detailed International List no.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	1933		
		Total deaths (including net changes by queries)	Net changes by queries	Percent changed by queries
7	Measles	2,813	+67	+2.4
9	Whooping-cough	4,463	+88	+2.0
11a	Influenza (with respiratory complications specified)	21,052	+343	+1.7
11b	Influenza (without respiratory complications specified)	12,141	+57	+0.5
18	Epidemic cerebrospinal meningitis	1,482	+196	+15.2
24	Tuberculosis of the meninges and central nervous system	2,212	+133	+6.4
34	Syphilis	11,039	+120	+1.1
35	Gonococcus infection and other venereal diseases	998	+207	+26.2
36	Purulent infection, septicemia (nonpuerperal)[1]	931	−193	−17.2
69	Other general diseases [1]	441	−45	−9.3
78	Encephalitis (nonepidemic)[1]	1,535	−82	−5.1
79	Meningitis and nonepidemic cerebrospinal meningitis [1]	2,411	−371	−13.3
81	Other diseases of the spinal cord	3,014	−45	−1.5
82a	Cerebral hemorrhage [1]	94,573	+1,228	+1.3
82d	Hemiplegia and other paralysis, cause unspecified [1]	4,349	−1,457	−25.1
	General paralysis of the insane [1]	4,538	−269	−5.6
86	Convulsions (under 5 years of age)[1]	797	−98	−10.9
87b	Other diseases of the nervous system [1]	3,513	+106	+3.1
91a	Endocarditis, acute	2,829	+49	+1.8
92	Chronic endocarditis, valvular diseases, and endocarditis unspecified (45 years and over)	58,902	+350	+0.6
93	Diseases of the myocardium, acute, chronic, and unspecified	130,484	+749	+0.6
94	Diseases of the coronary arteries and angina pectoris	47,486	+65	+0.1
95b	Other and unspecified diseases of the heart [1]	44,321	−697	−1.5
97	Arteriosclerosis (diseases of the coronary arteries excepted)	21,062	+70	+0.3
107a	Bronchopneumonia [1]	36,827	+889	+2.5
108	Lobar pneumonia	45,740	+1,064	+2.4
109	Pneumonia, unspecified [1]	4,000	−2,494	−38.4
110	Pleurisy [1]	2,646	−40	−1.5
111b	Congestion and edema of lungs, others under this title [1]	1,427	−135	−8.6
114b	Other diseases of the respiratory system [1]	1,035	−121	−10.5
115a	Diseases of the pharynx and tonsils	4,747	+74	+1.6
118	Other diseases of the stomach (cancer excepted)[1]	3,853	−265	−6.4
119, 120	Diarrhea and enteritis [1]	21,673	+370	+1.7
121	Appendicitis	17,717	+52	+0.3
129	Peritonitis, cause not specified [1]	1,616	−127	−7.3
130	Acute nephritis (including unspecified under 10 years of age)[1]	4,732	−67	−1.4
131	Chronic nephritis	90,805	+321	+0.4
132	Nephritis, unspecified (10 years and over)[1]	8,727	+278	+3.3
139b	Other diseases of ovaries, diseases of tubes and parametrium [1]	1,911	−258	−11.9
140, 142a, 145	Puerperal septicemia	4,887	+94	+2.0
146	Puerperal albuminuria and eclampsia	2,520	+78	+3.2
158	Congenital debility [1]	4,067	−391	−8.8
159	Premature birth	32,953	+260	+0.8
162	Senility [1]	11,318	+84	+0.7
194b	Other accidents	4,311	+48	+1.1
200a	Cause of death ill-defined [1]	5,476	−539	−9.0

[1] Title under which 1 or more unsatisfactory terms were queried.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis", "paralysis", "convulsions", "pneumonia", and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the Bureau to improve the classifications in 57 percent of the cases covered by replies. The percent of changes in classification, based on replies received from physicians, increased to 65.7 in 1933.

In 1933, besides 19,534 queries sent out from the Bureau of the Census directly to physicians, there were 16,303 queries sent to State registrars for additional information regarding causes of death, and thousands of other queries regarding causes of death were sent to physicians by 46 State special agents and the agents in Hawaii, Puerto Rico, and the Virgin Islands.

RATE TABLES

TABLE I A.—POPULATION, DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN CITIES AND RURAL DISTRICTS: 1933

AREA AND COLOR	Estimated population July 1, 1933	DEATHS: 1933	
		Number	Rate per 1,000 population
Continental United States	125,693,000	1,342,106	10.7
White	111,386,000	1,149,545	10.3
Colored	14,307,000	192,561	13.5
Cities of 10,000 or more	60,281,300	693,247	11.5
White	54,787,300	604,462	11.0
Colored	5,494,000	88,785	16.2
Cities of 2,500 to 10,000 [1]	10,569,500	133,065	12.6
White	9,701,300	118,256	12.2
Colored	868,200	14,809	17.1
Rural [2]	54,842,200	515,794	9.4
White	46,897,400	426,827	9.1
Colored	7,944,800	88,967	11.2
ALABAMA	2,697,000	27,104	10.0
White	1,744,000	14,625	8.4
Colored	953,000	12,479	13.1
Cities of 10,000 or more	615,500	8,198	13.3
White	383,500	4,305	11.2
Colored	232,000	3,893	16.8
Cities of 2,500 to 10,000	175,100	1,996	11.4
White	125,900	1,199	9.5
Colored	49,200	797	16.2
Rural	1,906,400	16,910	8.9
White	1,234,600	9,121	7.4
Colored	671,800	7,789	11.6
ARIZONA	453,000	5,539	12.2
White	275,000	3,041	11.1
Colored	178,000	2,498	14.0
Cities of 10,000 or more	85,000	2,250	26.5
White	61,400	1,442	23.5
Colored	23,600	808	34.2
Cities of 2,500 to 10,000	69,700	1,139	16.3
White	43,600	654	15.0
Colored	26,100	485	18.6
Rural	298,300	2,150	7.2
White	170,000	945	5.6
Colored	128,300	1,205	9.4
ARKANSAS	1,872,000	16,597	8.9
White	1,391,000	11,528	8.3
Colored	481,000	5,069	10.5
Cities of 10,000 or more	229,800	3,657	15.9
White	177,300	2,551	14.4
Colored	52,500	1,106	21.1
Cities of 2,500 to 10,000	167,000	2,083	12.5
White	127,100	1,398	11.0
Colored	39,900	685	17.2
Rural	1,475,200	10,857	7.4
White	1,086,600	7,579	7.0
Colored	388,600	3,278	8.4
CALIFORNIA	6,062,000	68,036	11.2
White	5,364,000	60,856	11.3
Colored	698,000	7,180	10.3
Cities of 10,000 or more	3,879,300	42,774	11.0
White	3,496,300	39,095	11.2
Colored	383,000	3,679	9.6
Cities of 2,500 to 10,000	589,200	6,315	10.7
White	516,600	5,567	10.8
Colored	72,600	748	10.3
Rural	1,593,500	18,947	11.9
White	1,351,100	16,194	12.0
Colored	242,400	2,753	11.4
COLORADO	1,052,000	11,961	11.4
White	970,000	11,162	11.5
Colored	82,000	799	9.7
Cities of 10,000 or more	436,100	5,708	13.1
White	410,400	5,421	13.2
Colored	25,700	287	11.2
Cities of 2,500 to 10,000	95,300	1,461	15.3
White	89,000	1,319	14.8
Colored	6,300	142	22.5
Rural	520,600	4,792	9.2
White	470,600	4,422	9.4
Colored	50,000	370	7.4
CONNECTICUT	1,646,000	17,444	10.6
White	1,614,000	16,936	10.5
Colored	32,000	508	15.9
Cities of 10,000 or more	1,102,900	12,263	11.1
White	1,077,100	11,832	11.0
Colored	25,800	431	16.7
Cities of 2,500 to 10,000	50,300	473	9.4
White	49,900	462	9.3
Colored	400	11	27.5
Rural	492,800	4,708	9.6
White	487,000	4,642	9.5
Colored	5,800	66	11.4
DELAWARE	241,000	3,309	13.7
White	208,000	2,664	12.8
Colored	33,000	645	19.5
Cities of 10,000 or more	[3] 106,597	1,570	14.7
White	[3] 94,459	1,307	13.8
Colored	[3] 12,138	263	21.7
Cities of 2,500 to 10,000	17,400	303	17.4
White	14,300	237	16.6
Colored	3,100	66	21.3
Rural	117,000	1,436	12.3
White	99,200	1,120	11.3
Colored	17,800	316	17.8
DISTRICT OF COLUMBIA	495,000	7,872	15.9
White	358,000	4,750	13.3
Colored	137,000	3,122	22.8
FLORIDA	1,554,000	18,759	12.1
White	1,103,000	11,569	10.5
Colored	451,000	7,190	15.9
Cities of 10,000 or more	583,900	8,189	14.0
White	423,300	5,101	12.1
Colored	160,600	3,088	19.2
Cities of 2,500 to 10,000	224,900	3,589	16.0
White	164,500	2,345	14.3
Colored	60,400	1,244	20.6
Rural	745,200	6,981	9.4
White	515,200	4,123	8.0
Colored	230,000	2,858	12.4
GEORGIA	2,911,000	31,194	10.7
White	1,862,000	16,860	9.1
Colored	1,049,000	14,334	13.7
Cities of 10,000 or more	681,200	10,716	15.7
White	430,400	5,319	12.4
Colored	250,800	5,397	21.5
Cities of 2,500 to 10,000 and rural	2,229,800	20,478	9.2
White	1,431,600	11,541	8.1
Colored	798,200	8,937	11.2
IDAHO	447,000	4,056	9.1
White	440,000	3,904	8.9
Colored	7,000	152	21.7
Cities of 10,000 or more	38,400	570	14.8
White	37,600	547	14.5
Colored	800	23	28.8
Cities of 2,500 to 10,000	93,100	1,650	17.7
White	92,400	1,627	17.6
Colored	700	23	32.9
Rural	315,500	1,836	5.8
White	310,000	1,730	5.6
Colored	5,500	106	19.3
ILLINOIS	7,826,000	82,513	10.5
White	7,433,000	76,448	10.3
Colored	393,000	6,065	15.4
Cities of 10,000 or more	5,149,500	53,216	10.3
White	4,801,600	48,205	10.0
Colored	347,900	5,011	14.4
Cities of 2,500 to 10,000	695,900	7,510	10.8
White	679,500	7,263	10.7
Colored	16,400	247	15.1
Rural	1,980,600	21,787	11.0
White	1,951,900	20,980	10.7
Colored	28,700	807	28.1
INDIANA	3,291,000	38,009	11.5
White	3,162,000	36,070	11.4
Colored	129,000	1,939	15.0
Cities of 10,000 or more	1,547,000	17,324	11.2
White	1,430,900	15,702	11.0
Colored	116,100	1,622	14.0
Cities of 2,500 to 10,000	300,200	4,268	14.2
White	296,300	4,215	14.2
Colored	3,900	53	13.6
Rural	1,443,800	16,417	11.4
White	1,434,800	16,153	11.3
Colored	9,000	264	29.3
IOWA	2,482,000	25,665	10.3
White	2,460,000	25,325	10.3
Colored	22,000	340	15.5
Cities of 10,000 or more	731,100	9,427	12.9
White	714,500	9,162	12.8
Colored	16,600	265	16.0
Cities of 2,500 to 10,000	266,000	4,585	17.2
White	263,700	4,557	17.3
Colored	2,300	28	12.2
Rural	1,484,900	11,653	7.8
White	1,481,800	11,606	7.8
Colored	3,100	47	15.2
KANSAS	1,900,000	19,613	10.3
White	1,810,000	18,467	10.2
Colored	90,000	1,146	12.7
Cities of 10,000 or more	555,200	6,729	12.1
White	497,900	5,954	12.0
Colored	57,300	775	13.5
Cities of 2,500 to 10,000	193,000	2,781	14.4
White	185,300	2,694	14.5
Colored	7,700	87	11.3
Rural	1,151,800	10,103	8.8
White	1,126,800	9,819	8.7
Colored	25,000	284	11.4
KENTUCKY	2,648,000	28,520	10.8
White	2,424,000	24,330	10.0
Colored	224,000	4,190	18.7
Cities of 10,000 or more	617,800	8,627	14.0
White	529,400	6,638	12.5
Colored	88,400	1,989	22.5
Cities of 2,500 to 10,000 and rural	2,030,200	19,893	9.8
White	1,894,600	17,692	9.3
Colored	135,600	2,201	16.2
LOUISIANA	2,153,000	23,112	10.7
White	1,356,000	12,132	8.9
Colored	797,000	10,980	13.8
Cities of 10,000 or more	683,300	10,832	15.9
White	470,200	6,137	13.1
Colored	213,100	4,695	22.0
Cities of 2,500 to 10,000	184,100	2,269	12.3
White	126,100	1,185	9.4
Colored	58,000	1,084	18.7
Rural	1,285,600	10,011	7.8
White	759,700	4,810	6.3
Colored	525,900	5,201	9.9
MAINE	802,000	11,102	13.8
White	800,000	11,070	13.8
Colored	2,000	32	16.0
Cities of 10,000 or more	231,300	3,684	15.9
White	230,700	3,665	15.9
Colored	600	19	31.7
Cities of 2,500 to 10,000	93,500	1,474	15.8
White	93,000	1,471	15.8
Colored	500	3	6.0
Rural	477,200	5,944	12.5
White	476,300	5,934	12.5
Colored	900	10	11.1
MARYLAND	1,663,000	20,610	12.4
White	1,380,000	15,856	11.5
Colored	283,000	4,754	16.8

See footnotes at end of table.

TABLE I A.—POPULATION, DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN CITIES AND RURAL DISTRICTS: 1933—Continued

AREA AND COLOR	Estimated population July 1, 1933	DEATHS: 1933	
		Number	Rate per 1,000 population
MARYLAND—Contd.			
Cities of 10,000 or more	926,700	12,307	13.3
White	768,400	9,549	12.4
Colored	158,300	2,758	17.4
Cities of 2,500 to 10,000	65,300	1,121	17.2
White	56,800	865	15.2
Colored	8,500	256	30.1
Rural	671,000	7,182	10.7
White	554,800	5,442	9.8
Colored	116,200	1,740	15.0
MASSACHUSETTS	4,318,000	50,811	11.8
White	4,260,000	49,847	11.7
Colored	58,000	964	16.6
Cities of 10,000 or more	3,565,900	41,434	11.6
White	3,516,500	40,639	11.6
Colored	49,400	795	16 1
Cities of 2,500 to 10,000	334,600	3,303	9.9
White	332,300	3,271	9.8
Colored	2,300	32	13.9
Rural	417,500	6,074	14.5
White	411,200	5,937	14.4
Colored	6,300	137	21.7
MICHIGAN	5,043,000	48,536	9.6
White	4,830,000	45,883	9.5
Colored	213,000	2,653	12.5
Cities of 10,000 or more	3,099,000	26,442	8.5
White	2,908,200	24,380	8.4
Colored	190,800	2,062	10.8
Cities of 2,500 to 10,000	384,300	4,451	11.6
White	379,600	4,379	11.5
Colored	4,700	72	15.3
Rural	1,559,700	17,643	11.3
White	1,542,200	17,124	11.1
Colored	17,500	519	29.7
MINNESOTA	2,594,000	25,306	9.8
White	2,568,000	24,890	9.7
Colored	26,000	416	16.0
Cities of 10,000 or more	1,021,300	11,280	11.0
White	1,009,900	11,114	11.0
Colored	11,400	166	14.6
Cities of 2,500 to 10,000	267,100	3,556	13.3
White	266,000	3,536	13.3
Colored	1,100	20	18.2
Rural	1,305,600	10,470	8.0
White	1,292,100	10,240	7.9
Colored	13,500	230	17.0
MISSISSIPPI	2,047,000	21,666	10.6
White	1,021,000	8,950	8.8
Colored	1,026,000	12,716	12.4
Cities of 10,000 or more	247,300	4,079	16.5
White	149,100	2,007	13.5
Colored	98,200	2,072	21.1
Cities of 2,500 to 10,000	105,500	1,542	14.6
White	64,600	801	12.4
Colored	40,900	741	18.1
Rural	1,694,200	16,045	9.5
White	807,300	6,142	7.6
Colored	886,900	9,903	11.2
MISSOURI	3,668,000	42,521	11.6
White	3,429,000	38,074	11.1
Colored	239,000	4,447	18.6
Cities of 10,000 or more	1,617,600	20,590	12.7
White	1,454,300	17,479	12.0
Colored	163,300	3,111	19.1
Cities of 2,500 to 10,000	285,300	4,059	14.2
White	266,500	3,654	13.7
Colored	18,800	405	21.5
Rural	1,765,100	17,872	10.1
White	1,708,200	16,941	9.9
Colored	56,900	931	16.4
MONTANA	[3] 537,606	5,212	9.7
White	[3] 517,327	4,794	9.3
Colored	[3] 20,279	418	20.6
Cities of 10,000 or more	125,200	1,599	12.8
White	123,200	1,571	12.8
Colored	2,000	28	14.0
Cities of 2,500 to 10,000	57,500	846	14.7
White	56,800	836	14.7
Colored	700	10	14.3
Rural	354,900	2,767	7.8
White	337,300	2,387	7.1
Colored	17,600	380	21.6
NEBRASKA	1,392,000	12,924	9.3
White	1,367,000	12,580	9.2
Colored	25,000	344	13.8
Cities of 10,000 or more	380,000	4,675	12.3
White	365,000	4,463	12.2
Colored	15,000	212	14.1
Cities of 2,500 to 10,000	121,500	1,787	14.7
White	119,700	1,764	14.7
Colored	1,800	23	12.8
Rural	890,500	6,462	7.3
White	882,300	6,353	7.2
Colored	8,200	109	13.3
NEVADA	93,000	1,233	13.3
White	83,000	1,071	12.9
Colored	10,000	162	16.2
Cities of 10,000 or more	19,600	312	15.9
White	19,200	291	15.2
Colored	400	21	52.5
Cities of 2,500 to 10,000	17,300	313	18.1
White	15,900	290	18.2
Colored	1,400	23	16.4
Rural	56,100	608	10.8
White	47,900	490	10.2
Colored	8,200	118	14.4
NEW HAMPSHIRE	469,000	6,491	13.8
White	468,000	6,483	13.9
Colored	1,000	8	8.0
Cities of 10,000 or more	233,800	3,060	13.1
White	232,900	3,055	13.1
Colored	900	5	5.6
Cities of 2,500 to 10,000	42,900	556	13.0
White	42,900	556	13.0
Colored			
Rural	192,300	2,875	15.0
White	192,200	2,872	14.9
Colored	100	3	30.0
NEW JERSEY	4,193,000	43,497	10.4
White	3,965,000	40,127	10.1
Colored	228,000	3,370	14.8
Cities of 10,000 or more	2,884,500	29,218	10.1
White	2,711,400	26,758	9.9
Colored	173,100	2,460	14.2
Cities of 2,500 to 10,000	581,900	5,681	9.8
White	563,400	5,369	9.5
Colored	18,500	312	16.9
Rural	726,600	8,598	11.8
White	690,200	8,000	11.6
Colored	36,400	598	16.4
NEW MEXICO [4]	434,000	5,824	13.4
Cities of 10,000 or more	51,000	1,047	20.5
Cities of 2,500 to 10,000	61,000	1,126	18.5
Rural	322,000	3,651	11.3
NEW YORK	12,965,000	148,455	11.5
White	12,489,000	141,067	11.3
Colored	476,000	7,388	15.5
Cities of 10,000 or more	10,236,300	112,828	11.0
White	9,800,100	106,203	10.8
Colored	436,200	6,625	15.2
Cities of 2,500 to 10,000	613,900	7,801	12.7
White	604,200	7,665	12.7
Colored	9,700	136	14.0
Rural	2,114,800	27,826	13.2
White	2,084,700	27,199	13.0
Colored	30,100	627	20.8
NORTH CAROLINA	3,275,000	30,547	9.3
White	2,312,000	19,179	8.3
Colored	963,000	11,368	11.8
Cities of 10,000 or more	627,700	8,229	13.1
White	422,200	4,686	11.1
Colored	205,500	3,543	17.2
Cities of 2,500 to 10,000	232,000	2,767	11.9
White	176,600	1,855	10.5
Colored	55,400	912	16.5
Rural	2,415,300	19,551	8.1
White	1,713,200	12,638	7.4
Colored	702,100	6,913	9.8
NORTH DAKOTA	687,000	5,463	8.0
White	677,000	5,234	7.7
Colored	10,000	229	22.9
NORTH DAKOTA—Con.			
Cities of 10,000 or more	76,200	1,044	13.7
White	75,600	1,030	13.6
Colored	600	14	23.3
Cities of 2,500 to 10,000	41,700	738	17.7
White	41,300	729	17.7
Colored	400	9	22.5
Rural	569,100	3,681	6.5
White	560,100	3,475	6.2
Colored	9,000	206	22.9
OHIO	6,798,000	73,054	10.7
White	6,461,000	67,720	10.5
Colored	337,000	5,334	15.8
Cities of 10,000 or more	4,028,300	43,460	10.8
White	3,746,200	39,106	10.4
Colored	282,100	4,354	15.4
Cities of 2,500 to 10,000	612,600	6,502	10.6
White	596,200	6,257	10.5
Colored	16,400	245	14.9
Rural	2,157,100	23,092	10.7
White	2,118,600	22,357	10.6
Colored	38,500	735	19.1
OKLAHOMA	2,459,000	20,309	8.3
White	2,176,000	17,511	8.0
Colored	283,000	2,798	9.9
Cities of 10,000 or more	587,300	6,498	11.1
White	521,900	5,471	10.5
Colored	65,400	1,027	15.7
Cities of 2,500 to 10,000	281,100	5,022	17.9
White	257,100	4,398	17.1
Colored	24,000	624	26.0
Rural	1,590,600	8,789	5.5
White	1,397,000	7,642	5.5
Colored	193,600	1,147	5.9
OREGON	983,000	10,450	10.6
White	966,000	10,193	10.6
Colored	17,000	257	15.1
Cities of 10,000 or more	397,500	4,943	12.4
White	390,800	4,852	12.4
Colored	6,700	91	13.6
Cities of 2,500 to 10,000	109,000	1,823	16.7
White	108,200	1,791	16.6
Colored	800	32	40.0
Rural	476,500	3,684	7.7
White	467,000	3,550	7.6
Colored	9,500	134	14.1
PENNSYLVANIA	9,787,000	106,109	10.8
White	9,323,000	99,403	10.7
Colored	464,000	6,706	14.5
Cities of 10,000 or more	5,358,500	61,117	11.4
White	4,976,600	55,717	11.2
Colored	381,900	5,400	14.1
Cities of 2,500 to 10,000	1,313,000	12,892	9.8
White	1,292,500	12,668	9.8
Colored	20,500	224	10.9
Rural	3,115,500	32,100	10.3
White	3,053,900	31,018	10.2
Colored	61,600	1,082	17.6
RHODE ISLAND	702,000	7,895	11.2
White	691,000	7,708	11.2
Colored	11,000	187	17.0
Cities of 10,000 or more	614,700	6,915	11.2
White	605,000	6,746	11.2
Colored	9,700	169	17.4
Cities of 2,500 to 10,000	34,600	357	10.3
White	34,500	352	10.2
Colored	100	5	50.0
Rural	52,700	623	11.8
White	51,500	610	11.8
Colored	1,200	13	10.8
SOUTH CAROLINA	1,748,000	19,356	11.1
White	965,000	8,580	8.9
Colored	783,000	10,776	13.8
Cities of 10,000 or more	240,500	4,615	19.2
White	149,200	2,247	15.1
Colored	91,300	2,368	25.9
Cities of 2,500 to 10,000	141,600	1,708	12.1
White	90,500	841	9.3
Colored	51,100	867	17.0
Rural	1,365,900	13,033	9.5
White	725,300	5,492	7.6
Colored	640,600	7,541	11.8

See footnotes at end of table.

TABLE I A.—POPULATION, DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN CITIES AND RURAL DISTRICTS: 1933—Continued

AREA AND COLOR	Estimated population July 1, 1933	DEATHS: 1933	
		Number	Rate per 1,000 population
SOUTH DAKOTA	702,000	6,104	8.7
White	678,000	5,551	8.2
Colored	24,000	553	23.0
Cities of 10,000 or more	95,900	1,182	12.3
White	95,200	1,168	12.3
Colored	700	14	20.0
Cities of 2,500 to 10,000	39,500	881	22.3
White	39,200	871	22.2
Colored	300	10	33.3
Rural	566,600	4,041	7.1
White	543,600	3,512	6.5
Colored	23,000	529	23.0
TENNESSEE	2,664,000	28,123	10.6
White	2,182,000	20,403	9.4
Colored	482,000	7,720	16.0
Cities of 10,000 or more	724,800	10,410	14.4
White	518,100	6,289	12.1
Colored	206,700	4,121	19.9
Cities of 2,500 to 10,000	203,200	2,694	13.3
White	162,100	1,964	12.1
Colored	41,100	730	17.8
Rural	1,736,000	15,019	8.7
White	1,501,800	12,150	8.1
Colored	234,200	2,869	12.3
TEXAS	6,023,000	58,948	9.8
White	4,412,000	42,158	9.6
Colored	1,611,000	16,790	10.4
Cities of 10,000 or more	1,912,900	23,493	12.3
White	1,370,800	17,171	12.5
Colored	542,100	6,322	11.7
Cities of 2,500 to 10,000	627,600	8,184	13.0
White	475,500	5,675	11.9
Colored	152,100	2,509	16.5
Rural	3,482,500	27,271	7.8
White	2,565,700	19,312	7.5
Colored	916,800	7,959	8.7
UTAH	518,000	4,384	8.5
White	505,000	4,294	8.5
Colored	13,000	90	6.9
Cities of 10,000 or more	201,200	2,126	10.6
White	197,900	2,088	10.6
Colored	3,300	38	11.5
UTAH—Continued.			
Cities of 2,500 to 10,000	72,700	712	9.8
White	72,100	702	9.7
Colored	600	10	16.7
Rural	244,100	1,546	6.3
White	235,000	1,504	6.4
Colored	9,100	42	4.6
VERMONT	361,000	4,621	12.8
White	360,000	4,620	12.8
Colored	1,000	1	1.0
Cities of 10,000 or more	54,300	851	15.7
White	54,200	851	15.7
Colored	100		
Cities of 2,500 to 10,000 and rural	306,700	3,770	12.3
White	305,800	3,769	12.3
Colored	900	1	1.1
VIRGINIA	2,441,000	28,454	11.7
White	1,796,000	18,043	10.0
Colored	645,000	10,411	16.1
Cities of 10,000 or more	651,100	8,928	13.7
White	462,500	5,224	11.3
Colored	188,600	3,704	19.6
Cities of 2,500 to 10,000	141,600	2,292	16.2
White	114,600	1,762	15.4
Colored	27,000	530	19.6
Rural	1,648,300	17,234	10.5
White	1,218,900	11,057	9.1
Colored	429,400	6,177	14.4
WASHINGTON	1,599,000	16,705	10.4
White	1,556,000	16,135	10.4
Colored	43,000	570	13.3
Cities of 10,000 or more	810,000	9,402	11.6
White	788,700	9,131	11.6
Colored	21,300	271	12.7
Cities of 2,500 to 10,000	96,400	1,756	18.2
White	95,100	1,707	17.9
Colored	1,300	49	37.7
Rural	692,600	5,547	8.0
White	672,200	5,297	7.9
Colored	20,400	250	12.3
WEST VIRGINIA	1,774,000	16,605	9.4
White	1,654,000	14,980	9.1
Colored	120,000	1,625	13.5
WEST VIRGINIA—Con.			
Cities of 10,000 or more	355,100	4,587	12.9
White	331,000	4,157	12.6
Colored	24,100	430	17.8
Cities of 2,500 to 10,000	155,400	2,568	16.5
White	146,700	2,305	15.7
Colored	8,700	263	30.2
Rural	1,263,500	9,450	7.5
White	1,176,300	8,518	7.2
Colored	87,200	932	10.7
WISCONSIN	2,992,000	29,513	9.9
White	2,965,000	29,170	9.8
Colored	27,000	343	12.7
Cities of 10,000 or more	1,333,100	12,622	9.5
White	1,318,400	12,529	9.5
Colored	14,700	93	6.3
Cities of 2,500 to 10,000	277,500	3,612	13.0
White	276,900	3,604	13.0
Colored	600	8	13.3
Rural	1,381,400	13,279	9.6
White	1,369,700	13,037	9.5
Colored	11,700	242	20.7
WYOMING	231,000	1,975	8.5
White	219,000	1,849	8.4
Colored	12,000	126	10.5
Cities of 10,000 or more	35,100	348	9.9
White	33,300	331	9.9
Colored	1,800	17	9.4
Cities of 2,500 to 10,000	37,200	519	14.0
White	35,300	497	14.1
Colored	1,900	22	11.6
Rural	158,700	1,108	7.0
White	150,400	1,021	6.8
Colored	8,300	87	10.5

[1] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[2] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[3] Enumerated population Apr. 1, 1930; no estimate made.
[4] Death rates by color not available (see classification by color or race, p. 5).

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH COUNTY: 1933

[Populations are estimated by the arithmetical method, based on the censuses of 1920 and 1930. Figures for white and colored are shown separately for minor areas only when the colored population formed at least 10 percent of the total, or numbered 10,000 or more in 1930. Very high rates in minor areas may indicate the presence of a hospital or similar institution and very low rates may be due to the lack of a hospital or to the use of other areas for hospitalization]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
Registration Cities			
ALABAMA CITIES			
Anniston	23,100	282	12.2
White	15,700	160	10.2
Colored	7,400	122	16.5
Bessemer	21,100	223	10.6
White	9,200	90	9.8
Colored	11,900	133	11.2
Birmingham	273,300	3,112	11.4
White	169,200	1,550	9.2
Colored	104,100	1,562	15.0
Decatur	17,500	200	11.4
White	13,300	142	10.7
Colored	4,200	58	13.8
Dothan	16,600	270	16.3
White	10,300	167	16.2
Colored	6,300	103	16.3
Fairfield	12,100	254	21.0
White	5,000	97	19.4
Colored	7,100	157	22.1
Florence	11,900	197	16.6
White	9,100	143	15.7
Colored	2,800	54	19.3
Gadsden	34,300	372	10.8
White	27,200	273	10.0
Colored	7,100	99	13.9
Huntsville	12,200	228	18.7
White	8,200	122	14.9
Colored	4,000	106	26.5
Mobile	70,500	1,114	15.8
White	45,400	621	13.7
Colored	25,100	493	19.6
Montgomery	67,800	955	14.1
White	37,100	383	10.3
Colored	30,700	572	18.6
Phenix City	14,500	167	11.5
White	10,100	101	10.0
Colored	4,400	66	15.0
Selma	18,400	408	22.2
White	9,000	170	18.9
Colored	9,400	238	25.3
Tuscaloosa	22,200	416	18.7
White	14,700	286	19.5
Colored	7,500	130	17.3
ARIZONA CITIES			
Phoenix	50,900	1,346	26.4
White	39,800	895	22.5
Colored	11,100	451	40.6
Tucson	34,100	904	26.5
White	21,600	547	25.3
Colored	12,500	357	28.6
ARKANSAS CITIES			
Blytheville	10,700	157	14.7
White	7,700	106	13.8
Colored	3,000	51	17.0
El Dorado	18,600	183	9.8
White	14,200	126	8.9
Colored	4,400	57	13.0
Fort Smith	31,900	456	14.3
White	28,400	390	13.7
Colored	3,500	66	18.9
Hot Springs	21,300	454	21.3
White	16,900	365	21.6
Colored	4,400	89	20.2
Jonesboro	10,500	218	20.8
White	9,200	204	22.2
Colored	1,300	14	10.8
Little Rock	84,500	1,579	18.7
White	64,400	1,027	15.9
Colored	20,100	552	27.5
North Little Rock	20,300	175	8.6
White	14,000	81	5.8
Colored	6,300	94	14.9
Pine Bluff	[1] 20,760	270	13.0
White	[1] 14,593	164	11.2
Colored	[1] 6,167	106	17.2
Texarkana	11,200	165	14.7
White	7,900	88	11.1
Colored	3,300	77	23.3
CALIFORNIA CITIES			
Alameda	36,100	327	9.1
Alhambra	33,000	250	7.6
Anaheim	11,900	84	7.1
White	10,100	75	7.4
Colored	1,800	9	5.0
CALIFORNIA CITIES—Con.			
Bakersfield	26,800	215	8.0
White	23,100	180	7.8
Colored	3,700	35	9.5
Berkeley	86,300	630	7.3
Beverly Hills	20,300	125	6.2
Brawley	11,300	136	12.0
White	5,000	36	7.2
Colored	6,300	100	15.9
Burbank	19,000	143	7.5
Burlingame	14,800	68	4.6
Compton	14,400	116	8.1
Eureka	16,200	283	17.5
Fresno	52,600	431	8.2
White	46,700	389	8.3
Colored	5,900	42	7.1
Fullerton	12,000	86	7.2
Glendale	72,500	733	10.1
Huntington Park	28,000	182	6.5
Inglewood	25,400	141	5.6
Long Beach	157,000	1,494	9.5
Los Angeles	1,354,100	14,772	10.9
White	1,170,800	13,068	11.2
Colored	183,300	1,704	9.3
Modesto	14,600	298	20.4
Monrovia	11,800	157	13.3
White	10,400	152	14.6
Colored	1,400	5	3.6
Oakland	295,600	3,099	10.5
White	278,500	2,956	10.6
Colored	17,100	143	8.4
Ontario	14,400	93	6.5
Pa'o Alto	15,000	128	8.5
Pasadena	81,200	1,068	13.2
Pomona	22,100	224	10.1
Redlands	14,900	160	10.7
White	12,700	146	11.5
Colored	2,200	14	6.4
Richmond	20,500	171	8.3
Riverside	31,500	465	14.8
White	26,100	378	14.5
Colored	5,400	87	16.1
Sacramento	98,500	1,628	16.5
White	88,100	1,399	15.9
Colored	10,400	229	22.0
Salinas	11,300	90	8.0
White	9,800	70	7.1
Colored	1,500	20	13.3
San Bernardino	40,500	622	15.4
White	32,100	462	14.4
Colored	8,400	160	19.0
San Buenaventura	12,900	84	6.5
San Diego	160,100	2,233	13.9
White	144,700	2,042	14.1
Colored	15,400	191	12.4
San Francisco	656,200	8,232	12.5
White	613,600	7,809	12.7
Colored	42,600	423	9.9
San Jose	60,700	559	9.2
San Leandro	12,400	76	6.1
San Mateo	14,700	326	22.2
Santa Ana	32,800	274	8.4
White	28,400	261	9.2
Colored	4,400	13	3.0
Santa Barbara	36,000	324	9.0
White	31,100	292	9.4
Colored	4,900	32	6.5
Santa Cruz	15,000	209	13.9
Santa Monica	40,900	496	12.1
Santa Rosa	11,000	164	14.9
South Gate	[1] 19,632	108	5.5
South Pasadena	14,800	114	7.7
Stockton	49,100	459	9.3
White	43,600	382	8.8
Colored	5,500	77	14.0
Vallejo	[1] 14,476	250	17.3
Whittier	16,000	164	10.3
Belvedere township	[1] 33,023	184	5.6
White	[1] 12,282	84	6.8
Colored	[1] 20,741	100	4.8
Gardena township	[1] 15,969	99	6.2
COLORADO CITIES			
Boulder	11,300	144	12.7
Colorado Springs	33,800	561	16.6
Denver	293,200	3,971	13.5
White	277,200	3,786	13.7
Colored	16,000	185	11.6
Fort Collins	12,000	74	6.2
Grand Junction	10,500	133	12.7
Greeley	12,400	221	17.8
COLORADO CITIES—Con.			
Pueblo	51,300	455	8.9
Trinidad	11,600	149	12.8
CONNECTICUT CITIES			
Ansonia	20,300	119	5.9
Bridgeport	147,300	1,598	10.8
Bristol	29,800	240	8.1
Danbury	22,800	365	16.0
Derby	[1] 10,788	165	15.3
Hartford	168,500	2,059	12.2
Meriden	39,100	461	11.8
Middletown	25,000	544	21.8
Naugatuck	[1] 14,315	91	6.4
New Britain	69,600	531	7.6
New Haven	162,700	2,093	12.9
New London	30,300	405	13.4
Norwalk	37,400	444	11.9
Norwich	23,100	212	9.2
Shelton	10,200	152	14.9
Stamford	48,300	559	11.6
Torrington	26,600	239	9.0
Wallingford	11,400	140	12.3
Waterbury	101,300	1,037	10.2
Willimantic	[1] 12,102	206	17.0
East Hartford town	18,100	95	5.2
Stratford town	20,400	120	5.9
West Hartford town	27,700	156	5.6
West Haven town	[1] 25,808	232	9.0
DELAWARE CITIES			
Wilmington	[1] 106,597	1,570	14.7
White	[1] 94,459	1,307	13.8
Colored	[1] 12,138	263	21.7
DISTRICT OF COLUMBIA			
Washington	495,000	7,872	15.9
White	358,000	4,750	13.3
Colored	137,000	3,122	22.8
FLORIDA CITIES			
Daytona Beach	18,300	244	13.3
White	12,400	164	13.2
Colored	5,900	80	13.6
Gainesville	11,100	221	19.9
White	6,800	105	15.4
Colored	4,300	116	27.0
Jacksonville	138,900	2,089	15.0
White	90,500	1,027	11.3
Colored	48,400	1,062	21.9
Key West	[1] 12,831	220	17.1
White	[1] 10,548	157	14.9
Colored	[1] 2,283	63	27.6
Lakeland	20,000	289	14.5
White	15,800	227	14.4
Colored	4,200	62	14.8
Miami	108,200	1,240	11.5
White	84,000	859	10.2
Colored	24,200	381	15.7
Orlando	29,900	496	16.6
White	21,600	347	16.1
Colored	8,300	149	18.0
Pensacola	31,700	490	15.5
White	22,200	297	13.4
Colored	9,500	193	20.3
St. Augustine	12,100	217	17.9
White	8,900	133	14.9
Colored	3,200	84	26.3
St. Petersburg	42,500	694	16.3
White	34,600	571	16.5
Colored	7,900	123	15.6
Sanford	10,900	147	13.5
White	5,600	53	9.5
Colored	5,300	94	17.7
Tallahassee	11,500	176	15.3
White	6,800	74	10.9
Colored	4,700	102	21.7
Tampa	106,500	1,223	11.5
White	84,000	851	10.1
Colored	22,500	372	16.5
West Palm Beach	29,500	443	15.0
White	19,600	236	12.0
Colored	9,900	207	20.9
GEORGIA CITIES			
Albany	14,900	278	18.7
White	7,300	87	11.9
Colored	7,600	191	25.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
GEORGIA CITIES—Con.			
Athens	18,300	286	15.6
White	11,900	147	12.4
Colored	6,400	139	21.7
Atlanta	280,400	3,948	14.1
White	186,200	2,026	10.9
Colored	94,200	1,922	20.4
Augusta	61,600	1,165	18.9
White	37,000	591	16.0
Colored	24,600	574	23.3
Brunswick	[1] 14,022	213	15.2
White	[1] 7,972	103	12.9
Colored	[1] 6,050	110	18.2
Columbus	43,500	675	15.5
White	29,000	387	13.3
Colored	14,500	288	19.9
Decatur	14,400	94	6.5
White	11,700	57	4.9
Colored	2,700	37	13.7
Griffin	10,700	167	15.6
White	7,100	94	13.2
Colored	3,600	73	20.3
Lagrange	20,600	236	11.5
White	15,000	150	10.0
Colored	5,600	86	15.4
Macon	53,900	956	17.7
White	30,800	422	13.7
Colored	23,100	534	23.1
Rome	22,200	356	16.0
White	17,400	235	13.5
Colored	4,800	121	25.2
Savannah	[1] 85,024	1,540	18.1
White	[1] 46,070	610	13.2
Colored	[1] 38,954	930	23.9
Thomasville	12,200	263	21.6
White	5,900	122	20.7
Colored	6,300	141	22.4
Valdosta	13,900	282	20.3
White	7,500	136	18.1
Colored	6,400	146	22.8
Waycross	[1] 15,510	257	16.6
White	[1] 9,554	152	15.9
Colored	[1] 5,956	105	17.6
IDAHO CITIES			
Boise	[1] 21,544	376	17.5
Pocatello	16,900	194	11.5
ILLINOIS CITIES			
Alton	31,100	363	11.7
Aurora	37,400	570	12.0
Belleville	29,000	356	12.3
Berwyn	52,600	298	5.7
Bloomington	31,300	480	15.3
Blue Island	17,400	156	9.0
Brookfield	11,100	52	4.7
Cairo	[1] 13,532	220	16.3
White	[1] 8,948	123	13.7
Colored	[1] 4,584	97	21.2
Calumet City	13,100	75	5.7
Canton	11,900	166	13.9
Centralia	12,600	176	14.0
Champaign	21,000	192	9.1
Chicago	3,490,700	34,798	10.0
White	3,207,200	30,689	9.6
Colored	283,500	4,109	14.5
Chicago Heights	22,800	183	8.0
White	20,200	160	7.9
Colored	2,600	23	8.8
Cicero	70,300	300	4.3
Danville	37,300	561	15.0
Decatur	59,000	663	11.2
East Moline	10,400	232	22.3
East St. Louis	75,600	899	11.9
White	63,400	701	11.1
Colored	12,200	198	16.2
Elgin	37,400	808	21.6
Elmhurst	15,700	141	9.0
Elmwood Park	13,000	43	3.3
Evanston	67,800	619	9.1
Forest Park	15,200	122	8.0
Freeport	22,500	337	15.0
Galesburg	29,700	390	13.1
Granite City	26,400	254	9.6
Harrisburg	12,400	172	13.9
Harvey	17,700	174	9.8
Highland Park	13,200	101	7.7
Jacksonville	18,100	569	31.4
Joliet	44,700	560	12.5
Kankakee	21,300	299	14.0
Kewanee	[1] 17,093	218	12.8
ILLINOIS CITIES—Con.			
La Grange	10,700	48	4.5
La Salle	[1] 13,149	144	11.0
Lincoln	13,000	255	19.6
Mattoon	14,800	241	16.3
Maywood	28,200	149	5.3
Melrose Park	11,400	86	7.5
Moline	32,500	363	11.2
Mount Vernon	12,800	153	12.0
Oak Park	68,100	778	11.4
Ottawa	15,800	154	9.7
Park Ridge	11,600	50	4.3
Pekin	16,800	181	10.8
Peoria	109,800	1,165	10.6
Quincy	39,500	590	14.9
Rockford	89,200	764	8.6
Rock Island	35,400	372	9.7
Springfield	73,800	1,104	15.0
Sterling	10,300	153	14.9
Streator	[1] 14,728	208	14.1
Urbana	13,500	144	10.7
Waukegan	35,800	213	5.9
West Frankfort	15,700	163	10.4
Wilmette	16,500	105	6.4
Winnetka	13,100	86	6.6
INDIANA CITIES			
Anderson	41,100	445	10.8
Bedford	13,900	159	11.4
Bloomington	19,800	196	9.9
Connersville	13,100	160	12.2
Crawfordsville	10,400	170	16.3
East Chicago	58,000	395	6.8
White	46,100	308	6.7
Colored	11,900	87	7.3
Elkhart	33,600	340	10.1
Elwood	[1] 10,685	155	14.5
Evansville	105,100	1,151	11.0
Fort Wayne	120,100	1,166	9.7
Frankfort	12,300	173	14.1
Gary	108,000	891	8.3
White	83,900	614	7.3
Colored	24,100	277	11.5
Goshen	10,500	131	12.5
Hammond	69,100	514	7.4
Huntington	[1] 13,420	152	11.3
Indianapolis	372,100	4,872	13.1
White	326,400	4,107	12.6
Colored	45,700	765	16.7
Jeffersonville	12,300	195	15.9
White	11,000	161	14.6
Colored	1,300	34	26.2
Kokomo	33,200	382	11.5
Lafayette	26,900	483	18.0
La Porte	15,900	226	14.2
Logansport	[1] 18,508	315	17.0
Marion	24,600	306	12.4
Michigan City	27,900	280	10.0
Mishawaka	30,800	262	8.5
Muncie	47,200	584	12.4
New Albany	26,600	331	12.4
New Castle	[1] 14,027	144	10.3
Peru	12,800	161	12.6
Richmond	33,200	302	9.1
Shelbyville	10,800	158	14.6
South Bend	109,600	840	7.7
Terre Haute	[1] 62,810	926	14.7
Vincennes	17,600	302	17.2
Whiting	11,000	57	5.2
IOWA CITIES			
Ames	10,900	76	7.0
Boone	[1] 11,886	165	13.9
Burlington	27,200	344	12.6
Cedar Rapids	57,300	627	10.9
Clinton	26,000	352	13.5
Council Bluffs	43,200	605	14.0
Davenport	61,200	762	12.5
Des Moines	145,300	1,657	11.4
Dubuque	42,100	572	13.6
Fort Dodge	22,300	250	11.2
Fort Madison	14,100	189	13.4
Iowa City	16,000	689	43.1
Keokuk	15,200	278	18.3
Marshalltown	17,700	285	16.1
Mason City	23,900	286	12.0
Muscatine	16,900	244	14.4
Newton	12,400	101	8.1
Oskaloosa	10,200	149	14.6
Ottumwa	28,900	364	12.6
Sioux City	80,500	1,048	13.0
Waterloo	47,900	384	8.0
KANSAS CITIES			
Arkansas City	14,400	147	10.2
Atchison	13,100	188	14.4
White	11,400	160	14.0
Colored	1,700	28	16.5
Chanute	[1] 10,277	158	15.4
Coffeyville	16,200	176	10.9
White	14,100	149	10.6
Colored	2,100	27	12.9
Dodge City	11,000	152	13.8
El Dorado	[1] 10,311	120	11.6
Emporia	14,600	184	12.6
Fort Scott	10,800	223	20.6
Hutchinson	27,700	340	12.3
Independence	12,900	176	13.6
Kansas City	123,400	1,593	12.9
White	99,900	1,259	12.6
Colored	23,500	334	14.2
Lawrence	13,900	220	15.8
White	12,500	176	14.1
Colored	1,400	44	31.4
Leavenworth	17,600	271	15.4
White	15,300	233	15.2
Colored	2,300	38	16.5
Manhattan	10,500	128	12.2
Newton	11,200	158	14.1
Parsons	[1] 14,903	174	11.7
White	[1] 13,372	155	11.6
Colored	[1] 1,531	19	12.4
Pittsburg	18,200	156	8.6
Salina	20,900	242	11.6
Topeka	65,700	834	12.7
White	57,900	736	12.7
Colored	7,800	98	12.6
Wichita	117,600	1,089	9.3
KENTUCKY CITIES			
Ashland	30,900	310	10.0
Bowling Green	12,800	214	16.7
White	10,300	170	16.5
Colored	2,500	44	17.6
Covington	66,600	896	13.5
Fort Thomas	10,900	72	6.6
Frankfort	11,900	175	14.7
White	9,700	129	13.3
Colored	2,200	46	20.9
Henderson	[1] 11,668	211	18.1
White	[1] 9,322	146	15.7
Colored	[1] 2,346	65	27.7
Hopkinsville	10,900	215	19.7
White	6,900	101	14.6
Colored	4,000	114	28.5
Lexington	46,100	1,092	23.7
White	33,400	690	20.7
Colored	12,700	402	31.7
Louisville	317,500	4,184	13.2
White	268,900	3,202	11.9
Colored	48,600	982	20.2
Middlesborough	10,700	153	14.3
Newport	[1] 29,744	270	9.1
Owensboro	23,100	362	15.7
White	20,700	302	14.6
Colored	2,400	60	25.0
Paducah	35,000	473	13.5
White	28,100	336	12.0
Colored	6,900	137	19.9
LOUISIANA CITIES			
Alexandria	24,000	278	11.6
White	14,100	128	9.1
Colored	9,900	150	15.2
Baton Rouge	31,900	272	8.5
White	21,000	144	6.9
Colored	10,900	128	11.7
Bogalusa	15,000	165	11.0
White	9,900	110	11.1
Colored	5,100	55	10.8
Lafayette	15,800	150	9.5
White	10,400	80	7.7
Colored	5,400	70	13.0
Lake Charles	16,300	238	14.6
White	10,000	141	14.1
Colored	6,300	97	15.4
Monroe	28,300	445	15.7
White	17,300	231	13.4
Colored	11,000	214	19.5
New Orleans	471,000	7,519	16.0
White	335,000	4,466	13.3
Colored	136,000	3,053	22.4
Shreveport	81,000	1,765	21.8
White	52,500	837	15.9
Colored	28,500	928	32.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
MAINE CITIES			
Auburn	18,800	213	11.3
Augusta	17,700	335	18.9
Bangor	29,200	598	20.5
Biddeford	[1] 17,633	251	14.2
Lewiston	35,500	651	18.3
Portland	71,100	1,169	16.4
South Portland	14,600	125	8.6
Waterville	15,800	228	14.4
Westbrook	11,000	114	10.4
MARYLAND CITIES			
Annapolis	12,700	152	12.0
White	9,200	87	9.5
Colored	3,500	65	18.6
Baltimore	817,100	10,796	13.2
White	668,500	8,245	12.3
Colored	148,600	2,551	17.2
Cumberland	39,100	477	12.2
Frederick	14,900	216	14.5
White	13,300	197	14.8
Colored	1,600	19	11.9
Hagerstown	31,300	431	13.8
Salisbury	11,600	235	20.3
White	9,600	161	16.8
Colored	2,000	74	37.0
MASSACHUSETTS CITIES			
Attleboro	22,100	256	11.6
Beverly	25,500	306	12.0
Boston	736,900	11,085	14.1
White	763,600	10,668	14.0
Colored	23,300	417	17.9
Brockton	[1] 63,797	816	12.8
Cambridge	114,300	1,407	12.3
Chelsea	46,300	544	11.7
Chicopee	45,300	302	6.7
Everett	49,800	383	7.7
Fall River	[1] 115,274	1,569	13.6
Fitchburg	[1] 40,692	446	11.0
Gardner	19,800	234	11.8
Gloucester	24,400	285	11.7
Haverhill	[1] 48,710	639	13.1
Holyoke	[1] 56,537	703	12.4
Lawrence	[1] 85,068	878	10.3
Leominster	22,200	241	10.9
Lowell	[1] 100,234	1,337	13.3
Lynn	102,900	1,032	10.0
Malden	59,600	546	9.2
Marlborough	15,700	178	11.3
Medford	63,300	453	7.2
Melrose	24,000	291	12.1
New Bedford	[1] 112,597	1,333	11.8
Newburyport	[1] 15,084	246	16.3
Newton	68,600	665	9.7
North Adams	[1] 21,621	279	12.9
Northampton	24,800	479	19.3
Peabody	21,700	255	11.8
Pittsfield	51,000	592	11.6
Quincy	76,100	709	9.3
Revere	36,900	224	6.1
Salem	43,500	489	11.2
Somerville	105,800	988	9.3
Springfield	153,400	1,719	11.2
Taunton	37,400	600	16.0
Waltham	40,700	464	11.4
Westfield	20,000	195	9.8
Woburn	19,900	171	8.6
Worcester	198,000	2,491	12.6
Adams town	[1] 12,697	114	9.0
Amesbury town	12,200	103	8.4
Arlington town	39,100	325	8.3
Athol town	10,800	130	12.0
Belmont town	23,600	156	6.6
Braintree town	16,600	153	9.2
Brookline town	49,200	486	9.9
Clinton town	[1] 12,817	151	11.8
Danvers town	13,300	376	28.3
Dedham town	15,900	108	6.8
East Hampton town	11,300	93	8.2
Fairhaven town	11,600	111	9.6
Framingham town	23,100	251	10.9
Greenfield town	15,500	174	11.2
Methuen town	22,100	187	8.5
Milford town	15,000	167	11.1
Milton town	17,600	124	7.0
Natick town	14,000	167	11.9
Needham town	11,500	89	7.7
North Attleborough town	10,400	90	8.7
Norwood town	15,500	178	11.5
Plymouth town	[1] 13,042	168	12.9
Saugus town	15,400	108	7.0
MASSACHUSETTS CITIES—Continued			
Southbridge town	14,300	140	9.8
Stoneham town	10,400	134	12.9
Swampscott town	10,700	80	7.5
Wakefield town	16,900	153	9.1
Watertown town	37,200	218	5.9
Webster town	[1] 12,992	144	11.1
Wellesley town	12,300	73	5.9
West Springfield town	17,200	100	5.8
Weymouth town	21,900	256	11.7
Winchester town	13,100	125	9.5
Winthrop town	17,100	172	10.1
MICHIGAN CITIES			
Adrian	13,300	217	16.3
Alpena	12,300	159	12.9
Ann Arbor	28,200	952	33.8
Battle Creek	44,600	518	11.6
Bay City	[1] 47,355	595	12.6
Benton Harbor	16,000	218	13.6
Dearborn	58,500	203	3.5
Detroit	1,666,100	12,441	7.5
White	1,522,700	10,824	7.1
Colored	143,400	1,617	11.3
Ecorse	14,100	44	3.1
White	12,500	41	3.3
Colored	1,600	3	1.9
Escanaba	14,800	173	11.7
Ferndale	24,000	96	4.0
Flint	167,200	1,320	7.9
Grand Rapids	172,800	1,597	9.2
Grosse Pointe Park	12,900	57	4.4
Hamtramck	57,600	266	4.6
Highland Park	54,100	440	8.1
Holland	14,700	139	9.5
Iron Mountain	12,200	101	8.3
Ironwood	[1] 14,299	121	8.5
Jackson	56,300	630	11.2
Kalamazoo	55,600	902	16.2
Lansing	81,700	754	9.2
Lincoln Park	[1] 12,336	33	2.7
Marquette	15,100	161	10.7
Menominee	10,600	129	12.2
Monroe	19,100	202	10.6
Mount Clemens	14,200	186	13.1
Muskegon	48,200	500	10.4
Muskegon Heights	16,600	57	3.4
Niles	12,000	126	10.5
Owosso	14,800	186	12.6
Pontiac	69,700	524	7.5
Port Huron	32,300	367	11.4
River Rouge	18,600	74	4.0
Royal Oak	25,800	179	6.9
Saginaw	83,300	918	11.0
Sault Ste. Marie	14,000	208	14.9
Traverse City	12,800	307	24.0
Wyandotte	30,300	212	7.0
Ypsilanti	10,600	130	12.3
White	9,200	113	12.3
Colored	1,400	17	12.1
MINNESOTA CITIES			
Albert Lea	10,200	121	11.9
Austin	12,600	139	11.0
Brainerd	10,300	137	13.3
Duluth	101,900	1,061	10.4
Faribault	13,100	194	14.8
Hibbing	[1] 15,666	128	8.2
Mankato	14,400	211	14.7
Minneapolis	477,700	5,059	10.6
Rochester	21,800	743	34.1
St. Cloud	22,200	255	11.5
St. Paul	277,900	2,897	10.4
South St. Paul	10,500	45	4.3
Virginia	[1] 11,963	67	5.6
Winona	21,100	223	10.6
MISSISSIPPI CITIES			
Biloxi	15,500	162	10.5
White	12,900	123	9.5
Colored	2,600	39	15.0
Clarksdale	10,500	166	15.8
White	5,400	52	9.6
Colored	5,100	114	22.4
Columbus	10,800	170	15.7
White	6,000	65	10.8
Colored	4,800	105	21.9
Greenville	14,900	308	20.7
White	6,500	88	13.5
Colored	8,400	220	26.2
MISSISSIPPI CITIES—Contd.			
Greenwood	11,700	155	13.2
White	6,100	66	10.8
Colored	5,600	89	15.9
Gulfport	13,300	179	13.5
White	9,900	129	13.0
Colored	3,400	50	14.7
Hattiesburg	19,500	250	12.8
White	12,400	146	11.8
Colored	7,100	104	14.6
Jackson	52,500	926	17.6
White	31,500	422	13.4
Colored	21,000	504	24.0
Laurel	18,800	278	14.8
White	11,700	168	14.4
Colored	7,100	110	15.5
McComb	10,400	139	13.4
White	8,400	102	12.1
Colored	2,000	37	18.5
Meridian	32,000	624	19.5
White	20,600	360	17.5
Colored	11,400	264	23.2
Natchez	13,600	202	14.9
White	6,300	84	13.3
Colored	7,300	118	16.2
Vicksburg	23,800	520	21.8
White	11,400	202	17.7
Colored	12,400	318	25.6
MISSOURI CITIES			
Cape Girardeau	16,700	284	17.0
Columbia	15,700	214	13.6
White	13,400	171	12.8
Colored	2,300	43	18.7
Hannibal	23,400	326	13.9
Independence	15,900	226	14.2
Jefferson City	22,500	228	10.1
White	20,300	205	10.1
Colored	2,200	23	10.5
Joplin	33,700	501	14.9
Kansas City	412,600	5,150	12.5
White	369,100	4,276	11.6
Colored	43,500	874	20.1
Maplewood	13,600	53	3.9
Moberly	13,900	215	15.5
St. Charles	10,800	191	17.7
St. Joseph	81,400	1,263	15.5
St. Louis	830,300	10,548	12.7
White	731,100	8,714	11.9
Colored	99,200	1,834	18.5
Sedalia	[1] 20,806	263	12.6
White	[1] 18,649	231	12.4
Colored	[1] 2,157	32	14.8
Springfield	59,500	885	14.9
University City	29,100	133	4.6
Webster Groves	17,700	110	6.2
MONTANA CITIES			
Anaconda	12,600	137	10.9
Billings	16,600	226	13.6
Butte	[1] 39,532	485	12.3
Great Falls	29,700	346	11.6
Helena	[1] 11,803	173	14.7
Missoula	15,000	232	15.5
NEBRASKA CITIES			
Beatrice	10,400	149	14.3
Fremont	11,700	119	10.2
Grand Island	18,700	299	16.0
Hastings	16,100	185	11.5
Lincoln	81,900	891	10.9
Norfolk	11,100	273	24.6
North Platte	12,300	128	10.4
Omaha	217,800	2,631	12.1
White	205,300	2,448	11.9
Colored	12,500	183	14.6
NEVADA CITY			
Reno	19,600	312	15.9
NEW HAMPSHIRE CITIES			
Berlin	20,700	161	7.8
Concord	25,800	556	21.6
Dover	13,700	205	15.0
Keene	14,200	209	14.7
Laconia	12,700	189	14.9
Manchester	[1] 76,834	862	11.2
Nashua	32,000	406	12.7
Portsmouth	14,700	177	12.0

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
NEW HAMPSHIRE CITIES—Continued			
Rochester	10,300	160	15.5
Claremont town	12,900	135	10.5
NEW JERSEY CITIES			
Asbury Park	15,400	163	10.6
White	11,700	127	10.9
Colored	3,700	36	9.7
Atlantic City	68,800	1,166	16.9
White	52,400	863	16.5
Colored	16,400	303	18.5
Bayonne	91,100	565	6.2
Belleville	28,900	264	9.1
Bloomfield	40,800	213	5.2
Bridgeton	15,900	222	14.0
Burlington	11,200	98	8.8
White	9,600	89	9.3
Colored	1,600	9	5.6
Camden	119,100	1,536	12.9
White	107,200	1,345	12.5
Colored	11,900	191	16.1
Carteret	13,600	45	3.3
Cliffside Park	16,900	64	3.8
Clifton	50,400	238	4.7
Collingswood	13,400	107	8.0
Dover	10,100	173	17.1
East Orange	71,000	523	7.4
Elizabeth	117,900	1,244	10.6
Englewood	18,900	306	16.2
White	16,100	278	17.3
Colored	2,800	28	10.0
Garfield	31,500	113	3.6
Gloucester	14,000	106	7.6
Hackensack	25,700	523	20.4
White	22,900	472	20.6
Colored	2,800	51	18.2
Harrison	[1] 15,601	67	4.3
Hawthorne	13,000	69	5.3
Hoboken	[1] 59,261	610	10.3
Irvington	62,100	407	6.6
Jersey City	319,900	3,466	10.8
White	306,300	3,263	10.7
Colored	13,600	203	14.9
Kearny	43,100	307	7.1
Linden	[1] 21,206	85	4.0
Lodi	12,100	49	4.0
Long Branch	19,200	439	22.9
Millville	14,700	191	13.0
Montclair	44,300	388	8.8
White	37,300	338	9.1
Colored	7,000	50	7.1
Morristown	15,700	369	23.5
Newark	447,000	4,921	11.0
White	403,500	4,226	10.5
Colored	43,500	695	16.0
New Brunswick	34,900	517	14.8
Nutley	22,500	91	4.0
Orange	35,800	601	16.8
White	30,500	521	17.1
Colored	5,300	80	15.1
Passaic	[1] 62,959	743	11.8
Paterson	139,000	1,720	12.4
Perth Amboy	43,800	438	10.0
Phillipsburg	19,600	228	11.6
Plainfield	35,600	497	14.0
White	31,700	443	14.0
Colored	3,900	54	13.8
Pleasantville	12,600	96	7.6
White	10,400	83	8.0
Colored	2,200	13	5.9
Rahway	16,900	205	12.1
Red Bank	12,000	138	11.5
White	10,300	122	11.8
Colored	1,700	16	9.4
Ridgefield Park	11,100	75	6.8
Ridgewood	13,000	81	6.2
Roselle	14,200	58	4.1
White	12,500	49	3.9
Colored	1,700	9	5.3
Rutherford	15,800	120	7.6
South Orange	14,700	99	6.7
South River	11,500	53	4.6
Summit	15,300	180	11.8
Trenton	124,100	1,649	13.3
Union City	[1] 58,659	343	5.8
Westfield	17,000	98	5.8
West New York	38,300	168	4.4
West Orange	25,800	131	5.1
Cranford township	12,000	65	5.4
Hillside township	19,700	77	4.0
NEW JERSEY CITIES—Con.			
Lyndhurst township	18,700	98	5.2
Maplewood township	24,100	155	6.4
Neptune township	11,300	289	25.6
White	9,300	252	27.1
Colored	2,000	37	18.5
North Bergen township	43,700	225	5.1
Pensauken township	18,700	108	5.8
Teaneck township	18,600	316	17.0
Union township	18,600	69	3.7
Weehawken township	14,900	282	18.9
Woodbridge township	27,300	168	6.2
NEW MEXICO CITIES			
Albuquerque	27,200	615	22.6
Roswell [2]	11,900	197	16.6
Santa Fe	11,900	235	19.7
NEW YORK CITIES			
Albany	129,800	1,863	14.4
Amsterdam	35,000	411	11.7
Auburn	36,700	482	13.1
Batavia	18,000	271	15.1
Beacon	12,100	202	16.7
Binghamton	78,300	1,082	13.8
Buffalo	584,400	7,087	12.1
White	568,600	6,813	12.0
Colored	15,800	274	17.3
Cohoes	23,300	273	11.7
Corning	[1] 15,777	210	13.3
Cortland	15,300	254	16.6
Dunkirk	[1] 17,802	243	13.7
Elmira	47,700	688	14.4
Endicott	16,800	224	13.3
Floral Park	11,400	72	6.3
Freeport	17,100	161	9.4
Fulton	[1] 12,462	166	13.3
Geneva	16,300	230	14.1
Glen Cove	12,100	154	12.7
Glens Falls	18,900	317	16.8
Gloversville	23,300	395	17.0
Hempstead	17,300	150	8.7
Herkimer	[1] 10,446	112	10.7
Hornell	16,700	221	13.2
Hudson	12,400	245	19.8
Ithaca	21,300	303	14.2
Jamestown	46,200	526	11.4
Johnson City	14,400	194	13.5
Johnstown	[1] 10,801	138	12.8
Kenmore	18,800	78	4.1
Kingston	28,300	571	20.2
Lackawanna	25,000	197	7.9
White	22,200	186	8.4
Colored	2,800	11	3.9
Little Falls	[1] 11,105	156	14.0
Lockport	23,500	284	12.1
Lynbrook	13,300	99	7.4
Mamaroneck	12,700	86	6.8
Massena	11,400	78	6.8
Middletown	21,800	445	20.4
Mount Vernon	64,700	492	7.6
Newburgh	31,400	471	15.0
New Rochelle	57,000	466	8.2
New York	7,154,300	75,322	10.5
White	6,780,100	69,565	10.3
Colored	374,200	5,757	15.4
Bronx Borough	1,356,300	11,053	8.1
White	1,341,400	10,553	7.9
Colored	14,900	500	33.6
Brooklyn Borough	2,653,000	25,862	9.7
White	2,574,500	24,617	9.6
Colored	78,500	1,245	15.9
Manhattan Borough	1,796,100	27,984	15.6
White	1,540,100	24,424	15.9
Colored	256,000	3,560	13.9
Queens Borough	1,183,400	8,053	6.8
White	1,161,500	7,835	6.7
Colored	21,900	218	10.0
Richmond Borough	165,500	2,370	14.3
White	162,600	2,136	13.1
Colored	2,900	234	80.7
Niagara Falls	79,100	609	7.7
North Tonawanda	19,600	195	9.9
Ogdensburg	17,300	452	26.1
Olean	21,900	285	13.0
Oneida	10,600	164	15.5
Oneonta	12,700	200	15.7
Ossining	15,900	185	11.6
Oswego	[1] 22,652	314	13.9
Peekskill	17,300	223	12.9
Plattsburg	13,800	273	19.8
NEW YORK CITIES—Con.			
Port Chester	23,700	264	11.1
Port Jervis	10,300	167	16.2
Poughkeepsie	40,700	558	13.7
Rensselaer	11,300	124	11.0
Rochester	333,500	3,781	11.3
Rockville Centre	15,100	97	6.4
Rome	33,400	592	17.7
Saratoga Springs	[1] 13,169	278	21.1
Schenectady	96,400	1,043	10.8
Syracuse	214,500	2,411	11.2
Tonawanda	13,100	96	7.3
Troy	72,900	1,203	16.5
Utica	102,600	1,440	14.0
Valley Stream	[1] 11,790	85	7.2
Watertown	32,400	574	17.7
Watervliet	16,100	163	10.1
White Plains	38,400	331	8.6
Yonkers	140,500	1,209	8.6
Irondequoit town	20,200	93	4.6
NORTH CAROLINA CITIES			
Asheville	52,500	683	13.0
White	37,400	469	12.5
Colored	15,100	214	14.2
Charlotte	88,400	944	10.7
White	61,600	506	8.2
Colored	26,800	438	16.3
Concord	12,100	137	11.3
White	10,100	113	11.2
Colored	2,000	24	12.0
Durham	58,900	857	14.6
White	37,600	458	12.2
Colored	21,300	399	18.7
Elizabeth City	10,200	177	17.4
White	6,400	72	11.3
Colored	3,800	105	27.6
Fayetteville	13,800	315	22.8
White	8,100	198	24.4
Colored	5,700	117	20.5
Gastonia	17,800	225	12.6
White	14,500	146	10.1
Colored	3,300	79	23.9
Goldsboro	15,600	271	17.4
White	8,400	129	15.4
Colored	7,200	142	19.7
Greensboro	57,400	578	10.1
White	42,600	353	8.3
Colored	14,800	225	15.2
High Point	40,400	311	7.7
White	32,400	221	6.8
Colored	8,000	90	11.3
Kinston	11,600	225	19.4
White	6,400	122	19.1
Colored	5,200	103	19.8
New Bern	[1] 11,981	211	17.6
White	[1] 5,703	84	14.7
Colored	[1] 6,278	127	20.2
Raleigh	39,000	700	17.9
White	25,900	425	16.4
Colored	13,100	275	21.0
Rocky Mount	22,800	322	14.1
White	13,500	160	11.9
Colored	9,300	162	17.4
Salisbury	17,500	213	12.2
White	13,400	155	11.6
Colored	4,100	58	14.1
Shelby	12,000	109	9.1
White	9,600	93	9.7
Colored	2,400	16	6.7
Statesville	10,900	201	18.4
White	9,200	162	17.6
Colored	1,700	39	22.9
Thomasville	10,800	82	7.6
White	9,000	60	6.7
Colored	1,800	22	12.2
Wilmington	[1] 32,270	544	16.9
White	[1] 19,159	258	13.5
Colored	[1] 13,111	286	21.8
Wilson	13,000	235	18.1
White	6,600	81	12.3
Colored	6,400	154	24.1
Winston-Salem	78,700	889	11.3
White	44,600	421	9.4
Colored	34,100	468	13.7
NORTH DAKOTA CITIES			
Bismarck	11,800	248	21.0
Fargo	29,700	332	11.2
Grand Forks	17,600	235	13.4
Minot	17,100	229	13.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
OHIO CITIES			
Akron	265,100	1,984	7.5
White	252,600	1,839	7.3
Colored	12,500	145	11.6
Alliance	23,300	272	11.7
Ashland	11,500	162	14.1
Ashtabula	23,400	274	11.7
Barberton	25,100	222	8.8
Bellaire	[1] 13,327	180	13.5
Bucyrus	[1] 10,027	174	17.4
Cambridge	16,600	192	11.6
Campbell	15,000	73	4.9
White	12,900	53	4.1
Colored	2,100	20	9.5
Canton	107,500	926	8.6
Chillicothe	18,800	240	12.8
Cincinnati	460,100	6,548	14.2
White	408,900	5,509	13.5
Colored	51,200	1,039	20.3
Cleveland	918,400	9,143	10.0
White	837,900	8,034	9.6
Colored	80,500	1,109	13.8
Cleveland Heights	57,100	307	5.4
Columbus	299,700	4,017	13.4
White	264,900	3,386	12.8
Colored	34,800	631	18.1
Coshocton	10,900	146	13.4
Cuyahoga Falls	21,400	106	5.0
Dayton	206,600	2,456	11.9
White	188,400	2,212	11.7
Colored	18,200	244	13.4
East Cleveland	41,800	252	6.0
East Liverpool	23,700	325	13.7
Elyria	26,500	283	10.7
Euclid	14,400	84	5.8
Findlay	19,800	262	13.2
Fostoria	13,200	142	10.8
Fremont	13,600	150	11.0
Garfield Heights	17,800	72	4.0
Hamilton	54,300	528	9.7
Ironton	16,900	215	12.7
Lakewood	75,400	498	6.6
Lancaster	19,300	247	12.8
Lima	42,500	577	13.6
Lorain	45,700	356	7.8
Mansfield	34,300	377	11.0
Marietta	[1] 14,285	251	17.6
Marion	31,600	378	12.0
Martins Ferry	14,600	233	16.0
Massillon	26,700	289	10.8
Middletown	30,900	339	11.0
Newark	30,700	414	13.5
New Philadelphia	12,600	119	9.4
Niles	16,700	104	6.2
Norwood	34,900	189	5.4
Painesville	11,600	166	14.2
Parma	[1] 13,899	62	4.5
Piqua	16,200	207	12.8
Portsmouth	43,800	585	13.4
Salem	10,700	164	15.3
Sandusky	24,900	320	12.9
Shaker Heights	20,500	89	4.3
Springfield	70,100	826	11.8
White	61,600	704	11.4
Colored	8,500	122	14.4
Steubenville	36,400	430	11.8
Struthers	12,200	55	4.5
Tiffin	16,800	231	13.8
Toledo	298,900	3,456	11.6
White	283,500	3,217	11.3
Colored	15,400	239	15.5
Warren	43,500	357	8.2
Wooster	11,200	120	10.7
Xenia	10,600	143	13.5
White	8,500	108	12.7
Colored	2,100	35	16.7
Youngstown	174,200	1,585	9.1
White	157,800	1,328	8.4
Colored	16,400	257	15.7
Zanesville	36,800	559	15.2
OKLAHOMA CITIES			
Ada	11,800	174	14.7
Ardmore	16,000	222	13.9
White	13,500	185	13.7
Colored	2,500	37	14.8
Bartlesville	14,800	156	10.5
Chickasha	14,700	218	14.8
White	13,000	187	14.4
Colored	1,700	31	18.2
Enid	28,100	364	13.0
Lawton	13,000	193	14.8
McAlester	12,000	273	22.8
White	9,900	234	23.6
Colored	2,100	39	18.6
OKLAHOMA CITIES—Con.			
Muskogee	32,300	557	17.2
White	24,300	382	15.7
Colored	8,000	175	21.9
Oklahoma City	201,400	2,060	10.2
White	183,900	1,844	10.0
Colored	17,500	216	12.3
Okmulgee	[1] 17,097	233	13.6
White	[1] 13,044	141	10.8
Colored	[1] 4,053	92	22.7
Ponca City	17,700	162	9.2
Sapulpa	[1] 10,533	149	14.1
White	[1] 9,181	121	13.2
Colored	[1] 1,352	28	20.7
Seminole	13,500	127	9.4
Shawnee	24,500	241	9.8
Tulsa	148,000	1,238	8.4
White	130,000	1,033	7.9
Colored	18,000	205	11.4
Wewoka	11,900	131	11.0
White	10,000	84	8.4
Colored	1,900	47	24.7
OREGON CITIES			
Astoria	[1] 10,349	157	15.2
Eugene	20,200	322	15.9
Klamath Falls	18,300	138	7.5
Medford	11,900	187	15.7
Portland	309,100	3,521	11.4
Salem	27,700	618	22.3
PENNSYLVANIA CITIES			
Aliquippa	29,100	152	5.2
Allentown	97,800	1,317	13.5
Altoona	82,800	890	10.7
Ambridge	21,500	65	3.0
Arnold	11,300	45	4.0
Beaver Falls	17,400	177	10.2
Bellevue	10,600	163	15.4
Berwick	[1] 12,660	128	10.1
Bethlehem	58,500	364	6.2
Braddock	[1] 19,329	222	11.5
White	[1] 17,084	189	11.1
Colored	[1] 2,245	33	14.7
Bradford	20,000	252	12.6
Bristol	[1] 11,799	105	8.9
Butler	[1] 23,568	182	7.7
Canonsburg	12,900	120	9.3
Carbondale	20,300	273	13.4
Carlisle	12,800	243	19.0
Carnegie	12,700	89	7.0
Chambersburg	13,900	177	12.7
Charleroi	[1] 11,260	80	7.1
Chester	59,400	687	11.6
White	49,700	519	10.4
Colored	9,700	168	17.3
Clairton	16,000	77	4.8
White	13,600	65	4.8
Colored	2,400	12	5.0
Coatesville	14,600	95	6.5
White	12,300	79	6.4
Colored	2,300	16	7.0
Columbia	11,400	134	11.8
Connellsville	[1] 13,290	197	14.8
Conshohocken	11,200	82	7.3
Coraopolis	11,500	81	7.0
Dickson City	12,600	71	5.6
Donora	[1] 13,905	65	4.7
Dormont	14,300	67	4.7
Du Bois	[1] 11,595	166	14.3
Dunmore	23,000	227	9.9
Duquesne	21,800	95	4.4
Easton	34,600	268	7.7
Ellwood City	12,900	96	7.4
Erie	118,300	1,307	11.0
Farrell	[1] 14,359	79	5.5
White	[1] 12,751	62	4.9
Colored	[1] 1,608	17	10.6
Franklin	10,300	109	10.6
Greensburg	16,900	266	15.7
Hanover	12,000	140	11.7
Harrisburg	80,900	1,206	14.9
Hazleton	37,500	544	14.5
Homestead	[1] 20,141	210	10.4
White	[1] 16,535	177	10.7
Colored	[1] 3,606	33	9.2
Jeannette	15,200	87	5.7
Johnstown	[1] 66,993	860	12.8
Kingston	22,700	293	12.9
Lancaster	61,100	894	14.6
Latrobe	10,800	150	13.9
Lebanon	26,000	385	14.8
PENNSYLVANIA CITIES—Continued			
Lewistown	14,000	146	10.4
McKeesport	56,000	568	10.1
McKees Rocks	18,300	97	5.3
Mahanoy City	[1] 14,784	109	7.4
Meadville	17,000	314	18.5
Monessen	[1] 20,268	123	6.1
Mount Carmel	18,100	158	8.5
Munhall	14,100	55	3.9
Nanticoke	26,600	375	14.1
New Castle	49,300	469	9.5
New Kensington	24,200	228	9.4
Norristown	36,500	732	20.1
North Braddock	17,100	71	4.2
Oil City	22,200	266	12.0
Old Forge	12,700	90	7.1
Olyphant	10,800	76	7.0
Philadelphia	1,972,700	23,906	12.1
White	1,735,400	20,484	11.8
Colored	237,300	3,422	14.4
Phoenixville	12,300	143	11.6
Pittsburgh	678,500	7,441	11.0
White	619,900	6,703	10.8
Colored	58,600	738	12.6
Pittston	[1] 18,246	166	9.1
Plymouth	16,600	124	7.5
Pottstown	19,800	257	13.0
Pottsville	24,700	457	18.5
Reading	111,800	1,220	10.9
Scranton	144,400	1,891	13.1
Shamokin	[1] 20,274	181	8.9
Sharon	26,300	324	12.3
Shenandoah	[1] 21,782	203	9.3
Steelton	[1] 13,291	98	7.4
White	[1] 10,711	75	7.0
Colored	[1] 2,580	23	8.9
Sunbury	[1] 15,626	232	14.8
Swissvale	16,900	77	4.6
Tamaqua	13,000	108	8.3
Taylor	10,500	104	9.9
Turtle Creek	11,100	59	5.3
Uniontown	[1] 19,544	346	17.7
Vandergrift	11,800	49	4.2
Warren	15,000	192	12.8
Washington	25,100	382	15.2
Waynesboro	10,200	129	12.6
West Chester	12,400	320	25.8
White	10,300	253	24.6
Colored	2,100	67	31.9
Wilkes-Barre	87,100	1,318	15.1
Wilkinsburg	30,500	303	9.9
Williamsport	46,700	639	13.7
York	56,600	721	12.7
Abington township	20,400	359	17.6
Cheltenham township	16,500	98	5.9
Hanover township	18,900	114	6.0
Harrison township	12,900	160	12.4
Haverford township	23,900	118	4.9
Lower Merion township	37,100	361	9.7
Mount Lebanon township	15,300	79	5.2
Plains township	16,400	106	6.5
Stowe township	13,800	111	8.0
Upper Darby township	53,100	367	6.9
RHODE ISLAND CITIES			
Central Falls	26,200	217	8.3
Cranston	45,200	817	18.1
Newport	[1] 27,612	362	13.1
Pawtucket	79,400	743	9.4
Providence	255,600	3,156	12.3
Warwick	24,900	223	9.0
Woonsocket	50,400	526	10.4
Bristol town	12,100	103	8.5
Cumberland town	10,300	106	10.3
East Providence town	31,400	244	7.8
Lincoln town	10,600	73	6.9
North Providence town	11,700	70	6.0
Westerly town	11,200	137	12.2
West Warwick town	18,100	138	7.6
SOUTH CAROLINA CITIES			
Anderson	14,900	327	21.9
White	11,000	205	18.6
Colored	3,900	122	31.3
Charleston	[1] 62,265	1,267	20.3
White	[1] 34,177	428	12.5
Colored	[1] 28,088	839	29.9
Columbia	52,600	1,072	20.4
White	32,700	607	18.6
Colored	19,900	465	23.4
Florence	15,400	372	24.2
White	9,100	184	20.2
Colored	6,300	188	29.8

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
SOUTH CAROLINA CITIES—Continued			
Greenville	30,200	509	16.9
White	18,800	272	14.5
Colored	11,400	237	20.8
Greenwood	11,400	159	13.9
White	7,800	71	9.1
Colored	3,600	88	24.4
Rock Hill	11,700	161	13.8
White	9,200	93	10.1
Colored	2,500	68	27.2
Spartanburg	29,800	553	18.6
White	19,600	316	16.1
Colored	10,200	237	23.2
Sumter	12,200	195	16.0
White	6,800	71	10.4
Colored	5,400	124	23.0
SOUTH DAKOTA CITIES			
Aberdeen	16,800	220	13.1
Huron	11,400	125	11.0
Mitchell	11,300	190	16.8
Rapid City	11,200	153	13.7
Sioux Falls	34,800	364	10.5
Watertown	10,400	130	12.5
TENNESSEE CITIES			
Bristol	12,700	129	10.2
Chattanooga	123,500	1,567	12.7
White	89,700	978	10.9
Colored	33,800	589	17.4
Jackson	22,700	306	13.5
White	14,900	153	10.3
Colored	7,800	153	19.6
Johnson City	24,600	246	10.0
Kingsport	13,000	115	8.8
Knoxville	110,600	1,303	11.8
White	92,500	1,032	11.2
Colored	18,100	271	15.0
Memphis	261,500	4,356	16.7
White	161,500	2,155	13.3
Colored	100,000	2,201	22.0
Nashville	156,200	2,388	15.3
White	113,300	1,553	13.7
Colored	42,900	835	19.5
TEXAS CITIES			
Abilene	25,300	290	11.5
Amarillo	49,700	408	8.2
Austin	56,000	972	17.4
White	40,100	618	15.4
Colored	15,900	354	22.3
Beaumont	60,700	555	9.1
White	40,500	322	8.0
Colored	20,200	233	11.5
Big Springs	15,400	145	9.4
White	13,200	114	8.6
Colored	2,200	31	14.1
Brownsville [2]	26,800	432	16.1
Brownwood	13,600	203	14.9
Cleburne	[1] 11,539	114	9.9
Corpus Christi [2]	30,700	475	15.5
Corsicana	15,800	229	14.5
White	12,000	153	12.8
Colored	3,800	76	20.0
Dallas	278,000	3,173	11.4
White	230,100	2,274	9.9
Colored	47,900	899	18.8
Del Rio [2]	11,900	196	16.5
Denison	[1] 13,850	229	16.5
White	[1] 11,172	178	15.9
Colored	[1] 2,678	51	19.0
El Paso	105,800	1,447	13.7
White	42,100	518	12.3
Colored	63,700	929	14.6
Fort Worth	169,200	1,804	10.7
White	142,500	1,367	9.6
Colored	26,700	437	16.4
Galveston	54,400	763	14.0
White	37,800	519	13.7
Colored	16,600	244	14.7
Greenville	12,400	170	13.7
White	10,300	127	12.3
Colored	2,100	43	20.5
Harlingen	13,900	165	11.9
White	6,900	85	12.3
Colored	7,000	80	11.4
Houston	317,900	3,532	11.1
White	233,400	2,248	9.6
Colored	84,500	1,284	15.2
Laredo [2]	34,300	603	17.6
Lubbock	23,300	342	14.7
TEXAS CITIES—Continued			
Marshall	16,500	222	13.5
White	9,600	130	13.5
Colored	6,900	92	13.3
Palestine	11,500	125	10.9
White	8,200	87	10.6
Colored	3,300	38	11.5
Pampa	12,100	114	9.4
Paris	[1] 15,649	302	19.3
White	[1] 12,362	249	20.1
Colored	[1] 3,287	53	16.1
Port Arthur	54,400	306	5.6
White	41,500	206	5.0
Colored	12,900	100	7.8
San Angelo	28,000	333	11.9
White	23,100	256	11.1
Colored	4,900	77	15.7
San Antonio [2]	243,500	3,477	14.3
San Benito	11,700	141	12.1
White	3,800	56	14.7
Colored	7,900	85	10.8
Sherman	15,800	254	16.1
White	13,700	199	14.5
Colored	2,100	55	26.2
Sweetwater	12,000	79	6.6
White	10,200	62	6.1
Colored	1,800	17	9.4
Temple	16,100	270	16.8
White	12,500	223	17.8
Colored	3,600	47	13.1
Texarkana	17,400	203	11.7
White	12,200	125	10.2
Colored	5,200	78	15.0
Tyler	18,000	246	13.7
White	13,600	172	12.6
Colored	4,400	74	16.8
Waco	55,500	765	13.8
White	43,900	519	11.8
Colored	11,600	246	21.2
Wichita Falls	44,300	409	9.2
White	38,900	352	9.0
Colored	5,400	57	10.6
UTAH CITIES			
Ogden	41,500	395	9.5
Provo	15,500	203	13.1
Salt Lake City	144,200	1,528	10.6
VERMONT CITIES			
Barre	11,500	148	12.9
Burlington	25,100	417	16.6
Rutland	17,700	286	16.2
VIRGINIA CITIES			
Alexandria	[1] 24,149	296	12.3
White	[1] 19,230	211	11.0
Colored	[1] 4,919	85	17.3
Charlottesville	16,000	184	11.5
White	11,700	128	10.9
Colored	4,300	56	13.0
Danville	27,500	417	15.2
White	20,700	241	11.6
Colored	6,800	176	25.9
Hopewell	13,000	60	4.6
White	11,500	39	3.4
Colored	1,500	21	14.0
Lynchburg	41,100	594	14.5
White	31,500	358	11.4
Colored	9,600	236	24.6
Newport News	[1] 34,417	467	13.6
White	[1] 21,120	221	10.5
Colored	[1] 13,297	246	18.5
Norfolk	[1] 129,710	1,682	13.0
White	[1] 85,514	837	9.8
Colored	[1] 44,196	845	19.1
Petersburg	[1] 28,564	508	17.8
White	[1] 15,962	227	14.2
Colored	[1] 12,602	281	22.3
Portsmouth	[1] 45,704	634	13.9
White	[1] 26,781	268	10.0
Colored	[1] 18,923	366	19.3
Richmond	184,900	2,544	13.8
White	132,000	1,538	11.7
Colored	52,900	1,006	19.0
Roanoke	72,000	805	11.2
White	59,100	588	9.9
Colored	12,900	217	16.8
Staunton	12,200	344	28.2
White	10,400	304	29.2
Colored	1,800	40	22.2
Suffolk	10,400	189	18.2
White	6,600	89	13.5
Colored	3,800	100	26.3
Winchester	11,500	204	17.7
WASHINGTON CITIES			
Aberdeen	22,800	264	11.6
Bellingham	31,700	314	9.9
Bremerton	10,400	117	11.3
Everett	31,100	351	11.3
Hoquiam	13,200	58	4.4
Longview	[1] 10,652	99	9.3
Olympia	12,600	156	12.4
Port Angeles	11,000	114	10.4
Seattle	374,100	4,170	11.1
White	358,700	3,996	11.1
Colored	15,400	174	11.3
Spokane	116,600	1,386	11.9
Tacoma	108,200	1,418	13.1
Vancouver	16,300	227	13.9
Walla Walla	16,100	235	14.6
Wenatchee	12,800	139	10.9
Yakima	22,400	354	15.8
WEST VIRGINIA CITIES			
Bluefield	[1] 19,339	260	13.4
White	[1] 15,974	201	12.6
Colored	[1] 3,365	59	17.5
Charleston	63,500	892	14.0
White	56,400	750	13.3
Colored	7,100	142	20.0
Clarksburg	29,000	330	11.4
Fairmont	24,100	312	12.9
Huntington	79,300	960	12.1
Martinsburg	15,300	197	12.9
Morgantown	16,900	214	12.7
Moundsville	15,000	154	10.3
Parkersburg	30,100	397	13.2
Wheeling	62,600	871	13.9
WISCONSIN CITIES			
Appleton	26,200	315	12.0
Ashland	[1] 10,622	184	17.3
Beloit	24,000	247	10.3
Cudahy	11,300	30	2.7
Eau Claire	27,200	328	12.1
Fond du Lac	27,000	410	15.2
Green Bay	40,100	559	13.9
Janesville	22,200	250	11.3
Kenosha	51,700	334	6.5
La Crosse	41,200	576	14.0
Madison	61,500	937	15.2
Manitowoc	23,500	224	9.5
Marinette	13,800	163	11.8
Milwaukee	599,100	4,909	8.2
Oshkosh	41,300	456	11.0
Racine	68,800	561	8.2
Sheboygan	40,600	397	9.8
Shorewood	15,300	78	5.1
South Milwaukee	11,200	62	5.5
Stevens Point	14,000	172	12.3
Superior	[1] 36,113	375	10.4
Two Rivers	10,700	81	7.6
Watertown	10,900	175	16.1
Waukesha	18,000	186	10.3
Wausau	24,600	330	13.4
Wauwatosa	23,800	143	6.0
West Allis	38,400	140	3.6
WYOMING CITIES			
Casper	17,200	155	9.0
Cheyenne	17,900	193	10.8
Rural part of registration States [3]			
ALABAMA COUNTIES			
Autauga	19,800	198	10.0
White	8,900	72	8.1
Colored	10,900	126	11.6
Baldwin	29,600	290	9.8
White	22,400	206	9.2
Colored	7,200	84	11.7
Barbour	32,500	325	10.0
White	14,000	131	9.4
Colored	18,500	194	10.5
Bibb	[1] 20,780	192	9.2
White	[1] 13,904	122	8.8
Colored	[1] 6,876	70	10.2
Blount	28,400	190	6.7
Bullock	[1] 20,016	209	10.4
White	[1] 4,262	40	9.4
Colored	[1] 15,754	169	10.7
Butler	30,300	296	9.8
White	15,600	155	9.9
Colored	14,700	141	9.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
ALABAMA COUNTIES—Con.			
Calhoun	33,800	287	8.5
White	28,600	214	7.5
Colored	5,200	73	14.0
Chambers	[1] 39,313	332	8.4
White	[1] 21,385	173	8.1
Colored	[1] 17,928	159	8.9
Cherokee	[1] 20,219	153	7.6
Chilton	24,900	228	9.2
White	20,900	172	8.2
Colored	4,000	56	14.0
Choctaw	[1] 20,513	154	7.5
White	[1] 9,276	60	6.5
Colored	[1] 11,237	94	8.4
Clarke	[1] 26,016	250	9.6
White	[1] 12,390	99	8.0
Colored	[1] 13,626	151	11.1
Clay	[1] 17,768	127	7.1
White	[1] 15,041	109	7.2
Colored	[1] 2,727	18	6.6
Cleburne	[1] 12,877	91	7.1
Coffee	33,000	214	6.5
White	26,000	168	6.5
Colored	7,000	46	6.6
Colbert	[1] 29,860	259	8.7
White	[1] 21,377	145	6.8
Colored	[1] 8,483	114	13.4
Conecuh	25,600	263	10.3
White	14,500	120	8.3
Colored	11,100	143	12.9
Coosa	[1] 12,460	104	8.3
White	[1] 7,820	58	7.4
Colored	[1] 4,640	46	9.9
Covington	41,900	307	7.3
White	35,000	258	7.4
Colored	6,900	49	7.1
Crenshaw	23,800	214	9.0
White	16,400	147	9.0
Colored	7,400	67	9.1
Cullman	42,400	323	7.6
Dale	23,300	205	8.8
White	17,800	153	8.6
Colored	5,500	52	9.5
Dallas	36,800	473	12.9
White	5,500	42	7.6
Colored	31,300	431	13.8
De Kalb	41,100	287	7.0
Elmore	35,300	310	8.8
White	20,800	139	6.7
Colored	14,500	171	11.8
Escambia	28,900	275	9.5
White	19,600	168	8.6
Colored	9,300	107	11.5
Etowah	31,900	196	6.1
Fayette	18,500	141	7.6
White	15,800	115	7.3
Colored	2,700	26	9.6
Franklin	25,900	162	6.3
Geneva	30,200	220	7.3
White	26,400	182	6.9
Colored	3,800	38	10.0
Greene	20,000	228	11.4
White	3,500	28	8.0
Colored	16,500	200	12.1
Hale	26,600	297	11.2
White	6,900	51	7.4
Colored	19,700	246	12.5
Henry	23,000	187	8.1
White	12,200	84	6.9
Colored	10,800	103	9.5
Houston	30,800	227	7.4
White	23,000	171	7.4
Colored	7,800	56	7.2
Jackson	37,100	301	8.1
Jefferson	145,800	1,111	7.6
White	94,400	514	5.4
Colored	51,400	597	11.6
Lamar	[1] 18,001	130	7.2
White	[1] 15,150	98	6.5
Colored	[1] 2,851	32	11.2
Lauderdale	29,500	228	7.7
White	24,600	178	7.2
Colored	4,900	50	10.2
Lawrence	27,400	212	7.7
White	20,300	147	7.2
Colored	7,100	65	9.2
Lee	23,600	339	14.4
White	8,200	131	16.0
Colored	15,400	208	13.5
Limestone	37,500	314	8.4
White	27,500	212	7.7
Colored	10,000	102	10.2
ALABAMA COUNTIES—Con.			
Lowndes	[1] 22,878	284	12.4
White	[1] 3,246	29	8.9
Colored	[1] 19,632	255	13.0
Macon	27,700	438	15.8
White	4,900	52	10.6
Colored	22,800	386	16.9
Madison	54,700	488	8.9
White	39,100	324	8.3
Colored	15,600	164	10.5
Marengo	36,500	361	9.9
White	10,100	75	7.4
Colored	26,400	286	10.8
Marion	26,600	140	5.3
Marshall	41,000	301	7.3
Mobile	51,000	774	15.2
White	33,200	294	8.9
Colored	17,800	480	27.0
Monroe	30,300	259	8.5
White	14,500	125	8.6
Colored	15,800	134	8.5
Montgomery	33,900	412	12.2
White	11,800	89	7.5
Colored	22,100	323	14.6
Morgan	29,700	229	7.7
White	25,500	171	6.7
Colored	4,200	58	13.8
Perry	26,600	288	10.8
White	7,200	57	7.9
Colored	19,400	231	11.9
Pickens	[1] 24,902	237	9.5
White	[1] 12,970	91	7.0
Colored	[1] 11,932	146	12.2
Pike	32,300	381	11.8
White	17,800	179	10.1
Colored	14,500	202	13.9
Randolph	[1] 26,861	214	8.0
White	[1] 20,977	156	7.4
Colored	[1] 5,884	58	9.9
Russell	[1] 25,889	204	7.9
White	[1] 7,551	45	6.0
Colored	[1] 18,338	159	8.7
St. Clair	24,700	243	9.8
White	19,800	182	9.2
Colored	4,900	61	12.4
Shelby	27,700	270	9.7
White	20,700	184	8.9
Colored	7,000	86	12.3
Sumter	27,200	323	11.9
White	5,700	53	9.3
Colored	21,500	270	12.6
Talladega	46,000	435	9.5
White	28,900	245	8.5
Colored	17,100	190	11.1
Tallapoosa	31,400	322	10.3
White	21,700	223	10.3
Colored	9,700	99	10.2
Tuscaloosa	43,700	434	9.9
White	29,400	270	9.2
Colored	14,300	164	11.5
Walker	61,000	506	8.3
White	53,200	421	7.9
Colored	7,800	85	10.9
Washington	16,700	142	8.5
White	9,700	74	7.6
Colored	7,000	68	9.7
Wilcox	[1] 24,880	283	11.4
White	[1] 5,561	43	7.7
Colored	[1] 19,319	240	12.4
Winston	15,800	89	5.6
ARIZONA COUNTIES			
Apache	18,500	131	7.1
White	3,600	25	6.9
Colored	14,900	106	7.1
Cochise	[1] 40,998	367	9.0
White	[1] 25,857	227	8.8
Colored	[1] 15,141	140	9.2
Coconino	14,800	166	11.2
White	6,900	61	8.8
Colored	7,900	105	13.3
Gila	31,900	255	8.0
White	18,200	118	6.5
Colored	13,700	137	10.0
Graham	10,400	119	11.4
White	7,400	77	10.4
Colored	3,000	42	14.0
Greenlee	[1] 9,886	69	7.0
White	[1] 5,042	19	3.8
Colored	[1] 4,844	50	10.3
ARIZONA COUNTIES—Con.			
Maricopa	110,500	803	7.3
White	76,400	418	5.5
Colored	34,100	385	11.3
Mohave	5,600	80	14.3
White	4,100	46	11.2
Colored	1,500	34	22.7
Navajo	22,100	257	11.6
White	8,300	51	6.1
Colored	13,800	206	14.9
Pima	25,100	126	5.0
White	13,500	64	4.7
Colored	11,600	62	5.3
Pinal	23,100	264	11.4
White	10,700	98	9.2
Colored	12,400	166	13.4
Santa Cruz	[1] 9,684	94	9.7
White	[1] 3,833	33	8.6
Colored	[1] 5,851	61	10.4
Yavapai	29,200	354	12.1
White	19,400	262	13.5
Colored	9,800	92	9.4
Yuma	18,300	204	11.1
White	11,600	100	8.6
Colored	6,700	104	15.5
ARKANSAS COUNTIES			
Arkansas	22,400	137	6.1
White	17,600	92	5.2
Colored	4,800	45	9.4
Ashley	25,400	196	7.7
White	13,300	97	7.3
Colored	12,100	99	8.2
Baxter	[1] 9,519	59	6.2
Benton	[1] 35,253	445	12.6
Boone	[1] 14,937	123	8.2
Bradley	17,800	107	6.0
White	11,900	75	6.3
Colored	5,900	32	5.4
Calhoun	[1] 9,752	58	5.9
White	[1] 6,759	36	5.3
Colored	[1] 2,993	22	7.4
Carroll	[1] 15,820	149	9.4
Chicot	22,800	233	10.2
White	9,000	78	8.7
Colored	13,800	155	11.2
Clark	[1] 24,932	196	7.9
White	[1] 17,639	138	7.8
Colored	[1] 7,293	58	8.0
Clay	27,300	236	8.6
Cleburne	[1] 11,373	69	6.1
Cleveland	12,800	62	4.8
White	9,400	49	5.2
Colored	3,400	13	3.8
Columbia	[1] 27,320	144	5.3
White	[1] 14,592	79	5.4
Colored	[1] 12,728	65	5.1
Conway	[1] 21,949	177	8.1
White	[1] 15,971	124	7.8
Colored	[1] 5,978	53	8.9
Craighead	35,500	263	7.4
Crawford	[1] 22,549	172	7.6
Crittenden	41,500	484	11.7
White	9,000	90	10.0
Colored	32,500	394	12.1
Cross	26,900	175	6.5
White	15,400	101	6.6
Colored	11,500	74	6.4
Dallas	14,700	76	5.2
White	9,500	46	4.8
Colored	5,200	30	5.8
Desha	22,100	127	5.7
White	8,400	37	4.4
Colored	13,700	90	6.6
Drew	[1] 19,928	166	8.3
White	[1] 10,776	78	7.2
Colored	[1] 9,152	88	9.6
Faulkner	28,500	239	8.4
White	24,900	191	7.7
Colored	3,600	48	13.3
Franklin	[1] 15,762	91	5.8
Fulton	[1] 10,834	45	4.2
Garland	16,500	94	5.7
Grant	[1] 9,834	62	6.3
Greene	26,100	250	9.6
Hempstead	[1] 30,847	266	8.6
White	[1] 17,719	136	7.7
Colored	[1] 13,128	130	9.9
Hot Springs	18,200	118	6.5
White	15,800	102	6.5
Colored	2,400	16	6.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
ARKANSAS COUNTIES—Con.			
Howard	[1] 17,489	105	6.0
White	[1] 13,662	72	5.3
Colored	[1] 3,827	33	8.6
Independence	24,300	167	6.9
Izard	[1] 12,872	37	2.9
Jackson	28,400	315	11.1
White	23,200	268	11.6
Colored	5,200	47	9.0
Jefferson	44,000	255	5.8
White	13,500	69	5.1
Colored	30,500	186	6.1
Johnson	[1] 19,289	108	5.6
Lafayette	17,200	113	6.6
White	8,600	43	5.0
Colored	8,600	70	8.1
Lawrence	[1] 21,663	126	5.8
Lee	[1] 26,637	337	12.7
White	[1] 9,210	91	9.9
Colored	[1] 17,427	246	14.1
Lincoln	20,500	150	7.3
White	7,300	42	5.8
Colored	13,200	108	8.2
Little River	[1] 15,515	89	5.7
White	[1] 9,469	56	5.9
Colored	[1] 6,046	33	5.5
Logan	[1] 24,110	202	8.4
Lonoke	33,800	283	8.4
White	23,000	183	8.0
Colored	10,800	100	9.3
Madison	[1] 13,334	56	4.2
Marion	[1] 8,876	37	4.2
Miller	20,500	115	5.6
White	13,800	74	5.4
Colored	6,700	41	6.1
Mississippi	62,300	719	11.5
White	38,100	406	10.7
Colored	24,200	313	12.9
Monroe	[1] 20,651	199	9.6
White	[1] 9,148	90	9.8
Colored	[1] 11,503	109	9.5
Montgomery	[1] 10,768	30	2.8
Nevada	[1] 20,407	105	5.1
White	[1] 13,163	65	4.9
Colored	[1] 7,244	40	5.5
Newton	[1] 10,564	88	8.3
Ouachita	31,500	242	7.7
White	18,000	131	7.3
Colored	13,500	111	8.2
Perry	[1] 7,695	33	4.3
Phillips	[1] 40,683	531	13.1
White	[1] 13,328	154	11.6
Colored	[1] 27,355	377	13.8
Pike	[1] 11,792	46	3.9
Poinsett	31,200	354	11.3
White	26,800	286	10.7
Colored	4,400	68	15.5
Polk	[1] 14,857	140	9.4
Pope	[1] 26,547	219	8.2
Prairie	[1] 15,187	150	9.9
White	[1] 11,555	97	8.4
Colored	[1] 3,632	53	14.6
Pulaski	37,800	343	9.1
White	23,200	177	7.6
Colored	14,600	166	11.4
Randolph	[1] 16,871	136	8.1
St. Francis	34,300	317	9.2
White	11,300	105	9.3
Colored	23,000	212	9.2
Saline	[1] 15,660	135	8.6
Scott	[1] 11,803	86	7.3
Searcy	[1] 11,056	69	6.2
Sebastian	[1] 22,526	136	6.0
Sevier	[1] 16,364	136	8.3
White	[1] 14,607	121	8.3
Colored	[1] 1,757	15	8.5
Sharp	[1] 10,715	67	6.3
Stone	[1] 7,993	57	7.1
Union	41,700	106	2.5
White	27,700	77	2.8
Colored	14,000	29	2.1
Van Buren	[1] 11,962	37	3.1
Washington	39,900	426	10.7
White	38,900	306	7.9
Woodruff	22,900	144	6.3
White	13,100	70	5.3
Colored	9,800	74	7.6
Yell	[1] 21,313	69	3.2
CALIFORNIA COUNTIES			
Alameda	54,400	1,079	19.8
Alpine	[1] 241	-------	-------
White	[1] 137	-------	-------
Colored	[1] 104	-------	-------
CALIFORNIA COUNTIES—Continued			
Amador	8,600	84	9.8
White	7,400	74	10.0
Colored	1,200	10	8.3
Butte	34,800	516	14.8
Calaveras	[1] 6,008	100	16.6
Colusa	10,400	134	12.9
White	8,900	115	12.9
Colored	1,500	19	12.7
Contra Costa	62,300	463	7.4
White	55,800	429	7.7
Colored	6,500	34	5.2
Del Norte	5,100	59	11.6
White	4,600	50	10.9
Colored	500	9	18.0
Eldorado	8,700	124	14.3
Fresno	94,400	1,231	13.0
White	80,900	922	11.4
Colored	13,500	309	22.9
Glenn	[1] 10,935	104	9.5
Humboldt	28,000	199	7.1
Imperial	52,600	521	9.9
White	28,900	233	8.1
Colored	23,700	288	12.2
Inyo	[1] 6,555	71	10.8
White	[1] 5,189	55	10.6
Colored	[1] 1,366	16	11.7
Kern	60,500	705	11.7
White	52,100	522	10.0
Colored	8,400	183	21.8
Kings	26,000	251	9.7
White	20,900	177	8.5
Colored	5,100	74	14.5
Lake	7,500	93	12.4
Lassen	13,300	115	8.6
White	10,900	100	9.2
Colored	2,400	15	6.3
Los Angeles	446,800	4,762	10.7
White	390,200	4,296	11.0
Colored	56,600	466	8.2
Madera	18,000	188	10.4
White	14,400	141	9.8
Colored	3,600	47	13.1
Marin	44,100	411	9.3
Mariposa	3,300	44	13.3
Mendocino	[1] 23,505	362	15.4
Merced	38,800	339	8.7
White	34,300	285	8.3
Colored	4,500	54	12.0
Modoc	8,500	64	7.5
White	7,500	51	6.8
Colored	1,000	13	13.0
Mono	1,400	16	11.4
White	1,100	15	13.6
Colored	300	1	3.3
Monterey	46,800	513	11.0
White	37,900	441	11.6
Colored	8,900	72	8.1
Napa	23,300	658	28.2
Nevada	[1] 10,596	175	16.5
Orange	71,800	774	10.8
White	58,100	604	10.4
Colored	13,700	170	12.4
Placer	25,500	377	14.8
White	21,100	334	15.8
Colored	4,400	43	9.8
Plumas	8,300	87	10.5
Riverside	54,800	589	10.7
White	40,100	422	10.5
Colored	14,700	167	11.4
Sacramento	52,200	322	6.2
White	40,400	263	6.5
Colored	11,800	59	5.0
San Benito	11,700	93	7.9
White	9,900	85	8.6
Colored	1,800	8	4.4
San Bernardino	74,400	923	12.4
White	56,900	753	13.2
Colored	17,500	170	9.7
San Diego	66,200	659	10.0
White	55,900	585	10.5
Colored	10,300	74	7.2
San Joaquin	57,800	1,285	22.2
White	48,800	1,063	21.8
Colored	9,000	222	24.7
San Luis Obispo	30,900	344	11.1
White	26,400	318	12.0
Colored	4,500	26	5.8
San Mateo	54,800	418	7.6
Santa Barbara	33,300	402	12.1
White	24,600	310	12.6
Colored	8,700	92	10.6
Santa Clara	77,000	1,345	17.5
CALIFORNIA COUNTIES—Continued			
Santa Cruz	24,300	336	13.8
White	21,800	319	14.6
Colored	2,500	17	6.8
Shasta	14,000	194	13.9
Sierra	2,500	38	15.2
Siskiyou	26,700	296	11.1
Solano	26,400	204	7.7
White	21,900	187	8.5
Colored	4,500	17	3.8
Sonoma	53,000	717	13.5
Stanislaus	44,300	304	6.9
Sutter	15,400	149	9.7
White	13,700	141	10.3
Colored	1,700	8	4.7
Tehama	14,000	162	11.6
Trinity	2,900	42	14.5
White	2,500	39	15.6
Colored	400	3	7.5
Tulare	80,600	761	9.4
White	69,500	604	8.7
Colored	11,100	157	14.1
Tuolumne	9,500	128	13.5
Ventura	46,600	470	10.1
White	30,900	307	9.9
Colored	15,700	163	10.4
Yolo	24,800	280	11.3
White	19,700	244	12.4
Colored	5,100	36	7.1
Yuba	11,500	182	15.8
White	10,000	153	15.3
Colored	1,500	29	19.3
COLORADO COUNTIES			
Adams	21,200	296	14.0
Alamosa	9,200	116	12.6
Arapahoe	24,200	178	7.4
Archuleta	[1] 3,204	17	5.3
White	[1] 1,629	15	9.2
Colored	[1] 1,575	2	1.3
Baca	10,900	59	5.4
Bent	[1] 9,134	149	16.3
White	[1] 8,064	134	16.6
Colored	[1] 1,070	15	14.0
Boulder	21,300	288	13.5
Chaffee	8,200	122	14.9
White	7,100	116	16.3
Colored	1,100	6	5.5
Cheyenne	[1] 3,723	34	9.1
Clear Creek	[1] 2,155	47	21.8
Conejos	10,000	53	5.3
Costilla	5,900	64	10.8
Crowley	[1] 5,934	51	8.6
White	[1] 4,574	46	10.1
Colored	[1] 1,360	5	3.7
Custer	[1] 2,124	20	9.4
Delta	14,300	166	11.6
Dolores	1,400	3	2.1
Douglas	[1] 3,498	24	6.9
Eagle	4,000	35	8.8
White	3,600	31	8.6
Colored	400	4	10.0
Elbert	[1] 6,580	34	5.2
El Paso	16,700	210	12.6
Fremont	19,100	246	12.9
Garfield	10,100	112	11.1
Gilpin	[1] 1,212	15	12.4
Grand	[1] 2,108	18	8.5
Gunnison	[1] 5,527	56	10.1
Hinsdale	[1] 449	3	6.7
Huerfano	17,100	150	8.8
White	14,100	137	9.7
Colored	3,000	13	4.3
Jackson	1,400	7	5.0
Jefferson	23,100	244	10.6
Kiowa	3,800	29	7.6
Kit Carson	9,900	55	5.6
Lake	[1] 4,899	85	17.4
La Plata	13,300	155	11.7
White	10,700	129	12.1
Colored	2,600	26	10.0
Larimer	22,000	254	11.5
Las Animas	[1] 24,408	214	8.8
White	[1] 20,413	208	10.2
Colored	[1] 3,995	6	1.5
Lincoln	[1] 7,850	49	6.2
Logan	20,200	133	6.6
Mesa	16,000	162	10.1
Mineral	[1] 640	6	9.4
Moffat	[1] 4,861	38	7.8
Montezuma	8,100	93	11.5
White	6,600	70	10.6
Colored	1,500	23	15.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
COLORADO COUNTIES—Con.			
Montrose	[1] 11,742	123	10.5
White	[1] 10,478	114	10.9
Colored	[1] 1,264	9	7.1
Morgan	18,700	155	8.3
Otero	24,700	301	12.2
White	19,700	224	11.4
Colored	5,000	77	15.4
Ouray	[1] 1,784	28	15.7
Park	2,100	20	9.5
Phillips	5,800	50	8.6
Pitkin	[1] 1,770	28	15.8
Prowers	14,900	129	8.7
White	13,400	112	8.4
Colored	1,500	17	11.3
Pueblo	16,200	406	25.1
White	14,200	365	25.7
Colored	2,000	41	20.5
Rio Blanco	[1] 2,980	30	10.1
Rio Grande	10,300	142	13.8
Routt	9,400	81	8.6
Saguache	6,500	36	5.5
San Juan	2,000	22	11.0
San Miguel	[1] 2,184	31	14.2
Sedgwick	5,800	37	6.4
Summit	[1] 987	20	20.3
Teller	[1] 4,141	58	14.0
Washington	[1] 9,591	56	5.8
Weld	54,600	315	5.8
White	44,000	262	6.0
Colored	10,600	53	5.0
Yuma	[1] 13,613	95	7.0
CONNECTICUT COUNTIES			
Fairfield	111,600	827	7.4
Hartford	122,000	952	7.8
Litchfield	57,000	603	10.6
Middlesex	27,000	264	9.8
New Haven	86,000	641	7.5
New London	68,000	1,122	16.5
Tolland	28,900	295	10.2
Windham	42,200	477	11.3
DELAWARE COUNTIES			
Kent	32,000	525	16.4
White	25,400	401	15.8
Colored	6,600	124	18.8
New Castle	56,600	623	11.0
White	49,800	490	9.8
Colored	6,800	133	19.6
Sussex	45,800	591	12.9
White	38,200	466	12.2
Colored	7,600	125	16.4
FLORIDA COUNTIES			
Alachua	24,400	255	10.5
White	12,900	102	7.9
Colored	11,500	153	13.3
Baker	6,400	62	9.7
White	4,500	29	6.4
Colored	1,900	33	17.4
Bay	12,200	169	13.9
White	9,100	133	14.6
Colored	3,100	36	11.6
Bradford	9,800	89	9.1
White	6,900	64	9.3
Colored	2,900	25	8.6
Brevard	14,100	157	11.1
White	9,600	92	9.6
Colored	4,500	65	14.4
Broward	22,700	270	11.9
White	15,000	151	10.1
Colored	7,700	119	15.5
Calhoun	7,400	58	7.8
White	6,000	48	8.0
Colored	1,400	10	7.1
Charlotte	4,300	46	10.7
White	3,400	33	9.7
Colored	900	13	14.4
Citrus	5,600	45	8.0
White	3,900	24	6.2
Colored	1,700	21	12.4
Clay	7,100	84	11.8
White	5,400	60	11.1
Colored	1,700	24	14.1
Collier	3,200	20	6.3
White	2,200	5	2.3
Colored	1,000	15	15.0
FLORIDA COUNTIES—Con.			
Columbia	14,700	254	17.3
White	9,100	152	16.7
Colored	5,600	102	18.2
Dade	51,900	444	8.6
White	43,100	344	8.0
Colored	8,800	100	11.4
De Soto	7,800	114	14.6
White	6,300	84	13.3
Colored	1,500	30	20.0
Dixie	7,200	38	5.3
White	3,800	21	5.5
Colored	3,400	17	5.0
Duval	23,800	200	8.4
White	17,700	118	6.7
Colored	6,100	82	13.4
Escambia	22,600	232	10.3
White	18,300	174	9.5
Colored	4,300	58	13.5
Flagler	2,500	45	18.0
White	1,600	24	15.0
Colored	900	21	23.3
Franklin	6,400	55	8.6
White	4,000	22	5.5
Colored	2,400	33	13.8
Gadsden	31,000	774	25.0
White	13,600	399	29.3
Colored	17,400	375	21.6
Gilchrist	4,200	43	10.2
White	3,400	31	9.1
Colored	800	12	15.0
Glades	2,900	22	7.6
White	1,900	16	8.4
Colored	1,000	6	6.0
Gulf	3,400	24	7.1
White	2,200	17	7.7
Colored	1,200	7	5.8
Hamilton	[1] 9,454	108	11.4
White	[1] 5,675	59	10.4
Colored	[1] 3,779	49	13.0
Hardee	10,500	117	11.1
Hendry	3,900	34	8.7
White	2,400	15	6.3
Colored	1,500	19	12.7
Hernando	5,000	72	14.4
White	3,500	50	14.3
Colored	1,500	22	14.7
Highlands	10,100	122	12.1
White	7,200	75	10.4
Colored	2,900	47	16.2
Hillsborough	58,200	575	9.9
White	49,400	407	8.2
Colored	8,800	168	19.1
Holmes	12,900	118	9.1
Indian River	7,300	81	11.1
White	5,200	56	10.8
Colored	2,100	25	11.9
Jackson	32,100	369	11.5
White	19,700	197	10.0
Colored	12,400	172	13.9
Jefferson	[1] 13,408	200	14.9
White	[1] 4,288	58	13.5
Colored	[1] 9,120	142	15.6
Lafayette	4,400	34	7.7
White	3,600	26	7.2
Colored	800	8	10.0
Lake	24,900	312	12.5
White	18,000	197	10.9
Colored	6,900	115	16.7
Lee	16,300	176	10.8
White	12,400	120	9.7
Colored	3,900	56	14.4
Leon	12,900	144	11.2
White	3,500	34	9.7
Colored	9,400	110	11.7
Levy	12,900	113	8.8
White	8,000	54	6.8
Colored	4,900	59	12.0
Liberty	[1] 4,067	42	10.3
White	[1] 2,646	28	10.6
Colored	[1] 1,421	14	9.9
Madison	[1] 15,614	207	13.3
White	[1] 7,411	76	10.3
Colored	[1] 8,203	131	16.0
Manatee	23,800	247	10.4
White	16,600	161	9.7
Colored	7,200	86	11.9
Marion	30,500	405	13.3
White	15,700	179	11.4
Colored	14,800	226	15.3
FLORIDA COUNTIES—Con.			
Martin	5,600	52	9.3
White	3,400	30	8.8
Colored	2,200	22	10.0
Monroe	[1] 793	7	8.8
White	[1] 579	3	5.2
Colored	[1] 214	4	18.7
Nassau	[1] 9,375	118	12.6
White	[1] 5,486	47	8.6
Colored	[1] 3,889	71	18.3
Okaloosa	10,000	106	10.6
White	9,100	94	10.3
Colored	900	12	13.3
Okeechobee	4,500	21	4.7
White	3,100	15	4.8
Colored	1,400	6	4.3
Orange	24,900	172	6.9
White	19,800	118	6.0
Colored	5,100	54	10.6
Osceola	11,300	147	13.0
White	7,900	113	14.3
Colored	3,400	34	10.0
Palm Beach	28,700	248	8.6
White	19,700	148	7.5
Colored	9,000	100	11.1
Pasco	10,900	130	11.9
White	9,200	102	11.1
Colored	1,700	28	16.5
Pinellas	25,400	266	10.5
White	21,200	231	10.9
Colored	4,200	35	8.3
Polk	58,000	537	9.3
White	45,100	361	8.0
Colored	12,900	176	13.6
Putnam	18,700	282	15.1
White	10,700	131	12.2
Colored	8,000	151	18.9
St. Johns	7,500	49	6.5
White	3,700	16	4.3
Colored	3,800	33	8.7
St. Lucie	8,200	91	11.1
White	6,000	69	11.5
Colored	2,200	22	10.0
Santa Rosa	14,200	125	8.8
White	12,100	95	7.9
Colored	2,100	30	14.3
Sarasota	13,900	135	9.7
White	10,700	88	8.2
Colored	3,200	47	14.7
Seminole	9,200	79	8.6
White	5,500	38	6.9
Colored	3,700	41	11.1
Sumter	11,100	104	9.4
White	7,700	56	7.3
Colored	3,400	48	14.1
Suwannee	[1] 15,731	172	10.9
White	[1] 10,395	84	8.1
Colored	[1] 5,336	88	16.5
Taylor	13,500	100	7.4
White	8,400	50	6.0
Colored	5,100	50	9.8
Union	7,800	76	9.7
White	4,800	44	9.2
Colored	3,000	32	10.7
Volusia	27,800	329	11.8
White	20,400	207	10.1
Colored	7,400	122	16.5
Wakulla	5,500	35	6.4
White	3,300	24	7.3
Colored	2,200	11	5.0
Walton	15,000	122	8.1
White	12,200	94	7.7
Colored	2,800	28	10.0
Washington	12,200	91	7.5
White	9,700	65	6.7
Colored	2,500	26	10.4
GEORGIA COUNTIES			
Appling	13,800	109	7.9
White	10,900	72	6.6
Colored	2,900	37	12.8
Atkinson	[1] 6,894	79	11.5
White	[1] 4,932	48	9.7
Colored	[1] 1,962	31	15.8
Bacon	7,200	56	7.8
White	6,000	44	7.3
Colored	1,200	12	10.0
Baker	[1] 7,818	55	7.0
White	[1] 3,024	20	6.6
Colored	[1] 4,794	35	7.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
GEORGIA COUNTIES—Con.			
Baldwin	23,400	522	22.3
White	12,700	224	17.6
Colored	10,700	298	27.9
Banks	[1] 9,703	87	9.0
Barrow	[1] 12,401	127	10.2
White	[1] 10,333	102	9.9
Colored	[1] 2,068	25	12.1
Bartow	25,500	273	10.7
White	21,000	206	9.8
Colored	4,500	67	14.9
Ben Hill	[1] 13,047	131	10.0
White	[1] 8,597	68	7.9
Colored	[1] 4,450	63	14.2
Berrien	15,100	122	8.1
White	12,700	100	7.9
Colored	2,400	22	9.2
Bibb	24,100	174	7.2
White	14,300	65	4.5
Colored	9,800	109	11.1
Bleckley	[1] 9,133	86	9.4
White	[1] 5,872	41	7.0
Colored	[1] 3,261	45	13.8
Brantley	7,100	65	9.2
White	5,800	49	8.4
Colored	1,300	16	12.3
Brooks	[1] 21,330	186	8.7
White	[1] 10,070	85	8.4
Colored	[1] 11,260	101	9.0
Bryan	[1] 5,952	72	12.1
White	[1] 3,286	30	9.1
Colored	[1] 2,666	42	15.8
Bulloch	26,600	243	9.1
White	16,500	148	9.0
Colored	10,100	95	9.4
Burke	[1] 29,224	258	8.8
White	[1] 6,524	39	6.0
Colored	[1] 22,700	219	9.6
Butts	[1] 9,345	74	7.9
White	[1] 4,857	39	8.0
Colored	[1] 4,488	35	7.8
Calhoun	10,600	125	11.8
White	3,100	23	7.4
Colored	7,500	102	13.6
Camden	[1] 6,338	102	16.1
White	[1] 2,593	30	11.6
Colored	[1] 3,745	72	19.2
Candler	[1] 8,991	92	10.2
White	[1] 5,850	63	10.8
Colored	[1] 3,141	29	9.2
Carroll	[1] 34,272	295	8.6
White	[1] 26,654	214	8.0
Colored	[1] 7,618	81	10.6
Catoosa	9,900	65	6.6
Charlton	4,400	51	11.6
White	3,400	36	10.6
Colored	1,000	15	15.0
Chatham	21,300	251	11.8
White	10,400	92	8.8
Colored	10,900	159	14.6
Chattahoochee	9,500	47	4.9
White	6,700	34	5.1
Colored	2,800	13	4.6
Chattooga	15,600	184	11.8
White	13,700	159	11.6
Colored	1,900	25	13.2
Cherokee	20,200	154	7.6
Clarke	[1] 7,313	75	10.3
White	3,764	37	9.8
Colored	[1] 3,549	38	10.7
Clay	[1] 6,943	71	10.2
White	[1] 2,410	28	11.6
Colored	[1] 4,533	43	9.5
Clayton	[1] 10,260	90	8.8
White	[1] 7,010	47	6.7
Colored	[1] 3,250	43	13.2
Clinch	7,200	40	5.6
White	4,100	18	4.4
Colored	3,100	22	7.1
Cobb	36,200	303	8.4
White	29,700	216	7.3
Colored	6,500	87	13.4
Coffee	19,900	118	5.9
White	14,800	89	6.0
Colored	5,100	29	5.7
Colquitt	30,800	178	5.8
White	23,200	114	4.9
Colored	7,600	64	8.4
Columbia	[1] 8,793	75	8.5
White	[1] 3,257	22	6.8
Colored	[1] 5,536	53	9.6
Cook	11,300	79	7.0
White	8,300	52	6.3
Colored	3,000	27	9.0
Coweta	[1] 25,127	243	9.7
White	[1] 14,298	109	7.6
Colored	[1] 10,829	134	12.4
Crawford	[1] 7,020	62	8.8
White	[1] 3,141	20	6.4
Colored	[1] 3,879	42	10.8
Crisp	[1] 17,343	174	10.0
White	[1] 8,974	81	9.0
Colored	[1] 8,369	93	11.1
Dade	4,200	29	6.9
Dawson	[1] 3,502	18	5.1
Decatur	23,700	267	11.3
White	11,800	141	11.9
Colored	11,900	126	10.6
De Kalb	32,700	364	11.1
White	25,600	290	11.3
Colored	7,100	74	10.4
Dodge	[1] 21,599	189	8.8
White	[1] 13,601	118	8.7
Colored	[1] 7,998	71	8.9
Dooly	[1] 18,025	158	8.8
White	[1] 7,961	61	7.7
Colored	[1] 10,064	97	9.6
Dougherty	7,800	35	4.5
White	2,600	4	1.5
Colored	5,200	31	6.0
Douglas	[1] 9,461	119	12.6
White	[1] 7,190	88	12.2
Colored	[1] 2,271	31	13.7
Early	[1] 18,273	180	9.9
White	[1] 8,536	80	9.4
Colored	[1] 9,737	100	10.3
Echols	[1] 2,744	19	6.9
White	[1] 1,899	17	9.0
Colored	[1] 845	2	2.4
Effingham	10,200	117	11.5
White	6,000	57	9.5
Colored	4,200	60	14.3
Elbert	[1] 18,485	164	8.9
White	[1] 10,949	88	8.0
Colored	[1] 7,536	76	10.1
Emanuel	[1] 24,101	230	9.5
White	[1] 14,990	134	8.9
Colored	[1] 9,111	96	10.5
Evans	7,200	51	7.1
White	4,600	25	5.4
Colored	2,600	26	10.0
Fannin	13,100	130	9.9
Fayette	[1] 8,665	66	7.6
White	[1] 5,827	33	5.7
Colored	[1] 2,838	33	11.6
Floyd	27,900	189	6.8
White	24,200	151	6.2
Colored	3,700	38	10.3
Forsyth	[1] 10,624	60	5.6
Franklin	[1] 15,902	149	9.4
White	[1] 13,230	130	9.8
Colored	[1] 2,672	19	7.1
Fulton	95,900	675	7.0
White	77,600	463	6.0
Colored	18,300	212	11.6
Gilmer	[1] 7,344	88	12.0
Glascock	4,400	39	8.9
White	3,100	28	9.0
Colored	1,300	11	8.5
Glynn	5,400	74	13.7
White	3,300	25	7.6
Colored	2,100	49	23.3
Gordon	[1] 16,846	123	7.3
Grady	[1] 19,200	184	9.6
White	[1] 12,573	101	8.0
Colored	[1] 6,627	83	12.5
Greene	[1] 12,616	140	11.1
White	[1] 5,988	62	10.4
Colored	[1] 6,628	78	11.8
Gwinnett	[1] 27,853	220	7.9
White	[1] 24,509	192	7.8
Colored	[1] 3,344	28	8.4
Habersham	13,100	112	8.5
Hall	30,900	293	9.5
White	27,500	252	9.2
Colored	3,400	41	12.1
Hancock	[1] 13,070	108	8.3
White	[1] 3,725	32	8.6
Colored	[1] 9,345	76	8.1
Haralson	[1] 13,263	89	6.7
Harris	[1] 11,140	97	8.7
White	[1] 3,447	37	10.7
Colored	[1] 7,693	60	7.8
Hart	[1] 15,174	126	8.3
White	[1] 11,281	88	7.8
Colored	[1] 3,893	38	9.8
Heard	[1] 9,102	83	9.1
White	[1] 6,733	59	8.8
Colored	[1] 2,369	24	10.1
Henry	[1] 15,924	126	7.9
White	[1] 8,010	56	7.0
Colored	[1] 7,914	70	8.8
Houston	[1] 11,280	85	7.5
White	[1] 3,652	18	4.9
Colored	[1] 7,628	67	8.8
Irwin	[1] 12,199	105	8.6
White	[1] 7,655	68	8.9
Colored	[1] 4,544	37	8.1
Jackson	[1] 21,609	152	7.0
White	[1] 17,543	115	6.6
Colored	[1] 4,066	37	9.1
Jasper	[1] 8,594	87	10.1
White	[1] 3,357	30	8.9
Colored	[1] 5,237	57	10.9
Jeff Davis	8,200	54	6.6
White	6,600	40	6.1
Colored	1,600	14	8.8
Jefferson	[1] 20,727	161	7.8
White	[1] 8,685	73	8.4
Colored	[1] 12,042	88	7.3
Jenkins	[1] 12,908	170	13.2
White	[1] 5,443	74	13.6
Colored	[1] 7,465	96	12.9
Johnson	[1] 12,681	101	8.0
White	[1] 7,720	63	8.2
Colored	[1] 4,961	38	7.7
Jones	[1] 8,992	87	9.7
White	[1] 3,217	25	7.8
Colored	[1] 5,775	62	10.7
Lamar	[1] 9,745	131	13.4
White	[1] 5,272	64	12.1
Colored	[1] 4,473	67	15.0
Lanier	[1] 5,190	38	7.3
White	[1] 3,250	16	4.9
Colored	[1] 1,940	22	11.3
Laurens	[1] 32,693	328	10.0
White	[1] 19,157	181	9.4
Colored	[1] 13,536	147	10.9
Lee	[1] 8,328	86	10.3
White	[1] 1,836	8	4.4
Colored	[1] 6,492	78	12.0
Liberty	[1] 8,153	109	13.4
White	[1] 2,621	16	6.1
Colored	[1] 5,532	93	16.8
Lincoln	[1] 7,847	46	5.9
White	[1] 3,754	26	6.9
Colored	[1] 4,093	20	4.9
Long	[1] 4,180	46	11.0
White	[1] 2,392	19	7.9
Colored	[1] 1,788	27	15.1
Lowndes	17,000	102	6.0
White	9,200	40	4.3
Colored	7,800	62	7.9
Lumpkin	[1] 4,927	49	9.9
McDuffie	[1] 9,014	105	11.6
White	[1] 4,442	40	9.0
Colored	[1] 4,572	65	14.2
McIntosh	5,900	91	15.4
White	2,000	25	12.5
Colored	3,900	66	16.9
Macon	[1] 16,643	165	9.9
White	[1] 5,451	45	8.3
Colored	[1] 11,192	120	10.7
Madison	[1] 14,921	103	6.9
White	[1] 12,087	75	6.2
Colored	[1] 2,834	28	9.9
Marion	[1] 6,968	81	11.6
White	[1] 3,053	34	11.1
Colored	[1] 3,915	47	12.0
Meriwether	[1] 22,437	205	9.1
White	[1] 10,671	81	7.6
Colored	[1] 11,766	124	10.5
Miller	[1] 9,076	83	9.1
White	[1] 5,993	52	8.7
Colored	[1] 3,083	31	10.1
Mitchell	[1] 23,620	194	8.2
White	[1] 11,758	88	7.5
Colored	[1] 11,862	106	8.9
Monroe	[1] 11,606	119	10.3
White	[1] 4,856	42	8.6
Colored	[1] 6,750	77	11.4
Montgomery	10,200	93	9.1
White	5,700	47	8.2
Colored	4,500	46	10.2
Morgan	[1] 12,488	131	10.5
White	[1] 5,289	45	8.5
Colored	[1] 7,199	86	11.9
Murray	[1] 9,215	75	8.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
GEORGIA COUNTIES—Con.			
Muscogee	16,200	40	2.5
White	9,300	21	2.3
Colored	6,900	19	2.8
Newton	[1] 17,290	162	9.4
White	[1] 10,512	76	7.2
Colored	[1] 6,778	86	12.7
Oconee	[1] 8,082	63	7.8
White	[1] 5,681	37	6.5
Colored	[1] 2,401	26	10.8
Oglethorpe	[1] 12,927	116	9.0
White	[1] 6,503	52	8.0
Colored	[1] 6,424	64	10.0
Paulding	[1] 12,327	85	6.9
Peach	10,400	115	11.1
White	3,700	27	7.3
Colored	6,700	88	13.1
Pickens	9,900	60	6.1
Pierce	12,900	111	8.6
White	9,600	72	7.5
Colored	3,300	39	11.8
Pike	[1] 10,853	108	10.0
White	[1] 5,452	47	8.6
Colored	[1] 5,401	61	11.3
Polk	25,900	172	6.6
White	21,200	130	6.1
Colored	4,700	42	8.9
Pulaski	[1] 9,005	83	9.2
White	[1] 3,949	45	11.4
Colored	[1] 5,056	38	7.5
Putnam	[1] 8,367	94	11.2
White	[1] 3,155	33	10.5
Colored	[1] 5,212	61	11.7
Quitman	3,900	28	7.2
White	1,200	9	7.5
Colored	2,700	19	7.0
Rabun	6,400	45	7.0
Randolph	17,200	180	10.5
White	5,600	66	11.8
Colored	11,600	114	9.8
Richmond	12,900	115	8.9
White	6,900	61	8.8
Colored	6,000	54	9.0
Rockdale	[1] 7,247	79	10.9
White	[1] 4,806	48	10.0
Colored	[1] 2,441	31	12.7
Schley	5,400	54	10.0
White	2,000	19	9.5
Colored	3,400	35	10.3
Screven	[1] 20,503	178	8.7
White	[1] 8,882	55	6.2
Colored	[1] 11,621	123	10.6
Seminole	[1] 7,389	72	9.7
White	[1] 4,491	39	8.7
Colored	[1] 2,898	33	11.4
Spalding	13,100	131	10.0
White	8,800	79	9.0
Colored	4,300	52	12.1
Stephens	11,800	93	7.9
White	9,800	74	7.6
Colored	2,000	19	9.5
Stewart	[1] 11,114	102	9.2
White	[1] 3,184	14	4.4
Colored	[1] 7,930	88	11.1
Sumter	[1] 26,800	283	10.6
White	[1] 9,410	88	9.4
Colored	[1] 17,390	195	11.2
Talbot	[1] 8,458	89	10.5
White	[1] 2,630	32	12.2
Colored	[1] 5,828	57	9.8
Taliaferro	[1] 6,172	63	10.2
White	[1] 1,950	17	8.7
Colored	[1] 4,222	46	10.9
Tattnall	15,600	141	9.0
White	12,300	96	7.8
Colored	3,300	45	13.6
Taylor	[1] 10,617	80	7.5
White	[1] 5,375	40	7.4
Colored	[1] 5,242	40	7.6
Telfair	[1] 14,997	120	8.0
White	[1] 10,138	75	7.4
Colored	[1] 4,859	45	9.3
Terrell	[1] 18,290	185	10.1
White	[1] 5,308	53	10.0
Colored	[1] 12,982	132	10.2
Thomas	[1] 20,412	150	7.3
White	[1] 10,856	76	7.0
Colored	[1] 9,556	74	7.7
Tift	16,300	214	13.1
White	11,400	125	11.0
Colored	4,900	89	18.2
Toombs	17,700	169	9.5
White	12,600	117	9.3
Colored	5,100	52	10.2
GEORGIA COUNTIES—Con.			
Towns	4,400	34	7.7
Treutlen	[1] 7,488	55	7.3
White	[1] 5,015	33	6.6
Colored	[1] 2,473	22	8.9
Troup	16,300	152	9.3
White	7,100	64	9.0
Colored	9,200	88	9.6
Turner	[1] 11,196	87	7.8
White	[1] 7,330	43	5.9
Colored	[1] 3,866	44	11.4
Twiggs	[1] 8,372	72	8.6
White	[1] 3,037	22	7.2
Colored	[1] 5,335	50	9.4
Union	[1] 6,340	71	11.2
Upson	20,300	211	10.4
White	13,400	127	9.5
Colored	6,900	84	12.2
Walker	26,700	251	9.4
Walton	[1] 21,118	206	9.8
White	[1] 14,351	115	8.0
Colored	[1] 6,767	91	13.4
Ware	[1] 11,048	65	5.9
White	[1] 8,788	44	5.0
Colored	[1] 2,260	21	9.3
Warren	[1] 11,181	102	9.1
White	[1] 3,830	42	11.0
Colored	[1] 7,351	60	8.2
Washington	[1] 25,030	180	7.2
White	[1] 10,893	74	6.8
Colored	[1] 14,132	106	7.5
Wayne	12,900	130	10.1
White	9,800	94	9.6
Colored	3,100	36	11.6
Webster	[1] 5,032	44	8.7
White	[1] 1,994	23	11.5
Colored	[1] 3,038	21	6.9
Wheeler	[1] 9,149	78	8.5
White	[1] 6,211	56	9.0
Colored	[1] 2,938	22	7.5
White	[1] 6,056	54	8.9
Whitfield	21,400	200	9.3
Wilcox	[1] 13,439	110	8.2
White	[1] 7,966	56	7.0
Colored	[1] 5,473	54	9.9
Wilkes	[1] 15,944	155	9.7
White	[1] 5,856	45	7.7
Colored	[1] 10,088	110	10.9
Wilkinson	[1] 10,844	109	10.1
White	[1] 5,730	44	7.7
Colored	[1] 5,114	65	12.7
Worth	[1] 21,094	246	11.7
White	[1] 11,519	91	7.9
Colored	[1] 9,575	155	16.2
IDAHO COUNTIES			
Ada	16,900	111	6.6
Adams	[1] 2,867	29	10.1
Bannock	15,000	45	3.0
Bear Lake	[1] 7,872	65	8.3
Benewah	[1] 6,371	64	10.0
Bingham	18,600	204	11.0
Blaine	[1] 3,768	47	12.5
Boise	1,900	12	6.3
Bonner	13,200	103	7.8
Bonneville	20,000	219	11.0
Boundary	4,600	55	12.0
Butte	[1] 1,934	5	2.6
Camas	[1] 1,411	8	5.7
Canyon	31,600	262	8.3
Caribou	[1] 2,121	42	19.8
Cassia	[1] 13,116	98	7.5
Clark	[1] 1,122	6	5.3
Clearwater	6,900	71	10.3
Custer	[1] 3,162	25	7.9
Elmore	[1] 4,491	38	8.5
Franklin	9,500	69	7.3
Fremont	[1] 9,924	72	7.3
Gem	7,600	47	6.2
Gooding	7,600	72	9.5
Idaho	[1] 10,107	107	10.6
Jefferson	[1] 9,171	50	5.5
Jerome	8,800	44	5.0
Kootenai	19,800	216	10.9
Latah	[1] 17,798	137	7.7
Lembi	[1] 4,643	50	10.8
Lewis	[1] 5,238	31	5.9
Lincoln	[1] 3,242	21	6.5
Madison	[1] 8,316	74	8.9
Minidoka	[1] 8,403	54	6.4
Nez Perce	18,000	225	12.5
Oneida	[1] 5,870	38	6.5
Owyhee	[1] 4,103	14	3.4
IDAHO COUNTIES—Con.			
Payette	7,400	56	7.6
Power	[1] 4,457	27	6.1
Shoshone	19,900	197	9.9
Teton	[1] 3,573	20	5.6
Twin Falls	30,100	243	8.1
Valley	3,700	25	6.8
Washington	[1] 7,962	88	11.1
ILLINOIS COUNTIES			
Adams	23,400	238	10.2
Alexander	[1] 9,010	103	11.4
White	[1] 6,966	75	10.8
Colored	[1] 2,044	28	13.7
Bond	[1] 14,406	121	8.4
Boone	[1] 15,078	184	12.2
Brown	[1] 7,892	108	13.7
Bureau	[1] 38,845	434	11.2
Calhoun	[1] 8,034	83	10.3
Carroll	[1] 18,433	199	10.8
Cass	[1] 16,537	206	12.5
Champaign	31,000	241	7.8
Christian	[1] 37,538	414	11.0
Clark	[1] 17,872	202	11.3
Clay	[1] 16,155	182	11.3
Clinton	[1] 20,869	221	10.6
Coles	22,900	246	10.7
Cook	189,100	3,342	17.7
Crawford	[1] 21,085	240	11.4
Cumberland	[1] 10,419	121	11.6
De Kalb	32,900	339	10.3
De Witt	[1] 18,598	227	12.2
Douglas	[1] 17,914	170	9.5
Du Page	84,800	603	7.1
Edgar	[1] 24,966	322	12.9
Edwards	[1] 8,303	95	11.4
Effingham	[1] 19,013	228	12.0
Fayette	[1] 23,487	276	11.8
Ford	[1] 15,489	150	9.7
Franklin	44,100	351	8.0
Fulton	[1] 32,083	289	9.0
Gallatin	[1] 10,091	121	12.0
Greene	[1] 20,417	248	12.1
Grundy	18,700	190	10.2
Hamilton	[1] 12,995	143	11.0
Hancock	[1] 26,420	307	11.6
Hardin	[1] 6,955	85	12.2
Henderson	[1] 8,778	88	10.0
Henry	[1] 26,758	243	9.1
Iroquois	[1] 32,913	318	9.7
Jackson	[1] 35,680	396	11.1
Jasper	[1] 12,809	125	9.8
Jefferson	18,700	160	8.6
Jersey	[1] 12,556	152	12.1
Jo Daviess	[1] 20,235	214	10.6
Johnson	[1] 10,203	101	9.9
Kane	45,400	369	8.1
Kankakee	29,700	576	19.4
Kendall	10,600	92	8.7
Knox	22,400	198	8.8
Lake	60,500	701	11.6
La Salle	54,800	482	8.8
Lawrence	22,000	199	9.0
Lee	33,100	434	13.1
Livingston	39,100	378	9.7
Logan	[1] 15,863	111	7.0
McDonough	27,400	337	12.3
McHenry	35,400	405	11.4
McLean	42,300	423	10.0
Macon	25,600	224	8.8
Macoupin	[1] 48,703	446	9.2
Madison	92,600	854	9.2
Marion	[1] 23,535	286	12.2
Marshall	[1] 13,023	136	10.4
Mason	[1] 15,115	152	10.1
Massac	14,200	179	12.6
White	12,500	147	11.8
Colored	1,700	32	18.8
Menard	[1] 10,575	91	8.6
Mercer	[1] 16,641	160	9.6
Monroe	[1] 12,369	124	10.0
Montgomery	[1] 35,278	486	13.8
Morgan	16,300	187	11.5
Moultrie	[1] 13,247	132	10.0
Ogle	28,300	281	9.9
Peoria	36,600	530	14.5
Perry	[1] 22,767	231	10.1
Piatt	[1] 15,588	130	8.3
Pike	[1] 24,357	313	12.9
Pope	[1] 7,996	94	11.8
Pulaski	14,900	175	11.7
White	9,900	95	9.6
Colored	5,000	80	16.0

See footnote at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
ILLINOIS COUNTIES—Con.			
Putnam	[1] 5,235	61	11.7
Randolph	29,300	331	11.3
Richland	14,100	255	18.1
Rock Island	17,900	141	7.9
St. Clair	56,800	481	8.5
Saline	[1] 24,700	241	9.8
Sangamon	39,900	316	7.9
Schuyler	[1] 11,676	131	11.2
Scott	[1] 8,539	94	11.0
Shelby	[1] 25,471	300	11.8
Stark	[1] 9,184	73	7.9
Stephenson	18,000	154	8.6
Tazewell	30,600	208	6.8
Union	[1] 19,883	446	22.4
Vermilion	52,600	479	9.1
Wabash	[1] 13,197	140	10.6
Warren	21,800	218	10.0
Washington	[1] 16,286	158	9.7
Wayne	[1] 19,130	180	9.4
White	[1] 18,149	216	11.9
Whiteside	29,200	282	9.7
Will	69,100	648	9.4
Williamson	[1] 53,880	488	9.1
Winnebago	32,700	348	10.6
Woodford	[1] 18,792	166	8.8
INDIANA COUNTIES			
Adams	[1] 19,957	198	9.9
Allen	32,200	331	10.3
Bartholomew	25,000	321	12.8
Benton	[1] 11,886	90	7.6
Blackford	[1] 13,617	159	11.7
Boone	[1] 22,290	277	12.4
Brown	[1] 5,168	69	13.4
Carroll	[1] 15,049	168	11.2
Cass	[1] 16,010	275	17.2
Clark	18,700	195	10.4
Clay	[1] 26,479	309	11.7
Clinton	[1] 15,029	179	11.9
Crawford	[1] 10,160	135	13.3
Daviess	[1] 25,832	290	11.2
Dearborn	21,200	238	11.2
Decatur	[1] 17,308	258	14.9
De Kalb	[1] 24,911	321	12.9
Delaware	21,900	202	9.2
Dubois	20,700	210	10.1
Elkhart	26,900	257	9.6
Fayette	6,500	67	10.3
Floyd	8,700	106	12.2
Fountain	[1] 17,971	202	11.2
Franklin	[1] 14,498	154	10.6
Fulton	[1] 15,038	225	15.0
Gibson	29,200	334	11.4
Grant	[1] 26,466	414	15.6
Greene	[1] 31,481	342	10.9
Hamilton	[1] 23,444	291	12.4
Hancock	[1] 16,605	189	11.4
Harrison	[1] 17,254	185	10.7
Hendricks	[1] 19,725	256	13.0
Henry	21,300	329	15.4
Howard	14,000	166	11.9
Huntington	[1] 15,653	213	13.6
Jackson	[1] 23,731	298	12.6
Jasper	[1] 13,388	163	12.2
Jay	[1] 20,846	274	13.1
Jefferson	[1] 19,182	388	20.2
Jennings	[1] 11,800	168	14.2
Johnson	21,900	292	13.3
Knox	[1] 26,213	216	8.2
Kosciusko	27,600	355	12.9
Lagrange	[1] 13,780	159	11.5
Lake	32,500	303	9.3
La Porte	18,400	161	8.8
Lawrence	22,900	203	8.9
Madison	33,400	331	9.9
Marion	63,300	613	9.7
Marshall	25,300	297	11.7
Martin	[1] 10,103	105	10.4
Miami	16,300	182	11.2
Monroe	18,100	162	9.0
Montgomery	[1] 16,580	157	9.5
Morgan	[1] 19,424	259	13.3
Newton	[1] 9,841	102	10.4
Noble	[1] 22,404	305	13.6
Ohio	[1] 3,747	47	12.5
Orange	17,500	212	12.1
Owen	[1] 11,351	147	13.0
Parke	[1] 16,561	184	11.1
Perry	[1] 16,625	172	10.3
Pike	[1] 16,361	203	12.4
Porter	23,300	247	10.6
Posey	[1] 17,853	209	11.7
Pulaski	[1] 11,195	131	11.7
INDIANA COUNTIES—Con.			
Putnam	20,500	241	11.8
Randolph	[1] 24,859	320	12.9
Ripley	[1] 18,078	205	11.3
Rush	19,400	223	11.5
St. Joseph	29,300	284	9.7
Scott	[1] 6,664	65	9.8
Shelby	15,800	214	13.5
Spencer	[1] 16,713	183	10.9
Starke	10,700	117	10.9
Steuben	13,400	196	14.6
Sullivan	[1] 28,133	330	11.7
Switzerland	[1] 8,432	120	14.2
Tippecanoe	21,400	250	11.7
Tipton	[1] 15,208	162	10.7
Union	[1] 5,880	51	8.7
Vanderburg	11,800	364	30.8
Vermillion	[1] 23,238	238	10.2
Vigo	[1] 36,051	394	10.9
Wabash	[1] 25,170	308	12.2
Warren	[1] 9,167	97	10.6
Warrick	[1] 18,230	162	8.9
Washington	[1] 16,285	190	11.7
Wayne	22,700	408	18.0
Wells	[1] 18,411	226	12.3
White	[1] 15,831	174	11.0
Whitley	16,000	163	10.2
IOWA COUNTIES			
Adair	[1] 13,891	104	7.5
Adams	[1] 10,437	78	7.5
Allamakee	[1] 16,328	167	10.2
Appanoose	[1] 24,835	260	10.5
Audubon	[1] 12,264	73	6.0
Benton	[1] 22,851	211	9.2
Black Hawk	23,400	187	8.0
Boone	[1] 17,385	159	9.1
Bremer	17,100	175	10.2
Buchanan	[1] 19,550	302	15.4
Buena Vista	18,700	170	9.1
Butler	[1] 17,617	152	8.6
Calhoun	[1] 17,605	168	9.5
Carroll	22,500	280	12.4
Cass	19,400	210	10.8
Cedar	[1] 16,760	130	7.8
Cerro Gordo	15,200	108	7.1
Cherokee	18,900	272	14.4
Chickasaw	[1] 14,637	136	9.3
Clarke	[1] 10,384	105	10.1
Clay	16,200	138	8.5
Clayton	[1] 24,559	241	9.8
Clinton	18,500	168	9.1
Crawford	21,100	181	8.6
Dallas	25,600	266	10.4
Davis	[1] 11,150	123	11.0
Decatur	[1] 14,903	150	10.1
Delaware	[1] 18,122	158	8.7
Des Moines	11,400	83	7.3
Dickinson	11,100	102	9.2
Dubuque	19,600	108	5.5
Emmet	12,900	129	10.0
Fayette	[1] 29,145	314	10.8
Floyd	19,600	198	10.1
Franklin	16,500	142	8.6
Fremont	15,500	149	9.6
Greene	16,500	115	7.0
Grundy	[1] 14,133	93	6.6
Guthrie	[1] 17,324	163	9.4
Hamilton	21,200	183	8.6
Hancock	14,800	103	7.0
Hardin	[1] 22,947	210	9.2
Harrison	25,000	226	9.0
Henry	[1] 17,660	288	16.3
Howard	[1] 13,082	147	11.2
Humboldt	13,200	88	6.7
Ida	12,000	94	7.8
Iowa	[1] 17,332	119	6.9
Jackson	[1] 18,481	212	11.5
Jasper	21,400	188	8.8
Jefferson	[1] 16,241	158	9.7
Johnson	14,900	139	9.3
Jones	19,300	189	9.8
Keokuk	[1] 19,148	171	8.9
Kossuth	25,500	229	9.0
Lee	12,200	126	10.3
Linn	26,500	238	9.0
Louisa	[1] 11,575	116	10.0
Lucas	[1] 15,114	162	10.7
Lyon	[1] 15,293	103	6.7
Madison	[1] 14,331	140	9.8
Mahaska	[1] 15,604	118	7.6
Marion	25,900	248	9.6
Marshall	16,200	131	8.1
Mills	15,900	139	8.7
IOWA COUNTIES—Contd.			
Mitchell	14,100	142	10.1
Monona	18,400	149	8.1
Monroe	[1] 15,010	181	12.1
Montgomery	[1] 16,752	159	9.5
Muscatine	12,500	127	10.2
O'Brien	[1] 18,409	185	10.0
Osceola	[1] 10,182	75	7.4
Page	26,200	355	13.5
Palo Alto	[1] 15,398	115	7.5
Plymouth	24,300	227	9.3
Pocahontas	15,700	93	5.9
Polk	30,700	208	6.8
Pottawattamie	28,100	165	5.9
Poweshiek	[1] 18,727	181	9.7
Ringgold	[1] 11,966	121	10.1
Sac	17,700	169	9.5
Scott	16,700	157	9.4
Shelby	17,300	146	8.4
Sioux	26,900	185	6.9
Story	21,100	179	8.5
Tama	22,000	197	9.0
Taylor	[1] 14,859	138	9.3
Union	17,500	202	11.5
Van Buren	[1] 12,603	136	10.8
Wapello	12,000	130	10.7
Warren	[1] 17,700	171	9.7
Washington	[1] 19,822	207	10.4
Wayne	[1] 13,787	142	10.3
Webster	18,600	124	6.7
Winnebago	[1] 13,143	106	8.1
Winneshiek	[1] 21,630	209	9.7
Woodbury	22,800	158	6.9
Worth	[1] 11,164	86	7.7
Wright	[1] 20,216	180	8.9
KANSAS COUNTIES			
Allen	[1] 21,391	286	13.4
Anderson	13,400	120	9.0
Atchison	10,900	92	8.4
Barber	10,300	71	6.9
Barton	20,000	168	8.4
Bourbon	[1] 11,586	88	7.6
Brown	[1] 20,553	193	9.4
Butler	[1] 25,593	155	6.1
Chase	[1] 6,952	69	9.9
Chautauqua	[1] 10,352	113	10.9
Cherokee	[1] 31,457	334	10.6
Cheyenne	7,200	53	7.4
Clark	[1] 4,796	42	8.8
Clay	14,600	163	11.2
Cloud	18,100	213	11.8
Coffey	[1] 13,653	133	9.7
Comanche	[1] 5,238	28	5.3
Cowley	27,500	267	9.7
Crawford	[1] 31,129	366	11.8
Decatur	9,000	72	8.0
Dickinson	25,900	229	8.8
Doniphan	14,200	132	9.3
Douglas	11,400	93	8.2
Edwards	7,300	53	7.3
Elk	9,200	115	12.5
Ellis	16,200	208	12.8
Ellsworth	[1] 10,132	107	10.6
Finney	11,600	141	12.2
Ford	10,700	91	8.5
Franklin	22,000	234	10.6
Geary	14,500	139	9.6
Gove	5,800	60	10.3
Graham	7,800	56	7.2
Grant	3,400	14	4.1
Gray	6,500	32	4.9
Greeley	1,800	15	8.3
Greenwood	20,000	172	8.6
Hamilton	3,500	40	11.4
Harper	[1] 12,823	171	13.3
Harvey	11,200	165	14.7
Haskell	3,000	16	5.3
Hodgeman	4,200	16	3.8
Jackson	[1] 14,776	136	9.2
Jefferson	[1] 14,129	120	8.5
Jewell	[1] 14,462	133	9.2
Johnson	28,700	215	7.5
Kearny	3,300	15	4.5
Kingman	[1] 11,674	94	8.1
Kiowa	[1] 6,035	44	7.3
Labette	[1] 16,443	208	12.6
Lane	3,500	17	4.9
Leavenworth	25,800	282	10.9
White	22,900	240	10.5
Colored	2,900	42	14.5
Lincoln	[1] 9,707	80	8.2
Linn	[1] 13,534	141	10.4
Logan	4,300	32	7.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
KANSAS COUNTIES—Con.			
Lyon	15,200	102	6.7
McPherson	23,900	255	10.7
Marion	[1] 20,739	192	9.3
Marshall	23,100	203	8.8
Meade	7,100	48	6.8
Miami	21,500	295	13.7
Mitchell	[1] 12,774	154	12.1
Montgomery	22,600	219	9.7
Morris	[1] 11,859	105	8.9
Morton	4,200	25	6.0
Nemaha	[1] 18,342	160	8.7
Neosho	[1] 12,388	114	9.2
Ness	8,500	50	5.9
Norton	11,700	175	15.0
Osage	[1] 17,538	171	9.8
Osborne	[1] 11,568	99	8.6
Ottawa	[1] 9,819	67	6.8
Pawnee	10,700	194	18.1
Phillips	[1] 12,159	91	7.5
Pottawatomie	[1] 15,862	146	9.2
Pratt	13,400	88	6.6
Rawlins	7,500	63	8.4
Reno	20,700	152	7.3
Republic	[1] 14,745	130	8.8
Rice	[1] 13,800	138	10.0
Riley	[1] 9,382	94	10.0
Rooks	[1] 9,534	74	7.8
Rush	9,200	81	8.8
Russell	11,100	66	5.9
Saline	9,200	57	6.2
Scott	4,100	32	7.8
Sedgwick	26,200	289	11.0
Seward	8,400	79	9.4
Shawnee	22,200	358	16.1
Sheridan	6,100	40	6.6
Sherman	7,700	62	8.1
Smith	[1] 13,545	126	9.3
Stafford	[1] 10,460	93	8.9
Stanton	2,400	7	2.9
Stevens	4,800	24	5.0
Sumner	[1] 28,960	289	10.0
Thomas	7,600	50	6.6
Trego	6,600	43	6.5
Wabaunsee	[1] 10,830	87	8.0
Wallace	3,000	18	6.0
Washington	[1] 17,112	150	8.8
Wichita	2,700	19	7.0
Wilson	[1] 18,646	192	10.3
Woodson	[1] 8,526	95	11.1
Wyandotte	21,000	181	8.6
White	18,900	143	7.6
Colored	2,100	38	18.1
KENTUCKY COUNTIES			
Adair	[1] 16,401	138	8.4
Allen	[1] 15,180	141	9.3
Anderson	[1] 8,494	107	12.6
Ballard	[1] 9,910	119	12.0
Barren	25,900	299	11.5
White	23,200	252	10.9
Colored	2,700	47	17.4
Bath	[1] 11,075	126	11.4
Bell	28,900	192	6.6
Boone	9,600	106	11.0
Bourbon	[1] 18,060	275	15.2
White	[1] 14,053	167	11.9
Colored	[1] 4,007	108	27.0
Boyd	15,400	109	7.1
Boyle	16,500	207	12.5
White	13,300	161	12.1
Colored	3,200	46	14.4
Bracken	[1] 9,616	121	12.6
Breathitt	21,200	209	9.9
Breckinridge	[1] 17,368	157	9.0
Bullitt	[1] 8,868	94	10.6
Butler	[1] 12,620	110	8.7
Caldwell	[1] 13,781	158	11.5
White	[1] 12,059	132	10.9
Colored	[1] 1,722	26	15.1
Calloway	[1] 17,662	188	10.6
Campbell	34,800	412	11.8
Carlisle	[1] 7,363	83	11.3
Carroll	[1] 8,155	107	13.1
Carter	24,100	178	7.4
Casey	[1] 16,747	85	5.1
Christian	[1] 23,383	492	21.0
White	[1] 15,679	386	24.6
Colored	[1] 7,704	106	13.8
Clark	[1] 17,640	261	14.8
White	[1] 14,798	208	14.1
Colored	[1] 2,842	53	18.6
Clay	[1] 18,526	85	4.6
Clinton	9,100	73	8.0
Crittenden	[1] 11,931	112	9.4
Cumberland	[1] 10,204	79	7.7
Daviess	21,200	185	8.7
Edmonson	11,600	92	7.9
Elliott	[1] 7,571	90	11.9
Estill	17,300	104	6.0
Fayette	24,800	173	7.0
White	20,900	134	6.4
Colored	3,900	39	10.0
Fleming	[1] 12,931	167	12.9
Floyd	44,400	318	7.2
Franklin	9,500	83	8.7
Fulton	[1] 14,927	208	13.9
White	[1] 11,773	156	13.3
Colored	[1] 3,154	52	16.5
Gallatin	[1] 4,437	52	11.7
Garrard	[1] 11,562	128	11.1
White	[1] 10,098	105	10.4
Colored	[1] 1,464	23	15.7
Grant	[1] 9,876	107	10.8
Graves	[1] 30,778	345	11.2
Grayson	[1] 17,055	165	9.7
Green	11,400	92	8.1
Greenup	25,300	205	8.1
Hancock	[1] 6,147	84	13.7
Hardin	[1] 20,913	219	10.5
Harlan	70,200	527	7.5
Harrison	[1] 14,859	201	13.5
Hart	[1] 16,169	104	6.4
Henderson	[1] 14,627	166	11.3
White	[1] 12,575	142	11.3
Colored	[1] 2,052	24	11.7
Henry	[1] 12,564	123	9.8
Hickman	[1] 8,725	99	11.3
White	[1] 7,677	83	10.8
Colored	[1] 1,048	16	15.3
Hopkins	38,000	394	10.4
White	32,900	312	9.5
Colored	5,100	82	16.1
Jackson	[1] 10,467	49	4.7
Jefferson	49,600	679	13.7
Jessamine	12,500	127	10.2
White	10,600	95	9.0
Colored	1,900	32	16.8
Johnson	23,500	239	10.2
Kenton	30,400	261	8.6
Knott	15,800	85	5.4
Knox	26,600	227	8.5
Larue	[1] 9,093	98	10.8
Laurel	21,300	137	6.4
Lawrence	[1] 16,713	150	9.0
Lee	[1] 9,729	78	8.0
Leslie	10,900	89	8.2
Letcher	37,600	202	5.4
Lewis	[1] 14,315	138	9.6
Lincoln	17,900	224	12.5
Livingston	[1] 8,608	107	12.4
Logan	[1] 21,875	248	11.3
White	[1] 18,389	210	11.4
Colored	[1] 3,486	38	10.9
Lyon	[1] 8,530	106	12.4
White	[1] 7,330	84	11.5
Colored	[1] 1,200	22	18.3
McCracken	12,800	104	8.1
McCreary	15,100	106	7.0
McLean	[1] 11,072	135	12.2
Madison	27,800	282	10.1
White	23,600	222	9.4
Colored	4,200	60	14.3
Magoffin	16,000	115	7.2
Marion	[1] 15,499	185	11.9
Marshall	[1] 12,889	127	9.9
Martin	8,700	94	10.8
Mason	19,100	254	13.3
White	16,600	223	13.4
Colored	2,500	31	12.4
Meade	[1] 8,042	80	9.9
Menifee	[1] 4,958	50	10.1
Mercer	[1] 14,471	167	11.5
White	[1] 12,921	143	11.1
Colored	[1] 1,550	24	15.5
Metcalfe	[1] 9,373	63	6.7
Monroe	[1] 13,077	133	10.2
Montgomery	[1] 11,660	157	13.5
White	[1] 9,692	119	12.3
Colored	[1] 1,968	38	19.3
Morgan	[1] 15,130	124	8.2
Muhlenberg	38,500	405	10.5
Nelson	16,600	158	9.5
White	14,600	135	9.2
Colored	2,000	23	11.5
Nicholas	[1] 8,571	111	13.0
Ohio	[1] 24,469	239	9.8
Oldham	[1] 7,402	87	11.8
Owen	[1] 10,710	90	8.4
Owsley	[1] 7,223	37	5.1
Pendleton	[1] 10,876	131	12.0
Perry	44,900	334	7.4
Pike	65,800	525	8.0
Powell	[1] 5,800	48	8.3
Pulaski	35,900	297	8.3
Robertson	[1] 3,344	34	10.2
Rockcastle	[1] 15,149	84	5.5
Rowan	11,100	111	10.0
Russell	11,900	68	5.7
Scott	[1] 14,400	207	14.4
White	[1] 11,889	163	13.7
Colored	[1] 2,511	44	17.5
Shelby	[1] 17,679	208	11.8
White	[1] 15,042	165	11.0
Colored	[1] 2,637	43	16.3
Simpson	11,400	142	12.5
White	9,600	109	11.4
Colored	1,800	33	18.3
Spencer	[1] 6,606	74	11.2
Taylor	[1] 12,047	131	10.9
Todd	[1] 13,520	158	11.7
White	[1] 10,127	111	11.0
Colored	[1] 3,393	47	13.9
Trigg	[1] 12,531	136	10.9
White	[1] 10,158	104	10.2
Colored	[1] 2,373	32	13.5
Trimble	[1] 5,348	60	11.2
Union	[1] 17,053	178	10.4
White	[1] 15,027	146	9.7
Colored	[1] 2,026	32	15.8
Warren	21,400	231	10.8
White	18,800	191	10.2
Colored	2,600	40	15.4
Washington	[1] 12,623	115	9.1
White	[1] 11,261	91	8.1
Colored	[1] 1,362	24	17.6
Wayne	[1] 15,848	149	9.4
Webster	[1] 20,534	220	10.7
White	[1] 17,430	175	10.0
Colored	[1] 3,104	45	14.5
Whitley	30,100	264	8.8
Wolfe	[1] 8,425	50	5.9
Woodford	[1] 10,981	137	12.5
White	[1] 8,774	102	11.6
Colored	[1] 2,207	35	15.9
LOUISIANA PARISHES			
Acadia	40,100	297	7.4
White	31,900	213	6.7
Colored	8,200	84	10.2
Allen	[1] 15,261	123	8.1
White	[1] 11,028	74	6.7
Colored	[1] 4,233	49	11.6
Ascension	[1] 18,438	189	10.3
White	[1] 11,352	86	7.6
Colored	[1] 7,086	103	14.5
Assumption	[1] 15,990	201	12.6
White	[1] 9,671	81	8.4
Colored	[1] 6,319	120	19.0
Avoyelles	[1] 34,926	229	6.6
White	[1] 25,010	127	5.1
Colored	[1] 9,916	102	10.3
Beauregard	[1] 14,569	114	7.8
White	[1] 11,316	86	7.6
Colored	[1] 3,253	28	8.6
Bienville	24,300	191	7.9
White	13,300	89	6.7
Colored	11,000	102	9.3
Bossier	29,400	162	5.5
White	11,200	58	5.2
Colored	18,200	104	5.7
Caddo	50,700	401	7.9
White	18,600	110	5.9
Colored	32,100	291	9.1
Calcasieu	27,200	156	5.7
White	20,800	111	5.3
Colored	6,400	45	7.0
Caldwell	10,600	103	9.7
White	7,700	71	9.2
Colored	2,900	32	11.0
Cameron	6,400	28	4.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
LOUISIANA PARISHES—Continued			
Catahoula	12,700	87	6.9
White	8,100	47	5.8
Colored	4,600	40	8.7
Claiborne	33,000	176	5.3
White	14,400	76	5.3
Colored	18,600	100	5.4
Concordia	12,800	158	12.3
White	3,700	34	9.2
Colored	9,100	124	13.6
De Soto	31,300	232	7.4
White	11,800	74	6.3
Colored	19,500	158	8.1
East Baton Rouge	40,300	479	11.9
White	20,700	183	8.8
Colored	19,600	296	15.1
East Carroll	16,600	178	10.7
White	4,400	38	8.6
Colored	12,200	140	11.5
East Feliciana	[1] 17,449	331	19.0
White	[1] 5,568	119	21.4
Colored	[1] 11,881	212	17.8
Evangeline	25,800	80	3.1
White	20,000	56	2.8
Colored	5,800	24	4.1
Franklin	31,600	260	8.2
White	20,200	165	8.2
Colored	11,400	95	8.3
Grant	15,900	128	8.1
White	10,800	78	7.2
Colored	5,100	50	9.8
Iberia	28,400	319	11.2
White	17,700	167	9.4
Colored	10,700	152	14.2
Iberville	[1] 24,638	350	14.2
White	[1] 11,900	112	9.4
Colored	[1] 12,738	238	18.7
Jackson	[1] 13,808	83	6.0
White	[1] 9,821	54	5.5
Colored	[1] 3,987	29	7.3
Jefferson	43,200	229	5.3
White	34,600	142	4.1
Colored	8,600	87	10.1
Jefferson Davis	19,900	155	7.8
White	14,900	102	6.8
Colored	5,000	53	10.6
Lafayette	24,400	164	6.7
White	16,100	98	6.1
Colored	8,300	66	8.0
Lafourche	32,800	247	7.5
White	27,500	174	6.3
Colored	5,300	73	13.8
La Salle	12,000	83	6.9
White	9,700	61	6.3
Colored	2,300	22	9.6
Lincoln	23,800	141	5.9
White	13,500	81	6.0
Colored	10,300	60	5.8
Livingston	19,300	107	5.5
White	14,800	88	5.9
Colored	4,500	19	4.2
Madison	15,500	140	9.0
White	5,800	36	6.2
Colored	9,700	104	10.7
Morehouse	24,400	284	11.6
White	10,700	107	10.0
Colored	13,700	177	12.9
Natchitoches	[1] 38,477	430	11.2
White	[1] 18,228	159	8.7
Colored	[1] 20,249	271	13.4
Ouachita	30,100	148	4.9
White	21,100	89	4.2
Colored	9,000	59	6.6
Plaquemines	[1] 9,608	75	7.8
White	[1] 5,049	22	4.4
Colored	[1] 4,559	53	11.6
Pointe Coupee	[1] 21,007	255	12.1
White	[1] 8,796	81	9.2
Colored	[1] 12,211	174	14.2
Rapides	42,500	526	12.4
White	26,900	282	10.5
Colored	15,600	244	15.6
Red River	16,200	102	6.3
White	8,600	59	6.9
Colored	7,600	43	5.7
Richland	27,300	236	8.6
White	13,900	112	8.1
Colored	13,400	124	9.3
Sabine	24,700	148	6.0
White	17,100	132	7.7
Colored	7,600	16	2.1
LOUISIANA PARISHES—Continued			
St. Bernard	6,800	37	5.4
White	5,500	27	4.9
Colored	1,300	10	7.7
St. Charles	12,700	90	7.1
White	8,500	43	5.1
Colored	4,200	47	11.2
St. Helena	8,500	67	7.9
White	3,800	33	8.7
Colored	4,700	34	7.2
St. James	[1] 15,338	170	11.1
White	[1] 7,742	54	7.0
Colored	[1] 7,596	116	15.3
St. John the Baptist	14,500	146	10.1
White	7,400	45	6.1
Colored	7,100	101	14.2
St. Landry	61,500	570	9.3
White	31,500	218	6.9
Colored	30,000	352	11.7
St. Martin	[1] 21,767	173	7.9
White	[1] 14,222	100	7.0
Colored	[1] 7,545	73	9.7
St. Mary	[1] 29,397	332	11.3
White	[1] 15,035	127	8.4
Colored	[1] 14,362	205	14.3
St. Tammany	21,000	216	10.3
White	14,000	127	9.1
Colored	7,000	89	12.7
Tangipahoa	48,700	333	6.8
White	31,900	203	6.4
Colored	16,800	130	7.7
Tensas	15,600	168	10.8
White	4,700	33	7.0
Colored	10,900	135	12.4
Terrebonne	30,300	300	9.9
White	21,000	163	7.8
Colored	9,300	137	14.7
Union	20,900	135	6.5
White	14,200	102	7.2
Colored	6,700	33	4.9
Vermilion	34,900	239	6.8
White	30,500	183	6.0
Colored	4,400	56	12.7
Vernon	[1] 20,047	71	3.5
White	[1] 16,383	57	3.5
Colored	[1] 3,664	14	3.8
Washington	15,900	92	5.8
White	10,900	61	5.6
Colored	5,000	31	6.2
Webster	30,300	238	7.9
White	16,900	124	7.3
Colored	13,400	114	8.5
West Baton Rouge	[1] 9,716	114	11.7
White	[1] 3,581	30	8.4
Colored	[1] 6,135	84	13.7
West Carroll	14,800	62	4.2
White	11,800	43	3.6
Colored	3,000	19	6.3
West Feliciana	[1] 10,924	137	12.5
White	[1] 2,568	30	11.7
Colored	[1] 8,356	107	12.8
Winn	[1] 14,766	65	4.4
White	[1] 11,069	38	3.4
Colored	[1] 3,697	27	7.3
MAINE COUNTIES			
Androscoggin	17,800	212	11.9
Aroostook	88,900	961	10.8
Cumberland	39,700	517	13.0
Franklin	20,000	251	12.6
Hancock	30,800	484	15.7
Kennebec	38,300	534	13.9
Knox	27,900	440	15.8
Lincoln	[1] 15,498	293	18.9
Oxford	42,100	489	11.6
Penobscot	64,000	716	11.2
Piscataquis	[1] 18,231	244	13.4
Sagadalhoc	[1] 16,927	267	15.8
Somerset	39,400	492	12.5
Waldo	[1] 20,286	336	16.6
Washington	[1] 37,826	438	11.6
York	55,700	744	13.4
MARYLAND COUNTIES			
Allegany	41,600	345	8.3
Anne Arundel	44,500	543	12.2
White	32,600	274	8.4
Colored	11,900	269	22.6
Baltimore	133,100	1,195	9.0
White	120,900	1,100	9.1
Colored	12,200	95	7.8
MARYLAND COUNTIES—Continued			
Calvert	[1] 9,528	146	15.3
White	[1] 5,009	59	11.8
Colored	[1] 4,519	87	19.3
Caroline	[1] 17,387	209	12.0
White	[1] 13,710	157	11.5
Colored	[1] 3,677	52	14.1
Carroll	36,300	610	16.8
Cecil	26,200	310	11.8
White	23,700	267	11.3
Colored	2,500	43	17.2
Charles	[1] 16,166	162	10.0
White	[1] 8,674	67	7.7
Colored	[1] 7,492	95	12.7
Dorchester	[1] 26,813	403	15.0
White	[1] 18,981	265	14.0
Colored	[1] 7,832	138	17.6
Frederick	39,900	522	13.1
Garrett	19,900	182	9.1
Harford	32,000	362	11.3
White	28,100	286	10.2
Colored	3,900	76	19.5
Howard	16,200	155	9.6
White	13,000	117	9.0
Colored	3,200	38	11.9
Kent	[1] 14,242	201	14.1
White	[1] 9,804	123	12.5
Colored	[1] 4,438	78	17.6
Montgomery	51,700	556	10.8
White	43,400	448	10.3
Colored	8,300	108	13.0
Prince Georges	63,000	495	7.9
White	48,600	345	7.1
Colored	14,400	150	10.4
Queen Annes	[1] 14,571	175	12.0
White	[1] 10,191	110	10.8
Colored	[1] 4,380	65	14.8
St. Marys	[1] 15,189	185	12.2
White	[1] 9,597	86	9.0
Colored	[1] 5,592	99	17.7
Somerset	[1] 23,382	302	12.9
White	[1] 15,271	185	12.1
Colored	[1] 8,111	117	14.4
Talbot	18,600	338	18.2
White	12,700	206	16.2
Colored	5,900	132	22.4
Washington	35,600	367	10.3
Wicomico	20,200	235	11.6
White	15,300	168	11.0
Colored	4,900	67	13.7
Worcester	[1] 21,624	305	14.1
White	[1] 14,912	191	12.8
Colored	[1] 6,712	114	17.0
MASSACHUSETTS COUNTIES			
Barnstable	33,300	523	15.7
Berkshire	36,700	398	10.8
Bristol	56,100	534	9.5
Dukes	5,100	93	18.2
Essex	65,200	770	11.8
Franklin	34,200	401	11.7
Hampden	49,100	503	10.2
Hampshire	37,200	372	10.0
Middlesex	122,400	1,650	13.5
Nantucket	3,800	52	13.7
Norfolk	76,600	1,162	15.2
Plymouth	86,400	1,073	12.4
Worcester	150,800	1,846	12.2
MICHIGAN COUNTIES			
Alcona	[1] 4,989	70	14.0
Alger	[1] 9,327	91	9.8
Allegan	39,200	435	11.1
Alpena	6,400	56	8.8
Antrim	[1] 9,979	132	13.2
Arenac	[1] 8,007	95	11.9
Baraga	9,400	76	8.1
Barry	[1] 20,928	275	13.1
Bay	[1] 22,119	206	9.3
Benzie	[1] 6,537	90	13.7
Berrien	56,200	546	9.7
Branch	[1] 23,950	341	14.2
Calhoun	44,900	571	12.7
Cass	21,000	314	15.0
Charlevoix	[1] 11,981	144	12.0
Cheboygan	[1] 11,502	158	13.7
Chippewa	11,100	114	10.3
Clare	[1] 7,032	89	12.7
Clinton	24,400	272	11.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
MICHIGAN COUNTIES—Continued			
Crawford	[1] 3,097	64	20.7
Delta	17,700	147	8.3
Dickinson	19,500	109	5.6
Eaton	32,100	428	13.3
Emmet	[1] 15,109	262	17.3
Genesee	59,100	451	7.6
Gladwin	[1] 7,424	67	9.0
Gogebic	[1] 17,278	203	11.7
Grand Traverse	7,300	121	16.6
Gratiot	[1] 30,252	382	12.6
Hillsdale	[1] 27,417	380	13.9
Houghton	[1] 52,851	553	10.5
Huron	[1] 31,132	332	10.7
Ingham	40,900	400	9 8
Ionia	35,400	427	12.1
Iosco	[1] 7,517	77	10.2
Iron	[1] 20,805	175	8.4
Isabella	[1] 21,126	265	12.5
Jackson	39,400	333	8.5
Kalamazoo	39,200	330	8.4
Kalkaska	[1] 3,799	37	9.7
Kent	77,500	819	10.6
Keweenaw	[1] 5,076	46	9.1
Lake	[1] 4,066	50	12.3
White	[1] 3,653	41	11.2
Colored	[1] 413	9	21.8
Lapeer	28,800	398	13.8
Leelanau	[1] 8,206	102	12.4
Lenawee	36,900	431	11.7
Livingston	19,600	280	14.3
Luce	6,600	142	21.5
Mackinac	8,900	90	10.1
Macomb	69,600	449	6.5
Manistee	[1] 17,409	245	14.1
Marquette	[1] 28,976	268	9.2
Mason	[1] 18,756	222	11.8
Necosta	[1] 15,738	257	16.3
Menominee	[1] 13,052	134	10.3
Midland	19,500	164	8.4
Missaukee	[1] 6,992	64	9.2
Monroe	36,000	281	7.8
Montcalm	[1] 27,471	373	13.6
Montmorency	[1] 2,814	35	12.4
Muskegon	23,600	225	9.5
Newaygo	[1] 17,029	242	14.2
Oakland	112,400	855	7.6
Oceana	[1] 13,805	175	12.7
Ogemaw	[1] 6,595	83	12.6
Ontonagon	[1] 11,114	106	9.5
Osceola	[1] 12,806	189	14.8
Oscoda	[1] 1,723	26	15.0
Otsego	[1] 5,554	66	11.9
Ottawa	41,400	382	9.2
Presque Isle	[1] 11,330	101	8.9
Roscommon	2,100	25	11.9
Saginaw	40,900	387	9.5
St. Clair	36,900	413	11.2
St. Joseph	31,300	380	12.1
Sanilac	[1] 27,751	338	12.2
Schoolcraft	[1] 8,451	95	11.2
Shiawassee	25,300	256	10.1
Tuscola	[1] 32,934	527	16.0
Van Buren	33,000	410	12.4
Washtenaw	29,500	431	14.6
Wayne	85,900	1,683	19.6
Wexford	[1] 16,827	231	13.7
MINNESOTA COUNTIES			
Aitkin	[1] 15,009	106	7.1
Anoka	18,900	222	11.7
Becker	[1] 22,503	247	11.0
Beltrami	[1] 20,707	258	12.5
Benton	12,800	85	6.6
Big Stone	9,900	102	10.3
Blue Earth	19,900	139	7.0
Brown	23,600	264	11.2
Carlton	21,500	182	8.5
Carver	[1] 16,936	142	8.4
Cass	[1] 15,591	214	13.7
Chippewa	15,800	146	9.2
Chisago	[1] 13,189	117	8.9
Clay	23,400	173	7.4
Clearwater	9,700	81	8.4
Cook	2,500	7	2.8
Cottonwood	14,800	101	6.8
Crow Wing	15,500	102	6.6
Dakota	25,100	249	9.9
Dodge	[1] 12,127	88	7.3
Douglas	[1] 18,813	169	9.0
Faribault	21,800	184	8.4
Fillmore	[1] 24,748	226	9.1
MINNESOTA COUNTIES—Continued			
Freeborn	19,200	142	7.4
Goodhue	31,400	328	10.4
Grant	[1] 9,558	82	8.6
Hennepin	57,600	551	9.6
Houston	[1] 13,845	125	9.0
Hubbard	[1] 9,596	93	9.7
Isanti	[1] 12,081	117	9 7
Itasca	27,800	210	7.6
Jackson	[1] 15,863	113	7.1
Kanabec	[1] 8,558	61	7.1
Kandiyohi	23,800	264	11.1
Kittson	[1] 9,688	79	8.2
Koochiching	14,200	129	9.1
Lac qui Parle	[1] 15,398	108	7.0
Lake	[1] 7,068	88	12.5
Lake of the Woods	[1] 4,194	26	6.2
Le Sueur	18,000	121	6.7
Lincoln	11,300	101	8.9
Lyon	19,400	152	7.8
McLeod	20,500	206	10.0
Mahnomen	[1] 6,153	58	9.4
White	[1] 4,541	36	7.9
Colored	[1] 1,612	22	13.6
Marshall	[1] 17,003	159	9.4
Martin	22,600	171	7.6
Meeker	[1] 17,914	138	7.7
Mille Lacs	[1] 14,076	145	10.3
Morrison	[1] 25,442	218	8.6
Mower	15,800	124	7.8
Murray	13,900	99	7.1
Nicollet	16,800	329	19.6
Nobles	18,700	165	8.8
Norman	[1] 14,061	122	8.7
Olmsted	14,900	99	6.6
Otter Tail	51,000	698	13.7
Pennington	[1] 10,487	122	11.6
Pine	[1] 20,264	167	8.2
Pipestone	12,300	94	7.6
Polk	[1] 36,019	367	10.2
Pope	[1] 13,085	127	9.7
Ramsey	16,100	126	7.8
Red Lake	[1] 6,887	50	7.3
Redwood	[1] 20,620	126	6.1
Renville	23,600	155	6.6
Rice	17,200	144	8.4
Rock	[1] 10,962	86	7.8
Roseau	[1] 12,621	123	9.7
St. Louis	[1] 75,067	469	6.2
Scott	[1] 14,116	116	8.2
Sherburne	7,800	60	7.7
Sibley	15,900	105	6.6
Stearns	45,300	357	7.9
Steele	18,500	155	8.4
Stevens	10,300	70	6.8
Swift	[1] 14,735	134	9.1
Todd	26,200	222	8.5
Traverse	[1] 7,938	68	8.6
Wabasha	[1] 17,613	175	9.9
Wadena	11,000	125	11.4
Waseca	14,500	139	9.6
Washington	24,900	232	9.3
Watonwan	12,900	120	9.3
Wilkin	[1] 9,791	97	9.9
Winona	14,300	112	7.8
Wright	[1] 27,119	244	9.0
Yellow Medicine	16,600	114	6.9
MISSISSIPPI COUNTIES			
Adams	10,200	263	25.8
White	2,000	73	36.5
Colored	8,200	190	23.2
Alcorn	24,000	279	11.6
White	19,900	201	10.1
Colored	4,100	78	19.0
Amite	19,800	170	8.6
White	9,200	61	6.6
Colored	10,600	109	10.3
Attala	26,200	274	10.5
White	15,200	142	9.3
Colored	11,000	132	12.0
Benton	[1] 9,813	95	9.7
White	[1] 5,144	39	7.6
Colored	[1] 4,669	56	12.0
Bolivar	73,300	857	11.7
White	19,200	125	6.5
Colored	54,100	732	13.5
Calhoun	18,300	126	6.9
White	14,600	103	7.1
Colored	3,700	23	6.2
Carroll	[1] 19,765	172	8.7
White	[1] 8,491	74	8.7
Colored	[1] 11,274	98	8.7
MISSISSIPPI COUNTIES—Continued			
Chickasaw	[1] 20,835	238	11.4
White	[1] 10,374	106	10.2
Colored	[1] 10,461	132	12.6
Choctaw	[1] 12,339	117	9.5
White	[1] 8,866	81	9.1
Colored	[1] 3,473	36	10.4
Claiborne	[1] 12,152	147	12.1
White	[1] 3,112	35	11.2
Colored	[1] 9,040	112	12.4
Clarke	20,000	188	9.4
White	11,800	91	7.7
Colored	8,200	97	11.8
Clay	18,000	186	10.3
White	6,800	50	7.4
Colored	11,200	136	12.1
Coahoma	36,600	490	13.4
White	5,600	54	9.6
Colored	31,000	436	14.1
Copiah	32,100	296	9.2
White	16,400	143	8.7
Colored	15,700	153	9.7
Covington	15,100	118	7.8
White	10,700	81	7.6
Colored	4,400	37	8.4
De Soto	25,600	289	11.3
White	6,800	46	6.8
Colored	18,800	243	12.9
Forrest	12,100	77	6.4
White	9,200	61	6.6
Colored	2,900	16	5.5
Franklin	[1] 12,268	115	9.4
White	[1] 7,398	67	9.1
Colored	[1] 4,870	48	9.9
George	7,900	83	10.5
White	6,500	68	10.5
Colored	1,400	15	10.7
Greene	10,700	75	7.0
White	8,000	45	5.6
Colored	2,700	30	11.1
Grenada	17,300	219	12.7
White	7,100	89	12.5
Colored	10,200	130	12.7
Hancock	11,600	131	11.3
White	8,800	83	9.4
Colored	2,800	48	17.1
Harrison	17,300	177	10.2
White	12,900	120	9.3
Colored	4,400	57	13.0
Hinds	37,400	417	11.1
White	10,000	87	8.7
Colored	27,400	330	12.0
Holmes	39,200	433	11.0
White	9,300	90	9.7
Colored	29,900	343	11.5
Humphreys	25,700	277	10.8
White	8,200	63	7.7
Colored	17,500	214	12.2
Issaquena	[1] 5,734	106	18.5
White	[1] 1,065	9	8.5
Colored	[1] 4,669	97	20.8
Itawamba	18,700	114	6.1
Jackson	[1] 15,973	183	11.5
White	[1] 12,119	118	9.7
Colored	[1] 3,854	65	16.9
Jasper	18,700	192	10.3
White	9,600	69	7.2
Colored	9,100	123	13.5
Jefferson	[1] 14,291	134	9.4
White	[1] 3,453	26	7.5
Colored	[1] 10,838	108	10.0
Jefferson Davis	14,500	99	6.8
White	6,400	48	7.5
Colored	8,100	51	6.3
Jones	24,200	174	7.2
White	19,700	124	6.3
Colored	4,500	50	11.1
Kemper	22,300	184	8.3
White	9,200	69	7.5
Colored	13,100	115	8.8
Lafayette	20,100	207	10.3
White	11,800	114	9.7
Colored	8,300	93	11.2
Lamar	[1] 12,848	106	8.3
White	[1] 10,119	79	7.8
Colored	[1] 2,729	27	9.9
Lauderdale	21,900	200	9.1
White	11,700	86	7.4
Colored	10,200	114	11.2
Lawrence	[1] 12,471	103	8.3
White	[1] 7,775	54	6.9
Colored	[1] 4,696	49	10.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—Continued			
Leake	22,600	138	6.1
White	14,200	76	5.4
Colored	8,400	62	7.4
Lee	36,300	324	8.9
White	24,800	196	7.9
Colored	11,500	128	11.1
Leflore	44,600	369	8.3
White	7,200	59	8.2
Colored	37,400	310	8.3
Lincoln	26,600	250	9.4
White	17,000	142	8.4
Colored	9,600	108	11.3
Lowndes	19,600	163	8.3
White	7,200	38	5.3
Colored	12,400	125	10.1
Madison	36,900	357	9.7
White	7 900	82	10.4
Colored	29,000	275	9.5
Marion	20,400	194	9.5
White	12,500	121	9.7
Colored	7,900	73	9.2
Marshall	[1] 24,869	274	11.0
White	[1] 7,093	57	8.0
Colored	[1] 17,776	217	12.2
Monroe	36,700	334	9.1
White	20,600	166	8.1
Colored	16,100	168	10.4
Montgomery	15,200	163	10.7
White	8,500	92	10.8
Colored	6,700	71	10.6
Neshoba	28,000	171	6.1
White	21,300	117	5.5
Colored	6,700	54	8.1
Newton	23,300	190	8.2
White	15,000	106	7.1
Colored	8,300	84	10.1
Noxubee	25,900	251	9.7
White	5,500	59	10.7
Colored	20,400	192	9.4
Oktibbeha	19,500	195	10.0
White	7,900	64	8.1
Colored	11,600	131	11.3
Panola	28,800	342	11.9
White	10,800	105	9.7
Colored	18,000	237	13.2
Pearl River	20,100	146	7.3
White	14,800	93	6.3
Colored	5,300	53	10.0
Perry	[1] 8,197	66	8.1
White	[1] 5,449	45	8.3
Colored	[1] 2,748	21	7.6
Pike	22,400	207	9.2
White	9,800	83	8.5
Colored	12,600	124	9.8
Pontotoc	22,400	163	7.3
White	18,200	121	6.6
Colored	4,200	42	10.0
Prentiss	19,500	142	7.3
White	17,100	110	6.4
Colored	2,400	32	13.3
Quitman	25,200	243	9.3
White	8,500	68	8.0
Colored	17,700	175	9.9
Rankin	20,400	219	10.7
White	9,300	74	8.0
Colored	11,100	145	13.1
Scott	21,700	165	7.6
White	12,600	72	5.7
Colored	9,100	93	10.2
Sharkey	[1] 13,877	130	9.4
White	[1] 3,595	15	4.2
Colored	[1] 10,282	115	11.2
Simpson	21,400	202	9.4
White	14,300	127	8.9
Colored	7,100	75	10.6
Smith	18,800	120	6.4
White	15,000	91	6.1
Colored	3,800	29	7.6
Stone	[1] 5,704	68	11.9
White	[1] 4,280	36	8.4
Colored	[1] 1,424	32	22.5
Sunflower	69,800	675	9.7
White	20,900	146	7.0
Colored	48,900	529	10.8
Tallahatchie	[1] 35,568	322	9.1
White	[1] 11,336	85	7.5
Colored	[1] 24,232	237	9.8
Tate	[1] 17,671	214	12.1
White	[1] 7,043	71	10.1
Colored	[1] 10,628	143	13.5
MISSISSIPPI COUNTIES—Continued			
Tippah	19,200	130	6.8
White	15,900	105	6.6
Colored	3,300	25	7.6
Tishomingo	16,600	133	8.0
Tunica	21,400	330	15.4
White	3,100	24	7.7
Colored	18,300	306	16.7
Union	21,500	209	9.7
White	16,900	147	8.7
Colored	4,600	62	13.5
Walthall	13,900	76	5.5
White	7,800	37	4.7
Colored	6,100	39	6.4
Warren	12,400	152	12.3
White	4,000	25	6.3
Colored	8,400	127	15.1
Washington	40,000	388	9.7
White	9,200	45	4.9
Colored	30,800	343	11.1
Wayne	[1] 15,295	134	8.8
White	[1] 9,926	75	7.6
Colored	[1] 5,369	59	11.0
Webster	[1] 12,128	112	9.2
White	[1] 9,569	83	8.7
Colored	[1] 2,559	29	11.3
Wilkinson	[1] 13,957	173	12.4
White	[1] 4,170	50	12.0
Colored	[1] 9,787	123	12.6
Winston	21,800	156	7.2
White	13,400	90	6.7
Colored	8,400	66	7.9
Yalobusha	[1] 17,750	213	12.0
White	[1] 9,497	103	10.8
Colored	[1] 8,253	110	13.3
Yazoo	37,300	473	12.7
White	12,300	133	10.8
Colored	25,000	340	13.6
MISSOURI COUNTIES			
Adair	[1] 19,436	268	13.8
Andrew	[1] 13,469	152	11.3
Atchison	13,500	92	6.8
Audrain	22,300	271	12.2
Barry	[1] 22,803	195	8.6
Barton	[1] 14,560	133	9.1
Bates	[1] 22,068	241	10.9
Benton	[1] 11,708	123	10.5
Bollinger	[1] 12,269	79	6.4
Boone	15,500	153	9.9
Buchanan	18,100	143	7.9
Butler	[1] 23,697	381	16.1
Caldwell	[1] 12,509	139	11.1
Callaway	[1] 19,923	339	17.0
White	[1] 17,417	279	16.0
Colored	[1] 2,506	60	23.9
Camden	[1] 9,142	70	7.7
Cape Girardeau	17,100	137	8.0
Carroll	[1] 19,940	200	10.0
Carter	[1] 5,503	48	8.7
Cass	[1] 20,962	209	10.0
Cedar	[1] 11,136	143	12.8
Chariton	[1] 19,588	217	11.1
Christian	[1] 13,169	106	8.0
Clark	[1] 10,254	131	12.8
Clay	27,900	405	14.5
Clinton	[1] 13,505	147	10.9
Cole	9,400	71	7.6
Cooper	19,600	226	11.5
White	17,500	185	10.6
Colored	2,100	41	19.5
Crawford	[1] 11,287	111	9.8
Dade	[1] 11,764	123	10.5
Dallas	[1] 10,541	112	10.6
Daviess	[1] 14,424	144	10.0
De Kalb	[1] 10,270	92	9.0
Dent	[1] 10,974	103	9.4
Douglas	[1] 13,959	68	4.9
Dunklin	36,300	457	12.6
Franklin	30,900	292	9.4
Gasconade	[1] 12,172	119	9.8
Gentry	[1] 14,348	142	9.9
Greene	25,900	175	6.8
Grundy	[1] 16,135	196	12.1
Harrison	[1] 17,233	191	11.1
Henry	[1] 22,931	246	10.7
Hickory	[1] 6,430	78	12.1
Holt	[1] 12,720	103	8.1
Howard	[1] 13,490	150	11.1
White	[1] 11,552	109	9.4
Colored	[1] 1,938	41	21.2
MISSOURI COUNTIES—Con.			
Howell	[1] 19,672	171	8.7
Iron	9,700	100	10.3
Jackson	59,500	554	9.3
Jasper	[1] 40,110	513	12.8
Jefferson	27,700	293	10.6
Johnson	[1] 22,413	267	11.9
Knox	[1] 9,658	84	8.7
Laclede	[1] 16,320	165	10.1
Lafayette	[1] 29,259	327	11.2
Lawrence	[1] 23,774	351	14.8
Lewis	[1] 12,093	158	13.1
Lincoln	[1] 13,929	138	9.9
Linn	[1] 23,339	241	10.3
Livingston	[1] 18,615	218	11.7
McDonald	[1] 13,936	124	8.9
Macon	[1] 23,070	253	11.0
Madison	[1] 9,418	71	7.5
Maries	[1] 8,368	34	4.1
Marion	10,700	120	11.2
Mercer	[1] 9,350	108	11.6
Miller	16,900	105	6.2
Mississippi	16,300	255	15.6
White	11,800	153	13.0
Colored	4,500	102	22.7
Moniteau	[1] 12,173	155	12.7
Monroe	[1] 13,466	176	13.1
Montgomery	[1] 13,011	147	11.3
Morgan	[1] 10,968	120	10.9
New Madrid	31,100	429	13.8
White	24,900	330	13.3
Colored	6,200	99	16.0
Newton	27,300	281	10.3
Nodaway	[1] 26,371	287	10.9
Oregon	[1] 12,220	80	6.5
Osage	[1] 12,462	101	8.1
Ozark	[1] 9,537	51	5.3
Pemiscot	39,100	439	11.2
White	28,000	317	11.3
Colored	11,100	122	11.0
Perry	[1] 13,707	131	9.6
Pettis	[1] 13,858	136	9.8
Phelps	15,400	226	14.7
Pike	[1] 18,001	250	13.9
White	[1] 15,855	212	13.4
Colored	[1] 2,146	38	17.7
Platte	[1] 13,819	140	10.1
Polk	[1] 17,803	193	10.8
Pulaski	10,800	104	9.6
Putnam	[1] 11,503	120	10.4
Ralls	10,800	95	8.8
Randolph	[1] 12,531	144	11.5
Ray	[1] 19,846	190	9.6
Reynolds	[1] 8,923	36	4.0
Ripley	[1] 11,176	116	10.4
St. Charles	13,800	136	9.9
St. Clair	[1] 13,289	114	8.6
St. Francois	36,600	429	11.7
St. Louis	170,100	1,833	10.8
Ste. Genevieve	10,100	94	9.3
Saline	30,900	360	11.7
Schuyler	[1] 6,951	94	13.5
Scotland	[1] 8,853	100	11.3
Scott	25,200	238	9.4
Shannon	[1] 10,894	65	6.0
Shelby	[1] 11,983	153	12.8
Stoddard	[1] 27,452	279	10.2
Stone	[1] 11,614	93	8.0
Sullivan	[1] 15,212	145	9.5
Taney	9,000	62	6.9
Texas	[1] 18,580	200	10.8
Vernon	[1] 25,031	401	16.0
Warren	[1] 8,082	91	11.3
Washington	14,600	112	7.7
Wayne	[1] 12,243	87	7.1
Webster	[1] 16,148	118	7.3
Worth	[1] 6,535	68	10.4
Wright	[1] 16,741	141	8.4
MONTANA COUNTIES			
Beaverhead	[1] 6,654	74	11.1
Big Horn	8,800	102	11.6
White	6,300	49	7.8
Colored	2,500	53	21.2
Blaine	[1] 9,006	86	9.5
White	[1] 7,630	40	5.2
Colored	[1] 1,376	46	33.4
Broadwater	[1] 2,738	13	4.7
Carbon	[1] 12,571	91	7.2
Carter	4,200	28	6.7
Cascade	12,100	51	4.2

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
MONTANA COUNTIES—Con.			
Chouteau	[1] 8,635	70	8.1
Custer	[1] 11,242	112	10.0
Daniels	5,600	34	6.1
Dawson	10,000	80	8.0
Deer Lodge	3,900	217	55.6
Fallon	4,600	34	7.4
Fergus	[1] 16,531	155	9.4
Flathead	19,400	188	9.7
Gallatin	16,200	166	10.2
Garfield	[1] 4,252	24	5.6
Glacier	5,500	88	16.0
White	2,500	39	15.6
Colored	3,000	49	16.3
Golden Valley	[1] 2,126	10	4.7
Granite	[1] 3,013	29	9.6
Hill	[1] 13,775	156	11.3
Jefferson	[1] 4,133	55	13.3
Judith Basin	[1] 5,238	18	3.4
Lake	9,700	101	10.4
White	7,900	72	9 1
Colored	1,800	29	16.1
Lewis and Clark	[1] 6,421	89	13.9
Liberty	[1] 2,198	8	3.6
Lincoln	[1] 7,089	49	6.9
McCone	4,800	18	3.8
Madison	[1] 6,323	73	11.5
Meagher	[1] 2,272	19	8.4
Mineral	[1] 1,626	14	8.6
Missoula	7,300	30	4.1
Musselshell	[1] 7,242	44	6.1
Park	[1] 10,922	123	11.3
Petroleum	[1] 2,045	5	2.4
Phillips	[1] 8,208	47	5.7
Pondera	7,200	67	9.3
Powder River	4,000	23	5.8
Powell	[1] 6,202	45	7.3
Prairie	4,000	23	5.8
Ravalli	10,400	117	11.3
Richland	9,700	50	5.2
Roosevelt	10,700	101	9.4
White	8,600	51	5.9
Colored	2,100	50	23.8
Rosebud	[1] 7,347	79	10.8
White	[1] 6,370	30	4.7
Colored	[1] 977	49	50.2
Sanders	5,800	42	7.2
Sheridan	9.900	46	4 6
Silver Bow	[1] 17,437	184	10.6
Stillwater	[1] 6.253	54	8.6
Sweet Grass	[1] 3,944	28	7.1
Teton	6,100	34	5.6
Toole	7,200	35	4.9
Treasure	[1] 1,661	5	3.0
Valley	11,300	66	5.8
Wheatland	[1] 3,751	18	4.8
Wibaux	[1] 2,767	15	5.4
Yellowstone	14,400	80	5.6
NEBRASKA COUNTIES			
Adams	10,800	149	13.8
Antelope	[1] 15,206	113	7.4
Arthur	[1] 1,344	1	0.7
Banner	1,700	6	3.5
Blaine	[1] 1,584	13	8 2
Boone	14,800	109	7.4
Box Butte	12,500	117	9.4
Boyd	[1] 7,169	71	9.9
Brown	[1] 5,772	56	9.7
Buffalo	24,400	272	11.1
Burt	13,100	110	8.4
Butler	[1] 14,410	113	7.8
Cass	[1] 17,684	151	8.5
Cedar	16,500	110	6.7
Chase	5,600	44	7.9
Cherry	[1] 10,898	65	6.0
Cheyenne	10,500	76	7.2
Clay	[1] 13,571	119	8 8
Colfax	[1] 11,434	106	9 3
Cuming	14,400	116	8.1
Custer	[1] 26,189	211	8.1
Dakota	9,800	80	8.2
Dawes	11,700	95	8.1
Dawson	18,200	185	10.2
Deuel	4,100	30	7.3
Dixon	[1] 11,586	82	7.1
Dodge	13,900	88	6.3
Douglas	20,100	106	5.3
Dundy	5,700	39	6.8
Fillmore	[1] 12,971	125	9.6
Franklin	[1] 9,094	80	8.8
Frontier	[1] 8,114	50	6.2
Furnas	12,200	130	10.7
Gage	19,900	157	7.9
NEBRASKA COUNTIES—Continued			
Garden	5,200	32	6.2
Garfield	[1] 3,207	27	8.4
Gosper	[1] 4,287	22	5.1
Grant	[1] 1,427	7	4.9
Greeley	[1] 8,442	54	6.4
Hall	9,000	58	6.4
Hamilton	[1] 12,159	110	9.0
Harlan	[1] 8,957	77	8.6
Hayes	3,700	23	6.2
Hitchcock	7,500	58	7.7
Holt	[1] 16,509	138	8.4
Hooker	[1] 1,180	11	9.3
Howard	[1] 10,020	82	8.2
Jefferson	16,500	142	8.6
Johnson	9,200	76	8.3
Kearney	[1] 8,094	87	10.7
Keith	7,000	55	7.9
Keyapaha	[1] 3,203	8	2.5
Kimball	4,700	44	9.4
Knox	19,100	125	6.5
Lancaster	20,900	207	9.9
Lincoln	13,700	84	6.1
Logan	2,100	14	6.7
Loup	[1] 1,818	7	3.9
McPherson	[1] 1,358	16	11.8
Madison	15,500	92	5.9
Merrick	[1] 10,619	76	7.2
Morrill	10,100	61	6.0
Nance	8,700	54	6.2
Nemaha	[1] 12,356	113	9.1
Nuckolls	[1] 12,629	101	8.0
Otoe	20,000	139	7.0
Pawnee	[1] 9,423	92	9.8
Perkins	6,200	19	3.1
Phelps	[1] 9,261	86	9.3
Pierce	11,100	76	6.8
Platte	21,500	183	8.5
Polk	[1] 10,092	71	7.0
Redwillow	14,300	140	9.8
Richardson	20,000	166	8.3
Rock	[1] 3,366	22	6.5
Saline	[1] 16,356	138	8.4
Sarpy	10,600	55	5.2
Saunders	[1] 20,167	188	9.3
Scotts Bluff	30,000	256	8.5
Seward	16,000	149	9.3
Sheridan	11,000	88	8.0
Sherman	9,200	55	6.0
Sioux	4,700	24	5.1
Stanton	7,800	47	6.0
Thayer	[1] 13,684	130	9.5
Thomas	[1] 1,510	24	15.9
Thurston	10,600	90	8.5
White	8,700	51	5 9
Colored	1,900	39	20.5
Valley	[1] 9,533	76	8.0
Washington	[1] 12,095	96	7.9
Wayne	10,700	79	7.4
Webster	[1] 10,210	92	9.0
Wheeler	[1] 2,335	14	6 0
York	17,300	218	12.6
NEVADA COUNTIES			
Churchill	5,100	56	11.0
White	4,600	48	10.4
Colored	500	8	16.0
Clark	9,200	221	24.0
White	7,900	210	26.6
Colored	1,300	11	8.5
Douglas	1,800	20	11.1
White	1,600	17	10.6
Colored	200	3	15.0
Elko	10,300	99	9.6
White	8,800	74	8.4
Colored	1,500	25	16.7
Esmeralda	[1] 1,077	29	26.9
Eureka	[1] 1,333	17	12.8
White	[1] 1,097	16	14.6
Colored	[1] 236	1	4.2
Humboldt	3,800	37	9.7
White	3,200	33	10.3
Colored	600	4	6.7
Lander	1,800	17	9.4
White	1,400	14	10.0
Colored	400	3	7.5
Lincoln	3,800	21	5.5
Lyon	[1] 3,810	41	10.8
White	[1] 3,347	30	9.0
Colored	[1] 463	11	23.8
Mineral	1,900	42	22.1
White	1,400	19	13.6
Colored	500	23	46.0
NEVADA COUNTIES—Con.			
Nye	[1] 3,989	65	16.3
White	[1] 3,436	60	17.5
Colored	[1] 553	5	9.0
Ormsby	[1] 2,221	43	19.4
White	[1] 1,896	22	11.6
Colored	[1] 325	21	64.6
Pershing	[1] 2,652	19	7. 2
White	[1] 2,345	19	8.1
Colored	[1] 307		
Storey	[1] 667	14	21.0
Washoe	9,000	67	7.4
White	7,700	53	6.9
Colored	1,300	14	10.8
White Pine	12,300	113	9.2
NEW HAMPSHIRE COUNTIES			
Belknap	10,200	123	12.1
Carroll	[1] 14,277	258	18.1
Cheshire	19,900	258	13.0
Coos	18,700	238	12.7
Grafton	43,200	650	15.0
Hillsborough	32,200	546	17.0
Merrimack	31,100	422	13.6
Rockingham	39,300	574	14.6
Strafford	14,600	179	12.3
Sullivan	12,000	183	15.3
NEW JERSEY COUNTIES			
Atlantic	50,400	648	12.9
Bergen	209,100	1,386	6.6
Burlington	84,400	1,055	12.5
Camden	97,700	942	9.6
Cape May	31,200	436	14.0
Cumberland	40,800	479	11.7
Essex	47,500	900	18.9
Gloucester	74,700	714	9.6
Hudson	16,800	646	38.5
Hunterdon	35,000	429	12.3
Mercer	67,700	719	10.6
Middlesex	89,600	623	7.0
Monmouth	96,500	1,060	11.0
Morris	89,400	1,176	13.2
Ocean	34,900	542	15.5
Passaic	44,100	368	8.3
Salem	36,900	402	10.9
White	32,000	333	10.4
Colored	4,900	69	14.1
Somerset	68,100	758	11.1
Sussex	28,300	373	13.2
Union	34,800	268	7.7
Warren	30,400	355	11.7
NEW MEXICO COUNTIES[2]			
Bernalillo	20,900	375	17.9
Catron	[1] 3,282	45	13.7
Chaves	8,900	44	4.9
Colfax	[1] 19,157	197	10.3
Curry	16,600	157	9.5
De Baca	[1] 2,893	29	10.0
Dona Ana	29,300	335	11.4
Eddy	17,000	206	12.1
Grant	[1] 19,050	255	13.4
Guadalupe	[1] 7,027	104	14.8
Harding	[1] 4,421	40	9.6
Hidalgo	5,100	59	11.6
Lea	6,600	56	8.5
Lincoln	[1] 7,198	102	14.2
Luna	[1] 6,247	93	14.9
McKinley	21,800	216	9.9
Mora	[1] 10,322	150	14.5
Otero	10,100	133	13.2
Quay	10,900	155	14.2
Rio Arriba	21,700	234	10.8
Roosevelt	11,900	83	7.0
Sandoval	11,500	165	14.3
San Juan	15,800	114	7.2
San Miguel	23,800	463	19.5
Sante Fe	8,400	120	1.43
Sierra	5,300	81	15.3
Socorro	[1] 9,611	168	17.5
Taos	14,700	158	10.7
Torrance	[1] 9,269	95	10.2
Union	[1] 11,036	108	9.8
Valencia	16,600	237	14.3
NEW YORK COUNTIES			
Albany	47,200	597	12.6
Allegany	38,200	570	14.9
Broome	43,200	398	9.2
Cattaraugus	50,700	688	13.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
NEW YORK COUNTIES—Continued			
Cayuga	[1] 28,051	413	14.7
Chautauqua	64,400	843	13.1
Chemung	28,500	267	9.4
Chenango	[1] 34,665	607	17.5
Clinton	33,400	359	10.7
Columbia	29,700	423	14.2
Cortland	16,800	220	13.1
Delaware	[1] 41,163	595	14.5
Dutchess	55,000	1,388	25.2
Erie	142,900	1,354	9.5
Essex	34,300	523	15.2
Franklin	46,100	714	15.5
Fulton	12,700	164	12.9
Genesee	27,600	275	10.0
Greene	25,800	380	14.7
Hamilton	[1] 3,929	47	12.0
Herkimer	[1] 42,455	525	12.4
Jefferson	51,400	628	12.2
Lewis	[1] 23,447	336	14.3
Livingston	37,700	532	14.1
Madison	29,200	396	13.6
Monroe	82,500	781	9.5
Montgomery	25,400	299	11.8
Nassau	235,200	1,982	8.4
Niagara	32,400	416	12.8
Oneida	65,500	915	14.0
Onondaga	85,700	896	10.5
Ontario	38,300	595	15.5
Orange	68,700	875	12.7
Orleans	28,800	382	13.3
Oswego	[1] 34,531	534	15.5
Otsego	34,100	543	15.9
Putnam	14,200	185	13.0
Rensselaer	36,700	457	12.5
Rockland	62,000	987	15.9
St. Lawrence	62,700	879	14.0
Saratoga	50,700	641	12.6
Schenectady	31,300	259	8.3
Schoharie	[1] 19,667	326	16.6
Schuyler	[1] 12,909	197	15.3
Seneca	25,000	562	22.5
Steuben	50,500	836	16.6
Suffolk	169,700	2,899	17.1
Sullivan	35,600	594	16.7
Tioga	25,700	392	15.3
Tompkins	21,300	264	12.4
Ulster	52,700	660	12.5
Warren	15,700	245	15.6
Washington	46,800	660	14.1
Wayne	50,200	692	13.8
Westchester	180,900	1,749	9.7
Wyoming	[1] 28,764	394	13.7
Yates	16,900	289	17.1
NORTH CAROLINA COUNTIES			
Alamance	43,800	335	7.6
White	35,300	252	7.1
Colored	8,500	83	9.8
Alexander	13,000	98	7.5
Alleghany	[1] 7,186	51	7.1
Anson	29,500	251	8.5
White	14,200	114	8.0
Colored	15,300	137	9.0
Ashe	21,000	152	7.2
Avery	12,100	100	8.3
Beaufort	35,700	490	13.7
White	21,900	277	12.6
Colored	13,800	213	15.4
Bertie	26,200	272	10.4
White	11,400	97	8.5
Colored	14,800	175	11.8
Bladen	22,800	166	7.3
White	13,300	80	6.0
Colored	9,500	86	9.1
Brunswick	16,000	153	9.6
White	10,000	83	8.3
Colored	6,000	70	11.7
Buncombe	51,200	564	11.0
Burke	30,500	382	12.5
Cabarrus	34,000	235	6.9
White	27,900	169	6.1
Colored	6,100	66	10.8
Caldwell	29,400	275	9.4
Camden	5,500	59	10.7
White	3,300	26	7.9
Colored	2,200	33	15.0
Carteret	17,200	178	10.3
White	14,600	156	10.7
Colored	2,600	22	8.5
Caswell	18,600	133	7.2
White	10,100	63	6.2
Colored	8,500	70	8.2
NORTH CAROLINA COUNTIES—Continued			
Catawba	45,700	323	7.1
White	40,600	270	6.7
Colored	5,100	53	10.4
Chatham	24,200	179	7.4
White	16,200	111	6.9
Colored	8,000	68	8.5
Cherokee	16,300	109	6.7
Chowan	11,400	144	12.6
White	6,100	56	9.2
Colored	5,300	88	16.6
Clay	5,600	38	6.8
Cleveland	42,900	225	5.2
White	32,200	173	5.4
Colored	10,700	52	4.9
Columbus	39,000	345	8.8
White	26,800	204	7.6
Colored	12,200	141	11.6
Craven	18,900	191	10.1
White	10,500	60	5.7
Colored	8,400	131	15.6
Cumberland	33,200	204	6.1
White	21,200	127	6.0
Colored	12,000	77	6.4
Currituck	[1] 6,710	90	13.4
White	[1] 4,455	63	14.1
Colored	[1] 2,255	27	12.0
Dare	5,200	49	9.4
Davidson	39,200	266	6.8
Davie	14,500	111	7.7
White	12,000	82	6.8
Colored	2,500	29	11.6
Duplin	35,900	317	8.8
White	22,600	192	8.5
Colored	13,300	125	9.4
Durham	12,600	107	8.5
White	8,600	62	7.2
Colored	4,000	45	11.3
Edgecombe	39,000	373	9.6
White	15,900	152	9.6
Colored	23,100	221	9.6
Forsyth	38,900	293	7.5
White	33,900	236	7.0
Colored	5,000	57	11.4
Franklin	29,900	250	8.4
White	16,800	123	7.3
Colored	13,100	127	9.7
Gaston	64,900	427	6.6
White	55,300	331	6.0
Colored	9,600	96	10.0
Gates	10,600	93	8.8
White	5,500	46	8.4
Colored	5,100	47	9.2
Graham	6,000	25	4.2
Granville	29,000	291	10.0
White	14,800	128	8.6
Colored	14,200	163	11.5
Greene	19,100	115	6.0
White	10,000	51	5.1
Colored	9,100	64	7.0
Guilford	44,400	347	7.8
White	36,500	275	7.5
Colored	7,900	72	9.1
Halifax	54,900	530	9.7
White	23,200	195	8.4
Colored	31,700	335	10.6
Harnett	39,600	332	8.4
White	28,700	215	7.5
Colored	10,900	117	10.7
Haywood	29,100	272	9.3
Henderson	24,300	275	11.3
Hertford	17,800	183	10.3
White	7,400	61	8.2
Colored	10,400	122	11.7
Hoke	14,700	152	10.3
White	5,300	52	9.8
Colored	9,400	100	10.6
Hyde	8,600	88	10.2
White	5,000	44	8.8
Colored	3,600	44	12.2
Iredell	37,300	287	7.7
White	29,400	202	6.9
Colored	7,900	85	10.8
Jackson	18,200	145	8.0
Johnston	59,100	462	7.8
White	45,700	339	7.4
Colored	13,400	123	9.2
Jones	10,500	84	8.0
White	5,800	37	6.4
Colored	4,700	47	10.0
Lee	17,600	182	10.3
White	11,900	121	10.2
Colored	5,700	61	10.7
NORTH CAROLINA COUNTIES—Continued			
Lenoir	25,200	267	10.6
White	14,500	123	8.5
Colored	10,700	144	13.5
Lincoln	23,700	232	9.8
White	20,200	194	9.6
Colored	3,500	38	10.9
McDowell	20,900	203	9.7
Macon	13,800	129	9.3
Madison	20,300	158	7.8
Martin	23,800	195	8.2
White	12,600	69	5.5
Colored	11,200	126	11.3
Mecklenburg	47,700	324	6.8
White	34,500	194	5.6
Colored	13,200	130	9.8
Mitchell	14,400	93	6.5
Montgomery	16,500	110	6.7
White	12,700	84	6.6
Colored	3,800	26	6.8
Moore	29,400	215	7.3
White	19,000	138	7.3
Colored	10,400	77	7.4
Nash	42,600	297	7.0
White	22,400	156	7.0
Colored	20,200	141	7.0
New Hanover	11,100	97	8.7
White	7,400	50	6.8
Colored	3,700	47	12.7
Northampton	27,800	208	7.5
White	10,200	75	7.4
Colored	17,600	133	7.6
Onslow	15,400	124	8.1
White	11,400	78	6.8
Colored	4,000	46	11.5
Orange	21,700	182	8.4
White	14,600	114	7.8
Colored	7,100	68	9.6
Pamlico	9,300	80	8.6
White	6,200	49	7.9
Colored	3,100	31	10.0
Pasquotank	9,200	89	9.7
White	4,700	30	6.4
Colored	4,500	59	13.1
Pender	15,800	154	9.7
White	8,200	77	9.4
Colored	7,600	77	10.1
Perquimans	[1] 10,668	82	7.7
White	[1] 5,381	33	6.1
Colored	[1] 5,287	49	9.3
Person	22,600	149	6.6
White	13,700	87	6.4
Colored	8,900	62	7.0
Pitt	56,000	484	8.6
White	29,000	237	8.2
Colored	27,000	247	9.1
Polk	10,500	79	7.5
White	8,900	61	6.9
Colored	1,600	18	11.3
Randolph	37,200	291	7.8
White	33,300	257	7.7
Colored	3,900	34	8.7
Richmond	35,500	318	9.0
White	21,700	182	8.4
Colored	13,800	136	9.9
Robeson	68,500	659	9.6
White	32,300	298	9.2
Colored	36,200	361	10.0
Rockingham	52,300	422	8.1
White	40,600	291	7.2
Colored	11,700	131	11.2
Rowan	41,300	274	6.6
White	33,500	202	6.0
Colored	7,800	72	9.2
Rutherford	42,000	312	7.4
White	36,500	269	7.4
Colored	5,500	43	7.8
Sampson	40,800	387	9.5
White	26,400	232	8.8
Colored	14,400	155	10.8
Scotland	21,000	190	9.0
White	9,300	91	9.8
Colored	11,700	99	8.5
Stanly	30,700	224	7.3
White	27,200	196	7.2
Colored	3,500	28	8.0
Stokes	22,600	138	6.1
White	20,100	118	5.9
Colored	2,500	20	8.0
Surry	41,000	314	7.7
Swain	[1] 11,568	81	7.0
White	[1] 10,315	55	5.3
Colored	[1] 1,253	26	20.8

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—Continued			
Transylvania	9,600	90	9.4
Tyrrell	5,200	65	12.5
White	3,500	34	9.7
Colored	1,700	31	18.2
Union	41,800	342	8.2
White	31,500	244	7.7
Colored	10,300	98	9.5
Vance	28,100	252	9.0
White	15,700	129	8.2
Colored	12,400	123	9.9
Wake	59,100	436	7.4
White	37,500	239	6.4
Colored	21,600	197	9.1
Warren	23,700	247	10.4
White	8,600	84	9.8
Colored	15,100	163	10.8
Washington	11,600	126	10.9
White	6,200	48	7.7
Colored	5,400	78	14.4
Watauga	15,500	97	6.3
Wayne	39,000	490	12.6
White	22,300	158	7.1
Colored	16,700	332	19.9
Wilkes	36,800	310	8.4
Wilson	33,300	272	8.2
White	19,800	139	7.0
Colored	13,500	133	9.9
Yadkin	18,300	127	6.9
Yancey	[1] 14,486	105	7.2
NORTH DAKOTA COUNTIES			
Adams	6,500	49	7.5
Barnes	18,800	163	8.7
Benson	13,400	121	9.0
Billings	3,100	12	3.9
Bottineau	[1] 14,853	116	7.8
Bowman	5,200	29	5.6
Burke	10,100	59	5.8
Burleigh	8,700	24	2.8
Cass	20,300	163	8.0
Cavalier	[1] 14,554	93	6.4
Dickey	10,900	80	7.3
Divide	[1] 9,636	54	5.6
Dunn	9,700	57	5.9
Eddy	[1] 6,346	64	10.1
Emmons	12,700	70	5.5
Foster	6,400	56	8.8
Golden Valley	[1] 4,122	25	6.1
Grand Forks	14,900	137	9.2
Grant	10,200	67	6.6
Griggs	[1] 6,889	48	7.0
Hettinger	9,000	43	4.8
Kidder	8,100	28	3.5
La Moure	[1] 11,517	74	6.4
Logan	8,200	42	5.1
McHenry	[1] 15,439	76	4.9
McIntosh	9,700	64	6.6
McKenzie	9,700	39	4.0
McLean	18,100	97	5.4
Mercer	9,700	50	5.2
Morton	19,800	178	9.0
Mountrail	13,800	49	3.6
Nelson	[1] 10,203	79	7.7
Oliver	[1] 4,262	6	1.4
Pembina	[1] 14,757	124	8.4
Pierce	[1] 9,074	79	8.7
Ramsey	16,400	170	10.4
Ransom	[1] 10,983	91	8.3
Renville	[1] 7,263	34	4.7
Richland	21,000	137	6.5
Rolette	10,900	118	10.8
White	7,300	77	10.5
Colored	3,600	41	11.4
Sargent	[1] 9,298	69	7.4
Sheridan	[1] 7,373	33	4.5
Sioux	4,900	71	14.5
White	3,500	17	4.9
Colored	1,400	54	38.6
Slope	[1] 4,150	19	4.6
Stark	15,600	181	11.6
Steele	[1] 6,972	47	6.7
Stutsman	26,400	277	10.5
Towner	8,400	61	7.3
Traill	12,700	93	7.3
Walsh	20,200	199	9.9
Ward	17,300	79	4.6
Wells	13,300	94	7.1
Williams	19,800	131	6.6
OHIO COUNTIES			
Adams	[1] 20,381	214	10.5
Allen	27,100	400	14.8
Ashland	15,800	179	11.3
Ashtabula	45,400	574	12.6
Athens	[1] 44,175	609	13.8
Auglaize	[1] 28,034	288	10.3
Belmont	67,100	619	9.2
Brown	[1] 20,148	260	12.9
Butler	33,500	319	9.5
Carroll	16,100	152	9.4
Champaign	[1] 24,103	330	13.7
Clark	22,600	277	12.3
Clermont	30,000	423	14.1
Clinton	[1] 21,547	261	12.1
Columbiana	52,700	464	8.8
Coshocton	[1] 18,076	175	9.7
Crawford	[1] 25,318	280	11.1
Cuyahoga	86,300	855	9.9
Darke	[1] 38,009	427	11.2
Defiance	[1] 22,714	246	10.8
Delaware	26,000	333	12.8
Erie	17,600	236	13.4
Fairfield	25,300	223	8.8
Fayette	[1] 20,755	262	12.6
Franklin	74,500	633	8.5
Fulton	23,500	283	12.0
Gallia	[1] 23,050	403	17.5
Geauga	15,500	182	11.7
Greene	23,000	251	10.9
Guernsey	[1] 24,886	242	9.7
Hamilton	110,700	879	7.9
Hancock	18,700	198	10.6
Hardin	[1] 27,635	322	11.7
Harrison	[1] 18,844	217	11.5
Henry	[1] 22,524	201	8.9
Highland	[1] 25,416	338	13.3
Hocking	[1] 20,407	202	9.9
Holmes	[1] 16,726	162	9.7
Huron	33,900	452	13.3
Jackson	[1] 25,040	318	12.7
Jefferson	53,700	418	7.8
Knox	[1] 29,338	434	14.8
Lake	32,300	272	8.4
Lawrence	28,500	270	9.5
Licking	29,900	349	11.7
Logan	[1] 28,981	373	12.9
Lorain	40,200	404	10.0
Lucas	61,100	368	6.0
Madison	20,400	261	12.8
Mahoning	43,300	382	8.8
Marion	14,400	166	11.5
Medina	30,300	321	10.6
Meigs	[1] 23,961	242	10.1
Mercer	[1] 25,096	274	10.9
Miami	35,600	443	12.4
Monroe	[1] 18,426	211	11.5
Montgomery	77,800	827	10.6
Morgan	[1] 13,583	195	14.4
Morrow	[1] 14,489	185	12.8
Muskingum	32,200	335	10.4
Noble	[1] 14,961	157	10.5
Ottawa	24,400	226	9.3
Paulding	[1] 15,301	148	9.7
Perry	[1] 31,445	326	10.4
Pickaway	27,500	375	13.6
Pike	[1] 13,876	183	13.2
Portage	43,800	518	11.8
Preble	[1] 22,455	247	11.0
Putnam	[1] 25,074	240	9.6
Richland	33,400	344	10.3
Ross	27,000	322	11.9
Sandusky	26,600	287	10.8
Scioto	40,600	338	8.3
Seneca	21,000	225	10.7
Shelby	[1] 24,924	279	11.2
Stark	71,900	861	12.0
Summit	42,500	329	7.7
Trumbull	69,600	549	7.9
Tuscarawas	56,400	563	10.0
Union	[1] 19,192	224	11.7
Van Wert	[1] 26,273	255	9.7
Vinton	[1] 10,287	124	12.1
Warren	27,600	315	11.4
Washington	[1] 28,152	317	11.3
Wayne	36,800	380	10.3
Williams	[1] 24,316	292	12.0
Wood	51,200	528	10.3
Wyandot	[1] 19,036	223	11.7
OKLAHOMA COUNTIES			
Adair	14,900	140	9.4
White	9,700	95	9.8
Colored	5,200	45	8.7
Alfalfa	[1] 15,228	126	8.3
Atoka	[1] 14,533	108	7.4
White	[1] 12,476	93	7.5
Colored	[1] 2,057	15	7.3
Beaver	[1] 11,452	75	6.5
Beckham	30,700	220	7.2
Blaine	21,200	195	9.2
White	18,200	156	8.6
Colored	3,000	39	13.0
Bryan	[1] 32,277	309	9.6
White	[1] 28,059	283	10.1
Colored	[1] 4,218	26	6.2
Caddo	53,600	364	6.8
White	48,100	290	6.0
Colored	5,500	74	13.5
Canadian	29,100	304	10.4
Carter	25,600	164	6.4
Cherokee	[1] 17,470	100	5.7
White	[1] 12,424	82	6.6
Colored	[1] 5,046	18	3.6
Choctaw	[1] 24,142	150	6.2
White	[1] 17,091	131	7.7
Colored	[1] 7,051	19	2.7
Cimarron	5,700	75	13.2
Cleveland	25,900	387	14.9
Coal	[1] 11,521	38	3.3
White	[1] 10,346	36	3.5
Colored	[1] 1,175	2	1.7
Comanche	22,600	172	7.6
Cotton	[1] 15,442	122	7.9
Craig	[1] 18,052	339	18.8
White	[1] 14,903	320	21.5
Colored	[1] 3,149	19	6.0
Creek	53,900	321	6.0
White	47,000	259	5.5
Colored	6,900	62	9.0
Custer	29,000	297	10.2
Delaware	15,600	123	7.9
White	11,600	109	9.4
Colored	4,000	14	3.5
Dewey	13,400	123	9.2
Ellis	[1] 10,541	82	7.8
Garfield	18,900	92	4.9
Garvin	[1] 31,401	221	7.0
Grady	35,300	167	4.7
Grant	[1] 14,150	105	7.4
Greer	21,000	166	7.9
Harmon	14,300	104	7.3
Harper	7,800	44	5.6
Haskell	[1] 16,216	79	4.9
Hughes	31,100	227	7.3
White	26,600	180	6.8
Colored	4,500	47	10.4
Jackson	30,100	197	6.5
Jefferson	[1] 17,392	131	7.5
Johnston	[1] 13,082	60	4.6
White	[1] 11,566	52	4.5
Colored	[1] 1,516	8	5.3
Kay	35,100	299	8.5
Kingfisher	16,000	150	9.4
White	13,900	117	8.4
Colored	2,100	33	15.7
Kiowa	30,700	204	6.6
Latimer	[1] 11,184	118	10.6
Le Flore	42,900	268	6.2
Lincoln	33,800	247	7.3
White	30,200	216	7.2
Colored	3,600	31	8.6
Logan	27,800	334	12.0
White	21,300	254	11.9
Colored	6,500	80	12.3
Love	[1] 9,639	36	3.7
McClain	22,000	150	6.8
McCurtain	[1] 34,759	219	6.3
White	[1] 24,627	168	6.8
Colored	[1] 10,132	51	5.0
McIntosh	[1] 24,924	173	6.9
White	[1] 18,334	121	6.6
Colored	[1] 6,590	52	7.9
Major	[1] 12,206	104	8.5
Marshall	[1] 11,026	92	8.3
Mayes	18,100	126	7.0
White	13,900	113	8.1
Colored	4,200	13	3.1
Murray	[1] 12,410	143	11.5

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
OKLAHOMA COUNTIES—Continued			
Muskogee	34,900	251	7.2
White	21,600	171	7.9
Colored	13,300	80	6.0
Noble	15,400	91	5.9
Nowata	[1] 13,611	122	9.0
White	[1] 10,453	109	10.4
Colored	[1] 3,158	13	4.1
Okfuskee	29,700	179	6.0
White	21,100	116	5.5
Colored	8,600	63	7.3
Oklahoma	38,300	298	7.8
Okmulgee	39,700	199	5.0
White	29,600	163	5.5
Colored	10,100	36	3.6
Osage	49,200	338	6.9
Ottawa	[1] 38,542	368	9.5
Pawnee	20,000	155	7.8
Payne	38,100	313	8.2
Pittsburg	[1] 38,778	141	3.6
White	[1] 33.192	124	3.7
Colored	[1] 5,586	17	3.0
Pontotoc	20,900	117	5.6
Pottawatomie	45,600	219	4.8
Pushmataha	[1] 14,744	129	8.7
White	[1] 13,099	115	8.8
Colored	[1] 1,645	14	8.5
Roger Mills	14,800	78	5.3
Rogers	19,200	236	12.3
White	15,800	198	12.5
Colored	3,400	38	11.2
Seminole	63,700	188	3.0
Sequoyah	[1] 19,505	158	8.1
White	[1] 14,696	130	8.8
Colored	[1] 4,809	28	5.8
Stephens	34,500	246	7.1
Texas	14,100	86	6.1
Tillman	24,700	185	7.5
White	21,400	144	6.7
Colored	3,300	41	12.4
Tulsa	53,000	380	7.2
White	47,300	338	7.1
Colored	5,700	42	7.4
Wagoner	22,600	198	8.8
White	15,100	124	8.2
Colored	7,500	74	9.9
Washington	13,100	90	6.9
White	11,200	80	7.1
Colored	1,900	10	5.3
Washita	30,700	140	4.6
Woods	17,200	101	5.9
Woodward	16,000	215	13.4
OREGON COUNTIES			
Baker	[1] 16,754	178	10.6
Benton	17,000	123	7.2
Clackamas	47,700	477	10.0
Clatsop	[1] 10,775	75	7.0
Columbia	21,100	137	6.5
Coos	29,400	250	8.5
Crook	[1] 3,336	36	10.8
Curry	3,300	28	8.5
Deschutes	15,600	115	7.4
Douglas	22,100	270	12.2
Gilliam	[1] 3,467	15	4.3
Grant	6,000	55	9.2
Harney	6,300	47	7.5
Hood River	9,000	88	9.8
Jackson	23,200	223	9.6
Jefferson	[1] 2,291	32	14.0
White	[1] 1,937	9	4.6
Colored	[1] 354	23	65.0
Josephine	12,200	147	12.0
Klamath	17,700	92	5.2
Lake	5,000	53	10.6
Lane	37,400	244	6.5
Lincoln	10,600	91	8.6
Linn	24,700	323	13.1
Malheur	11,300	109	9.6
Marion	35,100	324	9.2
Morrow	[1] 4,941	40	8.1
Multnomah	39,800	378	9.5
Polk	17,300	148	8.6
Sherman	[1] 2,978	12	4.0
Tillamook	12,300	92	7.5
Umatilla	[1] 24,399	325	13.3
Union	17,600	179	10.2
Wallowa	[1] 7,814	41	5.2
Wasco	[1] 12,646	205	16.2
Washington	30,900	286	9.3
Wheeler	2,800	15	5.4
Yamhill	22,300	254	11.4
PENNSYLVANIA COUNTIES			
Adams	37,600	403	10.7
Allegheny	395,800	3,778	9.5
Armstrong	79,900	718	9.0
Beaver	86,100	868	10.1
Bedford	[1] 37,309	424	11.4
Berks	125,200	1,670	13.3
Blair	59,000	600	10.2
Bradford	[1] 49,039	793	16.2
Bucks	87,400	939	10.7
Butler	57,400	609	10.6
Cambria	137,100	1,077	7.9
Cameron	[1] 5,307	49	9.2
Carbon	63,500	550	8.7
Centre	46,600	592	12.7
Chester	89,300	960	10.8
Clarion	[1] 34,531	340	9.8
Clearfield	[1] 75,132	724	9.6
Clinton	[1] 32,319	378	11.7
Columbia	36,200	422	11.7
Crawford	46,400	605	13.0
Cumberland	57,100	559	9.8
Dauphin	73,100	813	11.1
Delaware	162,200	1,261	7.8
Elk	[1] 33,431	337	10.1
Erie	60,700	713	11.7
Fayette	167,500	1,182	7.1
Forest	[1] 5,180	50	9.7
Franklin	41,400	447	10.8
Fulton	[1] 9,231	100	10.8
Greene	43,600	411	9.4
Huntingdon	[1] 39,021	424	10.9
Indiana	[1] 75,395	760	10.1
Jefferson	[1] 52,114	567	10.9
Juniata	[1] 14,325	138	9.6
Lackawanna	80,200	833	10.4
Lancaster	128,300	1,380	10.8
Lawrence	38,500	286	7.4
Lebanon	41,800	417	10.0
Lehigh	67,900	774	11.4
Luzerne	210,400	1,827	8.7
Lycoming	48,500	518	10.7
McKean	36,200	386	10.7
Mercer	59,500	650	10.9
Mifflin	27,900	338	12.1
Monroe	29,000	376	13.0
Montgomery	135,700	1,151	8.5
Montour	14,600	481	32.9
Northampton	90,300	1,037	11.5
Northumberland	75,600	795	10.5
Perry	[1] 21,744	255	11.7
Pike	7,600	91	12.0
Potter	[1] 17,489	252	14.4
Schuylkill	164,200	1,804	11.0
Snyder	19,100	255	13.4
Somerset	[1] 80,764	694	8.6
Sullivan	[1] 7,499	69	9.2
Susquehanna	[1] 33,806	389	11.5
Tioga	[1] 31,871	510	16.0
Union	17,700	209	11.8
Venango	31,400	383	12.2
Warren	26,700	422	15.8
Washington	144,300	1,081	7.5
Wayne	28,600	370	12.9
Westmoreland	188,200	1,523	8.1
Wyoming	15,800	202	12.8
York	102,400	973	9.5
RHODE ISLAND COUNTIES			
Bristol	13,300	105	7.9
Kent	10,600	127	12.0
Newport	[1] 14,056	158	11.2
Providence	30,400	333	11.0
Washington	18,900	257	13.6
SOUTH CAROLINA COUNTIES			
Abbeville	[1] 23,323	229	9.8
White	[1] 12,258	101	8.2
Colored	[1] 11,065	128	11.6
Aiken	47,700	495	10.4
White	26,600	234	8.8
Colored	21,100	261	12.4
Allendale	[1] 13,294	122	9.2
White	[1] 3,533	21	5.9
Colored	[1] 9,761	101	10.3
Anderson	66,800	438	6.6
White	48,800	306	6.3
Colored	18,000	132	7.3
Bamberg	[1] 19,410	183	9.4
White	[1] 6,935	57	8.2
Colored	[1] 12,475	126	10.1
SOUTH CAROLINA COUNTIES—Continued			
Barnwell	[1] 21,221	175	8.2
White	[1] 7,756	58	7.5
Colored	[1] 13,465	117	8.7
Beaufort	[1] 21,815	378	17.3
White	[1] 6,243	38	6.1
Colored	[1] 15,572	340	21.8
Berkeley	22,500	334	14.8
White	7,500	74	9.9
Colored	15,000	260	17.3
Calhoun	[1] 16,707	235	14.1
White	[1] 4,299	41	9.5
Colored	[1] 12,408	194	15.6
Charleston	[1] 38,785	521	13.4
White	[1] 12,021	88	7.3
Colored	[1] 26,764	433	16.2
Cherokee	33,000	333	10.1
White	24,500	231	9.4
Colored	8,500	102	12.0
Chester	[1] 31,803	305	9.6
White	[1] 15,345	137	8.9
Colored	[1] 16,458	168	10.2
Chesterfield	34,700	252	7.3
White	22,000	130	5.9
Colored	12,700	122	9.6
Clarendon	[1] 30,036	325	10.8
White	[1] 8,473	57	6.7
Colored	[1] 21,563	268	12.4
Colleton	[1] 25,821	319	12.4
White	[1] 11,755	118	10.0
Colored	[1] 14,066	201	14.3
Darlington	41,800	410	9.8
White	20,300	191	9.4
Colored	21,500	219	10.2
Dillon	25,800	258	10.0
White	13,500	102	7.6
Colored	12,300	156	12.7
Dorchester	[1] 18,956	256	13.5
White	[1] 7,788	87	11.2
Colored	[1] 11,168	169	15.1
Edgefield	[1] 19,326	181	9.4
White	[1] 7,055	39	5.5
Colored	[1] 12,271	142	11.6
Fairfield	[1] 23,287	223	9.6
White	[1] 7,597	60	7.9
Colored	[1] 15,690	163	10.4
Florence	47,100	439	9.3
White	25,500	191	7.5
Colored	21,600	248	11.5
Georgetown	21,700	289	13.3
White	7,800	61	7.8
Colored	13,900	228	16.4
Greenville	91,700	690	7.5
White	74,400	533	7.2
Colored	17,300	157	9.1
Greenwood	24,700	199	8.1
White	13,300	97	7.3
Colored	11,400	102	8.9
Hampton	[1] 17,243	186	10.8
White	[1] 7,422	56	7.5
Colored	[1] 9,821	130	13.2
Horry	40,600	416	10.2
White	30,700	272	8.9
Colored	9,900	144	14.5
Jasper	10,000	113	11.3
White	3,300	26	7.9
Colored	6,700	87	13.0
Kershaw	32,500	271	8.3
White	14,800	124	8.4
Colored	17,700	147	8.3
Lancaster	[1] 27,980	218	7.8
White	[1] 16,970	131	7.7
Colored	[1] 11,010	87	7.9
Laurens	[1] 42,094	356	8.5
White	[1] 24,383	188	7.7
Colored	[1] 17,711	168	9.5
Lee	[1] 24,096	219	9.1
White	[1] 7,849	55	7.0
Colored	[1] 16,247	164	10.1
Lexington	36,800	341	9.3
White	25,900	209	8.1
Colored	10,900	132	12.1
McCormack	[1] 11,471	136	11.9
White	[1] 3,773	42	11.1
Colored	[1] 7,698	94	12.2
Marion	27,800	261	9.4
White	12,600	101	8.0
Colored	15,200	160	10.5
Marlboro	[1] 31,634	395	12.5
White	[1] 13,379	164	12.3
Colored	[1] 18,255	231	12.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
SOUTH CAROLINA COUNTIES—Continued			
Newberry	[1] 34,681	298	8.6
White	[1] 18,527	151	8.2
Colored	[1] 16,154	147	9.1
Oconee	33,900	313	9.2
White	28,000	235	8.4
Colored	5,900	78	13.2
Orangeburg	[1] 63,864	766	12.0
White	[1] 23,087	243	10.5
Colored	[1] 40,777	523	12.8
Pickens	34,600	253	7.3
White	29,700	201	6.8
Colored	4,900	52	10.6
Richland	36,600	537	14.7
White	18,100	158	8.7
Colored	18,500	379	20.5
Saluda	[1] 18,148	136	7.5
White	[1] 9,325	64	6.9
Colored	[1] 8,823	72	8.2
Spartanburg	90,300	597	6.6
White	69,900	381	5.5
Colored	20,400	216	10.6
Sumter	33,900	406	12.0
White	8,400	76	9.0
Colored	25,500	330	12.9
Union	31,000	213	6.9
White	18,900	131	6.9
Colored	12,100	82	6.8
Williamsburg	[1] 34,914	363	10.4
White	[1] 11,572	88	7.6
Colored	[1] 23,342	275	11.8
York	42,200	358	8.5
White	23,000	185	8.0
Colored	19,200	173	9.0
SOUTH DAKOTA COUNTIES			
Armstrong	[4]	1	[4]
Aurora	[1] 7,139	35	4.9
Beadle	12,100	65	5.4
Bennett	5,000	41	8.2
White	3,700	19	5.1
Colored	1,300	22	16.9
Bon Homme	[1] 11,737	100	8.5
Brookings	17,000	149	8.8
Brown	15,000	63	4.2
Brule	7,500	70	9.3
Buffalo	2,000	38	19.0
White	1,200	4	3.3
Colored	800	34	42.5
Butte	8,900	89	10.0
Campbell	5,700	37	6.5
Charles Mix	16,800	135	8.0
Clark	[1] 11,022	85	7.7
Clay	10,200	56	5.5
Codington	7,200	26	3.6
Corson	9,900	66	6.7
White	8,000	40	5.0
Colored	1,900	26	13.7
Custer	5,600	59	10.5
Davison	6,000	31	5.2
Day	[1] 14,606	149	10.2
Deuel	[1] 8,732	62	7.1
Dewey	6,800	46	6.8
White	5,000	28	5.6
Colored	1,800	18	10.0
Douglas	7,300	41	5.6
Edmunds	8,800	54	6.1
Fall River	9,000	171	19.0
Faulk	7,000	74	10.6
Grant	[1] 10,729	80	7.5
Gregory	[1] 11,420	77	6.7
Haakon	4,700	36	7.7
Hamlin	8,300	54	6.5
Hand	9,600	63	6.6
Hanson	[1] 6,131	39	6.4
Harding	[1] 3,589	24	6.7
Hughes	7,200	120	16.7
Hutchinson	14,000	82	5.9
Hyde	3,800	26	6.8
Jackson	2,700	17	6.3
Jerauld	[1] 5,816	31	5.3
Jones	3,200	22	6.9
Kingsbury	12,800	106	8.3
Lake	12,400	142	11.5
Lawrence	14,100	190	13.5
Lincoln	13,900	110	7.9
Lyman	[1] 6,335	30	4.7
McCook	10,400	56	5.4
McPherson	9,000	81	9.0
Marshall	[1] 9,540	117	12.3
Meade	11,800	66	5.6
SOUTH DAKOTA COUNTIES—Continued			
Mellette	5,500	35	6.4
White	4,000	13	3.3
Colored	1,500	22	14.7
Miner	[1] 8,376	73	8.7
Minnehaha	17,500	114	6.5
Moody	[1] 9,603	52	5.4
Pennington	10,100	55	5.4
Perkins	8,800	51	5.8
Potter	6,000	34	5.7
Roberts	[1] 15,782	140	8.9
Sanborn	[1] 7,326	42	5.7
Shannon	4,400	137	31.1
White	1,100	2	1.8
Colored	3,300	135	40.9
Spink	[1] 15,304	115	7.5
Stanley	[1] 2,381	10	4.2
Sully	4,000	27	6.8
Todd	6,400	68	10.6
White	3,500	11	3.1
Colored	2,900	57	19.7
Tripp	12,800	90	7.0
Turner	14,900	101	6.8
Union	11,500	68	5.9
Walworth	8,900	72	8.1
Washabaugh	2,700	15	5.6
White	1,800	5	2.8
Colored	900	10	11.1
Washington	1,900	29	15.3
White	400		
Colored	1,500	29	19.3
Yankton	16,800	247	14.7
Ziebach	[4]	35	[4]
White	[4]	10	[4]
Colored	[4]	25	[4]
TENNESSEE COUNTIES			
Anderson	20,000	172	8.6
Bedford	[1] 21,077	237	11.2
White	[1] 17,366	181	10.4
Colored	[1] 3,711	56	15.1
Benton	[1] 11,237	115	10.2
Bledsoe	[1] 7,128	47	6.6
Blount	34,900	257	7.4
Bradley	23,600	257	10.9
Campbell	[1] 26,827	153	5.7
Cannon	[1] 8,935	74	8.3
Carroll	26,400	239	9.1
White	21,800	194	8.9
Colored	4,600	45	9.8
Carter	30,500	232	7.6
Cheatham	[1] 9,025	79	8.8
Chester	10,800	90	8.3
White	8,800	75	8.5
Colored	2,000	15	7.5
Claiborne	24,500	112	4.6
Clay	9,600	64	6.7
Cocke	21,900	208	9.5
Coffee	[1] 16,801	163	9.7
Crockett	[1] 17,359	143	8.2
White	[1] 13,925	118	8.5
Colored	[1] 3,434	25	7.3
Cumberland	11,700	77	6.6
Davidson	76,000	773	10.2
White	65,900	592	9.0
Colored	10,100	181	17.9
Decatur	[1] 10,106	86	8.5
De Kalb	[1] 14,213	143	10.1
Dickson	[1] 18,491	157	8.5
Dyer	31,600	383	12.1
White	26,600	322	12.1
Colored	5,000	61	12.2
Fayette	[1] 28,891	282	9.8
White	[1] 7,796	57	7.3
Colored	[1] 21,095	225	10.7
Fentress	11,100	44	4.0
Franklin	22,000	157	7.1
White	19,500	132	6.8
Colored	2,500	25	10.0
Gibson	47,100	420	8.9
White	37,100	295	8.0
Colored	10,000	125	12.5
Giles	[1] 28,016	320	11.4
White	[1] 20,453	213	10.4
Colored	[1] 7,563	107	14.1
Grainger	[1] 12,737	97	7.6
Greene	35,500	316	8.9
Grundy	[1] 9,717	77	7.9
Hamblen	16,900	195	11.5
White	15,200	169	11.1
Colored	1,700	26	15.3
TENNESSEE COUNTIES—Continued			
Hamilton	43,400	348	8.0
Hancock	[1] 9,673	74	7.7
Hardeman	[1] 22,193	368	16.6
White	[1] 13,661	177	13.0
Colored	[1] 8,532	191	22.4
Hardin	[1] 16,213	122	7.5
Hawkins	24,300	141	5.8
Haywood	26,200	288	11.0
White	8,900	88	9.9
Colored	17,300	200	11.6
Henderson	[1] 17,655	150	8.5
Henry	[1] 26,432	224	8.5
White	[1] 21,435	171	8.0
Colored	[1] 4,997	53	10.6
Hickman	[1] 13,613	113	8.3
Houston	[1] 5,555	52	9.4
Humphreys	[1] 12,039	127	10.5
Jackson	[1] 13,589	86	6.3
Jefferson	18,000	176	9.8
Johnson	[1] 12,209	120	9.8
Knox	52,600	491	9.3
Lake	10,700	93	8.7
White	6,900	66	9.6
Colored	3,800	27	7.1
Lauderdale	23,700	242	10.2
White	14,500	137	9.4
Colored	9,200	105	11.4
Lawrence	27,300	217	7.9
Lewis	[1] 5,258	49	9.3
Lincoln	[1] 25,422	261	10.3
White	[1] 21,364	209	9.8
Colored	[1] 4,058	52	12.8
Loudon	18,100	162	9.0
McMinn	29,700	253	8.5
McNairy	20,200	158	7.8
Macon	[1] 13,872	140	10.1
Madison	29,600	236	8.0
White	18,500	121	6.5
Colored	11,100	115	10.4
Marion	17,600	132	7.5
Marshall	[1] 15,574	154	9.9
White	[1] 13,194	122	9.2
Colored	[1] 2,380	32	13.4
Maury	[1] 34,016	432	12.7
White	[1] 24,208	267	11.0
Colored	[1] 9,808	165	16.8
Meigs	6,100	29	4.8
Monroe	[1] 21,377	144	6.7
Montgomery	[1] 30,882	352	11.4
White	[1] 20,761	213	10.3
Colored	[1] 10,121	139	13.7
Moore	[1] 4,037	49	12.1
Morgan	13,700	113	8.2
Obion	29,200	337	11.5
White	25,200	290	11.5
Colored	4,000	47	11.8
Overton	18,200	163	9.0
Perry	[1] 7,147	61	8.5
Pickett	5,700	36	6.3
Polk	15,900	101	6.4
Putnam	24,000	223	9.3
Rhea	13,900	130	9.4
Roane	[1] 24,477	262	10.7
Robertson	28,600	258	9.0
White	22,700	192	8.5
Colored	5,900	66	11.2
Rutherford	[1] 32,286	332	10.3
White	[1] 24,544	225	9.2
Colored	[1] 7,742	107	13.8
Scott	14,200	70	4.9
Sequatchie	4,100	28	6.8
Sevier	[1] 20,480	128	6.3
Shelby	59,200	649	11.0
White	27,000	222	8.2
Colored	32,200	427	13.3
Smith	[1] 15,473	112	7.2
Stewart	[1] 13,278	105	7.9
Sullivan	27,900	201	7.2
Sumner	28,800	303	10.5
White	24,800	266	10.7
Colored	4,000	37	9.3
Tipton	[1] 27,498	303	11.0
White	[1] 16,222	157	9.7
Colored	[1] 11,276	146	12.9
Trousdale	[1] 5,629	54	9.6
White	[1] 4,362	42	9.6
Colored	[1] 1,267	12	9.5
Unicoi	13,100	95	7.3
Union	[1] 11,371	85	7.5
Van Buren	3,700	31	8.4
Warren	20,700	219	10.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
TENNESSEE COUNTIES—Continued			
Washington	23,200	237	10.2
Wayne	[1] 12,134	77	6.3
Weakley	[1] 29,262	289	9.9
White	[1] 15,543	130	8.4
Williamson	[1] 22,845	199	8.7
White	[1] 17,571	143	8.1
Colored	[1] 5,274	56	10.6
Wilson	[1] 23,929	230	9.6
White	[1] 19,448	179	9.2
Colored	[1] 4,481	51	11.4
TEXAS COUNTIES			
Anderson	23,200	220	9.5
White	14,800	133	9.0
Colored	8,400	87	10.4
Andrews	800	4	5.0
Angelina	28,700	293	10.2
White	24,100	226	9.4
Colored	4,600	67	14.6
Aransas	2,200	31	14.1
White	1,900	24	12.6
Colored	300	7	23.3
Archer	10,400	47	4.5
Armstrong	3,400	16	4.7
Atascosa	16,200	140	8.6
White	7,500	70	9.3
Colored	8,700	70	8.0
Austin	[1] 18,860	167	8.9
White	[1] 13,766	112	8.1
Colored	[1] 5,094	55	10.8
Bailey	6,000	16	2.7
Bandera	[1] 3,784	29	7.7
Bastrop	[1] 23,888	218	9.1
White	[1] 12,672	108	8.5
Colored	[1] 11,216	110	9.8
Baylor	7,500	61	8.1
Bee	16,300	203	12.5
White	7,800	86	11.0
Colored	8,500	117	13.8
Bell	34,500	277	8.0
White	29,700	232	7.8
Colored	4,800	45	9.4
Bexar	64,500	665	10.3
White	45,500	568	12.5
Colored	19,000	97	5.1
Blanco	[1] 3,842	22	5.7
Borden	1,600	1	0.6
Bosque	[1] 15,750	120	7.6
Bowie	32,700	262	8.0
White	21,200	158	7.5
Colored	11,500	104	9.0
Brazoria	23,500	194	8.3
White	14,800	115	7.8
Colored	8,700	79	9.1
Brazos	[1] 21,835	266	12.2
White	[1] 11,479	127	11.1
Colored	[1] 10,356	139	13.4
Brewster [2]	6,900	86	12.5
Briscoe	6,000	31	5.2
Brooks [2]	6,100	89	14.6
Brown	13,600	63	4.6
Burleson	20,400	162	7.9
White	10,700	77	7.2
Colored	9,700	85	8.8
Burnet	10,500	89	8.5
Caldwell	32,500	354	10.9
White	16,100	140	8.7
Colored	16,400	214	13.0
Calhoun	5,500	36	6.5
White	3,500	22	6.3
Colored	2,000	14	7.0
Callahan	12,900	91	7.1
Cameron	(4)	491	(4)
White	(4)	290	(4)
Colored	(4)	201	(4)
Camp	[1] 10,063	98	9.7
White	[1] 5,950	54	9.1
Colored	[1] 4,113	44	10.7
Carson	8,500	29	3.4
Cass	[1] 30,080	222	7.4
White	[1] 19,406	153	7.9
Colored	[1] 10,624	69	6.5
Castro	5,200	23	4.4
Chambers	6,000	43	7.2
White	4,500	27	6.0
Colored	1,500	16	10.7
Cherokee	44,100	505	11.5
White	32,100	306	9.5
Colored	12,000	199	16.6
Childress	16,900	118	7.0
Clay	[1] 14,545	115	7.9
Cochran	2,300	7	3.0
Coke	5,400	28	5.2
Coleman	24,500	197	8.0
Collin	[1] 46,180	444	9.6
Collingsworth	15,400	81	5.3
Colorado	19,100	166	8.7
White	11,700	81	6.9
Colored	7,400	85	11.5
Comal	12,500	153	12.2
White	8,300	83	10.0
Colored	4,200	70	16.7
Comanche	[1] 18,430	115	6.2
Concho	8,000	56	7.0
White	6,100	45	7.4
Colored	1,900	11	5.8
Cooke	[1] 24,136	216	8.9
Coryell	[1] 19,999	135	6.8
Cottle	9,800	74	7.6
Crane	2,600	4	1.5
Crockett	2,800	10	3.6
White	1,900	8	4.2
Colored	900	2	2.2
Crosby	11,900	71	6.0
Culberson	1,300	16	12.3
White	600	7	11.7
Colored	700	9	12.9
Dallam	8,400	75	8.9
Dallas	67,400	478	7.1
White	56,300	365	6.5
Colored	11,100	113	10.2
Dawson	15,200	108	7.1
Deaf Smith	6,400	48	7.5
Delta	[1] 13,138	116	8.8
Denton	[1] 32,822	301	9.2
De Witt	[1] 27,441	328	12.0
White	[1] 16,269	176	10.8
Colored	[1] 11,172	152	13.6
Dickens	9,100	69	7.6
Dimmit	9,400	77	8.2
White	2,600	23	8.8
Colored	6,800	54	7.9
Donley	10,600	73	6.9
Duval [2]	12,900	134	10.4
Eastland	[1] 34,156	317	9.3
Ector	4,500	31	6.9
Edwards	2,800	26	9.3
White	2,300	18	7.8
Colored	500	8	16.0
Ellis	[1] 53,936	495	9.2
White	[1] 39,854	358	9.0
Colored	[1] 14,082	137	9.7
El Paso [2]	30,900	488	15.8
Erath	[1] 20,804	149	7.2
Falls	39,200	329	8.4
White	22,700	191	8.4
Colored	16,500	138	8.4
Fannin	[1] 41,163	380	9.2
White	[1] 36,351	338	9.3
Colored	[1] 4,812	42	8.7
Fayette	30,800	287	9.3
White	23,100	198	8.6
Colored	7,700	89	11.6
Fisher	14,000	82	5.7
Floyd	12,900	71	5.5
Foard	6,600	42	6.4
Fort Bend	30,900	300	9.7
White	15,500	101	6.5
Colored	15,400	199	12.9
Franklin	[1] 8,494	65	7.7
Freestone	[1] 22,589	190	8.4
White	[1] 13,585	95	7.0
Colored	[1] 9,004	95	10.6
Frio	9,400	121	12.9
White	3,200	29	9.1
Colored	6,200	92	14.8
Gaines	3,100	9	2.9
Galveston	11,900	69	5.8
White	9,800	43	4.4
Colored	2,100	26	12.4
Garza	5,800	45	7.8
Gillespie	11,200	91	8.1
Glasscock	1,400	2	1.4
White	1,200	1	0.8
Colored	200	1	5.0
Goliad	10,200	85	8.3
White	4,200	24	5.7
Colored	6,000	61	10.2
Gonzales	[1] 28,337	267	9.4
White	[1] 15,243	123	8.1
Colored	[1] 13,094	144	11.0
Gray	13,000	33	2.5
Grayson	[1] 36,193	310	8.6
Gregg [2]	[1] 15,778	391	24.8
Grimes	[1] 22,642	220	9.7
White	[1] 12,346	111	9.0
Colored	[1] 10,296	109	10.6
Guadalupe	29,100	253	8.7
White	14,000	96	6.9
Colored	15,100	157	10.4
Hale	21,900	142	6.5
Hall	18,000	98	5.4
Hamilton	[1] 13,523	93	6.9
Hansford	3,900	16	4.1
Hardeman	14,900	118	7.9
Hardin	[1] 13,936	108	7.7
White	[1] 11,263	80	7.1
Colored	[1] 2,673	28	10.5
Harris	70,900	307	4.3
White	56,500	242	4.3
Colored	14,400	65	4.5
Harrison	33,400	361	10.8
White	10,300	97	9.4
Colored	23,100	264	11.4
Hartley	2,400	10	4.2
Haskell	17,100	119	7.0
Hays	[1] 14,915	174	11.7
White	[1] 8,126	78	9.6
Colored	[1] 6,789	96	14.1
Hemphill	4,700	45	9.6
Henderson	31,000	227	7.3
White	23,800	177	7.4
Colored	7,200	50	6.9
Hidalgo	(4)	937	(4)
White	(4)	446	(4)
Colored	(4)	491	(4)
Hill	[1] 43,036	348	8.1
White	[1] 36,172	287	7.9
Colored	[1] 6,864	61	8.9
Hockley	10,900	57	5.2
Hood	[1] 6,779	51	7.5
Hopkins	[1] 29,410	255	8.7
Houston	30,300	277	9.1
White	17,400	137	7.9
Colored	12,900	140	10.9
Howard	10,200	53	5.2
Hudspeth	4,200	25	6.0
White	1,200	10	8.3
Colored	3,000	15	5.0
Hunt	[1] 36,616	299	8.2
White	[1] 32,782	266	8.1
Colored	[1] 3,834	33	8.6
Hutchinson	17,300	89	5.1
Irion	2,100	10	4.8
White	1,800	9	5.0
Colored	300	1	3.3
Jack	[1] 9,046	74	8.2
Jackson	[1] 10,980	94	8.6
White	[1] 7,080	54	7.6
Colored	[1] 3,900	40	10.3
Jasper	17,300	114	6.6
White	12,200	86	7.0
Colored	5,100	28	5.5
Jeff Davis	1,900	20	10.5
White	700	7	10.0
Colored	1,200	13	10.8
Jefferson	28,600	130	4.5
White	23,200	87	3.8
Colored	5,400	43	8.0
Jim Hogg [2]	5,400	46	8.5
Jim Wells [2]	14,600	139	9.5
Johnson	[1] 21,778	191	8.8
Jones	24,600	237	9.6
Karnes	24,000	252	10.5
White	9,900	97	9.8
Colored	14,100	155	11.0
Kaufman	[1] 40,905	516	12.6
White	[1] 27,610	378	13.5
Colored	[1] 13,295	143	10.8
Kendall [2]	5,000	38	7.6
Kenedy	(4)	6	(4)
White	(4)	-------	(4)
Colored	(4)	6	(4)
Kent	3,900	20	5.1
Kerr	10,900	201	18.4
White	9,100	175	19.2
Colored	1,800	26	14.4
Kimble	4,200	37	8.8
King	1,300	11	8.5
Kinney	4,000	34	8.5
White	1,900	13	6.8
Colored	2,100	21	10.0
Kleberg	13,200	157	11.9
White	6,800	48	7.1
Colored	6,400	109	17.0

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
TEXAS COUNTIES—Con.			
Knox	11,700	88	7.5
White	10,400	75	7.2
Colored	1,300	13	10.0
Lamar	[1] 32,880	235	7.1
White	[1] 26,728	190	7.1
Colored	[1] 6,152	45	7.3
Lamb	20,200	71	3.5
Lampasas	[1] 8,677	89	10.3
La Salle	8,800	95	10.8
White	2,700	25	9.3
Colored	6,100	70	11.5
Lavaca	[1] 27,550	262	9.5
White	[1] 23,249	201	8.6
Colored	[1] 4,301	61	14.2
Lee	[1] 13,390	96	7.2
White	[1] 9,045	57	6.3
Colored	[1] 4,345	39	9.0
Leon	20,200	132	6.5
White	11,000	71	6.5
Colored	9,200	61	6.6
Liberty	20,800	173	8.3
White	15,500	121	7.8
Colored	5,300	52	9.8
Limestone	40,600	296	7.3
White	28,300	197	7.0
Colored	12,300	99	8.0
Lipscomb	4,700	26	5.5
Live Oak	9,800	61	6.2
White	5,400	30	5.6
Colored	4,400	31	7.0
Llano	5,600	53	9.5
Loving	200	------	------
Lubbock	20,600	86	4.2
Lynn	13,700	55	4.0
McCulloch	14,400	122	8.5
White	11,700	101	8.6
Colored	2,700	21	7.8
McClennan	45,900	360	7.8
White	34,100	252	7.4
Colored	11,800	108	9.2
McMullen [2]	1,400	4	2.9
Madison	12,300	104	8.5
White	8,600	80	9.3
Colored	3,700	24	6.5
Marion	[1] 10,371	98	9.4
White	[1] 3,915	41	10.5
Colored	[1] 6,456	57	8.8
Martin	6,600	31	4.7
Mason	5,600	43	7.7
Matagorda	17,900	192	10.7
White	11,100	97	8.7
Colored	6,800	95	14.0
Maverick [2]	[1] 6,120	90	14.7
Medina	14,400	120	8.3
White	7,600	81	10.7
Colored	6,800	39	5.7
Menard	4,700	23	4.9
White	4,100	18	4.4
Colored	600	5	8.3
Midland	9,000	64	7.1
White	7,400	45	6.1
Colored	1,600	19	11.9
Milam	[1] 37,915	302	8.0
White	[1] 23,993	197	8.2
Colored	[1] 13,922	105	7.5
Mills	[1] 8,293	54	6.5
Mitchell	15,300	138	9.0
White	12,600	109	8.7
Colored	2,700	29	10.7
Montague	[1] 19,159	195	10.2
Montgomery	[1] 14,588	207	14.2
White	[1] 9,149	140	15.3
Colored	[1] 5,439	67	12.3
Moore	1,700	9	5.3
Morris	[1] 10,028	72	7.2
White	[1] 6,305	49	7.8
Colored	[1] 3,723	23	6.2
Motley	7,300	43	5.9
Nacogdoches	30,600	257	8.4
White	22,300	179	8.0
Colored	8,300	78	9.4
Navarro	46,400	250	5.4
White	33,000	167	5.1
Colored	13,400	83	6.2
Newton	12,600	100	7.9
White	7,300	52	7.1
Colored	5,300	48	9.1
Nolan [2]	8,800	57	6.5
Nueces	26,000	285	11.0
White	12,100	106	8.8
Colored	13,900	179	12.9
Ochiltree	5,700	23	4.0
Oldham	1,500	13	8.7
Orange	[1] 15,149	152	10.0
White	[1] 12,405	126	10.2
Colored	[1] 2,744	26	9.5
Palo Pinto	[1] 17,576	191	10.9
Panola	24,500	150	6.1
White	14,000	99	7.1
Colored	10,500	51	4.9
Parker	[1] 18,759	159	8.5
Parmer	6,600	27	4.1
Pecos	8,500	56	6.6
White	5,900	37	6.3
Colored	2,600	19	7.3
Polk	17,700	143	8.1
White	11,800	97	8.2
Colored	5,900	46	7.8
Potter	2,600	16	6.2
Presidio	[1] 10,154	86	8.5
White	[1] 3,261	34	10.4
Colored	[1] 6,893	52	7.5
Rains	[1] 7,114	61	8.6
Randall	6,500	26	4.0
Reagan	3,500	14	4.0
Real	2,300	7	3.0
White	2,000	6	3.0
Colored	300	1	3.3
Red River	[1] 30,923	282	9.1
White	[1] 23,385	191	8.2
Colored	[1] 7,538	91	12.1
Reeves	6,700	95	14.2
White	3,700	44	11.9
Colored	3,000	51	17.0
Refugio	8,300	61	7.3
White	4,800	20	4.2
Colored	3,500	41	11.7
Roberts	[1] 1,457	2	1.4
Robertson	[1] 27,240	320	11.7
White	[1] 13,572	152	11.2
Colored	[1] 13,668	168	12.3
Rockwall	[1] 7,658	61	8.0
White	[1] 5,674	46	8.1
Colored	[1] 1,984	15	7.6
Runnels	22,600	189	8.4
Rusk	32,600	356	10.9
White	18,500	231	12.5
Colored	14,100	125	8.9
Sabine	[1] 11,998	71	5.9
White	[1] 9,297	52	5.6
Colored	[1] 2,701	19	7.0
San Augustine	[1] 12,471	78	6.3
White	[1] 8,767	44	5.0
Colored	[1] 3,704	34	9.2
San Jacinto	[1] 9,711	76	7.8
White	[1] 4,449	34	7.6
Colored	[1] 5,262	42	8.0
San Patricio	26,000	277	10.7
White	11,500	72	6.3
Colored	14,500	205	14.1
San Saba	10,300	79	7.7
Schleicher	3,400	11	3.2
White	2,500	6	2.4
Colored	900	5	5.6
Scurry	12,700	81	6.4
Shackelford	7,000	36	5.1
Shelby	28,800	230	8.0
White	21,300	184	8.6
Colored	7,500	46	6.1
Sherman	2,500	12	4.8
Smith	36,200	334	9.2
White	21,100	196	9.3
Colored	15,100	138	9.1
Somervell	[1] 3,016	24	8.0
Starr [2]	11,500	212	18.4
Stephens	16,800	89	5.3
Sterling	1,500	3	2.0
Stonewall	5,900	32	5.4
Sutton	3,000	16	5.3
White	1,800	8	4.4
Colored	1,200	8	6.7
Swisher	7,800	54	6.9
Tarrant	36,000	281	7.8
Taylor	18,600	148	8.0
Terrell	2,800	25	8.9
White	1,500	6	4.0
Colored	1,300	19	14.6
Terry	10,000	52	5.2
Throckmorton	5,500	23	4.2
Titus	[1] 16,003	150	9.4
White	[1] 13,104	123	9.4
Colored	[1] 2,899	27	9.3
Tom Green	11,600	105	9.1
White	10,300	92	8.9
Colored	1,300	13	10.0
Travis	25,200	168	6.7
White	13,600	65	4.8
Colored	11,600	103	8.9
Trinity	13,600	116	8.5
White	10,500	77	7.3
Colored	3,100	39	12.6
Tyler	11,600	59	5.1
White	8,500	44	5.2
Colored	3,100	15	4.8
Upshur	[1] 22,297	214	9.6
White	[1] 15,364	156	10.2
Colored	[1] 6,933	58	8.4
Upton	6,900	14	2.0
Uvalde	13,300	137	10.3
White	7,700	64	8.3
Colored	5,600	73	13.0
Val Verde [2]	3,400	7	2.1
Van Zandt	32,600	250	7.7
Victoria	20,400	284	13.9
White	11,900	136	11.4
Colored	8,500	148	17.4
Walker	[1] 18,528	131	7.1
White	[1] 9,671	58	6.0
Colored	[1] 8,857	73	8.2
Waller	[1] 10,014	114	11.4
White	[1] 4,613	41	8.9
Colored	[1] 5,401	73	13.5
Ward	4,900	25	5.1
White	3,500	15	4.3
Colored	1,400	10	7.1
Washington	[1] 25,394	281	11.1
White	[1] 15,234	152	10.0
Colored	[1] 10,160	129	12.7
Webb [2]	10,000	62	6.2
Wharton	30,600	296	9.7
White	18,100	119	6.6
Colored	12,500	177	14.2
Wheeler	16,900	121	7.2
Wichita	30,400	338	11.1
Wilbarger	26,200	171	6.5
Willacy	(4)	113	(4)
White	(4)	56	(4)
Colored	(4)	57	(4)
Williamson	44,400	416	9.4
White	31,900	264	8.3
Colored	12,500	152	12.2
Wilson	17,700	177	10.0
White	9,600	99	10.3
Colored	8,100	78	9.6
Winkler	7,900	21	2.7
Wise	[1] 19,178	176	9.2
Wood	[1] 24,183	203	8.4
White	[1] 20,001	169	8.4
Colored	[1] 4,182	34	8.1
Yoakum	1,400	4	2.9
Young	21,300	124	5.8
Zapata [2]	[1] 2,867	54	18.8
Zavala	11,600	191	16.5
White	2,800	50	17.9
Colored	8,800	141	16.0
UTAH COUNTIES			
Beaver	[1] 5,136	32	6.2
Box Elder	[1] 17,810	141	7.9
Cache	27,500	227	8.3
Carbon	18,200	144	7.9
Daggett	400	1	2.5
Davis	14,500	84	5.8
Duchesne	[1] 8,263	49	5.9
Emery	[1] 7,042	37	5.3
Garfield	[1] 4,642	32	6.9
Grand	1,800	16	8.9
Iron	7,500	68	9.1
Juab	[1] 8,605	48	5.6
Kane	2,300	11	4.8
Millard	10,000	61	6.1
Morgan	[1] 2,536	12	4.7
Piute	[1] 1,956	11	5.6
Rich	[1] 1,873	14	7.5
Salt Lake	55,800	267	4.8
San Juan	3,500	18	5.1
White	2,000	16	8.0
Colored	1,500	2	1.3
Sanpete	[1] 16,022	142	8.9
Sevier	[1] 11,199	119	10.6
Summit	9,800	84	8.6
Tooele	9,700	65	6.7
Uintah	9,100	71	7.8
Utah	34,900	309	8.9
Wasatch	5,800	47	8.1
Washington	7,500	61	8.1
Wayne	[1] 2,067	19	9.2
Weber	12,200	68	5.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
VERMONT COUNTIES			
Addison	[1] 17,952	219	12.2
Bennington	21,700	262	12.1
Caledonia	27,500	343	12.5
Chittenden	23,000	233	10.1
Essex	[1] 7,067	80	11.3
Franklin	[1] 29,975	354	11.8
Grand Isle	4,000	31	7.8
Lamoille	[1] 10,947	142	13.0
Orange	[1] 16,694	219	13.1
Orleans	[1] 23,036	263	11.4
Rutland	31,100	360	11.6
Washington	30,700	443	14.4
Windham	[1] 26,015	406	15.6
Windsor	37,500	415	11.1
VIRGINIA COUNTIES			
Accomac	36,000	421	11.7
White	22,000	217	9.9
Colored	14,000	204	14.6
Albemarle	27,100	514	19.0
White	21,100	372	17.6
Colored	6,000	142	23.7
Alleghany	21,000	161	7.7
Amelia	[1] 8,979	94	10.5
White	[1] 4,365	30	6.9
Colored	[1] 4,614	64	13.9
Amherst	[1] 19,020	210	11.0
White	[1] 13,021	145	11.1
Colored	[1] 5,999	65	10.8
Appomattox	[1] 8,402	84	10.0
White	[1] 6,106	60	9.8
Colored	[1] 2,296	24	10.5
Arlington	29,400	174	5.9
White	25,800	119	4.6
Colored	3,600	55	15.3
Augusta	38,800	360	9.3
Bath	8,400	72	8.6
White	7,200	61	8.5
Colored	1,200	11	9.2
Bedford	[1] 29,091	330	11.3
White	[1] 22,122	249	11.3
Colored	[1] 6,969	81	11.6
Bland	6,100	48	7.9
Botetourt	[1] 15,457	159	10.3
White	[1] 13,245	139	10.5
Colored	[1] 2,212	20	9.0
Bristol City	9,200	143	15.5
White	8,000	126	15.8
Colored	1,200	17	14.2
Brunswick	[1] 20,486	188	9.2
White	[1] 8,994	76	8.5
Colored	[1] 11,492	112	9.7
Buchanan	17,000	193	11.4
Buckingham	[1] 13,315	151	11.3
White	[1] 7,513	68	9.1
Colored	[1] 5,802	83	14.3
Buena Vista (city)	4,000	42	10.5
Campbell	23,600	222	9.4
White	17,000	128	7.5
Colored	6,600	94	14.2
Caroline	[1] 15,263	176	11.5
White	[1] 7,494	61	8.1
Colored	[1] 7,769	115	14.8
Carroll	22,300	181	8.1
Charles City	4,900	56	11.4
White	1,000	14	14.0
Colored	3,900	42	10.8
Charlotte	[1] 16,061	151	9.4
White	[1] 9,319	69	7.4
Colored	[1] 6,742	82	12.2
Chesterfield	27,000	238	8.8
White	19,900	141	7.1
Colored	7,100	97	13.7
Clarke	7,200	68	9.4
White	5,600	51	9.1
Colored	1,600	17	10.6
Clifton Forge (city)	7,000	116	16.6
White	5,700	93	16.3
Colored	1,300	23	17.7
Craig	[1] 3,562	42	11.8
Culpeper	13,300	119	8.9
White	9,100	75	8.2
Colored	4,200	44	10.5
Cumberland	[1] 7,535	101	13.4
White	[1] 3,178	30	9.4
Colored	[1] 4,357	71	16.3
Dickenson	16,600	111	6.7
Dinwiddie	18,700	358	19.1
White	7,500	40	5.3
Colored	11,200	318	28.4
VIRGINIA COUNTIES—Con.			
Elizabeth City	20,300	291	14.3
White	15,100	164	10.9
Colored	5,200	127	24.4
Essex	[1] 6,976	91	13.0
White	[1] 3,149	34	10.8
Colored	[1] 3,827	57	14.9
Fairfax	25,900	245	9.5
White	21,000	188	9.0
Colored	4,900	57	11.6
Fauquier	[1] 21,071	255	12.1
White	[1] 14,797	183	12.4
Colored	[1] 6,274	72	11.5
Floyd	[1] 11,698	123	10.5
Fluvanna	[1] 7,466	92	12.3
White	[1] 4,515	49	10.9
Colored	[1] 2,951	43	14.6
Franklin	[1] 24,337	216	8.9
White	[1] 20,567	185	9.0
Colored	[1] 3,770	31	8.2
Frederick	13,300	129	9.7
Fredericksburg (city)	7,000	152	21.7
White	5,800	117	20.2
Colored	1,200	35	29.2
Giles	13,000	142	10.9
Gloucester	[1] 11,019	110	10.0
White	[1] 6,670	40	6.0
Colored	[1] 4,349	70	16.1
Goochland	[1] 7,953	96	12.1
White	[1] 3,839	46	12.0
Colored	[1] 4,114	50	12.2
Grayson	20,100	201	10.0
Greene	[1] 5,980	54	9.0
White	[1] 4,986	41	8.2
Colored	[1] 994	13	13.1
Greensville	13,700	115	8.4
White	5,300	35	6.6
Colored	8,400	80	9.5
Halifax	[1] 41,283	399	9.7
White	[1] 22,393	175	7.8
Colored	[1] 18,890	224	11.9
Hampton (city)	6,400	136	21.3
White	3,500	72	20.6
Colored	2,900	64	22.1
Hanover	[1] 17,009	193	11.3
White	[1] 10,781	103	9.6
Colored	[1] 6,228	90	14.5
Harrisonburg (city)	7,500	193	25.7
White	6,600	175	26.5
Colored	900	18	20.0
Henrico	32,200	301	9.3
White	25,600	212	8.3
Colored	6,600	89	13.5
Henry	20,800	209	10.0
White	14,500	129	8.9
Colored	6,300	80	12.7
Highland	[1] 4,525	52	11.5
Isle of Wight	[1] 13,409	149	11.1
White	[1] 6,486	58	8.9
Colored	[1] 6,923	91	13.1
James City	3,900	45	11.5
White	1,900	14	7.4
Colored	2,000	31	15.5
King and Queen	[1] 7,618	94	12.3
White	[1] 3,443	35	10.2
Colored	[1] 4,175	59	14.1
King George	[1] 5,297	69	13.0
White	[1] 3,419	40	11.7
Colored	[1] 1,878	29	15.4
King William	[1] 7,929	97	12.2
White	[1] 3,918	32	8.2
Colored	[1] 4,011	65	16.2
Lancaster	[1] 8,896	111	12.5
White	[1] 4,926	52	10.6
Colored	[1] 3,970	59	14.9
Lee	31,300	308	9.8
Loudoun	[1] 19,852	259	13.0
White	[1] 15,502	182	11.7
Colored	[1] 4,350	77	17.7
Louisa	[1] 14,309	150	10.5
White	[1] 8,468	74	8.7
Colored	[1] 5,841	76	13.0
Lunenburg	[1] 14,058	127	9.0
White	[1] 7,835	60	7.7
Colored	[1] 6,223	67	10.8
Madison	[1] 8,952	88	9.8
White	[1] 6,530	55	8.4
Colored	[1] 2,422	33	13.6
Martinsville (city)	8,300	86	10.4
White	6,300	61	9.7
Colored	2,000	25	12.5
VIRGINIA COUNTIES—Con.			
Mathews	[1] 7,884	76	9.6
White	[1] 5,890	46	7.8
Colored	[1] 1,994	30	15.0
Mecklenburg	32,900	318	9.7
White	15,600	131	8.4
Colored	17,300	187	10.8
Middlesex	[1] 7,273	102	14.0
White	[1] 3,913	54	13.8
Colored	[1] 3,360	48	14.3
Montgomery	19,800	204	10.3
White	17,800	181	10.2
Colored	2,000	23	11.5
Nansemond	23,000	293	12.7
White	7,400	72	9.7
Colored	15,600	221	14.2
Nelson	[1] 16,345	154	9.4
White	[1] 11,784	97	8.2
Colored	[1] 4,561	57	12.5
New Kent	[1] 4,300	43	10.0
White	[1] 1,760	17	9.7
Colored	[1] 2,540	26	10.2
Norfolk	31,800	412	13.0
White	18,300	170	9.3
Colored	13,500	242	17.9
Northampton	18,700	291	15.6
White	8,700	112	12.9
Colored	10,000	179	17.9
Northumberland	[1] 11,081	115	10.4
White	[1] 6,433	66	10.3
Colored	[1] 4,648	49	10.5
Nottoway	15,000	241	16.1
White	8,300	81	9.8
Colored	6,700	160	23.9
Orange	[1] 12,070	143	11.8
White	[1] 8,275	81	9.8
Colored	[1] 3,795	62	16.3
Page	14,900	173	11.6
Patrick	[1] 15,787	136	8.6
Pittsylvania	62,300	398	6.4
White	41,000	248	6.0
Colored	21,300	150	7.0
Powhatan	[1] 6,143	78	12.7
White	[1] 2,988	35	11.7
Colored	[1] 3,155	43	13.6
Prince Edward	[1] 14,520	227	15.6
White	[1] 6,974	86	12.3
Colored	[1] 7,546	141	18.7
Prince George	[1] 10,311	107	10.4
White	[1] 6,085	48	7.9
Colored	[1] 4,226	59	14.0
Princess Anne	16,700	399	23.9
White	8,900	169	19.0
Colored	7,800	230	29.5
Prince William	14,000	145	10.4
White	11,500	104	9.0
Colored	2,500	41	16.4
Pulaski	21,200	203	9.6
White	18,900	172	9.1
Colored	2,300	31	13.5
Radford (city)	6,500	68	10.5
White	5,800	59	10.2
Colored	700	9	12.9
Rappahannock	[1] 7,717	85	11.0
White	[1] 5,839	51	8.7
Colored	[1] 1,878	34	18.1
Richmond	[1] 6,878	88	12.8
White	[1] 4,214	50	11.9
Colored	[1] 2,664	38	14.3
Roanoke	37,900	345	9.1
Rockbridge	20,900	221	10.6
White	18,700	187	10.0
Colored	2,200	34	15.5
Rockingham	[1] 29,709	275	9.3
Russell	[1] 25,957	226	8.7
Scott	[1] 24,181	222	9.2
Shenandoah	[1] 20,655	229	11.1
Smyth	25,600	290	11.3
Southampton	[1] 26,870	289	10.8
White	[1] 10,475	108	10.3
Colored	[1] 16,395	181	11.0
South Norfolk (city)	7,900	71	9.0
White	6,200	44	7.1
Colored	1,700	27	15.9
Spotsylvania	[1] 10,056	103	10.2
White	[1] 6,943	67	9.7
Colored	[1] 3,113	36	11.6
Stafford	[1] 8,050	101	12.5
White	[1] 6,562	80	12.2
Colored	[1] 1,488	21	14.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS (*Exclusive of Stillbirths*), AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1933—Continued

[See note at head of table]

AREA AND COLOR	Estimated population July 1, 1933	TOTAL DEATHS	
		Number	Rate per 1,000 population
VIRGINIA COUNTIES—Con.			
Surry	[1] 7,096	83	11.7
White	[1] 2,831	30	10.6
Colored	[1] 4,265	53	12.4
Sussex	[1] 12,100	142	11.7
White	[1] 4,094	31	7.6
Colored	[1] 8,006	111	13.9
Tazewell	33,300	274	8.2
Warren	[1] 8,340	107	12.8
Warwick	[1] 8,829	75	8.5
White	[1] 6,319	30	4.7
Colored	[1] 2,510	45	17.9
Washington	34,100	357	10.5
Westmoreland	[1] 8,497	121	14.2
White	[1] 4,774	55	11.5
Colored	[1] 3,723	66	17.7
Williamsburg (city)	4,000	160	40.0
White	3,100	145	46.8
Colored	900	15	16.7
Wise	52,000	383	7.4
Wythe	20,800	194	9.3
York	[1] 7,615	98	12.9
White	[1] 4,630	47	10.2
Colored	[1] 2,985	51	17.1
WASHINGTON COUNTIES			
Adams	[1] 7,719	39	5.1
Asotin	8,400	77	9.2
Benton	11,000	88	8.0
Chelan	20,700	159	7.7
Clallam	11,000	88	8.0
Clark	25,300	188	7.4
Columbia	[1] 5,325	61	11.5
Cowlitz	24,600	128	5.2
Douglas	[1] 7,561	32	4.2
Ferry	[1] 4,292	49	11.4
White	[1] 3,390	33	9.7
Colored	[1] 902	16	17.7
Franklin	6,200	60	9.7
Garfield	[1] 3,662	31	8.5
Grant	[1] 5,666	45	7.9
Grays Harbor	26,600	156	5.9
Island	[1] 5,369	47	8.8
Jefferson	8,700	94	10.8
King	102,100	800	7.8
Kitsap	[1] 20,376	238	11.7
Kittitas	18,200	198	10.9
Klickitat	9,900	82	8.3
Lewis	40,600	387	9.5
Lincoln	[1] 11,876	101	8.5
Mason	10,900	77	7.1
Okanogan	18,800	144	7.7
Pacific	15,000	127	8.5
Pend Oreille	7,300	62	8.5
Pierce	59,000	695	11.8
San Juan	[1] 3,097	36	11.6
Skagit	35,400	508	14.4
Skamania	3,000	25	8.3
Snohomish	49,700	476	9.6
Spokane	35,400	546	15.4
Stevens	[1] 18,550	174	9.4
Thurston	20,300	125	6.2
Wahkiakum	3,900	25	6.4
Walla Walla	12,500	123	9.8
Whatcom	28,900	296	10.2
Whitman	[1] 28,014	219	7.8
Yakima	57,300	497	8.7
WEST VIRGINIA COUNTIES			
Barbour	18,700	161	8.6
Berkeley	13,300	100	7.5
Boone	26,200	158	6.0
Braxton	[1] 22,579	180	8.0
Brooke	26,100	185	7.1
Cabell	18,800	152	8.1
Calhoun	11,000	82	7.5
Clay	13,400	89	6.6
Doddridge	[1] 10,488	72	6.9
Fayette	74,000	739	10.0
White	62,100	550	8.9
Colored	11,900	189	15.9
Gilmer	[1] 10,641	76	7.1
Grant	[1] 8,441	55	6.5
Greenbrier	37,500	384	10.2
Hampshire	11,900	98	8.2
Hancock	30,000	181	6.0
Hardy	9,900	83	8.4
Harrison	50,200	377	7.5
Jackson	[1] 16,124	129	8.0
Jefferson	15,800	230	14.6
White	13,100	170	13.0
Colored	2,700	60	22.2
Kanawha	100,600	705	7.0
Lewis	22,000	352	16.0
Lincoln	[1] 19,156	138	7.2
Logan	61,500	438	7.1
White	54,100	365	6.7
Colored	7,400	73	9.9
McDowell	94,200	745	7.9
White	70,900	530	7.5
Colored	23,300	215	9.2
Marion	44,600	277	6.2
Marshall	25,900	220	8.5
Mason	[1] 20,788	294	14.1
Mercer	44,000	358	8.1
White	39,500	302	7.6
Colored	4,500	56	12.4
Mineral	20,100	187	9.3
Mingo	40,400	235	5.8
Monongalia	36,000	291	8.1
Monroe	[1] 11,949	123	10.3
Morgan	8,400	70	8.3
Nicholas	[1] 20,686	161	7.8
Ohio	11,000	125	11.4
Pendleton	9,700	79	8.1
Pleasants	[1] 6,545	65	9.9
Pocahontas	[1] 14,555	139	9.5
Preston	29,200	282	9.7
Putnam	[1] 16,737	152	9.1
Raleigh	72,400	676	9.3
White	60,500	531	8.8
Colored	11,900	145	12.2
Randolph	[1] 25,049	260	10.4
Ritchie	[1] 15,594	116	7.4
Roane	[1] 19,478	279	14.3
Summers	20,700	217	10.5
Taylor	19,200	190	9.9
Tucker	[1] 13,374	108	8.1
Tyler	[1] 12,785	125	9.8
Upshur	18,000	209	11.6
Wayne	29,100	155	5.3
Webster	14,700	101	6.9
Wetzel	[1] 22,334	204	9.1
Wirt	[1] 6,358	53	8.3
Wood	28,800	220	7.6
Wyoming	21,900	138	6.3
WISCONSIN COUNTIES			
Adams	[1] 8,003	74	9.2
Ashland	[1] 10,432	83	8.0
Barron	34,300	322	9.4
Bayfield	[1] 15,006	113	7.5
Brown	31,600	252	8.0
Buffalo	[1] 15,330	117	7.6
Burnett	[1] 10,233	118	11.5
Calumet	[1] 16,848	136	8.1
Chippewa	37,500	404	10.8
Clark	[1] 34,165	289	8.5
Columbia	30,500	365	12.0
Crawford	16,800	138	8.2
Dane	55,200	542	9.8
Dodge	49,800	460	9.2
Door	[1] 18,182	198	10.9
Douglas	[1] 10,470	107	10.2
Dunn	27,000	233	8.6
Eau Claire	14,800	89	6.0
Florence	3,800	34	8.9
Fond du Lac	33,500	302	9.0
Forest	11,300	86	7.6
Grant	[1] 38,469	420	10.9
Green	21,900	228	10.4
Green Lake	[1] 13,913	156	11.2
Iowa	[1] 20,039	250	12.5
Iron	[1] 9,933	68	6.8
Jackson	[1] 16,468	165	10.0
Jefferson	28,900	300	10.4
Juneau	[1] 17,264	189	10.9
Kenosha	13,600	121	8.9
Kewaunee	[1] 16,037	143	8.9
La Crosse	15,000	131	8.7
Lafayette	[1] 18,649	172	9.2
Langlade	21,600	179	8.3
Lincoln	[1] 21,072	205	9.7
Manitowoc	25,700	207	8.1
Marathon	46,900	283	6.0
Marinette	[1] 19,730	142	7.2
Marquette	[1] 9,388	98	10.4
Milwaukee	58,000	1,633	28.2
Monroe	28,800	303	10.5
Oconto	[1] 26,386	220	8.3
Oneida	16,200	173	10.7
Outagamie	37,900	309	8.2
Ozaukee	17,600	159	9.0
Pepin	[1] 7,450	67	9.0
Pierce	[1] 21,043	195	9.3
Polk	[1] 26,567	230	8.7
Portage	19,900	155	7.8
Price	[1] 17,284	144	8.3
Racine	23,300	271	11.6
Richland	[1] 19,525	192	9.8
Rock	29,400	300	10.2
Rusk	[1] 16,081	122	7.6
St. Croix	[1] 25,455	229	9.0
Sauk	[1] 32,030	372	11.6
Sawyer	9,000	95	10.6
White	7,900	59	7.5
Colored	1,100	36	32.7
Shawano	[1] 33,516	340	10.1
Sheboygan	32,600	294	9.0
Taylor	[1] 17,685	121	6.8
Trempealeau	[1] 23,910	208	8.7
Vernon	[1] 28,537	248	8.7
Vilas	7,600	71	9.3
White	6,700	66	9.9
Colored	900	5	5.6
Walworth	31,400	386	12.3
Washburn	[1] 11,103	75	6.8
Washington	26,700	325	12.2
Waukesha	36,000	412	11.4
Waupaca	[1] 33,513	353	10.5
Waushara	[1] 14,427	139	9.6
Winnebago	37,500	442	11.8
Wood	38,400	389	10.1
WYOMING COUNTIES			
Albany	12,500	141	11.3
Big Horn	[1] 11,222	78	7.0
Campbell	7,000	69	9.9
Carbon	11,700	80	6.8
Converse	[1] 7,145	61	8.5
Crook	[1] 5,333	26	4.9
Fremont	[1] 10,490	147	14.0
White	[1] 8,575	98	11.4
Colored	[1] 1,915	49	25.6
Goshen	12,400	76	6.1
Hot Springs	5,500	60	10.9
Johnson	4,900	48	9.8
Laramie	10,000	46	4.6
Lincoln	11,100	81	7.3
Natrona	8,700	22	2.5
Niobrara	[1] 4,723	30	6.4
Park	8,400	76	9.0
Platte	10,100	76	7.5
Sheridan	[1] 16,875	154	9.1
Sublette	2,000	18	9.0
Sweetwater	18,900	151	8.0
Teton	2,000	26	13.0
Uinta	[1] 6,572	93	14.2
Washakie	4,300	40	9.3
White	3,800	36	9.5
Colored	500	4	8.0
Weston	4,700	28	6.0
Yellowstone National Park (pt.)	200	------	------

[1] Enumerated population Apr. 1, 1930; no estimate made.
[2] Death rates by color not available (see classification by color or race, p. 5).
[3] Exclusive of municipalities having a population of 10,000 or more in 1930.
[4] Population not estimated; county formed from or involved in the formation of other counties.

TABLE II.—DEATHS (*Exclusive of Stillbirths*) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN CONTINENTAL UNITED STATES: 1932 AND 1933

List no. 1929	CAUSE OF DEATH	DEATHS IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1933	1932	1933	1932
	Total deaths (all causes)	1,342,106	1,308,529	1,067.8	1,039.0
	I.—Infectious and parasitic diseases	155,821	156,979	124.0	130.6
1	Typhoid fever	4,389	4,363	3.5	3.6
2	Paratyphoid fever	84	78	0.1	0.1
3	Typhus fever	81	36	0.1	(1)
5	Undulant fever	72	62	0.1	0.1
6	Smallpox	39	38	(1)	(1)
7	Measles	2,813	1,941	2.2	1.6
8	Scarlet fever	2,546	2,577	2.0	2.1
9	Whooping-cough	4,463	5,364	3.6	4.5
10	Diphtheria	4,937	5,418	3.9	4.5
11	Influenza	33,193	37,066	26.4	30.8
	Respiratory complications specified	21,052	24,120	16.7	20.1
	Respiratory complications not specified	12,141	12,946	9.7	10.8
13	Dysentery	2,815	2,083	2.2	1.7
	Amebic	260	185	0.2	0.2
	Bacillary	590	435	0.5	0.4
	Unspecified or due to other causes	1,965	1,463	1.6	1.2
14	Plague	1		(1)	
	Bubonic	1		(1)	
15	Erysipelas	2,017	1,934	1.6	1.6
16	Acute poliomyelitis, acute polioencephalitis	797	828	0.6	0.7
17	Lethargic or epidemic encephalitis	1,357	874	1.1	0.7
18	Epidemic cerebrospinal meningitis	1,482	1,677	1.2	1.4
20	Anthrax (bacillus anthracis) malignant pustule	11	12	(1)	(1)
21	Rabies	65	55	0.1	(1)
22	Tetanus	1,253	1,119	1.0	0.9
	Tuberculosis (all forms)	74,842	75,509	59.5	62.8
23	Respiratory system	67,422	67,789	53.6	56.4
24	Meninges and central nervous system	2,212	2,317	1.8	1.9
25	Intestines and peritoneum	1,815	1,942	1.4	1.6
26	Vertebral column	755	809	0.6	0.7
27	Bones and joints (vertebral column excepted)	382	426	0.3	0.4
	Bones	164	169	0.1	0.1
	Joints	218	257	0.2	0.2
28	Skin and subcutaneous cellular tissue	38	59	(1)	(1)
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	177	164	0.1	0.1
30	Genitourinary system	564	520	0.4	0.4
31	Other organs	101	119	0.1	0.1
32	Disseminated tuberculosis	1,376	1,364	1.1	1.1
	Acute	1,195	1,193	1.0	1.0
	Chronic	17	14	(1)	(1)
	Unspecified	164	157	0.1	0.1
33	Leprosy	27	25	(1)	(1)
34	Syphilis	11,039	10,684	8.8	8.9
35	Gonococcus infection and other venereal diseases	998	916	0.8	0.8
36	Purulent infection, septicemia (nonpuerperal)	931	869	0.7	0.7
38	Malaria	4,678	2,568	3.7	2.1
39	Other diseases due to protozoal parasites	61	52	(1)	(1)
40	Ankylostomiasis	20	24	(1)	(1)
41	Hydatid cysts	36	36	(1)	(1)
	Liver	26	24	(1)	(1)
	Other organs	10	12	(1)	(1)
42	Other diseases caused by helminths	101	114	0.1	0.1
43	Mycoses	261	249	0.2	0.2
44	Other infectious and parasitic diseases	412	408	0.3	0.3
	Chicken-pox	162	148	0.1	0.1
	German measles	22	9	(1)	(1)
	Others under this title	228	251	0.2	0.2
	II.—Cancers and other tumors	134,539	128,597	107.0	107.0
	Cancer and other malignant tumors	128,479	122,739	102.2	102.1
45	Of the buccal cavity and pharynx	4,845	4,596	3.9	3.8
	Lip	692	670	0.6	0.6
	Tongue	1,036	946	0.8	0.8
	Mouth	505	441	0.4	0.4
	Jaw	1,054	1,034	0.8	0.9
	Other and unspecified parts of the buccal cavity	620	585	0.5	0.5
	Pharynx	938	920	0.7	0.8
46	Of the digestive tract and peritoneum	63,176	60,810	50.3	50.6
	Esophagus	2,111	2,063	1.7	1.7
	Stomach and duodenum	26,566	25,909	21.1	21.6
	Intestines (except duodenum, rectum, anus)	12,972	12,137	10.3	10.1
	Rectum and anus	6,372	5,890	5.1	4.9
	Liver and biliary passages	10,595	10,452	8.4	8.7
	Pancreas	3,567	3,371	2.8	2.8
	Mesentery and peritoneum	915	927	0.7	0.8
	Others under this title	78	61	0.1	0.1
47	Of the respiratory system	4,940	4,549	3.9	3.8
	Larynx	1,079	1,048	0.9	0.9
	Lungs and pleura	3,410	3,166	2.7	2.6
	Other respiratory organs	451	335	0.4	0.3
48	Of the uterus	15,221	14,908	12.1	12.4
49	Of other female genital organs	2,890	2,684	2.3	2.2
	Ovary and Fallopian tube	2,304	2,167	1.8	1.8
	Vagina and vulva	534	478	0.4	0.4
	Other female genital organs	52	39	(1)	(1)
50	Of the breast	12,484	11,889	9.9	9.9
51	Of the male genitourinary organs	10,455	9,594	8.3	8.0
	Kidneys and suprarenals (male)	1,040	945	0.8	0.8
	Bladder (male)	2,725	2,493	2.2	2.1
	Prostate	5,980	5,466	4.8	4.5
	Testes	394	352	0.3	0.3
	Scrotum	34	44	(1)	(1)
	Other male genitourinary organs	282	294	0.2	0.2
52	Of the skin	3,358	3,137	2.7	2.6
53	Of other or unspecified organs	11,110	10,572	8.8	8.8
	Kidneys and suprarenals (female)	812	762	0.6	0.6
	Bladder (female)	1,368	1,266	1.1	1.1
	Brain	1,018	932	0.8	0.8
	Bones (except jaw)	1,814	1,639	1.4	1.4
	Other or unspecified organs	6,098	5,973	4.9	5.0
54	Nonmalignant tumors	4,054	3,897	3.2	3.2
	Ovary	156	167	0.1	0.1
	Uterus	2,484	2,432	2.0	2.0
	Other female genital organs	3	12	(1)	(1)
	Brain	817	743	0.6	0.6
	Other organs	594	543	0.5	0.5
55	Tumors of which the nature is not specified	2,006	1,961	1.6	1.6
	Ovary	21	22	(1)	(1)
	Uterus	10	18	(1)	(1)
	Other female genital organs	2	1	(1)	(1)
	Brain	1,492	1,463	1.2	1.2
	Other organs	481	457	0.4	0.4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	41,614	40,983	33.1	34.1
56	Acute rheumatic fever	2,570	2,601	2.0	2.2
57	Chronic rheumatism, osteoarthritis	1,615	1,501	1.3	1.2
58	Gout	3	1	(1)	(1)
59	Diabetes mellitus	26,835	26,368	21.3	21.9
60	Scurvy	28	33	(1)	(1)
61	Beriberi	1	5	(1)	(1)
62	Pellagra	3,955	3,694	3.1	3.1
63	Rickets	339	354	0.3	0.3
64	Osteomalacia	18	13	(1)	(1)
65	Diseases of the pituitary body	70	60	0.1	(1)
66	Diseases of thyroid and parathyroid glands	4,114	4,344	3.3	3.6
	Simple goiter	277	290	0.2	0.2
	Exophthalmic goiter	3,398	3,666	2.7	3.1
	Myxedema and cretinism	247	207	0.2	0.2
	Tetany	102	99	0.1	0.1
	Others under this title	90	82	0.1	0.1
67	Diseases of the thymus gland	1,259	1,230	1.0	1.0
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	366	357	0.3	0.3
69	Other general diseases	441	422	0.4	0.4
	IV.—Diseases of the blood and blood-making organs	10,186	9,866	8.1	8.2
70	Hemorrhagic conditions	829	791	0.7	0.7
	Primary purpuras	549	503	0.4	0.4
	Hemophilia	280	288	0.2	0.2
71	Anemias	4,288	4,390	3.4	3.7
	Pernicious anemia	3,703	3,890	2.9	3.2
	Other anemias	585	500	0.5	0.4
72	Leukemias and pseudoleukemias	4,528	4,142	3.6	3.4
	True leukemias	3,088	2,802	2.5	2.3
	Pseudoleukemias (Hodgkin's disease)	1,440	1,340	1.1	1.1
73	Diseases of the spleen	412	431	0.3	0.4
74	Other disaeses of blood and blood-making organs	129	112	0.1	0.1
	V.—Chronic poisonings and intoxications	3,561	3,300	2.8	2.7
75	Alcoholism (acute or chronic)	3,297	3,049	2.6	2.5
76	Chronic poisoning by other organic substances	123	146	0.1	0.1
	Occupational	9	5	(1)	(1)
	Others under this title	114	141	0.1	0.1
77	Chronic poisoning by mineral substances	141	105	0.1	0.1
	Lead	117	78	0.1	0.1
	Occupational (except lead)	7	8	(1)	(1)
	Others under this title	17	19	(1)	(1)
	VI.—Diseases of the nervous system and of the organs of special sense	130,959	129,665	104.2	107.9
78	Encephalitis (nonepidemic)	1,535	1,293	1.2	1.1
79	Meningitis	2,411	2,359	1.9	2.0
	Simple meningitis	2,108	2,037	1.7	1.7
	Nonepidemic cerebrospinal meningitis	303	322	0.2	0.3

See footnotes at end of table.

TABLE II.—DEATHS (*Exclusive of Stillbirths*) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN CONTINENTAL UNITED STATES: 1932 AND 1933—Continued

List no. 1929	CAUSE OF DEATH	DEATHS IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1933	1932	1933	1932
	VI.—Diseases of the nervous system and of the organs of special sense—Con.				
80	Progressive locomotor ataxia (tabes dorsalis)	1,126	1,188	0.9	1.0
81	Other diseases of the spinal cord	3,014	3,026	2.4	2.5
82	Cerebral hemorrhage, cerebral embolism and thrombosis	105,555	104,897	84.0	87.3
	Cerebral hemorrhage	94,573	94,694	75.2	78.8
	Cerebral embolism and thrombosis	5,930	5,397	4.7	4.5
	Softening of brain	703	688	0.6	0.6
	Hemiplegia and other paralysis, cause unspecified	4,349	4,118	3.5	3.4
83	General paralysis of the insane	4,538	4,573	3.6	3.8
84	Dementia praecox and other psychoses	1,449	1,342	1.2	1.1
85	Epilepsy	2,724	2,842	2.2	2.4
86	Convulsions (under 5 years)	797	841	0.6	0.7
87	Other diseases of the nervous system	3,751	3,367	3.0	2.8
	Neuralgia and neuritis	238	191	0.2	0.2
	Others under this title	3,513	3,176	2.8	2.6
88	Diseases of the organs of vision	85	77	0.1	0.1
89	Diseases of the ear and mastoid process	3,974	3,860	3.2	3.2
	Diseases of ear	2,404	2,322	1.9	1.9
	Diseases of mastoid process	1,570	1,538	1.2	1.3
	VII.—Diseases of the circulatory system	314,004	295,509	249.8	245.9
90	Pericarditis	879	907	0.7	0.8
91	Acute endocarditis	3,433	3,559	2.7	3.0
	Specified as acute	2,829	2,953	2.3	2.5
	Unspecified (under 45 years)	604	606	0.5	0.5
92	Chronic endocarditis, valvular diseases	58,902	61,335	46.9	51.0
	Endocarditis, specified as chronic, and other valvular diseases	55,009	57,358	43.8	47.7
	Endocarditis, unspecified (45 years and over)	3,893	3,977	3.1	3.3
93	Diseases of the myocardium	130,484	125,526	103.8	104.5
	Acute myocarditis	4,357	4,375	3.5	3.6
	Myocarditis, unspecified (under 45 years)	1,251	1,457	1.0	1.2
	Chronic myocarditis, myocardial degeneration	94,720	91,181	75.4	75.9
	Unspecified	30,156	28,513	24.0	23.7
94	Diseases of coronary arteries, angina pectoris	47,486	37,346	37.8	31.1
	Angina pectoris	19,996	19,893	15.9	16.6
	Diseases of coronary arteries	27,490	17,453	21.9	14.5
95	Other diseases of the heart	45,176	40,023	35.9	33.3
	Functional diseases of heart	855	716	0.7	0.6
	Other and unspecified	44,321	39,307	35.3	32.7
96	Aneurysm (except of heart)	2,281	2,181	1.8	1.8
97	Arteriosclerosis (coronary arteries excepted)	21,062	20,534	16.8	17.1
98	Gangrene	959	924	0.8	0.8
99	Other diseases of the arteries	1,529	1,526	1.2	1.3
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	700	698	0.6	0.6
101	Diseases of lymphatic system (lymphangitis, etc.)	175	172	0.1	0.1
102	Idiopathic anomalies of the blood-pressure	655	529	0.5	0.4
103	Other diseases of the circulatory system	283	249	0.2	0.2
	VIII.—Diseases of the respiratory system	100,548	105,935	80.0	88.2
104	Diseases of the nasal fossae and annexae	1,041	1,089	0.8	0.9
	Diseases of nasal fossae	311	381	0.2	0.3
	Others under this title	730	708	0.6	0.6
105	Diseases of the larynx	504	488	0.4	0.4
106	Bronchitis	4,062	4,338	3.2	3.6
	Acute	1,276	1,597	1.0	1.3
	Chronic	1,853	1,840	1.5	1.5
	Unspecified (under 5 years)	293	245	0.2	0.2
	Unspecified (5 years and over)	640	656	0.5	0.5
107	Bronchopneumonia (including capillary bronchitis)	37,209	39,174	29.6	32.6
	Bronchopneumonia	36,827	38,708	29.3	32.2
	Capillary bronchitis	382	466	0.3	0.4
108	Lobar pneumonia	45,740	49,524	36.4	41.2
109	Pneumonia, unspecified	4,000	3,776	3.2	3.1
110	Pleurisy	2,646	2,618	2.1	2.2
111	Congestion, edema, embolism, hemorrhagic infarct, thrombosis of lungs	1,963	1,798	1.6	1.5
	Pulmonary embolism and thrombosis	536	442	0.4	0.4
	Others under this title	1,427	1,356	1.1	1.1
112	Asthma	1,863	1,804	1.5	1.5
113	Pulmonary emphysema	147	114	0.1	.1
114	Other diseases of the respiratory system (tuberculosis excepted)	1,373	1,212	1.1	1.0
	Chronic interstitial pneumonia, including occupational diseases of respiratory system	338	308	0.3	0.3
	Others, including gangrene of lung	1,035	904	0.8	0.8
	IX.—Diseases of the digestive system	92,573	87,300	73.7	72.7
115	Diseases of buccal cavity and annexa and of pharynx, tonsils	5,680	5,191	4.5	4.3
	Diseases of pharynx and tonsils	4,747	4,350	3.8	3.6
	Others under this title	933	841	0.7	0.7
116	Diseases of esophagus	155	140	0.1	0.1
117	Ulcer of stomach and duodenum	7,539	7,192	6.0	6.0
	Ulcer of stomach	5,197	4,909	4.1	4.1
	Ulcer of duodenum	2,342	2,283	1.9	1.9
118	Other diseases of stomach (cancer excepted)	3,853	3,670	3.1	3.1
119	Diarrhea and enteritis (under 2 years)	15,707	14,375	12.5	12.0
120	Diarrhea and enteritis (2 years and over)	5,966	5,244	4.7	4.4
121	Appendicitis	17,717	17,111	14.1	14.2
122	Hernia, intestinal obstruction	12,607	12,269	10.0	10.2
	Hernia	4,931	4,863	3.9	4.0
	Intestinal obstruction	7,676	7,406	6.1	6.2
123	Other diseases of intestines	1,369	1,185	1.1	1.0
124	Cirrhosis of liver	9,349	8,681	7.4	7.2
	Specified as alcoholic	607	482	0.5	0.4
	Not specified as alcoholic	8,742	8,199	7.0	6.8
125	Other diseases of liver (including yellow atrophy of liver)	1,678	1,615	1.3	1.3
	Yellow atrophy of liver	500	491	0.4	0.4
	Others under this title	1,178	1,124	0.9	0.9
126	Biliary calculi	4,541	4,577	3.6	3.8
127	Other diseases of gall-bladder, biliary passages	4,119	3,866	3.3	3.2
128	Diseases of pancreas	677	677	0.5	0.6
129	Peritonitis, cause not specified	1,616	1,507	1.3	1.3
	X.—Diseases of the genitourinary system	121,572	120,631	96.7	100.4
130	Acute nephritis (including unspecified under 10 years)	4,732	4,323	3.8	3.6
131	Chronic nephritis	90,805	92,051	72.2	76.6
132	Nephritis, unspecified (10 years and over)	8,727	8,377	6.9	7.0
133	Other diseases of kidneys and ureters (puerperal diseases excepted)	3,513	3,382	2.8	2.8
134	Calculi of urinary passages	1,238	1,183	1.0	1.0
135	Diseases of bladder (tumor excepted)	750	751	0.6	0.6
136	Diseases of urethra, urinary abscess, etc	514	410	0.4	0.3
	Stricture of urethra	345	268	0.3	0.2
	Others under this title	169	142	0.1	0.1
137	Disease of prostate	7,690	6,730	6.1	5.6
138	Diseases of male genital organs, not specified as venereal	109	125	0.1	0.1
139	Diseases of female genital organs, not specified as venereal	3,494	3,299	2.8	2.7
	Cysts of ovary	697	700	0.6	0.6
	Other diseases of ovaries, diseases of tubes and parametrium	1,911	1,723	1.5	1.4
	Diseases of uterus	814	787	0.6	0.7
	Nonpuerperal diseases of breast (cancer excepted)	11	18	(1)	(1)
	Others under this title	61	71	(1)	0.1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	12,885	13,293	10.3	11.1
140	Abortion with septic conditions	2,037	2,057	1.6	1.7
141	Abortion without mention of septic conditions (to include hemorrhages)	640	717	0.5	0.6
142	Ectopic gestation	610	571	0.5	0.5
	Septic conditions specified	121	108	0.1	0.1
	Septic conditions not mentioned	489	463	0.4	0.4
143	Other accidents of pregnancy (not to include hemorrhages)	88	86	0.1	0.1
144	Puerperal hemorrhage	1,339	1,392	1.1	1.2
	Placenta praevia	411	422	0.3	0.4
	Other puerperal hemorrhages	928	970	0.7	0.8
145	Puerperal septicemia (not specified as due to abortion or ectopic gestation)	2,729	2,774	2.2	2.3
	Puerperal septicemia and pyemia	2,719	2,761	2.2	2.3
	Puerperal tetanus	10	13	(1)	(1)
146	Puerperal albuminuria and eclampsia	2,520	2,692	2.0	2.2
147	Other toxemias of pregnancy	535	499	0.4	0.4
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	592	628	0.5	0.5
149	Other accidents of childbirth	1,750	1,827	1.4	1.5
	Cesarean operation	389	442	0.3	0.4
	Others under this title	1,361	1,385	1.1	1.2
150	Other and unspecified conditions of puerperal state	45	50	(1)	(1)
	XII.—Diseases of the skin and cellular tissue	2,133	1,895	1.7	1.6
151	Furuncle, carbuncle	634	538	0.5	0.4
152	Phlegmon, acute abscess	753	654	0.6	0.5
153	Other diseases of skin and annexa, and of cellular tissue	746	703	0.6	0.6

See footnotes at end of table.

TABLE II.—DEATHS (*Exclusive of Stillbirths*) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN CONTINENTAL UNITED STATES: 1932 AND 1933—Continued

List no. 1929	CAUSE OF DEATH	DEATHS IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1933	1932	1933	1932
	XIII.—Diseases of the bones and organs of locomotion	1,596	1,606	1.3	1.3
154	Osteomyelitis	1,071	1,070	0.9	0.9
155	Other diseases of the bones (tuberculosis excepted)	177	179	0.1	0.1
156	Diseases of joints and other organs of locomotion	348	357	0.3	0.3
	Diseases of joints (tuberculosis and rheumatism excepted)	264	256	0.2	0.2
	Diseases of other organs of locomotion	84	101	0.1	0.1
	XIV.—Congenital malformations	12,112	12,363	9.6	10.3
157	Congenital malformations	12,112	12,363	9.6	10.3
	Congenital hydrocephalus	1,542	1,642	1.2	1.4
	Spina bifida and meningocele	1,257	1,400	1.0	1.2
	Congenital malformations of the heart	6,208	6,294	4.9	5.2
	Others under this title	3,105	3,027	2.5	2.5
	XV.—Diseases of early infancy	51,453	51,571	40.9	42.9
158	Congenital debility	4,067	3,860	3.2	3.2
159	Premature birth	32,953	33,143	26.2	27.6
160	Injury at birth	9,506	9,681	7.6	8.1
	Cesarean operation	264	279	0.2	0.2
	Without Cesarean operation	9,242	9,402	7.4	7.8
161	Other diseases peculiar to early infancy	4,927	4,887	3.9	4.1
	Atelectasis	1,937	1,924	1.5	1.6
	Icterus of new-born	947	932	0.8	0.8
	Sclerema	10	14	(1)	(1)
	Others under this title	2,033	2,017	1.6	1.7
162	XVI.—Senility	11,318	10,207	9.0	8.5
	XVII.—Violent and accidental deaths	123,204	117,830	98.0	98.1
	Suicide	19,993	20,927	15.9	17.4
163	By solid or liquid poisons or by absorption of corrosive substances	3,141	3,320	2.5	2.8
	Arsenic	207	216	0.2	0.2
	Hydrocyanic acid	375	358	0.3	0.3
	Opium, morphin, laudanum	47	33	(1)	(1)
	Strychnin	387	397	0.3	0.3
	Corrosive sublimate	373	433	0.3	0.4
	Carbolic acid	611	673	0.5	0.6
	Lysol	360	411	0.3	0.3
	Other poisons or kind not stated	781	799	0.6	0.7
164	By poisonous gas	2,694	3,001	2.1	2.5
165	By hanging or strangulation	3,543	3,632	2.8	3.0
166	By drowning	980	996	0.8	0.8
167	By firearms	7,798	8,075	6.2	6.7
168	By cutting or piercing instruments	821	874	0.7	0.7
169	By jumping from high places	689	702	0.5	0.6
170	By crushing	141	156	0.1	0.1
171	By other means	186	171	0.1	0.1
	Homicide	12,124	11,035	9.6	9.2
172	(Infanticide—murder of infants under 1 year)	(166)	(140)	(0.1)	(0.1)
173	By firearms	7,863	7,458	6.3	6.2
174	By cutting or piercing instruments	2,065	1,650	1.6	1.4
175	By other means	2,196	1,927	1.7	1.6
	Accidental, other, or undefined	91,087	85,868	72.5	71.5
176	Attack by venomous animals	155	127	0.1	0.1
177	Poisoning by food	689	638	0.5	0.5
178	Absorption of poisonous gas	1,594	1,988	1.3	1.7
	Supplemental	74	64	0.1	0.1
179	Other acute accidental poisonings (gas excepted)	1,490	1,605	1.2	1.3
	Wood alcohol	137	237	0.1	0.2
	Denatured alcohol	61	81	(1)	0.1
	Carbolic acid	25	43	(1)	(1)
	Opium, morphin, laudanum	27	19	(1)	(1)
	Strychnin	113	132	0.1	0.1
	Other poisons or kind not stated	1,127	1,093	0.9	0.9
180	Conflagration	1,521	1,555	1.2	1.3
181	Burns (conflagration excepted)	5,232	5,358	4.2	4.5
	Supplemental	588	561	0.5	0.5
182	Mechanical suffocation	934	904	0.7	0.8
	Supplemental	65	40	0.1	(1)
183	Drowning	6,219	6,199	4.9	5.2
	Supplemental	1,246	1,228	1.0	1.0
	Traumatism:				
184	By firearms (wounds of war excepted)	3,026	2,928	2.4	2.4
185	By cutting or piercing instruments (wounds of war excepted)	836	757	0.7	0.6
	Supplemental	265	230	0.2	0.2
186	By fall, crushing, landslide	29,376	26,677	23.4	22.2
	By fall	18,933	17,834	15.1	14.8
	Supplemental	2,813	2,606	2.2	2.2
	By crushing, landslide	556	502	0.4	0.4
	Supplemental	7,074	5,735	5.6	4.8
187	Cataclysm	503	404	0.4	0.3
188	XVII.—Violent and accidental deaths—Continued. Accidental, other, or undefined—Contd. Injuries by animals	591	571	0.5	0.5
189	Hunger and thirst	39	27	(1)	(1)
190	Excessive cold	319	287	0.3	0.2
191	Excessive heat	1,025	689	0.8	0.6
192	Lightning	372	362	0.3	0.3
193	Due to electric currents	575	589	0.5	0.5
	Supplemental	104	86	0.1	0.1
194	Other accidents	34,083	31,858	27.1	26.5
	Foreign bodies	669	633	0.5	0.5
	Others under this title	4,311	3,835	3.4	3.2
	Supplemental	29,103	27,390	23.2	22.8
195	Violent deaths of unknown nature	11	5	(1)	(1)
196	Wounds of war	2		(1)	
198	Legal executions	153	131	0.1	0.1
	XVIII.—Ill-defined causes of death	22,028	20,969	17.5	17.5
199	Sudden death	2,089	1,951	1.7	1.6
200	Cause of death not specified or ill-defined	19,939	19,048	15.9	15.9
	Ill-defined	5,476	4,804	4.4	4.0
	Not specified or unknown	14,463	14,244	11.5	11.9
Punch symbol	SUPPLEMENTAL [2]				
201	Accidents in mines and quarries	1,338	1,520	1.1	1.3
	(178) Absorption of poisonous gas	41	42	(1)	(1)
	(181) Burns (configuration excepted)	27	26	(1)	(1)
	(182) Mechanical suffocation	28	20	(1)	(1)
	(183) Drowning	6	14	(1)	(1)
	(185) Cutting or piercing instruments	6	6	(1)	(1)
	(186a) Fall	50	38	(1)	(1)
	(186b) Crushing, landslide	313	237	0.2	0.2
	(193) Due to electric currents	50	43	(1)	(1)
	(194b) Other accidents	817	1,094	0.6	0.9
202	Accidents from agricultural machinery	275	285	0.2	0.2
	(178) Absorption of poisonous gas	2	2	(1)	(1)
	(181) Burns (conflagration excepted)	9	10	(1)	(1)
	(182) Mechanical suffocation	2	1	(1)	(1)
	(183) Drowning	1		(1)	
	(185) Cutting or piercing instruments	25	12	(1)	(1)
	(186a) Fall	43	48	(1)	(1)
	(186b) Crushing, landslide	72	74	0.1	0.1
	(194b) Other accidents	121	138	0.1	0.1
203	Elevator accidents	217	218	0.2	0.2
	(181) Burns (conflagration excepted)	2		(1)	
	(182) Mechanical suffocation	2	1	(1)	(1)
	(186a) Fall	121	122	0.1	0.1
	(186b) Crushing, landslide	45	61	(1)	0.1
	(193) Due to electric currents	1	1	(1)	(1)
	(194b) Other accidents	46	33	(1)	(1)
204	Accidents from machinery used for recreation	8	14	(1)	(1)
	(186a) Fall	5	9	(1)	(1)
	(186b) Crushing, landslide	1		(1)	
	(193) Due to electric currents		1		(1)
	(194b) Other accidents	2	4	(1)	(1)
205	Other machinery accidents	931	878	0.7	0.7
	(178) Absorption of poisonous gas	4	2	(1)	(1)
	(181) Burns (conflagration excepted)	67	45	0.1	(1)
	(182) Mechanical suffocation	3	4	(1)	(1)
	(183) Drowning	4	4	(1)	(1)
	(185) Cutting or piercing instruments	78	79	0.1	0.1
	(186a) Fall	63	60	0.1	(1)
	(186b) Crushing, landslide	214	184	0.2	0.2
	(193) Due to electric currents	27	14	(1)	(1)
	(194b) Other accidents	471	486	0.4	0.4
206	Railroad and automobile collisions	1,437	1,466	1.1	1.2
	(181) Burns (conflagration excepted)	25	20	(1)	(1)
	(182) Mechanical suffocation	2	1	(1)	(1)
	(185) Cutting or piercing instruments	4	2	(1)	(1)
	(186a) Fall	4	4	(1)	(1)
	(186b) Crushing, landslide	332	277	0.3	0.2
	(194b) Other accidents	1,070	1,162	0.9	1.0
207	Other railroad accidents	3,973	3,502	3.2	2.9
	(178) Absorption of poisonous gas	3	2	(1)	(1)
	(181) Burns (conflagration excepted)	39	21	(1)	(1)
	(182) Mechanical suffocation	2		(1)	
	(183) Drowning	7	10	(1)	(1)
	(185) Cutting or piercing instruments	6	3	(1)	(1)
	(186a) Fall	396	365	0.3	0.3
	(186b) Crushing, landslide	1,707	1,443	1.4	1.2
	(193) Due to electric currents	7	12	(1)	(1)
	(194b) Other accidents	1,806	1,646	1.4	1.4
208	Street car and automobile collisions	318	304	0.3	0.3
	(181) Burns (conflagration excepted)	1	4	(1)	(1)
	(185) Cutting or piercing instruments		1		(1)
	(186a) Fall		3		(1)
	(186b) Crushing, landslide	55	61	(1)	0.1
	(194b) Other accidents	262	235	0.2	0.2

See footnotes at end of table.

TABLE II.—DEATHS (*Exclusive of Stillbirths*) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN CONTINENTAL UNITED STATES: 1932 AND 1933—Continued

Punch symbol	CAUSE OF DEATH	DEATHS IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1933	1932	1933	1932
	Supplemental [2]—Continued.				
209	Other street car accidents	529	523	0.4	0.4
	(181) Burns (conflagration excepted)	1		(1)	
	(185) Cutting or piercing instruments		2		(1)
	(186a) Fall	39	60	(1)	(1)
	(186b) Crushing, landslide	131	92	0.1	0.1
	(193) Due to electric currents	6	7	(1)	(1)
	(194b) Other accidents	352	362	0.3	0.3
210	Automobile accidents (primary)	29,323	26,350	23.3	21.9
	(178) Absorption of poisonous gas	18	11	(1)	(1)
	(181) Burns (conflagration excepted)	317	336	0.3	0.3
	(182) Mechanical suffocation	24	13	(1)	(1)
	(183) Drowning	282	214	0.2	0.2
	(185) Cutting or piercing instruments	133	116	0.1	0.1
	(186a) Fall	1,200	1,028	1.0	0.9
	(186b) Crushing, landslide	3,950	3,130	3.1	2.6
	(193) Due to electric currents	8	7	(1)	(1)
	(194b) Other accidents	23,391	21,495	18.6	17.9
211	Motor cycle accidents	285	241	0.2	0.2
	(181) Burns (conflagration excepted)	3	2	(1)	(1)
	(183) Drowning	1		(1)	
	(185) Cutting or piercing instruments	4		(1)	
	(186a) Fall	54	51	(1)	(1)
	(186b) Crushing, landslide	16	8	(1)	(1)
	(194b) Other accidents	207	180	0.2	0.1
212	Other land transportation accidents	1,235	1,131	1.0	0.9
	(182) Mechanical suffocation	2		(1)	
	(183) Drowning	13	31	(1)	(1)
	(185) Cutting or piercing instruments	6	5	(1)	(1)
	(186a) Fall	720	664	0.6	0.6
	(186b) Crushing, landslide	151	107	0.1	0.1
	(194b) Other accidents	343	324	0.3	0.3
213	Water transportation accidents	1,029	1,122	0.8	0.9
	(178) Absorption of poisonous gas	6	5	(1)	(1)
	(181) Burns (conflagration excepted)	18	54	(1)	(1)
	(183) Drowning	922	940	0.7	0.8
	(185) Cutting or piercing instruments	2	1	(1)	(1)
	(186a) Fall	42	56	(1)	(1)
	(186b) Crushing, landslide	12	4	(1)	(1)
	(193) Due to electric currents	1	1	(1)	(1)
	(194b) Other accidents	26	61	(1)	0.1
214	Air transportation accidents	434	386	0.3	0.3
	(181) Burns (conflagration excepted)	79	43	0.1	(1)
	(183) Drowning	10	15	(1)	(1)
	(185) Cutting or piercing instruments	1	3	(1)	(1)
	(186a) Fall	76	98	0.1	0.1
	(186b) Crushing, landslide	75	57	0.1	(1)
	(193) Due to electric currents	4		(1)	
	(194b) Other accidents	189	170	0.2	0.1

[1] Less than 1/10 of 1 per 100,000 population.

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International list titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

GENERAL TABLES

TABLE 1.—DEATHS (*Exclusive of Stillbirths*), BY MONTHS: 1933

REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Continental United States	**1,342,106**	**137,731**	**114,058**	**120,167**	**110,019**	**109,134**	**106,843**	**104,493**	**99,011**	**99,023**	**108,939**	**112,130**	**120,558**
Cities of 10,000 or more	693,247	69,677	58,379	62,266	57,716	56,940	54,563	53,081	50,499	50,883	56,128	58,670	64,445
Cities of 2,500 to 10,000 [1]	133,065	13,657	11,056	11,803	10,833	10,757	10,642	10,481	9,897	9,994	10,914	11,052	11,979
Rural [2]	515,794	54,397	44,623	46,098	41,470	41,437	41,638	40,931	38,615	38,146	41,897	42,408	44,134
ALABAMA	27,104	2,392	2,196	2,349	2,187	2,005	2,373	2,173	2,189	2,135	2,293	2,402	2,410
Cities of 10,000 or more	8,193	688	628	720	648	608	681	651	684	668	731	748	743
Cities of 2,500 to 10,000	1,996	194	156	154	163	156	184	143	156	168	159	185	178
Rural	16,910	1,510	1,412	1,475	1,376	1,241	1,508	1,379	1,349	1,299	1,403	1,469	1,489
ARIZONA	5,539	511	439	480	456	501	517	557	433	364	378	442	461
Cities of 10,000 or more	2,250	213	203	202	174	221	207	215	166	140	156	182	171
Cities of 2,500 to 10,000	1,139	124	89	108	94	106	113	86	77	66	84	91	101
Rural	2,150	174	147	170	188	174	197	256	190	158	138	169	189
ARKANSAS	16,597	1,711	1,319	1,296	1,225	1,213	1,468	1,428	1,367	1,323	1,564	1,379	1,304
Cities of 10,000 or more	3,657	341	326	263	257	282	325	342	292	295	323	304	307
Cities of 2,500 to 10,000	2,083	218	156	182	161	164	180	196	157	136	185	165	183
Rural	10,857	1,152	837	851	807	767	963	890	918	892	1,056	910	814
CALIFORNIA	68,036	6,996	5,853	5,873	5,474	5,708	5,241	5,423	5,154	4,983	5,314	5,640	6,377
Cities of 10,000 or more	42,774	4,485	3,702	3,771	3,424	3,611	3,232	3,294	3,221	3,147	3,311	3,550	4,026
Cities of 2,500 to 10,000	6,315	682	559	545	513	518	491	521	493	435	473	524	561
Rural	18,947	1,829	1,592	1,557	1,537	1,579	1,518	1,608	1,440	1,401	1,530	1,566	1,790
COLORADO	11,961	1,276	1,015	1,006	947	1,032	914	937	893	927	1,026	987	1,001
Cities of 10,000 or more	5,708	630	483	495	457	498	432	443	406	438	498	434	494
Cities of 2,500 to 10,000	1,461	106	83	120	109	126	134	107	127	125	143	140	141
Rural	4,792	540	449	391	381	408	348	387	360	364	385	413	366
CONNECTICUT	17,444	1,872	1,561	1,620	1,435	1,445	1,360	1,264	1,208	1,167	1,379	1,501	1,632
Cities of 10,000 or more	12,263	1,349	1,088	1,132	1,036	1,000	943	886	824	792	984	1,054	1,175
Cities of 2,500 to 10,000	473	38	47	44	35	34	37	31	32	36	38	45	56
Rural	4,708	485	426	444	364	411	380	347	352	339	357	402	401
DELAWARE	3,309	309	295	289	289	264	250	280	236	241	268	261	327
Cities of 10,000 or more	1,570	144	145	136	130	133	106	136	103	110	135	126	166
Cities of 2,500 to 10,000	303	22	28	24	21	21	27	18	35	24	28	26	29
Rural	1,436	143	122	129	138	110	117	126	98	107	105	109	132
DISTRICT OF COLUMBIA	7,872	797	670	681	678	594	632	615	574	545	624	689	773
FLORIDA	18,759	1,818	1,656	1,648	1,517	1,392	1,337	1,407	1,415	1,491	1,609	1,734	1,735
Cities of 10,000 or more	8,189	791	751	720	679	648	595	623	583	647	678	715	759
Cities of 2,500 to 10,000	3,589	353	315	340	295	268	242	259	278	284	297	327	331
Rural	6,981	674	590	588	543	476	500	525	554	560	634	692	645
GEORGIA	31,194	2,844	2,508	2,665	2,472	2,472	2,620	2,513	2,420	2,502	2,631	2,706	2,841
Cities of 10,000 or more	10,716	939	854	900	881	849	861	894	869	853	869	943	1,004
Cities of 2,500 to 10,000 and rural	20,478	1,905	1,654	1,765	1,591	1,623	1,759	1,619	1,551	1,649	1,762	1,763	1,837
IDAHO	4,056	408	309	326	328	354	363	301	302	294	342	333	396
Cities of 10,000 or more	570	59	35	50	48	52	46	38	36	46	49	46	65
Cities of 2,500 to 10,000	1,650	156	123	134	133	145	136	139	120	116	142	143	163
Rural	1,836	193	151	142	147	157	181	124	146	132	151	144	168
ILLINOIS	82,513	7,975	7,125	7,372	6,746	6,890	6,844	6,324	5,962	6,218	6,854	6,915	7,288
Cities of 10,000 or more	53,216	4,972	4,546	4,699	4,324	4,500	4,413	4,013	3,861	4,074	4,469	4,503	4,842
Cities of 2,500 to 10,000	7,510	767	630	683	624	602	605	585	559	590	605	622	638
Rural	21,787	2,236	1,949	1,990	1,798	1,788	1,826	1,726	1,542	1,554	1,780	1,790	1,808
INDIANA	38,009	3,787	3,245	3,412	3,173	3,032	3,136	2,968	2,879	2,890	3,111	3,122	3,254
Cities of 10,000 or more	17,324	1,648	1,450	1,520	1,440	1,409	1,430	1,372	1,322	1,351	1,410	1,444	1,528
Cities of 2,500 to 10,000	4,268	384	365	383	326	380	396	339	339	323	344	338	351
Rural	16,417	1,755	1,430	1,509	1,407	1,243	1,310	1,257	1,218	1,216	1,357	1,340	1,375
IOWA	25,665	2,757	2,191	2,332	2,179	2,154	2,010	1,921	1,840	1,911	2,051	2,085	2,234
Cities of 10,000 or more	9,427	918	771	836	821	790	772	729	654	753	768	779	836
Cities of 2,500 to 10,000	4,585	474	391	414	402	379	364	341	317	339	402	359	403
Rural	11,653	1,365	1,029	1,082	956	985	874	851	869	819	881	947	995
KANSAS	19,613	2,252	1,946	1,825	1,562	1,535	1,599	1,571	1,329	1,398	1,557	1,476	1,563
Cities of 10,000 or more	6,729	782	615	625	572	519	549	524	417	521	545	484	576
Cities of 2,500 to 10,000	2,781	293	298	250	203	217	218	225	189	235	211	194	248
Rural	10,103	1,177	1,033	950	787	799	832	822	723	642	801	798	739
KENTUCKY	28,520	2,927	2,471	2,474	2,174	2,106	2,336	2,400	2,229	2,133	2,377	2,370	2,523
Cities of 10,000 or more	8,627	728	722	764	649	648	759	724	697	646	699	754	837
Cities of 2,500 to 10,000 and rural	19,893	2,199	1,749	1,710	1,525	1,458	1,577	1,676	1,532	1,487	1,678	1,616	1,686
LOUISIANA	23,112	2,210	1,858	2,040	1,769	1,782	1,857	1,873	1,796	1,931	1,996	2,033	1,967
Cities of 10,000 or more	10,832	946	880	975	870	839	861	863	856	886	926	960	970
Cities of 2,500 to 10,000	2,269	234	170	209	159	181	203	200	177	188	168	191	189
Rural	10,011	1,030	808	856	740	762	793	810	763	857	902	882	808
MAINE	11,102	1,342	988	977	882	881	823	772	812	800	892	920	1,013
Cities of 10,000 or more	3,684	451	331	313	262	287	273	253	268	256	315	331	343
Cities of 2,500 to 10,000	1,474	161	136	135	94	108	131	109	95	118	110	138	139
Rural	5,944	730	521	529	525	486	419	410	449	426	467	451	531

[1] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[2] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

TABLE 1.—DEATHS (*Exclusive of Stillbirths*), BY MONTHS: 1933—Continued

REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND	20,610	2,083	1,730	1,916	1,702	1,623	1,612	1,645	1,511	1,457	1,623	1,806	1,902
Cities of 10,000 or more	12,307	1,255	1,056	1,109	1,068	944	934	924	898	869	962	1,110	1,178
Cities of 2,500 to 10,000	1,121	114	97	107	86	102	92	100	62	86	86	93	96
Rural	7,182	714	577	700	548	577	586	621	551	502	575	603	628
MASSACHUSETTS	50,811	5,809	4,364	4,645	4,340	4,150	3,744	3,745	3,482	3,444	3,978	4,280	4,830
Cities of 10,000 or more	41,434	4,794	3,535	3,772	3,556	3,405	3,007	2,983	2,788	2,828	3,230	3,543	3,993
Cities of 2,500 to 10,000	3,303	363	304	334	270	265	252	252	249	216	254	242	302
Rural	6,074	652	525	539	514	480	485	510	445	400	494	495	535
MICHIGAN	48,536	4,900	4,095	4,452	4,075	4,151	3,907	3,879	3,482	3,464	3,819	3,939	4,373
Cities of 10,000 or more	26,442	2,647	2,255	2,482	2,242	2,219	2,097	2,117	1,869	1,838	2,036	2,178	2,462
Cities of 2,500 to 10,000	4,451	433	366	377	380	385	380	340	338	324	408	334	386
Rural	17,643	1,820	1,474	1,593	1,453	1,547	1,430	1,422	1,275	1,302	1,375	1,427	1,525
MINNESOTA	25,306	2,617	2,065	2,174	2,097	2,158	2,157	1,953	1,826	1,842	2,118	2,055	2,244
Cities of 10,000 or more	11,280	1,049	896	1,002	1,001	958	934	856	810	832	956	933	1,053
Cities of 2,500 to 10,000	3,556	374	286	301	288	274	313	299	269	247	309	291	305
Rural	10,470	1,194	883	871	808	926	910	798	747	763	853	831	886
MISSISSIPPI	21,666	1,911	1,619	1,929	1,683	1,601	1,918	1,824	1,711	1,835	2,002	1,815	1,818
Cities of 10,000 or more	4,079	312	287	355	324	280	349	358	320	354	379	378	383
Cities of 2,500 to 10,000	1,542	148	117	123	118	108	116	136	113	156	151	134	122
Rural	16,045	1,451	1,215	1,451	1,241	1,213	1,453	1,330	1,278	1,325	1,472	1,303	1,313
MISSOURI	42,521	4,615	3,780	3,904	3,347	3,184	3,379	3,227	3,133	3,365	3,475	3,492	3,620
Cities of 10,000 or more	20,590	2,159	1,770	1,867	1,611	1,555	1,695	1,561	1,537	1,704	1,624	1,726	1,781
Cities of 2,500 to 10,000	4,059	484	357	352	306	300	305	312	322	309	331	328	353
Rural	17,872	1,972	1,653	1,685	1,430	1,329	1,379	1,354	1,274	1,352	1,520	1,438	1,486
MONTANA	5,212	552	412	443	435	457	402	417	377	408	404	442	463
Cities of 10,000 or more	1,599	160	125	138	136	130	118	132	111	127	136	147	139
Cities of 2,500 to 10,000	846	80	57	74	72	74	76	69	61	65	65	69	84
Rural	2,767	312	230	231	227	253	208	216	205	216	203	226	240
NEBRASKA	12,924	1,476	1,180	1,163	1,046	1,078	1,053	937	881	994	1,029	987	1,100
Cities of 10,000 or more	4,675	488	410	405	392	394	407	359	326	367	368	370	389
Cities of 2,500 to 10,000	1,787	197	145	145	149	152	153	127	122	143	148	132	174
Rural	6,462	791	625	613	505	532	493	451	433	484	513	485	537
NEVADA	1,233	132	116	112	96	99	102	103	88	93	94	78	120
Cities of 10,000 or more	312	34	33	31	25	21	22	27	19	20	32	20	28
Cities of 2,500 to 10,000	313	32	22	30	22	25	30	26	24	24	16	27	35
Rural	608	66	61	51	49	53	50	50	45	49	46	31	57
NEW HAMPSHIRE	6,491	713	598	560	515	545	494	518	463	501	485	497	602
Cities of 10,000 or more	3,060	340	259	242	239	269	245	237	212	236	235	243	303
Cities of 2,500 to 10,000	556	67	56	48	46	30	47	41	45	45	44	43	44
Rural	2,875	306	283	270	230	246	202	240	206	220	206	211	255
NEW JERSEY	43,497	4,511	3,680	3,979	3,716	3,637	3,360	3,223	3,178	3,010	3,360	3,748	4,095
Cities of 10,000 or more	29,218	3,101	2,521	2,704	2,479	2,451	2,250	2,080	2,112	2,022	2,230	2,483	2,785
Cities of 2,500 to 10,000	5,681	597	426	479	500	453	423	454	416	381	476	524	552
Rural	8,598	813	733	796	737	733	687	689	650	607	654	741	758
NEW MEXICO	5,824	630	529	499	452	427	400	473	587	522	456	421	428
Cities of 10,000 or more	1,047	131	84	77	94	79	60	73	96	104	95	79	75
Cities of 2,500 to 10,000	1,126	109	104	94	91	83	98	75	97	97	95	88	95
Rural	3,651	390	341	328	267	265	242	325	394	321	266	254	258
NEW YORK	148,455	15,531	12,452	13,649	12,779	12,608	11,423	11,259	10,689	10,408	11,729	12,352	13,576
Cities of 10,000 or more	112,828	11,736	9,503	10,481	9,839	9,615	8,674	8,438	7,927	7,845	8,900	9,429	10,441
Cities of 2,500 to 10,000	7,801	799	659	685	653	637	593	661	601	544	596	641	732
Rural	27,826	2,996	2,290	2,483	2,287	2,356	2,156	2,160	2,161	2,019	2,233	2,282	2,403
NORTH CAROLINA	30,547	3,007	2,574	2,768	2,347	2,552	2,699	2,371	2,211	2,256	2,393	2,631	2,738
Cities of 10,000 or more	8,229	759	614	734	631	643	706	651	645	685	698	712	751
Cities of 2,500 to 10,000	2,767	250	232	226	204	211	269	225	223	205	232	249	241
Rural	19,551	1,998	1,728	1,808	1,512	1,698	1,724	1,495	1,343	1,366	1,463	1,670	1,746
NORTH DAKOTA	5,463	683	427	442	464	455	405	399	458	421	457	405	447
Cities of 10,000 or more	1,044	104	72	86	96	86	67	83	100	78	98	85	89
Cities of 2,500 to 10,000	738	98	48	53	55	53	46	60	64	80	69	52	60
Rural	3,681	481	307	303	313	316	292	256	294	263	290	268	298
OHIO	73,054	7,134	5,975	6,660	6,105	5,967	5,981	5,722	5,380	5,280	6,123	5,958	6,769
Cities of 10,000 or more	43,460	4,061	3,480	3,991	3,571	3,547	3,584	3,393	3,225	3,162	3,726	3,598	4,122
Cities of 2,500 to 10,000	6,502	642	527	619	574	522	572	507	463	462	546	485	583
Rural	23,092	2,431	1,968	2,050	1,960	1,898	1,825	1,822	1,692	1,656	1,851	1,875	2,064
OKLAHOMA	20,309	2,217	1,900	1,836	1,521	1,458	1,538	1,707	1,512	1,518	1,652	1,722	1,728
Cities of 10,000 or more	6,498	661	555	612	484	483	524	568	508	509	506	535	553
Cities of 2,500 to 10,000	5,022	549	449	463	373	367	373	410	384	368	414	448	424
Rural	8,789	1,007	896	761	664	608	641	729	620	641	732	739	751
OREGON	10,450	1,084	881	915	885	917	798	783	794	773	898	803	919
Cities of 10,000 or more	4,943	526	405	450	418	409	368	369	394	366	416	381	441
Cities of 2,500 to 10,000	1,823	189	162	154	159	166	133	125	118	129	182	135	171
Rural	3,684	369	314	311	308	342	297	289	282	278	300	287	307
PENNSYLVANIA	106,109	10,764	9,020	9,655	9,025	8,599	8,079	7,649	7,558	7,590	8,520	9,311	10,339
Cities of 10,000 or more	61,117	6,061	5,198	5,566	5,192	4,935	4,669	4,407	4,248	4,374	4,983	5,440	6,044
Cities of 2,500 to 10,000	12,892	1,361	1,017	1,204	1,088	1,129	942	928	869	921	986	1,176	1,271
Rural	32,100	3,342	2,805	2,885	2,745	2,535	2,468	2,314	2,441	2,295	2,551	2,695	3,024
RHODE ISLAND	7,895	790	679	768	717	639	584	608	544	544	619	655	748
Cities of 10,000 or more	6,915	687	596	676	619	559	519	527	469	478	548	579	658
Cities of 2,500 to 10,000	357	34	31	37	37	30	28	29	22	20	35	34	20
Rural	623	69	52	55	61	50	37	52	53	46	36	42	70
SOUTH CAROLINA	19,356	1,787	1,613	1,713	1,493	1,605	1,661	1,534	1,472	1,524	1,574	1,654	1,726
Cities of 10,000 or more	4,615	431	370	400	349	401	390	339	369	366	376	404	420
Cities of 2,500 to 10,000	1,708	146	125	143	121	147	137	129	129	139	152	178	162
Rural	13,033	1,210	1,118	1,170	1,023	1,057	1,134	1,066	974	1,019	1,046	1,072	1,144

TABLE 1.—DEATHS (*Exclusive of Stillbirths*), BY MONTHS: 1933—Continued

REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	6,104	794	561	553	525	508	455	470	451	418	475	449	445
Cities of 10,000 or more	1,182	133	106	94	102	127	84	75	93	76	102	87	103
Cities of 2,500 to 10,000	881	105	66	80	71	67	75	73	62	68	71	70	73
Rural	4,041	556	389	379	352	314	296	322	296	274	302	292	269
TENNESSEE	28,123	2,846	2,348	2,431	2,043	2,100	2,355	2,385	2,143	2,143	2,467	2,465	2,397
Cities of 10,000 or more	10,410	964	835	833	762	758	856	922	837	812	942	953	936
Cities of 2,500 to 10,000	2,694	290	229	214	216	214	222	197	203	228	246	206	229
Rural	15,019	1,592	1,284	1,384	1,065	1,128	1,277	1,266	1,103	1,103	1,279	1,306	1,232
TEXAS	58,948	6,154	5,175	5,198	4,758	4,947	4,675	4,804	4,415	4,350	4,562	4,913	4,997
Cities of 10,000 or more	23,493	2,288	2,045	1,991	1,913	2,043	1,878	1,943	1,762	1,687	1,792	1,992	2,159
Cities of 2,500 to 10,000	8,184	811	706	718	645	685	619	673	636	611	658	684	738
Rural	27,271	3,055	2,424	2,489	2,200	2,219	2,178	2,188	2,017	2,052	2,112	2,237	2,100
UTAH	4,384	449	355	386	369	378	360	342	297	313	350	376	409
Cities of 10,000 or more	2,126	199	168	183	182	177	171	183	145	152	176	185	205
Cities of 2,500 to 10,000	712	72	57	70	64	61	52	58	57	49	52	57	63
Rural	1,546	178	130	133	123	140	137	101	95	112	122	134	141
VERMONT	4,621	559	390	379	333	394	353	344	352	335	351	367	414
Cities of 10,000 or more	851	80	66	74	74	62	72	74	68	67	69	68	77
Cities of 2,500 to 10,000 and rural	3,770	479	324	305	309	332	281	270	284	268	282	299	337
VIRGINIA	28,454	2,926	2,540	2,664	2,284	2,236	2,376	2,334	2,019	2,018	2,246	2,367	2,444
Cities of 10,000 or more	8,928	904	749	771	675	696	731	737	683	673	770	782	757
Cities of 2,500 to 10,000	2,292	240	184	206	193	151	184	177	155	194	219	176	213
Rural	17,234	1,782	1,607	1,687	1,416	1,389	1,461	1,420	1,181	1,151	1,257	1,409	1,474
WASHINGTON	16,705	1,606	1,334	1,480	1,387	1,408	1,255	1,334	1,347	1,262	1,449	1,315	1,528
Cities of 10,000 or more	9,402	919	758	829	798	781	678	724	760	714	798	751	892
Cities of 2,500 to 10,000	1,756	169	126	164	147	161	138	150	120	137	143	139	162
Rural	5,547	518	450	487	442	466	439	460	467	411	508	425	474
WEST VIRGINIA	16,605	1,734	1,392	1,481	1,268	1,265	1,224	1,386	1,282	1,354	1,397	1,381	1,441
Cities of 10,000 or more	4,587	457	363	407	358	346	348	368	356	389	380	414	401
Cities of 2,500 to 10,000	2,568	229	212	224	218	205	199	221	209	219	217	199	216
Rural	9,450	1,048	817	850	692	714	677	797	717	746	800	768	824
WISCONSIN	29,513	3,319	2,456	2,573	2,493	2,453	2,298	2,209	2,194	2,188	2,401	2,298	2,631
Cities of 10,000 or more	12,622	1,323	1,031	1,075	1,099	1,043	992	931	951	951	1,045	999	1,182
Cities of 2,500 to 10,000	3,612	415	294	318	306	259	285	268	284	310	280	276	317
Rural	13,279	1,581	1,131	1,180	1,088	1,151	1,021	1,010	959	927	1,076	1,023	1,132
WYOMING	1,975	214	173	175	176	175	116	182	136	140	167	153	168
Cities of 10,000 or more	348	33	34	27	36	36	17	27	28	30	30	20	30
Cities of 2,500 to 10,000	519	54	49	36	49	36	29	60	29	34	44	54	45
Rural	1,108	127	90	112	91	103	70	95	79	76	93	79	93

NOTE.—Data for individual cities held in manuscript.

TABLE 2.—DEATHS (*Exclusive of Stillbirths*), BY COLOR OR RACE: 1933

AREA	All deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Other
Continental United States	1,342,106	1,149,545	172,114	4,999	1,198	973	13,277
Cities of 10,000 or more	693,247	604,462	81,955	435	902	540	4,953
Cities of 2,500 to 10,000 [1]	133,065	118,256	11,948	370	72	110	2,309
Rural [2]	515,794	426,827	78,211	4,194	224	323	6,015
ALABAMA	27,104	14,625	12,477	2			
Cities of 10,000 or more	8,198	4,305	3,893				
Cities of 2,500 to 10,000	1,996	1,199	797				
Rural	16,910	9,121	7,787	2			
ARIZONA	5,539	3,041	193	652	19	5	1,629
Cities of 10,000 or more	2,250	1,442	119	59	12	4	614
Cities of 2,500 to 10,000	1,139	654	35	8	4	1	437
Rural	2,150	945	39	585	3		578
ARKANSAS	16,597	11,528	5,053	3	3		10
Cities of 10,000 or more	3,657	2,551	1,103	2			1
Cities of 2,500 to 10,000	2,083	1,398	683		2		
Rural	10,857	7,579	3,267	1	1		9
CALIFORNIA	68,036	60,856	1,370	337	579	689	4,205
Cities of 10,000 or more	42,774	39,095	956	26	382	372	1,943
Cities of 2,500 to 10,000	6,315	5,567	55	32	42	72	547
Rural	18,947	16,194	359	279	155	245	1,715
COLORADO	11,961	11,162	244	33	4	27	491
Cities of 10,000 or more	5,708	5,421	186	1	4	7	89
Cities of 2,500 to 10,000	1,461	1,319	15	1		6	120
Rural	4,792	4,422	43	31		14	282
CONNECTICUT	17,444	16,936	495	5	6		2
Cities of 10,000 or more	12,263	11,832	421	3	5		2
Cities of 2,500 to 10,000	473	462	11				
Rural	4,708	4,642	63	2	1		
DELAWARE	3,309	2,664	644		1		
Cities of 10,000 or more	1,570	1,307	262		1		
Cities of 2,500 to 10,000	303	237	66				
Rural	1,436	1,120	316				
DISTRICT OF COLUMBIA	7,872	4,750	3,110		7	1	4
FLORIDA	18,759	11,569	7,181	6	1	1	1
Cities of 10,000 or more	8,189	5,101	3,085	1	1	1	
Cities of 2,500 to 10,000	3,589	2,345	1,244				
Rural	6,981	4,123	2,852	5			1
GEORGIA	31,194	16,860	14,330		4		
Cities of 10,000 or more	10,716	5,319	5,393		4		
Cities of 2,500 to 10,000 and rural	20,478	11,541	8,937				
IDAHO	4,056	3,904	18	112	9	5	8
Cities of 10,000 or more	570	547	8	7	3	2	3
Cities of 2,500 to 10,000	1,650	1,627	8	8	3	1	3
Rural	1,836	1,730	2	97	3	2	2
ILLINOIS	82,513	76,448	5,894	7	65	6	93
Cities of 10,000 or more	53,216	48,205	4,880	1	55	6	69
Cities of 2,500 to 10,000	7,510	7,263	244				3
Rural	21,787	20,980	770	6	10		21
INDIANA	38,009	36,070	1,916	3	6		14
Cities of 10,000 or more	17,324	15,702	1,600	2	6		14
Cities of 2,500 to 10,000	4,268	4,215	52	1			
Rural	16,417	16,153	264				
IOWA	25,665	25,325	296	15	3		26
Cities of 10,000 or more	9,427	9,162	234	6	3		22
Cities of 2,500 to 10,000	4,585	4,557	27	1			
Rural	11,653	11,606	35	8			4
KANSAS	19,613	18,467	1,118	24	2		2
Cities of 10,000 or more	6,729	5,954	764	8	2		1
Cities of 2,500 to 10,000	2,781	2,694	86	1			
Rural	10,103	9,819	268	15			1
KENTUCKY	28,520	24,330	4,186		3	1	
Cities of 10,000 or more	8,627	6,638	1,986		3		
Cities of 2,500 to 10,000 and rural	19,893	17,692	2,200			1	
LOUISIANA	23,112	12,132	10,932	27	9	3	9
Cities of 10,000 or more	10,832	6,137	4,679		9	3	4
Cities of 2,500 to 10,000	2,269	1,185	1,084				
Rural	10,011	4,810	5,169	27			5
MAINE	11,102	11,070	24	5	2		1
Cities of 10,000 or more	3,684	3,665	16	1	2		
Cities of 2,500 to 10,000	1,474	1,471	1	2			
Rural	5,944	5,934	7	2			1
MARYLAND	20,610	15,856	4,743	1	8	1	1
Cities of 10,000 or more	12,307	9,549	2,751		6	1	
Cities of 2,500 to 10,000	1,121	865	255	1			
Rural	7,182	5,442	1,737		2		1
MASSACHUSETTS	50,811	49,847	910	6	47		1
Cities of 10,000 or more	41,434	40,639	750	1	43		1
Cities of 2,500 to 10,000	3,303	3,271	30	2			
Rural	6,074	5,937	130	3	4		
MICHIGAN	48,536	45,883	2,461	146	7	1	38
Cities of 10,000 or more	26,442	24,380	2,015	21	6		20
Cities of 2,500 to 10,000	4,451	4,379	55	16			1
Rural	17,643	17,124	391	109	1	1	17
MINNESOTA	25,306	24,890	165	239	8	1	3
Cities of 10,000 or more	11,280	11,114	150	8	6	1	1
Cities of 2,500 to 10,000	3,556	3,536	10	9	1		
Rural	10,470	10,240	5	222	1		2
MISSISSIPPI	21,666	8,950	12,666	31	8		11
Cities of 10,000 or more	4,079	2,007	2,065		7		
Cities of 2,500 to 10,000	1,542	801	730	11			
Rural	16,045	6,142	9,871	20	1		11
MISSOURI	42,521	38,074	4,399	2	8	1	37
Cities of 10,000 or more	20,590	17,479	3,067	1	8	1	34
Cities of 2,500 to 10,000	4,059	3,654	405				
Rural	17,872	16,941	927	1			3
MONTANA	5,212	4,794	26	346	8	3	35
Cities of 10,000 or more	1,599	1,571	11	6	2	1	8
Cities of 2,500 to 10,000	846	836	4	3		2	1
Rural	2,767	2,387	11	337	6		26
NEBRASKA	12,924	12,580	227	59		5	53
Cities of 10,000 or more	4,675	4,463	201	2		1	8
Cities of 2,500 to 10,000	1,787	1,764	7			1	15
Rural	6,462	6,353	19	57		3	30
NEVADA	1,233	1,071	17	121	12	9	3
Cities of 10,000 or more	312	291	10	3	6	2	
Cities of 2,500 to 10,000	313	290	6	12	1	3	1
Rural	608	490	1	106	5	4	2
NEW HAMPSHIRE	6,491	6,483	8				
Cities of 10,000 or more	3,060	3,055	5				
Cities of 2,500 to 10,000	556	556					
Rural	2,875	2,872	3				
NEW JERSEY	43,497	40,127	3,345	1	19	3	2
Cities of 10,000 or more	29,218	26,758	2,439		17	3	1
Cities of 2,500 to 10,000	5,681	5,369	310		2		
Rural	8,598	8,000	596	1			1
NEW MEXICO	5,824	5,455	63	301	2	2	1
Cities of 10,000 or more	1,047	1,026	17	4			
Cities of 2,500 to 10,000	1,126	1,099	24		1	2	
Rural	3,651	3,330	22	297	1		1
NEW YORK	148,455	141,067	7,021	134	171	44	18
Cities of 10,000 or more	112,828	106,203	6,350	47	170	40	18
Cities of 2,500 to 10,000	7,801	7,665	122	13	1		
Rural	27,826	27,199	549	74		4	
NORTH CAROLINA	30,547	19,179	11,195	171	1	1	
Cities of 10,000 or more	8,229	4,686	3,542	1			
Cities of 2,500 to 10,000	2,767	1,855	900	11	1		
Rural	19,551	12,638	6,753	159		1	
NORTH DAKOTA	5,463	5,234	7	217	3	1	1
Cities of 10,000 or more	1,044	1,030	4	8	1	1	
Cities of 2,500 to 10,000	738	729		7	2		
Rural	3,681	3,475	3	202			1
OHIO	73,054	67,720	5,316	8	10		
Cities of 10,000 or more	43,460	39,106	4,339	7	8		
Cities of 2,500 to 10,000	6,502	6,257	244		1		
Rural	23,092	22,357	733	1	1		
OKLAHOMA	20,309	17,511	1,958	774	1		65
Cities of 10,000 or more	6,498	5,471	882	120	1		24
Cities of 2,500 to 10,000	5,022	4,398	425	180			19
Rural	8,789	7,642	651	474			22
OREGON	10,450	10,193	42	128	47	31	9
Cities of 10,000 or more	4,943	4,852	28	12	29	16	6
Cities of 2,500 to 10,000	1,823	1,791	4	17	7	4	
Rural	3,684	3,550	10	99	11	11	3
PENNSYLVANIA	106,109	99,403	6,665	1	35	1	4
Cities of 10,000 or more	61,117	55,717	5,368		29		3
Cities of 2,500 to 10,000	12,892	12,668	223			1	
Rural	32,100	31,018	1,074	1	6		1
RHODE ISLAND	7,895	7,708	177	6	4		
Cities of 10,000 or more	6,915	6,746	161	4	4		
Cities of 2,500 to 10,000	357	352	5				
Rural	623	610	11	2			

[1] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[2] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

TABLE 2.—DEATHS (*Exclusive of Stillbirths*), BY COLOR OR RACE: 1933—Continued

AREA	All deaths	White	Negro	OTHER RACES			
				Indian	Chinese	Japanese	Other
SOUTH CAROLINA	19,356	8,580	10,776	-----	-----	----	------
Cities of 10,000 or more	4,615	2,247	2,368	-----	-----	----	------
Cities of 2,500 to 10,000	1,708	841	867	-----	-----	----	------
Rural	13,033	5,492	7,541	-----	-----	----	------
SOUTH DAKOTA	6,104	5,551	14	537	-----	----	2
Cities of 10,000 or more	1,182	1,168	5	9	-----	----	------
Cities of 2,500 to 10,000	881	871	5	5	-----	----	------
Rural	4,041	3,512	4	523	-----	----	2
TENNESSEE	28,123	20,403	7,712	2	4	----	2
Cities of 10,000 or more	10,410	6,289	4,115	-----	4	----	2
Cities of 2,500 to 10,000	2,694	1,964	730	-----	-----	----	------
Rural	15,019	12,150	2,867	2	-----	----	------
TEXAS	58,948	42,158	10,363	11	22	5	6,389
Cities of 10,000 or more	23,493	17,171	4,279	2	20	3	2,018
Cities of 2,500 to 10,000	8,184	5,675	1,361	-----	-----	----	1,148
Rural	27,271	19,312	4,723	9	2	2	3,223
UTAH	4,384	4,294	17	37	8	15	13
Cities of 10,000 or more	2,126	2,088	15	-----	8	8	7
Cities of 2,500 to 10,000	712	702	2	2	-----	4	2
Rural	1,546	1,504	-------	35	-----	3	4
VERMONT	4,621	4,620	1	-----	-----	----	------
Cities of 10,000 or more	851	851	-------	-----	-----	----	------
Cities of 2,500 to 10,000 and rural	3,770	3,769	1	-----	-----	----	------
VIRGINIA	28,454	18,043	10,401	5	4	1	------
Cities of 10,000 or more	8,928	5,224	3,702	-----	2	----	------
Cities of 2,500 to 10,000	2,292	1,762	530	-----	-----	----	------
Rural	17,234	11,057	6,169	5	2	1	------
WASHINGTON	16,705	16,135	144	255	30	108	33
Cities of 10,000 or more	9,402	9,131	105	53	24	66	23
Cities of 2,500 to 10,000	1,756	1,707	11	22	2	13	1
Rural	5,547	5,297	28	180	4	29	9
WEST VIRGINIA	16,605	14,980	1,624	-----	1	----	------
Cities of 10,000 or more	4,587	4,157	429	-----	1	----	------
Cities of 2,500 to 10,000	2,568	2,305	263	-----	-----	----	------
Rural	9,450	8,518	932	-----	-----	----	------
WISCONSIN	29,513	29,170	148	180	5	----	10
Cities of 10,000 or more	12,622	12,529	79	8	1	----	5
Cities of 2,500 to 10,000	3,612	3,604	3	5	-----	----	------
Rural	13,279	13,037	66	167	4	----	5
WYOMING	1,975	1,849	22	49	2	2	51
Cities of 10,000 or more	348	331	8	1	-----	----	8
Cities of 2,500 to 10,000	519	497	9	-----	2	----	11
Rural	1,108	1,021	5	48	-----	2	32

NOTE.—Data for individual cities held in manuscript.

TABLE 3.—DEATHS (*Exclusive of Stillbirths*),

	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
1	**Continental United States**	White	1,149,545	94,749	14,648	7,557	5,608	4,508	127,070	16,506	13,310	19,551	26,233
		Colored	192,561	26,138	4,572	1,907	1,304	911	34,832	3,323	3,343	7,060	10,378
2	Cities of 10,000 or more	White	604,462	44,243	6,344	3,517	2,730	2,284	59,118	8,970	6,868	9,747	13,642
		Colored	88,785	9,598	1,588	681	541	338	12,746	1,280	1,314	2,827	4,694
3	Cities of 2,500 to 10,000 [1]	White	118,256	9,222	1,439	798	619	518	12,596	1,816	1,598	2,335	3,034
		Colored	14,809	1,974	402	157	107	68	2,708	253	266	573	858
4	Rural [2]	White	426,827	41,284	6,865	3,242	2,259	1,706	55,356	5,720	4,844	7,469	9,557
		Colored	88,967	14,566	2,582	1,069	656	505	19,378	1,790	1,763	3,660	4,826
5	ALABAMA	White	14,625	2,024	401	157	128	95	2,805	262	230	332	451
		Colored	12,479	1,841	248	110	75	40	2,314	201	214	512	763
6	Cities of 10,000 or more	White	4,305	424	93	28	25	29	599	81	78	122	152
		Colored	3,893	458	71	28	19	7	583	59	69	177	249
7	Cities of 2,500 to 10,000	White	1,199	148	30	11	13	9	211	20	24	36	47
		Colored	797	100	11	6	3	2	122	7	10	32	71
8	Rural	White	9,121	1,452	278	118	90	57	1,995	161	128	174	252
		Colored	7,789	1,283	166	76	53	31	1,609	135	135	303	443
9	ARIZONA	White	3,041	241	55	14	25	14	349	59	35	74	123
		Colored	2,498	664	203	53	50	20	990	77	70	88	125
10	Cities of 10,000 or more	White	1,442	92	21	5	11	8	137	30	17	31	70
		Colored	808	194	62	8	26	5	295	23	18	29	51
11	Cities of 2,500 to 10,000	White	654	53	20	3	6	1	83	13	7	16	23
		Colored	485	121	43	8	8	6	186	12	7	13	25
12	Rural	White	945	96	14	6	8	5	129	16	11	27	30
		Colored	1,205	349	98	37	16	9	509	42	45	46	49
13	ARKANSAS	White	11,528	1,415	374	179	124	76	2,168	312	215	321	389
		Colored	5,069	531	157	68	43	25	824	108	112	195	287
14	Cities of 10,000 or more	White	2,551	192	54	24	9	10	289	58	43	93	85
		Colored	1,106	66	17	7	5	4	99	9	16	30	62
15	Cities of 2,500 to 10,000	White	1,398	123	28	12	12	9	184	45	28	41	49
		Colored	685	50	18	7	5	2	82	6	13	26	49
16	Rural	White	7,579	1,100	292	143	103	57	1,695	209	144	187	255
		Colored	3,278	415	122	54	33	19	643	93	83	139	176
17	CALIFORNIA	White	60,856	2,672	333	215	167	139	3,526	537	431	749	1,279
		Colored	7,180	1,355	265	125	95	43	1,883	201	143	263	323
18	Cities of 10,000 or more	White	39,095	1,700	209	131	94	78	2,212	346	247	424	809
		Colored	3,679	592	132	58	50	26	858	101	68	136	147
19	Cities of 2,500 to 10,000	White	5,567	322	30	19	23	22	416	57	44	84	111
		Colored	748	200	37	13	8	5	263	20	8	22	39
20	Rural	White	16,194	650	94	65	50	39	898	134	140	241	359
		Colored	2,753	563	96	54	37	12	762	80	67	105	137
21	COLORADO	White	11,162	973	153	79	46	38	1,289	163	157	201	294
		Colored	799	210	40	8	5	5	268	26	18	28	33
22	Cities of 10,000 or more	White	5,421	372	51	33	14	16	486	75	60	90	130
		Colored	287	42	10	2	2	2	58	3	3	6	12
23	Cities of 2,500 to 10,000	White	1,319	139	21	18	10	7	195	24	21	25	33
		Colored	142	39	9	1	1	1	51	9	4	4	7
24	Rural	White	4,422	462	81	28	22	15	608	64	76	86	131
		Colored	370	129	21	5	2	2	159	14	11	18	14
25	CONNECTICUT	White	16,936	1,042	127	72	61	40	1,342	178	178	230	288
		Colored	508	45	10	2	3	2	62	9	7	17	14
26	Cities of 10,000 or more	White	11,832	835	106	53	47	35	1,076	136	135	165	193
		Colored	431	39	9	2	3	2	55	8	7	14	8
27	Cities of 2,500 to 10,000	White	462	23		1	1	1	26	4	3	1	9
		Colored	11	3					3	1			
28	Rural	White	4,642	184	21	18	13	4	240	38	40	64	86
		Colored	66	3	1				4			3	6
29	DELAWARE	White	2,664	179	24	12	10	6	231	37	26	33	53
		Colored	645	58	11	5	2		76	5	12	19	33
30	Cities of 10,000 or more	White	1,307	101	16	7	4	4	132	26	12	17	24
		Colored	263	14	6	2	1		23	2	5	5	13
31	Cities of 2,500 to 10,000	White	237	19	1	3			23	1	4	2	4
		Colored	66	9	1	1	1		12		4	3	2
32	Rural	White	1,120	59	7	2	6	2	76	10	10	14	25
		Colored	316	35	4	2			41	3	3	11	18
33	DISTRICT OF COLUMBIA	White	4,750	322	25	22	14	6	389	43	34	51	113
		Colored	3,122	347	37	19	19	7	429	28	42	68	171
34	FLORIDA	White	11,569	876	140	97	61	50	1,224	162	131	198	350
		Colored	7,190	738	85	49	32	20	924	94	97	267	395
35	Cities of 10,000 or more	White	5,101	333	56	40	26	23	478	68	47	66	151
		Colored	3,088	267	32	20	12	4	335	37	35	111	172
36	Cities of 2,500 to 10,000	White	2,345	161	23	14	5	7	210	28	24	45	72
		Colored	1,244	104	14	6	7	3	134	9	13	32	70
37	Rural	White	4,123	382	61	43	30	20	536	66	60	87	127
		Colored	2,858	367	39	23	13	13	455	48	49	124	153
38	GEORGIA	White	16,860	2,116	393	184	133	100	2,926	315	240	406	509
		Colored	14,334	1,954	294	112	68	62	2,490	218	241	570	910
39	Cities of 10,000 or more	White	5,319	527	87	48	35	29	726	98	81	135	164
		Colored	5,397	538	83	40	24	20	705	64	99	193	374
40	Cities of 2,500 to 10,000 and rural	White	11,541	1,589	306	136	98	71	2,200	217	159	271	345
		Colored	8,937	1,416	211	72	44	42	1,785	154	142	377	536
41	IDAHO	White	3,904	377	58	33	32	18	518	84	77	85	115
		Colored	152	27	7	4	2	2	42	6	5	7	1
42	Cities of 10,000 or more	White	547	48	2	1	4	1	56	9	8	12	14
		Colored	23	3		1			4	1	2		
43	Cities of 2,500 to 10,000	White	1,627	160	16	17	15	10	218	47	31	40	54
		Colored	23	3		1			4	1		2	
44	Rural	White	1,730	169	40	15	13	7	244	28	38	33	47
		Colored	106	21	7	2	2	2	34	4	3	5	1

[1] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[2] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

BY AGE AND COLOR: 1933

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
27,749	30,226	37,866	46,844	58,470	70,310	83,249	101,919	111,769	125,205	111,011	79,980	42,897	14,681	3,062	479	1,158	1
10,761	10,977	12,263	12,761	13,791	14,930	12,257	11,829	9,905	7,908	5,644	4,477	2,644	1,473	613	709	683	
15,169	17,343	22,488	28,588	35,822	42,949	49,454	58,923	61,930	63,165	50,788	34,195	17,566	5,945	1,252	184	356	2
5,631	6,195	7,023	7,317	7,821	8,052	6,379	5,692	4,197	3,084	1,857	1,213	693	349	138	136	147	
3,060	3,135	3,630	4,362	5,642	6,669	8,073	9,861	11,094	13,172	12,152	9,026	4,878	1,627	314	53	129	3
820	789	886	890	1,022	1,162	932	889	799	627	484	333	215	114	42	56	91	
9,520	9,748	11,748	13,894	17,006	20,692	25,722	33,135	38,745	48,868	48,071	36,759	20,453	7,109	1,496	242	673	4
4,310	3,993	4,354	4,554	4,948	5,716	4,946	5,248	4,909	4,197	3,303	2,931	1,736	1,010	433	517	445	
425	456	481	524	636	768	905	1,007	1,129	1,358	1,259	906	481	139	26	12	33	5
705	621	735	749	836	892	699	722	644	556	405	372	219	152	46	80	42	
152	160	176	206	228	302	326	328	396	387	292	197	87	25	5		6	6
272	258	297	304	336	355	272	232	160	111	55	47	27	12	7	7	4	
39	43	45	52	67	67	74	93	82	85	98	62	44	8			2	7
47	56	37	54	56	67	53	40	43	42	25	16	6	8	1	3	1	
234	253	260	266	341	399	505	586	651	886	869	647	350	106	21	12	25	8
386	307	401	391	444	470	374	450	441	403	325	309	186	132	38	70	37	
154	198	185	202	214	210	194	206	204	222	179	127	65	26	4		11	9
91	94	105	97	114	99	84	93	100	80	58	42	29	27	9	16	10	
90	110	117	101	121	105	83	86	86	103	65	46	24	13	3		4	10
28	33	43	33	37	36	30	38	35	24	18	14	6	7	4	4	2	
21	32	22	33	32	45	55	51	53	55	49	42	16	4	1		1	11
22	17	22	22	27	18	20	24	20	16	11	5	10	2	1	5		
43	56	46	68	61	60	56	69	65	64	65	39	25	9			6	12
41	44	40	42	50	45	34	31	45	40	29	23	13	18	4	7	8	
375	364	416	469	513	567	678	849	819	915	879	649	334	118	26	5	147	13
307	255	286	303	343	410	308	309	275	195	161	140	83	36	17	13	102	
95	95	118	145	157	164	175	231	217	195	178	114	48	22	5		24	14
79	81	79	96	92	114	98	68	48	29	36	19	11	7	2	1	30	
48	52	45	61	70	61	87	111	109	117	114	81	53	18	3		21	15
45	31	46	46	66	65	39	46	37	25	21	15	6	4	2	1	14	
232	217	253	263	286	342	416	507	493	603	587	454	233	78	18	5	102	16
183	143	161	161	185	231	171	195	190	141	104	106	66	25	13	11	58	
1,400	1,644	2,168	2,699	3,535	4,418	4,972	5,998	6,519	7,068	6,062	4,417	2,397	791	204	33	9	17
410	375	396	410	448	427	430	369	307	274	215	165	62	46	14	17	2	
862	1,057	1,358	1,722	2,286	2,872	3,251	3,993	4,265	4,555	3,897	2,796	1,495	511	113	18	6	18
225	223	216	219	253	244	252	209	151	161	99	67	20	19	5	5	1	
114	138	182	201	278	360	432	489	588	675	602	439	257	67	27	4	2	19
30	21	35	27	33	44	39	36	46	26	24	17	7	7	2	2		
424	449	628	776	971	1,186	1,289	1,516	1,666	1,838	1,563	1,182	645	213	64	11	1	20
155	131	145	164	162	139	139	124	110	87	92	81	35	20	7	10	1	
330	383	443	501	531	641	701	914	1,066	1,244	1,046	728	351	134	21	5	19	21
21	41	48	43	43	33	37	37	35	28	25	10	9	4	5	6	1	
163	188	216	240	269	335	383	467	564	635	524	349	162	62	13	1	9	22
8	17	19	19	26	17	17	20	15	16	12	6	4	4	3	2		
46	37	43	58	63	76	72	108	117	131	123	90	37	14	2	1	3	23
5	8	9	7	5	4	6	6	6	3	3	2	1			1	1	
121	158	184	203	199	230	246	339	385	478	399	289	152	58	6	3	7	24
8	16	20	17	12	12	14	11	14	9	10	2	4		2	3		
285	379	538	713	914	1,195	1,405	1,705	1,824	1,941	1,653	1,178	663	256	60	9	2	25
30	33	35	36	39	33	43	33	38	26	20	9	12	9	2		1	
200	268	409	538	662	894	1,008	1,234	1,292	1,319	1,049	703	363	149	33	5	1	26
22	27	31	31	34	28	41	29	32	21	18	7	10	6	1		1	
5	18	10	16	42	33	35	46	57	47	43	33	20	10	3	1		27
		1	1	1	1		1	1				1					
80	93	119	159	210	268	362	425	475	575	561	442	280	97	24	3	1	28
8	6	3	4	4	4	2	3	5	5	2	2	1	3	1			
61	56	78	96	138	141	172	228	288	344	326	205	101	37	10	1	2	29
28	42	40	37	37	50	36	63	42	46	34	17	12	11		2	3	
33	28	44	66	86	87	95	121	138	137	125	79	36	15	4	1	1	30
18	21	23	19	17	22	17	26	17	12	10	7	3	4		1	1	
8	9	7	5	12	8	15	17	27	26	30	22	14	2	1			31
2	5	4	7	3	3	3	8	2	4	2	1		1				
20	19	27	25	40	46	62	90	123	181	171	104	51	20	5		1	32
8	16	13	11	17	25	16	29	23	30	22	9	9	9		1	2	
113	145	178	212	250	331	410	480	484	503	442	303	182	74	11	2		33
198	203	219	237	274	316	229	227	175	140	74	48	20	18	3		3	
343	360	406	504	641	691	849	987	1,034	1,236	1,045	786	435	138	25	5	19	34
539	519	581	559	615	681	522	397	318	239	141	122	67	44	14	25	30	
160	160	197	236	319	326	390	470	468	514	457	339	176	63	8	2	6	35
259	251	294	278	304	329	243	150	130	66	38	25	12	9	3	2	5	
66	78	90	114	138	146	171	208	230	266	196	151	86	18	3		5	36
93	92	111	103	108	131	92	82	52	48	32	15	13	8	1	3	2	
117	122	119	154	184	219	288	309	336	456	392	296	173	57	14	3	8	37
187	176	176	178	203	221	187	165	136	125	71	82	42	27	10	20	23	
542	534	616	675	771	955	1,100	1,263	1,236	1,529	1,408	1,072	529	136	42	6	50	38
849	806	910	993	1,066	1,148	954	847	668	508	373	323	185	100	45	80	50	
185	213	222	253	308	370	416	459	462	439	355	252	133	35	8	1	4	39
387	330	458	490	511	514	411	299	189	129	63	53	37	16	9	8	8	
357	321	394	422	463	585	684	804	774	1,090	1,053	820	396	101	34	5	46	40
462	426	452	503	555	634	543	548	479	379	310	270	148	84	36	72	42	
118	91	130	131	205	244	250	294	345	420	363	255	126	36	12	1	4	41
3	5	6	4	6	4	6	11	8	12	6	6	6	5	2	1		
25	13	28	28	34	42	36	38	46	57	40	32	18	8	2	1		42
1	1	4		2	1	1		1	3		1		1				
52	42	61	47	87	118	111	126	138	162	146	89	40	14	3		1	43
2	1			4		1	4	1		1		2					
41	36	41	56	84	84	103	130	161	201	177	134	68	14	7		3	44
	3	2	4		3	4	7	6	9	5	5	4	4	2	1		

TABLE 3.—DEATHS (*Exclusive of Stillbirths*),

	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
1	ILLINOIS	White	76,448	4,815	656	388	324	287	6,470	1,025	885	1,210	1,582
		Colored	6,065	469	75	26	29	20	619	72	67	166	297
2	Cities of 10,000 or more	White	48,205	3,096	413	255	219	206	4,189	740	572	806	1,096
		Colored	5,011	413	65	26	25	18	547	66	59	130	256
3	Cities of 2,500 to 10,000	White	7,263	487	65	33	27	26	638	100	103	131	151
		Colored	247	20	3		1		24	2	4	10	16
4	Rural	White	20,980	1,232	178	100	78	55	1,643	185	210	273	335
		Colored	807	36	7		3	2	48	4	4	26	25
5	INDIANA	White	36,070	2,534	404	218	152	115	3,423	468	285	573	749
		Colored	1,939	141	36	8	8	3	196	27	25	53	74
6	Cities of 10,000 or more	White	15,702	1,185	183	103	71	55	1,597	239	194	291	364
		Colored	1,622	129	35	8	8	3	183	26	18	41	67
7	Cities of 2,500 to 10,000	White	4,215	287	49	27	14	19	396	40	53	57	95
		Colored	53	2	1				3		1	1	1
8	Rural	White	16,153	1,062	172	88	67	41	1,430	189	138	225	290
		Colored	264	10					10	1	6	11	6
9	IOWA	White	25,325	1,875	200	121	111	66	2,373	286	254	364	471
		Colored	340	36	5		1	2	44	2	2	9	9
10	Cities of 10,000 or more	White	9,162	730	71	59	44	27	931	122	97	150	212
		Colored	265	27	4			2	33	1	2	8	8
11	Cities of 2,500 to 10,000	White	4,557	305	45	15	21	18	404	51	55	76	89
		Colored	28	5					5	1			
12	Rural	White	11,606	840	84	47	46	21	1,038	113	102	138	170
		Colored	47	4	1		1		6			1	1
13	KANSAS	White	18,467	1,548	201	106	97	54	2,006	228	233	289	396
		Colored	1,146	98	9	10	2	3	122	10	14	27	40
14	Cities of 10,000 or more	White	5,954	462	60	38	34	17	611	94	94	103	161
		Colored	775	67	6	7	1	2	83	9	8	17	28
15	Cities of 2,500 to 10,000	White	2,694	227	45	19	23	12	326	32	39	62	65
		Colored	87	13		2			15	1	2	2	4
16	Rural	White	9,819	859	96	49	40	25	1,069	102	100	124	170
		Colored	284	18	3	1	1	1	24		4	8	8
17	KENTUCKY	White	24,330	2,894	716	300	212	166	4,288	492	366	610	800
		Colored	4,190	319	53	17	20	11	420	55	44	136	156
18	Cities of 10,000 or more	White	6,638	546	106	48	37	32	769	116	82	135	193
		Colored	1,989	139	15	5	10	5	174	27	19	55	61
19	Cities of 2,500 to 10,000 and rural	White	17,692	2,348	610	252	175	134	3,519	376	284	475	607
		Colored	2,201	180	38	12	10	6	246	28	25	81	95
20	LOUISIANA	White	12,132	1,318	202	120	88	64	1,792	218	201	271	382
		Colored	10,980	1,467	206	89	75	61	1,898	167	187	418	558
21	Cities of 10,000 or more	White	6,137	525	80	45	40	31	721	98	90	123	196
		Colored	4,695	524	80	30	26	20	680	51	64	182	246
22	Cities of 2,500 to 10,000	White	1,185	120	12	15	10	4	161	21	22	21	39
		Colored	1,084	132	13	10	4	4	163	14	13	45	48
23	Rural	White	4,810	673	110	60	38	29	910	99	89	127	147
		Colored	5,201	811	113	49	45	37	1,055	102	110	191	264
24	MAINE	White	11,070	1,000	119	47	43	31	1,240	126	101	162	210
		Colored	32	2					2	1			1
25	Cities of 10,000 or more	White	3,665	336	40	10	19	7	412	55	33	53	79
		Colored	19	1					1	1			
26	Cities of 2,500 to 10,000	White	1,471	135	10	7	6	6	164	21	14	24	40
		Colored	3	1					1				
27	Rural	White	5,934	529	69	30	18	18	664	50	54	85	91
		Colored	10										1
28	MARYLAND	White	15,856	1,165	149	74	57	60	1,505	189	149	247	305
		Colored	4,754	640	101	23	24	20	808	62	69	155	242
29	Cities of 10,000 or more	White	9,549	690	89	45	34	43	901	131	105	133	170
		Colored	2,758	312	59	14	18	10	413	30	31	78	117
30	Cities of 2,500 to 10,000	White	865	85	7	6	6	1	105	10	12	19	22
		Colored	256	33	4	2	1	3	43	4	3	12	19
31	Rural	White	5,442	390	53	23	17	16	499	48	32	95	113
		Colored	1,740	295	38	7	5	7	352	28	35	65	106
32	MASSACHUSETTS	White	49,847	3,218	434	249	171	166	4,238	575	496	642	802
		Colored	964	81	11	3	6	1	102	11	9	27	36
33	Cities of 10,000 or more	White	40,639	2,893	389	219	151	142	3,794	497	408	511	650
		Colored	795	67	8	2	5	1	83	9	6	18	31
34	Cities of 2,500 to 10,000	White	3,271	163	16	11	9	12	211	32	28	44	37
		Colored	32	2					2	1		2	
35	Rural	White	5,937	162	29	19	11	12	233	46	60	87	115
		Colored	137	12	3	1	1		17	1	3	7	5
36	MICHIGAN	White	45,883	3,872	462	277	223	188	5,022	719	524	793	998
		Colored	2,653	218	41	23	21	10	313	44	39	77	142
37	Cities of 10,000 or more	White	24,380	2,353	297	165	141	126	3,082	499	301	455	594
		Colored	2,062	193	40	19	18	7	277	39	28	65	117
38	Cities of 2,500 to 10,000	White	4,379	314	42	35	27	17	435	69	56	79	98
		Colored	72	3				1	4		3	1	1
39	Rural	White	17,124	1,205	123	77	55	45	1,505	151	167	259	306
		Colored	519	22	1	4	3	2	32	5	8	11	24
40	MINNESOTA	White	24,890	2,062	241	110	106	73	2,592	298	280	396	547
		Colored	416	58	14	6	5	2	85	7	11	22	15
41	Cities of 10,000 or more	White	11,114	798	97	49	51	32	1,027	143	119	177	249
		Colored	166	9	1				10	1	3	3	1
42	Cities of 2,500 to 10,000	White	3,536	259	35	17	16	6	333	49	45	72	93
		Colored	20	3			2		5	1			
43	Rural	White	10,240	1,005	109	44	39	35	1,232	106	116	147	205
		Colored	230	46	13	6	3	2	70	5	8	19	14
44	MISSISSIPPI	White	8,950	1,043	254	115	77	54	1,543	185	142	187	237
		Colored	12,716	1,775	342	162	113	84	2,476	317	349	554	672
45	Cities of 10,000 or more	White	2,007	186	39	17	15	10	267	37	39	45	74
		Colored	2,072	152	24	9	18	13	216	34	57	87	123
46	Cities of 2,500 to 10,000	White	801	62	22	8	5	9	106	19	16	24	29
		Colored	741	60	12	7	5	1	85	14	16	24	46
47	Rural	White	6,142	795	193	90	57	35	1,170	129	87	118	134
		Colored	9,903	1,563	306	146	90	70	2,175	269	276	443	503

BY AGE AND COLOR: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
1,831	2,028	2,700	3,580	4,459	5,120	5,830	7,119	8,038	8,420	7,129	5,035	2,698	1,006	202	22	59	1
390	485	522	588	600	603	430	399	289	226	140	86	45	19	5	9	8	
1,247	1,446	1,920	2,515	3,236	3,690	4,049	4,823	5,099	4,865	3,711	2,409	1,222	426	89	7	48	2
336	424	431	492	493	519	362	320	220	160	98	45	26	11	4	6	6	
175	160	188	249	349	393	471	597	703	896	807	629	353	129	32	6	3	3
9	15	9	13	26	18	18	16	19	15	10	11	6	3	1	2		
409	422	592	816	874	1,037	1,310	1,699	2,236	2,659	2,611	1,997	1,123	451	81	9	8	4
45	46	82	83	81	66	50	63	50	51	32	30	13	5		1	2	
746	867	1,037	1,278	1,534	1,959	2,414	3,012	3,632	4,431	4,137	3,137	1,659	471	113	7	38	5
94	117	130	170	167	170	144	165	126	103	74	52	25	10	7	2	8	
390	474	572	739	795	1,037	1,213	1,395	1,502	1,695	1,421	1,054	551	133	32	3	11	6
77	105	116	156	148	151	118	134	94	78	49	28	16	6	5	2	4	
100	75	114	115	161	205	266	327	430	549	536	405	214	57	11	1	8	7
2	1	2		3	1	7	8	5	3	5	6	2		1		1	
256	318	351	424	578	717	935	1,290	1,700	2,187	2,180	1,678	894	281	70	3	19	8
15	11	12	14	16	18	19	23	27	22	20	18	7	4	1		3	
486	539	674	755	978	1,167	1,569	2,083	2,481	3,182	3,190	2,380	1,434	531	108	12	8	9
16	12	13	29	18	21	24	26	34	26	23	13	12	4	1	2		
238	234	294	371	449	535	689	782	886	1,069	907	665	355	132	35	7	2	10
13	9	13	24	17	17	16	17	27	19	13	10	11	4	1	2		
91	124	135	121	177	191	258	354	451	565	622	410	269	91	18	3	2	11
	1		4		1	3	5		3	3	2						
157	181	245	263	352	441	622	947	1,144	1,548	1,661	1,305	810	308	55	2	4	12
3	2		1	1	3	5	4	7	4	7	1	1					
426	396	444	625	734	848	1,175	1,416	1,698	2,174	2,086	1,765	1,049	402	62	13	2	13
40	45	65	70	82	108	86	95	89	82	66	48	30	17	4	5	1	
176	143	177	250	269	322	435	488	560	611	588	448	304	100	17	3		14
22	28	45	51	64	79	56	70	63	51	45	24	14	9	3	5	1	
72	62	73	86	108	118	181	198	224	317	286	252	125	57	8	3		15
2	3	4	5	5	4	3	5	6	10	4	7	4	1				
178	191	194	289	357	408	559	730	914	1,246	1,212	1,065	620	245	37	7	2	16
16	14	16	14	13	25	27	20	20	21	17	17	12	7	1			
740	750	809	816	967	1,134	1,309	1,761	2,009	2,383	2,213	1,638	860	286	46	13	40	17
170	210	244	292	321	382	354	352	323	258	187	123	83	36	18	16	10	
181	199	222	243	333	415	428	599	681	745	596	419	206	59	10	1	6	18
83	103	129	169	171	221	184	165	168	108	61	40	30	10	5	5	1	
559	551	587	573	634	719	881	1,162	1,328	1,638	1,617	1,219	654	227	36	12	34	19
87	107	115	123	150	161	170	187	155	150	126	83	53	26	13	11	9	
395	382	497	555	613	784	885	1,066	969	975	937	668	357	127	28	7	23	20
593	565	681	687	778	827	665	708	604	480	383	323	207	101	51	74	25	
210	206	258	306	341	470	529	617	559	495	427	278	142	47	14	5	5	21
299	306	346	366	411	431	338	331	223	165	108	56	44	21	5	14	8	
42	40	48	55	60	68	84	104	93	87	98	89	39	8	3		3	22
55	54	65	76	87	81	78	58	75	47	53	27	17	10	6	8	4	
143	136	191	194	212	246	272	345	317	393	412	301	176	72	11	2	15	23
239	205	270	245	280	315	249	319	306	268	222	240	146	70	40	52	13	
191	206	228	326	369	514	683	912	1,112	1,310	1,363	1,085	627	254	45	5	1	24
1		1	2		1	2	2	6	3	4	4		1	1			
68	84	96	145	164	203	242	326	368	407	402	295	161	57	13	2		25
1		1	2		1	1	1	6	1	1	1			1			
32	28	34	38	39	60	96	120	153	183	159	148	74	42	2			26
										1	1						
91	94	98	143	166	251	345	466	591	720	802	642	392	155	30	3	1	27
						1	1		2	2	2		1				
328	362	490	614	818	1,037	1,234	1,545	1,637	1,799	1,655	1,101	611	170	39	8	13	28
244	252	290	298	337	399	388	361	273	237	139	95	54	23	7	6	15	
197	224	330	416	554	700	816	969	1,003	1,052	893	566	293	76	16	3	1	29
141	180	202	225	246	274	212	221	146	123	57	32	16	6	3	1	4	
15	18	18	30	38	49	75	75	103	84	88	63	28	10	1		2	30
10	10	13	7	19	16	23	18	14	15	10	11	3	1	1	1	3	
116	120	142	168	226	288	343	501	531	663	674	472	290	84	22	5	10	31
93	62	75	66	72	109	153	122	113	99	72	52	35	16	3	4	8	
959	1,120	1,503	1,963	2,460	3,045	3,994	5,132	5,582	5,875	4,881	3,640	1,952	766	183	18	21	32
33	49	54	62	90	98	77	76	69	61	38	32	25	11	3	1		
789	933	1,269	1,659	2,092	2,546	3,356	4,280	4,560	4,701	3,750	2,732	1,404	548	130	14	16	33
27	41	41	50	76	86	64	62	61	52	29	27	19	10	2	1		
38	49	75	85	131	186	230	299	365	434	401	334	194	78	19	1		34
	2	1	3	4	3	3		1	5	2		3					
132	138	159	219	237	313	408	553	657	740	730	574	354	140	34	3	5	35
6	6	12	9	10	9	10	14	7	4	7	5	3	1	1			
1,052	1,197	1,627	1,996	2,393	2,789	3,024	3,686	4,344	5,001	4,710	3,380	1,799	645	120	20	44	36
193	267	272	218	206	234	160	152	119	76	65	36	17	11	4	2	6	
681	772	1,084	1,328	1,487	1,683	1,693	1,974	2,150	2,292	1,993	1,306	693	252	45	6	10	37
165	223	226	175	152	182	110	102	76	47	39	23	7	3	1	1	4	
85	97	124	133	192	241	277	351	435	517	511	391	195	73	13	3	4	38
5	9	3	6	8	3	8	5	4	3	3	2	3	1				
286	328	419	535	714	865	1,054	1,361	1,759	2,192	2,206	1,683	911	320	62	11	30	39
23	35	43	37	46	49	42	45	39	26	23	11	7	7	3	1	2	
534	632	761	952	1,141	1,363	1,658	2,063	2,500	3,016	2,667	1,886	1,088	407	88	15	6	40
11	15	20	25	26	25	31	33	26	18	13	17	7	3	3	3		
254	283	395	506	615	728	881	1,000	1,156	1,316	1,074	679	352	128	24	5	3	41
5	10	10	14	14	15	23	19	18	7	4	7	2					
75	96	107	118	133	206	217	285	366	448	400	263	161	55	14			42
1		3	1	2	3		1		1	2							
205	253	259	328	393	429	560	778	978	1,252	1,193	944	575	224	50	10	3	43
5	5	7	10	10	7	8	13	8	10	7	10	5	3	3	3		
261	255	288	349	393	451	544	640	689	828	817	631	348	114	23	2	23	44
619	645	610	602	719	824	701	802	660	581	489	467	281	150	67	79	52	
72	84	85	99	118	128	143	158	170	181	145	96	43	17	3		3	45
122	171	146	153	190	161	131	140	100	72	59	59	26	11	4	6	4	
27	27	27	30	46	53	52	61	63	63	61	49	39	8			1	46
44	50	48	44	53	69	45	44	40	39	26	16	15	9	7	3	4	
162	144	176	220	229	270	349	421	456	584	611	486	266	89	20	2	19	47
453	424	416	405	476	594	525	618	520	470	404	392	240	130	56	70	44	

TABLE 3.—DEATHS (*Exclusive of Stillbirths*),

	AREA AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
1	MISSOURI—White	38,074	2,839	526	253	163	149	3,930	531	404	577	811
	Colored	4,447	337	63	19	14	11	444	53	48	116	195
2	Cities of 10,000 or more—White	17,479	943	151	90	73	63	1,320	260	173	250	382
	Colored	3,111	193	30	11	10	6	250	30	26	65	141
3	Cities of 2,500 to 10,000—White	3,654	272	50	19	15	14	370	48	43	71	85
	Colored	405	37	6	2			45	3	4	18	19
4	Rural—White	16,941	1,624	325	144	75	72	2,240	223	188	256	344
	Colored	931	107	27	6	4	5	149	20	18	33	35
5	MONTANA—White	4,794	374	33	21	20	19	467	62	68	92	128
	Colored	418	87	21	15	7	3	133	19	10	21	18
6	Cities of 10,000 or more—White	1,571	99	6	6	8	6	125	21	20	30	32
	Colored	28	2			1		3		1	1	2
7	Cities of 2,500 to 10,000—White	836	69	6	4	2	4	85	14	16	10	25
	Colored	10	1					1				1
8	Rural—White	2,387	206	21	11	10	9	257	27	32	52	71
	Colored	380	84	21	15	6	3	129	19	9	20	15
9	NEBRASKA—White	12,580	1,152	139	81	45	53	1,470	163	137	202	249
	Colored	344	41	10	3	1	2	57	5	7	16	10
10	Cities of 10,000 or more—White	4,463	334	41	23	17	23	438	74	51	81	104
	Colored	212	13	2		1	1	17	3	6	7	6
11	Cities of 2,500 to 10,000—White	1,764	146	19	22	6	7	200	26	20	39	54
	Colored	23	5	1				6	1	1	2	1
12	Rural—White	6,353	672	79	36	22	23	832	63	66	82	91
	Colored	109	23	7	3		1	34	1		7	3
13	NEVADA—White	1,071	84	9	4	3	3	103	14	11	21	24
	Colored	162	15	2	1	2	3	23	3	6	11	7
14	Cities of 10,000 or more—White	291	12	2		2		16	7	3	7	4
	Colored	21	1					1				
15	Cities of 2,500 to 10,000—White	290	31				1	32	3	6	6	4
	Colored	23	5		1	1	1	8				1
16	Rural—White	490	41	7	4	1	2	55	4	2	8	16
	Colored	118	9	2		1	2	14	3	6	11	6
17	NEW HAMPSHIRE—White	6,483	413	37	25	14	17	506	50	42	93	110
	Colored	8										
18	Cities of 10,000 or more—White	3,055	230	23	14	8	11	286	27	25	38	54
	Colored	5										
19	Cities of 2,500 to 10,000—White	556	31	3	4	1	1	40	3	3	16	9
	Colored											
20	Rural—White	2,872	152	11	7	5	5	180	20	14	39	47
	Colored	3										
21	NEW JERSEY—White	40,127	2,255	329	198	154	118	3,054	523	414	591	800
	Colored	3,370	342	47	20	22	13	444	47	40	101	141
22	Cities of 10,000 or more—White	26,758	1,733	250	167	111	99	2,360	435	299	383	523
	Colored	2,460	279	41	18	18	11	367	37	32	65	84
23	Cities of 2,500 to 10,000—White	5,369	215	40	15	13	5	288	30	44	72	149
	Colored	312	26	3	1	1		31	3	2	17	25
24	Rural—White	8,000	307	39	16	30	14	406	58	71	136	128
	Colored	598	37	3	1	3	2	46	7	6	19	32
25	NEW MEXICO—White	5,455	1,569	244	72	55	37	1,977	102	99	126	186
	Colored	369	105	31	8	4	2	150	10	8	15	19
26	Cities of 10,000 or more—White	1,026	202	21	10	8	9	250	11	15	37	44
	Colored	21	4					4			1	1
27	Cities of 2,500 to 10,000—White	1,099	222	41	10	8	10	291	23	25	31	47
	Colored	27		2				2			2	1
28	Rural—White	3,330	1,145	182	52	39	18	1,436	68	59	58	95
	Colored	321	101	29	8	4	2	144	10	8	12	17
29	NEW YORK—White	141,067	9,233	1,227	706	556	467	12,189	1,788	1,436	1,940	2,651
	Colored	7,388	793	105	63	45	30	1,036	107	97	178	415
30	Cities of 10,000 or more—White	106,203	7,514	1,044	579	467	380	9,984	1,476	1,142	1,471	2,047
	Colored	6,625	736	95	56	42	26	955	98	89	147	378
31	Cities of 2,500 to 10,000—White	7,665	452	46	31	32	30	591	99	93	101	151
	Colored	136	22	4	2		1	29	3	2	4	8
32	Rural—White	27,199	1,267	137	96	57	57	1,614	213	201	368	453
	Colored	627	35	6	5	3	3	52	6	6	27	29
33	NORTH CAROLINA—White	19,179	2,833	497	191	147	105	3,773	361	258	441	575
	Colored	11,368	2,144	315	133	73	59	2,724	190	224	483	718
34	Cities of 10,000 or more—White	4,686	582	103	41	40	34	800	102	77	137	154
	Colored	3,543	506	69	32	15	17	639	60	74	166	256
35	Cities of 2,500 to 10,000—White	1,855	237	53	22	13	4	329	49	42	52	79
	Colored	912	145	15	6	7	7	180	16	16	38	68
36	Rural—White	12,638	2,014	341	128	94	67	2,644	210	139	252	342
	Colored	6,913	1,493	231	95	51	35	1,905	114	134	279	394
37	NORTH DAKOTA—White	5,234	726	85	42	27	24	904	88	107	129	164
	Colored	229	65	10	10	5	5	95	8	9	7	9
38	Cities of 10,000 or more—White	1,030	108	13	8	6	7	142	20	24	30	45
	Colored	14		1				1				1
39	Cities of 2,500 to 10,000—White	729	73	19	10	8	3	113	16	18	23	34
	Colored	9	2		1			3		1	1	
40	Rural—White	3,475	545	53	24	13	14	649	52	65	76	85
	Colored	206	63	9	9	5	5	91	8	8	6	8
41	OHIO—White	67,720	4,592	630	349	257	255	6,083	913	694	1,035	1,372
	Colored	5,334	457	42	33	28	21	581	64	71	156	250
42	Cities of 10,000 or more—White	39,106	2,677	347	200	159	148	3,531	603	466	633	852
	Colored	4,354	406	33	29	25	19	512	51	61	117	197
43	Cities of 2,500 to 10,000—White	6,257	372	66	30	18	29	515	89	59	99	128
	Colored	245	14	5	3	1		23	5	1	12	9
44	Rural—White	22,357	1,543	217	119	80	78	2,037	221	169	303	392
	Colored	735	37	4	1	2	2	46	8	9	27	44
45	OKLAHOMA—White	17,511	2,131	418	191	180	122	3,042	394	327	476	579
	Colored	2,798	335	102	42	21	15	515	45	53	137	157
46	Cities of 10,000 or more—White	5,471	564	144	50	52	34	844	131	111	158	189
	Colored	1,027	94	24	12	6	7	143	15	21	47	58
47	Cities of 2,500 to 10,000—White	4,398	463	83	49	48	39	682	98	72	122	150
	Colored	624	87	28	7	4	4	130	16	9	31	33
48	Rural—White	7,642	1,104	191	92	80	49	1,516	165	144	196	240
	Colored	1,147	154	50	23	11	4	242	14	23	59	66

BY AGE AND COLOR: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
794	899	1,069	1,365	1,780	2,125	2,688	3,399	3,726	4,505	3,968	2,974	1,712	570	121	15	111	1
205	255	310	335	381	411	399	351	265	225	167	109	67	40	16	10	45	
380	481	582	777	1,039	1,240	1,468	1,781	1,902	2,027	1,535	1,071	563	167	36	5	40	2
164	195	237	270	301	322	308	269	172	135	92	48	29	22	9	5	21	
105	96	113	136	147	185	269	306	320	431	383	305	159	59	11	3	9	3
12	17	23	21	25	25	34	30	28	24	27	21	14	3	1	2	9	
309	322	374	452	594	700	951	1,312	1,504	2,047	2,050	1,598	990	344	74	7	62	4
29	43	50	44	55	64	57	52	65	66	48	40	24	15	6	3	15	
126	151	145	232	330	351	347	405	507	537	420	246	132	31	14	2	1	5
21	8	12	15	17	17	21	19	19	23	14	18	7	5		1		
30	51	55	89	128	131	117	150	175	178	122	69	38	8	1		1	6
4	1	1	2	3		5	2	2	1								
30	23	25	34	52	64	58	71	91	85	79	44	23	3	3	1		7
1		1		2	1		3										
66	77	65	109	150	156	172	184	241	274	219	133	71	20	10	1		8
16	7	10	13	12	16	16	14	17	22	14	18	7	5		1		
273	288	330	418	563	616	727	996	1,109	1,508	1,437	1,118	667	251	40	2	16	9
17	17	22	25	33	27	25	15	26	18	13	5	3	1	1	1		
111	110	148	206	243	264	292	394	442	524	417	313	173	61	9	1	7	10
13	8	17	18	24	19	16	10	21	12	7	4	2	1	1			
50	44	53	52	81	91	94	119	126	207	204	147	106	45	4		2	11
	1	1	1	2	1	2	2		1	1							
112	134	129	160	239	261	341	483	541	777	816	658	388	145	27	1	7	12
4	8	4	6	7	7	7	3	5	5	5	1	1			1		
31	46	62	53	62	81	90	114	100	90	73	56	28	4	7		1	13
8	6	10	7	1	12	7	15	9	6	7	11	4	5	2		2	
5	13	17	15	18	25	32	25	26	33	21	15	7	1	1			14
1	1	4		1	5	2	3	1	1				1				
7	13	19	18	19	20	20	34	31	22	14	14	5	1	1		1	15
	1	2	1		3		3	2	1			1					
19	20	26	20	25	36	38	55	43	35	38	27	16	2	5			16
7	4	4	6		4	5	9	6	4	7	11	3	4	2		2	
92	115	151	171	254	337	417	582	669	833	819	647	381	142	34	4	34	17
			2	1	1	1	1	1	1		1						
42	66	81	101	133	183	202	285	328	388	342	263	142	42	12	1	14	18
				1	1			1	1		1						
10	16	9	18	24	26	36	49	50	62	85	57	25	13	4		1	19
40	33	61	52	97	128	179	248	291	383	392	327	214	87	18	3	19	20
				1		1	1										
835	1,029	1,372	1,779	2,499	3,039	3,548	4,160	4,377	4,414	3,565	2,342	1,228	439	101	10	8	21
189	226	230	271	293	318	277	229	197	151	86	63	42	13	6	6		
567	719	953	1,296	1,800	2,165	2,468	2,861	2,861	2,748	2,089	1,268	665	227	62	5	4	22
130	164	180	194	242	241	191	167	124	110	55	35	27	8	3	4		
117	136	174	219	307	360	451	567	605	633	547	380	204	71	10	2	3	23
26	17	19	29	18	31	28	16	19	6	10	10	3	1		1		
151	174	245	264	392	514	629	732	911	1,033	929	694	359	141	29	3	1	24
33	45	31	48	33	46	58	46	54	35	21	18	12	4	3	1		
204	204	220	208	192	225	239	285	310	258	261	180	98	34	12	13	22	25
13	20	15	13	9	16	16	9	12	15	5	11	2	1	2	1	7	
63	69	71	68	51	46	55	52	55	37	45	29	15	7	1	3	2	26
2	2	1	2	2	1	1		2		1	1						
43	48	51	41	45	61	64	72	82	69	48	29	13	7	2	2	5	27
1	1	2	1	2	1	5		1	2		2					4	
98	87	98	99	96	118	120	161	173	152	168	122	70	20	9	8	15	28
10	17	12	10	5	14	10	9	9	13	4	8	2	1	2	1	3	
3,274	3,890	5,024	6,615	8,347	10,330	11,964	14,327	15,157	15,430	12,192	8,372	4,300	1,449	310	45	37	29
523	621	691	699	676	594	459	408	280	303	131	93	48	20	3	3	3	
2,591	3,118	4,040	5,432	6,877	8,444	9,592	11,249	11,520	10,853	7,872	4,993	2,459	815	174	27	27	30
483	564	630	639	627	527	415	355	236	246	110	73	35	12	2	1	3	
172	188	241	268	363	446	549	726	817	898	835	638	342	114	23	5	5	31
4	9	9	8	5	16	9	7	10	5	3	4				1		
511	584	743	915	1,107	1,440	1,823	2,352	2,820	3,679	3,485	2,741	1,499	520	113	13	5	32
36	48	52	52	44	51	35	46	34	52	18	16	13	8	1	1		
563	598	704	760	840	1,032	1,211	1,409	1,401	1,773	1,554	1,107	568	184	39	7	21	33
608	567	641	613	631	745	595	599	574	453	367	279	163	92	44	45	13	
179	206	213	226	273	311	353	355	337	379	263	194	95	22	5	1	4	34
264	230	272	227	263	257	224	194	151	99	69	49	21	14	8	4	2	
65	77	67	101	103	112	120	139	129	158	114	80	27	8	2		2	35
53	49	53	56	69	76	44	48	49	40	24	11	7	9	2	4		
319	315	424	433	464	609	738	915	935	1,236	1,177	833	446	154	32	6	15	36
291	288	316	330	299	412	327	357	374	314	274	219	135	69	34	37	11	
105	103	161	174	218	270	290	413	457	581	488	346	154	56	17	2	7	37
5	8	5	6	7	3	9	5	9	11	13	9	5	3	3			
28	34	48	47	57	59	63	92	94	97	67	46	23	9	4		1	38
2	3	1	1	1	1		1		1		1						
24	16	25	29	36	54	43	69	50	71	53	38	12	5				39
			2			1					1						
53	53	88	98	125	157	184	252	313	413	368	262	119	42	13	2	6	40
3	5	4	3	6	2	8	4	9	10	13	7	5	3	3			
1,477	1,572	2,078	2,695	3,465	4,024	4,815	5,992	6,835	7,947	7,442	5,302	2,834	942	170	17	16	41
317	391	491	479	513	445	387	328	271	232	136	101	69	24	15	11	2	
961	1,085	1,489	1,872	2,377	2,723	3,082	3,722	3,914	4,144	3,573	2,362	1,216	406	84	7	4	42
276	356	420	406	432	383	319	254	202	157	76	55	47	17	9	6	1	
122	103	148	198	266	304	432	538	642	826	748	585	345	90	17		3	43
10	2	17	15	16	15	18	22	18	27	17	11	5			2		
394	384	441	625	822	997	1,301	1,732	2,279	2,977	3,121	2,355	1,273	446	69	10	9	44
31	33	54	58	65	47	50	52	51	48	43	35	17	7	6	3	1	
615	547	619	696	764	866	1,022	1,248	1,370	1,591	1,449	1,077	601	177	34	6	11	45
173	155	183	163	176	188	155	161	126	111	94	72	63	32	8	24	7	
233	198	221	303	291	309	373	405	422	463	373	242	153	43	7		2	46
76	69	99	80	82	80	58	60	40	33	21	17	14	8	3	2	1	
157	144	174	182	188	206	267	321	342	392	410	286	151	41	6	3	4	47
33	42	33	31	33	45	30	30	23	26	23	15	23	10		4	4	
225	205	224	211	285	351	382	522	606	736	666	549	297	93	21	3	5	48
64	44	51	52	61	63	67	71	63	52	50	40	26	14	5	18	2	

TABLE 3.—DEATHS (*Exclusive of Stillbirths*),

	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
1	OREGON	White	10,193	472	55	36	24	34	621	101	84	156	201
		Colored	257	21	5		4	2	32	5	7	11	14
2	Cities of 10,000 or more	White	4,852	215	23	18	13	18	287	42	34	68	80
		Colored	91	7	1		1		9	1	2	4	4
3	Cities of 2,500 to 10,000	White	1,791	94	14	8	5	8	129	27	19	22	36
		Colored	32	2			1		3	1	1		1
4	Rural	White	3,550	163	18	10	6	8	205	32	31	66	85
		Colored	134	12	4		2	2	20	3	4	7	9
5	PENNSYLVANIA	White	99,403	7,768	1,021	579	450	356	10,174	1,462	1,093	1,601	2,098
		Colored	6,706	623	95	44	25	26	813	95	93	180	286
6	Cities of 10,000 or more	White	55,717	4,007	563	337	261	196	5,364	864	635	887	1,211
		Colored	5,400	537	81	37	21	24	700	79	73	143	230
7	Cities of 2,500 to 10,000	White	12,668	1,042	111	73	57	61	1,344	214	163	226	263
		Colored	224	18	5		1		24	5	4	6	8
8	Rural	White	31,018	2,719	347	169	132	99	3,466	384	295	488	624
		Colored	1,082	68	9	7	3	2	89	11	16	31	48
9	RHODE ISLAND	White	7,708	563	69	39	31	22	724	83	65	89	143
		Colored	187	12	3	4			19	4	1	1	6
10	Cities of 10,000 or more	White	6,746	520	62	36	27	21	666	76	59	74	115
		Colored	169	10	3	3			16	4	1		5
11	Cities of 2,500 to 10,000	White	352	15	2		1		18	1	3	8	16
		Colored	5			1			1			1	
12	Rural	White	610	28	5	3	3	1	40	6	3	7	12
		Colored	13	2					2				1
13	SOUTH CAROLINA	White	8,580	1,195	231	107	46	47	1,626	141	126	234	274
		Colored	10,776	1,959	313	126	67	65	2,530	210	206	471	681
14	Cities of 10,000 or more	White	2,247	205	55	24	10	13	307	45	42	63	86
		Colored	2,368	314	45	25	19	5	408	29	43	108	187
15	Cities of 2,500 to 10,000	White	841	83	18	9	5	4	119	12	16	27	38
		Colored	867	100	13	4	6	2	125	21	19	43	48
16	Rural	White	5,492	907	158	74	31	30	1,200	84	68	144	150
		Colored	7,541	1,545	255	97	42	58	1,997	160	144	320	446
17	SOUTH DAKOTA	White	5,551	570	78	40	26	20	734	91	80	129	124
		Colored	553	135	44	17	9	8	213	23	20	30	18
18	Cities of 10,000 or more	White	1,168	106	18	5	7	3	139	31	20	28	21
		Colored	14	1	1		1		3			1	2
19	Cities of 2,500 to 10,000	White	871	54	10	8	4	3	79	13	10	32	28
		Colored	10	3	1				4			2	
20	Rural	White	3,512	410	50	27	15	14	516	47	50	69	75
		Colored	529	131	42	17	8	8	206	23	20	27	16
21	TENNESSEE	White	20,403	2,672	599	290	150	151	3,862	414	301	453	701
		Colored	7,720	801	158	67	41	25	1,092	124	119	299	495
22	Cities of 10,000 or more	White	6,289	712	137	66	49	47	1,011	148	113	152	248
		Colored	4,121	435	58	37	13	10	553	51	62	136	255
23	Cities of 2,500 to 10,000	White	1,964	223	59	29	13	15	339	47	41	53	63
		Colored	730	55	13	1	4	3	76	13	19	39	49
24	Rural	White	12,150	1,737	403	195	88	89	2,512	219	147	248	390
		Colored	2,869	311	87	29	24	12	463	60	38	124	191
25	TEXAS	White	42,158	5,078	1,053	536	338	248	7,253	959	684	1,042	1,423
		Colored	16,790	3,077	719	265	171	107	4,339	360	330	683	990
26	Cities of 10,000 or more	White	17,171	2,036	447	211	124	98	2,916	377	258	404	656
		Colored	6,322	1,016	242	91	61	30	1,440	124	92	223	351
27	Cities of 2,500 to 10,000	White	5,675	556	125	77	55	30	843	139	108	164	225
		Colored	2,509	465	126	53	31	19	694	45	65	97	146
28	Rural	White	19,312	2,486	481	248	159	120	3,494	443	318	474	542
		Colored	7,959	1,596	351	121	79	58	2,205	191	173	363	493
29	UTAH	White	4,294	556	72	36	36	36	736	75	87	137	117
		Colored	90	11	5	3		2	21	2	4	7	3
30	Cities of 10,000 or more	White	2,088	226	16	15	17	14	288	30	33	65	57
		Colored	38	5		1			6		1	1	1
31	Cities of 2,500 to 10,000	White	702	96	15	9	7	8	135	12	16	25	19
		Colored	10	1					1			1	
32	Rural	White	1,504	234	41	12	12	14	313	33	38	47	41
		Colored	42	5	5	2		2	14	2	3	5	2
33	VERMONT	White	4,620	325	39	23	23	20	430	51	32	65	69
		Colored	1										
34	Cities of 10,000 or more	White	851	63	6	4	5	5	83	12	7	13	16
		Colored											
35	Cities of 2,500 to 10,000 and rural	White	3,769	262	33	19	18	15	347	39	25	52	53
		Colored	1										
36	VIRGINIA	White	18,043	2,120	319	152	97	79	2,767	303	216	324	516
		Colored	10,411	1,393	170	76	52	49	1,740	141	158	359	521
37	Cities of 10,000 or more	White	5,224	427	52	30	14	14	537	82	55	80	169
		Colored	3,704	390	55	16	13	16	490	49	52	120	186
38	Cities of 2,500 to 10,000	White	1,762	215	22	24	17	6	284	29	27	47	61
		Colored	530	58	6	7	3	1	75	11	12	17	31
39	Rural	White	11,057	1,478	245	98	66	59	1,946	192	134	197	286
		Colored	6,177	945	109	53	36	32	1,175	81	94	222	304
40	WASHINGTON	White	16,135	746	86	66	53	31	982	174	175	301	373
		Colored	570	65	15	9	3	6	98	20	18	28	43
41	Cities of 10,000 or more	White	9,131	432	51	35	26	18	562	102	103	168	192
		Colored	271	21	4	2	1	6	34	9	10	8	17
42	Cities of 2,500 to 10,000	White	1,707	79	9	6	7	4	105	21	20	36	52
		Colored	49	8	2				10	1	1	2	1
43	Rural	White	5,297	235	26	25	20	9	315	51	52	97	129
		Colored	250	36	9	7	2		54	10	7	18	25
44	WEST VIRGINIA	White	14,980	2,308	487	181	142	110	3,228	327	264	392	461
		Colored	1,625	164	29	19	9	9	230	24	27	55	72
45	Cities of 10,000 or more	White	4,157	493	84	39	32	28	676	90	79	118	153
		Colored	430	27	6	3	3	1	40	9	8	11	16
46	Cities of 2,500 to 10,000	White	2,305	254	71	28	22	19	394	58	55	84	85
		Colored	263	13	5	4	1	2	25	6	7	9	9
47	Rural	White	8,518	1,561	332	114	88	63	2,158	179	130	190	223
		Colored	932	124	18	12	5	6	165	9	12	35	47

BY AGE AND COLOR: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
200	222	322	391	529	654	738	948	1,156	1,271	1,183	828	400	148	28	3	9	1
8	2	10	7	18	11	23	14	23	17	21	10	11	10		1	2	
84	114	181	216	283	360	401	440	569	590	519	357	158	52	15	1	1	2
2		4	6	9	6	11	5	12	5	5	2	4					
41	41	35	73	96	112	118	172	192	214	204	148	79	29	3	1		3
	1	2		2	1	4		4	1	5	2	1	3				
75	67	106	102	150	182	219	336	395	467	460	323	163	67	10	1	8	4
6	1	4	1	7	4	8	9	7	11	11	6	6	7		1	2	
2,158	2,333	3,249	4,244	5,377	6,621	7,855	9,549	10,257	10,816	9,357	6,526	3,289	1,069	201	33	41	5
381	432	538	621	618	673	518	449	382	251	159	97	64	32	12	9	3	
1,307	1,413	2,094	2,632	3,277	4,149	4,753	5,799	5,906	5,769	4,552	3,006	1,480	491	88	11	29	6
305	350	440	520	502	555	408	361	304	174	118	67	38	22	6	3	2	
283	278	346	534	698	853	967	1,165	1,179	1,401	1,218	906	445	149	27	6	3	7
7	12	14	12	21	20	19	19	16	12	9	4	8	1	2	1		
568	642	809	1,078	1,402	1,619	2,135	2,585	3,172	3,646	3,587	2,614	1,364	429	86	16	9	8
69	70	84	89	95	98	91	69	62	65	32	26	18	9	4	5	1	
142	181	190	276	391	477	707	814	922	913	722	502	250	95	17	2	3	9
8	7	9	19	17	20	11	12	17	11	12	9	2	1		1		
109	153	172	246	354	423	627	711	821	793	604	437	210	77	15	2	2	10
5	6	9	18	15	18	11	10	16	10	12	9	2	1		1		
16	15	8	14	14	22	35	47	33	37	32	16	13	4				11
1	1		1														
17	13	10	16	23	32	45	56	68	83	86	49	27	14	2		1	12
2				2	2		2	1	1								
252	225	327	387	407	525	608	717	580	711	670	464	225	61	11	3	6	13
582	533	622	670	708	819	673	567	446	354	246	194	128	79	31	16	10	
83	85	114	116	130	157	171	209	148	173	168	94	44	11	1			14
177	165	196	204	198	204	165	109	62	46	26	20	15	4			2	
32	29	34	42	44	58	82	47	54	74	59	44	23	7				15
47	46	50	64	55	95	70	63	48	31	15	11	7	5	3	1		
137	111	179	229	233	310	355	461	378	464	443	326	158	43	10	3	6	16
358	322	376	402	455	520	438	395	336	277	205	163	106	70	28	15	8	
119	115	158	196	253	297	332	398	494	636	608	437	241	64	21	1	23	17
15	16	14	16	15	16	18	17	35	38	21	18	5	1	1	1	2	
32	27	41	50	62	78	77	80	104	122	110	88	38	13	3		4	18
	2		3	1		2											
22	25	36	44	54	52	50	70	78	92	75	59	30	10	3		9	19
			1	1		1						1					
65	63	81	102	137	167	205	248	312	422	423	290	173	41	15	1	10	20
15	14	14	12	13	16	15	17	35	38	21	18	4	1	1	1	2	
687	611	704	757	821	1,047	1,235	1,506	1,559	1,847	1,679	1,247	678	208	45	12	20	21
495	500	473	524	513	629	520	560	445	314	235	161	90	58	34	26	14	
238	227	261	299	334	403	456	502	468	530	416	270	140	55	9	3	6	22
271	294	307	343	325	372	307	294	216	138	90	47	24	16	11	9		
85	64	64	67	79	92	106	128	164	202	171	109	63	21	4		2	23
38	32	36	40	50	64	55	67	47	40	33	11	12	2	2	3	2	
364	320	379	391	408	552	673	876	927	1,115	1,092	868	475	132	32	9	21	24
186	174	130	141	138	193	158	199	182	136	112	103	54	40	21	14	12	
1,494	1,427	1,538	1,658	2,026	2,285	2,634	3,111	2,846	3,556	3,420	2,679	1,430	462	103	31	97	25
964	919	947	949	1,065	1,037	786	818	684	532	391	333	214	137	62	81	169	
672	684	714	784	985	1,069	1,189	1,407	1,163	1,297	1,141	821	426	143	31	13	21	26
396	426	452	441	515	484	358	335	209	158	105	77	50	28	11	23	24	
227	206	206	235	288	300	376	412	392	474	448	367	188	57	7	1	12	27
169	124	147	117	136	147	112	110	102	76	64	53	27	24	8	8	38	
595	537	618	639	753	916	1,069	1,292	1,291	1,785	1,831	1,491	816	262	65	17	64	28
399	369	348	391	414	406	316	373	373	298	222	203	137	85	43	50	107	
121	119	135	169	195	210	239	290	370	423	372	274	166	39	13	1	6	29
2	1	3	3	8	11	3	4	5	7	3	1					2	
67	66	67	95	117	116	131	163	192	200	173	130	76	15	3	1	3	30
1	1	3	2	4	7	2	2	2	2	3							
17	21	39	31	32	32	34	28	50	67	63	44	26	8	2		1	31
			1	4	2	1											
37	32	29	43	46	62	74	99	128	156	136	100	64	16	8		2	32
1					2		2	3	5		1					2	
77	71	127	107	182	233	303	409	468	583	560	459	262	89	22	6	15	33
1																	
22	21	31	32	50	55	72	87	80	91	86	51	29	7	2	1	3	34
55	50	96	75	132	178	231	322	388	492	474	408	233	82	20	5	12	35
1																	
510	496	519	621	812	924	1,153	1,420	1,504	1,772	1,851	1,288	745	228	50	9	15	36
473	473	579	632	716	942	798	817	720	479	305	265	134	69	37	26	27	
148	170	184	222	321	335	413	471	549	509	458	304	165	38	7	2	5	37
209	219	294	275	324	389	295	329	225	123	55	46	13	2	3	4	2	
50	63	57	53	88	96	127	139	147	173	156	92	49	19	3		2	38
24	26	23	36	38	57	47	46	41	18	9	10	6		1		2	
312	263	278	346	403	493	613	810	808	1,090	1,237	892	531	171	40	7	8	39
240	228	262	321	354	496	456	442	454	338	241	209	115	67	33	22	23	
386	393	484	653	884	1,003	1,236	1,532	1,839	1,981	1,697	1,218	553	194	49	4	24	40
40	29	23	23	39	39	33	28	35	21	18	17	9	3	2	1	3	
215	238	291	412	542	606	740	905	1,102	1,092	878	584	275	97	20		7	41
22	10	14	15	30	19	25	14	19	12	6	2	4				1	
38	46	46	70	77	106	129	147	189	213	182	138	59	22	5	2	4	42
5	3	3	3	2	4		2	6	1	1	3					1	
133	109	147	171	265	291	367	480	548	676	637	496	219	75	24	2	13	43
13	16	6	5	7	16	8	12	10	8	11	12	5	3	2	1	1	
454	493	538	549	567	731	873	981	1,042	1,284	1,249	831	507	154	31	6	18	44
107	115	132	129	140	145	99	94	73	57	50	36	21	8	4	5	2	
140	148	187	191	181	238	311	313	297	344	331	205	112	31	8	3	1	45
33	31	36	33	43	41	24	29	16	20	18	10	7	2	1	1	1	
93	107	88	110	117	120	149	145	151	183	170	107	68	16	3		2	46
15	26	35	22	27	24	11	13	11	7	5	8	1	1			1	
221	238	263	248	269	373	413	523	594	757	748	519	327	107	20	3	15	47
59	58	61	74	70	80	64	52	46	30	27	18	13	5	3	4		

TABLE 3.—DEATHS (*Exclusive of Stillbirths*),

	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
1	WISCONSIN	White	29,170	2,395	221	133	98	62	2,909	340	302	443	579
		Colored	343	51	9	3	2	4	69	10	9	13	12
2	Cities of 10,000 or more	White	12,529	1,028	98	64	53	26	1,269	157	121	178	255
		Colored	93	6				1	7	1	1	3	2
3	Cities of 2,500 to 10,000	White	3,604	302	37	14	12	14	379	54	42	60	55
		Colored	8	1					1		1		1
4	Rural	White	13,037	1,065	86	55	33	22	1,261	129	139	205	269
		Colored	242	44	9	3	2	3	61	9	7	10	9
5	WYOMING	White	1,849	199	23	17	11	17	267	35	34	38	62
		Colored	126	31	9	5	1	1	47	6	1	4	1
6	Cities of 10,000 or more	White	331	29	3		2	2	36	6	7	6	10
		Colored	17	2	1	1			4	1			
7	Cities of 2,500 to 10,000	White	497	34	3	6	1	3	47	8	8	10	18
		Colored	22	3	1				4				
8	Rural	White	1,021	136	17	11	8	12	184	21	19	22	34
		Colored	87	26	7	4	1	1	39	5	1	4	1

NOTE.—Data for individual cities held in manuscript.

BY AGE AND COLOR: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
608	687	848	1,049	1,396	1,516	1,921	2,423	2,926	3,602	3,355	2,391	1,255	518	69	23	10	1
19	14	33	26	18	20	12	23	17	19	14	9	3	1	1	1		
269	320	439	514	696	748	961	1,121	1,316	1,478	1,273	820	409	153	21	10	1	2
7	3	16	14	5	7	6	7	7	5	1	1						
93	92	102	120	169	169	202	295	354	439	434	322	150	63	7	3		3
	1				1		1		1		1						
246	275	307	415	531	599	758	1,007	1,256	1,685	1,648	1,249	696	302	41	10	9	4
12	10	17	12	13	12	6	15	10	13	13	7	3	1	1	1		
57	67	95	86	109	119	102	125	149	169	173	97	47	9	5	1	3	5
2	6	7	5	12	6	2	7	6	4	3	5			1		1	
12	8	29	23	30	27	8	26	27	33	29	6	5	2			1	6
		1	1	3			2	2		1	2						
10	19	22	26	32	44	36	35	39	42	50	29	15	2	3	1	1	7
	2	3	2	4	1			2	3		1						
35	40	44	37	47	48	58	64	83	94	94	62	27	5	2		1	8
2	4	3	2	5	5	2	5	2	1	2	2			1		1	

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Continental United States, all ages	737,312	604,794	634,836	514,709	90,807	81,307	2,612	2,387	1,086	112	693	280	7,278	5,999
Under 1 year	68,331	52,556	53,947	40,802	11,599	9,428	568	470	42	33	57	53	2,118	1,770
1 to 4 years	22,127	18,888	17,584	14,737	3,394	3,020	267	305	21	10	36	20	825	796
5 to 9 years	10,932	8,897	9,215	7,291	1,401	1,335	77	78	16	6	25	25	198	162
10 to 14 years	9,488	7,165	7,760	5,550	1,476	1,362	84	76	3	2	12	22	153	153
15 to 19 years	14,383	12,228	11,110	8,441	2,856	3,338	139	131	20	6	27	19	231	293
20 to 24 years	19,020	17,591	13,913	12,320	4,542	4,773	121	130	29	6	16	8	399	354
25 to 29 years	19,688	18,822	14,331	13,418	4,793	4,972	95	100	42	7	24	16	403	309
30 to 34 years	21,773	19,430	16,154	14,072	5,144	4,956	74	87	56	2	30	18	315	295
35 to 39 years	27,475	22,654	20,921	16,945	6,081	5,338	82	78	52	4	21	23	318	266
40 to 44 years	34,199	25,406	27,345	19,499	6,373	5,593	81	72	70	11	36	20	294	211
45 to 49 years	42,368	29,893	34,894	23,576	6,857	6,027	101	64	63	6	88	12	365	208
50 to 54 years	50,046	35,194	41,906	28,404	7,556	6,503	97	89	95	3	116	14	276	181
55 to 59 years	55,932	39,574	49,067	34,182	6,304	5,127	112	69	81	2	91	9	277	185
60 to 64 years	65,670	48,078	59,064	42,855	6,056	4,932	118	94	109	5	51	6	272	186
65 to 69 years	68,270	53,404	62,868	48,901	4,929	4,224	127	106	97	1	41	12	208	160
70 to 74 years	72,936	60,177	68,600	56,605	3,890	3,328	139	119	115	2	14	-------	178	123
75 to 79 years	61,279	55,376	58,206	52,805	2,709	2,363	126	91	90	4	7	1	141	112
80 to 84 years	42,303	42,154	39,938	40,042	2,095	1,929	94	96	51	-------	-------	1	125	86
85 to 89 years	21,396	24,145	19,995	22,902	1,256	1,137	47	52	18	2	-------	-------	80	52
90 to 94 years	6,692	9,462	5,974	8,707	649	674	22	41	12	-------	-------	-------	35	40
95 to 99 years	1,382	2,293	1,116	1,946	230	312	14	19	1	-------	-------	-------	21	16
100 years and over	468	720	189	290	246	388	13	14	1	-------	-------	-------	19	28
Unknown	1,154	687	739	419	371	248	14	6	2	-------	1	1	27	13
CITIES OF 10,000 OR MORE, all ages	374,684	318,563	327,371	277,091	43,181	38,774	241	194	807	95	379	161	2,705	2,248
Under 1 year	30,685	23,156	25,372	18,871	4,471	3,630	36	24	38	28	27	30	741	573
1 to 4 years	9,741	8,282	8,111	6,764	1,273	1,163	13	22	21	9	17	10	306	314
5 to 9 years	5,634	4,616	4,945	4,025	581	508	6	8	14	6	16	16	72	53
10 to 14 years	4,707	3,475	4,008	2,860	631	547	8	9	3	2	4	15	53	42
15 to 19 years	6,631	5,943	5,385	4,362	1,134	1,445	14	12	16	4	12	13	70	107
20 to 24 years	9,100	9,236	6,827	6,815	2,071	2,261	16	24	25	5	5	7	156	124
25 to 29 years	10,379	10,421	7,516	7,653	2,629	2,619	16	13	36	7	11	12	171	117
30 to 34 years	12,302	11,236	9,046	8,297	3,042	2,799	7	9	42	2	23	8	142	121
35 to 39 years	16,012	13,499	12,194	10,294	3,617	3,080	13	12	42	3	14	11	132	99
40 to 44 years	20,587	15,318	16,597	11,991	3,774	3,219	14	6	58	10	20	10	124	82
45 to 49 years	25,828	17,815	21,457	14,365	4,094	3,348	16	11	52	5	61	9	148	77
50 to 54 years	30,134	20,867	25,664	17,285	4,206	3,477	17	7	85	3	61	5	101	90
55 to 59 years	32,360	23,473	28,788	20,666	3,319	2,702	16	6	67	1	52	5	118	93
60 to 64 years	36,646	27,969	33,524	25,399	2,877	2,463	14	9	93	5	25	4	113	89
65 to 69 years	35,862	30,265	33,622	28,308	2,070	1,871	9	7	73	1	23	5	65	73
70 to 74 years	34,772	31,477	33,180	29,985	1,436	1,431	11	4	74	2	6	-------	65	55
75 to 79 years	26,081	26,564	25,194	25,594	801	917	6	3	38	2	1	-------	41	48
80 to 84 years	16,346	19,062	15,760	18,435	521	594	3	2	19	-------	-------	1	43	30
85 to 89 years	7,689	10,570	7,348	10,218	311	328	4	3	6	-------	-------	-------	20	21
90 to 94 years	2,279	4,015	2,119	3,826	147	172	1	1	2	-------	-------	-------	10	16
95 to 99 years	478	912	418	834	54	65	1	2	1	-------	-------	-------	4	11
100 years and over	112	208	62	122	43	75	-------	-------	1	-------	-------	-------	6	11
Unknown	319	184	234	122	79	60	-------	-------	1	-------	1	-------	4	2
CITIES OF 2,500 TO 10,000,[1] all ages	73,147	59,918	65,246	53,010	6,307	5,641	198	172	67	5	76	34	1,253	1,056
Under 1 year	6,344	4,852	5,267	3,955	657	524	40	31	-------	1	7	6	373	335
1 to 4 years	2,256	1,852	1,876	1,498	195	185	17	16	-------	1	7	2	161	150
5 to 9 years	1,194	875	1,066	750	91	91	3	4	1	-------	1	3	32	27
10 to 14 years	1,055	809	928	670	94	108	3	8	-------	-------	1	-------	29	23
15 to 19 years	1,604	1,304	1,320	1,015	238	238	10	6	2	-------	3	2	31	43
20 to 24 years	2,078	1,814	1,639	1,395	367	346	12	6	1	-------	4	1	55	66
25 to 29 years	2,016	1,864	1,603	1,457	339	343	9	10	2	-------	4	-------	59	54
30 to 34 years	2,023	1,901	1,624	1,511	344	339	8	7	3	-------	1	4	43	40
35 to 39 years	2,414	2,102	1,955	1,675	384	360	12	7	2	1	2	4	59	55
40 to 44 years	2,954	2,298	2,472	1,890	430	371	5	5	2	-------	1	3	44	29
45 to 49 years	3,887	2,777	3,337	2,305	473	426	6	6	5	1	7	-------	59	39
50 to 54 years	4,541	3,290	3,908	2,761	547	482	10	12	2	-------	14	2	60	33
55 to 59 years	5,292	3,713	4,759	3,314	462	360	11	2	3	-------	12	2	45	35
60 to 64 years	6,266	4,484	5,762	4,099	435	346	15	10	5	-------	4	-------	45	29
65 to 69 years	6,781	5,112	6,370	4,724	354	348	8	9	5	-------	4	4	40	27
70 to 74 years	7,734	6,065	7,384	5,788	298	247	7	10	9	-------	2	-------	34	20
75 to 79 years	6,634	6,002	6,348	5,804	232	177	13	4	14	1	2	-------	25	16
80 to 84 years	4,555	4,804	4,380	4,646	143	140	5	6	5	-------	-------	-------	22	12
85 to 89 years	2,469	2,624	2,355	2,523	90	85	4	7	3	-------	-------	-------	17	9
90 to 94 years	745	996	681	946	52	42	-------	5	3	-------	-------	-------	9	3
95 to 99 years	128	228	111	203	13	24	-------	-------	-------	-------	-------	-------	4	1
100 years and over	37	72	20	33	15	31	-------	1	-------	-------	-------	-------	2	7
Unknown	140	80	81	48	54	28	-------	-------	-------	-------	-------	1	5	3
RURAL,[2] all ages	289,481	226,313	242,219	184,608	41,319	36,892	2,173	2,021	212	12	238	85	3,320	2,695
Under 1 year	31,302	24,548	23,308	17,976	6,471	5,274	492	415	4	4	23	17	1,004	862
1 to 4 years	10,130	8,754	7,597	6,475	1,926	1,672	237	267	-------	-------	12	8	358	332
5 to 9 years	4,104	3,406	3,204	2,516	729	736	68	66	1	-------	8	6	94	82
10 to 14 years	3,726	2,881	2,824	2,020	751	707	73	59	-------	-------	7	7	71	88
15 to 19 years	6,148	4,981	4,405	3,064	1,484	1,655	115	113	2	2	12	4	130	143
20 to 24 years	7,842	6,541	5,447	4,110	2,104	2,166	93	100	3	1	7	-------	188	164
25 to 29 years	7,293	6,537	5,212	4,308	1,825	2,010	70	77	4	-------	9	4	173	138
30 to 34 years	7,448	6,293	5,484	4,264	1,758	1,818	59	71	11	-------	6	6	130	134
35 to 39 years	9,049	7,053	6,772	4,976	2,080	1,898	57	59	8	-------	5	8	127	112
40 to 44 years	10,658	7,790	8,276	5,618	2,169	2,003	62	61	10	1	15	7	126	100
45 to 49 years	12,653	9,301	10,100	6,906	2,290	2,253	79	47	6	-------	20	3	158	92
50 to 54 years	15,371	11,037	12,334	8,358	2,803	2,544	70	70	8	-------	41	7	115	58
55 to 59 years	18,280	12,388	15,520	10,202	2,523	2,065	85	61	11	1	27	2	114	57
60 to 64 years	22,758	15,625	19,778	13,357	2,744	2,123	89	75	11	-------	22	2	114	68
65 to 69 years	25,627	18,027	22,876	15,869	2,505	2,005	110	90	19	-------	14	3	103	60
70 to 74 years	30,430	22,635	28,036	20,832	2,156	1,650	121	105	32	-------	6	-------	79	48
75 to 79 years	28,564	22,810	26,664	21,407	1,676	1,269	107	84	38	1	4	1	75	48
80 to 84 years	21,402	18,288	19,798	16,961	1,431	1,195	86	88	27	-------	-------	-------	60	44
85 to 89 years	11,238	10,951	10,292	10,161	855	724	39	42	9	2	-------	-------	43	22
90 to 94 years	3,668	4,451	3,174	3,935	450	460	21	35	7	-------	-------	-------	16	21
95 to 99 years	776	1,153	587	909	163	223	13	17	-------	-------	-------	-------	13	4
100 years and over	319	440	107	135	188	282	13	13	-------	-------	-------	-------	11	10
Unknown	695	423	424	249	238	160	14	6	1	-------	-------	-------	18	8

[1] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[2] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES OF 1920, all ages	610,877	504,613	538,682	441,771	66,371	59,308	1,188	1,017	1,016	101	675	269	2,945	2,147
Under 1 year	51,702	39,492	42,252	31,784	8,365	6,864	222	166	39	31	56	50	768	597
1 to 4 years	16,166	13,579	13,340	11,047	2,427	2,160	94	106	21	9	36	20	248	237
5 to 9 years	8,496	6,914	7,358	5,820	972	959	34	33	15	6	25	25	92	71
10 to 14 years	7,403	5,495	6,241	4,412	1,049	971	32	36	3	1	12	22	66	53
15 to 19 years	11,163	9,190	8,956	6,660	2,007	2,340	62	55	17	5	27	16	94	114
20 to 24 years	14,660	13,502	11,206	9,946	3,175	3,375	58	60	28	4	15	8	178	109
25 to 29 years	15,356	14,717	11,614	10,956	3,418	3,595	43	39	42	7	23	16	216	104
30 to 34 years	17,574	15,407	13,402	11,640	3,879	3,608	36	32	53	2	30	17	174	108
35 to 39 years	22,475	18,393	17,640	14,333	4,579	3,889	35	34	47	4	21	21	153	112
40 to 44 years	28,730	21,036	23,659	16,809	4,767	4,077	41	35	65	10	34	20	164	85
45 to 49 years	35,934	25,011	30,452	20,510	5,106	4,367	52	26	59	4	87	12	178	92
50 to 54 years	42,616	29,842	36,617	24,908	5,628	4,802	41	43	88	3	114	14	128	72
55 to 59 years	47,912	34,149	42,790	30,181	4,779	3,856	59	27	76	2	86	8	122	75
60 to 64 years	56,280	41,957	51,470	38,072	4,493	3,753	59	51	103	5	48	6	107	70
65 to 69 years	58,966	47,043	55,093	43,694	3,607	3,209	64	54	91	1	40	12	71	73
70 to 74 years	62,513	52,658	59,378	50,036	2,877	2,514	74	57	108	2	13	-------	63	49
75 to 79 years	51,884	48,162	49,730	46,282	1,952	1,781	74	45	80	4	7	1	41	49
80 to 84 years	35,590	36,384	33,963	34,925	1,483	1,373	52	47	50	-------	-------	1	42	38
85 to 89 years	17,831	20,787	16,902	19,920	865	828	30	24	17	1	-------	-------	17	14
90 to 94 years	5,569	8,128	5,086	7,649	455	442	9	24	10	-------	-------	-------	9	13
95 to 99 years	1,105	1,919	930	1,684	164	218	6	12	1	-------	-------	-------	4	5
100 years and over	312	476	152	231	147	228	8	10	1	-------	-------	-------	4	7
Unknown	640	372	451	272	177	99	3	1	2	-------	1	-------	6	-------
ALABAMA, all ages	14,445	12,659	7,991	6,634	6,452	6,025	2	-------	-------	-------	-------	-------	-------	-------
Under 1 year	2,182	1,683	1,159	865	1,022	818	1	-------	-------	-------	-------	-------	-------	-------
1 to 4 years	668	586	414	367	254	219	-------	-------	-------	-------	-------	-------	-------	-------
5 to 9 years	248	215	136	126	112	89	-------	-------	-------	-------	-------	-------	-------	-------
10 to 14 years	243	201	127	103	116	98	-------	-------	-------	-------	-------	-------	-------	-------
15 to 19 years	422	422	182	150	240	272	-------	-------	-------	-------	-------	-------	-------	-------
20 to 24 years	630	584	251	200	379	384	-------	-------	-------	-------	-------	-------	-------	-------
25 to 29 years	581	549	225	200	356	349	-------	-------	-------	-------	-------	-------	-------	-------
30 to 34 years	517	560	221	235	296	325	-------	-------	-------	-------	-------	-------	-------	-------
35 to 39 years	646	570	262	219	384	351	-------	-------	-------	-------	-------	-------	-------	-------
40 to 44 years	655	618	289	235	366	383	-------	-------	-------	-------	-------	-------	-------	-------
45 to 49 years	755	717	350	286	405	431	-------	-------	-------	-------	-------	-------	-------	-------
50 to 54 years	928	732	454	314	474	418	-------	-------	-------	-------	-------	-------	-------	-------
55 to 59 years	880	724	525	380	355	344	-------	-------	-------	-------	-------	-------	-------	-------
60 to 64 years	994	735	604	403	389	332	1	-------	-------	-------	-------	-------	-------	-------
65 to 69 years	986	787	641	488	345	299	-------	-------	-------	-------	-------	-------	-------	-------
70 to 74 years	1,021	893	732	626	289	267	-------	-------	-------	-------	-------	-------	-------	-------
75 to 79 years	870	794	652	607	218	187	-------	-------	-------	-------	-------	-------	-------	-------
80 to 84 years	656	622	464	442	192	180	-------	-------	-------	-------	-------	-------	-------	-------
85 to 89 years	343	357	223	258	120	99	-------	-------	-------	-------	-------	-------	-------	-------
90 to 94 years	109	182	48	91	61	91	-------	-------	-------	-------	-------	-------	-------	-------
95 to 99 years	30	42	10	16	20	26	-------	-------	-------	-------	-------	-------	-------	-------
100 years and over	37	55	5	7	32	48	-------	-------	-------	-------	-------	-------	-------	-------
Unknown	44	31	17	16	27	15	-------	-------	-------	-------	-------	-------	-------	-------
ARIZONA, all ages	3,435	2,104	2,012	1,029	130	63	337	315	17	2	3	2	936	693
Under 1 year	520	385	146	95	13	5	90	75	2	-------	-------	1	269	209
1 to 4 years	228	206	59	49	3	3	56	45	-------	1	-------	-------	110	108
5 to 9 years	81	55	38	21	1	-------	11	15	-------	-------	-------	-------	31	19
10 to 14 years	64	41	22	13	1	1	16	13	-------	-------	-------	-------	25	14
15 to 19 years	79	83	40	34	9	3	14	22	-------	1	-------	-------	16	23
20 to 24 years	132	116	66	57	7	6	16	17	-------	-------	-------	-------	43	36
25 to 29 years	136	109	87	67	7	2	11	15	-------	-------	-------	-------	31	25
30 to 34 years	174	118	129	69	7	7	9	15	-------	-------	-------	-------	29	27
35 to 39 years	193	97	125	60	11	6	10	11	-------	-------	-------	-------	47	20
40 to 44 years	209	90	148	54	13	3	5	10	2	-------	-------	-------	41	23
45 to 49 years	243	85	174	40	12	5	7	13	-------	-------	-------	-------	50	27
50 to 54 years	204	105	144	66	13	7	17	8	1	-------	-------	-------	29	24
55 to 59 years	183	95	137	57	6	4	6	9	-------	-------	1	1	33	24
60 to 64 years	220	79	149	57	8	2	12	2	2	-------	-------	-------	49	18
65 to 69 years	207	97	151	53	11	4	17	10	3	-------	1	-------	24	30
70 to 74 years	200	102	153	69	3	3	12	12	3	-------	1	-------	28	18
75 to 79 years	142	95	103	76	3	-------	8	6	4	-------	-------	-------	24	13
80 to 84 years	106	63	82	45	1	-------	5	9	-------	-------	-------	-------	18	9
85 to 89 years	52	42	31	34	-------	1	3	2	-------	-------	-------	-------	18	5
90 to 94 years	32	21	18	8	1	1	3	4	-------	-------	-------	-------	10	8
95 to 99 years	7	6	1	3	-------	-------	3	-------	-------	-------	-------	-------	3	3
100 years and over	6	10	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	5	10
Unknown	17	4	9	2	-------	-------	5	2	-------	-------	-------	-------	3	-------
ARKANSAS, all ages	9,327	7,270	6,656	4,872	2,661	2,392	1	2	3	-------	-------	-------	6	4
Under 1 year	1,099	847	805	610	292	236	-------	-------	-------	-------	-------	-------	2	1
1 to 4 years	564	482	400	353	164	129	-------	-------	-------	-------	-------	-------	-------	-------
5 to 9 years	228	192	175	137	53	55	-------	-------	-------	-------	-------	-------	-------	-------
10 to 14 years	174	153	114	101	60	51	-------	-------	-------	-------	-------	-------	-------	1
15 to 19 years	273	243	171	150	101	93	-------	-------	1	-------	-------	-------	-------	-------
20 to 24 years	364	312	228	161	136	151	-------	-------	-------	-------	-------	-------	-------	-------
25 to 29 years	341	341	192	183	148	158	-------	-------	-------	-------	-------	-------	1	-------
30 to 34 years	311	308	188	176	122	132	-------	-------	-------	-------	-------	-------	1	-------
35 to 39 years	373	329	238	178	134	149	-------	1	1	-------	-------	-------	-------	1
40 to 44 years	416	356	273	196	142	160	-------	-------	-------	-------	-------	-------	1	-------
45 to 49 years	456	400	288	225	168	175	-------	-------	-------	-------	-------	-------	-------	-------
50 to 54 years	576	401	357	210	218	191	-------	-------	1	-------	-------	-------	-------	-------
55 to 59 years	555	431	384	294	170	137	1	-------	-------	-------	-------	-------	-------	-------
60 to 64 years	742	416	556	293	186	122	-------	-------	-------	-------	-------	-------	-------	1
65 to 69 years	654	440	498	321	155	118	-------	1	-------	-------	-------	-------	1	-------
70 to 74 years	678	432	568	347	110	85	-------	-------	-------	-------	-------	-------	-------	-------
75 to 79 years	619	421	534	345	85	76	-------	-------	-------	-------	-------	-------	-------	-------
80 to 84 years	426	363	345	304	81	59	-------	-------	-------	-------	-------	-------	-------	-------
85 to 89 years	220	197	174	160	46	37	-------	-------	-------	-------	-------	-------	-------	-------
90 to 94 years	77	77	57	61	20	16	-------	-------	-------	-------	-------	-------	-------	-------
95 to 99 years	19	24	10	16	9	8	-------	-------	-------	-------	-------	-------	-------	-------
100 years and over	2	16	-------	5	2	11	-------	-------	-------	-------	-------	-------	-------	-------
Unknown	160	89	101	46	59	43	-------	-------	-------	-------	-------	-------	-------	-------

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CALIFORNIA, all ages	40,152	27,884	35,808	25,048	766	604	173	164	511	68	479	210	2,415	1,790
Under 1 year	2,307	1,720	1,543	1,129	37	35	31	20	25	19	37	36	634	481
1 to 4 years	741	641	460	394	13	9	12	15	16	8	29	17	211	198
5 to 9 years	413	325	300	237	8	6	1	3	7	5	21	20	76	54
10 to 14 years	320	254	249	182	6	5	1	5	1	1	7	16	56	45
15 to 19 years	571	441	443	306	16	14	9	8	12	5	19	14	72	94
20 to 24 years	937	665	740	539	34	21	7	10	9	2	11	8	136	85
25 to 29 years	1,053	757	806	594	39	45	7	5	13	6	15	12	173	95
30 to 34 years	1,204	815	971	673	40	42	10	5	24	1	21	12	138	82
35 to 39 years	1,519	1,045	1,281	887	71	42	7	7	25	1	15	13	120	95
40 to 44 years	1,928	1,181	1,669	1,030	73	54	9	6	15	5	25	18	137	68
45 to 49 years	2,654	1,329	2,348	1,187	67	46	7	4	18	2	62	8	152	82
50 to 54 years	3,142	1,703	2,843	1,575	80	45	1	6	31	2	78	12	109	63
55 to 59 years	3,476	1,926	3,180	1,792	81	54	8	4	38	1	63	8	106	67
60 to 64 years	3,979	2,388	3,739	2,259	67	50	11	14	42	3	34	3	86	59
65 to 69 years	4,074	2,752	3,889	2,630	46	35	7	9	45	1	28	11	59	66
70 to 74 years	4,305	3,037	4,126	2,942	35	40	13	5	65	2	10		56	48
75 to 79 years	3,431	2,846	3,297	2,765	26	23	9	14	61	4	4	1	34	39
80 to 84 years	2,403	2,179	2,303	2,114	11	18	9	10	43			1	37	36
85 to 89 years	1,198	1,261	1,166	1,231	4	10	5	6	11				12	14
90 to 94 years	373	464	348	443	8	4	2	4	8				7	13
95 to 99 years	89	129	83	121	2	4	3	1					1	3
100 years and over	26	24	17	16	2	2	3	3	1				3	3
Unknown	9	2	7	2			1		1					
COLORADO, all ages	6,961	5,000	6,521	4,641	147	97	17	16	3	1	17	10	256	235
Under 1 year	653	530	540	433	10	4	7	3			4	2	92	88
1 to 4 years	196	178	172	144	3	2	1	4			2		18	28
5 to 9 years	99	90	85	78	1		1					2	12	10
10 to 14 years	107	68	93	64	2		2				1		9	4
15 to 19 years	138	91	123	78	2	2	1	1					12	10
20 to 24 years	173	154	155	139	4	3	2	2					12	10
25 to 29 years	194	157	183	147	2	4	1						8	6
30 to 34 years	229	195	210	173	10	6						2	9	14
35 to 39 years	296	195	269	174	18	8						1	9	12
40 to 44 years	327	217	303	198	14	8			1				9	11
45 to 49 years	348	226	322	209	12	13					3	1	11	3
50 to 54 years	431	243	407	234	15	5	1				2		6	4
55 to 59 years	458	280	436	265	12	8	1	1		1			9	5
60 to 64 years	580	371	561	353	9	7		1				1	10	9
65 to 69 years	679	422	659	407	9	6		1			3	1	8	7
70 to 74 years	783	489	763	481	12	7			2		1		5	1
75 to 79 years	571	500	562	484	2	7		2			1		6	7
80 to 84 years	409	329	401	327	5	1							3	1
85 to 89 years	196	164	189	162	3	2							4	
90 to 94 years	70	68	68	66	1	2							1	
95 to 99 years	8	18	5	16	1								2	2
100 years and over	6	5	5			1		1					1	3
Unknown	10	10	10	9		1								
CONNECTICUT, all ages	9,061	8,383	8,784	8,152	265	230	4	1	6				2	
Under 1 year	610	477	583	459	26	18							1	
1 to 4 years	168	149	156	144	12	5								
5 to 9 years	101	86	95	83	6	3								
10 to 14 years	108	77	106	72	2	5								
15 to 19 years	144	103	136	94	8	9								
20 to 24 years	163	139	158	130	5	9								
25 to 29 years	154	161	137	148	16	13							1	
30 to 34 years	209	203	191	188	18	15								
35 to 39 years	313	260	292	246	21	14								
40 to 44 years	411	338	389	324	21	14	1							
45 to 49 years	552	401	529	385	22	16	1							
50 to 54 years	703	525	689	506	14	19								
55 to 59 years	803	645	782	623	21	22								
60 to 64 years	945	793	928	777	17	16								
65 to 69 years	934	928	912	912	19	16	1		2					
70 to 74 years	1,006	961	992	949	12	12			2					
75 to 79 years	830	843	819	834	10	9	1							
80 to 84 years	546	641	540	638	5	3			1					
85 to 89 years	257	418	252	411	4	7			1					
90 to 94 years	84	181	78	178	6	2		1						
95 to 99 years	16	46	16	44		2								
100 years and over	2	7	2	7										
Unknown	2	1	2			1								
DELAWARE, all ages	1,818	1,491	1,454	1,210	363	281			1					
Under 1 year	137	100	107	72	30	28								
1 to 4 years	36	34	29	23	7	11								
5 to 9 years	21	21	17	20	4	1								
10 to 14 years	22	16	14	12	8	4								
15 to 19 years	23	29	15	18	8	11								
20 to 24 years	41	45	26	27	15	18								
25 to 29 years	56	33	40	21	16	12								
30 to 34 years	64	34	37	19	27	15								
35 to 39 years	71	47	43	35	28	12								
40 to 44 years	69	64	48	48	21	16								
45 to 49 years	101	74	77	61	24	13								
50 to 54 years	95	96	67	74	27	22			1					
55 to 59 years	111	97	92	80	19	17								
60 to 64 years	161	130	128	100	33	30								
65 to 69 years	199	131	179	109	20	22								
70 to 74 years	221	169	196	148	25	21								
75 to 79 years	199	161	176	150	23	11								
80 to 84 years	106	116	96	109	10	7								
85 to 89 years	58	55	50	51	8	4								
90 to 94 years	20	28	13	24	7	4								
95 to 99 years	1	9	1	9										
100 years and over	2	1	1		1	1								
Unknown	4	1	2		2	1								

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
DISTRICT OF COLUMBIA, all ages	4,217	3,655	2,586	2,164	1,619	1,491			7		1		4	
Under 1 year	355	314	164	158	191	156								
1 to 4 years	79	70	36	31	43	39								
5 to 9 years	37	34	19	24	16	10			1				1	
10 to 14 years	36	40	20	14	16	26								
15 to 19 years	56	63	26	25	30	38								
20 to 24 years	159	125	72	41	87	84								
25 to 29 years	181	130	77	36	102	94							2	
30 to 34 years	205	143	88	57	115	86			2					
35 to 39 years	238	159	114	64	124	95								
40 to 44 years	258	191	133	79	124	112			1					
45 to 49 years	312	212	165	85	147	127								
50 to 54 years	377	270	201	130	176	140								
55 to 59 years	376	263	261	149	114	114							1	
60 to 64 years	386	321	269	211	117	110								
65 to 69 years	360	299	267	217	91	82			1		1			
70 to 74 years	312	331	258	245	53	86			1					
75 to 79 years	215	301	184	258	30	43			1					
80 to 84 years	156	195	134	169	22	26								
85 to 89 years	86	116	74	108	12	8								
90 to 94 years	27	65	19	55	8	10								
95 to 99 years	5	9	4	7	1	2								
100 years and over	1	1	1	1										
Unknown		3				3								
FLORIDA, all ages	10,788	7,971	6,848	4,721	3,933	3,248	4	2	1		1		1	
Under 1 year	919	695	507	369	412	326								
1 to 4 years	258	276	171	177	87	99								
5 to 9 years	146	110	99	63	47	46		1						
10 to 14 years	135	93	78	53	57	40								
15 to 19 years	226	239	113	85	113	153		1						
20 to 24 years	385	360	186	164	198	196	1							
25 to 29 years	457	425	190	153	267	272								
30 to 34 years	491	388	203	157	288	231								
35 to 39 years	540	447	226	180	311	267	1				1		1	
40 to 44 years	603	460	304	200	299	260								
45 to 49 years	729	527	386	255	342	272	1							
50 to 54 years	813	559	427	264	386	295								
55 to 59 years	870	501	565	284	305	217								
60 to 64 years	887	497	653	334	234	163								
65 to 69 years	827	525	641	393	186	132								
70 to 74 years	858	617	706	530	150	87	1		1					
75 to 79 years	709	477	623	422	86	55								
80 to 84 years	502	406	439	347	63	59								
85 to 89 years	269	233	231	204	38	29								
90 to 94 years	93	89	70	68	23	21								
95 to 99 years	22	17	15	10	7	7								
100 years and over	15	15	2	3	13	12								
Unknown	34	15	13	6	21	9								
GEORGIA, all ages	16,774	14,420	9,383	7,477	7,388	6,942			3	1				
Under 1 year	2,239	1,831	1,200	916	1,039	915								
1 to 4 years	728	618	454	356	274	262								
5 to 9 years	288	245	182	133	106	112								
10 to 14 years	276	205	148	92	128	112				1				
15 to 19 years	474	502	223	183	251	319								
20 to 24 years	750	669	281	228	469	441								
25 to 29 years	682	709	277	265	405	444								
30 to 34 years	670	670	280	254	389	416			1					
35 to 39 years	776	750	330	286	446	464								
40 to 44 years	887	781	401	274	486	507								
45 to 49 years	1,001	836	462	309	539	527								
50 to 54 years	1,187	916	584	371	602	545			1					
55 to 59 years	1,190	864	664	436	526	428								
60 to 64 years	1,223	887	770	493	453	394								
65 to 69 years	1,065	839	695	541	369	298			1					
70 to 74 years	1,093	944	810	719	283	225								
75 to 79 years	954	827	730	678	224	149								
80 to 84 years	702	693	532	540	170	153								
85 to 89 years	373	341	261	268	112	73								
90 to 94 years	97	139	54	82	43	57								
95 to 99 years	35	52	16	26	19	26								
100 years and over	30	56	2	4	28	52								
Unknown	54	46	27	23	27	23								
IDAHO, all ages	2,525	1,531	2,443	1,461	12	6	53	59	7	2	4	1	6	2
Under 1 year	222	182	211	166	1		6	14	1			1	3	1
1 to 4 years	84	72	77	64			6	8					1	
5 to 9 years	56	34	54	30		1	2	3						
10 to 14 years	51	31	47	30		1	4							
15 to 19 years	50	42	45	40			4	2	1					
20 to 24 years	63	53	63	52				1						
25 to 29 years	70	51	69	49	1	1		1						
30 to 34 years	61	35	57	34	1		2	1					1	
35 to 39 years	82	54	78	52	1		2	1	1					1
40 to 44 years	64	71	63	68			1	3						
45 to 49 years	133	78	129	76	3	1				1			1	
50 to 54 years	164	84	160	84			2				2			
55 to 59 years	173	83	170	80	1		1	3			1			
60 to 64 years	199	106	192	102	1	2	5	2			1			
65 to 69 years	242	111	238	107	1		3	4						
70 to 74 years	290	142	280	140	1		7	2	2					
75 to 79 years	249	120	247	116			2	4						
80 to 84 years	154	107	151	104	1		2	3						
85 to 89 years	80	52	78	48			1	3	1	1				
90 to 94 years	26	15	23	13			2	2	1					
95 to 99 years	8	6	7	5			1	1						
100 years and over	1	1	1					1						
Unknown	3	1	3	1										

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ILLINOIS, all ages	45,931	36,582	42,540	33,908	3,261	2,633	5	2	62	3	6		57	36
Under 1 year	3,048	2,236	2,790	2,025	248	205			2				8	6
1 to 4 years	977	828	903	752	72	71							2	5
5 to 9 years	627	470	589	436	38	32								2
10 to 14 years	553	399	523	362	29	37			1					
15 to 19 years	792	584	709	501	80	80			1				2	3
20 to 24 years	996	883	845	737	143	143			3				5	3
25 to 29 years	1,178	1,043	964	867	208	172		1	2				9	3
30 to 34 years	1,355	1,158	1,078	950	259	203	1		5		1		11	5
35 to 39 years	1,861	1,361	1,550	1,150	297	209			5		1		8	2
40 to 44 years	2,414	1,754	2,081	1,499	320	252			7	1	1		5	2
45 to 49 years	3,072	1,987	2,702	1,757	360	229	1		6	1	1		2	
50 to 54 years	3,491	2,232	3,147	1,973	337	258			6		1			1
55 to 59 years	3,735	2,525	3,468	2,362	260	163			6				1	
60 to 64 years	4,293	3,225	4,071	3,048	215	175	1		3	1			3	1
65 to 69 years	4,657	3,670	4,519	3,519	129	151			7		1		1	
70 to 74 years	4,676	3,970	4,562	3,858	109	111		1	5					
75 to 79 years	3,781	3,488	3,706	3,423	73	64			2					1
80 to 84 years	2,617	2,504	2,568	2,467	47	36	2							1
85 to 89 years	1,267	1,476	1,244	1,454	22	22			1					
90 to 94 years	413	612	404	602	9	10								
95 to 99 years	81	126	80	122	1	4								
100 years and over	11	20	7	15	4	4								1
Unknown	36	31	30	29	6	2								
INDIANA, all ages	20,529	17,480	19,495	16,575	1,017	899	2	1	6				9	5
Under 1 year	1,523	1,152	1,445	1,089	77	60		1					1	2
1 to 4 years	534	410	508	381	24	29							2	
5 to 9 years	290	205	272	196	18	9								
10 to 14 years	249	161	232	153	17	8								
15 to 19 years	341	285	320	253	21	32								
20 to 24 years	405	418	373	376	31	41							1	1
25 to 29 years	415	425	376	370	39	55								
30 to 34 years	525	459	460	407	64	51							1	1
35 to 39 years	586	581	515	522	69	59	1		1					
40 to 44 years	807	641	714	564	91	77	1						1	
45 to 49 years	922	779	841	693	79	85			1				1	1
50 to 54 years	1,179	950	1,074	885	102	65			1				2	
55 to 59 years	1,450	1,108	1,364	1,050	85	58			1					
60 to 64 years	1,792	1,385	1,693	1,319	98	66			1					
65 to 69 years	2,070	1,688	2,009	1,623	61	65								
70 to 74 years	2,549	1,985	2,494	1,937	54	48			1					
75 to 79 years	2,207	2,004	2,172	1,965	35	39								
80 to 84 years	1,583	1,606	1,558	1,579	25	27								
85 to 89 years	823	861	810	849	13	12								
90 to 94 years	201	280	196	275	5	5								
95 to 99 years	44	76	41	72	3	4								
100 years and over	4	5	4	3		2								
Unknown	30	16	24	14	6	2								
IOWA, all ages	14,205	11,460	14,008	11,317	170	126	10	5	2	1			15	11
Under 1 year	1,128	783	1,109	766	9	10	5	1		1			5	5
1 to 4 years	263	243	260	238	2	3							1	2
5 to 9 years	167	121	165	121	1								1	
10 to 14 years	149	107	148	106	1	1								
15 to 19 years	225	148	222	142	3	4		1						1
20 to 24 years	260	220	255	216	2	2	1	1					2	1
25 to 29 years	263	239	250	236	11	3	1						1	
30 to 34 years	272	279	262	277	9	2							1	
35 to 39 years	354	333	344	330	8	3							2	
40 to 44 years	408	376	394	361	14	14		1						
45 to 49 years	562	434	553	425	7	8	2							1
50 to 54 years	655	533	644	523	9	10			1				1	
55 to 59 years	960	633	943	626	14	7	1		1				1	
60 to 64 years	1,235	874	1,221	862	14	12								
65 to 69 years	1,481	1,034	1,458	1,023	23	11								
70 to 74 years	1,828	1,380	1,812	1,370	16	10								
75 to 79 years	1,764	1,449	1,751	1,439	13	9		1						
80 to 84 years	1,245	1,148	1,238	1,142	7	6								
85 to 89 years	688	758	683	751	5	6								1
90 to 94 years	247	288	246	285	1	3								
95 to 99 years	46	63	46	62		1								
100 years and over	3	11	2	10	1	1								
Unknown	2	6	2	6										
KANSAS, all ages	10,918	8,695	10,303	8,164	596	522	16	8	2				1	1
Under 1 year	964	682	911	637	51	43	2	2						
1 to 4 years	272	210	257	201	14	9	1							
5 to 9 years	136	102	129	99	6	3			1					
10 to 14 years	138	109	129	104	9	5								
15 to 19 years	194	122	181	108	12	14	1							
20 to 24 years	228	208	207	189	19	17	1	2	1					
25 to 29 years	244	222	225	201	19	21								
30 to 34 years	237	204	210	186	26	18	1							
35 to 39 years	255	254	223	221	31	33	1							
40 to 44 years	383	312	344	281	39	30								1
45 to 49 years	448	368	404	330	42	37	2	1						
50 to 54 years	534	422	481	367	52	55	1							
55 to 59 years	746	515	691	484	55	31								
60 to 64 years	876	635	823	593	53	41		1						
65 to 69 years	1,041	746	994	704	45	42	2							
70 to 74 years	1,318	938	1,281	893	36	45	1							
75 to 79 years	1,178	974	1,139	947	38	26	1	1						
80 to 84 years	950	863	927	838	21	24	1	1					1	
85 to 89 years	536	543	522	527	13	16	1							
90 to 94 years	204	215	193	209	11	6								
95 to 99 years	27	39	24	38	3	1								
100 years and over	7	11	7	6		5								
Unknown	2	1	1	1	1									

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KENTUCKY, all ages	15,671	12,849	13,402	10,928	2,265	1,921			3		1			
Under 1 year	1,825	1,388	1,641	1,253	184	135								
1 to 4 years	788	707	732	662	56	45								
5 to 9 years	296	251	270	222	26	29								
10 to 14 years	220	190	199	167	21	23								
15 to 19 years	433	313	361	249	72	64								
20 to 24 years	557	399	463	337	94	62								
25 to 29 years	506	404	410	330	95	74					1			
30 to 34 years	496	464	385	365	111	99								
35 to 39 years	609	444	457	352	152	92								
40 to 44 years	610	498	465	351	145	147								
45 to 49 years	703	585	538	429	165	156								
50 to 54 years	880	636	669	465	211	171								
55 to 59 years	932	731	739	570	193	161								
60 to 64 years	1,186	927	994	767	192	160								
65 to 69 years	1,321	1,011	1,153	856	166	155			2					
70 to 74 years	1,464	1,177	1,314	1,069	149	108			1					
75 to 79 years	1,254	1,146	1,162	1,051	92	95								
80 to 84 years	894	867	829	809	65	58								
85 to 89 years	494	449	450	410	44	39								
90 to 94 years	136	186	122	164	14	22								
95 to 99 years	25	39	18	28	7	11								
100 years and over	14	15	7	6	7	9								
Unknown	28	22	24	16	4	6								
LOUISIANA, all ages	12,640	10,472	6,891	5,241	5,714	5,218	17	10	9		3		6	3
Under 1 year	1,561	1,224	733	585	820	636	7	2					1	1
1 to 4 years	505	400	267	207	235	191	3	2						
5 to 9 years	210	175	130	88	79	86	1	1						
10 to 14 years	218	170	128	73	90	96		1						
15 to 19 years	357	332	153	118	203	214					1			
20 to 24 years	508	432	222	160	286	272								
25 to 29 years	494	494	211	184	281	310			1				1	
30 to 34 years	495	452	203	179	291	272			1					1
35 to 39 years	592	586	253	244	337	342	1				1			
40 to 44 years	710	532	356	199	353	332							1	1
45 to 49 years	785	606	382	231	402	375							1	
50 to 54 years	960	651	504	280	456	371								
55 to 59 years	917	633	571	314	344	319	1		1					
60 to 64 years	1,048	726	651	415	394	311			2				1	
65 to 69 years	908	665	580	389	324	276			3		1			
70 to 74 years	780	675	516	459	264	214		2						
75 to 79 years	681	639	488	449	190	190	1		1				1	
80 to 84 years	480	511	324	344	155	166	1	1						
85 to 89 years	248	316	157	200	91	116								
90 to 94 years	99	129	40	87	58	42	1							
95 to 99 years	26	53	6	22	20	30		1						
100 years and over	25	56	1	6	23	50	1							
Unknown	33	15	15	8	18	7								
MAINE, all ages	5,891	5,211	5,869	5,201	17	7	4	1	1	1				1
Under 1 year	567	435	566	434		1	1							
1 to 4 years	128	112	128	112										
5 to 9 years	80	47	80	46						1				
10 to 14 years	68	33	68	33										
15 to 19 years	90	72	90	72										
20 to 24 years	104	107	104	106										1
25 to 29 years	91	101	91	100		1								
30 to 34 years	94	112	94	112										
35 to 39 years	124	105	123	105	1									
40 to 44 years	181	147	179	147	2									
45 to 49 years	217	152	217	152										
50 to 54 years	285	230	284	230					1					
55 to 59 years	387	298	385	298	1		1							
60 to 64 years	521	393	519	393	1		1							
65 to 69 years	628	490	623	489	5			1						
70 to 74 years	715	598	713	597	2	1								
75 to 79 years	714	653	712	651	2	2								
80 to 84 years	545	544	542	543	2	1	1							
85 to 89 years	259	368	259	368										
90 to 94 years	80	175	79	175	1									
95 to 99 years	11	35	11	34		1								
100 years and over	2	3	2	3										
Unknown		1		1										
MARYLAND, all ages	11,060	9,550	8,477	7,379	2,572	2,171	1		8		1		1	
Under 1 year	1,023	782	660	505	362	277			1					
1 to 4 years	272	236	180	160	92	76								
5 to 9 years	138	113	106	83	32	30								
10 to 14 years	130	88	99	50	31	38								
15 to 19 years	206	196	143	104	63	92								
20 to 24 years	293	254	172	133	121	121								
25 to 29 years	306	266	169	159	136	107			1					
30 to 34 years	335	279	202	160	132	119							1	
35 to 39 years	456	324	281	209	175	115								
40 to 44 years	532	380	361	253	171	127								
45 to 49 years	696	459	497	321	198	138			1					
50 to 54 years	828	608	616	421	211	187					1			
55 to 59 years	897	725	693	541	203	184	1							
60 to 64 years	1,091	815	896	649	193	166			2					
65 to 69 years	1,033	877	882	755	148	122			3					
70 to 74 years	1,061	975	930	869	131	106								
75 to 79 years	857	937	789	866	68	71								
80 to 84 years	519	677	471	630	48	47								
85 to 89 years	272	393	243	368	29	25								
90 to 94 years	75	118	64	106	11	12								
95 to 99 years	16	30	12	27	4	3								
100 years and over	6	8	2	6	4	2								
Unknown	18	10	9	4	9	6								

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MASSACHUSETTS, all ages	26,101	24,710	25,561	24,286	492	418	6		41	6			1	
Under 1 year	1,894	1,405	1,846	1,372	45	32			3	1				
1 to 4 years	587	454	577	443	10	11								
5 to 9 years	343	243	338	237	4	6			1					
10 to 14 years	283	222	279	217	4	5								
15 to 19 years	358	311	346	296	12	15								
20 to 24 years	411	427	397	405	11	21			2	1			1	
25 to 29 years	483	509	468	491	14	18			1					
30 to 34 years	576	593	549	571	23	21			4	1				
35 to 39 years	811	746	773	730	36	16			2					
40 to 44 years	1,139	886	1,107	856	29	29	1		2	1				
45 to 49 years	1,460	1,090	1,400	1,060	57	29			3	1				
50 to 54 years	1,801	1,342	1,746	1,299	46	43			9					
55 to 59 years	2,221	1,850	2,176	1,818	41	32	1		3					
60 to 64 years	2,787	2,421	2,742	2,390	41	31			4					
65 to 69 years	2,961	2,690	2,921	2,661	36	29	1		3					
70 to 74 years	3,001	2,935	2,965	2,910	30	25	3		3					
75 to 79 years	2,308	2,611	2,285	2,596	22	15			1					
80 to 84 years	1,572	2,100	1,557	2,083	15	17								
85 to 89 years	776	1,201	765	1,187	11	13				1				
90 to 94 years	268	509	264	502	4	7								
95 to 99 years	45	141	44	139	1	2								
100 years and over	5	14	5	13		1								
Unknown	11	10	11	10										
MICHIGAN, all ages	26,848	21,688	25,356	20,527	1,386	1,075	75	71	6	1	1		24	14
Under 1 year	2,344	1,746	2,227	1,645	102	91	10	7		1			5	2
1 to 4 years	672	573	617	533	47	38	5	1					3	1
5 to 9 years	426	337	405	314	20	21	1	2						
10 to 14 years	326	237	308	216	17	15	1	3						3
15 to 19 years	473	397	444	349	25	44	2	3					2	1
20 to 24 years	565	575	497	501	63	65	2	6					3	3
25 to 29 years	604	641	505	547	94	93	3	1					2	
30 to 34 years	787	677	628	569	156	102		5					3	1
35 to 39 years	1,056	843	887	740	167	100	1	3					1	
40 to 44 years	1,299	915	1,166	830	128	82	4	3	1					
45 to 49 years	1,562	1,037	1,433	960	128	75	1	2						
50 to 54 years	1,752	1,271	1,615	1,174	127	94	6	2	1				3	1
55 to 59 years	1,851	1,333	1,758	1,266	87	62	5	4					1	1
60 to 64 years	2,247	1,591	2,161	1,525	73	62	10	4	2		1			
65 to 69 years	2,502	1,961	2,439	1,905	57	49	5	7	1					
70 to 74 years	2,777	2,300	2,738	2,263	37	31	1	6	1					
75 to 79 years	2,534	2,241	2,498	2,212	27	25	9	3						1
80 to 84 years	1,783	1,633	1,766	1,614	14	16	3	3						
85 to 89 years	913	903	902	897	7	5	4	1						
90 to 94 years	279	377	271	374	7	1	1	2						
95 to 99 years	51	73	50	70	1			3						
100 years and over	13	9	12	8		1	1							
Unknown	32	18	29	15	2	3							1	
MINNESOTA, all ages	14,479	10,827	14,240	10,650	101	64	127	112	8		1		2	1
Under 1 year	1,225	895	1,187	875	6	2	32	18						
1 to 4 years	282	275	271	259		1	11	14						1
5 to 9 years	165	140	160	138	1		4	2						
10 to 14 years	174	117	167	113	1	1	6	3						
15 to 19 years	235	183	224	172		2	11	9						
20 to 24 years	323	239	319	228		1	4	10						
25 to 29 years	280	265	274	260	3	2	2	3	1					
30 to 34 years	342	305	335	297	5	5	1	3	1					
35 to 39 years	406	375	392	369	7	3	7	3						
40 to 44 years	574	403	560	392	8	8	5	3					1	
45 to 49 years	700	467	684	457	8	6	5	4	3					
50 to 54 years	833	555	819	544	11	5	3	6						
55 to 59 years	1,021	668	999	659	15	8	6	1			1			
60 to 64 years	1,266	830	1,244	819	11	7	8	4	2				1	
65 to 69 years	1,533	993	1,516	984	13	5	4	4						
70 to 74 years	1,771	1,263	1,759	1,257	6	1	5	5	1					
75 to 79 years	1,563	1,117	1,555	1,112	3	1	5	4						
80 to 84 years	1,011	892	1,005	881	2	5	4	6						
85 to 89 years	557	538	554	534	1	1	2	3						
90 to 94 years	175	235	175	232				3						
95 to 99 years	31	60	31	57				3						
100 years and over	7	11	5	10			2	1						
Unknown	5	1	5	1										
MISSISSIPPI, all ages	11,382	10,284	4,900	4,050	6,449	6,217	18	13	7	1			8	3
Under 1 year	1,543	1,275	593	450	947	824	2	1	1					
1 to 4 years	662	539	278	222	381	313	2	3	1					1
5 to 9 years	245	257	93	92	152	165								
10 to 14 years	262	229	75	67	186	162	1							
15 to 19 years	360	381	96	91	262	288		1					2	1
20 to 24 years	430	479	121	116	309	362				1				
25 to 29 years	434	446	122	139	308	306	2	1					2	
30 to 34 years	415	485	123	132	292	352		1						
35 to 39 years	430	468	143	145	286	323	1							
40 to 44 years	447	504	185	164	259	340	2		1					
45 to 49 years	575	537	248	145	326	391	1							1
50 to 54 years	708	567	283	168	424	398		1	1					
55 to 59 years	706	539	337	207	368	332			1					
60 to 64 years	804	638	362	278	440	358		2	1				1	
65 to 69 years	738	611	396	293	338	317	1	1	1				2	
70 to 74 years	795	614	466	362	326	252	3							
75 to 79 years	721	585	441	376	279	209	1							
80 to 84 years	575	523	319	312	255	210	1	1						
85 to 89 years	304	325	154	194	150	131								
90 to 94 years	118	146	40	74	77	71	1	1						
95 to 99 years	34	56	9	14	25	42								
100 years and over	33	48	2		31	48								
Unknown	43	32	14	9	28	23							1	

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MISSOURI, all ages	23,886	18,635	21,432	16,642	2,418	1,981	2		8		1		25	12
Under 1 year	1,796	1,380	1,595	1,244	196	132							5	4
1 to 4 years	642	556	584	507	55	49							3	
5 to 9 years	328	256	300	231	27	25							1	
10 to 14 years	260	192	233	171	27	21								
15 to 19 years	392	301	343	234	48	65							1	2
20 to 24 years	522	484	425	386	95	96							2	2
25 to 29 years	538	461	423	371	111	90	1						3	
30 to 34 years	625	529	493	406	131	123							1	
35 to 39 years	774	605	604	465	168	140							2	
40 to 44 years	994	706	813	552	179	152			1				1	2
45 to 49 years	1,266	895	1,060	720	204	175			1		1			
50 to 54 years	1,513	1,023	1,278	847	233	175			1				1	1
55 to 59 years	1,804	1,283	1,576	1,112	227	170							1	1
60 to 64 years	2,231	1,519	2,024	1,375	206	144							1	
65 to 69 years	2,277	1,714	2,134	1,592	141	122			2					
70 to 74 years	2,678	2,052	2,553	1,952	123	100			2					
75 to 79 years	2,255	1,880	2,169	1,799	86	81								
80 to 84 years	1,673	1,410	1,607	1,367	65	43			1					
85 to 89 years	878	901	843	869	34	32								
90 to 94 years	274	336	254	316	19	20							1	
95 to 99 years	55	82	49	72	5	10							1	
100 years and over	9	16	6	9	3	7							1	
Unknown	102	54	66	45	35	9	1							
MONTANA, all ages	3,250	1,962	3,031	1,763	18	8	173	173	8		2	1	18	17
Under 1 year	240	221	196	178			40	36					4	7
1 to 4 years	78	61	54	39			21	20					3	2
5 to 9 years	43	38	34	28			8	7					1	3
10 to 14 years	47	31	41	27			6	3				1		
15 to 19 years	59	54	51	41	1		7	12						1
20 to 24 years	92	54	84	44	1		5	8					2	2
25 to 29 years	90	57	74	52	3		10	5	1				2	
30 to 34 years	99	60	95	56			3	3					1	1
35 to 39 years	78	79	72	73	1		3	6					2	
40 to 44 years	150	97	144	88	1		3	9					2	
45 to 49 years	237	110	225	105	1	2	11	2						1
50 to 54 years	243	125	235	116	2	1	5	8			1			
55 to 59 years	242	126	229	118	3	2	9	6					1	
60 to 64 years	285	139	275	130	1	2	7	7	1		1			
65 to 69 years	355	171	347	160	1		5	11	2					
70 to 74 years	375	185	364	173	2	1	8	11	1					
75 to 79 years	278	156	270	150			8	6						
80 to 84 years	168	96	155	91			11	5	2					
85 to 89 years	63	76	59	73	1		2	3	1					
90 to 94 years	22	14	21	10			1	4						
95 to 99 years	5	9	5	9										
100 years and over		3		2				1						
Unknown	1		1											
NEBRASKA, all ages	7,235	5,689	7,049	5,531	116	111	32	27			4	1	34	19
Under 1 year	691	502	665	487	7	5	8	7					11	3
1 to 4 years	189	145	179	139	1	2	5	3					4	1
5 to 9 years	86	82	84	79	1	2							1	1
10 to 14 years	70	74	66	71	3	3							1	
15 to 19 years	132	86	123	79	4	4	1	1			1		3	2
20 to 24 years	127	132	123	126	3	4		1					1	1
25 to 29 years	149	141	142	131	5	8	2	2						
30 to 34 years	168	137	159	129	4	3	2	2					3	3
35 to 39 years	187	165	176	154	9	10	1					1	1	
40 to 44 years	250	193	233	185	15	6	1	2					1	
45 to 49 years	333	263	317	246	11	13	1				1		3	4
50 to 54 years	359	284	346	270	10	10		2					3	2
55 to 59 years	445	307	433	294	6	11	3	1			2		1	1
60 to 64 years	567	444	558	438	8	5	1	1						
65 to 69 years	640	495	623	486	16	8	1	1						
70 to 74 years	885	641	875	633	7	7	2	1					1	
75 to 79 years	818	632	812	625	3	5	3	1						1
80 to 84 years	617	506	616	502	1	3		1						
85 to 89 years	365	305	362	305	2		1							
90 to 94 years	127	125	127	124		1								
95 to 99 years	22	19	22	18		1								
100 years and over		3		2				1						
Unknown	8	8	8	8										
NEVADA, all ages	834	399	740	331	9	8	67	54	10	2	6	3	2	1
Under 1 year	50	49	44	40			5	7		1	1			1
1 to 4 years	20	7	15	4			5	3						
5 to 9 years	12	5	9	5			3							
10 to 14 years	13	4	9	2			4	2						
15 to 19 years	18	14	13	8			5	5				1		
20 to 24 years	19	12	15	9			4	3						
25 to 29 years	31	8	25	6			5	2			1			
30 to 34 years	28	24	26	20			1	3	1			1		
35 to 39 years	49	23	46	16	1	2	2	4				1		
40 to 44 years	44	16	38	15	1		4	1			1			
45 to 49 years	42	21	42	20						1				
50 to 54 years	70	23	64	17	1	5	4	1	1					
55 to 59 years	73	24	68	22	1		1	2			2		1	
60 to 64 years	104	25	95	19	2		4	6	2		1			
65 to 69 years	82	27	76	24	1	1	3	2	1				1	
70 to 74 years	61	35	57	33			3	2	1					
75 to 79 years	54	26	50	23			1	3	3					
80 to 84 years	36	31	29	27			7	4						
85 to 89 years	16	16	15	13	1			3						
90 to 94 years	6	3	1	3	1		3		1					
95 to 99 years	4	5	3	4			1	1						
100 years and over														
Unknown	2	1		1			2							

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.
NEW HAMPSHIRE, all ages	3,385	3,106	3,379	3,104	6	2								
Under 1 year	230	183	230	183										
1 to 4 years	39	54	39	54										
5 to 9 years	24	26	24	26										
10 to 14 years	19	23	19	23										
15 to 19 years	59	34	59	34										
20 to 24 years	62	48	62	48										
25 to 29 years	34	58	34	58										
30 to 34 years	56	59	56	59										
35 to 39 years	76	75	76	75										
40 to 44 years	94	77	94	77										
45 to 49 years	139	117	137	117	2									
50 to 54 years	187	151	186	151	1									
55 to 59 years	233	185	232	185	1									
60 to 64 years	329	254	329	253		1								
65 to 69 years	368	302	367	302	1									
70 to 74 years	448	386	448	385		1								
75 to 79 years	412	407	412	407										
80 to 84 years	306	342	305	342	1									
85 to 89 years	187	194	187	194										
90 to 94 years	51	91	51	91										
95 to 99 years	9	25	9	25										
100 years and over	2	2	2	2										
Unknown	21	13	21	13										
NEW JERSEY, all ages	23,127	20,370	21,345	18,782	1,758	1,587		1	19		3		2	
Under 1 year	1,480	1,117	1,285	970	194	147					1			
1 to 4 years	486	415	439	360	46	55			1					
5 to 9 years	330	240	303	220	27	20								
10 to 14 years	277	177	256	158	20	19					1			
15 to 19 years	389	303	337	254	52	49								
20 to 24 years	483	458	418	382	65	76								
25 to 29 years	498	526	404	431	91	95			3					
30 to 34 years	669	586	548	481	117	105			3				1	
35 to 39 years	897	705	763	609	134	96								
40 to 44 years	1,203	847	1,055	724	146	123			1				1	
45 to 49 years	1,610	1,182	1,455	1,044	152	138			3					
50 to 54 years	1,959	1,398	1,784	1,255	175	143								
55 to 59 years	2,186	1,639	2,038	1,510	146	129			2					
60 to 64 years	2,401	1,988	2,276	1,884	123	104			2					
65 to 69 years	2,404	2,170	2,301	2,076	99	94			3		1			
70 to 74 years	2,320	2,245	2,236	2,178	83	67			1					
75 to 79 years	1,786	1,865	1,752	1,813	34	52								
80 to 84 years	1,037	1,368	1,008	1,334	29	34								
85 to 89 years	515	755	499	729	16	26								
90 to 94 years	162	290	157	282	5	8								
95 to 99 years	25	82	22	79	3	3								
100 years and over	3	13	2	8	1	4		1						
Unknown	7	1	7	1										
NEW MEXICO, all ages	3,229	2,595	3,045	2,410	38	25	144	157	2			2		1
Under 1 year	916	758	855	714	3		58	44						
1 to 4 years	222	231	204	204	2	1	16	26						
5 to 9 years	62	50	56	46			6	4						
10 to 14 years	55	52	53	46			2	6						
15 to 19 years	61	80	54	72		1	7	6				1		
20 to 24 years	84	121	79	107		2	5	12						
25 to 29 years	88	129	85	119	1	2	2	8						
30 to 34 years	111	113	104	100	3	2	3	11	1					
35 to 39 years	143	92	135	85	6	4	2	3						
40 to 44 years	136	85	124	84	7	1	5							
45 to 49 years	125	76	118	74	3	1	4	1						
50 to 54 years	137	104	130	95	2		5	8						1
55 to 59 years	156	99	148	91	4	4	4	4						
60 to 64 years	188	106	182	103	2		4	3						
65 to 69 years	190	132	185	125	1	2	4	5						
70 to 74 years	170	103	163	95	1		5	8	1					
75 to 79 years	156	110	154	107		1	2	2						
80 to 84 years	112	79	107	73	1	2	4	4						
85 to 89 years	57	43	55	43			2							
90 to 94 years	20	15	20	14				1						
95 to 99 years	8	6	8	4		1		1						
100 years and over	8	6	7	6			1							
Unknown	24	5	19	3	2	1	3					1		
NEW YORK, all ages	79,739	68,716	75,792	65,275	3,655	3,366	72	62	163	8	40	4	17	1
Under 1 year	5,740	4,286	5,307	3,926	422	341	6	13	4	5		1	1	
1 to 4 years	1,777	1,422	1,642	1,314	129	106	3	2	2		1			
5 to 9 years	1,033	862	981	807	46	53	2	1	3		1	1		
10 to 14 years	887	646	839	597	47	47	1	2						
15 to 19 years	1,161	957	1,087	853	70	101	2	3	2					
20 to 24 years	1,527	1,539	1,342	1,309	169	228	5	2	7		1		3	
25 to 29 years	1,877	1,920	1,621	1,653	236	264	2	3	15		2		1	
30 to 34 years	2,447	2,064	2,095	1,795	329	268	3	1	13		6		1	
35 to 39 years	3,179	2,536	2,782	2,242	380	287	3	6	9		3		2	1
40 to 44 years	4,388	2,926	3,980	2,635	375	287	3	2	24	2	5		1	
45 to 49 years	5,380	3,643	4,990	3,357	366	283	4	3	14		2		4	
50 to 54 years	6,527	4,397	6,198	4,132	289	261	8	3	24	1	7		1	
55 to 59 years	7,155	5,268	6,887	5,077	245	190	5	1	13		5			
60 to 64 years	8,206	6,529	7,980	6,347	197	176	2	4	23		3	2	1	
65 to 69 years	8,131	7,306	8,004	7,153	112	151	6	2	6		2		1	
70 to 74 years	8,031	7,702	7,895	7,535	123	160	9	7	3		1			
75 to 79 years	6,001	6,322	5,948	6,244	49	76	2	2	1		1			
80 to 84 years	3,813	4,652	3,768	4,604	43	46	2	2						
85 to 89 years	1,810	2,538	1,785	2,515	21	23	4							
90 to 94 years	517	952	511	938	6	12		2						
95 to 99 years	104	209	104	206		2		1						
100 years and over	18	30	17	28	1	2								
Unknown	30	10	29	8		2							1	

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH CAROLINA, all ages	16,407	14,140	10,637	8,542	5,671	5,524	97	74	1		1			
Under 1 year	2,812	2,165	1,643	1,190	1,147	963	22	12						
1 to 4 years	838	682	533	407	296	263	9	12						
5 to 9 years	284	267	189	172	93	92	2	3						
10 to 14 years	281	201	170	88	108	110	3	3						
15 to 19 years	497	427	258	183	236	242	3	2						
20 to 24 years	663	630	316	259	341	364	6	7						
25 to 29 years	561	610	284	279	275	330	2	1						
30 to 34 years	574	591	320	278	252	311	2	2						
35 to 39 years	680	665	377	327	303	338								
40 to 44 years	741	632	422	338	315	289	4	5						
45 to 49 years	766	705	477	363	287	340	2	2						
50 to 54 years	980	797	615	417	359	377	5	3			1			
55 to 59 years	1,057	749	743	468	309	279	4	2	1					
60 to 64 years	1,122	886	828	581	289	303	5	2						
65 to 69 years	1,088	887	778	623	304	258	6	6						
70 to 74 years	1,204	1,022	957	816	239	199	8	7						
75 to 79 years	1,006	915	805	749	195	163	6	3						
80 to 84 years	708	678	559	548	144	129	5	1						
85 to 89 years	355	376	270	298	83	77	2	1						
90 to 94 years	107	169	63	121	44	48								
95 to 99 years	35	48	13	26	21	22	1							
100 years and over	23	29	3	4	20	25								
Unknown	25	9	14	7	11	2								
NORTH DAKOTA, all ages	3,217	2,246	3,085	2,149	6	1	121	96	3		1		1	
Under 1 year	437	354	401	325			36	29						
1 to 4 years	121	87	105	73			16	14						
5 to 9 years	48	48	43	45			5	3						
10 to 14 years	67	49	61	46			6	3						
15 to 19 years	77	59	73	56			4	3						
20 to 24 years	92	81	86	78			6	3						
25 to 29 years	51	59	49	56			2	3						
30 to 34 years	54	57	51	52			3	5						
35 to 39 years	96	70	94	67	1			3					1	
40 to 44 years	112	68	108	66			2	2	2					
45 to 49 years	126	99	120	98			5	1			1			
50 to 54 years	168	105	167	103	1			2						
55 to 59 years	177	122	172	118		1	5	3						
60 to 64 years	268	150	265	148	1		2	2						
65 to 69 years	303	163	296	161			7	2						
70 to 74 years	384	208	378	203	2		4	5						
75 to 79 years	293	208	287	201			6	7						
80 to 84 years	212	143	204	142	1		6	1	1					
85 to 89 years	86	73	83	71			3	2						
90 to 94 years	30	29	29	27			1	2						
95 to 99 years	10	10	8	9			2	1						
100 years and over	1	1	1	1										
Unknown	4	3	4	3										
OHIO, all ages	39,633	33,421	36,614	31,106	3,003	2,313	7	1	9	1				
Under 1 year	2,908	2,141	2,659	1,933	249	207				1				
1 to 4 years	897	718	844	647	53	71								
5 to 9 years	516	461	478	435	37	26			1					
10 to 14 years	463	302	423	271	40	31								
15 to 19 years	673	518	600	435	73	83								
20 to 24 years	819	803	693	679	125	124			1					
25 to 29 years	889	905	724	753	165	152								
30 to 34 years	1,045	918	827	745	218	173								
35 to 39 years	1,413	1,156	1,122	956	291	200								
40 to 44 years	1,821	1,353	1,524	1,171	294	182			3					
45 to 49 years	2,342	1,636	2,032	1,433	308	203	2							
50 to 54 years	2,577	1,892	2,316	1,708	261	183		1						
55 to 59 years	3,014	2,188	2,781	2,034	232	154			1					
60 to 64 years	3,618	2,702	3,420	2,572	196	130	1		1					
65 to 69 years	3,961	3,145	3,808	3,027	152	118	1							
70 to 74 years	4,381	3,798	4,251	3,696	129	102			1					
75 to 79 years	3,864	3,714	3,794	3,648	68	66	1		1					
80 to 84 years	2,630	2,773	2,575	2,727	55	46								
85 to 89 years	1,316	1,587	1,281	1,553	33	34	2							
90 to 94 years	388	578	377	565	11	13								
95 to 99 years	76	109	68	102	8	7								
100 years and over	9	19	6	11	3	8								
Unknown	13	5	11	5	2									
OKLAHOMA, all ages	11,646	8,663	10,080	7,431	1,129	829	396	378	1				40	25
Under 1 year	1,380	1,086	1,185	946	118	80	70	56					7	4
1 to 4 years	588	503	504	407	44	36	37	54					3	6
5 to 9 years	225	214	200	194	21	14	3	6					1	
10 to 14 years	204	176	183	144	15	22	6	8						2
15 to 19 years	331	282	262	214	42	44	26	22					1	2
20 to 24 years	394	342	312	267	59	49	22	24					1	2
25 to 29 years	419	369	322	293	75	52	22	23						1
30 to 34 years	381	321	297	250	67	60	15	10					2	1
35 to 39 years	440	362	335	284	82	60	21	16	1				1	2
40 to 44 years	504	355	404	292	84	50	15	13					1	
45 to 49 years	541	399	445	319	71	63	23	15					2	2
50 to 54 years	622	432	518	348	79	68	20	16					5	
55 to 59 years	714	463	615	407	70	45	25	11					4	
60 to 64 years	853	556	755	493	73	44	21	18					4	1
65 to 69 years	880	616	809	561	58	43	10	11					3	1
70 to 74 years	1,033	669	961	630	55	23	15	16					2	
75 to 79 years	941	602	883	566	37	22	19	13					2	1
80 to 84 years	660	489	624	453	25	18	10	18					1	
85 to 89 years	378	286	344	257	26	15	8	14						
90 to 94 years	109	100	95	82	10	10	4	8						
95 to 99 years	17	25	13	21	3	2	1	2						
100 years and over	18	12	4	2	11	8	3	2						
Unknown	14	4	10	1	4	1		2						

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
OREGON, all ages	6,277	4,173	6,112	4,081	24	18	65	63	44	3	25	6	7	2
Under 1 year	290	203	278	194		1	7	6		1	5	1		
1 to 4 years	90	70	86	63	1		3	6				1		
5 to 9 years	63	43	60	41			1	2	1		1			
10 to 14 years	55	36	55	29				5				1		1
15 to 19 years	104	63	98	58		1	4	4	1		1			
20 to 24 years	138	77	124	77	1		10		2				1	
25 to 29 years	109	99	106	94			1	3		1	1	1	1	
30 to 34 years	134	90	133	89			1	1						
35 to 39 years	190	142	184	138		1	3	2				1	3	
40 to 44 years	249	149	245	146	3	3			1					
45 to 49 years	337	210	327	202	5	5	2	2	1		2	1		
50 to 54 years	407	258	398	256		2	2		1		6			
55 to 59 years	478	283	469	279	3	2	6	2	3		7			
60 to 64 years	603	359	594	354	2		3	3	3	1			1	1
65 to 69 years	719	460	701	455	5	1	6	4	6		1			
70 to 74 years	801	487	788	483	2	1	2	3	9					
75 to 79 years	739	465	722	461	1		6	4	9		1			
80 to 84 years	475	363	471	357			2	6	1				1	
85 to 89 years	213	198	204	196	1		5	2	3					
90 to 94 years	66	92	63	85		1	1	6	2					
95 to 99 years	11	17	11	17										
100 years and over		4		3				1						
Unknown	6	5	5	4				1	1					
PENNSYLVANIA, all ages	57,086	49,023	53,431	45,972	3,615	3,050	1		34	1	1		4	
Under 1 year	4,782	3,609	4,446	3,322	334	287			2					
1 to 4 years	1,389	1,207	1,295	1,111	94	96								
5 to 9 years	882	675	833	629	49	46								
10 to 14 years	675	511	623	470	51	41			1					
15 to 19 years	928	853	848	753	80	100								
20 to 24 years	1,194	1,190	1,057	1,041	135	149			2					
25 to 29 years	1,270	1,269	1,080	1,078	188	191			1					1
30 to 34 years	1,463	1,302	1,221	1,112	242	190								
35 to 39 years	2,101	1,686	1,790	1,459	309	227			2					
40 to 44 years	2,853	2,012	2,501	1,743	348	268			3	1			1	
45 to 49 years	3,586	2,409	3,216	2,161	368	248			1				1	
50 to 54 years	4,243	3,051	3,883	2,738	354	313			4		1		1	
55 to 59 years	4,852	3,521	4,554	3,301	293	220			5					
60 to 64 years	5,590	4,408	5,322	4,227	261	181			7					
65 to 69 years	5,804	4,835	5,595	4,662	206	173	1		2					
70 to 74 years	5,762	5,305	5,640	5,176	119	129			3					
75 to 79 years	4,737	4,779	4,670	4,687	67	92								
80 to 84 years	3,053	3,570	3,008	3,518	45	52								
85 to 89 years	1,422	1,931	1,384	1,905	38	26								
90 to 94 years	396	705	376	693	20	12								
95 to 99 years	69	144	62	139	6	5			1					
100 years and over	14	28	7	26	7	2								
Unknown	21	23	20	21	1	2								
RHODE ISLAND, all ages	4,051	3,844	3,947	3,761	97	80	3	3	4					
Under 1 year	330	245	324	239	6	6								
1 to 4 years	89	79	85	76	4	3								
5 to 9 years	53	34	49	34	4									
10 to 14 years	33	33	32	33	1									
15 to 19 years	53	37	53	36		1								
20 to 24 years	73	76	71	72	2	4								
25 to 29 years	68	82	64	78	3	4	1							
30 to 34 years	84	104	81	100	3	4								
35 to 39 years	112	87	105	85	7	2								
40 to 44 years	153	142	143	133	10	9								
45 to 49 years	237	171	227	164	9	7	1							
50 to 54 years	290	207	278	199	11	8			1					
55 to 59 years	407	311	400	307	7	4								
60 to 64 years	442	384	438	376	2	7		1	2					
65 to 69 years	471	468	460	462	11	6								
70 to 74 years	476	448	468	445	8	3								
75 to 79 years	332	402	324	398	6	4	1		1					
80 to 84 years	225	286	223	279	2	7								
85 to 89 years	91	161	91	159				2						
90 to 94 years	26	70	26	69		1								
95 to 99 years	4	13	4	13										
100 years and over	1	2		2	1									
Unknown	1	2	1	2										
SOUTH CAROLINA, all ages	10,143	9,213	4,759	3,821	5,384	5,392								
Under 1 year	1,709	1,445	677	518	1,032	927								
1 to 4 years	532	470	228	203	304	267								
5 to 9 years	186	165	78	63	108	102								
10 to 14 years	178	154	77	49	101	105								
15 to 19 years	338	367	139	95	199	272								
20 to 24 years	456	499	147	127	309	372								
25 to 29 years	397	437	134	118	263	319								
30 to 34 years	365	393	125	100	240	293								
35 to 39 years	462	487	168	159	294	328								
40 to 44 years	569	488	220	167	349	321								
45 to 49 years	591	524	244	163	347	361								
50 to 54 years	738	606	329	196	409	410								
55 to 59 years	742	539	383	225	359	314								
60 to 64 years	726	558	431	286	295	272								
65 to 69 years	574	452	334	246	240	206								
70 to 74 years	561	504	374	337	187	167								
75 to 79 years	461	455	336	334	125	121								
80 to 84 years	304	354	204	260	100	94								
85 to 89 years	173	180	105	120	68	60								
90 to 94 years	49	91	18	43	31	48								
95 to 99 years	14	28	3	8	11	20								
100 years and over	8	11	2	1	6	10								
Unknown	10	6	3	3	7	3								

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
SOUTH DAKOTA, all ages	3,506	2,598	3,241	2,310	8	6	255	282					2	
Under 1 year	403	302	338	232	1		64	70						
1 to 4 years	123	119	92	72	1		30	47						
5 to 9 years	64	50	55	36			9	14						
10 to 14 years	56	44	44	36			12	8						
15 to 19 years	91	68	73	56	2		16	12						
20 to 24 years	72	70	64	60		1	8	9						
25 to 29 years	72	62	64	55			8	7						
30 to 34 years	75	56	69	46	1	1	4	9					1	
35 to 39 years	89	83	80	78			9	5						
40 to 44 years	110	102	102	94		1	8	7						
45 to 49 years	169	99	160	93	1		8	6						
50 to 54 years	170	143	165	132			5	11						
55 to 59 years	197	153	189	143		2	8	8						
60 to 64 years	259	156	251	147			8	9						
65 to 69 years	325	204	307	187			18	17						
70 to 74 years	404	270	383	253	2		19	17						
75 to 79 years	380	249	368	240			12	9						
80 to 84 years	263	192	255	182			8	10						
85 to 89 years	120	126	120	121		1		4						
90 to 94 years	31	34	30	34									1	
95 to 99 years	13	9	13	8				1						
100 years and over	1	1	1					1						
Unknown	19	6	18	5			1	1						
TENNESSEE, all ages	15,325	12,798	11,273	9,130	4,045	3,667	1	1	4				2	
Under 1 year	1,925	1,548	1,483	1,189	441	358	1	1						
1 to 4 years	815	666	669	521	146	145								
5 to 9 years	275	263	212	202	63	61								
10 to 14 years	236	184	168	133	68	51								
15 to 19 years	409	343	262	191	147	152								
20 to 24 years	602	594	367	334	235	260								
25 to 29 years	604	578	369	318	235	260								
30 to 34 years	585	526	331	280	253	246							1	
35 to 39 years	630	547	402	302	227	245			1					
40 to 44 years	690	591	408	349	282	242								
45 to 49 years	736	598	460	361	274	237			2					
50 to 54 years	967	709	612	435	354	274			1					
55 to 59 years	1,014	741	732	503	281	238							1	
60 to 64 years	1,196	870	900	606	296	264								
65 to 69 years	1,157	847	906	653	251	194								
70 to 74 years	1,197	964	1,036	811	161	153								
75 to 79 years	987	927	852	827	135	100								
80 to 84 years	717	691	633	614	84	77								
85 to 89 years	378	390	332	346	46	44								
90 to 94 years	131	135	98	110	33	25								
95 to 99 years	32	47	18	27	14	20								
100 years and over	16	22	5	7	11	15								
Unknown	26	17	18	11	8	6								
TEXAS, all ages	32,797	26,151	24,032	18,126	5,442	4,921	8	3	19	3	3	2	3,293	3,096
Under 1 year	4,557	3,598	2,858	2,220	638	433	1					1	1,060	944
1 to 4 years	1,795	1,642	1,141	1,034	195	169	1						458	439
5 to 9 years	730	589	537	422	120	95			1				72	72
10 to 14 years	554	460	400	284	91	93	1						62	83
15 to 19 years	830	895	542	500	168	240		2	1			1	119	152
20 to 24 years	1,162	1,251	711	712	274	331			1	2	1		175	206
25 to 29 years	1,253	1,205	782	712	316	314	1						154	179
30 to 34 years	1,171	1,175	775	652	293	365							103	158
35 to 39 years	1,333	1,152	873	665	346	357	1		2				111	130
40 to 44 years	1,463	1,144	965	693	411	349			1	1	1		85	101
45 to 49 years	1,779	1,312	1,199	827	448	401			1				131	84
50 to 54 years	1,945	1,377	1,394	891	438	403	1		2				110	83
55 to 59 years	2,097	1,323	1,662	972	314	264	1	1	4				116	86
60 to 64 years	2,400	1,529	1,917	1,194	369	239			2		1		111	96
65 to 69 years	2,143	1,387	1,725	1,121	310	210			1				107	56
70 to 74 years	2,376	1,712	2,082	1,474	211	182							83	56
75 to 79 years	2,159	1,652	1,935	1,485	146	118	1		3				74	49
80 to 84 years	1,661	1,351	1,480	1,199	119	113							62	39
85 to 89 years	853	791	738	692	70	67							45	32
90 to 94 years	269	330	200	262	54	49							15	19
95 to 99 years	62	103	35	68	14	27							13	8
100 years and over	46	66	12	19	24	36							10	11
Unknown	159	107	69	28	73	66							17	13
UTAH, all ages	2,496	1,888	2,429	1,865	14	3	26	11	7	1	9	6	11	2
Under 1 year	312	255	307	249	1		2	2			1	2	1	2
1 to 4 years	104	86	96	84		1	6	1			2			
5 to 9 years	45	32	43	32			2							
10 to 14 years	50	41	48	39			2	1				1		
15 to 19 years	87	57	83	54		1	4	2						
20 to 24 years	68	52	66	51	1		1	1						
25 to 29 years	73	50	71	50	1		1							
30 to 34 years	69	51	68	51	1									
35 to 39 years	81	57	79	56	1				1	1				
40 to 44 years	105	67	103	66								1	2	
45 to 49 years	126	77	119	76	3						1	1	3	
50 to 54 years	143	78	133	77	4		1		1		3	1	1	
55 to 59 years	159	83	156	83	1		1				1			
60 to 64 years	170	124	166	124			1		1				2	
65 to 69 years	228	147	224	146			2	1	1		1			
70 to 74 years	238	192	233	190			2	2	2				1	
75 to 79 years	191	184	189	183	1	1			1					
80 to 84 years	138	137	138	136				1						
85 to 89 years	78	88	78	88										
90 to 94 years	17	22	17	22										
95 to 99 years	7	6	7	6										
100 years and over		1		1										
Unknown	7	1	5	1			1						1	

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VERMONT, all ages	2,527	2,094	2,527	2,093		1								
Under 1 year	172	153	172	153										
1 to 4 years	52	53	52	53										
5 to 9 years	32	19	32	19										
10 to 14 years	18	14	18	14										
15 to 19 years	41	24	41	24										
20 to 24 years	36	33	36	33										
25 to 29 years	34	44	34	43		1								
30 to 34 years	35	36	35	36										
35 to 39 years	73	54	73	54										
40 to 44 years	55	52	55	52										
45 to 49 years	96	86	96	86										
50 to 54 years	137	96	137	96										
55 to 59 years	192	111	192	111										
60 to 64 years	259	150	259	150										
65 to 69 years	256	212	256	212										
70 to 74 years	316	267	316	267										
75 to 79 years	293	267	293	267										
80 to 84 years	252	207	252	207										
85 to 89 years	115	147	115	147										
90 to 94 years	39	50	39	50										
95 to 99 years	11	11	11	11										
100 years and over	2	4	2	4										
Unknown	11	4	11	4										
VIRGINIA, all ages	15,448	13,006	10,026	8,017	5,414	4,987	3	2	4		1			
Under 1 year	1,971	1,542	1,190	930	780	612	1							
1 to 4 years	549	445	350	297	199	148								
5 to 9 years	237	207	179	124	58	83								
10 to 14 years	208	166	122	94	86	72								
15 to 19 years	354	329	189	135	165	194								
20 to 24 years	563	474	301	215	262	259								
25 to 29 years	497	486	297	213	200	273								
30 to 34 years	489	480	263	233	226	247								
35 to 39 years	581	517	279	240	302	277								
40 to 44 years	676	577	339	282	335	295			2					
45 to 49 years	851	677	478	334	373	343								
50 to 54 years	1,024	842	546	378	477	464					1			
55 to 59 years	1,119	832	670	483	449	349								
60 to 64 years	1,252	985	835	585	415	400			2					
65 to 69 years	1,229	995	865	639	364	356								
70 to 74 years	1,240	1,011	985	787	254	224	1							
75 to 79 years	1,142	1,014	968	883	174	131								
80 to 84 years	836	717	690	598	145	119	1							
85 to 89 years	417	462	347	398	70	64								
90 to 94 years	137	160	102	126	35	34								
95 to 99 years	38	49	18	32	20	15		2						
100 years and over	14	21	5	4	9	17								
Unknown	24	18	8	7	16	11								
WASHINGTON, all ages	10,186	6,519	9,833	6,302	82	62	139	116	24	6	77	31	31	2
Under 1 year	462	349	429	317	5	2	19	19		3	8	8	1	
1 to 4 years	145	124	131	105	2	3	8	13	1	1	2	2	1	
5 to 9 years	106	88	96	78	1		7	7			2	2		1
10 to 14 years	117	76	106	69	1	1	7	3			3	3		
15 to 19 years	206	123	187	114	2	1	11	6	1		5	2		
20 to 24 years	240	176	204	169	8		13	6	1		3		11	1
25 to 29 years	226	200	203	183	3	2	4	12	3		4	3	9	
30 to 34 years	239	183	225	168		4	9	8			2	3	3	
35 to 39 years	301	206	291	193	4	3	3	3	1	2		5	2	
40 to 44 years	441	235	425	228	6	3	4	3	2		3	1	1	
45 to 49 years	626	297	593	291	9	1	6	4	4		14	1		
50 to 54 years	635	407	605	398	9	4	5	4	3		12	1	1	
55 to 59 years	757	512	740	496	7	12	2	4	1		7			
60 to 64 years	1,008	552	987	545	8	4	3	3	1		9			
65 to 69 years	1,177	697	1,160	679	6	13	9	5	1		1			
70 to 74 years	1,245	757	1,230	751	4	3	8	3	2		1			
75 to 79 years	1,033	682	1,020	677	1	4	11	1	1					
80 to 84 years	767	468	757	461	4	1	4	6	2					
85 to 89 years	310	252	306	247	2	1	2	4						
90 to 94 years	95	102	93	101			2	1						
95 to 99 years	25	26	24	25			1	1						
100 years and over	3	2	2	2			1							
Unknown	22	5	19	5							1		2	
WEST VIRGINIA, all ages	9,280	7,325	8,299	6,681	980	644			1					
Under 1 year	1,370	1,102	1,272	1,036	98	66								
1 to 4 years	515	471	487	433	28	38								
5 to 9 years	204	147	189	138	15	9								
10 to 14 years	158	133	143	121	15	12								
15 to 19 years	266	181	233	159	33	22								
20 to 24 years	295	238	254	207	41	31								
25 to 29 years	309	252	254	200	55	52								
30 to 34 years	336	272	259	234	77	38								
35 to 39 years	373	297	293	245	80	52								
40 to 44 years	403	275	322	227	81	48								
45 to 49 years	423	284	328	239	94	45			1					
50 to 54 years	519	357	428	303	91	54								
55 to 59 years	591	381	527	346	64	35								
60 to 64 years	617	458	554	427	63	31								
65 to 69 years	646	469	600	442	46	27								
70 to 74 years	773	568	735	549	38	19								
75 to 79 years	704	595	674	575	30	20								
80 to 84 years	418	449	405	426	13	23								
85 to 89 years	269	259	258	249	11	10								
90 to 94 years	64	98	61	93	3	5								
95 to 99 years	15	20	14	17	1	3								
100 years and over	2	9	1	5	1	4								
Unknown	10	10	8	10	2									

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) BY AGE, SEX, AND COLOR OR RACE: 1933—Continued

AREA AND AGE	ALL DEATHS		WHITE		NEGRO		OTHER RACES							
							Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WISCONSIN, all ages	16,229	13,284	16,031	13,139	88	60	98	82	5				7	3
Under 1 year	1,354	1,092	1,323	1,072	3	3	24	16	1				3	1
1 to 4 years	298	234	292	222	1	2	4	10					1	
5 to 9 years	200	150	196	144		2	4	4						
10 to 14 years	180	131	178	124			2	7						
15 to 19 years	284	172	275	168	3	2	6	2						
20 to 24 years	317	274	313	266	3	3	1	5						
25 to 29 years	312	315	302	306	5	7	4	2					1	
30 to 34 years	369	322	360	327	6	4	3	1						
35 to 39 years	497	384	475	373	18	5	2	4					2	2
40 to 44 years	606	469	591	458	12	9	3	2						
45 to 49 years	839	575	826	570	8	3	4	2	1					
50 to 54 years	875	661	866	650	5	4	3	7	1					
55 to 59 years	1,099	834	1,088	833	6		5	1						
60 to 64 years	1,426	1,020	1,414	1,009	6	7	5	4	1					
65 to 69 years	1,662	1,281	1,651	1,275	5	5	6	1						
70 to 74 years	1,963	1,658	1,950	1,652	5	2	7	4	1					
75 to 79 years	1,796	1,573	1,786	1,569	1		9	4						
80 to 84 years	1,220	1,180	1,215	1,176		1	5	3						
85 to 89 years	632	626	632	623		1		2						
90 to 94 years	250	269	249	269	1									
95 to 99 years	31	39	30	39			1							
100 years and over	11	13	11	12				1						
Unknown	8	2	8	2										
WYOMING, all ages	1,215	760	1,139	710	11	11	30	19	2		1	1	32	19
Under 1 year	126	104	112	87		1	10	8					4	8
1 to 4 years	42	42	32	36			6	2					4	4
5 to 9 years	23	18	18	17		1	4						1	
10 to 14 years	21	14	20	14			1							
15 to 19 years	23	19	21	17			1	1					1	1
20 to 24 years	43	20	42	20			1							
25 to 29 years	36	23	36	21				2						
30 to 34 years	38	35	34	33			1	1					3	1
35 to 39 years	53	49	48	47	2	1						1	3	
40 to 44 years	58	33	55	31	1								2	2
45 to 49 years	79	42	74	35		3		2	2				3	2
50 to 54 years	85	40	80	39			2						3	1
55 to 59 years	74	30	73	29				1			1			
60 to 64 years	88	44	83	42	2	1	2	1					1	
65 to 69 years	100	55	96	53	2	2	1						1	
70 to 74 years	112	61	108	61	2								2	
75 to 79 years	110	66	108	65	1		1	1						
80 to 84 years	62	40	59	38	1	2							2	
85 to 89 years	30	17	30	17										
90 to 94 years	6	3	6	3										
95 to 99 years	3	3	2	3									1	
100 years and over	1		1											
Unknown	2	2	1	2									1	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF

[Numbers under causes of death correspond to those

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
				1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
1	Continental United States	White	1,149,545	3,124	30	2,211	2,460	3,088	4,362	27,132	1,913	1,271	47,402	1,616	3,590	5,843	2,675	120,253
		Colored	192,561	1,349	9	602	86	1,375	575	6,061	104	211	20,020	596	1,618	5,196	2,003	8,226
2	Cities of 10,000 or more	White	604,462	950	14	992	1,235	1,125	1,500	9,088	1,035	854	21,595	1,027	1,907	3,757	392	69,958
		Colored	88,785	352	5	194	59	391	169	1,922	56	126	9,212	387	986	2,968	235	4,504
3	Cities of 2,500 to 10,000 [2]	White	118,256	407	2	231	255	290	454	3,230	178	121	4,292	135	378	512	220	11,728
		Colored	14,809	149		103	5	92	45	555	5	17	1,456	33	104	401	134	624
4	Rural [3]	White	426,827	1,767	14	988	970	1,673	2,408	14,814	700	296	21,515	454	1,305	1,574	2,063	38,567
		Colored	88,967	848	4	305	22	892	361	3,584	43	68	9,352	176	528	1,827	1,634	3,098
5	ALABAMA	White	14,625	60		26	21	99	131	562	34	10	668	18	37	87	144	1,134
		Colored	12,479	58		5		88	30	385	3	6	1,111	18	85	311	121	447
6	Cities of 10,000 or more	White	4,305	13		10	6	14	23	107	10	2	147	5	9	44	22	389
		Colored	3,893	20		3		21	5	111		4	319	10	36	100	17	142
7	Cities of 2,500 to 10,000	White	1,199	1		5	2	12	9	47		1	70			5	5	94
		Colored	797	4		1		5	3	35			84	1	6	20	2	32
8	Rural	White	9,121	46		11	13	73	99	408	24	7	451	13	28	38	117	651
		Colored	7,789	34		1		62	22	239	3	2	708	7	43	191	102	273
9	ARIZONA	White	3,041	13		19	9	5	11	53	5	6	661	6	13	18		177
		Colored	2,498	10		83	4	26	11	70	5	23	394	13	23	29		78
10	Cities of 10,000 or more	White	1,442	6		8	5	1	3	17	4	3	424	2	8	11		73
		Colored	808	3		36	1	7	2	12	2	4	161	2	5	12		39
11	Cities of 2,500 to 10,000	White	654	2		2	4	1	4	15	1	1	62	1	2	2		47
		Colored	485	3		24	2	1	1	15	1	2	61	3	4	8		22
12	Rural	White	945	5		9		3	4	21		2	175	3	3	5		57
		Colored	1,205	4		23	1	18	8	43	2	17	172	8	14	9		17
13	ARKANSAS	White	11,528	142	2	90	9	75	125	490	29	14	575	16	23	60	586	633
		Colored	5,069	68		14	1	77	15	267	1	1	419	4	33	90	283	140
14	Cities of 10,000 or more	White	2,551	24	1	13		5	15	81	8	3	101	3	2	34	49	197
		Colored	1,106	8		3		2	1	49			86	2	11	31	27	35
15	Cities of 2,500 to 10,000	White	1,398	16		7	1	5	12	51	3	3	53	3	2	2	41	89
		Colored	685	7		2		3	1	50	1		65	1	10	14	27	24
16	Rural	White	7,579	102	1	70	8	65	98	358	18	8	421	10	19	24	496	347
		Colored	3,278	53		9	1	72	13	168		1	268	1	12	45	229	81
17	CALIFORNIA	White	60,856	63	2	66	78	119	100	637	63	68	3,006	79	199	500	2	7,249
		Colored	7,180	28	1	46	4	84	20	149	8	5	1,182	64	103	177	1	389
18	Cities of 10,000 or more	White	39,095	33	1	49	50	67	76	368	41	49	1,621	50	128	324	1	5,134
		Colored	3,679	8	1	15	3	44	15	66	4	2	556	21	61	98		223
19	Cities of 2,500 to 10,000	White	5,567	5		3	3	17	8	80	9	4	195	2	21	23		604
		Colored	748	1		9		11	1	24		1	96	5	4	11	1	32
20	Rural	White	16,194	25	1	14	25	35	16	189	13	15	1,190	27	50	153	1	1,511
		Colored	2,753	19		22	1	29	4	59	4	2	530	38	38	68		134
21	COLORADO	White	11,162	44	6	1	25	33	17	361	25	21	760	14	35	60	2	1,046
		Colored	799	9			1	11	1	19	3	2	76	4	8	10		45
22	Cities of 10,000 or more	White	5,421	14	4	1	8	8	8	156	11	10	330	9	15	37	2	586
		Colored	287				1	2	1	6	1		29	2	4	4		19
23	Cities of 2,500 to 10,000	White	1,319	13			2	6	5	42	2	4	58	2	8	8		130
		Colored	142	4				2		4		1	10	1	1	1		10
24	Rural	White	4,422	17	2		15	19	4	163	12	7	372	3	12	15		330
		Colored	370	5				7		9	2	1	37	1	3	5		16
25	CONNECTICUT	White	16,936	8		10	25	26	17	263	30	9	659	23	50	75	1	2,099
		Colored	508					2	1	8	2		70	6	7	34		40
26	Cities of 10,000 or more	White	11,832	7		8	20	17	15	179	22	8	370	21	37	54		1,512
		Colored	431					2		7	1		50	6	7	29		36
27	Cities of 2,500 to 10,000	White	462							9		1	9			1		63
		Colored	11						1							2		1
28	Rural	White	4,642	1		2	5	9	2	75	8		280	2	13	20	1	524
		Colored	66							1	1		20			3		3
29	DELAWARE	White	2,664	5		1	2	4	7	35	6	2	109	4	5	13		270
		Colored	645	4				2		6		1	54	2	6	26		29
30	Cities of 10,000 or more	White	1,307	2					6	13	3	2	32	3	2	7		138
		Colored	263	1						1		1	10	1	2	17		14
31	Cities of 2,500 to 10,000	White	237	2				1		3	1		7	1				22
		Colored	66	1				2		2			5	1	2	1		2
32	Rural	White	1,120	1		1	2	3	1	19	2		70		3	6		110
		Colored	316	2						3			39		2	8		13
33	FLORIDA	White	11,569	33		2	9	25	44	337	17	14	369	6	29	94	215	1,039
		Colored	7,190	34		1	1	19	14	278	1		595	7	37	364	167	237
34	Cities of 10,000 or more	White	5,101	15		1	3	4	21	120	7	6	165	5	18	36	35	502
		Colored	3,088	14		1		5	5	120	1		293	4	26	155	16	104
35	Cities of 2,500 to 10,000	White	2,345	7			2	6	9	73	5	5	64	1	4	33	36	210
		Colored	1,244	4				1	4	50			103		2	115	28	49
36	Rural	White	4,123	11		1	4	15	14	144	5	3	140		7	25	144	327
		Colored	2,858	16			1	13	5	108			199	3	9	94	123	84
37	GEORGIA	White	16,860	104		56	20	116	155	697	24	15	620	11	48	57	191	1,215
		Colored	14,334	146		26		110	38	551	3	6	1,022	14	67	318	176	439
38	Cities of 10,000 or more	White	5,319	23		10	8	14	42	129	8	10	162	5	15	35	25	467
		Colored	5,397	33		6		33	9	145		5	400	11	46	171	17	173
39	Cities of 2,500 to 10,000 and rural	White	11,541	81		46	12	102	113	568	16	5	458	6	33	22	166	748
		Colored	8,937	113		20		77	29	406	3	1	622	3	21	147	159	266
40	IDAHO	White	3,904	21	2	6	3	4	7	93	6	5	112	6	14	14		380
		Colored	152			2				7		1	29		2	2		6
41	Cities of 10,000 or more	White	547	4	1	2				4			23	1	2	5		67
		Colored	23										2			1		3
42	Cities of 2,500 to 10,000	White	1,627	9	1	2		2	5	39	3	2	59	4	4	4		143
		Colored	23										5		1			2
43	Rural	White	1,730	8		2	3	2	2	50	3	3	30	1	8	5		170
		Colored	106			2				7		1	22		1	1		1

[1] Excluding collision with railroad trains and street cars.
[2] Exclusive of 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
[3] Includes 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: 1933

in the 1929 revision of the detailed International List]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
3,638	25,016	84,320	259,381	3,647	71,707	11,725	4,713	16,048	10,816	8,521	89,960	3,867	6,251	54,238	19,306	6,617	26,467	1,648	52,540	11,135	151,014	1
550	1,819	10,956	26,979	415	15,242	3,982	1,253	1,669	1,791	828	14,304	1,020	1,747	9,327	687	5,507	2,856	107	7,469	10,893	25,129	
1,824	15,037	39,009	143,023	1,685	39,592	4,616	1,718	11,151	7,099	5,259	46,319	2,415	3,357	27,346	10,841	3,403	14,600	729	26,350	1,740	81,920	2
250	1,084	5,297	14,501	201	8,271	1,286	474	1,084	1,049	472	6,923	474	653	4,345	404	3,168	1,456	43	3,251	1,370	11,163	
380	2,623	9,277	25,327	370	6,512	1,183	528	2,435	1,349	841	9,480	493	806	5,585	1,771	613	3,348	217	6,012	746	15,927	3
40	135	885	2,009	27	1,014	436	128	182	156	65	1,155	102	137	694	58	428	283	18	632	522	1,980	
1,434	7,356	36,034	91,031	1,592	25,603	5,926	2,467	2,462	2,368	2,421	34,161	959	2,088	21,307	6,694	2,601	8,519	702	20,178	8,649	53,167	4
260	600	4,774	10,469	187	5,957	2,260	651	403	586	291	6,226	444	957	4,288	225	1,911	1,117	46	3,586	9,001	11,986	
49	200	915	2,113	45	919	353	113	194	120	65	1,173	74	146	1,012	172	187	346	13	637	751	1,997	5
33	75	718	1,428	17	710	188	61	85	123	37	953	67	157	676	11	484	139	2	460	1,767	1,620	
9	71	246	653	4	263	89	17	119	65	28	298	23	42	240	71	70	144	5	182	98	767	6
11	25	290	485	4	262	63	19	53	59	14	351	25	39	206	5	231	52	1	148	306	456	
3	24	61	174	3	70	24	10	37	10	4	105	13	11	77	13	20	53	-------	64	31	141	7
2	9	56	100	1	43	11	5	11	8	2	64	4	11	43	-------	35	9	-------	32	54	104	
37	105	608	1,286	38	586	240	86	38	45	33	770	38	93	695	88	97	149	8	391	622	1,089	8
20	41	372	843	12	405	114	37	21	56	21	538	38	107	427	6	218	78	1	280	1,407	1,060	
3	24	127	478	11	163	42	14	46	26	19	143	9	11	130	72	27	111	5	188	45	351	9
6	9	39	166	10	270	248	33	12	20	6	108	13	20	151	19	25	36	2	115	193	228	
-------	8	51	229	6	72	18	8	18	13	11	57	3	3	50	31	13	43	2	60	3	178	
1	4	12	75	3	107	90	11	3	6	4	32	4	6	34	4	7	8	-------	32	16	63	10
-------	10	26	133	3	42	8	1	20	7	6	35	4	6	37	17	6	26	1	41	8	73	
1	3	10	39	3	50	44	5	2	6	2	26	5	3	39	5	4	8	-------	28	9	46	11
3	6	50	116	2	49	16	5	8	6	2	51	2	2	43	24	8	42	2	87	34	100	
4	2	17	52	4	113	114	17	7	8	-------	50	4	11	78	10	14	20	2	55	168	119	12
33	127	661	1,401	35	818	316	160	205	108	55	725	68	127	576	107	140	227	8	550	630	1,582	
19	31	203	482	8	300	124	56	27	57	14	300	34	49	98	12	166	53	1	231	640	751	13
6	37	158	410	5	128	48	18	87	53	15	178	21	22	91	41	37	81	1	114	25	439	
2	7	65	161	2	82	30	7	10	20	2	81	6	5	20	4	49	15	-------	39	15	229	14
2	19	92	193	8	86	29	16	52	11	5	97	9	26	59	18	22	36	-------	77	43	210	
3	8	36	53	-------	33	13	13	1	11	4	58	5	10	16	3	25	7	-------	38	60	83	15
25	71	411	798	22	604	239	126	66	44	35	450	38	79	426	48	81	110	7	359	562	933	
14	16	102	268	6	185	81	36	16	26	8	161	23	34	62	5	92	31	1	154	565	439	16
140	1,268	4,218	16,524	137	3,119	206	144	709	583	679	4,230	96	169	1,740	1,663	332	1,992	137	2,534	88	7,917	
9	78	217	839	24	791	314	57	66	61	46	294	34	49	494	82	134	241	22	298	21	748	17
89	891	2,625	10,562	95	1,999	93	78	499	426	455	2,774	60	115	1,155	1,116	201	1,101	76	1,405	50	5,238	
5	56	120	429	11	411	90	27	40	42	31	177	22	22	242	45	80	111	10	140	7	444	18
17	111	435	1,514	14	266	30	17	90	53	58	404	12	25	215	123	27	254	16	286	6	620	
-------	3	29	96	1	97	59	5	6	8	2	27	2	4	66	9	8	35	6	27	2	60	19
34	266	1,158	4,448	28	854	83	49	120	104	166	1,052	24	29	370	424	104	637	45	843	32	2,059	
4	19	68	314	12	283	165	25	20	11	13	90	10	23	186	28	46	95	6	131	12	244	20
35	132	753	2,067	33	914	114	50	221	143	41	679	45	51	494	244	63	285	19	581	49	1,699	
2	6	23	67	1	89	75	7	21	8	1	37	5	6	78	17	18	13	-------	32	18	86	21
17	69	352	1,019	9	466	43	19	111	76	19	333	29	22	196	134	25	131	7	222	24	899	
1	3	11	32	-------	34	5	1	7	6	-------	16	1	1	21	12	7	4	-------	11	6	39	22
5	21	100	250	3	81	19	5	41	16	7	79	5	11	75	16	5	33	3	65	4	195	
-------	-------	5	13	-------	13	21	2	8	-------	-------	8	1	1	8	2	2	6	-------	3	2	13	23
13	42	301	798	21	367	52	26	69	51	15	267	11	18	223	94	33	121	9	294	21	605	
1	3	7	22	1	42	49	4	6	2	1	13	3	4	49	3	9	3	-------	18	10	34	24
46	443	1,271	4,649	61	1,063	84	26	187	135	143	1,392	46	63	727	275	27	445	17	639	37	1,865	
-------	8	33	97	1	39	3	-------	4	5	2	42	-------	4	24	2	3	7	1	15	3	45	25
27	334	830	3,096	29	814	65	20	151	112	105	936	42	52	592	182	16	297	10	449	23	1,380	
-------	7	30	79	1	34	3	-------	4	5	2	38	-------	4	21	2	3	7	-------	13	3	37	26
4	8	40	138	4	28	1	-------	5	3	3	28	2	1	19	3	-------	23	-------	18	-------	51	
-------	-------	-------	2	-------	3	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	1	27
15	101	401	1,415	28	221	18	6	31	20	35	428	2	10	116	90	11	125	7	172	14	434	
-------	1	3	16	-------	2	-------	-------	-------	-------	-------	4	-------	-------	2	-------	-------	-------	1	2	-------	7	28
13	63	241	687	7	161	24	13	20	24	16	310	9	12	105	26	13	65	2	103	1	286	
2	9	49	146	1	74	11	2	6	9	1	57	4	2	24	-------	18	19	-------	28	5	48	29
9	43	122	292	4	90	6	4	17	19	9	140	6	7	63	15	10	21	-------	52	-------	170	
2	6	21	53	-------	39	-------	1	3	4	-------	20	3	1	4	-------	11	6	-------	19	1	22	30
1	3	15	63	-------	15	1	1	3	1	2	30	3	2	15	2	1	8	1	6	-------	27	
-------	-------	3	12	-------	2	2	-------	3	1	-------	8	1	1	4	-------	3	4	-------	2	1	3	31
3	17	104	332	3	56	17	8	-------	4	5	140	-------	3	27	9	2	36	1	45	1	89	
-------	3	25	81	1	33	9	1	-------	4	1	29	-------	-------	16	-------	4	9	-------	7	3	23	32
35	198	867	2,184	27	464	74	71	149	116	105	1,189	57	103	561	221	134	363	32	559	216	1,611	
16	48	567	856	12	426	56	40	64	64	40	606	56	80	316	23	284	131	16	277	332	1,125	33
6	104	370	1,005	14	209	19	29	101	71	56	530	29	32	241	126	54	170	8	219	30	740	
9	27	280	414	7	205	17	17	39	39	19	280	23	24	120	11	140	57	2	109	45	460	34
11	40	155	474	2	70	16	10	32	32	16	258	8	20	106	44	20	80	9	122	29	336	
1	3	90	151	1	69	8	5	10	7	7	111	13	11	49	5	34	17	4	38	47	207	35
18	54	342	705	11	185	39	32	16	13	33	401	20	51	214	51	60	113	15	218	157	535	
6	18	197	291	4	152	31	18	15	18	14	215	20	45	147	7	110	57	10	130	240	458	36
46	242	1,233	2,469	37	1,140	335	122	212	131	84	1,593	65	162	1,034	277	206	454	22	747	624	2,286	
48	108	995	1,706	25	1,146	174	92	105	139	56	1,242	72	160	683	36	467	197	6	570	1,224	2,167	37
10	92	363	887	10	316	94	22	106	68	28	532	20	40	317	116	75	187	12	284	47	740	
17	44	446	798	17	510	46	42	57	59	21	546	25	42	250	13	249	84	1	207	149	725	38
36	150	870	1,582	27	824	241	100	106	63	56	1,061	45	122	717	161	131	267	10	463	577	1,556	
31	64	549	908	8	636	128	50	48	80	35	696	47	118	433	23	218	113	5	363	1,075	1,442	39
21	75	273	752	9	229	29	13	95	50	16	299	15	22	253	76	21	117	7	245	51	563	
-------	1	8	10	-------	22	2	2	1	3	1	9	-------	-------	13	1	3	-------	-------	5	5	17	40
3	12	30	101	3	32	1	-------	11	15	1	23	2	1	40	13	1	21	-------	21	6	101	41
-------	1	1	-------	-------	1	-------	-------	-------	-------	1	1	-------	-------	3	-------	3	-------	-------	1	-------	5	
12	28	91	308	1	87	16	5	59	24	8	131	10	8	108	28	8	53	5	100	5	255	42
-------	-------	-------	1	-------	1	-------	-------	1	1	-------	3	-------	-------	2	1	-------	-------	-------	2	1	2	
6	35	152	343	5	110	12	8	25	11	7	145	3	13	105	35	12	43	2	124	40	207	43
-------	-------	7	9	-------	20	2	2	-------	2	-------	5	-------	-------	8	-------	-------	-------	-------	2	4	10	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
1	ILLINOIS	White	76,448	104	3	48	269	73	133	1,181	104	195	2,874	100	224	310	57	8,842
		Colored	6,065	12		4	8	9	3	77	4	25	858	49	87	143	4	359
2	Cities of 10,000 or more	White	48,205	42	2	36	193	31	48	496	62	173	1,593	81	147	226	14	5,863
		Colored	5,011	7		3	8	8	1	62	4	24	674	46	75	120	1	291
3	Cities of 2,500 to 10,000	White	7,263	25		3	17	15	16	137	9	3	198	7	21	13	13	828
		Colored	247	2					1	3			40	1	2	4		20
4	Rural	White	20,980	37	1	9	59	27	69	548	33	19	1,083	12	56	71	30	2,151
		Colored	807	3		1		1	1	12		1	144	2	10	19	3	48
5	INDIANA	White	36,070	90	1	11	95	66	147	940	40	34	1,431	65	165	196	16	3,557
		Colored	1,939	6		2	1	10	2	63	1	12	186	10	36	44	2	110
6	Cities of 10,000 or more	White	15,702	26		3	33	29	58	304	14	24	515	38	74	115	11	1,548
		Colored	1,622	5		2	1	9	1	55		12	150	10	31	36	2	95
7	Cities of 2,500 to 10,000	White	4,215	10		1	13	7	18	101	3	1	124	6	21	21	1	453
		Colored	53							2			3		1	1		7
8	Rural	White	16,153	54	1	7	49	30	71	535	23	9	792	21	70	60	4	1,556
		Colored	264	1				1	1	6	1		33		4	7		8
9	IOWA	White	25,325	21		9	45	66	55	867	45	38	549	16	56	116	4	3,012
		Colored	340	1						3		1	26	3	4	14		23
10	Cities of 10,000 or more	White	9,162	9		4	11	25	30	238	22	23	213	10	29	65	1	1,125
		Colored	265	1						3		1	18	2	4	14		18
11	Cities of 2,500 to 10,000	White	4,557	3		1	11	5	9	148	7	3	95	1	9	26	1	482
		Colored	28										1					3
12	Rural	White	11,606	9		4	23	36	16	481	16	12	241	5	18	25	2	1,406
		Colored	47							2			7	1				2
13	KANSAS	White	18,467	27		12	38	49	51	785	28	18	424	10	41	90	8	1,948
		Colored	1,146	2		1	1	11	3	33		3	80	2	11	30		73
14	Cities of 10,000 or more	White	5,954	10		9	11	19	12	234	11	10	126	7	11	32		639
		Colored	775	1		1		10	2	24		3	41	2	5	17		58
15	Cities of 2,500 to 10,000	White	2,694	6			4	5	10	118	3	2	61	1	7	12	1	288
		Colored	87	1					1	3			7			2		2
16	Rural	White	9,819	11		3	23	25	29	433	14	6	237	2	23	46	7	1,021
		Colored	284				1	1		6			32		6	11		13
17	KENTUCKY	White	24,330	276		40	70	120	409	900	56	38	1,672	76	133	108	69	1,840
		Colored	4,190	41			3	15	14	132	2	1	383	14	37	84	10	203
18	Cities of 10,000 or more	White	6,638	28		4	11	19	56	117	14	10	270	16	15	43	5	669
		Colored	1,989	7			2	6	4	36		1	153	9	19	42	1	99
19	Cities of 2,500 to 10,000 and rural	White	17,692	248		36	59	101	353	783	42	28	1,402	60	118	65	64	1,171
		Colored	2,201	34			1	9	10	96	2		230	5	18	42	9	104
20	LOUISIANA	White	12,132	132		26	10	56	56	344	11	26	549	13	31	88	227	1,039
		Colored	10,980	110		11	2	72	46	370	1	8	925	11	64	420	201	529
21	Cities of 10,000 or more	White	6,137	55		10	6	20	21	105	8	22	278	9	17	64	48	604
		Colored	4,695	36		3	1	7	16	119		7	427	8	38	207	32	281
22	Cities of 2,500 to 10,000	White	1,185	16		4		3	3	31		1	54		4	4	17	92
		Colored	1,084	7				11	2	33			87	1	9	44	14	41
23	Rural	White	4,810	61		12	4	33	32	208	3	3	217	4	10	20	162	343
		Colored	5,201	67		8	1	54	28	218	1	1	411	2	17	169	155	207
24	MAINE	White	11,070	15			14	16	14	343	14	4	299	11	56	36		1,173
		Colored	32										1					2
25	Cities of 10,000 or more	White	3,665	6				9	7	5	73	4	2	81	4	22	23		404
		Colored	19										1					1
26	Cities of 2,500 to 10,000	White	1,471	2				3	2		48	1		81	2	11	2		153
		Colored	3															
27	Rural	White	5,934	7				2	7	9	222	9	2	137	5	23	11		616
		Colored	10															1
28	MARYLAND	White	15,856	22		3	36	44	26	222	24	11	748	12	30	86	1	1,748
		Colored	4,754	16			3	38	4	65	8	6	527	16	37	181	1	231
29	Cities of 10,000 or more	White	9,549	8			28	22	11	111	18	10	341	11	18	67	1	1,140
		Colored	2,758	1			3	25	2	24	3	2	274	13	29	139		158
30	Cities of 2,500 to 10,000	White	865	5			1	2	1	13	1		18		5	4		98
		Colored	256	7				2		4	1		13	1	1	1		13
31	Rural	White	5,442	9		3	7	20	14	98	5	1	389	1	7	15		510
		Colored	1,740	8				11	2	37	4	4	240	2	7	41	1	60
32	MASSACHUSETTS	White	49,847	25		29	109	97	87	588	79	28	1,926	74	131	141		6,265
		Colored	964				1	2		5	3	1	136	1	9	18		83
33	Cities of 10,000 or more	White	40,639	25		27	87	87	78	456	73	27	1,383	67	89	119		5,040
		Colored	795				1	2		4	3	1	103	1	4	13		69
34	Cities of 2,500 to 10,000	White	3,271				9	2	5	54	2	1	71	2	9			386
		Colored	32										1			1		1
35	Rural	White	5,937			2	13	8	4	73	4		472	5	33	22		839
		Colored	137							1			32		5	4		13
36	MICHIGAN	White	45,883	53		108	162	132	109	818	87	33	1,615	85	179	236	2	4,821
		Colored	2,653	1		7	4	20	5	31	3	6	429	22	41	102		134
37	Cities of 10,000 or more	White	24,380	24		72	85	69	79	351	56	21	883	62	112	145	1	2,557
		Colored	2,062	1		4	4	19	4	24	3	5	339	14	35	74		90
38	Cities of 2,500 to 10,000	White	4,379	6		8	10	17	4	90	7	5	109	5	16	17		465
		Colored	72			1				1			9	1	1	1		5
39	Rural	White	17,124	23		28	67	46	26	377	24	7	623	18	51	74	1	1,799
		Colored	519			2		1	1	6		1	81	7	5	27		39
40	MINNESOTA	White	24,890	17	1	65	38	75	27	609	43	29	780	38	111	132	1	3,385
		Colored	416			6				11		1	61	3	2	25		30
41	Cities of 10,000 or more	White	11,114	6	1	32	19	31	11	146	27	17	255	19	53	95		1,733
		Colored	166			1							13		1	13		16
42	Cities of 2,500 to 10,000	White	3,536	6		4	2	5	3	99	5	5	89	5	28	14		410
		Colored	20										3					3
43	Rural	White	10,240	5		29	17	39	13	364	11	7	436	14	30	23	1	1,242
		Colored	230			5				11		1	45	3	1	12		11

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930—Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
255	1,928	4,857	19,012	280	4,165	491	289	1,214	811	690	7,366	166	339	3,074	1,300	578	1,827	189	3,274	200	9,626	1
24	99	284	1,241	15	538	40	21	52	52	21	447	14	18	228	32	263	116		210	11	697	
170	1,318	2,560	12,026	155	2,742	295	124	975	602	462	4,615	117	259	2,018	857	435	1,296	91	2,007	56	6,018	2
20	91	229	1,024	11	485	32	17	44	48	15	369	13	17	200	26	242	107		172	7	518	
14	179	522	1,641	32	341	57	40	156	85	74	729	24	31	320	122	48	196	22	362	30	933	3
2	2	15	43	2	16	3	1	1	3	3	29			8	2	8	3		10	4	19	
71	431	1,775	5,345	93	1,032	139	125	83	124	154	2,022	25	49	736	321	95	335	76	905	114	2,675	4
2	6	40	174	2	37	5	3	7	1	3	49	1	1	20	4	13	6		28		160	
81	712	3,169	8,067	77	1,811	372	181	463	330	245	3,645	123	155	1,514	679	137	947	152	1,664	41	4,651	5
7	28	109	399	5	163	16	9	20	21	15	202	6	13	56	9	51	32	1	71	1	220	
35	326	1,172	3,347	37	874	155	75	326	201	114	1,517	70	87	690	330	84	502	64	786	10	2,108	6
5	23	95	331	5	150	15	6	20	21	11	161	4	13	49	7	48	26		60	1	162	
6	86	403	887	10	180	61	21	77	44	37	449	25	28	166	64	10	104	17	203	7	550	7
	2	2	12				1				10	2		1			1		1		7	
40	300	1,594	3,833	30	757	156	85	60	85	94	1,679	28	40	658	285	43	341	71	675	24	1,993	8
2	3	12	56		13	1	2			4	31			6	2	3	5	1	10		51	
100	565	2,469	5,218	86	1,453	96	120	393	288	114	1,550	82	128	1,209	497	66	506	45	1,201	108	4,132	9
	9	26	62	2	29	4	2	3	4		27			14	2	8	8	1	14	3	47	
30	197	756	1,686	19	529	27	41	222	150	47	548	50	54	469	177	30	219	19	479	21	1,587	10
	9	19	52	2	20	4	2	2	4		21			13	1	8	6	1	6	2	32	
13	106	428	907	17	273	16	16	109	56	15	269	16	34	208	88	15	116	2	229	16	807	11
		5	1		4						2								3	1	8	
57	262	1,285	2,625	50	651	53	63	62	82	52	733	16	40	532	232	21	171	24	493	71	1,738	12
		2	9		5			1			4			1	1		2		5		7	
48	428	1,703	3,621	85	924	155	80	314	187	86	1,506	63	92	911	302	87	457	38	979	86	2,786	13
1	14	88	232	2	74	5	10	17	12	5	134	5	8	41	6	36	25	1	43	3	134	
17	151	466	1,145	22	326	49	21	150	63	25	471	29	31	262	86	37	165	15	319	10	963	14
	9	54	154	1	56	4	7	14	7	2	100	4	7	27	4	28	20	1	26		86	
11	53	212	462	15	115	29	14	83	55	11	220	13	23	149	34	11	69	3	161	14	419	15
	1	12	19		3		2		2		5	1		8		2	1		6	1	8	
20	224	1,025	2,014	48	483	77	45	81	69	50	815	21	38	500	182	39	223	20	499	62	1,404	16
1	4	22	59	1	15	1	1	3	3	3	29		1	6	2	6	4		11	2	40	
93	350	1,693	3,686	65	1,641	613	202	316	153	109	1,738	98	146	1,389	326	442	457	23	1,262	356	3,365	17
15	38	294	805	14	312	54	35	40	27	21	433	18	33	135	12	161	47		182	43	532	
23	126	515	1,328	20	423	108	29	131	59	45	569	28	29	275	98	77	157	11	306	15	989	18
10	19	140	440	6	180	19	16	31	10	13	204	8	14	66	5	89	23		62	9	246	
70	224	1,178	2,358	45	1,218	505	173	185	94	64	1,169	70	117	1,114	228	365	300	12	956	341	2,376	19
5	19	154	365	8	132	35	19	9	17	8	229	10	19	69	7	72	24		120	34	286	
30	191	688	2,354	42	696	190	55	205	134	120	1,079	66	106	694	187	161	262	5	607	116	1,536	20
18	96	583	1,946	21	647	217	49	93	99	68	996	65	97	639	19	317	133		436	240	1,431	
15	114	312	1,327	19	342	52	15	135	98	77	563	44	54	294	112	60	132	2	275	12	816	21
7	52	209	877	5	291	65	16	60	60	28	446	42	49	296	10	138	65		161	29	607	
2	17	80	241	2	64	21	8	32	14	11	115	3	5	58	5	16	25	2	65	9	161	22
	9	60	222	1	64	24	5	7	6	9	84	1	7	52	2	29	10		50	25	168	
13	60	296	786	21	290	117	32	38	22	32	401	19	47	342	70	85	105	1	267	95	559	23
11	35	314	847	15	292	128	28	26	33	31	466	22	41	291	7	150	58		225	186	656	
39	238	1,001	2,602	78	622	77	25	124	97	40	800	29	77	643	135	27	190	10	469	107	1,645	24
	1		11	1	7						1			1					3		4	
16	77	297	826	11	219	14	5	69	48	19	258	12	41	228	40	7	72	1	141	34	590	25
		1	6		5									1					2		2	
5	31	99	353	12	70	4	3	23	22	8	97	4	8	88	21	7	27	2	60	11	211	26
			1	1																	1	
18	130	605	1,423	55	333	59	17	32	27	13	445	13	28	327	74	13	91	7	268	62	844	27
			4		2						1								1		1	
58	350	1,193	3,668	59	1,038	153	51	159	144	114	1,841	35	63	674	280	60	349	16	693	21	1,824	28
17	42	364	731	15	504	87	17	24	56	17	521	14	25	303	17	88	80		166	19	514	
43	244	661	2,181	34	707	75	17	143	120	71	1,072	28	45	408	180	30	217	14	382	4	1,087	29
16	26	223	403	4	354	32	10	18	40	13	315	10	13	160	8	49	39		84	1	267	
2	27	57	170		41	11	5	9	9	5	99	1	8	61	15	4	23		55	2	113	30
	3	14	47	2	18	4	1	1	6		30	2	3	18	2	9	10		11		32	
13	79	475	1,317	25	290	67	29	7	15	38	670	6	10	205	85	26	109	2	256	15	624	31
1	13	127	281	9	132	51	6	5	10	4	176	2	9	125	7	30	31		71	18	215	
142	1,189	3,917	13,873	194	3,851	169	74	629	418	340	3,482	132	282	2,176	590	100	788	18	1,904	55	5,945	32
3	27	50	228	3	90	2		12	4	4	57	3	8	45	8	6	13		36	5	101	
107	995	3,076	11,118	147	3,302	151	61	601	374	294	2,830	129	266	1,948	468	84	658	7	1,571	45	4,849	33
3	24	39	185	1	74	1		11	3	4	55	3	8	37	7	6	10		27	5	91	
13	89	344	1,030	16	200	5	4	20	20	20	243	1	9	127	41	4	64	9	113	3	355	34
	3	4	10		2			1	1		1			2			2		2		1	
22	105	497	1,725	31	349	13	9	8	24	26	409	2	7	101	81	12	66	2	220	7	741	35
		7	33	2	14	1					1			6	1		1		7		9	
164	1,076	3,816	11,205	184	2,564	287	131	730	487	349	2,742	172	285	2,507	810	170	1,164	89	1,995	106	6,410	36
8	31	126	511	6	223	11	7	34	29	12	151	9	24	116	18	70	32	1	97	6	326	
75	630	1,628	5,514	105	1,476	166	58	561	307	194	1,450	124	193	1,537	475	124	703	46	998	25	3,474	37
7	23	69	391	4	176	7	7	30	26	9	129	6	21	107	17	69	23	1	71	1	252	
22	115	374	1,086	14	223	19	11	84	54	32	286	15	31	218	69	11	133	7	205	12	599	38
	3	2	16		4			2			4	1	1	2			1		6		11	
67	331	1,814	4,605	65	865	102	62	85	126	123	1,006	33	61	752	266	35	328	36	792	69	2,337	39
1	5	55	104	2	43	4		2	3	3	18	2	2	7	1	1	8		20	5	63	
85	552	1,942	5,327	112	1,570	135	68	375	231	181	1,335	73	113	1,368	422	85	520	49	1,334	82	3,580	40
1	8	14	50		56	13	3	4	4		11	4	4	17	7	5	5		17	11	43	
30	240	708	2,385	34	735	32	24	199	114	91	482	45	48	570	186	42	233	15	590	12	1,854	41
	3	7	31		22			3	4		6	3	2	4	4	3	4		4	1	21	
10	95	284	686	16	236	25	14	86	52	27	238	12	21	177	47	5	82	8	208	8	524	42
	1		2		2		1							3	1				2		2	
45	217	950	2,256	62	599	78	30	90	65	63	615	16	44	621	189	38	205	26	536	62	1,202	43
1	4	7	17		32	13	2	1			5	1	2	10	2	2	1		11	10	20	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
1	MISSISSIPPI	White	8,950	47		40	7	78	68	332	23	3	323	5	22	27	313	687
		Colored	12,716	96		33	5	178	60	459	5	10	966	1	61	308	494	454
2	Cities of 10,000 or more	White	2,007	10		10	1	7	11	44	3	1	54	2	5	10	27	175
		Colored	2,072	9		5	1	8	5	66	1	3	114		14	91	36	66
3	Cities of 2,500 to 10,000	White	801	2		2		1	10	27	3	1	24	1	2	4	21	64
		Colored	741	7		1		5	2	19			59	1	3	17	22	45
4	Rural	White	6,142	35		28	6	70	47	261	17	1	245	2	15	13	265	448
		Colored	9,903	80		27	4	165	53	374	4	7	793		44	200	436	343
5	MISSOURI	White	38,074	182	1	66	106	81	225	1,177	52	47	1,579	29	110	195	162	3,893
		Colored	4,447	18		1	4	17	9	97	1	9	492	13	57	76	35	268
6	Cities of 10,000 or more	White	17,479	40		27	50	11	65	238	25	36	531	15	52	140	14	2,014
		Colored	3,111	4		1	3	12	5	42		8	350	10	46	53	3	205
7	Cities of 2,500 to 10,000	White	3,654	22		5	14	6	19	135	2		147	3	9	18	13	348
		Colored	405	1			1	3		17	1		35	1	1	11	4	21
8	Rural	White	16,941	120	1	34	42	64	141	804	25	11	901	11	49	37	135	1,531
		Colored	931	13				2	4	38		1	107	2	10	12	28	42
9	MONTANA	White	4,794	12		8	11	4	11	144	7	3	173	2	15	28		492
		Colored	418	2		7	1	11	6	29			74	6	12	11		16
10	Cities of 10,000 or more	White	1,571	4		3			2	40	1		32	1	8	13		199
		Colored	28	1						1			1			2		3
11	Cities of 2,500 to 10,000	White	836	3		1	2	2	4	27	2	1	18		3	5		99
		Colored	10							1			2					
12	Rural	White	2,387	5		4	9	2	5	77	4	2	123	1	4	10		194
		Colored	380	1		7	1	11	6	27			71	6	12	9		13
13	NEBRASKA	White	12,580	11	1	11	25	34	22	483	22	23	216	5	36	54	2	1,406
		Colored	344	1			1	3	2	4			44	1	2	13		22
14	Cities of 10,000 or more	White	4,463	2		8	7	10	7	100	5	13	79	3	14	30	1	553
		Colored	212	1				2	1	2			22	1	1	5		17
15	Cities of 2,500 to 10,000	White	1,764	4			5	6	4	82	1	2	43		3	7		189
		Colored	23				1								1	2		
16	Rural	White	6,353	5	1	3	13	18	11	301	16	8	94	2	19	17	1	664
		Colored	109					1	1	2			22			6		5
17	NEVADA	White	1,071	3			2	1	4	19			46	2	5	6	1	74
		Colored	162	1						6		1	27	5	3	2		8
18	Cities of 10,000 or more	White	291	1					1	3			12		1	1		30
		Colored	21										2					2
19	Cities of 2,500 to 10,000	White	290	2			1			3			16	2	1	2		18
		Colored	23							1			2		1			2
20	Rural	White	490				1	1	3	13			18		3	3	1	26
		Colored	118	1						5		1	23	5	2	2		4
21	NEW HAMPSHIRE	White	6,483	4		2	17	12	2	214	15	6	150	7	21	9		729
		Colored	8															
22	Cities of 10,000 or more	White	3,055	1			7	4	2	93	11	3	60	5	16	6		379
		Colored	5															
23	Cities of 2,500 to 10,000	White	556	2		1	3	1		16	1	2	9		2			59
24	Rural	White	2,872	1		1	7	7		105	3	1	81	2	3	3		291
		Colored	3															
25	NEW JERSEY	White	40,127	36		67	57	40	52	477	59	26	1,700	51	106	184	1	4,687
		Colored	3,370	7		5	1	7		35	1	1	434	8	40	114		179
26	Cities of 10,000 or more	White	26,758	24		45	36	22	44	304	43	23	706	47	70	128		3,272
		Colored	2,460	3		5	1	6		24	1	1	222	7	35	91		150
27	Cities of 2,500 to 10,000	White	5,369	6		11	10	3	7	69	8	2	476	2	9	24	1	605
		Colored	312	1				1		1			87			8		6
28	Rural	White	8,000	6		11	11	15	1	104	8	1	518	2	27	32		810
		Colored	598	3						10			125	1	5	15		23
29	NEW MEXICO	White	5,455	30		25	13	34	38	110	10	6	455	12	22	50	1	206
		Colored	369	1				2	1	7		4	60	4	2	5		10
30	Cities of 10,000 or more	White	1,026	9		7	3	11	9	10	4	1	219	3	5	17		40
		Colored	21							2			3					2
31	Cities of 2,500 to 10,000	White	1,099	6		1	2	2	7	27		3	70	3	8	16		66
		Colored	27							1			5			1		
32	Rural	White	3,330	15		17	8	21	22	73	6	2	166	6	9	17	1	100
		Colored	321	1				2	1	4		4	52	4	2	4		8
33	NEW YORK	White	141,067	104		332	215	273	147	1,522	316	104	5,979	228	419	805	17	16,615
		Colored	7,388	13		14	3	26	3	38	10	7	1,133	50	97	357	1	443
34	Cities of 10,000 or more	White	106,203	86		265	147	197	125	915	254	96	4,173	198	318	657	15	12,943
		Colored	6,625	12		11	3	21	3	31	9	6	1,017	47	87	319	1	407
35	Cities of 2,500 to 10,000	White	7,665	5		13	12	17	8	140	16	2	314	11	23	36	1	827
		Colored	136										11	1		6		7
36	Rural	White	27,199	13		54	56	59	14	467	46	6	1,492	19	78	112	1	2,845
		Colored	627	1		3		5		7	1	1	105	2	10	32		29
37	NORTH CAROLINA	White	19,179	55		72	47	94	174	597	42	22	831	28	46	45	30	1,302
		Colored	11,368	73		18	3	111	42	430	3	10	1,104	21	88	202	21	426
38	Cities of 10,000 or more	White	4,686	13		10	14	18	42	107	6	11	181	8	11	20	3	384
		Colored	3,543	20		4	1	20	12	93	1	7	298	13	45	97	2	131
39	Cities of 2,500 to 10,000	White	1,855	3		7	3	6	12	52	2	2	58	4	2	4	1	112
		Colored	912	3				9	3	31			68	1	12	17		49
40	Rural	White	12,638	39		55	30	70	120	438	34	9	592	16	33	21	26	806
		Colored	6,913	50		14	2	82	27	306	2	3	738	7	31	88	19	246
41	NORTH DAKOTA	White	5,234	9		19	11	20	20	249	7	15	116	5	19	11		522
		Colored	229			9				19		4	18	5	6	5		4
42	Cities of 10,000 or more	White	1,030			4	1	3	6	28	1	3	22		6	3		111
		Colored	14										2					1
43	Cities of 2,500 to 10,000	White	729	1		2	1	3	4	40	1	8	10		1	3		63
		Colored	9			1						2						
44	Rural	White	3,475	8		13	9	14	10	181	5	4	84	5	12	5		348
		Colored	206			8				19		2	16	5	6	5		3

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	DIARRHEA AND ENTERITIS: Under 2 years	DIARRHEA AND ENTERITIS: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	AUTOMOBILE ACCIDENTS: Primary[1]	AUTOMOBILE ACCIDENTS: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
29	137	602	1,266	25	489	176	85	114	71	48	890	29	93	526	101	93	156	11	419	432	1,183	1
29	89	608	1,166	8	611	196	102	110	124	47	901	72	131	315	12	327	127	6	504	2,547	1,554	
5	37	140	277	5	87	27	9	60	32	16	196	9	20	113	32	21	43	3	121	35	359	2
6	17	151	243	4	91	9	10	52	46	12	175	15	18	46	3	68	33	1	95	224	334	
1	15	43	135	3	30	16	5	25	7	4	77	2	8	32	17	11	33	2	47	19	107	3
1	9	54	79		35	5	10	19	14	6	66	5	2	18	1	24	16		30	74	92	
23	85	419	854	17	372	133	71	29	32	28	617	18	65	381	52	61	80	6	251	378	717	4
22	63	403	844	4	485	182	82	39	64	29	660	52	111	251	8	235	78	5	379	2,249	1,128	
104	805	2,757	7,751	125	2,738	448	227	509	306	345	3,690	151	144	1,498	678	260	723	46	1,625	235	5,004	5
9	50	238	917	6	389	67	24	53	32	28	461	20	19	123	14	191	47	5	135	34	488	
32	445	1,001	3,969	40	1,409	92	41	350	163	215	1,756	77	57	551	353	142	366	16	737	16	2,393	6
6	37	162	664	6	302	17	8	42	22	18	347	13	10	81	12	147	37	4	91	5	338	
14	65	299	701	11	208	42	32	77	41	26	285	28	22	163	46	18	85	3	174	23	550	7
	4	23	89		27	8	1	6	3	3	36	2	1	9		13	2		12	5	65	
58	295	1,457	3,081	74	1,121	314	154	82	102	104	1,649	46	65	784	279	100	272	27	714	196	2,061	8
3	9	53	164		60	42	15	5	7	7	78	5	8	33	2	31	8	1	32	24	85	
7	91	319	1,058	8	273	24	13	100	66	30	307	26	21	231	112	26	109	4	362	37	660	9
3		7	29	3	48	5	4	7		1	8	2	2	23	2	4	6		27	18	44	
4	33	97	349	3	89	9	6	48	32	9	106	8	9	65	24	8	31	1	80	4	253	10
1			4		3			2							1	3	1		2		3	
	18	47	180	3	47	4	1	23	15	8	48	6	5	43	17		13		73	4	114	11
			1			1													2		3	
3	40	175	529	2	137	11	6	29	19	13	153	12	7	123	71	18	65	3	209	29	293	12
2		7	24	3	45	4	4	5		1	8	2	2	23	1	1	5		23	18	38	
46	320	1,077	2,593	40	766	65	51	240	143	84	916	40	70	742	264	30	275	22	595	57	1,793	13
	5	18	57	1	42	9	1	4	2	2	13	1		16	2	14	8		15	1	40	
18	87	338	914	16	274	11	11	125	68	31	294	19	24	224	92	15	109	9	214	11	727	14
	5	14	45		24		1	1	2	2	11	1		7	2	8	4		10		23	
4	48	136	344	3	85	19	10	53	24	13	140	10	15	95	30	2	52		101	9	225	15
		1	1		5	2		3						2		1			3		2	
24	185	603	1,335	21	407	35	30	62	51	40	482	11	31	423	142	13	114	13	280	37	841	16
		4	11	1	13	7					2			7		5	4		2	1	15	
1	16	70	224	5	70	6	2	28	11	6	81	4	5	52	28	9	59		84	22	125	17
		7	15		13	4	2	2	8	1	7	1	1	5	3	3	4		4	9	20	
1	6	19	68		13	1	1	14	5	1	26	2	1	8	9	1	12		12	2	40	18
		1			1	1			3	1	2		1		2	1				1	3	
	5	17	67	1	22	3	1	7	3	1	25	1	2	20	6	6	16		14	6	22	19
		2	5		3	1	1		1		1			1			1				1	
	5	34	89	4	35	2		7	3	4	30	1	2	24	13	2	31		58	14	63	20
		4	10		9	2	1	2	4		4	1		4	1	2	3		4	8	16	
9	127	635	1,728	33	378	20	14	81	46	28	473	18	33	286	84	13	135	5	246	18	885	21
		1	3					1		1											2	
3	67	261	746	14	173	9	10	61	28	11	238	14	20	166	35	6	67	1	122	4	412	22
		1	1							1											2	
	6	60	158	4	25	2	1	6	6	3	39	2	2	25	6		17		27		71	23
6	54	314	824	15	180	9	3	14	12	14	196	2	11	95	43	7	51	4	97	14	402	24
		2						1														
175	1,153	3,004	10,850	110	2,630	179	89	512	409	349	3,376	112	157	1,363	697	156	1,080	19	1,691	39	4,434	25
12	51	188	692	13	354	32	14	22	35	23	246	12	19	168	20	55	67	3	119	5	388	
130	829	1,843	6,901	71	1,904	132	58	449	338	270	2,074	95	123	1,068	470	115	775	9	1,170	18	3,152	26
10	40	127	495	11	304	25	8	20	31	17	178	10	14	140	15	51	45	1	90	3	279	
17	144	448	1,534	11	285	25	14	33	29	39	515	9	14	114	88	20	117	5	179	7	489	27
	3	23	63	1	27	2	4	1	1	1	23	1	2	11	2	3	4	1	7		28	
28	180	713	2,415	28	441	22	17	30	42	40	787	8	20	181	139	21	188	5	342	14	793	28
2	8	38	134	1	23	5	2	1	3	5	45	1	3	17	3	1	18	1	22	2	81	
7	39	136	421	17	392	289	41	77	31	34	213	43	54	307	44	45	101		198	1,522	432	29
	1	4	24	1	51	37	8	1	2	1	9	1	8	11	1	2	1		10	68	32	
1	5	30	107	6	51	61	8	29	7	9	50	13	6	63	14	14	25		35	74	80	30
	1		4		2	1								1		1			2	1	1	
2	14	40	117	5	92	55	8	33	13	8	56	12	17	91	9	8	31		45	96	136	31
			7		2		1			1	1		2						1	2	3	
4	20	66	197	6	249	173	25	15	11	17	107	18	31	153	21	23	45		118	1,352	216	32
		4	13	1	47	36	7	1	2		8	1	6	10	1	1	1		7	65	28	
458	3,950	8,385	38,847	378	10,306	908	268	2,044	1,181	1,238	10,698	420	639	5,588	2,298	578	2,660	122	5,745	77	17,205	33
20	121	261	1,313	10	823	72	15	81	51	31	383	49	53	392	63	168	124	1	321	4	837	
362	3,173	5,423	28,806	240	8,405	774	179	1,812	1,006	1,002	7,504	360	539	4,482	1,755	502	1,839	61	4,270	41	13,279	34
20	112	234	1,178	8	757	68	12	70	46	29	344	48	50	355	57	161	102		291	2	707	
22	196	692	1,970	23	391	28	25	120	67	62	719	25	49	322	100	15	227	12	294	10	871	35
	1	7	17	1	16	2		4	2	1	8		1	12	3	3	8		4		21	
74	581	2,270	8,071	115	1,510	104	64	112	108	174	2,475	35	51	784	443	61	594	49	1,181	26	3,055	36
	8	20	118	1	50	2	3	7	3	1	31	1	2	25	3	4	14	1	26	2	109	
76	270	1,491	3,243	63	1,245	462	126	222	136	71	1,952	84	214	1,514	247	157	567	39	816	514	2,285	37
39	98	861	1,466	37	836	343	69	82	96	30	954	53	163	819	20	277	158	4	423	521	1,467	
11	88	294	765	11	251	91	18	109	56	20	404	36	61	364	69	36	217	6	209	47	695	38
11	31	291	516	9	269	72	18	48	55	16	289	22	55	223	7	156	64	1	119	84	443	
6	34	127	306	4	100	39	11	58	27	8	178	10	37	149	31	17	92	14	96	21	222	39
2	12	72	135	2	39	18	6	15	6	1	95	2	16	60	1	36	23	1	33	30	114	
59	148	1,070	2,172	48	894	332	97	55	53	43	1,370	38	116	1,001	147	104	258	19	511	446	1,368	40
26	55	498	815	26	528	253	45	19	35	13	570	29	92	536	12	85	71	2	271	407	910	
20	134	390	968	14	370	79	20	103	59	28	322	25	36	408	63	8	95	16	262	54	737	41
2	5	5	23	1	37	5		1		1	6	1	3	13			6		6	16	28	
1	31	56	165	1	72	7	3	36	20	7	60	9	9	76	11	2	22	1	60	1	192	42
			1		4			1			1	1									3	
4	28	50	110		48	5	5	31	16	4	40	8	6	52	4		25	1	35	1	119	43
			2		1									2					1			
15	75	284	693	13	250	67	12	36	23	17	222	8	21	280	48	6	48	14	167	52	426	44
2	5	5	20	1	32	5				1	5		3	11			6		5	16	25	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
1	OHIO	White	67,720	115		119	207	137	172	1,402	90	36	2,543	92	197	415	9	7,339
		Colored	5,334	8		4	10	11	2	87		4	738	26	52	167	1	279
2	Cities of 10,000 or more	White	39,106	48		43	121	62	97	622	47	31	1,377	65	115	268	2	4,398
		Colored	4,354	7		2	9	7	1	66		4	576	24	39	124	1	227
3	Cities of 2,500 to 10,000	White	6,257	9		17	18	10	15	144	6	4	161	8	22	29		672
		Colored	245			2		3	1	7			19	1	4	6		15
4	Rural	White	22,357	58		59	68	65	60	636	37	1	1,005	19	60	118	7	2,269
		Colored	735	1			1	1		14			143	1	9	37		37
5	OKLAHOMA	White	17,511	187	1	59	23	72	247	763	41	48	754	22	35	84	105	1,409
		Colored	2,798	58		9		10	14	142	3	5	371	9	19	51	29	96
6	Cities of 10,000 or more	White	5,471	41		20	7	19	36	174	13	19	166	9	10	42	6	487
		Colored	1,027	17		2		1	5	42	2		107	8	5	25	3	25
7	Cities of 2,500 to 10,000	White	4,398	46	1	19	6	12	75	177	11	14	249	5	6	19	28	304
		Colored	624	9		1		3	4	25	1	5	95		2	11	7	24
8	Rural	White	7,642	100		20	10	41	136	412	17	15	339	8	19	23	71	618
		Colored	1,147	32		6		6	5	75			169	1	12	15	19	47
9	OREGON	White	10,193	17		9	27	8	9	183	10	6	257	16	41	78		1,243
		Colored	257	1		1		2		20			32	2	3	7		22
10	Cities of 10,000 or more	White	4,852	5		2	4	1	2	70	2	4	100	8	26	57		641
		Colored	91							1			9	1	2	2		15
11	Cities of 2,500 to 10,000	White	1,791	7		2	10	4	3	35	2		40	7	6	5		211
		Colored	32					1		2			1			1		2
12	Rural	White	3,550	5		5	13	3	4	78	6	2	117	1	9	16		391
		Colored	134	1		1		1		17			22	1	1	4		5
13	PENNSYLVANIA	White	99,403	118		117	272	185	226	2,386	168	113	3,754	146	242	409	4	10,357
		Colored	6,706	11		7	7	15	4	135	4	5	858	37	51	252		378
14	Cities of 10,000 or more	White	55,717	57		66	141	73	109	958	82	81	1,863	101	137	259	4	6,247
		Colored	5,400	6		7	7	12	3	111	4	5	594	34	39	207		314
15	Cities of 2,500 to 10,000	White	12,668	21		12	36	23	43	375	17	8	378	17	36	38		1,306
		Colored	224	3						7			15		1	6		13
16	Rural	White	31,018	40		39	95	89	74	1,053	69	24	1,513	28	69	112		2,804
		Colored	1,082	2				3	1	17			249	3	11	39		51
17	RHODE ISLAND	White	7,708	3			9	26	9	118	17	3	300	10	24	40		946
		Colored	187							2			18		1	10		16
18	Cities of 10,000 or more	White	6,746	3			8	22	8	90	17	3	202	8	21	38		852
		Colored	169							2			14		1	10		15
19	Cities of 2,500 to 10,000	White	352							8			83		2	1		30
		Colored	5										4					
20	Rural	White	610				1	4	1	20			15	2	1	1		64
		Colored	13															1
21	SOUTH CAROLINA	White	8,580	71		46	13	78	71	426	19	4	249	3	11	39	60	563
		Colored	10,776	143	1	39		82	26	537	4	5	788	10	33	228	184	306
22	Cities of 10,000 or more	White	2,247	21		14	2	16	22	75	7	1	66	1	5	17	6	158
		Colored	2,368	26		8		15	5	73	1	1	166	3	10	113	8	81
23	Cities of 2,500 to 10,000	White	841	4		1	2	7	4	42	4	1	17	1	3	4	6	59
		Colored	867	17		5		4	1	36		1	64		2	15	6	21
24	Rural	White	5,492	46		31	9	55	45	309	8	2	166	1	3	18	48	346
		Colored	7,541	100	1	26		63	20	428	3	3	558	7	21	100	170	204
25	SOUTH DAKOTA	White	5,551	35		5	9	13	13	282	8	8	147	7	14	10		568
		Colored	553			2		23	1	20		3	102	7	9	4		10
26	Cities of 10,000 or more	White	1,168	6		1	1	2	1	47	3	5	17		6	5		129
		Colored	14									1	1					
27	Cities of 2,500 to 10,000	White	871	2		2	1	1	1	32	3	1	56	1	1	1		71
		Colored	10							2								
28	Rural	White	3,512	27		2	7	10	11	183	2	2	74	6	7	4		368
		Colored	529			2		23	1	18		2	101	7	9	4		10
29	TENNESSEE	White	20,403	187		73	51	123	215	754	45	26	1,476	55	114	101	179	1,374
		Colored	7,720	68		14	2	46	17	280	8	7	824	26	106	214	96	294
30	Cities of 10,000 or more	White	6,289	37		4	18	21	48	159	15	13	214	20	37	63	43	535
		Colored	4,121	20		4		12	6	122	5	5	309	17	69	162	37	185
31	Cities of 2,500 to 10,000	White	1,964	18		14	6	15	14	73	4	5	128	5	11	7	6	125
		Colored	730	12		3	1	3		41		2	71	1	6	3	5	31
32	Rural	White	12,150	132		55	27	87	153	522	26	8	1,134	30	66	31	130	714
		Colored	2,869	36		7	1	31	11	117	3		444	8	31	49	54	78
33	TEXAS	White	42,158	350	7	375	69	220	514	1,852	59	37	2,340	42	141	218	268	3,225
		Colored	16,790	244	7	214	4	148	136	736	8	16	1,645	40	100	370	171	642
34	Cities of 10,000 or more	White	17,171	89	4	135	24	75	156	513	19	27	1,019	25	75	146	53	1,370
		Colored	6,322	50	4	61	3	52	40	252	4	7	567	29	46	192	30	293
35	Cities of 2,500 to 10,000	White	5,675	69		58	8	31	61	229	9	1	199	2	16	18	28	449
		Colored	2,509	46		52		22	15	110		3	239	5	23	49	18	79
36	Rural	White	19,312	192	3	182	37	114	297	1,110	31	9	1,122	15	50	54	177	1,406
		Colored	7,959	148	3	101	1	74	81	374	4	6	839	6	31	129	123	270
37	UTAH	White	4,294	3		3	22	15	3	118	12	13	83	4	13	12		397
		Colored	90							2			7		5			5
38	Cities of 10,000 or more	White	2,088				5	2		36	4	3	45	3	8	8		209
		Colored	38										1		2			3
39	Cities of 2,500 to 10,000	White	702	1			9			18	6	3	16	1	1	1		75
		Colored	10							2			1					
40	Rural	White	1,504	2		3	8	13	3	64	2	7	22		4	3		113
		Colored	42										5		3			2
41	VERMONT	White	4,620	3		1	8	12	3	150	5	2	154	8	13	9		474
		Colored	1										1					
42	Cities of 10,000 or more	White	851	1			3			13	2		38	4		4		98
		Colored																
43	Cities of 2,500 to 10,000 and rural	White	3,769	2		1	5	12	3	137	3	2	116	4	13	5		376
		Colored	1										1					

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	92a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
217	1,544	6,265	15,214	192	3,535	532	221	889	670	585	4,918	235	293	2,917	1,219	322	1,729	192	3,491	254	9,413	1
10	51	347	896	12	475	36	22	56	45	33	335	19	34	261	29	226	100	7	235	49	667	
107	951	3,140	8,458	106	2,168	278	122	728	503	364	2,664	187	203	1,764	709	238	1,153	100	1,995	127	5,745	2
9	43	271	721	9	419	31	19	51	38	27	243	16	29	233	25	211	78	4	182	46	562	
19	175	637	1,385	18	274	54	17	92	63	62	521	22	30	233	119	21	133	19	356	19	873	3
	3	17	45		16	3	2	4	3	2	30		2	6	2	5	7	2	13	1	24	
91	418	2,488	5,371	68	1,093	200	82	69	104	159	1,733	26	60	920	391	63	443	73	1,140	108	2,795	4
1	5	59	130	3	40	2	1	1	4	4	62	3	3	22	2	10	15	1	40	2	81	
52	227	1,249	2,517	39	1,456	338	104	363	190	90	973	116	127	979	234	193	445	20	826	287	2,836	5
10	35	138	304	6	256	77	23	40	29	17	131	19	22	94	7	115	40	4	116	84	415	
13	77	353	893	13	382	125	27	190	75	31	302	45	36	272	79	63	185	9	280	65	907	6
1	17	62	136	3	99	24	9	29	11	7	56	5	8	19	2	54	12	2	48	17	164	
13	52	366	627	10	376	64	32	109	55	19	237	27	34	200	52	51	102	6	203	46	745	7
3	9	29	51	2	53	25	5	5	5	3	16	6	2	29	2	30	13	1	29	12	107	
26	98	530	997	16	698	149	45	64	60	40	434	44	57	507	103	79	158	5	343	176	1,184	8
6	9	47	117	1	104	28	9	6	13	7	59	8	12	46	3	31	15	1	39	55	144	
21	216	905	2,493	36	467	15	15	126	105	59	855	28	38	325	234	41	246	17	510	28	1,509	9
	6	20	33		12	1	2	2		1	8		1	13	4	3	3		10	10	38	
9	105	327	1,124	14	228	2	11	57	65	31	419	13	20	163	118	16	109	5	197	8	889	10
	3	7	14		4	1	1	1		1	3			5	2	1	2		2	1	13	
8	43	197	426	8	82	5	1	48	23	11	120	10	5	61	39	5	46	4	86	4	227	11
		3	3		5		1	1			2		1						2	3	4	
4	68	381	943	14	157	8	3	21	17	17	316	5	13	101	77	20	91	8	227	16	393	12
	3	10	16		3						3			8	2	2	1		6	6	21	
388	2,496	7,340	24,882	352	6,652	835	331	1,101	992	870	8,751	343	516	4,560	1,366	281	2,094	85	4,624	417	11,630	13
16	93	324	1,314	13	703	57	24	72	74	52	581	26	31	296	28	137	96	4	241	39	721	
217	1,477	3,533	13,941	164	3,846	374	174	811	697	521	4,860	245	325	2,426	806	179	1,225	43	2,617	218	6,840	14
13	78	244	1,033	11	615	45	19	64	69	46	480	25	26	257	24	120	76	4	186	31	591	
52	367	920	3,003	53	826	103	33	176	132	126	1,185	47	76	625	137	29	320	14	611	36	1,487	15
	5	15	50		19	2		4	1	2	15	1	2	8	1	5	2		19	3	25	
119	652	2,887	7,938	135	1,980	358	124	114	163	223	2,706	51	115	1,509	423	73	549	28	1,396	163	3,303	16
3	10	65	231	2	69	10	5	4	4	4	86		3	31	3	12	18		36	5	105	
16	239	603	1,947	19	523	30	20	92	73	72	785	22	35	393	82	12	95		274	13	858	17
	6	6	51		18	1	1	4	1		12	1	1	6	1	1	2		6	1	21	
16	217	529	1,693	19	454	27	18	92	67	62	687	21	33	369	63	12	84		223	11	777	18
	6	6	47		15	1		4	1		11	1	1	5	1	1	2		4	1	20	
	7	20	77		21				2	5	39	1		10	4		2		14		26	19
					1																	
	15	54	177		48	3	2		4	5	59		2	14	15		9		37	2	55	20
			4		2		1				1			1					2		1	
15	136	672	1,494	17	566	182	42	90	58	30	896	28	98	559	105	105	219	8	338	220	1,049	21
36	66	695	1,407	4	736	247	68	57	64	20	926	54	144	471	12	188	123	6	383	1,093	1,590	
3	48	158	392	3	134	27	7	44	31	12	195	19	23	116	40	32	86	3	104	9	350	22
5	18	206	371	1	184	60	19	21	22	4	189	10	33	141	5	76	36	3	82	21	351	
	12	62	157	1	54	13	7	29	10	3	83	2	11	49	17	13	34		28	8	93	23
5	9	62	147		45	14	2	10	10	2	141	7	9	35	1	17	18	1	27	31	102	
12	76	452	945	13	378	142	28	17	17	15	618	7	64	394	48	60	99	5	206	203	606	24
26	39	427	889	3	507	173	47	26	32	14	596	37	102	295	6	95	69	2	274	1,041	1,137	
25	130	424	1,105	16	309	55	28	107	77	29	304	17	41	346	87	12	111	4	280	65	880	25
1	1	9	37	2	53	13	7	6	3	3	9	2	2	27	1		4		25	122	45	
4	26	84	218	2	61	9	4	41	26	6	51	5	10	64	12	2	30	3	59	6	222	26
			2		1	1		3					2	1							2	
8	18	51	159		46	9	4	29	22	6	34	3	7	37	18		15		48	6	178	27
		1	1		2	2											1		1			
13	86	289	728	14	202	37	20	37	29	17	219	9	24	245	57	10	66	1	173	53	480	28
1	1	8	34	2	50	10	7	3	3	3	9	2		26	1		3		24	122	42	
61	231	1,252	2,731	67	1,413	540	208	267	147	97	1,207	78	137	1,102	296	248	426	13	953	1,345	2,811	29
32	64	478	908	23	602	125	66	83	84	42	473	42	42	271	10	306	114	1	302	552	1,098	
16	93	366	941	17	406	118	29	172	86	51	355	31	54	374	121	90	204	8	316	170	1,044	30
14	47	286	478	13	372	50	32	59	54	29	275	20	22	194	5	204	68	1	158	160	647	
9	23	125	270	9	128	58	25	41	16	10	137	15	12	110	28	24	71	3	120	43	256	31
6	4	64	121	3	58	14	7	11	11	5	36	6	6	14	1	22	11		30	36	85	
36	115	761	1,520	41	879	364	154	54	45	36	715	32	71	618	147	134	151	2	517	1,132	1,511	32
12	13	148	309	7	172	61	27	13	19	8	162	16	14	63	4	80	35		114	356	366	
117	574	2,477	6,394	160	2,560	1,094	412	728	461	217	2,511	204	301	2,333	667	483	1,076	42	2,077	881	6,682	33
34	121	713	1,554	42	1,381	769	193	166	185	60	945	133	197	932	55	482	216	9	618	811	2,693	
29	248	954	2,702	61	1,055	559	175	386	243	119	986	113	112	899	318	215	487	13	792	227	2,748	34
9	59	321	713	18	623	275	62	74	83	32	389	36	50	351	18	212	93	5	216	125	928	
18	82	312	909	13	333	110	48	187	85	15	335	33	56	282	77	70	186	7	319	79	941	35
8	13	105	216	5	173	134	35	37	29	7	142	25	27	136	7	76	39	2	99	95	438	
70	244	1,211	2,783	86	1,172	425	189	155	133	83	1,190	58	133	1,152	272	198	403	22	966	575	2,993	36
17	49	287	625	19	585	360	96	55	73	21	414	72	120	445	30	194	84	2	303	591	1,327	
21	69	235	897	10	304	25	23	139	51	20	281	20	33	350	47	15	133	4	227	76	616	37
1		1	7		10	2	2	1	1	1	3			6	4	3	2		4	10	13	
9	37	95	440	4	133	8	9	89	30	13	142	12	20	156	32	7	65	1	107	27	329	38
		1	5		7					1	1			4	3	2			2		6	
5	7	36	117	1	53	4	5	22	15	3	32		2	63	8	4	29	2	38	16	109	39
			1			1									1	1			2		1	
7	25	104	340	5	118	13	9	28	6	4	107	8	11	131	7	4	39	1	82	33	178	40
1			1		3	1	2	1	1		2			2			2			10	6	
15	106	369	1,166	23	270	17	7	61	48	35	351	14	21	225	72	6	70	2	225	24	651	41
1	23	44	215	2	47	3		23	21	6	54	5	7	45	13		15		42	3	119	42
14	83	325	951	21	223	14	7	38	27	29	297	9	14	180	59	6	55	2	183	21	532	43

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
				1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
1	VIRGINIA	White	18,043	79		50	51	50	153	623	38	27	837	39	67	102	5	1,509
		Colored	10,411	35		10	5	74	29	362	7	5	1,005	24	71	249	5	413
2	Cities of 10,000 or more	White	5,224	17		6	4	7	28	115	8	9	159	10	19	39	2	518
		Colored	3,704	14		4	2	17	5	92	4	2	298	9	29	99	1	151
3	Cities of 2,500 to 10,000	White	1,762	7		5	7	7	16	59	10	5	62	2	9	23		130
		Colored	530	5					4	21			50	2	2	16		30
4	Rural	White	11,057	55		39	40	36	109	449	20	13	616	27	39	40	3	861
		Colored	6,177	16		6	3	57	20	249	3	3	657	13	40	134	4	232
5	WASHINGTON	White	16,135	23	2	9	14	4	23	303	16	16	639	22	68	137		1,915
		Colored	570	1			1		1	23	1	2	106	8	14	11		31
6	Cities of 10,000 or more	White	9,131	10		6	9	4	10	171	10	11	281	16	39	89		1,187
		Colored	271	1			1		1	8	1	1	45	3	8	6		22
7	Cities of 2,500 to 10,000	White	1,707	6			3		2	30	1	1	67	5	6	12		165
		Colored	49							1			11	1		2		1
8	Rural	White	5,297	7	2	3	2		11	102	5	4	291	1	23	36		563
		Colored	250							14		1	50	4	6	3		8
9	WEST VIRGINIA	White	14,980	131		45	42	102	184	513	16	29	677	39	59	111	1	1,143
		Colored	1,625	10		1	2	5	9	34		2	172	12	23	43		65
10	Cities of 10,000 or more	White	4,157	33		10	6	16	29	105	4	8	142	12	12	30		386
		Colored	430	3				1	4	11		1	32	4	10	13		23
11	Cities of 2,500 to 10,000	White	2,305	21		13	10	12	22	64	3	8	100	5	13	33		157
		Colored	263	4		1				2			21	3	1	3		9
12	Rural	White	8,518	77		22	26	74	133	344	9	13	435	22	34	48	1	600
		Colored	932	3			2	4	5	21		1	119	5	12	27		33
13	WISCONSIN	White	29,170	17	1	25	37	61	19	738	34	17	1,010	41	88	109		3,585
		Colored	343			4				8			83	2	4	13		15
14	Cities of 10,000 or more	White	12,529	5		4	19	26	13	212	15	11	347	24	44	51		1,655
		Colored	93							2			22			3		8
15	Cities of 2,500 to 10,000	White	3,604	6		3	2	8	2	114	4	2	64	6	6	10		430
		Colored	8										2		1	1		
16	Rural	White	13,037	6	1	18	16	27	4	412	15	4	599	11	38	48		1,500
		Colored	242			4				6			59	2	3	9		7
17	WYOMING	White	1,849	10		2	5	5	1	56	1	4	38	3	11	5		159
		Colored	126	1				5	1	9			14	3	1	2		6
18	Cities of 10,000 or more	White	331				1	1		5			7	1	3	2		39
		Colored	17	1						1			1			1		3
19	Cities of 2,500 to 10,000	White	497			2				14		3	10	1	5	1		37
		Colored	22							2			1					
	Rural	White	1,021	10			4	4	1	37	1	1	21	1	3	2		83
		Colored	87					5	1	6			12	3	1	1		3
	Cities of 10,000 population or more																	
	ALABAMA																	
21	Anniston	White	160	1					2	4			3			2	1	13
		Colored	122	2				2		2			15	1		2		6
22	Bessemer	White	90				1		1	1			3					13
		Colored	133	1				3		8			11		3	3	1	6
23	Birmingham	White	1,550	4		2	4	4	8	34	2	1	45		5	16	3	144
		Colored	1,562	7				3		22		1	134	6	17	57	1	56
24	Decatur	White	142				1		3	3			10				2	16
		Colored	58							3			3				1	5
25	Dothan	White	167							2		1				1	2	9
		Colored	103							3			11			1	1	4
26	Fairfield	White	97						1	1			2			2		9
		Colored	157					1		4		1	12		5	5	1	4
27	Florence	White	143							5			12	1		3	2	14
		Colored	54	1						4			7			3	2	1
28	Gadsden	White	273	1				5	1	14	2		10	2		5	2	20
		Colored	99	2				2		4			15			2		2
29	Huntsville	White	122					1	1	4			6				1	8
		Colored	106	2				1		3			16	1		1		3
30	Mobile	White	621	4		7			2	12			23		1	9	4	71
		Colored	493	2		2		2	1	11		1	35	1	2	11	2	23
31	Montgomery	White	383					2	2	13			12		1	2		40
		Colored	572			1				24			35	1	4	8	5	22
32	Phenix City	White	101	1					1	2			4				1	10
		Colored	66	1				1	1	2			5		2			
33	Selma	White	170	2		1		1		5	4		5		1	1	3	11
		Colored	238	1				5	2	18		1	11		3	2	1	4
34	Tuscaloosa	White	286					1	1	7	2		12	2	1	3	1	11
		Colored	130	1				1	1	3			9			5	2	6
	ARIZONA																	
35	Phoenix	White	895	6		8	5	1	2	11	3	1	188	2	4	10		51
		Colored	451	2		24		2	1	6	1	4	100	2	5	5		21
36	Tucson	White	547						1	6	1	2	236		4	1		22
		Colored	357	1		12	1	5	1	6	1		61			7		18
	ARKANSAS																	
37	Blytheville	White	106	1				1	1	3	1		6			1	10	6
		Colored	51					1		2			1				1	
38	El Dorado	White	126	1						6			3				5	8
		Colored	57	1						4			5		1	1		1
39	Fort Smith	White	390	4				1	4	14	1	1	16			3		44
		Colored	66	1						5			4		2		2	2

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
59	266	1,573	3,385	59	1,018	267	88	162	132	71	1,544	62	114	1,146	335	142	422	16	879	407	2,266	1
46	119	936	1,796	37	769	160	76	69	95	45	860	58	89	592	35	207	170	2	376	284	1,296	
16	102	403	1,058	16	262	46	25	83	61	30	472	37	29	292	143	42	159	6	233	30	738	2
16	58	358	654	16	326	40	33	47	45	24	322	25	27	181	13	109	71		140	41	431	
5	27	164	302	6	90	23	5	36	17	7	130	6	14	111	24	11	52	1	94	22	273	3
3	6	46	101		29	8	5	4	8	1	41	6	8	23		16	8		22	13	52	
38	137	1,006	2,025	37	666	198	58	43	54	34	942	19	71	743	168	89	211	9	552	355	1,255	4
27	55	532	1,041	21	414	112	38	18	42	20	497	27	54	388	22	82	91	2	214	230	813	
36	349	1,380	3,748	33	737	34	35	233	170	81	1,137	47	80	556	372	82	423	14	918	63	2,416	5
3	5	16	51	2	50	7	1	7	2	1	20	2	4	32	8	11	19		38	33	59	
22	220	679	2,000	20	477	12	19	183	115	57	692	34	54	324	209	42	261	6	470	12	1,380	6
2	4	11	32	1	14	2		4	2		14	1	1	17	6	6	4		14		39	
4	33	149	376		76	5	5	30	23	6	132	5	11	64	32	10	48	5	102	11	282	7
1			5		4	1		2		1	1	1		2			3		3	9		
10	96	552	1,372	13	184	17	11	20	32	18	313	8	15	168	131	30	114	3	346	40	754	8
	1	5	14	1	32	4	1	1			5		3	13	2	5	12		21	24	20	
41	201	947	2,121	22	1,014	555	149	149	97	59	1,246	75	115	1,214	196	131	351	6	995	178	2,026	9
4	20	91	211	3	112	36	12	7	16	3	185	9	7	68	7	85	31	1	123	20	196	
8	66	278	639	5	268	109	31	88	47	21	308	34	38	276	64	31	122	1	275	5	650	10
	4	20	64		29	6	4	3	13	1	53	6	3	11	3	25	9		17	2	55	
4	41	122	297	3	118	72	23	35	21	13	201	18	27	139	32	28	88	2	222	9	329	11
2	7	18	24	1	27	4	1	2	2		29	2	4	3	2	16	12		30	1	32	
29	94	547	1,185	14	628	374	95	26	29	25	737	23	50	799	100	72	141	3	498	164	1,047	12
2	9	53	123	2	56	26	7	2	1	2	103	1		54	2	44	10	1	76	17	109	
83	705	2,310	6,823	99	1,540	197	75	415	287	278	1,951	86	161	1,597	506	51	619	45	1,380	77	4,103	13
2	2	16	41	2	35	4		7	2	1	11	1	2	22	2	4	8		12	2	38	
32	358	917	2,839	38	601	77	31	247	160	130	837	50	71	709	227	20	252	18	534	18	1,937	14
		6	17	1	5	1		2			5		1	4		2	2		4		8	
10	87	304	773	6	186	29	7	98	45	29	236	10	34	190	51	6	89	10	207	9	531	15
		1									2				1							
41	260	1,089	3,211	55	753	91	37	70	82	119	878	26	56	698	228	25	278	17	639	50	1,635	16
2	2	9	24	1	30	3		5	2	1	4	1	1	18	1	2	6		8	2	30	
8	30	111	360	10	95	14	12	61	25	8	126	7	14	115	54	20	84		139	23	233	17
1	1	2	10		15		1	1		1	2	2	1	12	2	2	3		10	9	9	
2	5	14	68	1	12	2	2	17	5		22	1	1	18	12	5	15		18	1	51	18
	1	1	2		2									1	1				2			
2	14	35	117	2	28	4	2	19	4	1	24	1	2	22	9	4	20		39	4	71	19
			5		3		1							1	1	1	1		1		5	
4	11	62	175	7	55	8	8	25	16	7	80	5	11	75	33	11	49		82	18	111	20
1		1	3		10			1		1	2	2	1	10		1	2		7	9	4	
	6	6	24		13	4			3		10		2	14	7	6	7		4	6	22	21
2		6	14		5	5			1		11	1	1	4		11	1		6	16	8	
	1	6	17		13			1			5			1	2	3	1		4	1	16	22
	2	12	20		11	1	2	1	1		2	1		7		4	1		6	8	18	
1	24	91	240	2	88	25	7	37	16	9	109	8	10	100	34	25	59	2	67	65	259	23
4	6	123	168		105	6	6	14	21	9	110	7	12	95	4	116	21		46	218	167	
1	3	8	14		7	3	1	7	4	1	6	2	1	7	2	1	7		8	3	21	24
2		4	7	1	3		1		1		4	1				5			4	3	10	
	5	6	17		11	2		13	2	3	8	2	6	10	1	1	9	1	5		50	25
1		5	8		3	1		4	3	1	9	2	2	5		4	2		6	10	17	
	2	4	8		3	2		4	2	1	8	3	4	17	2		2		3		17	26
	3	10	13	1	16	7	1	1			24	1	3	9		6	1		6	5	17	
	3	6	17		8	3	1	6	3	1	7	1		11		2	6		7	1	23	27
		4	6		1	2				1	6	1	1	4		2			3	1	4	
	4	13	30		14	13		6	9	1	24	1	3	16		6	10	2	15	7	37	28
	2	2	10		12	1	1	1			10	1	1	1		8	1	1	5	5	10	
1		7	7		4	7		5	5	1	7	1	4	7	3	2	5		8	4	23	29
		7	11	1	5	2		1	3		5	1		3		13	2		5	10	10	
6	10	29	129		35	16	1	15	10	4	65	1	9	19	10	5	12		28	2	82	30
1	5	31	91		26	10	2	6	10	1	84	1	4	15		19	4		26	1	63	
	6	27	65	1	21	8	1	10	4	6	27	3	1	18	6	8	10		12	5	72	31
1	5	52	80	1	49	17	4	8	10	2	54	4	8	36		24	3		14	17	83	
		14	15	1	11	2	1				4	1		5	1	4	3		4		16	32
		9	11		6	4					6		1	1		1	1			5	9	
	5	14	27		9	2		9	4		9		1	8	1	1	6		6	2	32	33
	1	14	31		10	5	1	16	8		15	4	5	17	1	7	7		14	7	27	
	2	15	43		26	2	5	6	3	1	9		1	7	2	6	7		11	2	97	34
	1	11	15		10	2	1	1	1		11		1	9		11	8		7		13	
	7	38	172	4	48	10	3	14	5	6	32	1	3	37	20	9	29	2	39	1	123	35
	3	6	49		67	37	4	1	4	2	12	4	4	13	2	4	4		26	1	35	
	1	13	57	2	24	8	5	4	8	5	25	2		13	11	4	14		21	2	55	36
1	1	6	26	3	40	53	7	2	2	2	20		2	21	2	3	4		6	15	28	
	1	5	9		6	5	2	3	3		4	3	2	4	1	4	7		4		13	37
		1	9		3	6			2		3	1		2	1	6			2	3	7	
	4	7	15		8	2	1	2	3	1	4	1	3	6	4	1	6		13	5	17	38
	1	7	7		5		1	1			1					3	1		5	2	10	
1	9	22	67	1	19	5	2	20	12	1	17	3	7	26	2	7	22	1	15	1	42	39
	1	2	18		4	4			1		5			1	1	2	3		2		6	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	ARKANSAS—Continued																	
1	Hot Springs	White	365	1		5		3	1	15	1		5			4	5	25
		Colored	89	1						5			5			2	2	7
2	Jonesboro	White	204	5					4	11	1		7			5	6	12
		Colored	14							1			3					1
3	Little Rock	White	1,027	10	1	6			3	19	4	2	45	3	1	20	17	81
		Colored	552	1		2				9			47	1	3	25	10	14
4	North Little Rock	White	81							3			6				3	5
		Colored	94	1						10			9		2	3	3	1
5	Pine Bluff	White	164	2		1			2	5			8		1	1	3	11
		Colored	106	1				1		5			7		2		5	8
6	Texarkana	White	88			1				5			5					5
		Colored	77	2		1			1	8			5	1	1		4	1
	CALIFORNIA																	
7	Alameda		327							1			3			3		49
8	Alhambra		250						1				13		1	1		32
9	Anaheim	White	75							1			3		1			9
		Colored	9							2								
10	Bakersfield	White	180					1					9	1		1		10
		Colored	35					1					7		1			1
11	Berkeley		630	1				1		4			20	1	3	2		85
12	Beverly Hills		125							1						1		23
13	Brawley	White	36										1					1
		Colored	100			1		5	1	6			7		4			4
14	Burbank		143							2			4					20
15	Burlingame		68										4					9
16	Compton		116			1		1		6	1		5			1		8
17	Eureka		283							2	1		15		3	2		33
18	Fresno	White	389						2	6			16			2		41
		Colored	42					1		1			2		3			4
19	Fullerton		86	1									7			1		8
20	Glendale		733				1			7	1		13	1	2	3		113
21	Huntington Park		182							1			2					20
22	Inglewood		141			1				2			2					21
23	Long Beach		1,494	1		3	2	2	1	15			18		1	11		160
24	Los Angeles	White	13,068	9		39	35	34	47	104	16	23	677	25	54	120	1	1,732
		Colored	1,704		1	6	1	19	6	32	1	1	273	9	28	49		95
25	Modesto		298				1	2		6			11		1	1		28
26	Monrovia	White	152				1			2			29					17
		Colored	5										2					1
27	Oakland	White	2,956	2			1	2	2	31	7	7	77	4	6	16		384
		Colored	143					2				1	8	2	1	7		10
28	Ontario		93							1			2			2		15
29	Palo Alto		128							1			1		1			13
30	Pasadena		1,068					1	2	13	1		29	1		3		193
31	Pomona		224			2				4			4		1	1		24
32	Redlands	White	146							2			8		1			18
		Colored	14					1		1			1					1
33	Richmond		171							5			4		1			13
34	Riverside	White	378	1				1	3	6			15			3		32
		Colored	87	1		1		2		2			13			2		6
35	Sacramento	White	1,399	4			2	4	2	11	1	2	82	3	5	15		154
		Colored	229	5				3	1	1	2		64	1	2	8		10
36	Salinas	White	70								1		3					8
		Colored	20							1			1					
37	San Bernardino	White	462				1	2	1	2	1		30	2	3	6		53
		Colored	160			1		2	2	1			25	2	2	4		4
38	San Buenaventura		84		1		1	1		1			2					9
39	San Diego	White	2,042	11		1		1	7	15	3	2	77	1	5	17		224
		Colored	191			1			1	2			31	1	4	6		14
40	San Francisco	White	7,809	1			4	14	5	75	5	11	345	9	39	98		1,155
		Colored	423				2	3	4	9	1		65	5	5	17		37
41	San Jose		559							6	1		20	1	2	1		50
42	San Leandro		76										4			1		8
43	San Mateo		326							4		2	26		2	3		38
44	Santa Ana	White	261							6			4					33
		Colored	13			1				2			2					
45	Santa Barbara	White	292	2					1	2			2			4		42
		Colored	32	1				1					1			1		4
46	Santa Cruz		209						1	5			1					22
47	Santa Monica		496			1				2			16			2		67
48	Santa Rosa		164							2	1	2	2	1		1		18
49	South Gate		108			2				4			3		1			18
50	South Pasadena		114							1			2			1		19
51	Stockton	White	382						1	5	1		10					43
		Colored	77	1				1		1			9		2			2
52	Vallejo		250							5			18		2	3		29
53	Whittier		164			1	1	1		2								24
54	Belvedere township	White	84										7			1		21
		Colored	100			1		2		2			17	1	2	1		5
55	Gardena township		99			1							3					13

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
1	5	14	84	1	13	2	2	10	6	6	40	6	2	7	9	5	12		18	1	56	1
1	1	9	14	1	7	1		2	1	1	7		1	1		1	1		4		14	
1		4	18	2	10	13	4	16	3		8	3	2	5	2	3	4		16	1	38	2
			2			1			1							3			1		1	
2	11	73	176	1	54	15	5	32	16	6	68	5	4	30	13	14	25		35	4	226	3
	4	37	79		40	9	4	5	12		37	4	3	12	1	21	7		18		147	
	4	5	16		6	2					10			9	2				3		7	4
1		3	12	1	13	4	1	1		1	11		1			3	1				12	
1	2	22	19		3	3	1	3	3	1	14		1	3	6		3		7	10	28	5
		4	16		7	2	1		1		11				1	4	1		1	7	21	
	1	6	6		9	1	1	1	7		13		1	1	2	3	2		3	3	12	6
		2	4		3	3		1	2		6	1		4		6	1		6	3	11	
	8	37	105		19		2	2	4	6	18			6	4		5	2	12		41	7
1	6	29	74	1	4	1	1	2	2	4	25		1	8	4		11	2	3		23	8
	2	9	18		3			2		2	11			3	1		3		1		6	9
	1				3									1							2	
	3	9	38	2	8			1	2		17	1		13	3	2	14		21	2	22	10
	1		3		4	4		1			5			2			2		1		2	
4	13	57	191	1	22	1	1	6	9	10	62		2	10	15	1	13	3	19		73	11
	2	5	40		2					2	15				10		3		5	1	15	12
			10			2	1	2	1		1			4	1	1	1		5		5	13
	1	1	3	1	17	14							1	9	2	1			5		17	
	1	6	40		4				2	1	16			6	3	2	7		5		24	14
	2	6	25		7						2				1		3				9	15
	3	8	22		3				1		15		1	3			7	2	15		13	16
	10	18	54		12			8	6	3	29	1	1	4	8	4	4		12		53	17
	8	30	113	1	19	3		5	3	2	36		2	16	14	2	7	2	17		42	18
1	2		1		11	3	2				2			1		2	2		1		3	
		7	19		5	1		1			9		2	3	3	1	4		5		9	19
1	15	49	197	1	26			12	6	2	63	1	1	23	19	2	16	2	31		125	20
	4	20	48		7			2	4		13	1		16	4		3		11		26	21
	1	18	50		7			2			9		1	10	4	1	3	1	1		7	22
2	36	133	456	4	49	4	1	16	13	9	126	2	4	55	39	3	55	3	112	1	157	23
33	271	749	3,307	36	608	45	24	185	175	133	904	27	49	400	420	69	410	34	389	26	1,858	24
1	26	60	184	4	169	26	13	17	23	18	86	10	16	110	17	47	56	5	66	6	223	
1	8	20	91	1	14	2	3	3	4	6	14	3	1	17	6	2	7		12		33	25
	4	11	42	2	5			1	1	1	8			4			5		3		16	
		1	1																			26
5	80	233	881	3	181	4	5	41	32	30	181	5	5	89	62	14	61	10	88		407	27
1	3	6	31		12			2	2	1	5	1	1	7	1	1	7		5		26	
1		3	36	2	6				1	3	3			1	4		1		1		11	28
	2	7	34		10		2	1	1	1	5	1		8	5	1	9		5		20	29
4	24	93	289	5	45	1	3	8	12	16	78	1		28	26	2	19	1	22	1	147	30
2	4	19	67		15	2	1	4	3	1	10	1		11	5		9		6		28	31
	5	15	39		7			1		1	7			5	3	1	5		4	1	23	32
						2		1			1			3		2					1	
1	4	12	35		7		1	5	1	2	18			15	10	1	7	1	9		19	33
	12	33	109	2	12	3	2	3	4	3	32			6	6	2	10		20		58	34
	1	3	10		10	5	1	2	2		3		2	4	1	1	1	1	5	1	7	
7	27	75	376	2	138	6	5	21	9	9	83	2	2	39	34	13	50		49		167	35
	2	4	25	1	30	5	1	2	1	1	6	1	1	10	2	7	7	1	6		19	
	3	4	24		3	1		1		2	3			3	2		3		3		6	36
			2		5	1					1						4	1	3		1	
	3	38	87	2	21		1	8	3	2	39	2	4	13	13	1	26	2	38	1	57	37
	1	4	10		19	7	5	1	2	1	5	4		16	1	4	5		12		20	
1	3	6	18		6	3		2			4		2	2			4	1	5	1	11	38
6	41	129	531	6	87	7	7	23	23	29	138	4	7	70	58	19	62	1	92	1	337	39
	1	7	18		26			2	3	1	9	1		18	1	3	8	2	6		25	
12	204	463	2,105	22	495	10	9	97	74	128	509	5	15	165	248	37	144	3	270	10	1,023	40
1	8	16	65		48	2	1	4	4	6	27	1	1	22	8	4	1		10		46	
2	17	43	157	4	23	2	1	9	3	11	66	1	1	11	14	4	26		16		67	41
		11	23		7					2	9	1		4	1						5	42
2	5	34	63		18		1	4	6	6	14	1	2	13	4	2	21		11		44	43
1	8	29	76		8			2	1	3	26			10	6	1	9		14	1	23	44
		1	2			1					1								1		2	
	6	27	74		13		3	5	4	6	17		2	12	5	1	12	1	12	1	38	45
1	1		5	1	4	1			1	1	3	1		2			1				2	
	2	17	99		4	1		3	2	1	8		2	5	4	2	3		7		20	46
	15	33	141		23			4	10	3	45		2	26	15	2	21		20	1	47	47
2	5	10	45		10		1	3	1	4	10		2	11	4	2	6		3		18	48
	3	5	29	1	3			1	1		14			4	1		1	1	2	2	12	49
	2	8	42		4					2	14				2		2		2		13	50
	8	24	110		30		2	6	1	3	23		3	20	17	4	13	3	19		36	51
	2	2	10		19		1	3	2		1			1	4	3			4		9	
	10	17	65		15			1	2	3	16	2	1	4	7	2	3		18		27	52
	2	15	47		4	1		1	1	2	16			9	2		8	1	2		24	53
	1	9	23		1		1				4				3	1	1				11	54
	1	3	21	1	6	11	3			1	4	1		4	1	2			2		8	
1	3	4	35		7	1				2	7			2	3	2	1		1		13	55

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	COLORADO																	
1	Boulder		144						1	5			9					12
2	Colorado Springs		561	1			1		3	16	2	1	68	2	1			55
3	Denver	White	3,786	9	4	1	5	3	3	85	9	8	213	6	14	33		420
		Colored	185				1						20	1	2	2		12
4	Fort Collins		74				2			3			4					10
5	Grand Junction		133	1				1	2	5		1	5			1	1	13
6	Greeley		221	1						17			13	1		1		10
7	Pueblo		455	1				5		25	1		22		2	4	1	57
8	Trinidad		149	1				1		6			5	1				16
	CONNECTICUT																	
9	Ansonia		119							5	1		1					20
10	Bridgeport		1,598	1		1	1	4	1	37	2	3	48	2	6	14		189
11	Bristol		240			1				9	1		6		1			37
12	Danbury		365			3	2			3	1		5		1	2		25
13	Derby		165	1					1	3			3	1	1	1		20
14	Hartford		2,059	1		1	4	2		14	6	2	49	6	15	29		277
15	Meriden		461							6	1		17		2	1		71
16	Middletown		544							6	1		26	3	4	2		35
17	Naugatuck		91	1			2						2					8
18	New Britian		531				1	2		6	1		18			4		66
19	New Haven		2,093	2			4	2	2	29	2	2	31	9	2	14		301
20	New London		405	1			2		3	5	1	1	10	1	4	3		54
21	Norwalk		444					1		7			13		1			63
22	Norwich		212					1		6			12					25
23	Shelton		152										76					10
24	Stanford		559			2		1	2	14	2		27	1	2	5		63
25	Torrington		239							3	1		6		2	1		26
26	Wallingford		140							2			6			1		20
27	Waterbury		1,037				4	4	6	23	3		26	3	2	4		122
28	Willimantic		206							2			3	1		1		22
29	East Hartford town		95							1			2					14
30	Stratford town		120							2			6					23
31	West Hartford town		156							1			2					23
32	West Hafen town		232					2		2			25		1	1		34
	DELAWARE																	
33	Wilmington	White	1,307	2					6	13	3	2	32	3	2	7		138
		Colored	263	1						1		1	10	1	2	17		14
	DISTRICT OF COLUMBIA																	
34	Washington	White	4,750	7		3	3	6	9	36	11	9	170	10	21	33	1	562
		Colored	3,122	11		2	3	3	5	10	1	2	340	13	59	60		191
	FLORIDA																	
35	Daytona Beach	White	164						1	6			2	1		1	2	21
		Colored	80	2									1			1	3	3
36	Gainesville	White	105							2	2		1				3	10
		Colored	116	2						7			4				1	2
37	Jacksonville	White	1,027			1	2		6	20	2	2	28	1	5	9	9	82
		Colored	1,062	2				1	1	32			132	1	16	71		37
38	Key West	White	157	3					1	3			15	1	1	2		20
		Colored	63							1			7			1		3
39	Lakeland	White	227							7			12				4	24
		Colored	62	1						4			3		1	1	1	
40	Miami	White	859	1				1		14	1	1	36	2	3	6	1	89
		Colored	381	2				1	3	13			47	2	2	25		12
41	Orlando	White	347	1			1		1	1			7		1	3		47
		Colored	149							8			13		2	2		7
42	Pensacola	White	297	1				1	4	14		2	6		1	3		21
		Colored	193	1				2		9			7		1	9		10
43	St. Autustine	White	133							2			4		1	2		7
		Colored	84	1					1	1	1		7		1	5	1	2
44	St. Petersburg	White	571	1				1	3	19		1	17		2	2	1	59
		Colored	123							8			10			11	1	2
45	Sanford	White	53	1						1			3		2		1	5
		Colored	94			1		1		9			10	1		8	4	3
46	Tallahassee	White	74							1	1		1		1	1	7	4
		Colored	102							3			5			2	4	1
47	Tampa	White	851	2				1	5	27	1		27		1	6	5	92
		Colored	372	1						20			31		2	11	1	19
48	West Palm Beach	White	236	5						3			6			1	2	21
		Colored	207	2						5			16		1	8		3
	GEORGIA																	
49	Albany	White	87	1						1			2		1		2	9
		Colored	191							13		1	13		1	3	4	3
50	Athens	White	147				1	1		1			5		1			12
		Colored	139			1				1			9	1	3	5		3
51	Atlanta	White	2,026	6		8	6	10	27	36	1	6	48	3	6	10	3	208
		Colored	1,922	10		4		18	6	39		2	128	6	15	61	5	72
52	Augusta	White	591	6			1		4	15	3	1	30			4	3	40
		Colored	574	6		1		2	1	13			66		7	33	1	22

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
2	3	10	41	------	10	1	------	3	------	------	7	------	1	2	3	------	3	------	8	------	23	1
------	2	36	113	4	42	2	4	10	9	1	20	3	3	23	8	3	18	2	23	------	85	2
9	49	228	703	2	344	25	8	81	58	12	249	21	14	129	104	18	95	5	157	21	641	3
1	2	7	23	------	22	2	------	4	4	------	13	1	1	12	7	6	2	------	8	5	27	
2	2	5	16	------	5	1	------	------	1	1	6	------	------	4	1	1	------	------	2	------	8	4
------	3	9	16	------	14	1	3	3	------	------	4	2	------	14	4	2	2	------	7	1	18	5
3	5	18	31	1	17	5	------	7	5	2	9	1	1	10	4	------	5	------	8	1	45	6
1	5	37	85	2	23	5	2	9	5	1	28	2	2	16	11	1	10	------	16	2	74	7
------	1	13	23	------	23	6	3	1	------	2	13	------	1	7	4	1	------	------	4	------	17	8
------	2	12	38	------	10	1	------	------	------	2	8	------	------	3	------	------	------	------	4	------	12	9
2	61	110	438	4	112	6	------	20	16	13	118	5	7	74	31	3	51	1	44	16	157	10
------	3	14	52	2	19	3	2	3	2	2	22	------	1	12	3	------	9	------	6	1	29	11
1	15	24	68	3	34	2	------	8	4	2	32	3	1	21	8	------	9	------	20	------	68	12
2	4	18	33	------	7	------	------	2	2	2	13	------	1	10	3	------	8	------	10	------	19	13
4	54	100	529	4	139	20	1	33	29	9	141	9	15	146	22	4	55	------	83	3	253	14
1	14	28	102	1	32	1	------	7	3	7	54	2	2	11	7	------	17	------	21	1	52	15
1	8	35	169	------	59	1	------	8	5	2	39	1	1	11	6	------	12	------	14	------	95	16
------	2	6	32	------	6	1	1	------	------	1	12	------	------	1	6	1	1	------	2	------	6	17
2	6	37	137	1	32	4	------	4	7	11	54	4	2	34	5	1	16	------	21	------	55	18
4	60	168	502	7	157	3	7	25	19	22	183	5	9	97	23	3	45	1	73	4	276	19
1	9	24	100	------	21	2	3	3	11	2	23	3	2	29	10	1	8	------	29	------	39	20
1	12	38	118	2	29	2	------	7	1	2	36	------	2	20	5	------	19	------	22	------	43	21
------	1	21	76	------	12	------	1	------	------	1	19	------	------	10	4	------	------	------	7	------	16	22
------	2	8	25	------	2	1	1	------	------	------	6	------	------	1	3	------	------	------	5	------	12	23
3	11	45	147	1	18	6	------	10	3	5	44	1	3	34	14	2	10	------	25	------	58	24
------	8	15	58	1	20	2	------	7	3	1	24	------	3	8	3	1	5	------	14	------	27	25
1	4	19	48	1	6	------	------	------	------	------	6	------	------	3	3	------	------	------	------	------	20	26
1	41	74	236	1	80	2	3	15	10	13	87	8	3	72	12	2	26	3	34	------	117	27
------	4	19	54	------	16	2	1	3	------	2	17	1	4	5	1	------	8	2	9	------	29	28
------	5	3	35	------	7	------	------	------	------	2	8	------	------	2	1	------	2	------	7	------	6	29
2	4	11	44	------	6	------	------	------	1	2	6	------	------	------	5	------	------	------	4	1	3	30
1	2	8	66	1	12	9	------	------	------	1	8	------	------	4	3	------	------	2	2	------	11	31
------	9	23	68	1	12	------	------	------	1	3	14	------	------	5	6	1	3	1	6	------	14	32
9	43	122	292	4	90	6	4	17	19	9	140	6	7	63	15	10	21	------	52	------	170	33
2	6	21	53	------	39	------	1	3	4	------	20	3	1	4	------	11	6	------	19	1	22	
15	104	335	1,198	11	266	26	5	75	58	48	389	10	9	215	157	35	92	------	196	------	625	34
11	44	175	641	6	301	33	13	37	43	15	187	17	14	187	12	89	50	------	100	1	446	
------	3	15	32	1	2	------	------	2	3	3	15	1	------	10	2	------	6	------	9	------	26	35
------	2	8	16	------	2	1	2	1	1	------	8	------	------	2	1	3	3	------	3	2	15	
------	2	6	15	------	6	1	------	5	2	1	11	1	------	9	------	2	8	------	7	------	11	36
1	2	12	23	------	3	1	------	------	2	5	11	------	3	7	------	6	6	------	3	------	15	
2	23	65	190	1	60	2	4	24	12	15	116	10	10	42	27	16	49	------	45	4	143	37
6	8	81	146	1	77	4	4	12	16	6	111	4	5	31	3	51	16	1	34	4	148	
------	4	5	32	1	3	1	4	2	1	1	28	------	------	5	2	------	------	------	2	3	17	38
------	1	8	7	------	6	------	2	1	------	1	8	1	------	1	------	------	------	------	2	1	12	
------	2	14	39	1	4	------	------	7	6	4	36	------	2	8	5	2	3	1	9	------	37	39
------	1	4	10	------	5	------	------	------	------	------	11	2	1	3	------	5	1	------	2	1	5	
------	22	60	177	3	30	------	2	12	16	12	77	5	5	47	27	10	32	1	39	2	125	40
1	1	24	47	1	22	1	------	7	7	1	20	2	2	23	4	25	10	------	12	3	61	
1	6	28	79	1	15	------	5	9	3	3	13	------	4	24	4	1	17	2	19	------	51	41
------	------	14	21	------	12	2	3	2	------	1	10	1	1	5	1	5	3	------	7	8	21	
------	6	25	52	1	15	3	5	5	3	2	31	4	2	13	2	1	12	------	16	2	44	42
------	2	17	22	------	29	2	1	1	------	------	22	2	1	15	------	4	3	------	7	------	26	
------	5	15	26	1	5	------	1	5	1	------	13	------	------	4	3	3	5	------	11	5	14	43
------	1	8	11	1	3	------	1	------	1	------	13	1	1	3	------	3	2	------	2	4	9	
------	9	47	163	2	20	1	------	7	10	6	45	------	1	11	17	1	7	------	28	------	90	44
------	------	11	5	1	13	2	3	1	2	1	12	3	1	2	------	8	------	------	2	------	24	
------	------	4	7	------	3	1	------	1	1	------	8	------	------	2	1	------	2	------	4	------	6	45
------	1	5	8	------	------	1	------	1	5	------	4	1	1	5	------	4	1	------	4	4	12	
------	4	1	12	------	5	3	------	1	------	1	11	------	------	3	2	1	5	1	------	1	7	46
1	------	5	15	------	7	1	------	1	2	1	17	------	1	3	------	2	2	------	5	9	15	
3	14	57	147	1	36	6	8	13	7	6	105	7	5	50	31	16	21	------	22	13	116	47
------	6	53	64	1	13	1	1	5	2	1	17	5	4	11	2	11	7	------	19	6	58	
------	4	28	34	1	5	1	------	8	6	2	21	1	3	13	3	1	3	3	8	------	53	48
------	2	30	19	2	13	1	------	7	1	2	16	1	3	9	------	13	3	1	7	3	39	
------	1	6	19	------	2	------	------	2	2	2	9	------	2	8	1	2	4	------	2	------	9	49
2	2	11	26	------	13	3	1	3	------	2	30	------	3	7	2	13	3	------	4	1	27	
------	4	14	18	1	4	3	------	3	2	------	13	2	1	13	6	2	4	------	12	4	20	50
------	1	6	31	------	5	------	1	4	1	1	18	1	------	7	1	5	3	------	1	9	21	
5	41	128	324	2	111	22	9	32	27	15	219	5	12	138	56	34	72	4	97	17	278	51
3	19	161	245	5	210	15	17	20	26	8	156	8	6	114	3	119	33	1	82	56	249	
------	8	42	107	2	47	8	2	7	7	1	51	2	10	35	7	5	21	------	26	------	96	52
5	7	40	77	1	70	7	7	5	4	1	52	3	5	17	1	22	11	------	17	1	69	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	GEORGIA—Continued																	
1	Brunswick	White	103	2				1		2			1				4	15
		Colored	110	2						2			6			3	2	3
2	Columbus	White	387	1		1				11			20	1	1	9		28
		Colored	288	5				3		9		2	29	2	1	8	1	8
3	Decatur	White	57							2			5					5
		Colored	37					1		2			3		1			1
4	Griffin	White	94	1		1				2			1		2	2		9
		Colored	73					2		4			2		2	1		2
5	La Grange	White	150	1					2	6			8		1	2		13
		Colored	86							3			8			1		2
6	Macon	White	422	1				1	2	13	2		14		1	3		27
		Colored	534	4				6	1	14			44	1	5	12		19
7	Rome	White	235						6	10	1		12	1			1	18
		Colored	121					1		1			3			1		3
8	Savannah	White	610	2				1		15	1	1	10		1	3	4	57
		Colored	930	2						32			70		6	32	1	20
9	Thomasville	White	122	1						5		1	2			1		12
		Colored	141	2						10			5	1	2	2	1	6
10	Valdosta	White	136	1					1	9		1	1				7	8
		Colored	146	1					1	1			11		2	5	2	3
11	Waycross	White	152							1			3		1	1	1	6
		Colored	105	1						1			3		1	4		6
	IDAHO																	
12	Boise		376	2		2				2			18	1	1	3		50
13	Pocatello		194	2	1					2			7		1	3		20
	ILLINOIS																	
14	Alton		363	1			2		1	17			11		2	6	1	44
15	Aurora		570					2		4	3	1	11	1		1		85
16	Belleville		356	2						7			9					41
17	Berwyn		298				2		1	6		1	6			1		36
18	Bloomington		480				1		1	3	1	1	11	2		4		52
19	Blue Island		156			1			1	3		2	6		1			20
20	Brookfield		52					1		1								7
21	Cairo	White	123	1	2				2	2			7				1	6
		Colored	97							3			8		1			2
22	Calumet City		75			1				2			7					7
23	Canton		166	2						5	1		2		1	1	1	15
24	Centralia		176							4			6			1		21
25	Champaign		192							1			3		1	2		23
26	Chicago	White	30,689	9		30	150	13	9	178	32	15	1,174	58	96	149	3	3,842
		Colored	4,109	4		3	8	8		31	4	23	600	44	64	98		248
27	Chicago Heights	White	160							3	1		1			1		20
		Colored	23							1			2					
28	Cicero		300							8			8	1	1			32
29	Danville		561	3			2			13		1	23	1	6	2		59
30	Decatur		663	1			1	2	2	18			17	1	2	5		94
31	East Moline		232							3			19			2		18
32	East St. Louis	White	701	1				1	7	12	2		21	1	1	4	2	74
		Colored	198	1					1	8		1	14	2	5	1	1	11
33	Elgin		808				2			8	3	1	41	1	1	2		63
34	Elmhurst		141				1		1	2		2	4	1		1		13
35	Elmwood Park		43										4					4
36	Evanston		619	1			2			5	1	1	6			4		84
37	Forest Park		122				2						1					20
38	Freeport		337				2			7	2	1	4			2		39
39	Galesburg		390	2				1		11		1	5	1	2	4		38
40	Granite City		254						2	8	1	1	14	1		5		16
41	Harrisburg		172	2			1			7			12		3			12
42	Harvey		174			1		1		2			1		1			15
43	Highland Park		101								1	1			1	1		17
44	Jacksonville		569	1			1			2	3		18		2	6		50
45	Joliet		560	7			3			13		2	18	1	2	2		62
46	Kankakee		299	1		1	2	1	2	2	2		8		2	5		42
47	Kewanee		218						2	9			1		2	1		27
48	La Grange		48										1					11
49	La Salle		144					2		5		1	3	1				14
50	Lincoln		255							14			15		1	6		16
51	Mattoon		241	2				1	1	2			3		2	2		25
52	Maywood		149			1	1			2			2					27
53	Melrose Park		86				2	1		2			2					6
54	Moline		363	1			1		1	6			7	2		3		51
55	Mount Vernon		153	1			1			2			12			1	1	13
56	Oak Park		778						1	4		2	7	2	2	2		100
57	Ottawa		154							3			2					19
58	Park Ridge		50										1					9
59	Pekin		181						1	6			3		1	1		21
60	Peoria		1,165	1			2	1	4	14	2	1	23	1	3	7	4	123
61	Quincy		590	1			1		4	12			6	2	4	3		75
62	Rockford		764	1			4	3		12	2		11		4			98
63	Rock Island		372						1	7	1		19		2	1		42

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
		8	23		1	1	1				6		1	7	4	2	4	1	10	1	8	
		14	15		9	1	2		3		9	1	1	4	1		2		7	7	16	1
	10	30	49	2	24	21	4	9	4		35		2	17	7	6	16		26	3	50	
3		13	49		21	3		6	3	2	24	2	1	7		10	6		19	7	44	2
1		1	12	1	2	1	1				9			3	1				2	4	7	
1		1	5		6	1	1				3			2					3	2	4	3
1	1	1	9		8	3	2	6	2		5	4	1	3	2	2	5	1	5	1	14	
		4	16		7	1	1		3		4		2	2		2			1	6	11	4
	2	10	13		5	7		1	1		27	1		12	3	1	1		12	1	20	
		2	19		6				1		16		4	7		3	1		3	2	8	5
1	4	32	72	1	20	4	1	12	5		49	1	5	20	11	5	12	4	30	7	62	
1	4	49	80	1	52	2	2	6	3	1	58		3	24	2	22	2		24	22	70	6
1	3	21	16	1	28	8		9	2	2	15	1		17	4	5	4	1	15	3	30	
		5	18	1	23	2	1	1	2		14		3	3	1	11	3		10	1	13	7
1	12	45	158		34	7	1	16	11	4	57	2		22	10	6	22	1	22	1	83	
2	8	107	170	8	62	9	5	9	9	4	125	8	10	39	2	25	14		23	1	127	8
	2	9	21		3	1	1	2	2	1	15		2	6		1	4		8		22	
	2	19	16	1	7		1	1	1	2	13		2	9		9	2		3		24	9
	1	9	21		12	1		4	1	1	9	1	2	7	1	1	7		9	3	18	
	1	6	17		12		1	1	2		11	1		5		5	1		6	31	20	10
	3	7	25		15	7		3	2	2	13	1	2	9	3	3	11		8	2	23	
		8	14		7	2	2	1	1		13	1	2	3		3	3		4	3	22	11
2	8	23	73	3	19	1		6	11		12	1	1	29	8	2	12		14	6	66	12
1	5	8	28		14			5	4	2	12	1		14	5	2	9		8		40	13
1	7	26	61	1	19	8	1	10	3	1	37	2	1	11	5	5	11	3	26	1	38	14
4	19	44	138	2	20	2	1	11	4	4	61	2		44	7		9	1	20		69	15
1	8	39	76	9	15		2	7	2	4	39	4	1	8	5	3	9		18		47	16
1	8	18	80	1	10	1		6	3	2	39		2	10	6	2	13	4	12		27	17
3	4	37	134		22		2	10	7	2	38	4	5	19	11	6	18	2	17	1	62	18
1	4	6	36		10	2	1	3	1	3	9		1	8	4		6	1	12		14	19
	1	4	14		3				1		9				5		1		2		3	20
	3	5	22		6	2	1	1	4	1	10	2	1	3	2	2	5		12	1	19	
	2	8	15		8		1	1			14			2		7	3		4	1	17	21
	3	4	15		1	1				2	12			7	1	1	3		4		4	22
1	1	15	31	2	3		3	7	3	1	9	1	2	10	6	1	6		8	1	27	23
1	1	19	31		4	3	1	7	3	1	17	1	1	2	1	1	8	10	6		26	24
1	3	11	45		1		2	5	2	1	22	1	1	12	4	3	6		5		37	25
119	878	1,430	8,168	100	1,813	166	64	533	367	314	3,027	67	145	1,225	558	325	794	37	1,190	3	3,471	
17	78	171	858	8	418	20	12	35	43	14	277	8	13	169	17	191	88		136		401	26
1	3	6	29	1	11	3		7	1	2	16		2	10	2	3	12		6		19	
		1	6		4	1					1			2	1	2			1		1	27
2	9	19	95	2	9	4		2	3	3	53			7	11	6	1		3		21	28
3	9	42	104		27	6	3	17	8	5	51	1	3	27	7	4	16	3	30		85	29
1	14	59	128		20	6	2	21	7	6	52	3	5	26	9	4	18		32		107	30
	3	37	62		21				1	2	19			2	2	2			7		32	31
1	19	55	136	1	52	8	8	18	4	10	39	2	6	34	13	17	27	4	48	2	71	
2		12	32	2	18	3	1	2	2		14	1	1	10	2	19	5		8	2	17	32
3	21	32	165	2	99	3	3	9	13	9	48	1	2	25	12	2	11	3	33		190	33
1	6	5	31		6		1	3	2		8		1	11		2	10		4		25	34
1		4	15		2					1	4			1			1		3		3	35
	17	21	178	5	31	2		20	6	1	41	2	4	28	10	1	19		24		105	36
	5	11	31	2	5					2	25			2	2	1			2		11	37
	13	24	65	2	16	3			14	7	28		4	18	7		9	3	15		50	38
1	11	33	107		9	1			10	7	29	1	2	21	2	1	9	1	19		60	39
	4	14	28	1	16	7			6	5	17	2	2	8	7	3	14		16	11	38	40
	4	6	25	1	7	5	3	10	3		15	3	3	7	1	4	6		4	1	27	41
	4	11	44	1	7	1		6	2	1	7		2	16	2		21	1	10		17	42
	3	4	20		9	1		3	2		11			7	3				2		15	43
	9	36	97		37	4	2	14	11		43	2	2	10	6	1	6		26		180	44
2	9	27	117	1	35	4		17	6	2	68	1	2	14	8	6	23		23		85	45
	12	13	53		15	2	1	6	2	1	29	2	4	20	3	3	10	5	12		38	46
	4	20	43	1	12	3	1	2	3	3	18		1	11	2	2	6		14		30	47
	1	3	17		3					1	4				1				1		5	48
	4	5	28	1	10	2		8	2	2	17		1	5	1	1	2		10		19	49
1	3	13	48		22	3	1	10		1	27		2	7	4		2		9		50	50
	7	20	55	1	8	4	2	5	4		31	2	3	10	4		7		9		31	51
	3	12	49		13				1	1	21			5	1	1			3		6	52
	1	2	10		8	1		6	3		6			5	2	2	14		4		9	53
	17	19	75	1	14	1	1	9	8	5	28		2	20	7		3		19		62	54
	4	9	13	1	17	2	2	5	2		12		1	9			2		7	6	30	55
2	15	36	166	2	33	2	1	30	11	7	127	1	6	42	13	3	22	1	30		108	56
	4	9	48		9	1		5	2	1	17	3	1	7	1		5		5		12	57
		4	17		3						8				1		2		2		3	58
1	5	11	37		10	3	2	3	3	2	9	1	3	16		2	7	1	8		24	59
7	39	73	261	2	68	9	4	28	18	12	91	3	12	54	14	11	38		55	2	178	60
2	20	32	138	3	35	7	1	14	8	8	61	1	3	29	8	2	13		23		74	61
3	21	50	178	2	39	3		18	10	4	53	1	3	35	12	8	22	1	41		125	62
	7	26	85	2	15	2	1	7	3	6	38	1	4	16	12		11		16		47	63

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	ILLINOIS—Continued																
1	Springfield	1,104	1			6		2	41	4	1	18	2	3	8		123
2	Sterling	153							1			6	1	1			11
3	Streator	208				1			8			4					22
4	Urbana	144					1		1			3					19
5	Waukegan	213	1					1	2			6		2			26
6	West Frankfort	163	1					1	3			3				1	18
7	Wilmette	105										4			1		17
8	Winnetka	86			1				2			3					9
	INDIANA																
9	Anderson	445	3				3	1	18			16		4	3	1	40
10	Bedford	159	2			1		3	2			8		1			7
11	Bloomington	196	1					1	1			13			3		14
12	Connersville	160				1			7			8		2	2		16
13	Crawfordsville	170							7			1		2			19
14	East Chicago—White	308				3		1	13			13	3	2	2	1	24
	Colored	87					2		4			9	2	5	2		3
15	Elkhart	340	1				1		5		1	8		3	1		45
16	Elwood	155							5			7					21
17	Evansville	1,151				4	1	5	19	1	1	43	5	5	8	5	97
18	Fort Wayne	1,166			1		2	9	24	2	2	38	3	5	14		124
19	Frankfort	173							9			6		1	2	1	13
20	Gary—White	614	1			2		1	10	2	1	24	1	6	9		62
	Colored	277	1		1		2		9		2	35	1	8	11	1	16
21	Goshen	131	1				1		3					1			17
22	Hammond	514	1			2			12	1	1	15	2	1			52
23	Huntington	152							3			5			1		13
24	Indianapolis—White	4,107	7		1	10	10	13	43	3	15	137	9	22	31	4	406
	Colored	765	1		1	1	3	1	20		10	66	3	12	15		49
25	Jeffersonville—White	161						1	7		1	5					11
	Colored	34							3			1		1			3
26	Kokomo	382					1	1	15			14	1	3	2		36
27	Lafayette	483	2				1	8	7			11	1		3		54
28	La Porte	226				1		1	4				2	1			23
29	Logansport	315	5						4			6	1	1	3		28
30	Marion	306				1	2		10	2		12	1	1	2		29
31	Michigan City	280				1	1		2			10		2	1		30
32	Mishawaka	262					3	1	3	1		4	3	2			23
33	Muncie	584			1	1	1	2	25			21		2	10		45
34	New Albany	331	1					1	7			8	2		1		22
35	New Castle	144	1						6			6		1			14
36	Peru	161							6	1	1	11	1				20
37	Richmond	302	1				2	4	5	1		11		2	1		37
38	Shelbyville	158						2	6			10		1			12
39	South Bend	840	1			2	1		6		1	25	5	3	10		106
40	Terre Haute	926				2	1	1	15			41	2	3	7		79
41	Vincennes	302	1			2		2	13			16		2	7		28
42	Whiting	57							1			2					5
	IOWA																
43	Ames	76	1						2			3					6
44	Boone	165	1				1		4			1					19
45	Burlington	344			1		2	1	7			10	2	2	4		49
46	Cedar Rapids	627					3		15		1	19	1		3		84
47	Clinton	352			1	2	4		12	1		6		2	2	1	48
48	Council Bluffs	605	1		1	1	3	8	28	1	2	7		1	3		58
49	Davenport	762				1	2	1	15	7		26	1	1	6		88
50	Des Moines	1,657	3		1	5	7	8	24	6	4	52	2	4	21		190
51	Dubuque	572							7	1		29		4	2		68
52	Fort Dodge	250	1					1	3			10			1		35
53	Fort Madison	189						2	3	1		4			4		12
54	Iowa City	689	2			2	1		9	1	1	16	5	6	15		116
55	Keokuk	278						1	5		1	7		1	1		29
56	Marshalltown	285							7	1		2		3	1		32
57	Mason City	286							11			3		2	1		23
58	Muscatine	244							15			5		1	1		33
59	Newton	101	1						2					1	1		7
60	Oskaloosa	149					1	1	10			2		1	1		20
61	Ottumwa	364						1	8	2		5			1		47
62	Sioux City	1,048					1	5	44	1	13	18	1	2	10		130
63	Waterloo	384						1	10		2	6		2	1		49
	KANSAS																
64	Arkansas City	147							9			6		1			13
65	Atchison—White	160				1		1	10	1		1			1		17
	Colored	28							2								2
66	Chanute	158					2		5			1		2	1		15
67	Coffeyville—White	149	1					1	7			6					6
	Colored	27										4			1		
68	Dodge City	152	1				1		5			2			1		17
69	El Dorado	120					3		3			1					12
70	Emporia	184				1	2		6			3					20
71	Fort Scott	223				1	3	2	11	1	1	3	2		1		19
72	Hutchinson	340	1				4	1	18	2		5		1	2		33

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
4	28	73	217	2	47	6	4	27	22	11	100	4	4	55	22	9	25	4	61	31	139	1
1	5	9	36	------	4	1	1	5	4	------	16	------	2	15	6	------	4	------	4	------	20	2
------	8	15	58	------	16	2	1	5	3	2	10	------	1	8	2	------	4	------	9	------	29	3
1	5	7	37	------	8	2	------	3	4	1	7	------	3	8	1	1	3	2	8	------	19	4
------	2	12	50	2	10	2	------	1	2	3	21	------	1	9	15	2	10	4	15	------	14	5
------	4	7	18	2	4	2	3	7	2	1	10	------	4	15	3	5	3	------	22	------	24	6
------	4	8	41	------	6	------	------	------	------	------	10	------	------	------	4	------	------	------	3	------	7	7
------	3	5	33	------	4	------	1	------	------	1	4	------	1	1	5	------	------	------	1	------	12	8
1	6	29	73	2	22	3	4	11	9	2	30	4	2	26	10	2	13	6	23	1	77	9
1	2	17	31	------	9	3	1	4	4	1	14	2	1	8	6	1	8	------	13	------	9	10
------	1	14	42	1	12	5	3	2	2	------	22	1	1	16	4	1	5	------	14	1	16	11
------	4	14	35	1	7	2	1	4	------	------	6	------	2	7	2	------	3	1	11	------	24	12
------	------	19	47	------	11	------	------	5	1	1	11	1	2	5	5	------	6	3	8	------	16	13
3	6	10	51	2	23	5	1	6	3	7	29	1	2	13	7	4	14	3	20	1	35	14
------	------	2	17	------	9	2	------	------	1	2	10	1	------	2	------	3	------	------	6	------	5	
1	12	34	69	1	19	------	3	12	4	4	27	------	2	10	9	------	5	1	20	1	41	15
------	4	12	25	------	15	3	4	1	1	------	8	2	2	9	1	------	3	1	11	------	20	16
1	30	86	210	5	71	10	7	28	19	14	106	7	9	60	15	8	33	1	56	------	181	17
4	37	96	230	3	57	3	4	35	21	9	128	1	10	38	24	4	27	7	68	------	136	18
1	5	21	31	------	6	2	2	3	------	2	22	------	1	7	3	------	4	------	11	------	20	19
------	11	28	108	------	53	5	1	13	7	5	40	2	3	28	19	7	35	6	51	------	73	20
1	4	15	56	------	37	2	2	2	4	------	9	3	5	6	------	9	2	------	11	1	21	
------	6	8	33	------	1	------	1	5	4	2	5	3	1	8	4	------	6	1	5	------	15	21
1	5	31	102	3	40	10	2	12	6	5	39	------	6	31	4	5	42	7	24	------	52	22
2	3	14	45	------	7	2	------	2	5	1	8	------	1	7	1	------	6	2	5	------	19	23
7	72	286	959	2	251	32	9	73	44	29	453	23	7	160	85	16	111	8	167	------	602	24
3	13	50	151	4	66	7	2	13	9	7	91	------	5	25	4	24	13	------	21	------	76	
------	3	18	35	------	1	1	------	8	2	1	15	2	2	4	4	3	5	------	12	------	20	25
------	------	3	10	------	1	------	------	2	------	------	1	------	------	3	------	1	------	------	------	------	5	
1	5	33	83	2	22	7	3	8	3	7	42	------	3	19	10	3	6	1	9	------	42	26
1	4	38	105	------	36	4	3	12	10	2	24	2	6	17	4	4	15	2	30	------	77	27
------	5	18	51	------	4	4	------	7	2	1	17	1	3	16	5	1	9	------	9	------	41	28
1	11	33	57	1	11	------	1	11	8	------	34	2	1	8	10	1	10	------	13	1	53	29
1	5	33	59	1	6	5	1	5	4	2	18	2	3	19	7	1	8	------	19	1	46	30
------	4	19	60	1	14	2	------	4	3	------	32	------	1	12	11	------	18	1	19	------	32	31
1	8	13	56	1	19	1	1	2	2	------	16	1	1	21	10	------	11	2	14	------	42	32
2	10	46	114	2	28	11	3	12	8	4	47	4	3	36	17	4	18	------	31	1	75	33
1	13	28	94	3	6	4	3	6	4	2	43	1	1	6	2	3	11	3	17	------	38	34
1	3	8	23	------	8	5	------	2	3	2	23	1	2	10	2	2	1	------	4	------	16	35
1	1	14	38	2	5	------	2	3	2	1	19	------	------	5	3	1	2	------	10	------	12	36
1	7	22	86	------	12	2	------	------	1	------	69	------	------	3	6	2	------	1	9	------	17	37
------	4	11	26	------	5	2	1	2	1	4	15	------	1	8	3	------	4	------	10	------	30	38
1	19	52	177	3	65	10	2	14	7	4	80	2	3	36	17	7	30	------	36	1	114	39
2	22	58	210	1	48	12	8	11	14	4	106	3	5	31	20	12	26	6	40	2	134	40
------	3	32	56	1	14	3	5	6	4	------	12	2	3	17	2	3	16	1	15	------	36	41
------	1	2	23	------	3	1	1	------	------	------	7	------	------	2	1	------	2	------	4	------	2	42
1	2	9	12	1	3	------	------	3	------	------	1	------	------	4	------	------	3	------	5	------	20	43
------	1	28	28	------	6	------	1	3	3	------	13	1	2	8	1	------	3	1	13	------	27	44
1	6	27	72	1	18	------	2	8	5	1	29	2	1	10	4	2	9	------	19	2	47	45
2	18	63	129	------	24	2	5	12	10	2	45	3	2	25	21	2	18	2	33	------	83	46
------	11	35	63	1	26	2	1	8	7	1	18	1	2	17	3	1	4	------	21	------	51	47
2	14	53	117	------	29	------	1	16	12	2	39	6	3	41	11	4	12	1	27	1	100	48
1	17	78	143	------	61	4	2	17	14	2	39	2	1	32	24	2	17	1	43	1	113	49
8	36	107	324	5	114	4	4	32	20	3	86	12	10	83	41	10	43	5	81	4	298	50
3	14	56	122	1	38	------	1	14	10	8	27	1	4	24	4	1	10	------	23	3	97	51
------	4	16	37	------	20	1	------	5	10	1	23	1	3	13	4	1	8	1	17	------	34	52
------	5	21	41	2	8	------	1	3	2	1	18	3	------	14	5	------	3	------	11	------	25	53
1	19	22	73	3	38	1	4	16	15	5	26	3	6	24	4	------	10	------	28	3	214	54
------	3	34	55	2	14	2	3	7	5	------	27	2	2	17	3	------	6	------	16	2	33	55
------	4	20	69	------	21	3	2	9	6	1	18	1	------	13	5	------	4	------	12	1	50	56
2	4	15	55	------	14	1	1	10	3	2	15	1	5	23	7	2	11	1	11	------	63	57
2	4	23	40	------	9	2	------	8	3	2	26	1	2	6	5	1	2	------	19	------	34	58
------	------	11	24	------	3	------	------	6	1	------	9	1	1	11	------	------	3	------	6	------	13	59
------	5	15	30	1	10	1	2	3	1	1	7	------	------	2	1	1	3	------	7	1	22	60
------	5	53	57	------	9	5	3	8	4	2	33	2	2	19	2	------	7	------	22	------	67	61
4	23	59	158	3	70	2	7	32	17	11	46	6	7	74	23	11	34	5	49	4	178	62
3	11	30	89	1	14	1	3	4	6	2	24	1	1	22	10	------	15	3	22	1	50	63
1	4	10	18	1	11	------	1	8	1	1	14	2	2	10	2	------	6	------	4	2	20	64
------	6	12	29	2	6	1	------	3	2	------	24	------	------	7	4	------	------	------	8	------	24	65
------	------	2	7	------	4	------	1	------	------	------	8	------	------	------	1	------	------	------	------	------	1	
------	3	28	29	1	7	4	------	7	1	------	6	1	1	3	1	1	1	------	8	1	29	66
------	4	7	33	------	8	3	1	5	1	1	11	2	1	9	1	1	6	------	8	2	24	67
------	------	1	6	------	4	------	------	1	------	------	2	------	------	1	------	------	1	------	------	------	6	
1	4	7	23	2	6	1	------	11	3	1	10	5	1	10	2	1	6	------	9	------	22	68
------	3	6	12	1	7	------	------	1	2	------	23	2	1	11	2	------	4	1	7	------	18	69
------	8	9	40	1	13	1	1	6	2	------	16	2	------	5	1	1	7	1	15	1	22	70
------	2	9	50	------	13	3	------	6	2	------	20	------	3	7	1	2	12	------	14	1	34	71
1	5	26	63	1	14	4	------	16	2	------	24	1	4	20	6	3	8	3	17	------	55	72

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	KANSAS—Continued																	
1	Independence		176				1			19	1		3			2		16
2	Kansas City	White	1,259	1		6	5	1	3	24	2	3	32	2	3	11		160
		Colored	334					7		7		1	23		4	7		24
3	Lawrence	White	176			1			1	7		1	5					19
		Colored	44			1				1			1					4
4	Leavenworth	White	233					2		7			5	1		1		24
		Colored	38					2					3					3
5	Manhattan		128					1	1	2			1		2			11
6	Newton		158						1	4		1	1			2		8
7	Parsons	White	155							4			4			1		12
		Colored	19													1		2
8	Pittsburg		156	1						7		2	5					15
9	Salina		242							6			8		1	1		22
10	Topeka	White	736	4		2				40	2	3	15			4		89
		Colored	98							5		1	3	1		2		10
11	Wichita		1,089	2			2	1	3	49	2		26	3	2	10		130
	KENTUCKY																	
12	Ashland		310	7					5	18	2	2	9	1	1		1	18
13	Bowling Green	White	170	1			3	4	3	7	1	1	10					13
		Colored	44					1	1	1			3	1				3
14	Covington		896	2				2	2	12	1	1	40	4	3	4	1	100
15	Fort Thomas		72							1			4					12
16	Frankfort	White	129	1						5			11	1		2		10
		Colored	46				1			3			2					5
17	Henderson	White	146	2				1	2	6			6					11
		Colored	65							3			3					2
18	Hopkinsville	White	101				1						4					5
		Colored	114	4					1	1			14		1	1		10
19	Lexington	White	690	5		1			3	4		1	55		1	6		58
		Colored	402	2				2	1	7		1	31	2	3	5		18
20	Louisville	White	3,202	5		2	7	6	32	38	9	3	74	6	7	25		346
		Colored	982	1				1		13			63	4	12	32		51
21	Middlesborough		153	1				1	4	5	1	1	11		1	1		12
22	Newport		270	2					1	5		1	20	1	3	3		35
23	Owensboro	White	302	2		1		2		11			17	2				26
		Colored	60				1		1	1			9		1	1		1
24	Paducah	White	336					4	4	6			20	1		4	3	27
		Colored	137					1		6			17	2	1	1	1	5
	LOUISIANA																	
25	Alexandria	White	128			1				1		1	2			2	2	10
		Colored	150	1				2		4			13		1	5	1	12
26	Baton Rouge	White	144	1					1	3			2	1	1	1	1	17
		Colored	128							6			14			1	2	10
27	Bogalusa	White	110	1		1				5			2			2	2	5
		Colored	55	1		1				2			3			4		1
28	Lafayette	White	80										3					5
		Colored	70					1		4			5			2		4
29	Lake Charles	White	141						1	3	2		3			1	2	14
		Colored	97							1			9			3		3
30	Monroe	White	231	6				2	2	11	1		3		1	5	6	15
		Colored	214	3					1	7			20			5	5	9
31	New Orleans	White	4,466	29		8	4	17	10	72	3	14	234	7	12	42	11	478
		Colored	3,053	14		2	1	3	3	72		6	297	5	25	160	4	200
32	Shreveport	White	837	18			2	1	7	10	2	7	29	1	3	11	24	60
		Colored	928	17				1	12	23		1	66	3	12	27	20	42
	MAINE																	
33	Auburn		213				1			4			3		1	1		19
34	Augusta		335				1	1		6			12		1	3		21
35	Bangor		598	1			1	1	1	7	1		25	1	2	4		61
36	Biddeford		251	1					1	14			5		2			33
37	Lewiston		651	2			1	1	3	14	2	1	11		4	2		70
38	Portland		1,169	1			5	3		9	1	1	15	1	10	11		155
39	South Portland		125					1		4			1					13
40	Waterville		228	1						12			5	2	1	2		23
41	Westbrook		114							3			5		1			10
	MARYLAND																	
42	Annapolis	White	87							2								9
		Colored	65									1	3					1
43	Baltimore	White	8,245	4			25	16	4	92	17	7	314	10	17	61	1	1,036
		Colored	2,551				3	25	2	22	2	1	264	13	27	139		151
44	Cumberland		477				2		4	7	1	1	13	1		2		37
45	Frederick	White	197	1			1			2		2	6					11
		Colored	19															2
46	Hagerstown		431	1				5	2	7			4			3		30
47	Salisbury	White	161	2				1	1	2			7		1	1		17
		Colored	74	1						1	1		4		2			4

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	DIARRHEA AND ENTERITIS: Under 2 years 119	DIARRHEA AND ENTERITIS: 2 years and over 120	Appendicitis 121	Hernia-intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	AUTOMOBILE ACCIDENTS: Primary [1]	AUTOMOBILE ACCIDENTS: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
-------	8	17	24	1	7	-------	-------	11	4	1	4	2	2	8	4	2	7	-------	10	-------	28	1
9	32	78	240	4	95	12	4	19	15	9	118	4	7	50	13	15	25	-------	68	-------	189	2
-------	6	20	65	-------	21	3	3	4	4	2	46	2	3	7	2	18	5	1	11	-------	38	
1	5	17	31	1	8	2	-------	3	2	-------	12	-------	-------	8	2	1	11	1	16	-------	21	3
-------	1	3	9	-------	-------	-------	-------	1	-------	-------	6	-------	1	2	-------	2	2	-------	3	-------	7	
1	7	25	55	1	11	3	2	1	1	2	11	-------	1	11	4	1	5	2	16	-------	33	4
-------	-------	2	10	-------	2	-------	-------	-------	-------	-------	2	-------	-------	2	-------	1	2	-------	4	-------	5	
-------	1	10	21	-------	9	1	-------	4	-------	-------	12	-------	-------	8	1	-------	3	2	6	-------	32	5
2	6	13	36	1	9	2	1	4	2	1	13	-------	1	6	5	-------	7	-------	9	-------	23	6
-------	5	12	35	1	2	3	-------	-------	1	-------	10	-------	-------	4	1	-------	3	-------	7	-------	50	7
-------	-------	3	2	-------	-------	-------	1	1	1	-------	5	-------	-------	-------	-------	-------	-------	-------	-------	-------	3	
-------	5	21	34	-------	10	-------	-------	2	1	1	16	-------	1	5	2	1	1	-------	10	-------	16	8
1	11	16	54	-------	11	3	3	7	5	-------	13	1	3	15	3	1	3	1	11	2	40	9
-------	13	68	145	4	34	4	5	8	9	4	49	3	4	30	14	3	18	2	36	-------	124	10
-------	-------	10	19	-------	5	-------	2	1	1	-------	15	1	-------	3	-------	3	4	-------	3	-------	9	
-------	21	88	209	1	65	3	3	34	8	4	81	5	2	47	18	8	38	2	45	1	176	11
1	9	27	43	1	29	9	-------	12	2	3	27	1	2	12	-------	10	4	-------	24	-------	30	12
-------	2	14	22	-------	5	6	1	3	2	2	13	2	-------	6	1	1	5	-------	5	1	36	13
-------	-------	5	7	-------	5	2	-------	-------	-------	1	5	1	-------	-------	-------	1	-------	-------	1	-------	6	
3	16	84	169	2	57	16	1	19	6	8	97	4	5	45	13	10	23	-------	44	3	99	14
-------	3	11	22	-------	3	-------	-------	-------	1	1	5	-------	-------	-------	-------	-------	-------	-------	2	-------	7	15
4	3	13	8	1	6	1	1	4	3	-------	14	1	-------	4	2	3	2	-------	5	1	23	16
-------	1	7	8	-------	4	-------	-------	-------	1	-------	4	-------	-------	1	-------	3	-------	-------	2	-------	4	
-------	1	15	15	2	6	4	3	3	1	1	23	1	2	7	3	1	3	1	10	-------	16	17
-------	-------	6	9	-------	3	-------	1	1	2	-------	9	-------	1	1	-------	5	3	-------	1	1	14	
-------	-------	14	20	1	4	1	-------	6	2	-------	12	-------	1	2	1	2	2	-------	4	-------	19	18
-------	3	9	19	-------	4	3	4	1	1	1	7	2	1	3	1	7	-------	-------	5	-------	11	
1	9	60	119	-------	40	7	3	13	6	2	71	6	3	28	16	8	14	-------	24	2	124	19
-------	1	37	77	-------	37	4	-------	12	1	-------	46	1	3	13	2	20	8	-------	11	2	55	
11	76	206	742	8	228	31	14	59	34	23	250	12	14	136	46	26	77	9	140	2	498	20
7	10	59	257	5	101	5	6	15	2	7	87	3	8	42	2	39	11	-------	29	2	108	
1	1	7	16	-------	3	14	1	3	-------	-------	8	-------	1	3	3	17	2	-------	17	-------	18	21
1	3	26	76	3	17	1	1	1	-------	1	21	-------	-------	6	4	1	-------	-------	11	-------	26	22
-------	5	36	42	-------	10	15	2	3	2	4	31	-------	1	16	2	3	10	1	16	-------	42	
3	-------	2	11	-------	6	3	-------	1	2	1	8	-------	-------	-------	-------	-------	-------	-------	1	-------	7	23
1	2	13	60	2	26	5	2	6	1	2	17	1	1	13	7	5	16	-------	13	7	67	
-------	-------	4	26	1	9	-------	5	-------	-------	1	18	1	-------	3	-------	4	-------	-------	3	3	25	24
-------	2	11	29	-------	5	2	-------	7	3	1	8	3	2	5	4	2	3	-------	7	2	13	
2	1	8	26	-------	10	7	-------	-------	3	1	13	-------	-------	4	-------	4	-------	-------	9	3	20	25
-------	1	10	38	2	3	1	-------	4	1	1	12	1	2	8	3	2	5	-------	7	-------	15	
1	4	11	27	-------	4	-------	-------	-------	1	-------	19	1	-------	6	-------	3	8	-------	2	-------	8	26
-------	-------	11	20	-------	11	2	-------	-------	-------	-------	6	-------	3	12	-------	6	2	-------	5	1	13	
-------	-------	1	13	-------	5	2	-------	-------	-------	-------	5	-------	1	1	1	4	2	-------	4	-------	4	27
2	2	3	16	-------	3	-------	1	-------	1	-------	10	1	1	4	-------	3	-------	-------	8	1	16	
1	3	2	14	1	5	2	-------	-------	1	6	3	1	-------	5	-------	-------	2	-------	-------	-------	8	28
1	5	5	18	1	5	2	-------	3	4	-------	16	2	1	13	3	-------	7	-------	6	4	19	
-------	1	4	9	-------	7	1	-------	-------	1	-------	13	2	2	7	-------	2	2	-------	4	13	13	29
-------	1	6	34	-------	20	1	1	7	8	2	6	4	4	19	3	5	6	-------	17	-------	35	
-------	-------	12	39	1	12	2	1	5	6	-------	27	-------	1	4	-------	11	4	-------	6	4	29	30
12	87	230	1,049	16	251	32	11	81	59	66	462	24	30	188	82	30	82	2	170	2	559	
2	29	134	646	3	178	40	7	28	31	19	281	32	35	201	7	68	38	-------	105	2	375	31
-------	16	36	123	-------	44	12	2	33	22	7	43	9	11	45	17	12	27	-------	55	2	146	
1	14	37	103	-------	70	11	8	27	17	2	85	6	10	68	2	46	9	-------	31	7	150	32
-------	5	42	64	1	7	1	-------	-------	-------	2	15	-------	-------	11	7	-------	1	-------	6	-------	22	33
2	6	29	77	1	19	5	3	6	5	2	29	-------	5	23	6	-------	5	-------	12	1	54	34
4	15	37	127	1	33	2	2	8	9	-------	32	3	7	24	2	2	11	-------	21	14	139	35
1	8	17	50	1	23	2	-------	11	4	1	10	-------	2	13	3	1	3	-------	10	5	30	36
3	13	39	113	3	32	2	-------	15	12	9	59	4	13	57	5	1	22	-------	34	5	99	37
4	22	77	274	3	89	-------	-------	24	12	3	87	5	11	65	11	3	25	1	52	9	180	38
2	-------	9	53	-------	5	2	-------	-------	-------	1	10	-------	-------	6	1	-------	1	-------	1	-------	15	39
-------	4	24	46	1	7	-------	-------	5	6	1	9	-------	2	22	3	-------	4	-------	5	-------	43	40
-------	4	24	28	-------	9	-------	-------	-------	-------	-------	7	-------	1	8	2	-------	-------	-------	2	-------	10	41
1	-------	5	18	-------	10	-------	-------	3	1	1	10	-------	-------	6	1	1	6	-------	4	-------	9	42
-------	-------	6	16	-------	10	2	-------	1	1	-------	5	1	1	4	1	-------	2	-------	3	-------	7	
38	206	587	1,926	29	636	50	17	117	98	62	916	21	34	319	155	25	154	10	322	-------	919	43
15	24	206	375	2	335	25	10	16	38	13	287	9	10	140	7	45	31	-------	74	-------	240	
3	16	21	72	3	24	11	-------	9	10	5	66	1	2	46	4	-------	15	-------	23	2	76	44
-------	9	13	48	-------	10	5	-------	9	2	2	16	2	1	5	3	3	15	4	5	-------	22	45
-------	1	4	4	-------	1	-------	-------	-------	-------	-------	2	-------	-------	2	-------	-------	1	-------	1	-------	1	
2	9	32	90	4	24	7	-------	3	8	1	57	4	1	24	15	1	15	-------	22	2	58	46
-------	5	8	29	-------	4	3	-------	3	2	-------	21	-------	7	12	2	-------	12	-------	7	1	13	47
-------	-------	2	6	-------	7	4	-------	-------	-------	-------	7	-------	2	10	-------	4	5	-------	5	-------	9	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	MASSACHUSETTS																
1	Attleboro	256				1				1		19					24
2	Beverly	306				1			4			3		2	1		55
3	Boston—White	10,668	3		11	38	23	27	53	20	14	433	26	22	42		1,355
	Colored	417				1	2		1	2		51			8		39
4	Brockton	816	1		1				13	1	1	14			3		93
5	Cambridge	1,407	2		3		1	2	13	2	1	52	1	2	5		174
6	Chelsea	544	1			1	1		10		2	26		2	5		55
7	Chicopee	302					1		3	1		23	1				41
8	Everett	383	1				1		3			9		1	1		50
9	Fall River	1,569					9	5	23			82	1	4	3		272
10	Fitchburg	446	1		1		1		4	3		15	1	4			46
11	Gardner	234					1		4			4					21
12	Gloucester	285							8			9		1	1		32
13	Haverhill	639	1				2		17	1	1	8	1	2	4		77
14	Holyoke	703	1			2			5	1		21	2	1	2		86
15	Lawrence	878				1	2	1	21	1		12		3	1		104
16	Leominster	241							1	1	1	2		1			29
17	Lowell	1,337	2		1	2	5	12	16	1		55	3	1			130
18	Lynn	1,032				8	2	1	13	2		20		1	3		102
19	Malden	546					2	3	5			8					72
20	Marlborough	178							9			2		1			18
21	Medford	453					3		4			7					77
22	Melrose	291	2						1			4					42
23	New Bedford	1,333	3			5	3	5	27		4	73	2	3	6		156
24	Newburyport	246	1					1	5			7					36
25	Newton	665				1	1	1	3	2		14			1		86
26	North Adams	279			1			1	4			3					22
27	Northampton	479							6	1		54			4		45
28	Peabody	255							5	1		4	1	3			31
29	Pittsfield	592				1			9	2		9	2	3	1		72
30	Quincy	709				1	2	1	10	6	1	25	2	3	2		87
31	Revere	224					1		3	1		10					26
32	Salem	489				2		3	6			5	1		2		63
33	Somerville	988	2		1	6	5	3	12	4		19			1		142
34	Springfield	1,719	1			3	7	1	16	4	2	46	5	8	5		224
35	Taunton	600	1				1	2	8	3		16	2	1			49
36	Waltham	464				1			9	2		67		2	2		49
37	Westfield	195										12					21
38	Woburn	171			1				8			4					27
39	Worcester	2,491	1		5	7	7	4	11	5		84	12	10	15		288
40	Adams town	114							5	1		3		1			10
41	Amesbury town	103					1	1	2			3			1		9
42	Arlington town	325							11	1		9					38
43	Athol town	130						1	2			1					9
44	Belmont town	156					1		2			3		2			20
45	Braintree town	153				1				1		34					18
46	Brookline town	486	1						3			9		1	2		96
47	Clinton town	151							1								20
48	Danvers town	376						1		2		20		4	7		17
49	Dedham town	108			1		1	1	2			2		1			11
50	East Hampton town	93					1		2			5					16
51	Fairhaven town	111							1			3	1				8
52	Framingham town	251				1			3	1		5		1			36
53	Greenfield town	174						1	2			1	1		1		20
54	Methuen town	187							10			4	1				25
55	Milford town	167				1			3	1		4			1		14
56	Milton town	124							2			2					18
57	Natick town	167			1				1			2			1		18
58	Needham town	89										1					12
59	North Attleboro town	90							1			4					7
60	Norwood town	178							6			6					21
61	Plymouth town	168							4			2					21
62	Saugus town	108				1			2			3					15
63	Southbridge town	140							3			3					20
64	Stoneham town	134				1			1			2			1		10
65	Swampscott town	80				1			2			4					10
66	Wakefield town	153					1		4			2	1	1			33
67	Watertown town	218					1		2			3		1			30
68	Webster town	144							4			2					18
69	Wellesley town	73															13
70	West Springfield town	100							2								12
71	Weymouth town	256							3			7	1				27
72	Winchester town	125										2					14
73	Winthrop town	172							1	1	1	4					25
	MICHIGAN																
74	Adrian	217	1			1			4			4					27
75	Alpena	159				2			1			7	2	1			16
76	Ann Arbor	952	2		4	10		4		3	1	54	3	18	13		153
77	Battle Creek	518					4		11			3			1		44
78	Bay City	595			1	2		1	20		2	7	2	2	2		56
79	Benton Harbor	218				1	1		5			2			3		15

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
1	8	22	57	------	16	1	1	6	4	------	26	------	1	16	4	1	11	------	10	------	26	1
------	7	16	94	------	15	------	------	5	3	3	31	------	2	10	2	1	1	------	13	------	37	2
29	251	611	2,676	32	1,093	41	17	159	116	95	536	33	76	601	119	25	141	1	435	11	1,503	3
1	10	17	103	1	47	1	------	4	------	2	28	2	5	20	2	5	2	------	14	1	48	
4	18	79	243	------	50	------	1	16	16	7	50	4	10	44	19	1	19	------	26	------	82	4
7	37	96	407	3	126	2	------	24	16	8	79	5	17	64	13	5	27	------	48	------	165	5
1	15	33	146	1	76	------	------	8	3	9	43	4	4	19	6	2	6	------	17	2	46	6
------	7	32	81	1	24	3	------	2	------	2	31	------	2	16	1	------	5	1	8	1	15	7
1	10	29	110	3	35	3	------	3	1	6	28	------	4	28	5	------	7	------	9	------	35	8
2	51	97	340	6	116	16	4	17	12	18	164	3	4	74	10	2	17	------	49	------	168	9
2	9	33	104	1	41	2	1	9	4	2	43	1	2	25	7	2	11	------	14	------	57	10
1	5	24	65	------	18	------	------	7	2	2	17	1	2	9	1	------	6	------	15	------	29	11
------	9	30	71	4	19	------	------	4	1	1	24	1	2	10	4	------	3	------	14	------	37	12
------	17	46	197	------	30	3	1	6	6	3	46	1	7	21	8	1	9	------	35	8	80	13
------	11	52	163	1	48	6	1	22	5	4	77	4	4	43	4	------	23	------	37	------	77	14
10	30	89	207	14	61	7	------	23	13	8	62	3	6	43	10	5	15	------	35	------	91	15
------	6	17	73	5	24	------	1	2	1	4	26	1	2	12	4	------	3	------	7	------	18	16
6	27	96	415	12	92	11	4	16	8	10	67	6	6	68	11	2	20	------	56	4	172	17
2	19	103	305	5	80	3	1	21	10	10	62	6	7	59	14	2	17	------	35	------	119	18
1	8	42	172	5	39	1	1	8	8	1	34	4	8	14	6	2	13	------	28	1	60	19
------	5	18	53	------	9	------	------	2	2	3	11	1	1	9	1	------	2	------	5	------	26	20
2	16	42	121	2	35	------	------	7	3	1	38	1	3	18	9	------	4	------	19	------	41	21
1	4	24	90	1	22	------	1	4	1	2	18	1	1	13	3	------	4	------	15	------	37	22
2	41	114	369	6	85	3	------	20	18	10	89	8	4	60	17	1	9	------	41	8	141	23
------	4	20	58	------	30	------	------	4	2	1	19	------	------	9	1	------	9	------	10	------	29	24
2	17	58	231	2	40	------	------	8	6	5	28	1	7	14	7	------	15	------	32	------	83	25
2	7	26	89	2	23	2	3	5	5	3	34	1	3	8	2	1	2	------	8	------	22	26
------	12	40	107	1	30	------	1	5	2	1	28	1	3	22	7	2	6	------	18	4	79	27
------	2	21	78	2	19	------	1	2	1	2	11	3	------	7	4	------	12	------	14	------	31	28
1	17	47	146	2	35	3	1	15	4	3	59	1	6	37	6	1	18	------	27	1	63	29
1	8	47	187	1	62	2	------	11	5	1	66	3	6	36	6	2	14	------	47	1	63	30
------	7	21	84	------	17	------	------	------	2	3	18	------	------	4	6	1	3	------	4	1	12	31
2	11	37	164	3	36	3	------	6	4	3	23	4	3	33	8	------	5	------	7	------	55	32
2	18	88	334	3	78	5	------	14	10	4	52	2	4	40	9	1	12	------	29	1	87	33
5	46	148	453	2	85	5	3	45	16	9	141	7	11	85	27	3	30	1	55	------	220	34
2	19	36	209	1	67	2	------	4	2	1	24	1	4	26	8	1	9	------	16	------	85	35
1	13	40	103	1	39	1	2	6	3	1	25	1	1	26	2	1	5	------	20	1	40	36
------	5	21	58	------	7	3	1	4	1	3	24	------	------	4	3	------	8	------	4	------	16	37
------	5	17	40	------	12	1	------	------	1	------	15	------	------	9	------	1	3	------	9	------	18	38
4	69	184	515	4	195	8	7	48	21	18	277	8	19	133	31	7	51	1	113	------	329	39
1	4	8	20	------	9	1	2	2	2	2	9	------	1	6	3	------	1	------	5	------	18	40
------	2	7	28	------	11	------	1	3	2	------	15	------	------	3	2	------	1	------	3	------	8	41
1	8	17	112	2	22	2	------	5	5	------	25	------	4	15	3	1	8	------	7	------	29	42
------	3	21	43	------	9	2	------	------	------	------	9	1	3	5	5	------	1	------	3	------	12	43
------	3	8	69	1	14	1	1	------	1	1	11	------	------	2	1	------	1	2	2	------	10	44
------	2	14	49	------	5	------	------	------	------	------	8	------	2	1	2	------	1	------	5	------	10	45
2	14	43	163	1	31	------	------	4	3	1	36	------	------	1	3	------	1	------	14	------	57	46
1	5	15	48	1	16	1	------	4	2	1	3	1	------	4	1	1	------	------	9	------	17	47
------	7	22	151	------	42	------	3	2	2	------	11	------	------	1	1	------	3	------	18	------	62	48
------	2	9	37	2	11	1	------	------	------	1	2	------	------	3	1	------	1	------	4	------	15	49
------	3	10	23	1	8	------	------	------	------	------	9	------	------	3	1	------	2	------	2	------	7	50
------	3	18	34	2	4	------	------	------	1	1	6	------	------	4	3	------	2	------	5	2	13	51
1	6	13	77	------	22	1	------	------	5	1	8	------	1	17	1	3	4	1	9	------	34	52
------	2	12	35	1	14	------	------	2	1	1	16	2	1	12	4	1	5	------	6	1	32	53
1	6	21	53	2	7	1	------	------	1	1	14	------	------	5	3	------	4	------	6	1	21	54
------	4	14	37	1	23	------	------	1	2	1	14	------	2	9	------	1	7	------	9	------	18	55
------	5	15	41	------	8	------	------	2	1	------	6	------	1	4	1	------	3	------	6	------	9	56
1	4	26	42	------	7	------	------	1	------	------	18	------	2	7	4	1	5	------	11	1	14	57
------	3	13	31	------	4	1	------	1	------	------	8	------	1	------	1	------	4	------	4	------	5	58
1	2	17	29	------	7	------	------	------	------	1	10	------	------	3	------	------	4	------	------	------	4	59
------	3	16	47	------	9	2	1	2	1	------	13	------	2	13	1	1	7	------	8	------	19	60
------	5	10	58	1	10	1	------	2	------	------	11	1	------	8	3	------	4	------	9	------	18	61
------	3	15	35	------	3	------	------	------	------	3	11	1	------	2	------	------	1	------	3	------	10	62
1	7	15	39	------	12	------	------	------	1	------	5	------	2	10	2	1	4	------	8	------	7	63
1	1	12	42	1	8	------	------	------	3	2	11	------	------	6	3	------	3	------	5	------	21	64
------	1	7	36	1	1	------	------	------	------	1	6	------	------	------	2	------	------	------	2	------	6	65
1	3	21	39	1	9	------	------	------	------	1	8	------	1	5	1	------	------	------	2	------	19	66
------	3	21	88	2	16	------	------	------	1	2	16	------	------	4	3	------	2	------	6	------	17	67
1	4	12	49	------	15	------	------	------	------	3	10	1	------	8	------	------	2	------	6	------	9	68
------	2	5	32	1	3	------	------	------	1	1	3	------	------	1	1	1	1	------	1	------	7	69
2	1	5	35	------	5	------	------	------	------	2	12	------	------	5	2	------	------	------	7	------	10	70
------	8	17	79	------	21	------	------	6	------	1	30	1	2	13	4	1	6	------	5	------	24	71
------	2	12	29	------	7	------	------	------	1	1	17	1	------	8	3	------	2	------	7	------	19	72
------	7	11	55	------	7	------	------	3	3	------	20	------	2	8	3	------	1	------	3	------	17	73
1	5	17	36	------	12	------	2	10	4	1	16	2	2	10	5	1	12	------	14	------	30	74
------	5	15	32	------	12	2	------	------	2	1	10	------	3	9	------	------	2	------	12	------	25	75
4	23	29	124	2	53	4	5	22	9	5	40	5	2	64	10	1	14	------	27	1	243	76
------	14	54	132	------	33	1	------	11	10	2	34	2	7	30	3	1	15	3	28	1	69	77
------	18	49	155	2	25	3	3	17	13	3	33	2	4	33	8	1	21	1	19	------	90	78
1	4	15	45	------	10	------	1	8	11	2	18	------	4	10	7	1	18	------	12	------	24	79

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	MICHIGAN—Continued																	
1	Dearborn		203			1				5	1		5			2		13
2	Detroit	White	10,824	9		48	35	29	50	101	17	10	571	35	51	56	1	1,087
		Colored	1,617	1		3	3	14	1	18	3	5	305	11	30	57		60
3	Ecorse	White	41			1				1			1					4
		Colored	3															1
4	Escanaba		173				1	1	1	2			4	1	1	1		19
5	Ferndale		96						1	1			2		1			8
6	Flint		1,320			1	5	9	10	23	6	1	49	8	3	7		109
7	Grand Rapids		1,597	1				8	1	34	4	2	30	3	5	11		217
8	Grosse Pointe Park		57			2		1										14
9	Hamtramck		266			2			1	4	1	1	12	2	2			17
10	Highland Park		440				2	1		9	1		9		4	2		60
11	Holland		139							8			3	1				12
12	Iron Mountain		101							2			2					10
13	Ironwood		121							1			13			2		19
14	Jackson		630	1		1	1	1		13	2		22		3	9		69
15	Kalamazoo		902	2			6	1	1	11	5		29	2	3	5		91
16	Lansing		754			1	2	2		9	1	1	1	2	2	9		73
17	Lincoln Park		33															2
18	Marquette		161					2		5		1	3		3			18
19	Menominee		129							7	1		3			1		12
20	Monroe		202	4				2	8	4	1		5		2	1		21
21	Mount Clemens		186			1	1	1	1	1			2		1	3		11
22	Muskegon		500	2			3	2	1	11		1	5	3	1	9		51
23	Muskegon Heights		57			1				2	1		3					8
24	Niles		126						1	4			3		1			7
25	Owosso		186				3	2		2			2		1			15
26	Pontiac		524			2				7	2		4		2	6		50
27	Port Huron		367	1		2	2	5		4	1		3			4		38
28	River Rouge		74			2		1		3	1		2		1			7
29	Royal Oak		179			1				6	1		3					15
30	Saginaw		918	1			2			16	3		18	1	4	12		126
31	Sault Ste. Marie		208				1			4		1	1		2			18
32	Traverse City		307						1	8	3		18			2		21
33	Wyandotte		212			2	2			4	1		6		1	1		21
34	Ypsilanti	White	113				4	1		4			4		2			9
		Colored	17										2					3
	MINNESOTA																	
35	Albert Lea		121							6		1	4					17
36	Austin		139					1		3			3					19
37	Brainerd		137			1				5		1	1		1	1		12
38	Duluth		1,061	1			3	8		16	2	3	43	2	7	12		142
39	Faribault		194						1	6			21		3	1		20
40	Hibbing		128				2	3		3		1	3			1		15
41	Mankato		211					1		5		1	6		2	3		30
42	Minneapolis		5,059	1	1	15	9	8	6	45	16	6	72	8	24	68		815
43	Rochester		743			1	1			10		1	11	2	4	4		212
44	St. Cloud		255					1		3		1	1	2	1			36
45	St. Paul		2,897	4		14	4	8	4	41	9	2	98	2	11	18		397
46	South St. Paul		45			2				1			1					2
47	Virginia		67					1		2			2	2				9
48	Winona		223										2	1	1			23
	MISSISSIPPI																	
49	Biloxi	White	123	1		3				4		1	1					6
		Colored	39							2			2					3
50	Clarksdale	White	52							2			2	2				8
		Colored	114										11			2	3	3
51	Columbus	White	65	1						1			1					6
		Colored	105					3		6			6			3	2	3
52	Greenville	White	88						1	2			3				3	8
		Colored	220	1				1	1	4		3	7		1	5	4	4
53	Greenwood	White	66	1						1			3				3	6
		Colored	89							5			5		2		3	3
54	Gulfport	White	129	1			1		2	1	1		2		1	2	2	13
		Colored	50							1			4			3		2
55	Hattiesburg	White	146			2		2	2	4	1		3				2	14
		Colored	104			2			2	3			4			1	1	3
56	Jackson	White	422	3		2			2	4	1		13		1	4	6	35
		Colored	504	3		1				7			44		1	53	11	16
57	Laurel	White	168	1				2	1	8			2				4	13
		Colored	110					3		3			4		1	2		1
58	McComb	White	102			1				2			6			1		7
		Colored	37							1	1		1		1		1	2
59	Meridian	White	360	1		2		2	2	11			10		3	1	2	25
		Colored	264	3				1		11			12		3	6	3	9
60	Natchez	White	84							3							1	5
		Colored	118				1		1	3			6		2	2	2	3
61	Vicksburg	White	202	1				1	1	1			8			2	4	29
		Colored	318	2		2			1	20			8		3	14	6	14

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
------	3	13	62	1	18	2	------	1	------	2	12	------	1	17	8	------	4	------	15	------	17	1
43	278	610	2,583	65	721	79	23	231	124	121	607	54	87	656	248	75	292	17	386	1	1,423	2
6	18	43	317	4	141	5	6	25	19	7	98	5	18	77	15	59	15	1	45	------	182	
------	------	3	16	------	1	------	------	------	------	------	1	------	------	7	1	------	------	------	2	------	3	3
------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	
------	9	20	26	3	5	3	------	7	2	1	12	3	1	14	1	------	6	------	10	------	19	4
------	3	5	21	------	8	------	------	2	------	1	5	------	------	14	2	------	------	4	4	------	14	5
6	25	64	258	7	101	8	2	38	19	5	81	9	15	120	25	6	56	3	60	2	179	6
3	32	147	423	3	65	7	2	24	22	5	95	7	10	92	21	7	23	6	69	------	218	7
------	------	6	18	------	------	------	------	------	------	------	4	------	------	1	2	------	------	------	------	------	9	8
1	6	15	54	1	21	5	------	7	------	5	16	2	2	20	10	5	11	------	13	------	30	9
------	10	22	101	1	31	1	3	10	7	------	23	1	4	21	10	6	27	------	12	------	62	10
2	3	11	41	1	1	------	------	------	2	------	7	1	------	11	1	------	2	------	5	------	27	11
------	3	10	19	------	4	2	------	6	3	------	7	1	1	8	------	------	2	1	9	------	11	12
------	3	9	23	------	8	------	1	1	1	------	6	------	------	10	4	1	2	------	4	1	12	13
3	18	40	134	2	31	2	2	19	9	1	35	5	5	40	7	2	28	5	34	------	86	14
2	15	63	203	4	46	2	4	12	12	6	59	3	6	36	10	3	19	1	37	14	189	15
------	23	71	151	------	45	12	3	16	10	2	59	6	7	61	13	1	27	------	36	------	108	16
------	1	4	8	------	4	1	------	------	------	------	2	------	------	4	1	1	------	------	1	------	4	17
------	7	11	42	2	8	1	1	2	------	1	11	------	------	13	1	------	2	------	3	3	21	18
------	6	8	19	------	4	2	------	8	2	2	9	------	1	11	2	------	3	------	12	------	16	19
------	5	11	34	------	16	2	------	10	------	4	6	1	1	7	2	3	12	------	10	------	30	20
1	3	19	39	------	10	1	------	8	3	2	19	------	1	10	6	1	13	------	12	------	16	21
------	18	34	117	------	29	5	------	14	5	4	29	4	4	30	8	1	11	1	22	------	75	22
------	2	4	18	------	3	------	------	------	------	------	6	------	2	2	------	------	1	------	------	------	4	23
------	2	10	21	------	7	1	------	5	2	------	18	------	1	11	6	1	4	------	6	------	15	24
2	2	24	39	1	9	2	------	7	1	1	6	2	2	9	6	1	5	------	10	------	32	25
2	14	40	102	1	35	6	2	15	5	2	32	8	11	42	6	4	24	1	24	1	74	26
1	15	34	61	2	16	2	1	4	5	4	49	2	1	25	5	2	10	------	17	------	51	27
------	2	7	21	------	4	3	------	------	------	------	4	------	------	6	4	1	------	------	3	------	2	28
1	2	14	43	------	14	------	------	5	------	1	16	2	------	8	3	------	13	------	2	------	29	29
3	35	84	177	3	54	5	2	20	20	5	55	------	6	58	11	2	11	------	41	2	141	30
------	3	15	43	2	7	2	2	11	5	3	8	1	1	16	1	3	3	2	26	------	27	31
------	7	23	66	1	23	------	------	7	2	------	9	------	2	9	8	1	3	1	14	------	78	32
------	6	11	46	------	12	2	------	4	2	3	18	2	1	16	3	2	10	------	10	------	26	33
------	4	12	30	1	4	------	------	4	1	1	3	------	1	5	3	------	5	------	2	------	13	34
------	1	------	5	------	1	------	------	------	1	------	1	------	------	1	------	------	------	------	1	------	1	
------	4	7	17	1	1	2	------	3	2	------	6	1	------	13	1	------	2	1	10	------	22	35
------	2	8	34	1	8	3	------	4	------	1	2	2	1	13	3	------	4	------	8	------	19	36
------	6	6	16	------	5	1	------	5	3	1	15	1	1	18	2	------	4	------	8	------	23	37
4	15	66	262	6	50	2	1	11	12	15	45	------	4	60	27	4	23	4	43	------	168	38
------	5	10	37	------	20	------	------	3	3	2	8	1	2	5	------	1	8	------	7	------	30	39
------	2	11	33	------	9	------	1	2	2	1	3	1	------	4	1	1	2	------	11	1	15	40
------	5	15	42	------	18	------	------	8	3	------	7	1	3	10	1	1	------	------	15	------	34	41
12	106	306	1,103	13	399	13	6	33	44	36	214	15	22	254	106	27	98	5	280	7	816	42
2	10	37	90	------	52	------	5	14	7	5	15	5	1	20	4	------	9	1	15	1	204	43
1	11	12	45	------	13	1	1	9	5	3	15	1	1	17	1	------	7	------	14	1	52	44
11	69	202	652	12	169	8	10	50	34	25	139	19	14	144	37	8	70	4	155	1	452	45
------	------	7	6	------	3	1	------	------	------	1	5	------	------	3	1	1	2	------	6	------	3	46
------	------	2	19	------	4	1	------	4	------	1	2	------	------	4	2	1	3	------	3	------	5	47
------	8	26	60	1	6	------	------	6	3	------	12	1	1	9	4	1	5	------	19	2	32	48
------	2	7	27	1	9	4	------	------	1	3	10	------	2	9	------	2	1	------	9	1	19	49
------	1	5	8	------	2	2	1	------	------	------	4	------	------	2	------	1	1	------	------	------	5	
------	2	4	6	------	1	1	------	------	------	------	9	------	------	1	1	2	1	------	1	2	7	50
1	------	10	16	------	5	------	1	2	------	1	5	1	3	------	------	5	4	------	2	26	13	
------	1	6	10	1	2	------	------	3	4	------	3	1	------	7	2	------	1	------	3	1	11	51
------	1	5	20	------	4	------	------	2	2	1	6	1	1	1	------	5	------	------	3	10	20	
1	2	7	10	------	7	2	2	------	------	------	9	1	------	5	2	1	4	------	6	3	9	52
------	2	28	40	------	11	------	1	3	5	1	21	------	2	5	------	6	5	------	5	20	34	
------	------	5	7	------	6	3	1	2	2	1	7	------	1	------	1	------	1	1	4	2	8	53
1	1	3	7	------	4	------	------	1	------	------	7	------	1	------	1	5	1	------	3	22	14	
1	1	4	24	------	5	1	------	5	2	------	15	------	1	6	2	------	2	------	8	1	25	54
------	------	7	14	------	3	------	1	------	------	------	2	------	------	5	------	------	------	------	1	1	6	
1	3	9	24	------	6	2	------	6	1	4	11	2	------	6	3	5	3	------	11	------	19	55
------	1	11	13	------	6	1	------	1	------	2	19	------	------	6	------	1	------	------	6	7	14	
1	6	47	54	1	21	2	1	8	8	1	39	------	4	19	5	5	4	1	26	7	91	56
3	2	45	32	1	22	2	2	11	12	------	42	4	2	11	------	13	7	------	14	40	103	
------	3	9	6	------	7	4	2	12	7	1	9	1	5	16	2	------	6	------	13	------	34	57
------	------	2	6	------	9	2	------	6	12	------	7	2	3	------	------	2	1	------	19	7	18	
------	1	4	20	------	4	1	------	4	1	1	3	1	2	10	2	2	2	------	9	1	17	58
------	1	1	3	1	1	------	------	------	------	1	5	------	------	------	------	3	------	------	5	6	3	
1	8	25	39	1	11	5	2	17	4	3	44	2	3	17	4	2	10	------	14	7	82	59
1	5	15	30	2	8	2	------	11	8	3	17	3	4	2	1	11	6	------	18	21	48	
------	4	2	25	1	1	------	------	1	------	------	15	------	------	4	3	------	1	1	4	1	12	60
------	1	7	25	------	3	------	3	2	------	------	18	1	------	2	------	1	1	------	2	18	14	
------	4	11	25	------	7	2	1	2	2	2	22	1	2	13	5	2	7	------	13	9	25	61
------	2	12	29	------	13	------	1	13	7	3	22	3	2	12	1	15	7	1	17	46	42	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	MISSOURI																
1	Cape Girardeau	284	5			9		2	4			12		1	2	1	20
2	Columbia—White	171				2		1	3			7		2	1		14
	Colored	43							2			3		1			2
3	Hannibal	326						2	8		1	13		3	2	1	33
4	Independence	226	1		2			2	15			5					23
5	Jefferson City—White	205					3		4		1	11	1	1		1	12
	Colored	23										4					2
6	Joplin	501	3			1		3	22		2	24		5	2		32
7	Kansas City—White	4,276	8		14	20	2	11	37	9	15	155	4	12	20	2	490
	Colored	874	2		1		4	1	10		6	101	3	20	16	1	50
8	Maplewood	53						1	1			2					6
9	Moberly	215					2		7			7		1			29
10	St. Charles	191	1				3		2			9	1	1	1		18
11	St. Joseph	1,263	2		1	2	1	5	30	3	8	31		3	21		123
12	St. Louis—White	8,714	17		10	14	4	32	56	12	9	234	8	18	90	9	1,096
	Colored	1,834	1			2	4	2	13		2	226	6	21	32	2	132
13	Sedalia—White	231	1						8			6			1		27
	Colored	32							3			1					3
14	Springfield	885	3			3		8	50	1		28	2	8	5		71
15	University City	133							1			1		1			23
16	Webster Groves	110							4			1					13
	MONTANA																
17	Anaconda	137							4			2		1			24
18	Billings	226						1	10	1		2		2	2		26
19	Butte	485	2					1	4			19	1	1	4		62
20	Great Falls	346	1		3				13			5		3	6		48
21	Helena	173	1						5			3					15
22	Missoula	232	1						5			2		1	3		27
	NEBRASKA																
23	Beatrice	149					1	1	2	2	2	2		1			10
24	Fremont	119				1			7			1					16
25	Grand Island	299							9	1		2		1	2	1	40
26	Hastings	185			1			1	11		1	1			1		18
27	Lincoln	891			1	1	3	2	20		1	11	1	4	8		125
28	Norfolk	273	1			1			8			4		2	3		32
29	North Platte	128							4			3					10
30	Omaha—White	2,448	2		6	4	6	3	39	2	9	59	2	6	18		302
	Colored	183					2	1	2			18	1	1	3		17
	NEVADA																
31	Reno	312	1					1	3			14		1	1		32
	NEW HAMPSHIRE																
32	Berlin	161				3		1	8			2	1	1	2		16
33	Concord	556				1			23	5		18		5	1		58
34	Dover	205							1	1	1	4		2			26
35	Keene	209							5			1		1			37
36	Laconia	189							11					2			18
37	Manchester	862				2	1		27		2	23	2	2	1		111
38	Nashua	406	1				1		7	1		6		2			53
39	Portsmouth	177						1				1	2		2		25
40	Rochester	160							2	1		3		1			22
41	Claremont town	135				1	2		9	3		2					13
	NEW JERSEY																
42	Asbury Park—White	127							1			6					17
	Colored	36							1			2					3
43	Atlantic City—White	863	2						9			14		2	4		77
	Colored	303	1		1				4			20		1	13		17
44	Bayonne	565				1			10	1		16	3				54
45	Belleville	264	2		17	10	6	1	1	9	3	5	4	6	2		12
46	Bloomfield	213			1				6			2		1			37
47	Bridgeton	222			1			1	2			3		1			22
48	Burlington—White	89					1		1			1					8
	Colored	9															
49	Camden—White	1,345	4		1	6	1	7	17	4	2	26	2	4	9		143
	Colored	191				1			3			10	1	4	5		4
50	Carteret	45			1				4			2	1		1		9
51	Cliffside	64			1				1	1		3					13
52	Clifton	238							9	1		6	1		1		30
53	Collingswood	107										4					15
54	Dover	173							1			3		1			16
55	East Orange	523			1				5			10			2		89
56	Elizabeth	1,244			2	1			27	4	3	22	1	4	8		141
57	Englewood—White	278	1						2			4	1	1			28
	Colored	28										1					1
58	Garfield	113			1				2			8	1				11
59	Gloucester	106					2		4			1			1		15
60	Hackensack—White	472				1	1		7	3		8	1	1	4		69
	Colored	51							1			1	1		4		3

[1] Excluding collision with railroad trains and street cars

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
------	2	15	29	1	10	9	1	18	8	1	18	3	4	11	1	6	7	1	32	------	51	1
------	3	17	27	------	9	1	1	8	------	1	11	1	------	10	3	4	7	------	4	1	33	2
------	------	9	8	------	2	1	------	------	------	1	3	------	------	2	------	1	2	------	2	2	2	
------	8	17	74	1	21	2	7	6	6	4	25	2	2	8	5	1	4	------	17	1	52	3
------	7	18	40	------	12	------	------	3	3	1	23	------	1	7	3	1	7	------	9	------	43	4
------	5	15	32	------	23	1	------	10	1	------	15	2	1	7	6	1	6	------	15	2	29	5
------	1	2	5	------	2	------	------	1	------	------	------	------	------	------	------	3	------	------	1	1	1	
1	11	22	86	------	34	12	8	12	4	1	67	1	1	18	7	9	20	------	21	1	71	6
5	97	248	945	10	451	23	7	84	52	45	317	23	10	141	108	45	107	5	165	------	589	7
2	8	34	203	------	82	8	------	11	7	2	84	2	1	22	2	50	14	3	26	------	98	
------	------	5	16	------	3	------	------	------	------	------	12	------	------	------	1	------	------	------	2	------	4	8
------	4	17	33	------	12	------	1	5	2	------	19	2	2	7	2	3	4	1	15	8	32	9
------	7	15	28	------	9	------	1	6	------	2	21	------	1	7	3	1	8	------	18	------	28	10
2	30	92	269	1	99	4	5	31	14	7	91	8	5	33	17	14	22	1	61	1	226	11
18	250	449	2,151	25	682	36	10	132	66	150	1,009	27	24	255	180	60	131	4	327	3	1,116	12
3	24	93	382	4	191	6	4	28	13	12	222	8	8	49	6	82	18	1	51	------	186	
------	3	16	50	1	11	2	2	7	2	1	41	1	1	10	3	------	7	2	7	------	21	13
------	2	------	5	------	1	------	------	------	------	------	14	------	------	1	------	1	1	------	------	------	------	
7	16	68	169	2	46	4	2	30	7	2	62	10	6	42	12	5	37	1	50	1	127	14
------	2	4	47	------	6	------	------	------	------	2	25	------	------	1	5	1	------	1	2	------	11	15
------	2	7	34	1	5	------	------	------	------	1	24	------	------	1	1	1	1	------	3	------	11	16
1	1	16	29	------	9	1	------	6	1	------	7	------	------	6	1	------	2	1	6	1	18	17
------	5	14	45	1	10	1	------	12	1	------	14	------	1	9	6	3	5	------	14	------	41	18
------	12	24	105	1	36	2	3	11	12	4	39	4	7	13	7	5	8	------	23	1	74	19
------	9	17	72	1	23	------	2	14	9	3	11	2	------	15	7	1	6	------	18	------	57	20
------	6	9	53	------	5	3	------	3	4	1	17	1	1	7	4	1	5	------	9	------	20	21
4	------	17	49	------	9	2	1	4	5	1	18	1	------	15	------	1	6	------	12	2	46	22
2	4	17	36	1	6	------	------	3	1	1	11	1	------	9	------	1	4	------	8	------	23	23
------	------	12	20	1	5	1	------	2	2	------	12	------	1	9	2	1	4	------	5	1	16	24
------	3	21	51	3	18	1	2	17	2	4	21	2	------	20	2	------	7	2	12	------	55	25
------	5	18	38	------	13	------	------	9	2	1	9	3	------	13	1	------	8	1	6	------	24	26
3	18	83	172	3	55	1	1	27	11	6	73	2	4	39	18	1	22	2	36	7	130	27
2	3	25	47	1	13	1	1	16	9	1	14	2	1	10	6	1	6	------	15	------	48	28
1	2	7	26	1	6	2	------	8	6	------	9	2	------	7	2	1	4	------	6	------	21	29
10	52	160	529	6	159	5	7	43	35	18	147	8	18	120	61	10	54	4	128	3	413	30
------	5	9	40	------	23	------	1	1	2	2	9	------	------	4	2	8	4	------	8	------	20	
1	6	20	68	------	14	2	1	14	8	2	28	2	2	8	11	2	12	------	12	3	43	31
------	4	16	27	------	11	------	------	1	1	------	7	1	1	17	4	------	------	------	4	------	33	32
------	12	51	191	5	35	1	------	9	2	1	23	1	2	13	3	1	3	------	13	------	79	33
------	4	22	47	------	16	------	------	3	1	------	18	------	------	7	1	------	8	------	8	2	33	34
------	3	21	43	1	8	------	------	1	1	2	21	1	2	21	3	------	3	1	9	------	24	35
------	5	20	46	------	9	1	2	1	1	------	11	1	1	10	2	------	1	------	12	------	35	36
1	22	69	192	4	41	6	4	18	12	6	66	6	7	58	15	3	24	------	47	------	90	37
1	5	24	103	2	25	1	2	19	5	1	51	1	4	18	2	1	13	------	9	2	46	38
------	5	16	41	------	11	------	------	2	1	1	16	------	3	6	2	1	6	------	10	------	25	39
1	3	12	34	------	6	------	1	3	2	------	17	2	------	12	2	------	6	------	7	------	23	40
------	4	11	23	2	11	------	1	4	2	1	8	1	------	4	1	------	3	------	3	------	26	41
1	1	16	51	------	4	------	------	------	------	3	13	------	------	2	1	------	1	------	3	------	7	42
------	1	3	13	------	3	1	2	------	------	------	3	------	------	------	------	------	1	------	------	------	3	
4	32	75	231	1	42	1	4	21	22	10	52	------	2	37	24	2	40	------	47	------	108	43
2	7	17	46	3	43	2	3	1	6	6	23	3	1	11	1	6	6	------	9	------	50	
10	11	41	172	4	58	2	1	3	7	8	36	2	2	13	17	4	14	------	26	------	49	44
1	5	10	57	2	17	1	1	------	1	1	22	------	------	9	6	1	1	------	4	------	47	45
1	4	29	75	------	4	1	------	------	------	1	30	------	------	1	6	------	1	------	4	------	9	46
------	7	13	69	------	8	4	2	4	2	2	27	------	------	11	1	------	7	------	7	------	28	47
------	4	9	32	------	7	------	------	------	------	2	11	------	------	1	2	------	2	------	3	------	5	48
------	------	------	2	------	3	------	------	------	------	------	1	------	------	------	------	------	------	------	2	------	1	
2	31	55	282	------	99	8	4	21	20	10	142	13	8	82	31	19	76	1	53	------	162	49
2	5	14	36	------	33	7	------	------	------	4	14	------	3	9	1	6	4	1	7	------	17	
------	------	1	5	1	8	------	1	------	------	------	2	------	------	------	------	1	1	------	3	1	5	50
------	2	2	24	------	5	------	------	------	------	1	5	------	1	------	------	------	1	------	1	------	3	51
2	8	28	71	1	10	2	------	1	------	3	20	------	2	4	4	------	1	------	9	1	23	52
------	8	13	36	------	2	------	------	------	------	1	12	------	------	1	------	------	1	------	4	------	10	53
1	9	8	33	------	15	------	------	1	------	------	21	3	1	11	1	------	21	------	12	------	14	54
1	3	55	140	1	30	1	------	7	3	3	60	1	1	11	6	1	8	------	21	------	63	55
6	37	106	283	4	112	4	7	16	18	13	70	7	7	67	16	5	44	------	62	2	145	56
------	12	20	66	------	25	2	------	6	1	3	15	3	2	19	2	------	17	1	14	------	33	57
1	1	1	6	------	3	------	------	------	------	2	5	------	1	2	------	------	1	------	------	------	3	
------	3	10	29	1	6	3	------	------	1	1	10	------	------	4	8	------	2	------	5	------	7	58
------	3	10	27	------	10	2	1	------	1	1	17	------	------	5	2	------	1	------	1	------	2	59
------	16	33	65	3	44	2	------	18	10	7	24	3	1	26	2	1	29	------	21	1	71	60
------	1	4	16	------	6	------	------	------	------	------	------	------	------	4	------	------	2	------	------	------	8	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	NEW JERSEY—Continued																
1	Harrison	67							3			3					6
2	Hawthorne	69							2			4					8
3	Hoboken	610			4	1		8	6	3	1	19		2	3		69
4	Irvington	407	1		1	1			2		1	8	1				62
5	Jersey City—White	3,263	1		1	1	6	8	22	2	4	135	9	9	20		434
	Colored	203							1			28		1	11		11
6	Kearny	307							3			5			1		47
7	Linden	85			1				2			2					3
8	Lodi	49							2			7			1		4
9	Long Branch	439	1						1	2		8	3	2	14		44
10	Millville	191	1						2			4		1			22
11	Montclair—White	338					1		3			4		1	1		55
	Colored	50										4			1		6
12	Morristown	369	2			1					1	11	2	1	2		38
13	Newark—White	4,226	1		7	2	4	2	35	2		121	5	20	15		531
	Colored	695	1		1		1		3			110	4	14	24		39
14	New Brunswick	517	1						5			29	1		7		62
15	Nutley	91							1			1					10
16	Orange—White	521	1						2			11	1		3		73
	Colored	80			2				1			8		2	1		7
17	Passaic	743				3		1	14		1	15	1	2	8		74
18	Paterson	1,720			1	2	1	12	26	2	4	40	1	4	12		209
19	Perth Amboy	438	1				2		4		2	14		4	5		57
20	Phillipsburg	228			1	1			2			8	1				19
21	Plainfield—White	443	2			1		1	5	1		9	1		2		52
	Colored	54										1		1			6
22	Pleasantville—White	83			1				1			3					14
	Colored	13										1					3
23	Rahway	205				1			10	1		3		1			30
24	Red Bank—White	122						1	1			3					12
	Colored	16															1
25	Ridgefield Park	75										5		1			12
26	Ridgewood	81							1			1					6
27	Roselle—White	49										2					10
	Colored	9							2			1					
28	Rutherford	120							2			2			2		15
29	South Orange	99										2					21
30	South River	53										2					5
31	Summit	180							7			2			1		28
32	Trenton	1,649	3		1	1	2	1	10	2		52	3	5	19		145
33	Union City	343						1	4	1		8			1		45
34	Westfield	98			1												20
35	West New York	168				1				1		7	1				21
36	West Orange	131							2	1		1		2			12
37	Cranford township	65										4					17
38	Hillside township	77										5			1		12
39	Lyndhurst township	98										3					14
40	Maplewood township	155							1			5		1			25
41	Neptune township—White	252	1						2		1	4	1	1			24
	Colored	37							2			2			1		5
42	North Bergen township	225							2			10		1	2		43
43	Pensauken township	108							4			2					10
44	Teaneck township	316				1			3	2	1	3	1	1	1		36
45	Union township—White	64			1				1					1	2		11
	Colored	5															1
46	Weehawken township	282							5	1		4		1	3		25
47	Woodbridge township	168							3			4		1			17
	NEW MEXICO																
48	Albuquerque	615	3			3	5	3	2	3	1	180	3	2	4		26
49	Roswell [1]	197			6		2	3	5	1		30		1	5		7
50	Santa Fe	235	6		1		4	3	5			12		2	8		9
	NEW YORK																
51	Albany	1,863	1		5	3	2	4	19	3		70	3	5	21		222
52	Amsterdam	411			3	4		1	7	1	1	6	2	2	3		53
53	Auburn	482							6		1	6	1	2	3		53
54	Batavia	271			2	1	2		4	1		3	1				29
55	Beacon	202						1	3			16		1			18
56	Binghamton	1,082			2	2	4		5	2		32	1	4	7		110
57	Buffalo—White	6,813	2		5	23	20	26	56	10	4	290	9	18	40		812
	Colored	274			1	1	2	2				43	1	5	11		13
58	Cohoes	273					2		4			4	1	2	1		26
59	Corning	210				1			3	1		4		1	1		32
60	Cortland	254			1		2			2		1					26
61	Dunkirk	243			2				2	2		2	1	1	1		28
62	Elmira	688	3						6			5		2	5		90
63	Endicott	224							4	3		7			1		17
64	Floral Park	72										4					13
65	Freeport	161							1			2			1		26
66	Fulton	166							2						2		19
67	Geneva	230					1		6			1					15

[1] Excluding collision with railroad trains and street cars.
[2] Deaths by color not available (see classification by color or race, p. 5).

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
2	1	4	23	------	3	1	------	------	------	1	10	------	------	------	2	------	------	------	4	------	4	1
------	1	6	26	------	4	------	------	------	1	------	4	------	------	2	3	------	------	------	2	------	6	2
------	26	43	133	1	57	4	2	8	8	7	22	1	4	18	10	5	7	------	19	------	69	3
3	19	24	107	1	16	1	------	10	3	6	40	2	3	7	13	2	12	------	18	------	43	4
21	112	187	847	4	278	39	10	56	43	34	207	9	18	149	27	11	61	2	141	2	353	5
------	3	6	60	1	21	3	------	1	------	------	9	1	------	9	1	2	3	------	10	------	21	
------	7	16	114	2	30	1	------	3	3	------	20	------	------	9	2	1	7	------	20	------	16	6
------	1	5	27	------	3	------	------	------	1	2	6	------	------	2	2	3	1	------	9	2	8	7
------	1	4	12	------	5	------	------	------	------	1	6	------	------	1	1	1	------	------	2	------	1	8
2	13	26	91	2	32	1	1	9	4	5	39	1	3	24	8	5	8	1	23	------	66	9
1	8	31	48	------	5	4	------	2	5	3	10	3	2	6	1	2	7	------	9	------	14	10
1	8	35	84	2	19	1	1	7	3	5	35	3	------	8	6	1	7	------	15	------	32	11
------	1	4	18	------	3	------	------	2	------	------	3	------	------	2	------	------	------	------	4	------	2	
------	10	23	71	2	33	1	------	11	13	2	16	------	1	37	5	1	12	------	20	------	53	12
28	143	241	1,103	16	302	16	7	98	61	37	302	13	12	163	80	23	90	------	198	2	546	13
3	7	23	137	------	80	8	1	9	9	4	40	2	6	41	4	18	10	------	27	------	69	
------	13	22	112	1	57	1	2	7	8	6	32	1	4	24	7	2	30	------	22	------	61	14
------	2	7	39	------	3	------	1	------	------	------	10	------	------	4	3	1	1	------	5	------	3	15
2	13	34	111	------	40	4	1	17	7	6	34	------	5	28	6	------	15	------	30	------	77	16
------	2	4	11	------	11	1	------	2	1	------	5	------	------	6	------	------	1	------	3	------	12	
6	28	44	161	2	57	2	------	20	13	6	46	5	6	37	13	6	20	------	43	1	108	17
3	65	139	376	2	138	4	6	25	25	14	131	11	11	73	31	8	57	------	63	------	224	18
3	13	24	99	------	26	3	------	7	7	7	40	2	1	27	9	2	17	1	19	1	41	19
------	8	13	57	------	12	1	------	4	2	3	34	2	4	8	4	------	8	------	15	------	21	20
3	11	26	115	4	27	1	------	9	3	4	42	1	1	17	7	2	16	------	15	1	64	21
------	1	3	12	------	4	------	------	2	4	------	7	------	------	4	1	------	1	------	------	------	7	
------	------	6	41	------	------	2	------	------	------	------	3	------	------	2	2	------	------	------	------	------	8	22
------	------	------	5	------	------	------	------	------	------	------	2	------	------	------	------	------	------	------	------	------	2	
1	6	21	33	------	6	1	1	5	5	4	15	1	3	9	1	1	12	------	8	1	25	23
1	4	5	39	------	4	1	1	3	2	2	9	2	------	3	2	------	5	------	7	------	15	24
1	------	------	7	------	1	------	------	------	------	------	2	------	------	------	------	2	------	------	1	------	1	
------	4	6	28	------	3	------	------	------	------	1	11	------	------	------	2	------	------	------	------	------	2	25
------	------	11	25	------	4	------	------	1	------	------	11	------	1	------	4	------	2	------	3	------	11	26
------	------	6	14	------	3	------	------	------	1	------	5	------	------	------	1	------	1	------	1	1	4	27
------	------	1	1	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	1	1	
------	4	15	33	1	10	------	------	------	------	1	19	------	------	------	------	------	------	------	3	1	12	28
------	4	15	28	------	4	------	------	------	1	1	3	------	------	------	3	------	2	------	4	------	11	29
------	4	4	14	1	6	------	------	------	------	------	2	------	------	3	1	3	1	------	1	------	6	30
------	5	10	30	2	14	------	------	1	1	2	19	1	1	7	6	2	4	------	11	2	24	31
10	39	121	413	8	123	4	4	25	23	12	119	7	12	78	23	7	56	1	77	------	243	32
4	10	35	112	1	23	1	------	1	------	6	41	------	2	7	7	1	3	------	2	------	27	33
1	3	4	31	------	6	------	------	1	1	2	8	------	------	1	6	------	1	1	2	------	9	34
------	5	9	63	------	15	------	------	------	------	2	16	------	------	3	4	1	------	------	3	------	16	35
------	4	9	45	1	5	------	1	------	1	3	13	------	------	3	4	------	2	------	3	------	19	36
------	------	3	21	------	4	1	------	------	------	1	5	------	------	------	2	------	1	------	1	------	5	37
1	2	5	19	------	3	1	------	------	------	------	4	------	------	3	3	1	2	------	2	------	13	38
1	5	10	30	1	5	------	------	------	------	------	10	------	------	2	2	------	2	------	6	------	7	39
1	6	16	48	1	9	------	------	------	------	2	23	------	------	------	2	1	2	------	2	------	10	40
1	7	24	70	------	10	------	------	6	3	3	10	1	2	8	7	1	11	------	14	------	40	41
------	1	1	4	------	5	------	------	------	1	------	5	------	------	2	1	1	------	------	2	------	4	
1	4	14	71	------	12	------	------	------	3	4	21	------	------	5	5	------	1	------	12	------	14	42
1	2	8	34	2	7	------	------	------	1	1	28	------	------	2	------	------	------	------	3	------	3	43
1	12	14	85	------	25	1	------	11	6	------	23	------	3	15	3	------	8	------	9	------	51	44
------	2	8	24	------	------	------	------	------	------	2	6	------	------	------	1	------	------	------	1	1	3	45
------	------	------	2	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	
2	6	14	69	1	22	4	1	7	3	3	14	1	------	11	11	1	19	------	20	------	34	46
1	2	8	46	2	11	1	------	------	1	------	20	------	------	8	5	2	10	1	8	------	17	47
------	5	19	63	3	28	34	5	14	4	7	25	7	6	35	10	7	12	------	22	24	50	48
------	1	5	33	3	14	12	3	5	------	1	15	3	------	11	2	5	4	------	5	2	13	49
1	------	6	15	------	11	16	------	10	3	1	10	3	------	18	2	3	9	------	10	49	18	50
2	61	88	479	2	115	6	4	28	21	20	190	3	10	74	21	9	37	2	71	------	262	51
------	14	41	89	------	18	1	------	8	4	1	33	2	4	27	4	------	9	------	23	------	50	52
------	17	46	126	1	29	5	6	9	4	2	34	------	4	20	7	2	13	------	26	------	59	53
1	9	12	48	1	12	2	------	7	2	------	28	2	3	15	3	------	17	2	12	------	52	54
1	6	7	54	------	13	------	1	2	1	------	24	------	1	14	4	1	5	------	7	------	22	55
8	27	77	246	1	92	5	2	22	12	5	116	9	6	47	8	------	16	2	62	------	150	56
18	225	359	1,679	31	503	87	19	117	64	81	556	29	46	371	69	27	140	4	259	2	812	57
------	4	8	52	2	32	------	1	4	1	1	15	1	3	19	1	5	4	------	9	------	33	
1	7	22	94	------	18	1	1	4	------	4	17	------	------	15	1	------	5	------	20	------	23	58
------	3	10	59	1	5	3	1	6	2	2	22	1	2	9	2	------	4	1	15	------	19	59
1	4	25	69	------	5	1	1	11	6	1	22	3	------	18	1	------	9	------	8	------	37	60
1	7	16	53	1	18	------	------	5	1	2	22	1	------	13	4	1	8	5	13	1	32	61
1	17	43	192	3	38	2	1	9	10	1	91	3	3	39	6	1	10	2	31	------	74	62
1	12	6	36	------	21	2	------	5	2	3	27	3	3	17	3	------	9	------	10	------	32	63
------	1	4	20	1	5	1	1	1	------	------	8	------	------	4	1	------	------	------	1	------	7	64
------	5	7	37	------	6	------	------	3	------	5	32	------	------	5	6	------	------	------	8	------	17	65
------	4	13	49	3	11	------	------	1	1	------	17	2	1	10	1	------	5	1	3	------	21	66
1	2	23	52	------	16	------	------	4	4	3	15	------	2	12	3	------	8	------	16	------	46	67

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	NEW YORK—Continued																	
1	Glen Cove		154							6			1		1	1		14
2	Glens Falls		317	1				1		9	1	1	6	1		4		26
3	Gloversville		395			3				1	1		5	1	1	2		48
4	Hempstead		150							1			6	1	1			11
5	Herkimer		112				3			1			2					11
6	Hornell		221					1		6			4		1	2		22
7	Hudson		245			1					1		3		1	4		37
8	Ithaca		303	1						3	1		6			2		37
9	Jamestown		526						1	1	1		11		2	3		49
10	Johnson City		194							1	1	1	2	1	1	2		22
11	Johnstown		138			2					1		3					21
12	Kenmore		78				1			1			5		1			11
13	Kingston		571			5	1			4		1	29	3	1	5		71
14	Lackawanna	White	186						1	3	1		2	2		2		15
		Colored	11											1		1		1
15	Little Falls		156							3			7	1	1			13
16	Lockport		284							6			2					30
17	Lynbrook		99	1														20
18	Mamaroneck		86				1						2			1		6
19	Massena		78					3		2			1					4
20	Middletown		445	1		1		4		7	1		23			6		54
21	Mount Vernon		492	2			1		1	8		1	7		1	4		52
22	Newburgh		471				3	2		6	2		30		1	4		55
23	New Rochelle		466	1		2	1			4			11		2	4		57
24	New York	White	69, 565	59		215	57	109	83	528	185	79	3, 232	142	232	430	14	8, 641
		Colored	5, 757	12		9	2	19	1	26	9	4	925	44	77	274	1	360
25	Bronx Borough	White	10, 553	5		21	6	11	4	95	18	14	781	9	28	37		1, 630
		Colored	500					2			1		140	4	2	25		29
26	Brooklyn Borough	White	24, 617	28		73	22	63	38	217	78	26	661	46	62	139	2	2, 772
		Colored	1, 245	5		3		8	1	11	3	2	110	8	7	72		56
27	Manhattan Borough	White	24, 424	21		97	18	24	25	115	82	33	976	75	115	226	11	3, 182
		Colored	3, 560	7		6	2	9		13	5	2	463	30	64	166	1	255
28	Queens Borough	White	7, 835	3		16	7	9	13	75	6	4	372	8	22	19	1	875
		Colored	218							1			26	1	2	8		14
29	Richmond Borough	White	2, 136	2		8	4	2	3	26	1	2	442	4	5	9		182
		Colored	234							1			186	1	2	3		6
30	Niagara Falls		609				2	5		13	1	2	9	8	2	3		65
31	North Tonawanda		195			1	2			4	1		2					20
32	Ogdensburg		452			1		1		4		2	10		1	1		34
33	Olean		285					1		6			3		1	1		26
34	Oneida		164	1			1			1	1					1		15
35	Oneonta		200			2	3			3			2			1		24
36	Ossining		185							2			1		1			20
37	Oswego		314			1	1			8			4			2		37
38	Peekskill		223					1		2			4			2		23
39	Plattsburg		273	1		1		1		1	1		5	1				28
40	Port Chester		264	1					1	1	2		8		1	4		29
41	Port Jervis		167							4			1					11
42	Poughkeepsie		558			5		3		10			4	1	2	2	1	57
43	Rensselaer		124							3			4			1		10
44	Rochester		3, 781	1		1	13	10		27	6	3	74	2	7	27		494
45	Rockville Centre		97				2						2					20
46	Rome		592	1			1		1	10	2		28	1	2	23		63
47	Saratoga Springs		278					1		2			6			3		33
48	Schenectady		1, 043			1	2	1		13	2		22	4	2	7		150
49	Syracuse		2, 411	4			9	5		25	8		43	3	2	25		305
50	Tonawanda		96				2				2		1					13
51	Troy		1, 203	1		2		3	3	9	2		26		6	9		149
52	Utica		1, 440				3	1	2	15	2	2	26	2	4	6		163
53	Valley Stream		85							1			2					13
54	Watertown		574	4			2	3		7	1		12	2		3		44
55	Watervliet		163			1		1		2			4					20
56	White Plains		331							6	1		5	2	1	4		38
57	Yonkers		1, 209			1	1	7		13	1		58	2	5	3		146
58	Irondequoit town		93				1						3		1			10
	NORTH CAROLINA																	
59	Asheville	White	469					3	1	10	1	1	81	1	3	5	1	37
		Colored	214	1			1	1		10			21	1	1	3		5
60	Charlotte	White	506	1		4		3	1	16			7		2	1		56
		Colored	438	2		1			1	8			26	1	2	11		9
61	Concord	White	113				1			7			5					7
		Colored	24										5					1
62	Durham	White	458	3			1		2	7		2	10			2		60
		Colored	399					4		9		1	43	3	11	13		21
63	Elizabeth City	White	72							1								5
		Colored	105					3	1	3			20		1	1	1	4
64	Fayetteville	White	198	1		1		3	2	6			5					18
		Colored	117					2		6			1	1	2	3		5
65	Gastonia	White	146	1		1		3		7		1	3		1			11
		Colored	79							2			5		2			6
66	Goldsboro	White	129	1						3	1	1	2			1	1	7
		Colored	142					3		6		1	10		1	7		6

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
	2	8	19		11			13	1	3	21	1	1	12	3	2	10		9		21	1
1	6	12	79	1	13	2	1	8	4	3	34		3	17	3	3	13		23	2	44	2
	15	28	124		14	1		7	3	3	32		1	11	7	1	10	1	22		44	3
	2	4	47	2	8			2	1	4	28	1	1	11	3		1		4		10	4
	3	10	21		9	3	1	5	2		4	1	1	9	2		4		3		17	5
	7	15	61		12	3	1	8	2	2	18	2	1	8	3		2		12	2	26	6
1	3	18	40	1	7	2	1	4	1		34	1	5	15	2	1	16	1	15		32	7
	10	25	82	1	18	1		5	5	2	19		1	11	1	1	8		10		53	8
	11	63	127	2	34	5	1	16	8	5	39	2	2	31	6	2	12	3	18		71	9
	1	14	45		9	1		5	3	2	17	2	1	18	2		2		10		31	10
	6	13	48	2	9		1		1	1	11			4					1		14	11
	1	5	26	1	3			1	1		10			2	2				1		6	12
2	22	31	133	1	36	1		19	8	2	43		3	27	4		9	4	25	1	80	13
	5	6	36	1	19	3		6	4	4	10		3	10	2	3	9		11		28	
		4											1						2		1	14
		11	47	1	9	1		4	3	1	10			4	2				11	2	17	15
2	13	25	74		13	1	2	6	3	2	32	1	2	12	1		7	1	10		42	16
		16	36		5						7	1	1	2	3		5		2		5	17
	1	5	38		13	1		1	1	1	2			3	2				3		5	18
	1	4	25	1	6	3				2	4	1		9	2	1			2		7	19
1	13	32	96		33		9	8	4	3	33	3	1	10	3	1	10	1	18		69	20
	14	31	151	1	21	1		15	5	6	42	1	4	24	9	3	6		20	1	60	21
1	13	32	119	6	23	2	2	7	11	2	43	1	1	10	5		18		17	1	54	22
4	11	38	114	1	38		1	10	4	3	44	3	1	17	13	3	9		23		47	23
268	2,111	2,934	19,305	124	6,022	530	95	1,141	642	658	4,239	222	334	2,693	1,305	408	1,066	7	2,736	19	8,700	24
17	93	194	1,011	5	660	66	9	55	38	26	284	45	44	308	51	144	80		253	1	1,610	
43	364	439	3,026	21	852	35	8	181	75	80	572	31	36	399	205	42	150		315	2	1,018	
2	5	10	73		46	3	1	7	3	3	29	6	4	41	1	1	10		12		40	25
102	827	970	7,223	38	2,224	197	38	456	243	194	1,665	93	164	1,048	346	116	376	3	897	10	3,160	
4	17	43	232	1	154	15	1	12	10	3	67	10	18	85	9	35	20		63		160	26
93	643	928	6,041	42	2,217	258	35	361	264	282	1,177	69	99	899	561	202	370	3	1,206		3,674	
10	67	131	647	4	420	47	6	31	22	20	173	28	20	168	38	104	47		172	1	381	27
23	238	484	2,504	17	585	31	10	116	44	87	681	23	31	270	164	42	143		242	7	663	
1	4	9	50		32			4	3		14		2	10	3	4	3		5		22	28
7	39	113	511	6	144	9	4	27	16	15	144	6	4	77	29	6	27	1	76		185	
		1	9		8	1	1	1			1	1		4					1		7	29
3	13	43	125	2	53	9	1	7	4	11	60	3	3	51	4	2	7	6	31		61	30
	7	15	48	4	15		2	4	5	1	8	3	1	9	3		6		11		23	31
	12	24	140	3	44	4	2	7	8	3	19			17	2	2	2		19	1	89	32
2	10	18	72	1	16	3		7	5	2	23	2	4	36			5		13		28	33
1	3	13	49	2	6	3		3	2	1	6	1	2	7			5		12		28	34
1	7	17	51		9		1	3	2		16	5	1	6	2		5		11		28	35
	5	12	49		17			2	1		12	1	2	5	4	3	7		27		14	36
3	6	34	81	1	23	3		1	4	2	25	2	3	13	3	2	1	1	15		38	37
1	15	23	57		10	1		3	3	2	16		1	11	3	2	9	1	9		24	38
	6	19	51		16	3	2	5	2		23	2	2	34	2		7	1	20		39	39
2	10	11	52	1	24	1	1	12	1	4	21		1	15	1	2	13		10		35	40
1	8	15	57	2	4		1	2	3	5	12		3	7	2		5		5		19	41
1	12	60	130	2	59	5		11	6	5	47		1	28	4		10	1	21		70	42
	1	12	43		8				1		18				2				10		11	43
8	106	265	1,019	11	260	14	4	59	34	44	313	9	14	172	61	8	45	4	149	1	516	44
	5	6	24		4					1	17			2		1	1		3		9	45
2	11	22	161		34	4	1	15	6		87		4	21	8	3	10		18		53	46
	16	22	95		10	1	2	1	1	2	23	2	1	12	3		8		11	1	22	47
3	28	91	268	3	39	4	5	16	10	10	81	4	5	47	19	4	21	3	40		138	48
4	70	167	669	7	178	17	2	43	27	21	187	5	14	86	31	5	49	2	92	4	302	49
	4	11	40		1	1					5			3	1				5	1	6	50
4	36	75	361	2	75	7	1	19	9	9	126	7	9	63	9	1	31	2	34		113	51
4	32	90	345	3	97	6	2	27	9	11	199	2	9	64	13	3	34	2	56		206	52
	2	9	28	1	5					1	10				5	1	3		2		2	53
1	15	49	144		23	4		15	11	4	33	7	4	33	9		21		25	2	96	54
1	1	33	57	1	8	1				5	9			4					4		11	55
	5	19	88	2	23	1	1	3	1	5	32	3		19	11	3	12		11		35	56
6	44	90	308	2	95	5	1	25	7	16	85	3	5	63	25	2	27	1	37	1	124	57
1	6	11	30		4	2					6			2	4		1		7		4	58
1	8	30	69	2	23	7	4	12	9	5	25	3	5	27	7	3	14		16	1	54	
1	1	25	46		8	6	1	2	2	1	14		2	14	1	8	3		2		33	59
1	15	41	84		29	10	2	4	4	4	35		5	41	10	6	19		28	2	75	
1	2	63	77	2	46	4	4	6	7	1	17	1	1	28	2	32	8	1	14	6	54	60
1	1	5	21		14	5	1		2		9		1	12		1	6		4	1	9	
		1	6		1						2			3						1	4	61
1	8	28	76	3	15	4		6	6	2	44	4	6	34	5	5	14		14	6	90	
1	2	11	51	1	22	8	2	10	3	1	26	2	10	30	2	19	9		20	6	58	62
	2	3	11		7	1		3			16	1		2		1	4		2	2	11	
1	2	8	9	1	11	3		1			12	2	2	4		1			3		11	63
2	5	12	26	1	15	9		7	4	1	8	3	5	9	1	2	8		11	2	31	
	1	14	15		12	5	2		1	1	9		1	3		7	2		6	6	12	64
	4	9	15	1	5	4	2	6	2	1	7	1	2	11			13		7	7	21	
		6	7	1	2	2	2	3	1	1	14			4		2	3		4	4	8	65
1	1	5	23		6	4		4	1	1	7	3	2	12	2	3	10		4	2	21	
1		12	13	2	10	5		1	2		8		5	6		7	1		5	3	27	66

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	NORTH CAROLINA—Continued																	
1	Greensboro	White	353				2		2	7	2		10	2	1	2		27
		Colored	225						2	4			17	1	1	9		12
2	High Point	White	221				3		5	3			8	1		3		17
		Colored	90	1				1		3			12			2		4
3	Kinston	White	122					1	1	1		1	4					3
		Colored	103	5					1	10		1	8		3	3		3
4	New Bern	White	84						1	1			3					3
		Colored	127										9		1			1
5	Raleigh	White	425			1			2	6	1	1	14	1		1		32
		Colored	275	2				1		6		1	9		4	6	1	13
6	Rocky Mount	White	160	3				1	4	1			3			1		10
		Colored	162					1	1	9	1		17		1	5		7
7	Salisbury	White	155				1		1	5			3		2	2		12
		Colored	58					1	2				1					3
8	Shelby	White	93	1				1	5	4							1	4
		Colored	16	2						1					1	1		1
9	Statesville	White	162						1	4			2			1		9
		Colored	39					1		1			2			1		2
10	Thomasville	White	60				2		2			1	2					2
		Colored	22										2	1				
11	Wilmington	White	258			2			2	3	1	2	8	1	1			29
		Colored	286	4		1			2	2		1	13		3	11		5
12	Wilson	White	81					1		2			2		1			1
		Colored	154					1		1			19	1	1	3		9
13	Winston-Salem	White	421	2		1	4	2	10	13		1	9	2		1		34
		Colored	468	3		2		1	2	12		2	58	4	10	18		14
	NORTH DAKOTA																	
14	Bismarck		248				1	1	4	6		1	7		1			27
15	Fargo		332						1	11		1	5		1	2		31
16	Grand Forks		235			2				4			3			1		31
17	Minot		229			2		2	1	7	1	1	9		4			23
	OHIO																	
18	Akron	White	1,839	3			11	2	5	34		5	49	1	6	15		182
		Colored	145										27	3	5	1		12
19	Alliance		272				2			5			10	1	1	1		37
20	Ashland		162							6			3					18
21	Ashtabula		274	3					1	1	1		7	2	1	2		26
22	Barberton		222				1		2	4	1		2	1	2	2		27
23	Bellaire		180					1		3	1		6	1		1		16
24	Bucyrus		174	1		1				5	1		15					21
25	Cambridge		192			1	1			4	1		3		1	1		17
26	Campbell	White	53					1	1	2			2					6
		Colored	20					1		1			1					
27	Canton		926			1	2		2	16	2	1	18	2	3	9		114
28	Chillicothe		240	2				3		8			8			1		24
29	Cincinnati	White	5,509	3		5	13	15	14	112	6	4	197	14	16	32		635
		Colored	1,039	1		1	2	3		14		1	170	11	10	21		50
30	Cleveland	White	8,034	6		2	31	13	25	64	10	5	371	7	21	69		980
		Colored	1,109				1	1	1	9			172	4	9	39		65
31	Cleveland Heights		307				1	1		2	1		4					51
32	Columbus	White	3,386	4		7	3	2	4	48	4	1	104	4	7	29		392
		Colored	631	1		1	4			12			53	2	5	29		33
33	Coshocton		146							2			4	1	2	1	1	10
34	Cuyahoga Falls		106							2			1					10
35	Dayton	White	2,212	1			1	1	8	43	5	4	106	5	13	34		233
		Colored	244				1			3			46	1	1	8		12
36	East Cleveland		252							3			4					37
37	East Liverpool		325				4			5			16		2			29
38	Elyria		283							4			8		1	3		36
39	Euclid		84				1			1			3					11
40	Findlay		262							5		1	5			2		30
41	Fostoria		142							1			5	1	3			11
42	Fremont		150							6			1					18
43	Garfield Heights		72						2	3			3		1	1		9
44	Hamilton		528	4				1	6	16			23	1		3		59
45	Ironton		215	2		1		1	1	4			10			6		14
46	Lakewood		498				2		1	8	2		9	1	1			66
47	Lancaster		247	4		1	1			4			6		2	3		27
48	Lima		577	2			1	1	3	5		1	11	1		4		62
49	Lorain		356	1						5			11	1	2	1		42
50	Mansfield		377				2			4			9	1		5		39
51	Marietta		251				1			7			4	1		1		17
52	Marion		378			2	1	1		8			8			1		42
53	Martins Ferry		233			2		1		1			1	2	1	2		17
54	Massillon		289	1			1	2		11	1	1	6	1		1	1	28
55	Middletown		339				1			13		2	26	2	1	1		29
56	Newark		414	2		2	3		1	15			9			3		34
57	New Philadelphia		119				3		2	5			5		1			11
58	Niles		104				5		1	2			5					8
59	Norwood		189				1		1	5	1		3			1		23

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
------	6	30	68	------	23	4	1	3	3	------	27	2	7	27	11	------	13	1	23	2	47	1
2	7	14	39	------	15	2	------	2	2	2	16	1	1	15	------	5	3	------	8	1	44	
1	2	12	34	------	11	7	3	8	1	2	16	------	5	20	3	1	8	------	8	5	34	
------	1	5	17	------	15	2	------	------	------	1	5	------	------	7	------	2	2	------	3	1	6	2
1	------	7	19	1	6	5	------	8	4	------	11	1	3	12	------	1	3	1	3	1	24	3
2	------	6	13	------	7	1	------	1	2	------	6	------	4	9	------	2	1	------	2	2	11	
------	------	10	14	------	3	1	------	2	------	------	13	4	------	4	1	------	2	------	2	3	17	4
------	------	9	22	------	20	2	------	1	3	1	15	------	2	6	------	7	2	------	5	6	15	
1	5	18	99	1	26	4	1	6	4	------	41	3	5	34	8	5	14	------	15	2	74	5
------	3	32	48	------	16	3	------	1	5	2	24	5	6	22	------	13	6	------	10	4	32	
1	3	14	25	------	9	3	------	4	2	1	7	------	1	18	4	2	9	------	11	1	22	
------	1	5	23	1	10	5	------	1	7	1	14	2	2	15	------	5	4	------	6	1	17	6
------	2	9	22	2	4	1	1	6	2	------	18	2	------	15	3	------	15	2	8	2	15	
------	1	7	5	------	7	------	------	2	2	------	6	------	4	2	------	3	2	------	3	3	4	7
------	5	8	19	------	3	2	------	1	1	------	6	------	------	7	------	------	10	------	6	------	9	
------	------	1	------	------	1	------	------	1	------	------	3	------	------	------	------	2	------	------	1	------	1	8
------	4	8	24	------	5	2	------	14	1	1	18	3	3	8	1	2	13	1	12	------	25	
------	------	3	5	------	1	1	------	2	1	1	7	------	------	2	------	1	1	------	3	1	3	9
------	------	3	4	------	3	1	------	3	1	------	10	------	1	10	1	------	1	------	3	------	10	
------	------	3	4	------	1	2	------	------	------	------	3	------	------	1	------	------	------	------	2	------	3	10
------	8	16	37	------	17	3	------	3	6	1	37	3	3	11	1	------	15	------	9	1	38	
------	3	30	42	1	22	2	------	5	7	------	40	3	7	12	------	12	6	------	9	4	39	11
------	------	3	7	------	3	5	1	1	------	------	15	------	3	8	4	1	8	1	3	4	7	
------	1	10	10	------	15	5	2	4	2	------	19	2	2	12	------	7	4	------	3	5	16	12
------	9	23	68	------	24	9	2	8	3	1	34	3	4	42	7	3	18	------	20	3	61	
2	6	26	64	------	27	14	5	5	8	3	29	4	6	28	2	21	7	------	10	30	45	13
------	10	7	36	------	22	------	1	11	8	1	20	1	3	18	4	------	6	------	8	------	44	
------	12	25	65	------	22	4	1	12	6	1	13	3	5	25	5	1	3	1	17	------	59	14
------	4	14	34	------	22	2	1	6	1	4	15	1	------	17	1	------	9	------	16	------	47	15
1	5	10	31	1	10	1	------	8	5	1	13	5	1	16	1	1	4	------	19	1	45	16
																						17
8	45	146	360	6	107	7	3	47	16	11	122	6	9	115	40	23	84	6	91	1	273	
------	1	8	15	------	17	1	1	2	2	------	6	------	------	9	2	12	1	------	4	------	16	18
1	5	25	57	1	11	2	1	7	5	2	11	------	1	11	2	1	7	------	16	------	49	19
1	1	20	45	2	3	1	------	3	1	------	9	------	1	6	1	------	9	1	12	1	18	20
2	5	18	57	1	21	------	------	5	6	3	19	3	2	11	8	1	18	------	18	1	31	21
1	13	9	35	------	13	------	------	16	6	3	12	2	2	10	1	1	13	------	17	1	25	22
------	3	8	59	2	4	1	1	1	------	2	17	------	2	9	3	1	3	------	10	------	25	23
------	8	17	28	------	4	1	2	7	1	1	12	------	------	10	2	------	3	5	13	------	16	24
2	2	17	41	1	12	1	------	6	4	------	17	1	1	8	2	1	3	------	5	------	39	25
------	------	2	12	------	6	------	------	------	1	2	3	------	------	6	1	------	------	------	3	1	4	
------	------	1	7	------	1	------	------	------	------	------	1	------	------	1	------	------	------	------	2	2	2	26
1	22	77	214	1	56	2	2	14	20	12	46	3	3	47	15	8	21	3	48	1	140	27
1	6	25	50	------	6	2	2	3	2	2	17	1	2	16	3	1	7	------	11	9	28	28
8	149	392	1,224	21	324	65	19	108	69	63	416	24	21	187	91	26	127	9	263	9	828	
3	12	45	174	2	109	6	4	11	7	6	32	4	5	50	4	54	16	------	37	11	163	29
29	195	634	1,639	28	553	17	19	129	85	105	441	38	34	371	172	85	230	12	393	49	1,172	
1	12	84	167	2	115	------	1	19	9	4	58	5	8	55	7	60	18	1	44	18	120	30
------	9	38	93	1	20	------	------	------	------	3	22	1	------	5	12	1	2	------	7	1	32	31
7	76	252	696	4	159	38	16	67	51	25	257	24	17	145	60	12	96	8	161	------	606	
1	6	51	105	------	50	9	3	3	8	3	39	2	3	43	7	24	13	------	29	1	91	32
2	3	11	32	------	6	2	------	4	1	2	11	------	------	8	2	1	8	------	7	------	25	33
1	2	13	32	------	7	------	------	1	1	------	12	------	------	------	------	------	1	3	7	------	13	34
10	50	164	523	2	82	16	7	29	28	11	139	18	16	96	44	7	64	4	103	1	344	
2	------	15	35	------	15	5	2	2	2	3	15	1	1	9	------	11	6	2	10	------	36	35
------	8	25	88	1	11	------	1	1	2	2	23	------	------	4	6	1	2	------	3	1	29	36
1	6	35	71	------	17	3	1	11	4	2	16	2	3	21	6	2	12	------	22	2	32	37
2	11	12	53	------	7	------	------	7	3	6	22	2	4	17	4	2	10	------	16	3	50	38
------	2	8	19	------	1	------	------	------	1	1	6	------	------	5	2	------	3	4	5	1	10	39
------	8	29	63	1	16	------	2	------	4	3	20	------	1	12	1	1	5	2	19	------	32	40
1	2	14	31	------	4	5	------	2	1	2	10	1	1	7	1	------	3	1	15	------	20	41
------	3	18	36	1	9	1	------	3	1	2	19	------	------	4	2	------	2	------	9	------	15	42
1	3	9	16	------	3	------	------	------	------	2	2	------	1	2	2	------	1	------	4	1	6	43
------	11	39	118	------	18	9	2	8	7	5	26	2	2	33	5	6	12	2	29	12	69	44
1	5	16	34	------	14	5	3	4	2	2	24	1	------	9	2	5	2	------	17	3	27	45
4	12	59	147	1	30	------	------	3	3	3	32	2	1	19	9	------	16	------	12	------	55	46
1	3	26	59	------	6	2	3	1	3	2	17	2	3	15	3	------	11	------	15	------	27	47
------	12	34	111	------	21	8	2	17	16	4	49	5	1	30	14	4	24	3	28	1	102	48
------	13	21	74	1	18	1	------	6	3	6	31	------	4	25	7	1	12	2	21	10	37	49
2	9	38	87	1	8	1	1	6	7	4	25	------	4	20	16	4	11	1	16	------	56	50
------	7	26	56	------	3	3	3	1	3	2	19	2	5	14	8	2	8	2	14	1	41	51
------	8	44	93	------	17	7	------	11	2	------	24	1	3	18	2	------	17	2	22	2	42	52
------	4	21	42	------	23	7	------	5	4	1	12	3	3	4	3	5	14	------	32	------	23	53
------	8	26	65	2	11	------	------	5	3	2	27	1	3	12	5	5	13	3	16	------	28	54
1	3	38	48	------	19	13	4	7	6	------	22	1	2	18	4	3	13	4	18	2	38	55
1	11	54	71	------	25	5	2	10	3	3	39	2	1	8	7	2	10	1	32	1	57	56
1	2	15	31	------	4	1	------	------	1	------	11	1	------	2	2	------	------	------	6	1	14	57
2	------	14	20	------	10	2	------	------	------	2	9	------	1	7	------	------	1	------	6	------	9	58
------	9	11	70	1	6	------	1	------	------	1	25	------	------	3	3	------	1	------	3	1	19	59

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
	OHIO—Continued																
1	Painesville	165				1	1		2			2					18
2	Parma	62				1	1	1				4					7
3	Piqua	207			1			1	4		1	10	1	2			14
4	Portsmouth	585	2		2	3	8	5	19		2	23	1	1	3		43
5	Salem	164							6	1		4		2	1		16
6	Sandusky	320							1			8	2		5		43
7	Shaker Heights	89							1			1					16
8	Springfield—White	704			1				14		1	12		3	2		67
	Colored	122							15			9			2	1	10
9	Steubenville	430	3		6	2	3		11			17		1	3		32
10	Struthers	55							3			2	1		1		5
11	Tiffin	231				1			3			9			1		34
12	Toledo—White	3,217	3		3	14	1	9	25	4	1	158	8	8	19		356
	Colored	239	1						2		1	26		2	9		8
13	Warren	357				1			2	1		19	1	2	1		41
14	Wooster	120							4			4		1			19
15	Xenia—White	108							4			3			2		11
	Colored	35													1		
16	Youngstown—White	1,328	1			5	3	1	12	4	2	29	1	8	5		161
	Colored	257	3			1	1		4			25	2	4	3		7
17	Zanesville	559	1		5				15		1	18		2	1		47
	OKLAHOMA																
18	Ada	174	4		1		1		11		1	4	2				9
19	Ardmore—White	185	1			1	1	1	15			6					21
	Colored	37							6			3			1		1
20	Bartlesville	156	3						13			6			2		14
21	Chickasha—White	187			5		1		4	1		5					13
	Colored	31	1		1												1
22	Enid	364	1		4	1	2	1	22			8		1	3		32
23	Lawton	193	1		2			1	11	2		12			4	1	8
24	McAlester—White	234	3				1	7	8	2	1	15			2	1	15
	Colored	39						1				4	1				1
25	Muskogee—White	382	3					1	7	3		15		1	8		37
	Colored	175	2				1	1	2			21	1	1	4		3
26	Oklahoma City—White	1,844	12		3	3	2	8	35	2	8	58	4	5	15	1	178
	Colored	216	2					1	13			20	3	3	9	2	7
27	Okmulgee—White	141	3					1	6		2	5		1	1		19
	Colored	92	4						3			15			1	1	4
28	Ponca City	162	2				1	2	5	2	1	3	1	1	3		15
29	Sapulpa—White	121	3		1		1		5			1			1		14
	Colored	28	2						1			3					1
30	Seminole	127	3				2	2	7	1		5					3
31	Shawnee	241	1		2	1	4	1	6	1		12	1	1	1	1	18
32	Tulsa—White	1,033	4		3	1	3	8	24	1	6	29	3	1	9	2	92
	Colored	205	1					1	8			10	1		2		1
33	Wewoka—White	84	1					3	1			4					5
	Colored	47	1					1	3			9			1		
	OREGON																
34	Astoria	157										3		3			22
35	Eugene	322	1			1			12			5		3	6		39
36	Klamath Falls	138	1						4			4			1		11
37	Medford	187					1		1			1		2	1		29
38	Portland	3,521	2		1	3		2	36	1	4	78	9	16	33		517
39	Salem	618	1		1				18	1		18		4	18		38
	PENNSYLVANIA																
40	Aliquippa	152				1		2	12			9	2		1		21
41	Allentown	1,317	6			9			12	1	2	61	3	7	13		150
42	Altoona	890	1			6	2	6	8	2	2	16			8		70
43	Ambridge	65				3			1			3					9
44	Arnold	45									1	2	1				6
45	Beaver Falls	177	1						7			6					13
46	Bellevue	163							6			1	1				14
47	Berwick	128				1	1		1		1	3	1		2		15
48	Bethlehem	364				2		1	5			18			1		46
49	Braddock—White	189				1		1	7		1	5	1	1	3		10
	Colored	33							1					2			4
50	Bradford	252				2		1	9			5	2	2	2		25
51	Bristol	105				1			4			7					8
52	Butler	182				1		1	9	1		3		1			19
53	Canonsburg	120							3		1	6	1		1		11
54	Carbondale	273				2		1	6			6					28
55	Carlisle	243	2						2	1		7			1		24
56	Carnegie	89				3			3			4		1	1		8
57	Chambersburg	177							12		1	5		1			13
58	Charleroi	80						1	2		1	2	1				7
59	Chester—White	519				1		1	8	1		22		1	1		45
	Colored	168							6			21	1	1	3		9
60	Clairton—White	65						1	4	1		3					7
	Colored	12							1			2					1

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930—Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
	3	16	31		9			8	2	1	6	2	2	16	1	1	12		13	2	16	1
		4	20	1	6					1	4			2	5						5	2
1	1	21	46	1	6	1		4	5	1	21	1	1	9	2		3		11		38	3
	13	35	85	4	37	19	3	15	11	4	53		6	40	12	4	22		25		85	4
3	2	8	27		11			7	1	1	14	1		2	2	2	7	2	15		29	5
2	8	29	66	4	8	1	1	7	6	1	20	2		15	10	3	7	3	23	1	44	6
	5	2	33		4				1		8				3		2		4		9	7
1	20	100	138	4	39	4	1	8	10	7	63	2	8	36	9	1	24	5	26	1	97	8
	3	11	18		13			2	2	1	11		2	2		1	2	1	3		13	
1	13	21	74	1	38	3	1	7	3	2	25	2	2	28	4	6	17		44		60	9
	2	5	19		3	1					4			3	1				1		4	10
	7	24	57		7	1	1	2	3		11			7	1	1	7	4	9	1	40	11
6	79	233	732	7	169	14	11	57	56	25	203	14	19	146	50	14	82	7	149	2	533	12
		8	52	1	21		1	2	3	2	15	1	1	19	1	17	7		6		33	
1	6	39	71	1	23	1	1	11	6	1	26		2	16	3	2	12		16	1	50	13
		14	21		7		1	2	2		5			2	3	1	6	1	4	1	22	14
	1	8	24		7	2		1	1	2	9	1		9	1				9	1	12	15
		2	11		3		2				1			2		2	3		2		6	
1	30	77	280	4	112	9	7	35	16	14	88	8	9	72	22	7	49		77	6	173	16
	4	15	45		34		1	3	1	2	22	2	5	15		8	3		13	7	27	
1	12	35	126	4	28	4	2	16	8	6	54	6	4	19	11	6	13		36	1	77	17
	1	12	19		10	4	1	11	1	3	14	2	2	2	5	4	7	2	9	1	31	18
	2	6	22	1	16	2	1	16	3	2	9	4	3		2	2	14		12	2	20	19
		4	5	1	3			1			4		1			1			1		5	
2	3	13	23		12	5	1	2	1		5		1	9		3	4		10	1	23	20
1	2	11	47	2	13	2	2	7	4		6	2	1	8	1	1	9		11	3	25	21
	1	3	2		4	1			1		2			1		3			3	1	6	
	2	28	73	1	20	4	1	11	7	1	20		2	14	3		7		13	3	79	22
	7	9	35	1	16	2		2	1		11	5	1	10	3	6	5	1	9	1	26	23
	3	15	28		13	3	2	7	2	2	24	4	2	5	1	9	11		28	2	18	24
		6	5		1			2	1		5					3			6		3	
	6	26	67	1	20	4	1	15	1	2	20	4	2	19	6	2	6		15	8	82	25
1	4	8	34	1	11	2	4	2	1	2	11	1	2	2		4	1	1	6	4	37	
6	21	104	276	2	136	58	8	56	35	12	101	15	8	98	29	21	59	3	90	21	351	
	2	9	29		30	6	1	4	3	1	9			11		12	3		5	1	30	26
	1	13	23	1	3	4	1	7	3		6	2	2	6		1	5		6	1	18	
		10	14	1	8	3	1	2	1		5	1		1		1	1		5	1	9	27
	1	15	20		12	5		8	1	1	9	1		15	2	2	4		8	3	19	28
1	1	6	17		12	2	2			2	8	2		8	1	3	3		8	1	18	29
	2	2	6		2						1								4	1	3	
	3	4	11		14	6		7	1	1	5	2	3	6	3	2	11		7	3	15	30
1	4	21	38	1	20	4	3	11	2	1	7	1	3	16		6	12		3	3	34	31
2	23	67	198	3	71	25	4	31	13	5	61	3	7	55	22	7	31	3	49	11	156	32
	5	14	30		14	6	3	15	4	3	10	1	2	1	2	16	2	1	10	2	40	
		8	7		14			2			3			4	1	3	1		9	6	12	
		1			6	1					2		2			5	1		1	2	11	33
1	3	21	42		3		2	3	4	1	10			3	2				7		27	34
	10	16	67	3	14			6	6	2	37	2	1	18	6		5		15		47	35
	3	5	26		14	2		5	5		11			12	2		5		8		19	36
	2	19	48		6			5	2	2	12	2	3	8		2	3		9	1	28	37
8	76	238	810	10	180	1	10	34	38	25	319	7	14	112	100	14	83	3	135	5	597	38
	14	35	145	1	15			5	10	2	33	2	2	15	10	1	15	2	25	3	184	39
		9	21	1	19	1	1		1	1	6	1	1	12	3		2		6	1	18	40
4	68	107	299	5	56	12	5	19	16	15	83	12	7	53	21	2	31	1	39		198	41
6	24	74	213		47	9	7	7	17	11	95	4	9	47	10		36		42	8	103	42
	2	5	14		2	2					4			8	2	1	1		2		6	43
		4	9		5	1				1			1	4	3		1		2	1	3	44
	6	18	26		11			2	7	4	21	4		9	7		4		14		17	45
2	9	5	32		12	1		7	3	1	12	1	1	14	1		5		5		30	46
	6	11	23		10	1		1	1	2	11	1	1	8	3		2		3	1	18	47
1	10	47	101	2	18	6			3	4	19			14	13	2	1		12		38	48
1	3	12	22	2	12		1	5	7	3	11			20		1	14	1	24	4	16	49
	1	1	3		3		1	1			1			4		1	3		5	1	1	
1	8	15	57	2	15	1		4	2		10	1	4	16	4	2	9		12		41	50
1	2	16	17	3	5			1			6				3	1	1			1	17	51
3	6	23	42		5	1	1		2	1	13		1	18	2	1	1		4		23	52
	1	8	26		7			4	1	1	8		1	15	1	1	1		6		16	53
	8	17	49		35	2		3	7	1	21	1	5	24			9		11		37	54
3	6	29	53	1	17	2	1	4			30	1	2	11	2		7	1	6		30	55
	1	5	25		3	1		1		2	7			6		1	2		5	2	8	56
1	4	29	37	1	4		1	4	5		10	1	5	9	1		4		10		19	57
	2	6	24		4				1		13			3	1	1	2		2		7	58
	10	31	121	2	27	8		14	6	4	46	9	3	23	16	3	20		29		67	59
1	1	12	24		16	2		1			21	1	4	7	2	6	4		6		19	
1	1	4	17		2	5			1	1	2			5			1		2		7	60
		1	2		4					1												

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
	PENNSYLVANIA—Continued																
1	Coatesville—White	79				1	1	1	1			4					11
	Colored	16										2					1
2	Columbia	134						2			1	1			1		19
3	Connellsville	197	1						1			2	1	1	6		16
4	Conshohocken	82							3			4					13
5	Coraopolis	81				2						2					10
6	Dickson City	71					1		8			1		1			7
7	Donora	65			3				5			3					7
8	Dormont	67							1								9
9	Du Bois	166	1						8		1	3					10
10	Dunmore	227							7	2		6	2				18
11	Duquesne	95					2		2			11					12
12	Easton	268			1				6	1		6		1			27
13	Ellwood City	96				2			3								11
14	Erie	1,307	1		12	6	3	3	18	4		33	3	3	9		165
15	Farrell—White	62							3			1			1		7
	Colored	17										5					1
16	Franklin	109							3			3	1		1		15
17	Greensburg	266				3		1	2	1		3		1			16
18	Hanover	140					1	2	3			2			1		15
19	Harrisburg	1,206	1			1	4		19	2		27	3	6	7		141
20	Hazelton	544				1		3	10		1	8	1	4	2		44
21	Homestead—White	177				1			1			5		1			15
	Colored	33										2					
22	Jeannette	87					1					2			1		3
23	Johnstown	860	2			2	3	2	16	4	2	27	5	2	3		73
24	Kingston	293	1					1	10	1		8			1		24
25	Lancaster	894	3			1			8	1	3	27		3	12		94
26	Latrobe	150				1			4			6		1	3		12
27	Lebanon	385	2		2	2	2		12	1		9		2	2		47
28	Lewistown	146				1	1	1	4			9		1	1		11
29	McKeesport	568	1		1	1			20		1	13	1	2	4		49
30	McKees Rocks	97							5	1		5	1				7
31	Mahanoy City	109				1		2	3			4					7
32	Meadville	314	1		2		3		3		1	7	2	2	3		37
33	Monessen	123			1			1	3			5					11
34	Mount Carmel	153	1		2				4			7					8
35	Munhall	55							1		1	1					5
36	Nanticoke	375				3	2	1	8	1	1	12	6		1		36
37	New Castle	469			2	1	1		14		1	16		4	2		46
38	New Kensington	228							7	1		6		1	5		25
39	Norristown	732							12		1	39	2		4		40
40	North Braddock	71						1	1			3					7
41	Oil City	266						2	4		2	2			2		22
42	Old Forge	90							3	1		4					1
43	Olyphant	76							5			3					5
44	Philadelphia—White	20,484	10		28	30	8	15	216	27	21	842	32	41	83	2	2,616
	Colored	3,422	2		6	5	2		67	2	4	438	17	22	162		217
45	Phoenixville	143			1	1			2					1	1		19
46	Pittsburgh—White	6,703	1		3	17	21	20	102	13	13	225	15	19	38	1	771
	Colored	738				2	9	2	13	1	1	51	8	7	11		32
47	Pittston	166							18			2		1			13
48	Plymouth	124				1	1	1	8			2					15
49	Pottstown	257							13	1		7		1	1		23
50	Pottsville	457				1		2	13	1	1	8		3	2		40
51	Reading	1,220			2	1	4	8	21		4	44		1	6		136
52	Scranton	1,891	5		1	8	2	1	41	6	4	63	10	4	7		206
53	Shamokin	181						2	6			4					20
54	Sharon	324	2			1			10		1	12			7		27
55	Shenandoah	203			1			2	7			9					6
56	Steelton—White	75							1			6		1			4
	Colored	23							1			3					1
57	Sunbury	232	1			1	1		3	1		2	1	1			22
58	Swissvale	77			1	1			4			1					6
59	Tamaqua	108							1			3					13
60	Taylor	104							2	1		2					8
61	Turtle Creek	59							1			2					11
62	Uniontown	346	2			1		1	4	1		6	1	2	7		32
63	Vandergrift	49					1		4		1	3	1				2
64	Warren	192	1			1			3			7			3		21
65	Washington	382	2		2				14		1	10	1	2			34
66	Waynesboro	129	1			1	1		3			6	1				7
67	West Chester—White	253	1			1			2			5		1	2		25
	Colored	67	1									4	1		4		6
68	Wilkes-Barre	1,318	2			4	1	5	37	1	5	39	3	10	3		117
69	Wilkinsburg	303	1				1		5		2	6					24
70	Williamsport	639			1	1	1	1	12		1	11	1	3	3		67
71	York	721	4		1			1	20			14		1	10		78
72	Abington township	359	2			1		1	6		1	12	1		4		42
73	Cheltenham township	98				1			1	1		1					16
74	Hanover township	114				3	1	5	1			4					8

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
	1	9	21		4					1	9			3	2		2		3		5	1
			3		1				1		2					1			3		2	
	4	17	33		6			3	3		8		1	4	1		2	1	10		17	2
	7	13	39		20	3	2	3	4	3	14	1	2	19	1		4		10		24	3
	1	6	30		4		1			2	8			2					3		5	4
1		8	17	1	10	2				1	13			1				3	4	1	5	5
	2	5	17		8	2	1				2	1	1	1	1		1		3		8	6
	1	1	11	1	6	1					13			4	1		1		3		4	7
		6	23		3						9				2				3	1	10	8
2	5	12	40	2	6	1		1	4	1	10		1	11	1		8	1	9	2	26	9
2	3	16	75	1	27	8	1		1	2	13			16			2		6		19	10
	1	5	28	1	7	1		1		1	9				4	1			2	3	4	11
2	11	30	81	1	12			1	5	1	19		1	12	7	1	3		13		26	12
1	1	8	16		5	1	2	1	2		11	3	2	6	2	1	6		5		7	13
2	36	110	295	2	80	4	2	20	14	12	99	7	6	62	22	5	36		67		166	14
1	1	3	20		7					1	7			2					3		5	15
			3		1	1								1							5	
	1	12	37	1	8			1	2	1	7			2	2		1		2		9	16
	12	6	46		25		1	10	3	9	17	1	3	25	2	2	12		19	9	37	17
1	4	16	31		4	1			2	1	14		1	12	2		6		4		17	18
2	29	80	288	5	73	4	8	32	22	5	139	8	7	48	11	3	35		59		137	19
3	20	31	108	5	44	5	3	9	8	2	48	6	7	37	3	2	19		30		80	20
	2	8	25		17	2	1	5	1	1	20	2	4	8	6		8		14	5	25	21
	1	5	4		9			1	1		2			1			1			3	3	
1	3	6	26		7	1		1			3			5	2				2	7	11	22
2	22	43	139	3	70	9		16	16	11	36	5	11	66	11	1	32		56		120	23
	8	12	71	1	21	3		8	3	2	23	2	2	15	2		17		26		31	24
2	34	61	204	2	37	7	2	25	14	4	36	1	9	40	13	2	29		42	1	127	25
1	3	11	20		5	3			3	1	12	1	2	7	5	1	7	2	11	5	23	26
	12	39	67	3	24	4	4	11	8	1	25	1	4	16	4		14		11		56	27
1	3	21	33		6	2		1		2	13		1	12	2		1		3		16	28
6	13	34	101	1	40	7	1	22	9	6	46	3	7	30	10	3	16		50	7	63	29
	2	10	19		13	1				1	4			4	2	1	4		9	2	6	30
1	2	11	29		9	2			1		11			6	1	1			4	1	13	31
2	4	24	72	1	8	5	2	11	7	2	19		3	11	8		11	1	15	1	46	32
1	5	10	27		6	2			1	3	8	1		10	2				5	10	11	33
	2	8	54	3	22	4				2	11			5	1				10		9	34
	2	8	15		6	1				2	9			1					2		1	35
3	10	12	61	1	41	4	2	7	2	1	23	1	4	26	6	4	11		41		44	36
4	14	31	101	1	38	2	1	11	11	2	30	2	4	20	5	1	9		15		80	37
	4	5	26		12	1	2	5	7	1	18	2	2	16	5	2	4		21	7	43	38
3	11	45	210		48	1	2	8	6	3	62	4	2	29	5		23	1	27		144	39
	3	8	19		5	1					7		1	7	1				2	1	4	40
1	4	23	70	1	13	3	2	3	5	3	19	2		13	3	1	4		13		49	41
2	1	4	20		21	3		1	1	2	6	2		3	1		1		5		8	42
	3	4	16	1	9	1	1		1		4	1		3	1				7	1	10	43
76	525	1,064	5,826	47	1,354	116	50	215	218	223	2,035	54	81	670	313	69	328	14	823	16	2,396	44
9	51	136	669	7	348	33	17	41	37	37	302	13	8	154	16	68	39		106	1	386	
1	6	7	30	1	6			6	1	1	22	1	2	4	3	1	1		10		15	45
18	156	468	1,473	30	555	37	23	97	87	78	492	39	25	338	99	25	130	12	312	100	850	46
1	7	44	145	1	130	2		10	14	4	53	5	5	33		20	7	1	26	22	71	
3	1	12	37	3	33	3		1	3		12		1	6	1				2		14	47
	4	5	37	1	14		1		1	4	12			5		1	1		4	1	5	48
	10	16	62		10	6	2	6	7	1	31	2	3	10	3	1	10		12	1	18	49
2	12	15	101		36	2	1	10	7	2	36	5	7	17	4	4	17	1	35	1	71	50
6	37	94	308	3	77	7	5	12	19	7	131	3	5	40	28	3	27		49	1	131	51
13	57	108	453	2	158	16	6	35	20	12	111	9	18	75	22	10	42		111	4	251	52
	5	18	57		9	1	2			2	16	1	1	11	3	2			8		13	53
	6	28	66	1	22	2	2	4	3	2	14	5	3	19	2	1	12	1	19		52	54
3	7	11	50	3	37	2	1		2	1	21			8	2		3		10		17	55
	4	3	19		5				1	2	14			4					6		5	56
		1	4		5						6								1		1	
	9	12	50	1	7		2	7	4	3	36	3	2	16	1		7		9		30	57
		5	29		12						8		1	1	1						7	58
2	4	1	47		1					2	9			5	1	1	1		5		12	59
	3	5	27	1	5			3	1	3	6	1	1	10			2		10		13	60
		4	19		7						6			3					1	1	4	61
	7	26	55		13		1	9	2	2	30	4	4	27	3	4	19		25	1	57	62
	1	4	14		3	2	1			1	1		2	3	1				1		3	63
1	4	9	46	1	14		1	6	1	1	6	3	1	9	2	1	3		20		27	64
2	6	32	74	2	23	2	3	8	5	1	17	4	5	23	5	8	20		22		54	65
2	3	11	27	1	12	2		4	2		6	2	1	5	1	1	1		9		19	66
1	7	11	71		22	4		4	4	3	16	1	4	14		1	9		9		35	67
	1		14		7				1		9	1		8		4	1		1		4	
6	32	71	282	4	109	4	1	50	25	11	108	6	13	81	15	7	29	1	73	2	161	68
	8	30	82	1	20		1	2	3	1	25	3	5	14	2		15		15	6	31	69
5	25	49	192		40	1	6	13	5	5	38	2	4	23	1	1	16	1	27	1	82	70
1	27	60	189	3	33	6	6	7	16	1	70	2	3	32	10		13	3	26		84	71
1	14	11	87		26	2		11	7	2	25	5	3	7	3	2	17		18		48	72
	3	7	36		4						11			1	3	2	1		1		9	73
	2	3	28		18	1				1	4		1	5			1		21		7	74

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	PENNSYLVANIA—Continued																	
1	Harrison township		160				1	1		3			4			1		18
2	Haverford township		118							4					2			17
3	Lower Merion township		361						2	5	1		10			1		46
4	Mount Lebanon township		79							1	1		3				1	10
5	Plains township		106						1	3			8					4
6	Stowe township		111					2		7			3					10
7	Upper Darby township		367				1		3	4			9			1		43
	RHODE ISLAND																	
8	Central Falls		217				1	4		7	1		2	1				14
9	Cranston		817							2	1		41		2	22		102
10	Newport		362						1	8	1		12		1	4		55
11	Pawtucket		743				1	2	3	14	2		7	1	3	1		92
12	Providence		3,156	3			5	10	3	30	8		110	5	11	20		383
13	Warwick		223							1	1		14					36
14	Woonsocket		526				1	1		7	3	2	8	1	3			59
15	Bristol town		103							4		1	4		1	1		12
16	Cumberland town		106							6			1		1			13
17	East Providence town		244							2			5					37
18	Lincoln town		73							2			3					12
19	North Providence town		70							2			1					8
20	Westerly town		137						1	4			4					21
21	West Warwick town		138					5		3			4					23
	SOUTH CAROLINA																	
22	Anderson	White	205			4		2	5	11	1		5			1		13
		Colored	122	1				1		6			6			1		7
23	Charleston	White	428	2				2	2	11	1		17		3	3	3	40
		Colored	839	7		1		4	1	13	1		65	1	8	63	6	23
24	Columbia	White	607	2			1	1	2	15			19	1	2	7	1	38
		Colored	465	3				4	2	20		1	29			15	1	19
25	Florence	White	184	4		1		2	6	3	3		4					12
		Colored	188	6		1		3		4			17			3		4
26	Greenville	White	272	4		3		2	4	11			7			2		20
		Colored	237	4		1			1	4			16	1		18	1	13
27	Greenwood	White	71	1		2			1	3			1					5
		Colored	88			2		1		5			2			1		3
28	Rock Hill	White	93	1				1		7	1		3			2		5
		Colored	68							1			3			3		1
29	Spartanburg	White	316	7		3	1	6	1	11	1	1	8			2	1	21
		Colored	237	1				1	1	16			22		2	8		8
30	Sumter	White	71			1			1	3			2				1	4
		Colored	124	4		3		1		4			6	1		1		3
	SOUTH DAKOTA																	
31	Aberdeen		220							16	2	1	3					27
32	Huron		125	1						11			1					14
33	Mitchell		190	5					1	3		2	1		2	1		18
34	Rapid City		153					1		5		2			1			12
35	Sioux Falls		364			1				8		1	10		3	3		41
36	Watertown		130				1	1		4	1		3			1		17
	TENNESSEE																	
37	Bristol		129				1		2	1			10		1	3		10
38	Chattanooga	White	978	4			2	5	13	37	3	3	47	6	4	2	2	82
		Colored	589	2				2		34		2	41	2	15	17	3	17
39	Jackson	White	153	2					1	4			5		1			9
		Colored	153	4				1	1	5			19		1	2	1	11
40	Johnson City		246				1	2	2	8	1	1	18	1		2		10
41	Kingsport		115	2					1	2			10		1	1		11
42	Knoxville	White	1,032	7		2	6	4	7	34	1	4	33	6	7	9		89
		Colored	271	1				2	2	12			11	1	4	3		12
43	Memphis	White	2,155	10		2	4	4	11	30	7	2	63	2	15	30	39	180
		Colored	2,201	11		4		7	2	51	4	3	182	11	37	107	33	102
44	Nashville	White	1,553	12			4	6	11	46	3	3	36	5	8	17	2	145
		Colored	835	2					1	17	1		48	3	12	32		42
	TEXAS																	
45	Abilene		290	1		7	1	1	4	16			18		1	2		25
46	Amarillo		408	3			3	4	1	8	2	2	22		2	4		27
47	Austin	White	618	2		6		4	10	18	1	1	31	2	1	5		53
		Colored	354	6		6		6	2	11	1		52	2	3	12		19
48	Beaumont	White	322	1			1	1		6		1	8			6	3	29
		Colored	233					4		12	1		11	1	1	10		12
49	Big Springs	White	114			1			6	5			3					12
		Colored	31			3				3			5					1
50	Brownsville	White	384	9		21		1	4	9		1	33		2	2	22	15
		Colored	48			1				3			7			1	4	
51	Brownwood		203			3		2	1	14		1	9	1				20
52	Cleburne		114	2				1	3	9			5					16
53	Corpus Christi	White	371	1		7		4	3	27			32	1	1	5	1	17
		Colored	104	1		3			1	10			11	1	1	3		3
54	Corsicana	White	153	1			1	5	1	5			6					14
		Colored	76	1		1		1	2	6			5	1	3			2

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
-------	6	7	26	------	4	4	-------	4	5	------	8	1	3	5	2	3	5	------	16	3	30	1
-------	3	10	46	------	9	-------	-------	-------	1	1	14	-------	-------	-------	1	-------	-------	-------	2	-------	8	2
2	6	17	79	2	26	-------	-------	5	7	5	33	1	1	18	9	-------	11	-------	15	-------	59	3
1	2	5	26	1	8	-------	-------	-------	-------	-------	8	-------	-------	-------	1	-------	-------	-------	1	1	9	4
-------	1	4	39	------	13	-------	1	-------	1	------	16	-------	-------	7	-------	-------	1	-------	7	-------	-------	5
-------	3	4	13	------	11	1	1	5	2	------	8	-------	-------	12	4	-------	-------	-------	14	1	10	6
2	3	23	91	2	28	5	-------	4	6	2	46	-------	5	8	13	3	21	1	11	-------	32	7
-------	5	11	61	1	14	1	-------	5	1	6	22	2	-------	17	1	-------	4	-------	5	-------	31	8
-------	30	42	267	3	39	2	2	------	5	7	74	-------	2	11	7	1	1	-------	23	-------	131	9
-------	8	37	101	2	21	-------	-------	-------	3	4	27	-------	2	10	5	1	2	-------	12	-------	45	10
6	18	56	174	2	52	-------	4	15	11	7	80	3	6	56	9	3	13	-------	25	-------	77	11
3	106	232	708	8	237	15	6	65	32	21	330	13	18	196	29	7	48	-------	120	6	368	12
1	8	22	65	1	12	-------	-------	-------	-------	2	28	-------	-------	6	2	-------	1	-------	2	2	19	13
1	19	43	106	2	44	2	1	9	7	8	67	2	5	32	6	-------	9	-------	18	-------	60	14
-------	4	8	44	------	6	1	1	------	1	1	1	-------	-------	2	-------	-------	-------	-------	4	-------	7	15
2	4	9	38	------	5	1	1	------	3	------	10	-------	-------	2	3	-------	-------	-------	3	1	3	16
-------	7	28	76	------	19	2	1	------	1	4	20	1	-------	14	1	-------	4	-------	4	2	16	17
-------	4	10	25	------	2	1	-------	------	-------	------	3	-------	-------	4	1	-------	-------	-------	2	-------	4	18
1	1	11	22	------	5	-------	1	------	1	------	9	-------	-------	2	-------	1	-------	-------	2	1	2	19
1	4	9	30	------	5	1	-------	2	3	------	9	1	-------	12	-------	-------	3	-------	6	-------	21	20
1	5	17	23	------	8	2	1	------	-------	2	18	------	1	10	------	-------	1	-------	1	-------	13	21
-------	9	10	28	------	11	2	1	5	6	1	22	2	2	13	1	2	7	1	7	3	30	22
1	2	9	15	------	13	3	1	3	------	------	9	-------	-------	3	1	6	5	-------	6	1	22	
1	8	24	105	1	30	3	1	6	3	5	37	2	3	28	7	5	8	-------	13	1	53	
-------	7	61	167	1	58	22	8	3	3	1	62	2	12	78	------	16	6	-------	27	3	109	23
-------	13	46	97	------	39	5	2	4	11	3	62	3	6	24	12	9	23	-------	26	1	132	
-------	1	55	60	------	44	8	4	6	3	------	40	2	3	18	1	14	8	-------	18	3	83	24
1	5	12	27	1	8	3	1	7	2	------	12	3	2	7	1	3	12	2	15	1	24	
1	1	15	23	------	13	8	1	2	5	------	10	1	5	8	1	10	6	1	8	-------	31	25
-------	7	18	41	------	13	9	-------	8	4	1	18	3	-------	14	9	9	12	-------	13	2	38	
-------	1	22	34	------	18	6	2	2	2	3	17	1	3	14	------	12	4	-------	6	3	28	26
-------	-------	5	12	------	1	-------	1	5	------	------	8	-------	-------	6	3	1	3	-------	7	-------	6	
-------	1	10	10	------	11	-------	-------	2	3	------	7	1	3	4	------	2	-------	-------	3	1	16	27
-------	2	3	19	------	4	-------	1	2	------	1	17	1	1	3	1	------	3	-------	1	-------	14	
-------	1	12	10	------	3	2	2	------	2	------	10	1	2	3	------	3	-------	2	1	-------	6	28
1	3	36	47	1	26	5	-------	7	4	------	13	2	7	17	3	3	13	-------	18	1	46	
2	1	11	42	------	13	9	-------	1	2	------	17	1	1	9	2	11	4	-------	8	5	39	29
-------	1	4	16	------	2	-------	-------	------	1	1	6	3	2	4	3	------	5	-------	4	-------	7	
1	3	11	10	------	11	2	1	2	2	------	17	1	4	4	------	2	3	-------	5	5	17	30
1	2	18	40	------	10	3	-------	8	8	3	16	------	4	10	2	-------	2	1	8	1	34	31
-------	6	9	23	------	6	1	-------	2	3	------	5	2	-------	7	1	------	3	1	3	3	23	32
1	5	9	30	2	11	1	-------	15	3	1	5	2	2	12	3	1	5	-------	5	1	43	33
-------	-------	14	22	------	4	2	3	3	4	------	8	-------	3	6	3	------	6	-------	19	1	34	34
1	8	24	80	------	23	3	1	10	5	2	13	1	3	21	2	------	10	1	15	-------	74	35
1	5	10	25	------	8	-------	-------	6	3	------	4	-------	-------	9	1	1	4	------	9	-------	16	36
-------	1	6	19	2	9	4	-------	2	1	1	14	-------	2	2	1	------	2	-------	6	6	23	37
5	13	59	123	------	81	22	8	18	10	9	70	4	9	53	14	12	36	1	51	46	124	
1	6	43	56	2	75	12	7	6	6	2	36	2	4	23	2	26	6	-------	18	50	71	38
-------	4	14	16	------	12	7	2	3	2	2	11	-------	2	4	2	1	8	-------	8	8	25	
1	-------	5	18	2	5	3	2	------	------	1	23	2	2	1	------	5	2	-------	4	14	18	39
2	1	11	49	2	16	4	4	4	1	------	13	2	1	20	2	9	6	2	10	8	33	40
1	2	5	9	1	5	1	1	5	1	------	5	-------	2	11	3	2	5	-------	9	5	14	41
3	11	58	158	2	58	24	1	37	16	7	56	4	13	52	27	18	32	-------	50	23	168	
1	3	9	32	------	25	5	6	3	4	3	29	2	2	18	1	13	4	-------	15	8	40	42
2	34	134	321	7	126	26	5	59	38	17	127	13	15	138	43	31	72	4	111	45	388	
6	31	143	244	5	202	12	13	37	33	15	102	10	7	110	1	112	44	1	83	56	380	43
4	27	82	261	4	105	32	8	44	19	15	64	8	10	100	29	20	45	1	73	27	277	
4	7	63	113	3	59	16	4	13	9	8	80	4	7	36	1	45	10	-------	36	29	130	44
1	2	7	33	1	25	16	2	16	4	2	10	-------	3	6	2	5	14	-------	16	4	45	45
-------	7	25	61	------	17	4	1	15	6	2	30	6	4	29	10	4	14	1	21	3	70	46
1	7	46	127	4	29	7	6	12	10	6	34	3	3	22	5	7	7	-------	33	7	108	
-------	4	8	27	------	32	16	3	1	1	------	26	2	-------	20	1	6	4	-------	10	10	63	47
-------	5	12	55	1	21	-------	2	8	7	3	28	3	4	19	9	3	12	-------	19	1	54	
-------	3	7	35	------	21	4	4	3	5	------	18	2	2	11	1	5	5	-------	12	3	40	48
1	3	2	12	------	9	2	-------	3	1	1	6	1	2	8	3	3	3	-------	8	1	18	
-------	-------	-------	1	------	5	3	-------	1	------	------	1	-------	1	3	------	------	-------	-------	-------	2	2	49
1	5	8	35	3	43	50	15	1	1	1	10	2	4	11	1	2	3	-------	11	5	53	
-------	-------	1	1	------	6	5	3	------	------	1	------	2	-------	------	------	2	-------	-------	1	-------	10	50
-------	3	6	30	------	18	2	-------	8	8	3	12	1	1	9	1	------	2	-------	12	-------	36	51
-------	4	10	16	------	11	-------	1	2	------	------	3	-------	1	5	------	3	-------	-------	4	-------	18	52
1	8	19	34	3	32	32	2	11	4	------	18	2	1	18	4	5	12	-------	18	2	46	
-------	-------	-------	8	------	13	7	-------	1	2	------	11	-------	-------	6	------	------	-------	-------	2	3	17	53
-------	4	8	16	------	7	2	-------	2	3	2	14	-------	2	7	4	------	6	1	9	2	31	
-------	-------	3	5	------	1	3	-------	2	3	------	2	-------	2	1	------	1	2	-------	8	6	15	54

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	TEXAS—Continued																	
1	Dallas	White	2,274	11		17	1	4	26	63	3	4	71	3	6	24	3	206
		Colored	899	5		13		3	8	27		2	59	3	8	44	5	37
2	Del Rio	White	186			2	1	1	1	6	1		25		1			7
		Colored	10															
3	Denison	White	178			1			1	5			6					18
		Colored	51	1					1	3		1	4	1		2		3
4	El Paso	White	518		4		3	1	3	13			101	2		5		40
		Colored	929	3	4	7	1	26	7	55		1	111	9	7	18		50
5	Fort Worth	White	1,367	8		17	3	6	15	37	2	2	48	2	3	8		125
		Colored	437	5		4			1	14		1	28	3	2	13		18
6	Galveston	White	519	6						4	1	1	31		2	10	1	63
		Colored	244	1									15	1	3	9		22
7	Greenville	White	127	1		1			1	6			4				1	6
		Colored	43	1		3				2			5	1				3
8	Harlingen	White	85			4			1	4				1	2		1	4
		Colored	80			4			1	5			9	1		1	2	1
9	Houston	White	2,248	9		10	2	9	12	36	3	2	91	4	9	27	7	202
		Colored	1,284	5		4	2	4	5	34		1	116	3	11	49	12	53
10	Laredo	White	577	4		1		3	3	32			70		9	5	5	25
		Colored	26	1						2			5	1				
11	Lubbock		342	5			1	2	10	17		2	11		1	2		22
12	Marshall	White	130			1		1	1	1			4			1		13
		Colored	92	8		1			1	4			6			1		5
13	Palestine	White	87	1		2				1			2					6
		Colored	38							3			2				3	3
14	Pampa		114					1	1	4	1	1	2			1		11
15	Paris	White	249	2					5	8			7		3	2	1	17
		Colored	53	1						1			2					4
16	Port Arthur	White	206					2	3	5	1	4	5					16
		Colored	100							3			5			5		4
17	San Angelo	White	256	2		2	2		2	11	1		38	2	3			23
		Colored	77	5		1				4			15					3
18	San Antonio	White	3,177	12		25		15	15	108		1	304	7	28	29	2	208
		Colored	300	1					2	9	1		21		2	7		17
19	San Benito	White	56	1					1				5					5
		Colored	85	1		5		2	2	3			10			1	1	
20	Sherman	White	199				1	1	3	6	1		7			1		14
		Colored	55	1					1	2			1			3		2
21	Sweetwater	White	62	1		1	1	1	1	2			4					5
		Colored	17												1			
22	Temple	White	223	2		1		1	2	1			5					27
		Colored	47							2		1	2		1	2		1
23	Texarkana	White	125	1			1		1	1			2				2	13
		Colored	78							5			8				2	1
24	Tyler	White	172	1					6	10		1	1			3	4	5
		Colored	74					1	1	8							1	3
25	Waco	White	519	2		2		4	8	19		1	20		1	1		50
		Colored	246	1		3		3	3	8	1		24	1	1	1		18
26	Wichita Falls	White	352	1		3	2	2	3	7	2	2	9		1	7		18
		Colored	57	1		2				2			7		1	6		1
	UTAH																	
27	Ogden		395							11	1		6		1	1		35
28	Provo		203				1			4			1			1		10
29	Salt Lake City		1,528				4	2		21	3	3	39	3	9	6		167
	VERMONT																	
30	Barre		148				1			2			31	3		1		13
31	Burlington		417	1			1			6	2		3			3		46
32	Rutland		286				1			5			4	1				39
	VIRGINIA																	
33	Alexandria	White	211					1	1	7			8	1		2		9
		Colored	85					1		2			4		2	3		8
34	Charlottesville	White	128					1		1			2			2		9
		Colored	56										8					2
35	Danville	White	241	2					3	10		1	11		1			20
		Colored	176						1	3			9		2	3		6
36	Hopewell	White	39							2			2				1	
		Colored	21							1			3			1		1
37	Lynchburg	White	358	1				1	3	12	2	2	6		1	2		28
		Colored	236							7	1		15	1	3	7		13
38	Newport News	White	221	4						8	1	1	9		1	2		23
		Colored	246	4				2		8			19			9		12
39	Norfolk	White	837	3					1	3	2	1	25	1	2	5	1	90
		Colored	845	4		1	1	3	2	9		1	67	4	7	16		28
40	Petersburg	White	227						2	5		1	12	2	2	1		25
		Colored	281	1				1		9			34		1	5		7
41	Portsmouth	White	268					1	1	6			12		1			22
		Colored	366	1				6	1	20			37	1	1	10	1	14
42	Richmond	White	1,538	1			2	3	6	25	1	1	42	1	8	12		186
		Colored	1,006	2			1	3	1	16		1	75	2	12	36		49
43	Roanoke	White	588	4		5	1		6	25	1		14	2	1	5		58
		Colored	217							11	3		15	1	1	5		8

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
5	30	152	425	4	133	61	11	44	17	14	107	11	11	150	64	23	65	1	119	1	384	1
	11	92	85	1	103	26	8	13	11	4	45	9	7	54	2	42	18		29	1	124	
	1	6	16	1	20	19	4	1	3		9	1		12		2	6		4	10	26	2
					2	1		1						2					2	1	1	
1	6	13	32	1	6	2	1	1	1	1	33			10	1	4	2		6		26	3
	1	3	10		2				1	3	4		1	2		1			2		5	
	7	21	80	2	26	7	4	7	7	4	29	5	1	27	7	5	16		19	1	71	4
1	6	18	57	7	93	115	17	9	7	7	33	3	9	82	4	14	13		18	1	116	
1	18	106	237	2	88	14	8	28	16	7	88	9	6	67	30	18	40		55	15	238	5
	3	35	43		64	9	3	9	7		22		3	20	1	20	5	5	16	11	72	
	13	27	120	1	40	2		3	9	5	33		1	20	14	5	10	2	30		65	6
2	2	11	60		15			3	3	1	19		1	11	1	7	5		10	1	41	
	1	6	27		10	3		8	3		8		1	6	3	2	9		2	1	17	7
		2	5		3	3					4			2		1			3	1	4	
	1	3	5		2	5	1	2	1		5	2	1	5	3	4	4		11	1	12	8
1		1	3		6	11	2	1			3		1	6			2		6	3	10	
6	36	147	429	4	116	12	14	45	38	22	200	11	8	102	57	27	86	3	97	26	339	9
2	16	64	183	4	136	19	4	11	22	9	90	7	13	54	3	67	17		40	42	182	
1	6	19	56	7	37	56	16	3	4	5	31	2	8	34	2	7	11		19	4	92	10
		1	4	1	2	2	1				1			1					2		2	
1	3	13	32		25	11	7	18	6	2	15	5	2	31	3	2	11		17	1	64	11
	1	15	22		3			6	4		6	1	3	8	5	1	9		6	2	16	12
1	2	4	9		3	1		2	2		9	2		6		6	2			5	12	
	1	7	10		2			2	2		5		1	6	1	3	3	1	9	1	21	13
		1	13		2					1	3		1	2					1		3	
	2	10	10		6	2	1	9	3		2	4	1	10	6	2	2		5		17	14
	5	16	43	2	7	4	1	19	6	1	20	7	1	9	1	4	1		11	1	45	15
	1	2	9	2	5						9		1	3		2			1	4	6	
	1	13	34		11		1	6		1	18	4	3	20	2	7	10		12	1	26	16
	1	8	12		11	1	3	2	1		11	1		7		3	2		7		13	
	1	11	27		13	3	2	10	6	2	22	2	3	10	11		4	3	7		33	17
		2	5		2	6	3				1			6	1		1		1	1	20	
5	41	137	413	20	235	235	63	34	49	25	106	23	23	184	41	47	62	1	100	118	461	18
	4	14	48	2	20	4	6	5	3	3	23		1	9	1	14	6		17	13	47	
	1	4	9	1	2	2	1				4			3			1		5	2	9	19
	1		2		8	19	1				2	1	2	8					1	3	12	
1	5	16	39	1	7		2	10	2	1	7	1	2	8	4		5		16	3	35	20
		7	7		3		2		1		4	1	1	3			1			2	13	
	1	2	6		3			1	3		2			4		2	7		5	2	8	21
			2		2					1				5	1	1			1		3	
1	4	9	37		9		1	9	6	2	9		3	7	2	5	8		8		64	22
1		2	6		8	1		2	1		2		2		1	2			1		9	
	3	9	19		6	1	1	4	2		10		2	1	5	5	2		8	2	24	23
	1	8	9		6	1			2	1	7	1	1	5		2	1		6	2	9	
	1	5	28	2	5		1	6	3	2	11	4	3	11	3	1	14		14	2	25	24
1	1	6	14		8			1	3		5			1		3			4	2	11	
1	11	29	79	2	24	9	2	18	8	2	27	4	1	17	9	14	24		29	6	95	25
	2	13	36		18	5	2	4	5	1	25	2	1	7		4	6		8	5	38	
1		20	58		24	5	4	16	3	3	21	2	2	13	6	1	5		31	5	75	26
		3	4		6	4		1			2			4		1			3		9	
	8	24	88		33	3	1	22	6	1	15	1	2	33	8	2	10		22	10	51	27
	2	9	25		11		2	7	3	2	13	1	5	22	3		9		10		62	28
9	27	63	332	4	96	5	6	60	21	11	115	10	13	105	24	7	46	1	77	17	222	29
	5	4	20		4			3	5	1	9	1	1	11	3		1		9		20	30
	16	21	110	2	31	3		15	12	2	24	2	4	21	8		8		17	1	58	31
1	2	19	85		12			5	4	3	21	2	2	13	2		6		16	2	41	32
	2	11	46	4	14	4	1	1	2	1	25	1	2	20	4	1	9		10		24	33
	1	7	21		7		1	1	1		10			4	2	1	2		3		4	
	3	20	28	1	9	1	1	1	1		6	1		11	1	1	2		4	3	19	34
	3	5	11		4		1				8			3	1	3	1			3	3	
	2	17	47		10	6		9	2		13	2	4	22	5	3	5	1	12	5	28	35
1	1	25	38	7	13	3	3	3	1		3	4		7		6	3		6	4	24	
	1	3	2		4			2			5		1	2	4	2	2		2		4	36
		1	3		3			1			2		1						1		3	
1	7	30	67		6	2	2	5	2	2	33	5	5	18	17	7	10		20	2	59	37
1	6	17	30		16		1	1	3	4	34	2	4	11		11	2		11	3	32	
1	6	11	47		7			6	1		25	1		17	10	2	2		10		26	38
2	3	15	45	2	29	5	5	1	5		25	2	1	8		6	1		7	1	29	
3	17	77	211	1	22	5	6	14	12	11	62	4	4	42	28	8	28	1	41	1	105	39
5	9	116	181	3	80	8	4	13	12	4	41	3	5	38	2	38	13		34	1	92	
3	2	15	39		7	4	2	2	3		40		1	5	7	1	11	1	11		23	40
2	3	21	42	1	30	7	7	3	1	7	34	1	1	20		7	8		10		18	
1	8	31	53	2	12			1	4	2	34	2	1	17	6	4	4		5	1	37	41
1	6	39	48		40	2	1	3	4	2	36	3	2	14	1	6	6		15	6	39	
4	32	114	295	6	82	6	5	23	19	12	145	12	6	74	39	5	46	1	62	11	251	42
4	18	86	173		81	9	7	11	12	4	91	6	7	54	7	19	25		39	14	141	
2	10	41	108	1	25	12	6	11	7	1	30	6	2	37	15	5	13	1	29	5	99	43
	6	9	30	2	8	4	3	5	4	2	27	2	3	14		6	3		6	6	33	

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM SELECTED CAUSES, BY COLOR, FOR STATES, BY GROUPS OF 1933—

[See note at head

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	VIRGINIA—Continued																
1	Staunton—White	304							3	1		12	2		6		19
	Colored	40	1				1		1			1			2		
2	Suffolk—White	89						1	5			2	1	1			7
	Colored	100	1		2				4			9			1		3
3	Winchester	204	2		2	1		4	4		2	4		1	3		22
	WASHINGTON																
4	Aberdeen	264						2	6	1		11	2	3	8		33
5	Bellingham	314	1					1	7			7					41
6	Bremerton	117							4			4		1	3		9
7	Everett	351						2	10			9	2	1	3		45
8	Hoquiam	58						2	1			1					5
9	Longview	99				1			2			1		1	1		10
10	Olympia	156						2	4			6			1		15
11	Port Angeles	114				1	1		1				1	1	2		15
12	Seattle—White	3,996	2			2	2		52	5	6	182	8	15	42		566
	Colored	174	1						3	1	1	32	2	5	5		18
13	Spokane	1,386	1		3				34		1	20	2	4	5		179
14	Tacoma	1,418	2		1	3		1	26	3	2	31	1	8	18		168
15	Vancouver	227	4				1		11		1	4	1	5	3		26
16	Walla Walla	235				2			3			5		2	1		21
17	Wenatchee	139							4		1	5			2		16
18	Yakima	354			2	1		1	11	1		8		1	1		42
	WEST VIRGINIA																
19	Bluefield—White	201	4		3		2	2	6		1	2	1		1		12
	Colored	59						2	2		1	1	1				4
20	Charleston—White	750	9		1	2	1	10	14		2	24	3	3	6		52
	Colored	142	1				1	2	2			13		5	6		6
21	Clarksburg	330	5					2	13			6	1	1	1		30
22	Fairmont	312	3				2	1	9	1		9	1	1	3		28
23	Huntington	960	7		3	4	2	11	35	1	2	60	1	5	12		84
24	Martinsburg	197	2				3	1	5			5		1	3		10
25	Morgantown	214	1				1		2			3		1	4		22
26	Moundsville	154	1		1				7	2	2	20	1	1	2		18
27	Parkersburg	397	1				1	1	12			8	4	1	1		47
28	Wheeling	871	2		2		4	1	9		1	23	3	3	4		96
	WISCONSIN																
29	Appleton	315			2			1	7	2		6			2		37
30	Ashland	184							2			1		3			22
31	Beloit	247				1		1	2			5			1		32
32	Cudahy	30										2					2
33	Eau Claire	328							2			18	1				54
34	Fond du Lac	410					2		12	1		6	1	2	2		41
35	Green Bay	559			1	1	1	2	24		1	9	2	4	3		77
36	Janesville	250						1	3			5	1		1		35
37	Kenosha	334	1			1			2			2		4			41
38	La Crosse	576	1			2			10	2		10	1	1	4		88
39	Madison	937			1	1	2		5	2		21	1	7	8		190
40	Manitowoc	224							3		1	4	1	2	1		30
41	Marinette	163				1			11		1	6	1				18
42	Milwaukee	4,909	2			6	12	5	83	4	7	205	10	16	19		628
43	Oshkosh	456						3	3			11	1	2	2		50
44	Racine	561	1			3	4		16	2		11	1	1	3		69
45	Sheboygan	397				1			11			10					41
46	Shorewood	78															11
47	South Milwaukee	62										1					6
48	Stevens Point	172								1							21
49	Superior	375					2		3			9	2		4		36
50	Two Rivers	81															10
51	Watertown	175							1			5		1			21
52	Waukesha	186					2		3		1	4			1		25
53	Wausau	330				1			6	1		10			2		32
54	Wauwatosa	143					1		4			1	1		1		26
55	West Allis	140				1			1			7		1			20
	WYOMING																
56	Casper	155					1		2			3		1	3		15
57	Cheyenne	193	1			1			4			5	1	2			27

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES OF 10,000 POPULATION OR MORE IN 1930: Continued

of this table]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown and ill-defined diseases 199, 200	All other causes	
1	8	22	75	------	56	2	2	3	1	------	24	1	1	10	3	3	3	------	13	------	33	1
------	1	7	10	------	3	1	------	1	------	------	5	1	------	1	------	------	2	------	1	------	1	
------	2	4	17	------	1	------	------	2	4	1	10	------	2	4	2	------	9	1	3	------	10	2
------	------	7	17	1	7	1	------	3	2	1	3	1	2	5	------	6	4	------	6	3	11	
------	3	10	28	1	12	4	------	4	3	------	23	2	1	15	2	------	16	------	12	2	21	3
------	3	19	49	2	8	2	1	10	5	1	24	1	4	11	3	4	12	------	11	------	28	4
1	9	37	79	2	7	1	------	6	6	2	17	2	------	14	5	2	5	------	14	------	48	5
------	2	7	19	------	4	------	------	2	6	------	6	2	2	2	7	1	4	------	11	1	20	6
1	9	29	64	------	14	1	1	8	2	1	45	------	1	16	4	3	20	1	18	------	41	7
------	1	6	23	1	3	------	------	------	------	------	5	------	------	------	2	------	------	------	3	------	5	8
------	3	4	16	------	5	------	------	3	1	------	9	1	2	3	1	------	3	------	15	5	12	9
4	6	17	32	1	9	------	1	1	1	1	11	1	1	6	2	------	6	------	8	1	19	10
------	5	8	24	------	4	1	------	8	------	------	7	------	1	7	3	------	1	------	9	1	13	11
7	89	300	908	5	215	1	8	50	48	35	233	11	22	128	107	20	102	1	196	3	625	12
------	1	7	24	------	11	------	------	1	------	------	6	------	------	12	6	4	3	------	6	------	25	
4	31	92	281	6	98	3	2	41	17	4	116	5	10	47	27	6	38	1	67	------	241	13
3	36	91	350	1	60	------	3	25	13	5	144	8	7	46	35	4	42	------	81	1	199	14
1	9	22	35	1	16	------	------	2	------	2	19	------	1	12	4	------	8	1	8	------	30	15
1	11	25	40	1	8	------	------	8	7	2	28	1	3	11	6	1	4	------	11	------	33	16
------	------	9	25	------	7	------	1	9	4	1	7	------	------	4	2	1	4	------	11	------	26	17
2	9	17	63	1	22	5	2	13	7	3	29	3	1	22	1	2	13	2	15	------	54	18
------	2	10	22	------	10	2	3	8	5	------	10	2	5	14	5	1	5	------	18	------	45	19
------	1	1	6	------	5	1	------	1	2	------	5	------	1	------	------	7	3	------	3	1	11	
------	10	32	101	------	40	50	10	20	10	3	47	5	6	62	14	11	26	1	56	1	118	20
------	------	4	18	------	11	3	2	1	6	------	18	3	------	9	1	8	2	------	3	------	17	
1	3	14	52	------	26	9	1	3	5	1	31	4	5	27	3	2	15	------	23	2	44	21
------	7	30	48	1	22	2	1	9	3	1	22	5	1	12	3	3	6	------	20	------	58	22
3	12	68	142	------	66	27	13	14	7	4	58	6	7	63	9	12	28	------	45	------	149	23
------	3	11	34	3	13	6	1	2	3	2	14	4	1	16	2	1	11	------	7	------	33	24
2	8	21	38	------	12	2	------	1	3	------	20	2	4	15	3	2	6	------	15	1	25	25
------	1	13	21	------	6	1	------	2	3	1	10	------	------	8	4	------	2	------	11	------	16	26
2	5	37	51	1	27	9	4	11	4	2	33	1	4	18	7	3	7	------	26	2	67	27
------	18	57	170	------	59	3	------	19	9	8	93	8	7	43	16	6	20	------	65	------	122	28
2	10	15	58	------	7	4	2	8	5	2	21	------	4	19	5	------	11	------	16	2	67	29
1	7	7	30	------	13	2	------	5	7	3	18	4	2	12	4	------	3	------	8	2	28	30
------	7	17	67	2	12	1	------	8	4	1	17	1	4	9	6	------	10	------	8	------	31	31
------	------	4	7	1	3	------	------	------	------	1	3	------	------	4	1	------	1	------	1	------	------	32
1	13	14	59	1	15	5	1	3	6	2	25	4	2	24	2	------	4	------	12	1	59	33
1	9	33	86	1	15	3	------	10	8	4	29	2	2	20	11	1	8	------	16	1	83	34
2	12	42	98	1	16	5	------	24	7	1	24	2	4	37	5	2	11	------	28	------	113	35
------	3	12	52	1	17	1	------	4	7	2	17	2	1	11	3	------	9	1	19	------	42	36
1	14	31	75	1	10	1	1	5	4	4	35	2	1	28	9	1	9	------	9	------	42	37
------	10	36	114	1	33	------	2	15	6	5	28	3	4	50	5	------	16	1	31	4	93	38
4	21	45	167	1	34	1	3	18	18	8	39	5	1	38	14	------	16	3	44	------	219	39
------	3	12	42	2	9	2	1	8	7	4	22	1	------	9	2	------	6	------	8	1	43	40
------	5	16	30	------	6	------	------	4	2	1	12	1	1	8	1	------	2	------	13	------	23	41
13	151	361	1,205	18	262	38	13	83	48	51	359	14	25	262	109	12	89	8	166	1	624	42
1	11	37	127	1	19	5	1	9	4	7	24	------	1	18	5	------	10	------	18	------	86	43
2	18	51	117	3	30	4	------	8	5	9	50	------	6	26	8	3	9	------	32	------	69	44
------	17	45	98	------	18	2	1	8	5	7	10	1	3	23	8	1	7	1	17	------	62	45
1	3	11	25	------	4	------	------	------	2	------	9	------	------	1	1	------	------	------	3	------	7	46
1	4	8	13	------	3	------	------	1	------	------	8	------	1	5	1	------	1	------	1	------	8	47
------	4	7	38	1	12	1	------	7	2	4	10	------	1	15	------	------	9	1	13	1	24	48
1	4	26	95	------	14	------	------	6	4	4	27	2	5	29	4	------	8	1	24	3	62	49
------	3	8	19	------	1	------	------	1	1	3	4	1	------	6	1	------	------	------	3	1	19	50
------	4	10	45	------	8	2	1	7	2	------	12	1	1	14	3	------	1	------	10	------	26	51
------	7	17	33	------	12	------	------	1	1	------	8	1	2	10	7	1	8	2	14	------	26	52
1	7	27	66	3	18	------	3	6	2	4	19	2	1	23	6	1	5	------	20	1	63	53
------	3	18	46	1	8	------	2	------	1	1	8	------	------	1	2	------	1	------	4	------	13	54
------	8	13	44	------	7	1	------	------	2	2	4	1	------	11	4	------	------	------	------	------	13	55
1	------	5	31	1	7	1	------	9	2	------	11	------	------	7	10	2	7	------	10	1	25	56
1	6	10	39	------	7	1	2	8	3	------	11	1	1	12	3	3	8	------	10	------	26	57

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes)		1,342,106	120,887	19,220	9,464	6,912	5,419	161,902	19,829	16,653	26,611	36,611
	Both sexes	White	1,149,545	94,749	14,648	7,557	5,608	4,508	127,070	16,506	13,310	19,551	26,233
		Negro	172,114	21,027	3,259	1,434	990	731	27,441	2,736	2,838	6,194	9,315
		Other races	20,447	5,111	1,313	473	314	180	7,391	587	505	866	1,063
	Males	White	634,836	53,947	7,931	4,136	3,081	2,436	71,531	9,215	7,760	11,110	13,913
		Negro	90,807	11,599	1,722	764	517	391	14,993	1,401	1,476	2,856	4,542
		Other races	11,669	2,785	660	232	156	101	3,934	316	252	417	565
	Females	White	514,709	40,802	6,717	3,421	2,527	2,072	55,539	7,291	5,550	8,441	12,320
		Negro	81,307	9,428	1,537	670	473	340	12,448	1,335	1,362	3,338	4,773
		Other races	8,778	2,326	653	241	158	79	3,457	271	253	449	498
	I.—Infectious and parasitic diseases:												
	Males	White	63,009	4,646	2,232	1,315	1,031	743	9,967	2,467	1,311	1,955	2,962
		Negro	18,732	1,545	535	271	210	153	2,714	475	467	1,094	1,755
		Other races	3,338	444	230	99	66	50	889	146	118	228	303
	Females	White	50,901	4,016	2,122	1,159	895	689	8,881	2,196	1,248	2,392	4,050
		Negro	17,082	1,398	506	269	189	129	2,491	528	628	1,628	2,304
		Other races	2,759	408	238	94	67	44	851	128	144	296	310
1	Typhoid fever:												
	Males	White	1,854	6	17	12	16	24	75	99	133	240	287
		Negro	624	2	3	6	8	9	28	58	68	118	121
		Other races	81	2	1		3		6	12	9	13	13
	Females	White	1,199	8	12	22	12	13	67	85	133	176	160
		Negro	568	8	6	4	6	5	29	65	82	95	96
		Other races	63	4	1	3		1	9	6	18	16	6
2	Paratyphoid fever:												
	Males	White	41	2	1	1	1	1	6	2		4	2
		Negro	6							1			
		Other races	2										1
	Females	White	30	3	1		2		6		1	1	3
		Negro	3									1	
		Other races	2								1	1	
3	Typhus fever:												
	Males	White	41		1	1	1		3	3		2	
		Negro	10										1
		Other races	2	1					1				
	Females	White	22							2			
		Negro	5							2			1
		Other races	1										
5	Undulant fever:												
	Males	White	44			1			1	2	1	4	2
		Other races	1										1
	Females	White	24	1	1				2	1	1		1
		Negro	2										1
		Other races	1										
6	Smallpox:												
	Males	White	17	2		1			3		1	1	1
		Negro	3										1
		Other races	3	2					2				
	Females	White	13		2		1		3	2		2	
		Negro	1										
		Other races	2	1				1	2				
7	Measles:												
	Males	White	1,156	264	298	126	80	45	813	187	48	32	14
		Negro	118	35	29	16	6	5	91	10	6	5	3
		Other races	183	41	67	24	19	9	160	15	3	3	
	Females	White	1,055	169	249	118	67	50	653	189	46	33	18
		Negro	133	29	26	15	7	1	78	19	8	12	9
		Other races	168	38	59	27	10	5	139	18	6	1	1
8	Scarlet fever:												
	Males	White	1,175	47	77	125	130	104	483	362	110	68	31
		Negro	31	2	1	2	5	3	13	9	3	1	2
		Other races	7			1			1	4	2		
	Females	White	1,285	33	123	109	110	99	474	364	129	64	56
		Negro	42	2	2	4	5	2	15	7	5	3	5
		Other races	6		1				1	2	2		1
9	Whooping-cough:												
	Males	White	1,350	841	286	89	50	26	1,292	42	8		2
		Negro	510	295	126	46	10	8	485	18	3	2	
		Other races	119	69	33	6	3	3	114	5			
	Females	White	1,738	1,026	390	137	73	34	1,660	58	9	1	
		Negro	588	329	135	50	28	16	558	25	1		1
		Other races	158	88	34	17	10	2	151	4	3		
10	Diphtheria:												
	Males	White	2,270	171	358	350	312	212	1,403	594	120	36	29
		Negro	243	32	33	51	29	33	178	41	18	1	3
		Other races	52	6	11	4	12	8	41	7	1	2	1
	Females	White	2,092	117	296	262	264	220	1,159	575	120	37	28
		Negro	229	36	26	24	24	20	130	47	17	14	3
		Other races	51	6	17	4	7	6	40	4		1	1
11a	Influenza, respiratory complications specified:												
	Males	White	8,764	999	387	167	89	72	1,714	175	114	199	241
		Negro	1,684	239	63	24	29	7	362	36	31	80	100
		Other races	273	79	29	18	5	5	136	13	4	8	10
	Females	White	8,562	807	314	129	87	53	1,390	158	105	199	229
		Negro	1,557	176	66	29	18	15	304	40	35	86	102
		Other races	212	62	24	5	5	1	97	4	5	6	12
11b	Influenza, respiratory complications not specified:												
	Males	White	4,942	639	135	101	97	52	1,024	159	108	132	85
		Negro	983	164	39	16	11	7	237	27	29	47	41
		Other races	130	36	15	2	1	3	57	7	6	4	6
	Females	White	4,864	466	159	85	49	48	807	141	106	96	112
		Negro	1,097	201	31	22	8	9	271	26	33	33	47
		Other races	125	37	11	3	2	3	56	4	2	5	9
13	Dysentery:												
	Males	White	1,110	295	180	66	35	16	592	33	10	10	14
		Negro	310	88	51	13	10	3	165	4	6	3	6
		Other races	118	61	28	4	1		94	3	3	2	1
	Females	White	875	193	142	54	23	12	424	19	2	8	11
		Negro	272	63	52	10	5	5	135	5	5	6	3
		Other races	130	63	37	5	5	2	112	3		1	2

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
38,510	41,203	50,129	59,605	72,261	85,240	95,506	113,748	121,674	133,113	116,655	84,457	45,541	16,154	3,675	1,188	1,841	
27,749	30,226	37,866	46,844	58,470	70,310	83,249	101,919	111,769	125,205	111,011	79,980	42,897	14,681	3,062	479	1,158	
9,765	10,100	11,419	11,966	12,884	14,059	11,431	10,988	9,158	7,218	5,072	4,024	2,393	1,323	542	634	619	
996	877	844	795	907	871	826	841	752	690	572	453	251	150	71	75	64	
14,331	16,154	20,921	27,345	34,894	41,906	49,067	59,064	62,868	68,600	58,206	39,938	19,995	5,974	1,116	189	739	
4,793	5,144	6,081	6,373	6,857	7,556	6,304	6,056	4,929	3,890	2,709	2,095	1,256	649	230	246	371	
564	475	473	481	617	584	561	550	473	446	364	270	145	69	36	33	44	
13,418	14,072	16,945	19,499	23,576	28,404	34,182	42,855	48,901	56,605	52,805	40,042	22,902	8,707	1,946	290	419	
4,972	4,956	5,338	5,593	6,027	6,503	5,127	4,932	4,224	3,328	2,363	1,929	1,137	674	312	388	248	
432	402	371	314	290	287	265	291	279	244	208	183	106	81	35	42	20	
3,366	3,731	4,285	4,763	4,955	4,702	4,135	3,848	3,121	2,633	2,088	1,458	845	262	57	9	89	
1,703	1,709	1,786	1,571	1,409	1,215	845	732	467	339	169	115	64	25	14	8	56	
272	218	196	171	199	154	114	95	85	44	44	28	15	4	4	1	10	
4,117	3,454	3,200	2,655	2,356	2,284	2,163	2,261	2,108	2,280	2,128	1,698	950	336	77	13	54	
2,076	1,567	1,284	1,056	912	724	496	419	307	221	156	113	62	30	14	23	43	
241	191	126	102	72	63	51	53	35	21	29	18	11	8	2	3	4	
250	170	110	93	104	85	74	51	39	26	9	2	1				6	
58	48	27	24	23	15	7	10	4	5	3	4	1				2	
12	4	4	4	1		1	1	1									1
134	77	80	73	52	50	31	19	30	11	11	3	2				5	
72	28	20	22	22	13	5	6	3	4	2	3					1	
2	1			1		2	1		1								
3	5	5	3		4	1	2	1	1	1	1						
1	1	1		1		1											
		1															2
6	2	1	1	1	1	2	1	2	1	1							
		1			1												
2		3	1	2	3	7	5	5	4	1							
3	2	1		2				1									
			1														3
2	3	1		4	1			2	3	2	1	1					
		1					1										
			1														
6	1	5	1	3	2	5	3	4	3		1						
2	2	1	2	1	2	4	1	2		2							5
	1																
					1												
1	1		2	1	1	1	3				1						
				1						1							
	1																6
1		1			2		1				1						
	1																
14	5	4	5	6	5	7		3	6	2	4			1			
	2	1															
	1				1												7
10	16	13	17	11	11	8	8	5	5	7	2		2			1	
3	1				2		1										
1	1					1											
29	32	16	14	12	9	5	1	2	1								
	1	1						1									8
75	49	23	20	12	8	4	2	2	2	1							
3	1	2	1														
1			1				1	1		1						1	
1																1	
																	9
	2	2	1				1	1			1					2	
	2		1														
15	15	13	13	5	7		7	3	3	3	2					2	
						1	1										
																	10
30	16	27	20	19	23	18	9	3	1	2	1					4	
4	2	1	2	4	1	1	1	1	1								
2	1		1		1												
224	298	418	499	491	501	536	562	549	636	652	497	330	100	21	1	6	
70	123	110	115	123	149	82	107	62	48	30	29	10	5	4		8	
9	4	12	11	9	16	7	6	4	4	10	2	4	1	2		1	11a
259	329	419	403	363	404	444	503	538	721	790	724	403	138	33	5	5	
105	109	86	96	115	114	90	67	61	55	34	24	17	7	3	4	3	
6	9	7	13	8	4	5	11	4	4	5	5	4	3				
97	108	128	169	180	196	199	250	275	365	472	479	339	130	30	6	11	
26	50	36	51	48	61	74	63	44	45	32	33	16	11	8	3	1	
5	4		2	4	1	5	5	5	4	2	5	5	1	1	1		11b
129	130	141	140	149	167	202	221	285	396	524	536	374	164	35	7	2	
43	45	65	69	55	61	63	63	49	41	40	37	20	12	6	14	4	
3	2	1	2	3	4	4	3	4	3	7	6	2	1	1	2	1	
12	9	14	19	26	30	32	43	45	44	71	58	32	11	2	1	2	
6	6	8	7	10	11	9	14	14	16	11	4	4	3		2	1	
2			1	1	1	2	2	1		1		2	1			1	13
6	12	10	15	13	19	24	30	31	63	66	72	35	11	3		1	
6	3	8	12	13	14	6	17	11	8	5	5	3	2	1	3	1	
	1		1	1			2		2	2		1	1	1			

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued.												
14	Plague:												
	Males	White	1										
15	Erysipelas:												
	Males	White	1,041	261	27	13	4	3	308	11	12	18	19
		Negro	45	7				2	9	3		2	
		Other races	11	8	1				9				
	Females	White	872	265	24	6	4	4	303	11	8	7	19
		Negro	38	14	2		1		17	1	1		
		Other races	10	7					7				1
16	Acute poliomyelitis, acute polioencephalitis:												
	Males	White	431	33	33	20	27	18	131	88	69	55	40
		Negro	34	10	5	2	4		21	3	5	2	1
		Other races	10	2	1	2		1	6		1		1
	Females	White	290	25	27	15	15	16	98	67	37	31	19
		Negro	24	5	3	4	2	1	15	2	4	3	
		Other races	8		2		1	2	5	2			
17	Lethargic or epidemic encephalitis:												
	Males	White	660	4	11	5	7	5	32	20	23	31	31
		Negro	38		1	1	2	1	5	3			2
		Other races	7			1			1	1			1
	Females	White	597	12	14	8	4	7	45	18	23	20	27
		Negro	52	1	1	2	2	1	7	5	2	4	4
		Other races	3					1	1		1		
18	Epidemic cerebrospinal meningitis:												
	Males	White	783	134	49	34	21	19	257	76	74	92	49
		Negro	111	15	9	5	2	3	34	8	11	14	11
		Other races	31	1	1	3	2	4	11	1	7	4	4
	Females	White	488	90	41	22	21	12	186	62	49	43	31
		Negro	49	7	4	1		2	14	7	5	6	4
		Other races	20	2	1	4	1	1	9	2	2	1	1
20	Anthrax (bacillus anthracis) malignant pustule:												
	Males	White	8									1	1
		Negro	1								1		
	Females	White	1										
		Negro	1										
21	Rabies:												
	Males	White	46		1		2	2	5	17	7	1	1
		Negro	4		1		1		2				
	Females	White	12			3			3	5	1		
		Negro	3								1		
22	Tetanus:												
	Males	White	684	52	8	10	20	29	119	124	121	47	27
		Negro	187	41	2	1	4	4	52	28	17	14	14
		Other races	31	13	1	1		1	16	6	3	2	
	Females	White	257	40	7	8	13	8	76	50	26	5	14
		Negro	80	23		1	2	1	27	17	7	4	2
		Other races	14	10					10	2	1		
	Tuberculosis (all forms):												
	Males	White	29,903	271	234	130	80	74	789	286	217	864	1,927
		Negro	9,552	95	90	46	45	42	318	131	176	715	1,261
		Other races	1,995	54	30	30	19	15	148	69	72	187	256
	Females	White	22,705	250	205	119	92	66	732	227	334	1,527	3,066
		Negro	9,066	74	87	57	37	28	283	138	328	1,204	1,750
		Other races	1,621	42	45	23	25	19	154	71	96	258	266
23	Respiratory system:												
	Males	White	27,138	98	75	41	24	17	255	94	108	741	1,745
		Negro	8,561	51	50	19	22	18	160	70	115	634	1,156
		Other races	1,771	30	13	17	8	10	78	34	53	174	238
	Females	White	20,264	97	67	32	24	21	241	85	218	1,378	2,867
		Negro	8,244	33	41	23	15	14	126	79	283	1,119	1,653
		Other races	1,444	21	22	13	10	11	77	42	84	242	252
24	Meninges and central nervous system:												
	Males	White	874	131	128	57	39	41	396	113	60	46	48
		Negro	244	20	21	17	13	13	84	35	24	14	14
		Other races	83	15	7	5	7	3	37	17	6	6	3
	Females	White	742	111	103	68	49	28	359	102	55	35	43
		Negro	196	20	25	17	12	11	85	24	20	21	13
		Other races	73	13	15	5	8	5	46	15	7	5	
25	Intestines and peritoneum:												
	Males	White	521	7	5	8	3	4	27	28	21	20	35
		Negro	258	3	3	1			7	6	18	30	35
		Other races	52	2	2	1	2	1	8	6	4	6	8
	Females	White	656	8	8	6	7	6	35	10	20	42	70
		Negro	281	3	3	4	1	1	12	10	9	30	41
		Other races	47	3	3	1	1	3	11	4	2	5	6
26	Vertebral column:												
	Males	White	349	3	1	5	1	5	15	19	10	14	25
		Negro	109	1			1	2	4	4	4	9	18
		Other races	13							2	1		1
	Females	White	238		3	1	4	2	10	6	10	10	14
		Negro	43			1		1	2	5	4	5	2
		Other races	3				1		1	2			
27a	Bones (vertebral column excepted):												
	Males	White	83		1	1		2	4	1	2	7	6
		Negro	20					2	2			4	1
		Other races	4	1					1		1		
	Females	White	40	1	1				2	1	4	4	3
		Negro	15	1					1	2		2	2
		Other races	2			1			1	1			
27b	Joints:												
	Males	White	105				1	1	2	5	3	7	5
		Negro	27	1				1	2		1	4	3
		Other races	2							1	1		
	Females	White	73				1	2	3	2	3	7	3
		Negro	11								2		1
28	Skin and subcutaneous cellular tissue:												
	Males	White	9	1					1				1
		Negro	1										
		Other races	1										
	Females	White	23									2	1
		Negro	4								1		1

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
								1									14
18	23	36	44	53	58	66	73	75	94	65	38	21	8	1			
2	3	3	3	1	6	2	3	2	2	2	2						
	1						1										15
14	22	28	35	40	51	47	68	47	61	48	31	23	6	2	1		
1	1		1	3	1	4	2		3	3							
1					1												
16	8	8	6	2	2	3	2									1	
		2															
	1			1													16
14	8	6	3	2	1	1		3									
		1															
34	40	36	55	62	58	55	45	53	40	19	17	8	1				
1	3	3	2	4	1	5	4	2	2		1						
1					1	1										1	17
42	31	29	32	43	41	52	63	44	48	26	11	2					
3		5	3	2	8	2	1	3	1	2							
	1																
29	31	29	41	18	28	20	20	5	11	1	1					1	
3	9	3	4	4	2	1	4	2								1	
	2					1										1	18
23	11	19	8	18	9	9	11	5	3			1					
2	1	1	2	4	1	2											
	2		2		1												
1	1		1		1	1			1								
																	20
	1																
					1												
2	5	1	1			3	2			1							
1	1																21
		1			1		1										
				1	1												
16	26	29	24	28	21	27	23	28	12	8	4						
7	11	8	7	14	7	2		2	1		2	1					
		4															22
7	10	9	9	9	10	5	3	6	11	6	1						
1	6	3		5	2	2	1	2		1							
							1										
2,373	2,661	3,062	3,292	3,276	2,969	2,420	2,149	1,546	1,074	615	268	70	5	1		39	
1,256	1,191	1,164	967	749	582	372	306	173	101	42	19	6	1			22	
227	186	153	131	159	115	83	64	57	30	29	18	4	1	1		5	
3,102	2,480	2,117	1,602	1,360	1,239	1,056	1,147	951	828	552	263	83	10	2		27	
1,543	1,060	790	583	452	345	204	145	103	59	38	14	5	2	2		18	
213	159	107	70	53	44	35	31	27	8	14	6	3	2		1	3	
2,201	2,496	2,880	3,099	3,084	2,796	2,292	2,006	1,435	1,000	563	243	60	2	1		37	
1,160	1,092	1,070	913	703	539	333	276	164	94	35	18	6	1			22	
211	175	145	128	150	106	79	62	53	28	28	18	4	1	1		5	
2,910	2,330	1,984	1,463	1,240	1,137	953	1,027	848	743	505	232	69	9	1		24	23
1,442	992	734	543	418	319	182	130	97	54	35	13	3	2	2		18	
203	153	103	68	52	44	35	27	27	7	14	6	2	2		1	3	
33	32	33	32	29	19	9	9	4	4	4	2	1					
21	13	16	8	5	4	3	1	2									
3	6	3		2													24
28	19	21	18	15	9	10	16	4	3	3	1	1					
6	10	5	4	2	6												
43	35	34	48	44	35	35	36	26	25	16	9	2	1			1	
17	35	32	18	8	16	10	13	5	3	4	1						
4	1	2	2	4	2	1	2		1	1							
77	44	49	46	41	35	46	34	43	31	17	12	3				1	25
48	28	23	23	19	5	14	9	3	2	2	1	2					
5	6	2	2	1			2					1					
23	29	24	34	33	33	22	18	29	11	9		1					
18	12	10	5	7	5	7	4	1	1								
4		2				2		1									
20	21	20	11	15	16	18	21	13	13	8	6	3	1			2	26
6	3	3		5	2	1	3	1	1								
6	2	8	4	5	6	6	4	6	4	8	4						
4	1				2	2	1		1	2							
					2												
2	5	1	2	2	2	2	3	3	2			2					27a
4	1	1			1	1											
4	3	12	4	10	9	10	9	8	8	2		3	1				
2	1	4	2	1	3	3	1										27b
10	3	1	6	5	8	2	5	5	2	3	3	2					
		3	2		1	1				1							
				1	1		1	1	1		1		1				
1																	
		1															28
1	2	2		1	3	1	1	1	1	6	1						
1							1										

TABLE 6.—DEATHS *(Exclusive of Stillbirths)* FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued.												
	Tuberculosis (all forms)—Continued.												
29	Lymphatic system (bronchial, mesenteric, retroperitoneal glands excepted):												
	Males	White	51	4	1	2		1	8	6		1	2
		Negro	25	1		1	1		3	2	5		3
		Other races	7		1	1			2		1		
	Females	White	61	5	1	2		1	9	1	1	1	1
		Negro	26		1		2		3	1	1	3	3
		Other races	7	1	2	1			4	1			
30	Genitourinary system:												
	Males	White	310			1			1	1	2	12	21
		Negro	28									1	1
		Other races	4										
	Females	White	203					1	1	3	3	3	19
		Negro	16									1	2
		Other races	3								1		1
31	Other organs:												
	Males	White	40										1
		Negro	9	1				1	2		1		2
		Other races	1										1
	Females	White	42			1			1		1	2	1
		Negro	8										2
		Other races	1										
32a	Acute disseminated tuberculosis:												
	Males	White	366	26	21	15	12	3	77	17	9	12	32
		Negro	236	14	16	7	6	5	48	12	7	18	23
		Other races	51	6	6	5	2	1	20	9	5	1	5
	Females	White	302	28	21	8	7	5	69	17	17	37	38
		Negro	206	16	14	12	7	1	50	17	7	21	29
		Other races	34	3	3	2	5		13	6	1	3	7
32b, c	Other disseminated tuberculosis:												
	Males	White	57	1	2				3	2	2	4	6
		Negro	34	3		1	2		6	2	1	1	5
		Other races	6		1	1			2				
	Females	White	61		1	1			2		2	6	6
		Negro	16	1	3				4		1	2	1
		Other races	7	1					1		1	3	
33	Leprosy:												
	Males	White	18										1
		Negro	4										
		Other races	1										
	Females	White	3										
		Negro	1										
34	Syphilis:												
	Males	White	4,162	448	28	6	6	6	494	15	12	18	54
		Negro	3,069	420	29	8	4	2	463	11	14	34	130
		Other races	213	58	5	1		1	65	1		3	6
	Females	White	1,681	346	30	5	3	4	388	11	14	23	66
		Negro	1,814	329	24	12	5	3	373	14	16	62	137
		Other races	100	38	3				41	2	2	1	3
35	Gonococcus infection and other venereal diseases:												
	Males	White	109	7					7			3	3
		Negro	83	6					6	1	1	1	4
		Other races	3								1		
	Females	White	477	10	1	1			12	3	2	39	96
		Negro	310	4					4	2	6	33	55
		Other races	16	1					1			3	3
36	Purulent infection, septicemia (nonpuerperal):												
	Males	White	446	36	19	6	8	3	72	27	33	20	22
		Negro	61	5			1	1	7	2	5	2	3
		Other races	9	3		1			4				
	Females	White	335	37	8	7	3	5	60	17	21	17	28
		Negro	71	4	1				5		4	5	3
		Other races	9	2	1	1			4			1	1
38	Malaria:												
	Males	White	1,548	84	65	39	36	22	246	114	69	66	67
		Negro	936	61	44	32	33	21	191	79	68	49	46
		Other races	37	6	5	1	1		13	1	6		1
	Females	White	1,127	87	44	29	38	27	225	103	69	50	56
		Negro	1,000	61	30	27	34	19	171	103	68	53	78
		Other races	30	5		2	1		8	3	3	1	3
39	Other diseases due to protozoal parasites:												
	Males	White	31	2		1			3	1	1	2	1
		Negro	4										
		Other races	2										
	Females	White	20		1				1		2	4	1
		Negro	3	1					1			1	1
		Other races	1										
40	Ankylostomiasis:												
	Males	White	8					1	1	1	2	1	3
		Negro	3	1					1	1		1	
	Females	White	6				1	2	3	2	1		
		Negro	3		1				1	1			
41a	Hydatid cysts of liver:												
	Males	White	14	1					1				
		Negro	1										
	Females	White	10										
		Negro	1										
41b	Hydatid cysts of other organs:												
	Males	White	5										
	Females	White	5									1	
42	Other diseases caused by helminths:												
	Males	White	31		2	6	2	4	14	3	3	1	
		Negro	12	2	3	1	4	1	11	1			
		Other races	2		1				1				
	Females	White	38	1	5	5	6	2	19	4	3	1	1
		Negro	16		4	5	3		12	2			
		Other races	2		1				1	1			
43	Mycoses:												
	Males	White	109	9				1	10		2	2	4
		Negro	39	17	4	1	1		23		2		2
		Other races	9	1					1				1
	Females	White	67	3	3		1	1	8	2	1	2	6
		Negro	35	27	4		1		32			1	1
		Other races	2								1		

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
2	1		1	2		2	6	9	2	4	4	1					
1	3	4	1	1	1					1							
1	1				1			1									
2	5	2	2	6	2	1	10	4	9	2	2	1					29
3	2	2	1	2	2	1	1		1								
							1		1								
25	32	34	34	29	32	22	33	15	5	7	3	1				1	
5	2	4	1	6	1	6		1									
	1		1	1	1												
18	16	18	27	19	17	13	12	17	11	3	2	1					30
4	2	2	4		1												
1																	
3	6	3	2	7	4	5	4	3	2								
		2		1		1											
2	4	5	4	3	3	1	3	3	4	1	2	1		1			31
1	1	1	2	1													
							1										
27	23	28	32	26	28	15	18	9	8	2	2	1					
26	26	19	15	16	9	5	10		2								
2	2			2	3			2									32a
25	25	11	17	9	3	7	8	8	5	4	2						
25	18	15	3	5	8	4	1	2	1								
3		1															
6	2	6	2	6	6	2	5	1	4								
1	6	3	4	1	2	2											
2						1			1								
7	6	3	6	4	4	2	7	2	4								32b,c
3	3	1	1														
1		1															
2	4	3	4		1		1	1	1								
1			1	1					1								
		1															33
	1		1							1							
1																	
88	167	245	336	524	570	525	460	339	193	88	22	5	1	1		5	
213	205	365	335	348	310	237	162	103	77	32	8	9	3	1	1	8	
10	11	14	17	21	15	13	13	14	5	2	2					1	
84	94	120	152	146	159	174	98	74	44	20	10	1	1			2	34
172	182	199	190	169	100	66	63	37	18	7	5	1	1		1	1	
7	7	7	10	5	6	3	2		2		1		1				
14	13	8	7	11	14	6	7	8	4	3	1						
9	5	5	10	11	8	7	8	2	3	1		1					
1					1												
94	76	74	45	21	5	6	2	1	1								35
61	61	55	20	8	3	2											
3	3	2	1														
25	22	18	27	25	24	24	22	31	22	12	11	8	1				
2	7	2	1	6	6	4	2	4	5			2			1		
	1	2			1		1										
20	23	19	22	19	16	18	14	11	10	6	7	5	1	1			36
7	7	9	3	8	3	3	5	1	4		3		1				
				1						1		1					
80	63	77	89	100	86	89	91	87	72	54	48	30	5			15	
43	37	42	41	59	53	40	47	50	33	15	13	14	2	1	1	12	
2		2	2	2	1	1	2	3			1						
55	46	51	43	59	45	47	46	53	61	58	33	19	2	1		5	38
47	54	36	50	49	52	46	46	36	26	24	22	16	5	2	1	15	
2	4	1			1	1	2		1								
1	5	4		3	2	4	2		1			1					
		1	1	1	1												
1		1															
1	1	1	2	2	1	2		2									39
			1														
																	40
1																	
1		1	1	1	2	3	1		1	2							
	1	1	1	1	2	2	1		1			1					41a
1																	
1	1	1						1		1							41b
2									1	1							
1	2	1	1			4					1						
					1												
1	1	1		2	3		1		1								42
	2																
5	8	8	5	10	12	9	9	7	10	6	2						
	3	2	2	1	3			1									
2	2	2		1													
1	8	3	4	5	7	3	4	4	5	3	1						43
		1															
1																	

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued.											
44	Other infectious and parasitic diseases:											
	Males—White	207	38	15	5	7	4	69	26	13	5	4
	Negro	26	8	2		1	1	12		3	3	3
	Other races	6	1	1				2	1			
	Females—White	151	27	23	15	6	6	77	20	5	5	2
	Negro	18	4	1	2	1	1	9			2	1
	Other races	4	2	1				3		1		
	II.—Cancers and other tumors:											
	Males—White	57,332	47	46	61	68	60	282	206	178	319	352
	Negro	2,706	7	4	4	3	6	24	9	23	29	40
	Other races	402	2	2		3	1	8	3	2		6
	Females—White	68,078	48	39	53	50	48	238	161	153	209	321
	Negro	5,586	2	4	4	7	5	22	21	12	24	74
	Other races	435			2	3	1	6	2	2	1	7
	Cancer and other malignant tumors:											
	Males—White	55,596	24	36	45	48	42	195	139	137	254	277
	Negro	2,601	1	3	2	2	4	12	8	18	25	34
	Other races	389	1	1		2	1	5	2	2		5
	Females—White	64,657	29	29	36	38	34	166	99	105	160	248
	Negro	4,825	1	4	4	2	3	14	16	9	20	42
	Other races	411			1	3	1	5	1	1		4
45	Of the buccal cavity and pharynx:											
	Males—White	3,755				1	1	2	5	7	8	4
	Negro	157							1	1	1	
	Other races	20		1				1				1
	Females—White	829			1	1		2	4	1	4	9
	Negro	72							2			1
	Other races	12										2
	Lip:											
	Males—White	623									1	
	Negro	5										
	Females—White	61										1
	Negro	3										
	Tongue:											
	Males—White	809									1	
	Negro	46										
	Other races	3										
	Females—White	169										1
	Negro	8										1
	Other races	1										
	Mouth:											
	Males—White	395										1
	Negro	15										
	Females—White	82										
	Negro	12										1
	Other races	1							1			
	Jaw:											
	Males—White	765				1		1	3	2	4	1
	Negro	37							1			
	Other races	11		1				1				
	Females—White	212			1			1		1	2	4
	Negro	24							1			
	Other races	5										
	Other and unspecified parts of the buccal cavity:											
	Males—White	472								2	2	1
	Negro	14									1	
	Other races	2										
	Females—White	127				1		1	3		1	1
	Negro	3										1
	Other races	2										
	Pharynx:											
	Males—White	691					1	1	2	3		1
	Negro	40								1		
	Other races	4										
	Females—White	178							1		1	1
	Negro	22										
	Other races	3										1
46	Of the digestive tract and peritoneum:											
	Males—White	31,877	6	5	5	11	9	36	27	23	36	59
	Negro	1,530					1	1	1	4	2	9
	Other races	256							1			
	Females—White	28,006	8	6	1	1	5	21	5	10	27	68
	Negro	1,345		1			1	2	4	2	2	10
	Other races	162			1	1		2				
	Esophagus:											
	Males—White	1,592										1
	Negro	70										1
	Other races	11										
	Females—White	419										
	Negro	16										1
	Other races	3			1			1				
	Stomach and duodenum:											
	Males—White	14,721							1	3	8	10
	Negro	830								1		1
	Other races	155										
	Females—White	10,130								1	5	18
	Negro	654										3
	Other races	76										
	Intestines (except duodenum, rectum, anus):											
	Males—White	5,583	1		1	5	4	11	11	9	14	22
	Negro	176							1	1		5
	Other races	30										
	Females—White	6,964	3		1		2	6	1	1	12	20
	Negro	185		1				1			1	4
	Other races	34				1		1				
	Rectum and anus:											
	Males—White	3,339				1	1	2	2	1	4	6
	Negro	130					1	1			1	1
	Other races	8										
	Females—White	2,672		2				2			4	3
	Negro	210										3
	Other races	13										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	7	2	9	12	11	9	13	12	8	1					1		
	1	1		2		1											
			2						1								
3	2	2	4	4	6	4	7	6	2	1			1				44
		1	1	2	1				1								
422	639	1,111	2,057	3,277	4,877	6,274	8,016	8,848	9,005	6,374	3,437	1,264	299	45	1	49	
50	66	116	182	304	382	357	354	303	218	137	65	27	5	5	2	8	
10	9	15	30	38	53	53	51	47	26	29	10	6	3	1	1	1	
670	1,337	2,677	4,258	5,883	7,131	8,023	8,692	8,587	8,176	6,055	3,501	1,474	403	78	4	47	
177	365	598	704	741	797	574	476	410	260	145	100	44	14	5	6	17	
9	23	40	49	39	61	45	35	40	22	28	11	8	5	1	1		
350	538	996	1,880	3,095	4,682	6,109	7,875	8,750	8,943	6,318	3,412	1,257	294	45	1	49	
42	61	111	172	289	373	344	352	300	215	134	64	27	5	5	2	8	
9	9	14	30	36	52	53	50	46	25	29	10	6	3	1	1	1	
544	1,121	2,275	3,712	5,266	6,777	7,778	8,518	8,439	8,064	5,968	3,448	1,448	397	77	4	43	
119	241	430	555	665	740	546	460	398	251	141	98	41	14	5	6	14	
9	20	35	46	38	60	45	34	40	22	25	11	8	5	1	1		
13	21	39	94	212	327	413	526	603	599	443	268	123	39	7		2	
3	7	5	12	14	29	19	20	17	15	4	7	1				1	
	1		1	4		2	2	5	2							1	
1	10	14	21	44	75	82	92	107	107	111	68	54	18	4		1	
3	3	1	4	10	11	9	6	10	6	1	3	1	1				
		1	1	3	1	1	2	1									
3	5	8	14	39	39	45	69	91	96	95	67	37	11	3			
				1		2			2								
				3	2	5	5	6	6	8	11	8	4	2			
					1		1		1								
1	2	9	21	53	94	92	124	141	121	83	46	14	5	2			
	2	2	3	2	11	4	8	7	2	1	4						
				2			1										
	4	1	8	5	17	20	25	23	24	19	11	9	1	1			
1			1	1	2		1		1								
				1													
1	1	2	12	14	27	52	52	67	71	45	27	18	4	1			
	1		3	1	2	1	3	4									
		3		5	6	2	9	15	13	12	8	6	2				
		1	2	1	2	2		1	2								45
				1													
5	5	10	21	44	62	82	94	119	146	88	47	22	7			2	
2		1	3	3	5	3	5	1	10	1	2						
			1	1		2	1	4	1								
1	3	3	7	11	17	26	24	34	23	23	17	9	6				
1	1			3	4	3	2	7			1	1					
			1	1			2	1									
1	4	7	10	27	41	48	80	85	58	49	38	13	5	1			
			2	3	5	1	1	1									
	1																
		4	2	5	9	9	12	15	15	25	9	11	3	1		1	
				1		1				1							
					1												
2	4	3	16	35	64	94	107	100	107	83	43	19	7				
1	4	2	1	4	6	8	3	4	1	2	1	1				1	
				1				1	1							1	
	3	3	4	15	24	20	17	14	26	24	12	11	2				
1	2		1	4	2	3	2	2	2		2		1				
		1				1											
142	257	546	1,087	1,836	2,802	3,748	4,905	5,211	5,326	3,446	1,705	545	99	17		24	
22	30	67	107	201	228	217	205	177	126	74	34	13	3	3	1	5	
8	7	9	19	27	43	37	38	29	11	15	6	4	1		1		
134	270	529	977	1,535	2,285	2,990	3,865	4,332	4,558	3,446	1,980	775	159	22	1	17	
24	49	90	101	144	204	178	162	140	114	54	31	16	10	3	1	4	
1	4	7	14	14	23	24	17	19	12	11	5	4	4		1		
1	3	15	36	84	155	226	306	301	254	127	55	27				1	
		6	2	7	16	10	12	6	4	3	2		1				
					5	3	2			1							
	2	8	11	30	39	44	69	70	64	42	26	8	4	1			
1				4	5	3		2		1							
1					1												
28	70	237	485	872	1,250	1,676	2,269	2,443	2,557	1,676	812	256	47	8		13	
6	13	24	65	106	133	123	111	102	73	39	19	9	1	1		3	
5	3	4	9	20	24	23	24	16	8	10	5	3	1				
24	72	137	297	462	707	1,016	1,387	1,611	1,825	1,381	808	304	62	8		5	46
7	18	34	43	64	103	80	98	74	62	28	17	10	9	3		1	
	2	6	4	7	11	13	10	9	4	3	2	3	1		1		
49	79	119	210	304	484	594	807	874	929	605	307	117	29	5		4	
5	8	11	18	17	21	19	22	14	13	12	8	1					
	2	3	3	3	4	3	3	2	1	3	1	1			1		
52	98	175	275	430	598	729	872	1,025	1,068	830	495	216	51	5		5	
2	5	17	8	19	36	29	13	14	17	11	2	5	1				
	2		4	3	5	4	5	4	3	2	1						
20	43	56	118	182	312	424	515	559	521	326	189	49	8			2	
5	4	7	5	20	16	16	14	21	9	7	1	2					
1					2	1	2	2									
27	37	81	152	176	266	305	351	379	350	283	165	75	14	2			
12	15	28	24	33	22	27	17	13	8	6	1					1	
			3	1	2	1	2		1		1		2				

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued.												
	Cancer and other malignant tumors—Contd.												
	Of the digestive tract and peritoneum—Contd.												
46	Liver and biliary passages:												
	Males	White	4,308	2	4	1	4		11	4	7	4	8
		Negro	216								1		
		Other races	37							1			
	Females	White	5,791	2	2			1	5	2	6	3	13
		Negro	213								1		
		Other races	30										
	Pancreas:												
	Males	White	1,888							1	1	2	5
		Negro	79										1
		Other races	14										
	Females	White	1,542					1	1			2	4
		Negro	40										
		Other races	4										
	Mesentery and peritoneum:												
	Males	White	418	3	1	3	1	4	12	7	2	4	7
		Negro	27								1	1	
		Other races	1										
	Females	White	441	3	1		1	1	6	2	2	1	8
		Negro	26					1	1	4	1	1	
		Other races	2										
	Others under this title:												
	Males	White	28							1			
		Negro	2										
	Females	White	47		1				1				1
		Negro	1										
47	Of the respiratory system:												
	Males	White	3,381	2	2	5		1	10	12	12	30	32
		Negro	132		1				1	2	2	2	4
		Other races	28	1					1		1		
	Females	White	1,340	1		2	2	1	6	5	7	7	12
		Negro	54							1	1		
		Other races	5										
	Larynx:												
	Males	White	910		1				1			1	
		Negro	23										
		Other races	8										
	Females	White	126										1
		Negro	11										
		Other races	1										
	Lungs and pleura:												
	Males	White	2,145	2	1	5		1	9	11	11	27	29
		Negro	89		1				1	2	2		4
		Other races	18	1					1		1		
	Females	White	1,122	1		2	2	1	6	4	6	7	9
		Negro	32							1	1		
		Other races	4										
	Other respiratory organs:												
	Males	White	326							1	1	2	3
		Negro	20									2	
		Other races	2										
	Females	White	92							1	1		2
		Negro	11										
48	Of the uterus:												
	Females	White	13,091							1	4	5	45
		Negro	1,974	1			1		2			4	15
		Other races	156										1
49	Of other female genital organs:												
	Females	White	2,734				1	1	2	2	10	24	27
		Negro	152								2	4	7
		Other races	4								1		
	Ovary and Fallopian tube:												
	Females	White	2,187				1		1	1	10	22	25
		Negro	114								2	4	5
		Other races	3								1		
	Vagina and vulva:												
	Females	White	499					1	1	1		1	2
		Negro	34										1
		Other races	1										
	Other female genital organs:												
	Females	White	48									1	
		Negro	4										1
50	Of the breast:												
	Males	White	145										
		Negro	21										
		Other races	2										
	Females	White	11,516					1	1		2	2	16
		Negro	766										1
		Other races	34										
51	Of the male genitourinary organs:												
	Males	White	9,946	12	18	19	19	14	82	13	3	31	56
		Negro	465		1			1	2	3	2	3	3
		Other races	44				1	1	2	1	1		1
	Kidneys and suprarenals:												
	Males	White	991	11	15	17	17	12	72	12	3	4	10
		Negro	44		1			1	2	2	1	1	
		Other races	5				1	1	2				

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
17	27	48	134	224	348	499	650	697	747	540	257	69	12	2		3	
6	5	10	7	33	28	34	30	26	19	10		1	1	2	1	2	
2	2	2	6	2	8	4	3	4	2	1							
24	43	85	169	316	482	628	843	925	961	706	410	137	21	6	1	5	
1	8	8	19	15	30	30	26	28	24	8	11	1			1	2	
		1	3		4	6		4	4	5	1	1	1				
8	20	49	75	133	210	272	309	278	275	152	70	22	3	2		1	
		6	7	12	11	12	15	7	6	1	1						
			1	2		2	4	5									
6	8	23	45	73	145	207	282	257	235	156	60	30	6			2	
		1	5	4	8	7	4	8	3								
				2				1		1							46
19	14	21	28	33	42	53	47	52	39	19	14	5					
		3	3	6	3	3	1	1	1	2	2						
						1											
1	8	18	26	43	43	56	54	60	54	40	15	3	1				
1	3	1	2	5		2	4	1									
				1				1									
	1	1	1	4	1	4	2	7	4	1	1						
									1		1						
	2	2	2	5	5	5	7	5	1	8	1	2					
		1															
34	40	97	208	334	526	549	492	417	320	174	64	24	2	2		2	
4	7	13	18	13	23	16	15	4	3	2		2		1			
			3	1	2	5	5		3	5	1	1					
23	36	59	96	112	144	170	194	181	150	88	36	10	3			1	
2	2	9	4	6	9	9	3	3	1	3	1						
		1	1		1	1	1										
1	3	17	27	60	119	149	148	148	121	76	27	8	1	2		1	
		1	3	4	5	3	5			1		1					
						1	3			3	1						
	2	3	6	8	10	13	13	25	13	19	10	1	2				
	2	1				3	1		1	3							
							1										47
31	28	65	148	237	344	346	307	237	181	85	33	14	1			1	
3	5	10	11	8	13	12	9	4	3	1		1					
			2	1	2	3	2		3	2		1					
21	30	54	86	98	121	145	167	138	130	64	25	9	1			1	
1		6	1	4	8	5	2	2			1						
		1	1		1	1											
2	9	15	33	37	63	54	37	32	18	13	4	2					
1	2	2	4	1	5	1	1							1			
			1			1											
2	4	2	4	6	13	12	14	18	7	5	1						
1		2	3	2	1	1		1									
162	386	781	1,178	1,577	1,715	1,771	1,698	1,398	1,132	737	338	117	26	9		11	
52	130	208	276	311	301	217	164	134	74	37	27	10	1	1	4	6	48
7	15	18	24	16	28	10	10	14	8	3	1	1					
47	57	147	222	318	403	383	343	291	230	140	58	24	4	1		1	
11	9	14	24	21	24	16	7	10	2							1	
		1			1			1									
43	49	133	195	295	359	325	281	201	142	76	23	5	1				
6	8	8	19	15	18	16	5	7								1	
					1			1									49
3	8	12	26	17	39	45	59	85	85	61	31	19	3	1			
5	1	5	3	6	6		2	3	2								
		1															
1		2	1	6	5	13	3	5	3	3	4					1	
		1	2														
1	3	5	8	6	18	16	14	16	23	20	12	3					
		2	1	5	4	1	2	2	2		2						
		1		1													
58	231	504	886	1,236	1,588	1,614	1,523	1,301	1,030	779	456	210	61	10	1	7	50
12	27	84	102	124	125	76	62	68	28	29	19	7			1	1	
1		5	3	4	4	5	2	2	1	2	2	2		1			
62	76	116	181	287	488	811	1,282	1,743	1,922	1,568	853	289	68	6		9	
3	7	5	18	31	52	68	84	74	47	40	16	5	2				
		1	4		3	4	3	7	6	7	2	1	1				
9	17	26	56	90	111	134	158	122	87	42	27	9	2				51
		1	1	9	7	4	6	4	2	2	2						
			2				1										

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued.											
	Cancer and other malignant tumors—Continued.											
	Of the male genitourinary organs—Continued.											
51	Bladder:											
	Males—White	2,625		2	1		2	5	1		3	
	Negro	87							1			
	Other races	13										
	Prostate:											
	Males—White	5,683	1					1			3	4
	Negro	280									1	1
	Other races	17										
	Testes:											
	Males—White	376		1	1	2		4			21	42
	Negro	13								1		1
	Other races	5							1	1		1
	Scrotum:											
	Males—White	31										
	Negro	3										
	Other male genital organs:											
	Males—White	240										
	Negro	38									1	1
	Other races	4										
52	Of the skin:											
	Males—White	2,103	1			1	1	3	1	1		5
	Negro	40								1		1
	Other races	5				1		1				
	Females—White	1,148	2	1		2		5	3	7	2	2
	Negro	58				1		1		1	1	
	Other races	4										
53	Of other or unspecified organs:											
	Males—White	4,389	3	11	16	16	16	62	81	91	149	121
	Negro	256	1	1	2	2	2	8	1	8	17	17
	Other races	34										3
	Females—White	5,993	18	22	32	31	26	129	79	64	89	69
	Negro	404		3	4		2	9	9	3	9	8
	Other races	34				2	1	3	1			1
	Kidneys and suprarenals:											
	Females—White	769	7	14	21	13	9	64	16	3	5	5
	Negro	32			2		1	3	2		1	
	Other races	11					1	1				
	Bladder:											
	Females—White	1,299	1			3		4			2	1
	Negro	68									1	
	Other races	1										
	Brain:											
	Males—White	563	2	1	4	6	5	18	33	24	23	26
	Negro	21					1	1	1	1	2	3
	Other races	2										1
	Females—White	411	2	1	3	4	4	14	19	20	16	14
	Negro	19		1				1	2	1	1	2
	Other races	2							1			1
	Bones (except jaw):											
	Males—White	914		3	2	1	1	7	21	31	70	41
	Negro	43			1			1		3	5	4
	Other races	7										1
	Females—White	806	1	2	1	2	3	9	14	23	31	18
	Negro	42		1	1			2	2		4	1
	Other races	2										
	Other or unspecified organs:											
	Males—White	2,912	1	7	10	9	10	37	27	36	56	54
	Negro	192	1	1	1	2	1	6		4	10	10
	Other races	25										1
	Females—White	2,708	7	5	7	9	10	38	30	18	35	31
	Negro	243		1	1		1	3	3	2	2	5
	Other races	18				2		2				
54a	Nonmalignant tumors, ovary:											
	Females—White	135									2	6
	Negro	19										3
	Other races	2										
54b	Nonmalignant tumors, uterus:											
	Females—White	1,864									3	16
	Negro	611									2	19
	Other races	9									1	
54c	Nonmalignant tumors, other female genital organs:											
	Females—White	2										
	Negro	1										
54d, e	Nonmalignant tumors, other organs:											
	Males—White	737	11	5	5	12	5	38	36	17	34	31
	Negro	35	2					2		2	1	3
	Other races	6	1	1				2				
	Females—White	584	9	7	7	7	5	35	25	15	20	27
	Negro	46	1			1	1	3	1			4
	Other races	3							1	1		
55a	Tumors, ovary (nature unspecified):											
	Females—White	18										1
	Negro	3										
55b	Tumors, uterus (nature unspecified):											
	Females—White	8										
	Negro	2										
55c	Tumors, other female genital organs (nature unspecified):											
	Females—White	1										
	Negro	1										
55d, e	Tumors, other organs (nature unspecified):											
	Males—White	999	12	5	11	8	13	49	31	24	31	44
	Negro	70	4	1	2	1	2	10	1	3	3	3
	Other races	7				1		1	1			1
	Females—White	809	10	3	10	5	9	37	37	33	24	23
	Negro	78				4	1	5	4	3	2	6
	Other races	10			1			1				3

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years And over	Age unknown	List no.
4	5	22	53	112	175	270	346	490	462	380	205	70	19	1		2	
1	3	1	5	7	5	15	18	10	8	11	1	1					
			2		2	2	1	3	1	1	1						
2	5	10	29	56	158	367	721	1,078	1,317	1,099	587	191	44	5		6	
1	1	2	7	10	36	39	51	56	32	26	12	3	2				
					1	2		2	5	6			1				
45	47	54	36	20	22	14	13	17	13	9	15	3				1	51
1					1	4	1	1	2	1							
		1						1									
			1		4	3	7	5	1	5	4	1					
		1				1	1										
2	2	4	6	9	18	23	37	31	42	33	15	15	3				
	3		5	5	3	5	7	3	3		1	1					
							1	1			1	1					
8	18	22	48	60	91	156	189	269	327	350	301	186	51	10	1	6	
	1	4	2		4	2	5	6	2	5	2	3		1	1		
			2	1					1								
5	11	13	18	38	51	71	74	95	151	168	197	137	76	19	1	4	52
2	1	2	5	11	10	4	3	6	3	3	3	1	1				
	1										2		1				
90	123	171	254	360	430	416	467	491	426	317	209	87	35	3		6	
10	9	15	14	25	33	21	21	20	20	9	3	3				2	
1	1	3	1	2	4	5	2	5	2	2	1		1	1			
114	120	228	314	406	516	697	729	734	706	499	315	121	50	12	1	1	
13	20	22	39	38	56	37	53	27	23	14	14	6	1	1		2	
		2	3	1	2	4	2	3	1	9	1	1					
9	7	28	39	54	61	100	114	98	81	48	24	11	2				
1	2	2	5	3	2	3	5		1	1		1					
		1	1	1						7							
3	6	22	34	62	107	147	170	214	225	152	103	32	11	3		1	
1	2	5	3	12	11	7	10	9	6	1							
										1							
26	33	50	73	59	72	50	35	23	12	4	2						
	2	2	2	3	3	1											
					1												
22	28	33	49	44	44	50	27	15	11	2	1	1	1				53
2	1	1	1	2	1		2	1	1								
25	25	36	38	71	100	78	101	106	75	48	24	13	2			2	
1		1	3	4	3	4	5	5	2	2							
	1				1	2	1	1									
27	22	37	49	61	64	104	98	84	74	49	25	11	5	1			
2	2	2	4	4	9	1	5	2	1	1							
			1				1										
39	65	85	143	230	258	288	331	362	339	265	183	74	33	3		4	
9	7	12	9	18	27	16	16	15	18	7	3	3				2	
1		3	1	2	2	3	1	4	2	2	1		1	1			
53	57	108	143	185	240	296	320	323	315	248	162	66	31	8	1		
7	13	12	26	17	33	26	31	15	14	11	14	5	1	1		2	
		1	1		2	4	1	3	1	1	1	1					
6	7	7	15	18	18	16	3	14	11	7	4	1					
1	2	6	3		2	1			1								54a
		1	1														
55	123	296	406	446	211	109	49	52	37	33	13	8	3	1		3	
45	112	147	131	61	45	16	10	8	6	3	1	2				3	54b
		2	2	1			1			2							
		1				1											54c
			1														
36	47	46	75	75	78	63	58	35	30	27	6	3	2				
4	1	1	2	6	3	6		2	1	1							
1				1				1	1								
27	41	41	49	59	44	51	53	32	24	14	13	12	2				54d,e
2	3	6	8	7	3	3	2	2		1	1						
					1												
2	2		2	1	1	2	3		2	2							
1					1	1											55a
1				1		2		1	1	2							
					1		1										55b
							1										
	1																55c
36	54	69	102	107	117	102	83	63	32	29	19	4	3				
4	4	4	8	9	6	7	2	1	2	2	1						
		1		1	1		1										
35	43	57	74	92	80	64	65	49	37	29	23	5	1			1	55d,e
9	6	9	6	8	5	7	3	2	2			1					
	3	2								1							

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases:												
	Males	White	14,381	765	109	55	53	45	1,027	234	267	289	244
		Negro	1,611	111	23	8	5	10	157	28	38	48	46
		Other races	155	27	3	1	1		32	5	4	4	2
	Females	White	22,201	495	90	51	46	47	729	251	311	299	328
		Negro	3,075	93	22	5	2	2	124	36	48	86	144
		Other races	191	20	4	2		1	27	3	5	4	3
56	Acute rheumatic fever:												
	Males	White	1,061	4	5	8	23	19	59	124	139	120	65
		Negro	186		1		1	2	4	14	20	12	7
		Other races	24							4	4	3	
	Females	White	1,078	3	3	9	20	16	51	142	143	86	72
		Negro	210	1			1	1	3	17	20	20	14
		Other races	11							1		1	
57	Chronic rheumatism, osteoarthritis:												
	Males	White	544							4	3	7	5
		Negro	43								1		
		Other races	7										
	Females	White	952			1	1		2	1	3	2	5
		Negro	61							2	1	1	3
		Other races	8										
58	Gout:												
	Males	White	2										
	Females	White	1										
59	Diabetes mellitus:												
	Males	White	10,103	3	17	10	6	13	49	68	97	132	135
		Negro	621				1	1	2	4	9	20	19
		Other races	64										1
	Females	White	14,913	6	7	10	7	11	41	77	132	122	121
		Negro	1,067	2	1	1			4	3	15	12	14
		Other races	67			1			1		2	1	
60	Scurvy:												
	Males	White	9	6	1	1			8				
		Negro	3	2					2				
		Other races	1										
	Females	White	12	7	1	1		1	10			1	
		Negro	2	1	1				2				
		Other races	1	1					1				
61	Beriberi:												
	Males	Negro	1										
62	Pellagra:												
	Males	White	789	2	1	2	1		6	5	3	1	10
		Negro	529	1	3			1	5	6	5	9	15
		Other races	22				1		1			1	1
	Females	White	1,200	2	2	1		1	6	3	5	16	31
		Negro	1,362		2			1	3	8	9	48	100
		Other races	53								1	2	3
63	Rickets:												
	Males	White	131	85	26	8	3		122	3	2	1	
		Negro	58	33	15	4	1	1	54	3	1		
		Other races	3	2	1				3				
	Females	White	95	51	18	9	1	1	80	3	2	1	1
		Negro	40	30	9				39	1			
		Other races	12	8	2			1	11		1		
64	Osteomalacia:												
	Males	White	8								2	1	
		Negro	2	1					1				
	Females	White	7										
		Negro	1										
65	Diseases of the pituitary body:												
	Males	White	24	1	1	1			3	1		3	2
		Negro	2										1
	Females	White	44	2	2				4	1		5	3
66a	Simple goiter:												
	Males	White	52	4					4	1	1		2
		Negro	2										
		Other races	1										
	Females	White	186								3	4	4
		Negro	32							1		1	
		Other races	4										
66b	Exophthalmic goiter:												
	Males	White	474							2	5	8	11
		Negro	40									3	2
		Other races	3										
	Females	White	2,673					1	1	4	8	43	70
		Negro	195	1					1	2	1	3	11
		Other races	13										
66c, d,e	Other diseases of thyroid and parathyroid glands:												
	Males	White	147	52	6	4	6	2	70	5	4	6	3
		Negro	11	7		1			8				
		Other races	6	5					5				
	Females	White	250	31	16	7	7	5	66	4	7	6	6
		Negro	21	7	3				10	1			1
		Other races	4	1	1				2		1		
67	Diseases of thymus gland:												
	Males	White	676	559	39	13	8	10	629	12	8	7	3
		Negro	65	56	1	2	1	2	62		1	1	
		Other races	23	20	2	1			23				
	Females	White	439	361	26	7	8	8	410	12	1	5	6
		Negro	45	34	3	4			41		1		1
		Other races	11	8	1	1			10	1			
68	Diseases of adrenals (Addison's disease, not specified as tuberculous):												
	Males	White	177	1					1		2	2	7
		Negro	7									1	
		Other races	1										
	Females	White	174	1	1				2		3	3	7
		Negro	4										
		Other races	3										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
225	282	305	463	641	921	1,350	1,867	2,025	1,996	1,296	662	217	46	2	1	21	
57	65	86	100	126	185	138	154	147	88	65	42	18	11	3	4	5	
2	3	6	12	8	16	12	15	12	11	6	2	2	1				
347	382	537	780	1,172	1,659	2,380	3,173	3,501	3,065	1,979	892	324	52	16	1	23	
201	193	223	283	301	362	265	249	218	151	90	46	22	13	6	9	5	
7	16	10	11	19	13	19	14	11	16	9	1	1	1			1	
42	48	48	49	41	57	47	46	52	48	36	22	12	3			3	
11	5	9	8	13	17	12	10	16	15	4	5	2	1	1			
1		2		1		1	1	4	1	1		1					
68	51	51	49	50	31	44	56	50	49	42	17	17	5			4	56
12	12	11	10	15	17	9	13	11	12	4	4	3		1	2		
	2	1			1	1		2	1				1				
9	12	18	18	25	40	32	53	71	75	86	58	19	6	1		2	
	6	1	3	2	6	4	3	8	2	3	3	1					
		1	1	2			1	1					1				
10	8	3	25	33	36	83	84	121	182	141	131	61	12	9			57
2		3	5	5	10	4	6	8	5	3	3						
		1	1		1		1	1		2		1					
					1	1											58
									1								
115	144	158	260	411	633	1,074	1,569	1,733	1,711	1,080	525	164	31	1	1	12	
16	28	43	46	57	82	67	68	67	32	28	17	5	6	2	1	2	
	3	2	6	4	13	8	11	6	7	2	1						59
107	131	198	332	625	1,090	1,742	2,507	2,799	2,452	1,537	639	212	33	6	1	9	
24	30	39	92	135	173	148	129	110	73	36	15	2	6	3	3	1	
	1	3	5	10	2	11	11	8	9	3							
							1				1						
						1											60
										1							61
15	29	28	63	68	74	84	97	94	94	64	38	13	1			2	
24	23	28	37	45	67	50	70	50	35	28	15	9	4		1	3	
1		1	2	1	1	3	2	1	2	3	1	1					62
51	55	99	109	136	122	109	101	120	87	95	37	12	1			5	
152	131	133	145	115	131	83	83	74	55	41	22	15	7	1	3	3	
7	11	3	4	5	5	6	1		3	1						1	
1									1							1	
		1	1	1	3	1				1							63
				1	1		1		1		1						
										1							
					2	1	1	3									64
											1						
1	1	2	1	3	2	3	1	1									
						1											65
1	4	2	6		2	7	3	3	1	1	1						
1	3	1	2	5	6	8	6	4	5	2	1						
			1						1								
									1								
1	6	6	15	17	18	25	27	20	21	10	5	4					66a
1	1	4	3	4	4	3	5	1		1		2			1		
						1			1	1	1						
12	30	29	42	63	66	61	60	41	28	9	6		1				
4	3	4	4	6	6	3	2	1	1		1						
			1		2												
88	104	147	202	276	322	317	340	341	243	117	42	7				1	66b
10	15	30	23	25	23	15	10	13	6	5	1			1			
	2	1	1	4	2		1		1	1							
6	1	3	4	5	12	8	6	3	6	3			2				
			1		1	1											
			1														66c, d, e
6	6	10	14	13	18	29	24	19	12	5	3	1				1	
	1	1	1	1	2	1	1	1									
										1							
7	3		2		1	2		1								1	
1																	
2	2			1													67
					1											1	
10	8	14	18	12	21	21	19	15	16	4	5	2					
			1	2	2			1	1								
9	15	15	25	15	11	14	19	17	10	7	1					1	68
	1		1			1	1										
		1			2												

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued.												
69	Other general diseases:												
	Males	White	184	48	13	8	6	1	76	9	1	1	1
		Negro	41	11	3	1	1	3	19	1	1	2	2
	Females	White	177	31	14	6	2	3	56	4	4	5	2
		Negro	35	17	3		1		21	1	1	1	
		Other races	4	2					2	1			
	IV.—Diseases of the blood and blood-making organs:												
	Males	White	5,247	305	76	56	62	66	565	167	163	156	169
		Negro	264	45	6	4	3	2	60	8	13	14	17
		Other races	39	7	3		1	1	12	2	1	3	1
	Females	White	4,397	226	51	37	62	39	415	111	97	123	118
		Negro	211	18	5	1	1	3	28	6	7	14	18
		Other races	28	6	1	2	1		10	1	1	1	3
70	Hemorrhagic conditions:												
	Males	White	380	191	19	7	9	10	236	18	19	15	10
		Negro	35	28					28	2	2	2	
		Other races	9	3	1				4			2	
	Females	White	375	139	12	3	12	4	170	12	22	22	15
		Negro	22	5		1			6	1	2	1	4
		Other races	8	4					4		1		1
71a	Pernicious anemia:												
	Males	White	1,744	12	4	4	4	4	28	7	6	15	15
		Negro	54	1					1		1	1	3
		Other races	7										
	Females	White	1,831	7	8	5	4	6	30	13	12	21	13
		Negro	62									5	8
		Other races	5										1
71b	Other anemias:												
	Males	White	252	61	15	7	5	4	92	5	6	4	4
		Negro	27	12	2	2		1	17			1	1
		Other races	4	3			1		4				
	Females	White	252	43	15	2	4	1	65	4	3	6	4
		Negro	44	12	2				14	1	2	3	4
		Other races	6	2	1	1			4				
72a	True leukemias:												
	Males	White	1,725	26	31	31	37	40	165	101	87	78	71
		Negro	73	1	2		2	1	6	4	5	3	7
		Other races	11	1	2				3	1	1		
	Females	White	1,234	26	13	23	33	22	117	62	46	46	46
		Negro	41		2			2	4	4	2	3	
		Other races	4			1			1	1			
72b	Pseudoleukemias (Hodgkin's disease):												
	Males	White	882	3	1	1	1	6	12	29	38	32	58
		Negro	58			1	1		2	1	4	6	4
		Other races	5							1		1	1
	Females	White	459	1	1	1	1	1	5	9	8	16	32
		Negro	32		1				1		1	1	2
		Other races	4				1		1			1	
73	Diseases of spleen:												
	Males	White	213	11	6	5	6	2	30	5	6	11	11
		Negro	15	2	2	1			5		1	1	2
		Other races	3					1	1				
	Females	White	173	9		3	7	4	23	10	5	11	5
		Negro	7	1			1	1	3			1	
		Other races	1										1
74	Other diseases of blood and blood-making organs:												
	Males	White	51	1		1			2	2	1	1	
		Negro	2	1					1	1			
	Females	White	73	1	2		1	1	5	1	1	1	3
		Negro	3										
	V.—Chronic poisonings and intoxications:												
	Males	White	2,752		3	1			4			17	45
		Negro	335									8	21
		Other races	43									2	1
	Females	White	344		2	3	1		6			2	4
		Negro	78			1			1		1	3	9
		Other races	9										1
75	Alcoholism (acute or chronic):												
	Males	White	2,563									17	39
		Negro	326									8	21
		Other races	43									2	1
	Females	White	286									2	3
		Negro	70								1	3	9
		Other races	9										1
76	Chronic poisoning by other organic substances:												
	Males	White	75										3
		Negro	3										
	Females	White	43										
		Negro	2										
77a	Chronic lead poisoning:												
	Males	White	102		3	1			4				2
		Negro	4										
	Females	White	10		2	3	1		6				
		Negro	1			1			1				
77b, c	Other chronic poisoning by mineral substances:												
	Males	White	12										1
		Negro	2										
	Females	White	5										1
		Negro	5										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
6	3	4	4	7	7	9	8	10	11	12	6	7	2				
1		1		1	4		1	4	1			1			2		
4		5	2	5	4	7	11	8	7	23	16	10	1	1		2	69
	2	2	3	1	1	1	1										
									1								
132	182	227	279	308	375	455	549	538	524	289	119	38	7			5	
16	12	15	10	14	20	15	19	17	5	3	4		1			1	
2	1	1	1	2	2	3	4		3	1							
142	157	170	222	291	330	349	468	456	437	317	123	51	14	3		3	
22	15	23	24	11	15	10	7	6	1	1	2		1				
2	3	2		1		1	2	1									
9	11	8	4	7	8	7	5	8	8	5	1		1				
						1											
				1		1			1								
14	9	10	10	15	11	15	15	8	10	9	2	3	2	1			70
2	1	2	2		1												
	2																
10	15	29	50	78	118	195	279	305	319	177	69	22	4			3	
6	1	2	2	8	2	7	6	8	3	2	1						
	1	1			1	1	1		1	1							
26	38	42	66	110	136	168	247	280	292	219	83	27	6	1		1	71a
2	7	7	13	3	1	6	3	4	1	1	1						
1	1	1					1										
		2	4	5	12	21	16	15	22	18	17	9					
		1	2	1	1		1	1					1				
3	9	5	10	7	9	11	16	12	21	31	18	14	3	1			71b
3	3	4	2	3	1		1	1			1		1				
		1						1									
40	83	108	118	107	144	147	158	127	113	55	19	3	1				
4	5	8	5	2	6	5	6	5		1	1						
2					1	1	1		1								
50	66	63	83	92	119	92	122	99	72	41	11	4	1			2	72a
6	1	4	6	4	4	2	1										
1							1										
55	59	66	77	79	73	73	71	66	49	26	12	4	1			2	
4	6	4	1	3	9	1	6	3	2		1					1	
				1			1										
41	23	35	38	39	31	43	46	43	29	12	7	2					72b
6	2	6	1	1	6	2	2	1									
				1		1											
12	11	12	25	21	16	10	13	12	10	7	1						
2					2	1					1						
			1				1										
3	9	9	10	18	18	11	17	9	5	5	2	1	2				73
	1				2												
6	3	2	1	11	4	2	7	5	3	1							
5	3	6	5	10	6	9	5	5	8								74
3																	
98	207	329	484	398	378	311	190	146	87	36	11	8		1		2	
37	48	50	47	36	29	19	19	10	8				1			2	
7	3	6	1	7	8	2	4	1			1						
29	37	50	70	43	42	18	24	11	5	2	1						
11	17	8	5	7	9	6			1								
1	1	1	1	2	2												
91	192	311	466	384	358	281	175	126	74	29	10	7		1		2	
36	47	49	47	35	28	18	17	9	8				1			2	
7	3	6	1	7	8	2	4	1			1						
26	32	39	61	37	38	16	18	10	4								75
10	15	8	4	6	9	5											
1	1	1	1	2	2												
5	10	15	10	5	6	9	4	5	1	2							
1					1		1										
3	3	10	8	5	3	2	4	1	1	2	1						76
						1			1								
2	5	2	8	9	12	18	9	13	11	5	1	1					
		1		1		1		1									
		1		1	1		1										77a
		1			2	3	2	2	1								
	1						1										
	2		1				1										77b,c
1	2		1	1													

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense:												
	Males	White	60,152	984	344	194	134	115	1,771	602	509	553	514
		Negro	7,612	188	51	26	16	15	296	57	58	97	138
		Other races	492	47	17	3	2	3	72	12	10	7	12
	Females	White	54,746	731	253	161	112	120	1,377	510	406	346	383
		Negro	7,607	180	44	26	14	13	277	50	55	67	112
		Other races	350	44	15	4	7		70	14	12	8	6
78	Encephalitis (nonepidemic):												
	Males	White	729	42	27	29	13	12	123	41	29	38	37
		Negro	104	8	4		3	2	17	7	6	5	12
		Other races	16	2	3			1	6	1		4	
	Females	White	588	50	23	18	7	8	106	34	34	22	27
		Negro	86	5	3	3			11	8	7	8	7
		Other races	12	1	1				2	2	1	2	
79a	Simple meningitis:												
	Males	White	1,083	215	80	49	26	21	391	99	77	65	45
		Negro	170	31	9	5	3	4	52	12	9	10	14
		Other races	25	12	1				13	3		1	2
	Females	White	683	133	56	35	26	15	265	79	48	28	27
		Negro	125	30	9	7	2	6	54	4	10	6	9
		Other races	22	7	2	1	5		15	4		1	
79b	Nonepidemic cerebrospinal meningitis:												
	Males	White	153	34	16	2	7	1	60	18	7	12	7
		Negro	21	5	3	1			9	1	2	2	
		Other races	4	1	2				3		1		
	Females	White	103	25	18	4	6	3	56	9	9	6	4
		Negro	17	4	2	2	1	1	10	1	1		1
		Other races	5	2	2				4				
80	Progressive locomotor ataxia (tabes dorsalis):												
	Males	White	816										
		Negro	80										
		Other races	11										2
	Females	White	195										
		Negro	23										
		Other races	1										1
81	Other diseases of spinal cord:												
	Males	White	1,574	11	9	6	9	7	42	18	32	56	42
		Negro	113	1	1	1	1		4	3	3	3	6
		Other races	7		1				1	1			1
	Females	White	1,211	7	3	2	2	4	18	18	24	17	8
		Negro	105		1	3			4			3	4
		Other races	4								1		
82a	Cerebral hemorrhage:												
	Males	White	42,321	51	16	10	7	11	95	22	29	43	67
		Negro	4,913	4	3	2	1		10	2	5	11	31
		Other races	247	1					1				
	Females	White	41,332	35	11	15	4	1	66	10	29	39	53
		Negro	5,595	11	5	3	1		20	5	7	11	28
		Other races	165							1	1	2	1
82b	Cerebral embolism and thrombosis:												
	Males	White	2,731	3	4	4	2	6	19	10	9	20	25
		Negro	154	2					2	1	1		2
		Other races	11		1				1				
	Females	White	2,870	9	4	7		5	25	8	18	24	45
		Negro	154	1		1	1		3	3		2	4
		Other races	10										
82c	Softening of brain:												
	Males	White	356										
		Negro	15										
	Females	White	311										
		Negro	18										
		Other races	3										
82d	Hemiplegia and other paralysis, cause unspecified:												
	Males	White	1,695	9	2	5	3	3	22	6	4	11	5
		Negro	501	3		1			4	1	3	1	3
		Other races	27	1			1		2		1		1
	Females	White	1,523	11		1	5	1	18	7	4	5	6
		Negro	575	3					3	2	1	3	1
		Other races	28	1					1				1
83	General paralysis of insane:												
	Males	White	2,664								2	11	18
		Negro	760								2	4	7
		Other races	39										
	Females	White	801								2	6	8
		Negro	263								4	4	10
		Other races	11								1		
84	Dementia praecox and other psychoses:												
	Males	White	531								1	13	44
		Negro	113									7	9
		Other races	13										2
	Females	White	661									9	23
		Negro	125									6	13
		Other races	6										
85	Epilepsy:												
	Males	White	1,262	27	8	6	8	9	58	49	76	113	106
		Negro	279	6	2		1	1	10	12	14	37	40
		Other races	19	1		1			2	2	3	2	2
	Females	White	994	12	7	9	5	9	42	31	61	79	98
		Negro	155	6	3			2	11	8	10	18	23
		Other races	15	3			1		4	3	3		1
86	Convulsions (under 5 years):												
	Males	White	319	246	43	20	8	2	319				
		Negro	129	94	18	9	3	5	129				
		Other races	14	9	2	1	1	1	14				
	Females	White	215	158	29	18	7	3	215				
		Negro	104	90	7	4	2	1	104				
		Other races	16	14	2				16				
87	Other diseases of nervous system:												
	Males	White	1,827	46	23	19	8	3	99	39	34	27	36
		Negro	123	5	4	1			10	6	7	7	5
		Other races	10		2	1			3				1
	Females	White	1,656	43	23	11	6	13	96	38	26	29	29
		Negro	124	8	3	1	2		14	10	6	4	7
		Other races	11	1					1	1	1	1	2

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
555	795	1,230	1,805	2,525	3,699	4,959	6,778	7,934	9,273	8,006	5,331	2,504	641	83	20	65	
172	310	432	592	788	944	870	768	626	527	362	255	171	62	26	16	45	
12	11	17	25	30	37	44	43	27	39	43	24	12	4	3	2	6	
463	594	931	1,422	2,270	3,164	4,082	5,448	6,709	8,299	8,101	5,904	3,065	1,005	202	21	44	
157	234	368	541	849	938	830	860	701	538	398	296	148	79	35	38	36	
7	11	12	10	16	22	23	32	31	20	23	17	8	4	2		2	
34	43	51	59	65	54	38	30	30	27	18	8	2	1			1	
5	11	7	8	10		6	6	3		1							
2		1					2										
29	22	42	44	39	45	28	39	28	16	22	6	1	3			1	78
2	5	7	6	9	5	4	4	1	1				1				
2	1			2													
47	40	45	53	47	51	42	31	24	20	3	1	1				1	
10	8	7	11	12	10	8	2	1	1	2		1					
			1	2	1					1						1	79a
24	26	28	23	27	19	28	27	12	6	10	4	2					
6	3	7	5	9	5	2	2	1	1	1							
			1		1												
3	5	7	9	5	6	7	4	3									
2	1	1	1	1												1	
2	3	1	1	4	2	2		1	2								79b
	2	1	1													1	
	1																
5	7	18	36	63	101	131	148	147	92	46	16	3	1			2	
3	6	8	7	12	14	14	4	5	1	1	2	1					
1			2	1	2		2		1			2					
	2	4	19	15	22	26	30	33	19	14	7	3				1	80
1	1	2	5	4	2	3	1	1	2								
						1											
27	44	59	69	91	129	164	171	171	199	136	80	30	14				
1	4	10	12	8	13	9	11	6	12	3	2		1		1	1	
			1		1	1				1							
18	30	29	61	77	111	127	140	151	160	97	71	40	9	3		2	81
4	4	5	7	14	14	11	12	9	5	5	2		1			1	
			1				1	1									
109	196	376	765	1,351	2,421	3,537	5,252	6,389	7,641	6,698	4,498	2,150	540	77	18	47	
54	118	212	344	530	699	643	607	484	413	284	209	140	48	24	12	33	
	1	4	9	15	25	34	32	21	33	33	22	8	3	2	2	2	
112	163	394	803	1,589	2,330	3,195	4,392	5,545	6,995	6,907	5,058	2,599	831	172	19	31	82a
72	124	239	403	666	763	696	712	578	440	316	251	120	59	28	29	28	
2	1	6	4	10	17	19	22	27	13	15	12	7	3	1		1	
18	31	44	63	97	156	259	329	385	460	404	243	121	35		1	2	
8	7	14	12	21	17	21	11	13	11	8	3	1				1	
1				2	2	3		1	1								
35	38	45	65	95	144	225	293	369	443	434	306	175	72	8	1	2	82b
4	5	10	17	21	21	12	14	17	11	1	3	3	2			1	
		1	1	1			3	2	1		1						
	1	2	8	8	8	19	29	42	75	79	54	25	6				
	2	2		2	1	1	1	1	1	1	1	2					
	2	3	6	4	13	15	19	41	62	54	52	26	13	1			82c
		1		1		5	3		1	1	3		1			2	
						1			1	1							
11	7	13	21	41	65	114	145	233	289	315	266	98	22	3	1	3	
10	8	10	15	30	50	63	54	63	61	55	29	21	12	2	3	3	
		1		3		2	2	4	3	3	2	2	1				
5	7	9	19	23	59	68	127	182	240	293	236	147	57	9		2	82d
3	13	16	22	48	64	61	76	66	56	63	29	18	13	6	9	2	
1	1		1	2	2	1	2		3	7	3	1	1	1			
42	146	314	386	459	397	318	263	164	79	41	17	3	1			3	
34	76	111	138	123	99	67	50	30	12	1	3	1				2	
1	2	7	8	4	6	3	3	1		2				1		1	
19	56	88	108	110	124	74	79	50	40	24	7	4				2	83
17	28	31	36	46	30	17	18	11	2	3	2	3				2	
	1	3	1		2	1	1	1								1	
33	46	36	43	40	55	46	41	35	33	34	20	5	3	2		1	
6	21	11	11	10	11	8	4	9	3	1	1	1					
1	2	2	2	1						1						2	
57	43	66	70	79	65	68	52	33	31	32	15	12	4		1	1	84
16	20	12	13	11	11	3	2	7	6	1	3					1	
1	3						1		1								
121	115	105	108	86	72	57	50	45	47	32	12	4	3			3	
33	29	22	20	18	13	11	9	2	3			2				4	
2	3	2								1							
84	90	94	79	67	60	52	33	39	32	23	16	8	5			1	85
20	14	20	10	4	6	2	5	1	3								
	1		1				1									1	
																	86
27	46	73	80	75	103	153	196	220	273	173	105	54	11	1		2	
3	11	9	6	7	11	11	8	7	5	4	5		1				
1				2		1	1			1							
36	56	66	81	84	93	117	156	178	220	172	117	45	9	8			87
6	7	6	7	7	9	8	7	6	9	4	2	3	1	1			
1		1		1			1				1						

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.											
88	Diseases of organs of vision:											
	Males—White	36	5	3			2	10	3	4		1
	Negro	11	2					2			3	1
	Other races	1										
	Females—White	27	2	1	1			4	1	1	2	1
	Negro	10		1		2		3	2	1		
89a	Diseases of ear:											
	Males—White	1,213	222	79	21	24	24	370	159	114	68	44
	Negro	85	23	4	5	2	2	36	10	4	3	4
	Other races	38	18	5			1	24	2	4		2
	Females—White	945	189	51	22	25	37	324	148	86	42	25
	Negro	88	19	7	2	3	2	33	3	5	1	2
	Other races	35	15	6	3	1		25	3	3	2	
89b	Diseases of mastoid process:											
	Males—White	842	73	34	23	19	14	163	138	91	76	37
	Negro	41	4	3	1	2	1	11	2	2	4	2
	Other races	10	2					2	3	1		1
	Females—White	631	57	27	18	19	21	142	127	64	38	29
	Negro	40	3	3			1	7	4	3	1	2
	Other races	6		2				2		1		1
	VII.—Diseases of the circulatory system:											
	Males—White	161,364	200	80	59	66	74	479	413	594	803	899
	Negro	14,583	29	13	10	9	10	71	53	87	100	158
	Other races	1,047	6	2	3	3	1	15	10	7	16	10
	Females—White	123,131	152	67	44	51	59	373	456	696	783	921
	Negro	13,300	28	11	8	13	8	68	63	83	144	259
	Other races	579	4	2	4	3	2	15	11	15	12	13
90	Pericarditis:											
	Males—White	451	8	6	3	2	3	22	8	10	12	12
	Negro	104	1					1	1	2	3	4
	Other races	4	1					1	1			
	Females—White	243	4	3	2	3		12	9	14	6	9
	Negro	75	2		1	1		4		3	2	2
	Other races	2				1		1				
91a	Acute endocarditis:											
	Males—White	1,275	15	11	14	15	10	65	53	56	73	107
	Negro	143	1	1	1	2	1	6	5	7	6	12
	Other races	19							3	1	2	1
	Females—White	1,225	10	6	3	8	11	38	67	90	114	140
	Negro	152	2		1	1	3	7	5	7	14	23
	Other races	15	1		1	1		3	2	3	1	1
91b	Endocarditis, unspecified (under 45 years):											
	Males—White	218	8	3	2	2	3	18	22	23	21	19
	Negro	69	1			1		2	3	5	4	5
	Other races	2			1			1				
	Females—White	234	8	3	2	3	6	22	20	29	21	24
	Negro	74	2	1	1	1	1	6	4	2	7	2
	Other races	7					1	1	1	2	1	
92a	Endocarditis, specified as chronic, and other valvular diseases:											
	Males—White	25,225	27	16	16	15	22	96	173	311	379	374
	Negro	3,237	5	3	3	1	5	17	21	31	35	43
	Other races	176		1		1		2	3	5	6	1
	Females—White	22,949	31	9	11	12	25	88	196	347	376	407
	Negro	3,309	3	2	3	5	3	16	23	40	58	91
	Other races	113		1				1	4	6	2	5
92b	Endocarditis, unspecified (45 years and over):											
	Males—White	1,853										
	Negro	248										
	Other races	17										
	Females—White	1,536										
	Negro	233										
	Other races	6										
93a	Acute myocarditis:											
	Males—White	2,101	19	4	2	7	3	35	13	12	20	24
	Negro	270	2	2	1		1	6	2	3	4	4
	Other races	25			1			1	1			3
	Females—White	1,639	19	9	5	2	4	39	20	13	18	24
	Negro	306		1	1	1		3	1	2	8	13
	Other races	16				1		1		2	1	1
93b	Myocarditis, unspecified (under 45 years):											
	Males—White	471	18	2	5	1	1	27	11	17	27	21
	Negro	165	1					1	1	2		12
	Other races	9	1					1			1	1
	Females—White	397	10	4	1	5	1	21	17	12	20	27
	Negro	201	2					2	1	2	4	10
	Other races	8									1	
93c	Chronic myocarditis and myocardial degeneration:											
	Males—White	47,501	7	3	3	4	3	20	32	42	58	103
	Negro	2,847		1	1		1	3	3	9	9	12
	Other races	303									3	3
	Females—White	41,292	2	2	3	3	4	14	30	35	61	85
	Negro	2,617	1			1		2	1	4	9	18
	Other races	160									1	1
93d	Other diseases of myocardium:											
	Males—White	14,696	3			3		6	4		7	11
	Negro	1,289			1			1	1			1
	Other races	77	1					1				
	Females—White	12,806	2	1				3	1	5	6	5
	Negro	1,240							1		1	4
	Other races	48										
94a	Angina pectoris:											
	Males—White	13,357					1	1			7	16
	Negro	532							1	1	1	5
	Other races	44										
	Females—White	5,623								4		10
	Negro	418									4	12
	Other races	22									1	

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
2	1		1		1	2	1		2	3	1	2	2				
1		2							2								
									1								
1		1	2		1		3	5	3	1			1				88
			1				1			1		1					
39	35	53	65	53	37	38	57	29	21	18	6	5	2				
1	6	3	4	3	2	5	1		2	1							
2	1		2				1										
24	33	33	26	33	48	30	33	21	16	13	6	3	1				89a
4	4	8	4	6	6	3	2	2	1	2	1		1				
	1								1								
37	32	34	39	44	43	34	31	17	15	6	4	1					
1	2	3	3	1	4	3		2				1					
1	2																
17	23	28	15	24	28	27	25	21	14	5	3			1			89b
2	4	3	4	3	2	3	1	1									
	1	1															
1,038	1,569	2,719	4,657	7,858	11,004	14,608	19,403	21,562	24,795	22,446	15,584	7,976	2,311	458	70	118	
294	531	837	1,126	1,521	1,903	1,668	1,682	1,403	1,128	806	578	311	165	54	45	62	
20	30	28	43	79	86	104	127	107	114	102	72	35	15	10	9	8	
1,118	1,438	1,925	2,822	4,231	5,699	7,961	11,695	15,019	19,462	19,421	15,471	9,191	3,504	755	100	90	
372	537	767	1,059	1,349	1,635	1,369	1,419	1,240	1,019	719	538	312	164	79	59	46	
17	22	18	26	42	31	36	55	54	56	38	51	24	22	9	11	1	
17	18	7	22	34	38	39	39	46	47	41	23	13	3				
2	5	4	11	15	13	13	7	8	5	6	1	1				2	
		1							1								
11	10	7	12	9	15	14	15	24	20	25	21	4	4	2			90
3	3	10	12	7	9	8	2	5		2	2		1				
								1									
105	89	98	89	92	84	81	76	55	60	56	20	15	1				
7	13	13	8	15	16	16	8	6	3	2							
1	2		3	1	1			2	2								
136	82	85	81	74	52	55	41	53	39	35	21	16	1	3		2	91a
9	14	14	10	6	9	14	8	5	4	1	2						
1	2		1								1						
30	18	30	37														
9	10	11	20														
1																	
25	23	37	33														91b
10	12	13	18														
	2																
393	490	691	856	1,188	1,575	2,038	2,670	3,125	3,703	3,511	2,238	1,084	258	54	7	11	
80	134	215	261	342	403	321	370	291	246	188	117	65	25	8	7	17	
6	9	8	8	17	13	21	23	15	11	7	12	5		1	1	2	
477	585	686	848	991	1,149	1,422	1,963	2,464	3,327	3,232	2,501	1,390	405	66	7	22	92a
122	156	203	278	335	367	321	315	318	210	173	133	75	30	21	13	11	
5	10	4	6	11	6	6	10	10	10	8	6	1		2			
				117	147	152	266	256	332	289	180	91	17	4		2	
				43	51	33	36	37	16	17	7	5	2		1		
				3	1	2	2	5	1	2	1						
				89	92	141	167	220	245	256	185	96	33	10		2	92b
				31	46	29	44	32	20	9	9	5	2		3	3	
				1	1		2	1	1								
27	40	76	105	144	184	236	226	242	264	190	157	74	22	5		5	
9	24	21	28	34	39	28	25	18	8	8	9						
1	1		2	2	4	2	3	3	2								
25	49	59	74	97	104	147	156	183	207	177	131	79	30	4	2	1	93a
12	20	27	27	33	48	23	33	23	11	12	6	4					
	1	2		1	1	1	3	1			1						
26	48	110	184														
20	33	45	51														
	2	2	2														
32	57	76	135														93b
23	38	49	72														
4		2	1														
123	254	548	1,035	1,839	2,780	3,860	5,647	6,596	7,927	7,480	5,405	2,729	818	149	26	30	
37	59	148	207	255	355	358	355	314	274	177	121	70	44	17	9	11	
3	5	4	16	25	21	31	41	31	33	32	28	15	7	2	3		
159	217	378	688	1,119	1,754	2,536	3,864	5,330	7,043	7,189	5,747	3,419	1,293	275	40	16	93c
51	76	124	187	237	318	307	304	269	264	183	119	67	47	12	10	8	
5	2	2	9	7	5	10	17	17	24	14	18	11	9	4	3	1	
14	20	52	70	661	901	1,276	1,780	2,120	2,421	2,310	1,692	969	296	62	8	16	
3	4	8	18	156	229	181	196	177	118	67	60	32	20	7	5	5	
1	1	1		5	4	10	11	9	10	10	6	2		1	4	1	
14	17	26	41	424	589	846	1,220	1,587	2,144	2,226	1,885	1,175	473	100	11	8	93d
11	12	7	24	168	199	172	179	138	120	74	60	29	21	10	4	6	
				6	2	6	5	6	4	7	5	2	3		2		
32	98	213	552	933	1,282	1,700	2,039	2,036	2,008	1,401	713	257	51	8	1	9	
8	18	51	54	76	83	71	62	38	23	22	8	6	3			1	
	2	2		4	6	5	11	6	2	4			1	1			
15	34	54	110	176	299	536	771	904	1,056	847	498	240	52	12		5	94a
15	12	34	41	62	64	34	39	46	21	8	11	10	2	2		1	
		3	2	2	5	1	4	1	2						1		

198

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Contd.											
94b	Diseases of coronary arteries:											
	Males—White	18,356	3	1	1		1	6	2	7	14	25
	Negro	564		1				1		1	3	3
	Other races	82										
	Females—White	8,049	1	1	1			3	2	1	11	22
	Negro	416									1	4
	Other races	23	1					1			1	1
95a	Functional diseases of heart:											
	Males—White	447	2	1	1			4			2	2
	Negro	27										
	Other races	3										
	Females—White	339	3					3		1	3	1
	Negro	36				1		1			1	3
	Other races	3										
95b	Other and unspecified diseases of heart:											
	Males—White	21,293	56	19	5	10	19	109	76	103	152	160
	Negro	3,659	10	3	3	4	2	22	13	20	30	52
	Other races	204	2			2	1	5	1		4	
	Females—White	15,805	36	17	9	10	6	78	80	137	124	138
	Negro	3,272	10	6		2	1	19	26	21	32	69
	Other races	88	1	1	2			4	4	2	3	4
96	Aneurysm (except of heart):											
	Males—White	1,276							3	2	11	6
	Negro	361				1		1		1		3
	Other races	14										
	Females—White	474	2					2	1	3	6	3
	Negro	146										2
	Other races	10										
97	Arteriosclerosis (coronary arteries excepted):											
	Males—White	10,773										2
	Negro	757										1
	Other races	50										
	Females—White	8,876										
	Negro	564										
	Other races	42										
98	Gangrene:											
	Males—White	466	9	2		2	2	15	6	3	2	4
	Negro	100	3	1				4	1	3		1
	Other races	7	1	1	1			3	1	1		
	Females—White	313	5	5	4	3	1	18	3	1	2	5
	Negro	66		1				1	1	1		
	Other races	7			1		1	2				
99	Other diseases of arteries:											
	Males—White	829	3		3	1	1	8	3		8	7
	Negro	49										
	Other races	8										1
	Females—White	607	4		1	1	1	7	3		8	8
	Negro	32								1	1	1
	Other races	4										
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.):											
	Males—White	302	1	1	2		1	5	2	4	4	4
	Negro	25								1	2	
	Other races	2										
	Females—White	349		1	1	1		3	1		2	5
	Negro	21	1					1			1	1
	Other races	1										
101	Diseases of lymphatic system (lymphangitis, etc.):											
	Males—White	82	14	9		4	2	29	3	3	2	2
	Negro	9	1	1				2			1	
	Females—White	71	11	5	1			17	6	1	2	1
	Negro	11	2		1			3				1
	Other races	2										
102	Idiopathic anomalies of blood-pressure:											
	Males—White	267							1		1	
	Negro	93										
	Other races	1										
	Females—White	206								3	2	4
	Negro	87										1
	Other races	1										
103	Other diseases of circulatory system:											
	Males—White	125	7	2	2		2	13	1	1	3	
	Negro	35	4					4	1	1	2	
	Females—White	98	4	1				5			1	3
	Negro	24	3					3			1	2
	Other races	1	1					1				
	VIII.—Diseases of the respiratory system:											
	Males—White	46,986	7,232	1,856	717	472	283	10,560	872	572	922	966
	Negro	8,331	1,784	400	147	87	54	2,472	166	123	245	394
	Other races	1,455	518	146	49	28	13	754	27	14	26	38
	Females—White	36,561	5,498	1,473	648	394	259	8,272	763	508	617	745
	Negro	6,160	1,359	341	116	82	47	1,945	154	121	207	324
	Other races	1,055	438	126	52	27	7	650	30	22	22	17
104a	Diseases of nasal fossae:											
	Males—White	82	30	6	1	1	1	39	1	4	3	1
	Negro	73	55	1	6	1		63	1	1		1
	Other races	5	3					3				
	Females—White	80	32	5	3			40	1		4	1
	Negro	69	52	3	2		1	58				1
	Other races	2	2					2				
104b	Diseases of nasal fossae and annexae:											
	Males—White	420	9	5	2	5	2	23	9	38	57	47
	Negro	28	2					2	1	3	4	4
	Other races	4										1
	Females—White	249	6	4	5	6	2	23	13	22	21	22
	Negro	28	2			1		3	2	4	1	2
	Other races	1							1			
105	Diseases of larynx:											
	Males—White	262	48	51	32	21	14	166	27	6	3	7
	Negro	28	6	5	1	2	1	15				1
	Other races	7	1	2		1		4	1	1		
	Females—White	176	36	24	18	19	9	106	16	5	2	2
	Negro	26	9	4		1		14	1	1	1	
	Other races	5	2	2				4				

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
54	169	388	885	1,413	1,944	2,415	2,854	2,737	2,419	1,674	889	352	79	16	2	12	
20	33	36	73	84	89	72	53	44	19	13	12	3	3		1	1	
3	2	4	3	5	11	14	7	5	10	10	4	1				3	
27	67	103	193	333	488	725	1,139	1,318	1,400	1,094	704	299	103	10	1	6	94b
10	22	37	45	54	60	45	56	29	20	17	7	3	2	2	1	1	
	1		1	4	1	1	2	3	2		1	2	1		1		
2	6	7	15	15	30	53	42	58	74	69	30	23	10	4		1	
	1		4	3	1	7	3	1	4	2			1				
	1				1			1									
5	3	10	16	19	12	23	24	43	42	56	43	24	10	1			95a
		4	1	5	2	3	3	2	2	5	2		1			1	
					1						2						
190	245	402	630	1,096	1,559	2,040	2,678	2,784	3,268	2,789	1,877	856	212	38	11	18	
73	151	207	301	382	473	419	418	334	284	187	152	73	30	11	8	19	
4	5	5	8	12	18	13	21	24	27	27	13	8	2	4	1	2	
145	249	326	481	724	854	1,107	1,704	1,908	2,371	2,292	1,719	949	318	75	9	17	95b
93	146	205	296	334	424	334	329	272	244	157	126	69	34	16	13	13	
2	4	2	4	7	6	8	6	7	5	5	7	3	3		2		
3	26	35	76	136	176	192	180	158	131	92	32	12	4			1	
11	26	55	56	53	67	33	25	11	10	5	3		1				
		1		2	2	1	3	1	2	1			1				
8	10	21	19	23	51	45	58	54	83	44	21	13	5			4	96
4	9	19	17	26	22	13	13	10	5	5	1						
		1		2	1	1	2	1	1	1							
1	7	10	35	80	165	357	721	1,125	1,869	2,305	2,090	1,376	499	105	14	12	
1	6	6	18	35	60	85	93	100	93	89	74	41	29	9	12	5	
					4	3	2	4	11	9	8	4	4	1			
3	2	7	23	67	116	229	423	780	1,306	1,730	1,845	1,394	738	181	28	4	97
2	1	8	15	23	40	46	71	64	87	63	49	45	21	13	14	2	
			1			2	1	5	6	3	9	5	6	2	2		
5	5	3	6	8	10	16	23	29	64	69	106	60	19	11	1	1	
5		7	3	4	8	7	7	11	9	5	8	8	6	1	1	1	
								1	1								
4	6	4	4	4	10	15	16	15	35	46	50	41	23	7	2	2	98
1	1	3	6	7	7	3	5	9	4	4	7	1	3	1	1		
		1			1				1		1			1			
10	18	26	25	51	67	74	73	101	119	106	75	42	15	1			
4	7	4	3	8	1	4	3	2	3	5	3	1	1				
			1	2		2	1		1								99
16	8	14	22	33	42	49	53	69	81	99	50	28	12	5			
1		2	2	3	1	5	3	3	1	3	3	2					
		1	1	1			1										
2	12	16	19	27	27	40	30	40	25	22	16	4	3				
1	2	1	3	2	1	3	2	2	2	2	1						
							2										
9	9	19	23	35	46	43	47	36	23	27	13	6	1			1	100
2	1	1	1	1	5	4	1	1	1								
							1										
	3	1	2	4	5	4	2	3	5	6	5	3					
1	1			1	1	1	1										
2	2	4	6	2	5	5	3	3	3	4	3	1	1				101
	1	2			2	1			1								
					1		1										
3	2	3	13	17	24	28	43	34	40	22	22	10	3	1			
1	2	1	3	9	10	15	15	8	11	10	1	5		1	1		
				1													
2	5	7	10	9	17	17	19	21	23	31	22	12		2			102
3	7	4	7	16	8	7	11	12	4	3		2		2			
								1									
1	1	3	1	3	6	7	14	17	19	14	14	6	1				
2	2	4	4	4	3	1	3	1		1	1	1					
3	3	2	3	3	4	6	12	7	14	11	12	5	2	2			103
	6	1		1	4		3	2			1						
1,014	1,313	1,916	2,391	2,739	2,927	2,955	3,172	3,242	3,475	3,156	2,550	1,494	575	111	25	39	
486	489	585	597	570	578	397	379	263	210	135	102	64	35	15	9	17	
33	29	47	48	61	52	61	53	43	53	43	37	18	11	1	3	3	
904	985	1,136	1,287	1,329	1,508	1,796	2,182	2,505	3,039	3,209	2,818	1,849	847	189	38	35	
358	383	356	366	357	363	285	215	222	182	107	87	56	30	13	18	11	
21	14	25	29	16	25	31	28	32	27	19	19	10	9	1	7	1	
1	4	2	2	1	1	3	1	1	3	3	2	7	3				
			1		1	1			1	1	1		1				
							1					1					
	2			1					2	8	10	1	7	2	1		104a
1	2	1				1		2	1		1				1		
31	26	41	28	37	20	26	14	5	8	7	1	2					
4		4	3	2	1												
1	1			1													
20	18	15	27	7	19	13	9	11	4	2	2	1					104b
4	2	1		2	1	2	2	1	1								
4	1	7	2	8	5	10	4	3	3	2	3	1					
3	1		2	2	3		1										
					1												
10	3	4	6	1	3	5	2	3	3	2	1	2					105
1	2	1		1		2	1	1									
	1																

2005 621 149 44 71

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system—Contd.											
106a	Acute bronchitis:											
	Males—White	515	144	29	11	8	2	194	15	4	4	3
	Negro	62	25	8	1			34	1			
	Other races	10	7		1	1		9				
	Females—White	595	121	31	18	8	4	182	11	4	1	5
	Negro	81	23	9		2	1	35			2	5
	Other races	13	6					6				
106b	Chronic bronchitis:											
	Males—White	979	9	6	2	1	2	20	1	5	6	7
	Negro	41	1					1			1	
	Other races	15	1					1				
	Females—White	758	3		2		1	6	5	4	5	5
	Negro	51	1	3		1		5			2	2
	Other races	9		1		1		2			1	
106c,d	Bronchitis, unspecified:											
	Males—White	401	108	14	10	4	4	140	5	1	3	
	Negro	61	24	8	1			33	1			
	Other races	11	6		1		1	8				
	Females—White	399	69	11	4	3	1	88	9	1		1
	Negro	52	11	4	1	1		17	1	1		4
	Other races	9	4	1				5				
107a	Bronchopneumonia:											
	Males—White	16,775	4,922	1,035	354	207	101	6,619	303	152	174	182
	Negro	2,470	987	203	53	36	24	1,303	73	33	36	60
	Other races	637	336	81	26	12	4	459	11	3	1	5
	Females—White	14,499	3,750	816	295	177	112	5,150	259	152	154	171
	Negro	1,948	732	196	57	36	21	1,042	55	22	36	55
	Other races	498	259	76	31	20	3	389	14	8	7	5
107b	Capillary bronchitis:											
	Males—White	159	69	14	5	5	1	94	4		1	
	Negro	30	14	6	2	1		23		1		1
	Other races	19	8	2	2			12				
	Females—White	143	66	11	6			83	2			1
	Negro	26	10	7				17			1	
	Other races	5	3		2			5				
108	Lobar pneumonia:											
	Males—White	21,862	1,419	549	223	167	112	2,470	412	289	546	600
	Negro	4,294	355	120	57	35	17	584	64	59	178	274
	Other races	510	94	37	12	8	4	155	9	9	12	24
	Females—White	15,816	1,046	446	222	135	105	1,954	359	259	353	433
	Negro	2,907	267	76	43	32	15	433	69	74	133	208
	Other races	351	97	21	12	4	1	135	12	11	14	12
109	Pneumonia, unspecified:											
	Males—White	1,392	332	66	30	22	16	466	32	22	45	32
	Negro	724	287	38	21	10	10	366	18	16	17	25
	Other races	141	55	18	5	4	2	84	3		8	4
	Females—White	1,061	240	57	27	14	9	347	33	20	21	16
	Negro	572	223	31	9	6	6	275	22	14	20	23
	Other races	110	60	15	3	1	1	80	2	2		
110	Pleurisy:											
	Males—White	1,441	82	58	34	21	24	219	45	34	49	50
	Negro	176	15	6	4	1	1	27	3	5	7	17
	Other races	42	2	3	1	1	1	8	2	1	2	3
	Females—White	836	69	51	39	25	12	196	33	26	27	28
	Negro	129	8	2	2	1	2	15	2	3	4	13
	Other races	22	1	7	4	1	2	15		1		
111a	Pulmonary embolism and thrombosis:											
	Males—White	258	6		1			7	1	1	2	6
	Negro	16									1	3
	Other races	1										
	Females—White	246	4					4	3	3	3	8
	Negro	15										
111b	Pulmonary congestion, edema, hemorrhagic infarct:											
	Males—White	605	21	6	2	2		31	3	2	4	5
	Negro	64	7	1			1	9	1	3		
	Other races	7	1				1	2				
	Females—White	701	26	2	2			30	6	1	4	8
	Negro	45	4	2				6			1	
	Other races	5	1	1				2	1			
112	Asthma:											
	Males—White	865	11	9	6	7	2	35	1	5	7	5
	Negro	134	2	2	1	1		6	1	1		
	Other races	26	2	3	1	1		7			1	
	Females—White	686	6	8	3	3	2	22	5	4	7	26
	Negro	135	2	3	2	1	1	9	1	2	3	5
	Other races	17										
113	Pulmonary emphysema:											
	Males—White	97	1	1	1			3	1		1	
	Negro	4										1
	Other races	1										
	Females—White	37	5	1				6				1
	Negro	6	1					1			1	
	Other races	2	1					1				
114	Other diseases of respiratory system (tuberculosis excepted):											
	Males—White	873	21	7	3	1	2	34	12	9	17	21
	Negro	126	4	2				6	2	1	1	7
	Other races	19	2					2	1		2	1
	Females—White	279	19	6	4	4	2	35	8	7	15	17
	Negro	70	14	1				15	1		2	6
	Other races	6	2	2				4				

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years And over	Age unknown	List no.
2	4	5	14	10	10	16	15	21	27	48	43	49	24	6	1		
5	1	3	4	3	2	3	2	1	2	1	1						
8	3	1	5	5	12	15	13	29	38	71	74	64	43	10	1		106a
2	4	3	2	3	7	1	3	3	3	2	3	1	1	1			
		1				2	1		2		1						
10	9	22	24	58	76	72	84	80	129	131	118	84	35	6	2		
	3	5	4		6	4	2		2	5	1	2	4	1			
			1		2		1	2	1	2	3		2				106b
6	13	16	10	14	18	27	47	77	110	134	147	65	41	4	3	1	
	4	1	5	3	3	4	5	3	5	3	1	1	4	2	1		
				1			1	1		1	1				1		
2	7	2	6	5	12	11	13	17	30	40	42	37	25	3			
3	4	1	3	2	4	1	1	1	2		3	1	1				
				1			1			1							
2	1	2	3	4	5	8	23	19	27	49	62	54	32	7	1	1	106c, d
2	1	2	4	1	1	5	3	4			3	1		1	1		
			1			1				1	1						
206	235	369	510	520	626	701	841	978	1,173	1,172	1,064	625	250	48	12	15	
76	60	98	98	101	106	89	88	71	67	41	30	19	12	4	3	2	
8	4	11	9	12	10	19	19	13	9	15	14	8	4	1	2		
177	194	253	329	312	386	475	655	824	1,138	1,224	1,244	869	389	89	15	10	107a
67	70	55	68	74	74	65	51	61	49	35	28	20	11	1	5	4	
4	2	6	2	5	5	5	8	10	6	5	7	5	1	1	3		
		1	2	2	4	6	5	5	15	8	4	6	2				
				1	2	1			1								
1			1	1	1			1	1		1						
	1	2			3	3	3	7	8	5	15	4	5	1			107b
1			1			1	1	3					1				
644	881	1,220	1,501	1,710	1,737	1,720	1,789	1,752	1,639	1,364	921	472	148	25	4	18	
343	346	406	404	374	387	235	226	151	96	66	45	29	7	5	2	13	
16	20	30	33	35	30	27	25	20	24	16	12	7	5			1	
569	628	701	749	813	903	1,064	1,203	1,304	1,436	1,363	932	526	198	43	9	17	108
230	245	222	229	218	228	164	120	112	92	52	34	21	8	5	5	5	
13	7	15	20	10	19	18	13	15	14	8	5	3	5		2		
35	28	43	47	47	50	52	59	54	89	92	89	73	27	6	2	2	
25	34	24	30	25	29	19	24	13	17	13	12	7	8		1	1	
1	2	3	1	1	2	4	4	5	10	4	3				1	1	
28	23	23	29	31	29	34	30	49	51	88	82	68	43	11	2	3	109
20	25	32	28	19	17	17	7	14	11	5	10	4	4	1	2	2	
4	3	1	2			2			3	4	1	2	2		1	1	
41	57	102	98	131	120	114	95	87	99	49	36	8	3	3		1	
13	15	18	15	14	7	11	8	6	6	1	2	1					
2	2	2	3	4	4	3	2	2	1	1							
35	32	46	49	43	43	45	48	36	48	42	30	20	7	1		1	110
12	13	14	10	13	11	4	3	6	4	2							
	1	1	2		1	1											
2	8	12	11	23	22	24	25	37	23	30	14	8		1		1	
1			1	4		1	1	3						1			
										1							
10	13	10	12	22	16	24	26	25	26	22	14	4	1				111a
		4	1	2	4	1	2	1									
5	2	5	10	8	10	19	31	27	65	92	134	84	50	13	4	1	
4	2	3	7	6	3	4	3	2	5	2	2	2	2	1	3		
						1			2	1	1						
7	2	6	3	5	13	10	18	34	69	118	145	131	68	17	6		111b
1		3	4	2	4	2	3	2	3	3	1	4	3		3		
									1				1				
9	18	28	49	66	96	87	100	104	93	74	55	29	3			1	
3	8	12	9	14	14	14	14	13	10	4	4	3		3		1	
		1		2		3			5	2	2	2				1	
18	29	40	41	53	49	52	56	74	57	60	51	30	10	1		1	112
7	7	11	7	13	11	14	13	9	8	4	5	3	1	2			
		1	1			2	4	6	1		2						
1	2	1	7	6	8	10	10	11	12	10	6	5	3				
	1		1		1												
						1											
	3			2	2	2	2	2	2	9	1	3	2				113
1		1			1		1										
							1										
21	31	56	80	107	130	84	86	60	67	34	18	4	2				
6	14	11	15	22	12	14	9	2	1	1	2						
4				4	2	3											
14	20	17	24	16	7	19	17	11	20	12	8	7	1	3		1	114
9	8	5	7	6	1	2			5	1	1	1					
			1								1						

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system:												
	Males	White	44,434	5,891	1,981	781	513	371	9,537	1,237	1,127	1,245	1,283
		Negro	5,909	1,276	412	140	65	41	1,934	148	147	184	225
		Other races	1,368	647	178	38	24	15	902	37	18	23	24
	Females	White	34,545	4,379	1,613	617	367	305	7,281	1,145	892	853	983
		Negro	5,148	941	360	91	53	27	1,472	117	117	177	240
		Other races	1,169	554	192	43	19	7	815	33	19	26	15
115a	Diseases of pharynx and tonsils:												
	Males	White	2,017	107	91	84	89	76	447	240	123	106	141
		Negro	220	20	9	7	6	6	48	23	14	18	16
		Other races	45	7	4	1	1	3	16	10	1	2	1
	Females	White	2,178	53	72	65	69	58	317	246	122	112	128
		Negro	256	14	6	5	2	6	33	23	26	26	20
		Other races	31	1	5	1	4		11	3	2	2	3
115b	Diseases of buccal cavity and annexa:												
	Males	White	448	13	4	3	6	6	32	20	9	9	23
		Negro	70	13		1		1	15		1		4
		Other races	6		1	1			2				
	Females	White	328	18	15	3	1	2	39	27	9	7	22
		Negro	75	5	4	1			10	1	1	2	6
		Other races	6	1				1	2				
116	Diseases of esophagus:												
	Males	White	97		1		1	1	3				2
		Negro	9			2	1		3				
		Other races	1										
	Females	White	48	2					2	1			2
117a	Ulcer of stomach:												
	Males	White	3,592	2		3		2	7	9	4	18	67
		Negro	339	2		1			3		2	4	15
		Other races	41									2	1
	Females	White	999	3	2	2		1	8	1	3	8	19
		Negro	218							1		6	11
		Other races	8										1
117b	Ulcer of duodenum:												
	Males	White	1,813	3					3	2	2	9	32
		Negro	92									1	5
		Other races	10									1	
	Females	White	388	1					1	1	3	5	13
		Negro	37							1		2	1
		Other races	2										
118	Other diseases of stomach (cancer excepted):												
	Males	White	1,431	192	39	20	12	11	274	13	11	9	20
		Negro	611	69	20	8	3	6	106	16	7	8	13
		Other races	56	29	4	1			34				
	Females	White	1,043	161	27	16	8	7	219	15	11	16	18
		Negro	654	59	15	10	4	2	90	5	8	18	20
		Other races	58	32	3	1	3		39	1		2	2
119	Diarrhea and enteritis (under 2 years):												
	Males	White	6,605	4,928	1,677				6,605				
		Negro	1,417	1,058	359				1,417				
		Other races	754	589	165				754				
	Females	White	5,120	3,765	1,355				5,120				
		Negro	1,130	809	321				1,130				
		Other races	681	504	177				681				
120	Diarrhea and enteritis (2 years and over):												
	Males	White	2,344			461	199	94	754	142	48	39	37
		Negro	485			106	41	12	159	30	13	9	15
		Other races	119			31	20	9	60	10	4		
	Females	White	2,369			380	152	76	608	137	37	26	65
		Negro	525			68	35	15	118	18	13	13	20
		Other races	124			37	10	3	50	16	2	2	5
121	Appendicitis:												
	Males	White	9,826	16	47	110	143	132	448	639	784	895	760
		Negro	883	4	5	4	6	7	26	49	85	95	78
		Other races	136			1	2	2	5	13	9	14	12
	Females	White	6,222	12	34	84	94	106	330	568	616	524	426
		Negro	592	1	1	2	4		8	44	50	57	69
		Other races	58		2	1	1	2	6	8	13	12	
122a	Hernia:												
	Males	White	2,511	45	7	3	2	3	60	6	5	11	23
		Negro	348	20	5	1	2	1	29	4	5	6	14
		Other races	26	3					3				3
	Females	White	1,906	4	1		1	1	7	4	4	3	4
		Negro	117	3	1		1		5			2	2
		Other races	23										
122b	Intestinal obstruction:												
	Males	White	3,175	441	71	68	36	27	643	94	81	75	75
		Negro	545	63	9	5	3	3	83	13	7	29	28
		Other races	52	16	2	1	1	1	21	3	1	1	3
	Females	White	3,224	252	71	30	20	15	388	57	30	54	109
		Negro	636	39	9	2	4	3	57	14	8	22	29
		Other races	44	13	2		1	1	17	2	1	3	
123	Other diseases of intestines:												
	Males	White	657	29	3	4	4	1	41	7	6	11	13
		Negro	98	9	4		1	1	15	2		4	7
		Other races	13	1	1	1			3				1
	Females	White	485	27	9	3	1	4	44	7	5	8	13
		Negro	111	2	1	1			4		2	5	8
		Other races	5	1					1	1			
124	Cirrhosis of liver:												
	Males	White	5,539	5	2	2	1	1	11	7	9	10	12
		Negro	438			1		1	2	1	3	4	6
		Other races	46							1			
	Females	White	2,982	3	3	2		5	13	11	11	11	16
		Negro	315								1	2	10
		Other races	29									2	
125a	Yellow atrophy of liver:												
	Males	White	166	3	2			1	6	1		3	5
		Negro	23							1	1	1	2
		Other races	3										
	Females	White	270	1	1	1	1	1	5	4		12	22
		Negro	34								3	5	5
		Other races	4									1	

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
1,375	1,551	2,024	2,627	3,094	3,314	3,340	3,435	2,905	2,628	1,919	1,105	477	141	21	4	45	
241	277	369	417	396	410	340	261	202	131	86	66	37	12	5	6	15	
31	30	30	35	47	36	44	29	27	27	5	10	4	2	4	1	2	
1,031	1,191	1,560	1,791	2,097	2,251	2,387	2,567	2,483	2,210	1,758	1,158	642	197	44	5	19	
296	368	355	361	349	376	252	212	172	102	66	45	29	18	8	1	15	
19	24	22	23	24	27	22	26	25	14	9	14	3	2	1	2	4	
143	124	103	91	95	89	83	62	56	49	23	26	7	6			3	
20	15	17	13	13	8	4	4	1	1	3		2					
2	4	1	5		1			1		1							
117	129	137	129	125	127	121	109	103	72	46	21	7	7	1	1	1	115a
21	20	24	15	13	8	8	5	6	4			1	1			2	
2		3	1	1	1		1	1									
24	19	23	37	36	50	43	34	32	24	18	6	2	2		2	3	
6	4	6	4	8	3	4	3	7	1	1	2	1					
1		1	1	1													
12	20	21	25	29	18	15	24	17	10	3	11	15	4				115b
4	11	6	6	4	9	4	2		2	4	2		1				
	1			1	1			1									
	1	3	3	8	4	7	9	17	11	15	6	8					
		1	2	1			1						1				116
								1									
1	2		1	6	2	8	6	3	6	2	3	1	1	1			
107	142	230	399	457	465	417	397	307	262	170	89	25	12	2		6	
16	22	42	49	44	38	41	34	10	8	8	3						
3	2	3	3	7	5	4	4	3	1		1	2					
22	26	47	58	91	103	106	89	116	112	98	47	29	13	1		2	117a
12	25	22	22	23	30	15	22	9	10	4	3	2		1			
2		1			1		1	1	1								
77	105	157	188	241	238	227	193	141	98	69	22	4	2	1		2	
9	11	9	16	11	13	3	3	7	1	2	1						
	1		3	1		1	1	2									
8	15	24	24	38	41	43	45	45	31	30	11	8	1			1	117b
1	8	5	6	3	2	4	2	2									
							2										
17	22	46	68	78	113	101	123	114	132	120	93	46	20	3		8	
31	34	46	74	47	65	52	26	32	20	8	9	9	4		1	3	
1	2	1	2	3	2	1	1		4	1	1			2		1	
15	16	24	35	31	41	63	73	71	106	93	98	62	27	7	1	1	118
29	47	43	61	71	82	46	40	41	21	8	11	6	3		1	3	
3	1	1		1	2	1				1	2		1			1	
																	119
46	46	65	54	79	85	102	122	137	146	177	143	88	24	4	1	5	
13	16	18	17	24	34	32	27	21	16	13	10	7	3	1	3	4	
4	3	1	2	4	2	4	4	5	6	1	5	1	1	1		1	
64	58	52	57	72	84	86	104	132	174	202	176	165	51	17	1	1	120
23	27	17	36	28	56	35	33	21	17	11	17	8	7	4		3	
1	3	4	2	3	2	1	7	5	7	3	4	2	1	1	1	2	
705	687	720	784	758	709	576	486	372	267	158	47	23	2	1		5	
68	87	96	80	60	52	40	31	16	11	5	3	1					
13	11	13	7	12	8	13	2	3	1								
367	339	384	416	424	412	421	345	275	185	114	47	19	3	2		5	121
79	70	49	44	38	30	20	15	9	3	2	2	2				1	
5	3	2		1	2	3	1	1	1								
32	45	75	116	160	215	260	289	290	340	282	182	91	25	1		3	
12	13	22	21	35	35	33	33	29	14	14	12	10	3	3		1	
1	1	1	1	1	1	2	3	3	6								
12	22	56	86	143	176	226	286	264	263	198	108	33	6	1	1	3	122a
6	6	11	11	18	13	8	5	17	5	3	2	1		2			
	2		3	4	3	4	3	1	2	1							
71	100	115	144	179	194	221	271	255	251	199	140	48	16	2		1	
35	23	34	44	47	57	40	35	26	17	14	9	3				1	
2		1	2	3	2	4	6	1	1					1			
145	151	181	223	206	211	198	265	239	247	203	181	99	32	3		2	122b
44	74	78	71	69	46	37	30	20	17	6	3	4	4	1		2	
1	3	2	2	6		1	1	3	1			1					
11	16	32	50	69	81	67	73	65	43	29	24	11	5	2		1	
6	7	8	8	10	10	7	6	5	1	1	1						
		1	1	2	2		1	2									
12	23	29	31	31	35	52	52	36	29	33	24	17	3	1			123
8	18	17	10	9	9	8	6	1	2	3	1						
				1			1	1									
40	104	203	357	536	650	762	855	710	620	402	179	53	12	2		5	
6	18	37	61	53	63	57	38	31	27	14	11	2	1			3	
1	3	1	3	9	6	8	4	4	4	1		1					
34	83	135	174	255	309	304	337	384	354	288	165	79	17	1		1	124
9	15	32	29	38	51	30	33	28	12	15	3	3	2			2	
	1	5	2	2	2	6		2	2		4				1		
5	8	11	20	16	17	17	15	7	10	14	6	3	2				
2	4	4	1	4	1		1	1									
				1	1	1											
33	24	28	27	19	20	18	15	7	10	12	14						125a
9	5	2	1	1	2	1											
1	1	1															

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Continued.												
125b	Other diseases of liver:												
	Males	White	550	21	11	6	3	1	42	13	9	9	17
		Negro	96	7				1	8	2	4		3
		Other races	15									1	
	Females	White	414	17	6	3	2	1	29	6	9	8	13
		Negro	98	3	2				5			5	5
		Other races	5									1	1
126	Biliary calculi:												
	Males	White	1,288										7
		Negro	35									2	2
		Other races	5										1
	Females	White	3,104									8	25
		Negro	68										1
		Other races	41									1	
127	Other diseases of gall-bladder, biliary passages:												
	Males	White	1,424	7	3	3	1	6	20	5	3	10	16
		Negro	77	3		1		1	5	1	2	1	4
		Other races	21									1	2
	Females	White	2,467	6	1	2			9	5	4	5	30
		Negro	103	2		1			3			1	9
		Other races	27			1			1				
128	Diseases of pancreas:												
	Males	White	340	1		1	1	1	4	1		4	9
		Negro	21	1					1				5
		Other races	6	1					1				
	Females	White	288	2					2	3		3	5
		Negro	18	1					1			1	2
		Other races	4										
129	Peritonitis, cause not specified:												
	Males	White	611	78	23	13	15	8	137	38	33	27	24
		Negro	102	7	1	3	2	1	14	6	3	2	8
		Other races	13	1	1	1			3		3	1	
	Females	White	710	52	16	26	18	28	140	52	28	43	53
		Negro	161	3		1	3	1	8	10	5	10	22
		Other races	19	2	3	2			7	2	1		3
	X.—Diseases of the genitourinary system:												
	Males	White	58,200	228	57	69	62	42	458	177	189	305	404
		Negro	8,468	44	17	11	14	7	93	30	27	53	113
		Other races	480	9	3	5	2	2	21	11	1	8	5
	Females	White	46,640	154	69	68	40	38	369	182	237	376	643
		Negro	7,504	32	17	13	7	6	75	43	47	119	213
		Other races	280	6	3	1			10	6	6	10	17
130	Acute nephritis (including unspecified, under 10 years):												
	Males	White	1,938	113	33	36	34	27	243	88	56	69	82
		Negro	634	20	11	8	9	5	53	21	11	22	34
		Other races	41	3	1	3	2	1	10	9	1	4	2
	Females	White	1,507	59	33	38	22	18	170	85	55	68	63
		Negro	589	17	12	12	4	2	47	26	16	31	28
		Other races	23	2	2				4	5		1	1
131	Chronic nephritis:												
	Males	White	42,373	2	6	14	14	9	45	62	94	178	232
		Negro	5,443	2	1		2	2	7	3	10	9	39
		Other races	310					1	1	1		2	1
	Females	White	37,373	2	3	6	9	9	29	62	127	166	242
		Negro	5,133		2			2	4	10	19	38	62
		Other races	173							1	5	2	7
132	Nephritis, unspecified (10 years and over):												
	Males	White	3,930								20	29	44
		Negro	1,013								5	14	19
		Other races	45									2	1
	Females	White	2,839								27	13	35
		Negro	870								5	9	17
		Other races	30									3	3
133	Other diseases of kidneys, ureters (puerperal diseases excepted):												
	Males	White	1,467	86	18	14	13	5	136	21	18	26	28
		Negro	291	13	5	3	3		24	5	1	4	12
		Other races	24	3	2	2			7	1			1
	Females	White	1,485	90	31	24	9	11	165	30	15	33	41
		Negro	229	14	3	1	3	1	22	7	1	7	11
		Other races	17	3		1			4				1
134	Calculi of urinary passages:												
	Males	White	743	1			1		2	1		1	9
		Negro	46									1	1
		Other races	1										
	Females	White	419								3	4	4
		Negro	26										
		Other races	3		1				1				1
135	Diseases of bladder (tumors excepted):												
	Males	White	418	2		2			4	1			4
		Negro	125							1		1	
		Other races	7										
	Females	White	171	3	2				5				
		Negro	24	1				1	2				1
		Other races	5										
136	Diseases of urethra, urinary abscess, etc.:												
	Males	White	280	1					1	1		1	1
		Negro	217										7
		Other races	3										
	Females	White	10										
		Negro	3										
		Other races	1	1					1				
137	Diseases of prostate:												
	Males	White	6,973										3
		Negro	672									1	
		Other races	45										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
26	29	47	48	50	45	52	42	28	35	23	19	9	3	3		1	
8	3	9	10	14	11	6	3	4	6	1	1	2			1		
1	1	1	4		4	1	1								1		
8	13	27	32	36	19	34	33	40	36	25	31	9	3	2		1	125b
8	10	12	11	13	8	7	3	2	2	4		1				2	
					2	1											
13	22	62	97	121	137	168	206	164	153	76	43	19					
2	2	2	1	2	4	6	4	4	2	1					1		
				1		1	1				1						
68	113	199	248	310	331	380	418	404	280	198	83	29	5	4	1		126
4	7	8	9	7	12	11	2	3	2	2							
2	4	2	7	4	7	3	3	6		1	1						
27	42	66	99	137	132	164	182	164	133	113	70	31	8		1	1	
1	5	8	6	11	6	10	5	5	3		2			1		1	
1	1	2	1	2	1	3		2	2	1	2						
51	95	142	167	211	249	250	300	301	252	189	120	64	20	2		1	127
5	9	8	12	8	12	12	8	11	1	3	1						
1	2		4		3	2	4	3		3	3					1	
9	19	33	37	32	53	42	35	23	25	9	3	1				1	
	4	4	3	1	1		1	1									
	1	1			1		1		1								
12	14	27	25	27	41	40	31	25	20	7	3	3					128
4	3	5				1	1										
	1		2		1												
22	20	33	35	42	37	31	41	23	29	22	7	8	2				
6	9	6	7	11	9	5	6	2	3	1	2					2	
1		2				1			1				1				
50	48	47	33	43	32	22	35	21	23	17	15	3	4	1			129
30	13	16	17	6	6	5	5	2	4	1		1					
1	2	1					2										
451	622	997	1,524	2,283	3,294	4,590	6,190	7,724	9,689	8,723	6,421	3,119	831	136	23	50	
156	231	375	580	673	957	1,026	1,006	985	760	540	408	257	101	32	26	39	
13	7	16	12	17	32	46	55	51	65	38	44	18	13	3	3	2	
832	1,012	1,376	1,924	2,278	2,757	3,394	4,505	5,473	6,827	6,344	4,657	2,449	783	170	21	31	
297	409	565	626	748	896	719	710	602	473	353	281	157	79	34	28	30	
11	16	26	21	26	16	11	24	16	20	21	5	5	7	3	2	1	
67	89	100	124	114	150	117	140	120	133	94	89	45	14	2		2	
35	31	42	56	60	66	53	50	47	22	11	7	4	3		1	5	
2		3		2	1	1		1	1		2	2					
60	72	81	110	88	99	81	95	86	106	80	65	29	12	1	1		130
44	48	53	58	53	48	40	31	18	22	12	7	3	2	1		1	
	4	1	3	1	1	1		1									
275	389	667	1,074	1,775	2,575	3,615	4,714	5,716	7,081	6,346	4,615	2,224	561	85	20	30	
70	131	240	347	449	632	690	690	679	511	358	270	182	68	19	20	19	
8	5	11	9	13	23	35	39	35	42	32	31	10	7	3	1	1	
339	429	718	1,180	1,587	2,107	2,793	3,852	4,809	6,054	5,703	4,154	2,157	676	154	16	19	131
115	201	317	428	525	684	546	545	484	378	287	234	130	65	25	22	14	
5	5	13	11	13	12	8	20	13	16	21	4	4	7	3	2	1	
47	50	85	146	151	206	292	389	463	603	584	506	208	83	14	2	8	
18	28	41	81	78	122	121	116	88	88	71	56	34	16	6	2	9	
1	1	1	1	1	6	5	8	3	5	2	2	4	2				
37	52	58	115	158	186	207	265	311	412	374	303	193	70	12	2	9	132
24	35	49	49	92	108	100	104	85	62	42	36	19	11	6	6	11	
2	2	3	2	2	3	1	2	2	3		1	1					
40	40	69	80	93	122	112	123	138	147	116	84	56	14	3		1	
15	9	13	28	15	33	23	23	29	19	18	11	4	2	-2		1	
1	1	1	1			1	3	3		1	2	1					
57	61	77	94	112	107	117	111	111	124	96	70	44	15	2	1	2	133
16	18	21	18	24	20	16	15	9	5	8	3	3		2		3	
	2	2	2	4		1	1										
10	31	44	58	69	74	88	71	86	89	55	37	17	1				
	2	1	10	4	5	9	3	4	3	2	1						
1																	
17	29	40	48	35	50	49	34	37	34	21	9	4	1				134
	4	4	5	4	2	1	2	2		1		1					
		1															
4	5	9	7	10	21	16	24	42	58	58	70	54	25	6			
2	5	7	5	7	8	13	15	16	16	9	6	7	6			1	
			1					1	3	1			1				
1	7	6	5	5	11	14	11	16	23	22	23	14	6	1	1		135
1	1	2	2	1	2	3	3		2	3			1				
1		1	1				1		1								
4	9	12	17	23	29	36	40	37	30	15	10	11	3				
14	19	23	36	28	25	26	19	9	4	3	2					2	
							1	1	1								
1		1	2	1			1	1	1		2						136
		3															
4	7	11	15	44	112	310	683	1,118	1,542	1,448	1,007	503	130	26	1	9	
2	6	6	13	27	66	91	88	112	97	66	55	26	6	5	3	2	137
				1	2	4	3	7	13	2	7	1	3		1	1	

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the genitourinary system—Contd.											
138	Diseases of male genital organs, not specified as venereal:											
	Males—White	78	23		3		1	27	3	1	1	1
	Negro	27	9					9			1	1
	Other races	4	3					3				
139a	Cysts of ovary:											
	Females—White	620							1	3	13	31
	Negro	73									2	2
	Other races	4										1
139b	Other diseases of ovaries, diseases of tubes and parametrium:											
	Females—White	1,466							4	4	65	189
	Negro	430								3	24	74
	Other races	15									1	2
139c	Diseases of uterus:											
	Females—White	705								3	12	33
	Negro	102								2	8	13
	Other races	7								1	3	1
139d	Nonpuerperal diseases of breast (cancer excepted):											
	Females—White	6									1	1
	Negro	5										
139e	Other diseases of female genital organs:											
	Females—White	39									1	4
	Negro	20								1		5
	Other races	2										
	XI.—Diseases of pregnancy, childbirth, and the puerperal state:											
	Females—White	10,118								12	892	2,061
	Negro	2,462								24	517	524
	Other races	305								1	32	61
140	Abortion with septic conditions:											
	Females—White	1,693								1	136	420
	Negro	308								4	59	73
	Other races	36									2	7
141	Abortion without mention of septic conditions (includes hemorrhages):											
	Females—White	501									34	79
	Negro	125								1	13	27
	Other races	14									1	2
142a	Ectopic gestation, septic conditions specified:											
	Females—White	102										15
	Negro	19									1	5
142b	Ectopic gestation, septic conditions not mentioned:											
	Females—White	397									13	67
	Negro	86									3	12
	Other races	6										2
143	Other accidents of pregnancy (hemorrhages not included):											
	Females—White	72									6	13
	Negro	16									3	3
144a	Placenta praevia:											
	Females—White	345								1	12	33
	Negro	54									1	10
	Other races	12									1	
144b	Other puerperal hemorrhages:											
	Females—White	755									37	139
	Negro	147								2	15	19
	Other races	26										3
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded):											
	Females—White	2,063								2	238	481
	Negro	566								4	131	144
	Other races	90								1	13	23
145b	Puerperal tetanus (abortion and ectopic gestation excluded):											
	Females—White	9										2
	Negro	1									1	
146	Puerperal albuminuria and eclampsia:											
	Females—White	1,807								7	251	391
	Negro	660								12	198	126
	Other races	53									8	14
147	Other toxemias of pregnancy:											
	Females—White	441								1	39	94
	Negro	85									19	18
	Other races	9										2
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):											
	Females—White	534									27	84
	Negro	51								1	10	13
	Other races	7										1
149	Other accidents of childbirth:											
	Females—White	1,361									97	234
	Negro	339									63	74
	Other races	50									7	7
150	Other and unspecified conditions of puerperal state:											
	Females—White	38									2	9
	Negro	5										
	Other races	2										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
	2		3	4	5	4	6	4	6	7	3	1					138
		2	4	5			2	1		2							
							1										
45	74	70	72	66	52	38	44	36	28	24	16	4	3				139a
6	14	13	11	12	4	1	2	1	3		1	1					
		2		1													
220	238	233	182	129	75	51	31	21	9	9	6						139b
76	77	83	41	23	17	8	2	1	1								
2	3	2	1	4													
53	50	86	109	91	66	40	57	44	35	15	9	2					139c
11	11	17	11	11	9	4	3	2									
1		1															
				2			1		1								139d
1			1	2			1										
2		6	7	4	4	4	3	1				2				1	139e
3		3	2	1	2		2									1	
			1	1													
2,217	2,105	1,908	809	96	3											15	
468	418	355	122	30												4	
68	55	61	21	6													
413	374	263	77	8	1												140
76	46	38	9	2												1	
8	9	3	4	3													
122	103	109	49	3												2	141
27	28	20	5	4													
4	2	4	1														
22	29	24	10	2													142a
7	5	1															
95	100	93	25	4													142b
26	28	9	8														
1	2	1															
14	15	11	11	2													143
3	1	1	5														
70	76	98	50	5													144a
14	9	16	3	1													
4	4	1	2														
131	177	173	85	11												2	144b
25	36	37	10	3													
5	9	8	1														
477	396	317	133	15												4	145a
118	89	55	20	5													
20	10	20	2	1													
1	3	1	2														145b
350	296	340	142	23	1											6	146
92	96	96	31	8												1	
8	10	9	4														
86	98	85	35	2	1												147
15	11	18	4														
2	1	4															
108	146	107	55	7													148
5	9	11	2														
4		2															
318	286	281	130	14												1	149
57	58	53	25	7												2	
12	7	8	7	2													
10	6	6	5														150
3	2																
	1	1															

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XII.—Diseases of the skin and cellular tissue:											
	Males—White	1,040	174	10	5	5	3	197	25	32	48	46
	Negro	121	23	3	1	1		28	3	1	3	8
	Other races	23	4			2		6			1	4
	Females—White	811	132	19	6	9	4	170	12	29	50	40
	Negro	122	14	1	3	2		20	2	4	5	4
	Other races	16	5	3				8			1	2
151	Furuncle, carbuncle:											
	Males—White	370	13	1	1		1	16	10	10	27	19
	Negro	21	3					3				2
	Other races	7				1		1				1
	Females—White	213	10	4	1	1	1	17	5	8	20	18
	Negro	19								2		
	Other races	4		1				1			1	
152	Phlegmon, acute abscess:											
	Males—White	392	60	5	4	4	1	74	12	13	11	18
	Negro	53	12	1		1		14	3	1	2	5
	Other races	9	3					3			1	2
	Females—White	250	43	5	4	5	1	58	7	11	15	13
	Negro	44	6		1	2		9	1	1	5	1
	Other races	5	1	1				2				1
153	Other diseases of skin and annexa, and of cellular tissue:											
	Males—White	278	101	4		1	1	107	3	9	10	9
	Negro	47	8	2	1			11			1	1
	Other races	7	1			1		2				1
	Females—White	348	79	10	1	3	2	95		10	15	9
	Negro	59	8	1	2			11	1	1		3
	Other races	7	4	1				5				1
	XIII.—Diseases of the bones and organs of locomotion:											
	Males—White	909	29	17	15	11	19	91	86	137	76	40
	Negro	102	4	2	1	2	1	10	3	5	14	7
	Other races	10			1	1		2	2	2		1
	Females—White	507	17	11	15	8	12	63	78	74	26	12
	Negro	63	3	2	1		2	8	6	4	2	3
	Other races	5		1		1		2	1	1		
154	Osteomyelitis:											
	Males—White	655	18	14	12	8	15	67	75	120	68	30
	Negro	62	2	2	1	2	1	8	2	4	10	3
	Other races	6			1			1	2			1
	Females—White	314	10	8	14	7	10	49	61	61	18	7
	Negro	31	1	1	1		1	4	4	2	1	1
	Other races	3		1				1	1	1		
155	Other diseases of bones (tuberculosis excepted):											
	Males—White	79	2	1	1	1	3	8	3	5	2	4
	Negro	12									1	2
	Other races	2				1		1		1		
	Females—White	73	1	1	1	1		4	3	5	3	2
	Negro	10							1	1		1
	Other races	1				1		1				
156	Diseases of joints, other organs of locomotion:											
	Males—White	175	9	2	2	2	1	16	8	12	6	6
	Negro	28	2					2	1	1	3	2
	Other races	2								1		
	Females—White	120	6	2			2	10	14	8	5	3
	Negro	22	2	1			1	4	1	1	1	1
	Other races	1										
	XIV.—Congenital malformations:											
	Males—White	6,194	5,523	199	96	48	29	5,895	111	59	46	20
	Negro	349	290	18	9	4	2	323	14	9		1
	Other races	107	89	5	4			98	3	2	3	
	Females—White	5,091	4,497	176	65	50	27	4,815	89	47	50	27
	Negro	265	214	12	9	8	1	244	7	5	4	2
	Other races	106	90	4	2	2		98	2	5	1	
157a	Congenital hydrocephalus:											
	Males—White	734	571	62	32	9	12	686	23	8	8	4
	Negro	50	29	10	2	2	2	45	4	1		
	Other races	11	4	2	3			9	1	1		
	Females—White	686	559	39	19	13	6	636	28	7	4	4
	Negro	46	27	7	3	3		40	2	2	1	1
	Other races	15	12		1	1		14			1	
157b	Spina bifida meningocele:											
	Males—White	529	504	11	1	2		518	3	4	2	1
	Negro	11	11					11				
	Other races	6	5		1			6				
	Females—White	690	645	19	8	2	2	676	7	3	1	1
	Negro	12	10			1	1	12				
	Other races	9	9					9				
157c	Congenital malformations of heart:											
	Males—White	3,314	2,975	83	40	24	11	3,133	64	38	30	12
	Negro	167	141	6	4	2		153	7	5		1
	Other races	54	46	2				48	2	1	2	
	Females—White	2,485	2,154	97	30	28	17	2,326	39	31	38	17
	Negro	137	116	5	5	2		128	4	2	3	
	Other races	51	42	3		1		46	1	4		
157d	Other congenital malformations:											
	Males—White	1,617	1,473	43	23	13	6	1,558	21	9	6	3
	Negro	121	109	2	3			114	3	3		
	Other races	36	34	1				35			1	
	Females—White	1,230	1,139	21	8	7	2	1,177	15	6	7	5
	Negro	70	61		1	2		64	1	1		1
	Other races	31	27	1	1			29	1	1		

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years And over	Age unknown	List no.
50	37	53	53	63	58	75	66	68	74	38	30	13	9	2	1	2	
4	4	6	6	6	15	6	2	7	5	4	8	3	1		1		
1		1			2		1	1	2	3	1						
49	40	36	38	40	48	40	40	37	34	30	38	22	9	8	1		
7	4	8	7	13	7	7	10	8	5	1	4	2	3			1	
2		1			1				1								
25	12	22	21	21	24	33	39	27	31	18	12	2	1				
1	2	1	1	2	3	1	1		2		1	1					
1					2					1	1						
15	14	13	11	10	18	15	13	9	6	8	7	5		1			151
	2	3	2	1	2	1	3	1	1			1					
1					1												
21	20	26	22	30	24	33	20	26	24	3	5	4	3		1	2	
2	1	3	4	4	7	2	1	1		3		1					
										2							
25	14	7	15	15	16	11	12	6	8	4	6	5	1	1			152
2	2	2	3	3	4	3	5	2					1				
1		1															
4	5	5	10	12	10	9	7	15	19	17	13	7	5	2			
1	1	2	1		5	3	1	6	3	1	7	1	1		1		
		1						1	2								
9	12	16	12	15	14	14	15	22	20	18	25	12	8	6	1		153
5		3	2	9	1	3	2	5	4	1	4	1	2			1	
									1								
43	34	41	36	42	47	52	43	44	37	30	17	11	1			1	
4	3	9	8	10	9	6	8	3	1	1	1						
			1		1	1											
23	20	13	14	26	25	21	20	25	23	20	16	7	1				
5	6	7	5	6	1	2	5			1	1		1				
									1								
35	28	31	18	30	30	30	28	17	23	13	7	4	1				
4	2	4	7	6	4	3	1	2	1	1							
			1			1											
13	12	8	8	13	9	12	7	6	10	10	6	4					154
3	3	4	3	3	1	1	1										
1	3	1	5	3	6	3	5	7	3	7	8	4				1	
			1	1	2		3	1			1						
1	2	1	1	5	7	3	4	7	7	6	8	3	1				155
1		1		2			2				1						
7	3	9	13	9	11	19	10	20	11	10	2	3					
	1	5		3	3	3	4										
					1												
9	6	4	5	8	9	6	9	12	6	4	2						156
1	3	2	2	1		1	2			1			1				
									1								
17	9	12	8	9	4	3	1										
	1		1														
		1															
20	20	7	5	5	3	2	1										
2	1																
1			2		1	1											
1	2	1	1	1	1												157a
1																	
2																	157b
11	8	9	2	4	2		1										
	1																
		1															
12	13	4	2	2	1												157c
4	1	3	4	5	1	2											
			1														
5	5	2	2	2	1	2	1										157d
2	1																

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XV.—Diseases of early infancy:												
	Males	White	24,900	24,900					24,900				
		Negro	3,984	3,984					3,984				
		Other races	719	719					719				
	Females	White	18,053	18,053					18,053				
		Negro	3,260	3,260					3,260				
		Other races	537	537					537				
158	Congenital debility:												
	Males	White	1,620	1,620					1,620				
		Negro	506	506					506				
		Other races	137	137					137				
	Females	White	1,232	1,232					1,232				
		Negro	433	433					433				
		Other races	139	139					139				
159	Premature birth:												
	Males	White	15,577	15,577					15,577				
		Negro	2,577	2,577					2,577				
		Other races	391	391					391				
	Females	White	11,901	11,901					11,901				
		Negro	2,235	2,235					2,235				
		Other races	272	272					272				
160	Injury at birth:												
	Males	White	5,286	5,286					5,286				
		Negro	482	482					482				
		Other races	99	99					99				
	Females	White	3,253	3,253					3,253				
		Negro	320	320					320				
		Other races	66	66					66				
161	Other diseases peculiar to early infancy:												
	Males	White	2,417	2,417					2,417				
		Negro	419	419					419				
		Other races	92	92					92				
	Females	White	1,667	1,667					1,667				
		Negro	272	272					272				
		Other races	60	60					60				
162	XVI.—Senility:												
	Males	White	3,994										
		Negro	1,044										
		Other races	131										
	Females	White	4,814										
		Negro	1,189										
		Other races	146										
	XVII.—Violent and accidental deaths:												
	Males	White	77,287	884	753	637	521	566	3,361	2,547	2,574	4,333	5,894
		Negro	11,464	230	98	76	70	61	535	324	421	896	1,512
		Other races	1,360	39	22	12	18	11	102	44	66	84	146
	Females	White	29,291	716	587	455	415	405	2,578	1,269	788	1,368	1,600
		Negro	3,435	199	81	69	71	70	490	207	132	237	383
		Other races	367	36	26	19	21	8	110	34	13	28	38
	Suicide:												
	Males	White	15,259								26	248	681
		Negro	387								1	9	43
		Other races	139									8	13
	Females	White	4,047								12	206	402
		Negro	132									15	24
		Other races	29								1	6	10
163	By solid or liquid poisons or by absorption of corrosive substances:												
	Males	White	1,722								1	19	81
		Negro	37									1	11
		Other races	14									2	1
	Females	White	1,298								4	96	208
		Negro	57									8	15
		Other races	13									3	7
164	By poisonous gas:												
	Males	White	1,909								1	21	68
		Negro	24										1
		Other races	7										
	Females	White	745									12	40
		Negro	8										1
		Other races	1										1
165	By hanging or strangulation:												
	Males	White	2,889								14	31	77
		Negro	34								1		3
		Other races	42									1	2
	Females	White	569								1	7	18
		Negro	5										
		Other races	4										
166	By drowning:												
	Males	White	615								1	5	17
		Negro	29										3
		Other races	2										
	Females	White	320								1	8	16
		Negro	14									2	1
167	By firearms:												
	Males	White	6,830								9	158	413
		Negro	205									6	21
		Other races	58									5	8
	Females	White	673								5	68	85
		Negro	22									3	5
		Other races	10								1	3	2
168	By cutting or piercing instruments:												
	Males	White	675									1	3
		Negro	28										2
		Other races	7										
	Females	White	107									1	3
		Negro	3										
		Other races	1										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
																	158
																	159
																	160
																	161
						7	8	44	81	350	685	1,167	986	505	123	26	12	
						4	5	31	26	107	132	235	187	152	61	99	5	
								3	8	11	21	24	29	15	8	12		
						2	6	32	77	366	723	1,232	1,221	857	230	64	4	162
						6	7	22	33	127	145	229	191	172	89	161	7	
						2	1	2	6	20	18	26	25	17	15	13	1	
5,482	5,105	5,547	5,984	6,439	5,975	5,529	4,958	4,151	3,561	2,641	1,724	901	312	67	6	196		
1,448	1,279	1,262	978	800	621	377	335	225	147	101	65	37	18	5	5	73		
154	131	97	96	120	91	64	54	45	23	21	10	4				8		
1,372	1,214	1,325	1,318	1,349	1,330	1,401	1,536	1,648	2,063	2,421	2,304	1,537	655	161	17	37		
371	283	244	228	155	153	121	113	92	72	39	43	29	14	7	12	10		
19	12	20	12	17	10	14	8	13	4	2	4	4	2		2	1		
821	955	1,238	1,482	1,832	1,830	1,704	1,530	1,182	893	499	228	67	11	4		28		
38	42	59	59	48	32	16	14	9	12	3	1	1						
20	14	9	12	18	16	10	8	4	4	3								
399	389	426	455	421	356	334	262	187	104	50	30	6	5	1		2		
21	20	9	16	11	7	5	2	1		1								
2		6		1	1	1		1										
123	140	169	186	195	214	162	159	122	74	45	24	5		1		2		
3	3	2	6	3	4	2	1		1									
3	3		1	1	2	1												
182	153	142	149	112	66	52	58	42	21	5	7	1						163
7	10	3	7	4	2		1											
1		2																
91	118	149	215	273	248	231	216	135	83	39	16	3	1	1				
3		4	3	8	1	2			2			1						
2	1			1	2													
57	57	90	87	86	91	72	63	41	26	14	8	1						164
2	1	1		2		1												
107	143	174	268	355	377	374	305	249	214	106	66	19	5	1		4		
	1	8	7	3	5	2	1	1	2									
6	4	2	8	4	2	5	4		3	1								
23	42	54	71	77	61	81	48	38	19	15	5	3	5	1				165
1	2	1					1											
		1		1	1	1												
16	22	54	47	71	88	73	71	59	30	29	17	10	1			4		
1	6	6	4	1	1	3			3	1								
		1					1											166
12	14	26	32	38	41	38	33	28	21	11	1							
5	2	2		1		1												
443	456	581	638	781	724	711	643	509	417	228	76	25	3	1		14		
27	26	27	31	23	17	5	10	6	3	2	1							
8	3	5	3	9	8	2	1	3	1	2								
88	72	60	69	65	56	49	25	19	5	3	2					2		167
4	1		5		2	1				1								
1		2						1										
13	23	46	60	74	106	85	79	70	48	37	22	4	1			3		
1	5	6	3	4	2	1	1	2	1									
	2			3			2											
3	11	14	11	14	14	13	10	6	4	1	1	1						168
					2	1												
		1																

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued.												
	Suicide—Continued.												
169	By jumping from high places:												
	Males	White	403									10	12
		Negro	24									1	3
		Other races	3										
	Females	White	249									9	29
		Negro	10										1
170	By crushing:												
	Males	White	108									2	4
		Negro	4										
		Other races	4										1
	Females	White	24									2	2
		Negro	1										
171	By other means:												
	Males	White	108									1	6
		Negro	2									1	
		Other races	2										
	Females	White	62								1	3	1
		Negro	12									2	1
	Homicide:												
	Males	White	5,316	74	7	5	7	6	99	35	29	257	590
		Negro	4,298	14	2	3	1	1	21	7	31	309	750
		Other races	260	4			1		5	1		10	40
	Females	White	1,301	62	6	6	5	8	87	31	34	114	195
		Negro	920	12	2	1			15	3	13	101	208
		Other races	29		1				1			4	7
173	By firearms:												
	Males	White	3,719	4		4	2	2	12	10	13	207	462
		Negro	2,831	2	1	1		1	5	5	22	214	500
		Other races	148									7	22
	Females	White	662	1	1	1	1	6	10	7	19	50	95
		Negro	484	1	1				2	1	8	49	105
		Other races	19		1				1			4	3
174	By cutting or piercing instruments:												
	Males	White	572	5					5	7	3	27	77
		Negro	1,030	1					1		5	77	199
		Other races	60							1		2	16
	Females	White	110	3	1	2	1	1	8	4	4	7	6
		Negro	290	1					1		1	30	85
		Other races	3										1
175	By other means:												
	Males	White	1,025	65	7	1	5	4	82	18	13	23	51
		Negro	437	11	1	2	1		15	2	4	18	51
		Other races	52	4			1		5			1	2
	Females	White	529	58	4	3	3	1	69	20	11	57	94
		Negro	146	10	1	1			12	2	4	22	18
		Other races	7										3
	Accidental, other, or undefined:												
	Males	White	56,712	810	746	632	514	560	3,262	2,512	2,519	3,828	4,623
		Negro	6,779	216	96	73	69	60	514	317	389	578	719
		Other races	961	35	22	12	17	11	97	43	66	66	93
	Females	White	23,943	654	581	449	410	397	2,491	1,238	742	1,048	1,003
		Negro	2,383	187	79	68	71	70	475	204	119	121	151
		Other races	309	36	25	19	21	8	109	34	12	18	21
176	Attack by venomous animals:												
	Males	White	65	8	4	2		4	18	7	6		1
		Negro	17	2					2	2		2	1
		Other races	7					2	2		1	1	
	Females	White	53	5	3	3	1	3	15	4	4		
		Negro	9	1					1	1			1
		Other races	4	1					1				
177	Poisoning by food:												
	Males	White	284	21	17	18	8	6	70	20	12	7	13
		Negro	88	5	1	6	1	1	14	6	4	7	4
		Other races	15	3			2		5		1	1	3
	Females	White	207	17	14	7	11	3	52	23	7	5	9
		Negro	80	3	1	1	1	1	7	8	4	5	6
		Other races	15	2	2	1	1		6	3			
178	Absorption of poisonous gas:												
	Males	White	1,199	10	2	4		3	19	10	8	17	52
		Negro	42	1			1		2		1		2
		Other races	6									1	
	Females	White	338	5			1	1	7	3	7	16	13
		Negro	8	1				1	2				
		Other races	1							1			
	Supplemental:												
	Males	White	63		1				1			4	5
		Negro	3										
		Other races	2										
	Females	White	4							2			
		Negro	2	1			1		2				
179	Other acute accidental poisonings (gas excepted):												
	Males	White	768	21	70	36	25	15	167	20	6	12	29
		Negro	112	2	15	8	8	4	37	6	1	5	6
		Other races	23		4	1	1		6	1	2	2	1
	Females	White	490	14	83	40	19	9	165	10	5	26	37
		Negro	86	3	17	5	4	4	33	6	1	4	10
		Other races	11	2	2	1			5	1	1		
180	Conflagration:												
	Males	White	782	33	24	22	20	26	125	40	18	24	40
		Negro	160	15	3	10	4	3	35	13	5	3	9
		Other races	24	2	2	3		1	8	1		1	1
	Females	White	446	23	17	22	18	10	90	41	20	26	21
		Negro	99	9	3	11	5	4	32	5	6	1	3
		Other races	10	2			1	1	4			1	2

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
17	33	41	43	60	47	31	45	25	20	13	5	1					
3	1	3	5	5	2		1										
					1	2											169
24	30	32	23	24	22	23	14	10	4	1	4						
2	2	1	2	2													
7	12	15	14	15	10	13	4	9	1		2						
		2		1		1											
	1				1			1									170
5	1	4	2	1	2	2	1	1	1								
				1													
4	8	9	11	8	16	24	8	4	6	2						1	
		1															
1		1															171
5	9	4	11	4	3	4	10	2	3		2						
	2	1	2	1	1	1		1									
726	665	693	602	492	379	265	189	112	75	52	19	10		1		26	
774	662	628	422	279	189	85	63	32	10	9	4		1	1		21	
45	40	25	22	25	13	12	9	3	4	1	1					4	
173	149	129	114	85	54	37	34	24	13	12	7	4				5	
205	148	93	70	28	17	10	5	1		2						1	
3	2	3	2	2			1	2			1					1	
557	499	513	413	334	249	183	123	53	37	22	8	3		1		20	
526	444	400	270	185	116	54	39	20	3	7	2		1			18	
33	26	11	12	14	4	8	3	1	3	1						3	
93	88	75	71	63	34	18	19	11	5		3	1					173
114	78	52	42	16	9	5	1	1								1	
	1	2	2	1			1	2			1					1	
89	86	73	67	55	33	20	10	8	7	3	1					1	
198	162	155	91	61	43	15	10	4	3	1	2					3	
5	8	8	4	6	4	1	3		1		1						
9	12	10	13	11	11	6	2	2	2	2		1					174
67	45	25	18	7	5	3	2			1							
1		1															
80	80	107	122	103	97	62	56	51	31	27	10	7				5	
50	56	73	61	33	30	16	14	8	4	1				1			
7	6	6	6	5	5	3	3	2								1	
71	49	44	30	11	9	13	13	11	6	10	4	2				5	175
24	25	16	10	5	3	2	2			1							
2	1			1													
3,935	3,485	3,616	3,900	4,115	3,766	3,560	3,239	2,857	2,593	2,090	1,477	824	301	62	6	142	
636	575	575	497	473	400	276	258	184	125	89	60	36	17	4	5	52	
89	77	63	62	77	62	42	37	38	15	17	9	4				4	
800	676	770	749	843	920	1,030	1,240	1,437	1,946	2,359	2,267	1,527	650	160	17	30	
145	115	142	142	116	129	106	106	90	72	36	43	29	14	7	12	9	
14	10	11	10	14	9	13	7	10	4	2	3	4	2		2		
6		3	1	4	2	1	3	3	2	2	6						
2		1	2	1	1	2		1									
1		1	1														
2	4	1	3	3	5	3	3	2		2		2					176
			1	1	1	1		1	1								
2				1													
7	11	10	15	19	20	11	19	13	14	12	7	2				2	
2	6	6	6	13	3	5	2	6	3							1	
1			1				2				1						
6	6	13	13	11	8	7	8	11	14	6	6	2					177
5	6	6	6	7	5	3	4	5		2		1					
	1	1				2		2									
64	66	93	139	113	153	128	125	88	55	30	23	11	2			3	
4	3	8	7	10	2	2			1								
	2	1			1	1											
20	14	20	27	26	29	37	33	19	26	23	11	3	3	1			
1	1		2				1			1							
																	178
10	6	6	8	9	7	1	3	1	2								
1		1				1											
	1	1															
1							1										
39	42	62	63	73	70	55	47	38	20	12	8	3				2	
8	9	9	9	9	6	3	2	1	1								
1		1	2	3	2	1		1									
36	32	39	28	24	21	22	15	10	10	4	2	3				1	179
7	6	2	6	7	2	1		1									
1	1		1		1												
42	43	56	60	59	48	42	44	35	36	38	19	4	4			5	
8	7	12	9	14	9	8	5	3	7	5	3	3	1			1	
5	2	1	1	1	1				1		1						
32	25	16	23	20	16	15	16	20	22	17	20	4				2	180
3	3	3	8	3	8	2	8	2	3	3	1	3	1		1		
	2				1												

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued.											
	Accidental, other, or undefined—Continued.											
181	Burns (conflagration excepted):											
	Males—White	1,878	91	173	149	93	73	579	126	58	49	95
	Negro	397	26	37	21	22	16	122	29	10	9	20
	Other races	35		3	2	3	1	9	1	3	1	3
	Females—White	2,323	62	147	150	153	158	670	274	88	70	103
	Negro	549	26	31	36	33	37	163	80	25	20	24
	Other races	50	1	7	7	7	2	24	6	4		3
	Supplemental:											
	Males—White	470		2		3	2	7	7	4	29	79
	Negro	24									2	4
	Other races	8	1					1		1		1
	Females—White	74	1	3	2	1	1	8	4	4	15	10
	Negro	10		1			1	2			3	1
	Other races	2									1	
182	Mechanical suffocation:											
	Males—White	445	268	5	3	2		278	10	18	14	9
	Negro	102	72	2		2		76	1		2	5
	Other races	6	4					4			1	
	Females—White	296	262	7	4	1		274	5	1		
	Negro	75	74	1				75				
	Other races	10	8			1	1	10				
	Supplemental:											
	Males—White	56					1	1		1	2	11
	Negro	4									1	
	Other races	1										
	Females—White	4							1		1	
183	Drowning:											
	Males—White	4,503	9	147	103	54	55	368	400	561	622	432
	Negro	730	2	6	5	2	1	16	50	125	153	108
	Other races	96	2	5	2	1	1	11	7	19	16	8
	Females—White	773	6	103	48	25	18	200	73	110	95	72
	Negro	90	3	3	3	2		11	9	14	12	5
	Other races	27		5	4	3		12	7		5	1
	Supplemental:											
	Males—White	931	2	1	6	2	3	14	36	58	108	123
	Negro	161			1			1	2	12	23	22
	Other races	11							2			3
	Females—White	117	1	2	1	2	2	8	9	8	8	19
	Negro	23								7	2	1
	Other races	3									1	1
	Traumatism:											
184	By firearms (wounds of war excepted):											
	Males—White	2,164	2	2	10	13	10	37	118	286	362	290
	Negro	440	1	1	3	1	3	9	31	59	81	74
	Other races	35		1			1	2	3	8	5	2
	Females—White	260	3	5	9	6	11	34	39	35	29	34
	Negro	122	1			1	4	6	17	13	18	24
	Other races	5							2	1	1	1
185	By cutting or piercing instruments (wounds of war excepted):											
	Males—White	473	10	3	5	3	3	24	25	28	23	30
	Negro	95	2		1	3	1	7	4	4	7	6
	Other races	12		1	1	1	1	4				
	Females—White	196	1	8	2	3		14	14	9	3	5
	Negro	58			1			1		3	3	5
	Other races	2		1				1			1	
	Supplemental:											
	Males—White	195	1		2	1	1	5	5	8	15	23
	Negro	22				1		1		1		4
	Other races	4									1	2
	Females—White	44				1	3	4	2	2	4	7
186a	By fall:											
	Males—White	8,507	63	67	40	32	21	223	165	164	199	181
	Negro	521	25	11	6	7	2	51	15	15	10	26
	Other races	49	3	1				4	1	4		3
	Females—White	9,518	39	36	26	23	17	141	60	44	39	34
	Negro	314	11	4	1	4	1	21	11	6	7	8
	Other races	24	1		1	1		3	3	2		
	Supplemental:											
	Males—White	2,090	7	12	9	13	8	49	69	107	176	191
	Negro	299				1	1	2	4	21	35	38
	Other races	47							4	4	6	5
	Females—White	342	5	4	4	3	6	22	32	28	49	32
	Negro	26		1	1			2		1	1	4
	Other races	9		1		2	1	4	1			
186b	By crushing, landslide:											
	Males—White	458			2	2	6	10	12	13	20	46
	Negro	65	2		1			3	3	1	2	5
	Other races	9								1		3
	Females—White	21			2	5	1	8	4	3		
	Negro	3	1					1				
	Supplemental:											
	Males—White	5,253	10	28	43	36	65	182	189	154	400	533
	Negro	598		1	3	2	1	7	22	22	48	65
	Other races	123		3	1	3	1	8	3	5	7	8
	Females—White	1,007	10	19	23	20	20	92	83	33	97	67
	Negro	80			1	1		2	6	2	6	4
	Other races	13			2	1		3		1		2
187	Cataclysm:											
	Males—White	192	3	2	1	4	2	12	10	11	15	12
	Negro	44	1	1	1		2	5	5	7	2	4
	Other races	11							1		1	1
	Females—White	173	5	5	4	3	5	22	12	10	15	9
	Negro	70	4		1	1	4	10	2	7	6	5
	Other races	13	2	1			1	4	2	1	1	1
188	Injuries by animals:											
	Males—White	494	1	3	14	5	6	29	23	30	28	15
	Negro	38	1	1		1	1	4	3	3	3	2
	Other races	7				1	1	2	1			1
	Females—White	50		4	1	3	3	11	10	3		1
	Negro	2										

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
100	97	126	96	94	87	72	56	68	56	46	39	21	7	2		4	
16	24	15	12	10	23	18	23	11	14	13	13	6	3			6	
1	1	3	1	1	2	1	3	2	1	2							
94	67	102	72	94	79	86	77	96	102	118	70	41	14	4		2	
17	18	21	25	12	20	22	29	19	17	7	13	8	3	1	5		
3		2		1		1			1		2	1			2		
																	181
63	78	52	38	38	23	21	18	6	5	2							
4	3	2	3	1	2	3											
2				1	1			1									
3	6	8	4	4	1	1	3	1	1	1							
1		2				1											
		1															
17	10	13	11	19	18	9	4	9	4	1						1	
2	6	3	2	4		1											
		1															
2		2	2	1	1		3	1	1	1	2						
																	182
6	4	9	8	9	4						1						
2		1															
		1															
						1	1										
294	246	257	247	265	212	189	143	106	78	38	14	9				22	
53	50	46	37	26	16	15	14	9	5	2		1	1			3	
9	3	3	6	3	2	4	2	2								1	
49	21	28	16	20	15	18	18	12	8	9	4	1	1	1		2	
14	3	5	2	3	2	4		3	1				1			1	
		1					1										
																	183
122	105	101	89	59	28	38	22	15	4	2	2	2				3	
22	21	16	11	11	6	3	6	1	2		1		1				
	1		1	2		1			1								
17	11	11	9	7	3	1	3	2	1								
4	4		3	2													
			1														
190	143	136	103	134	127	104	49	40	24	12	4	2				3	
52	39	27	20	22	9	7	3	1	4	1						1	
4	3		1	3	2	1			1								
14	20	14	9	10	8	4	4	2	1	2						1	184
10	8	12	6	2	3	1	1									1	
15	23	29	35	44	41	44	41	28	14	21	7	1					
7	7	4	3	9	7	6	5	4	5	5	3	1	1				
1				2	3	1		1									
6	10	9	16	15	16	16	12	21	13	8	4	3				2	
3	3	6	6	7	4	6	3	4	3		1						
																	185
21	15	22	16	14	15	9	11	7	2		6					1	
5	2	1	3	2	1	1		1									
	1																
1	2	3	2	2	5	4	4	1	1								
208	249	301	445	524	511	568	622	691	808	902	846	589	249	50	5	7	
41	38	42	50	45	48	22	29	27	18	13	9	12	4	2	2	2	
3	1	2	6	2	3	5	1	4	2	5	1	2					
43	48	78	68	130	205	287	515	717	1,255	1,802	1,913	1,362	600	150	17	10	
12	12	15	18	15	23	22	26	25	24	11	22	13	9	6	6	2	
1			2	2	1		1	3	2		1	3					
																	186a
172	138	148	122	170	159	156	130	115	99	52	19	10				8	
31	21	25	18	22	18	17	18	13	3	5	3					5	
4	4	4	2	4	2	3	1	2		1		1					
21	21	14	13	11	14	17	16	14	8	16	8	6					
4	2	4		4	1	1	1			1							
			1	1				1	1								
45	44	37	44	54	51	33	21	15	8	1	2	1				1	
3	10	8	5	6	10	2	4	1	2								
	1	2		1				1									
		1	2	1	1	1											
1		1															
																	186b
444	432	410	464	429	409	358	293	224	164	85	50	15	4	1		13	
86	60	75	65	42	40	20	22	2	5	4	1	1				11	
13	17	11	7	18	10	6	4	2	1	1	2						
72	51	57	68	64	67	60	56	49	43	25	15	6	1			1	
10	6	11	6	4	7	6	3	3	2	1		1					
1	1	1			1	3											
15	14	20	18	13	9	5	14	11	2	8	3						
4	3	1	2	1	2	2	1	2	2		1						
2	1	1	1	2	1												
9	14	15	7	9	7	11	9	6	4	4	4	6					
4	3	5	4	3	3	4	4	3	3	3	1						187
1	1		2														
14	12	17	24	25	36	47	46	53	38	26	24	4	2			1	
3	2	4	1	2	4		1	2		2	2						
1	1	1															
2	1	1	2	1	1		3	4	4	3	2	1					188
						2											

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued.											
	Accidental, other, or undefined—Continued.											
189	Hunger and thirst:											
	Males—White	21										
	Negro	8	2					2				
	Other races	1	1					1				
	Females—White	8	1					1				
	Other races	1			1			1				
190	Excessive cold:											
	Males—White	204	2			1		3		1	4	7
	Negro	43								1	1	4
	Other races	7										
	Females—White	55	2		1			3		1	3	
	Negro	8	1					1	2			
	Other races	2							1			
191	Excessive heat:											
	Males—White	622	22	6	2		1	31	1	2	9	7
	Negro	127	6	2				8		4	1	9
	Other races	29	8		1	1		10	2	1	1	1
	Females—White	187	17	2	2	1	1	23	3	2	4	5
	Negro	37	5					5				1
	Other races	23	10	2				12	2			
192	Lightning:											
	Males—White	242					2	2	11	22	31	44
	Negro	58							2	6	7	18
	Other races	3									1	1
	Females—White	46			1			1	1	5	7	7
	Negro	23				1		1	2	3	2	2
193	Due to electric currents:											
	Males—White	491	1				1	2	19	41	41	45
	Negro	31							1	3	5	7
	Other races	2								1		1
	Females—White	47		4		2	1	7	5	4	1	4
	Negro	4								1		
	Supplemental:											
	Males—White	91			1			1			7	9
	Negro	8								1	1	3
	Females—White	4									1	
	Negro	1										
194a	Foreign bodies:											
	Males—White	387	81	84	35	12	12	224	19	9	2	3
	Negro	33	11	8	3	1		23	1		1	1
	Other races	4	2					2				
	Females—White	214	60	43	21	6	6	136	8	3	2	3
	Negro	29	13	7	2	1	1	24			1	1
	Other races	2	1			1		2				
194b	Other accidents:											
	Males—White	2,954	109	25	16	17	18	185	133	149	193	192
	Negro	433	36	1	1	2	4	44	18	19	24	37
	Other races	51	9			1		10	1	4	3	4
	Females—White	752	82	24	17	13	10	146	43	52	17	30
	Negro	101	27	4	2	2	1	36	6	3	4	5
	Other races	20	6	3	1			10	2	1	1	2
	Supplemental:											
	Males—White	20,348	35	68	109	168	216	596	1,037	744	1,413	2,091
	Negro	2,000	4	6	3	10	20	43	99	64	136	215
	Other races	329		2	1	3	2	8	15	11	17	40
	Females—White	5,891	33	48	59	89	108	337	473	254	515	481
	Negro	473	3	6	3	14	11	37	49	23	26	41
	Other races	62		1	1	3	2	7	3	1	6	8
195	Violent deaths of unknown nature:											
	Males—White	5										
	Negro	2										1
	Females—White	3										
	Negro	1										
196	Wounds of war:											
	Males—White	2										
198	Legal executions:											
	Males—White	75									2	15
	Negro	74									7	19
	Other races	4										1
	XVIII.—Ill-defined causes of death:											
	Males—White	6,655	2,139	168	75	35	20	2,437	71	48	43	75
	Negro	5,192	2,039	140	56	28	29	2,292	83	57	71	107
	Other races	500	227	49	17	5	4	302	14	7	12	12
	Females—White	4,480	1,688	145	39	27	20	1,919	68	52	55	84
	Negro	4,760	1,687	131	54	24	27	1,923	95	74	104	160
	Other races	441	178	38	16	7	9	248	6	7	7	5
199	Sudden death:											
	Males—White	909	80	4	3	1	1	89	6	4	8	9
	Negro	375	33	4	7	3		47	3	3	5	6
	Other races	18	6		1			7			1	
	Females—White	449	60	1		2		63	3	3	3	4
	Negro	328	38	5		3		46	4		7	12
	Other races	10	1		1			2				
200a	Cause of death ill-defined:											
	Males—White	1,994	269	60	23	10	6	368	16	16	14	23
	Negro	1,154	201	40	12	4	9	266	21	8	17	32
	Other races	106	30	19	6	1	2	58	2	1	4	3
	Females—White	1,098	216	50	12	6	3	287	16	15	16	20
	Negro	1,033	201	40	19	2	6	268	25	19	25	37
	Other races	91	38	13	5	2	3	61		1		1
200b	**Cause of death not specified or unknown:**											
	Males—White	3,752	1,790	104	49	24	13	1,980	49	28	21	43
	Negro	3,663	1,805	96	37	21	20	1,979	59	46	49	69
	Other races	376	191	30	10	4	2	237	12	6	7	9
	Females—White	2,933	1,412	94	27	19	17	1,569	49	34	36	60
	Negro	3,399	1,448	86	35	19	21	1,609	66	55	72	111
	Other races	340	139	25	10	5	6	185	6	6	7	4

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
			1	2	5	1	3	1	2	4	1	1					
					2		1	1		2							
																	189
			1		1	1	1		2	1							
10	6	8	22	21	16	16	17	17	21	18	8	6	2			1	
1	3	4	1	2	2		6	5	6	3	1	2			1		
				1				1		3	2						190
1			3	1	3	5	4	2	8	10	7	2	2				
	1								1	1	1	1					
						1											
16	28	33	52	80	63	63	60	56	44	34	27	8	5	2		1	
8	11	19	9	16	16	11	4	6	4	1							
	1		1	3	4	2		2	1								191
2	6	6	7	7	11	5	15	8	20	18	19	12	13	1			
2	3	4	2	5	7	1	2	1	2		1	1					
		1	1	2		1	1	2					1				
22	22	14	14	17	16	8	9	5	2	2						1	
7	3	3	3	4	2	1	1			1							
		1															192
5	2	6	4	2	3	1			2								
2		3	3	1	2	1	1										
69	64	51	60	44	21	11	7	9	5	2							
2	3	3	1		3		2	1									
4	6	4	2	3	2	1	1		1	1	1						
2		1															193
20	12	10	11	9	9	1		2									
		1					2										
1	1		1														
					1												
6	10	13	16	12	17	13	12	6	9	8	6	2					
1		1	2		1	1			1								
	1		1														194a
3	5	7	6	5	5	11	7	3	4	3	1	1	1				
	2	1															
186	205	189	218	252	217	202	177	159	125	68	59	23	11	1		10	
37	36	42	34	40	29	22	22	13	4	5	1	4	1			1	
1	4	2	3	4	4	2	3	4	1	1							
21	17	30	27	35	27	28	33	43	47	51	51	40	9	3		2	
3	5	8	3	3	8	6	5	2	2			1				1	
2						1	1										194b
[1,693	1,349	1,383	1,452	1,499	1,367	1,352	1,242	1,036	949	664	296	110	15	6	1	53	
201	201	189	177	158	137	103	84	73	38	27	22	6	5	2	2	18	
39	32	24	27	26	24	14	21	15	6	4	2	1				3	
333	286	235	313	337	366	387	379	393	348	233	127	31	6			7	
39	29	32	41	37	32	22	18	21	13	6	3					4	
3	4	4	2	7	5	4	3	2		2			1				
				1	1	1	1		1								
				1													195
			1							1		1					
1																	
			1	1													196
19	11	7	7	9	4	1											
23	7	6	5	2	1		1									3	198
1		2															
63	78	125	214	263	324	423	504	479	473	479	322	142	34	10	3	45	
125	119	153	158	204	284	235	306	245	216	168	151	80	60	10	25	43	
7	3	12	6	9	14	13	16	19	28	8	7	2	1	2	2	4	
84	86	94	84	110	168	159	211	262	319	297	229	120	44	13	5	17	
152	156	177	206	199	221	184	215	213	176	142	144	85	56	22	33	23	
8	14	7	9	10	14	11	12	15	22	12	17	7	4	1	1	4	
7	9	16	39	50	58	89	109	107	105	100	67	30	5	1		1	
7	14	16	17	33	40	32	44	27	28	20	13	8	4	1	1	6	
			1	2	1	1	2	1	2								
3	5	7	19	17	29	28	46	51	56	47	39	18	4			4	199
13	15	18	22	31	29	22	24	20	17	18	17	9	2	2			
				1	1	1	1	2		1			1				
20	29	49	73	115	126	177	204	210	194	194	91	51	12	2	1	9	
38	30	66	61	67	92	78	103	77	58	48	42	16	13	1	9	11	
1	1	4	1	5	3	3	6	3	5	1	2		1			2	
21	23	33	25	34	61	60	80	89	109	102	62	29	13	1		2	200a
44	38	56	52	46	74	52	65	69	60	28	30	17	12	4	4	8	
	2	2	3	5	2	4	1	1	2	1	2	1	1			1	
36	40	60	102	98	140	157	191	162	174	185	164	61	17	7	2	35	
80	75	71	80	104	152	125	159	141	130	100	96	56	43	8	15	26	
6	2	8	4	2	10	9	8	15	21	7	5	2		2	2	2	
60	58	54	40	59	78	71	85	122	154	148	128	73	27	12	5	11	200b
95	103	103	132	122	118	110	126	124	99	96	97	59	42	16	29	15	
8	12	5	6	4	11	6	10	12	20	10	15	6	2	1	1	3	

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX,

Punch symbol	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	SUPPLEMENTAL [1]											
201	Accidents in mines and quarries:											
	Males—White	1,208								1	44	116
	Negro	121									6	7
	Other races	8										
	Females—White	1										1
202	Accidents from agricultural machinery:											
	Males—White	248		2	2	1	5	10	9	12	18	11
	Negro	10							1		1	
	Other races	4		1				1	2			
	Females—White	13			1	1	2	4	1	2	1	1
203	Elevator accidents:											
	Males—White	188	1		1	1	1	4	1	7	9	19
	Negro	12							1	1		
	Other races	3										
	Females—White	12					1	1		1	1	
	Negro	2										
204	Accidents from machinery used for recreation:											
	Males—White	5									2	1
	Females—White	3										
205	Other machinery accidents:											
	Males—White	793		1	5	1	4	11	13	7	33	59
	Negro	89								3	5	14
	Other races	7										2
	Females—White	40	1		2	2	1	6	1	1	3	3
	Negro	1	1					1				
	Other races	1				1		1				
206	Railroad and automobile collisions:											
	Males—White	973	3	6	5	5	4	23	20	27	86	114
	Negro	50					1	1			5	4
	Other races	14										3
	Females—White	380	4	1	2	3	2	12	22	22	48	32
	Negro	18	1					1	1		3	2
	Other races	2										
207	Other railroad accidents:											
	Males—White	3,008	1	11	7	4	5	28	53	101	262	275
	Negro	615					1	1	10	17	54	82
	Other races	77							1	1	9	12
	Females—White	223		8	4			12	9	10	13	14
	Negro	47		2			1	3	2	2	2	4
	Other races	3				1		1				
208	Street car and automobile collisions:											
	Males—White	227		1			1	2	1	2	16	32
	Negro	12								1		1
	Other races	6										
	Females—White	68								5	10	8
	Negro	4										2
	Other races	1										
209	Other street car accidents:											
	Males—White	361		3	3	3		9	14	4	9	15
	Negro	31				1		1		4	2	3
	Other races	10										
	Females—White	117		1	1	1	2	5	2	2	7	2
	Negro	9			1	1		2	1			
	Other races	1										
210	Automobile accidents (primary):											
	Males—White	20,082	45	80	135	194	259	713	1,139	770	1,441	2,101
	Negro	1,903	4	6	7	12	18	47	110	68	141	213
	Other races	373	1	4	2	6	3	16	20	18	21	41
	Females—White	6,385	43	63	75	106	126	413	545	264	582	520
	Negro	502	2	3	4	15	10	34	50	21	30	42
	Other races	72		1	3	3	2	9	4	2	7	11
211	Motorcycle accidents:											
	Males—White	256		1				1	3	5	39	84
	Negro	5										3
	Females—White	24			1		1	2	1		2	5
212	Other land transportation accidents:											
	Males—White	963	5	7	7	11	13	43	61	87	68	39
	Negro	114		1		1	2	4	3	17	9	4
	Other races	16								2	1	
	Females—White	124	1	1	2	2	3	9	18	18	17	10
	Negro	11		2				2	1	3		
	Other races	7		1		1	1	3				
213	Water transportation accidents:											
	Males—White	799			5	2	3	10	28	49	103	98
	Negro	145							2	10	23	19
	Other races	7							1			1
	Females—White	60	1	1	1		2	5	6	4	5	9
	Negro	16								7	2	1
	Other races	2									1	
214	Air transportation accidents:											
	Males—White	386				1	1	2	1	4	24	101
	Negro	6										1
	Females—White	37		1		1		2	1		1	11
	Negro	5		1			1	2			1	

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

AND COLOR OR RACE, IN CONTINENTAL UNITED STATES: 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	Punch symbol
150	151	132	187	140	113	90	49	17	12	2						4	
16	20	23	13	16	8	8	4										
2		4	1	1													201
13	20	16	19	19	19	24	18	22	8	9	1						
1	2			3	1	1											
						1											202
1	1				1		1										
8	3	14	12	18	17	24	19	17	8	6	1					1	
5	1		2	1			1										
1						1					1						
1	2				3		2					1					203
	1				1												
2																	
		1			1			1									204
90	69	84	106	100	74	56	46	27	9	3	4	1				1	
16	8	6	13	10	8	6				1							
1			1	1	1		1										
		3	3	2	4	3	2	3	4	2							205
103	71	76	94	77	63	72	64	34	27	11	9					2	
3	12	6	9	5	2			1	1							1	
2		3	1	1	2		2										
42	32	18	29	29	17	21	20	16	9	4	6					1	206
1	1	4	3						1							1	
	1	1															
205	242	244	291	291	254	216	184	151	78	68	31	10	4			20	
93	69	83	53	43	34	16	18	7	6	3	3		2			21	
7	12	9	8	7	3	1	1	3		1	1					1	
7	9	11	19	16	14	15	15	21	15	12	7	2	1			1	207
4	5	6		3	6	1	1	4	2	1	1						
						1		1									
29	18	26	20	16	16	20	11	6	8	3	1						
2	1	2	1	3						1							
1	1	1	1				1	1									
3	6	7	6	7	5	4	4	1	2								208
1	1																
	1																
11	7	21	28	26	34	41	45	31	20	31	9	3	1	2			
4		1	1	2	3	6	1	2		1							
2	1			3		2	1			1							
1	2	3	5	8	8	9	14	18	19	5	4	2	1				209
1				1	2	1						1					
						1											
1,668	1,333	1,342	1,321	1,419	1,331	1,277	1,179	995	965	615	298	112	14	4	1	44	
186	173	171	167	133	135	98	87	72	34	30	19	7	3	2	2	11	
42	38	24	24	33	29	16	19	16	8	3	2	1				2	
371	305	324	332	353	399	414	397	393	348	249	127	38	5			6	210
46	32	38	44	42	31	27	21	20	12	7	2					3	
4	3	5	2	7	6	5	3	1		2			1				
49	23	11	8	10	2	3	3	2	5	4	3	1					
							1		1								
1	1	1	1	1	1	1	2	1	2		2						211
43	41	35	30	57	66	75	77	86	79	51	15	8		1		1	
5	5	4	8	9	5	10	15	7	3	1	4					1	
	2		1	3	2	3	1					1					
7	6	4	5	5	2	3	6	6	2	2	4						212
1			1	1	1	1											
			1	1				1	1								
105	91	84	72	49	26	31	21	17	6	2	2	2				3	
20	16	14	10	11	7	3	5	1	2		1		1				
	1		1	2					1								
8	6	4	7	4	1					1							213
3	1		2														
			1														
75	70	56	20	14	6	7	3	1								2	
1	2	1			1												
7	8	2	3			1			1								214
1		1															

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE, BY SEX, IN CONTINENTAL UNITED STATES: 1933

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	Total deaths (all causes)—Males	90,807	2,612	1,086	698	6,889	389
	Total deaths (all causes)—Females	81,307	2,387	112	280	5,964	35
	I.—Infectious and parasitic diseases—Males	18,732	775	241	167	1,972	183
	I.—Infectious and parasitic diseases—Females	17,082	761	25	84	1,880	9
1	Typhoid fever—M	624	9	3	3	59	7
	Typhoid fever—F	568	10	1		52	
2	Paratyphoid fever—M	6				2	
	Paratyphoid fever—F	3				2	
3	Typhus fever—M	10				2	
	Typhus fever—F	5				1	
5	Undulant fever—M					1	
	Undulant fever—F	2				1	
6	Smallpox—M	3				3	
	Smallpox—F	1				2	
7	Measles—M	118	32		2	149	
	Measles—F	133	31		1	136	
8	Scarlet fever—M	31	1	2	1	3	
	Scarlet fever—F	42	2			4	
9	Whooping-cough—M	510	31	2		85	1
	Whooping-cough—F	588	43			115	
10	Diphtheria—M	243	9	4	1	38	
	Diphtheria—F	229	14	1		36	
11a	Influenza, respiratory complications specified—M	1,684	69	14	6	175	9
	Influenza, respiratory complications specified—F	1,557	56	3	7	146	
11b	Influenza, respiratory complications not specified—M	983	47	3		80	
	Influenza, respiratory complications not specified—F	1,097	38	1	1	85	
13	Dysentery—M	310	20		1	97	
	Dysentery—F	272	7		1	122	
15	Erysipelas—M	45	1		2	8	
	Erysipelas—F	38	2	1	2	5	
16	Acute poliomyelitis, acute polioencephalitis—M	34	4		1	5	
	Acute poliomyelitis, acute polioencephalitis—F	24	2		2	4	
17	Lethargic or epidemic encephalitis—M	38	4			2	1
	Lethargic or epidemic encephalitis—F	52	2			1	
18	Epidemic cerebrospinal meningitis—M	111	18		2	9	2
	Epidemic cerebrospinal meningitis—F	49	14			6	
20	Anthrax (bacillus anthracis) malignant pustule—M	1					
	Anthrax (bacillus anthracis) malignant pustule—F	1					
21	Rabies—M	4					
	Rabies—F	3					
22	Tetanus—M	187	4		1	26	
	Tetanus—F	80				14	
	Tuberculosis (all forms)—M	9,552	467	190	133	1,067	138
	Tuberculosis (all forms)—F	9,066	483	17	69	1,043	9
23	Respiratory system—M	8,561	402	177	118	950	124
	Respiratory system—F	8,244	419	9	56	951	9
24	Meninges and central nervous system—M	244	22	7	2	46	6
	Meninges and central nervous system—F	196	32	2	6	33	
25	Intestines and peritoneum—M	258	14	1	5	31	1
	Intestines and peritoneum—F	281	14	1	3	29	
26	Vertebral column—M	109	6		3	2	2
	Vertebral column—F	43	1	1		1	
27a	Bones (vertebral column excepted)—M	20	3			1	
	Bones (vertebral column excepted)—F	15	2				
27b	Joints—M	27	1			1	
	Joints—F	11					
28	Skin and subcutaneous cellular tissue—M	1	1				
	Skin and subcutaneous cellular tissue—F	4					
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—M	25	3	1		3	
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—F	26	4			3	
30	Genitourinary system—M	28			2	2	
	Genitourinary system—F	16		1	2		
31	Other organs—M	9				1	
	Other organs—F	8				1	
32a	Acute disseminated tuberculosis—M	236	14	2	3	28	4
	Acute disseminated tuberculosis—F	206	7	3	2	22	
32b,c	Other disseminated tuberculosis—M	34	1	2		2	1
	Other disseminated tuberculosis—F	16	4			3	
33	Leprosy—M	4					1
	Leprosy—F	1					
34	Syphilis—M	3,069	43	21	11	123	15
	Syphilis—F	1,814	41	1	1	57	
35	Gonococcus infection, other venereal diseases—M	83	1		1	1	
	Gonococcus infection, other venereal diseases—F	310	6			10	
36	Purulent infection, septicemia (nonpuerperal)—M	61	3	2		4	
	Purulent infection, septicemia (nonpuerperal)—F	71	3			6	
38	Malaria—M	936	10			27	
	Malaria—F	1,000	5			25	
39	Other diseases due to protozoal parasites—M	4					2
	Other diseases due to protozoal parasites—F	3				1	
40	Ankylostomiasis—M	3					
	Ankylostomiasis—F	3					
41a	Hydatid cysts of liver—M	1					
	Hydatid cysts of liver—F	1					
42	Other diseases caused by helminths—M	12	1			1	
	Other diseases caused by helminths—F	16	1			1	
43	Mycoses—M	39			1	1	7
	Mycoses—F	35	1			1	
44	Other infectious and parasitic diseases—M	26	1		1	4	
	Other infectious and parasitic diseases—F	18				4	
	II.—Cancers and other tumors—Males	2,706	53	79	63	200	7
	II.—Cancers and other tumors—Females	5,586	96	2	17	317	3
	Cancer and other malignant tumors—M	2,601	50	77	63	193	6
	Cancer and other malignant tumors—F	4,825	89	2	17	300	3
(45)	Buccal cavity—M	117	3	2	1	9	1
	Buccal cavity—F	50	2			7	
(45)	Pharynx—M	40		2		2	
	Pharynx—F	22				3	
(46)	Esophagus—M	70	1	3	6	1	
	Esophagus—F	16				3	
(46)	Stomach and duodenum—M	830	18	24	30	82	1
	Stomach and duodenum—F	654	11		3	62	
(46)	Liver and biliary passages—M	216	3	13	4	16	1
	Liver and biliary passages—F	213	9		1	19	1
(46)	Pancreas—M	79	2	1	2	9	
	Pancreas—F	40	1			3	
(46)	Other digestive tract and peritoneum—M	335	3	12	6	17	1
	Other digestive tract and peritoneum—F	422	13	1	1	34	
47	Respiratory system—M	132	1	9	9	9	
	Respiratory system—F	54				5	
48	Uterus—F	1,974	38	1	10	105	2
49	Other female genital organs—F	152				4	
50	Breast—M	21	1			1	
	Breast—F	766	9		2	23	
51	Male genitourinary organs—M	465	11	6	2	24	1
52	Skin—M	40	2			3	
	Skin—F	58				4	
53	Other or unspecified organs—M	256	5	5	3	20	1
	Other or unspecified organs—F	404	6			28	
54a	Nonmalignant tumors, ovary—F	19				2	
54b	Nonmalignant tumors, uterus—F	611	5			4	
54c	Nonmalignant tumors, other female genital organs—F	1					
54d,e	Nonmalignant tumors, other organs—M	35	2	1		3	
	Nonmalignant tumors, other organs—F	46	1			2	
55a	Tumors, ovary (nature unspecified)—F	3					
55b	Tumors, uterus (nature unspecified)—F	2					
55c	Tumors, other female genital organs (nature unspecified)—F	1					
45d,e	Tumors, other organs (nature unspecified)—M	70	1	1		4	1
	Tumors, other organs (nature unspecified)—F	78	1			9	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Males	1,611	36	26	10	81	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Females	3,075	50	2	5	133	1
56	Acute rheumatic fever—M	186	8	3	2	9	2
	Acute rheumatic fever—F	210	3		1	7	
57	Chronic rheumatism, osteoarthritis—M	43	2			5	
	Chronic rheumatism, osteoarthritis—F	61	3			5	
59	Diabetes mellitus—M	621	20	20	3	21	
	Diabetes mellitus—F	1,067	24		2	41	
60	Scurvy—M	3				1	
	Scurvy—F	2				1	
61	Beriberi—M	1					
62	Pellagra—M	529	2			20	
	Pellagra—F	1,362	4			48	1
63	Rickets—M	58				3	
	Rickets—F	40	4		1	7	
64	Osteomalacia—M	2					
	Osteomalacia—F	1					
65	Diseases of pituitary body—M	2					
66a	Simple goiter—M	2		1			
	Simple goiter—F	32	2			2	
66b	Exophthalmic goiter—M	40	1	2			
	Exophthalmic goiter—F	195	6	1		6	
(66)	Other diseases of thyroid and parathyroid glands—M	11	1		1	4	
	Other diseases of thyroid and parathyroid glands—F	21	1	1		2	
67	Diseases of thymus gland—M	65	2		3	18	
	Diseases of thymus gland—F	45	1			10	
68	Diseases of adrenals (Addison's disease not specified as tuberculous)—M	7			1		
	Diseases of adrenals (Addison's disease not specified as tuberculous)—F	4	1		1	1	
69	Other general diseases—M	41					
	Other general diseases—F	35	1			3	
	IV.—Diseases of the blood and blood-making organs—Males	264	6	5	8	20	
	IV.—Diseases of the blood and blood-making organs—Females	211	6	2	2	17	1
70	Hemorrhagic conditions—M	35	2	1	3	3	
	Hemorrhagic conditions—F	22	2	1	1	4	
71a	Pernicious anemia—M	54	3			4	
	Pernicious anemia—F	62	1	1		3	
71b	Other anemias—M	27	1			3	
	Other anemias—F	44	1		1	3	1
72a	True leukemias—M	73		3	4	4	
	True leukemias—F	41	2			2	
72b	Pseudoleukemias (Hodgkin's disease)—M	58		1	1	3	
	Pseudoleukemias (Hodgkin's disease)—F	32				4	
73	Diseases of spleen—M	15				3	
	Diseases of spleen—F	7				1	
74	Other diseases of blood and blood-making organs—M	2					
	Other diseases of blood and blood-making organs—F	3					

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE, BY SEX, IN CONTINENTAL UNITED STATES: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	V.—Chronic poisonings and intoxications—Males	335	20	1	2	17	3
	V.—Chronic poisonings and intoxications—Females	78	4	-	-	5	-
75	Alcoholism (acute or chronic)—M	326	20	1	2	17	3
	Alcoholism (acute or chronic)—F	70	4	-	-	5	-
76	Chronic poisoning by other organic substances—M	3	-	-	-	-	-
	Chronic poisoning by other organic substances—F	2	-	-	-	-	-
77a	Chronic lead poisoning—M	4	-	-	-	-	-
	Chronic lead poisoning—F	1	-	-	-	-	-
77b,c	Other chronic poisoning by mineral substances—M	2	-	-	-	-	-
	Other chronic poisoning by mineral substances—F	5	-	-	-	-	-
	VI.—Diseases of the nervous system and of the organs of special sense—Males	7,612	114	88	43	236	11
	VI.—Diseases of the nervous system and of the organs of special sense—Females	7,607	106	4	10	227	3
78	Encephalitis (nonepidemic)—M	104	1	1	2	12	-
	Encephalitis (nonepidemic)—F	86	2	-	-	10	-
79a	Simple meningitis—M	170	5	-	3	16	1
	Simple meningitis—F	125	9	-	2	11	-
79b	Nonepidemic cerebrospinal meningitis—M	21	2	-	-	2	-
	Nonepidemic cerebrospinal meningitis—F	17	2	-	-	3	-
80	Progressive locomotor ataxia (tabes dorsalis)—M	80	3	2	1	5	-
	Progressive locomotor ataxia (tabes dorsalis)—F	23	-	-	-	1	-
81	Other diseases of spinal cord—M	113	1	1	1	4	-
	Other diseases of spinal cord—F	105	2	-	-	2	-
82a	Cerebral hemorrhage—M	4,913	63	68	27	85	4
	Cerebral hemorrhage—F	5,595	54	1	5	103	2
82b	Cerebral embolism and thrombosis—M	154	1	3	2	4	1
	Cerebral embolism and thrombosis—F	154	3	-	-	7	-
82c	Softening of brain—M	15	-	-	-	-	-
	Softening of brain—F	18	-	-	-	3	-
82d	Hemiplegia and other paralysis, cause unspecified—M	501	10	2	-	15	-
	Hemiplegia and other paralysis, cause unspecified—F	575	10	-	-	18	-
83	General paralysis of insane—M	760	4	8	3	22	2
	General paralysis of insane—F	263	5	1	1	4	-
84	Dementia praecox and other psychoses—M	113	-	2	1	7	3
	Dementia praecox and other psychoses—F	125	1	-	-	5	-
85	Epilepsy—M	279	3	-	2	14	-
	Epilepsy—F	155	6	-	-	8	1
86	Convulsions (under 5 years of age)—M	129	2	-	-	12	-
	Convulsions (under 5 years of age)—F	104	5	-	-	11	-
87	Other diseases of nervous system—M	123	2	1	1	6	-
	Other diseases of nervous system—F	124	2	1	-	8	-
88	Diseases of organs of vision—M	11	1	-	-	-	-
	Diseases of organs of vision—F	10	-	-	-	-	-
89a	Diseases of ear—M	85	12	-	-	26	-
	Diseases of ear—F	88	4	1	1	29	-
89b	Diseases of mastoid process—M	41	4	-	-	6	-
	Diseases of mastoid process—F	40	1	-	1	4	-
	VII.—Diseases of the circulatory system—Males	14,583	221	231	84	487	24
	VII.—Diseases of the circulatory system—Females	13,300	157	11	19	391	1
90	Pericarditis—M	104	1	1	-	1	1
	Pericarditis—F	75	1	-	-	1	-
91a	Acute endocarditis—M	143	4	3	2	10	-
	Acute endocarditis—F	152	6	-	2	7	-
91b	Endocarditis, unspecified (under 45 years)—M	69	2	-	-	-	-
	Endocarditis, unspecified (under 45 years)—F	74	1	-	-	6	-
92a	Endocarditis, specified as chronic, and other valvular diseases—M	3,237	58	29	17	66	6
	Endocarditis, specified as chronic, and other valvular diseases—F	3,309	35	1	5	72	-
92b	Endocarditis, unspecified (45 years and over)—M	248	4	1	1	11	-
	Endocarditis, unspecified (45 years and over)—F	233	1	-	-	5	-
93a	Acute myocarditis—M	270	6	-	2	13	4
	Acute myocarditis—F	306	3	1	2	10	-
93b	Myocarditis, unspecified (under 45 years)—M	165	1	-	1	4	3
	Myocarditis, unspecified (under 45 years)—F	201	-	-	-	8	-
93c	Chronic myocarditis and myocardial degeneration—M	2,847	54	87	30	127	5
	Chronic myocarditis and myocardial degeneration—F	2,617	45	4	4	107	-
93d	Other diseases of myocardium—M	1,289	15	18	5	33	1
	Other diseases of myocardium—F	1,240	19	-	1	27	1
94a	Angina pectoris—M	532	11	11	1	21	-
	Angina pectoris—F	418	3	-	-	19	-
94b	Diseases of coronary arteries—M	564	8	16	12	44	2
	Diseases of coronary arteries—F	416	5	-	2	16	-
95a	Functional diseases of heart—M	27	-	-	1	2	-
	Functional diseases of heart—F	36	2	-	-	1	-
95b	Other and unspecified diseases of heart—M	3,659	45	42	9	106	2
	Other and unspecified diseases of heart—F	3,272	19	3	3	63	-
96	Aneurysm (except of heart)—M	361	1	5	-	8	-
	Aneurysm (except of heart)—F	146	-	1	-	9	-
97	Arteriosclerosis (coronary arteries excepted)—M	757	10	15	2	23	-
	Arteriosclerosis (coronary arteries excepted)—F	564	14	1	-	27	-
98	Gangrene—M	100	1	-	-	6	-
	Gangrene—F	66	2	-	-	5	-
99	Other diseases of the arteries—M	49	-	1	1	6	-
	Other diseases of the arteries—F	32	1	-	-	3	-
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—M	25	-	2	-	-	-
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—F	21	-	-	-	1	-
101	Diseases of lymphatic system (lymphangitis, etc.)—M	9	-	-	-	-	-
	Diseases of lymphatic system (lymphangitis, etc.)—F	11	-	-	-	2	-
102	Idiopathic anomalies of blood-pressure—M	93	-	-	-	1	-
	Idiopathic anomalies of blood-pressure—F	87	-	-	-	1	-
103	Other diseases of circulatory system—M	35	-	-	-	-	-
	Other diseases of circulatory system—F	24	-	-	-	1	-
	VIII.—Diseases of the respiratory system—Males	8,331	349	112	53	891	50
	VIII.—Diseases of the respiratory system—Females	6,160	284	17	25	726	3
104a	Diseases of nasal fossae—M	73	3	-	-	2	-
	Diseases of nasal fossae—F	69	1	-	-	1	-
104b	Diseases of nasal fossae and annexae—M	28	-	1	-	1	2
	Diseases of nasal fossae and annexae—F	28	-	-	-	1	-
105	Diseases of larynx—M	28	1	1	-	4	1
	Diseases of larynx—F	26	1	-	1	3	-
106a	Acute bronchitis—M	62	2	1	-	7	-
	Acute bronchitis—F	81	2	-	-	11	-
106b	Chronic bronchitis—M	41	5	1	1	8	-
	Chronic bronchitis—F	51	2	-	1	6	-
106c,d	Bronchitis, unspecified—M	61	-	-	-	11	-
	Bronchitis, unspecified—F	52	2	-	1	6	-
107a	Bronchopneumonia—M	2,470	147	42	23	418	7
	Bronchopneumonia—F	1,948	120	10	10	358	-
107b	Capillary bronchitis—M	30	-	4	-	13	2
	Capillary bronchitis—F	26	-	-	-	5	-
108	Lobar pneumonia—M	4,294	119	49	22	287	33
	Lobar pneumonia—F	2,907	118	5	9	217	2
109	Pneumonia, unspecified—M	724	59	2	-	80	-
	Pneumonia, unspecified—F	572	29	1	-	79	1
110	Pleurisy—M	176	5	8	4	22	3
	Pleurisy—F	129	3	1	1	17	-
111a	Pulmonary embolism and thrombosis—M	16	1	-	-	-	-
	Pulmonary embolism and thrombosis—F	15	-	-	-	-	-
111b	Pulmonary congestion, edema, hemorrhagic infarct—M	64	3	-	-	3	1
	Pulmonary congestion, edema, hemorrhagic infarct—F	45	2	-	-	3	-
112	Asthma—M	134	3	2	2	19	-
	Asthma—F	135	3	-	1	13	-
113	Pulmonary emphysema—M	4	-	-	-	1	-
	Pulmonary emphysema—F	6	-	-	1	1	-
114	Other diseases of respiratory system (tuberculosis excepted)—M	126	1	1	1	15	1
	Other diseases of respiratory system (tuberculosis excepted)—F	70	1	-	-	5	-
	IX.—Diseases of the digestive system—Males	5,909	204	76	61	1,006	21
	IX.—Diseases of the digestive system—Females	5,148	232	10	29	895	3
115a	Diseases of pharynx, tonsils—M	220	7	5	5	26	2
	Diseases of pharynx, tonsils—F	256	9	-	3	19	-
115b	Diseases of buccal cavity and annexa—M	70	1	1	-	4	-
	Diseases of buccal cavity and annexa—F	75	2	-	-	3	1
116	Diseases of esophagus—M	9	-	-	-	1	-
	Diseases of esophagus—F	3	-	-	-	-	-
117a	Ulcer of stomach—M	339	3	12	8	16	2
	Ulcer of stomach—F	218	4	1	1	2	-
117b	Ulcer of duodenum—M	92	2	2	3	1	2
	Ulcer of duodenum—F	37	-	-	-	2	-
118	Other diseases of stomach (cancer excepted)—M	611	9	6	-	39	2
	Other diseases of stomach (cancer excepted)—F	654	9	-	1	48	-
119	Diarrhea, enteritis (under 2 years of age)—M	1,417	92	3	1	657	1
	Diarrhea, enteritis (under 2 years of age)—F	1,130	102	4	3	571	1
120	Diarrhea, enteritis (2 years and over)—M	485	20	2	12	83	2
	Diarrhea, enteritis (2 years and over)—F	525	27	-	7	90	-
121	Appendicitis—M	883	37	15	16	65	3
	Appendicitis—F	592	11	1	8	38	-
122a	Hernia—M	348	4	6	-	15	1
	Hernia—F	117	5	1	-	17	-
122b	Intestinal obstruction—M	545	8	5	4	34	1
	Intestinal obstruction—F	636	15	-	4	25	-
123	Other diseases of intestines—M	98	4	-	-	9	-
	Other diseases of intestines—F	111	1	-	-	4	-
124	Cirrhosis of liver—M	438	8	11	5	21	1
	Cirrhosis of liver—F	315	6	2	-	20	1
125a	Yellow atrophy of liver—M	23	1	1	-	1	-
	Yellow atrophy of liver—F	34	-	-	-	4	-
125b	Other diseases of liver—M	96	-	1	4	9	1
	Other diseases of liver—F	98	1	-	-	4	-
126	Biliary calculi—M	35	1	1	-	2	1
	Biliary calculi—F	68	17	-	-	24	-
127	Other diseases of gall-bladder, biliary passages—M	77	4	4	2	10	1
	Other diseases of gall-bladder, biliary passages—F	103	16	-	-	11	-
128	Diseases of pancreas—M	21	2	-	-	4	-
	Diseases of pancreas—F	18	1	1	-	2	-
129	Peritonitis, cause not specified—M	102	1	1	1	9	1
	Peritonitis, cause not specified—F	161	6	-	2	11	-
	X.—Diseases of the genitourinary system—Males	8,468	127	87	32	222	12
	X.—Diseases of the genitourinary system—Females	7,504	67	11	9	192	1
130	Acute nephritis (including unspecified under 10 years)—M	634	9	3	4	25	-
	Acute nephritis (including unspecified under 10 years)—F	589	2	-	1	19	1
131	Chronic nephritis—M	5,443	74	74	22	130	10
	Chronic nephritis—F	5,133	35	9	6	123	-
132	Nephritis, unspecified (10 years and over)—M	1,013	13	3	2	27	-
	Nephritis, unspecified (10 years and over)—F	870	12	-	1	17	-
133	Other diseases of kidneys, ureters (puerperal diseases excepted)—M	291	7	1	3	12	1
	Other diseases of kidneys, ureters (puerperal diseases excepted)—F	229	3	2	1	11	-
134	Calculi of urinary passages—M	46	-	1	-	-	-
	Calculi of urinary passages—F	26	2	-	-	1	-
135	Diseases of bladder (tumors excepted)—M	125	3	-	-	3	1
	Diseases of bladder (tumors excepted)—F	24	2	-	-	3	-
136	Diseases of urethra, urinary abscess, etc.—M	217	1	-	-	2	-
	Diseases of urethra, urinary abscess, etc.—F	3	1	-	-	-	-
137	Diseases of prostate—M	672	16	5	1	23	-

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE, BY SEX, IN CONTINENTAL UNITED STATES: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	X.—Diseases of the genitourinary system—Continued.						
138	Diseases of male genital organs, not specified as venereal—M	27	4	----	----	----	----
139a	Cysts of ovary—F	73	1	----	----	3	----
139b	Other diseases of ovaries, diseases of tubes, parametrium—F	430	5	----	----	10	----
139c	Diseases of uterus—F	102	2	----	----	5	----
139d	Nonpuerperal diseases of breast (cancer excepted)—F	5	----	----	----	----	----
139e	Other diseases of female genital organs—F	20	2	----	----	----	----
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Females	2,462	70	4	14	216	1
140	Abortion with septic conditions—F	308	9	----	2	25	----
141	Abortion without mention of septic conditions (includes hemorrhages)—F	125	4	----	1	9	----
142a	Ectopic gestation, septic conditions specified—F	19	----	----	----	----	----
142b	Ectopic gestation, septic conditions not mentioned—F	86	----	----	1	5	----
143	Other accidents of pregnancy (hemorrhage not included)—F	16	----	----	----	----	----
144a	Placenta praevia—F	54	----	2	1	9	----
144b	Other puerperal hemorrhages—F	147	5	----	2	19	----
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)—F	566	19	1	2	68	----
145b	Puerperal tetanus (abortion and ectopic gestation excluded)—F	1	----	----	----	----	----
146	Puerperal albuminuria and eclampsia—F	660	9	----	2	41	1
147	Other toxemias of pregnancy—F	85	2	----	1	6	----
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—F	51	3	----	----	4	----
149	Other accidents of childbirth—F	339	17	1	2	30	----
150	Other and unspecified conditions of puerperal state—F	5	2	----	----	----	----
	XII.—Diseases of the skin and cellular tissue—Males	121	5	2	1	15	----
	—Females	122	1	1	----	14	----
151	Furuncle, carbuncle—M	21	1	----	1	5	----
	—F	19	----	1	----	3	----
152	Phlegmon, acute abscess—M	53	2	1	----	6	----
	—F	44	----	----	----	5	----
153	Other diseases of skin and annexa, and of cellular tissue—M	47	2	1	----	4	----
	—F	59	1	----	----	6	----
	XIII.—Diseases of the bones and organs of locomotion—Males	102	1	----	2	6	1
	—Females	63	----	----	----	5	----
154	Osteomyelitis—M	62	1	----	1	3	1
	—F	31	----	----	----	3	----
155	Other diseases of bones (tuberculosis excepted)—M	12	----	----	----	2	----
	—F	10	----	----	----	1	----
156	Diseases of joints, other organs of locomotion—M	28	----	----	1	1	----
	—F	22	----	----	----	1	----
	XIV.—Congenital malformations—Males	348	21	3	5	77	1
	—Females	265	20	4	11	69	2
157a	Congenital hydrocephalus—M	50	1	----	2	8	----
	—F	46	3	----	1	11	----
157b	Spina bifida and meningocele—M	11	1	----	----	5	----
	—F	12	1	----	1	7	----
157c	Congenital malformations of heart—M	167	10	2	2	40	----
	—F	137	13	2	6	28	2
157d	Other congenital malformations—M	121	9	1	1	24	1
	—F	70	3	2	3	23	----
	XV.—Diseases of early infancy—Males	3,984	124	13	34	545	3
	—Females	3,260	87	11	23	412	4
158	Congenital debility—M	506	18	----	1	118	----
	—F	433	18	1	----	120	----
159	Premature birth—M	2,577	60	6	22	301	2
	—F	2,235	37	8	15	209	3
160	Injury at birth—M	482	18	5	8	68	----
	—F	320	15	----	4	46	1
161	Other diseases peculiar to early infancy—M	419	28	2	3	58	1
	—F	272	17	2	4	37	----
162	**XVI.—Senility**—Males	1,044	35	4	----	92	----
	—Females	1,189	67	1	1	77	----
	XVII.—Violent and accidental deaths—Males	11,464	278	114	128	769	71
	—Females	3,435	107	7	30	221	2
	Suicide—M	387	16	33	37	41	12
	—F	132	5	1	3	19	1
163	By solid or liquid poisons or by absorption of corrosive substances—M	37	3	2	6	2	1
	—F	57	2	----	1	10	----
164	By poisonous gas—M	24	----	----	4	2	----
	—F	8	1	----	----	----	1
165	By hanging or strangulation—M	34	4	10	17	7	4
	—F	5	1	1	1	1	----
166	By drowning—M	29	----	----	2	----	----
	—F	14	----	----	----	----	----
167	By firearms—M	205	9	11	7	26	5
	—F	22	1	----	1	7	1
168	By cutting or piercing instruments—M	28	----	2	----	4	1
	—F	3	----	----	----	1	----
169	By jumping from high places—M	24	----	----	2	1	----
	—F	10	----	----	----	----	----
170	By crushing—M	4	----	1	3	----	----
	—F	1	----	----	----	----	----
171	By other means—M	2	----	1	----	1	----
	—F	12	----	----	----	----	----
	Homicide—M	4,298	44	25	7	162	22
	—F	920	11	----	3	15	----
173	By firearms—M	2,831	24	12	2	98	12
	—F	484	7	----	3	9	----
174	By cutting or piercing instruments—M	1,030	8	6	1	38	7
	—F	290	----	----	----	3	----
175	By other means—M	437	12	7	4	26	3
	—F	146	4	----	----	3	----
	Accidental, other, or undefined—M	6,779	218	56	84	566	37
	—F	2,383	91	6	24	187	1
176	Attack by venomous animals—M	17	1	----	----	6	----
	—F	9	----	----	----	4	----
177	Poisoning by food—M	88	3	----	----	11	1
	—F	80	1	----	2	12	----
178	Absorption of poisonous gas—M	42	----	3	1	2	----
	—F	8	----	1	----	----	----
	Supplemental—M	3	----	----	----	2	----
	—F	2	----	----	----	----	----
179	Other acute accidental poisonings (gas excepted)—M	112	6	----	3	13	1
	—F	86	3	1	2	5	----
180	Conflagration—M	160	5	2	3	13	1
	—F	99	1	----	3	6	----
181	Burns (conflagration excepted)—M	397	10	----	2	23	----
	—F	549	15	----	1	34	----
	Supplemental—M	24	1	----	1	5	1
	—F	10	----	----	----	2	----
182	Mechanical suffocation—M	102	1	----	----	5	----
	—F	75	2	1	1	6	----
	Supplemental—M	4	----	----	----	1	----
183	Drowning—M	730	16	10	17	50	3
	—F	90	7	1	2	17	----
	Supplemental—M	161	6	----	1	3	1
	—F	23	2	----	1	----	----
	Traumatism:						
184	By firearms (wounds of war excepted)—M	440	10	4	2	18	1
	—F	122	----	----	----	5	----
185	By cutting or piercing instruments (wounds of war excepted)—M	95	3	1	2	6	----
	—F	58	----	----	----	2	----
	Supplemental—M	22	1	----	----	2	1
186a	By fall—M	521	15	4	4	25	1
	—F	314	13	1	----	10	----
	Supplemental—M	299	15	3	2	26	1
	—F	26	5	----	2	2	----
186b	By crushing, landslide—M	65	3	----	----	6	----
	—F	3	----	----	----	----	----
	Supplemental—M	598	18	----	11	89	5
	—F	80	5	----	2	6	----
187	Cataclysm—M	44	3	----	1	7	----
	—F	70	4	----	----	9	----
188	Injuries by animals—M	38	4	----	1	2	----
	—F	2	----	----	----	----	----
189	Hunger and thirst—M	8	----	----	----	1	----
	—F	----	----	----	----	1	----
190	Excessive cold—M	43	5	----	----	2	----
	—F	8	1	----	----	1	----
191	Excessive heat—M	127	4	1	1	22	1
	—F	37	4	----	1	18	----
192	Lightning—M	58	1	----	----	2	----
	—F	23	----	----	----	----	----
193	Due to electric currents—M	31	1	----	----	1	----
	—F	4	----	----	----	----	----
	Supplemental—M	8	----	----	----	----	----
	—F	1	----	----	----	----	----
194a	Foreign bodies—M	33	----	1	----	3	----
	—F	29	----	1	----	1	----
194b	Other accidents—M	433	15	----	1	34	1
	—F	101	6	----	1	13	----
	Supplemental—M	2,000	71	27	30	184	17
	—F	473	22	----	6	33	1
195	Violent deaths of unknown nature—M	2	----	----	----	----	----
	—F	1	----	----	----	----	----
198	Legal executions—M	74	----	----	1	2	1

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE, BY SEX, IN CONTINENTAL UNITED STATES: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	XVIII.—Ill-defined causes of death—Males	5,192	243	4	------	253	------
	XVIII.—Ill-defined causes of death—Females	4,760	272	------	1	167	1
199	Sudden death—M	375	6	------	------	12	------
	Sudden death—F	328	6	------	------	4	------
200a	Cause of death ill-defined—M	1,154	16	1	------	89	------
	Cause of death ill-defined—F	1,033	21	------	------	69	1
200b	Cause of death not specified or unknown—M	3,663	221	3	------	152	------
	Cause of death not specified or unknown—F	3,399	245	------	1	94	------
Punch symbol	SUPPLEMENTAL [1]						
201	Accidents in mines and quarries—M	121	1	------	------	7	------
202	Accidents from agricultural machinery—M	10	------	------	2	2	------
203	Elevator accidents—M	12	1	------	1	1	------
	Elevator accidents—F	2	------	------	------	------	------
205	Other machinery accidents—M	89	2	------	------	5	------
	Other machinery accidents—F	1	------	------	1	------	------
Punch symbol	SUPPLEMENTAL [1]—Continued						
206	Railroad and automobile collisions—M	50	------	------	1	8	5
	Railroad and automobile collisions—F	18	------	------	2	------	------
207	Other railroad accidents—M	615	19	2	1	53	2
	Other railroad accidents—F	47	------	------	1	2	------
208	Street car and automobile collisions—M	12	------	------	2	4	------
	Street car and automobile collisions—F	4	------	------	------	1	------
209	Other street car accidents—M	31	------	------	1	8	1
	Other street car accidents—F	9	------	------	1	------	------
210	Automobile accidents (primary)—M	1,909	80	27	36	214	16
	Automobile accidents (primary)—F	502	27	------	5	39	1
211	Motorcycle accidents—M	5	------	------	------	------	------
212	Other land transportation accidents—M	114	6	------	------	9	1
	Other land transportation accidents—F	11	6	------	------	1	------
213	Water transportation accidents—M	145	3	1	1	1	1
	Water transportation accidents—F	16	1	------	1	------	------
214	Air transportation accidents—M	6	------	------	------	------	------
	Air transportation accidents—F	5	------	------	------	------	------

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000[2]	In rural areas[3]	DEATHS BY AGE[1] Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONTINENTAL UNITED STATES																		
	Total deaths (all causes)	1,342,106	693,247	133,065	515,794	120,887	19,220	9,464	6,912	5,419	19,829	16,653	26,611	36,611	79,713	109,734	157,501	209,254	522,457
	I.—Infectious and parasitic diseases	155,821	66,844	14,784	74,193	12,457	5,863	3,207	2,458	1,808	5,940	3,916	7,593	11,684	22,645	21,195	19,045	15,212	22,542
1	Typhoid fever	4,389	1,255	542	2,592	30	40	47	45	52	325	443	653	683	856	457	366	208	165
2	Paratyphoid fever	84	47	14	23	5	2	1	3	1	3	2	7	6	18	13	8	7	8
3	Typhus fever	81	22	8	51	1	1	1	1	-----	7	-----	2	2	12	9	12	13	20
5	Undulant fever	72	25	20	27	1	1	1	-----	-----	3	2	4	5	12	9	9	13	12
6	Smallpox	39	19	2	18	5	2	1	1	1	2	1	3	2	5	3	5	5	3
7	Measles	2,813	1,186	334	1,293	576	728	326	189	115	438	117	86	45	54	40	36	25	37
8	Scarlet fever	2,546	1,294	260	992	84	204	241	250	208	748	251	136	95	190	77	41	12	9
9	Whooping-cough	4,463	1,516	382	2,565	2,648	1,004	345	174	89	152	24	3	3	6	5	-----	2	4
10	Diphtheria	4,937	1,669	499	2,769	368	741	695	648	499	1,268	276	91	65	85	77	60	38	20
11a	Influenza, respiratory complications specified	21,052	7,642	2,400	11,010	2,362	883	372	233	153	426	294	578	694	1,545	2,189	2,297	2,420	6,583
11b	Influenza, respiratory complications not specified	12,141	3,368	1,385	7,388	1,543	390	229	168	122	364	284	317	300	642	804	929	1,152	4,878
13	Dysentery	2,815	822	287	1,706	763	490	152	79	38	67	26	30	37	63	95	139	181	649
14	Plague	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
15	Erysipelas	2,017	1,091	183	743	562	54	19	9	9	26	21	27	39	86	150	214	266	535
16	Acute poliomyelitis, acute polioencephalitis	797	381	75	341	75	71	43	49	38	162	116	91	61	47	26	8	6	3
17	Lethargic or epidemic encephalitis	1,357	786	137	434	17	27	17	15	15	47	49	55	65	156	165	220	228	280
18	Epidemic cerebrospinal meningitis	1,482	980	138	364	249	105	69	47	41	156	148	160	100	113	109	85	68	29
20	Anthrax (bacillus anthracis) malignant pustule	11	5	2	4	-----	-----	-----	-----	-----	-----	1	1	1	3	1	2	1	1
21	Rabies	65	34	9	22	-----	2	3	3	2	22	9	1	1	9	3	3	6	1
22	Tetanus	1,253	684	155	414	179	18	21	39	43	227	175	72	57	84	93	96	64	85
	Tuberculosis (all forms)	74,842	35,114	6,398	33,330	786	691	405	298	244	922	1,223	4,755	8,526	16,451	14,038	11,343	8,012	7,034
23	Respiratory system	67,422	30,807	5,748	30,867	330	268	145	103	91	404	861	4,288	7,911	15,365	13,130	10,588	7,402	6,427
24	Meninges and central nervous system	2,212	1,414	168	630	310	299	169	128	101	306	172	127	121	171	140	91	48	29
25	Intestines and peritoneum	1,815	908	196	711	26	24	21	14	15	64	74	133	195	343	281	210	202	211
26	Vertebral column	755	448	54	253	4	4	7	7	10	38	29	38	60	136	109	116	96	99
27a	Bones (vertebral column excepted)	164	53	17	94	3	2	2	-----	4	5	7	17	12	25	16	20	19	32
27b	Joints	218	106	16	96	1	-----	-----	2	4	8	10	18	12	23	34	37	31	33
28	Skin and subcutaneous cellular tissue	38	17	4	17	1	-----	-----	-----	-----	-----	1	2	3	5	3	6	4	13
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	177	81	12	84	11	6	7	3	2	11	8	5	9	21	13	17	22	42
30	Genitourinary system	564	313	63	188	-----	-----	1	-----	1	4	6	17	44	106	125	107	86	66
31	Other organs	101	63	7	31	1	-----	1	-----	1	-----	2	2	7	17	19	19	15	17
32a	Acute disseminated tuberculosis	1,195	813	79	303	93	81	49	39	15	78	46	92	134	202	141	109	68	48
32b,c	Other disseminated tuberculosis	181	91	34	56	6	7	3	2	-----	4	7	16	18	37	27	23	19	12
33	Leprosy	27	5	1	21	-----	-----	-----	-----	-----	-----	-----	-----	1	9	10	2	1	4
34	Syphilis	11,039	6,725	913	3,401	1,639	119	32	18	16	54	58	141	396	1,240	1,990	2,373	1,816	1,130
35	Gonococcus infection and other venereal diseases	998	679	113	206	28	1	1	-----	-----	6	10	79	161	340	227	82	38	25
36	Purulent infection, septicemia (nonpuerperal)	931	459	108	364	87	29	15	12	9	46	63	45	57	114	103	109	93	149
38	Malaria	4,678	627	354	3,697	304	188	130	143	89	403	283	219	251	433	434	507	458	789
39	Other diseases due to protozoal parasites	61	39	5	17	3	1	1	-----	-----	1	3	7	3	9	11	10	8	4
40	Ankylostomiasis	20	2	2	16	1	1	-----	1	3	5	3	2	3	1	-----	-----	-----	-----
41a	Hydatid cysts of liver	26	18	-----	8	1	-----	-----	-----	-----	-----	-----	-----	-----	3	4	6	7	5
41b	Hydatid cysts of other organs	10	4	2	4	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	4	1	-----	4
42	Other diseases caused by helminths	101	30	6	65	3	16	17	15	7	11	6	2	1	7	3	6	5	2
43	Mycoses	261	129	14	118	57	11	1	3	2	2	6	5	14	30	27	39	25	39
44	Other infectious and parasitic diseases	412	186	36	190	80	43	22	15	12	47	22	15	10	18	22	38	34	34
	II.—Cancers and other tumors	134,539	78,732	12,897	42,910	106	95	124	134	121	402	370	582	800	3,777	11,837	23,583	32,950	59,536
	Cancer and other malignant tumors	128,479	74,462	12,352	41,665	56	73	88	95	85	265	272	459	610	3,063	10,256	22,073	32,164	58,805
(45)	Buccal cavity	3,907	2,110	304	1,493	-----	1	1	2	-----	9	5	12	14	45	162	575	919	2,159
(45)	Pharynx	938	498	88	352	-----	-----	-----	-----	1	3	4	1	3	17	31	155	255	466
(46)	Esophagus	2,111	1,566	137	408	-----	-----	1	-----	-----	-----	-----	-----	3	8	78	346	675	999
(46)	Stomach and duodenum	26,566	14,265	2,643	9,658	-----	-----	-----	-----	-----	1	5	13	32	248	1,345	3,759	6,830	14,311
(46)	Liver and biliary passages	10,595	5,307	1,171	4,117	4	6	1	4	1	7	15	7	21	135	492	1,490	2,753	5,647
(46)	Pancreas	3,567	2,457	312	798	-----	-----	-----	-----	1	1	1	4	10	42	212	600	1,114	1,579
(46)	Other digestive tract and peritoneum	20,337	12,929	1,919	5,489	10	6	5	9	14	29	18	43	80	515	1,426	3,147	5,014	10,009
47	Respiratory system	4,940	3,474	391	1,075	4	3	7	2	2	20	23	39	48	148	509	1,171	1,460	1,501
48	Uterus	15,221	8,655	1,549	5,017	1	-----	-----	1	-----	1	4	9	61	752	2,485	3,948	3,870	4,072
49	Other female genital organs	2,890	2,023	266	601	-----	-----	-----	1	1	2	13	28	34	124	408	767	749	761
50	Breast	12,484	7,467	1,168	3,849	-----	-----	-----	-----	1	-----	2	2	17	333	1,601	3,115	3,315	4,090
51	Male genitourinary organs	10,455	6,049	1,050	3,356	12	19	19	20	16	17	6	34	60	148	325	861	2,252	6,657
52	Skin	3,358	1,202	339	1,817	3	1	-----	5	1	4	10	3	8	47	116	266	504	2,380
53	Other or unspecified organs	11,110	6,460	1,015	3,635	22	37	54	51	47	171	166	264	219	501	1,066	1,873	2,454	4,174
54a	Nonmalignant tumors, ovary	156	117	13	26	-----	-----	-----	-----	-----	-----	-----	2	9	16	33	38	20	38
54b	Nonmalignant tumors, uterus	2,484	1,908	221	355	-----	-----	-----	-----	-----	-----	-----	6	35	335	984	764	185	169
54c	Nonmalignant tumors, other female genital organs	3	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	-----
54d,e	Nonmalignant tumors, other organs	1,411	1,059	99	253	24	13	12	20	11	63	35	55	65	162	228	277	236	210
55a	Tumors, ovary (nature unspecified)	21	14	3	4	-----	-----	-----	-----	-----	-----	-----	-----	1	5	2	3	6	4
55b	Tumors, uterus (nature unspecified)	10	2	-----	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	3	4
55c	Tumors, other female genital organs (nature unspecified)	2	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----
55d,e	Tumors, other organs (nature unspecified)	1,973	1,167	209	597	26	9	24	19	25	74	63	60	80	194	332	426	334	306

For footnotes, see p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas [3]	DEATHS BY AGE [1]													
			10,000 or more	2,500 to 10,000 [2]		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONTINENTAL UNITED STATES—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	41,614	23,224	4,270	14,120	1,511	251	122	107	105	557	673	730	767	1,780	2,816	5,423	9,636	17,081
56	Acute rheumatic fever	2,570	1,390	232	948	8	9	17	45	38	302	326	242	158	252	238	243	240	445
57	Chronic rheumatism, osteoarthritis	1,615	682	188	745	------	------	1	1	-----	7	8	10	13	47	80	160	271	1,015
58	Gout	3	2		1	------	------	------	------	------	------	------	------	------	------	------	1	1	1
69	Diabetes mellitus	26,835	16,121	2,758	7,956	11	25	22	14	25	152	255	287	290	599	1,184	3,235	7,345	13,367
60	Scurvy	28	13	4	11	17	3	2	-----	1	1	------	1	------	------	------	------	2	1
61	Beriberi	1	1			------	------	------	------	------	------	------	------	------	------	------	------	------	1
62	Pellagra	3,955	1,165	417	2,373	5	8	3	2	3	22	23	77	160	499	652	770	689	1,028
63	Rickets	339	142	38	159	209	71	21	5	3	10	6	2	1	1	2	4	1	2
64	Osteomalacia	18	7	3	8	1	------	------	------	------	------	2	1	------	------	------	4	3	7
65	Diseases of pituitary body	70	39	8	23	3	3	1	-----	-----	2	-----	8	6	7	11	7	15	7
66a	Simple goiter	277	159	26	92	4	------	------	------	------	2	4	5	6	13	32	54	75	82
66b	Exophthalmic goiter	3,398	2,133	348	917	1	------	------	------	1	8	14	57	94	268	484	795	809	866
(66)	Other diseases of thyroid and parathyroid glands	439	256	44	139	103	26	12	13	7	10	12	12	10	20	35	52	70	56
67	Diseases of thymus gland	1,259	742	110	407	1,038	72	28	17	20	25	11	13	10	15	2	3	2	1
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	366	213	41	112	2	1	------	------	------	------	5	6	14	43	75	65	75	79
69	Other general diseases	441	159	53	229	109	33	15	10	7	16	7	9	5	16	21	30	38	123
	IV.—Diseases of the blood and blood-making organs	10,186	5,839	1,086	3,261	607	142	100	130	111	295	282	311	326	686	974	1,369	1,882	2,962
70	Hemorrhagic conditions	829	459	109	261	370	32	11	21	14	33	46	42	30	48	36	43	44	59
71a	Pernicious anemia	3,703	1,735	443	1,525	20	12	9	8	10	20	19	42	40	108	213	457	914	1,827
71b	Other anemias	585	268	85	232	133	35	12	10	6	10	11	14	13	18	31	39	66	187
72a	True leukemias	3,088	2,123	266	699	54	50	55	72	65	173	141	130	124	258	395	479	536	554
27b	Pseudoleukemias (Hodgkin's disease)	1,440	869	127	444	4	3	3	4	7	40	51	57	97	196	228	243	246	258
73	Diseases of the spleen	412	283	40	89	23	8	9	14	8	15	12	24	19	38	57	77	53	55
74	Other diseases of blood and blood-making organs	129	102	16	11	3	2	1	1	1	4	2	2	3	20	14	31	23	22
	V.—Chronic poisonings and intoxications	3,561	2,249	293	1,019	------	5	5	1	-----	------	1	32	81	496	1,052	961	593	330
75	Alcoholism (acute or chronic)	3,297	2,083	260	954	------	------	------	------	------	------	1	32	74	461	994	914	536	281
76	Chronic poisoning by other organic substances	123	80	15	28	------	------	------	------	------	------	------	------	3	22	43	20	21	14
77a	Chronic lead poisoning	117	69	14	34	------	5	5	1	-----	------	------	------	2	7	12	24	29	32
77b,c	Other chronic poisoning by mineral substances	24	17	4	3	------	------	------	------	------	------	------	------	2	6	3	3	7	3
	VI.—Diseases of the nervous system and of the organs of special sense	130,959	61,903	13,684	55,372	2,174	724	414	285	266	1,245	1,050	1,078	1,165	3,321	7,385	15,282	24,737	71,635
78	Encephalitis (nonepidemic)	1,535	831	197	507	108	61	50	23	23	93	77	79	83	156	225	229	157	169
79a	Simple meningitis	2,108	1,389	180	539	428	157	97	62	46	201	144	111	97	164	181	184	142	92
79b	Nonepidemic cerebrospinal meningitis	303	126	33	144	71	43	9	14	5	29	20	20	12	19	22	18	13	6
80	Progressive locomotor ataxia (tabes dorsalis)	1,126	616	121	389	------	------	------	------	------	------	------	------	3	26	101	236	360	397
81	Other diseases of spinal cord	3,014	1,538	302	1,174	19	15	12	12	11	40	60	79	61	132	254	458	647	1,210
82a	Cerebral hemorrhage	94,573	43,977	10,098	40,498	102	35	30	13	12	40	71	106	180	952	3,559	10,416	19,141	59,774
82b	Cerebral embolism and thrombosis	5,930	3,804	555	1,571	15	9	12	3	11	22	28	46	76	147	272	577	1,170	3,536
82c	Softening of brain	703	329	64	310	------	------	------	------	------	------	------	------	------	5	22	37	93	544
82d	Hemiplegia and other paralysis, cause unspecified	4,349	1,171	385	2,793	28	2	7	9	4	16	13	20	17	66	127	387	715	2,928
83	General paralysis of insane	4,538	1,799	441	2,298	------	------	------	------	------	------	11	25	43	422	1,231	1,400	894	503
84	Dementia praecox and other psychoses	1,449	485	206	758	------	------	------	------	------	------	1	35	91	249	266	283	225	294
85	Epilepsy	2,724	862	282	1,580	55	20	16	15	21	105	167	249	270	512	461	326	220	278
86	Convulsions (under 5 years of age)	797	204	67	526	611	101	52	21	12	------	------	------	------	------	------	------	------	------
87	Other diseases of nervous system	3,751	1,738	424	1,589	103	55	33	16	16	94	74	68	80	194	329	392	659	1,636
88	Diseases of organs of vision	85	46	11	28	9	5	1	2	2	6	6	5	3	5	7	2	7	25
89a	Diseases of ear	2,404	1,728	207	469	486	152	53	55	66	325	216	116	77	150	198	188	170	152
89b	Diseases of mastoid process	1,570	1,260	111	199	139	69	42	40	37	274	162	119	72	122	130	149	124	91
	VII.—Diseases of the circulatory system	314,004	170,901	30,156	112,947	419	175	128	145	154	1,006	1,482	1,858	2,260	6,986	16,027	35,438	60,127	187,474
90	Pericarditis	879	467	88	324	16	9	6	7	3	19	29	23	27	69	86	140	137	306
91a	Acute endocarditis	2,829	1,856	246	727	29	18	20	27	25	135	164	210	284	461	402	350	299	403
91b	Endocarditis, unspecified (under 45 years)	604	312	63	229	19	7	6	7	11	50	61	54	50	140	199	------	------	------
92a	Endocarditis, specified as chronic, and other valvular diseases	55,009	26,031	5,368	23,610	66	32	33	34	55	420	740	856	921	2,467	4,064	6,397	9,480	29,381
92b	Endocarditis, unspecified (45 years and over)	3,893	1,746	479	1,668	------	------	------	------	------	------	------	------	------	------	------	622	874	2,390
93a	Acute myocarditis	4,357	2,451	443	1,463	40	16	10	11	8	37	32	51	69	209	421	691	883	1,873
93b	Myocarditis, unspecified (under 45 years)	1,251	735	129	387	32	6	6	6	2	30	33	53	71	283	729	------	------	------
93c	Chronic myocarditis and myocardial degeneration	94,720	57,022	8,225	29,473	10	6	7	8	8	66	90	141	222	991	3,346	8,715	17,330	63,714
93d	Other diseases of myocardium	30,156	16,211	3,217	10,728	6	1	1	3	-----	7	5	14	21	97	247	3,344	5,882	20,492
94a	Angina pectoris	19,996	9,829	2,354	7,813	------	------	------	------	1	1	5	13	43	234	1,116	2,992	5,273	10,302
94b	Diseases of coronary arteries	27,490	17,832	2,600	7,058	5	3	2	-----	1	4	9	30	55	408	1,768	4,486	7,383	13,313
95a	Functional diseases of heart	855	335	144	376	5	1	1	1	-----	------	1	6	6	18	57	89	158	510

For footnotes, see p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas [3]	DEATHS BY AGE [1]													
			10,000 or more	2,500 to 10,000 [2]		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONTINENTAL UNITED STATES—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
95b	Other and unspecified diseases of heart	44,321	22,697	3,980	17,644	115	46	19	28	29	200	283	345	423	1,307	2,867	5,889	9,077	23,624
96	Aneurysm (except of heart)	2,281	1,565	177	539	2			1		4	6	17	14	97	300	561	566	708
97	Arteriosclerosis (coronary arteries excepted)	21,062	9,742	2,142	9,178									3	23	123	590	2,033	18,267
98	Gangrene	959	375	112	472	18	10	6	5	4	12	9	4	10	27	37	59	92	662
99	Other diseases of arteries	1,529	858	209	462	7		4	2	2	6	1	17	17	64	101	209	268	831
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	700	435	69	196	2	2	3	1	1	3	5	9	10	38	83	144	173	225
101	Diseases of lymphatic system (lymphangitis, etc.)	175	95	18	62	28	15	2	4	2	9	4	5	4	10	15	21	18	38
102	Idiopathic anomalies of blood-pressure	655	220	53	382						1	3	3	5	25	48	111	155	304
103	Other diseases of circulatory system	283	87	40	156	19	3	2		2	2	2	7	5	18	18	28	46	131
	VIII.—Diseases of the respiratory system	100,548	55,132	8,853	36,563	16,829	4,342	1,729	1,090	663	2,012	1,360	2,039	2,484	6,029	8,783	10,525	11,554	31,003
104a	Diseases of nasal fossae	311	75	20	216	174	15	12	2	2	3	5	7	4	10	6	4	7	60
104b	Diseases of nasal fossae and annexa	730	520	68	142	19	9	7	12	4	26	67	83	76	107	119	90	66	45
105	Diseases of larynx	504	251	52	201	102	88	51	44	24	45	13	6	10	26	22	24	25	24
106a	Acute bronchitis	1,276	694	104	478	326	77	31	19	7	27	8	7	13	29	38	52	71	571
106b	Chronic bronchitis	1,853	849	190	814	16	10	4	3	3	6	9	15	14	45	88	181	247	1,212
106c,d	Bronchitis, unspecified	933	343	103	487	222	38	17	8	6	16	3	3	5	22	24	35	67	466
107a	Bronchopneumonia	36,827	20,770	3,094	12,963	10,986	2,407	816	488	265	715	370	408	478	1,163	1,808	2,231	3,046	11,675
107b	Capillary bronchitis	382	181	42	159	170	40	17	6	1	6	1	2	2	3	7	14	20	93
108	Lobar pneumonia	45,740	25,937	4,057	15,746	3,278	1,249	569	381	254	925	701	1,236	1,551	3,942	5,530	6,464	6,604	13,002
109	Pneumonia, unspecified	4,000	975	333	2,692	1,197	225	95	57	44	110	74	111	100	228	263	250	252	984
110	Pleurisy	2,646	1,840	204	602	177	127	84	50	42	85	70	89	111	223	360	391	334	501
111a	Pulmonary embolism and thrombosis	536	331	49	156	10		1			4	4	6	17	34	51	93	104	211
111b	Pulmonary congestion, edema, hemorrhagic infarct	1,427	680	165	582	60	12	4	2	2	11	6	9	13	23	41	51	91	1,101
112	Asthma	1,863	833	226	804	23	25	13	13	5	8	12	18	36	99	200	318	359	730
113	Pulmonary emphysema	147	78	13	56	8	2	1			1		2	2	8	10	20	27	66
114	Other diseases of respiratory system (tuberculosis excepted)	1,373	775	133	465	62	18	7	5	4	24	17	37	52	127	216	307	234	262
	IX.—Diseases of the digestive system	92,573	53,184	10,616	28,773	13,688	4,736	1,710	1,041	766	2,717	2,320	2,508	2,770	6,434	9,614	12,421	12,915	18,833
115a	Diseases of pharynx and tonsils	4,747	2,786	543	1,418	202	187	163	171	149	545	288	266	309	597	539	481	397	447
115b	Diseases of buccal cavity and annexa	933	500	117	316	50	24	9	7	10	48	20	18	55	102	130	160	129	168
116	Diseases of esophagus	155	110	11	34	2	1	2	2	1	1			4	4	10	21	31	76
117a	Ulcer of stomach	5,197	3,228	548	1,421	7	2	6		3	11	9	38	114	379	876	1,264	1,130	1,350
117b	Ulcer of duodenum	2,342	1,726	213	403	4					4	5	18	51	235	432	588	524	478
118	Other diseases of stomach (cancer excepted)	3,853	1,213	403	2,237	542	108	56	30	26	50	37	53	73	218	401	536	527	1,179
119	Diarrhea, enteritis (under 2 years of age)	15,707	5,902	1,619	8,186	11,653	4,054												
120	Diarrhea, enteritis (2 years and over)	5,966	2,192	656	3,118			1,083	457	209	353	117	89	142	304	325	473	557	1,841
121	Appendicitis	17,717	12,235	2,617	2,865	33	89	202	250	249	1,321	1,557	1,597	1,345	2,434	2,595	2,506	1,953	1,575
122a	Hernia	4,931	3,451	525	955	75	14	4	6	5	14	14	22	46	152	403	804	1,152	2,213
122b	Intestinal obstruction	7,676	4,697	980	1,999	824	164	106	65	50	183	128	184	244	649	897	1,020	1,109	2,047
123	Other diseases of intestines	1,369	882	142	345	69	18	9	6	6	17	13	28	42	101	187	259	273	340
124	Cirrhosis of liver	9,349	5,731	906	2,712	8	5	5	1	7	20	24	29	44	314	1,039	1,974	2,434	3,434
125a	Yellow atrophy of liver	500	332	41	127	4	3	1	1	2	6	4	22	34	92	95	82	68	86
125b	Other diseases of liver	1,178	650	112	416	48	19	9	5	3	21	22	24	39	107	201	202	183	291
126	Biliary calculi	4,541	3,267	488	786								11	36	237	635	936	1,203	1,483
127	Other diseases of gall-bladder, biliary passages	4,119	2,706	465	948	18	4	8	1	7	11	9	18	61	240	515	772	940	1,511
128	Diseases of pancreas	677	523	54	100	6		1	1	1	4		8	21	67	137	157	152	121
129	Peritonitis, cause not specified	1,616	1,053	176	387	143	44	46	38	38	108	73	83	110	202	197	186	153	193
	X.—Diseases of the genitourinary system	121,572	64,541	12,322	44,709	473	166	167	125	95	449	507	871	1,395	4,057	8,042	13,977	22,276	68,819
130	Acute nephritis (including unspecified under 10 years)	4,732	2,254	583	1,895	214	92	97	71	53	234	139	195	210	452	631	683	609	1,044
131	Chronic nephritis	90,805	47,948	9,020	33,837	6	12	20	25	23	139	255	395	583	1,972	5,015	10,395	17,547	54,334
132	Nephritis, unspecified (10 years and over)	8,727	3,040	1,032	4,655							57	70	119	297	631	1,113	1,610	4,793
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	3,513	2,135	313	1,065	209	59	45	28	17	64	35	70	94	260	406	530	546	1,143
134	Calculi of urinary passages	1,238	919	89	230	1	1		1		1	3	6	15	94	211	243	257	405
135	Diseases of bladder (tumors excepted)	750	315	80	355	6	2	2		1	2		1	5	27	46	65	100	492
136	Diseases of urethra, urinary abscess, etc	514	396	41	77	2					1		1	8	47	94	106	123	130
137	Diseases of prostate	7,690	4,879	784	2,027								1	3	19	45	252	1,179	6,179
138	Diseases of male genital organs, not specified as venereal	109	60	14	35	35		3		1	3	1	2	2	2	9	14	13	24
139a	Cysts of ovary	697	509	83	105						1	3	15	34	139	168	135	85	117
139b	Other diseases of ovaries, diseases of tubes and parametrium	1,911	1,492	187	232						4	7	90	265	616	542	248	92	47
139c	Diseases of uterus	814	558	92	164							6	23	47	126	224	177	104	107
139d	Nonpuerperal diseases of breast (cancer excepted)	11	5	2	4								1	1	1	1	4	2	1
139e	Other diseases of female genital organs	61	31	2	28							1	1	9	5	19	12	9	3

For footnotes, see p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas[3]	DEATHS BY AGE[1]												
			10,000 or more	2,500 to 10,000[2]		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONTINENTAL UNITED STATES—Continued																	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	12,885	6,899	1,538	4,448	------	------	------	------	------	------	37	1,441	2,646	5,331	3,276	135	------	------
140	Abortion with septic conditions	2,037	1,306	251	480	------	------	------	------	------	------	5	197	500	926	394	14	------	------
141	Abortion without mention of septic conditions (includes hemorrhages)	640	292	76	272	------	------	------	------	------	------	1	48	108	286	188	7	------	------
142a	Ectopic gestation, septic conditions specified	121	86	15	20	------	------	------	------	------	------	------	1	20	63	35	2	------	------
142b	Ectopic gestation, septic conditions not mentioned	489	340	56	93	------	------	------	------	------	------	------	16	81	252	136	4	------	------
143	Other accidents of pregnancy (hemorrhage not included)	88	41	15	32	------	------	------	------	------	------	------	9	16	33	28	2	------	------
144a	Placenta praevia	411	210	60	141	------	------	------	------	------	------	1	14	43	177	170	6	------	------
144b	Other puerperal hemorrhages	928	477	80	371	------	------	------	------	------	------	2	52	161	383	314	14	------	------
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	2,719	1,491	327	901	------	------	------	------	------	------	7	382	648	1,110	547	21	------	------
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	10	6	2	2	------	------	------	------	------	------	------	1	2	4	3	------	------	------
146	Puerperal albuminuria and eclampsia	2,520	1,078	332	1,110	------	------	------	------	------	------	19	457	531	852	622	32	------	------
147	Other toxemias of pregnancy	535	338	66	131	------	------	------	------	------	------	1	58	114	213	146	3	------	------
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	592	290	68	234	------	------	------	------	------	------	1	37	98	272	177	7	------	------
149	Other accidents of childbirth	1,750	914	186	650	------	------	------	------	------	------	------	167	315	738	504	23	------	------
150	Other and unspecified conditions of puerperal state	45	30	4	11	------	------	------	------	------	------	------	2	9	22	12	------	------	------
	XII.—Diseases of the skin and cellular tissue	2,133	1,224	229	680	352	36	15	19	7	42	66	108	104	198	209	253	247	474
151	Furuncle, carbuncle	634	359	73	202	26	6	2	2	2	15	20	48	40	73	74	84	106	136
152	Phlegmon, acute abscess	753	504	75	174	125	12	9	12	2	23	26	34	40	88	83	103	87	107
153	Other diseases of skin and annexa, and of cellular tissue	746	361	81	304	201	18	4	5	3	4	20	26	24	37	52	66	54	231
	XIII.—Diseases of the bones and organs of locomotion	1,596	1,084	179	333	53	33	33	23	34	176	223	118	63	138	134	167	158	242
154	Osteomyelitis	1,071	761	112	198	31	26	29	17	27	145	188	97	42	100	84	96	84	105
155	Other diseases of bones (tuberculosis excepted)	177	100	24	53	3	2	2	4	3	7	12	6	9	8	10	26	20	64
156	Diseases of joints, other organs of locomotion	348	223	43	82	19	5	2	2	4	24	23	15	12	30	40	45	54	73
	XIV.—Congenital malformations	12,112	6,347	1,193	4,572	10,703	414	185	112	59	226	127	104	50	70	34	21	7	------
157a	Congenital hydrocephalus	1,542	874	144	524	1,202	120	60	28	20	58	19	14	9	4	4	3	1	------
157b	Spina bifida and meningocele	1,257	673	107	477	1,184	30	10	5	3	10	7	3	2	3	------	------	------	------
157c	Congenital malformations of heart	6,208	2,960	637	2,611	5,474	196	79	57	28	117	81	73	30	45	18	9	1	------
157d	Other congenital malformations	3,105	1,840	305	960	2,843	68	36	22	8	41	20	14	9	18	12	9	5	------
	XV.—Diseases of early infancy	51,453	25,344	5,086	21,023	51,453	------	------	------	------	------	------	------	------	------	------	------	------	------
158	Congenital debility	4,067	1,073	446	2,548	4,067	------	------	------	------	------	------	------	------	------	------	------	------	------
159	Premature birth	32,953	16,262	3,195	13,496	32,953	------	------	------	------	------	------	------	------	------	------	------	------	------
160	Injury at birth	9,506	5,452	995	3,059	9,506	------	------	------	------	------	------	------	------	------	------	------	------	------
161	Other diseases peculiar to early infancy	4,927	2,557	450	1,920	4,927	------	------	------	------	------	------	------	------	------	------	------	------	------
162	**XVI.—Senility**	11,318	2,445	1,231	7,642	------	------	------	------	------	------	------	------	------	------	------	21	161	11,107
	XVII.—Violent and accidental deaths	123,204	64,245	13,380	45,579	2,104	1,567	1,268	1,116	1,121	4,425	3,994	6,946	9,573	16,870	17,111	17,060	14,510	25,214
	Suicide	19,993	11,245	1,829	6,919	------	------	------	------	------	------	40	492	1,173	2,721	3,771	4,573	3,886	3,307
163	By solid or liquid poisons or by absorption of corrosive substances	3,141	2,095	302	744	------	------	------	------	------	------	5	129	323	628	667	603	436	348
164	By poisonous gas	2,694	2,179	168	347	------	------	------	------	------	------	1	33	111	332	549	712	585	371
165	By hanging or strangulation	3,543	1,707	349	1,487	------	------	------	------	------	------	16	39	100	329	594	886	822	753
166	By drowning	980	534	79	367	------	------	------	------	------	------	2	15	37	78	172	241	220	211
167	By firearms	7,798	3,500	798	3,500	------	------	------	------	------	------	15	243	534	1,129	1,421	1,685	1,447	1,308
168	By cutting or piercing instruments	821	465	80	276	------	------	------	------	------	------	------	2	8	58	141	219	192	198
169	By jumping from high places	689	619	16	54	------	------	------	------	------	------	------	20	45	112	150	163	116	83
170	By crushing	141	71	19	51	------	------	------	------	------	------	------	4	7	26	37	31	21	15
171	By other means	186	75	18	93	------	------	------	------	------	------	1	7	8	29	40	33	47	20
	Homicide	12,124	6,571	1,041	4,512	166	18	15	14	15	77	107	795	1,790	3,592	2,803	1,563	710	401
173	By firearms	7,863	3,950	685	3,228	8	4	6	3	9	23	62	531	1,187	2,459	1,863	1,025	454	186
174	By cutting or piercing instruments	2,065	1,334	164	567	10	1	2	1	1	12	13	143	384	682	465	236	72	39
175	By other means	2,196	1,287	192	717	148	13	7	10	5	42	32	121	219	451	475	302	184	176
	Accidental, other, or undefined	91,087	46,429	10,510	34,148	1,938	1,549	1,253	1,102	1,106	4,348	3,847	5,659	6,610	10,557	10,537	10,924	9,914	21,506
176	Attack by venomous animals	155	45	24	86	17	7	5	1	9	14	11	3	3	17	14	19	13	22
177	Poisoning by food	689	242	91	356	51	35	33	24	11	60	28	25	35	51	77	86	63	107
178	Absorption of poisonous gas	1,594	1,234	112	248	17	2	4	2	5	14	16	34	67	175	297	334	327	297
	Supplemental	74	14	5	55	1	1	------	1	------	2	------	4	5	19	16	16	6	3
179	Other acute accidental poisonings (gas excepted)	1,490	837	160	493	42	191	91	57	32	44	16	49	83	182	222	218	146	114
180	Conflagration	1,521	634	193	694	84	49	68	48	45	100	49	56	76	172	189	180	140	257

For footnotes, see p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000[2]	In rural areas[3]	DEATHS BY AGE[1] Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONTINENTAL UNITED STATES—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Continued.																		
181	Burns (conflagration excepted)	5,232	2,902	627	1,703	206	398	365	311	287	516	188	149	248	438	475	423	388	828
	Supplemental	588	234	65	289	2	6	2	4	4	11	9	50	95	160	110	71	47	17
182	Mechanical suffocation	934	310	104	520	688	15	7	6	1	16	19	17	14	37	34	43	17	19
	Supplemental	65	13	5	47					1	1	1	4	11	12	19	13	2	1
183	Drowning	6,219	2,177	491	3,551	22	269	165	87	75	546	829	903	626	742	648	564	408	306
	Supplemental	1,246	318	62	866	3	3	8	4	5	49	85	142	169	307	242	118	74	34
	Traumatism:																		
184	By firearms (wounds of war excepted)	3,026	978	446	1,602	7	9	22	21	29	210	402	496	425	483	328	320	174	94
185	By cutting or piercing instruments (wounds of war excepted)	836	474	128	234	13	13	10	10	5	43	44	37	46	75	108	148	134	148
	Supplemental	265	101	40	124	1		2	3	4	7	11	20	36	47	47	39	29	18
186a	By fall	18,933	11,462	1,990	5,481	142	119	74	67	41	255	235	255	252	656	1,027	1,509	2,098	12,182
	Supplemental	2,813	1,252	379	1,182	12	13	14	19	16	110	161	267	270	418	351	406	360	378
186b	By crushing, landslide	556	170	69	317	3		5	7	7	19	18	22	54	104	100	124	61	31
	Supplemental	7,074	3,208	871	2,995	20	51	73	63	87	303	217	558	679	1,193	1,175	1,091	831	703
187	Cataclysm	503	172	37	294	15	9	7	8	14	32	36	40	32	71	76	50	50	63
188	Injuries by animals	591	157	86	348	2	8	15	10	11	37	36	31	19	36	50	69	99	167
189	Hunger and thirst	39	16	4	19	4		1								2	10	7	15
190	Excessive cold	319	113	30	176	5		1	1		3	3	8	11	22	38	46	49	131
191	Excessive heat	1,025	492	127	406	68	12	5	2	2	8	9	15	23	77	135	214	165	289
192	Lightning	372	40	13	319			1	1	2	16	36	48	72	63	51	47	22	12
193	Due to electric currents	575	244	73	258	1	4		2	2	25	50	47	57	150	122	73	22	20
	Supplemental	104	32	9	63			1				1	9	12	34	23	19	3	2
194a	Foreign bodies	669	382	60	227	168	142	61	21	19	28	12	6	8	28	47	40	44	45
194b	Other accidents	4,311	2,147	487	1,677	269	57	37	35	33	203	228	242	270	517	556	619	502	729
	Supplemental	29,103	15,942	3,708	9,453	75	131	176	287	359	1,676	1,097	2,113	2,876	4,209	3,929	3,995	3,629	4,466
195	Violent deaths of unknown nature	11	5		6									1	1	1	3	2	3
196	Wounds of war	2	1		1											1	1		
198	Legal executions	153	81	14	58								9	35	61	27	16	2	
	XVIII.—Ill-defined causes of death	22,028	3,110	1,268	17,650	7,958	671	257	126	109	337	245	292	443	895	1,245	1,820	2,289	5,205
199	Sudden death	2,089	322	149	1,618	218	14	12	9	1	16	10	24	31	73	155	292	399	824
200a	Cause of death ill-defined	5,476	1,246	391	3,839	955	222	77	25	20	80	60	76	116	247	425	630	833	1,668
200b	Cause of death not specified or unknown	14,463	1,542	728	12,193	6,785	435	168	92	79	241	175	192	296	575	665	898	1,057	2,713
Punch symbol	SUPPLEMENTAL[4]																		
201	Accidents in mines and quarries	1,338	358	217	763							1	50	124	339	360	278	151	31
202	Accidents from agricultural machinery	275	59	44	172		3	3	2	7	13	14	20	12	38	35	43	45	40
203	Elevator accidents	217	194	7	16	1		1	1	2	2	9	10	19	22	28	40	47	34
204	Accidents from machinery used for recreation	8	5	1	2									2	1	2	1	1	1
205	Other machinery accidents	931	454	140	337	2	1	7	4	5	14	11	41	78	184	215	200	114	54
206	Railroad and automobile collisions	1,437	509	222	706	8	7	7	8	7	43	49	142	155	268	244	196	179	119
207	Other railroad accidents	3,973	1,756	537	1,680	1	21	11	5	7	75	131	340	387	653	724	671	439	435
208	Street car and automobile collisions	318	263	13	42		1			1	1	8	26	43	61	64	47	40	23
209	Other street car accidents	520	470	12	47		4	5	6	2	17	10	18	20	29	59	87	121	151
210	Automobile accidents (primary)	29,323	16,056	3,631	9,636	95	157	226	336	418	1,868	1,143	2,222	2,928	4,201	3,794	3,918	3,543	4,408
211	Motorcycle accidents	285	183	35	67		1	1		1	4	5	41	92	74	21	14	10	21
212	Other land transportation accidents	1,235	380	169	686	6	12	9	15	19	83	127	95	53	110	89	152	191	272
213	Water transportation accidents	1,029	319	65	645	1	1	6	2	5	37	70	134	128	251	195	100	60	36
214	Air transportation accidents	434	108	51	275		2		2	2	2	4	26	113	164	83	21	11	2
	ALABAMA																		
	Total deaths (all causes) White	14,625	4,305	1,199	9,121	2,024	401	157	128	95	262	230	332	451	881	1,005	1,404	1,912	5,310
	Total deaths (all causes) Colored	12,479	3,893	797	7,789	1,841	248	110	75	40	201	214	512	763	1,328	1,484	1,728	1,421	2,474
	I.—Infectious and parasitic diseases White	2,072	471	167	1,434	220	109	57	53	36	80	50	56	114	232	193	217	194	456
	I.—Infectious and parasitic diseases Colored	2,352	686	172	1,494	212	63	41	28	15	59	69	174	289	428	387	270	140	169
1	Typhoid fever W	60	13	1	46		1				3	3	2	16	15	4	5	6	
	Typhoid fever C	58	20	4	34				4		4	8	8	15	10	6	1	2	
3	Typhus fever W	22	3	3	16								2		3		4	4	9
	Typhus fever C	10		2	8						2			2	3		1	1	1
7	Measles W	26	10	5	11	3	6	1	3		2	3	2		1	2	1	1	1
	Measles C	5	3	1	1		2				2				1				
8	Scarlet fever W	21	6	2	13	1	2	2	3	2	5	1			2				
9	Whooping-cough W	99	14	12	73	52	24	10	7	4	2								
	Whooping-cough C	88	21	5	62	52	21	8			6				1				
10	Diphtheria W	131	23	9	99	14	29	24	16	16	27		1		1	2	1		
	Diphtheria C	36	5	3	22	4	3	10	2	4	3	1	1	1			1		

[1] In this table, deaths at "age unknown" (numbering in all 1,841 for continental United States) are not shown separately but are, of course, included in the total number of deaths.

[2] Exclusive of 100 cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont).

[3] Includes 100 cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont)

[4] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
11a	Influenza, respiratory complications specified	W	353	65	38	250	49	20	3	8	7	7	6	9	12	22	22	30	41	117
		C	236	72	22	138	30	12	2	3	3	5	6	15	17	21	24	34	24	33
11b	Influenza, respiratory complications not specified	W	209	42	9	158	22	7	7	1		1	7	5	6	10	7	11	13	111
		C	155	39	13	103	30	3	4	2	2	2	5	6	4	7	11	19	23	37
13	Dysentery	W	46	10	3	33	9	5	3	2					1		1	2	2	21
		C	27	6	5	16	4	4					2			2	2	3	2	8
15	Erysipelas	W	34	10		24	14	1			1	1				3	3	3	1	7
		C	3			3	1											1		1
16	Acute poliomyelitis, acute polioencephalitis	W	8	1		7	1	1		2		1	1		1				1	
		C	4			4	2			1			1							
17	Lethargic or epidemic encephalitis	W	19	10	1	8	2	3					1		1	1	2	1	6	2
		C	7	2		5				4		1				1		1		
18	Epidemic cerebrospinal meningitis	W	10	2	1	7	2	2					1	2	1	1	1			
		C	6	4		2	3	1						1		1				
21	Rabies	W	5	3		2														
22	Tetanus	W	23	10	1	12	5		1	2	1	4	3	1				3	1	2
		C	28	14	2	12	9					5	4		1	1	1	4	1	2
	Tuberculosis (all forms)	W	723	161	70	492	8	3		4	1	7	9	21	64	140	119	119	99	128
		C	1,214	365	91	758	4	9	9	5	4	15	21	130	210	312	264	132	48	43
23	Respiratory system	W	668	147	70	451	3	1		2		1	3	20	60	135	115	114	95	118
		C	1,111	319	84	708	2	4	5	2	2	11	21	117	192	294	249	121	47	39
24	Meninges and central nervous system	W	18	5		13	4	1		1		5	2	1	1	2	1			
		C	18	10	1	7	2	3	2	2		2		1	1	1	2	2		
25	Intestines and peritoneum	W	11	2		9							1		1			2	2	5
		C	42	21	3	18		1	1		1	1	1	5	6	8	8	7		3
26	Vertebral column	W	3	1		2						1			1					1
		C	7	2		5									3	3				1
27a	Bones (vertebral column excepted)	W	3			3							1		1		1			
		C	5		1	4					1			1		3				
27b	Joints	W	1	1							1									
		C	3	1		2								1			2			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	2			2							1							1
		C	2	1		1											1	1		
30	Genitourinary system	W	4	2		2												2		2
		C	2		1	1												1	1	
31	Other organs	W	2			2													1	1
		C	1			1														
32a	Acute disseminated tuberculosis	W	9	3		6	1	1		1						2	2	1	1	
		C	22	11	1	10		1	1	1		1	1	5	7	3	2			
32b, c	Other disseminated tuberculosis	W	2			2							1			1				
		C	1			1							1							
34	Syphilis	W	87	44	5	38	21	1	1				1	1		15	17	13	6	11
		C	311	100	20	191	62	3	2	3	2	3	3	6	19	43	60	58	26	19
35	Gonococcus infection, other venereal diseases	W	12	4	1	7	1								3	5	1	1		1
		C	28	16		12	1					1	2		8	5	7	2		2
36	Purulent infection, septicemia (nonpuerperal)	W	25	13	1	11	5		1			1		3	2	1	1	2	2	7
		C	8			8	1						1	2		1		1		2
38	Malaria	W	144	22	5	117	7	3	4	4	2	12	6	7	5	12	10	19	11	39
		C	121	17	2	102	4	3	4	3		7	12	3	12	17	11	12	12	21
39	Other diseases due to protozoal parasites	W	2	2													1	1		
40	Ankylostomiasis	W	4			4					1	1	1		1					
		C	1		1							1								
41a	Hydatid cysts of liver	C	1	1															1	
42	Other diseases caused by helminths	W	1			1					1									
		C	6			6		1	1	1		2				1				
43	Mycoses	W	2	1		1	1						1							
		C	8	1		7	4	1						1		1	1			
44	Other infectious and parasitic diseases	W	6	2		4		1		1		2	1		1					
		C	3		1	2	1		1					1						
	II.—Cancers and other tumors	White	1,180	415	99	666	2	1	1	1	2	4	3	6	19	55	110	212	267	496
		Colored	485	159	36	290		2					1	6	7	32	88	145	97	106
	Cancer and other malignant tumors	W	1,134	389	94	651	1	1	1		2	2	3	6	16	52	104	196	259	490
		C	447	142	32	273		2					1	5	7	25	71	137	94	104
(45)	Buccal cavity	W	43	14	1	28										1		7	7	28
		C	11	2	1	8										2	1	3	2	3
(45)	Pharynx	W	11	1		10											1	2	1	7
		C	5	2		3											1	2	1	1
(46)	Esophagus	W	5	1		4												2	1	2
		C	1			1														1
(46)	Stomach and duodenum	W	176	50	10	116									2	8	11	29	46	80
		C	70	24	2	44										5	4	22	19	19
(46)	Liver and biliary passages	W	93	30	14	49		1								5	6	16	26	39
		C	26	7	2	17							1				2	8	6	9
(46)	Pancreas	W	24	11	1	12										2	2	5	5	10
		C	4	2		2											1	2	1	
(46)	Other digestive tract and peritoneum	W	127	55	14	58						1	1		1	4	8	21	28	63
		C	32	19	1	12								1	1	3	6	10	7	4
47	Respiratory system	W	34	16	1	17									1	2	3	11	6	11
		C	10	6		4		1							1		3	5		
48	Uterus	W	191	76	19	96									2	10	39	52	49	38
		C	142	38	11	93									2	9	33	43	27	28
49	Other female genital organs	W	9	7		2											3	2	1	2
		C	10	5	3	2								1		2	1	3	3	
50	Breast	W	115	39	15	61									1	4	17	25	31	37
		C	61	19	4	38										4	11	17	14	15
51	Male genitourinary organs	W	104	39	6	59	1		1					1	1	4	4	6	22	64
		C	28	6	5	17								1	1		1	6	8	11
52	Skin	W	82	11	8	63						1				2	1	3	11	64
		C	11	4	1	6											3	3	1	4
53	Other or unspecified organs	W	120	39	5	76					2		2	4	8	10	9	15	25	45
		C	36	8	2	26		1						2	2		4	13	5	9

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
				10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	II.—Cancers and other tumors—Continued.																		
54a	Nonmalignant tumors, ovary	C	3	2		1											3		
54b	Nonmalignant tumors, uterus	W	14	10	1	3										1	5	6	1
		C	28	14	3	11										7	12	6	1
54d, e	Nonmalignant tumors, other organs	W	13	9		4	1			1		1			1		1	4	2
		C	2			2													2
55b	Tumors, uterus (nature unspecified)	W	1			1													1
55d, e	Tumors, other organs (nature unspecified)	W	18	7	4	7						1			2	2		6	4
		C	5	1	1	3								1			2	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	456	146	47	263	13	2		1		8	8	15	9	25	35	63	109
		Colored	348	93	29	226	9	6	1			4	6	14	19	38	51	71	51
56	Acute rheumatic fever	W	20	4	2	14						6	1	2	1		2	3	
		C	26	10	2	14						1	4	2		3	4	3	2
57	Chronic rheumatism, osteoarthritis	W	29	5	1	23										1	3	3	9
		C	7	1		6									1		1	1	
59	Diabetes mellitus	W	200	71	24	105						2	6	10	2	9	8	19	51
		C	75	25	9	41						1	2	5	2	4	11	20	14
62	Pellagra	W	160	46	11	103								1	4	12	20	34	42
		C	211	45	15	151		1				2		6	15	29	34	46	32
63	Rickets	W	2	1		1	1	1											
		C	5	1	1	3	3	2											
65	Diseases of pituitary body	W	1			1								1					
66a	Simple goiter	W	2	1		1													2
		C	3			3												1	2
66b	Exophthalmic goiter	W	21	10	5	6							1	1	1	2	1	4	5
		C	9	4	2	3								1	1	2	1		
(66)	Other diseases of thyroid and parathyroid glands	W	1	1			1												
		C	1			1													1
67	Diseases of thymus gland	W	10	3	1	6	9	1											
		C	7	6		1	5	1	1										
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	3	2	1										1		1		1
		C	1			1													1
69	Other general diseases	W	7	2	2	3	2			1						1			1
		C	3	1		2	1	2											
	IV.—Diseases of the blood and blood-making organs	White	96	41	8	47	6	2		4	2	2	5	9	4	10	7	11	13
		Colored	30	16	3	11	3	2				2	2	2	1	4	2	8	2
70	Hemorrhagic conditions	W	13	5	2	6	5						1	2	1	1			1
		C	4	1		3	2					1		1					
71a	Pernicious anemia	W	26	10	3	13							1	1		1	2	3	6
		C	7	3	1	3								1	1	1	1	2	1
71b	Other anemias	W	4	1		3		1			1							1	1
		C	3	2	1		1									1		1	
72a	True leukemias	W	36	18	1	17	1	1		4	1	2	3	5	1	5	3	2	4
		C	6	3		3						1	1			2	1		1
72b	Pseudoleukemias (Hodgkin's disease)	W	11	3	2	6								1	1		2	4	
		C	7	5		2		1					1					4	
73	Diseases of spleen	W	6	4		2									1	3		1	1
		C	3	2	1			1										1	
	V.—Chronic poisonings and intoxications	White	31	10	1	20									1	4	7	7	9
		Colored	13	8	1	4								1	1	4	3	2	2
75	Alcoholism (acute or chronic)	W	27	8		19									1	3	6	5	9
		C	13	8	1	4								1	1	4	3	2	2
76	Chronic poisoning by other organic substances	W	2	1		1										1	1		
77a	Chronic lead poisoning	W	2	1	1													2	
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,282	379	80	823	33	20	5	6	2	13	9	9	10	30	58	135	228
		Colored	1,012	346	73	593	37	10	5	4	1	11	7	20	20	42	107	231	208
78	Encephalitis (nonepidemic)	W	20	10	2	8	2	1				2	1	1		3	3	2	2
		C	5	4	1			1							2			1	1
79a	Simple meningitis	W	28	15	4	9	6	4	2	2		3	3	3		1	1	1	2
		C	15	7		8	5	1				3	1	1	1	1		1	
79b	Nonepidemic cerebrospinal meningitis	W	7			7	2	1	1	1		1							1
		C	7	2	1	4	1	1	1					2		1			
80	Progressive locomotor ataxia (tabes dorsalis)	W	12	5	1	6											2	1	3
		C	3	1		2												1	2
81	Other diseases of spinal cord	W	19	5	2	12						1					2	3	3
		C	8	3	1	4			1						1	1		2	1
82a	Cerebral hemorrhage	W	905	242	60	603	1						1	1	2	10	29	104	172
		C	715	290	56	369	1		1			1	3		6	19	82	192	176
82b	Cerebral embolism and thrombosis	W	19	9	1	9										1	2	1	8
		C	4	2		2								1		1	2		
82c	Softening of brain	W	10	4	1	5												2	8
		C	3			3													3
82d	Hemiplegia and other paralysis, cause unspecified	W	84	8	5	71					1		1		1	1	3	4	19
		C	104	8	11	85										3	7	14	17
83	General paralysis of insane	W	25	18	1	6								1		2	5	5	5
		C	24	6		18									1	3	5	11	4
84	Dementia praecox and other psychoses	W	19	13	1	5									1	3	3	4	2
		C	21	2		19								5	3	5	2	2	3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	VI—Diseases of the nervous system and of the organs of special sense—Continued.																			
85	Epilepsy	W	28	12		16		1			1	1		2	1	5	3	2	3	9
		C	35	4	1	30	2	1			1	2		8	5	5	4	3	2	1
86	Convulsions (under 5 years of age)	W	17	3		14	12	4	1											
		C	30	2	1	27	21	5	2	2										
87	Other diseases of nervous system	W	46	11	1	34	5					1			1	3	1	6	3	26
		C	20	5		15	4	1		1		4	2	1		1	1	2	1	2
88	Diseases of organs of vision	C	4	1		3				1				2						1
89a	Diseases of ear	W	32	19	1	12	3	8		2		4	3	1	3		4	1	2	1
		C	11	7	1	3	2								1	2	2	2	1	1
89b	Diseases of mastoid process	W	11	5		6	2	1	1	1					1	1		1	1	2
		C	3	2		1						1	1				1			
	VII.—Diseases of the circulatory system	White	2,308	730	190	1,388	2			1	1	7	16	9	28	49	103	249	470	1,367
		Colored	1,535	519	102	914	7	3	1			11	12	27	26	98	192	312	326	513
90	Pericarditis	W	5	1	1	3												1	1	3
		C	2			2										1	1			
91a	Acute endocarditis	W	16	5	3	8					1		2	1	2	4	2		2	2
		C	8	2	1	5	1							2	1		1	2	1	
91b	Endocarditis, unspecified (under 45 years)	W	5		1	4						1	3			1				
		C	8	6		2						2	1				5			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	604	124	33	447				1		4	5	7	14	21	28	57	92	374
		C	431	131	31	269	2	1	1			2	2	7	12	35	54	79	89	144
92b	Endocarditis, unspecified (45 years and over)	W	36	6	3	27												2	9	25
		C	24	8	3	13												7	13	4
93a	Acute myocarditis	W	26	8	4	14										2	5	4	6	9
		C	34	15	5	14								5	2	2	5	8	8	4
93b	Myocarditis, unspecified (under 45 years)	W	10	5	1	4									2	2	6			
		C	32	13	5	14						1			4	13	14			
93c	Chronic myocarditis and myocardial degeneration	W	386	157	26	203									4	4	10	36	80	250
		C	199	76	11	112							2	3	2	8	33	34	43	72
93d	Other diseases of myocardium	W	246	74	21	151										1	1	32	50	161
		C	174	70	17	87										2	3	64	51	54
94a	Angina pectoris	W	193	69	23	101										3	10	27	55	97
		C	46	15	3	28								1	1		12	11	6	15
94b	Diseases of coronary arteries	W	165	85	20	60										2	3	18	22	59	61
		C	33	14	3	16											2	5	14	6	6
95a	Functional diseases of heart	W	9	3	1	5													1		8
		C	1	1																	1
95b	Other and unspecified diseases of heart	W	412	116	37	259	2					2	4	1	2	7	17	50	85	242
		C	436	134	21	281	2	2				5	6	9	4	26	47	82	94	157
96	Aneurysm (except of heart)	W	15	9	2	4									1	1	2	5	2	4
		C	22	12		10									1	3	7	6	1	4
97	Arteriosclerosis (coronary arteries excepted)	W	130	51	8	71									1		1	4	22	102
		C	52	10	2	40											3	2	9	38
98	Gangrene	W	13	3	3	7							1							11
		C	11	3		8						1				2	1	1		6
99	Other diseases of the arteries	W	11	7	2	2												4	1	6
		C	3	2		1										1			1	1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	5	3		2							1				1	1	1	1
		C	3	3												2			1	
101	Diseases of lymphatic system (lymphangitis, etc.)	C	1			1	1													
102	Idiopathic anomalies of blood-pressure	W	18	4	1	13											2	3	3	10
		C	14	4		10										1	1	2	3	7
103	Other diseases of circulatory system	W	3			3													2	1
		C	1			1	1													
	VIII.—Diseases of the respiratory system	White	1,063	314	76	673	218	50	31	17	12	22	25	32	22	43	60	77	99	354
		Colored	797	291	49	457	178	44	16	7	3	20	18	29	50	83	82	86	72	105
104a	Diseases of nasal fossae	W	6	2		4	1						1	1						3
		C	15	1	1	13	8		4											3
104b	Diseases of nasal fossae and annexa	W	12	6		6	1						1	3	1	1	1		4	
		C	1	1									1							
105	Diseases of larynx	W	6	4		2		1	2								2		1	
		C	2	1		1	1											1		
106a	Acute bronchitis	W	6			6	3													3
		C	1			1														1
106b	Chronic bronchitis	W	25	2	3	20	1											1	2	21
		C	6	1	1	4										1	2	1		2
106c,d	Bronchitis, unspecified	W	14	2		12	2					1				1				10
		C	10	3		7	5	1							2		1		1	
107a	Bronchopneumonia	W	368	110	25	233	146	21	12	9	4	4	5	7	7	7	11	14	15	106
		C	180	77	11	92	76	22	4	4	1	9	2	3	4	10	13	12	6	13
107b	Capillary bronchitis	W	9	1	3	5	4													5
		C	5	2		3	2	2					1							
108	Lobar pneumonia	W	496	142	40	314	49	21	14	7	6	13	15	18	12	27	32	50	68	163
		C	430	175	28	227	50	11	7	3		9	12	24	37	61	54	61	45	53
109	Pneumonia, unspecified	W	46	10	2	34	10	1	2	1		4	1	3		1	6	4	5	8
		C	95	8	4	83	34	8	1		1	2	2	2	5	4	4	9	8	15
110	Pleurisy	W	23	13	2	8		3	1		1		2		1	1	3	4	1	6
		C	16	8	1	7					1				2	3	4		4	2
111a	Pulmonary embolism and thrombosis	W	3	1		2												1	1	1
		C	2	2													1		1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	16	7		9						1				1		1		13
		C	7	3		4												1	1	5
112	Asthma	W	19	10	1	8	1	1							1	1	2	2	1	10
		C	20	7	2	11	1									2	2	1	4	10
114	Other diseases of respiratory system (tuberculosis excepted)	W	14	4		10		2								3	3		1	5
		C	7	2	1	4	1									2	1		2	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	IX.—Diseases of the digestive system	White	1,187	470	116	601	232	168	33	15	9	40	28	41	38	74	91	103	103	212
		Colored	743	317	53	373	156	63	21	11	2	16	19	35	35	76	91	89	56	72
115a	Diseases of pharynx, tonsils	W	59	27	8	24	4	3	3	4	2	11	2	4	3	3	8	5	3	4
		C	31	14	1	16	2	2	1	1		1	5	4	2	4	2	4		2
115b	Diseases of buccal cavity and annexa	W	20	7	1	12			1			2		1	4	4	1	1		6
		C	18	8	2	8	5							1		1	5	2	3	1
116	Diseases of esophagus	C	1	1						1										
117a	Ulcer of stomach	W	63	25	8	30								1	1	7	14	9	13	18
		C	32	14	5	13							1		2	4	8	7	4	6
117b	Ulcer of duodenum	W	24	17	2	5									2	4	2	4	7	5
		C	11	5	1	5								1	1	2	1	2	3	1
118	Other diseases of stomach (cancer excepted)	W	50	4	3	43	6	3		1		1	2	3	2		3	9	7	13
		C	98	34	4	60	5	1	2	2		1	2	8	2	15	12	20	13	15
119	Diarrhea, enteritis (under 2 years of age)	W	353	89	24	240	196	157												
		C	188	63	11	114	133	55												
120	Diarrhea, enteritis (2 years and over)	W	113	17	10	86			28	9	3	5				2	2	5	9	50
		C	61	19	5	37			18	6	2	2	1		2	1	4	12	1	12
121	Appendicitis	W	194	119	37	38				1	1	18	19	25	15	31	28	21	18	17
		C	85	53	11	21		1		1		4	9	8	12	23	16	8	1	2
122a	Hernia	W	25	16	2	7	2									1	3	7	1	11
		C	26	8	1	17	1					1				1	4	2	6	11
122b	Intestinal obstruction	W	95	49	8	38	18	3	1		2	2	1	3	6	8	7	14	6	24
		C	97	51	7	39	7	2				7		10	8	11	18	13	11	10
123	Other diseases of intestines	W	11	5	1	5	2	1									3	1		4
		C	9	6	1	2	1	1						1	1	1	1	1	1	1
124	Cirrhosis of liver	W	65	28	4	33					1					5	5	10	15	29
		C	37	14	2	21								1	1	4	10	9	8	4
125a	Yellow atrophy of liver	W	6	3	1	2										2	2	1	1	
		C	2	2												1	1			
125b	Other diseases of liver	W	14	3		11	2	1					1		1	1	2	2	2	2
		C	8	2		6		1									1	1	1	4
126	Biliary calculi	W	44	33	2	9									2	1	4	7	14	16
		C	12	6		6								1		3	2	4	1	1
127	Other diseases of gall-bladder, biliary passages	W	24	14	2	8							1	2		1	3	3	6	8
		C	7	5		2	1								1	1	2	1		1
128	Diseases of pancreas	W	4	3		1								1		1				2
		C	2	1		1											2			
129	Peritonitis, cause not specified	W	23	11	3	9	2					1	2	1	2	3	4	4	1	3
		C	18	11	2	5	1						1		3	4	2	3	3	1
	X.—Diseases of the genito-urinary system	White	1,367	398	123	846	8	3	3	1	2	5	8	7	15	42	67	124	213	866
		Colored	1,099	415	85	599	4	2	1		1	5	6	13	21	72	131	225	223	394
130	Acute nephritis (including unspecified under 10 years)	W	48	10	4	34	3	1	2			4	1	1	1	4	3	8	6	14
		C	52	21	4	27	2	2	1			2	1	5	4	4	8	8	9	6
131	Chronic nephritis	W	954	250	84	620		1					3	3	3	13	42	87	159	641
		C	766	293	52	421						2	3	5	8	48	88	167	161	283
132	Nephritis, unspecified (10 years and over)	W	171	38	17	116							2	1	1	6	2	11	26	121
		C	135	37	8	90							2	1	2	4	15	26	29	56
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	48	21	7	20	5	1	1	1	2	1	2	1	1	5	3	4	7	14
		C	33	9	4	20	1				1	1			1	1	5	6	6	11
134	Calculi of urinary passages	W	14	10	2	2										2	2	3	4	3
		C	7	4	2	1											6			1
135	Diseases of bladder (tumors excepted)	W	10	2	1	7									1		2		2	5
		C	13	5	1	7									1	2		2	1	7
136	Diseases of urethra, urinary abscess, etc	W	7	5		2												2	2	3
		C	13	11		2									1	4	1	3	3	1
137	Diseases of prostate	W	69	32	4	33												2	5	62
		C	49	20	8	21											1	7	12	29
138	Diseases of male genital organs, not specified as venereal	W	2	1		1														2
		C	1			1	1													
139a	Cysts of ovary	W	8	7		1									1	2	2	2		1
		C	6	3	1	2										2	3		1	
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	23	18	1	4									5	8	7	2	1	
		C	10	7	2	1									1	7	2			
139c	Diseases of uterus	W	13	4	3	6								1	2	2	4	3	1	
		C	13	5	3	5								2	3		2	5	1	
139e	Other diseases of female genital organs	C	1			1												1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	220	65	24	131							2	26	53	84	54	1		
		Colored	224	64	15	145							4	50	54	72	38	5		
140	Abortion with septic conditions	W	29	14	7	8								2	7	15	5			
		C	28	13	4	11							1	5	7	10	4	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	W	13	3	1	9								1	3	4	5			
		C	13	3		10								2	5	1	4	1		
142b	Ectopic gestation, septic conditions not mentioned	W	4	2		2									3		1			
		C	6	3	1	2									2	3	1			
144a	Placenta praevia	W	6	4		2							1			2	3			
		C	5	2		3								1		3	1			
144b	Other puerperal hemorrhages	W	19	5		14								2	4	6	7			
		C	13	3	1	9								2		4	6	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	45	9	6	30								6	11	18	10			
		C	39	12		27								8	11	15	5			
146	Puerperal albuminuria and eclampsia	W	66	19	6	41							1	14	16	22	12	1		
		C	73	16	6	51							3	22	16	23	8	1		
147	Other toxemias of pregnancy	W	6	3	1	2								1	1	3	1			
		C	5	2	1	2								1	1	1	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	6	1		5									2	1	3			
		C	6	1		5								2	1	2	1			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued.																			
149	Other accidents of childbirth	W	25	5	3	17									6	13	6			
		C	36	9	2	25								7	11	10	6	1		
150	Other and unspecified conditions of puerperal state	W	1			1											1			
	XII.—Diseases of the skin and cellular tissue	White	40	14	2	24	5					3	2	2	1	4		4	7	12
		Colored	19	6	1	12	2	1		1		1		2		2	1	3	1	5
151	Furuncle, carbuncle	W	13	4	1	8							1	1		3		2	4	2
		C	4	1		3	1												1	2
152	Phlegmon, acute abscess	W	18	7		11	3					3		1		1		1	3	6
		C	7	4	1	2	1			1		1		2				2		
153	Other diseases of skin and annexa, and of cellular tissue	W	9	3	1	5	2						1		1			1		4
		C	8	1		7		1								2	1	1		3
	XIII.—Diseases of the bones and organs of locomotion	White	23	15	1	7	2		1		1	5	4	5			2	2		1
		Colored	8	4	1	3	1					1	1	1	1		1	2		
154	Osteomyelitis	W	22	14	1	7	2		1		1	4	4	5			2	2		1
		C	5	2	1	2	1					1			1		1	1		
156	Diseases of joints, other organs of locomotion	W	1	1								1								
		C	3	2		1							1	1				1		
	XIV.—Congenital malformations	White	160	42	5	113	145	5	1	4	3		2							
		Colored	51	14	3	34	39	3	2	1		3	2			1				
157a	Congenital hydrocephalus	W	9	1		8	8	1												
		C	13	1		12	7	2	1	1		2								
157b	Spina bifida and meningocele	W	12	1	1	10	9	1	1	1										
		C	1			1	1													
157c	Congenital malformations of heart	W	81	19		62	73	2		2	3		1							
		C	19	7	2	10	15	1	1			1	1							
157d	Other congenital malformations	W	58	21	4	33	55	1		1			1							
		C	18	6	1	11	16						1			1				
	XV.—Diseases of early infancy	White	852	198	72	582	852													
		Colored	625	192	40	393	625													
158	Congenital debility	W	89	7	4	78	89													
		C	84	17	4	63	84													
159	Premature birth	W	578	136	53	389	578													
		C	445	142	28	275	445													
160	Injury at birth	W	125	38	10	77	125													
		C	44	20	4	20	44													
161	Other diseases peculiar to early infancy	W	60	17	5	38	60													
		C	52	13	4	35	52													
162	**XVI.—Senility**	White	182	27	7	148													5	177
		Colored	275	20	4	251												1	9	264
	XVII.—Violent and accidental deaths	White	1,355	472	150	733	32	26	15	19	23	66	60	109	127	207	191	142	118	218
		Colored	1,096	437	76	583	27	14	9	8	8	36	49	104	177	262	172	111	53	59
	Suicide	W	172	71	13	88							1	5	14	30	34	33	34	20
		C	11	5		6								1	1	5	2	2		
163	By solid or liquid poisons or by absorption of corrosive substances	W	36	22	1	13							1	1	6	11	7	1	4	5
		C	1	1										1						
164	By poisonous gas	W	4	4														2	2	
165	By hanging or strangulation	W	6	2	1	3											3		2	1
166	By drowning	W	7	2		5											2	3	2	
		C	1	1												1				
167	By firearms	W	112	36	11	65								3	8	17	20	27	22	14
		C	8	2		6									1	4	2	1		
168	By cutting or piercing instruments	W	3	2		1											1		2	
169	By jumping from high places	W	2	2												1	1			
		C	1	1														1		
170	By crushing	W	1	1												1				
171	By other means	W	1			1								1						
	Homicide	W	187	70	20	97							1	19	25	52	44	23	17	6
		C	484	231	35	218	2	1					4	51	111	172	85	37	16	3
173	By firearms	W	136	50	12	74							1	15	15	40	34	16	12	3
		C	335	146	25	164	1						3	39	70	123	54	28	12	
174	By cutting or piercing instruments	W	22	9	4	9								3	4	7	4	3	1	
		C	109	69	4	36								10	35	35	18	5	4	2
175	By other means	W	29	11	4	14								1	6	5	6	4	4	3
		C	40	16	6	18	1	1					1	2	6	11	13	4		1
	Accidental, other, or undefined	W	996	331	117	548	32	26	15	19	23	66	58	85	88	125	113	86	67	192
		C	601	201	41	359	25	13	9	8	8	36	45	52	65	85	85	72	37	56
176	Attack by venomous animals	W	2		1	1							2							
		C	2	1		1								1						1
177	Poisoning by food	W	24	6	2	16	3	3	1	2		2	2		2		2	2	1	4
		C	11	5		6	1		1					1		1	2	4	1	
178	Absorption of poisonous gas	W	5	2		3								1		1	2	1		
		C	5	2	1	2										2	2			1
	Supplemental	C	1			1											1			
179	Other acute accidental poisonings (gas excepted)	W	17	7	2	8	1	4	2			2			1	1	3	1		2
		C	17	8	2	7		3		2		1		2	1	2	1	3	1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Continued.																		
180	Conflagration	W	14	1	1	12		1	1		1		2	1		2	1	1	1	3
		C	9	1	1	7	1											3		5
181	Burns (conflagration excepted)	W	75	33	7	35	7	6	8	9	8	10	2		3	5	4	2	3	8
		C	69	19	5	45	3	6	5	3	8	10	5	1	1	2	2	5	5	13
	Supplemental	W	5	1		4										2	1	1	1	
		C	3	2	1									1	1	1				
182	Mechanical suffocation	W	16	2	3	11	10	1				1	1	1		1	1			
		C	20	3		17	16	1						1		2				
	Supplemental	W	2			2									1			1		
		C	2			2								1			1			
183	Drowning	W	35	3	3	29		1	1	1	1	3	9	3	3	7	2		4	
		C	51	6	2	43			1			5	9	7	12	8	4	3	1	
	Supplemental	W	26	4		22							1	3	4	11	3	3		1
		C	24	4	1	19							3	3	1	9	4	3	1	
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	48	13	5	30			1	1	1	8	6	6	4	8	4	4	1	4
		C	35	14	2	19			1			1	8	7	6	8	4			
185	By cutting or piercing instruments (wounds of war excepted)	W	6	2		4						2					2	1	1	
		C	10	3	1	6						2		1	1	1		1	1	3
	Supplemental	W	4	1		3							1		1	1		1		
		C	1			1										1				
186a	By fall	W	151	47	15	89	3	2				3	2	1		4	6	5	10	115
		C	34	16	2	16	1					4	1	2		1	7	3	4	11
	Supplemental	W	55	13	11	31	1			1	1		6	6	5	12	8	5	6	4
		C	35	13	1	21							3	7	6	2	3	7	3	4
186b	By crushing, landslide	W	5		2	3					1		1			1	1	1		
		C	8			8						1			3	2		1		1
	Supplemental	W	102	28	16	58	1	3			4	4	1	14	15	12	20	18	7	3
		C	64	24	5	35			1	1		2	4	5	7	13	20	5	1	3
187	Cataclysm	W	13	4		9				1	1	1	2	3		1	3			1
		C	8	2	3	3							1	1		1		1	1	3
188	Injuries by animals	W	6	1		5							1		1				1	3
		C	1			1														1
190	Excessive cold	W	3	1		2	2												1	
		C	1			1								1						
191	Excessive heat	W	5	2		3										1			2	2
		C	5	3		2										1	3			1
192	Lightning	W	11			11							3	4	2	1		1		
		C	7			7							2		5					
193	Due to electric currents	W	10	5	2	3							2	1		4	2	1		
		C	2			2										2				
	Supplemental	W	3			3									1	2				
		C	2			2									2					
194a	Foreign bodies	W	6	1		5		2		1	1	1								1
		C	4	2		2	1	1									1	1		
194b	Other accidents	W	41	15	5	21	4			1		6	2	4	2	5	8	3	4	2
		C	35	17	4	14	1			1		1	2	2	4	4	6	8	5	1
	Supplemental	W	306	130	42	125		3	1	2	4	23	12	37	43	43	40	34	24	39
		C	132	56	10	66	1	2		1		9	7	9	13	20	24	24	13	7
198	Legal executions	C	3			3									1	2				
	XVIII.—Ill-defined causes of death	White	751	98	31	622	254	15	10	6	2	7	8	6	10	22	27	57	77	242
		Colored	1,767	306	54	1,407	541	35	13	15	10	32	18	34	62	112	138	167	181	402
199	Sudden death	W	91	7	5	79	11	1	1			1	2		2	1	5	8	15	42
		C	97	6	7	84	6	2	1	2					5	5	8	12	20	34
200a	Cause of death ill-defined	W	206	73	5	128	43	5	4	1		3	2	2	4	5	7	27	24	78
		C	587	251	14	322	97	11	7	3	3	10	5	11	20	49	65	78	79	149
200b	Cause of death not specified or unknown	W	454	18	21	415	200	9	5	5	2	3	4	4	4	16	15	22	38	122
		C	1,083	49	33	1,001	438	22	5	10	7	22	13	23	37	58	65	77	82	219
Punch symbol	SUPPLEMENTAL[1]																			
201	Accidents in mines and quarries	W	15	2	2	11								1	3	5	3	2	1	
		C	20	9	1	10								2	1	5	7	5		
202	Accidents from agricultural machinery	W	2	1		1												1	1	
		C	1			1										1				
203	Elevator accidents	W	2	2												1	1			
205	Other machinery accidents	W	11	4	3	4								2	1	2	3	2	1	
		C	9	6		3								1	2	1	2	3		
206	Railroad and automobile collisions	W	11	3		8		1					1		5	2	2			
		C	1			1										1				
207	Other railroad accidents	W	61	16	7	38		1			1			10	12	9	11	10	5	2
		C	53	20	7	26						2	4	2	7	13	14	4	2	2
208	Street car and automobile collisions	W	2	2										1		1				
		C	1	1													1			
209	Other street car accidents	W	3	3								1				1			1	
		C	1	1																1
210	Automobile accidents (primary)	W	346	144	53	149	2	4	1	3	7	26	16	35	40	51	48	42	28	42
		C	139	52	9	78	1	1	1	2		9	7	18	18	15	24	23	10	9
211	Motorcycle accidents	W	6	3		3								2	4					
212	Other land transportation accidents	W	17	2	3	12					1		3	5			1	4	1	2
		C	18	6		12		1					5		1	1	1	2	5	2
213	Water transportation accidents	W	25	4		21							1	3	4	11	3	2		1
		C	21	4	1	16							1	3	1	9	4	2	1	
214	Air transportation accidents	W	2		1	1								1	1					

For footnotes see p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA																		
	Total deaths (all causes)	5,539	2,250	1,139	2,150	905	258	67	75	34	136	105	162	248	537	589	637	577	1,188
	I.—Infectious and parasitic diseases	1,561	759	230	572	114	87	25	31	10	57	39	79	118	297	289	202	112	95
1	Typhoid fever	23	9	5	9	1	1		2		3	2	3	3	3	2	1	1	1
5	Undulant fever	1			1									1					
7	Measles	102	44	26	32	24	35	10	10	4	13	4			1			1	
8	Scarlet fever	13	6	6	1			2	3		5	2			1				
9	Whooping-cough	31	8	2	21	16	10	1	2	1	1								
10	Diphtheria	22	5	5	12	3	4	1	4	2	4			1	2	1			
11a	Influenza, respiratory complications specified	76	22	21	33	19	15	2		1	3	1		1	3	5	3	5	18
11b	Influenza, respiratory complications not specified	47	7	9	31	13	4	1			1	3	1	1	1		2	6	14
13	Dysentery	15	2	2	11	7	3		1			1				1	1	1	
15	Erysipelas	10	6	2	2	2	1							1	1	1		3	1
16	Acute poliomyelitis, acute polioencephalitis	4	1	1	2		1		1		1			1					
17	Lethargic or epidemic encephalitis	5	2		3								1	1		1	1	1	
18	Epidemic cerebrospinal meningitis	29	7	3	19		1	3	2	2	4	8	3		2	1	2		
22	Tetanus	5	3	2							2		1		1	1			
	Tuberculosis (all forms)	1,110	602	133	375	13	11	5	6		17	18	67	107	270	267	183	85	56
23	Respiratory system	1,055	585	123	347	7	5	2	3		7	15	62	104	268	261	178	83	55
24	Meninges and central nervous system	19	4	4	11	5	3		1		4	1	4	1					
25	Intestines and peritoneum	11	4	1	6		1		1		2	1	1		1	1	1	2	
26	Vertebral column	5	2	1	2									1	1	1	1		1
27b	Joints	2			2						1					1			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1			1											
30	Genitourinary system	2	2													1	1		
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	13	4	3	6	1	1	2	1		3	1		1		2	1		
32b, c	Other disseminated tuberculosis	1		1			1												
34	Syphilis	47	23	10	14	16	1						1		6	5	6	8	4
35	Gonococcus infection and other venereal diseases	5	2		3								1		1	2	1		
36	Purulent infection, septicemia (nonpuerperal)	9	6	1	2						2		1		5	1			
39	Other diseases due to protozoal parasites	2		1	1									1		1			
42	Other diseases caused by helminths	1	1															1	
43	Mycoses	3	2	1													2		1
44	Other infectious and parasitic diseases	1	1								1								
	II.—Cancers and other tumors	269	122	72	75				1			1	6	1	6	33	54	63	103
	Cancer and other malignant tumors	255	112	69	74				1				4	1	5	25	54	63	101
(45)	Buccal cavity	15	8	3	4												2	1	12
(45)	Pharynx	1	1															1	
(46)	Esophagus	2	1	1													1	1	
(46)	Stomach and duodenum	65	23	19	23										3	2	15	15	30
(46)	Liver and biliary passages	17	5	6	6												3	7	7
(46)	Pancreas	9	4	4	1									1			2	4	2
(46)	Other digestive tract and peritoneum	31	12	7	12										1	1	8	7	14
47	Respiratory system	10	6	3	1											1	2	3	4
48	Uterus	38	19	9	10											13	10	8	7
49	Other female genital organs	5	3	2									2			1	1	1	
50	Breast	19	9	5	5										1	3	6	6	3
51	Male genitourinary organs	16	9	4	3								1				1	2	12
52	Skin	10	3	3	4											1	1	4	3
53	Other or unspecified organs	17	9	3	5				1				1			3	2	3	7
54b	Nonmalignant tumors, uterus	7	6		1								1			5			1
54d, e	Nonmalignant tumors, other organs	1		1															1
55d, e	Tumors, other organs (nature unspecified)	6	4	2								1	1		1	3			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	66	21	18	27	10					1	3	3	1	6	3	11	7	21
56	Acute rheumatic fever	6	1	1	4							2	1						3
57	Chronic rheumatism, osteoarthritis	3			3												1	1	1
59	Diabetes mellitus	33	12	13	8								1	1	2	2	8	4	15
60	Scurvy	1			1						1								
62	Pellagra	5	1		4										1		1	2	1
65	Diseases of pituitary body	1		1											1				
66b	Exophthalmic goiter	7	3	1	3							1	1		2	1	1		1
(66)	Other diseases of thyroid and parathyroid glands	2			2	2													
67	Diseases of thymus gland	8	4	2	2	8													
	IV.—Diseases of the blood and blood-making organs	26	13	8	5	1				2	2		1	5	1	1	7	3	3
70	Hemorrhagic conditions	1			1	1													
71a	Pernicious anemia	3	3															2	1
71b	Other anemias	2	1	1							1								1
72a	True leukemias	10	4	2	4					2	1		1	1		1	3		1
72b	Pseudoleukemias (Hodgkin's disease)	6	2	4										3	1		2		
73	Diseases of the spleen	2	1	1										1			1		
74	Other diseases of blood and blood-making organs		2														1	1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	V.—Chronic poisonings and intoxications	13	6	1	6										3	4	4		2
75	Alcoholism (acute or chronic)	13	6	1	6										3	4	4		2
	VI.—Diseases of the nervous system and of the organs of special sense	267	103	58	106	12	3	2	4	2	5	6	5	7	10	17	31	44	119
78	Encephalitis (nonepidemic)	7	1	1	5					1	1		2			2	1		
79a	Simple meningitis	13	9		4	5		2	3		2							1	
80	Progressive locomotor ataxia (tabes dorsalis)	2		1	1												1	1	
81	Other diseases of spinal cord	5	3	2			1							2				2	
82a	Cerebral hemorrhage	161	61	34	66	2								1	1	7	19	29	102
82b	Cerebral embolism and thrombosis	9	6	3											3	1			5
82c	Softening of brain	5	2	2	1												1	3	1
82d	Hemiplegia and other paralysis, cause unspecified	11	3	2	6									1	1			4	5
83	General paralysis of insane	13	4	2	7									1		4	4	3	1
84	Dementia praecox and other psychoses	6	2		4									1	2		2	1	
85	Epilepsy	7	1	2	4							2	1	1	1	1			1
86	Convulsions (under 5 years)	3		1	2	1	1		1										
87	Other diseases of nervous system	7	1	4	2		1						1				2		3
88	Diseases of organs of vision	1	1																1
89a	Diseases of ear	14	7	3	4	4				1	1	3	1		1	2	1		
89b	Diseases of mastoid process	3	2	1							1	1			1				
	VII.—Diseases of the circulatory system	699	326	187	186	2			1		3	2	5	3	30	47	104	127	373
91a	Acute endocarditis	6	3	2	1								1			1	2		2
91b	Endocarditis, unspecified (under 45 years)	2	1	1							1			1					
92a	Endocarditis, specified as chronic, and other valvular diseases	118	59	24	35				1		1	1	1	2	14	10	19	24	45
92b	Endocarditis, unspecified (45 years and over)	11	8	1	2												2	3	6
93a	Acute myocarditis	8	5	2	1	1					1				2		2	1	1
93b	Myocarditis, unspecified (under 45 years)	8	2	5	1										2	6			
93c	Chronic myocarditis and myocardial degeneration	192	89	46	57								2		3	10	26	35	116
93d	Other diseases of myocardium	94	48	34	12	1										1	12	20	59
94a	Angina pectoris	52	25	17	10										2	3	8	11	28
94b	Diseases of coronary arteries	43	20	10	13								1		3	5	2	9	22
95a	Functional diseases of heart	3	1	2															3
95b	Other and unspecified diseases of heart	107	43	28	36							1			4	8	23	18	53
96	Aneurysm (except of heart)	9	4	1	4												5	1	3
97	Arteriosclerosis (coronary arteries excepted)	37	15	10	12												2	2	33
99	Other diseases of arteries	7	3	3	1											2		3	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2		1	1											1	1		
	VIII.—Diseases of the respiratory system	515	217	108	190	148	46	16	13	3	12	10	9	14	28	35	53	37	89
104a	Diseases of nasal fossae	3			3	1													2
104b	Diseases of nasal fossae and annexa	1		1			1												
105	Diseases of larynx	2	1	1				1							1				
106a	Acute bronchitis	9	5	2	2	4	2		1									1	1
106b	Chronic bronchitis	10	4	4	2				1							3	1	1	4
106c, d	Bronchitis, unspecified	2			2	2													
107a	Bronchopneumonia	206	88	41	77	98	28	8	9	1	6	5	1	2	3	4	7	5	29
107b	Capillary bronchitis	7	7			4		3											
108	Lobar pneumonia	191	73	46	72	29	10	2	2	2	5	5	6	8	18	17	33	22	31
109	Pneumonia, unspecified	29	11	5	13	10	4	1			1		1			1		2	8
110	Pleurisy	17	8	4	5		1	1					1		3	2	2	3	4
111a	Pulmonary embolism and thrombosis	1	1												1				
111b	Pulmonary congestion, edema, hemorrhagic infarct	4		1	3														4
112	Asthma	22	15	2	5									1	1	8	6	2	4
114	Other diseases of respiratory system (tuberculosis excepted)	11	4	1	6									3	1		4	1	2
	IX.—Diseases of the digestive system	568	226	124	218	229	79	8	13	7	24	5	10	13	28	34	35	39	44
115a	Diseases of pharynx and tonsils	25	10	8	7		2	1	2		9	2	1	2	1	2	1	1	1
115b	Diseases of buccal cavity and annexa	2	1	1												1		1	
117a	Ulcer of stomach	21	8	8	5						1			1	3	4	3	4	5
117b	Ulcer of duodenum	4	1	1	2												2	1	1
118	Other diseases of stomach (cancer excepted)	17	2	4	11	3			1						1			4	8
119	Diarrhea, enteritis (under 2 years of age)	290	108	52	130	215	75												
120	Diarrhea, enteritis (2 years and over)	47	19	6	22			7	5	5	5			2	3	3	2	3	12
121	Appendicitis	58	21	22	15				1	1	5	3	4	5	8	14	9	5	3
122a	Hernia	10	5	4	1	2								1	1	1	2	3	
122b	Intestinal obstruction	36	14	9	13	9	2		1	1	4		2		4	3	3	5	2
123	Other diseases of intestines	2	1		1								1		1				
124	Cirrhosis of liver	25	15	8	2				1						1	3	7	7	6
125b	Other diseases of liver	5	4		1									1			1	1	2
126	Biliary calculi	4	2	1	1											1	2	1	
127	Other diseases of gall-bladder, biliary passages	14	9		5				1						3	1	3	2	4
129	Peritonitis, cause not specified	8	6		2				1				2	1	2	1		1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	X.—Diseases of the genitourinary system	299	111	73	115	8					5	2	2	12	12	19	36	54	148
130	Acute nephritis (including unspecified under 10 years)	25	10	7	8	5					4	1		2	2	2	3	3	3
131	Chronic nephritis	199	75	46	78						1			3	4	14	24	40	112
132	Nephritis, unspecified (10 years and over)	27	4	8	15									4		1	2	7	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	8	1	5	2										2	1	2	1	2
135	Diseases of bladder (tumors excepted)	2	1	1												1	1		
136	Diseases of urethra, urinary abscess, etc.	4	2	2														2	2
137	Diseases of prostate	18	8	3	7												1	1	16
138	Diseases of male genital organs, not specified as venereal	3			3	3													
139a	Cysts of ovary	3	1	1	1									1	1		1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	5	5											2	2		1		
139c	Diseases of uterus	4	3		1							1	2		1				
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1														1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	53	16	18	19								5	18	20	7	2		
140	Abortion with septic conditions	9	2	4	3									2	4	2	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	3	1	1	1									1		1			
142b	Ectopic gestation, septic conditions not mentioned	2	1	1										1		1			
144a	Placenta praevia	1	1												1				
144b	Other puerperal hemorrhages	2			2									2					
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	13	5	5	3								3	4	5	1			
146	Puerperal albuminuria and eclampsia	9	2	3	4								1	2	6				
147	Other toxemias of pregnancy	1		1										1					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	3											2		1			
149	Other accidents of childbirth	10	1	3	6								1	3	4	1	1		
	XII.—Diseases of the skin and cellular tissue	12	4	3	5	3	1						2	2			1		3
151	Furuncle, carbuncle	4	3	1									1	1			1		1
152	Phlegmon, acute abscess	5	1	1	3	1	1						1	1					1
153	Other diseases of skin and annexa, and of cellular tissue	3		1	2	2													1
	XIII.—Diseases of the bones and organs of locomotion	9	6	2	1				1		1	2	1			1		2	1
154	Osteomyelitis	6	4	2							1	1	1			1		1	1
155	Other diseases of bones (tuberculosis excepted)	2	2						1			1							
156	Diseases of joints, other organs of locomotion	1			1													1	
	XIV.—Congenital malformations	42	15	9	18	37	2					1		1			1		
157a	Congenital hydrocephalus	3	1		2	3													
157b	Spina bifida and meningocele	4		1	3	4													
157c	Congenital malformations of heart	25	11	6	8	21	2					1		1					
157d	Other congenital malformations	10	3	2	5	9											1		
	XV.—Diseases of early infancy	239	69	67	103	239													
158	Congenital debility	26	4	10	12	26													
159	Premature birth	155	50	42	63	155													
160	Injury at birth	34	11	8	15	34													
161	Other diseases peculiar to early infancy	24	4	7	13	24													
162	XVI.—Senility	63	17	8	38													3	60
	XVII.—Violent and accidental deaths	600	200	136	264	27	16	11	5	7	20	30	28	50	86	85	84	66	80
	Suicide	91	35	22	34									6	17	19	23	14	11
163	By solid or liquid poisons or by absorption of corrosive substances	13	6	5	2									2	3	4	2	1	1
164	By poisonous gas	4	3	1												2	1		1
165	By hanging or strangulation	10	4	3	3									1	1	1	3	3	1
166	By drowning	2			2												1		1
167	By firearms	55	18	12	25									3	10	11	14	9	7
168	By cutting or piercing instruments	5	2	1	2										2		2	1	
170	By crushing	1	1													1			
171	By other means	1	1												1				
	Homicide	52	20	10	22	1					1		1	5	10	13	10	4	3
173	By firearms	37	14	6	17						1		1	2	8	10	6	2	3
174	By cutting or piercing instruments	8	3	2	3									2	2	1	1	2	
175	By other means	7	3	2	2	1								1		2	3		
	Accidental, other, or undefined	457	145	104	208	26	16	11	5	7	19	30	27	39	59	53	51	48	66
176	Attack by venomous animals	5	3	1	1	1	1			1		1					1		
177	Poisoning by food	8	4	1	3	1					1			1	1		2	1	1
178	Absorption of poisonous gas	3	3														3		
	Supplemental	3			3										1		2		
179	Other acute accidental poisonings (gas excepted)	8	4	1	3		2	1				1		1	1	1			1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
180	Conflagration	11	3	4	4	1	1	1						2	1			1	4
181	Burns (conflagration excepted)	25	1	8	16		1	3	3		1	3	2		3	1	1	2	5
	Supplemental	5	3	1	1										1	3		1	
182	Mechanical suffocation	5	2	1	2	3										2			
	Supplemental	1		1												1			
183	Drowning	27	6	6	15	1	6		1		3	3	3	3	2	2	2		1
	Supplemental	1			1										1				
	Traumatism:																		
184	By firearms (wounds of war excepted)	21	10	4	7						2	7	4	1	2	4		1	
185	By cutting or piercing instruments (wounds of war excepted)	2	1	1								1				1			
	Supplemental	2			2												1		1
186a	By fall	43	15	10	18	1		3		1	2	2			5	3		3	23
	Supplemental	17	5	4	8							1	1		3	2	2	5	3
186b	By crushing, landslide	5	1		4							1		2		1	1		
	Supplemental	60	17	9	34	1	2	1		3	2	4	5	4	10	7	8	8	5
188	Injuries by animals	3			3			1		1	1								
189	Hunger and thirst	3	1	1	1	1											2		
190	Excessive cold	1		1									1						
191	Excessive heat	48	15	10	23	11	1				1	1	2		2	6	6	8	10
192	Lightning	3			3									1	2				
193	Due to electric currents	8	2	3	3						1			1	3	1	2		
194a	Foreign bodies	6	2	2	2	2	2		1		1								
194b	Other accidents	21	5	8	8	2		1				2		2	3	4	2	3	2
	Supplemental	112	42	27	43	1				1	4	3	9	21	18	14	16	15	10
	XVIII.—Ill-defined causes of death	238	19	17	202	75	24	5	6	3	6	4	6	3	10	14	12	20	47
199	Sudden death	9			9	1									1	1	1	4	1
200a	Cause of death ill-defined	60	9	12	39	13	4	1	1	1	1		1		1	5	5	10	17
200b	Cause of death not specified or unknown	169	10	5	154	61	20	4	5	2	5	4	5	3	8	8	6	6	29
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	10		2	8									1	3	2	2	2	
202	Accidents from agricultural machinery	1			1						1								
203	Elevator accidents	1	1																1
205	Other machinery accidents	5	3	2										1		1	2		1
206	Railroad and automobile collisions	7	2	1	4									2	1	1	2	1	
207	Other railroad accidents	17	6	2	9								1	3	4	1	5	2	1
210	Automobile accidents (primary)	147	51	34	62	2	2	1		3	5	7	14	18	23	19	16	28	14
212	Other land transportation accidents	10	3	1	6					1		1			2	1	2	1	2
214	Air transportation accidents	3	1		2										1	2			
	ARKANSAS																		
	Total deaths (all causes) White	11,528	2,551	1,398	7,579	1,415	374	179	124	76	312	215	321	389	739	885	1,080	1,527	3,745
	Total deaths (all causes) Colored	5,069	1,106	685	3,278	531	157	68	43	25	108	112	195	287	562	589	753	617	920
	I.—Infectious and parasitic diseases White	2,399	383	212	1,804	222	145	75	68	35	139	80	90	123	224	250	243	240	434
	I.—Infectious and parasitic diseases Colored	1,334	231	187	916	114	63	35	20	12	49	50	86	127	203	170	164	106	110
1	Typhoid fever W	140	24	16	100	1			3	1	9	14	16	21	28	14	17	9	4
	Typhoid fever C	68	8	7	53	2	1		1		4	6	11	15	12	6	3	4	2
2	Paratyphoid fever W	2			2							1			1				
6	Smallpox W	2	1		1				1									1	
7	Measles W	90	13	7	70	21	22	5	4	2	14	4	5	5	1	1	2	2	2
	Measles C	14	3	2	9	1	1	1	1		6	2	2						
8	Scarlet fever W	9		1	8	1	4		1		1	1			1				
	Scarlet fever C	1			1							1							
9	Whooping-cough W	75	5	5	65	40	16	4	8	4	3								
	Whooping-cough C	77	2	3	72	39	20	11	3		4								
10	Diphtheria W	125	15	12	98	8	22	24	26	10	29	4			1				
	Diphtheria C	15	1	1	13	2	2	2	3	2	2	1				1			
11a	Influenza, respiratory complications specified W	286	53	30	203	24	10	9	3	1	5	2	7	3	19	32	23	38	107
	Influenza, respiratory complications specified C	142	33	25	84	13	6	4	3			1	9	7	17	25	25	15	14
11b	Influenza, respiratory complications not specified W	204	28	21	155	30	3	2	1	2	6	3	3	2	4	11	13	30	91
	Influenza, respiratory complications not specified C	125	16	25	84	13	4	4			2	5	5	2	8	13	23	17	29
13	Dysentery W	89	22	6	61	12	25	7		1	5	1		1	4	2	3	12	14
	Dysentery C	33	5	2	26	4	9	3	1		1	1			1	4	2	2	4
15	Erysipelas W	29	8	3	18	13	1								2		1	4	8
	Erysipelas C	1		1													1		
16	Acute poliomyelitis, acute polioencephalitis W	10	2	1	7	3	1	1	1		3	1							
	Acute poliomyelitis, acute polioencephalitis C	1			1	1													
17	Lethargic or epidemic encephalitis W	3	1		2										1			1	1
	Lethargic or epidemic encephalitis C	2	2								1						1		
18	Epidemic cerebrospinal meningitis W	14	3	3	8	2	1	1			2	4	1	1	1				1
	Epidemic cerebrospinal meningitis C	1			1									1					
20	Anthrax (bacillus anthracis) malignant pustule W	2		2											1				1
21	Rabies W	1	1								1								
	Rabies C	1		1											1				
22	Tetanus W	23	10	1	12	3				1	6	2	3	3		1	3		1
	Tetanus C	7	2	1	4	1	1				1				2				2

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
	Tuberculosis (all forms)	W	614	106	58	450	3	4	1	1	1	2	3	27	50	103	116	109	86	99
		C	456	99	76	281		3	1	1	3	4	17	47	75	119	72	61	28	17
23	Respiratory system	W	575	101	53	421	1	2		1	1		2	24	47	99	113	104	80	93
		C	419	86	65	268		3			1	3	13	44	70	109	71	55	26	16
24	Meninges and central nervous system	W	16	3	3	10	2	1	1			2	1	2	2	2	1		1	1
		C	4	2	1	1					1		3							
25	Intestines and peritoneum	W	12	2		10		1								1	1	2	2	5
		C	17	5	9	3						1	1	3	3	4		2	2	1
26	Vertebral column	W	3		1	2								1			1	1		
		C	3	1		2					1							2		
27a	Bones (vertebral column excepted)	W	1			1										1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	2			2												1	1	
		C	5	2		3			1	1						2		1		
30	Genitourinary system	W	4		1	3											1		2	
32a	Acute disseminated tuberculosis	C	8	3	1	4									2	4	1	1		
32b,c	Other disseminated tuberculosis	W	1			1											1			
34	Syphilis	W	60	34	2	24	9		1						3	8	11	11	6	11
		C	90	31	14	45	15							2	6	19	22	11	11	3
35	Gonococcus infection, other venereal diseases	W	4	1		3							1				1		1	1
		C	7		2	5								2	1	3			1	
36	Purulent infection, septicemia (nonpuerperal)	W	23	5	3	15	3	1	1	1		1	3	2		2	1	1	2	5
		C	8	2		6	1				1			1		3	1		1	
38	Malaria	W	586	49	41	496	47	34	19	18	12	50	36	26	33	47	59	59	48	88
		C	283	27	27	229	21	16	9	7	6	24	16	7	20	18	26	36	27	39
39	Other diseases due to protozoal parasites	W	1	1														1		
42	Other diseases caused by helminths	W	1			1						1								
43	Mycoses	C	2			2	1											1		
44	Other infectious and parasitic diseases	W	6	1		5	2	1				1			1		1			
	II.—Cancers and other tumors	White	674	208	97	369	1			2	1	3	2	6	3	16	62	113	181	278
		Colored	157	46	25	86			1			1	1		1	9	29	49	30	33
	Cancer and other malignant tumors	W	633	197	89	347				1		2	2	5	1	12	57	101	175	272
		C	140	35	24	81			1			1				5	25	44	29	33
(45)	Buccal cavity	W	19	6	1	12											2	3	3	11
		C	2	1		1														2
(45)	Pharynx	W	10	2		8							1			1		1	1	6
(46)	Esophagus	W	3	2	1														2	1
		C	1	1															1	
(46)	Stomach and duodenum	W	123	26	20	77										1	6	17	46	51
		C	22	7	4	11											3	6	7	6
(46)	Liver and biliary passages	W	69	19	11	39											3	11	20	35
		C	6	1	1	4											1		3	2
(46)	Pancreas	W	14	4	1	9												1	5	8
(46)	Other digestive tract and peritoneum	W	81	33	12	36				1				1		1	10	14	23	31
		C	9	4	2	3										1	2	2	2	2
47	Respiratory system	W	15	10	2	3								1			2	1	5	6
		C	1	1															1	
48	Uterus	W	77	30	14	33								1		4	16	19	23	14
		C	64	14	11	39										4	15	28	8	8
49	Other female genital organs	W	10	4	2	4										1	1	2	4	2
50	Breast	W	51	18	6	27										1	5	9	17	19
		C	15	3	3	9											3	5	3	3
51	Male genitourinary organs	W	44	18	9	17										1		2	8	32
		C	5	2	2	1												1		4
52	Skin	W	35	7	1	27											3	7	4	20
		C	2			2												1		1
53	Other or unspecified organs	W	82	18	9	55						2	1	2	1	2	9	14	14	36
		C	13	1	1	11			1			1					1	1	4	5
54a	Nonmalignant tumors, ovary	W	5	2		3										1	1	3		
		C	1	1											1					
54b	Nonmalignant tumors, uterus	W	6	1	3	2									1	1	1	1		2
		C	12	9	1	2										4	4	3		
54d,e	Nonmalignant tumors, other organs	W	3		2	1				1								1	1	
		C	2			2												1	1	
55d,e	Tumors, other organs (nature unspecified)	W	27	8	3	16	1				1	1		1	1	2	3	7	5	4
		C	2	1		1							1					1		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	272	68	39	165	3	1	2		2	6	8	11	7	22	26	29	48	103
		Colored	201	46	34	121	2						1	3	12	30	23	41	33	53
56	Acute rheumatic fever	W	19	3	1	15					2	2	1	1		1	2	3	2	4
		C	17	2	2	13								1	2	1		4	2	7
57	Chronic rheumatism, osteoarthritis	W	14	3	1	10							1	1	1				1	10
		C	2		1	1												1		1
59	Diabetes mellitus	W	127	37	19	71			1			4	3	9	4	12	9	13	25	46
		C	31	7	8	16							1		2	5	2	6	9	5
62	Pellagra	W	82	17	13	52							1		1	5	11	8	18	36
		C	145	37	22	86								1	8	24	21	29	22	38
63	Rickets	W	1			1		1												
		C	1			1	1													
66a	Simple goiter	W	5			5											3	2		
		C	1			1														1
66b	Exophthalmic goiter	W	11	6	1	4							1			1	1	3		5
		C	1			1												1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued.																		
(66)	Other diseases of thyroid and parathyroid glands	W 3	1	1	1							1		1				1	
		C 1			1	1													
67	Diseases of thymus gland	W 4	1	1	2	3									1				
		C 1			1								1						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 2			2										1			1	
69	Other general diseases	W 4		2	2			1							1				2
		C 1		1															1
	IV.—Diseases of the blood and blood-making organs	White 67	23	11	33	2	2	2			1	6	5	2	7	3	12	7	18
		Colored 16	5	2	9	1					1		1	2	3		5	2	1
70	Hemorrhagic conditions	W 4	2		2		1					1	1		1				
71a	Pernicious anemia	W 26	7	5	14						1	2			2	2	5	5	9
		C 5	2	1	2										1		2	1	1
71b	Other anemias	W 8	1	1	6	1									1				6
		C 3	1	1	1	1									1				
72a	True leukemias	W 17	8	4	5		1	1				3	3	1	2	1	2	1	2
		C 4	1		3						1		1	1			1		
72b	Pseudoleukemias (Hodgkin's disease)	W 10	3	1	6								1	1	1		5	1	1
		C 4	1		3										1		2	1	
73	Diseases of spleen	W 2	2			1		1											
	V.—Chronic poisonings and intoxications	White 16	6	1	9									2	2	4		6	2
		Colored 4	3	1										1	1		2		
75	Alcoholism (acute or chronic)	W 15	5	1	9									2	2	3		6	2
		C 2	2											1			1		
76	Chronic poisoning by other organic substances	W 1	1													1			
77b, c	Other chronic poisoning by mineral substances	C 2	1	1											1		1		
	VI.—Diseases of the nervous system and of the organs of special sense	White 982	254	120	608	21	7	2	2	1	5	12	11	11	22	55	94	184	546
		Colored 344	117	46	181	8	1	3	1	1	3	4	5	2	26	38	67	68	105
78	Encephalitis (nonepidemic)	W 20	6	1	13	1		1				1	3	1	2	2	2	3	3
		C 5	2		3	1							2		1		1		
79a	Simple meningitis	W 18	11	1	6	1	3		1		3	1	1	1	3	1		2	1
		C 7	4		3			1					1		1	2	2		
79b	Nonepidemic cerebrospinal meningitis	W 6	1	1	4	3	2									1			
		C 1			1		1												
80	Progressive locomotor ataxia (tabes dorsalis)	W 4			4														4
		C 1			1														1
81	Other diseases of spinal cord	W 24	5	3	16											1	3	4	16
		C 4		1	3										3				1
82a	Cerebral hemorrhage	W 553	157	91	405	3	1			1		1		2	4	25	65	144	402
		C 203	65	36	102						1				10	18	44	54	66
82b	Cerebral embolism and thrombosis	W 21	7	1	13							1	1		1		2	4	12
		C 2	2												1			1	
82c	Softening of brain	W 8	1	1	6														8
82d	Hemiplegia and other paralysis, cause unspecified	W 95	6	9	80	1						1			1	1	5	10	76
		C 50	8	6	36										3	6	5	9	27
83	General paralysis of insane	W 34	20	1	13									1	2	11	12	4	2
		C 27	25		2							1		1		10	6	4	4
84	Dementia praecox and other psychoses	W 8	6	1	1									1	1			4	2
		C 3	2		1											1	2		
85	Epilepsy	W 27	12		15	1					1	3	2	4	4	5	4	1	1
		C 19	7		12	1					1	3	2		5		4		2
86	Convulsions (under 5 years of age)	W 7	1	1	5	5	1	1											
		C 8		1	7	6		1	1										
87	Other diseases of nervous system	W 32	9	5	18	1			1			1	2	1	1	2		7	16
		C 9	1	2	6			1						1	1	1	1		4
88	Diseases of organs of vision	W 1			1	1													
89a	Diseases of ear	W 14	8	3	3	4									2		1	1	1
		C 5	1		4					1	1				1		2		
89b	Diseases of mastoid process	W 10	4	1	5						1	3			2	2			2
	VII.—Diseases of the circulatory system	White 1,556	477	214	865	3	1	2	2		8	8	14	17	35	68	151	324	902
		Colored 554	204	59	291	2	1		4	1	4	4	6	5	29	62	133	128	167
90	Pericarditis	W 10	1		9								1	1	1			2	5
		C 8	1	2	5								1	1		1	1		4
91a	Acute endocarditis	W 12	4	1	7				1				1	1		1	1	1	5
		C 7	2	2	3								1	1			2	3	
91b	Endocarditis, unspecified (under 45 years)	W 4		1	3						1	1				2			
		C 4		1	4				1		1				2				
92a	Endocarditis, specified as chronic, and other valvular diseases	W 346	66	42	238	1			1		5	5	5	6	13	19	30	58	198
		C 141	36	13	92				2	1	2	1	4	1	12	12	35	29	39
92b	Endocarditis, unspecified (45 years and over)	W 29	5	7	17												5	6	17
		C 17	4	2	11													3	2
93a	Acute myocarditis	W 17	4	1	12									1		1	3	3	9
		C 8	6	1	1	1						1			2	2	1	1	
93b	Myocarditis, unspecified (under 45 years)	W 9	2	4	3						2			1	1	5			
		C 4	2	1	1										1	3			
93c	Chronic myocarditis and myocardial degeneration	W 171	76	24	71							1	1		1	9	16	31	110
		C 46	27	2	17						1				2	8	8	11	15
93d	Other diseases of myocardium	W 206	89	27	90								1			1	24	60	115
		C 52	22	3	27									1		1	14	14	21
94a	Angina pectoris	W 109	17	24	68							1		1	2	5	10	29	59
		C 16	6	3	7										1	3	3	3	6

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	VII.—Diseases of the circulatory system—Continued.																			
94b	Diseases of coronary arteries	W	84	35	16	33										7	4	15	21	36
		C	14	9		5										2	4	4	3	1
95a	Functional diseases of heart	W	10	1	2	7												1	2	7
		C	5		3	2				1							1		2	1
95b	Other and unspecified diseases of heart	W	394	110	44	240	1							3	4	9	15	33	90	237
		C	160	46	21	93	1	1					2		1	8	22	39	42	43
96	Aneurysm (except of heart)	W	14	5	1	8									1		2	3	4	4
		C	10	6	1	3										1	3	5		1
97	Arteriosclerosis (coronary arteries excepted)	W	101	53	11	37									1	1	1	6	13	77
		C	44	33	2	9											1	6	12	23
98	Gangrene	W	11	2	4	5		1						1			1		1	7
		C	9	3	3	3												2	2	5
99	Other diseases of the arteries	W	12	5	3	4												3		9
		C	2	1		1														2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	3	1		2			1					1						1
		C	1			1														1
101	Diseases of lymphatic system (lymphangitis, etc.)	W	2			2	1													1
		C	1			1											1			
102	Idiopathic anomalies of blood-pressure	W	9	1	1	7											1	1	3	4
		C	5			5													3	2
103	Other diseases of circulatory system	W	3		1	2			1								1			1
	VIII.—Diseases of the respiratory system	White	925	155	103	667	151	39	19	15	8	31	13	26	24	50	71	88	114	262
		Colored	339	89	38	212	55	11	6	5	2	7	4	10	15	49	34	46	39	51
104a	Diseases of nasal fossae	C	3			3	2													1
104b	Diseases of nasal fossae and annexa	W	3	1		2						1			1		1			
105	Diseases of larynx	W	6	3		3	1	1	1	2					1					
		C	1			1										1				
106a	Acute bronchitis	W	2	1		1	1													1
		C	2	1		1													1	1
106b	Chronic bronchitis	W	19	2	6	11											1	2	1	15
		C	1			1												1		
106c,d	Bronchitis, unspecified	W	14	2	2	10	3		1										1	8
		C	5	1		4										1	1		1	2
107a	Bronchopneumonia	W	273	61	23	189	90	20	4	6	5	10	4	3	6	7	16	13	21	64
		C	91	34	7	50	28	5	3	1	1	3	1		2	12	4	9	7	14
107b	Capillary bronchitis	W	6			6	4		1										1	
		C	1			1														1
108	Lobar pneumonia	W	393	58	50	285	23	10	10	2	1	13	6	12	11	29	43	56	66	105
		C	150	41	16	93	9	5	1	3	1	2	2	7	7	26	18	28	21	16
109	Pneumonia, unspecified	W	146	9	13	124	26	6		5	2	6	3	9	4	7	7	7	19	43
		C	58	7	10	41	14	1	2	1		2	1	3	3	5	8	6	5	7
110	Pleurisy	W	10	8		2		1	2							3	1	1	2	
		C	6	2	1	3									2	2	1	1		
111a	Pulmonary embolism and thrombosis	C	1			1											1			
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	19	5	3	11	3					1				1				14
		C	4	2	1	1	1												1	2
112	Asthma	W	21	2	5	14										1		6	3	10
		C	13	1	2	10										1	1	1	3	7
114	Other diseases of respiratory system (tuberculosis excepted)	W	13	3	1	9		1						2	1	2	2	3		2
		C	3		1	2	1								1	1				
	IX.—Diseases of the digestive system	White	1,149	296	164	689	227	142	45	21	14	43	31	42	41	56	81	105	110	179
		Colored	387	101	56	230	85	52	14	6	3	6	10	13	17	27	35	42	36	35
115a	Diseases of pharynx, tonsils	W	46	14	10	22	2	1	1	2	3	9	5	3	5	4	5	3		3
		C	9	1	2	6	1					1	2			1	1	1	1	1
115b	Diseases of buccal cavity and annexa	W	18	4	5	9		2				2		1		2	3	2	1	5
		C	6	1	1	4		1						1		1		2		1
116	Diseases of esophagus	W	2	1		1													1	1
117a	Ulcer of stomach	W	37	10	9	18									2	1	5	8	12	8
		C	10	3	3	4									1		3	1	4	1
117b	Ulcer of duodenum	W	15	9	2	4	1								1	2	3	4	2	2
		C	2	2													1	1		
118	Other diseases of stomach (cancer excepted)	W	85	5	10	70	18	4		1	2	1	1		1	1	3	7	12	34
		C	51	10	6	35	5		1		1	2		2	2	8	9	6	8	6
119	Diarrhea, enteritis (under 2 years of age)	W	316	48	29	239	186	130												
		C	124	30	13	81	73	51												
120	Diarrhea, enteritis (2 years and over)	W	160	18	16	126			39	15	7	18	3	1	2		7	4	15	48
		C	56	7	13	36			13	6	1	2	3	1	2	3	1	6	6	10
121	Appendicitis	W	205	87	52	66			2	3	2	11	19	30	20	29	31	24	17	11
		C	27	10	1	16						1	4	3	2	4	7	3	1	2
122a	Hernia	W	30	12	3	15									1		4	8	5	12
		C	12	4	2	6							1	1	1	2		4	2	1
122b	Intestinal obstruction	W	78	41	8	29	13	4	1			2	1	3	6	9	8	12	7	11
		C	45	16	9	20	5				1			3	3	3	7	8	8	6
123	Other diseases of intestines	W	18	3	3	12	1						1	4	1	1		1	1	8
		C	6	3	1	2	1							1	1			1	1	1
124	Cirrhosis of liver	W	55	15	5	35	1									3	3	8	21	18
		C	14	2	4	8									2		2	3	3	3
125a	Yellow atrophy of liver	W	3	1		2	1											1	1	
		C	2			2								1	1					
125b	Other diseases of liver	W	20		3	17	2	1	1				1			2	1	5	2	4
		C	6	3		3										1	2	1	1	1
126	Biliary calculi	W	15	9	1	5											2	7	4	2
		C	3	2		1												1		2
127	Other diseases of gall-bladder, biliary passages	W	30	17	7	6	1		1								1	4	5	8
		C	5	3		2									1	1	1	2		
128	Diseases of pancreas	W	2	1		1													2	
129	Peritonitis, cause not specified	W	14	1	1	12	1								2	1	2	2	2	4
		C	9	4	1	4									1	3	1	2	1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	X.—Diseases of the genitourinary system	White	847	216	117	514	2		2		1	4	3	6	10	31	47	85	146	498
		Colored	365	100	69	196	1	2				2	3	5	10	19	41	76	78	118
130	Acute nephritis (including unspecified under 10 years)	W	55	15	12	28	1		1		1	3	1	1	3	5	5	8	11	14
		C	34	9	5	20		2				2	1	2	3	3	5	5	3	7
131	Chronic nephritis	W	423	119	56	248						1	1		2	11	23	39	84	260
		C	164	49	26	89							1	1	2	8	19	34	35	61
132	Nephritis, unspecified (10 years and over)	W	247	44	29	174							1	1		9	13	26	40	150
		C	102	23	27	52							1	2	3	5	5	24	26	31
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	30	6	5	19								1	2	2	3	4	2	15
		C	17	1	2	14	1								1	1	1	2	4	7
134	Calculi of urinary passages	W	8	3	2	3												2	2	4
		C	1			1											1			
135	Diseases of bladder (tumors excepted)	W	6		2	4														6
		C	11	3	2	6											2		5	4
136	Diseases of urethra, urinary abscess, etc	W	2		1	1														2
		C	7	4	2	1										1	2	2	1	
137	Diseases of prostate	W	49	17	5	27												1	4	43
		C	14	2	3	9												3	4	7
138	Diseases of male genital organs, not specified as venereal	W	3	1		2	1		1											1
139a	Cysts of ovary	W	5	2	1	2												1	2	2
		C	2	2														1		1
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	14	8	1	5								3	3	3	3	1	1	
		C	7	5		2									1		5	1		
139c	Diseases of uterus	W	5	1	3	1										1		3		1
		C	4	2	1	1										1	1	2		
139d	Nonpuerperal diseases of breast (cancer excepted)	C	1			1												1		
139e	Other diseases of female genital organs	C	1			1												1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	195	43	35	117							1	34	40	76	41	1		
		Colored	83	11	15	57							1	15	20	26	18	2		
140	Abortion with septic conditions	W	26	8	4	14							1	3	6	11	5			
		C	8	3	1	4								2	2	2	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	10	1	4	5								1	2	7				
		C	4		1	3								1		2	1			
142b	Ectopic gestation, septic conditions not mentioned	W	5	2	1	2									1	4				
		C	4	2	2										1	1	2			
143	Other accidents of pregnancy (hemorrhage not included)	W	5		3	2									1	4				
144a	Placenta praevia	W	5	1	2	2								1	1	2	1			
		C	1			1											1			
144b	Other puerperal hemorrhages	W	10	1		9								2	1	4	3			
		C	4	1		3								1		2	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	42	13	5	24								6	10	17	8			
		C	26	3	4	19							1	4	9	5	7			
146	Puerperal albuminuria and eclampsia	W	52	11	12	29								15	10	17	10			
		C	23	1	4	18								5	6	9	3			
147	Other toxemias of pregnancy	W	11	3	1	7								4		2	5			
		C	2			2										2				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	1			1										1				
149	Other accidents of childbirth	W	28	3	3	22								2	8	7	9	1		
		C	11	1	3	7								2	2	3	1	2		
	XII.—Diseases of the skin and cellular tissue	White	20	5	2	13	3	1		1		3	1		1		1	1	5	2
		Colored	4	1	2	1										2				2
151	Furuncle, carbuncle	W	6		1	5						1	1		1			1	2	
		C	2		2											1				1
152	Phlegmon, acute abscess	W	4	3		1						1							2	
153	Other diseases of skin and annexa, and of cellular tissue	W	10	2	1	7	3	1		1		1					1		1	2
		C	2	1		1										1				1
	XIII.—Diseases of the bones and organs of locomotion	White	23	11	7	5			2			6	5	1			1	2		5
		Colored	3	1		2										1		1	1	
154	Osteomyelitis	W	16	10	3	3			1			6	4	1			1	1		2
155	Other diseases of bones (tuberculosis excepted)	W	4	1	3				1											2
		C	1	1														1		
156	Diseases of joints, other organs of locomotion	W	3		1	2							1					1		1
		C	2			2										1			1	
	XIV.—Congenital malformations	White	89	16	10	63	85		1		2			1						
		Colored	9	1	2	6	8						1							
157a	Congenital hydrocephalus	W	5		2	3	5													
157b	Spina bifida and meningocele	W	5	1	1	3	5													
157c	Congenital malformations of heart	W	48	7	4	37	44		1		2			1						
		C	7	1	2	4	6						1							
157d	Other congenital malformations	W	31	8	3	20	31													
		C	2			2	2													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	XV.—Diseases of early infancy	White	487	75	49	363	487													
		Colored	89	19	14	56	89													
158	Congenital debility	W	71	9	7	55	71													
		C	14	5		9	14													
159	Premature birth	W	338	52	32	254	338													
		C	54	10	11	33	54													
160	Injury at birth	W	47	11	9	27	47													
		C	10	2	1	7	10													
161	Other diseases peculiar to early infancy	W	31	3	1	27	31													
		C	11	2	2	7	11													
162	XVI.—Senility	White	165	16	21	128													2	160
		Colored	77	9	2	66												1	1	74
	XVII.—Violent and accidental deaths	White	1,032	274	153	605	22	15	16	5	10	44	33	68	96	175	142	115	90	184
		Colored	463	107	73	283	10	3	3	4	3	16	18	35	55	100	86	56	32	33
	Suicide	W	107	41	18	48							1	5	11	19	19	16	17	15
		C	12	4	3	5								3	1	3	2	2		1
163	By solid or liquid poisons or by absorption of corrosive substances	W	25	10	8	7								2	3	6	6	3	3	1
		C	4	2	1	1								2		1		1		
164	By poisonous gas	W	3	1	1	1											1		1	1
165	By hanging or strangulation	W	9	2	1	6							1				3	2	2	1
		C	1		1												1			
166	By drowning	W	2		1	1														2
167	By firearms	W	60	24	6	30								3	7	11	8	10	9	9
		C	5	2		3									1	2	1			1
168	By cutting or piercing instruments	W	5	4	1											1	1		2	1
169	By jumping from high places	W	1			1										1				
171	By other means	W	2			2									1			1		
		C	2		1	1								1				1		
	Homicide	W	140	37	22	81	3					2		5	11	41	38	20	6	10
		C	166	49	25	92				1		1	1	12	23	52	40	21	8	5
173	By firearms	W	101	27	18	56								2	7	32	27	18	4	7
		C	120	36	18	66								9	16	38	28	18	4	5
174	By cutting or piercing instruments	W	13	3	2	8								1	2	5	4	1		
		C	24	9	6	9								1	4	9	6	2	2	
175	By other means	W	26	7	2	17	3					2		2	2	4	7	1	2	3
		C	22	4	1	17				1		1	1	2	3	5	6	1	2	
	Accidental, other, or undefined	W	785	196	113	476	19	15	16	5	10	42	32	58	74	115	85	79	67	159
		C	285	54	45	186	10	3	3	3	3	15	17	20	31	45	44	33	24	27
176	Attack by venomous animals	W	8		1	7					1					2		1	2	2
		C	1			1											1			
177	Poisoning by food	W	18	9	2	7	1	2				2			2			5		5
		C	9	3	4	2	1						2			2	1	1	2	
179	Other acute accidental poisonings (gas excepted)	W	10	2	2	6		1	1					1			3	2	1	1
		C	5		4	1		2	1							1	1			
180	Conflagration	W	9	2	3	4							1				2	1	3	2
		C	3			3									1	1			1	
181	Burns (conflagration excepted)	W	70	23	6	41	2	7	8	3	3	5	1		4	11	8	6	1	10
		C	24	8	2	14			2	1	1	2		2	1	1	4	3	3	4
	Supplemental	W	7	1	1	5							1	2		2	1	1		
		C	1			1										1				
182	Mechanical suffocation	W	6	1	1	4	6													
		C	5	2		3	4										1			
183	Drowning	W	64	6	3	55	1	2	1	1		5	10	8	7	13	6	5	3	2
		C	32	3	6	23	1			1		4	4	4	4	6	5			1
	Supplemental	W	12	1		11	1		1						2	5	1			2
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	56	14	9	33					1	2	6	13	2	12	9	3	3	4
		C	31	5	5	21							3	3	8	9	6	2		
185	By cutting or piercing instruments (wounds of war excepted)	W	6	1	1	4	1					1			1				1	2
		C	7	1	1	5								1	1		2	1	1	1
	Supplemental	W	7	1	4	2								1		2	2	1	1	
		C	2			2										1	1			
186a	By fall	W	88	20	17	51	1	1				1	2	1	2	3	3	3	5	64
		C	14	3	4	7					1	3				1		4	1	4
	Supplemental	W	38	10	5	23	1					5	3	2	3	9	3	7	5	
		C	12	1	2	9								2		1	1	2	3	2
186b	By crushing, landslide	W	5		1	4						1			2		2			
		C	3	1	1	1										1			1	1
	Supplemental	W	70	22	13	35			1		1		2	7	13	10	12	10	5	9
		C	13	4	1	8								1		2	2	5	1	1
187	Cataclysm	W	6			6								1		1		2	1	1
		C	7			7						2	2				2	1		
188	Injuries by animals	W	6	1		5						2				2			1	1
		C	3		1	2										1	1	1		
190	Excessive cold	W	2			2													1	
		C	1			1													1	
191	Excessive heat	W	5			5									1			1	1	2
		C	7	2		5	1								1			3	1	1
192	Lightning	W	9			9						1	1		3	2	2			
		C	3			3							1	1					1	
193	Due to electric currents	W	6	3		3									1	1	2	1		1
		C	3		1	2							1			2				
	Supplemental	W	1			1										1				
194a	Foreign bodies	W	7	1		6		1	2		2					1				1
		C	1			1					1									
194b	Other accidents	W	75	16	11	48	4	1	1	1	1	2	1	6	7	13	4	6	5	23
		C	24	3	4	17	3					1		1	3		2	3	2	7
	Supplemental	W	194	62	33	99	1		1		1	15	4	16	24	25	25	24	28	27
		C	69	18	9	42		1		1		3	4	4	10	15	12	7	6	5
195	Violent deaths of unknown nature	C	1			1									1					
198	Legal executions	C	4			4								1	1		2			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																		
	XVIII.—Ill-defined causes of death—White	630	25	43	562	186	21	11	8	2	19	12	6	12	23	33	41	70	172
	XVIII.—Ill-defined causes of death—Colored	640	15	60	565	156	24	6	3	3	19	15	16	20	37	53	68	63	138
199	Sudden death—W	42	2	5	35	3								1		4	7	7	20
	Sudden death—C	39	2	2	35	3					2			1	3	3	7	8	11
200a	Cause of death ill-defined—W	105	14	9	82	14	5	2	2		2	2	1	2	1	5	12	18	38
	Cause of death ill-defined—C	94	8	7	79	14	1			1	1		2	2	4	10	19	9	31
200b	Cause of death not specified or unknown—W	483	9	29	445	169	16	9	6	2	17	10	5	9	22	24	22	45	114
	Cause of death not specified or unknown—C	507	5	51	451	139	23	6	3	2	16	15	14	17	30	40	42	46	96
Funch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries—W	6	2		4									1	3		2		
	Accidents in mines and quarries—C	3			3										1	1	1		
202	Accidents from agricultural machinery—W	2			2										1			1	
	Accidents from agricultural machinery—C	2			2								1				1		
205	Other machinery accidents—W	7		3	4								1			3		2	
	Other machinery accidents—C	5	2		3										4	1			
206	Railroad and automobile collisions—W	8	1		7										1	4	1	1	1
	Railroad and automobile collisions—C	1			1											1			
207	Other railroad accidents—W	49	9	15	25						1		5	10	11	10	5	3	4
	Other railroad accidents—C	23	6	4	13								2	1	5	7	3	1	2
210	Automobile accidents (primary)—W	227	81	36	110	1		2		2	15	9	20	28	30	25	31	30	33
	Automobile accidents (primary)—C	53	15	7	31		1				3	4	3	9	9	5	8	6	5
211	Motorcycle accidents—W	3	1	2									1		2				
212	Other land transportation accidents—W	21	3		18	1					4	1	1	2	4	1	4	2	
	Other land transportation accidents—C	10		1	9				1				1		1	1	1	3	1
213	Water transportation accidents—W	6			6	1		1						1	2	1			
	CALIFORNIA																		
	Total deaths (all causes)—White	60,856	39,095	5,567	16,194	2,672	333	215	167	139	537	431	749	1,279	3,044	4,867	7,953	10,970	27,491
	Total deaths (all causes)—Colored	7,180	3,679	748	2,753	1,355	265	125	95	43	201	143	263	323	785	806	875	799	1,100
	I.—Infectious and parasitic diseases—White	5,219	3,009	390	1,820	216	112	66	51	39	151	82	158	332	754	833	924	722	779
	I.—Infectious and parasitic diseases—Colored	1,946	937	169	840	186	90	47	39	23	92	69	163	173	353	264	218	136	93
1	Typhoid fever—W	58	32	4	22				1		1	5	11	9	12	8	6	4	1
	Typhoid fever—C	28	8	1	19				2		2	5	4	4	7	3		1	
2	Paratyphoid fever—W	5	1	1	3				1						2	1			1
3	Typhus fever—W	2	2												1				1
5	Undulant fever—W	1		1												1			
6	Smallpox—W	2	1		1									1		1			
	Smallpox—C	1	1			1													
7	Measles—W	66	49	3	14	5	13	7	7	7	19	6				1	1		
	Measles—C	46	15	9	22	13	15	10	3	1	3			1					
8	Scarlet fever—W	78	50	3	25	1	5	6	4	5	21	9	6	3	9	5	2	1	1
	Scarlet fever—C	4	3		1		1				2	1							
9	Whooping-cough—W	119	67	17	35	78	21	9	5		2		1		1	1		1	
	Whooping-cough—C	84	44	11	29	53	23	5	2	1									
10	Diphtheria—W	100	76	8	16	7	6	12	11	8	30	4	3	6	3	6	1	3	
	Diphtheria—C	20	15	1	4		7	1	6	2	2	1				1			
11a	Influenza, respiratory complications specified—W	457	255	60	142	33	10	5	4	4	9	4	3	13	32	53	54	70	163
	Influenza, respiratory complications specified—C	120	55	21	44	32	11	5		1	5	2	6	4	7	10	13	9	15
11b	Influenza, respiratory complications not specified—W	180	113	20	47	10	4	4		3	11	5	5	7	5	17	11	23	75
	Influenza, respiratory complications not specified—C	29	11	3	15	7	4		2		2		1	1	1		3	2	6
13	Dysentery—W	43	25	6	12	6	4	1	2		2	2	1		1	3	4	3	14
	Dysentery—C	29	17	1	11	16	4	3	1		1			1	1	1		1	
14	Plague—W	1	1																1
15	Erysipelas—W	63	41	9	13	10	1				1	1	1	2	4	9	2	11	21
	Erysipelas—C	8	4		4	7									1				
16	Acute poliomyelitis, acute polioencephalitis—W	12	11		1	1		1			5			2	2		1		
	Acute poliomyelitis, acute polioencephalitis—C	3	1	1	1					2						1			
17	Lethargic or epidemic encephalitis—W	34	13	2	19		1	1		1	1		2	2	5	4	7	5	5
	Lethargic or epidemic encephalitis—C	2		1	1										1			1	
18	Epidemic cerebrospinal meningitis—W	68	49	4	15	11	5	2		1	3	4	10	6	5	11	5	4	1
	Epidemic cerebrospinal meningitis—C	5	2	1	2								1	2	2				
22	Tetanus—W	44	34	3	7	1				5	9	2	2		2	5	1	7	10
	Tetanus—C	9	8		1					1	3	2	1		1	1			
	Tuberculosis (all forms)—W	3,284	1,799	218	1,267	24	37	16	14	5	36	32	111	268	636	616	665	442	382
	Tuberculosis (all forms)—C	1,349	638	105	606	31	23	22	23	14	68	57	147	152	302	201	163	97	49
23	Respiratory system—W	3,006	1,621	195	1,190	13	18	9	4	5	18	25	93	249	601	579	621	415	356
	Respiratory system—C	1,182	556	96	530	19	11	12	10	9	38	47	136	141	274	189	157	91	48
24	Meninges and central nervous system—W	79	50	2	27	4	12	6	6		12	5	6	6	5	9	6	1	1
	Meninges and central nervous system—C	64	21	5	38	5	9	5	7	3	15	3	3	2	8	3	1		
25	Intestines and peritoneum—W	58	36	5	17	2	1		1		1		1	7	15	6	11	4	9
	Intestines and peritoneum—C	34	20	2	12	1		1	1		3	4	3	4	11	2	4		
26	Vertebral column—W	29	24	1	4						1		2	1	7	4	5	5	4
	Vertebral column—C	6	6						1		1			1		1		2	
27a	Bones (vertebral column excepted)—W	2			2														2
	Bones (vertebral column excepted)—C	1	1														1		
27b	Joints—W	9	5	3	1							1	1	1	1	1	1	2	1
28	Skin and subcutaneous cellular tissue—W	2	1		1										1		1		
	Skin and subcutaneous cellular tissue—C	1	1															1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—W	2	2													1		1	
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—C	3	1		2		1				1					1			
30	Genitourinary system—W	39	27	5	7								3	1	3	8	10	10	4
	Genitourinary system—C	5	3		2									1	1	2		1	
31	Other organs—W	6	4		2											2	2	1	1
	Other organs—C	1	1							1									
32a	Acute disseminated tuberculosis—W	46	26	7	13	5	6	1	3		3	1	5	2	3	6	7	2	2
	Acute disseminated tuberculosis—C	47	25	2	20	6	2	3	4	1	10	3	4	3	8	2		1	
32b, c	Other disseminated tuberculosis—W	6	3		3						1			1			1	1	2
	Other disseminated tuberculosis—C	5	3		2			1					1			1		1	1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
33	Leprosy	W	1	1													1			
		C	1		1												1			
34	Syphilis	W	500	324	23	153	24	2	1	1			3		5	20	71	146	139	88
		C	177	98	11	68	24	1	1		1	3	1	3	6	19	37	35	25	21
35	Gonococcus infection, other venereal diseases	W	27	19		8		1							4	7	6	7	1	1
		C	8	7		1									1	6	1			
36	Purulent infection, septicemia (nonpuerperal)	W	38	20	7	11	4	2	1			1	5	1	3	2	5	6	4	4
		C	4	2		2	1										1	1		1
38	Malaria	W	2	1		1											1			1
		C	1		1													1		
39	Other diseases due to protozoal parasites	W	1			1											1			
		C	3			3										1	2			
41b	Hydatid cysts of other organs	W	1	1												1				
43	Mycoses	W	21	16		5									1	2	5	5	2	6
		C	11	6	1	4									1	4	5	1		
44	Other infectious and parasitic diseases	W	11	8	1	2	1			1				1		2	1		2	3
		C	4	2		2	1	1				1								1
	II.—Cancers and other tumors	White	7,524	5,343	627	1,554	4	4	4	3	6	15	9	34	26	181	624	1,301	1,892	3,421
		Colored	415	243	33	130		1	1		1	1	2	1	4	34	63	104	92	110
	Cancer and other malignant tumors	W	7,249	5,134	604	1,511	2	3	4	2	4	12	7	25	21	150	553	1,230	1,852	3,384
		C	389	223	32	134			1		1	1	1	1	2	26	59	100	88	108
(45)	Buccal cavity	W	226	151	17	58						1			1	4	8	41	49	122
		C	9	6		3									1		1	5	1	1
(45)	Pharynx	W	40	29		11					1						1	7	10	21
		C	3	3																2
(46)	Esophagus	W	104	78	7	19										1	5	14	33	51
		C	8	6	1	1				1						1		3	2	1
(46)	Stomach and duodenum	W	1,430	974	140	316										7	53	188	397	785
		C	106	63	11	32										2	13	29	30	32
(46)	Liver and biliary passages	W	469	320	51	98									1	3	24	58	115	268
		C	21	13	3	5										2	4	3	5	7
(46)	Pancreas	W	228	162	13	53										1	16	37	75	99
		C	11	4	1	6											1	3	3	4
(46)	Other digestive tract and peritoneum	W	1,191	905	96	190			1			2	1	1		34	73	193	296	590
		C	54	29	2	23										6	6	15	12	15
47	Respiratory system	W	363	269	23	71	1		1		2	1		3	1	13	35	90	94	122
		C	20	13	1	6								1			2	3	6	8
48	Uterus	W	771	542	72	157							1			26	119	190	208	227
		C	77	43	7	27										11	19	24	11	12
49	Other female genital organs	W	192	149	15	28								1		4	34	55	49	49
		C	3	1		2							1				1	1		
50	Breast	W	810	597	62	151										14	93	210	214	279
		C	23	9	4	10										2	7	5	4	5
51	Male genitourinary organs	W	666	450	44	172	1	1	1	1	1	1		3	3	12	25	35	156	426
		C	22	12		10						1					2	3	6	10
52	Skin	W	152	83	14	55									1	2	6	12	25	106
		C	1	1																1
53	Other or unspecified organs	W	607	425	50	132		2	1	1		7	5	17	14	29	61	100	131	239
		C	31	20	2	9					1				1	2	3	6	8	10
54a	Nonmalignant tumors, ovary	W	11	10		1											3	2	1	5
		C	2	1		1									1		1			
54b	Nonmalignant tumors, uterus	W	113	86	13	14								1		14	38	43	12	5
		C	12	10		2										7	1		2	2
54d, e	Nonmalignant tumors, other organs	W	87	69	5	13	1	1		1		2	2	7	3	8	14	16	18	14
		C	5	5				1					1				1	1	1	
55a	Tumors, ovary (nature unspecified)	W	1	1												1				
55b	Tumors, uterus (nature unspecified)	W	1			1										1				
55d, e	Tumors, other organs (nature unspecified)	W	62	43	5	14	1				2	1		1	2	7	16	10	9	13
		C	7	4	1	2									1	1	1	3	1	
	III.—Rheumatic diseases, nutritional disease, diseases of the endocrine glands, and other general diseases	White	1,711	1,196	154	361	42	6	2	5	5	11	15	13	24	42	89	213	384	860
		Colored	127	85	7	35	19	4	1		1	2	3	1	4	6	16	21	22	27
56	Acute rheumatic fever	W	54	35	8	11				1	1	6	6	3	6	5	6	8	4	8
		C	8	5		3						1			1	1	2			3
57	Chronic rheumatism, osteoarthritis	W	86	54	9	23							1		1	1	1	6	15	61
		C	1			1											1			
59	Diabetes mellitus	W	1,268	891	111	266	2	2		2	2	5	5	4	11	20	48	144	302	721
		C	78	56	3	19							1	1	2	3	10	18	21	22
62	Pellagra	W	34	19	2	13										2	6	10	8	8
		C	4	3		1										1	1	1	1	
63	Rickets	W	2			2	1						1							
		C	4	3		1	1	1			1		1							
64	Osteomalacia	W	1		1									1						
65	Diseases of pituitary body	W	8	4	1	3								2		1	2	1	1	1
66a	Simple goiter	W	13	8		5									1	1	2	2	2	5
		C	1	1																1
66b	Exophthalmic goiter	W	143	112	13	18								2	3	7	19	31	39	42
		C	4	2	2										1	1	1	1		
(66)	Other diseases of thyroid and parathyroid glands	W	23	18	4	1	3	2		1			1			1	1	2	6	6
		C	4	3		1	2										1			1
67	Diseases of thymus gland	W	46	32	3	11	34	2	2	1	2		1		1	2		1		
		C	21	12	2	7	15	3	1			1	1							
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	22	16	1	5									1	2	3	7	5	4
		C	1			1												1		
69	Other general diseases	W	11	7	1	3	2							1			1	1	2	4
		C	1			1	1													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																			
	IV.—Diseases of the blood and blood-making organs	White	507	358	45	104	17	2	6	6	2	10	14	10	19	20	53	74	99	175
		Colored	35	22	1	12	5	3	1	1		3	2	3		5	2	2	6	2
70	Hemorrhagic conditions	W	17	14	1	2	4					1	3		2		1	1	2	3
		C	8	6		2	2						1	2		2				1
71a	Pernicious anemia	W	176	117	14	45	1		1					2	1	1	7	18	43	102
		C	6	3		3											2	1	3	
71b	Other anemias	W	17	8	4	5	4			1							2	1	3	6
		C	3	3			2	1												
72a	True leukemias	W	201	147	19	35	8	2	4	5	1	9	9	7	11	11	22	29	35	48
		C	12	6	1	5	1	2	1			2	1			1		1	2	1
72b	Pseudoleukemias (Hodgkins' disease)	W	68	49	6	13							2		4	5	16	20	9	12
		C	3	1		2				1		1		1						
73	Diseases of spleen	W	23	18	1	4			1		1			1	1	2	5	5	5	2
		C	1	1															1	
74	Other diseases of blood and blood-making organs	W	5	5												1			2	2
		C	2	2												2				
	V.—Chronic poisonings and intoxications	White	151	87	13	51								1		19	39	41	25	26
		Colored	21	12	2	7									1	6	8	4	1	1
75	Alcoholism (acute or chronic)	W	146	83	13	50								1		19	38	39	25	24
		C	20	12	2	6									1	6	8	3	1	1
76	Chronic poisoning by other organic substances	W	2	2														1		1
		C	1			1												1		
77a	Chronic lead poisoning	W	2	2														1		1
77b, c	Other chronic poisoning by mineral substances	W	1			1											1			
	VI.—Diseases of the nervous system and of the organs of special sense	White	5,961	3,658	549	1,754	53	15	8	2	14	41	41	27	37	115	281	630	1,091	3,606
		Colored	384	198	40	146	31	11	1	2		7	8	3	8	18	48	61	67	118
78	Encephalitis (nonepidemic)	W	41	28	3	10	1	1					3	2	3	4	6	5	8	8
		C	13	8	1	4	2	1		1		1	1	2		3	1	1		
79a	Simple meningitis	W	71	51	5	15	7	3	2		1	5	8	3	3	9	8	13	4	5
		C	18	11	3	4	8	2				2			1		1	4		
79b	Nonepidemic cerebrospinal meningitis	W	5	3		2		1			1		1				1	1		
80	Progressive locomotor ataxia (tabes dorsalis)	W	81	57	2	22											3	17	38	23
		C	1	1													1			
81	Other diseases of spinal cord	W	180	136	9	35					1		2	2	3	6	13	31	43	79
		C	5	3	1	1						1						2		2
82a	Cerebral hemorrhage	W	4,157	2,583	433	1,141					1	1	2	3	3	29	115	358	764	2,881
		C	214	117	29	68						1	1		2	5	20	34	54	96
82b	Cerebral embolism and thrombosis	W	420	316	47	57	2				1		1	1	5	6	15	28	77	284
		C	21	14	3	4		1								1	3	5	2	9
82c	Softening of brain	W	61	42	2	17											2	3	4	52
		C	3	3															1	2
82d	Hemiplegia and other paralysis, cause unspecified	W	138	81	10	47	1					1					4	5	27	100
		C	9	6	1	2							1			1		3	1	3
83	General paralysis of insane	W	280	38	4	238							2	1	1	16	64	103	55	38
		C	40	2		38										2	20	9	6	3
84	Dementia praecox and other psychoses	W	56	11	3	42									3	10	10	15	9	9
		C	5			5									1	1	2			1
85	Epilepsy	W	68	27	4	37	1		1	1		4	4	2	5	19	6	7	11	7
		C	7		1	6	1			1			2		2	1				
86	Convulsions (under 5 years of age)	W	5	4	1		3	2												
		C	1	1					1											
87	Other diseases of nervous system	W	198	111	14	73	4				3	3	3	2	4	8	21	18	26	106
		C	5	3		2										1		2	1	1
88	Diseases of organs of vision	W	2	1		1										1				1
89a	Diseases of ear	W	117	101	6	10	28	5	2		3	17	7	5	3	4	9	9	16	9
		C	33	23	1	9	19	6				1	2	1	1	1			1	1
89b	Diseases of mastoid process	W	81	68	6	7	6	3	3	1	3	10	8	6	4	3	4	17	9	4
		C	9	6		3	1	1				1	1		1	2		1	1	
	VII.—Diseases of the circulatory system	White	18,263	11,598	1,657	5,008	3	5	1	4	9	17	31	49	62	250	731	1,963	3,612	11,526
		Colored	928	488	101	339		2	1	1		7	10	8	14	45	84	143	210	403
90	Pericarditis	W	39	29	1	9								1		4		11	6	17
		C	3	2		1						1					2			
91a	Acute endocarditis	W	156	113	13	30		1		3	1	5	9	7	17	31	30	17	18	17
		C	17	12		5							2	2	2	3	4	1		3
91b	Endocarditis, unspecified (under 45 years)	W	9	7	1	1							2		2	2	3			
		C	2	1		1							1				1			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	2,488	1,503	245	740					5	8	11	26	27	91	192	317	458	1,353
		C	172	88	21	63		2				4	5	2	4	14	21	25	44	51
92b	Endocarditis, unspecified (45 years and over)	W	155	111	15	29												29	34	92
		C	8	2	1	5												3	3	2
93a	Acute myocarditis	W	187	110	29	48	1								2	6	16	33	39	90
		C	24	9	3	12				1			2		3	1	1	4	6	6
93b	Myocarditis, unspecified (under 45 years)	W	38	32	2	4				1			3	1	1	7	25			
		C	7	4	1	2										2	5			
93c	Chronic myocarditis and myocardial degeneration	W	7,076	4,270	647	2,159					1	1	3	3	6	42	208	627	1,267	4,918
		C	337	155	34	148								1	4	12	25	48	69	178
93d	Other diseases of myocardium	W	1,442	962	147	333								1	1	2	1	121	279	1,037
		C	73	41	11	21										2	1	11	23	36
94a	Angina pectoris	W	1,008	618	121	269										3	37	115	291	562
		C	21	9	5	7										1	4	7	5	4
94b	Diseases of coronary arteries	W	2,113	1,569	170	374									2	21	114	373	570	1,033
		C	70	35	15	20									1	5	4	17	21	22
95a	Functional diseases of heart	W	25	17	5	3								1				4	5	15
		C	2	1	1											1		1		
95b	Other and unspecified diseases of heart	W	1,788	1,221	118	449	2	3	1		1	2	2	4	6	26	66	184	390	1,101
		C	103	70	4	29			1			2		3		4	9	15	21	48

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
96	Aneurysm (except of heart)	W 265	192	21	52								2		2	17	58	85	101
		C 22	20		2											4	6	9	3
97	Arteriosclerosis (coronary arteries excepted)	W 1,318	748	102	468											11	44	150	1,113
		C 63	35	5	23											2	5	7	49
98	Gangrene	W 24	12		12		1								1		5	1	16
		C 1	1																1
99	Other diseases of the arteries	W 78	48	13	17								1		8	6	13	7	43
		C 2	2															2	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 21	14	3	4										2	2	9	5	3
101	Diseases of lymphatic system (lymphangitis, etc.)	W 7	5	1	1						1	1			2	2	1		
102	Idiopathic anomalies of blood-pressure	W 19	13	2	4											1	2	5	11
103	Other diseases of circulatory system	W 7	4	1	2					1								2	4
		C 1	1													1			
	VIII.—Diseases of the respiratory system	White 3,725	2,451	308	966	381	77	37	18	17	44	38	48	80	207	348	476	555	1,398
		Colored 888	476	101	311	302	81	25	16	6	19	8	14	27	44	78	82	82	104
104a	Diseases of nasal fossae	W 6	5		1	1							3		1				1
104b	Diseases of nasal fossae and annexa	W 47	38	2	7				1		2	4	4	4	4	11	8	7	2
		C 2	2												1		1		
105	Diseases of larynx	W 15	10		5	3	3	2	1	1	1	2			1		1		
		C 4	3		1				1		1						1	1	
106a	Acute bronchitis	W 39	30	3	6	8	3			1	1			1	1			2	22
		C 9	4		5	2		1								1		2	3
106b	Chronic bronchitis	W 80	53	8	19						1	1	1	1	4	3	8	13	48
		C 11	4	1	6		1						1				3	1	5
106c,d	Bronchitis, unspecified	W 18	12	3	3						1					1		1	15
		C 4	3		1	1										1		2	
107a	Bronchopneumonia	W 1,544	967	126	451	291	50	19	10	9	15	12	10	17	56	99	121	164	671
		C 445	236	40	169	231	55	14	10	3	7	2	5	6	8	17	19	33	35
107b	Capillary bronchitis	W 26	26			3	1	1								1	4	4	12
		C 14	11	3		5	1	1							1	1	2		3
108	Lobar pneumonia	W 1,517	996	136	385	55	16	10	5	5	15	15	25	43	107	191	264	296	470
		C 315	161	50	104	50	12	7	4	1	8	4	6	19	28	49	47	32	48
109	Pneumonia, unspecified	W 32	10	4	18	5		2		1	1				1	1	6	3	12
		C 17	3	4	10	10	2		1		1	1			1				1
110	Pleurisy	W 162	127	9	26	11	3	2			7	3	4	9	17	22	30	23	31
		C 34	25	3	6	1	8	2		1	1	1	1	1	1	6	2	6	3
111a	Pulmonary embolism and thrombosis	W 21	15		6										4	1	3	8	5
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 75	51	9	15	1		1								2	3	3	65
		C 7	5		2		1			1	1				1	1			2
112	Asthma	W 63	42	6	15		1		1					3	3	6	13	13	23
		C 10	8		2		1								1	1	1	2	4
113	Pulmonary emphysema	W 13	10	1	2										3	1	1	2	6
		C 3	2		1	1											1	1	
114	Other diseases of respiratory system (tuberculosis excepted)	W 67	59	1	7	3						1	1	2	5	9	14	16	15
		C 13	9		4	1							1	1	2	1	5	2	
	IX.—Diseases of the digestive system	White 3,609	2,483	357	769	205	49	37	32	15	87	37	57	106	238	443	662	685	956
		Colored 676	309	98	269	293	48	27	11	4	27	9	10	9	36	55	54	43	50
115a	Diseases of pharynx, tonsils	W 194	129	23	42	2	5	5	4	1	21	7	7	17	34	24	20	20	27
		C 24	15	4	5		2	1	1	1	7	1			3	3	1	1	3
115b	Diseases of buccal cavity and annexa	W 29	20	3	6		1							3	4	5	8	1	7
		C 3	2		1	1									1				1
116	Diseases of esophagus	W 12	9		3									1			1	3	7
		C 1	1																1
117a	Ulcer of stomach	W 284	202	22	60								1		14	39	74	65	91
		C 25	17	1	7								1		3	5	9	5	2
117b	Ulcer of duodenum	W 183	144	14	25	1						1		1	10	42	50	40	38
		C 4	2	1	1											1	1	1	1
118	Other diseases of stomach (cancer excepted)	W 58	30	3	25	3	2	1					1	2	1	3	7	10	28
		C 18	5	6	7	10								1	1	1	2	1	2
119	Diarrhea, enteritis (under 2 years of age)	W 206	93	30	83	174	32												
		C 314	90	59	165	271	43												
120	Diarrhea, enteritis (2 years and over)	W 144	78	17	49			12	10	5	10	1	1	5	9	9	20	14	48
		C 57	27	5	25			20	8	2	10	2		1	2	2	2	3	5
121	Appendicitis	W 709	499	90	120		4	12	12	8	44	27	41	49	89	115	128	102	78
		C 66	40	6	20			2	1		8	4	5	3	14	10	13	2	4
122a	Hernia	W 219	167	14	38	2	1							2	4	23	26	56	105
		C 20	12	3	5	1								2	3	1	3	6	4
122b	Intestinal obstruction	W 364	259	39	66	18		5	5	1	4	1	4	14	25	47	54	61	125
		C 41	30	5	6	9		1	1		2	1	1	1	2	7	4	6	6
123	Other diseases of intestines	W 74	53	5	16	1	1				1			1	1	12	15	20	22
		C 9	4	4	1		1								1	1	3	3	
124	Cirrhosis of liver	W 679	455	58	166		1				1		2	3	17	72	175	181	227
		C 46	31	2	13								1		1	11	8	9	16
125a	Yellow atrophy of liver	W 19	13		6									2	2	4	4	4	3
		C 2	2												1		1		
125b	Other diseases of liver	W 35	25	5	5						1			1	7	7	8	4	7
		C 9	7		2								1		2	4	2		
126	Biliary calculi	W 173	136	17	20										9	15	26	51	72
		C 10	7	1	2										1	3	3	2	1
127	Other diseases of gall-bladder, biliary passages	W 141	105	13	23									1	7	16	27	34	56
		C 11	6		5			1						1		2	1	3	3
128	Diseases of pancreas	W 34	25	1	8										3	6	7	11	7
		C 6	4		2	1										3	1	1	
129	Peritonitis, cause not specified	W 52	41	3	8	4	2	2	1		5			4	2	4	12	8	8
		C 10	7	1	2		2	3				1	1		1	1			1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	X.—Diseases of the genito-urinary system White	5,091	3,431	466	1,194	15	2	3	2	1	12	19	24	53	151	290	507	939	3,071
	X.—Diseases of the genito-urinary system Colored	347	212	29	106	4	2	4	1		5	3	6	1	24	41	59	69	128
130	Acute nephritis (including unspecified under 10 years) W	85	53	10	22	3		2	1		5	4	5	8	11	13	10	5	18
	Acute nephritis (including unspecified under 10 years) C	21	14	2	5	1	1	3	1		4		3		3	2	2	1	
131	Chronic nephritis W	3,984	2,611	377	996						3	10	15	26	75	200	394	776	2,484
	Chronic nephritis C	265	158	24	83						1	3	2		18	25	46	59	111
132	Nephritis, unspecified (10 years and over) W	161	110	17	34							2		2	8	15	18	31	85
	Nephritis, unspecified (10 years and over) C	8	5	1	2								1		1	1	1	1	3
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	159	118	9	32	10	2	1	1	1	3	2		2	10	13	27	29	58
	Other diseases of kidneys, ureters (puerperal diseases excepted) C	14	9		5	3		1								4	4	2	
134	Calculi of urinary passages W	58	50	2	6									1	6	7	11	8	25
	Calculi of urinary passages C	1	1				1												
135	Diseases of bladder (tumors excepted) W	31	24	1	6									1	1	2	4	6	17
	Diseases of bladder (tumors excepted) C	4	3		1											1		1	2
136	Diseases of urethra, urinary abscess, etc W	25	19	2	4										1		5	6	13
	Diseases of urethra, urinary abscess, etc C	1			1											1			
137	Diseases of prostate W	441	328	31	82									1		4	11	69	355
	Diseases of prostate C	19	12		7												2	5	12
138	Diseases of male genital organs, not specified as venereal W	4	1	2	1	2												1	1
139a	Cysts of ovary W	37	31	5	1							1		1	7	9	11		8
	Cysts of ovary C	2	1	1												2			
139b	Other diseases of ovaries, diseases of tubes, parametrium W	83	68	7	8						1		4	8	29	24	11	5	1
	Other diseases of ovaries, diseases of tubes, parametrium C	12	9	1	2									1	2	5	4		
139c	Diseases of uterus W	21	17	2	2									3	3	3	4	3	5
139e	Other diseases of female genital organs W	2	1	1													1		1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state White	265	175	37	53							1	28	59	109	64	4		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state Colored	83	44	6	33								6	18	38	20	1		
140	Abortion with septic conditions W	50	29	6	15								7	10	20	12	1		
	Abortion with septic conditions C	17	12	1	4								1	5	8	3			
141	Abortion without mention of septic conditions (includes hemorrhages) W	12	6	1	5								3	2	3	4			
	Abortion without mention of septic conditions (includes hemorrhages) C	1	1												1				
142a	Ectopic gestation, septic conditions specified W	2			2										1	1			
142b	Ectopic gestation, septic conditions not mentioned W	17	11	5	1									3	8	6			
	Ectopic gestation, septic conditions not mentioned C	4	1		3									1	2	1			
144a	Placenta praevia W	8	6	1	1									1	3	4			
	Placenta praevia C	4	3		1										3	1			
144b	Other puerperal hemorrhages W	26	20	1	5								3	3	11	9			
	Other puerperal hemorrhages C	9	3	3	3									1	5	3			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) W	44	31	6	7								5	12	18	7	2		
	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) C	17	10	1	6								2	5	7	3			
146	Puerperal albuminuria and eclampsia W	38	26	6	6							1	4	11	15	7			
	Puerperal albuminuria and eclampsia C	12	2	1	9								1	3	3	5			
147	Other toxemias of pregnancy W	16	10	4	2								4	4	5	3			
	Other toxemias of pregnancy C	4	3		1								1		1	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) W	9	4	1	4								1	2	3	2	1		
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) C	2	1		1										1	1			
149	Other accidents of childbirth W	40	30	5	5								1	11	21	7			
	Other accidents of childbirth C	13	8		5								1	3	7	1	1		
150	Other and unspecified conditions of puerperal state W	3	2	1											1	2			
	XII.—Diseases of the skin and cellular tissue White	90	64	11	15	5		1	1		3	2	7	3	10	10	16	5	27
	XII.—Diseases of the skin and cellular tissue Colored	12	11		1	2							1	2	2	1	1		3
151	Furuncle, carbuncle W	33	26	5	2						2	1	6	1	6	2	4	2	9
	Furuncle, carbuncle C	3	2		1								1				1		
152	Phlegmon, acute abscess W	38	29	3	6			1	1		1	1	1	2	4	7	9	3	8
	Phlegmon, acute abscess C	3	3											1	2				
153	Other diseases of skin and annexa, and of cellular tissue W	19	9	3	7	5										1	3		10
	Other diseases of skin and annexa, and of cellular tissue C	6	6			2										1			3
	XIII.—Diseases of the bones and organs of locomotion White	64	37	5	22	1	1	1	1		5	7	8	2	2	3	10	10	13
	XIII.—Diseases of the bones and organs of locomotion Colored	8	6	1	1						2	1		1			2	1	1
154	Osteomyelitis W	36	24	2	10		1	1			5	5	6	2	2	1	4	5	4
	Osteomyelitis C	5	3	1	1						2			1			1	1	
155	Other diseases of bones (tuberculosis excepted) W	12	6	1	5	1						1	1				3	1	5
156	Diseases of joints, other organs of locomotion W	16	7	2	7				1			1	1			2	3	4	4
	Diseases of joints, other organs of locomotion C	3	3									1					1		1
	XIV.—Congenital malformations White	389	259	46	84	321	14	6	6	3	9	5	4	4	9	4	3	1	
	XIV.—Congenital malformations Colored	78	43	5	30	61	2	4	2		3	2	3			1			
157a	Congenital hydrocephalus W	43	29	4	10	29	4	3	2		3		1	1					
	Congenital hydrocephalus C	10	1		9	5		3			1		1						
157b	Spina bifida and meningocele W	22	16	2	4	20	1		1										
	Spina bifida and meningocele C	4	2	1	1	4													
157c	Congenital malformations of heart W	223	147	28	48	188	7	2	2	2	3	5	2	2	7	1	2		
	Congenital malformations of heart C	39	24	4	11	32	1		1		1	1	2			1			
157d	Other congenital malformations W	101	67	12	22	84	2	1	1	1	3		1	1	2	3	1	1	
	Other congenital malformations C	25	16		9	20	1	1	1		1	1							

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	XV.—Diseases of early infancy—White	1,351	896	169	286	1,351													
	XV.—Diseases of early infancy—Colored	416	199	61	156	416													
158	Congenital debility—W	58	25	6	27	58													
	Congenital debility—C	57	12	10	35	57													
159	Premature birth—W	917	620	111	186	917													
	Premature birth—C	254	135	34	85	254													
160	Injury at birth—W	232	158	31	43	232													
	Injury at birth—C	52	27	9	16	52													
161	Other diseases peculiar to early infancy—W	144	93	21	30	144													
	Other diseases peculiar to early infancy—C	53	25	8	20	53													
162	XVI.—Senility—White	190	101	21	68													1	189
	XVI.—Senility—Colored	18	1	7	10														18
	XVII.—Violent and accidental deaths—White	6,658	3,899	706	2,053	48	44	42	36	27	132	129	280	469	934	1,045	1,112	929	1,428
	XVII.—Violent and accidental deaths—Colored	777	386	85	306	33	21	9	21	8	33	26	43	60	172	123	118	68	42
	Suicide—W	1,663	1,116	123	424							1	34	73	252	336	374	329	264
	Suicide—C	82	45	9	28							1	4	6	21	14	20	12	4
163	By solid or liquid poisons or by absorption of corrosive substances—W	347	268	21	58								9	27	73	77	71	55	35
	By solid or liquid poisons or by absorption of corrosive substances—C	14	11	2	1								1	1	6	2	4		
164	By poisonous gas—W	188	117	10	61									2	30	46	48	44	18
	By poisonous gas—C	1	1														1		
165	By hanging or strangulation—W	185	111	13	61							1	2	5	23	32	43	44	35
	By hanging or strangulation—C	24	10	4	10									1	6	4	5	6	2
166	By drowning—W	70	45	9	16									4	4	11	17	21	13
	By drowning—C	2	1		1											1		1	
167	By firearms—W	686	439	61	186								17	26	96	130	161	125	131
	By firearms—C	29	16	2	11							1	3	3	6	6	5	4	1
168	By cutting or piercing instruments—W	84	52	7	25									1	7	17	17	24	18
	By cutting or piercing instruments—C	6	3		3										2		4		
169	By jumping from high places—W	80	73		7								5	7	14	18	14	11	11
	By jumping from high places—C	2	2														1	1	
170	By crushing—W	15	7	2	6								1		5	3	2	2	2
	By crushing—C	3		1	2									1	1				1
171	By other means—W	8	4		4									1		2	1	3	1
	By other means—C	1	1													1			
	Homicide—W	332	201	27	104	6		1			5	4	12	32	86	62	62	35	26
	Homicide—C	134	80	8	46		1	1			1	1	7	17	42	30	23	6	5
173	By firearms—W	211	131	17	63			1			1	1	10	21	61	39	40	25	12
	By firearms—C	79	46	4	29		1	1				1	6	7	25	22	8	3	5
174	By cutting or piercing instruments—W	43	26	4	13	1					2			4	11	11	12	1	1
	By cutting or piercing instruments—C	31	18	3	10						1			9	10	4	5	2	
175	By other means—W	78	44	6	28	5					2	3	2	7	14	12	10	9	13
	By other means—C	24	16	1	7								1	1	7	4	10	1	
	Accidental, other, or undefined—W	4,663	2,582	556	1,525	42	44	41	36	27	127	124	234	364	596	647	676	565	1,138
	Accidental, other, or undefined—C	561	261	68	232	33	20	8	21	8	32	24	32	37	109	79	75	50	33
176	Attack by venomous animals—W	6	1	3	2					1						1		1	3
177	Poisoning by food—W	20	7	5	8		1		1		1	2	1	2	2	2	2	3	3
	Poisoning by food—C	4	2		2	1					1			1				1	
178	Absorption of poisonous gas—W	64	43	8	13			1				2	1	2	6	16	17	7	12
	Absorption of poisonous gas—C	7	6		1							1			4	1		1	
	Supplemental—W	4	1	2	1										1	2		1	
179	Other acute accidental poisonings (gas excepted)—W	77	48	5	24		8	3	2		2	1	1	3	6	10	17	13	11
	Other acute accidental poisonings (gas excepted)—C	10	7	1	2		1		1		1			1	2	1	2	1	
180	Conflagration—W	83	42	7	34	1			1	1	2		1	3	20	20	12	12	10
	Conflagration—C	26	17	2	7	3	1	2	1	2	1			2	9	3	1		1
181	Burns (conflagration excepted)—W	180	120	29	31	6	7	4	7	7	12	3	6	11	18	19	23	14	43
	Burns (conflagration excepted)—C	34	21	3	10	1	4	1	8	3	2	2		2	3	4	1	2	1
	Supplemental—W	77	22	9	46		2	1	1	1	2	3	7	12	21	15	9	3	
	Supplemental—C	9	2	3	4	1						1	1	1	2	1	1		1
182	Mechanical suffocation—W	19	8	3	8	11						2			1	1	1		3
	Mechanical suffocation—C	7	3	2	2	6			1										
	Supplemental—W	6		1	5								1				4	1	
183	Drowning—W	226	71	20	135		11	9	1	4	17	20	22	11	27	25	29	30	18
	Drowning—C	46	5	7	34		6	2			6	5	10	3	5	6		2	1
	Supplemental—W	73	24	2	47						1	1	5	7	15	18	13	7	6
	Supplemental—C	3	1		2						1			1		1			
	Traumatism:																		
184	By firearms (wounds of war excepted)—W	108	44	16	48		1		1		6	11	12	16	19	18	15	6	3
	By firearms (wounds of war excepted)—C	12	4	1	7						2	3			4	1	1	1	
185	By cutting or piercing instruments (wounds of war excepted)—W	20	13	3	4						1	2		2	1	3	4	4	3
	By cutting or piercing instruments (wounds of war excepted)—C	7	4	1	2		2		1	1						1	2		
	Supplemental—W	6	3		3									2	1	1	1	1	
	Supplemental—C	1	1											1					
186a	By fall—W	861	607	82	172	2	1	3	3		13	2	12	14	26	52	61	73	599
	By fall—C	32	25	1	6	2	1				2	2		2	1	3	5	3	11
	Supplemental—W	136	65	23	48				1	1	2	4	9	18	26	13	18	24	20
	Supplemental—C	21	8	3	10				1	1	4	1	2	1	7	1	1	1	1
186b	By crushing, landslide—W	40	11	6	23									4	7	9	11	7	2
	By crushing, landslide—C	3	1	1	1											2			1
	Supplemental—W	540	234	79	227		4	3	3	3	15	14	23	48	79	102	99	77	70
	Supplemental—C	79	33	8	38		2	1	3		3	3	2	4	16	16	21	6	2
187	Cataclysm—W	94	78		16		2	1	1	1		3	12		16	27	12	8	11
	Cataclysm—C	5	5										1		3		1		
188	Injuries by animals—W	14	6		8						2		1			1	1	5	4
	Injuries by animals—C	2		1	1										1	1			
189	Hunger and thirst—W	1			1											1			
190	Excessive cold—W	4		2	2								1	1			1		
191	Excessive heat—W	52	8	13	31	3	1	1					1	2	4	9	19	5	7
	Excessive heat—C	27	2	4	21	10	1	1			3		1			3	4	1	3
192	Lightning—W	1			1									1					
193	Due to electric currents—W	25	10	3	12					1		1	2	6	3	6	5		1
	Supplemental—W	5		3	2										1	2	2		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
194a	Foreign bodies W	29	21	3	5	7	4	5	1			1				2	4	1	4
	Foreign bodies C	6	5		1	2	1		1						1	1			
194b	Other accidents W	148	79	9	60	10		1	3		5	6	8	9	17	32	24	17	16
	Other accidents C	18	10		8	6			1				1	1	3	1	2	3	
	Supplemental W	1,736	1,016	220	500	2	2	9	10	7	46	46	108	189	275	237	271	245	289
	Supplemental C	200	99	30	71	1	1	1	3	1	6	6	14	17	47	31	33	28	11
198	Legal executions W	8			8									1	3	3	1		
	Legal executions C	2			2										1	1			
	XVIII.—Ill-defined causes of death White	88	50	6	32	10	2	1		1		1	1	3	3	10	17	20	16
	XVIII.—Ill-defined causes of death Colored	21	7	2	12	3		4	1				1	1	2	2	5	2	
200a	Cause of death ill-defined W	36	13	2	21	3	1					1		2		2	5	9	13
	Cause of death ill-defined C	7	1	2	4	2		2	1							1		1	
200b	Cause of death not specified or unknown W	52	37	4	11	7	1	1		1			1	1	3	8	12	11	3
	Cause of death not specified or unknown C	14	6		8	1		2						1	2	1	5	1	
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries W	27	3	4	20									1	7	4	10	3	2
	Accidents in mines and quarries C	2			2											2			
202	Accidents from agricultural machinery W	10	1	4	5							2	2			1	3	1	1
	Accidents from agricultural machinery C	3		1	2		1				1							1	
203	Elevator accidents W	11	8	1	2							2				2	1	3	3
204	Accidents from machinery used for recreation W	2	2											1	1				
205	Other machinery accidents W	50	20	6	24									7	13	11	14	4	1
	Other machinery accidents C	2	2						1								1		
206	Railroad and automobile collisions W	91	40	12	39			1			1	3	4	5	20	17	20	15	5
	Railroad and automobile collisions C	13	4	4	5									1	4	3	3	1	1
207	Other railroad accidents W	114	49	16	49				1		1	2	6	3	16	18	22	24	21
	Other railroad accidents C	28	10	2	16								4	3	9	7	2		3
208	Street car and automobile collisions W	46	36	4	6							1	4	5	5	12	7	7	5
	Street car and automobile collisions C	9	6	2	1							1			4	2		1	1
209	Other street car accidents W	35	28	4	3		1				1				1	3	6	9	14
	Other street car accidents C	9	8		1										2		3	3	1
210	Automobile accidents (primary) W	1,992	1,101	254	637	2	6	12	14	9	60	57	121	220	292	293	310	279	317
	Automobile accidents (primary) C	241	111	35	95	2	2	2	6	2	12	10	15	20	51	35	47	28	9
211	Motorcycle accidents W	29	13	6	10								7	10	4	2	3	1	2
	Motorcycle accidents C	1			1													1	
212	Other land transportation accidents W	47	21	12	14					2	1		3	5	11	2	6	8	9
	Other land transportation accidents C	1	1												1				
213	Water transportation accidents W	59	32	2	25						1		3	3	17	13	12	5	5
	Water transportation accidents C	3	1		2						1			1		1			
214	Air transportation accidents W	70	11	14	45		1			1	1	1	3	16	32	12	3		
	Air transportation accidents C	1	1												1				
	COLORADO																		
	Total deaths (all causes)	11,961	5,708	1,461	4,792	1,183	193	87	51	43	189	175	229	327	775	1,035	1,248	1,689	4,717
	I.—Infectious and parasitic diseases	1,614	685	185	744	139	49	26	15	10	43	25	52	95	280	296	177	170	237
1	Typhoid fever	51	12	17	22		2	3		1	3	5	11	4	10	6	2	3	1
2	Paratyphoid fever	2	2											1		1			
6	Smallpox	6	4		2						2		1		1	1		1	
7	Measles	1	1			1													
8	Scarlet fever	26	9	2	15	1	1	3		2	12	4		1	1	1			
9	Whooping-cough	44	10	8	26	26	11	3	1	2									1
10	Diphtheria	18	9	5	4	1	1	2	3	2	6		2		1				
11a	Influenza, respiratory complications specified	228	93	28	107	49	18	7	2		3	3	3	5	8	20	13	29	68
11b	Influenza, respiratory complications not specified	152	69	18	65	30	6	3	5	1	3	5	6	1	8	13	9	11	51
13	Dysentery	12	2	4	6	4	1	1	1										5
15	Erysipelas	28	12	2	14	5									1	2	3	6	11
16	Acute poliomyelitis, acute polioencephalitis	4	1		3	1		1	1						1				
17	Lethargic or epidemic encephalitis	18	6	1	11	1						2	1	2		3	1	5	3
18	Epidemic cerebrospinal meningitis	23	10	5	8	1	2	1	1	1	5		2				2	3	5
22	Tetanus	2	2						1							1			
	Tuberculosis (all forms)	897	389	80	428	4	4	1			9	4	23	78	239	236	129	93	77
23	Respiratory system	836	359	68	409	1	1	1			6	4	21	70	229	223	123	84	73
24	Meninges and central nervous system	18	11	3	4	2	2				2		1	2	2	5		2	
25	Intestines and peritoneum	8	2	3	3									2	2	1	1	1	1
26	Vertebral column	6	2		4											3		2	1
27a	Bones (vertebral column excepted)	1		1											1				
27b	Joints	2	1		1											1		1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1				1												
30	Genitourinary system	10	4	1	5									2	1	2	3	1	1
31	Other organs	1			1										1				
32a	Acute disseminated tuberculosis	11	7	3	1	1					1			2	2	1	1	2	1
32b, c	Other disseminated tuberculosis	3	2	1									1		1		1		
34	Syphilis	70	41	9	20	14	1			1			2	1	2	7	16	14	12
35	Gonococcus infection and other venereal diseases	11	6	1	4	1						1		2	6	1			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
36	Purulent infection, septicemia (non-puerperal)	12	4	2	6		1	1				1	1		1	2	2	1	2
38	Malaria	2	2												1			1	
39	Other diseases due to protozoal parasites	1			1											1			
44	Other infectious and parasitic diseases	6	1	3	2		1									1		3	1
	II.—Cancers and other tumors	1,149	639	149	361				1		4	2	5	8	34	98	185	240	570
	Cancer and other malignant tumors	1,091	605	140	346						3	2	5	4	28	79	169	238	562
(45)	Buccal cavity	27	15	2	10						1				2		2	3	19
(45)	Pharynx	5	3		2													2	3
(46)	Esophagus	11	9	1	1												3	2	5
(46)	Stomach and duodenum	229	116	38	75										2	12	25	47	143
(46)	Liver and biliary passages	96	41	11	44										3	7	10	24	52
(46)	Pancreas	25	17	2	6								1				3	4	16
(46)	Other digestive tract and peritoneum	168	99	23	46						1		1		3	11	21	40	91
47	Respiratory system	41	23	4	14										2	4	4	15	16
48	Uterus	120	69	12	39									1	8	19	30	29	33
49	Other female genital organs	32	23	2	7								1	1	1	3	11	7	8
50	Breast	100	58	11	31										2	9	25	26	38
51	Male genitourinary organs	121	68	21	32								1		2	6	8	20	84
52	Skin	27	9	4	14													5	22
53	Other or unspecified organs	89	55	9	25						1	2	1	2	3	7	27	14	32
54a	Nonmalignant tumors, ovary	4	2	1	1											1	3		
54b	Nonmalignant tumors, uterus	26	15	3	8										5	12	7		1
54c	Nonmalignant tumors, other female genital organs	1	1													1			
54d, e	Nonmalignant tumors, other organs	12	8	2	2				1					2	1	2	1	2	3
55a	Tumors, ovary (nature unspecified)	1	1																1
55d, e	Tumors, other organs (nature unspecified)	14	7	3	4						1			2		3	5		3
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	248	127	38	83	9	5		2	1	4	6	3	7	12	27	33	44	95
56	Acute rheumatic fever	23	14	4	5				1		3	2		5	2	2		3	5
57	Chronic rheumatism, osteoarthritis	14	4	1	9											1	1	3	9
59	Diabetes mellitus	138	72	21	45							3	1	2	6	9	22	28	67
62	Pellagra	1			1											1			
63	Rickets	3	1	1	1	1	2												
65	Diseases of pituitary body	1			1											1			
66a	Simple goiter	3	1	1	1											1		2	
66b	Exophthalmic goiter	38	20	6	12								2		1	8	10	6	11
(66)	Other diseases of thyroid and parathyroid glands	1	1																1
67	Diseases of thymus gland	16	7	3	6	7	3		1	1	1	1				2			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	9	6	1	2										1	4		2	2
69	Other general diseases	1	1			1													
	IV.—Diseases of the blood and blood-making organs	107	65	18	24	6	1	2		1	4	3		2	5	12	15	24	32
70	Hemorrhagic conditions	13	5	4	4	4					3	2				1		1	2
71a	Pernicious anemia	43	26	6	11									1	1	4	8	10	19
71b	Other anemias	6	4	1	1												1	3	2
72a	True leukemias	22	16	3	3	1		1		1					1	4	3	4	7
72b	Pseudoleukemias (Hodgkin's disease)	17	12	2	3	1		1			1			1	3	2	1	6	1
73	Diseases of the spleen	6	2	2	2		1					1				1	2		1
	V.—Chronic poisonings and intoxications	31	20	5	6									1	4	9	7	5	5
75	Alcoholism (acute or chronic)	30	19	5	6									1	4	9	7	5	4
77a	Chronic lead poisoning	1	1																1
	VI.—Diseases of the nervous system and of the organs of special sense	1,057	491	132	434	16	5	6		1	9	10	12	8	18	47	80	213	631
78	Encephalitis (nonepidemic)	12	7	2	3	1	1				1	1			3	2	1	1	1
79a	Simple meningitis	22	14	3	5	5	1	2			1	1	3	3		2	1		3
79b	Nonepidemic cerebrospinal meningitis	2			2	1						1							
80	Progressive locomotor ataxia (tabes dorsalis)	7	3	1	3												3	3	1
81	Other diseases of spinal cord	29	13	2	14					1	1	1	2			2	1	8	13
82a	Cerebral hemorrhage	772	361	105	306		1				1		2		5	17	56	157	532
82b	Cerebral embolism and thrombosis	57	28	6	23								1	2	3	2	3	14	32
82c	Softening of brain	4	2		2														4
82d	Hemiplegia and other paralysis, cause unspecified	30	15	2	13	1					1						1	7	20
83	General paralysis of insane	35	7	2	26										4	11	9	7	4
84	Dementia praecox and other psychoses	8	3	2	3												2	3	3
85	Epilepsy	21	5	1	15		1				1	3	1	1	1	5	1	4	3
86	Convulsions (under 5 years of age)	2	1		1	1		1											
87	Other diseases of nervous system	30	12	4	14	2		2				1	1	1	2	3	1	6	11
88	Diseases of organs of vision	1		1														1	
89a	Diseases of ear	19	15	1	3	4	1	1			2	1	2	1		3	1		3
89b	Diseases of mastoid process	6	5		1	1					1	1						2	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	VII.—Diseases of the circulatory system	2,491	1,242	284	965	6	1	1	1	4	17	24	24	23	67	96	261	421	1,538
90	Pericarditis	9	6	2	1							1	1		2		1	3	1
91a	Acute endocarditis	35	21	3	11	2	1	1		1	1	5	2	4	5	3	4	2	4
91b	Endocarditis, unspecified (under 45 years)	20	10	1	9				1	1	3	5	4	2	2	2			
92a	Endocarditis, specified as chronic, and other valvular diseases	413	166	54	193					2	6	6	10	10	30	28	65	57	198
92b	Endocarditis, unspecified (45 years and over)	37	11	8	18												6	5	26
93a	Acute myocarditis	35	19	3	13									1	3	3	4	8	15
93b	Myocarditis, unspecified (under 45 years)	12	3	1	8	1						2	2	1	3	3			
93c	Chronic myocarditis and myocardial degeneration	607	329	59	219						1	2	1	1	7	22	47	117	407
93d	Other diseases of myocardium	306	153	44	109											1	22	55	226
94a	Angina pectoris	178	79	23	76								2		2	8	27	37	101
94b	Diseases of coronary arteries	235	150	21	64										4	7	35	61	128
95a	Functional diseases of heart	8	5		3										1		2		5
95b	Other and unspecified diseases of heart	239	99	44	96						5	3	2	4	3	9	26	38	149
96	Aneurysm (except of heart)	23	15	1	7										1	3	3	4	12
97	Arteriosclerosis (coronary arteries excepted)	282	150	17	115										1	1	11	24	245
98	Gangrene	11	8	1	2											1		1	9
99	Other diseases of arteries	21	7	1	13										1	1	6	4	9
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	9	5	1	3										1	3		3	2
101	Diseases of lymphatic system (lymphangitis, etc.)	5	4		1	2					1					1	1		
102	Idiopathic anomalies of blood-pressure	4	2		2										1		1	1	1
103	Other diseases of circulatory system	2			2	1												1	
	VIII.—Diseases of the respiratory system	1,191	581	121	489	225	46	11	10	7	16	14	15	23	62	77	118	131	435
104a	Diseases of nasal fossae	1			1														1
104b	Diseases of nasal fossae and annexae	12	4	3	5	1						1			1	4	1	3	1
105	Diseases of larynx	9	2	3	4	3	1	1	1						1	1			1
106a	Acute bronchitis	5	2	1	2			1	1								1	1	1
106b	Chronic bronchitis	15	5		10							1		1	2			3	8
106c,d	Bronchitis, unspecified	14	2	2	10	8		2										2	2
107a	Bronchopneumonia	445	195	44	206	154	25	4	5	1	4	5	6	5	10	13	24	26	163
107b	Capillary bronchitis	3			3	1	1		1										
108	Lobar pneumonia	517	294	45	178	45	16	3	2		11	6	9	13	42	51	64	67	187
109	Pneumonia, unspecified	38	11	5	22	10	1			2	1			1	1		4	3	15
110	Pleurisy	32	19	4	9	2	2			3		1		1	1	6	7	4	5
111a	Pulmonary embolism and thrombosis	6	4		2												2	3	1
111b	Pulmonary congestion, edema, hemorrhagic infarct	33	16	1	16									1				4	28
112	Asthma	33	21	3	9					1				1	3	2	6	5	15
114	Other diseases of respiratory system (tuberculosis excepted)	28	6	10	12	1									1		9	10	7
	IX.—Diseases of the digestive system	1,010	455	168	387	172	54	21	12	10	40	37	25	29	68	97	107	132	203
115a	Diseases of pharynx and tonsils	52	26	10	16	4	2	2	3	1	10	3	3	3	3	5	6	3	4
115b	Diseases of buccal cavity and annexa	8	5	1	2			1							1	1	2	2	1
116	Diseases of esophagus	5	5													2	2	1	
117a	Ulcer of stomach	55	33	8	14										3	9	12	15	16
117b	Ulcer of duodenum	29	19	3	7										3	5	6	8	5
118	Other diseases of stomach (cancer excepted)	34	8	4	22	3	2			1		1			1	2	4	7	13
119	Diarrhea, enteritis (under 2 years of age)	189	48	40	101	146	43												
120	Diarrhea, enteritis (2 years and over)	57	20	7	30			13	7	4	3	1		1	1	1	4	7	14
121	Appendicitis	242	118	49	75	1	4	5	2	4	21	29	16	19	31	31	30	21	28
122a	Hernia	40	18	7	15	1							1	2	3	4	7	6	16
122b	Intestinal obstruction	111	64	9	38	16	2				1	1	3	2	14	12	10	18	32
123	Other diseases of intestines	13	6		7						1			1				3	8
124	Cirrhosis of liver	42	19	7	16						1	1			3	3	6	9	19
125a	Yellow atrophy of liver	1			1											1			
125b	Other diseases of liver	9	4	3	2										1	3	1	2	2
126	Biliary calculi	48	29	7	12										1	11	10	9	17
127	Other diseases of gall-bladder, biliary passages	50	23	9	18								1	1	2	4	2	17	23
128	Diseases of pancreas	7	3	1	3												3	2	2
129	Peritonitis, cause not specified	18	7	3	8	1	1				3	1	1		1	3	2	2	3
	X.—Diseases of the genitourinary system	895	480	106	309	1	1	1	1	3	10	6	10	22	26	49	83	144	538
130	Acute nephritis (including unspecified under 10 years)	52	30	6	16	1	1	1	1	3	8	1	1	2		2	7	4	20
131	Chronic nephritis	571	278	69	224						2	2	7	11	11	34	56	92	356
132	Nephritis, unspecified (10 years and over)	93	41	12	40							1	2	1	3	3	8	18	57
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	23	19	1	3							1		1	1	2	5	3	10
134	Calculi of urinary passages	5	4		1												1	1	3
135	Diseases of bladder (tumors excepted)	8	6		2										1	1			6
136	Diseases of urethra, urinary abscess, etc.	3	2	1															3
137	Diseases of prostate	102	72	12	18												2	20	80
139a	Cysts of ovary	6	1	3	2									1	2				3
139b	Other diseases of ovaries, diseases of tubes and parametrium	25	21	2	2							1		5	6	7	2	4	
139c	Diseases of uterus	7	6		1									1	2		2	2	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	107	53	18	36								10	17	46	30	3		
140	Abortion with septic conditions	25	20		5								2	3	13	6	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	5	3		2								1		2	2			
142a	Ectopic gestation, septic conditions specified	1		1											1				
142b	Ectopic gestation, septic conditions not mentioned	6		3	3								1	2	3				
144a	Placenta praevia	3	1	1	1										2	1			
144b	Other puerperal hemorrhages	10	5	2	3									1	2	6	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	24	10	5	9								3	4	9	7			
146	Puerperal albuminuria and eclampsia	15	5	4	6								2	3	6	4			
147	Other toxemias of pregnancy	4	3		1									2	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	5	1	1	3										4	1			
149	Other accidents of childbirth	9	5	1	3								1	2	3	2	1		
	XII.—Diseases of the skin and cellular tissue	23	14	3	6	7					1	1	2		1	2	1	3	5
151	Furuncle, carbuncle	2			2													1	1
152	Phlegmon, acute abscess	11	7	1	3	2					1	1	2			2		1	2
153	Other diseases of skin and annexa, and of cellular tissue	10	7	2	1	5									1		1	1	2
	XIII.—Diseases of the bones and organs of locomotion	11	8	1	2						2	1			4	1	2	1	
154	Osteomyelitis	7	6	1							2				3		1	1	
155	Other diseases of bones (tuberculosis excepted)	1			1										1				
156	Diseases of joints, other organs of locomotion	3	2		1							1				1	1		
	XIV.—Congenital malformations	102	36	15	51	96				1	2		2					1	
157a	Congenital hydrocephalus	8	4	1	3	6					1							1	
157b	Spina bifida and meningocele	12	2	4	6	12													
157c	Congenital malformations of heart	62	22	6	34	58				1	1		2						
157d	Other congenital malformations	20	8	4	8	20													
	XV.—Diseases of early infancy	470	181	68	221	470													
158	Congenital debility	38	13	6	19	38													
159	Premature birth	278	111	38	129	278													
160	Injury at birth	85	27	21	37	85													
161	Other diseases peculiar to early infancy	69	30	3	36	69													
162	**XVI.—Senility**	116	48	9	59														116
	XVII.—Violent and accidental deaths	1,272	553	135	584	18	27	18	9	5	36	45	69	92	146	191	168	151	292
	Suicide	261	146	18	97								4	17	30	54	60	52	43
163	By solid or liquid poisons or by absorption of corrosive substances	52	36	2	14								1	6	5	15	9	15	1
164	By poisonous gas	20	10		10								1	2	1	6	5	3	2
165	By hanging or strangulation	41	22	3	16									2	5	8	12	6	7
166	By drowning	8	6		2										1		1	5	1
167	By firearms	126	65	10	51								2	7	16	23	28	21	29
168	By cutting or piercing instruments	8	4	2	2										1	2	3	1	1
169	By jumping from high places	3	2	1													1		2
171	By other means	3	1		2										1		1	1	
	Homicide	81	32	7	42		1		1				4	12	18	18	8	8	10
173	By firearms	49	22	5	22								3	8	12	13	4	3	6
174	By cutting or piercing instruments	10	5	1	4									2	2	3	3		
175	By other means	22	5	1	16		1		1				1	2	4	2	1	5	4
	Accidental, other, or undefined	930	375	110	445	18	26	18	8	5	36	45	61	63	98	119	100	91	239
176	Attack by venomous animals	1		1						1									
177	Poisoning by food	12	3	1	8			2			1	1				3	1		4
178	Absorption of poisonous gas	13	8	1	4										2	3	4	1	3
	Supplemental	10			10						2				3	4		1	
179	Other acute accidental poisonings (gas excepted)	28	14	3	11	2	5	1		1	1			2	5	5	1	3	2
180	Conflagration	12	3	2	7	2	1				1		1		1	2		2	2
181	Burns (conflagration excepted)	43	19	6	18	2		2	1	1	5	4	2	4	7	4	8	1	2
	Supplemental	1			1		1												
182	Mechanical suffocation	11	3		8	7	1								1		1		1
	Supplemental	3			3									1		1	1		
183	Drowning	65	6	3	56		8	4	1	1	8	7	9	2	5	8	2	3	7
	Supplemental	9		1	8						2	2		2	2	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	26	8	4	14							4	3	5	3	2	3	3	3
185	By cutting or piercing instruments (wounds of war excepted)	7	2	3	2							1		1		1		1	3
	Supplemental	3	1		2											1			
186a	By fall	178	106	19	53		3		2			7	2	4	3	5	8	9	16	121
	Supplemental	37	9	5	23							1	1	4	7	5	5	3	10
186b	By crushing, landslide	12	1	1	10								2	3	1	1	3	2	
	Supplemental	75	18	8	49			2	1		1		5	9	12	14	13	11	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																	
	XVII.—Violent and accidental deaths—Continued.																	
	Accidental, other or undefined—Contd.																	
187	Cataclysm	4			4							1	1		1		1	
188	Injuries by animals	11	3	2	6			1			1					1	2	1	5
189	Hunger and thirst	2	1		1			1									1		
190	Excessive cold	2	1		1										1				1
191	Excessive heat	2	1	1															2
192	Lightning	5			5								2	1		1	1		
193	Due to electric currents	9	3		6							1			3	2	2		1
	Supplemental	1			1										1				
194a	Foreign bodies	7	3	3	1	3	2	2											
194b	Other accidents	45	21	4	20	1	1		1		2	4	2	2	5	9	5	4	9
	Supplemental	294	141	40	113	1	4	3	2	1	12	12	27	22	33	43	37	39	56
198	Legal executions	2		2										2					
	XVIII.—Ill-defined causes of death	67	30	6	31	18	4	1			1	1			2	3	8	9	20
199	Sudden death	3			3													1	2
200a	Cause of death ill-defined	19	2	3	14		3								1	1	4	2	8
200b	Cause of death not specified or unknown	45	28	3	14	18	1	1			1	1			1	2	4	6	10
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	37		2	35								1	3	10	13	6	4	
202	Accidents from agricultural machinery	1			1									1					
203	Elevator accidents	1	1																1
205	Other machinery accidents	8	4	1	3			1					1	1	1		2	1	1
206	Railroad and automobile collisions	16	5	3	8			1		1		1		2	1	7		2	1
207	Other railroad accidents	26	10	4	12		1	1				1	1	3	1	2	6	5	4
208	Street car and automobile collisions	3	2		1							1		1				1	
209	Other street car accidents	6	6															3	3
210	Automobile accidents (primary)	298	135	39	124	1	4	2	3		17	10	32	22	38	41	37	33	56
211	Motorcycle accidents	4	2		2									1				2	1
212	Other land transportation accidents	26	3	4	19							2		2	3	5	5	3	6
213	Water transportation accidents	2		1	1									2					
214	Air transportation accidents	5	1		4										4	1			
	CONNECTICUT																		
	Total deaths (all causes)	17,444	12,263	473	4,708	1,087	137	74	64	42	187	185	247	302	727	1,322	2,181	3,186	7,700
	I.—Infectious and parasitic diseases	1,397	914	25	458	64	40	18	16	8	37	32	75	107	193	215	236	169	186
1	Typhoid fever	7	6		1				1			1				1	2	1	1
2	Paratyphoid fever	1	1															1	
5	Undulant fever	1			1													1	
7	Measles	10	8		2	3	1		2		4								
8	Scarlet fever	25	20		5	1	2	4		1	7	2	4	1	2		1		
9	Whooping-cough	28	19		9	17	4	2	4		1								
10	Diphtheria	18	15	1	2		4	3	1	1	3	2	1			2			1
11a	Influenza, respiratory complications specified	213	144	7	62	12	8	3	1		5	8	7	9	14	31	21	29	65
11b	Influenza, respiratory complications not specified	58	42	2	14	2	4	1	4		1	3	3	2	3	5	3	8	19
13	Dysentery	4	4			2				1								1	
15	Erysipelas	32	23		9	4	2	1					1	1	1	3	5	9	5
16	Acute poliomyelitis, acute polioencephalitis	3	2		1								2		1				
17	Lethargic or epidemic encephalitis	20	15	1	4		1				2	1	2	1	1	3	6		3
18	Epidemic cerebrospinal meningitis	9	8	1		4					1		1		1		1	1	
22	Tetanus	7	6		1					2	1				3				1
	Tuberculosis (all forms)	815	491	9	315	7	12	3	2	2	10	13	50	86	155	143	163	100	68
23	Respiratory system	729	420	9	300		5	1		1	2	8	43	78	147	132	153	94	64
24	Meninges and central nervous system	29	27		2	7	6	1	2	1	3	2	1	2	1	1	1	1	
25	Intestines and peritoneum	12	9		3						4		2		3	3			
26	Vertebral column	14	11		3						1	1	1	1		3	4	1	2
27a	Bones (vertebral column excepted)	2	2									1						1	
27b	Joints	7	7										1		1	2		1	2
30	Genitourinary system	6	3		3										2		3	1	
32a	Acute disseminated tuberculosis	14	11		3		1	1				1	1	5	1	1	2	1	
32b, c	Other disseminated tuberculosis	2	1		1								1			1			
34	Syphilis	109	83	3	23	7	1		1		1		2	4	7	23	31	12	20
35	Gonococcus infection and other venereal diseases	9	8		1	1							1	2	4		1		
36	Purulent infection, septicemia (non-puerperal)	19	13	1	5	3	1					2	1		1	4		4	3
38	Malaria	1			1													1	
43	Mycoses	3	3											1			2		
44	Other infectious and parasitic diseases	5	3		2	1		1		1	1							1	
	II.—Cancers and other tumors	2,213	1,612	66	535	2	1	2	2	1	3	5	8	8	37	181	364	603	996
	Cancer and other malignant tumors	2,139	1,548	64	527	2	1	2	2	1	2	2	5	7	34	161	344	586	990
(45)	Buccal cavity	61	53		8											2	7	20	32
(45)	Pharynx	9	6	1	2												2	2	5
(46)	Esophagus	36	27	1	8												6	13	17
(46)	Stomach and duodenum	406	268	14	124									1	2	28	43	120	212
(46)	Liver and biliary passages	161	107	4	50					1					2	9	28	46	75
(46)	Pancreas	84	66	1	17										2	3	10	27	42

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued.																		
(46)	Other digestive tract and peritoneum	364	275	10	79	1								1	5	22	57	81	197
47	Respiratory system	90	63	2	25								1	2	2	7	25	22	31
48	Uterus	217	155	9	53									1	5	34	48	69	60
49	Other female genital organs	72	60	2	10								1		3	8	17	21	22
50	Breast	243	185	3	55										5	34	51	74	79
51	Male genitourinary organs	186	136	5	45			2	1						2	5	13	41	122
52	Skin	36	20	5	11										1	1	5	7	22
53	Other or unspecified organs	174	127	7	40	1	1		1		2	2	3	2	5	8	32	43	74
54a	Nonmalignant tumors, ovary	3	1	1	1										1			1	1
54b	Nonmalignant tumors, uterus	23	22		1										1	9	10	2	1
54d,e	Nonmalignant tumors, other organs	21	18		3							1	2	1	1	2	6	7	1
55d,e	Tumors, other organs (nature unspecified)	27	23	1	3						1	2	1			9	4	7	3
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	556	407	15	134	13	3		3	1	7	9	6	7	6	19	66	131	285
56	Acute rheumatic fever	20	14	2	4				1		3	1	2	3	1	2		2	5
57	Chronic rheumatism, osteoarthritis	25	12	2	11											1	1	6	17
58	Gout	1	1														1		
59	Diabetes mellitus	451	341	8	102						3	8	3	4	2	10	54	115	252
62	Pellagra	6	4	1	1											1	3	1	1
63	Rickets	2	1		1						1								
65	Diseases of pituitary body	2	2			1									1				
66a	Simple goiter	4	4														1	1	2
66b	Exophthalmic goiter	17	12		5								1			2	4	6	4
(66)	Other diseases of thyroid and parathyroid glands	7	5		2	1									1	1	1		3
67	Diseases of thymus gland	15	7	2	6	11	3			1									
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	5	3		2										1	2	1		1
69	Other general diseases	1	1						1										
	IV.—Diseases of the blood and blood-making organs	137	107	2	28	8	3	1			3	3	4	2	13	17	22	29	32
70	Hemorrhagic conditions	5	5			3									1	1			
71a	Pernicious anemia	47	35		12	1					1		3		2	4	6	12	18
71b	Other anemias	8	8			3	3						1					1	
72a	True leukemias	38	28	1	9			1			2	2		2	3	6	6	9	7
72b	Pseudoleukemias (Hodgkin's disease)	30	22	1	7							1			6	4	9	5	5
73	Diseases of the spleen	5	5			1									1	1		1	1
74	Other diseases of blood and blood-making organs	4	4													1	1	1	1
	V.—Chronic poisonings and intoxications	46	34	1	11										5	13	15	9	4
75	Alcoholism (acute or chronic)	45	33	1	11										5	13	15	9	3
77b,c	Other chronic poisoning by mineral substances	1	1																1
	VI.—Diseases of the nervous system and of the organs of special sense	1,701	1,147	43	511	17	8	2	4	3	16	17	12	10	23	85	190	381	933
78	Encephalitis (nonepidemic)	8	7	1			2					1		1	1	1	1	1	
79a	Simple meningitis	25	21		4	6	2	1	2	1	2	3	2		1	2	2	1	
79b	Nonepidemic cerebrospinal meningitis	2	1		1	1						1							
80	Progressive locomotor ataxia (tabes dorsalis)	16	13		3												4	5	7
81	Other diseases of spinal cord	45	36		9						1	1		1	1	2	12	11	16
82a	Cerebral hemorrhage	1,298	858	38	402	1								2	5	41	129	302	818
82b	Cerebral embolism and thrombosis	96	71	1	24			1			1				1	4	4	31	54
82c	Softening of brain	6	2	2	2													1	5
82d	Hemiplegia and other paralysis, cause unspecified	13	7		6											1	1		11
83	General paralysis of insane	50	29		21								1	1	4	15	15	11	3
84	Dementia praecox and other psychoses	8	6		2											2	4	2	
85	Epilepsy	41	23	1	17						3	2	4	1	8	9	10	3	1
86	Convulsions (under 5 years of age)	7	6		1	5	1		1										
87	Other diseases of nervous system	40	24		16	1	2			1		1		1	1	4	5	11	13
88	Diseases of organs of vision	1			1														1
89a	Diseases of ear	26	24		2	3	1				5	4	3	1	1	2	3	1	2
89b	Diseases of mastoid process	19	19						1	1	4	4	2	2		2		1	2
	VII.—Diseases of the circulatory system	5,097	3,407	153	1,537	3	4		2	2	9	26	31	22	90	223	542	983	3,160
90	Pericarditis	10	6		4		1					1		1			3	1	3
91a	Acute endocarditis	42	29		13	1	1		1		2	1	5		7	6	11	3	4
91b	Endocarditis, unspecified (under 45 years)	3	3										1	1	1				
92a	Endocarditis, specified as chronic, and other valvular diseases	660	385	22	253					2	2	12	13	10	32	41	68	121	359
92b	Endocarditis, unspecified (45 years and over)	74	43	5	26												10	18	46
93a	Acute myocarditis	123	64	3	56							1			7	7	15	27	66
93b	Myocarditis, unspecified (under 45 years)	20	14		6							2	3		3	12			
93c	Chronic myocarditis and myocardial degeneration	1,513	931	57	525							1	1	5	11	44	128	254	1,069

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
93d	Other diseases of myocardium	722	511	28	183									1	3	4	53	134	527
94a	Angina pectoris	217	119	7	91										2	12	26	51	126
94b	Diseases of coronary arteries	591	437	12	142							1	2		7	52	99	146	284
95a	Functional diseases of heart	5	4		1	1											1	1	2
95b	Other and unspecified diseases of heart	766	629	6	131	1	1		1		5	7	5	3	12	40	104	177	410
96	Aneurysm (except of heart)	34	29		5								1		3	2	11	5	12
97	Arteriosclerosis (coronary arteries excepted)	266	160	13	93											1	7	29	229
98	Gangrene	7	6		1														7
99	Other diseases of arteries	20	17		3										1	1	2	5	11
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	18	15		3									1		1	2	10	4
101	Diseases of lymphatic system (lymphangitis, etc.)	2	1		1		1										1		
103	Other diseases of circulatory system	4	4												1		1	1	1
	VIII.—Diseases of the respiratory system	1,274	957	38	279	129	49	16	10	7	22	17	21	24	68	131	142	178	460
104a	Diseases of nasal fossae	2	1		1		1				1								
104b	Diseases of nasal fossae and annexa	7	7				1		1				1	1		2			1
105	Diseases of larynx	3	3				2	1											
106a	Acute bronchitis	25	12	2	11	5	2	1	1	1	1	1			1		1	2	9
106b	Chronic bronchitis	23	9	1	13										1		5	2	15
106c, d	Bronchitis, unspecified	14	9	1	4	4										1	3		6
107a	Bronchopneumonia	391	299	10	82	77	25	10	3	4	10	4	6	5	10	15	22	34	166
107b	Capillary bronchitis	3	2		1	2													1
108	Lobar pneumonia	700	539	21	140	39	16	3	3		9	10	12	16	51	98	101	122	220
109	Pneumonia, unspecified	8	8							1						1	1	2	3
110	Pleurisy	35	24	1	10		1	1	2	1	1	1	1	1	2	5	3	8	8
111a	Pulmonary embolism and thrombosis	13	10	1	2	1						1				3		1	7
111b	Pulmonary congestion, edema, hemorrhagic infarct	15	10		5		1												14
112	Asthma	16	10		6										3	2	4	2	5
113	Pulmonary emphysema	1	1			1													
114	Other diseases of respiratory system (tuberculosis excepted)	18	13	1	4								1	1		4	2	5	5
	IX.—Diseases of the digestive system	960	775	25	160	89	11	11	8	6	25	19	17	18	48	114	174	169	251
115a	Diseases of pharynx and tonsils	39	29	1	9	1	2	1			5			1	4	6	4	8	7
115b	Diseases of buccal cavity and annexa	10	9		1				1		1	2	1	1	1		2		1
116	Diseases of esophagus	1	1														1		
117a	Ulcer of stomach	50	43	2	5										1	10	18	10	11
117b	Ulcer of duodenum	39	35	1	3									1	1	7	9	10	11
118	Other diseases of stomach (cancer excepted)	19	11	1	7						2					1	5	6	5
119	Diarrhea, enteritis (under 2 years of age)	87	68	1	18	81	6												
120	Diarrhea, enteritis (2 years and over)	26	20		6			1	3	1	2		2	1	3	3	2	1	7
121	Appendicitis	191	155	5	31	1	1	7	3	3	10	16	13	7	14	34	33	19	30
122a	Hernia	73	62	1	10			1							2	7	11	18	34
122b	Intestinal obstruction	67	55	2	10	3		1	1	1	3		1	3	6	6	5	11	26
123	Other diseases of intestines	18	15	2	1										1	2	7	5	3
124	Cirrhosis of liver	145	107	3	35									1		10	39	32	63
125a	Yellow atrophy of liver	4	3		1											1	1	1	1
125b	Other diseases of liver	9	9													3	4	2	
126	Biliary calculi	102	88	2	12									1	4	14	20	31	32
127	Other diseases of gall-bladder, biliary passages	42	35	1	6						1			1	5	6	6	9	14
128	Diseases of pancreas	17	13	2	2										2	1	6	5	3
129	Peritonitis, cause not specified	21	17	1	3	3	2			1	1	1		1	4	3	1	1	3
	X.—Diseases of the genitourinary system	1,621	1,120	33	468	2	1	1	4	1	1	6	4	11	56	99	179	307	949
130	Acute nephritis (including unspecified under 10 years)	36	31	1	4	1		1		1		3	1	1	7	7	5	6	3
131	Chronic nephritis	1,362	919	24	419				4		1	3	1	9	35	64	153	264	828
132	Nephritis, unspecified (10 years and over)	36	24	3	9								2		1	7	3	5	18
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	27	21	1	5	1	1								2	2	4	10	7
134	Calculi of urinary passages	24	15		9										1	6	7	4	6
135	Diseases of bladder (tumors excepted)	5	2		3										1		1		3
136	Diseases of urethra, urinary abscess, etc	8	7		1										1	1	1	3	2
137	Diseases of prostate	88	71	3	14													11	77
139a	Cysts of ovary	9	8		1											5		1	3
139b	Other diseases of ovaries, diseases of tubes and parametrium	10	9		1										6	3	1		
139c	Diseases of uterus	16	13	1	2									1	2	4	4	3	2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	113	98	3	12								5	18	49	40	1		
140	Abortion with septic conditions	24	23		1								1	7	10	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	7	5		2								1		2	4			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	9	8		1									1	4	4			
143	Other accidents of pregnancy (hemorrhage not included)	2	1	1										1		1			
144a	Placenta praevia	3	3													2	1		
144b	Other puerperal hemorrhages	9	9												5	4			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Con.																		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	21	18	2	1									4	11	6			
146	Puerperal albuminuria and eclampsia	11	8		3								1	2	1	7			
147	Other toxemias of pregnancy	4	4												3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	5		1									1	5				
149	Other accidents of childbirth	16	13		3								2	2	7	5			
	XII.—Diseases of the skin and cellular tissues	23	20	1	2	5						1	1	1	1	3	3	2	6
151	Furuncle, carbuncle	4	4														1	1	2
152	Phlegmon, acute abscess	9	8	1		1						1		1		2	1	1	2
153	Other diseases of skin and annexa, and of cellular tissue	10	8		2	4							1		1	1	1		2
	XIII.—Diseases of the bones and organs of locomotion	24	19	1	4	1		1			3	3	2		2	3	1	2	6
154	Osteomyelitis	14	12	1	1	1		1			2	2	2		1	1	1	1	2
155	Other diseases of bones (tuberculosis excepted)	5	4		1							1				1		1	2
156	Diseases of joints, other organs of locomotion	5	3		2						1				1	1			2
	XIV.—Congenital malformations	186	154	9	23	160	7	3	1	1	5	3	2		4				
157a	Congenital hydrocephalus	38	34	1	3	31	3	2			2								
157b	Spina bifida and meningocele	22	21		1	21	1												
157c	Congenital malformations of heart	63	45	6	12	51	3	1	1	1	2	1	2		1				
157d	Other congenital malformations	63	54	2	7	57					1	2			3				
	XV.—Diseases of early infancy	565	459	11	95	565													
158	Congenital debility	28	14	1	13	28													
159	Premature birth	298	238	6	54	298													
160	Injury at birth	172	149	3	20	172													
161	Other diseases peculiar to early infancy	67	58	1	8	67													
162	**XVI.—Senility**	60	28	3	29														60
	XVII.—Violent and accidental deaths	1,431	979	44	408	19	10	19	14	12	56	42	59	74	129	174	241	216	364
	Suicide	277	184	3	90							1	2	10	36	48	75	62	43
163	By solid or liquid poisons or by absorption of corrosive substances	35	29		6								1		7	7	12	5	3
164	By poisonous gas	76	57		19								1	3	10	11	22	19	10
165	By hanging or strangulation	73	46	2	25							1		1	6	12	18	19	16
166	By drowning	13	6		7									2		2	2	3	4
167	By firearms	56	31	1	24									4	10	11	17	7	7
168	By cutting or piercing instruments	10	5		5										1	3	1	2	3
169	By jumping from high places	12	10		2										2	2	3	5	
171	By other means	2			2													2	
	Homicide	30	19		11	4					1	1	1	1	7	10	2	3	
173	By firearms	12	6		6						1	1			3	5		2	
174	By cutting or piercing instruments	4	1		3										2		2		
175	By other means	14	12		2	4							1	1	2	5		1	
	Accidental, other, or undefined	1,124	776	41	307	15	10	19	14	12	55	40	56	63	86	116	164	151	321
176	Attack by venomous animals	1	1									1							
177	Poisoning by food	4	3		1						1				1	1	1		
178	Absorption of poisonous gas	34	22	1	11									2	2	6	7	7	10
179	Other acute accidental poisonings (gas excepted)	11	11								1		1			3	2	2	2
180	Conflagration	12	8		4	1		1								2	2	5	1
181	Burns (conflagration excepted)	47	37	1	9	1	2	5	1	2	4				2	7	6	4	13
	Supplemental	2	2								1			1					
182	Mechanical suffocation	5	2		3	4	1												
183	Drowning	90	44	2	44		2	4	3	3	11	12	12	7	6	10	3	9	7
	Supplemental	13	4	2	7			1				1	3	2	1	1	3	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	9	6	1	2						1	2	2		1	2			1
185	By cutting or piercing instruments (wounds of war excepted)	6	6						1		1				1	1	1	1	
186a	By fall	289	221	12	56	2	1	2			3	1			14	12	35	38	181
	Supplemental	35	21	2	12			1		1	1		3	3	5	3	4	9	5
186b	By crushing, landslide	3	2		1									1			2		
	Supplemental	80	58		22		1		3	1	5	2	3	7	11	7	11	16	13
188	Injuries by animals	7	5		2											1	2	3	1
189	Hunger and thirst	1	1																1
190	Excessive cold	3	1		2									1		1			1
191	Excessive heat	4	4													1			3
192	Lightning	1			1												1		
193	Due to electric currents	9	6		3								2		2	2	1	1	1
194a	Foreign bodies	5	4		1	3											2		
194b	Other accidents	44	34		10	3	1	1			3	2	4	2		5	9	3	11
	Supplemental	409	273	20	116	1	2	4	6	5	23	19	26	37	40	51	72	52	70

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	XVIII.—Ill-defined causes of death	40	26		14	10						2			3	5	5	7	8
199	Sudden death	11	8		3										2	1	2	4	2
200a	Cause of death ill-defined	17	8		9	4						1			1	3	2	2	4
200b	Cause of death not specified or unknown	12	10		2	6						1				1	1	1	2
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	1			1										1				
202	Accidents from agricultural machinery	2	1		1							1							1
203	Elevator accidents	8	6	1	1					1							2	3	2
205	Other machinery accidents	7	3		4										1		3	2	1
206	Railroad and automobile collisions	10	4		6						2		1	1	3	1	1	1	
207	Other railroad accidents	18	15		3						1	1	2	3	1	1	4	3	2
208	Street car and automobile collisions	8	6		2								1	1	1	3	1	1	
209	Other street car accidents	7	6		1												2		5
210	Automobile accidents (primary)	452	304	23	125	1	3	5	9	6	26	17	27	40	49	55	72	65	76
211	Motorcycle accidents	4	1		3						1			2					1
212	Other land transportation accidents	7	4		3							2					3	2	
213	Water transportation accidents	11	4		7			1				1	3	2	1	1	2		
214	Air transportation accidents	4	4										1	1		1		1	
	DELAWARE																		
	Total deaths (all causes)	3,309	1,570	303	1,436	237	35	17	12	6	42	38	52	86	187	251	366	499	1,476
	I.—Infectious and parasitic diseases	308	110	29	169	19	9	1	4	2	6	6	13	29	49	44	44	34	48
1	Typhoid fever	9	3	3	3								2	3	4				
7	Measles	1			1	1													
8	Scarlet fever	2			2					1		1							
9	Whooping-cough	6		3	3	4			2										
10	Diphtheria	7	6		1		3		1		2			1					
11a	Influenza, respiratory complications specified	24	8	3	13	1	1		1		1			1	1	3	2	4	9
11b	Influenza, respiratory complications not specified	17	6	2	9		1				1		1		1	3	2	4	4
13	Dysentery	6	1		5	2	1												3
15	Erysipelas	6	3	1	2	2										1	1	2	
16	Acute poliomyelitis, acute polioencephalitis	1			1						1								
18	Epidemic cerebrospinal meningitis	3	3			1							1			1			
22	Tetanus	1	1			1													
	Tuberculosis (all forms)	180	50	16	114	1	2	1		1	1	4	8	22	38	23	34	18	27
23	Respiratory system	163	42	12	109	1		1			1	2	7	21	34	23	30	16	27
24	Meninges and central nervous system	6	4	2			2			1		1			1		1		
25	Intestines and peritoneum	5	2	1	2							1		1	2			1	
26	Vertebral column	2	1		1								1		1				
27b	Joints	2			2												1	1	
30	Genitourinary system	1	1														1		
32a	Acute disseminated tuberculosis	1		1													1		
34	Syphilis	39	24	1	14	6						1		1	5	11	5	5	5
35	Gonococcus infection and other venereal diseases	1	1										1						
36	Purulent infection, septicemia (nonpuerperal)	5	4		1		1							1		2		1	
	II.—Cancers and other tumors	313	163	26	124							1	2	2	7	29	55	76	141
	Cancer and other malignant tumors	299	152	24	123								2	2	4	24	54	74	139
(45)	Buccal cavity	7	4	2	1											1		2	4
(45)	Pharynx	3			3										1		2		
(46)	Esophagus	5	5														1	2	2
(46)	Stomach and duodenum	59	33	7	19										2	3	7	12	35
(46)	Liver and biliary passages	23	6	2	15												5	6	12
(46)	Pancreas	9	6		3												1	3	5
(46)	Other digestive tract and peritoneum	46	28	1	17									1	1	7	8	6	23
47	Respiratory system	8	6	1	1												3	5	
48	Uterus	44	26	4	14									1		8	12	13	10
49	Other female genital organs	6	3	1	2											1	2	1	2
50	Breast	25	8	1	16											3	6	7	9
51	Male genitourinary organs	32	18	3	11												3	5	24
52	Skin	10	5		5												3	3	4
53	Other or unspecified organs	22	4	2	16									2		1	1	9	9
54a	Nonmalignant tumors, ovary	1	1																1
54b	Nonmalignant tumors, uterus	5	5													3	1	1	
54d, e	Nonmalignant tumors, other organs	4	2	1	1													1	1
55a	Tumors, ovary (nature unspecified)	1	1												1				
55d, e	Tumors, other organs (nature unspecified)	3	2	1								1				2			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	103	72	6	25	3	1				3	2	3	1	5	2	15	19	49
56	Acute rheumatic fever	10	7	1	2						1	1	2		1		1	2	2
57	Chronic rheumatism, osteoarthritis	5	4		1												1		4
59	Diabetes mellitus	72	49	3	20		1				1	1		1	1		11	13	43
62	Pellagra	1		1											1				
63	Rickets	1			1	1													
66b	Exophthalmic goiter	11	9	1	1								1		2	2	2	4	
67	Diseases of thymus gland	3	3			2					1								

See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	IV.—Diseases of the blood and blood-making organs	22	12	1	9	1	1				2	3	1		5	1		1	7
70	Hemorrhagic conditions	1			1													1	
71a	Pernicious anemia	6	3		3								1						5
71b	Other anemias	2	1		1	1													1
72a	True leukemias	7	3	1	3		1				1	1			2	1			1
72b	Pseudoleukemias (Hodgkin's disease)	4	3		1							2			2				
73	Diseases of the spleen	1	1								1								
74	Other diseases of blood and blood-making organs	1	1												1				
	V.—Chronic poisonings and intoxications	14	12	1	1										1	5	7		1
75	Alcoholism (acute or chronic)	14	12	1	1										1	5	7		1
	VI.—Diseases of the nervous system and of the organs of special sense	349	179	21	149	8	3	4		1	5			2	5	19	26	60	215
78	Encephalitis (nonepidemic)	2	2													1			1
79a	Simple meningitis	8	7	1		2	1	2			1					1		1	
79b	Nonepidemic cerebrospinal meningitis	5	2		3	2	1				1				1				
81	Other diseases of spinal cord	2	2												1		1		
82a	Cerebral hemorrhage	290	143	18	129										3	13	20	52	201
82b	Cerebral embolism and thrombosis	10	5	1	4													2	8
82d	Hemiplegia and other paralysis, cause unspecified	4	2		2											1			3
83	General paralysis of insane	6	1		5											1	4	1	
85	Epilepsy	5	1		4									2		1		2	
86	Convulsions (under 5 years of age)	3	3			1	1			1									
87	Other diseases of nervous system	8	5	1	2			2			1					1	1	1	2
89a	Diseases of ear	4	4			3					1								
89b	Diseases of mastoid process	2	2								1							1	
	VII.—Diseases of the circulatory system	898	364	79	455	3					3	3	1	9	18	46	93	183	536
90	Pericarditis	3	2		1							1		1		1			
91a	Acute endocarditis	4	3		1									2		1		1	
91b	Endocarditis, unspecified (under 45 years)	4	3		1									1	2	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	171	57	16	98	1					2		1	2	9	11	24	34	86
92b	Endocarditis, unspecified (45 years and over)	26	16		10												1	4	21
93a	Acute myocarditis	13	4		9										1	1	2	4	5
93b	Myocarditis, unspecified (under 45 years)	3	2	1		1										2			
93c	Chronic myocarditis and myocardial degeneration	265	106	26	133						1	1			2	8	22	58	171
93d	Other diseases of myocardium	91	30	9	52											1	8	14	68
94a	Angina pectoris	49	9	8	32											6	10	14	19
94b	Diseases of coronary arteries	74	51	2	21							1			2	4	8	22	37
95a	Functional diseases of heart	2		1	1										1	1			
95b	Other and unspecified diseases of heart	128	62	12	54	1								3	1	7	17	29	70
96	Aneurysm (except of heart)	3	2		1											1			2
97	Arteriosclerosis (coronary arteries excepted)	53	13	3	37													3	50
98	Gangrene	2	1		1											1			1
99	Other diseases of arteries	5	2	1	2												1		4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1			1														1
103	Other diseases of circulatory system	1	1																1
	VIII.—Diseases of the respiratory system	260	146	17	97	37	12	4	2	1	3	3	6	7	26	22	26	21	89
104b	Diseases of nasal fossae and annexa	1	1									1							
106a	Acute bronchitis	5	2		3	2								1			1		1
106b	Chronic bronchitis	3	2		1														3
107a	Bronchopneumonia	90	43	8	39	23	8	2	2		1		1		7	4	5	4	33
108	Lobar pneumonia	144	86	9	49	12	4	2		1	2	2	5	6	18	16	17	16	42
109	Pneumonia, unspecified	1			1														1
110	Pleurisy	6	5		1										1		2		3
111a	Pulmonary embolism and thrombosis	2	1		1														2
111b	Pulmonary congestion, edema, hemorrhagic infarct	4	3		1											1		1	2
112	Asthma	2	1		1														2
114	Other disease of respiratory system (tuberculosis excepted)	2	2													1	1		
	IX.—Diseases of the digestive system	182	101	22	59	35	4	2	1		5	3	4	4	12	13	24	24	51
115a	Diseases of pharynx and tonsils	10	6	2	2	2					3	1				2	1		1
115b	Diseases of buccal cavity and annexa	1	1															1	
117a	Ulcer of stomach	6	3		3											2		2	2
117b	Ulcer of duodenum	4	3		1											1	1	1	1
118	Other diseases of stomach (cancer excepted)	4	2	1	1			1										1	2
119	Diarrhea, enteritis (under 2 years of age)	35	6	3	26	32	3												
120	Diarrhea, enteritis (2 years and over)	15	5	1	9			1	1		1				1				11
121	Appendicitis	26	20	6							1	2	3	3	3	3	4	4	3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
122a	Hernia	17	14		3										1	1	3	3	9
122b	Intestinal obstruction	16	9	2	5	1	1								1	1	1	4	7
123	Other diseases of intestines	1		1														1	
124	Cirrhosis of liver	17	9	2	6										2	1	6	1	7
125a	Yellow atrophy of liver	1			1									1					
125b	Other diseases of liver	1	1																1
126	Biliary calculi	12	9	3											1	1	2	3	5
127	Other diseases of gall-bladder, biliary passages	9	8		1										1	1	4	2	1
128	Diseases of pancreas	3	1	1	1												2		1
129	Peritonitis, cause not specified	4	4										1		2			1	
	X.—Diseases of the genitourinary system	412	188	45	179	2	1				1	6	1	1	9	21	37	54	279
130	Acute nephritis (including unspecified under 10 years)	22	9	4	9	2					1	1			2	4	1	3	8
131	Chronic nephritis	322	143	32	147							3	1	1	3	12	28	44	230
132	Nephritis, unspecified (10 years and over)	23	8	2	13							1			1	1	1	2	17
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	14	7	1	6		1					1				1	6	1	4
134	Calculi of urinary passages	1	1																1
135	Diseases of bladder (tumors excepted)	3	2		1											1		1	1
136	Diseases of urethra, urinary abscess, etc.	1	1															1	
137	Diseases of prostate	17	10	4	3													2	15
139a	Cysts of ovary	3	3													1			2
139b	Other diseases of ovaries, diseases of tubes and parametrium	3	3												2				1
139c	Diseases of uterus	3	1	2											1	1	1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	27	17	7	3								5	8	7	7			
140	Abortion with septic conditions	6	3	3									1	2	2	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	2	1		1										1	1			
142a	Ectopic gestation, septic conditions specified	1	1													1			
142b	Ectopic gestation, septic conditions not mentioned	1		1											1				
144a	Placenta praevia	1	1												1				
144b	Other puerperal hemorrhages	1	1											1					
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	6	5	1									3	2	1				
146	Puerperal albuminuria and eclampsia	5	3	1	1								1	2	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	1			1											1			
149	Other accidents of childbirth	3	2	1										1		2			
	XII.—Diseases of the skin and cellular tissue	2	1		1														2
151	Furuncle, carbuncle	2	1		1														2
	XIII.—Diseases of the bones and organs of locomotion	2	1	1												1			1
154	Osteomyelitis	1		1															1
156	Diseases of joints, other organs of locomotion	1	1													1			
	XIV.—Congenital malformations	20	6	2	12	15	1	1	1		2								
157a	Congenital hydrocephalus	2	1		1	1		1											
157b	Spina bifida and meningocele	1			1	1													
157c	Congenital malformations of heart	11	3	2	6	9			1		1								
157d	Other congenital malformations	6	2		4	4	1				1								
	XV.—Diseases of early infancy	109	61	17	31	109													
158	Congenital debility	12	6		6	12													
159	Premature birth	61	35	10	16	61													
160	Injury at birth	21	11	6	4	21													
161	Other diseases peculiar to early infancy	15	9	1	5	15													
162	**XVI.—Senility**	8	2	1	5														8
	XVII.—Violent and accidental deaths	274	134	27	113	4	1	5	4	2	12	11	16	23	43	40	38	26	49
	Suicide	26	15	2	9									2	6	3	7	2	6
163	By solid or liquid poisons or by absorption of corrosive substances	1	1															1	
164	By poisonous gas	10	7	1	2										3	2	2	1	2
165	By hanging or strangulation	4	3		1												2		2
166	By drowning	2	1		1												2		
167	By firearms	9	3	1	5									2	3	1	1		2
	Homicide	31	21	4	6								4	3	13	8	2	1	
173	By firearms	11	4	2	5								2	3	3	2	1		
174	By cutting or piercing instruments	6	4	1	1								1		3	1		1	
175	By other means	14	13	1									1		7	5	1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined	217	98	21	98	4	1	5	4	2	12	11	12	18	24	29	29	23	43
177	Poisoning by food	1		1								1							
178	Absorption of poisonous gas	1	1															1	
179	Other acute accidental poisonings (gas excepted)	2	2													1	1		
180	Conflagration	11	11					1	1		1				2	3		2	1
181	Burns (conflagration excepted)	8	5	1	2			3				1	1			1			2
	Supplemental	8	2		6								1	3	4				
182	Mechanical suffocation	3			3	3													
183	Drowning	20	3		17		1				4	4	2	2	2	1	2	1	1
	Supplemental	1			1									1					
	Traumatism:																		
184	By firearms (wounds of war excepted)	1			1									1					
186a	By fall	52	36	4	12					1	1	1		1		4	8	7	29
	Supplemental	4	1		3									2				1	1
186b	By crushing, landslide																		
	Supplemental	8	1	2	5								1	1	2	2	2		
191	Excessive heat	2		1	1												1	1	
192	Lightning	1			1										1				
193	Due to electric currents	3	2		1							1			1	1			
194a	Foreign bodies	1	1			1													
194b	Other accidents	9	6	1	2								1			3	3	1	1
	Supplemental	81	27	11	43			1	3	1	6	3	6	7	12	13	12	9	8
	XVIII.—Ill-defined causes of death	6	1	1	4	1	2									1	1	1	
199	Sudden death	2		1	1	1												1	
200a	Cause of death ill-defined	3			3		2									1			
200b	Cause of death not specified or unknown	1	1														1		
Punch symbol	SUPPLEMENTAL[1]																		
205	Other machinery accidents	2	2												2				
206	Railroad and automobile collisions	2		1	1										1	1			
207	Other railroad accidents	7	1		6								1			2	4		
210	Automobile accidents (primary)	84	27	12	45			1	3	1	6	3	6	12	15	8	10	10	9
211	Motorcycle accidents	1	1										1						
213	Water transportation accidents	1			1									1					
214	Air transportation accidents	5			5									1		4			

List no.	CAUSE OF DEATH		All deaths	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA																
	Total deaths (all causes)	White	4,750	322	25	22	14	6	43	34	51	113	258	390	581	890	2,001
		Colored	3,122	347	37	19	19	7	28	42	68	171	401	456	590	456	478
	I.—Infectious and parasitic diseases	White	333	23	11	4	6	1	9	7	9	27	43	50	46	48	49
		Colored	521	35	15	8	7	2	8	19	31	64	139	92	61	31	9
1	Typhoid fever	W	5								2		3				
		C	11			1		1	2	3	1	2	1				
2	Paratyphoid fever	W	2									1		1			
7	Measles	W	3		1	1			1								
		C	2	1			1										
8	Scarlet fever	W	3						2		1						
		C	3			1					2						
9	Whooping-cough	W	6	1	3				2								
		C	3	1	2												
10	Diphtheria	W	9	1	2		3		2	1							
		C	5	4						1							
11a	Influenza, respiratory complications specified	W	24	2	1							2	3	3	2	4	7
		C	9		1							1	2	1	1	2	1
11b	Influenza, respiratory complications not specified	W	12	2	1	2				1		1				1	4
		C	1											1			
13	Dysentery	W	6	4										1			1
		C	2			1								1			
15	Erysipelas	W	11	1									1			3	6
		C	1														1
16	Acute poliomyelitis, acute polioencephalitis	W	2				1			1							
17	Lethargic or epidemic encephalitis	W	1													1	
		C	2											1	1		
18	Epidemic cerebrospinal meningitis	W	9	1			1			2		2		2		1	
		C	2			1								1			
22	Tetanus	W	2							1		1					
		C	2												1		1
	Tuberculosis (all forms)	W	201	5	2	1	1	1	2	1	6	19	36	35	36	29	27
		C	412	7	12	3	5	1	6	15	28	58	127	76	46	23	5
23	Respiratory system	W	170				1		1		5	18	33	32	31	26	23
		C	340	2	4		3		2	12	21	49	110	70	43	21	3
24	Meninges and central nervous system	W	10	4	2	1			1				1	1			
		C	13	1	1			1	3	1	1	2	1	2			
25	Intestines and peritoneum	W	3												2	1	
		C	9							1	1	3	3			1	
26	Vertebral column	W	2													1	1
		C	7								1		2		2	1	1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	DEATHS BY AGE													
				Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued																
	I.—Infectious and parasitic diseases—Continued.																
	Tuberculosis (all forms)—Continued.																
27a	Bones (vertebral column excepted)	C	1								1						
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	C	1											1			
30	Genitourinary system	W	4										1	1	2		
31	Other organs	C	1											1			
32a	Acute disseminated tuberculosis	W	12	1				1		1	1	1	1	1	1	1	3
		C	31	3	6	3	1		1	1	3	3	6	2	1		1
32b,c	Other disseminated tuberculosis	C	9	1	1		1					1	5				
34	Syphilis	W	33	6								1		7	7	9	3
		C	60	20		1	1					2	7	10	12	6	1
35	Gonococcus infection, other venereal diseases	C	4	1									2	1			
36	Purulent infection, septicemia (nonpuerperal)	W	1		1												
38	Malaria	W	1														1
39	Other diseases due to protozoal parasites	W	1												1		
43	Mycoses	C	1	1													
44	Other infectious and parasitic diseases	W	1											1			
		C	1									1					
	II.—Cancers and other tumors	White	593	1		1			1			3	21	50	110	164	242
		Colored	219					1				3	10	36	70	56	41
	Cancer and other malignant tumors	W	562									2	17	45	100	160	238
		C	191					1					7	25	63	52	41
(45)	Buccal cavity	W	16												2	3	11
		C	5											1	1	3	
(45)	Pharynx	W	2														2
		C	3												3		
(46)	Esophagus	W	8											1	1	2	4
		C	7											2	4	1	
(46)	Stomach and duodenum	W	94										2	1	9	33	49
		C	30										1	3	12	7	7
(46)	Liver and biliary passages	W	27											1	6	5	15
		C	8												3	1	3
(46)	Pancreas	W	17											3	4	5	5
		C	13											1	3	7	2
(46)	Other digestive tract and peritoneum	W	105									1	4	14	16	22	48
		C	11										1	1	3	4	2
47	Respiratory system	W	29										1	3	4	10	11
		C	9											2	2	4	1
48	Uterus	W	59										2	5	19	17	16
		C	48										5	11	18	9	5
49	Other female genital organs	W	16										1	1	6	4	4
		C	2													1	
50	Breast	W	55										3	5	13	18	16
		C	18											3	5	4	6
51	Male genitourinary organs	W	55									1	1	3	5	16	29
		C	17												4	4	9
52	Skin	W	12										1	2	2	2	5
		C	3													2	1
53	Other or unspecified organs	W	67										2	6	13	23	23
		C	17					1							5	5	5
54a	Nonmalignant tumors, ovary	W	1											1			
54b	Nonmalignant tumors, uterus	W	7										2	1	2	1	1
		C	16									1	2	8	3	2	
54d, e	Nonmalignant tumors, other organs	W	8			1			1			1		2		1	2
		C	6									2		1	2	1	
55d, e	Tumors, other organs (nature unspecified)	W	15	1									2	1	8	2	1
		C	6										1	2	2	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	142	5					3		3		3	9	12	39	68
		Colored	76	7	1				1	1		1	7	12	17	14	15
56	Acute rheumatic fever	W	8	1					3		2		1			1	
		C	7						1	1			1	2	2		
57	Chronic rheumatism, osteoarthritis	W	7										1	1			5
		C	4												1	2	1
59	Diabetes mellitus	W	104								1		1	4	9	29	60
		C	44										2	6	12	11	13
62	Pellagra	W	5											1	1	2	1
		C	2											1	1		
63	Rickets	C	3	2	1												
66b	Exophthalmic goiter	W	10											2	2	6	
		C	11														
(66)	Other diseases of thyroid and parathyroid glands	C	1	1								1	4	3	1	1	1
67	Diseases of thymus gland	W	5	4												1	
		C	1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	1											1			
69	Other general diseases	W	2														2
		C	3	3													
	IV.—Diseases of the blood and blood-making organs	White	39	2				1	3	1		1	6	7	1	6	11
		Colored	14							2	2	1	3	2	1	1	2
70	Hemorrhagic conditions	C	2							1			1				
71a	Pernicious anemia	W	8						2					1	1		4
		C	2											1			1
71b	Other anemias	W	3	2													1
72a	True leukemias	W	17					1	1	1		1	4	4		1	4
		C	2											1		1	
72b	Pseudoleukemias (Hodgkin's disease)	W	8										2	2		3	1
		C	7							1	1	1	2		1		1
73	Diseases of spleen	W	1													1	
		C	1														
74	Other diseases of blood and blood-making organs	W	2								1					1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE													
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	V.—Chronic poisonings and intoxications White	16										3	5	2	3	3
	Colored	10									1	5	2		2	
75	Alcoholism (acute or chronic) W	15										3	4	2	3	3
	C	10									1	5	2		2	
76	Chronic poisoning by other organic substances W	1											1			
	VI.—Diseases of the nervous system and of the organs of special sense White	442	9	1	2		1	1	2	4	1	6	25	38	100	252
	Colored	283	7	1	3	1		2	2	3	3	21	40	67	70	63
78	Encephalitis (nonepidemic) W	4										1	1	1		1
	C	3			1									1	1	
79a	Simple meningitis W	10	2	1					1		1	1	2	1	1	
	C	14	1					1	1	3	1	3	1	2	1	
79b	Nonepidemic cerebrospinal meningitis W	1								1						
80	Progressive locomotor ataxia (tabes dorsalis) W	2														2
	C	4										2	1			1
81	Other diseases of spinal cord W	13							1	1			3		1	7
	C	9			1							1	2	1	3	1
82a	Cerebral hemorrhage W	332	1		1								9	26	79	216
	C	173									1	6	19	40	52	55
82b	Cerebral embolism and thrombosis W	30			1							2		3	9	15
	C	9	1										1	1	2	4
82c	Softening of brain W	3													1	2
	C	2														2
82d	Hemiplegia and other paralysis, cause unspecified W	5												1	1	3
	C	4												3	1	
83	General paralysis of insane W	13											4	3	3	3
	C	43										6	12	16	9	
84	Dementia praecox and other psychoses W	1													1	
85	Epilepsy W	4										1	2		1	
	C	8							1			2	3	2		
86	Convulsions (under 5 years of age) W	1	1													
87	Other diseases of nervous system W	8					1						1	1	2	3
	C	5	2								1	1		1		
88	Diseases of organs of vision W	1													1	
89a	Diseases of ear W	11	5					1		1		1	2	1		
	C	5	2	1	1	1										
89b	Diseases of mastoid process W	3								1			1	1		
	C	4	1					1					1		1	
	VII.—Diseases of the circulatory system White	1,320	1					2	2	2	10	23	63	142	293	782
	Colored	729	4	2				3	3	2	10	44	118	194	161	187
90	Pericarditis W	4											1	2		1
	C	3											1	1		1
91a	Acute endocarditis W	13								1	3	1	2	3	2	1
	C	16						1			2	3	1	4	4	1
91b	Endocarditis, unspecified (under 45 years) W	1											1			
	C	4	1					1					2			
92a	Endocarditis, specified as chronic, and other valvular diseases W	178						1			4	10	10	21	33	99
	C	86		1				1	1		1	7	15	29	12	19
92b	Endocarditis, unspecified (45 years and over) W	21												5	5	11
	C	7												1	1	5
93a	Acute myocarditis W	12												2	4	6
	C	8								1		2	1	1	3	
93b	Myocarditis, unspecified (under 45 years) W	8								1	1	1	5			
	C	27									4	6	17			
93c	Chronic myocarditis and myocardial degeneration W	300									1	5	13	26	79	176
	C	182										11	37	44	49	40
93d	Other diseases of myocardium W	304												33	69	202
	C	120												50	31	39
94a	Angina pectoris W	44											1	7	9	27
94b	Diseases of coronary arteries W	152										2	17	21	46	66
	C	27							1			4	3	7	5	7
95a	Functional diseases of heart W	5											1			4
95b	Other and unspecified diseases of heart W	156	1					1	2			2	10	16	32	92
	C	161	3	1					1	1	3	8	29	37	35	43
96	Aneurysm (except of heart) W	11										1		1	1	8
	C	27										2	9	5	6	5
97	Arteriosclerosis (coronary arteries excepted) W	98											1	2	9	84
	C	53											1	11	15	26
98	Gangrene W	1														1
	C	2												1		1
99	Other diseases of the arteries W	7												2	3	2
	C	2										1		1		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	2													1	1
	C	3											2	1		
101	Diseases of lymphatic system (lymphangitis, etc.) W	1											1			
102	Idiopathic anomalies of blood-pressure W	4									1	1		1		1
	C	1												1		
	VIII.—Diseases of the respiratory system White	317	35	6	6	2		2	1	5	11	22	29	43	39	116
	Colored	342	73	8	2	5		3	7	7	21	50	50	44	23	94
104b	Diseases of nasal fossae and annexa W	2									1					1
	C	1									1					
105	Diseases of larynx C	1		1												
106a	Acute bronchitis W	2				1										1
	C	3										1		1		1
106b	Chronic bronchitis W	8										1		1	1	5
	C	1														1
106c,d	Bronchitis, unspecified W	1														1
	C	2												1		1
107a	Bronchopneumonia W	124	25	4	3					2		6	13	12	12	47
	C	143	58	4	2	3		2	2	4	5	9	12	11	6	25
108	Lobar pneumonia W	126	7	1	1	1		1	1	2	9	12	12	21	22	36
	C	150	8	2		1		1	4	3	12	30	30	27	16	16
109	Pneumonia, unspecified W	16	1		1			1		1		1		3	1	7
	C	8	3									3	1	1		
110	Pleurisy W	9	1	1	1							1	2	1		2
	C	13	2	1		1					2	2	2	2		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List	CAUSE OF DEATH		All deaths	DEATHS BY AGE													
				Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued																
	VIII.—Diseases of the respiratory system—Continued.																
111a	Pulmonary embolism and thrombosis	W	4														4
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	10	1												1	8
		C	5	1						1			1				2
112	Asthma	W	4										1		2	1	
113	Pulmonary emphysema	C	1											1			
114	Other diseases of respiratory system (tuberculosis excepted)	W	11									1		2	3	1	4
		C	14	1							1	4	4	1	1		2
	IX.—Diseases of the digestive system	White	345	27	4	7	1	1	10	6	11	9	24	37	64	66	78
		Colored	200	30	6	3	2	2	4	1	3	12	26	30	41	27	13
115a	Diseases of pharynx, tonsils	W	22	1		2			3			3	1	3	3	3	3
		C	6		1								3	1	1		
115b	Diseases of buccal cavity and annexa	W	2													2	
		C	5	1		1						1			1		1
117a	Ulcer of stomach	W	14									1		1	4	2	6
		C	13										1	3	6	2	1
117b	Ulcer of duodenum	W	13										1	2	2	4	4
		C	9										2	4	2	1	
118	Other diseases of stomach (cancer excepted)	W	6						1							2	3
		C	7											1	1	2	3
119	Diarrhea, enteritis (under 2 years of age)	W	26	23	3												
		C	33	29	4												
120	Diarrhea, enteritis (2 years and over)	W	5			2									1	1	1
		C	13			1	1				1	1	2	1	2	3	1
121	Appendicitis	W	75			2	1	1	5	5	7	3	12	9	9	9	12
		C	37			1		1	4	1	2	6	7	6	6	2	1
122a	Hernia	W	16										1	1	2	5	7
		C	15		1		1	1						3	3	3	3
122b	Intestinal obstruction	W	42	2		1				1	1	1	2	5	8	7	14
		C	28									2	4	3	10	8	1
123	Other diseases of intestines	W	7								1	1			3	1	1
		C	10									2	3	2	1	2	
124	Cirrhosis of liver	W	48										1	4	14	17	12
		C	15										1	5	6	2	1
125a	Yellow atrophy of liver	W	2											1	1		
		C	1										1				
125b	Other diseases of liver	W	4										1	1	1	1	
		C	1												1		
126	Biliary calculi	W	27											3	9	6	9
		C	1														1
127	Other diseases of gall-bladder, biliary passages	W	20										3	3	3	6	5
128	Diseases of pancreas	W	10								1		1	4	3		1
		C	5										1	1	1	2	
129	Peritonitis, cause not specified	W	6	1	1				1		1		1		1		
		C	1										1				
	X.—Diseases of the genitourinary system	White	455	2					1	1	1	8	15	25	53	74	275
		Colored	247	1			1				5	8	21	27	57	49	78
130	Acute nephritis (including unspecified under 10 years)	W	10	1						1	1		1	1	2	1	2
		C	29								2	2	6	4	5	3	7
131	Chronic nephritis	W	353						1			4	4	17	38	61	228
		C	146				1				2	2	8	8	33	33	59
132	Nephritis, unspecified (10 years and over)	W	26										1	2	7	3	13
		C	12												5	4	3
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	18	1									3	1	2	5	6
		C	11	1							1		1	4		2	2
134	Calculi of urinary passages	W	8									2		2	1	2	1
		C	3												2	1	
135	Diseases of bladder (tumors excepted)	W	2												1		1
		C	3										1		1	1	
136	Diseases of urethra, urinary abscess, etc.	W	2													1	1
		C	6											4	1	1	
137	Diseases of prostate	W	22												1	1	20
		C	16											1	5	3	7
138	Diseases of male genital organs, not specified as venereal	W	1														1
		C	2												1	1	
139a	Cysts of ovary	W	4										2		1		1
		C	2										1		1		
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	7									2	3	2			
		C	14									4	3	5	2		
139c	Diseases of uterus	W	2										1				1
		C	2										1		1		
139e	Other diseases of female genital organs	C	1											1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	19								3	3	5	8			
		Colored	31								4	9	11	6	1		
140	Abortion with septic conditions	W	4									2	1	1			
		C	8								1	1	4	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	C	1										1				
142b	Ectopic gestation, septic conditions not mentioned	W	1										1				
		C	2										2				
144a	Placenta praevia	C	1										1				
144b	Other puerperal hemorrhages	W	1											1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	5								1		2	2			
		C	9								1	4	2	2			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	W	1											1			
146	Puerperal albuminuria and eclampsia	W	3								1		1	1			
		C	6								2	2	1		1		
147	Other toxemias of pregnancy	W	3								1			2			
		C	3									1		2			
149	Other accidents of childbirth	C	1									1					
150	Other and unspecified conditions of puerperal state	W	1									1					

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List No.	CAUSE OF DEATH		All deaths	DEATHS BY AGE													
				Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued																
	XII.—Diseases of the skin and cellular tissue	White	6									1	1			1	2
		Colored	3									1			1		1
151	Furuncle, carbuncle	W	2										1				1
152	Phlegmon, acute abscess	W	1	1													
		C	2									1					1
153	Other diseases of skin and annexa, and of cellular tissue	W	3									1				1	1
		C	1												1		
	XIII.—Diseases of the bones and organs of locomotion	White	8								1	1	2	2	1		1
		Colored	6							1				3		1	1
154	Osteomyelitis	W	4								1	1	1	1			
		C	4							1				2			1
155	Other diseases of bones (tuberculosis excepted)	W	1										1				
156	Diseases of joints, other organs of locomotion	W	3											1	1		1
		C	2											1		1	
	XIV.—Congenital malformations	White	42	36		1			2			1	1		1		
		Colored	6	5										1			
157a	Congenital hydrocephalus	W	7	5								1			1		
157b	Spina bifida and meningocele	W	5	5													
157c	Congenital malformations of heart	W	18	15		1			1				1				
		C	3	3													
157d	Other congenital malformations	W	12	11					1								
		C	3	2										1			
	XV.—Diseases of early infancy	White	173	173													
		Colored	181	181													
158	Congenital debility	W	4	4													
		C	6	6													
159	Premature birth	W	124	124													
		C	140	140													
160	Injury at birth	W	36	36													
		C	22	22													
161	Other diseases peculiar to early infancy	W	9	9													
		C	13	13													
162	**XVI.—Senility**	White	20														20
		Colored	2														2
	XVII. Violent and accidental deaths	White	480	7	3	1	5	2	9	14	12	37	83	80	68	57	102
		Colored	251	4	4	3	3	2	7	6	11	37	64	36	36	21	17
	Suicide	W	157							1		13	35	43	27	24	14
		C	12									2	5	1	2	1	1
163	By solid or liquid poisons or by absorption of corrosive substances	W	29									1	7	10	7	3	1
		C	3										3				
164	By poisonous gas	W	46									5	9	9	9	9	5
		C	2									1			1		
165	By hanging or strangulation	W	17							1		1	5	6	1	2	1
		C	1											1			
166	By drowning	W	8											5	1	1	1
		C	4									1	2				1
167	By firearms	W	43									4	10	10	8	7	4
		C	2												1	1	
168	By cutting or piercing instruments	W	2											1			1
169	By jumping from high places	W	10									1	4	1	1	2	1
171	By other means	W	2									1		1			
	Homicide	W	35	3			1			1	1	1	14	7	4	2	1
		C	89						1		5	22	37	16	6	2	
173	By firearms	W	21							1	1		10	5	3	1	
		C	49								1	15	24	6	3		
174	By cutting or piercing instruments	C	23								1	4	10	5	3		
175	By other means	W	14	3			1					1	4	2	1	1	1
		C	17						1		3	3	3	5		2	
	Accidental, other, or undefined	W	288	4	3	1	4	2	9	12	11	23	34	30	37	31	87
		C	150	4	4	3	3	2	6	6	6	13	22	19	28	18	16
177	Poisoning by food	W	1												1		
178	Absorption of poisonous gas	W	7											1		5	1
		C	2	1												1	
179	Other acute accidental poisonings (gas excepted)	W	5				1						1		3		
181	Burns (conflagration excepted)	W	18		1		2		2			1	2	3	2	2	3
		C	20		1	3	2	1	1		1	1	5	1	2	2	
	Supplemental	W	2									1	1				
182	Mechanical suffocation	W	2	2													
		C	1												1		
183	Drowning	W	17							2	4		3	5	1	1	1
		C	11								4	1	3	3			
	Supplemental	W	4										1	2	1		
	Traumatism:																
184	By firearms (wounds of war excepted)	W	5					1		2	2						
185	By cutting or piercing instruments (wounds of war excepted)	W	1												1		
		C	3												1		2
186a	By fall	W	103					1	1		1	3	7	7	13	13	57
		C	30	1	1		1					1	1	9	5	3	8
	Supplemental	W	4		1						2	1					
		C	2										1		1		
186b	By crushing, landslide	W	1													1	
		C	1													1	
	Supplemental	W	17							2		1	2	4	4	1	3
		C	22						1	2	1		6	4	3	5	
188	Injuries by animals	W	1														1
191	Excessive heat	W	2													1	1
		C	7	1								2	2		2		
192	Lightning	C	1											1			
193	Due to electric currents	W															
	Supplemental	W	1														

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	XVII.—Violent and accidental deaths—Continued.															
	Accidental, other, or undefined—Continued.															
194a	Foreign bodies W	6	2	1								1	1		1	
	Foreign bodies C	2		1									1			
194b	Other accidents W	11			1			1	1			4	1	2	1	
	Other accidents C	6		1						1		1		2	1	
	Supplemental W	80				1		3	3	6	12	9	11	9	6	20
	Supplemental C	39	1				1	4		2	4	2	3	11	5	6
198	Legal executions C	3									2	1				
	XVII.—Ill-defined causes of death Colored	1											1			
200a	Cause of death ill-defined C	1											1			
Punch symbol	SUPPLEMENTAL [1]															
203	Elevator accidents W	1														1
	Elevator accidents C	1										1				
205	Other machinery accidents C	1												1		
207	Other railroad accidents W	6									1		3	1	1	
	Other railroad accidents C	9							1	1	1	3	2		1	
209	Other street car accidents W	1												1		
	Other street car accidents C	2										1			1	
210	Automobile accidents (primary) W	92				1		3	5	7	13	11	12	11	6	23
	Automobile accidents (primary) C	50	1				1	5	1	2	3	4	5	14	8	6
211	Motorcycle accidents W	1									1					
212	Other land transportation accidents W	3		1						1		1				
213	Water transportation accidents W	4									1	2	1			

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—: 10,000 or more	2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA																		
	Total deaths (all causes) White	11,569	5,101	2,345	4,123	876	140	97	61	50	162	131	198	350	703	910	1,332	1,838	4,704
	Total deaths (all causes) Colored	7,190	3,088	1,244	2,858	738	85	49	32	20	94	97	267	395	1,058	1,140	1,296	919	970
	I.—Infectious and parasitic diseases White	1,273	476	258	539	74	38	28	22	14	42	30	25	56	164	163	160	158	294
	I.—Infectious and parasitic diseases Colored	1,614	693	320	601	121	22	14	14	5	34	30	101	155	371	287	238	117	99
1	Typhoid fever W	33	15	7	11						1	3	1	4	11	7	2	3	1
	Typhoid fever C	33	13	4	16		1	1		1	2	2	4	4	10	3	4		1
2	Paratyphoid fever C	1	1													1			
3	Typhus fever W	2	2															1	1
7	Measles W	2	1		1						1						1		
	Measles C	1	1									1							
8	Scarlet fever W	9	3	2	4		2	2	1	1	1				1	1			
	Scarlet fever C	1			1						1								
9	Whooping-cough W	25	4	6	15	16	4	3			1			1					
	Whooping-cough C	19	5	1	13	12	3	1			3								
10	Diphtheria W	44	21	9	14	1	10	8	9	3	10				1		1	1	
	Diphtheria C	14	5	4	5	2	3	4	2	1	1				1				
11a	Influenza, respiratory complications specified W	210	78	47	85	9	8	3	2	1	4		4	9	21	20	26	24	79
	Influenza, respiratory complications specified C	159	77	27	55	10	2	1	2		4	6	8	8	32	22	30	19	14
11b	Influenza, respiratory complications not specified W	127	42	26	59	14	1	5	1	1	2	1	2		6	9	10	12	62
	Influenza, respiratory complications not specified C	119	43	23	53	21	1		1		2	2	7	3	15	15	12	22	18
13	Dysentery W	21	12	2	7	2	2		2	1				1	1		4	3	5
	Dysentery C	17	10	5	2	6									1	3	3	4	
15	Erysipelas W	17	7	5	5	5									1	1	1	5	4
	Erysipelas C	1	1														1		
16	Acute poliomyelitis, acute polioencephalitis W	5	2		3				1	2		1	1						
	Acute poliomyelitis, acute polioencephalitis C	2			2	1					1								
17	Lethargic or epidemic encephalitis W	9	5	1	3								1		1	2	1	2	2
18	Epidemic cerebrospinal meningitis W	14	6	5	3	2	1	1			2		1	1	2	1	2	1	
21	Rabies C	1	1				1												
22	Tetanus W	21	10	5	6	6	1		1		3	4	1		1	1		1	2
	Tetanus C	42	30	4	8	9					9	4	5		7	3	5		
	Tuberculosis (all forms) W	404	188	69	147	1		1	1			5	7	30	85	82	70	51	70
	Tuberculosis (all forms) C	639	323	105	211	10	2	3	3	1	3	8	56	102	202	128	84	21	16
23	Respiratory system W	369	165	64	140			1				4	6	28	79	79	65	46	61
	Respiratory system C	595	293	103	199	6	2	2	1	1	1	7	55	93	190	122	80	21	14
24	Meninges and central nervous system W	6	5	1		1			1			1			2				1
	Meninges and central nervous system C	7	4		3	1		1	1					1	2		1		
25	Intestines and peritoneum W	12	8	1	3									1	1	2	3	2	2
	Intestines and peritoneum C	9	4	1	4	1								1	5	2			
26	Vertebral column W	3	2		1													1	2
	Vertebral column C	3	3									1		1			1		
27a	Bones (vertebral column excepted) W	1		1									1						
	Bones (vertebral column excepted) C	2	1		1									1					1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	3			3				1				1		1				
30	Genitourinary system W	3	1	1	1										1				2
	Genitourinary system C	4	2	1	1										2		2		
32a	Acute disseminated tuberculosis W	9	6	1	2								1	1	1	2	2	2	2
	Acute disseminated tuberculosis C	13	13			1					1		1	3	2	4			1
32b,c	Other disseminated tuberculosis W	1	1												1				
	Other disseminated tuberculosis C	3	3			1					1			1					

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
34	Syphilis	W	94	36	33	25	11				1			1	3	9	14	18	22	14
		C	364	155	115	94	35	1					1	6	26	76	89	72	32	25
35	Gonococcus infection, other venereal diseases	W	5	2	2	1								1		2	2			
		C	18	9	3	6								1	5	5	6	1		
36	Purulent infection, septicemia (nonpuerperal)	W	11	5	2	4	1						4	1			1	1		3
		C	4			4						1						1	1	1
38	Malaria	W	215	35	36	144	6	9	5	4	4	17	11	4	7	22	22	21	31	50
		C	167	16	28	123	10	6	4	5	2	6	6	13	6	21	17	25	18	24
40	Ankylostomiasis	C	2	1	1		1									1				
42	Other diseases caused by helminths	W	1			1							1							
		C	3			3	1	1				1								
43	Mycoses	W	4	2	1	1												2	1	1
		C	5	1		4	3	1		1										
44	Other infectious and parasitic diseases	C	2	1		1									1	1				
	II.—Cancers and other tumors	White	1,076	523	219	334	1	1		1	3	2	1	5	7	20	88	196	237	513
		Colored	275	129	52	94		1							4	28	65	83	55	39
	Cancer and other malignant tumors	W	1,039	502	210	327	1	1		1	3	2	1	4	7	18	83	183	231	503
		C	237	104	49	84		1							2	21	50	75	52	36
(45)	Buccal cavity	W	30	16	4	10										1	3	3	5	18
		C	6	4	1	1										1		2	1	2
(45)	Pharynx	W	15	2	4	9												6	4	5
		C	6	3		3										1	1	3		1
(46)	Esophagus	W	12	6	1	5													3	9
		C	1	1															1	
(46)	Stomach and duodenum	W	191	72	48	71							1		1		4	25	53	106
		C	50	21	10	19										1	8	18	15	8
(46)	Liver and biliary passages	W	75	40	12	23								1			1	3	10	19	41
		C	11	4	2	5										1	1	4	1	4
(46)	Pancreas	W	34	17	5	12										1	2	10	7	14
		C	2	2														1		1
(46)	Other digestive tract and peritoneum	W	121	64	32	25	1				1						8	17	22	72
		C	25	12	5	8										3	6	7	5	4
47	Respiratory system	W	46	33	6	7									1	3	5	8	8	21
		C	3	2		1												2		1
48	Uterus	W	162	73	35	54									2	8	29	45	38	40
		C	69	24	16	29										9	19	21	15	5
49	Other female genital organs	W	17	11	4	2									1		3	7	3	3
		C	6	5		1									1	1	3	1		
50	Breast	W	78	43	16	19										1	12	19	21	25
		C	23	14	3	6										2	6	8	5	2
51	Male genitourinary organs	W	104	57	21	26		1									7	12	17	67
		C	13	4	6	3										1	2	2	5	3
52	Skin	W	60	22	7	31				1							3	8	14	34
		C	5	1	1	3									1		1		1	2
53	Other or unspecified organs	W	94	46	15	33					2	2		3	2	3	4	13	17	48
		C	17	7	5	5		1								1	3	6	3	3
54a	Nonmalignant tumors, ovary	C	2	1		1											2			
54b	Nonmalignant tumors, uterus	W	11	9	2											2	4	5		
		C	27	20	2	5									2	6	12	3	2	2
54d, e	Nonmalignant tumors, other organs	W	13	5	5	3											1	3	3	6
		C	4	4												1	1	2		
55d, e	Tumors, other organs (nature unspecified)	W	13	7	2	4								1				5	3	4
		C	5		1	4												3	1	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	366	158	95	113	15	1	4	1	2	5	7	5	12	15	28	54	86	129
		Colored	216	98	43	75	10	5	2			1	2	8	11	35	38	51	31	22
56	Acute rheumatic fever	W	21	6	5	10			1		1	2	2	2		2		3	2	6
		C	14	8	1	5							2	2		2	1	3	3	1
57	Chronic rheumatism, osteoarthritis	W	14		6	8						1				2	1	1	2	7
		C	2	1		1										1		1		
59	Diabetes mellitus	W	198	104	40	54					1		4	2	5	4	6	24	61	89
		C	48	27	3	18								2	1	5	11	15	9	5
60	Scurvy	W	2		1	1	1												1	
62	Pellagra	W	67	12	29	26							1	1	3	4	15	19	9	15
		C	124	47	34	43								4	9	27	25	27	18	14
63	Rickets	W	2	1	1		2													
		C	8	4	3	1	5	3												
64	Osteomalacia	W	1		1													1		
65	Diseases of pituitary body	C	1		1										1					
66a	Simple goiter	W	2	2															2	
		C	1	1								1								
66b	Exophthalmic goiter	W	27	16	8	3						1			2	3	5	4	5	7
		C	6	3	1	2											1	3	1	1
(66)	Other diseases of thyroid and parathyroid glands	W	9	5		4	3					1			2			1	1	1
		C	4	2		2	2	2												
67	Diseases of thymus gland	W	8	6	2		6		1										1	
		C	2	1		1			2											
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	2	1		1													1	1
69	Other general diseases	W	13	5	2	6	3	1	2	1							1	1	1	3
		C	6	4		2	3											2		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	IV.—Diseases of the blood and blood-making organs—White	91	52	17	22	8	1	1	1		2	4	2	4	3	11	11	17	26
	IV.—Diseases of the blood and blood-making organs—Colored	15	5	5	5	2						1	1		6	4	1		
70	Hemorrhagic conditions—W	11	7	3	1	7			1			1			1			1	
	Hemorrhagic conditions—C	2	2			1									1				
71a	Pernicious anemia—W	28	13	7	8	1						1				3	5	7	11
	Pernicious anemia—C	5	1	2	2								1		1	2	1		
71b	Other anemias—W	3	1	1	1		1											1	1
	Other anemias—C	2			2	1										1			
72a	True leukemias—W	31	18	5	8						2	1	1	1	1	7	3	4	11
	True leukemias—C	2	1	1											2				
72b	Pseudoleukemias (Hodgkin's disease)—W	12	8	1	3							1	1	1	1	1	2	2	3
	Pseudoleukemias (Hodgkin's disease)—C	4	1	2	1							1			2	1			
73	Diseases of spleen—W	4	3		1			1						2				1	
74	Other diseases of blood and blood-making organs—W	2	2														1	1	
	V.—Chronic poisonings and intoxications—White	39	21	6	12									1	6	10	9	10	3
	V.—Chronic poisonings and intoxications—Colored	21	9	1	11								1	4	6	2	3	3	1
75	Alcoholism (acute or chronic)—W	32	18	4	10										5	9	8	8	2
	Alcoholism (acute or chronic)—C	20	9	1	10								1	4	5	2	3	3	1
76	Chronic poisoning by other organic substances—W	4	2	2											1	1	1	1	
77a	Chronic lead poisoning—W	2			2													1	1
77b, c	Other chronic poisoning by mineral substances—W	1	1											1					
	Other chronic poisoning by mineral substances—C	1			1										1				
	VI.—Diseases of the nervous system and of the organs of special sense—White	1,155	485	228	442	14	5	4	3	5	7	8	9	8	28	47	134	231	651
	VI.—Diseases of the nervous system and of the organs of special sense—Colored	745	340	124	281	10	4			3	5	3	3	6	42	103	207	177	180
78	Encephalitis (nonepidemic)—W	10	4	5	1			1		1	1				1	2	4		
	Encephalitis (nonepidemic)—C	7	3	3	1	1									1	3	1		1
79a	Simple meningitis—W	12	8		4	2	1	1	2			2	1				1	2	
	Simple meningitis—C	10	4	1	5	2				3	1				2	1			1
79b	Nonepidemic cerebrospinal meningitis—W	4	4			1					2						1		
80	Progressive locomotor ataxia (tabes dorsalis)—W	16	12		4											2	1	4	9
	Progressive locomotor ataxia (tabes dorsalis)—C	4	2		2									1		1	1	1	
81	Other diseases of spinal cord—W	20	6	4	10		1						1		2		3	4	9
	Other diseases of spinal cord—C	13	6	1	6								1			1	2	2	5
82a	Cerebral hemorrhage—W	860	365	155	340			1	1	2		1	1		16	22	88	189	538
	Cerebral hemorrhage—C	567	280	90	197	3	2						2	3	27	77	172	148	132
82b	Cerebral embolism and thrombosis—W	39	24	9	6							1	1	2	1	3	3	6	22
	Cerebral embolism and thrombosis—C	5	4		1										1	2	2		
82c	Softening of brain—W	7	5		2													1	6
82d	Hemiplegia and other paralysis, cause unspecified—W	59	13	5	41								1			2	4	9	43
	Hemiplegia and other paralysis, cause unspecified—C	80	20	12	48										3	6	17	19	35
83	General paralysis of insane—W	25	4	18	3										2	5	9	7	2
	General paralysis of insane—C	14	4	7	3										2	4	5	2	1
84	Dementia praecox and other psychoses—W	10	4	5	1										3	1	4	1	1
	Dementia praecox and other psychoses—C	6		4	2											2	3	1	
85	Epilepsy—W	22	1	14	7	1				1	1	2	1	4	1	5	5	1	
	Epilepsy—C	14	3	4	7	1					3	1		2	1	4	1	1	
86	Convulsions (under 5 years of age)—W	5	1		4	5													
	Convulsions (under 5 years of age)—C	3		1	2	2	1												
87	Other diseases of nervous system—W	40	19	7	14	1	1				1	1			1	3	6	5	21
	Other diseases of nervous system—C	16	11		5						1	1			4	1	3	2	4
88	Diseases of organs of vision—C	3	1	1	1							1				1			1
89a	Diseases of ear—W	16	7	5	4	2	1			1	1	1	1	1	1	2	3	2	
	Diseases of ear—C	3	2		1	1	1											1	
89b	Diseases of mastoid process—W	10	8	1	1	2	1	1			1		2	1			2		
	VII.—Diseases of the circulatory system—White	2,374	1,087	508	779	5	1	2		1	9	7	8	19	44	111	272	491	1,403
	VII.—Diseases of the circulatory system—Colored	937	437	171	329	2		1	1		9	7	9	12	82	165	264	187	192
90	Pericarditis—W	14	3	5	6								1	1		1	4	2	5
	Pericarditis—C	9	3	3	3										1	1	2	2	3
91a	Acute endocarditis—W	16	10	1	5	1							2		4	2	2	3	2
	Acute endocarditis—C	9	2	2	5						1		1	2	1		2		2
91b	Endocarditis, unspecified (under 45 years)—W	6	2	3	1										2	4			
	Endocarditis, unspecified (under 45 years)—C	11	5	1	5							1			6	4			
92a	Endocarditis, specified as chronic, and other valvular diseases—W	387	166	73	148			1			2	2	1	7	18	17	37	63	239
	Endocarditis, specified as chronic, and other valvular diseases—C	217	120	46	51	1					4	1	4	4	14	38	76	39	34
92b	Endocarditis, unspecified (45 years and over)—W	42	20	7	15												4	10	28
	Endocarditis, unspecified (45 years and over)—C	23	12	2	9												10	6	5
93a	Acute myocarditis—W	44	21	8	15									2	1	4	12	9	16
	Acute myocarditis—C	46	25	10	11						1		1	2	6	12	15	6	3
93b	Myocarditis, unspecified (under 45 years)—W	9	5	2	2			1			1	1	1		1	4			
	Myocarditis, unspecified (under 45 years)—C	23	12	6	5						1				5	17			
93c	Chronic myocarditis and myocardial degeneration—W	506	244	140	122	1					2	1		3	3	13	34	87	361
	Chronic myocarditis and myocardial degeneration—C	104	43	24	37										4	14	26	31	29
93d	Other diseases of myocardium—W	266	120	53	93						1						32	46	187
	Other diseases of myocardium—C	85	48	16	21								1		3	3	32	29	17
94a	Angina pectoris—W	250	111	56	83									3	3	12	32	75	125
	Angina pectoris—C	42	25	6	11										1	10	19	5	7
94b	Diseases of coronary arteries—W	222	125	50	47									1	3	17	40	66	95
	Diseases of coronary arteries—C	36	24	3	9										6	11	9	7	3
95a	Functional diseases of heart—W	10	7	1	2											2	3	4	1
95b	Other and unspecified diseases of heart—W	412	171	75	166						3	3	2	2	6	26	54	93	223
	Other and unspecified diseases of heart—C	251	95	32	124			1	1		2	3	2	3	23	48	57	45	65
96	Aneurysm (except of heart)—W	32	16	5	11											3	6	12	11
	Aneurysm (except of heart)—C	14	9	3	2										3	3	6	1	1
97	Arteriosclerosis (coronary arteries excepted)—W	113	48	18	47											1	4	14	94
	Arteriosclerosis (coronary arteries excepted)—C	32	8	12	12											1	5	10	15

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
98	Gangrene	W 7	1	3	3					1						1	2		3
		C 6	1	2	3							1			1	1		1	2
99	Other diseases of the arteries	W 16	8	6	2	1									1	2	3	3	6
		C 3		2	1											1		1	1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 6	3	1	2										1	1	2		2
		C 2	2												1		1		
101	Diseases of lymphatic system (lymphangitis, etc.)	W 3	1		2	1	1											1	
		C 2	1		1	1									1				
102	Idiopathic anomalies of blood-pressure	W 8	3		5										1	1	1	2	3
		C 14			14										5		1	3	5
103	Other diseases of circulatory system	W 5	2	1	2	1							1					1	2
		C 8	2	1	5							1		1	1	1	3	1	
	VIII.—Diseases of the respiratory system	White 571	258	92	221	83	19	10	7	3	13	4	19	22	43	46	51	58	191
		Colored 503	234	83	186	91	26	8	5	4	14	5	27	32	85	65	56	48	35
104a	Diseases of nasal fossae	W 2	1		1	1													1
		C 8		2	6	7										1			
104b	Diseases of nasal fossae and annexa	W 8	6	2									1		3		1	2	1
		C 1			1										1				
105	Diseases of larynx	W 3	2		1	1			2										
106a	Acute bronchitis	W 5	3		2	2													3
		C 7	5		2	2									3		1		1
106b	Chronic bronchitis	W 17	11	1	5											1	2		14
		C 3	1	1	1		1									1		1	
106c, d	Bronchitis, unspecified	W 5		1	4	1	1									1			2
		C 2	1		1	1											1		
107a	Bronchopneumonia	W 196	101	23	72	59	13	4	2	2	4	1		5	5	6	9	19	67
		C 159	74	35	50	46	15	3			9	2	2	5	18	14	15	15	15
107b	Capillary bronchitis	W 3	1	2		1	1											1	
		C 3	2		1			1	1					1					
108	Lobar pneumonia	W 223	97	39	87	11	3	3	1	1	5	3	13	10	28	25	31	24	64
		C 199	107	29	63	19	7	2	3	1	2	3	16	20	44	33	23	17	8
109	Pneumonia, unspecified	W 42	10	6	26	7		1	1		1		4	6	2	3	2	2	13
		C 65	22	5	38	13	1			2	3		5	1	9	10	8	7	5
110	Pleurisy	W 16	7	5	4			1					1	1	2	2	2		7
		C 12	8	2	2			1					2	1	3	3		2	
111a	Pulmonary embolism and thrombosis	W 5		1	4											1	1		2
		C 2	1		1									1			1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 13	8	3	2		1				1					2			9
		C 4	2	1	1								1				2		1
112	Asthma	W 25	7	5	13				1		1				2	4	2	9	6
		C 31	8	7	16	1	2	1	1	1			1	2	4	3	5	6	4
113	Pulmonary emphysema	C 1			1										1				
114	Other diseases of respiratory system (tuberculosis excepted)	W 8	4	4				1			1				1	1	1	1	2
		C 6	3	1	2	2								1	2				1
	IX.—Diseases of the digestive system	White 817	438	152	227	54	40	24	9	6	25	15	21	32	59	73	122	135	201
		Colored 487	249	76	162	58	15	8	4	2	6	9	18	24	71	93	84	54	40
115a	Diseases of pharynx, tonsils	W 46	26	9	11	1		3	3	1	8	2	3	4	1	5	6	5	4
		C 15	10	3	2			1	1	1	2	1	3	1	2	1	2		
115b	Diseases of buccal cavity and annexa	W 12	6	4	2								1	1	2	2	3		3
		C 3	2		1										1	1	1		
116	Diseases of esophagus	W 3	1	2													1		2
117a	Ulcer of stomach	W 46	21	11	14								1		2	4	13	9	17
		C 30	18	5	7									1	5	7	6	9	2
117b	Ulcer of duodenum	W 23	13	4	6									2	2	5	4	5	5
		C 3	2		1											1	1		1
118	Other diseases of stomach (cancer excepted)	W 57	22	2	33	3	3				1			2		4	15	13	16
		C 117	50	21	46	8	2	1			1	1		2	21	29	23	9	19
119	Diarrhea, enteritis (under 2 years of age)	W 74	19	16	39	39	35												
		C 56	17	8	31	44	12												
120	Diarrhea, enteritis (2 years and over)	W 71	29	10	32			19	6	2	6	3			5	2	2	6	19
		C 40	17	5	18			5	1	1		1	2	3	5	5	5	8	4
121	Appendicitis	W 149	101	32	16					3	6	8	11	13	27	19	21	20	21
		C 64	39	10	15						3	4	10	9	11	14	9	3	1
122a	Hernia	W 26	15	7	4									1		1	7	6	11
		C 19	8	2	9	1							1		1	5	4	2	5
122b	Intestinal obstruction	W 90	56	25	9	8	1				4	2	1	4	9	8	9	11	33
		C 45	31	5	9	3	1						2	2	8	10	9	6	4
123	Other diseases of intestines	W 14	6	2	6	3									3		2	2	4
		C 13	9	2	2			1				1		1	2	3	3	2	
124	Cirrhosis of liver	W 105	56	16	33										2	11	21	35	36
		C 40	19	7	14									1	5	10	14	6	4
125a	Yellow atrophy of liver	W 4	3		1								1		1	1	1		
		C 6	5		1										3	1	2		
125b	Other diseases of liver	W 7	4		3		1							1	1	1	2	1	
		C 6		4	2										1	1	2	2	
126	Biliary calculi	W 26	18	2	6										2	3	4	9	8
		C 2	2															2	
127	Other diseases of gall-bladder, biliary passages	W 51	31	10	10								1	2	2	6	10	11	19
		C 8	7		1										3	2	1	2	
128	Diseases of pancreas	W 4	4													1		1	2
		C 2	2			2													
129	Peritonitis, cause not specified	W 9	7		2			2					2	2			1	1	1
		C 18	11	4	3				2			1		4	3	3	2	3	
	X.—Diseases of the genitourinary system	White 1,375	624	297	454	4	3	2	1	3	4	5	7	11	37	84	128	250	834
		Colored 731	340	133	258	7	1	2			4	1	5	18	58	124	188	161	155
130	Acute nephritis (including unspecified under 10 years)	W 72	23	16	33	1	2	2	1	2	2	1	4	2	7	11	5	12	20
		C 83	34	21	28	2	1	1			3	1	1	3	14	15	20	12	10
131	Chronic nephritis	W 996	465	215	316		1				2	3	1	6	15	44	94	192	637
		C 425	216	75	134									1	24	73	117	108	99

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	X.—Diseases of the genitourinary system—Continued.																		
132	Nephritis, unspecified (10 years and over)	W 121	42	27	52							1		1	2	6	10	21	79
		C 98	30	15	53									3	7	12	26	25	23
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 51	26	5	20	3				1			1	1	4	8	7	10	16
		C 29	8	6	15	4		1			1		2	3	4	3	5	2	3
134	Calculi of urinary passages	W 13	9	3	1										4	4		1	4
		C 4	1	1	2											1	3		
135	Diseases of bladder (tumors excepted)	W 11	3	3	5												1	3	7
		C 13	3	4	6											2	1	6	4
136	Diseases of urethra, urinary abscess, etc	W 10	4	4	2											2	2	3	3
		C 22	17	3	2									2		7	7	4	2
137	Diseases of prostate	W 74	34	19	21												3	7	64
		C 25	9	4	12										1	2	3	4	14
138	Diseases of male genital organs, not specified as venereal	C 2	2			1											1		
139a	Cysts of ovary	W 5	3	1	1								1				2		2
		C 1	1													1			
139b	Other diseases of ovaries, diseases of tubes, parametrium	W 16	12	3	1										4	7	4		1
		C 20	19		1								2	5	5	6	2		
139c	Diseases of uterus	W 5	3	1	1									1	1	2			1
		C 7		4	3									1	1	2	3		
139e	Other diseases of female genital organs	W 1			1													1	
		C 2			2										2				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 160	61	28	71								21	35	64	37	3		
		Colored 136	47	24	65							2	33	31	43	24	2		
140	Abortion with septic conditions	W 23	12	3	8								3	7	8	4	1		
		C 11	7	1	3								3	4	2	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W 4	2	1	1									1	1	2			
		C 8	1	1	6								2	1	3	1	1		
142a	Ectopic gestation, septic conditions specified	C 2	2												2				
142b	Ectopic gestation, septic conditions not mentioned	W 4	1	3									2	1		1			
143	Other accidents of pregnancy (hemorrhage not included)	W 1	1												1				
144a	Placenta praevia	W 4	1	1	2										2	2			
		C 1			1										1				
144b	Other puerperal hemorrhages	W 9	1	2	6								1	1	5	2			
		C 5			5										3	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W 34	17	5	12								3	4	14	12	1		
		C 43	14	12	17							2	7	12	15	6	1		
146	Puerperal albuminuria and eclampsia	W 37	11	6	20								6	9	16	5	1		
		C 38	17	4	17								7	11	11	8			
147	Other toxemias of pregnancy	W 4	1		3								1	2	1				
		C 7	2	2	3								3		2	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 8	3	2	3									3	3	2			
		C 10	1	3	6								4	2	2	2			
149	Other accidents of childbirth	W 32	11	5	16								5	7	13	7			
		C 11	3	1	7								7	1	2	1			
	XII.—Diseases of the skin and cellular tissue	White 22	10	5	7				1		1	2	2	3	3	1	2	2	5
		Colored 10	6		4						1		1	1		1	2	2	2
151	Furuncle, carbuncle	W 14	5	4	5							1	2	2	2	1	2	2	2
		C 2	2											1				1	
152	Phlegmon, acute abscess	W 6	4	1	1				1			1		1	1				2
		C 4	1		3						1		1			1			1
153	Other diseases of skin and annexa, and of cellular tissue	W 2	1		1						1								1
		C 4	3		1												2	1	1
	XIII.—Diseases of the bones and organs of locomotion	White 17	11	5	1		1			1	2	3			1	4	1	2	2
		Colored 9	4	2	3						1		1	1	2	1	2	1	
154	Osteomyelitis	W 9	5	3	1		1				1	1			1	1		2	2
		C 3	2		1						1		1			1			
155	Other diseases of bones (tuberculosis excepted)	W 1	1													1			
		C 3		1	2									1			1	1	
156	Diseases of joints, other organs of locomotion	W 7	5	2						1	1	2				2	1		
		C 3	2	1											2		1		
	XIV.—Congenital malformations	White 125	47	26	52	110	7	1	1		3	1		1	1				
		Colored 15	7	4	4	11	1	1			1	1							
157a	Congenital hydrocephalus	W 13	6		7	11	2												
		C 2	1		1	1	1												
157b	Spina bifida and meningocele	W 18	8	2	8	17	1												
		C 2	2			2													
157c	Congenital malformations of heart	W 63	21	14	28	54	2		1		3	1		1	1				
		C 7	3	2	2	5		1			1								
157d	Other congenital malformations	W 31	12	10	9	28	2	1											
		C 4	1	2	1	3						1							
	XV.—Diseases of early infancy	White 436	194	80	162	436													
		Colored 301	113	45	143	301													
158	Congenital debility	W 28	8	6	14	28													
		C 42	10	8	24	42													
159	Premature birth	W 296	127	53	116	296													
		C 204	79	29	96	204													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	XV.—Diseases of early infancy—Continued.																		
160	Injury at birth	W	75	42	15	18	75												
		C	18	5	5	8	18												
161	Other diseases peculiar to early infancy	W	37	17	6	14	37												
		C	37	19	3	15	37												
162	XVI.—Senility	White	147	49	25	73												5	142
		Colored	112	13	16	83											2	5	105
	XVII.—Violent and accidental deaths	White	1,309	577	275	457	13	20	16	11	11	45	41	72	136	205	196	168	125	246
		Colored	731	319	98	314	16	2	7	5	4	16	30	51	90	207	139	80	45	36
	Suicide	W	221	126	44	51								9	22	29	48	39	35	39
		C	23	11	5	7								3	1	7	5	4	2	1
163	By solid or liquid poisons or by absorption of corrosive substances	W	46	32	7	7									10	10	9	8	5	4
		C	5	4	1									2		1	1	1		
164	By poisonous gas	W	25	19	4	2									2	4	6	3	6	4
165	By hanging or strangulation	W	13	4	7	2									1	1	1	4	2	4
166	By drowning	W	3	2		1									1		1			1
		C	4	1		3									1	2				1
167	By firearms	W	115	59	20	36								8	8	11	30	18	19	21
		C	11	5	3	3										3	3	3	2	
168	By cutting or piercing instruments	W	11	6	5											2		4	2	3
		C	1			1											1			
169	By jumping from high places	W	3	2	1													1		2
170	By crushing	W	2	1		1										1	1			
171	By other means	W	3	1		2								1				1	1	
		C	2	1	1									1		1				
	Homicide	W	134	54	20	60			1			1	2	2	20	35	37	27	5	3
		C	284	140	34	110	2	1					3	18	47	116	68	16	10	2
173	By firearms	W	92	35	13	44								2	13	25	26	18	4	3
		C	166	82	22	62							2	12	27	71	42	5	6	1
174	By cutting or piercing instruments	W	19	10	2	7			1			1	1		3	6	2	5		
		C	91	46	11	34	1						1	6	17	38	16	8	2	1
175	By other means	W	23	9	5	9							1		4	4	9	4	1	
		C	27	12	1	14	1	1							3	7	10	3	2	
	Accidental, other, or undefined	W	954	397	211	346	13	20	15	11	11	44	39	61	94	141	111	102	85	204
		C	424	168	59	197	14	1	7	5	4	16	27	30	42	84	66	60	33	33
176	Attack by venomous animals	W	6	2	2	2										1	2	2		1
		C	4	2	1	1	1								1	1			1	
177	Poisoning by food	W	22	9	3	10		2	1	3	1	3			1	2	1	2	3	3
		C	5	3	1	1								1		3		1		
178	Absorption of poisonous gas	W	5	5											1	2	1	1		
		C	1			1													1	
	Supplemental	C	1			1	1													
179	Other acute accidental poisonings (gas excepted)	W	27	15	6	6		3	4	1	1	1		2	1	2	3	4	2	3
		C	3	1		2										1	1	1		
180	Conflagration	W	5	2	1	2				1							2			2
		C	5	1	1	3			1				1					2	1	
181	Burns (conflagration excepted)	W	35	15	6	14	2	5	3	4	6	2	1	3	1	3		1	1	3
		C	39	22	5	12	3		1	1	2	4	2			4	3	7	5	6
	Supplemental	W	12	7	2	3		1				1	1	1	3		5			
		C	2			2									1	1				
182	Mechanical suffocation	W	8	1	4	3	7							1						
		C	3		1	2	3													
183	Drowning	W	80	22	14	44		4	2	1		5	2	10	13	19	8	8	3	5
		C	68	24	8	36			2		1	5	14	12	11	8	4	5	3	3
	Supplemental	W	18	4	1	13							1		2	5	3	4	3	
		C	14	4	1	9							1		2	7	2		1	1
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	43	13	8	22			1			5	7	4	3	9	4	6	4	
		C	30	12	5	13						2	2	5	5	8	3	2	2	1
185	By cutting or piercing instruments (wounds of war excepted)	W	10	6	2	2							1	2	1		2		2	2
		C	8	5	1	2						1					2	4		1
	Supplemental	W	3	2	1						1			1					1	
		C	3	2		1										1	2			
186a	By fall	W	163	78	43	42		1				3	3	3	6	4	5	3	18	116
		C	25	13	5	7	1		1	1			2			2	5	2	4	7
	Supplemental	W	28	9	7	12						2		2	3	4		8	4	5
		C	13	4	2	7								3		3	4		2	1
186b	By crushing, landslide	W	5	1	1	3						1				1	1	1		1
		C	5	2		3	1									2		1	1	
	Supplemental	W	69	23	18	28		1				2	5	4	6	16	10	8	7	10
		C	25	8	5	12		1	1			1	1	1	3	7	4	5		
187	Cataclysm	W	1	1													1			
188	Injuries by animals	W	2	1	1														2	
		C	1			1												1		
189	Hunger and thirst	W	1			1														1
191	Excessive heat	W	5	3		2									1	1		3		
		C	3	2		1										2	1			
192	Lightning	W	6		1	5									1	1	1	1	1	1
		C	8	1	1	6						1	1		4	1	1			
193	Due to electric currents	W	11	7	1	3							1		2	1	2	3		2
		C	3	1		2							1			1		1		
	Supplemental	C	1			1									1					
194a	Foreign bodies	W	5	1	3	1	1	2	1			1								
		C	1	1											1					
194b	Other accidents	W	46	13	14	19	3					4	1	3	6	10	5	3	2	8
		C	27	8	4	15	2		1							5	6	7	2	4
	Supplemental	W	333	157	72	104		1	3	2	1	14	16	25	42	57	54	44	32	41
		C	126	52	18	56	2		1	2	1	2	2	8	13	27	28	21	10	9
198	Legal executions	W	5			5									1	3	1			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	XVIII.—Ill-defined causes of death—White	216	30	29	157	59	3	5	3	1	2	3	2	3	10	11	21	29	64
	XVIII.—Ill-defined causes of death—Colored	332	45	47	240	109	8	6	3	2	2	6	8	6	22	29	33	33	64
199	Sudden death—W	24	5	3	16	1											4	5	14
	Sudden death—C	21	3	1	17	2							1		3	3	5	3	3
200a	Cause of death ill-defined—W	65	12	8	45	4	3	1	1			1	1	1	2	5	7	12	27
	Cause of death ill-defined—C	94	11	16	67	15	6	1	1		1	3	3	2	4	6	14	15	23
200b	Cause of death not specified or unknown—W	127	13	18	96	54		4	2	1	2	2	1	2	8	6	10	12	23
	Cause of death not specified or unknown—C	217	31	30	156	92	2	5	2	2	1	3	4	4	15	20	14	15	38
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries—C	1			1									1					
202	Accidents from agricultural machinery—C	1			1												1		
205	Other machinery accidents—W	8	2	4	2									2		3	1	1	1
	Other machinery accidents—C	6	2	1	3	1													
206	Railroad and automobile collisions—W	31	7	9	15			1			2	6	5		2	3	2	2	4
	Railroad and automobile collisions—C	16	2	4	10	1							2	3	3	5	2		
207	Other railroad accidents—W	29	12	5	12								3	3	6	4	2	7	4
	Other railroad accidents—C	19	5	3	11						1		1	3	5	2	3	2	1
208	Street car and automobile collisions—W	1	1													1			
209	Other street car accidents—W	2	2														1		1
	Other street car accidents—C	1	1														1		
210	Automobile accidents (primary)—W	363	170	80	113		3	2	2	2	17	16	23	45	65	53	53	37	44
	Automobile accidents (primary)—C	131	57	17	57	1	1	2	2	1	2	2	9	11	33	29	19	10	9
211	Motorcycle accidents—W	4	3		1									1	2	1			
212	Other land transportation accidents—W	5		1	4								1	1			1		2
	Other land transportation accidents—C	3	1		2							1			1			1	
213	Water transportation accidents—W	14	5	1	8							1	1	1	3	4	4		
	Water transportation accidents—C	7	2	1	4							1		2	2	1			
214	Air transportation accidents—W	6		1	5									3	2	1			1

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA																	
	Total deaths (all causes)—White	16,860	5,319	11,541	2,116	393	184	133	100	315	240	406	509	1,076	1,291	1,726	2,363	5,958
	Total deaths (all causes)—Colored	14,334	5,397	8,937	1,954	294	112	68	62	218	241	570	910	1,655	1,903	2,214	1,801	2,282
	I.—Infectious and parasitic diseases—White	2,313	535	1,778	223	129	73	60	41	105	59	80	112	275	267	203	207	467
	I.—Infectious and parasitic diseases—Colored	2,649	944	1,705	229	104	43	25	26	70	82	193	322	502	389	312	186	159
1	Typhoid fever—W	104	23	81			1		4	6	7	16	12	26	11	11	2	5
	Typhoid fever—C	145	33	112			2	1	4	10	14	29	36	26	10	9	1	3
2	Paratyphoid fever—C	1		1								1						
3	Typhus fever—W	27	7	20		1	1	1		3				2	3	3	6	7
	Typhus fever—C	3	1	2										1	1	1		
5	Undulant fever—W	2	1	1							1						1	
7	Measles—W	56	10	46	8	14	9	4	1	7	3	2	1	2	1	1		3
	Measles—C	26	6	20	8	6	2			1	3	2	3			1		
8	Scarlet fever—W	20	8	12		2	3	4	2	6	1			2				
9	Whooping-cough—W	116	14	102	69	26	11	1	2	5	2							
	Whooping-cough—C	110	33	77	59	29	9	2	2	8			1					
10	Diphtheria—W	155	42	113	18	34	22	28	20	25	3	1	1	2				
	Diphtheria—C	38	9	29	8	5	5	2	6	5	3	2			1	1		
11a	Influenza, respiratory complications specified—W	470	93	377	42	16	15	6	3	10	11	13	21	37	54	42	45	155
	Influenza, respiratory complications specified—C	304	99	205	20	7	7	5	1	6	2	22	30	42	53	52	29	27
11b	Influenza, respiratory complications not specified—W	227	36	191	26	4	1	5		7	4	2	4	8	14	12	25	113
	Influenza, respiratory complications not specified—C	247	46	201	41	14	2	3		6	9	9	10	16	26	30	38	42
13	Dysentery—W	85	12	73	17	17	6	1	1		2	2	1	4	2	5	2	25
	Dysentery—C	68	18	50	20	14	3	2			2		1	1	6	6	5	8
15	Erysipelas—W	24	8	16	8		1				1	1		2	2	3	1	5
	Erysipelas—C	3		3	2											1		
16	Acute poliomyelitis, acute polioencephalitis—W	8	3	5		2			2	3	1							
	Acute poliomyelitis, acute polioencephalitis—C	2	1	1						1	1							
17	Lethargic or epidemic encephalitis—W	8	2	6					1			1		2		2	1	1
	Lethargic or epidemic encephalitis—C	4	2	2								1	1		1	1		
18	Epidemic cerebrospinal meningitis—W	15	10	5	2	1				5	1	4			1		1	
	Epidemic cerebrospinal meningitis—C	6	5	1							2	1	1	1		1		
21	Rabies—W	1		1										1				
	Rabies—C	1		1													1	
22	Tetanus—W	17	6	11	5					4	1	1	1	3	1	1		
	Tetanus—C	30	17	13	3			1	1	4	4	2	4	3	3	4	1	
	Tuberculosis (all forms)—W	679	182	497	6	4		2	1	4	7	25	54	145	139	95	90	102
	Tuberculosis (all forms)—C	1,103	457	646	11	11	4	3	7	15	30	102	198	305	202	121	60	31
23	Respiratory system—W	620	162	458		2		1		1	6	22	45	137	130	90	86	95
	Respiratory system—C	1,022	400	622	3	8	1	2	6	10	25	97	188	290	191	114	57	27
24	Meninges and central nervous system—W	11	5	6	3	2		1	1	1				1	1		1	
	Meninges and central nervous system—C	14	11	3	2	2	2		1	2	1		2	2				
25	Intestines and peritoneum—W	17	8	9						1			2	3	5	2	3	1
	Intestines and peritoneum—C	32	19	13	2		1			1	1	3	4	8	3	3	2	4
26	Vertebral column—W	4		4									2		1			1
	Vertebral column—C	5	4	1							1	1			2	1		
27a	Bones (vertebral column excepted)—W	3	1	2						1				1	1			
	Bones (vertebral column excepted)—C	2		2												2		
27b	Joints—W	3		3								1	1			1		
	Joints—C	1		1													1	

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	I.—Infectious and parasitic diseases—Con.																		
	Tuberculosis (all forms)—Continued.																		
28	Skin and subcutaneous cellular tissue	W	3	1	2									1	1				1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	3		3	2													1
		C	2	2							1	1							
30	Genitourinary system	W	3	1	2									1	1		1		
31	Other organs	W	1		1										1				
32a	Acute disseminated tuberculosis	W	10	4	6	1						1	1	2		1	1		3
		C	21	17	4	2	1		1		1	1	1	4	5	4	1		
32b, c	Other disseminated tuberculosis	W	1		1								1						
		C	4	4		2										2			
33	Leprosy	C	1	1															1
34	Syphilis	W	57	35	22	11								4	7	16	10	7	2
		C	318	171	147	42	6	3			1	3	9	25	74	60	55	27	13
35	Gonococcus infection, other venereal diseases	W	15	7	8	1							1	2	7	3	1		
		C	32	20	12							1	4	2	9	12	1	2	1
36	Purulent infection, septicemia (nonpuerperal)	W	20	6	14	1	1					2	2	2	4	2	1		5
		C	16	7	9							1	1	1	4		4	1	4
38	Malaria	W	191	25	166	7	7	1	6	4	18	12	8	7	18	17	16	26	43
		C	176	17	159	10	8	5	5	5	13	7	7	8	20	14	22	22	28
39	Other diseases due to protozoal parasites	W	2	2											2				
40	Ankylostomiasis	W	3	1	2				1					2					
		C	2		2		1						1						
42	Other diseases caused by helminths	W	2		2			2											
		C	3		3		1	1	1										
43	Mycoses	C	8	1	7	5	2										1		
44	Other infectious and parasitic diseases	W	9	2	7	2			1		2		1		1	1			1
		C	2		2										1				1
	II.—Cancers and other tumors	White	1,265	495	770	3	2		2		6	2	14	11	51	135	244	295	494
		Colored	504	211	293	1	1	2		1	3	4	6	11	54	117	129	94	79
	Cancer and other malignant tumors	W	1,215	467	748	1	2		2		3	1	10	11	44	121	238	289	487
		C	439	173	266		1	2		1	3	4	5	7	36	89	120	92	77
(45)	Buccal cavity	W	44	12	32									3		3	5	10	23
		C	11	4	7						1				1	1	3	2	3
(45)	Pharynx	W	17	6	11												3	3	11
		C	7	1	6							1			2		1		2
(46)	Esophagus	W	11	7	4										1			3	7
		C	1	1													1		
(46)	Stomach and duodenum	W	211	64	147										3	13	43	58	94
		C	83	30	53										4	13	20	29	17
(46)	Liver and biliary passages	W	89	28	61										3	7	11	27	39
		C	20	7	13										2	4	6	4	3
(46)	Pancreas	W	33	17	16										1	1	9	10	12
		C	3	2	1											1		1	1
(46)	Other digestive tract and peritoneum	W	110	63	47		1				1			1	5	13	22	17	49
		C	34	17	17		1							1	2	7	11	10	2
47	Respiratory system	W	37	18	19	1								1	2	3	10	7	13
		C	8	6	2						1				2	2	2		
48	Uterus	W	195	71	124									1	11	42	52	48	40
		C	130	47	83								1	2	12	28	47	21	19
49	Other female genital organs	W	20	12	8								1	1		2	5	4	7
		C	6	5	1										1	4	1		
50	Breast	W	128	56	72									1	4	18	32	39	34
		C	52	22	30									1	4	15	10	9	13
51	Male genitourinary organs	W	73	37	36								1	4	4		5	17	42
		C	23	11	12							1			1	1	2	10	8
52	Skin	W	80	13	67										2	1	9	13	54
		C	9	1	8										1	4	2		2
53	Other or unspecified organs	W	167	63	104		1		2		2	1	7		8	18	32	33	62
		C	52	19	33			2		1	1	2	4	2	4	9	14	6	7
54a	Nonmalignant tumors, ovary	W	1	1															1
		C	2	2											2				
54b	Nonmalignant tumors, uterus	W	12	9	3										3	7	2		
		C	46	30	16								1	2	11	23	7	1	1
54d, e	Nonmalignant tumors, other organs	W	11	6	5						1		1		4	1	1	1	2
		C	7	4	3	1									3	2			1
55d, e	Tumors, other organs (nature unspecified)	W	26	12	14	2					2	1	3			6	3	5	4
		C	10	2	8									2	2	3	2	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	525	164	361	15	4	2	2	1	10	9	15	8	22	50	62	118	207
		Colored	437	171	266	13	2	1			9	8	10	21	48	64	98	88	74
56	Acute rheumatic fever	W	28	4	24						2	3	3		1	5	1	3	10
		C	37	14	23						3	5	3		3	1	6	9	7
57	Chronic rheumatism, osteoarthritis	W	18	6	12											3		3	12
		C	11	3	8										3		1	2	5
59	Diabetes mellitus	W	242	92	150						5	5	9	2	9	17	22	72	101
		C	108	44	64							3	3	2	4	9	27	31	29
62	Pellagra	W	176	37	139	1	1			1	1	1	1	5	10	19	35	32	69
		C	241	95	146						3		4	17	37	49	55	43	32
63	Rickets	W	3		3		1	1			1								
		C	10	1	9	6	1	1			2								
66a	Simple goiter	W	4	3	1								1					2	1
		C	4	2	2											1	3		
66b	Exophthalmic goiter	W	21	14	7								1	1	2	6	3	5	3
		C	9	4	5											4	3	2	
(66)	Other diseases of thyroid and parathyroid glands	W	7	4	3	4			1								1		1
		C	4	2	2	1					1						1	1	
67	Diseases of thymus gland	W	7	3	4	6	1												
		C	5	1	4	4									1				
69	Other general diseases	W	19	1	18	4	1	1	1		1							1	10
		C	8	5	3	2	1							2			2		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																	
	IV.—Diseases of the blood and blood-making organs White	95	42	53	8	1	1	1	1	4	4	7	3	4	7	16	18	20
	Colored	41	24	17	6	1	1	1	1	1	2	3	3	5	9	4	3	1
70	Hemorrhagic conditions W	11	2	9	7						1		1	2				
	C	4	3	1	2						1				1			
71a	Pernicious anemia W	28	10	18								2				8	7	11
	C	10	6	4								1	1	2	4	1		1
71b	Other anemias W	8	2	6	1	1	1				1	1					1	2
	C	7	5	2	4	1					1				1			
72a	True leukemias W	34	20	14				1	1	4	1	2			5	6	8	6
	C	12	7	5				1	1	1			1	2	3	1	2	
72b	Pseudoleukemias (Hodgkin's disease) W	8	5	3							1	1	2	1	1		1	1
	C	6	2	4								2		1		2	1	
73	Diseases of spleen W	4	2	2											1	2	1	
	C	2	1	1			1						1					
74	Other diseases of blood and blood-making organs W	2	1	1								1		1				
	V.—Chronic poisonings and intoxications White	36	11	25									2	7	7	10	2	8
	Colored	19	10	9								1		7	7	2	2	
75	Alcoholism (acute or chronic) W	31	7	24									2	5	7	10	2	5
	C	19	10	9								1		7	7	2	2	
76	Chronic poisoning by other organic substances W	3	3															3
77a	Chronic lead poisoning W	2	1	1										2				
	VI.—Diseases of the nervous system and of the organs of special sense White	1,702	503	1,199	47	8	8	5	3	15	16	15	11	48	97	207	337	880
	Colored	1,421	559	862	43	7	3	4	2	8	12	16	23	88	185	365	309	352
78	Encephalitis (nonepidemic) W	20	6	14	3	2	1	1	1					1	2	4	2	3
	C	16	4	12						2	3	1	4	3	2	1		
79a	Simple meningitis W	37	20	17	13	2	3		1		4	3	1	3	3	4		
	C	32	24	8	7	4		1	2	1	3	4	4	3	1	2		
79b	Nonepidemic cerebrospinal meningitis W	7	1	6	2			2		2					1			
	C	1	1		1													
80	Progressive locomotor ataxia (tabes dorsalis) W	10	3	7											2	3	2	3
	C	4	2	2												3	1	
81	Other diseases of spinal cord W	27	10	17		1		1		1	1	2	1	2	2	6	1	9
	C	19	12	7						1		1	1		6	3	5	2
82a	Cerebral hemorrhage W	1,221	360	861	2					2	1		6	25	55	164	278	684
	C	991	444	547	1			1				1	5	52	140	294	230	264
82b	Cerebral embolism and thrombosis W	39	23	16							1			1	4	5	5	23
	C	12	8	4										2	3	1	5	1
82c	Softening of brain W	12	3	9													3	9
	C	4	2	2												2	1	1
82d	Hemiplegia and other paralysis, cause unspecified W	156	18	138	2							3		3	6	8	23	110
	C	174	31	143	1					1	1	1	1	5	8	38	44	73
83	General paralysis of insane W	36	12	24										3	11	5	8	9
	C	55	9	46								1	1	6	18	13	14	2
84	Dementia praecox and other psychoses W	12	3	9										2	2	2	3	3
	C	18	4	14								1		5		4	1	7
85	Epilepsy W	29	5	24	4	1					2	2	2	6	4	3	2	3
	C	36	3	33	1					2	3	4	6	10	5	1	3	1
86	Convulsions (under 5 years of age) W	21	3	18	18	1	2											
	C	35	4	31	30	1	3	1										
87	Other diseases of nervous system W	40	14	26		1				3	2	1	1		2	3	9	18
	C	13	5	8	1	1					1	1	1	1	2	1	3	1
88	Diseases of organs of vision C	1		1				1										
89a	Diseases of ear W	21	15	6	3		2	1		3	3	1		2	2			4
	C	5	3	2						1	1	1					2	
89b	Diseases of mastoid process W	14	7	7														
	C	5	3	2	1	1			1	4	2	3			1		1	2
	VII—Diseases of the circulatory system White	2,684	952	1,732	8	6	3	2	2	13	6	20	19	51	131	337	574	1,507
	Colored	1,879	866	1,013	8	1		4		6	11	18	57	153	282	448	413	469
90	Pericarditis W	14	4	10			1						1	2		2	2	6
	C	17	7	10				1					1	2	8	2	2	1
91a	Acute endocarditis W	18	5	13	1							1	3	4	1	2	2	4
	C	19	10	9	1					3	1	2	3	1	3	1	3	1
91b	Endocarditis, unspecified (under 45 years) W	2	1	1	1						1							
	C	14	7	7								1	2	4	7			
92a	Endocarditis, specified as chronic, and other valvular diseases W	453	98	355		1			1	4	3	8	5	16	34	51	87	243
	C	380	156	224	2						7	4	15	38	62	97	64	90
92b	Endocarditis, unspecified (45 years and over) W	57	12	45												10	13	33
	C	70	38	32												19	27	24
93a	Acute myocarditis W	29	12	17									1	1	2	4	8	13
	C	55	30	25				1			1	2	6	7	13	15	7	3
93b	Myocarditis, unspecified (under 45 years) W	13	8	5				1		1		1		3	7			
	C	59	41	18							1	1	2	19	36			
93c	Chronic myocarditis and myocardial degeneration W	355	161	194					1				1	5	7	28	74	238
	C	141	79	62									3	9	17	31	43	37
93d	Other diseases of myocardium W	394	175	219								1	2	1	1	44	81	264
	C	217	104	113										2	4	85	70	54
94a	Angina pectoris W	241	85	156										2	16	52	79	91
	C	70	31	39									1	6	10	23	12	18
94b	Diseases of coronary arteries W	202	114	88									1		16	35	61	89
	C	52	33	19		1						2	2	7	12	11	11	6
95a	Functional diseases of heart W	18	7	11												2	2	13
	C	4	2	2									1		1		2	
95b	Other and unspecified diseases of heart W	673	205	468	5	4	2	1		6	1	8	3	14	35	91	127	375
	C	608	260	348	1			2		3	1	6	19	51	86	131	129	174
96	Aneurysm (except of heart) W	13	7	6										1	1	3	4	4
	C	25	16	9									1	2	11	8	2	1
97	Arteriosclerosis (coronary arteries excepted) W	134	36	98											4	5	21	104
	C	91	35	56											5	13	30	43

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
98	Gangrene	W	12	6	6	1	1				1			1	1		2	1	4
		C	9	3	6										2	1	2	1	3
99	Other diseases of the arteries	W	8	5	3											1	1	2	4
		C	7	4	3										1	2	1		3
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	11	6	5						1	1		1		1	2	2	3
		C	5	1	4												3	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	W	2		2											1			1
102	Idiopathic anomalies of blood-pressure	W	30	5	25								1		1	3	3	7	15
		C	26	8	18									1		2	6	7	10
103	Other diseases of circulatory system	W	5		5											1		1	3
		C	10	1	9	4									2	2		2	
	VIII.—Diseases of the respiratory system	White	1,297	370	927	258	61	24	16	11	36	24	35	44	85	90	120	117	374
		Colored	1,272	563	709	256	63	17	15	8	32	24	58	73	171	183	148	115	108
104a	Diseases of nasal fossae	W	5	1	4	2	1												2
		C	11		11	10					1								
104b	Diseases of nasal fossae and annexa	W	7	5	2	1							1	2	2		1		
		C	6	3	3	1						1	1	1	1	1			
105	Diseases of larynx	W	15	1	14	5	1	1	3	2					1		1		1
		C	5	1	4	3	1									1			
106a	Acute bronchitis	W	3	1	2														3
		C	11	10	1		1									5	3	1	1
106b	Chronic bronchitis	W	23	8	15											1	1	6	15
		C	5	3	2	1									1	2		1	
106c, d	Bronchitis, unspecified	W	11	1	10	5		1											5
		C	9	4	5	1									2	3		1	2
107a	Bronchopneumonia	W	450	124	326	157	36	13	6	2	6	8	5	8	14	13	18	27	137
		C	323	184	139	103	37	6	5	3	13	8	10	13	23	34	27	13	28
107b	Capillary bronchitis	W	3	1	2	1		1											1
		C	2	1	1		1												1
108	Lobar pneumonia	W	579	175	404	54	13	5	5	4	27	11	21	30	49	57	80	66	156
		C	615	290	325	47	13	7	7	3	11	11	39	50	116	102	90	73	45
109	Pneumonia, unspecified	W	108	16	92	28	4	3	1	2	3	4	3	3	11	7	6	6	26
		C	206	35	171	85	7	2	3	2	7	2	7	8	17	22	10	11	23
110	Pleurisy	W	25	10	15	1	4		1	1			2		2	2	4	3	5
		C	26	16	10			2				1			8	4	6	5	
111a	Pulmonary embolism and thrombosis	W	3	3											1	2			
		C	1	1													1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	15	5	10	2									2	1	1		9
		C	14	6	8		1								1	3	2	3	4
112	Asthma	W	27	10	17		1					1	2	1	1	1	5	2	13
		C	21	7	14	1	1					1			1	5	6	3	3
113	Pulmonary emphysema	W	1		1														1
		C	2	1	1								1					1	
114	Other diseases of respiratory system (tuberculosis excepted)	W	22	9	13	2	1						1		2	6	3	7	
		C	15	1	14	4	1							1	1	1	3	3	1
	IX.—Diseases of the digestive system	White	1,281	467	814	229	138	38	17	13	36	35	45	40	90	103	111	140	245
		Colored	933	372	561	146	63	19	8	5	16	33	37	52	114	139	133	90	76
115a	Diseases of pharynx, tonsils	W	58	22	36	1	1	1	5	3	11	3	3	4	9	3	3	1	10
		C	39	19	20	4	1		1	1	2	5	3	4	7	7	2	1	1
115b	Diseases of buccal cavity and annexa	W	20	7	13	1	3				1				1	4	3	4	3
		C	16	6	10	1	1	1						3	4	1	3	1	1
116	Diseases of esophagus	W	2		2											1			1
117a	Ulcer of stomach	W	72	24	48							1		2	5	12	16	14	22
		C	59	33	26								5	4	9	17	11	9	4
117b	Ulcer of duodenum	W	25	16	9									1	3	5	8	4	4
		C	7	6	1										2	1	2	1	1
118	Other diseases of stomach (cancer excepted)	W	73	14	59	10	1				1	1	3	1	4	4	8	12	28
		C	156	41	115	10	5	1			4	4	4	6	21	36	25	17	23
119	Diarrhea, enteritis (under 2 years of age)	W	335	94	241	207	128												
		C	174	46	128	122	52												
120	Diarrhea, enteritis (2 years and over)	W	122	22	100			33	10	5	4	1	1	3	5	4	6	12	37
		C	92	42	50			15	7	2	1	3	2	3	7	5	16	16	14
121	Appendicitis	W	212	106	106	1	1	1	1	2	10	24	31	21	38	24	19	21	18
		C	105	57	48		1	1			5	13	14	13	17	19	13	7	2
122a	Hernia	W	43	25	18		1					1				7	5	12	17
		C	40	14	26	3	1					1	1	1	5	5	7	10	6
122b	Intestinal obstruction	W	88	43	45	8	3	2	1	3	4	3		3	11	7	5	10	28
		C	99	45	54	4	2			1	2	4	3	7	17	18	23	12	6
123	Other diseases of intestines	W	15	7	8						3		1		1	3		5	2
		C	14	5	9	2								1	3	4	1	3	
124	Cirrhosis of liver	W	84	28	56							1	2	1	5	11	10	20	34
		C	56	21	35								1	3	6	13	14	9	10
125a	Yellow atrophy of liver	W	6	2	4										1	2	2		1
		C	8	6	2									1	2	1	4		
125b	Other diseases of liver	W	20	5	15	1								1	1	2	2	8	5
		C	20	9	11						1	2	2		4	3	4	1	3
126	Biliary calculi	W	36	20	16										1	6	7	8	14
		C	9	2	7										1	3	2	1	2
127	Other diseases of gall-bladder, biliary passages	W	42	20	22										3	4	13	6	16
		C	12	5	7			1		1				1	3	1	3	1	1
128	Diseases of pancreas	W	7	4	3						1			1			2		3
		C	1		1											1			
129	Peritonitis, cause not specified	W	21	8	13			1			1		4	2	2	4	2	3	2
		C	26	15	11						1	1	2	5	6	4	3	1	2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																	
	X.—Diseases of the genitourinary system White	1,812	640	1,172	9	2	5	4	2	11	5	9	27	61	99	176	299	1,099
	X.—Diseases of the genitourinary system Colored	1,422	616	806	6	2		2	1	10	6	22	40	103	200	306	312	407
130	Acute nephritis (including unspecified under 10 years) W	97	17	80	3	2	3	2	1	8	1	4	3	11	7	12	6	34
	Acute nephritis (including unspecified under 10 years) C	186	91	95	4	1			1	7	2	11	13	25	32	37	28	25
131	Chronic nephritis W	1,137	422	715			1	1	1	3	2	3	4	19	41	117	207	736
	Chronic nephritis C	684	320	364						2	2	4	11	36	91	151	161	226
132	Nephritis, unspecified (10 years and over) W	359	93	266							1	1	6	10	21	36	59	224
	Nephritis, unspecified (10 years and over) C	372	135	237							1	3	7	25	46	85	91	110
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	64	24	40	6		1	1			1	1	3	6	9	3	9	24
	Other diseases of kidneys, ureters (puerperal diseases excepted) C	46	11	35	2	1		2		1	1	1	3	2	5	10	7	11
134	Calculi of urinary passages W	22	15	7									1	4	4	4	6	3
	Calculi of urinary passages C	3	1	2											1		1	1
135	Diseases of bladder (tumors excepted) W	9	3	6													1	8
	Diseases of bladder (tumors excepted) C	18	4	14										1	2	4	3	8
136	Diseases of urethra, urinary abscess, etc. W	4	3	1											3		1	
	Diseases of urethra, urinary abscess, etc. C	20	15	5									1	5	6	4	4	
137	Diseases of prostate W	76	37	39									1				8	66
	Diseases of prostate C	50	23	27										1	2	8	15	24
138	Diseases of male genital organs, not specified as venereal C	2	1	1											1			1
139a	Cysts of ovary W	7	3	4									3		1		1	2
	Cysts of ovary C	6	3	3									1	2		3		
139b	Other diseases of ovaries, diseases of tubes, parametrium W	24	18	6									5	10	8			1
	Other diseases of ovaries, diseases of tubes, parametrium C	17	10	7								2	1	3	8	3		
139c	Diseases of uterus W	11	4	7									1	1	4	3	1	1
	Diseases of uterus C	14	2	12								1	2	3	5	1	1	1
139d	Nonpuerperal diseases of breast (cancer excepted) W	1	1													1		
139e	Other diseases of female genital organs W	1		1											1			
	Other diseases of female genital organs C	4		4									1		1		1	
	XI. Diseases of pregnancy, childbirth, and the puerperal state White	227	60	167								38	45	88	51	2		
	XI. Diseases of pregnancy, childbirth, and the puerperal state Colored	232	67	165							4	53	51	76	45	3		
140	Abortion with septic conditions W	24	8	16								2	6	15	1			
	Abortion with septic conditions C	21	8	13								4	6	10	1			
141	Abortion without mention of septic conditions (includes hemorrhages) W	9		9								1		5	3			
	Abortion without mention of septic conditions (includes hemorrhages) C	9	1	8							1		2	6				
142a	Ectopic gestation, septic conditions specified C	1		1									1					
142b	Ectopic gestation, septic conditions not mentioned W	2	2									1		1				
	Ectopic gestation, septic conditions not mentioned C	7	5	2										3	4			
143	Other accidents of pregnancy (hemorrhage not included) W	4	1	3								1		2	1			
	Other accidents of pregnancy (hemorrhage not included) C	2	1	1								1			1			
144a	Placenta praevia W	6	1	5									1	3	2			
	Placenta praevia C	7	3	4									3	1	2	1		
144b	Other puerperal hemorrhages W	18	9	9								3	1	8	5	1		
	Other puerperal hemorrhages C	17	5	12								2	4	6	4	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) W	41	12	29								3	12	18	7			
	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) C	50	17	33								12	14	18	6			
146	Puerperal albuminuria and eclampsia W	81	14	67								21	18	19	21			
	Puerperal albuminuria and eclampsia C	67	20	47							3	22	9	19	14			
147	Other toxemias of pregnancy W	11	6	5								1	2	3	4	1		
	Other toxemias of pregnancy C	5	4	1								2	1	2				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) W	5		5										3	2			
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) C	4	1	3								1	1	1	1			
149	Other accidents of childbirth W	25	6	19								5	4	11	5			
	Other accidents of childbirth C	41	1	40								9	10	9	12	1		
150	Other and unspecified conditions of puerperal state W	1	1										1					
	Other and unspecified conditions of puerperal state C	1	1											1				
	XII.—Diseases of the skin and cellular tissue White	33	12	21	4	1		1			1	2	3	1	5	4	4	7
	XII.—Diseases of the skin and cellular tissue Colored	19	8	11	1						1	2	2	2	3	2	3	2
151	Furuncle, carbuncle W	13	5	8	1								2		3	2	2	3
	Furuncle, carbuncle C	4		4									1	1	1	1		
152	Phlegmon, acute abscess W	9	5	4				1						1	2	2	2	1
	Phlegmon, acute abscess C	5	3	2								2		1	1	1		
153	Other diseases of skin and annexa, and of cellular tissue W	11	2	9	3	1					1	2	1					3
	Other diseases of skin and annexa, and of cellular tissue C	10	5	5	1						1		1		1		3	2
	XIII. Diseases of the bones and organs of locomotion White	17	7	10	1		1				3	2	1	2		2	4	1
	XIII. Diseases of the bones and organs of locomotion Colored	15	10	5	1				1	2		2	1	1	3		4	
154	Osteomyelitis W	13	7	6	1		1				3	2	1	2		1	2	
	Osteomyelitis C	6	3	3						2		1		1			2	
155	Other diseases of bones (tuberculosis excepted) W	2		2												1		1
	Other diseases of bones (tuberculosis excepted) C	1		1								1						
156	Diseases of joints, other organs of locomotion W	2		2													2	
	Diseases of joints, other organs of locomotion C	8	7	1	1				1				1		3		2	
	XIV.—Congenital malformations White	149	60	89	128	6	3	3	1	3	3	1			1			
	XIV.—Congenital malformations Colored	43	12	31	38	2	2			1								
157a	Congenital hydrocephalus W	25	9	16	16	3	2	2	1						1			
	Congenital hydrocephalus C	10	3	7	8	1	1											
157b	Spina bifida and meningocele W	23	10	13	21	1	1											
	Spina bifida and meningocele C	2	1	1	2													
157c	Congenital malformations of heart W	62	23	39	55	1		1		2	2	1						
	Congenital malformations of heart C	8	5	3	7	1												
157d	Other congenital malformations W	39	18	21	36	1				1	1							
	Other congenital malformations C	23	3	20	21		1			1								

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	XV.—Diseases of early infancy	White	885	257	628	885													
		Colored	640	238	402	640													
158	Congenital debility	W	86	12	74	86													
		C	107	15	92	107													
159	Premature birth	W	622	180	442	622													
		C	434	180	254	434													
160	Injury at birth	W	129	51	78	129													
		C	44	22	22	44													
161	Other diseases peculiar to early infancy	W	48	14	34	48													
		C	55	21	34	55													
162	**XVI.—Senility**	White	209	23	186													1	207
		Colored	308	23	285												2	13	291
	XVII.—Violent and accidental deaths	White	1,706	674	1,032	41	27	22	17	22	68	66	116	175	275	220	191	178	280
		Colored	1,276	554	722	63	17	13	7	10	46	44	128	221	249	185	147	69	67
	Suicide	W	277	116	161								10	36	49	50	51	51	30
		C	36	13	23								3	3	5	12	3	6	4
163	By solid or liquid poisons or by absorption of corrosive substances	W	46	25	21								5	8	5	10	6	6	6
		C	4	3	1								1		1	2			
164	By poisonous gas	W	5	5											2	3			
165	By hanging or strangulation	W	16	4	12									1	3	6	2	3	1
		C	2	1	1														2
166	By drowning	W	4	1	3										1	1	1	1	
		C	2	1	1									1		1			
167	By firearms	W	190	75	115								5	27	38	28	37	36	19
		C	24	6	18								2	2	4	8	2	5	1
168	By cutting or piercing instruments	W	10	4	6											1	4	2	3
		C	2	1	1												1	1	
169	By jumping from high places	W	4	2	2											1	1	1	1
171	By other means	W	2		2													2	
		C	2	1	1											1			1
	Homicide	W	206	75	131	2						2	14	28	59	47	30	14	8
		C	467	249	218	5	1	1				4	49	127	129	91	40	10	8
173	By firearms	W	139	52	87								9	19	42	27	23	13	6
		C	289	141	148	1	1					3	26	82	82	55	27	7	3
174	By cutting or piercing instruments	W	31	13	18							1	5	5	10	5	3	1	1
		C	131	92	39								22	40	33	28	7		1
175	By other means	W	36	10	26	2						1		4	7	15	4		1
		C	47	16	31	4		1				1	1	5	14	8	6	3	4
	Accidental, other, or undefined	W	1,223	483	740	39	27	22	17	22	68	64	92	111	167	123	110	113	242
		C	773	292	481	58	16	12	7	10	46	40	77	91	115	82	104	53	55
176	Attack by venomous animals	W	5	1	4	1					3				1				
		C	5		5						1		1	1	1		1		
177	Poisoning by food	W	15	1	14	3	2	3						3	1	1	1		1
		C	13	2	11			1			2	1		1	1	1	3	2	1
178	Absorption of poisonous gas	W	2	1	1												1	1	
		C	3		3									2	1				
	Supplemental	C	1		1				1										
179	Other acute accidental poisonings (gas excepted)	W	27	12	15	1	6	2	1	1				1	6	3	3	1	2
		C	21	9	12	1	7	3			1	1	1	1	1	1	4		
180	Conflagration	W	5	1	4					1	1				1	2			
		C	14	4	10			1			1			2	1		4	2	3
181	Burns (conflagration excepted)	W	93	43	50	2	6	10	7	10	15	2	4	1	8	7	4	6	11
		C	102	46	56	10	2	7	5	3	11	3	5	6	7	12	6	11	13
	Supplemental	W	3	2	1											1		2	
		C	4	2	2										1		2	1	
182	Mechanical suffocation	W	15	6	9	14		1											
		C	26	8	18	24								1		1			
183	Drowning	W	48	14	34		3	1			6	6	7	8	9	3	1	3	1
		C	52	14	38	2	1		1		5	8	13	6	5	5	2	2	2
	Supplemental	W	13	1	12						2			2	5	2	1		1
		C	7	2	5								1	3		2	1		
184	Traumatism: By firearms (wounds of war excepted)	W	60	25	35			1			1	11	9	8	12	8	7	2	1
		C	82	29	53	1				2	9	7	20	12	18	6	4	3	
185	By cutting or piercing instruments (wounds of war excepted	W	10	4	6		1				1	2				1	1	3	1
		C	19	12	7							1	2	3	4	5	2	1	1
	Supplemental	W	4	1	3										1	2	1		
		C	4	2	2							1		2	1				
186a	By fall	W	229	98	131	3	2	1	1	1	1	2	4	3	9	7	13	25	157
		C	55	25	30	5	2				2	2	2	3	2	4	14	7	11
	Supplemental	W	46	19	27	1	1				3	3	10	1	2	5	7	6	7
		C	22	10	12							4		3	3	3	4	2	3
186b	By crushing, landside	W	4		4						1		1	1	1				
		C	4	1	3										1		3		
	Supplemental	W	99	33	66	1		1	2	4	9	5	9	15	20	9	11	7	6
		C	42	20	22						1		4	4	13	8	8	3	
187	Cataclysm	C	1		1										1				
188	Injuries by animals	W	7	3	4						1	1			1			1	3
		C	3		3												1	2	
189	Hunger and thirst	W	1		1												1		
		C	1		1												1		
190	Excessive cold	C	3	1	2						1	1					1		
191	Excessive heat	W	5		5											1		2	1
		C	8	2	6							1			3	1	3		
192	Lighting	W	13		13						1	1	3	1	3		3		
		C	14	1	13							1	2	4	2	1	2	2	
193	Due to electric currents	W	9	2	7						1	1		1	2	3	1		
		C	3	1	2									2		1			
194a	Foreign bodies	W	8	4	4	1	3	1			1					2			
		C	5	1	4	3	1	1											
194b	Other accidents	W	78	33	45	9					3	10	4	7	5	6	9	9	14
		C	51	18	33	12				1	6	2	3	6	5	6	5	4	1
	Supplemental	W	422	179	243	3	3	1	6	5	18	20	41	59	80	60	44	44	36
		C	197	82	115		2			4	6	7	19	29	41	25	32	11	20
198	Legal executions	W	2		2												1	1	
		C	11		11								4		3		1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 yeras	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																	
	XVIII.—Ill-defined causes of death White	624	47	577	257	8	4	3	3	8	7	7	8	16	28	41	69	162
	XVIII.—Ill-defined causes of death Colored	1,224	149	1,075	503	31	11	2	7	14	10	20	33	82	92	115	100	197
199	Sudden death W	113	7	106	6			1		1	1	3		2	5	20	18	54
	Sudden death C	117	9	108	7	2						3	4	10	13	23	16	39
200a	Cause of death ill-defined W	155	10	145	37	4	1		2	2	2	1	3	4	11	10	30	48
	Cause of death ill-defined C	315	42	273	60	15	3		2	9	3	4	12	29	39	36	42	59
200b	Cause of death not specified or unknown W	356	30	326	214	4	3	2	1	5	4	3	5	10	12	11	21	60
	Cause of death not specified or unknown C	792	98	694	436	14	8	2	5	5	7	13	17	43	40	56	42	99
Punch symbol	SUPPLEMENTAL[1]																	
201	Accidents in mines and quarries W	1		1										1				
	Accidents in mines and quarries C	1		1												1		
202	Accidents from agricultural machinery W	1		1										1				
203	Elevator accidents W	3	2	1									1			1		1
	Elevator accidents C	1	1											1				
204	Accidents from machinery used for recreation W	1	1											1				
205	Other machinery accidents W	12	4	8						1		1		2	2	4		2
	Other machinery accidents C	10	7	3							1	1	3	2	1	2		
206	Railroad and automobile collisions W	20	10	10							1	2	5	2	2	6		2
	Railroad and automobile collisions C	5		5										1	2	1		
207	Other railroad accidents W	53	14	39					1		1	4	11	12	4	7	8	5
	Other railroad accidents C	49	20	29		1				1	2	4	5	14	11	8	1	2
208	Street car and automobile collisions W	2	2										1			1		
	Street car and automobile collisions C	1	1											1				
209	Other street car accidents W	6	5	1						1					1	1	1	2
	Other street car accidents C	1	1														1	
210	Automobile accidents (primary) W	454	187	267	5	4	2	8	8	26	24	52	54	81	65	41	48	34
	Automobile accidents (primary) C	197	84	113		1		1	4	6	6	18	32	40	22	34	14	18
211	Motorcycle accidents W	3	2	1									2	1				
212	Other land transportation accidents W	13	4	9						3	2	1			1	2	1	3
	Other land transportation accidents C	7	2	5							3						1	3
213	Water transportation accidents W	12	2	10						1			1	5	2	1	1	1
	Water transportation accidents C	5	2	3								1	1		2	1		
214	Air transportation accidents W	6	2	4									2	2	2			

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO																		
	Total deaths (all causes)	4,056	570	1,650	1,836	404	65	37	34	20	90	82	92	116	217	271	459	561	1,604
	I.—Infectious and parasitic diseases	364	52	152	160	33	10	7	8	2	21	15	21	23	38	49	45	36	56
1	Typhoid fever	20	4	9	7		1			2	1	1	5	2	3	3	2		
2	Paratyphoid fever	1			1												1		
5	Undulant fever	2	1	1							2								
6	Smallpox	2	1	1								1					1		
7	Measles	8	2	2	4	2			1		4			1					
8	Scarlet fever	3			3			1	1				1						
9	Whooping-cough	4		2	2	3					1								
10	Diphtheria	7		5	2		1		1		2					2	1		
11a	Influenza, respiratory complications specified	55	4	22	29	15	4	1	2		2		2	3	5	3	2	6	10
11b	Influenza, respiratory complications not specified	45		17	28	5	1	1	2		2	3		1	2	1	2	4	21
13	Dysentery	1		1							1								
15	Erysipelas	6		3	3	2	1							1	1				1
16	Acute poliomyeltis, acute polioencephalitis	4		3	1		1					1	1	1					
18	Epidemic cerebrospinal meningitis	6		2	4	1	1				2		1	1					
22	Tetanus	1			1							1							
	Tuberculosis (all forms)	163	28	73	62	3		2	1		4	7	10	10	23	33	26	23	21
23	Respiratory system	141	25	64	52	2		2	1		2	5	10	9	22	26	23	19	20
24	Meninges and central nervous system	6	1	4	1	1					1	1		1		1	1		
25	Intestines and peritoneum	4		2	2						1				1	1		1	
26	Vertebral column	2	1		1											2			
27b	Joints	1			1													1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1													1	
30	Genitourinary system	3	1	1	1											2			1
32a	Acute disseminated tuberculosis	5		2	3							1				1	2	1	
34	Syphilis	16	6	4	6								1		1	5	6	1	2
35	Gonococcus infection and other venereal diseases	5	2	2	1									2	1	2			
36	Purulent infection, septicemia (non-puerperal)	2		2		1									1				
39	Other diseases due to protozoal parasites	1			1	1													
44	Other infectious and parasitic diseases	12	4	3	5			2				1		1	1		4	2	1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	II.—Cancers and other tumors	415	75	161	179			1	1		4	2	3	3	12	21	79	102	187
	Cancer and other malignant tumors	386	70	145	171			1	1		1	2	2	2	9	16	70	97	185
(45)	Buccal cavity	9	1	4	4												1	1	7
(45)	Pharynx	2			2													1	1
(46)	Esophagus	5	1	3	1												1		4
(46)	Stomach and duodenum	112	18	42	52									1		2	13	38	58
(46)	Liver and biliary passages	36	6	13	17											1	5	9	21
(46)	Pancreas	10	1	7	2											1		2	7
(46)	Other digestive tract and peritoneum	49	11	19	19							1		1	4	4	7	11	21
47	Respiratory system	17	1	7	9						1		1		1		3	6	5
48	Uterus	35	7	13	15										1	4	18	6	6
49	Other female genital organs	5	1	1	3										1		2	1	1
50	Breast	31	7	10	14										1	4	11	8	7
51	Male genitourinary organs	40	8	17	15			1									6	7	26
52	Skin	10	5		5												1	1	8
53	Other or unspecified organs	25	3	9	13				1			1	1		1		1	6	14
54a	Nonmalignant tumors, ovary	1	1															1	
54b	Nonmalignant tumors, uterus	12	3	8	1										3	4	5		
54d, e	Nonmalignant tumors, other organs	2		1	1						1					1			
55d, e	Tumors, other organs (nature unspecified)	14	1	7	6						2		1	1			4	4	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	128	19	53	56	10	1		1	2	3	3	3	2	6	8	12	26	51
56	Acute rheumatic fever	9	1	7	1				1	2		2	2		1		1		
57	Chronic rheumatism, osteoarthritis	12	2	5	5										1	1		1	9
59	Diabetes mellitus	76	13	28	35						3	1	1	1		3	10	20	37
63	Rickets	1			1		1												
66b	Exophthalmic goiter	16	3	6	7									1	3	3	1	5	3
67	Diseases of thymus gland	9		4	5	9													
68	Diseases of adrenals (Addison's disease not specified as tuberculous	4		2	2										1	1			2
69	Other general diseases	1		1		1													
	IV.—Diseases of the blood and blood-making organs	34	6	14	14	1			1	1	1	2	1	1	3		6	6	11
70	Hemorrhagic conditions	1		1					1										
71a	Pernicious anemia	20	3	8	9									1	1		5	3	10
71b	Other anemias	4	2		2	1						1						1	1
72a	True leukemias	6		4	2						1	1			2			2	
72b	Pseudoleukemias (Hodgkin's disease)	1		1													1		
73	Diseases of the spleen	2	1		1					1			1						
	V.—Chronic poisonings and intoxications	9	1	3	5									1		2	2	2	2
75	Alcoholism (acute or chronic)	9	1	3	5									1		2	2	2	2
	VI.—Diseases of the nervous system and of the organs of special sense	389	47	141	201	3	3	2			4	2	1	4	14	16	38	57	245
78	Encephalitis (nonepidemic)	4		3	1						1				1			1	1
79a	Simple meningitis	6	1	4	1	1	1	2							1				1
79b	Nonepidemic cerebrospinal meningitis	1			1						1								
80	Progressive locomotor ataxia (tabes dorsalis)	3	1		2											2	1		
81	Other diseases of spinal cord	14	4	3	7											1	3	2	8
82a	Cerebral hemorrhage	278	31	90	157									1	3	9	23	40	202
82b	Cerebral embolism and thrombosis	8	2	3	3										1	1		1	5
82c	Softening of brain	3		1	2														3
82d	Hemiplegia and other paralysis, cause unspecified	13	2	5	6												1	1	11
83	General paralysis of insane	9		9													5	3	1
84	Dementia praecox and other psychoses	5		2	3									1	1			1	2
85	Epilepsy	11	1	7	3								1	2	4		2	1	1
86	Convulsions (under 5 years of age)	2			2	2													
87	Other diseases of nervous system	22	2	10	10											2	3	2	6	9
88	Diseases of organs of vision	1			1														1
89a	Diseases of ear	7	3	3	1		2				1	2			1			1	
89b	Diseases of mastoid process	2		1	1						1						1		
	VII.—Diseases of the circulatory system	820	108	331	381		1	1	3	3	6	11	11	6	23	31	88	154	482
90	Pericarditis	3		2	1				1								1		1
91a	Acute endocarditis	13		7	6				1	1	2	2	2		3	1			1
91b	Endocarditis, unspecified (under 45 years)	4	2	1	1			1					1		2				
92a	Endocarditis, specified as chronic, and other valvular diseases	162	21	71	70		1		1	1	3	6	6	4	9	6	20	28	77
92b	Endocarditis, unspecified (45 years and over)	16	2	10	4												3	4	9
93a	Acute myocarditis	14		10	4											1	5	2	6
93b	Myocarditis, unspecified (under 45 years)	3	1	1	1										1	2			
93c	Chronic myocarditis and myocardial degeneration	180	21	73	86							1	1		2	2	20	29	125
93d	Other diseases of myocardium	126	14	52	60												9	15	102
94a	Angina pectoris	59	8	24	27											1	7	17	34
94b	Diseases of coronary arteries	58	7	19	32										1	3	9	24	21
95a	Functional diseases of heart	1			1													1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
95b	Other and unspecified diseases of heart	123	25	39	59					1		1	1	2	4	14	12	25	63
96	Aneurysm (except of heart)	2		1	1													2	
97	Arteriosclerosis (coronary arteries excepted)	37	7	12	18													1	36
98	Gangrene	3		2	1							1							2
99	Other diseases of arteries	11		4	7						1						1	4	5
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2		1	1											1	1		
102	Idiopathic anomalies of blood-pressure	1		1														1	
103	Other diseases of circulatory system	2		1	1										1			1	
	VIII.—Diseases of the respiratory system	295	42	107	146	41	23	8	2	2	3	6	10	6	12	20	25	25	112
104b	Diseases of nasal fossae and annexa	1	1												1				
106a	Acute bronchitis	2			2			1											1
106b	Chronic bronchitis	7	3	1	3		1											2	4
107a	Bronchopneumonia	88	12	30	46	20	13	4		1	1	2	2	1	3	7	2	4	28
107b	Capillary bronchitis	1			1														1
108	Lobar pneumonia	148	21	52	75	17	9	1			2	4	8	3	6	11	14	15	58
109	Pneumonia, unspecified	14		6	8	4			1					1	2	1		1	4
110	Pleurisy	8	1	3	4			2		1							2	1	2
111a	Pulmonary embolism and thrombosis	2	1		1												1		1
111b	Pulmonary congestion, edema, hemorrhagic infarct	7		3	4												1	1	5
112	Asthma	10	2	6	2				1					1		1	2		5
113	Pulmonary emphysema	1		1															1
114	Other diseases of respiratory system (tuberculosis excepted)	6	1	5													3	1	2
	IX.—Diseases of the digestive system	318	57	166	95	29	9	5	9	3	23	10	8	12	27	27	40	50	66
115a	Diseases of pharynx and tonsils	13	3	8	2				1		3		1	2	1	1	1	2	1
115b	Diseases of buccal cavity and annexa	3		2	1												1	2	
117a	Ulcer of stomach	28	9	9	10									1	1	5	5	5	11
117b	Ulcer of duodenum	2		1	1										1			1	
118	Other diseases of stomach (cancer excepted)	12	2	5	5	1											1		10
119	Diarrhea, enteritis (under 2 years of age)	31	1	16	14	22	9												
120	Diarrhea, enteritis (2 years and over)	15		5	10			3	5		2	1			1		2	1	
121	Appendicitis	96	11	60	25			2	3	3	15	7	7	7	12	13	11	11	5
122a	Hernia	16	6	7	3	2									2		2	2	8
122b	Intestinal obstruction	37	9	18	10	4					2	1		1	5	3	4	5	12
123	Other diseases of intestines	3		2	1							1							2
124	Cirrhosis of liver	17	2	8	7										1		3	7	6
125b	Other diseases of liver	2		1	1														2
126	Biliary calculi	21	6	10	5										2	2	7	4	6
127	Other diseases of gall-bladder, biliary passages	16	6	10												1	3	9	3
128	Diseases of pancreas	1	1													1			
129	Peritonitis, cause not specified	5	1	4							1			1	1	1		1	
	X.—Diseases of the genitourinary system	369	39	159	171	2		1	1		3	6	3	3	9	24	41	48	228
130	Acute nephritis (including unspecified under 10 years)	24	1	14	9	2		1	1		1	1	1			1	11	1	4
131	Chronic nephritis	253	18	107	128						2	5	1	2	4	15	22	38	164
132	Nephritis, unspecified (10 years and over)	31	5	13	13								1		1		3	6	20
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	10	4	4	2										2		1		7
134	Calculi of urinary passages	3		2	1												1	1	1
135	Diseases of bladder (tumors excepted)	2		1	1														2
136	Diseases of urethra, urinary abscess, etc.	2		2												1	1		
137	Diseases of prostate	34	7	13	14										1		1	2	30
139a	Cysts of ovary	3	1	1	1											3			
139b	Other diseases of ovaries, diseases of tubes and parametrium	3	1	1	1									1	1	1			
139c	Diseases of uterus	3	2	1												2	1		
139e	Other diseases of female genital organs	1			1											1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	37	3	18	16								3	12	11	10	1		
140	Abortion with septic conditions	10	2	6	2								2	4	3	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	4		3	1									2	1	1			
142b	Ectopic gestation, septic conditions not mentioned	2	1		1									1		1			
144a	Placenta praevia	3			3									2		1			
144b	Other puerperal hemorrhages	3			3								1		1	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	5		4	1									2	2	1			
146	Puerperal albuminuria and eclampsia	5		3	2									1	1	2	1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3		2	1										1	2			
149	Other accidents of childbirth	2			2										2				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	XII.—Diseases of the skin and cellular tissue	8	3	2	3	2									1			3	2
152	Phlegmon, acute abscess	3	2		1										1			2	
153	Other diseases of skin and annexa, and of cellular tissue	5	1	2	2	2												1	2
	XIII.—Diseases of the bones and organs of locomotion	6		5	1				1		1	1	1				1	1	
154	Osteomyelitis	5		4	1				1		1	1	1				1		
156	Diseases of joints, other organs of locomotion	1		1														1	
	XIV.—Congenital malformations	59	13	26	20	54	1	1		1	1				1				
157a	Congenital hydrocephalus	6	1	3	2	5				1									
157b	Spina bifida and meningocele	3		2	1	3													
157c	Congenital malformations of heart	39	9	15	15	35	1	1			1				1				
157d	Other congenital malformations	11	3	6	2	11													
	XV.—Diseases of early infancy	207	30	84	93	207													
158	Congenital debility	13	1	4	8	13													
159	Premature birth	137	19	55	63	137													
160	Injury at birth	37	7	14	16	37													
161	Other diseases peculiar to early infancy	20	3	11	6	20													
162	XVI.—Senility	67	9	25	33													1	66
	XVII.—Violent and accidental deaths	475	60	197	218	11	17	11	7	6	20	24	27	43	58	62	72	41	72
	Suicide	77	13	29	35								2	5	5	15	25	8	16
163	By solid or liquid poisons or by absorption of corrosive substances	7		4	3										1	2	3		1
164	By poisonous gas	2			2												1		1
165	By hanging or strangulation	7		2	5								1				4		2
166	By drowning	2		1	1								1			1			
167	By firearms	53	11	20	22									4	3	12	15	7	11
168	By cutting or piercing instruments	4	2	1	1									1	1		1	1	
169	By jumping from high places	1		1													1		
170	By crushing	1			1														1
	Homicide	24	4	8	12							3	1	1	6	6	6		1
173	By firearms	12	1	4	7										4	6	2		
174	By cutting or piercing instruments	2	2														1		1
175	By other means	10	1	4	5							3	1	1	2		3		
	Accidental, other, or undefined	374	43	160	171	11	17	11	7	6	20	21	24	37	47	41	41	33	55
176	Attack by venomous animals	2			2	1					1								
177	Poisoning by food	6	1	2	3		1									2	1	1	1
	Supplemental	1			1											1			
179	Other acute accidental poisonings (gas excepted)	6	2	2	2	1	1				1					1	1	1	
180	Conflagration	10	1	3	6	1	1	1			1		1		1	1	1		1
181	Burns (conflagration excepted)	14	3	8	3		2	1	2	1	1	1		1	1	3			1
182	Mechanical suffocation	3		2	1	3													
	Supplemental	1			1									1					
183	Drowning	50		14	36		10	6	1	1	5	6	5	5	1	2	3	2	2
	Supplemental	8		2	6									1	3	3			1
	Traumatism:																		
184	By firearms (wounds of war excepted)	20	1	9	10			1	1	1		2	1	3	2	1	5	1	2
185	By cutting or piercing instruments (wounds of war excepted)	4	1	1	2				1					1		1	1		
186a	By fall	28	5	14	9								1	1	2	1	5	1	17
	Supplemental	13	2	5	6							1	1	4	1	2	2	2	
186b	By crushing, landslide	17		5	12				1	1			1	2		5	1	3	2
	Supplemental	45	6	17	22	1	1		1		2	1	5	3	13	5	4	4	5
188	Injuries by animals	8	3	3	2			1			2		3				1		1
190	Excessive cold	6	1	1	4										1				5
191	Excessive heat	3		1	2	1											1	1	
192	Lightning	1			1													1	
193	Due to electric currents	2		2											1	1			
194a	Foreign bodies	3	1	1	1	2					1								
194b	Other accidents	26	1	16	9	1					2	2	1	1	7	3	3	3	3
	Supplemental	97	15	52	30		1	1		2	4	8	5	13	14	10	12	13	14
	XVIII.—Ill-defined causes of death	56	6	6	44	11									2	1	9	9	24
199	Sudden death	8	1		7											1	1	1	5
200a	Cause of death ill-defined	24	5	1	18	3									1		6	6	8
200b	Cause of death not specified or unknown	24		5	19	8									1		2	2	11
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	8		4	4									1	2	2	2	1	
202	Accidents from agricultural machinery	3		2	1				1								1	1	
205	Other machinery accidents	5		2	3										3	1	1		
206	Railroad and automobile collisions	7		5	2	1									5				1
207	Other railroad accidents	7	1	2	4									1	2	3	1		
210	Automobile accidents (primary)	117	21	53	43		2	1		2	5	8	11	20	14	11	11	15	17
212	Other land transportation accidents	9	1	4	4						1	2				1	1	2	2
213	Water transportation accidents	4		1	3										2	2			
214	Air transportation accidents	5		3	2										3	1	1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS																		
	Total deaths (all causes)	82,513	53,216	7,510	21,787	5,284	731	414	353	307	1,097	952	1,376	1,879	4,734	7,390	10,782	13,778	33,369
	I.—Infectious and parasitic diseases	7,375	4,423	583	2,369	311	187	109	111	102	276	183	323	574	1,204	1,153	1,066	773	996
1	Typhoid fever	112	45	27	40		2		1	1	6	6	20	15	25	12	12	5	7
2	Paratyphoid fever	4	4												1	1		1	1
5	Undulant fever	1	1																1
6	Smallpox	3	2		1		1	1											1
7	Measles	52	39	3	10	7	16		6	4	15	2			2				
8	Scarlet fever	277	201	17	59	4	29	26	37	34	81	23	7	13	17	3	3		
9	Whooping-cough	82	39	15	28	51	14	6	4	4	3								
10	Diphtheria	136	49	17	70	5	18	14	13	12	42	10	4	2	3	3	3	5	2
11a	Influenza, respiratory complications specified	789	371	86	332	67	28	9	7	12	14	11	11	25	66	99	89	82	269
11b	Influenza, respiratory complications not specified	469	187	54	228	36	12	14	4	6	18	14	10	13	28	24	47	46	197
13	Dysentery	90	48	11	31	8	12	1	4	2	2	2	1	5	3	5	12	10	23
15	Erysipelas	108	66	9	33	17	2		1		2	2		1	5	14	23	18	23
16	Acute poliomyelitis, acute poliocencephalitis	23	9	2	12	5	4			2	3	3	2	2		1		1	
17	Lethargic or epidemic encephalitis	97	50	15	32	1		1	1		4	5	1	3	10	10	17	16	28
18	Epidemic cerebrospinal meningitis	220	197	3	20	12	12	6	5	6	18	14	19	21	26	30	24	20	7
21	Rabies	6	4	1	1					1		1			2	1		1	
22	Tetanus	58	35	10	13	1					10	14	6	1	4	5	6	7	4
	Tuberculosis (all forms)	4,192	2,616	269	1,307	26	27	25	22	15	45	65	231	451	941	846	677	466	349
23	Respiratory system	3,732	2,267	238	1,227	8	5	7	7	1	15	38	207	421	861	779	618	439	321
24	Meninges and central nervous system	149	127	8	14	13	18	11	11	10	20	13	5	8	23	10	6	1	
25	Intestines and peritoneum	95	64	13	18			2				4	8	8	21	21	13	7	11
26	Vertebral column	47	32	3	12			1		1	5	1		4	5	8	11	6	4
27a	Bones (vertebral column excepted)	7	5		2								1		1	2		2	1
27b	Joints	18	10	1	7					1			2		6		7		2
28	Skin and subcutaneous cellular tissue	1		1															1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	11	8	1	2			1				1		1	1	1	3	1	2
30	Genitourinary system	31	19	1	11								1	3	6	11	4	3	3
31	Other organs	4	3		1										2	1			1
32a	Acute disseminated tuberculosis	89	75	3	11	5	4	2	4	2	5	8	7	5	14	12	13	6	2
32b, c	Other disseminated tuberculosis	8	6		2			1					1	1	1	1	2	1	1
34	Syphilis	453	346	17	90	55	5	1			1	1	2	10	38	78	130	82	50
35	Gonococcus infection and other venereal diseases	37	28	7	2	1							3	4	15	9	5		
36	Purulent infection, septicemia (nonpuerperal)	54	36	5	13	4	2	2	1	1	1	5	1	4	9	5	6	5	8
38	Malaria	61	15	13	33	5	3	1	3		5	3	4	4	2	6	6	4	14
39	Other diseases due to protozoal parasites	1	1																1
41a	Hydatid cysts of liver	7	6		1										2		1	1	3
41b	Hydatid cysts of other organs	1			1														1
42	Other diseases caused by helminths	8	8						1		2	1			1			2	1
43	Mycoses	9	5	1	3	1					1	1			1		1	1	3
44	Other infectious and parasitic diseases	25	15	1	9	5		2	1	2	3		1		3	1	4		3
	II.—Cancers and other tumors	9,608	6,481	874	2,253	5	4	8	5	7	18	24	43	53	243	941	1,778	2,361	4,110
	Cancer and other malignant tumors	9,201	6,154	848	2,199	3	4	7	4	3	16	20	33	38	201	824	1,656	2,309	4,075
(45)	Buccal cavity	311	178	23	110								1		4	25	39	71	171
(45)	Pharynx	51	36	4	11												12	19	20
(46)	Esophagus	238	201	12	25											5	45	72	115
(46)	Stomach and duodenum	1,814	1,163	175	476									2	17	108	276	442	968
(46)	Liver and biliary passages	809	475	81	253	1						4	2		10	45	102	225	420
(46)	Pancreas	286	222	16	48						1				3	18	57	83	123
(46)	Other digestive tract and peritoneum	1,454	1,017	134	303						1		2	13	37	123	212	378	686
47	Respiratory system	406	301	20	85							1	2		12	44	121	107	119
48	Uterus	982	674	98	210						1			3	42	170	262	264	239
49	Other female genital organs	190	146	18	26							3	2	2	8	24	49	52	50
50	Breast	934	641	97	196								1	1	27	133	240	263	268
51	Male genitourinary organs	721	470	78	173		3		2		1	1	2	5	8	24	87	162	426
52	Skin	220	94	24	102										2	11	18	28	161
53	Other or unspecified organs	785	536	68	181	2	1	7	2	3	12	11	21	12	31	94	136	143	309
54a	Nonmalignant tumors, ovary	7	5	1	1											1	2		4
54b	Nonmalignant tumors, uterus	202	175	13	14								1	3	20	77	77	17	7
54d, e	Nonmalignant tumors, other organs	76	59	6	11	1					1	2	2	4	10	14	19	14	9
55a	Tumors, ovary (nature unspecified)	3	2	1										1				1	1
55b	Tumors, uterus (nature unspecified)	1			1													1	
55d, e	Tumors, other organs (nature unspecified)	118	86	5	27	1		1	1	4	1	2	7	7	12	25	24	19	14
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	2,888	2,022	238	628	66	17	6	7	8	47	29	51	45	97	187	345	722	1,256
56	Acute rheumatic fever	213	157	10	46	1	1		4	7	33	20	12	19	25	18	24	19	30
57	Chronic rheumatism, osteoarthritis	66	33	6	27										2		7	18	39
59	Diabetes mellitus	2,027	1,409	181	437		1		1		10	7	26	12	37	96	211	577	1,045
60	Scurvy	1	1					1											
62	Pellagra	22	15	2	5										3	5	7	1	6
63	Rickets	16	11		5	4	8	2					1	1					
64	Osteomalacia	3	2	1													1		2
65	Diseases of pituitary body	5	2		3	1					1							2	1
66a	Simple goiter	14	11		3								1			1	4	3	5
66b	Exophthalmic goiter	388	288	28	72								10	10	26	52	82	93	115
(66)	Other diseases of thyroid and parathyroid glands	24	16	1	7	1	3	1		1	2	2		2	2	2	3	2	3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF -		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued.																		
67	Diseases of thymus gland	63	46	5	12	54	3	2	2		1			1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	34	27	2	5								1		2	13	5	5	7
69	Other general diseases	12	4	2	6	5	1										1	2	3
	IV.—Diseases of the blood and blood-making organs	760	491	76	193	20	4	11	14	8	19	19	21	27	51	89	109	143	224
70	Hemorrhagic conditions	44	24	8	12	14	1		2	1	1	1	3	3	3	7	3	1	4
71a	Pernicious anemia	276	156	27	93			1	3	1	1	1	3	3	7	16	34	72	135
71b	Other anemias	30	12	6	12	4		2	2		2				2		1	4	13
72a	True leukemias	262	200	17	45	1	3	6	8	4	11	12	7	11	15	36	55	46	47
72b	Pseudoleukemias (Hodgkin's disease)	116	73	14	29						3	4	5	8	18	27	12	16	22
73	Diseases of the spleen	24	20	2	2	1		2	2		1	1	3	1	3	3	2	4	1
74	Other diseases of blood and blood-making organs	8	6	2										1	3		2		2
	V.—Chronic poisonings and intoxications	156	99	10	47									2	25	50	36	19	24
75	Alcoholism (acute or chronic)	134	84	6	44									2	24	37	34	17	20
76	Chronic poisoning by other organic substances	16	11	2	3										1	12	2		1
77a	Chronic lead poisoning	6	4	2												1		2	3
	VI.—Diseases of the nervous system and of the organs of special sense	7,467	4,070	699	2,698	78	38	21	17	14	78	71	58	57	199	498	862	1,409	4,063
78	Encephalitis (nonepidemic)	77	59	7	11	2	5	4	4	2	4	4	3	4	11	13	9	4	8
79a	Simple meningitis	90	65	5	20	14	6	3	2	1	11	8	5	6	8	11	3	8	4
79b	Nonepidemic cerebrospinal meningitis	12	4	1	7	1	3		1		1				2	1	1	1	1
80	Progressive locomotor ataxia (tabes dorsalis)	82	39	10	33										2	9	14	26	31
81	Other diseases of spinal cord	225	123	18	84		3		1	2	7	2	3	3	13	17	26	44	104
82a	Cerebral hemorrhage	5,096	2,762	533	1,801	5	1			1		4	6	11	47	205	535	993	3,285
82b	Cerebral embolism and thrombosis	483	332	46	105	1		2			2	2	8	2	5	20	50	102	289
82c	Softening of brain	45	27	4	14											2	5	5	33
82d	Hemiplegia and other paralysis, cause unspecified	166	57	18	91						1			1	1	8	8	28	119
83	General paralysis of insane	440	183	7	250								3	3	39	113	130	106	46
84	Dementia praecox and other psychoses	102	29		73								1	6	28	25	26	14	2
85	Epilepsy	149	53	8	88	2	3	2	2		2	11	12	8	21	32	17	16	20
86	Convulsions (under 5 years of age)	21	13	2	6	16	3	2											
87	Other diseases of nervous system	234	124	21	89	9	6	3	1	1	6	6	4	4	7	20	27	42	98
88	Diseases of organs of vision	6	5		1		1				1	1		1				1	1
89a	Diseases of ear	172	144	9	19	26	6	4	4	5	31	19	8	6	10	16	7	12	18
89b	Diseases of mastoid process	67	51	10	6	2	1	1	2	2	12	14	5	2	5	6	4	7	4
	VII.—Diseases of the circulatory system	21,705	13,763	1,818	6,124	24	6	9	6	9	78	115	119	176	514	1,258	2,624	4,109	12,643
90	Pericarditis	47	16	10	21	1					1		2	1	3	7	5	5	22
91a	Acute endocarditis	257	199	15	43	4	2	5	1	3	12	19	14	27	41	38	30	22	39
91b	Endocarditis, unspecified (under 45 years)	40	23	2	15	2				1	3	2	1	3	14	14			
92a	Endocarditis, specified as chronic, and other valvular diseases	3,091	1,684	328	1,079	3	1	3	1	1	28	43	57	69	139	260	337	541	1,606
92b	Endocarditis, unspecified (45 years and over)	266	130	32	104												43	64	159
93a	Acute myocarditis	353	253	18	82	3		1	1		5	3	6	6	14	30	53	65	165
93b	Myocarditis, unspecified (under 45 years)	84	61	8	15	4	1				2	2	3	3	14	55			
93c	Chronic myocarditis and myocardial degeneration	8,450	5,588	578	2,284		1		1		9	18	15	23	128	365	836	1,482	5,570
93d	Other diseases of myocardium	2,272	1,309	267	696										4	9	229	408	1,622
94a	Angina pectoris	1,144	646	146	352									3	15	63	178	279	605
94b	Diseases of coronary arteries	1,427	1,006	118	303							2	1	4	19	98	257	390	655
95a	Functional diseases of heart	29	15	5	9											4	6	3	16
95b	Other and unspecified diseases of heart	2,793	2,120	157	516	2			1	4	16	25	19	30	111	277	549	652	1,103
96	Aneurysm (except of heart)	146	117	8	21						1			3	4	20	42	33	39
97	Arteriosclerosis (coronary arteries excepted)	1,079	457	93	529											5	31	118	925
98	Gangrene	62	35	10	17		1		1					3	1	2	5	5	44
99	Other diseases of arteries	90	53	14	23	2								1	2	3	14	20	48
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	46	33	5	8						1		1		1	4	5	17	17
101	Diseases of lymphatic system (lymphangitis, etc.)	5	5			1						1			2	1			
102	Idiopathic anomalies of blood-pressure	16	8	2	6											3	3	4	6
103	Other diseases of circulatory system	8	5	2	1	2									2		1	1	2
	VIII.—Diseases of the respiratory system	5,570	3,788	445	1,337	870	225	94	60	31	118	66	97	115	339	528	658	665	1,698
104a	Diseases of nasal fossae	6	4	1	1		1	1	1		1	1				1			
104b	Diseases of nasal fossae and annexa	53	42	3	8	1	1		1		1	8	7	6	9	7	7	4	1
105	Diseases of larynx	28	19	1	8	6	3		3	1	4			3	3	3			2
106a	Acute bronchitis	106	68	12	26	31	8	4	3		2			2	3	1	2	4	46
106b	Chronic bronchitis	126	65	15	46	1	1					3	2	2	2	4	19	21	71
106c, d	Bronchitis, unspecified	63	33	7	23	15	5	1			2		1	1	1	3	1	4	29
107a	Bronchopneumonia	2,055	1,454	148	453	646	136	47	30	13	50	15	14	24	70	111	154	167	575
107b	Capillary bronchitis	34	14	4	16	12	6	1	1							1	1	3	9

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																	
	VIII.—Diseases of the respiratory system—Continued.																	
108	Lobar pneumonia	2,544	1,720	199	625	128	54	24	18	14	44	31	57	69	222	332	391	378	779
109	Pneumonia, unspecified	70	39	6	25	9	3	2	1		2	3	3	1	6	7	6	6	21
110	Pleurisy	183	152	14	17	7	7	12	1	3	12	4	8	3	11	24	27	34	30
111a	Pulmonary embolism and thrombosis	34	22	6	6	1								1	3	5	7	2	15
111b	Pulmonary congestion, edema, hemorrhagic infarct	78	37	10	31	5		1					1	2		2		4	63
112	Asthma	102	55	17	30	4		1				1		1	3	9	23	23	37
113	Pulmonary emphysema	18	12		6	1									1		2	5	9
114	Other diseases of respiratory system (tuberculosis excepted)	70	52	2	16	3			1				4		5	18	18	10	11
	IX.—Diseases of the digestive system	5,706	4,092	637	977	524	147	72	64	51	176	173	167	174	465	688	940	890	1,171
115a	Diseases of pharynx and tonsils	324	238	35	51	10	12	10	13	9	41	19	16	21	40	40	47	25	21
115b	Diseases of buccal cavity and annexa	47	29	10	8	1		1		1	3		1	5	6	4	12	6	7
116	Diseases of esophagus	8	6	1	1												2	2	4
117a	Ulcer of stomach	406	309	32	65			2						11	32	70	122	82	87
117b	Ulcer of duodenum	163	116	12	25						1	1		1	17	36	36	28	36
118	Other diseases of stomach (cancer excepted)	120	46	22	52	19	3	2	1	1					6	9	14	23	42
119	Diarrhea, enteritis (under 2 years of age)	531	327	60	144	425	106												
120	Diarrhea, enteritis (2 years and over)	310	141	41	128			35	24	10	15	5	5	12	20	18	23	30	113
121	Appendicitis	1,266	1,019	157	90	2	8	11	22	24	96	129	126	88	173	180	171	145	90
122a	Hernia	350	273	32	45	3					1	1	3	4	12	33	60	84	147
122b	Intestinal obstruction	513	377	56	80	50	16	7	3	4	9	14	7	12	44	65	68	74	139
123	Other diseases of intestines	80	63	6	11	2	1	1			1			2	9	13	22	12	17
124	Cirrhosis of liver	711	477	77	157					1		3	1	3	22	81	157	211	232
125a	Yellow atrophy of liver	25	19	2	4									1	6	3	8	2	5
125b	Other diseases of liver	63	47	3	13						2	1	1	4	4	12	14	13	12
126	Biliary calculi	321	250	31	40								2	2	25	48	72	74	98
127	Other diseases of gall-bladder, biliary passages	332	242	45	45	2							1	6	25	56	76	64	102
128	Diseases of pancreas	52	41	5	6			1					1		10	5	19	9	7
129	Peritonitis, cause not specified	94	72	10	12	10	1	2	1	1	7		3	2	14	18	17	6	12
	X.—Diseases of the genitourinary system	8,967	5,838	867	2,262	28	5	5	9	6	22	25	44	80	264	577	1,042	1,553	5,300
130	Acute nephritis (including unspecified under 10 years)	262	169	30	63	13	2	5	4	3	12	7	7	11	20	34	46	34	64
131	Chronic nephritis	7,174	4,633	671	1,870				1	1	7	13	28	38	147	387	833	1,296	4,419
132	Nephritis, unspecified (10 years and over)	377	182	57	138							4	4	5	16	25	42	56	224
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	207	140	22	45	12	3		4	2	3	1	2		14	32	28	38	67
134	Calculi of urinary passages	76	60	3	13									1	7	15	17	13	23
135	Diseases of bladder (tumors excepted)	34	17	4	13											3	4	5	22
136	Diseases of urethra, urinary abscess, etc	36	29	4	3										3	4	7	10	12
137	Diseases of prostate	560	399	58	103										1	3	14	84	457
138	Diseases of male genital organs, not specified as venereal	10	6		4	3								1			4	1	1
139a	Cysts of ovary	52	45	6	1								1	2	8	18	17	4	2
139b	Other diseases of ovaries, diseases of tubes and parametrium	135	121	8	6								2	19	41	45	22	3	3
139c	Diseases of uterus	42	36	4	2									3	6	10	8	9	6
139d	Nonpuerperal diseases of breast (cancer excepted)	1			1										1				
139e	Other diseases of female genital organs	1	1													1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	537	406	55	76							2	40	90	257	145	2		
140	Abortion with septic conditions	75	54	10	11							1	7	25	32	9	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	24	17	2	5								1	4	9	9			
142a	Ectopic gestation, septic conditions specified	7	7											1	5	1			
142b	Ectopic gestation, septic conditions not mentioned	38	31	4	3								2	3	18	14	1		
143	Other accidents of pregnancy (hemorrhage not included)	6	6												4	2			
144a	Placenta praevia	17	12	2	3										8	9			
144b	Other puerperal hemorrhages	46	41	1	4								4	7	16	19			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	97	68	14	15							1	10	14	48	24			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	1	1											1					
146	Puerperal albuminuria and eclampsia	88	62	14	12								10	12	49	17			
147	Other toxemias of pregnancy	20	14		6									2	12	6			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	33	24	3	6								2	3	21	7			
149	Other accidents of childbirth	80	65	4	11								4	16	33	27			
150	Other and unspecified conditions of puerperal state	5	4	1										2	2	1			
	XII.—Diseases of the skin and cellular tissue	114	88	7	19	24		1			2	1	6	5	7	13	17	15	23
151	Furuncle, carbuncle	36	26	2	8	5						1	2	2	3	6	6	2	9
152	Phlegmon, acute abscess	51	42	2	7	11		1			2		3	3	3	5	6	10	7
153	Other diseases of skin and annexa, and of cellular tissue	27	20	3	4	8							1		1	2	5	3	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	XIII.—Diseases of the bones and organs of locomotion	98	83	7	8	5	4	3	2	4	7	14	4	3	7	8	9	14	14
154	Osteomyelitis	65	56	4	5	3	3	1	1	3	6	13	4	1	6	6	4	6	8
155	Other diseases of bones (tuberculosis excepted)	8	6	1	1			1	1					1			3	1	1
156	Diseases of joints, other organs of locomotion	25	21	2	2	2	1	1		1	1	1		1	1	2	2	7	5
	XIV.—Congenital malformations	783	509	73	201	700	25	11	4	4	12	11	9	1	3	2	1		
157a	Congenital hydrocephalus	100	69	12	19	76	10	3	1	1	6	1	2						
157b	Spina bifida and meningocele	83	54	4	25	77	1	1				2	2						
157c	Congenital malformations of heart	410	248	39	123	367	12	5	2	3	5	7	4		2	2	1		
157d	Other congenital malformations	190	138	18	34	180	2	2	1		1	1	1	1	1				
	XV.—Diseases of early infancy	2,519	1,709	255	555	2,519													
158	Congenital debility	109	48	19	42	109													
159	Premature birth	1,524	1,036	149	339	1,524													
160	Injury at birth	640	465	62	113	640													
161	Other diseases peculiar to early infancy	246	160	25	61	246													
162	XVI.—Senility	260	58	59	143													4	256
	XVII.—Violent and accidental deaths	7,789	5,233	773	1,783	84	68	62	54	61	244	218	391	475	1,052	1,237	1,265	1,058	1,511
	Suicide	1,332	883	124	325							3	25	56	165	254	344	249	234
163	By solid or liquid poisons or by absorption of corrosive substances	204	154	25	25								7	12	43	45	44	25	28
164	By poisonous gas	106	88	12	6								1	5	13	22	31	25	9
165	By hanging or strangulation	300	195	20	85							2	2	3	15	58	97	64	57
166	By drowning	95	57	4	34								2	2	7	13	20	25	26
167	By firearms	507	298	54	155							1	10	26	72	96	119	92	91
168	By cutting or piercing instruments	44	29	4	11										3	6	17	8	10
169	By jumping from high places	56	51	1	4								2	7	7	8	15	7	10
170	By crushing	9	4	3	2										2	4		2	1
171	By other means	11	7	1	3								1	1	3	2	1	1	2
	Homicide	841	677	56	108	12		1			2	5	45	108	255	236	106	53	18
173	By firearms	579	459	45	75			1			1	5	38	75	198	159	70	28	4
174	By cutting or piercing instruments	100	89	3	8	1					1			8	32	37	15	3	3
175	By other means	162	129	8	25	11							7	25	25	40	21	22	11
	Accidental, other, or undefined	5,616	3,673	593	1,350	72	68	61	54	61	242	210	321	311	632	747	815	756	1,259
177	Poisoning by food	19	9	3	7	1	2	1	3	1		1			1	2	4	2	1
178	Absorption of poisonous gas	108	91	5	12					1	1	3	1	3	11	20	27	29	11
	Supplemental	2	1		1										1		1		
179	Other acute accidental poisonings (gas excepted)	86	60	10	16	1	8	2	4	1	2	1	3	3	19	15	9	11	7
180	Conflagration	57	36	10	11			1	3	1	1	1		1	6	12	13	7	11
181	Burns (conflagration excepted)	259	180	37	42	5	20	11	12	10	20	5	5	15	28	35	22	26	45
	Supplemental	41	15	2	24					1	1		7	4	11	10	4	3	
182	Mechanical suffocation	47	25	6	16	33	2	1			1	2			2		1	3	2
	Supplemental	6	1		5								1		3	2			
183	Drowning	364	186	22	156	1	7	8	2	2	29	39	48	23	38	52	54	34	27
	Supplemental	54	18	2	34						4	4	7	10	14	6	7	1	1
	Traumatism:																		
184	By firearms (wounds of war excepted)	136	62	28	46				1	1	7	16	20	18	23	21	16	9	4
185	By cutting or piercing instruments (wounds of war excepted)	56	38	7	11	1	1				2	2	5	3	4	11	11	10	6
	Supplemental	8	2	1	5									1		4	3		
186a	By fall	1,083	747	116	220	7	7	11	4	1	11	15	16	10	52	74	121	147	606
	Supplemental	248	166	23	59	2		1	1	1	11	9	34	20	34	48	33	33	20
186b	By crushing, landslide	29	13	2	14					1		1	1		5	7	7	5	2
	Supplemental	546	332	54	160	2	3	5	2	10	22	23	37	43	83	96	91	76	53
187	Cataclysm	8	3		5							1	1			1		3	2
188	Injuries by animals	39	11	9	19	1		1	1	2	3	6		2		4	3	5	11
189	Hunger and thirst	1	1																1
190	Excessive cold	31	19	4	8								1	1	1	4	7	7	10
191	Excessive heat	65	34	10	21	4		1						1	5	13	10	6	25
192	Lightning	7	3		4								1	2	2	1		1	
193	Due to electric currents	38	21	2	15				1		1	4	2		11	9	8	1	1
	Supplemental	6	5		1									1	1	3	1		
194a	Foreign bodies	38	28	2	8	4	9	4	1	2	1				2	2	4	6	3
194b	Other accidents	270	201	20	49	10	4		1	1	9	10	17	10	29	41	60	40	37
	Supplemental	1,959	1,363	218	378		5	14	18	25	116	67	114	140	243	252	298	291	373
198	Legal executions	5	2		3										3	2			
	XVIII.—Ill-defined causes of death	211	63	34	114	26	1	2		2		1	3	2	7	16	28	43	80
199	Sudden death	22	11	2	9	1								1	1	2	2	4	11
200a	Cause of death ill-defined	95	17	14	64	7	1	1		1		1	2		2	7	13	17	43
200b	Cause of death not specified or unknown	94	35	18	41	18		1		1			1	1	4	7	13	22	26
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	88	40	17	31									3	22	27	21	13	2
202	Accidents from agricultural machinery	25	10	3	12				1			1	1	2	2	4	5	4	3
203	Elevator accidents	23	20		3				1				1	2	4	2	1	10	2
204	Accidents from machinery used for recreation	1			1								1						
205	Other machinery accidents	43	36	2	5					1	2	1	1	2	7	13	12	3	1
206	Railroad and automobile collisions	154	57	22	75		1		1	1	2	5	21	17	27	17	22	26	14
207	Other railroad accidents	347	184	46	117		2	1	1		8	12	17	20	50	66	68	47	53
208	Street car and automobile collisions	35	34		1		1						5	8	10	2	6	2	1
209	Other street car accidents	69	65	1	3			1	1	1	1	1	2	1	3	7	11	17	23
210	Automobile accidents (primary)	1,943	1,403	199	341	3	4	15	16	31	128	75	136	142	232	268	277	272	342
211	Motorcycle accidents	17	14	1	2						1	1	3	7	3	2			
212	Other land transportation accidents	48	18	8	22	1		1		2	8	4	5	1	5	3	5	8	5
213	Water transportation accidents	49	18	1	30						4	3	6	8	14	5	7	1	1
214	Air transportation accidents	28	4		24				1				1	6	11	5	3	1	

[1] See explanatory footnote, 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA																	
	Total deaths (all causes)	38,009	17,324	4,268	16,417	2,675	440	226	160	118	495	410	626	823	1,824	2,615	3,830	5,735	17,986
	I.—Infectious and parasitic diseases	3,921	1,691	356	1,874	258	135	75	53	41	145	95	180	240	482	445	475	412	881
1	Typhoid fever	89	29	9	51	1	2		1		3	9	11	12	15	13	12	5	5
2	Paratyphoid fever	7	2	1	4								1		1	1	2	1	1
5	Undulant fever	2			2												1		1
6	Smallpox	1			1								1						
7	Measles	13	5	1	7	4	1	1			2	1							
8	Scarlet fever	96	34	13	49	1	8	8	7	3	31	11	10	3	12	2			
9	Whooping-cough	76	38	7	31	44	24	4	1	1	2								
10	Diphtheria	149	59	18	72	6	15	18	24	16	36	14	5	2	4	6	2		1
11a	Influenza, respiratory complications specified	588	221	54	313	64	23	8	5	5	14	6	14	13	22	31	62	59	261
11b	Influenza, respiratory complications not specified	415	138	49	228	36	14	7	5	4	17	9	9	6	18	27	38	48	177
13	Dysentery	73	37	5	31	23	9	5	1	3	1					2		3	26
15	Erysipelas	41	14	3	24	7	1								1	2	4	4	22
16	Acute poliomyelitis, acute polioencephalitis	8	3		5			2			2		2	1		1			
17	Lethargic or epidemic encephalitis	48	30	3	15		1			1	1	5	3	3	1	3	6	12	7
18	Epidemic cerebrospinal meningitis	46	36	1	9	4	4	5	4		4	4	3	2	3	3	3	4	3
21	Rabies	1	1									1							
22	Tetanus	35	19	3	13	3	2	1	1	4	3	7	2		1	2	2	3	4
	Tuberculosis (all forms)	1,893	818	155	920	24	22	10	3	4	22	23	109	178	361	297	288	216	333
23	Respiratory system	1,617	665	127	825	4	7	2			3	14	99	158	310	262	266	184	306
24	Meninges and central nervous system	75	48	6	21	13	12	4	2	4	13	6	2		6	10		2	1
25	Intestines and peritoneum	73	26	13	34	2	1	2			2	2	3	11	15	10	4	9	12
26	Vertebral column	18	13		5										4	1	5	4	3
27a	Bones (vertebral column excepted)	6	4		2								1	1	2		2		
27b	Joints	8	3		5								1	1		2		1	3
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	1	1	1												1	1	1
30	Genitourinary system	25	12	3	10							1		1	5	3	7	5	3
31	Other organs	3	2	1														3	
32a	Acute disseminated tuberculosis	50	35	1	14	5	2	2	1		4		3	5	14	8	1	3	2
32b, c	Other disseminated tuberculosis	15	9	3	3									1	5	1	2	4	2
34	Syphilis	240	151	22	67	37	3	2			1	3	3	12	23	39	46	45	26
35	Gonococcus infection and other venereal diseases	33	26	2	5						1		4	4	15	8	1		
36	Purulent infection, septicemia (non-puerperal)	23	9	5	9	1					1	1	2	3	2		2	6	5
38	Malaria	18	13	1	4		1				2		1	1	2	3	2	1	5
39	Other diseases due to protozoal parasites	3	2		1										1			2	
41a	Hydatid cysts of liver	1			1													1	
43	Mycoses	6	2	2	2												2	1	3
44	Other infectious and parasitic diseases	16	4	2	10	3	5	1			2	1					2	1	1
	II.—Cancers and other tumors	3,796	1,719	480	1,597	1	3	1	4	1	10	7	7	18	89	296	576	856	1,921
	Cancer and other malignant tumors	3,667	1,643	460	1,564	1	2	1	4	1	7	4	6	15	82	261	542	837	1,898
(45)	Buccal cavity	102	32	11	59										3	4	11	18	66
(45)	Pharynx	32	17	2	13											1	3	7	21
(46)	Esophagus	41	25	2	14										1	2	6	12	20
(46)	Stomach and duodenum	685	266	85	334									1	6	26	74	145	432
(46)	Liver and biliary passages	411	146	58	207	1									1	12	46	104	246
(46)	Pancreas	98	55	9	34									1	2	6	9	27	52
(46)	Other digestive tract and peritoneum	554	262	75	217						1	2		3	15	39	71	138	285
47	Respiratory system	93	44	12	37									1	4	8	21	26	33
48	Uterus	498	278	56	164									2	24	78	125	120	149
49	Other female genital organs	57	35	5	17									1	2	4	21	14	15
50	Breast	376	183	42	151										13	42	85	102	133
51	Male genitourinary organs	279	122	42	115		1		1	1	1			3	1	10	16	51	192
52	Skin	146	41	21	84											4	8	14	120
53	Other or unspecified organs	295	137	40	118		1	1	3		5	2	6	3	10	25	46	59	134
54a	Nonmalignant tumors, ovary	5	3	2												2	2	1	
54b	Nonmalignant tumors, uterus	58	44	8	6										5	21	21	4	7
54d, e	Nonmalignant tumors, other organs	18	12	2	4						1	1		1		2	5	6	2
55d, e	Tumors, other organs (nature unspecified)	48	17	8	23		1				2	2	1	2	2	10	6	8	14
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,061	509	113	439	22	6	3	2	4	8	12	17	14	33	68	126	253	493
56	Acute rheumatic fever	47	22	3	22	1		1		1	2	4	3	4	4	3	6	7	11
57	Chronic rheumatism, osteoarthritis	41	18	3	20										1	1	3	10	26
59	Diabetes mellitus	740	349	88	303			1	1	1	5	8	9	8	15	36	80	183	393
62	Pellagra	7	6		1											2	2	2	1
63	Rickets	5	3	1	1	3	2												
66a	Simple goiter	6	4		2									1				3	2
66b	Exophthalmic goiter	163	83	15	65								1	1	11	21	34	43	52
(66)	Other diseases of thyroid and parathyroid glands	14	5	2	7	3			1	1			2			2		3	2
67	Diseases of thymus gland	22	13	1	8	13	3	1		1	1		2		1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	7	3		4											3		2	2
69	Other general diseases	9	3		6	2	1								1		1		4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																	
	IV.—Diseases of the blood and blood-making organs	309	139	39	131	13	4	2	2	3	12	4	7	4	17	23	37	70	110
70	Hemorrhagic conditions	20	12	2	6	8	1		1	1	2	2		1	1	1	1		1
71a	Pernicious anemia	150	56	21	73								2		4	8	21	44	70
71b	Other anemias	17	8	2	7	2	2							1		2	1	2	7
72a	True leukemias	69	34	10	25	1	1	2	1	1	8	1	4	2	6	5	5	13	19
72b	Pseudoleukemias (Hodgkin's disease)	39	22	3	14	2					1	1	1		5	6	5	7	11
73	Diseases of the spleen	9	4		5					1	1					1	2	3	1
74	Other diseases of blood and blood-making organs	5	3	1	1										1		2	1	1
	V.—Chronic poisonings and intoxications	64	35	7	22									1	3	16	28	12	4
75	Alcoholism (acute or chronic)	60	34	7	19									1	3	15	27	10	4
76	Chronic poisoning by other organic substances	2			2												1	1	
77a	Chronic lead poisoning	2	1		1											1		1	
	VI.—Diseases of the nervous system and of the organs of special sense	4,310	1,673	509	2,128	34	14	10	5	7	27	24	24	29	81	197	389	731	2,726
78	Encephalitis (nonepidemic)	64	24	5	35	4	1				3	1	3	5	5	9	17	5	11
79a	Simple meningitis	56	36	5	15	6	3	4	2	1	5	2	4	4	2	7	8	3	5
79b	Nonepidemic cerebrospinal meningitis	5	3		2	1	1					3							
80	Progressive locomotor ataxia (tabes dorsalis)	45	15	6	24										1	4	11	10	19
81	Other diseases of spinal cord	102	37	12	53						1	2	7	1	5	3	11	26	46
82a	Cerebral hemorrhage	3,256	1,261	403	1,592		2	1			2	2	1	3	18	79	245	586	2,307
82b	Cerebral embolism and thrombosis	144	56	23	65	2		1		1				1	6	7	9	20	97
82c	Softening of brain	22	6	2	14												1	2	19
82d	Hemiplegia and other paralysis, cause unspecified	126	44	8	74				1		1		1		2	1	9	12	98
83	General paralysis of insane	187	51	3	133									1	20	50	49	34	32
84	Dementia praecox and other psychoses	32	15	1	16							1		1	2	6	6	8	8
85	Epilepsy	56	18	4	34							2	3	7	5	13	9	6	11
86	Convulsions (under 5 years of age)	9	3	3	3	7	2												
87	Other diseases of nervous system	113	34	25	54			1	1		2	2	1		5	10	9	15	67
88	Diseases of organs of vision	2	2												1				1
89a	Diseases of ear	54	39	6	9	12	2	1		3	7	5	1	3	5	6	3	3	3
89b	Diseases of mastoid process	37	29	3	5	2	3	2	1	2	6	4	3	3	4	2	2	1	2
	VII.—Diseases of the circulatory system	9,508	4,073	1,015	4,420	17	7	2	6	3	27	37	33	54	159	359	848	1,607	6,344
90	Pericarditis	19	7	4	8							1		1	2		3	2	10
91a	Acute endocarditis	64	45	4	15		1				6	2	2	3	9	11	11	5	14
91b	Endocarditis, unspecified (under 45 years)	26	12	3	11		2				3	3	1	3	4	10			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,628	634	167	827	5	1		1	2	5	18	15	21	44	90	167	278	981
92b	Endocarditis, unspecified (45 years and over)	110	45	10	55												18	20	72
93a	Acute myocarditis	191	86	25	80	4	1	1	2	1	3		1		13	13	26	29	97
93b	Myocarditis, unspecified (under 45 years)	45	28	4	13	1	2		1		2	1	2	2	8	26			
93c	Chronic myocarditis and myocardial degeneration	2,858	1,331	275	1,252	1					2	7	4	9	30	75	193	440	2,094
93d	Other diseases of myocardium	798	361	84	353										3	2	68	155	569
94a	Angina pectoris	740	299	97	344									1	6	32	98	169	434
94b	Diseases of coronary arteries	758	411	78	269								2	2	10	37	112	199	396
95a	Functional diseases of heart	23	12		11										1		2	6	14
95b	Other and unspecified diseases of heart	1,206	407	148	651	6			1		6	4	5	11	25	50	117	207	773
96	Aneurysm (except of heart)	61	32	6	23									1	1	4	13	14	28
97	Arteriosclerosis (coronary arteries excepted)	858	298	96	464										1	1	10	63	783
98	Gangrene	35	18	4	13							1	1				1	6	26
99	Other diseases of arteries	54	28	9	17			1	1						1	3	6	7	35
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	18	13	1	4										1	4	2	5	6
101	Diseases of lymphatic system (lymphangitis, etc.)	3	1		2											1			2
102	Idiopathic anomalies of blood-pressure	11	5		6												1	2	8
103	Other diseases of circulatory system	2			2														2
	VIII.—Diseases of the respiratory system	2,297	1,192	210	895	366	82	54	23	9	51	35	41	35	118	141	182	235	923
104a	Diseases of nasal fossae	4	2		2	2		1											1
104b	Diseases of nasal fossae and annexa	17	8	3	6	1			1			1	1		6	3	1	1	2
105	Diseases of larynx	14	7	3	4	4	1	2	2		2	1			1			1	
106a	Acute bronchitis	17	10	2	5	1	1				1				2		1	2	9
106b	Chronic bronchitis	44	18	7	19						1				1	3	6	5	28
106c, d	Bronchitis, unspecified	21	14	1	6	3					1	1						3	13
107a	Bronchopneumonia	805	452	60	293	252	42	32	12	4	15	13	5	8	19	25	31	53	293
107b	Capillary bronchitis	5		1	4	4													1
108	Lobar pneumonia	1,078	542	110	426	84	33	12	6	4	25	18	32	21	68	88	111	140	435
109	Pneumonia, unspecified	86	30	9	47	7	4			1	2	1	2		6	5	7	5	46
110	Pleurisy	50	29	3	18	3	1	5	2		3		1		4	3	11	7	10
111a	Pulmonary embolism and thrombosis	20	14	1	5	1								2	1	2	3	5	6
111b	Pulmonary congestion, edema, hemorrhagic infarct	61	25	5	31	1									2	1	2	3	52
112	Asthma	49	27	2	20	1		1						3	3	6	6	8	21
113	Pulmonary emphysema	4	2	2												1			3
114	Other diseases of respiratory system (tuberculosis excepted)	22	12	1	9	2		1			1			1	5	4	3	2	3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	IX.—Diseases of the digestive system	2,592	1,456	354	782	324	125	38	32	21	72	56	77	75	152	280	309	352	678
115a	Diseases of pharynx and tonsils	154	89	17	48	5	3	3	3	4	20	5	11	10	20	27	16	11	15
115b	Diseases of buccal cavity and annexa	30	16	3	11	1	1			1	4	1	1		3	6	4	5	3
116	Diseases of esophagus	5	2	1	2														5
117a	Ulcer of stomach	170	93	24	53						1			5	8	31	32	34	59
117b	Ulcer of duodenum	60	39	8	13									2	4	8	15	17	14
118	Other diseases of stomach (cancer excepted)	103	29	10	64	17	4	3	4				1	2	2	8	7	8	47
119	Diarrhea, enteritis (under 2 years of age)	388	170	61	157	277	111												
120	Diarrhea, enteritis (2 years and over)	190	81	22	87			26	16	8	8	5	2	3	9	11	13	14	75
121	Appendicitis	483	346	77	60	1	2	1	4	4	33	39	48	39	58	75	73	60	46
122a	Hernia	115	74	19	22	2		1		1						7	18	24	62
122b	Intestinal obstruction	236	148	25	63	18	3	2	2	1	4	3	3	4	21	33	33	30	79
123	Other diseases of intestines	27	18	2	7		1		2			1		1	1	5	1	8	7
124	Cirrhosis of liver	260	125	37	98					1	1		2	2	10	19	40	64	121
125a	Yellow atrophy of liver	19	9	1	9								3	1		2	2	5	6
125b	Other diseases of liver	36	18	4	14			1					2		1		4	6	22
126	Biliary calculi	149	81	14	24									2	4	20	24	29	40
127	Other diseases of gall-bladder, biliary passages	138	79	21	38						1		1	2	5	17	20	27	65
128	Diseases of pancreas	20	16	2	2	2								2	3	4	2	3	4
129	Peritonitis, cause not specified	39	23	6	10	1		1	1	1		2	3		3	7	5	7	8
	X.—Diseases of the genitourinary system	4,288	1,938	522	1,828	13	3	3	1	4	8	10	22	37	111	216	387	691	2,776
130	Acute nephritis (including unspecified under 10 years)	133	66	16	51	7	3	2	1	3	4	3	4	6	11	14	18	19	38
131	Chronic nephritis	3,483	1,498	422	1,563						2	6	9	15	51	130	305	587	2,375
132	Nephritis, unspecified (10 years and over)	231	114	21	96								2	3	7	20	27	31	139
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	98	51	16	31	5		1		1	2	1	1	5	7	6	15	11	43
134	Calculi of urinary passages	25	20		5										3	2	2	9	9
135	Diseases of bladder (tumors excepted)	17	6	5	6	1									1		2	1	12
136	Diseases of urethra, urinary abscess, etc	16	13	2	1									2	2	2	3	4	3
137	Diseases of prostate	173	84	30	59											4		20	148
138	Diseases of male genital organs, not specified as venereal	1		1															1
139a	Cysts of ovary	18	14	2	2										5	8	2	2	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	73	55	6	12								6	6	19	26	9	4	3
139c	Diseases of uterus	19	16	1	2										5	3	4	3	4
139e	Other diseases of female genital organs	1	1													1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	297	174	55	68							1	26	67	118	82	3		
140	Abortion with septic conditions	65	38	16	11								5	19	28	13			
141	Abortion without mention of septic conditions (includes hemorrhages)	13	8	1	4									2	4	6	1		
142a	Ectopic gestation, septic conditions specified	1			1										1				
142b	Ectopic gestation, septic conditions not mentioned	18	14	2	2								1	4	6	7			
143	Other accidents of pregnancy (hemorrhage not included)	2		1	1											2			
144a	Placenta praevia	10	4	3	3										6	4			
144b	Other puerperal hemorrhages	18	12	2	4								2	6	6	3	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	63	36	11	16								7	15	24	17			
146	Puerperal albuminuria and eclampsia	52	31	12	9							1	6	11	23	10	1		
147	Other toxemias of pregnancy	9	6		3								1	4	2	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	19	10	4	5									1	9	9			
149	Other accidents of childbirth	27	15	3	9								4	5	9	9			
	XII.—Diseases of the skin and cellular tissue	44	21	7	16	8	1				1		1	1	4	3	4	7	14
151	Furuncle, carbuncle	11	6	1	4								1	1	2		1	3	3
152	Phlegmon, acute abscess	19	11	4	4	5	1				1				2	3	2	2	3
153	Other diseases of skin and annexa, and of cellular tissue	14	4	2	8	3											1	2	8
	XIII.—Diseases of the bones and organs of locomotion	30	20	3	7						3	6	1	2	4	1	6	3	4
154	Osteomyelitis	19	15	1	3						1	5	1		3	1	4	3	1
155	Other diseases of bones (tuberculosis excepted)	3	1		2							1							2
156	Diseases of joints, other organs of locomotion	8	4	2	2						2			2	1		2		1
	XIV.—Congenital malformations	359	169	36	154	337	10		2	1	3	3	2				1		
157a	Congenital hydrocephalus	35	20	6	9	29	1		1	1	1	2							
157b	Spina bifida and meningocele	24	16	1	7	23	1												
157c	Congenital malformations of heart	226	97	22	107	213	8		1			1	2				1		
157d	Other congenital malformations	74	36	7	31	72					2								

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	XV.—Diseases of early infancy	1,211	570	131	510	1,211													
158	Congenital debility	80	32	13	35	80													
159	Premature birth	775	371	81	323	775													
160	Injury at birth	204	102	28	74	204													
161	Other diseases peculiar to early infancy	152	65	9	78	152													
162	XVI.—Senility	137	27	24	86													1	136
	XVII.—Violent and accidental deaths	3,743	1,907	400	1,436	61	47	36	30	24	128	119	188	246	453	488	455	501	958
	Suicide	688	337	64	287								16	36	75	124	134	150	153
163	By solid or liquid poisons, or by absorption of corrosive substances	147	99	20	28								5	8	21	30	30	28	25
164	By poisonous gas	64	54	6	4									5	10	9	18	12	10
165	By hanging or strangulation	111	36	7	68									2	8	15	20	34	32
166	By drowning	32	12	1	19								2	2	2	3	6	7	10
167	By firearms	293	113	26	154								6	18	33	60	49	59	68
168	By cutting or piercing instruments	25	11	2	12									1		6	6	7	5
169	By jumping from high places	5	5										1				1	1	2
170	By crushing	5	2	1	2								1				3		1
171	By other means	6	5	1									1		1	1	1	2	
	Homicide	188	132	10	46	3		1		1		2	8	18	51	45	32	14	13
173	By firearms	124	84	6	34			1		1		1	6	14	29	31	23	9	9
174	By cutting or piercing instruments	23	20	2	1	1								2	8	6	3	2	1
175	By other means	41	28	2	11	2						1	2	2	14	8	6	3	3
	Accidental, other, or undefined	2,867	1,438	326	1,103	58	47	35	30	23	128	117	164	192	327	319	289	337	792
177	Poisoning by food	9	3		6		2				1				1	1			4
178	Absorption of poisonous gas	34	27	1	6	1								1	8	6	4	5	9
	Supplemental	7	2	1	4								1		2	1	2	1	
179	Other acute accidental poisonings (gas excepted)	57	35	8	14	3	7	10	2		1	3	1	1	8	6	6	5	4
180	Conflagration	22	9	3	10	1	2	1			1		2	1	2	2	3	5	2
181	Burns (conflagration excepted)	115	84	11	20	2	6	4	7	5	12	4	1	7	16	13	9	12	16
	Supplemental	33	19	6	8				1		3		3	4	13	3	4	2	
182	Mechanical suffocation	30	12	3	15	28					1						1		
	Supplemental	1			1											1			
183	Drowning	142	44	11	87		4	2	2	3	11	33	20	21	14	13	8	8	3
	Supplemental	18	10	1	7			1			3	1		4	2	4	1	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)	73	30	8	35			1		1	5	8	17	9	12	10	4	6	
185	By cutting or piercing instruments (wounds of war excepted)	20	13	1	6		1				2		1		1	4	1	4	6
	Supplemental	6	2	1	3								1		1	1		2	1
186a	By fall	682	347	84	251	3	3	2	1	1	13	9	10	9	11	24	27	67	502
	Supplemental	80	34	6	40				1		3	6	5	9	15	12	11	8	9
186b	By crushing, landslide	13	3	2	8									2	1	3	3	3	1
	Supplemental	349	160	32	157	2	2	3	3	4	11	14	26	29	59	61	51	43	39
187	Cataclysm	2	2											1		1			
188	Injuries by animals	22	3	4	15			1			4			1	1	1	1	8	5
189	Hunger and thirst	1			1														1
190	Excessive cold	9	4	1	4											1	1	2	5
191	Excessive heat	28	15	3	10		2								2	1	5	7	11
192	Lightning	8			8					1		1		3	2	1			
193	Due to electric currents	20	7	3	10							3	4	2	4	2	4		1
	Supplemental	4	2		2										1	1	1		1
194a	Foreign bodies	23	15	1	7	8	8	2			1	1				1		1	1
194b	Other accidents	80	34	17	29	7	1	2		1	8	6	6	5	8	8	7	9	12
	Supplemental	974	519	118	337	3	9	6	13	7	48	28	66	82	141	137	135	137	157
195	Violent deaths of unknown nature	2			2														2
198	Legal executions	3	3											1	2				
	XVIII.—Ill-defined causes of deaths	42	11	7	24	10	3	2				1					4	4	18
199	Sudden death	1			1														1
200a	Cause of death ill-defined	27	8	5	14	1	3	2				1					3	4	13
200b	Cause of death not specified or unknown	14	3	2	9	9											1		4
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	49	14	13	22								2	2	9	17	13	5	1
202	Accidents from agricultural machinery	9	3		6			1					2	1	1	1	2	1	
203	Elevator accidents	7	5		2									2	2	3			
205	Other machinery accidents	28	18	6	4						1		2		6	5	6	6	2
206	Railroad and automobile collisions	133	54	17	62	1			2		4	2	21	15	29	19	16	13	11
207	Other railroad accidents	165	86	17	62		5					6	9	14	24	29	29	18	26
208	Street car and automobile collisions	20	10		10									2	4		5	7	2
209	Other street car accidents	11	5		6			1			1			1		3		1	4
210	Automobile accidents (primary)	979	528	105	346	4	6	7	16	11	58	36	65	78	147	138	127	136	147
211	Motorcycle accidents	5	2	3									1	1	1				2
212	Other land transportation accidents	34	11	2	21						1	4		2	2	1	6	7	11
213	Water transportation accidents	10	4	1	5			1			3	1		1	2		1	1	
214	Air transportation accidents	22	8	1	13									9	7	5			1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued.

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA																		
	Total deaths (all causes)	25,665	9,427	4,585	11,653	1,911	205	121	112	68	288	256	373	480	1,053	1,471	2,184	3,702	13,433
	I.—Infectious and parasitic diseases	2,098	793	346	959	209	68	36	38	19	68	54	78	100	181	218	213	220	595
1	Typhoid fever	21	10	3	8			1			1	1	3	1	5	5		4	
2	Paratyphoid fever	1			1														1
5	Undulant fever	4	1	2	1								2		1				1
7	Measles	9	4	1	4	2	1	1		1		1	1	1		1			
8	Scarlet fever	45	11	11	23	3	2	1	3	1	18	8	2	2	2	1	1		1
9	Whooping-cough	66	25	5	36	43	11		5		3	1			3				
10	Diphtheria	55	30	9	16	5	3	7	7	2	13	6		1	3	1	5	1	1
11a	Influenza, respiratory complications specified	476	147	71	258	47	18	8	7	5	2	7	16	9	18	41	33	45	220
11b	Influenza, respiratory complications not specified	394	94	77	223	45	7	7	8	3	9	6	8	10	16	16	21	29	209
13	Dysentery	25	10	4	11	3	2	4	1	1						1	1	2	10
15	Erysipelas	45	22	7	16	18		1		1	1			1	1	1	6	3	12
16	Acute poliomyelitis, acute polioencephalitis	14	5	2	7	1	2	1			3	2	2	2	1				
17	Lethargic or epidemic encephalitis	41	16	5	20	1	6	2	1	1		1	1	3	5	3	7	4	6
18	Epidemic cerebrospinal meningitis	39	24	3	12	3	4	2	1	2	3	8	5	3	4	1	3		
21	Rabies	3		1	2											1		1	1
22	Tetanus	26	12	5	9				2		7	4	3	1	1	1	1	4	2
	Tuberculosis (all forms)	654	276	106	272	13	5	1	3	2	4	7	31	60	109	125	98	91	104
23	Respiratory system	575	231	96	248	6	1			1	2	7	27	50	102	119	90	79	90
24	Meninges and central nervous system	19	12	1	6	4	3	1	2	1	1		1	2	1	1		1	1
25	Intestines and peritoneum	13	9	3	1	2								4	3	1		1	2
26	Vertebral column	12	5	3	4								1	1	1	2	4	1	2
27a	Bones (vertebral column excepted)	1			1														1
27b	Joints	2	1		1				1										1
28	Skin and subcutaneous cellar tissue	1			1														1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	5	2		3												1	2	2
30	Genitourinary system	9	3	1	5						1						1	4	3
32a	Acute disseminated tuberculosis	15	11	2	2	1							2	3	2	2	2	2	1
32b, c	Other disseminated tuberculosis	2	2				1											1	
34	Syphilis	130	79	26	25	21	1						1	3	7	12	32	31	22
35	Gonococcus infection and other venereal diseases	14	10	2	2	1							2	3	2	4		1	1
36	Purulent infection, septicemia (non-puerperal)	15	8	3	4	1	1				2				1	2	4	1	3
38	Malaria	4	1	1	2							1						2	1
39	Other diseases due to protozoal parasites	3	1		2						1		1			1			
43	Mycoses	4	3		1										1	1	1	1	
44	Other infectious and parasitic diseases	10	4	2	4	2	5				1	1			1				
	II.—Cancers and other tumors	3,176	1,217	508	1,451	3	2	1	1	2	11	8	9	17	81	192	417	703	1,727
	Cancer and other malignant tumors	3,035	1,143	485	1,407	1	2	1		1	6	7	6	13	68	163	387	674	1,704
45)	Buccal cavity	100	38	14	48						1					5	7	17	69
(45)	Pharynx	21	10	4	7							1					2	4	14
(46)	Esophagus	35	19	4	12												3	15	17
(46)	Stomach and duodenum	698	213	117	368									1	4	27	51	134	481
(46)	Liver and biliary passages	283	87	61	135									1	4	8	32	56	181
(46)	Pancreas	81	44	7	30										2	4	5	28	42
(46)	Other digestive tract and peritoneum	554	231	71	252	1		1					1	1	15	25	74	131	305
47	Respiratory system	92	37	18	37							1		1	4	8	24	23	31
48	Uterus	239	122	38	79							1		1	13	29	54	72	69
49	Other female genital organs	61	28	12	21							1	1	1	5	2	13	22	16
50	Breast	286	105	42	139										9	33	70	67	107
51	Male genitourinary organs	270	110	41	119									2	2	4	19	44	199
52	Skin	69	14	13	42										1	1	5	10	52
53	Other or unspecified organs	246	85	43	118		2			1	5	3	4	5	9	17	28	51	121
54a	Nonmalignant tumors, ovary	3	2	1												2	1		
54b	Nonmalignant tumors, uterus	39	24	7	8									1	5	16	13	3	1
54d, e	Nonmalignant tumors, other organs	11	6	1	4						1	1		2		1	1	1	4
55a	Tumors, ovary (nature unspecified)	1			1										1				
55d, e	Tumors, other organs (nature unspecified)	87	42	14	31	2			1	1	4		3	1	7	10	15	25	18
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	818	304	141	373	25	3	2		1	6	10	13	12	23	28	79	174	442
56	Acute rheumatic fever	47	16	8	23	1				1	3	5	6	2	5	1	2	8	13
57	Chronic rheumatism, osteoarthritis	53	14	5	34									2	1	2	2	3	43
59	Diabetes mellitus	574	206	106	262						2	5	7	7	11	15	52	134	341
62	Fellagra	2	1		1												1		1
63	Rickets	2			2	2													
66a	Simple goiter	3	1	1	1											1			2
66b	Exophthalmic goiter	86	41	11	34										4	7	19	23	33
(66)	Other diseases of thyroid and parathyroid glands	10	7	1	2	1		1									3	3	2
67	Diseases of thymus gland	24	12	5	7	20	3	1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	10	4	1	5									1	2	2		2	3
69	Other general diseases	7	2	3	2	1					1							1	4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																	
	IV.—Diseases of the blood and blood-making organs	363	141	53	169	13	3	2	4	3	7	11	6	8	19	24	40	78	145
70	Hemorrhagic conditions	20	8	1	11	9	1					2	2				1	2	3
71a	Pernicious anemia	174	67	27	80				1	2				1	1	2	17	46	104
71b	Other anemias	17	2	5	10	3			1						1		2	4	6
72a	True leukemias	92	44	11	37	1	1	2	2		6	5	2	2	7	12	16	17	19
72b	Pseudoleukemias (Hodgkin's disease)	41	13	5	23					1		3	1	5	5	9	4	7	6
73	Diseases of the spleen	12	5	1	6		1				1	1			2	1		1	5
74	Other diseases of blood and blood-making organs	7	2	3	2								1		3			1	2
	V.—Chronic poisonings and intoxications	53	22	7	24									2	10	14	10	11	6
75	Alcoholism (acute or chronic)	51	21	7	23									2	9	14	10	11	5
77a	Chronic lead poisoning	2	1		1										1				1
	VI.—Diseases of the nervous system and of the organs of special sense	3,283	1,031	619	1,633	44	13	9	5	4	21	23	22	12	47	109	246	515	2,211
78	Encephalitis (nonepidemic)	35	14	6	15	4	2	2					2	1	1	6	3	4	10
79a	Simple meningitis	37	18	8	11	7	3	3	1	1	3	1	1			4	5	4	4
79b	Nonepidemic cerebrospinal meningitis	9	2	2	5	2	1		1			1	1				2	1	
80	Progressive locomotor ataxia (tabes dorsalis)	21	14	2	5												5	5	11
81	Other diseases of spinal cord	97	33	11	53					1		2	3	1		6	14	13	57
82a	Cerebral hemorrhage	2,475	769	429	1,277	1	1	1	1	2		1	3	2	15	48	147	399	1,852
82b	Cerebral embolism and thrombosis	132	50	26	56						1	2	2		3	2	11	14	97
82c	Softening of brain	20	6	4	10												3	1	16
82d	Hemiplegia and other paralysis, cause unspecified	48	12	10	26										1		4	7	36
83	General paralysis of insane	79	13	38	28										7	17	23	15	17
84	Dementia praecox and other psychoses	54	8	18	28								1	2	5	2	7	16	21
85	Epilepsy	66	10	21	35						5	2	4	2	9	12	10	7	15
86	Convulsions (under 5 years of age)	9	1	3	5	7	1		1										
87	Other diseases of nervous system	129	33	30	66	7	2	1			1	2		1	4	9	9	22	71
88	Diseases of organs of vision	2	1		1			1							1				1
89a	Diseases of ear	39	26	6	7	9	1	1			9	5	4	2		2	2	3	1
89b	Diseases of mastoid process	31	21	5	5	7	2		1		2	7	1	1	1	1	1	4	3
	VII.—Diseases of the circulatory system	6,009	1,942	1,083	2,984	5	4	2		1	9	15	25	35	103	179	392	915	4,322
90	Pericarditis	15	6	3	6							2			2	2	1		8
91a	Acute endocarditis	48	24	5	19			1			1	2	4	6	11	7	6	2	8
91b	Endocarditis, unspecified (under 45 years)	7	2	2	3	1	1				1	1	1	1		1			
92a	Endocarditis, specified as chronic, and other valvular diseases	979	305	140	534						2	4	10	14	36	49	73	154	637
92b	Endocarditis, unspecified (45 years and over)	77	19	13	45												5	14	58
93a	Acute myocarditis	47	14	14	19						2	1		1	1	5	6	10	21
93b	Myocarditis, unspecified (under 45 years)	11	6		5	1								1	4	5			
93c	Chronic myocarditis and myocardial degeneration	1,256	412	238	606		1						3	1	10	27	78	169	966
93d	Other diseases of myocardium	650	218	120	312										1	1	29	95	523
94a	Angina pectoris	456	135	83	238									1	4	12	37	100	302
94b	Diseases of coronary arteries	784	305	127	352								1	1	9	26	69	175	503
95a	Functional diseases of heart	41	5	5	31	1										2	4	6	28
95b	Other and unspecified diseases of heart	909	287	158	464		2	1		1	3	4	3	9	22	38	60	130	636
96	Aneurysm (except of heart)	31	17	5	9								1				6	8	16
97	Arteriosclerosis (coronary arteries excepted)	566	140	145	281												5	27	534
98	Gangrene	34	7	6	21	1										1		4	28
99	Other diseases of arteries	46	15	8	23								2		1	2	5	5	31
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	17	4	6	7							1			1		4	5	6
101	Diseases of lymphatic system (lymphangitis, etc.)	4	4			1											1		2
102	Idiopathic anomalies of blood-pressure	23	13	4	6												3	9	11
103	Other diseases of circulatory system	8	4	1	3										1	1		2	4
	VIII.—Diseases of the respiratory system	1,774	647	332	795	229	43	17	16	5	24	16	30	22	71	110	128	174	889
104a	Diseases of nasal fossae	6	2		4	3									1			1	1
104b	Diseases of nasal fossae and annexa	13	9	2	2	1						2	2	1	1	3	2		1
105	Diseases of larynx	10	6	1	3	3	3		2				1			1			
106a	Acute bronchitis	21	4	5	12	4													17
106b	Chronic bronchitis	53	15	7	31									1	1	1	5	5	40
106c, d	Bronchitis, unspecified	14	2	5	7	2												1	11
107a	Bronchopneumonia	656	237	114	305	156	23	12	7	2	6	5	7	2	9	18	30	39	340
107b	Capillary bronchitis	10	2	2	6	4	2				1						1		2
108	Lobar pneumonia	802	306	159	337	50	13	4	5	3	12	7	14	14	49	70	67	105	389
109	Pneumonia, unspecified	14	4	2	8	3							1			2	1	5	2
110	Pleurisy	32	21	2	9			1	1		3		2	2	4	4	5	1	9
111a	Pulmonary embolism and thrombosis	23	8	5	10							1		1	2	5	5	2	7
111b	Pulmonary congestion, edema, hemorrhagic infarct	43	12	10	21	2										1	1	1	38
112	Asthma	50	12	11	27	1			1				2	1	1	3	10	11	20
113	Pulmonary emphysema	4	2	1	1														4
114	Other diseases of respiratory system (tuberculosis excepted)	23	5	6	12		2				2	1	1		3	2	1	3	8

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	IX.—Diseases of the digestive system	1,664	847	314	503	113	33	26	24	15	54	40	54	49	113	145	200	285	512
115a	Diseases of pharynx and tonsils	87	45	15	27	3	3	3	4	4	4	5	5	3	11	8	6	14	14
115b	Diseases of buccal cavity and annexa	15	7	5	3		1				3			1		1	2	3	4
116	Diseases of esophagus	6	3	1	2										1		1	1	3
117a	Ulcer of stomach	107	57	16	34						1		1	3		8	23	26	45
117b	Ulcer of duodenum	52	31	10	11									1	4	6	13	15	13
118	Other diseases of stomach (cancer excepted)	42	14	7	21	5	1	1	1				1		2	3	3	8	17
119	Diarrhea, enteritis (under 2 years of age)	100	31	16	53	80	20												
120	Diarrhea, enteritis (2 years and over)	122	43	16	63			15	10	3	5	3	1	3	10	4	9	7	52
121	Appendicitis	396	224	109	63		1	3	8	5	38	24	36	32	42	48	51	59	48
122a	Hernia	102	58	20	24								1		2	6	9	27	57
122b	Intestinal obstruction	190	96	36	58	21	2	2	1	1	1	4	6	1	10	20	18	27	76
123	Other diseases of intestines	21	8	6	7		1						2		2	2	2	4	8
124	Cirrhosis of liver	114	47	15	52					1					2	7	12	29	63
125a	Yellow atrophy of liver	11	7	1	3		1								2	2		4	2
125b	Other diseases of liver	20	7	5	8		1				1				1	4	2	1	10
126	Biliary calculi	99	59	15	25										5	9	18	24	43
127	Other diseases of gall-bladder, biliary passages	136	82	15	39		1						1		12	13	27	29	53
128	Diseases of pancreas	10	7	2	1									1	2	1	1	5	
129	Peritonitis, cause not specified	34	21	4	9	4	1	2		1	1	4		4	5	3	3	2	4
	X.—Diseases of the genitourinary system	2,019	812	350	857	10		1	2	2	6	9	12	18	59	109	167	295	1,329
130	Acute nephritis (including unspecified under 10 years)	76	22	23	31	4		1	2	1	2	1	1	3	6	13	9	9	24
131	Chronic nephritis	1,294	483	198	613					1	4	6	7	7	25	63	111	198	872
132	Nephritis, unspecified (10 years and over)	207	64	50	93							1	1	1	6	5	18	36	139
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	70	36	11	23	5						1		2	6	5	8	14	29
134	Calculi of urinary passages	33	18	4	11										1	5	6	4	17
135	Diseases of bladder (tumors excepted)	24	8	8	8											1	1		22
136	Diseases of urethra, urinary abscess, etc	9	5	3	1											2		4	3
137	Diseases of prostate	239	132	39	68										1		4	20	214
138	Diseases of male genital organs, not specified as venereal	2	1		1	1												1	
139a	Cysts of ovary	16	9	1	6									2	4	3	1	5	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	25	16	7	2								3	3	9	5	2	1	2
139c	Diseases of uterus	24	18	6											1	7	7	3	6
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	210	104	50	56								15	44	91	59	1		
140	Abortion with septic conditions	37	26	6	5								3	11	19	4			
141	Abortion without mention of septic conditions (includes hemorrhages)	15	2	3	10								1	1	7	6			
142a	Ectopic gestation, septic conditions specified	6	4	1	1									2	2	2			
142b	Ectopic gestation, septic conditions not mentioned	5	3	2										1	1	3			
143	Other accidents of pregnancy (hemorrhage not included)	3	2		1									1	2				
144a	Placenta praevia	10	4	1	5										5	5			
144b	Other puerperal hemorrhages	9	2	3	4								1	4	3	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	39	20	9	10								5	6	17	10	1		
146	Puerperal albuminuria and eclampsia	36	16	12	8								2	10	14	10			
147	Other toxemias of pregnancy	5	4	1									2	1	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	10	5	2	3										6	4			
149	Other accidents of childbirth	34	16	10	8								1	7	14	12			
150	Other and unspecified conditions of puerperal state	1			1											1			
	XII.—Diseases of the skin and cellular tissue	34	14	7	13	7		2			1		2	1	7	2		3	9
151	Furuncle, carbuncle	5	2		3			1					1		1				2
152	Phlegmon, acute abscess	10	8	2		1		1			1		1	1	4			1	
153	Other diseases of skin and annexa, and of cellular tissue	19	4	5	10	6									2	2		2	7
	XIII.—Diseases of the bones and organs of locomotion	34	17	9	8			1		1	1	8	4	1	3		5	1	9
154	Osteomyelitis	23	14	4	5			1			1	6	4	1	1		4	1	4
155	Other diseases of bones (tuberculosis excepted)	2		1	1					1									1
156	Diseases of joints, other organs of locomotion	9	3	4	2							2			2		1		4
	XIV.—Congenital malformations	251	105	44	102	227	6	1	3	1	5	1	1	4	2				
157a	Congenital hydrocephalus	28	13	4	11	22	2		1		2				1				
157b	Spina bifida and meningocele	35	12	6	17	33	1		1										
157c	Congenital malformations of heart	137	52	23	62	123	3	1		1	3	1	1	3	1				
157d	Other congenital malformations	51	28	11	12	49			1					1					

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	XV.—Diseases of early infancy	972	377	164	431	972													
158	Congenital debility	58	18	9	31	58													
159	Premature birth	608	250	104	254	608													
160	Injury at birth	205	72	36	97	205													
161	Other diseases peculiar to early infancy	101	37	15	49	101													
162	XVI.—Senility	448	85	88	275													5	443
	XVII.—Violent and accidental deaths	2,348	946	453	949	33	28	21	19	14	74	61	101	152	239	279	278	308	741
	Suicide	499	178	88	233							1	6	22	54	90	100	111	115
163	By solid or liquid poisons or by absorption of corrosive substances	67	22	14	31								1	5	6	15	10	17	13
164	By poisonous gas	75	60	8	7							1		3	11	17	19	12	12
165	By hanging or strangulation	133	20	28	85								1	2	13	20	26	35	36
166	By drowning	20	7	3	10										1	4	5	5	5
167	By firearms	178	57	31	90								4	12	22	32	33	36	39
168	By cutting or piercing instruments	16	7	3	6											1	3	5	7
169	By jumping from high places	4	3		1												2	1	1
171	By other means	6	2	1	3										1	1	2		2
	Homicide	74	38	15	21	1	2	1			1	2	2	5	21	15	17	3	4
173	By firearms	55	28	11	16	1						2	1	4	14	15	13	2	3
174	By cutting or piercing instruments	4	3	1											3		1		
175	By other means	15	7	3	5		2	1			1		1	1	4		3	1	1
	Accidental, other, or undefined	1,775	730	350	695	32	26	20	19	14	73	58	93	125	164	174	161	194	622
176	Attack by venomous animals	3	1	1	1						1				1				1
177	Poisoning by food	3		1	2										1	1			1
178	Absorption of poisonous gas	29	23	3	3			1							1	2	6	7	12
	Supplemental	2			2								1				1		
179	Other acute accidental poisonings (gas excepted)	19	8	6	5	1	6		1					2	1	2	2	3	1
180	Conflagration	31	14	2	15		1	2	1		1	1	2	2	3	5	3	4	6
181	Burns (conflagration excepted)	80	33	24	23	4	5	9	4	3	4	4	1	4	2	11	7	7	15
	Supplemental	15	4	1	10								2	4	2	4	2	1	
182	Mechanical suffocation	22	7	3	12	14					3	1				2	2		
	Supplemental	3			3									1	2				
183	Drowning	95	29	11	55		4	2	3		15	16	14	12	5	8	8	4	4
	Supplemental	14	8	1	5							2	2	2	2	4	1	1	
184	Traumatism: By firearms (wounds of war excepted)	54	18	11	25			1			2	9	7	14	6	2	9	3	1
185	By cutting or piercing instruments (wounds of war excepted)	18	5	6	7		1								4	1	2	6	4
	Supplemental	8	2		6							1			1	1	2	1	2
186a	By fall	498	204	92	202	2					5	4	2	3	10	11	18	40	403
	Supplemental	69	21	20	28		1	1	1		4	3	3	5	12	6	7	9	17
186b	By crushing, landslide	5	2		3							1		1		1	1	1	
	Supplemental	146	60	28	58		1	1	4	1	1	1	15	13	22	15	20	26	26
187	Cataclysm	1			1											1			
188	Injuries by animals	20	4	7	9					1	1			1	3	4	3	3	4
190	Excessive cold	8	3	1	4													3	5
191	Excessive heat	14	7	1	6	2					2				1	3		1	5
192	Lightning	2			2							1				1			
193	Due to electric currents	15	6	7	2		1						1	2	1	3	4	2	1
	Supplemental	2		1	1										2				
194a	Foreign bodies	11	4	4	3	2	3	1							2		1		2
194b	Other accidents	81	32	13	36	6	3	1		1	3	5	5	2	7	17	8	7	16
	Supplemental	507	235	106	166	1		1	5	8	31	9	38	57	73	69	54	65	96
	XVIII.—Ill-defined causes of death	111	23	17	71	21	2				1		1	3	4	3	8	15	53
199	Sudden death	21	5	3	13											1		4	16
200a	Cause of death ill-defined	57	12	10	35	3	2				1		1	2	3	1	5	9	30
200b	Cause of death not specified or unknown	33	6	4	23	18								1	1	1	3	2	7
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	12	2	1	9								2	1	3	1	1	3	1
202	Accidents from agricultural machinery	9	1	1	7									1	1	2	1	2	2
203	Elevator accidents	5	4		1					1								2	2
205	Other machinery accidents	26	11	5	10				1					1	4	5	7	3	5
206	Railroad and automobile collisions	43	17	2	24						2	1	1	5	12	5	8	4	5
207	Other railroad accidents	83	41	14	28	1		1			2	1	8	6	13	17	9	11	14
208	Street car and automobile collisions	3	3												2	1			
209	Other street car accidents	4	2		2													2	2
210	Automobile accidents (primary)	514	225	116	173		2	1	7	8	26	10	44	62	68	58	58	70	100
211	Motorcycle accidents	5	4		1								2		2				1
212	Other land transportation accidents	37	9	13	15			1	2		6	2	3		5	1	2	6	9
213	Water transportation accidents	14	10	1	3							2	1	2	2	6	1		
214	Air transportation accidents	11	1	4	6									4	4	3			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS																	
	Total deaths (all causes)	19,613	6,729	2,781	10,103	1,646	210	116	99	57	238	247	316	436	907	1,204	1,772	2,772	9,590
	I.—Infectious and parasitic diseases	1,920	666	274	980	173	67	31	31	21	77	45	61	99	208	232	198	203	473
1	Typhoid fever	24	9	4	11						3	4	2	3	6	2	2	2	
2	Paratyphoid fever	5	2	3						1					3	1			
5	Undulant fever	3		1	2										3				
7	Measles	13	10		3	3	1	2	2	1	2	2							
8	Scarlet fever	39	11	4	24	3	1	4	2	5	9	4	4	1	2	4			
9	Whooping-cough	60	20	5	26	30	19	6	1	1	3								
10	Diphtheria	54	14	11	29	3	6	4	11	4	16	4	2	1	2				1
11a	Influenza, respiratory complications specified	489	172	65	252	68	23	4	4	1	13	3	11	14	26	53	37	41	191
11b	Influenza, respiratory complications not specified	329	86	56	187	33	6	6	3	2	13	7	4	2	14	14	29	35	161
13	Dysentery	26	10	2	14	6	2	1	1	1				1				1	13
15	Erysipelas	28	11	3	14	3									3	2	4	5	11
16	Acute poliomyelitis, acute polioencephalitis	12	3	5	4	1	1			1		2		3	2	1	1		
17	Lethargic or epidemic encephalitis	47	23	10	14	1	1	1	1		5		1	1	7	1	10	9	9
18	Epidemic cerebrospinal meningitis	21	13	2	6	2		2	1		2	3	3	1	2	2		3	
20	Anthrax (bacillus anthracis) malignant pustule	1			1												1		
22	Tetanus	27	9	6	12	2					8	5			3		1	3	5
	Tuberculosis (all forms)	568	192	76	300	5	5	1	4	2	2	9	31	64	115	109	88	73	59
23	Respiratory system	504	167	68	269	2	1		2	1	2	6	29	59	106	97	78	68	52
24	Meninges and central nervous system	12	9	1	2	1	3	1	1	1		2		1	1		1		
25	Intestines and peritoneum	19	7	1	11	1	1					1		2	4	3	4	1	2
26	Vertebral column	6	1	2	3				1							3	1	1	
27a	Bones (vertebral column excepted)	2			2										1				1
27b	Joints	5	1	1	3											1	3	1	
28	Skin and subcutaneous cellular tissue	2			2								1						1
30	Genitourinary system	5			5									1	1	2			1
31	Other organs	2	1		1											1	1		
32a	Acute disseminated tuberculosis	10	6	2	2	1								1	2	2		2	2
32b, c	Other disseminated tuberculosis	1		1									1						
34	Syphilis	120	49	14	57	11						1	2	3	14	30	20	24	15
35	Gonococcus infection and other venereal diseases	20	13	3	4								1	1	3	10	3	1	1
36	Purulent infection, septicemia (non-puerperal)	15	6	2	7	1			1			1		3	2	1	2	3	1
38	Malaria	8		1	7										1			2	5
43	Mycoses	6	1	1	4		1			1						2		1	1
44	Other infectious and parasitic diseases	5	3		2	1	1			1	1			1					
	II.—Cancers and other tumors	2,122	742	309	1,071	1	2	1	4		8	6	1	12	59	149	308	468	1,103
	Cancer and other malignant tumors	2,021	697	290	1,034				4		2	6	1	10	49	126	283	458	1,082
(45)	Buccal cavity	77	26	9	42							1			2	3	8	17	46
(45)	Pharynx	14	4	2	8						1						2	3	8
(46)	Esophagus	25	6	3	16										1		2	8	14
(46)	Stomach and duodenum	414	128	52	234										2	14	45	104	249
(46)	Liver and biliary passages	214	48	35	131										4	8	17	43	142
(46)	Pancreas	48	18	12	18										1	3	5	10	29
(46)	Other digestive tract and peritoneum	293	105	45	143							1			4	23	40	77	148
47	Respiratory system	43	21	8	14							1		1	2	5	7	10	17
48	Uterus	215	102	26	87									2	12	30	57	38	76
49	Other female genital organs	45	23	9	13									1	4	5	19	11	5
50	Breast	179	57	32	90										5	19	47	48	60
51	Male genitourinary organs	208	79	23	106				1					3	4	4	11	35	150
52	Skin	83	20	9	54								1		1		6	14	61
53	Other or unspecified organs	163	60	25	78				3		1	2	1	3	7	12	17	40	77
54a	Nonmalignant tumors, ovary	5	3	1	1												3	2	
54b	Nonmalignant tumors, uterus	44	23	7	14									1	5	18	11	3	6
54d, e	Nonmalignant tumors, other organs	29	10	6	13		1				6			1	3	1	6	3	8
55d, e	Tumors, other organs (nature unspecified)	23	9	5	9	1	1	1							2	4	5	2	7
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	634	230	87	317	28	4	3	6	1	8	6	12	13	23	33	57	132	308
56	Acute rheumatic fever	30	10	5	15			1	4		4	1	1	2	1	3		2	11
57	Chronic rheumatism, osteoarthritis	19	7	6	6												3	3	13
59	Diabetes mellitus	442	160	54	228		1				3	4	10	7	12	19	32	102	252
62	Pellagra	4	1	2	1												1	1	2
63	Rickets	4	1	3		3												1	
64	Osteomalacia	1			1														1
65	Diseases of pituitary body	3	1		2										1			1	1
66a	Simple goiter	4		1	3												1	2	1
66b	Exophthalmic goiter	74	27	8	39									4	6	11	14	19	20
(66)	Other diseases of thyroid and parathyroid glands	14	4	2	8	3	1	2	1		1				2		2		2
67	Diseases of thymus gland	26	14	2	10	21	2		1	1			1						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	6	4	1	1							1			1		3	1	
69	Other general diseases	7	1	3	3	1											1		5

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	IV.—Diseases of the blood and blood-making organs	197	73	33	91	10	1	1	1	1	6	4	2	3	12	10	31	39	76
70	Hemorrhagic conditions	14	5	2	7	7	1		1		1				1	1		1	1
71a	Pernicious anemia	114	39	19	56						1		1	1	4	2	22	28	55
71b	Other anemias	9	3	3	3													4	5
72a	True leukemias	36	18	6	12	2		1			3	2	1		4	3	4	5	11
72b	Pseudoleukemias (Hodgkin's disease)	19	5	2	12					1	1	2		2	3	4	4		2
73	Diseases of the spleen	3	1	1	1	1													2
74	Other diseases of blood and blood-making organs	2	2														1	1	
	V.—Chronic poisonings and intoxications	26	12	6	8									2	1	8	8	3	4
75	Alcoholism (acute or chronic)	17	7	4	6									2	1	3	8	3	
76	Chronic poisoning by other organic substances	2	1	1												2			
77a	Chronic lead poisoning	7	4	1	2											3			4
	VI.—Diseases of the nervous system and of the organs of special sense	2,325	710	281	1,334	22	13	7	2	2	21	16	12	7	37	91	190	378	1,526
78	Encephalitis (nonepidemic)	30	10	5	15	1	1	1			3	3	1		1	3	7	2	7
79a	Simple meningitis	35	17	6	12	8	3	1	1		1	2	1		5	3	2	5	3
79b	Nonepidemic cerebrospinal meningitis	1			1											1			
80	Progressive locomotor ataxia (tabes dorsalis)	21	7	3	11											2	5	5	9
81	Other diseases of spinal cord	58	19	7	32	1					1	3			3	4	6	17	23
82a	Cerebral hemorrhage	1,771	512	223	1,036		1					1			8	37	135	282	1,306
82b	Cerebral embolism and thrombosis	84	33	8	43	1	1					1		1	2	5	4	11	58
82c	Softening of brain	20	8	1	11													2	18
82d	Hemiplegia and other paralysis, cause unspecified	25	5	2	18													3	22
83	General paralysis of insane	50	6		44										2	16	14	9	9
84	Dementia praecox and other psychoses	31	5	3	23										3	5	4	6	13
85	Epilepsy	45	22	3	20	1	2	1		1	4	3	3	3	7	5	4	5	6
86	Convulsions (under 5 years of age)	4	2	1	1	1	1	2											
87	Other diseases of nervous system	97	32	12	53	2		1			2				5	7	5	25	50
88	Diseases of organs of vision	2		1	1	1													1
89a	Diseases of ear	33	18	4	11	4	4		1	1	6	2	4	3		2	2	3	1
89b	Diseases of mastoid process	18	14	2	2	2		1			4	1	3		1	1	2	3	
	VII.—Diseases of the circulatory system	4,297	1,440	536	2,321	9	4	2	1	1	7	18	16	24	54	158	348	706	2,949
90	Pericarditis	17	3	4	10							1	1		1	1	2	2	9
91a	Acute endocarditis	32	14	5	13	2			1		1	2	1	2	6	9	1	3	4
91b	Endocarditis, unspecified (under 45 years)	16	7	2	7	1	1			1	2	1	2		2	6			
92a	Endocarditis, specified as chronic, and other valvular diseases	983	305	117	561	3	1	1			2	9	6	8	22	53	93	145	640
92b	Endocarditis, unspecified (45 years and over)	72	24	9	39												7	21	44
93a	Acute myocarditis	43	18	2	23	2							1	3	1	3	6	7	20
93b	Myocarditis, unspecified (under 45 years)	19	10	1	8								1	5	7	6			
93c	Chronic myocarditis and myocardial degeneration	953	326	112	515			1			1	1	1	3	5	20	72	128	721
93d	Other diseases of myocardium	502	166	78	258								1			4	30	100	367
94a	Angina pectoris	317	112	35	170										1	11	34	77	194
94b	Diseases of coronary arteries	359	146	41	172									2	2	17	41	86	211
95a	Functional diseases of heart	23	8	5	10										1	1	2	6	13
95b	Other and unspecified diseases of heart	517	160	70	287	1	1					4	1	1	4	18	43	85	359
96	Aneurysm (except of heart)	31	17	4	10								1			2	7	8	13
97	Arteriosclerosis (coronary arteries excepted)	358	107	44	207											2	5	28	323
98	Gangrene	14	4	2	8						1				1		1		11
99	Other diseases of arteries	19	6	2	11											3	1	5	10
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	8	4	1	3		1									1	2	1	3
101	Diseases of lymphatic system (lymphangitis, etc.)	3	2		1											1		2	
102	Idiopathic anomalies of blood-pressure	8	1	2	5										1		1	1	5
103	Other diseases of circulatory system	3			3													1	2
	VIII.—Diseases of the respiratory system	1,246	466	160	620	256	34	14	12	2	12	16	27	18	60	71	74	112	538
104a	Diseases of nasal fossae	6	1	2	3	2											1		3
104b	Diseases of nasal fossae and annexa	15	8	2	5	1			2				2	2	3	3	1	1	
105	Diseases of larynx	5	3		2	1	2									1		1	
106a	Acute bronchitis	26	6	7	13	8	1										2	2	13
106b	Chronic bronchitis	45	16	6	23	1							1	1		1	1	5	35
106c, d	Bronchitis, unspecified	16	1	2	13	4											1		11
107a	Bronchopneumonia	474	192	49	233	184	13	5	5		5	7	5	6	8	16	11	26	183
107b	Capillary bronchitis	4		1	3	3													1
108	Lobar pneumonia	499	186	66	247	39	14	7	4	2	3	5	18	9	43	46	40	60	209
109	Pneumonia, unspecified	21	4	2	15	8	1	1			1						1	2	7
110	Pleurisy	36	17	3	16	1	1	1	1		2	2			3		8	4	12
111a	Pulmonary embolism and thrombosis	6	3	1	2	1										1	3	1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	38	13	7	18	1					1	1							
112	Asthma	33	8	9	16		1								1	2	4	3	22
113	Pulmonary emphysema	3		1	2													1	2
114	Other diseases of respiratory system (tuberculosis excepted)	19	8	2	9	2	1					1	1		2		1	3	3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																	
	IX.—Diseases of the digestive system	1,378	540	292	546	160	49	23	26	16	31	51	48	53	101	95	159	193	373
115a	Diseases of pharynx and tonsils	92	47	15	30	2	2	3	2	6	6	9	5	6	16	7	10	9	9
115b	Diseases of buccal cavity and annexa	10	3	1	6	1			1			2			1			1	4
116	Diseases of esophagus	3		2	1													1	2
117a	Ulcer of stomach	88	30	18	40					1				1	13	6	9	23	35
117b	Ulcer of duodenum	38	15	8	15										5	5	8	9	11
118	Other diseases of stomach (cancer excepted)	50	9	5	36	6	2	1						2		3	8	6	22
119	Diarrhea, enteritis (under 2 years of age)	160	53	29	78	123	37												
120	Diarrhea, enteritis (2 years and over)	90	28	16	46			14	10	3	4	1	1			2	3	7	45
121	Appendicitis	331	164	83	84		1	2	6	5	17	35	34	33	46	35	58	31	28
122a	Hernia	72	29	15	28	4							1		3	5	9	12	38
122b	Intestinal obstruction	127	41	42	44	19	1	3	5		3	2	2	3	5	11	10	14	45
123	Other diseases of intestines	24	11	7	6	3	2				1	1		1	1	1	5	1	8
124	Cirrhosis of liver	91	27	11	53								2	1	1	5	10	27	45
125a	Yellow atrophy of liver	9	6	1	2									1	3	1	1		3
125b	Other diseases of liver	22	9	4	9	1							1	1		2	3	4	10
126	Biliary calculi	76	33	17	26									1	4	7	14	23	27
127	Other diseases of gall-bladder, biliary passages	67	22	12	33							1	1	1		2	9	20	33
128	Diseases of pancreas	8	4		4											1	1	4	2
129	Peritonitis, cause not specified	20	9	6	5	1			2	1			1	2	3	2	1	1	6
	X.—Diseases of the genitourinary system	1,945	694	269	982	7	2	1		1	2	5	6	15	55	79	157	313	1,302
130	Acute nephritis (including unspecified under 10 years)	47	20	8	19	2	1						2	3	1	1	7	8	4	18
131	Chronic nephritis	1,429	497	191	741					1	1	2	3	5	27	39	106	244	1,001
132	Nephritis, unspecified (10 years and over)	164	54	26	84							1		2	1	10	15	34	101
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	51	21	7	23	5	1	1			1			1	1	3	9	5	24
134	Calculi of urinary passages	18	5	3	10										3	2	2	3	8
135	Diseases of bladder (tumors excepted)	15	6	1	8											1	1		13
136	Diseases of urethra, urinary abscess, etc.	4	1		3											1			3
137	Diseases of prostate	145	51	19	75												3	17	125
138	Diseases of male genital organs, not specified as venereal	2		1	1														2
139a	Cysts of ovary	12	8		4									1	2	1	2	3	3
139b	Other diseases of ovaries, diseases of tubes and parametrium	49	28	10	11									5	18	15	7	2	2
139c	Diseases of uterus	9	3	3	3										2		4	1	2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	168	71	37	60								14	42	65	45	2		
140	Abortion with septic conditions	26	15	5	6								2	11	9	4			
141	Abortion without mention of septic conditions (includes hemorrhages)	15	6	2	7								3	4	6	2			
142a	Ectopic gestation, septic conditions specified	4	2		2											4			
142b	Ectopic gestation, septic conditions not mentioned	8	2	2	4									1	5	2			
143	Other accidents of pregnancy (hemorrhage not included)	2	1	1											1	1			
144a	Placenta praevia	9	2	2	5									3	3	3			
144b	Other puerperal hemorrhages	14	4	5	5									2	7	4	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	37	16	8	13								4	8	15	10			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	1		1										1					
146	Puerperal albuminuria and eclampsia	21	9	5	7								1	7	4	8	1		
147	Other toxemias of pregnancy	5	3	2									2		1	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	10	5	2	3								1	2	6	1			
149	Other accidents of childbirth	16	6	2	8								1	3	8	4			
	XII.—Diseases of the skin and cellular tissue	28	10	7	11	5	1					1	3		1	1	4	4	8
151	Furuncle, carbuncle	7	1	4	2								1				1	2	3
152	Phlegmon, acute abscess	9	3	2	4	2	1						1		1		1		3
153	Other diseases of skin and annexa, and of cellular tissue	12	6	1	5	3						1	1			1	2	2	2
	XIII.—Diseases of the bones and organs of locomotion	26	16	4	6	1	1		1		1	5	3	1	1	2	3	3	4
154	Osteomyelitis	18	10	3	5		1		1			4	2	1	1	2	2	1	3
155	Other diseases of bones (tuberculosis excepted)	3	2	1		1							1						1
156	Diseases of joints, other organs of locomotion	5	4		1						1	1					1	2	
	XIV. Congenital malformations	240	61	47	132	221	3	5	1			3	1	3	1	1		1	
157a	Congenital hydrocephalus	19	9	2	8	14	1	3				1							
157b	Spina bifida and meningocele	14	1	3	10	14													
157c	Congenital malformations of heart	157	37	27	93	148		1	1			2	1	3	1				
157d	Other congenital malformations	50	14	15	21	45	2	1								1		1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	XV.—Diseases of early infancy	712	228	110	374	712													
158	Congenital debility	47	12	6	29	47													
159	Premature birth	458	145	70	243	458													
160	Injury at birth	137	46	26	65	137													
161	Other diseases peculiar to early infancy	70	25	8	37	70													
162	XVI.—Senility	286	59	27	200												1		285
	XVII.—Violent and accidental deaths	1,974	701	287	986	29	29	27	14	12	64	71	109	143	228	226	225	204	592
	Suicide	308	90	34	184							2	5	16	43	54	64	56	68
163	By solid or liquid poisons or by absorption of corrosive substances	50	23	4	23								1	3	9	14	9	6	8
164	By poisonous gas	9	4		5								1	2			3	2	1
165	By hanging or strangulation	55	9	8	38										3	12	9	11	20
166	By drowning	11	2	2	7										1		3	4	3
167	By firearms	164	46	19	99							2	3	11	28	23	35	30	32
168	By cutting or piercing instruments	13	4	1	8										2	2	3	3	3
169	By jumping from high places	3	1		2											2	1		
170	By crushing	2			2											1	1		
171	By other means	1	1																1
	Homicide	123	65	13	45	2					1		9	8	33	30	17	17	6
173	By firearms	97	51	10	36								6	4	28	24	17	13	5
174	By cutting or piercing instruments	12	7	1	4									2	4	3		3	
175	By other means	14	7	2	5	2					1		3	2	1	3		1	1
	Accidental, other, or undefined	1,543	546	240	757	27	29	27	14	12	63	69	95	119	152	142	144	131	518
176	Attack by venomous animals	5	1	2	2	1	1	2		1									
177	Poisoning by food	9	5	1	3		1		1		1	1					1	1	3
178	Absorption of poisonous gas	16	6	5	5	1					2		1	1	4		4	2	1
	Supplemental	5	1		4								1	1		1	1	1	
179	Other acute accidental poisonings (gas excepted)	21	12	3	6		4	5	1		1			1		4	1	1	3
180	Conflagration	36	14	6	16	1	2		1		3	1	1	2	4	3	3	2	13
181	Burns (conflagration excepted)	104	49	18	37	2	5	4	2	3	8	2	4	3	10	13	8	4	36
	Supplemental	14	4	2	8									4	1	2	4	1	2
182	Mechanical suffocation	12	4	1	7	10										1			1
	Supplemental	1			1												1		
183	Drowning	82	21	6	55		7	6	2		4	17	12	11	8	4	3	3	5
	Supplemental	3	1		2								1		2				
	Traumatism:																		
184	By firearms (wounds of war excepted)	46	14	5	27			1			2	7	7	5	5	5	11	2	1
185	By cutting or piercing instruments (wounds of war excepted)	20	8	7	5						3	1		1		5	4	5	1
	Supplemental	6	2		4			1		1				2	1	1			
186a	By fall	356	127	58	171		2	1	1		5	3	7	3	7	9	5	20	292
	Supplemental	57	14	10	33			1	1	1	2	6	8	8	7	3	3	3	14
186b	By crushing, landslide	8	2	1	5									2	1		3	2	
	Supplemental	149	38	22	89	1	2		2	2	3	3	16	11	22	24	24	17	22
187	Cataclysm	8	1	6	1										2	2	1	1	2
188	Injuries by animals	19	6	5	8			1	1	1		4	1			1	3	2	5
189	Hunger and thirst	5	1		4	1										1		1	2
190	Excessive cold	10	2	1	7											2	1		7
191	Excessive heat	14	1	3	10	4							2			1		2	5
192	Lightning	7		1	6						1	1					1	1	3
193	Due to electric currents	7	1	1	5										1	5	1		
	Supplemental	3			3											2		1	
194a	Foreign bodies	6	4	1	1	3		1								1		1	
194b	Other accidents	69	28	8	33	1	1	1	1		6	10	2	5	9	5	5	8	15
	Supplemental	445	179	67	199	2	4	3	1	3	22	13	32	58	61	54	56	51	85
	XVIII.—Ill-defined causes of death	89	10	15	64	12		1			1		1	1	1	3	7	13	49
199	Sudden death	16	1	3	12	1		1								1	1	3	9
200a	Cause of death ill-defined	43	7	8	28	2								1	1	2	4	7	26
200b	Cause of death not specified or unknown	30	2	4	24	9					1		1				2	3	14
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	13	1	1	11								1	2		4	2	1	3
202	Accidents from agricultural machinery	16	3	2	11					1			1			4	3	3	4
203	Elevator accidents	2	2													1			1
205	Other machinery accidents	23	5	4	14								2	2	8	4	2	3	2
206	Railroad and automobile collisions	35	14	3	18	1					2	2		4	7	3	6	4	6
207	Other railroad accidents	58	19	12	27		1					2	9	11	10	3	10	9	3
208	Street car and automobile collisions	4	2		2											1	1		2
209	Other street car accidents	1	1																1
210	Automobile accidents (primary)	482	185	70	227	2	5	5	4	6	24	14	41	57	64	62	62	48	88
211	Motorcycle accidents	2			2								1	1					
212	Other land transportation accidents	29	4	3	22						1	3	1	1	1	2	3	4	13
213	Water transportation accidents	2	1		1								1		1				
214	Air transportation accidents	16	2	6	8							1	1	6	5	1	1	1	

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY																	
	Total deaths (all causes) {White	24,330	6,638	17,692	2,894	716	300	212	166	492	366	610	800	1,490	1,625	2,101	3,070	9,448
	{Colored	4,190	1,989	2,201	319	53	17	20	11	55	44	136	156	380	536	703	706	1,044
	I.—Infectious and parasitic diseases {White	4,332	673	3,659	406	283	135	102	83	240	103	175	286	495	418	389	366	842
	{Colored	778	293	485	51	16	5	9	6	15	19	64	58	124	113	111	88	97
1	Typhoid fever {W	275	27	248		1	2	4	2	16	23	42	41	60	23	28	17	15
	{C	41	7	34		1		1		3	4	10	4	7	4	2	2	3
2	Paratyphoid fever W	1	1														1	
7	Measles W	40	4	36	9	11	6	2	1	5		2	2	2				
8	Scarlet fever {W	70	11	59	3	11	7	8	7	16	8	2	2	5			1	
	{C	3	2	1				1				1	1					
9	Whooping-cough {W	120	19	101	64	39	7	1	2	4	2							
	{C	15	6	9	11	3		1										
10	Diphtheria {W	409	56	353	49	70	56	44	46	117	12	3	5	3	1		1	1
	{C	14	4	10	1	2	2	2	1	1	1			1		2	1	
11a	Influenza, respiratory complications specified {W	530	76	454	68	29	13	11	7	12	4	11	8	31	43	47	57	188
	{C	94	21	73	4	3	2				1	2	2	14	14	13	11	27
11b	Influenza, respiratory complications not specified {W	370	41	329	43	11	7	6	2	9	8	10	9	16	12	19	20	195
	{C	38	15	23	3	1				2	1	2	2	2	4	2	5	14
13	Dysentery {W	233	38	195	62	61	12	9	6	11	1	3	2	3	5	8	11	39
	{C	21	6	15	3	4						1		1		1	3	8
15	Erysipelas {W	56	14	42	16	3		1			1		1	1	4	6	7	16
	{C	2		2					1									1
16	Acute poliomyelitis, acute polioencephalitis {W	23	3	20	4	5	5			3	2	1	1		1			1
	{C	5	1	4	2	1			1						1			
17	Lethargic or epidemic encephalitis {W	27	9	18	1	2		1		1	5		2	2	3	3	2	5
	{C	2		2											2			
18	Epidemic cerebrospinal meningitis {W	38	10	28	8	4	3	3	1	6	6	1	2	1		1	2	
	{C	1	1									1						
21	Rabies W	3		3						1	1						1	
22	Tetanus {W	30	9	21	2					9	6	1	2	2	1	4	2	1
	{C	4	2	2	1			1		1								1
	Tuberculosis (all forms) {W	1,881	301	1,580	40	29	10	8	4	20	22	93	198	355	297	236	221	346
	{C	434	181	253	5		1	3	3	7	11	45	46	92	72	74	44	30
23	Respiratory system {W	1,672	270	1,402	17	10	2	2	1	9	15	83	184	339	279	217	200	312
	{C	383	153	230	1		1	2		5	8	40	40	88	66	69	37	25
24	Meninges and central nervous system {W	76	16	60	18	18	6	4	2	5	6	3	3	4	2	2	1	2
	{C	14	9	5	3			1	2		2	2	2		1	1		
25	Intestines and peritoneum {W	76	5	71	1	1		1		3		2	6	5	11	10	13	23
	{C	16	8	8								2	2	2	3	1	3	3
26	Vertebral column {W	13	3	10	1		1		1			1		1	1	2	2	3
	{C	4	3	1	1					2			1					
27a	Bones (vertebral column excepted) W	8		8								2	1	1	2	2		
27b	Joints {W	3		3						1					1			1
	{C	4		4					1						1	1		1
28	Skin and subcutaneous cellular tissue W	1	1										1					
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	4	1	3	2					1				1				
30	Genitourinary system {W	10	1	9			1					1	2	1	1		1	3
	{C	4	4											1	1		1	1
31	Other organs W	4		4												1	1	2
32a	Acute disseminated tuberculosis {W	10	4	6	1			1		1	1	1	1	2			2	
	{C	9	4	5							1	1	1	1		2	3	
32b, c	Other disseminated tuberculosis W	4		4										1		2	1	
34	Syphilis {W	108	43	65	33	1	1	1		1			3	9	14	21	11	13
	{C	84	42	42	20	1						1	1	7	10	12	21	11
35	Gonococcus infection, other venereal diseases {W	10	3	7								2		1	5	2		
	{C	3	2	1							1				2			
36	Purulent infection, septicemia (non-puerperal) {W	14	1	13		1			1	3	1			1		2	2	3
	{C	3	2	1											1	1		1
38	Malaria {W	69	5	64	2	2	3	1	1	5	1	4	8	2	8	7	7	18
	{C	10	1	9						1			1		3	3	1	1
39	Other diseases due to protozoal parasites W	1		1												1		
42	Other diseases caused by helminths W	12		12		2	3	2	3							2		
43	Mycoses {W	4	2	2		1										1	1	1
	{C	1		1	1													
44	Other infectious and parasitic diseases {W	8		8	2					1				1	1	1	2	
	{C	3		3								1	1			1		
	II.—Cancers and other tumors {White	1,911	702	1,209	1	4	2	1	4	2	2	9	11	54	150	283	457	928
	{Colored	223	112	111									2	9	36	63	45	68
	Cancer and other malignant tumors {W	1,840	669	1,171		3	2	1	3	2	2	8	9	48	135	266	443	915
	{C	203	99	104									1	5	30	58	44	65
(45)	Buccal cavity {W	63	25	38								1		2	2	3	16	39
	{C	4	1	3												1	2	1
(45)	Pharynx W	11	3	8										1			2	8
(46)	Esophagus W	9	5	4									1				3	5
(46)	Stomach and duodenum {W	351	101	250								1	1	4	8	53	89	194
	{C	44	24	20											4	13	8	19
(46)	Liver and biliary passages {W	224	74	150									1	3	12	31	54	123
	{C	12	3	9												4	3	5
(46)	Pancreas W	45	23	22											4	8	16	17
(46)	Other digestive tract and peritoneum {W	266	117	149		2			1			1	1	5	16	31	66	152
	{C	21	12	9										1	2	4	8	6
47	Respiratory system {W	40	19	21							1			3	4	5	18	9
	{C	2	1	1												2		
48	Uterus {W	237	86	151										18	43	60	66	50
	{C	51	25	26										1	14	11	12	13
49	Other female genital organs {W	32	15	17										1	4	8	11	8
	{C	6	5	1									1		2	3		
50	Breast {W	164	64	100									1	3	19	31	42	68
	{C	31	18	13											4	13	6	8
51	Male genitourinary organs {W	112	47	65		1	1					1		3	2	4	21	78
	{C	9	3	6											1	1	2	5
52	Skin {W	93	18	75											4	6	11	72
	{C	2		2												1		1
53	Other or unspecified organs {W	193	72	121			1	1	2	2	1	4	4	5	17	26	38	92
	{C	21	7	14										3	3	5	3	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	II.—Cancers and other tumors—Continued.																		
54a	Nonmalignant tumors, ovary	W	1		1														1
54b	Nonmalignant tumors, uterus	W	23	12	11										3	7	7	5	1
		C	12	10	2									1	3	4	2		2
54d, e	Nonmalignant tumors, other organs	W	11	7	4								1		2	3	2	1	2
		C	3	1	2											1	1	1	
55b	Tumors, uterus (nature unspecified)	W	1		1														1
55d, e	Tumors, other organs (nature unspecified)	W	35	14	21	1	1			1				2	1	5	8	8	8
		C	5	2	3										1	1	2		1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	606	180	426	16	5	4	2	2	9	10	12	11	26	32	58	144	271
		Colored	72	38	34	3					1	2	1	2	4	6	14	18	21
56	Acute rheumatic fever	W	56	11	45				2		2	5	3	1	3	5	6	7	21
		C	15	10	5						1	1		1		2	3	1	6
57	Chronic rheumatism, osteoarthritis	W	37	12	25												3	16	18
59	Diabetes mellitus	W	350	126	224		3				6	4	6	7	9	12	23	88	191
		C	38	19	19							1	1		2	1	7	12	14
62	Pellagra	W	86	8	78	1							3	1	10	11	15	14	29
		C	8	3	5										2		2	3	1
63	Rickets	W	8	1	7	4	1	3											
		C	2	1	1	2													
66a	Simple goiter	W	4	2	2										1		1	2	
66b	Exophthalmic goiter	W	30	14	16							1		2	1	3	8	9	6
		C	7	5	2									1		3	2	1	
(66)	Other diseases of thyroid and parathyroid glands	W	3		3			1										1	1
67	Diseases of thymus gland	W	10	1	9	9				1									
		C	1		1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	8	3	5										1	1	1	4	1
		C	1		1													1	
69	Other general diseases	W	14	2	12	2	1			1	1				1		1	3	4
	IV.—Diseases of the blood and blood-making organs	White	173	67	106	12	4		2		6	6	4	5	12	12	20	33	56
		Colored	11	7	4	3					1			2		2	1	2	
70	Hemorrhagic conditions	W	14	4	10	5	2		1		1	1	1	1		1			1
		C	2	2		1					1								
71a	Pernicious anemia	W	72	25	47	2			1					1	2	1	11	19	34
		C	4	2	2									1		2		1	
71b	Other anemias	W	13	1	12	3	1					1				1			7
		C	3	1	2	2											1		
72a	True leukemias	W	38	17	21	1	1				2	3	3	1	2	3	6	8	8
		C	1	1														1	
72b	Pseudoleukemias (Hodgkin's disease)	W	24	9	15	1					1	1		1	8	4	2	4	2
		C	1	1										1					
73	Diseases of spleen	W	7	6	1						1					2	1	1	2
74	Other diseases of blood and blood-making organs	W	5	5							1				1			1	2
	V.—Chronic poisonings and intoxications	White	63	12	51								6	1	8	15	15	10	8
		Colored	11	7	4									3	2		1	4	1
75	Alcoholism (acute or chronic)	W	62	12	50								6	1	8	15	15	9	8
		C	10	6	4									3	1		1	4	1
77a	Chronic lead poisoning	W	1		1													1	
77b, c	Other chronic poisoning by mineral substances	C	1	1											1				
	VI.—Diseases of the nervous system and of the organs of special sense	White	2,380	696	1,684	60	18	14	10	4	20	27	23	23	70	90	226	401	1,393
		Colored	417	188	229	9	2			1	2	1	3	7	22	41	84	89	153
78	Encephalitis (nonepidemic)	W	45	17	28	4	1	1		3	3		1		4	2	8	8	10
		C	4	1	3					1		1			1			1	
79a	Simple meningitis	W	64	19	45	15	5	5	4		8	6	1	2	6	3	2	5	2
		C	8	4	4	2								1		1	2	2	
79b	Nonepidemic cerebrospinal meningitis	W	16	2	14	8	4	1	1				2			1	2	2	
80	Progressive locomotor ataxia (tabes dorsalis)	W	16	4	12											1	4	5	6
		C	2		2												2		
81	Other diseases of spinal cord	W	50	14	36	1					1	2	2	2		2	4	6	30
		C	3	1	2														3
82a	Cerebral hemorrhage	W	1,672	512	1,160	3		1	1	1			3	5	20	42	144	319	1,133
		C	294	140	154		1							2	5	16	65	71	132
82b	Cerebral embolism and thrombosis	W	40	16	24								1	1	2	1	4	8	23
		C	4	2	2														
82c	Softening of brain	W	21	3	18											3	1		
82d	Hemiplegia and other paralysis, cause unspecified	W	153	20	133	2			1						2	4	7	22	18
		C	27	11	16	1									1	3	5	3	114
83	General paralysis of insane	W	71	27	44										11	18	20	15	13
		C	46	18	28								2	1	10	12	10	9	7
84	Dementia praecox and other psychoses	W	35	12	23								1	1	4	3	10	2	2
		C	5	2	3									2	1	1			14
85	Epilepsy	W	63	8	55		1		1		3	4	6	6	17	8	5	3	1
		C	9	3	6						1		1		2	3	1	1	9
86	Convulsions (under 5 years of age)	W	24	1	23	19		4	1										
		C	6	3	3	6													
87	Other diseases of nervous system	W	50	13	37			1			2	1	1	3	3	3	9	6	21
		C	5	1	4									1	1			1	2
88	Diseases of organs of vision	W	1		1							1							
89a	Diseases of ear	W	36	19	17	7	3		1		2	10	2			1	5	1	4
		C	3	2	1		1				1				1				
89b	Diseases of mastoid process	W	23	9	14	1	4	1			1	3	3	3	1	1	2	1	2
		C	1		1													1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	VII.—Diseases of the circulatory system	White	4,171	1,464	2,707	8	4	7	3	3	18	34	18	34	85	152	376	723	2,700
		Colored	885	477	408		1				5	3	5	4	30	99	205	218	314
90	Pericarditis	W	16	4	12						1		1	2	1		1	3	7
		C	8	8							1					1	1	2	3
91a	Acute endocarditis	W	34	16	18			2	1		1	2	2		4	1	6	6	9
		C	10	5	5							1		1	2	2	2	2	
91b	Endocarditis, unspecified (under 45 years)	W	7	4	3					1	1		1		4	1			
		C	2	1	1											1			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	841	210	631	1		2		1	6	19	5	17	22	48	85	133	501
		C	185	88	97		1				4	1	3		6	30	37	45	58
92b	Endocarditis, unspecified (45 years and over)	W	89	28	61												12	21	56
		C	28	11	17												13	6	9
93a	Acute myocarditis	W	64	21	43	1					1			1	1	6	11	5	38
		C	26	18	8									1	1	7	7	5	5
93b	Myocarditis, unspecified (under 45 years)	W	23	5	18	1		1			1	1	2	2	7	8			
		C	7	1	6										2	5			
93c	Chronic myocarditis and myocardial degeneration	W	620	293	327	1			1			3		3	9	27	47	105	424
		C	137	92	45										2	13	37	37	48
93d	Other diseases of myocardium	W	574	252	322				1								45	100	427
		C	97	48	49											1	22	25	49
94a	Angina pectoris	W	286	107	179							1		2	3	14	42	67	157
		C	28	14	14										3	3	7	7	8
94b	Diseases of coronary arteries	W	195	93	102								1		5	8	28	55	97
		C	24	12	12										1	3	9	8	3
95a	Functional diseases of heart	W	20	4	16			1							1	1	2	1	14
		C	3		3												1		2
95b	Other and unspecified diseases of heart	W	917	291	626	2	2	1		1	7	7	7	6	24	33	83	178	564
		C	250	142	108							1	1	2	12	27	58	64	84
96	Aneurysm (except of heart)	W	18	12	6										1	4	4	3	5
		C	11	10	1										1	2	5	2	1
97	Arteriosclerosis (coronary arteries excepted)	W	401	109	292										1		4	38	358
		C	60	21	39											2	4	13	41
98	Gangrene	W	20	7	13		2										1	4	13
		C	3	1	2											1			2
99	Other diseases of the arteries	W	15	5	10										1		2	1	11
		C	4	3	1											1	2	1	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	5	2	3												1	2	2
		C	1	1														1	
101	Diseases of lymphatic system (lymphangitis, etc.)	W	5		5	2												1	2
102	Idiopathic anomalies of blood-pressure	W	13	1	12										1		2		10
		C	1	1															1
103	Other diseases of circulatory system	W	8		8							1		1		1			5
	VIII.—Diseases of the respiratory system	White	1,882	506	1,376	359	107	41	26	18	42	28	36	24	73	112	113	172	727
		Colored	360	205	155	57	15	5	3	1	8	3	11	7	41	43	56	39	70
104a	Diseases of nasal fossae	W	3	1	2	1													2
		C	1	1		1													
104b	Diseases of nasal fossae and annexae	W	12	5	7	1		1					1	1	1	3			4
105	Diseases of larynx	W	12	2	10	2	4	2		1	1		1				1		
		C	1	1							1								
106a	Acute bronchitis	W	8	4	4	1	2											2	3
		C	7	3	4	1	1												3
106b	Chronic bronchitis	W	40	13	27								1			1			
		C	3	1	2	1											3	5	31
106c,d	Bronchitis, unspecified	W	17	3	14	2					1		1			1			1
		C	4	2	2	1	1										1	1	12
107a	Bronchopneumonia	W	688	219	469	227	54	24	12	7	9	4	6	4	12	23	21	50	233
		C	128	69	59	37	10	4		1	1	1	3	2	5	11	15	9	28
107b	Capillary bronchitis	W	6		6	4	1												1
		C	1		1													1	
108	Lobar pneumonia	W	803	194	609	79	26	7	10	7	17	19	21	15	48	63	70	93	326
		C	170	107	63	10	3	1	3		4	1	6	5	31	22	34	20	30
109	Pneumonia, unspecified	W	144	10	134	36	15	5	3	2	10	3	3	3	5	9	6	9	35
		C	13	4	9	5					1		1		2	2	1	1	
110	Pleurisy	W	40	19	21	2	4		1	1	1	2	2	1	4	9	3	5	5
		C	11	5	6							1			2	3		3	2
111a	Pulmonary embolism and thrombosis	W	5	4	1											1		1	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	38	17	21										1	1			36
		C	5	2	3						1						1	1	2
112	Asthma	W	42	12	30	2	1	2							1		6	3	27
		C	9	5	4											2	1	2	4
113	Pulmonary emphysema	W	4		4								1					1	2
114	Other diseases of respiratory system (tuberculosis excepted)	W	20	3	17	2					3				1	3	2	2	7
		C	7	5	2	1									1	1	3	1	
	IX.—Diseases of the digestive system	White	1,970	594	1,376	447	224	49	23	19	55	73	61	55	117	134	159	180	374
		Colored	266	139	127	47	14	2	1		4	9	4	10	23	33	36	44	39
115a	Diseases of pharynx, tonsils	W	99	37	62	6	6	4	3	1	11	16	6	7	18	7	6	1	7
		C	10	3	7						1		1	2		3	2	1	
115b	Diseases of buccal cavity and annexa	W	24	7	17	1			1		3	1		1	2	3	7	3	2
		C	3	1	2	1								1					1
116	Diseases of esophagus	W	2		2												1		1
117a	Ulcer of stomach	W	71	24	47		1				1	1	1	5	7	6	13	17	19
		C	13	5	8									2	2	3	1	3	2
117b	Ulcer of duodenum	W	31	17	14						1			1	5	6	6	7	5
		C	6	5	1											1	3	1	1
118	Other diseases of stomach (cancer excepted)	W	101	17	84	24	2	2		2	1				4	6	11	14	35
		C	27	13	14	1									4	4	7	6	5
119	Diarrhea, enteritis (under 2 years of age)	W	613	108	505	401	212												
		C	54	19	35	40	14												
120	Diarrhea, enteritis (2 years and over)	W	202	29	173			37	15	7	12	7	5	2	4	8	7	17	81
		C	35	16	19			2				1	1	1	1	7	2	9	11
121	Appendicitis	W	316	131	185			3	1	5	23	38	42	25	47	41	31	33	27
		C	40	31	9	1			1		2	6	1	4	8	6	3	6	2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	IX.—Diseases of the digestive system—Con.																		
122a	Hernia	W	60	24	36		1								1	3	10	12	33
		C	11	4	7												3	3	5
122b	Intestinal obstruction	W	93	35	58	13	2	1		2	2	4	1	5	8	11	5	12	27
		C	16	6	10	3									2	2	3	3	3
123	Other diseases of intestines	W	15	11	4			1	1							4	4	1	4
		C	4	4		1										1		1	1
124	Cirrhosis of liver	W	109	45	64									1	2	8	28	24	46
		C	21	13	8							1	1		1	2	5	5	6
125a	Yellow atrophy of liver	W	10	7	3								1	1	3	2	1	1	1
		C	1	1								1							
125b	Other diseases of liver	W	21	8	13							1		2	4	4	2	3	5
		C	6	5	1										2		3		1
126	Biliary calculi	W	89	43	46										6	13	11	14	45
		C	8	6	2										1	1	2	3	1
127	Other diseases of gall-bladder, biliary passages	W	69	32	37			1						2	6	7	10	16	27
		C	6	2	4										1	2	1	2	
128	Diseases of pancreas	W	8	6	2	1										2		1	4
129	Peritonitis, cause not specified	W	37	13	24	1			2	2	1	5	5	3		3	6	4	5
		C	5	5							1				1	1	1	1	
	X.—Diseases of the genitourinary system	White	1,971	657	1,314	10	7	9	8	3	16	7	13	27	50	93	163	307	1,257
		Colored	480	227	253	1		2		1	4	1	4	3	25	49	80	114	196
130	Acute nephritis (including unspecified under 10 years)	W	127	42	85	8	3	6	5	3	11	1	3	4	9	15	11	15	33
		C	50	19	31			2		1	4	1		1	4	8	7	11	11
131	Chronic nephritis	W	1,307	452	855				2		5		6	5	15	44	102	227	900
		C	291	137	154	1								1	8	26	51	71	133
132	Nephritis, unspecified (10 years and over)	W	304	75	229							5	1	6	4	12	25	46	205
		C	92	48	44								2		8	6	15	23	38
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	58	23	35	1	3	2	1			1		2	3	5	12	5	23
		C	6	1	5											1	1	2	2
134	Calculi of urinary passages	W	8	5	3									1		1	2	2	2
		C	1	1														1	
135	Diseases of bladder (tumors excepted)	W	24	4	20	1	1	1							1			1	19
		C	6		6											1		2	3
136	Diseases of urethra, urinary abscess, etc.	W	5	3	2													1	4
		C	5	4	1											2	2	1	
137	Diseases of prostate	W	81	25	56										1		2	9	69
		C	12	7	5											1	1	2	8
139a	Cysts of ovary	W	7	6	1										1	2	3		1
		C	2	2											1		1		
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	34	17	17								3	6	13	9	3		
		C	15	8	7								2	1	4	4	2	1	1
139c	Diseases of uterus	W	15	4	11									2	3	5	3	1	1
139e	Other diseases of female genital organs	W	1	1										1					
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	244	57	187							1	38	47	92	63	3		
		Colored	51	22	29								11	10	16	13			
140	Abortion with septic conditions	W	47	19	28								2	12	23	10			
		C	7	3	4								1	2	1	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	13	2	11								2	1	5	5			
		C	4	3	1									1	1	2			
142a	Ectopic gestation, septic conditions specified	C	1		1										1				
142b	Ectopic gestation, septic conditions not mentioned	W	4	1	3										4				
		C	6	4	2										3	3			
143	Other accidents of pregnancy (hemorrhage not incuded)	W	3	1	2											3			
		C	5		5										1	4			
144a	Placenta praevia	W	2	1	1										2				
		C	26	5	21								1	5	10	9	1		
144b	Other puerperal hemorrhages	W	3	1	2								1	1	1				
		C	51	9	42								11	11	19	10			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	10	5	5								1	4	3	2			
		C	55	14	41							1	17	12	16	7	2		
146	Puerperal albuminuria and eclampsia	W	10	2	8								6	1	2	1			
		C	8	3	5									2	1	5			
147	Other toxemias of pregnancy	W	1		1								1						
		C																	
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	3		3										2	1			
149	Other accidents of childbirth	W	28	3	25								4	4	11	9			
		C	7	3	4								1	1	2	3			
150	Other and unspecified conditions of puerperal state	W	1		1								1						
	XII.—Diseases of the skin and cellular tissue	White	20	7	13	5							1	2	1	2	3	1	5
		Colored	7	4	3	1							1		1		2		2
151	Furuncle, carbuncle	W	9	4	5	2							1	2		1		1	2
152	Phlegmon, acute abscess	W	3	2	1										1		2		
		C	2	2											1		1		
153	Other diseases of skin and annexa, and of cellular tissue	W	8	1	7	3										1	1		3
		C	5	2	3	1							1				1		2
	XIII.—Diseases of the bones and organs of locomotion	White	21	11	10	1				1	3	3	3	1		1	3	1	4
		Colored	1		1												1		
154	Osteomyelitis	W	12	9	3					1	1	3	2	1		1	1		2
		C	1		1												1		
155	Other diseases of bones (tuberculosis excepted)	W	5		5						1		1				2		1
156	Diseases of joints, other organs of locomotion	W	4	2	2	1					1							1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																	
	XIV.—Congenital malformations—White	202	53	149	186	6	4			2		3			1			
	XIV.—Congenital malformations—Colored	6	2	4	6													
157a	Congenital hydrocephalus—W	23	12	11	19	2						2						
157b	Spina bifida and meningocele—W	16	4	12	16													
157c	Congenital malformations of heart—W	105	27	78	99	4	1								1			
	Congenital malformations of heart—C	2	1	1	2													
157d	Other congenital malformations—W	58	10	48	52		3			2		1						
	Other congenital malformations—C	4	1	3	4													
	XV.—Diseases of early infancy—White	1,187	222	965	1,187													
	XV.—Diseases of early infancy—Colored	129	64	65	129													
158	Congenital debility—W	120	7	113	120													
	Congenital debility—C	17	4	13	17													
159	Premature birth—W	815	154	661	815													
	Premature birth—C	84	46	38	84													
160	Injury at birth—W	174	50	124	174													
	Injury at birth—C	16	8	8	16													
161	Other diseases peculiar to early infancy—W	78	11	67	78													
	Other diseases peculiar to early infancy—C	12	6	6	12													
162	XVI.—Senility—White	331	73	258												2	3	325
	XVI.—Senility—Colored	48	16	32													1	47
	XVII.—Violent and accidental deaths—White	2,510	649	1,861	47	34	31	35	28	74	69	205	266	400	333	267	238	475
	XVII.—Violent and accidental deaths—Colored	402	179	223	1	3	3	7	2	15	6	32	46	81	95	45	37	27
	Suicide—W	326	98	228							1	20	35	53	49	66	57	45
	Suicide—C	12	5	7								1	3	2	2	4		
163	By solid or liquid poisons or by absorption of corrosive substances—W	54	20	34								5	10	6	12	7	7	7
	By solid or liquid poisons or by absorption of corrosive substances—C	3	2	1									2			1		
164	By poisonous gas—W	5	4	1											1	2	2	
165	By hanging or strangulation—W	38	13	25								1	2	3	8	11	5	8
	By hanging or strangulation—C	1		1											1			
166	By drowning—W	18	5	13									2	1	1	4	3	7
167	By firearms—W	195	51	144							1	14	20	42	24	39	35	20
	By firearms—C	8	3	5								1	1	2	1	3		
168	By cutting or piercing instruments—W	10	4	6										1	2	2	3	2
169	By jumping from high places—W	3	1	2											1	1	1	1
170	By crushing—W	1		1									1					
171	By other means—W	2		2													2	
	Homicide—W	442	77	365	2					1	5	34	57	134	110	48	29	20
	Homicide—C	161	89	72							1	16	22	44	57	12	7	1
173	By firearms—W	367	57	310						1	5	30	52	106	96	40	25	10
	By firearms—C	125	64	61							1	14	17	35	41	10	5	1
174	By cutting or piercing instruments—W	38	11	27								3	3	15	10	2	1	4
	By cutting or piercing instruments—C	25	18	7								2	4	6	12	1		
175	By other means—W	37	9	28	2							1	2	13	4	6	3	6
	By other means—C	11	7	4									1	3	4	1	2	
	Accidental, other, or undefined—W	1,742	474	1,268	45	34	31	35	28	73	63	151	174	213	174	153	152	410
	Accidental, other, or undefined—C	229	85	144	1	3	3	7	2	15	5	15	21	35	36	29	30	26
176	Attack by venomous animals—W	4	1	3		2										1		1
	Attack by venomous animals—C	1		1													1	
177	Poisoning by food—W	13	1	12	5	1			2		1	1	1	1	1			
	Poisoning by food—C	6	1	5		2	1										1	2
178	Absorption of poisonous gas—W	3	1	2												1	1	1
	Supplemental—W	3		3														
179	Other acute accidental poisonings (gas excepted)—W	39	11	28	1	6	2	1	2	1		1	2	5	8	8		2
	Other acute accidental poisonings (gas excepted)—C	4	2	2					1	1				1		1		
180	Conflagration—W	33	6	27	3	2	4	1	2	1	2	1	1	1	2	3	2	3
	Conflagration—C	9	4	5	1		2	1					1	1	1		1	1
181	Burns (conflagration excepted)—W	131	27	104	3	10	12	13	9	18	6	10	8	9	3	6	1	22
	Burns (conflagration excepted)—C	27	14	13				5	1	4		1		1	1	1	6	7
	Supplemental—W	13	3	10								1	3	7	1			1
	Supplemental—C	1		1										1				
182	Mechanical suffocation—W	17	1	16	16													
	Supplemental—W	1		1									1					
183	Drowning—W	90	17	73		2	4	2	1	8	12	24	5	13	5	5	4	5
	Drowning—C	18	4	14						1	2	6	2	2	2	1	2	
	Supplemental—W	22	3	19				1			2	4	4	3	3	2	3	
	Supplemental—C	1		1											1			
	Traumatism:																	
184	By firearms (wounds of war excepted)—W	95	17	78		1		3	1	8	9	15	17	21	4	6	9	1
	By firearms (wounds of war excepted)—C	13	5	8						3	1		2		2	2	2	1
185	By cutting or piercing instruments (wounds of war excepted)—W	14	4	10									1		3	3	2	4
	By cutting or piercing instruments (wounds of war excepted)—C	3	3											1	1			
	Supplemental—W	8	3	5								2	1	1	1	2	1	
186a	By fall—W	360	133	227	1	1	1	3		5	5	6	6	10	14	17	39	251
	By fall—C	18	12	6										2	2	6	3	5
	Supplemental—W	45	8	37			1	1		2	1	3	5	12	4	5	7	4
	Supplemental—C	5	1	4									1		1	1	1	1
186b	By crushing, landslide—W	8	3	5							2			3		2	1	
	By crushing, landslide—C	1	1											1				
	Supplemental—W	187	59	128	1	1	1	1	1	4	5	24	30	34	31	27	17	10
	Supplemental—C	28	10	18				1				2	2	6	12	4	1	
187	Cataclysm—W	27	5	22		1		1	3	3	1	1	1	5	5	3	1	2
	Cataclysm—C	9		9						1	1	1	4		1		1	
188	Injuries by animals—W	17	1	16							2		2		3	1	2	7
190	Excessive cold—W	2		2	1									1				
	Excessive cold—C	1	1													1		
191	Excessive heat—W	18	9	9										1	2	3	4	8
	Excessive heat—C	4	3	1											1	1	2	
192	Lightning—W	4		4								2		1			1	
	Lightning—C	1		1														
193	Due to electric currents—W	8	2	6				1				3	1		2		1	
	Due to electric currents—C	1	1							1								
	Supplemental—W	5	1	4									1	3	1			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																	
	XVII.—Violent and accidental deaths—Con.																	
	Accidental, other, or undefined—Continued.																	
194a	Foreign bodies W	13	3	10	5	4	2			1	1							
	C	1		1		1												
194b	Other accidents W	93	18	75	7			3	1	4	5	5	4	10	14	8	12	20
	C	11	4	7						1		1			2	1	3	3
	Supplemental W	464	137	327	2	3	4	4	6	18	9	47	78	71	64	48	44	63
	C	62	19	43						3	1	4	8	16	8	10	5	6
198	Legal executions W	5		5								1	1		1	2		
	C	4		4									1	3				
	XVIII.—Ill-defined causes of death White	356	15	341	149	20	4		1	5	3	3	7	7	17	21	34	83
	Colored	43	9	34	11	2							2	2	6	4	7	9
199	Sudden death W	17	1	16	4					1			1		2	3	1	5
	C	8	2	6	1									1	2		2	2
200a	Cause of death ill-defined W	188	5	183	58	13	2		1	1	3	2	1	5	12	11	20	59
	C	23	3	20	4	2							1		2	4	4	6
200b	Cause of death not specified or unknown W	151	9	142	87	7	2			3		1	5	2	3	7	13	19
	C	12	4	8	6								1	1	2		1	1
Punch symbol	SUPPLEMENTAL [1]																	
201	Accidents in mines and quarries W	75	2	73								5	14	21	19	7	7	1
	C	13		13										6	2	5		
202	Accidents from agricultural machinery W	2	1	1										1			1	
203	Elevator accidents W	1	1												1			
205	Other machinery accidents W	15	4	11						1		1	2	3	5	1	2	
	C	1		1											1			
206	Railroad and automobile collisions W	21	9	12								3	7	3	6		2	
207	Other railroad accidents W	120	26	94		1			1		5	27	21	22	10	13	8	12
	C	31	5	26						1	1	3	3	7	11	2	1	1
208	Street car and automobile collisions W	2	2											1	1			
209	Other street car accidents W	4	3	1						1				1		1		1
	C	2	2					1									1	
210	Automobile accidents (primary) W	457	157	300	3	3	6	6	6	20	9	41	72	68	60	57	45	59
	C	47	23	24						2		3	8	10	7	7	5	5
211	Motorcycle accidents W	7	3	4							1	1	1	2	1	1		
212	Other land transportation accidents W	25	4	21						2		1		6	2	4	6	4
	C	1		1														1
213	Water transportation accidents W	11	2	9				1			2	1	1	2	1		2	1
	C	2		2											1	1		
214	Air transportation accidents W	8		8								1	5	2				

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA																		
	Total deaths (all causes) White	12,132	6,137	1,185	4,810	1,318	202	120	88	64	218	201	271	382	777	1,052	1,397	1,951	4,068
	Colored	10,980	4,695	1,084	5,201	1,467	206	89	75	61	167	187	418	558	1,158	1,368	1,605	1,373	2,223
	I.—Infectious and parasitic diseases White	1,699	716	150	833	161	67	49	27	25	65	43	68	127	205	221	196	192	249
	Colored	2,352	935	221	1,196	236	73	36	35	31	83	76	164	250	434	329	282	163	158
1	Typhoid fever W	128	54	15	59	2	2	3			8	7	23	24	26	10	9	6	7
	C	110	36	7	67	1	2	2	1	3	12	16	22	21	15	6	7		1
2	Paratyphoid fever W	4	1	1	2								2	1			1		
3	Typhus fever W	1	1													1			
5	Undulant fever W	1			1										1				
7	Measles W	26	10	4	12	8	7	6	1		1	1					1	1	
	C	11	3		8	2	5	1					2	1					
8	Scarlet fever W	10	6		4	1		2	1		4	1		1					
	C	2	1		1				1			1							
9	Whooping-cough W	56	20	3	33	31	14	8	1		2								
	C	72	7	11	54	38	12	10	4	4	3								
10	Diphtheria W	56	21	3	32	2	10	13	10	6	11	2		1			1		
	C	46	16	2	28	4	5	7	6	8	10	5			1				
11a	Influenza, respiratory complications specified W	239	80	24	135	37	12	4	2	1	6	4	6	7	15	30	22	36	56
	C	248	101	16	131	48	18	2	1	3	10	3	17	21	34	16	29	22	24
11b	Influenza, respiratory complications not specified W	105	25	7	73	13	5	2		5	2	3	2	5	5	5	6	9	43
	C	122	18	17	87	19	5	1	3	3	2	3	5	6	9	18	9	9	30
13	Dysentery W	42	17	4	21	6	5	1					2		3	2	7	8	7
	C	42	11	8	23	5	4	2	1		1		1	2	5	4	7	3	7
15	Erysipelas W	11	8		3	4												3	4
	C	1			1						1								
16	Acute poliomyelitis, acute polioencephalitis W	7	2	1	4	3			1			1		2					
	C	4	1	1	2	1			1			1				1			
17	Lethargic or epidemic encephalitis W	4	1	1	2										1		1	1	1
	C	2			2												1		1
18	Epidemic cerebrospinal meningitis W	26	22	1	3	6			1	2	4	2	2	2	5			2	
	C	8	7		1	1	1						2	2	1			1	
21	Rabies W	2	2								1				1				
22	Tetanus W	29	17	4	8	10	2	1	1	2	3	2	1	3	3	1			
	C	27	10	2	15	12	1		1	1	4	2	2		1	3			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	I—Infectious and parasitic diseases—Continued.																		
	Tuberculosis (all forms) W	593	304	58	231	3	4	1	1		7	3	17	62	99	128	104	92	72
	Tuberculosis (all forms) C	1,000	473	97	430	13	1	1	5	2	7	23	91	173	270	176	136	64	38
23	Respiratory system W	549	278	54	217		1				4	2	17	55	94	125	99	85	67
23	Respiratory system C	925	427	87	411	8		1	1	1	3	20	87	164	256	165	127	57	35
24	Meninges and central nervous system W	13	9		4	2	3	1	1		3	1					1	1	
24	Meninges and central nervous system C	11	8	1	2	2	1		2					2	3			1	
25	Intestines and peritoneum W	12	5	2	5									2	4		1	3	2
25	Intestines and peritoneum C	20	12	2	6				1		1	1		3	2	5	2	3	2
26	Vertebral column W	4	4											1	1	1		1	
26	Vertebral column C	9	7		2					1				1	2	1	3		1
27a	Bones (vertebral column excepted) W	2			2											1		1	
27a	Bones (vertebral column excepted) C	1		1							1								
27b	Joints C	2	1		1	1						1							
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	2	2																2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	1			1											1			
30	Genitourinary system W	2		1	1									2					
30	Genitourinary system C	2	2												2				
31	Other organs C	1			1												1		
32a	Acute disseminated tuberculosis W	7	6		1	1								2		1	2		1
32a	Acute disseminated tuberculosis C	23	13	5	5	2			1		1	1	3	3	3	4	3	2	
32b, c	Other disseminated tuberculosis W	2		1	1												1	1	
32b, c	Other disseminated tuberculosis C	5	3	1	1						1		1		2			1	
33	Leprosy W	18			18									1	6	7	1		3
33	Leprosy C	3			3										2		1		
34	Syphilis W	88	64	4	20	20	1				1	2		4	7	8	11	14	20
34	Syphilis C	420	207	44	169	72	9	5	1		5	3	7	15	66	85	77	46	29
35	Gonococcus infection, other venereal diseases W	6	5		1									1	3	1		1	
35	Gonococcus infection, other venereal diseases C	9	5	2	2	1									4	1	2	1	
36	Purulent infection, septicemia (non puerperal) W	7	3	2	2					1	1		1	1	2	1			
36	Purulent infection, septicemia (non puerperal) C	11	5		6	3					1				2		2	1	2
38	Malaria W	227	48	17	162	14	4	6	6	7	14	15	12	12	26	28	30	16	36
38	Malaria C	201	32	14	155	14	7	2	7	6	26	19	15	9	24	19	11	16	26
39	Other diseases due to protozoal parasites W	2	1		1										1		1		
40	Ankylostomiasis C	1			1						1								
42	Other diseases caused by helminths W	6	2	1	3	1		2	2	1									
42	Other diseases caused by helminths C	10	1		9		3	3	3	1									
43	Mycoses W	3	2		1		1											2	
43	Mycoses C	2	1		1	2													
44	Other infectious and parasitic diseases W	2			2										1		1		
	II.—Cancers and other tumors White	1,091	643	93	355	2	4		1		5	7	7	8	35	119	191	276	435
	II.—Cancers and other tumors Colored	579	320	45	214			2		1	1	2	2	9	37	101	158	134	131
	Cancer and other malignant tumors W	1,039	604	92	343	1	3				2	5	7	5	30	105	183	274	423
	Cancer and other malignant tumors C	529	281	41	207						1	2	2	7	26	82	149	129	130
(45)	Buccal cavity W	51	29	4	18								1		2	4	5	13	26
(45)	Buccal cavity C	17	11		6									1		2	5	2	7
(45)	Pharynx W	20	11	1	8											1	6	2	11
(45)	Pharynx C	3			3												1		2
(46)	Esophagus W	21	14	1	6											2	3	8	8
(46)	Esophagus C	4	4														1	1	2
(46)	Stomach and duodenum W	171	85	18	68											9	27	49	86
(46)	Stomach and duodenum C	129	74	6	49										3	12	38	41	34
(46)	Liver and biliary passages W	86	41	13	32										1	7	11	33	34
(46)	Liver and biliary passages C	33	21	2	10							1			2	4	8	7	11
(46)	Pancreas W	33	27	1	5											1	8	13	11
(46)	Pancreas C	13	13													2	4	4	3
(46)	Other digestive tract and peritoneum W	115	74	8	33								2	1	2	8	22	31	49
(46)	Other digestive tract and peritoneum C	52	30	8	14						1	1		1	5	6	15	14	9
47	Respiratory system W	68	55	6	7		1						1	1		4	17	15	29
47	Respiratory system C	16	10	2	4									1	1	4	3	6	1
48	Uterus W	123	55	15	53									1	8	33	23	33	25
48	Uterus C	151	60	14	77									3	13	33	48	29	25
49	Other female genital organs W	27	18	3	6							1			2	4	5	5	10
49	Other female genital organs C	11	7		4										1	4	3	1	2
50	Breast W	90	60	7	23										4	13	32	20	20
50	Breast C	39	17	5	17										1	10	14	5	9
51	Male genitourinary organs W	82	50	5	27											6	6	20	50
51	Male genitourinary organs C	29	15	4	10											1	3	12	13
52	Skin W	50	21	3	26		1					1			4	1	2	9	32
52	Skin C	5	2		3														5
53	Other or unspecified organs W	102	64	7	31	1	1				2	3	3	2	7	12	16	23	32
53	Other or unspecified organs C	27	17		10								2	1		4	6	7	7
54a	Nonmalignant tumors, ovary W	5	3		2											2	1		2
54b	Nonmalignant tumors, uterus W	13	12		1										2	7	4		
54b	Nonmalignant tumors, uterus C	35	33		2									1	9	15	8	2	
54d, e	Nonmalignant tumors, other organs W	9	5	1	3	1	1				1				1	1			4
54d, e	Nonmalignant tumors, other organs C	2	1	1										1		1			
55b	Tumors, uterus (nature unspecified) C	1			1												1		
55d, e	Tumors, other organs (nature unspecified) W	25	19		6				1		2	2		3	2	4	3	2	6
55d, e	Tumors, other organs (nature unspecified) C	12	5	3	4			2		1					2	3		3	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White 318	187	30	101	18	5		4	1	3	5	5	6	17	28	47	79	100
		Colored 313	138	26	149	17	1				2	3	16	10	38	53	55	52	66
56	Acute rheumatic fever	W 17	10	1	6				1		1	3	1	1	1	4	2	1	2
		C 12	5		7							1	3		2	1	3	2	
57	Chronic rheumatism, osteoarthritis	W 13	5	1	7										1		1	2	9
		C 6	2		4										2	2			2
59	Diabetes mellitus	W 191	114	17	60				1		1	1	3	2	3	11	28	65	76
		C 96	52	9	35	1							2	1	5	17	26	20	24
60	Scurvy	C 1	1																1
62	Pellagra	W 36	23	4	9						1	1			6	8	8	6	6
		C 158	57	15	86						1	2	11	8	26	28	19	26	37
63	Rickets	W 7	3	1	3	6	1												
		C 1	1			1													
65	Diseases of pituitary body	W 1	1											1					
66a	Simple goiter	W 3	1		2													1	2
		C 4	2		2										1	1	1	1	
66b	Exophthalmic goiter	W 26	20	2	4									2	5	4	7	4	4
		C 16	10	1	5						1			1	2	3	4	3	2
(66)	Other diseases of thyroid and parathyroid glands	W 2	1		1					1							1		
		C 1	1														1		
67	Diseases of thymus gland	W 13	5	2	6	9	2		2										
		C 13	6	1	6	12	1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 2	2												1				1
69	Other general diseases	W 7	2	2	3	3	2									1	1		
		C 5	1		4	3											1	1	
	IV.—Diseases of the blood and blood-making organs	White 70	44	3	23	5	1	1	2		3	6	5		7	10	12	9	9
		Colored 38	24	2	12	7	2	1		1	1		4	5	3	5	1	5	3
70	Hemorrhagic conditions	W 8	5		3	3		1					1		1		1		1
		C 5	3		2	2		1					1			1			
71a	Pernicious anemia	W 20	11		9		1				2	2			2	2	4	3	4
		C 11	5	1	5								1	3	1		1	3	2
71b	Other anemias	W 3	1		2	1							1					1	
		C 6	2	1	3	3				1			1	1					
72a	True leukemias	W 22	15	2	5	1			2		1	3	2		2	2	4	3	2
		C 7	6		1		1				1				1	4			
72b	Pseudoleukemias (Hodgkin's disease)	W 10	7		3										1	4	2	1	2
		C 5	4		1									1	1			1	1
73	Diseases of spleen	W 6	4	1	1							1	1		1	2	1		
		C 4	4			2	1											1	
74	Other diseases of blood and blood-making organs	W 1	1															1	
	V.—Chronic poisonings and intoxications	White 16	9	2	5									1	2	4	3	5	1
		Colored 9	4	3	2								1	1	2		1	2	2
75	Alcoholism (acute or chronic)	W 16	9	2	5									1	2	4	3	5	1
		C 6	1	3	2								1	1	1		1	1	1
77a	Chronic lead poisoning	C 1	1																1
77b, c	Other chronic poisoning by mineral substances	C 2	2												1			1	
	VI.—Diseases of the nervous system and of the organs of special sense	White 962	462	118	382	25	6	5	3	2	8	13	11	7	26	81	125	180	468
		Colored 791	289	113	389	22	8	5	1	3	6	6	8	13	48	109	178	148	234
78	Encephalitis (nonepidemic)	W 22	14	2	6	3		1	1		1	2	1		2	3	4	3	1
		C 15	9		6	1	2		1			1	1		1	2	2	3	1
79a	Simple meningitis	W 25	16	2	7	6		1		2	1	2	1		4	3	3	1	1
		C 16	12		4	4		2		2				1		5	1		1
79b	Nonepidemic cerebrospinal meningitis	W 1	1														1		
		C 4	3		1		1	1							1	1			
80	Progressive locomotor ataxia (tabes dorsalis)	W 8	4		4											1	1	3	3
		C 4	3	1											1	1	2		
81	Other diseases of spinal cord	W 12	8		4				1			1	2			1	1		6
		C 8	4	1	3											3	4	1	
82a	Cerebral hemorrhage	W 684	310	80	294	1		1			1	1	3	1	7	45	75	148	400
		C 578	206	60	312	1					1	1	1	4	23	67	140	119	219
82b	Cerebral embolism and thrombosis	W 40	30	2	8						1		1	1		5	8	6	17
		C 17	12	1	4						1				1	2	5	4	4
82c	Softening of brain	W 4	2		2												1		3
		C 5	3		2													5	
82d	Hemiplegia and other paralysis, cause unspecified	W 29	8	1	20				1		1		1		1	1	3	4	17
		C 25	6	2	17	1					1			1	4	2	1	9	6
83	General paralysis of insane	W 31	9	17	5									1	4	7	14	2	3
		C 54	9	37	8								2	3	7	16	19	5	2
84	Dementia praecox and other psychoses	W 10	5	1	4								1			3	1	3	2
		C 5	3	1	1											4			1
85	Epilepsy	W 27	8	11	8	1	1				1	3		3	4	6	3	4	1
		C 22		9	13						1	2		2	9	4	3	1	
86	Convulsions (under 5 years of age)	W 3		1	2	2		1											
		C 14	2		12	9	3	2											
87	Other diseases of nervous system	W 29	19		10	1	1						1	1		5	3	6	11
		C 9	4		5		1				2	1	2	2				1	
89a	Diseases of ear	W 26	19		7	9	3					2			2	1	6		3
		C 7	5	1	1	5				1		1							
89b	Diseases of mastoid process	W 11	9	1	1	2	1	1			2	2			2		1		
		C 8	8			1	1						2		1	2	1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																	
	VII.—Diseases of the circulatory system White	2,531	1,413	267	851	1	1	1	2	2	7	10	16	17	45	110	306	577	1,434
	VII.—Diseases of the circulatory system Colored	2,092	944	238	910	3	2	2	1	1	4	7	23	33	109	276	453	426	743
90	Pericarditis W	4	2		2							1						2	1
	Pericarditis C	5	1		4										1		1	1	2
91a	Acute endocarditis W	24	16	5	3						1	2	3	7	3	1	3	2	2
	Acute endocarditis C	29	13	2	14								3	4	9	3	3	3	4
91b	Endocarditis, unspecified (under 45 years) W	8	3	1	4				1						2	5			
	Endocarditis, unspecified (under 45 years) C	9	5	2	2									1	3	5			
92a	Endocarditis, specified as chronic, and other valvular diseases W	460	200	47	213				1	1	3	3	5	4	19	19	46	85	273
	Endocarditis, specified as chronic, and other valvular diseases C	570	179	60	331			1			1	5	5	9	30	61	106	112	237
92b	Endocarditis, unspecified (45 years and over) W	62	31	7	24												5	11	46
	Endocarditis, unspecified (45 years and over) C	54	15	16	23												18	14	22
93a	Acute myocarditis W	47	29	4	14			1		1	2		1		3	4	9	6	20
	Acute myocarditis C	38	26	1	11		1	1			1				3	8	10	8	6
93b	Myocarditis, unspecified (under 45 years) W	16	7	1	8							1	1		3	11			
	Myocarditis, unspecified (under 45 years) C	24	10	4	10	1								1	10	12			
93c	Chronic myocarditis and myocardial degeneration W	551	386	54	111										4	20	56	139	332
	Chronic myocarditis and myocardial degeneration C	383	209	57	117								4	1	8	56	84	71	156
93d	Other diseases of myocardium W	280	147	36	97											1	38	54	187
	Other diseases of myocardium C	175	84	18	73										2	3	54	50	65
94a	Angina pectoris W	245	127	28	90									2	1	13	40	76	113
	Angina pectoris C	78	25	18	35								2	2	1	18	18	14	22
94b	Diseases of coronary arteries W	168	101	20	47										2	12	33	49	72
	Diseases of coronary arteries C	64	37	6	21									2	6	20	15	7	14
95a	Functional diseases of heart W	9	4	1	4											1	3	1	4
	Functional diseases of heart C	8	2	4	2									1		1	1	1	4
95b	Other and unspecified diseases of heart W	480	274	37	169	1	1				1	2	6	4	5	20	62	125	253
	Other and unspecified diseases of heart C	509	271	34	204					1	2	2	7	11	26	66	118	118	157
96	Aneurysm (except of heart) W	27	22	1	4							1			2	1	4	8	11
	Aneurysm (except of heart) C	52	35	4	13				1						8	17	12	9	5
97	Arteriosclerosis (coronary arteries excepted) W	111	45	23	43											1	4	7	98
	Arteriosclerosis (coronary arteries excepted) C	59	21	9	29										1	2	8	15	33
98	Gangrene W	7	5		2													3	4
	Gangrene C	16	4	1	11	1	1									2	1	1	10
99	Other diseases of the arteries W	11	6	2	3										1			4	6
	Other diseases of the arteries C	1			1														1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	2	1		1											1			1
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) C	4	2	2									2				1		1
101	Diseases of lymphatic system (lymphangitis, etc.) C	1			1									1					
102	Idiopathic anomalies of blood-pressure W	17	6		11												3	4	10
	Idiopathic anomalies of blood-pressure C	12	5		7										1	2	3	2	4
103	Other diseases of circulatory system W	2	1		1													1	1
	Other diseases of circulatory system C	1			1	1													
	VIII.—Diseases of the respiratory system White	819	409	76	334	180	42	17	21	7	13	14	11	25	55	74	75	97	186
	VIII.—Diseases of the respiratory system Colored	745	343	71	331	199	45	19	12	8	14	20	34	28	88	74	87	44	73
104a	Diseases of nasal fossae W	2		1	1	1													1
	Diseases of nasal fossae C	4		1	3	3			1										
104b	Diseases of nasal fossae and annexa W	8	7		1				1	1				1	1	2		1	1
	Diseases of nasal fossae and annexa C	5	4	1									1	1		2		1	
105	Diseases of larynx W	2	1		1		1				1								
	Diseases of larynx C	5	2		3	1			1			1	1				1		
106a	Acute bronchitis W	10	7		3	4	1									1	1		3
	Acute bronchitis C	8	2		6	4	2				1						1		
106b	Chronic bronchitis W	24	7	2	15			1									1	5	17
	Chronic bronchitis C	2			2														2
106c,d	Bronchitis, unspecified W	8	5		3	1			1		1						1	1	3
	Bronchitis, unspecified C	11	3	1	7	5	1	2										2	1
107a	Bronchopneumonia W	348	200	31	117	124	25	10	10	1	3	6	2	5	13	17	19	38	75
	Bronchopneumonia C	299	159	26	114	126	28	11	3	4	6	6	8	9	24	15	21	16	22
107b	Capillary bronchitis W	5		1	4	4			1										
	Capillary bronchitis C	5			5	5													
108	Lobar pneumonia W	305	126	30	149	34	9	5	6	2	6	4	8	14	34	44	37	39	61
	Lobar pneumonia C	294	122	32	140	30	7	5	7	2	6	8	16	16	53	45	45	20	34
109	Pneumonia, unspecified W	38	16	2	20	7	2	1	1	2	2	2	1	2	2	1	4	4	7
	Pneumonia, unspecified C	49	10	6	33	20	5	1				1	3	1	2	3	5	2	6
110	Pleurisy W	27	14	3	10	5	3		1			2		1	2	5	3	3	2
	Pleurisy C	31	22	2	7	4				1	1	2	3		6	3	7	1	3
111a	Pulmonary embolism and thrombosis W	2	2														1		1
	Pulmonary embolism and thrombosis C	4	2	2											1	1	2		
111b	Pulmonary congestion, edema, hemorrhagic infarct W	19	13	2	4		1									2	1	3	12
	Pulmonary congestion, edema, hemorrhagic infarct C	6	4		2		1			1		1				1			2
112	Asthma W	8	4	3	1										2		4	1	1
	Asthma C	12	5		7		1					1			1	1	5	2	1
113	Pulmonary emphysema W	2			2										1			1	
114	Other diseases of respiratory system (tuberculosis excepted) W	11	7	1	3					1				2		2	3	1	2
	Other diseases of respiratory system (tuberculosis excepted) C	10	8		2	1							2		1	4			2
	IX.—Diseases of the digestive system White	966	520	110	336	166	54	24	10	14	37	27	23	30	68	95	107	147	163
	IX.—Diseases of the digestive system Colored	711	306	69	336	208	49	11	7	6	12	20	26	26	57	81	63	69	76
115a	Diseases of pharynx, tonsils W	32	16	1	15		2	1	1	1	6	2		3	6	2	4	2	2
	Diseases of pharynx, tonsils C	31	11	3	17	2	2	1		1	4	2	3	2	5	1	1	4	3
115b	Diseases of buccal cavity and annexa W	9	5	1	3	1						1		1	1	3	1		1
	Diseases of buccal cavity and annexa C	3	1		2		1								1				1
116	Diseases of esophagus W	3	1	1	1											1		1	1
	Diseases of esophagus C	1	1					1											
117a	Ulcer of stomach W	47	27	3	17							1			2	9	11	12	12
	Ulcer of stomach C	29	16		13								1		1	9	6	6	6
117b	Ulcer of duodenum W	21	19		2								1	1	2	3	6	4	4
	Ulcer of duodenum C	6	4		2									1	2	3			
118	Other diseases of stomach (cancer excepted) W	42	6	8	28	8	1	4					2	1		4	1	6	14
	Other diseases of stomach (cancer excepted) C	56	8	12	36	13	1				1	2	2	1	3	7	8	10	8

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																			
	IX.—Diseases of the digestive system—Continued.																			
119	Diarrhea, enteritis (under 2 years of age)	W	190	52	21	117	143	47												
		C	217	65	24	128	174	43												
120	Diarrhea, enteritis (2 years and over)	W	55	15	8	32			12	3	3	3		1	2	2	3	3	6	17
		C	49	16	5	28			6	3	2			2	2	4	3	7	8	12
121	Appendicitis	W	205	135	32	38	1	1	5	4	7	24	22	14	16	29	26	24	19	13
		C	93	60	7	26		1	1		1	4	14	13	8	19	17	3	4	8
122a	Hernia	W	34	23	4	7				1						1	6	5	7	14
		C	24	14	1	9	4							1	1		1	2	5	10
122b	Intestinal obstruction	W	100	75	10	15	10	3	1	1	1	4	1	2	1	15	11	12	20	18
		C	75	46	5	24	11		2	3	1	2	1	2	4	11	16	11	7	4
123	Other diseases of intestines	W	13	10		3					1				1		5	2	2	2
		C	16	10	1	5								1	2	4	5	2	2	
124	Cirrhosis of liver	W	120	77	11	32										2	11	25	39	43
		C	68	28	9	31					1				2	3	8	20	14	20
125a	Yellow atrophy of liver	W	4	2	1	1										1	1		1	1
		C	4	3		1									1	2			1	
125b	Other diseases of liver	W	13	7	2	4	2				1			1	1	1	3	2	1	1
		C	15	9		6	3	1									5	1	3	2
126	Biliary calculi	W	27	19	2	6										1	1	3	12	10
		C	2	2														2		
127	Other diseases of gall-bladder, biliary passages	W	32	18	5	9									1	4	4	5	12	6
		C	12	7	2	3	1						1		1		5		3	1
128	Diseases of pancreas	W	2	2													1	1		
		C	2	2												2				
129	Peritonitis, cause not specified	W	17	11		6	1		1					2	2	1	1	2	3	4
		C	8	3		5				1		1		1	1		1		2	1
	X.—Diseases of the genitourinary system	White	1,261	687	126	448	8	2	7	4	5	7	4	9	11	57	86	148	247	665
		Colored	1,147	547	98	502	9	2	4	3	3	7	4	13	22	79	143	198	248	408
130	Acute nephritis (including unspecified under 10 years)	W	67	31	11	25	5	1	4	3	3	5	2			3	10	3	11	7	10
		C	106	35	11	60	4	2	3	2	2	6		7	3	13	19	16	17	12
131	Chronic nephritis	W	921	505	90	326					1	2	1	5	1	21	55	105	188	541
		C	799	373	63	363						1	2	5	8	41	89	139	181	330
132	Nephritis, unspecified (10 years and over)	W	91	27	14	50								1	2	3	2	9	22	52
		C	91	38	10	43									1	6	17	21	19	26
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	57	35	5	17	3	1	3	1	1				2	6	6	13	6	15
		C	44	25	6	13	4		1	1					4	5	4	11	6	8
134	Calculi of urinary passages	W	16	14		2										4	3	3	3	3
		C	7	6	1									1				1	2	3
135	Diseases of bladder (tumors excepted)	W	7	3		4													1	6
		C	18	5	4	9					1							1	5	11
136	Diseases of urethra, urinary abscess, etc.	W	5	5															2	3
		C	9	7		2										1	3	1	1	3
137	Diseases of prostate	W	51	32	2	17											3	3	10	35
		C	40	33	1	6										3		6	17	14
138	Diseases of male genital organs, not specified as venereal	C	2	1	1		1										1			
139a	Cysts of ovary	W	8	8												3	2	1	2	
		C	4	3		1											2	1		1
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	28	21	3	4							1	1	3	9	9	2	3	
		C	22	18	1	3							1		5	10	5	1		
139c	Diseases of uterus	W	10	6	1	3										2		1	3	
		C	2	1		1											2			
139e	Other diseases of female genital organs	C	3	2		1							1		1		1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	172	98	8	66								24	30	66	50	2		
		Colored	162	91	8	63								34	30	61	37			
140	Abortion with septic conditions	W	22	20		2								3	4	9	6			
		C	19	13	1	5								3	6	7	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	5	2		3								1		3	1			
		C	3			3										2	1			
142a	Ectopic gestation, septic conditions specified	C	2	2											1	1				
142b	Ectopic gestation, septic conditions not mentioned	W	6	4		2									1	4	1			
		C	11	10		1									2	8	1			
143	Other accidents of pregnancy (hemorrhage not included)	C	1			1											1			
144a	Placenta praevia	W	6		2	4										2	3	1		
		C	1			1											1			
144b	Other puerperal hemorrhages	W	9	4		5									4	1	4			
		C	8	4	1	3								1	2	3	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	43	23	3	17								5	9	17	12			
		C	44	27		17								11	9	17	7			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	W	1	1												1				
146	Puerperal albuminuria and eclampsia	W	38	19		19								10	10	8	10			
		C	46	21	4	21								12	8	11	15			
147	Other toxemias of pregnancy	W	17	14		3								3	1	8	5			
		C	9	7		2								2		4	3			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	3	1	1	1								1		1	1			
		C	2	1		1											2			
149	Other accidents of childbirth	W	21	10	2	9									1	12	7	1		
		C	13	4	2	7								5	2	5	1			
150	Other and unspecified conditions of puerperal state	W	1			1								1						
		C	3	2		1										3				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	XII.—Diseases of the skin and cellular tissue White	43	25	8	10	8			1			3	2	3	5	5	4	2	10
	XII.—Diseases of the skin and cellular tissue Colored	24	14	1	9	5	1					1		1		4	2	4	6
151	Furuncle, carbuncle W	23	10	6	7	2			1			1	2	1	3	3	2	1	7
	Furuncle, carbuncle C	5	3		2							1				2	1	1	
152	Phlegmon, abscess W	11	9	1	1	3								1	2	1	1	1	2
	Phlegmon, abscess C	7	4		3	3								1		1		2	
153	Other diseases of skin and annexa, and of cellular tissue W	9	6	1	2	3						2		1		1	1		1
	Other diseases of skin and annexa, and of cellular tissue C	12	7	1	4	2	1									1	1	1	6
	XIII.—Diseases of the bones and organs of locomotion White	15	13		2		1				1	4	1	1	2	1	2	1	1
	XIII.—Diseases of the bones and organs of locomotion Colored	11	10		1			1	1	1	1			2	1		3		1
154	Osteomyelitis W	12	11		1		1				1	4	1	1	2		1	1	
	Osteomyelitis C	7	7					1	1	1	1			1	1		1		
155	Other diseases of bones (tuberculosis excepted) W	1	1																1
	Other diseases of bones (tuberculosis excepted) C	2	2											1			1		
156	Diseases of joints, other organs of locomotion W	2	1		1											1	1		
	Diseases of joints, other organs of locomotion C	2	1		1												1		1
	XIV.—Congenital malformations White	94	33	9	52	75	1	3	2		7	2	1	2	1				
	XIV.—Congenital malformations Colored	51	17	6	28	42	2	1	1		2	2	1						
157a	Congenital hydrocephalus W	13	4	4	5	8		2			1			2					
	Congenital hydrocephalus C	7	5	1	1	3	2		1				1						
157b	Spina bifida and meningocele W	9	4		5	7	1				1								
157c	Congenital malformations of heart W	53	18	5	30	41		1	2		5	2	1		1				
	Congenital malformations of heart C	29	5	3	21	24		1			2	2							
157d	Other congenital malformations W	19	7		12	19													
	Other congenital malformations C	15	7	2	6	15													
	XV.—Diseases of early infancy White	600	261	49	290	600													
	XV.—Diseases of early infancy Colored	588	279	46	263	588													
158	Congenital debility W	37	8	4	25	37													
	Congenital debility C	74	15	8	51	74													
159	Premature birth W	384	160	28	196	384													
	Premature birth C	346	166	27	153	346													
160	Injury at birth W	125	60	15	50	125													
	Injury at birth C	86	52	6	28	86													
161	Other diseases peculiar to early infancy W	54	33	2	19	54													
	Other diseases peculiar to early infancy C	82	46	5	31	82													
162	**XVI.—Senility** White	137	24	14	99													2	135
	XVI.—Senility Colored	222	31	21	170													3	219
	XVII.—Violent and accidental deaths White	1,222	581	113	528	24	16	13	11	6	60	63	86	113	186	161	171	123	181
	XVII.—Violent and accidental deaths Colored	905	374	91	440	24	11	7	12	5	30	44	87	125	182	153	99	48	71
	Suicide W	187	112	5	70								7	19	25	34	47	36	18
	Suicide C	19	10	2	7									5	6	8			
163	By solid or liquid poisons or by absorption of corrosive substances W	47	37	1	9								3	5	9	11	7	7	5
	By solid or liquid poisons or by absorption of corrosive substances C	4	2	1	1									3	1				
164	By poisonous gas W	2	2										1					1	
165	By hanging or strangulation W	15	7	1	7									1		3	6	3	2
	By hanging or strangulation C	2	1	1											1	1			
166	By drowning W	15	6	1	8									1	1	1	5	3	4
	By drowning C	2	1		1										2				
167	By firearms W	96	51	1	44								3	12	14	17	25	18	6
	By firearms C	9	4		5									1	2	6			
168	By cutting or piercing instruments W	10	7	1	2										1	1	3	4	1
	By cutting or piercing instruments C	1	1													1			
169	By jumping from high places W	1	1													1			
170	By crushing W	1	1														1		
171	By other means W	1	1												1				
	By other means C	1	1																
	Homicide W	161	60	16	85	3	1				1	3	7	19	40	39	25	17	4
	Homicide C	317	138	29	150							4	31	61	94	80	31	7	7
173	By firearms W	103	32	12	59		1				1	2	2	12	29	28	15	8	3
	By firearms C	207	81	18	108							3	20	35	60	59	19	5	4
174	By cutting or piercing instruments W	25	12	2	11							1	2	5	9	3	3	2	
	By cutting or piercing instruments C	68	36	6	26							1	7	20	24	9	6	1	
175	By other means W	33	16	2	15	3							3	2	2	8	7	7	1
	By other means C	42	21	5	16								4	6	10	12	6	1	3
	Accidental, other, or undefined W	874	409	92	373	21	15	13	11	6	59	60	72	75	121	88	99	70	159
	Accidental, other, or undefined C	569	226	60	283	24	11	7	12	5	30	40	56	59	82	65	68	41	64
176	Attack by venomous animals W	3	2		1	1									1			1	
	Attack by venomous animals C	1			1														
177	Poisoning by food W	10	1		9	1			1					1		1	1	2	3
	Poisoning by food C	17	4	5	8	2					2		1			2	5	1	4
178	Absorption of poisonous gas W	2	1		1	1									1				
179	Other acute accidental poisonings (gas excepted) W	12	7		5	1	2								1	3	2		3
	Other acute accidental poisonings (gas excepted) C	15	6	4	5		2	1	2		1		1	1	5	1	1		
180	Conflagration W	10	6	1	3								2			1	2	2	2
	Conflagration C	8	1		7	2								1		1	1		3
181	Burns (conflagration excepted) W	51	35	3	13	2	1	3	3	3	6	2		4	10	5	2	2	8
	Burns (conflagration excepted) C	54	34	1	19	3	5	1	7	2	4	4	2	7	3	1	4	6	5
	Supplemental W	7	3	3	1									1	2	1	2	1	
	Supplemental C	1		1														1	
182	Mechanical suffocation W	7	1		6	5								1				1	
	Mechanical suffocation C	5			5	5													
183	Drowning W	88	31	7	50		3		2		8	13	15	10	15	5	10	4	2
	Drowning C	67	17	6	44		1	2			3	13	18	6	7	7	5	1	4
	Supplemental W	49	3	5	41	1	1	1			3	7	3	6	9	12	6		
	Supplemental C	27	4	4	19							2	8	5	2	6	2	1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 52	16	6	30			1	2	1	8	9	11	6	1	5	4	3	1
		C 23	8	3	12						5	3	5	5	3	2			
185	By cutting or piercing instruments (wounds of war excepted)	W 9	7	1	1							1		1	2	1		3	1
		C 9	5		4							3			1		1	1	3
	Supplemental	W 2	1	1										1				1	
		C 1			1									1					
186a	By fall	W 145	89	16	40	4	1	1	1	1	3	4	6	3	4	6	9	11	91
		C 47	25	5	17	2	1	1			1		1	2	5	5	7	4	17
	Supplemental	W 25	13		12	1						1	3	4		4	3	2	6
		C 20	7	1	12							3	2	1	4	2	4	3	1
186b	By crushing, landslide	W 4	1		3									1	3				
		C 8	3		5	1		1			1		1		1	2	1		
	Supplemental	W 100	57	6	37				1		8	3	7	10	20	13	18	10	9
		C 50	29	2	19			1				1	4	11	9	9	6	5	3
187	Cataclysm	W 25	2	12	11		1				4	4		1	6	1	2	2	4
		C 24	6	8	10	1			1	2		4		1	3	3	1	3	5
188	Injuries by animals	W 9	3		6			3						2			1	1	2
		C 2			2				1						1				
189	Hunger and thirst	C 3			3												1		2
190	Excessive cold	W 1			1													1	
		C 1			1													1	
191	Excessive heat	W 3	1		2										1	1	1		
		C 17	4	2	11									2	6	2	6		1
192	Lightning	W 8	1		7								4	3			1		
		C 8		1	7								1	3	1		2	1	
193	Due to electric currents	W 6	1	1	4						1			2	1	1	1		
		C 2		2									1			1			
194a	Foreign bodies	W 9	7	1	1	2	3	1							1		1	1	
		C 5	1	1	3	2	1									2			
194b	Other accidents	W 35	18	5	12	2	2				2	1	2	2	9	5	3	4	3
		C 37	15	2	20	5	1		1	1	2	2	1	4	6	5	7	2	
	Supplemental	W 202	102	24	76		1	3	1	1	16	15	17	18	34	23	30	18	24
		C 110	50	12	48	1					11	5	10	9	19	13	13	11	15
198	Legal executions	C 7	7												6	1			
	XVIII.—Ill-defined causes of death	White 116	12	9	95	45	2			2	2		2	1		7	8	14	31
		Colored 240	29	25	186	107	10		2	1	4	2	5	3	19	3	25	27	32
199	Sudden death	W 27	4	3	20	6							2			2		4	13
		C 40	12	7	21	5			1		1		2		4	2	8	9	8
200a	Cause of death ill-defined	W 25	7	1	17	3	2				1					2	3	5	9
		C 52	12	8	32	11	3						1		8	1	7	9	12
200b	Cause of death not specified or unknown	W 64	1	5	58	36				2	1			1		3	5	5	9
		C 148	5	10	133	91	7		1	1	3	2	2	3	7		10	9	12
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	W 3			3								2		1				
		C 2			2						1						1		
203	Elevator accidents	W 1	1																1
205	Other machinery accidents	W 15	9	4	2								1	1	3	4	4	2	
		C 6	5	1										2	2		1	1	
206	Railroad and automobile collisions	W 3		2	1									1	1	1			
207	Other railroad accidents	W 29	13	2	14									2	8	7	7	2	1
		C 30	9	5	16								3	5	10	6	1		3
208	Street car and automobile collisions	W 2	2									1				1			
209	Other street car accidents	W 7	7				1				1		1	1				2	1
		C 3	3										1		1			1	
210	Automobile accidents (primary)	W 262	132	25	105	1	1	3	2	1	25	18	22	24	42	29	39	23	31
		C 133	65	10	58	1		1			10	6	11	15	19	18	17	17	16
211	Motorcycle accidents	W 5	3	1	1									4					1
212	Other land transportation accidents	W 15	6		9	1						2	1			1	4	2	4
		C 9	3		6							3	1			1	3	1	
213	Water transportation accidents	W 41	5	5	31			1			1	5	3	7	8	10	5	1	
		C 25	5	4	16							2	8	5	1	5	2	1	1
214	Air transportation accidents	W 2	1		1										2				
		C 1			1										1				
	MAINE																		
	Total deaths (all causes)	11,102	3,684	1,474	5,944	1,002	119	47	43	31	127	101	162	211	398	557	884	1,599	5,820
	I.—Infectious and parasitic diseases	857	258	156	443	52	27	14	18	4	20	22	38	57	99	96	80	120	210
1	Typhoid fever	15	6	2	7							4	3	1	2	1	1	2	1
5	Undulant fever	1	1															1	
8	Scarlet fever	14	9	3	2		3		3	1	3	1			1		2		
9	Whooping-cough	16	7	2	7	10	3	1			1					1			
10	Diphtheria	14	5		9		1	1	4		4	1		1				1	1
11a	Influenza, respiratory complications specified	208	42	29	137	13	5	3	5	1	1		3	7	17	23	15	26	89
11b	Influenza, respiratory complications not specified	135	31	19	85	19	6	4	4		5	4	2	3	5	5	9	13	56
13	Dysentery	1		1						1									
15	Erysipelas	14	4	1	9	1	1					1	1			2		4	4
16	Acute poliomyelitis, acute polioencephalitis	7	6		1		1	1	1		1	2	1						

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																	
	I.—Infectious and parasitic diseases—Continued.																	
17	Lethargic or epidemic encephalitis	8	3	2	3	1	1	1								2	1	2
18	Epidemic cerebrospinal meningitis	4	2		2		1						1			1		1
22	Tetanus	4	2		2						1	2						1
	Tuberculosis (all forms)	367	108	94	165	2	3	3	1	1	4	6	26	44	72	53	37	60	55
23	Respiratory system	300	82	81	137	1	1		1	1	2	2	21	38	61	46	29	52	45
24	Meninges and central nervous system	11	4	2	5	1	2	1				1	1		2	1		1	1
25	Intestines and peritoneum	24	7	5	12			2			1		3	2	6	2		4	4
26	Vertebral column	9	6		3							1				2	1	1	4
27a	Bones (vertebral column excepted)	1		1														1	
27b	Joints	3	1		2							1				1	1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1														1		
30	Genitourinary system	5	2	2	1									2	1		2		
32a	Acute disseminated tuberculosis	11	5	1	5						1	1	1	2	1	1	2	1	1
32b, c	Other disseminated tuberculosis	2		2											1		1		
34	Syphilis	36	23	2	11	5	1						1			6	13	9	1
35	Gonococcus infection and other venereal diseases	6	5	1											2		2	1	1
36	Purulent infection, septicemia (non-puerperal)	5	3		2	1	1					1				1		1	
43	Mycoses	1			1									1					
44	Other infectious and parasitic diseases	1	1													1			
	II.—Cancers and other tumors	1,223	429	150	635		1	1			4	2		4	23	80	170	271	667
	Cancer and other malignant tumors	1,175	405	153	617		1	1			4	1		3	20	68	162	259	656
(45)	Buccal cavity	42	11	5	26										1	2	5	6	28
(45)	Pharynx	4	1	1	2														4
(46)	Esophagus	16	7	3	6											1	1	2	12
(46)	Stomach and duodenum	243	81	35	127										4	8	21	55	155
(46)	Liver and biliary passages	89	29	12	48											6	10	22	51
(46)	Pancreas	25	14	6	5												4	10	11
(46)	Other digestive tract and peritoneum	217	82	24	111						1			1	2	10	27	51	125
47	Respiratory system	35	14	4	17						1				1	3	6	9	15
48	Uterus	159	43	22	94										10	18	43	37	51
49	Other female genital organs	24	7	8	9									1		2	6	9	6
50	Breast	104	32	11	61											7	22	25	50
51	Male genitourinary organs	93	40	12	41		1	1			1				1	1	3	13	72
52	Skin	26	7	2	17											1		3	22
53	Other or unspecified organs	98	37	8	53						1	1		1	1	9	14	17	54
54b	Nonmalignant tumors, uterus	25	16	3	6										1	9	6	8	1
54d, e	Nonmalignant tumors, other organs	12	4	2	6							1			2	3		2	4
55d, e	Tumors, other organs (nature unspecified)	11	4	1	6									1			2	2	6
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	332	120	42	170	15	5		2		6	7	4	4	10	16	26	73	164
56	Acute rheumatic fever	14	10	1	3							2	2	1	2	3	1	1	2
57	Chronic rheumatism, osteoarthritis	25	6	4	15											2	2	5	16
59	Diabetes mellitus	238	77	31	130						6	3	2	2	4	6	14	61	140
62	Pellagra	4	2		2											2		2	
63	Rickets	2	1		1		2												
65	Diseases of pituitary body	1	1																1
66b	Exophthalmic goiter	17	8	1	8							1		1	2	2	6	3	2
(66)	Other diseases of thyroid and parathyroid glands	5	3		2											1	3		1
67	Diseases of thymus gland	19	8	4	7	15	2		2										
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	5	2	1	2							1			2			1	1
69	Other general diseases	2	2				1												1
	IV.—Diseases of the blood and blood-making organs	103	34	15	54	14	1		1	1	2	2		3	5	7	17	16	34
70	Hemorrhagic conditions	10	4	4	2	9					1								
71a	Pernicious anemia	36	10	4	22										2	1	6	8	19
71b	Other anemias	13	3	1	9	5										1	3		4
72a	True leukemias	25	11	3	11				1	1		2		1	3	3	6	2	6
72b	Pseudoleukemias (Hodgkin's disease)	16	4	3	9		1				1			2		2	1	6	3
73	Diseases of the spleen	2	2														1		1
74	Other diseases of blood and blood-making organs	1			1														1
	V.—Chronic poisonings and intoxications	31	12	3	16								1		4	5	6	10	5
75	Alcoholism (acute or chronic)	25	12	2	11								1		3	5	5	9	2
76	Chronic poisoning by other organic substances	2		1	1										1			1	
77a	Chronic lead poisoning	4			4												1		3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	1,290	410	137	743	25	8	5	2	2	10	1	12	8	12	40	97	209	859
78	Encephalitis (nonepidemic)	8	5	1	2	3		1			1		2	1					
79a	Simple meningitis	17	9	2	6	4	3		1		1		2	1		1	1	2	1
79b	Nonepidemic cerebrospinal meningitis	3		1	2	1	1				1								
80	Progressive locomotor ataxia (tabes dorsalis)	8	1	1	6												3	5	
81	Other diseases of spinal cord	32	6	3	23	1		1					2	1	1		5	6	15
82a	Cerebral hemorrhage	997	297	99	601	2		1							3	22	64	157	748
82b	Cerebral embolism and thrombosis	69	21	14	34								3		1	1	5	16	43
82c	Softening of brain	5	1		4														5
82d	Hemiplegia and other paralysis, cause unspecified	20	3	3	14												3	2	15
83	General paralysis of insane	21	17		4											8	6	7	
84	Dementia praecox and other psychoses	4			4												1	1	2
85	Epilepsy	16	7		9	1					1		1	3	2	4	2		2
86	Convulsions (under 5 years of age)	15	4	3	8	11	2	1		1									
87	Other diseases of nervous system	48	19	7	22	1					2			1	3	2	4	9	26
88	Diseases of organs of vision	2	2				1							1					
89a	Diseases of ear	12	9	1	2	1	1		1	1	2				1	1	2	1	1
89b	Diseases of mastoid process	13	9	2	2			1			2	1	2		1	1	1	3	1
	VII.—Diseases of the circulatory system	3,110	979	409	1,722	7	1				2	5	6	9	22	72	188	494	2,304
90	Pericarditis	5	2		3														5
91a	Acute endocarditis	21	5	3	13	1									2	1	1	3	7	6
91b	Endocarditis, unspecified (under 45 years)	2			2	1									1				
92a	Endocarditis, specified as chronic, and other valvular diseases	620	140	82	398		1				1	4	2	1	12	26	29	97	447
92b	Endocarditis, unspecified (45 years and over)	18	5	1	12												3	1	14
93a	Acute myocarditis	31	12	2	17	1										1	1	4	24
93b	Myocarditis, unspecified (under 45 years)	6	4		2	2									1	3			
93c	Chronic myocarditis and myocardial degeneration	653	229	108	316						1		1	3	2	9	38	89	510
93d	Other diseases of myocardium	188	62	13	113												7	38	142
94a	Angina pectoris	338	85	52	201										1	6	30	94	207
94b	Diseases of coronary arteries	262	130	37	95											8	27	67	160
95a	Functional diseases of heart	7	2	3	2													2	5
95b	Other and unspecified diseases of heart	462	156	53	253	1						1	3	3	2	16	41	58	337
96	Aneurysm (except of heart)	7	2	2	3											1	1	2	3
97	Arteriosclerosis (coronary arteries excepted)	444	132	45	267												4	29	411
98	Gangrene	21	4	4	13										1				20
99	Other diseases of arteries	14	5		9											1	3	3	7
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2	1		1												1	1	
101	Diseases of lymphatic system (lymphangitis, etc.)	2	2			1									1				
102	Idiopathic anomalies of blood-pressure	5	1	2	2													1	4
103	Other diseases of circulatory system	2		2															2
	VIII.—Diseases of the respiratory system	759	256	85	418	115	31	6	7	2	9	11	11	13	26	40	55	78	355
104a	Diseases of nasal fossae	2	1		1														2
104b	Diseases of nasal fossae and annexa	2	1		1							1					1		
105	Diseases of larynx	3	1		2		1		1		1								
106a	Acute bronchitis	35	6	2	27	8			1		1	1				1		3	20
106b	Chronic bronchitis	24	3	7	14	1	1			1					1	1	3	2	14
106c, d	Bronchitis, unspecified	20	2	4	14	7											1		12
107a	Bronchopneumonia	314	110	32	172	67	20	1	4		3	3	3	2	8	8	18	22	155
107b	Capillary bronchitis	3		1	2	1	1	1											
108	Lobar pneumonia	277	104	31	142	17	8	3	1	1	2	5	7	10	16	27	30	44	106
109	Pneumonia, unspecified	35	10	6	19	11		1										1	22
110	Pleurisy	18	5	1	12	1					1	1	1		1	3	2	3	5
111a	Pulmonary embolism and thrombosis	3	2		1													2	1
111b	Pulmonary congestion, edema, hemorrhagic infarct	14	8		6	2					1								11
112	Asthma	7	2	1	4														7
113	Pulmonary emphysema	1			1													1	
114	Other diseases of respiratory system (tuberculosis excepted)	1	1											1					
	IX.—Diseases of the digestive system	588	252	96	240	82	26	6	9	9	17	15	16	15	40	54	63	83	152
115a	Diseases of pharynx and tonsils	33	13	8	12	1	3		3		3	1	2	5	4	3	1	3	4
115b	Diseases of buccal cavity and annexa	3	1	1	1													1	2
117a	Ulcer of stomach	29	7	3	19										2	4	7	5	11
117b	Ulcer of duodenum	14	7		7									1		4	3	4	2
118	Other diseases of stomach (cancer excepted)	38	10	8	20	8	4			1		1				1	2	5	15
119	Diarrhea, enteritis (under 2 years of age)	77	14	4	59	64	13												
120	Diarrhea, enteritis (2 years and over)	25	5	3	17			4	1	3					2	2	3	4	6
121	Appendicitis	124	69	23	32	1	4	1	5	3	12	11	14	7	14	17	10	17	8
122a	Hernia	40	25	9	6	1										3	3	5	23
122b	Intestinal obstruction	57	23	13	21	4		1		1				1	9	1	8	10	22
123	Other diseases of intestines	11	4	1	6	1									2		4		4
124	Cirrhosis of liver	40	19	8	13					1	1				2	5	5	11	15
125a	Yellow atrophy of liver	3	2	1											1	1			1
125b	Other diseases of liver	10	5	1	4	1	1									2		2	4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
126	Biliary calculi	43	24	7	12										1	9	13	7	13
127	Other diseases of gall-bladder, biliary passages	26	15	3	8						1				2		3	6	14
128	Diseases of pancreas	1			1													1	
129	Peritonitis, cause not specified	14	9	3	2	1	1					2		1	1	2	1	2	3
	X.—Diseases of the genitourinary system	920	328	118	474	3				1	4	2	8	9	28	36	70	141	618
130	Acute nephritis (including unspecified under 10 years)	24	7	5	12					1	1	1			1	2	2	7	9
131	Chronic nephritis	732	238	88	406						3		4	5	13	25	59	114	509
132	Nephritis, unspecified (10 years and over)	45	13	4	28							1	2		2	1	4	9	26
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	17	9	4	4	2							1	1	2	2	1	5	3
134	Calculi of urinary passages	10	5	1	4										1	3			6
135	Diseases of bladder (tumors excepted)	8	2	1	5											1			7
136	Diseases of urethra, urinary abscess, etc.	4	4														1	1	2
137	Diseases of prostate	60	37	10	13												1	5	54
138	Diseases of male genital organs, not specified as venereal	2	2			1											1		
139a	Cysts of ovary	4	1	2	1									1	2				1
139b	Other diseases of ovaries, diseases of tubes and parametrium	10	8	2									1	2	5	2			
139c	Diseases of uterus	4	2	1	1										2		1		1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state.	106	53	12	41								11	27	48	20			
140	Abortion with septic conditions	5	1	1	3									1	3	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	6	2		4									1	5				
142b	Ectopic gestation, septic conditions not mentioned	4	3		1										3	1			
143	Other accidents of pregnancy (hemorrhage not included)	1	1											1					
144a	Placenta praevia	7	3	2	2									2	3	2			
144b	Other puerperal hemorrhages	7	4		3								2	2	3				
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	24	11	3	10								3	7	11	3			
146	Puerperal albuminuria and eclampsia	20	11	2	7								5	5	6	4			
147	Other toxemias of pregnancy	2	1		1									1		1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	14	5	2	7								1	2	8	3			
149	Other accidents of childbirth	14	9	2	3									4	5	5			
150	Other and unspecified conditions of puerperal state	2	2											1	1				
	XII.—Diseases of the skin and cellular tissue	14	5	1	8	3								1	1	2	3	1	3
151	Furuncle, carbuncle	3	1		2										1		1		1
152	Phlegmon, acute abscess	7	3	1	3	2										2	1	1	1
153	Other diseases of skin and annexa, and of cellular tissue	4	1		3	1								1			1		1
	XIII.—Diseases of the bones and organs of locomotion	9	1	3	5	1							1	2			1		4
154	Osteomyelitis	4	1	2	1								1	1					2
155	Other diseases of bones (tuberculosis excepted)	1			1									1					
156	Diseases of joints, other organs of locomotion	4		1	3	1											1		2
	XIV.—Congenital malformations	105	42	12	51	95	4	4					1	1					
157a	Congenital hydrocephalus	20	8	3	9	16	2	2											
157b	Spina bifida and meningocele	14	5	1	8	13	1												
157c	Congenital malformations of heart	45	15	6	24	40	1	2					1	1					
157d	Other congenital malformations	26	14	2	10	26													
	XV.—Diseases of early infancy	539	187	76	276	539													
158	Congenital debility	75	24	5	46	75													
159	Premature birth	319	100	51	168	319													
160	Injury at birth	93	49	12	32	93													
161	Other diseases peculiar to early infancy	52	14	8	30	52													
162	**XVI.—Senility**	175	21	22	132														175
	XVII.—Violent and accidental deaths	834	263	117	454	11	14	9	3	12	52	34	52	57	79	78	102	88	243
	Suicide	135	40	21	74							1	3	4	16	21	23	26	41
163	By solid or liquid poisons or by absorption of corrosive substances	6		3	3									1	2			2	1
164	By poisonous gas	13	11	1	1									1	4	4	1	1	2
165	By hanging or strangulation	26	10	1	15								1		4	2	4	6	9
166	By drowning	20	7	3	10							1		1		5	6	2	5
167	By firearms	60	10	13	37								2	1	6	9	9	15	18
168	By cutting or piercing instruments	8	1		7											1	2		5
169	By jumping from high places	1	1														1		
171	By other means	1			1														1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Homicide	27	7	7	13	1					1		1	5	3	4	6	3	3
173	By firearms	17	3	7	7								1	4	1	3	3	2	3
174	By cutting or piercing instruments	2	1		1										1		1		
175	By other means	8	3		5	1					1			1	1	1	2	1	
	Accidental, other, or undefined	672	216	89	367	10	14	9	3	12	51	33	48	48	60	53	73	59	199
177	Poisoning by food	2		1	1					2									
178	Absorption of poisonous gas	4	2	1	1						1			1					2
179	Other acute accidental poisonings (gas excepted)	8			8	1	2	1						1	1		1	1	
180	Conflagration	22	6	1	15	1	1	1		2	1			1	4		4		7
181	Burns (conflagration excepted)	23	7	3	13		4	2	1	2	1	2	1	1	1		2	2	4
	Supplemental	1	1													1			
182	Mechanical suffocation	6	2	1	3	5											1		
183	Drowning	100	11	14	75	1	1	2		2	12	11	21	12	10	9	9	4	6
	Supplemental	22	1		21					1	3	1		5	6	3	2	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	20	2	4	14				1		2	1	1	3	2	3	4	1	2
185	By cutting or piercing instruments (wounds of war excepted)	6	2	1	3							1	1		1		1	1	1
	Supplemental	3	1	1	1								1	1			1		
186a	By fall	159	74	23	62		1				3	1		2	4	1	10	14	123
	Supplemental	23	9	2	12		1		1		4	3	2		1	2	1	3	5
186b	By crushing, landslide	4	1		3										1		2	1	
	Supplemental	22	10	2	10		1			1	4		1	3	4	2	3	1	2
188	Injuries by animals	2			2													1	1
190	Excessive cold	4	1		3												1	3	
192	Lightning	6	4		2								2	2		1			1
193	Due to electric currents	5	2		3							1			3	1			
194a	Foreign bodies	3	1		2		1	1					1						
194b	Other accidents	37	13	3	21	1					1	1	4	2	3	2	5	3	15
	Supplemental	190	66	32	92	1	2	2		2	19	11	13	14	19	28	26	23	30
	XVIII.—Ill-defined causes of death	107	34	11	62	40	1	2	1		1		1	1	1	11	6	15	27
199	Sudden death	36	20	3	13	7			1				1	1		4	3	7	12
200a	Cause of death ill-defined	23	4	2	17	4		2							1	4	1	4	7
200b	Cause of death not specified or unknown	48	10	6	32	29	1				1					3	2	4	8
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	4	1	1	2									3	1				
202	Accidents from agricultural machinery	1	1													1			
205	Other machinery accidents	9	3	2	4								1			2	4		2
206	Railroad and automobile collisions	10	1	2	7									2	1	3	1	3	
207	Other railroad accidents	14	4	3	7						1			1	2	4	4		2
209	Other street car accidents	1	1													1			
210	Automobile accidents (primary)	190	72	27	91	1	4	2	1	3	25	14	14	14	21	23	22	20	26
211	Motorcycle accidents	3	2		1								2						1
212	Other land transportation accidents	16	3	2	11						3	1			1			5	6
213	Water transportation accidents	13			13					1	1			3	4	2	2		
	MARYLAND																		
	Total deaths (all causes) White	15,856	9,549	865	5,442	1,165	149	74	57	60	189	149	247	305	690	1,104	1,855	2,779	7,020
	Total deaths (all causes) Colored	4,754	2,758	256	1,740	640	101	23	24	20	62	69	155	242	496	588	736	749	834
	I.—Infectious and parasitic diseases White	1,349	703	56	590	103	25	23	16	12	41	22	61	74	186	211	209	160	205
	I.—Infectious and parasitic diseases Colored	970	567	34	369	79	30	9	13	10	18	34	73	129	196	176	106	56	39
1	Typhoid fever W	21	7	5	9						2		5	4	2	4	3		1
	Typhoid fever C	16	1	7	8					2		2	1	4	2	3	1	1	
2	Paratyphoid fever W	1	1																1
3	Typhus fever W	1	1														1		
	Typhus fever C	1			1										1				
7	Measles W	3			3		2				1								
8	Scarlet fever W	36	28	1	7	2		5	6	4	13	1	3		1	1			
	Scarlet fever C	3	3					2					1						
9	Whooping-cough W	44	22	2	20	32	8	3	1										
	Whooping-cough C	38	25	2	11	15	17	2	2	2									
10	Diphtheria W	26	11	1	14			2	4	1	13	3		2				1	
	Diphtheria C	4	2		2				2		1							1	
11a	Influenza, respiratory complications specified W	165	79	13	73	11	4	3	2	3	3	2	5	2	10	20	22	22	56
	Influenza, respiratory complications specified C	44	19	4	21	8						1	1	4	5	9	5	5	6
11b	Influenza, respiratory complications not specified W	57	32		25	11	1	1	1	1		3	3		4	9	3	2	18
	Influenza, respiratory complications not specified C	21	5		16	4	1	1				1		1	1	1	2	4	5
13	Dysentery W	37	22	3	12	21	1	2	1	1	1						1	2	7
	Dysentery C	13	5	2	6	8	1		1	1								1	1
15	Erysipelas W	24	18	1	5	2							2		1	3	2	4	10
	Erysipelas C	8	3	1	4	2									1		2		3
16	Acute poliomyelitis, acute polioencephalitis W	3	2		1						1	1		1					
	Acute poliomyelitis, acute polioencephalitis C	1			1				1										
17	Lethargic or epidemic encephalitis W	9	6	1	2					1		1			1	2	2		2
	Lethargic or epidemic encephalitis C	1			1						1								
18	Epidemic cerebrospinal meningitis W	11	10		1	4	1				3	3							
	Epidemic cerebrospinal meningitis C	6	2		4	2		1		1			1						
22	Tetanus W	8	7	1					1		1				1	1	1	1	2
	Tetanus C	6	3	2	1						1	1			2	1			1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
	Tuberculosis (all forms) W	790	370	23	397	4	7	5		1		6	42	63	155	152	145	107	102
	Tuberculosis (all forms) C	580	316	15	249	10	11	2	6	3	15	25	66	100	151	106	44	26	14
23	Respiratory system W	748	341	18	389	3	7	2				3	36	62	151	146	139	104	94
24	Meninges and central nervous system W	527	274	13	240	8	10	1	2	3	12	20	59	93	139	98	43	24	14
	Meninges and central nervous system C	12	11		1	1		2				3	4		1		1		
25	Intestines and peritoneum W	16	13	1	2	2	1	1	3		1	2	4		1	1			
	Intestines and peritoneum C	9	6	1	2					1			1			1	2	2	2
26	Vertebral column W	16	12	1	3						1	3	2	4	2	4			
	Vertebral column C	8	7	1										1	1	1	2		3
27a	Bones (vertebral column excepted) W	8	7		1				1					1	3	1		2	
	Bones (vertebral column excepted) C	1			1														1
27b	Joints W	1			1									1					
	Joints C	1	1																1
30	Genitourinary system W	3	3										1			1	1		
	Genitourinary system C	7	4	3											2	2	1	1	1
32a	Acute disseminated tuberculosis W	4	4												4				
	Acute disseminated tuberculosis C	3			3			1					1			1			
32b, c	Other disseminated tuberculosis W	5	3		2						1			1	2	1			
	Other disseminated tuberculosis	1			1											1			
34	Syphilis W	86	67	4	15	13					1	1		1	4	15	27	19	5
	Syphilis C	181	139	1	41	24		1				3	1	13	23	48	43	17	8
35	Gonococcus infection, other venereal diseases W	11	10		1										6	2	1	1	1
	Gonococcus infection, other venereal diseases C	32	31		1	2							2	6	7	7	6	1	1
36	Purulent infection, septicemia (nonpuerperal) W	7	6		1	1	1				1	1	1			2			
	Purulent infection, septicemia (nonpuerperal) C	7	6		1	2						1			3		1		
38	Malaria W	1	1											1					
	Malaria C	1			1											1			
39	Other diseases due to protozoal parasites C	1	1														1		
42	Other diseases caused by helminths W	1		1				1											
43	Mycoses W	2			2	1									1				
	Mycoses C	1	1											1					
44	Other infectious and parasitic diseases W	5	3		2	1		1			1						1	1	
	Other infectious and parasitic diseases C	5	5			2			1	1							1		
	II.—Cancers and other tumors White	1,797	1,177	102	518		1	2	3	4	5	5	12	17	32	142	292	491	791
	II.—Cancers and other tumors Colored	248	169	13	66						2	2	1		26	33	71	61	51
	Cancer and other malignant tumors W	1,748	1,140	98	510		1	1	3	3	5	4	11	16	28	129	279	484	784
	Cancer and other malignant tumors C	231	158	13	60						2	2	1		21	27	65	61	51
(45)	Buccal cavity W	51	31	2	18			1								1	11	14	24
	Buccal cavity C	6	5		1										1		3		2
(45)	Pharynx W	16	12	1	3											1	1	5	9
	Pharynx C	2	2														1	1	
(46)	Esophagus W	43	35	3	5											2	5	16	20
	Esophagus C	5	5													2	2		1
(46)	Stomach and duodenum W	345	219	20	106									1		16	32	93	203
	Stomach and duodenum C	65	44	5	16										2	2	19	22	20
(46)	Liver and biliary passages W	142	80	10	52							1		1	1	6	11	44	78
	Liver and biliary passages C	11	8	2	1										1	1	2	4	3
(46)	Pancreas W	57	41	4	12										1	1	13	19	23
	Pancreas C	3	3														2	1	
(46)	Other digestive tract and peritoneum W	231	159	11	61					1	1		1	1	5	13	40	63	106
	Other digestive tract and peritoneum C	25	15	1	9								1		3	3	4	7	6
47	Respiratory system W	90	72	4	14								1	3	1	8	25	29	23
	Respiratory system C	11	10		1						1				2	1	5	2	
48	Uterus W	191	106	16	69									4	6	21	40	48	72
	Uterus C	30	17	4	9										7	9	9	4	1
49	Other female genital organs W	56	37	4	15									1	1	6	18	15	15
	Other female genital organs C	3	2		1										1		1	1	
50	Breast W	192	119	7	66										6	23	43	57	63
	Breast C	23	12	1	10										1	3	7	7	5
51	Male genitourinary organs W	121	86	11	24											5	8	32	76
	Male genitourinary organs C	21	15		6											2	5	6	8
52	Skin W	35	15	1	19							1				1	3	9	21
	Skin C	3	1		2													1	2
53	Other or unspecified organs W	178	128	4	46		1		3	2	4	2	9	5	7	25	29	40	51
	Other or unspecified organs C	23	19		4						1	2			3	4	5	5	3
54a	Nonmalignant tumors, ovary W	3	3										1				1	1	
	Nonmalignant tumors, ovary C	1			1												1		
54b	Nonmalignant tumors, uterus W	14	11		3											4	6	1	3
	Nonmalignant tumors, uterus C	11	9		2										4	5	2		
54c	Nonmalignant tumors, other female genital organs C	1	1													1			
54d, e	Nonmalignant tumors, other organs W	25	20	1	4					1		1			4	7	5	4	3
	Nonmalignant tumors, other organs C	3			3										1		2		
55d, e	Tumors, other organs (nature unspecified) W	7	3	3	1			1						1		2	1	1	1
	Tumors, other organs (nature unspecified) C	1	1														1		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases White	484	329	34	121	16	1		1	1	10	11	6	6	19	23	50	128	212
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Colored	83	55	5	23	5	3	2		1	1	1	3	5	8	11	20	15	8
56	Acute rheumatic fever W	36	27		9	1				1	9	7	4	1	5	1	2	3	2
	Acute rheumatic fever C	10	10								1	1	3	1	1		1	2	
57	Chronic rheumatism, osteoarthritis W	22	16	2	4										2		1	5	14
	Chronic rheumatism, osteoarthritis C	7	6		1										1		3	1	2
59	Diabetes mellitus W	350	244	27	79		1		1			4	1	1	9	11	30	103	189
	Diabetes mellitus C	42	26	3	13									3	1	7	16	10	5
60	Scurvy W	1	1			1													
62	Pellagra W	5	5																
	Pellagra C	6	4	1	1									1	4	1		3	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Contd.																		
63	Rickets	W 5	2		3	5													
		C 8	3		5	4	3			1									
65	Diseases of pituitary body	W 3	1	1	1						1			1			1		
66a	Simple goiter	W 2	1		1											1		1	
66b	Exophthalmic goiter	W 44	22	3	19								1	2	2	7	14	13	5
		C 7	4		3										1	3		2	1
(66)	Other diseases of thyroid and parathyroid glands	W 4	3		1	1										2	1		
		C 1		1				1											
67	Diseases of thymus gland	W 8	4		4	8													
		C 2	2			1		1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 4	3	1										1	1		1		1
	IV.—Diseases of the blood and blood-making organs	White 98	57	7	34	4	3	2	2	2	3	4	1		4	8	18	26	21
		Colored 17	6	3	8	3						1	1		3	3	2	1	3
70	Hemorrhagic conditions	W 6	3		3	3						1					2		
		C 2	1	1		2													
71a	Pernicious anemia	W 40	21	2	17		1			1					1	5	8	14	10
		C 7	3		4										2	2			3
71b	Other anemias	W 5	3		2		1	2											2
		C 4		2	2	1										1	1	1	
72a	True leukemias	W 30	20	4	6		1		1	1	2	2	1		2		6	8	6
		C 2	1		1							1	1						
72b	Pseudoleukemias (Hodgkin's disease)	W 12	6		6						1					3	1	4	3
		C 2	1		1														
73	Diseases of spleen	W 1		1		1									1		1		
74	Other diseases of blood and blood-making organs	W 4	4						1			1			1		1		
	V.—Chronic poisonings and intoxications	White 51	29	4	18		1								4	12	13	19	2
		Colored 23	14		9									3	5	5	5	4	1
75	Alcoholism (acute or chronic)	W 47	26	4	17										4	11	13	17	2
		C 23	14		9									3	5	5	5	4	1
76	Chronic poisoning by other organic substances	W 1	1													1			
77a	Chronic lead poisoning	W 2	1		1		1											1	
77b, c	Other chronic poisoning by mineral substances	W 1	1															1	
	VI.—Diseases of the nervous system and of the organs of special sense	White 1,610	873	79	658	30	6	7	2	3	12	11	10	9	27	57	194	316	924
		Colored 478	268	18	192	9	2			2	1	7	6	4	21	64	99	139	120
78	Encephalitis (nonepidemic)	W 10	8	1	1		1				1			1	2	1	2		2
		C 2	2											1		1			
79a	Simple meningitis	W 23	22		1	5	1	1			1	1	1	1		4	7	1	
		C 7	5		2	3						2					1	1	
79b	Nonepidemic cerebrospinal meningitis	W 2	2			1												1	
		C 2	2																
80	Progressive locomotor ataxia (tabes dorsalis)	W 22	14	1	7							1			1		4	10	8
		C 1			1														1
81	Other diseases of spinal cord	W 41	23		18	1					1	2	1	1	2	5	5	6	17
		C 6	2	1	3												1	2	3
82a	Cerebral hemorrhage	W 1,185	657	57	471	1						1	1	1	10	25	126	252	767
		C 362	221	14	127								1		8	43	82	124	102
82b	Cerebral embolism and thrombosis	W 87	39	4	44	1								1			14	19	52
		C 13	7	1	5									2	2	3	1	2	2
82c	Softening of brain	W 8	4		4												1		7
		C 2	2																1
82d	Hemiplegia and other paralysis, cause unspecified	W 49	15	8	26												2	8	39
		C 14	7		7												2	4	7
83	General paralysis of insane	W 39	6	1	32										3	10	16	7	3
		C 26	7		19										4	10	9	2	1
84	Dementia praecox and other psychoses	W 4			4													2	2
		C 9			9								1		4	3			1
85	Epilepsy	W 23	5	1	17	1				2		4	3	2	4	3			3
		C 11	6		5					1		2	1	1	1	3	1	1	
86	Convulsions (under 5 years of age)	W 10	2		8	6	3	1											
		C 7			7	6				1									
87	Other diseases of nervous system	W 52	28	5	19	1		1			2	2		1	4	2	6	9	24
		C 9	1	2	6		1					1	1			1		3	2
88	Diseases of organs of vision	W 1	1													1			
89a	Diseases of ear	W 33	26	1	6	9	1	2	1		5	2	1		2	4	5	1	
		C 3	2		1		1						1		1				
89b	Diseases of mastoid process	W 21	21			4		2	1	1	2	3	2		2	1	3		
		C 4	4								1	1	1				1		
	VII.—Diseases of the circulatory system	White 4,068	2,369	198	1,501	4	1		1		5	13	21	20	45	159	422	788	2,586
		Colored 807	428	52	327	2	2			1	1	1	5	6	39	91	161	206	291
90	Pericarditis	W 4	2	1	1	1											1		2
		C 1			1														1
91a	Acute endocarditis	W 26	16	1	9							3		2	5	2	7	3	4
		C 8	4		4		1			1			1			3	1	1	
91b	Endocarditis, unspecified (under 45 years)	W 1	1													1			
92a	Endocarditis, specified as chronic, and other valvular diseases	W 882	484	37	361	1					3	10	10	6	15	55	80	168	533
		C 213	111	19	83								1	3	14	37	49	53	55
92b	Endocarditis, unspecified (45 years and over)	W 16	5	1	10												2	3	11
		C 3	3														1	2	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
93a	Acute myocarditis	W	80	55	4	21	1			1				4			5	12	17	40
		C	30	13	4	13	1	1						1		3	3	5	5	11
93b	Myocarditis, unspecified (under 45 years)	W	5	4		1									1		4			
		C	3	1		2										2	1			
93c	Chronic myocarditis and myocardial degeneration	W	1,192	679	75	438						1		1	2	8	33	100	210	836
		C	209	107	15	87							1	2		3	16	37	57	93
93d	Other diseases of myocardium	W	418	299	11	108									1	1	10	50	82	274
		C	78	56	2	20									1	3	6	14	27	27
94a	Angina pectoris	W	307	180	15	112										1	17	55	84	150
		C	19	4	1	14										1	2	3	7	6
94b	Disease of coronary arteries	W	250	151	14	85									2	3	7	48	75	114
		C	19	11	2	6										2	3	5	4	5
95a	Functional diseases of heart	W	7	3	3	1												1	3	3
95b	Other and unspecified diseases of heart	W	480	302	8	170		1				1		5	6	8	22	48	99	290
		C	148	93	4	51	1								2	9	18	35	32	51
96	Aneurysm (except of heart)	W	16	8	1	7												3	6	7
		C	3	1		2												2	1	
97	Arteriosclerosis (coronary arteries excepted)	W	343	156	23	164												9	33	301
		C	65	20	5	40											1	7	16	41
98	Gangrene	W	13	3	1	9	1									2				10
		C	4	2		2						1						2		1
99	Other diseases of the arteries	W	10	6	2	2											1	1	2	6
		C	1			1										1				
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	13	12		1										1	2	5	2	3
		C	2	1		1										1			1	
101	Diseases of lymphatic system (lymphangitis, etc.)	W	1	1										1						
102	Idiopathic anomalies of blood-pressure	W	2	2												1				1
103	Other diseases of circulatory system	W	2		1	1													1	1
		C	1	1													1			
	VIII.—Diseases of the respiratory system	White	1,209	813	49	347	167	43	17	9	13	33	16	22	24	66	94	128	153	424
		Colored	547	370	20	157	141	41	6	6	2	7	6	11	27	54	61	65	50	69
104a	Diseases of nasal fossae	W	4	2		2	2		1										1	
		C	6	1		5	5									1				
104b	Diseases of nasal fossae and annexa	W	11	9	1	1						2	1	4	1	1	2			
		C	3	2		1										2	1			
105	Diseases of larynx	W	4	2		2	1				1	1					1			
		C	1	1				1												
106a	Acute bronchitis	W	19	8		11	4	3	1			1							2	8
		C	6	1	1	4	4								1				1	
106b	Chronic bronchitis	W	32	22		10	1	1									1	4	7	18
		C	5	2		3		1											1	3
106c, d	Bronchitis, unspecified	W	8	4		4	2												1	5
		C	4	1	1	2	4													
107a	Bronchopneumonia	W	527	378	15	134	114	28	5	5	5	13	5	2	8	17	30	30	42	223
		C	213	133	7	73	82	22	3	3	2	3		4	4	14	12	19	14	31
107b	Capillary bronchitis	W	8	2		6	5		1	1								1		
		C	3	1		2	2	1												
108	Lobar pneumonia	W	497	326	25	146	35	11	9	2	4	14	8	12	13	40	55	74	82	138
		C	280	219	11	50	41	13	3	3		4	4	6	21	35	46	43	33	27
109	Pneumonia, unspecified	W	6	1	1	4	1									1	1	1		2
		C	8	1		7	3	3								1				1
110	Pleurisy	W	29	21		8				1	3	2	1	2	1	2	3	3	4	7
		C	11	5		6							2	1	1		1	2		4
111a	Pulmonary embolism and thrombosis	W	10	6	1	3										2		2	3	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	6		2	4	1													5
		C	2	1		1													1	1
112	Asthma	W	27	18	3	6							1			1	1	7	6	11
		C	1	1																1
113	Pulmonary emphysema	W	2	2															1	1
114	Other diseases of respiratory system (tuberculosis excepted)	W	19	12	1	6	1							2	1	2		6	4	3
		C	4	1		3										1	1	1		1
	IX.—Diseases of the digestive system	White	909	637	58	214	144	41	12	8	7	23	14	12	19	48	94	132	149	205
		Colored	273	157	18	98	83	14	5	1	1	5	6	10	8	17	28	35	35	22
115a	Diseases of pharynx, tonsils	W	56	38	3	15	3	3	3	1	2	5	3		4	6	7	7	6	5
		C	10	6	1	3	1	1	1			1	1		1	1	1	2		
115b	Diseases of buccal cavity and annexa	W	7	4		3						1			1		2	2	1	
		C	4	4												2	1	1		
116	Diseases of esophagus	W	1	1															1	
117a	Ulcer of stomach	W	53	41	5	7								1	1	3	18	14	9	7
		C	11	7		4										1	2	3	5	
117b	Ulcer of duodenum	W	18	14	3	1										1	1	4	9	3
		C	2	1		1										1			1	
118	Other diseases of stomach (cancer excepted)	W	20	10		10	4									1	3	3	3	6
		C	20	7	4	9	3	2			1					3	2	7	2	
119	Diarrhea, enteritis (under 2 years of age)	W	153	75	11	67	119	34												
		C	87	32	4	51	76	11												
120	Diarrhea, enteritis (2 years and over)	W	51	17	5	29			5	2	1	5	2	1		4	2	2	7	20
		C	17	10	1	6			3	1		1			1	1	3	1	3	2
121	Appendicitis	W	159	143	9	7			4	5	4	8	8	8	9	14	17	33	29	20
		C	24	18	1	5						3	5	5		2	3	1	3	1
122a	Hernia	W	62	54	1	7	1										7	9	20	25
		C	20	15	3	2	1							1	1		2	4	4	7
122b	Intestinal obstruction	W	82	66	8	8	11	2				3	1	2	2	6	10	11	12	22
		C	36	25	3	8	2		1					1	1	4	5	9	7	6
123	Other diseases of intestines	W	15	11	1	3	2											3	5	5
		C	1			1													1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
				10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
124	Cirrhosis of liver	W	114	71	5	38		1								3	11	22	24	53
		C	17	13		4											2	6	5	3
125a	Yellow atrophy of liver	W	2	1	1												1	1		
		C	4	4										1	2		1			
125b	Other diseases of liver	W	7	3	1	3										2			3	2
		C	3	2		1									1		2			
126	Biliary calculi	W	42	37	1	4										1	7	11	9	14
		C	4	3		1												1	2	1
127	Other diseases of gall-bladder, biliary passages	W	46	33	4	9									2	5	1	9	8	21
		C	4	4													1		2	1
128	Diseases of pancreas	W	8	8												1	4		2	1
		C	2		1	1											2			
129	Peritonitis, cause not specified	W	13	10		3	4	1				1				1	3	1	1	1
		C	7	6		1									2	1	2	1		1
	X.—Diseases of the genito-urinary system	White	2,021	1,210	106	705	6	2	2	1	2	5	5	7	11	36	103	197	366	1,276
		Colored	570	349	35	186	2					4	1	4	7	30	44	125	157	194
130	Acute nephritis (including unspecified under 10 years)	W	45	20	4	21	4	2	2		1	2	2		1	3	7	3	8	10
		C	32	11	3	18						1	1		3	8	4	4	6	5
131	Chronic nephritis	W	1,769	1,041	95	633						3	2	5	5	26	81	175	322	1,149
		C	474	294	25	155						2		1	3	15	36	107	136	172
132	Nephritis, unspecified (10 years and over)	W	27	11		16											1	1	9	15
		C	15	10	2	3											1	4	6	4
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	37	24	2	11	2			1			1	1	1		4	8	3	16
		C	14	9		5	2					1		1		4		4	2	
134	Calculi of urinary passages	W	15	10	1	4								1	1	2	2		3	6
		C	1	1														1		
135	Diseases of bladder (tumors excepted)	W	2	1		1												1		1
		C	3	1	2													1	1	1
136	Diseases of urethra, urinary abscess, etc	W	2	2														1	1	
		C	3	2	1											2			1	
137	Diseases of prostate	W	94	76	3	15												3	17	74
		C	20	14	1	5												3	5	12
138	Diseases of male genital organs, not specified as venereal	W	3	2		1					1						1		1	
139a	Cysts of ovary	W	6	6													3	1	1	1
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	12	10	1	1									3	3	4	1		1
		C	6	5	1									2			3	1		
139c	Diseases of uterus	W	7	5		2										1		3		3
		C	2	2											1	1				
139e	Other diseases of female genital organs	W	2	2												1			1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	98	73	9	16								11	17	43	27			
		Colored	39	23	5	11								15	7	8	7	2		
140	Abortion with septic conditions	W	21	17	1	3								2	3	12	4			
		C	4	3	1									2		2				
141	Abortion without mention of septic conditions (includes hemorrhages)	W	8	4	2	2								3	1	2	2			
142a	Ectopic gestation, septic conditions specified	W	2	2											1	1				
142b	Ectopic gestation, septic conditions not mentioned	W	5	5											1	1	3			
		C	2	2												1	1			
143	Other accidents of pregnancy (hemorrhage not included)	C	1		1									1						
144a	Placenta praevia	W	1	1												1				
		C	1			1									1					
144b	Other puerperal hemorrhages	W	6	4	1	1										3	3			
		C	1			1											1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	12	9		3								2	2	7	1			
		C	10	7	1	2								3	2	2	2	1		
146	Puerperal albuminuria and eclampsia	W	21	15	3	3								1	6	8	6			
		C	13	7	1	5								7	2	2	1	1		
147	Other toxemias of pregnancy	W	3	3										1	1	1				
		C	1			1									1					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	2			2											2			
149	Other accidents of childbirth	W	17	13	2	2								2	2	7	6			
		C	6	4	1	1								2	1	1	2			
	XII.—Diseases of the skin and cellular tissue	White	24	15	1	8	2	2					3			2	1	6	3	5
		Colored	6	4	1	1	1		1									3		1
151	Furuncle, carbuncle	W	4	2		2											1		2	1
152	Phlegmon, acute abscess	W	9	9			1	1					2			1		3		1
		C	2	2														2		
153	Other diseases of skin and annexa, and of cellular tissue	W	11	4	1	6	1	1					1			1		3	1	3
		C	4	2	1	1	1		1									1		1
	XIII.—Diseases of the bones and organs of locomotion	White	22	20		2	1			1	2	3	6	2	2	1		1	1	2
		Colored	9	6	1	2						1		3	1		1	1	1	1
154	Osteomyelitis	W	15	15						1	2	3	4	2	1	1			1	
		C	7	4	1	2						1		2	1		1	1		1
155	Other diseases of bones (tuberculosis excepted)	W	3	2		1									1			1		1
		C	1	1															1	
156	Diseases of joints, other organs of locomotion	W	4	3		1	1						2							1
		C	1	1										1						

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	XIV.—Congenital malformations—White	153	99	13	41	142	7	1			3								
	XIV.—Congenital malformations—Colored	30	15		15	26	2				1			1					
157a	Congenital hydrocephalus—W	17	15	1	1	15	1				1								
	Congenital hydrocephalus—C	2	2			1								1					
157b	Spina bifida and meningocele—W	7	5	1	1	6	1												
	Spina bifida and meningocele—C	3	2		1	3													
157c	Congenital malformations of heart—W	100	56	9	35	95	3	1			1								
	Congenital malformations of heart—C	21	10		11	18	2				1								
157d	Other congenital malformations—W	29	23	2	4	26	2				1								
	Other congenital malformations—C	4	1		3	4													
	XV.—Diseases of early infancy—White	521	309	48	164	521													
	XV.—Diseases of early infancy—Colored	273	145	18	110	273													
158	Congenital debility—W	25	7	4	14	25													
	Congenital debility—C	36	12	5	19	36													
159	Premature birth—W	352	214	27	111	352													
	Premature birth—C	181	97	12	72	181													
160	Injury at birth—W	82	51	10	21	82													
	Injury at birth—C	26	19		7	26													
161	Other diseases peculiar to early infancy—W	62	37	7	18	62													
	Other diseases peculiar to early infancy—C	30	17	1	12	30													
162	XVI.—Senility—White	23	9	2	12													1	22
	XVI.—Senility—Colored	11	1	1	9													1	10
	XVII.—Violent and accidental deaths—White	1,398	823	97	478	18	16	8	13	14	46	39	81	106	174	170	193	175	341
	XVII.—Violent and accidental deaths—Colored	351	180	32	139	8	7		4	3	21	10	21	44	89	63	40	18	22
	Suicide—W	280	180	15	85								8	18	33	54	58	58	51
	Suicide—C	17	8	2	7									3	6	5	3		
163	By solid or liquid poisons or by absorption of corrosive substances—W	34	26	3	5								2	3	6	5	8	5	5
	By solid or liquid poisons or by absorption of corrosive substances—C	5	3	1	1									1	2	1	1		
164	By poisonous gas—W	72	58	2	12								2	4	9	16	16	20	5
	By poisonous gas—C	2	2												1	1			
165	By hanging or strangulation—W	28	16		12									1	1	5	6	4	11
	By hanging or strangulation—C	4	1		3									1	1	1	1		
166	By drowning—W	7	2	2	3										1	2	2	1	1
	By drowning—C	1	1												1				
167	By firearms—W	114	58	7	49								3	10	12	24	21	20	24
	By firearms—C	4	1	1	2									1	1	1	1		
168	By cutting or piercing instruments—W	11	8	1	2										1		3	3	4
169	By jumping from high places—W	10	10										1		2	2	1	3	1
170	By crushing—W	1			1													1	
171	By other means—W	3	2		1										1			1	1
	By other means—C	1			1											1			
	Homicide—W	60	30	4	26	1					2		3	4	16	16	13	3	
	Homicide—C	88	49	9	30							2	4	22	28	19	8	3	2
173	By firearms—W	35	16	3	16						1		2	2	12	9	8	1	
	By firearms—C	47	22	7	18							2		10	20	11	4		
174	By cutting or piercing instruments—W	8	4		4									1		2	3	2	
	By cutting or piercing instruments—C	27	20		7								2	9	6	5	2	2	1
175	By other means—W	17	10	1	6	1					1		1	1	4	5	2		
	By other means—C	14	7	2	5								2	3	2	3	2	1	1
	Accidental, other, or undefined—W	1,058	613	78	367	17	16	8	13	14	44	39	70	84	125	100	122	114	290
	Accidental, other, or undefined—C	246	123	21	102	8	7		4	3	21	8	17	19	55	39	29	15	20
177	Poisoning by food—W	3	3								1						1	1	
	Poisoning by food—C	3	1		2									1	1	1			
178	Absorption of poisonous gas—W	41	35		6	2					1			2	3	11	6	6	10
	Absorption of poisonous gas—C	1	1														1		
179	Other acute accidental poisonings (gas excepted)—W	13	6	1	6	1	1	1	1		1		1	1	3		1	2	
	Other acute accidental poisonings (gas excepted)—C	4	2	1	1		2		1					1					
180	Conflagration—W	10	8		2								1	1	1	1	1	1	3
	Conflagration—C	8	4	2	2	1					2	1			1	1		1	1
181	Burns (conflagration excepted)—W	43	28	6	9		2	1	5	2	4	2		2	3	2	4	4	12
	Burns (conflagration excepted)—C	24	18	4	2	1	2		3	1	6				2	2		1	5
	Supplemental—W	10	6	2	2									2	1		4	3	
	Supplemental—C	1			1											1			
182	Mechanical suffocation—W	9	3		6	5	1				1				1		1		
	Mechanical suffocation—C	4			4	2									2				
	Supplemental—W	1			1										1				
183	Drowning—W	119	35	4	80		3	1	1	1	9	16	18	11	16	15	13	9	6
	Drowning—C	36	13	1	22						2	4	1	5	10	8	3	3	
	Supplemental—W	16	6		10			1				1	2	4	2	2	1	2	1
	Supplemental—C	9	2		7								2		4	1	1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)—W	24	10	4	10						1	5	6	3	6	1	1	1	
	By firearms (wounds of war excepted)—C	8	2	1	5					1	1		3		1	1		1	
185	By cutting or piercing instruments (wounds of war excepted)—W	4	2		2	1									2				1
	By cutting or piercing instruments (wounds of war excepted)—C	4	3		1									1	2	1			
	Supplemental—W	2			2								1					1	
	Supplemental—C	1			1														1
186a	By fall—W	251	161	20	70	2	3				2	3	3	2	5	12	15	26	178
	By fall—C	26	17		9	2	1				1		1	1	7	4	4	2	3
	Supplemental—W	22	14	1	7		1		1		1		4	1	1	2	1	5	5
	Supplemental—C	8	4		4							1	2		2	1	1	1	
186b	By crushing, landslide—W	3	2		1							1					1		1
	Supplemental—W	61	29	5	27		1	1	3	2	5	1	4	7	10	10	6	4	6
	Supplemental—C	8	4	1	3								1	1	2	2	1	1	
188	Injuries by animals—W	6	2		4		1				1	1					1	2	
190	Excessive cold—W	4	1	1	2											2		1	1
	Excessive cold—C	5	2		3	1								1	1				2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Cont.																		
191	Excessive heat W	8	7		1	1		1							1	1	2	1	1
	C	8	7		1										1	4	2		1
192	Lightning W	1			1												1		
193	Due to electric currents W	10	5	1	4							1	1		5	1	2		
	Supplemental W	1	1												1				
194a	Foreign bodies W	3	3			2											1		
	C	2	1		1	1	1												
194b	Other accidents W	32	15	8	9	2				1	1	2	2	3	7	2	4	5	3
	C	8	3	2	3									2	2	3	1		
	Supplemental W	361	231	25	105	1	3	2	2	8	16	6	27	45	56	38	55	40	62
	C	77	38	9	30		1			1	9	2	7	6	17	9	15	3	7
198	Legal executions C	1	1															1	
	XVIII.—Ill-defined causes of death White	21	4	2	15	7							1		3	3		3	4
	Colored	19	1		18	8							2			1	1	5	2
199	Sudden death W	4		1	3											2		1	1
	C	1			1	1													
200a	Cause of death ill-defined W	9	1	1	7	2									2	1		2	2
	C	11	1		10	2										1	1	5	2
200b	Cause of death not specified or unknown W	8	3		5	5							1		1				1
	C	7			7	5							2						
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	4	1	1	2												3	1	
202	Accidents from agricultural machinery W	3		1	2										2		1		
203	Elevator accidents W	1	1															1	
205	Other machinery accidents W	14	9	2	3								1	1	5	1	5		1
206	Railroad and automobile collisions W	6	5		1						1	1					1	1	2
207	Other railroad accidents W	43	20	4	19				1				4	3	8	10	10	3	4
	C	12	4		8					1				1	2	4	1	1	2
208	Street car and automobile collisions W	10	9		1									1	1	1	3	2	2
209	Other street car accidents W	9	7		2									1		1	2	1	4
	C	2	2											1			1		
210	Automobile accidents (primary) W	349	217	23	109	1	5	3	5	10	20	6	29	46	51	35	40	42	55
	C	80	39	10	31		1				9	3	10	5	19	9	15	3	6
211	Motorcycle accidents W	4	3		1									1	2		1		
212	Other land transportation accidents W	10	7	2	1						1		2	1		2		1	3
	C	1	1															1	
213	Water transportation accidents W	19	8		11			1				1	2	4	2	2	1	3	3
	C	9	2		7								2		4	1	1	1	
214	Air transportation accidents W	2			2									1	1				
	MASSACHUSETTS																		
	Total deaths (all causes)	50,811	41,434	3,303	6,074	3,299	445	252	177	167	586	505	669	838	2,161	3,582	5,693	9,279	23,137
	I.—Infectious and parasitic diseases	3,626	2,765	165	696	186	103	63	44	35	113	65	175	275	548	596	524	449	449
1	Typhoid fever	23	23									1	4	1	2	6	4	3	2
2	Paratyphoid fever	2	2			1										1			
7	Measles	29	27		2	8	8	5		2	5				1				
8	Scarlet fever	110	88	9	13	2	9	16	9	7	35	14	2	5	3	6	2		
9	Whooping-cough	99	89	2	8	59	26	3	4	4	2	1							
10	Diphtheria	87	78	5	4	6	12	9	8	10	27	4	1	2	2	3	2	1	
11a	Influenza, respiratory complications specified	455	364	36	55	31	9	3		1	4	7	11	8	39	58	61	66	157
11b	Influenza, respiratory complications not specified	138	96	18	24	10	6	3	4	4	4	2	2	3	10	18	16	16	40
13	Dysentery	9	7		2	1	1									1	2	1	3
15	Erysipelas	82	76	2	4	22	2	2			2	1	1	1	2	14	13	11	11
16	Acute poliomyelitis, acute polioencephalitis	30	29	1		1	2			1	4	7	7	3	2	2	1		
17	Lethargic or epidemic encephalitis	25	18	2	5			1		1			3	5	5	5	2	2	1
18	Epidemic cerebrospinal meningitis	29	28	1		5		1		1	1	1	5	4	4	2	3	1	2
21	Rabies	1	1					1											
22	Tetanus	20	18	2			1			1	4	5		2	4	1	1		1
	Tuberculosis (all forms)	2,277	1,647	83	547	18	24	19	15	3	19	22	135	232	459	448	371	303	208
23	Respiratory system	2,062	1,486	72	504	5	8	3	6	1	5	8	122	220	437	423	349	283	191
24	Meninges and central nervous system	75	68	2	5	11	14	13	7	1	9	5	2	4		3	3	2	1
25	Intestines and peritoneum	54	38	4	12		1	1	2	1	3	4	5	3	8	10	6	6	4
26	Vertebral column	32	17		15						1	4	4	5	5	1	5	2	5
27a	Bones (vertebral column excepted)	3	1		2							1					2		
27b	Joints	7	3	1	3						1				1	1	1	2	1
28	Skin and subcutaneous cellular tissue	1	1															1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	2		1										2				1
30	Genitourinary system	23	16	3	4										4	7	4	5	3
31	Other organs	6	6										1		1	2	1		1
32a	Acute disseminated tuberculosis	8	8			2	1	2							1	1		1	
32b, c	Other disseminated tuberculosis	3	1	1	1								1					1	1
34	Syphilis	159	132	1	26	16	2	1			1		2	4	10	23	42	41	17
35	Gonococcus infection and other venereal diseases	7	5	2		1							2	2	1			1	

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
36	Purulent infection, septicemia (non-puerperal)	21	19		2	2			1	1	1			2	3	4	2	2	3
39	Other diseases due to protozoal parasites	2	2													1			1
41a	Hydatid cysts of liver	1	1			1													
41b	Hydatid cysts of other organs	2	1	1												1			1
42	Other diseases caused by helminths	2	2												1		1		
43	Mycoses	6	3		3									1		1	1	1	2
44	Other infectious and parasitic diseases	10	9		1	2	1		2		4					1			
	II.—Cancers and other tumors	6,602	5,336	397	869	4	3	7	6	3	18	18	12	24	134	480	1,036	1,801	3,051
	Cancer and other malignant tumors	6,348	5,109	387	852	2	2	5	3	1	11	10	10	15	113	431	969	1,756	3,015
(45)	Buccal cavity	192	133	5	54											5	29	53	105
(45)	Pharynx	52	38	4	10											1	7	19	25
(46)	Esophagus	151	124	3	24										1	5	26	44	75
(46)	Stomach and duodenum	1,230	1,024	76	130										10	60	176	356	627
(46)	Liver and biliary passages	371	300	29	42	1	1	1						1	3	18	45	90	211
(46)	Pancreas	208	175	10	23											14	33	75	86
(46)	Other digestive tract and peritoneum	1,298	1,059	86	153			1	1	1				3	25	66	165	340	694
47	Respiratory system	234	203	6	25			1			2	2	1	2	1	19	43	80	83
48	Uterus	641	492	44	105	1								1	26	103	124	185	200
49	Other female genital organs	162	139	7	16						1		1		5	21	35	42	57
50	Breast	681	531	55	95										16	64	139	202	260
51	Male genitourinary organs	498	393	26	79										3	9	45	109	332
52	Skin	101	70	7	24						1				1	2	9	18	70
53	Other or unspecified organs	529	428	29	72		1	2	2		7	8	8	8	22	44	93	143	190
54a	Nonmalignant tumors, ovary	6	6															3	3
54b	Nonmalignant tumors, uterus	88	80	6	2									1	7	30	35	6	9
54d, e	Nonmalignant tumors, other organs	90	81	1	8	2		2	2	1	2	5	1	4	10	13	18	15	15
55d, e	Tumors, other organs (nature unspecified)	70	60	3	7		1		1	1	5	3	1	4	4	6	14	21	9
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,575	1,323	108	144	74	2	6		5	14	31	14	17	37	69	154	397	755
56	Acute rheumatic fever	73	62	5	6			1		2	11	17	7	4	6	11	2	6	6
57	Chronic rheumatism, osteoarthritis	72	48	8	16										4	4	9	10	45
59	Diabetes mellitus	1,216	1,019	92	105		1			1	2	11	2	11	19	37	115	345	672
60	Scurvy	1	1			1													
62	Pellagra	9	8		1											3	2	2	2
63	Rickets	11	10		1	7		1				1							2
65	Diseases of pituitary body	1	1													1			
66a	Simple goiter	8	6	1	1	1										1		3	3
66b	Exophthalmic goiter	69	61	1	7								3	1	6	11	17	15	16
(66)	Other diseases of thyroid and parathyroid glands	28	27		1	4		1				1	1				5	8	8
67	Diseases of thymus gland	68	61	1	6	57	1	3		2	1	1	1	1		1			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	14	14												2		4	8	
69	Other general diseases	5	5			4													1
	IV.—Diseases of the blood and blood-making organs	400	344	21	35	19	3	3	5	5	16	8	12	12	22	43	59	80	113
70	Hemorrhagic conditions	21	20	1		12			1			1				4		1	2
71a	Pernicious anemia	101	82	9	10				2						3	7	15	19	55
71b	Other anemias	9	7	2		2	1						1					1	4
72a	True leukemias	149	135	3	11	3	2	3	2	4	11	3	6	6	8	14	26	34	27
72b	Pseudoleukemias (Hodgkin's disease)	102	85	6	11					1	4	3	4	6	10	16	15	22	21
73	Diseases of the spleen	15	12		3	1					1	1	1		1	1	2	3	4
74	Other diseases of blood and blood-making organs	3	3			1										1	1		
	V.—Chronic poisonings and intoxications	242	217	7	18		2	2						1	24	82	69	44	18
75	Alcoholism (acute or chronic)	233	208	7	18									1	22	80	68	44	18
76	Chronic poisoning by other organic substances	3	3												1	1	1		
77a	Chronic lead poisoning	6	6				2	2							1	1			
	VI.—Diseases of the nervous system and of the organs of special sense	5,129	4,018	411	700	49	28	11	17	5	55	41	36	30	90	228	522	1,042	2,971
78	Encephalitis (nonepidemic)	31	27	2	2	1	2	1	3		4	1	3	2	1	5	6	1	1
79a	Simple meningitis	62	58	1	3	9	6	4	4	3	8	5		2	6	2	4	5	4
79b	Nonepidemic cerebrospinal meningitis	3	2		1	2										1			
80	Progressive locomotor ataxia (tabes dorsalis)	33	27	2	4										2	1	9	7	14
81	Other diseases of spinal cord	128	101	11	16	1	2	1	1			2	5	2	7	15	20	26	46
82a	Cerebral hemorrhage	3,952	3,102	346	504	2	1				3	2	4	3	20	107	376	835	2,596
82b	Cerebral embolism and thrombosis	245	200	20	25		2				1		2	1	2	9	16	55	157
82c	Softening of brain	15	13	2														4	11
82d	Hemiplegia and other paralysis, cause unspecified	67	49	3	15										1		2	5	58
83	General paralysis of insane	133	106	2	25								1		8	36	40	35	13
84	Dementia praecox and other psychoses	14	12		2									2	1	2	3	4	2
85	Epilepsy	122	46	4	72		1	2	4		11	8	9	4	28	18	13	13	11
86	Convulsions (under 5 years of age)	24	21		3	14	8		2										
87	Other diseases of nervous system	140	102	14	24		1	1			4	3	5	5	6	16	14	36	49

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																	
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																	
88	Diseases of organs of vision	1	1			1												
89a	Diseases of ear	92	86	3	3	13	2		2	1	15	11	2	6	3	10	11	10	6
89b	Diseases of mastoid process	67	65	1	1	6	3	2	1	1	9	9	5	3	5	6	8	6	3
	VII.—Diseases of the circulatory system	15,567	12,307	1,170	2,090	3	3	6	2	5	36	64	80	62	252	621	1,458	2,950	10,019
90	Pericarditis	15	13		2	1	1				1			1	1	2	4		4
91a	Acute endocarditis	127	113	10	4			2		2	9	9	8	6	22	17	19	20	13
91b	Endocarditis, unspecified (under 45 years)	18	16	1	1						3	1	2	2	5	5			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,206	1,671	206	329		1	2	1	1	18	34	43	33	100	173	224	381	1,193
92b	Endocarditis, unspecified (45 years and over)	114	91	8	15												11	26	77
93a	Acute myocarditis	132	108	9	15	2			1			2	2		1	9	19	30	66
93b	Myocarditis, unspecified (under 45 years)	35	31	2	2			1		1			1		7	25			
93c	Chronic myocarditis and myocardial degeneration	4,445	3,563	286	596						1	2	7	4	28	95	306	726	3,275
93d	Other diseases of myocardium	1,408	1,169	111	128								1	1	2	7	94	248	1,054
94a	Angina pectoris	1,007	767	104	136										10	42	115	281	559
94b	Diseases of coronary arteries	1,899	1,528	135	236								1	2	13	100	274	501	1,008
95a	Functional diseases of heart	7	5		2										1			4	2
95b	Other and unspecified diseases of heart	2,688	2,228	168	292		1			1	4	15	14	12	54	125	335	602	1,523
96	Aneurysm (except of heart)	81	73	3	5										3	3	19	35	21
97	Arteriosclerosis (coronary arteries excepted)	1,268	833	115	320											2	20	81	1,165
98	Gangrene	13	10	2	1											1	3	1	8
99	Other diseases of arteries	59	49	7	3								1		3	6	5	7	37
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	32	29	2	1			1						1	1	6	8	7	8
101	Diseases of lymphatic system (lymphangitis, etc.)	2	2													1	1		
102	Idiopathic anomalies of blood-pressure	6	5		1							1				2	1		2
103	Other diseases of circulatory system	5	3	1	1										1				4
	VIII.—Diseases of the respiratory system	4,439	3,778	238	423	565	181	67	35	32	77	57	69	63	225	385	446	599	1,637
104a	Diseases of nasal fossae	5	4		1	2		1							1				1
104b	Diseases of nasal fossae and annexa	30	28	1	1	1					2	2	4	5	4	5	4	2	1
105	Diseases of larynx	21	19		2	1	6	4	1	3	3	1		1				1	
106a	Acute bronchitis	67	49	8	10	11	1	2		1	1					2	5	5	39
106b	Chronic bronchitis	87	67	4	16		1		1						4	5	7	12	57
106c, d	Bronchitis, unspecified	43	32	4	7	8	2	1		1		1			1		2	3	24
107a	Bronchopneumonia	2,042	1,750	102	190	431	109	38	21	12	27	18	21	13	57	102	130	208	854
107b	Capillary bronchitis	7	3	1	3	2								1		1			3
108	Lobar pneumonia	1,856	1,601	93	162	91	52	19	10	14	38	29	32	36	148	238	255	333	561
109	Pneumonia, unspecified	36	22	6	8	7	1				2	1	1	2	1	5	1	1	14
110	Pleurisy	102	92	7	3	7	8	1	2	1	4	1	7	3	4	15	18	9	22
111a	Pulmonary embolism and thrombosis	30	26	2	2											1	9	6	14
111b	Pulmonary congestion, edema, hemorrhagic infarct	35	24	6	5							1	1	1		2	2	3	25
112	Asthma	37	30	4	3	1	1	1				1	3	1	1		8	8	12
113	Pulmonary emphysema	3	3												1		1		1
114	Other diseases of respiratory system (tuberculosis excepted)	38	28		10	3						2			3	9	4	8	9
	IX.—Diseases of the digestive system	2,755	2,505	126	124	187	40	37	24	32	84	71	65	64	194	289	432	559	674
115a	Diseases of pharynx and tonsils	168	138	8	12	3	5	3	6	6	10	9	3	7	19	21	24	22	20
115b	Diseases of buccal cavity and annexa	18	18			1		1							1	2	3	7	3
116	Diseases of esophagus	9	9														2	4	3
117a	Ulcer of stomach	185	164	15	6									1	11	26	60	40	45
117b	Ulcer of duodenum	119	112	4	3						1			2	15	13	25	31	32
118	Other diseases of stomach (cancer excepted)	28	20	5	3	3	2		1	1		1		1	1	2	2	7	7
119	Diarrhea, enteritis (under 2 years of age)	171	152	5	14	151	20												
120	Diarrhea, enteritis (2 years and over)	74	61	4	9			11	3	2	2	3	2	1	10	7	9	11	13
121	Appendicitis	641	612	21	8		4	14	10	19	57	53	48	32	81	81	100	77	65
122a	Hernia	225	200	14	11	1	1							2	3	13	30	51	124
122b	Intestinal obstruction	197	177	7	13	16	5	5			6	3	8	3	10	17	23	32	69
123	Other diseases of intestines	54	48	4	2	1				2				3	1	4	15	13	15
124	Cirrhosis of liver	344	298	20	26			1			1	1	3	2	12	35	60	103	126
125a	Yellow atrophy of liver	29	27	1	1			1					1	1	4	3	9	7	3
125b	Other diseases of liver	31	30		1	2	1		1					3	1	4	6	9	4
126	Biliary calculi	238	228	7	3									1	7	36	31	75	88
127	Other diseases of gall-bladder, biliary passages	149	128	10	11									2	12	18	23	46	47
128	Diseases of pancreas	32	31		1									1		4	5	15	7
129	Peritonitis, cause not specified	53	52	1		9	2	1	3	2	7	1		2	6	3	5	9	3
	X.—Diseases of the genitourinary system	4,123	3,416	266	441	8	5	2			12	16	27	41	100	257	453	835	2,366
130	Acute nephritis (including unspecified under 10 years)	86	71	5	10	2	1				5	2	6	7	7	22	13	8	13
131	Chronic nephritis	3,353	2,734	234	385	1	1	1			4	10	11	20	61	170	377	718	1,978
132	Nephritis, unspecified (10 years and over)	100	80	5	15							2		1	6	14	6	13	58
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	112	97	3	12	5	3	1			3	2	7	3	5	12	21	13	37
134	Calculi of urinary passages	49	42	4	3										2	9	8	12	18

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																	
	X.—Diseases of the genitourinary system—Continued.																	
135	Diseases of bladder (tumors excepted)	13	12		1									1	1	3	1	4
136	Diseases of urethra, urinary abscess, etc.	11	11														3	4
137	Diseases of prostate	298	270	14	14										1	3	49	244
139a	Cysts of ovary	22	22											1		5	5	6
139b	Other diseases of ovaries, diseases of tubes and parametrium	42	40	1	1								3	8	9	10	7	3
139c	Diseases of uterus	32	32												8	10	5	5
139e	Other diseases of female genital organs	5	5													1	4	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	425	406	10	9								19	74	200	130	2	
140	Abortion with septic conditions	47	44	1	2								2	9	26	10		
141	Abortion without mention of septic conditions (includes hemorrhages)	17	17											3	10	4		
142a	Ectopic gestation, septic conditions specified	5	5												5			
142b	Ectopic gestation, septic conditions not mentioned	22	20	2									1	3	9	9		
143	Other accidents of pregnancy (hemorrhage not included)	1	1											1				
144a	Placenta praevia	16	16										1		8	7		
144b	Other puerperal hemorrhages	38	35	1	2									4	20	13	1	
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	83	83										7	23	30	23		
146	Puerperal albuminuria and eclampsia	48	44	3	1								3	10	16	18	1	
147	Other toxemias of pregnancy	20	18	1	1								1	2	11	6		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	25	23	1	1									5	10	10		
149	Other accidents of childbirth	99	96	1	2								4	13	54	28		
150	Other and unspecified conditions of puerperal state	4	4											1	1	2		
	XII.—Diseases of the skin and cellular tissue	79	68	4	7	17	4				1		5	1	10	5	10	12	14
151	Furuncle, carbuncle	24	22	1	1	3					1		3		3	3	2	7	2
152	Phlegmon, acute abscess	30	26	2	2	7	2						1		5	2	6	3	4
153	Other diseases of skin and annexa, and of cellular tissue	25	20	1	4	7	2						1	1	2		2	2	8
	XIII.—Diseases of the bones and organs of locomotion	53	46	3	4	2	1		1	2	11	5	3	1	4	3	3	8	9
154	Osteomyelitis	35	29	3	3	1	1		1	2	8	5	3	1	1	3	2	4	3
155	Other diseases of bones (tuberculosis excepted)	9	8		1						1							2	6
156	Diseases of joints, other organs of locomotion	9	9			1					2				3		1	2	
	XIV.—Congenital malformations	589	506	45	38	505	28	11	3	4	13	10	2	1	4	4	2	2	
157a	Congenital hydrocephalus	87	77	4	6	68	6	2	2	1	4	2			2				
157b	Spina bifida and meningocele	67	56	4	7	63	1			1	1		1						
157c	Congenital malformations of heart	285	237	33	15	244	15	4	1	1	5	7	1		2	4	1		
157d	Other congenital malformations	150	136	4	10	130	6	5		1	3	1		1			1	2	
	XV.—Diseases of early infancy	1,632	1,479	84	69	1,632													
158	Congenital debility	57	40	4	13	57													
159	Premature birth	998	919	44	35	998													
160	Injury at birth	350	323	20	7	350													
161	Other diseases peculiar to early infancy	227	197	16	14	227													
162	**XVI.—Senility**	52	32	10	10													3	49
	XVII.—Violent and accidental deaths	3,463	2,838	235	390	34	42	36	40	39	136	118	150	172	316	386	515	487	992
	Suicide	598	475	41	82							1	9	25	66	113	159	108	117
163	By solid or liquid poisons or by absorption of corrosive substances	61	56	1	4								1	4	10	14	14	9	9
164	By poisonous gas	166	143	9	14								1	6	14	35	44	34	32
165	By hanging or strangulation	113	77	14	22								4	3	14	14	29	22	27
166	By drowning	66	47	5	14									1	4	17	18	12	14
167	By firearms	113	86	7	20							1	3	8	14	15	33	18	21
168	By cutting or piercing instruments	39	28	5	6									1	4	5	14	7	8
169	By jumping from high places	32	32											2	5	9	5	5	6
170	By crushing	4	3		1											2	2		
171	By other means	4	3		1										1	2		1	
	Homicide	106	90	4	12	3			1	1	5	2	6	12	26	21	13	10	6
173	By firearms	44	35	1	8						1	1	3	5	12	10	6	5	1
174	By cutting or piercing instruments	11	11										2	1	4	1	1	1	1
175	By other means	51	44	3	4	3			1	1	4	1	1	6	10	10	6	4	4
	Accidental, other, or undefined	2,759	2,273	190	296	31	42	36	39	38	131	115	135	135	224	252	343	369	869
176	Attack by venomous animals	2	2												1	1			
177	Poisoning by food	7	5	1	1						1		1			1	1	1	2
178	Absorption of poisonous gas	101	89	6	6	1						2	1	2	10	10	25	24	26
	Supplemental	3	3										1		1	1			
179	Other acute accidental poisonings (gas excepted)	38	34	2	2		5							4	3	9	5	8	4
180	Conflagration	32	22		10		1	1		1	3	1	3		2	5	5	3	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
181	Burns (conflagration excepted)	123	108	8	7	6	11	5	7	5	9	4	1	1	11	13	17	11	22
	Supplemental	8	7		1									1	4	1	1	1	
182	Mechanical suffocation	35	33	1	1	16	1					1	2		1	2	7	4	1
	Supplemental	1	1											1					
183	Drowning	219	144	24	51		5	6	5	5	28	33	35	17	18	21	15	18	13
	Supplemental	40	23	1	16						2	5	11	2	9	3	2	3	3
	Traumatism:																		
184	By firearms (wounds of war excepted)	30	18	2	10						1	3	7	7	5	5	1	1	
185	By cutting or piercing instruments (wounds of war excepted)	26	25		1		2				1	1	2	3	2	3	6	3	3
	Supplemental	7	4		3										3	2		2	
186a	By fall	935	812	47	76		4	6	5	2	14	9	7	7	24	43	86	125	603
	Supplemental	68	56	4	8		2				1	6	3	8	8	11	9	11	9
186b	By crushing, landslide	7	7												2	1	2	1	1
	Supplemental	137	111	15	11		2	5	1	7	6	5	6	11	23	20	21	20	10
188	Injuries by animals	7	3	1	3			1	1							1	2		2
190	Excessive cold	4	3	1														1	3
191	Excessive heat	7	6	1					1						1		4		1
192	Lightning	7	2		5										1	3	3		
193	Due to electric currents	14	9	1	4						1		1		3	6	1	1	1
	Supplemental	1	1														1		
194a	Foreign bodies	41	38	2	1	3	5	2	2	1					2	8	5	9	4
194b	Other accidents	112	98	5	9	5	3	1			2	9	6	6	12	14	17	15	22
	Supplemental	747	609	68	70		1	9	17	17	62	36	48	65	78	68	107	107	132
	XVIII.—Ill-defined causes of death	60	50	3	7	14		1				1			1	4	8	11	20
199	Sudden death	11	9	1	1	1		1								1	3	4	1
200a	Cause of death ill-defined	43	36	2	5	7						1			1	3	5	7	19
200b	Cause of death not specified or unknown	6	5		1	6													
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	1	1										1						
202	Accidents from agricultural machinery	6	3	1	2									1	2			2	1
203	Elevator accidents	15	14		1							2	2	2	2		3	3	1
205	Other machinery accidents	18	13		5					1					3	7	3	2	2
206	Railroad and automobile collisions	16	5	9	2				1		2	2	4		2	2	1	2	
207	Other railroad accidents	67	51	7	9						4	7	2	1	9	15	7	11	11
208	Street car and automobile collisions	2	2												1	1			
209	Other street car accidents	17	16		1			1	2		1	1			1	1	3	3	4
210	Automobile accidents (primary)	801	668	66	67		4	13	15	22	61	32	45	79	93	74	119	116	128
211	Motorcycle accidents	4	4										3	1					
212	Other land transportation accidents	17	12	2	3		1			1	2	3		1	2		1	2	4
213	Water transportation accidents	41	24	2	15						1	5	12	2	8	3	4	3	3
214	Air transportation accidents	7	2	1	4									1	3	3			
	MICHIGAN																		
	Total deaths (all causes)	48,538	26,442	4,451	17,643	4,090	503	300	244	198	763	563	870	1,140	2,709	4,113	5,622	7,022	20,349
	I.—Infectious and parasitic diseases	4,488	2,600	330	1,558	311	141	90	69	57	213	107	241	352	698	672	589	377	565
1	Typhoid fever	53	24	6	23		1			1	3	3	5	8	2	12	7	3	8
2	Paratyphoid fever	1	1											1					
5	Undulant fever	3	3								1							2	
7	Measles	115	76	9	30	27	24	12	9	3	28	5	2	1	1		3		
8	Scarlet fever	166	89	10	67	4	10	11	14	12	53	15	13	6	13	11	4		
9	Whooping-cough	152	88	17	47	94	25	17	7	4	3	1	1						
10	Diphtheria	114	83	4	27	2	12	8	7	9	35	16	7	2	6	2	5	1	2
11a	Influenza, respiratory complications specified	531	255	53	223	50	16	12	5	4	7	6	17	9	43	71	52	58	180
11b	Influenza, respiratory complications not specified	318	120	38	160	39	8	5	3	3	9	7	11	6	17	19	29	23	138
13	Dysentery	17	11	2	4	6	2	1					1				2	1	4
15	Erysipelas	90	59	7	24	25	1	1			2	3	3	1	1	5	15	9	24
16	Acute poliomyelitis, acute polioencephalitis	5	1	1	3				2				2		1				
17	Lethargic or epidemic encephalitis	38	20	2	16				1		1	2	2	1	6	5	8	5	7
18	Epidemic cerebrospinal meningitis	39	26	5	8	9	3	1	2	2	5	4	4	3	1	4		1	
20	Anthrax (bacillus anthracis) malignant pustule	1	1									1							
22	Tetanus	32	21	3	8	2	1		4	2	8	2	4	1	3		4		1
	Tuberculosis (all forms)	2,371	1,445	141	785	19	32	20	13	15	51	38	164	297	555	455	358	192	160
23	Respiratory system	2,044	1,222	118	704	4	11	4	2	3	13	23	145	270	506	417	331	175	138
24	Meninges and central nervous system	107	76	6	25	8	15	10	4	6	22	7	4	7	6	9	6	1	2
25	Intestines and peritoneum	46	25	6	15		1				1	3	2	5	10	9	6	3	6
26	Vertebral column	40	25	3	12			1	1		4		3	4	11	4	3	3	6
27a	Bones (vertebral column excepted)	6	3		3					1		2			1	1			1
27b	Joints	7	4		3						1				2	1		1	2
28	Skin and subcutaneous cellular tissue	1	1												1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	5	3		2	1		1			1					1		1	

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																	
	I.—Infectious and parasitic diseases—Continued.																	
	Tuberculosis (all forms)—Continued.																	
30	Genitourinary system	31	18	2	11					1	1			2	4	9	6	5	3
31	Other organs	4	4						1						2				1
32a	Acute disseminated tuberculosis	75	63	5	7	6	5	3	5	4	8	3	9	8	11	4	6	2	1
32b,c	Other disseminated tuberculosis	5	1	1	3				1				1	1	1			1	
34	Syphilis	338	219	18	101	26	2		1		1		3	6	31	70	92	70	34
35	Gonococcus infection and other venereal diseases	31	19	3	9								2	6	9	9		4	1
36	Purulent infection, septicemia (non-puerperal)	40	16	10	14	4	1	1		1	3	3		2	8	3	5	5	4
38	Malaria	2	1		1											1	1		
39	Other diseases due to protozoal parasites	3	3			1											1	1	
41a	Hydatid cysts of liver	3	2		1												1	2	
42	Other diseases caused by helminths	3	3											1		1		1	
43	Mycoses	12	8		4	1				1		1		1	1	3	1	1	2
44	Other infectious and parasitic diseases	10	6	1	3	2	3	1	1		3								
	II.—Cancers and other tumors	5,200	2,834	487	1,879	5	2	8	8	3	18	17	22	32	148	462	896	1,196	2,379
	Cancer and other malignant tumors	4,955	2,647	470	1,838	3	1	3	6	3	13	13	18	24	112	407	836	1,162	2,350
(45)	Buccal cavity	152	71	6	75						1		1		3	5	18	31	93
(45)	Pharynx	43	20	4	19										1	1	4	14	23
(46)	Esophagus	69	48	1	20											3	15	21	30
(46)	Stomach and duodenum	1,111	529	114	468							1			5	62	145	266	630
(46)	Liver and biliary passages	386	174	43	169						1	1			6	14	48	87	229
(46)	Pancreas	127	85	12	30								1	2	2	14	17	38	53
(46)	Other digestive tract and peritoneum	747	417	67	263	1					1	1	1	4	17	61	102	174	385
47	Respiratory system	166	106	10	50							2	1		7	18	51	46	41
48	Uterus	605	359	58	188							1		3	29	92	162	141	177
49	Other female genital organs	102	68	15	19								2	1	5	10	35	21	28
50	Breast	506	293	42	171									1	10	65	118	151	160
51	Male genitourinary organs	441	234	55	152	1		1	2	1	2		4	2	6	11	44	88	279
52	Skin	115	31	12	72								2		1	4	8	19	81
53	Other or unspecified organs	385	212	31	142	1	1	2	4	2	8	7	6	11	20	47	69	65	141
54a	Nonmalignant tumors, ovary	5	5											2	2		1		
54b	Nonmalignant tumors, uterus	84	60	7	17										10	34	25	6	9
54d,e	Nonmalignant tumors, other organs	43	36	2	5	1	1		1		1	2	2	4	6	2	9	10	4
55a	Tumors, ovary (nature unspecified)	2	1	1												1	1		
55d,e	Tumors, other organs (nature unspecified)	111	85	7	19	1		5	1		4	2	2	2	18	18	24	18	16
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,671	969	188	514	106	14	6	2	5	24	25	21	15	62	103	217	398	673
56	Acute rheumatic fever	89	44	13	32		1	2	1	1	12	8	4	5	10	7	11	6	21
57	Chronic rheumatism, osteoarthritis	83	38	9	36								1		1	3	5	13	60
59	Diabetes mellitus	1,107	653	118	336			2		2	5	13	14	6	22	55	148	313	527
60	Scurvy	4	3	1		2	1			1									
62	Pellagra	5	5												2	1		1	1
63	Rickets	12	6	2	4	9	1				2								
65	Diseases of pituitary body	7	5	1	1		1							1	1	1		3	
66a	Simple goiter	7	5	2										1			2	3	1
66b	Exophthalmic goiter	209	115	24	70						1	1		2	22	29	46	50	58
(66)	Other diseases of thyroid and parathyroid glands	17	11	1	5	1					1	1	1			4	3	5	1
67	Diseases of thymus gland	109	78	10	21	90	10	1	1	1	2	1	1		2				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	10	2	5	3										2	2	2	2	2
69	Other general diseases	12	4	2	6	4		1			1	1				1		2	2
	IV.—Diseases of the blood and blood-making organs	454	253	35	166	19	12	7	7	5	9	12	5	15	25	35	60	87	156
70	Hemorrhagic conditions	31	15	6	10	15	3	1	1		1	1	1	2	2		2	1	1
71a	Pernicious anemia	202	101	17	84		1		1	1		1		2	3	12	25	53	103
71b	Other anemias	28	9	5	14	2	2	2	2					2		1	1	1	15
72a	True leukemias	124	83	4	37	2	4	3	3	4	6	8	1	7	11	11	21	20	23
72b	Pseudoleukemias (Hodgkin's disease)	45	27	2	16						1	1	2	2	8	7	7	9	8
73	Diseases of the spleen	19	13	1	5		2	1			1	1	1		1	3	2	2	5
74	Other diseases of blood and blood-making organs	5	5													1	2	1	1
	V.—Chronic poisonings and intoxications	74	38	8	28								1	1	13	21	16	13	9
75	Alcoholism (acute or chronic)	68	36	7	25								1		13	21	15	12	6
76	Chronic poisoning by other organic substances	3			3												1		2
77a	Chronic lead poisoning	3	2	1										1				1	1
	VI.—Diseases of the nervous system and of the organs of special sense	5,301	2,365	495	2,441	83	37	11	11	14	65	37	45	28	120	284	538	928	3,094
78	Encephalitis (nonepidemic)	49	34	3	12	9	2	1		1	3	3	1	3	4	9	1	6	6
79a	Simple meningitis	96	77	7	12	21	10	2	2	2	13	6	5	3	7	9	8	6	2
79b	Nonepidemic cerebrospinal meningitis	7	5	1	1	3	2									1		1	
80	Progressive locomotor ataxia (tabes dorsalis)	38	19	5	14											5	10	8	15
81	Other diseases of spinal cord	115	55	22	38	2	1	1		1	3	2	3		5	12	16	23	46
82a	Cerebral hemorrhage	3,925	1,690	375	1,860	3	4	1			1	1	4	6	27	110	361	728	2,673

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																		
82b	Cerebral embolism and thrombosis	223	114	19	90								1	4	12	11	18	48	129
82c	Softening of brain	17	7	1	9											2	1	2	12
82d	Hemiplegia and other paralysis, cause unspecified	104	48	10	46	1							2		1	2	5	14	79
83	General paralysis of insane	184	69	7	108									3	17	62	52	34	16
84	Dementia praecox and other psychoses	37	13	2	22										6	4	13	8	6
85	Epilepsy	132	27	3	102	2		1	1	2	5	10	15	4	26	31	15	9	11
86	Convulsions (under 5 years of age)	28	9	3	16	21	5	2											
87	Other diseases of nervous system	174	66	20	88	3	2	2			3	2	2	2	7	14	22	29	86
88	Diseases of organs of vision	1	1															1	
89a	Diseases of ear	95	70	12	13	14	5	1	3	5	18	9	6	1	6	5	7	8	7
89b	Diseases of mastoid process	76	61	5	10	4	6		5	3	19	4	6	2	2	7	9	3	6
	VII.—Diseases of the circulatory system	12,897	6,393	1,200	5,304	17	11	3	11	9	44	60	74	83	247	703	1,354	2,099	8,170
90	Pericarditis	29	20	3	6				3		2		1	2	1	4	5	1	10
91a	Acute endocarditis	110	75	4	31	2			1	1	2	6	10	8	11	23	18	11	17
91b	Endocarditis, unspecified (under 45 years)	34	16	2	16			1		1	2	4	2	4	6	14			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,503	997	262	1,244	2	3		2	2	15	37	30	35	86	167	265	372	1,485
92b	Endocarditis, unspecified (45 years and over)	233	114	29	90												18	41	173
93a	Acute myocarditis	172	109	11	52		1	1		1	1	2	2	4	9	18	30	41	61
93b	Myocarditis, unspecified (under 45 years)	54	38	5	11	3	1		1		1	1	2		10	35			
93c	Chronic myocarditis and myocardial degeneration	3,766	2,128	283	1,355	1	1		1		2	1	10	10	58	203	379	600	2,497
93d	Other diseases of myocardium	1,519	773	149	597						1		1		5	2	149	221	1,138
94a	Angina pectoris	768	315	94	359								1	1	7	49	96	197	417
94b	Diseases of coronary arteries	1,041	628	109	304								2	2	20	75	179	254	508
95a	Functional diseases of heart	30	5	5	20	1							1			2	3	5	13
95b	Other and unspecified diseases of heart	1,457	687	146	624	6	4	1	2	3	14	9	10	15	27	83	153	271	858
96	Aneurysm (except of heart)	68	46	9	13										4	14	18	12	20
97	Arteriosclerosis (coronary arteries excepted)	953	360	75	518											4	20	55	873
98	Gangrene	47	19	4	24	1					1		1		1		2	4	37
99	Other diseases of arteries	68	36	7	25					1	2		1	2	1	5	9	9	38
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	24	16	1	7						1					4	6	3	10
101	Diseases of lymphatic system (lymphangitis, etc.)	7	4	1	2	1	1		1						1	1	1		1
102	Idiopathic anomalies of blood-pressure	7	4	1	2												2	1	4
103	Other diseases of circulatory system	7	3		4												1	1	5
	VIII.—Diseases of the respiratory system	3,311	1,963	265	1,083	524	125	55	48	26	59	51	66	72	224	340	357	333	1,026
104a	Diseases of nasal fossae	2	1		1	1													1
104b	Diseases of nasal fossae and annexa	25	19	3	3			1	1		1	2	1	1	4	4	5	4	1
105	Diseases of larynx	18	15	1	2	4	1	3			2		1	1	2		1		3
106a	Acute bronchitis	94	67	2	25	15	6	2	1		3		1	1	1	3	3	3	55
106b	Chronic bronchitis	66	25	11	30										2	5	8	8	43
106c, d	Bronchitis, unspecified	30	17	1	12	10	2				1				2		2		13
107a	Bronchopneumonia	1,137	658	82	397	354	67	27	23	12	11	15	10	11	36	67	76	82	345
107b	Capillary bronchitis	9	3	2	4	6	1				1								1
108	Lobar pneumonia	1,566	950	136	480	105	41	15	20	11	37	24	43	52	154	225	220	180	437
109	Pneumonia, unspecified	75	41	7	27	12	5	3	2		1	2	2	1	6	7	5	11	18
110	Pleurisy	112	69	7	36	9	1	2		2	2	3	4	4	10	15	15	17	27
111a	Pulmonary embolism and thrombosis	22	10	3	9										2	1	2	7	10
111b	Pulmonary congestion, edema, hemorrhagic infarct	41	25	2	14	4	1	1								1		3	31
112	Asthma	65	31	5	29	1			1			1		1	2	6	8	14	30
113	Pulmonary emphysema	3	2		1											2			1
114	Other diseases of respiratory system (tuberculosis excepted)	46	30	3	13	3		1		1		4	4		3	4	12	4	10
	IX.—Diseases of the digestive system	3,298	2,183	321	794	331	70	43	33	29	113	89	104	98	265	426	535	434	728
115a	Diseases of pharynx and tonsils	220	141	23	56	11	10	9	7	7	29	8	11	10	31	24	17	23	23
115b	Diseases of buccal cavity and annexa	22	13	1	8	2					3			1	2	4	4	3	3
116	Diseases of esophagus	3	2	1													1		2
117a	Ulcer of stomach	223	149	19	55								1	2	17	40	65	40	58
117b	Ulcer of duodenum	82	56	9	17							1		1	4	22	24	13	17
118	Other diseases of stomach (cancer excepted)	98	60	7	31	18	2	1	1		1	1		4	5	6	17	8	34
119	Diarrhea, enteritis (under 2 years of age)	298	173	19	106	251	47												
120	Diarrhea, enteritis (2 years and over)	138	65	11	62			17	10	5	8	2	2	3	11	8	10	16	46
121	Appendicitis	764	591	86	87		4	5	12	10	57	67	73	56	108	123	110	70	69
122a	Hernia	206	125	19	62	4	1				1	1	1	1	5	19	39	48	86
122b	Intestinal obstruction	310	208	35	67	31	2	8	1	3	4	3	5	5	24	37	53	43	91
123	Other diseases of intestines	54	35	6	13	2					1	1	1	2	3	12	11	8	13
124	Cirrhosis of liver	361	203	32	126						1		1	1	13	54	77	68	146
125a	Yellow atrophy of liver	19	12	3	4							1			6	4	3	1	4
125b	Other diseases of liver	48	30	6	12	4		1			3	2	1	1	5	9	5	3	14
126	Biliary calculi	179	130	21	28								1	3	12	27	45	37	54
127	Other diseases of gall-bladder, biliary passages	175	118	17	40	1				1			1	2	8	25	36	43	58
128	Diseases of pancreas	28	22		6								1		3	8	9	4	3
129	Peritonitis, cause not specified	70	50	6	14	7	4	2	2	3	5	2	5	6	8	4	9	6	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	X.—Diseases of the genitourinary system	3,583	2,050	347	1,186	18	6	7	4	4	13	18	22	51	158	283	413	576	2,009
130	Acute nephritis (including unspecified under 10 years)	130	86	15	29	9	3	4	1	3	6	2	5	5	11	23	12	14	32
131	Chronic nephritis	2,473	1,362	248	863			1		1	5	15	10	19	71	169	314	412	1,455
132	Nephritis, unspecified (10 years and over)	290	131	27	132								1	3	9	18	28	54	177
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	125	86	11	28	9	3	2	2		1	1	4	4	7	15	15	21	41
134	Calculi of urinary passages	49	32	4	13				1						4	10	10	11	13
135	Diseases of bladder (tumors excepted)	23	10	2	11										1	1	3	1	17
136	Diseases of urethra, urinary abscess, etc.	17	12	2	3										4	5	3	1	4
137	Diseases of prostate	312	204	24	84										1	2	9	45	255
138	Diseases of male genital organs, not specified as venereal	2	2								1								1
139a	Cysts of ovary	32	18	7	7									1	8	6	2	8	7
139b	Other diseases of ovaries, diseases of tubes and parametrium	92	80	6	6								1	17	38	24	10	2	
139c	Diseases of uterus	36	26	1	9								1	2	4	9	7	6	7
139e	Other diseases of female genital organs	2	1		1											1		1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	490	344	48	98								35	100	212	138	4		
140	Abortion with septic conditions	93	72	4	17								8	22	47	16			
141	Abortion without mention of septic conditions (includes hemorrhages)	24	19	2	3									9	13	2			
142a	Ectopic gestation, septic conditions specified	13	9	3	1									2	6	5			
142b	Ectopic gestation, septic conditions not mentioned	25	23		2									3	17	5			
143	Other accidents of pregnancy (hemorrhage not included)	4	2	1	1									2	2				
144a	Placenta praevia	25	14	5	6								2	2	11	10			
144b	Other puerperal hemorrhages	40	28	5	7									9	14	15	2		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	74	49	9	16								12	18	25	19			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	1			1											1			
146	Puerperal albuminuria and eclampsia	81	55	7	19								11	12	35	22			
147	Other toxemias of pregnancy	16	12	2	2									5	5	6			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	39	25	3	11								2	6	16	14	1		
149	Other accidents of childbirth	54	35	7	12									9	21	23	1		
150	Other and unspecified conditions of puerperal state	1	1											1					
	XII.—Diseases of the skin and cellular tissue	81	55	7	19	17	3				2		4	2	8	10	7	12	15
151	Furuncle, carbuncle	19	9	4	6		1				1		2	1	2	4		5	3
152	Phlegmon, acute abscess	35	27	2	6	5	2				1		2	1	5	4	6	3	5
153	Other diseases of skin and annexa, and of cellular tissue	27	19	1	7	12									1	2	1	4	7
	XIII.—Diseases of the bones and organs of locomotion	72	42	14	16	1	1	5	1	1	9	8	5	1	9	12	4	7	8
154	Osteomyelitis	58	36	10	12	1	1	5		1	9	7	4	1	8	9	3	5	4
155	Other diseases of bones (tuberculosis excepted)	5	3	1	1				1							1	1		2
156	Diseases of joints, other organs of locomotion	9	3	3	3							1	1		1	2		2	2
	XIV.—Congenital malformations	610	378	48	184	550	22	8	5	1	11	3	6	1	1	2			
157a	Congenital hydrocephalus	72	47	7	18	61	4	2	1		2	1	1						
157b	Spina bifida and meningocele	96	50	7	39	94	1	1											
157c	Congenital malformations of heart	290	166	24	100	254	14	1	3	1	7	2	5	1	1	1			
157d	Other congenital malformations	152	115	10	27	141	3	4	1		2					1			
	XV.—Diseases of early infancy	2,013	1,266	172	575	2,013													
158	Congenital debility	108	45	19	44	108													
159	Premature birth	1,342	859	110	373	1,342													
160	Injury at birth	394	266	30	98	394													
161	Other diseases peculiar to early infancy	169	96	13	60	169													
162	**XVI.—Senility**	435	156	42	237												4	4	427
	XVII.—Violent and accidental deaths	4,446	2,527	432	1,487	75	57	57	45	44	182	136	219	289	516	617	619	537	1,040
	Suicide	828	492	69	267							2	11	49	95	180	195	156	138
163	By solid or liquid poisons or by absorption of corrosive substances	145	102	8	35								1	14	25	41	21	22	20
164	By poisonous gas	142	114	12	16								2	4	19	27	35	33	22
165	By hanging or strangulation	184	78	21	85							2		8	15	38	53	31	37
166	By drowning	56	39	7	10								1	3	1	12	14	12	13
167	By firearms	241	120	18	103								6	19	28	49	56	43	40
168	By cutting or piercing instruments	27	18	2	7										2	6	8	6	4
169	By jumping from high places	16	14		2								1	1	3	5	2	3	1
170	By crushing	5	1		4											1	3	1	
171	By other means	12	6	1	5										2	1	3	5	1
	Homicide	240	193	11	36	2	1		1	2	5	2	13	29	72	57	31	18	6
173	By firearms	124	96	4	24					1		1	9	20	43	29	12	8	1
174	By cutting or piercing instruments	41	37	1	3						1			7	16	10	6	1	
175	By other means	75	60	6	9	2	1		1	1	4	1	4	2	13	18	13	9	5

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined	3,378	1,842	352	1,184	73	56	57	44	42	177	132	195	211	349	380	393	363	896
176	Attack by venomous animals	3	1		2										2	1			
177	Poisoning by food	7	5		2		1	1			1						1	1	2
178	Absorption of poisonous gas	58	50	5	3	1				1		1	2	3	6	10	11	9	14
179	Other acute accidental poisonings (gas excepted)	51	34	3	14	1	5	2	5		1			4	6	6	10	9	2
180	Conflagration	57	34	4	19	4	3		2	4	7	2	1	5	6	5	3	6	9
181	Burns (conflagration excepted)	171	123	19	29	10	16	19	15	10	11	3	1	9	14	15	16	11	21
	Supplemental	15	4	2	9						1	1		1	3	2	3	3	1
182	Mechanical suffocation	37	14	2	21	28	1				2	1		3		1	1		
	Supplemental	1		1												1			
183	Drowning	249	57	17	175		11	6	2	5	18	33	37	31	36	27	22	10	9
	Supplemental	36	9	5	22			1				4	4	5	13	7	1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	98	36	16	46	1		3	2	1	6	6	19	15	12	13	11	7	2
185	By cutting or piercing instruments (wounds of war excepted)	25	17	1	7	2		2			1				3		6	5	6
	Supplemental	17	12	2	3				1			1	1	3	3	4	2	2	
186a	By fall	748	411	87	250	3	6	2	4		7	12	9	6	25	47	46	71	509
	Supplemental	64	27	8	29	1		1		1	5	4	5	6	6	6	13	7	9
186b	By crushing, landslide	9	4	1	4							1		2	2	2	1	1	
	Supplemental	256	170	21	65	1		3	5	2	6	8	19	19	35	39	53	33	33
187	Cataclysm	2			2									1				1	
188	Injuries by animals	31	8	1	22				1	1	1			1	1	4	3	12	6
190	Excessive cold	22	5		17									1	1	3	3	4	10
191	Excessive heat	36	19	4	13		1								1	5	9	9	11
192	Lightning	14	4	1	9			1			3	2		1	2	1	2		2
193	Due to electric currents	17	8	1	8							1	1	2	3	3	3	3	1
	Supplemental	3	2		1											2	1		
194a	Foreign bodies	24	15		9	11	2	5			1				1	1	1		2
194b	Other accidents	171	93	19	59	9	1	3	1	1	16	7	4	10	14	21	22	19	42
	Supplemental	1,156	680	132	344	1	9	8	6	16	90	45	92	83	154	154	149	139	205
	XVIII.—Ill-defined causes of death	112	26	12	74	20	2				1				3	5	9	21	50
199	Sudden death	30	2	4	24	4										1	3	8	14
200a	Cause of death ill-defined	48	11	7	30	7	2				1				1	3	3	10	20
200b	Cause of death not specified or unknown	34	13	1	20	9									2	1	3	3	16
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	11	4	1	6							1	1			3	3	3	
202	Accidents from agricultural machinery	14	3	3	8		1	1			1	1	3		3		2	2	2
203	Elevator accidents	11	9	1	1									1	1	3	1	3	1
205	Other machinery accidents	42	22	7	13						1		1	2	8	11	6	8	5
206	Railroad and automobile collisions	80	37	7	36		1		2	1	2	4	6	4	15	19	14	7	5
207	Other railroad accidents	84	50	7	27						1	3	5	8	8	10	18	14	16
208	Street car and automobile collisions	10	10												1	5	4		
209	Other street car accidents	11	11								1					1	2	3	4
210	Automobile accidents (primary)	1,196	726	134	336	3	7	11	9	17	92	49	96	89	153	150	167	142	208
211	Motorcycle accidents	16	9	2	5								2	7	3	1	1	1	1
212	Other land transportation accidents	24	8	2	14				1	1	3	1	1	1	1	3	4	2	6
213	Water transportation accidents	34	11	7	16			1			1	4	4	4	12	7	1		
214	Air transportation accidents	15	4		11								2	1	9	2	1		
	MINNESOTA																		
	Total deaths (all causes)	25,308	11,280	3,556	10,470	2,120	255	116	111	75	305	291	418	562	1,192	1,758	2,555	3,785	11,757
	I.—Infectious and parasitic diseases	2,247	812	303	1,132	183	77	28	30	20	70	59	100	132	310	299	257	234	447
1	Typhoid fever	17	6	6	5	1						2	2		1	4	2	3	2
6	Smallpox	1	1															1	
7	Measles	71	33	4	34	15	12	4	5	2	16	8	5	1	2	1			
8	Scarlet fever	38	19	2	17	1	2	4	1	2	11	2	6	2	3	3	1		
9	Whooping-cough	75	31	5	39	43	17	3	6	2	3							1	
10	Diphtheria	27	11	3	13	1	2	2	3	3	2	3	4	1	2	1	2		1
11a	Influenza, respiratory complications specified	417	108	66	243	37	13	5	2	3	5	4	7	12	22	37	24	53	193
11b	Influenza, respiratory complications not specified	203	38	33	132	27	8	3	7		5	7	7	4	17	10	9	14	85
13	Dysentery	20	4	8	8	5		1	1		1			1		1	2	3	5
15	Erysipelas	43	27	5	11	12	2								1	2	2	4	20
16	Acute poliomyelitis, acute polioencephalitis	38	19	5	14	3	3				8	6	6	6	3	1	1		1
17	Lethargic or epidemic encephalitis	40	11	5	24					2		2	3	4	6	7	9	6	1
18	Epidemic cerebrospinal meningitis	30	17	5	8	7	3	1			3	1	6	3	2	3			1
22	Tetanus	24	11	5	8	1		1	1	2	3	5			3	1	1	2	4
	Tuberculosis (all forms)	995	341	125	529	11	13	3	4	4	12	17	40	93	224	192	157	106	109
23	Respiratory system	841	268	92	481	4	4	2	3	1	4	12	41	78	197	170	141	91	92
24	Meninges and central nervous system	41	19	5	17	5	6	1	1	2	6	4	4	3	2	3	1	3	
25	Intestines and peritoneum	26	11	7	8					1		1		2	8	5	4	3	2
26	Vertebral column	20	11	2	7						1		1	3	6	2	2	2	3
27a	Bones (vertebral column excepted)	4	1		3								1		1		1		1
27b	Joints	3	2	1										1		1			1
28	Skin and subcutaneous cellular tissue	3	1		2												2		1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																	
	I.—Infectious and parasitic diseases—Continued																	
	Tuberculosis (all forms)—Continued																	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2	2														1	1
30	Genitourinary system	19	9	3	7									3	5	3	2	4
31	Other organs	6	5	1									1		2	1		1
32a	Acute disseminated tuberculosis	15	11	1	3	2	3				1			2		2	1	2
32b,c	Other disseminated tuberculosis	15	1	13	1								1	1	3	5	3	1
34	Syphilis	157	108	14	35	14	2				1	1	1	2	11	27	40	37	21
35	Gonococcus infection and other venereal diseases	22	12	8	2								1	2	7	6	4	1	1
36	Purulent infection, septicemia (non-puerperal)	9	5	2	2	3							1		2		1	2	
38	Malaria	1			1												1		
43	Mycoses	8	4	1	3								2		3	1	1		1
44	Other infectious and parasitic diseases	11	6	1	4	2		1				1		1	1	2		1	2
	II.—Cancers and other tumors	3,513	1,819	423	1,271	3	1		5	2	12	16	16	16	87	238	491	836	1,790
	Cancer and other malignant tumors	3,415	1,749	413	1,253	2	1		3	1	10	15	12	14	79	219	470	820	1,769
(45)	Buccal cavity	88	46	7	35								1			1	9	22	55
(45)	Pharynx	14	5		9											1	1	3	9
(46)	Esophagus	63	28	12	23											2	7	20	34
(46)	Stomach and duodenum	939	444	116	379							1			9	21	102	230	576
(46)	Liver and biliary passages	234	96	29	109										4	4	29	56	141
(46)	Pancreas	87	52	9	26											3	9	24	51
(46)	Other digestive tract and peritoneum	532	299	64	169				1			1			1	13	48	80	123	265
47	Respiratory system	112	62	13	37						1		1	2	2	14	13	39	40
48	Uterus	248	130	32	86									3	14	25	64	67	75
49	Other female genital organs	94	67	11	16							1		1	1	14	24	21	32
50	Breast	285	138	36	111									1	9	44	65	73	93
51	Male genitourinary organs	330	158	36	136	1	1						1	2	4	6	9	63	243
52	Skin	48	16	8	24											1	3	3	41
53	Other or unspecified organs	341	208	40	93	1			2	1	9	12	9	4	23	35	55	76	114
54a	Nonmalignant tumors, ovary	3	3														1		2
54b	Nonmalignant tumors, uterus	37	29	2	6										3	15	11	4	4
54d,e	Nonmalignant tumors, other organs	28	21	2	5	1			1			1	2	1	3	2	2	5	10
55d,e	Tumors, other organs (nature unspecified)	30	17	6	7				1	1	2		2	1	2	2	7	7	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	822	364	127	331	31	4	1	1	1	7	16	22	14	36	40	94	157	398
56	Acute rheumatic fever	41	14	5	22				1		3	4	8	3	8	4	6		4
57	Chronic rheumatism, osteoarthritis	45	16	5	24							1	2			1	4	6	31
59	Diabetes mellitus	560	243	98	221		1	1			4	8	10	10	17	24	45	116	324
62	Pellagra	1			1												1		
63	Rickets	5	1	1	3	3	1									1			
64	Osteomalacia	1			1							1							
66a	Simple goiter	8	8									1					3	2	2
66b	Exophthalmic goiter	118	65	15	38					1		1		1	8	9	35	28	35
(66)	Other diseases of thyroid and parathyroid glands	10	3	1	6	5	1						1			1		2	
67	Diseases of thymus gland	23	10	1	12	21	1								1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	5	2	2	1								1		1			2	1
69	Other general diseases	5	2	1	2	2									1			1	1
	IV.—Diseases of the blood and blood-making organs	331	154	49	128	18	3	2	4	2	8	5	7	12	16	25	34	65	130
70	Hemorrhagic conditions	23	8	4	11	16					2	1	1		1	1		1	
71a	Pernicious anemia	147	45	28	74		1	1		1			1	1	1	9	12	36	84
71b	Other anemias	12	7		5		1							1			1	1	8
72a	True leukemias	89	52	11	26	2	1	1	4	1	4	4	3	5	8	9	12	12	23
72b	Pseudoleukemias (Hodgkin's disease)	50	34	4	12						1			4	6	6	6	14	13
73	Diseases of the spleen	8	6	2							1		2	1			1	1	2
74	Other diseases of blood and blood-making organs	2	2														2		
	V.—Chronic poisonings and intoxications	76	41	8	27								1	1	10	18	25	11	10
75	Alcoholism (acute or chronic)	74	40	7	27								1	1	10	18	25	9	10
77a	Chronic lead poisoning	1		1														1	
77b, c	Other chronic poisoning by mineral substances	1	1															1	
	VI.—Diseases of the nervous system and of the organs of special sense	2,615	1,046	393	1,176	44	10	12	6	2	15	25	15	19	46	111	249	475	1,586
78	Encephalitis (nonepidemic)	20	13	1	6	3						1	1	2	3	3	5	1	1
79a	Simple meningitis	26	17	3	6	7	3		3		3	1		4	1	1	2		1
79b	Nonepidemic cerebrospinal meningitis	6	1	2	3	1	2						1				1	1	
80	Progressive locomotor ataxia (tabes dorsalis)	25	16	5	4										1	4	3	12	5
81	Other diseases of spinal cord	56	20	9	27			1				3			5	5	2	16	24
82a	Cerebral hemorrhage	1,937	704	281	952	1	1	2			1	1	1	2	13	49	165	363	1,338
82b	Cerebral embolism and thrombosis	162	90	15	57			1	1	1			1	1	3	4	12	30	108
82c	Softening of brain	19	11	3	5											1	1	3	14

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																	
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																	
82d	Hemiplegia and other paralysis, cause unspecified	37	15	3	19						1				4	17	22	16	32
83	General paralysis of insane	68	38	25	5										2	8	4	4	9
84	Dementia praecox and other psychoses	20	9	9	2									2	2	7	7	3	5
85	Epilepsy	43	13	12	18	1			1		3	3	4	2	7	7	7	3	5
86	Convulsions (under 5 years of age)	16	2	6	8	13	1	2											
87	Other diseases of nervous system	110	51	15	44	4	1	1			1	4	4	3	3	8	16	21	44
88	Diseases of organs of vision	1	1																1
89a	Diseases of ear	46	27	3	16	11	2	3			4	10	1	3	1	3	5	1	2
89b	Diseases of mastoid process	23	18	1	4	3		2	1	1	2	2	2		3	1	4		2
	VII.—Diseases of the circulatory system	5,952	2,650	791	2,511	5	2	1	1		12	18	20	37	97	211	495	943	4,109
90	Pericarditis	17	10		7	1	1	1	1					2		2	2		7
91a	Acute endocarditis	55	32	7	16		1				2	2	2	6	6	10	8	7	11
91b	Endocarditis, unspecified (under 45 years)	5	4		1							2			2	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,112	416	142	554						5	10	8	16	49	71	110	162	681
92b	Endocarditis, unspecified (45 years and over)	55	25	4	26												7	13	35
93a	Acute myocarditis	37	14	7	16								1	1	2	6	4	10	13
93b	Myocarditis, unspecified (under 45 years)	1	1													1			
93c	Chronic myocarditis and myocardial degeneration	1,576	621	255	700								2	4	10	34	92	208	1,226
93d	Other diseases of myocardium	467	222	45	200	1							1	1	3	4	30	67	360
94a	Angina pectoris	256	90	38	128										1	10	24	65	156
94b	Diseases of coronary arteries	1,136	724	90	322									2	6	41	143	261	682
95a	Functional diseases of heart	23	7	3	13								1					3	19
95b	Other and unspecified diseases of heart	637	250	97	290	1					2	3	3	3	14	22	50	102	437
96	Aneurysm (except of heart)	42	27	5	10	1						1	1			2	9	12	16
97	Arteriosclerosis (coronary arteries excepted)	433	156	83	194										1		4	21	407
98	Gangrene	15	5	2	8												1	1	13
99	Other diseases of arteries	42	26	6	10						1		1	1	1	3	4	6	25
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	15	8	3	4									1	2	2	4	2	4
101	Diseases of lymphatic system (lymphangitis, etc.)	4	3		1						2								2
102	Idiopathic anomalies of blood-pressure	19	8	3	8											2	3	2	12
103	Other diseases of circulatory system	5	1	1	3	1												1	3
	VIII.—Diseases of the respiratory system	1,939	901	277	761	249	56	14	14	9	23	16	32	50	70	163	180	204	858
104a	Diseases of nasal fossae	3	2		1		1												2
104b	Diseases of nasal fossae and annexa	13	10		3								1	1	2	3	3	2	1
105	Diseases of larynx	12	5	2	5	1	3	2	3							1	2		
106a	Acute bronchitis	27	8	4	15	5	1	1								1		1	18
106b	Chronic bronchitis	68	20	10	38										1	1	7	6	53
106c, d	Bronchitis, unspecified	17	6	2	9	2			1									1	13
107a	Bronchopneumonia	830	397	142	291	181	25	4	6	4	13	8	7	11	21	42	60	61	386
107b	Capillary bronchitis	5	1	1	3	3		1											1
108	Lobar pneumonia	741	344	89	308	37	20	5	3	4	9	7	22	30	38	93	82	106	285
109	Pneumonia, unspecified	50	15	6	29	10	3							2	4	2		3	26
110	Pleurisy	65	38	9	18	6	1		1	1	1	1	1	2	4	12	8	7	20
111a	Pulmonary embolism and thrombosis	26	15	3	8											3	6	4	13
111b	Pulmonary congestion, edema, hemorrhagic infarct	34	14	4	16	1									3		2	3	25
112	Asthma	31	17	3	11		1								1		2	4	11	12
113	Pulmonary emphysema	1	1					1											
114	Other diseases of respiratory system (tuberculosis excepted)	16	8	2	6	3	1						1			1	5	2	3
	IX.—Diseases of the digestive system	1,677	878	296	503	154	41	26	18	16	55	41	56	52	103	175	231	244	465
115a	Diseases of pharynx and tonsils	94	58	7	29	7	5	4		6	4	4	7	10	6	13	10	9	9
115b	Diseases of buccal cavity and annexa	19	11	3	5									4	3	2	4	1	5
116	Diseases of esophagus	7	6		1												2	1	4
117a	Ulcer of stomach	86	51	7	28	1							1	2	5	14	27	14	22
117b	Ulcer of duodenum	63	48	8	7										6	9	11	18	19
118	Other diseases of stomach (cancer excepted)	21	5	4	12	4	2				1			2			2		10
119	Diarrhea, enteritis (under 2 years of age)	148	32	25	91	121	27												
120	Diarrhea, enteritis (2 years and over)	71	24	15	32			10	5	2	2	2	3	1	5	8	6	9	18
121	Appendicitis	379	202	86	91		1	3	11	5	37	30	37	24	42	48	48	40	53
122a	Hernia	105	57	21	27	1	1							1	5	5	13	23	56
122b	Intestinal obstruction	130	61	31	38	14	4	1	1	1	5	2	3	3	9	12	17	18	40
123	Other diseases of intestines	29	18	4	7	1									1	5	5	9	8
124	Cirrhosis of liver	181	91	27	63		1	2			1		2	1	4	17	29	41	83
125a	Yellow atrophy of liver	10	7	3					1			1	1	1	2	1	2		1
125b	Other diseases of liver	22	13	2	7	1		1				1			1	3	4	2	9
126	Biliary calculi	193	113	34	46									1	13	21	32	42	84
127	Other diseases of gall-bladder, biliary passages	66	40	15	11					1			1		1	9	8	13	33
128	Diseases of pancreas	19	16	1	2								1			5	4	3	6
129	Peritonitis, cause not specified	34	25	3	6	4		5		1	5	1		2		3	7	1	5

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		n rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																		
	X.—Diseases of the genitourinary system	1,802	766	290	746	13	3	1	2	1	10	6	11	20	56	105	169	291	1,113
130	Acute nephritis (including unspecified under 10 years)	48	14	9	25	2	1				5	1	2	4	6	6	4	5	12
131	Chronic nephritis	1,213	451	209	553				1	1	4	4	6	10	25	64	119	219	760
132	Nephritis, unspecified (10 years and over)	85	23	20	42										2	8	9	17	48
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	91	53	7	31	9	2	1	1		1	1	1	1	6	12	8	10	38
134	Calculi of urinary passages	45	30	4	11										1	4	11	10	19
135	Diseases of bladder (tumors excepted)	17	10		7											3		1	13
136	Diseases of urethra, urinary abscess, etc.	9	7	1	1										2		1	3	3
137	Diseases of prostate	234	135	32	67											1	5	21	207
138	Diseases of male genital organs, not specified as venereal	3		2	1	2													1
139a	Cysts of ovary	18	12	2	4								1	3	3	2		1	8
139b	Other diseases of ovaries, diseases of tubes and parametrium	23	17	3	3								1	2	9	2	6	1	2
139c	Diseases of uterus	14	13	1											2	3	4	3	2
139e	Other diseases of female genital organs	2	1		1												2		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	194	98	33	63								12	29	85	66	2		
140	Abortion with septic conditions	27	16	4	7								2	2	17	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	12	4	4	4									1	1	10			
142a	Ectopic gestation, septic conditions specified	2	2												2				
142b	Ectopic gestation, septic conditions not mentioned	8	3	2	3									2	2	4			
143	Other accidents of pregnancy (hemorrhage not included)	1		1											1				
144a	Placenta praevia	8	5	2	1										5	2	1		
144b	Other puerperal hemorrhages	16	7	2	7								1	3	4	8			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	47	29	8	10								2	6	26	13			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	1	1												1				
146	Puerperal albuminuria and eclampsia	28	14	4	10								2	7	9	10			
147	Other toxemias of pregnancy	8	6	2									1	1	3	2	1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	17	4	2	11								1	3	7	6			
149	Other accidents of childbirth	19	7	2	10								3	4	7	5			
	XII.—Diseases of the skin and cellular tissue	44	29	4	11	9			1		1		4	2	5	3	3	8	
151	Furuncle, carbuncle	16	10	2	4						1			1	3	1	2	4	4
152	Phlegmon, acute abscess	9	8		1	1			1					1	1	1	1	2	1
153	Other diseases of skin and annexa, and of cellular tissue	19	11	2	6	8							4		1	1		2	3
	XIII.—Diseases of the bones and organs of locomotion	37	24	6	7	3		1	2		4	3	4	1	3	3	5	2	6
154	Osteomyelitis	26	15	4	7	2		1	2		3	3	4	1	3	2	3	1	1
156	Diseases of joints, other organs of locomotion	11	9	2		1					1					1	2	1	5
	XIV.—Congenital malformations	283	124	30	129	246	13	7	3		5	4	2		1	1	1		
157a	Congenital hydrocephalus	52	24	5	23	45	4				2	1							
157b	Spina bifida and meningocele	40	15	3	22	33	3	2			1	1							
157c	Congenital malformations of heart	118	52	11	55	102	4	3	2		1	1	2		1	1	1		
157d	Other congenital malformations	73	33	11	29	66	2	2	1		1	1							
	XV.—Diseases of early infancy	1,102	450	150	502	1,102													
158	Congenital debility	39	9	6	24	39													
159	Premature birth	723	301	96	326	723													
160	Injury at birth	248	102	39	107	248													
161	Other diseases peculiar to early infancy	92	38	9	45	92													
162	**XVI.—Senility**	135	30	15	90														135
	XVII.—Violent and accidental deaths	2,444	1,081	353	1,010	32	43	22	24	22	83	82	114	176	261	298	310	302	673
	Suicide	429	190	48	191							1	1	27	56	81	94	92	77
163	By solid or liquid poisons or by absorption of corrosive substances	47	25	6	16									6	9	7	8	5	12
164	By poisonous gas	70	57	3	10									4	7	16	17	11	15
165	By hanging or strangulation	115	36	20	59								1	4	14	18	25	32	21
166	By drowning	25	15	3	7							1		1		5	8	7	3
167	By firearms	138	41	12	85									10	24	25	31	29	19
168	By cutting or piercing instruments	18	8	2	8										1	4	4	3	6
169	By jumping from high places	8	6	1	1									2	1	2	1	1	1
170	By crushing	2	1		1											1		1	
171	By other means	6	1	1	4											3		3	
	Homicide	90	45	5	40	2	1		1	2	1	3	5	15	19	16	9	7	8
173	By firearms	44	18	4	22	1				1			3	9	10	9	5	4	1
174	By cutting or piercing instruments	9	7		2				1						2		4	1	1
175	By other means	37	20	1	16	1	1				1	1	3	2	6	7	7	2	6

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined	1,925	846	300	779	30	42	22	23	20	82	78	108	134	186	201	207	203	588
177	Poisoning by food	1		1							1								
178	Absorption of poisonous gas	65	47	5	13	1	1						2	3	4	9	16	15	14
	Supplemental	1			1									1					
179	Other acute accidental poisonings (gas excepted)	34	17	7	10		2	1	1		1		2	3	4	8	4	7	
180	Conflagration	41	8	9	24	5	3	1	2	1	7		2	3	5	2	5		5
181	Burns (conflagration excepted)	94	44	16	34	2	11	4	3	7	8	2	6	3	8	5	8	6	21
	Supplemental	7		1	6									3	1			2	1
182	Mechanical suffocation	18	4	5	9	12							1			2	1		2
	Supplemental	4	1		3					1				3					
183	Drowning	118	33	12	73		9	7	2	1	12	15	14	17	11	11	6	4	9
	Supplemental	44	9	2	33		1			1	3	2	4	2	15	9	3	4	
	Traumatism:																		
184	By firearms (wounds of war excepted)	96	16	17	63			2		1	5	13	15	15	14	8	14	7	2
185	By cutting or piercing instruments (wounds of war excepted)	14	8		6	2		1							2	1	3	1	4
	Supplemental	14	5	2	7					1		1		1	2	3	2	3	1
186a	By fall	474	253	83	138	3	3	1	2		5	8	5	2	13	16	25	42	349
	Supplemental	65	21	13	31		1		1		5	6	2	7	6	5	5	8	19
186b	By crushing, landslide	22	8	3	11			1	2		1	1	2		2	7	3		3
	Supplemental	141	63	24	54		1			2	2	6	6	11	20	31	23	17	22
188	Injuries by animals	26	7		19		1	1			2	1	2	1	1	2	3	2	10
189	Hunger and thirst	2			2												1	1	
190	Excessive cold	13	4	2	7	1						1	1	1	2	2		2	3
191	Excessive heat	14	5	1	8							1			1	2	4	1	5
192	Lightning	6	3		3							1			2	1	2		
193	Due to electric currents	11	3		8	1					2				1	5	2		
194a	Foreign bodies	19	12	2	5	2	5	1	2		2					2	3	1	1
194b	Other accidents	86	44	16	26	1				1	5	5	3	6	11	9	11	10	24
	Supplemental	495	231	79	185		4	2	8	4	21	15	41	52	61	61	63	70	93
	XVIII.—Ill-defined causes of death	93	13	8	72	28	2	1				2	1	6	2	9	13	29	
199	Sudden death	18		2	16	2		1						1		1	3	3	7
200a	Cause of death ill-defined	32	3	6	23	4	2						1		3		5	7	10
200b	Cause of death not specified or unknown	43	10		33	22							1		3	1	1	3	12
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	4			4											3	1		
202	Accidents from agricultural machinery	13	2	2	9					2	1	1	1	1	1	2	2	1	1
203	Elevator accidents	7	6		1											1	1	3	2
205	Other machinery accidents	15	6	3	6								1	3	3	2		2	4
206	Railroad and automobile collisions	39	5	8	26					1	2	1	4	5	5	5	3	7	6
207	Other railroad accidents	70	35	10	25				1		1	6	3	4	12	11	17	6	9
208	Street car and automobile collisions	10	10										1	1	1	2	3	1	1
209	Other street car accidents	8	8											1		1	1	3	2
210	Automobile accidents (primary)	525	237	82	206		7	1	7	3	23	15	35	59	63	76	65	76	95
211	Motorcycle accidents	6	2	3	1										4				2
212	Other land transportation accidents	36	11	7	18			1	1	2	2	5	1	2	2	1	2	3	14
213	Water transportation accidents	31	6	4	21					1	2	2	6	2	10	5	1	2	
214	Air transportation accidents	7	2	2	3								1	2	4				
	MISSISSIPPI																		
	Total deaths (all causes) White	8,950	2,007	801	6,142	1,043	254	115	77	54	185	142	187	237	518	637	844	1,184	3,452
	Total deaths (all causes) Colored	12,716	2,072	741	9,903	1,775	342	162	113	84	317	349	554	672	1,264	1,212	1,543	1,503	2,774
	I.—Infectious and parasitic diseases White	1,380	201	107	1,072	152	93	33	35	17	68	41	40	61	143	164	127	118	285
	I.—Infectious and parasitic diseases Colored	2,829	380	148	2,301	277	122	70	59	32	132	152	232	296	444	318	247	204	232
1	Typhoid fever W	47	10	2	35		1		1		4	4	5	9	11	4	3	3	2
	Typhoid fever C	95	9	6	80		1	1	1	1	10	18	17	17	16	5	4	2	1
2	Paratyphoid fever C	1		1							1								
5	Undulant fever W	1			1														1
7	Measles W	40	10	2	28	5	7	4		1	5	3		1		4	3	5	2
	Measles C	33	5	1	27	10	6	3	1	1	3	1	5	2	1				
8	Scarlet fever W	7	1		6	1		1	2	1	2								
	Scarlet fever C	5	1		4	1			2	1	1								
9	Whooping-cough W	78	7	1	70	49	18	3	4	1	2	1							
	Whooping-cough C	178	8	5	165	98	41	15	9	4	7	2	1		1				
10	Diphtheria W	68	11	10	47	9	20	8	8	7	15	1							
	Diphtheria C	60	5	2	53	6	9	10	6	7	10	8	1	1				2	
11a	Influenza, respiratory complications specified W	221	33	20	168	23	17	4	2	2	4	1	8	6	10	23	15	24	82
	Influenza, respiratory complications specified C	265	38	9	218	37	15	6	4		13	11	16	16	28	28	29	30	32
11b	Influenza, respiratory complications not specified W	111	11	7	93	10	3	1			6	3	3	1	8	9	6	9	52
	Influenza, respiratory complications not specified C	194	28	10	156	27	4	5	1	1	9	7	5	8	19	19	15	21	52
13	Dysentery W	46	7	3	36	5	9	2	2					1	3	1	2	3	18
	Dysentery C	67	6	3	58	15	12	4		2	3	2			3	4	2	5	15
15	Erysipelas W	23	3	3	17	11	1	1						1	2	2		1	4
	Erysipelas C	5	1		4				1						1	1		2	
16	Acute poliomyelitis, acute polioencephalitis W	7	1		6		4		1		1	1							
	Acute poliomyelitis, acute polioencephalitis C	3			3				1				1	1					

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
17	Lethargic or epidemic encephalitis	W	7	2		5									1	1	2	2		1
		C	4		1	3			1				1				1		1	
18	Epidemic cerebrospinal meningitis	W	3	1	1	1						1	1			1				
		C	10	3		7	1	2	1	1		2	2					1		
21	Rabies	W	3	1	1	1						1		1					1	
22	Tetanus	W	9	1	3	5						2	1	1	1		1	1	1	1
		C	28	9	2	17	2			3	1	6	3	2	4	3		3	1	
	Tuberculosis (all forms)	W	350	61	27	262	7					1	6	8	25	73	77	51	41	59
		C	1,028	128	63	837	2	7	3	3		8	39	138	185	268	168	94	65	44
23	Respiratory system	W	323	54	24	245	4						5	8	24	68	74	46	39	53
		C	966	114	59	793	1	7	3	1		5	35	133	176	255	159	90	56	41
24	Meninges and central nervous system	W	5	2	1	2	3						1					1		
		C	1		1															1
25	Intestines and peritoneum	W	8	2	2	4									1	1	3			3
		C	24	4		20						1	1	2	5	4	4	1	4	2
26	Vertebral column	C	5	1	1	3								1	1	2		1		
27a	Bones (vertebral column excepted)	W	2			2						1								1
		C	2		1	1										1	1			
27b	Joints	W	1			1														1
		C	5			5							1					2	2	
28	Skin and subcutaneous cellular tissue	W	2	1		1												1		1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	2			2										1		1		
		C	6			6				1			2	1		1			1	
30	Genitourinary system	W	1			1													1	
		C	2			2								1					1	
31	Other organs	W	2	1		1												1	1	
		C	2	1		1	1										1			
32a	Acute disseminated tuberculosis	W	4	1		3										3		1		
		C	15	8	1	6				1		2			3	5	3		1	
34	Syphilis	W	27	10	4	13	4									1	3	6	5	3
		C	308	91	17	200	51	7	2	1	1	2	5	11	23	49	55	56	29	15
35	Gonococcus infection, other venereal diseases	W	2	2													1			5
		C	34	9	5	20						1	1	4	6	14	5	2	1	
36	Purulent infection, septicemia (nonpuerperal)	W	9	1	1	7	1					1			1	1	1	1	1	2
		C	11	3	1	7							2	1	1	1	2		1	3
38	Malaria	W	313	27	21	265	27	13	9	15	5	23	18	12	12	30	33	38	22	55
		C	494	36	22	436	27	17	19	23	13	56	50	30	31	40	29	40	44	70
39	Other diseases due to protozoal parasites	W	1	1															1	
		C	1			1									1					
40	Ankylostomiasis	W	1			1								1						
41a	Hydatid cysts of liver	W	1			1														1
42	Other diseases caused by helminths	W	2		1	1							1	1						
		C	1			1				1										
43	Mycoses	W	3			3													3	
		C	2			2		1		1										
44	Other infectious and parasitic diseases	C	2			2											1	1		
	II.—Cancers and other tumors	White	732	193	67	472	1	2	2			11		4	4	28	61	103	164	352
		Colored	495	84	49	362	1	2			2	1	2	6	9	48	75	113	105	128
	Cancer and other malignant tumors	W	687	175	64	448	1	1				6		3	3	20	51	92	161	349
		C	454	66	45	343		1			1	1	2	4	6	39	63	107	101	127
(45)	Buccal cavity	W	25	5	1	19											2	1	5	17
		C	6			6												3	1	2
(45)	Pharynx	W	14	4	2	8										1		1	5	7
		C	6	1	1	4										1	1		1	3
(46)	Esophagus	W	4	3		1										1			3	
(46)	Stomach and duodenum	W	131	22	7	102									1	1	2	7	39	81
		C	99	15	6	78										5	12	17	23	41
(46)	Liver and biliary passages	W	69	13	8	48										2	1	6	18	42
		C	29	5	4	20										1	2	4	12	9
(46)	Pancreas	W	15	5	1	9												3	5	7
		C	2			2											1			1
(46)	Other digestive tract and peritoneum	W	85	26	6	53	1	1								2	6	13	13	49
		C	31	5	4	22									1	3	1	8	7	11
47	Respiratory system	W	18	7	1	10						1					1	5	7	4
		C	1		1														1	
48	Uterus	W	75	26	9	40										6	13	23	15	18
		C	140	18	16	106									3	15	27	44	29	22
49	Other female genital organs	W	11	2	4	5											3	1	5	2
		C	7	4		3								1		2		4		
50	Breast	W	65	18	13	34									2	4	11	9	15	24
		C	49	7	9	33										2	10	15	12	10
51	Male genitourinary organs	W	54	16	7	31										1	2	3	8	40
		C	21	2	2	17										1		2	7	11
52	Skin	W	50	7	2	41										1		9	6	34
		C	9	1	1	7							1			2	1	1		4
53	Other or unspecified organs	W	71	21	3	47						5		3		1	10	11	17	24
		C	54	8	1	45		1			1	1	1	3	2	7	8	9	8	13
54b	Nonmalignant tumors, uterus	W	21	13	2	6										1	2	7	8	1	2
		C	29	16	4	9								1	1	7	10	5	4	
54d,e	Nonmalignant tumors, other organs	W	4	2		2		1								1	1		1	
		C	2			2					1				1					
55d,e	Tumors, other organs (nature unspecified)	W	20	3	1	16			2			5		1		5	2	3	1	1
		C	10	2		8	1	1						1	1	2	2	1		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases — White	259	70	19	170	4	4	1	2	1	4	9	4	8	12	13	36	55	103
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases — Colored	401	92	19	290	6	2		1	2	6	9	13	20	50	50	68	67	107
56	Acute rheumatic fever — W	16	3	1	12				1	1		6	1				1	3	3
	Acute rheumatic fever — C	22	4	1	17					1	2	1		1	2	1	4		10
57	Chronic rheumatism, osteoarthritis — W	13	2		11													2	11
	Chronic rheumatism, osteoarthritis — C	7	2		5								1		1	1	1	1	2
59	Diabetes mellitus — W	137	37	15	85		1				3	1		3	7	6	19	35	61
	Diabetes mellitus — C	89	17	9	63	1				1		2	5	2	9	8	20	17	24
62	Pellagra — W	53	16	2	35							1		2	4	5	7	12	22
	Pellagra — C	254	60	7	187	1	1				4	5	5	16	36	34	41	45	66
63	Rickets — W	3			3	1	1												
	Rickets — C	3			3	2	1												
64	Osteomalacia — W	1	1															1	
65	Diseases of pituitary body — W	1			1									1					
66a	Simple goiter — W	2			2									1				1	
	Simple goiter — C	4	1		3													1	3
66b	Exophthalmic goiter — W	6	3		3								1			1	3		1
	Exophthalmic goiter — C	13	5		8	1							1	1	1	4	2	2	1
(66)	Other diseases of thyroid and parathyroid glands — W	4	2		2				1						1		1	1	
67	Diseases of thymus gland — W	1			1		1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous) — W	6	2	1	3	1							1	1			2		1
	Diseases of adrenals (Addison's disease not specified as tuberculous) — C	2			2								1						1
69	Other general diseases — W	16	4		12	2	1	1			1	1	1			1	3		4
	Other general diseases — C	7	3	2	2	1			1			1			1	2		1	
	IV.—Diseases of the blood and blood-making organs — White	59	21	4	34	8	2	1		1	4	4	6	1	5	4	5	4	14
	IV.—Diseases of the blood and blood-making organs — Colored	22	3	3	16		1	2		1		1	2	3	4	1	2	2	3
70	Hemorrhagic conditions — W	14	7		7	6	1			1	2	1		1			1	1	
71a	Pernicious anemia — W	17	4	1	12						1		3		2	1		2	8
	Pernicious anemia — C	1			1											1			
71b	Other anemias — W	1		1				1											
	Other anemias — C	4	1	1	2		1	1							1				1
72a	True leukemias — W	16	5	1	10	1	1				1	1	1		3	1	2	1	4
	True leukemias — C	8	2		6					1			1	2	2		1		1
72b	Pseudoleukemias (Hodgkin's disease) — W	7	2	1	4							2	2			1			2
	Pseudoleukemias (Hodgkin's disease) — C	7		1	6			1				1	1	1				2	1
73	Diseases of spleen — W	3	2		1	1										1	1		
	Diseases of spleen — C	2		1	1										1		1		
74	Other diseases of blood and blood-making organs — W	1	1														1		
	V.—Chronic poisonings and intoxications — White	10	3		7									1	1	2	2	2	2
	V.—Chronic poisonings and intoxications — Colored	11	5		6								1	1	1	3	2	2	1
75	Alcoholism (acute or chronic) — W	10	3		7									1	1	2	2	2	2
	Alcoholism (acute or chronic) — C	11	5		6								1	1	1	3	2	2	1
	VI.—Diseases of the nervous system and of the organs of special sense — White	810	214	59	537	17	5	5	3	6	9	6	10	5	16	41	73	147	465
	VI.—Diseases of the nervous system and of the organs of special sense — Colored	828	217	68	543	15	6	1		1	9	12	15	17	46	76	164	178	283
78	Encephalitis (nonepidemic) — W	21	8	2	11	4	1			1		3	1	1	2	2	4	1	1
	Encephalitis (nonepidemic) — C	13	1		12	2							2		3	2	3	1	
79a	Simple meningitis — W	13	5	1	7	1		1	1	1	2		2			2	1	1	1
	Simple meningitis — C	13	6	2	5		1	1			3	3	1	3				1	
79b	Nonepidemic cerebrospinal meningitis — W	3			3	1					1			1					
	Nonepidemic cerebrospinal meningitis — C	3		1	2		2					1							
80	Progressive locomotor ataxia (tabes dorsalis) — W	3	1		2														3
	Progressive locomotor ataxia (tabes dorsalis) — C	8	2	3	3										2		3	2	1
81	Other diseases of spinal cord — W	16	6	3	7							1			1		2	7	5
	Other diseases of spinal cord — C	8	4	1	3									1		1	2		4
82a	Cerebral hemorrhage — W	600	140	43	417	1		1					1	2	7	21	51	120	394
	Cerebral hemorrhage — C	607	151	53	403	1					1	1	1	5	25	51	133	153	231
82b	Cerebral embolism and thrombosis — W	14	7		7						1			1	2		3	1	6
	Cerebral embolism and thrombosis — C	7	3	1	3									1	1	1	2		2
82c	Softening of brain — W	2			2														2
	Softening of brain — C	1		1															1
82d	Hemiplegia and other paralysis, cause unspecified — W	48	4	4	40		1	1							1	2	6	7	30
	Hemiplegia and other paralysis, cause unspecified — C	67	3	3	61							1	1		2	5	11	13	34
83	General paralysis of insane — W	15	13	1	1										1	4	2	4	4
	General paralysis of insane — C	27	23		4							1			5	6	7	2	6
84	Dementia praecox and other psychoses — W	7	4	1	2										1	1	1	2	2
	Dementia praecox and other psychoses — C	9	6		3									1	2	2	1	2	1
85	Epilepsy — W	20	10	1	9	2							4		1	5	1		7
	Epilepsy — C	30	11	2	17	1					2	2	8	5	5	4	1	1	1
86	Convulsions (under 5 years of age) — W	6	2		4	4	1			1									
	Convulsions (under 5 years of age) — C	13	1		12	10	2			1									
87	Other diseases of nervous system — W	21	4	2	15			1	1	1	1					3	1	3	9
	Other diseases of nervous system — C	9	2	1	6						2	2	1			1		1	2
88	Diseases of organs of vision — W	1			1							1							
	Diseases of organs of vision — C	1			1						1								
89a	Diseases of ear — W	16	8	1	7	4	2		1	2	2	1	1			1	1	1	
	Diseases of ear — C	8	3		5	1	1					1			1	2	1	1	
89b	Diseases of mastoid process — W	4	2		2			1			2								1
	Diseases of mastoid process — C	4	1		3								1	1		1		1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	VII.—Diseases of the circulatory system White	1,390	317	145	928	3	1		3		6	5	11	6	24	53	138	270	867
	VII.—Diseases of the circulatory system Colored	1,262	263	87	912	2	1		1	1	11	11	19	17	78	122	249	254	491
90	Pericarditis W	4		1	3										1			1	2
	Pericarditis C	6	1	1	4							1				1			4
91a	Acute endocarditis W	11	3	1	7						2	1		1	2		2	2	1
	Acute endocarditis C	9	3	2	4				1							3	3	1	1
91b	Endocarditis, unspecified (under 45 years) W	2			2				1		1								
	Endocarditis, unspecified (under 45 years) C	4	1		3										3	1			
92a	Endocarditis, specified as chronic and other valvular diseases W	361	45	38	278	3					2	3	5	3	6	13	27	66	232
	Endocarditis, specified as chronic and other valvular diseases C	468	95	22	351		1				4	8	11	6	37	51	97	100	150
92b	Endocarditis, unspecified (45 years and over) W	20	9		11												3	3	14
	Endocarditis, unspecified (45 years and over) C	14	3	2	9												4	4	6
93a	Acute myocarditis W	16	3	1	12									1			1	4	10
	Acute myocarditis C	13	7		6										3	4	3		3
93b	Myocarditis, unspecified (under 45 years) W	7	2		5							1	1		1	4			
	Myocarditis, unspecified (under 45 years) C	4	1		3									1		3			
93c	Chronic myocarditis and myocardial degeneration W	256	79	30	147								1		3	9	22	39	181
	Chronic myocarditis and myocardial degeneration C	182	41	15	126						1		1	1	6	13	32	36	92
93d	Other diseases of myocardium W	114	22	21	71											1	10	23	79
	Other diseases of myocardium C	63	16	6	41									1			15	14	32
94a	Angina pectoris W	140	35	15	90										1	3	27	36	73
	Angina pectoris C	32	9	3	20								1		1	5	8	9	7
94b	Diseases of coronary arteries W	81	30	9	42										2	6	12	26	35
	Diseases of coronary arteries C	29	13	4	12										3	5	9	4	8
95a	Functional diseases of heart W	9	3		6											1		4	4
	Functional diseases of heart C	4	1		3												1		3
95b	Other and unspecified diseases of the heart W	245	46	19	180				1				4	1	7	12	26	51	143
	Other and unspecified diseases of the heart C	338	52	24	262	1				1	5	1	5	7	21	27	66	74	130
96	Aneurysm (except of heart) W	11	7		4										1	1	3	2	4
	Aneurysm (except of heart) C	12	3	2	7										2	5	1	1	3
97	Arteriosclerosis (coronary arteries excepted) W	85	28	5	52													11	74
	Arteriosclerosis (coronary arteries excepted) C	47	11	5	31										1		5	3	38
98	Gangrene W	5			5						1								4
	Gangrene C	10	2	1	7							1		1		1		3	4
99	Other diseases of the arteries W	6	3		3											1	2	1	2
	Other diseases of the arteries C	3	2		1													1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	2			2		1												
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) C	1	1			1												1	
101	Diseases of lymphatic system (lymphangitis, etc.) W	2			2				1										1
	Diseases of lymphatic system (lymphangitis, etc.) C	2			2												1		1
102	Idiopathic anomalies of blood-pressure W	11	2	4	5														1
	Idiopathic anomalies of blood-pressure C	16			16											1	3		7
103	Other diseases of circulatory system W	2		1	1											2	4	3	7
	Other diseases of circulatory system C	5	1		4						1		1		1	1		1	1
	VIII.—Diseases of the respiratory system White	556	98	37	421	105	27	11	6	6	27	10	15	13	25	45	37	45	183
	VIII.—Diseases of the respiratory system Colored	664	105	37	522	140	29	16	11	5	24	17	34	30	63	58	61	66	108
104a	Diseases of nasal fossae W	2	1		1	2													
	Diseases of nasal fossae C	11	1		10	7													3
104b	Diseases of nasal fossae and annexa W	2			2													1	1
	Diseases of nasal fossae and annexa C	2			2							1							1
105	Diseases of larynx W	7			7	3					1	1		1	1				
	Diseases of larynx C	2	1		1	1											1		
106a	Acute bronchitis W	5			5	2									1				3
	Acute bronchitis C	4	3		1	1	1										1		
106b	Chronic bronchitis W	12	3	1	8						1						2	3	6
	Chronic bronchitis C	1			1														1
106c, d	Bronchitis, unspecified W	8	2	2	4	2	1	1							1			1	2
	Bronchitis, unspecified C	3	1		2	1					1								1
107a	Bronchopneumonia W	171	44	10	117	65	17	6	2	2	4	1	5	1	4	4	5	4	51
	Bronchopneumonia C	133	27	7	99	54	12	6	2	2	5	2	3	3	4	4	5	9	22
107b	Capillary bronchitis W	1			1	1													
	Capillary bronchitis C	1			1	1													
108	Lobar pneumonia W	293	42	19	232	25	9	3	4	4	17	4	9	10	18	38	29	29	94
	Lobar pneumonia C	399	60	27	312	39	13	9	8	2	15	11	28	23	48	46	45	47	64
109	Pneumonia, unspecified W	24	1	1	22	5					2	1	1				1	2	11
	Pneumonia, unspecified C	78	4	1	73	35	3	1	1	1	3	2	3	2	6	4	2	3	11
110	Pleurisy W	9	2	1	6			1				2				2		2	2
	Pleurisy C	4	1		3							1			2		1		
111a	Pulmonary embolism and thrombosis W	1			1														1
111b	Pulmonary congestion, edema, hemorrhagic infarct W	4	1		3													1	3
	Pulmonary congestion, edema, hemorrhagic infarct C	1			1														1
112	Asthma W	14	2	3	9						1	1		1	1	1		1	8
	Asthma C	14	3	1	10										1	2	2	6	3
113	Pulmonary emphysema W	1			1													1	
	Pulmonary emphysema C	1			1														
114	Other diseases of respiratory system (tuberculosis excepted) W	2			2						1								1
	Other diseases of respiratory system (tuberculosis excepted) C	10	4	1	5	1								1	1	2	3	1	1
	IX.—Diseases of the digestive system White	711	207	84	420	96	96	37	17	9	18	20	15	23	51	61	67	63	137
	IX.—Diseases of the digestive system Colored	778	179	70	529	124	88	31	10	8	28	36	35	30	57	78	97	64	90
115a	Diseases of pharynx, tonsils W	23	8	3	12	1	1		3	2	3	3	2	1		2	2		3
	Diseases of pharynx, tonsils C	35	10	3	22	2		2		1	2	7	3	2	4	5	2	1	4
115b	Diseases of buccal cavity and annexa W	9	3	1	5						1	1	1	1		1	2		1
	Diseases of buccal cavity and annexa C	12	4	1	7	1								2	1	1		1	6
116	Diseases of esophagus W	1			1														1
117a	Ulcer of stomach W	38	11	5	22									2	8	5	9	8	6
	Ulcer of stomach C	31	11	2	18			1						1	3	5	10	9	2
117b	Ulcer of duodenum W	15	9	5	1										2	4	4	1	4
	Ulcer of duodenum C	7		3	4										3		4		
118	Other diseases of stomach (cancer excepted) W	52	6	6	40	4	1	2							3	6	4	11	21
	Other diseases of stomach (cancer excepted) C	56	10	5	41	2				1	1		2	3	3	11	18	8	7
119	Diarrhea, enteritis (under 2 years of age) W	176	27	16	133	83	93												
	Diarrhea, enteritis (under 2 years of age) C	196	9	5	182	110	86												

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																			
	IX.—Diseases of the digestive system—Continued.																			
120	Diarrhea, enteritis (2 years and over)	W	85	9	5	71			33	11	5	3	1				2	2	4	24
		C	102	10	10	82			27	9	3	9	5	3	3	3	4	9	8	19
121	Appendicitis	W	114	60	25	29				2	2	6	12	8	15	19	16	14	6	14
		C	110	52	19	39	1				1	5	17	17	9	18	18	11	8	5
122a	Hernia	W	12	4	1	7												1		11
		C	25	8	5	12		1					1		1	2	7	4	2	7
122b	Intestinal obstruction	W	59	28	6	25	6	1	2	1		4	3	3	3	7	8	3	8	10
		C	99	38	9	52	7	1		1	1	6	3	8	3	13	17	20	8	11
123	Other diseases of intestines	W	5	2		3									1			1	1	2
		C	11	4		7									1	1	1	4	1	3
124	Cirrhosis of liver	W	48	16	4	28										3	6	9	14	16
		C	47	12	6	29						1	1		1		5	8	12	17
125a	Yellow atrophy of liver	W	2			2												1		1
		C	1			1									1					
125b	Other diseases of liver	W	16	3	2	11	2							1		3	3	2	1	4
		C	11	4	2	5										1	1	5	1	3
126	Biliary calculi	W	15	6	1	8										2	1	4	4	4
		C	3	1		2								1	1					1
127	Other diseases of gall-bladder, biliary passages	W	33	12	3	18										2	6	6	5	14
		C	16	1		15	1						1	1		2	1	1	5	4
128	Diseases of pancreas	W	1	1												1				
		C	1	1													1			
129	Peritonitis, cause not specified	W	7	2	1	4						1				1	1	3		1
		C	15	4		11			1		1	4	1		2	3	1	1		1
	X.—Diseases of the genito-urinary system	White	1,024	249	97	678	2	2	6	1	1	6	10	6	11	34	47	99	169	627
		Colored	1,077	221	79	777	1	4	1	4		8	7	19	16	53	112	204	236	409
130	Acute nephritis (including unspecified under 10 years)	W	62	15	4	43	1	1	3	1	1	5	5		1	2	8	12	9	13
		C	67	13	6	48		2	1	3		3	2	7	2	8	9	11	8	11
131	Chronic nephritis	W	736	166	66	504							5	2	4	12	23	66	123	499
		C	742	147	55	540		1				2	2	6	8	27	76	152	181	285
132	Nephritis, unspecified (10 years and over)	W	92	15	7	70								1	1	3	7	7	20	53
		C	92	15	5	72							2	1	3	3	6	20	17	40
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	41	9	10	22	1	1	3			1		2	2	4	4	3	5	15
		C	36	5	2	29		1		1		3		2	1	3	5	6	2	11
134	Calculi of urinary passages	W	6	3		3										1		2	1	2
		C	2	2														1		1
135	Diseases of bladder (tumors excepted)	W	7			7													1	6
		C	15	3		12	1										2	2	2	8
136	Diseases of urethra, urinary abscess, etc	W	1	1																1
		C	19	7		12										3	4	3	5	4
137	Diseases of prostate	W	48	19	5	24												1	9	38
		C	75	17	5	53										1	1	6	18	49
139a	Cysts of ovary	W	4	1	2	1								1		1		1	1	
		C	4	4												2	2			
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	19	16	2	1									3	11	3	2		
		C	17	5	4	8							1	1	2	5	4	2	2	
139c	Diseases of uterus	W	7	4	1	2											2	5		
		C	7	3	2	2								2		1	3	1		
139d	Nonpuerperal diseases of breast (cancer excepted)	C	1			1													1	
139e	Other diseases of female genital organs	W	1			1														
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	122	29	10	83								11	29	46	35	1		
		Colored	203	33	7	163							2	49	39	64	44	5		
140	Abortion with septic conditions	W	12	7		5								1	2	6	3			
		C	18	3	3	12								3	5	8	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	9	1		8									2	6	1			
		C	10			10								1	1	4	3	1		
142a	Ectopic gestation, septic conditions specified	W	2			2									1		1			
142b	Ectopic gestation, septic conditions not mentioned	W	3	2	1											3				
		C	2	2										1	1					
143	Other accidents of pregnancy (hemorrhage not included)	C	3			3								1	1	1				
144a	Placenta praevia	W	5	2	1	2											5			
		C	4		1	3									1	2	1			
144b	Other puerperal hemorrhages	W	12	2		10									4	3	5			
		C	5			5										3	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	15	2	2	11									4	5	6			
		C	53	11	2	40								15	14	20	4			
145b	Puerperal tetanus (abortion and ectopic gestion excluded)	C	1	1										1						
146	Puerperal albuminuria and eclampsia	W	34	7	4	23								5	7	14	8			
		C	73	13	1	59							2	25	10	15	18	3		
147	Other toxemias of pregnancy	W	8	2		6								1	4	1	2			
		C	3			3									1	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	7	1	1	5								1	2	2	2			
		C	3	1		2										1	2			
149	Other accidents of childbirth	W	15	3	1	11								3	3	6	2	1		
		C	28	2		26								2	5	9	11	1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	XII.—Diseases of the skin and cellular tissue White	20	6	1	13	3						1	2	1	3	4	1	2	3
	XII.—Diseases of the skin and cellular tissue Colored	9			9	2					1				1	2	2		1
151	Furuncle, carbuncle W	9	3		6								1	1	2	2	1		2
	Furuncle, carbuncle C	2			2	1									1				
152	Phlegmon, acute abscess W	5	2		3	1							1		1	1		1	
	Phlegmon, acute abscess C	4			4	1										1	2		
153	Other diseases of skin and annexa, and of cellular tissue W	6	1	1	4	2						1				1		1	1
	Other diseases of skin and annexa, and of cellular tissue C	3			3						1					1			1
	XIII.—Diseases of the bones and organs of locomotion White	12	6	1	5						2	4		2	2			1	1
	XIII.—Diseases of the bones and organs of locomotion Colored	8	4		4					1					3	1	2	1	
154	Osteomyelitis W	9	6		3						2	4			2			1	
	Osteomyelitis C	6	4		2					1					2	1	2		
155	Other diseases of bones (tuberculosis excepted) W	1			1														1
156	Diseases of joints, other organs of locomotion W	2		1	1									2					
	Diseases of joints, other organs of locomotion C	2			2										1			1	
	XIV.—Congenital malformations White	97	26	3	68	85	3	2	1	1	2	1	2						
	XIV.—Congenital malformations Colored	26	4	1	21	18	3				2	1	1	1					
157a	Congenital hydrocephalus W	10	3		7	5	1	2		1	1								
	Congenital hydrocephalus C	2	1		1		2												
157b	Spina bifida and meningocele W	4	1		3	4													
	Spina bifida and meningocele C	2			2	2													
157c	Congenital malformations of heart W	51	12	1	38	45	2				1	1	2						
	Congenital malformations of heart C	7	1		6	5					1		1						
157d	Other congenital malformations W	32	10	2	20	31			1										
	Other congenital malformations C	15	2	1	12	11	1				1	1		1					
	XV.—Diseases of early infancy White	429	87	29	313	429													
	XV.—Diseases of early infancy Colored	289	42	17	230	289													
158	Congenital debility W	38	5	1	32	38													
	Congenital debility C	32	5	2	25	32													
159	Premature birth W	294	66	16	212	294													
	Premature birth C	190	23	12	155	190													
160	Injury at birth W	59	10	8	41	59													
	Injury at birth C	33	4	1	28	33													
161	Other diseases peculiar to early infancy W	38	6	4	28	38													
	Other diseases peculiar to early infancy C	34	10	2	22	34													
162	**XVI.—Senility** White	127	25	9	93														127
	XVI.—Senility Colored	291	16	11	264													2	286
	XVII.—Violent and accidental deaths White	780	220	110	450	15	10	11	8	11	22	27	59	66	113	90	122	83	139
	XVII.—Violent and accidental deaths Colored	976	200	71	705	33	15	13	11	17	46	51	83	126	217	134	102	59	60
	Suicide W	101	32	17	52								3	9	15	14	22	21	17
	Suicide C	12	3	1	8									2	2	5	1		2
163	By solid or liquid poisons or by absorption of corrosive substances W	14	6	3	5									3	3	1	3	1	3
	By solid or liquid poisons or by absorption of corrosive substances C	2			2									2					
165	By hanging or strangulation W	4	1	1	2									2	1			1	
166	By drowning W	2			2									1		1			
167	By firearms W	71	20	13	38								3	1	10	11	18	15	13
	By firearms C	9	3	1	5										2	5	1		1
168	By cutting or piercing instruments W	5	2		3											1	1	2	1
	By cutting or piercing instruments C	1			1														1
169	By jumping from high places W	1	1											1					
171	By other means W	4	2		2									1	1			2	
	Homicide W	93	21	11	61	1							3	9	23	23	20	7	6
	Homicide C	327	68	24	235		1				4	4	28	56	112	60	40	13	6
173	By firearms W	66	15	6	45								3	6	17	16	17	3	3
	By firearms C	237	44	15	178		1				2	1	18	43	83	44	29	9	4
174	By cutting or piercing instruments W	12	3	4	5									2	2	5	1	2	
	By cutting or piercing instruments C	57	18	3	36							1	6	11	21	12	4		2
175	By other means W	15	3	1	11	1								1	4	2	2	2	3
	By other means C	33	6	6	21						2	2	4	2	8	4	7	4	
	Accidental, other, or undefined W	586	167	82	337	14	10	11	8	11	22	27	53	48	75	53	80	55	116
	Accidental, other, or undefined C	637	129	46	462	33	14	13	11	17	42	47	55	68	103	69	61	46	52
176	Attack by venemous animals W	1			1												1		
	Attack by venemous animals C	2			2	1					1								
177	Poisoning by food W	10	3	1	6				1						1	2	2	4	
	Poisoning by food C	19	4		15	1		1		1	6	1	1	2	1	1	2	2	
178	Absorption of poisonous gas W	1	1												1				
	Absorption of poisonous gas C	1	1												1				
179	Other acute accidental poisonings (gas excepted) W	5	1		4		1			1				1	1		1		1
	Other acute accidental poisonings (gas excepted) C	12	2	1	9			1		1	1		3	2	2		1		1
180	Conflagration W	4			4								1				3		
	Conflagration C	12	4		8	2		2	1		1			1			1	1	3
181	Burns (conflagration excepted) W	46	14	8	24	10	4	1	1	5	5	5	4		2	1		3	4
	Burns (conflagration excepted) C	78	20	3	55	6	7	5	5	6	5	5	2	4	6	4	5	5	13
182	Mechanical suffocation W	3			3	2												1	
	Mechanical suffocation C	8	1		7	6					1			1					
183	Drowning W	39	9		30		3	1				6	6	4	7	2	5	4	1
	Drowning C	63	3	1	59		1	2	1		3	13	13	8	6	7	5	3	1
	Supplemental W	8	1	1	6								1	2	3		1	1	
	Supplemental C	20			20						1	2	3		7	2	1	2	2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	XVII. Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 41	11	8	22				1		2	4	5	7	10	4	7	1	
		C 65	12	6	47					1	5	9	9	15	12	5	6	1	
185	By cutting or piercing instruments (wounds of war excepted)	W 12	6	1	5		1					1	1	1	1		2	2	3
		C 10	1	2	7							1			1			5	3
	Supplemental	W 1	1											1					
		C 1			1										1				
186a	By fall	W 92	36	9	47	2		1				3	3	1	2	2	5	7	65
		C 28	8	1	19	5	2		1		3		2	1	2	1	3	4	4
	Supplemental	W 21	6	7	8								5		2	4	6	1	3
		C 27	10	3	14						1	3	2	2	5	6	3	3	1
186b	By crushing, landslide	W 5		1	4						1		1	1	1	1			
		C 5			5										1	3	1		
	Supplemental	W 36	10	6	20						1	1	4	7	7	4	5	3	3
		C 43	9	4	30						1	3	4	8	16	7	1	2	1
187	Cataclysm	W 26	5	1	20			1	2	1	3		1	1	3	3	3	4	4
		C 34	9	1	24	3	1	1		2	4	4	3	2	3	1	3	2	5
188	Injuries by animals	W 8	2	1	5		1	3			2			2					
		C 3	1		2					1		2							
190	Excessive cold	W 1			1														1
		C 2		1	1										1				1
191	Excessive heat	W 3	1		2												1	1	1
		C 12	3	4	5									1	1	3	7		
192	Lightning	W 8	1		7								2		3	2			1
		C 16			16						1	1	1	3	5	5			
193	Due to electric currents	W 3	1		2									2					1
		C 1			1													1	
194a	Foreign bodies	W 1			1			1											
		C 4	1		3	2	2												
194b	Other accidents	W 52	13	6	33			1		1	2	3	4	7	6	6	7	5	10
		C 53	13	5	35	7		1	2		1	1	3	5	16	6	7	3	1
	Supplemental	W 159	45	32	82			2	3	3	6	4	15	12	26	23	31	20	14
		C 113	24	14	75		1		1	5	7	2	9	11	16	17	15	12	14
198	Legal executions	C 5	3		2									2	1	1	1		
	XVIII.—Ill-defined causes of death	White 432	35	19	378	123	9	6	1	1	6	4	2	6	13	17	33	61	147
		Colored 2,547	224	74	2,249	867	69	28	16	14	49	48	45	67	135	138	225	263	575
199	Sudden death	W 67	6	3	58	3					1	1	1		1	1	8	16	35
		C 168	16	8	144	18	1	4	2		3	1	4	5	13	14	28	31	42
200a	Cause of death ill-defined	W 59	8	2	49	5		1							3	4	8	11	27
		C 151	15	7	129	15	3	4			4	4	5	4	13	14	15	21	47
200b	Cause of death not specified or unknown	W 306	21	14	271	115	9	5	1	1	5	3	1	6	9	12	17	34	85
		C 2,228	193	59	1,976	834	65	20	14	14	42	43	36	58	109	110	182	211	486
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	W 2	1		1									1		1			
		C 2			2										1			1	
203	Elevator accidents	W 2	1	1													1	1	
205	Other machinery accidents	W 7	2	1	4										3	1	2	1	
		C 5	3		2							1		1	2			1	
206	Railroad and automobile collisions	W 10	2	2	6						1	1			2	2	1	2	1
		C 6	1		5									1	2	3			
207	Other railroad accidents	W 33	8	7	18								6	2	6	3	9	3	4
		C 34	4	5	25					1		2	2	2	14	6	2	2	1
208	Street car and automobile collisions	W 1	1											1					
210	Automobile accidents (primary)	W 156	43	33	80			2	3	3	6	4	17	17	23	23	28	16	13
		C 127	33	16	78		1		1	4	8	4	12	15	19	17	18	12	14
211	Motorcycle accidents	W 1	1												1				
212	Other land transportation accidents	W 5	2	1	2											1	1	1	2
		C 13	2		11						1	1	1	2	1	5		1	1
213	Water transportation accidents	W 7	2	1	4								2	1	2		1	1	
		C 17			17						1	2	3		6	1		2	2
214	Air transportation accidents	W 1			1										1				
	MISSOURI																		
	Total deaths (all causes)	42,521	20,590	4,059	17,872	3,176	589	272	177	160	584	452	693	1,006	2,153	3,079	4,697	6,837	18,490
	I.—Infectious and parasitic diseases	5,414	2,099	525	2,790	371	194	96	69	72	226	120	231	315	590	624	661	612	1,215
1	Typhoid fever	198	44	22	132	1	2	2	3	7	16	19	26	26	34	19	19	10	13
2	Paratyphoid fever	2		1	1										1	1			
5	Undulant fever	8		4	4								1	1		2	2	1	1
6	Smallpox	1			1												1		
7	Measles	67	28	5	34	17	18	11	1	3	10	2		1	2	1	1		
8	Scarlet fever	110	53	15	42	5	11	9	6	16	33	9	6	8	4	2	1		
9	Whooping-cough	98	23	9	66	56	26	5	8		1	1				1			
10	Diphtheria	234	70	19	145	11	33	23	18	18	85	23	8	3	6	3	1	2	
11a	Influenza, respiratory complications specified	799	193	95	511	94	28	9	7	5	11	7	16	10	24	64	101	74	348
11b	Influenza, respiratory complications not specified	475	87	57	331	52	12	4	4	3	8	6	11	6	9	18	33	49	280
13	Dysentery	124	18	16	90	28	19	10	7	1	2	1	3		2	3	6	7	35
15	Erysipelas	53	25	3	25	12	2	1	1			1			1	3	5	9	18
16	Acute poliomyelitis, acute polioencephalitis	14	5	2	7	1	1	1			3	1	1	2	1	1	1		1
17	Lethargic or epidemic encephalitis	299	223	25	51	1	2	1	2	1	5	3	5	4	9	20	39	70	137

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
18	Epidemic cerebrospinal meningitis	56	44		12	5	6	2	2	1	3	6	5	3	4	6	7	3	2
20	Anthrax (bacillus anthracis) malignant pustule	1			1										1				
21	Rabies	4	3		1			1		1		1						1	
22	Tetanus	46	20	7	19	4	3	1	1	2	10	4	1	4	2	4	4	3	3
	Tuberculosis (all forms)	2,280	1,004	196	1,080	20	16	7	4	6	16	20	131	225	441	397	357	299	328
23	Respiratory system	2,071	881	182	1,008	10	6	5			10	12	118	208	418	365	338	268	300
24	Meninges and central nervous system	42	25	4	13	7	3	2	3	4	2	1	2	4	3	2	1	4	4
25	Intenstines and peritoneum	60	32	7	21		2			1	1	2	4	5	5	11	7	10	12
26	Vertebral column	27	18	1	8						1	1	1	2	5	5	4	5	3
27a	Bones (vertebral column excepted)	1			1													1	
27b	Joints	9	4	1	4									1	1		2	3	2
28	Skin and subcutaneous cellular tissue	1			1								1						
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3			3		1			1	1								
30	Genitourinary system	12	5		7										2	2	1	3	4
31	Other organs	2	1		1											1		1	
32a	Acute disseminated tuberculosis	40	29	1	10	3	4		1		1	4	2	2	5	10	3	3	2
32b, c	Other disseminated tuberculosis	12	9		3								3	3	2	1	1	1	1
34	Syphilis	271	193	29	49	42	2			1		1	2	5	23	46	60	50	38
35	Gonococcus infection and other venereal diseases	27	23	2	2	1							2	7	6	7	1	3	
36	Purulent infection, septicemia (non-puerperal)	31	15	1	15	2	2		1		1	2		1	4	3	8	5	2
38	Malaria	197	17	17	163	16	11	8	4	7	20	10	12	9	14	21	13	26	25
39	Other diseases due to protozoal parasites	1	1										1						
41a	Hydatid cysts of liver	1			1														1
41b	Hydatid cysts of other organs	1			1														1
42	Other diseases caused by helminths	1	1									1							
43	Mycoses	6	3		3										2	2			2
44	Other infectious and parasitic diseases	9	6		3	3		1			2	2					1		
	II.—Cancers and other tumors	4,363	2,363	387	1,613	6	3	5	3	2	17	7	20	24	112	343	769	1,079	1,965
	Cancer and other malignant tumors	4,161	2,219	369	1,573	4	3	4	3	2	9	6	11	16	88	297	720	1,042	1,948
(45)	Buccal cavity	153	87	5	61										1	6	28	33	84
(45)	Pharynx	41	27	4	10										1		4	12	24
(46)	Esophagus	46	30	5	11											1	5	15	25
(46)	Stomach and duodenum	833	388	76	369						1		2		9	28	100	224	468
(46)	Liver and biliary passages	455	200	42	213						1			1	2	17	66	119	247
(46)	Pancreas	94	69	6	19									1	1	4	16	27	45
(46)	Other digestive tract and peritoneum	603	341	61	201	1					1		2	2	14	46	106	136	295
47	Respiratory system	136	90	11	35			1					1	2	5	15	34	32	46
48	Uterus	520	296	43	181							1	1	1	24	87	151	117	136
49	Other female genital organs	102	69	11	22							1	1	1	4	15	24	36	20
50	Breast	363	199	39	125										11	41	103	97	111
51	Male genitourinary organs	347	200	31	116	1				1			1	3	6	13	22	85	214
52	Skin	134	31	12	91	1									1	2	5	23	101
53	Other or unspecified organs	334	192	23	119	1	3	3	3	1	6	4	3	5	9	22	56	86	132
54a	Nonmalignant tumors, ovary	7	3		4								1			1	1	1	3
54b	Nonmalignant tumors, uterus	64	48	7	9										9	28	17	4	6
54d,e	Nonmalignant tumors, other organs	83	67	7	9	1					8	1	7	7	7	12	18	18	4
55a	Tumors, ovary (nature unspecified)	1	1															1	
55c	Tumors, other female genital organs (nature unspecified)	1			1													1	
55d,e	Tumors, other organs (nature unspecified)	46	25	4	17	1		1					1	1	8	5	13	12	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,190	636	102	452	40	3	7	3	2	16	17	15	27	46	78	143	249	540
56	Acute rheumatic fever	65	26	5	34			2	1	1	7	6	1	3	6	8	4	7	19
57	Chronic rheumatism, osteoarthritis	48	12	9	27			1			1			1	1	1	2	8	32
59	Diabetes mellitus	855	482	69	304	1			1	1	6	7	9	17	24	45	108	202	431
60	Scurvy	2			2								1					1	
62	Pellagra	27	14	2	11							1			3	6	5	6	6
63	Rickets	11	5		6	9		1									1		
65	Diseases of pituitary body	1	1											1					
66a	Simple goiter	5	2	1	2										1		2	1	1
66b	Exophthalmic goiter	107	63	10	34						1	1	1	5	7	14	18	19	41
(66)	Other diseases of thyroid and parathyroid glands	12	5	1	6	1		2				1				2	1	4	1
67	Diseases of thymus gland	37	22	3	12	29	1	1	1		1		3		1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	10	3	1	6		1								2	2	2		3
69	Other general diseases	10	1	1	8		1					1			1			1	6
	IV.—Diseases of the blood and blood-making organs	320	157	45	118	12	3	2	4	2	12	9	13	2	18	30	44	69	99
70	Hemorrhagic conditions	17	8	2	7	6	1				1	2	2		1	1	1	1	1
71a	Pernicious anemia	137	47	19	71								1	1	4	3	14	37	77
71b	Other anemias	12	5	1	6	3						1			1		1	1	5
72a	True leukemias	102	69	15	18	2	1	1	3	1	8	6	6	1	8	18	16	17	13
72b	Pseudoleukemias (Hodgkin's disease)	34	19	3	12		1	1			1		4		3	4	7	10	3
73	Diseases of the spleen	14	5	5	4	1			1	1	2				1	3	3	2	
74	Other diseases of blood and blood-making organs	4	4													1	2	1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	V.—Chronic poisonings and intoxications	60	29	9	22								1	2	8	12	20	9	8
75	Alcoholism (acute or chronic)	56	27	8	21								1	2	8	12	18	7	8
76	Chronic poisoning by other organic substances	2	1		1													2	
77a	Chronic lead poisoning	1	1														1		
77b, c	Other chronic poisoning by mineral substances	1		1													1		
	VI.—Diseases of the nervous system and of the organs of special sense	4,079	1,669	443	1,967	48	19	9	3	11	27	27	23	31	90	206	405	782	2,377
78	Encephalitis (nonepidemic)	42	23	7	12	1	2	2			3		2	4	4	5	3	10	6
79a	Simple meningitis	61	34	9	18	14	4	4			3	3	1	1	7	7	5	8	4
79b	Nonepidemic cerebrospinal meningitis	6		1	5					1	2		1			1			
80	Progressive locomotor ataxia (tabes dorsalis)	51	37	2	12										1	2	3	17	28
81	Other diseases of spinal cord	109	40	8	61	2						1	2		3	12	16	22	51
82a	Cerebral hemorrhage	2,973	1,152	321	1,500	8	2			1	1	2	3	4	27	88	276	595	1,952
82b	Cerebral embolism and thrombosis	143	80	10	53		1	1			2		2	5	1	5	5	24	96
82c	Softening of brain	22	11	1	10											2	1	2	17
82d	Hemiplegia and other paralysis, cause unspecified	164	33	19	112			1		1					2	1	10	14	133
83	General paralysis of insane	175	103	30	42								2	2	12	43	55	41	18
84	Dementia praecox and other psychoses	34	10	5	19									4	5	2	5	9	9
85	Epilepsy	65	23	7	35					2		5	1	7	12	14	11	5	8
86	Convulsions (under 5 years of age)	5	1		4	5													
87	Other diseases of nervous system	115	52	8	55	4	2			1		2	3	2	6	14	7	26	47
88	Diseases of organs of vision	2	2										1						1
89a	Diseases of ear	55	30	7	18	12	5		2	3	5	7	2	1	5	6	2	3	2
89b	Diseases of mastoid process	57	35	8	11	2	3	1	1	2	11	7	3	1	5	4	6	6	5
	VII.—Diseases of the circulatory system	9,489	4,981	892	3,616	18	9	10	7	2	24	29	45	57	168	429	967	1,732	5,957
90	Pericarditis	46	25	3	18	1		1			1		2		1	4	4	11	21
91a	Acute endocarditis	99	65	11	23	1	1	1	3	1	1	1	5	11	11	13	13	18	19
91b	Endocarditis, unspecified (under 45 years)	15	5	5	5						2	1	1	1	5	5			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,139	855	196	1,088	7	5	3	2		10	14	21	28	69	121	235	362	1,254
92b	Endocarditis, unspecified (45 years and over)	110	31	14	65												11	27	72
93a	Acute myocarditis	159	104	10	45	1						3	3		7	13	22	35	75
93b	Myocarditis, unspecified (under 45 years)	23	6	5	12						3	1	1	1	1	16			
93c	Chronic myocarditis and myocardial degeneration	3,514	2,512	231	771		2		1	1	3	4	2	8	37	145	315	661	2,325
93d	Other diseases of myocardium	621	146	105	370								1		2	3	52	93	468
94a	Angina pectoris	504	193	53	258										3	18	57	132	294
94b	Diseases of coronary arteries	574	368	50	156									2	9	31	99	136	293
95a	Functional diseases of heart	27	7	2	18											1	4	5	17
95b	Other and unspecified diseases of heart	837	316	105	416	4	1	2			3	5	6	4	15	38	91	164	499
96	Aneurysm (except of heart)	116	82	6	28								2		4	15	34	34	27
97	Arteriosclerosis (coronary arteries excepted)	604	224	84	296											4	15	37	543
98	Gangrene	29	8	1	20				2	1							3	5	18
99	Other diseases of arteries	36	20	7	9	1		1							2	1	5	8	18
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	18	9	1	8										1	1	4	2	9
101	Diseases of lymphatic system (lymphangitis, etc.)	4	2		2	2								1	1				
102	Idiopathic anomalies of blood-pressure	6	1	1	4												2	1	3
103	Other diseases of circulatory system	8	2	2	4	1					1		1	1			1	1	2
	VIII.—Diseases of the respiratory system	3,548	1,912	276	1,360	510	112	40	23	19	58	33	52	79	188	270	315	484	1,357
104a	Diseases of nasal fossae	2	1		1														2
104b	Diseases of nasal fossae and annexa	14	11		3	1			1			1	3	2		2	2	2	
105	Diseases of larynx	22	6	3	13	1	6	3	1	2	4				2				3
106a	Acute bronchitis	33	21	1	11	12					1	2				1		2	15
106b	Chronic bronchitis	69	19	4	46											1	1	5	61
106c, d	Bronchitis, unspecified	29	6	6	17	6									1		1	4	17
107a	Bronchopneumonia	1,348	744	88	516	353	57	18	7	8	25	9	15	15	35	72	73	135	524
107b	Capillary bronchitis	11	8		3	3											3	2	3
108	Lobar pneumonia	1,737	952	145	640	117	38	10	10	8	23	17	31	54	121	172	194	298	639
109	Pneumonia, unspecified	31	7	2	22	12	2	1	1		1			1	3	1	3	1	5
110	Pleurisy	87	56	13	18	2	7	6	3	1	2	2	1	3	10	7	16	8	19
111a	Pulmonary embolism and thrombosis	17	15	1	1	1		1			1			1		1	4	5	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	41	14	5	22	2					1	1	1		1	2	1	2	30
112	Asthma	55	20	1	34			1				1	1	1	3	2	5	14	27
113	Pulmonary emphysema	6	1	2	3		1							1			2		2
114	Other diseases of respiratory system (tuberculosis excepted)	46	31	5	10		1							1	12	9	10	6	7
	IX.—Diseases of the digestive system	3,007	1,496	353	1,158	393	192	64	30	23	74	79	65	72	198	256	366	449	736
115a	Diseases of pharynx and tonsils	131	55	22	54	4	2	6	4	3	16	10	6	10	18	16	11	10	15
115b	Diseases of buccal cavity and annexa	25	15	3	7	1				1					6	5	3	3	6
116	Diseases of esophagus	6	2		4												1	1	4
117a	Ulcer of stomach	176	98	24	54									4	13	24	34	34	65
117b	Ulcer of duodenum	68	49	9	10								1	1	6	9	11	24	16
118	Other diseases of stomach (cancer excepted)	129	35	8	86	15	1	1		1	1	2	1	2	1	7	10	20	66

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																	
	IX.—Diseases of the digestive system—Continued.																	
119	Diarrhea, enteritis (under 2 years of age)	515	109	50	356	338	177											
120	Diarrhea, enteritis (2 years and over)	251	49	33	169			43	20	10	14	2	1	6	8	7	12	21	106
121	Appendicitis	562	392	83	87	2	2	7	4	5	33	54	43	38	98	73	82	74	46
122a	Hernia	128	79	20	29	3					1		1	2	4	5	21	34	56
122b	Intestinal obstruction	210	106	24	80	22	9	4	1		5	5	4	5	10	16	33	30	65
123	Other diseases of intestines	39	24	3	12	2		1					1	1	3	4	5	10	11
124	Cirrhosis of liver	373	233	29	111							3		1	8	38	68	97	157
125a	Yellow atrophy of liver	8	5	2	1						1		2				1	2	2
125b	Other diseases of liver	40	20	2	18	1			1	1		1	1		3	8	5	5	14
126	Biliary calculi	143	94	15	34								1		10	19	27	39	47
127	Other diseases of gall-bladder, biliary passages	137	88	21	28			1		1				1	4	15	30	36	49
128	Diseases of pancreas	15	11	1	3											2	5	4	3
129	Peritonitis, cause not specified	51	32	4	15	5	1	1		1	3	2	3	1	6	8	7	5	8
	X.—Diseases of the genitourinary system	4,675	2,431	371	1,873	17	6	3	3	1	12	12	18	38	108	256	494	848	2,843
130	Acute nephritis (including unspecified under 10 years)	155	65	20	70	10	5	2	2		6	5		6	12	16	20	27	44
131	Chronic nephritis	3,689	1,984	266	1,439			1	1	1	5	6	13	21	59	179	395	691	2,303
132	Nephritis, unspecified (10 years and over)	307	54	35	218								1	5	3	14	24	57	203
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	106	70	7	29	7	1				1		2	2	7	9	9	20	47
134	Calculi of urinary passages	42	32	1	9										1	8	6	11	16
135	Diseases of bladder (tumors excepted)	24	8	3	13											2	1	2	19
136	Diseases of urethra, urinary abscess, etc.	5	4	1													3		2
137	Diseases of prostate	248	142	23	83												8	36	203
138	Diseases of male genital organs, not specified as venereal	2	2												1				1
139a	Cysts of ovary	19	17	2											5	4	8	1	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	63	44	9	10							1	2	3	18	18	17	3	1
139c	Diseases of uterus	14	8	4	2									1	2	5	3		3
139e	Other diseases of female genital organs	1	1													1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	334	157	53	124							1	38	84	139	70	2		
140	Abortion with septic conditions	78	43	13	22								12	23	24	19			
141	Abortion without mention of septic conditions (includes hemorrhages)	14	5	4	5								1	5	5	3			
142a	Ectopic gestation, septic conditions specified	2	2											1	1				
142b	Ectopic gestation, septic conditions not mentioned	12	6	2	4										8	3	1		
144a	Placenta praevia	9	6	1	2									2	4	3			
144b	Other puerperal hemorrhages	23	7	2	14								1	6	5	11			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	91	45	17	29								15	20	44	12			
146	Puerperal albuminuria and eclampsia	54	22	6	26							1	6	10	24	12	1		
147	Other toxemias of pregnancy	6	4		2									2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	13	5	2	6								1	2	8	2			
149	Other accidents of childbirth	32	12	6	14								2	13	13	4			
	XII.—Diseases of the skin and cellular tissue	59	30	7	22	8			1	1	2				2	8	2	11	24
151	Furuncle, carbuncle	16	6	1	9					1	1				1	2	1	3	7
152	Phlegmon, acute abscess	21	18	3		2			1		1				1	3		6	7
153	Other diseases of skin and annexa, and of cellular tissue	22	6	3	13	6										3	1	2	10
	XIII.—Diseases of the bones and organs of locomotion	40	28	3	9	3	2	1		1	4	2	3	2	6	4	7	3	2
154	Osteomyelitis	28	18	2	8	1	2	1		1	3	1	3	2	3	2	5	3	1
155	Other diseases of bones (tuberculosis excepted)	4	2	1	1						1				1		1		1
156	Diseases of joints, other organs of locomotion	8	8			2						1			2	2	1		
	XIV.—Congenital malformations	304	124	39	141	271	8	2	4	3	5	2	2	4	2	1			
157a	Congenital hydrocephalus	42	19	4	19	31	3	1	2	1	1			2	1				
157b	Spina bifida and meningocele	27	10	3	14	25				1				1					
157c	Congenital malformations of heart	174	59	23	92	159	2		2	1	3	2	2	1	1	1			
157d	Other congenital malformations	61	36	9	16	56	3	1			1								
	XV.—Diseases of early infancy	1,317	508	133	676	1,317													
158	Congenital debility	112	33	7	72	112													
159	Premature birth	864	342	92	430	864													
160	Injury at birth	211	88	24	99	211													
161	Other diseases peculiar to early infancy	130	45	10	75	130													
162	**XVI.—Senility**	329	44	40	245												1	6	321

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	XVII.—Violent and accidental deaths	3,724	1,905	353	1,466	52	33	31	27	21	105	112	166	269	474	482	482	467	971
	Suicide	692	365	46	281							1	15	31	88	116	137	153	145
163	By solid or liquid poisons or by absorption of corrosive substances	143	89	14	40								7	12	28	26	27	24	19
164	By poisonous gas	37	22	2	13									1	7	9	5	9	6
165	By hanging or strangulation	95	42	2	51								1	1	8	13	16	30	25
166	By drowning	26	14		12									1	2	4	4	7	7
167	By firearms	332	159	25	148							1	5	16	39	55	73	70	70
168	By cutting or piercing instruments	33	16	2	15											4	10	7	11
169	By jumping from high places	19	19										1		2	4	2	5	5
170	By crushing	3	3										1			1			1
171	By other means	4	1	1	2										2			1	1
	Homicide	451	289	31	131	8	1		1			5	21	55	131	101	66	32	24
173	By firearms	296	179	25	92				1			5	15	38	97	63	44	20	8
174	By cutting or piercing instruments	68	56	2	10								2	10	17	23	9	3	4
175	By other means	87	54	4	29	8	1						4	7	17	15	13	9	12
	Accidental, other, or undefined	2,581	1,251	276	1,054	44	32	31	26	21	105	106	130	183	255	265	279	282	802
176	Attack by venomous animals	2		1	1										1				1
177	Poisoning by food	24	6	3	15		1	2			4		2		2	3	3	4	2
178	Absorption of poisonous gas	27	23	1	3						2		1	2	4	2	3	11	2
	Supplemental	2			2										1	1			
179	Other acute accidental poisonings (gas excepted)	46	24	4	18	1	5	3	2	1	1			2	5	8	5	3	10
180	Conflagration	41	18	6	20	2	1	2		1	4			2	5	5	9	5	7
181	Burns (conflagration excepted)	162	87	21	54	5	10	9	13	8	10	8	2	13	12	13	10	15	33
	Supplemental	12	5	1	6									6	3	1	1	1	
182	Mechanical suffocation	17	2	4	11	11					1	1			1		2		1
	Supplemental	3			3							1			1		1		
183	Drowning	148	37	9	102		4	6	1	2	10	21	19	12	16	22	12	9	10
	Supplemental	19	4	2	13							3	1	1	9	3		1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	98	38	12	48						4	21	15	10	13	4	13	8	10
185	By cutting or piercing instruments (wounds of war excepted)	18	8	4	6			1	1		1			2	1	1	2	4	5
	Supplemental	11	3	4	4						1		1	2	2	2	1		2
186a	By fall	611	344	64	203	3	1	1	2	2	7	8	9	10	10	29	38	51	438
	Supplemental	65	22	7	36						5	3	8	7	10	8	4	6	14
186b	By crushing, landslide	16	8	1	7			1					1	1	2	5	5	1	
	Supplemental	221	88	31	102			1	1		13	4	21	20	34	43	27	29	25
187	Cataclysm	3			3		1											1	1
188	Injuries by animals	22	2	2	18						2	3			1		5	1	10
189	Hunger and thirst	2	2															1	1
190	Excessive cold	9	5	1	3										1			1	7
191	Excessive heat	48	30	4	14	3				1				1	3	2	8	12	18
192	Lightning	11	2	1	8						1			3	1	2	3	1	
193	Due to electric currents	12	3		9						1	1	1	2	2	3	1		1
	Supplemental	2	1		1								1		1				
194a	Foreign bodies	27	17	2	8	6	6	2	1	1	3	1	1	1		1	1	2	1
194b	Other accidents	129	62	12	55	9					1	7	4	7	9	17	26	15	32
	Supplemental	760	405	76	279	4	3	3	5	5	34	24	43	78	100	89	96	100	171
195	Violent deaths of unknown nature	4	2		2										1	1	2		
198	Legal executions	6	3	3										1	4		1		
	XVIII.—Ill-defined causes of death	269	21	28	220	110	5	2			2	2	1		4	10	19	37	75
199	Sudden death	22	3	4	15	5							1		1	2		3	10
200a	Cause of death ill-defined	96	3	13	80	12	3	2			2				1	5	9	22	39
200b	Cause of death not specified or unknown	151	15	11	125	93	2					2			2	3	10	12	26
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	21	2	3	16								3	2	4		4	5	3
202	Accidents from agricultural machinery	14	3	1	10		1									3	4	3	3
203	Elevator accidents	3	3												1			1	1
205	Other machinery accidents	20	8	4	8						1	1	3	3	2	2	5	2	1
206	Railroad and automobile collisions	41	11	3	27	1		1			3		2	4	5	9	4	2	9
207	Other railroad accidents	127	52	17	58						1	2	15	13	27	18	15	18	14
208	Street car and automobile collisons	10	9		1								1	3		3	2	1	
209	Other street car accidents	18	17		1						1	2		1	1		2	3	8
210	Automobile accidents (primary)	770	403	87	280	3	2	3	5	5	43	25	49	80	103	102	92	94	161
211	Motorcycle accidents	1			1										1				
212	Other land transportation accidents	35	10	4	21				1		4	2	1	2	4	2	2	6	11
213	Water transportation accidents	21	5	2	14							3	1	1	10	4		1	
214	Air transportation accidents	14	5		9									5	3	4		1	1

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA																		
	Total deaths (all causes)	5,212	1,599	846	2,767	461	54	36	27	22	81	78	113	146	308	404	715	792	1,976
	I.—Infectious and parasitic diseases	611	123	77	411	53	20	17	12	6	23	16	33	24	76	74	97	64	96
1	Typhoid fever	14	5	3	6				1		2	1	3	1	3	1	2		
7	Measles	15	3	1	11	7	3	2	1	1	1								
8	Scarlet fever	12		2	10			3	2		2	1	2	1	1				
9	Whooping-cough	15		2	13	9	2	1	1		2								
10	Diphtheria	17	2	4	11	1	1		2	2	4	2			1	2	1	1	
11a	Influenza, respiratory complications specified	111	32	21	58	13	5	5	2	1	2	3	4		6	13	17	15	25
11b	Influenza, respiratory complications not specified	62	9	7	46	12	3			1	4	1	2	3	6	4	2	7	17
15	Erysipelas	7	1	2	4	2									1		2	1	1
16	Acute poliomyelitis, acute polioencephalitis	2	1	1			1					1							
17	Lethargic or epidemic encephalitis	5	3		2			1					1			1	1		1
18	Epidemic cerebrospinal meningitis	3		1	2		1					1		1					
22	Tetanus	1	1														1		
	Tuberculosis (all forms)	282	42	23	217	1	3	5	2	1	6	6	19	15	51	42	62	30	39
23	Respiratory system	247	33	20	194		1	3		1	1	6	14	13	41	40	60	29	38
24	Meninges and central nervous system	8	1		7	1	1	1	1		3				1				
25	Intestines and peritoneum	7	1		6				1				2		2	1	1		
26	Vertebral column	6	2	1	3						1		1		3	1			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2			2										1				1
30	Genitourinary system	1	1															1	
31	Other organs	1		1											1				
32a	Acute disseminated tuberculosis	8	4		4			1			1		2	2	1		1		
32b, c	Other disseminated tuberculosis	2		1	1		1								1				
34	Syphillis	39	15	5	19	6	1							1	4	7	5	8	7
35	Gonococcus infection and other venereal diseases	3		2	1									1	1	1			
36	Purulent infection, septicemia (non-puerperal)	6	1	2	3	1						1	1						3
44	Other infectious and parasitic diseases	17	8	1	8	1			1			1			2	3	4	2	3
	II.—Cancers and other tumors	531	215	104	212	1			1		2	4	3	15	36	113	118	238	
	Cancer and other malignant tumors	508	202	99	207				1		2	4	3	13	29	107	115	234	
(45)	Buccal cavity	11	3	6	2										2	1	4	4	
(45)	Pharynx	1		1													1		
(46)	Esophagus	10	6	2	2											2	3	5	
(46)	Stomach and duodenum	119	47	20	52									2	2	20	32	63	
(46)	Liver and bilary passages	32	10	5	17											3	7	22	
(46)	Pancreas	16	7	4	5										1	3	6	6	
(46)	Other digestive tract and peritoneum	75	29	20	26				1					1	5	16	15	37	
47	Respiratory system	23	14	2	7										2	6	8	7	
48	Uterus	52	21	7	24									4	9	19	8	12	
49	Other female genital organs	13	6	3	4								1	1	1	5	1	4	
50	Breast	56	20	12	24									3	5	20	12	16	
51	Male genitourinary organs	45	18	8	19									2		4	5	34	
52	Skin	11	1	1	9										1		1	9	
53	Other or unspecified organs	44	20	8	16							2	3	1	2	1	8	12	15
54b	Nonmalignant tumors, uterus	9	6	2	1											5	3	1	
54d, e	Nonmalignant tumors, other organs	1	1												1				
55d, e	Tumors, other organs (nature unspecified)	13	6	3	4	1									1	2	3	2	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	133	53	24	56	5	1			1		2	4	1	2	6	26	21	64
56	Acute rheumatic fever	6	3		3								1				1		4
57	Chronic rheumatism, osteoarthritis	4	2		2											1	1		2
59	Diabetes mellitus	91	33	18	40					1		2	3		1	2	14	16	52
63	Rickets	3	2		1	3													
65	Diseases of pituitary body	1			1		1												
66a	Simple goiter	3	1		2													1	2
66b	Exophthalmic goiter	17	8	5	4											2	8	3	4
(66)	Other diseases of thyroid and parathyroid glands	3	1	1	1												2	1	
67	Diseases of thymus gland	3	2		1	2								1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	2	1		1										1	1			
	IV.—Diseases of the blood and blood-making organs	39	19	2	18				1	1	3	2		1	1	2	5	9	14
70	Hemorrhagic conditions	1			1				1										
71a	Pernicious anemia	19	10		9											1	5	7	6
71b	Other anemias	3	1	1	1						1								2
72a	True leukemias	11	7	1	3					1	2		1	1				1	5
72b	Pseudoleukemias (Hodgkin's disease)	4	1		3							2						1	1
73	Diseases of the spleen	1			1											1			
	V.—Chronic poisonings and intoxications	26	14	3	9									2		6	8	4	6
75	Alcoholism (acute or chronic)	24	14	3	7									2		5	7	4	6
76	Chronic poisoning by other organic substances	2			2											1	1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	465	134	65	266	7	3	2			2	4	4	5	13	26	60	95	244
78	Encephalitis (nonepidemic)	12	2	5	5	2	1				1	1				2	2	2	1
79a	Simple meningitis	5	3	2			1				1	1			1		1		
79b	Nonepidemic cerebrospinal meningitis	1		1													1		
80	Progressive locomotor ataxia (tabes dorsalis)	2	1		1										1	1			1
81	Other diseases of spinal cord	15	3	1	11								1	1	2	1	2	5	3
82a	Cerebral hemorrhage	324	96	47	181	1									4	8	32	70	209
82b	Cerebral embolism and thrombosis	20	12	1	7											3	2	6	9
82c	Softening of brain	2	1		1													1	1
82d	Hemiplegia and other paralysis, cause unspecified	8		1	7												2	2	4
83	General paralysis of insane	12		1	11										1	2	5		4
84	Dementia praecox and other psychoses	12	2		10								1	1		2	6	1	1
85	Epilepsy	21	1	3	17							2	2	3	2	3	3	3	3
86	Convulsions (under 5 years of age)	3	1		2	2	1												
87	Other diseases of nervous system	20	8	1	11			1							1	3	4	4	7
88	Diseases of organs of vision	1			1														1
89a	Diseases of ear	5	2	2	1	2		1							1	1			
89b	Diseases of mastoid process	2	2												1			1	
	VII.—Diseases of the circulatory system	1,169	380	192	597	3	1	1	2		4	4	12	6	24	57	134	213	707
90	Pericarditis	3		1	2											1		1	1
91a	Acute endocarditis	15	5	3	7								1	1	1	2	8	1	1
91b	Endocarditis, unspecified (under 45 years)	7	4	1	2				1		1		2		1	2			
92a	Endocarditis, specified as chronic, and other valvular diseases	201	51	27	123						2	2	7	2	11	13	30	31	103
92b	Endocarditis, unspecified (45 years and over)	26	10	4	12												4	7	15
93a	Acute myocarditis	15	3	4	8			1			1	1			1	2	3	3	3
93b	Myocarditis, unspecified (under 45 years)	10	6		4	1									1	8			
93c	Chronic myocarditis and myocardial degeneration	309	105	46	158								1	1	4	9	19	55	220
93d	Other diseases of myocardium	196	62	45	89											1	22	46	127
94a	Angina pectoris	80	29	12	39							1			1	5	9	21	42
94b	Diseases of coronary arteries	87	37	15	35										1	6	17	15	48
95a	Functional diseases of heart	4	1	2	1													1	3
95b	Other and unspecified diseases of heart	134	40	21	73	1	1		1					1	3	7	13	24	83
96	Aneurysm (except of heart)	6	5		1								1				4		1
97	Arteriosclerosis (coronary arteries excepted)	55	11	8	36												2	5	48
98	Gangrene	4	2	1	1													1	3
99	Other diseases of arteries	8	7	1										1		1	1	1	4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2	1		1												2		
101	Diseases of lymphatic system (lymphangitis, etc.)	1	1			1													
102	Idiopathic anomalies of blood-pressure	3		1	2														3
103	Other diseases of circulatory system	3			3													1	2
	VIII.—Diseases of the respiratory system	379	113	52	214	61	14	5	2		5	3	6	9	13	36	50	46	129
104b	Diseases of nasal fossae and annexae	2	1		1										1		1		
105	Diseases of larynx	2			2	1	1												2
106a	Acute bronchitis	4	2		2		2											1	2
106b	Chronic bronchitis	3	1	1	1												1		1
106c, d	Bronchitis, unspecified	4		2	2	2									1	7	14	11	40
107a	Bronchopneumonia	142	40	13	89	49	10	4	1		4		1		1				
107b	Capillary bronchitis	1		1		1													
108	Lobar pneumonia	169	52	33	84	6	1		1			3	4	9	11	25	21	27	61
109	Pneumonia, unspecified	9			9	2		1											6
110	Pleurisy	6	4		2											2		2	2
111a	Pulmonary embolism and thrombosis	1	1														1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	4	2		2								1				1		2
112	Asthma	5	1		4													1	4
114	Other diseases of respiratory system (tuberculosis excepted)	27	9	2	16						1					2	11	4	9
	IX.—Diseases of the digestive system	405	161	94	150	37	4	2	3	3	20	16	16	19	25	40	65	58	97
115a	Diseases of pharynx and tonsils	20	7	3	10	2	2				3	1	1	2	1	4	3	1	
115b	Diseases of buccal cavity and annexa	3		1	2	1								1				1	
116	Diseases of esophagus	1		1										1					
117a	Ulcer of stomach	29	9	11	9										5	5	4	7	8
117b	Ulcer of duodenum	9	3	2	4									1	1		4	2	1
118	Other diseases of stomach (cancer excepted)	17	4	1	12	3								1	1		3	2	7
119	Diarrhea, enteritis (under 2 years of age)	29	9	5	15	28	1												
120	Diarrhea, enteritis (2 years and over)	17	6	1	10			1	2	1	4		1					3	5
121	Appendicitis	107	50	23	34		1	1	1	2	12	13	10	7	11	15	17	7	10
122a	Hernia	30	12	8	10									1	1	1	1	7	14
122b	Intestinal obstruction	36	20	7	9	2							3	3	2	9	6	6	6
123	Other diseases of intestines	4		2	2												1	1	2
124	Cirrhosis of liver	31	9	8	14							1				2	6	8	14
125a	Yellow atrophy of liver	5	3	1	1									1				3	1
125b	Other diseases of liver	4	1	3		1					1						1		1
126	Biliary calculi	30	15	9	6								1		1	3	9	4	12
127	Other diseases of gall-bladder, biliary passages	29	12	7	10									1	2	1	4	6	15
128	Diseases of pancreas	2	1		1												1		1
129	Peritonitis, cause not specified	2		1	1							1						1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	X.—Diseases of the genitourinary system	384	146	61	177	3					1	4	2	5	14	27	40	74	214
130	Acute nephritis (including unspecified under 10 years)	8	4	3	1	2										2	1	2	1
131	Chronic nephritis	286	98	40	148	1					1	4	1	3	6	14	31	64	161
132	Nephritis, unspecified (10 years and over)	21	4	5	12										1	2	2	3	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	9	5	2	2									1		4	2	1	1
134	Calculi of urinary passages	2	1	1															2
135	Diseases of bladder (tumors excepted)	5	4		1										1		1		3
137	Diseases of prostate	37	18	9	10												2	3	32
138	Diseases of male genital organs, not specified as venereal	1	1																1
139a	Cysts of ovary	2	2													1		1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	11	8		3								1	1	5	4			
139c	Diseases of uterus	2	1	1											1		1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	51	17	11	23								3	13	20	14	1		
140	Abortion with septic conditions	16	6	4	6								2	2	6	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	3			3									1	2				
142a	Ectopic gestation, septic conditions specified	1	1											1					
144b	Other puerperal hemorrhages	4	2		2									1	3				
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	11	1	2	8								1	3	4	2	1		
146	Puerperal albuminuria and eclampsia	4	3	1										2	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	5	3	1	1									1	2	2			
149	Other accidents of childbirth	7	1	3	3									2	2	3			
	XII.—Diseases of the skin and cellular tissue	5			5	2								1		1			1
151	Furuncle, carbuncle	1			1									1					
153	Other diseases of skin and annexa, and of cellular tissue	4			4	2										1			1
	XIII.—Diseases of the bones and organs of locomotion	3	1		2										3				
154	Osteomyelitis	1	1												1				
156	Diseases of joints, other organs of locomotion	2			2										2				
	XIV.—Congenital malformations	34	6	5	23	33			1										
157a	Congenital hydrocephalus	5	1		4	5													
157b	Spina bifida and meningocele	4	1	1	2	4													
157c	Congenital malformations of heart	18	2	3	13	18													
157d	Other congenital malformations	7	2	1	4	6			1										
	XV.—Diseases of early infancy	220	59	38	123	220													
158	Congenital debility	16		1	15	16													
159	Premature birth	151	43	32	76	151													
160	Injury at birth	33	13	2	18	33													
161	Other diseases peculiar to early infancy	20	3	3	14	20													
162	**XVI.—Senility**	50	3	9	38														50
	XVII.—Violent and accidental deaths	652	151	105	396	18	9	8	5	11	23	25	28	56	98	77	111	82	101
	Suicide	114	25	17	72								3	8	16	26	26	24	11
163	By solid or liquid poisons or by absorption of corrosive substances	19	7	6	6									1	2	5	5	4	2
164	By poisonous gas	4		1	3									1		1	1		1
165	By hanging or strangulation	16	2	3	11									1	1	2	4	5	3
166	By drowning	3		1	2										1	1		1	
167	By firearms	65	10	6	49								2	5	11	15	15	12	5
168	By cutting or piercing instruments	5	4		1								1		1	1		2	
169	By jumping from high places	2	2													1	1		
	Homicide	30	11		19	1				1			3	3	5	5	5	4	3
173	By firearms	21	8		13	1				1			2	2	5	2	4	3	1
174	By cutting or piercing instruments	3	1		2											2		1	
175	By other means	6	2		4								1	1		1	1		2
	Accidental, other, or undefined	508	115	88	305	17	9	8	5	10	23	25	22	45	77	46	80	54	87
177	Poisoning by food	8	4	2	2						3				1	2	2		
178	Absorption of poisonous gas	6	4		2								1		2	2	1		
179	Other acute accidental poisonings (gas excepted)	5	3		2							1			1	2	1		
180	Conflagration	19	1	4	14	4	1	1	1	1	1	1		1	1	3	1	1	2
181	Burns (conflagration excepted)	38	6	9	23	1	2	2	1	1	1		3	4	4	6	7	2	4
	Supplemental	5	1		4										1	2	2		
182	Mechanical suffocation	10		2	8	7					1				1				1
183	Drowning	32		5	27		3	1		2	3	1	3	7	4		4	2	2
	Supplemental	10		1	9									3	2	1	2	1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	38	6	6	26							5	4	7	8	3	6	3	2
185	By cutting or piercing instruments (wounds of war excepted)	5	1	3	1						1			1	1		2		
186a	By fall	75	29	12	34						2	2	2	1	4	1	8	7	48
	Supplemental	22	5	7	10			1				6	1	1	4	2	2	3	2
186b	By crushing, landslide	4	1	1	2									1			2	1	
	Supplemental	47	8	10	29	1	1	2		2	3		4	3	7	4	10	6	4
187	Cataclysm	1			1								1						
188	Injuries by animals	6	1	2	3					1		1				2		2	
190	Excessive cold	9		1	8						1	1					1	2	4
191	Excessive heat	1			1														1
192	Lightning	5	1		4						1	1		1	1		1		
193	Due to electric currents	1		1											1				
194a	Foreign bodies	3	1		2	2									1				
194b	Other accidents	38	6	6	26	1	2	1	1	1	1	2	1	1	7	2	6	8	4
	Supplemental	119	37	16	66	1			2	2	5	4	2	14	26	14	21	16	12
198	Legal executions	1			1												1		
	XVIII.—Ill-defined causes of death	55	4	4	47	18	2	1						2	2	2	5	8	15
199	Sudden death	7		1	6	1								1		1	1	1	2
200a	Cause of death ill-defined	15	4	1	10	1	1							1	1	1	2	2	6
200b	Cause of death not specified or unknown	33		2	31	16	1	1							1		2	5	7
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries	15	4	4	7									1	2	6	5	1	
202	Accidents from agricultural machinery	6		3	3								1		2	1	2		
203	Elevator accidents	2	2															2	
205	Other machinery accidents	7	1		6						1				4		2		
206	Railroad and automobile collisions	4	1		3								1	1	1			1	
207	Other railroad accidents	20	3	8	9								2		3	2	7	2	4
210	Automobile accidents (primary)	115	32	13	70	2	1	3	2	3	6	5	2	16	20	10	17	18	10
212	Other land transportation accidents	24	3	5	16					1	1	5	1	1	4	2	3	2	4
213	Water transportation accidents	5		1	4									2	2				1
214	Air transportation accidents	5	5												2	2	1		
	NEBRASKA																		
	Total deaths (all causes)	12,924	4,675	1,787	6,462	1,193	149	84	46	55	168	144	218	259	595	795	1,239	1,763	6,200
	I.—Infectious and parasitic diseases	1,106	358	174	574	123	40	26	19	18	43	31	32	38	110	111	120	97	295
1	Typhoid fever	11	3	3	5							4	1		1	3	1	1	
2	Paratyphoid fever	1		1									1						
5	Undulant fever	1		1												1			
6	Smallpox	1			1	1													
7	Measles	11	8		3	1	3	1		1	5								
8	Scarlet fever	26	7	6	13	2	1	2	1	4	6	4	2	1	3				
9	Whooping-cough	37	12	6	19	26	3	5	1		1								
10	Diphtheria	24	8	4	12	1	1	2	2	3	6	2	2		2	1	2		
11a	Influenza, respiratory complications specified	269	67	52	150	28	11	4	7	2	2	2	2	7	14	20	22	30	118
11b	Influenza, respiratory complications not specified	218	35	30	153	36	8	3	2	5	7	2	2	3	11	4	11	13	111
13	Dysentery	14	5	1	8	4	1	4	1		1								3
15	Erysipelas	22	5	1	16	6	2								1	1	1	2	9
16	Acute poliomyelitis, acute polioencephalitis	5		1	4		2				2	1							
17	Lethargic or epidemic encephalitis	19	13	1	5			1				1	1	1	3	2	3	3	4
18	Epidemic cerebrospinal meningitis	23	13	2	8	2	4	1	2	1	2	3		4		3	1		
22	Tetanus	20	12	4	4			1		2	3	3			1	4	5	1	
	Tuberculosis (all forms)	304	120	47	137	4	3	1	3		6	8	19	18	67	59	50	29	35
23	Respiratory system	260	101	43	116	1	2				4	5	15	17	62	52	46	26	29
24	Meninges and central nervous system	6	4		2	2	1	1	1		1								
25	Intestines and peritoneum	12	3	1	8						1	1	3		1	2	1	1	1
26	Vertebral column	4		1	3							1			1	1			1
27a	Bones (vertebral column excepted)	1	1																1
27b	Joints	3	3									1	1				1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2		1	1													1	1
30	Genitourinary system	5	3		2										1	2		1	1
31	Other organs	3	2		1											2	1		
32a	Acute disseminated tuberculosis	7	3		4	1			2					1	1		1		1
32b, c	Other disseminated tuberculosis	1		1											1				
34	Syphilis	67	35	9	23	10					1		1		2	10	21	14	8
35	Gonococcus infection and other venereal diseases	8	3	2	3						1			1	4			1	1
36	Purulent infection, septicemia (nonpuerperal)	12	6		6			1				1		1	1	2	2	1	3
38	Malaria	2	1		1														2
43	Mycoses	8	4	2	2								1	2		1	1	2	1
44	Other infectious and parasitic diseases	3	1	1	1	2	1												

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	II.—Cancers and other tumors	1,486	601	199	686	1	1	4	1		4		8	7	37	103	206	310	803
	Cancer and other malignant tumors	1,428	570	189	669		1	4	1		4		7	7	26	92	190	300	795
(45)	Buccal cavity	35	17	3	15												4	3	28
(45)	Pharynx	9	3	1	5												1	2	6
(46)	Esophagus	16	8	2	6												1	6	9
(46)	Stomach and duodenum	323	110	45	168											12	26	76	209
(46)	Liver and biliary passages	140	41	15	84										2	3	17	29	89
(46)	Pancreas	42	24	6	12								1			2	5	11	23
(46)	Other digestive tract and peritoneum	247	98	32	117				1					1	7	11	32	48	147
47	Respiratory system	37	20	4	13									1	3	8	4	7	14
48	Uterus	147	76	17	54										5	18	38	37	49
49	Other female genital organs	38	20	7	11											7	7	13	11
50	Breast	111	41	15	55									1	2	15	31	26	36
51	Male genitourinary organs	127	51	14	62		1								3	2	6	16	98
52	Skin	31	9	4	18									1		1		1	28
53	Other or unspecified organs	125	52	24	49			4			4		6	3	4	13	18	25	48
54a	Nonmalignant tumors, ovary	2	2														2		
54b	Nonmalignant tumors, uterus	23	15	5	3										5	7	9	1	1
54d, e	Nonmalignant tumors, other organs	14	7	1	6	1									3	2	1	3	4
55d, e	Tumors, other organs (nature unspecified)	19	7	4	8								1		3	2	4	6	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	439	139	60	240	10	2	1	1	2	7	4	7	7	18	17	58	90	214
56	Acute rheumatic fever	29	10	3	16						3	1	1	2	1	2	4	2	13
57	Chronic rheumatism, osteoarthritis	17	8	1	8												2	4	11
59	Diabetes mellitus	325	92	48	185				1	1	3	3	4	4	11	8	38	75	176
63	Rickets	1			1		1												
65	Diseases of pituitary body	2	1		1										1		1		
66a	Simple goiter	2	1		1													1	1
66b	Exophthalmic goiter	37	19	4	14								2		3	4	12	6	10
(66)	Other diseases of thyroid and parathyroid glands	6	1		5		1				1			1		1	1		1
67	Diseases of thymus gland	12	6	1	5	9		1		1					1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	5	1	1	3										1	2		1	1
69	Other general diseases	3		2	1	1												1	1
	IV.—Diseases of the blood and blood-making organs	128	44	18	66	10	1	1	2	1	2	5	2	1	6	7	19	23	47
70	Hemorrhagic conditions	7		2	5	5		1										1	
71a	Pernicious anemia	46	17	5	24		1								3	2	6	10	24
71b	Other anemias	7	3		4	2											2		3
72a	True leukemias	41	17	6	18	2			2		1	5	1			5	4	8	12
72b	Pseudoleukemias (Hodgkin's disease)	22	5	5	12								1	1	3		6	4	7
73	Diseases of the spleen	4	2		2	1				1							1		1
74	Other diseases of blood and blood-making organs	1			1						1								
	V.—Chronic poisonings and intoxications	22	14	1	7										3	7	7	3	2
75	Alcoholism (acute or chronic)	20	14	1	5										3	7	5	3	2
77a	Chronic lead poisoning	2			2												2		
	VI.—Diseases of the nervous system and of the organs of special sense	1,429	489	164	776	22	7	5	2	4	11	7	11	7	27	59	105	229	932
78	Encephalitis (nonepidemic)	29	18	3	8	2		3	1		1	1	1	1	2	4	4	7	2
79a	Simple meningitis	15	6	4	5	4	1	1		2	2		2		2				1
79b	Nonepidemic cerebrospinal meningitis	3	2	1		2										1			
80	Progressive locomotor ataxia (tabes dorsalis)	8	5	1	2												2	3	3
81	Other diseases of spinal cord	38	12	8	18				1			2		1	4	5	2	12	11
82a	Cerebral hemorrhage	1,085	349	134	602	3							1		5	27	68	177	803
82b	Cerebral embolism and thrombosis	51	25	4	22		1							1	1	3	3	7	35
82c	Softening of brain	10	3	2	5											1		2	7
82d	Hemiplegia and other paralysis, cause unspecified	31	8	1	22												2	3	26
83	General paralysis of insane	20	9		11										1	5	5	6	3
84	Dementia praecox and other psychoses	13			13										3	4	2		4
85	Epilepsy	30	7	1	22						3	2	4	2	4	3	5	4	3
86	Convulsions (under 5 years of age)	3			3	3													
87	Other diseases of nervous system	53	15	2	36	1	1			1				1	3	4	5	5	32
88	Diseases of organs of vision	1		1			1												
89a	Diseases of ear	24	16	2	6	5	2			1	3	2	2		1	1	5		2
89b	Diseases of mastoid process	15	14		1	2	1	1			2		1	1	1	1	2	3	
	VII.—Diseases of the circulatory system	2,927	1,052	381	1,494	10	3			2	4	14	11	17	37	117	246	464	1,999
90	Pericarditis	5	1		4		1					1			1				2
91a	Acute endocarditis	33	13	6	14					1	2	1	1	2	4	2	5	3	12
91b	Endocarditis, unspecified (under 45 years)	5	3	2		1							2		1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	540	166	64	310						1	6	6	6	8	42	55	85	330
92b	Endocarditis, unspecified (45 years and over)	53	18	9	26												8	8	37
93a	Acute myocarditis	45	12	4	29	1								1	2	1	1	9	30

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
93b	Myocarditis, unspecified (under 45 years)	6	2		4	1								1	2	2			
93c	Chronic myocarditis and myocardial degeneration	741	329	71	341							1	2	2	4	22	51	100	558
93d	Other diseases of myocardium	348	102	57	189		1								1	1	22	55	267
94a	Angina pectoris	282	95	38	149									2	2	9	37	68	164
94b	Diseases of coronary arteries	227	105	37	85		1							1	1	16	26	49	133
95a	Functional diseases of heart	17	5	2	10							1					1	5	10
95b	Other and unspecified diseases of heart	348	108	55	185	3					1	3		2	10	11	33	56	229
96	Aneurysm (except of heart)	19	9	1	9											3	3	1	12
97	Arteriosclerosis (coronary arteries excepted)	190	56	26	108											1	1	15	173
98	Gangrene	13	4	1	8	1												2	10
99	Other diseases of arteries	26	11	3	12	2									1	1	2	2	18
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	18	8	3	7							1				4	1	3	9
101	Diseases of lymphatic system (lymphangitis, etc.)	2	1		1	1				1									
102	Idiopathic anomalies of blood-pressure	3	2	1												1			2
103	Other diseases of circulatory system	6	2	1	3													3	3
	VIII.—Diseases of the respiratory system	953	356	107	490	157	26	19	4	5	20	12	16	20	40	58	70	76	429
104a	Diseases of nasal fossae	2		1	1	2													
104b	Diseases of nasal fossae and annexae	11	7	2	2					1			2		3	2	2	1	
105	Diseases of larynx	5	1	1	3	1		1			3								
106a	Acute bronchitis	10	4		6	2		1		1							1	1	4
106b	Chronic bronchitis	22	10	1	11							1		1	1	1		2	16
106c, d	Bronchitis, unspecified	9	2	2	5	2												1	6
107a	Bronchopneumonia	319	104	34	181	110	13	11	1	2	3	4		2	5	10	10	15	132
107b	Capillary bronchitis	2			2	1												1	
108	Lobar pneumonia	465	189	54	222	35	11	4	3	1	12	5	12	15	23	35	47	45	217
109	Pneumonia, unspecified	22	5	2	15	3	1						1		2		1	2	12
110	Pleurisy	23	11	3	9	1	1	1			2	1	1	2	3	4	3		4
111a	Pulmonary embolism and thrombosis	11	5		6							1			1	3	1	1	4
111b	Pulmonary congestion, edema, hemorrhagic infarct	18	8	1	9													1	17
112	Asthma	20	3	4	13			1							1	2	3	3	10
113	Pulmonary emphysema	3	1	1	1														3
114	Other diseases of respiratory system (tuberculosis excepted)	11	6	1	4										1	1	2	3	4
	IX.—Diseases of the digestive system	955	426	166	363	71	31	15	7	11	34	24	37	36	67	89	135	131	266
115a	Diseases of pharynx and tonsils	55	23	7	25	1	2	1		1	7	1	4	4	6	4	5	6	13
115b	Diseases of buccal cavity and annexa	9	4	1	4	1			1						2	1		2	2
116	Diseases of esophagus	4	3		1														4
117a	Ulcer of stomach	41	19	4	18									3	1	5	12	9	11
117b	Ulcer of duodenum	27	15	5	7									1		2	7	4	13
118	Other diseases of stomach (cancer excepted)	25	4	3	18	6		1			1				1		2	3	11
119	Diarrhea, enteritis (under 2 years of age)	74	11	21	42	52	22												
120	Diarrhea, enteritis (2 years and over)	52	12	10	30			10	2	4	1	2	1	3	3	2	2	4	18
121	Appendicitis	244	126	56	62		2		3	5	19	21	25	22	31	32	38	22	23
122a	Hernia	57	32	8	17								1	2	3	2	10	10	29
122b	Intestinal obstruction	88	38	16	34	7	3	3	1		4		3		7	8	9	19	24
123	Other diseases of intestines	15	8	2	5	1							1		2	2	3	1	5
124	Cirrhosis of liver	86	33	13	40										2	9	12	18	45
125a	Yellow atrophy of liver	12	5	2	5						1		2		1	1	2	1	4
125b	Other diseases of liver	14	5	1	8	1								1	1	4	2	2	3
126	Biliary calculi	63	42	5	16										1	6	16	17	23
127	Other diseases of gall-bladder, biliary passages	68	35	10	23	1									5	4	12	11	35
128	Diseases of pancreas	6	4		2											3	2	1	
129	Peritonitis, cause not specified	15	7	2	6	1	2			1	1				1	4	1	1	3
	X.—Diseases of the genitourinary system	1,113	400	171	542	3	3	2	2		8	4	13	10	33	49	90	170	725
130	Acute nephritis (including unspecified under 10 years)	48	15	10	23	2	2	1	1		3	2	4	2	7	1	5	6	12
131	Chronic nephritis	779	254	111	414			1	1		4	1	4	5	14	28	64	130	527
132	Nephritis, unspecified (10 years and over)	102	36	19	47							1	2		1	7	8	14	69
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	29	16	3	10	1	1				1		2	1	2	3	3	4	10
134	Calculi of urinary passages	16	12	1	3										1	2	2	2	9
135	Diseases of bladder (tumors excepted)	5	1	2	2														5
136	Diseases of urethra, urinary abscess, etc.	3	2	1													2	1	
137	Diseases of prostate	97	41	19	37												3	6	88
138	Diseases of male genital organs, not specified as venereal	2	1	1															2
139a	Cysts of ovary	7	5	1	1										1	1		3	2
139b	Other diseases of ovaries, diseases of tubes and parametrium	15	10	2	3								1	1	5	5	1	1	1
139c	Diseases of uterus	9	7		2									1	1	2	2	3	
139e	Other diseases of female genital organs	1		1											1				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	111	44	25	42								7	30	43	28	2		
140	Abortion with septic conditions	19	10	4	5								2	7	8	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	6	2	1	3									3	3				
142a	Ectopic gestation, septic conditions specified	2	2													2			
142b	Ectopic gestation, septic conditions not mentioned	3	1		2										1	2			
144a	Placenta praevia	6		2	4									1	1	4			
144b	Other puerperal hemorrhages	7	4	1	2									1	4	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	20	8	6	6								2	4	10	3			
146	Puerperal albuminuria and eclampsia	24	6	5	13								2	8	8	4	2		
147	Other toxemias of pregnancy	8	4	2	2									5	1	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	5	1	1	3										3	2			
149	Other accidents of childbirth	11	6	3	2								1	1	4	5			
	XII.—Diseases of the skin and cellular tissue	19	9	4	6	5					1			1	2	2	2		6
151	Furuncle, carbuncle	3	1	1	1										1	1			1
152	Phlegmon, acute abscess	7	2	2	3	2					1				1	1	2		
153	Other diseases of skin and annexa, and of cellular tissue	9	6	1	2	3								1					5
	XIII.—Diseases of the bones and organs of locomotion	21	13	1	7	1	1					3		2	1	2	3		8
154	Osteomyelitis	12	7	1	4	1	1					1		1	1	1	2		4
155	Other diseases of bones (tuberculosis excepted)	2	1		1							1		1					
156	Diseases of joints, other organs of locomotion	7	5		2							1				1	1		4
	XIV.—Congenital malformations	143	44	20	79	125	7		2	2	1	1	2		3				
157a	Congenital hydrocephalus	11	5	2	4	7	2			1		1							
157b	Spina bifida and meningocele	14	3	2	9	14													
157c	Congenital malformations of heart	90	25	11	54	79	5		1		1		1		3				
157d	Other congenital malformations	28	11	5	12	25			1	1			1						
	XV.—Diseases of early infancy	615	187	77	351	615													
158	Congenital debility	38	3	4	31	38													
159	Premature birth	384	126	56	202	384													
160	Injury at birth	140	44	13	83	140													
161	Other diseases peculiar to early infancy	53	14	4	35	53													
162	**XVI.—Senility**	174	25	21	128													2	171
	XVII.—Violent and accidental deaths	1,225	463	189	573	24	27	11	6	10	33	39	72	83	162	144	170	168	285
	Suicide	266	94	30	142							2	6	15	44	41	64	50	44
163	By solid or liquid poisons or by absorption of corrosive substances	33	14	6	13								2	5	11	7	3	4	1
164	By poisonous gas	36	23	3	10								1	5		8	11	9	2
165	By hanging or strangulation	63	13	9	41							1	1		9	5	15	13	19
166	By drowning	9	2		7										2	1	2	2	2
167	By firearms	108	34	11	63							1	2	5	19	19	28	18	16
168	By cutting or piercing instruments	10	5	1	4										2		4	2	2
169	By jumping from high places	3	1		2											1	1		1
170	By crushing	3	1		2													2	1
171	By other means	1	1												1				
	Homicide	44	23	3	18	3			1				4	5	9	8	10	3	1
173	By firearms	31	15	3	13				1				3	4	8	7	5	2	1
174	By cutting or piercing instruments	4	2		2										1		3		
175	By other means	9	6		3	3							1	1		1	2	1	
	Accidental, other, or undefined	915	346	156	413	21	27	11	5	10	33	37	62	63	109	95	96	105	240
176	Attack by venomous animals	2			2	1						1							
177	Poisoning by food	7		3	4			1			1		1	1	2				1
178	Absorption of poisonous gas	29	14	7	8								1	2	3	3	6	7	7
179	Other acute accidental poisonings (gas excepted)	10	3	3	4	1	1								2	2	2	1	1
180	Conflagration	20	10	4	6			3			1			2	4	2	5		3
181	Burns (conflagration excepted)	53	25	11	17	2	2	2	1	1	2	4	3	6	7	6	5	9	3
	Supplemental	8	2	1	5									1	2	4			1
182	Mechanical suffocation	12	2	2	8	7	1					2	1					1	
183	Drowning	44	10	2	32		13	1			3	7	7	2	4	4	1	1	1
	Supplemental	6			6									1	1		2	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)	34	3	9	22			1			1	5	7	3	2	4	8	1	2
185	By cutting or piercing instruments (wounds of war excepted)	6	3	2	1		1								1		1	2	1
	Supplemental	5	1	1	3									1	1	1	2		
186a	By fall	188	90	27	71	1		1	2		3	2	1		5	10	6	14	142
	Supplemental	43	11	7	25	1		1			1	1	3	6	9	3	7	2	9
186b	By crushing, landslide	4	2		2								1			1	2		
	Supplemental	90	25	16	49		1	1	1	1	2	2	11	9	20	13	14	9	6
187	Cataclysm	12	1		11	1				1	1	1		2	3	1		2	
188	Injuries by animals	12	3	7	2								2		3	2		1	4
191	Excessive heat	10	4	1	5												1	2	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE, IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
192	Lightning	4		1	3							1			2		1		
193	Due to electric currents	2			2						1								1
194a	Foreign bodies	7	3	1	3	2	2											1	2
194b	Other accidents	49	21	7	21	4	1			1	2	1	2	3	3	9	9	7	7
	Supplemental	258	113	44	101	1	5		1	6	15	10	22	24	35	30	24	43	42
	XVIII.—Ill-defined causes of death	58	11	9	38	16									6	2	6	10	18
199	Sudden death	12	1		11	1									3			3	5
200a	Cause of death ill-defined	23	4	4	15	2									1	1	3	6	10
200b	Cause of death not specified or unknown	23	6	5	12	13									2	1	3	1	3
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	10		2	8					1				1	3	2	1	1	1
203	Elevator accidents	2	2														1	1	
205	Other machinery accidents	11	5	3	3							1		1	1	1	2	2	3
206	Railroad and automobile collisions	20	7		13							2	3	2	1	3	3	3	3
207	Other railroad accidents	42	18	6	18								5	3	9	4	8	8	5
208	Street car and automobile collisions	2	2															1	1
210	Automobile accidents (primary)	283	113	52	118	1	6	1	2	6	17	9	24	28	46	39	27	36	41
211	Motorcycle accidents	2	1		1								2						
212	Other land transportation accidents	26	4	4	18	1		1			1	1	1	4	5	2	4	2	4
213	Water transportation accidents	6			6									1	1		2	2	
214	Air transportation accidents	6		2	4								1	2	2		1		
	NEVADA																		
	Total deaths (all causes)	1,233	312	313	608	99	11	5	5	6	17	17	32	31	91	132	156	226	402
	I. Infectious and parasitic diseases	147	27	34	86	6		2	1	4	5	4	10	12	25	22	13	23	18
1	Typhoid fever	4	1	2	1								1	1		1	1		
8	Scarlet fever	2		1	1	1					1								
9	Whooping-cough	1			1	1													
10	Diphtheria	4	1		3			1	1	1	1								
11a	Influenza, respiratory complications specified	17	2	4	11							1			3	5	3	2	2
11b	Influenza, respiratory complications, not specified	8	1		7	1									2		1	1	3
13	Dysentery	1			1							1							
16	Acute poliomyelitis, acute polioencephalitis	1			1			1											
17	Lethargic or epidemic encephalitis	2		1	1												1	1	
18	Epidemic cerebrospinal meningitis	1			1									1					
	Tuberculosis (all forms)	88	15	22	51	3				3	2	2	8	8	15	12	6	18	11
23	Respiratory system	73	14	18	41	1				1	1		8	7	13	9	5	18	10
24	Meninges and central nervous system	7		2	5	1				2	1	2			1				
25	Intestines and peritoneum	2	1		1										1	1			
27b	Joints	1			1												1		
28	Skin and subcutaneous cellular tissue	1		1															1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1	1													
30	Genitourinary system	1			1											1			
32a	Acute disseminated tuberculosis	1		1										1					
32b,c	Other disseminated tuberculosis	1			1											1			
34	Syphilis	8	1	2	5						1				2	2		1	1
35	Gonococcus infection and other venereal diseases	5	3	2									1	2	1	1			
36	Purulent infection, septicemia (nonpuerperal)	1	1														1		
38	Malaria	1			1											1			
42	Other diseases caused by helminths	1	1																1
44	Other infectious and parasitic diseases	2	1		1										2				
	II.—Cancers and other tumors	82	32	20	30	1			1						3	9	11	22	35
	Cancer and other malignant tumors	82	32	20	30	1			1						3	9	11	22	35
(45)	Buccal cavity	3			3											1			2
(46)	Stomach and duodenum	13	7	4	2										1	1		5	6
(46)	Liver and biliary passages	10	3	3	4												3	3	4
(46)	Pancreas	3	1		2												1		2
(46)	Other digestive tract and peritoneum	15	4	5	6				1						2	1	4	7	
47	Respiratory system	3		1	2													1	2
48	Uterus	10	8	2											1	3	2	3	1
50	Breast	7		2	5											1	2	1	3
51	Male genitourinary organs	8	4	2	2										1			3	4
52	Skin	2	1		1											1			1
53	Other or unspecified organs	8	4	1	3	1											2	2	3

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	21	9	5	7	2	1							1			1	7	9
56	Acute rheumatic fever	1	1															1	
59	Diabetes mellitus	16	6	5	5									1				6	9
66b	Exophthalmic goiter	1	1														1		
(66)	Other diseases of thyroid and parathyroid glands	2	1		1	1	1												
67	Diseases of thymus gland	1			1	1													
	IV.—Diseases of the blood and blood-making organs	6	2		4	2									1			2	1
70	Hemorrhagic conditions	1			1	1													
71a	Pernicious anemia	3	1		2													2	1
71b	Other anemias	1	1			1													
72b	Pseudoleukemias (Hodgkin's disease)	1			1										1				
	V.—Chronic poisonings and intoxications	6	3	1	2										1	2	1	2	
75	Alcoholism (acute or chronic)	5	2	1	2										1	2	1	1	
76	Chronic poisoning by other organic substances	1	1															1	
	VI.—Diseases of the nervous system and of the organs of special sense	103	29	27	47	2	1								1	8	15	16	59
78	Encephalitis (nonepidemic)	1		1												1			
79a	Simple meningitis	2		1	1	2													
79b	Nonepidemic cerebrospinal meningitis	1		1															1
81	Other diseases of spinal cord	1	1														1		
82a	Cerebral hemorrhage	77	20	19	38										1	4	12	13	47
82b	Cerebral embolism and thrombosis	6	3	2	1												1		5
82d	Hemiplegia and other paralysis, cause unspecified	3			3													1	2
83	General paralysis of insane	5	1	2	2												1	2	1
85	Epilepsy	1		1												1			
87	Other diseases of nervous system	4	3		1											1			3
89a	Diseases of ear	2	1		1		1									1			
	VII.—Diseases of the circulatory system	256	74	75	107								3	1	7	16	33	74	122
91a	Acute endocarditis	2	1		1										1				1
92a	Endocarditis, specified as chronic, and other valvular diseases	72	20	17	35								3	1	3	6	8	28	23
93a	Acute myocarditis	6	1	3	2											1	2	2	1
93b	Myocarditis, unspecified (under 45 years)	3		2	1										2	1			
93c	Chronic myocarditis and myocardial degeneration	65	18	29	18											4	7	19	35
93d	Other diseases of myocardium	28	11	5	12												3	3	22
94a	Angina pectoris	25	10	3	12											1	6	5	13
94b	Diseases of coronary arteries	12	3	4	5												2	7	3
95b	Other and unspecified diseases of heart	26	4	9	13										1	3	4	5	13
96	Aneurysm (except of heart)	1	1															1	
97	Arteriosclerosis (coronary arteries excepted)	12	5	1	6												1	1	10
99	Other diseases of arteries	1		1														1	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1		1														1	
101	Diseases of lymphatic system (lymphangitis, etc.)	1			1														1
102	Idiopathic anomalies of blood-pressure	1			1													1	
	VIII.—Diseases of the respiratory system	101	16	26	59	14	4		1		2	1	1	1	6	14	16	15	26
104a	Diseases of nasal fossae	1			1	1													
105	Diseases of larynx	1			1		1												
106a	Acute bronchitis	1			1														1
106b	Chronic bronchitis	3		1	2											1			2
106c,d	Bronchitis, unspecified	1			1												1		
107a	Bronchopneumonia	36	7	8	21	10	1		1		2		1		3	3		5	10
108	Lobar pneumonia	43	6	17	20	3	1					1		1	3	10	9	6	9
109	Pneumonia, unspecified	4	1		3												2	1	1
110	Pleurisy	1			1		1												
111a	Pulmonary embolism and thrombosis	1			1														1
111b	Pulmonary congestion, edema, hemorrhagic infarct	2	1		1														2
112	Asthma	1			1													1	
114	Other diseases of respiratory system (tuberculosis excepted)	6	1		5												4	2	
	IX.—Diseases of the digestive system	99	34	22	43	13		1			5	5	5		8	9	16	18	19
115a	Diseases of pharynx and tonsils	4		1	3								1		1	2			
115b	Diseases of buccal cavity and annexa	2			2														2
117a	Ulcer of stomach	7	3	1	3										1		1	4	1
117b	Ulcer of duodenum	2	1	1											1	1			
118	Other diseases of stomach (cancer excepted)	4	1		3													3	1
119	Diarrhea, enteritis (under 2 years of age)	10	2	4	4	10													
120	Diarrhea, enteritis (2 years and over)	4	1	2	1			1										2	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
121	Appendicitis	30	14	7	9						4	5	3		3	3	7	5	
122a	Hernia	9	3	2	4						1						4		4
122b	Intestinal obstruction	10	5	2	3	2										1	3	3	1
124	Cirrhosis of liver	7	2	1	4											1	1	1	4
126	Biliary calculi	3		1	2								1						2
127	Other diseases of gall-bladder, biliary passages	3	1		2	1									1				1
129	Peritonitis, cause not specified	4	1		3										1	1			2
	X.—Diseases of the genitourinary system	98	30	29	39		1								1	2	8	17	69
130	Acute nephritis (including unspecified under 10 years)	4			4		1										1		2
131	Chronic nephritis	78	27	26	25										1	1	6	17	53
132	Nephritis, unspecified (10 years and over)	6	1		5														6
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	2	2														1		1
136	Diseases of urethra, urinary abscess, etc.	1			1														1
137	Diseases of prostate	6		3	3														6
139b	Other diseases of ovaries, diseases of tubes and parametrium	1			1											1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	11	4	3	4								1	1	6	3			
140	Abortion with septic conditions	3	1	1	1								1	1	1				
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	1	1												1				
144a	Placenta praevia	2		1	1										1	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	1			1										1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	1			1										1				
149	Other accidents of childbirth	2	1	1												2			
	XII.—Diseases of the skin and cellular tissue	2			2										1				1
153	Other diseases of skin and annexa, and of cellular tissue	2			2										1				1
	XIII.—Diseases of the bones and organs of locomotion	1		1															1
155	Other diseases of bones (tuberculosis excepted)	1		1															1
	XIV.—Congenital malformations	12		3	9	9	1				1	1							
157a	Congenital hydrocephalus	2			2	2													
157b	Spina bifida and meningocele	2			2	2													
157c	Congenital malformations of heart	6		2	4	3	1				1	1							
157d	Other congenital malformations	2		1	1	2													
	XV.—Diseases of early infancy	45	8	18	19	45													
158	Congenital debility	5	1	1	3	5													
159	Premature birth	28	4	13	11	28													
160	Injury at birth	10	3	3	4	10													
161	Other diseases peculiar to early infancy	2		1	1	2													
162	**XVI.—Senility**	18	4		14														18
	XVII.—Violent and accidental deaths	194	37	43	114	2	3	2	1	1	4	6	12	15	31	45	36	18	18
	Suicide	31	11	6	14									1	3	8	12	6	1
163	By solid or liquid poisons or by absorption of corrosive substances	5		3	2										1	1	2	1	
164	By poisonous gas	2	1		1									1		1			
165	By hanging or strangulation	4	1	1	2										1		1	2	
167	By firearms	13	6	2	5										1	4	5	2	1
168	By cutting or piercing instruments	3	1		2											1	1	1	
170	By crushing	1	1														1		
171	By other means	3	1		2											1	2		
	Homicide	12	2	6	4								1	1	2	4	2	1	1
173	By firearms	7		4	3									1	1	2	1	1	1
174	By cutting or piercing instruments	2	1	1												1	1		
175	By other means	3	1	1	1								1		1	1			
	Accidental, other, or undefined	151	24	31	96	2	3	2	1	1	4	6	11	13	26	33	22	11	16
178	Absorption of poisonous gas	1			1														1
179	Other acute accidental poisonings (gas excepted)	2	1		1					1							1		
180	Conflagration	6		1	5								1		2			1	2
181	Burns (conflagration excepted)	5	2	1	2								1	1		1			2
	Supplemental	2			2											1		1	
182	Mechanical suffocation	3		1	2	2						1							
	Supplemental	1	1								1								
183	Drowning	4			4		2					1		1					

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	6		3	3						1					3	1	1	
185	By cutting or piercing instruments (wounds of war excepted)	1	1													1			
	Supplemental	1			1										1				
186a	By fall	13	3	2	8								1	1	1	3	2	1	4
	Supplemental	8	3	1	4										2	5			1
186b	By crushing, landslide	4		1	3										2	2			
	Supplemental	18	2	2	14		1	1				1	2	2	4	1	5		1
190	Excessive cold	4			4									1	1		1		1
191	Excessive heat	2		2												1		1	
192	Lightning	1			1												1		
193	Due to electric currents	3			3									2			1		
	Supplemental	1			1												1		
194a	Foreign bodies	2	1		1						1								1
194b	Other accidents	14	2	1	11							1	2	2	2	3	3	1	
	Supplemental	48	8	16	24			1	1		1	2	4	3	10	12	6	5	3
198	Legal executions	1			1										1				
	XVIII.—Ill-defined causes of death	31	3	6	22	3			1	1						2	6	12	6
199	Sudden death	3			3											1		2	
200a	Cause of death ill-defined	19	3	5	11												6	9	4
200b	Cause of death not specified or unknown	9		1	8	3			1	1						1		1	2
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	6	1	1	4									1	1	2	1		1
205	Other machinery accidents	3			3			1							1		1		
207	Other railroad accidents	4		1	3								1			2	1		
210	Automobile accidents (primary)	63	12	17	34		1	1	1		2	3	5	4	14	14	8	6	4
211	Motorcycle accidents	1			1											1			
212	Other land transportation accidents	2	1		1										1		1		
	NEW HAMPSHIRE																		
	Total deaths (all causes)	6,491	3,060	556	2,875	413	37	25	14	17	50	42	93	110	207	322	594	1,001	3,532
	I.—Infectious and parasitic diseases	484	221	39	224	31	10	10	6	5	10	8	18	32	45	41	59	66	142
1	Typhoid fever	4	1	2	1									1	1			2	
5	Undulant fever	1	1				1												
7	Measles	2		1	1		1												1
8	Scarlet fever	17	7	3	7	1	1	4	2		1	3	1	1		2	1		
9	Whooping-cough	12	4	1	7	8	2	2											
10	Diphtheria	2	2					1								1			
11a	Influenza, respiratory complications specified	149	70	11	68	9	3	1	2	2		1		3	10	8	13	24	72
11b	Influenza, respiratory complications not specified	65	23	5	37	7	1				1	2	3	4	1	3	1	1	41
13	Dysentery	2		1	1			1		1									
15	Erysipelas	15	11	1	3	1					1		1		1		1	5	5
16	Acute poliomyelitis, acute polioencephalitis	6	3		3		1		1		2	1		1					
17	Lethargic or epidemic encephalitis	5	3		2					1				1				3	
18	Epidemic cerebrospinal meningitis	6	3	2	1	2					2		1				1		
20	Anthrax (bacillus anthracis) malignant pustule	1	1												1				
22	Tetanus	3	3			1								1			1		
	Tuberculosis (all forms)	178	81	11	86	1		1	1	1	3	1	12	18	28	26	37	28	21
23	Respiratory system	150	60	9	81							1	10	16	26	23	32	24	18
24	Meninges and central nervous system	7	5		2	1			1	1	1		1				1		1
25	Intestines and peritoneum	6	5	1							1		1		1	1		2	
26	Vertebral column	2	2											1			1		
27a	Bones (vertebral column excepted)	1	1																1
27b	Joints	2	1		1													1	1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal gland excepted)	1			1						1								
30	Genitourinary system	3	2	1										1	1	1			
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	5	4		1			1								1	2	1	
34	Syphilis	9	6		3	1								1	1		1	3	2
35	Gonococcus infection and other venereal diseases	3	1		2									1	2				
36	Purulent infection, septicemia (nonpuerperal)	4	1	1	2											1	3		
	II.—Cancers and other tumors	752	395	60	297	1			1	1		2	2	3	10	38	110	189	392
	Cancer and other malignant tumors	729	379	59	291	1				1		2	1		9	32	104	187	389
(45)	Buccal cavity	19	7	1	11													7	12
(45)	Pharynx	5	4		1											1		1	3
(46)	Esophagus	10	7		3													4	6
(46)	Stomach and duodenum	128	63	10	55										1	3	17	30	76
(46)	Liver and biliary passages	71	29	6	36										1	2	8	19	41
(46)	Pancreas	18	12		6												4	5	9

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																	
	II.—Cancers and other tumors—Con.																	
	Cancer and other malignant tumors—Continued																	
(46)	Other digestive tract and peritoneum	159	88	18	53							1			1	5	24	42	86
47	Respiratory system	17	8	1	8											4	1	7	4
48	Uterus	88	42	9	37										1	7	20	29	31
49	Other female genital organs	13	7		6					1					1	1	3	2	5
50	Breast	70	40	5	25										1	5	15	16	33
51	Male genitourinary organs	64	38	4	22												4	13	46
52	Skin	14	5		9												1	1	12
53	Other or unspecified organs	53	29	5	19	1						1	1		3	4	7	11	25
54b	Nonmalignant tumors, uterus	10	9		1										1	4	3		2
55 d, e	Tumors, other organs (nature unspecified)	13	7	1	5				1				1	3		2	3	2	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	161	81	7	73	8	1			1	2	2		3	2	7	20	35	78
56	Acute rheumatic fever	2	1		1						1	1							
57	Chronic rheumatism, osteoarthritis	7	2		5												1		6
59	Diabetes mellitus	127	67	6	54					1	1	1		1	1	5	15	34	67
62	Pellagra	2	2														1		1
63	Rickets	1	1			1													
66a	Simple goiter	2			2	1												1	
66b	Exophthalmic goiter	4	1	1	2									1			1		2
(66)	Other diseases of thyroid and parathyroid glands	4	3		1	2										2			
67	Diseases of thymus gland	4	2		2	4													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	4	2		2									1	1		1		1
69	Other general diseases	4			4		1										1		1
	IV.—Diseases of the blood and blood-making organs	42	24	5	13	3		1				1	2		1	4	3	6	21
70	Hemorrhagic conditions	2			2	2													
71a	Pernicious anemia	21	8	4	9	1						1					1	4	14
71b	Other anemias	7	4	1	2											2			5
72a	True leukemias	8	8					1					2			2	1	1	1
72b	Pseudoleukemias (Hodgkin's disease)	4	4												1		1	1	1
	V.—Chronic poisonings and intoxications	16	7	1	8										1	4	3	5	2
75	Alcoholism (acute or chronic)	13	6	1	6										1	4	3	3	1
77a	Chronic lead poisoning	3	1		2													2	1
	VI.—Diseases of the nervous system and of the organs of special sense	791	334	79	378	4	4				4	2	7	1	5	20	62	127	551
78	Encephalitis (nonepidemic)	2	1		1													1	1
79a	Simple meningitis	8	5		3	2	1				2						1	1	1
79b	Nonepidemic cerebrospinal meningitis	1			1							1							
80	Progressive locomotor ataxia (tabes dorsalis)	11	5	1	5												4	2	5
81	Other diseases of spinal cord	10	3		7		1									2			7
82a	Cerebral hemorrhage	632	260	60	312										1	12	41	108	467
82b	Cerebral embolism and thrombosis	58	23	10	25							1					5	7	44
82c	Softening of brain	4	2		2													1	3
82d	Hemiplegia and other paralysis, cause unspecified	12	3	2	7												2	1	9
83	General paralysis of insane	9	8		1											2	5	2	
84	Dementia praecox and other psychoses	4	4												1	1	1	1	
85	Epilepsy	12	7	2	3		1						4			1	3		3
87	Other diseases of nervous system	19	10	1	8	1	1						1	1	3	1		1	10
89a	Diseases of ear	5	1	3	1	1							2			1			1
89b	Diseases of mastoid process	4	2		2						2							2	
	VII.—Diseases of the circulatory system	2,006	845	180	981			1	1	1	2	2	6	8	17	51	142	331	1,431
90	Pericarditis	5	2		3												1	2	2
91a	Acute endocarditis	9	1	5	3				1					1	2		1		3
91b	Endocarditis, unspecified (under 45 years)	3	2		1			1							2				
92a	Endocarditis, specified as chronic, and other valvular diseases	360	134	39	187							1	2		7	13	26	63	248
92b	Endocarditis, unspecified (45 years and over)	34	14		20												6	6	22
93a	Acute myocarditis	20	9	2	9					1					1		2	2	14
93b	Myocarditis, unspecified (under 45 years)	4	2		2						1		1			2			
93c	Chronic myocarditis and myocardial degeneration	492	237	29	226									3	2	8	24	57	396
93d	Other diseases of myocardium	120	57	16	47							1		1			5	20	92
94a	Angina pectoris	246	116	19	111									2		12	34	60	137
94b	Diseases of coronary arteries	150	72	15	63										2	4	14	33	97
95a	Functional diseases of heart	3	3														1		2
95b	Other and unspecified diseases of heart	285	98	33	154						1		3	1	1	9	16	68	182
96	Aneurysm (except of heart)	9	9													2		3	4
97	Arteriosclerosis (coronary arteries excepted)	232	78	20	134												5	12	211
98	Gangrene	8	1	1	6														8
99	Other diseases of arteries	15	6	1	8												3	2	10

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																	
	VII.—Diseases of the circulatory system—Continued.																	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	8	2		6										1	4	1	2
101	Diseases of lymphatic system (lymphangitis, etc.)	1	1															1
102	Idiopathic anomalies of blood-pressure	1	1														1	
103	Other diseases of circulatory system	1			1												1	
	VIII.—Diseases of the respiratory system	460	214	32	214	51	11	5	2	3	2	4	5	6	18	27	29	54	241
105	Diseases of larynx	1			1												1		
106a	Acute bronchitis	7	2	1	4	2													5
106b	Chronic bronchitis	15	10	1	4											1	1	3	10
106c,d	Bronchitis, unspecified	11	2	2	7													2	9
107a	Bronchopneumonia	182	79	13	90	34	5	2	1	2	1	1	2		3	5	9	18	99
107b	Capillary bronchitis	4			4	3													1
108	Lobar pneumonia	179	87	12	80	11	4	1	1	1		3	2	5	14	17	14	24	80
109	Pneumonia, unspecified	13	7		6	1	1	1			1		1			1			7
110	Pleurisy	11	5	2	4		1	1							1	1		1	6
111a	Pulmonary embolism and thrombosis	11	5		6											1		3	7
111b	Pulmonary congestion, edema, hemorrhagic infarct	9	7	1	1												1		8
112	Asthma	13	8		5									1		1	1	1	9
114	Other diseases of respiratory system (tuberculosis excepted)	4	2		2												3	1	
	IX.—Diseases of the digestive system	325	203	29	93	24	7	4	1	1	13	7	14	15	22	30	45	46	96
115a	Diseases of pharynx and tonsils	22	16	1	5	2	1	2		1	3		1	3	4	2	3		
115b	Diseases of buccal cavity and annexa	2			2												2		
116	Diseases of esophagus	2	2																2
117a	Ulcer of stomach	19	10	2	7								1		1	1	4	5	7
117b	Ulcer of duodenum	9	7		2								1			3	1	3	1
118	Other diseases of stomach (cancer excepted)	16	9	3	4	2							1		1			4	8
119	Diarrhea, enteritis (under 2 years of age)	20	9	2	9	18	2												
120	Diarrhea, enteritis (2 years and over)	14	10	1	3						2			2		1	2	2	5
121	Appendicitis	82	61	6	15	1	3	2			6	6	7	5	9	10	11	7	15
122a	Hernia	17	10	3	4									1		1	2	6	7
122b	Intestinal obstruction	29	18	3	8	1	1				1	1	2	2	3	1	3	5	9
123	Other diseases of intestines	5	1	2	2											1	1		3
124	Cirrhosis of liver	29	12	3	14									1			5	3	20
125a	Yellow atrophy of liver	1			1										1				
125b	Other diseases of liver	2	1		1									1			1		
126	Biliary calculi	20	13	1	6										2	4	4	4	6
127	Other diseases of gall-bladder, biliary passages	26	17	1	8											3	5	5	13
128	Diseases of pancreas	1	1															1	
129	Peritonitis, cause not specified	9	6	1	2				1		1		1		1	3	1	1	
	X. Diseases of the genitourinary system	538	273	43	222	1					1	2	3	1	12	27	60	69	360
130	Acute nephritis (including unspecified under 10 years)	11	4	2	5										1	1	3	2	4
131	Chronic nephritis	422	213	30	179						1	2	3	1	8	19	46	56	284
132	Nephritis, unspecified (10 years and over)	40	21	7	12											1	8	5	26
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	10	6		4											3		1	6
134	Calculi of urinary passages	2	2														1		1
135	Diseases of bladder (tumors excepted)	3	2	1															3
137	Diseases of prostate	35	15	3	17													2	33
138	Diseases of male genital organs, not specified as venereal	2	1		1	1													1
139a	Cysts of ovary	3	3												1				2
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	2		4										1	1	2	2	
139c	Diseases of uterus	3	3												1	2			
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1															1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	51	34	4	13								4	7	25	15			
140	Abortion with septic conditions	7	4	2	1								1		6				
141	Abortion without mention of septic conditions (includes hemorrhages)	3	1	1	1										2	1			
142b	Ectopic gestation, septic conditions not mentioned	2	2													2			
144a	Placenta praevia	2		1	1											2			
144b	Other puerperal hemorrhages	3	3												2	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	11	10		1								1	3	4	3			
146	Puerperal albuminuria and eclampsia	11	5		6								2	2	5	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	5		1									1	4	1			
149	Other accidents of childbirth	6	4		2									1	2	3			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																		
	XII.—Diseases of the skin and cellular tissue	9	4		5	1			1			1		1	2				3
151	Furuncle, carbuncle	1	1												1				
152	Phlegmon, acute abscess	3	1		2									1	1				1
153	Other diseases of skin and annexa, and of cellular tissue	5	2		3	1			1			1							2
	XIII.—Diseases of the bones and organs of locomotion	4	2	1	1											1		1	2
154	Osteomyelitis	2	1		1													1	1
155	Other diseases of bones (tuberculosis excepted)	1	1													1			
156	Diseases of joints, other organs of locomotion	1		1															1
	XIV.—Congenital malformations	65	36	2	27	58	2		1		2			1		1			
157a	Congenital hydrocephalus	6	4		2	5										1			
157b	Spina bifida and meningocele	11	6		5	11													
157c	Congenital malformations of heart	35	17	2	16	30	1		1		2			1					
157d	Other congenital malformations	13	9		4	12	1												
	XV.—Diseases of early infancy	221	130	23	68	221													
158	Congenital debility	18	6	3	9	18													
159	Premature birth	132	77	12	43	132													
160	Injury at birth	54	36	5	13	54													
161	Other diseases peculiar to early infancy	17	11	3	3	17													
162	**XVI.—Senility**	65	22	1	42														65
	XVII.—Violent and accidental deaths	483	231	50	202	9	2	4	1	5	14	11	32	32	47	54	57	68	141
	Suicide	84	35	6	43								2	6	5	21	15	13	22
163	By solid or liquid poisons or by absorption of corrosive substances	4	4										1	1		1		1	
164	By poisonous gas	9	8		1										2		2	1	4
165	By hanging or strangulation	26	10	2	14									1	3	6	4	6	6
166	By drowning	10	4		6											4	3	1	2
167	By firearms	32	9	3	20								1	4		9	6	4	8
168	By cutting or piercing instruments	3		1	2											1			2
	Homicide	13	6		7	2					2	1		2		1	1	3	1
173	By firearms	4			4									1				2	1
174	By cutting or piercing instruments	4	1		3	1					1	1		1					
175	By other means	5	5			1					1					1	1	1	
	Accidental, other, or undefined	386	190	44	152	7	2	4	1	5	12	10	30	24	42	32	41	52	118
176	Attack by venomous animals	2	1	1		1													1
178	Absorption of poisonous gas	2	2														1		1
179	Other acute accidental poisonings (gas excepted)	5	2	1	2	1										1	1		2
180	Conflagration	7	4	1	2	1												3	3
181	Burns (conflagration excepted)	16	8	2	6				1	1	2				3	1	2		5
	Supplemental	1	1													1			
182	Mechanical suffocation	2	1		1	2													
183	Drowning	37	15	2	20			1		1	3	5	6	5	6	3	5	1	1
	Supplemental	13	2		11						1	1		1	4	3		3	
	Traumatism:																		
184	By firearms (wounds of war excepted)	10	4	2	4					1		1	4	1	1	1		1	
185	By cutting or piercing instruments (wounds of war excepted)	3	3													1	1	1	
186a	By fall	100	54	12	34	1	1				1		2	1	2	2	9	9	71
	Supplemental	6		1	5									1	1		2	2	
186b	By crushing, landslide	3	2	1						1				1			1		
	Supplemental	9	4	1	4			1							1	2	1	3	1
188	Injuries by animals	1	1																1
190	Excessive cold	3	2		1											2			1
191	Excessive heat	1	1										1						
193	Due to electric currents	3	2	1								1			2				
194b	Other accidents	14	4	3	7	1						1	1		2	1	1	4	3
	Supplemental	148	78	16	54		1	2		1	5	1	16	14	20	14	17	25	28
	XVIII.—Ill-defined causes of death	18	4		14	1										2	4	4	7
199	Sudden death	5			5												1	2	2
200a	Cause of death ill-defined	10	3		7											2	2	1	5
200b	Cause of death not specified or unknown	3	1		2	1											1	1	
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	2			2													1	
202	Accidents from agricultural machinery	2			2								1		1				
205	Other machinery accidents	3	2		1		1												
206	Railroad and automobile collisions	5	1		4								3		2			2	
207	Other railroad accidents	12	5		7														
210	Automobile accidents (primary)	135	67	17	51		1	2		1	5		11	13	19	17	18	22	24
211	Motorcycle accidents	5	5									1		1	2		1		
212	Other land transportation accidents	2	1	1									1						
213	Water transportation accidents	9	2		7						1	1		1	2	2		2	
214	Air transportation accidents	2	2											1		1			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY																	
	Total deaths (all causes)	43,497	29,218	5,681	8,598	2,597	376	218	176	131	570	454	692	941	2,279	3,652	6,149	8,214	17,040
	I.—Infectious and parasitic diseases	3,677	2,020	745	912	179	93	44	48	29	112	61	161	288	627	586	623	455	370
1	Typhoid fever	42	26	7	9	1					1	2	3	6	12	10	5	1	1
2	Paratyphoid fever	1	1												1				
5	Undulant fever	2	1	1											1		1		
7	Measles	72	50	11	11	15	18	12	5	1	18			1			1		1
8	Scarlet fever	58	37	10	11	2	4	4	8	7	16	7	1	1	4	3		1	
9	Whooping-cough	47	28	4	15	25	11	2	4	2	2								1
10	Diphtheria	52	44	7	1	4	10	6	12	5	10	3						1	1
11a	Influenza, respiratory complications specified	368	242	51	75	22	10	3	4	1	10	2	4	13	34	41	56	56	112
11b	Influenza, respiratory complications not specified	144	86	19	39	15	5	3	1		7	3	5	4	11	20	23	12	35
13	Dysentery	7	3	2	2	2			1								2	1	1
15	Erysipelas	60	44	8	8	19	2			1	2	2	1		1	4	5	11	12
16	Acute poliomyelitis, acute polioencephalitis	22	17	5		1	1			3	5	3	4	2	1	2			
17	Lethargic or epidemic encephalitis	39	28	3	8		2	1				2	3	1	7	8	10	2	3
18	Epidemic cerebrospinal meningitis	27	24	2	1	9	4	1	1	1	3	3	2	1	1	1			
20	Anthrax (bacillus anthracis) malignant pustule	1	1													1			
22	Tetanus	17	14	3					2		3	6		1	1	3			1
	Tuberculosis (all forms)	2,339	1,087	574	678	20	22	10	8	7	31	27	132	244	510	433	426	308	160
23	Respiratory system	2,134	928	563	643	7	2	2	2		7	18	122	231	486	406	407	296	147
24	Meninges and central nervous system	59	54	2	3	6	11	5	1	5	11	3	1	2	3	2	5	3	1
25	Intestines and peritoneum	36	25	1	10		1			1	5	2	3	4	8	6	5		1
26	Vertebral column	16	11	2	3				1		3	1	1	1	3	3			3
27a	Bones (vertebral column excepted)	5	3		2						1	1	1						2
27b	Joints	5	4		1						1		1			1		1	1
28	Skin and subcutaneous cellular tissue	1			1											1			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	3															1	2
30	Genitourinary system	14	9	2	3							1		2	2	5	1	1	2
31	Other organs	2	2													2			
32a	Acute disseminated tuberculosis	55	42	4	9	7	6	3	4	1	2	1	2	3	7	6	7	5	1
32b, c	Other disseminated tuberculosis	9	6		3		2				1		1	1	1	1	1		
34	Syphilis	298	219	32	47	35	3			1	2		2	9	25	45	82	59	35
35	Gonococcus infection and other venereal diseases	31	27	3	1	1							1	3	12	7	3	2	2
36	Purulent infection, septicemia (non-puerperal)	30	26		4	5	1		1				1	1	5	6	7		3
38	Malaria	1		1															1
39	Other diseases due to protozoal parasites	1	1														1		
41b	Hydatid cysts of other organs	1	1																1
42	Other diseases caused by helminths	2	2										1			1			
43	Mycoses	7	5	1	1	1						1		1	1	1	1	1	
44	Other infectious and parasitic diseases	8	6	1	1	2		2	1		2		1						
	II.—Cancers and other tumors	5,038	3,560	628	850	2	5	3	5	1	9	10	18	28	92	399	965	1,396	2,105
	Cancer and other malignant tumors	4,366	3,422	611	833	2	3	2	4		7	7	15	19	71	352	922	1,372	2,090
(45)	Buccal cavity	126	92	15	19								1				23	34	68
(45)	Pharynx	43	36	5	2									1		2	10	17	13
(46)	Esophagus	110	84	15	11											5	21	38	46
(46)	Stomach and duodenum	965	695	110	160									2	8	58	163	278	456
(46)	Liver and biliary passages	367	240	41	86								1	3	6	16	60	86	195
(46)	Pancreas	136	102	15	19										2	8	32	38	56
(46)	Other digestive tract and peritoneum	905	658	108	141						3		1	1	17	50	162	247	424
47	Respiratory system	245	180	31	34			1	1				1	1	7	23	55	83	73
48	Uterus	559	365	90	104									1	13	62	142	172	169
49	Other female genital organs	98	74	10	14									3	1	12	34	24	24
50	Breast	510	346	63	101										2	67	133	153	155
51	Male genitourinary organs	371	255	51	65		1				2		1	2	5	11	28	92	229
52	Skin	83	51	10	22				1							2	5	18	57
53	Other or unspecified organs	348	244	49	55	2	2	1	2		2	7	10	5	10	36	54	92	125
54a	Nonmalignant tumors, ovary	3	3											1	1				1
54b	Nonmalignant tumors, uterus	83	69	7	7									1	13	32	26	5	6
54c	Nonmalignant tumors, other female genital organs	1	1															1	
54d, e	Nonmalignant tumors, other organs	24	19	3	2		1				1			3		6	4	5	4
55d, e	Tumors, other organs (nature unspecified)	61	46	7	8		1	1	1	1	1	3	3	4	7	9	13	13	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,602	1,159	180	263	37	4	4	7		31	31	34	18	45	78	206	445	662
56	Acute rheumatic fever	141	113	7	21		1	1	5		23	25	21	10	18	13	11	3	10
57	Chronic rheumatism, osteoarthritis	46	27	10	9										2	1	1	10	32
59	Diabetes mellitus	1,204	869	147	188			1			3	6	8	7	18	35	153	399	574
60	Scurvy	1	1			1													
62	Pellagra	7	4		3											1	2		4
63	Rickets	8	5		3	6	1	1											
64	Osteomalacia	1	1														1		
65	Diseases of pituitary body	6	5		1								1			1	3		1
66a	Simple goiter	5	2	2	1												1	2	2
66b	Exophthalmic goiter	107	82	6	19									3	1	7	19	22	27	28
(66)	Other diseases of thyroid and parathyroid glands	13	10	2	1	2					1					3	2	3	2
67	Diseases of thymus gland	33	22	2	9	26	1	1	2		2		1						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	16	8	4	4											4	7	1	4
69	Other general diseases	14	10		4	2	1				2					1	3		5

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	IV.—Diseases of the blood and blood-making organs	293	227	37	29	22	5		5	8	5	9	6	13	25	35	41	49	70
70	Hemorrhagic conditions	30	25	4	1	15						1	2	1	5	2		3	1
71a	Pernicious anemia	78	56	10	12		2					1	2	3	1	6	16	16	31
71b	Other anemias	19	16	1	2	3	2									1	3	1	6
72a	True leukemias	96	81	10	5				2	7	3	6	2	6	11	9	13	16	21
72b	Pseudoleukemias (Hodgkin's disease)	46	31	6	9						1	1		3	7	10	6	8	10
73	Diseases of the spleen	16	13	3		3	1		1		1				1	4	3	2	
74	Other diseases of blood and blood-making organs	8	5	3		1										3		3	1
	V.—Chronic poisonings and intoxications	118	80	14	24			2							19	35	38	13	11
75	Alcoholism (acute or chronic)	99	65	13	21										16	30	35	10	8
76	Chronic poisoning by other organic substances	6	4	1	1										1	3	1	1	
77a	Chronic lead poisoning	10	9		1			2								2	2	1	3
77b,c	Other chronic poisoning by mineral substances	3	2		1										2			1	
	VI.—Diseases of the nervous system and of the organs of special sense	4,267	2,610	618	1,039	59	24	11	8	10	52	34	24	41	100	207	572	899	2,226
78	Encephalitis (nonepidemic)	51	39	4	8	3	2	5		1	6	2	1	2	5	9	10	3	2
79a	Simple meningitis	72	64	4	4	13	8		1	1	11	7	4	2	11	4	7	2	1
79b	Nonepidemic cerebrospinal meningitis	6	3	1	2	3			1					1			1		
80	Progressive locomotor ataxia (tabes dorsalis)	44	22	12	10										2	2	12	13	15
81	Other diseases of spinal cord	106	72	13	21	1				1	1	3	1	4	7	13	20	24	31
82a	Cerebral hemorrhage	3,179	1,965	468	746	3					3	1	2	6	26	92	393	710	1,943
82b	Cerebral embolism and thrombosis	214	138	37	39	1							2	2	6	7	28	49	119
82c	Softening of brain	13	5	3	5										1	1		2	9
82d	Hemiplegia and other paralysis, cause unspecified	57	29	5	23				2			1	2	1			6	14	31
83	General paralysis of insane	154	37	38	79									4	6	39	52	37	16
84	Dementia praecox and other psychoses	35	5	7	23								1	4	9	9	7	4	1
85	Epilepsy	65	24	5	36	2				2	1	5	1	10	13	11	9	6	5
86	Convulsions (under 5 years of age)	12	9		3	5	3	3		1									
87	Other diseases of nervous system	110	64	14	32	2	4	1			4		2		5	10	14	23	45
88	Diseases of organs of vision	2	2			1										1			
89a	Diseases of ear	72	65	3	4	17	4	2	2		12	7	1	1	4	4	8	6	4
89b	Diseases of mastoid process	75	67	4	4	8	3		2	4	14	8	7	4	5	5	5	6	4
	VII.—Diseases of the circulatory system	12,346	7,877	1,711	2,758	12	2	6	6	10	54	62	84	92	271	700	1,600	2,579	6,868
90	Pericarditis	19	12	5	2	3	1			1		1			2	3	3		5
91a	Acute endocarditis	152	124	14	14	2		2	2	1	12	9	20	18	21	18	15	14	18
91b	Endocarditis, unspecified (under 45 years)	20	16	2	2						2	3	1	2	6	6			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,799	1,128	245	426	1		2	3	5	28	29	32	35	96	163	235	326	844
92b	Endocarditis, unspecified (45 years and over)	179	116	25	38												26	49	104
93a	Acute myocarditis	224	140	33	51	2		1			1		2	2	8	21	39	44	104
93b	Myocarditis, unspecified (under 45 years)	46	29	11	6	1			1			1	2	2	8	31			
93c	Chronic myocarditis and myocardial degeneration	4,125	2,400	671	1,054						4	3	5	11	37	124	402	793	2,746
93d	Other diseases of myocardium	1,612	1,171	159	282	1						1	2	4	14	71	248	387	884
94a	Angina pectoris	644	396	103	145										6	40	100	173	325
94b	Diseases of coronary arteries	1,086	739	132	215										11	61	191	314	509
95a	Functional diseases of heart	23	20	2	1								1			4	5	2	11
95b	Other and unspecified diseases of heart	1,613	1,105	195	313	2	1			2	7	15	16	16	54	128	286	356	730
96	Aneurysm (except of heart)	65	44	8	13								1		3	7	15	21	18
97	Arteriosclerosis (coronary arteries excepted)	610	345	94	171											5	20	78	507
98	Gangrene	24	15		9					1				1		1	1	3	17
99	Other diseases of arteries	66	47	9	10			1						1	3	9	7	13	32
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	22	16	2	4										2	4	4	5	7
101	Diseases of lymphatic system (lymphangitis, etc.)	5	5										1				2	1	1
102	Idiopathic anomalies of blood-pressure	6	6													3	1		2
103	Other diseases of circulatory system	6	3	1	2								1			1			4
	VIII.—Diseases of the respiratory system	3,384	2,501	353	530	486	140	69	39	19	72	45	68	77	201	315	442	488	923
104a	Diseases of nasal fossae	4	2		2	2								2					
104b	Diseases of nasal fossae and annexa	21	17	2	2		1				1	4	2	2	3	2	5	1	
105	Diseases of larynx	11	10		1	2	3	1			1		1				1	2	
106a	Acute bronchitis	50	34	2	14	13	1	1	2					1	2	4	2	3	21
106b	Chronic bronchitis	58	39	7	12	1		1	1				2	1	1	3	8	13	27
106c,d	Bronchitis, unspecified	15	9	3	3				1							2	1	3	8
107a	Bronchopneumonia	1,142	824	124	194	306	70	28	16	10	19	12	17	11	38	59	88	124	344
107b	Capillary bronchitis	8	6		2	3	1										1		3
108	Lobar pneumonia	1,788	1,341	184	263	136	53	29	15	8	42	27	39	52	146	218	287	297	439
109	Pneumonia, unspecified	46	37	4	5	8	4	3	2	1	2	1	2		1	5	3	6	8
110	Pleurisy	94	81	5	8	7	6	5	2		4	1	1	4	4	10	18	13	19
111a	Pulmonary embolism and thrombosis	13	11	1	1								2				4	1	6
111b	Pulmonary congestion, edema, hemorrhagic infarct	44	28	5	11	5					1			1	1	1	2	3	30
112	Asthma	45	26	12	7	2					1				2	3	12	15	10
113	Pulmonary emphysema	7	6		1						1						2		4
114	Other diseases of respiratory system (tuberculosis excepted)	38	30	4	4	1	1	1					2	3	3	8	8	7	4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	IX.—Diseases of the digestive system	2,597	2,092	216	289	233	50	36	29	17	63	49	48	65	169	336	487	475	539
115a	Diseases of pharynx and tonsils	146	114	11	21	8	7	10	7	1	10	4	5	6	17	18	22	16	15
115b	Diseases of buccal cavity and annexa	20	17		3	1					1		1	1	4	2	6	4	
116	Diseases of esophagus	4	4												1			1	2
117a	Ulcer of stomach	198	156	14	28							1	2	4	11	49	58	42	31
117b	Ulcer of duodenum	72	58	5	9										6	14	27	12	13
118	Other diseases of stomach (cancer excepted)	66	32	7	27	6	1				1	1		1	4	12	8	8	24
119	Diarrhea, enteritis (under 2 years of age)	211	157	27	27	176	35												
120	Diarrhea, enteritis (2 years and over)	103	66	18	19			13	7	5	9	1	1	3	6	9	18	9	22
121	Appendicitis	534	469	34	31	3	2	8	11	9	33	38	31	29	61	92	91	77	49
122a	Hernia	225	188	16	21	4						1	1	2	7	11	49	63	87
122b	Intestinal obstruction	219	181	14	24	28	4	3	1		4		2	9	9	20	34	36	69
123	Other diseases of intestines	36	34	1	1						1		1	4	3	6	8	6	7
124	Cirrhosis of liver	372	287	40	45						1	1	1		13	48	77	112	118
125a	Yellow atrophy of liver	16	15		1	1							1	2	1	1	3	2	5
125b	Other diseases of liver	30	25	3	2			1				1	1	1	4	3	10	5	4
126	Biliary calculi	169	142	12	15										9	26	45	44	45
127	Other diseases of gall-bladder, biliary passages	99	81	9	9										5	10	18	30	36
128	Diseases of pancreas	25	21	1	3									1	1	8	6	5	4
129	Peritonitis, cause not specified	52	45	4	3	6	1	1	3	2	3	1	1	2	7	7	7	3	8
	X.—Diseases of the genitourinary system	4,125	2,677	577	871	10	3	2		2	11	19	30	48	• 120	271	499	842	2,267
130	Acute nephritis (including unspecified under 10 years)	125	98	9	18	6	2	2		1	3	6	7	6	14	18	15	17	28
131	Chronic nephritis	3,356	2,049	517	790					1	4	9	19	19	56	188	397	699	1,963
132	Nephritis, unspecified (10 years and over)	141	105	12	24							3		2	5	13	31	32	55
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	89	76	6	7	4	1				4	1	4	4	10	13	17	14	17
134	Calculi of urinary passages	50	44	2	4										4	10	8	16	12
135	Diseases of bladder (tumors excepted)	15	7	4	4									1		1	1	4	8
136	Diseases of urethra, urinary abscess, etc.	6	6													1	2	1	2
137	Diseases of prostate	219	183	22	14												4	41	174
138	Diseases of male genital organs, not specified as venereal	5	3	1	1										1	1	2		1
139a	Cysts of ovary	25	19	1	5									1	2	8	3	8	3
139b	Other diseases of ovaries, diseases of tubes and parametrium	61	56	2	3									12	22	11	10	4	2
139c	Diseases of uterus	33	31	1	1									3	6	7	9	6	2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	300	242	26	32								25	58	131	83	3		
140	Abortion with septic conditions	46	41	4	1								2	12	24	8			
141	Abortion without mention of septic conditions (includes hemorrhages)	11	6	2	3								1		4	6			
142a	Ectopic gestation, septic conditions specified	3	2	1										1		2			
142b	Ectopic gestation, septic conditions not mentioned	12	11		1									2	3	6	1		
143	Other accidents of pregnancy (hemorrhage not included)	1		1											1				
144a	Placenta praevia	13	10	2	1								1	2	3	6	1		
144b	Other puerperal hemorrhages	27	21	1	5								1	3	15	8			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	75	62	5	8								9	18	34	14			
146	Puerperal albuminuria and eclampsia	40	30	4	6								5	11	11	13			
147	Other toxemias of pregnancy	14	10	3	1								2	2	4	6			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	9	4	1	4								1		7	1			
149	Other accidents of childbirth	49	45	2	2								3	7	25	13	1		
	XII.—Diseases of the skin and cellular tissue	80	61	4	15	9	1			1		4	5	2	13	7	13	11	14
151	Furuncle, carbuncle	33	25		8	1	1					4	3	1	5	1	7	5	5
152	Phlegmon, acute abscess	25	18	3	4	4				1				1	8	2	2	5	2
153	Other diseases of skin and annexa, and of cellular tissue	22	18	1	3	4							2			4	4	1	7
	XIII.—Diseases of the bones and organs of locomotion	52	46	3	3	1	2	1	1	3	6	9		4	2	4	8	5	6
154	Osteomyelitis	42	36	3	3	1	1	1	1	2	6	9		3	2	3	6	3	4
155	Other diseases of bones (tuberculosis excepted)	4	4							1								2	1
156	Diseases of joints, other organs of locomotion	6	6				1							1		1	2		1
	XIV.—Congenital malformations	316	249	32	35	278	16	6	2		5	4	3	1	1				
157a	Congenital hydrocephalus	34	26	6	2	29	4				1								
157b	Spina bifida and meningocele	37	28	4	5	34	1	1	1										
157c	Congenital malformations of heart	159	118	16	25	138	8	5			3	2	1	1	1				
157d	Other congenital malformations	86	77	6	3	77	3		1		1	2	2						
	XV.—Diseases of early infancy	1,215	959	93	163	1,215													
158	Congenital debility	57	38	7	12	57													
159	Premature birth	775	616	56	103	775													
160	Injury at birth	252	204	21	27	252													
161	Other diseases peculiar to early infancy	131	101	9	21	131													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
162	XVI.—Senility	136	96	11	29													4	132
	XVII.—Violent and accidental deaths	3,907	2,741	426	740	46	28	33	24	30	148	117	186	205	463	593	648	547	837
	Suicide	717	485	90	142								6	18	90	132	194	157	120
163	By solid or liquid poisons or by absorption of corrosive substances	74	55	4	15									3	16	16	15	18	6
164	By poisonous gas	234	178	29	27								2	4	21	50	69	48	40
165	By hanging or strangulation	152	79	25	48								2	2	12	24	46	35	31
166	By drowning	24	15	4	5								1		2	5	5	6	5
167	By firearms	160	103	20	37								1	5	28	23	41	33	29
168	By cutting or piercing instruments	30	20	3	7									1	2	3	12	6	6
169	By jumping from high places	31	29	2										2	7	10	3	7	2
170	By crushing	7	4	1	2									1	1	1	2	2	
171	By other means	5	2	2	1										1		1	2	1
	Homicide	211	166	23	22	8	1					1	9	30	71	51	24	9	7
173	By firearms	119	92	12	15								6	23	41	29	13	5	2
174	By cutting or piercing instruments	34	28	4	2	1	1							2	12	13	2	1	2
175	By other means	58	46	7	5	7						1	3	5	18	9	9	3	3
	Accidental, other, or undefined	2,979	2,090	313	576	38	27	33	24	30	148	116	171	157	302	410	430	381	710
176	Attack by venomous animals	1	1											1					
177	Poisoning by food	10	5	1	4					1	1					1	2	3	2
178	Absorption of poisonous gas	122	107	10	5	1				1			2	4	15	26	30	29	14
	Supplemental	3		1	2										2				1
179	Other acute accidental poisonings (gas excepted)	43	35	2	6	1	2	1	2		1		1	3	2	12	6	8	4
180	Conflagration	54	36	7	11	2		2			2	1	1	6	11	7	7	4	11
181	Burns (conflagration excepted)	124	109	5	10	3	14	9	2	3	11	3	4	5	8	6	18	12	26
	Supplemental	35	25	1	9		1		1	1	1	1	1	3	7	10	5	3	1
182	Mechanical suffocation	19	12	4	3	14							1	1	1		2		
183	Drowning	239	115	26	98		2	3	1	3	18	27	44	18	33	33	23	19	14
	Supplemental	51	17	3	31						1	1	7	3	11	17	3	5	3
	Traumatism:																		
184	By firearms (wounds of war excepted)	23	13	4	6					1	1	7	4	3	4	3			
185	By cutting or piercing instruments (wounds of war excepted)	21	19	2							1	1			3		9	1	6
	Supplemental	6	4	1	1								1		2		1	1	1
186a	By fall	706	512	76	118	4	2	3			12	8	7	7	29	59	67	96	412
	Supplemental	54	32	7	15			1	1		2	2	3	4	9	12	9	6	5
186b	By crushing, landslide	7	3	2	2						1				2	2	1		1
	Supplemental	131	75	21	35			1			11	5	9	7	14	24	22	21	17
188	Injuries by animals	1	1				1												
190	Excessive cold	5	3		2											1	2		2
191	Excessive heat	34	23	4	7	1	1							1	2	10	8	6	5
192	Lightning	4			4								1				3		
193	Due to electric currents	15	11	2	2		1						2	1	2	7	1	1	
	Supplemental	2			2									1	1				
194a	Foreign bodies	10	7		3	5										2	2	1	
194b	Other accidents	94	66	9	19	4	1				4	6	8	2	9	19	18	17	6
	Supplemental	1,162	856	125	181	3	2	13	17	20	81	54	75	87	134	159	189	148	179
198	Legal executions	3	3												1		2		
	XVIII.—Ill-defined causes of death	44	21	7	16	8	3	1	2	1	2			1		3	4	6	10
199	Sudden death	3	2		1			1			1								1
200a	Cause of death ill-defined	31	18	4	9	6	3		2					1		3	3	5	7
200b	Cause of death not specified or unknown	10	1	3	6	2				1	1						1	1	2
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	1		1											1				
202	Accidents from agricultural machinery	3	1		2												1	2	
203	Elevator accidents	3	3								1				1		1		
205	Other machinery accidents	26	20	3	3									2	7	7	6	2	2
206	Railroad and automobile collisions	19	9	4	6						1			2	3	3	4	2	4
207	Other railroad accidents	129	93	18	18			1			5	12	8	3	9	25	30	23	13
208	Street car and automobile collisions	3	1	2										2				1	
209	Other street car accidents	11	11												1	3	1	2	4
210	Automobile accidents (primary)	1,147	820	121	206	3	2	13	18	20	87	45	78	85	139	158	181	142	175
211	Motorcycle accidents	19	16	2	1							1	1	6	4	3	1	1	2
212	Other land transportation accidents	18	10	3	5			1	1		1	4	1	2		3		2	3
213	Water transportation accidents	51	20	4	27						1	1	8	2	12	13	3	7	4
214	Air transportation accidents	14	5	1	8		1			1				1	3	7	1		
	NEW MEXICO																		
	Total deaths (all causes)	5,824	1,047	1,126	3,651	1,674	275	80	59	39	112	107	141	205	441	456	442	549	1,215
	I.—Infectious and parasitic diseases	932	308	158	466	110	39	15	18	12	31	29	46	61	175	170	95	57	70
1	Typhoid fever	30	9	5	16						1	11	6	1	2	5	1	3	
2	Paratyphoid fever	1		1													1		
7	Measles	25	7	1	17	6	4	5	3	1	5	1							
8	Scarlet fever	13	3	2	8		1	3	4	2		1	1		1				
9	Whooping-cough	36	11	2	23	24	8		2	1	1								
10	Diptheria	39	9	7	23	1	6	2	3	4	15	5	1		1				
11a	Influenza, respiratory complications specified	77	8	18	51	21	5	2	3		2		3	1	5	5	5	8	17
11b	Influenza, respiratory complications not specified	40	4	10	26	10	4	1		2	1	2	3	1	2	2		4	8

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																	
	I.—Infectious and parasitic diseases—Continued.																	
13	Dysentery	29	4	4	21	10	7						1				2	1	8
15	Erysipelas	10	4		6	5	1							1		1			2
16	Acute poliomyelitis, acute polioencephalitis	1			1		1												
17	Lethargic or epidemic encephalitis	3			3		1				1								
18	Epidemic cerebrospinal meningitis	10	1	3	6	1		1	1	1	1	1		1	1		2		
22	Tetanus	1			1	1													
	Tuberculosis (all forms)	555	230	86	239	13	1	1	2	1	3	8	30	54	154	152	74	34	27
23	Respiratory system	515	222	75	218	4		1	2		2	5	28	49	149	145	71	33	25
24	Meninges and central nervous system	16	3	3	10	7						2	2	2	2	1			
25	Intestines and peritoneum	8	1	4	3	1	1				1				1	2	1	1	
26	Vertebral column	3	1		2											2	1		
27a	Bones (vertebral column excepted)	1		1															1
27b	Joints	2	1		1												1		1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1											1			
30	Genitourinary system	2	1		1										1	1			
32a	Acute disseminated tuberculosis	4	1	1	2	1				1				2					
32b, c	Other disseminated tuberculosis	3		2	1							1		1	1				
34	Syphilis	55	17	17	21	18					1			1	9	5	9	5	6
35	Gonococcus infection and other venereal diseases	4		2	2								1	1				1	1
36	Purulent infection, septicemia (non-puerperal)	2	1		1													1	1
38	Malaria	1			1												1		
	II.—Cancers and other tumors	228	46	69	113						1		2		7	23	41	65	88
	Cancer and other malignant tumors	216	42	66	108								1		7	22	40	63	82
(45)	Buccal cavity	7	2	2	3												2	2	3
(45)	Pharynx	4		2	2											1		1	2
(46)	Esophagus	2	1		1												1		1
(46)	Stomach and duodenum	60	13	11	36											5	10	18	26
(46)	Liver and biliary passages	9		5	4												1	4	4
(46)	Pancreas	4		1	3													2	2
(46)	Other digestive tract and peritoneum	21	4	9	8										1	2	3	7	8
47	Respiratory system	8	3	2	3										1		3	2	2
48	Uterus	42	7	13	22										3	10	9	13	7
49	Other female genital organs	2		1	1												1		1
50	Breast	20	10	5	5										1	2	5	7	5
51	Male genitourinary organs	12		5	7											1	2	2	7
52	Skin	10	2	1	7												1	2	7
53	Other or unspecified organs	15		9	6								1		1	1	2	3	7
54b	Nonmalignant tumors, uterus	2		1	1											1	1		
54d, e	Nonmalignant tumors, other organs	1	1																1
55d, e	Tumors, other organs (nature unspecified)	9	3	2	4						1		1					2	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	85	12	26	47	5	3	1			2	2	3	7	6	12	8	16	19
56	Acute rheumatic fever	7	1	2	4						1			2		2		1	1
59	Diabetes mellitus	40	6	14	20						1	2	2	3	3	1	2	10	15
62	Pellagra	24	3	5	16								1	2	1	9	5	3	3
63	Rickets	4			4	1	3												
66b	Exophthalmic goiter	4	1	1	2										2		1	1	
(66)	Other diseases of thyroid and parathyroid glands	2		1	1	1												1	
67	Diseases of thymus gland	4	1	3		3		1											
	IV.—Diseases of the blood and blood-making organs	17	4	6	7	3					2	2	1		2	1	1	2	3
70	Hemorrhagic conditions	4	1	1	2	2							1		1				
71a	Pernicious anemia	8	2	4	2							2				1	1	2	2
71b	Other anemias	1			1	1													
72a	True leukemias	1	1												1				
72b	Pseudoleukemias (Hodgkin's disease)	3		1	2						2								1
	V.—Chronic poisonings and intoxications	7	1	2	4											2	3	2	
75	Alcoholism (acute or chronic)	7	1	2	4											2	3	2	
	VI.—Diseases of the nervous system and of the organs of special sense	233	49	75	109	8	2	1	1		4	5	2	5	8	19	25	41	110
78	Encephalitis (nonepidemic)	10	3	6	1	1					1	2	1	2	1	1		1	
79a	Simple meningitis	7	2	1	4	2	1	1			1				1		1		
79b	Nonepidemic cerebrospinal meningitis	1			1							1							
80	Progressive locomotor ataxia (tabes dorsalis)	4	2		2												1	1	1
81	Other diseases of spinal cord	4	1	2	1												1		3
82a	Cerebral hemorrhage	140	30	40	70										1	9	14	29	87
82b	Cerebral embolism and thrombosis	6	1	3	2	1									1	1		1	2
82d	Hemiplegia and other paralysis, cause unspecified	17	2	3	12	1											1	2	13
83	General paralysis of insane	3	1	1	1										1		1	1	
84	Dementia praecox and other psychoses	15		13	2									1	1	4	2	2	4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																		
85	Epilepsy	7		3	4									1	1	1	4		
86	Convulsions (under 5 years of age)	3			3	2	1												
87	Other diseases of nervous system	7	4	1	2				1		1					1	1	2	1
89a	Diseases of ear	8	3	2	3	1					1	2	1	1				2	
89b	Diseases of mastoid process	1			1										1				
	VII.—Diseases of the circulatory system	481	119	136	226	1	1				4	5	6	8	18	29	59	95	249
90	Pericarditis	3		1	2													1	2
91a	Acute endocarditis	3	1	1	1									1	2				
91b	Endocarditis, unspecified (under 45 years)	1	1			1													
92a	Endocarditis, specified as chronic, and other valvular diseases	97	21	22	54						1	2	2	6	7	10	12	17	40
92b	Endocarditis, unspecified (45 years and over)	14	3	6	5												4	4	6
93a	Acute myocarditis	5			5						1		1					1	2
93b	Myocarditis, unspecified (under 45 years)	1	1									1							
93c	Chronic myocarditis and myocardial degeneration	89	25	23	41								1	1		3	6	14	64
93d	Other diseases of myocardium	76	29	25	22												10	15	48
94a	Angina pectoris	44	13	12	19								1		2	3	7	12	18
94b	Diseases of coronary arteries	19	9	7	3											2	4	4	8
95a	Functional diseases of heart	2		1	1											1			1
95b	Other and unspecified diseases of heart	91	8	26	57		1				2	2	1		6	7	13	20	38
96	Aneurysm (except of heart)	4		1	3												2	1	1
97	Arteriosclerosis (coronary arteries excepted)	20	3	7	10											1	1	3	15
98	Gangrene	2	1	1												1			1
99	Other diseases of arteries	4	2	1	1													3	1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2	2													1			1
102	Idiopathic anomalies of blood-pressure	2		1	1														2
103	Other diseases of circulatory system	2		1	1										1				1
	VIII.—Diseases of the repiratory system	492	66	107	319	194	37	16	8	4	9	2	11	8	22	24	32	42	82
104a	Diseases of nasal fossae	1			1														1
104b	Diseases of nasal fossae and annexa	1		1							1								
105	Diseases of larynx	2			2				1									1	
106a	Acute bronchitis	5	2	1	2	2			2										1
106b	Chronic bronchitis	6	1	3	2											1	1		4
106c, d	Bronchitis, unspecified	7	3	1	3	2	1				1								3
107a	Bronchopneumonia	229	27	54	148	131	26	10	2	2	2		2	3	6	5	4	12	23
107b	Capillary bronchitis	2			2	2													
108	Lobar pneumonia	169	24	33	112	32	4	5	2	1	5	1	6	5	15	12	25	26	30
109	Pneumonia, unspecified	43	2	7	34	23	5	1	1	1		1			1	1			9
110	Pleurisy	6	1	2	3								1			1	1		3
111a	Pulmonary embolism and thrombosis	1		1														1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	6	1	2	3	2												1	3
112	Asthma	9	1	2	6		1									2		1	5
114	Other diseases of respiratory system (tuberculosis excepted)	5	4		1								2			2	1		
	IX.—Diseases of the digestive system	623	131	152	340	267	79	14	12	4	11	21	12	14	28	26	32	39	61
115a	Diseases of pharynx and tonsils	13	1	5	7		1	1	3		1	1	1		1		1	1	2
115b	Diseases of buccal cavity and annexa	1			1											1			
117a	Ulcer of stomach	13	5	5	3	1								3	1	2	1	2	3
117b	Ulcer of duodenum	7	3	1	3											2	3	1	1
118	Other diseases of stomach (cancer excepted)	33	3	7	23	10			1			1		1	2	5	1	4	8
119	Diarrhea, enteritis (under 2 years of age)	326	62	55	209	249	77												
120	Diarrhea, enteritis (2 years and over)	49	8	9	32			13	8	2	2	2		1	2	2		5	11
121	Appendicitis	78	29	33	16					1	7	16	9	5	17	3	11	6	3
122a	Hernia	4	1	1	2											1	1		1
122b	Intestinal obstruction	29	6	12	11	5	1			1			2	2	1	3	7	3	4
123	Other diseases of intestines	3		2	1											1		1	1
124	Cirrhosis of liver	35	9	9	17						1	1			1	3	5	10	13
125b	Other diseases of liver	6	1	2	3										1	2		2	1
126	Biliary calculi	8		5	3										1		1	2	4
127	Other diseases of gall-bladder, biliary passages	12	2	5	5	1										1	1	2	7
129	Peritonitis, cause not specified	6	1	1	4	1								2	1				2
	X.—Diseases of the genitourinary system	255	55	64	136	5	1				1	6	2	4	14	23	27	59	112
130	Acute nephritis (including unspecified under 10 years)	18	2	6	10	2	1				1	2	1	2	1	1		2	5
131	Chronic nephritis	171	43	37	91							2	1	1	9	18	19	44	77
132	Nephritis, unspecified (10 years and over)	33	5	14	14							2			1	3	6	10	10
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	6		2	4	2											1	1	2
135	Diseases of bladder (tumors excepted)	5			5													1	4
136	Diseases of urethra, urinary abscess, etc.	1			1	1													
137	Diseases of prostate	14	3	4	7													1	13

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																	
	X.—Diseases of the genitourinary system—Continued.																	
139a	Cysts of ovary	1	1													1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	2		1	1									1	1			
139c	Diseases of uterus	4	1		3										2		1	1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	106	19	31	56								8	21	47	28	2	
140	Abortion with septic conditions	17	6	5	6								1	1	8	6	1	
141	Abortion without mention of septic conditions (includes hemorrhages)	4		3	1								1		1	2		
142a	Ectopic gestation, septic conditions specified	1		1										1				
142b	Ectopic gestation, septic conditions not mentioned	1		1											1			
143	Other accidents of pregnancy (hemorrhage not included)	1	1										1					
144b	Other puerperal hemorrhages	14	1	6	7								1	4	6	3		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	26	7	6	13								2	8	10	6		
146	Puerperal albuminuria and eclampsia	19	2	5	12								1	5	7	6		
147	Other toxemias of pregnancy	3		1	2										3			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	7	2	2	3									1	4	2		
149	Other accidents of childbirth	12		1	11								1	1	6	3	1	
150	Other and unspecified conditions of puerperal state	1			1										1			
	XII.—Diseases of the skin and cellular tissue	4		3	1	2				1					1			
152	Phlegmon, acute abscess	2		1	1	1									1			
153	Other diseases of skin and annexa, and of cellular tissue	2		2		1				1								
	XIII.—Diseases of the bones and organs of locomotion	4	1	2	1						1			1	1			1
154	Osteomyelitis	2	1	1							1			1				
155	Other diseases of bones (tuberculosis excepted)	1		1											1			
156	Diseases of joints, other organs of locomotion	1			1													1
	XIV.—Congenital malformations	42	10	16	16	38	2				1	1						
157a	Congenital hydrocephalus	2	1	1		1	1											
157b	Spina bifida and meningocele	2		1	1	2												
157c	Congenital malformations of heart	27	6	11	10	24	1				1	1						
157d	Other congenital malformations	11	3	3	5	11												
	XV.—Diseases of early infancy	276	54	75	147	276												
158	Congenital debility	52	5	15	32	52												
159	Premature birth	156	33	42	81	156												
160	Injury at birth	38	11	12	15	38												
161	Other diseases peculiar to early infancy	30	5	6	19	30												
162	**XVI.—Senility**	47	6	12	29													47
	XVII.—Violent and accidental deaths	402	91	94	217	7	12	5	11	11	12	18	28	40	65	55	46	42	41
	Suicide	45	14	9	22								3	5	9	4	11	9	3
163	By solid or liquid poisons or by absorption of corrosive substances	7	4	1	2								1	3	1		1	1	
164	By poisonous gas	1	1														1		
165	By hanging or strangulation	4	1	2	1									1	1		1	1	
167	By firearms	32	7	6	19								3	3	5	3	10	6	2
168	By cutting or piercing instruments	1	1																
	Homicide	47	15	8	24	1			1				3	4	11	15	10	1	1
173	By firearms	34	11	6	17				1				3	3	6	13	8		
174	By cutting or piercing instruments	5	1		4										3	1		1	
175	By other means	8	3	2	3	1									3	1			
	Accidental, other, or undefined	310	62	77	171	6	12	5	10	11	12	18	22	31	45	36	25	32	37
176	Attack by venomous animals	3		1	2					1	1					1			
177	Poisoning by food	5		1	4						1	1			1		1		1
178	Absorption of poisonous gas	5	3		2										1	2	1		
179	Other acute accidental poisonings (gas excepted)	7	3	1	3	1	2		1				1			1	1		
180	Conflagration	8	1		7	1	1		1	1				1		1	2		
181	Burns (conflagration excepted)	26	3	8	15		3	1	2	4	3	2		4	3		2	2	
	Supplemental	3			3										2	1			1
183	Drowning	18	1	4	13		5	2	3		1	1	1	1	2	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	25	8	3	14				1			4	3	7	3	1	1	4	1
	Supplemental	1	1									1							
186a	By fall	28	10	11	7	2						2			2		2	4	16
	Supplemental	19	1	5	13	1					1		2	2	2	4	2	1	3
186b	By crushing, landslide	1			1														1
	Supplemental	34	9	13	12							1	8		12	4	4	2	2
188	Injuries by animals	2		2									1			1			
190	Excessive cold	5	1		4									1		1	1		2
192	Lightning	9			9						1	1		3	1	1		2	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
193	Due to electric currents	2		1	1							2							
	Supplemental	1		1											1				
194b	Other accidents	16	2	3	11			1			1	1		2	3	3	2	1	1
	Supplemental	90	17	23	50	1	1	1	2	5	3	2	6	10	12	13	5	16	9
198	Legal executions	2	2													1	1		
	XVIII.—Ill-defined causes of death	1,590	75	98	1,417	758	99	28	9	7	33	16	20	36	47	44	71	89	332
199	Sudden death	6		1	5	1									1	1	1		2
200a	Cause of death ill-defined	43	10	7	26	7	4	3						2	3	3	5	8	7
200b	Cause of death not specified or unknown	1,541	65	90	1,386	750	95	25	9	7	33	16	20	34	43	40	65	81	323
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	7	1	3	3									1	3		3		
205	Other machinery accidents	3			3										1	1	1		
207	Other railroad accidents	17	1	4	12								2	1	2	3	4	2	2
210	Automobile accidents (primary)	102	25	31	46	2	1	1	1	4	3	4	14	9	20	14	3	15	6
212	Other land transportation accidents	14	1	4	9					1	1			1	1	2		2	6
214	Air transportation accidents	5			5				1						2	2			
	NEW YORK																		
	Total deaths (all causes)	148,455	112,828	7,801	27,826	10,026	1,332	769	601	497	1,895	1,533	2,118	3,066	8,308	13,029	19,947	27,158	53,136
	I.—Infectious and parasitic diseases	12,757	9,445	650	2,662	749	371	213	142	106	387	226	508	916	2,160	2,151	1,990	1,455	1,381
1	Typhoid fever	110	91	5	14	1		1			8	11	10	14	25	19	7	8	6
2	Paratyphoid fever	7	7					1						1	1	1	2		1
5	Undulant fever	6	2	3	1									1	1			2	2
7	Measles	346	276	13	57	61	99	48	24	20	58	9	7		6	5	2	1	6
8	Scarlet fever	218	150	12	56	4	17	18	20	13	55	26	8	9	30	9	4	1	4
9	Whooping-cough	299	218	17	64	178	66	22	8	5	15	3		1		1			
10	Diphtheria	150	128	8	14	7	15	18	16	13	44	8	4	2	2	9	4	5	3
11a	Influenza, respiratory complications specified	1,074	695	94	285	72	30	15	6	4	17	15	32	28	84	148	170	153	300
11b	Influenza, respiratory complications not specified	486	251	46	189	48	16	9	19	9	15	9	10	11	28	43	43	41	185
13	Dysentery	39	26	2	11	10	1	2	3		1			1	4	3	5	4	5
15	Erysipelas	326	263	16	47	104	9	6	1	1	2	3	2	7	11	24	38	39	79
16	Acute poliomyelitis, acute polioencephalitis	143	123	8	12	4	2	7	8	12	42	30	14	7	8	8	1		
17	Lethargic or epidemic encephalitis	93	64	6	23		2		1		3	1	4	4	25	14	21	11	7
18	Epidemic cerebrospinal meningitis	111	102	2	7	30	9	7	3	3	9	5	9	2	13	11	8	2	
22	Tetanus	61	45	6	10	2	2	2	1	4	9	8	6	2	2	8	5	3	7
	Tuberculosis (all forms)	7,906	5,840	360	1,706	73	88	52	27	22	94	89	393	784	1,760	1,594	1,377	924	627
23	Respiratory system	7,112	5,190	325	1,597	26	29	15	9	6	28	54	345	724	1,644	1,495	1,286	875	574
24	Meninges and central nervous system	278	245	12	21	27	39	23	15	13	52	20	14	23	17	15	12	5	3
25	Intestines and peritoneum	142	113	7	22	2	2	3			2	5	14	12	36	28	18	10	10
26	Vertebral column	87	62	4	21	1	1			1		4	2	6	12	14	17	15	14
27a	Bones (vertebral column excepted)	9	6		3		1						1	2	1		2	2	
27b	Joints	23	15	2	6				1			1	3	2	6	4	3	1	2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	20	14	1	5		1				1		1		1	2	2	2	10
30	Genitourinary system	65	50	2	13								2	6	17	14	12	9	5
31	Other organs	12	12											1	3	1	4		3
32a	Acute disseminated tuberculosis	149	125	7	17	16	15	11	2	2	11	5	10	6	23	21	18	4	5
32b, c	Other disseminated tuberculosis	9	8		1	1							1	2			3	1	1
34	Syphilis	1,162	976	42	144	126	8	1			4	3	3	27	115	216	285	246	128
35	Gonococcus infection and other venereal diseases	78	65	6	7	4		1			1		2	13	24	22	7	2	2
36	Purulent infection, septicemia (non-puerperal)	58	48	2	8	10	2		4		2	3	3	1	8	6	6	4	9
38	Malaria	18	16	1	1	1								1	5	5	2	1	3
39	Other diseases due to protozoal parasites	2	2			1										1			
41a	Hydatid cysts of liver	6	6												1	2	1	2	
41b	Hydatid cysts of other organs	1	1												1				
42	Other diseases caused by helminths	4	4					1				1			1	1			
43	Mycoses	22	19	1	2	2					1	1	1		5	1	2	5	4
44	Other infectious and parasitic diseases	31	27		4	11	5	2	1		7	1						1	3
	II.—Cancers and other tumors	17,959	14,132	873	2,954	11	9	11	13	8	49	50	57	94	498	1,654	3,353	4,815	7,329
	Cancer and other malignant tumors	17,058	13,350	834	2,874	6	6	7	8	5	30	34	43	69	393	1,400	3,108	4,706	7,236
(45)	Buccal cavity	469	358	17	94				1			1	1	2	3	22	84	130	225
(45)	Pharynx	107	83	2	22						2				2	3	21	25	54
(46)	Esophagus	385	339	9	37									1		17	65	132	170
(46)	Stomach and duodenum	3,281	2,535	159	587								1	2	35	177	551	934	1,578
(46)	Liver and biliary passages	1,202	912	61	229		1				2	3		1	19	58	191	349	578
(46)	Pancreas	508	440	23	45							1		3	5	31	94	154	220
(46)	Other digestive tract and peritoneum	3,262	2,629	160	473					2	2		5	8	33	225	521	891	1,525
47	Respiratory system	978	860	35	83	1					3	4	6	6	25	103	236	313	280
84	Uterus	1,639	1,224	92	323								1	2	61	254	394	459	468
49	Other female genital organs	494	404	21	69				1			2	2	5	22	86	117	129	130

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued																		
50	Breast	1,736	1,313	88	335							1	1	1	54	230	436	443	569
51	Male genitourinary organs	1,349	1,010	82	257	4	1	3	3	1	3	2	7	5	17	46	132	347	777
52	Skin	288	169	15	104				1			1		3	4	9	23	63	184
53	Other or unspecified organs	1,360	1,074	70	216	1	4	4	2	2	18	19	19	30	63	139	243	337	478
54a	Nonmalignant tumors, ovary	18	18											2	4	3	4	2	3
54b	Nonmalignant tumors, uterus	331	293	16	22									2	43	141	103	27	14
54d, e	Nonmalignant tumors, other organs	274	253	3	18	5	2	3	3	2	12	4	8	13	36	57	58	40	31
55a	Tumors, ovary (nature unspecified)	2	1		1											1			1
55b	Tumors, uterus (nature unspecified)	1	1														1		
55d, e	Tumors, other organs (nature unspecified)	275	216	20	39		1	1	2	1	7	12	6	8	22	52	79	40	44
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	5,213	4,170	257	786	145	21	15	16	17	65	80	59	65	147	286	715	1,387	2,193
56	Acute rheumatic fever	352	304	12	36	1	4	5	9	8	51	61	36	22	48	36	29	20	21
57	Chronic rheumatism, osteoarthritis	126	78	10	38							2	3	1	4	5	14	13	84
59	Diabetes mellitus	4,071	3,285	197	589	1	3	5		3	8	9	12	23	54	162	554	1,243	1,993
60	Scurvy	1	1			1													
62	Pellagra	22	16	2	4										4	7	3	4	4
63	Rickets	23	18	2	3	18	3				1					1			
64	Osteomalacia	1			1														1
65	Diseases of pituitary body	6	5	1				1					1			1		2	1
66a	Simple goiter	35	28	3	4	1						1			5	2	12	9	5
66b	Exophthalmic goiter	337	258	22	57							3	4	14	27	60	92	73	64
(66)	Other diseases of thyroid and parathyroid glands	47	40		7	12	5		2	1			2	1	2	3	4	8	7
67	Diseases of thymus gland	133	96	5	32	104	6	3	4	5	4	3	1	2		1			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	42	27	1	14	1								1	3	7	5	15	10
69	Other general diseases	17	14	2	1	6		1	1		1	1		1		1	2		3
	IV.—Diseases of the blood and blood-making organs	1,150	912	46	192	55	18	13	14	20	34	31	34	40	87	139	165	205	295
70	Hemorrhagic conditions	87	71	5	11	27	3	3		5	2	5	4	3	8	3	9	6	9
71a	Pernicious anemia	318	207	20	91						1		2	2	8	19	34	90	162
71b	Other anemias	52	36	1	15	20	3		1		3	1	4		1		3	4	12
72a	True leukemias	417	366	13	38	5	10	9	9	13	23	15	13	19	36	61	67	70	67
72b	Pseudoleukemias (Hodgkin's disease)	217	181	7	29					1	3	7	10	15	26	47	41	29	38
73	Diseases of the spleen	49	41		8	2	1	1	4	1	1	3	1	1	7	7	9	6	5
74	Other diseases of blood and blood-making organs	10	10			1	1				1				1	2	2		2
	V.—Chronic poisonings and intoxications	681	613	19	49				1					8	87	240	210	101	34
75	Alcoholism (acute or chronic)	635	576	15	44									5	80	230	199	93	28
76	Chronic poisoning by other organic substances	29	26	2	1									2	7	8	5	5	2
77a	Chronic lead poisoning	16	10	2	4				1					1		1	6	3	4
77b, c	Other chronic poisoning by mineral substances	1	1													1			
	VI.—Diseases of the nervous system and of the organs of special sense	12,710	8,705	877	3,128	217	61	35	30	29	199	123	119	126	357	775	1,519	2,488	6,628
78.	Encephalitis (nonepidemic)	110	91	6	13	2	2	7	2	1	12	6	10	2	16	20	21	6	3
79a	Simple meningitis	244	209	12	23	46	12	9	3	6	21	14	9	11	25	23	30	20	14
79b	Nonepidemic cerebrospinal meningitis	26	23	1	2	3	2	1			3		1	2	4	5	2	1	2
80	Progressive locomotor ataxia (tabes dorsalis)	106	87	4	15									1	1	10	27	37	30
81	Other diseases of spinal cord	271	199	18	54	1	1	1			4	7	11	7	12	24	53	58	92
82a	Cerebral hemorrhage	8,587	5,629	693	2,265	11	3	1	1		4	11	12	9	66	317	937	1,833	5,381
82b	Cerebral embolism and thrombosis	1,092	859	46	187	3	1	1		3		6	2	11	17	41	123	245	639
82c	Softening of brain	59	28	6	25											2	5	6	46
82d	Hemiplegia and other paralysis, cause unspecified	223	178	6	39							1	1	1	1	2	22	53	142
83	General paralysis of insane	470	248	5	217							1	3	2	43	133	135	96	57
84	Dementia praecox and other psychoses	145	99	8	38								5	20	45	35	19	12	9
85	Epilepsy	232	128	8	96	3		1			4	10	25	25	51	50	31	15	16
86	Convulsions (under 5 years of age)	36	23	2	11	28	5	2	1										
87	Other diseases of nervous system	391	260	36	95	12	5	4	4	2	15	4	5	10	24	40	49	62	154
88	Diseases of organs of vision	5	4		1	1				1									3
89a	Diseases of ear	366	317	18	31	74	21	2	8	11	58	30	11	9	20	35	39	26	22
89b	Diseases of mastoid process	347	323	8	16	33	9	6	11	5	78	33	24	16	32	38	26	18	18
	VII.—Diseases of the circulatory system	43,545	32,216	2,188	9,141	23	17	14	22	19	164	253	280	314	968	2,237	5,196	9,071	24,961
90	Pericarditis	53	30	4	19	2	3				3	4		1	4	4	7	8	17
91a	Acute endocarditis	301	240	15	46	1	2	4	3	4	15	19	18	36	67	54	28	24	26
91b	Endocarditis, unspecified (under 45 years)	37	28	3	6		1				6	2	4	4	8	12			
92a	Endocarditis, specified as chronic, and other valvular diseases	7,113	5,100	454	1,559	4	1	4	9	9	88	158	172	177	454	612	857	1,138	3,430
92b	Endocarditis, unspecified (45 years and over)	329	222	27	80												42	83	204
93a	Acute myocarditis	351	229	19	103	6	5		1	1	3	2	3	3	9	32	51	71	164
93b	Myocarditis, unspecified (under 45 years)	81	64	5	12	1					3	2	3	4	14	54			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																	
	VII.—Diseases of the circulatory system—Continued.																	
93c	Chronic myocarditis and myocardial degeneration	17,889	13,499	731	3,659	1	----	1	2	2	10	13	17	26	141	615	1,771	3,786	11,501
93d	Other diseases of myocardium	2,939	2,252	132	555	----	----	----	----	----	----	----	1	1	6	22	303	593	2,011
94a	Angina pectoris	2,507	1,741	164	602	----	----	----	----	----	----	----	1	----	41	195	542	695	1,033
94b	Diseases of coronary arteries	4,340	3,460	223	657	----	----	1	----	----	----	1	2	3	58	318	847	1,298	1,812
95a	Functional diseases of heart	47	25	5	17	----	----	----	----	----	----	----	1	1	----	5	6	12	22
95b	Other and unspecified diseases of heart	4,173	3,094	205	874	5	3	2	5	2	34	49	50	50	131	254	559	902	2,126
96	Aneurysm (except of heart)	234	190	14	30	----	----	----	----	----	----	1	2	2	13	23	49	72	72
97	Arteriosclerosis (coronary arteries excepted)	2,766	1,774	160	832	----	----	----	----	----	----	----	----	----	4	6	76	313	2,367
98	Gangrene	54	34	3	17	1	----	1	----	1	----	----	----	2	2	3	3	8	33
99	Other diseases of arteries	167	109	14	44	----	----	1	----	----	----	----	2	2	7	13	25	29	88
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	102	81	5	16	----	----	----	1	----	----	1	2	----	8	11	20	29	30
101	Diseases of lymphatic system (lymphangitis, etc.)	19	13	2	4	2	1	----	1	----	2	1	----	1	1	1	4	1	4
102	Idiopathic anomalies of blood-pressure	19	17	----	2	----	----	----	----	----	----	----	1	1	----	3	5	4	5
103	Other diseases of circulatory system	24	14	3	7	----	1	----	----	----	----	----	1	----	----	----	1	5	16
	VIII.—Diseases of the respiratory system	12,456	10,161	484	1,811	1,734	495	211	130	91	244	153	194	289	811	1,377	1,707	1,754	3,264
104a	Diseases of nasal fossae	15	10	----	5	6	1	----	----	1	----	1	----	----	----	----	1	----	5
104b	Diseases of nasal fossae and annexae	99	86	4	9	2	3	1	2	2	5	10	8	7	19	12	14	6	8
105	Diseases of larynx	43	32	6	5	10	7	3	1	5	2	1	----	----	2	3	3	4	2
106a	Acute bronchitis	139	91	6	42	33	11	7	----	1	6	2	2	----	5	4	6	8	54
106b	Chronic bronchitis	179	120	11	48	----	----	----	----	1	1	2	1	4	1	16	14	28	111
106c, d	Bronchitis, unspecified	70	37	7	26	18	4	2	----	1	----	----	----	----	1	2	2	6	34
107a	Bronchopneumonia	4,551	3,752	147	652	1,202	250	91	65	30	102	38	46	63	157	288	372	529	1,318
107b	Capillary bronchitis	61	53	4	4	38	6	1	1	1	1	----	----	----	----	1	----	----	12
108	Lobar pneumonia	6,409	5,274	248	887	338	187	89	48	38	110	88	121	188	566	926	1,143	1,062	1,503
109	Pneumonia, unspecified	108	83	8	17	26	3	4	4	----	2	4	5	2	7	6	12	13	20
110	Pleurisy	410	350	19	41	57	22	12	9	10	11	7	8	17	33	65	59	39	61
111a	Pulmonary embolism and thrombosis	48	35	6	7	1	----	----	----	----	----	----	1	1	2	4	5	11	23
111b	Pulmonary congestion, edema, hemorrhagic infarct	66	39	5	22	----	----	----	----	----	1	----	----	1	2	----	2	6	54
112	Asthma	125	95	10	20	1	1	----	----	1	----	----	----	3	5	26	25	24	39
113	Pulmonary emphysema	13	11	----	2	----	----	----	----	----	----	----	----	----	----	----	6	3	4
114	Other diseases of respiratory system (tuberculosis excepted)	120	93	3	24	2	----	1	----	----	3	----	2	3	11	24	43	15	16
	IX.—Diseases of the digestive system	9,119	7,704	489	926	1,047	170	100	96	76	253	200	212	217	645	1,192	1,557	1,587	1,764
115a	Diseases of pharynx and tonsils	527	438	21	68	25	29	23	20	18	53	32	23	21	64	66	66	50	37
115b	Diseases of buccal cavity and annexa	79	61	5	13	3	3	----	2	----	2	4	2	6	5	15	15	9	11
116	Diseases of esophagus	21	20	----	1	1	----	----	----	----	1	----	----	----	----	2	4	6	7
117a	Ulcer of stomach	604	489	34	81	1	----	2	----	----	3	1	7	11	34	113	144	160	128
117b	Ulcer of duodenum	306	263	18	25	----	----	----	----	----	1	1	1	4	35	57	91	65	51
118	Other diseases of stomach (cancer excepted)	91	43	13	35	14	1	----	1	1	1	1	2	1	3	10	12	13	30
119	Diarrhea, enteritis (under 2 years of age)	978	842	30	106	885	93	----	----	----	----	----	----	----	----	----	----	----	----
120	Diarrhea, enteritis (2 years and over)	283	191	25	67	----	----	23	17	5	13	5	5	13	29	33	40	26	74
121	Appendicitis	2,125	1,882	124	119	5	18	32	41	39	152	130	145	118	255	346	361	252	231
122a	Hernia	695	615	37	43	6	1	1	2	1	3	1	----	3	19	62	120	175	301
122b	Intestinal obstruction	537	437	32	68	59	12	8	4	4	7	10	5	10	46	53	73	96	150
123	Other diseases of intestines	160	137	11	12	7	----	1	1	----	----	----	1	1	13	26	28	50	32
124	Cirrhosis of liver	1,269	1,031	63	175	3	1	1	----	----	3	2	2	2	47	163	303	368	374
125a	Yellow atrophy of liver	60	54	1	5	----	1	----	----	----	1	----	4	6	13	16	7	6	6
125b	Other diseases of liver	87	77	1	9	4	1	2	----	----	3	1	2	4	6	20	17	14	13
126	Biliary calculi	550	479	35	36	----	----	----	----	----	----	----	1	7	29	95	120	157	141
127	Other diseases of gall-bladder, biliary passages	466	392	27	47	1	1	----	----	----	----	1	----	3	12	75	112	113	148
128	Diseases of pancreas	97	90	4	3	----	----	----	1	----	----	----	2	3	14	21	22	19	15
129	Peritonitis, cause not specified	184	163	8	13	33	9	7	7	8	10	11	10	4	21	19	22	8	15
	X.—Diseases of the genitourinary system	12,897	9,406	798	2,693	35	10	19	12	5	35	47	87	119	410	826	1,439	2,531	7,319
130	Acute nephritis (including unspecified under 10 years)	234	175	18	41	10	2	6	6	2	9	8	6	13	36	37	43	21	35
131	Chronic nephritis	10,599	7,510	684	2,405	----	3	6	3	3	13	31	55	63	232	564	1,148	2,126	6,350
132	Nephritis, unspecified (10 years and over)	248	163	25	60	----	----	----	----	----	----	1	4	6	7	30	33	44	123
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	370	329	11	30	20	5	5	3	----	10	4	8	6	26	53	73	67	90
134	Calculi of urinary passages	180	163	4	13	----	----	----	----	----	1	2	1	3	15	29	45	39	45
135	Diseases of bladder (tumors excepted)	57	40	3	14	1	----	----	----	----	1	----	----	----	4	2	8	12	29
136	Diseases of urethra, urinary abscess, etc.	46	42	2	2	1	----	----	----	----	----	----	1	1	1	6	11	17	8
137	Diseases of prostate	806	666	33	107	----	----	----	----	----	----	----	1	----	2	5	29	165	603
138	Diseases of male genital organs, not specified as venereal	13	11	1	1	3	----	2	----	----	----	----	----	----	----	1	----	6	1
139a	Cysts of ovary	73	59	6	8	----	----	----	----	----	----	----	3	3	21	17	10	7	12
139b	Other diseases of ovaries, diseases of tubes and parametrium	174	158	8	8	----	----	----	----	----	1	----	8	19	58	49	19	13	7
139c	Diseases of uterus	91	84	3	4	----	----	----	----	----	----	1	----	5	8	29	20	12	16
139e	Other diseases of female genital organs	6	6	----	----	----	----	----	----	----	----	----	----	----	----	4	----	2	----
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	1,161	997	75	89	----	----	----	----	----	----	----	50	215	580	305	10	----	----
140	Abortion with septic conditions	221	194	15	12	----	----	----	----	----	----	----	10	50	114	46	1	----	----
141	Abortion without mention of septic conditions (includes hemorrhages)	77	65	4	8	----	----	----	----	----	----	----	3	11	43	19	1	----	----
142a	Ectopic gestation, septic conditions specified	12	9	1	2	----	----	----	----	----	----	----	----	2	7	2	1	----	----

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued.																	
142b	Ectopic gestation, septic conditions not mentioned	49	47	1	1									10	25	14		
143	Other accidents of pregnancy (hemorrhage not included)	4	3		1								1	1		1	1	
144a	Placenta praevia	40	39		1								1	4	20	15		
144b	Other puerperal hemorrhages	83	70	7	6									14	44	23	1	
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	236	205	9	22								17	49	114	54	2	
146	Puerperal albuminuria and eclampsia	126	103	13	9								7	29	47	42		
147	Other toxemias of pregnancy	55	49	3	3								1	15	31	8		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	63	45	6	12								2	11	30	18	2	
149	Other accidents of childbirth	190	164	16	10								8	19	100	62	1	
150	Other and unspecified conditions of puerperal state	6	4		2										5	1		
	XII.—Diseases of the skin and cellular tissue	205	179	3	23	31	5		2	2	4	7	7	13	17	40	27	23	27
151	Furuncle, carbuncle	55	49	1	5	3	2			1	1	2	1	4	9	10	9	6	7
152	Phlegmon, acute abscess	88	78	1	9	13			2		2	3	4	5	6	21	12	13	7
153	Other diseases of skin and annexa, and of cellular tissue	62	52	1	9	15	3			1	1	2	2	4	2	9	6	4	13
	XIII.—Diseases of the bones and organs of locomotion	201	172	9	20	7	4	2	2	4	16	26	10	3	29	15	28	23	32
154	Osteomyelitis	136	123	4	9	4	3	2	2	3	11	23	9	1	22	10	17	11	18
155	Other diseases of bones (tuberculosis excepted)	21	12	3	6						1	2			1	1	3	4	9
156	Diseases of joints, other organs of locomotion	44	37	2	5	3	1			1	4	1	1	2	6	4	8	8	5
	XIV.—Congenital malformations	1,251	1,001	65	185	1,071	44	22	14	7	27	14	16	6	15	7	7	1	
157a	Congenital hydrocephalus	212	165	14	33	170	12	10	4	2	9	1	2			1	1		
157b	Spina bifida and meningocele	147	119	8	20	141	3				1				2				
157c	Congenital malformations of heart	554	419	27	108	459	22	8	7	3	13	11	13	4	7	4	2	1	
157d	Other congenital malformations	338	298	16	24	301	7	4	3	2	4	2	1	2	6	2	4		
	XV.—Diseases of early infancy	4,729	3,836	269	624	4,729													
158	Congenital debility	169	100	18	51	169													
159	Premature birth	2,870	2,336	157	377	2,870													
160	Injury at birth	1,176	969	73	134	1,176													
161	Other diseases peculiar to early infancy	514	431	21	62	514													
162	**XVI.—Senility**	260	98	23	139													3	257
	XVII.—Violent and accidental deaths	12,080	9,038	666	2,376	155	102	113	107	113	416	321	482	636	1,491	1,780	2,015	1,704	2,637
	Suicide	2,361	1,812	103	446							5	37	94	331	493	597	463	341
163	By solid or liquid poisons or by absorption of corrosive substances	290	235	18	37							1	5	15	66	65	73	36	29
164	By poisonous gas	705	646	19	40								12	26	101	151	188	140	87
165	By hanging or strangulation	529	343	28	158							3	8	10	47	93	132	135	101
166	By drowning	103	67	5	31								3	3	12	18	37	16	14
167	By firearms	407	229	28	150							1	4	24	51	85	90	77	75
168	By cutting or piercing instruments	80	63	3	14									1	8	16	19	17	19
169	By jumping from high places	213	205	1	7								5	15	36	53	54	36	14
170	By crushing	23	19	1	3										6	9	3	4	1
171	By other means	11	5		6										4	3	1	2	1
	Homicide	746	663	18	65	28	3	1	1	1	12	7	40	91	233	174	101	33	21
173	By firearms	376	337	7	32						1		22	53	152	77	45	18	8
174	By cutting or piercing instruments	153	138	5	10	2		1		1	2	3	6	20	51	40	24	1	2
175	By other means	217	188	6	23	26	3		1		9	4	12	18	30	57	32	14	11
	Accidental, other, or undefined	8,973	6,563	545	1,865	127	99	112	106	112	404	309	405	451	927	1,113	1,317	1,208	2,275
176	Attack by venomous animals	3	3							1							1		1
177	Poisoning by food	22	15	4	3		1	2	3	1	2	2			1	3	1	5	1
178	Absorption of poisonous gas	350	303	8	39	4	1	1	1	1	1	1	7	9	29	64	81	82	68
	Supplemental	1	1														1		
179	Other acute accidental poisonings (gas excepted)	130	100	6	24	3	5	8	2	2	3	1	3	8	20	23	30	12	10
180	Conflagration	148	106	3	39	6		5	6	4	8	10	12	4	15	20	17	15	26
181	Burns (conflagration excepted)	425	356	30	39	7	35	25	24	18	40	8	7	12	30	45	58	35	81
	Supplemental	38	23	2	13		1		1				5	10	10	8	2	1	
182	Mechanical suffocation	67	40	5	22	47	1	1			1		1		5	6	4		1
	Supplemental	2			2										1	1			
183	Drowning	763	493	29	241		11	11	9	5	57	62	73	60	96	127	143	66	40
	Supplemental	119	44	2	73				2		4	10	17	11	33	24	14	4	
	Traumatism:																		
184	By firearms (wounds of war excepted)	93	43	9	41			1		1	5	13	17	9	16	8	11	8	4
185	By cutting or piercing instruments (wounds of war excepted)	94	78	12	4	2		3		1	5	3	7	4	11	17	18	14	9
	Supplemental	12	9		3				1	1	1			1		3	2	2	1
186a	By fall	2,502	1,978	116	408	17	12	12	15	15	32	33	28	34	133	202	280	338	1,351
	Supplemental	245	177	15	53	1		1	1	3	8	13	23	12	38	23	42	41	39
186b	By crushing, landslide	16	7	5	4									1	2	2	4	5	2
	Supplemental	524	352	35	137	1	5	10	3	8	33	18	24	34	69	87	94	77	60
187	Cataclysm	9	1		8						1		1	1	2	2	1	1	
188	Injuries by animals	32	11	5	16			1	1			1	2	1	3	3	7	5	8

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																	
	XVII.—Violent and accidental deaths—Continued.																	
	Accidental, other, or undefined—Con.																	
189	Hunger and thirst	5	5													1	1	3
190	Excessive cold	30	17		13										7	3	6	14
191	Excessive heat	59	39	4	16	2								7	10	16	12	12
192	Lightning	14	4		10								2	2	1	3	4	1
193	Due to electric currents	48	38	2	8						5	5	2	6	13	7	4	2
	Supplemental	13	8	1	4			1				1	1		4	2	4	
194a	Foreign bodies	58	42	3	13	11	10	4	1	3	2	1	1	1	4	4	6	5
194b	Other accidents	448	358	21	69	22	6	6	4	1	17	18	25	23	58	68	68	60
	Supplemental	2,684	1,894	228	562	4	11	20	32	47	179	109	147	203	319	339	398	408
196	Wounds of war	1			1												1	
198	Legal executions	18	18											5	7	5	1	
	XVIII.—Ill-defined causes of death	81	43	10	28	17	5	1			2	2	3	5	6	5	9	10
199	Sudden death	19	2	4	13	1						1			1	1	3	5
200a	Cause of death ill-defined	28	19	4	5	1	5	1			2	1	1	2	3	2	2	2
200b	Cause of death not specified or unknown	34	22	2	10	15							2	3	2	2	4	3
Punch symbol	SUPPLEMENTAL [1]																	
201	Accidents in mines and quarries	4	2	1	1										1	2	1	
202	Accidents from agricultural machinery	14	3	5	6								1			3	2	5
203	Elevator accidents	46	45		1	1			1		1	1	2	7	2	4	13	8
204	Accidents from machinery used for recreation	1		1														
205	Other machinery accidents	67	47	5	15			1			4		5	3	11	16	17	7
206	Railroad and automobile collisions	105	43	12	50					1	4	6	10	4	17	23	13	17
207	Other railroad accidents	255	160	17	78		2	1		1	7	8	8	14	36	55	52	50
208	Street car and automobile collisions	18	18									1	1	1	5	6	1	3
209	Other street car accidents	124	123		1			2		1	2	2	5	4	12	21	24	23
210	Automobile accidents (primary)	2,784	1,941	235	608	4	14	28	38	54	199	118	159	216	345	336	408	392
211	Motorcycle accidents	26	19	2	5		1					1	3	5	6	2	3	2
212	Other land transportation accidents	76	50	3	23	1				2	5	6	6	1	4	1	12	18
243	Water transportation accidents	98	46	2	50				1		3	7	15	11	28	16	10	6
214	Air transportation accidents	20	11		9							1	2	5	7	2	1	2
	NORTH CAROLINA																	
	Total deaths (all causes) White	19,179	4,686	1,855	12,638	2,833	497	191	147	105	361	258	441	575	1,161	1,484	1,872	2,620	6,633
	Total deaths (all causes) Colored	11,368	3,543	912	6,913	2,144	315	133	73	59	190	224	483	718	1,175	1,254	1,376	1,194	2,017
	I.—Infectious and parasitic diseases White	2,239	490	169	1,580	242	142	70	51	37	105	38	73	127	299	330	211	182	330
	I.—Infectious and parasitic diseases Colored	2,228	647	152	1,429	275	77	47	31	20	59	89	195	310	426	301	179	111	108
1	Typhoid fever W	55	13	3	39		2		1		6	3	3	7	16	6	4	3	4
	Typhoid fever C	73	20	3	50	1			1	2	9	12	12	13	11	6	5	1	
3	Typhus fever W	4	3		1						1				1	1		1	
5	Undulant fever W	1			1											1			
	Undulant fever C	2			2									1	1				
7	Measles W	72	10	7	55	22	15	5	2	2	9	3	1	1	2	2	2	3	3
	Measles C	18	4		14	4	4	1	1	1		3	1		2	1			
8	Scarlet fever W	47	14	3	30	4	11	7	1	4	15	2		1	1			1	
	Scarlet fever C	3	1		2		1				1	1							
9	Whooping-cough W	94	18	6	70	55	26	5	3	2	3								
	Whooping-cough C	111	20	9	82	68	21	13	4	2	3								
10	Diphtheria W	174	42	12	120	22	27	31	32	18	37	3			1	2		1	
	Diphtheria C	42	12	3	27	12	8	8	7	2	3			2					
11a	Influenza, respiratory complications specified W	440	81	39	320	51	27	6	4	6	7	7	14	20	31	48	49	49	121
	Influenza, respiratory complications specified C	272	63	23	186	47	10	11	9	4	7	12	11	16	34	28	28	21	34
11b	Influenza, respiratory complications not specified W	157	26	13	118	28	6	2	3	2	3	3	5	2	10	15	7	6	64
	Influenza, respiratory complications not specified C	158	30	8	120	54	8	3	3	4	4	6	5	6	16	12	11	9	17
13	Dysentery W	54	13	3	38	15	9	4	1		1					1	1	4	18
	Dysentery C	38	6	4	28	12	9	3	2			1	1		1			2	7
15	Erysipelas W	42	6	2	34	12	1				1		2	1	3	4	3	3	12
	Erysipelas C	3	1		2						1	1			1				
16	Acute poliomyelitis, acute polioencephalitis W	14	3		11	2	5	1		1	1	1	3						
	Acute poliomyelitis, acute polioencephalitis C	4			4		1	1			1	1							
17	Lethargic or epidemic encephalitis W	8	4	1	3	1									1	2	2	1	1
	Lethargic or epidemic encephalitis C	7	5		2	1		1		2	1				2				
18	Epidemic cerebrospinal meningitis W	22	11	2	9	5	1	2	1		2	5	2	2	1		1		
	Epidemic cerebrospinal meningitis C	10	7		3	3	1				3	1	2						
21	Rabies W	5	1	2	2		1	1			3								
22	Tetanus W	15	4	3	8	2	1	1	1		3	2	1		1	3			
	Tetanus C	13	5	2	6	2					2	4	1	1		2	1		
	Tuberculosis (all forms) W	905	200	64	641	6	5	4	2	1	2	8	36	83	212	230	125	98	93
	Tuberculosis (all forms) C	1,213	356	81	776	13	7	4	1	2	18	42	151	246	317	206	111	61	34
23	Respiratory system W	831	181	58	592	1		1			2	5	32	76	202	216	121	90	85
	Respiratory system C	1,104	298	68	738	10	4	1		2	13	35	144	227	296	183	105	52	32
24	Meninges and central nervous system W	28	8	4	16	4	5	2	1	1		1	1	4	3	5	1		
	Meninges and central nervous system C	21	13	1	7	3	1	2	1		2	3	1	2	3	2		1	
25	Intestines and peritoneum W	20	3	2	15			1				1	1		1	6		6	4
	Intestines and peritoneum C	41	20	8	13						2	3	4	10	8	7	2	4	1
26	Vertebral column W	7	2		5				1			1		1	3				1
	Vertebral column C	8	4	2	2									1	2	4		1	
27a	Bones (vertebral column excepted) W	2			2													1	1
	Bones (vertebral column excepted) C	5	1		4									1	3		1		
27b	Joints W	1			1												1		
	Joints C	5	1		4								1	1		3			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																	
	I.—Infectious and parasitic diseases—Continued.																	
	Tuberculosis (all forms)—Continued.																	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	2	1		1						1			1				
30	Genitourinary system W	4	2		2											2	1	1
	C	4	3		1											2	1	1
31	Other organs C	1			1											1		
32a	Acute disseminated tuberculosis W	10	3		7	1							2	2	3		1	1
	C	19	14	2	3		1	1				1	1	2	5	3	2	2	1
32b, c	Other disseminated tuberculosis W	2	1		1											1			1
	C	3	1		2		1							1		1			
34	Syphilis W	45	20	4	21	8	1				1			3	9	6	10	4	2
	C	202	97	17	88	51	5		1	1	3	2	10	18	30	40	15	12	14
35	Gonococcus infection, other venereal diseases W	11	8	1	2	1							2	2	3	2	1		
	C	23	17	1	5							1		6	10	4	2		
36	Purulent infection, septicemia (nonpuerperal) W	24	7	3	14	2	1				3		1	4	5	1	1	3	3
	C	3			3												2	1	
38	Malaria W	30	3	1	26	3	1	1					3		1	5	4	5	7
	C	21	2		19			2	2		3	1	1	1	1	1	3	4	2
39	Other diseases due to protozoal parasites W	2	1		1		1							1					
40	Ankylostomiasis W	2			2						2								
42	Other diseases caused by helminths W	6			6		1			1	3	1							
	C	3		1	2	1	1										1		
43	Mycoses W	2	1		1	1									1				
	C	6			6	6													
44	Other infectious and parasitic diseases W	8	1		7	2					2					1	1		2
	C	3	1		2		1					1				1			
	II.—Cancers and other tumors White	1,377	421	121	835	2		2	1	9	8	9	15	14	54	126	260	327	548
	Colored	475	157	52	266	1	2			2	7	4	7	8	39	93	101	96	115
	Cancer and other malignant tumors W	1,302	384	112	806	1		2	1	7	6	6	14	13	44	112	238	323	533
	C	426	131	49	246		2			1	5	2	7	6	30	77	92	92	112
(45)	Buccal cavity W	51	11	5	35								1	1	2	2	6	8	31
	C	14	1		13						1		1		1		3	2	6
(45)	Pharynx W	11	3	1	7								1				1	5	4
	C	2			2													2	
(46)	Esophagus W	6	1		5												1	2	3
	C	4	2		2									1			1		2
(46)	Stomach and duodenum W	233	43	19	171								2		2	16	35	65	113
	C	79	27	5	47							1		1	2	10	22	12	31
(46)	Liver and biliary passages W	124	34	10	80										3	4	24	32	61
	C	26	9	3	14												9	10	7
(46)	Pancreas W	36	18	4	14					1						5	2	21	7
	C	4		1	3											1	1	1	1
(46)	Other digestive tract and peritoneum W	130	51	16	63							2			2	12	25	32	57
	C	42	16	6	20						2			1	6	6	9	10	8
47	Respiratory system W	37	11	6	20							1	2	2		4	8	10	10
	C	5	1		4										1	3			1
48	Uterus W	196	67	18	111									4	11	27	60	44	49
	C	130	45	16	69								1		13	34	27	31	24
49	Other female genital organs W	28	15	1	12										1	3	10	8	6
	C	8	2		6								1		1	2	1	2	1
50	Breast W	113	32	9	72										4	18	26	27	38
	C	35	11	8	16										1	11	7	5	11
51	Male genitourinary organs W	92	31	13	48								1	1	2	3	6	24	55
	C	21	4	2	15					1			1		1	2	3	4	9
52	Skin W	67	12	1	54										1	3	4	10	48
	C	5	2		3							1				1	1	1	1
53	Other or unspecified organs W	178	55	9	114	1		2	1	6	6	3	7	5	16	15	30	35	51
	C	51	11	8	32		2				2		3	3	4	7	8	12	10
54a	Nonmalignant tumors, ovary C	1		1												1			
54b	Nonmalignant tumors, uterus W	33	20	4	9										4	9	13	1	6
	C	25	20	1	4									1	8	10	4	1	1
54d, e	Nonmalignant tumors, other organs W	11	5		6	1							1		2	2	2		3
	C	9	2		7	1					1					2	3		2
55a	Tumors, ovary (nature unspecified) W	1	1														1		
55b	Tumors, uterus (nature unspecified) C	1			1													1	
55c	Tumors, other female genital organs (nature unspecified) C	1			1										1				
55d, e	Tumors, other organs (nature unspecified) W	30	11	5	14					2	2	3		1	4	3	6	3	6
	C	12	4	1	7					1	1	2		1		3	2	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases White	644	146	61	437	34	12	7	3		6	12	13	16	39	61	89	125	227
	Colored	351	118	30	203	19	3	1	1	4	3	7	13	16	42	57	63	55	67
56	Acute rheumatic fever W	37	2		35	1		1	1		3	5	7	4	2	2	1	6	4
	C	30	7	2	21						2	3	4	1		3	4	2	11
57	Chronic rheumatism, osteoarthritis W	39	9	6	24										2	5	3	7	22
	C	9	4		5											1	2	2	4
59	Diabetes mellitus W	270	88	34	148	2	3	1	1		2	5	2	7	16	16	35	66	114
	C	98	31	12	55			1				4	2	5	7	14	19	24	22
60	Scurvy W	3			3	1	1	1											
62	Pellagra W	221	30	13	178	1	1				1	1	3	4	18	31	44	40	77
	C	171	54	11	106		1			1			4	10	32	35	34	25	29
63	Rickets W	5	1	1	3	3	2												
	C	11	5	1	5	7	2		1		1								

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued.																			
64	Osteomalacia	W	2			2							1					1		
		C	1			1	1													
66a	Simple goiter	W	1			1														1
		C	3	2		1								1			1		1	
66b	Exophthalmic goiter	W	21	7	3	11									1		5	5	5	5
		C	11	7	2	2								2		3	3	2	1	
(66)	Other diseases of thyroid and parathyroid glands	W	5	2	1	2	2		1	1				1						
		C	1		1		1													
67	Diseases of thymus gland	W	20	4	2	14	18	1	1											
		C	8	6		2	7				1									
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	2			2											2			
		C	2	1		1												2		
69	Other general diseases	W	18	3	1	14	6	4	2							1			1	4
		C	6	1	1	4	3				2									1
	IV.—Diseases of the blood and blood-making organs	White	113	37	17	59	11	5	1	1	5	5	7	4	9	9	14	12	18	12
		Colored	26	9	7	10	4					1		4	3	3	4	3	1	3
70	Hemorrhagic conditions	W	20	5	4	11	8	1			2	1		3	1			2	2	
		C	2	1		1	2													
71a	Pernicious anemia	W	21	5	2	14	1	1	1							1	4	1	9	3
		C	7		1	6									3		1	1	1	1
71b	Other anemias	W	17	3	4	10	1	3			1					1	3	3	2	3
		C	5	2	3		2							1						2
72a	True leukemias	W	38	18	6	14	1			1		3	5		5	5	6	3	5	4
		C	5	1	2	2						1		1			2	1		
72b	Pseudoleukemias (Hodgkin's disease)	W	10	3	1	6					2		1	1	3	1		1		1
		C	3	1	1	1								1		1	1			
73	Diseases of spleen	W	5	1		4						1	1			1	1			1
		C	3	3										1		1		1		
74	Other diseases of blood and blood-making organs	W	2	2														2		
		C	1	1												1				
	V.—Chronic poisonings and intoxications	White	67	27	8	32								2	4	13	20	18	5	5
		Colored	32	7	7	18							1	1	3	10	8	7	1	1
75	Alcoholism (acute or chronic)	W	63	26	7	30								2	4	12	20	18	5	2
		C	29	7	5	17							1	1	3	10	7	6		1
76	Chronic poisoning by other organic substances	W	4	1	1	2										1				3
		C	2		2															
77a	Chronic lead poisoning	C	1			1											1	1	1	
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,977	428	166	1,383	54	20	9	7	2	29	9	16	17	46	93	245	420	1,009
		Colored	1,169	347	90	732	53	7	6	1	3	6	9	17	29	53	115	236	242	390
78	Encephalitis (nonepidemic)	W	35	7	9	19	3	3	1			4	1	1	2	1	8	5	3	3
		C	15	4	1	10					1	2	4	1	2	1	1	1	2	
79a	Simple meningitis	W	31	10	4	17	12	6	2			4		1		2	2	2		
		C	22	11	4	7	9	1	2	1	1				4		1	3		
79b	Nonepidemic cerebrospinal meningitis	W	8	1	2	5	1	1		1		3						1	1	
		C	6	1		5	5		1											
80	Progressive locomotor ataxia (tabes dorsalis)	W	5	2		3												3	2	
		C	4	2	1	1											3	1		
81	Other diseases of spinal cord	W	41	13	3	25						2	1	1	1	3	2	4	10	17
		C	19	10		9								2	1	1	2	4	4	5
82a	Cerebral hemorrhage	W	1,434	294	125	1,065	3	2	1	1		1	1	2	3	13	51	194	351	860
		C	861	291	72	498	1							3	7	24	86	195	213	330
82b	Cerebral embolism and thrombosis	W	27	16	2	9							1	1		3	1	2	5	14
		C	13	5	1	7	1									1	4	3	1	3
82c	Softening of brain	W	7		2	5											1		1	5
82d	Hemiplegia and other paralysis, cause unspecified	W	106	9	6	91								1	1		2	14	15	73
		C	71	10	5	56	2										4	11	11	43
83	General paralysis of insane	W	29	12		17										1	6	8	7	3	4
		C	31	1	1	29											6	4	10	8	3
84	Dementia praecox and other psychoses	W	33	4		29											3	10	6	9	5
		C	17	3		14								2	2	6	1	5	1	
85	Epilepsy	W	39	10	2	27	2	1				2	2	4	3	9	4	3	4	5
		C	51	2		49	4					3	4	7	13	12	5	2	1	
86	Convulsions (under 5 years of age)	W	17	4		13	14	1	1	1										
		C	27	1	2	24	21	4	2											
87	Other diseases of nervous system	W	55	18	2	35	4	1	1	1	1	1	1	2	1	2	1	5	13	21
		C	16	3		13	2	1	1				1	2		2	2	2		3
88	Diseases of organs of vision	C	1	1																1
89a	Diseases of ear	W	36	16	6	14	10	2		2		8		2	3	2	3	2	2	
		C	13	1	3	9	8	1			1	1					2			
89b	Diseases of mastoid process	W	24	12	3	9	5	3	3	1	1	4	2	1	2	2				
		C	2	1		1														2
	VII.—Diseases of the circulatory system	White	3,465	832	328	2,305	19	4	4	2	6	18	22	26	22	62	174	383	683	2,036
		Colored	1,583	550	142	891	6	3	3	2	2	8	10	13	34	115	188	327	305	562
90	Pericarditis	W	9	2		7			1			1	1	1					2	3
		C	6	3	1	2	1						1			1		2		1
91a	Acute endocarditis	W	35	16	1	18	2			1	1	2	4	2	2	6	6	1	2	6
		C	18	5	2	11						2	2		3	3	3		4	1
91b	Endocarditis, unspecified (under 45 years)	W	9	2	1	6	1		1		1	1	1	2			2			
		C	8	4		4			1					1		2	4			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	651	84	47	520	2	1	1		1	6	13	5	10	19	32	51	97	412
		C	415	148	30	237			1	2	1	4	4	7	10	34	56	79	72	144

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																			
	VII.—Diseases of the circulatory system—Continued.																			
92b	Endocarditis, unspecified (45 years and over)	W	59	10	8	41												8	11	40
		C	27	12	1	14												8	12	7
93a	Acute myocarditis	W	37	9	6	22					1				1	4	3	4	5	19
		C	15	7	3	5					1				1	2	2	5	2	2
93b	Myocarditis, unspecified (under 45 years)	W	16	5	2	9	1					1	1	2	1		10			
		C	27	14	2	11								1	2	11	13			
93c	Chronic myocarditis and myocardial degeneration	W	606	148	74	384						2	1	1	3	7	38	57	108	389
		C	174	80	16	78			1				1	1	3	7	20	29	37	74
93d	Other diseases of myocardium	W	372	94	44	234				1							2	40	78	251
		C	146	39	20	87						1			1			32	43	68
94a	Angina pectoris	W	354	92	45	217								1		3	16	62	109	163
		C	95	32	14	49									2	11	14	26	19	23
94b	Diseases of coronary arteries	W	201	99	30	72										6	9	39	48	98
		C	31	12	5	14									1	3	4	9	4	9
95a	Functional diseases of heart	W	11	2	2	7												1	2	8
		C	3	1		2												1	2	
95b	Other and unspecified diseases of heart	W	883	202	46	635	12	3	1		1	4	1	11	5	12	44	105	178	504
		C	501	159	41	301	4	1				1	2	3	9	37	66	110	90	178
96	Aneurysm (except of heart)	W	20	8	2	10										1	5	4	6	4
		C	15	11		4										1	2	8	3	1
97	Arteriosclerosis (coronary arteries excepted)	W	129	41	11	77											1	6	22	100
		C	64	14	1	49									1	1	3	9	12	37
98	Gangrene	W	9	4	1	4						1							2	6
		C	16	5	3	8		1									1	3	2	9
99	Other diseases of the arteries	W	26	9	6	11					1					3	2	2	7	11
		C	4		1	3									1				2	1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	10	2	2	6										1	1	2	2	4
		C	2			2														2
101	Diseases of lymphatic system (lymphangitis, etc.)	W	1			1														1
		C	1	1				1												
102	Idiopathic anomalies of blood-pressure	W	23	3		20											2	1	4	16
		C	9	1	2	6										1		4		4
103	Other diseases of circulatory system	W	4			4	1							1			1			1
		C	6	2		4	1									1		2	1	1
	VIII.—Diseases of the respiratory system	White	1,418	301	115	1,002	305	111	31	28	9	34	17	36	43	62	103	100	122	415
		Colored	967	304	48	615	324	76	21	14	11	30	22	37	47	76	82	76	64	87
104a	Diseases of nasal fossae	W	9	2		7	6	1								1				1
		C	25		2	23	22	1					1						1	
104b	Diseases of nasal fossae and annexae	W	13	8	1	4								1	4	3	4	1		
		C	4	3		1	1						1	1				1		
105	Diseases of larynx	W	7	3		4	2	3		2										
		C	9	2	1	6	4	1		1	1					2				
106a	Acute bronchitis	W	18	6		12	4	2										5		7
		C	19	3	1	15	13	3			1				1					1
106b	Chronic bronchitis	W	27	3	2	22		1				1				1	1	2	3	18
		C	7	4		3								1			2		1	3
106c, d	Bronchitis, unspecified	W	18	2	2	14	4	1		1		1							2	9
		C	11	2	1	8	2	4		1						1		1	1	1
107a	Bronchopneumonia	W	482	109	31	342	194	61	12	8		12	4	8	7	5	18	12	22	117
		C	281	113	9	159	137	38	7	5	2	13	6	6	9	7	12	8	10	21
107b	Capillary bronchitis	W	4		1	3	3	1												
		C	2			2		2												
108	Lobar pneumonia	W	665	127	63	475	58	33	12	15	8	17	12	24	25	43	65	64	77	212
		C	401	137	22	242	57	16	9	4	3	10	13	24	28	51	58	54	38	36
109	Pneumonia, unspecified	W	94	15	5	74	31	7	7	1	1	2		1	3		8	6	5	22
		C	152	19	8	125	87	9	5	3	4	5	1	2	4	7	4	4	4	13
110	Pleurisy	W	19	10	2	7		1		1		1		1	1	5	1	1	3	4
		C	12	5	2	5		1				2		1	3	3	2			
111a	Pulmonary embolism and thrombosis	W	3		1	2									1			2		
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	29	4	4	21	3							1			1	1	3	20
		C	4	1		3	1													3
112	Asthma	W	16	5	2	9										1	3	5	3	4
		C	24	8	1	15		1						1		1	1	5	6	9
114	Other diseases of respiratory system (tuberculosis excepted)	W	14	7	1	6							1		2	3	2	1	4	1
		C	16	7	1	8								1	2	4	3	3	3	
	IX.—Diseases of the digestive system	White	1,368	435	188	745	363	148	39	16	15	50	49	28	41	86	82	117	114	218
		Colored	821	292	65	464	284	101	23	9	3	26	21	24	31	74	71	59	53	41
115a	Diseases of pharynx, tonsils	W	88	38	13	37	5	4	1	2	7	11	8	2	9	11	7	10	7	4
		C	46	15	4	27	5	2	1	1		9	2	1	5	9	5	4	2	
115b	Diseases of buccal cavity and annexa	W	19	10	2	7		2				4				5	2	3	1	2
		C	9	4		5	3									1	1	2	2	
116	Diseases of esophagus	W	1			1													1	
		C	1	1													1			
117a	Ulcer of stomach	W	47	15	4	28		1						1	3	3	2	13	10	14
		C	22	11	1	10								1	2	4	1	2	8	4
117b	Ulcer of duodenum	W	22	13	1	8								1		5	4	7	3	2
		C	6	6												2	1	2		1
118	Other diseases of stomach (cancer excepted)	W	45	6	5	34	7	1	1		1	1	1			2	1	8	3	19
		C	64	21	7	36	12	4	1	1			1		3	8	8	11	9	5
119	Diarrhea, enteritis (under 2 years of age)	W	462	91	39	332	327	135												
		C	343	72	18	253	250	93												
120	Diarrhea, enteritis (2 years and over)	W	126	18	11	97			34	7	2	11	2	1	4	6	5	7	7	39
		C	69	18	6	45			21	6	2	6	3	1	1	7	2	4	7	9
121	Appendicitis	W	222	109	58	55			2	4	3	18	29	19	16	37	30	23	22	19
		C	82	48	15	19						8	11	13	8	18	8	10	6	
122a	Hernia	W	42	16	11	15											3	8	9	22
		C	28	14	2	12	4			1					2	3	4	4	2	8
122b	Intestinal obstruction	W	94	40	16	38	21	2	1	3	1	3	5	2	3	6	9	8	7	23
		C	68	41	4	23	5	2			1	1	1	5	3	12	20	5	5	8

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
123	Other diseases of intestines	W 12	5	1	6	1						1		1	3			5	1
		C 9	5	1	3	3							1	1	1	1		2	
124	Cirrhosis of liver	W 71	20	8	43							1	1	1	3	6	10	14	34
		C 30	16	1	13								1	1	3	11	6	5	3
125a	Yellow atrophy of liver	W 4	2		2										1	1	1	1	
		C 4			4							1					1	2	
125b	Other diseases of liver	W 14	5	1	8		3				2	1			1	2	2		3
		C 9	6		3									1	1	2	3	1	1
126	Biliary calculi	W 36	14	8	14									2	1	2	8	13	10
		C 6	4	1	1									1	1	3	1		
127	Other diseases of gall-bladder, biliary passages	W 48	27	6	15					1					1	6	6	11	23
		C 9	4	1	4	1								1	2	1	3	1	
128	Diseases of pancreas	W 5	2	1	2									2			1		2
		C 2		1	1									1	1				
129	Peritonitis, cause not specified	W 10	4	3	3	2						1	1		1	2	2		1
		C 14	6	3	5	1					2	2	1	1	1	2	1	1	2
	X.—Diseases of the genito-urinary system	White 2,119	485	199	1,435	6	1	2	3	4	7	11	14	21	56	129	232	403	1,229
		Colored 1,087	363	109	615	5	5	5	3	1	8	8	19	30	77	147	215	193	369
130	Acute nephritis (including unspecified under 10 years)	W 87	20	14	53	6		1	3	1	5	5	3	3	7	8	18	8	19
		C 106	36	10	60	4	3	4	3	1	5	4	7	8	16	19	18	5	9
131	Chronic nephritis	W 1,610	356	141	1,113					1	2	2	9	12	26	76	172	312	997
		C 715	211	66	438							3	5	11	37	96	147	132	283
132	Nephritis, unspecified (10 years and over)	W 255	28	23	204								1	2	7	18	33	52	142
		C 133	42	19	72							1	4	2	5	13	29	35	43
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 47	21	5	21		1	1		2		4	1	3	6	7	1	10	11
		C 30	15	1	14	1	2	1			2		1		4	2	6	7	4
134	Calculi of urinary passages	W 17	10	3	4										2	3	4	6	2
		C 3	2	1												1		1	1
135	Diseases of bladder (tumors excepted)	W 10	4	1	5										1	1			8
		C 1		1							1								
136	Diseases of urethra, urinary abscess, etc	W 2		1	1											1		1	
		C 10	8	1	1										2	1	4	2	1
137	Diseases of prostate	W 63	29	9	25												3	10	50
		C 43	20	5	18											1	5	10	27
138	Diseases of male genital organs, not specified as venereal	C 3	1		2												1	1	1
139a	Cysts of ovary	W 6	2		4										3		1	2	
		C 2	2											1			1		
139b	Other diseases of ovaries, diseases of tubes, parametrium	W 13	11		2									1	2	9		1	
		C 28	22	4	2								1	7	8	10	2		
139c	Diseases of uterus	W 9	4	2	3										2	6		1	
		C 12	4	1	7								1	1	5	4	1		
139e	Other diseases of female genital organs	C 1			1												1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 298	97	47	154								37	56	113	89	3		
		Colored 216	77	18	121							1	50	48	73	41	3		
140	Abortion with septic conditions	W 24	14		10								2	5	10	7			
		C 11	6	1	4								4	1	4	1	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	W 12	3	1	8								2	2	2	5	1		
		C 15	5		10								1	4	5	5			
142b	Ectopic gestation, septic conditions not mentioned	W 4		1	3										4				
		C 7	5		2									3	3	1			
143	Other accidents of pregnancy (hemorrhage not included)	W 3	1		2									1	1		1		
		C 3			3										1	2			
144a	Placenta praevia	W 8	2	2	4										4	4			
		C 4			4										1	3			
144b	Other puerperal hemorrhages	W 24	6	3	15									2	9	13			
		C 17	6	1	10								4	3	5	4	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W 60	22	10	28								10	16	27	7			
		C 42	16	1	25								8	14	13	6	1		
146	Puerperal albuminuria and eclampsia	W 96	29	20	47								17	17	26	35	1		
		C 77	28	9	40							1	26	13	26	11			
147	Other toxemias of pregnancy	W 16	6	3	7								1	4	8	3			
		C 9	4	2	3								2	3	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 14	2	2	10								1	3	7	3			
		C 2	1		1									1	1				
149	Other accidents of childbirth	W 34	10	4	20								4	6	13	11			
		C 29	6	4	19								5	6	11	7			
150	Other and unspecified conditions of puerperal state	W 3	2	1											2	1			
	XII.—Diseases of the skin and cellular tissue	White 37	12	5	20	7					1	2	3	5	1	4	6	4	4
		Colored 20	3	1	16	9						1		2		1	4		3
151	Furuncle, carbuncle	W 12	4	1	7						1			1		2	5	3	
		C 2	1		1							1				1			
152	Phlegmon, acute abscess	W 13	4	3	6	4						2	2	1	1	1	1		1
		C 9	1		8	5											3		1
153	Other diseases of skin and annexa, and of cellular tissue	W 12	4	1	7	3							1	3		1		1	3
		C 9	1	1	7	4								2			1		2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	XIII.—Diseases of the bones and organs of locomotion White	32	15	5	12			1	1		7	5	2	1	5	3	2	1	4
	XIII.—Diseases of the bones and organs of locomotion Colored	13	6	1	6	1	1					3		2	1	2	1		2
154	Osteomyelitis W	24	13	5	6			1	1		6	4	2	1	4	1	1	1	2
	Osteomyelitis C	6	5		1	1	1					2			1	1			
155	Other diseases of bones (tuberculosis excepted) W	5	2		3							1			1	1	1		1
	Other diseases of bones (tuberculosis excepted) C	2		1	1												1		1
156	Diseases of joints, other organs of locomotion W	3			3						1					1			1
	Diseases of joints, other organs of locomotion C	5	1		4							1		2		1			1
	XIV.—Congenital malformations White	247	66	23	158	218	12	2	6		5	1	1	1	1				
	XIV.—Congenital malformations Colored	66	18	1	47	56	1	2	1	1	2	2	1						
157a	Congenital hydrocephalus W	28	7	2	19	21	4	2			1								
	Congenital hydrocephalus C	12	1		11	8	1	1	1	1									
157b	Spina bifida and meningocele W	30	14		16	27	2				1								
	Spina bifida and meningocele C	1	1			1													
157c	Congenital malformations of heart W	117	29	13	75	101	3		6		3	1	1	1	1				
	Congenital malformations of heart C	29	11		18	24		1			1	2	1						
157d	Other congenital malformations W	72	16	8	48	69	3												
	Other congenital malformations C	24	5	1	18	23					1								
	XV.—Diseases of early infancy White	1,267	298	126	843	1,267													
	XV.—Diseases of early infancy Colored	753	205	59	489	753													
158	Congenital debility W	111	13	7	91	111													
	Congenital debility C	160	33	12	115	160													
159	Premature birth W	886	206	95	585	886													
	Premature birth C	490	138	39	313	490													
160	Injury at birth W	189	57	15	117	189													
	Injury at birth C	62	21	6	35	62													
161	Other diseases peculiar to early infancy W	81	22	9	50	81													
	Other diseases peculiar to early infancy C	41	13	2	26	41													
162	**XVI.—Senility** White	171	12	6	153														171
	XVI.—Senility Colored	158	9	6	143													5	152
	XVII.—Violent and accidental deaths White	1,826	537	250	1,039	62	33	23	24	16	83	72	167	191	310	216	171	159	294
	XVII.—Violent and accidental deaths Colored	882	347	94	441	70	15	16	10	10	34	40	97	144	168	111	72	42	51
	Suicide W	247	69	31	147								19	31	50	38	43	39	25
	Suicide C	20	7	1	12								3	6	4	3	3		1
163	By solid or liquid poisons or by absorption of corrosive substances W	40	20	7	13								4	8	9	9	5	5	
	By solid or liquid poisons or by absorption of corrosive substances C	2	1		1									1	1				
164	By poisonous gas W	10	9	1									1	1	3	1	2	2	
165	By hanging or strangulation W	15	6	1	8									3	4	1	4	2	1
166	By drowning W	5		1	4												1	3	1
167	By firearms W	167	31	18	118								14	17	34	26	30	26	19
	By firearms C	16	5	1	10								3	5	3	2	2		1
168	By cutting or piercing instruments W	6	2	1	3											1		1	4
169	By jumping from high places W	1		1										1					
	By jumping from high places C	2	1		1											1	1		
170	By crushing W	1	1											1					
171	By other means W	2		1	1												1		
	Homicide W	157	36	17	104						3	1	4	23	50	33	23	13	6
	Homicide C	277	156	36	85	2					1	5	36	63	94	46	18	9	3
173	By firearms W	119	28	9	82						2	1	1	19	39	26	16	12	3
	By firearms C	198	108	23	67	1					1	2	27	43	68	32	16	6	2
174	By cutting or piercing instruments W	16	1	3	12								2	3	7	1	3		
	By cutting or piercing instruments C	51	31	10	10							2	5	12	17	12	2	1	
175	By other means W	22	7	5	10						1		1	1	4	6	4	1	3
	By other means C	28	17	3	8	1						1	4	8	9	2		2	1
	Accidental, other, or undefined W	1,422	432	202	788	62	33	23	24	16	80	71	144	137	210	145	105	107	263
	Accidental, other, or undefined C	585	184	57	344	68	15	16	10	10	33	35	58	75	70	62	51	33	47
176	Attack by venomous animals W	3	1		2						2				1				
177	Poisoning by food W	10	2		8	1					2	1	2				1		3
	Poisoning by food C	8	3	1	4	1							1	1	2	2			1
178	Absorption of poisonous gas W	1			1									1					
179	Other acute accidental poisonings (gas excepted) W	15	3	2	10	1	2	2	1		2		1		3	1		2	
	Other acute accidental poisonings (gas excepted) C	16	6		10		3	3	1		3				2	1	2	1	
180	Conflagration W	18	1	8	9	2	1		1	1	1	1			2	1	2		5
	Conflagration C	23	4	1	18	4	1	4	2		1	2	1			1	2		5
181	Burns (conflagration excepted) W	100	24	16	60	12	13	11	7	5	10	2	4	4	8	4	3	6	11
	Burns (conflagration excepted) C	49	14	4	31	4	7	5	2	3	6	4	4	4	1	2	2	2	3
	Supplemental W	12	6		6									2	7		1	1	1
182	Mechanical suffocation W	33	3	4	26	28									1	3			
	Mechanical suffocation C	31	5	2	24	30			1										
183	Drowning W	65	4	5	56		4	2	2		6	5	13	15	7	5	3	2	1
	Drowning C	34	11	1	22	1			1		1	5	12	7	4	2			1
	Supplemental W	24			24						1	2	2	3	4	9	1	1	1
	Supplemental C	17	1		16							2	2	4	2	3	2	1	1
	Traumatism:																		
184	By firearms (wounds of war excepted) W	67	12	11	44		3		2		6	8	15	6	10	6	7	3	1
	By firearms (wounds of war excepted) C	47	16	5	26					2	7	8	11	8	5	2	2	1	1
185	By cutting or piercing instruments (wounds of war excepted) W	14	7	2	5		1		1	1		2	1	1	1	1	2	1	2
	By cutting or piercing instruments (wounds of war excepted) C	8	4		4			1	1			1	1	1			2		1
	Supplemental W	2			2									1	1				
	Supplemental C	1			1									1					
186a	By fall W	221	69	16	136	4	1	1			4	5	6		11	7	10	17	155
	By fall C	38	13	5	20	5	1				1	1	2	2	3	4	4	2	13
	Supplemental W	44	19	8	17			1	2	1	1	3	5	4	8	5	7	1	6
	Supplemental C	22	12	4	6		1	1					2	7	6	3	1	1	
186b	By crushing, landslide W	14	2	2	10						1	1		2	2	4	3	1	
	By crushing, landslide C	7			7	1								1	1	1	2	1	
	Supplemental W	134	47	15	72	1	1	1	1	1	11	3	18	18	28	15	9	17	10
	Supplemental C	38	18	5	15						2	2	1	6	9	9	5	3	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
NORTH CAROLINA—Continued																				
	XVII.—Violent and accidental deaths—Continued.																			
	Accidental, other, or undefined—Con.																			
187	Cataclysm	W	8			8	1					1		2	2			1	1	
		C	4			4									1	2	1			
188	Injuries by animals	W	7	2		5											1		2	4
		C	8		1	7						1		1	1	1	1	1	1	1
189	Hunger and thirst	C	1	1			1													
190	Excessive cold	W																		
		C	1			1														1
191	Excessive heat	W	5	1	1	3	1									1	1			2
		C	5	1		4							1				2		2	
192	Lightning	W	13	2		11							3	1	4	1	3		1	
		C	3			3						1						2		
193	Due to electric currents	W	10	1	3	6									2	7	1			
		C	4		2	2								2	1	1				
	Supplemental	W	3			3								2					1	
194a	Foreign bodies	W	15	10		5	3	4	2	1			2						1	2
		C	7	1		6	4	1	2											
194b	Other accidents	W	60	17	10	33	6			1		4	4	6	4	6	5	6	5	13
		C	52	11	6	35	17					2	1	4	6	4	4	5	4	5
	Supplemental	W	521	196	99	226	2	3	3	5	7	28	29	66	67	97	76	48	44	46
		C	159	61	20	78		1		2	5	8	8	14	22	27	24	19	14	13
198	Legal executions	W	3	3												2		1		
		C	2	2											2					
	XVIII.—Ill-defined causes of death	White	514	47	21	446	243	9		4	2	3	4	4	7	5	20	23	57	131
		Colored	521	84	30	407	284	24	9	1	2	6	6	5	11	18	33	30	26	66
199	Sudden death	W	98	12	5	81	16			1			1	1	1		9	8	25	36
		C	58	12	5	41	14	1							1	1	9	11	8	13
200a	Cause of death ill-defined	W	175	11	9	155	63	6		2	1	3	2	2	4	1	8	6	24	51
		C	118	15	7	96	32	13	3	1	1	1	2	2	3	6	13	8	10	23
200b	Cause of death not specified or unknown	W	241	24	7	210	164	3		1	1		1	1	2	4	3	9	8	44
		C	345	57	18	270	238	10	6		1	5	4	3	7	11	11	11	8	30
Punch symbol	SUPPLEMENTAL [1]																			
202	Accidents from agricultural machinery	W	3	1	1	1									1		1	1		
203	Elevator accidents	W	1	1														1		
		C	1	1									1							
205	Other machinery accidents	W	10	2	3	5								2	1	1	1	3	2	
		C	7	3	1	3									3	2		2		
206	Railroad and automobile collisions	W	37	4	14	19							2	4	9	13	2	5	2	
		C	4	1	1	2								1		1	2			
207	Other railroad accidents	W	59	29	10	20						3	2	8	5	14	9	4	8	6
		C	45	20	3	22		1				3		4	8	10	11	4		2
208	Street car and automobile collision	W	2	2												2				
209	Other street car accidents	W	2	2										1				1		
210	Automobile accidents (primary)	W	567	217	92	258	3	3	4	7	8	34	29	67	71	105	84	49	51	52
		C	158	64	23	71			1	2	5	7	9	12	23	29	23	18	17	12
211	Motorcycle accidents	W	6	3		3								2	2	2				
		C	2	2											2					
212	Other land transportation accidents	W	19	6	1	12		1	1	1	1	3	2	2			1	2		5
		C	3	1		2		1										1	1	
213	Water transportation accidents	W	22		1	21						1	2	2	3	4	7	1	1	1
		C	16			16							2	2	3	2	3	2	1	1
214	Air transportation accidents	W	12	1		11									4	4	3		1	
		C	1		1											1				
NORTH DAKOTA																				
	Total deaths (all causes)		5,463	1,044	738	3,681	791	95	52	32	29	96	116	136	173	221	348	498	717	2,154
	I.—Infectious and parasitic diseases		604	96	84	424	89	29	21	11	15	28	25	40	37	41	59	54	46	109
1	Typhoid fever		9		1	8							2		1	1	3	1		1
7	Measles		28	4	3	21	9	3	1	2	2	2	1	7		1				
8	Scarlet fever		11	1	1	9		2	1		2	4	1			1				
9	Whooping-cough		20	3	3	14	14	4	1				1							
10	Diphtheria		20	6	4	10			3	1	1	5	4	3		1	1	1		
11a	Influenza, respiratory complications specified		173	14	30	129	38	11	4			4		2	6	4	19	20	15	50
11b	Influenza, respiratory complications not specified		95	14	10	71	11	4	3	3	4	6	6	3	2	4	6	6	6	31
13	Dysentery		5	3	1	1	1			1										3
15	Erysipelas		7	1	1	5	3		1			1								2
16	Acute poliomyelitis, acute poliencephalitis		9	4	1	4		1	1		1			1	3	2				
17	Lethargic or epidemic encephalitis		7	3		4								1	2	1		1	1	1
18	Epidemic cerebrospinal meningitis		19	3	10	6	5	1	3	1			1	2	1	2	1	1	1	
22	Tetanus		1	1																1
	Tuberculosis (all forms)		169	30	11	128	3	3	3	3	5	6	7	19	21	21	22	19	19	18
23	Respiratory system		134	24	10	100	2			1	1	4	3	17	18	21	20	16	16	15
24	Meninges and central nervous system		10			10		3	1	1	1	1	2	1						
25	Intestines and peritoneum		12	2	1	9			1		3			1	1		1	1	1	3
26	Vertebral column		4	2		2							1		2				1	
28	Skins and subcutaneous cellular tissue		1	1														1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
	Tuberculosis (all forms)—Continued.																		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2	1		1						1							1	
30	Genitourinary system	2			2											1	1		
32a	Acute disseminated tuberculosis	4			4	1		1	1			1							
34	Syphilis	16	3	3	10	4									1	2	4	4	1
35	Gonococcus infection and other venereal diseases	3	2	1										1	1	1			
36	Purulent infection, septicemia (nonpuerperal)	7	2	3	2	1						1	1			4			
39	Other diseases due to protozoal parasites	3	2		1								1		1				1
43	Mycoses	1			1												1		
44	Other infectious and parasitic diseases	1		1								1							
	II.—Cancers and other tumors	550	120	66	364	1		2	1		2	2	4	3	8	37	76	121	293
	Cancer and other malignant tumors	526	112	63	351	1		2	1		2	1	4	2	4	31	71	119	288
(45)	Buccal cavity	16	2	2	12							1				1	1	5	8
(45)	Pharynx	2			2														2
(46)	Esophagus	4	1		3														4
(46)	Stomach and duodenum	163	27	16	120										1	9	18	33	102
(46)	Liver and biliary passages	48	8	6	34											1	5	9	33
(46)	Pancreas	11	6	2	3											1		5	5
(46)	Other digestive tract and peritoneum	76	21	11	44										1	2	12	17	44
47	Respiratory system	17	6	3	8	1									1	2	3	8	2
48	Uterus	42	13	4	25								1			5	15	7	14
49	Other female genital organs	9	2	2	5										1	1	1	3	3
50	Breast	37	10	6	21											8	6	13	10
51	Male genitourinary organs	52	7	6	39			1	1					1		1		7	41
52	Skin	13	3	2	8												2	3	8
53	Other or unspecified organs	36	6	3	27			1			2		3	1			8	9	12
54b	Nonmalignant tumors, uterus	8	3	2	3											1	1	1	2
54d,e	Nonmalignant tumors, other organs	2	1		1										1		1		
55d,e	Tumors, other organs (nature unspecified)	14	4	1	9							1		1	2	3	3	1	3
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	194	44	39	111	4			1		9	7	4	3	7	5	21	48	84
56	Acute rheumatic fever	15	1	2	12				1		1	1	1	1		1	3	3	3
57	Chronic rheumatism, osteoarthritis	7		2	5												3	2	2
59	Diabetes mellitus	139	31	28	80						7	4	3	2	1	1	9	34	77
63	Rickets	1			1	1													
66a	Simple goiter	1		1							1								
66b	Exophthalmic goiter	21	9	3	9							1			5	1	5	7	2
(66)	Other diseases of thyroid and parathyroid glands	4	1	2	1							1			1		1	1	
67	Diseases of thymus gland	3	1		2	3													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3	1	1	1											2		1	
	IV.—Diseases of the blood and blood-making organs	57	18	10	29	5					2		1	2	3	3	9	12	20
70	Hemorrhagic conditions	4			4	4													
71a	Pernicious anemia	30	6	6	18										1	1	6	8	14
71b	Other anemias	1	1													1			
72a	True leukemias	15	11	2	2	1					2		1	2	1	1	3	3	1
72b	Pseudoleukemias (Hodgkin's disease)	3			3														3
73	Diseases of the spleen	1			1														1
74	Other diseases of blood and blood-making organs	3		2	1										1			1	1
	V.—Chronic poisonings and intoxications	14	6	2	6									1		4	2	5	2
75	Alcoholism (acute or chronic)	13	5	2	6									1		4	2	4	2
77a	Chronic lead poisoning	1	1															1	
	VI.—Diseases of the nervous system and of the organs of special sense	523	74	65	384	23	2	2		3	3	6	4	8	14	15	55	94	294
78	Encephalitis (nonepidemic)	7		2	5	1							1	1	1	2	1		
79a	Simple meningitis	7	2	2	3	2				1					1		1	1	1
80	Progressive locomotor ataxia (tabes dorsalis)	1			1													1	
81	Other diseases of spinal cord	14	3	1	10						1				1		4	4	4
82a	Cerebral hemorrhage	393	56	50	287							1		2	2	9	40	77	262
82b	Cerebral embolism and thrombosis	18	4	3	11							1			1	1	1	4	10
82c	Softening of brain	2			2													2	
82d	Hemiplegia and other paralysis, cause unspecified	10	2	2	6									1		1	1	1	6
83	General paralysis of insane	6			6									1	2		2	1	
84	Dementia praecox and other psychoses	5			5												1	1	3
85	Epilepsy	22	1	3	18					2		2	3	3	3	2	3	1	3
86	Convulsions (under 5 years of age)	21	1	1	19	18	1	2											
87	Other diseases of nervous system	10	1	1	8							2			2		1		5
89a	Diseases of ear	5	3		2	2	1				1							1	
89b	Diseases of mastoid process	2	1		1						1				1				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	VII.—Diseases of the circulatory system	1,088	181	127	780	1		1	1	1	5	4	12	11	21	43	100	177	710
90	Pericarditis	3		2	1						1		1						1
91a	Acute endocarditis	12	4	1	7			1	1		2	2	1	1	3				1
91b	Endocarditis, unspecified (under 45 years)	2			2											2			
92a	Endocarditis, specified as chronic, and other valvular diseases	168	23	21	124					1	2	1	6	3	7	9	20	22	96
92b	Endocarditis, unspecified (45 years and over)	11	1		10												3	2	6
93a	Acute myocarditis	13	3	3	7								1		2	1		1	8
93b	Myocarditis, unspecified (under 45 years)	3	1		2										1	2			
93c	Chronic myocarditis and myocardial degeneration	316	53	32	231								2	3	3	12	24	45	227
93d	Other diseases of myocardium	107	21	15	71											1	7	15	84
94a	Angina pectoris	59	6	5	48										2	1	5	11	40
94b	Diseases of coronary arteries	144	33	19	92											7	20	37	80
95a	Functional diseases of heart	14	2	3	9												2	2	10
95b	Other and unspecified diseases of heart	139	19	11	109							1	1	1	2	7	10	32	85
96	Aneurysm (except of heart)	5	1	1	3											1	2	1	1
97	Arteriosclerosis (coronary arteries excepted)	68	10	8	50												2	8	58
98	Gangrene	5			5										1				4
99	Other diseases of arteries	8	1	2	5									3			1		4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2			2														2
101	Diseases of lymphatic system (lymphangitis, etc.)	2	1	1		1											1		
102	Idiopathic anomalies of blood-pressure	6	2	3	1												3	1	2
103	Other diseases of circulatory system	1			1														1
	VIII.—Diseases of the respiratory system	470	88	56	326	111	20	7	4	2	8	5	11	19	12	32	33	41	165
104b	Diseases of nasal fossae and annexa	1	1														1		
105	Diseases of larynx	10	2	3	5	1	3	2	1		1							1	1
106a	Acute bronchitis	3			3	1			1									1	
106b	Chronic bronchitis	4			4														4
106c, d	Bronchitis, unspecified	8	1		7						1				1			1	5
107a	Bronchopneumonia	175	33	22	120	92	12	2		1	2	1	2	2	1	3	2	9	46
107b	Capillary bronchitis	1			1	1													
108	Lobar pneumonia	225	43	27	155	13	3	3	1	1	4	3	8	13	10	27	27	25	87
109	Pneumonia, unspecified	6			6	2	1												3
110	Pleurisy	6	3		3							1	1				1	2	1
111a	Pulmonary embolism and thrombosis	2		1	1									1			1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	10		3	7									1					9
112	Asthma	11	2		9		1		1					1		1		2	5
114	Other diseases of respiratory system (tuberculosis excepted)	8	3		5	1								1		1	1		4
	IX.—Diseases of the digestive system	442	126	94	222	84	18	6	5	2	17	26	18	26	27	45	39	59	70
115a	Diseases of pharynx and tonsils	18	5	3	10	3	1	1	1			3	1	1	4				3
115b	Diseases of buccal cavity and annexa	6	1	2	3	1										1		3	1
117a	Ulcer of stomach	23	9	2	12								1		3	6	2	4	7
117b	Ulcer of duodenum	11	9		2										1	4	2	2	2
118	Other diseases of stomach (cancer excepted)	2			2	1													1
119	Diarrhea, enteritis (under 2 years of age)	84	7	5	72	72	12												
120	Diarrhea, enteritis (2 years and over)	20	3	5	12			3	1	1	3			2	3	2	1	1	3
121	Appendicitis	104	37	31	36		1	2	1	1	12	21	12	17	9	10	7	9	2
122a	Hernia	27	12	3	12									1	1	1	4	7	13
122b	Intestinal obstruction	32	8	13	11	4	4		1		1	1	3	3	2	4		5	4
123	Other diseases of intestines	4	1		3	2										1		1	
124	Cirrhosis of liver	29	7	4	18											2	7	7	13
125b	Other diseases of liver	7	1	2	4									1	2		1	2	1
126	Biliary calculi	48	20	16	12										2	10	10	11	15
127	Other diseases of gall-bladder, biliary passages	21	4	7	10								1	1		3	5	7	4
128	Diseases of pancreas	1			1														1
129	Peritonitis, cause not specified	5	2	1	2	1			1		1	1				1			
	X.—Diseases of the genitourinary system	387	85	48	254	4	2	1			6	3	5	7	11	22	34	72	219
130	Acute nephritis (including unspecified under 10 years)	24	6	2	16	1	1				2	2	3	3		3	3	2	4
131	Chronic nephritis	280	51	34	195						2		1	4	8	13	23	58	170
132	Nephritis, unspecified (10 years and over)	24	4	4	16								1			2	3	3	15
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	11	4	2	5	1	1	1			2	1				1	2	2	
134	Calculi of urinary passages	6	1		5											1	1	1	3
135	Diseases of bladder (tumors excepted)	4			4													2	2
136	Diseases of urethra, urinary abscess, etc.	1			1														1
137	Diseases of prostate	25	11	4	10													2	23
138	Diseases of male genital organs, not specified as venereal	2	1	1		2													
139a	Cysts of ovary	2	1	1												1	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	5	4		1										3			1	1
139c	Diseases of uterus	3	2		1											1	1	1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	65	19	14	32								3	17	26	16	3		
140	Abortion with septic conditions	9	2	4	3								1		5	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	3	1		2									1	1	1			
142a	Ectopic gestation, septic conditions specified	1			1										1				
142b	Ectopic gestation, septic conditions not mentioned	2	1		1									1	1				
144a	Placenta praevia	2			2										1	1			
144b	Other puerperal hemorrhages	3	1		2										1	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	16	8	4	4									7	6	3			
146	Puerperal albuminuria and eclampsia	11	1	2	8								1	3	3	3	1		
147	Other toxemias of pregnancy	6	1	1	4									2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	2		1									1		2			
149	Other accidents of childbirth	9	2	3	4								1	2	4		2		
	XII.—Diseases of the skin and cellular tissue	15	3	3	9	5		1					2	1	1	1	3		1
151	Furuncle, carbuncle	4	2		2								1	1	1	1			
152	Phlegmon, acute abscess	6	1	3	2	1		1					1				3		
153	Other diseases of skin and annexa, and of cellular tissue	5			5	4													1
	XIII.—Diseases of the bones and organs of locomotion	12	6	1	5				2		2	4				1	1	2	
154	Osteomyelitis	9	4	1	4				2		2	3				1		1	
155	Other diseases of bones (tuberculosis excepted)	1			1												1		
156	Diseases of joints, other organs of locomotion	2	2									1						1	
	XIV.—Congenital malformations	67	8	7	52	59	4	3					1						
157a	Congenital hydrocephalus	7		2	5	5	1	1											
157b	Spina bifida and meningocele	9	2		7	7	2												
157c	Congenital malformations of heart	34	5	2	27	31	1	2											
157d	Other congenital malformations	17	1	3	13	16							1						
	XV.—Diseases of early infancy	354	68	47	239	354													
158	Congenital debility	27	2	1	24	27													
159	Premature birth	226	48	30	148	226													
160	Injury at birth	59	9	13	37	59													
161	Other diseases peculiar to early infancy	42	9	3	30	42													
162	**XVI.—Senility**	95	5	8	82														94
	XVII.—Violent and accidental deaths	456	96	66	294	7	20	7	7	4	13	33	31	38	50	62	65	33	84
	Suicide	63	11	4	48								2	2	11	13	21	6	8
163	By solid or liquid poisons or by absorption of corrosive substances	7	3		4								1			3	2		1
164	By poisonous gas	2	1		1											1	1		
165	By hanging or strangulation	23	4	1	18										7	2	8	2	4
166	By drowning	2			2										1		1		
167	By firearms	28	3	2	23								1	2	3	6	9	4	3
168	By cutting or piercing instruments	1		1												1			
	Homicide	8	2		6										1	1	4	1	1
173	By firearms	6			6										1	1	2	1	1
175	By other means	2	2														2		
	Accidental, other, or undefined	385	83	62	240	7	20	7	7	4	13	33	29	36	38	48	40	26	75
177	Poisoning by food	1			1										1				
178	Absorption of poisonous gas	13	3	1	9							1		3	3	3	1	1	1
179	Other acute accidental poisonings (gas excepted)	8	3		5		4							1	1				2
180	Conflagration	4			4	1	1	1		1									
181	Burns (conflagration excepted)	20	8	5	7	2		3	1	2		2	1	3	1	3	1		1
	Supplemental	1	1										1						
182	Mechanical suffocation	6			6	1		1				1	1			1		1	
	Supplemental	2			2											1	1		
183	Drowning	41	6	1	34	2	7		1	2	4	9	6	2	1	5	1	1	
	Supplemental	1			1								1						
	Traumatism:																		
184	By firearms (wounds of war excepted)	17	4	6	7						1	5	3	3	2		3		
185	By cutting or piercing instruments (wounds of war excepted)	5	1	3	1							1			1	1	1		1
	Supplemental	4	2		2								1		1	1		1	
186a	By fall	56	16	9	31			1				2			4	3	4	5	37
	Supplemental	17	5	2	10									5	2	3	4	2	1
186b	By crushing, landslide	2			2									1			1		
	Supplemental	33	6	9	18				1		1	1	4	3	5	8	6	2	2
187	Cataclysm	7	1		6	1					2	1	1			1		1	
188	Injuries by animals	7	2	1	4		1						2		1			1	2
190	Excessive cold	3			3												1		2
191	Excessive heat	2			2														1
192	Lightning	2			2											1			
193	Due to electric currents	2			2									1	1				
194a	Foreign bodies	4	1		3		3							1		1			
194b	Other accidents	23	5	2	16	1			1		1	4	2	2	1	1	3		6
	Supplemental	104	19	23	62		4	1	2		3	6	6	11	13	15	12	11	19

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	XVIII.—Ill-defined causes of death	70	1	1	68	44		1		2	1	1				1	3	7	9
199	Sudden death	2			2	1												1	
200a	Cause of death ill-defined	23		1	22	7				1		1				1	3	6	3
200b	Cause of death not specified or unknown	45	1		44	36		1		1	1								6
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	4	1		3									1	2		1		
202	Accidents from agricultural machinery	4		2	2										1			2	1
205	Other machinery accidents	2			2												1	1	
206	Railroad and automobile collisions	16	1	1	14		1		1		2		1	5	3	1	1	1	
207	Other railroad accidents	17	5	4	8								3	2	2	5	1	2	2
210	Automobile accidents (primary)	101	22	25	54		3	1	1		1	5	7	9	12	19	18	8	16
212	Other land transportation accidents	15	4	2	9				1		1	2	1		1	3	1	2	3
213	Water transportation accidents	1			1								1						
214	Air transportation accidents	2			2									2					
	OHIO																		
	Total deaths (all causes)	73,054	43,460	6,502	23,092	5,049	672	382	285	276	977	765	1,191	1,622	3,757	5,743	8,447	11,522	32,348
	I.—Infectious and parasitic diseases	6,998	3,983	512	2,503	397	195	127	90	83	283	162	313	496	993	1,017	916	749	1,175
1	Typhoid fever	120	54	9	57			1		1	11	8	19	15	21	13	15	12	4
2	Paratyphoid fever	3	1		2	1									1	1			
5	Undulant fever	8	4	1	3			1				1			2			1	3
7	Measles	123	45	19	59	21	31	16	7	7	20	3	5		3	4	2	1	3
8	Scarlet fever	217	130	18	69	3	9	12	17	20	73	20	17	6	23	5	10	2	
9	Whooping-cough	148	69	13	66	95	27	12	5	2	6								1
10	Diphtheria	174	98	16	60	7	14	27	24	14	54	14	1	2	7	4	2	3	1
11a	Influenza, respiratory complications specified	906	450	89	367	71	35	14	7	7	16	11	18	19	48	83	92	115	370
11b	Influenza, respiratory complications not specified	583	238	62	283	48	23	12	7	2	16	12	13	16	31	34	46	59	264
13	Dysentery	56	22	5	29	9	7	2	1	1	2				2	1	3	5	23
15	Erysipelas	90	47	6	37	13	3	1	2	1	1			4	5	7	11	12	30
16	Acute poliomyelitis, acute polioencephalitis	55	30	4	21	2	1	4	3	2	14	10	9	5	1	1	1	2	
17	Lethargic or epidemic encephalitis	68	42	6	20	2			1		4		1	5	7	7	9	20	12
18	Epidemic cerebrospinal meningitis	40	35	4	1	10	4		1	2	6	4	3	3	3	1	2	1	
21	Rabies	2	2						1						1				
22	Tetanus	57	45	4	8			1	1	1	12	10	2	5	4	11	1	2	7
	Tuberculosis (all forms)	3,648	2,196	215	1,237	39	34	20	9	19	40	59	212	397	765	726	569	403	355
23	Respiratory system	3,281	1,953	180	1,148	19	17	9	4	7	17	41	186	373	717	680	531	360	319
24	Meninges and central nervous system	118	89	9	20	18	11	8	5	8	18	6	10	5	11	8	6	1	3
25	Intestines and peritoneum	94	51	14	29	1	2	1			1	7	10	11	12	15	12	10	12
26	Vertebral column	55	35	3	17		1			2	1	4	1	2	11	4	8	10	11
27a	Bones (vertebral column excepted)	15	11	1	3	1							2	1	2	1	1	4	3
27b	Joints	9	5		4								1			2	3	2	1
28	Skin and subcutaneous cellular tissue	1	1															1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	7	6	1											2	1		3	1
30	Genitourinary system	45	28	5	12						1		2	3	6	12	7	10	4
31	Other organs	7	6		1							1		1	2	1	1		1
32a	Acute disseminated tuberculosis	14	10	1	3		3	2		2	2				2	1		2	
32b, c	Other disseminated tuberculosis	2	1	1										1		1			
33	Leprosy	1	1															1	
34	Syphilis	582	392	35	155	70	4			1	2	6	8	12	46	102	143	98	89
35	Gonococcus infection and other venereal diseases	38	37		1	2					1		1	5	13	9	4	2	1
36	Purulent infection, septicemia (non-puerperal)	32	22	4	6	1	1	1		1	2	2	1	2	5	5	2	4	5
38	Malaria	10	3		7			1							1	1	1	3	3
39	Other diseases due to protozoal parasites	6	5	1				1					2			1	1	1	
42	Other diseases caused by helminths	4	2		2				1						2		1		
43	Mycoses	6	4		2										2	1			3
44	Other infectious and parasitic diseases	21	9	1	11	3	2	1	3	2	3	2	1				1	2	1
	II.—Cancers and other tumors	7,983	4,918	705	2,360	3	7	7	10	10	25	21	26	38	191	650	1,404	1,826	3,764
	Cancer and other malignant tumors	7,618	4,625	687	2,306	1	4	5	7	7	14	13	22	30	152	556	1,297	1,791	3,718
(45)	Buccal cavity	199	114	17	68						1		1	2		10	34	45	106
(45)	Pharynx	36	19	3	14										1	1	4	12	18
(46)	Esophagus	127	101	3	23											5	18	43	61
(46)	Stomach and duodenum	1,600	899	144	557								1		8	79	208	381	923
(46)	Liver and biliary passages	743	402	84	257		1				1		1	1	3	30	94	196	416
(46)	Pancreas	172	126	11	35								1		2	9	30	49	81
(46)	Other digestive tract and peritoneum	1,219	795	102	322				1		2	2	5	5	28	82	190	273	631
47	Respiratory system	248	181	19	48			2			1		1	2	3	32	59	75	73
48	Uterus	888	581	82	225								1	3	38	130	225	238	253
49	Other female genital organs	165	109	18	38							1	1		7	24	46	35	51
50	Breast	757	465	68	224										18	83	205	179	271
51	Male genitourinary organs	630	368	53	209		1	1	2	2	1	1	1	5	10	12	49	111	434
52	Skin	203	79	25	99					1	1	1			3	5	13	26	153
53	Other or unspecified organs	631	386	58	187	1	2	2	4	4	7	8	9	12	31	54	122	128	247
54a	Nonmalignant tumors, ovary	12	9		3										1	2	2	2	5
54b	Nonmalignant tumors, uterus	170	152	6	12									1	23	64	61	8	13
54d, e	Nonmalignant tumors, other organs	85	64	5	16	1	2	1	3	1	3	3	3	1	9	12	19	12	15
55a	Tumors, ovary (nature unspecified)	1			1													1	
55d, e	Tumors, other organs (nature unspecified)	97	68	7	22	1	1	1		2	8	5	1	6	6	16	25	12	13

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	2,311	1,431	245	635	88	4	5	6	4	22	37	25	30	69	141	270	572	1,037
56	Acute rheumatic fever	110	64	10	36				1	2	12	12	12	6	7	15	13	11	19
57	Chronic rheumatism, osteoarthritis	116	51	9	56							1			3	9	10	19	74
58	Gout	1	1																1
59	Diabetes mellitus	1,595	994	178	423		1	2	3	2	5	21	9	10	30	69	160	451	832
60	Scurvy	1	1			1													
62	Pellagra	23	17		6						1			1	3	8	4	3	3
63	Rickets	8	5	1	2	3		1	2		1		1						
64	Osteomalacia	1			1														1
66a	Simple goiter	27	24		3										1	3	3	10	10
66b	Exophthalmic goiter	280	183	30	67								2	8	19	30	70	68	83
(66)	Other diseases of thyroid and parathyroid glands	16	9	3	4	3							1		2	2	3	3	2
67	Diseases of thymus gland	92	55	8	29	80	3	1			3	2		2					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	26	20	4	2							1		2	4	3	6	3	7
69	Other general diseases	15	7	2	6	1		1						1		2	1	4	5
	IV.—Diseases of the blood and blood-making organs	642	383	61	198	45	5	2	5	9	14	13	11	16	36	63	78	138	207
70	Hemorrhagic conditions	47	32	3	12	23	1	1	1	1	2	1		2	1	2	3	6	3
71a	Pernicious anemia	257	123	34	100	1					2	1	1		2	15	23	65	147
71b	Other anemias	39	21	9	9	13						1		2	1	4	3	5	10
72a	True leukemias	197	140	11	46	5	3		3	6	9	8	7	3	21	27	32	41	32
72b	Pseudoleukemias (Hodgkin's disease)	70	43	2	25					1		2	2	6	11	8	9	17	14
73	Diseases of the spleen	23	17	2	4	3		1	1		1		1	2		4	7	2	1
74	Other diseases of blood and blood-making organs	9	7		2		1			1				1		3	1	2	
	V.—Chronic poisonings and intoxications	204	152	10	42									3	23	60	55	43	20
75	Alcoholism (acute or chronic)	185	141	7	37									2	20	57	55	34	17
76	Chronic poisoning by other organic substances	5	3		2									1		2		2	
77a	Chronic lead poisoning	12	6	3	3										3	1		6	2
77b, c	Other chronic poisoning by mineral substances	2	2															1	1
	VI.—Diseases of the nervous system and of the organs of special sense	8,618	4,568	846	3,204	83	26	21	16	16	56	45	45	64	180	399	869	1,556	5,238
78	Encephalitis (nonepidemic)	95	67	9	19	5	5	3	1	2	1	4	5	9	4	10	13	13	20
79a	Simple meningitis	94	68	7	19	12	6	6	4	2	6	8	6	5	5	12	5	12	5
79b	Nonepidemic cerebrospinal meningitis	16	12	1	3	2	1		1	1	1		3	1	3	2	1		
80	Progressive locomotor ataxia (tabes dorsalis)	91	47	9	35										3	5	21	29	33
81	Other diseases of spinal cord	172	81	18	73	1	1			1	3	1	3	3	5	10	31	38	75
82a	Cerebral hemorrhage	6,535	3,370	649	2,516	3	2	5				2	5	14	49	181	560	1,215	4,495
82b	Cerebral embolism and thrombosis	344	216	31	97				1		2	2	2	3	9	28	34	57	206
82c	Softening of brain	77	41	5	31											3	1	13	60
82d	Hemiplegia and other paralysis, cause unspecified	166	64	18	84	1			1	1	1				1	5	13	26	117
83	General paralysis of insane	332	205	10	117								2	3	36	75	117	64	35
84	Dementia praecox and other psychoses	61	29	6	26									3	7	5	17	13	16
85	Epilepsy	130	42	44	44	1		1		2	5	7	5	12	25	28	16	9	19
86	Convulsions (under 5 years of age)	24	11	2	11	22			1	1									
87	Other diseases of nervous system	271	147	25	99	2	3	1	2		3	4	4	3	16	21	27	48	137
88	Diseases of organs of vision	3	1	1	1						1								2
89a	Diseases of ear	143	114	7	22	30	8	4	4	3	24	13	4	6	14	8	5	11	9
89b	Diseases of mastoid process	64	53	4	7	4		1	1	3	9	4	6	2	3	6	8	8	9
	VII.—Diseases of the circulatory system	18,062	10,179	1,626	6,257	14	2	3	7	8	51	64	83	120	363	839	1,785	3,180	11,540
90	Pericarditis	34	16	2	16					1	2		1		3	3	2	7	15
91a	Acute endocarditis	156	106	7	43	1				2	6	2	12	16	35	16	19	15	32
91b	Endocarditis, unspecified (under 5 years)	36	19	3	14	2	1			1	2	6	5	3	10	6			
92a	Endocarditis, specified as chronic, and other valvular diseases	3,196	1,688	286	1,222	2	1		1		18	28	37	53	100	205	310	512	1,928
92b	Endocarditis, unspecified (45 years and over)	229	117	29	83												28	41	160
93a	Acute myocarditis	260	173	18	69			2	1	1	2	2	2	3	17	22	34	51	123
93b	Myocarditis, unspecified (under 45 years)	41	24	4	13	2					3	2	1	2	8	23			
93c	Chronic myocarditis and myocardial degeneration	4,502	2,700	367	1,435			1	1	2	1	5	4	11	59	157	428	733	3,099
93d	Other diseases of myocardium	1,926	1,021	166	739	1					2	2		1	10	28	180	346	1,356
94a	Angina pectoris	1,151	605	135	411								1	1	10	55	127	307	650
94b	Diseases of coronary arteries	1,743	1,132	147	464									4	25	107	261	453	893
95a	Functional diseases of heart	54	18	13	23										1	3	4	8	38
95b	Other and unspecified diseases of heart	2,782	1,560	253	969	4			4	1	13	15	20	20	75	174	310	528	1,618
96	Aneurysm (except of heart)	123	85	5	33						1	1		1	2	15	28	28	47
97	Arteriosclerosis (coronary arteries excepted)	1,614	793	163	658										3	13	27	122	1,448
98	Gangrene	39	18	5	16											2	1	3	33
99	Other diseases of arteries	95	54	15	26									1	4	4	11	14	61
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	48	29	5	14									4	1	4	10	7	22
101	Diseases of lymphatic system (lymphangitis, etc.)	8	6	1	1	1					1	1				1	1	1	2
102	Idiopathic anomalies of blood-pressure	12	8	1	3											1	3	2	6
103	Other diseases of circulatory system	13	7	1	5	1											1	2	9

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	VIII.—Diseases of the respiratory system	4,737	3,035	348	1,354	616	163	65	47	29	84	55	76	90	235	377	505	576	1,819
104a	Diseases of nasal fossae	7	3		4	3				1									3
104b	Diseases of nasal fossae and annexa	44	34	3	7	1		1	1		1	6	7	6	7	6	2	4	2
105	Diseases of larynx	22	10	5	7	1	4	2	2	1	3	1			2		3	2	1
106a	Acute bronchitis	65	33	8	24	13	3		1			1			2	2		6	37
106b	Chronic bronchitis	97	59	5	33	1		1							3	2	8	15	67
106c, d	Bronchitis, unspecified	42	23	5	14	6	1	1		1				1	1	2	3	1	25
107a	Bronchopneumonia	1,989	1,303	136	550	437	120	36	27	11	41	16	19	20	65	118	127	186	766
107b	Capillary bronchitis	18	5	2	11	4	1	1			1							3	8
108	Lobar pneumonia	1,928	1,249	145	534	115	30	18	12	13	30	24	37	47	129	203	301	283	686
109	Pneumonia, unspecified	75	30	7	38	21					1	1		2	3	3	6	4	34
110	Pleurisy	133	98	6	29	8	3	5	3	1	4	4	7	7	8	15	16	22	30
111a	Pulmonary embolism and thrombosis	36	27		9								1	1	2	1	7	8	16
111b	Pulmonary congestion, edema, hemorrhagic infarct	73	42	5	26	3							1	2	1		2	1	63
112	Asthma	119	60	14	45		1			1	2		2	1	6	10	16	25	55
113	Pulmonary emphysema	8	4		4	2										1			5
114	Other diseases of respiratory system (tuberculosis excepted)	81	55	7	19	1			1		1	2	2	3	6	14	14	16	21
	IX.—Diseases of the digestive system	4,905	3,478	464	963	525	150	63	45	38	126	109	134	147	332	573	754	728	1,181
115a	Diseases of pharynx and tonsils	239	172	21	46	9	9	7	11	7	18	9	18	14	22	30	35	20	30
115b	Diseases of buccal cavity and annexa	52	32	12	8	2	2	1		1	1		4	4	5	8	6	9	9
116	Diseases of esophagus	9	7		2	1								1	1		1	2	3
117a	Ulcer of stomach	275	204	24	47	2							1	4	14	49	65	66	74
117b	Ulcer of duodenum	136	112	8	16								1	6	12	26	39	31	21
118	Other diseases of stomach (cancer excepted)	168	70	20	78	13	3	2	3	4	1		2	4	8	20	16	25	67
119	Diarrhea, enteritis (under 2 years of age)	568	309	57	202	450	118												
120	Diarrhea, enteritis (2 years and over)	243	141	19	83			34	13	9	12	8	6	4	15	15	23	19	85
121	Appendicitis	945	779	96	70	3	4	8	8	10	71	78	84	66	119	149	142	108	95
122a	Hernia	309	246	27	36	3				1	1	2		2	9	26	52	74	139
122b	Intestinal obstruction	406	295	39	72	26	13	7	6	1	8	6	11	16	27	44	55	56	130
123	Other diseases of intestines	75	59	4	12	4					3		1		9	8	21	13	16
124	Cirrhosis of liver	618	391	64	163	1				1	2		1	3	20	65	126	135	264
125a	Yellow atrophy of liver	34	23	3	8					1				1	10	6	4	3	9
125b	Other diseases of liver	71	52	5	14	1			1		1	2	1	3	3	16	9	12	22
126	Biliary calculi	405	326	36	43								1	6	25	61	91	97	124
127	Other diseases of gall-bladder, biliary passages	231	167	17	47	3	1				1	2		6	17	31	55	39	76
128	Diseases of pancreas	42	35	3	4									3	6	10	6	10	7
129	Peritonitis, cause not specified	79	58	9	12	7		4	3	3	7	2	3	4	10	9	8	9	10
	X.—Diseases of the genitourinary system	6,283	3,692	621	1,970	22	9	9	3	2	20	20	41	55	182	418	669	1,097	3,736
130	Acute nephritis (including unspecified under 10 years)	240	137	27	76	8	2	5	1		6	5	10	10	12	35	30	45	71
131	Chronic nephritis	4,605	2,579	471	1,555		1	1	1	2	5	10	10	19	77	238	485	852	2,904
132	Nephritis, unspecified (10 years and over)	408	191	53	164							4	6	3	9	24	39	64	259
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	210	159	13	38	14	6	3	1		8	1	3	4	13	26	34	37	60
134	Calculi of urinary passages	59	45	1	13									1	4	10	12	6	26
135	Diseases of bladder (tumors excepted)	33	17		16										1	3	4	2	23
136	Diseases of urethra, urinary abscess, etc.	23	21		2						1				3	5	5	4	5
137	Diseases of prostate	447	318	40	89											4	14	63	366
138	Diseases of male genital organs, not specified as venereal	3	2		1											2	1		
139a	Cysts of ovary	51	39	6	6								4	2	8	9	11	3	14
139b	Other diseases of ovaries, diseases of tubes and parametrium	146	139	4	3								8	12	47	47	21	10	1
139c	Diseases of uterus	55	42	6	7									4	8	14	13	10	6
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1																1
139e	Other diseases of female genital organs	2	2													1		1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	581	435	54	92								38	129	268	139	7		
140	Abortion with septic conditions	132	106	11	15								6	34	64	28			
141	Abortion without mention of septic conditions (includes hemorrhages)	25	13	2	10								1	3	15	6			
142a	Ectopic gestation, septic conditions, specified	9	8	1										2	4	2	1		
142b	Ectopic gestation, septic conditions not mentioned	27	23	1	3									4	15	8			
143	Other accidents of pregnancy (hemorrhage not included)	1		1											1				
144a	Placenta praevia	21	16	1	4								2		8	11			
144b	Other puerperal hemorrhages	31	22	1	8								1	5	17	8			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	112	88	10	14								10	40	41	19	2		
145b	Puerperal tetanus (abortion and ectopic gestation excluded)	1	1													1			
146	Puerperal albuminuria and eclampsia	89	58	12	19								9	11	42	27			
147	Other toxemias of pregnancy	24	19	1	4									7	14	3			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	32	21	4	7								5	6	14	5	2		
149	Other accidents of childbirth	76	59	9	8								4	17	32	21	2		
150	Other and unspecified conditions of puerperal state	1	1												1				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	XII.—Diseases of the skin and cellular tissue	93	55	10	28	19		1			1	3	3		4	10	11	11	30
151	Furuncle, carbuncle	29	20	1	8	3					1		2			2	6	6	9
152	Phlegmon, acute abscess	25	15	5	5	5						1			3	5	3	2	6
153	Other diseases of skin and annexa, and of cellular tissue	39	20	4	15	11		1				2	1		1	3	2	3	15
	XIII.—Diseases of the bones and organs of locomotion	87	72	7	8	5		3	2	1	12	11	6	3	5	7	4	7	21
154	Osteomyelitis	61	54	4	3	4		3	1	1	9	10	5	2	5	6	2	5	8
155	Other diseases of bones (tuberculosis excepted)	7	5		2									1		1		1	4
156	Diseases of joints, other organs of locomotion	19	13	3	3	1			1		3	1	1				2	1	9
	XIV.—Congenital malformations	664	377	61	226	587	27	7	6	5	11	4	6	4	4	1	1	1	
157a	Congenital hydrocephalus	68	47	3	18	60	2	1	1	1	2		1						
157b	Spina bifida and meningocele	68	37	6	25	63	3					1			1				
157c	Congenital malformations of heart	357	171	35	151	309	18	5	3	4	7	1	3	3	3		1		
157d	Other congenital malformations	171	122	17	32	155	4	1	2		2	2	2	1		1		1	
	XV.—Diseases of early infancy	2,514	1,620	178	716	2,514													
158	Congenital debility	147	65	10	72	147													
159	Premature birth	1,614	1,055	115	444	1,614													
160	Injury at birth	499	334	37	128	499													
161	Other diseases peculiar to early infancy	254	166	16	72	254													
162	**XVI.—Senility**	519	214	57	248												1	6	512
	XVII.—Violent and accidental deaths	7,550	4,695	677	2,178	77	76	68	48	68	271	218	384	424	855	1,018	1,074	981	1,981
	Suicide	1,248	734	121	393							1	27	58	132	231	317	262	220
163	By solid or liquid poisons or by absorption of corrosive substances	179	143	12	24								7	20	34	42	46	15	15
164	By poisonous gas	67	46	10	11								2	2	4	15	23	15	6
165	By hanging or strangulation	276	148	25	103								4	7	21	39	71	69	65
166	By drowning	76	43	8	25								1	2	1	18	18	19	17
167	By firearms	539	279	54	206							1	12	21	64	102	119	118	102
168	By cutting or piercing instruments	54	32	5	17								1		2	10	17	15	9
169	By jumping from high places	36	31	2	3									4	4	1	15	7	5
170	By crushing	12	7	3	2									1	1	3	5	1	1
171	By other means	9	5	2	2									1	1	1	3	3	
	Homicide	548	449	26	73	5		1		2	5	4	29	54	154	163	92	25	14
173	By firearms	325	263	14	48			1		1	1	2	15	31	94	102	60	15	3
174	By cutting or piercing instruments	108	97	3	8	1							7	13	29	36	17	4	1
175	By other means	115	89	9	17	4				1	4	2	7	10	31	25	15	6	10
	Accidental, other, or undefined	5,754	3,512	530	1,712	72	76	67	48	66	266	213	328	312	569	624	665	694	1,747
176	Attack by venomous animals	3	2		1	2													1
177	Poisoning by food	36	21	3	12	3	1	1	1		3			3	4	8	4	2	6
178	Absorption of poisonous gas	74	56	8	10	1						1	1	4	12	20	13	9	13
	Supplemental	1			1										1				
179	Other acute accidental poisonings (gas excepted)	71	46	3	22	2	8	5	5	2	2	1	4	1	7	12	6	9	7
180	Conflagration	99	35	18	46	3	3	9	1	6	10	3	5	1	12	17	7	9	12
181	Burns (conflagration excepted)	318	223	23	72	5	20	28	7	18	38	11	5	13	34	32	29	24	54
	Supplemental	29	12	2	15								5	2	7	7	2	5	1
182	Mechanical suffocation	41	16	9	16	29								1	4	1	4	1	1
	Supplemental	2	1		1								1			1			
183	Drowning	283	113	21	149		11	5	6	2	33	48	50	25	26	24	18	16	17
	Supplemental	37	16	2	19							2	5	7	4	11	4	3	1
	Traumatism:																		
184	By firearms (wounds of war excepted)	102	52	10	40	1					5	17	16	10	20	14	9	5	5
185	By cutting or piercing instruments (wounds of war excepted)	46	28	6	12		1				1	2	1	2	4	3	8	8	15
	Supplemental	13	4	3	6				1	1			1	3	1	1		2	3
186a	By fall	1,532	972	160	400	3	9	3	1	2	11	7	18	14	34	63	112	189	1,066
	Supplemental	142	89	18	35		2	1		1	5	7	9	14	22	14	29	18	20
186b	By crushing, landslide	33	19	2	12				2		1		3	2	2	2	15	3	3
	Supplemental	518	295	46	177	2	3	5	3	6	24	8	44	41	73	86	79	78	65
187	Cataclysm	2			2													1	1
188	Injuries by animals	25	9	2	14						1	4				3	5	3	9
189	Hunger and thirst	2	1	1														1	1
190	Excessive cold	17	10	2	5										1	3	6	3	4
191	Excessive heat	111	65	13	33	4	3					1	1	1	5	12	20	22	42
192	Lightning	18	3		15							2	3	3	4	3		2	1
193	Due to electric currents	36	12	4	20						1	6	2	1	10	8	6	1	1
	Supplemental	4	1		3										1	3			
194a	Foreign bodies	23	18	1	4	3	7			1		1			2	4	1	1	3
194b	Other accidents	274	149	26	99	8	4	2	1	6	15	17	13	8	22	33	37	31	77
	Supplemental	1,847	1,230	147	470	6	4	7	20	22	116	75	140	151	253	238	250	246	317
195	Violent deaths of unknown nature	4	3		1												1	2	1
198	Legal executions	11	11										1	5	4	1			
	XVIII.—Ill-defined causes of death	303	173	20	110	54	8	1		3	1	3		3	17	31	44	51	87
199	Sudden death	51	32	1	18	7									2	4	5	10	23
200a	Cause of death ill-defined	158	99	12	47	13	6	1		2	1	1		2	10	14	29	30	49
200b	Cause of death not specified or unknown	94	42	7	45	34	2			1		2		1	5	13	10	11	15

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
OHIO—Continued																			
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries	66	24	9	33								3	4	14	13	13	16	3
202	Accidents from agricultural machinery	12	4	1	7				1	2	2	1		1	1		1	1	3
203	Elevator accidents	13	12	1									1		2	3	3	1	3
205	Other machinery accidents	58	40	2	16	1				1		1	3	5	2	14	9	18	4
206	Railroad and automobile collisions	150	66	19	65		1		1		3	2	20	13	24	16	26	32	12
207	Other railroad accidents	269	148	31	90		1	1	1		2	8	24	21	37	53	56	26	38
208	Street car and automobile collisions	49	38	2	9					1		2	8	6	10	8	6	3	5
209	Other street car accidents	36	29		7				1		1		1	1		5	6	12	9
210	Automobile accidents (primary)	1,829	1,231	140	458	7	6	12	18	24	134	68	133	152	257	235	238	230	313
211	Motorcycle accidents	12	9	2	1									5	5	1		1	
212	Other land transportation accidents	61	29	9	23		1	1	2	1	3	8	5	2	4	3	5	10	16
213	Water transportation accidents	28	13	2	13							2	4	7	2	8	2	2	1
214	Air transportation accidents	10	5		5								3	1	4	2			
OKLAHOMA																			
	Total deaths (all causes) White	17,511	5,471	4,398	7,642	2,131	418	191	180	122	394	327	476	579	1,162	1,315	1,630	2,270	6,305
	Total deaths (all causes) Colored	2,798	1,027	624	1,147	335	102	42	21	15	45	53	137	157	328	346	364	316	530
	I.—Infectious and parasitic diseases White	2,657	626	720	1,311	295	149	94	88	54	151	76	112	137	315	260	221	201	504
	I.—Infectious and parasitic diseases Colored	760	230	169	361	59	40	17	10	4	18	27	64	84	122	116	85	52	62
1	Typhoid fever W	187	41	46	100	2	3	3	3	1	14	16	36	37	39	10	7	9	7
	Typhoid fever C	58	17	9	32	5	1	2			8	6	8	8	6	5	6	1	2
5	Undulant fever W	2	1	1														1	1
6	Smallpox W	1		1		1													
7	Measles W	59	20	19	20	9	16	10	7	2	5	2	2	1	1	2	1	1	
	Measles C	9	2	1	6	2	4		1	1	1								
8	Scarlet fever W	23	7	6	10	1	1	3	3	1	11	1		1	1				
9	Whooping-cough W	72	19	12	41	43	16	5	4	2	2								
	Whooping-cough C	10	1	3	6	7	3												
10	Diphtheria W	247	36	75	136	18	35	38	43	28	61	13	3	2	6				
	Diphtheria C	14	5	4	5	1	3	4	2	1	2		1						
11a	Influenza, respiratory complications specified W	418	100	101	217	57	20	12	8	2	16	12	13	15	33	33	34	32	131
	Influenza, respiratory complications specified C	76	29	11	36	6	6	1	4	1	1		3	3	7	15	7	7	15
11b	Influenza, respiratory complications not specified W	345	74	76	195	53	10	6	4	6	4	7	2	7	12	12	22	23	177
	Influenza, respiratory complications not specified C	66	13	14	39	7	5	5	1			2	1	2	5	3	7	9	19
13	Dysentery W	116	27	26	63	41	29	5	2	2	1			1	2		2	6	25
	Dysentery C	25	8	1	16	11	9	1					1						3
15	Erysipelas W	41	13	11	17	13	1				2		1	1	2	4	5	5	7
	Erysipelas C	3	2	1		2											1		
16	Acute poliomyelitis, acute polioencephalitis W	23	7	4	12	4	1		6	1	3	3			3	1		1	
	Acute poliomyelitis, acute polioencephalitis C	5	2	1	2	2				1					1		1		
17	Lethargic or epidemic encephalitis W	15	3	3	9						1	1	2		4	2	3		2
	Lethargic or epidemic encephalitis C	1		1											1				
18	Epidemic cerebrospinal meningitis W	48	19	14	15	10	1	4	2	2	7	6	7	1		2	3		3
	Epidemic cerebrospinal meningitis C	5		5							2	3							
20	Anthrax (bacillus anthracis) malignant pustule W	1			1									1					
21	Rabies W	7	3	1	3				1		4	1			1				
	Rabies C	1	1						1										
22	Tetanus W	20	9	9	2		1	2		1	1	2	2		4	1	4	1	1
	Tetanus C	2		1	1								1		1				
	Tuberculosis (all forms) W	811	185	260	366	14	4	3	2	3	5	5	37	63	173	163	116	104	119
	Tuberculosis (all forms) C	399	120	97	182	4	3	3	1		2	11	47	66	88	77	51	26	20
23	Respiratory system W	754	166	249	339	5		1		2	1	4	36	62	166	158	109	97	113
	Respiratory system C	371	107	95	169	2	1	2			1	10	41	64	81	76	48	26	19
24	Meninges and central nervous system W	22	9	5	8	7	3	2	2	1	2		1		2			1	1
	Meninges and central nervous system C	9	8		1		2	1			1		2		3				
25	Intestines and peritoneum W	20	7	2	11						1	1		1	3	3	4	3	4
	Intestines and peritoneum C	7	1	1	5	2							2		3				
26	Vertebral column W	1		1											1				
27a	Bones (vertebral column excepted) W	4		2	2		1									1	2		
	Bones (vertebral column excepted) C	2			2										1		1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	2	1		1	1												1	
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	3	1		2							1		1					1
31	Other organs W	3			3												1	2	
32a	Acute disseminated tuberculosis W	4	2		2	1					1				1				1
	Acute disseminated tuberculosis C	7	3	1	3				1				2	1		1	2		
32b, c	Other disseminated tuberculosis W	1		1												1			
34	Syphilis W	84	42	19	23	21	3	1		1			2		10	18	14	9	5
	Syphilis C	51	25	11	15	8	3							3	7	13	10	7	
35	Gonococcus infection, other venereal diseases W	14	8	3	3								2		10	2			
	Gonococcus infection, other venereal diseases C	3	1	2								1	1		1				
36	Purulent infection, septicemia (nonpuerperal) W	11	4	4	3	1					1	2			2		2		3
	Purulent infection, septicemia (nonpuerperal) C	2	1		1											1			1
38	Malaria W	105	6	28	71	5	7	2	3	2	12	5	3	7	11	9	8	9	22
	Malaria C	29	3	7	19	3	3	1			2	4	1	2	5	2	2	2	2
41b	Hydatid cysts of other organs W	1			1										1				
43	Mycoses W	2			2											1			1
	Mycoses C	1			1	1													
44	Other infectious and parasitic diseases W	4	2	1	1	2	1				1								

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																		
	II.—Cancers and other tumors White	1,507	545	330	632	3		1	2	5	6	10	16	17	59	153	268	344	621
	II.—Cancers and other tumors Colored	108	35	26	47						1	2	1	1	9	15	29	20	30
	Cancer and other malignant tumors W	1,409	487	304	618	2		1	1	3	2	7	11	13	49	123	251	333	611
	Cancer and other malignant tumors C	96	25	24	47							2	1	1	6	10	27	20	29
(45)	Buccal cavity W	37	11	9	17												9	11	17
(45)	Buccal cavity C	3		2	1													2	1
(45)	Pharynx W	15	4	4	7							1		1			1	4	8
(46)	Esophagus W	6	5		1											1	1	3	1
(46)	Stomach and duodenum W	295	78	66	151								2	2	2	18	41	68	162
(46)	Stomach and duodenum C	20	4	4	12									1			5	5	9
(46)	Liver and biliary passages W	180	51	42	87	1						1		1	1	14	39	45	78
(46)	Liver and biliary passages C	9		2	7												1	3	5
(46)	Pancreas W	33	17	9	7										1	3	7	9	13
(46)	Other digestive tract and peritoneum W	171	72	39	60			1		2			3	2	7	11	28	48	69
(46)	Other digestive tract and peritoneum C	4	1		3											1		1	2
47	Respiratory system W	50	24	10	16							2		1	6	5	8	11	17
47	Respiratory system C	2	2									1				1			
48	Uterus W	174	68	40	66									1	13	33	41	41	45
48	Uterus C	24	4	8	12										3	4	12	1	4
49	Other female genital organs W	17	9	5	3										3	1	5	2	6
50	Breast W	111	47	18	46									2	2	15	31	28	33
50	Breast C	9	4	2	3										1	2	1	2	3
51	Male genitourinary organs W	109	37	23	49								1	1	9	4	11	21	62
51	Male genitourinary organs C	7	2	1	4												2	2	3
52	Skin W	77	14	15	48										1	6	5	11	53
52	Skin C	6	2	2	2								1			1	2	1	1
53	Other or unspecified organs W	134	50	24	60	1			1	1	2	3	5	2	4	12	24	31	47
53	Other or unspecified organs C	12	6	3	3							1			2	1	4	3	1
54a	Nonmalignant tumors, ovary W	2	2															1	1
54b	Nonmalignant tumors, uterus W	26	13	9	3									1	1	15	4	2	2
54b	Nonmalignant tumors, uterus C	7	7												2	4	1		
54d, e	Nonmalignant tumors, other organs W	15	13	1	1						1	2	1	1	2	3	1	3	1
55a	Tumors, ovary (nature unspecified) C	1	1												1				
55d, e	Tumors, other organs (nature unspecified) W	56	30	16	10	1			1	2	3	1	4	2	7	12	12	5	6
55d, e	Tumors, other organs (nature unspecified) C	4	2	2							1					1	1		1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases White	442	141	98	203	25	4	1	3		5	10	13	8	27	30	57	81	178
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Colored	74	30	22	22	3	1	1				2	1		9	9	15	19	14
56	Acute rheumatic fever W	34	7	9	18				1			3	8		2	2	4	6	8
56	Acute rheumatic fever C	7	1	2	4											1		3	3
57	Chronic rheumatism, osteoarthritis W	18	6	4	8						1				2	2	1	4	8
57	Chronic rheumatism, osteoarthritis C	3		1	2											1	2		
59	Diabetes mellitus W	227	77	52	98			1			3	7	4	5	10	9	23	51	114
59	Diabetes mellitus C	35	17	9	9			1				2			4	4	6	11	7
62	Pellagra W	91	18	20	53	1							1	2	4	13	18	16	36
62	Pellagra C	18	9	5	4								1		5	2	3	3	4
63	Rickets W	7	1	4	2	5	2												
65	Diseases of pituitary body W	1	1														1		
66a	Simple goiter W	4	3		1										1		1		2
66b	Exophthalmic goiter W	21	13	4	4										5	3	7	3	3
66b	Exophthalmic goiter C	5	3	1	1											1	4		
(66)	Other diseases of thyroid and parathyroid glands W	3		1	2	1	1								1				
67	Diseases of thymus gland W	17	9	1	7	17													
67	Diseases of thymus gland C	1		1		1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous) W	3	2	1										1			1		1
69	Other general diseases W	16	4	2	10	1	1		2		1				2	1	1	1	6
69	Other general diseases C	5		3	2	2	1											2	
	IV.—Diseases of the blood and blood-making organs White	139	61	24	54	13	1	1	2	2	3	2	4	3	9	13	23	27	36
	IV.—Diseases of the blood and blood-making organs Colored	9	3	3	3	1	1					1		1	2			1	2
70	Hemorrhagic conditions W	22	9	7	6	10	1		1	1	1			1	1		3	1	2
70	Hemorrhagic conditions C	1		1											1				
71a	Pernicious anemia W	49	19	8	22	1		1	1	1		1		2	1	2	6	10	23
71a	Pernicious anemia C	1			1														1
71b	Other anemias W	11	1	2	8										1	1		4	5
71b	Other anemias C	4	3	1		1	1					1			1				
72a	True leukemias W	31	20	4	7	2					1	1	3		2	5	8	6	3
72a	True leukemias C	1			1													1	
72b	Pseudoleukemias (Hodgkin's disease) W	18	9	1	8						1				3	2	5	4	3
72b	Pseudoleukemias (Hodgkin's disease) C	2		1	1									1					1
73	Diseases of spleen W	5	1	2	2								1			2		2	
74	Other diseases of blood and blood-making organs W	3	2		1										1	1	1		
	V.—Chronic poisonings and intoxications White	27	16	6	5									1	4	10	3	6	3
	V.—Chronic poisonings and intoxications Colored	8	1	4	3								1		1	3	1	2	
75	Alcoholism (acute or chronic) W	25	16	4	5									1	4	10	3	4	3
75	Alcoholism (acute or chronic) C	8	1	4	3								1		1	3	1	2	
76	Chronic poisoning by other organic substances W	1		1														1	
77a	Chronic lead poisoning W	1		1														1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense White	1,848	499	548	801	33	18	6	7	4	18	18	21	24	43	97	205	353	1,000
	VI.—Diseases of the nervous system and of the organs of special sense Colored	238	93	67	78	9	1	1			3	2	3	4	10	23	52	50	80
78	Encephalitis (nonepidemic) W	41	21	15	5	3	6		1	1	2	3	1		4	6	8	3	3
	Encephalitis (nonepidemic) C	2	2								1						1		
79a	Simple meningitis W	41	13	12	16	7	4	4	2		4	4	3	2	2	4	3		2
	Simple meningitis C	4	3		1	1						1							1
79b	Nonepidemic cerebrospinal meningitis W	7	1	1	5	1	1		1			2		2					
	Nonepidemic cerebrospinal meningitis C	1	1				1												
80	Progressive locomotor ataxia (tabes dorsalis) W	11	4	3	4												1	8	2
	Progressive locomotor ataxia (tabes dorsalis) C	1		1													1		
81	Other diseases of spinal cord W	40	14	6	20				1				3	1	2	5	8	5	15
	Other diseases of spinal cord C	6	4		2									1	1		1	2	1
82a	Cerebral hemorrhage W	1,239	350	365	524	2	1		1	1			4	3	2	40	140	279	765
	Cerebral hemorrhage C	138	62	29	47										2	11	37	36	52
82b	Cerebral embolism and thrombosis W	26	13	4	9						1			3	3		5	6	8
	Cerebral embolism and thrombosis C	1	1												1				
82c	Softening of brain W	10	3	1	6											1			9
82d	Hemiplegia and other paralysis, cause unspecified W	199	23	46	130	1			1				1		4	2	9	27	154
	Hemiplegia and other paralysis, cause unspecified C	37	12	8	17	1							1		1		4	6	24
83	General paralysis of insane W	54	2	41	11									1	6	17	16	6	8
	General paralysis of insane C	18		16	2										3	6	7	1	1
84	Dementia praecox and other psychoses W	27	2	14	11									1	4	7	2	5	8
	Dementia praecox and other psychoses C	3	1	2									1			2			
85	Epilepsy W	42	11	13	18	1					2	3	7	8	9	5	3		4
	Epilepsy C	8	2	4	2						2	1	1	3		1			
86	Convulsions (under 5 years of age) W	10	1	2	7	9	1												
	Convulsions (under 5 years of age) C	4	1	2	1	4													
87	Other diseases of nervous system W	55	15	17	23	2					1	1	1	2	4	6	6	12	20
	Other diseases of nervous system C	9	2	3	4											3		5	1
88	Diseases of organs of vision W	3	1		2		1										1		1
89a	Diseases of ear W	31	19	5	7	5	3	1		2	7	4			3	2	2	2	
	Diseases of ear C	5	2	2	1	3		1							1				
89b	Diseases of mastoid process W	12	6	3	3	2	1	1			1	1	1	1		2	1		1
	Diseases of mastoid process C	1			1												1		
	VII.—Diseases of the circulatory system White	2,809	972	725	1,112	12	4	2	4	6	16	18	22	23	65	150	255	535	1,695
	VII.—Diseases of the circulatory system Colored	340	152	64	124	2		1	2		3	2	4	3	20	47	76	69	111
90	Pericarditis W	18	6	4	8					1	1		1		3		3	3	6
91a	Acute endocarditis W	20	15	4	1						2	1	2	2	2	4		1	6
	Acute endocarditis C	3		1	2				1		1								1
91b	Endocarditis, unspecified (under 45 years) W	16	4	3	9	1					1	2	2	3	3	4			
	Endocarditis, unspecified (under 45 years) C	2	1	1											2				
92a	Endocarditis, specified as chronic, and other valvular diseases W	456	116	103	237	4		1	2	3	6	8	7	5	19	29	39	71	262
	Endocarditis, specified as chronic, and other valvular diseases C	76	38	10	28	2					2	1	1		4	11	21	16	18
92b	Endocarditis, unspecified (45 years and over) W	82	29	24	29												10	14	58
	Endocarditis, unspecified (45 years and over) C	10	1	4	5												3	2	5
93a	Acute myocarditis W	32	15	8	9		1		1						3	2	6	7	12
	Acute myocarditis C	4	3		1										1		1	1	1
93b	Myocarditis, unspecified (under 45 years) W	28	14	6	8	1					1	1		4	5	16			
	Myocarditis, unspecified (under 45 years) C	7	6		1									1	2	4			
93c	Chronic myocarditis and myocardial degeneration W	341	119	119	103						1				5	12	22	61	240
	Chronic myocarditis and myocardial degeneration C	39	17	5	17							1	2		2	6	5	8	15
93d	Other diseases of myocardium W	456	174	121	161											3	43	91	319
	Other diseases of myocardium C	36	16	9	11											1	10	7	18
94a	Angina pectoris W	212	64	56	92									1	5	14	19	49	124
	Angina pectoris C	22	11	2	9									1	2	5	4	6	4
94b	Diseases of coronary arteries W	260	137	46	77		1				1		2	2	8	25	35	63	122
	Diseases of coronary arteries C	8	6		2											3	2	2	1
95a	Functional diseases of heart W	36	11	12	13											1	2	4	27
	Functional diseases of heart C	6	2	4													1	2	3
95b	Other and unspecified diseases of heart W	560	189	121	250	5	1			2	1	6	6	4	9	32	57	121	316
	Other and unspecified diseases of heart C	91	35	15	41				1				1	1	6	11	21	21	29
96	Aneurysm (except of heart) W	14	4	5	5											3	2	3	6
	Aneurysm (except of heart) C	5	4		1											1	3	1	
97	Arteriosclerosis (coronary arteries excepted) W	207	52	73	82											4	6	35	161
	Arteriosclerosis (coronary arteries excepted) C	24	10	10	4											5	4	3	12
98	Gangrene W	11	5	2	4				1		1							1	8
	Gangrene C	3		2	1			1											2
99	Other diseases of the arteries W	20	8	6	6								1		1	1	4	4	9
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	6	3	1	2										1		1	1	3
101	Diseases of lymphatic system (lymphangitis, etc.) W	4	1	1	2	1	1				1							1	
102	Idiopathic anomalies of blood-pressure W	23	6	8	9								1				5	5	12
	Idiopathic anomalies of blood-pressure C	2	1		1												1		1
103	Other diseases of circulatory system W	7		2	5			1							1		1		4
	Other diseases of circulatory system C	2	1	1											1				1
	VIII.—Diseases of the respiratory system White	1,661	457	422	782	341	71	28	25	14	36	31	41	51	87	97	111	163	565
	VIII.—Diseases of the respiratory system Colored	277	108	56	113	73	23	7	4	5	5	6	12	6	17	26	22	23	47
104a	Diseases of nasal fossae W	4		1	3	3									1				
104b	Diseases of nasal fossae and annexa W	15	8	4	3	1		1				1	3	3	1	1	1		3
	Diseases of nasal fossae and annexa C	1	1															1	
105	Diseases of larynx W	4	1	1	2	1	2				1								
	Diseases of larynx C	1			1	1													
106a	Acute bronchitis W	5	2	2	1	3							1				1		
	Acute bronchitis C	1		1		1													
106b	Chronic bronchitis W	21	7	4	10											1	1	3	16
	Chronic bronchitis C	2	1		1														2
106c, d	Bronchitis, unspecified W	13	4	4	5	2							1					2	8
	Bronchitis, unspecified C	3	2	1								1			2				
107a	Bronchopneumonia W	655	173	183	299	245	43	12	9	5	17	11	11	10	14	28	22	44	184
	Bronchopneumonia C	94	36	23	35	38	14	2	3	2	2	1	1		4	5	5	5	12

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	VIII.—Diseases of the respiratory system—Continued.																			
107b	Capillary bronchitis	W	3			3	2	1												
108	Lobar pneumonia	W	611	162	150	299	51	13	14	10	7	11	14	22	33	59	53	59	91	174
		C	121	50	24	47	19	4	2		2	2	3	7	5	7	17	14	13	25
109	Pneumonia, unspecified	W	187	47	43	97	27	9	1	3	1	4	2	2	3	7	10	7	12	99
		C	41	13	6	22	14	5	1	1		1	1	4	1	2	3	1	3	4
110	Pleurisy	W	25	12	3	10	2	2		1	1		2	1	1	2	1	3	1	8
		C	4	1	1	2			1		1							1		1
111a	Pulmonary embolism and thrombosis	W	7	4		3	1					1			1	1		1	1	1
		C	1	1													1			
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	51	17	12	22	1					1					1	3		45
		C	1			1														1
112	Asthma	W	42	11	10	21		1		2						1		9	7	22
		C	3	1		2			1									1		1
113	Pulmonary emphysema	W	2		2		1													1
114	Other diseases of respiratory system (tuberculosis excepted)	W	16	9	3	4	1					1	1			1	2	4	2	4
		C	4	2		2										2			1	1
	IX.—Diseases of the digestive system	White	1,566	620	397	549	293	108	31	23	16	63	73	69	72	123	113	163	149	269
		Colored	271	114	64	93	63	24	8	1		7	6	7	16	35	24	31	17	32
115a	Diseases of pharynx, tonsils	W	84	26	24	34	6	2	5	5	3	6	10	3	12	16	4	6	3	3
		C	7	4	2	1						2			2	1	1	1		
115b	Diseases of buccal cavity and annexa	W	30	8	9	13	2				1				1	3	1	10	7	5
		C	6	4		2			1				1			2		2		
116	Diseases of esophagus	W	1			1		1												
117a	Ulcer of stomach	W	65	23	18	24						1		2	2	3	13	9	15	20
		C	7	3	1	3									2	1		1	2	1
117b	Ulcer of duodenum	W	18	6	10	2								1		2	1	8	3	3
118	Other diseases of stomach (cancer excepted)	W	106	30	17	59	16	4	3		1	5	2		1	4	2	19	8	41
		C	42	18	12	12	5	1	1	1		1		2	2	3	4	12	4	6
119	Diarrhea, enteritis (under 2 years of age)	W	338	125	64	149	243	95												
		C	77	24	25	28	54	23												
120	Diarrhea, enteritis (2 years and over)	W	104	27	32	45			12	11	3	9	1	1	2		6	11	7	41
		C	23	9	5	9			6			1	2		1	2	2	2	1	6
121	Appendicitis	W	363	190	109	64			7	3	4	30	53	54	37	60	44	36	26	9
		C	40	29	5	6						3	2	3	7	10	7	3	4	1
122a	Hernia	W	42	16	15	11	2					1	1			2	3	6	7	20
		C	3	1	1	1												1		2
122b	Intestinal obstruction	W	148	59	40	49	17	2	3	2	3	8	3	3	10	21	15	17	15	29
		C	26	10	4	12	4						1	2	1	9	3	2		4
123	Other diseases of intestines	W	19	9	5	5	3									1	1	3	4	7
		C	5	2	1	2										1		2		2
124	Cirrhosis of liver	W	90	31	19	40							1			3	4	19	15	48
		C	17	7	3	7										4	4	3	2	4
125a	Yellow atrophy of liver	W	8	2	3	3					1				2	1	3		1	
125b	Other diseases of liver	W	27	11	5	11	2	3	1	1			1	1	1		4	2	5	5
		C	2		1	1											1		1	
126	Biliary calculi	W	33	18	6	9										2	3	4	10	14
		C	6	1	1	4										1		1	2	2
127	Other diseases of gall-bladder, biliary passages	W	64	28	15	21	1								1	1	3	6	10	20	22
		C	5	1	1	3													1		4
128	Diseases of pancreas	W	5	4	1												1	2	2	
		C	1			1										1				
129	Peritonitis, cause not specified	W	21	7	5	9	1	1		1		3	1	3	3	2	2	1	1	2
		C	4	1	2	1									1		2		1	
	X.—Diseases of the genitourinary system	White	1,171	396	280	495	8	4	2	5		11	8	21	27	52	67	105	194	667
		Colored	163	80	20	63	1				2	1		2	1	16	18	24	36	61
130	Acute nephritis (including unspecified under 10 years)	W	84	22	21	41	4	3	1	3		6	4	8	6	3	6	9	6	25
		C	15	5	4	6					2					2	2	3	2	4
131	Chronic nephritis	W	500	182	115	203				1		4		3	6	20	26	45	92	303
		C	59	25	5	29						1				4	7	8	14	25
132	Nephritis, unspecified (10 years and over)	W	389	98	101	190							2	2	3	7	23	33	69	250
		C	57	26	7	24								2	1	2	4	10	15	22
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	55	24	14	17	4	1	1	1			1	1	2	4	3	11	9	17
		C	5	4		1	1											1	1	2
134	Calculi of urinary passages	W	7	3	1	3								1			1	2		3
		C	4	3		1										1	2		1	
135	Diseases of bladder (tumors excepted)	W	11	1	2	8												1	1	9
		C	3	2	1													1		2
136	Diseases of urethra, urinary abscess, etc	W	4	3		1											1	1	1	1
		C	4	3	1											2			2	
137	Diseases of prostate	W	69	35	10	24													14	55
		C	9	5	2	2											1	1	1	6
138	Diseases of male genital organs, not specified as venereal	W	2	2								1							1	
139a	Cysts of ovary	W	7	5	1	1								1	1	3	1			1
		C	2	2												2				
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	34	19	11	4								5	9	12	4	1	1	2
		C	4	4												3	1			
139c	Diseases of uterus	W	9	2	4	3							1			3	2	2		1
		C	1	1													1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	243	81	61	101								41	57	94	48	3		
		Colored	41	13	8	20								13	6	16	5	1		
140	Abortion with septic conditions	W	57	24	15	18								12	17	23	5			
		C	7	2	2	3									1	5		1		
141	Abortion without mention of septic conditions (includes hemorrhages)	W	16	3	3	10								1	11	4				
		C	2	1		1								1		1				
142a	Ectopic gestation, septic conditions specified	W	1			1										1				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued.

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued.																		
142b	Ectopic gestation, septic conditions not mentioned W	9	2	4	3								2	6	1				
143	Other accidents of pregnancy (hemorrhage not included) W	4	2	1	1								2	1		1			
	C	1			1									1					
144a	Placenta praevia W	4	1	2	1									1	3				
144b	Other puerperal hemorrhages W	10	1	2	7								1		4	4	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) W	58	21	12	25								14	16	15	11	2		
	C	12	3	4	5								4	2	6				
146	Puerperal albuminuria and eclampsia W	38	9	10	19								6	8	11	13			
	C	8	3		5								5	1	1	1			
147	Other toxemias of pregnancy W	12	6	5	1								1	3	4	4			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) W	9	4	1	4									2	5	2			
	C	1			1									1					
149	Other accidents of childbirth W	25	8	6	11								5	6	12	2			
	C	10	4	2	4								3		4	3			
	XII.—Diseases of the skin and cellular tissue White	35	15	10	10	3	1	1		1		2	3	3	6		6	5	4
	Colored	5	3	1	1	1						1	1					1	1
151	Furuncle, carbuncle W	10	4	2	4							1	1	1			3	2	2
	C	1		1															1
152	Phlegmon, acute abscess W	14	6	4	4	1	1	1					1	2	4		3	1	
	C	3	3			1						1	1						
153	Other diseases of skin and annexa, and of cellular tissue W	11	5	4	2	2				1		1	1		2			2	2
	C	1			1													1	
	XIII.—Diseases of the bones and organs of locomotion White	23	11	7	5		1	1		1	6	7	1	1		1	2		2
	Colored	1	1																1
154	Osteomyelitis W	18	9	6	3		1			1	5	6	1	1		1	1		1
155	Other diseases of bones (tuberculosis excepted) W	1			1							1							
	C	1	1																1
156	Diseases of joints, other organs of locomotion W	4	2	1	1			1			1						1		1
	XIV.—Congenital malformations White	180	56	31	93	167	5	1	2	1	1	2	1						
	Colored	10	1	2	7	10													
157a	Congenital hydrocephalus W	17	7	3	7	14	2					1							
	C	2			2	2													
157b	Spina bifida and meningocele W	15	9	3	3	14	1												
157c	Congenital malformations of heart W	102	23	18	61	95	2	1		1	1	1	1						
	C	5		2	3	5													
157d	Other congenital malformations W	46	17	7	22	44			2										
	C	3	1		2	3													
	XV.—Diseases of early infancy White	799	216	169	414	799													
	Colored	84	18	27	39	84													
158	Congenital debility W	80	18	18	44	80													
	C	16	1	5	10	16													
159	Premature birth W	555	140	123	292	555													
	C	44	12	13	19	44													
160	Injury at birth W	107	46	17	44	107													
	C	12	2	6	4	12													
161	Other diseases peculiar to early infancy W	57	12	11	34	57													
	C	12	3	3	6	12													
162	**XVI.—Senility** White	399	78	110	211													3	396
	Colored	43	10	4	29														43
	XVII.—Violent and accidental deaths White	1,718	616	414	688	43	45	22	16	18	72	69	109	154	275	271	179	165	275
	Colored	282	118	75	89	3	8	4	4	3	7	4	28	34	71	52	21	19	21
	Suicide W	234	79	52	103							2	13	14	35	54	43	36	37
	C	7	2	2	3								1		3	2		1	
163	By solid or liquid poisons or by absorption of corrosive substances W	69	25	16	28							1	6	2	13	20	8	7	12
	C	4	1	1	2								1		2	1			
164	By poisonous gas W	7	3	2	2								1				2	3	1
165	By hanging or strangulation W	13	3	4	6							1		1	3	2	3	2	1
166	By drowning W	3	1	1	1												2		1
	C	1			1													1	
167	By firearms W	130	38	27	65								6	11	18	29	26	21	19
	C	2	1	1											1	1			
168	By cutting or piercing instruments W	8	5	2	1											2	1	2	3
169	By jumping from high places W	4	4												1	1	1	1	
	Homicide W	193	63	51	79	1		2		2	3	4	7	22	52	43	27	18	12
	C	115	54	30	31								9	18	41	29	9	5	1
173	By firearms W	142	44	38	60			1		1		3	5	20	36	33	22	16	5
	C	76	36	19	21								5	12	26	20	6	3	1
174	By cutting or piercing instruments W	17	6	6	5								2		7	5	1	2	
	C	24	15	6	3								2	4	11	4	2	1	
175	By other means W	34	13	7	14	1		1		1	3	1		2	9	5	4		7
	C	15	3	5	7								2	2	4	5	1	1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined	W 1,291	474	311	506	42	45	20	16	16	69	63	89	118	188	174	109	111	226
		C 160	62	43	55	3	8	4	4	3	7	4	18	16	27	21	12	13	20
176	Attack by venomous animals	W 3		1	2						1						1	1	
177	Poisoning by food	W 19	5	8	6	4	1	2			1	1	1	1		2	2		4
		C 8	6		2	1		1	1					1	1	2	1		
178	Absorption of poisonous gas	W 12	7	1	4						1	1	2			4	3		1
	Supplemental	W 3	1		2											1	1		1
179	Other acute accidental poisonings (gas excepted)	W 35	12	10	13	2	8	3	1	1			3	3	4	2	3	3	2
		C 6	2		4		1					1	1			2		1	
180	Conflagration	W 25	3	10	12	3	1	1	3		2	3		1	2	5		1	3
		C 10	7	2	1		1	1					2		1	1	1	1	2
181	Burns (conflagration excepted)	W 92	46	22	24	3	6	4	4	5	12	4	1	4	12	16	1	6	14
		C 13	3	6	4		2		1		1	1	3		1	1		1	2
	Supplemental	W 6	4	1	1						1				1	2	1		1
182	Mechanical suffocation	W 24	7	3	14	15		1				3	1			3			1
		C 4	1	3		1	1		1	1									
183	Drowning	W 65	8	13	44	4	11			1	8	7	9	6	10	2	3		4
		C 8		3	5		2							3	1			2	
	Supplemental	W 20	3	5	12					1		1	3	6	2	3	1	2	1
		C 3	1		2										1	1			1
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 84	18	24	42			1		1	7	11	9	12	18	12	7	2	4
		C 12	3	3	6						1			1	4	1	3		2
185	By cutting or piercing instruments (wounds of war excepted)	W 14	7	4	3	1			1		1	1	1	2	1	2		2	2
		C 3		1	2										1		1	1	
	Supplemental	W 2	1		1										1	1			
186a	By fall	W 131	58	23	50	1	5	1			2	2	6	3	10	8	3	12	78
		C 8	4	2	2		1				1				1	1			4
	Supplemental	W 47	16	12	19							1	2	7	7	9	7	7	6
		C 8	3	3	2					1			2	1	1			1	2
186b	By crushing, landslide	W 5		1	4			1							1	1	1	1	
	Supplemental	W 49	21	12	16		1	1		1	3		7	4	10	8	5	4	4
		C 6	6									1	2	1	1	1			
187	Cataclysm	W 11	5	3	3						1			3	2			2	3
188	Injuries by animals	W 12	3	3	6				1		1			1	4			2	3
190	Excessive cold	W 5	1	3	1								1				1		3
		C 2	1	1									1						1
191	Excessive heat	W 26	8	10	8	1						1	1		1	3	5	3	11
		C 4	2		2												1	1	2
192	Lightning	W 7		3	4					1		1		1	3			1	
		C 1			1											1			
193	Due to electric currents	W 15	7	1	7							1	2	4	5	3			
		C 1	1									1	1						
	Supplemental	W 1		1											1				
194a	Foreign bodies	W 22	4	7	11	4	9	2		1	1			1			2	1	1
		C 1	1					1											
194b	Other accidents	W 56	15	13	28	2	2		2		4	1	5	5	4	7	9	7	8
		C 10	4	2	4	1					1	1	3	1		1	1	1	
	Supplemental	W 490	204	117	169	2	1	3	4	4	23	24	34	53	33	79	52	54	71
		C 48	13	17	18			1	1	1	3		3	7	14	6	4	4	4
198	Legal executions	W 10	10										1	1	6	1	1		
		C 4	4											1		3			
	XVIII.—Ill-defined causes of death	White 287	65	46	176	96	7		3		6	1	2	1	3	5	29	44	90
		Colored 84	17	12	55	26	4	3		1				1		8	7	7	25
199	Sudden death	W 12	3	1	8	1					1					1	1	2	6
		C 5	2	3													1	2	1
200a	Cause of death ill-defined	W 149	47	21	81	8	6		1		3	1	2		3	2	24	32	67
		C 35	11	4	20		2	1		1						4	3	6	18
200b	Cause of death not specified or unknown	W 126	15	24	87	87	1		2		2					2	4	10	17
		C 44	4	5	35	26	2	2						1		3	2		6
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	W 8	3	2	3										2	3	2		1
202	Accidents from agricultural machinery	W 3		1	2												1		2
203	Elevator accidents	W 3	2	1									1			1		1	
205	Other machinery accidents	W 13	11	2											6	5	1		1
		C 1	1												1				
206	Railroad and automobile collisions	W 20	9	6	5						1		2	2	5	3	1	4	2
		C 3	2		1								1		2				
207	Other railroad accidents	W 58	28	13	17						1		6	5	11	13	4	5	11
		C 14	7	4	3							1	2	3	1	3	3		1
208	Street car and automobile collisions	C 1		1															1
209	Other street car accidents	W 1	1														1		
210	Automobile accidents (primary)	W 445	185	102	158	2	2	4	4	5	24	24	31	51	70	69	53	49	54
		C 40	12	13	15			1	1	1	3		4	6	12	4	1	4	3
211	Motorcycle accidents	W 3	1	1	1									2	1				
212	Other land transportation accidents	W 35	6	10	19						1	1		3	2	5	4	7	12
		C 5		2	3					1					1	1		1	1
213	Water transportation accidents	W 14	2	5	7					1		1	3	4	1	2		1	1
		C 1	1																1
214	Air transportation accidents	W 15	2	5	8								3	3	7	2			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON																		
	Total deaths (all causes)	10,450	4,943	1,823	3,684	493	60	36	28	36	106	91	167	215	432	730	1,212	1,723	5,110
	I.—Infectious and parasitic diseases	761	312	138	311	33	14	8	7	11	19	21	36	45	95	105	117	84	166
1	Typhoid fever	18	5	7	6							1	2	2	4	5	4		
5	Undulant fever	1	1													1			
7	Measles	10	2	2	6	3	2	1		2	1					1			
8	Scarlet fever	27	4	10	13	1	2	1	1		8	4	3		3	3	1		
9	Whooping-cough	10	1	5	4	8	1		1										
10	Diphtheria	9	2	3	4		2		1	2	1		1	1			1		
11a	Influenza, respiratory complications specified	132	58	19	55	7	3		1	3	1		7	3	12	18	13	10	54
11b	Influenza, respiratory complications not specified	71	13	18	40	4				2	3	3	3	5	5	1	10	6	29
13	Dysentery	2	1		1	1							1						
15	Erysipelas	10	2	2	6	1							1		2		2	2	2
16	Acute poliomyelitis, acute polioencephalitis	10	5	3	2				1	1	1	2		2	3				
17	Lethargic or epidemic encephalitis	9	6	3							1	1				4	2	1	
18	Epidemic cerebrospinal meningitis	6	4		2	3		1					1		1				
22	Tetanus	1		1								1							
	Tuberculosis (all forms)	351	146	54	151	2	3	5	2	1	3	9	16	31	62	63	58	44	52
23	Respiratory system	289	109	41	139		1	1			1	6	14	23	54	56	49	39	45
24	Meninges and central nervous system	18	9	7	2	1	2	3			1	2		3	2	1	2	1	
25	Intestines and peritoneum	11	9		2				1				1	2	1	1	2	2	1
26	Vertebral column	7	4		3						1	1				2	1	2	
27a	Bones (vertebral column excepted)	1		1											1				
27b	Joints	1		1															1
28	Skin and subcutaneous cellular tissue	1		1															1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2	2													1			1
30	Genitourinary system	9	6	2	1										3	1	4		1
31	Other organs	1	1																1
32a	Acute disseminated tuberculosis	10	6	1	3	1		1	1	1			1	3		1			1
32b, c	Other disseminated tuberculosis	1			1										1				
34	Syphilis	85	59	6	20	3	1						1	1	2	9	23	21	24
35	Gonococcus infection and other venereal diseases	1	1																1
43	Mycoses	2	2														1		1
44	Other infectious and parasitic diseases	6		5	1										1		2		3
	II.—Cancers and other tumors	1,321	695	219	407			4	1	1	4	2	3	5	32	93	220	309	646
	Cancer and other malignant tumors	1,265	656	213	396			4	1	1	2	1	2	3	27	82	206	300	635
(45)	Buccal cavity	44	17	8	19									1	1	2	3	8	29
(45)	Pharynx	5	4	1													3	1	1
(46)	Esophagus	19	12	2	5													12	7
(46)	Stomach and duodenum	289	129	53	107										4	12	41	60	172
(46)	Liver and biliary passages	91	49	20	22										1	5	14	16	55
(46)	Pancreas	44	26	6	12											3	9	12	20
(46)	Other digestive tract and peritoneum	183	103	25	55										4	15	24	49	91
47	Respiratory system	44	25	7	12			1			1				2	3	13	9	15
48	Uterus	123	65	30	28									1	4	17	31	33	37
49	Other female genital organs	32	24	2	6											4	7	12	8
50	Breast	111	64	19	28										3	8	26	40	34
51	Male genitourinary organs	123	67	16	40			1							1	3	6	17	95
52	Skin	32	8	7	17											1	4	4	23
53	Other or unspecified organs	125	63	17	45			2	1	1	1	1	2	1	7	9	25	27	48
54a	Nonmalignant tumors, ovary	1	1														1		
54b	Nonmalignant tumors, uterus	18	9	6	3									1	2	4	6	2	3
54d, e	Nonmalignant tumors, other organs	10	8		2						1		1		1	1		2	4
55a	Tumors, ovary (nature unspecified)	1	1															1	
55d, e	Tumors, other organs (nature unspecified)	26	20		6						1	1		1	2	6	7	4	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	327	170	58	99	9	2	1	1	1	3	4	2	8	9	14	42	97	133
56	Acute rheumatic fever	11	4	5	2						2	1		1	1	3		3	
57	Chronic rheumatism, osteoarthritis	10	5	3	2						1								9
59	Diabetes mellitus	222	108	43	71				1	1		2	1	4	4	5	26	73	104
62	Pellagra	2	2													1	1		
63	Rickets	1	1			1													
65	Diseases of pituitary body	1			1								1						
66a	Simple goiter	5	2	1	2	1										1		2	1
66b	Exophthalmic goiter	50	38	4	8							1		1	3	3	11	16	15
(66)	Other diseases of thyroid and parathyroid glands	5	2		3									1	1		1	1	1
67	Diseases of thymus gland	10	4	1	5	7	1	1						1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	7	2	1	4											1	2	2	2
69	Other general diseases	3	2		1		1										1		1
	IV.—Diseases of the blood and blood-making organs	96	64	12	20	10	1			1	2	2	2	1	7	15	12	21	22
70	Hemorrhagic conditions	6	2	3	1	5									1				
71a	Pernicious anemia	31	14	5	12						1					5	5	11	9
71b	Other anemias	4	3	1		2											1	1	
72a	True leukemias	42	34	3	5	3	1			1	1	1	2	1	4	9	4	8	7
72b	Pseudoleukemias (Hodgkin's disease)	11	9		2							1			2	1		1	6
73	Diseases of the spleen	2	2														2		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																	
	V.—Chronic poisonings and intoxications	30	16	5	9								1		3	7	13	5	1
75	Alcoholism (acute or chronic)	27	14	5	8								1		3	6	13	3	1
76	Chronic poisoning by other organic substances	2	1		1											1		1	
77b, c	Other chronic poisoning by mineral substances	1	1															1	
	VI.—Diseases of the nervous system and of the organs of special sense	1,252	527	238	487	10	7	2	1	3	10	6	14	8	18	46	130	209	786
78	Encephalitis (nonepidemic)	12	9	1	2					1	1				1	1	3	4	1
79a	Simple meningitis	10	6	1	3	2	1	1				1	2	1	1		1		
79b	Nonepidemic cerebrospinal meningitis	3	1		2	1						1		1					
80	Progressive locomotor ataxia (tabes dorsalis)	14	5	4	5											1	2	3	8
81	Other diseases of spinal cord	47	26	4	17		2					2	2		1	2	9	8	21
82a	Cerebral hemorrhage	912	328	199	385	2								1	3	16	71	157	660
82b	Cerebral embolism and thrombosis	53	31	9	13										2	4	7	6	34
82c	Softening of brain	13	6	1	6											1		2	10
82d	Hemiplegia and other paralysis, cause unspecified	25	11	2	12				1								2	2	20
83	General paralysis of insane	44	29	2	13								2		3	11	17	9	2
84	Dementia praecox and other psychoses	19	15	3	1								2	1	3	5	2	3	3
85	Epilepsy	30	15	2	13					2	1		6	2	3	1	6	3	6
86	Convulsions (under 5 years of age)	5		3	2	4	1												
87	Other diseases of nervous system	35	22	3	10	1	1				1			1		3	5	6	17
89a	Diseases of ear	22	16	3	3		2	1			5	2		1	1	1	3	2	4
89b	Diseases of mastoid process	8	7	1							2						2	4	
	VII.—Diseases of the circulatory system	2,860	1,350	466	1,044	2				1	6	5	21	6	40	94	290	519	1,872
90	Pericarditis	7	3	1	3	1									1		1	3	1
91a	Acute endocarditis	22	12	6	4						1	1	5	1	2	4	4	1	3
91b	Endocarditis, unspecified (under 45 years)	5	5										1		1	3			
92a	Endocarditis, specified as chronic, and other valvular diseases	539	195	120	224					1	3	2	9	4	15	19	67	91	327
92b	Endocarditis, unspecified (45 years and over)	20	7	3	10												1	2	17
93a	Acute myocarditis	21	11	4	6										1	2		3	15
93b	Myocarditis, unspecified (under 45 years)	7	5	1	1						1				2	4			
93c	Chronic myocarditis and myocardial degeneration	637	305	81	251										2	14	42	109	468
93d	Other diseases of myocardium	202	77	38	87								1		1		17	33	150
94a	Angina pectoris	192	79	41	72										3	4	28	49	108
94b	Diseases of coronary arteries	451	235	66	150										3	23	71	109	245
95a	Functional diseases of heart	8	4	2	2								1			1	1	1	4
95b	Other and unspecified diseases of heart	415	200	66	149	1						2	3	1	6	14	44	85	258
96	Aneurysm (except of heart)	37	22	4	11								1		2	4	6	6	18
97	Arteriosclerosis (coronary arteries excepted)	255	169	26	60												5	21	229
98	Gangrene	8	2	2	4														8
99	Other diseases of arteries	19	11	3	5										1	1	2	1	14
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	9	5	1	3											1	1	3	4
101	Diseases of lymphatic system (lymphangitis, etc.)	3	2		1						1							1	1
102	Idiopathic anomalies of blood-pressure	2	1		1													1	1
103	Other diseases of circulatory system	1		1															1
	VIII.—Diseases of the respiratory system	599	283	112	204	57	13	7	4	2	11	8	12	12	26	47	41	88	271
104b	Diseases of nasal fossae and annexa	5	2	1	2								1		1	1		1	1
105	Diseases of larynx	5	2	2	1	1		1		1	1	1							
106a	Acute bronchitis	8	3	2	3		1		1					1		1		1	3
106b	Chronic bronchitis	21	7	4	10										1		2	3	15
106c, d	Bronchitis, unspecified	7	4	2	1	2											1	1	3
107a	Bronchopneumonia	222	109	32	81	30	9	2	2	1	3	1	1	2	6	16	10	17	122
107b	Capillary bronchitis	1		1															1
108	Lobar pneumonia	228	116	49	63	15	3	4	1		6	4	6	8	12	19	19	49	82
109	Pneumonia, unspecified	28	7	5	16	7						1	1	1	2	1	2	1	12
110	Pleurisy	19	16	1	2	1					1	1	1		2	3	2	5	3
111a	Pulmonary embolism and thrombosis	4	1		3											1	1		2
111b	Pulmonary congestion, edema, hemorrhagic infarct	14	6	3	5												1	3	10
112	Asthma	15	5	4	6								1			2	2	3	7
113	Pulmonary emphysema	3	2		1													2	1
114	Other diseases of respiratory system (tuberculosis excepted)	19	3	6	10	1							1		2	3	1	2	9
	IX.—Diseases of the digestive system	572	311	137	124	22	9	5	7	4	20	9	9	19	40	63	94	92	178
115a	Diseases of pharynx and tonsils	34	14	10	10	2	1	1	1	2	1		2		7	1	6	1	9
115b	Diseases of buccal cavity and annexa	8	5	2	1									1	1	1	3		2
117a	Ulcer of stomach	48	27	8	13					1					4	7	8	9	19
117b	Ulcer of duodenum	19	14	1	4										1	3	7	5	3
118	Other diseases of stomach (cancer excepted)	22	10	4	8	2	1				1				2	4	2	3	7
119	Diarrhea, enteritis (under 2 years of age)	16	3	5	8	11	5												
120	Diarrhea, enteritis (2 years and over)	17	12	2	3				3		1				1	3	3	1	5
121	Appendicitis	128	58	49	21		1	3	1	1	12	8	5	14	11	21	19	15	17

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
122a	Hernia	39	29	5	5				1							4	3	8	23
122b	Intestinal obstruction	66	36	18	12	5	1				2	1	1	1	5	5	16	15	14
123	Other diseases of intestines	13	8		5	1											2	3	7
124	Cirrhosis of liver	60	32	11	17			1							2	4	11	10	32
125a	Yellow atrophy of liver	5	3	1	1						1				1	1	1		1
125b	Other diseases of liver	3	2	1										1				1	1
126	Biliary calculi	30	21	5	4										3	2	4	8	13
127	Other diseases of gall-bladder, biliary passages	40	23	9	8										1	4	7	7	20
128	Diseases of pancreas	9	5	2	2										1	2	1	3	2
129	Peritonitis, cause not specified	15	9	4	2	1			1		2		1	2		1	1	3	3
	X.—Diseases of the genitourinary system	1,019	521	147	351	2			1		3	2	5	13	20	49	73	171	679
130	Acute nephritis (including unspecified under 10 years)	20	6	8	6				1		3			1	2	3	3	1	6
131	Chronic nephritis	798	394	108	296							1	3	5	11	28	55	152	542
132	Nephritis, unspecified (10 years and over)	45	22	6	17							1		2	3	5	2	5	27
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	16	9	3	4								1		2	3	1		9
134	Calculi of urinary passages	17	11	1	5										2	4	3	3	5
136	Diseases of urethra, urinary abscess, etc.	1	1																1
137	Diseases of prostate	98	59	16	23											1	3	8	86
138	Diseases of male genital organs, not specified as venereal	2	1	1		2													
139a	Cysts of ovary	8	6	2										1		1	4	2	
139b	Other diseases of ovaries, diseases of tubes and parametrium	10	8	2									1	4		1	2		2
139c	Diseases of uterus	4	4													3			1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	67	33	16	18								6	15	20	25	1		
140	Abortion with septic conditions	12	3	6	3								1	5	1	4	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	2	2										1			1			
142a	Ectopic gestation, septic conditions specified	3	2	1										1	2				
142b	Ectopic gestation, septic conditions not mentioned	2			2									1		1			
143	Other accidents of pregnancy (hemorrhage not included)	1	1													1			
144a	Placenta praevia	2	2													2			
144b	Other puerperal hemorrhages	3	2	1											1	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	13	8	3	2									3	5	5			
146	Puerperal albuminuria and eclampsia	16	7	2	7								2	1	7	6			
147	Other toxemias of pregnancy	1			1											1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	2	1	1								1	1	2				
149	Other accidents of childbirth	6	2	2	2								1	2	2	1			
150	Other and unspecified conditions of puerperal state	2	2											1		1			
	XII.—Diseases of the skin and cellular tissue	19	3	9	7	4	1		1			1	1		2	2	1	2	4
151	Furuncle, carbuncle	7	2	4	1	1							1		1	1		2	1
152	Phlegmon, acute abscess	3	1	1	1										1		1		1
153	Other diseases of skin and annexa, and of cellular tissue	9		4	5	3	1		1			1				1			2
	XIII.—Diseases of the bones and organs of locomotion	11	7	2	2							2	2			1	2	1	3
154	Osteomyelitis	6	4	1	1							2	1				2	1	
155	Other diseases of bones (tuberculosis excepted)	2	1	1															2
156	Diseases of joints, other organs of locomotion	3	2		1								1			1			1
	XIV.—Congenital malformations	70	34	11	25	57	4			2	1	2	1	3					
157a	Congenital hydrocephalus	6	3		3	3					1	1	1						
157b	Spina bifida and meningocele	3	2		1	3													
157c	Congenital malformations of heart	41	17	7	17	33	3			1		1		3					
157d	Other congenital malformations	20	12	4	4	18	1			1									
	XV.—Diseases of early infancy	268	134	50	84	268													
158	Congenital debility	16	5		11	16													
159	Premature birth	156	77	32	47	156													
160	Injury at birth	61	31	12	18	61													
161	Other diseases peculiar to early infancy	35	21	6	8	35													
162	**XVI.—Senility**	72	22	14	36													4	68

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	XVII.—Violent and accidental deaths	1,068	452	182	434	15	8	9	5	9	27	27	51	80	118	166	174	115	264
	Suicide	238	120	39	79							1	3	9	18	41	60	46	60
163	By solid or liquid poisons or by absorption of corrosive substances	33	21	4	8							1		1	4	5	15	4	3
164	By poisonous gas	29	26	1	2										1	9	7	6	6
165	By hanging or strangulation	29	12	4	13									1	1	2	4	10	11
166	By drowning	22	13	3	6										2	3	6	6	5
167	By firearms	95	33	23	39								3	6	7	17	20	14	28
168	By cutting or piercing instruments	15	7	2	6										2	2	2	4	5
169	By jumping from high places	11	7	1	3									1		3	3	2	2
170	By crushing	4	1	1	2										1		3		
	Homicide	44	17	5	22	3			1			1		3	4	13	9	8	2
173	By firearms	24	9	3	12							1		2	3	10	4	4	
174	By cutting or piercing instruments	4	1		3	1										1	2		
175	By other means	16	7	2	7	2			1					1	1	2	3	4	2
	Accidental, other, or undefined	786	315	138	333	12	8	9	4	9	27	25	48	68	96	112	105	61	202
177	Poisoning by food	5	1		4				1						1			1	2
178	Absorption of poisonous gas	12	6	1	5										2	3	4	1	2
179	Other acute accidental poisonings (gas excepted)	12	6	3	3										1	3	6	1	1
180	Conflagration	11	3	3	5	1			1		1			3	1	1			3
181	Burns (conflagration excepted)	23	11	3	9		1	2	1	2	6		2		3	1	1	2	2
	Supplemental	6	2		4	1										2	2	1	
182	Mechanical suffocation	11	4		7	6	1								3				1
183	Drowning	63	12	8	43	1	2	1		1	5	5	14	8	9	7	5	4	1
	Supplemental	25	2		23	1		1			3	1	3	2	4	8	1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	38	7	10	21						1	3	5	8	6	7	4	2	2
185	By cutting or piercing instruments (wounds of war excepted)	5	3	1	1						1					1		3	
	Supplemental	5	3	2							1				1		1	1	1
186a	By fall	155	84	20	51		2				1	3	3	3	6	10	12	10	105
	Supplemental	30	10	6	14		1		1	1		3	1	2	4	2	10	2	3
186b	By crushing, landslide	22	2	3	17						1	1	2	4	7	4	2	1	
	Supplemental	84	20	26	38	1		4		1	1	1	6	11	14	16	10	8	11
188	Injuries by animals	9	1	4	4		1							1		1	1	2	3
190	Excessive cold	2			2													1	1
191	Excessive heat	3	1		2										1	1			1
192	Lightning	1			1											1			
193	Due to electric currents	6		2	4										2	3	1		
194a	Foreign bodies	1	1											1					
194b	Other accidents	52	23	13	16			1				5	1	5	7	8	12	1	12
	Supplemental	205	113	33	59	1				4	6	3	11	20	24	33	33	19	51
	XVIII.—Ill-defined causes of death	38	9	7	22	4	1			1			1		2	3	2	6	17
199	Sudden death	2			2														2
200a	Cause of death ill-defined	15	5	3	7		1						1			1	1	2	9
200b	Cause of death not specified or unknown	21	4	4	13	4				1					2	2	1	4	6
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	3	1	1	1										1	1		1	
202	Accidents from agricultural machinery	1	1								1								
203	Elevator accidents	3	3										1				1		1
205	Other machinery accidents	21	9	8	4								1	1	5	5	4	4	1
206	Railroad and automobile collisions	16	4	4	8								2	1		4	3	1	5
207	Other railroad accidents	19	7	6	6			3			1		1	3	1	2	5	2	1
208	Street car and automobile collisions	1	1												1				
209	Other street car accidents	3	3											1				1	1
210	Automobile accidents (primary)	249	111	46	92	4	1	2	1	5	9	7	12	24	33	36	40	20	55
211	Motorcycle accidents	1		1											1				
212	Other land transportation accidents	13	3		10					1		1	1	1	1	3	2	1	2
213	Water transportation accidents	16	3		13								3	3	2	6	1	1	
214	Air transportation accidents	9	4	1	4									1	2	4	1	1	
	PENNSYLVANIA																		
	Total deaths (all causes)	106,109	61,117	12,892	32,100	8,391	1,116	623	475	382	1,557	1,186	1,781	2,384	5,804	8,652	13,289	18,371	42,554
	I.—Infectious and parasitic diseases	9,952	5,237	1,078	3,637	718	293	178	142	113	381	215	450	721	1,346	1,502	1,342	1,115	1,434
1	Typhoid fever	124	59	24	41		1	1	2	2	11	10	14	21	15	23	13	7	4
2	Paratyphoid fever	5	4		1						1		1		1	1			1
5	Undulant fever	3	2	1												1		2	
7	Measles	124	73	12	39	27	43	11	13	7	14	3	4	1		1			
8	Scarlet fever	279	148	36	95	15	18	24	29	17	83	27	14	12	18	11	8	2	1
9	Whooping-cough	200	85	23	92	121	44	20	5	5	5								
10	Diphtheria	230	112	43	75	6	18	28	23	24	84	14	2	3	3	10	12	1	2
11a	Influenza, respiratory complications specified	1,711	781	268	662	201	68	27	17	13	37	15	24	45	107	182	218	237	520
11b	Influenza, respiratory complications not specified	810	288	114	408	88	30	17	20	9	29	21	25	17	38	64	69	84	299
13	Dysentery	46	18	6	22	7	2	6	1	1					1	6	5	3	14
15	Erysipelas	172	86	17	69	57	3		1	2		1	3	3	2	8	15	31	46
16	Acute poliomyelitis, acute polioencephalitis	53	24	3	26	1	3	4	3	1	12	7	13	4	4			1	
17	Lethargic or epidemic encephalitis	79	55	6	18		2			2	3	5	5	9	19	12	10	9	3
18	Epidemic cerebrospinal meningitis	118	86	8	24	24	6	4	5	1	19	15	17	6	8	7	2	4	
20	Anthrax (bacillus anthracis) malignant pustule	1	1										1						

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
22	Tetanus	77	57	5	15	4		1	4	4	11	13	5	4	2	6	14	5	4
	Tuberculosis (all forms)	5,088	2,768	447	1,873	62	45	30	18	19	63	79	311	561	1,020	1,010	815	586	467
23	Respiratory system	4,612	2,457	393	1,762	37	17	9	6	6	30	49	282	530	944	958	771	546	425
24	Meninges and central nervous system	183	135	17	31	21	27	17	9	9	21	16	15	9	13	13	8	4	1
25	Intestines and peritoneum	135	83	15	37	1	1	2	3	2	6	7	7	13	33	20	10	13	17
26	Vertebral column	60	35	7	18	1		1		2	3	3	2	4	11	7	9	12	5
27a	Bones (vertebral column excepted)	8	6		2								2			1	1	1	3
27b	Joints	20	11	3	6						1	1	2		3	2	3	3	5
28	Skin and subcutaneous cellular tissue	7	6		1	1									1	1		1	3
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	10	7	1	2			1				1			2		2	1	3
30	Genitourinary system	37	19	7	11								1	4	10	8	8	3	3
31	Other organs	7	3	2	2									1			2	2	2
32a	Acute disseminated tuberculosis	7	5	2		1					2				3		1		
32b, c	Other disseminated tuberculosis	2	1		1							2							
34	Syphilis	661	466	44	151	91	7			2	6	2	5	16	69	127	144	132	60
35	Gonococcus infection and other venereal diseases	86	68	11	7	1						1	3	16	30	23	10	1	1
36	Purulent infection, septicemia (non-puerperal)	40	29	5	6	2		2			2	1	1	2	5	8	3	5	2
38	Malaria	4	4												2				9
39	Other diseases due to protozoal parasites	4	1	2	1										1	1		2	
41a	Hydatid cysts of liver	1			1													1	
41b	Hydatid cysts of other organs	1		1									1						
42	Other diseases caused by helminths	1			1				1										
43	Mycoses	10	7	1	2	1								1	1	1	3	2	1
44	Other infectious and parasitic diseases	24	15	1	8	10	3	3		4	1	1	1				1		
	II.—Cancers and other tumors	11,135	6,854	1,362	2,919	13	5	7	14	8	41	33	46	63	263	981	2,013	2,816	4,827
	Cancer and other malignant tumors	10,735	6,561	1,319	2,855	9	3	4	8	6	31	28	36	51	221	874	1,906	2,769	4,874
(45)	Buccal cavity	348	216	39	93						1	1		1	1	16	54	99	174
(45)	Pharynx	68	35	14	19										1	3	12	23	29
(46)	Esophagus	220	171	19	30										1	6	41	73	99
(46)	Stomach and duodenum	2,284	1,259	299	726								2	2	22	148	342	582	1,186
(46)	Liver and biliary passages	913	496	107	310				1		1	1		6	9	45	132	247	417
(46)	Pancreas	297	191	39	67									2	4	17	51	103	120
(46)	Other digestive tract and peritoneum	1,738	1,127	206	405	2				2	4	3	6	6	39	113	282	421	859
47	Respiratory system	395	286	49	60				1		3	2	5	6	10	36	98	132	101
48	Uterus	1,254	751	165	338									1	53	218	305	320	356
49	Other female genital organs	243	174	28	41							1	2	3	11	32	63	68	63
50	Breast	1,032	656	125	251					1		1		1	21	122	256	289	341
51	Male genitourinary organs	836	516	97	223	1		1	2	2	2			3	11	27	88	188	510
52	Skin	199	96	20	83	2								1	2	7	18	26	143
53	Other or unspecified organs	908	587	112	209	4	3	3	4	1	20	19	21	19	36	84	164	198	332
54a	Nonmalignant tumors, ovary	8	7	1											2	2	2		2
54b	Nonmalignant tumors, uterus	176	134	20	22								1	2	13	66	61	18	15
54d, e	Nonmalignant tumors, other organs	157	108	20	29	3	2	2	4	2	7	2	8	9	21	27	34	22	14
55a	Tumors, ovary (nature unspecified)	1	1																1
55d, e	Tumors, other organs (nature unspecified)	58	43	2	13	1		1	2		3	3	1	1	6	12	10	7	11
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	3,532	2,124	490	918	155	11	9	5	6	54	69	59	63	100	209	449	925	1,416
56	Acute rheumatic fever	267	170	31	66		1	2	4	3	38	52	27	27	30	29	16	20	18
57	Chronic rheumatism, osteoarthritis	137	60	21	56									1	1	2	18	22	93
59	Diabetes mellitus	2,589	1,555	372	662	2		3		1	10	14	20	20	39	109	348	793	1,229
60	Scurvy	3	1	1	1	3													
62	Pellagra	12	6	3	3			1							3	3		2	3
63	Rickets	20	9	3	8	16	2	1				1							
65	Diseases of pituitary body	4	3	1									1					2	1
66a	Simple goiter	23	11	4	8								1	1		6	4	2	9
66b	Exophthalmic goiter	274	187	35	52						2	1	8	13	20	48	57	72	53
(66)	Other diseases of thyroid and parathyroid glands	32	19	5	8	13	2		1		1	1	1		4	5	1	2	
67	Diseases of thymus gland	129	77	11	41	119	4	1		2	2		1						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	23	17	1	5									1	3	4	3	6	6
69	Other general diseases	19	9	2	8	2	2	1			1					3	2	4	4
	IV.—Diseases of the blood and blood-making organs	789	453	122	214	56	16	7	11	8	23	22	29	31	54	63	111	142	216
70	Hemorrhagic conditions	81	46	16	19	37	5	1	2		2	5	2	3	6	3	4	4	7
71a	Pernicious anemia	297	139	48	110	3	1		1		2	2	4	4	11	15	35	73	146
71b	Other anemias	43	30	3	10	12	4	2		1	1		3		2		3	4	12
72a	True leukemias	230	153	33	44	3	6	4	7	5	11	9	14	14	16	31	41	39	30
72b	Pseudoleukemias (Hodgkin's disease)	93	54	13	26				1		6	4	2	8	12	10	17	18	15
73	Diseases of the spleen	39	27	7	5	1				2	1	1	5	2	6	4	10	2	5
74	Other diseases of blood and blood-making organs	6	4	2								1			1		1	2	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	V.—Chronic poisonings and intoxications	275	164	34	77								1	3	41	78	84	42	26
75	Alcoholism (acute or chronic)	265	156	33	76								1	3	41	77	79	39	25
76	Chronic poisoning by other organic substances	2	2													1	1		
77a	Chronic lead poisoning	5	4		1												3	2	
77b,c	Other chronic poisoning by mineral substances	3	2	1													1	1	1
	VI.—Diseases of the nervous system and of the organs of special sense	10,471	5,394	1,228	3,849	180	60	38	29	22	101	79	82	90	237	581	1,197	1,992	5,779
78	Encephalitis (nonepidemic)	106	69	9	28	5	4	5	2	2	4	6	1	5	12	21	15	11	13
79a	Simple meningitis	179	136	22	21	37	12	8	7	5	23	13	5	11	16	13	17	9	3
79b	Nonepidemic cerebrospinal meningitis	14	11		3	2	3	1			1		1	1		1	2		2
80	Progressive locomotor ataxia (tabes dorsalis)	102	53	12	37										1	8	18	37	38
81	Other diseases of spinal cord	264	156	38	70	2	1	3	2		5	9	7	8	13	22	36	61	93
82a	Cerebral hemorrhage	7,620	3,754	933	2,933	13	5	4	1	1	1	6	7	9	59	265	797	1,525	4,926
82b	Cerebral embolism and thrombosis	633	425	77	131		1	2		2	4	2	4	12	12	25	82	131	355
82c	Softening of brain	44	23	2	19										2		3	7	32
82d	Hemiplegia and other paralysis, cause unspecified	167	73	19	75	2	1	2	1	1	2	2	1		1	4	6	15	129
83	General paralysis of insane	392	167	4	221							2	1	6	37	113	124	80	29
84	Dementia praecox and other psychoses	75	28	7	40								2	3	9	16	15	17	13
85	Epilepsy	207	81	21	105	3	1		2		6	11	21	22	34	35	30	20	22
86	Convulsions (under 5 years of age)	68	23	10	35	57	8	1	2										
87	Other diseases of nervous system	252	131	33	88	6	3		1	3	10	4	4	5	12	23	28	43	110
88	Diseases of organs of vision	7	5	2		1				1		1						2	2
89a	Diseases of ear	181	128	25	28	34	10	5	7	5	19	11	15	4	15	18	10	21	7
89b	Diseases of mastoid process	160	131	14	15	18	11	7	4	2	26	12	13	4	14	17	14	13	5
	VII.—Diseases of the circulatory system	28,394	16,075	3,325	8,994	40	21	11	6	13	125	174	201	241	610	1,422	3,192	5,652	16,674
90	Pericarditis	173	148	5	20	1		2			1	5	1	8	16	23	45	37	34
91a	Acute endocarditis	323	226	37	60		6		3	2	20	19	36	35	47	46	34	33	42
91b	Endocarditis, unspecified (under 45 years)	35	18	5	12	3	1	1		2	1	3	4	3	6	11			
92a	Endocarditis, specified as chronic, and other valvular diseases	4,993	2,550	579	1,864	5	1	4	1	4	62	102	105	98	225	341	552	850	2,639
92b	Endocarditis, unspecified (45 years and over)	209	83	31	95												37	37	135
93a	Acute myocarditis	653	396	89	168	8	2				9	8	4	10	24	77	115	148	246
93b	Myocarditis, unspecified (under 45 years)	84	53	8	23	1	1	1	1	1	4	1	2	7	18	47			
93c	Chronic myocarditis and myocardial degeneration	10,861	6,585	1,103	3,173	4	1	3			12	8	18	36	123	384	1,069	2,161	7,038
93d	Other diseases of myocardium	2,321	1,307	295	719						1		1	1	5	6	279	482	1,545
94a	Angina pectoris	1,526	737	235	554								1	3	14	87	224	438	759
94b	Diseases of coronary arteries	2,121	1,387	280	454	2				1		2	3	8	36	178	350	596	945
95a	Functional diseases of heart	72	43	7	22		1								5	8	4	15	39
95b	Other and unspecified diseases of heart	2,825	1,441	379	1,005	8	5		1	1	14	24	23	29	74	171	344	602	1,528
96	Aneurysm (except of heart)	156	112	16	28							1			6	23	49	34	43
97	Arteriosclerosis (coronary arteries excepted)	1,739	820	208	711										1	3	49	162	1,524
98	Gangrene	71	30	4	37	3						1		1	3	2	2	7	52
99	Other diseases of the arteries	124	76	22	26								1	1	2	11	22	18	69
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	63	33	14	16	1							1		3	4	14	21	19
101	Diseases of lymphatic system (lymphangitis, etc.)	17	9	5	3	4	3			1			1	1				5	2
102	Idiopathic anomalies of blood-pressure	15	13		2						1				1		3	5	5
103	Other diseases of circulatory system	13	8	3	2					1					1			1	10
	VIII.—Diseases of the respiratory system	8,560	5,153	994	2,413	1,351	378	146	88	59	173	94	134	161	492	838	1,128	1,141	2,376
104a	Diseases of nasal fossae	6	3	1	2	1						1						1	3
104b	Diseases of nasal fossae and annexa	56	40	6	10		1	2			2	7	6	7	7	7	6	8	3
105	Diseases of larynx	42	26	6	10	8	6	4	2		3	1		1	2	3	4	4	4
106a	Acute bronchitis	125	64	17	44	39	6	5	1	1	4				3	6	6	8	46
106b	Chronic bronchitis	172	83	27	62	2	1			1		1		1	6	11	29	27	93
106c,d	Bronchitis, unspecified	68	28	9	31	17	6	1	1						1	2	1	3	36
107a	Bronchopneumonia	2,843	1,645	324	874	885	203	59	34	25	51	26	31	32	65	142	199	277	813
107b	Capillary bronchitis	28	17	1	10	10	5				1				1	1		1	9
108	Lobar pneumonia	4,389	2,750	509	1,130	344	125	62	40	26	94	50	85	97	353	568	744	672	1,129
109	Pneumonia, unspecified	95	49	11	35	15	4	3	1	2	3				8	8	8	9	34
110	Pleurisy	246	182	19	45	20	15	9	7	3	10	4	9	9	21	34	39	33	33
111a	Pulmonary embolism and thrombosis	47	30	4	13						1			2	2	3	9	9	21
111b	Pulmonary congestion, edema, hemorrhagic infarct	83	48	8	27	5	2		1						2	2	5	10	56
112	Asthma	155	82	20	53	1	2	1				2	2	4	8	19	32	34	50
113	Pulmonary emphysema	19	8	1	10											3	3	5	8
114	Other diseases of respiratory system (tuberculosis excepted)	186	98	31	57	4	2		1	1	4	2	1	8	13	29	43	40	38
	IX.—Diseases of the digestive system	6,741	4,373	886	1,482	884	180	104	61	50	167	149	160	170	408	765	989	1,107	1,537
115a	Diseases of pharynx and tonsils	308	193	46	69	8	7	8	7	14	33	15	19	17	43	37	28	31	40
115b	Diseases of buccal cavity and annexa	68	39	11	18	2	2	1	1	2	3	1		3	6	11	9	10	17
116	Diseases of esophagus	6	3		3									1			1	1	3
117a	Ulcer of stomach	383	263	53	67	1							1	5	31	61	92	93	98
117b	Ulcer of duodenum	202	154	17	31							1	4	5	24	41	45	44	38
118	Other diseases of stomach (cancer excepted)	182	74	27	81	19	4	7	1				3	2	7	16	25	27	65

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																	
	IX.—Diseases of the digestive system—Continued.																	
119	Diarrhea, enteritis (under 2 years of age)	892	419	105	368	749	143											
120	Diarrhea, enteritis (2 years and over)	355	193	33	129			60	22	13	19	10	8	6	16	19	29	34	119
121	Appendicitis	1,173	875	180	118	2	4	14	19	15	80	94	99	90	146	181	176	139	114
122a	Hernia	503	380	59	64	2					2		1		14	46	83	138	216
122b	Intestinal obstruction	563	386	74	103	78	10	10	7	1	13	12	9	8	20	71	73	89	161
123	Other diseases of intestines	94	63	14	17	3	1	2	2			2	1	2	9	19	13	14	26
124	Cirrhosis of liver	922	567	128	227	1	1				3	3	2	5	35	92	200	245	335
125a	Yellow atrophy of liver	40	28	5	7	1								3	4	11	5	6	10
125b	Other diseases of liver	90	51	11	28	7	4				1	2	2	2	8	17	13	13	21
126	Biliary calculi	385	278	49	58									1	12	62	86	110	114
127	Other diseases of gall-bladder, biliary passages	361	253	41	67	1	1					1	3	6	17	51	73	81	127
128	Diseases of pancreas	83	57	14	12					1				4	7	15	24	17	15
129	Peritonitis, cause not specified	131	97	19	15	10	3	2	2	4	13	8	8	10	9	15	14	15	18
	X.—Diseases of the genitourinary system	10,497	6,151	1,358	2,988	32	8	14	10	6	34	40	92	96	286	665	1,289	2,063	5,859
130	Acute nephritis (including unspecified under 10 years)	392	243	58	91	16	7	4	4	4	17	9	17	13	29	55	70	54	93
131	Chronic nephritis	8,659	4,943	1,105	2,611	1	1	4	3	2	11	28	56	56	173	459	1,036	1,767	5,059
132	Nephritis, unspecified (10 years and over)	281	154	37	90							3	2	4	10	31	53	56	122
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	215	140	30	45	9		6	3		4		5	3	18	29	37	36	65
134	Calculi of urinary passages	98	77	11	10								1		5	16	21	23	32
135	Diseases of bladder (tumors excepted)	38	19	5	14								1		2	2	6	6	21
136	Diseases of urethra, urinary abscess, etc.	19	19												1	6	2	4	6
137	Diseases of prostrate	549	367	80	102										2	3	21	87	436
138	Diseases of male genital organs, not specified as venereal	9	5		4	6					1		1				1		
139a	Cysts of ovary	62	41	12	9								1	2	15	13	9	10	12
139b	Other diseases of ovaries, diseases of tubes and parametrium	117	102	10	5						1		7	15	26	37	22	8	1
139c	Diseases of uterus	53	38	9	6								1	3	5	13	9	11	11
139d	Nonpuerperal diseases of breast (cancer excepted)	1		1													1		
139e	Other diseases of female genital organs	4	3		1											1	1	1	1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	916	621	126	169								79	150	401	278	8		
140	Abortion with septic conditions	152	118	20	14								14	36	62	40			
141	Abortion without mention of septic conditions (includes hemorrhages)	45	27	9	9								2	4	23	16			
142a	Ectopic gestation, septic conditions specified	12	9	2	1								1		3	8			
142b	Ectopic gestation, septic conditions not mentioned	45	35	4	6								3	6	23	13			
143	Other accidents of pregnancy (hemorrhage not included)	8	5	2	1										4	4			
144a	Placenta praevia	32	20	5	7								2	3	13	14			
144b	Other puerperal hemorrhages	60	40	8	12								1	12	22	24	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	205	143	26	36								29	37	93	45	1		
146	Puerperal albuminuria and eclampsia	141	88	21	32								15	26	57	38	5		
147	Other toxemias of pregnancy	36	26	8	2								2	6	15	13			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	59	35	6	18								2	10	24	22	1		
149	Other accidents of childbirth	119	74	14	31								8	10	61	40			
150	Other and unspecified conditions of puerperal state	2	1	1											1	1			
	XII.—Diseases of the skin and cellular tissue	177	120	15	42	32	5	1		1	3	7	6	12	18	16	16	22	38
151	Furuncle, carbuncle	52	32	6	14	2					2	1	3	2	5	9	4	12	12
152	Phlegmon, acute abscess	70	54	5	11	13	2	1		1	1	5	2	7	8	5	5	8	12
153	Other diseases of skin and annexa, and of cellular tissue	55	34	4	17	17	3					1	1	3	5	2	7	2	14
	XIII.—Diseases of the bones and organs of locomotion	124	91	15	18	3	1	2	1	4	18	14	11	2	15	8	12	13	20
154	Osteomyelitis	81	57	10	14	3		2		4	15	13	8	2	9	5	7	6	7
155	Other diseases of bones (tuberculosis excepted)	18	13	3	2		1		1		1		1		2	1	1	3	7
156	Diseases of joints, other organs of locomotion	25	21	2	2						2	1	2		4	2	4	4	6
	XIV.—Congenital malformations	1,176	630	156	390	1,060	43	15	10		22	10	6	2	2	5	1		
157a	Congenital hydrocephalus	138	81	19	38	108	14	3	3		5	2		1		1	1		
157b	Spina bifida and meningocele	127	70	11	46	120	2	1			2	2							
157c	Congenital malformations of heart	645	306	87	252	584	18	10	6		13	5	5	1	1	2			
157d	Other congenital malformations	266	173	39	54	248	9	1	1		2	1	1		1	2			
	XV.—Diseases of early infancy	3,680	2,053	477	1,150	3,680													
158	Congenital debility	178	61	26	91	178													
159	Premature birth	2,332	1,287	294	751	2,332													
160	Injury at birth	769	476	98	195	769													
161	Other diseases peculiar to early infancy	401	229	59	113	401													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
162	**XVI.—Senility**	278	95	49	134													4	274
	XVII.—Violent and accidental deaths	8,956	5,280	1,138	2,538	129	88	90	96	91	412	274	421	568	1,012	1,194	1,379	1,259	1,939
	Suicide	1,394	830	138	426							3	31	70	167	248	321	318	236
163	By solid or liquid poisons or by absorption of corrosive substances	158	114	14	30								8	26	31	26	25	26	16
164	By poisonous gas	207	173	15	19								1	5	20	31	57	54	39
165	By hanging or strangulation	332	158	36	138							2	1	9	23	61	73	86	77
166	By drowning	64	33	4	27									3	8	8	17	17	11
167	By firearms	471	250	56	165							1	15	25	64	88	107	106	65
168	By cutting or piercing instruments	62	36	6	20									2	5	10	19	12	14
169	By jumping from high places	68	55	4	9								4		15	12	16	11	10
170	By crushing	9	4	1	4								1			3	1	1	3
171	By other means	23	7	2	14								1		1	9	6	5	1
	Homicide	418	299	34	85	9		1	1		5	2	22	56	107	113	60	25	17
173	By firearms	227	160	18	49	1					4		14	34	52	66	38	14	4
174	By cutting or piercing instruments	72	58	3	11						1			14	28	16	7	2	4
175	By other means	119	81	13	25	8		1	1			2	8	8	27	31	15	9	9
	Accidental, other, or undefined	7,144	4,151	966	2,027	120	88	89	95	91	407	269	368	442	738	833	998	916	1,686
176	Attack by venomous animals	7	5	1	1	1	1					1				1	2	1	
177	Poisoning by food	30	17	2	11	3		1	1		3			2		2	5	7	1
178	Absorption of poisonous gas	178	138	18	22	1		1		1	1	1	4	12	17	36	34	41	29
	Supplemental	12	2		10									2	2	2	6		
179	Other acute accidental poisonings (gas excepted)	96	71	12	13	5	8	5	4	4	2	2	1	5	9	12	25	8	5
180	Conflagration	74	40	7	27	2	1	1	1	2	3	2	1	2	7	14	10	12	16
181	Burns (conflagration excepted)	410	296	43	71	15	33	31	33	20	47	16	9	9	24	42	35	29	67
	Supplemental	28	11	4	13								3	5	12	3	4		1
182	Mechanical suffocation	50	25	6	19	40	1						1			2	5	1	
	Supplemental	17	8	1	8									2	3	7	4	1	
183	Drowning	385	151	51	183		10	14	4	8	49	50	54	25	41	34	38	41	17
	Supplemental	70	29	5	36			1		1	8	7	9	4	14	17	6	1	1
	Traumatism:																		
184	By firearms (wounds of war excepted)	142	60	26	56	2				2	13	17	22	15	15	18	21	12	5
185	By cutting or piercing instruments (wounds of war excepted)	52	31	12	9	1			1	1	1	3	1	2	1	6	12	10	13
	Supplemental	7	5		2								1	1		1	4		
186a	By fall	1,706	1,077	219	410	13	12	7	6	3	22	20	23	22	55	93	174	250	1,006
	Supplemental	153	67	26	60		1			1	7	7	15	9	23	26	21	24	19
186b	By crushing, landslide	20	8	3	9						2	1	1		4	3	4	3	2
	Supplemental	304	133	41	130	2	2	3	4	2	10	10	22	31	47	54	61	36	20
188	Injuries by animals	33	13	5	15						1	1	2		3	2	6	9	9
189	Hunger and thirst	1			1													1	
190	Excessive cold	21	5	4	12			1	1						2	1	5	2	9
191	Excessive heat	140	95	14	31	9	2	1		1	1	1	2	1	7	12	33	27	43
192	Lightning	24	5	2	17						3	3	3	3	3	4	4		1
193	Due to electric currents	47	24	5	18		1			1	1	5	5	1	9	12	7	4	1
	Supplemental	16	7	1	8								2	3	2	4	4	1	
194a	Foreign bodies	39	26	6	7	10	4		1		3	1	1	2	2	5	3	4	3
194b	Other accidents	272	170	37	65	6	6	3	1	3	19	16	13	17	33	39	44	37	35
	Supplemental	2,807	1,632	415	760	10	6	20	38	41	211	105	171	268	400	378	420	354	384
198	Legal executions	3			3									1	1		1		
	XVIII.—Ill-defined causes of death	456	249	39	168	58	7	1	2	1	3	6	4	11	19	47	79	78	139
199	Sudden death	120	44	12	64	8	3								3	5	22	22	57
200a	Cause of death ill-defined	59	14	7	38	2	1		1	1		3			1	8	5	7	30
200b	Cause of death not specified or unknown	277	191	20	66	48	3	1	1		3	3	4	11	15	34	52	49	52
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	443	190	67	186								11	44	91	126	111	52	8
202	Accidents from agricultural machinery	19	7	2	10					1		1	2	1	3	3	3	2	3
203	Elevator accidents	18	18									1	1	1	1	5	4	2	3
204	Accidents from machinery used for recreation	2	2													1	1		
205	Other machinery accidents	66	32	14	20			2	1	1	2			6	8	18	18	9	1
206	Railroad and automobile collisions	54	17	13	24	2		1			2	2	5	11	5	11	8	4	3
207	Other railroad accidents	340	165	53	122		2	2			13	16	27	23	44	65	57	56	35
208	Street car and automobile collisions	35	30	1	4						1	1		7	8	7	5	6	
209	Other street car accidents	60	47	3	10		2		1		3	4	4	1	2	8	9	13	13
210	Automobile accidents (primary)	2,190	1,301	322	567	10	4	19	40	41	201	87	152	206	311	221	296	261	340
211	Motorcycle accidents	40	28	4	8					1			2	13	12	6	3	1	2
212	Other land transportation accidents	73	28	9	36		1				6	9	9	3	5	4	10	10	16
213	Water transportation accidents	61	24	4	33					1	8	7	10	4	8	15	5	1	1
214	Air transportation accidents	13	5	1	7							1		5	5	2			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND																		
	Total deaths (all causes)	7,895	6,915	357	623	575	72	43	31	22	87	66	90	149	338	494	905	1,544	3,476
	I.—Infectious and parasitic diseases	608	464	98	46	38	18	7	5	5	10	10	19	37	87	79	99	102	92
1	Typhoid fever	3	3										1		1			1	
5	Undulant fever	1	1														1		
8	Scarlet fever	9	8		1		2		2		1		1		1	1		1	
9	Whooping-cough	26	22		4	17	6	1			2								
10	Diphtheria	9	8		1		2	2	1	1		3							
11a	Influenza, respiratory complications specified	92	70	6	16	4					1	2	2	2	9	12	16	14	30
11b	Influenza, respiratory complications not specified	28	22	2	4	2	1			1			1		2	3	2	5	11
13	Dysentery	1	1			1													
15	Erysipelas	17	17			8	1								1		4	1	2
16	Acute poliomyelitis, acute polioencephalitis	1	1												1				
17	Lethargic or epidemic encephalitis	5	4		1											3		1	1
18	Epidemic cerebrospinal meningitis	3	3			1		1										1	
22	Tetanus	5	5								2	1	2						
	Tuberculosis (all forms)	353	246	89	18	1	6	3	1	3	3	4	12	35	69	55	64	65	32
23	Respiratory system	318	216	87	15	1	1	1			1	2	11	34	65	49	61	62	30
24	Meninges and central nervous system	10	8		2		4	2	1	1	1						1		
25	Intestines and peritoneum	9	7	1	1					1		1			1	3	1	1	1
26	Vertebral column	4	4								1					2		1	
27a	Bones (vertebral column excepted)	1		1													1		
27b	Joints	2	2									1							1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1							1									
30	Genitourinary system	4	4											1	2	1			
32a	Acute disseminated tuberculosis	4	4				1						1		1			1	
34	Syphilis	50	48	1	1	3									2	5	12	13	15
35	Gonococcus infection and other venereal diseases	2	2			1									1				
43	Mycoses	2	2						1										1
44	Other infectious and parasitic diseases	1	1								1								
	II.—Cancers and other tumors	1,004	906	30	68			2	1		3	1	4	5	23	64	171	275	455
	Cancer and other malignant tumors	962	867	30	65			1	1		1	1	3	5	16	54	164	266	450
(45)	Buccal cavity	23	22		1												2	5	16
(45)	Pharynx	9	9														2	2	5
(46)	Esophagus	13	13													2	1	3	7
(46)	Stomach and duodenum	187	167	8	12									1	2	6	33	48	97
(46)	Liver and biliary passages	67	61	1	5								1			2	6	22	36
(46)	Pancreas	36	33	3											1	2	5	9	19
(46)	Other digestive tract and peritoneum	181	163	7	11									1	1	7	32	59	81
47	Respiratory system	44	38	4	2											2	10	19	13
48	Uterus	94	83	2	9										3	13	22	23	33
49	Other female genital organs	21	18		3								1		2	3	5	2	8
50	Breast	101	88	3	10										2	10	24	28	37
51	Male genitourinary organs	83	78	1	4								1			3	7	23	49
52	Skin	19	14	1	4				1									3	15
53	Other or unspecified organs	84	80		4			1			1	1		3	5	4	15	20	34
54b	Nonmalignant tumors, uterus	16	16												2	6	4	2	2
54d, e	Nonmalignant tumors, other organs	10	10								2				2	2		3	1
55d, e	Tumors, other organs (nature unspecified)	16	13		3			1					1		3	2	3	4	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	292	266	9	17	11					2	3	1	2	6	9	30	76	152
56	Acute rheumatic fever	10	10								1	3			2			1	3
57	Chronic rheumatism, osteoarthritis	6	6											1				1	4
59	Diabetes mellitus	245	223	7	15						1		1	1	2	6	26	71	137
60	Scurvy	1		1		1													
62	Pellagra	3	2		1											1	1		1
63	Rickets	2	2			2													
66a	Simple goiter	1	1																1
66b	Exophthalmic goiter	8	6	1	1										2	1		2	3
(66)	Other diseases of thyroid and parathyroid glands	5	5			1											2		2
67	Diseases of thymus gland	6	6			6													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	2	2														1	1	
69	Other general diseases	3	3			1										1			1
	IV.—Diseases of the blood and blood-making organs	63	61	1	1	1				1	2	1	3	3	4	8	11	10	19
70	Hemorrhagic conditions	1	1																1
71a	Pernicious anemia	18	18													3	3	1	11
71b	Other anemias	4	3	1		1												1	2
72a	True leukemias	20	20							1	1	1	2		1	2	5	3	4
72b	Pseudoleukemias (Hodgkin's disease)	14	14								1		1	3	3	3	1	2	
73	Diseases of the spleen	5	4		1												2	2	1
74	Other diseases of blood and blood-making organs	1	1															1	

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	V.—Chronic poisonings and intoxications	32	31	1			2								5	10	8	6	1
75	Alcoholism (acute or chronic)	29	28	1											5	9	8	6	1
77a	Chronic lead poisoning	3	3				2									1			
	VI.—Diseases of the nervous system and of the organs of special sense	815	717	29	69	11	7	6	2	1	2	10	8	12	17	40	80	167	452
78	Encephalitis (nonepidemic)	3	3			1					1				1				
79a	Simple meningitis	14	14			4	3		1			1	1	1				3	
79b	Nonepidemic cerebrospinal meningitis	2	2										1	1					
80	Progressive locomotor ataxia (tabes dorsalis)	7	6	1												2		2	3
81	Other diseases of spinal cord	20	15	2	3							2		2	1	1	4	3	7
82a	Cerebral hemorrhage	604	530	20	54	1						2		2	6	20	62	135	376
82b	Cerebral embolism and thrombosis	64	56	3	5		1	2				1	1		2		1	15	41
82c	Softening of brain	5	5															2	3
82d	Hemiplegia and other paralysis, cause unspecified	8	7		1														8
83	General paralysis of insane	22	22												2	7	6	2	5
84	Dementia praecox and other psychoses	5	4		1										1	1	2		1
85	Epilepsy	10	8	1	1								2	2	1	3			2
86	Convulsions (under 5 years of age)	6	2	1	3	3	1	2											
87	Other diseases of nervous system	15	14	1										1	1	3	2	3	5
88	Diseases of organs of vision	1	1															1	
89a	Diseases of ear	24	23		1	2	2	2	1	1	1	2	3	1	2	3	2	1	1
89b	Diseases of mastoid process	5	5									2		2			1		
	VII.—Diseases of the circulatory system	2,145	1,864	84	197	1				2	8	8	9	13	38	78	219	459	1,308
90	Pericarditis	5	4	1		1													4
91a	Acute endocarditis	18	16		2					1	2		1	2	2	1	3	3	3
91b	Endocarditis, unspecified (under 45 years)	2	2												1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	361	316	13	32					1	4	7	5	8	18	28	37	71	182
92b	Endocarditis, unspecified (45 years and over)	21	18	2	1												3	8	10
93a	Acute myocarditis	29	22	3	4										2	3	5	7	12
93b	Myocarditis, unspecified (under 45 years)	8	8												2	6			
93c	Chronic myocarditis and myocardial degeneration	796	715	31	50								1		4	14	62	141	573
93d	Other diseases of myocardium	102	95	3	4											1	12	26	63
94a	Angina pectoris	148	113	8	27											3	23	34	87
94b	Diseases of coronary arteries	212	184	11	17									1	2	8	35	70	96
95a	Functional diseases of heart	3	2		1											1		1	1
95b	Other and unspecified diseases of heart	293	245	5	43						1	1	2	2	7	8	30	81	161
96	Aneurysm (except of heart)	11	11								1					3	4	1	2
97	Arteriosclerosis (coronary arteries excepted)	117	96	7	14											1	2	7	107
98	Gangrene	3	3															1	2
99	Other diseases of arteries	9	8		1													5	4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	6	5		1												3	3	
103	Other diseases of circulatory system	1	1																1
	VIII.—Diseases of the respiratory system	594	519	24	51	69	27	13	5	2	14	11	7	9	31	58	72	70	205
105	Diseases of larynx	2	2			1										1			
106a	Acute bronchitis	12	12			4	1	2	1		1								3
106b	Chronic bronchitis	6	6														1		5
106c,d	Bronchitis, unspecified	1	1			1													
107a	Bronchopneumonia	184	154	5	25	42	10	9	1	1	8	5	1	2	6	5	6	18	70
107b	Capillary bronchitis	2	2																2
108	Lobar pneumonia	351	311	16	24	20	15	2	3	1	5	4	5	5	23	47	62	46	112
109	Pneumonia, unspecified	4	2	1	1												1	1	2
110	Pleurisy	10	9		1		1					2	1		1	2		1	2
111a	Pulmonary embolism and thrombosis	9	9												1	2		1	5
111b	Pulmonary congestion, edema, hemorrhagic infarct	1	1			1													
112	Asthma	9	8	1										1		1	2	2	3
113	Pulmonary emphysema	1	1																1
114	Other diseases of respiratory system (tuberculosis excepted)	2	1	1										1				1	
	IX.—Diseases of the digestive system	475	442	10	23	35	8	6	9	2	11	11	11	18	30	50	64	110	110
115a	Diseases of pharynx and tonsils	25	20	1	4	2	1		2	1	1	2	2	1	3	4	2	2	2
115b	Diseases of buccal cavity and annexa	5	5													1	2	1	1
117a	Ulcer of stomach	24	23		1										1	7	2	7	7
117b	Ulcer of duodenum	19	19											1	1	4	7	4	2
118	Other diseases of stomach (cancer excepted)	7	5	1	1	1	1				1					1	1	1	1
119	Diarrhea, enteritis (under 2 years of age)	31	28		3	28	3												
120	Diarrhea, enteritis (2 years and over)	21	18		3			2	2		1				2	1	3	3	7
121	Appendicitis	96	96					1	3	1	7	8	8	14	13	9	13	11	8
122a	Hernia	44	41	1	2		1								1	5	4	17	16
122b	Intestinal obstruction	30	27	1	2	3	2	1	2				1	1	3	1	5	4	7
123	Other diseases of intestines	13	13					1			1					2	4	4	1
124	Cirrhosis of liver	72	62	5	5										3	5	13	22	29
125a	Yellow atrophy of liver	3	3													1		2	
125b	Other diseases of liver	3	3													2			1
126	Biliary calculi	39	38		1										2	3	5	17	12

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	IX.—Diseases of the digestive system—Continued.																		
127	Other diseases of gall-bladder, biliary passages	26	24	1	1							1				2	1	10	12
128	Diseases of pancreas	7	7												1		2	2	2
129	Peritonitis, cause not specified	10	10			1		1								1		3	2
	X.—Diseases of the genitourinary system	885	781	39	65	2	1	1	2	3	3	1	7	10	20	43	84	184	524
130	Acute nephritis (including unspecified under 10 years)	19	16	2	1		1			1	1		1	1	2		6	2	4
131	Chronic nephritis	775	680	37	58			1	1			1	6	8	14	32	75	171	466
132	Nephritis, unspecified (10 years and over)	3	2		1											2			1
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	23	23			2			1	2	1			1	1	2		2	11
134	Calculi of urinary passages	8	7		1											1	1	1	5
135	Diseases of bladder (tumors excepted)	1	1																1
137	Diseases of prostate	39	36		3													6	33
139a	Cysts of ovary	6	5		1										2	2	1		1
139b	Other diseases of ovaries, diseases of tubes and parametrium	7	7								1				1	4		1	
139c	Diseases of uterus	4	4														1	1	2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	59	56	1	2								3	11	31	13	1		
140	Abortion with septic conditions	12	12										1	4	4	2	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	5	5											3		2			
142a	Ectopic gestation, septic conditions specified	2	2													2			
144a	Placenta praevia	1	1													1			
144b	Other puerperal hemorrhages	5	4		1										5				
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	9	8	1									1		6	2			
146	Puerperal albuminuria and eclampsia	8	8										1	1	5	1			
147	Other toxemias of pregnancy	3	3												2	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	2	2												2				
149	Other accidents of childbirth	11	11											3	6	2			
150	Other and unspecified conditions of puerperal state	1			1										1				
	XII.—Diseases of the skin and cellular tissue	7	6		1	2		1			1					1	1		1
151	Furuncle, carbuncle	2	1		1						1					1			
152	Phlegmon, acute abscess	3	3					1									1		1
153	Other diseases of skin and annexa, and of cellular tissue	2	2			2													
	XIII.—Diseases of the bones and organs of locomotion	5	5							1	1	1						2	
154	Osteomyelitis	5	5							1	1	1						2	
	XIV.—Congenital malformations	98	94	2	2	91	4		1		2								
157a	Congenital hydrocephalus	16	16			15					1								
157b	Spina bifida and meningocele	11	10		1	11													
157c	Congenital malformations of heart	43	41	1	1	40	2		1										
157d	Other congenital malformations	28	27	1		25	2				1								
	XV.—Diseases of early infancy	301	280	8	13	301													
158	Congenital debility	14	13	1		14													
159	Premature birth	158	146	2	10	158													
160	Injury at birth	95	89	4	2	95													
161	Other diseases peculiar to early infancy	34	32	1	1	34													
162	**XVI.—Senility**	25	21	1	3													1	24
	XVII.—Violent and accidental deaths	473	390	20	63	7	4	6	6	5	28	9	17	29	46	40	65	79	132
	Suicide	83	64	4	15								2	2	15	11	21	16	16
163	By solid or liquid poisons or by absorption of corrosive substances	10	8	1	1										2		5	2	1
164	By poisonous gas	20	16		4										2	1	5	7	5
165	By hanging or strangulation	19	18	1									1		3	2	7	4	2
166	By drowning	12	4	1	7									2	3	3		1	3
167	By firearms	16	13		3								1		3	3	4	2	3
168	By cutting or piercing instruments	2	1	1												1			1
169	By jumping from high places	3	3												1	1			1
171	By other means	1	1												1				
	Homicide	13	13			2								2	3	3	1	2	
173	By firearms	4	4												1	2		1	
175	By other means	9	9			2								2	2	1	1	1	
	Accidental, other, or undefined	377	313	16	48	5	4	6	6	5	28	9	15	25	28	26	43	61	116
177	Poisoning by food	1	1									1							
178	Absorption of poisonous gas	7	6		1						1					1	1	2	2
179	Other acute accidental poisonings (gas excepted)	4	4													1	1	1	1
180	Conflagration	3	3												1	1		1	
181	Burns (conflagration excepted)	16	15	1		1		2	1	1	2		2	1		2	1	1	2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Supplemental	1			1										1				
182	Mechanical suffocation	5	4	1			1							1	1		1	1	
	Supplemental	1		1											1				
183	Drowning	39	23	6	10						7	2	1	6	5	3	3	11	1
	Supplemental	10	3		7							1	1	2	2		3	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	3	2		1						1	2							
185	By cutting or piercing instruments (wounds of war excepted)	5	4	1							1				1		1	1	1
	Supplemental	1		1													1		
186a	By fall	128	114	2	12	1	2						3	7	3	3	10	18	81
	Supplemental	10	9		1			1			1	1	1	2	1		1	1	1
186b	By crushing, landslide	4	4									1					2	1	
	Supplemental	19	17	1	1			1		1	4		2			2		6	3
188	Injuries by animals	1			1														1
190	Excessive cold	6	5		1											1	1	2	2
191	Excessive heat	4	3		1	1											1		2
193	Due to electric currents	1			1										1				
194a	Foreign bodies	2	2			1				1									
194b	Other accidents	17	14	2	1	1		1			1			1	3	1	3	2	4
	Supplemental	89	80		9		1	1	5	2	10	1	5	5	8	10	14	12	15
	XVIII.—Ill-defined causes of death	14	12		2	6	1	1					1			1		3	1
199	Sudden death	4	2		2	1										1		2	
200a	Cause of death ill-defined	6	6			2	1	1										1	1
200b	Cause of death not specified or unknown	4	4			3								1					
Punch symbol	SUPPLEMENTAL [1]																		
203	Elevator accidents	1	1																1
205	Other machinery accidents	6	4	1	1									1	1	2	1		1
207	Other railroad accidents	4	3		1						1							2	1
209	Other street car accidents	9	9														1	5	3
210	Automobile accidents (primary)	97	86	2	9		1	3	5	3	14	1	7	5	10	11	13	12	12
212	Other land transportation accidents	3	3									1	1	1					
213	Water transportation accidents	11	3		8							1	1	2	2		3	1	1
	SOUTH CAROLINA																		
	Total deaths (all causes) White	8,580	2,247	841	5,492	1,195	231	107	46	47	141	126	234	274	477	714	932	1,325	2,725
	Total deaths (all causes) Colored	10,776	2,368	867	7,541	1,959	313	126	67	65	210	206	471	681	1,115	1,292	1,527	1,240	1,494
	I.—Infectious and parasitic diseases White	1,172	270	103	799	160	88	46	24	22	54	26	51	63	104	125	119	108	180
	I.—Infectious and parasitic diseases Colored	2,203	449	165	1,589	328	90	41	23	20	64	82	212	282	357	261	209	123	109
1	Typhoid fever W	71	21	4	46	1	1	1			5	9	13	6	16	5	8	1	5
	Typhoid fever C	141	25	16	100			1	1		15	17	29	23	27	9	13	2	4
2	Paratyphoid fever C	2	1	1													1	1	
6	Smallpox C	1			1									1					
7	Measles W	46	14	1	31	9	12	4	3	2	6	2	3		1	2	1		
	Measles C	39	8	5	26	14	9	7	1	1	1	1	1	3			1		
8	Scarlet fever W	13	2	2	9		2	2	3	2	3		1						
9	Whooping-cough W	78	16	7	55	49	19	5	1		3								
	Whooping-cough C	82	15	4	63	49	20	3	4	4	2								
10	Diphtheria W	71	22	4	45	8	22	19	7	7	11						1	1	
	Diphtheria C	26	5	1	20	5	4	4	1	3	3	2	2	1		1			
11a	Influenza, respiratory complications specified W	308	55	33	220	44	14	5	4	6	8	6	11	12	19	33	33	35	78
	Influenza, respiratory complications specified C	277	52	23	202	55	16	4	2	2	8	6	20	15	22	31	44	27	25
11b	Influenza, respiratory complications not specified W	118	20	9	89	17	5	1		3	4	3	3	3	6	15	7	14	37
	Influenza, respiratory complications not specified C	260	21	13	226	74	10	8	2	4	7	11	11	17	18	21	20	27	30
13	Dysentery W	40	4	2	34	9	8	6			1				1			2	13
	Dysentery C	51	5	7	39	15	14	1	2				1			2	6	2	8
15	Erysipelas W	19	7	4	8	4	1	1				1	1	4		2		1	4
	Erysipelas C	4	1		3						1				2		1		
16	Acute poliomyelitis, acute polioencephalitis W	8	3	1	4	1	1		2		2				1	1			
	Acute poliomyelitis, acute polioencephalitis C	6			6	1	4						1						
17	Lethargic or epidemic encephalitis W	6	3	2	1								1			1	1	3	
	Lethargic or epidemic encephalitis C	2			2											2			
18	Epidemic cerebrospinal menengitis W	4	1	1	2	1							2		1				
	Epidemic cerebrospinal menengitis C	5	1	1	3	1						1	3						
21	Rabies W	1	1								1								
22	Tetanus W	5	2		3	1		1	1		1					1			
	Tetanus C	12	4	1	7	6					2		3	1					
	Tuberculosis (all forms) W	263	72	21	170	4	1				2		11	31	51	47	50	38	28
	Tuberculosis (all forms) C	831	179	66	586	4	1	3	2		8	30	120	185	224	135	72	29	18
23	Respiratory system W	249	66	17	166	2	1						11	31	49	45	48	37	25
	Respiratory system C	788	166	64	558		1		1		5	25	118	178	212	132	71	27	18
24	Meninges and central nervous system W	3	1	1	1	1					1						1		
	Meninges and central nervous system C	10	3		7	2			1		3	3		1					
25	Intestines and peritoneum W	2	1	1											1		1		
	Intestines and peritoneum C	11	1	1	9	1						1	1	2	3	1		2	
26	Vertebral column W	1		1															1
	Vertebral column C	2			2										2				
27b	Joints W	1			1						1								
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	1			1										1				
32a	Acute disseminated tuberculosis W	7	4	1	2	1									1	2		1	2
	Acute disseminated tuberculosis C	19	9	1	9	1		3				1	1	4	6	2	1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																			
	I.—Infectious and parasitic diseases—Continued.																			
34	Syphilis	W	39	17	4	18	9	1		1		1			3	1	11	6	4	2
		C	228	113	15	100	65	2	2	1		1	2	7	20	42	38	25	14	7
35	Gonococcus infection, other venereal diseases	W	6	2	1	3								1	1	1	1	1	1	
		C	22	9	5	8	2							5	4	7	1		3	
36	Purulent infection, septicemia (nonpuerperal)	W	10	1	1	8		1		1			2	1	1		1	1	2	
		C	11	2	1	8	1						1		1	2	1		3	2
38	Malaria	W	60	6	6	48	6		1		2	6	1	3	2	6	4	9	7	13
		C	184	8	6	170	21	7	8	7	6	16	11	9	11	13	19	26	15	15
42	Other diseases caused by helminths	W	1	1														1		
43	Mycoses	W	2			2	2													
		C	18			18	15	3												
44	Other infectious and parasitic diseases	W	3			3				1			2							
		C	1			1											1			
	II.—Cancers and other tumors	White	587	171	61	355		3	3	2	2	4	1	9	7	24	68	111	124	229
		Colored	340	94	26	220				2		1	3	3	6	27	58	104	69	66
	Cancer and other malignant tumors	W	563	158	59	346		3	3	1	2	2	1	6	6	23	61	106	121	228
		C	306	81	21	204						1	2	2	2	19	51	99	67	62
(45)	Buccal cavity	W	24	5	2	17				1							1	7	3	12
		C	9	5	1	3											2	2	4	1
(45)	Pharynx	W	6	1	1	4												1		5
		C	5	1		4										1		1	3	
(46)	Esophagus	W	8	5	1	2												4		4
		C	2	1		1												1	1	
(46)	Stomach and duodenum	W	88	20	8	60									1	3	6	14	24	40
		C	58	16	5	37										3	9	13	15	13
(46)	Liver and biliary passages	W	54	19	4	31		1								1	1	8	15	23
		C	19	3	1	15										3	3	3	7	3
(46)	Pancreas	W	12	5	2	5											1		3	8
(46)	Other digestive tract and peritoneum	W	49	17	7	25					2	1			1	6	5	11	8	15
		C	23	5	4	14						1		1	1	1	4	5	6	4
47	Respiratory system	W	22	9	4	9						1			1		2	8	4	6
		C	7	4		3							1				2	2		2
48	Uterus	W	96	22	7	67									1	4	21	25	26	19
		C	91	26	8	57										5	17	42	12	14
49	Other female genital organs	W	9	4	2	3										1	2	1	3	2
		C	5	3		2							1			1		1	2	
50	Breast	W	49	15	4	30										2	7	11	11	18
		C	43	11	2	30										2	8	14	5	14
51	Male genitourinary organs	W	38	13	3	22		2	1							3	2	3	7	20
		C	14	3		11											2	1	7	4
52	Skin	W	26	7	2	17													2	24
		C	5			5												2	1	2
53	Other or unspecified organs	W	82	16	12	54			2				1	6	2	3	13	13	15	27
		C	25	3		22								1	1	3	4	7	4	5
54a	Nonmalignant tumors, ovary	W	1	1															1	
		C	1			1											1			
54b	Nonmalignant tumors, uterus	W	6	4	1	1											3	2	1	
		C	21	9	4	8									3	5	6	4	1	2
54d, e	Nonmalignant tumors, other organs	W	6	2		4						1		1		1	1	2		
		C	3			3							1						1	1
55d, e	Tumors, other organs (nature unspecified)	W	11	6	1	4				1		1		2	1		3	1	1	1
		C	9	4	1	4				2				1	1	3		1		1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	307	90	30	187	13	6				6	4	6	6	11	32	45	72	105
		Colored	341	91	39	211	15	9	2	2		6	6	17	23	55	47	60	45	53
56	Acute rheumatic fever	W	11	2		9						1	2	1			1	1		4
		C	29	5	3	21	1			1		1	1	3	2	5	3	5	1	6
57	Chronic rheumatism, osteoarthritis	W	4	1		3										1		2	1	
		C	7		2	5						1	1		2		2	1		
59	Diabetes mellitus	W	136	48	12	76		1				2	2	5	3	5	8	18	43	49
		C	66	18	9	39		1					1	2	2	5	7	19	14	15
62	Pellagra	W	125	32	12	81						1			3	5	20	20	25	51
		C	203	59	20	124		2				2	3	11	16	44	34	30	30	30
63	Rickets	W	3		1	2	2	1												
		C	13	4	1	8	8	3	2											
65	Diseases of pituitary body	W	1	1															1	
66a	Simple goiter	W	1	1														1		
		C	3			3												2		1
66b	Exophthalmic goiter	W	6	2	1	3											2	3		1
		C	5	2	2	1									1		1	3		
(66)	Other diseases of thyroid and parathyroid glands	W	2		1	1	1												1	
		C	2		1	1	1	1												
67	Diseases of thymus gland	W	11	2	3	6	8	1				2								
		C	1	1			1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	1	1													1			
69	Other general diseases	W	6			6	2	3											1	
		C	12	2	1	9	4	2		1		2		1		1				1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																			
	IV.—Diseases of the blood and blood-making organs	White	46	12	3	31	9	1	2			2		2	2	6	5	2	10	5
		Colored	12	3	2	7	2						1		2	3	1	1	2	
70	Hemorrhagic conditions	W	4	2	1	1	2								1				1	
		C	2			2	2													
71a	Pernicious anemia	W	18	5	1	12	2		1			1				2	3	2	4	3
		C	2			2													2	
71b	Other anemias	W	6	1		5	4									1	1			
		C	5	2	1	2									2	1	1	1		
72a	True leukemias	W	12	3	1	8	1	1	1			1		1		3			3	1
72b	Pseudoleukemias (Hodgkin's disease)	W	4			4									1		1		1	1
		C	2	1	1								1			1				
73	Diseases of spleen	W	2	1		1								1					1	
		C	1			1										1				
	V.—Chronic poisonings and intoxication	White	27	8	2	17								2	2	5	11	2	3	2
		Colored	16	2	1	13								1	1	6	3	2	1	2
75	Alcoholism (acute or chronic)	W	27	8	2	17								2	2	5	11	2	3	2
		C	16	2	1	13								1	1	6	3	2	1	2
	VI.—Diseases of the nervous system and of the organs of special sense	White	861	225	74	562	22	5	3		2	7	3	6	10	14	42	130	217	400
		Colored	1,065	277	79	709	28	7	3	1	1	9	9	14	21	66	151	247	226	282
78	Encephalitis (nonepidemic)	W	10	5		5	1		1			1	1		3	1		1		1
		C	10	4		6	2					2		1	1	1	2	1		
79a	Simple meningitis	W	14	4	2	8	6	1				3		2	1		1			
		C	10	2	2	6	4	1				2	1				2			
79b	Nonepidemic cerebrospinal meningitis	W	1			1	1													
80	Progressive locomotor ataxia (tabes dorsalis)	W	6	2	2	2											1		3	2
		C	3			3												1	2	
81	Other diseases of spinal cord	W	13	5	2	6	1										1	4	7	
		C	6	2	2	2											2	2	1	1
82a	Cerebral hemorrhage	W	668	158	62	448	1					1		2		3	31	109	177	344
		C	694	205	62	427							3	4	6	34	107	185	172	183
82b	Cerebral embolism and thrombosis	W	21	9	1	11					1					1		3	9	7
		C	14	12		2										1	4	3	3	3
82c	Softening of brain	W	4			4														4
		C	1	1																1
82d	Hemiplegia and other paralysis, cause unspecified	W	54	4	2	48												6	10	38
		C	191	12	11	168						1	1		3	7	13	35	41	90
83	General paralysis of insane	W	6	6												1	2	1	2	
		C	26	11		15							1			4	9	7	5	
84	Dementia praecox and other psychoses	W	11	10	1									1	2	2	1	3	2	
		C	26	15	1	10								2	3	7	4	6	2	2
85	Epilepsy	W	18	10	1	7			1			1	1		2	5	4	2	2	
		C	27	4		23						2	1	5	7	7	3	1	1	
86	Convulsions (under 5 years of age)	W	5	2		3	3	2												
		C	28			28	20	4	2	1	1									
87	Other diseases of nervous system	W	11	4	1	6	1		1							1	1		5	2
		C	19	5		14	1	1				1	2	2	1	3	1	5	1	1
88	Diseases of organs of vision	C	3	2		1										1	2			
89a	Diseases of ear	W	14	6		8	8	2			1		1		1					1
		C	5	1		4	1		1			1				1	1			
89b	Diseases of mastoid process	W	5			5						1		1	1			1		1
		C	2	1	1			1												1
	VII.—Diseases of the circulatory system	White	1,628	439	166	1,023	3		1		2	5	5	12	18	44	113	213	387	825
		Colored	1,558	418	153	987	2		1		2	4	9	16	48	157	235	388	334	361
90	Pericarditis	W	1	1								1								
		C	3			3	1						1			1				
91a	Acute endocarditis	W	15	6	1	8						1		3	2	2	3	2		2
		C	6	2	1	3									1	2			1	2
91b	Endocarditis, unspecified (under 45 years)	W	1		1											1				
		C	13	3	3	7					1			1		6	5			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	235	36	36	163	1		1		1	1	2	3	3	10	24	30	46	113
		C	356	67	46	243					1	2	3	7	14	45	57	88	70	69
92b	Endocarditis, unspecified (45 years and over)	W	28	5	2	21												3	9	16
		C	32	6	4	22												17	7	8
93a	Acute myocarditis	W	12	2	1	9								1			1		5	5
		C	14	3	2	9								1		1	6	2	3	1
93b	Myocarditis, unspecified (under 45 years)	W	8	2	1	5							1			3	4			
		C	21	9	2	10														
93c	Chronic myocarditis and myocardial degeneration	W	280	90	27	163								1	3	7	10			
		C	149	49	21	79									3	13	22	36	31	44
93d	Other diseases of myocardium	W	176	45	22	109										1	2	23	42	108
		C	125	36	22	67						1				1	2	50	31	40
94a	Angina pectoris	W	240	85	24	131									1	4	17	44	70	104
		C	95	43	2	50									3	4	19	36	24	9
94b	Diseases of coronary arteries	W	111	41	15	55										2	5	20	40	44
		C	21	4	8	9										3	4	7	4	3
95a	Functional diseases of heart	W	4	1		3												1	1	2
95b	Other and unspecified diseases of heart	W	383	78	27	278	2				1	1	1	3	9	14	39	46	88	179
		C	572	149	36	387	1					1	5	6	22	64	92	121	120	139
96	Aneurysm (except of heart)	W	12	4	2	6								1	1		4	3	2	1
		C	18	10	1	7									1	4	4	3	3	3
97	Arteriosclerosis (coronary arteries excepted)	W	92	39	5	48												5	12	75
		C	82	33	3	46										3	8	20	20	31
98	Gangrene	W	6		1	5										1		1	1	3
		C	5	2		3										1			4	
99	Other diseases of the arteries	W	6	2	1	3						1				1			3	1
		C	2		1	1														2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	2	1		1												1	1	
101	Diseases of lymphatic system (lymphangitis, etc.) C	2	1		1			1										1	
102	Idiopathic anomalies of blood-pressure W	14	1		13							1			1	1	1	2	8
	C	39	1	1	37										2	5	8	15	9
103	Other diseases of circulatory system W	2			2													2	
	C	3			3									1		1			1
	VIII.—Diseases of the respiratory system White	630	158	62	410	151	41	10	7	8	21	9	11	17	42	38	41	62	172
	Colored	819	198	48	573	213	49	21	11	10	24	29	33	60	80	103	88	49	47
104a	Diseases of nasal fossae W	4			4	3											1		
	C	31			31	20	3	2						2	2			1	1
104b	Diseases of nasal fossae and annexa W	2	1	1									1			1			
	C	1			1										1				
105	Diseases of larynx W	3	1	1	1	1				1		1							
	C	1	1				1												
106a	Acute bronchitis W	3			3	1	1		1										
	C	2			2									1		1			
106b	Chronic bronchitis W	7			7												2	1	4
	C	1	1												1				
106c,d	Bronchitis, unspecified W	7	3	1	3	3													4
	C	1			1														1
107a	Bronchopneumonia W	207	58	15	134	86	19	5	1	5	7	2		2	4	8	6	17	45
	C	134	56	11	67	62	11	4	5	3	3	2	3	3	5	10	11	5	7
107b	Capillary bronchitis C	1		1														1	
108	Lobar pneumonia W	304	72	38	194	35	17	5	4	1	14	5	7	11	31	25	27	37	85
	C	353	113	26	214	30	16	7	2	3	9	15	27	38	50	53	52	29	21
109	Pneumonia, unspecified W	55	4	1	50	20	4		1			1	2	1	4		1	4	17
	C	248	15	7	226	100	16	7	4	4	10	11	3	13	17	28	19	6	10
110	Pleurisy W	11	8		3	1				1				1	1	2	1	2	2
	C	12	4	2	6		1	1				1		1		3	2	2	1
111a	Pulmonary embolism and thrombosis W	2	1		1										1				1
111b	Pulmonary congestion, edema, hemorrhagic infarct W	10	4	2	4														10
	C	3			3											1	1		1
112	Asthma W	10	2	3	5								1	1	1		3		4
	C	21	2		19						1			1	3	5	2	4	4
114	Other diseases of respiratory system (tuberculosis excepted) W	5	4		1	1								1		2		1	
	C	10	6	1	3	1	1				1			1	1	2	1	1	1
	IX.—Diseases of the digestive system White	554	185	77	292	139	65	21	8	2	14	16	16	18	32	53	46	51	73
	Colored	712	185	53	474	212	95	22	9	6	19	11	21	27	56	76	72	43	42
115a	Diseases of pharynx, tonsils W	28	11	4	13	2	1	2		1	2	1	3	3	6	2	1	1	3
	C	23	8	1	14	2			1				7	1	9	1			2
115b	Diseases of buccal cavity and annexa W	7	3	1	3	1									1	2		1	2
	C	9	1	1	7	2						1				2	1	1	2
116	Diseases of esophagus W	1	1															1	
	C	1	1															1	
117a	Ulcer of stomach W	23	8	2	13								1	3		3	4	6	6
	C	33	11	4	18							1		1	8	7	8	6	2
117b	Ulcer of duodenum W	12	6	4	2											4	1	6	1
	C	7	4		3								1			5	1		
118	Other diseases of stomach (cancer excepted) W	19	3		16	2	1	1	1			1		1		2	2	1	7
	C	140	14	7	119	38	9	4	3	2	5	1	1	3	10	16	14	15	19
119	Diarrhea, enteritis (under 2 years of age) W	182	27	13	142	120	62												
	C	247	60	14	173	162	85												
120	Diarrhea, enteritis (2 years and over) W	42	7	7	28			17	6	1	3		1		1	3	1	2	7
	C	68	19	2	47			15	4	4	7			3	6	7	15	2	4
121	Appendicitis W	90	44	29	17				1		4	14	11	7	17	15	9	8	4
	C	57	21	10	26						3	5	9	7	4	14	10	5	
122a	Hernia W	12	5	2	5	1										1		2	8
	C	13	4	2	7	1		1				1			3	2	1		4
122b	Intestinal obstruction W	46	26	8	12	11	1	1			3			3	2	7	6	6	6
	C	51	18	8	25	4	1	1	1		2	2	1	7	5	7	8	8	4
123	Other diseases of intestines W	6	2		4	2												3	1
	C	6	2	1	3										1	3	2		
124	Cirrhosis of liver W	30	12	3	15						1				1	5	6	5	12
	C	20	4	2	14									1	1	6	6	3	3
125a	Yellow atrophy of liver W	4	2	1	1										2		2		
	C	2			2						1					1			
125b	Other diseases of liver W	5	3	1	1											2	1		2
	C	11	5		6	3								1	2	1	4		
126	Biliary calculi W	10	8		2											2	2	3	3
	C	1			1										1				
127	Other diseases of gall-bladder, biliary passages W	26	11	1	14										2	5	6	5	8
	C	10	5	1	4			1						2	3	1	1		2
128	Diseases of pancreas W	2	1	1													1	1	
	C	1			1								1						
129	Peritonitis, cause not specified W	9	5		4						1			1		4			3
	C	12	8		4						1		1	1	3	3	1	2	
	X.—Diseases of the genitourinary system White	999	240	92	667	6	3	1	2	1	1	10	7	13	27	62	122	207	536
	Colored	1,044	232	152	660	3	7	2	2		4	4	20	32	79	167	228	226	270
130	Acute nephritis (including unspecified under 10 years) W	23	8	3	12		2		2			2	3	2	2	4	1	1	4
	C	44	15	2	27		5	2			2	3	3	5	10	8	3	2	1
131	Chronic nephritis W	809	177	75	557		1				1	7	1	7	15	40	97	187	452
	C	779	160	135	484	1	2		1		2	1	5	10	41	124	185	200	207
132	Nephritis, unspecified (10 years and over) W	64	10	5	49							1			3	5	10	10	35
	C	103	14	4	85								4	5	12	12	25	9	36
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	38	14	2	22	5		1		1				1	1	6	4	3	16
	C	51	7	1	43	2			1					2	2	6	12	8	6	12

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	X.—Diseases of the genitourinary system—Continued.																		
134	Calculi of urinary passages	W 13	8	1	4									1	1	4	4	2	1
		C 2	1		1												1		1
135	Diseases of bladder (tumors excepted)	W 4	1		3	1													3
		C 5	3		2											1	1	1	2
136	Diseases of urethra, urinary abscess, etc	W 4	3	1											1		2		1
		C 5	2	1	2									1		1		2	1
137	Diseases of prostate	W 29	10	3	16												3	2	24
		C 18	7		11												2	6	10
139a	Cysts of ovary	W 4	4																
		C 2	1		1														
139b	Other diseases of ovaries, diseases of tubes, parametrium	W 2	1	1										1	2	1	1		
		C 29	18	8	3								5	3	8	6	2		
139c	Diseases of uterus	W 7	3	1	3								2	1	2	1		1	
		C 5	3	1	1								1		2	2			
139e	Other diseases of female genital organs	W 2	1		1									1				1	
		C 1	1											1					
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 126	42	13	71							2	17	22	43	38	4		
		Colored 198	43	16	139							2	51	48	60	36	1		
140	Abortion with septic conditions	W 5	3		2								1	1	1	2			
		C 14	2	2	10								5	3	5	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	W 7	2	1	4								1	1	4	1			
		C 9	2	2	5								2	2	4	1			
142b	Ectopic gestation, septic conditions not mentioned	W 1	1												1				
		C 3	2		1								1		2				
143	Other accidents of pregnancy (hemorrhage not included)	W 1			1											1			
		C 1			1											1			
144a	Placenta praevia	W 1		1											1				
		C 5	2		3									1	4				
144b	Other puerperal hemorrhages	W 14	2		12								1	4	2	7			
		C 11	2		12								1	2	9	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W 23	16	2	5								2	6	11	3	1		
		C 40	8	5	27								11	6	14	8	1		
146	Puerperal albuminuria and eclampsia	W 39	4	8	27							1	9	5	10	13	1		
		C 62	17	3	42							1	22	20	9	10			
147	Other toxemias of pregnancy	W 9	7		2							1	1	1	4	1	1		
		C 7	5		2								3		1	3			
148	Puerperal phlemgasia alba dolens, embolus, sudden death (not specified as septic)	W 5	1		4									2	1	2			
		C 1			1							1							
149	Other accidents of childbirth	W 21	6	1	14								2	2	8	8	1		
		C 42	3	4	35								6	14	12	10			
	XII.—Diseases of the skin and cellular tissue	White 25	7	4	14	3						3	2	3	3	2	2	2	5
		Colored 16	2	2	12	3					1	1		2		2	4	1	2
151	Furuncle, carbuncle	W 9	3	1	5							1	1	2		1	1	2	1
		C 2			2												1		
152	Phlegmon, acute abscess	W 6	2		4	2						1			1	1	1		
		C 7		1	6	2					1	1		1			1	1	
153	Other diseases of skin and annexa, and of cellular tissue	W 10	2	3	5	1						1	1	1	2				4
		C 7	2	1	4	1								1		1	2		2
	XIII.—Diseases of the bones and organs of locomotion	White 12	7	2	3	1					3	3	3	1		1			
		Colored 9	5		4		1					1	3			3		1	
154	Osteomyelitis	W 11	7	2	2						3	3	3	1		1			
		C 5	3		2		1						3			1			
155	Other diseases of bones (tuberculosis excepted)	C 2	2									1				1			
156	Diseases of joints, other organs of locomotion	W 1			1	1													
		C 2			2											1		1	
	XIV.—Congenital malformations	White 80	16	5	59	74	1	2					1		1	1			
		Colored 28	6		22	23	1		1	1		2							
157a	Congenital hydrocephalus	W 11			11	10	1												
		C 11	3		8	8	1		1			1							
157b	Spina bifida and meningocele	W 13	4	1	8	13													
		C 2	1		1	1				1									
157c	Congenital malformations of heart	W 40	5	3	32	37		2					1						
		C 8	1		7	8													
157d	Other congenital malformations	W 16	7	1	8	14									1	1			
		C 7	1		6	6						1							
	XV.—Diseases of early infancy	White 479	100	44	335	479													
		Colored 443	135	35	273	443													
158	Congenital debility	W 35	5	3	27	35													
		C 50	19	8	23	50													
159	Premature birth	W 333	75	27	231	333													
		C 311	79	22	210	311													
160	Injury at birth	W 78	15	10	53	78													
		C 33	16	2	15	33													
161	Other diseases peculiar to early infancy	W 33	5	4	24	33													
		C 49	21	3	25	49													
162	**XVI.—Senility**	White 52	3	3	46														52
		Colored 167	5	1	161												1	4	162

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																			
	XVII.—Violent and accidental deaths	White	775	265	92	418	18	15	11	3	6	22	44	86	92	115	116	83	64	99
		Colored	712	202	64	446	29	21	14	12	13	47	38	69	107	127	96	64	46	28
	Suicide	W	105	40	17	48							1	6	15	18	21	18	18	8
		C	12	5	1	6									4		5	2	1	
163	By solid or liquid poisons or by absorption of corrosive substances	W	20	14	2	4								4	4	6	2	3	1	
		C	2	2											2					
165	By hanging or strangulation	W	4	2		2							1		1		1	1		
166	By drowning	C	1			1											1			
167	By firearms	W	76	23	15	38								2	10	12	16	12	16	8
		C	5	1	1	3									2		2	1		
168	By cutting or piercing instruments	W	3			3											2	1		
		C	2	1		1											1		1	
169	By jumping from high places	C	1			1											1			
171	By other means	W	2	1		1												1	1	
		C	1	1														1		
	Homicide	W	105	32	13	60	1						1	12	18	23	24	14	8	4
		C	188	76	17	95	1						3	21	44	59	33	19	6	2
173	By firearms	W	76	21	7	48							1	6	13	19	17	12	7	1
		C	118	40	11	67							3	14	31	31	23	11	3	2
174	By cutting or piercing instruments	W	14	7	4	3								3	3	4	3			1
		C	45	27	3	15								6	8	18	6	6	1	
175	By other means	W	15	4	2	9	1							3	2		4	2	1	2
		C	25	9	3	13	1							1	5	10	4	2	2	
	Accidental, other, or undefined	W	565	193	62	310	17	15	11	3	6	22	42	68	59	74	71	51	38	87
		C	512	121	46	345	28	21	14	12	13	47	35	48	59	68	58	43	39	26
176	Attack by venomous animals	W	5	3	1	1							2				1			2
		C	6	1		5											3		1	2
177	Poisoning by food	W	4	3		1			2						1		1			
		C	8		2	6	1		1			1	1	1			1	1	1	
179	Other acute accidental poisonings (gas excepted)	W	9	7	1	1		1	1						2	1	2	1	1	
		C	16	5		11		3	3	3	4			1	1				1	
180	Conflagration	W	6			6					1		2	2				1		
		C	21	3	3	15	3	1	3	1	1	3	2			2	2	2	1	
181	Burns (conflagration excepted)	W	28	11	2	15		3	3	2	2	1	3	1	1		6		3	3
		C	81	14	8	59	11	10	7	4	5	16	4	2	4	1	4	3	7	3
182	Mechanical suffocation	W	11	2		9	9					1						1		
		C	9			9	8							1						
183	Drowning	W	29	1		28		1	3			1	5	7	5	3	3	1		
		C	47	11		36	1	2				2	6	6	12	8	4	4	1	1
	Supplemental	W	4	1		3								1	1		1	1		
		C	8	1		7							1	1		4	1	1		
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	33	5	3	25	1					1	8	5	5	3	3	3	3	1
		C	37	7	4	26				1		6	5	5	7	6	3	3	1	
185	By cutting or piercing instruments (wounds of war excepted)	W	7	3		4							1		1	1	2			2
		C	7	2	1	4										2	1	2	1	1
	Supplemental	W	1			1														1
		C	1	1														1		
186a	By fall	W	85	38	10	37		3		1		3	2	1	1	5	5	6	5	53
		C	28	7	2	19	1	2		1		1	2	1	1	1	3	3	3	9
	Supplemental	W	7	3		4		1						1			1	1	3	
		C	15	2	2	11							1	1	1	4	3	3	2	
186b	By crushing, landslide	W	3	2		1											1	2		
		C	3	1		2									2		1			
	Supplemental	W	56	23	7	26	1	1				1	2	8	7	13	8	8	4	3
		C	20	4	5	11						2		1	2	4	7	2	2	
187	Cataclysm	W	12			12	2		1					2	2		1	2	1	1
		C	3	2		1										1	1		1	
188	Injuries by animals	W	5	1		4							1				1			3
		C	1			1						1								
190	Excessive cold	C	2	1		1						1								1
191	Excessive heat	W	3			3									1	2				
		C	5			5							1		2	1		1		
192	Lighting	W	7			7							2	2	1	2				
		C	8			8				1			1	3		1	1	1		
193	Due to electric currents	W	6	1		5							2	2	1	1				
		C	4		1	3								1	1		1		1	
194a	Foreign bodies	W	2	2				2												
		C	4			4	2	1								1				
194b	Other accidents	W	32	9	6	17	4	2	1			1	4	1	4	2	3	3	4	3
		C	30	12	1	17	1				1	1	2	3	6	7	4	4	1	
	Supplemental	W	210	78	32	100		1			3	13	8	35	26	41	32	21	14	15
		C	146	45	17	84		2		1	2	13	9	20	20	25	18	11	15	9
198	Legal executions	C	2	2												1		1		
	XVIII.—Ill-defined causes of death	White	220	9	8	203	117	3	7		2	2		3		6	7	12	18	42
		Colored	1,093	21	31	1,041	658	33	20	4	12	31	8	11	22	42	53	58	70	70
199	Sudden death	W	6		1	5										1	2	1		2
		C	15			15									2	1	3	6	2	1
200a	Cause of death ill-defined	W	59	5	2	52	7		3			1		1			5	6	10	26
		C	291	11	8	272	83	18	10	1	5	16	4	5	10	16	22	27	35	39
200b	Cause of death not specified or unknown	W	155	4	5	146	110	3	4		2	1		2		5		5	8	14
		C	787	10	23	754	575	15	10	3	7	15	4	6	10	25	28	25	33	30

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
SOUTH CAROLINA—Continued																			
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries C	1	1											1					
202	Accidents from agricultural machinery W	1	1													1			
	C	1	1														1		
203	Elevator accidents W	1	1															1	
205	Other machinery accidents W	6	1		5										2	2	1	1	
	C	6	2		4							1			3	1	1		
206	Railroad and automobile collisions W	8	3		5									1	2	2	1		2
	C	6	3	1	2								1			3	1		
207	Other railroad accidents W	33	9	4	20		1					1	7	2	8	6	6	1	1
	C	32	6	3	23							1	6	4	7	5	4	3	2
209	Other street car accidents W	1	1															1	
	C	1	1												1				
210	Automobile accidents (primary) W	219	86	34	99	1	1			3	14	9	36	29	41	29	22	17	16
	C	123	36	18	69		1		1	2	15	6	14	17	21	17	8	14	7
211	Motorcycle accidents W	2	1		1									1	1				
	C	1	1											1					
212	Other land transportation accidents W	4	1	1	2		1						2				1		
	C	11	1	2	8		1					2	1		1	2	2	2	
213	Water transportation accidents W	2	1		1									1		1			
	C	8	1		7							1	1		4	1	1		
214	Air transportation accidents W	1			1											1			
SOUTH DAKOTA																			
	Total deaths (all causes)	6,104	1,182	881	4,041	705	122	57	35	28	114	100	159	142	265	384	581	765	2,622
	I.—Infectious and parasitic diseases	737	105	111	521	83	44	26	11	9	30	28	53	41	70	76	66	54	144
1	Typhoid fever	34	6	2	26					2	1	3	7	5	5	4	3	3	1
2	Paratyphoid fever	1			1													1	
5	Undulant fever	1			1	1													
7	Measles	7	1	2	4		3	1			2			1					
8	Scarlet fever	9	1	1	7	1		1		1	3		1	1	1				
9	Whooping-cough	36	2	1	33	15	13	4	1	1	1	1							
10	Diphtheria	14	1	1	12		4	2	2	1	2		1		1			1	
11a	Influenza, respiratory complications specified	144	27	19	98	24	10	4	2		2	2	4	5	8	9	11	12	51
11b	Influenza, respiratory complications not specified	138	20	15	103	24	5	1	2	1		2	6		6	10	9	7	65
13	Dysentery	6			6	2	1	1										1	1
15	Erysipelas	8	3	3	2	2										2	2	1	1
16	Acute poliomyelitis, acute polioencephalitis	4		2	2				1		3								
17	Lethargic or epidemic encephalitis	6	3	1	2			1			1		1			1	1	1	
18	Epidemic cerebrospinal meningitis	11	6	1	4	1		2			1	1	4	1		1			
22	Tetanus	5	1	2	2			1				1		2		1			
	Tuberculosis (all forms)	286	24	58	204	11	7	7	3	3	13	17	28	25	46	44	35	21	25
23	Respiratory system	249	18	56	175	6	3	3	3	2	9	14	24	24	45	40	31	19	25
24	Meninges and central nervous system	14		1	13	2	2	3		1	3	1	1				1		
25	Intestines and peritoneum	10	2		8	2							1	1		2	3	1	
26	Vertebral column	3	1		2							1			1	1			
27a	Bones (vertebral column excepted)	2			2			1			1								
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	2		1		1									1		1	
30	Genitourinary system	2	1	1								1	1						
32a	Acute disseminated tuberculosis	1			1		1												
32b, c	Other disseminated tuberculosis	2			2	1							1						
34	Syphilis	14	5	1	8	1							1	1	2	1	3	4	
35	Gonococcus infection and other venereal diseases	2	2													2			
36	Purulent infection, septicemia (nonpuerperal)	8	2	2	4	1	1	1			1				1	1	1	1	
39	Other diseases due to protozoal parasites	1	1									1							
44	Other infectious and parasitic diseases	2			2												1	1	
	II.—Cancers and other tumors	600	136	75	389			1	1	2	1	3	3	5	7	35	103	124	311
	Cancer and other malignant tumors	578	129	71	378			1	1	2	1	1	3	5	5	33	94	121	307
(45)	Buccal cavity	11		1	10												2	2	7
(45)	Pharynx	3		1	2														2
(46)	Esophagus	10	4	1	5											1			
(46)	Stomach and duodenum	148	23	15	110												1	2	7
(46)	Liver and biliary passages	58	8	8	42									2		4	24	20	98
(46)	Pancreas	15	3	2	10												10	15	32
(46)	Other digestive tract and peritoneum	95	27	17	51				1						1	6	3	5	7
47	Respiratory system	15	6	1	8										1	1	12	23	51
48	Uterus	55	17	11	27										1	1	3	6	3
49	Other female genital organs	12	3	1	8								1		2	7	16	13	15
50	Breast	42	9	5	28												2	6	3
51	Male genitourinary organs	55	16	6	33						1			1		1	9	9	8
52	Skin	15	1	1	13										1		6	10	36
53	Other or unspecified organs	44	12	1	31			1		2		1	1	2		4	6	9	18
54b	Nonmalignant tumors, uterus	6	3	1	2											2	4		
54d, e	Nonmalignant tumors, other organs	5	1	1	3										1			2	2
55d, e	Tumors, other organs (nature unspecified)	11	3	2	6							2			1		5	1	2

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	202	50	31	121	11	2				5	8	3	1	3	12	25	35	96
56	Acute rheumatic fever	16	4	5	7						3	1	2		1		2	2	5
57	Chronic rheumatism, osteoarthritis	10		3	7													1	9
59	Diabetes mellitus	131	26	18	87						1	6		1	1	3	17	29	72
62	Pellagra	1	1													1			
63	Rickets	5	1		4	2	1										2		
65	Diseases of pituitary body	1		1														1	
66a	Simple goiter	2	1		1											1		1	
66b	Exophthalmic goiter	19	8	3	8								1		1	5	3	1	8
(66)	Other diseases of thyroid and parathyroid glands	2	1		1		1												1
67	Diseases of thymus gland	9	7		2	9													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3		1	2											1	1		1
69	Other general diseases	3	1		2						1	1				1			
	IV.—Diseases of the blood and blood-making organs	72	20	13	39	5					1	1	5	1	5	2	6	12	32
70	Hemorrhagic conditions	6	3	1	2	4								1					1
71a	Pernicious anemia	40	10	7	23										3	1	2	7	26
71b	Other anemias	4	1	1	2	1											1		2
72a	True leukemias	14	5	3	6						1	1	1		2		2	5	2
72b	Pseudoleukemias (Hodgkin's disease)	7	1	1	5								3			1	1		1
73	Diseases of the spleen	1			1								1						
	V.—Chronic poisonings and intoxications	20	5	2	13										3	1	8	3	5
75	Alcoholism (acute or chronic)	18	5	2	11										3	1	7	3	4
76	Chronic poisoning by other organic substances	1			1														1
77a	Chronic lead poisoning	1			1												1		
	VI.—Diseases of the nervous system and of the organs of special sense	611	129	88	394	21	2	2	2	1	4	4	16	4	15	29	59	79	372
78	Encephalitis (nonepidemic)	9	2	1	6	1					1		2		1	1	3		
79a	Simple meningitis	7	4		3	2					1		1			1	1		1
79b	Nonepidemic cerebrospinal meningitis	3		1	2	2	1												
80	Progressive locomotor ataxia (tabes dorsalis)	4	1	3												2		2	
81	Other diseases of spinal cord	12	3	1	8								2			4	3	1	2
82a	Cerebral hemorrhage	436	84	52	294				1	1			3	1	3	10	38	65	307
82b	Cerebral embolism and thrombosis	33	13	7	13							1	1	1	2	4	3	2	19
82c	Softening of brain	3			3										1				2
82d	Hemiplegia and other paralysis, cause unspecified	28	3	4	21										1	2	1	2	22
83	General paralysis of insane	6		5	1												2	3	1
84	Dementia praecox and other psychoses	4		2	2													2	2
85	Epilepsy	17	3	7	7	2							4	1	6	2	1		1
86	Convulsions (under 5 years of age)	9	1		8	9													
87	Other diseases of nervous system	28	7	3	18	2						1			1	3	6	2	13
89a	Diseases of ear	8	2		6	1		1	1		1	1	1						2
89b	Diseases of mastoid process	10	6	2	2	2	1	1			1	1	2	1			1		
	VII.—Diseases of the circulatory system	1,271	248	187	836						5	6	12	7	19	44	120	230	823
91a	Acute endocarditis	7	1	2	4						1				1	1		2	2
91b	Endocarditis, unspecified (under 45 years)	8	1	1	6						1	1	1		2	3			
92a	Endocarditis, specified as chronic, and other valvular diseases	198	51	21	126						3	4	3	4	7	13	20	32	112
92b	Endocarditis, unspecified (45 years and over)	25	1	4	20												4	8	13
93a	Acute myocarditis	19	3	4	12											1	3	2	12
93b	Myocarditis, unspecified (under 45 years)	5	2		3								1		1	3			
93c	Chronic myocarditis and myocardial degeneration	300	56	57	187								2		5	4	18	48	221
93d	Other diseases of myocardium	199	34	24	141											1	27	28	142
94a	Angina pectoris	89	17	15	57									1	1	5	10	28	44
94b	Diseases of coronary arteries	105	26	13	66								1			3	10	30	61
95a	Functional diseases of heart	13	2	5	6										1			1	11
95b	Other and unspecified diseases of heart	174	26	14	134							1	2	2	1	6	22	32	108
96	Aneurysm (except of heart)	4		2	2								1						3
97	Arteriosclerosis (coronary arteries excepted)	82	16	22	44													8	73
98	Gangrene	9	2	1	6														9
99	Other diseases of arteries	16	3	1	12								1			3	2	6	4
100	Diseases of veins (varices, hemmorrhoids, phlebitis, etc.)	6	2	1	3											1		3	2
101	Diseases of lymphatic system (lymphangitis, etc.)	2	1		1												1		1
102	Idiopathic anomalies of blood-pressure	8	4		4												2	2	4
103	Other diseases of circulatory system	2			2												1		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																		
	VIII.—Diseases of the respiratory system	430	71	60	299	84	29	8	2	1	7	9	12	12	13	25	29	36	162
104a	Diseases of nasal fossae	1			1	1													
104b	Diseases of nasal fossae and annexa	4	2	1	1							1				1	1		1
105	Diseases of larynx	1		1										1					
106a	Acute bronchitis	2	1		1														2
106b	Chronic bronchitis	10	1		9								1			1	1		7
106c, d	Bronchitis, unspecified	6			6	4													2
107a	Bronchopneumonia	164	32	20	112	46	22	4	1	1	4	3	1	2	2	5	6	10	57
107b	Capilliary bronchitis	1		1		1													
108	Lobar pneumonia	153	28	24	101	15	4	4	1		1	3	7	7	11	12	16	17	55
109	Penumonia, unspecified	44	2	3	39	17	2				1	2	1	1		1	2	3	14
110	Pleurisy	11	2	4	5		1				1		1				2	1	5
111a	Pulmonary embolism and thrombosis	7	2	1	4									1		2		2	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	8	1	2	5													1	6
112	Asthma	14		2	12											3		2	9
114	Other diseases of respiratory system (tuberculosis excepted)	4		1	3								1				1		2
	IX.—Diseases of the digestive system	457	126	103	228	68	18	7	8	6	23	16	15	14	29	37	53	53	109
115a	Diseases of pharynx and tonsils	15	4	4	7	1	1			1	2		1	1	2	1		4	1
115b	Diseases of buccal cavity and annexa	7	5	1	1	1					1			2			1	1	1
117a	Ulcer of stomach	16	2	3	11									1		2	4	3	6
117b	Ulcer of duodenum	6	2	3	1										2		2	2	
118	Other diseases of stomach (cancer excepted)	16	4	4	8	3										1	2	1	9
119	Diarrhea, enteritis (under 2 years of age)	68	10	11	47	52	16												
120	Diarrhea, enteritis (2 years and over)	35	4	4	27			3	4	1	2	2			1	2	4	4	12
121	Appendicitis	113	44	29	40			3	3	3	13	12	12	5	13	16	14	9	10
122a	Hernia	18	4	7	7		1						1			1	3	1	11
122b	Intestinal obstruction	62	22	15	25	10		1		1	3	1		3	5	7	5	7	19
123	Other diseases of intestines	7	1	1	5											1	3		3
124	Cirrhosis of liver	32	6	6	20						1		1			2	2	12	14
125a	Yellow atrophy of liver	1		1											1				
125b	Other diseases of liver	9	2		7							1						3	5
126	Biliary calculi	19	3	5	11										1	3	5	3	7
127	Other diseases of gall-bladder, biliary passages	26	12	6	8						1			1	2	1	8	3	9
128	Diseases of pancreas	1	1																1
129	Peritonitis, cause not specified	6		3	3	1			1					1	2				1
	X.—Diseases of the genitourinary system	403	79	54	270			1		1	2	2	1	5	8	22	35	60	262
130	Acute nephritis (including unspecified under 10 years)	13	3	1	9			1		1	1					2	3	1	4
131	Chronic nephritis	247	42	28	177							1	1	1	5	12	22	40	163
132	Nephritis, unspecified (10 years and over)	53	6	5	42									1	2		6	12	30
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	11	1	4	6						1						2		8
134	Calculi of urinary passages	8	4	3	1											2	1		5
135	Diseases of bladder (tumors excepted)	7	1	1	5														7
137	Diseases of prostate	50	14	9	27													6	44
139a	Cysts of ovary	2	1	1												2			
139b	Other diseases of ovaries, diseases of tubes and parametrium	8	5	2	1							1		2	1	2	1	1	
139c	Diseases of uterus	3	2		1									1		2			
139e	Other diseases of female genital organs	1			1														1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	62	17	10	35								3	11	24	23	1		
140	Abortion with septic conditions	8	4	1	3								1	2	2	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	7	1	1	5											7			
142a	Ectopic gestation, septic conditions specified	1		1											1				
142b	Ectopic gestation, septic conditions not mentioned	4	3		1										4				
144a	Placenta praevia	3	1		2									1	2				
144b	Other puerperal hemorrhages	5	1		4									3	1	1			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	10	1	1	8									2	4	4			
146	Puerperal albuminuria and eclampsia	11	4	3	4								1	2	6	1	1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	1	1	1								1			2			
149	Other accidents of childbirth	9	1	2	6									1	3	5			
150	Other and unspecified conditions of puerperal state	1			1										1				
	XII.—Diseases of the skin and cellular tissue	12	3	2	7	2		1				1	1		1		2	1	3
151	Furuncle, carbuncle	3	1	1	1							1			1				1
152	Phlegmon, acute abscess	3	2		1												1	1	1
153	Other diseases of skin and annexa, and of cellular tissue	6		1	5	2		1					1				1		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																		
	XIII.—Diseases of the bones and organs of locomotion	7	2	2	3						1	2	2			1	1		
154	Osteomyelitis	6	2	1	3						1	2	1			1	1		
156	Diseases of joints, other organs of locomotion	1		1									1						
	XIV.—Congenital malformations	76	13	5	58	68		1		1	2	1	2	1					
157a	Congenital hydrocephalus	7	1		6	6		1											
157b	Spina bifida and meningocele	7	1	1	5	6					1								
157c	Congenital malformations of heart	45	8	3	34	41					1		2	1					
157d	Other congenital malformations	17	3	1	13	15				1		1							
	XV.—Diseases of early infancy	297	52	32	213	297													
158	Congenital debility	24	2	1	21	24													
159	Premature birth	186	27	19	140	186													
160	Injury at birth	61	18	11	32	61													
161	Other diseases peculiar to early infancy	26	5	1	20	26													
162	XVI.—Senility	136	14	17	105													3	133
	XVII.—Violent and accidental deaths	524	106	83	335	11	14	6	9	3	28	18	29	37	63	66	64	61	112
	Suicide	88	12	18	58								3	7	13	16	19	17	13
163	By solid or liquid poisons or by absorption of corrosive substances	13	2	1	10									4	1	4	2	2	
164	By poisonous gas	5			5										1	2	2		
165	By hanging or strangulation	22	2	7	13								1		4	2	7	4	4
166	By drowning	1			1													1	
167	By firearms	43	8	7	28								2	3	7	6	7	9	9
168	By cutting or piercing instruments	3		3												1	1	1	
171	By other means	1			1											1			
	Homicide	12	2		10				1					2	1	4	1	2	1
173	By firearms	5	1		4									1		4			
175	By other means	7	1		6				1					1	1		1	2	1
	Accidental, other, or undefined	424	92	65	267	11	14	6	8	3	28	18	26	28	49	46	44	42	98
176	Attack by venomous animals	1			1				1										
177	Poisoning by food	7	1		6				1		1			1	1	1		1	1
178	Absorption of poisonous gas	2			2										1				1
179	Other acute accidental poisonings (gas excepted)	11	2	1	8			2		2		1	1			2		1	1
180	Conflagration	23	9	2	12		3	1	1		2		1	2	3	4			6
181	Burns (conflagration excepted)	19	7	2	10	2	2	2	1		2		1		2	3	2		2
	Supplemental	5	2	1	2								2	1		2			
182	Mechanical suffocation	3	1		2	3													
183	Drowning	30	6	1	23	1	5		2		1	6	2	3	3	4	2	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	24	5	2	17						4	4	3	2	2	4	2	1	2
185	By cutting or piercing instruments (wounds of war excepted)	1			1						1								
	Supplemental	5	1	1	3						2	1					1		1
186a	By fall	69	16	21	32	2	1				2		1		3	1	1	3	54
	Supplemental	35	7	6	22		1		1		3	1	3	2	2	3	8	5	5
186b	By crushing, landslide	6			6									1	1		3	1	
	Supplemental	35	5	4	26					1	2	1	2	2	11	4	3	4	5
187	Cataclysm	8			8						2		1		1	3	1		
188	Injuries by animals	12	3	1	8						1		2	1	1		3	3	1
190	Excessive cold	1		1											1				
191	Excessive heat	10		4	6	1											2	2	5
192	Lightning	2			2										1				1
193	Due to electric currents	2	2									1					1		
194a	Foreign bodies	4			4	2	1	1											
194b	Other accidents	14	2	4	8								1	2	2		4	4	1
	Supplemental	95	23	14	58		1		1		5	3	6	11	14	15	11	16	12
	XVIII.—Ill-defined causes of death	187	6	6	175	55	13	4	2	4	5	1	2	3	5	11	9	14	58
199	Sudden death	9	1	1	7	4											1	1	3
200a	Cause of death ill-defined	41	4	3	34	4	1								1	5	4	5	20
200b	Cause of death not specified or unknown	137	1	2	134	47	12	4	2	4	5	1	2	3	4	6	4	8	35
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	5		3	2									1	2		1		
202	Accidents from agricultural machinery	10	1		9						1	1			1		3	1	3
205	Other machinery accidents	5		2	3								1			1	2	1	
206	Railroad and automobile collisions	4	3		1										1	1	1	1	
207	Other railroad accidents	8		1	7								1	1	3	1	1		1
210	Automobile accidents (primary)	115	30	16	69		2		1	1	8	4	8	13	19	15	13	15	16
212	Other land transportation accidents	26	4	4	18				1		3	1	3	1	1	4	2	7	3
214	Air transportation accidents	2			2											2			

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE																		
	Total deaths (all causes)—White	20,403	6,289	1,964	12,150	2,372	599	290	150	151	414	301	453	701	1,298	1,461	1,868	2,741	7,275
	Total deaths (all causes)—Colored	7,720	4,121	730	2,869	801	158	67	41	25	124	119	299	495	995	997	1,142	1,080	1,363
	I.—Infectious and parasitic diseases—White	3,673	801	325	2,547	288	190	118	71	62	164	74	131	251	455	371	325	429	739
	I.—Infectious and parasitic diseases—Colored	1,818	842	153	823	110	44	26	19	8	56	43	140	223	394	255	215	144	137
1	Typhoid fever—W	186	36	18	132			5		4	12	11	26	35	41	20	13	13	6
1	Typhoid fever—C	68	20	12	36			1	1		6	8	13	10	13	6	3	4	3
2	Paratyphoid fever—W	1	1				1												
5	Undulant fever—W	2	1		1												1	1	
7	Measles—W	73	4	14	55	12	20	4	2	4	12	1	2	5	2	2	2	3	2
7	Measles—C	14	4	3	7	4	2			1	4	2			1				
8	Scarlet fever—W	51	18	6	27	2	7	9	10	5	12	3	1	1	1				
8	Scarlet fever—C	2		1	1						1	1							
9	Whooping-cough—W	123	21	15	87	68	27	10	8	4	5	1							
9	Whooping-cough—C	46	12	3	31	28	8	6	1		2	1							
10	Diphtheria—W	215	48	14	153	20	49	46	23	24	47	3				1	1		1
10	Diphtheria—C	17	6		11	2	1	4	4		4		2						
11a	Influenza, respiratory complications specified—W	505	107	55	343	50	22	13	7	2	10	8	10	15	34	33	28	78	194
11a	Influenza, respiratory complications specified—C	190	92	30	68	9	3	3	3	1	6	3	13	13	32	23	31	22	28
11b	Influenza, respiratory complications not specified—W	249	52	18	179	19	2	6	2	1	6	6	2	4	11	12	21	27	130
11b	Influenza, respiratory complications not specified—C	90	30	11	49	9	4	2			2		5	4	5	15	9	12	23
13	Dysentery—W	135	55	7	73	30	24	8	5	2	3	2	1	6	1	4	2	8	39
13	Dysentery—C	59	39	2	18	11	12	2	3	2	2	2	1	1	3	3	9	7	1
15	Erysipelas—W	45	15	4	26	12	2			1	2		1	2	3	3	4	5	10
15	Erysipelas—C	8	5		3	2					1			1	1		1		2
16	Acute poliomyelitis, acute poliencephalitis—W	30	8	2	20	7	5	2	2	1	9	1	2	1					
16	Acute poliomyelitis, acute poliencephalitis—C	4	1		3	3			1										
17	Lethargic or epidemic encephalitis—W	27	10	1	16	2				1	2	2	1	2	1	2	4	4	6
17	Lethargic or epidemic encephalitis—C	2	1		1									1				1	
18	Epidemic cerebrospinal meningitis—W	26	13	5	8	5	4	3		2	3	2	2	1	1		2	1	
18	Epidemic cerebrospinal meningitis—C	7	5	2		1	1				1	1				2	1		
21	Rabies—W	4	3	1							2	2							
21	Rabies—C	3	2		1							1			1		1		
22	Tetanus—W	29	12	4	13	4		1	1	1	5	7	2	2		1	2	1	2
22	Tetanus—C	11	8	1	2	3					2		1		1	2	1		1
	Tuberculosis (all forms)—W	1,645	271	144	1,230	23	16	8	7	9	15	16	68	157	319	252	209	248	294
	Tuberculosis (all forms)—C	956	395	78	483	9	11	4	3	3	13	17	96	171	288	145	94	55	43
23	Respiratory system—W	1,476	214	128	1,134	11	5	4	3	2	8	8	63	144	298	236	196	226	268
23	Respiratory system—C	824	309	71	444	2	4		2	2	8	11	83	157	251	128	88	45	39
24	Meninges and central nervous system—W	55	20	5	30	10	9	3	4	5	4	5	2	2	3	3	3	2	
24	Meninges and central nervous system—C	26	17	1	8	2	4	2	1	1	3	2	2	2	5	2			
25	Intestines and peritoneum—W	44	7	6	31	1				2			1	3	4	5	5	11	12
25	Intestines and peritoneum—C	51	31	3	17	1	2	1				2	7	5	14	7	3	8	1
26	Vertebral column—W	15	7	1	7		1	1			1			1	4	2	1	2	2
26	Vertebral column—C	3	2		1			1						1	1				
27a	Bones (vertebral column excepted)—W	2	1		1							1							1
27a	Bones (vertebral column excepted)—C	3		1	2	1													2
27b	Joints—W	5	2		3							1					1	1	2
27b	Joints—C	3		1	2									1		2			
28	Skin and subcutaneous cellular tissue—W	2			2												1		1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—W	2	2															1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—C	2			2	1									1				
30	Genitourinary system—W	16	7	3	6						1	1	1	1	3	4		2	3
31	Other organs—W	3			3									1					2
31	Other organs—C	2	1		1										1	1			
32a	Acute disseminated tuberculosis—W	23	11	1	11	1	1				1		1	5	6	2	2	2	2
32a	Acute disseminated tuberculosis—C	36	29	1	6	2	1				2	1	4	5	13	3	2	2	1
32b, c	Other disseminated tuberculosis—W	2			2													1	1
32b, c	Other disseminated tuberculosis—C	6	6									1			2	2	1		
34	Syphilis—W	101	63	7	31	19	2	1	1		1		2	5	13	19	13	14	11
34	Syphilis—C	214	162	3	49	25				1	1		4	9	30	43	45	34	22
35	Gonococcus infection, other venereal diseases—W	7	4	1	2									2	3	2			
35	Gonococcus infection, other venereal diseases—C	15	12	2	1								1	1	8	3	1		1
36	Purulent infection, septicemia (nonpuerperal)—W	28	12	3	13	3	1				2	1	1	2	2	5	1	3	7
36	Purulent infection, septicemia (nonpuerperal)—C	10	6		4							1		1		1	3	3	1
38	Malaria—W	179	43	6	130	11	6	1	3	1	16	7	9	10	22	14	21	21	37
38	Malaria—C	96	37	5	54	2	2	3	3		11	6	4	11	11	12	14	6	11
39	Other diseases due to protozoal parasites—C	1	1														1		
41a	Hydatid cysts of liver—W	1	1													1			
41b	Hydatid cysts of other organs—W	1			1										1				
42	Other diseases caused by helminths—W	2			2		1	1											
43	Mycoses—W	1	1											1					
43	Mycoses—C	4	3		1	1		1									1		1
44	Other infectious and parasitic diseases—W	7	2		5	1	1					1	1				1	2	
44	Other infectious and parasitic diseases—C	1	1			1													
	II.—Cancers and other tumors—White	1,477	599	134	744	2	1	1	4	8	9	10	10	15	50	148	259	323	635
	II.—Cancers and other tumors—Colored	347	221	36	90		1	1	1		2	1	3	5	36	65	81	85	66
	Cancer and other malignant tumors—W	1,374	535	125	714		1	1	3	4	6	4	8	10	42	122	234	316	622
	Cancer and other malignant tumors—C	294	185	31	78		1	1	1		2	1	2	3	27	40	74	79	63
(45)	Buccal cavity—W	45	15	2	28								1			1	6	12	25
(45)	Buccal cavity—C	4	4														2	1	1
(45)	Pharynx—W	13	4	1	8												3	3	7
(45)	Pharynx—C	1			1										1				
(46)	Esophagus—W	11	7	1	3											1	2	6	2
(46)	Stomach and duodenum—W	267	80	18	169								1		4	22	29	60	150
(46)	Stomach and duodenum—C	51	32	5	14										1	5	11	16	18
(46)	Liver and biliary passages—W	127	38	12	77				2				1		1	7	20	29	67
(46)	Liver and biliary passages—C	9	5	1	3											1	2	5	1
(46)	Pancreas—W	43	26	7	10										1	3	10	17	12
(46)	Pancreas—C	7	5		2											2	2	2	1
(46)	Other digestive tract and peritoneum—W	174	85	21	68						2	1		3	3	14	27	46	78
(46)	Other digestive tract and peritoneum—C	38	22	4	12									1	2	8	9	8	10

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued.																		
47	Respiratory system W	28	13	4	11									2		3	6	10	7
	C	6	6													2	1	3	
48	Uterus W	187	87	14	86									1	14	29	62	38	43
	C	92	63	13	16				1					2	16	17	22	23	11
49	Other female genital organs W	24	11	3	10								1			5	3	9	6
	C	7	4	1	2								1		1	1	2	2	
50	Breast W	129	50	5	74										8	14	36	29	42
	C	26	15	1	10										3	3	10	7	3
51	Male genitourinary organs W	87	38	10	39								1	1		2	7	20	56
	C	21	13	3	5		1				1				1		4	5	9
52	Skin W	78	18	13	47										1	2	4	7	64
	C	4		1	3												1	1	2
53	Other or unspecified organs W	161	63	14	84		1	1	1	4	4	3	3	3	10	19	19	30	63
	C	28	16	2	10			1			1	1	1		2	1	8	6	7
54a	Nonmalignant tumors, ovary W	3	2	1											1		1		1
	C	2	2													1		1	
54b	Nonmalignant tumors, uterus W	33	22	2	9									2	2	11	13	2	2
	C	37	28	2	7										8	22	3	2	2
54d, e	Nonmalignant tumors, other organs W	16	11		5				1	1	1	2	1			3	1	2	4
	C	2	1		1													1	1
55a	Tumors, ovary (nature unspecified) C	2		1	1												1	1	
55b	Tumors, uterus (nature unspecified) W	2	1		1														2
55d, e	Tumors, other organs (nature unspecified) W	49	28	6	15	2				3	2	4	1	3	5	12	10	3	4
	C	10	5	2	3								1	2	1	2	3	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases White	537	165	65	307	16	5	5	3	1	8	11	14	10	27	51	75	114	197
	Colored	172	96	18	58	3				2	1	2	3	4	21	38	36	32	30
56	Acute rheumatic fever W	35	9	7	19						2	2	3	1	2	4	1	4	16
	C	24	12	6	6							1			5	4	5	5	4
57	Chronic rheumatism, osteoarthritis W	26	7	2	17						1		1			1	1	5	17
	C	8	2		6											2	2	1	3
59	Diabetes mellitus W	231	93	23	115	1			1	1	3	7	6	4	8	13	29	56	102
	C	64	47	4	13						1	1	2	1	7	10	17	18	7
60	Scurvy W	1	1			1													
62	Pellagra W	176	28	23	125		1	2			1		2	3	15	28	35	42	47
	C	54	22	5	27					1			1	3	6	17	10	4	12
63	Rickets W	4		2	2	1	1	2											
	C	1	1			1													
66a	Simple goiter W	6	3		3											1	1	1	3
	C	2	1	1												1		1	
66b	Exophthalmic goiter W	26	10	5	11						1			1	2	3	5	4	10
	C	14	8	2	4										3	4	2	2	3
(66)	Other diseases of thyroid and parathyroid glands W	2			2	1			1										
	C	2	1		1	1												1	
67	Diseases of thymus gland W	10	6	2	2	8	1					1							
	C	1	1			1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous) W	3	3									1				1	1		
69	Other general diseases W	17	5	1	11	4	2	1	1					2	1		2	2	2
	C	2	1		1					1									1
	IV.—Diseases of the blood and blood-making organs White	139	64	8	67	10		1	1	2	7	4	9	7	13	9	19	25	32
	Colored	20	14	1	5	1						1	2	1	1	2	3	4	5
70	Hemorrhagic conditions W	10	7		3	5					1		1			1	1		1
	C	2	2			1						1							
71a	Pernicious anemia W	52	14	3	35					1		1	2	2	3	3	2	17	21
	C	10	6		4									1	1	2	1	2	3
71b	Other anemias W	10	7		3	4								1			1	3	1
	C	1		1									1						
72a	True leukemias W	39	28	2	9			1	1	1	3	2	6	3	5	2	7	1	7
	C	6	5		1								1				2	2	1
72b	Pseudoleukemias (Hodgkin's disease) W	18	3	2	13						3	1		1	2	2	4	4	1
	C	1	1																1
73	Diseases of spleen W	6	3		3	1									2	1	1		1
74	Other diseases of blood and blood-making organs W	4	2	1	1										1		3		
	V.—Chronic poisonings and intoxications White	45	14	6	25									4	8	10	13	9	1
	Colored	15	9	1	5			1							8	4	2		
75	Alcoholism (acute or chronic) W	41	12	5	24									4	6	10	12	8	1
	C	14	8	1	5										8	4	2		
76	Chronic poisoning by other organic substances W	3	1	1	1										2		1		
77a	Chronic lead poisoning W	1	1															1	
	C	1	1					1											

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	White 1,782	529	165	1,088	41	16	9	6	7	19	26	12	19	46	90	156	344	987
		Colored 680	350	82	248	9	3	3			7	2	3	15	42	74	152	167	200
78	Encephalitis (nonepidemic)	W 26	8	2	16	3	1	1		1				2	5	5		5	3
		C 7	5	1	1						1			2		2	1		1
79a	Simple meningitis	W 44	21	1	22	10	2	4	3	2	6	2	2	2	3	1	2	4	1
		C 14	12		2	2	1	1			2	1	1	1		1	2	1	1
79b	Nonepidemic cerebrospinal meningitis	W 18	2	2	14	5	3	1	2	1		3				1		2	
80	Progressive locomotor ataxia (tabes dorsalis)	W 15	5	1	9											2	4	4	4
		C 6	3		3									1	1	1	2	1	
81	Other diseases of spinal cord	W 40	10	5	25						2			1		1	2	15	19
		C 18	9	1	8									1	1	1	6	3	6
82a	Cerebral hemorrhage	W 1,235	364	121	750	2	1	1			3	5	1	2	15	38	111	270	783
		C 474	265	63	146							1	1	2	17	56	111	132	153
82b	Cerebral embolism and thrombosis	W 41	27	4	10							1		2	2	1	2	1	32
		C 12	11		1						2				1		5	2	2
82c	Softening of brain	W 17	2	4	11											1		2	14
		C 4	1	1	2										1			1	
82d	Hemiplegia and other paralysis, cause unspecified	W 87	13	4	70							1		1		1	2	11	71
		C 45	11	12	22										1	1	8	17	18
83	General paralysis of insane	W 46	6	3	37										3	14	12	9	8
		C 27	4	2	21										5	5	8	4	5
84	Dementia praecox and other psychoses	W 32	4		28								1	1	4	7	4	2	13
		C 24	1		23									3	6	4	7	1	3
85	Epilepsy	W 49	5	2	42		1				2	2	4	4	11	8	4	4	9
		C 12	2		10						1		1	2	5	1	1		1
86	Convulsions (under 5 years of age)	W 11	4	2	5	9	1		1										
		C 2			2	1	1												
87	Other diseases of nervous system	W 53	15	7	31		1					2	2	1	1	6	5	9	26
		C 22	13	2	7	2					1			1	3	2		5	8
88	Diseases of organs of vision	C 1	1			1													
89a	Diseases of ear	W 50	32	2	16	11	6	2		2	4	5	2	3	2	2	4	4	3
		C 9	9			3		2						2					2
89b	Diseases of mastoid process	W 18	11	5	2	1				1	2	5				2	4	2	1
		C 3	3				1								1				
	VII.—Diseases of the circulatory system	White 2,977	1,012	288	1,677	16	5	2		1	7	12	25	20	62	124	292	591	1,816
		Colored 991	527	127	337				1		2	4	7	13	60	115	216	247	324
90	Pericarditis	W 13	3	2	8	1									1		2	2	7
		C 6	4		2											2	1	2	1
91a	Acute endocarditis	W 23	12	5	6	2	1			1	1			2	3	1	2	5	3	2
		C 18	15	1	2									2	1	2	2	3	7	1
91b	Endocarditis, unspecified (under 45 years)	W 4	2		2									1		1	2			
		C 3	2	1													3			
92a	Endocarditis, specified as chronic, and other valvular diseases	W 595	154	41	400	3					2	9	10	7	23	20	52	122	346
		C 325	165	42	118				1				2	4	22	44	72	84	96
92b	Endocarditis, unspecified (45 years and over)	W 49	6	9	34												4	13	32
		C 17	11	4	2												3	2	12
93a	Acute myocarditis	W 26	10	2	14	1									1		3	7	14
		C 20	14	2	4							1			1	2	6	5	5
93b	Myocarditis, unspecified (under 45 years)	W 17	2	2	13			1				1	3	1	5	6			
		C 19	10	3	6							1			9	9			
93c	Chronic myocarditis and myocardial degeneration	W 456	178	37	241						2			1	6	17	40	78	312
		C 112	55	11	46										7	8	20	32	45
93d	Other diseases of myocardium	W 394	167	48	179	1										5	28	73	287
		C 159	89	22	48									1	4	6	40	49	59
94a	Angina pectoris	W 287	124	35	128										5	16	40	73	152
		C 24	10	6	8						1		1		2	2	8	5	5
94b	Diseases of coronary arteries	W 198	116	22	60									1	3	16	33	56	88
		C 26	21		5									1		2	5	12	6
95a	Functional diseases of heart	W 22	6	4	12										1	1	2	3	15
		C 1			1														
95b	Other and unspecified diseases of heart	W 647	161	63	423	4	1				1	2	8	6	12	30	68	130	384
		C 178	82	29	67						1	1	1	5	9	21	42	35	63
96	Aneurysm (except of heart)	W 9	2	1	6										1		1	3	4
		C 16	14	1	1										3	6	6		1
97	Arteriosclerosis (coronary arteries excepted)	W 153	39	12	102											2	6	14	131
		C 35	13	1	21											2	2	8	23
98	Gangrene	W 19	5	1	13	2	1	1			1				1	1		1	11
		C 16	11	2	3											3	4	2	6
99	Other diseases of the arteries	W 26	13	1	12	1							1	1		4	4	2	13
		C 3	3									1					1	1	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 9	4		5										1	1	1	1	5
		C 5	3	1	1									1		1	1	2	
101	Diseases of lymphatic system (lymphangitis, etc.)	W 3			3		1										1		1
		C 2	2														1	1	
102	Idiopathic anomalies of blood-pressure	W 15	5		10											1	1	7	6
		C 4	3		1											1	1	1	1
103	Other diseases of circulatory system	W 12	3	3	6	1	1										1	3	6
		C 2		1	1								1		1				
	VIII.—Diseases of the respiratory system	White 1,596	478	149	969	264	92	40	17	19	31	30	33	34	70	90	119	180	573
		Colored 680	423	66	191	129	31	13	8	5	17	17	25	45	66	93	81	71	79
104a	Diseases of nasal fossae	W 6	1	1	4	4	2												
		C 6	6			5										1			
104b	Diseases of nasal fossae and annexa	W 17	11	2	4						1			4	2	5	4	1	
		C 2	1		1								1			1			
105	Diseases of larynx	W 6	3		3	2		1	1	1	1								
		C 3	2		1	1										1			1
106a	Acute bronchitis	W 11	2	3	6	3													8
		C 7	6		1		1							1		1		3	1
106b	Chronic bronchitis	W 33	12	5	16								1		1		1	4	26
		C 5	2	2	1										1		1	1	2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																			
	VIII.—Diseases of the respiratory system—Continued.																			
106c, d	Bronchitis, unspecified	W	23	3	1	19	3	2										1	3	14
		C	11	5	1	5	2								1	3	2	1		2
107a	Bronchopneumonia	W	612	178	47	387	193	52	21	10	8	9	5	7	4	14	13	23	33	218
		C	231	153	17	61	86	17	5	2	4	4	5	4	9	11	17	24	19	24
107b	Capillary bronchitis	W	2		1	1														2
		C	1	1			1													
108	Lobar pneumonia	W	709	215	75	419	35	20	15	4	9	17	20	24	20	48	53	74	120	248
		C	330	196	39	95	20	11	7	5		11	9	16	28	44	61	46	37	35
109	Pneumonia, unspecified	W	90	13	5	72	23	10	2	2	1	1	2	1	2	3	4	8	8	23
		C	40	22	2	16	14	1			1	2	3	3	1	2	1	2	6	4
110	Pleurisy	W	24	12	4	8		3				1	2				7	4	3	4
		C	13	11	1	1									5	1		2	1	4
111a	Pulmonary embolism and thrombosis	W	1	1													1			
		C	1	1																1
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	18	12	2	4	1	1							1	1	1		1	12
		C	6	4	1	1		1								2	2			1
112	Asthma	W	30	7	2	21		2					1		2		3	2	5	15
		C	16	9	3	4			1	1				1			4	3	2	4
113	Pulmonary emphysema	W	3		1	2											1			2
114	Other diseases of respiratory system (tuberculosis excepted)	W	11	8		3			1			1			1	1	2	2	2	1
		C	8	4		4										2	2	2	2	
	IX.—Diseases of the digestive system	White	1,737	671	195	871	378	208	6	22	21	59	45	46	37	103	130	132	173	316
		Colored	637	377	68	192	9	49	1	4	4	8	8	18	27	61	89	118	87	64
115a	Diseases of pharynx, tonsils	W	58	19	8	31	5	2	3	1		10	4	5	3	5	5	4	5	6
		C	17	8	1	8				1	1	1		1	3	4	4	2		
115b	Diseases of buccal cavity and annexa	W	18	6	2	10	2					1	1			1	3	1	5	4
		C	6	4		2	2									1	1			2
116	Diseases of esophagus	W	1	1																1
		C	1	1													1			
117a	Ulcer of stomach	W	77	33	8	36			1			1	1		2	11	7	14	19	21
		C	36	23		13	1							2		6	5	9	7	6
117b	Ulcer of duodenum	W	34	25	2	7								1	1	5	5	9	1	12
		C	5	4		1											3	2		
118	Other diseases of stomach (cancer excepted)	W	69	12	9	48	9	3	1		1	2		2		3	5	9	8	26
		C	97	65	9	23	5	3	1		1	1		1	1	8	23	26	13	14
119	Diarrhea, enteritis (under 2 years of age)	W	540	118	58	364	343	197												
		C	125	50	14	61	80	45												
120	Diarrhea, enteritis (2 years and over)	W	208	29	25	154			56	15	12	15	1	4	1	6	6	5	14	73
		C	66	32	7	27			5	3	1	2	1	1	2	4	4	16	17	10
121	Appendicitis	W	267	172	41	54			1	3	6	25	30	25	20	37	46	26	31	17
		C	83	59	11	13					1	3	6	7	10	20	16	8	5	7
122a	Hernia	W	41	31	4	6										3	3	3	11	21
		C	22	16		6								1	3			7	6	5
122b	Intestinal obstruction	W	106	55	12	39	16	4	3	1	2	1		3	4	5	10	10	20	27
		C	62	38	11	13	5							1	1	6	12	20	13	4
123	Other diseases of intestines	W	18	11	1	6		1				1			1	2	2	4	4	3
		C	16	12		4		1				1		2	2	3	1	4	2	
124	Cirrhosis of liver	W	97	51	10	36	1						1		1	4	15	18	20	37
		C	42	29	5	8									1	1	7	13	12	8
125a	Yellow atrophy of liver	W	12	6		6								1		3		2	2	4
		C	1			1														1
125b	Other diseases of liver	W	25	12	2	11				1			1		1	3	1	5	3	10
		C	14	9		5								1		2	4	1	2	3
126	Biliary calculi	W	55	34	5	16										4	9	12	15	15
		C	4		2	2												2	2	
127	Other diseases of gall-bladder, biliary passages	W	71	40	3	28						3		1		5	8	9	12	33
		C	17	13	2	2									2	1	4	3	4	3
128	Diseases of pancreas	W	6	3	1	2										1	3		1	1
		C	2	2													1		1	
129	Peritonitis, cause not specified	W	34	13	4	17	2	1	2	1			6	4	3	5	2	1	2	5
		C	21	12	6	3							1	1	2	5	3	5	3	1
	X.—Diseases of the genitourinary system	White	1,499	501	171	827	8	5	4	2	2	12	7	9	25	53	72	146	239	915
		Colored	614	388	42	184	2	2	2	1			2	2	14	45	78	108	144	212
130	Acute nephritis (including unspecified under 10 years)	W	89	22	19	48	3	3	2	2		7	2	1	7	9	7	5	12	29
		C	46	30	3	13	1	1	2	1			1	1	1	7	5	4	12	11
131	Chronic nephritis	W	892	285	90	517					1	4	1	3	7	17	39	95	159	566
		C	351	207	26	118									3	16	46	69	84	131
132	Nephritis, unspecified (10 years and over)	W	226	48	28	150							2		4	3	10	19	29	159
		C	76	38	7	31									2	5	6	12	18	33
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	75	36	6	33	3	2	1		1	1	2	2	4	5	3	13	10	28
		C	16	13	1	2		1									5	5	2	3
134	Calculi of urinary passages	W	22	13	4	5										2	2	2	8	8
		C	4	3		1											1	1	1	1
135	Diseases of bladder (tumors excepted)	W	13	4	1	8	1		1							1				10
		C	11	6	1	4										1	1	2	3	4
136	Diseases of urethra, urinary abscess, etc.	W	2		1	1												1	1	
		C	24	22		2										5	8	7	4	
137	Diseases of prostate	W	129	65	14	50												1	19	109
		C	48	37	3	8												4	18	26
138	Diseases of male genital organs, not specified as venereal	W	2	2			1										1			
		C	4	3		1	1								1		1			1
139a	Cysts of ovary	W	14	8		6									1		4	4		5
		C	5	5												2		2		1
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	26	15	5	6								1	2	14	5	4		
		C	23	19	1	3							1	1	7	8	3	1	2	
139c	Diseases of uterus	W	9	3	3	3								2		2	1	2	1	1
		C	4	4									1				1	1		1
139d	Nonpuerperal diseases of breast (cancer excepted)	C	1			1											1			
139e	Other diseases of female genital organs	C	1	1												1				

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	215	85	27	103								24	60	75	54	2		
		Colored	84	42	12	30							1	13	14	39	15	2		
140	Abortion with septic conditions	W	33	15	5	13								4	11	10	8			
		C	19	11	3	5								3	5	9	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	8	3	1	4									3	3	2			
		C	2	2											1	1				
142a	Ectopic gestation, septic conditions specified	W	1		1											1				
		C	1			1										1				
142b	Ectopic gestation, septic conditions not mentioned	W	6	4	1	1								1		4		1		
		C	6	5	1											6				
143	Other accidents of pregnancy (hemorrhage not included)	W	2	1		1									1		1			
144a	Placenta praevia	W	6	2	1	3								1	1	1	3			
		C	3			3									1		2			
144b	Other puerperal hemorrhages	W	19	7		12								1	5	6	7			
		C	3	2		1										1	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W	44	16	9	19								4	13	16	11			
		C	22	9	3	10							1	4	3	14				
146	Puerperal albuminuria and eclampsia	W	53	18	6	29								10	16	18	8	1		
		C	15	5	4	6								5	1	2	7			
147	Other toxemias of pregnancy	W	13	6	2	5									3	5	5			
		C	1	1											1					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	6	3		3								2	2	1	1			
		C	3	2		1									1	1	1			
149	Other accidents of childbirth	W	24	10	1	13								1	5	10	8			
		C	9	5	1	3								1	1	4	1	2		
	XII.—Diseases of the skin and cellular tissue	White	55	27	6	22	10	1					3	3	2	6	6	5	11	8
		Colored	14	8	2	4	2	1								2		3		6
151	Furuncle, carbuncle	W	20	6	3	11	1	1								3	4	2	6	3
		C	2	1		1														2
152	Phlegmon, acute abscess	W	18	15	1	2	1						2	3	1	2	2	2	2	3
		C	7	5	1	1	2									2		2		1
153	Other diseases of skin and annexa, and of cellular tissue	W	17	6	2	9	8						1		1	1		1	3	2
		C	5	2	1	2		1										1		3
	XIII.—Diseases of the bones and organs of locomotion	White	29	16	4	9	1	1		1	1	7	2		2	2	4	3	2	3
		Colored	12	11		1								3	2		2	1	4	
154	Osteomyelitis	W	28	15	4	9	1	1		1	1	7	2		2	2	4	3	1	3
		C	4	3		1								1	1		1	1		
155	Other diseases of bones (tuberculosis excepted)	C	2	2											1				1	
156	Diseases of joints, other organs of locomotion	W	1	1															1	
		C	6	6										2			1		3	
	XIV.—Congenital malformations	White	168	59	10	99	152	4	4		3	1	1		1	2				
		Colored	15	11	1	3	12		1			1				1				
157a	Congenital hydrocephalus	W	17	7	1	9	14	1			2									
		C	2			2	1		1											
157b	Spina bifida and meningocele	W	14	4		10	13		1											
		C	1			1	1													
157c	Congenital malformations of heart	W	65	21	5	39	57	2	2		1	1	1		1					
		C	6	5	1		5					1								
157d	Other congenital malformations	W	72	27	4	41	68	1	1							2				
		C	6	6			5									1				
	XV.—Diseases of early infancy	White	934	315	100	519	934													
		Colored	256	183	13	60	256													
158	Congenital debility	W	90	17	13	60	90													
		C	38	22	1	15	38													
159	Premature birth	W	639	207	66	366	639													
		C	167	132	8	27	167													
160	Injury at birth	W	145	69	18	58	145													
		C	32	23	2	7	32													
161	Other diseases peculiar to early infancy	W	60	22	3	35	60													
		C	19	6	2	11	19													
162	**XVI.—Senility**	White	259	44	22	193												2	2	255
		Colored	80	23	8	49													3	77
	XVII.—Violent and accidental deaths	White	1,936	739	246	951	36	34	27	13	21	78	66	129	196	294	243	240	176	376
		Colored	733	436	64	233	8	7	7	4	5	20	29	65	109	183	129	72	38	56
	Suicide	W	296	121	28	147							1	15	25	52	50	58	58	36
		C	10	5	1	4									3		3	2	1	1
163	By solid or liquid poisons or absorption of corrosive substances	W	51	30	4	17								6	7	17	8	7	1	5
		C	2	2											1		1			
164	By poisonous gas	W	2	2													1			1
165	By hanging or strangulation	W	25	7	2	16									2	2	4	8	8	1
166	By drowning	W	13	6	2	5								1		2	2	2	4	2
		C	1			1														1
167	By firearms	W	184	67	18	99							1	8	16	31	31	36	38	22
		C	5	2	1	2									2			2	1	
168	By cutting or piercing instruments	W	14	6	2	6											3	1	6	4
		C	1			1											1			
169	By jumping from high places	W	3	3														2	1	
171	By other means	W	4			4											1	2		1
		C	1	1													1			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																			
	XVII.—Violent and accidental deaths—Continued.																			
	Homicide	W	248	90	24	134		1					1	17	33	65	60	42	20	9
		C	306	204	22	80	2		1			1	1	29	64	110	58	26	8	6
173	By firearms	W	173	56	13	104							1	12	21	44	45	32	13	5
		C	198	130	13	55						1		17	48	68	38	18	5	3
174	By cutting or piercing instruments	W	29	11	7	11								2	5	11	6	4	1	
		C	79	58	9	12							1	9	13	36	12	4	3	1
175	By other means	W	46	23	4	19		1						3	7	10	9	6	6	4
		C	29	16		13	2		1					3	3	6	8	4		2
	Accidental, other, or undefined	W	1,392	528	194	670	36	33	27	13	21	78	64	97	138	177	133	140	98	331
		C	417	227	41	149	6	7	6	4	5	19	28	36	42	73	68	44	29	49
176	Attack by venomous animals	W	3	1		2	1	1											1	
177	Poisoning by food	W	16	3	1	12	3	2	1			2				1	2	2		3
		C	10	6	1	3							2	1	1		3	1	1	1
178	Absorption of poisonous gas	W	5	1	1	3										1	2	1		1
	Supplemental	W	2			2											1	1		
179	Other acute accidental poisonings (gas excepted)	W	16	4	2	10		2		2	1				3	2	2	2	1	1
		C	12	8		4		1				2			1	4	3		1	
180	Conflagration	W	25	3	10	12	1	1	2	1	1	5	1	1	1	3	2	2	2	2
		C	10	2	5	3	1				1		1			1	1	3		2
181	Burns (conflagration excepted)	W	98	34	10	54	5	11	9	2	6	16	8	2	5	4	4	4	6	16
		C	44	23	4	17	1	4	4	3		6	1	1	1	4	2	1	5	11
	Supplemental	W	10	6	1	3										6	3	1		
182	Mechanical suffocation	W	9	3	1	5	6		1						1				1	
		C	4	1	1	2	1									1	1			
183	Drowning	W	75	19	2	54		6	4	2	1	7	8	9	7	11	9	7	1	3
		C	25	11	1	13							5	10	4	3		1	1	1
	Supplemental	W	15	1		14							2	1	6	2	4			
		C	6	4		2							1			2	2	1		
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	65	25	10	30			1		1	4	4	9	14	11	8	6	5	
		C	35	18	3	14	1				1	3	4	5	7	7	6	1		
185	By cutting or piercing instruments (wounds of war excepted	W	10	2	1	7		1					3		2				1	3
		C	6	2	1	3										2		2		2
	Supplemental	W	3			3	1									1		1		
		C	1	1														1		
186a	By fall	W	279	107	42	130	2	2	3		1	5	5	8	6	3	10	19	18	196
		C	38	24	7	7	1	1					1		4	3	5	6	7	10
	Supplemental	W	41	17	5	19				1			3	4	6	8	6	8	3	2
		C	16	12	1	3							2		4	3	5		2	
186b	By crushing, landslide	W	8	3		5			1	1				1		3		1	1	
		C	4	2	1	1								1				2		1
	Supplemental	W	107	30	20	57			2		1	7	5	12	22	29	8	9	6	6
		C	32	19	3	10						1	2	5	4	6	6	4	3	
187	Cataclysm	W	50	15		35	3	1	2	1		5	4	2	2	6	8	4	5	7
		C	9	5	1	3			1				1	2		1	2	2		
188	Injuries by animals	W	12	5	1	6					1	1	1	1		2			1	5
		C	4	1	1	2											2			2
190	Excessive cold	W	2			2												1		1
		C	5	3		2													1	4
191	Excessive heat	W	8	5	1	2	1										1	2	1	3
		C	5	4		1									2	1	1	1		
192	Lightning	W	7			7								1	3		1	2		
		C	2			2								1		1				
193	Due to electric currents	W	9	4	3	2						1			1	5	2			
		C	1	1											1					
194a	Foreign bodies	W	11	5	2	4	2	4	1	2	1		1							
		C	1			1	1													
194b	Other accidents	W	91	28	12	51	11	2			1	7	3	8	8	8	10	8	4	20
		C	15	8	1	6			1				1	2	1	3	2	1	3	1
	Supplemental	W	415	207	69	139				1	6	18	16	37	52	71	50	59	41	62
		C	129	72	10	47		1		1	3	7	7	8	10	29	27	17	5	14
198	Legal executions	C	3			3									1	2				
	XVIII.—Ill-defined causes of death	White	1,345	170	43	1,132	516	37	12	10	3	12	10	8	18	32	59	80	123	422
		Colored	552	160	36	356	176	20	7	3	1	10	9	15	23	36	38	52	54	107
199	Sudden death	W	175	26	7	142	18	2				1	1		2	2	12	16	36	84
		C	45	8	5	32	5	1				1				2	4	9	7	16
200a	Cause of death ill-defined	W	174	34	7	133	49	3	2					1	6	6	9	22	20	56
		C	67	23	3	41	13	2				2	2	4	4	8	8	9		14
200b	Cause of death not specified or unknown	W	996	110	29	857	449	32	10	10	3	11	9	7	10	24	38	42	67	282
		C	440	129	28	283	158	17	7	3	1	9	7	13	19	30	26	35	38	77
Punch symbol	SUPPLEMENTAL [1]																			
201	Accidents in mines and quarries	W	12	3		9									2	3	2	2	3	
		C	1	1												1				
202	Accidents from agricultural machinery	W	5			5						1					1	1	2	
		C	1			1										1				
203	Elevator accidents	W	1	1														1		
		C	1	1												1				
205	Other machinery accidents	W	13	5	3	5							1	1	3	3	1	4		
		C	2	2										1	1					
206	Railroad and automobile collisions	W	9	4	3	2								1	1	2	1		4	
207	Other railroad accidents	W	76	27	13	36							3	10	16	19	11	11	2	4
		C	50	26	3	21						1	3	4	8	10	12	8	2	1
208	Street car and automobile collisions	W	4	4										1			2			1
		C	1	1											1					
209	Other street car accidents	W	2	2															1	1
		C	1	1												1				
210	Automobile accidents (primary)	W	426	204	71	151	1		1	1	7	24	19	37	60	79	46	56	35	58
		C	114	68	11	35		1		1	3	6	5	8	7	24	25	14	7	13
211	Motorcycle accidents	W	2	2												2				
212	Other land transportation accidents	W	21	3	4	14			1	1			1	3	1	2	2	2	2	6
		C	7	4		3						1	3			1	1		1	
213	Water transportation accidents	W	12	2	1	9							2	1	2	1	4	1	1	
		C	6	4		2							1			2	2	1		
214	Air transportation accidents	W	10	4		6									1	6	2	1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS																		
	Total deaths (all causes)—White	42,158	17,171	5,675	19,312	5,078	1,053	536	338	248	959	684	1,042	1,423	2,921	3,196	4,311	5,745	14,527
	Colored	16,790	6,322	2,509	7,959	3,077	719	265	171	107	360	330	683	990	1,883	1,896	2,102	1,604	2,434
	I.—Infectious and parasitic diseases—White	7,003	2,568	807	3,628	697	371	222	159	116	389	197	304	436	867	758	720	597	1,164
	Colored	4,226	1,436	657	2,133	562	268	110	73	55	169	146	316	483	751	451	362	220	237
1	Typhoid fever—W	341	81	68	192	3	5	7	4	5	23	33	45	51	88	28	25	13	10
	C	239	50	44	145	6	2	1		1	30	37	43	39	36	19	11	7	7
2	Paratyphoid fever—W	9	8	1		3	1		1		1				2				1
	C	5		2	3							1	1	1	1	1			
3	Typhus fever—W	3	1	1	1											1	1		1
	C	4		2	2	1										3			
5	Undulant fever—W	4	1	1	2								1		1		2		
	C	2		2										1			1		
6	Smallpox—W	7	4		3										2	1	2	1	1
	C	7	4		3	2				1					2		1		1
7	Measles—W	375	135	58	182	75	103	34	20	13	52	21	14	7	13	5	5	5	9
	C	214	61	52	101	40	73	34	19	8	23	6	6	3	1		1	1	
8	Scarlet fever—W	69	24	8	37	2	7	8	9	8	23	3	2	3	4				
	C	4	3		1			1			1			1		1			
9	Whooping-cough—W	220	75	31	114	147	40	16	9	3	4								1
	C	148	52	22	74	86	32	14	4	4	6	2							
10	Diphtheria—W	514	156	61	297	26	70	78	68	59	142	34	8	9	9	5	3	2	
	C	136	40	15	81	16	25	13	19	19	29	7	5	1	1				1
11a	Influenza, respiratory complications specified—W	1,033	330	135	568	95	41	20	8	6	25	17	45	45	78	107	108	121	316
	C	452	171	66	215	89	26	13	8	3	6	14	20	33	50	48	60	36	42
11b	Influenza, respiratory complications not specified—W	819	183	94	542	95	23	18	10	6	26	12	20	15	39	50	49	68	388
	C	284	81	44	159	50	13	3		6	12	7	11	17	28	22	32	28	52
13	Dysentery—W	237	79	23	135	77	36	18	4	1	7		1	1	1	5	5	11	70
	C	233	47	52	134	102	57	4	6	2	5	1	2	6	4	3	4	12	23
15	Erysipelas—W	59	19	9	31	21	3					1		1	4	1	3	6	19
	C	8	4		4	5	1												2
16	Acute poliomyelitis, acute polioencephalitis—W	29	3	6	20	5	3	1	1	1	5	4	3	3	2	1			
	C	18	3	3	12	3	4	4			2	3	2						
17	Lethargic or epidemic encephalitis—W	41	23	9	9	1	2	1	1		2	3		2	6	4	9	6	4
	C	4	2		2						1				2		1		
18	Epidemic cerebrospinal meningitis—W	37	27	1	9	14	2	1	1	1	3	4	2	1	3	2	1	2	
	C	16	7	3	6	2	1	1	1	2	1	1		4		1	1	1	
20	Anthrax (bacillus anthracis) malignant pustule—W	1	1															1	
	C	1			1												1		
21	Rabies—W	6	3	1	2						3	1				1		1	
22	Tetanus—W	93	49	13	31	27	1	2	4	1	16	15	3	2	5	3	3	5	6
	C	58	14	9	35	31	1	3		1	9	2	1	2	1	4	2	1	
	Tuberculosis (all forms)—W	2,523	1,119	217	1,187	30	14	10	10	7	28	29	136	271	541	490	416	284	254
	C	1,785	642	267	876	30	19	12	9	7	25	47	201	334	520	257	157	86	67
23	Respiratory system—W	2,340	1,019	199	1,122	18	6	4	2	3	14	23	127	258	513	465	392	270	242
	C	1,645	567	239	839	13	7	8	4	5	14	40	189	316	502	244	148	82	65
24	Meninges and central nervous system—W	42	25	2	15	9	6	2	5	2	3	2	3	1		5	2	1	1
	C	40	29	5	6	13	4	1	5	1	4	4	3		3	1	1		
25	Intestines and peritoneum—W	54	35	6	13		1	1	1		3	3	4	2	7	9	14	5	4
	C	45	13	15	17	2	3			1	3	1	3	9	9	7	3	2	2
26	Vertebral column—W	14	6	4	4					1	3				4	2	1	2	1
	C	4	2		2						2		2						
27a	Bones (vertebral column excepted)—W	11	3	1	7					1				1	2	1	1	3	2
	C	1			1								1						
27b	Joints—W	5	1		4						1			1		1		2	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—W	8	1		7	1					2			1	1		1		2
	C	4	1	2	1		1	1				1			1				
30	Genitourinary system—W	7	3	2	2									1	2	1	2	1	
31	Other organs—W	2	2											1	1				
	C	4	1	1	2									1			1	2	
32a	Acute disseminated tuberculosis—W	32	20	2	10	2	1	2	2		2		2	4	9	4	2		2
	C	33	25	3	5	2	4	2			2	1	2	7	7	2	4		
32b, c	Other disseminated tuberculosis—W	8	4	1	3			1				1		1	2	2	1		
	C	9	4	2	3								1	1	4	3			
33	Leprosy—W	1	1												1				
	C	1	1													1			
34	Syphilis—W	218	146	18	54	52	7		1	1	1		2	7	30	24	41	34	18
	C	370	192	49	129	76	6	1			1	4	7	23	66	73	65	31	16
35	Gonococcus infection, other venereal diseases—W	26	16	4	6	2							6	5	7	5	1		
	C	34	24	1	9	1							6	3	15	4	2	2	1
36	Purulent infection, septicemia (nonpuerperal)—W	61	19	16	26	3	4	1		1	6	7	4	5	6	4	5	4	11
	C	20	6	4	10	3		1	1				1	2	2	4	2	1	3
38	Malaria—W	258	53	28	177	18	9	6	8	3	21	13	11	7	22	21	33	32	54
	C	171	30	18	123	16	7	5	5	1	17	12	10	13	14	10	20	14	22
39	Other diseases due to protozoal parasites—W	4	3	1									1		2				1
42	Other diseases caused by helminths—C	5	1	1	3		2		1		1				1				
43	Mycoses—W	6	5	1										1	1		4		
	C	2	1		1	1									1				
44	Other infectious and parasitic diseases—W	9	4	2	3	1	1	1			1						4	1	
	C	5		1	4	2						2					1		
	II.—Cancers and other tumors—White	3,392	1,461	473	1,458	6	5	5	4	6	9	12	20	19	119	354	580	813	1,435
	Colored	712	335	84	293	2	1	1	4	2	3	6	5	19	51	141	170	147	151
	Cancer and other malignant tumors—W	3,225	1,370	449	1,406	3	5	3	3	4	7	10	11	16	102	310	544	785	1,417
	C	642	293	79	270	1	1		3	2	2	4	5	15	35	116	160	145	145
(45)	Buccal cavity—W	119	44	7	68							1				2	17	36	63
	C	14	6	1	7		1				1			1		2	1	4	4
(45)	Pharynx—W	46	19	5	22											3	9	11	23
	C	10		4	6									1		1	2	3	3
(46)	Esophagus—W	24	9	4	11												3	7	14
	C	4	2		2												3	1	
(46)	Stomach and duodenum—W	626	235	80	311								1	2	7	38	87	174	316
	C	141	66	14	61									2	5	21	34	40	39

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued.																		
(46)	Liver and biliary passages—W	311	99	58	154	------	1	------	------	------	------	2	------	1	5	18	50	79	155
	C	59	24	11	24	------	------	------	------	------	1	------	------	------	4	12	14	10	16
(46)	Pancreas—W	94	61	14	19	------	------	------	------	------	------	------	------	------	4	3	14	34	39
	C	8	5	------	3	------	------	------	------	------	------	------	------	------	------	1	3	2	2
(46)	Other digestive tract and peritoneum—W	372	161	52	159	------	------	------	------	------	------	------	4	1	16	35	63	81	171
	C	62	36	13	13	------	------	------	------	1	------	------	------	3	4	13	15	10	16
47	Respiratory system—W	99	56	10	33	------	1	------	------	------	------	------	1	------	1	16	17	31	32
	C	10	9	------	1	------	------	------	------	------	------	2	------	------	------	3	2	3	------
48	Uterus—W	428	220	62	146	------	------	------	------	------	------	------	------	1	20	79	112	101	115
	C	170	76	17	77	------	------	------	------	------	------	------	1	1	16	34	55	36	23
49	Other female genital organs—W	58	43	4	11	------	------	------	------	------	------	------	1	2	3	10	14	15	13
	C	5	3	1	1	------	------	------	------	------	------	------	------	1	------	3	------	------	1
50	Breast—W	253	136	29	88	------	------	------	------	------	------	------	------	1	12	50	66	52	72
	C	47	23	5	19	------	------	------	------	------	------	------	------	------	1	15	14	13	4
51	Male genitourinary organs—W	270	121	34	115	1	1	1	2	1	------	------	1	3	6	14	24	64	152
	C	40	15	6	19	------	------	------	1	1	------	1	------	1	1	4	3	12	16
52	Skin—W	193	48	25	120	------	------	------	------	------	1	2	------	1	5	10	19	24	128
	C	10	4	2	4	------	------	------	1	------	------	------	------	------	1	1	4	------	3
53	Other or unspecified organs—W	332	118	65	149	2	2	2	1	3	6	5	3	4	23	32	49	76	124
	C	62	24	5	33	1	------	------	1	------	------	1	4	5	3	6	10	11	18
54a	Nonmalignant tumors, ovary—W	4	3	1	------	------	------	------	------	------	------	------	------	1	------	------	2	------	1
	C	2	1	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------	1
54b	Nonmalignant tumors, uterus—W	55	39	6	10	------	------	------	------	------	------	------	------	------	7	25	15	5	3
	C	44	32	1	11	------	------	------	------	------	------	------	------	1	8	24	7	1	2
54d, e	Nonmalignant tumors, other organs—W	20	15	4	1	------	------	------	------	1	2	------	2	------	2	5	3	1	4
	C	6	4	------	2	------	------	------	------	------	------	------	------	------	2	------	2	------	2
55a	Tumors, ovary (nature unspecified)—W	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
55b	Tumors, uterus (nature unspecified)—W	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1
55d, e	Tumors, other organs (nature unspecified)—W	86	33	13	40	3	------	2	1	1	------	2	7	2	7	14	16	22	9
	C	18	5	3	10	1	------	1	1	------	1	2	------	2	6	1	1	1	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—White	1,305	504	182	619	69	10	3	1	4	18	17	18	26	74	100	193	290	479
	Colored	490	172	89	229	27	1	2	1	------	3	8	18	21	66	71	93	71	103
56	Acute rheumatic fever—W	68	17	8	43	------	1	------	------	------	5	7	5	2	3	6	5	14	19
	C	23	7	5	11	------	------	------	------	------	1	3	2	------	4	2	2	1	8
57	Chronic rheumatism, osteoarthritis—W	49	12	10	27	------	------	------	------	------	------	------	------	2	2	2	9	10	24
	C	11	2	3	6	------	------	------	------	------	------	------	------	------	3	2	1	5	
59	Diabetes mellitus—W	574	248	82	244	------	1	1	------	1	10	7	9	12	25	26	61	153	267
	C	121	59	13	49	------	------	------	------	------	------	1	2	4	6	19	29	30	29
60	Scurvy—W	2	1	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
	C	1	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
61	Beriberi—C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
62	Pellagra—W	434	139	59	236	------	------	------	------	------	1	1	3	9	31	55	101	90	142
	C	281	80	58	143	------	------	------	1	------	1	3	11	14	53	46	56	38	55
63	Rickets—W	18	8	2	8	13	4	1	------	------	------	------	------	------	------	------	------	------	------
	C	8	2	2	4	7	1	------	------	------	------	------	------	------	------	------	------	------	------
64	Osteomalacia—W	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
66a	Simple goiter—W	9	5	2	2	------	------	------	------	------	------	------	------	------	1	------	3	3	2
	C	2	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	1	1
66b	Exophthalmic goiter—W	40	29	4	7	------	------	------	------	------	------	------	------	1	6	6	12	11	4
	C	9	7	1	1	------	------	------	------	------	------	------	1	2	2	1	2	------	1
(66)	Other diseases of thyroid and parathyroid glands—W	18	8	3	7	5	2	1	1	1	------	1	------	------	------	1	2	3	1
	C	4	1	------	3	2	------	------	------	------	------	1	------	1	------	------	------	------	------
67	Diseases of thymus gland—W	43	20	6	17	40	1	------	------	1	------	------	------	------	------	------	------	------	1
	C	16	8	3	5	14	------	1	------	------	------	------	------	------	------	------	------	------	------
68	Diseases of adrenals (Addison's disease not specified as tuberculous)—W	9	5	1	3	------	------	------	------	------	------	------	------	------	4	2	------	2	1
	C	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	1
69	Other general diseases—W	40	11	5	24	10	------	------	------	1	2	1	1	------	2	2	------	3	18
	C	11	4	3	4	3	------	1	------	------	1	------	2	------	1	------	1	------	2
	IV.—Diseases of the blood and blood-making organs—White	299	158	41	100	23	7	8	10	1	11	6	10	8	26	29	34	46	80
	Colored	42	19	9	14	14	2	1	2	------	1	------	1	4	4	5	2	5	------
70	Hemorrhagic conditions—W	39	24	3	12	16	5	------	3	------	1	2	3	1	2	1	1	1	3
	C	9	2	4	3	7	1	------	------	------	------	------	------	1	------	------	------	------	------
71a	Pernicious anemia—W	93	42	15	36	3	2	1	1	------	3	------	2	1	7	2	11	20	40
	C	8	5	------	3	1	------	------	------	------	------	------	------	2	4	1	------	------	------
71b	Other anemias—W	21	5	5	11	1	------	------	------	------	1	1	------	------	1	1	------	4	12
	C	10	5	3	2	6	------	1	1	------	------	------	------	------	------	1	------	1	------
72a	True leukemias—W	99	61	12	26	2	------	6	4	1	6	2	3	5	7	17	12	15	19
	C	6	4	1	1	------	1	------	------	------	------	------	------	1	------	2	------	2	------
72b	Pseudoleukemias (Hodgkin's disease)—W	26	9	5	12	------	------	------	------	------	------	1	2	------	8	4	7	3	1
	C	8	2	1	5	------	------	------	1	------	1	------	1	------	------	------	2	2	------
73	Diseases of spleen—W	15	11	1	3	1	------	------	2	------	------	------	------	1	1	3	1	2	4
	C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
74	Other diseases of blood and blood-making organs—W	6	6	------	------	------	------	1	------	------	------	------	------	------	------	1	2	1	1
	V.—Chronic poisonings and intoxications—White	71	37	10	24	------	------	------	------	------	------	------	------	1	7	26	21	11	5
	Colored	20	13	1	6	------	------	------	------	------	------	------	1	1	5	2	8	2	------
75	Alcoholism (acute or chronic)—W	61	30	9	22	------	------	------	------	------	------	------	------	1	4	22	19	11	4
	C	19	12	1	6	------	------	------	------	------	------	------	1	1	4	2	8	2	------
76	Chronic poisoning by other organic substances—W	9	6	1	2	------	------	------	------	------	------	------	------	------	3	4	1	------	1
	C	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
77a	Chronic lead poisoning—W	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense White	3,561	1,380	461	1,720	73	28	17	17	8	47	32	42	54	109	187	377	704	1,858
	VI.—Diseases of the nervous system and of the organs of special sense Colored	1,149	463	205	481	54	18	7	6	3	14	9	24	25	77	147	266	203	272
78	Encephalitis (nonepidemic) W	102	45	24	33	7	2	1	4		6	7	5	5	13	10	16	10	15
	Encephalitis (nonepidemic) C	31	9	9	13	2	3				2	1	3	3	4	4	4	5	
79a	Simple meningitis W	67	39	5	23	14	5	1	2	2	9	5	5	4	2	7	2	6	3
	Simple meningitis C	26	16	1	9	4	1	1	3		2	1	5	2	2	2	2		
79b	Nonepidemic cerebrospinal meningitis W	11	9		2	1					2		3	1	3			1	
	Nonepidemic cerebrospinal meningitis C	8	4	2	2	2	2				1				2	1			
80	Progressive locomotor ataxia (tabes dorsalis) W	19	3	6	10											3	4	5	7
	Progressive locomotor ataxia (tabes dorsalis) C	9	6	2	1										1	3	1	2	2
81	Other diseases of spinal cord W	92	41	8	43	2		1	1	1	1	1	1	5	1	6	11	23	38
	Other diseases of spinal cord C	14	8		6				1					1	1	4	4	2	1
82a	Cerebral hemorrhage W	2,454	942	308	1,204	3	2	2	3		5	4	3	7	29	83	260	537	1,510
	Cerebral hemorrhage C	712	321	104	287	1		2				1	8	9	29	82	192	155	218
82b	Cerebral embolism and thrombosis W	66	42	4	20	1					2		1	1	1	3	6	20	31
	Cerebral embolism and thrombosis C	17	10	3	4				1						4	4	3	3	1
82c	Softening of brain W	23	12	4	7												2	5	16
	Softening of brain C	1		1															1
82d	Hemiplegia and other paralysis, cause unspecified W	223	35	30	158	7		3			1	1	2	4	3	5	10	33	154
	Hemiplegia and other paralysis, cause unspecified C	95	24	7	64	1							1		3	5	25	20	39
83	General paralysis of insane W	100	23	25	52								1		6	27	31	19	15
	General paralysis of insane C	58	18	29	11							1			8	24	18	6	1
84	Dementia praecox and other psychoses W	71	34	15	22									3	10	13	10	10	25
	Dementia praecox and other psychoses C	27	7	12	8									3	8	6	3	2	2
85	Epilepsy W	88	22	9	57	2	1	2	1	1	2	4	7	16	19	12	6	8	7
	Epilepsy C	39	11	9	19	3	1	1			1	1	5	2	8	4	3	5	2
86	Convulsions (under 5 years of age) W	19	6	1	12	11	5	3											
	Convulsions (under 5 years of age) C	39	4	4	31	35	3			1									
87	Other diseases of nervous system W	79	25	13	41	3	2			1	1	1		3	8	4	6	20	30
	Other diseases of nervous system C	30	9	9	12		1	1			4	2		4	2	4	7	1	4
88	Diseases of organs of vision W	4	2	1	1						1		1						2
	Diseases of organs of vision C	2	1		1						1		1						
89a	Diseases of ear W	95	63	6	26	15	9	2	3	2	12	7	10	3	9	7	10	3	3
	Diseases of ear C	35	13	12	10	6	6	2	1	2	3	2	1		3	3	4	1	1
89b	Diseases of mastoid process W	48	37	2	9	7	2	2	3	1	5	2	3	2	5	7	3	4	2
	Diseases of mastoid process C	6	2	1	3		1							1	2	1		1	
	VII.—Diseases of the circulatory system White	6,943	2,917	1,000	3,026	29	4	7	6	6	23	38	40	51	152	274	788	1,407	4,101
	VII.—Diseases of the circulatory system Colored	1,699	780	237	682	9	2	4	3	2	8	17	23	29	133	212	416	336	479
90	Pericarditis W	27	12	2	13							3	1		1	3	4	3	12
	Pericarditis C	14	5	4	5				1			1	2			1	3	2	2
91a	Acute endocarditis W	42	25	6	11	1			1		2	6	2	6	2	5	7	4	6
	Acute endocarditis C	22	16	1	5						2	1	2	2	7	3	4	1	
91b	Endocarditis, unspecified (under 45 years) W	20	6	3	11	2			1	1	3	1	1	5	1	5			
	Endocarditis, unspecified (under 45 years) C	11	3	1	7							3	3	1	2	2			
92a	Endocarditis, specified as chronic, and other valvular diseases W	989	322	120	547	2	2	1		1	8	8	18	12	42	47	92	195	559
	Endocarditis, specified as chronic, and other valvular diseases C	348	176	34	138						1	7	6	8	31	51	81	65	93
92b	Endocarditis, unspecified (45 years and over) W	127	36	28	63												23	30	73
	Endocarditis, unspecified (45 years and over) C	43	17	11	15												14	11	17
93a	Acute myocarditis W	81	30	7	44	1	1	1			1	1	1	1	6	7	10	13	38
	Acute myocarditis C	36	22	3	11							1	1	3	9	4	6	4	8
93b	Myocarditis, unspecified (under 45 years) W	41	26	5	10	6		1				1	2	3	7	21			
	Myocarditis, unspecified (under 45 years) C	29	15	6	8	1							2	2	9	15			
93c	Chronic myocarditis and myocardial degeneration W	1,002	490	163	349							4		1	14	26	80	183	693
	Chronic myocarditis and myocardial degeneration C	179	87	21	71										9	14	42	37	74
93d	Other diseases of myocardium W	849	394	130	325	1						1		1		2	103	170	570
	Other diseases of myocardium C	167	77	34	56										2	1	57	49	58
94a	Angina pectoris W	694	300	82	312					1				1	7	31	117	163	373
	Angina pectoris C	69	34	10	25									2	3	15	19	20	10
94b	Diseases of coronary arteries W	712	376	100	236	2		1			2		3	1	12	41	107	206	334
	Diseases of coronary arteries C	74	39	6	29	1									11	17	19	13	13
95a	Functional diseases of heart W	64	14	17	33										1	3	4	12	44
	Functional diseases of heart C	14	4	4	6										1	2	5	3	3
95b	Other and unspecified diseases of heart W	1,746	671	246	829	8		1	2	2	4	12	9	17	45	65	196	341	1,039
	Other and unspecified diseases of heart C	548	218	81	249	4	1	3	2	1	4	2	5	10	41	76	134	107	144
96	Aneurysm (except of heart) W	49	27	4	18	1					1		1		3	9	6	12	16
	Aneurysm (except of heart) C	23	13	3	7							1			2	5	10	3	2
97	Arteriosclerosis (coronary arteries excepted) W	334	126	61	147										1	5	21	48	258
	Arteriosclerosis (coronary arteries excepted) C	60	30	11	19												6	12	41
98	Gangrene W	44	14	5	25	3			2		1	1		1	3		4	3	24
	Gangrene C	18	7	4	7	2	1	1		1	1	1				3	1	2	5
99	Other diseases of the arteries W	39	22	10	7						1		1		3	1	7	5	21
	Other diseases of the arteries C	11	7	1	3								1	1	3		3	1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	11	7	1	3			1		1				1	1	1	1	3	2
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) C	4	4										1		1	1	1		
101	Diseases of lymphatic system (lymphangitis, etc.) W	8	2	3	3	1	1	1					1				1	1	2
	Diseases of lymphatic system (lymphangitis, etc.) C	4	1	1	2										1		2	1	
102	Idiopathic anomalies of blood-pressure W	52	14	6	32									1	3	1	4	14	29
	Idiopathic anomalies of blood-pressure C	16	3	1	12												6	5	5
103	Other diseases of circulatory system W	12	3	1	8	1										1	1	1	8
	Other diseases of circulatory system C	9	2		7	1									1	2	3		2
	VIII.—Diseases of the respiratory system White	3,117	1,304	399	1,414	654	179	81	36	22	80	48	102	91	190	205	233	254	939
	VIII.—Diseases of the respiratory system Colored	1,543	693	196	654	424	123	57	32	12	47	31	35	73	140	153	149	101	156
104a	Diseases of nasal fossae W	18	5	2	11	3	1						2		2			1	9
	Diseases of nasal fossae C	10	3	1	6	7		2											1
104b	Diseases of nasal fossae and annexa W	29	17	8	4	1						2	4	3	5	4	4	3	3
	Diseases of nasal fossae and annexa C	4	2		2						2	1					1		
105	Diseases of larynx W	21	10	2	9	2	3	5	2	1	3	1					1		3
	Diseases of larynx C	10	3	3	4	1	4					1			3	1			
106a	Acute bronchitis W	42	31	1	10	14	4	1			2			1			1	2	17
	Acute bronchitis C	16	12	2	2	9							1		1	1	2	1	1
106b	Chronic bronchitis W	55	16	6	33	1		1									3	7	40
	Chronic bronchitis C	9	3		6										1	1	2	1	4

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																		
	VIII.—Diseases of the respiratory system—Continued.																		
106c, d	Bronchitis, unspecified W	63	14	6	43	12	1	2	2	1	2		1		2		2	5	33
	Bronchitis, unspecified C	17	3	3	11	8	1	1		1	1							2	1
107a	Bronchopneumonia W	1,131	475	151	505	409	104	42	12	8	25	16	20	22	36	39	41	66	289
	Bronchopneumonia C	482	216	76	190	202	61	28	16	5	19	7	4	19	20	18	22	18	40
107b	Capillary bronchitis W	11	4	4	3	5	1				1						1	1	2
	Capillary bronchitis C	5	1	2	2	2		1											2
108	Lobar pneumonia W	1,108	501	149	458	104	42	19	11	7	37	21	59	54	115	111	122	121	285
	Lobar pneumonia C	615	329	64	222	79	28	12	8	4	16	15	22	43	81	99	91	55	59
109	Pneumonia, unspecified W	310	75	29	206	90	16	8	3	3	5	4	10	2	11	22	21	12	103
	Pneumonia, unspecified C	279	77	31	171	110	24	12	5	2	6	4	7	9	27	20	17	7	26
110	Pleurisy W	63	37	6	20	5	4	1	4	1	1	2	4	5	5	6	7	5	12
	Pleurisy C	28	20	3	5		3	1	3		2	1		1	3	7	3	3	1
111a	Pulmonary embolism and thrombosis W	15	7	2	6						1	1	1	1	2	1	2	2	4
111b	Pulmonary congestion, edema, hemorrhagic infarct W	112	56	13	43	3	1	1								1	2	10	94
	Pulmonary congestion, edema, hemorrhagic infarct C	14	8	1	5	2						1			1	2	1	2	5
112	Asthma W	93	36	13	44	1	1	1	2		1			1	11	13	16	13	33
	Asthma C	35	7	5	23	1									1	3	2	11	16
113	Pulmonary emphysema W	1	1															1	
	Pulmonary emphysema C	1			1	1													
114	Other diseases of respiratory system (tuberculosis excepted) W	45	19	7	19	4	1			1	2	1	1	2	1	5	10	5	12
	Other diseases of respiratory system (tuberculosis excepted) C	18	9	5	4	2	2				1	1	1	1	2	1	6	1	
	IX.—Diseases of the digestive system White	4,144	2,062	600	1,482	897	319	109	52	35	147	110	109	153	285	335	391	469	727
	Diseases of the digestive system Colored	1,890	728	309	853	676	218	50	24	14	46	29	50	50	130	173	171	120	129
115a	Diseases of pharynx, tonsils W	220	100	35	85	5	9	13	11	9	40	20	14	14	24	26	8	15	12
	Diseases of pharynx, tonsils C	55	15	10	30	9	3	1	2	2	7	6	6	2	3	7	2	3	1
115b	Diseases of buccal cavity and annexa W	39	19	5	15	2					6	1	1	2		7	6	8	6
	Diseases of buccal cavity and annexa C	17	10		7		1			2				1	3	3	3	3	1
116	Diseases of esophagus W	5	4	1						1					1				3
117a	Ulcer of stomach W	144	76	20	48									3	7	24	42	28	38
	Ulcer of stomach C	34	13	10	11								1	1	5	8	10	4	5
117b	Ulcer of duodenum W	70	44	7	19								2	3	8	14	16	13	13
	Ulcer of duodenum C	6	4		2										1	2		3	
118	Other diseases of stomach (cancer excepted) W	278	83	24	171	35	6	2	3	1	1	4	2	5	11	28	28	49	102
	Other diseases of stomach (cancer excepted) C	252	88	29	135	56	10	5	1		1		5	5	17	38	50	27	34
119	Diarrhea, enteritis (under 2 years of age) W	1,094	559	110	425	802	292												
	Diarrhea, enteritis (under 2 years of age) C	769	275	134	360	575	194												
120	Diarrhea, enteritis (2 years and over) W	412	175	48	189			84	23	14	25	6	5	11	17	14	26	39	147
	Diarrhea, enteritis (2 years and over) C	193	62	35	96			40	19	8	12	5	4	9	15	13	20	18	27
121	Appendicitis W	728	386	187	155	1	2	6	13	3	55	63	62	89	127	88	96	76	47
	Appendicitis C	166	74	37	55	1		1	1		16	13	22	14	32	30	17	16	3
122a	Hernia W	117	59	22	36	3					1	1	2	1	6	4	14	27	58
	Hernia C	46	21	3	22	4								3	4	8	10	5	12
122b	Intestinal obstruction W	344	184	63	97	37	7	3	2	2	11	8	8	11	37	42	49	52	75
	Intestinal obstruction C	139	62	26	51	25	7	2	1		4	3	7	6	19	22	16	11	15
123	Other diseases of intestines W	57	26	6	25	4	1			1		1	2		3	5	10	10	20
	Other diseases of intestines C	25	11	4	10	2	1				2		1	2	3	6	2	2	4
124	Cirrhosis of liver W	217	119	15	83							1			6	29	38	55	87
	Cirrhosis of liver C	60	32	7	21							1	1		2	9	20	13	13
125a	Yellow atrophy of liver W	24	12	2	10								2	3	3	7	4	3	2
	Yellow atrophy of liver C	6	6										1		2	2	1		
125b	Other diseases of liver W	72	28	11	33	1					1	1	2	1	6	13	16	17	14
	Other diseases of liver C	37	19	5	13					1	1		2	2	6	6	8	4	6
126	Biliary calculi W	87	45	13	29									2	3	11	12	27	32
	Biliary calculi C	17	8	1	8									1	1	7	4	3	1
127	Other diseases of gall-bladder, biliary passages W	165	103	20	42	1		1		1	1		1	1	15	15	20	42	67
	Other diseases of gall-bladder, biliary passages C	24	13	2	9									1	2	6	5	6	4
128	Diseases of pancreas W	12	9	2	1						2				1	2	4	2	1
	Diseases of pancreas C	2		2											1		1		
129	Peritonitis, cause not specified W	59	31	9	19	6	2			3	4	4	6	7	10	6	2	6	3
	Peritonitis, cause not specified C	42	15	4	23	4	2	1		1	3	1		3	14	6	2	2	3
	X.—Diseases of the genitourinary system White	3,154	1,331	424	1,399	31	7	12	7	3	20	22	33	43	107	188	333	584	1,759
	Diseases of the genitourinary system Colored	1,162	504	166	492	10	8	1	2	2	8	11	14	32	79	152	221	234	368
130	Acute nephritis (including unspecified under 10 years) W	202	88	30	84	17	4	5	5	2	11	7	9	7	12	22	17	29	54
	Acute nephritis (including unspecified under 10 years) C	135	70	22	43	6	4	1	2	1	8	4	3	6	11	24	25	22	13
131	Chronic nephritis W	1,655	712	206	737	1		3	2	1	4	10	10	15	40	75	179	344	969
	Chronic nephritis C	573	261	84	228					1		4	3	9	27	71	115	120	215
132	Nephritis, unspecified (10 years and over) W	654	186	99	369							2	2	3	15	25	81	117	409
	Nephritis, unspecified (10 years and over) C	237	58	36	143							1	4	5	10	26	49	54	83
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	131	60	18	53	11	3	4			4	1	5		7	7	15	18	56
	Other diseases of kidneys, ureters (puerperal diseases excepted) C	64	31	9	24	4	4					1		3	10	12	8	10	12
134	Calculi of urinary passages W	44	33	5	6	1								2	4	9	12	10	6
	Calculi of urinary passages C	5	3		2									1	1	1			2
135	Diseases of bladder (tumors excepted) W	29	8	4	17												2	3	24
	Diseases of bladder (tumors excepted) C	17	8		9										2	2	1	3	9
136	Diseases of urethra, urinary abscess, etc W	18	17		1										1	3	4	5	5
	Diseases of urethra, urinary abscess, etc C	20	17		3										1	6	4	5	3
137	Diseases of prostate W	278	147	33	98									1		1	4	45	225
	Diseases of prostate C	61	26	10	25										1		9	19	31
138	Diseases of male genital organs, not specified as venereal W	5		1	4	1						1	1						2
	Diseases of male genital organs, not specified as venereal C	1			1												1		
139a	Cysts of ovary W	21	10	5	6						1			2	3	5	4	5	1
	Cysts of ovary C	5	2		3											1	4		
139b	Other diseases of ovaries, diseases of tubes, parametrium W	69	40	17	12								4	10	15	24	8	4	4
	Other diseases of ovaries, diseases of tubes, parametrium C	34	23	4	7								3	7	15	7	2		
139c	Diseases of uterus W	44	29	6	9							1	1	1	10	16	7	4	4
	Diseases of uterus C	9	5	1	3							1	1	1	1	2	2	1	
139d	Nonpuerperal diseases of breast (cancer excepted) W	1	1											1					
139e	Other diseases of female genital organs W	3			3								1	1		1			
	Other diseases of female genital organs C	1			1												1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—White	505	225	89	191								58	130	207	103	3		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Colored	330	86	52	192							3	64	68	117	77	1		
140	Abortion with septic conditions—W	85	52	12	21								8	19	40	17	1		
140	Abortion with septic conditions—C	39	7	5	27							2	5	7	17	8			
141	Abortion without mention of septic conditions (includes hemorrhages)—W	23	6	5	12								2	5	10	6			
141	Abortion without mention of septic conditions (includes hemorrhages)—C	17	4	3	10								1	4	8	4			
142a	Ectopic gestation, septic conditions specified—W	1	1												1				
142a	Ectopic gestation, septic conditions specified—C	3	2		1									1	2				
142b	Ectopic gestation, septic conditions not mentioned—W	14	6	2	6								1	4	8	1			
142b	Ectopic gestation, septic conditions not mentioned—C	5	1	1	3								1	2	2				
143	Other accidents of pregnancy (hemorrhage not included)—W	6	4	1	1									1	4	1			
144a	Placenta praevia—W	10	2	4	4									1	7	2			
144a	Placenta praevia—C	8	3	1	4								1	1	5	1			
144b	Other puerperal hemorrhages—W	40	15	6	19								3	9	15	12			
144b	Other puerperal hemorrhages—C	20	4	2	14								1	2	14	3			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)—W	116	60	20	36								22	32	44	18			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)—C	91	27	20	44								22	22	25	22			
145b	Puerperal tetanus (abortion and ectopic gestation excluded)—W	2		1	1										2				
146	Puerperal albuminuria and eclampsia—W	98	39	18	41								10	27	36	21	1		
146	Puerperal albuminuria and eclampsia—C	84	19	14	51							1	24	18	22	18	1		
147	Other toxemias of pregnancy—W	29	11	8	10								4	9	13	3			
147	Other toxemias of pregnancy—C	10	5	3	2								1	4	1	4			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	16	2	2	12									6	6	4			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—C	7	1	1	5									2	4	1			
149	Other accidents of childbirth—W	64	26	10	28								8	17	20	18	1		
149	Other accidents of childbirth—C	46	13	2	31								8	5	17	16			
150	Other and unspecified conditions of puerperal state—W	1	1												1				
	XII.—Diseases of the skin and cellular tissue—White	111	53	22	36	12	1	2	1		1	2	10	4	14	6	11	13	34
	XII.—Diseases of the skin and cellular tissue—Colored	32	11	5	16	6	2	1	1					2	2	6	5	1	6
151	Furuncle, carbuncle—W	38	15	8	15			1					6	3	4	2	3	6	13
151	Furuncle, carbuncle—C	10	5	1	4		1		1						2	2	4		
152	Phlegmon, acute abscess—W	23	14	5	4	2	1	1	1		1	1		1	3	2	5	2	3
152	Phlegmon, acute abscess—C	6	2	2	2	3								1		1			1
153	Other diseases of skin and annexa, and of cellular tissue—W	50	24	9	17	10						1	4		7	2	3	5	18
153	Other diseases of skin and annexa, and of cellular tissue—C	16	4	2	10	3	1	1						1		3	1	1	5
	XIII.—Diseases of the bones and organs of locomotion—White	45	20	11	14	4	2	1			3	9	4	2	3	4	3	4	6
	XIII.—Diseases of the bones and organs of locomotion—Colored	10	7	1	2	1	1	1			1	1	1		1	1	1	1	
154	Osteomyelitis—W	25	11	5	9	2		1			2	9	3	2	1	1	1	1	2
154	Osteomyelitis—C	6	4		2		1	1				1	1		1	1			
155	Other diseases of bones (tuberculosis excepted)—W	7	4	2	1	1	1				1		1				1	1	1
156	Diseases of joints, other organs of locomotion—W	13	5	4	4	1	1								2	3	1	2	3
156	Diseases of joints, other organs of locomotion—C	4	3	1		1					1						1	1	
	XIV.—Congenital malformations—White	350	128	39	183	304	8	11	4	1	11	5	3		2		1		
	XIV.—Congenital malformations—Colored	88	39	11	38	68	5	3	3	1	5	2	1						
157a	Congenital hydrocephalus—W	41	18	6	17	28	3	4		1	3		2						
157a	Congenital hydrocephalus—C	18	2	1	15	8	4	2	1	1	1	1							
157b	Spina bifida and meningocele—W	26	12	2	12	26													
157b	Spina bifida and meningocele—C	4		1	3	4													
157c	Congenital malformations of heart—W	185	59	19	107	161	3	5	3		5	5	1		2				
157c	Congenital malformations of heart—C	37	22	3	12	29	1		2		4	1							
157d	Other congenital malformations—W	98	39	12	47	89	2	2	1		3						1		
157d	Other congenital malformations—C	29	15	6	8	27		1					1						
	XV.—Diseases of early infancy—White	1,983	771	243	969	1,983													
	XV.—Diseases of early infancy—Colored	844	312	125	407	844													
158	Congenital debility—W	228	61	22	145	228													
158	Congenital debility—C	214	40	50	124	214													
159	Premature birth—W	1,227	481	148	598	1,227													
159	Premature birth—C	428	195	49	184	428													
160	Injury at birth—W	380	168	54	158	380													
160	Injury at birth—C	112	45	14	53	112													
161	Other diseases peculiar to early infancy—W	148	61	19	68	148													
161	Other diseases peculiar to early infancy—C	90	32	12	46	90													
162	XVI.—Senility—White	949	200	136	613												1	14	932
162	XVI.—Senility—Colored	362	55	44	263												1	12	344
	XVII.—Violent and accidental deaths—White	4,345	1,825	659	1,861	81	85	50	36	45	187	176	277	392	721	580	530	422	731
	XVII.—Violent and accidental deaths—Colored	1,380	544	223	613	56	30	12	17	10	46	60	114	170	299	235	160	83	71
	Suicide—W	667	318	77	272							4	30	61	135	105	136	96	97
	Suicide—C	55	18	7	30								5	10	11	18	5	2	4
163	By solid or liquid poisons or by absorption of corrosive substances—W	191	117	18	56								12	31	45	32	31	20	20
163	By solid or liquid poisons or by absorption of corrosive substances—C	15	6	2	7								2	5	2	4		2	
164	By poisonous gas—W	17	11	3	3									2	3	4	6	1	1
165	By hanging or strangulation—W	55	19	7	29									2	11	7	15	12	8
165	By hanging or strangulation—C	6	3	1	2									1	1	4			
166	By drowning—W	18	6		12										2	3	4	4	4
166	By drowning—C	1			1								1						

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																			
	XVII.—Violent and accidental deaths—Continued.																			
	Suicide—Continued.																			
167	By firearms	W	342	145	44	153							3	18	24	64	53	72	55	51
		C	30	9	4	17								2	4	8	9	4		3
168	By cutting or piercing instruments	W	27	12	3	12										2	5	6	3	11
		C	2			2											1			1
169	By jumping from high places	W	7	6		1									1	3	1	2		
170	By crushing	W	4		1	3										3				1
		C	1			1												1		
171	By other means	W	6	2	1	3							1		1	2			1	1
	Homicide	W	483	215	70	198	3		1		1	4	3	26	51	139	107	74	41	27
		C	482	212	76	194	6					1	3	33	85	166	107	54	18	4
173	By firearms	W	356	159	51	146	1				1	1	2	19	40	105	82	56	31	14
		C	314	135	47	132						1	3	16	43	120	77	36	13	2
174	By cutting or piercing instruments	W	56	24	9	23						2		2	7	20	14	7	2	1
		C	130	67	21	42								13	37	42	22	12	2	1
175	By other means	W	71	32	10	29	2		1			1	1	5	4	14	11	11	8	12
		C	38	10	8	20	6							4	5	4	8	6	3	1
	Accidental, other, or undefined	W	3,195	1,292	512	1,391	78	85	49	36	44	183	169	221	280	447	368	320	285	607
		C	843	314	140	389	50	30	12	17	10	45	57	76	75	122	110	101	63	63
176	Attack by venomous animals	W	17	7	2	8	1	1	3			1	2				1	2	2	4
		C	12		2	10	1				2	1		1		3	1	3		
177	Poisoning by food	W	43	16	6	21	5	3	2	1	1	4	2	1		2	2	5	4	11
		C	41	11	7	23	4	2	1	3	1	1	1	3	2	3	5	6	2	6
178	Absorption of poisonous gas	W	29	14	6	9	1						1	2	2	8	5	1	3	3
		C	3	2		1								1				2		
179	Other acute accidental poisonings (gas excepted)	W	82	39	8	35	2	21	4	3		1		2	6	17	11	5	4	6
		C	22	8	6	8	4	7				1		1	2	2	4	1		
180	Conflagration	W	98	34	22	42	5	3	2	1	2	8	4	3	13	16	9	15	8	7
		C	19	7	5	7	3	1	2	1	1	2	1		1		3	2		2
181	Burns (conflagration excepted)	W	227	96	49	82	8	12	17	11	13	15	13	7	15	32	31	16	17	19
		C	69	29	10	30	1	10	3	3		11	6	3	6	6	5	5	4	5
	Supplemental	W	23	6	9	8					1		1	2	7	8	1	2		1
		C	1	1															1	
182	Mechanical suffocation	W	27		4	23	14		1	1		2	2			2	3			2
		C	22	6	6	10	16							1	1	2	1	1		
183	Drowning	W	189	44	14	131	3	19	2	1	3	21	32	23	19	27	11	10	5	11
		C	81	29	6	46	1	1	2	2	1	7	18	14	5	10	9	4	2	4
	Supplemental	W	11	2		9						1	1	2	2	1	3	1		
		C	1			1													1	
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	195	57	34	104		1	2	1	3	13	24	25	22	28	26	27	14	8
		C	70	27	8	35		1	1	1		3	8	15	13	13	7	6		2
185	By cutting or piercing instruments (wounds of war excepted)	W	31	10	9	12				1		1	2	2	3	1	6	5	4	6
		C	17	6	4	7	1		1	1			1	4		3	1	1	3	1
	Supplemental	W	10	6	2	2						1	1	2	2	2			1	
		C	2	1		1								1		1				
186a	By fall	W	466	223	65	178	8		3	2	3	9	7	8	11	14	18	28	42	311
		C	47	22	7	18	4	2		1	1	3	2		1	1	9	8	6	8
	Supplemental	W	127	41	20	66		2				5	12	16	13	15	14	16	17	16
		C	33	7	8	18				1		1	3	3	2	3	3	7	4	3
186b	By crushing, landslide	W	19	9	2	8				1		2		2	3	3	1	3	2	2
		C	8	2	2	4							1		1	3	2		1	
	Supplemental	W	297	101	50	146		2	4	3	7	23	9	25	26	57	48	35	27	28
		C	71	30	13	28					1	1	2	8	5	19	12	12	4	6
187	Cataclysm	W	23	12		11		1		1			2	1	4	3	2	3	2	4
		C	25	5		20	3	1			3	1	2	1	3	4	2	2	1	2
188	Injuries by animals	W	24	3	7	14	1	1		2	1	1	3	3			1	3	1	7
		C	5		2	3								1	2	1		1		
189	Hunger and thirst	W	1	1																1
		C	1		1															1
190	Excessive cold	W	2	1		1												1		1
		C	2			2											1			1
191	Excessive heat	W	32	8	5	19	2					1	1	2	1	2	4	4	6	9
		C	12	7	1	4	1			1					1	1	2	4		2
192	Lightning	W	20	1	1	18							2	1	5	4	4		4	
		C	4			4							1	1		1	1			
193	Due to electric currents	W	24	11	6	7						3	1	3	1	9	5	1	1	
		C	1			1							1							
	Supplemental	W	1	1													1			
194a	Foreign bodies	W	41	19	4	18	11	11	4		2	4	2			4	1		1	1
		C	6	2		4	1	2	1	1						1				
194b	Other accidents	W	168	71	28	69	11	2	1	1	2	10	9	9	14	26	17	17	13	34
		C	57	25	7	25	10	2				2	6	2	3	3	5	9	11	4
	Supplemental	W	967	459	158	350	6	6	4	6	6	55	36	80	111	165	143	120	107	115
		C	204	87	38	79		1	1	2		11	4	15	24	40	36	27	23	16
198	Legal executions	W	1		1											1				
		C	7		7									1	3	2	1			
	XVIII.—Ill-defined causes of death	White	881	227	79	575	215	27	8	5	1	13	10	12	13	38	47	92	117	277
		Colored	811	125	95	591	324	40	15	3	6	9	7	16	13	28	70	76	68	118
199	Sudden death	W	89	7	13	69	6							2		2	1	14	21	43
		C	35	7	1	27	7		1	1				1		3	3	7	5	7
200a	Cause of death ill-defined	W	467	155	38	274	55	19	3	4	1	6	5	9	8	22	27	57	80	168
		C	342	64	46	232	74	25	8	1	5	4	3	7	8	9	39	48	37	61
200b	Cause of death not specified or unknown	W	325	65	28	232	154	8	5	1		7	5	1	5	14	19	21	16	66
		C	434	54	48	332	243	15	6	1	1	5	4	8	5	16	28	21	26	50

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TEXAS—Continued																		
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries W	3			3								1			2			
	C	1			1											1			
202	Accidents from agricultural machinery W	5		3	2						1	1			1			1	1
203	Elevator accidents W	3	3												1		2		
205	Other machinery accidents W	38	11	8	19							2	2	6	9	14	4	1	
	C	11	6	3	2										1	3	5	1	1
206	Railroad and automobile collisions W	40	12	7	21	1					2	2	2	4	11	9	4	2	2
	C	4		2	2						1		1	1				1	
207	Other railroad accidents W	131	53	20	58		1				1	1	15	19	20	26	22	11	14
	C	51	18	11	22								5	8	15	7	6	5	2
208	Street car and automobile collisions W	2	1		1									1	1				
	C	5	5											1	2	1	1		
209	Other street car accidents W	7	5		2								1		1		1	2	2
	C	1	1														1		
210	Automobile accidents (primary) W	1,076	487	186	403	5	7	7	9	14	73	42	92	115	178	145	131	121	129
	C	216	93	39	84		1	1	2	1	11	8	16	21	44	39	26	21	20
211	Motorcycle accidents W	12	7	2	3						1		2	3	5	1			
212	Other land transportation accidents W	75	21	11	43		2	1			5	12	9	2	9	5	6	12	12
	C	22	2	4	16				1		1	1	5		1		6	5	2
213	Water transportation accidents W	11	6		5						1		1	1	2	3	2	1	
	C	1	1														1		
214	Air transportation accidents W	33	10	2	21						1		2	10	10	5	2	1	
	UTAH																		
	Total deaths (all causes)	4,384	2,126	712	1,546	567	77	39	36	38	77	91	144	120	243	310	424	536	1,674
	I.—Infectious and parasitic diseases	353	137	64	152	64	18	7	9	8	17	13	21	13	32	39	39	28	44
1	Typhoid fever	3		1	2								1			1	1		
5	Undulant fever	1	1												1				
7	Measles	3			3	1					2								
8	Scarlet fever	22	5	9	8		2		4	4	6	1	3	1	1				
9	Whooping-cough	15	2		13	12	2	1											
10	Diphtheria	3			3		1				1	1							
11a	Influenza, respiratory complications specified	82	24	14	44	26	5	3	1		2	2	2	3	6	8	7	3	14
11b	Influenza, respiratory complications not specified	38	12	6	20	4	3	2	1	1	2	1	4		4	1	1	6	8
13	Dysentery	11	6	2	3	6	1	1	1	1								1	
15	Erysipelas	12	4	6	2	9			1								2		
16	Acute poliomyelitis, acute polioencephalitis	3	1		2	1					1				1				
17	Lethargic or epidemic encephalitis	10	5	3	2	1							2		1	2		3	1
18	Epidemic cerebrospinal meningitis	13	3	3	7	3	1			1	1	4	1	1				1	
22	Tetanus	2			2												1		1
	Tuberculosis (all forms)	112	59	19	34		2		1	1	1	3	6	8	15	25	24	9	16
23	Respiratory system	90	46	17	27		2				1		2	6	12	21	22	9	14
24	Meninges and central nervous system	4	3	1					1	1					1	1			
25	Intestines and peritoneum	6	4		2							1	1		2	1			1
26	Vertebral column	2	2										1				1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1																1
30	Genitourinary system	1			1											1			
32a	Acute disseminated tuberculosis	8	3	1	4							2	2	2		1	1		
34	Syphilis	12	8	1	3	1									2		2	5	2
35	Gonococcus infection and other venereal diseases	1			1										1				
36	Purulent infection, septicemia (non-puerperal)	3	3										2						1
39	Other diseases due to protozoal parasites	1	1									1							
41a	Hydatid cysts of liver	1			1												1		
44	Other infectious and parasitic diseases	5	3		2		1				1					1	1		1
	II.—Cancers and other tumors	423	223	81	119					2	2	2	2	3	10	27	53	96	226
	Cancer and other malignant tumors	402	212	75	115					2	2	1	2	2	8	22	49	93	221
(45)	Buccal cavity	9	5	2	2											1	1		7
(46)	Esophagus	6	3	1	2											1		1	4
(46)	Stomach and duodenum	121	53	24	44									1		5	13	30	72
(46)	Liver and biliary passages	31	16	3	12												3	7	21
(46)	Pancreas	21	12	5	4										1	1	1	9	9
(46)	Other digestive tract and peritoneum	56	36	9	11					1			1		3	5	5	9	32
47	Respiratory system	21	15	4	2								1			1	6	7	6
48	Uterus	23	17	5	1											4	5	3	11
49	Other female genital organs	6	3		3												2	3	1
50	Breast	28	10	9	9									1	2		5	4	16
51	Male genitourinary organs	39	17	10	12										1	3	2	7	26
52	Skin	12	3	2	7											1		1	10
53	Other or unspeified organs	29	22	1	6					1	2	1			1		6	12	6
54b	Nonmalignant tumors, uterus	9	6	2	1												4	3	1	1
54 d, e	Nonmalignant tumors, other organs	1	1															1		
55 d, e	Tumors, other organs (nature unspecified)	11	4	4	3							1		1	2	1		2	4

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	119	65	16	38	6			1		2	2	7	1	4	9	15	28	43
56	Acute rheumatic fever	12	5	2	5				1		1		2	1	1	1	2	2	1
57	Chronic rheumatism, osteoarthritis	10	4	3	3								1		1	3	2	1	2
59	Diabetes mellitus	69	37	7	25							2	3		1	2	6	18	36
62	Pellagra	1	1																1
65	Diseases of pituitary body	1	1													1			
66a	Simple goiter	1	1														1		
66b	Exophthalmic goiter	17	13	1	3						1		1		1	2	3	7	2
(66)	Other diseases of thyroid and parathyroid glands	3	2		1	2													1
67	Diseases of thymus gland	3	1	1	1	3													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1		1													1		
69	Other general diseases	1		1		1													
	IV.—Diseases of the blood and blood-making organs	33	16	9	8	4			1		2		2	3	1	6	4	1	9
70	Hemorrhagic conditions	8	3	1	4	4			1		1		2						
71a	Pernicious anemia	12	6	4	2											1	1	1	9
72a	True leukemias	7	4	2	1										1	5	1		
72b	Pseudoleukemias (Hodgkin's disease)	4	1	2	1						1			1			2		
73	Diseases of the spleen	2	2											2					
	V.—Chronic poisonings and intoxications	10	6	3	1										1	3		2	3
75	Alcoholism (acute or chronic)	8	5	2	1										1	3		2	1
77a	Chronic lead poisoning	2	1	1															2
	VI.—Diseases of the nervous system and of the organs of special sense	347	177	48	122	9	4			2	4	6	4	7	9	17	47	50	188
78	Encephalitis (nonepidemic)	9	5	1	3					1		1	1	2		1	2	1	
79a	Simple meningitis	10	7	2	1	3	1				1	1							4
79b	Nonepidemic cerebrospinal meningitis	1			1								1						
80	Progressive locomotor ataxia (tabes dorsalis)	3	2		1												1	1	1
81	Other diseases of spinal cord	6	4	1	1											1	2	2	1
82a	Cerebral hemorrhage	236	96	36	104							1		3	3	3	31	40	155
82b	Cerebral embolism and thrombosis	19	14	3	2							1		1		1	1	2	13
82d	Hemiplegia and other paralysis, cause unspecified	3	2	1							1								2
83	General paralysis of insane	13	13													3	6	2	2
84	Dementia praecox and other psychoses	14	14												1	3	2	2	6
85	Epilepsy	10	7		3					1	1	1	1		3	1	1		1
86	Convulsions (under 5 years of age)	3			3	3													
87	Other diseases of nervous system	9	6		3	1								1		3	1		3
88	Diseases of organs of vision	1		1			1												
89a	Diseases of ear	8	7	1		1	1				1	1	1		2	1			
89b	Diseases of mastoid process	2		2		1	1												
	VII.—Diseases of the circulatory system	962	476	128	358	1	1	1		2	1	18	22	14	27	50	96	156	572
90	Pericarditis	3	3													1		2	
91a	Acute endocarditis	14	8	1	5							4	1	1	4	3			1
91b	Endocarditis, unspecified (under 45 years)	2	1		1							1		1					
92a	Endocarditis, specified as chronic, and other valvular diseases	199	77	30	92					1	1	11	15	7	11	18	23	28	84
92b	Endocarditis, unspecified (45 years and over)	8	1	2	5												2		6
93a	Acute myocarditis	13	5	2	6	1	1							1		1	2	3	4
93b	Myocarditis, unspecified (under 45 years)	5	2		3							1	1	1	2				
93c	Chronic myocarditis and myocardial degeneration	307	155	44	108								1		1	8	17	47	232
93d	Other diseases of myocardium	81	33	14	34												8	12	61
94a	Angina pectoris	44	23	6	15											2	4	11	27
94b	Diseases of coronary arteries	126	88	15	23											8	25	27	66
95a	Functional diseases of heart	1			1														1
95b	Other and unspecified diseases of heart	101	49	4	48			1		1		1	4	3	7	7	11	16	50
96	Aneurysm (except of heart)	5	2	2	1											1	1	1	2
97	Arteriosclerosis (coronary arteries excepted)	28	14	3	11													4	24
98	Gangrene	4	2	2															4
99	Other diseases of arteries	12	8	2	2										2	1	1	3	5
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	3	2		1												1	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	1	1																1
102	Idiopathic anomalies of blood-pressure	2	2															1	1
103	Other diseases of circulatory system	3		1	2												1		2
	VIII.—Diseases of the respiratory system	371	160	63	148	83	16	6	2	1	5	4	13	11	22	24	26	34	123
104a	Diseases of nasal fossae	1	1			1													
104b	Diseases of nasal fossae and annexa	5	2	1	2								1	3		1			
106a	Acute bronchitis	3	1	1	1														3
106b	Chronic bronchitis	5	3		2	1												2	2
106c, d	Bronchitis, unspecified	2			2														2
107a	Bronchopneumonia	134	60	19	55	61	7	2			2	1	4		4	2	4	6	41
107b	Capillary bronchitis	2			2	1	1												
108	Lobar pneumonia	168	74	34	60	11	8	3	1	1	3	2	6	7	15	16	17	18	59

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	VIII.—Diseases of the respiratory system—Continued.																		
109	Pneumonia, unspecified	10	6		4	7							1		1	1			
110	Pleurisy	8	8					1	1			1		1	1		1	1	1
111a	Pulmonary embolism and thrombosis	1			1														1
111b	Pulmonary congestion, edema, hemorrhagic infarct	8	3	1	4								1		1		1	1	4
112	Asthma	14	2	5	7											2	3	1	8
113	Pulmonary emphysema	1			1	1													
114	Other diseases of respiratory system (tuberculosis excepted)	9		2	7											2		5	2
	IX.—Diseases of the digestive system	403	213	79	111	25	18	15	8	10	18	16	21	20	38	41	49	44	80
115a	Diseases of pharynx and tonsils	31	15	5	11	1	5	3	3	1	4		2	1	4		3	1	3
115b	Diseases of buccal cavity and annexa	6	3	1	2	1									1		1	2	1
116	Diseases of esophagus	1	1																1
117a	Ulcer of stomach	28	14	4	10									1	3	2	5	3	14
117b	Ulcer of duodenum	7	5	2											1		2	3	1
118	Other diseases of stomach (cancer excepted)	10	3		7	2							1			1	2		4
119	Diarrhea, enteritis (under 2 years of age)	27	8	5	14	15	12												
120	Diarrhea, enteritis (2 years and over)	25	9	5	11			7	2	5	1		1		2	1	1	1	4
121	Appendicitis	140	89	22	29		1	2	1	1	10	16	15	16	18	22	16	12	10
122a	Hernia	17	12	3	2												3	5	9
122b	Intestinal obstruction	35	18	12	5	4		1	2	3	1		1		4	6	5	1	7
123	Other diseases of intestines	7	2	1	4	1		1						1			2	2	
124	Cirrhosis of liver	21	14	3	4											6	2	5	8
125a	Yellow atrophy of liver	5	2	2	1	1					1				1	1			1
125b	Other diseases of liver	3	2	1											1			1	1
126	Biliary calculi	15	5	7	3											1	3	6	5
127	Other diseases of gall-bladder, biliary passages	15	7	3	5										1		2	2	10
128	Diseases of pancreas	2	1		1												1		1
129	Peritonitis, cause not specified	8	3	3	2			1			1		1	1	2	1	1		
	X.—Diseases of the genitourinary system	345	177	41	127	2	1	1	1	3	3	1	4	7	10	27	34	47	204
130	Acute nephritis (including unspecified under 10 years)	16	8	2	6	2	1	1	1	2	2	1	1	1		2	1		1
131	Chronic nephritis	258	132	26	100						1		2	4	5	17	28	41	160
132	Nephritis, unspecified (10 years and over)	10	3	4	3										3			1	6
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	7	4	2	1					1				1		3	1	1	
134	Calculi of urinary passages	4	2		2											1	2		1
135	Diseases of bladder (tumors excepted)	2			2														2
137	Diseases of prostate	38	23	5	10												1	3	34
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	5	1										1	2	2	1		
139c	Diseases of uterus	4		1	3								1			2		1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	53	32	2	19								1	7	31	14			
140	Abortion with septic conditions	5	4		1										4	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	1			1											1			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	1	1												1				
144a	Placenta praevia	6	2	1	3										3	3			
144b	Other puerperal hemorrhages	4	4												2	2			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	14	7		7								1	5	7	1			
146	Puerperal albuminuria and eclampsia	8	4	1	3									2	4	2			
147	Other toxemias of pregnancy	1			1										1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	10	7		3										6	4			
149	Other accidents of childbirth	2	2												2				
	XII.—Diseases of the skin and cellular tissue	6	2	3	1	1						1	1		2				1
151	Furuncle, carbuncle	3	1	2									1		1				1
152	Phlegmon, acute abscess	1		1								1							
153	Other diseases of skin and annexa, and of cellular tissue	2	1		1	1									1				
	XIII.—Diseases of the bones and organs of locomotion	6	6					1			1	1		1	1				1
154	Osteomyelitis	6	6					1			1	1		1	1				1
	XIV.—Congenital malformations	74	35	10	29	64	3	1	2	1	2				1				
157a	Congenital hydrocephalus	14	5	3	6	11	1		1	1									
157b	Spina bifida and meningocele	6	3	1	2	5					1								
157c	Congenital malformations of heart	39	16	5	18	33	2	1	1		1				1				
157d	Other congenital malformations	15	11	1	3	15													

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	XV.—Diseases of early infancy	282	125	53	104	282													
158	Congenital debility	8		2	6	8													
159	Premature birth	189	76	40	73	189													
160	Injury at birth	63	40	5	18	63													
161	Other diseases peculiar to early infancy	22	9	6	7	22													
162	**XVI.—Senility**	72	30	11	31													2	68
	XVII.—Violent and accidental deaths	439	219	85	135	7	13	5	12	8	20	24	46	32	53	51	53	39	76
	Suicide	51	35	9	7								3	8	5	9	10	8	8
163	By solid or liquid poisons or by absorption of corrosive substances	8	4	3	1									2	1	3	1	1	
165	By hanging or strangulation	8	6	1	1								1	1		2	3	1	
166	By drowning	2	1		1									1			1		
167	By firearms	25	17	4	4								2	4	3	3	4	3	6
168	By cutting or piercing instruments	6	5	1											1		1	2	2
169	By jumping from high places	1	1															1	
170	By crushing	1	1													1			
	Homicide	18	9	5	4									1	7	1	4	3	2
173	By firearms	8	3	2	3										5		2	1	
174	By cutting or piercing instruments	4	3	1										1	1	1		1	
175	By other means	6	3	2	1										1		2	1	2
	Accidental, other, or undefined	370	175	71	124	7	13	5	12	8	20	24	43	23	41	41	39	28	66
178	Absorption of poisonous gas	4	3		1										1	1		1	1
179	Other acute accidental poisonings (gas excepted)	7	4	2	1		1					1	1			1	2		1
180	Conflagration	3	2		1			1	1	1									
181	Burns (conflagration excepted)	17	6	4	7	1	3		3		1		1	2				3	3
	Supplemental	1		1				1											
182	Mechanical suffocation	3	3			2									1				
183	Drowning	25	5	4	16		5	1	1		1	4	4	2	2	2	1		2
184	Traumatism: By firearms (wounds of war excepted)	15	5	5	5						1	3	3		4	2	2		
185	By cutting or piercing instruments (wounds of war excepted)	3	1	2									1			1	1		
	Supplemental	2			2									1	1				
186a	By fall	53	38	6	9					1	2				2	3	3	5	37
	Supplemental	20	4	3	13					1	5	1	3	1	3	1		3	2
186b	By crushing, landslide	5	2	1	2					1	1	2				1			
	Supplemental	42	17	10	15				5		2	2	6	3	6	7	6	3	2
188	Injuries by animals	2	1		1						1							1	
190	Excessive cold	2	2												1				1
191	Excessive heat	1	1														1		
192	Lightning	1			1								1						
193	Due to electric currents	5	2	2	1								1	1	2	1			
	Supplemental	1			1										1				
194a	Foreign bodies	6	1	2	3	1	2	2	1										
194b	Other accidents	21	13	2	6	2			1	1		3		1	3	3	3	1	3
	Supplemental	131	65	27	39	1	2			3	6	8	22	12	14	18	20	11	14
	XVIII.—Ill-defined causes of death	86	27	16	43	19	3	2		1		3		1	1	2	8	9	36
199	Sudden death	8	2	1	5	1											3	1	3
200a	Cause of death ill-defined	58	23	11	24	11	1	1				3			1	2	3	8	27
200b	Cause of death not specified or unknown	20	2	4	14	7	2	1		1				1			2		6
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	16	1	3	12								1	1	6	5	1	2	
202	Accidents from agricultural machinery	1			1											1			
203	Elevator accidents	1	1											1					
205	Other machinery accidents	5	3	1	1						1				1	2		1	
206	Railroad and automobile collisions	2		1	1										1	1			
207	Other railroad accidents	16	9	3	4					1		1	2		4	2	3	2	1
208	Street car and automobile collisions	2	1	1									1			1			
209	Other street car accidents	2	2														1		1
210	Automobile accidents (primary)	135	65	29	41	1	2	1	5	2	8	9	24	14	11	14	19	10	15
211	Motorcycle accidents	1	1											1					
212	Other land transportation accidents	15	2	3	10					1	4	1	3		2		1	2	1
214	Air transportation accidents	1	1														1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT																	
	Total deaths (all causes)	4,621	851	3,770	325	39	23	23	20	51	32	65	69	149	234	415	712	2,449
	I.—Infectious and parasitic diseases	388	69	319	26	8	8	2	1	14	4	12	17	32	42	60	61	100
1	Typhoid fever	2		2										1		1		
2	Paratyphoid fever	1	1													1		
7	Measles	1		1			1											
8	Scarlet fever	8	3	5			1			4	2			1				
9	Whooping-cough	12		12	10	1	1											
10	Diphtheria	3		3			1			1							1	
11a	Influenza, respiratory complications specified	108	10	98	9	4	1		1	4		2	2	7	8	8	11	51
11b	Influenza, respiratory complications not specified	42	3	39	3	2	1				1	2		1	1	6	4	21
13	Dysentery	1		1		1												
15	Erysipelas	5	2	3	1													4
16	Acute poliomyelitis, acute polioencephalitis	5		5						1	1	1	1	1				
17	Lethargic or epidemic encephalitis	3		3						1					1		1	
18	Epidemic cerebrospinal meningitis	2		2	1													1
22	Tetanus	3	2	1						1					1		1	
	Tuberculosis (all forms)	176	42	134	1		2	2		1		7	14	21	26	42	38	21
23	Respiratory system	155	38	117				1				5	14	19	22	39	34	20
24	Meninges and central nervous system	8	4	4	1		2			1				1	1		2	
25	Intestines and peritoneum	5		5				1				1		1	1		1	
26	Vertebral column	4		4								1			1	2		
27b	Joints	1		1														1
30	Genitourinary system	2		2											1	1		
32a	Acute disseminated tuberculosis	1		1													1	
34	Syphilis	9	4	5	1					1					3	2	2	
35	Gonococcus infection and other venereal diseases	2	1	1											2			
36	Purulent infection, septicemia (nonpuerperal)	4	1	3													3	1
44	Other infectious and parasitic diseases	1		1														1
	II.—Cancers and other tumors	490	103	387	1			1		1	1	2		7	27	61	110	277
	Cancer and other malignant tumors	474	98	376	1					1		2		4	22	60	109	273
(45)	Buccal cavity	14	3	11												1	2	11
(45)	Pharynx	2	1	1													2	
(46)	Esophagus	2		2														2
(46)	Stomach and duodenum	78	16	62											2	7	26	43
(46)	Liver and biliary passages	44	10	34										1	1	6	8	27
(46)	Pancreas	7	1	6												1	1	5
(46)	Other digestive tract and peritoneum	91	24	67	1									2	5	9	17	57
47	Respiratory system	11	2	9						1		1			1		2	6
48	Uterus	66	14	52										1	5	17	18	25
49	Other female genital organs	11	2	9											2	2	1	6
50	Breast	44	16	28											3	8	10	23
51	Male genitourinary organs	51	6	45												2	11	38
52	Skin	14		14													1	12
53	Other or unspecified organs	39	3	36								1			3	7	10	18
54a	Nonmalignant tumors, ovary	1		1											1			
54b	Nonmalignant tumors, uterus	6	3	3														
54d, e	Nonmalignant tumors, other organs	6	1	5				1			1			1	3			2
55d, e	Tumors, other organs (nature unspecified)	3	1	2										1	1		1	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	142	30	112	5	1		1	1	2	1	1	1	4	4	8	30	83
56	Acute rheumatic fever	7	1	6					1	1						1		4
57	Chronic rheumatism, osteoarthritis	8		8				1								1	1	5
59	Diabetes mellitus	106	23	83		1						1	1	3	3	4	22	71
63	Rickets	1		1										1				
66a	Simple goiter	1	1															1
66b	Exophthalmic goiter	8	4	4												2	5	1
(66)	Other diseases of thyroid and parathyroid glands	2	1	1											1		1	
67	Diseases of thymus gland	5		5	4					1								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3		3							1						1	1
69	Other general diseases	1		1	1													
	IV.—Diseases of the blood and blood-making organs	42	6	36	1							1	1	1	4	6	8	20
71a	Pernicious anemia	25	3	22											2	2	6	15
71b	Other anemias	2		2	1													1
72a	True leukemias	10	1	9									1	1	2	2	1	3
72b	Pseudoleukemias (Hodgkin's disease)	3	1	2												2	1	
73	Diseases of the spleen	2	1	1								1						1
	V.—Chronic poisonings and intoxications	9	2	7											3	1	3	2
75	Alcoholism (acute or chronic)	7	2	5											3	1	1	2
76	Chronic poisoning by other organic substances	1		1													1	
77a	Chronic lead poisoning	1		1													1	
	VI.—Diseases of the nervous system and of the organs of special sense	495	65	430	6	2	1	2	4	3	1	3	1	6	13	38	82	331
78	Encephalitis (nonepidemic)	3	2	1		1								1		1		
79a	Simple meningitis	12	1	11	1	1	1		2	1				1	1	1	3	
79b	Nonepidemic cerebrospinal meningitis	1		1						1								
80	Progressive locomotor ataxia (tabes dorsalis)	9	1	8												1	3	4
81	Other diseases of spinal cord	12	1	11								1			2	1	4	4
82a	Cerebral hemorrhage	367	44	323										1	4	25	61	275
82b	Cerebral embolism and thrombosis	34	6	28					1			1		1	1	1	2	27
82c	Softening of brain	2		2														2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT—Continued																	
	VI.—Diseases of the nervous system and of the organs of special sense—Con.																	
82d	Hemiplegia and other paralysis, cause unspecified	4		4													1	3
83	General paralysis of insane	6		6											2	2	1	1
84	Dementia praecox and other psychoses	3		3											1	1	1	
85	Epilepsy	14	4	10	1						1	1		2	2	3	2	2
86	Convulsions (under 5 years of age)	2		2	1			1										
87	Other diseases of nervous system	16	3	13	2			1								1	4	8
88	Diseases of organs of vision	1	1		1													
89a	Diseases of ear	7		7					1							1		5
89b	Diseases of mastoid process	2	2							1			1					
	VII.—Diseases of the circulatory system	1,319	230	1,089		1			1	3	4	2	1	15	34	91	224	936
90	Pericarditis	3	2	1													1	2
91a	Acute endocarditis	7	1	6											1		2	2
92a	Endocarditis, specified as chronic, and other valvular diseases	276	48	228		1			1		4	1		9	7	25	44	184
92b	Endocarditis, unspecified (45 years and over)	11	1	10												3	3	5
93a	Acute myocarditis	13		13													5	8
93b	Myocarditis, unspecified (under 45 years)	6	2	4						1			1	1	3			
93c	Chronic myocarditis and myocardial degeneration	295	67	228						1				1	7	17	46	220
93d	Other diseases of myocardium	139	25	114												9	22	107
94a	Angina pectoris	160	19	141											5	16	40	98
94b	Diseases of coronary arteries	68	19	49										1	4	6	16	41
95a	Functional diseases of heart	2	1	1													1	1
95b	Other and unspecified diseases of heart	186	30	156						1		1		2	7	10	34	130
96	Aneurysm (except of heart)	2	1	1														2
97	Arteriosclerosis (coronary arteries excepted)	137	11	126													6	130
98	Gangrene	3		3														3
99	Other diseases of arteries	5	1	4												2	3	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1		1														1
102	Idiopathic anomalies of blood-pressure	1	1												1			
103	Other diseases of circulatory system	4	1	3												1	1	2
	VIII.—Diseases of the respiratory system	330	58	272	27	11	2	3	1	3	2	3	3	7	22	32	36	178
104a	Diseases of nasal fossae	1		1											1			
105	Diseases of larynx	2	1	1			1			1								
106a	Acute bronchitis	11		11		1									1	1		8
106b	Chronic bronchitis	5	2	3												3		2
106c, d	Bronchitis, unspecified	7		7	1													6
107a	Bronchopneumonia	120	23	97	18	5	1	1	1	1	1	1	1	1	3	8	10	68
107b	Capillary bronchitis	3		3	1	1												1
108	Lobar pneumonia	144	23	121	6	2		2		1	1	2	1	5	11	15	19	79
109	Pneumonia, unspecified	3	1	2											1			2
110	Pleurisy	9	2	7	1	1							1		1	1	1	3
111a	Pulmonary embolism and thrombosis	3		3													1	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	7		7										1			1	5
112	Asthma	3	1	2												2	1	
113	Pulmonary emphysema	3	1	2		1												2
114	Other diseases of respiratory system (tuberculosis excepted)	9	4	5											4	2	3	
	IX.—Diseases of the digestive system	282	89	193	23	6	4	2	6	7	10	10	6	15	28	32	40	93
115a	Diseases of pharynx and tonsils	16	5	11		1			2	3	3	1				3		3
115b	Diseases of buccal cavity and annexa	4	1	3										1	1	1		1
117a	Ulcer of stomach	16	4	12											4	1	2	9
117b	Ulcer of duodenum	16	4	12								1	1		3	2	4	5
118	Other diseases of stomach (cancer excepted)	13	2	11	4											1	3	5
119	Diarrhea, enteritis (under 2 years of age)	17	3	14	13	4												
120	Diarrhea, enteritis (2 years and over)	7		7			2	1		1								3
121	Appendicitis	61	23	38		1	2	1	3	3	6	8	4	6	7	5	5	10
122a	Hernia	12	5	7												3	3	6
122b	Intestinal obstruction	36	16	20	6								1	4	5	3	5	12
123	Other diseases of intestines	5	3	2											1	1		3
124	Cirrhosis of liver	35	6	29											2	4	11	18
125a	Yellow atrophy of liver	1		1														1
125b	Other diseases of liver	3		3												1		2
126	Billiary calculi	17	9	8										1	3	3	5	5
127	Other diseases of gall-bladder, biliary passages	19	8	11					1					2	1	4	2	9
128	Diseases of pancreas	2		2										1	1			
129	Peritonitis, cause not specified	2		2							1							1
	X.—Diseases of the genitourinary system	401	65	336	1						1	2	2	14	10	35	77	258
130	Acute nephritis (including unspecified under 10 years)	14	1	13							1	1		1		3	3	5
131	Chronic nephritis	307	50	257								1	1	5	9	28	61	201
132	Nephritis, unspecified (10 years and over)	30	3	27									1	2		3	7	17
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	6		6	1									1				4
134	Calculi of urinary passages	2	1	1														2
135	Diseases of bladder (tumors excepted)	4		4														4
136	Diseases of urethra, urinary abscess, etc	1		1														1
137	Diseases of prostate	24	9	15													3	21
139a	Cysts of ovary	4	1	3										2	1		1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	7		7										3			2	2
139c	Diseases of uterus	2		2												1		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or more	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT—Continued																	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	35	12	23								1	7	16	11			
140	Abortion with septic conditions	3	1	2									2	1				
142b	Ectopic gestation, septic conditions not mentioned	2		2										1	1			
144a	Placenta praevia	1	1												1			
144b	Other puerperal hemorrhages	2	1	1										2				
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	11	4	7									2	6	3			
146	Puerperal albuminuria and eclampsia	6	2	4									2	4				
147	Other toxemias of pregnancy	6	3	3									1	1	4			
149	Other accidents of childbirth	4		4								1		1	2			
	XII.—Diseases of the skin and cellular tissue	5	2	3										1	1		1	2
151	Furuncle, carbuncle	2	2											1			1	
152	Phlegmon, acute abscess	2		2											1			1
153	Other diseases of skin and annexa, and of cellular tissue	1		1														1
	XIII.—Diseases of the bones and organs of locomotion	1		1														1
155	Other diseases of bones (tuberculosis excepted)	1		1														1
	XIV.—Congenital malformations	52	13	39	46	1			2		1	1		1				
157a	Congenital hydrocephalus	3	1	2	2				1									
157b	Spina bifida and meningocele	11	3	8	10						1							
157c	Congenital malformations of heart	27	4	23	25	1								1				
157d	Other congenital malformations	11	5	6	9				1			1						
	XV.—Diseases of early infancy	173	32	141	173													
158	Congenital debility	19		19	19													
159	Premature birth	98	19	79	98													
160	Injury at birth	32	10	22	32													
161	Other diseases peculiar to early infancy	24	3	21	24													
162	**XVI.—Senility**	58	2	56														58
	XVII.—Violent and accidental deaths	375	70	305	6	9	7	12	3	18	7	27	29	30	35	50	36	104
	Suicide	72	13	59								3	7	6	8	15	15	18
163	By solid or liquid poisons or by absorption of corrosive substances	7	2	5								1			1	2	1	2
164	By poisonous gas	5	2	3									1	1			1	2
165	By hanging or strangulation	15	2	13									2	1	1	5	3	3
166	By drowning	6	1	5										1		1	1	3
167	By firearms	33	5	28								2	4	2	6	4	8	7
168	By cutting or piercing instruments	5		5												3	1	1
170	By crushing	1	1											1				
	Homicide	6		6		1	1									1	2	1
173	By firearms	1		1													1	
174	By cutting or piercing instruments	1		1														1
175	By other means	4		4		1	1									1	1	
	Accidental, other, or undefined	297	57	240	6	8	6	12	3	18	7	24	22	24	27	34	19	85
178	Absorption of poisonous gas	5	2	3											3		1	1
179	Other acute accidental poisonings (gas excepted)	6	1	5			1			1			1			1	2	
180	Conflagration	5		5		2		1	1	1								
181	Burns (conflagration excepted)	14	4	10	2	1	4	1		2			1	1			1	
	Supplemental	3		3									1		1	1		
182	Mechanical suffocation	3	1	2	1										1		1	
183	Drowning	28	2	26		2	1	3		3	2	7	4		4	1		1
	Supplemental	2		2									1	1				
	Traumatism:																	
184	By firearms (wounds of war excepted)	8		8								3	1	1		1	1	1
185	By cutting or piercing instruments (wounds of war excepted)	2	1	1										1			1	
186a	By fall	92	21	71		2		3		2	1	3		2	5	6	6	62
	Supplemental	2		2						2								
186b	By crushing, landslide	2		2											1	1		
	Supplemental	8	1	7									3			3	1	1
188	Injuries by animals	2		2				1										1
189	Hunger and thirst	1		1												1		
191	Excessive heat	1		1												1		
193	Due to electric currents	5		5								2	1	1		1		
194a	Foreign bodies	3	2	1	1			1						1				
194b	Other accidents	19	3	16	2					1	1		3	3	2	3	1	3
	Supplemental	86	19	67		1		2	2	6	3	9	6	13	10	14	4	15
	XVIII.—Ill-defined causes of death	24	3	21	10		1		1				1			1	4	6
199	Sudden death	3		3	1												1	1
200a	Cause of death ill-defined	11		11	3		1									1	3	3
200b	Cause of death not specified or unknown	10	3	7	6				1				1					2
Punch symbol	SUPPLEMENTAL [1]																	
201	Accidents in mines and quarries	2	1	1										1	1			
202	Accidents from agricultural machinery	1		1							1							
205	Other machinery accidents	9	2	7									1	1	2	2	2	1
206	Railroad and automobile collisions	2		2								1						
207	Other railroad accidents	7		7									1		1	2	1	2
210	Automobile accidents (primary)	70	15	55		1		1	2	7		8	7	11	7	12	2	12
211	Motorcycle accidents	1	1							1								
212	Other land transportation accidents	7	1	6				1			2		1			2		1
213	Water transportation accidents	1		1									1					
214	Air transportation accidents	1		1										1				

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA																		
	Total deaths (all causes) White	18,043	5,224	1,762	11,057	2,120	319	152	97	79	303	216	324	516	1,006	1,140	1,736	2,573	7,447
	Total deaths (all causes) Colored	10,411	3,704	530	6,177	1,393	170	76	52	49	141	158	359	521	946	1,211	1,658	1,615	2,035
	I.—Infectious and parasitic diseases White	2,288	470	237	1,581	260	123	67	41	35	117	51	62	116	273	227	220	215	478
	I.—Infectious and parasitic diseases Colored	1,983	606	112	1,265	221	65	29	20	15	50	43	174	239	354	276	216	160	120
1	Typhoid fever W	78	17	7	54		1	1			2	7	6	15	16	10	13	4	2
1	Typhoid fever C	35	14	5	16				1		6	3	8	7	6	1		1	2
2	Paratyphoid fever W	1			1										1				
3	Typhus fever W	1	1								1								
7	Measles W	50	6	5	39	11	5	8	1	1	11	3	2	1	1	1	2		3
7	Measles C	10	4		6	2	2	1	2	1	1		1						
8	Scarlet fever W	51	4	7	40	2	4	5	5	7	17	6	3		1				1
8	Scarlet fever C	5	2		3	1					2			1					1
9	Whooping-cough W	50	7	7	36	33	8	3	2	3	1								
9	Whooping-cough C	74	17		57	40	19	7	3		3	1				1			
10	Diphtheria W	153	28	16	109	13	30	21	27	12	40	7		1		1	1		
10	Diphtheria C	29	5	4	20	5	4	5	4	3	4	1	1		2				
11a	Influenza, respiratory complications specified W	420	85	41	294	68	25	14	2	3	13	1	6	8	27	38	38	37	140
11a	Influenza, respiratory complications specified C	242	70	16	156	39	12	3	5	3	6	2	5	15	33	23	27	33	36
11b	Influenza, respiratory complications not specified W	203	30	18	155	39	10	1	1	1	8	1	5	4	12	7	13	15	86
11b	Influenza, respiratory complications not specified C	120	22	5	93	25	6		2	1	3	2	3	5	5	17	11	19	20
13	Dysentery W	88	15	8	65	31	18	5	1		3	2		1		3	1		23
13	Dysentery C	49	6	6	37	24	5	3	1	1	2		2			3	3	2	3
15	Erysipelas W	38	8	10	20	11	1						1		1	3	4	3	14
15	Erysipelas C	7	4		3	1							1			1	2	2	
16	Acute poliomyelitis, acute polioencephalitis W	9	2	1	6	1				1	2	2	1	1					
16	Acute poliomyelitis, acute polioencephalitis C	1			1			1											
17	Lethargic or epidemic encephalitis W	13	6	5	2			1			1	1	1	1	1	2	1	1	3
18	Epidemic cerebrospinal meningitis W	27	9	5	13	7	3	2	1		2	2	2	1	2	3		2	
18	Epidemic cerebrospinal meningitis C	5	2		3		1				1		1	2					
22	Tetanus W	20	10	6	4	4				1	2	5	1	1	3		2	1	
22	Tetanus C	11	4		7	5					2						2	1	1
	Tuberculosis (all forms) W	943	188	73	682	10	12	5		3	13	11	32	75	194	145	120	134	188
	Tuberculosis (all forms) C	1,100	336	54	710	7	8	7	1	6	19	32	135	192	265	172	135	76	45
23	Respiratory system W	837	159	62	616	2	3	1			6	6	26	65	185	134	110	121	177
23	Respiratory system C	1,005	298	50	657	2	3	3	1	4	9	27	124	179	250	163	128	68	44
24	Meninges and central nervous system W	39	10	2	27	5	8	3		3	6	5	1	2	1	2	3		
24	Meninges and central nervous system C	24	9	2	13	5	2	4		1	3	2	2	1	2	2			
25	Intestines and peritoneum W	25	8	3	14			1					1	2	4	4	2	8	3
25	Intestines and peritoneum C	28	15		13						3	2	3	6	5	1	4	3	1
26	Vertebral column W	5	2		3		1				1					1	1	1	
26	Vertebral column C	13	1	1	11								2	1	4	3	1	2	
27a	Bones (vertebral column excepted) W	2			2													1	1
27a	Bones (vertebral column excepted) C	3			3					1			1					1	
27b	Joints W	3	3											1					2
28	Skin and subcutaneous cellular tissue C	2	1		1									1	1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	4			4												2		2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	4	2	1	1								1	3					
30	Genitourinary system W	8	1	2	5								1		1	2	1	1	2
30	Genitourinary system C	1			1								1						
32a	Acute disseminated tuberculosis W	20	5	4	11	3							3	5	3	2	1	2	1
32a	Acute disseminated tuberculosis C	19	10		9		3				4	1	1	1	3	3	2	1	
32b, c	Other disseminated tuberculosis C	1			1													1	
34	Syphilis W	102	39	23	40	28		1		1			1	2	9	9	23	14	14
34	Syphilis C	249	99	16	134	66	6	1			1	1	8	13	34	51	33	24	11
35	Gonococcus infection, other venereal diseases W	9	5	4										1	3	3	1		1
35	Gonococcus infection, other venereal diseases C	24	16	3	5								6	4	7	6	1		
36	Purulent infection, septicemia (nonpuerperal) W	6	3		3					1		1		2		1		1	
36	Purulent infection, septicemia (nonpuerperal) C	5	1	1	3							1	1				2		1
38	Malaria W	5	2		3	1	1								1				2
38	Malaria C	5	1		4		1		1						1	1		1	
39	Other diseases due to protozoal parasites W	1	1									1							
39	Other diseases due to protozoal parasites C	1			1								1						
42	Other diseases caused by helminths W	4		1	3		3		1										
42	Other diseases caused by helminths C	1	1					1											
43	Mycoses W	2	1		1										1	1			
43	Mycoses C	5	1		4	4										1			
44	Other infectious and parasitic diseases W	14	3		11	1	2			1	1	1	1	1		1	1	3	1
44	Other infectious and parasitic diseases C	5	1	2	2	2	1						1					1	
	II.—Cancers and other tumors White	1,576	552	138	886	2	2	6		4	7	5	9	10	38	114	274	379	725
	II.—Cancers and other tumors Colored	449	167	32	250				1		1	2	2	4	32	79	116	107	105
	Cancer and other malignant tumors W	1,509	518	130	861		1	4		3	3	4	8	7	31	103	259	368	717
	Cancer and other malignant tumors C	413	151	30	232							2	1	3	26	67	112	102	100
(45)	Buccal cavity W	64	15	6	43								1		3	1	10	9	40
(45)	Buccal cavity C	8	5		3										1	2	2		3
(45)	Pharynx W	11	1	1	9											1	1	2	7
(45)	Pharynx C	1	1													1			
(46)	Esophagus W	12	7		5											1	4	4	3
(46)	Esophagus C	2	2													1		1	
(46)	Stomach and duodenum W	273	75	21	177											11	37	63	162
(46)	Stomach and duodenum C	99	30	7	62										1	8	30	31	29
(46)	Liver and biliary passages W	145	31	14	100										1	4	22	37	81
(46)	Liver and biliary passages C	31	6	2	23										1	1	5	14	10
(46)	Pancreas W	40	19	7	14										1	1	5	12	21
(46)	Pancreas C	5	3	1	1											1	2	1	1
(46)	Other digestive tract and peritoneum W	210	77	18	115										4	17	29	45	115
(46)	Other digestive tract and peritoneum C	30	5	4	21										3	2	11	7	7
47	Respiratory system W	50	19	4	27								2		1	4	13	19	11
47	Respiratory system C	10	4	1	5										1	2	3	2	2
48	Uterus W	185	69	15	101									1	7	23	56	45	52
48	Uterus C	103	43	6	54										10	31	26	20	16

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued																		
49	Other female genital organs	W 32	21	2	9						1				1	4	8	12	6
		C 10	7		3									1		2	3	2	2
50	Breast	W 158	65	11	82									1	6	19	39	41	52
		C 41	18	3	20										3	8	17	4	9
51	Male genitourinary organs	W 114	46	10	58			1		3			1		2	4	8	24	71
		C 30	10	3	17										1	2	7	9	11
52	Skin	W 52	10	7	35							1			2		3	9	37
		C 4	1		3										1		2		1
53	Other or unspecified organs	W 163	63	14	86		1	3			2	3	4	5	3	13	24	46	59
		C 39	16	3	20							2	1	2	4	6	4	11	9
54a	Nonmalignant tumors, ovary	W 2	1	1													1	1	
54b	Nonmalignant tumors, uterus	W 9	5	2	2										2	3	2	2	
		C 22	14	1	7									1	4	10	2	2	3
54d, e	Nonmalignant tumors, other organs	W 16	10	2	4	1				1	1		1	1	1		5	3	2
		C 2	1		1								1						1
55d, e	Tumors, other organs (nature unspecified)	W 40	18	3	19	1	1	2			3	1		2	4	8	7	5	6
		C 12	1	1	10				1		1				2	2	2	3	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White 488	169	58	261	20	5	4	3	2	4	7	12	10	20	40	56	80	223
		Colored 248	101	13	134	13	4	1			6	8	4	4	28	34	63	32	51
56	Acute rheumatic fever	W 22	4	1	17						2	2	4		2		1	4	6
		C 36	12	3	21						3	3	1	2	6	5	7	4	5
57	Chronic rheumatism, osteoarthritis	W 37	12	4	21											2	5	3	27
		C 10	4		6						1	1					2	2	4
59	Diabetes mellitus	W 266	102	27	137							5	5	7	4	18	27	55	145
		C 119	58	6	55						1	1	2	1	6	12	39	24	33
60	Scurvy	W 1			1	1													
62	Pellagra	W 70	19	15	36				1		1		1	1	9	12	11	6	28
		C 48	14	1	33						1	2	1	1	14	15	8	1	5
63	Rickets	W 7		1	6	3	2	2											
		C 15	6	1	8	9	4	1				1							
64	Osteomalacia	W 1	1																1
		C 1			1														1
66a	Simple goiter	W 6		3	3									1	1	1	1	1	1
		C 2			2												1		1
66b	Exophthalmic goiter	W 40	19	5	16									1	3	6	10	9	10
		C 11	5	2	4										1	1	6	1	2
(66)	Other diseases of thyroid and parathyroid glands	W 6	1		5	1			2		1						1	1	
		C 1			1														
67	Diseases of thymus gland	W 16	4	1	11	12	2								1		1		
		C 2			2	1											1		
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 2			2											1			1
69	Other general diseases	W 14	7	1	6	3	1	2		2			1					1	4
		C 3	2		1	3													
	IV.—Diseases of the blood and blood-making organs	White 108	45	7	56	9	1	2	1	1	4	6	4	4	9	10	18	13	26
		Colored 32	14	2	16	4	1		1		2		2	2	4	6	4	4	2
70	Hemorrhagic conditions	W 13	6		7	7	1	1				2					1		1
		C 7	3		4	4					1		1	1					
71a	Pernicious anemia	W 34	11	1	22	1					1	1	2		3	1	6	5	14
		C 9	4		5										2	1	1	3	2
71b	Other anemias	W 4	1		3									1		1		1	1
		C 6	2		4		1				1			1			1		
72a	True leukemias	W 37	18	5	14	1		1	1	1	3	2	2	2	4	5	5	4	6
		C 3	1	1	1				1								1	1	
72b	Pseudoleukemias (Hodgkin's disease)	W 15	5	1	9							1		1	1	3	3	3	3
		C 7	4	1	2									1		2	3	1	
73	Diseases of spleen	W 3	2		1												3		
74	Other diseases of blood and blood-making organs	W 2	2													1			1
	V.—Chronic poisonings and intoxications	White 42	18	4	20									1	3	7	9	11	6	5
		Colored 26	12	2	12									1	4	5	9	3	4	
75	Alcoholism (acute or chronic)	W 38	15	3	20									1	2	6	9	10	6	4
		C 25	11	2	12									1	4	5	8	3	4	
76	Chronic poisoning by other organic substances	W 2	2													1		1		
77a	Chronic lead poisoning	W 1	1																	1
77b,c	Other chronic poisoning by mineral substances	W 1		1										1						
		C 1	1														1			
	VI.—Diseases of the nervous system and of the organs of special sense	White 2,051	536	237	1,278	33	9	7	8	3	19	21	12	16	44	77	210	409	1,180
		Colored 1,227	432	54	741	24	7	2	1	3	4	10	14	20	42	121	291	320	359
78	Encephalitis (nonepidemic)	W 20	5	4	11	1		1			2	2	1	1	2	4	4	1	1
		C 20	10	1	9	2	1				1	2	3	1	2	2	1	3	2
79a	Simple meningitis	W 29	11	4	14	8	3	1			3	4	2	1	1	1	2	2	1
		C 23	15		8	2	2		1			2	2	3	4	2	3	1	1
79b	Nonepidemic cerebrospinal meningitis	W 6		4	2	1		1	1		1	1			1				
		C 2			2	1						1							
80	Progressive locomotor ataxia (tabes dorsalis)	W 18	7	4	7												1	2	10	5
		C 9	4		5										1	1	5	2		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	VI. Diseases of the nervous system and of the organs of special sense—Continued																			
81	Other diseases of spinal cord	W	52	13	6	33				1	1		1	1		3	2	5	13	25
		C	18	4	1	13			1				1		1		2	4	6	3
82a	Cerebral hemorrhage	W	1,556	397	163	996	5		1	1			1	2	1	12	35	157	342	997
		C	935	358	46	531		1						1	2	15	77	246	276	308
82b	Cerebral embolism and thrombosis	W	61	25	3	33									4	1	2	4	11	39
		C	16	8	2	6							1	1		1	2	3	4	4
82c	Softening of brain	W	17	6	1	10												1		16
		C	1			1													1	
82d	Hemiplegia and other paralysis, cause unspecified	W	70	5	6	59											1	3	8	58
		C	48	4	2	42											1	6	16	25
83	General paralysis of insane	W	41	9	18	14									1	4	12	16	2	5
		C	45	4	1	40							1		1	7	16	13	3	4
84	Dementia praecox and other psychoses	W	8	2	1	5										2	1	1	2	2
		C	15	2		13								1		3	4	1	2	4
85	Epilepsy	W	43	6	6	31	1					1	4	3	4	7	9	7	2	5
		C	39	9		30	1	1				1	1	6	7	7	8	4	2	1
86	Convulsions (under 5 years of age)	W	14	1	2	11	9	1	1	3										
		C	23	3		20	18	2	1		2									
87	Other diseases of nervous system	W	61	25	6	30	2	3	1			2	2	1	1	7	3	5	12	22
		C	16	5		11									2	1	6	2	2	3
88	Diseases of organs of vision	W	4		1	3							1			1	1			1
		C	1			1									1					
89a	Diseases of ear	W	31	10	7	14	6	1	1	2	1	3	3		1	2	4	2	3	2
		C	13	4	1	8						2			2	1		2	2	4
89b	Diseases of mastoid process	W	20	14	1	5		1			1	7	2	2	2	1	1	1	1	1
		C	3	2		1					1		1					1		
	VII.—Diseases of the circulatory system	White	3,658	1,137	325	2,196	8	3	1	3		13	12	19	26	94	142	314	692	2,328
		Colored	1,977	718	105	1,154	4		3	1	4	3	14	15	19	84	240	429	498	655
90	Pericarditis	W	10	3	1	6						1			1	2		1	3	2
		C	4	1		3											1	1	1	1
91a	Acute endocarditis	W	26	6	1	19						3	1	2	3	9	3	1	1	3
		C	25	10	3	12	1		1				5	2	1	2	1	5	3	4
91b	Endocarditis, unspecified (under 45 years)	W	10	4	1	5						1	3	2	2	2				
		C	22	16	1	5	1			1		1		1	1	4	13			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	736	187	50	499	4	1		1		3	5	6	8	24	32	53	117	481
		C	485	145	26	314	1		1		2		7	6	6	27	58	96	109	171
92b	Endocarditis, unspecified (45 years and over)	W	57	12	4	41												7	11	39
		C	48	24	1	23												18	13	17
93a	Acute myocarditis	W	32	6	7	19										1	5	4	4	18
		C	28	10	5	13						1				5	1	8	9	4
93b	Myocarditis, unspecified (under 45 years)	W	7	2		5	1							1	1		4			
		C	12	5	1	6										1	11			
93c	Chronic myocarditis and myocardial degeneration	W	694	226	79	389						1		3	2	7	17	36	113	515
		C	229	68	10	151					1		1	2	1	4	21	40	70	88
93d	Other diseases of myocardium	W	323	82	34	207				1						4	2	27	54	235
		C	200	70	12	118			1							4	2	48	62	82
94a	Angina pectoris	W	366	138	38	190									1	2	19	43	120	181
		C	110	45	10	55									4	5	23	30	28	20
94b	Diseases of coronary arteries	W	331	158	30	143								1	1	14	20	53	83	159
		C	52	26	5	21									1	3	10	14	12	11
95a	Functional diseases of heart	W	14	8	1	5											1	1	2	10
		C	3	1		2									1		1		1	
95b	Other and unspecified diseases of heart	W	779	226	56	497	3	2	1	1		3	3	4	6	27	33	73	144	477
		C	578	233	27	318	1				1	1	1	3	4	21	36	142	146	168
96	Aneurysm (except of heart)	W	16	6	3	7										1	1	2	5	7
		C	26	18	1	7										1	7	8	6	4
97	Arteriosclerosis (coronary arteries excepted)	W	198	59	17	122												5	24	169
		C	107	30	1	76										1		10	28	68
98	Gangrene	W	14	2	1	11						1							1	12
		C	17	9		8										1	3	3	1	9
99	Other diseases of the arteries	W	19	6		13										1		3	3	12
		C	7	3		4											1		4	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	6	2		4										1	1	1	2	2
		C	3	3												1		1	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	W	3	1		2											1			2
		C	1			1								1						
102	Idiopathic anomalies of blood-pressure	W	11	3		8											2	2	5	2
		C	13	1		12										3	1	2	3	4
103	Other diseases of circulatory system	W	6		2	4									1		1	2		2
		C	7		2	5										1		4	1	1
	VIII.—Diseases of the respiratory system	White	1,211	309	112	790	206	51	16	10	7	24	15	23	25	57	88	93	129	467
		Colored	894	387	29	478	226	46	16	9	8	22	11	30	40	75	94	135	80	102
104a	Diseases of nasal fossae	W	8	1	1	6	4	2							1			1		
		C	13	2		11	11												1	1
104b	Diseases of nasal fossae and annexa	W	9	4	1	4						1	1		1	1	2	1	2	
		C	4	2		2	1					1	1			1				
105	Diseases of larynx	W	16		2	14	8	1	2	2	1	1							1	
		C	8	2		6	1	2	1	1					1			1	1	
106a	Acute bronchitis	W	15	5	3	7	5						1					1		8
		C	16	8		8	10	2								3		1		
106b	Chronic bronchitis	W	28	9	3	16								1		1	2	5	2	17
		C	7	4		3								1	1	1	1		1	2
106c, d	Bronchitis, unspecified	W	16	2		14	4	1				2								9
		C	14	4		10	6	1									2	1	1	3
107a	Bronchopneumonia	W	440	137	39	264	124	28	6	5	3	9	3	5	2	4	17	25	33	176
		C	289	130	17	142	128	26	8	5	4	14	2	2	6	13	14	19	22	26
107b	Capillary bronchitis	W	4			4			2											2
		C	3	1		2								1		1	1			
108	Lobar pneumonia	W	492	115	42	335	35	15	4	1	3	9	7	11	21	37	51	49	70	179
		C	404	191	10	203	28	10	4	3	2	7	7	24	27	44	62	86	47	53

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	VIII.—Diseases of the respiratory system—Continued																			
109	Pneumonia, unspecified	W	82	10	9	63	21	4	2	1		1	3	1		6	6	2	2	33
		C	73	4	2	67	36	3	2		2		1	1	3	1	5	6	3	10
110	Pleurisy	W	23	8	4	11	2							2		2	4	1	3	9
		C	17	11		6								1	1	4	2	6		3
111a	Pulmonary embolism and thrombosis	W	14	4	4	6								1	1	4		1	4	3
		C	2			2											1			1
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	23	5		18								1					3	19
		C	10	8		2	2										2	4	1	1
112	Asthma	W	26	4	4	18	1			1		1				1	3	2	7	10
		C	20	11		9	1	1	1							4	2	8	1	2
113	Pulmonary emphysema	W	2			2														2
		C	2													1		1		
114	Other diseases of respiratory system (tuberculosis excepted)	W	13	5		8	2									1	2	6	2	
		C	12	7		5	2	1							1	2	2	2	2	
	IX.—Diseases of the digestive system	White	1,060	382	135	543	231	79	19	14	6	24	19	25	31	71	78	105	143	215
		Colored	636	260	37	339	159	31	14	7	7	17	10	15	22	63	67	88	72	62
115a	Diseases of pharynx, tonsils	W	66	25	10	31		5	1	4	3	6	1	8	1	8	9	6	6	8
		C	37	10	4	23	3	2			1	4	3		5	5	5	3	4	1
115b	Diseases of buccal cavity and annexa	W	13	8	2	3					1				1	3	3	1	1	3
		C	7	3		4		1								2	1	1	1	1
116	Diseases of esophagus	C	1			1														1
117a	Ulcer of stomach	W	47	15	5	27						1			1	4	5	16	4	16
		C	39	16	2	21									1	6	9	14	7	2
117b	Ulcer of duodenum	W	31	16	6	9									2	3	4	6	11	5
		C	10	5		5									2		2	1	2	3
118	Other diseases of stomach (cancer excepted)	W	36	3	1	32	9			1		2				2	2	2	4	14
		C	45	12	1	32	10	2			2	2	1		2	5	4	7	4	6
119	Diarrhea, enteritis (under 2 years of age)	W	267	46	23	198	197	70												
		C	160	40	8	112	137	23												
120	Diarrhea, enteritis (2 years and over)	W	88	25	5	58			16	7	1	3	2	1	2	5	3	5	8	35
		C	76	33	5	38			12	5	2	3	1	2	2	6	8	11	12	12
121	Appendicitis	W	162	83	36	43	1		1	2	1	10	13	13	16	22	19	21	24	19
		C	69	47	4	18	1	1		2		2	3	10	6	19	7	7	8	3
122a	Hernia	W	46	23	7	16						1					2	7	12	24
		C	28	11	3	14	1	1						1			5	11	3	5
122b	Intestinal obstruction	W	86	38	10	38	17	4	1			1	3	3	4	8	9	6	8	22
		C	67	34	5	28	5		1		1	3	1	2	2	11	11	12	7	11
123	Other diseases of intestines	W	18	7	4	7	3										1	2	8	4
		C	16	6	1	9	1	1			1		1				1	4	4	3
124	Cirrhosis of liver	W	71	30	7	34										2	4	12	27	26
		C	45	24	1	20									1	3	8	12	13	8
125a	Yellow atrophy of liver	W	6	3		3									1	1	2		2	
125b	Other diseases of liver	W	16	5	1	10	3									3	2	2	3	3
		C	8	2	2	4	1									2	1	2	2	
126	Biliary calculi	W	37	18	7	12										1	3	7	10	16
		C	6	2	1	3										2	1		2	1
127	Other diseases of gall-bladder, biliary passages	W	48	24	8	16									1	4	6	7	12	18
		C	9	6		3						1			1			3	2	2
128	Diseases of pancreas	W	10	9		1										1	3	3	2	1
		C	1	1																1
129	Peritonitis, cause not specified	W	12	4	3	5	1								2	4	1	2	1	1
		C	12	8		4			1			2				2	4		1	2
	X.—Diseases of the genitourinary system	White	1,739	573	151	1,015	7	6	2	1		3	11	12	18	43	78	166	297	1,095
		Colored	982	382	45	555	7			1	1	2	9	10	20	47	117	187	238	340
130	Acute nephritis (including unspecified under 10 years)	W	56	16	5	35	3	2	2			2	5	4	1	5	5	4	11	12
		C	60	29	2	29	5			1		1	3	3	1	7	13	13	9	4
131	Chronic nephritis	W	1,333	424	115	794				1		1	3	5	8	17	52	137	237	872
		C	687	254	32	401					1		6	2	10	20	75	135	180	257
132	Nephritis, unspecified (10 years and over)	W	155	32	10	113							2		2	8	7	12	23	101
		C	113	39	7	67									3	5	17	22	30	36
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	45	24	1	20	4	3							2	4	1	4	6	21
		C	21	11		10	1					1			2	3	3		4	6
134	Calculi of urinary passages	W	21	14	1	6								1		3	5	2	4	6
		C	3	3															3	
135	Diseases of bladder (tumors excepted)	W	11	2	1	8		1												10
		C	3			3													1	1
136	Diseases of urethra, urinary abscess, etc	W	2	2														1		1
		C	4	3		1											1	2		1
137	Diseases of prostate	W	85	39	11	35											1	1	13	70
		C	54	24	3	27												9	10	35
138	Diseases of male genital organs, not specified as venereal	C	1			1	1													
139a	Cysts of ovary	W	8	6	2								1		1		4		1	1
		C	3	2		1								1			2			
139b	Other diseases of ovaries, diseases of tubes, parametrium	W	13	8	4	1								1	3	6		2	1	
		C	25	17	1	7								3	2	12	3	5		
139c	Diseases of uterus	W	9	6		3									1		3	3	1	1
		C	5			5								1			2	1	1	
139d	Nonpuerperal diseases of breast (cancer excepted)	W	1		1									1						
139e	Other diseases of female genital organs	C	3			3									2		1			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state — White	176	66	20	90							1	18	34	69	51	3		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state — Colored	147	52	14	81							3	26	29	57	30	2		
140	Abortion with septic conditions — W	27	19	3	5								3	8	11	5			
	Abortion with septic conditions — C	18	7	3	8								5		9	4			
141	Abortion without mention of septic conditions (includes hemorrhages) — W	12	6		6									1	6	5			
	Abortion without mention of septic conditions (includes hemorrhages) — C	10	4		6								1	1	7	1			
142a	Ectopic gestation, septic conditions specified — W	3	2		1										3				
	Ectopic gestation, septic conditions specified — C	3	1	1	1									1	2				
142b	Ectopic gestation, septic conditions not mentioned — W	3		1	2									1	1	1			
	Ectopic gestation, septic conditions not mentioned — C	2			2										2				
143	Other accidents of pregnancy (hemorrhage not included) — W	1			1											1			
	Other accidents of pregnancy (hemorrhage not included) — C	2	1		1									1	1				
144a	Placenta praevia — W	9	1	1	7									2	2	4	1		
	Placenta praevia — C	3		1	2									2		1			
144b	Other puerperal hemorrhages — W	13	3	2	8								1		4	8			
	Other puerperal hemorrhages — C	10	4		6							2			2	6			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) — W	32	16	3	13								4	6	16	5	1		
	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) — C	37	17	2	18							1	10	9	11	5	1		
146	Puerperal albuminuria and eclampsia — W	41	11	6	24							1	6	11	13	9	1		
	Puerperal albuminuria and eclampsia — C	33	10	3	20								6	9	10	7	1		
147	Other toxemias of pregancy — W	4	3		1									1	2	1			
	Other toxemias of pregancy — C	6	2		4								1		3	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) — W	12	1	1	10								1	2	5	4			
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) — C	3	1	1	1									1	1	1			
149	Other accidents of childbirth — W	19	4	3	12								3	2	6	8			
	Other accidents of childbirth — C	20	5	3	12								3	5	9	3			
	XII.—Diseases of the skin and cellular tissue — White	25	10	2	13	1	1				1	2	1	4	2	1	3	3	6
	XII.—Diseases of the skin and cellular tissue — Colored	11	4	2	5	1		1	1							1	4	1	2
151	Furuncle, carbuncle — W	9	5	1	3							1	1	4		1		1	1
	Furuncle, carbuncle — C	3	2	1													3		
152	Phlegmon, acute abscess — W	8	3	1	4						1	1			1		2	2	1
	Phlegmon, acute abscess — C	4	2	1	1			1	1							1		1	
153	Other diseases of skin and annexa, and of cellular tissue — W	8	2		6	1	1								1		1		2
	Other diseases of skin and annexa, and of cellular tissue — C	4			4	1											1		4
	XIII.—Diseases of the bones and organs of locomotion — White	36	13	6	17	1	1	1	1	1	1	9	1	2	2	1	6	3	6
	XIII.—Diseases of the bones and organs of locomotion — Colored	4	1	1	2	1					1	1			1				
154	Osteomyelitis — W	22	8	3	11	1	1	1	1	1	1	7		1	2		3	2	1
	Osteomyelitis — C	1		1								1							
155	Other diseases of bones (tuberculosis excepted) — W	8	3	2	3							1		1		1	3		2
	Other diseases of bones (tuberculosis excepted) — C	1			1						1								
156	Diseases of joints, other organs of locomotion — W	6	2	1	3							1	1					1	3
	Diseases of joints, other organs of locomotion — C	2	1		1	1									1				
	XIV.—Congenital malformations — White	188	40	19	129	169	3	3	2	1	2	3	3	1	1				
	XIV.—Congenital malformations — Colored	34	6		28	23	5	3	2		1								
157a	Congenital hydrocephalus — W	23	5	4	14	20		1			1			1					
	Congenital hydrocephalus — C	3			3		2		1										
157b	Spina bifida and meningocele — W	15	3	2	10	15													
	Spina bifida and meningocele — C	1			1	1													
157c	Congenital malformations of heart — W	103	20	7	76	90	2	2	1	1		3	3		1				
	Congenital malformations of heart — C	14	3		11	10	2	1			1								
157d	Other congenital malformations — W	47	12	6	29	44	1		1		1								
	Other congenital malformations — C	16	3		13	12	1	2	1										
	XV.—Diseases of early infancy — White	958	252	92	614	958													
	XV.—Diseases of early infancy — Colored	558	175	23	360	558													
158	Congenital debility — W	98	4	8	86	98													
	Congenital debility — C	131	10	5	116	131													
159	Premature birth — W	622	172	60	390	622													
	Premature birth — C	340	128	13	199	340													
160	Injury at birth — W	176	58	20	98	176													
	Injury at birth — C	55	22	4	29	55													
161	Other diseases peculiar to early infancy — W	62	18	4	40	62													
	Other diseases peculiar to early infancy — C	32	15	1	16	32													
162	XVI.—Senility — White	238	39	15	184														238
	XVI.—Senility — Colored	129	13		116												1	3	125
	XVII.—Violent and accidental deaths — White	1,794	583	182	1,029	38	28	23	10	17	77	52	119	210	269	208	229	168	344
	XVII.—Violent and accidental deaths — Colored	790	333	46	411	29	5	3	6	11	26	43	62	112	141	120	99	66	64
	Suicide — W	335	143	24	168								16	33	50	62	73	62	39
	Suicide — C	35	13		22								1	6	3	12	10	1	2
163	By solid or liquid poisons or by absorption of corrosive substances — W	51	28	6	17								4	10	9	10	8	7	3
	By solid or liquid poisons or by absorption of corrosive substances — C	5	3		2									4		1			
164	By poisonous gas — W	40	34	2	4									3	8	9	7	12	1
	By poisonous gas — C	3	3														2		1
165	By hanging or strangulation — W	36	7	3	26									1	3	9	14	3	6
	By hanging or strangulation — C	4	2		2											2	1	1	
166	By drowning — W	8	5		3									1	1	3	1		2
	By drowning — C	2			2											2			
167	By firearms — W	184	58	13	113								12	18	27	29	37	35	26
	By firearms — C	15	3		12								1	2	3	3	5		1
168	By cutting or piercing instruments — W	7	5		2											1	3	3	
	By cutting or piercing instruments — C	4	1		3											2	2		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
169	By jumping from high places	W 7	5		2										1	1	3	1	1
		C 1	1													1			
170	By crushing	C 1			1											1			
171	By other means	W 2	1		1										1			1	
	Homicide	W 142	42	11	89	5				1		1	9	33	37	17	21	11	8
		C 207	109	16	82	2				1			19	41	69	41	22	11	
173	By firearms	W 98	23	6	69						1		7	25	26	10	15	7	7
		C 111	50	12	49					1			12	19	39	21	13	6	
174	By cutting or piercing instruments	W 7	5	1	1								1	3		2		1	
		C 67	43		24								6	19	22	10	6	3	
175	By other means	W 37	14	4	19	5							1	5	11	5	6	3	1
		C 29	16	4	9	2							1	3	8	10	3	2	
	Accidental, other, or undefined	W 1,377	398	147	772	33	28	23	10	17	76	52	94	144	182	129	135	95	297
		C 548	211	30	307	27	5	3	6	10	26	42	42	65	69	67	67	54	62
176	Attack by venomous animals	W 2			2						1	1							
177	Poisoning by food	W 17	2	1	14	3	1	1				1		3		1	1	2	4
		C 12	5	1	6						2	1	3	1	3	1			1
178	Absorption of poisonous gas	W 18	11	2	5							1		2	2	4	3	3	3
		C 3	3													2	1		
	Supplemental	W 3			3										2			1	
179	Other acute accidental poisonings (gas excepted)	W 25	9	6	10		2	3	1	3	2			1	2	5	4	2	
		C 11	4		7	1			1	1				1	2	1	3	1	
180	Conflagration	W 23	1		22	2	1		1		2		4	2	1	4	1		5
		C 14	4		10	2					2			1		1	3	2	3
181	Burns (conflagration excepted)	W 75	21	10	44	5	10	8	4	5	11	1	1	5	3	3	7	2	10
		C 57	24	3	30	1	1	3	2	6	6		1	3	1	8	2	9	14
	Supplemental	W 16	3		13									2	6	2	3	2	1
		C 8			8								4	2			1	1	
182	Mechanical suffocation	W 19	2	2	15	17			1					1					
		C 11	3		8	11													
183	Drowning	W 69	16	5	48		3	3		2	3	11	8	6	11	6	5	4	6
		C 49	21	1	27		1				1	7	9	10	8	4	4	4	1
	Supplemental	W 27	5	2	20						3	1	3	2	10	5		2	1
		C 18	5		13							3	2	4	2	3	4		
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 61	12	8	41				1	1	7	8	9	11	5	2	8	4	5
		C 31	11	4	16		1				2	12	6	4	2	1	2	1	
185	By cutting or piercing instruments (wounds of war excepted)	W 14	6	1	7						2				1	4	3	1	3
		C 8	2	1	5	1					1			1			1	2	2
	Supplemental	W 13	2	4	7							1	2	2	3	2		2	1
		C 3			3										1	1	1		
186a	By fall	W 244	87	31	126	1	1			1	6	4	3	5	8	6	21	17	171
		C 43	20	3	20	3			1		1	1		1	3	7	8	5	13
	Supplemental	W 52	17	8	27						1	4	11	3	8	7	8	4	6
		C 26	8	2	16							1	6	7	2		3	4	3
186b	By crushing, landslide	W 12	1	1	10								1	2	3	2	2	2	
		C 5	1		4								1		2	1	1		
	Supplemental	W 105	23	9	73		2	1		1	4	3	13	16	24	18	9	7	7
		C 27	4	2	21						2	2	1	1	5	7	7	2	
187	Cataclysm	W 4	1		3												1		3
188	Injuries by animals	W 8		1	7						1	1					2		4
		C 3			3								1			1			1
189	Hunger and thirst	W 1			1												1		
		C 1	1			1													
190	Excessive cold	W 6			6								1		1	1			3
		C 3			3										1				2
191	Excessive heat	W 9	1	2	6									1	1	2		2	3
		C 8	2		6	1									1	2	1	2	1
192	Lightning	W 1			1										1				
		C 4			4						1	1		1			1		
193	Due to electric currents	W 11	3	1	7						1	1		1	3	3	2		
		C 5	3		2								2			2	1		
	Supplemental	W 5			5										4		1		
194a	Foreign bodies	W 18	5		13	1	5	2	1	1	2		1			1	1	2	1
		C 2		1	1	1								1					
194b	Other accidents	W 48	14	3	31	2	2	3		1	2	2	4	2	9	2	3	4	12
		C 31	16	3	12	5	1			1		2	2	2	4	3	2	6	3
	Supplemental	W 411	156	50	205	2	1	2	1	2	28	12	33	77	74	49	49	32	48
		C 164	73	9	82		1		2	2	8	10	7	25	32	21	21	15	18
198	Legal executions	C 1	1													1			
	XVIII.—Ill-defined causes of death	White 407	30	22	355	177	7	1	3	2	7	2	3	6	7	16	28	36	111
		Colored 284	41	13	230	123	6	4	2		6	4	4	6	13	17	20	30	48
199	Sudden death	W 88	4	5	79	10				1	2			2		4	12	15	42
		C 41	2	4	35	4	1	1				2	1		2	4	7	6	13
200a	Cause of death ill-defined	W 101	11	2	88	23	4	1	1		1		2	2	4	8	8	15	32
		C 86	22	4	60	22	2	1			1	1	2	5	5	8	7	17	15
200b	Cause of death not specified or unknown	W 218	15	15	188	144	3		2	1	4	2	1	2	3	4	8	6	37
		C 157	17	5	135	97	3	2	2		5	1	1	1	6	5	6	7	20

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
VIRGINIA—Continued																			
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries	W 25	3	1	21								1	3	10	5	5	1	
		C 4			4										2	1		1	
202	Accidents from agricultural machinery	W 2			2							1							1
203	Elevator accidents	W 1		1								1							
		C 1			1											1			
205	Other machinery accidents	W 21	2	4	15							1	1	2	9	4	2	1	1
		C 7	1		6									1	1	2	2	1	
206	Railroad and automobile collisions	W 15	5	1	9			1				1	3		6	2	1	1	
		C 2			2					1				1					
207	Other railroad accidents	W 71	20	6	45						4		9	11	9	13	11	4	9
		C 35	9	4	22								2	8	7	3	10	4	1
208	Street car and automobile collisions	W 1	1												1				
209	Other street car accidents	W 4	2	1	1									1		1		1	1
210	Automobile accidents (primary)	W 422	159	52	211	2	3	2	1	3	29	14	43	70	79	49	43	36	48
		C 170	71	8	91		1		2	1	10	12	15	24	30	22	20	14	17
211	Motorcycle accidents	W 4	2	1	1									3	1				
		C 1	1																1
212	Other land transportation accidents	W 21	3	3	15							2	3		2	1	7	3	3
		C 8	3	1	4							1	1	1			1	2	2
213	Water transportation accidents	W 25	6	2	17						3	1	2	2	8	7		1	1
		C 17	5		12							3	2	4	2	3	3		
214	Air transportation accidents	W 20	3	1	16									10	6	1	1	2	
		C 1			1												1		
WASHINGTON																			
	Total deaths (all causes)	16,705	9,402	1,756	5,547	811	101	75	56	37	194	193	329	416	848	1,183	1,965	2,829	7,641
	I.—Infectious and parasitic diseases	1,516	783	155	578	36	24	21	11	7	58	45	74	117	229	199	232	189	272
1	Typhoid fever	24	11	6	7			1	1		1	4	1	3	8	1	1	2	1
5	Undulant fever	1			1											1			
6	Smallpox	2			2		1											1	
7	Measles	9	6		3			5			4								
8	Scarlet fever	15	10	3	2			2	1		2	5		1	3			1	
9	Whooping-cough	4	4			2	1				1								
10	Diphtheria	24	11	2	11				3	1	11	2	3	1	1	1	1		
11a	Influenza, respiratory complications specified	202	121	22	59	9	4				6	8	5	7	16	19	24	23	81
11b	Influenza, respiratory complications not specified	124	58	9	57	9	1	3		1	6	2	1	4	7	6	8	15	60
13	Dysentery	8	3		5	1	2		1							1	2		1
15	Erysipelas	17	11	1	5	3		1						1	2	5		1	4
16	Acute poliomyelitis, acute polioencephalitis	16	13		3	2	2	1	1		3		4	1	2				
17	Lethargic or epidemic encephalitis	18	11	3	4							1	2		3	2	5	2	3
18	Epidemic cerebrospinal meningitis	18	12	1	5	3				2	2	3	3	1		1	1	1	1
21	Rabies	1	1								1								
22	Tetanus	2	1	1							1		1						
	Tuberculosis (all forms)	857	392	90	375	5	12	8	4	3	19	19	51	91	164	140	157	91	92
23	Respiratory system	745	326	78	341	1	8	5	1	2	8	9	43	81	152	129	141	81	83
24	Meninges and central nervous system	30	19	6	5	4	1	2	3	1	8	4	1	1	2	1	2		
25	Intestines and peritoneum	17	8	1	8						1	1	3	3	3		3	1	2
26	Vertebral column	26	17	1	8			1			1	1		2	4	6	5	2	4
27a	Bones (vertebral column excepted)	1			1											1			
27b	Joints	3	3									1					1	1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1									1					
30	Genitourinary system	18	9	2	7							2	2	1	1	1	4	5	2
31	Other organs	1	1													1			
32a	Acute disseminated tuberculosis	14	9	2	3		3				1	1	2	2	2	1		1	1
32b, c	Other disseminated tuberculosis	1			1												1		
34	Syphilis	148	95	14	39	2						1	2	2	15	20	29	50	27
35	Gonococcus infection and other venereal diseases	14	14											4	7	1	2		
36	Purulent infection, septicemia (nonpuerperal)	7	5	2									1	1	1	1	1	1	1
43	Mycoses	2	2														1		1
44	Other infectious and parasitic diseases	3	2	1			1				1							1	
	II.—Cancers and other tumors	2,028	1,270	175	583	1	3	4	2	1	1	3	9	14	41	153	322	496	977
	Cancer and other malignant tumors	1,946	1,209	166	571	1	3	4	2	1	1	2	8	13	32	122	306	484	966
(45)	Buccal cavity	60	35	3	22											1	7	16	36
(45)	Pharynx	8	5		3												1	1	6
(46)	Esophagus	23	14	2	7											1	2	8	12
(46)	Stomach and duodenum	497	289	40	168										2	16	65	126	288
(46)	Liver and biliary passages	128	71	16	41									1	1	7	19	33	67
(46)	Pancreas	79	59	4	16										1	3	12	19	44
(46)	Other digestive tract and peritoneum	295	200	28	67		1		1			1	2	6	15	44	67	158	
47	Respiratory system	70	47	6	17						1		1	3	4	5	14	17	25
48	Uterus	207	137	14	56										10	29	47	68	53
49	Other female genital organs	48	33	5	10									2	1	6	15	11	13
50	Breast	167	96	12	59										2	17	40	49	58
51	Male genitourinary organs	169	110	14	45	1	1			1				2	2	5	15	25	117
52	Skin	42	19	2	21										1	2	1	6	32
53	Other or unspecified organs	153	94	20	39		1	4	1			2	6	3	2	15	24	38	57
54a	Nonmalignant tumors, ovary	3	2		1										1	1	1		

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																	
	II.—Cancers and other tumors—Con.																	
54b	Nonmalignant tumors, uterus	31	25	3	3										3	14	8	2	4
54c	Nonmalignant tumors, other female genital organs	32	22	6	4							1	1	1	4	10	5	5	5
54d, e	Nonmalignant tumors, other organs	16	12		4										1	6	2	5	2
55d, e	Tumors, other organs (nature unspecified)																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	503	308	47	148	16	4	1	1	1	5	4	12	10	13	24	44	135	233
56	Acute rheumatic fever	14	8	2	4				1		2		3	1			2	2	3
57	Chronic rheumatism, osteoarthritis	25	16	3	6											4	1	6	14
59	Diabetes mellitus	354	224	33	97		1				3	4	5	5	8	9	26	96	197
62	Pellagra	5	4		1									1			2	1	1
65	Diseases of pituitary body	1			1								1						
66a	Simple goiter	4	2		2												1	1	2
66b	Exophthalmic goiter	62	32	7	23								2	2	3	6	10	26	13
(66)	Other diseases of thyroid and parathyroid glands	8	7	1		2	1	1		1							1	1	1
67	Diseases of thymus gland	19	7	1	11	14	2						1	1	1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	9	6		3										1	4	1	2	1
69	Other general diseases	2	2													1			1
	IV.—Diseases of the blood and blood-making organs	149	97	8	44	3	1	1	3	1	2	2	6	4	13	16	26	34	37
70	Hemorrhagic conditions	13	10		3	2	1		1				1	1	1		2	2	2
71a	Pernicious anemia	41	23	3	15			1					2			1	6	9	22
71b	Other anemias	6	2	1	3	1							1			1		2	1
72a	True leukemias	56	41	2	13				1	1	1	2	2	2	6	9	10	15	7
72b	Pseudoleukemias (Hodgkin's disease)	22	12	1	9				1		1			1	5	4	1	5	4
73	Diseases of the spleen	10	8	1	1										1	1	6	1	1
74	Other diseases of blood and blood-making organs	1	1														1		
	V.—Chronic poisonings and intoxications	61	35	8	18								1	1	4	20	14	9	12
75	Alcoholism (acute or chronic)	54	30	7	17								1	1	4	18	13	7	10
76	Chronic poisoning by other organic substances	3	2		1											2		1	
77a	Chronic lead poisoning	4	3	1													1	1	2
	VI.—Diseases of the nervous system and of the organs of special sense	1,923	949	237	737	7	1	6	4	2	19	16	16	14	38	79	199	342	1,179
78	Encephalitis (nonepidemic)	11	7	2	2				1						1	2	3	3	1
79a	Simple meningitis	20	15	3	2				1	1		3	2	2		1	3	3	4
79b	Nonepidemic cerebrospinal meningitis	3	2		1	1								2					
80	Progressive locomotor ataxia (tabes dorsalis)	17	12	1	4											2	4	3	8
81	Other diseases of spinal cord	45	22	7	16					1			1	1		3	5	8	9	17
82a	Cerebral hemorrhage	1,388	685	148	555							2	1		1	3	27	118	257	978
82b	Cerebral embolism and thrombosis	97	77	5	15										1	1	4	7	18	66
82c	Softening of brain	8	5	1	2													1		7
82d	Hemiplegia and other paralysis, cause unspecified	35	16	5	14										2			6		27
83	General paralysis of insane	58	6	9	43											6	15	18	11	8
84	Dementia praecox and other psychoses	74	6	37	31									2	3	6	12	14	9	28
85	Epilepsy	46	13	4	29			1			2	4	3	4	8	3	9	4	8
86	Convulsions (under 5 years of age)	2		1	1	2													
87	Other diseases of nervous system	52	26	9	17			1			1	1	2		1	3	7	11	25
88	Diseases of organs of vision	1	1																1
89a	Diseases of ear	34	27	3	4	1	1	2	2	1	5	4	2	2	2	2	4	3	3
89b	Diseases of mastoid process	32	29	2	1	3				1	6	3	2	3	4	1	3	4	2
	VII.—Diseases of the circulatory system	4,239	2,246	421	1,572	1	1	1		2	5	15	26	16	64	150	417	796	2,743
90	Pericarditis	12	9	1	2							2			1			4	5
91a	Acute endocarditis	47	31		16						1	2	5	3	9	8	2	6	11
91b	Endocarditis, unspecified (under 45 years)	3	2		1								1			2			
92a	Endocarditis, specified as chronic, and other valvular diseases	741	389	75	277			1		2	2	6	11	5	30	48	74	137	425
92b	Endocarditis, unspecified (45 years and over)	52	18	13	21												3	12	37
93a	Acute myocarditis	37	16	7	14										1	3	5	17	11
93b	Myocarditis, unspecified (under 45 years)	9	5	1	3								1	1	1	6			
93c	Chronic myocarditis and myocardial degeneration	1,253	679	110	464								3	2	8	23	118	204	895
93d	Other diseases of myocardium	364	138	44	182											3	34	70	257
94a	Angina pectoris	369	225	37	107										4	15	39	102	208
94b	Diseases of coronary arteries	461	294	39	128						1		2	2	4	21	74	121	235
95a	Functional diseases of heart	21	17	2	2											1	1	6	13
95b	Other and unspecified diseases of heart	430	209	52	169						1	4	2	1	6	13	45	73	285
96	Aneurysm (except of heart)	32	28		4									1		2	8	5	16
97	Arteriosclerosis (coronary arteries excepted)	338	144	35	159											1	8	25	304
98	Gangrene	16	3	3	10	1												1	14
99	Other diseases of arteries	31	23	2	6									1			4	7	19

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	10	7		3								1			3	1	3	2
101	Diseases of lymphatic system (lymphangitis, etc.)	3	2		1		1											1	1
102	Idiopathic anomalies of blood-pressure	8	6		2							1				1	1	1	4
103	Other diseases of circulatory system	2	1		1													1	1
	VIII.—Diseases of the respiratory system	922	558	97	267	96	22	9	14	2	17	14	21	16	44	78	93	106	387
104a	Diseases of nasal fossae	1			1														1
104b	Diseases of nasal fossae and annexa	11	9		2						1	1	2	1	1	2	1	1	1
105	Diseases of larynx	10	7	2	1	2	1		2				1				1	2	1
106a	Acute bronchitis	10	6		4		1												9
106b	Chronic bronchitis	19	12		7										1			1	17
106c, d	Bronchitis, unspecified	6	3		3	1													5
107a	Bronchopneumonia	346	211	34	101	70	13	7	7		6	6	4	4	10	12	30	28	149
108	Lobar pneumonia	433	278	45	110	21	6	2	5		10	7	12	8	30	51	53	63	162
109	Pneumonia, unspecified	8	2	1	5	2	1							1					4
110	Pleurisy	14	8	1	5					2				2		4	3	1	2
111a	Pulmonary embolism and thrombosis	8	4		4										1		1	1	5
111b	Pulmonary congestion, edema, hemorrhage infarct	28	7	12	9											1		3	24
112	Asthma	19	7	2	10								1		1	6	2	2	7
113	Pulmonary emphysema	2	1		1												1	1	
114	Other diseases of respiratory system (tuberculosis excepted)	7	3		4								1			2	1	3	
	IX.—Diseases of the digestive system	992	685	112	195	45	18	13	5	4	32	34	34	35	70	101	157	175	268
115a	Diseases of pharynx and tonsils	71	48	5	18	3	1	1	2	1	8	6	4	7	11	9	6	7	5
115b	Diseases of buccal cavity and annexa	8	3	1	4							2			1			2	3
116	Diseases of esophagus	2	2															1	1
117a	Ulcer of stomach	89	60	8	21										5	16	25	22	21
117b	Ulcer of duodenum	47	39	2	6									3	6	10	7	12	9
118	Other diseases of stomach (cancer excepted)	23	9	2	12	2	1				1			1		2	3	3	10
119	Diarrhea, enteritis (under 2 years of age)	41	14	6	21	31	10												
120	Diarrhea, enteritis (2 years and over)	36	19	5	12			3	2		3	1	2		1	3	3	6	12
121	Appendicitis	240	187	32	21	1	1	5	1	1	17	22	21	16	32	33	35	30	25
122a	Hernia	74	53	11	10		1							1	2	3	10	15	41
122b	Intestinal obstruction	98	64	12	22	7	2	2		1	1	2	6	4	2	9	15	16	31
123	Other diseases of intestines	16	9	4	3											2	3	2	9
124	Cirrhosis of liver	82	57	7	18	1									3	4	26	21	27
125a	Yellow atrophy of liver	3	2		1		1										1	1	
125b	Other diseases of liver	9	3	1	5			1								1	1	1	5
126	Biliary calculi	55	43	7	5										3	3	9	17	23
127	Other diseases of gall-bladder, biliary passages	73	55	7	11									2	3	3	12	11	42
128	Diseases of pancreas	10	8		2						1					1		5	3
129	Peritonitis, cause not specified	15	10	2	3		1	1		1	1	1	1	1	1	2	1	3	1
	X.—Diseases of the genitourinary system	1,439	916	159	364	2	3		1		5	5	8	12	40	71	149	258	882
130	Acute nephritis (including unspecified under 10 years)	31	22	4	5		2		1		1	1	2	1	3	3	5	3	9
131	Chronic nephritis	1,084	661	121	302						3	1	5	7	22	46	114	216	668
132	Nephritis, unspecified (10 years and over)	42	23	8	11							1	1		3	4	5	5	23
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	40	36	1	3	2	1				1	2		1	3	2	5	7	16
134	Calculi of urinary passages	19	15	2	2											3	4	5	7
135	Diseases of bladder (tumors excepted)	21	11	3	7										1	1	1	3	15
136	Diseases of urethra, urinary abscess, etc.	4	2		2														4
137	Diseases of prostate	155	111	15	29												5	17	132
138	Diseases of male genital organs, not specified as venereal	1	1														1		
139a	Cysts of ovary	14	10	3	1										2	2	4	1	5
139b	Other diseases of ovaries, diseases of tubes and parametrium	18	16	2										2	4	6	4	1	1
139c	Diseases of uterus	10	8		2									1	2	4	1		2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	133	90	17	26								14	32	46	40	1		
140	Abortion with septic conditions	29	21	4	4								2	7	13	6	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	7	3	1	3								1	1	2	3			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	7	5	1	1									4		3			
143	Other accidents or pregnancy (hemorrhage not included)	2	1		1								1			1			
144a	Placenta praevia	3	1	1	1										1	2			
144b	Other puerperal hemorrhages	6	6											2	1	3			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	19	13	2	4								1	10	6	2			
146	Puerperal albuminuria and eclampsia	16	12	3	1									4	5	7			
147	Other toxemias of pregnancy	12	9	2	1								4	1	2	5			

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	VI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	11	4	1	6								2	2	6	1			
149	Other accidents of childbirth	19	14	2	3								3	1	9	6			
150	Other and unspecified conditions of puerperal state	1			1											1			
	XII.—Diseases of the skin and cellular tissue	25	17	1	7	1					1	1		2	6	1	3	4	6
151	Furuncle, carbuncle	8	7	1							1				2			4	1
152	Phlegmon, acute abscess	14	10		4	1						1		2	3	1	2		4
153	Other diseases of skin and annexa, and of cellular tissue	3			3										1		1		1
	XIII.—Diseases of the bones and organs of locomotion	23	17	1	5	1	2	1					3	1		3	2	4	6
154	Osteomyelitis	12	11		1		1	1					2	1		2	1	3	1
155	Other diseases of bones (tuberculosis excepted)	2	2																2
156	Diseases of joints, other organs of locomotion	9	4	1	4	1	1						1			1	1	1	3
	XIV.—Congenital malformations	143	75	16	52	125	4	2	1	2	4	2	1	2					
157a	Congenital hydrocephalus	24	12	3	9	18	1			1	3	1							
157b	Spina bifida and meningocele	6	4	1	1	6													
157c	Congenital malformations of heart	74	33	8	33	69			1	1		1	1	1					
157d	Other congenital malformations	39	26	4	9	32	3	2			1			1					
	XV.—Diseases of early infancy	445	266	50	129	445													
158	Congenital debility	18	7	3	8	18													
159	Premature birth	274	166	28	80	274													
160	Injury at birth	91	56	12	23	91													
161	Other diseases peculiar to early infancy	62	37	7	18	62													
162	**XVI.—Senility**	183	60	29	94													3	177
	XVII.—Violent and accidental deaths	1,885	1,018	203	664	17	17	15	14	15	45	51	104	136	238	243	287	262	433
	Suicide	380	215	32	133								8	21	48	65	96	71	66
163	By solid or liquid poisons or by absorption of corrosive substances	47	32	3	12								2	4	14	7	9	8	3
164	By poisonous gas	73	60	1	12									8	6	13	20	15	11
165	By hanging or strangulation	53	22	6	25								1	3	8	9	14	11	7
166	By drowning	22	14	3	5								1			3	7	5	5
167	By firearms	148	63	16	69								4	9	19	23	37	24	31
168	By cutting or piercing instruments	21	12	2	7											4	5	4	8
169	By jumping from high places	8	8												1	2	2	2	1
170	By crushing	4	3	1												1	2	1	
171	By other means	4	1		3											3		1	
	Homicide	93	48	10	35	1				1	2		5	7	24	18	13	12	10
173	By firearms	50	19	8	23					1			4	4	17	11	4	6	3
174	By cutting or piercing instruments	15	12		3									1	4	3	4	2	1
175	By other means	28	17	2	9	1					2		1	2	3	4	5	4	6
	Accidental, other, or undefined	1,412	755	161	496	16	17	15	14	14	43	51	91	105	166	160	178	179	357
176	Attack by venomous animals	2			2												2		
177	Poisoning by food	10	4	4	2							1			2	1	4	1	1
178	Absorption of poisonous gas	21	18	2	1										1	4	4	3	9
179	Other acute accidental poisonings (gas excepted)	17	13	3	1		1	1				1		1	1	3	5	3	1
180	Conflagration	18	9	1	8	1	1	1	1	1			1		1	1	3	4	3
181	Burns (conflagration excepted)	47	32	6	9	2	2	3	2	3	3	2	2	2	6	2	1	5	12
	Supplemental	14	5	2	7									1		3	3	4	3
182	Mechanical suffocation	9	5		4	5							1		1			1	1
183	Drowning	156	37	17	102		7	7	4	2	8	17	21	18	20	14	12	13	9
	Supplemental	41	7	3	31						2		4	6	11	7	5	4	1
	Traumatism:																		
184	By firearms (wounds of war excepted)	28	9	6	13						2	1	5	6	6	1	2	4	1
185	By cutting or piercing instruments (wounds of war excepted)	23	17	2	4			1			1	2		1	1	3	6	5	3
	Supplemental	8	5		3							2		1	3		2		
186a	By fall	301	211	25	65	2	3				3	3	5	4	7	21	26	30	197
	Supplemental	41	19	4	18	1						1	3	5	8	8	7	2	6
186b	By crushing, landslide	45	10	8	27					2	2			2	16	10	9	3	1
	Supplemental	113	46	18	49		2		2		7	9	8	15	9	12	17	13	19
187	Cataclysm	3			3												1	2	
188	Injuries by animals	14	6	2	6		1			1		2		1		3	1	4	1
190	Excessive cold	3	1		2											2			1
191	Excessive heat	1	1															1	
193	Due to electric currents	5	3		2										2	2	1		
194a	Foreign bodies	9	5	1	3	3			1							2		2	1
194b	Other accidents	95	44	10	41	2				1		1	8	5	24	7	20	12	15
	Supplemental	387	248	47	92			2	4	4	15	9	33	36	47	54	47	63	72
198	Legal executions	1			1									1					
	XVIII.—Ill-defined causes of death	96	12	20	64	15	1	1				1		4	2	5	19	16	29
199	Sudden death	5	1		4												1	1	3
200a	Cause of death ill-defined	43	7	9	27	2								1		3	8	11	17
200b	Cause of death not specified or unknown	48	4	11	33	13	1	1				1		3	2	2	10	4	9

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	7	2	2	3										1	3	3		
202	Accidents from agricultural machinery	3		1	2								1	1					1
203	Elevator accidents	3	3									1		1	1				
204	Accidents from machinery used for recreation	1			1								1						
205	Other machinery accidents	23	11	2	10								1	1	2	9	8	2	
206	Railroad and automobile collisions	14	6	5	3		1	1		1	1		3	2		2	2	1	
207	Other railroad accidents	40	14	8	18							2	1	7	4	3	10	4	4
209	Other street car accidents	7	6		1						1		1	1		1	1	2	
210	Automobile accidents (primary)	442	265	51	126	1	1	1	6	3	19	16	32	46	58	51	49	72	87
211	Motorcycle accidents	6	5	1									2	1	2				1
212	Other land transportation accidents	20	9		11						1	3	2	2	1	1	1	2	7
213	Water transportation accidents	36	8	3	25						2		4	2	9	8	6	3	1
214	Air transportation accidents	2	1	1												1	1		
	WEST VIRGINIA																		
	Total deaths (all causes)	16,605	4,587	2,568	9,450	2,472	516	209	151	119	351	291	447	533	1,169	1,348	1,583	2,047	5,358
	I.—Infectious and parasitic diseases	2,410	527	360	1,523	268	125	67	59	45	140	75	115	168	351	274	219	184	316
1	Typhoid fever	140	35	25	80		2		1	2	1	15	16	19	23	20	20	4	7
2	Paratyphoid fever	1	1						1										
7	Measles	46	10	14	22	6	11	6	9	1	6	1			3	2			1
8	Scarlet fever	44	6	10	28	2	3	6	5	1	13	4	3	1	4	1		1	
9	Whooping-cough	107	17	12	78	62	24	10	4	3	2	2							
10	Diphtheria	193	33	22	138	12	32	26	23	24	52	10	4	5	1	2		1	
11a	Influenza, respiratory complications specified	354	84	37	233	72	26	9	6	4	12	6	6	4	27	34	28	33	87
11b	Influenza, respiratory complications not specified	193	32	29	132	25	4	4	1		10	4	1	8	10	9	9	15	93
13	Dysentery	58	12	12	34	7	4				6		3	2	3	3	1	6	23
15	Erysipelas	16	4	3	9	9						1	2		1			1	2
16	Acute poliomyelitis, acute polioencephalitis	19	4	1	14	3	1		2	1	4	4	2	1	1				
17	Lethargic or epidemic encephalitis	7	3	1	3							1	1		1	2	1	1	
18	Epidemic cerebrospinal meningitis	31	9	8	14	5	3	1	1	3	3	3	4	2	3	1	1	1	
21	Rabies	2			2									1	1				
22	Tetanus	7	4		3	1					3	2							1
	Tuberculosis (all forms)	982	212	143	627	19	10	4	3	4	13	18	69	115	249	168	114	105	88
23	Respiratory system	849	174	121	554	4	1	1		2	5	10	56	109	232	154	98	96	78
24	Meninges and central nervous system	51	16	8	27	14	6	2	3	1	4	6	4		3	3	3	1	1
25	Intestines and peritoneum	35	10	5	20						2	1	4	3	6	4	7	5	3
26	Vertebral column	12	3	4	5						1		1		5		2	2	1
27a	Bones (vertebral column excepted)	6		1	5			1					1	1					3
27b	Joints	2			2					1							1		
28	Skin and subcutaneous cellular tissue	2		1	1							1							1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	5			5	1							2		1				1
30	Genitourinary system	10	3	3	4									2	1	5	2		
32a	Acute disseminated tuberculosis	8	5		3		3				1		1		1	1		1	
32b, c	Other disseminated tuberculosis	2	1		1											1	1		
34	Syphilis	154	43	36	75	39	2		3		1	1	3	2	16	28	37	15	7
35	Gonococcus infection and other venereal diseases	17	9	5	3									7	6	3	1		
36	Purulent infection, septicemia (nonpuerperal)	22	8	2	12	2					3	1		1	2	1	6		6
38	Malaria	1			1														1
40	Ankylostomiasis	4			4					2		2							
42	Other diseases caused by helminths	3			3			1			1							1	
43	Mycoses	1			1	1													
44	Other infectious and parasitic diseases	8	1		7	3	3						1				1		
	II.—Cancers and other tumors	1,252	427	178	647	1	2	2	3		5	3	7	9	51	116	207	310	532
	Cancer and other malignant tumors	1,208	409	166	633		2	1	3		3	2	7	8	40	106	198	305	529
(45)	Buccal cavity	39	11	5	23											2	7	11	19
(45)	Pharynx	9	2	2	5										1		1	4	3
(46)	Esophagus	5	3	1	1												2	1	2
(46)	Stomach and duodenum	291	77	38	176									1	5	15	38	74	156
(46)	Liver and biliary passages	157	54	23	80				1						2	11	24	46	73
(46)	Pancreas	25	10	6	9											2	1	12	10
(46)	Other digestive tract and peritoneum	161	67	12	82							1		1	7	12	23	42	74
47	Respiratory system	22	8	3	11								1	2	2	1	8	3	5
48	Uterus	205	63	26	116									1	15	37	51	52	48
49	Other female genital organs	11	6	1	4									1	1	2	3	2	2
50	Breast	93	41	13	39										4	15	22	23	29
51	Male genitourinary organs	80	35	17	28		1	1	1				1		1	1	7	12	55
52	Skin	34	11	7	16												3	7	24
53	Other or unspecified organs	76	21	12	43		1		1		3	1	5	2	2	8	8	16	29
54a	Nonmalignant tumors, ovary	1	1													1			
54b	Nonmalignant tumors, uterus	20	11	5	4									1	5	7	7		
54d, e	Nonmalignant tumors, other organs	2		2				1			1								
55a	Tumors, ovary (nature unspecified)	1	1															1	
55d, e	Tumors, other organs (nature unspecified)	20	5	5	10	1					1	1			6	2	2	4	3

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE												
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	342	107	64	171	14	9	2	1	1	10	18	11	9	13	14	45	76	119
56	Acute rheumatic fever	32	4	6	22				1		4	9	3	3	1	1	1	5	4
57	Chronic rheumatism, osteoarthritis	12	4		8											1	2	1	8
58	Gout	1			1													1	
59	Diabetes mellitus	221	70	48	103		1	1		1	5	6	6	6	4	9	36	57	89
62	Pellagra	7	3	2	2										3	1			3
63	Rickets	6		1	5	2	2	1				1							
65	Diseases of pituitary body	3			3	1	1											1	
66a	Simple goiter	4		1	3							2						2	
66b	Exophthalmic goiter	28	13	2	13								1		4	2	4	5	12
(66)	Other diseases of thyroid and parathyroid glands	8	2	3	3	2	2						1					2	1
67	Diseases of thymus gland	12	6		6	9	2				1								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	5	3	1	1												2	1	2
69	Other general diseases	3	2		1		1								1			1	
	IV.—Diseases of the blood and blood-making organs	136	34	38	64	8	7	2	4	1	7	9	7	3	5	11	15	16	41
70	Hemorrhagic conditions	18	4	6	8	8	1		1		1	4	1	1		1			
71a	Pernicious anemia	63	17	15	31		1	1					1		2	5	12	11	30
71b	Other anemias	6		3	3		4					1				1			
72a	True leukemias	22	8	4	10		1	1	1	1	4	3	5		1	1		1	3
72b	Pseudoleukemias (Hodgkin's disease)	15	2	5	8						1				2	2	1	3	6
73	Diseases of the spleen	11	3	4	4				2			1		2		1	2	1	2
74	Other diseases of blood and blood-making organs	1		1							1								
	V.—Chronic poisonings and intoxications	59	23	10	26								3		11	20	12	10	3
75	Alcoholism (acute or chronic)	55	21	10	24								3		11	19	12	8	2
76	Chronic poisoning by other organic substances	2	2															2	
77a	Chronic lead poisoning	2			2											1			1
	VI.—Diseases of the nervous system and of the organs of special sense	1,543	429	226	888	49	13	5	5	3	14	23	20	20	65	101	155	242	828
78	Encephalitis (nonepidemic)	28	8	6	14	5	1	1	1		2	1		1	2	7	3	2	2
79a	Simple meningitis	47	19	6	22	15	5	1	1		2	3	2	1	5	6	2	3	1
79b	Nonepidemic cerebrospinal meningitis	5	1	1	3		1		1	1	2								
80	Progressive locomotor ataxia (tabes dorsalis)	13	7	1	5										2	1	1	3	6
81	Other diseases of spinal cord	31	9	5	17										1	1	5	6	18
82a	Cerebral hemorrhage	1,036	298	139	599			1					1	3	5	43	98	185	700
82b	Cerebral embolism and thrombosis	23	10	6	7					1		1	1		2	2	1	4	11
82c	Softening of brain	2		1	1											1			1
82d	Hemiplegia and other paralysis, cause unspecified	73	12	9	52	1					1	1			1	1	5	13	50
83	General paralysis of insane	59	8	5	46								1	2	15	17	14	6	4
84	Dementia praecox and other pyschoses	54	3	17	34								2	2	10	9	15	5	11
85	Epilepsy	61	21	7	33	1	1		1		1	9	8	7	13	6	4	7	3
86	Convulsions (under 5 years of age)	17	3		14	14	2	1											
87	Other diseases of nervous system	42	9	9	24	1	1					2	3		4	4	5	6	16
89a	Diseases of ear	28	10	6	12	9	2	1	1	1		3	2		3	1		1	4
89b	Diseases of mastoid process	24	11	8	5	3					6	3		4	2	2	2	1	1
	VII.—Diseases of the circulatory system	2,567	773	364	1,430	6	6	2	1		5	19	26	17	85	176	314	475	1,433
90	Pericarditis	9	3	1	5								2		2	2	1		2
91a	Acute endocarditis	14	4	5	5							1	1	1	4	3	2	1	1
91b	Endocarditis, unspecified (under 45 years)	15	8		7						2	4	1	1	2	5			
92a	Endocarditis, specified as chronic, and other valvular diseases	591	137	61	393	1	2	2			1	5	9	7	20	50	78	140	275
92b	Endocarditis, unspecified (45 years and over)	33	9	4	20												7	4	22
93a	Acute myocarditis	16	6	5	5		1		1							1	4	4	5
93b	Myocarditis, unspecified (under 45 years)	36	17	3	16		1					2	5	1	10	17			
93c	Chronic myocarditis and myocardial degeneration	734	241	91	402	1					1		2	4	13	22	71	136	484
93d	Other diseases of myocardium	160	52	22	86											3	32	30	95
94a	Angina pectoris	174	45	29	100							1		1	3	7	30	42	90
94b	Diseases of coronary arteries	203	81	47	75										6	20	27	44	106
95a	Functional diseases of heart	6	2	2	2											2	1	1	2
95b	Other and unspecified diseases of heart	341	98	51	192	1	1				1	5	6	1	20	31	49	52	173
96	Aneurysm (except of heart)	22	9	3	10										1	7	6	6	2
97	Arteriosclerosis (coronary arteries excepted)	170	49	33	88										1	2	5	12	150
98	Gangrene	18	2	5	11							1			1	1			15
99	Other diseases of arteries	7	4		3										1			1	5
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	6	4		2										1	2		1	2
101	Diseases of lymphatic system (lymphangitis, etc.)	4	1	1	2	2													2
102	Idiopathic anomalies of blood-pressure	4	1	1	2									1		1		1	1
103	Other diseases of circulatory system	4			4	1	1										1		1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	VIII.—Diseases of the respiratory system	1,249	342	162	745	283	83	25	23	13	28	12	34	28	61	85	105	120	348
104a	Diseases of nasal fossae	2			2	2													
104b	Diseases of nasal fossae and annexa	12	7	3	2							1	2		1	3	2	1	2
105	Diseases of larynx	2	1		1						1				1				
106a	Acute bronchitis	6	2		4	2	1				1								2
106b	Chronic bronchitis	11	3	2	6										1		1	2	7
106c, d	Bronchitis, unspecified	8		2	6	3	1												4
107a	Bronchopneumonia	548	150	63	335	197	52	16	15	7	12	2	11	7	10	17	26	39	136
107b	Capillary bronchitis	1	1			1													
108	Lobar pneumonia	498	132	75	291	47	18	5	3	3	10	7	17	15	39	55	58	58	163
109	Pneumonia, unspecified	79	14	7	58	27	9	3	2	2	2		2	4	6	1	5	6	10
110	Pleurisy	24	13	4	7	2	1		1		2	2	2	1		3	3	3	4
111a	Pulmonary embolism and thrombosis	1			1													1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	18	6	4	8	2			1							1	2		12
112	Asthma	23	7	1	15		1			1					1	2	2	9	7
114	Other diseases of respiratory system (tuberculosis excepted)	16	6	1	9			1	1					1	2	3	6	1	1
	IX.—Diseases of the digestive system	1,451	483	239	729	392	225	58	19	16	51	35	37	30	71	83	100	114	220
115a	Diseases of pharynx and tonsils	66	31	13	22	3	2	1	1	4	10	8	6	8	5	5	4	4	5
115b	Diseases of buccal cavity and annexa	11	2	2	7	1					2					1	3	1	2
116	Diseases of esophagus	4	3		1			1	1							1			1
117a	Ulcer of stomach	59	25	10	24					1	1		2		12	9	12	5	17
117b	Ulcer of duodenum	18	11	3	4								1		1	3	4	6	3
118	Other diseases of stomach (cancer excepted)	43	14	4	25		1	1				3	1		2	4	8	5	18
119	Diarrhea, enteritis (under 2 years of age)	591	115	76	400	373	218												
120	Diarrhea, enteritis (2 years and over)	161	35	24	102			52	17	5	17	1	2	1		8	5	9	44
121	Appendicitis	156	91	37	28	2	1			5	13	21	18	11	31	23	14	9	8
122a	Hernia	42	26	9	7	1							1		3	4	7	9	17
122b	Intestinal obstruction	71	34	14	23	8	2	2		1	3		3	5	9	4	3	12	19
123	Other diseases of intestines	12	5	3	4	2							2	1	1		3		3
124	Cirrhosis of liver	62	22	13	27											4	17	19	22
125a	Yellow atrophy of liver	4		1	3											1		1	2
125b	Other diseases of liver	20	10	2	8	1					2	1	1		2	2	1	3	7
126	Biliary calculi	45	24	7	14									2	1	1	7	16	18
127	Other diseases of gall-bladder, biliary passages	71	31	14	26			1			1			1	3	9	10	14	32
128	Diseases of pancreas	5	2	1	2									1		1	1	1	1
129	Peritonitis, cause not specified	10	2	6	2	1	1				1	1			1	3	1		1
	X.—Diseases of the genitourinary system	1,614	458	260	896	10	3	3	4	5	5	8	18	13	51	98	179	303	912
130	Acute nephritis (including unspecified under 10 years)	57	9	12	36	8	3	2	3	3	4	2	6	1	3	9	7	2	4
131	Chronic nephritis	1,319	334	206	779					1	1	5	7	5	27	56	147	263	805
132	Nephritis, unspecified (10 years and over)	55	18	12	25								3	3	4	17	5	7	16
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	39	20	7	12	2		1	1	1			2	2	3	2	5	7	13
134	Calculi of urinary passages	15	11	2	2							1				1	1	5	7
135	Diseases of bladder (tumors excepted)	6	3		3										1		1	1	3
136	Diseases of urethra, urinary abscess, etc.	7	6		1										1	1	2	1	2
137	Diseases of prostate	80	40	11	29											2	3	15	60
139a	Cysts of ovary	5	3	1	1										1	2	1	1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	24	11	7	6									2	10	6	5	1	
139c	Diseases of uterus	7	3	2	2										1	2	2		2
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	206	81	51	74							1	31	40	82	50	2		
140	Abortion with septic conditions	39	21	7	11								3	10	23	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	5	2	3									1	1	1	1	1		
142b	Ectopic gestation, septic conditions not mentioned	5	3	1	1										4	1			
143	Other accidents of pregnancy (hemorrhage not included)	2	1		1									1	1				
144a	Placenta praevia	6	2	2	2								1	1	1	3			
144b	Other puerperal hemorrhages	22	6	3	13								3	4	8	7			
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	45	19	13	13								10	12	11	11	1		
146	Puerperal albuminuria and eclampsia	45	13	14	18							1	7	6	17	14			
147	Other toxemias of pregnancy	8	6	1	1								1		7				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	5	1		4								1		2	2			
149	Other accidents of childbirth	24	7	7	10								4	5	7	8			
	XII.—Diseases of the skin and cellular tissue	31	10	5	16	8	1		2		3		2	2	1	1	4	2	5
151	Furuncle, carbuncle	7	2	1	4						1		1	1			2	1	1
152	Phlegmon, acute abscess	16	4	4	8	6			2		2		1	1	1		1	1	1
153	Other diseases of skin and annexa, and of cellular tissue	8	4		4	2	1									1	1		3

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	XIII.—Diseases of the bones and organs of locomotion	20	13	5	2		2			1	4	4		1	2	1	1	2	2
154	Osteomyelitis	17	10	5	2		2				4	4			2		1	2	2
155	Other diseases of bones (tuberculosis excepted)	1	1							1									
156	Diseases of joints, other organs of locomotion	2	2											1		1			
	XIV.—Congenital malformations	247	61	18	168	229	5	4	2		2	1	3		1				
157a	Congenital hydrocephalus	18	4	3	11	16	2												
157b	Spina bifida and meningocele	26	3	1	22	25			1										
157c	Congenital malformations of heart	152	38	11	103	139	2	4	1		1	1	3		1				
157d	Other congenital malformations	51	16	3	32	49	1				1								
	XV.—Diseases of early infancy	1,035	226	124	685	1,035													
158	Congenital debility	104	13	11	80	104													
159	Premature birth	708	166	82	460	708													
160	Injury at birth	151	36	24	91	151													
161	Other diseases peculiar to early infancy	72	11	7	54	72													
162	**XVI.—Senility**	319	39	22	258													1	317
	XVII.—Violent and accidental deaths	1,926	547	432	947	73	32	28	26	34	74	81	132	193	313	303	212	173	250
	Suicide	203	67	34	102							1	13	21	32	35	31	34	36
163	By solid or liquid poisons or by absorption of corrosive substances	33	15	8	10							1	4	4	6	7	4	2	5
164	By poisonous gas	6	2	1	3									1	2			2	1
165	By hanging or strangulation	14	3	1	10								1	1		1	5	1	5
166	By drowning	10	6	3	1								1		3	1	2	1	2
167	By firearms	121	34	18	69								7	14	21	22	15	23	19
168	By cutting or piercing instruments	8	4	1	3												2	4	2
169	By jumping from high places	3	3													1	1		1
170	By crushing	2		1	1											1			
171	By other means	6		1	5									1		2	2	1	1
	Homicide	216	56	44	116	7						2	11	38	49	56	37	9	7
173	By firearms	167	37	32	98							1	9	34	40	47	28	7	1
174	By cutting or piercing instruments	17	6	2	9								1	2	4	4	4	2	
175	By other means	32	13	10	9	7							1	2	5	5	5		6
	Accidental, other, or undefined	1,507	424	351	729	66	32	28	26	34	74	78	108	134	232	212	144	130	207
176	Attack by venomous animals	2	1		1	1									1				
177	Poisoning by food	8	1	1	6	1	1	1							2	1			2
178	Absorption of poisonous gas	13	10	1	2									1		5	2	3	2
	Supplemental	2	1	1											1				1
179	Other acute accidental poisonings (gas excepted)	17	6	1	10	1	2	1	1				4	2	2	2	1	1	
180	Conflagration	14	3	3	8	2	1				1	2	1	1		1	2		3
181	Burns (conflagration excepted)	154	59	39	56	10	15	11	12	21	16	5	4	13	10	10	10	6	11
	Supplemental	3	1	1	1								1		1	1			
182	Mechanical suffocation	32	2	2	28	30			1			1							
183	Drowning	89	17	8	64	1	6	5	3	3	6	17	11	8	8	6	8	3	4
	Supplemental	8	8										1	4	3				
	Traumatism:																		
184	By firearms (wounds of war excepted)	57	13	16	28		1	1	1		3	2	17	6	7	10	7	1	1
185	By cutting or piercing instruments (wounds of war excepted)	11	3	6	2						3	1	2		1	1	2		1
	Supplemental	3	1		2									1	1		1		
186a	By fall	177	74	42	61	3	1	1	1	2	1	1	3	8	7	8	10	16	115
	Supplemental	23	6	7	10						3	2	1	3	3	4	2	2	3
186b	By crushing, landslide	7	1		6											2	2	2	1
	Supplemental	80	14	13	53			1			3	2	6	10	22	15	11	6	2
188	Injuries by animals	2	1		1										1				1
189	Hunger and thirst	1		1														1	
190	Excessive cold	6			6									1	1	1	3		
191	Excessive heat	11	6	2	3								2		1	2		2	4
192	Lightning	8			8								1	1	2	2	1	1	
193	Due to electric currents	8	2		6						2			1	4	1			
	Supplemental	14		1	13								3	1	3	4	2	1	
194a	Foreign bodies	13	6	1	6	5	1	2		1					1			1	2
194b	Other accidents	50	9	13	28	8	2		1		2	2	2		8	5	5	8	7
	Supplemental	691	176	195	320	4	2	5	6	7	34	43	49	72	141	130	75	76	47
198	Legal executions	3	3											1	1	1			
	XVIII.—Ill-defined causes of death	198	7	10	181	96	3	2	2		3	2	1		6	15	13	19	32
199	Sudden death	40	4	5	31	6							1		1	6	5	6	15
200a	Cause of death ill-defined	33	1		32	6	1	1	1		2	1			3	2	3	6	7
200b	Cause of death not specified or unknown	125	2	5	118	84	2	1	1		1	1			2	7	5	7	10
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	260	34	61	165								14	23	90	75	31	21	5
202	Accidents from agricultural machinery	3	1		2										2				1
203	Elevator accidents	2	1		1									1				1	
205	Other machinery accidents	10	1	4	5			1				1		1	2	1	1	3	
206	Railroad and automobile collisions	7	1	2	4							1	1		2	1	2		
207	Other railroad accidents	139	27	48	64		1				6	10	12	19	15	29	20	16	10
209	Other street car accidents	5	3	2									1			1	2	1	
210	Automobile accidents (primary)	382	131	100	151	4	1	5	6	7	33	35	32	45	57	46	35	41	35
211	Motorcycle accidents	1	1												1				
212	Other land transportation accidents	8	3	1	4						1				2	1		2	2
213	Water transportation accidents	4	4										1	1	2				
214	Air transportation accidents	3			3									1	2				

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN																		
	Total deaths (all causes)	29,513	12,622	3,612	13,279	2,446	230	136	100	66	350	311	456	591	1,328	1,956	2,950	4,379	14,204
	I.—Infectious and parasitic diseases	2,423	852	246	1,325	158	64	46	29	12	67	61	100	172	315	370	310	272	447
1	Typhoid fever	16	4	6	6							2	3	1	4	6			
2	Paratyphoid fever	1	1												1				
5	Undulant fever	2	1		1											1			1
6	Smallpox	1			1								1						
7	Measles	29	4	3	22	6	8	3	2	1	5	3					1		
8	Scarlet fever	37	19	2	16		3	4	3	1	11	5	1	3	5	1			
9	Whooping-cough	61	26	8	27	35	14	6	3	1	1	1							
10	Diphtheria	19	13	2	4	1	3	3	2		3	4	1	1	1				
11a	Influenza, respiratory complications specified	487	144	72	271	46	17	10	5	1	6	6	10	15	31	51	56	52	181
11b	Influenza, respiratory complications not specified	259	70	42	147	27	6	7	4	4	10	6	9	6	13	16	18	17	116
13	Dysentery	13	3	1	9	4		1		1					1	1		1	4
15	Erysipelas	34	15	4	15	7	1	1			1			2	2	3	2	5	10
16	Acute poliomyelitis, acute polioencephalitis	14	6	2	6		1	2	1		2	4	2		1	1			
17	Lethargic or epidemic encephalitis	19	10	2	7			1	1		2	1		1	3	3	3	1	3
18	Epidemic cerebrospinal meningitis	17	11	2	4	1	1		1		3		2	1	3	1	2		2
22	Tetanus	22	10	5	7	2			3	1	3	2		4	1	1	1	3	1
	Tuberculosis (all forms)	1,228	437	79	712	13	6	5	4	2	17	22	64	130	242	259	192	158	114
23	Respiratory system	1,093	369	66	658	7	4		1	2	5	14	53	120	225	245	176	146	95
24	Meninges and central nervous system	43	24	6	13	4	2	4	2		9	5	5	1	4	2	2	2	1
25	Intestines and peritoneum	30	13		17						2	1	1	5	4	4	4	5	4
26	Vertebral column	19	12	1	6				1		1	1	4	1	2	2	4		3
27a	Bones (vertebral column excepted)	6		2	4	1									2	2			1
27b	Joints	8	5		3								1	1	2	1		2	1
28	Skin and subcutaneous cellular tissue	1			1											1			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	7	3	3	1	1		1											5
30	Genitourinary system	17	10		7									1	3	1	6	2	4
31	Other organs	1		1								1							
32a	Acute disseminated tuberculosis	3	1		2									1		1		1	
34	Syphilis	122	54	11	57	11	3	1			1	2	1	5	2	24	30	30	12
35	Gonococcus infection and other venereal diseases	11	6	3	2								3	2	4		1	1	
36	Purulent infection, septicemia (nonpuerperal)	13	7	1	5	4					2		2	1	1	1	1		1
39	Other diseases due to protozoal parasites	1	1															1	
41a	Hydatid cysts of liver	2	1		1												1	1	
43	Mycoses	5	2		3							1					2		2
44	Other infectious and parasitic diseases	10	7	1	2	1	1	2				2	1			1		2	
	II.—Cancers and other tumors	3,756	1,761	448	1,547	3		4	2	2	6	9	12	13	89	235	562	838	1,980
	Cancer and other malignant tumors	3,600	1,663	430	1,507	1		1	2	2	1	7	11	10	74	206	512	815	1,957
(45)	Buccal cavity	97	36	19	42										1	1	11	18	66
(45)	Pharynx	23	8	4	11											2	3	7	11
(46)	Esophagus	78	43	8	27											3	13	17	45
(46)	Stomach and duodenum	994	411	115	468							1			3	28	98	203	661
(46)	Liver and biliary passages	268	107	42	119										3	7	36	66	156
(46)	Pancreas	104	52	11	41											4	16	31	53
(46)	Other digestive tract and peritoneum	582	304	69	209	1		1					1	1	13	37	72	135	321
47	Respiratory system	108	53	14	41							1	1		6	9	27	26	38
48	Uterus	285	143	28	114									1	13	27	67	76	101
49	Other female genital organs	67	35	8	24									1	7	7	21	14	17
50	Breast	323	158	38	127										3	39	87	96	98
51	Male genitourinary organs	318	130	38	150									2	2	13	20	61	220
52	Skin	72	23	12	37										1	3	7	11	50
53	Other or unspecified organs	281	160	24	97				2	2	1	5	9	5	22	26	34	54	120
54a	Nonmalignant tumors, ovary	1			1													1	
54b	Nonmalignant tumors, uterus	70	52	10	8									2	7	23	31	3	4
54d, e	Nonmalignant tumors, other organs	30	21	2	7	1		2			2		1		2		9	8	5
55d, e	Tumors, other organs (nature unspecified)	55	25	6	24	1		1			3	2		1	6	6	10	11	14
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,045	519	131	395	30	3		1	5	17	11	20	18	40	61	130	225	483
56	Acute rheumatic fever	45	15	4	26					2	11	2	8	3	2	1	5	3	8
57	Chronic rheumatism, osteoarthritis	40	17	6	17										2	2	7	6	22
59	Diabetes mellitus	707	358	87	262					1	4	8	8	9	19	28	65	168	397
62	Pellagra	3	2		1													2	1
63	Rickets	9	5		4	4	1		1	1	1						1		
64	Osteomalacia	1	1															1	
65	Diseases of pituitary body	5	3		2										1	3		1	
66a	Simple goiter	4	2	1	1											2	1		1
66b	Exophthalmic goiter	173	85	26	62								2	2	12	21	47	42	47
(66)	Other diseases of thyroid and parathyroid glands	13	7	2	4	5				1		1	1	1	1		1	1	1
67	Diseases of thymus gland	25	13	2	10	21	2				1				1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	16	10	2	4								1	3	2	4	1		5
69	Other general diseases	4	1	1	2												2	1	1

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	IV.—Diseases of the blood and blood-making organs	343	157	48	138	16	3	5	3	3	7	4	9	8	19	28	48	67	123
70	Hemorrhagic conditions	33	17	5	11	11	-	1	1	2	1	-	3	-	1	2	4	2	5
71a	Pernicious anemia	133	38	23	72	1	-	-	-	-	-	1	-	1	1	8	12	32	77
71b	Other anemias	15	6	1	8	3	-	-	-	1	-	1	-	-	-	-	1	-	9
72a	True leukemias	95	55	13	27	-	3	4	1	-	4	1	2	1	9	12	18	23	17
72b	Pseudoleukemias (Hodgkin's disease)	51	28	5	18	-	-	-	-	-	2	1	3	5	7	4	12	7	10
73	Diseases of the spleen	13	11	-	2	1	-	-	1	-	-	-	1	1	1	2	-	3	3
74	Other diseases of blood and blood-making organs	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
	V.—Chronic poisonings and intoxications	102	46	12	44	-	-	-	-	-	-	-	-	-	8	39	24	22	9
75	Alcoholism (acute or chronic)	98	45	12	41	-	-	-	-	-	-	-	-	-	7	39	23	20	9
76	Chronic poisoning by other organic substances	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
77a	Chronic lead poisoning	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-
	VI.—Diseases of the nervous system and of the organs of special sense	3,042	1,210	394	1,438	37	14	11	3	6	29	21	25	20	61	132	264	462	1,955
78	Encephalitis (nonepidemic)	30	10	10	10	2	-	2	-	1	2	1	2	-	3	5	4	1	7
79a	Simple meningitis	34	20	5	9	3	3	2	-	1	3	2	4	-	1	5	3	2	5
79b	Nonepidemic cerebrospinal meningitis	15	7	3	5	1	3	-	-	-	2	1	-	1	-	2	3	2	-
80	Progressive locomotor ataxia (tabes dorsalis)	21	12	3	6	-	-	-	-	-	-	-	-	-	2	2	4	6	7
81	Other diseases of spinal cord	83	31	13	39	1	-	-	-	1	1	-	2	1	6	10	14	16	31
82a	Cerebral hemorrhage	2,311	913	304	1,094	2	-	-	-	-	1	2	1	2	15	58	182	364	1,682
82b	Cerebral embolism and thrombosis	139	59	18	62	-	-	-	-	-	1	-	3	2	1	4	11	22	95
82c	Softening of brain	15	10	1	4	-	-	-	-	-	-	-	-	-	-	-	1	2	12
82d	Hemiplegia and other paralysis, cause unspecified	49	21	4	24	-	-	-	-	-	1	-	-	-	-	3	2	6	37
83	General paralysis of insane	58	14	3	41	-	-	-	-	-	-	1	1	-	4	14	16	11	11
84	Dementia praecox and other pyschoses	19	1	1	17	-	-	-	-	-	-	-	1	3	1	3	3	1	7
85	Epilepsy	69	19	2	48	2	-	2	-	-	2	4	3	7	12	14	11	7	5
86	Convulsions (under 5 years of age)	18	6	2	10	13	3	1	-	1	-	-	-	-	-	-	-	-	-
87	Other diseases of nervous system	104	38	13	53	2	2	2	1	-	4	3	1	3	6	5	6	16	53
88	Diseases of organs of vision	4	2	1	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
89a	Diseases of ear	49	27	9	13	10	1	2	1	2	7	3	4	1	6	5	2	3	2
89b	Diseases of mastoid process	24	20	2	2	-	2	-	1	-	4	4	3	-	4	1	1	3	1
	VII.—Diseases of the circulatory system	7,531	3,131	837	3,563	5	5	-	4	-	17	31	34	43	100	248	582	1,205	5,255
90	Pericarditis	19	2	4	13	-	-	-	-	-	-	-	1	1	3	1	2	2	9
91a	Acute endocarditis	66	34	5	27	1	-	-	-	-	4	9	3	9	6	9	9	7	9
91b	Endocarditis, unspecified (under 45 years)	5	2	-	3	-	-	-	-	-	-	1	-	-	1	3	-	-	-
92a	Endocarditis, specified as chronic, and other valvular diseases	1,164	422	130	612	2	1	-	-	-	7	13	14	16	43	75	94	197	702
92b	Endocarditis, unspecified (45 years and over)	63	20	10	33	-	-	-	-	-	-	-	-	-	-	-	13	9	41
93a	Acute myocarditis	105	46	4	55	1	1	-	-	-	1	-	3	4	4	11	11	21	48
93b	Myocarditis, unspecified (under 45 years)	11	5	3	3	-	-	-	-	-	-	-	-	-	4	7	-	-	-
93c	Chronic myocarditis and myocardial degeneration	3,074	1,390	305	1,379	-	-	-	1	-	4	3	3	4	16	56	196	443	2,348
93d	Other diseases of myocardium	648	194	97	357	-	-	-	-	-	-	-	-	-	2	4	40	96	506
94a	Angina pectoris	401	163	55	183	-	-	-	-	-	-	-	-	-	3	7	45	91	255
94b	Diseases of coronary arteries	635	305	68	262	-	-	-	-	-	-	1	1	-	2	31	74	175	350
95a	Functional diseases of heart	6	3	-	3	1	-	-	-	-	-	-	-	-	1	1	-	1	2
95b	Other and unspecified diseases of heart	667	270	92	305	-	-	-	1	-	1	4	4	9	9	33	65	104	436
96	Aneurysm (except of heart)	44	23	3	18	-	-	-	-	-	-	-	1	-	1	3	11	9	19
97	Arteriosclerosis (coronary arteries excepted)	496	191	47	258	-	-	-	-	-	-	-	-	-	1	2	4	27	462
98	Gangrene	19	5	2	12	-	-	-	-	-	-	-	1	-	-	-	1	1	16
99	Other diseases of arteries	56	30	5	21	-	-	-	1	-	-	-	3	-	3	2	5	10	32
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	28	14	3	11	-	-	-	-	-	-	-	-	-	1	3	7	5	12
101	Diseases of lymphatic system (lymphangitis, etc.)	6	5	3	1	2	-	3	-	1	-	-	-	-	-	-	-	-	2
102	Idiopathic anomalies of blood-pressure	1	6	3	6	-	-	-	-	-	-	-	-	-	-	-	4	6	5
103	Other diseases of circulatory system	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
	VIII.—Diseases of the respiratory system	1,875	745	217	913	325	56	22	12	8	38	23	26	37	92	131	158	216	731
104a	Diseases of nasal fossae	4	-	2	2	2	-	-	-	-	-	-	-	-	-	1	-	-	1
104b	Diseases of nasal fossae and annexa	19	13	2	4	1	1	-	-	-	1	2	3	1	1	4	4	-	1
105	Diseases of larynx	12	6	-	6	3	2	1	2	-	-	-	-	-	-	2	-	1	1
106a	Acute bronchitis	28	14	-	14	5	-	-	-	-	-	-	1	1	-	-	-	-	21
106b	Chronic bronchitis	52	16	3	33	1	-	-	-	-	1	-	1	-	1	1	2	2	43
106c, d	Bronchitis, unspecified	21	9	3	9	9	-	1	-	-	-	-	-	-	-	-	1	1	9
107a	Bronchopneumonia	735	284	76	375	213	34	10	5	5	15	7	5	12	18	37	38	49	287
107b	Capillary bronchitis	6	1	1	4	3	-	-	-	-	-	-	1	-	-	-	-	1	1
108	Lobar pneumonia	799	311	105	383	69	14	8	5	3	19	11	12	17	64	71	87	129	290
109	Pneumonia, unspecified	35	10	4	21	8	4	1	-	-	1	1	1	-	-	-	3	2	14
110	Pleurisy	64	36	8	20	5	1	1	-	-	-	2	1	5	1	5	12	16	15
111a	Pulmonary embolism and thrombosis	17	9	1	7	3	-	-	-	-	-	-	-	-	-	1	3	5	5
111b	Pulmonary congestion, edema, hemorrhagic infarct	25	11	2	12	1	-	-	-	-	-	-	-	-	-	-	-	-	24
112	Asthma	32	15	4	13	1	-	-	-	-	-	-	-	-	5	8	3	3	12
114	Other diseases of respiratory system (tuberculosis excepted)	26	10	6	10	1	-	-	-	-	1	-	1	1	2	1	5	7	7

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	IX.—Diseases of the digestive system	2,055	1,106	315	634	213	47	14	14	6	65	49	49	47	133	218	313	332	555
115a	Diseases of pharynx and tonsils	121	65	14	42	4	3	1	6	1	16	5	8	7	14	13	15	16	12
115b	Diseases of buccal cavity and annexa	24	12	6	6	1	2				2	1	1	1	1	2	5	1	7
116	Diseases of esophagus	6	4		2											1			5
117a	Ulcer of stomach	134	67	23	44							1		5	7	25	30	20	46
117b	Ulcer of duodenum	54	36	5	13	2									7	6	11	11	17
118	Other diseases of stomach (cancer excepted)	46	11	4	31	10		1				1			1	1	5	6	21
119	Diarrhea, enteritis (under 2 years of age)	201	78	29	94	172	29												
120	Diarrhea, enteritis (2 years and over)	75	31	7	37			7	3	1	1	2		3	4	3	3	7	41
121	Appendicitis	422	249	98	75		5	4	2	3	43	32	37	26	51	65	70	52	32
122a	Hernia	120	78	14	28	3						1			6	6	21	22	61
122b	Intestinal obstruction	169	82	31	56	15	3		2		2	2	1	1	11	16	16	26	74
123	Other diseases of intestines	35	18	5	12	3	3			1		2	1	1		2	8	2	12
124	Cirrhosis of liver	279	130	29	120										8	31	60	71	109
125a	Yellow atrophy of liver	11	6		5										2	3	1	1	4
125b	Other diseases of liver	16	8		8	1					1				2	2	4	1	5
126	Biliary calculi	187	129	30	28								1		7	20	42	56	61
127	Other diseases of gall-bladder, biliary passages	103	68	12	23									1	6	17	11	29	39
128	Diseases of pancreas	21	14	3	4										1	5	7	4	4
129	Peritonitis, cause not specified	31	20	5	6	2	2	1	1			2		2	5		4	7	5
	X.—Diseases of the genitourinary system	2,376	1,073	296	1,007	8	1	2		2	5	11	12	22	74	121	200	355	1,563
130	Acute nephritis (including unspecified under 10 years)	56	30	6	20	3		2		1	2	2	3	1	12	3	6	5	16
131	Chronic nephritis	1,833	783	222	828					1	3	7	7	12	36	72	155	287	1,253
132	Nephritis, unspecified (10 years and over)	73	29	10	34							1		2	1	6	7	14	42
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	67	35	6	26	5	1						1	2	5	11	6	12	24
134	Calculi of urinary passages	28	16	3	9										2	3	6	4	13
135	Diseases of bladder (tumors excepted)	18	8	3	7										1		1		16
136	Diseases of urethra, urinary abscess, etc.	4	2	1	1											2		1	1
137	Diseases of prostate	222	123	32	67										2		3	26	191
138	Diseases of male genital organs, not specified as venereal	1			1														1
139a	Cysts of ovary	15	12	3								1			4	3	6	1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	30	19	6	5								1	4	7	11	3	2	2
139c	Diseases of uterus	27	16	4	7										4	9	7	3	4
139e	Other diseases of female genital organs	2			2									1		1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	250	122	44	84							1	8	48	125	67	1		
140	Abortion with septic conditions	39	20	5	14									10	23	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	5	2		3										4	1			
142a	Ectopic gestation, septic conditions specified	3	3												2	1			
142b	Ectopic gestation, septic conditions not mentioned	7	4	2	1									2	4	1			
143	Other accidents of pregnancy (hemorrhage not included)	2	2												1	1			
144a	Placenta praevia	14	4	4	6									2	9	3			
144b	Other puerperal hemorrhages	25	13	4	8								1	5	13	6			
145a	Puerperal speticemia and pyemia (abortion and ectopic gestation excluded)	45	27	5	13							1	2	8	27	7			
146	Puerperal albuminuria and eclampsia	40	14	10	16								3	8	11	17	1		
147	Other toxemias of pregnancy	13	7	2	4									3	5	5			
148	Puerperal phelgmasia alba dolens, embolus, sudden death (not specified as septic)	18	6	4	8										9	9			
149	Other accidents of childbirth	38	20	8	10								2	9	17	10			
150	Other and unspecified conditions of puerperal state	1			1									1					
	XII.—Diseases of the skin and cellular tissue	35	12	10	13	5			2			2	1	2	2	3	3	5	10
151	Furuncle, carbuncle	9	7	1	1							1		1		2	1	2	2
152	Phlegmon, acute abscess	7	2	3	2	2								1	2			2	
153	Other diseases of skin and annexa, and of cellular tissue	19	3	6	10	3			2			1	1			1	2	1	8
	XIII.—Diseases of the bones and organs of locomotion	35	15	4	16		1				1	5	4	1	1	5	1	5	11
154	Osteomyelitis	20	10		10		1					3	3	1	1	3		2	6
155	Other diseases of bones (tuberculosis excepted)	5	2		3							1						1	3
156	Diseases of joints, other organs of locomotion	10	3	4	3						1	1	1			2	1	2	2
	XIV.—Congenital malformations	357	172	51	134	325	8	5	1	1	6	3	4	1	2		1		
157a	Congenital hydrocephalus	58	25	6	27	48	3	3	1	1		2							
157b	Spina bifida and meningocele	65	29	14	22	62		1			1			1					
157c	Congenital malformations of heart	151	73	16	62	135	5	1			4	1	3		2				
157d	Other congenital malformations	83	45	15	23	80					1		1				1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	XV.—Diseases of early infancy	1,262	541	139	582	1,262													
158	Congenital debility	70	17	11	42	70													
159	Premature birth	807	356	88	363	807													
160	Injury at birth	264	122	26	116	264													
161	Other diseases peculiar to early infancy	121	46	14	61	121													
162	**XVI.—Senility**	320	83	47	190														320
	XVII.—Violent and accidental deaths	2,627	1,059	364	1,204	40	27	27	29	21	92	80	151	159	265	296	342	363	731
	Suicide	508	227	52	229								15	21	50	76	119	130	95
163	By solid or liquid poisons or by absorption of corrosive substances	48	29	6	13									1	9	7	12	11	8
164	By poisonous gas	59	42	7	10								3	1	3	7	20	21	4
165	By hanging or strangulation	160	64	16	80								3	7	12	25	35	38	36
166	By drowning	30	18	1	11										1	3	8	9	8
167	By firearms	160	52	18	90								9	11	18	25	33	35	28
168	By cutting or piercing instruments	24	11	2	11										1	4	4	9	6
169	By jumping from high places	6	5		1										1	2	2	1	
170	By crushing	10	3	1	6									1	3	1	1	3	1
171	By other means	11	3	1	7										2	2		3	4
	Homicide	55	22	6	27	4			1				3	4	13	15	6	6	2
173	By firearms	32	10	3	19								2	4	11	9	1	4	
174	By cutting or piercing instruments	5	3		2											3	2		
175	By other means	18	9	3	6	4			1				1		2	3	3	2	2
	Accidental, other, or undefined	2,064	810	306	948	36	27	27	28	21	92	80	133	134	202	205	217	227	634
176	Attack by venomous animals	3	1	1	1	1												1	1
177	Poisoning by food	7		3	4		2	1						1		2			1
178	Absorption of poisonous gas	32	21	2	9				1		1		3	2	3	4	5	7	6
	Supplemental	1	1				1												
179	Other acute accidental poisonings (gas excepted)	29	17	6	6		5	1		1	1		1	1	2	2	4	6	5
180	Conflagration	43	12	4	27	2		4	5	2	3			2	4	2	6	5	8
181	Burns (conflagration excepted)	76	32	21	23	2	4	8	6	3	7		6	2	7	5	8	4	14
	Supplemental	9	3	1	5									2	3	2	2		
182	Mechanical suffocation	19	7	3	9	14							1			1	3		
	Supplemental	2			2											1			1
183	Drowning	170	50	18	102		5	6	4	4	20	28	29	19	15	12	7	15	5
	Supplemental	64	11	5	48							2	9	12	17	10	7	5	2
	Traumatism:																		
184	By firearms (wounds of war excepted)	59	13	10	36					1	5	6	11	6	13	5	5	7	
185	By cutting or piercing instruments (wounds of war excepted)	17	8	4	5						3			1	1	1	5	3	3
	Supplemental	15	1	7	7						1				1	6	3	3	1
186a	By fall	522	239	78	205	2	2		1		1	5	2	8	12	19	30	58	382
	Supplemental	64	20	13	31	1	1				2	3	4	6	7	7	13	9	11
186b	By crushing, landslide	13	5	3	5						1			1	7	2	1		1
	Supplemental	118	42	20	56			1	2	2	6	1	8	13	18	18	18	11	20
187	Cataclysm	4	1	2	1							1					1	1	1
188	Injuries by animals	31	11	1	19						2		3		3	1	4	6	12
190	Excessive cold	12	4		8										1	2	2	1	6
191	Excessive heat	23	9		14	2									2	2	5	5	7
192	Lightning	4	1		3								2				2		
193	Due to electric currents	18	4	4	10		1				1	2	2	1	5	3	3		
	Supplemental	1	1											1					
194a	Foreign bodies	20	10	2	8	9	1	2	1		1					2		1	3
194b	Other accidents	81	25	13	43	3	2		3	2	5	4	4	4	6	9	13	14	12
	Supplemental	608	260	85	261		3	4	5	6	32	28	48	52	75	86	70	65	132
196	Wounds of war	1	1													1			
	XVIII.—Ill-defined causes of death	79	18	9	52	19	1						1		2	2	11	12	31
199	Sudden death	37	6	5	26	4											3	10	20
200a	Cause of death ill-defined	12	4	1	7	3	1						1		1				6
200b	Cause of death not specified or unknown	30	8	3	19	12									1	2	8	2	5
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	4	1		3											2	2		
202	Accidents from agricultural machinery	15	4	2	9						1	1			3	3	2	3	2
203	Elevator accidents	3	3										1				2		
205	Other machinery accidents	32	13	6	13								2	2	7	8	4	6	3
206	Railroad and automobile collisions	35	11	10	14		1							6	6	9	5	6	2
207	Other railroad accidents	55	24	8	23						1	3	3	4	9	14	8	3	10
208	Street car and automobile collisions	10	7		3								2		1	2	1	3	1
209	Other street car accidents	11	7	1	3									3				1	7
210	Automobile accidents (primary)	627	254	89	284		3	4	7	8	38	26	50	61	78	84	78	64	126
211	Motorcycle accidents	5	3	1	1			1					1	2	1				
212	Other land transportation accidents	38	8	7	23	1	1				1	3	3		2	2	7	4	14
213	Water transportation accidents	42	4	5	33							1	7	8	11	6	4	3	2
214	Air transportation accidents	3		2	1										3				

[1] See explanatory footnote 4, p. 162.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING																		
	Total deaths (all causes)	1,975	348	519	1,108	230	32	22	12	18	41	35	42	63	132	193	246	286	669
	I.—Infectious and parasitic diseases	203	28	42	133	36	7	7		3	14	6	8	7	27	24	22	16	25
1	Typhoid fever	11	1		10			2		1	4		1		2		1		
7	Measles	2		2		1	1												
8	Scarlet fever	5	1		4	1	1			1		2							
9	Whooping-cough	10	1		9	7	2				1								
10	Diptheria	2			2	2													
11a	Influenza, respiratory complications specified	45	4	8	33	13	3	3			1			2	4	5	2	5	7
11b	Influenza, respiratory complications not specified	20	2	8	10	6					1		1		2		1		9
13	Dysentery	1			1														1
15	Erysipelas	1			1	1													
17	Lethargic or epidemic encephalitis	1	1												1				
18	Epidemic cerebrospinal meningitis	4		3	1			1				1	1					1	
22	Tetanus	2		1	1						2								
	Tuberculosis (all forms)	70	12	17	41	1				1	5	1	5	4	17	13	15	4	3
23	Respiratory system	52	8	11	33					1	1	1	4	3	14	11	10	4	2
24	Meninges and central nervous system	6	1	1	4	1					3			1	1				
25	Intestines and peritoneum	3	1	2							1						2		
26	Vertebral column	2		1	1								1		1				
27b	Joints	1		1												1			
30	Genitourinary system	4	1	1	2										1	1	2		
32a	Acute disseminated tuberculosis	2	1		1												1		1
34	Syphilis	7	3	1	3	2									1	2	2		
36	Purulent infection, septicemia (non-puerperal)	4	2		2			1				1		1		1			
44	Other infectious and parasitic diseases	18	1	2	15	2						1			2	1	2	5	5
	II.—Cancers and other tumors	169	45	37	87									1	3	16	31	32	86
	Cancer and other malignant tumors	165	42	37	86									1	2	15	30	31	86
(45)	Buccal cavity	4	1	1	2										1			2	1
(46)	Esophagus	1		1															1
(46)	Stomach and duodenum	36	6	7	23											1	5	9	21
(46)	Liver and biliary passages	17	2	4	11									1			2	4	10
(46)	Pancreas	5	2	1	2												2	2	1
(46)	Other digestive tract and peritoneum	35	11	10	14											4	5	6	20
47	Respiratory system	4	1		3											1			3
48	Uterus	22	8	5	9											3	7	4	8
49	Other female genital organs	3	2	1												1			2
50	Breast	11	3	2	6										1	3	3	2	2
51	Male genitourinary organs	15	3	2	10												2	1	12
52	Skin	3		2	1														3
53	Other or unspecified organs	9	3	1	5											2	4	1	2
54b	Nonmalignant tumors, uterus	3	2		1										1		1	1	
54d,e	Nonmalignant tumors, other organs	1	1													1			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	47	9	19	19	3	1			2	3		1		4		7	9	16
56	Acute rheumatic fever	7	2	1	4						2				2		1	1	
57	Chronic rheumatism, osteoarthritis	2		1	1														2
59	Diabetes mellitus	31	6	14	11					2	1		1		1		6	7	13
63	Rickets	1		1		1													
66a	Simple goiter	1			1														1
(66)	Other diseases of thyroid and parathyroid glands	1		1														1	
67	Diseases of thymus gland	3	1	1	1	2	1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1			1										1				
	IV.—Diseases of the blood and blood-making organs	7		3	4						1							3	3
70	Hemorrhagic conditions	1			1						1								
71a	Pernicious anemia	4		2	2													1	3
71b	Other anemias	2		1	1													2	
	V.—Chronic poisonings and intoxications	7	3	2	2										1	2	2	2	
75	Alcoholism (acute or chronic)	5	2	2	1										1	2		2	
76	Chronic poisoning by other organic substances	1	1														1		
77a	Chronic lead poisoning	1			1												1		
	VI.—Diseases of the nervous system and of the organs of special sense	162	25	55	82	3		1	1	1	3	1	2	1	4	11	22	20	92
78	Encephalitis (nonepidemic)	3	2		1						1		1		1				
79a	Simple meningitis	1			1										1				
79b	Nonepidemic cerebrospinal meningitis	1			1	1													
80	Progressive locomotor ataxia (tabes dorsalis)	5	1	3	1											2	3		
81	Other diseases of spinal cord	2	1		1														2
82a	Cerebral hemorrhage	113	15	35	63						1				1	4	12	16	79
82b	Cerebral embolism and thrombosis	3	1	1	1									1			1		1
82d	Hemiplegia and other paralysis, cause unspecified	6	1	2	3												1	1	4
83	General paralysis of insane	13	2	8	3											4	4	3	2
85	Epilepsy	4		1	3	1					1								2

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF—		In rural areas	DEATHS BY AGE													
			10,000 or more	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
86	Convulsions (under 5 years of age)	2		2		1		1											
87	Other diseases of nervous system	4		2	2								1			1			2
89a	Diseases of ear	3	2	1						1		1			1				
89b	Diseases of mastoid process	2			2				1								1		
	VII.—Diseases of the circulatory system	396	74	131	191	2	1				3	3	6	3	12	23	45	69	228
90	Pericarditis	1			1		1												
91a	Acute endocarditis	4	2	1	1	1						1		1	1				
92a	Endocarditis, specified as chronic, and other valvular diseases	86	18	25	43						2	2	3	1	7	9	10	18	34
92b	Endocarditis, unspecified (45 years and over)	3	3															1	2
93a	Acute myocarditis	13	3	2	8									1			3	1	8
93b	Myocarditis, unspecified (under 45 years)	1		1												1			
93c	Chronic myocarditis and myocardial degeneration	113	14	40	59								2		1	6	8	18	78
93d	Other diseases of myocardium	43	12	14	17												3	12	28
94a	Angina pectoris	27	6	11	10										1	1	5	7	13
94b	Diseases of coronary arteries	34	7	14	13											2	8	7	16
95a	Functional diseases of heart	3		2	1	1										1			1
95b	Other and unspecified diseases of heart	42	5	12	25						1		1		1	2	4	4	29
96	Aneurysm (except of heart)	5	1	2	2										1		3		1
97	Arteriosclerosis (coronary arteries excepted)	12	2	3	7														12
98	Gangrene	4		3	1											1			3
99	Other diseases of arteries	3	1	1	1													1	2
100	Diseases of veins (varices, hemorroids, phlebitis, etc.)	1			1												1		
103	Other diseases of circulatory system	1			1														1
	VIII.—Diseases of the respiratory system	134	18	38	78	27	5	4	2	2	1	1	1	4	7	13	11	14	42
104b	Diseases of nasal fossae and annexa	1		1														1	
105	Diseases of larynx	3		1	2	1		1		1									
106a	Acute bronchitis	3		1	2	2											1		
106b	Chronic bronchitis	5	1	1	3	1										1			3
106c,d	Bronchitis, unspecified	2			2														2
107a	Bronchopneumonia	44	4	15	25	14	2	2		1		1	1	3	1		2	3	14
107b	Capillary bronchitis	1	1				1												
108	Lobar pneumonia	55	9	12	34	5	2	1	1		1				5	10	7	8	15
109	Pneumonia, unspecified	10		4	6	4										2		1	3
110	Pleurisy	3	1	2										1	1		1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	4	2	1	1														4
112	Asthma	2			2													1	1
114	Other diseases of respiratory system (tuberculosis excepted)	1			1				1										
	IX.—Diseases of the digestive system	178	41	46	91	13	5	5	4	3	10	10	3	3	15	29	26	17	35
115a	Diseases of pharynx and tonsils	10	4	3	3		1	1	1		2			1	1	1		1	1
115b	Diseases of buccal cavity and annexa	2	2			1									1				
117a	Ulcer of stomach	9	2	3	4											1	4		4
117b	Ulcer of duodenum	2		1	1												2		
118	Other diseases of stomach (cancer excepted)	11	2	1	8	1					1				1	1		2	5
119	Diarrhea, enteritis (under 2 years of age)	14	2	4	8	10	4												
120	Diarrhea, enteritis (2 years and over)	13	2	3	8			1	2		2						1		7
121	Appendicitis	62	17	19	26			2	1	2	4	10	3	1	7	17	9	3	3
122a	Hernia	11	4	2	5					1						2	4	1	3
122b	Intestinal obstruction	14	1	2	11	1		1			1			1	1	1	1	3	4
123	Other diseases of intestines	2	1		1											1			1
124	Cirrhosis of liver	9		1	8										2			2	5
125b	Other diseases of liver	1			1														1
126	Biliary calculi	9	2	2	5										2	2	2	2	1
127	Other diseases of gall-bladder, biliary passages	8	2	4	2											2	3	3	
129	Peritonitis, cause not specified	1		1												1			
	X.—Diseases of the genitourinary system	153	29	29	95	3	1						1	2	7	13	20	25	81
130	Acute nephritis (including unspecified under 10 years)	7	1	2	4	2									1	1	2		1
131	Chronic nephritis	103	21	19	63									1	3	8	16	20	55
132	Nephritis, unspecified (10 years and over)	18		3	15											1		4	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	3	2		1		1												2
134	Calculi of urinary passages	1		1												1			
136	Diseases of urethra, urinary abscess, etc.	1			1														1
137	Diseases of prostate	10	1	1	8													1	9
138	Diseases of male genital organs, not specified as venereal	1		1		1													
139a	Cysts of ovary	1			1										1				
139b	Other diseases of ovaries, diseases of tubes and parametrium	5	2	2	1									1	2	1	1		
139c	Diseases of uterus	3	2		1								1			1	1		

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, AND BY AGE IN CONTINENTAL UNITED STATES AND EACH STATE: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	24	2	3	19								2	5	10	6	1		
140	Abortion with septic conditions	3		1	2									1	2				
141	Abortion without mention of septic conditions (includes hemorrhages)	1			1										1				
142b	Ectopic gestation, septic conditions not mentioned	4			4										3	1			
144a	Placenta praevia	1			1											1			
144b	Other puerperal hemorrhages	3			3									2	1				
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	6	1		5								1		2	2	1		
146	Puerperal albuminuria and eclampsia	3		1	2								1	1	1				
147	Other toxemias of pregnancy	2	1	1												2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	1			1									1					
	XII.—Diseases of the skin and cellular tissue	2			2											1			1
152	Phlegmon, acute abscess	1			1														1
153	Other diseases of skin and annexa, and of cellular tissue	1			1											1			
	XIII.—Diseases of the bones and organs of locomotion	2	1	1							2								
154	Osteomyelitis	2	1	1							2								
	XIV.—Congenital malformations	23	3	3	17	23													
157a	Congenital hydrocephalus	3		1	2	3													
157b	Spina bifida and meningocele	2			2	2													
157c	Congenital malformations of heart	12	1	2	9	12													
157d	Other congenital malformations	6	2		4	6													
	XV.—Diseases of early infancy	104	16	20	68	104													
158	Congenital debility	9		1	8	9													
159	Premature birth	75	12	13	50	75													
160	Injury at birth	11	3	3	5	11													
161	Other diseases peculiar to early infancy	9	1	3	5	9													
162	**XVI.—Senility**	18		10	8														18
	XVII.—Violent and accidental deaths	314	53	76	185	5	10	5	5	7	4	14	18	37	42	55	55	24	32
	Suicide	56	13	10	33								1	6	11	11	17	4	6
163	By solid or liquid poisons or by absorption of corrosive substances	13	6		7									2	3	4	2		2
164	By poisonous gas	2	1	1												1	1		
165	By hanging or strangulation	7	1	2	4								1			1	2	1	2
166	By drowning	1	1												1				
167	By firearms	30	4	6	20									4	7	4	10	3	2
168	By cutting or piercing instruments	2			2												2		
170	By crushing	1		1												1			
	Homicide	22	5	5	12								1	1	2	11	2	3	2
173	By firearms	17	4	4	9								1	1	1	9	2	2	1
174	By cutting or piercing instruments	2	1	1											1	1			
175	By other means	3			3											1		1	1
	Accidental, other, or undefined	236	35	61	140	5	10	5	5	7	4	14	16	30	29	33	36	17	24
177	Poisoning by food	1			1														1
178	Absorption of poisonous gas	4		1	3												1	1	2
179	Other acute accidental poisonings (gas excepted)	7	2	3	2								3		1	1	1		1
180	Conflagration	5			5		2								2	1			
181	Burns (conflagration excepted)	17	3	1	13		3	2	2	1					2	4	1	1	1
182	Mechanical suffocation	3	1		2	1											2		
	Supplemental	1			1									1					
183	Drowning	18		4	14		3	2	1	1		4	1	3	1			1	1
	Supplemental	7			7		1		1	1				1	2	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	8	2	2	4							2	2	3			1		
185	By cutting or piercing instruments (wounds of war excepted)	3	1	1	1					1		1				1			
	Supplemental	2		1	1									1		1			
186a	By fall	14	4	6	4							1			2	2	1	1	6
	Supplemental	11	1	3	7						1	1		2	2		3	1	1
186b	By crushing, landslide	2		1	1							1		1					
	Supplemental	35	4	10	21			1		3	2		4	4	6	6	6	2	1
188	Injuries by animals	2	1		1								1						1
190	Excessive cold	7	1	1	5								1	1	1		1	2	1
193	Due to electric currents	2		1	1														2
194a	Foreign bodies	3	1	1	1	2										1			
194b	Other accidents	9	1	2	6	1			1					1		2	2	1	1
	Supplemental	74	13	22	39	1	1				1	4	4	12	10	12	17	7	5
198	Legal executions	1		1												1			
	XVIII.—Ill-defined causes of death	32	1	4	27	11	2										4	5	10
200a	Cause of death ill-defined	14		3	11												4	3	7
200b	Cause of death not specified or unknown	18	1	1	16	11	2											2	3
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	11		5	6									2	1		5	3	
205	Other machinery accidents	4	1	2	1		1									1	2		
207	Other railroad accidents	10	2	4	4								2	1	1	2	3	1	
210	Automobile accidents (primary)	87	15	21	51	1		1	1	3	4	3	6	14	13	16	15	4	6
212	Other land transportation accidents	11		3	8							2		2	2	1	1	2	1
213	Water transportation accidents	5			5		1			1				1	2				
214	Air transportation accidents	2		1	1									1	1				

[1] See explanatory footnote 4, p. 162.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List. Cities of 100,000 population or more on April 1, 1930, are included. Only those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,550	143	35	14	6	8	33	26	41	52	62	77	124	200	233	281	215	
Typhoid and paratyphoid fever (1, 2)	4									3		1						
Measles (7)	2						1	1										
Scarlet fever (8)	4					1	2					1						
Whooping-cough (9)	4	2	1	1														
Diphtheria (10)	8		3	1		1	3											
Influenza (11)	34	3	2	2				1			1	3	4	5	6	5	2	
Epidemic cerebrospinal meningitis (18)	1											1						
Tuberculosis of the respiratory system (23)	45									3	5	7	12	5	4	8	1	
Other forms of tuberculosis (24–32)	5		1			1								1	1		1	
Syphilis (34)	16										1	3	2	4	2	4		
Cancer and other malignant tumors (45–53)	144						1		1	1	1	8	10	23	41	40	18	
Diabetes mellitus (59)	24										1	3	1	6	8	4	1	
Cerebral hemorrhage and softening (82a, 82c)	91										1		6	12	16	28	28	
Diseases of the heart (90–95)	240							1	1	4	5	4	14	35	47	72	57	
Bronchitis (106)	2											1				1		
Bronchopneumonia (107)	35	8	3	1		1		2	1	2	1	1		4	1	3	7	
Lobar and unspecified penumonia (108, 109)	53	5	6	1		1		2		1		3	2	5	4	17	6	
Diarrhea and enteritis (119, 120)	32	15	10	2										3		2		
Appendicitis (121)	37						2	2	2	2	5	2	6	6	6	4		
Hernia, intestinal obstruction (122)	16	2							1	1	1	1	3	5		2		
Cirrhosis of the liver (124)	9										1	1	1	2		3	1	
Nephritis (130–132)	109									2	3	1	10	14	17	26	36	
Diseases of the female genital organs (139)	15									2	1	5	5	1		1		
Puerperal septicemia (140, 142a, 145)	8								1	1	5	1						
Other puerperal causes	10								1	6	1	1	1					
Suicide (163–171)	34									3	2	4	8	10	5	1	1	
Homicide (172–175)	25								4	4	6	3	4	2	2			
Automobile accidents [1]	59		1		1	1	8	3	7	8	6	3	3	6	4	5	3	
Automobile—railroad train and street car collisions	2								1		1							
Other external causes	67		2	2	3	1	3	3	8	2	6	3	6	6	4	6	12	
All other causes	415	108	6	4	2	1	13	11	13	7	8	16	26	45	65	49	41	
BIRMINGHAM, ALA. (COLORED), all causes	1,562	177	21	8	9	3	24	29	67	103	123	109	266	268	190	103	62	
Typhoid and paratyphoid fever (1, 2)	7				1		2		1	2		1						
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	3	2	1															
Diphtheria (10)																		
Influenza (11)	22	4	1	1		1			1	1	1	2	5	2	3			
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	134		1	1			1	1	16	30	29	9	34	6	5	1		
Other forms of tuberculosis (24–32)	23	1	1	1	2		2		6	1	1	3	2	3				
Syphilis (34)	57	9					1	2	2	3	3	3	12	17	2	2	1	
Cancer and other malignant tumors (45–53)	56											2	14	23	9	7	1	
Diabetes mellitus (59)	6												3	1	2			
Cerebral hemorrhage and softening (82a, 82c)	123							1		2	2	3	16	46	31	13	9	
Diseases of the heart (90–95)	168		1	1			1	5	2	4	8	11	31	37	33	22	12	
Bronchitis (106)																		
Bronchopneumonia (107)	32	19	4				1	2			2		1	1	1	1		
Lobar and unspecified pneumonia (108, 109)	73	11	2		1		5	2	6	5	4	2	9	11	8	5	2	
Diarrhea and enteritis (119, 120)	12	4	2	1									2	2			1	
Appendicitis (121)	14							2	2	3	3	3	1					
Hernia, intestinal obstruction (122)	21	1							1	1		3	6	4	2	3		
Cirrhosis of the liver (124)	9											1	3	3		1	1	
Nephritis (130–132)	110								1	2	6	4	23	31	25	15	3	
Diseases of the female genital organs (139)	7								1		1	2	2	1				
Puerperal septicemia (140, 142a, 145)	7								2	2	1	2						
Other puerperal causes	12								3	2	2		5					
Suicide (163–171)	4								1				1	2				
Homicide (172–175)	116							1	10	29	30	20	21	3	2			
Automobile accidents [1]	21	1					3	1			2	3	4	2	4		1	
Automobile—railroad train and street car collisions																		
Other external causes	46	1	2	1	1	1	1	5	2	2	5	3	6	11	2	3		
All other causes	478	123	6	2	4	1	7	7	10	14	23	32	65	62	61	30	31	
LONG BEACH, CALIF., all causes	1,494	75	2	5	6	4	13	10	25	27	33	29	99	154	218	338	456	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	3				1		1							1				
Scarlet fever (8)	2						1						1					
Whooping-cough (9)	2	2																
Diphtheria (10)	1			1														
Influenza (11)	15						1	1					1	2	1	5	4	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	18								3		3	4	3	2	1	2		
Other forms of tuberculosis (24–32)	1									1								
Syphilis (34)	11	2											2	4	3			
Cancer and other malignant tumors (45–53)	160									1			11	27	29	50	42	
Diabetes mellitus (59)	36	1				1				1	2		2	3	4	14	8	
Cerebral hemorrhage and softening (82a, 82c)	133												7	8	16	42	60	
Diseases of the heart (90–95)	456							1		3	2	4	12	38	73	132	191	
Bronchitis (106)	4												1				3	
Bronchopneumonia (107)	29	9	1				1			1	1			.4	3	9		
Lobar and unspecified pneumonia (108, 109)	20				1		1		2		1	1		1	1	6	6	
Diarrhea and enteritis (119, 120)	5	3	1														1	
Appendicitis (121)	16				1				2	1	2		2	4	1	1	2	
Hernia, intestinal obstruction (122)	13	1							1		1		1	4		3	2	
Cirrhosis of the liver (124)	9													3	1	3	2	
Nephritis (130–132)	126			1						1	2		4	11	32	30	45	
Diseases of the female genital organs (139)	7									1	2	2	1	1				
Puerperal septicemia (140, 142a, 145)	2										1		1					
Other puerperal causes	4											1	3					
Suicide (163–171)	39								2	2	4	3	6	7	7	4	4	
Homicide (172–175)	3									1		2						
Automobile accidents [1]	55			2		1	3	4	3	6	2	1	7	9	8	3	6	
Automobile—railroad train and street car collisions	3												3					
Other external causes	112	2		1	2	1	3	3	10	5	5	8	19	8	13	11	21	
All other causes	208	55			1	1	2	1	2	3	5	3	11	21	24	29	50	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF. (WHITE), all causes	13,068	657	98	53	45	38	140	97	167	323	350	423	1,143	1,726	2,325	2,788	2,695	
Typhoid and paratyphoid fever (1, 2)	9								1	2	3	1	2					
Measles (7)	39	2	7	4	4	5	10	6					1					
Scarlet fever (8)	35		2	3	2	2	11	5	1	2	1	3	1	1		1		
Whooping-cough (9)	34	21	8	2	1								1		1			
Diphtheria (10)	47	5	4	3	5	3	15	3	2	2			4	1				
Influenza (11)	104	9	2	3		1	6	1	2	6	2	4	10	13	11	11	23	
Epidemic cerebrospinal meningitis (18)	23	4	1	1			1	1	4	1	1	1	3	2	2	1		
Tuberculosis of the respiratory system (23)	677	9	11	4	2	2	9	5	22	78	76	77	124	118	82	49	9	
Other forms of tuberculosis (24–32)	79	2	8	1	4		6	2	5	6	6	4	10	14	8	3		
Syphilis (34)	120	10								2	2	3	23	28	31	18	3	
Cancer and other malignant tumors (45–53)	1,732			2	1	1	1	1	11	5	14	32	140	323	457	469	276	
Diabetes mellitus (59)	271		1		1	1	1		1	2	1	4	9	37	59	96	58	
Cerebral hemorrhage and softening (82a, 82c)	749									2	5	8	30	57	134	243	270	
Diseases of the heart (90–95)	3,307	1	1		1	3	2	8	8	11	25	32	163	396	699	954	1,003	
Bronchitis (106)	36	1	3							1	1	1		1	7	5	16	
Bronchopneumonia (107)	320	84	12	5	4	4	5	1	4	3	8	7	19	19	34	39	72	
Lobar and unspecified pneumonia (108, 109)	288	7	6	3	2	2	2	1	8	9	9	16	44	39	57	40	43	
Diarrhea and enteritis (119, 120)	69	39	6	1			2			2		1	2	5	4	4	3	
Appendicitis (121)	185			3	3	2	13	7	9	15	15	15	25	31	30	13	4	
Hernia, intestinal obstruction (122)	175	7			3		1			6	2	5	24	24	34	35	34	
Cirrhosis of the liver (124)	133									1	1	4	16	30	36	33	12	
Nephritis (130–132)	904	1		1			1	5	5	5	7	14	50	102	167	245	301	
Diseases of the female genital organs (139)	42									6	4	7	13	5	2	1	4	
Puerperal septicemia (140, 142a, 145)	27								2	9	5	6	5					
Other puerperal causes	49								6	9	13	14	7					
Suicide (163–171)	420								13	23	31	40	96	91	67	50	9	
Homicide (172–175)	69								6	9	12	10	13	10	6	2	1	
Automobile accidents [1]	410		1	2	2	1	11	14	20	46	34	17	55	60	58	61	28	
Automobile—railroad train and street car collisions	34						1		1	4	5	3	10	4	3	1	2	
Other external causes	389	6	6	4	1	2	6	10	9	19	14	25	52	52	41	52	90	
All other causes	2,292	449	19	13	8	9	36	27	27	37	53	69	191	263	295	362	434	
LOS ANGELES, CALIF. (COLORED), all causes	1,704	254	53	26	24	13	45	38	70	73	119	111	204	235	220	127	92	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	6	2	2		1		1											
Scarlet fever (8)	1		1															
Whooping-cough (9)	19	12	6	1														
Diphtheria (10)	6		3	1		1		1										
Influenza (11)	32	6	2	1			1		2	1	1	2	4	4	4	2	2	
Epidemic cerebrospinal meningitis (18)	1											1						
Tuberculosis of the respiratory system (23)	273	6	4	1	4	3	7	12	34	35	40	33	39	31	15	6	3	
Other forms of tuberculosis (24–32)	37	3	2	1	4	2	5	1	3		4	5	3	2	2			
Syphilis (34)	49	5		1			2	1		4	2	2	9	13	4	6		
Cancer and other malignant tumors (45–53)	95								1	1	6	1	11	28	26	16	5	
Diabetes mellitus (59)	26							1			1	1	4	6	5	4	4	
Cerebral hemorrhage and softening (82a, 82c)	60							1				3	10	11	13	13	9	
Diseases of the heart (90–95)	184						2	1	4	2	7	10	19	28	54	27	30	
Bronchitis (106)	4								1						2	1		
Bronchopneumonia (107)	108	57	13	7	4		1		1	2	1	1	4	5	8	3	1	
Lobar and unspecified pneumonia (108,109)	61	3	2	1		1	2	1	3	5	4	2	14	7	7	4	5	
Diarrhea and enteritis (119, 120)	39	24	2	5	1		4								1	1	1	
Appendicitis (121)	17							2	3		3	1	5	2		1		
Hernia, intestinal obstruction (122)	23	1							1	1	2		3	5	8	2		
Cirrhosis of the liver (124)	18										1		6	3	2	4	2	
Nephritis (130–132)	86							1	3		2	7	8	19	27	10	9	
Diseases of the female genital organs (139)	5												3	2				
Puerperal septicemia (140, 142a, 145)	10								1	3	3	3						
Other puerperal causes	16								1	2	6	3	3	1				
Suicide (163–171)	17								1	2	4		2	6	1	1		
Homicide (172–175)	47			1				1	4	5	12	6	12	3	3			
Automobile accidents [1]	56		1		3		5	6	2	4	3	7	5	14	6			
Automobile—railroad train and street car collisions	5							1			1	2				1		
Other external causes	66	2	3		3	4	2	3	1	3	6	10	12	5	7	4	1	
All other causes	337	133	12	6	4	2	13	5	4	3	10	11	28	40	25	21	20	
OAKLAND, CALIF., all causes	3,029	147	20	9	8	8	33	22	31	56	62	82	227	397	609	685	703	
Typhoid and paratyphoid fever (1, 2)	2										1		1					
Measles (7)																		
Scarlet fever (8)	1				1													
Whooping-cough (9)	4	2	1	1														
Diphtheria (10)	2					1				1								
Influenza (11)	31	1	1			1	2			2	3	1	4	5	2	4	5	
Epidemic cerebrospinal meningitis (18)	8	2						2		3			1					
Tuberculosis of the respiratory system (23)	85	1	1	1	1				6	3	8	7	11	15	16	10	5	
Other forms of tuberculosis (24–32)	13		2	2			2	1	1	1			3	1				
Syphilis (34)	23	4									1		3	5	9	1		
Cancer and other malignant tumors (45–53)	394								1		4	6	24	67	101	115	76	
Diabetes mellitus (59)	83						1	1		1	1	1	6	10	21	28	13	
Cerebral hemorrhage and softening (82a, 82c)	239												6	22	47	64	100	
Diseases of the heart (90–95)	912						2	2	3	6	4	8	42	110	210	247	278	
Bronchitis (106)	3															1	2	
Bronchopneumonia (107)	110	18	3	1		2		1		4	3	2	7	9	13	22	25	
Lobar and unspecified pneumonia (108, 109)	83	9					1	2		2	3	4	13	14	15	10	10	
Diarrhea and enteritis (119, 120)	9	2	2			1					1	1			1		1	
Appendicitis (121)	43		1	1	2	1	3		2	2	2	1	5	11	6	3	3	
Hernia, intestinal obstruction (122)	34	1							1	2	2	2	7	7	3	5	4	
Cirrhosis of the liver (124)	31		1							1	1		3	6	7	10	2	
Nephritis (130–132)	186						1	1		4	1	4	13	21	38	49	54	
Diseases of the female genital organs (139)	13						1		2	1	1	4	1	1	1	1		
Puerperal septicemia (140, 142a, 145)	6									1	2	1	2					
Other puerperal causes	6									1	3	1	1					
Suicide (163–171)	63								1	7	4	7	10	13	14	4	3	
Homicide (172–175)	15	1							1	1		3	4	3	2			
Automobile accidents [1]	68		1	1		1	1	1	1	3	7	5	10	8	15	7	7	
Automobile—railroad train and street car collisions	10							1				3	3	2	1			
Other external causes	93	2			1		5	4	3	2	5	4	10	10	14	12	21	
All other causes	529	104	7	2	3	1	14	6	9	7	6	16	38	57	73	92	94	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SAN DIEGO, CALIF., all causes	2,233	132	16	6	7	4	27	13	31	66	65	70	144	242	344	494	572	
Typhoid and paratyphoid fever (1, 2)	11							2		1		1		3	3	1		
Measles (7)	2	1					1											
Scarlet fever (8)																		
Whooping-cough (9)	1	1																
Diphtheria (10)	8				3		3				1		1					
Influenza (11)	17	4			1		1		2				1	1	3	2	2	
Epidemic cerebrospinal meningitis (18)	2	1							1									
Tuberculosis of the respiratory system (23)	108		1			1	2	1	5	9	12	13	19	21	14	8	2	
Other forms of tuberculosis (24–32)	11	1		1		1				1	1	1	2	1	1		1	
Syphilis (34)	25	1									2	2	4	4	8	1	1	
Cancer and other malignant tumors (45–53)	238			1				1		2	3	4	14	36	54	68	55	
Diabetes mellitus (59)	42									2		1	1	5	8	12	13	
Cerebral hemorrhage and softening (82a, 82c)	136												3	10	24	48	51	
Diseases of the heart (90–95)	549		2				2	1	3	2	4	5	24	58	97	154	197	
Bronchitis (106)	6						1								1	1	3	
Bronchopneumonia (107)	49	13	6				1		1	1	3	1	3	4	1	6	9	
Lobar and unspecified pneumonia (108, 109)	64	5					1		2	3	4	3	7	9	8	12	10	
Diarrhea and enteritis (119, 120)	14	7									1		1	1	1	2	1	
Appendicitis (121)	25			1			2		1	2			4	4	6	3	2	
Hernia, intestinal obstruction (122)	26	1								2		3	2	2	4	4	8	
Cirrhosis of the liver (124)	30												3	4	12	8	3	
Nephritis (130–132)	147							1	1	3	2	1	7	16	20	39	57	
Diseases of the female genital organs (139)	8									1	1	2	1	2		1		
Puerperal septicemia (140, 142a, 145)	5								2		2	1						
Other puerperal causes	7								1	3	2		1					
Suicide (163–171)	59								3	2	4	7	9	9	13	7	5	
Homicide (172–175)	22						1		1	2	1	7	3	3	1	3		
Automobile accidents [1]	76		1		1		3		5	13	7	6	7	6	9	7	5	
Automobile—railroad train and street car collisions	3								1			1			1			
Other external causes	98	1	1	1	1		7	1		7	11	5	5	6	5	22	26	
All other causes	452	96	5	2	1	2	2	6	2	10	4	6	22	37	50	85	122	
SAN FRANCISCO, CALIF. (WHITE), all causes	7,809	237	28	18	12	7	46	41	55	135	161	214	701	1,311	1,795	1,761	1,283	4
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)																		
Scarlet fever (8)	4			1									2	1				
Whooping-cough (9)	14	9	1	2	2													
Diphtheria (10)	5	1		2			2											
Influenza (11)	75	1	1	1		1			1	3	2	1	11	8	11	19	15	
Epidemic cerebrospinal meningitis (18)	11		3			1			1	1	1	1	1	1	1			
Tuberculosis of the respiratory system (23)	345		3					4	10	24	33	33	55	76	65	34	8	
Other forms of tuberculosis (24–32)	48	1			2		1	1	3	4	1	8	6	12	5	2	2	
Syphilis (34)	98	1								1		2	12	32	32	16	2	
Cancer and other malignant tumors (45–53)	1,155		1	2			3	1	2	4	14	21	110	241	337	291	128	
Diabetes mellitus (59)	204							1				3	10	22	70	61	37	
Cerebral hemorrhage and softening (82a, 82c)	463						1	1			2	1	14	54	118	163	109	
Diseases of the heart (90–95)	2,105					1	1	3	9	11	8	17	101	300	549	594	511	
Bronchitis (106)	22					1	1		1		1	1		3	1	4	9	
Bronchopneumonia (107)	244	22	7	2	1		1	1		2	2	3	20	26	45	43	64	
Lobar and unspecified pneumonia (108, 109)	251	5	3	1	1		1		3	3	6	9	43	67	53	31	25	
Diarrhea and enteritis (119, 120)	19	10								1	1			2	1	3	1	
Appendicitis (121)	97		1	1			4	3	1	10	6	3	21	21	17	6	3	
Hernia, intestinal obstruction (122)	74	2			1			1			2	3	9	9	20	19	8	
Cirrhosis of the liver (124)	128						1		1		3	1	23	38	40	19	2	
Nephritis (130–132)	509						1	1	3	4	3	9	45	71	114	147	111	
Diseases of the female genital organs (139)	22										5	3	5	6			3	
Puerperal septicemia (140, 142a, 145)	5									1	1		2	1				
Other puerperal causes	15							1	1	1	7	2	3					
Suicide (163–171)	248								2	10	21	23	50	61	47	28	6	
Homicide (172–175)	37	3					2			5	2	4	11	4	2	4		
Automobile accidents [1]	144					1	6	3	5	12	10	12	12	27	26	20	10	
Automobile—railroad train and street car collisions	3							1		1					1			
Other external causes	270	5	1	1	1	2	2	6	3	10	8	13	29	50	41	43	54	1
All other causes	1,193	177	7	5	4		19	13	9	27	22	34	106	179	199	214	175	3
SAN FRANCISCO, CALIF. (COLORED), all causes	423	39	11	3	4	3	9	4	13	14	24	20	59	76	69	50	24	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	2						1	1										
Whooping-cough (9)	3	1	1	1														
Diphtheria (10)	4		1		2									1				
Influenza (11)	9		2							1	1		1	1	1	1	1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	65					1		1	9	7	9	7	13	11	5	2		
Other forms of tuberculosis (24–32)	10		1	1			1		1		2		1		3			
Syphilis (34)	17						1						7	4	4	1		
Cancer and other malignant tumors (45–53)	37									1		1	6	9	10	7	2	1
Diabetes mellitus (59)	8									1				3	3	1		
Cerebral hemorrhage and softening (82a, 82c)	16											1	2	2	8	3		
Diseases of the heart (90–95)	65									1	2	2	7	10	14	23	6	
Bronchitis (106)																		
Bronchopneumonia (107)	30	4	3	1	1					1			4	3	6	4	3	
Lobar and unspecified pneumonia (108, 109)	18	3	1		1					1		2	1	3	3		3	
Diarrhea and enteritis (119, 120)	3	2											1					
Appendicitis (121)	4						1					1		2				
Hernia, intestinal obstruction (122)	4	1					1						1				1	
Cirrhosis of the liver (124)	6												2	2	1		1	
Nephritis (130–132)	27						1		1		2	2	2	8	5	2	4	
Diseases of the female genital organs (139)	1													1				
Puerperal septicemia (140, 142a, 145)	1									1								
Other puerperal causes	1										1							
Suicide (163–171)	8								1		3		2	2				
Homicide (172–175)	4										1		1	2				
Automobile accidents [1]	1													1				
Automobile—railroad train and street car collisions																		
Other external causes	10	2	1				1	1				1	1	1	1	1		
All other causes	69	26	1			2	2	1	1		2	4	7	10	5	5	3	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	3,971	255	41	22	8	12	55	42	58	89	128	150	360	461	664	856	762	8
Typhoid and paratyphoid fever (1, 2)	9							2		2	2		1	2				
Measles (7)	1	1																
Scarlet fever (8)	6	1	1	2			2											
Whooping-cough (9)	3	1	2															
Diphtheria (10)	3	1		1					1									
Influenza (11)	85	7	5	2	1			3	2			3	10	6	15	12	19	
Epidemic cerebrospinal meningitis (18)	8	1		1	1		2		1					1	1			
Tuberculosis of the respiratory system (23)	233	1	1				2	2	3	17	36	37	47	35	31	15	6	
Other forms of tuberculosis (24–32)	23	1	1				1			3	2	3	4	4	3	1		
Syphilis (34)	35	8				1							1	8	10	6	1	
Cancer and other malignant tumors (45–53)	432						2			2	7	4	35	79	96	130	76	1
Diabetes mellitus (59)	51							1		1		2	3	7	10	22	5	
Cerebral hemorrhage and softening (82a, 82c)	235		1				1		1			2	6	17	49	91	66	1
Diseases of the heart (90–95)	726	1		1		1	7	6	6	9	11	13	31	83	161	202	192	2
Bronchitis (106)	2				1						1							
Bronchopneumonia (107)	127	27	3				1	1	2	2	3	3	6	9	9	24	37	
Lobar and unspecified pneumonia (108, 109)	239	10	9	1	1	1	3	2	3	3	9	9	27	32	35	47	47	
Diarrhea and enteritis (119, 120)	35	23	4	1		1				1			1		1		3	
Appendicitis (121)	85		1	1	1		7	7	6	6	6	6	12	9	10	9	4	
Hernia, intestinal obstruction (122)	62	3					1		3		4	7	8	8	12	10	6	
Cirrhosis of the liver (124)	12											1	1	2	2	4	2	
Nephritis (130–132)	262	1		1		1	5	1	1	6	2	4	17	26	41	76	80	
Diseases of the female genital organs (139)	24									5	4	4	6	1	3	1		
Puerperal septicemia (140, 142a, 145)	22								2	2	7	4	7					
Other puerperal causes	15								2	3	2	3	4	1				
Suicide (163–171)	111								1	6	6	9	24	25	23	11	6	
Homicide (172–175)	24								1	1	1	5	8	2	3	2	1	
Automobile accidents [1]	97	1	2	1			2	2	9	2	8	6	12	10	14	19	7	2
Automobile—railroad train and street car collisions	5			1		1		1		1			1					
Other external causes	165	5	4	2		1	4	6	2	8	5	5	16	16	19	27	45	
All other causes	834	162	7	7	3	5	15	8	12	9	12	20	72	78	116	147	159	2
BRIDGEPORT, CONN., all causes	1,598	102	15	9	8	3	11	20	19	30	27	45	133	242	348	328	258	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	1						1											
Scarlet fever (8)	1													1				
Whooping-cough (9)	4	2		1	1													
Diphtheria (10)	1		1															
Influenza (11)	37		2	1	2			3	1	1	1		7	4	7	3	5	
Epidemic cerebrospinal meningitis (18)	3	1					1								1			
Tuberculosis of the respiratory system (23)	48		1						4	4	3	6	4	10	10	4	2	
Other forms of tuberculosis (24–32)	8			1			1			1			2	1		2		
Syphilis (34)	14	1									1	1	2	7	1	1		
Cancer and other malignant tumors (45–53)	189			1						1	1	4	16	32	63	44	27	
Diabetes mellitus (59)	61							3					2	8	15	27	6	
Cerebral hemorrhage and softening (82a, 82c)	110											3	6	13	27	34	27	
Diseases of the heart (90–95)	438							2	3	4	4	5	28	66	112	109	105	
Bronchitis (106)	4	1			1			1						1				
Bronchopneumonia (107)	48	9	1	2			1				1		1		7	12	14	
Lobar and unspecified pneumonia (108, 109)	64	2	1				1	1	3	5	1	4	13	11	13	6	3	
Diarrhea and enteritis (119, 120)	6	4	2															
Appendicitis (121)	20				1			4	1	1	1	1	2	3	2	2	2	
Hernia, intestinal obstruction (122)	16	1		1									3	2	2	2	5	
Cirrhosis of the liver (124)	13												2	3	1	6	1	
Nephritis (130–132)	118									3	6	1	2	19	31	28	28	
Diseases of the female genital organs (139)	3												2	1				
Puerperal septicemia (140, 142a, 145)	5									2	1	2						
Other puerperal causes	7										2	2	3					
Suicide (163–171)	31								1			4	5	10	10	1		
Homicide (172–175)	3												2		1			
Automobile accidents [1]	51			1	1	1	2	2	2	5	2	2	4	12	6	9	2	
Automobile—railroad train and street car collisions	1									1								
Other external causes	44		1			1	1	1	2	1	2	1	3	8	7	6	10	
All other causes	248	81	6	1	2	1	3	3	2	1	1	9	23	30	32	32	21	
HARTFORD, CONN., all causes	2,059	204	24	10	12	8	23	13	32	33	39	53	191	269	388	406	354	
Typhoid and paratyphoid fever (1, 2)	1														1			
Measles (7)	1		1															
Scarlet fever (8)	4			1			2	1										
Whooping-cough (9)	2	1	1															
Diphtheria (10)																		
Influenza (11)	14	2	2	1	1				1	2			4			1		
Epidemic cerebrospinal meningitis (18)	2								1					1				
Tuberculosis of the respiratory system (23)	49		2						2	6	4	3	8	11	4	5	4	
Other forms of tuberculosis (24–32)	21		3		1		1	3	1	3	1	1	2	2	2		1	
Syphilis (34)	29	2			1					1	1	2	7	7	1	6	1	
Cancer and other malignant tumors (45–53)	277								2	1	2	1	31	36	90	78	36	
Diabetes mellitus (59)	54						1		1					8	12	22	10	
Cerebral hemorrhage and softening (82a, 82c)	100	1											4	17	20	23	35	
Diseases of the heart (90–95)	529							2	4	1	8	10	33	67	103	154	147	
Bronchitis (106)	4	3				1												
Bronchopneumonia (107)	59	19	5	1		2	2			2	1		1	5	4	8	9	
Lobar and unspecified pneumonia (108, 109)	80	3	2	1	2		2		1	1	2	5	16	12	7	12	14	
Diarrhea and enteritis (119, 120)	21	20									1							
Appendicitis (121)	33			2	1	1	1	1	4	1			6	9	5	1	1	
Hernia, intestinal obstruction (122)	29				1	1			1	1	1		4	5	8	3	4	
Cirrhosis of the liver (124)	9									1				2		3	3	
Nephritis (130–132)	141				1	1		1		2	1	5	10	18	37	29	36	
Diseases of the female genital organs (139)	10										1	1	5	2	1			
Puerperal septicemia (140, 142a, 145)	9								1	1		3	4					
Other puerperal causes	15								1	1	3	4	6					
Suicide (163–171)	22									1	3	2	2	5	6	3		
Homicide (172–175)	4										1	1	2					
Automobile accidents [1]	55				2		2		3	5	1	4	9	9	8	10	2	
Automobile—railroad train and street car collisions																		
Other external causes	83	3		2	2	1	3	2	3		1	3	7	13	16	8	19	
All other causes	402	150	8	2		1	9	3	6	3	7	8	30	40	63	40	32	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,093	132	15	9	13	5	23	33	30	32	29	51	155	275	404	511	376	
Typhoid and paratyphoid fever (1, 2)	2														1		1	
Measles (7)																		
Scarlet fever (8)	4					1	1	1	1									
Whooping-cough (9)	2	2																
Diphtheria (10)	2			1				1										
Influenza (11)	29		2		1		2			1				2	9	6	6	
Epidemic cerebrospinal meningitis (18)	2	2																
Tuberculosis of the respiratory system (23)	31								3	4	1	4	5	5	4	3	2	
Other forms of tuberculosis (24-32)	11	2	2				2	1		1			2	1				
Syphilis (34)	14	1							1	1			4	3	3	1		
Cancer and other malignant tumors (45-53)	301		1				1			2	2	4	17	56	86	90	42	
Diabetes mellitus (59)	60							1		2			1	6	17	26	7	
Cerebral hemorrhage and softening (82a, 82c)	168									2			12	18	35	56	45	
Diseases of the heart (90-95)	502	1					2	4	6	4	3	4	20	60	101	164	133	
Bronchitis (106)	7						1						1	1	3		1	
Bronchopneumonia (107)	54	10	2	1	1		1	1	2	1	1	1	5	7	3	11	7	
Lobar and unspecified pneumonia (108, 109)	103	3	3				1	2		2	4	4	11	20	25	16	12	
Diarrhea and enteritis (119, 120)	10	3			1				2				1	1			2	
Appendicitis (121)	25					1	3	2	3		2		4	2	4	3	1	
Hernia, intestinal obstruction (122)	19	2					1				1		3	2	3	5	2	
Cirrhosis of the liver (124)	22												1	7	4	9	1	
Nephritis (130-132)	183	1		1	1			2	1	3	2	5	12	19	42	51	43	
Diseases of the female genital organs (139)	3											1	1				1	
Puerperal septicemia (140, 142a, 145)	5									1	1	3						
Other puerperal causes	9										1	2	6					
Suicide (163-171)	23										2	3	7	5	2	2	2	
Homicide (172-175)	3							1		1		1						
Automobile accidents [1]	45			2	3		2	2	3	1	3	1	4	5	7	8	4	
Automobile—railroad train and street car collisions	1								1									
Other external causes	73	1		1		1	3	2	1	2	2	4	8	10	10	10	18	
All other causes	380	104	5	3	6	2	3	13	6	4	4	14	30	45	45	50	46	
WILMINGTON, DEL., all causes	1,570	115	22	9	5	4	28	17	22	37	51	49	152	212	259	304	282	2
Typhoid and paratyphoid fever (1, 2)	3										1	2						
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)	6		3		1		2											
Influenza (11)	14	1	2				1						3	3	2	1	1	
Epidemic cerebrospinal meningitis (18)	3	1							1				1					
Tuberculosis of the respiratory system (23)	42						1		1	4	7	4	10	9	2	2	2	
Other forms of tuberculosis (24-32)	8		2			1			1		1	1		2				
Syphilis (34)	24	3						1		1		3	9	3	2	1	1	
Cancer and other malignant tumors (45-53)	152									1	1	2	13	32	37	43	23	
Diabetes mellitus (59)	49		1				1	1		1				8	10	20	7	
Cerebral hemorrhage and softening (82a, 82c)	143											1	10	11	33	41	46	1
Diseases of the heart (90-95)	345	1					3	2	1	4	8	2	27	49	86	89	72	1
Bronchitis (106)	4	1												1			2	
Bronchopneumonia (107)	43	10	5		1		1		1		2	1	4	2	3	5	8	
Lobar and unspecified pneumonia (108, 109)	86	10	3	2			2	2	1	6	5	3	12	11	10	10	9	
Diarrhea and enteritis (119, 120)	11	6			1							1					3	
Appendicitis (121)	20						1	1	2	3	1	1	2	3	3	2	1	
Hernia, intestinal obstruction (122)	23	1	1								2		1	4	5	4	5	
Cirrhosis of the liver (124)	9											2		4		2	1	
Nephritis (130-132)	160	1						3		1		3	11	17	22	43	59	
Diseases of the female genital organs (139)	7										2		1	1		1	2	
Puerperal septicemia (140, 142a, 145)	9								2	3	1	1	2					
Other puerperal causes	8								1	3	2	1	1					
Suicide (163-171)	15										3	2		6	2	2		
Homicide (172-175)	21								2	2	6	4	5	1	1			
Automobile accidents [1]	27			1	1	1	3	1	1	5	2	1	3	3	4		1	
Automobile—railroad train and street car collisions																		
Other external causes	71	1		2	1	1	3	3	2	1	3	3	10	11	10	8	12	
All other causes	267	79	5	4		1	10	3	6	2	4	11	27	31	27	30	27	
WASHINGTON, D. C. (WHITE), all causes	4,750	322	25	22	14	6	43	34	51	113	113	145	390	581	890	987	1,014	
Typhoid and paratyphoid fever (1, 2)	7								2	1	1	2	1					
Measles (7)	3		1	1			1											
Scarlet fever (8)	3						2		1									
Whooping-cough (9)	6	1	3				2											
Diphtheria (10)	9	1	2		3		2	1										
Influenza (11)	36	4	2	2				1		3		3	3	2	5	4	7	
Epidemic cerebrospinal meningitis (18)	9	1			1			2		2			2		1			
Tuberculosis of the respiratory system (23)	170				1		1		5	18	15	18	32	31	26	21	2	
Other forms of tuberculosis (24-32)	31	5	2	1		1	1	1	1	1	2	1	3	5	3	4		
Syphilis (34)	33	6								1			7	7	9	3		
Cancer and other malignant tumors (45-53)	562									2	6	11	45	100	160	139	99	
Diabetes mellitus (59)	104								1			1	4	9	29	45	15	
Cerebral hemorrhage and softening (82a, 82c)	335	1		1									9	26	80	109	109	
Diseases of the heart (90-95)	1,198	1					2	2	2	9	7	14	61	136	279	302	383	
Bronchitis (106)	11				1							1		1	1	3	4	
Bronchopneumonia (107)	124	25	4	3					2		1	5	13	12	12	24	23	
Lobar and unspecified pneumonia (108, 109)	142	8	1	2	1		2	1	3	9	5	8	12	24	23	18	25	
Diarrhea and enteritis (119, 120)	31	23	3	2										1	1	1		
Appendicitis (121)	75			2	1	1	5	5	7	3	8	4	9	9	9	8	4	
Hernia, intestinal obstruction (122)	58	2		1				1	1	1	2	1	6	10	12	9	12	
Cirrhosis of the liver (124)	48											1	4	14	17	9	3	
Nephritis (130-132)	389	1					1	1	1	4	2	4	20	47	65	114	129	
Diseases of the female genital organs (139)	13									2	3	3	2	1		2		
Puerperal septicemia (140, 142a, 145)	10								1	2	2	1	4					
Other puerperal causes	9								2	1		2	4					
Suicide (163-171)	157							1		13	16	19	43	27	24	11	3	
Homicide (172-175)	35	3			1			1	1	1	8	6	7	4	2	1		
Automobile accidents [1]	92				1		3	5	7	13	3	8	12	11	6	13	10	
Automobile—railroad train and street car collisions																		
Other external causes	196	4	3	1	3	2	6	7	4	10	12	11	18	26	25	18	46	
All other causes	854	236	4	6	1	2	15	5	10	17	20	21	69	78	101	129	140	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	3,122	347	37	19	19	7	28	42	68	171	198	203	456	590	456	315	163	3
Typhoid and paratyphoid fever (1, 2)	11			1		1	2	3	1	2		1						
Measles (7)	2	1			1													
Scarlet fever (8)	3			1					2									
Whooping-cough (9)	3	1	2															
Diphtheria (10)	5	4						1										
Influenza (11)	10		1							1	1	1	2	1	2	1		
Epidemic cerebrospinal meningitis (18)	2			1									1					
Tuberculosis of the respiratory system (23)	340	2	4		3		2	12	21	49	59	51	70	43	21	2	1	
Other forms of tuberculosis (24-32)	72	5	8	3	2	1	4	3	7	9	7	10	6	3	2	2		
Syphilis (34)	60	20		1	1					2	4	3	10	12	6	1		
Cancer and other malignant tumors (45-53)	191					1					3	4	25	63	52	33	8	2
Diabetes mellitus (59)	44											2	6	12	11	10	3	
Cerebral hemorrhage and softening (82a, 82c)	175									1	1	5	19	40	52	38	19	
Diseases of the heart (90-95)	641	4	2				3	3	2	10	17	24	106	174	140	102	53	1
Bronchitis (106)	6										1			2		1	2	
Bronchopneumonia (107)	143	58	4	2	3		2	2	4	5	5	4	12	11	6	17	8	
Lobar and unspecified pneumonia (108, 109)	158	11	2		1		1	4	3	12	20	13	31	28	16	12	4	
Diarrhea and enteritis (119, 120)	46	29	4	1	1				1	1	1	1	1	2	3	1		
Appendicitis (121)	37		1			1	4	1	2	6	1	6	6	6	2	1		
Hernia, intestinal obstruction (122)	43		1		1	1				2	2	2	6	13	11		4	
Cirrhosis of the liver (124)	15										1		5	6	2		1	
Nephritis (130-132)	187				1				4	4	4	10	12	43	40	41	28	
Diseases of the female genital organs (139)	19									4	2	3	6	4				
Puerperal septicemia (140, 142a, 145)	17								2	5	5	1	4					
Other puerperal causes	14								2	4	3	2	2	1				
Suicide (163-171)	12									2	2	3	1	2	1	1		
Homicide (172-175)	89						1		5	22	17	20	16	6	2			
Automobile accidents [1]	50	1				1	5	1	2	3	3	1	5	14	8	5	1	
Automobile—railroad train and street car collisions																		
Other external causes	100	3	4	3	3	1	1	5	4	10	6	12	14	14	10	4	6	
All other causes	627	208	5	5	2		3	7	6	17	33	24	90	90	69	43	25	
JACKSONVILLE, FLA. (WHITE), all causes	1,027	68	15	6	9	5	17	4	19	37	48	42	100	146	165	175	171	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1						1											
Scarlet fever (8)	2		1										1					
Whooping-cough (9)																		
Diphtheria (10)	6		1	2	3													
Influenza (11)	20	1	1							1		2	1	5	2	4	3	
Epidemic cerebrospinal meningitis (18)	2	1												1				
Tuberculosis of the respiratory system (23)	28							1		4	5	2	2	6	4	3	1	
Other forms of tuberculosis (24-32)	6									1	1	1	1	1		1		
Syphilis (34)	9										2		2	1	4			
Cancer and other malignant tumors (45-53)	82								1			1	5	20	20	17	18	
Diabetes mellitus (59)	23									1		1	1	5	7	5	3	
Cerebral hemorrhage and softening (82a, 82c)	65										1		3	14	8	22	17	
Diseases of the heart (90-95)	190							1	1	1	2		18	29	41	51	46	
Bronchitis (106)	1												1					
Bronchopneumonia (107)	28	10	2				1			3			2	3	5	2		
Lobar and unspecified pneumonia (108, 109)	32	1	1				2			2	4	6	2	5	2	2	5	
Diarrhea and enteritis (119, 120)	6	2		1		1					1			1				
Appendicitis (121)	24					1	2	1	1	1	5	4	4	3	1	1		
Hernia, intestinal obstruction (122)	12	2	1				2		1		1		1	2	1	1		
Cirrhosis of the liver (124)	15											1	1	3	7	2	1	
Nephritis (130-132)	116								1	1		1	2	14	22	30	45	
Diseases of the female genital organs (139)	4									1		1	2					
Puerperal septicemia (140, 142a, 145)	10								1	2	1	2	4					
Other puerperal causes	10								1		3	2	4					
Suicide (163-171)	27								1	2	4	1	5	6	5	2	1	
Homicide (172-175)	16									1	3	2	8	2				
Automobile accidents [1]	49				2	2	1		3	6	5	6	7	5	6	6		
Automobile—railroad train and street car collisions																		
Other external causes	45	1	5	2	2	1	2	1	1	3	4	1	3	4	4	5	6	
All other causes	198	50	3	1	2		6		7	7	6	7	23	17	28	18	23	
JACKSONVILLE, FLA. (COLORED), all causes	1,062	68	11	6	5	1	5	14	38	61	106	88	199	243	133	58	26	
Typhoid and paratyphoid fever (1, 2)	2									1			1					
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	1	1																
Diphtheria (10)	1										1							
Influenza (11)	32	3			1				1	2	3	5	4	8	3	1	1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	132	4	1	2				2	13	15	29	14	31	16	3	2		
Other forms of tuberculosis (24-32)	17				1		1	1	1	3	2	2	3	1		1	1	
Syphilis (34)	71	3							1	4	12	4	20	18	7	2		
Cancer and other malignant tumors (45-53)	37		1								1	3	6	19	3	4		
Diabetes mellitus (59)	8											1	2	3	2			
Cerebral hemorrhage and softening (82a, 82c)	81		1						1	1	2	1	13	26	23	10	3	
Diseases of the heart (90-95)	146							1	1		8	6	24	48	30	15	13	
Bronchitis (106)	1										1							
Bronchopneumonia (107)	20	6	4						1	1		2	1	3	2			
Lobar and unspecified pneumonia (108, 109)	57	7	2						5	6	4	5	11	12	4		1	
Diarrhea and enteritis (119, 120)	8	4								1			1		2			
Appendicitis (121)	12							1	1	1		4	2	3				
Hernia, intestinal obstruction (122)	16	1	1							1	2		5	2	3	1		
Cirrhosis of the liver (124)	6										1	2	2	1				
Nephritis (130-132)	111	1								1	7	9	19	33	27	10	4	
Diseases of the female genital organs (139)	9								2	2		2	2	1				
Puerperal septicemia (140, 142a, 145)	4									2	1			1				
Other puerperal causes	5								1	2	1		1					
Suicide (163-171)	3									1		1		1				
Homicide (172-175)	51							1	4	10	13	9	12	1	1			
Automobile accidents [1]	16			1	1						1	4	1	5	3			
Automobile—railroad train and street car collisions	1													1				
Other external causes	34	1				1	2	3	2	2	5	2	7	4	3	1	1	
All other causes	180	37	1	3	2		2	5	4	5	12	12	31	36	17	11	2	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MIAMI, FLA. (WHITE), all causes	859	55	5	6	4	2	11	8	7	27	34	38	81	118	154	152	157	
Typhoid and paratyphoid fever (1, 2)	1														1			
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	1		1															
Diphtheria (10)																		
Influenza (11)	14			1							1	2	2		3	1	4	
Epidemic cerebrospinal meningitis (18)	1													1				
Tuberculosis of the respiratory system (23)	36									2	6	5	4	7	5	6	1	
Other forms of tuberculosis (24–32)	5				1			1						1	1		1	
Syphilis (34)	6													3	1	1	1	
Cancer and other malignant tumors (45–53)	89									1	1		12	16	25	22	12	
Diabetes mellitus (59)	22													2	8	10	2	
Cerebral hemorrhage and softening (82a, 82c)	60											2	1	4	17	20	16	
Diseases of the heart (90–95)	177						1	1		7	5	5	11	34	28	41	44	
Bronchitis (106)	3															1	2	
Bronchopneumonia (107)	17	3	1	1	1	1						1			3	1	5	
Lobar and unspecified pneumonia (108, 109)	13									2	1		1		1	5	3	
Diarrhea and enteritis (119, 120)	2		1												1			
Appendicitis (121)	12								1	2	2	1		4	2			
Hernia, intestinal obstruction (122)	16	2								2	1		1	2	1	4	3	
Cirrhosis of the liver (124)	12											1	2		4	4	1	
Nephritis (130–132)	77						1					2	7	9	19	19	20	
Diseases of the female genital organs (139)	4												3	1				
Puerperal septicemia (140, 142a, 145)	5								1		2	2						
Other puerperal causes	5								1	1	1	1	1					
Suicide (163–171)	27									3	2	2	13	4	1	1	1	
Homicide (172–175)	10							1		2	2	1	2	1	1			
Automobile accidents [1]	32			1			3	3	2		4	4	5	2	5	2	1	
Automobile—railroad train and street car collisions	1												1					
Other external causes	39	2		1				1		2	3	3	6	7	3	1	10	
All other causes	172	48	2	2	2	1	7		2	3	3	6	9	20	24	13	30	
MIAMI, FLA. (COLORED), all causes	381	43	4	4	1	1	11	3	17	23	36	38	70	73	32	16	9	
Typhoid and paratyphoid fever (1, 2)	2								1					1				
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	1						1											
Diphtheria (10)	3			1		1	1											
Influenza (11)	13	1					2				4		1	3	1	1		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	47						1	2	2	6	12	5	8	8	2		1	
Other forms of tuberculosis (24–32)	4						1			1		1		1				
Syphilis (34)	25	4								2	3	5	6	3	1		1	
Cancer and other malignant tumors (45–53)	12											2	4	3	1	2		
Diabetes mellitus (59)	1															1		
Cerebral hemorrhage and softening (82a, 82c)	24										1		5	7	5	4	2	
Diseases of the heart (90–95)	47			1			1		2		1		10	21	8	2	1	
Bronchitis (106)	1	1																
Bronchopneumonia (107)	15	4	2		1		1					1	2	2	2			
Lobar and unspecified pneumonia (108, 109)	7	2										1	2	2				
Diarrhea and enteritis (119, 120)	1	1																
Appendicitis (121)	7								1	2		2			2			
Hernia, intestinal obstruction (122)	7	1							1	1			2	2				
Cirrhosis of the liver (124)	1												1					
Nephritis (130–132)	20			1						1	1	1	1	8	2	2	3	
Diseases of the female genital organs (139)	4										1		2	1				
Puerperal septicemia (140, 142a, 145)	2								1			1						
Other puerperal causes	2								1	1								
Suicide (163–171)	4								2			1	1					
Homicide (172–175)	25								5	2	4	5	7	1	1			
Automobile accidents [1]	10									1	2	4	2	1				
Automobile—railroad train and street car collisions																		
Other external causes	12						1		1	1		2	3	4				
All other causes	84	29	2	1			2	1		5	7	7	13	5	7	4	1	
TAMPA, FLA., all causes	1,223	92	16	8	6	5	17	13	33	41	57	51	154	209	215	154	152	
Typhoid and paratyphoid fever (1, 2)	3								1		1	1						
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	1			1														
Diphtheria (10)	5		3		1		1											
Influenza (11)	47	1	1	1			3	1	2	1	5	1	5	9	3	9	5	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	58		1						5	6	11	6	16	4	5	4		
Other forms of tuberculosis (24–32)	3	1											1	1				
Syphilis (34)	17	4							1	1		2	4	1	3	1		
Cancer and other malignant tumors (45–53)	111								1	2	1	4	14	25	30	16	18	
Diabetes mellitus (59)	20									1			2	3	7	2	5	
Cerebral hemorrhage and softening (82a, 82c)	110										2	4	17	21	26	19	21	
Diseases of the heart (90–95)	211	1						1	1	1	6	4	23	55	43	44	32	
Bronchitis (106)	2													1			1	
Bronchopneumonia (107)	21	5	3	1								1	3	1	1	4	2	
Lobar and unspecified pneumonia (108, 109)	28	2		1	1						2	3	7	4	4	2	2	
Diarrhea and enteritis (119, 120)	16	2	5	2	1		2					1			2		1	
Appendicitis (121)	18					1	1	1	2	3	1	1	3	1	3	1		
Hernia, intestinal obstruction (122)	9											2	1	2	1	1	2	
Cirrhosis of the liver (124)	7												1	2	2		2	
Nephritis (130–132)	122			1		1	1			1	2		8	14	32	28	34	
Diseases of the female genital organs (139)	3									1			2					
Puerperal septicemia (140, 142a, 145)	12								3	4	1	2	2					
Other puerperal causes	9								2	3	1	1	2					
Suicide (163–171)	33									5	3	2	5	7	6	3	2	
Homicide (172–175)	27						1	1	1	1	9	2	6	5		1		
Automobile accidents [1]	28			1				2	3		2	1	6	6	4	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	41					2	4	1	2	4	2	5	1	8	6	1	5	
All other causes	261	76	3		3	1	4	6	9	7	8	8	25	39	37	16	19	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ATLANTA, GA. (WHITE), all causes	2,026	203	36	20	16	12	41	31	45	52	71	78	178	263	345	354	279	2
Typhoid and paratyphoid fever (1, 2)	6					1	2			2		1						
Measles (7)	8	3	2		2		1											
Scarlet fever (8)	6				2	1	1	1				1						
Whooping-cough (9)	10	5	3	1				1										
Diphtheria (10)	27	4	7	4	3	2	4	2			1							
Influenza (11)	36	2	1	1	1	2	2				2	1	3	1	2	11	7	
Epidemic cerebrospinal meningitis (18)	6	1	1				1	1	2									
Tuberculosis of the respiratory system (23)	48								3	6	6	4	9	6	8	2	4	
Other forms of tuberculosis (24–32)	9	1	1				1			1		1	2		1	1		
Syphilis (34)	10	1										2	4	2		1		
Cancer and other malignant tumors (45–53)	208						1	1	1	2	4	2	31	39	61	44	22	
Diabetes mellitus (59)	41							1	2			1	3	6	13	10	5	
Cerebral hemorrhage and softening (82a, 82c)	128									1	2		1	22	32	36	33	1
Diseases of the heart (90–95)	324	1					1	1	2	2	3	8	23	44	83	90	66	
Bronchitis (106)	2														1		1	
Bronchopneumonia (107)	38	13	5	3								1	3	2	3	3	5	
Lobar and unspecified pneumonia (108, 109)	73	2	1	2		1	6	1	4	2	3	3	7	13	11	7	10	
Diarrhea and enteritis (119, 120)	31	16	6		1	1				1	1				2	1	1	1
Appendicitis (121)	32			1				1	5	1	3	7	4	5	4	1		
Hernia, intestinal obstruction (122)	27	3	2	1		1		1		1		3	4	3	2	4	2	
Cirrhosis of the liver (124)	15							1					3	2	3	6		
Nephritis (130–132)	219			1		1	1			1	1	4	8	26	45	65	66	
Diseases of the female genital organs (139)	8										2	1	3	1			1	
Puerperal septicemia (140, 142a, 145)	5								1	1	1	1	1					
Other puerperal causes	12								4	2	2	3	1					
Suicide (163–171)	56								2	6	5	6	10	13	10	4		
Homicide (172–175)	34	1							1	2	10	6	4	7	3			
Automobile accidents [1]	72				1		5	3	11	8	6	3	8	12	6	6	3	
Automobile—railroad train and street car collisions	4									2				2				
Other external causes	97	2	3	3	2	1	3	5	2	4	10	3	8	10	11	16	14	
All other causes	434	148	4	3	4	1	12	11	5	7	9	16	38	47	44	46	39	
ATLANTA, GA. (COLORED), all causes	1,922	216	30	15	9	7	24	24	79	119	154	156	371	352	225	97	41	3
Typhoid and paratyphoid fever (1, 2)	10					1	2	2	2	1	1		1					
Measles (7)	4	3		1														
Scarlet fever (8)																		
Whooping-cough (9)	18	6	7	2		1	2											
Diphtheria (10)	6	1	1	2			1							1				
Influenza (11)	39		1					1	4	2	2	5	8	11	5			
Epidemic cerebrospinal meningitis (18)	2							1		1								
Tuberculosis of the respiratory system (23)	128	1	2	1		2	2	2	13	14	23	24	24	13	6	1		
Other forms of tuberculosis (24–32)	21	2	1	1		1		3	2	3	3	3	1	1				
Syphilis (34)	61	9							1	2	6	9	14	12	4	4		
Cancer and other malignant tumors (45–53)	72			1			1	1		1	6	3	19	23	11	3	3	
Diabetes mellitus (59)	19								1	1	1			6	5	3	2	
Cerebral hemorrhage and softening (82a, 82c)	161									1	4	8	30	68	33	11	5	1
Diseases of the heart (90–95)	245				2		2		6	7	10	16	62	60	46	22	12	
Bronchitis (106)	5												4	1				
Bronchopneumonia (107)	75	23	7	2	1			3	2	3	5	2	11	8	2	4	2	
Lobar and unspecified pneumonia (108, 109)	135	11	2	1	2	1	1	1	5	12	17	19	30	13	17	3		
Diarrhea and enteritis (119, 120)	32	12	3	3	1							1	3	3	4	1	1	
Appendicitis (121)	20						1		1	6	4	2	6					
Hernia, intestinal obstruction (122)	26	1								1	5	4	4	6	3	2		
Cirrhosis of the liver (124)	8												3	5				
Nephritis (130–132)	156	1					1	1	3	3	5	14	32	35	38	20	3	
Diseases of the female genital organs (139)	8								2	1		1	3	1				
Puerperal septicemia (140, 142a, 145)	8								2	1	3	2						
Other puerperal causes	6								3			1	2					
Suicide (163–171)	3										1		1		1			
Homicide (172–175)	119								16	32	25	10	26	10				
Automobile accidents [1]	33						2	1	1	5	2	3	6	9	1	1	2	
Automobile—railroad train and street car collisions	1											1						
Other external causes	82	8	1	1			5	1	8	9	7	6	12	9	8	2	4	1
All other causes	419	138	5		3	1	4	7	7	13	24	22	69	57	41	20	7	1
CHICAGO, ILL. (WHITE), all causes	30,689	1,927	251	160	142	151	498	350	523	719	837	959	3,095	4,835	5,888	6,133	4,177	44
Typhoid and paratyphoid fever (1, 2)	9					1				1	2	4	1					
Measles (7)	30	4	7		5	2	11					1						
Scarlet fever (8)	150	3	20	15	22	19	52	4	4	4	3	2	1	1				
Whooping-cough (9)	13	6	1		2	2	2											
Diphtheria (10)	9				1	3	4	1										
Influenza (11)	178	11	6	5		3	4	4	4	11	9	10	33	31	23	17	7	
Epidemic cerebrospinal meningitis (18)	152	5	8	5	4	3	12	11	15	15	6	8	26	17	13	3	1	
Tuberculosis of the respiratory system (23)	1,174	2	3	1	2		8	9	69	151	159	117	238	222	137	49	7	
Other forms of tuberculosis (24–32)	154	7	7	5	7	6	12	9	5	14	17	11	22	18	9	3	1	1
Syphilis (34)	149	18	2							2	3	5	23	56	28	11	1	
Cancer and other malignant tumors (45–53)	3,842	2	1	4	1	2	6	9	17	13	23	60	372	789	1,054	1,056	420	8
Diabetes mellitus (59)	878				1		2	2	5	7	3	4	40	106	266	318	120	4
Cerebral hemorrhage and softening (82a, 82c)	1,430	3	1					1	5	6	6	12	84	216	359	431	303	3
Diseases of the heart (90–95)	8,168	3	1	7	3	7	47	71	71	83	105	148	596	1,292	1,851	2,107	1,769	7
Bronchitis (106)	100	25	8	1	2		4		2	3	1	1	1	11	11	5	25	
Bronchopneumonia (107)	839	292	63	23	17	9	19	4	6	9	12	17	55	82	78	85	65	3
Lobar and unspecified pneumonia (108, 109)	974	40	28	10	10	8	22	13	24	24	37	49	141	177	164	149	76	2
Diarrhea and enteritis (119, 120)	230	149	17	6	4	6	7		2	5	2	3	7	8	6	6	2	
Appendicitis (121)	533	1	3	4	7	10	42	54	57	34	39	38	78	74	56	28	7	1
Hernia, intestinal obstruction (122)	367	20	7	2		2	3	6	2	6	9	20	50	58	79	65	36	2
Cirrhosis of the liver (124)	314					1		1	1		4	6	46	80	92	64	19	
Nephritis (130–132)	3,027	4	1	3	1	2	8	13	19	27	36	50	225	406	601	846	781	4
Diseases of the female genital organs (139)	113								2	12	5	20	38	26	7	3		
Puerperal septicemia (140, 142a, 145)	67								3	15	11	23	14	1				
Other puerperal causes	145								8	25	28	31	52	1				
Suicide (163–171)	558							1	6	24	35	39	114	151	110	59	17	2
Homicide (172–175)	325	3					2	3	31	48	58	37	82	35	16	8	2	
Automobile accidents [1]	794		1	7	7	15	66	24	39	44	37	37	93	124	123	118	58	1
Automobile—railroad train and street car collisions	37		1						4	6	5	3	5	6	6	1		
Other external causes	1,190	20	19	15	10	12	30	35	35	32	66	53	177	236	188	139	120	3
All other causes	4,740	1,309	46	47	36	38	135	75	87	98	111	150	481	611	611	562	340	3

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (COLORED), all causes	4,109	344	53	22	20	18	57	48	112	207	289	357	782	839	538	292	126	5
Typhoid and paratyphoid fever (1, 2)	4								2	1	1							
Measles (7)	3						2					1						
Scarlet fever (8)	8		2			2		2		2								
Whooping-cough (9)	8	4	2	1		1												
Diphtheria (10)																		
Influenza (11)	31	2			1			2	2	2	5	1	6	6	3	1		
Epidemic cerebrospinal meningitis (18)	23	1	2			2	1	2		3	1	5	1	3	2			
Tuberculosis of the respiratory system (23)	600	3	2	3	2		6	14	50	90	110	90	118	74	25	7	5	1
Other forms of tuberculosis (24–32)	108	4	10	4	2	6	14	8	10	2	7	15	14	9	3			
Syphilis (34)	98	12	1							2	5	7	21	35	11	3	1	
Cancer and other malignant tumors (45–53)	248			1	1	1	1		1	3	2	10	57	74	49	32	16	
Diabetes mellitus (59)	78						1		2	1	1	5	18	18	23	8	1	
Cerebral hemorrhage and softening (82a, 82c)	171	1								1		10	27	47	44	34	7	
Diseases of the heart (90–95)	858	2	1				8	1	6	17	22	42	171	252	162	114	58	2
Bronchitis (106)	8	1			1						1			1	2		2	
Bronchopneumonia (107)	192	93	16	6	3		2	2	1	2	5	7	11	19	19	4	2	
Lobar and unspecified pneumonia (108, 109)	226	6	1	1			1	4	6	14	22	29	64	44	24	7	3	
Diarrhea and enteritis (119, 120)	32	18	2	2	2							1	4	2	1			
Appendicitis (121)	35				2		1	3	3	1	2	8	3	5	6	1		
Hernia, intestinal obstruction (122)	43	1	1				1			3	3	5	14	9	5			1
Cirrhosis of the liver (124)	14											1	3	4	4	2		
Nephritis (130–132)	277	1		1	1				3	2	5	19	48	77	62	40	18	
Diseases of the female genital organs (139)	26									3	6	3	9	2	3			
Puerperal septicemia (140, 142a, 145)	8									4	2	1	1					
Other puerperal causes	13										7	3	3					
Suicide (163–171)	17									4	2	1	5	5				
Homicide (172–175)	191	2						1	5	23	36	40	52	25	7			
Automobile accidents [1]	88			1	1	2	7	3	5	2	5	8	25	16	9	4		
Automobile—railroad train and street car collisions																		
Other external causes	136	3	4		3	1	5	2	9	6	13	13	33	26	11	5	2	
All other causes	565	190	9	2	1	3	7	4	7	19	26	32	74	86	63	30	11	1
PEORIA, ILL., all causes	1,165	78	12	4	4	3	11	12	19	32	36	28	96	160	215	240	215	
Typhoid and paratyphoid fever (1, 2)	1								1									
Measles (7)																		
Scarlet fever (8)	2									2								
Whooping-cough (9)	1	1																
Diphtheria (10)	4		1		1		2											
Influenza (11)	14		2								1		1	3	5	2		
Epidemic cerebrospinal meningitis (18)	1												1					
Tuberculosis of the respiratory system (23)	23			1					1	2	6	3	4		3	3		
Other forms of tuberculosis (24–32)	4		1											1	1		1	
Syphilis (34)	7	2								1			1	1	2			
Cancer and other malignant tumors (45–53)	123									1	2	1	6	23	32	35	23	
Diabetes mellitus (59)	39											3	2	2	9	17	6	
Cerebral hemorrhage and softening (82a, 82c)	73												2	9	15	30	17	
Diseases of the heart (90–95)	261								1	4	2	2	10	34	63	68	77	
Bronchitis (106)	2															1	1	
Bronchopneumonia (107)	20	7						1		1			1	1	2	2	5	
Lobar and unspecified pneumonia (108, 109)	48	1					1			1	2	2	6	10	8	9	8	
Diarrhea and enteritis (119, 120)	13	6	3		2											1	1	
Appendicitis (121)	28		1				2	2	3	2	3	2	5	6	2			
Hernia, intestinal obstruction (122)	18								1		1		2	5	4	4	1	
Cirrhosis of the liver (124)	12													3	2	6	1	
Nephritis (130–132)	91									2	1	1	6	11	19	20	31	
Diseases of the female genital organs (139)	4									2						2		
Puerperal septicemia (140, 142a, 145)	3								1		1	1						
Other puerperal causes	12								1	2	5	2	2					
Suicide (163–171)	14								1		1		4	1	4	3		
Homicide (172–175)	11	1									1	1	4	3	1			
Automobile accidents [1]	38						1	2	3	5	3	2	7	5	5	3	2	
Automobile—railroad train and street car collisions																		
Other external causes	55			1			3	3	1	2	5	3	7	11	8	5	6	
All other causes	243	60	4	2	1	3	2	4	5	5	2	5	25	31	30	29	35	
EVANSVILLE, IND., all causes	1,151	92	12	8	7	5	21	15	16	25	30	44	120	124	190	237	203	2
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	4						1	1	1	1								
Whooping-cough (9)	1	1																
Diphtheria (10)	5			2		1	2											
Influenza (11)	19	2	1		1		4					2	1	1	1	1	5	
Epidemic cerebrospinal meningitis (18)	1						1											
Tuberculosis of the respiratory system (23)	43						2		2	2	2	5	7	8	7	6	2	
Other forms of tuberculosis (24–32)	10		1			1			1	2		2	2				1	
Syphilis (34)	8	1							1			1	3		2			
Cancer and other malignant tumors (45–53)	97							1			1	2	11	15	24	27	16	
Diabetes mellitus (59)	30										1			1	8	12	8	
Cerebral hemorrhage and softening (82a, 82c)	86							1				2	3	12	10	29	29	
Diseases of the heart (90–95)	210						1			1	1	3	15	18	44	65	61	1
Bronchitis (106)	5	1													1	1	2	
Bronchopneumonia (107)	35	14	2	1	2							1		5	2	1	7	
Lobar and unspecified pneumonia (108, 109)	36		2			1				2	1	2	4	4	4	9	7	
Diarrhea and enteritis (119, 120)	17	7	3		2			1							1	2	1	
Appendicitis (121)	28				1			2	3	2	2	2	7	7	1		1	
Hernia, intestinal obstruction (122)	19	1									1		3	5	4	3	2	
Cirrhosis of the liver (124)	14											2	2	2	6	2		
Nephritis (130–132)	106						2						10	15	29	31	19	
Diseases of the female genital organs (139)	11								1		1	1	6		1	1		
Puerperal septicemia (140, 142a, 145)	7								1	2	1	2	1					
Other puerperal causes	9								1	4	1	1	1	1				
Suicide (163–171)	15									1	2	1	3	2	2	3	1	
Homicide (172–175)	8									1	3	1	2			1		
Automobile accidents [1]	33					1	4			2	5	3	4	2	5	5	1	1
Automobile—railroad train and street car collisions	1										1							
Other external causes	56			2			1	4	3	2	4	1	9	3	9	6	12	
All other causes	237	65	3	3	1	1	3	5	2	3	3	10	26	23	29	32	28	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FORT WAYNE, IND., all causes	1,166	60	12	10	6	2	20	23	29	22	26	40	108	121	208	231	248	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping-cough (9)	2	1	1															
Diphtheria (10)	9			2		1	1	2	1			1		1				
Influenza (11)	24	1	2	1	1		5		1				3	1	2	2	5	
Epidemic cerebrospinal meningitis (18)	2			1				1										
Tuberculosis of the respiratory system (23)	38	1		1					5	3	6	3	6	5	4	3	1	
Other forms of tuberculosis (24–32)	8							1	1			2	3			1		
Syphilis (34)	14	3						1		2			2	2	4			
Cancer and other malignant tumors (45–53)	124											3	10	15	31	42	23	
Diabetes mellitus (59)	37						1	1	1				1	5	15	11	2	
Cerebral hemorrhage and softening (82a, 82c)	96												2	5	17	29	43	
Diseases of the heart (90–95)	230	1			1		3	4	3	1	6	4	13	26	45	60	63	
Bronchitis (106)	3																3	
Bronchopneumonia (107)	27	7	1				1	2					1	1	1	5	8	
Lobar and unspecified pneumonia (108, 109)	30	2	1	1	2		2	1	1		3	1	4	4	1	3	4	
Diarrhea and enteritis (119, 120)	7	1	2	2	1									1				
Appendicitis (121)	35							1	5	4		3	5	4	8	3	2	
Hernia, intestinal obstruction (122)	21	2							1				6	4	1	3	4	
Cirrhosis of the liver (124)	9										1		1	2	3	2		
Nephritis (130–132)	128					1						1	7	11	22	34	52	
Diseases of the female genital organs (139)	5									1		1		2	1			
Puerperal septicemia (140, 142a, 145)	1												1					
Other puerperal causes	10								1	1	3	1	4					
Suicide (163–171)	24										2		9	5	7	1		
Homicide (172–175)	4											1	3					
Automobile accidents [1]	27							3	1	3	2	4	2	2	8	1	1	
Automobile—railroad train and street car collisions	7						1		1		1	1	2		1			
Other external causes	68		3	2	1		2	3	2	5	1	4	8	5	9	9	14	
All other causes	175	40	2				4	3	5	2	1	10	15	20	28	22	23	
GARY, IND., all causes	891	83	22	4	9	3	17	14	27	30	35	47	141	175	139	94	51	
Typhoid and paratyphoid fever (1, 2)	2								1				1					
Measles (7)	1			1														
Scarlet fever (8)	2						1					1						
Whooping-cough (9)	2	2																
Diphtheria (10)	1	1																
Influenza (11)	19	5	1		1		1		1	1	1		1	3	2	1	1	
Epidemic cerebrospinal meningitis (18)	3		1	1						1								
Tuberculosis of the respiratory system (23)	59	1	5					2	4	5	4	7	13	10	3	4	1	
Other forms of tuberculosis (24–32)	16	1					1	1	2	1	2	1	5	1		1		
Syphilis (34)	20	2								2	2	2	5	5	1	1		
Cancer and other malignant tumors (45–53)	78				1							2	11	25	22	14	3	
Diabetes mellitus (59)	15						1	1				1	2	2	5	1	2	
Cerebral hemorrhage and softening (82a, 82c)	43												5	9	10	9	10	
Diseases of the heart (90–95)	164	1	1				1	1	3		3	5	16	44	48	28	13	
Bronchitis (106)																		
Bronchopneumonia (107)	26	14	3		1	1					2	1	4					
Lobar and unspecified pneumonia (108, 109)	64	10	3				2		2	2	5	4	7	12	8	4	5	
Diarrhea and enteritis (119, 120)	10	5	2		1								2					
Appendicitis (121)	15					1		2	2	1	1		5	1	2			
Hernia, intestinal obstruction (122)	11	1									1	2	2	5				
Cirrhosis of the liver (124)	5												2	1	1	1		
Nephritis (130–132)	49								1			4	8	10	7	12	7	
Diseases of the female genital organs (139)	6												4	2				
Puerperal septicemia (140, 142a, 145)	5							1			1	2	1					
Other puerperal causes	8								1	2	3	1	1					
Suicide (163–171)	19									2	1	1	7	4	2	2		
Homicide (172–175)	16							1		2	2	1	7	3				
Automobile accidents [1]	37	1			3		1	3	1	1	2	2	7	8	5	3		
Automobile—railroad train and street car collisions	6									1	2		1	1	1			
Other external causes	62	1	4	1	2		2	1	5	3	1	4	8	16	5	3	6	
All other causes	127	38	2	1		1	7	3	2	6	2	6	16	13	17	10	3	
INDIANAPOLIS, IND. (WHITE), all causes	4,107	275	45	22	20	12	59	43	64	109	101	123	352	456	725	864	837	
Typhoid and paratyphoid fever (1, 2)	7							1	1	1	1		2	1				
Measles (7)	1	1																
Scarlet fever (8)	10		1				8			1								
Whooping-cough (9)	10	4	4	2														
Diphtheria (10)	13		4	1	3		4						1					
Influenza (11)	43	6		1			1		1	1	2	1	8	5	5	6	6	
Epidemic cerebrospinal meningitis (18)	15	1	1	2	2			1	2		1		1		2	1	1	
Tuberculosis of the respiratory system (23)	137								6	11	15	14	37	23	15	13	3	
Other forms of tuberculosis (24–32)	31	4	1		1		7	1	1		3		6	1	4	2		
Syphilis (34)	31	4		1				1		2	1	2	1	6	8	4	1	
Cancer and other malignant tumors (45–53)	406		1		1	1	1	1	1	4	4	11	39	62	105	111	64	
Diabetes mellitus (59)	72						1		2			1	6	5	14	27	16	
Cerebral hemorrhage and softening (82a, 82c)	286											1	11	35	63	87	89	
Diseases of the heart (90–95)	959	1					4	5	3	9	6	16	67	106	213	277	252	
Bronchitis (106)	2												1			1		
Bronchopneumonia (107)	127	36	5	2	1		1	2	1	1	2	2	8	6	9	14	37	
Lobar and unspecified pneumonia (108, 109)	124	7	7	3	2		3	2	4	6	5	8	8	17	17	18	17	
Diarrhea and enteritis (119, 120)	41	26	6		1	1					2		2			1	2	
Appendicitis (121)	73						4	6	6	6	5	5	11	12	11	5	2	
Hernia, intestinal obstruction (122)	44	2	1	1			1			1	2	3	2	2	13	8	8	
Cirrhosis of the liver (124)	29											1	2	6	7	6	7	
Nephritis (130–132)	453	1							1	6	2	10	22	41	84	142	144	
Diseases of the female genital organs (139)	15								1	1	3	2	3	2	2	1		
Puerperal septicemia (140, 142a, 145)	23								2	6	8	4	3					
Other puerperal causes	7								1	3	2	1						
Suicide (163–171)	85								2	8	5	2	14	22	17	11	4	
Homicide (172–175)	16									2	2	2	3	6	1			
Automobile accidents [1]	111				1	2	6	2	7	13	9	6	16	9	18	18	4	
Automobile—railroad train and street car collisions	8									1		1		2	3	1		
Other external causes	167	2	6	4	1	1	2	6	8	8	6	8	13	12	24	24	42	
All other causes	761	180	8	5	7	7	16	15	14	18	15	22	65	75	90	86	138	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	765	59	9	4	------	2	11	7	19	32	39	34	126	168	121	91	43	----
Typhoid and paratyphoid fever (1, 2)	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	----
Measles (7)	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Scarlet fever (8)	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	----
Whooping-cough (9)	3	1	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Diphtheria (10)	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	----
Influenza (11)	20	1	------	------	------	------	------	1	2	1	------	2	1	6	1	2	3	----
Epidemic cerebrospinal meningitis (18)	10	2	------	------	------	------	------	1	1	------	1	------	1	1	2	1	------	----
Tuberculosis of the respiratory system (23)	65	------	------	1	------	------	------	------	5	10	8	4	21	12	2	2	------	----
Other forms of tuberculosis (24–32)	15	1	1	1	------	1	------	------	------	3	5	1	------	------	2	------	------	----
Syphilis (34)	15	2	------	1	------	------	------	------	1	1	------	1	4	2	3	------	------	----
Cancer and other malignant tumors (45–53)	49	------	------	------	------	------	1	1	------	------	2	1	8	17	12	5	2	----
Diabetes mellitus (59)	13	------	------	------	------	------	------	------	------	------	------	------	2	4	2	5	------	----
Cerebral hemorrhage and softening (82a, 82c)	50	------	------	------	------	------	------	------	------	------	1	------	5	11	17	12	4	----
Diseases of the heart (90–95)	151	1	------	------	------	------	1	------	------	------	3	3	22	49	30	29	13	----
Bronchitis (106)	4	------	------	------	------	------	------	------	------	------	------	1	------	1	------	1	1	----
Bronchopneumonia (107)	27	9	4	1	------	1	1	------	------	1	1	1	1	2	2	2	1	----
Lobar and unspecified pneumonia (108, 109)	39	6	------	------	------	------	------	1	2	------	1	3	9	6	7	4	------	----
Diarrhea and enteritis (119, 120)	9	6	1	------	------	------	------	------	------	------	------	1	1	------	------	------	------	----
Appendicitis (121)	13	1	------	------	------	------	3	------	------	1	1	3	1	1	1	1	------	----
Hernia, intestinal obstruction (122)	9	1	------	------	------	------	------	------	------	------	------	1	3	3	1	------	------	----
Cirrhosis of the liver (124)	7	------	------	------	------	------	------	------	1	------	------	1	1	1	2	------	1	----
Nephritis (130–132)	91	------	------	------	------	------	------	------	------	2	1	2	11	25	25	16	9	----
Diseases of the female genital organs (139)	6	------	------	------	------	------	------	------	------	1	1	------	3	------	1	------	------	----
Puerperal septicemia (140, 142a, 145)	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Other puerperal causes	5	------	------	------	------	------	------	------	1	------	1	1	2	------	------	------	------	----
Suicide (163–171)	4	------	------	------	------	------	------	------	1	1	1	------	------	1	------	------	------	----
Homicide (172–175)	24	------	------	------	------	------	------	------	------	5	5	3	7	3	------	1	------	----
Automobile accidents [1]	13	------	------	------	------	------	1	1	------	------	1	------	3	2	3	1	1	----
Automobile—railroad train and street car collisions	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Other external causes	21	1	------	------	------	------	1	1	1	2	1	3	2	4	2	2	1	----
All other causes	98	27	------	------	------	------	2	1	3	4	4	2	18	17	6	7	7	----
SOUTH BEND, IND., all causes	840	60	16	6	2	1	14	10	14	19	20	24	79	107	165	160	142	1
Typhoid and paratyphoid fever (1, 2)	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	----
Measles (7)	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Scarlet fever (8)	2	------	------	------	------	------	1	1	------	------	------	------	------	------	------	------	------	----
Whooping-cough (9)	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Diphtheria (10)	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Influenza (11)	6	1	------	------	------	------	------	------	------	1	------	1	1	1	1	------	------	----
Epidemic cerebrospinal meningitis (18)	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	----
Tuberculosis of the respiratory system (23)	25	1	------	------	------	------	------	------	2	5	3	1	2	3	4	2	2	----
Other forms of tuberculosis (24–32)	8	------	2	------	1	------	1	------	------	------	1	------	3	------	------	------	------	----
Syphilis (34)	10	2	------	------	------	------	------	------	------	1	------	1	2	1	2	1	------	----
Cancer and other malignant tumors (45–53)	106	------	------	------	------	------	------	------	------	------	1	2	9	15	35	31	13	----
Diabetes mellitus (59)	19	------	------	------	------	------	------	------	1	1	------	------	2	4	3	5	3	----
Cerebral hemorrhage and softening (82a, 82c)	52	------	1	------	------	------	------	------	------	------	------	------	5	7	10	15	13	1
Diseases of the heart (90–95)	177	------	------	------	------	------	1	1	1	1	2	2	10	26	35	47	51	----
Bronchitis (106)	3	------	------	------	------	------	1	------	------	------	------	------	------	------	1	------	1	----
Bronchopneumonia (107)	27	7	1	1	1	------	2	1	------	1	1	1	1	2	3	2	3	----
Lobar and unspecified pneumonia (108, 109)	38	2	2	1	------	------	------	------	1	------	1	1	5	6	5	8	6	----
Diarrhea and enteritis (119, 120)	12	6	4	------	------	------	------	------	------	------	------	------	------	------	------	1	1	----
Appendicitis (121)	14	------	------	------	------	------	------	------	2	2	3	------	1	1	5	------	------	----
Hernia, intestinal obstruction (122)	7	------	------	------	------	------	------	1	------	1	------	1	------	2	1	1	------	----
Cirrhosis of the liver (124)	4	------	------	------	------	------	------	------	------	------	------	------	------	------	2	2	------	----
Nephritis (130–132)	80	------	------	------	------	------	------	------	------	------	2	1	4	14	13	21	25	----
Diseases of the female genital organs (139)	2	------	------	------	------	------	------	------	------	------	------	------	2	------	------	------	------	----
Puerperal septicemia (140, 142a, 145)	2	------	------	------	------	------	------	------	1	------	1	------	------	------	------	------	------	----
Other puerperal causes	3	------	------	------	------	------	------	------	------	------	1	2	------	------	------	------	------	----
Suicide (163–171)	17	------	------	------	------	------	------	------	------	------	1	------	2	3	7	4	------	----
Homicide (172–175)	7	------	------	------	------	------	------	------	------	1	------	1	5	------	------	------	------	----
Automobile accidents [1]	30	------	------	1	------	1	1	2	1	1	1	1	9	6	4	2	------	----
Automobile—railroad train and street car collisions	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Other external causes	36	------	3	------	------	------	2	2	------	1	1	1	5	5	5	4	7	----
All other causes	150	40	3	3	------	------	4	2	4	3	1	8	11	11	29	14	17	----
DES MOINES, IOWA, all causes	1,657	121	15	9	11	4	21	19	24	43	58	40	139	181	244	368	360	----
Typhoid and paratyphoid fever (1, 2)	3	------	------	------	------	------	------	------	1	------	1	------	1	------	------	------	------	----
Measles (7)	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----
Scarlet fever (8)	5	------	------	------	1	------	1	2	------	------	------	------	------	------	------	1	------	----
Whooping-cough (9)	7	4	2	------	------	------	1	------	------	------	------	------	------	------	------	------	------	----
Diphtheria (10)	8	------	1	2	1	1	2	1	------	------	------	------	------	------	------	------	------	----
Influenza (11)	24	1	------	------	1	------	------	------	1	------	------	3	1	2	4	2	9	----
Epidemic cerebrospinal meningitis (18)	4	------	------	------	------	------	1	------	1	------	1	------	1	------	------	------	------	----
Tuberculosis of the respiratory system (23)	52	2	------	------	------	1	------	1	3	6	8	2	11	5	4	6	3	----
Other forms of tuberculosis (24–32)	6	------	1	------	1	------	------	------	------	2	1	------	------	------	1	------	------	----
Syphilis (34)	21	------	------	------	------	------	------	------	------	------	1	------	3	8	5	3	1	----
Cancer and other malignant tumors (45–53)	190	------	------	------	------	------	------	1	------	1	1	2	11	35	46	57	36	----
Diabetes mellitus (59)	36	------	------	------	------	------	------	------	------	------	------	2	3	2	5	17	7	----
Cerebral hemorrhage and softening (82a, 82c)	107	------	------	1	------	------	------	------	1	------	------	------	5	12	15	26	47	----
Diseases of the heart (90–95)	324	------	------	------	------	------	1	------	3	1	5	6	24	31	58	97	98	----
Bronchitis (106)	5	1	------	------	------	------	------	------	------	------	------	------	------	1	1	2	------	----
Bronchopneumonia (107)	48	13	------	------	1	------	------	2	------	------	------	1	2	1	5	9	14	----
Lobar and unspecified pneumonia (108, 109)	66	2	1	------	1	------	1	1	3	2	1	1	11	7	8	15	12	----
Diarrhea and enteritis (119, 120)	8	4	------	------	------	------	------	------	------	1	2	------	------	------	1	------	------	----
Appendicitis (121)	32	------	------	------	------	------	1	------	1	4	5	1	7	3	4	6	------	----
Hernia, intestinal obstruction (122)	20	------	------	------	1	------	------	1	------	------	------	2	2	3	6	3	2	----
Cirrhosis of the liver (124)	3	------	------	------	------	------	------	------	------	------	------	------	------	1	1	1	------	----
Nephritis (130–132)	86	------	------	------	1	------	------	------	------	2	3	------	7	9	9	27	28	----
Diseases of the female genital organs (139)	7	------	------	------	------	------	------	------	1	------	------	3	------	------	2	1	------	----
Puerperal septicemia (140, 142a, 145)	12	------	------	------	------	------	------	------	------	6	2	1	3	------	------	------	------	----
Other puerperal causes	10	------	------	------	------	------	------	------	------	3	4	2	1	------	------	------	------	----
Suicide (163–171)	41	------	------	------	------	------	------	------	------	1	7	1	6	8	13	5	------	----
Homicide (172–175)	10	------	------	------	------	------	------	------	------	------	2	2	1	5	------	------	------	----
Automobile accidents [1]	43	------	------	------	1	1	1	------	2	7	3	3	5	2	4	8	6	----
Automobile—railroad train and street car collisions	5	------	------	------	------	------	1	------	------	------	2	------	1	1	------	------	------	----
Other external causes	81	3	3	4	1	------	3	2	1	3	1	3	9	6	8	10	24	----
All other causes	392	91	6	2	1	1	8	8	6	4	8	5	24	39	44	72	73	----

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, KANS., all causes	1,593	128	16	11	9	3	25	27	27	44	45	48	163	215	290	274	268	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	6			1	2		2	1										
Scarlet fever (8)	5	1				1	1	1					1					
Whooping-cough (9)	8	3	3	2														
Diphtheria (10)	3						3											
Influenza (11)	31	7	1				1	1	1		1		6	1	3	3	6	
Epidemic cerebrospinal meningitis (18)	4	1		1	1		1											
Tuberculosis of the respiratory system (23)	55	1	1				1	2	4	7	5	4	9	9	7	5		
Other forms of tuberculosis (24–32)	9	1	1			1					1	1	1	1	1	1		
Syphilis (34)	18	1						1			1		4	6	3	2		
Cancer and other malignant tumors (45–53)	184							3		3	4	6	12	35	52	46	23	
Diabetes mellitus (59)	38								2	2	1	1	1	5	12	7	7	
Cerebral hemorrhage and softening (82a, 82c)	98											1	9	15	17	25	31	
Diseases of the heart (90–95)	305			1				3	1	7	3	4	24	43	73	72	74	
Bronchitis (106)	4	1											1				2	
Bronchopneumonia (107)	55	23					1	2			1	1	3	3	6	7	8	
Lobar and unspecified pneumonia (108, 109)	61	8	1	1		1			1		2	2	9	5	12	9	10	
Diarrhea and enteritis (119, 120)	22	11	4	1	1		1									1	3	
Appendicitis (121)	23							2		4	3		4	5	3	1	1	
Hernia, intestinal obstruction (122)	19	4			1								3	5	2	4		
Cirrhosis of the liver (124)	11									1				2	4	2	2	
Nephritis (130–132)	164									1		2	12	27	37	46	39	
Diseases of the female genital organs (139)	7									1		2	3		1			
Puerperal septicemia (140, 142a, 145)	6									2		1	3					
Other puerperal causes	10								1	2	2	2	2	1				
Suicide (163–171)	15												5	3	4	2	1	
Homicide (172–175)	33								4	2	5	6	10	1	4		1	
Automobile accidents [1]	30						3		1	2	5		5	5	1	5	3	
Automobile—railroad train and street car collisions	1													1				
Other external causes	79	1	1	3	1		1	4	3	4	4	4	9	7	6	11	20	
All other causes	288	65	4	1	3		10	7	9	6	7	11	26	35	42	25	37	
WICHITA, KANS., all causes	1,089	82	10	8	7	1	18	14	22	35	36	23	93	109	161	208	262	
Typhoid and paratyphoid fever (1, 2)	2									1					1			
Measles (7)																		
Scarlet fever (8)	2	1					1											
Whooping-cough (9)	1		1															
Diphtheria (10)	3		1				1			1								
Influenza (11)	49	3	1				1			2	3	4	7	5	1	8	14	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	26							1	1	3	6	1	4	3	3	2	2	
Other forms of tuberculosis (24–32)	5	1	2								1			1				
Syphilis (34)	10	1							1	1	2			1	3	1		
Cancer and other malignant tumors (45–53)	130								1	2	1	1	13	21	28	37	26	
Diabetes mellitus (59)	21								1				4	2	5	2	7	
Cerebral hemorrhage and softening (82a, 82c)	88												2	8	21	30	27	
Diseases of the heart (90–95)	209						1		3	1	2	1	16	19	40	43	83	
Bronchitis (106)	1	1																
Bronchopneumonia (107)	35	16			1			1		2		1	2		2	3	7	
Lobar and unspecified pneumonia (108, 109)	30	6			1				2	1	1	2	4	2	3	2	6	
Diarrhea and enteritis (119, 120)	6	2	1		1										1		1	
Appendicitis (121)	34			1			4		1	4	3	1	4	5	8	2	1	
Hernia, intestinal obstruction (122)	8									1		1		1	1	2	2	
Cirrhosis of the liver (124)	4												1	1	1		1	
Nephritis (130–132)	81							1		1	1	2	6	4	12	32	22	
Diseases of the female genital organs (139)	9										1		4	1	2	1		
Puerperal septicemia (140, 142a, 145)	5									1	1		3					
Other puerperal causes	2									1			1					
Suicide (163–171)	18									1	1	1	2	5	4	2	2	
Homicide (172–175)	8	1									1	1	2	1	2			
Automobile accidents [1]	38		2	1	1		3	2	4	8	3		5	3	1	3	2	
Automobile—railroad train and street car collisions	2							1		1								
Other external causes	45	2	1	1	1	1	5	2	3	1	1	1	3	3	1	6	13	
All other causes	217	48	1	5	2		2	6	5	2	8	6	10	23	21	32	46	
LOUISVILLE, KY. (WHITE), all causes	3,202	257	43	20	21	19	53	38	52	80	73	81	218	362	539	711	634	1
Typhoid and paratyphoid fever (1, 2)	5						1					2	2					
Measles (7)	2				1					1								
Scarlet fever (8)	7		1	1			1		1		1	1			1			
Whooping-cough (9)	6	3	3															
Diphtheria (10)	32	3	4	2	4	8	6	3							1	1		
Influenza (11)	38	2	2			1	3		1		1	1	5	8	3	7	4	
Epidemic cerebrospinal meningitis (18)	3	1			1		1											
Tuberculosis of the respiratory system (23)	74	2							2	8	5	9	14	10	9	10	5	
Other forms of tuberculosis (24–32)	13	3		2	1	1	2	1	1				1	1				
Syphilis (34)	25	4			1								2	4	9	2	3	
Cancer and other malignant tumors (45–53)	346		1	1		2		1	1	2	5	4	19	58	94	112	45	1
Diabetes mellitus (59)	76						3	1					3	6	20	32	11	
Cerebral hemorrhage and softening (82a, 82c)	206				1					1	1	3	3	27	50	66	54	
Diseases of the heart (90–95)	742	1				1	3	3	3	7	5	12	28	89	162	218	210	
Bronchitis (106)	8														1	3	4	
Bronchopneumonia (107)	131	43	8	2	1	2	2			1	1	1	9	6	16	24	15	
Lobar and unspecified pneumonia (108, 109)	97	7	3	1	4	1	5	3	1	2	5	4	14	3	17	14	13	
Diarrhea and enteritis (119, 120)	45	27	4	1			1		1				2	2	2	3	2	
Appendicitis (121)	59			1			4	5	9	4	5	5	7	6	7	6		
Hernia, intestinal obstruction (122)	34	4	1					1		2		1	1	6	4	10	4	
Cirrhosis of the liver (124)	23									1				7	6	6	3	
Nephritis (130–132)	250					1	2		2	1	1	5	13	25	49	69	82	
Diseases of the female genital organs (139)	12								1	2	3	1		4	1			
Puerperal septicemia (140, 142a, 145)	12									1	4	2	5					
Other puerperal causes	14								1	2	3	3	4	1				
Suicide (163–171)	46								2	9	3	2	4	9	11	6		
Homicide (172–175)	26									2	3	3	11	4	1		2	
Automobile accidents [1]	77			1	2		2	5	8	10	4	3	11	9	7	11	4	
Automobile—railroad train and street car collisions	9								1	3	2		3					
Other external causes	140	1	4	1	1		8	4	7	7	6	4	11	14	13	26	33	
All other causes	644	156	12	7	4	2	9	11	10	14	15	13	44	58	62	84	143	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (COLORED), all causes	982	73	4	2	5	3	11	8	18	29	41	48	153	214	178	120	74	1
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	1		1															
Diphtheria (10)																		
Influenza (11)	13	2							1				5	2	1		2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	63						1	1	4	8	2	7	14	16	8	2		
Other forms of tuberculosis (24–32)	16	1			1		1	2	1		2		1	1	4	1	1	
Syphilis (34)	32	6									3	1	3	7	8	3	1	
Cancer and other malignant tumors (45–53)	51									1			12	20	9	8	1	
Diabetes mellitus (59)	10							1				1		4	3	1		
Cerebral hemorrhage and softening (82a, 82c)	59									1	1	2	4	12	20	11	8	
Diseases of the heart (90–95)	257						1	1	1	2	4	6	35	68	73	39	26	1
Bronchitis (106)	5												1	1	1	2		
Bronchopneumonia (107)	49	13	1	1		1	1			1	2	1	7	9	3	6	3	
Lobar and unspecified pneumonia (108, 109)	52	1	1				1		2	2	6	7	8	11	7	3	3	
Diarrhea and enteritis (119, 120)	11	5											3	1	1	1		
Appendicitis (121)	15				1		1	2		1	3		3	2	2			
Hernia, intestinal obstruction (122)	2										1			1				
Cirrhosis of the liver (124)	7								1				1	2		3		
Nephritis (130–132)	87												4	13	20	17	20	13
Diseases of the female genital organs (139)	1												1					
Puerperal septicemia (140, 142a, 145)	3										1	1	1					
Other puerperal causes	8								1	1	3	1	2					
Suicide (163–171)	2									1				1				
Homicide (172–175)	39								5	6	4	6	17	1				
Automobile accidents [1]	11						1					4	2	2	1		1	
Automobile—railroad train and street car collisions																		
Other external causes	29			1	3	1	2	1	2		3	1	5	4	5	1		
All other causes	158	45	1			1	2			5	5	5	16	29	15	19	15	
NEW ORLEANS, LA. (WHITE), all causes	4,466	341	54	31	21	20	60	59	77	128	116	135	400	611	881	832	696	4
Typhoid and paratyphoid fever (1, 2)	29		1					1	6	4	4	4	3	1	5			
Measles (7)	8	5	2	1														
Scarlet fever (8)	4			1			1	1		1								
Whooping-cough (9)	17	12	3	2														
Diphtheria (10)	10			3	1	2	1	1		1				1				
Influenza (11)	72	11	5	2		2	2		2	1	3	3	8	10	9	6	8	
Epidemic cerebrospinal meningitis (18)	14	3				1	2	2	2	1		1			2			
Tuberculosis of the respiratory system (23)	234							1	9	26	24	17	41	51	45	15	5	
Other forms of tuberculosis (24–32)	19	1	2		1		3			3	2	1	2	1	2	1		
Syphilis (34)	42	8						1			1	4	3	5	9	9	2	
Cancer and other malignant tumors (45–53)	478		1				1	3	3	1	4	7	46	94	136	115	67	
Diabetes mellitus (59)	87				1						1		8	13	32	19	13	
Cerebral hemorrhage and softening (82a, 82c)	230										1	2	13	28	58	77	50	1
Diseases of the heart (90–95)	1,049						2	3	6	7	8	10	44	151	258	294	266	
Bronchitis (106)	16	3	1				1						1	2	2	1	5	
Bronchopneumonia (107)	162	50	9	3	5	1	1	3		2	2	5	11	9	23	16	22	
Lobar and unspecified pneumonia (108, 109)	89	9	3	3	1		2	1		5	3	6	12	13	10	10	11	
Diarrhea and enteritis (119, 120)	43	24	8	1	2								2		3	2	1	
Appendicitis (121)	81			2	1	4	7	8	5	2	8	7	10	11	10	6		
Hernia, intestinal obstruction (122)	59	5	2	1		1					3	4	7	5	14	13	4	
Cirrhosis of the liver (124)	66											1	9	14	24	13	5	
Nephritis (130–132)	462			2		1	4	2	4	3	5	8	27	62	98	131	115	
Diseases of the female genital organs (139)	20								1	2		2	10	2	3			
Puerperal septicemia (140, 142a, 145)	24								4	4	3	7	6					
Other puerperal causes	30								6	7	3	5	9					
Suicide (163–171)	82								2	7	4	1	18	16	21	6	6	1
Homicide (172–175)	30	1						1		4	2	2	9	7	4			
Automobile accidents [1]	82			1			8	5	6	7	6	4	9	12	10	10	4	
Automobile—railroad train and street car collisions	2							1					1					
Other external causes	170	3	7	5		2	7	7	10	13	12	9	16	18	21	10	30	
All other causes	755	206	10	4	9	6	18	18	11	27	17	25	75	85	82	78	82	2
NEW ORLEANS, LA. (COLORED), all causes	3,053	347	50	18	18	8	26	36	108	153	158	192	467	590	462	276	140	4
Typhoid and paratyphoid fever (1, 2)	14		1				1	4	2	1	2		1	1				1
Measles (7)	2		1						1									
Scarlet fever (8)	1							1										
Whooping-cough (9)	3	3																
Diphtheria (10)	3	1			1			1										
Influenza (11)	72	18	6		2	1	2		3	8	3	6	4	8	6	4	1	
Epidemic cerebrospinal meningitis (18)	6		1						1	2		1			1			
Tuberculosis of the respiratory system (23)	297	2					2	8	28	49	42	43	47	47	21	7	1	
Other forms of tuberculosis (24–32)	30	3			3	1	1	1		1	4	2	6	4	3	1		
Syphilis (34)	160	13	3	1			1		1	4	9	15	43	41	21	8		
Cancer and other malignant tumors (45–53)	200									3	5	4	34	61	52	34	7	
Diabetes mellitus (59)	29								1			1	7	10	8	1	1	
Cerebral hemorrhage and softening (82a, 82c)	134									2		7	20	43	30	17	15	
Diseases of the heart (90–95)	646		1	1			1	1	9	13	10	18	98	183	157	90	62	2
Bronchitis (106)	3	1	1	1														
Bronchopneumonia (107)	111	38	7	5	1	1	1	3	2	4	8	6	8	9	8	6	4	
Lobar and unspecified pneumonia (108, 109)	67	7	3	2			2		6	2	5	10	5	15	5	3	2	
Diarrhea and enteritis (119, 120)	47	29	11							1		1	1	1	1	2		
Appendicitis (121)	28		1				2	1	4	2	5	2	8	1	2			
Hernia, intestinal obstruction (122)	31	2		1	1				1	2	2	4	9	4	4	1		
Cirrhosis of the liver (124)	19									1			1	8	4	4	1	
Nephritis (130–132)	281	1					1	1	2	4	6	9	49	58	69	55	26	
Diseases of the female genital organs (139)	17									3	4	3	6	1				
Puerperal septicemia (140, 142a, 145)	32								8	12	8	2	2					
Other puerperal causes	35								4	4	10	9	8					
Suicide (163–171)	7									3	1	1	2					
Homicide (172–175)	68							1	11	8	9	11	20	6		1		1
Automobile accidents [1]	38						1	1	2	6	1	2	8	3	6	6	2	
Automobile—railroad train and street car collisions																		
Other external causes	105	2	4	1	8	1	2	8	6	9	10	7	12	17	7	7	4	
All other causes	567	227	10	6	2	4	9	5	16	9	14	28	68	69	57	29	14	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BALTIMORE, MD. (WHITE), all causes	8,245	546	70	38	28	36	104	90	104	143	170	188	645	1,113	1,566	1,812	1,592	
Typhoid and paratyphoid fever (1, 2)	4									1			1	1		1		
Measles (7)																		
Scarlet fever (8)	25	2		3	4	2	9	1	2			1	1					
Whooping-cough (9)	16	12	3	1														
Diphtheria (10)	4				1		3											
Influenza (11)	92	8	4		2	1		1	2	2	2	4	14	13	10	15	14	
Epidemic cerebrospinal meningitis (18)	7	2	1				1	3										
Tuberculosis of the respiratory system (23)	314	2	6	2				1	9	28	20	36	68	66	42	26	8	
Other forms of tuberculosis (24–32)	27	1		2		1		2	4	1	3		2	4	2	2	3	
Syphilis (34)	61	7						1			1	2	9	19	19	3		
Cancer and other malignant tumors (45–53)	1,036		1		2	1	5	2	7	10	7	7	87	179	286	287	155	
Diabetes mellitus (59)	206		1						1	1	1	3	6	17	63	82	31	
Cerebral hemorrhage and softening (82a, 82c)	587										5	4	21	82	133	191	151	
Diseases of the heart (90–95)	1,926	1					2	7	14	13	10	15	96	247	418	532	571	
Bronchitis (106)	29	3		1			1						1	2	6	2	13	
Bronchopneumonia (107)	344	69	16	4	2	5	10	4	2	3	8	2	22	27	30	54	86	
Lobar and unspecified pneumonia (108, 109)	292	20	7	7	2	2	9	7	8	7	13	15	36	49	50	35	25	
Diarrhea and enteritis (119, 120)	67	41	9	2		1	3	2	1			1			4	1	2	
Appendicitis (121)	117			2	5	4	4	6	2	5	5	3	15	29	21	12	4	
Hernia, intestinal obstruction (122)	98	6	1				1	1	2	2	2	3	13	14	22	18	13	
Cirrhosis of the liver (124)	62		1										7	13	18	19	4	
Nephritis (130–132)	916	2	1				3	1	3	3	12	9	50	98	182	282	270	
Diseases of the female genital organs (139)	18								1		2		9	3	3			
Puerperal septicemia (140, 142a, 145)	21								2	4	7	6	2					
Other puerperal causes	34								4	5	8	8	9					
Suicide (163–171)	155								6	7	9	10	33	37	28	23	2	
Homicide (172–175)	25						1		1	3	4	4	7	4	1			
Automobile accidents [1]	154		2	2	4	7	9	5	8	17	14	9	10	17	19	18	13	
Automobile—railroad train and street car collisions	10											1	1	3	2	3		
Other external causes	322	9	3	1		3	9	17	8	11	14	12	35	41	43	48	68	
All other causes	1,276	361	14	11	6	9	34	29	17	20	23	33	90	148	164	158	159	
BALTIMORE, MD. (COLORED), all causes	2,551	278	56	13	17	10	28	28	68	111	131	169	405	495	398	245	99	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	3			2					1									
Whooping-cough (9)	25	10	13	1	1													
Diphtheria (10)	2				2													
Influenza (11)	22								1	1	2	3	6	4	4	1		
Epidemic cerebrospinal meningitis (18)	1			1														
Tuberculosis of the respiratory system (23)	264	4	9	1	2	3	2	10	26	40	35	38	60	22	8	3	1	
Other forms of tuberculosis (24–32)	40	2	1		3		2	3	7	4	9	1	5	1	2			
Syphilis (34)	139	13		1					1	7	10	11	38	40	13	3	2	
Cancer and other malignant tumors (45–53)	151						2	2	1		8	3	22	52	34	26	1	
Diabetes mellitus (59)	24									1		1	7	10	4	1		
Cerebral hemorrhage and softening (82a, 82c)	206										2	4	35	59	64	28	14	
Diseases of the heart (90–95)	375					1		1	1	2	3	19	66	98	95	51	38	
Bronchitis (106)	2	1														1		
Bronchopneumonia (107)	123	41	10		2	2	2			2	4	7	10	11	10	13	9	
Lobar and unspecified pneumonia (108, 109)	212	32	12	3	1		2	2	3	16	13	16	34	30	26	18	4	
Diarrhea and enteritis (119, 120)	35	21	4	2	1		1			1			3		2			
Appendicitis (121)	16						2	3	3		1	1	2	1	2	1		
Hernia, intestinal obstruction (122)	38								1	1	3		6	13	8	6		
Cirrhosis of the liver (124)	13												2	5	4	1	1	
Nephritis (130–132)	287									3	7	10	29	71	87	58	22	
Diseases of the female genital organs (139)	7									1	2	2	2					
Puerperal septicemia (140, 142a, 145)	9								4	1		3		1				
Other puerperal causes	10								3	2		2	2	1				
Suicide (163–171)	7									1	2		2	2				
Homicide (172–175)	45							1	2	8	6	8	12	4	3		1	
Automobile accidents [1]	31		1				3	1	2	1	5	2	5	8	1	2		
Automobile—railroad train and street car collisions																		
Other external causes	74	1	3		3	1	6	1	1	2	7	10	19	9	6	5		
All other causes	390	153	3	2	2	3	6	4	11	17	12	28	38	53	25	27	6	
BOSTON, MASS., all causes	11,085	959	143	61	44	48	155	131	137	218	271	307	939	1,413	2,263	2,292	1,701	3
Typhoid and paratyphoid fever (1, 2)	3	1						1					1					
Measles (7)	11	5	3	2							1							
Scarlet fever (8)	39		5	6	5	1	14	4	1	2	1							
Whooping-cough (9)	25	14	9		2													
Diphtheria (10)	27	2	4		3	4	5	3		2	1		1	2				
Influenza (11)	54	2	6	1			2		1	2	2	6	9	3	7	8	5	
Epidemic cerebrospinal meningitis (18)	14	3						1	4	1	1	1		1	1	1		
Tuberculosis of the respiratory system (23)	484	3	3	1	2				19	50	54	53	98	79	74	41	7	
Other forms of tuberculosis (24–32)	48	4	6	3	1		5	4	2	3		2	9	4	1	2	2	
Syphilis (34)	50	11	1							1	2		7	13	11	4		
Cancer and other malignant tumors (45–53)	1,394	1	1	2	1	1	5	4	3	4	11	24	109	237	414	384	192	1
Diabetes mellitus (59)	261						1	1		3	1	4	10	25	85	101	30	
Cerebral hemorrhage and softening (82a, 82c)	628								1		4	4	35	71	159	176	178	
Diseases of the heart (90–95)	2,779	1	1	2		2	10	16	23	18	30	45	135	327	688	791	689	1
Bronchitis (106)	33	5	2		1							1	1	4	4	9	6	
Bronchopneumonia (107)	634	150	41	10	4	4	9	6	6	4	10	6	22	41	75	102	143	1
Lobar and unspecified pneumonia (108, 109)	506	36	19	4	4	4	8	8	2	10	18	28	73	85	90	68	49	
Diarrhea and enteritis (119, 120)	59	38	4	1		1		1	2		1	2	2	4	3			
Appendicitis (121)	163		1	2	1	8	10	18	9	10	14	7	26	21	19	11	6	
Hernia, intestinal obstruction (122)	116	7	1	1			3		2		2	2	6	21	28	20	23	
Cirrhosis of the liver (124)	97			1			1		1	1	2	4	12	19	29	22	5	
Nephritis (130–132)	564			1			2	2	4	6	9	8	39	70	132	160	131	
Diseases of the female genital organs (139)	37								2	4	4	1	11	8	4	3		
Puerperal septicemia (140, 142a, 145)	35								4	10	10	4	7					
Other puerperal causes	81								1	13	17	25	24	1				
Suicide (163–171)	121								2	7	8	9	30	23	24	11	7	
Homicide (172–175)	30	1						1	2	3	6	6	2	3	4	2		
Automobile accidents [1]	143				4	2	11	7	2	7	5	4	12	24	35	21	9	
Automobile—railroad train and street car collisions	1										1							
Other external causes	449	8	4	3	6	2	15	11	9	15	14	17	51	74	74	77	69	
All other causes	2,199	667	32	21	10	19	54	43	35	42	42	44	207	253	302	278	150	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CAMBRIDGE, MASS., all causes	1,407	105	9	8	3	5	17	11	17	27	39	40	114	138	241	333	300	
Typhoid and paratyphoid fever (1, 2)	2											1	1					
Measles (7)	3		1				2											
Scarlet fever (8)																		
Whooping-cough (9)	1	1																
Diphtheria (10)	2			1		1												
Influenza (11)	13	2		1					1			1	1	1	3	1	2	
Epidemic cerebrospinal meningitis (18)	1											1						
Tuberculosis of the respiratory system (23)	52								4	7	3	6	9	10	9	3	1	
Other forms of tuberculosis (24–32)	3				1							1				1		
Syphilis (34)	5											2		1	2			
Cancer and other malignant tumors (45–53)	174										1	3	15	24	43	57	31	
Diabetes mellitus (59)	37										1		3	2	10	9	12	
Cerebral hemorrhage and softening (82a, 82c)	96	1									1		3	6	16	33	36	
Diseases of the heart (90–95)	407								2	1	4	6	29	35	78	126	126	
Bronchitis (106)	3			1												2		
Bronchopneumonia (107)	78	22	3	1	1		1			1	1	2	3	6	7	13	17	
Lobar and unspecified pneumonia (108, 109)	48	5	1	1		1	2	2	1	2	3	2	4	5	4	12	3	
Diarrhea and enteritis (119, 120)	2	2																
Appendicitis (121)	24			2			4	2		2	2	1	1	1	5	3	1	
Hernia, intestinal obstruction (122)	16	1					2				1		1	1	3	4	3	
Cirrhosis of the liver (124)	8											1	4		1	2		
Nephritis (130–132)	79							2	1	1	1	1	4	16	16	22	15	
Diseases of the female genital organs (139)	2														2			
Puerperal septicemia (140, 142a, 145)	5										4	1						
Other puerperal causes	17								3	5	1	3	5					
Suicide (163–171)	13										1	1	2	1	6		2	
Homicide (172–175)	5							1		1				1	1		1	
Automobile accidents [1]	27				1	1	2	2		2	3	3	2	4	5	2		
Automobile—railroad train and street car collisions																		
Other external causes	48	1	1	1		1	2	1	3	2	2	1	4	3	7	7	12	
All other causes	236	70	3			1	2	1	2	3	10	3	23	21	23	36	38	
FALL RIVER, MASS., all causes	1,569	124	18	5	6	3	18	13	32	29	28	32	97	200	337	353	273	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	9	4	4				1											
Diphtheria (10)	5	1		2	2													
Influenza (11)	23	4	1				1	1	1					2	5	6	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	82	1						2	11	4	7	10	18	11	12	4	2	
Other forms of tuberculosis (24–32)	5	1	1					1	1						1			
Syphilis (34)	3										1			2				
Cancer and other malignant tumors (45–53)	272									4	4	6	24	51	89	64	29	1
Diabetes mellitus (59)	51		1			1	1			2		1	1	8	13	15	8	
Cerebral hemorrhage and softening (82a, 82c)	97									1				7	29	36	24	
Diseases of the heart (90–95)	340						1	1	7	4	3	1	13	30	76	101	103	
Bronchitis (106)	6													1	1		4	
Bronchopneumonia (107)	67	22	6	1	1		1		1	2			1	4	7	9	12	
Lobar and unspecified pneumonia (108, 109)	49	2			1		3		1		2	2	8	11	6	8	5	
Diarrhea and enteritis (119, 120)	20	15	1												1	3		
Appendicitis (121)	17					1	3	2	1	1			1	5	3			
Hernia, intestinal obstruction (122)	12		1	2						1		1	1		1	3	2	
Cirrhosis of the liver (124)	18												1	[1]3	4	8	2	
Nephritis (130–132)	164	1										2	10	25	45	50	31	
Diseases of the female genital organs (139)	5										1	1	1	1			1	
Puerperal septicemia (140, 142a, 145)	3									1			2					
Other puerperal causes	4								1	1	2							
Suicide (163–171)	10								1			1	1	4	2	1		
Homicide (172–175)	2												1	1				
Automobile accidents [1]	17		1					1		3	1		1	3	4	1	2	
Automobile—railroad train and street car collisions																		
Other external causes	49						5	3		1	2	4	4	5	5	8	12	
All other causes	239	73	2		2	1	2	2	7	4	5	3	9	26	33	36	34	
LOWELL, MASS., all causes	1,337	106	23	13	6	12	27	15	13	25	23	19	91	140	259	322	243	
Typhoid and paratyphoid fever (1, 2)	2									1			1					
Measles (7)	1			1														
Scarlet fever (8)	2		1										1					
Whooping-cough (9)	5	2	3															
Diphtheria (10)	12		2	3		1	6											
Influenza (11)	16	2	3			1			1					3	2	2	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	55		1						3	8	9	4	7	17	2	3	1	
Other forms of tuberculosis (24–32)	4		1	2						1								
Syphilis (34)																		
Cancer and other malignant tumors (45–53)	130									1		1	10	15	37	38	28	
Diabetes mellitus (59)	27										1			2	10	10	4	
Cerebral hemorrhage and softening (82a, 82c)	96												3	8	25	34	26	
Diseases of the heart (90–95)	415			1			3	5	3	4	1	1	21	37	109	144	86	
Bronchitis (106)	12	1												3	2	3	3	
Bronchopneumonia (107)	52	8	5	1	1	2	1		1				5	4	5	12	7	
Lobar and unspecified pneumonia (108, 109)	40	5	2			1	1		1		1	2	4	6	6	8	3	
Diarrhea and enteritis (119, 120)	15	10	1	2			1				1							
Appendicitis (121)	16		1			2	1	2	2		1	1		1	3	1	1	
Hernia, intestinal obstruction (122)	8	1											1	1	2	1	2	
Cirrhosis of the liver (124)	10												1	3	3	3		
Nephritis (130–132)	67							1		2		2	12	5	13	21	11	
Diseases of the female genital organs (139)	4													2	1		1	
Puerperal septicemia (140, 142a, 145)	6									1	3		2					
Other puerperal causes	6										1	2	3					
Suicide (163–171)	11											1	2	5	2	1		
Homicide (172–175)	2											1	1					
Automobile accidents [1]	20					2	4	1		2	1	1		3	3	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	56		1		1		4	3	2		2		7	7	6	13	10	
All other causes	247	77	2	3	4	3	6	3		5	2	3	10	18	28	26	57	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LYNN, MASS., all causes	1,032	72	5	8	1	7	15	10	5	14	18	25	62	118	191	230	250	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	8			3		2	2	1										
Whooping-cough (9)	2	1	1															
Diphtheria (10)	1		1															
Influenza (11)	13										1	1	2	3	2	2	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	20									1	1	1	3	5	6	3		
Other forms of tuberculosis (24–32)	1																1	
Syphilis (34)	3												1	1	1			
Cancer and other malignant tumors (45–53)	102										2	2	9	17	31	18	23	
Diabetes mellitus (59)	19											1	1	2	4	6	5	
Cerebral hemorrhage and softening (82a, 82c)	103												3	9	20	33	38	
Diseases of the heart (90–95)	305						1	1	1	1	1	3	13	36	72	82	93	1
Bronchitis (106)	5														2	3		
Bronchopneumonia (107)	32	4	1			1	1			1			1	3	4	5	11	
Lobar and unspecified pneumonia (108, 109)	48	2							1	1	2	4	7	10	7	7	7	
Diarrhea and enteritis (119, 120)	4	3													1			
Appendicitis (121)	21			1			3	2		2	2		2	3	6			
Hernia, intestinal obstruction (122)	10	1									1		1	3	2	1	1	
Cirrhosis of the liver (124)	10											1			3	5	1	
Nephritis (130–132)	62							1		1	2	3	1	8	7	24	15	
Diseases of the female genital organs (139)	4									2	1			1				
Puerperal septicemia (140, 142a, 145)	6									1		5						
Other puerperal causes	7									3	1		3					
Suicide (163–171)	14										1		2	3	2	6		
Homicide (172–175)	2	1											1					
Automobile accidents [1]	17		1		2	3	1						3	2	2	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	35		1			1	4	1		1	3	2	3	5	4	10		
All other causes	178	60	2	2	1	2	4		2	1	2	1	7	9	14	29	42	
NEW BEDFORD, MASS., all causes	1,333	94	15	8	12	3	26	11	20	25	31	33	93	159	224	320	259	
Typhoid and paratyphoid fever (1, 2)	3								2			1						
Measles (7)																		
Scarlet fever (8)	5		1		1		2						1					
Whooping-cough (9)	3	2		1														
Diphtheria (10)	5			1			4											
Influenza (11)	27	2	1	1				1				1	2	4	4	7	4	
Epidemic cerebrospinal meningitis (18)	4	1					1		1		1							
Tuberculosis of the respiratory system (23)	73		1				1		7	9	8	10	15	9	9	4		
Other forms of tuberculosis (24–32)	5	1	1		1						2							
Syphilis (34)	6	2												1	3			
Cancer and other malignant tumors (45–53)	156						2			1			9	25	42	53	24	
Diabetes mellitus (59)	41							1			2	1		4	13	13	7	
Cerebral hemorrhage and softening (82a, 82c)	114						1	1					2	13	26	39	32	
Diseases of the heart (90–95)	369							1	1		2	3	28	45	66	125	98	
Bronchitis (106)	6	1													2	1	2	
Bronchopneumonia (107)	44	12	2		1		2	1	1				4	4	4	4	9	
Lobar and unspecified pneumonia (108, 109)	41	5	3		1			1	1	2	1	3	4	6	4	5	5	
Diarrhea and enteritis (119, 120)	3	3																
Appendicitis (121)	20			2		4	1	1	4	2	2	2	2	2				
Hernia, intestinal obstruction (122)	18							1					1	3	3	3	7	
Cirrhosis of the liver (124)	10							1				1		2	3	3		
Nephritis (130–132)	89									1	3	2	7	8	17	27	24	
Diseases of the female genital organs (139)	6										3		1		1		1	
Puerperal septicemia (140, 142a, 145)	8										1	4	3					
Other puerperal causes	4									3	1							
Suicide (163–171)	17									1			5	5	3	3		
Homicide (172–175)	1													1				
Automobile accidents [1]	9					1	2				1	1		1	1		2	
Automobile—railroad train and street car collisions																		
Other external causes	41		2	1	2	2	1		2	1	2	1		6	5	8	8	
All other causes	205	65	4	4	4		6	4	2	3	2	3	9	20	18	25	36	
SOMERVILLE, MASS., all causes	988	62	12	4	2	6	5	8	7	8	15	19	57	103	168	253	258	1
Typhoid and paratyphoid fever (1, 2)	2														2			
Measles (7)	1					1												
Scarlet fever (8)	6				1	1	1		1			2						
Whooping-cough (9)	5	2	1	1				1										
Diphtheria (10)	3	1				1	1											
Influenza (11)	12		1							1		1	1	2		2	4	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	19								1	1		2	8	3	1	2	1	
Other forms of tuberculosis (24–32)																		
Syphilis (34)	1														1			
Cancer and other malignant tumors (45–53)	142										1		7	21	47	38	27	1
Diabetes mellitus (59)	18												1	2	2	13		
Cerebral hemorrhage and softening (82a, 82c)	88		1							1			2	7	12	35	30	
Diseases of the heart (90–95)	334							2	1	2	1	2	12	30	55	98	131	
Bronchitis (106)	3														1	2		
Bronchopneumonia (107)	33	8	5	1							1		1	1	2	5	9	
Lobar and unspecified pneumonia (108, 109)	45	1		1		1			1		1	3	11	7	7	9	3	
Diarrhea and enteritis (119, 120)	5	3	2															
Appendicitis (121)	14			1			1		1		1	5	1	3		1		
Hernia, intestinal obstruction (122)	10												1	1	4	2	2	
Cirrhosis of the liver (124)	4												1	1	1	1		
Nephritis (130–132)	52						1			1	1	1	3	4	10	15	16	
Diseases of the female genital organs (139)	2														2			
Puerperal septicemia (140, 142a, 145)	2										2							
Other puerperal causes	4									1	1		2					
Suicide (163–171)	9									1	1			3	1	2	1	
Homicide (172–175)	1												1					
Automobile accidents [1]	12					1	1				2			1	4	1	2	
Automobile—railroad train and street car collisions																		
Other external causes	29	3			1				1		2	1	2	6	4	6	3	
All other causes	132	44	2			1		5	1		1	2	3	11	12	21	29	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SPRINGFIELD, MASS., all causes	1,719	126	16	9	11	3	19	19	32	22	32	43	144	233	320	380	309	1
Typhoid and paratyphoid fever (1, 2)	1													1				
Measles (7)																		
Scarlet fever (8)	3			1				1					1					
Whooping-cough (9)	7	5	1			1												
Diphtheria (10)	1						1											
Influenza (11)	16	1	1					1			1		2	4		2	4	
Epidemic cerebrospinal meningitis (18)	2				1					1								
Tuberculosis of the respiratory system (23)	46								4	6	9	2	7	10	5	3		
Other forms of tuberculosis (24-32)	13	1		2	2			1		1			1	2	2	1		
Syphilis (34)	5								1				1	1	2			
Cancer and other malignant tumors (45-53)	224									1	1	2	18	30	64	77	31	
Diabetes mellitus (59)	46												1	9	12	15	9	
Cerebral hemorrhage and softening (82a, 83c)	148						1		1				9	24	35	40	37	1
Diseases of the heart (90-95)	453						2	3	7			5	29	63	90	127	127	
Bronchitis (106)	2													1			1	
Bronchopneumonia (107)	46	12		2	1			1	3		1	1	5	3	4	9	4	
Lobar and unspecified pneumonia (108, 109)	39	6	1				1	2	1	1	1	3	6	4	5	3	5	
Diarrhea and enteritis (119, 120)	8	1	4	2	1													
Appendicitis (121)	45			1	1		5	5	5	1	2	3	5	12	3	1	1	
Hernia, intestinal obstruction (122)	16	1											3	2	3	2	5	
Cirrhosis of the liver (124)	9												4	1	2	1	1	
Nephritis (130-132)	141								1	2	1	3	6	15	31	42	40	
Diseases of the female genital organs (130)	3									1	1			1				
Puerperal septicemia (140, 142a, 145)	7									2	2		3					
Other puerperal causes	11									1	2	6	2					
Suicide (163-171)	27								1			2	5	5	9	5		
Homicide (172-175)	3												1	1				
Automobile accidents [1]	30				1		3					4	4	3	5	4	2	4
Automobile—railroad train and street car collisions	1													1				
Other external causes	55				3		2	3	1				10	10	8	7	11	
All other causes	311	99	9	1	1	2	4	2	7	5	6	12	21	29	41	43	29	
WORCESTER, MASS., all causes	2,491	171	30	18	8	7	34	27	36	50	56	60	169	306	461	558	499	1
Typhoid and paratyphoid fever (1, 2)	1								1									
Measles (7)	5	1	1	2			1											
Scarlet fever (8)	7		1	1			3	1					1					
Whooping-cough (9)	7	5	2															
Diphtheria (10)	4			1			1	1					1					
Influenza (11)	11	1				1					1	1	1		1	2	3	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	84						1		4	8	11	12	14	19	9	5	1	
Other forms of tuberculosis (24-32)	22	2	2	5	1		1	1	1		1	1	2	3	1	1		
Syphilis (34)	15									1	1	1	2	5	2	3		
Cancer and other malignant tumors (45-53)	288	1		1				2		2	3	4	26	52	65	79	53	
Diabetes mellitus (59)	69							3					4	6	25	25	6	
Cerebral hemorrhage and softening (82a, 82c)	184										2	1	4	21	51	67	37	1
Diseases of the heart (90-95)	515	1					3	6	3	3	5	6	18	50	87	161	172	
Bronchitis (106)	4						1									2	1	
Bronchopneumonia (107)	122	14	6	2			2	2	2		2	3	5	9	21	15	39	
Lobar and unspecified pneumonia (108, 109)	73	1	2	2				4	2	1		5	4	11	17	8	16	
Diarrhea and enteritis (119, 120)	15	6	2				1							3	1		2	
Appendicitis (121)	48			2	1	3	4		6	2	3	3	7	7	4	6		
Hernia, intestinal obstruction (122)	21	1								1			1	3	5	6	4	
Cirrhosis of the liver (124)	18										1			2	9	5	1	
Nephritis (130-132)	277						2		1	2	4		13	31	66	79	79	
Diseases of the female genital organs (139)	7										1	1	1	2		2		
Puerperal septicemia (140, 142a, 145)	8								1	3	1	3						
Other puerperal causes	19									2	5	3	9					
Suicide (163-171)	31								1	3	4	1	8	5	4	4	1	
Homicide (172-175)	7								1	1		2	1	2				
Automobile accidents [1]	51				2	1	2	2	5	7	2	1	4	12	9	4		
Automobile—railroad train and street car collisions	1														1			
Other external causes	113	1	3	2		2	1	1	3	3	3	3	10	16	17	26	22	
All other causes	464	137	11		4		11	4	5	11	6	9	33	47	66	58	62	
DETROIT, MICH. (WHITE), all causes	10,824	1,044	148	96	74	51	242	134	189	286	336	397	1,293	1,625	1,628	1,805	1,475	1
Typhoid and paratyphoid fever (1, 2)	9						2	1	1	1			3				1	
Measles (7)	48	11	12	6	4	2	13											
Scarlet fever (8)	35		1	3	3	3	14	4	2	2			3					
Whooping-cough (9)	29	18	3	5	1	1	1											
Diphtheria (10)	50		4	4	4	6	20	5	1		1	1	1	2	1			
Influenza (11)	101	12	9	5		1	1		4	4	2	4	14	11	8	14	12	
Epidemic cerebrospinal meningitis (18)	10	3	1	1			1	1		2			1					
Tuberculosis of the respiratory system (23)	571	1	3	1			4	3	37	83	75	62	122	107	49	20	3	1
Other forms of tuberculosis (24-32)	86	5	7	5	3	6	13	3	4	6	6	6	15	2	1	3	1	
Syphilis (34)	56	7							2	1	2	2	11	13	13	5		
Cancer and other malignant tumors (45-53)	1,087	1		2	1	1	6	3	5	10	14	22	141	218	263	270	130	
Diabetes mellitus (59)	278			1			1	2	3		3	1	11	50	87	81	38	
Cerebral hemorrhage and softening (82a, 82c)	610	1		1			1	1	2	1	4	5	27	86	140	178	163	
Diseases of the heart (90-95)	2,583	2	2		4	1	22	25	31	27	28	46	240	442	493	643	577	
Bronchitis (106)	65	7	3				1		1			2	3	5	3	12	28	
Bronchopneumonia (107)	270	97	21	8	6	3	1	4			5	4	22	22	20	25	32	
Lobar and unspecified pneumonia (108, 109)	451	40	15	7	9	4	12	5	9	18	22	33	91	67	45	41	33	
Diarrhea and enteritis (119, 120)	102	72	7	3	2	1	3			1		1	1	2	1	4	4	
Appendicitis (121)	231		1	1	3	2	18	19	21	19	16	24	48	31	16	12		
Hernia, intestinal obstruction (122)	124	9	1	4			1	1		1	3	4	16	21	22	20	21	
Cirrhosis of the liver (124)	121										4	3	20	35	24	27	8	
Nephritis (130-132)	607	1	2	3		1	5	4	3	8	10	11	68	89	123	152	127	
Diseases of the female genital organs (139)	46									7	8	9	10	7	4	1		
Puerperal septicemia (140, 142a, 145)	54								3	10	15	20	6					
Other puerperal causes	87								2	15	26	12	31	1				
Suicide (163-171)	248								4	10	13	25	70	64	34	20	8	
Homicide (172-175)	75				1		1		6	7	14	10	20	11	4	1		
Automobile accidents [1]	292			3	3	4	20	18	13	15	14	19	41	63	29	31	19	
Automobile—railroad train and street car collisions	17									1	2	1	7	6				
Other external causes	386	15	15	13	9	3	15	9	6	16	12	13	54	54	46	42	64	
All other causes	2,095	742	41	20	21	12	66	26	29	21	37	57	196	216	202	203	206	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DETROIT, MICH. (COLORED), all causes	1,617	145	33	17	16	6	32	20	57	106	134	179	325	270	152	83	42	
Typhoid and paratyphoid fever (1, 2)	1		1															
Measles (7)	3	1	1	1														
Scarlet fever (8)	3						3											
Whooping-cough (9)	14	6	2	3	1	1			1									
Diphtheria (10)	1							1										
Influenza (11)	18	4							2		1		5	3	1	2		
Epidemic cerebrospinal meningitis (18)	5		1			1	1						1		1			
Tuberculosis of the respiratory system (23)	305	2	4		2		2	4	35	48	50	46	66	32	10	4		
Other forms of tuberculosis (24-32)	41	2	3	3	4	2	5	3	3	4	4	3	1	3	1			
Syphilis (34)	57	2	1							3	7	7	17	10	7	1	2	
Cancer and other malignant tumors (45-53)	60										4		15	21	13	5	2	
Diabetes mellitus (59)	18											1	9	3	4	1		
Cerebral hemorrhage and softening (82a, 82c)	43		1								1	3	5	12	10	9	2	
Diseases of the heart (90-95)	317		3	2	1		3	4	1	3	15	27	67	81	60	33	17	
Bronchitis (106)	4	1										1		1		1		
Bronchopneumonia (107)	50	22	4	3	2		1			1		7	5	3		2		
Lobar and unspecified pneumonia (108, 109)	91	5	6	2		1	3		2	7	9	15	15	19	3	3	1	
Diarrhea and enteritis (119, 120)	11	4	1		2							1	1	1			1	
Appendicitis (121)	25						1	2	1	3	3	5	5	4	1			
Hernia, intestinal obstruction (122)	19	1							1	1	1	3	4	3	3	1	1	
Cirrhosis of the liver (124)	7									1		1	1	1	1	1	1	
Nephritis (130-132)	98								1	1	5	7	19	29	22	6	8	
Diseases of the female genital organs (139)	20								1	3	4	5	5	2				
Puerperal septicemia (140, 142a, 145)	5								1	3	1							
Other puerperal causes	18								1	3	5	7	2					
Suicide (163-171)	15									2		3	3	1	1			
Homicide (172-175)	59								1	14	9	13	17	4	1			
Automobile accidents [1]	15				1					1	1	3	2	7				
Automobile—railroad train and street car collisions	1												1					
Other external causes	45	3	3	1	2	1	4	1	1	2	4	4	8	6	2	3		
All other causes	248	92	2	2	1		9	5	5	6	10	17	46	24	11	13	5	
FLINT, MICH., all causes	1,320	184	21	6	6	6	30	19	28	39	43	63	138	162	192	187	195	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1				1													
Scarlet fever (8)	5	1				1	1				1		1					
Whooping-cough (9)	9	6	2			1												
Diphtheria (10)	10	1	1	2		1	2		1		1			1				
Influenza (11)	23		1				1		1	1	1	6	3	2	3	1	3	
Epidemic cerebrospinal meningitis (18)	1						1											
Tuberculosis of the respiratory system (23)	49						1		3	4	4	12	13	10		1	1	
Other forms of tuberculosis (24-32)	11	1	2	1			2	1		1			1	2				
Syphilis (34)	7	1											2	1	2	1		
Cancer and other malignant tumors (45-53)	109						1	1	1	2	2	4	14	14	27	29	14	
Diabetes mellitus (59)	25							1					1	5	9	5	4	
Cerebral hemorrhage and softening (82a, 82c)	64												2	4	19	22	17	
Diseases of the heart (90-95)	258	1					2	1		3	5	2	18	36	51	61	77	1
Bronchitis (106)	7	3	1													1	2	
Bronchopneumonia (107)	40	21	2	1		1	1						3	2	3		6	
Lobar and unspecified pneumonia (108, 109)	61	3			1		1	1	3	3	1	7	11	9	9	8	4	
Diarrhea and enteritis (119, 120)	10	5	3								1						1	
Appendicitis (121)	38					1	8	2	5	4	2	1	5	6	2	1	1	
Hernia, intestinal obstruction (122)	19	3							1		2	1	1	5	2	3	1	
Cirrhosis of the liver (124)	5													3		2		
Nephritis (130-132)	81	3						1			1	5	13	9	14	20	15	
Diseases of the female genital organs (139)	6											2	2		1	1		
Puerperal septicemia (140, 142a, 145)	9									4		2	3					
Other puerperal causes	15									1	4	3	7					
Suicide (163-171)	25								2	3		2	5	6	5	1	1	
Homicide (172-175)	6									1	1		1	1	2			
Automobile accidents [1]	56		2		1		4	3	7	5	5	4	8	2	10	3	2	
Automobile—railroad train and street car collisions	3								1		1			1				
Other external causes	60	3	3	1	1	1	1	3	3	3	2	6	6	5	9	3	10	
All other causes	307	132	4	1	2		4	5		4	9	6	18	38	24	24	36	
GRAND RAPIDS, MICH., all causes	1,597	139	8	6	4	3	17	9	22	24	37	32	102	161	242	371	418	2
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	8	7		1														
Diphtheria (10)	1		1															
Influenza (11)	34	2	1					1	1	1	2	1	6	3	4	6	6	
Epidemic cerebrospinal meningitis (18)	2	1			1													
Tuberculosis of the respiratory system (23)	30							1	1	6	5	2	2	9	3	1		
Other forms of tuberculosis (24-32)	8						1		2			1	1	1		2		
Syphilis (34)	11		1		1							1	2	1	5			
Cancer and other malignant tumors (45-53)	217						1				4	1	15	29	50	68	49	
Diabetes mellitus (59)	32								1					3	9	14	5	
Cerebral hemorrhage and softening (82a, 82c)	147												1	5	16	21	41	63
Diseases of the heart (90-95)	423	1							2	1	2	3	13	42	71	131	157	
Bronchitis (106)	3															1	2	
Bronchopneumonia (107)	30	10	2	1									1			7	9	
Lobar and unspecified pneumonia (108, 109)	35	4	1	1	1	1	2			2		3	3	4	3	7	3	
Diarrhea and enteritis (119, 120)	9	6	1												1		1	
Appendicitis (121)	24				1	1	1		1	3	2	2	5	3	2	2	1	
Hernia, intestinal obstruction (122)	22	1				1					2		4	2	6	3	3	
Cirrhosis of the liver (124)	5										1		1	1		2		
Nephritis (130-132)	95						1	1			2	1	6	8	21	23	31	1
Diseases of the female genital organs (139)	5									1			3		1			
Puerperal septicemia (140, 142a, 145)	7									1	1	2	3					
Other puerperal causes	10								1	1	2	3	3					
Suicide (163-171)	21								1	1	2	1	4	6	4	1	1	
Homicide (172-175)	7	1					1	1	1	1	1					1		
Automobile accidents [1]	23		1				1		3	2	2			4	1	4	5	
Automobile—railroad train and street car collisions	6								1			2	1	2				
Other external causes	69	1		1			3	4	2	2	5	4	7	7	5	10	17	1
All other causes	312	105		2			6	1	5	1	4	4	17	20	35	47	65	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DULUTH, MINN., all causes	1,061	77	5	4	2	5	13	7	22	31	24	28	93	140	168	244	198	
Typhoid and paratyphoid fever (1, 2)	1														1			
Measles (7)																		
Scarlet fever (8)	3			1			1	1										
Whooping-cough (9)	8	4	2	1			1											
Diphtheria (10)																		
Influenza (11)	16								3	1	1	3		1	4	1	2	
Epidemic cerebrospinal meningitis (18)	3	1		1						1								
Tuberculosis of the respiratory system (23)	43					1	1		2	5	10	1	7	11	3	1	1	
Other forms of tuberculosis (24–32)	9	1							1	3		1		1	1	1		
Syphilis (34)	12	1	1										2	3	4	1		
Cancer and other malignant tumors (45–53)	142								1	3	4	2	15	24	28	39	26	
Diabetes mellitus (59)	15						1							1	6	4	3	
Cerebral hemorrhage and softening (82a, 82c)	66												5	9	9	22	21	
Diseases of the heart (90–95)	262			1				1				3	13	30	50	95	69	
Bronchitis (106)	6														1	2	3	
Bronchopneumonia (107)	26	3	1				1		2	2		2	2	1	4	2	6	
Lobar and unspecified pneumonia (108, 109)	24								1	3	2	2	2	6	3	3	2	
Diarrhea and enteritis (119, 120)	3	2										1						
Appendicitis (121)	11					1			1	2			4	2	1			
Hernia, intestinal obstruction (122)	12					1							3	2	2	4		
Cirrhosis of the liver (124)	15											1	3	3	2	4	2	
Nephritis (130–132)	45					1	1			2	1	2	3	3	8	15	9	
Diseases of the female genital organs (139)	5								1				1	2			1	
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes	4									1		2	1					
Suicide (163–171)	27									1		2	7	5	7	4	1	
Homicide (172–175)	4									1		1	2					
Automobile accidents [1]	23						2		1	2	1	1	3	2	4	6	1	
Automobile—railroad train and street car collisions	4										1		1	1	1			
Other external causes	43		1				3	1	3	2	2	4	2	5	6	6	8	
All other causes	229	65			2	1	2	4	6	2	2		17	28	23	34	43	
MINNEAPOLIS, MINN., all causes	5,059	350	40	23	24	14	55	54	61	96	98	124	367	644	890	1,173	1,043	3
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	15	4	2	2	2		3	1		1								
Scarlet fever (8)	9			1			4	1					2	1				
Whooping-cough (9)	8	2	2		2	2												
Diphtheria (10)	6	1	2			1			1					1				
Influenza (11)	45	1	2		1		1	1		1	2		5	3	8	9	11	
Epidemic cerebrospinal meningitis (18)	6	2					2		1		1							
Tuberculosis of the respiratory system (23)	72			1				1	1	5	9	2	16	11	15	8	3	
Other forms of tuberculosis (24–32)	32	1	4			2	1	2		1	2	3	6	2	4	4		
Syphilis (34)	68	3						1			1	4	11	19	18	9	2	
Cancer and other malignant tumors (45–53)	815		1		1		4	3	3	3	8	7	53	122	222	257	131	
Diabetes mellitus (59)	106								2	2	2	2	9	15	17	40	17	
Cerebral hemorrhage and softening (82a, 82c)	306									1	1	2	6	36	65	107	88	
Diseases of the heart (90–95)	1,103				1		2	5	3	8	7	11	38	135	206	335	351	1
Bronchitis (106)	13	1	1		1								1	1	1	2	5	
Bronchopneumonia (107)	203	33	4		2	1	2	3	2	3	1	5	15	17	24	32	58	1
Lobar and unspecified pneumonia (108, 109)	196	4	3	1				1	2	8	1	6	21	30	43	44	32	
Diarrhea and enteritis (119, 120)	19	12	1								1			3	1		1	
Appendicitis (121)	83			1	2	1	3	5	7	5	6	6	11	15	10	8	3	
Hernia, intestinal obstruction (122)	44	4					1			1	2	3	2	6	7	11	7	
Cirrhosis of the liver (124)	36			1			1				1		2	5	12	7	7	
Nephritis (130–132)	214						2	1	1	1	2	2	15	24	39	60	66	1
Diseases of the female genital organs (139)	18										3	5	2	4	1	1	2	
Puerperal septicemia (140, 142a, 145)	15								1	1	2	5	6					
Other puerperal causes	22								2	3	5	5	7					
Suicide (163–171)	106									9	8	10	23	26	14	12	4	
Homicide (172–175)	27					1		1	4	6	4	5	2	2	1	1		
Automobile accidents [1]	98		1		2		4		8	6	8	5	13	10	16	18	7	
Automobile—railroad train and street car collisions	5												1	2		2		
Other external causes	280	2	6	3	1	2	7	4	9	8	5	7	24	36	37	53	76	
All other causes	1,088	280	11	13	9	4	18	24	14	23	16	29	75	118	129	153	172	
ST. PAUL, MINN., all causes	2,897	206	23	10	12	5	35	24	39	53	79	71	252	322	485	653	628	
Typhoid and paratyphoid fever (1, 2)	4								1				1	1		1		
Measles (7)	14	3	5		1		5											
Scarlet fever (8)	4						3					1						
Whooping-cough (9)	8	7	1															
Diphtheria (10)	4			2	1								1					
Influenza (11)	41	1	1						1	2	1	2	5	6	5	6	11	
Epidemic cerebrospinal meningitis (18)	2							1				1						
Tuberculosis of the respiratory system (23)	98	1	1	1			1		6	7	10	10	13	22	13	8	5	
Other forms of tuberculosis (24–32)	13						2			2	1		2	2	3	1		
Syphilis (34)	18	3									1		5	2	5	2		
Cancer and other malignant tumors (45–53)	397	1					2	2		3	5	2	29	51	101	122	79	
Diabetes mellitus (59)	69										1	1	5	5	14	34	9	
Cerebral hemorrhage and softening (82a, 82c)	202										1	4	8	22	47	57	63	
Diseases of the heart (90–95)	652		1					2	1	6	5	9	36	56	110	195	231	
Bronchitis (106)	12	1											1	2	1		7	
Bronchopneumonia (107)	93	16	3		3		2	2	1	3	2	1	3	8	10	9	30	
Lobar and unspecified pneumonia (108, 109)	76	3							1	2	3	1	15	8	12	18	13	
Diarrhea and enteritis (119, 120)	18	8		1	1				1	1			2	1	3			
Appendicitis (121)	50				1		3	2	5	4	3	6	7	7	6	3	3	
Hernia, intestinal obstruction (122)	34	2		1							1	2	1	6	10	6	5	
Cirrhosis of the liver (124)	25											1	2	5	7	5	5	
Nephritis (130–132)	139								2	2	2	4	14	14	28	30	43	
Diseases of the female genital organs (139)	11										1	2	4	2	2			
Puerperal septicemia (140, 142a, 145)	19								1	3	9	3	3					
Other puerperal causes	14								2	1	3	1	6	1				
Suicide (163–171)	37							1		1	2	1	8	10	7	5	2	
Homicide (172–175)	8	1								1		2	2	2				
Automobile accidents [1]	70		1		2	1	3	1	3	4	5	2	12	10	9	15	2	
Automobile—railroad train and street car collisions	4								1	1			1		1			
Other external causes	155	2	3	3	1	3	4	6	3	4	5	7	17	17	20	33	27	
All other causes	606	157	7	2	2	1	10	7	10	6	17	9	49	62	71	103	93	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,276	231	44	21	15	18	73	46	57	99	114	134	380	603	762	880	789	10
Typhoid and paratyphoid fever (1, 2)	8					1	1		1	1	1		1	2				
Measles (7)	14	4	7	1		1		1										
Scarlet fever (8)	20		1	2		3	11			2				1				
Whooping-cough (9)	2	1			1													
Diphtheria (10)	11		3	1			6				1							
Influenza (11)	37	1	1			1	1		2	1	1		1	8	7	5	8	
Epidemic cerebrospinal meningitis (18)	15						1		2	1	2		2	5	2			
Tuberculosis of the respiratory system (23)	155	1	3					1	5	12	17	18	31	25	24	12	5	1
Other forms of tuberculosis (24–32)	16		1		1					1	3	1	4		5			
Syphilis (34)	20	1	1			1						1	4	4	6	2		
Cancer and other malignant tumors (45–53)	490	2					3		2	2	6	9	44	92	140	116	74	
Diabetes mellitus (59)	97						1		1	1	2	1	3	9	30	27	21	1
Cerebral hemorrhage and softening (82a, 82c)	248	1						2		2		2	7	20	42	89	82	1
Diseases of the heart (90–95)	945		2				2	5	2	7	10	14	58	139	177	267	259	3
Bronchitis (106)	10						1	1						1	2	2	3	
Bronchopneumonia (107)	234	38	5	2	1		8	3	2	3	3	4	16	25	31	43	50	
Lobar and unspecified pneumonia (108, 109)	217	5	5	1		2	3	2	5	5	8	9	22	37	33	42	38	
Diarrhea and enteritis (119, 120)	30	18	5	1	1	1	1			2				1				
Appendicitis (121)	84				1		5	9	5	2	7	9	16	14	9	3	4	
Hernia, intestinal obstruction (122)	52	5	1		1		1	1		1	1	1	6	12	10	8	3	1
Cirrhosis of the liver (124)	45												8	7	12	14	4	
Nephritis (130–132)	317		1				2	1		2	5	3	27	35	61	86	94	
Diseases of the female genital organs (139)	16										1	2	5	7			1	
Puerperal septicemia (140, 142a, 145)	23								3	5	7	7	1					
Other puerperal causes	10								1	1	1	3	4					
Suicide (163–171)	108								2	3	10	6	18	23	30	9	6	1
Homicide (172–175)	45								3	5	4	8	7	10	4	4		
Automobile accidents [1]	107					2	3	5	3	14	3	3	16	13	16	21	8	
Automobile—railroad train and street car collisions	5									1			2	2				
Other external causes	165	1	2	1	3		4	5	4	8	4	6	16	27	26	29	28	1
All other causes	730	153	6	12	6	6	19	10	14	17	17	27	61	84	95	101	101	1
KANSAS CITY, MO. (COLORED), all causes	874	58	15	2	4	2	8	3	24	46	31	55	137	172	178	76	56	7
Typhoid and paratyphoid fever (1, 2)	2						1							1				
Measles (7)	1			1														
Scarlet fever (8)																		
Whooping-cough (9)	4	3			1													
Diphtheria (10)	1									1								
Influenza (11)	10									1			2	5	2			
Epidemic cerebrospinal meningitis (18)	6		1					1				1	1	1	1			
Tuberculosis of the respiratory system (23)	101		1						9	14	12	11	22	21	9	2		
Other forms of tuberculosis (24–32)	23	3	2						4	2			4	3	5			
Syphilis (34)	16	1								1	1	2	5	4	1	1		
Cancer and other malignant tumors (45–53)	50										1	2	4	19	12	6	6	
Diabetes mellitus (59)	8												2	2	2	2		
Cerebral hemorrhage and softening (82a, 82c)	34	1									1		4	11	12	1	3	1
Diseases of the heart (90–95)	203						1	1		3	2	5	31	40	69	30	19	2
Bronchitis (106)																		
Bronchopneumonia (107)	31	11	4	1	1				2			3	2	1	2	4		
Lobar and unspecified pneumonia (108, 109)	51	3	1						1	2	2		10	11	16	3	2	
Diarrhea and enteritis (119, 120)	8	5	3															
Appendicitis (121)	11					1	1			1	1	1	3	2	1			
Hernia, intestinal obstruction (122)	7												1	5		1		
Cirrhosis of the liver (124)	2														1	1		
Nephritis (130–132)	84	1								1		1	12	18	21	13	15	2
Diseases of the female genital organs (139)	1												1					
Puerperal septicemia (140, 142a, 145)	2								1	1								
Other puerperal causes	1									1								
Suicide (163–171)	2											1				1		
Homicide (172–175)	50								3	9	6	12	10	8	2			
Automobile accidents [1]	14						2		1		1	1	1	3	3		1	1
Automobile—railroad train and street car collisions	3									1			2					
Other external causes	26	2	2		1	1	1		1	1	2	1	5	3	3	2		1
All other causes	122	28	1		1		2	1	2	7	2	14	15	14	16	9	10	
ST. LOUIS, MO. (WHITE), all causes	8,714	439	58	42	37	25	105	69	101	172	160	206	658	1,178	1,794	2,102	1,555	13
Typhoid and paratyphoid fever (1, 2)	17		1		1	1		1	5	1	1	1	2	2	1			
Measles (7)	10	3	1	3	1		2											
Scarlet fever (8)	14			1	1	2	6	2		1			1					
Whooping-cough (9)	4	1	1		2													
Diphtheria (10)	32		3	4	3	2	13	2	3		1		1					
Influenza (11)	56	4	4	2	2					2		4	10	8	4	5	11	
Epidemic cerebrospinal meningitis (18)	9		2			1	1	1					1	1		1		1
Tuberculosis of the respiratory system (23)	234	1		1			1		7	21	22	23	44	44	39	26	5	
Other forms of tuberculosis (24–32)	26	1	1		2	1	1	1		2	1	1	7	3	3	2		
Syphilis (34)	90	10							1	1	1	2	18	22	20	11	4	
Cancer and other malignant tumors (45–53)	1,096		1	3	3	1	3	3	2	4	5	17	75	209	338	310	122	
Diabetes mellitus (59)	250						1	1	4	3	2	2	12	35	64	89	37	
Cerebral hemorrhage and softening (82a, 82c)	449		1			1			1		1	6	13	56	108	148	114	
Diseases of the heart (90–95)	2,151	3	1	1	2	1	8	10	11	18	18	21	96	238	446	674	601	2
Bronchitis (106)	25	6						1			1		1		1	7	8	
Bronchopneumonia (107)	294	63	7	4	1	2	4	1	2	4	7	7	9	23	43	49	67	1
Lobar and unspecified pneumonia (108, 109)	388	21	9	5	5	1	10	1	5	10	13	20	38	44	77	76	51	2
Diarrhea and enteritis (119, 120)	46	34	2	1	2						1			3		3		
Appendicitis (121)	132			2		1	1	11	10	11	11	7	17	24	25	9	3	
Hernia, intestinal obstruction (122)	66	2	1				1	1	2	1	1	2	1	7	14	24	8	1
Cirrhosis of the liver (124)	150							2		1	1	2	17	34	47	33	13	
Nephritis (130–132)	1,009	1	1		2		1	3	6	9	7	13	57	126	210	327	245	1
Diseases of the female genital organs (139)	27							1	1	1	3	2	10	6	2	1		
Puerperal septicemia (140, 142a, 145)	27								2	11	5	3	6					
Other puerperal causes	24									4	7	7	5	1				
Suicide (163–171)	180								2	12	8	14	26	36	37	36	8	1
Homicide (172–175)	60	3			1				5	6	5	7	12	7	10		4	
Automobile accidents [1]	131			2	1	1	8	4	3	10	3	4	20	23	17	22	13	
Automobile—railroad train and street car collisions	4									1			2	1				
Other external causes	327	4	4	6	2	2	6	10	5	9	5	10	29	37	56	62	79	1
All other causes	1,386	282	18	7	6	8	38	13	24	29	30	31	128	188	232	187	162	3

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,834	105	11	8	6	3	17	21	32	85	116	122	326	391	326	168	89	8
Typhoid and paratyphoid fever (1, 2)	1													1				
Measles (7)																		
Scarlet fever (8)	2	1										1						
Whooping-cough (9)	4	3		1														
Diphtheria (10)	2		1						1									
Influenza (11)	13	1			1							1	3	4		2	1	
Epidemic cerebrospinal meningitis (18)	2	1										1						
Tuberculosis of the respiratory system (23)	226	1	1	2			1	2	13	35	43	23	45	36	16	2	4	2
Other forms of tuberculosis (24–32)	27		1	1	1	1	2	3	2	3	3	1	2	4	1	2		
Syphilis (34)	32	5										5	9	8	3	2		
Cancer and other malignant tumors (45–53)	132								1		2	7	29	40	27	21	5	
Diabetes mellitus (59)	24									1			3	10	6	2	2	
Cerebral hemorrhage and softening (82a, 82c)	93	1									1	4	19	27	23	13	5	
Diseases of the heart (90–95)	382							1	2	3	7	18	53	88	108	67	33	2
Bronchitis (106)	4	2															2	
Bronchopneumonia (107)	50	20	2			1	1			3	1		8	7	6		1	
Lobar and unspecified pneumonia (108, 109)	141	7	4		2		2		3	9	14	12	33	25	20	6	4	
Diarrhea and enteritis (119, 120)	10	6		1	2								1					
Appendicitis (121)	28						2	1	1	2	6	6	5	3	1		1	
Hernia, intestinal obstruction (122)	13	1	1								2	1	2	1	4	1		
Cirrhosis of the liver (124)	12											1	7	2	1	1		
Nephritis (130–132)	222							1		2	1	6	28	67	64	27	24	2
Diseases of the female genital organs (139)	5											2	1	2				
Puerperal septicemia (140, 142a, 145)	8								2	2	1	1	2					
Other puerperal causes	8									2	3	1	2					
Suicide (163–171)	6											1	3	1	1			
Homicide (172–175)	82							2	2	6	15	15	25	15	2			
Automobile accidents [1]	18						1	1	1	1	2		4	1	2	4	1	
Automobile—railroad train and street car collisions	1									1								
Other external causes	51	1		2		1	4	7		5	4	4	7	8	7	1		
All other causes	235	55	1	1			4	3	4	10	11	11	35	41	34	17	6	2
OMAHA, NEBR., all causes	2,631	187	24	14	7	11	42	31	48	67	75	76	262	343	429	553	461	1
Typhoid and paratyphoid fever (1, 2)	2							1						1				
Measles (7)	6		2				4											
Scarlet fever (8)	4						1	1	1		1							
Whooping-cough (9)	8	6	1	1														
Diphtheria (10)	4					1	1		1				1					
Influenza (11)	41	3	1			2			2		1	5	4	1	6	7	9	
Epidemic cerebrospinal meningitis (18)	9		2	1		1	1	1		1			1	1				
Tuberculosis of the respiratory system (23)	77						1	2	5	7	10	6	19	14	6	5	2	
Other forms of tuberculosis (24–32)	10	2		1	1			1				1	1	2	1			
Syphilis (34)	21	3							1			1	2	10	2	2		
Cancer and other malignant tumors (45–53)	319			1			4		3	2	5	2	33	42	79	91	57	
Diabetes mellitus (59)	57						1	1		2	1	1	2	12	11	18	8	
Cerebral hemorrhage and softening (82a, 82c)	169	2									1		7	16	36	60	47	
Diseases of the heart (90–95)	569	2	1				1	4	2	7	3	10	43	78	122	144	151	1
Bronchitis (106)	6					1				1		1			2	1		
Bronchopneumonia (107)	53	14	2	2		1					1		7	3	4	6	13	
Lobar and unspecified pneumonia (108, 109)	129	7	2	1	1		3	1	3	5	6	4	11	16	14	34	21	
Diarrhea and enteritis (119, 120)	13	4	1	2		1							1	1	1	2		
Appendicitis (121)	44				1		2	4	5	5	3	5	6	6	4	3		
Hernia, intestinal obstruction (122)	37	1	2			1	1		1			3	4	9	9	5	1	
Cirrhosis of the liver (124)	20										1		3	4	6	3	3	
Nephritis (130–132)	156						3		4		3	1	10	17	32	50	36	
Diseases of the female genital organs (139)	14									1	3		5	1	3	1		
Puerperal septicemia (140, 142a, 145)	8								2	3	1		2					
Other puerperal causes	18									5	5	3	5					
Suicide (163–171)	63								2	4	6	7	11	11	13	6	3	
Homicide (172–175)	18	1							1	2	3	1	4	5	1			
Automobile accidents [1]	58		1			1	6	1	3	7	5	1	9	6	7	8	3	
Automobile—railroad train and street car collisions	4														1	2	1	
Other external causes	136	2	1	1	2	1	2	8	5	2	3	5	19	23	15	20	27	
All other causes	558	140	8	4	2	1	11	6	7	13	13	19	52	64	54	85	79	
CAMDEN, N. J., all causes	1,536	160	18	17	9	4	34	21	43	41	44	40	145	204	275	276	205	
Typhoid and paratyphoid fever (1, 2)	4									2			2					
Measles (7)	1		1															
Scarlet fever (8)	7			1	1		2				1		2					
Whooping-cough (9)	1						1											
Diphtheria (10)	7	1		1		1	4											
Influenza (11)	20	2	1	1			1				1		2		4	5	3	
Epidemic cerebrospinal meningitis (18)	2						1		1									
Tuberculosis of the respiratory system (23)	36							2	2	5	5	4	7	4	6	1		
Other forms of tuberculosis (24–32)	11	2	1				2		1				2	2	1			
Syphilis (34)	14	2								1	1		3	3	3	1		
Cancer and other malignant tumors (45–53)	147				1				1			1	14	24	39	41	26	
Diabetes mellitus (59)	36													9	13	11	3	
Cerebral hemorrhage and softening (82a, 82c)	69												4	7	21	17	20	
Diseases of the heart (90–95)	318					1	3	4	1		5	7	21	42	73	92	69	
Bronchitis (106)																		
Bronchopneumonia (107)	51	24	8	3	1			1					2	2	4		6	
Lobar and unspecified pneumonia (108, 109)	81	10	1	3			2		1	4	1	5	15	13	10	10	6	
Diarrhea and enteritis (119, 120)	19	13	2	1			2				1							
Appendicitis (121)	21			1	2		2	1	4		1	1	2	2	2	2	1	
Hernia, intestinal obstruction (122)	20	1									1		1	3	5	8	1	
Cirrhosis of the liver (124)	14											1	1	5	4	3		
Nephritis (130–132)	156	1		1				1	4	1	3	2	12	18	35	37	41	
Diseases of the female genital organs (139)	6									1	1	2	2					
Puerperal septicemia (140, 142a, 145)	13								2	3	4	2	2					
Other puerperal causes	11								3	2	2	1	3					
Suicide (163–171)	32										2	1	4	10	10	4	1	
Homicide (172–175)	25	1							1	6	4	3	5	2	1	1	1	
Automobile accidents [1]	80			1	1	1	6	2	4	9	3	3	11	12	13	9	5	
Automobile—railroad train and street car collisions	2													1		1		
Other external causes	60		2	2			1	3	4	2	2		6	15	6	11	6	
All other causes	272	103	2	2	3	1	7	7	14	5	6	7	22	30	25	22	16	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ELIZABETH, N. J., all causes	1,244	100	17	7	8	2	24	17	18	23	24	46	135	194	242	238	149	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	2			1			1											
Scarlet fever (8)	1				1													
Whooping-cough (9)																		
Diphtheria (10)																		
Influenza (11)	27	1	1		1		1		1	2		2	6	1	4	4	3	
Epidemic cerebrospinal meningitis (18)	3	1	1								1							
Tuberculosis of the respiratory system (23)	22	1	1						1	3	2	4	3	4	3			
Other forms of tuberculosis (24–32)	5							1				1	3					
Syphilis (34)	8	1												3	4			
Cancer and other malignant tumors (45–53)	141											1	14	41	34	39	12	
Diabetes mellitus (59)	37										1	1	1	1	9	20	4	
Cerebral hemorrhage and softening (82a, 82c)	106						1		1			1	8	18	27	26	24	
Diseases of the heart (90–95)	283						2	3	4	5	5	5	18	49	61	72	59	
Bronchitis (106)	4												1			3		
Bronchopneumonia (107)	52	12	7	1	2		1		1	1		3	1	4	7	8	4	
Lobar and unspecified pneumonia (108, 109)	60	4	2	2			3	1		2	1	4	6	14	10	11		
Diarrhea and enteritis (119, 120)	11	4			1		1					1		1	1	1	1	
Appendicitis (121)	16						3	5	1				2	1	2	1	1	
Hernia, intestinal obstruction (122)	18	2		1								1	1	6	3	3	1	
Cirrhosis of the liver (124)	13												3	2	6	2		
Nephritis (130–132)	70						1	1	2			3	8	14	11	20	10	
Diseases of the female genital organs (139)	3										1		1		1			
Puerperal septicemia (140, 142a, 145)	7									1	2	4						
Other puerperal causes	7										2	1	4					
Suicide (163–171)	16									1	1	2	6	2	4			
Homicide (172–175)	5											1	3			1		
Automobile accidents [1]	44			1	2	1	3	2	3	1	1	1	9	8	8	4		
Automobile—railroad train and street car collisions																		
Other external causes	62	1				1	2	1	1	2	3	4	12	9	16	3	7	
All other causes	221	73	5	1	1		5	3	3	5	4	6	25	16	31	20	23	
JERSEY CITY, N. J., all causes	3,466	282	36	29	13	12	58	24	60	84	105	120	333	594	720	618	378	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)	1			1														
Scarlet fever (8)	1				1													
Whooping-cough (9)	6	4	1			1												
Diphtheria (10)	8	1	1	1	4		1											
Influenza (11)	23			1			1					4	4	2	5	5	1	
Epidemic cerebrospinal meningitis (18)	4	2	1				1											
Tuberculosis of the respiratory system (23)	163			1			1		9	23	20	16	22	38	28	5		
Other forms of tuberculosis (24–32)	19	1	4	2			3			1	2	2	3				1	
Syphilis (34)	31	2					1				1	1	5	11	7	2	1	
Cancer and other malignant tumors (45–53)	445		1				1		3	4	2	7	41	107	143	101	35	
Diabetes mellitus (59)	115								1	1		1	4	16	44	35	13	
Cerebral hemorrhage and softening (82a, 82c)	193									1	2		11	30	47	52	50	
Diseases of the heart (90–95)	907					1	9	5	11	13	17	16	74	165	214	237	145	
Bronchitis (106)	5	1							1						1		2	
Bronchopneumonia (107)	145	38	7	6		3	2	4	3	3	3	4	6	14	20	16	16	
Lobar and unspecified pneumonia (108, 109)	154	8	5	5		1	4	3	8	4	10	5	21	33	23	16	8	
Diarrhea and enteritis (119, 120)	52	37	5	3			2						2	1	1		1	
Appendicitis (121)	57			2	2	2	2	4	5	1	4	5	13	9	6	1	1	
Hernia, intestinal obstruction (122)	43	3	1							2		1	3	5	11	12	5	
Cirrhosis of the liver (124)	34										1	2	3	8	14	6		
Nephritis (130–132)	216			1			1	1		3	1	3	15	31	55	56	49	
Diseases of the female genital organs (139)	12									2	3		1	4	2			
Puerperal septicemia (140, 142a, 145)	10									3	1	3	3					
Other puerperal causes	18								1	3	3	7	3	1				
Suicide (163–171)	28										4	4	8	6	3	2	1	
Homicide (172–175)	13									1	5	3	2	2				
Automobile accidents [1]	64				2	1	9		4	3	2	8	8	9	9	9		
Automobile—railroad train and street car collisions	2									1					1			
Other external causes	151	3	3	4		1	8	1	7	4	5	10	27	27	25	9	17	
All other causes	545	182	7	2	4	2	12	6	7	11	18	18	54	75	61	54	32	
NEWARK, N. J. (WHITE), all causes	4,226	264	42	21	23	19	60	48	56	76	84	115	397	658	894	879	590	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	7	1	1	2	2		1											
Scarlet fever (8)	2				1	1												
Whooping-cough (9)	4	2			2													
Diphtheria (10)	2		2															
Influenza (11)	35	1	3				1			1	4	2	2	6	8	5	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	121							2	3	5	7	11	22	35	27	8	1	
Other forms of tuberculosis (24–32)	25	3	3			1	2	2	1		2	2	5		3	1		
Syphilis (34)	15	2										1	2	6	3	1		
Cancer and other malignant tumors (45–53)	531								4	4	7	4	39	108	170	139	56	
Diabetes mellitus (59)	143							1	1			2	8	18	53	40	20	
Cerebral hemorrhage and softening (82a, 82c)	241								1	1	1	2	8	32	60	71	65	
Diseases of the heart (90–95)	1,103	2			1	2	14	8	13	10	12	17	76	156	243	314	235	
Bronchitis (106)	16	1									1	1		1	3	6	3	
Bronchopneumonia (107)	113	30	8	5	5	1		1	2	2		3	4	7	14	16	15	
Lobar and unspecified pneumonia (108, 109)	189	20	10	3	1	1	4	1	3	6	5	10	25	33	36	23	8	
Diarrhea and enteritis (119, 120)	23	15	1				1			1		1		2		1	1	
Appendicitis (121)	98	2		2	3	2	7	5	1	7	3	8	19	20	14	5		
Hernia, intestinal obstruction (122)	61	3	1				1			1	1	2	7	9	17	12	7	
Cirrhosis of the liver (124)	37										1	1	5	12	5	11	2	
Nephritis (130–132)	302	1	1			1		3	4	2	5	5	20	41	66	90	63	
Diseases of the female genital organs (139)	13										2		3	5	3			
Puerperal septicemia (140, 142a, 145)	13								1		5	4	3					
Other puerperal causes	12								2		2		8					
Suicide (163–171)	80									3	5	4	14	23	19	10	2	
Homicide (172–175)	23	1							1	6	1	3	6	4	1			
Automobile accidents [1]	90	1		2	1	3	7	6	3	4	1	6	13	16	13	11	3	
Automobile—railroad train and street car collisions																		
Other external causes	198	6	2	2	1		5	6	5	7	7	11	26	31	36	23	30	
All other causes	728	173	10	5	6	7	17	13	11	16	12	15	81	93	100	92	77	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEWARK, N. J. (COLORED), all causes	695	79	14	6	5	3	11	11	16	28	48	62	134	125	75	57	21	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)	1			1														
Scarlet fever (8)																		
Whooping-cough (9)	1	1																
Diphtheria (10)																		
Influenza (11)	3									1			2					
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	110	1					1	4	5	13	15	19	30	14	5	3		
Other forms of tuberculosis (24–32)	18		4		1	2			2		3	2	1	3				
Syphilis (34)	24	2								3	2	1	9	3	3	1		
Cancer and other malignant tumors (45–53)	39				1				1				10	13	9	5		
Diabetes mellitus (59)	7										2			1	1	2	1	
Cerebral hemorrhage and softening (82a, 82c)	23												2	8	6	2	5	
Diseases of the heart (90–95)	137			1		1	2	2	2	2	6	8	25	36	20	25	7	
Bronchitis (106)																		
Bronchopneumonia (107)	20	9	3	1									1	4	1	1		
Lobar and unspecified pneumonia (108, 109)	60	8	5	3	1		1	1	1	2	3	5	13	8	7	1	1	
Diarrhea and enteritis (119, 120)	9	8											1					
Appendicitis (121)	9						3		1			2	2		1			
Hernia, intestinal obstruction (122)	9	1										1	2	3	1		1	
Cirrhosis of the liver (124)	4												1		2	1		
Nephritis (130–132)	40	1									2	5	8	10	5	6	3	
Diseases of the female genital organs (139)	5									1	2	1			1			
Puerperal septicemia (140, 142a, 145)	2								1	1								
Other puerperal causes	6									2		3	1					
Suicide (163–171)	4										3			1				
Homicide (172–175)	18									3	3	6	3	3				
Automobile accidents [1]	10						1				1		2	2	2	2		
Automobile—railroad train and street car collisions																		
Other external causes	27	2	1				2	2	2		1	3	5	6	1	2		
All other causes	108	46	1		2		1	2	1		4	6	16	10	10	6	3	
PATERSON, N. J., all causes	1,720	122	12	13	12	6	33	22	22	36	33	41	120	260	337	387	264	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1	1																
Scarlet fever (8)	2							1	1									
Whooping-cough (9)	1	1																
Diphtheria (10)	12	1		1	2	2	4	1								1		
Influenza (11)	26	2								1	1	1	1	7	4	6	3	
Epidemic cerebrospinal meningitis (18)	4	3						1										
Tuberculosis of the respiratory system (23)	40								2	3	3	4	8	10	4	6		
Other forms of tuberculosis (24–32)	5				2	1								1		1		
Syphilis (34)	12	2										1		3	4	1	1	
Cancer and other malignant tumors (45–53)	209							2			1	1	9	48	66	59	23	
Diabetes mellitus (59)	65							1	1		1		1	12	27	17	5	
Cerebral hemorrhage and softening (82a, 82c)	139												4	21	26	53	35	
Diseases of the heart (90–95)	376			1			2	3		3	3	2	25	53	84	109	91	
Bronchitis (106)	2				1										1			
Bronchopneumonia (107)	56	15	4	1	1		3	1				2	2	4	4	7	12	
Lobar and unspecified pneumonia (108, 109)	82	7	3	5			6	1	1	4	1	4	12	12	11	11	4	
Diarrhea and enteritis (119, 120)	10	4		1	2		1							1		1		
Appendicitis (121)	25				1		2	2	4	4	2		2	3	3	2		
Hernia, intestinal obstruction (122)	25	3	1							1		1		6	8	3	2	
Cirrhosis of the liver (124)	14												5	4	2	2	1	
Nephritis (130–132)	131								1	2	3	2	9	14	37	37	26	
Diseases of the female genital organs (139)	6											2	2	1	1			
Puerperal septicemia (140, 142a, 145)	11									6	4	1						
Other puerperal causes	11								1	3	3	1	3					
Suicide (163–171)	31										1	1	6	11	6	5	1	
Homicide (172–175)	8										2	2	3			1		
Automobile accidents [1]	57			1	1	2	5	1	7	5	3	4	3	6	5	9	5	
Automobile—railroad train and street car collisions																		
Other external causes	63		2	1			4	4		1	1	5	6	8	8	13	10	
All other causes	296	83	2	2	2	1	6	4	4	3	4	7	19	36	35	44	44	
TRENTON, N. J., all causes	1,649	119	9	7	10	7	23	23	23	44	43	48	151	256	315	305	266	
Typhoid and paratyphoid fever (1, 2)	3										1	1				1		
Measles (7)	1	1																
Scarlet fever (8)	1				1													
Whooping-cough (9)	2	1	1															
Diphtheria (10)	1					1												
Influenza (11)	10	1	1	1			2	1				2	1				1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	52				1			1	1	4	7	2	13	12	8	2	1	
Other forms of tuberculosis (24–32)	8		1	2					1	1				2	1			
Syphilis (34)	19	3								1			2	7	5	1		
Cancer and other malignant tumors (45–53)	145				1						2	2	15	31	38	38	18	
Diabetes mellitus (59)	39										1	1		8	10	14	5	
Cerebral hemorrhage and softening (82a, 82c)	121										1	1	1	18	37	34	29	
Diseases of the heart (90–95)	413				1	1	3	3	2	5	2	1	30	54	102	103	106	
Bronchitis (106)	8				1					1			2	1	1	1	1	
Bronchopneumonia (107)	47	20				1	1						5	2	7	4	7	
Lobar and unspecified pneumonia (108, 109)	76	3	2	1				2	4	2	2	3	8	14	17	14	4	
Diarrhea and enteritis (119, 120)	8	3	1			1							2	1				
Appendicitis (121)	25						3	2	2		5	4	2	2	2	2	1	
Hernia, intestinal obstruction (122)	23	2			1								1	7	2	6	4	
Cirrhosis of the liver (124)	12											1	2	2	5	1	1	
Nephritis (130–132)	119								1	2		2	10	15	27	36	26	
Diseases of the female genital organs (139)	9									1			4	2	1		1	
Puerperal septicemia (140, 142a, 145)	7									3	2	1	1					
Other puerperal causes	12									4	1	3	4					
Suicide (163–171)	23										2	3	3	10	4	1		
Homicide (172–175)	7									2	1	1	3					
Automobile accidents [1]	56				1		6		2	8	5	1	6	11	9	4	3	
Automobile—railroad train and street car collisions	1													1				
Other external causes	77		1	2	1	2	1	4	6	2	5	3	10	10	8	8	14	
All other causes	324	85	2	1	2	1	7	10	4	8	6	16	26	46	31	35	44	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALBANY, N. Y., all causes	1,863	109	15	11	6	10	20	16	20	22	43	45	153	274	351	424	343	1
Typhoid and paratyphoid fever (1, 2)	1															1		
Measles (7)	5	1			2	1					1							
Scarlet fever (8)	3						1				2							
Whooping-cough (9)	2		2															
Diphtheria (10)	4			1	1	1							1					
Influenza (11)	19	2				2	2						1	2	4	3	3	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	70					1		1	2	9	6	4	13	20	10	3	1	
Other forms of tuberculosis (24–32)	8					1	2	1	1		1		1			1		
Syphilis (34)	21	1								1	1	4	4	4	4	2		
Cancer and other malignant tumors (45–53)	222	1									1	1	17	32	60	69	41	
Diabetes mellitus (59)	61										1	2	3	13	16	21	5	
Cerebral hemorrhage and softening (82a, 82c)	88											1	2	15	18	30	22	
Diseases of the heart (90–95)	479							2	1	1	5	6	25	66	105	125	143	
Bronchitis (106)	2																2	
Bronchopneumonia (107)	48	12	5	4	1							1	3	2	5	7	8	
Lobar and unspecified pneumonia (108, 109)	67	3	1					1			2	4	11	19	10	10	5	1
Diarrhea and enteritis (119, 120)	10	3	3				1						1	2				
Appendicitis (121)	28			1		2	2		3		1	1	4	5	5	4		
Hernia, intestinal obstruction (122)	21											1	4	4	2	7	3	
Cirrhosis of the liver (124)	20												2	6	5	6	1	
Nephritis (130–132)	190			1							3	2	9	20	46	67	42	
Diseases of the female genital organs (139)	4						1				1	1				1		
Puerperal septicemia (140, 142a, 145)	3										3							
Other puerperal causes	10								1		3	3	3					
Suicide (163–171)	21								1	1	3	1	5	5	4	1		
Homicide (172–175)	9								1	1			2	3		1	1	
Automobile accidents [1]	37		1	1			2	1	6	3	3	2	4	4	5	3	2	
Automobile—railroad train and street car collisions	2								1				1					
Other external causes	71	2	1			1	2	5	1		1	5	12	14	10	6	11	
All other causes	337	84	2	3	2	1	7	5	2	6	5	6	25	38	42	56	53	
BUFFALO, N. Y., all causes	7,087	666	67	38	38	31	104	71	129	161	197	202	676	965	1,269	1,458	1,015	
Typhoid and paratyphoid fever (1, 2)	2								1	1								
Measles (7)	6	3	2				1											
Scarlet fever (8)	24	1	1		3	1	5	6	1	1		2	2			1		
Whooping-cough (9)	22	15	7															
Diphtheria (10)	28	1	2	1	3	5	9	3	2		1		1					
Influenza (11)	56	4	1	4	5	1	1	2		1	2		8	11	5	3	8	
Epidemic cerebrospinal meningitis (18)	4	1	1						1				1					
Tuberculosis of the respiratory system (23)	333	1	1		1		3	1	25	33	49	41	52	71	36	17	2	
Other forms of tuberculosis (24–32)	33	2	3	1			5	1	3	2	3	1	2	3	3	4		
Syphilis (34)	51	2									3	2	11	11	15	7		
Cancer and other malignant tumors (45–53)	825			1			3	1	3	6	10	15	87	155	206	231	107	
Diabetes mellitus (59)	229			1			1		2	1	3	2	11	20	70	87	31	
Cerebral hemorrhage and softening (82a, 82c)	367									2	4		13	35	100	125	88	
Diseases of the heart (90–95)	1,731	3				3	8	9	13	16	18	25	116	228	385	500	407	
Bronchitis (106)	33	8		2		1	2						6	3	2	7	2	
Bronchopneumonia (107)	246	98	15	7	5		10	2	2	4	5	3	16	14	18	29	18	
Lobar and unspecified pneumonia (108, 109)	289	10	8	6	1	4	11	3	7	11	16	15	50	48	47	30	22	
Diarrhea and enteritis (119, 120)	107	79	8	1	3		1			1		2	2	3	3	4		
Appendicitis (121)	121		1	1	2	2	6	10	9	10	12	8	18	22	13	6	1	
Hernia, intestinal obstruction (122)	65	5	1				1	1		1		5	8	11	14	9	9	
Cirrhosis of the liver (124)	82											1	11	20	28	14	8	
Nephritis (130–132)	571	1					1	1	5	6	3	4	36	67	105	193	149	
Diseases of the female genital organs (139)	37									2	5	3	15	9	2		1	
Puerperal septicemia (140, 142a, 145)	30								3	5	9	8	5					
Other puerperal causes	49								1	9	15	9	15					
Suicide (163–171)	70								1	5	1	4	12	21	19	5	2	
Homicide (172–175)	32								3	6	4	5	8	3	3			
Automobile accidents [1]	144		1	1	2	3	7	1	7	11	6	4	12	25	26	26	12	
Automobile—railroad train and street car collisions	4									1			2		1			
Other external causes	268	5	3	6	2	3	9	3	16	5	8	9	33	35	53	37	41	
All other causes	1,228	427	12	6	11	8	20	27	24	21	20	34	123	150	115	123	107	
NEW YORK, N. Y. (WHITE), all causes	69,565	4,826	742	402	318	267	997	742	970	1,394	1,838	2,212	6,725	10,724	14,207	14,176	9,003	22
Typhoid and paratyphoid fever (1, 2)	59	1		1			4	6	7	9	5	9	10	2	2	2	1	
Measles (7)	215	35	71	36	17	15	35	2	2		1	1						
Scarlet fever (8)	57	1	9	8	12	3	12	5	2		3	1		1				
Whooping-cough (9)	109	55	27	13	4	1	7	2										
Diphtheria (10)	83	5	11	12	7	6	24	4	1	1	1		5	2	3	1		
Influenza (11)	528	39	18	10	9	5	12	6	17	13	24	27	72	93	77	54	52	
Epidemic cerebrospinal meningitis (18)	79	23	5	5	3	3	7	3	7	1	5	3	6	6	2			
Tuberculosis of the respiratory system (23)	3,232	11	12	5	3	1	7	19	155	311	354	346	646	634	465	224	39	
Other forms of tuberculosis (24–32)	374	23	32	13	11	10	38	12	14	27	29	27	42	54	23	15	4	
Syphilis (34)	430	45	2	1			2			4	7	20	70	124	103	43	9	
Cancer and other malignant tumors (45–53)	8,641	3	4	4	4	3	19	15	23	32	61	149	772	1,786	2,552	2,299	912	3
Diabetes mellitus (59)	2,111		3	2		2	4	2	3	9	12	12	85	307	687	751	232	
Cerebral hemorrhage and softening (82a, 82c)	2,934	6	2		1		2	5	7	4	10	25	149	427	747	918	630	1
Diseases of the heart (90–95)	19,305	5	5	5	9	7	106	160	161	188	225	303	1,227	2,858	4,782	5,328	3,932	4
Bronchitis (106)	124	13	6			1		2	1	3		4	8	11	17	22	36	
Bronchopneumonia (107)	2,617	707	141	50	39	18	55	19	22	35	38	43	168	214	352	386	330	
Lobar and unspecified pneumonia (108, 109)	3,405	231	121	54	31	22	66	51	71	95	125	162	472	643	601	431	227	2
Diarrhea and enteritis (119, 120)	625	495	35	8	2	3	1	1	2	8	8	9	10	17	8	12	6	
Appendicitis (121)	1,141	3	11	20	23	26	85	65	68	63	64	70	214	196	113	89	26	
Hernia, intestinal obstruction (122)	642	32	6	7	2	2	6	5	5	8	12	19	63	96	158	147	74	
Cirrhosis of the liver (124)	658	2					2		1		3	26	100	182	198	97	47	
Nephritis (130–132)	4,239	3	5	5	5	1	9	23	36	40	53	75	301	507	929	1,254	993	
Diseases of the female genital organs (139)	152								5	9	20	21	41	25	19	12		
Puerperal septicemia (140–142a, 145)	222								5	44	59	56	54	4				
Other puerperal causes	334								13	44	96	76	102	2				1
Suicide (163–171)	1,305								18	47	86	105	308	338	250	124	29	
Homicide (172–175)	408	16	3	1	1		8	5	22	52	68	62	89	57	15	6	3	
Automobile accidents [1]	1,066	2	3	15	17	26	95	55	38	51	44	71	122	159	175	138	54	1
Automobile—railroad train and street car collisions	7							1			2	2	1		1			
Other external causes	2,736	43	41	36	36	22	72	68	84	75	122	127	399	515	413	356	324	3
All other causes	11,727	3,027	169	91	82	90	319	206	180	216	301	361	1,189	1,464	1,515	1,467	1,043	7

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (COLORED), all causes	5,757	652	77	50	39	23	88	79	132	344	438	503	1,107	1,009	651	392	171	2
Typhoid and paratyphoid fever (1, 2)	12						1	3	1			3	2	2				
Measles (7)	9	3	3	2	1													
Scarlet fever (8)	2									1		1						
Whooping-cough (9)	19	15	4															
Diphtheria (10)	1													1				
Influenza (11)	26	2	1	1			1	2		2	2	2	4	6	1	2		
Epidemic cerebrospinal meningitis (18)	4			1			1						1	1				
Tuberculosis of the respiratory system (23)	925	9	9	6	3	2	11	21	65	150	154	139	188	108	36	22	2	
Other forms of tuberculosis (24–32)	121	10	9	12	3	4	9	10	10	9	11	13	10	9	1	1		
Syphilis (34)	274	29					1	1		15	22	22	80	61	33	9	1	
Cancer and other malignant tumors (45–53)	360						1		2	5	5	30	82	105	76	40	14	
Diabetes mellitus (59)	93										2	2	16	27	25	18	3	
Cerebral hemorrhage and softening (82a, 82c)	194						1	1			1	6	33	54	54	31	13	
Diseases of the heart (90–95)	1,011		1	1	3	1	11	10	10	17	30	48	176	258	215	156	72	2
Bronchitis (106)	5	2	1											1	1			
Bronchopneumonia (107)	245	119	22	3	7	4	5		2	3	3	6	18	21	17	6	9	
Lobar and unspecified pneumonia (108, 109)	415	38	10	8	4		3	3	4	35	39	56	92	76	28	15	4	
Diarrhea and enteritis (119, 120)	75	60	6	1	1		2		1			2		2				
Appendicitis (121)	55		2		2		6		1	8	2	4	15	9	4	2		
Hernia, intestinal obstruction (122)	38	2			1						2	3	9	9	8	2	2	
Cirrhosis of the liver (124)	26			1								1	8	7	6	3		
Nephritis (130–132)	284					1	1	2	1	4	11	17	70	71	51	29	26	
Diseases of the female genital organs (139)	29								1	4	5	4	12	2	1			
Puerperal septicemia (140, 142a, 145)	45								7	11	11	10	6					
Other puerperal causes	44								2	8	13	12	9					
Suicide (163–171)	51							1		3	12	6	11	14	4			
Homicide (172–175)	144	2							5	19	33	25	43	15	2			
Automobile accidents [1]	80				3	2	10	2	2	6	6	5	23	9	6	4	2	
Automobile—railroad train and street car collisions																		
Other external causes	253	21	2	8	5	4	15	10	7	15	28	25	50	32	19	8	4	
All other causes	917	340	7	6	6	5	9	13	11	29	46	61	149	109	63	44	19	
NEW YORK, N. Y. (BRONX BOROUGH, WHITE), all causes	10,553	645	73	41	40	33	130	109	154	241	298	333	1,086	1,643	2,231	2,133	1,359	4
Typhoid and paratyphoid fever (1, 2)	5							1	2				2					
Measles (7)	21	4	5	3	3	1	5											
Scarlet fever (8)	6		1	1	4													
Whooping-cough (9)	11	5	3	2	1													
Diphtheria (10)	4				1	1	1							1				
Influenza (11)	95	5	4		2		2	2	3	2	5	4	12	22	14	9	9	
Epidemic cerebrospinal meningitis (18)	14	3		2		1			2	1	2		2	1				
Tuberculosis of the respiratory system (23)	781			1				2	41	82	86	66	170	161	117	48	7	
Other forms of tuberculosis (24–32)	37	1	2	1	1	1	2		2	1	2	6	7	6	3	2		
Syphilis (34)	37	2									2	2	3	12	8	7	1	
Cancer and other malignant tumors (45–53)	1,630						3	1	4	10	12	36	166	339	479	410	169	1
Diabetes mellitus (59)	364		1				1	1	1	3	3	3	15	61	103	124	48	
Cerebral hemorrhage and softening (82a, 82c)	439	3	1					3	2		1	1	22	60	115	143	88	
Diseases of the heart (90–95)	3,026	1	3	3	1	21	31	16	32	47	51	201	440	767	819	593		
Bronchitis (106)	21	2									1		3	3	5	7		
Bronchopneumonia (107)	392	112	16	4	2	1	6		5	4	5	5	28	36	61	58	49	
Lobar and unspecified pneumonia (108, 109)	460	26	11	6	2	3	12	12	14	18	16	31	59	87	83	52	27	1
Diarrhea and enteritis (119, 120)	43	34	1	1		1			1		3		1		1			
Appendicitis (121)	181	1	2		4	4	14	12	10	12	9	10	36	23	19	18	7	
Hernia, intestinal obstruction (122)	75	4	3			1	1		1	3		1	9	9	15	13	15	
Cirrhosis of the liver (124)	80										1	1	13	24	24	13	4	
Nephritis (130–132)	572				1		1	4	2	6	13	7	49	65	130	150	144	
Diseases of the female genital organs (139)	17								1		3	3	4	2	1	3		
Puerperal septicemia (140, 142a, 145)	31									10	7	7	7					
Other puerperal causes	36								1	8	7	11	8	1				
Suicide (163–171)	205								4	5	11	14	48	57	38	23	5	
Homicide (172–175)	42	3		1	1		1	1	2	3	6	4	8	10	1		1	
Automobile accidents [1]	150			3	4	3	10	5	4	9	6	8	24	24	26	13	11	
Automobile—railroad train and street car collisions																		
Other external causes	315	2	4	4	5	4	13	13	13	6	18	16	55	48	40	40	34	
All other causes	1,463	438	18	9	6	11	37	21	23	26	33	45	137	151	183	183	140	2
NEW YORK, N. Y. (BRONX BOROUGH, COLORED), all causes	500	62	3	6	5		2	2	13	45	41	47	115	80	45	20	14	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	2	2																
Diphtheria (10)																		
Influenza (11)																		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	140	1		1	2			1	9	30	18	24	25	19	8	1	1	
Other forms of tuberculosis (24–32)	6		1	1			1				1	2						
Syphilis (34)	25	2								2	2	2	7	8	2			
Cancer and other malignant tumors (45–53)	29									1		3	10	6	7	1	1	
Diabetes mellitus (59)	5													3	2			
Cerebral hemorrhage and softening (82a, 82c)	10												4	2	3	1		
Diseases of the heart (90–95)	73				1			1		2	2	3	18	19	13	9	5	
Bronchitis (106)																		
Bronchopneumonia (107)	23	10	2						1	1		1	1	3	2	1	1	
Lobar and unspecified pneumonia (108, 109)	23	1		2	1						4	3	7	4		1		
Diarrhea and enteritis (119, 120)	4	3							1									
Appendicitis (121)	7											1	3	3				
Hernia, intestinal obstruction (122)	3										1		1	1				
Cirrhosis of the liver (124)	3												1	1	1			
Nephritis (130–132)	29										1	3	15	3	3	1	3	
Diseases of the female genital organs (139)	6								1	1	2		2					
Puerperal septicemia (140, 142a, 145)	6									4	1		1					
Other puerperal causes	4									1	1	2						
Suicide (163–171)	1												1					
Homicide (172–175)	1										1							
Automobile accidents [1]	10			1		1			1	1			2		1	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	12			1							1		7	2		1		
All other causes	78	43		1					1	2	5	3	10	6	3	2	2	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	24,617	1,900	329	153	120	110	405	300	358	462	571	665	2,173	3,593	5,064	5,160	3,248	6
Typhoid and paratyphoid fever (1, 2)	28						3	3	4	3	5	4	5	1				
Measles (7)	73	13	24	11	7	6	10	1				1						
Scarlet fever (8)	22		3	4	6		5	1	1		2							
Whooping-cough (9)	63	33	14	7	2	1	4	2										
Diphtheria (10)	38	3	6	4	4	1	12	2	1				2	1	1	1		
Influenza (11)	217	19	8	8	2	2	5	3	8	5	7	13	27	37	32	21	20	
Epidemic cerebrospinal meningitis (18)	26	7	2	1	1	1	4	1	1		3	1	3		1			
Tuberculosis of the respiratory system (23)	661	1	4				1	3	36	62	64	57	124	138	101	63	7	
Other forms of tuberculosis (24–32)	108	10	10	4	5	4	11	4	6	8	10	6	10	7	9	3	1	
Syphilis (34)	139	18								3	3	5	21	40	37	9	3	
Cancer and other malignant tumors (45–53)	2,772	1	2		1	2	5	3	11	8	21	44	245	553	839	746	290	1
Diabetes mellitus (59)	827		1	1		1	3		1	3	4	2	27	127	273	299	85	
Cerebral hemorrhage and softening (82a, 82c)	970		1		1		2	1	2	1	3	7	49	148	251	294	209	1
Diseases of the heart (90–95)	7,223	3	2	1	4	4	44	72	74	80	79	99	483	1,058	1,791	1,991	1,436	2
Bronchitis (106)	38	4	2					1	1			1	3		8	6	12	
Bronchopneumonia (107)	1,021	272	68	20	14	5	18	6	7	18	16	16	63	90	134	152	122	
Lobar and unspecified pneumonia (108, 109)	1,203	110	52	22	15	12	32	21	26	36	47	52	152	224	184	150	68	
Diarrhea and enteritis (119, 120)	235	178	19	5	1	1		1		3	1	5	4	9	3	3	2	
Appendicitis (121)	456	2	7	12	10	7	38	27	29	28	23	31	82	69	47	33	11	
Hernia, intestinal obstruction (122)	243	10	2	3	2		2	3	1	3	6	6	18	30	30	57	20	
Cirrhosis of the liver (124)	194	2					2		1			7	26	54	63	24	15	
Nephritis (130–132)	1,665		1	2	3	1	2	7	6	15	18	26	96	198	392	522	376	
Diseases of the female genital organs (139)	59								3	6	6	7	17	6	10	4		
Puerperal septicemia (140, 142a, 145)	93								2	15	23	27	24	2				
Other puerperal causes	164								7	25	45	33	53	1				
Suicide (163–171)	346								4	13	22	25	81	105	62	30	4	
Homicide (172–175)	116		1				6	1	3	13	18	17	27	23	5	1	1	
Automobile accidents [1]	376	2	2	4	6	16	47	28	18	16	15	21	33	47	61	50	10	
Automobile—railroad train and street car collisions	3							1			1	1						
Other external causes	897	16	20	17	11	7	24	27	31	27	42	36	114	143	137	133	112	
All other causes	4,341	1,196	78	27	25	39	125	81	74	71	87	115	384	482	543	568	444	2
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	1,245	179	18	12	11	7	24	14	24	63	101	92	226	189	168	83	32	2
Typhoid and paratyphoid fever (1, 2)	5						1	1	1			1	1					
Measles (7)	3		1	1	1													
Scarlet fever (8)																		
Whooping-cough (9)	8	7	1															
Diphtheria (10)	1													1				
Influenza (11)	11	2								2	2	2		3				
Epidemic cerebrospinal meningitis (18)	2						1						1					
Tuberculosis of the respiratory system (23)	110	1	1	1	1	1	2	4	6	10	26	14	26	10	5	2		
Other forms of tuberculosis (24–32)	15		2	3	1	1	2	1				2	1	2				
Syphilis (34)	72	11						1			7	6	17	12	14	3	1	
Cancer and other malignant tumors (45–53)	56									1	1	4	9	21	10	9	1	
Diabetes mellitus (59)	17										1	1	3	4	5	1	2	
Cerebral hemorrhage and softening (82a, 82c)	43							1			1	1	9	10	14	3	4	
Diseases of the heart (90–95)	232				1	1	3	2	2	4	9	9	43	51	60	36	9	2
Bronchitis (106)	1		1															
Bronchopneumonia (107)	63	29	6	1	1		1			2	1	3	7	4	6	1	1	
Lobar and unspecified pneumonia (108, 109)	91	9	1	2	1		2		2	12	11	10	22	10	6	3		
Diarrhea and enteritis (119, 120)	16	13	2				1											
Appendicitis (121)	12						2			4	1		2	2	1			
Hernia, intestinal obstruction (122)	10	2			1								1	1	1	3		1
Cirrhosis of the liver (124)	3			1										2				
Nephritis (130–132)	67						1				6	2	14	16	16	9	3	
Diseases of the female genital organs (139)	9									1	2		5	1				
Puerperal septicemia (140, 142a, 145)	10								1		4	3	2					
Other puerperal causes	18								2	5	4	3	4					
Suicide (163–171)	9							1		1	2		2	3				
Homicide (172–175)	35								2	4	6	7	11	5				
Automobile accidents [1]	20					1	1		1	3	2	1	4	4	3			
Automobile—railroad train and street car collisions																		
Other external causes	63	6	1	2	2	1	6	2	5	6	7	5	11	4	4	1		
All other causes	243	99	2	1	2	2	1	1	2	8	8	17	29	25	21	15	10	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE,) all causes	24,424	1,693	259	144	113	90	323	223	287	461	677	889	2,647	4,197	4,964	4,677	2,772	8
Typhoid and paratyphoid fever (1, 2)	21	1		1			1	1	1	5		2	3	1	2	2	1	
Measles (7)	97	16	38	16	4	6	13	1	2		1							
Scarlet fever (8)	18	1	5	1	2	2	2	3			1			1				
Whooping-cough (9)	24	11	7	3	1		2											
Diphtheria (10)	25	2	4	5	2	2	4			1	1		2		2			
Influenza (11)	115	9	4	1	1	2	4	1	3	4	6	2	18	17	17	12	14	
Epidemic cerebrospinal meningitis (18)	33	11	3	2	1	1	2	2	3			1	1	5	1			
Tuberculosis of the respiratory system (23)	976	7	5	1	3	1	1	9	33	73	101	119	205	190	150	62	16	
Other forms of tuberculosis (24–32)	190	9	18	6	5	4	19	6	6	13	15	9	22	39	11	6	2	
Syphilis (34)	226	19	2	1			1			1	2	13	42	64	53	24	4	
Cancer and other malignant tumors (45–53)	3,182	1	1	3	2	1	7	8	7	12	23	58	284	718	936	826	295	
Diabetes mellitus (59)	643		1	1		1			1	2	5	6	37	95	222	205	67	
Cerebral hemorrhage and softening (82a, 82c)	928	1								2	4	15	55	148	227	291	185	
Diseases of the heart (90–95)	6,041	1	1	1	2	1	22	37	43	48	70	99	391	974	1,519	1,633	1,197	2
Bronchitis (106)	42	5	3					1		2		1	4	4	6	9	7	
Bronchopneumonia (107)	903	231	40	20	20	11	22	9	7	11	10	17	60	78	123	135	109	
Lobar and unspecified pneumonia (108, 109)	1,314	67	44	17	8	4	12	14	24	29	46	58	201	262	264	172	91	1
Diarrhea and enteritis (119, 120)	293	245	13		1				1	4	1	3	5	7	4	6	3	
Appendicitis (121)	361		1	4	7	10	22	16	15	19	22	24	72	80	30	34	5	
Hernia, intestinal obstruction (122)	264	12	1	4		1	3	2	1	1	5	10	31	51	53	63	26	
Cirrhosis of the liver (124)	282											14	53	87	75	36	17	
Nephritis (130–132)	1,177	1	3	3	1		4	9	20	14	14	26	108	158	241	337	238	
Diseases of the female genital organs (139)	64								1	2	10	8	19	13	7	4		
Puerperal septicemia (140, 142a, 145)	69								3	14	16	18	16	2				
Other puerperal causes	99								2	9	30	29	28					1
Suicide (163–171)	561								9	21	44	49	134	135	109	52	8	
Homicide (172–175)	202	12	1					2	14	28	36	34	45	19	6	4	1	
Automobile accidents [1]	370		1	5	4	2	28	9	8	15	11	34	45	65	67	53	23	
Automobile—railroad train and street car collisions	3										1	1	1					
Other external causes	1,206	20	8	9	15	8	27	18	23	34	48	60	186	280	190	146	133	1
All other causes	4,695	1,011	55	40	34	33	127	75	60	97	154	179	579	704	649	565	330	3

[1] Excludes collison with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
New York, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	3,560	382	51	31	22	14	53	54	75	177	254	304	701	668	414	252	108	
Typhoid and paratyphoid fever (1, 2)	7							2				2	1	2				
Measles (7)	6	3	2	1														
Scarlet fever (8)	2									1		1						
Whooping-cough (9)	9	6	3															
Diphtheria (10)																		
Influenza (11)	13		1	1			1	2					4	1	1	2		
Epidemic cerebrospinal meningitis (18)	2			1										1				
Tuberculosis of the respiratory system (23)	463	7	7	3			7	7	32	64	75	62	107	57	19	15	1	
Other forms of tuberculosis (24–32)	94	10	3	8	2	3	5	9	9	8	10	9	9	7	1	1		
Syphilis (34)	166	15					1			12	13	14	51	38	16	6		
Cancer and other malignant tumors (45–53)	255								2	3	4	21	60	76	56	22	11	
Diabetes mellitus (59)	67										1	1	13	19	17	15	1	
Cerebral hemorrhage and softening (82a, 82c)	131						1					4	20	39	36	24	7	
Diseases of the heart (90–95)	647		1	1	1		8	7	8	9	19	33	106	170	135	100	49	
Bronchitis (106)	4	2												1	1			
Bronchopneumonia (107)	148	72	14	2	5	4	3					2	2	10	14	9	4	7
Lobar and unspecified pneumonia (108, 109)	272	25	8	4	2			3	2	20	22	39	58	59	19	9	2	
Diarrhea and enteritis (119, 120)	53	43	4	1	1		1					1		2				
Appendicitis (121)	31		2		2		4		1	4	1	3	8	2	2	2		
Hernia, intestinal obstruction (122)	22										1	2	6	6	5	1	1	
Cirrhosis of the liver (124)	20											1	5	6	5	3		
Nephritis (130–132)	173					1		2	1	3	4	10	40	49	30	16	17	
Diseases of the female genital organs (139)	13									2	1	3	5	1	1			
Puerperal septicemia (140, 142a, 145)	28								6	7	6	7	2					
Other puerperal causes	20									2	8	5	5					
Suicide (163–171)	38									2	10	5	6	11	4			
Homicide (172–175)	104	2							3	14	26	17	31	9	2			
Automobile accidents [1]	47				2	1	8	2	1	1	3	4	16	4	2	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	172	15	1	5	3	3	9	8	2	8	18	20	32	23	15	6	4	
All other causes	553	182	5	4	4	2	5	12	8	17	30	38	106	71	38	24	7	
New York, N. Y. (QUEENS BOROUGH, WHITE), all causes	7,835	461	58	47	35	26	105	85	118	145	195	235	631	1,017	1,577	1,785	1,312	3
Typhoid and paratyphoid fever (1, 2)	3							1				2						
Measles (7)	16	1	2	3	2	1	7											
Scarlet fever (8)	7			1		1	3	1	1									
Whooping-cough (9)	9	4	3	1			1											
Diphtheria (10)	13		1	2		1	6	2					1					
Influenza (11)	75	5	2	1	3	1	1		3	2	5	7	9	10	11	7	8	
Epidemic cerebrospinal meningitis (18)	4	1			1				1			1						
Tuberculosis of the respiratory system (23)	372	1	3						19	33	40	47	72	68	53	28	8	
Other forms of tuberculosis (24–32)	30	2	2	1		1	5	2		2	1	5	3	2		3	1	
Syphilis (34)	19	5					1						3	6	2	2		
Cancer and other malignant tumors (45–53)	875		1	1	1		4	2	1	2	4	11	66	137	244	271	130	
Diabetes mellitus (59)	238							1		1			5	23	80	103	25	
Cerebral hemorrhage and softening (82a, 82c)	484	2						1	3	1	2	2	19	55	118	155	126	
Diseases of the heart (90–95)	2,504					1	17	17	24	25	24	46	136	337	586	720	571	
Bronchitis (106)	17	2	1			1						1	1	3		1	7	
Bronchopneumonia (107)	236	75	13	4	2		8	2	2	1	6	3	13	8	26	30	43	
Lobar and unspecified pneumonia (108, 109)	349	24	8	8	6	2	7	3	6	10	13	20	50	58	59	43	32	
Diarrhea and enteritis (119, 120)	41	29	2	1						1	3	1		1		3		
Appendicitis (121)	116		1	4	2	4	7	10	11	8	8	4	21	18	14	2	2	
Hernia, intestinal obstruction (122)	44	5							2	1	1	2	4	4	7	10	8	
Cirrhosis of the liver (124)	87											4	6	13	31	22	11	
Nephritis (130–132)	681	2					1	2	8	5	8	14	43	69	139	203	187	
Diseases of the female genital organs (139)	8									1	1	1	1	3		1		
Puerperal septicemia (140, 142a, 145)	23									5	11	4	3					
Other puerperal causes	31								3	2	11	2	13					
Suicide (163-171)	164								1	6	5	16	37	36	36	18	9	
Homicide (172–175)	42		1				1	1	3	5	7	7	8	5	3	1		
Automobile accidents [1]	143			2	1	4	8	11	8	9	10	7	18	21	17	17	9	1
Automobile—railroad train and street car collisions																		
Other external causes	242	4	6	6	3	3	4	8	10	6	12	11	33	38	33	29	34	2
All other causes	962	299	12	12	14	6	24	21	12	19	23	17	66	102	118	116	101	
New York, N. Y. (QUEENS BOROUGH, COLORED), all causes	218	21	2			1	6		2	18	8	21	32	47	18	27	15	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)																		
Influenza (11)	1													1				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	26								1	6	3	3	4	6	1	2		
Other forms of tuberculosis (24–32)	3		2							1								
Syphilis (34)	8									1			4	2	1			
Cancer and other malignant tumors (45–53)	14						1					1	3		2	6	1	
Diabetes mellitus (59)	4													1	1	2		
Cerebral hemorrhage and softening (82a, 82c)	9													3	1	3	2	
Diseases of the heart (90–95)	50								2			3	8	15	6	8	8	
Bronchitis (106)																		
Bronchopneumonia (107)	8	6					1		1									
Lobar and unspecified pneumonia (108, 109)	24	3					1			3	1	4	3	3	3	2	1	
Diarrhea and enteritis (119, 120)																		
Appendicitis (121)	4												1	2	1			
Hernia, intestinal obstruction (122)	3												1	1		1		
Cirrhosis of the liver (124)																		
Nephritis (130–132)	14									1		2	1	3	2	2	3	
Diseases of the female genital organs (139)	1											1						
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes	2											2						
Suicide (163–171)	3											1	2					
Homicide (172–175)	4									1		1	1	1				
Automobile accidents [1]	3									1			1	1				
Automobile—railroad train and street car collisions																		
Other external causes	5									1	1			3				
All other causes	32	12				1	3			1	3	3	3	5		1		

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE), all causes	2,136	127	23	17	10	8	34	25	53	85	97	90	188	274	371	421	312	1
Typhoid and paratyphoid fever (1, 2)	2									1		1						
Measles (7)	8	1	2	3	1	1												
Scarlet fever (8)	4			1			2					1						
Whooping-cough (9)	2	2																
Diphtheria (10)	3			1		1	1											
Influenza (11)	26	1			1						1	1	6	7	3	5	1	
Epidemic cerebrospinal meningitis (18)	2	1					1											
Tuberculosis of the respiratory system (23)	442	2		3			5	5	26	61	63	57	75	77	44	23	1	
Other forms of tuberculosis (24–32)	9	1		1			1			3	1	1				1		
Syphilis (34)	9	1						1					1	2	3	1	1	
Cancer and other malignant tumors (45–53)	182	1										1	11	39	54	46	28	1
Diabetes mellitus (59)	39												1	1	1	9	20	7
Cerebral hemorrhage and softening (82a, 82c)	113													4	16	36	35	22
Diseases of the heart (90–95)	511	1	1				2	3	4	3	5	8	16	49	119	165	135	
Bronchitis (106)	6									1				1		1	3	
Bronchopneumonia (107)	65	17	4	2	1	1	1	2	1	1	1	2	4	2	8	11	7	
Lobar and unspecified pneumonia (108, 109)	79	4	6	1		1	3	1	1	2	3	1	10	12	11	14	9	
Diarrhea and enteritis (119, 120)	13	9		1		1	1										1	
Appendicitis (121)	27					1	4		3	1	2	1	3	6	3	2	1	
Hernia, intestinal obstruction (122)	16	1											1	2	3	4	5	
Cirrhosis of the liver (124)	15										2		2	4	5	2		
Nephritis (130–132)	144		1				1	1				2	5	17	27	42	48	
Diseases of the female genital organs (139)	4											2		1	1			
Puerperal septicemia (140, 142a, 145)	6										2		4					
Other puerperal causes	4										3	1						
Suicide (163–171)	29									2	4	1	8	5	5	1	3	
Homicide (172–175)	6	1								3	1		1					
Automobile accidents [1]	27			1	2	1	2	2		2	2	1	2	2	4	5	1	
Automobile—railroad train and street car collisions	1														1			
Other external causes	76	1	3		2		4	2	7	2	2	4	11	6	13	8	11	
All other causes	266	83	6	3	3	1	6	8	11	3	4	5	23	25	22	35	28	
NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED), all causes	234	8	3	1	1	1	3	9	18	41	34	39	33	25	6	10	2	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)																		
Influenza (11)	1																	
Epidemic cerebrospinal meningitis (18)														1				
Tuberculosis of the respiratory system (23)	186		1	1		1	2	9	17	40	32	36	26	16	3	2		
Other forms of tuberculosis (24–32)	3		1				1		1									
Syphilis (34)	3	1											1	1				
Cancer and other malignant tumors (45–53)	6											1		2	1	2		
Diabetes mellitus (59)																		
Cerebral hemorrhage and softening (82a, 82c)	1											1						
Diseases of the heart (90–95)	9												1	3	1	3	1	
Bronchitis (106)																		
Bronchopneumonia (107)	3	2		1														
Lobar and unspecified pneumonia (108, 109)	5		1								1		2				1	
Diarrhea and enteritis (119, 120)	2	1										1						
Appendicitis (121)	1												1					
Hernia, intestinal obstruction (122)																		
Cirrhosis of the liver (124)																		
Nephritis (130–132)	1															1		
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)	1												1					
Other puerperal causes																		
Suicide (163–171)																		
Homicide (172–175)																		
Automobile accidents [1]																		
Automobile—railroad train and street car collisions																		
Other external causes	1										1							
All other causes	11	4								1			1	2	1	2		
ROCHESTER, N. Y., all causes	3,781	250	33	9	11	3	46	31	38	62	56	82	249	470	732	906	802	1
Typhoid and paratyphoid fever (1, 2)	1							1										
Measles (7)	1							1										
Scarlet fever (8)	13		1	1	1		6	1		1		1		1				
Whooping-cough (9)	10	6	2	2														
Diphtheria (10)																		
Influenza (11)	27	3		1	1		3		1		1	1	5	1	3	2	5	
Epidemic cerebrospinal meningitis (18)	3	1	1						1									
Tuberculosis of the respiratory system (23)	74	2			1				2	2	5	6	15	11	18	9	3	
Other forms of tuberculosis (24–32)	9	1	1			1				1			3	1	1			
Syphilis (34)	27	2										1	6	1	9	6	2	
Cancer and other malignant tumors (45–53)	494		1	1			2	3	3	5	4	7	25	96	137	119	91	
Diabetes mellitus (59)	106									2	1	2		11	29	42	19	
Cerebral hemorrhage and softening (82a, 82c)	265								1	1			7	20	61	86	89	
Diseases of the heart (90–95)	1,019				1	1	2	1	6	7	5	12	39	102	210	326	306	1
Bronchitis (106)	11	2					2			1			2		1		3	
Bronchopneumonia (107)	99	24	6				3	2	1	2		4	7	11	6	22	11	
Lobar and unspecified pneumonia (108, 109)	161	5	7	2	1		3	3	3	6	3	2	19	34	31	24	18	
Diarrhea and enteritis (119, 120)	18	13	1									1	1	1				
Appendicitis (121)	59			1	1		6	1	5	2	3	5	5	14	6	10	1	
Hernia, intestinal obstruction (122)	34	1											3	5	9	10	6	
Cirrhosis of the liver (124)	44		1				1					3	4	11	8	9	7	
Nephritis (130–132)	313			1				1			3	5	14	27	58	97	107	
Diseases of the female genital organs (139)	13									1		1	2	4	2	3		
Puerperal septicemia (140, 142a, 145)	9									3	3	2	1					
Other puerperal causes	14									3	5	2	3	1				
Suicide (163–171)	61								1	3	8	3	7	12	14	12	1	
Homicide (172–175)	8									1	1		2	1	3			
Automobile accidents [1]	45						2	4		4	3	2	5	12	2	8	3	
Automobile—railroad train and street car collisions	4								1	1				1		1		
Other external causes	149	3	4		2	1	4	2	4	5	1	4	15	17	19	29	39	
All other causes	690	187	8		3		12	11	9	11	10	18	59	75	105	91	91	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SYRACUSE, N. Y., all causes	2,411	140	17	17	13	6	32	22	33	36	42	56	168	328	454	550	496	1
Typhoid and paratyphoid fever (1, 2)	4									1			3					
Measles (7)																		
Scarlet fever (8)	9			2	1		3	1			1		1					
Whooping-cough (9)	5	4		1														
Diphtheria (10)																		
Influenza (11)	25	1	1						1	1	1		2	7	5	3	3	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	43				1		1		3	1	3	5	6	12	6	4	1	
Other forms of tuberculosis (24–32)	5							1			1		1	1	1			
Syphilis (34)	25	4						1				2	4	6	7	1		
Cancer and other malignant tumors (45–53)	305						1			1	3	4	24	60	82	93	37	
Diabetes mellitus (59)	70											1	3	9	21	29	7	
Cerebral hemorrhage and softening (82a, 82c)	167	1	1										7	15	37	60	46	
Diseases of the heart (90–95)	669						3	4	4	3	8	7	26	84	132	175	223	
Bronchitis (106)	7		1	1												3	2	
Bronchopneumonia (107)	67	14	3	2	2	1	1		1				3	4	11	10	15	
Lobar and unspecified pneumonia (108, 109)	111	1	4	1			1	1	1	4	4	7	20	16	21	20	10	
Diarrhea and enteritis (119, 120)	19	16	1		1				1									
Appendicitis (121)	43						3	2	2	3	2	1	9	10	9	2		
Hernia, intestinal obstruction (122)	27	1	1		1		1						2	5	11	4	1	
Cirrhosis of the liver (124)	21							1				1	1	4	6	6	2	
Nephritis (130–132)	187									1	3	3	10	21	34	56	59	
Diseases of the female genital organs (139)	5									1			2		2			
Puerperal septicemia (140, 142a, 145)	5								1	2		1	1					
Other puerperal causes	14									2	3	5	4					
Suicide (163–171)	31								1		2	4	2	10	6	3	3	
Homicide (172–175)	5								1		1		1			2		
Automobile accidents [1]	49				1	1	3	4	4	4	2	1	6	8	4	6	5	
Automobile—railroad train and street car collisions	2												1		1			
Other external causes	92	1	1	4		2	6		3	3	3	2	4	12	14	10	27	
All other causes	399	97	4	6	6	2	9	7	10	9	5	12	25	44	44	63	55	1
UTICA, N. Y., all causes	1,440	94	14	3	5	2	24	15	20	20	32	27	115	173	273	326	297	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	3						1	1			1							
Whooping-cough (9)	1	1																
Diphtheria (10)	2						1								1			
Influenza (11)	15	2									1	1	3	1	3	3	1	
Epidemic cerebrospinal meningitis (18)	2		1					1										
Tuberculosis of the respiratory system (23)	26								2	2	4	3	6	7	1	1		
Other forms of tuberculosis (24–32)	6								1	2	1	1	1					
Syphilis (34)	6												1	1	2	2		
Cancer and other malignant tumors (45–53)	163							1			2	2	14	34	40	43	27	
Diabetes mellitus (59)	32													8	12	7	5	
Cerebral hemorrhage and softening (82a, 82c)	90							1	1		1	1	2	11	14	32	27	
Diseases of the heart (90–95)	345						1	1	4	4	2	1	21	32	70	108	101	
Bronchitis (106)	3			1											1		1	
Bronchopneumonia (107)	37	7	5				1					2	2	4	4	5	7	
Lobar and unspecified pneumonia (108, 109)	60	3	2				4		1	3	2	1	8	9	13	9	5	
Diarrhea and enteritis (119, 120)	8	5	1		1											1		
Appendicitis (121)	27				2	1	5	1			2	2	3	2	5	3	1	
Hernia, intestinal obstruction (122)	9	1			1								1	3	1	1	1	
Cirrhosis of the liver (124)	11									1			4	1	4		1	
Nephritis (130–132)	199							1		1	2		10	26	43	56	60	
Diseases of the female genital organs (139)	8										1	1	4			2		
Puerperal septicemia (140, 142a, 145)	2										1	1						
Other puerperal causes	9								1		3	2	3					
Suicide (163–171)	13										1	1	3	2	2	3	1	
Homicide (172–175)	3												3					
Automobile accidents [1]	34						4	1	3	1	4	1	1	2	10	5	2	
Automobile—railroad train and street car collisions	2										1		1					
Other external causes	56	1	1				2	1	1	2		3	4	6	12	7	16	
All other causes	268	74	4	2	1	1	5	6	6	4	3	4	20	24	35	38	41	
YONKERS, N. Y., all causes	1,209	90	6	4	6	4	9	19	20	27	35	39	115	166	269	227	173	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1			1														
Scarlet fever (8)	1					1												
Whooping-cough (9)	7	6			1													
Diphtheria (10)																		
Influenza (11)	13	1							1		2		4	2		2	1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	58								3	6	4	3	16	13	10	2	1	
Other forms of tuberculosis (24–32)	7	1	1										1	1	2	1		
Syphilis (34)	3												2	1				
Cancer and other malignant tumors (45–53)	146								1	1	3	1	10	25	54	34	17	
Diabetes mellitus (59)	44			1				1	1			1	1	9	18	6	6	
Cerebral hemorrhage and softening (82a, 82c)	90													12	30	32	16	
Diseases of the heart (90–95)	308						3	4	1	6	5	6	19	39	70	81	74	
Bronchitis (106)	2															1	1	
Bronchopneumonia (107)	33	7	2		2				1	2			3	1	5	1	9	
Lobar and unspecified pneumonia (108, 109)	62	1		1	1			3	1		2	3	14	13	13	5	5	
Diarrhea and enteritis (119, 120)	6	4	1				1											
Appendicitis (121)	25			1		1	1	3	2	2	3	3	3	1	3	2		
Hernia, intestinal obstruction (122)	7	2									1		1		2	1		
Cirrhosis of the liver (124)	16											1		5	6	4		
Nephritis (130–132)	85									2	1	3	8	11	21	24	15	
Diseases of the female genital organs (139)	5								1			2	1		1			
Puerperal septicemia (140, 142a, 145)	3									1	1		1					
Other puerperal causes	5										2	1	2					
Suicide (163–171)	25								1	1	4	3	8	4	2	2		
Homicide (172–175)	2										1		1					
Automobile accidents [1]	27				1		2	2	1		3	6	4	2	3	3		
Automobile—railroad train and street car collisions	1								1									
Other external causes	37	1				1	1	2	1	2		1	4	6	7	5	6	
All other causes	190	67	2		1	1	1	4	4	4	3	5	12	21	22	21	22	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,984	174	13	12	7	10	46	33	44	50	68	79	206	289	331	328	294	
Typhoid and paratyphoid fever (1, 2)	3						1					1	1					
Measles (7)																		
Scarlet fever (8)	11					2	4		3			1		1				
Whooping-cough (9)	2	1	1															
Diphtheria (10)	5			2			1	1					1					
Influenza (11)	34		1	1		1	2			1	3	3	6	2	7	1	6	
Epidemic cerebrospinal meningitis (18)	5		1				1	2							1			
Tuberculosis of the respiratory system (23)	76		1			1		1	3	12	13	9	13	16	6	1		
Other forms of tuberculosis (24–32)	15			1			1	1	1		1	3	3	1	2	1		
Syphilis (34)	16	2					1				1	1	3	4	3	1		
Cancer and other malignant tumors (45–53)	194							1			2	8	17	39	53	45	29	
Diabetes mellitus (59)	46									1		1	7	12	11	10	4	
Cerebral hemorrhage and softening (82a, 82c)	154							1			1		5	17	31	48	51	
Diseases of the heart (90–95)	375						2	6	2	1	4	6	29	59	75	97	94	
Bronchitis (106)	6	1														1	4	
Bronchopneumonia (107)	59	21	7	3	1		1						5		4	10	7	
Lobar and unspecified pneumonia (108, 109)	65	2		1			4	2			4	3	14	14	7	5	9	
Diarrhea and enteritis (119, 120)	12	8			1											2	1	
Appendicitis (121)	49			1	1	1	4	3	5	3	5	3	8	5	4	6		
Hernia, intestinal obstruction (122)	18	1					1			1	1	1	1	5	3	4		
Cirrhosis of the liver (124)	11											1	1	3	1	3	2	
Nephritis (130–132)	128	1		1						2	1	2	10	15	37	37	22	
Diseases of the female genital organs (139)	12										1	3	2	4	2			
Puerperal septicemia (140, 142a, 145)	6									2	3		1					
Other puerperal causes	9								1	2		4	2					
Suicide (163–171)	42								5	5		1	9	10	9	3		
Homicide (172–175)	35								2	3	5	4	14	5	2			
Automobile accidents [1]	85				2	2	4	4	4	8	10	2	11	17	12	4	5	
Automobile—railroad train and street car collisions	6										1	4	1					
Other external causes	95	1	2	1			8	5	5	4	2	2	10	8	17	12	18	
All other causes	410	136		1	3	2	11	6	13	5	10	16	32	52	44	37	42	
CANTON, OHIO, all causes	926	59	6	2	4	5	16	11	17	22	22	27	77	137	151	196	174	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1				1													
Scarlet fever (8)	2	1				1												
Whooping-cough (9)																		
Diphtheria (10)	2						2											
Influenza (11)	16	1			1	1	1			1	1	1	1	2	1	2	3	
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	18								1	3	1	3	3	1	3		3	
Other forms of tuberculosis (24–32)	5	1	1									1		1		1		
Syphilis (34)	9	1						1	1					2	2	2		
Cancer and other malignant tumors (45–53)	114					2			1		1	5	11	19	33	29	13	
Diabetes mellitus (59)	22			1								1		2	6	11	1	
Cerebral hemorrhage and softening (82a, 82c)	77												2	11	10	21	33	
Diseases of the heart (90–95)	214						1	2	2	4		3	10	32	34	65	61	
Bronchitis (106)	1															1		
Bronchopneumonia (107)	20	4	1					1	1			1	3		1	1	7	
Lobar and unspecified pneumonia (108, 109)	36		1				1			1	3		1	7	8	11	3	
Diarrhea and enteritis (119, 120)	4	2					1									1		
Appendicitis (121)	14							1	3				4	4	1	1		
Hernia, intestinal obstruction (122)	20						1	2		1				2	6	6	2	
Cirrhosis of the liver (124)	12												1	5	5		1	
Nephritis (130–132)	46										3		3	7	10	13	10	
Diseases of the female genital organs (139)	5										2		1		2			
Puerperal septicemia (140, 142a, 145)	3									1		1	1					
Other puerperal causes	3										2	1						
Suicide (163–171)	15								1	1		1	4	3	1	2	2	
Homicide (172–175)	8								1	1	2	1	2	1				
Automobile accidents [1]	21			1			4		1	2	2	2	3		1	3	2	
Automobile—railroad train and street car collisions	3								1			1	1					
Other external causes	48		1							2	3	1	6	9	8	2	16	
All other causes	186	49	1		2	1	5	4	4	5	2	4	20	29	19	24	17	
CINCINNATI, OHIO (WHITE), all causes	5,509	326	60	27	26	21	69	35	66	95	125	146	430	660	978	1,288	1,157	
Typhoid and paratyphoid fever (1, 2)	3						1				2							
Measles (7)	5		1		1	2	1											
Scarlet fever (8)	13			1		3	6	2	1									
Whooping-cough (9)	15	12	2				1											
Diphtheria (10)	14			2	2	2	6	1				1						
Influenza (11)	112	9	3	2	2			1	1	2	2	1	9	5	17	29	29	
Epidemic cerebrospinal meningitis (18)	4	1					3											
Tuberculosis of the respiratory system (23)	197			2	1				8	17	21	19	40	39	29	17	4	
Other forms of tuberculosis (24–32)	30	3	5		2	1	2	1	1	3	1	2	3	3	2	1		
Syphilis (34)	32	5	1							1			5	9	6	4	1	
Cancer and other malignant tumors (45–53)	635		1			1	1		3	2	7	7	53	105	140	197	118	
Diabetes mellitus (59)	149		1				1		1			1	2	15	37	69	22	
Cerebral hemorrhage and softening (82a, 82c)	392			1					2		2	2	11	40	77	128	129	
Diseases of the heart (90–95)	1,224				1	1	3	1	3	7	15	22	55	122	256	380	358	
Bronchitis (106)	21										1		1		5	4	10	
Bronchopneumonia (107)	171	29	7	8	5		2	2		2	1	1	9	16	23	34	32	
Lobar and unspecified pneumonia (108, 109)	153	8	4	1	1	1	5	3	2	3	6	6	12	18	23	29	31	
Diarrhea and enteritis (119, 120)	84	50	15	3		1	2			1	1	2	3	3	2	1		
Appendicitis (121)	108						5	7	9	6	4	7	20	21	15	10	4	
Hernia, intestinal obstruction (122)	69	2	2	1	1				1	1		1	10	13	11	18	8	
Cirrhosis of the liver (124)	63									1		1	1	17	22	15	6	
Nephritis (130–132)	416	1					1	1	3	5	2	4	21	41	70	122	145	
Diseases of the female genital organs (139)	31								2		1	8	10	6	1	2	1	
Puerperal septicemia (140, 142a, 145)	24								2	5	10	3	4					
Other puerperal causes	21									2	7	6	6					
Suicide (163–171)	91								2		6	3	24	22	23	8	3	
Homicide (172–175)	26	1							3	5	3	6	3	3	2			
Automobile accidents [1]	127	1			2	2	8	3	7	10	7	6	10	18	20	18	15	
Automobile—railroad train and street car collisions	9					1			1	1		1	2	2		1		
Other external causes	263	2	5	1	4	1	5	7	9	4	10	5	22	27	43	49	69	
All other causes	1,007	202	13	5	4	5	16	6	5	17	16	31	94	115	154	152	172	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CINCINNATI, OHIO, (COLORED), all causes	1,039	83	9	6	5	6	12	16	27	51	80	97	203	189	127	77	51	
Typhoid and paratyphoid fever (1, 2)	1							1										
Measles (7)	1			1														
Scarlet fever (8)	2			1			1											
Whooping-cough (9)	3	1	2															
Diphtheria (10)																		
Influenza (11)	14	1	1							1	1	1	1	4	1	1	2	
Epidemic cerebrospinal meningitis (18)	1									1								
Tuberculosis of the respiratory system (23)	170		2	1			2	2	16	18	28	21	52	20	6	2		
Other forms of tuberculosis (24–32)	21				2	1	2	2	2	3	1	2	4		2			
Syphilis (34)	21	1							4	1		2	7	5	1			
Cancer and other malignant tumors (45–53)	50							1		1		1	7	17	9	8	6	
Diabetes mellitus (59)	12										1	1		4	2	2	2	
Cerebral hemorrhage and softening (82a, 82c)	45			1								3	7	13	10	8	3	
Diseases of the heart (90–95)	174							1	1	2	5	12	33	49	38	21	12	
Bronchitis (106)	2													1			1	
Bronchopneumonia (107)	50	14	2	1						1	1	3	9	4	11	3	1	
Lobar and unspecified pneumonia (108, 109)	59	1		1		1		1		2	7	9	12	14	3	3	5	
Diarrhea and enteritis (119, 120)	10	6						1					1		1	1		
Appendicitis (121)	11							1		2	1	3	1	2	1			
Hernia, intestinal obstruction (122)	7	1										1	2	2			1	
Cirrhosis of the liver (124)	6												1	2	1	1	1	
Nephritis (130–132)	32							1			2	1	5	6	10	5	2	
Diseases of the female genital organs (139)	5										1	2	1		1			
Puerperal septicemia (140, 142a, 145)	4								1			3						
Other puerperal causes	5									1	2	1	1					
Suicide (163–171)	4											1	3					
Homicide (172–175)	54								2	4	11	15	12	9	1			
Automobile accidents [1]	16						3	1		1	2	1	1	2	2	3		
Automobile—railroad train and street car collisions																		
Other external causes	37				1	1		2		4	4	3	9	3	5	2	3	
All other causes	222	58	2		2	3	4	2	1	9	13	11	34	32	22	17	12	
CLEVELAND, OHIO (WHITE), all causes	8,034	518	65	40	32	27	152	100	131	185	212	242	928	1,332	1,522	1,468	1,080	
Typhoid and paratyphoid fever (1, 2)	6	1						1		1			1	1	1			
Measles (7)	2			1							1							
Scarlet fever (8)	31		1	1	2	3	12	5	1	1	1	3	1					
Whooping-cough (9)	13	7	4	1	1													
Diphtheria (10)	25		1	5	2	2	10	3				2						
Influenza (11)	64	4	4	4	1				2	2	1	3	8	11	9	8	7	
Epidemic cerebrospinal meningitis (18)	5	2	1						1					1				
Tuberculosis of the respiratory system (23)	371	3	3	1		1	2	2	19	33	45	35	91	75	41	16	4	
Other forms of tuberculosis (24–32)	28			2			1	1	2	3	1	2	3	5	4	4		
Syphilis (34)	69	3	1								2	3	15	20	14	8	3	
Cancer and other malignant tumors (45–53)	980				2		4	4	2	4	5	17	107	223	279	238	95	
Diabetes mellitus (59)	195				1		1	1	1	1		3	14	17	68	71	17	
Cerebral hemorrhage and softening (82a, 82c)	634								3	3	5	4	30	90	154	174	171	
Diseases of the heart (90–95)	1,639	1			1		9	8	20	25	32	35	134	252	382	410	330	
Bronchitis (106)	28	3	1	1	1								1	3	2	4	12	
Bronchopneumonia (107)	321	50	17		4	1	7	1	4	6	4	4	30	35	49	50	59	
Lobar and unspecified pneumonia (108, 109)	232	15	4		2		3	6	5	5	5	7	22	64	34	39	21	
Diarrhea and enteritis (119, 120)	36	13	4	1			1	2	1	1		1	3	3	1	2	3	
Appendicitis (121)	129		1	3	1	1	19	11	9	7	5	7	23	16	15	10	1	
Hernia, intestinal obstruction (122)	85	3					1	1		1	2		10	20	15	19	13	
Cirrhosis of the liver (124)	105						1				1	4	25	21	26	19	8	
Nephritis (130–132)	441					1	2	4	2	4	5	7	45	72	89	116	94	
Diseases of the female genital organs (139)	32								2	2	4	4	11	6	1	1	1	
Puerperal septicemia (140, 142a, 145)	38								2	11	10	6	9					
Other puerperal causes	34									5	10	9	10					
Suicide (163–171)	172								3	9	11	9	33	55	30	16	6	
Homicide (172–175)	85	1					1	2	4	11	8	15	23	12	6	2		
Automobile accidents [1]	230		2	3		2	16	9	11	9	14	11	42	40	31	25	15	
Automobile—railroad train and street car collisions	12								4	1	1		3	2		1		
Other external causes	393	3	10	4	3	6	11	5	10	12	10	13	56	70	59	60	61	
All other causes	1,599	409	11	14	10	10	51	34	23	28	29	38	178	218	212	175	159	
CLEVELAND, OHIO (COLORED), all causes	1,109	90	6	7	8	2	12	16	30	49	66	102	256	214	151	73	27	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	1				1													
Whooping-cough (9)	1		1															
Diphtheria (10)	1						1											
Influenza (11)	9	1		1				1	1			1	2	1	1			
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	172	2	2	1	1		2	2	15	18	23	31	44	20	8	3		
Other forms of tuberculosis (24–32)	13	1						2			2		5	1	2			
Syphilis (34)	39	4								1	1	7	15	6	4	1		
Cancer and other malignant tumors (45–53)	65									1	2		17	23	12	10		
Diabetes mellitus (59)	12												4	3	3	2		
Cerebral hemorrhage and softening (82a, 82c)	84									1		5	15	19	24	14	6	
Diseases of the heart (90–95)	167								2	1		8	40	51	41	17	7	
Bronchitis (106)	2												1		1			
Bronchopneumonia (107)	59	16	1		1			2	1	2	4	5	8	6	7	3	3	
Lobar and unspecified pneumonia (108, 109)	56	6					1		1	2	4	6	16	10	5	4	1	
Diarrhea and enteritis (119, 120)	1													1				
Appendicitis (121)	19						3		1	1	1	4	4	4	1			
Hernia, intestinal obstruction (122)	9	1								1			1	1	3	2		
Cirrhosis of the liver (124)	4									1			2		1			
Nephritis (130–132)	58								1		2	6	9	10	15	10	5	
Diseases of the female genital organs (139)	7									1	1	2	3					
Puerperal septicemia (140, 142a, 145)	5								2	1	1	1						
Other puerperal causes	8								1	2	4		1					
Suicide (163–171)	7									1			3	2		1		
Homicide (172–175)	60							1	3	5	8	9	25	7	2			
Automobile accidents [1]	18						1			3	3	2	4	5				
Automobile—railroad train and street car collisions	1													1				
Other external causes	44	1		2	1	1	3	3		4	4	1	9	8	5	2		
All other causes	187	58	2	3	4	1	1	5	2	3	6	14	28	35	16	4	5	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
COLUMBUS, OHIO (WHITE), all causes	3,386	248	27	16	8	10	52	39	50	81	87	100	257	424	597	686	703	1
Typhoid and paratyphoid fever (1, 2)	4								1	1				1	1			
Measles (7)	7		3	3			1											
Scarlet fever (8)	3						1	1	1									
Whooping-cough (9)	2	1	1															
Diphtheria (10)	4						2	1					1					
Influenza (11)	48	3			1		1	1		1	3	2	4	7	9	5	11	
Epidemic cerebrospinal meningitis (18)	1							1										
Tuberculosis of the respiratory system (23)	104	1	2				2	3	3	17	8	9	21	20	8	6	4	
Other forms of tuberculosis (24–32)	11					1			2		1		3	1	2		1	
Syphilis (34)	29	8							1	1			5	9	4	2		
Cancer and other malignant tumors (45–53)	392							1	1		2	6	27	79	111	103	62	
Diabetes mellitus (59)	76						1	3		2			2	12	17	25	14	
Cerebral hemorrhage and softening (82a, 82c)	252		1									1	4	14	56	85	91	
Diseases of the heart (90–95)	696			1			1	4	5	2	10	13	39	96	155	192	178	
Bronchitis (106)	4	1		1											1		1	
Bronchopneumonia (107)	93	19	4	3	1		7	1		2	3	1	3	3	7	14	25	
Lobar and unspecified pneumonia (108, 109)	66	4	1	1		1	2	1			3	5	6	13	7	7	15	
Diarrhea and enteritis (119, 120)	54	34	4	2	1	1						1		3	2	4	2	
Appendicitis (121)	67	1					3	5	9	4	5	3	11	7	9	8	2	
Hernia, intestinal obstruction (122)	51	2	3							5	1	1	5	7	7	14	6	
Cirrhosis of the liver (124)	25	1									1	1	1	4	10	6	1	
Nephritis (130–132)	257	2				1		1	1		4	5	14	28	60	69	72	
Diseases of the female genital organs (139)	23								2	3	1	4	8	4	1			
Puerperal septicemia (140, 142a, 145)	24								1	9	9	1	3	1				
Other puerperal causes	17								4	2	3	3	5					
Suicide (163–171)	60									3	6	5	10	18	14	3	1	
Homicide (172–175)	12										2	1	5	3		1		
Automobile accidents [1]	96				1		9	2	6	7	8	10	10	4	15	14	9	1
Automobile—railroad train and street car collisions	8						1		1	2	3				1			
Other external causes	161	2	3	1	1	2	9	4	3	6	3	7	12	14	19	31	44	
All other causes	739	169	5	4	3	4	12	10	9	15	11	21	58	76	81	97	164	
COLUMBUS, OHIO (COLORED), all causes	631	74	1	5	3	6	7	8	12	28	30	37	96	132	91	59	42	
Typhoid and paratyphoid fever (1, 2)	1							1										
Measles (7)	1			1														
Scarlet fever (8)	4				1	1	2											
Whooping-cough (9)																		
Diphtheria (10)																		
Influenza (11)	12									1	1	1	1	4	4			
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	53		1			1		1	3	8	5	8	12	8	6			
Other forms of tuberculosis (24–32)	7			1		1	1			1	1	2						
Syphilis (34)	29	7									1	3	2	10	2	4		
Cancer and other malignant tumors (45–53)	33										1	1	4	12	5	7	3	
Diabetes mellitus (59)	6											1		1	2	1	1	
Cerebral hemorrhage and softening (82a, 82c)	51												9	14	13	8	7	
Diseases of the heart (90–95)	105						1	1	1	2	3	3	11	34	28	11	10	
Bronchitis (106)																		
Bronchopneumonia (107)	25	9		1							1		4	2	4	4		
Lobar and unspecified pneumonia (108, 109)	25	1			1		1	1	2	2	3	1	7	1	5			
Diarrhea and enteritis (119, 120)	12	9		1		1							1					
Appendicitis (121)	3								1	1			1					
Hernia, intestinal obstruction (122)	8										2		2	2		2		
Cirrhosis of the liver (124)	3												1	1			1	
Nephritis (130–132)	39									1			7	7	11	8	5	
Diseases of the female genital organs (139)	8									1		2	3	2				
Puerperal septicemia (140, 142a, 145)	2									1		1						
Other puerperal causes	3									1	1		1					
Suicide (163–171)	7									1			2	2	1	1		
Homicide (172–175)	24								2		3	3	10	5	1			
Automobile accidents [1]	13						1		1		1	1	3	3	2	1		
Automobile—railroad train and street car collisions																		
Other external causes	29					1	1	2	2	4	2	2	3	6	1	4	1	
All other causes	128	48		1	1	1		2		4	5	8	12	18	6	8	14	
DAYTON, OHIO, all causes	2,456	157	21	14	10	10	23	30	29	66	87	87	215	295	376	518	518	
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)																		
Scarlet fever (8)	2					1							1					
Whooping-cough (9)	1						1											
Diphtheria (10)	8		1	2	2		2	1										
Influenza (11)	46	3	3						1				3	8	5	8	15	
Epidemic cerebrospinal meningitis (18)	4	1	1							1		1						
Tuberculosis of the respiratory system (23)	152	1	1		1				11	15	24	10	28	28	20	12	1	
Other forms of tuberculosis (24–32)	20	1	1	3		2	1		1				3	2	4	2		
Syphilis (34)	42	3									1	1	9	4	12	12		
Cancer and other malignant tumors (45–53)	245			1		1	1				1	5	18	44	48	73	53	
Diabetes mellitus (59)	50						1	1	1	1			4	2	13	22	5	
Cerebral hemorrhage and softening (82a, 82c)	179									1		3	7	13	28	61	66	
Diseases of the heart (90–95)	558							7		4	8	10	18	63	111	154	183	
Bronchitis (106)	2															1	1	
Bronchopneumonia (107)	40	5	4	1			2			1	1	3	2	2	3	6	10	
Lobar and unspecified pneumonia (108, 109)	57	5	1		1	1	1	2		3	3	5	14	8	3	6	4	
Diarrhea and enteritis (119, 120)	30	17	4	1				1			1	1	1	3		1		
Appendicitis (121)	31	1	1				2	4	1	2	1	3	5	7	2	2		
Hernia, intestinal obstruction (122)	30			1				1		2		1	5	5	3	7	5	
Cirrhosis of the liver (124)	14												5	3	2	3	1	
Nephritis (130–132)	154						1			1			5	7	15	27	45	53
Diseases of the female genital organs (139)	9									1	1	1	3	3				
Puerperal septicemia (140, 142a, 145)	19								1	3	5	4	5	1				
Other puerperal causes	17								2	2	7	1	5					
Suicide (163–171)	44									5	4	5	9	7	7	6	1	
Homicide (172–175)	18								2	2	5	5	2	1		1		
Automobile accidents [1]	70				1	1	3	2	5	8	7	4	6	9	9	9	6	
Automobile—railroad train and street car collisions	6									1	1		1	2	1			
Other external causes	113	1	1	1	1	2	2	5	3	3	3	4	12	17	12	10	36	
All other causes	494	119	3	4	4	2	6	6	1	9	14	15	42	48	66	77	78	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TOLEDO, OHIO, all causes	3,456	239	21	19	14	13	43	40	57	84	95	111	351	470	593	710	596	
Typhoid and paratyphoid fever (1, 2)	4							1		1	1	1						
Measles (7)	3	1	1	1														
Scarlet fever (8)	14		1		1		5	2	1	1	2		1					
Whooping-cough (9)	1	1																
Diphtheria (10)	9			3			4					1			1			
Influenza (11)	27			1	1		3		1	3			3	4	3	5	3	
Epidemic cerebrospinal meningitis (18)	2	1							1									
Tuberculosis of the respiratory system (23)	184	1		3		1	1	3	7	13	17	22	43	35	28	8	2	
Other forms of tuberculosis (24–32)	18	2	1	1		1	1	1	3	1	3			2	2			
Syphilis (34)	28	1									2	2	6	11	5	1		
Cancer and other malignant tumors (45–53)	364	1		1	1		1	1	1	2	4	3	28	69	98	109	45	
Diabetes mellitus (59)	79				1	1			2		2	1		4	29	27	12	
Cerebral hemorrhage and softening (82a, 82c)	241									2	1	2	7	25	58	80	66	
Diseases of the heart (90–95)	784			1	2	1	1	2	7	13	2	10	51	106	150	221	217	
Bronchitis (106)	8	1				1						1	1		2		2	
Bronchopneumonia (107)	93	19	2	2	2		2	1	1				4	3	10	12	10	25
Lobar and unspecified pneumonia (108, 109)	97	11	3		1	1	1		3	1	1	2	18	16	13	17	9	
Diarrhea and enteritis (119, 120)	26	11	3	1			1				1	2	2	3	1		1	
Appendicitis (121)	59			1	1		3	3	3	4	7	2	13	10	9	2	1	
Hernia, intestinal obstruction (122)	59	2					2		1	1	2	2	11	6	15	12	5	
Cirrhosis of the liver (124)	27												3	4	9	7	4	
Nephritis (130–132)	218							3		2	1		14	27	44	70	57	
Diseases of the female genital organs (139)	15								1		3		5	3	2	1		
Puerperal septicemia (140, 142a, 145)	15									8	2	2	3					
Other puerperal causes	20								1		8	5	6					
Suicide (163–171)	51								1	2	4	5	10	13	8	5	3	
Homicide (172–175)	31								2	2	4	4	13	6				
Automobile accidents [1]	89			2	3	9	4	6	9	6	6	17	9	9	5	4		
Automobile—railroad train and street car collisions	7						1				2				4			
Other external causes	155	7	4	2		2	3	10	5	7	8	4	17	14	20	24	28	
All other causes	728	180	6	2	2	2	6	8	10	12	12	30	76	93	75	102	112	
YOUNGSTOWN, OHIO, all causes	1,585	130	23	10	10	7	21	29	43	45	46	72	189	274	270	226	190	
Typhoid and paratyphoid fever (1, 2)	4								1	1	1			1				
Measles (7)																		
Scarlet fever (8)	6		1				3	1					1					
Whooping-cough (9)	4	3	1															
Diphtheria (10)	1																1	
Influenza (11)	16		1		1					1			1	4	4	2	2	
Epidemic cerebrospinal meningitis (18)	2								1		1							
Tuberculosis of the respiratory system (23)	54	1	1				1	1	5	8	7	4	16	7	3			
Other forms of tuberculosis (24–32)	15		1					1	2	1	1	3	4	1		1		
Syphilis (34)	8											1	2	3	2			
Cancer and other malignant tumors (45–53)	168						1		2	2		3	11	43	47	39	20	
Diabetes mellitus (59)	34							1	1	1			1	8	10	9	3	
Cerebral hemorrhage and softening (82a, 82c)	92			1							1	1	3	15	24	29	18	
Diseases of the heart (90–95)	325				1	1	1	1	3	2	7	7	30	69	60	76	67	
Bronchitis (106)	4		1									1		1			1	
Bronchopneumonia (107)	56	25	6	1	1	1		1				1	5	2	2	3	8	
Lobar and unspecified pneumonia (108, 109)	90	4	1	1			2	1	2	3	1	8	9	18	22	10	8	
Diarrhea and enteritis (119, 120)	17	4	5	1	1			1		1	1		1		1		1	
Appendicitis (121)	38						2	5	4		4	3	8	5	5	2		
Hernia, intestinal obstruction (122)	17	1			1				2			1		4	4	1	3	
Cirrhosis of the liver (124)	16											1	3	8	2	1	1	
Nephritis (130–132)	110							1	1	3	2	2	9	20	32	19	21	
Diseases of the female genital organs (139)	13											2	7	2	1	1		
Puerperal septicemia (140, 142a, 145)	10									2	4	1	3					
Other puerperal causes	14								3	4	2	4	1					
Suicide (163–171)	22									2	2	4	1	7	5	1		
Homicide (172–175)	15								1	1	2	1	8	1	1			
Automobile accidents [1]	52					2	2	2	5	5	3	5	6	8	7	5	2	
Automobile—railroad train and street car collisions																		
Other external causes	90	1	2	4	2	2	5	6	2	1	4	7	17	9	13	5	10	
All other causes	292	91	3	2	3	1	4	7	8	7	3	12	42	38	25	22	24	
OKLAHOMA CITY, OKLA., all causes	2,060	217	47	16	21	15	53	48	70	64	99	86	205	251	296	308	264	
Typhoid and paratyphoid fever (1, 2)	14		1	1		1		3	1	3	1		2				1	
Measles (7)	3		2		1													
Scarlet fever (8)	3			1			2											
Whooping-cough (9)	2	2																
Diphtheria (10)	9		2	2	2		2				1							
Influenza (11)	48	8	1	1		1	3	1		2	2	3	4	6	2	7	7	
Epidemic cerebrospinal meningitis (18)	8	2		1		1	2		1							1		
Tuberculosis of the respiratory system (23)	78	1				1	1		3	7	12	4	15	15	9	4	6	
Other forms of tuberculosis (24–32)	15	1	3	2			1		2	1	1		1	3				
Syphilis (34)	24	6	1							1	1	3	5	3	4			
Cancer and other malignant tumors (45–53)	185			1	1		2	2	2	1	5	6	14	34	50	42	25	
Diabetes mellitus (59)	23			1				1	1	1	1	1	1	1	8	6	1	
Cerebral hemorrhage and softening (82a, 82c)	113											1	5	13	25	37	32	
Diseases of the heart (90–95)	305					1	4	3	3	1	8	7	25	36	70	81	66	
Bronchitis (106)	2															1	1	
Bronchopneumonia (107)	79	14	1	1	1	2	3	3	1	2	4		10	6	12	9	10	
Lobar and unspecified pneumonia (108, 109)	87	9	2		3	2	2	4	4	2	1	3	11	9	8	15	12	
Diarrhea and enteritis (119, 120)	73	47	17		1		1	1		1				2		1	2	
Appendicitis (121)	60			1			3	12	11	1	6	4	9	9	4			
Hernia, intestinal obstruction (122)	38	1	2		1		4				4	5	5	7	4	1	4	
Cirrhosis of the liver (124)	13											2	2	1	4	2	2	
Nephritis (130–132)	110	2			1		4		1	1	7	7	6	12	21	26	22	
Diseases of the female genital organs (139)	17								2	3	3	5	2		1	1		
Puerperal septicemia (140, 142a, 145)	15								4	3	4	1	3					
Other puerperal causes	8									4	2		2					
Suicide (163–171)	29								1	2	5	1	9	2	5	2	2	
Homicide (172–175)	33	1							3	3	5	6	9	4	2			
Automobile accidents [1]	62			1	2		1	1	9	8	2	3	17	9	5	2	2	
Automobile—railroad train and street car collisions	3						1				1	1						
Other external causes	95	3	4	1	3	1	5	2	7	3	3	7	10	13	9	8	16	
All other causes	506	120	11	2	5	5	12	15	14	14	20	16	38	66	53	62	53	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TULSA, OKLA., all causes	1,238	130	34	11	8	10	22	17	27	41	58	63	141	142	173	196	165	
Typhoid and paratyphoid fever (1, 2)	5						1		2	1		1						
Measles (7)	3		1		1						1							
Scarlet fever (8)	1							1										
Whooping-cough (9)	3		3															
Diphtheria (10)	9	1	2	1		1	3	1										
Influenza (11)	32	1		1		1			1	2	3	5	6	2	3	4	3	
Epidemic cerebrospinal meningitis (18)	6	1		1				1	1	1			1					
Tuberculosis of the respiratory system (23)	39							1	3	4	8	3	7	8	3	2		
Other forms of tuberculosis (24–32)	5	1	1		1		1									1		
Syphilis (34)	11	6									1		3		1			
Cancer and other malignant tumors (45–53)	93					1				1	2	4	8	14	26	22	15	
Diabetes mellitus (59)	28							1	1		1	1	3	5	9	2	5	
Cerebral hemorrhage and softening (82a, 82c)	81		1						2				8	6	21	25	18	
Diseases of the heart (90–95)	228	2	1		1		1	3	1	3	3	2	23	39	46	56	47	
Bronchitis (106)	3														2		1	
Bronchopneumonia (107)	41	21	3	1	2	1	1				1		1	2		3	5	
Lobar and unspecified pneumonia (108, 109)	44	4	1			1	1			3	2	1	7	4	5	10	5	
Diarrhea and enteritis (119, 120)	38	21	10	1									2	1	1	2		
Appendicitis (121)	46					1	2	4	4	4	6	5	6	10	2	2		
Hernia, intestinal obstruction (122)	17			1					1	1	2	4	3	2		2	1	
Cirrhosis of the liver (124)	8										1	1		3		2	1	
Nephritis (130–132)	71			1					1	2	2	2	4	6	17	22	14	
Diseases of the female genital organs (139)	5							1			1	2		1				
Puerperal septicemia (140, 142a, 145)	4								2	1		1						
Other puerperal causes	9								1		2	4	2					
Suicide (163–171)	24									3	2	2	11	4	1	1		
Homicide (172–175)	23									3	3	5	10	2				
Automobile accidents [1]	33					1	3			1	8	2	1	6	2	6	3	
Automobile—railroad train and street car collisions	4								1				1		1	1		
Other external causes	59	2	2	1	1	1	2	2	5	7	3	8	8	3	4	1	9	
All other causes	265	70	9	3	2	2	7	2	1	4	6	10	26	24	29	32	38	
PORTLAND, OREG., all causes	3,521	144	17	11	5	13	31	28	39	48	69	85	303	490	612	836	790	
Typhoid and paratyphoid fever (1, 2)	2											1		1				
Measles (7)	1	1																
Scarlet fever (8)	3								2			1						
Whooping-cough (9)																		
Diphtheria (10)	2		1			1												
Influenza (11)	36	1	1					1		1	3	3	6	6	3	4	7	
Epidemic cerebrospinal meningitis (18)	4	2		1							1							
Tuberculosis of the respiratory system (23)	78		1	1				1	5	5	5	5	18	13	9	10	5	
Other forms of tuberculosis (24–32)	25	1	1	2	1	1		2		2	2	1	4	4	2	2		
Syphilis (34)	33	2							1			1	5	8	11	4	1	
Cancer and other malignant tumors (45–53)	517		2		1					2	6	12	36	99	122	150	87	
Diabetes mellitus (59)	76				1			1		1	2	2	1	4	28	29	7	
Cerebral hemorrhage and softening (82a, 82c)	238											1	8	19	45	79	86	
Diseases of the heart (90–95)	810						2	2	7	2	6	9	41	107	139	237	258	
Bronchitis (106)	10	2												1	3		4	
Bronchopneumonia (107)	85	7	1				1		1	1	1	2	11	6	8	20	26	
Lobar and unspecified pneumonia (108, 109)	95	5	1	1			3	1	1	1	4	4	13	9	25	16	11	
Diarrhea and enteritis (119, 120)	11		1		1								3	2	1	1	2	
Appendicitis (121)	34		1	1			2		2	1	3	1	6	9	2	4	2	
Hernia, intestinal obstruction (122)	38				1			1				1	4	7	6	6	12	
Cirrhosis of the liver (124)	25			1								1	4	6	4	6	3	
Nephritis (130–132)	319						1	1	1	3	2	6	13	25	66	106	95	
Diseases of the female genital organs (139)	10									2			3	2	2	1		
Puerperal septicemia (140, 142a, 145)	7									3	1	1	2					
Other puerperal causes	14								2		5		7					
Suicide (163–171)	100							1	2	2	1	3	19	33	18	15	6	
Homicide (172–175)	14	2								2	1	1	4	3	1			
Automobile accidents [1]	83	1				1	2	2	1	8	2	3	11	21	8	10	13	
Automobile—railroad train and street car collisions	3										1		1	1				
Other external causes	135		2		2	1	4	5	5	5	6	11	14	18	16	10	36	
All other causes	713	120	7	2		7	16	10	9	7	17	15	69	86	93	126	129	
ERIE, PA., all causes	1,307	96	17	6	6	5	23	16	28	21	30	24	106	193	230	271	234	1
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	12	2	5	1		1	3											
Scarlet fever (8)	6	1			1	4												
Whooping-cough (9)	3	1	1	1														
Diphtheria (10)	3				1		1				1							
Influenza (11)	18	5									1		2	5	2	3		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	33							1	1	4	5	2	5	7	4	3	1	
Other forms of tuberculosis (24–32)	6				1		1	1						1		2		
Syphilis (34)	9	2										1	1	3	1	1		
Cancer and other malignant tumors (45–53)	165	1					1					1	12	22	43	45	39	1
Diabetes mellitus (59)	36							2	1				1	5	8	16	3	
Cerebral hemorrhage and softening (82a, 82c)	110												6	16	23	31	34	
Diseases of the heart (90–95)	295							4	4	1	2	3	21	27	64	89	80	
Bronchitis (106)	2										2							
Bronchopneumonia (107)	19	6	1	1					1				3			3	4	
Lobar and unspecified pneumonia (108, 109)	61	2	2		2		1		1	1	2	1	7	18	14	5	5	
Diarrhea and enteritis (119,120)	6	4									1					1		
Appendicitis (121)	20		1				3		1	2		3	4	2	3	1		
Hernia, intestinal obstruction (122)	14	2										1	2	5	3	1		
Cirrhosis of the liver (124)	12													6	1	4	1	
Nephritis (130–132)	99						1	1		1	5		6	23	20	20	22	
Diseases of the female genital organs (139)	4								1		1	1					1	
Puerperal septicemia (140, 142a, 145)	7								3		1		3					
Other puerperal causes	6								1				5					
Suicide (163–171)	22								1	1	1	2	2	6	5	2	2	
Homicide (172–175)	5								1	2				1		1		
Automobile accidents [1]	36	1					5	1	2	4	3	2	3	2	7	3	3	
Automobile—railroad train and street car collisions																		
Other external causes	67	1	2				1	3	4	1	2	1	7	13	9	8	15	
All other causes	230	68	5	3	1		6	3	6	4	3	6	15	31	23	32	24	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PHILADELPHIA, PA. (WHITE), all causes	20,484	1,122	154	84	77	47	216	165	270	354	447	475	1,656	2,749	4,212	4,763	3,679	14
Typhoid and paratyphoid fever, (1, 2)	10						1	1	1	3	2	1		1				
Measles (7)	28	5	15	3	2	2	1											
Scarlet fever (8)	30	3		2	5	3	9	3	1	1			3					
Whooping-cough (9)	8	6	2															
Diphtheria (10)	15	1	2	1	1		9						1					
Influenza (11)	216	32	13	6	4	1	7	1	4	11	5	4	25	23	25	27	28	
Epidemic cerebrospinal meningitis (18)	21	4	3		2		2	4	3				2		1			
Tuberculosis of the respiratory system (23)	842	5	3	2	1		3	2	45	81	88	78	170	136	135	70	23	
Other forms of tuberculosis (24–32)	73	4	6	3		3	4	4	5	3	9	4	8	7	6	5	2	
Syphilis (34)	83	6								1	1	5	9	23	22	11	5	
Cancer and other malignant tumors (45–53)	2,616	2				2	7	10	11	14	19	35	218	479	766	730	322	1
Diabetes mellitus (59)	525		2				1		2	2	4	3	22	71	164	188	65	1
Cerebral hemorrhage and softening (82a, 82c)	1,064	2	2				1	1	1		4	1	40	133	249	354	276	
Diseases of the heart (90–95)	5,826	6	3	1		1	20	17	41	41	54	81	293	666	1,278	1,752	1,568	4
Bronchitis (106)	47	3									2	1	4	8	8	5	16	
Bronchopneumonia (107)	527	122	23	8	6	2	3	4	7	7	7	7	39	45	69	88	90	
Lobar and unspecified pneumonia (108, 109)	827	59	19	9	6	3	12	7	22	13	30	32	115	160	149	112	79	
Diarrhea and enteritis (119, 120)	166	97	19	4	2	2	2	2	2			2	4	5	5	6	14	
Appendicitis (121)	215		2	4	4	4	8	12	13	15	10	13	43	33	28	20	6	
Hernia, intestinal obstruction (122)	218	9	2	2			1	1		1	3	2	22	26	58	59	30	2
Cirrhosis of the liver (124)	223	1						1		1	1	7	21	47	70	55	19	
Nephritis (130–132)	2,035	2		2	1		3	9	14	14	15	23	115	240	419	613	563	2
Diseases of the female genital organs (139)	45								2	3	3	5	9	12	6	4	1	
Puerperal septicemia (140, 142a, 145)	54								2	11	13	11	17					
Other puerperal causes	81								2	9	28	19	23					
Suicide (163–171)	313								5	6	20	21	56	75	76	43	11	
Homicide (172–175)	69						1		7	10	11	6	19	8	5	1	1	
Automobile accidents [1]	328	2		5	8	9	17	15	12	21	25	18	29	50	48	48	21	
Automobile—railroad train and street car collisions	14						1			2	1	1	7	2				
Other external causes	823	24	9	9	11	6	23	21	12	23	19	25	92	125	165	125	132	2
All other causes	3,142	727	31	21	24	9	80	50	56	61	73	70	250	374	460	447	407	2
PHILADELPHIA, PA. (COLORED), all causes	3,422	334	53	20	14	13	49	42	88	142	198	215	633	684	503	287	145	2
Typhoid and paratyphoid fever (1, 2)	2							1				1						
Measles (7)	6		2	1	1		2											
Scarlet fever (8)	5				1		3				1							
Whooping-cough (9)	2	1	1															
Diphtheria (10)																		
Influenza (11)	67	23	2	1		1	4		1		4	1	7	11	6	4	2	
Epidemic cerebrospinal meningitis (18)	4	1					1					1	1					
Tuberculosis of the respiratory system (23)	438	7	4	1	2	1	4	13	51	58	61	53	96	53	29	4	1	
Other forms of tuberculosis (24–32)	39		2	2	1		2	2	2	6	6	3	6	5	2			
Syphilis (34)	162	15	2						1	6	12	14	46	37	24	4	1	
Cancer and other malignant tumors (45–53)	217					1				1	8	9	51	67	49	23	8	
Diabetes mellitus (59)	51							1		1			5	15	14	13	2	
Cerebral hemorrhage and softening (82a, 82c)	136	1			1					1		6	19	37	36	22	13	
Diseases of the heart (90–95)	669		1	1			2	7	7	8	14	23	101	180	160	106	59	
Bronchitis (106)	7	3	1											1		2		
Bronchopneumonia (107)	110	55	8	1	1	1	5	1	2	2	3	4	7	9	6	3	2	
Lobar and unspecified pneumonia (108, 109)	238	22	8	3	1	2	1	3	3	7	19	18	49	67	16	14	5	
Diarrhea and enteritis (119, 120)	50	29	4		1		1	1	1		2	2	4		3		2	
Appendicitis (121)	41					3	4		4	3	5	4	11	3	3	1		
Hernia, intestinal obstruction (122)	37	3	1		1				1	1	4	4	10	4	3	5		
Cirrhosis of the liver (124)	37											2	9	17	8	1		
Nephritis (130–132)	302							1	2	2	7	17	55	67	81	44	26	
Diseases of the female genital organs (139)	7									1	1	2	3					
Puerperal septicemia (140, 142a, 145)	13								4	1	5	1	2					
Other puerperal causes	8									2	1	1	2	2				
Suicide (163–171)	16								1	2	3	4	2	3	1			
Homicide (172–175)	68								3	17	10	11	17	8	1		1	
Automobile accidents [1]	39			1	1		4	1		2	2	6	7	5	6	3	1	
Automobile—railroad train and street car collisions																		
Other external causes	106	3	6	2	1	4	9	4	2	3	7	6	29	13	8	4	5	
All other causes	545	171	11	7	2		7	7	3	18	23	22	94	80	47	34	17	2
PITTSBURGH, PA. (WHITE), all causes	6,703	553	74	45	38	26	119	99	119	190	186	205	638	936	1,228	1,323	922	2
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)	3			1	2													
Scarlet fever (8)	17		1	2	3	1	8		1		1							
Whooping-cough (9)	21	12	6	2		1												
Diphtheria (10)	20	1	2	4	2	2	7			1			1					
Influenza (11)	102	16	5	3		1	3	2	2	6	5	3	9	12	17	13	5	
Epidemic cerebrospinal meningitis (18)	13	1			1		5	1	1	1	1	1			1			
Tuberculosis of the respiratory system (23)	225	1	3				1	1	17	27	22	19	42	44	32	14	2	
Other forms of tuberculosis (24–32)	34		7			2	1	4	3	1	2	4	6	2	1	1		
Syphilis (34)	38	11					1				2		3	5	14	1	1	
Cancer and other malignant tumors (45–53)	771	1	1		1		2	3	2	8	9	17	77	153	205	202	90	
Diabetes mellitus (59)	156						1			2	1	1	8	22	47	51	23	
Cerebral hemorrhage and softening (82a, 82c)	468	4	1					1		1	1	6	22	55	123	152	102	
Diseases of the heart (90–95)	1,473	1		1			11	25	14	25	15	29	101	176	310	404	359	2
Bronchitis (106)	30	5		1		1					1		1	3	3	7	8	
Bronchopneumonia (107)	182	53	8	10		2	6	1	2	2	4		7	18	7	28	34	
Lobar and unspecified pneumonia (108, 109)	373	26	10	3	4	2	8	5	6	7	9	19	57	79	65	45	28	
Diarrhea and enteritis (119, 120)	60	33	4	1	1	1	1			2	1	1	4	2		5	4	
Appendicitis (121)	97	1		3	3		3	10	10	10	3	6	15	11	12	7	3	
Hernia, intestinal obstruction (122)	87	4	1	1			1		2		2	2	16	12	18	16	12	
Cirrhosis of the liver (124)	78										1	2	14	24	20	12	5	
Nephritis (130–132)	492				1		2	2	10	9	7	9	22	76	110	147	97	
Diseases of the female genital organs (139)	18									4	1	1	5	3	2	2		
Puerperal septicemia (140, 142a, 145)	39								3	9	10	7	10					
Other puerperal causes	25									7	8	5	5					
Suicide (163–171)	99								5	8	4	8	20	20	18	12	4	
Homicide (172–175)	25	1							2	2	4	2	9	3	1	1		
Automobile accidents [1]	130	1			7	3	12	7	1	13	9	9	8	18	18	20	4	
Automobile—railroad train and street car collisions	12									4	1	2	1	2	2			
Other external causes	312	11	6	7	4	4	12	10	12	7	16	14	39	53	41	34	42	
All other causes	1,302	370	19	6	9	6	34	27	26	34	45	38	136	143	161	149	99	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (COLORED), all causes	738	75	11	3	3	5	11	11	22	29	33	50	132	152	98	69	34	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	2	1											1					
Whooping-cough (9)	9	6		2		1												
Diphtheria (10)	2						2											
Influenza (11)	13	1			1					2	1	2	3		1	2		
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	51	1			1		1		4	8	4	6	15	7	4			
Other forms of tuberculosis (24–32)	15		2			1	1	2	3	1	1	1	1	2				
Syphilis (34)	11		1						2			1	3	1	2		1	
Cancer and other malignant tumors (45–53)	32						2						6	10	12	2		
Diabetes mellitus (59)	7													2	4	1		
Cerebral hemorrhage and softening (82a, 82c)	44												10	13	10	8	3	
Diseases of the heart (90–95)	145	1						3	3	2	2	3	19	37	26	26	23	
Bronchitis (106)	1												1					
Bronchopneumonia (107)	33	13	3				1		1			3	3	3	4	2		
Lobar and unspecified pneumonia (108, 109)	97	4	1			1	2		2	4	7	14	26	23	6	6	1	
Diarrhea and enteritis (119, 120)	2	2																
Appendicitis (121)	10				1				2		1			4	1		1	
Hernia, intestinal obstruction (122)	14						1				1	1	2	5	3	1		
Cirrhosis of the liver (124)	4											1	1		1	1		
Nephritis (130–132)	53										1	3	11	14	10	11	3	
Diseases of the female genital organs (139)	9								1		1	1	6					
Puerperal septicemia (140, 142a, 145)	5									3		1	1					
Other puerperal causes	5								1		1	3						
Suicide (163–171)																		
Homicide (172–175)	20						1			4	3	4	5	2	1			
Automobile accidents [1]	7										1		2	3	1			
Automobile—railroad train and street car collisions	1										1							
Other external causes	26	1	1					3		2	2	3	4	6	2	2		
All other causes	119	44	3	1		2		3	3	3	6	3	12	20	10	7	2	
READING, PA., all causes	1,220	74	10	8	8	7	21	13	16	19	19	21	96	164	217	275	252	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	2		1				1											
Scarlet fever (8)	1						1											
Whooping-cough (9)	4	4																
Diphtheria (10)	8			2		1	5											
Influenza (11)	21	1			1		2			1	1	1	1	3	3		7	
Epidemic cerebrospinal meningitis (18)	4	1	1					2										
Tuberculosis of the respiratory system (23)	44			1			1		3	3	1	3	7	15	3	3	4	
Other forms of tuberculosis (24–32)	1													1				
Syphilis (34)	6	1										1	2		1	1		
Cancer and other malignant tumors (45–53)	136		1								1	1	11	22	36	45	19	
Diabetes mellitus (59)	37									1		1	3	4	12	12	4	
Cerebral hemorrhage and softening (82a, 82c)	94												4	12	26	26	26	
Diseases of the heart (90–95)	308						2	2	2	2	5	1	16	38	59	88	95	
Bronchitis (106)	3												1		1		1	
Bronchopneumonia (107)	30	7	3	1	2				1						2	5	9	
Lobar and unspecified pneumonia (108, 109)	47	6	1	1	1		1	2	3	1		2	6	11	9	3		
Diarrhea and enteritis (119, 120)	12	6	1	1		1							1	1		1		
Appendicitis (121)	12				1		1	2		2	2			3		1		
Hernia, intestinal obstruction (122)	19					1							5	5	4	3	1	
Cirrhosis of the liver (124)	7													1	4	2		
Nephritis (130–132)	131						2			1		4	12	13	19	40	40	
Diseases of the female genital organs (139)	8									1			2	2	2	1		
Puerperal septicemia (140, 142a, 145)	3								2	1								
Other puerperal causes	5										1		4					
Suicide (163–171)	28									2	1	2	4	6	8	3	2	
Homicide (172–175)	3	1									1				1			
Automobile accidents [1]	27								2				6	5	6	5	3	
Automobile—railroad train and street car collisions																		
Other external causes	49		1	1	2	2	3	1	1	2		2	2	7	3	12	10	
All other causes	170	47	1	1	1	2	5	5	3		5	5	14	20	15	19	27	
SCRANTON, PA., all causes	1,891	142	24	10	10	10	42	29	36	57	62	46	217	284	378	332	210	2
Typhoid and paratyphoid fever (1, 2)	5			1			1			1		1	1					
Measles (7)	1	1																
Scarlet fever (8)	8	1	1		1		3		1	1								
Whooping-cough (9)	2	2																
Diphtheria (10)	1						1											
Influenza (11)	41	3	2	1			2	1			1	1	8	8	8	4	2	
Epidemic cerebrospinal meningitis (18)	4	3													1			
Tuberculosis of the respiratory system (23)	63		1					2	2	7	7	2	14	14	11	1	1	1
Other forms of tuberculosis (24–32)	14	1	2		1	2	1		2	2	1		2					
Syphilis (34)	7										1		3	1	2			
Cancer and other malignant tumors (45–53)	206	1				1		2	3	3	2		25	38	60	48	23	
Diabetes mellitus (59)	57									1	1		2	10	22	16	5	
Cerebral hemorrhage and softening (82a, 82c)	108			1						1			5	23	24	34	20	
Diseases of the heart (90–95)	453						7	6	5	2	10	6	38	63	121	113	81	1
Bronchitis (106)	2		1														1	
Bronchopneumonia (107)	59	18	3		3	2	1	2					4	9	10	5	2	
Lobar and unspecified pneumonia (108, 109)	99	6	3	3	1	1	4		2	8	5	3	15	15	19	11	3	
Diarrhea and enteritis (119, 120)	22	12	4	1			1								2		2	
Appendicitis (121)	35	1					5	3	3	6	3	2	6	4	2			
Hernia, intestinal obstruction (122)	20	1					1						3	3	5	6	1	
Cirrhosis of the liver (124)	12								1					4	5	2		
Nephritis (130–132)	111		1	1			1		2		2	5	15	17	26	27	14	
Diseases of the female genital organs (139)	8								1	1	1	3	1			1		
Puerperal septicemia (140, 142a, 145)	9									1	4	2	2					
Other puerperal causes	18								1	2	4	2	9					
Suicide (163–171)	22										2		6	6	4	3	1	
Homicide (172–175)	10								1		1	2	3	3				
Automobile accidents [1]	42						4	2	1	8	2	2	6	7	5	3	2	
Automobile—railroad train and street car collisions																		
Other external causes	111	3	2		2		3	4	4	6	7	5	17	24	13	11	10	
All other causes	341	89	4	2	2	4	7	7	7	7	8	10	32	35	38	47	42	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PROVIDENCE, R. I., all causes	3,156	272	27	16	17	11	40	40	38	67	57	73	219	378	662	693	546	
Typhoid and paratyphoid fever (1, 2)	3								1			1			1			
Measles (7)																		
Scarlet fever (8)	5		1		1		1						1		1			
Whooping-cough (9)	10	6	3				1											
Diphtheria (10)	3			1				2										
Influenza (11)	30	3						1		1	1	1	2	6	6	2	7	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	110	1						1	3	10	4	10	16	26	28	9	2	
Other forms of tuberculosis (24–32)	16		3	1		1	1		1	1	1	1	5		1			
Syphilis (34)	20	3											3	7	5	1	1	
Cancer and other malignant tumors (45–53)	383				1		1	1	3	3	3	1	28	62	108	118	54	
Diabetes mellitus (59)	106						1		1				2	17	30	38	17	
Cerebral hemorrhage and softening (82a, 82c)	232							2		1	1	2	10	30	60	74	52	
Diseases of the heart (90–95)	708					1	2	5	4	6	6	6	30	86	168	194	200	
Bronchitis (106)	8			1			1							1		1	4	
Bronchopneumonia (107)	77	16	1	6	1	1	3	4			2	2	3	2	11	8	17	
Lobar and unspecified pneumonia (108, 109)	160	9	7	1	3		3	3	1	3	2	6	20	28	24	31	19	
Diarrhea and enteritis (119, 120)	21	14	1		1						1	1		1		2		
Appendicitis (121)	65			1	3		3	5	6	8	7	4	6	8	8	5	1	
Hernia, intestinal obstruction (122)	32	3	2								2		4	1	14	3	3	
Cirrhosis of the liver (124)	21											3		4	8	6		
Nephritis (130–132)	330					1		1	3	5	4	8	12	30	79	94	93	
Diseases of the female genital organs (139)	9										1	1	5	1		1		
Puerperal septicemia (140, 142a, 145)	13								1	3	3	1	4	1				
Other puerperal causes	18									2	4	5	7					
Suicide (163–171)	29								1		3	3	5	4	7	6		
Homicide (172–175)	7									2			3	1	1			
Automobile accidents [1]	48			2	2	3	7	1	3	4	1	2	6	5	7	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	120	3	2	2		1	7	3	2	8	3	3	8	11	18	25	24	
All other causes	572	214	7	1	5	3	9	11	8	10	8	12	39	46	77	71	51	
CHATTANOOGA, TENN. (WHITE), all causes	978	117	24	9	9	8	25	16	27	43	33	40	79	120	138	164	125	1
Typhoid and paratyphoid fever (1, 2)	4								1	1		1			1			
Measles (7)																		
Scarlet fever (8)	2				2													
Whooping-cough (9)	5	3	1			1												
Diphtheria (10)	13		1	3		3	6											
Influenza (11)	37	7	3	1			1		1			1	7	1	2	8	5	
Epidemic cerebrospinal meningitis (18)	3	1		1			1											
Tuberculosis of the respiratory system (23)	47	2	2						2	6	6	8	7	6	5	2	1	
Other forms of tuberculosis (24–32)	10	2	2			2		1	1			1		1				
Syphilis (34)	2				1										1			
Cancer and other malignant tumors (45–53)	82											2	7	21	25	20	7	
Diabetes mellitus (59)	13						1		1		2			3	2	3	1	
Cerebral hemorrhage and softening (82a, 82c)	59						1						1	9	15	22	11	
Diseases of the heart (90–95)	123						3	1	2	1	1	3	8	17	33	31	23	
Bronchitis (106)																		
Bronchopneumonia (107)	33	15	1							1	2	1		3	1	3	6	
Lobar and unspecified pneumonia (108, 109)	48	4	2		1		3	3	2	1	5	1		5	5	7	9	
Diarrhea and enteritis (119, 120)	30	15	7	1	2	1									2	2		
Appendicitis (121)	18				1			2	1	1		3	5	3		2		
Hernia, intestinal obstruction (122)	10	1													2	5	2	
Cirrhosis of the liver (124)	9											1		2	3	2	1	
Nephritis (130–132)	70								1	3		2	5	6	13	21	19	
Diseases of the female genital organs (139)	8								1	1	3	1	1		1			
Puerperal septicemia (140, 142a, 145)	4									4								
Other puerperal causes	9								2	3		1	3					
Suicide (163–171)	14									1	2	1	3	2	3	2		
Homicide (172–175)	12								1	2	2	2		4		1		
Automobile accidents [1]	36				1		2		4	7	3		4	5	5	4	1	
Automobile—railroad train and street car collisions	1												1					
Other external causes	51			1	1		2	4	2	6		3	7	4	6	4	11	
All other causes	225	67	5	2		1	5	5	5	5	7	8	20	28	13	25	28	1
CHATTANOOGA, TENN. (COLORED), all causes	589	68	5	6		2	6	8	27	47	48	49	104	82	79	32	26	
Typhoid and paratyphoid fever (1, 2)	2								1		1							
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)	2	1		1														
Diphtheria (10)																		
Influenza (11)	34	1	1	1			1		5	2	4	4	7	3	3		2	
Epidemic cerebrospinal meningitis (18)	2												1	1				
Tuberculosis of the respiratory system (23)	41							2	7	6	3	9	9	4		1		
Other forms of tuberculosis (24–32)	17	2		2				1	4	1	2		3		2			
Syphilis (34)	17	1							1	1	2	3	4	2	1	1	1	
Cancer and other malignant tumors (45–53)	17									1	1	1	4	5	3		2	
Diabetes mellitus (59)	6									1	1		3	1				
Cerebral hemorrhage and softening (82a, 82c)	43											1	10	12	11	7	2	
Diseases of the heart (90–95)	56									1	2	4	8	8	16	9	8	
Bronchitis (106)	2									1		1						
Bronchopneumonia (107)	41	12	1				2	1	2	4	1	1	6	5	3	2	1	
Lobar and unspecified pneumonia (108, 109)	34	3		1				2	2	4	4	3	4	3	4	2	2	
Diarrhea and enteritis (119, 120)	19	9	3											4	2		1	
Appendicitis (121)	6							1		1	2		2					
Hernia, intestinal obstruction (122)	6										1		2	2		1		
Cirrhosis of the liver (124)	2												1	1				
Nephritis (130–132)	36									1		2	6	8	14	3	2	
Diseases of the female genital organs (139)	3												1	1		1		
Puerperal septicemia (140, 142a, 145)	2										1	1						
Other puerperal causes	4								1	1	1	1						
Suicide (163–171)	2									1			1					
Homicide (172–175)	26								1	6	9	6	3		1			
Automobile accidents [1]	6					1				1			1	1	1		1	
Automobile—railroad train and street car collisions																		
Other external causes	18						2	1		4	4	1	3	1	2			
All other causes	145	39		1		1	1		3	10	9	11	25	20	16	5	4	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KNOXVILLE, TENN., all causes	1,303	144	26	13	10	9	28	17	34	52	75	57	149	166	187	171	163	2
Typhoid and paratyphoid fever (1, 2)	8							1		1	1	3		2				
Measles (7)	2		1				1											
Scarlet fever (8)	6	1		1	1	1	2											
Whooping-cough (9)	6	4	2															
Diphtheria (10)	9		2	4		1	1		1									
Influenza (11)	46	4			1		3	1	1	1	4	2	6	4	7	4	8	
Epidemic cerebrospinal meningitis (18)	4	2	1											1				
Tuberculosis of the respiratory system (23)	44				1		1		2	2	7	3	9	6	7	6		
Other forms of tuberculosis (24–32)	18	2	2			2		1		2	1		2	2	2	1	1	
Syphilis (34)	12	2	1								1	1	4	2	1			
Cancer and other malignant tumors (45–53)	101						1		1	2	2	2	11	22	25	24	11	
Diabetes mellitus (59)	14							1	1				2	3	3	4		
Cerebral hemorrhage and softening (82a, 82c)	67		1							1		3	4	9	13	21	15	
Diseases of the heart (90–95)	190	1	1						1	3	5	3	16	30	42	47	41	
Bronchitis (106)	2															1	1	
Bronchopneumonia (107)	34	13	3	2	1					1	1	1		2	3	3	4	
Lobar and unspecified pneumonia (108, 109)	49	4		1		1		1	2	1	2	4	8	6	9	7	3	
Diarrhea and enteritis (119, 120)	36	23	6	1	1								1	3		1		
Appendicitis (121)	40					1	2	4	6	5	4	1	5	2	6	3	1	
Hernia, intestinal obstruction (122)	20	1								1	1	1	3	3	5	1	4	
Cirrhosis of the liver (124)	10										1		1	3	4	1		
Nephritis (130–132)	85		2							2	2	3	9	11	20	16	20	
Diseases of the female genital organs (139)	9									1		1	5	1	1			
Puerperal septicemia (140, 142a, 145)	6									1	5							
Other puerperal causes	15								1	3	5	2	3	1				
Suicide (163–171)	28								2	2	7		7	4	3	1	1	1
Homicide (172–175)	31								2	5	5	8	8	2	1			
Automobile accidents [1]	36						3	2	2	3	5	4	1	9	2	2	3	
Automobile—railroad train and street car collisions																		
Other external causes	65		1	1			4	1	6	3	7	3	9	6	7	4	12	1
All other causes	310	87	3	3	5	3	10	5	6	12	9	12	35	32	26	24	38	
MEMPHIS, TENN. (WHITE), all causes	2,155	237	44	21	13	11	50	43	46	92	68	82	200	266	343	352	286	1
Typhoid and paratyphoid fever (1, 2)	10		1				1		3	3	1	1						
Measles (7)	2		1		1													
Scarlet fever (8)	4		1			1	1	1										
Whooping-cough (9)	4	2			1		1											
Diphtheria (10)	11		3	1	2	1	3										1	
Influenza (11)	30	3	4	2			2		1			1		2	8	2	5	
Epidemic cerebrospinal meningitis (18)	2						1							1				
Tuberculosis of the respiratory system (23)	63	1						1	3	11	6	8	10	8	5	6	4	
Other forms of tuberculosis (24–32)	17	1	1			1	1	1	1	2		2	3	2	1		1	
Syphilis (34)	30	5	1						1	4	2	1	4	2	6	4		
Cancer and other malignant tumors (45–53)	180				1	1	1	2	2	1	6	4	18	39	44	39	22	
Diabetes mellitus (59)	34										1		3	5	9	10	6	
Cerebral hemorrhage and softening (82a, 82c)	134						1	3				2	8	14	30	39	37	
Diseases of the heart (90–95)	321								1	2	4	1	15	47	81	79	91	
Bronchitis (106)	7								1					1		4	1	
Bronchopneumonia (107)	51	14	4		1		1		2		1	1	1	4	3	9	10	
Lobar and unspecified pneumoia (108, 109)	75	2	1	3		1	2	1	1	3	1	5	7	16	15	9	8	
Diarrhea and enteritis (119, 120)	31	24	2	1									1			3		
Appendicitis (121)	59				1	1	7	9	5	2	5	3	8	3	13	1	1	
Hernia, intestinal obstruction (122)	38	4								1	2	2	4	4	10	5	6	
Cirrhosis of the liver (124)	17									1		1	5	4	4	1	1	
Nephritis (130–132)	127						1	1		2	2	4	12	18	26	38	23	
Diseases of the female genital organs (139)	8								1	1	1	2		2			1	
Puerperal septicemia (140, 142a, 145)	13								1	8	1		3					
Other puerperal causes	15								1	7	2	2	3					
Suicide (163–171)	43									5	3	6	9	8	8	4		
Homicide (172–175)	31									1	5	5	10	6	2	1	1	
Automobile accidents [1]	72						2	5	5	10	2	6	8	10	8	12	3	1
Automobile—railroad train and street car collisions	4								1			1	1			1		
Other external causes	111	6	5	4			5	8	4	7	5	6	9	16	7	13	16	
All other causes	611	175	20	10	6	5	20	11	12	21	18	18	58	54	63	72	48	
MEMPHIS, TENN. (COLORED), all causes	2,201	229	36	19	10	6	33	33	77	128	155	159	350	367	319	183	97	
Typhoid and paratyphoid fever (1, 2)	11			1				1	2		2		1	1	2	1		
Measles (7)	4	1					3											
Scarlet fever (8)																		
Whooping-cough (9)	7	4	2				1											
Diphtheria (10)	2			1			1											
Influenza (11)	51	3	1				1	1	4	4	6	1	5	9	6	7	3	
Epidemic cerebrospinal meningitis (18)	3						1	1					1					
Tuberculosis of the respiratory system (23)	182		1		1	1	2	2	14	34	39	27	23	22	11	5		
Other forms of tuberculosis (24–32)	48	2	5	1	1		3	3	3	4	11	6	5	2	1	1		
Syphilis (34)	107	9								1	6	9	22	26	20	9	5	
Cancer and other malignant tumors (45–53)	102		1	1			1	1		1	6	6	21	22	28	9	5	
Diabetes mellitus (59)	31							1	1		1	4	4	10	6	3	1	
Cerebral hemorrhage and softening (82a, 82c)	143									1		4	26	36	34	23	19	
Diseases of the heart (90–95)	244						1			4	7	10	31	66	68	42	15	
Bronchitis (106)	5										1		2		1		1	
Bronchopneumonia (107)	68	32	6	3	1	1				1		3	1	9	6	4	1	
Lobar and unspecified pneumonia (108, 109)	134	11	4	4	1	1	7	1	8	10	7	10	31	18	14	7		
Diarrhea and enteritis (119, 120)	25	9	3	1	1				1	2		1	2		5			
Appendicitis (121)	37						1	3	2	4	2	5	8	7	2	3		
Hernia, intestinal obstruction (122)	33	2							1	2		1	4	14	7	1	1	
Cirrhosis of the liver (124)	15									1			3	6	3	2		
Nephritis (130–132)	102	1							1	1	2	8	23	21	31	10	4	
Diseases of the female genital organs (139)	13							1		4	2	4		2				
Puerperal septicemia (140, 142a, 145)	10								2	1	6	1						
Other puerperal causes	7								1		2	2	2					
Suicide (163–171)	1									1								
Homicide (172–175)	112							1	16	18	22	15	25	10	2	2	1	
Automobile accidents [1]	44						2	2	2	3	7	4	10	4	2	5	3	
Automobile—railroad train and street car collisions	1									1								
Other external causes	83	1	2	2	1		1	8	10	13	5	8	15	6	4	3	4	
All other causes	576	154	11	5	4	3	8	7	9	17	21	30	85	76	66	46	34	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NASHVILLE, TENN. (WHITE), all causes	1,553	180	27	15	12	15	35	30	35	54	52	47	124	170	257	252	246	2
Typhoid and paratyphoid fever (1, 2)	12	----	----	2	----	1	2	----	1	3	----	2	1	----	----	----	----	----
Measles (7)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever (8)	4	----	----	1	1	----	1	1	----	----	----	----	----	----	----	----	----	----
Whooping-cough (9)	6	4	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	11	2	1	2	1	1	4	----	----	----	----	----	----	----	----	----	----	----
Influenza (11)	46	6	1	----	1	----	----	3	----	----	3	1	1	2	5	9	14	----
Epidemic cerebrospinal meningitis (18)	3	----	1	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (23)	36	----	2	2	----	----	----	----	3	2	2	3	2	6	8	5	1	----
Other forms of tuberculosis (24–32)	13	----	2	1	----	1	----	----	1	1	1	1	1	----	2	2	----	----
Syphilis (34)	17	5	----	----	----	----	----	----	1	1	1	----	3	3	3	----	----	----
Cancer and other malignant tumors (45–53)	145	----	----	----	1	----	1	----	1	2	2	3	18	24	43	30	20	----
Diabetes mellitus (59)	27	----	----	----	1	----	----	1	----	----	1	1	2	3	11	5	2	----
Cerebral hemorrhage and softening (82a, 82c)	82	----	----	----	----	----	----	----	----	----	1	----	4	7	23	22	24	1
Diseases of the heart (90–95)	261	----	----	----	----	1	----	----	1	3	4	3	13	30	59	86	61	----
Bronchitis (106)	4	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	3	----
Bronchopneumonia (107)	46	10	4	2	1	2	----	1	----	----	1	----	----	2	2	9	12	----
Lobar and unspecified pneumonia (108, 109)	59	2	4	----	1	----	----	1	3	2	2	4	5	6	14	5	10	----
Diarrhea and enteritis (119, 120)	40	27	5	----	1	----	----	----	----	----	3	----	----	----	----	3	1	----
Appendicitis (121)	44	----	----	1	----	----	4	2	2	6	2	3	4	9	5	5	1	----
Hernia, intestinal obstruction (122)	19	1	----	----	----	1	----	----	1	----	----	1	3	2	6	1	3	----
Cirrhosis of the liver (124)	15	----	----	----	----	----	----	----	----	----	----	1	3	3	3	3	2	----
Nephritis (130–132)	64	1	----	----	1	1	----	1	----	1	1	1	8	7	8	14	20	----
Diseases of the female genital organs (139)	4	----	----	----	----	----	----	----	----	----	----	2	1	1	----	----	----	----
Puerperal septicemia (140, 142a, 145)	8	----	----	----	----	----	----	----	1	3	1	1	2	----	----	----	----	----
Other puerperal causes	10	----	----	----	----	----	----	----	2	2	----	1	5	----	----	----	----	----
Suicide (163–171)	29	----	----	----	----	----	----	----	----	2	4	4	1	8	7	1	2	----
Homicide (172–175)	20	----	----	----	----	----	----	----	1	2	4	3	5	3	1	----	1	----
Automobile accidents[1]	45	----	----	----	----	1	1	3	3	5	7	----	6	6	4	8	----	1
Automobile—railroad train and street car collisions	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Other external causes	73	3	1	1	1	----	5	3	5	7	3	3	2	6	9	4	20	----
All other causes	409	119	5	3	1	6	17	13	8	12	8	9	33	42	44	40	49	----
NASHVILLE, TENN. (COLORED), all causes	835	83	10	7	1	1	9	12	16	46	43	54	122	171	128	91	41	----
Typhoid and paratyphoid fever (1, 2)	2	----	----	----	----	----	----	----	----	----	2	----	----	----	----	----	----	----
Measles (7)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever (8)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough (9)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza (11)	17	1	----	3	----	----	----	----	----	1	----	3	3	3	2	1	----	----
Epidemic cerebrospinal meningitis (18)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (23)	48	----	1	----	----	----	1	----	3	7	9	8	11	6	2	----	----	----
Other forms of tuberculosis (24–32)	15	----	1	1	----	----	1	1	----	3	2	3	1	1	1	----	----	----
Syphilis (34)	32	8	----	----	----	1	----	----	----	2	1	1	8	6	5	----	----	----
Cancer and other malignant tumors (45–53)	42	----	----	----	1	----	----	----	----	----	----	2	3	16	10	10	----	----
Diabetes mellitus (59)	7	----	----	----	----	----	1	----	----	----	----	----	1	2	2	----	1	----
Cerebral hemorrhage and softening (82a, 82c)	63	----	----	----	----	----	----	----	----	----	1	2	6	16	16	14	8	----
Diseases of the heart (90–95)	113	----	----	----	----	----	----	2	1	1	1	5	16	32	28	16	11	----
Bronchitis (106)	3	----	----	----	----	----	----	----	----	----	----	----	1	----	2	----	----	----
Bronchopneumonia (107)	31	10	2	----	----	----	----	2	----	2	3	1	4	1	3	2	1	----
Lobar and unspecified pneumonia (108, 109)	28	1	----	----	----	----	1	1	2	1	1	2	2	9	6	2	----	----
Diarrhea and enteritis (119, 120)	20	12	4	----	----	----	----	----	----	----	----	1	----	2	1	----	----	----
Appendicitis (121)	13	----	----	----	----	----	1	----	1	3	2	1	3	1	1	----	----	----
Hernia, intestinal obstruction (122)	9	----	----	----	----	----	----	----	----	----	1	1	----	4	3	----	----	----
Cirrhosis of the liver (124)	8	----	----	----	----	----	----	----	----	----	----	----	2	2	1	3	----	----
Nephritis (130–132)	80	----	----	----	----	----	----	----	----	----	----	2	6	21	21	21	9	----
Diseases of the female genital organs (139)	9	----	----	----	----	----	----	1	1	----	4	----	----	1	1	1	----	----
Puerperal septicemia (140, 142a, 145)	4	----	----	----	----	----	----	----	1	1	2	----	----	----	----	----	----	----
Other puerperal causes	7	----	----	----	----	----	----	----	----	1	4	1	1	----	----	----	----	----
Suicide (163–171)	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Homicide (172–175)	45	----	----	----	----	----	----	----	2	14	4	6	12	5	1	1	----	----
Automobile accidents[1]	10	----	----	----	----	----	----	----	1	1	----	1	4	2	----	1	----	----
Automobile—railroad train and street car collisions	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other external causes	36	----	----	1	----	----	2	4	4	1	3	3	5	4	3	2	4	----
All other causes	191	51	2	1	----	----	2	1	----	8	3	11	32	37	19	17	7	----
DALLAS, TEX. (WHITE), all causes	2,274	296	46	22	19	18	43	40	39	60	74	97	184	287	347	362	340	----
Typhoid and paratyphoid fever (1, 2)	11	1	----	1	----	----	----	----	1	3	2	1	1	1	----	----	----	----
Measles (7)	17	6	4	1	2	1	2	----	----	----	----	1	----	----	----	----	----	----
Scarlet fever (8)	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough (9)	4	3	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	26	2	7	1	4	4	5	----	----	----	1	1	----	1	----	----	----	----
Influenza (11)	63	6	2	----	----	----	2	----	1	2	2	2	8	8	10	6	14	----
Epidemic cerebrospinal meningitis (18)	4	3	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (23)	71	----	----	----	----	----	----	1	1	4	8	14	14	17	8	2	2	----
Other forms of tuberculosis (24–32)	9	2	----	2	----	----	----	----	1	1	----	1	1	----	1	----	----	----
Syphilis (34)	24	6	1	1	----	----	----	----	----	1	----	3	3	3	5	1	----	----
Cancer and other malignant tumors (45–53)	206	----	----	1	1	1	1	2	1	2	13	16	41	50	46	31	----	----
Diabetes mellitus (59)	30	----	----	----	----	----	1	----	1	----	----	3	2	9	10	4	----	----
Cerebral hemorrhage and softening (82a, 82c)	152	----	----	----	----	1	----	----	----	1	3	7	22	37	48	33	----	----
Diseases of the heart (90–95)	425	2	----	----	1	----	5	1	----	2	3	20	57	100	133	101	----	----
Bronchitis (106)	4	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	3	----
Bronchopneumonia (107)	55	24	3	3	----	----	----	----	----	1	----	2	2	4	2	7	7	----
Lobar and unspecified pneumonia (108, 109)	78	6	----	2	1	----	2	2	3	2	4	4	12	9	13	9	9	----
Diarrhea and enteritis (119, 120)	72	51	10	----	----	1	1	----	----	1	1	----	----	----	1	4	2	----
Appendicitis (121)	44	----	----	1	1	----	----	2	2	8	8	4	5	8	3	2	----	----
Hernia, intestinal obstruction (122)	17	----	1	----	----	----	----	----	1	----	----	1	3	3	4	2	2	----
Cirrhosis of the liver (124)	14	----	----	----	----	----	----	1	----	----	----	----	----	5	----	7	1	----
Nephritis (130–132)	107	----	----	----	----	----	1	4	----	1	----	2	8	16	21	24	30	----
Diseases of the female genital organs (139)	13	----	----	----	----	----	----	----	1	1	2	1	4	2	----	1	1	----
Puerperal septicemia (140, 142a, 145)	11	----	----	----	----	----	----	----	----	2	4	3	2	----	----	----	----	----
Other puerperal causes	11	----	----	----	----	----	----	----	2	3	2	2	2	----	----	----	----	----
Suicide (163–171)	64	----	----	----	----	----	----	----	1	8	9	3	14	17	9	3	----	----
Homicide (172–175)	23	----	----	1	----	----	----	----	2	2	3	3	6	5	----	1	----	----
Automobile accidents[1]	65	----	----	----	----	1	5	5	5	4	5	7	7	8	11	4	3	----
Automobile—railroad train and street car collisions	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Other external causes	119	2	3	5	3	4	8	6	6	6	6	8	13	9	12	9	19	----
All other causes	533	182	13	7	4	5	15	12	8	8	12	14	33	50	50	42	78	----

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX. (COLORED), all causes	899	121	38	14	11	5	12	12	33	43	70	66	148	170	78	38	40	
Typhoid and paratyphoid fever (1, 2)	5							1	3			1						
Measles (7)	13	1	8	2			1			1								
Scarlet fever (8)																		
Whooping-cough (9)	3	3																
Diphtheria (10)	8	1	1	1	2	1			2									
Influenza (11)	27	1	2				1	2	1	4	2	2	2	5	4		1	
Epidemic cerebrospinal meningitis (18)	2									1				1				
Tuberculosis of the respiratory system (23)	59		1	2	1			1	5	9	12	6	8	7	5	2		
Other forms of tuberculosis (24–32)	11	1	2		2							2	1	2	1			
Syphilis (34)	44	10	2						1	1	6	7	9	6	1		1	
Cancer and other malignant tumors (45–53)	37	1					2		2	1	1	3	7	8	10	2		
Diabetes mellitus (59)	11										1	1	1	4	1	2	1	
Cerebral hemorrhage and softening (82a, 82c)	92								2		2	3	16	35	15	7	12	
Diseases of the heart (90–95)	85	1				1		3		2	3	7	14	28	12	7	7	
Bronchitis (106)	1													1				
Bronchopneumonia (107)	25	12	3	1	1	1	1		1	2		1	2					
Lobar and unspecified pneumonia (108, 109)	78	12	1	3	2	1	1	2	3	4	7	3	18	14	3	2	2	
Diarrhea and enteritis (119, 120)	34	18	8	2	1	1		2						2				
Appendicitis (121)	13						1		1		2	2	4	2		1		
Hernia, intestinal obstruction (122)	11	1						1	1				3	4			1	
Cirrhosis of the liver (124)	4												1	2	1			
Nephritis (130–132)	45									1	3	3	9	13	9	4	3	
Diseases of the female genital organs (139)	4								1				1	2				
Puerperal septicemia (140, 142a, 145)	9								2	1	3	1	2					
Other puerperal causes	7								1		3	1	2					
Suicide (163–171)	2										1		1					
Homicide (172–175)	42								2	7	10	9	13	1				
Automobile accidents [1]	18						1			1	5	1	4	3	2		1	
Automobile—railroad train and street car collisions																		
Other external causes	29	2	2	1			2		4	2	1	2	6	4		3		
All other causes	180	57	8	2	2		2		1	6	8	11	24	26	14	8	11	
EL PASO, TEX. (WHITE), all causes	518	43	6	4	2	1	8	4	11	26	22	27	61	81	89	81	52	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	3			1		1					1							
Whooping-cough (9)	1	1																
Diphtheria (10)	3		1	1											1			
Influenza (11)	13	2					1		1		1	1		3	1	3		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	101	1			1				2	14	9	11	31	18	9	5		
Other forms of tuberculosis (24–32)	2						1							1				
Syphilis (34)	5	1									1			2	1			
Cancer and other malignant tumors (45–53)	40												5	6	17	8	4	
Diabetes mellitus (59)	7						1	1					1		1	2	1	
Cerebral hemorrhage and softening (82a, 82c)	21													5	6	6	4	
Diseases of the heart (90–95)	80				1		1	1	1	1			4	13	21	24	13	
Bronchitis (106)	2												1			1		
Bronchopneumonia (107)	13	1	1												2	2	7	
Lobar and unspecified pneumonia (108, 109)	13	1								1		1	2	3	1	3	1	
Diarrhea and enteritis (119, 120)	11	7										2		1	1			
Appendicitis (121)	7									1	1			3	2			
Hernia, intestinal obstruction (122)	7													1	2	1	3	
Cirrhosis of the liver (124)	4										1			1	1	1		
Nephritis (130–132)	29	1						1				1	2	4	4	9	7	
Diseases of the female genital organs (139)	1														1			
Puerperal septicemia (140, 142a, 145)	5									1	1	3						
Other puerperal causes	1											1						
Suicide (163–171)	7									1	1	1	2	1	1			
Homicide (172–175)	5								1			2	1			1		
Automobile accidents [1]	16			1			1		2	2	1	1	3	3		1	1	
Automobile—railroad train and street car collisions																		
Other external causes	19	1	1	1			1		2	1	1			1	2	4	4	
All other causes	102	27	3				2	1	2	4	4	3	9	15	15	10	7	
EL PASO, TEX. (COLORED), all causes	929	272	52	20	7	5	17	15	32	40	48	44	80	82	105	52	58	
Typhoid and paratyphoid fever (1, 2)	3						1		1			1						
Measles (7)	7	1	4	2														
Scarlet fever (8)	1									1								
Whooping-cough (9)	26	16	3	4	1		2											
Diphtheria (10)	7		2		2	1	2											
Influenza (11)	55	18	4	3	1			2	2	1	2	3	4	2	7	3	3	
Epidemic cerebrospinal meningitis (18)	1					1												
Tuberculosis of the respiratory system (23)	111		2			1	1	2	10	19	15	17	18	10	6	5	5	
Other forms of tuberculosis (24–32)	16	2	2		1		1	3		1	2	2	1	1				
Syphilis (34)	18	14											2	1		1		
Cancer and other malignant tumors (45–53)	50		1							1		1	10	7	18	7	5	
Diabetes mellitus (59)	6												2		2	2		
Cerebral hemorrhage and softening (82a, 82c)	18													5	10	2	1	
Diseases of the heart (90–95)	57	1					1		4		2	4	5	13	17	7	3	
Bronchitis (106)	7	3											1		1	2		
Bronchopneumonia (107)	47	17	4	1	1		1	1		1	1	1	1	2	2	2	12	
Lobar and unspecified pneumonia (108, 109)	46	11	4	2			1		1	1	5		1	7	6	5	2	
Diarrhea and enteritis (119, 120)	132	99	16	5	1		2	1					4	1	2		1	
Appendicitis (121)	9							2	4		1			1	1			
Hernia, intestinal obstruction (122)	7			1					1				1	1	3			
Cirrhosis of the liver (124)	7													3	2	1	1	
Nephritis (130–132)	33		1					1			2	1	5	3	10	4	6	
Diseases of the female genital organs (139)	4								1			1	2					
Puerperal septicemia (140, 142a, 145)	3										2	1						
Other puerperal causes	9									2	1	1	5					
Suicide (163–171)	4										1		3					
Homicide (172–175)	14	1					1			5	3	2	1	1				
Automobile accidents [1]	13		1	1				1	1	1		2	2	1	2	1		
Automobile—railroad train and street car collisions																		
Other external causes	18	1				1		1	2	3	2		2	2		2	2	
All other causes	200	88	8	1		1	4	1	5	4	9	7	10	21	16	8	17	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FORT WORTH, TEX. (WHITE), all causes	1,367	128	27	15	3	7	39	17	27	41	43	55	130	146	227	211	250	1
Typhoid and paratyphoid fever (1, 2)	8						1	2	1		2	1				1		
Measles (7)	17	3	4	5		1	4											
Scarlet fever (8)	3						2				1							
Whooping-cough (9)	6	3	2			1												
Diphtheria (10)	15	2	4	3		1	3	2										
Influenza (11)	37	4	2	3			1		1	3	1	3	2	1	3	3	10	
Epidemic cerebrospinal meningitis (18)	2					1						1						
Tuberculosis of the respiratory system (23)	48								2	4	7	4	10	8	8	3	2	
Other forms of tuberculosis (24–32)	5	1	1				1					1		1				
Syphilis (34)	8	3									1		1	1		2		
Cancer and other malignant tumors (45–53)	125											5	19	24	31	36	10	
Diabetes mellitus (59)	18						1					2	1	2	7	3	2	
Cerebral hemorrhage and softening (82a, 82c)	106								1	1		2	5	10	25	33	28	1
Diseases of the heart (90–95)	237	2					3	1	2	2	3	5	9	32	43	50	85	
Bronchitis (106)	2									1					1			
Bronchopneumonia (107)	39	13	4					1	1		1		3	3	4	1	8	
Lobar and unspecified pneumonia (108, 109)	49	9	1				2			1	2	3	7	5	9	6	4	
Diarrhea and enteritis (119, 120)	22	8	6	1			1						1	1		1	3	
Appendicitis (121)	28						3			3	3	2	8	3	3	2	1	
Hernia, intestinal obstruction (122)	16									1	1	2		2	3	1	6	
Cirrhosis of the liver (124)	7												1	1	3		2	
Nephritis (130–132)	88	1							1			1	4	9	26	20	26	
Diseases of the female genital organs (139)	4													2	2			
Puerperal septicemia (140, 142a, 145)	9								2	3	1	1	2					
Other puerperal causes	6									2	2		2					
Suicide (163–171)	30								4	1	3	6	5	3	6	2		
Homicide (172–175)	18								1	1	1	2	8	3	2			
Automobile accidents [1]	40		1		1	1	2	1	4	5	2	1	3	3	7	5	4	
Automobile—railroad train and street car collisions																		
Other external causes	55	4	1	1	1		2	2	4	3	4	1	7	4	5	4	12	
All other causes	319	75	1	2	1	2	13	8	3	10	8	12	32	28	39	38	47	
FORT WORTH, TEX. (COLORED), all causes	437	66	10	3	8	2	12	6	12	27	32	42	69	79	25	22	17	5
Typhoid and paratyphoid fever (1, 2)	5							1	1			1	1	1				
Measles (7)	4		2		1							1						
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)	1					1												
Influenza (11)	14	3	1		1			1			2	1	1	2		1	1	
Epidemic cerebrospinal meningitis (18)	1									1								
Tuberculosis of the respiratory system (23)	28	1	1		1		1	1		3	7	2	5	5	1			
Other forms of tuberculosis (24–32)	5			1	1		1		1	1								
Syphilis (34)	13	6									1	1	1	3			1	
Cancer and other malignant tumors (45–53)	18									2		2	7	1	2	2		2
Diabetes mellitus (59)	3									1					1		1	
Cerebral hemorrhage and softening (82a, 82c)	35										2	3	5	8	6	5	6	
Diseases of the heart (90–95)	43						1			1	1	4	8	15	3	6	3	1
Bronchitis (106)																		
Bronchopneumonia (107)	12	3	1		2		2			1			1	1		1		
Lobar and unspecified pneumonia (108, 109)	52	12	5	1	1		3	1	1	4	4	4	5	9	2			
Diarrhea and enteritis (119, 120)	12	9		1									1	1				
Appendicitis (121)	9						1		1	2		2	2		1			
Hernia, intestinal obstruction (122)	7	2								1			1	2			1	
Cirrhosis of the liver (124)																		
Nephritis (130–132)	22									1	1	3	3	7	4	2	1	
Diseases of the female genital organs (139)	2										1		1					
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes	3										1	1	1					
Suicide (163–171)	1									1								
Homicide (172–175)	20								4	3	1	6	2	4				
Automobile accidents [1]	5								1	1		1	2					
Automobile—railroad train and street car collisions	5									1	1	1	1					
Other external causes	16	4					1	2		1	2	2		2	1	1		
All other causes	101	26			1	1	2		3	2	8	7	21	17	4	4	3	2
HOUSTON, TEX. (WHITE), all causes	2,248	164	25	20	12	6	37	25	41	84	76	89	208	299	382	390	390	
Typhoid and paratyphoid fever (1, 2)	9									3	2		1	1	1	1		
Measles (7)	10	1	3	1	2		2			1								
Scarlet fever (8)	2				1		1											
Whooping-cough (9)	9	6	2	1														
Diphtheria (10)	12		1	3	2		5		1									
Influenza (11)	36	1		2		2			2	2		2	3	5	5	1	11	
Epidemic cerebrospinal meningitis (18)	2		1								1							
Tuberculosis of the respiratory system (23)	91							1	3	12	10	12	17	14	12	7	3	
Other forms of tuberculosis (24–32)	13	1					1			2	1	1	4	3				
Syphilis (34)	27	5								1		1	3	8	7	2		
Cancer and other malignant tumors (45–53)	202				1		3		1	2	1	4	19	40	52	38	41	
Diabetes mellitus (59)	36									1	1			6	15	10	3	
Cerebral hemorrhage and softening (82a, 82c)	147			1								1	9	19	35	45	37	
Diseases of the heart (90–95)	429						1	1		3	2	9	24	46	101	117	125	
Bronchitis (106)	4														2		2	
Bronchopneumonia (107)	46	12	3	1	1	2	2	1	2		5			1	6	6	4	
Lobar and unspecified pneumonia (108, 109)	70	9	6	2			5	2	5	2	3	4	1	7	8	8	8	
Diarrhea and enteritis (119, 120)	26	11	1	1		1	1		1	2	2			2	1	1	2	
Appendicitis (121)	45				2		3	4	1	4	4	4	8	8	7			
Hernia, intestinal obstruction (122)	38	3	1						1	1	2	2	7	9	4	6	2	
Cirrhosis of the liver (124)	22										1		5	4	7	2	3	
Nephritis (130–132)	200		1				1	2		3	3	2	15	28	34	57	54	
Diseases of the female genital organs (139)	9												5	2	2			
Puerperal septicemia (140, 142a, 145)	11								3	5	1	1	1					
Other puerperal causes	8									2		3	3					
Suicide (163–171)	57								4	5	9	6	6	8	6	8	5	
Homicide (172–175)	27								2	4	2	2	6	5	4	1	1	
Automobile accidents [1]	86			1			5	2	5	10	7	8	14	7	9	13	5	
Automobile—railroad train and street car collisions	3							1					1	1				
Other external causes	97	2		1		1		7	2	9	6	5	11	19	9	6	19	
All other causes	474	113	6	6	3		7	4	8	10	13	22	45	56	55	61	65	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	1,284	145	33	10	7	4	21	16	45	82	93	108	213	227	167	62	50	1
Typhoid and paratyphoid fever (1, 2)	5	1					1		1	2								
Measles (7)	4	1	1				1		1									
Scarlet fever (8)	2						1						1					
Whooping-cough (9)	4	2	1	1														
Diphtheria (10)	5	1				1	2		1									
Influenza (11)	34	3	1						1		3	3	5	12	5		1	
Epidemic cerebrospinal meningitis (18)	1												1					
Tuberculosis of the respiratory system (23)	116	1	1				2	2	15	17	25	20	15	7	7	1	3	
Other forms of tuberculosis (24–32)	14	2	1	1	1		2		2	2	2		1					
Syphilis (34)	49	5	1					1	2	5		8	11	7	6	1	2	
Cancer and other malignant tumors (45–53)	53							2				4	17	14	9	7		
Diabetes mellitus (59)	16												1	5	4	3	3	
Cerebral hemorrhage and softening (82a, 82c)	64								1	1	3	2	4	29	15	4	5	
Diseases of the heart (90–95)	183	1		2			1			1	8	17	39	45	42	17	10	
Bronchitis (106)	4	2													1		1	
Bronchopneumonia (107)	40	15	9	4						2	1	2	1	3	3			
Lobar and unspecified pneumonia (108, 109)	96	19	6	1		1	2		1	7	7	7	16	20	7		2	
Diarrhea and enteritis (119, 120)	23	13	6	1	1		1								1			
Appendicitis (121)	11						1		1	3	2		1	2	1			
Hernia, intestinal obstruction (122)	22	3									3	4	5	3	2	2		
Cirrhosis of the liver (124)	9											1	2	3	1	2		
Nephritis (130–132)	90	1					1			4	4	4	15	22	21	9	9	
Diseases of the female genital organs (139)	5										1	1		2	1			
Puerperal septicemia (140, 142a, 145)	7								1	3	2		1					
Other puerperal causes	13								3	3	2	2	3					
Suicide (163–171)	3									1	1		1					
Homicide (172–175)	67								3	15	14	12	16	6	1			
Automobile accidents [1]	17						1	1		1	1	1	4	3	4		1	
Automobile—railroad train and street car collisions																		
Other external causes	40	2	1	1	1	1	2	6	3	4	2	4	3	4	6			
All other causes	287	73	5	1	2	1	4	3	10	10	12	16	50	40	30	16	13	1
SAN ANTONIO, TEX. (WHITE), all causes	3,177	545	134	47	23	15	64	36	91	146	135	120	282	396	437	355	349	2
Typhoid and paratyphoid fever (1, 2)	12						3	4	1	1	1	1		1				
Measles (7)	25	3	11	1		1	8	1										
Scarlet fever (8)																		
Whooping-cough (9)	15	8	5	2														
Diphtheria (10)	15		2	3	3	4	3											
Influenza (11)	108	21	4	1		1	3	1	2	6	7	4	9	10	19	13	7	
Epidemic cerebrospinal meningitis (18)	1														1			
Tuberculosis of the respiratory system (23)	304	4	2	1		2	8	5	35	58	33	33	53	35	22	9	4	
Other forms of tuberculosis (24–32)	35	1	3	4	3	1	3	3	2	2	2	1	1	6	3			
Syphilis (34)	29	8					1				3	3	6	5	2	1		
Cancer and other malignant tumors (45–53)	208		1						1	1	3	1	30	51	52	46	22	
Diabetes mellitus (59)	41										1	2	3	7	16	9	3	
Cerebral hemorrhage and softening (82a, 82c)	137	1							1		3		8	26	27	24	47	
Diseases of the heart (90–95)	413	1	1	1			1	1	4	4	2	7	20	65	101	98	107	
Bronchitis (106)	20	9	1	1										2	2	2	3	
Bronchopneumonia (107)	103	54	10	2		1	2		3	2		3	6	5	6	5	4	
Lobar and unspecified pneumonia (108, 109)	132	17	7	3	3	1	1	2	5	7	6	4	14	21	13	17	11	
Diarrhea and enteritis (119, 120)	298	172	63	19	4	1	4	1	1	2	2		3	6	10	4	6	
Appendicitis (121)	34				1			1	4	2	6	2	4	8	3	3		
Hernia, intestinal obstruction (122)	49	4		1			1	1	2	3	1	5	7	6	5	7	6	
Cirrhosis of the liver (124)	25												8	5	5	6	1	
Nephritis (130–132)	106	4		1					2	3	3	1	7	14	28	23	20	
Diseases of the female genital organs (139)	8								1		1	2	2	1	1			
Puerperal septicemia (140, 142a, 145)	23								7	4	5	4	3					
Other puerperal causes	23								2	4	6	7	3					1
Suicide (163–171)	41									4	8	3	7	5	6	3	4	1
Homicide (172–175)	47								1	7	12	9	10	4	4			
Automobile accidents [1]	62		1		1		3	4	2	8	4	3	10	9	7	8	2	
Automobile—railroad train and street car collisions	1													1				
Other external causes	100	3	10	1	2	2	6	1	6	7	5	4	9	9	12	9	14	
All other causes	762	235	13	6	6	1	17	11	9	21	21	21	59	94	92	68	88	
SAN ANTONIO, TEX. (COLORED), all causes	300	24	6	1	2		6	3	12	15	16	25	51	56	48	24	10	1
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)	2		1		1													
Influenza (11)	9								1	1			4	2	1			
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	21								3	2	2	6	3	4	1			
Other forms of tuberculosis (24–32)	2												1	1				
Syphilis (34)	7										1	1	2		3			
Cancer and other malignant tumors (45–53)	17									1	1		1	8	2	3	1	
Diabetes mellitus (59)	4												1		3			
Cerebral hemorrhage and softening (82a, 82c)	14												2	4	4	2	2	
Diseases of the heart (90–95)	48								1	1	2	6	3	10	14	10	1	
Bronchitis (106)	2	1							1									
Bronchopneumonia (107)	5		2				2									1		
Lobar and unspecified pneumonia (108, 109)	15	2	1						1	2			5	2	2			
Diarrhea and enteritis (119, 120)	10	3	1	1	1							1		2	1			
Appendicitis (121)	5						1	1			1		1	1				
Hernia, intestinal obstruction (122)	3								1					1	1			
Cirrhosis of the liver (124)	3													2	1			
Nephritis (130–132)	23						1		1		1		4	7	5	2	1	1
Diseases of the female genital organs (139)	2									1	1							
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes	1										1							
Suicide (163–171)	1								1									
Homicide (172–175)	14									2	2	5	5					
Automobile accidents [1]	6										1		2	1	1	1		
Automobile—railroad train and street car collisions																		
Other external causes	17	1	1				1	1		2		1	3	4	1	1	1	
All other causes	68	17					1	1	2	3	3	5	13	7	8	4	4	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SALT LAKE CITY, UTAH, all causes	1,528	158	10	12	11	10	20	17	52	45	49	50	116	177	226	291	284	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	4					1	3											
Whooping-cough (9)	2	1		1														
Diphtheria (10)																		
Influenza (11)	21	2	2	1					1	1	1	1	1	3	6	1	1	
Epidemic cerebrospinal meningitis (18)	3	1						1		1								
Tuberculosis of the respiratory system (23)	39									2	5	3	10	11	2	3	3	
Other forms of tuberculosis (24–32)	12				1	1			3		2	1	1	2		1		
Syphilis (34)	6													2	2	2		
Cancer and other malignant tumors (45–53)	167						2			2	1	1	13	26	42	49	31	
Diabetes mellitus (59)	27								1				1	4	9	8	4	
Cerebral hemorrhage and softening (82a, 82c)	63											1		12	16	16	18	
Diseases of the heart (90–95)	332					1		1	8	6	1	5	16	38	65	93	98	
Bronchitis (106)	4														2	1	1	
Bronchopneumonia (107)	41	15	1	1					2		1		1		2	4	14	
Lobar and unspecified pneumonia (108, 109)	55	4		1				1	2	2	2	3	7	7	3	10	13	
Diarrhea and enteritis (119, 120)	11	4	1	2	1	1					1		1					
Appendicitis (121)	60		1	1	1		3	3	5	5	8	6	10	6	7	2	2	
Hernia, intestinal obstruction (122)	21	2									1	1	2	3	2	9	1	
Cirrhosis of the liver (124)	11												3	1	3	3	1	
Nephritis (130–132)	115	1		1	1					4		2	8	10	19	31	38	
Diseases of the female genital organs (139)	5										2		2	1				
Puerperal septicemia (140, 142a, 145)	10									1	3	5	1					
Other puerperal causes	13									1	2	6	4					
Suicide (163–171)	24								2	4	2	1	2	3	5	5		
Homicide (172–175)	7									1	2	1		1	1	1		
Automobile accidents [1]	46				3		1	2	8	6	2	3	4	7	4	5	1	
Automobile—railroad train and street car collisions	1												1					
Other external causes	77	3	2	1	2	2	3	3	8	2	3	4	9	5	6	7	17	
All other causes	351	125	3	3	2	4	8	6	12	7	9	7	19	35	30	40	41	
NORFOLK, VA. (WHITE), all causes	837	51	6	4	1	1	9	10	11	24	19	34	72	117	144	182	151	1
Typhoid and paratyphoid fever (1, 2)	3									2		1						
Measles (7)																		
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)	1		1															
Influenza (11)	3	1					1									1		
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	25									2	1	3	5	3	7	2	2	
Other forms of tuberculosis (24–32)	3					1					1				1			
Syphilis (34)	5													1	3	1		
Cancer and other malignant tumors (45–53)	90											1	11	22	19	30	7	
Diabetes mellitus (59)	17									1			3	3	1	6	3	
Cerebral hemorrhage and softening (82a, 82c)	77											1	1	10	17	15	33	
Diseases of the heart (90–95)	211							1	1	3	4	5	11	15	47	64	59	1
Bronchitis (106)	1																1	
Bronchopneumonia (107)	12		1						1	1			3	1	2		3	
Lobar and unspecified pneumonia (108, 109)	10			1					1			1	1	1		4	1	
Diarrhea and enteritis (119, 120)	11	4	1	1	1										1	1	2	
Appendicitis (121)	14						1	2	1	1			1	3	1	2	2	
Hernia, intestinal obstruction (122)	12	1											1	2	1	4	3	
Cirrhosis of the liver (124)	11										1		1		5	4		
Nephritis (130–132)	62						1	1				1	3	13	10	19	14	
Diseases of the female genital organs (139)	1										1							
Puerperal septicemia (140, 142a, 145)	4									1		3						
Other puerperal causes	4										1	1	2					
Suicide (163–171)	28									2	1	3	7	11	3	1		
Homicide (172–175)	8									1	1	1	1	4				
Automobile accidents [1]	28						2	1	4	5	3	2	3	3	1	4		
Automobile—railroad train and street car collisions	1											1						
Other external causes	41	1	1	2			1	2		1	3	3	6	9	5	4	3	
All other causes	153	44	1				3	3	3	4	2	7	12	16	20	20	18	
NORFOLK, VA. (COLORED), all causes	845	94	10	7	1	2	10	12	25	43	41	61	151	180	140	51	16	1
Typhoid and paratyphoid fever (1, 2)	4								2	1		1						
Measles (7)	1		1															
Scarlet fever (8)	1									1								
Whooping-cough (9)	3	1	2															
Diphtheria (10)	2		1				1											
Influenza (11)	9	2								1	1	2	2	1				
Epidemic cerebrospinal meningitis (18)	1								1									
Tuberculosis of the respiratory system (23)	67						2	3	5	8	8	12	9	11	8	1		
Other forms of tuberculosis (24–32)	11	1				1	2		1	2	1	1	2					
Syphilis (34)	16	7		1							3	1	4					
Cancer and other malignant tumors (45–53)	28									1			9	9	6	3		
Diabetes mellitus (59)	9										1		2	3	2	1		
Cerebral hemorrhage and softening (82a, 82c)	116									1	1	2	20	43	32	13	3	1
Diseases of the heart (90–95)	181				1				2	4	4	8	39	56	45	15	7	
Bronchitis (106)	3											1		1		1		
Bronchopneumonia (107)	42	29	3	3			1	1		1				2	1	1		
Lobar and unspecified pneumonia (108, 109)	38	5					2		1	4	1	4	8	8	4	1		
Diarrhea and enteritis (119, 120)	12	7	1	2											1		1	
Appendicitis (121)	13						1		1	2	2	1	2	2	2			
Hernia, intestinal obstruction (122)	12											2	1	5	3	1		
Cirrhosis of the liver (124)	4										1		3					
Nephritis (130–132)	41								1	1	1	5	11	9	9	3	1	
Diseases of the female genital organs (139)	4										2			2				
Puerperal septicemia (140, 142a, 145)	3								2	1								
Other puerperal causes	5							1	2			1	1					
Suicide (163–171)	2													1		1		
Homicide (172–175)	38								3	10	8	5	7	2	3			
Automobile accidents [1]	13		1								1		5	3	1	1	1	
Automobile—railroad train and street car collisions																		
Other external causes	34			1		1		3	3	1	2	3	8	5	3	3	1	
All other causes	132	42	1				1	4	1	4	4	12	18	17	20	6	2	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (WHITE), all causes	1,538	103	9	6	3	3	22	13	26	49	36	46	123	200	271	334	293	1
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)																		
Scarlet fever (8)	2						1				1							
Whooping-cough (9)	3	3																
Diphtheria (10)	6		2	2	2													
Influenza (11)	25	4		1							2	1	3	3	4	3	4	
Epidemic cerebrospinal meningitis (18)	1														1			
Tuberculosis of the respiratory system (23)	42	1					1	1	2	3	6	5	8	3	6	5	1	
Other forms of tuberculosis (24–32)	9		1				2						4	1		1		
Syphilis (34)	12	3									1		2	3	2	1		
Cancer and other malignant tumors (45–53)	186			1			1	1		2	2	4	17	34	46	44	34	
Diabetes mellitus (59)	32								1				2	3	8	16	2	
Cerebral hemorrhage and softening (82a, 82c)	114										1		6	12	19	42	34	
Diseases of the heart (90–95)	295								3		4	4	14	37	68	93	71	1
Bronchitis (106)	6								1				1			1	3	
Bronchopneumonia (107)	42	4		1			2					1	2	6	6	6	14	
Lobar and unspecified pneumonia (108, 109)	40	1	1				1		2	2	1	3	6	5	7	5	6	
Diarrhea and enteritis (119, 120)	11	4	2									2		1			2	
Appendicitis (121)	23						1	2			1	2	4	5	6	2		
Hernia, intestinal obstruction (122)	19	3							1			1	1	5	4	3	1	
Cirrhosis of the liver (124)	12													2	5	4	1	
Nephritis (130–132)	145								1	3	3	2	2	17	21	50	46	
Diseases of the female genital organs (139)	7								1	2	1			1	1	1		
Puerperal septicemia (140, 142a, 145)	12									5	3	2	2					
Other puerperal causes	6									2		1	3					
Suicide (163–171)	39									7	3	2	9	9	7		2	
Homicide (172–175)	5									2		1	1	1				
Automobile accidents [1]	46					1	2	1	3	4	4	3	9	5	7	4	3	
Automobile—railroad train and street car collisions	1											1						
Other external causes	62		3			1	1	2	2	3		3	7	7	8	8	17	
All other causes	334	80		1	1	1	10	6	9	14	3	8	19	40	45	45	52	
RICHMOND, VA. (COLORED), all causes	1,006	99	9	4	4	4	13	12	32	50	59	48	146	217	167	114	28	
Typhoid and paratyphoid fever (1, 2)	2						1				1							
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping-cough (9)	3	2											1					
Diphtheria (10)	1											1						
Influenza (11)	16	1									2	1	3	5	4			
Epidemic cerebrospinal meningitis (18)	1									1								
Tuberculosis of the respiratory system (23)	75							1	6	12	11	10	15	17	2	1		
Other forms of tuberculosis (24–32)	14		1				2	1	2	2	1	1	2	1	1			
Syphilis (34)	36	9	1							2	5		7	6	4	1	1	
Cancer and other malignant tumors (45–53)	49									1		2	12	16	10	8		
Diabetes mellitus (59)	18												5	6	4	3		
Cerebral hemorrhage and softening (82a, 82c)	86										2		5	28	26	20	5	
Diseases of the heart (90–95)	173					1		2	1	1	1	5	32	48	47	28	7	
Bronchitis (106)																		
Bronchopneumonia (107)	28	11	2	1	1		1				2	1	2	2		4	1	
Lobar and unspecified pneumonia (108, 109)	53	3	1		1				4	3	5		7	20	7	2		
Diarrhea and enteritis (119, 120)	16	9		1		1					1		2	2				
Appendicitis (121)	11							1	3	1		4			2			
Hernia, intestinal obstruction (122)	12							1	1			1	1	4	4			
Cirrhosis of the liver (124)	4													2	2			
Nephritis (130–132)	91	1							1	3	4	1	11	24	21	19	6	
Diseases of the female genital organs (139)	8								2	1	2	1	2					
Puerperal septicemia (140, 142a, 145)	6								1		2	2	1					
Other puerperal causes	7								2	3	2							
Suicide (163–171)	7									1			3	3				
Homicide (172–175)	19								3	1	4	4	5	2				
Automobile accidents [1]	25						2	2	1	5	3	4	4	2	2			
Automobile—railroad train and street car collisions																		
Other external causes	39				1	1	4	1		8	1	1	4	8	6	4		
All other causes	205	63	4	2	1	1	2	3	5	5	10	9	22	21	25	24	8	
SEATTLE, WASH., all causes	4,170	175	16	10	7	11	39	43	67	88	96	114	354	593	753	1,006	793	5
Typhoid and paratyphoid fever (1, 2)	3							1			2							
Measles (7)																		
Scarlet fever (8)	2							1							1			
Whooping-cough (9)	2	1					1											
Diphtheria (10)																		
Influenza (11)	55	2					3	1	2	1	1	4	8	6	7	8	12	
Epidemic cerebrospinal meningitis (18)	7	2				1	1	1						1		1		
Tuberculosis of the respiratory system (23)	214				1		1	2	8	21	19	16	49	46	26	21	4	
Other forms of tuberculosis (24–32)	30	2	3			1	4	4	1	2	1		3	4	4	1		
Syphilis (34)	47	1							1			6	6	9	15	8	1	
Cancer and other malignant tumors (45–53)	584	1	1	3		1			2	2	2	4	41	101	149	181	95	1
Diabetes mellitus (59)	90						1			3			2	11	22	34	17	
Cerebral hemorrhage and softening (82a, 82c)	307										2	1	7	29	60	104	104	
Diseases of the heart (90–95)	932					1	1	4	4	3	14	12	38	123	197	289	245	1
Bronchitis (106)	5															1	4	
Bronchopneumonia (107)	111	13	2		1		1			4	3	7	16	10	22	32		
Lobar and unspecified pneumonia (108, 109)	115	1			1		2	1	3	4	3	5	20	22	14	23	16	
Diarrhea and enteritis (119, 120)	9	1		1				1							3	2	1	
Appendicitis (121)	51			1		1	5	5	6	2	2	3	6	8	8	3	1	
Hernia, intestinal obstruction (122)	48	1						1	1	1	2		6	5	14	12	5	
Cirrhosis of the liver (124)	35										1	2	2	12	7	9	2	
Nephritis (130–132)	239									2	2	5	15	31	43	74	67	
Diseases of the female genital organs (139)	14									1		1	4	4	1	3		
Puerperal septicemia (140, 142a, 145)	11									3	5	1	2					
Other puerperal causes	22								3	6	2	4	7					
Suicide (163–171)	113								3	8	5	8	17	34	24	9	4	1
Homicide (172–175)	24								2	2		3	7	4	3	1	2	
Automobile accidents [1]	105			1	1	1	4		11	7	6	6	8	13	22	11	14	
Automobile—railroad train and street car collisions	1								1									
Other external causes	202	5	2	1	1	1	2	7	7	6	7	16	24	29	23	34	36	1
All other causes	792	145	8	3	2	4	13	14	12	14	16	14	75	85	100	155	131	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1933—Con.

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SPOKANE, WASH., all causes	1,386	75	13	8	6	1	13	14	20	23	27	32	115	175	226	357	281	
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)	3			2			1											
Scarlet fever (8)																		
Whooping-cough (9)																		
Diphtheria (10)																		
Influenza (11)	34		2							1	2		3	6	4	7	9	
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	20		1	2				1			2	1	3	3	4	1	2	
Other forms of tuberculosis (24–32)	6			2								1	2	1				
Syphilis (34)	5												1		4			
Cancer and other malignant tumors (45–53)	179								1	1	1	2	16	33	46	49	30	
Diabetes mellitus (59)	31		1					1	2					3	7	13	4	
Cerebral hemorrhage and softening (82a, 82c)	92												1	6	16	35	34	
Diseases of the heart (90–95)	281							1	2	3	4	5	16	32	45	96	77	
Bronchitis (106)	6	1	1														4	
Bronchopneumonia (107)	38	15	1		1			2					1	2	4	4	8	
Lobar and unspecified pneumonia (108, 109)	60	3	1				2		1	2	2	3	6	9	6	14	11	
Diarrhea and enteritis (119, 120)	5	1	2													1	1	
Appendicitis (121)	41	1		1	1		3	2	1	1	3	4	10	4	5	2	3	
Hernia, intestinal obstruction (122)	17	2							1		1			2	1	7	3	
Cirrhosis of the liver (124)	4	1														2	1	
Nephritis (130–132)	116									1		1	3	18	16	49	28	
Diseases of the female genital organs (139)	7									1	2		1	2		1		
Puerperal septicemia (140, 142a, 145)	5								1	1	1		1					
Other puerperal causes	10								2	2			6					
Suicide (163–171)	27											1	8	8	6	2	2	
Homicide (172–175)	6	1										1	1	1	1		1	
Automobile accidents [1]	38						1	2	2	3	1	1	6	2	7	11	2	
Automobile—railroad train and street car collisions	1										1							
Other external causes	67	1	1	1			1	3	2	1		1	5	8	12	11	20	
All other causes	285	49	3		3	1	5	2	5	5	7	10	25	35	42	52	41	
TACOMA, WASH., all causes	1,418	60	10	6	3	4	22	18	29	27	31	34	85	177	240	357	314	1
Typhoid and paratyphoid fever (1, 2)	2											2						
Measles (7)	1			1														
Scarlet fever (8)	3			1				2										
Whooping-cough (9)																		
Diphtheria (10)	1						1											
Influenza (11)	26	1		2		1	1	1	1				2	2	3	4	6	
Epidemic cerebrospinal meningitis (18)	2						1	1										
Tuberculosis of the respiratory system (23)	31		3	1		2	3		4	2	4	2	3	4	1	2		
Other forms of tuberculosis (24–32)	9		1				1	1					1	5				
Syphilis (34)	18	1						1	1		1	1	1	5	5	2		
Cancer and other malignant tumors (45–53)	168							1	3	1	2	1	6	31	37	62	24	
Diabetes mellitus (59)	36								1			1	1	2	10	17	4	
Cerebral hemorrhage and softening (82a, 82c)	91												2	11	16	28	34	
Diseases of the heart (90–95)	350						2		2		5	2	12	30	65	112	120	
Bronchitis (106)	1																1	
Bronchopneumonia (107)	19	6		1				2	1					3	1		5	
Lobar and unspecified pneumonia (108, 109)	41	4	2							1	2	4	3	6	6	8	5	
Diarrhea and enteritis (119, 120)	3											1	1	1				
Appendicitis (121)	25						3	1	1	3	1	3	2	3	4	3	1	
Hernia, intestinal obstruction (122)	13		1				1							2	1	4	3	1
Cirrhosis of the liver (124)	5													3	1	1		
Nephritis (130–132)	144								4		1	2	9	10	27	45	46	
Diseases of the female genital organs (139)	5												3	1		1		
Puerperal septicemia (140, 142a, 145)	8									2	3	1	1	1				
Other puerperal causes	7								2			3	2					
Suicide (163–171)	35								2	1	4	3	3	6	6	7	3	
Homicide (172–175)	4										1	1	1	1				
Automobile accidents [1]	42				1		1	2	2	3	1	3	5	4	5	10	5	
Automobile—railroad train and street car collisions																		
Other external causes	81					1	3	1	1	7		1	10	14	15	14	14	
All other causes	247	48	3		2		5	5	4	7	4	3	17	32	37	37	43	
MILWAUKEE, WIS., all causes	4,909	392	50	24	18	8	57	31	57	80	105	124	440	566	845	1,082	1,030	
Typhoid and paratyphoid fever (1, 2)	2								1		1							
Measles (7)																		
Scarlet fever (8)	6				1		3				1	1						
Whooping-cough (9)	12	6	4	2														
Diphtheria (10)	5			1	2		2											
Influenza (11)	83	5	2	3	2	1	1		2	2	3	3	19	9	11	10	10	
Epidemic cerebrospinal meningitis (18)	7		1				2		1	1				1		1		
Tuberculosis of the respiratory system (23)	205	3	2					1	7	19	26	15	72	29	19	7	5	
Other forms of tuberculosis (24–32)	26		1	1	1		2	1	1	2	3	3	3	3	1	4		
Syphilis (34)	19	2	1									1	9	5	1			
Cancer and other malignant tumors (45–53)	628				1			1	1	4	5	3	57	92	159	208	97	
Diabetes mellitus (59)	151							1	1	1	2	1	6	9	44	62	24	
Cerebral hemorrhage and softening (82a, 82c)	361	1						1		1		4	13	33	72	106	130	
Diseases of the heart (90–95)	1,205				1		5	9	7	6	9	12	59	126	233	341	397	
Bronchitis (106)	18	3								1		1	1		1	1	10	
Bronchopneumonia (107)	135	42	12	2	3	2	6	1				3	6	6	10	10	32	
Lobar and unspecified pneumonia (108, 109)	127	13	2	4	1	1	3		1	3	3	4	12	9	28	23	20	
Diarrhea and enteritis (119, 120)	51	31	7		1					1			3		2		6	
Appendicitis (121)	83		1				11	5	8	5	4	8	13	17	6	4	1	
Hernia, intestinal obstruction (122)	48		1		2			1		1	3	2	7	3	6	14	8	
Cirrhosis of the liver (124)	51											1	9	9	15	15	2	
Nephritis (130–132)	359	1		1					2	2	5	7	18	46	62	110	105	
Diseases of the female genital organs (139)	15										1	1	5	6		2		
Puerperal septicemia (140, 142a, 145)	14									2	4	6	2					
Other puerperal causes	25									8	4	8	5					
Suicide (163–171)	109								2	2	2	4	19	32	29	14	5	
Homicide (172–175)	12	1							1	1	2		3	2	1	1		
Automobile accidents [1]	89				1	2	8	3	6	7	4	6	9	10	11	14	8	
Automobile—railroad train and street car collisions	8								1		1	1	2	1	1	1		
Other external causes	106	6	3	3		1	3	2	4	5	5	6	19	24	26	25	34	
All other causes	889	278	13	7	2	1	11	5	11	6	17	23	69	94	107	109	136	

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Continental United States, all causes	**1,342,106**	**137,731**	**114,058**	**120,167**	**110,019**	**109,134**	**106,843**	**104,493**	**99,011**	**99,023**	**108,939**	**112,130**	**120,558**
Typhoid and paratyphoid fever (1, 2)	4,473	202	132	188	176	213	394	646	702	583	568	403	266
Smallpox (6)	39	2	1	3	3	4	3	4	2	1	5	6	5
Measles (7)	2,813	176	224	446	541	517	324	167	43	27	52	94	202
Scarlet fever (8)	2,546	317	269	282	260	256	152	80	76	104	187	265	298
Whooping-cough (9)	4,463	393	325	324	341	400	488	506	392	307	295	309	383
Diphtheria (10)	4,937	499	298	292	185	178	154	197	255	437	847	894	701
Influenza (11)	33,193	13,071	5,756	3,764	2,149	1,268	635	464	471	612	1,046	1,646	2,311
Dysentery (13)	2,815	57	58	81	82	232	508	456	393	347	308	171	122
Erysipelas (15)	2,017	217	218	287	238	197	148	103	66	92	124	137	190
Lethargic encephalitis (17)	1,357	87	68	97	75	69	73	66	163	329	157	102	71
Epidemic cerebrospinal meningitis (18)	1,482	177	177	213	173	125	106	87	71	72	68	90	123
Tuberculosis of the respiratory system (23)	67,422	6,437	5,561	6,201	6,039	6,070	5,630	5,546	5,204	5,031	5,162	5,217	5,324
Other forms of tuberculosis (24-32)	7,420	592	592	706	724	676	736	690	575	485	560	526	558
Malaria (38)	4,678	68	49	80	106	128	305	438	609	977	1,086	582	250
Diabetes mellitus (59)	26,835	2,871	2,270	2,500	2,228	2,166	2,073	1,922	1,908	1,971	2,122	2,274	2,530
Cerebral hemorrhage and softening (82a, 82c)	95,276	8,930	8,314	8,847	8,076	8,028	7,561	7,234	6,888	6,917	7,702	8,031	8,748
Diseases of the heart (90-95)	286,360	28,595	24,974	26,211	24,328	23,763	22,256	21,461	19,878	19,888	23,215	24,542	27,249
Bronchitis (106)	4,062	576	419	403	356	322	249	190	203	239	347	352	406
Bronchopneumonia (107)	37,209	6,336	4,487	3,937	3,009	2,478	1,774	1,550	1,549	1,775	2,571	3,424	4,319
Lobar and unspecified pneumonia (108, 109)	49,740	8,116	5,825	5,978	4,608	3,459	2,195	1,635	1,606	1,805	3,042	4,876	6,595
Diarrhea and enteritis [under 2 years] (119)	15,707	611	595	694	783	1,273	2,110	2,111	1,996	2,117	1,740	960	717
Diarrhea and enteritis [2 years and over] (120)	5,966	235	232	298	296	456	725	795	795	781	628	395	330
Nephritis (130-132)	104,264	9,912	8,894	9,511	8,971	8,979	8,573	8,100	7,536	7,627	8,559	8,642	8,960
Puerperal septicemia (140, 142a, 145)	4,887	420	424	449	453	424	440	367	391	384	359	375	401
Other puerperal causes	7,998	827	698	726	682	708	671	683	616	625	604	561	597
Suicide (163-171)	19,993	1,730	1,441	1,770	1,810	1,939	1,659	1,807	1,603	1,648	1,532	1,531	1,523
Automobile accidents [1]	29,323	1,994	1,674	1,776	1,873	2,057	2,164	2,595	2,775	2,897	3,273	2,972	3,273
Automobile—railroad train and street car collisions	1,755	147	103	140	142	97	137	129	190	132	159	179	200
Other external causes	72,133	5,644	5,182	5,381	5,223	5,880	7,138	7,263	6,557	5,706	5,819	6,026	6,314
All other causes	440,943	38,492	34,798	38,582	36,089	36,772	37,462	37,201	35,498	35,107	36,802	36,548	37,592
ALABAMA (WHITE), all causes	14,625	1,333	1,194	1,293	1,190	1,036	1,283	1,146	1,150	1,141	1,237	1,301	1,321
Typhoid and paratyphoid fever (1, 2)	60	4	1		3	4	7	14	9	8	6	4	
Smallpox (6)													
Measles (7)	26			2	2	7	6	1			2	2	4
Scarlet fever (8)	21		1	1	2		1	2	3	1	1	6	3
Whooping-cough (9)	99	14	8	12	5	14	11	13	6		6	3	7
Diphtheria (10)	131	9	4	5	4	1	2	4	20	19	26	21	16
Influenza (11)	562	157	89	68	41	25	14	4	9	18	24	50	63
Dysentery (13)	46	2	3	1		5	13	9	7			5	1
Erysipelas (15)	34	5	5		1	1	3	1	1	5	5	6	1
Lethargic encephalitis (17)	19	1	3		1	2	3		3	2	1	1	2
Epidemic cerebrospinal meningitis (18)	10	1	2	1	1			2				1	2
Tuberculosis of the respiratory system (23)	668	76	60	59	62	52	49	52	56	51	62	43	46
Other forms of tuberculosis (24-32)	55	3	8	4	2	3	10	4	5	6	3	3	4
Malaria (38)	144	4	1		4	5	8	8	23	36	43	10	2
Diabetes mellitus (59)	200	26	14	20	16	9	10	12	18	15	16	25	19
Cerebral hemorrhage and softening (82a, 82c)	915	95	72	86	68	77	81	61	61	76	73	76	89
Diseases of the heart (90-95)	2,113	179	196	205	192	170	178	147	157	155	167	180	187
Bronchitis (106)	45	4		6	7	3	4	2	1	4	1	4	9
Bronchopneumonia (107)	377	42	39	52	26	14	21	17	14	20	29	51	52
Lobar and unspecified pneumonia (108, 109)	542	54	55	77	48	31	22	16	22	22	40	61	94
Diarrhea and enteritis [under 2 years] (119)	353	6	8	10	13	31	80	68	49	27	30	16	15
Diarrhea and enteritis [2 years and over] (120)	113	1	4	3	4	8	24	27	11	11	13	3	4
Nephritis (130-132)	1,173	90	109	101	112	89	95	95	89	91	93	101	108
Puerperal septicemia (140, 142a, 145)	74	9	6	7	5	1	8	3	5	10	6	9	5
Other puerperal causes	146	13	13	16	15	8	15	15	7	10	7	15	12
Suicide (163-171)	172	17	15	16	15	15	15	15	12	8	10	19	15
Automobile accidents [1]	346	20	20	23	23	10	27	28	34	34	45	44	38
Automobile—railroad train and street car collisions	13	1			3	1	3					3	2
Other external causes	824	47	67	69	71	93	87	64	72	67	52	61	74
All other causes	5,344	453	391	449	444	357	486	462	456	445	476	478	447
ALABAMA (COLORED), all causes	12,479	1,059	1,002	1,056	997	969	1,090	1,027	1,039	994	1,056	1,101	1,089
Typhoid and paratyphoid fever (1, 2)	58		1	1	3	6	10	10	10	3	6	6	2
Smallpox (6)													
Measles (7)	5					1		1	1				2
Scarlet fever (8)													
Whooping-cough (9)	88	5	3	9	2	7	10	8	12	8	6	10	8
Diphtheria (10)	30	2	3	3	1	3			3	3	6	2	4
Influenza (11)	385	96	66	54	35	27	8	9	5	14	11	24	36
Dysentery (13)	27	1	2	1		1	10	5	2	3	1		1
Erysipelas (15)	3										2	1	
Lethargic encephalitis (17)	7	1	1		1	1			1		1		1
Epidemic cerebrospinal meningitis (18)	6	1			1	2					2		
Tuberculosis of the respiratory system (23)	1,111	90	99	101	103	82	98	85	90	87	88	102	86
Other forms of tuberculosis (24-32)	103	6	6	13	12	12	13	11	6	4	9	2	9
Malaria (38)	121	1			1	2	9	14	20	24	29	14	7
Diabetes mellitus (59)	75	8	9	1	6	7	7	3	7	5	4	9	9
Cerebral hemorrhage and softening (82a, 82c)	718	64	51	66	60	55	61	67	47	63	53	69	62
Diseases of the heart (90-95)	1,428	96	110	126	117	119	122	142	126	114	117	131	108
Bronchitis (106)	17	1	1	1	2	2	1	2	2		1	2	2
Bronchopneumonia (107)	185	17	17	37	15	5	15	9	5	9	14	17	25
Lobar and unspecified pneumonia (108, 109)	525	69	54	60	56	36	26	9	22	25	34	57	77
Diarrhea and enteritis [under 2 years] (119)	188	2	3	4	9	21	42	26	27	24	13	11	6
Diarrhea and enteritis [2 years and over] (120)	61	2		2	1	4	13	11	10	3	9	3	3
Nephritis (130-132)	953	73	90	81	81	78	78	79	82	72	75	87	77
Puerperal septicemia (140, 142a, 145)	67	5	7	4	7	3	7	2	5	11	6	7	3
Other puerperal causes	157	9	13	10	14	14	15	13	15	20	11	12	11
Suicide (163-171)	11				1		3			1		2	4
Automobile accidents [1]	139	6	5	2	11	9	5	11	17	17	19	23	14
Automobile—railroad train and street car collisions	2						1			1			
Other external causes	944	83	66	80	64	64	73	72	103	71	83	73	112
All other causes	5,065	421	395	400	394	408	463	438	421	412	456	437	420

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARIZONA, all causes	5,539	511	439	480	456	501	517	557	433	364	378	442	461
Typhoid and paratyphoid fever (1, 2)	23			1	1	2	2	7	2	5	2		1
Smallpox (6)													
Measles (7)	102		2	7	23	21	34	12	1				2
Scarlet fever (8)	13	1		4		1	3	1					3
Whooping-cough (9)	31	2	1	1	5	4	6	3	1	2	1	1	4
Diphtheria (10)	22	4	2	1		1		1		1	1	5	6
Influenza (11)	123	34	23	21	8	10	4	5	1		4	7	6
Dysentery (13)	15			1	1	1	1	2	4	3	2		
Erysipelas (15)	10		2	1	1	1	3	1		1			
Lethargic encephalitis (17)	5	1		1						1	1		1
Epidemic cerebrospinal meningitis (18)	29	1	9	5	4	4	1	2	1		1	1	
Tuberculosis of the respiratory system (23)	1,055	92	88	109	99	87	91	79	86	81	81	83	79
Other forms of tuberculosis (24–32)	55	6	7	5	6	4	2	5	6	2	3	4	5
Malaria (38)													
Diabetes mellitus (59)	33	4	4	5	3	1		1	1	1	4	4	5
Cerebral hemorrhage and softening (82a, 82c)	166	27	14	14	8	17	17	10	7	9	9	19	15
Diseases of the heart (90–95)	644	57	60	52	69	54	55	52	42	36	49	63	55
Bronchitis (106)	21	2	1	2	1	3		2		2	3		5
Bronchopneumonia (107)	213	24	26	23	14	22	9	8	15	17	14	24	17
Lobar and unspecified pneumonia (108, 109)	220	36	30	25	17	22	12	9	7	6	5	19	32
Diarrhea and enteritis [under 2 years] (119)	290	12	2	6	14	26	50	61	40	23	33	14	9
Diarrhea and enteritis [2 years and over] (120)	47	1		2	2	6	9	11	7	3	1	2	3
Nephritis (130–132)	251	22	13	23	20	19	25	33	26	14	16	15	25
Puerperal septicemia (140, 142a, 145)	22	1	2	4	1	1	3	2	1		3		4
Other puerperal causes	31	4	3	3	2	6		2	3	1	4	3	
Suicide (163–171)	91	9	10	13	2	6	11	4	5	3	4	11	13
Automobile accidents [1]	147	12	12	7	14	13	6	13	15	11	8	15	21
Automobile—railroad train and street car collisions	7						2	1	3		1		
Other external causes	355	27	20	23	22	26	28	74	30	24	24	28	29
All other causes	1,518	132	108	121	119	143	143	156	129	118	104	124	121
ARKANSAS (WHITE), all causes	11,528	1,252	928	906	838	808	994	984	940	910	1,089	982	897
Typhoid and paratyphoid fever (1, 2)	142	7	6	9	5	7	8	29	26	21	8	6	10
Smallpox (6)	2		1				1						
Measles (7)	90	1	1	6	7	17	10	8	3	5	11	5	16
Scarlet fever (8)	9	1			2			1		1	2	2	
Whooping-cough (9)	75	6	2	2	5	8	13	14	10	2	5	7	0
Diphtheria (10)	125	11	4	2	2	1	3	4	5	14	28	31	21
Influenza (11)	490	222	91	58	28	15	6	4	3	5	12	19	27
Dysentery (13)	89	1	2		3	5	22	13	5	13	17	5	3
Erysipelas (15)	29	2	1	2	2		3		2	3	9	1	4
Lethargic encephalitis (17)	3									1		2	
Epidemic cerebrospinal meningitis (18)	14	2		1	3	1		1	1	1			4
Tuberculosis of the respiratory system (23)	575	77	56	58	43	47	33	39	49	46	37	42	48
Other forms of tuberculosis (24–32)	39	5	1		5	7	4	5		4	5	1	2
Malaria (38)	586	11	2	10	12	4	39	59	88	115	143	69	34
Diabetes mellitus (59)	127	16	8	12	9	13	15	4	11	9	14	13	3
Cerebral hemorrhage and softening (82a, 82c)	661	55	47	67	56	66	54	44	53	51	56	54	58
Diseases of the heart (90–95)	1,401	138	141	128	112	124	104	112	108	84	122	108	120
Bronchitis (106)	35	4	4	1	4	2	3	1	1	3	7	1	4
Bronchopneumonia (107)	279	52	31	34	19	13	9	17	10	10	20	31	33
Lobar and unspecified pneumonia (108, 109)	539	135	72	59	47	24	21	13	10	13	21	62	62
Diarrhea and enteritis [under 2 years] (119)	316	7	7	3	9	23	89	56	37	27	36	16	6
Diarrhea and enteritis [2 years and over] (120)	160	5	2	2	7	16	37	28	12	19	16	9	7
Nephritis (130–132)	725	68	65	59	59	53	60	58	59	47	83	56	58
Puerperal septicemia (140, 142a, 145)	68	3	6	1	3	4	8	5	6	5	8	9	10
Other puerperal causes	127	16	18	7	6	12	7	14	7	11	12	9	8
Suicide (163–171)	107	3	8	11	9	13	13	9	9	4	7	13	8
Automobile accidents [1]	227	9	9	9	19	14	15	15	25	29	29	33	21
Automobile—railroad train and street car collisions	8	2	1					1			1	2	1
Other external causes	690	42	48	48	62	51	74	69	70	48	57	64	57
All other causes	3,790	351	294	317	300	268	343	361	330	319	323	312	272
ARKANSAS (COLORED), all causes	5,069	459	391	390	387	405	474	444	427	413	475	397	407
Typhoid and paratyphoid fever (1, 2)	68		1			5	7	16	14	9	10	4	2
Smallpox (6)													
Measles (7)	14				2	2	2	1			2		5
Scarlet fever (8)	1		1										
Whooping-cough (9)	77	3		1	8	4	16	8	8	11	10	6	2
Diphtheria (10)	15	3		3					1	1	3	1	3
Influenza (11)	267	90	54	39	20	9	2		2	3	4	15	29
Dysentery (13)	33		1	1	1		11	7	2	5	3	2	
Erysipelas (15)	1										1		
Lethargic encephalitis (17)	2		1	1									
Epidemic cerebrospinal meningitis (18)	1			1									
Tuberculosis of the respiratory system (23)	419	44	32	42	39	39	38	37	34	25	33	25	31
Other forms of tuberculosis (24–32)	37	3	2	1	4	4	3	4	5	5	3	2	1
Malaria (38)	283		4	6	10	12	24	32	39	63	65	19	9
Diabetes mellitus (59)	31	3	5	1	3	5	2	1	4	2	2	2	1
Cerebral hemorrhage and softening (82a, 82c)	203	14	23	17	17	16	10	20	12	15	22	17	20
Diseases of the heart (90–95)	482	38	37	46	35	43	47	43	36	35	47	43	32
Bronchitis (106)	8	1	1	1					1	1	1		2
Bronchopneumonia (107)	92	13	8	12	7	3	2	7	2	5	8	19	6
Lobar and unspecified pneumonia (108, 109)	208	35	31	26	27	14	9	4	4	3	5	16	34
Diarrhea and enteritis [under 2 years] (119)	124	3	1	3	7	15	33	26	12	9	8	3	4
Diarrhea and enteritis [2 years and over] (120)	56	1	1	2	2	3	12	11	7	5	4	6	2
Nephritis [130–132]	300	25	25	21	34	23	26	35	24	16	28	24	19
Puerperal septicemia (140, 142a, 145)	34	1	1	2	3	4	4	2	4	4	1	3	5
Other puerperal causes	49	4	3	8	3	1	6	4	3	2	4	3	8
Suicide (163–171)	12	2			1	1		4		2			2
Automobile accidents [1]	53	3	5	2	4	6	5	1	1	5	9	3	9
Automobile—railroad train and street car collisions	1											1	
Other external causes	397	41	22	24	26	40	38	26	36	28	34	40	42
All other causes	1,801	132	132	130	134	156	177	155	176	159	168	143	139

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA (WHITE), all causes	60,856	6,264	5,286	5,310	4,928	5,079	4,690	4,761	4,622	4,436	4,706	5,055	5,719
Typhoid and paratyphoid fever (1, 2)	63	1	1	6	4	1	8	3	2	4	6	3	24
Smallpox (6)	2			1						1			
Measles (7)	66	1	8	13	16	11	7	4	1	1	1	1	2
Scarlet fever (8)	78	5	8	7	9	10	3	3	5	3	5	9	11
Whooping-cough (9)	119	14	4	14	7	9	13	13	13	8	6	7	11
Diphtheria (10)	100	17	5	10	11	6	9	9	7	2	8	8	8
Influenza (11)	637	264	110	59	24	28	20	16	11	17	10	26	52
Dysentery (13)	43	1	2	1	1	2	1	3	6	3	5	12	5
Erysipelas (15)	63	3	9	4	6	7	3	6	3	4	1	6	6
Lethargic encephalitis (17)	34	4	4	6	1	4	1	3	4	2	1	2	2
Epidemic cerebrospinal meningitis (18)	68	6	7	8	6	4	9	6	2	5	4	4	7
Tuberculosis of the respiratory system (23)	3,006	277	284	261	277	269	215	232	251	248	216	230	246
Other forms of tuberculosis (24–32)	278	28	19	29	24	20	36	31	12	14	22	18	25
Malaria (38)	2								1	1			
Diabetes mellitus (59)	1,268	126	131	114	97	100	99	98	88	101	91	107	116
Cerebral hemorrhage and softening (82a, 82c)	4,218	409	347	381	370	348	331	344	331	292	302	355	408
Diseases of the heart (90–95)	16,524	1,761	1,457	1,369	1,293	1,444	1,297	1,250	1,176	1,197	1,261	1,380	1,639
Bronchitis (106)	137	18	11	18	9	16	7	3	8	8	10	17	12
Bronchopneumonia (107)	1,570	269	185	145	122	108	98	75	87	76	103	134	168
Lobar and unspecified pneumonia (108, 109)	1,549	282	203	161	106	113	91	50	58	66	89	140	190
Diarrhea and enteritis [under 2 years] (119)	206	12	8	13	6	11	15	25	21	16	34	22	23
Diarrhea and enteritis [2 years and over] (120)	144	4	10	12	12	6	12	10	12	14	16	18	18
Nephritis (130–132)	4,230	453	364	374	359	398	311	314	280	297	326	375	379
Puerperal septicemia (140, 142a, 145)	96	11	8	15	7	10	6	8	4	7	4	8	8
Other puerperal causes	169	15	16	9	15	15	18	15	12	7	12	12	23
Suicide (163–171)	1,663	137	131	154	143	153	117	172	140	124	127	142	123
Automobile accidents [1]	1,992	148	132	138	161	145	152	154	184	168	204	197	209
Automobile—railroad train and street car collisions	137	16	3	7	12	21	11	12	9	12	7	16	11
Other external causes	2,866	247	190	300	203	211	232	287	248	235	225	224	264
All other causes	19,528	1,730	1,629	1,681	1,627	1,609	1,568	1,615	1,646	1,503	1,609	1,582	1,729
CALIFORNIA (COLORED), all causes	7,180	732	567	563	546	629	551	662	532	547	608	585	658
Typhoid and paratyphoid fever (1, 2)	28	2	2	1	1	1	1	2	1	4	1	6	6
Smallpox (6)	1					1							
Measles (7)	46			3	6	10	7	12		2		4	2
Scarlet fever (8)	4					1				1	1		1
Whooping-cough (9)	84	5	5	4	4	10	12	15	9	5	2	6	7
Diphtheria (10)	20	1	1	1	2	2	1	2	1		2	4	3
Influenza (11)	149	49	21	18	3	5	9	4	7	3	8	14	8
Dysentery (13)	29	1	1	1	1	6		4	5	2	4	4	
Erysipelas (15)	8	1	1	1		1					2		2
Lethargic encephalitis (17)	2								1	1			
Epidemic cerebrospinal meningitis (18)	5	1		1			1						2
Tuberculosis of the respiratory system (23)	1,182	97	78	93	123	133	89	114	79	101	94	88	93
Other forms of tuberculosis (24–32)	167	12	17	12	21	16	19	19	12	13	12	3	11
Malaria (38)	1							1					
Diabetes mellitus (59)	78	8	10	6	3	9	4	5	5	4	6	9	9
Cerebral hemorrhage and softening (82a, 82c)	217	19	5	21	15	17	16	24	13	28	20	12	27
Diseases of the heart (90–95)	839	84	72	78	60	76	54	76	59	60	71	68	81
Bronchitis (106)	24	2	1	1	1	3	4	1	1	1	2	1	6
Bronchopneumonia (107)	459	87	52	34	24	34	26	36	17	20	35	47	47
Lobar and unspecified pneumonia (108, 109)	332	69	46	30	29	22	14	16	12	14	18	24	38
Diarrhea and enteritis [under 2 years] (119)	314	11	9	10	14	22	18	41	41	32	52	39	25
Diarrhea and enteritis [2 years and over] (120)	57	5	2	4	2		4	10	7	10	5	5	3
Nephritis (130–132)	294	35	18	15	36	22	21	25	18	22	22	28	32
Puerperal septicemia (140, 142a, 145)	34		4	4	3	7	2	3	3	4	1		3
Other puerperal causes	49	1	2	3	4	7	4	4	5	8	6	2	3
Suicide (163–171)	82	6	6	3	7	7	11	9	7	9	3	7	7
Automobile accidents [1]	241	9	9	16	11	11	19	31	21	19	29	28	38
Automobile—railroad train and street car collisions	22	1	1	2	3		2	1	4	4	2		2
Other external causes	432	32	31	33	23	26	57	47	39	34	46	35	29
All other causes	1,980	194	173	168	150	180	156	160	165	146	164	151	173
COLORADO, all causes	11 961	1,276	1,015	1,006	947	1,032	914	937	893	927	1,026	987	1,001
Typhoid and paratyphoid fever (1, 2)	53	1	3	1	3			4	2	7	16	11	5
Smallpox (6)	6										4	2	
Measles (7)	1										1		
Scarlet fever (8)	26	1	2	3	4	1	2	1		2	3	2	5
Whooping-cough (9)	44	5	6	4	9		4	3	4	3	5		1
Diphtheria (10)	18	3		2	1	2	1	1		1	1	1	5
Influenza (11)	380	155	72	42	17	18	11	7	6	11	10	18	13
Dysentery (13)	12			1		1		4	2	1	3		
Erysipelas (15)	28	7	3	3		3	3	3				4	2
Lethargic encephalitis (17)	18	4	1	3	2				3	1	2	2	
Epidemic cerebrospinal meningitis (18)	23		7	4		1	1	1	2	3	3		1
Tuberculosis of the respiratory system (23)	836	94	69	76	75	89	52	61	64	67	65	65	59
Other forms of tuberculosis (24–32)	61	9	2	7	2	7	3	5	7	5	7	3	4
Malaria (38)	2						1					1	
Diabetes mellitus (59)	138	23	10	20	10	12	9	11	12	3	13	5	10
Cerebral hemorrhage and softening (82a, 82c)	776	63	62	53	64	70	69	56	57	54	79	68	81
Diseases of the heart (90–95)	2,134	219	199	190	160	189	149	158	154	132	202	196	186
Bronchitis (106)	34	4	7	3	4	4		1	1	3	1	3	3
Bronchopneumonia (107)	448	91	57	31	57	42	22	15	11	27	28	31	36
Lobar and unspecified pneumonia (108, 109)	555	76	83	63	50	46	34	22	19	20	31	53	58
Diarrhea and enteritis [under 2 years] (119)	189	6	3	4	2	5	9	16	42	57	27	12	6
Diarrhea and enteritis [2 years and over] (120)	57		4	1	2	2	2	9	9	11	13	2	2
Nephritis (130–132)	716	73	67	72	66	59	64	47	54	51	51	60	52
Puerperal septicemia (140, 142a, 145)	50	6	5	4	8	5	6	4	3	2	3	2	2
Other puerperal causes	57	6	3	6	4	9	9	2	5	1	3	2	7
Suicide (163–171)	261	18	14	22	12	31	23	24	25	23	30	15	24
Automobile accidents [1]	298	25	11	17	21	28	15	33	26	30	30	35	27
Automobile—railroad train and street car collisions	19	6		3		1		2			1	4	2
Other external causes	694	55	55	41	45	63	73	79	56	52	45	59	71
All other causes	4,027	326	270	330	329	344	352	368	329	360	349	331	339

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT, all causes	17,444	1,872	1,561	1,620	1,435	1,445	1,360	1,264	1,208	1,167	1,379	1,501	1,632
Typhoid and paratyphoid fever (1, 2)	8		2			2		1	1		2		
Smallpox (6)													
Measles (7)	10	2	1	1	3	1	2						
Scarlet fever (8)	25	3	8	2		3	2		1		1	3	2
Whooping-cough (9)	28	2	5	3	5	1	4	2	2			2	2
Diphtheria (10)	18		1	4	2	1	2	2	1		1	2	2
Influenza (11)	271	104	61	24	17	6	7	5	6	2	6	11	22
Dysentery (13)	4		1					2	1				
Erysipelas (15)	32	1	4	7	5	8	2		1			3	1
Lethargic encephalitis (17)	20	1	1	1	5	1	1	2	3	2	2		1
Epidemic cerebrospinal meningitis (18)	9	1	2		1			2	1	1			1
Tuberculosis of the respiratory system (23)	729	84	59	72	63	72	61	49	50	63	51	53	52
Other forms of tuberculosis (24–32)	86	4	4	14	12	12	7	8	7	1	6	7	4
Malaria (38)	1											1	
Diabetes mellitus (59)	451	39	37	47	41	41	32	42	25	32	33	39	43
Cerebral hemorrhage and softening (82a, 82c)	1,304	127	116	131	107	109	102	81	95	87	116	112	121
Diseases of the heart (90–95)	4,746	482	421	430	394	392	357	342	297	312	386	424	509
Bronchitis (106)	62	9	9	10	6	7		2	2	2	3	6	6
Bronchopneumonia (107)	394	79	60	36	25	30	11	12	12	13	27	42	47
Lobar and unspecified pneumonia (108, 109)	708	142	91	84	62	46	30	25	19	16	43	66	84
Diarrhea and enteritis [under 2 years] (119)	87	7	6	9	9	6	7	8	12	5	6	5	7
Diarrhea and enteritis [2 years and over] (120)	26	2	2	3	2	2	2	2	4	2	2	1	2
Nephritis (130–132)	1,434	152	107	131	146	112	101	76	105	104	136	152	112
Puerperal septicemia (140, 142a, 145)	46	5	4	5	4	4	6	2	4	2	3	1	6
Other puerperal causes	67	9	9	6	6	5	8	4	3	3	3	5	6
Suicide (163–171)	277	23	15	19	22	27	20	23	27	28	21	27	25
Automobile accidents [1]	452	24	29	37	22	36	40	43	45	38	47	47	44
Automobile—railroad train and street car collisions	18	5	1			2	5		2			3	
Other external causes	684	57	36	46	52	61	70	62	72	55	50	65	58
All other causes	5,447	508	469	498	424	458	481	467	410	399	434	424	475
DELAWARE, all causes	3,309	309	295	289	289	264	250	280	236	241	268	261	327
Typhoid and paratyphoid fever (1, 2)	9						1	3	2		2	1	
Smallpox (6)													
Measles (7)	1											1	
Scarlet fever (8)	2					1						1	
Whooping-cough (9)	6	1									3	1	1
Diphtheria (10)	7	2	1			1					2		1
Influenza (11)	41	15	8	5	5	2	2			1	2		1
Dysentery (13)	6	1						3	2				
Erysipelas (15)	6		1	1	1	1	2						
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	3				1				2				
Tuberculosis of the respiratory system (23)	163	6	15	13	19	13	13	24	8	9	16	10	17
Other forms of tuberculosis (24–32)	17	3				3	1	3	2	1	2	1	1
Malaria (38)													
Diabetes mellitus (59)	72	3	8	7	9	4	7	7	5	4	7	1	10
Cerebral hemorrhage and softening (82a, 82c)	290	21	25	27	29	15	21	28	34	21	30	17	22
Diseases of the heart (90–95)	833	85	75	71	67	68	61	53	47	67	63	74	102
Bronchitis (106)	8		1	1	1			1		1	1		2
Bronchopneumonia (107)	90	14	11	7	5	8	4	4	3	4	11	7	12
Lobar and unspecified pneumonia (108, 109)	145	28	21	19	10	10	4	5	3	3	12	10	20
Diarrhea and enteritis [under 2 years] (119)	35	1		1	3	2	4	7	5	6	4	1	1
Diarrhea and enteritis [2 years and over] (120)	15	1	2				1		3	3	1	3	1
Nephritis (130–132)	367	37	31	36	33	33	26	29	24	25	31	34	28
Puerperal septicemia (140, 142a, 145)	13				2	3	2	3	1	2			
Other puerperal causes	14	1	2	1		1	1	2	2	1	1	2	
Suicide (163–171)	26		1	3	4	4	1	1	3	3	1	2	3
Automobile accidents [1]	84	6	2	3	6	3	14	8	13	4	7	11	7
Automobile—railroad train and street car collisions	2		1										1
Other external causes	162	7	18	9	17	9	18	28	13	11	9	11	12
All other causes	892	77	72	85	77	83	67	71	64	75	63	73	85
DISTRICT OF COLUMBIA (WHITE), all causes	4,760	513	403	401	413	364	361	368	344	329	372	424	468
Typhoid and paratyphoid fever (1, 2)	7	1			1				2	1	1		1
Smallpox (6)													
Measles (7)	3					1	1			1			
Scarlet fever (8)	3	1			1		1						
Whooping-cough (9)	6		1						1				4
Diphtheria (10)	9	1	1		1				1	1	1	2	1
Influenza (11)	36	12	7	5	3	1			2		1	2	3
Dysentery (13)	6						1	2	1			1	1
Erysipelas (15)	11	2		1	3	1		1				2	1
Lethargic encephalitis (17)	1												1
Epidemic cerebrospinal meningitis (18)	9	1	3				1			1	1	2	
Tuberculosis of the respiratory system (23)	170	17	17	15	22	11	15	12	6	12	12	18	13
Other forms of tuberculosis (24–32)	31	6		4	3	2	2	1	5		4	3	1
Malaria (38)	1						1						
Diabetes mellitus (59)	104	10	14	11	6	5	4	7	9	11	8	3	16
Cerebral hemorrhage and softening (82a, 82c)	335	33	32	23	30	30	22	26	24	22	25	37	31
Diseases of the heart (90–95)	1,198	138	114	84	97	91	81	90	81	98	93	99	132
Bronchitis (106)	11	1			3	1	1			1	1	1	2
Bronchopneumonia (107)	124	25	13	13	8	9	13	3	3	5	12	12	8
Lobar and unspecified pneumonia (108, 109)	142	26	14	24	8	6	12	7	3	4	6	13	20
Diarrhea and enteritis [under 2 years] (119)	26	2	2	1	1	1	4	3	6	2	1	1	2
Diarrhea and enteritis [2 years and over] (120)	5			1			1	2					1
Nephritis (130–132)	389	39	24	40	36	26	36	24	24	22	32	43	43
Puerperal septicemia (140, 142a, 145)	10				1	2	1	3	1			1	1
Other puerperal causes	9	1		2		1		1	1			3	
Suicide (163–171)	157	24	11	20	11	10	10	13	11	10	13	14	10
Automobile accidents [1]	92	7	5	3	8	11	5	5	10	6	11	11	10
Automobile—railroad train and street car collisions													
Other external causes	231	25	15	9	23	13	19	32	25	15	14	19	22
All other causes	1,624	142	130	145	147	142	130	136	128	117	136	137	134

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA (COLORED), all causes	3,122	284	267	280	265	230	271	247	230	216	252	265	315
Typhoid and paratyphoid fever (1, 2)	11			1				1			6	1	2
Smallpox (6)													
Measles (7)	2			1				1					
Scarlet fever (8)	3					2							1
Whooping-cough (9)	3	1	1										1
Diphtheria (10)	5											2	3
Influenza (11)	10	3	3	2	1						1		
Dysentery (13)	2							2					
Erysipelas (15)	1							1					
Lethargic encephalitis (17)	2			1							1		
Epidemic cerebrospinal meningitis (18)	2		1				1						
Tuberculosis of the respiratory system (23)	340	28	26	31	34	24	31	34	27	26	32	22	25
Other forms of tuberculosis (24–32)	72	4	8	8	6	2	15	8	6	4	5	4	2
Malaria (38)													
Diabetes mellitus (59)	44	6	6	4	2	3	2	5	4	4	4	3	1
Cerebral hemorrhage and softening (82a, 82c)	175	14	28	16	11	14	21	11	12	8	15	10	15
Diseases of the heart (90–95)	641	68	42	61	65	45	59	50	43	44	45	56	63
Bronchitis (106)	6		1	1				1	1		1	1	
Bronchopneumonia (107)	143	18	19	18	3	7	7	10	5	10	6	12	28
Lobar and unspecified pneumonia (108, 109)	158	25	17	12	10	12	6	8	6	3	12	18	29
Diarrhea and enteritis [under 2 years] (119)	33	4	2		2		4	7	7	3	1	2	1
Diarrhea and enteritis [2 years and over] (120)	13	1	1	1				2	1	2	2		3
Nephritis (130–132)	187	17	20	20	15	11	14	15	11	12	14	22	16
Puerperal septicemia (140, 142a, 145)	17	2	3	1	1	3	1	1		2	1	1	1
Other puerperal causes	14		1		1	2	1	1	1	2	2	1	2
Suicide (163–171)	12	1		1			1			2	2	3	2
Automobile accidents [1]	50	3	3	4	5	3	4		3	4	9	4	8
Automobile—railroad train and street car collisions													
Other external causes	189	17	11	11	21	18	16	14	17	13	15	15	21
All other causes	987	72	74	86	88	84	88	75	86	77	78	88	91
FLORIDA (WHITE), all causes	11,569	1,114	1,079	1,092	932	852	786	823	874	912	929	1,086	1,090
Typhoid and paratyphoid fever (1, 2)	33	1	5	5	3	3	3	1	2	1	2	3	4
Smallpox (6)													
Measles (7)	2				1								1
Scarlet fever (8)	9			1	1		1		2	1	1	1	1
Whooping-cough (9)	25	3	4	2	1	2	3	3	1	1		2	3
Diphtheria (10)	44	5	4	6	3	5	2	1	2	2	5	6	3
Influenza (11)	337	91	69	57	24	11	7		9	8	8	25	28
Dysentery (13)	21	2	2		3	1	2	1	2	2	4	1	1
Erysipelas (15)	17	2	2			1	4	3		2	2	1	
Lethargic encephalitis (17)	9	2		2		1	1		1			1	1
Epidemic cerebrospinal meningitis (18)	14	1	2	4	2	1			3				1
Tuberculosis of the respiratory system (23)	369	35	31	26	24	34	21	28	36	28	39	34	33
Other forms of tuberculosis (24–32)	35	6	4	2	2	5	4	2	3	2	2	2	1
Malaria (38)	215	8	4	4	6	8	11	23	33	38	34	32	14
Diabetes mellitus (59)	198	21	14	19	19	10	17	13	14	18	10	15	28
Cerebral hemorrhage and softening (82a, 82c)	367	35	34	33	67	69	61	59	65	60	68	80	86
Diseases of the heart (90–95)	2,184	215	201	213	200	161	119	132	161	164	166	233	219
Bronchitis (106)	27	3	3	5	1	2	2	2	1	2	2	4	
Bronchopneumonia (107)	199	21	21	20	17	13	11	6	11	9	12	25	33
Lobar and unspecified pneumonia (108, 109)	265	37	29	27	24	15	13	11	11	13	6	32	47
Diarrhea and enteritis [under 2 years] (119)	74	4	1	11	3	4	5	9	8	6	7	8	8
Diarrhea and enteritis [2 years and over] (120)	71	3	4	7	7	5	7	7	5	6	6	6	8
Nephritis (130–132)	1,189	117	107	114	104	94	93	84	92	97	84	105	98
Puerperal septicemia (140, 142a, 145)	57	3	1	5	3	2	9	6	6	5	9	3	5
Other puerperal causes	103	10	10	9	11	7	9	6	5	11	8	11	6
Suicide (163–171)	221	22	20	23	17	19	17	17	20	22	7	15	22
Automobile accidents [1]	363	33	40	45	22	19	17	19	21	27	36	38	46
Automobile—railroad train and street car collisions	32	3	2	8	2	1		1	1			1	13
Other external causes	693	60	59	54	61	55	54	68	56	57	61	58	50
All other causes	3,896	321	356	340	304	304	293	321	303	330	350	344	330
FLORIDA (COLORED), all causes	7,190	704	577	556	585	540	551	584	541	579	680	648	645
Typhoid and paratyphoid (1, 2)	34	2	1	5	3	4	3	3	3	3	3	2	2
Smallpox (6)													
Measles (7)	1								1				
Scarlet fever (8)	1									1			
Whooping-cough (9)	19	2	1	1	1	2		5	1	2		2	2
Diphtheria (10)	14	2	1	1	1		1	2	2		1	1	2
Influenza (11)	278	87	55	37	13	15	13	1	4	2	12	17	22
Dysentery (13)	17	1			2	3	2		2	2	3	1	1
Erysipelas (15)	1												1
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)													
Tuberculosis of the respiratory system (23)	595	46	50	57	49	48	52	61	50	49	54	35	44
Other forms of tuberculosis (24–32)	44	8	2	1	4	1	4	5	1	2	7	5	4
Malaria (38)	167	3	6	8	3	7	7	21	26	27	26	23	10
Diabetes mellitus (59)	48	7	1	3	7	2	4	2	4	4	3	8	3
Cerebral hemorrhage and softening (82a, 82c)	567	50	32	42	45	48	47	47	46	56	48	61	45
Diseases of the heart (90–95)	856	78	63	63	69	63	66	63	61	82	96	81	71
Bronchitis (106)	12			2		1			1	3	1	2	2
Bronchopneumonia (107)	162	22	21	15	12	10	8	10	5	9	14	17	19
Lobar and unspecified pneumonia (108, 109)	264	45	29	25	28	12	19	12	8	10	10	25	41
Diarrhea and enteritis [under 2 years] (119)	56	10	4	1	6	11	2	5	4	4	3	4	2
Diarrhea and enteritis [2 years and over] (120)	40	2	3	5	3	5	3	5	4	1	2	5	2
Nephritis (130–132)	606	55	53	43	56	50	49	61	46	47	64	38	44
Puerperal septicemia (140, 142a, 145)	56	6	3	5	2	5	6	1	6	3	7	4	8
Other puerperal causes	80	8	8	7	7	4	3	7	6	7	9	7	7
Suicide (163–171)	23	1	2	5	1	3	2	4		1	1	2	1
Automobile accidents [1]	131	15	5	7	3	11	9	11	7	11	15	12	25
Automobile—railroad train and street car collisions	16	7					1			3		5	
Other external causes	561	40	60	44	39	48	50	48	43	41	41	41	66
All other causes	2,541	207	177	179	231	187	200	210	210	209	260	250	221

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA (WHITE), all causes	16,860	1,508	1,386	1,466	1,388	1,355	1,370	1,341	1,243	1,365	1,425	1,442	1,571
Typhoid and paratyphoid fever (1, 2)	104	5	2		2	4	16	17	17	19	12	4	6
Smallpox (6)													
Measles (7)	56				5	7	8	3	2		5	8	18
Scarlet fever (8)	20	1	1	1	3	1		2	1	4	1	2	3
Whooping-cough (9)	116	7	10	8	6	4	19	18	7	6	4	11	16
Diphtheria (10)	155	11	5	3	4	1	4	4	11	12	39	41	20
Influenza (11)	697	203	121	102	60	31	16	8	7	8	24	46	71
Dysentery (13)	85	1	1	3	1	9	24	13	10	7	8	5	3
Erysipelas (15)	24	1	2	4	2		1	3		4	1	3	3
Lethargic encephalitis (17)	8	1		1						3	2	1	
Epidemic cerebrospinal meningitis (18)	15			4	2	2			1	1	1	1	3
Tuberculosis of the respiratory system (23)	620	56	43	57	57	49	55	42	62	35	60	58	46
Other forms of tuberculosis (24–32)	59	6	3	2	3	2	8	5	6	3	7	7	7
Malaria (38)	191	7	2	6	6	7	14	18	18	37	35	28	13
Diabetes mellitus (59)	242	18	22	22	20	16	21	16	18	24	13	36	16
Cerebral hemorrhage and softening (82a, 82c)	1,233	100	95	118	135	108	86	101	81	99	100	88	122
Diseases of the heart (90–95)	2,469	206	209	226	211	212	189	196	189	185	215	205	226
Bronchitis (106)	37	2	2	3	6	1	2	3	3	3	6	2	4
Bronchopneumonia (107)	453	55	48	58	42	31	15	16	21	21	33	48	65
Lobar and unspecified pneumonia (108, 109)	687	100	74	89	70	43	30	28	23	17	34	72	107
Diarrhea and enteritis [under 2 years] (119)	335	6	8	8	16	41	74	31	46	43	29	19	14
Diarrhea and enteritis [2 years and over] (120)	122	3	2	4	4	22	16	26	17	13	5	6	4
Nephritis (130–132)	1,593	126	127	123	142	127	141	132	100	135	162	131	147
Puerperal septicemia (140, 142a, 145)	65	6	7	2	6	3	8	6	1	7	6	6	7
Other puerperal causes	162	13	13	12	9	14	17	13	15	17	13	13	13
Suicide (163–171)	277	22	22	37	28	23	24	22	19	16	19	26	19
Automobile accidents [1]	454	25	30	34	31	32	42	46	47	38	51	35	43
Automobile—railroad train and street car collisions	22	2	1	3	6					1		4	5
Other external causes	953	72	82	74	66	75	74	103	70	86	72	87	92
All other causes	5,606	453	454	462	445	490	466	469	451	521	468	449	478
GEORGIA (COLORED), all causes	14,334	1,336	1,122	1,199	1,084	1,117	1,250	1,172	1,177	1,137	1,206	1,264	1,270
Typhoid and paratyphoid fever (1, 2)	146	1	1	6	6	6	29	23	26	18	12	14	4
Smallpox (6)													
Measles (7)	26	1			3	4	3			1	3	2	9
Scarlet fever (8)													
Whooping-cough (9)	110	3	7	11	6	14	14	12	15	5	11	3	9
Diphtheria (10)	38	3	2	6		2		1	2	6	9	6	1
Influenza (11)	551	197	100	79	40	23	6	5	5	8	8	36	44
Dysentery (13)	68	2	3		2	13	21	6	9	5	3	2	2
Erysipelas (15)	3							1				1	1
Lethargic encephalitis (17)	4		1					1	1				1
Epidemic cerebrospinal meningitis (18)	6			4	1					1			
Tuberculosis of the respiratory system (23)	1,022	89	81	84	82	88	82	94	97	74	88	89	74
Other forms of tuberculosis (24–32)	81	5	3	10	6	3	7	9	12	6	6	7	7
Malaria (38)	176	1	7	3	6	7	14	21	16	39	28	24	10
Diabetes mellitus (59)	108	10	9	12	9	10	9	6	8	10	9	9	7
Cerebral hemorrhage and softening (82a, 82c)	995	79	73	81	94	77	83	87	83	76	89	78	95
Diseases of the heart (90–95)	1,706	155	122	136	140	118	131	154	142	147	162	137	162
Bronchitis (106)	25	2	2	2	1	1	1	1	3	3	4	3	2
Bronchopneumonia (107)	325	40	23	40	32	24	16	11	14	15	27	50	33
Lobar and unspecified pneumonia (108, 109)	821	93	69	107	73	61	40	19	39	37	52	83	148
Diarrhea and enteritis [under 2 years] (119)	174	7	7	4	9	21	34	20	23	15	19	10	5
Diarrhea and enteritis [2 years and over] (120)	92	4	2	5	6	7	18	8	9	7	11	10	5
Nephritis (130–132)	1,242	108	110	92	98	99	124	123	92	103	95	107	91
Puerperal septicemia (140, 142a, 145)	72	3	7	2	11	7	7	8	3	9	4	5	6
Other puerperal causes	160	8	13	15	9	15	20	16	15	22	8	11	8
Suicide (163–171)	36	4	3	4	4	5	3		5	3	1	2	2
Automobile accidents [1]	197	12	8	16	13	16	17	16	19	17	23	20	20
Automobile—railroad train and street car collisions	6										1	4	1
Other external causes	1,037	74	85	74	71	70	94	94	107	78	88	103	99
All other causes	5,107	435	384	406	362	426	477	436	432	432	445	448	424
IDAHO, all causes	4,056	408	309	326	328	354	363	301	302	294	342	333	396
Typhoid and paratyphoid fever (1, 2)	21	1	2	3	2	2	3	1		2	3	2	
Smallpox (6)	2	1										1	
Measles (7)	8	3	1	1		3							
Scarlet fever (8)	3		1		1								1
Whooping-cough (9)	4		2	1								1	
Diptheria (10)	7	1		1	2						1		2
Influenza (11)	100	37	16	11	6	9	3	1	2	1	5	5	4
Dysentery (13)	1										1		
Erysipelas (15)	6		1	1	1	1						1	1
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	6					1	1	2		1	1		
Tuberculosis of the respiratory system (23)	141	10	7	15	15	12	19	11	7	8	12	10	15
Other forms of tuberculosis (24–32)	22	2	1	2		1	2	3	3	1	1	4	2
Malaria (38)													
Diabetes mellitus (59)	76	6	5	8	3	11	7	2	7	5	6	4	12
Cerebral hemorrhage and softening (82a, 82c)	281	30	20	24	26	26	23	13	25	17	20	24	33
Diseases of the heart (90–95)	762	72	73	59	55	71	80	57	56	54	67	54	64
Bronchitis (106)	9	2	1	1	1			1	1		1	1	
Bronchopneumonia (107)	89	15	8	9	6	7	4	6	3	6	9	8	8
Lobar and unspecified pneumonia (108, 109)	162	14	17	13	9	13	8	7	2	11	20	23	25
Diarrhea and enteritis [under 2 years] (119)	31	3	1	1		1	4	1	6		7	4	3
Diarrhea and enteritis [2 years and over] (120)	15	1		3		1	1			2	5	1	1
Nephritis (130–132)	308	18	20	30	29	27	24	17	25	18	33	36	31
Puerperal septicemia (140, 142a, 145)	15				2	3	1	3	1	1	1	3	
Other puerperal causes	22	3		2	2		1	3	1	1	4		5
Suicide (163–171)	77	10	6	5	2	4	6	5	7	6	11	7	8
Automobile accidents [1]	117	3	2	1	8	5	12	17	21	6	13	8	21
Automobile—railroad train and street car collisions	7	5					1			1			
Other external causes	274	22	18	17	20	21	33	29	31	27	13	22	21
All other causes	1,490	149	107	118	138	135	130	122	104	126	108	114	139

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS, all causes	82,513	7,975	7,125	7,372	6,746	6,890	6,844	6,324	5,962	6,218	6,854	6,915	7,288
Typhoid and paratyphoid fever (1, 2)	116	5	5	4	4	10	5	14	23	8	15	15	8
Smallpox (6)	3						2	1					
Measles (7)	52	3	4	6	12	15	8	2	1			1	
Scarlet fever (8)	277	32	43	33	33	29	21	7	10	8	13	18	30
Whooping-cough (9)	82	7	7	4	3	5	6	15	8	8	6	8	5
Diptheria (10)	136	23	12	9	4	7	9	5	3	7	15	17	25
Influenza (11)	1,258	478	218	150	84	49	25	28	24	33	32	54	83
Dysentery (13)	90	3	1	1	2	7	7	12	14	11	13	12	7
Erysipelas (15)	108	12	6	21	15	8	5	6	2	5	10	8	10
Lethargic encephalitis (17)	97	3	2	6	4	2	6	3	12	28	21	3	7
Epidemic cerebrospinal meningitis (18)	220	35	32	36	30	23	20	7	3	6	8	9	11
Tuberculosis of the respiratory system (23)	3,732	322	270	331	332	363	371	321	313	260	292	274	283
Other forms of tuberculosis (24–32)	460	28	47	38	37	47	51	50	38	26	36	34	28
Malaria (38)	61	3		2	1	2	2	9	12	10	10	7	3
Diabetes mellitus (59)	2,027	221	159	187	179	149	180	134	137	168	157	161	195
Cerebral hemorrhage and softening (82a, 82c)	5,141	457	475	500	454	464	406	376	323	425	411	423	427
Diseases of the heart (90–95)	20,253	1,927	1,811	1,807	1,664	1,668	1,623	1,485	1,402	1,458	1,708	1,769	1,931
Bronchitis (106)	295	44	40	32	28	15	16	12	12	15	26	30	25
Bronchopneumonia (107)	2,089	323	253	255	170	140	117	92	90	99	135	172	243
Lobar and unspecified pneumonia (108, 109)	2,614	364	334	323	235	187	109	70	92	91	176	260	373
Diarrhea and enteritis [under 2 years] (119)	531	39	29	28	43	33	46	47	61	85	46	43	31
Diarrhea and enteritis [2 years and over] (120)	310	9	13	14	18	24	31	50	46	46	27	22	10
Nephritis (130–132)	7,813	745	680	711	652	670	662	593	552	586	681	659	622
Puerperal septicemia (140, 142a, 145)	180	17	21	23	14	15	18	10	8	8	14	13	19
Other puerperal causes	357	30	33	32	26	34	39	34	40	28	23	22	16
Suicide (163–171)	1,332	106	97	113	129	130	116	119	94	110	97	108	113
Automobile accidents[1]	1,943	130	96	117	125	166	150	167	189	175	223	193	212
Automobile—railroad train and street car collisions	189	16	20	10	13	15	18	13	11	14	26	18	15
Other external causes	4,325	307	286	307	332	377	449	434	397	359	375	347	355
All other causes	26,422	2,286	2,131	2,272	2,103	2,236	2,326	2,208	2,045	2,141	2,258	2,215	2,201
INDIANA, all causes	38,009	3,787	3,245	3,412	3,173	3,032	3,136	2,968	2,879	2,890	3,111	3,122	3,254
Typhoid and paratyphoid fever (1, 2)	96	3	2	1	5	6	13	9	12	12	16	12	5
Smallpox (6)	1								1				
Measles (7)	13	1			2	3	2	2	1		1		1
Scarlet fever (8)	96	14	5	13	7	4	3	4		3	8	21	14
Whooping-cough (9)	76	7	6	7	6	7	6	6	7	2	8	6	8
Diptheria (10)	149	17	11	12	6	5	2	7	4	7	24	24	30
Influenza (11)	1,003	392	151	102	69	45	18	20	17	27	49	49	64
Dysentery (13)	73	2		5	2	1	6	11	13	14	11	7	1
Erysipelas (15)	41	6	5	6	9	3	1	1	2	2	3		3
Lethargic encephalitis (17)	48	4	4	5	1	3	7	5	4	6	3	6	
Epidemic cerebrospinal meningitis (18)	46	4	4	9	8	3	1	3	1	4	2	3	4
Tuberculosis of the respiratory system (23)	1,617	149	137	148	130	146	132	115	130	131	143	119	137
Other forms of tuberculosis (24–32)	276	27	23	23	21	27	22	29	25	25	13	24	17
Malaria (38)	18		1	1		1	2	2	2	3	5		1
Diabetes mellitus (59)	740	89	64	68	70	53	52	57	48	41	54	66	78
Cerebral hemorrhage and softening (82a, 82c)	3,278	315	294	323	289	250	265	209	222	263	290	256	302
Diseases of the heart (90–95)	8,466	761	744	767	756	684	672	654	604	577	751	729	767
Bronchitis (106)	82	9	6	9	6	7	8	7	1	9	4	7	9
Bronchopneumonia (107)	810	132	114	91	66	55	44	20	36	36	63	67	86
Lobar and unspecified pneumonia (108, 109)	1,164	165	127	151	120	71	49	58	43	45	71	128	136
Diarrhea and enteritis [under 2 years] (119)	388	17	23	15	12	14	26	59	71	69	45	21	16
Diarrhea and enteritis [2 years and over] (120)	190	12	7	12	11	18	16	29	30	26	15	8	6
Nephritis (130–132)	3,847	332	349	349	350	320	358	277	312	308	304	298	290
Puerperal septicemia (140, 142a, 145)	129	9	10	12	10	11	6	10	11	14	11	10	15
Other puerperal causes	168	20	11	12	20	15	13	17	12	12	12	10	14
Suicide (163–171)	688	74	52	67	65	57	49	57	66	59	45	47	50
Automobile accidents [1]	979	65	54	52	55	71	88	102	96	115	78	88	115
Automobile—railroad train and street car collisions	153	7	12	14	11	5	8	7	31	13	10	19	16
Other external causes	1,923	133	138	130	152	159	190	202	164	169	168	164	154
All other causes	11,451	1,021	891	1,008	914	988	1,077	989	913	898	904	933	915
IOWA, all causes	25,665	2,757	2,191	2,332	2,179	2,154	2,010	1,921	1,840	1,911	2,051	2,085	2,234
Typhoid and paratyphoid fever (1, 2)	22	4		1		2	4	3	3	1	3	1	
Smallpox (6)													
Measles (7)	9	1		2	1	2	2	1					
Scarlet fever (8)	45	4	5	5	1	4	1	1	1	2	3	15	3
Whooping-cough (9)	66	10	1	8	2	2	6	10	5	5	6	10	1
Diphtheria (10)	55	4	2	6	3	1		2	4	5	7	7	14
Influenza (11)	870	389	138	81	52	39	26	17	17	20	20	29	42
Dysentery (13)	25		1			1	2	1	5	8	5		2
Erysipelas (15)	45	4	3	7	6	7	6	2	1			3	6
Lethargic encephalitis (17)	41	2	2	3	3	1	4	2	1	10	5	6	2
Epidemic cerebrospinal meningitis (18)	39	5	1	9	7	3	3	3		2	1	2	3
Tuberculosis of the respiratory system (23)	575	64	29	51	57	53	50	52	37	42	39	55	46
Other forms of tuberculosis (24–32)	79	8	3	10	8	6	5	4	5	5	3	9	13
Malaria (33)	4	1					1			1		1	
Diabetes mellitus (59)	574	61	49	49	61	52	42	39	33	38	46	51	53
Cerebral hemorrhage and softening (82a, 82c)	2,495	229	211	237	225	199	221	179	175	193	202	209	215
Diseases of the heart (90–95)	5,280	539	463	505	455	480	413	391	355	349	418	456	456
Bronchitis (106)	88	10	12	9	12	7	6	5	3	5	3	8	8
Bronchopneumonia (107)	666	130	89	58	50	43	24	16	32	40	52	56	76
Lobar and unspecified pneumonia (108, 109)	816	150	105	109	91	43	34	19	20	38	42	66	99
Diarrhea and enteritis [under 2 years] (119)	100	9	4	8	6	5	7	7	15	15	12	9	3
Diarrhea and enteritis [2 years and over] (120)	122	2	8	8	8	5	11	9	26	20	15	3	7
Nephritis (130–132)	1,577	136	135	157	124	157	106	134	122	120	138	125	123
Puerperal septicemia (140, 142a, 145)	82	6	8	9	5	5	7	2	8	10	8	4	10
Other puerperal causes	128	14	11	15	9	6	14	8	11	16	7	6	11
Suicide (163–171)	499	36	36	39	60	62	48	43	34	39	38	33	31
Automobile accidents [1]	514	34	33	24	32	36	34	47	50	62	67	48	47
Automobile—railroad train and street car collisions	46	4		5	9		2	6	4		7	3	6
Other external causes	1,289	91	103	87	93	100	124	133	114	102	112	117	113
All other causes	9,514	810	739	830	799	833	807	785	759	763	792	753	844

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS, all causes	19,613	2,252	1,946	1,825	1,562	1,535	1,599	1,571	1,329	1,398	1,557	1,476	1,563
Typhoid and paratyphoid fever (1, 2)	29	2	1	1	1	1	3	3	3	7	----	7	----
Smallpox (6)	----	----	----	----	----	----	----	----	----	----	----	----	----
Measles (7)	13	----	2	5	4	1	1	----	----	----	----	----	----
Scarlet fever (8)	39	3	3	3	4	5	1	----	----	1	5	5	9
Whooping-cough (9)	60	7	6	4	4	5	7	5	5	4	2	3	8
Diphtheria (10)	54	2	2	2	4	4	1	1	1	5	8	15	9
Influenza (11)	818	349	163	92	64	22	13	9	7	24	31	20	24
Dysentery (13)	26	----	----	1	----	----	----	2	5	7	6	3	2
Erysipelas (15)	28	5	4	3	3	2	3	1	----	2	3	1	1
Lethargic encephalitis (17)	47	1	1	1	2	1	----	----	4	15	15	4	3
Epidemic cerebrospinal meningitis (18)	21	2	5	3	3	2	1	1	----	----	----	1	3
Tuberculosis of the respiratory system (23)	504	65	38	45	47	44	41	57	29	33	34	32	39
Other forms of tuberculosis (24–32)	64	3	4	6	9	5	5	9	5	6	4	2	6
Malaria (38)	8	----	----	----	----	----	1	1	2	----	4	----	----
Diabetes mellitus (59)	442	58	51	43	33	31	37	25	29	29	33	37	36
Cerebral hemorrhage and softening (82a, 82c)	1,791	175	196	189	152	151	136	124	124	115	154	135	140
Diseases of the heart (90–95)	3,853	403	401	353	302	312	306	335	234	239	315	322	331
Bronchitis (106)	87	17	10	13	9	7	1	3	3	5	8	3	8
Bronchopneumonia (107)	478	107	109	55	32	24	15	13	7	23	26	35	32
Lobar and unspecified pneumonia (108, 109)	520	100	71	77	51	34	25	7	17	14	33	40	51
Diarrhea and enteritis [under 2 years] (119)	160	9	5	11	10	9	6	24	26	34	14	9	3
Diarrhea and enteritis [2 years and over] (120)	90	3	2	3	5	4	5	12	14	22	13	4	3
Nephritis (130–132)	1,640	156	171	149	140	152	135	128	113	125	146	98	127
Puerperal septicemia (140, 142a, 145)	68	9	12	----	7	6	7	4	2	4	10	3	4
Other puerperal causes	100	14	6	12	8	10	6	12	2	9	4	7	10
Suicide (163–171)	308	29	18	29	30	34	37	34	20	17	22	19	19
Automobile accidents [1]	482	35	15	27	26	29	36	64	52	46	50	55	47
Automobile—railroad train and street car collisions	39	----	----	----	4	1	7	3	7	5	3	4	5
Other external causes	1,145	90	101	96	90	96	129	107	84	73	81	97	101
All other causes	6,699	608	549	602	518	543	634	587	534	534	533	515	542
KENTUCKY (WHITE), all causes	24,330	2,545	2,100	2,117	1,831	1,782	1,972	2,027	1,919	1,822	2,053	2,016	2,146
Typhoid and paratyphoid fever (1, 2)	276	14	14	5	8	16	15	51	50	39	28	21	16
Smallpox (6)	----	----	----	----	----	----	----	----	----	----	----	----	----
Measles (7)	40	8	2	4	4	4	3	8	2	1	----	4	----
Scarlet fever (8)	70	6	1	4	2	2	2	2	4	5	10	16	16
Whooping-cough (9)	120	21	11	4	3	12	21	13	6	4	9	5	11
Diphtheria (10)	409	32	21	12	5	6	4	11	24	55	100	92	47
Influenza (11)	900	435	130	92	42	20	10	15	9	18	26	42	61
Dysentery (13)	233	2	4	3	2	11	45	51	49	30	19	11	6
Erysipelas (15)	56	4	4	7	6	3	2	4	4	5	6	4	7
Lethargic encephalitis (17)	27	2	----	3	4	1	----	3	2	6	3	3	----
Epidemic cerebrospinal meningitis (18)	38	5	6	6	2	2	4	3	----	1	2	4	3
Tuberculosis of the respiratory system (23)	1,672	187	157	174	143	137	136	135	117	108	127	118	133
Other forms of tuberculosis (24–32)	209	23	15	18	24	16	20	24	13	12	14	17	13
Malaria (38)	69	1	----	----	1	1	5	11	8	7	24	5	6
Diabetes mellitus (59)	350	39	22	28	32	23	24	40	26	25	25	32	34
Cerebral hemorrhage and softening (82a, 82c)	1,693	147	145	148	153	125	156	128	135	116	139	141	160
Diseases of the heart (90–95)	3,686	354	322	341	304	296	295	285	285	248	302	307	347
Bronchitis (106)	65	8	10	7	6	5	3	2	8	2	4	7	3
Bronchopneumonia (107)	694	114	97	86	47	29	28	20	31	39	59	60	84
Lobar and unspecified pneumonia (108, 109)	947	155	134	120	80	41	30	26	27	42	58	92	142
Diarrhea and enteritis [under 2 years] (119)	613	14	14	19	11	31	90	153	108	85	52	20	16
Diarrhea and enteritis [2 years and over] (120)	202	5	6	12	9	11	35	36	28	18	14	13	15
Nephritis (130–132)	1,738	149	140	165	147	152	147	138	142	135	137	137	149
Puerperal septicemia (140, 142a, 145)	98	7	7	13	15	6	7	10	9	7	4	4	9
Other puerperal causes	146	13	11	11	14	16	11	15	14	10	9	14	8
Suicide (163–171)	326	28	20	21	27	30	27	42	21	32	27	22	29
Automobile accidents [1]	457	31	20	15	28	40	37	33	46	46	54	47	60
Automobile—railroad train and street car collisions	23	3	1	4	----	1	2	----	1	1	4	4	2
Other external causes	1,704	130	129	132	106	145	160	151	169	144	143	143	152
All other causes	7,469	608	657	663	606	601	653	617	581	581	654	631	617
KENTUCKY (COLORED), all causes	4,190	382	371	357	343	324	364	373	310	311	324	354	377
Typhoid and paratyphoid fever (1, 2)	41	1	1	2	3	1	1	5	9	8	3	4	3
Smallpox (6)	----	----	----	----	----	----	----	----	----	----	----	----	----
Measles (7)	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever (8)	3	----	----	----	----	----	1	----	----	1	1	----	----
Whooping-cough (9)	15	1	1	----	----	1	1	2	2	----	1	----	6
Diphtheria (10)	14	3	----	----	----	1	----	----	----	4	2	3	1
Influenza (11)	132	46	27	16	10	5	2	3	2	1	3	4	13
Dysentery (13)	21	----	1	----	----	----	9	2	4	1	3	1	----
Erysipelas (15)	2	1	----	----	----	----	----	----	----	----	1	----	----
Lethargic encephalitis (17)	2	----	----	1	----	----	----	----	----	----	----	----	1
Epidemic cerebrospinal meningitis (18)	1	----	----	----	----	1	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (23)	383	24	35	33	38	29	33	33	32	29	30	31	36
Other forms of tuberculosis (24–32)	51	6	2	3	2	3	8	11	2	3	----	4	7
Malaria (38)	10	----	----	----	1	3	----	----	----	2	1	1	2
Diabetes mellitus (59)	38	3	3	4	5	3	4	2	4	3	1	3	3
Cerebral hemorrhage and softening (82a, 82c)	294	25	32	29	18	27	24	32	17	20	20	26	24
Diseases of the heart (90–95)	805	83	66	66	85	64	69	73	60	54	46	71	68
Bronchitis (106)	14	----	3	4	----	----	----	3	1	1	1	1	----
Bronchopneumonia (107)	129	16	14	13	16	8	7	5	9	6	12	11	12
Lobar and unspecified pneumonia (108, 109)	183	23	18	23	13	18	6	4	9	9	13	16	31
Diarrhea and enteritis [under 2 years] (119)	54	2	----	1	1	2	8	14	8	10	5	2	1
Diarrhea and enteritis [2 years and over] (120)	35	1	1	2	----	2	3	8	6	6	2	2	2
Nephritis (130–132)	433	25	42	36	40	37	48	44	32	32	38	32	27
Puerperal septicemia (140, 142a, 145)	18	1	2	2	2	1	2	2	----	2	2	2	----
Other puerperal causes	33	----	3	2	6	2	6	6	----	3	1	3	1
Suicide (163–171)	12	1	1	----	1	4	1	----	2	----	----	----	2
Automobile accidents [1]	47	1	----	4	6	3	2	4	3	3	9	8	4
Automobile—railroad train and street car collisions	----	----	----	----	----	----	----	----	----	----	----	----	----
Other external causes	343	18	27	29	28	32	34	29	29	34	24	29	30
All other causes	1,077	101	92	87	68	77	95	91	79	79	105	100	103

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (WHITE), all causes	12,132	1,213	999	1,110	934	909	945	929	890	993	1,044	1,088	1,078
Typhoid and paratyphoid fever (1, 2)	132	9	2	12	13	10	9	20	24	12	11	8	2
Smallpox (6)													
Measles (7)	26		3	1	3	5	9	3				1	1
Scarlet fever (8)	10			3	1					2	2	1	1
Whooping-cough (9)	56	5	3	8	8	4	7	6	1	3	4	2	5
Diphtheria (10)	56	6	1	1	3	1	2	2	2	3	6	14	15
Influenza (11)	344	131	55	44	24	9	9	5	7	4	12	20	24
Dysentery (13)	42	2	4	3	2	4	6	2	5	2	8	3	1
Erysipelas (15)	11	1	1		1		1		1	2	2	2	
Lethargic encephalitis (17)	4			1	1		1				1		
Epidemic cerebrospinal meningitis (18)	26	2	5	1	3	4	3	1	3	1	1	1	1
Tuberculosis of the respiratory system (23)	549	64	45	44	43	52	42	41	35	45	51	41	46
Other forms of tuberculosis (24–32)	44	1	2	5	3	3	9	6	2	2	5	2	4
Malaria (38)	227	4	1		3	4	12	14	10	67	60	34	18
Diabetes mellitus (59)	191	16	12	18	15	16	13	13	16	21	13	22	16
Cerebral hemorrhage and softening (82a, 82c)	688	65	59	74	47	60	61	46	45	53	61	67	50
Diseases of the heart (90–95)	2,354	221	212	235	199	166	181	185	174	184	182	203	212
Bronchitis (106)	42	1	9	3	3	6	2	1		2	3	8	4
Bronchopneumonia (107)	353	46	34	36	25	22	15	16	18	15	27	44	55
Lobar and unspecified pneumonia (108, 109)	343	53	34	49	38	14	14	9	14	14	20	41	43
Diarrhea and enteritis [under 2 years] (119)	190	9	10	8	9	19	27	21	14	17	23	12	21
Diarrhea and enteritis [2 years and over] (120)	55	2	3	3	2	4	9	5	4	8	8	4	3
Nephritis (130–132)	1,079	129	109	95	85	71	84	83	66	75	91	88	103
Puerperal septicemia (140, 142a, 145)	66	12	7	4	3	2	5	4	6	7	8	5	3
Other puerperal causes	106	11	10	11	6	8	5	7	11	9	13	9	6
Suicide (163–171)	187	16	14	23	21	12	8	15	12	18	17	13	18
Automobile accidents [1]	262	20	10	17	15	20	21	19	17	29	27	34	33
Automobile—railroad train and street car collisions	5	3										2	
Other external causes	768	57	67	71	51	93	58	70	51	63	53	61	73
All other causes	3,916	327	287	340	307	300	332	335	352	335	335	346	320
LOUISIANA (COLORED), all causes	10,980	997	859	930	835	873	912	944	906	938	952	945	889
Typhoid and paratyphoid fever (1, 2)	110	3	1	3	5	6	12	21	21	14	7	9	8
Smallpox (6)													
Measles (7)	11		1	1	2	2		1	1	1			2
Scarlet fever (8)	2							1	1				
Whooping-cough (9)	72	5	2	1	8	4	10	9	11	6	7	3	6
Diphtheria (10)	46	2	4		2	1		2	2	8	6	10	9
Influenza (11)	370	148	63	52	19	15	9	4	10	3	8	17	22
Dysentery (13)	42	2	2	1	4	2	3	7	3	3	3	6	6
Erysipelas (15)	1				1								
Lethargic encephalitis (17)	2					1				1			
Epidemic cerebrospinal meningitis (18)	8	1			1		1	2	1	1	1		
Tuberculosis of the respiratory system (23)	925	74	80	95	72	81	78	84	72	72	70	65	82
Other forms of tuberculosis (24–32)	75	4	4	4	6	3	10	11	6	8	6	7	6
Malaria (38)	201		3	2	4	6	4	20	29	57	48	21	7
Diabetes mellitus (59)	96	6	5	5	11	9	7	7	8	18	10	5	5
Cerebral hemorrhage and softening (82a, 82c)	583	51	42	57	37	57	48	64	34	49	53	48	43
Diseases of the heart (90–95)	1,946	170	146	144	150	136	184	178	169	159	171	165	174
Bronchitis (106)	21	1	3	1	3	1			1	3	3	2	3
Bronchopneumonia (107)	304	21	31	34	25	30	19	14	20	21	35	26	28
Lobar and unspecified pneumonia (108, 109)	343	49	34	51	29	23	17	17	21	18	17	33	34
Diarrhea and enteritis [under 2 years] (119)	217	12	7	7	18	26	29	21	22	22	23	17	13
Diarrhea and enteritis [2 years and over] (120)	49	2	2	4	2	6	3	2	12	4	6	5	1
Nephritis (130–132)	996	94	76	78	78	80	84	80	78	77	100	90	81
Puerperal septicemia (140, 142a, 145)	65	4	3	4	7	5	7	3	8	9	6	4	5
Other puerperal causes	97	7	11	10	6	9	9	8	6	11	8	3	9
Suicide (163–171)	19	1	2	1	2		2	1	1	4	1	3	1
Automobile accidents [1]	133	12	8	5	6	10	7	14	7	15	13	22	14
Automobile—railroad train and street car collisions													
Other external causes	753	62	48	57	56	76	59	73	74	59	61	63	65
All other causes	3,493	266	281	313	281	284	310	300	288	295	289	321	265
MAINE, all causes	11,102	1,342	988	977	882	881	823	772	812	800	892	920	1,013
Typhoid and paratyphoid fever (1, 2)	15	1				2	2	3	1	1	3	2	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	14	3	2	1	1	4		1			2		
Whooping cough (9)	16	3		2	4	1					2	1	3
Diphtheria (10)	14	3			2		1		1		3	4	
Influenza (11)	343	163	84	20	17	6	5	1	4	3	11	10	19
Dysentery (13)	1						1						
Erysipelas (15)	14	3	1		3	1	1	3			1	1	
Lethargic encephalitis (17)	8	1			1	1	1	1				2	1
Epidemic and cerebrospinal meningitis (18)	4		2			1	1						
Tuberculosis of the respiratory system (23)	300	25	22	29	25	25	31	31	23	20	20	22	27
Other forms of tuberculosis (24–32)	67	1	6	4	7	9	8	7	5	7	3	8	2
Malaria (38)													
Diabetes mellitus (59)	238	29	19	22	13	20	19	20	20	22	18	18	18
Cerebral hemorrhage and softening (82a, 82c)	1,002	115	81	103	81	81	65	72	82	75	82	86	79
Diseases of the heart (90–95)	2,613	295	232	238	216	217	173	189	185	182	196	217	273
Bronchitis (106)	79	18	7	6	6	4	5	5	2	2	5	10	9
Bronchopneumonia (107)	317	81	36	28	21	13	9	9	12	13	22	38	35
Lobar and unspecified pneumonia (108, 109)	312	46	38	31	32	22	15	11	9	9	25	33	41
Diarrhea and enteritis [under 2 years] (119)	77	6	7	9	5	3	6	5	7	17	5	3	4
Diarrhea and enteritis [2 years and over] (120)	25	3	1			3	2	3	1	4	3	2	3
Nephritis (130–132)	801	73	66	83	64	59	62	56	53	63	66	72	84
Puerperal septicemia (140, 142a, 145)	29	1	2	3	4	4	2	2		2	2	3	4
Other puerperal causes	77	13	9	5	8	10	4	8	4	4	7	3	2
Suicide (163–171)	135	7	7	7	17	18	6	11	15	12	10	11	14
Automobile accidents [1]	190	11	14	10	5	10	8	17	23	26	24	27	15
Automobile—railroad train and street car collisions	10						3	1		2	3		1
Other external causes	499	34	31	39	32	41	52	36	54	46	47	45	42
All other causes	3,902	407	321	337	318	326	341	280	311	290	334	300	337

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (WHITE), all causes	15,856	1,642	1,342	1,454	1,306	1,248	1,267	1,280	1,142	1,099	1,245	1,398	1,433
Typhoid and paratyphoid fever (1, 2)	22	1	-------	1	-------	1	1	5	3	4	3	3	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	3	-------	-------	-------	-------	2	-------	-------	-------	-------	-------	-------	1
Scarlet fever (8)	36	6	3	5	3	2	3	4	3	1	2	2	2
Whooping-cough (9)	44	3	2	3	2	2	3	6	8	5	2	3	5
Diphtheria (10)	26	-------	4	1	-------	2	1	1	-------	4	1	6	6
Influenza (11)	222	94	33	19	12	3	4	4	5	1	12	14	21
Dysentery (13)	37	-------	-------	1	-------	2	2	6	3	6	10	6	1
Erysipelas (15)	24	5	5	2	2	2	1	1	-------	-------	1	1	4
Lethargic encephalitis (17)	9	2	1	1	-------	2	-------	-------	-------	1	-------	2	-------
Epidemic cerebrospinal meningitis (18)	11	2	2	-------	1	-------	-------	1	-------	1	2	1	1
Tuberculosis of the respiratory system (23)	748	63	56	72	76	72	66	61	53	54	51	63	61
Other forms of tuberculosis (24–32)	42	2	2	6	5	7	1	-------	5	5	5	4	-------
Malaria (38)	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------
Diabetes mellitus (59)	350	44	36	39	29	33	21	27	18	21	24	30	28
Cerebral hemorrhage and softening (82a, 82c)	1,193	113	104	122	98	105	91	91	74	69	101	108	117
Diseases of the heart (90–95)	3,668	394	306	374	309	271	294	255	248	220	296	347	354
Bronchitis (106)	59	13	6	6	6	3	2	2	-------	3	6	8	4
Bronchopneumonia (107)	535	99	63	53	34	38	22	28	18	33	35	46	66
Lobar and unspecified pneumonia (108, 109)	503	86	53	82	54	34	17	18	13	25	15	40	66
Diarrhea and enteritis [under 2 years] (119)	153	6	4	6	8	4	10	19	30	25	28	6	7
Diarrhea and enteritis [2 years and over] (120)	51	1	1	4	3	1	1	6	11	12	2	5	4
Nephritis (130–132)	1,841	177	141	155	162	170	162	146	130	115	157	161	165
Puerperal septicemia (140, 142a, 145)	35	4	5	3	4	2	5	2	1	3	-------	4	2
Other puerperal causes	63	3	7	5	2	6	4	6	6	8	7	4	5
Suicide (163–171)	280	31	27	22	30	29	27	21	17	21	18	22	15
Automobile accidents [1]	349	24	20	14	23	32	36	28	23	41	42	38	28
Automobile—railroad train and street car collisions	16	-------	2	-------	-------	2	1	5	2	-------	-------	1	3
Other external causes	753	64	67	56	44	52	86	80	92	38	53	53	68
All other causes	4,782	405	392	402	399	369	406	457	379	383	372	419	399
MARYLAND (COLORED), all causes	4,754	441	388	462	396	375	345	365	369	358	378	408	469
Typhoid and paratyphoid fever (1, 2)	16	-------	-------	1	1	-------	1	2	-------	3	2	4	2
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Scarlet fever (8)	3	-------	-------	1	-------	1	1	-------	-------	-------	-------	-------	-------
Whooping-cough (9)	38	1	-------	3	-------	-------	2	6	3	9	4	7	3
Diphtheria (10)	4	1	-------	-------	-------	-------	-------	1	-------	-------	1	-------	1
Influenza (11)	65	22	8	10	3	3	4	1	-------	1	2	3	8
Dysentery (13)	13	-------	-------	-------	-------	-------	2	3	2	4	2	-------	-------
Erysipelas (15)	8	5	1	-------	-------	-------	-------	-------	-------	1	-------	-------	1
Lethargic encephalitis (17)	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Epidemic cerebrospinal meningitis (18)	6	-------	1	-------	1	-------	-------	-------	1	-------	-------	-------	3
Tuberculosis of the respiratory system (23)	527	46	35	50	53	52	35	53	47	43	37	37	39
Other forms of tuberculosis (24–32)	53	2	4	3	6	9	5	4	2	6	2	6	4
Malaria (38)	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Diabetes mellitus (59)	42	3	4	1	4	6	4	5	4	3	1	3	4
Cerebral hemorrhage and softening (82a, 82c)	364	46	21	32	33	22	26	25	27	27	29	39	37
Diseases of the heart (90–95)	731	54	63	81	75	65	54	53	57	64	46	61	58
Bronchitis (106)	15	3	1	1	1	1	1	1	1	-------	1	-------	4
Bronchopneumonia (107)	216	32	32	22	25	6	10	7	8	9	19	19	27
Lobar and unspecified pneumonia (108, 109)	288	28	34	50	23	13	14	7	11	13	12	33	50
Diarrhea and enteritis [under 2 years] (119)	87	3	1	-------	3	4	7	19	16	11	14	7	2
Diarrhea and enteritis [2 years and over] (120)	17	2	-------	1	-------	-------	1	5	2	-------	2	2	2
Nephritis (130–132)	521	49	43	48	49	42	29	33	46	36	42	48	56
Puerperal septicemia (140, 142a, 145)	14	3	2	1	3	-------	-------	-------	1	1	2	-------	1
Other puerperal causes	25	1	1	2	4	1	5	-------	2	1	2	2	4
Suicide (163–171)	17	4	1	2	1	1	1	1	3	2	1	-------	-------
Automobile accidents [1]	80	5	2	2	5	7	6	7	11	13	7	7	8
Automobile—railroad train and street car collisions	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes	254	20	18	10	17	22	20	25	30	17	24	26	25
All other causes	1,348	111	116	139	89	120	117	107	95	94	126	104	130
MASSACHUSETTS, all causes	50,811	5,809	4,364	4,645	4,340	4,150	3,744	3,745	3,482	3,444	3,978	4,220	4,830
Typhoid and paratyphoid fever (1, 2)	25	1	2	1	5	-------	4	4	1	2	2	1	2
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	29	1	3	5	4	3	3	2	2	-------	1	1	4
Scarlet fever (8)	110	19	16	13	10	15	4	4	5	1	5	7	11
Whooping-cough (9)	99	8	6	10	5	4	5	12	13	9	9	8	10
Diphtheria (10)	87	15	10	4	3	4	7	7	7	7	8	10	5
Influenza (11)	593	264	127	55	25	26	8	2	4	6	8	26	42
Dysentery (13)	9	1	-------	-------	1	-------	-------	-------	1	1	1	2	2
Erysipelas (15)	82	9	15	15	11	2	8	3	3	2	2	7	5
Lethargic encephalitis (17)	25	3	3	2	2	1	2	3	1	1	1	2	4
Epidemic cerebrospinal meningitis (18)	29	6	2	1	2	3	2	5	3	-------	2	-------	3
Tuberculosis of the respiratory system (23)	2,062	223	139	190	188	175	171	185	156	156	162	165	152
Other forms of tuberculosis (24–32)	215	14	22	26	29	14	13	14	23	12	16	17	15
Malaria (38)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Diabetes mellitus (59)	1,216	133	94	107	100	117	84	79	87	89	112	86	128
Cerebral hemorrhage and softening (82a, 82c)	3,967	405	343	376	331	327	284	290	286	281	323	331	390
Diseases of the heart (90–95)	14,101	1,589	1,232	1,329	1,183	1,160	1,010	1,061	881	919	1,145	1,199	1,393
Bronchitis (106)	197	44	17	24	18	10	9	5	8	8	16	17	21
Bronchopneumonia (107)	2,049	430	239	212	158	157	93	69	87	86	126	165	227
Lobar and unspecified pneumonia (108, 109)	1,892	429	198	181	167	130	79	59	46	41	107	190	265
Diarrhea and enteritis [under 2 years] (119)	171	14	13	19	10	14	12	14	12	24	14	12	13
Diarrhea and enteritis [2 years and over] (120)	74	8	4	7	4	5	5	11	6	4	7	5	8
Nephritis (130–132)	3,539	365	290	353	328	303	265	245	230	261	271	306	322
Puerperal septicemia (140, 142a, 145)	135	15	18	15	14	10	9	13	12	6	4	11	8
Other puerperal causes	290	38	28	16	18	26	18	23	23	23	33	24	20
Suicide (163–171)	598	55	35	50	56	57	47	56	44	56	55	52	35
Automobile accidents [1]	801	60	45	56	61	63	58	70	63	74	84	83	84
Automobile—railroad train and street car collisions	18	1	-------	7	2	2	-------	-------	3	-------	1	1	1
Other external causes	2,046	179	127	142	153	186	182	194	157	168	175	191	192
All other causes	16,352	1,480	1,336	1,429	1,452	1,336	1,362	1,315	1,318	1,207	1,288	1,361	1,468

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN, all causes	48,536	4,900	4,095	4,452	4,075	4,151	3,907	3,879	3,482	3,464	3,819	3,939	4,373
Typhoid and paratyphoid fever (1, 2)	54	2		5	3		5	3	10	13	7	5	1
Smallpox (6)													
Measles (7)	115	9	7	20	40	26	6	1	1	1	1	1	2
Scarlet fever (8)	166	22	18	19	20	28	12	7	8	8	6	6	12
Whooping-cough (9)	152	10	13	18	23	17	11	10	16	11	7	11	5
Diphtheria (10)	114	8	10	10	6	13	13	14	7	6	11	7	9
Influenza (11)	849	351	143	93	68	24	15	8	14	12	25	38	58
Dysentery (13)	17	1		3			1		2	4	1		5
Erysipelas (15)	90	10	16	16	8	8	8	3	4	2	2	7	6
Lethargic encephalitis (17)	38	5	1	4	1	1	3	1	6	6	5	3	2
Epidemic cerebrospinal meningitis (18)	39	5	4	1	6	7		2	1	2	1	5	5
Tuberculosis of the respiratory system (23)	2,044	215	159	178	182	199	165	176	169	154	147	163	137
Other forms of tuberculosis (24–32)	327	34	17	41	30	41	29	34	20	21	24	15	21
Malaria (38)	2		1	1									
Diabetes mellitus (59)	1,107	109	87	97	102	108	85	76	70	78	93	91	111
Cerebral hemorrhage and softening (82a, 82c)	3,942	363	377	368	324	355	311	292	305	268	309	314	356
Diseases of the heart (90–95)	11,716	1,177	992	1,084	970	1,047	916	921	787	772	974	977	1,099
Bronchitis (106)	190	24	13	17	20	16	12	10	8	7	23	20	20
Bronchopneumonia (107)	1,146	182	132	110	106	79	45	52	36	47	82	106	169
Lobar and unspecified pneumonia (108, 109)	1,641	240	172	188	167	145	72	66	58	59	101	147	226
Diarrhea and enteritis [under 2 years] (119)	298	16	26	20	23	15	23	18	25	44	35	28	25
Diarrhea and enteritis [2 years and over] (120)	138	3	5	9	8	8	7	14	15	21	27	6	15
Nephritis (130–132)	2,893	270	260	291	231	242	232	210	205	217	233	234	268
Puerperal septicemia (140, 142a, 145)	181	7	19	15	20	14	22	19	13	14	11	13	14
Other puerperal causes	309	34	16	37	30	25	28	32	25	25	21	20	16
Suicide (163–171)	828	73	55	79	74	94	63	75	70	64	61	54	66
Automobile accidents [1]	1,196	87	70	64	67	69	104	138	97	133	134	110	123
Automobile—railroad train and street car collisions	90	10	5	9	4	1	11	8	18	6	4	9	5
Other external causes	2,332	192	155	130	162	201	275	241	197	192	182	189	216
All other causes	16,522	1,441	1,322	1,525	1,380	1,368	1,433	1,448	1,295	1,277	1,292	1,360	1,381
MINNESOTA, all causes	25,306	2,617	2,065	2,174	2,097	2,158	2,157	1,953	1,826	1,842	2,118	2,055	2,244
Typhoid and paratyphoid fever (1, 2)	17	1	3	1			2		1	4	1	4	
Smallpox (6)	1											1	
Measles (7)	71	6	6	12	17	12	9	4	1			1	3
Scarlet fever (8)	38	8	3	8	4	6	1			1	2	4	1
Whooping-cough (9)	75	7	5	5	3	8	10	9	9	3	3	8	5
Diphtheria (10)	27	5	2	2	3	2		2	1		4	5	1
Influenza (11)	620	311	82	39	40	24	13	7	5	16	27	30	26
Dysentery (13)	20	1	2	2			1		2	2	7		3
Erysipelas (15)	43	5	5	4	6	7	4	2	2	1	2	3	2
Lethargic encephalitis (17)	40		1	1	6	3	7	3	4	2	3	3	7
Epidemic cerebrospinal meningitis (18)	30	5	6	3	1	4	2	2	1	2	1	1	2
Tuberculosis of the respiratory system (23)	841	64	76	69	78	88	88	71	65	52	69	63	58
Other forms of tuberculosis (24–32)	154	14	16	26	21	10	9	10	7	6	10	14	11
Malaria (38)	1							1					
Diabetes mellitus (59)	560	72	43	42	47	36	45	40	30	41	50	50	64
Cerebral hemorrhage and softening (82a, 82c)	1,956	184	158	170	148	177	172	165	147	145	142	165	183
Diseases of the heart (90–95)	5,377	538	432	478	486	461	456	406	366	360	458	425	511
Bronchitis (106)	112	12	15	10	10	11	7	5	9	9	10	6	8
Bronchopneumonia (107)	835	117	81	59	82	75	64	45	33	40	71	70	98
Lobar and unspecified pneumonia (108, 109)	791	126	72	91	78	68	49	29	23	31	55	79	90
Diarrhea and enteritis [under 2 years] (119)	148	10	10	14	10	12	13	9	13	17	27	6	7
Diarrhea and enteritis [2 years and over] (120)	71	5	2	7	4	6	6	7	14	7	7	3	3
Nephritis (130–132)	1,346	129	113	121	121	122	107	108	105	94	101	105	120
Puerperal septicemia (140, 142a, 145)	77	8	5	12	12	5	7	3	7	3	5	3	7
Other puerperal causes	117	12	10	13	16	8	9	10	9	9	4	7	10
Suicide (163–171)	429	24	23	39	36	38	47	41	37	43	37	33	31
Automobile accidents [1]	525	27	20	20	22	34	38	61	62	58	65	52	66
Automobile—railroad train and street car collisions	49	3	3	2	1	1	4	2	3	4	11	4	11
Other external causes	1,441	120	95	106	88	103	167	147	124	110	133	115	133
All other causes	9,494	803	776	818	757	837	820	764	746	782	813	795	783
MISSISSIPPI (WHITE), all causes	8,950	823	723	817	686	626	783	719	668	744	815	756	790
Typhoid and paratyphoid fever (1, 2)	47	3	1	5	1	1	3	8	11	2	7	4	1
Smallpox (6)													
Measles (7)	40	3	4	6	11	4	4	2				3	3
Scarlet fever (8)	7			1						2	2	2	
Whooping-cough (9)	78	3	11	4	7	11	14	9	1	4	4	1	9
Diphtheria (10)	68	5	5	6	3				5	7	10	17	10
Influenza (11)	332	126	41	46	25	10	7	3	1	3	11	18	41
Dysentery (13)	46	1	2		2	3	12	9	9	4	2		2
Erysipelas (15)	23	4	2	1	2	1	2	1	1	2	2	3	2
Lethargic encephalitis (17)	7	2			1	1		1	1	1			
Epidemic cerebrospinal meningitis (18)	3	2					1						
Tuberculosis of the respiratory system (23)	323	22	31	23	23	20	25	33	25	26	36	30	29
Other forms of tuberculosis (24–32)	27	3	4	1	3	1	6	1	1	1	2	2	2
Malaria (38)	313	1		3	3	6	12	21	47	72	86	52	10
Diabetes mellitus (59)	137	13	8	10	8	7	11	16	11	15	12	13	13
Cerebral hemorrhage and softening (82a, 82c)	602	50	65	60	50	44	52	62	37	33	53	42	54
Diseases of the heart (90–95)	1,266	128	120	122	106	93	118	105	78	90	101	110	95
Bronchitis (106)	25	2	3	3	3	1	2				5	1	5
Bronchopneumonia (107)	172	31	24	24	14	7	7	6	6	10	6	18	19
Lobar and unspecified pneumonia (108, 109)	317	49	43	47	32	14	4	7	10	9	26	26	50
Diarrhea and enteritis [under 2 years] (119)	176	6	9	12	4	23	39	27	21	8	7	13	7
Diarrhea and enteritis [2 years and over] (120)	85	2	1	2	3	8	19	20	9	6	5	3	7
Nephritis (130–132)	890	67	77	77	72	66	82	64	71	72	82	78	82
Puerperal septicemia (140, 142a, 145)	29	3	3	2	5	3	2		2	1	5	1	2
Other puerperal causes	93	8	6	8	12	11	6	5	8	8	10	6	5
Suicide (163–171)	101	11	7	2	7	12	9	9	8	8	13	6	9
Automobile accidents [1]	156	7	8	11	11	10	13	12	12	11	17	18	26
Automobile—railroad train and street car collisions	11				1				2	1	6		1
Other external causes	512	35	27	65	36	42	50	51	37	35	41	52	41
All other causes	3,064	236	221	276	241	227	283	247	254	313	264	237	265

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI (COLORED), all causes	12,716	1,088	896	1,112	997	975	1,135	1,105	1,043	1,091	1,187	1,059	1,028
Typhoid and paratyphoid fever (1, 2)	96	2	4	8	3	6	13	12	18	10	11	9	
Smallpox (6)													
Measles (7)	33			4	7	4	6	2	1	2		4	3
Scarlet fever (8)	5	1	1			1				1	1		
Whooping-cough (9)	178	6	6	6	22	18	29	19	16	16	10	14	16
Diphtheria (10)	60	5	1	4	1	1		1	5	10	13	15	4
Influenza (11)	459	131	77	56	53	22	13	5	5	4	8	30	55
Dysentery (13)	67	4		1	1	13	16	11	3	10	3	2	3
Erysipelas (15)	5						1		1		1		2
Lethargic encephalitis (17)	4			2				1	1				
Epidemic cerebrospinal meningitis (18)	10	1	4	2		2							1
Tuberculosis of the respiratory system (23)	966	78	75	104	96	99	97	85	75	60	62	61	74
Other forms of tuberculosis (24–32)	62	7	6	3	6	5	7	7	5	2	4	5	5
Malaria (38)	494	1	3	1	4	5	31	49	81	122	133	45	19
Diabetes mellitus (59)	89	12	7	12	5	3	7	6	9	7	11	5	5
Cerebral hemorrhage and softening (82a, 82c)	608	48	42	46	54	58	51	52	48	47	57	64	41
Diseases of the heart (90–95)	1,166	89	82	103	101	92	113	115	96	94	103	89	89
Bronchitis (106)	8	1		2	1	2					1	1	
Bronchopneumonia (107)	134	24	13	16	12	7	4	5	10	4	13	10	16
Lobar and unspecified pneumonia (108, 109)	477	83	66	63	51	26	11	13	11	14	22	53	64
Diarrhea and enteritis [under 2 years] (119)	196	1	6	8	5	23	54	37	20	16	16	6	4
Diarrhea and enteritis [2 years and over] (120)	102	2	3	6	2	9	26	24	6	14	5	2	3
Nephritis (130–132)	901	66	63	82	71	61	74	86	76	83	83	83	73
Puerperal septicemia (140, 142a, 145)	72	2	3	6	5	6	10	5	7	14	8	4	2
Other puerperal causes	131	11	11	14	10	10	10	11	14	12	12	7	9
Suicide (163–171)	12	1		1	2	2	1	2	1				2
Automobile accidents [1]	127	7	3	3	4	5	5	13	11	14	24	24	14
Automobile—railroad train and street car collisions	6							2			2	2	
Other external causes	831	51	44	79	65	83	87	79	63	58	68	76	78
All other causes	5,417	454	376	480	416	412	469	463	460	477	516	448	446
MISSOURI, all causes	42,521	4,615	3,780	3,904	3,347	3,184	3,379	3,227	3,133	3,365	3,475	3,492	3,620
Typhoid and paratyphoid fever (1, 2)	200	10	4	10	7	6	17	28	33	27	37	12	9
Smallpox (6)	1				1								
Measles (7)	67	5	6	4	8	11	8	3		1		4	17
Scarlet fever (8)	110	20	9	14	5	7	9		2	3	15	15	11
Whooping-cough (9)	98	12	6	6	5	4	13	9	5	7	10	11	10
Diptheria (10)	234	21	13	10	12	11	7	8	10	19	52	38	33
Influenza (11)	1,274	520	252	188	74	49	17	15	10	19	34	44	52
Dysentery (13)	124	1	2	2	3	5	15	24	29	17	15	4	7
Erysipelas (15)	53	8	5	7	6	8	2		1	2	3	4	7
Lethargic encephalitis (17)	299	2	3	4	2			2	60	170	40	12	4
Epidemic cerebrospinal meningitis (18)	56	6	11	15	8	5	2	2		1	1	2	3
Tuberculosis of the respiratory system (23)	2,071	199	181	185	209	143	161	163	159	166	164	171	170
Other forms of tuberculosis (24–32)	209	13	24	19	17	20	21	11	21	14	21	20	8
Malaria (38)	197	5	1	4	3	7	19	10	26	43	53	17	9
Diabetes mellitus (59)	855	102	81	90	72	69	64	57	53	74	62	60	71
Cerebral hemorrhage and softening (82a, 82c)	2,995	289	247	282	244	243	228	238	240	254	227	258	245
Diseases of the heart (90–95)	8,668	909	777	839	717	709	725	651	647	555	659	714	775
Bronchitis (106)	131	16	18	14	14	11	8	9	5	10	6	11	9
Bronchopneumonia (107)	1,359	267	216	149	80	71	48	55	42	69	97	123	142
Lobar and unspecified pneumonia (108, 109)	1,768	294	227	252	135	117	66	59	53	63	117	168	217
Diarrhea and enteritis [under 2 years] (119)	515	11	14	11	18	23	56	76	73	101	91	28	13
Diarrhea and enteritis [2 years and over] (120)	251	9	10	8	6	11	30	43	46	46	22	11	9
Nephritis (130–132)	4,151	384	357	389	354	339	352	348	311	296	345	327	349
Puerperal septicemia (140, 142a, 145)	171	14	21	22	19	9	15	6	12	13	12	10	18
Other puerperal causes	163	16	14	14	12	11	16	15	10	11	12	10	22
Suicide (163–171)	692	66	58	62	57	75	59	48	51	57	50	62	47
Automobile accidents [1]	770	72	34	47	58	49	53	56	67	56	94	84	100
Automobile—railroad train and street car collisions	51	5	2	5	10	2	4	2	5	5	6	4	1
Other external causes	2,211	180	160	169	153	187	269	234	182	166	168	174	169
All other causes	12,777	1,159	1,027	1,083	1,038	991	1,095	1,055	980	1,100	1,062	1,094	1,093
MONTANA, all causes	5,212	552	412	443	435	457	402	417	377	408	404	442	463
Typhoid and paratyphoid fever (1, 2)	14		1	4			2		1	3	1	2	
Smallpox (6)													
Measles (7)	15	7	5	1		2							
Scarlet fever (8)	12		3	1	3		1			1	1		2
Whooping-cough (9)	15	3	4	2	2			1	2			1	
Diphtheria (10)	17	5		2	1			2	2	1		1	3
Influenza (11)	173	82	32	11	7	8	6	2		2	5	5	13
Dysentery (13)													
Erysipelas (15)	7	3		1		1			1	1			
Lethargic encephalitis (17)	5		1		1	1	2						
Epidemic cerebrospinal meningitis (18)	3		1										2
Tuberculosis of the respiratory system (23)	247	32	18	23	22	23	15	22	15	23	19	14	21
Other forms of tuberculosis (24–32)	35	2	3	6	4	2	4	4	3	3	1	1	2
Malaria (38)													
Diabetes mellitus (59)	91	5	3	7	11	4	7	10	14	5	8	7	10
Cerebral hemorrhage and softening (82a, 82c)	326	22	34	28	37	44	22	23	26	14	22	25	29
Diseases of the heart (90–95)	1,087	117	81	88	97	97	68	90	68	93	92	97	99
Bronchitis (106)	11			3	3	2	1			1			1
Bronchopneumonia (107)	143	25	18	16	14	8	5	8	4	9	10	10	16
Lobar and unspecified pneumonia (108, 109)	178	33	15	10	26	15	9	4	8	10	14	20	14
Diarrhea and enteritis [under 2 years] (119)	29	4		4	2	3	1	4	2	4	3	1	1
Diarrhea and enteritis [2 years and over] (120)	17	1			1	1		2	5	2	1	4	
Nephritis (130–132)	315	30	13	32	23	30	28	24	19	25	27	33	31
Puerperal septicemia (140, 142a, 145)	28	1	2	1	4	3	2	3	3	4	1	1	3
Other puerperal causes	23	2	2	3	2	3				4	4	1	2
Suicide (163–171)	114	7	8	9	6	17	15	9	11	11	3	8	10
Automobile accidents [1]	115	3	3	7	4	5	7	16	13	16	14	16	11
Automobile—railroad train and street car collisions	4							3					1
Other external causes	419	32	24	26	20	35	36	55	52	37	36	35	31
All other causes	1,769	136	141	158	145	153	171	135	128	139	142	160	161

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA, all causes	12,924	1,476	1,180	1,163	1,046	1,078	1,053	937	881	994	1,029	987	1,100
Typhoid and paratyphoid fever (1, 2)	12	1			1			1	2	2		1	4
Smallpox (6)	1			1									
Measles (7)	11	2	1		2	2	2	1			1		
Scarlet fever (8)	26	4	4	1	1	5	2			3	1	4	1
Whooping-cough (9)	37	3	2	2		2	5	4	2	3	3	6	5
Diphtheria (10)	24	3	1	4	2			3	1	1	4	2	3
Influenza (11)	487	208	81	60	24	16	9	3	7	14	23	19	23
Dysentery (13)	14				1				4	3	2	1	3
Erysipelas (15)	22	1	2	3	1	2	2	3	1	1	2	2	2
Lethargic encephalitis (17)	19			2	1		1		1	7	4	2	1
Epidemic cerebrospinal meningitis (18)	23	4	1	5	6	2	1				1	1	2
Tuberculosis of the respiratory system (23)	260	31	28	23	28	21	26	13	19	14	16	21	20
Other forms of tuberculosis (24–32)	44	2	6	4	7	7	1	1	3	1	3	3	6
Malaria (38)	2			1	1								
Diabetes mellitus (59)	325	32	21	23	34	30	31	18	25	23	27	25	36
Cerebral hemorrhage and softening (82a, 82c)	1,095	115	100	95	108	95	78	79	70	86	94	73	102
Diseases of the heart (90–95)	2,650	294	237	243	204	249	232	186	176	202	193	209	225
Bronchitis (106)	41	7	6	4	3	4	1	1	2	5	4	3	1
Bronchopneumonia (107)	321	63	60	36	26	26	7	11	6	14	21	26	25
Lobar and unspecified pneumonia (108, 109)	487	81	69	61	40	33	24	12	14	19	36	37	61
Diarrhea and enteritis [under 2 years] (119)	74	6	7	7	5	1		3	15	14	7	3	6
Diarrhea and enteritis [2 years and over] (120)	52	1	5	5	2	5	4	1	3	11	8	2	5
Nephritis (130–132)	929	77	77	94	81	94	79	63	71	70	80	67	76
Puerperal septicemia (140, 142a, 145)	41	6	1	2	4	4	5	4	4	3	3	4	1
Other puerperal causes	70	8	8	5	5	8	3	6	9	2	5	5	6
Suicide (163–171)	266	25	20	21	26	19	22	23	24	29	16	19	22
Automobile accidents [1]	283	16	17	15	19	10	24	24	29	35	32	22	40
Automobile—railroad train and street car collisions	22	1	2		1	2	4		3	2	4		3
Other external causes	654	53	67	42	58	53	58	74	41	54	53	56	45
All other causes	4,632	432	357	404	355	388	432	403	349	376	386	374	376
NEVADA, all causes	1,233	132	116	112	96	99	102	103	88	93	94	78	120
Typhoid and paratyphoid fever (1, 2)	4			1		1	1		1				
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	2						2						
Whooping-cough (9)	1							1					
Diphtheria (10)	4		1			2	1						
Influenza (11)	25	8	5	4		2	2			1	1	1	1
Dysentery (13)	1												1
Erysipelas (15)													
Lethargic encephalitis (17)	2						1	1					
Epidemic cerebrospinal meningitis (18)	1						1						
Tuberculosis of the respiratory system (23)	73	8	10	5	7	10	5	4	5	2	4	5	8
Other forms of tuberculosis (24–32)	15	1	1	1	3	4	3			2			
Malaria (38)	1		1										
Diabetes mellitus (59)	16	1	1		2	1	2	2			4	1	2
Cerebral hemorrhage and softening (82a, 82c)	77	11	9	7	5	7	4	6	3	6	5	5	9
Diseases of the heart (90–95)	239	19	21	29	15	13	20	23	19	22	17	18	23
Bronchitis (106)	5		1					1	2	1			
Bronchopneumonia (107)	36	8	5	4	2	3	1	2	1	1	4		5
Lobar and unspecified pneumonia (108, 109)	47	9	4	5	3	1		3	1	1	2	5	13
Diarrhea and enteritis [under 2 years] (119)	10			2		1	1	2	1			1	2
Diarrhea and enteritis [2 years and over] (120)	4					1	1	1	1				
Nephritis (130–132)	88	10	8	5	13	8	3	8	7	4	4	9	9
Puerperal septicemia (140, 142a, 145)	5					2			1	1		1	
Other puerperal causes	6		1			2	1	1			1		
Suicide (163–171)	31	3	3	1	3	1	4	6	2	2	3	1	2
Automobile accidents [1]	63	8	2	2	6	6	5	8	5	7	5	4	5
Automobile—railroad train and street car collisions													
Other external causes	100	12	5	8	3	9	11	13	6	9	10	9	5
All other causes	377	34	38	38	34	25	33	21	33	34	34	18	35
NEW HAMPSHIRE, all causes	6,491	713	598	560	515	545	494	518	463	501	485	497	602
Typhoid and paratyphoid fever (1, 2)	4			1		1	1	1					
Smallpox (6)													
Measles (7)	2						1					1	
Scarlet fever (8)	17	4	4	2	3		1			1		1	1
Whooping-cough (9)	12	1	1	1	1	2	1						5
Diphtheria (10)	2	1						1					
Influenza (11)	214	101	49	14	10	7	1	1	3	3	5	4	16
Dysentery (13)	2					1				1			
Erysipelas (15)	15	2	1	2	1	4	2	2		1			
Lethargic encephalitis (17)	5	2	1									1	1
Epidemic cerebrospinal meningitis (18)	6		1	1		2				1			1
Tuberculosis of the respiratory system (23)	150	16	19	9	15	17	17	6	12	6	13	12	8
Other forms of tuberculosis (24–32)	28	3	2	2	1	2	4	2		3	4	5	
Malaria (38)													
Diabetes mellitus (59)	127	10	8	8	12	7	9	15	13	10	15	14	6
Cerebral hemorrhage and softening (82a, 82c)	636	59	72	49	48	56	30	43	46	43	59	60	71
Diseases of the heart (90–95)	1,731	180	148	151	149	138	144	151	128	122	126	137	157
Bronchitis (106)	33	5	4		4	3	2	1	3	2	3	3	3
Bronchopneumonia (107)	186	38	27	20	14	14	4	9	10	6	9	14	21
Lobar and unspecified pneumonia (108, 109)	192	27	23	21	15	18	11	10	9	3	9	15	31
Diarrhea and enteritis [under 2 years] (119)	20	2	1		3	2	1	1		4	2	2	2
Diarrhea and enteritis [2 years and over] (120)	14	1		1	2	1	2		2		2	3	
Nephritis (130–132)	473	36	42	39	29	46	46	35	34	47	28	41	50
Puerperal septicemia (140, 142a, 145)	18	2	2	1	2	4	1	1	1	2	1		1
Other puerperal causes	33	3	5	4	2	3	3	4	1	1	1	3	3
Suicide (163–171)	84	4	8	5	8	13	10	9	7	6	4	6	4
Automobile accidents [1]	135	6	5	4	5	9	11	9	14	18	24	16	14
Automobile—railroad train and street car collisions	5		4		1								
Other external causes	259	15	15	17	18	27	22	33	21	18	30	27	16
All other causes	2,088	195	156	208	172	168	170	184	159	203	150	132	191

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY, all causes	43,497	4,511	3,680	3,979	3,716	3,637	3,360	3,223	3,178	3,010	3,360	3,748	4,095
Typhoid and paratyphoid fever (1, 2)	43	1		1	3	6	6	3	2	4	8	5	4
Smallpox (6)													
Measles (7)	72	6	7	13	17	13	5	7	1	1			2
Scarlet fever (8)	58	11	6	8	9	11	1	2	2		2	2	4
Whooping-cough (9)	47	3	4	2	2	4	1	3	6	5	7	2	8
Diphtheria (10)	52	3	4	3	2		3	6	2	4	6	7	12
Influenza (11)	512	193	95	46	25	16	10	3	6	11	14	48	45
Dysentery (13)	7		1		2					4			
Erysipelas (15)	60	4	8	9	10	9	4	1	2	2	6	3	2
Lethargic encephalitis (17)	39	2	3	3	2	1	2	2	9	4	5	3	3
Epidemic cerebrospinal meningitis (18)	27	3	4	3	1	1	2	3	3		2		5
Tuberculosis of the respiratory system (23)	2,134	175	162	204	184	230	175	177	163	161	163	157	183
Other forms of tuberculosis (24–32)	205	12	16	37	20	19	11	21	16	11	18	7	17
Malaria (38)	1	1											
Diabetes mellitus (59)	1,204	136	92	140	88	101	83	92	84	87	76	98	127
Cerebral hemorrhage and softening (82a, 82c)	3,192	282	315	278	276	272	245	215	239	198	261	285	326
Diseases of the heart (90–95)	11,542	1,137	965	1,068	1,045	945	894	865	809	765	862	1,037	1,150
Bronchitis (106)	123	15	16	10	10	10	12	4	3	3	16	14	10
Bronchopneumonia (107)	1,150	200	116	128	107	64	56	54	43	50	80	117	135
Lobar and unspecified pneumonia (108, 109)	1,834	340	209	219	158	130	78	64	45	55	102	201	233
Diarrhea and enteritis [under 2 years] (119)	211	19	15	17	11	14	23	18	13	35	17	12	17
Diarrhea and enteritis [2 years and over] (120)	103	4	7	8	3	6	12	6	11	12	16	7	11
Nephritis (130–132)	3,622	395	311	293	321	333	293	244	268	254	297	307	306
Puerperal septicemia (140, 142a, 145)	124	13	12	14	12	12	11	11	12	3	5	11	8
Other puerperal causes	176	19	17	13	10	25	14	10	12	18	11	11	16
Suicide (163–171)	717	64	53	64	81	57	62	52	65	64	57	47	51
Automobile accidents [1]	1,147	80	84	66	73	74	95	90	120	103	128	120	114
Automobile—railroad train and street car collisions	22	4	1	2	1			1	3		5		5
Other external causes	2,021	171	137	141	163	177	228	189	198	133	156	169	159
All other causes	13,052	1,218	1,020	1,189	1,080	1,107	1,034	1,080	1,041	1,023	1,040	1,078	1,142
NEW MEXICO, all causes	5,824	630	529	499	452	427	400	473	587	522	456	421	428
Typhoid and paratyphoid fever (1, 2)	31	4	1	2	1	3		3	4	6	3	2	2
Smallpox (6)													
Measles (7)	25	1	1	3	3	4	1	3	2			4	3
Scarlet fever (8)	13	2					2		1			2	6
Whooping-cough (9)	36	1	4		1	3	4	8	3	5	1		6
Diphtheria (10)	39	4	2	4	3	2	2	2		5	6	5	4
Influenza (11)	117	44	21	19	13	3	3			4		4	6
Dysentery (13)	29	1	2	1	1	2	2	3	11	2	2	1	1
Erysipelas (15)	10		2	1	2		1		1		1		2
Lethargic encephalitis (17)	3		1		1						1		
Epidemic cerebrospinal meningitis (18)	10	2	1	3								2	2
Tuberculosis of the respiratory system (23)	515	64	44	64	42	49	38	28	29	40	41	42	34
Other forms of tuberculosis (24–32)	40	1	3	5	3	2	4	4	4	1	6	2	5
Malaria (38)	1							1					
Diabetes mellitus (59)	40	3	4	3	5	5	2	2	8	1	5	2	
Cerebral hemorrhage and softening (82a, 82c)	140	14	18	9	17	4	8	13	10	11	16	8	12
Diseases of the heart (90–95)	445	35	42	38	41	35	30	31	28	42	36	46	41
Bronchitis (106)	18	6	2	2		2		1			2		3
Bronchopneumonia (107)	231	70	50	24	12	17	6	5	5	8	9	8	17
Lobar and unspecified pneumonia (108, 109)	212	49	33	26	18	17	8	5	8	7	10	16	15
Diarrhea and enteritis [under 2 years] (119)	326	9	5	4	8	13	20	59	75	64	39	21	9
Diarrhea and enteritis [2 years and over] (120)	49	1	1	2	1	3	3	6	11	6	8	6	1
Nephritis (130–132)	222	22	27	19	21	25	12	13	17	12	15	21	18
Puerperal septicemia (140, 142a, 145)	44	6	3	3	7	3	4	5	2	1	3	5	2
Other puerperal causes	62	8	4	6	12	4	6	1	3	5	2	5	6
Suicide (163–171)	45	4	3	6	5	4	3	6	1	3	6		4
Automobile accidents [1]	102	8	3	6	6	4	9	9	19	10	7	5	16
Automobile—railroad train and street car collisions													
Other external causes	255	20	22	16	16	14	23	29	37	21	16	21	20
All other causes	2,764	251	230	233	213	209	209	236	308	268	221	193	193
NEW YORK, all causes	148,455	15,531	12,452	13,649	12,779	12,608	11,423	11,259	10,689	10,408	11,729	12,352	13,576
Typhoid and paratyphoid fever (1, 2)	117	8	5	1	7	2	8	19	26	13	11	15	2
Smallpox (6)													
Measles (7)	346	19	29	81	85	64	38	8	4	3	4	2	9
Scarlet fever (8)	218	34	24	35	37	25	11	7	4	2	5	12	22
Whooping-cough (9)	299	33	24	26	34	30	25	20	27	26	18	17	19
Diphtheria (10)	150	10	16	19	13	16	12	13	4	6	14	12	15
Influenza (11)	1,560	681	235	154	75	71	36	27	25	29	41	80	106
Dysentery (13)	39	1		2	4	1	3	1	8	10	6	2	1
Erysipelas (15)	326	28	33	67	47	44	24	23	5	10	10	13	22
Lethargic encephalitis (17)	93	8	5	11	8	6	10	9	6	7	10	10	3
Epidemic cerebrospinal meningitis (18)	111	14	4	6	14	13	10	7	11	8	4	14	6
Tuberculosis of the respiratory system (23)	7,112	708	544	658	602	668	596	570	551	522	537	560	596
Other forms of tuberculosis (24–32)	794	63	66	66	83	64	82	73	64	56	55	55	67
Malaria (38)	18			1	2			1	1	3	3	4	3
Diabetes mellitus (59)	4,071	426	354	397	345	337	315	300	294	280	310	334	379
Cerebral hemorrhage and softening (82a, 82c)	8,646	812	763	772	744	737	695	674	631	615	700	698	805
Diseases of the heart (90–95)	40,160	4,130	3,546	3,703	3,547	3,316	2,975	2,889	2,691	2,713	3,151	3,548	3,951
Bronchitis (106)	388	74	37	37	39	35	25	15	21	23	22	25	35
Bronchopneumonia (107)	4,612	784	457	457	385	362	254	232	228	215	322	410	506
Lobar and unspecified pneumonia (108, 109)	6,517	1,134	645	725	637	507	320	243	231	217	394	615	849
Diarrhea and enteritis [under 2 years] (119)	978	60	73	79	93	82	65	74	107	97	91	84	73
Diarrhea and enteritis [2 years and over] (120)	283	21	15	18	17	25	16	23	35	38	36	21	18
Nephritis (130–132)	11,081	1,158	969	1,015	950	991	897	853	728	765	885	895	975
Puerperal septicemia (140, 142a, 145)	469	44	42	48	56	48	45	32	36	31	20	29	38
Other puerperal causes	692	90	72	71	59	47	50	53	56	54	46	46	48
Suicide (163–171)	2,361	223	169	201	213	240	184	204	160	201	205	176	185
Automobile accidents [1]	2,784	218	163	194	163	198	209	216	294	282	323	261	263
Automobile—railroad train and street car collisions	123	5	10	11	10	13	11	8	12	11	14	9	9
Other external causes	6,812	539	500	531	491	511	653	718	699	542	519	550	559
All other causes	47,295	4,206	3,652	4,263	4,019	4,155	3,854	3,947	3,730	3,629	3,973	3,855	4,012

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA (WHITE), all causes	19,179	1,950	1,602	1,777	1,503	1,545	1,603	1,479	1,350	1,430	1,527	1,661	1,752
Typhoid and paratyphoid fever (1, 2)	55	3	3	1	1	3	6	15	9	4	3	3	4
Smallpox (6)													
Measles (7)	72	2	5	9	13	17	11	3			1	2	9
Scarlet fever (8)	47	4	1	3	2	4	1	3		2	10	10	7
Whooping-cough (9)	94	2	8	5	7	6	15	24	7	6	5	3	6
Diphtheria (10)	174	18	2	3	4	2	1	2	9	20	43	40	30
Influenza (11)	597	241	126	65	40	16	6	9	4	10	11	39	30
Dysentery (13)	54	3	1		2	10	22	9	2	3	2		
Erysipelas (15)	42	1	3	10	3	2	2	1	4	4	6	2	4
Lethargic encephalitis (17)	8	2		2		1				2		1	
Epidemic cerebrospinal meningitis (18)	22	2	4	2	4	1	1		1		1	3	3
Tuberculosis of the respiratory system (23)	831	94	79	89	69	66	68	73	57	66	60	55	55
Other forms of tuberculosis (24–32)	74	4	3	9	2	9	10	7	6	5	11	2	6
Malaria (38)	30	1		1	2		3	2	1	3	6	8	3
Diabetes mellitus (59)	270	30	15	31	21	26	15	20	14	23	25	19	31
Cerebral hemorrhage and softening (82a, 82c)	1,491	127	114	157	120	115	108	112	106	122	124	144	142
Diseases of the heart (90–95)	3,243	324	276	292	279	275	242	255	219	254	250	275	302
Bronchitis (106)	63	6	5	7	7	4	5	4	5	2	5	5	8
Bronchopneumonia (107)	486	79	57	59	39	32	13	18	16	21	35	53	64
Lobar and unspecified pneumonia (108, 109)	759	125	105	108	67	48	18	17	22	31	32	86	100
Diarrhea and enteritis [under 2 years] (119)	462	6	11	10	19	68	122	52	47	37	50	25	15
Diarrhea and enteritis [2 years and over] (120)	126	2	2	5	8	21	28	12	16	10	10	7	5
Nephritis (130–132)	1,952	193	163	175	150	160	173	139	139	149	173	171	167
Puerperal septicemia (140, 142a, 145)	84	6	5	9	8	5	4	5	7	5	9	8	13
Other puerperal causes	214	19	23	27	26	21	14	14	15	16	13	13	13
Suicide (163–171)	247	28	20	29	27	17	21	24	18	23	12	12	16
Automobile accidents [1]	567	26	28	33	40	38	51	48	53	45	65	68	72
Automobile—railroad train and street car collisions	39	1	3	3	3		3	2	11	1		5	7
Other external causes	973	76	86	67	78	66	96	81	82	90	72	86	93
All other causes	6,103	525	454	566	462	512	544	528	480	476	493	516	547
NORTH CAROLINA (COLORED), all causes	11,368	1,057	972	991	844	1,007	1,096	892	861	826	866	970	986
Typhoid and paratyphoid fever (1, 2)	73	1		1	1	4	13	16	13	9	8	5	2
Smallpox (6)													
Measles (7)	18	2	2	3	3	1	1	3	1			2	
Scarlet fever (8)	3									1		2	
Whooping-cough (9)	111	11	5	3	8	9	24	18	10	4	3	8	8
Diphtheria (10)	42	5	3	3		4	1	1	4	5	4	7	5
Influenza (11)	430	146	101	59	33	18	6	4	2	5	8	24	24
Dysentery (13)	38					7	14	6	5	2	1	2	1
Erysipelas (15)	3		1	1									1
Lethargic encephalitis (17)	7		3				1					2	1
Epidemic cerebrospinal meningitis (18)	10	1	1	2		2				2			2
Tuberculosis of the respiratory system (23)	1,104	100	79	98	96	94	123	99	87	96	77	81	74
Other forms of tuberculosis (24–32)	109	3	9	15	12	10	10	9	13	7	3	10	8
Malaria (38)	21	1	1			2	2	3	4	3	4	1	
Diabetes mellitus (59)	98	7	9	15	9	6	9	9	4	3	5	8	14
Cerebral hemorrhage and softening (82a, 82c)	861	66	75	84	66	68	77	60	63	67	73	70	92
Diseases of the heart (90–95)	1,466	136	136	109	111	133	128	108	113	98	128	129	137
Bronchitis (106)	37	2	3	4	2	2	2	3	2	2	4	4	7
Bronchopneumonia (107)	283	44	30	39	25	21	9	10	12	9	17	28	39
Lobar and unspecified pneumonia (108, 109)	553	76	78	67	56	47	30	18	24	20	20	51	66
Diarrhea and enteritis [under 2 years] (119)	343	6	3	15	14	55	97	40	28	26	29	20	10
Diarrhea and enteritis [2 years and over] (120)	69	2	3	1	3	12	13	5	6	7	10	4	3
Nephritis (130–132)	954	89	71	85	73	96	82	59	74	80	76	95	74
Puerperal septicemia (140, 142a, 145)	53	4	3	4	3	5	6	10	3	3	4	6	2
Other puerperal causes	163	13	14	18	12	19	14	15	13	10	16	9	10
Suicide (163–171)	20	1	4	1		3		1	6		1	2	1
Automobile accidents [1]	158	11	5	17	8	13	16	10	11	11	13	23	20
Automobile—railroad train and street car collisions	4	1	1					1	1				
Other external causes	700	47	45	50	42	55	63	56	68	75	70	60	69
All other causes	3,637	282	287	297	267	321	355	328	294	281	292	317	316
NORTH DAKOTA, all causes	5,463	683	427	442	464	455	405	399	458	421	457	405	447
Typhoid and paratyphoid fever (1, 2)	9			1	3				2	1	1		1
Smallpox (6)													
Measles (7)	28	5	1	4	8	2	4	2				1	1
Scarlet fever (8)	11	1	1	3					1	1	1	1	2
Whooping-cough (9)	20	4	1	2	1	1	1	1		2	3	2	2
Diphtheria (10)	20	1	2		2		1	4		1	2	5	2
Influenza (11)	268	144	45	16	13	6	1	4	7	5	9	10	8
Dysentery (13)	5			1					2	1		1	
Erysipelas (15)	7		1	1	1	1						1	2
Lethargic encephalitis (17)	7			1						2	1	2	1
Epidemic cerebrospinal meningitis (18)	19	1		4	2	4	2		3		1	1	1
Tuberculosis of the respiratory system (23)	134	13	14	10	13	14	14	10	16	5	8	5	12
Other forms of tuberculosis (24–32)	35		3	3	8	4	3	3	3	1	3	2	2
Malaria (38)													
Diabetes mellitus (59)	139	25	15	11	11	7	10	9	10	13	3	13	12
Cerebral hemorrhage and softening (82a, 82c)	395	47	24	36	30	49	31	27	28	28	31	30	34
Diseases of the heart (90–95)	991	114	80	79	84	82	79	75	79	65	97	78	79
Bronchitis (106)	15	1	4				1		2	3	2		2
Bronchopneumonia (107)	176	30	21	23	15	11	12	5	5	4	13	18	19
Lobar and unspecified pneumonia (108, 109)	231	36	21	32	22	18	9	6	15	9	19	24	20
Diarrhea and enteritis [under 2 years] (119)	84	3	10	11	3	3	4	7	7	19	10	4	3
Diarrhea and enteritis [2 years and over] (120)	20			1	2	1	3	1	4	3	4	1	
Nephritis (130–132)	328	44	21	30	28	26	26	30	25	24	25	26	23
Puerperal septicemia (140, 142a, 145)	26	4	2	1	2	4	2	3	3	2	1		2
Other puerperal causes	39	4	4		4	2	2	5	2	5	3	6	2
Suicide (163–171)	63	2	2	3	7	5	3	8	9	9	2	6	7
Automobile accidents [1]	101	7	2		7	6	3	10	15	23	13	8	7
Automobile—railroad train and street car collisions	16		1		3			2	4			1	5
Other external causes	276	9	19	11	14	29	35	35	32	26	26	24	16
All other causes	2,000	188	133	158	181	180	159	152	184	169	179	135	182

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO, all causes	73,054	7,134	5,975	6,660	6,105	5,967	5,981	5,722	5,380	5,280	6,123	5,958	6,769
Typhoid and paratyphoid fever (1, 2)	123	4	10	2	5	10	14	20	24	21	8	5	
Smallpox (6)													
Measles (7)	123	9	12	23	28	28	11	4	1	1	1	5	
Scarlet fever (8)	217	19	23	18	23	25	13	7	4	8	19	27	31
Whooping-cough (9)	148	11	9	23	8	11	7	18	14	11	11	4	21
Diphtheria (10)	174	14	10	16	9	8	7	7	6	11	31	34	21
Influenza (11)	1,489	546	194	159	110	75	33	31	38	32	75	64	132
Dysentery (13)	56		2	1		1	4	6	11	17	8	5	1
Erysipelas (15)	90	13	9	14	12	10	5	7	4	4	4	4	4
Lethargic encephalitis (17)	68	6	5	7	7	11	2	3	2	13	6	2	4
Epidemic cerebrospinal meningitis (18)	40	9	2	3	6		7	3		1	4	1	4
Tuberculosis of the respiratory system (23)	3,281	284	274	291	294	316	256	294	266	245	259	245	257
Other forms of tuberculosis (24–32)	367	36	26	27	45	31	39	33	31	24	28	17	30
Malaria (38)	10			1	1	1	2			1	1		3
Diabetes mellitus (59)	1,595	156	119	146	115	123	149	110	120	107	158	144	148
Cerebral hemorrhage and softening (82a, 82c)	6,612	590	572	626	564	540	536	519	456	477	580	555	597
Diseases of the heart (90–95)	16,110	1,593	1,395	1,534	1,346	1,420	1,289	1,153	1,064	1,058	1,359	1,309	1,590
Bronchitis (106)	204	27	16	20	14	19	18	11	12	12	13	22	20
Bronchopneumonia (107)	2,007	313	174	208	163	143	123	97	95	85	144	200	262
Lobar and unspecified pneumonia (108, 109)	2,003	242	190	237	215	163	84	70	59	97	147	214	285
Diarrhea and enteritis [under 2 years] (119)	568	20	16	25	22	16	35	75	89	130	81	29	30
Diarrhea and enteritis [2 years and over] (120)	243	11	8	16	10	9	11	39	45	36	29	18	11
Nephritis (130–132)	5,253	491	463	482	461	462	425	425	390	354	431	407	462
Puerperal septicemia (140, 142a, 145)	254	32	18	20	20	18	28	20	13	21	16	29	19
Other puerperal causes	327	28	21	37	39	31	27	29	22	30	19	18	26
Suicide (163–171)	1,248	110	88	131	105	124	112	114	95	107	93	89	80
Automobile accidents [1]	1,829	96	125	102	117	106	132	181	171	200	213	172	214
Automobile—railroad train and street car collisions	199	12	7	15	18	9	17	13	18	20	21	25	24
Other external causes	4,274	321	315	329	300	320	507	433	351	291	361	352	394
All other causes	24,142	2,145	1,878	2,139	2,051	1,942	2,092	2,006	1,983	1,863	1,991	1,963	2,089
OKLAHOMA (WHITE), all causes	17,511	1,943	1,646	1,687	1,299	1,248	1,309	1,461	1,297	1,289	1,414	1,510	1,508
Typhoid and paratyphoid fever (1, 2)	187	3	3	4	5	5	6	28	29	30	29	35	10
Smallpox (6)	1					1							
Measles (7)	59		4	9	13	7	7	11			1	4	3
Scarlet fever (8)	23	4		3	1	1	1		1	1	4	5	2
Whooping-cough (9)	72	8	6	7	6	2	6	10	2	4	9	9	3
Diphtheria (10)	247	22	17	7		6	4	10	14	24	48	53	42
Influenza (11)	763	286	160	97	55	28	10	10	9	12	26	35	35
Dysentery (13)	116	2	1	2		8	12	20	19	21	20	8	3
Erysipelas (15)	41	2	4	7	6	2	2	2		3	4	4	5
Lethargic encephalitis (17)	15		2	2	1	1			3	3	2		1
Epidemic cerebrospinal meningitis (18)	48	3	7	10	10	3		1		1	3	4	6
Tuberculosis of the respiratory system (23)	754	59	74	58	65	69	49	65	70	54	56	68	67
Other forms of tuberculosis (24–32)	57	5	3	7	1	5	7	6	4	5	8	3	3
Malaria (38)	105	3		3	4		9	6	19	25	26	6	4
Diabetes mellitus (59)	227	24	17	16	22	18	14	15	21	17	23	21	19
Cerebral hemorrhage and softening (82a, 82c)	1,249	126	107	119	105	100	114	102	79	73	101	110	113
Diseases of the heart (90–95)	2,517	261	248	251	228	189	189	203	171	180	166	206	225
Bronchitis (106)	39	5	5	5	3	1	4		1	6	2	1	6
Bronchopneumonia (107)	658	148	128	82	46	31	19	18	20	21	30	46	69
Lobar and unspecified pneumonia (108, 109)	798	182	149	113	64	29	26	22	17	29	39	54	74
Diarrhea and enteritis [under 2 years] (119)	338	7	4	6	9	10	33	41	49	84	60	22	13
Diarrhea and enteritis [2 years and over] (120)	104	4	2	2	10	5	12	12	16	12	15	9	5
Nephritis (130–132)	973	96	90	83	84	76	89	76	68	62	79	85	85
Puerperal septicemia (140, 142a, 145)	116	12	4	6	7	8	12	14	15	8	8	14	8
Other puerperal causes	127	12	10	13	11	12	8	13	11	8	9	11	9
Suicide (163–171)	234	25	16	23	23	17	18	26	22	14	18	12	20
Automobile accidents [1]	445	35	40	32	20	35	44	37	37	37	40	33	55
Automobile—railroad train and street car collisions	20	3		5	1		1		3	2		1	4
Other external causes	1,019	74	73	94	73	99	101	111	82	77	72	78	85
All other causes	6,159	532	472	521	426	480	512	602	515	476	516	573	534
OKLAHOMA (COLORED), all causes	2,798	274	254	249	222	210	229	246	215	229	238	212	220
Typhoid and paratyphoid fever (1, 2)	58	4			2	3	4	9	9	8	9	8	2
Smallpox (6)													
Measles (7)	9				1	4	4						
Scarlet fever (8)													
Whooping-cough (9)	10			2	2	1		2				1	2
Diphtheria (10)	14	1	1			1		1		3	6	1	
Influenza (11)	142	58	30	18	9	5		2	2	3	4	6	5
Dysentery (13)	25			1	1		4	8	3	6	2		
Erysipelas (15)	3	2					1						
Lethargic encephalitis (17)	1			1									
Epidemic cerebrospinal meningitis (18)	5	5											
Tuberculosis of the respiratory system (23)	371	25	22	33	31	40	38	33	35	28	29	23	34
Other forms of tuberculosis (24–32)	28	3	3	3	6		3	3	1	2		2	2
Malaria (38)	29	1					4	3	3	5	9	4	
Diabetes mellitus (59)	35	5	2	3		2	2	1	4	3	4	5	4
Cerebral hemorrhage and softening (82a, 82c)	138	9	14	10	17	14	9	18	10	13	7	4	13
Diseases of the heart (90–95)	304	18	33	28	25	30	24	30	28	19	23	18	28
Bronchitis (106)	6	1	2		1	1					1		
Bronchopneumonia (107)	94	20	18	15	6	7	7	2	2	3	4	4	6
Lobar and unspecified pneumonia (108, 109)	162	23	41	29	10	7	5	6	6	6	8	10	11
Diarrhea and enteritis [under 2 years] (119)	77	1	1	3	1	3	11	19	13	12	12	1	
Diarrhea and enteritis [2 years and over] (120)	23		2	2	3		3		3	3	3	4	
Nephritis (130–132)	131	7	8	5	15	16	10	12	6	18	10	12	12
Puerperal septicemia (140, 142a, 145)	19	1	2	1	2	4	2	2	1	1	1		2
Other puerperal causes	22	3	2	4	2	3	1	2	1	1			3
Suicide (163–171)	7	1		1	1				1	1	2		
Automobile accidents [1]	40	2	4	2	2	3	5	2	4	4	3	5	4
Automobile—railroad train and street car collisions	4			1				1			1	1	
Other external causes	231	15	16	15	15	13	17	20	21	16	25	26	32
All other causes	810	69	53	72	70	53	75	70	62	74	75	77	61

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON, all causes	10,450	1,084	881	915	885	917	798	783	794	773	898	803	919
Typhoid and paratyphoid fever (1, 2)	18	1	1		1	2	3	3		1	2	3	1
Smallpox (6)													
Measles (7)	10	3	1	1	3	2							
Scarlet fever (8)	27	2	2	3	5	3	2		2		2	2	4
Whooping-cough (9)	10			1	1	2	2		1	1		1	1
Diphtheria (10)	9	3	1				1					1	3
Influenza (11)	203	79	30	27	13	12	4	5	2	3	8	9	11
Dysentery (13)	2				1							1	
Erysipelas (15)	10		2	1	1		1	1		2	1		1
Lethargic encephalitis (17)	9		1	1	2		1			1	1		2
Epidemic cerebrospinal meningitis (18)	6	1	1	1			1	1		1			
Tuberculosis of the respiratory system (23)	289	26	27	20	25	26	21	22	30	21	25	27	19
Other forms of tuberculosis (24–32)	62	8	6	8	2	9	7	1	5	7	1	4	4
Malaria (38)													
Diabetes mellitus (59)	222	22	16	26	22	19	19	12	17	20	16	14	19
Cerebral hemorrhage and softening (82a, 82c)	925	89	77	98	70	83	64	62	77	76	67	65	97
Diseases of the heart (90–95)	2,526	245	218	239	230	231	196	177	189	189	225	193	194
Bronchitis (106)	36	4	5	2	2	5	4	1		4	3	4	2
Bronchopneumonia (107)	223	41	24	19	19	17	12	8	13	9	15	13	33
Lobar and unspecified pneumonia (108, 109)	256	37	17	20	26	27	18	18	6	16	20	16	35
Diarrhea and enteritis [under 2 years] (119)	16	1	1		2	1	1	3	4		2		1
Diarrhea and enteritis [2 years and over] (120)	17	2	3			2			1	4	4	1	
Nephritis (130–132)	863	79	75	75	61	89	73	69	58	64	73	71	76
Puerperal septicemia (140, 142a, 145)	28	3	4	4		4	1	3	1	2	2	2	2
Other puerperal causes	39	4	3	5	3	2	3	1	4	3	5	3	3
Suicide (163–171)	238	13	16	18	10	32	18	33	20	22	17	21	18
Automobile accidents [1]	249	27	12	13	18	22	11	28	23	18	28	24	25
Automobile—railroad train and street car collisions	17	3			4		3	2	2				3
Other external causes	564	50	33	40	38	38	48	69	67	51	48	38	44
All other causes	3,576	341	305	293	326	289	284	264	272	258	333	290	321
PENNSYLVANIA, all causes	106,109	10,764	9,020	9,655	9,025	8,599	8,079	7,649	7,558	7,590	8,520	9,311	10,339
Typhoid and paratyphoid fever (1, 2)	129	6	1	7	5	4	2	14	18	23	28	11	10
Smallpox (6)													
Measles (7)	124	9	7	13	27	19	12	5	3		1	9	19
Scarlet fever (8)	279	40	38	41	29	29	26	11	6	8	15	18	18
Whooping-cough (9)	200	25	21	8	11	16	8	22	16	18	22	14	19
Diphtheria (10)	230	43	25	25	17	10	7	14	13	8	18	23	27
Influenza (11)	2,521	894	358	221	173	121	43	33	52	62	113	189	262
Dysentery (13)	46	1	1	3		5	2	4	7	9	4	5	5
Erysipelas (15)	172	19	18	28	25	22	16	4	4	4	5	7	20
Lethargic encephalitis (17)	79	9	5	6	5	11	4	11	5	8	5	9	1
Epidemic cerebrospinal meningitis (18)	118	8	15	21	11	5	12	12	10	8	5	6	5
Tuberculosis of the respiratory system (23)	4,612	453	405	453	405	383	381	375	314	342	342	376	383
Other forms of tuberculosis (24–32)	476	39	46	48	39	53	42	46	26	26	41	31	39
Malaria (38)	4					1		1		1	1		
Diabetes mellitus (59)	2,589	282	241	241	215	218	193	181	173	170	211	235	229
Cerebral hemorrhage and softening (82a, 82c)	7,664	750	675	669	644	640	602	548	570	537	579	666	784
Diseases of the heart (90–95)	26,196	2,601	2,317	2,395	2,233	2,077	1,960	1,774	1,734	1,788	2,182	2,433	2,702
Bronchitis (106)	365	46	30	24	31	38	25	20	19	18	41	30	43
Bronchopneumonia (107)	2,871	448	275	290	263	213	126	99	126	151	189	322	369
Lobar and unspecified pneumonia (108, 109)	4,484	649	450	518	434	313	192	130	135	169	315	502	677
Diarrhea and enteritis [under 2 years] (119)	892	67	64	56	66	53	48	70	115	143	103	53	54
Diarrhea and enteritis [2 years and over] (120)	355	17	18	14	18	21	23	17	60	66	55	27	19
Nephritis (130–132)	9,332	844	799	897	837	833	767	698	679	641	731	755	851
Puerperal septicemia (140, 142a, 145)	369	40	46	28	38	39	27	24	29	24	26	25	23
Other puerperal causes	547	53	45	49	48	45	52	44	43	35	51	46	36
Suicide (163–171)	1,394	120	94	145	150	137	122	139	111	94	86	103	93
Automobile accidents [1]	2,190	141	142	138	155	167	149	183	191	217	246	214	247
Automobile—railroad train and street car collisions	89	2	5	3	10	10	4	4	10	9	10	10	12
Other external causes	5,283	465	374	366	401	412	523	547	504	380	401	456	454
All other causes	32,499	2,693	2,505	2,948	2,735	2,704	2,711	2,619	2,585	2,631	2,694	2,736	2,938
RHODE ISLAND, all causes	7,895	790	679	768	717	639	584	608	544	544	619	655	748
Typhoid and paratyphoid fever (1, 2)	3				1					1		1	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	9	1	1	3		2					2		
Whooping-cough (9)	26	1	2	2		2	3	3	2	3	2	2	4
Diphtheria (10)	9		1		1					1		2	4
Influenza (11)	120	58	23	17	6	1	1				1	4	9
Dysentery (13)	1								1				
Erysipelas (15)	17	2	4	4	1	1					1	2	2
Lethargic encephalitis (17)	5			1	1			1	2				
Epidemic cerebrospinal meningitis (18)	3								2				1
Tuberculosis of the respiratory system (23)	318	25	30	35	26	30	20	21	25	27	28	30	21
Other forms of tuberculosis (24–32)	35	2	4	3	8	4	2	4	3		2	3	
Malaria (38)													
Diabetes mellitus (59)	245	30	28	23	16	17	13	24	18	16	15	13	32
Cerebral hemorrhage and softening (82a, 82c)	609	57	50	61	66	51	44	42	44	52	44	50	48
Diseases of the heart (90–95)	1,998	193	164	207	178	163	129	144	128	143	146	175	228
Bronchitis (106)	19	2	4	2	1	2	1	2			2		3
Bronchopneumonia (107)	186	29	17	19	25	9	10	8	15	9	9	10	26
Lobar and unspecified pneumonia (108, 109)	355	65	44	46	28	19	15	8	6	12	25	38	49
Diarrhea and enteritis [under 2 years] (119)	31	5		2	1	3	5	3		4	4	2	2
Diarrhea and enteritis [2 years and over] (120)	21	1	2		3	2	3	1	4	1		3	1
Nephritis (130–132)	797	75	69	68	77	80	72	66	44	42	69	71	64
Puerperal septicemia (140, 142a, 145)	23	1	2	1	1	2		2	4	2	3	3	2
Other puerperal causes	36	6	5	2	2	5	2	2	3	4	3	1	1
Suicide (163–171)	83	6	7	7	8	9	9	6	6	8	5	6	6
Automobile accidents [1]	97	10	9	8	3	5	5	12	10	4	5	8	18
Automobile—railroad train and street car collisions													
Other external causes	293	20	25	24	17	20	30	30	25	29	24	27	22
All other causes	2,556	201	188	233	247	212	220	229	202	186	229	204	205

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (WHITE), all causes	8,580	843	722	799	665	716	707	625	619	660	690	726	808
Typhoid and paratyphoid fever (1, 2)	71	2	2	6	2	4	9	11	12	11	6	2	4
Smallpox (6)													
Measles (7)	46	1	2	5	1	14	7	4				3	9
Scarlet fever (8)	13		1					1	1	3	1	4	2
Whooping-cough (9)	78	2	6	5	5	12	14	6	9	3	2	5	9
Diphtheria (10)	71	6	4	1	2	3	4	1	2	8	12	17	11
Influenza (11)	426	129	92	72	37	13	5	2	1	7	7	24	37
Dysentery (13)	40	1	1		2	9	13	2	4		5	1	2
Erysipelas (15)	19			2				1	1	2	3	2	8
Lethargic encephalitis (17)	6	1							2	1	1		1
Epidemic cerebrospinal meningitis (18)	4		1					1	2				
Tuberculosis of the respiratory system (23)	249	22	24	32	25	18	18	14	21	16	22	15	22
Other forms of tuberculosis (24–32)	14		2	1	1	2	1		3		1	1	2
Malaria (38)	60	1		2		3	2	1	8	11	14	10	8
Diabetes mellitus (59)	136	19	8	16	14	13	9	6	6	11	10	11	13
Cerebral hemorrhage and softening (82a, 82c)	672	63	66	58	58	57	50	54	35	49	54	59	69
Diseases of the heart (90–95)	1,494	135	145	144	128	108	115	102	112	113	139	120	133
Bronchitis (106)	17	2	1	1	2	1			2	3		2	3
Bronchopneumonia (107)	207	23	25	23	12	13	8	10	13	18	17	18	27
Lobar and unspecified pneumonia (108, 109)	359	60	32	40	31	26	19	16	13	9	21	41	51
Diarrhea and enteritis [under 2 years] (119)	182	1	4	2	7	26	38	22	21	25	18	14	4
Diarrhea and enteritis [2 years and over] (120)	42		1	2	4	7	11	3	4	5	3		2
Nephritis (130–132)	896	108	61	99	74	72	76	68	67	67	65	79	60
Puerperal septicemia (140, 142a, 145)	28	2	1	3	2	2	2	2	2	3	3	2	4
Other puerperal causes	98	13	4	4	7	8	11	6	12	10	8	5	10
Suicide (163–171)	105	14	11	7	7	7	8	7	3	11	8	12	10
Automobile accidents [1]	219	11	10	18	8	11	16	21	16	21	23	32	32
Automobile—railroad train and street car collisions	8			2		2	1			1			2
Other external causes	443	39	37	28	37	59	35	37	31	29	30	38	43
All other causes	2,577	188	181	226	199	226	235	227	216	223	217	209	230
SOUTH CAROLINA (COLORED), all causes	10,776	944	891	914	828	889	954	909	853	864	884	928	918
Typhoid and paratyphoid fever (1, 2)	143	4	1	3	4	6	17	18	24	28	23	7	8
Smallpox (6)	1					1							
Measles (7)	39			3	4	12	6	5	1	1		4	3
Scarlet fever (8)													
Whooping-cough (9)	82	4	6	1	4	9	13	7	14	7	5	8	4
Diphtheria (10)	26			2		4	1	1	3	2	5	1	7
Influenza (11)	537	138	136	86	40	19	8	8	9	8	14	29	42
Dysentery (13)	51			3	4	10	17	6	5	1	3	1	1
Erysipelas (15)	4								1				3
Lethargic encephalitis (17)	2			1	1								
Epidemic cerebrospinal meningitis (18)	5		2		1	1				1			
Tuberculosis of the respiratory system (23)	788	58	64	79	75	57	72	72	78	62	53	60	58
Other forms of tuberculosis (24–32)	43	3	2	4	3	7	4	4	1	3	2	6	4
Malaria (38)	184	4	2	5	8	9	20	21	24	30	29	21	11
Diabetes mellitus (59)	66	6	5	2	6	2	5	2	10	8	5	10	5
Cerebral hemorrhage and softening (82a, 82c)	695	51	49	55	65	59	58	69	59	51	50	67	62
Diseases of the heart (90–95)	1,407	113	100	120	125	105	140	125	110	120	118	116	115
Bronchitis (106)	4			1						2	1		
Bronchopneumonia (107)	135	14	11	11	10	6	9	6	5	11	12	18	22
Lobar and unspecified pneumonia (108, 109)	601	76	80	75	53	38	13	20	18	30	40	72	86
Diarrhea and enteritis [under 2 years] (119)	247	7	5	5	6	40	69	30	28	29	16	8	4
Diarrhea and enteritis [2 years and over] (120)	68	1	2	2	4	10	7	9	8	12	5	5	3
Nephritis (130–132)	926	74	89	86	85	58	71	79	61	65	89	91	78
Puerperal septicemia (140, 142a, 145)	54	2	1	2	2	6	5	7	9	5	5	6	4
Other puerperal causes	144	13	12	10	8	14	13	12	11	11	18	15	7
Suicide (163–171)	12	3		1	2	2		1	2		1		
Automobile accidents [1]	123	8	12	8	15	4	7	8	8	9	15	12	17
Automobile—railroad train and street car collisions	6			1			1		1	1		2	
Other external causes	571	38	41	39	36	51	64	53	52	44	44	46	63
All other causes	3,812	327	271	309	267	359	334	346	311	323	331	323	311
SOUTH DAKOTA, all causes	6,104	794	561	553	525	508	455	470	451	418	475	449	445
Typhoid and paratyphoid fever (1, 2)	35	23	4		2			1	2	2	1		
Smallpox (6)													
Measles (7)	7	1					2					1	3
Scarlet fever (8)	9		3	2	1	1	1					1	
Whooping-cough (9)	36	8	7	3	4	2	2	5	1	2			2
Diphtheria (10)	14	2	3	1						1	5	2	
Influenza (11)	282	132	34	34	13	6	10	3	5	7	20	11	7
Dysentery (13)	6							1	2	2	1		
Erysipelas (15)	8	1	1		1	1	1		1	1			1
Lethargic encephalitis (17)	6	1	1			2			1	1			
Epidemic cerebrospinal meningitis (18)	11	1	2	3	2							3	
Tuberculosis of the respiratory system (23)	249	39	23	23	18	21	19	22	19	22	16	18	9
Other forms of tuberculosis (24–32)	37	4	2	1	2	3	7	2	2	4	4	3	3
Malaria (38)													
Diabetes mellitus (59)	131	18	14	13	12	12	11	10	8	6	8	10	9
Cerebral hemorrhage and softening (82a, 82c)	433	49	28	45	42	34	35	31	23	23	46	35	42
Diseases of the heart (90–95)	1,142	130	112	124	91	98	94	87	85	86	78	75	82
Bronchitis (106)	18	4	3	3		2		2	1	1	1	1	
Bronchopneumonia (107)	165	28	31	21	20	10	7	4	6	9	9	10	10
Lobar and unspecified pneumonia (108, 109)	197	39	24	18	28	11	7	4	4	8	15	15	24
Diarrhea and enteritis [under 2 years] (119)	68	2	6	2	5	9	2	7	8	13	12		2
Diarrhea and enteritis [2 years and over] (120)	35	1		1	1	3	2	3	11	3	2	4	4
Nephritis (130–132)	313	34	25	29	32	33	23	23	18	22	26	22	26
Puerperal septicemia (140, 142a, 145)	19	1	1		3	2	2	1	3		3	2	1
Other puerperal causes	43	8	6	4	3	2	3	5	4	3	1	3	1
Suicide (163–171)	88	6	2	6	6	11	5	9	11	7	9	8	8
Automobile accidents [1]	115	11	5	2	7	8	9	17	14	9	10	15	8
Automobile—railroad train and street car collisions	4		1					1				1	1
Other external causes	317	17	20	16	23	37	32	38	30	30	30	20	24
All other causes	2,316	234	203	202	209	200	181	194	192	156	178	189	178

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE (WHITE), all causes	20,403	2,127	1,744	1,760	1,455	1,513	1,646	1,689	1,539	1,569	1,771	1,808	1,782
Typhoid and paratyphoid fever (1, 2)	187	5	9	5	6	8	27	34	23	21	27	13	9
Smallpox (6)													
Measles (7)	73	2	3	4	6	10	6	3	3	2	9	8	17
Scarlet fever (8)	51	3	4	1	2	2	2	3	2	1	10	8	13
Whooping-cough (9)	123	24	11	8	8	13	12	16	8	3	5	7	8
Diphtheria (10)	215	18	4	9	3	1	1	4	14	26	47	54	34
Influenza (11)	754	312	107	84	41	22	8	9	8	14	23	53	73
Dysentery (13)	135	2		4	2	7	40	22	24	14	10	5	5
Erysipelas (15)	45	5	2	1	7	2	1	3	3	2	6	5	8
Lethargic encephalitis (17)	27	4	3		2	2	4	1	3	3	1	1	3
Epidemic cerebrospinal meningitis (18)	26	4	2	4		1	1	1	1	2	1	7	2
Tuberculosis of the respiratory system (23)	1,476	152	132	145	134	113	116	127	97	116	101	121	122
Other forms of tuberculosis (24–32)	169	17	15	15	16	13	18	13	8	17	12	13	12
Malaria (38)	179	3	4	1	1	1	6	16	21	31	54	32	9
Diabetes mellitus (59)	231	32	24	18	12	14	24	20	9	19	19	24	16
Cerebral hemorrhage and softening (82a, 82c)	1,252	109	115	119	90	103	85	89	103	81	110	126	122
Diseases of the heart (90–95)	2,731	248	206	287	221	216	239	208	209	213	246	215	223
Bronchitis (106)	67	8	5	5	5	6	2	5	5	7	6	8	5
Bronchopneumonia (107)	614	95	94	69	43	34	20	24	25	27	40	53	90
Lobar and unspecified pneumonia (108, 109)	799	120	107	83	64	49	35	23	29	38	50	98	103
Diarrhea and enteritis [under 2 years] (119)	540	10	9	15	8	41	107	95	80	72	63	23	17
Diarrhea and enteritis [2 years and over] (120)	208	10	4	6	4	17	52	38	26	28	8	9	6
Nephritis (130–132)	1,207	110	94	97	108	90	107	109	93	109	101	93	96
Puerperal septicemia (140, 142a, 145)	78	4	6	4	2	7	2	12	5	11	8	9	8
Other puerperal causes	137	17	11	10	12	14	14	14	12	4	11	7	11
Suicide (163–171)	296	22	29	24	24	29	17	30	29	28	19	21	24
Automobile accidents [1]	426	32	25	25	27	32	19	26	40	43	49	43	65
Automobile—railroad train and street car collisions	13	1	1		3	1		1	3	1			2
Other external causes	1,201	88	106	119	74	112	94	107	99	89	106	103	104
All other causes	7,143	670	612	598	530	553	587	636	557	547	629	649	575
TENNESSEE (COLORED), all causes	7,720	719	604	671	588	587	709	696	604	574	696	657	615
Typhoid and paratyphoid fever (1, 2)	68	5		2	2	3	5	11	16	11	6	7	
Smallpox (6)													
Measles (7)	14		1		4	3	3		1				2
Scarlet fever (8)	2									1		1	
Whooping-cough (9)	46	4	3	3	2	6	6	5	3	4	5	3	2
Diphtheria (10)	17		1		1		1		2	1	5	4	2
Influenza (11)	280	71	57	49	19	14	10	8	2	4	10	18	18
Dysentery (13)	59		2			1	15	20	9	5	4	1	2
Erysipelas (15)	8	1	1			1	1			1	1	1	1
Lethargic encephalitis (17)	2		1						1				
Epidemic cerebrospinal meningitis (18)	7		1		2		1		2		1		
Tuberculosis of the respiratory system (23)	824	78	56	63	71	80	73	92	68	71	55	60	57
Other forms of tuberculosis (24–32)	132	10	10	13	15	10	13	13	14	10	9	9	6
Malaria (38)	96				2		6	11	9	20	35	10	3
Diabetes mellitus (59)	64	5	3	4	8	8	4	4	7	6	5	4	6
Cerebral hemorrhage and softening (82a, 82c)	478	41	31	36	49	34	49	43	34	31	51	38	41
Diseases of the heart (90–95)	908	81	68	99	78	69	77	78	77	62	79	68	72
Bronchitis (106)	23		2	3	2	2	2	2	1		4	2	3
Bronchopneumonia (107)	232	30	20	26	16	14	13	10	15	19	27	20	22
Lobar and unspecified pneumonia (108, 109)	370	48	44	44	33	24	17	11	13	14	32	48	42
Diarrhea and enteritis [under 2 years] (119)	125	4	4	4	3	11	33	27	14	14	7	2	2
Diarrhea and enteritis [2 years and over] (120)	66	2	1	3	2	2	17	14	6	8	5	2	4
Nephritis (130–132)	473	31	32	33	36	29	58	42	46	34	51	41	40
Puerperal septicemia (140, 142a, 145)	42	2	2	8	5	4	4	2	4	2	5	2	2
Other puerperal causes	42	3	2	6	1	3	5	3	2	3	5	3	6
Suicide (163–171)	10	2	2				1		2		1		2
Automobile accidents [1]	114	13	11	8	3	5	10	8	9	13	16	10	8
Automobile—railroad train and street car collisions	1						1						
Other external causes	608	46	49	52	42	44	47	56	42	50	54	68	58
All other causes	2,609	242	200	215	192	220	237	236	205	190	223	235	214
TEXAS (WHITE), all causes	42,158	4,541	3,774	3,766	3,336	3,446	3,278	3,427	3,070	3,102	3,283	3,546	3,589
Typhoid and paratyphoid fever (1, 2)	350	12	12	17	13	16	29	37	54	37	47	34	42
Smallpox (6)	7			1		1		1				2	2
Measles (7)	375	28	47	82	80	82	30	17	3			2	4
Scarlet fever (8)	69	10	10	3	10	10	1	1	1	4	2	5	12
Whooping-cough (9)	220	12	14	22	26	31	23	29	22	10	8	9	14
Diphtheria (10)	514	71	35	32	18	22	19	12	21	41	66	102	75
Influenza (11)	1,852	770	326	242	132	52	32	33	16	24	48	70	107
Dysentery (13)	237	6	3	8	11	25	41	38	20	28	25	23	9
Erysipelas (15)	59	9	8	7	4	3	6	5	1	3	4	5	4
Lethargic encephalitis (17)	41	4		2	2	1	1	1	3	7	9	6	5
Epidemic cerebrospinal meningitis (18)	37	8	4	3	7	4	2	2	2	4			1
Tuberculosis of the respiratory system (23)	2,340	247	217	219	208	194	199	152	165	174	184	190	191
Other forms of tuberculosis (24–32)	183	15	10	14	26	20	11	14	21	10	9	18	15
Malaria (38)	258	1	4	10	12	16	17	20	23	40	55	44	16
Diabetes mellitus (59)	574	53	51	61	27	39	38	42	52	48	48	54	61
Cerebral hemorrhage and softening (82a, 82c)	2,477	220	216	217	202	218	209	188	207	184	163	230	223
Diseases of the heart (90–95)	6,394	653	606	575	515	511	503	510	475	465	487	512	582
Bronchitis (106)	160	20	21	16	9	7	14	8	12	11	14	15	13
Bronchopneumonia (107)	1,142	202	214	137	112	55	45	51	31	40	59	93	103
Lobar and unspecified pneumonia (108, 109)	1,418	228	227	210	129	91	58	50	43	44	68	100	170
Diarrhea and enteritis [under 2 years] (119)	1,094	30	43	45	75	158	164	132	99	97	111	86	54
Diarrhea and enteritis [2 years and over] (120)	412	18	13	18	23	43	50	60	40	41	44	34	28
Nephritis (130–132)	2,511	242	215	240	206	216	198	215	172	211	175	211	210
Puerperal septicemia (140, 142a, 145)	204	20	14	22	14	18	20	16	18	17	13	21	11
Other puerperal causes	301	39	35	22	23	25	19	24	19	11	27	32	25
Suicide (163–171)	667	54	52	49	49	68	58	60	63	57	49	53	55
Automobile accidents [1]	1,076	75	48	87	74	80	72	86	87	110	131	118	108
Automobile—railroad train and street car collisions	42	8	1	8	2	3	2	7	3	1	1	1	5
Other external causes	2,560	231	189	159	214	216	209	288	207	228	191	212	216
All other causes	14,584	1,255	1,139	1,238	1,113	1,221	1,208	1,328	1,190	1,155	1,245	1,264	1,228

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS (COLORED), all causes	16,790	1,613	1,401	1,432	1,422	1,501	1,397	1,377	1,345	1,248	1,279	1,367	1,408
Typhoid and paratyphoid fever (1, 2)	244	14	5	6	9	13	15	33	43	28	37	24	17
Smallpox (6)	7				2			1	1		1		2
Measles (7)	214	15	28	52	38	34	19	11	2	2	4	4	5
Scarlet fever (8)	4		1				1		1				1
Whooping-cough (9)	148	9	8	8	17	28	12	17	10	9	9	10	11
Diphtheria (10)	136	9	11	15	8	1	9	5	10	14	21	22	11
Influenza (11)	736	288	136	81	63	28	19	13	11	4	15	30	48
Dysentery (13)	233	1	4	16	14	29	35	44	22	22	23	13	10
Erysipelas (15)	8	1	2						2	1			2
Lethargic encephalitis (17)	4		3							1			
Epidemic cerebrospinal meningitis (18)	16	2		4	2	2	1		2	2			1
Tuberculosis of the respiratory system (23)	1,645	149	146	156	155	172	133	139	119	114	119	117	126
Other forms of tuberculosis (24–32)	140	9	18	8	13	13	15	14	7	4	14	14	11
Malaria (38)	171	1	1	3	5	8	16	16	13	36	21	36	15
Diabetes mellitus (59)	121	10	8	8	11	13	11	8	5	12	7	17	11
Cerebral hemorrhage and softening (82a, 82c)	713	52	59	66	63	67	56	58	57	57	50	73	55
Diseases of the heart (90–95)	1,554	128	117	136	134	131	134	137	141	100	125	133	138
Bronchitis (106)	42	6	4	4	2	1	3	2	4	1	6	2	7
Bronchopneumonia (107)	487	63	69	52	49	31	27	24	34	21	16	45	56
Lobar and unspecified pneumonia (108, 109)	894	167	124	106	88	64	37	33	28	29	49	67	102
Diarrhea and enteritis [under 2 years] (119)	769	15	16	35	45	84	110	118	83	80	82	52	49
Diarrhea and enteritis [2 years and over] (120)	193	6	8	13	18	20	21	19	18	21	16	18	15
Nephritis (130–132)	945	76	81	84	87	97	85	70	64	70	79	68	84
Puerperal septicemia (140, 142a, 145)	133	11	3	15	13	7	7	8	13	14	13	15	14
Other puerperal causes	197	26	21	12	16	22	14	16	10	21	12	10	17
Suicide (163–171)	55	3	6	2	4	6	5	2	7	3	7	4	6
Automobile accidents [1]	216	14	13	14	10	11	17	17	24	20	26	24	26
Automobile—railroad trains and street car collisions	9	3	5							1			
Other external causes	1,100	77	73	88	75	107	89	96	109	104	87	84	111
All other causes	5,656	458	431	448	481	512	506	476	505	457	440	485	457
UTAH, all causes	4,384	449	355	386	369	378	360	342	297	313	350	376	409
Typhoid and paratyphoid fever (1, 2)	3							1		1	1		
Smallpox (6)													
Measles (7)	3					1					1	1	
Scarlet fever (8)	22	6	2	3	1	1	3			3	1	1	1
Whooping-cough (9)	15	4	1	1		1	2	1	1	2		1	1
Diphtheria (10)	3	1											2
Influenza (11)	120	48	20	5	8	11	3	3	1	4	3	7	7
Dysentery (13)	11	1								2	2		6
Erysipelas (15)	12	1	1	1		3	1	2	1		2		
Lethargic encephalitis (17)	10	1				2	1	1	3	2			
Epidemic cerebrospinal meningitis (18)	13	2	1	5			1	1					3
Tuberculosis of the respiratory system (23)	90	6	9	5	9	5	9	8	10	6	5	11	7
Other forms of tuberculosis (24–32)	22	2	1	4	3	4	3			1	1		3
Malaria (38)													
Diabetes mellitus (59)	69	7	3	3	5	7	4	8	5	10	3	10	4
Cerebral hemorrhage and softening (82a, 82c)	236	25	17	25	26	26	18	25	10	11	16	19	18
Diseases of the heart (90–95)	904	89	74	86	84	89	85	55	51	57	72	78	84
Bronchitis (106)	10	2	1		1	3	2				1		
Bronchopneumonia (107)	136	29	18	13	10	3	8	6	3	8	12	6	20
Lobar and unspecified pneumonia (108, 109)	178	26	17	12	14	13	11	4	7	10	14	24	26
Diarrhea and enteritis [under 2 years] (119)	27	1	1	2	3	1	1		2	6	5	3	2
Diarrhea and enteritis [2 years and over] (120)	25		2	1	1	2	1		4	9	2	2	1
Nephritis (130–132)	284	34	23	28	30	23	25	24	19	17	18	27	16
Puerperal septicemia (140, 142a, 145)	20			4	2	1	3		2	2	4	2	
Other puerperal causes	33	2	4	4	3	4	4	1	4	2	1	2	2
Suicide (163–171)	51	5	3	4	7	5	7	5	1	4	5	3	2
Automobile accidents [1]	135	5	6	7	16	14	2	20	16	14	12	13	10
Automobile—railroad train and street car collisions	4	1			1				1		1		
Other external causes	249	19	20	19	15	21	20	23	24	22	22	29	15
All other causes	1,699	132	131	154	130	138	146	154	132	120	146	137	179
VERMONT, all causes	4,621	559	390	379	383	394	353	344	352	335	351	367	414
Typhoid and paratyphoid fever (1, 2)	3										1	1	1
Smallpox (6)													
Measles (7)	1												1
Scarlet fever (8)	8		2		3		1			1			1
Whooping-cough (9)	12	2	3				1		1			1	4
Diphtheria (10)	3	1					1	1					
Influenza (11)	150	82	20	8	8	9	2	4	1	3	4	1	8
Dysentery (13)	1												1
Erysipelas (15)	5	1		1		1	1						1
Lethargic encephalitis (17)	3				1					1		1	
Epidemic cerebrospinal meningitis (18)	2	1										1	
Tuberculosis of the respiratory system (23)	155	18	11	15	10	12	13	14	15	8	11	16	12
Other forms of tuberculosis (24–32)	21		1	2	2	1	4	1	2	2	1	2	3
Malaria (38)													
Diabetes mellitus (59)	106	8	7	6	12	9	7	8	9	12	9	10	9
Cerebral hemorrhage and softening (82a, 82c)	369	43	39	28	33	36	21	33	29	29	29	18	31
Diseases of the heart (90–95)	1,166	139	107	104	86	89	79	82	81	85	99	102	113
Bronchitis (106)	23	5		2		1	2	2	2	1	3	2	3
Bronchopneumonia (107)	123	29	16	9	7	6	9	2	4	4	9	15	13
Lobar and unspecified pneumonia (108, 109)	147	26	16	19	14	13	7	3	3	8	9	12	17
Diarrhea and enteritis [under 2 years] (119)	17	1		2		3	2	2		6		1	
Diarrhea and enteritis [2 years and over] (120)	7	1	1				1			2	1	1	
Nephritis (130–132)	351	36	30	30	27	31	23	27	35	24	22	35	31
Puerperal septicemia (140, 142a, 145)	14	1	1	1	2	1	1	2	5				
Other puerperal causes	21	2		1	1		3	4	2	3	3	2	
Suicide (163–171)	72	9	3	3	5	2	9	7	8	6	6	9	5
Automobile accidents [1]	70	3	3	5	2	6	5	7	7	10	10	7	5
Automobile—railroad train and street car collisions	2	1		1									
Other external causes	231	25	12	14	16	22	31	20	20	16	18	19	18
All other causes	1,538	125	118	128	154	152	130	125	128	114	116	111	137

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA (WHITE), all causes	18,043	1,877	1,625	1,677	1,475	1,390	1,468	1,497	1,255	1,257	1,432	1,493	1,597
Typhoid and paratyphoid fever (1, 2)	79	3	4	5	2	3	5	19	10	10	5	9	4
Smallpox (6)													
Measles (7)	50	5	7	17	7	7	3	1				1	2
Scarlet fever (8)	51	5	1	4	7	1	3	1		3	5	8	13
Whooping-cough (9)	50	3	10	6	3	3	8	3	1	3	3	4	3
Diphtheria (10)	153	7	8	9	2	1	3	3	6	14	39	30	31
Influenza (11)	623	271	134	74	33	16	8	5	2	9	21	20	30
Dysentery (13)	88	2	2		3	13	26	17	8	5	10	1	1
Erysipelas (15)	38	2	3	3	7	2	2		2	2	4	5	6
Lethargic encephalitis (17)	13	4	1	1			2				1	1	3
Epidemic cerebrospinal meningitis (18)	27	2	1	6	4	1	2		1	3		2	5
Tuberculosis of the respiratory system (23)	837	79	84	79	77	79	68	51	51	49	64	87	69
Other forms of tuberculosis (24–32)	106	5	9	11	8	7	18	11	8	4	8	7	10
Malaria (38)	5						1		1	1	1		1
Diabetes mellitus (59)	266	39	16	20	19	24	21	20	24	19	15	25	24
Cerebral hemorrhage and softening (82a, 82c)	1,573	154	131	147	125	124	147	129	113	106	125	138	134
Diseases of the heart (90–95)	3,385	307	268	303	305	278	283	284	234	248	270	280	325
Bronchitis (106)	59	11	5	6	4	2	5	3	4	5	5	3	6
Bronchopneumonia (107)	444	75	67	52	28	19	21	23	11	26	39	44	39
Lobar and unspecified pneumonia (108, 109)	574	88	73	78	61	40	27	10	21	18	33	53	72
Diarrhea and enteritis [under 2 years] (119)	267	3	11	13	10	13	58	49	36	35	24	9	6
Diarrhea and enteritis [2 years and over] (120)	88	4	6	2	2	5	13	14	12	10	9	7	4
Nephritis (130–132)	1,544	133	135	157	124	130	122	148	114	96	122	132	131
Puerperal septicemia (140, 142a, 145)	62	4	7	6	1	3	3	5	6	4	3	9	11
Other puerperal causes	114	12	9	11	16	10	9	13	7	9	3	5	10
Suicide (163–171)	335	29	21	25	28	41	26	25	30	29	31	24	26
Automobile accidents [1]	422	34	37	25	24	28	25	36	37	49	42	41	44
Automobile—railroad train and street car collisions	16		2	5	1	1			2		1	3	1
Other external causes	1,021	84	72	75	74	78	101	91	104	75	85	74	108
All other causes	5,753	512	501	537	500	461	458	536	410	425	464	471	478
VIRGINIA (COLORED), all causes	10,411	1,049	915	987	809	846	908	837	764	761	814	874	847
Typhoid and paratyphoid fever (1, 2)	35	2	1	1	1		4	7	3	10	5		1
Smallpox (6)													
Measles (7)	10			1	2		3	1		1		1	1
Scarlet fever (8)	5			1	1						2	1	
Whooping-cough (9)	74	8	4	5	6	9	5	7	4	4	8	8	6
Diphtheria (10)	29	2	2		1	1	1			2	9	6	5
Influenza (11)	362	112	77	52	27	16	8	2	2	6	7	18	35
Dysentery (13)	49		1	1		5	12	11	7	4	6	1	1
Erysipelas (15)	7			1	1					1		1	3
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	5	1			1					1	1	1	
Tuberculosis of the respiratory system (23)	1,005	90	80	97	92	91	94	74	64	83	76	92	72
Other forms of tuberculosis (24–32)	95	7	7	7	8	7	7	8	12	9	8	9	6
Malaria (38)	5							1	1	3			
Diabetes mellitus (59)	119	10	10	11	10	6	10	8	16	7	12	12	7
Cerebral hemorrhage and softening (82a, 82c)	936	111	80	88	67	74	98	86	58	68	75	70	61
Diseases of the heart (90–95)	1,796	156	151	178	144	165	143	146	145	127	149	152	140
Bronchitis (106)	37	4	5	7	1	2	2	2	3	1	4	5	1
Bronchopneumonia (107)	292	40	44	34	23	23	14	8	7	17	13	32	37
Lobar and unspecified pneumonia (108, 109)	477	88	65	56	29	34	24	18	6	17	27	54	59
Diarrhea and enteritis [under 2 years] (119)	160	3	4	8	4	18	29	36	13	18	17	7	3
Diarrhea and enteritis [2 years and over] (120)	76	3	4	4	5	9	16	12	11	6	3	2	1
Nephritis (130–132)	860	87	62	83	76	60	78	71	84	55	71	65	68
Puerperal septicemia (140, 142a, 145)	58	1	7	5	4	6	10	2	5	6	6	1	5
Other puerperal causes	89	16	3	6	8	8	5	5	9	7	7	8	7
Suicide (163–171)	35	3	4	1	3	4	1	3	6	1	4	3	2
Automobile accidents [1]	170	5	11	15	16	15	12	11	18	18	15	18	16
Automobile—railroad train and street car collisions	2							2					
Other external causes	583	49	47	44	40	46	51	67	46	47	37	57	52
All other causes	3,040	251	246	281	239	247	281	249	244	242	252	250	258
WASHINGTON, all causes	16,705	1,606	1,334	1,480	1,387	1,408	1,255	1,334	1,347	1,262	1,449	1,315	1,528
Typhoid and paratyphoid fever (1, 2)	24	4		2	2	1	4	2	2	2	3	1	1
Smallpox (6)	2	1						1					
Measles (7)	9			3		1	1	2			1		1
Scarlet fever (8)	15	2	2	2	1	2	2				1	3	
Whooping-cough (9)	4										2		2
Diphtheria (10)	24	6	3	2	3			1		1	4	3	1
Influenza (11)	326	115	45	33	20	14	11	6	10	8	17	20	27
Dysentery (13)	8	1					2			1	2	1	1
Erysipelas (15)	17	2	2	3	1	1	1	1	2			2	2
Lethargic encephalitis (17)	18			2	1	1	3	2	3	1	1	4	
Epidemic cerebrospinal meningitis (18)	18	2	1		1			3	3	2	3	2	1
Tuberculosis of the respiratory system (23)	745	66	65	55	80	73	51	61	59	59	53	58	65
Other forms of tuberculosis (24–32)	112	7	3	8	9	13	13	16	5	8	11	10	9
Malaria (38)													
Diabetes mellitus (59)	354	30	31	23	27	37	24	21	34	29	35	26	37
Cerebral hemorrhage and softening (82a, 82c)	1,396	147	125	135	104	122	103	111	99	93	122	119	116
Diseases of the heart (90–95)	3,799	340	335	337	342	332	278	302	284	269	325	314	341
Bronchitis (106)	35	7	3	2	2	2	2	1	1	2	5	3	5
Bronchopneumonia (107)	346	54	34	33	32	20	12	15	16	29	26	30	45
Lobar and unspecified pneumonia (108, 109)	441	55	55	54	36	34	19	24	15	21	46	31	51
Diarrhea and enteritis [under 2 years] (119)	41	4	2	3	5		1	4	2	6	8	5	1
Diarrhea and enteritis [2 years and over] (120)	36	3	3	2	2	2	1	1	6	5	7	1	3
Nephritis (130–132)	1,157	113	83	108	92	93	112	90	97	98	89	74	108
Puerperal septicemia (140, 142a, 145)	49	3	3	9	3	6	2	5	7	3	4		4
Other puerperal causes	84	8	5	8	8	5	7	11	4	6	6	5	11
Suicide (163–171)	380	21	27	32	37	28	36	36	31	27	31	37	37
Automobile accidents [1]	442	26	24	25	36	36	32	36	37	42	51	29	68
Automobile—railroad train and street car collisions	14		1					7	1	2		2	1
Other external causes	1,049	68	43	80	80	71	110	120	130	88	97	75	87
All other causes	5,760	521	439	519	463	514	428	455	499	458	501	460	503

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH STATE: 1933—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA, all causes	16,605	1,734	1,392	1,481	1,268	1,265	1,224	1,386	1,282	1,354	1,397	1,381	1,441
Typhoid and paratyphoid fever (1, 2)	141	8	3	5	1	4	8	20	29	21	25	13	4
Smallpox (6)													
Measles (7)	46	6	7	11	8	5	4	1	1		1		2
Scarlet fever (8)	44	2	4	2	3		1	1	3	6	9	5	8
Whooping-cough (9)	107	14	7	4	7	6	8	7	14	9	7	14	10
Diphtheria (10)	193	12	6	8	2	7	1	6	9	28	43	42	29
Influenza (11)	547	252	100	58	28	14	8	7	10	7	20	17	26
Dysentery (13)	58			3		1	7	19	9	9	6	3	1
Erysipelas (15)	16	1	2	3		5	1					2	2
Lethargic encephalitis (17)	7		1	1				2	1	2			
Epidemic cerebrospinal meningitis (18)	31	3		6	2	4	3	3	1		4	3	2
Tuberculosis of the respiratory system (23)	849	105	68	83	72	63	73	67	66	64	57	57	74
Other forms of tuberculosis (24–32)	133	5	13	8	9	11	8	7	11	18	15	11	17
Malaria (38)	1											1	
Diabetes mellitus (59)	221	23	15	18	19	10	19	21	11	17	23	21	24
Cerebral hemorrhage and softening (82a, 82c)	1,038	90	95	117	84	88	83	82	74	73	82	89	81
Diseases of the heart (90–95)	2,332	216	201	228	198	192	168	183	169	177	174	201	227
Bronchitis (106)	25	3	3	2	3	1	1	2	2	1		5	2
Bronchopneumonia (107)	549	106	64	58	36	23	19	12	15	20	56	53	87
Lobar and unspecified pneumonia (108, 109)	577	85	76	70	60	34	20	20	16	15	45	62	74
Diarrhea and enteritis [under 2 years] (119)	591	12	8	17	20	19	74	127	98	117	72	21	6
Diarrhea and enteritis [2 years and over] (120)	161	2	7	4	4	5	24	32	24	34	16	4	5
Nephritis (130–132)	1,431	143	118	143	103	140	110	124	85	125	119	122	99
Puerperal septicemia (140, 142a, 145)	84	3	8	6	8	11	9	5	7	4	7	9	7
Other puerperal causes	122	10	10	16	10	9	8	19	13	3	7	6	11
Suicide (163–171)	203	14	12	14	23	19	14	15	13	23	19	21	16
Automobile accidents [1]	382	22	24	11	17	27	21	43	34	45	49	38	51
Automobile—railroad train and street car collisions	7		2					3	1				1
Other external causes	1,334	112	101	92	101	82	121	129	124	120	111	125	116
All other causes	5,375	485	437	495	450	485	411	429	442	416	430	436	459
WISCONSIN, all causes	29,513	3,319	2,456	2,573	2,493	2,453	2,298	2,209	2,194	2,188	2,401	2,298	2,631
Typhoid and paratyphoid fever (1, 2)	17		2		3	2	1		4		2	2	1
Smallpox (6)	1												1
Measles (7)	29	7	2	4	5	4	2	1	1				3
Scarlet fever (8)	37	11	1	1	4	5	1		1	1	4	2	6
Whooping-cough (9)	61	2	6	4	6	3	3	5	6	11	6	6	3
Diphtheria (10)	19	4	1			2	1	2	1		4	1	3
Influenza (11)	746	379	117	56	47	19	6	11	16	14	22	23	36
Dysentery (13)	13	2		2		1	1	2	1	4			
Erysipelas (15)	34	5	4	2	6	3	4		1	1	2	3	3
Lethargic encephalitis (17)	19	1	1	2	1	2	1	1	5	2	1	2	
Epidemic cerebrospinal meningitis (18)	17	2	2	2		3	2				1	1	4
Tuberculosis of the respiratory system (23)	1,093	106	90	83	102	107	110	87	87	71	88	73	89
Other forms of tuberculosis (24–32)	135	16	8	15	14	9	12	9	15	7	8	8	14
Malaria (38)													
Diabetes mellitus (59)	707	69	72	70	67	57	63	43	50	42	52	58	64
Cerebral hemorrhage and softening (82a, 82c)	2,326	230	214	240	201	195	175	159	150	166	182	200	214
Diseases of the heart (90–95)	6,864	730	547	597	613	605	542	514	476	496	565	555	624
Bronchitis (106)	101	23	7	11	12	10	5	4	5	3	6	5	10
Bronchopneumonia (107)	741	166	81	71	49	58	35	32	30	40	42	57	80
Lobar and unspecified pneumonia (108, 109)	834	182	85	83	72	65	49	23	39	22	49	70	95
Diarrhea and enteritis [under 2 years] (119)	201	15	16	14	12	21	21	11	17	26	25	18	5
Diarrhea and enteritis [2 years and over] (120)	75	8	2	5	4	3	3	9	7	8	15	7	4
Nephritis (130–132)	1,962	182	170	169	162	168	125	164	147	148	158	145	224
Puerperal septicemia (140, 142a, 145)	87	7	10	14	8	10	3	4	8	7	6	3	7
Other puerperal causes	163	18	13	19	12	19	18	11	9	12	13	12	7
Suicide (163–171)	508	43	37	40	42	40	42	47	50	45	56	31	35
Automobile accidents [1]	627	52	20	30	35	48	39	62	69	73	57	59	83
Automobile—railroad train and street car collisions	45	1	1	4	2		3	4	5	7	5	4	9
Other external causes	1,447	106	103	97	90	104	190	146	131	127	132	108	113
All other causes	10,604	952	844	938	924	890	841	858	863	855	900	845	894
WYOMING, all causes	1,975	214	173	175	176	175	116	182	136	140	167	153	168
Typhoid and paratyphoid fever (1, 2)	11		2	2					2		1	3	1
Smallpox (6)													
Measles (7)	2	1	1										
Scarlet fever (8)	5	1				1	1	2					
Whooping-cough (9)	10	2	2	2		2	1			1			
Diphtheria (10)	2		2										
Influenza (11)	65	37	12	7	1	4				1	2	1	
Dysentery (13)	1									1			
Erysipelas (15)	1									1			
Lethargic encephalitis (17)	1									1			
Epidemic cerebrospinal meningitis (18)	4				2			1			1		
Tuberculosis of the respiratory system (23)	52	7	3	4	9	2	4	4	2	3	7	4	3
Other forms of tuberculosis (24–32)	18	2	3	1	5	1	1	1	1		1	2	
Malaria (38)													
Diabetes mellitus (59)	31	4	7	3	2	1	2	3		2	1	4	2
Cerebral hemorrhage and softening (82a, 82c)	113	7	12	7	10	9	5	10	12	10	6	13	12
Diseases of the heart (90–95)	370	31	37	38	38	30	26	35	22	27	36	20	30
Bronchitis (106)	10	2	1	1		1	1			1			3
Bronchopneumonia (107)	45	6	6	4	4	1	1	3		5	1	10	4
Lobar and unspecified pneumonia (108, 109)	65	15	12	4	7	5	3			3	4	6	6
Diarrhea and enteritis [under 2 years] (119)	14		1	1	2		1		2	1	3	2	1
Diarrhea and enteritis [2 years and over] (120)	13	1	2	1		1		2	1	2		2	1
Nephritis (130–132)	128	9	8	14	11	11	8	12	12	7	11	16	9
Puerperal septicemia (140, 142a, 145)	9	1				4	1		1	1	1		
Other puerperal causes	15	2	2	1	2	4	1			1	1		1
Suicide (163–171)	56	4	4	4	6	6	2	3	3	6	7	5	6
Automobile accidents [1]	87	1	2	5	6	5	2	11	12	10	11	12	10
Automobile—railroad train and street car collisions													
Other external causes	171	15	7	21	15	13	12	17	16	13	19	7	16
All other causes	676	66	47	55	56	74	44	78	50	43	54	46	63

[1] Excludes collision with railroad trains and street cars.

SUPPLEMENT

HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS

HAWAII

(See tables, pp. 450 to 461)

The number of deaths from all causes in Hawaii in 1933 was 3,648, and the estimated population was 404,000, giving a rate of 9.0 per 1,000 population against 9.3 in 1932.

The highest death rates per 100,000 population in 1933 were from diseases of the heart, 116.3; pneumonia (all forms), 94.6; tuberculosis (all forms), 93.3; congenital malformations and diseases of early infancy, 71.0; nephritis, 70.5; cancer, 64.1; cerebral hemorrhage and softening, 45.0; and diarrhea and enteritis, under 2 years, 34.2. These 8 causes account for 65 percent of all deaths.

In 1933 there was an encouraging decline in mortality from diarrhea and enteritis (under 2 years)-congenital malformations and diseases of early infancy, measles, and diphtheria—all diseases of childhood; and the rate for infants under 1 year of age decreased from 81.5 per 1,000 population in 1932 to 70.2 in 1933—more than 50 percent of the latter being due to premature birth, diarrhea and enteritis, and bronchopneumonia.

Mortality rates for cancer and pneumonia decreased in 1933, but showed a marked increase in diseases of the heart (from 98.2 to 116.3) and nephritis (from 59.3 to 70.5).

PUERTO RICO

(See tables, pp. 462 to 471)

The number of deaths from all causes in Puerto Rico in 1933 was 36,765, and the estimated population was 1,621,300, giving a rate of 22.7 per 1,000. The white population was 1,209,500 with a rate of 22.4. The colored population numbered 411,800 with a rate of 23.5.

The highest death rates per 100,000 population in 1933, the second year after admission to the registration area, were for tuberculosis (all forms) (336.7); diarrhea and enteritis—under 2 years (264.0), and 2 years and over (199.7); malaria (194.6); pneumonia (all forms) (191.1); and nephritis (170.3). These 5 causes account for 59.8 percent of all deaths. With the exception of diarrhea and enteritis, the above causes show higher rates for the colored than for the white population.

VIRGIN ISLANDS

(See tables, pp. 472 to 475)

A special census of the population of the Virgin Islands, which was taken by the Bureau of the Census in 1930, numbered 22,012, and Negroes constituted 78.3 percent of the total. Because of the continuous decrease of the population from 1860 to 1930, rates have not been computed.

There were 481 deaths in 1933: 37 of whites, 389 of Negroes, 53 of mixed, and 2 of other colored. The largest number of deaths resulted from diseases of the heart, nephritis, pneumonia (all forms), syphilis, diarrhea and enteritis (under 2 years), cerebral hemorrhage, and tuberculosis (all forms); and these accounted for 59.9 percent of all deaths. The deaths of infants under 1 year of age numbered 91, 63.7 percent of which were due to diarrhea and enteritis, premature birth, and pneumonia (all forms). Deaths of infants under 1 year of age from diarrhea and enteritis increased from 15 in 1932 to 26 in 1933.

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1930

RACE	POPULATION APRIL 1, 1930						
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County [1]
Total	**368,336**	**19,468**	**137,582**	**53,857**	**65,341**	**35,942**	**56,146**
Hawaiian	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian	28,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian	15,632	986	8,283	1,537	1,213	996	2,617
Asiatic-Hawaiian	12,592	895	5,959	1,653	904	762	2,419
Caucasian	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese	27,588	2,467	12,297	3,703	2,138	2,554	4,429
Puerto Rican	6,671	158	2,211	1,490	818	841	1,153
Other Caucasian	46,114	1,181	24,535	1,359	15,703	1,375	1,961
Chinese	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean	6,461	288	2,604	843	1,545	362	819
Filipino	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All others	780	30	440	69	127	21	93

[1] Includes Kalawao County.

TABLE 2.—DEATHS (*Exclusive of Stillbirths*), BY RACE, IN THE TERRITORY OF HAWAII: 1933

RACE	DEATHS IN—							
	HAWAII TERRITORY		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County [1]
	Number	Rate per 1,000 estimated population July 1, 1933						
Total	**3,648**	**9.0**	**194**	**1,545**	**472**	**431**	**359**	**647**
Hawaiian	625	28.0	20	236	115	62	42	150
Part Hawaiian	427	13.6	19	229	41	26	23	89
Caucasian-Hawaiian	225	13.2	8	129	21	17	9	41
Asiatic-Hawaiian	202	14.0	11	100	20	9	14	48
Caucasian	670	7.6	33	352	62	97	53	73
Portuguese	236	8.5	18	102	32	16	22	46
Puerto Rican	79	11.3	2	27	18	7	11	14
Other Caucasian	355	6 6	13	223	12	74	20	13
Chinese	306	10.8	5	195	17	32	21	36
Japanese	1,059	7.1	79	390	150	124	127	189
Korean	83	12.0	7	51	10	5	6	4
Filipino	449	5.9	30	76	75	81	86	101
All others	29	36 3	1	16	2	4	1	5

[1] Includes Kalawao County.

TABLE 3.—DEATHS (*Exclusive of Stillbirths*), BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1933

AREA AND SEX	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	**3,648**	**360**	**277**	**344**	**329**	**297**	**296**	**295**	**280**	**274**	**286**	**305**	**325**
Males	2,279	238	169	223	203	187	191	184	180	164	166	178	196
Females	1,369	122	108	121	126	110	105	111	100	110	100	127	129
Hilo city:													
Males	128	15	10	4	13	6	12	15	9	8	14	11	11
Females	66	5	3	8	5	5	7	8	4	3	5	7	6
Honolulu city:													
Males	947	93	67	92	84	77	87	74	78	65	73	83	74
Females	598	46	46	57	56	45	44	47	45	51	42	58	61
Hawaii County (exclusive of Hilo city):													
Males	301	31	25	39	24	24	17	26	27	20	14	23	31
Females	171	20	12	13	13	19	16	16	11	12	5	18	16
Honolulu County (exclusive of Honolulu city):													
Males	275	30	25	30	28	22	20	20	25	23	14	16	22
Females	156	13	9	14	18	15	11	18	10	15	16	9	8
Kauai County:													
Males	213	23	19	23	17	20	16	20	12	14	17	14	18
Females	146	17	17	5	15	8	15	7	9	13	14	10	16
Maui County:[1]													
Males	415	46	23	35	37	38	39	29	29	34	34	31	40
Females	232	21	21	24	19	18	12	15	21	16	18	25	22

[1] Includes Kalawao County.

TABLE 4.—DEATHS (*Exclusive of Stillbirths*), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1933

RACE AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	**3,648**	**695**	**117**	**58**	**31**	**35**	**936**	**99**	**82**	**97**	**138**	**150**	**153**	**160**	**182**	**180**	**207**	**281**	**276**	**231**	**188**	**130**	**94**	**37**	**15**	**6**	**5**	**1**
Males	2,279	386	62	34	15	17	514	53	50	54	85	92	106	94	100	120	139	187	205	160	134	87	63	25	7	2	1	1
Females	1,369	309	55	24	16	18	422	46	32	43	53	58	47	66	82	60	68	94	71	71	54	43	31	12	8	4	4	---
Hawaiian:																												
Males	319	47	8	5	1	---	61	7	4	11	11	6	9	14	13	16	20	24	33	23	20	24	15	5	2	1	---	---
Females	306	38	6	2	---	---	46	8	4	10	11	15	9	14	19	16	25	32	22	19	17	15	12	3	4	2	3	---
Part Hawaiian:																												
Males	221	96	9	2	2	2	111	9	13	4	12	8	7	7	4	9	3	5	8	6	6	7	2	---	---	---	---	---
Females	206	77	14	4	2	4	101	10	8	8	8	7	4	5	13	10	5	9	4	6	3	2	3	---	---	---	---	---
Caucasian-Hawaiian:																												
Males	120	45	3	1	---	---	49	5	7	3	7	4	3	5	2	5	3	4	5	5	5	6	2	---	---	---	---	---
Females	105	28	6	3	2	---	39	3	8	3	3	3	1	4	9	6	3	9	4	4	2	1	3	---	---	---	---	---
Asiatic-Hawaiian:																												
Males	101	51	6	1	2	2	62	4	6	1	5	4	4	2	2	4	---	1	3	1	1	1	---	---	---	---	---	---
Females	101	49	8	1	---	4	62	7	---	5	5	4	3	1	4	4	2	---	---	2	1	1	---	---	---	---	---	---
Caucasian:																												
Males	426	54	7	5	1	2	69	8	6	10	14	23	18	17	21	27	26	27	31	32	41	25	20	7	3	---	1	---
Females	244	33	3	2	2	---	40	2	4	3	8	13	5	10	13	9	14	14	16	22	21	21	15	9	4	1	---	---
Portuguese:																												
Males	132	23	4	2	1	1	31	2	3	4	3	2	4	5	5	8	7	5	6	11	15	11	5	3	2	---	---	---
Females	104	13	1	---	---	---	14	---	2	2	2	3	2	4	8	6	6	7	8	11	8	9	7	4	1	---	---	---
Puerto Rican:																												
Males	44	10	---	---	---	---	10	1	---	2	1	1	1	---	4	2	3	5	3	5	2	1	2	---	---	---	1	---
Females	35	9	2	1	---	---	12	---	---	1	3	3	1	1	---	2	3	1	---	3	---	1	1	---	2	1	---	---
Other Caucasian:																												
Males	250	21	3	3	---	1	28	5	3	4	10	20	13	12	12	17	16	17	22	16	24	13	13	4	1	---	---	---
Females	105	11	---	1	2	---	14	2	2	---	3	7	2	5	5	1	5	6	8	8	13	11	7	5	1	---	---	---
Chinese:																												
Males	241	15	1	---	2	---	18	6	4	4	1	5	4	7	5	---	12	20	41	32	29	18	20	11	2	1	---	1
Females	65	15	2	---	1	---	18	2	2	2	3	2	4	4	2	1	5	4	4	4	5	3	---	---	---	---	---	---
Japanese:																												
Males	657	93	25	14	7	9	148	20	15	20	12	13	18	8	27	46	59	97	71	56	28	13	4	2	---	---	---	---
Females	402	79	19	13	9	10	130	22	12	13	17	16	18	27	31	21	16	33	23	15	7	1	---	---	---	---	---	---
Korean:																												
Males	68	1	1	2	---	---	4	---	---	---	---	---	---	---	---	7	13	11	16	9	7	---	1	---	---	---	---	---
Females	15	5	---	---	1	---	6	1	1	1	---	---	1	1	---	---	1	---	---	3	---	---	---	---	---	---	---	---
Filipino:																												
Males	328	73	11	6	2	4	96	3	7	4	34	37	49	41	27	14	6	3	5	---	2	---	---	---	---	---	---	---
Females	121	60	11	3	1	4	79	1	1	6	5	5	6	4	3	1	2	2	2	1	---	1	1	---	---	1	---	---
All others:																												
Males	19	7	---	---	---	---	7	---	1	1	1	---	1	---	3	1	---	---	---	2	1	---	1	---	---	---	---	---
Females	10	2	---	---	---	---	2	---	---	---	1	---	---	1	1	2	---	---	---	1	1	---	---	---	---	---	1	---

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1933

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping-cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebro-spinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25-32
Territory of Hawaii	3,648	19	----	2	----	46	7	28	9	3	348	12	17
Hilo city	194	----	----	----	----	----	----	----	----	----	33	1	----
Honolulu city	1,545	5	----	1	----	31	4	11	4	1	171	6	10
Hawaii County (ex. of Hilo city)	472	4	----	1	----	3	1	4	1	----	37	2	1
Honolulu County (ex. of Honolulu city)	431	2	----	----	----	9	1	9	1	----	19	----	1
Kauai County	359	4	----	----	----	2	1	2	----	1	34	1	2
Maui County [1]	647	4	----	----	----	1	----	2	3	1	54	2	3
	DEATH RATE PER 100,000 ESTIMATED POPULATION												
Territory of Hawaii	903.0	4.7	----	0.5	----	11.4	1.7	6.9	2.2	0.7	86.1	3.0	4.2

AREA	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45-53	Rheumatism and gout 56-58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90-95	Bronchitis 106	Pneumonia (all forms) 107-109	DIARRHEA AND ENTERITIS: Under 2 years 119	DIARRHEA AND ENTERITIS: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122
Territory of Hawaii	47	----	259	3	58	182	470	24	382	138	50	48	26
Hilo city	4	----	24	----	5	12	18	----	12	9	1	2	2
Honolulu city	23	----	127	1	33	61	217	4	173	40	12	15	12
Hawaii County (ex. of Hilo city)	8	----	35	----	5	38	74	6	34	19	5	4	3
Honolulu County (ex. of Honolulu city)	5	----	29	----	----	18	50	1	55	16	9	10	2
Kauai County	3	----	20	----	7	14	44	1	28	25	10	7	2
Maui County [1]	4	----	24	2	8	39	67	12	30	29	13	10	5
	DEATH RATE PER 100,000 ESTIMATED POPULATION												
Territory of Hawaii	11.6	----	64.1	0.7	14.4	45.0	116.3	5.9	94.6	34.2	12.4	11.9	6.4

AREA	Cirrhosis of the liver 124	Nephritis 130-132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157-161	Suicide 163-171	Homicide 172-175	AUTOMOBILE ACCIDENTS: Primary [2]	AUTOMOBILE ACCIDENTS: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes
Territory of Hawaii	27	285	12	38	287	62	24	78	----	146	5	506
Hilo city	2	14	----	3	16	4	----	4	----	6	1	21
Honolulu city	14	140	4	14	125	30	4	25	----	51	----	176
Hawaii County (ex. of Hilo city)	2	39	1	2	34	5	7	15	----	14	2	66
Honolulu County (ex. of Honolulu city)	2	25	1	2	36	11	4	15	----	29	1	68
Kauai County	3	36	3	7	25	6	4	6	----	19	----	42
Maui County [1]	4	31	3	10	51	6	5	13	----	27	1	133
	DEATH RATE PER 100,000 ESTIMATED POPULATION											
Territory of Hawaii	6.7	70.5	3.0	9.4	71.0	15.3	5.9	19.3	----	36.1	1.2	125.2

[1] Includes Kalawao County.
[2] Excluding collision with railroad trains and street cars.

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1933

List no.	CAUSE OF DEATH AND SEX	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	Total deaths (all causes) Males	2,279	319	221	120	101	426	132	44	250	241	657	68	328	19
	Females	1,369	306	206	105	101	244	104	35	105	65	402	15	121	10
	I.—Infectious and parasitic diseases Males	410	67	39	16	23	45	15	7	23	33	126	8	88	4
	Females	233	59	49	23	26	14	5	1	8	8	70		32	1
1	Typhoid fever M	12	2	1		1						1		8	
	F	7	1	3		3						2		1	
7	Measles M	1										1			
	F	1		1		1									
9	Whooping-cough M	22	5	4	1	3	4		2	2	4	4			1
	F	24	3	8	4	4	1			1	1	4		7	
10	Diphtheria M	4		2	1	1						2			
	F	3		1		1						2			
11a	Influenza, respiratory complications specified M	6		2		2	2	1		1		1		1	
	F	5	1	2	2							1		1	
11b	Influenza, respiratory complications not specified M	12		2		2	1			1		6		3	
	F	5	1				1			1		2		1	
13	Dysentery M	3					1			1	1			1	
	F	1	1												
14	Plague M	2												2	
15	Erysipelas M	4		1	1		1			1		1		1	
	F	5	1	1	1							3			
16	Acute poliomyelitis, acute polioencephalitis M	1		1	1										
	F	1	1												
18	Epidemic cerebrospinal meningitis M	2										1		1	
	F	1										1			
22	Tetanus M	15		1	1		3	3			2	9			
	F	5		2	1	1	2	1		1	1				
	Tuberculosis (all forms) M	241	33	12	7	5	20	6	3	11	23	81	6	64	2
	F	136	31	21	9	12	8	3	1	4	6	50		20	
23	Respiratory system M	227	32	10	7	3	19	5	3	11	22	76	6	60	2
	F	121	29	16	7	9	8	3	1	4	6	44		18	
24	Meninges and central nervous system M	7					1	1			1	3		2	
	F	5	1	1		1						3			
25	Intestines and peritoneum M	2	1									1			
	F	5	1	2	2							1		1	
26	Vertebral column M	1												1	
	F	3		2		2						1			
30	Genitourinary system M	1										1			
31	Other organs M	1												1	
32a	Acute disseminated tuberculosis M	2		2		2									
	F	2										1		1	
33	Leprosy M	45	19	10	3	7	4	4			1	9	1	1	
	F	20	13	4	3	1	2	1		1					1
34	Syphilis M	33	7	3	1	2	6		2	4	2	9	1	4	1
	F	14	4	4	2	2						4		2	
35	Gonococcus infection, other venereal diseases M	1					1			1					
	F	2	1									1			
36	Purulent infection, septicemia (nonpuerperal) M	1										1			
	F	2	1	1	1										
40	Ankylostomiasis M	1												1	
42	Other diseases caused by helminths M	2					2	1		1					
43	Mycoses M	2	1											1	
44	Other infectious and parasitic diseases F	1		1		1									
	II.—Cancers and other tumors Males	155	14	6	3	3	28	7	2	19	25	66	7	9	
	Females	110	23	9	4	5	34	14	3	17	5	33	1	5	
	Cancer and other malignant tumors M	153	14	6	3	3	28	7	2	19	25	64	7	9	
	F	106	23	9	4	5	31	13	3	15	5	33	1	4	
(45)	Buccal cavity M	11	2	1	1		3			3	3	1		1	
	F	1					1			1					
(45)	Pharynx M	2		1		1	1			1					
(46)	Esophagus M	2	1									1			
(46)	Stomach and duodenum M	62	4	1		1	10	3	2	5	7	36	3	1	
	F	26	5	2	2		7	4	1	2		9	1	2	
(46)	Liver and biliary passages M	24	4				4	2		2	4	9	1	2	
	F	10	3				3	1		2	1	3			
(46)	Pancreas M	3									1	1	1		
	F	2					1			1		1			
(46)	Other digestive tract and peritoneum M	16	1				4			4	1	6	2	2	
	F	9	3	1		1	2	1	1			2		1	
47	Respiratory system M	12	1				2	2			3	6			
	F	2		1		1						1			
48	Uterus F	27	6	3	2	1	5	2	1	2	1	12			
49	Other female genital organs F	6	2				4	1		3					
50	Breast F	11	4				5	2		3		2			
51	Male genitourinary organs M	9		1		1	2			2	3	2		1	
52	Skin M	3		1	1							1		1	
53	Other or unspecified organs M	9	1	1	1		2			2	3	1		1	
	F	12		2		2	3	2		1	3	3		1	
54b	Nonmalignant tumors, uterus F	2					2			2					
54d, e	Nonmalignant tumors, other organs M	2										2			
	F	1					1	1							
55d, e	Tumors, other organs (nature unspecified) F	1												1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Males	71	5	9	4	5	7	2		5	7	13	3	27	
	Females	52	7	9	5	4	13	9	1	3	4	7		12	
56	Acute rheumatic fever M	1										1			
	F	1	1												
57	Chronic rheumatism, osteoarthritis M	1					1			1					
59	Diabetes mellitus M	28	4	3	2	1	6	2		4	6	6	2	1	
	F	30	6	5	3	2	13	9	1	3	3	3			
61	Beriberi M	33		4	2	2						3	1	25	
	F	16		1		1						3		12	
63	Rickets M	1												1	
66b	Exophthalmic goiter F	2									1	1			
(66)	Other diseases of thyroid and parathyroid glands M	1										1			
67	Diseases of thymus gland M	6	1	2		2					1	2			
	F	3		3	2	1									

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
				Total	Caucasian–Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	IV.—Diseases of the blood and blood-making organs	Males 10		2	1	1	2	1		1	3	1		2	
		Females 6	1									4		1	
70	Hemorrhagic conditions	M 2		1	1									1	
		F 2										2			
71a	Pernicious anemia	F 1										1			
72a	True leukemias	M 7		1		1	2	1		1	2	1		1	
		F 3	1									1		1	
72b	Pseudoleukemias (Hodgkin's disease)	M 1									1				
	V.—Chronic poisonings and intoxications	Males 5	2	1	1							1	1		
75	Alcoholism (acute or chronic)	M 4	2	1	1							1			
76	Chronic poisoning by other organic substances	M 1											1		
	VI.—Diseases of the nervous system and of the organs of special sense	Males 175	25	8	4	4	31	17	2	12	26	67	7	9	2
		Females 94	24	13	9	4	28	15	3	10	2	25	1	1	
78	Encephalitis (nonepidemic)	M 2					1	1			1				
		F 2		1	1							1			
79a	Simple meningitis	M 5	2	2	1	1								1	
		F 2		1	1							1			
79b	Nonepidemic cerebrospinal meningitis	M 1	1												
80	Progressive locomotor ataxia (tabes dorsalis)	M 2										1	1		
		F 1										1			
81	Other diseases of spinal cord	M 6		1	1		3	1	1	1		1	1		
		F 1											1		
82a	Cerebral hemorrhage	M 120	12	3	1	2	17	10	1	6	21	57	4	5	1
		F 62	21	4	3	1	20	10	2	8	1	15		1	
82b	Cerebral embolism and thrombosis	M 2					1	1					1		
		F 4		1	1		1	1				2			
82d	Hemiplegia and other paralysis, cause unspecified	F 1	1												
83	General paralysis of insane	M 12	6				4			4	1	1			
		F 4	1	2	1	1						1			
84	Dementia praecox and other psychoses	M 8	1	1		1					1	2		2	1
		F 3					2	1	1			1			
85	Epilepsy	M 5	1				2	2			2				
		F 3		1		1	2	1		1					
86	Convulsions (under 5 years of age)	M 3	1									1		1	
		F 3		1	1						1	1			
87	Other diseases of nervous system	M 1										1			
		F 3					1	1				2			
89a	Diseases of ear	M 3	1				1			1		1			
		F 4	1	1		1	2	1		1					
89b	Diseases of mastoid process	M 5		1	1		2	2				2			
		F 1		1	1										
	VII.—Diseases of the circulatory system	Males 329	71	19	15	4	81	24	4	53	55	66	12	22	3
		Females 176	71	9	8	1	53	25	5	23	12	24	3	1	3
90	Pericarditis	M 6	2				2			2				2	
		F 1											1		
91a	Acute endocarditis	M 8	2	2	2		1			1		2		1	
		F 5	2								2				1
91b	Endocarditis, unspecified (under 45 years)	M 1					1			1					
92a	Endocarditis, specified as chronic, and other valvular diseases	M 49	11	4	1	3	7	1	2	4	11	14	1	1	
		F 33	17	1	1		7	3	2	2	3	5			
92b	Endocarditis, unspecified (45 years and over)	M 1		1	1										
		F 1										1			
93a	Acute myocarditis	M 7	1	1	1		1			1		2		2	
		F 4		1	1		2	1	1			1			
93b	Myocarditis, unspecified (under 45 years)	M 1	1												
93c	Chronic myocarditis and myocardial degeneration	M 163	37	9	9		41	17		24	33	28	7	8	
		F 92	38	6	5	1	27	12	1	14	5	11	2	1	2
93d	Other diseases of myocardium	M 2					2			2					
		F 5	2	1	1		1			1		1			
94a	Angina pectoris	M 18		1		1	8	1	1	6	1	5	1	2	
		F 6					2	1		1	2	2			
94b	Diseases of coronary arteries	M 32	3	1	1		11	2		9	3	5	1	6	2
		F 8	4				4	2	1	1					
95a	Functional diseases of heart	M 1											1		
95b	Other and unspecified diseases of heart	M 20	9				2	1		1	3	6			
		F 6	1				4	3		1		1			
96	Aneurysm (except of heart)	M 5	1				2		1	1		1			1
		F 1	1												
97	Arteriosclerosis (coronary arteries excepted)	M 12	4				2	1		1	4	2			
		F 11	5				6	3		3					
99	Other diseases of the arteries	M 2					1	1				1			
		F 1										1			
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	M 1											1		
		F 1										1			
101	Diseases of lymphatic system (lymphangitis, etc.)	F 1	1												
	VIII.—Diseases of the respiratory system	Males 271	53	44	25	19	40	17	3	20	13	67	4	46	4
		Females 179	37	48	23	25	19	6	6	7	7	42		22	4
104a	Diseases of nasal fossae	F 1										1			
104b	Diseases of nasal fossae and annexae	M 1										1			
105	Diseases of larynx	F 1										1			
106a	Acute bronchitis	M 11	6	1	1							3		1	
		F 12	5	3	1	2	1	1			1	1		1	
106c,d	Bronchitis, unspecified	M 1		1		1									
107a	Bronchopneumonia	M 95	13	18	9	9	14	7	2	5	4	22	2	20	2
		F 76	15	19	9	10	7	2	4	1	2	20		12	1
107b	Capillary bronchitis	M 4	2	1	1									1	
		F 3										2		1	
108	Lobar pneumonia	M 129	27	21	13	8	21	6	1	14	9	29	1	20	1
		F 75	15	22	10	12	10	3	2	5	3	14		8	3
110	Pleurisy	M 13	2				2	1		1		6	1	2	
		F 4		2	1	1						2			

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	VIII.—Diseases of the respiratory system—Continued.														
111a	Pulmonary embolism and thrombosis M	1										1			
111b	Pulmonary congestion, edema, hemorrhagic infarct F	1					1			1					
112	Asthma {M	8	2				2	2				2		2	
	{F	4	2	2	2										
114	Other diseases of respiratory system (tuberculosis excepted) {M	8	1	2	1	1	1	1				3			1
	{F	2									1	1			
	IX.—Diseases of the digestive system {Males	236	26	26	17	9	49	16	8	25	11	72	7	44	1
	{Females	134	17	23	11	12	12	6	1	5	2	56	2	22	
115a	Diseases of pharynx, tonsils {M	8					4	1		3	1	2		1	
	{F	4		1		1	1			1		2			
115b	Diseases of buccal cavity and annexa M	3	1				2			2					
117a	Ulcer of stomach {M	25	4	1	1		5	1	3	1	2	9	2	2	
	{F	3	2									1			
117b	Ulcer of duodenum M	10					3			3		6		1	
118	Other diseases of stomach (cancer excepted) M	3										1		2	
119	Diarrhea, enteritis (under 2 years of age) {M	77	12	13	7	6	10	9	1		1	21	1	18	1
	{F	61	7	19	9	10	3	2	1		1	12	1	18	
120	Diarrhea, enteritis (2 years and over) {M	24	2	4	3	1	4	1	1	2	1	10		3	
	{F	26	1	1		1						21		3	
121	Appendicitis {M	38	3	6	4	2	6	1	1	4	3	8		12	
	{F	10		1	1		1	1				8			
122a	Hernia {M	6	1	1	1		2		1	1	1	1			
	{F	2					2	1		1					
122b	Intestinal obstruction {M	8					4	2		2		2		2	
	{F	10		1	1		3	2		1		5		1	
124	Cirrhosis of liver {M	18	2				6	1	1	4		7	1	1	
	{F	9	5				2			2		1	1		
125a	Yellow atrophy of liver {M	1												1	
	{F	4	1								1	2			
125b	Other diseases of liver {M	3									1	1		1	
	{F	1										1			
126	Biliary calculi {M	3		1	1		1			1		1			
	{F	1										1			
127	Other diseases of gall-bladder, biliary passages {M	5					2			2		2	1		
	{F	1										1			
128	Diseases of pancreas M	1											1		
129	Peritonitis, cause not specified {M	3	1									1	1		
	{F	2	1									1			
	X.—Diseases of the genitourinary system {Males	187	27	8	8		31	10	3	18	46	54	10	11	
	{Females	120	32	14	10	4	29	10	5	14	11	28	3	1	2
130	Acute nephritis (including unspecified under 10 years) {M	6												6	
	{F	2	1									1			
131	Chronic nephritis {M	172	27	8	8		27	10	2	15	44	52	10	4	
	{F	105	28	13	9	4	22	9	4	9	10	27	2	1	2
133	Other diseases of kidneys, ureters (puerperal diseases excepted) {M	3					1		1			1		1	
	{F	2		1	1							1			
134	Calculi of urinary passages M	3					1			1	1	1			
135	Diseases of bladder (tumors excepted) M	1					1			1					
137	Diseases of prostate M	2					1			1	1				
139a	Cysts of ovary F	5	1				3			3	1				
139b	Other diseases of ovaries, diseases of tubes, parametrium F	4	1				3	1	1	1					
139c	Diseases of uterus F	2	1				1			1					
	XI.—Diseases of pregnancy, childbirth, and the puerperal state Females	50	11	6	2	4	5	2	2	1	1	24		3	
140	Abortion with septic conditions F	2										2			
141	Abortion without mention of septic conditions (includes hemorrhages) F	3	2									1			
142a	Ectopic gestation, septic conditions specified F	1		1		1									
142b	Ectopic gestation, septic conditions not mentioned F	3										3			
143	Other accidents of pregnancy (hemorrhage not included) F	3		1	1							1		1	
144a	Placenta praevia F	3	1									2			
144b	Other puerperal hemorrhages F	6					2	1	1			3		1	
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded) F	9	1	2		2	1	1				4		1	
146	Puerperal albuminuria and eclampsia F	10	2	2	1	1	1			1	1	4			
147	Other toxemias of pregnancy F	3	1									2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) F	2										2			
149	Other accidents of childbirth F	5	4				1		1						
	XII.—Diseases of the skin and cellular tissue. {Males	9		2	1	1	2	1		1	1	2		2	
	{Females	9	2	1	1							4	1	1	
151	Furuncle, carbuncle {M	7		2	1	1	1			1	1	1		2	
	{F	4	1									3			
152	Phlegmon, acute abscess {M	2					1	1				1			
	{F	3		1	1							1		1	
153	Other diseases of skin and annexa, and of cellular tissue F	2	1										1		
	XIII.—Diseases of the bones and organs of locomotion {Males	8									1	6		1	
	{Females	4	1									3			
154	Osteomyelitis {M	6									1	4		1	
	{F	1										1			
155	Other diseases of bones (tuberculosis excepted) {M	1										1			
	{F	3	1									2			
156	Diseases of joints, other organs of locomotion M	1										1			

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	PART HAWAIIAN				CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	XIV.—Congenital malformations Males	33	3	5	3	2	5	2	2	1	1	13	1	5	
	Females	30	2	1		1	8	5	1	2	2	12		5	
157a	Congenital hydrocephalus M	5		1	1						1	2	1		
	F	5	1				2	1		1		1		1	
157c	Congenital malformations of heart M	21	3	2	1	1	4	1	2	1		8		4	
	F	18		1		1	4	2	1	1	2	9		2	
157d	Other congenital malformations M	7		2	1	1	1	1				3		1	
	F	7	1				2	2				2		2	
	XV.—Diseases of early infancy Males	127	7	34	14	20	27	8	4	15	5	36		16	2
	Females	97	9	18	5	13	14	3	5	6	8	34	3	11	
158	Congenital debility M	10	1	4	2	2						1		3	1
	F	9	2	3	2	1	1		1			3			
159	Premature birth M	70	4	22	9	13	11	4		7	3	25		5	
	F	62	4	8	1	7	8	3	2	3	7	23	2	10	
160	Injury at birth M	33	1	7	3	4	13	3	4	6	1	5		5	1
	F	17		6	1	5	3			3	1	5	1	1	
161	Other diseases peculiar to early infancy M	14	1	1		1	3	1		2	1	5		3	
	F	9	3	1	1		2		2			3			
162	**XVI.—Senility** Males	10	4				2			2	2	2			
	Females	3	2				1			1					
	XVII.—Violent and accidental deaths Males	241	15	18	8	10	75	12	8	55	11	65	8	46	3
	Females	69	6	6	4	2	14	4	2	8	3	35	1	4	
	Suicide M	49		3		3	15	2	3	10	4	14	6	7	
	F	13					2	1		1		11			
163	By solid or liquid poisons or by absorption of corrosive substances M	18		1		1	3			3	2	7	3	2	
	F	7					1	1				6			
165	By hanging or strangulation M	11		1		1	4	2	1	1	1	3	2		
	F	2										2			
166	By drowning M	1					1		1						
	F	1										1			
167	By firearms M	13		1		1	7		1	6		2	1	2	
	F	1					1			1					
168	By cutting or piercing instruments M	4									1	2		1	
	F	2										2			
169	By jumping from high places M	1												1	
170	By crushing M	1												1	
	Homicide M	12	2				2			2		1		7	
	F	12	2	1	1		1		1			6		2	
173	By firearms M	3	1				1			1				1	
	F	4	1	1	1		1		1			1			
174	By cutting or piercing instruments M	5										1		4	
	F	4	1									1		2	
175	By other means M	4	1				1			1				2	
	F	4										4			
	Accidental, other, or undefined M	180	13	15	8	7	58	10	5	43	7	50	2	32	3
	F	44	4	5	3	2	11	3	1	7	3	18	1	2	
176	Attack by venomous animals F	1									1				
177	Poisoning by food M	2	1									1			
179	Other acute accidental poisonings (gas excepted) M	2					1			1				1	
	F	1										1			
181	Burns (conflagration excepted) M	9					1			1	1	4		3	
	F	6		1		1	1			1		3		1	
	Supplemental M	1										1			
182	Mechanical suffocation M	1		1		1									
183	Drowning M	28	1	2	2		8	1	2	5	1	12		4	
	F	8		2	2							6			
	Supplemental M	9					6			6	1	1		1	
	Traumatism:														
184	By firearms (wounds of war excepted) M	2	1											1	
185	By cutting or piercing instruments (wounds of war excepted) M	5	1								1			3	
	F	1										1			
	Supplemental M	2					1			1				1	
186a	By fall M	22	1	2	1	1	10	3		7		5		4	
	F	10	1	1		1	5	3		2	1	2			
	Supplemental M	14	4	1		1	2	1	1			7			
	F	4	2				2		1	1					
186b	By crushing, landslide M	2					2	1	1						
	Supplemental M	19		1		1	7	3		4	1	4	1	3	2
	F	3					2			2		1			
188	Injuries by animals M	3					1			1		1		1	
193	Due to electric currents M	1		1	1										
194a	Foreign bodies M	1					1			1					
	F	2	1	1	1										
194b	Other accidents M	8	1	1	1		1			1	1		1	2	1
	F	2										2			
	Supplemental M	47	3	6	3	3	17	1	1	15	1	14		6	
	F	6					1			1	1	2	1	1	
198	Legal executions M	2												2	
	XVIII.—Ill-defined causes of death Males	2					1		1		1				
	Females	3	2									1			
200a	Cause of death ill-defined F	1	1												
200b	Cause of death not specified or unknown M	2					1		1		1				
	F	2	1									1			
Punch symbol	SUPPLEMENTAL [1]														
203	Elevator accidents M	1		1		1									
205	Other machinery accidents M	3					2			2				1	
207	Other railroad accidents M	2		1		1						1			
209	Other street car accidents M	1	1												
210	Automobile accidents (primary) M	65	5	6	3	3	17	4	2	11	2	23	1	9	2
	F	13	2				5	1	4	1	1	3	1	1	
212	Other land transportation accidents M	4	1				1	1				2			
213	Water transportation accidents M	7					4			4	1	1		1	
214	Air transportation accidents M	9					9			9					

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1933

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	Total deaths (all causes) Males	2,279	386	62	34	15	17	53	50	54	85	92	106	194	259	392	294	185	1
	Total deaths (all causes) Females	1,369	309	55	24	16	18	46	32	43	53	58	47	148	128	165	125	102	
	I.—Infectious and parasitic diseases Males	410	34	16	9	2	1	10	12	25	32	31	47	61	47	42	30	10	1
	I.—Infectious and parasitic diseases Females	233	24	9	6	6	4	10	10	22	25	32	15	28	16	16	7	3	
1	Typhoid fever M	12							2	1	2	3	2	1			1		
	Typhoid fever F	7		1				1	1	2	2								
7	Measles M	1	1																
	Measles F	1	1																
9	Whooping-cough M	22	15	5	2														
	Whooping-cough F	24	12	4	3	3	1	1											
10	Diphtheria M	4	2	1				1											
	Diphtheria F	3		1			1	1											
11a	Influenza, respiratory complications specified M	6	1	1				1		1	2								
	Influenza, respiratory complications specified F	5				1		1						1	1	1			
11b	Influenza, respiratory complications not specified M	12	5		2					1				3	1				
	Influenza, respiratory complications not specified F	5			1						1	1				1	1		
13	Dysentery M	3	1											2					
	Dysentery F	1	1																
14	Plague M	2							1			1							
15	Erysipelas M	4	2					1			1								
	Erysipelas F	5	2						1							2			
16	Acute poliomyelitis, acute polioencephalitis M	1							1										
	Acute poliomyelitis, acute polioencephalitis F	1							1										
18	Epidemic cerebrospinal meningitis M	2		1					1										
	Epidemic cerebrospinal meningitis F	1							1										
22	Tetanus M	15	2	3	2		1	3	2	1						1			
	Tetanus F	5	1					2	2										
	Tuberculosis (all forms) M	241	3	1	1	2		4	3	19	21	19	37	44	33	30	19	5	
	Tuberculosis (all forms) F	136	2	2	2	1	2	4	4	17	17	26	13	20	11	8	5	2	
23	Respiratory system M	227	1	1	1			2	2	18	20	19	35	44	31	29	19	5	
	Respiratory system F	121		1			1	3	3	17	17	24	13	17	11	7	5	2	
24	Meninges and central nervous system M	7	2			1		1	1	1					1				
	Meninges and central nervous system F	5	1	1	1		1	1											
25	Intestines and peritoneum M	2									1					1			
	Intestines and peritoneum F	5			1	1						1		2					
26	Vertebral column M	1											1						
	Vertebral column F	3	1									1				1			
30	Genitourinary system M	1													1				
31	Other organs M	1											1						
32a	Acute disseminated tuberculosis M	2				1		1											
	Acute disseminated tuberculosis F	2							1					1					
33	Leprosy M	45							1	2	4	6	7	7	9	3	3	3	
	Leprosy F	20								3	3	5		5	1	2	1		
34	Syphilis M	33	1	3	1				1				1	4	4	8	7	2	1
	Syphilis F	14	5										1	2	3	2		1	
35	Gonococcus infection, other venereal diseases M	1										1							
	Gonococcus infection, other venereal diseases F	2									1		1						
36	Purulent infection, septicemia (nonpuerperal) M	1									1								
	Purulent infection, septicemia (nonpuerperal) F	2				1					1								
40	Ankylostomiasis M	1									1								
42	Other diseases caused by helminths M	2		1	1														
43	Mycoses M	2	1									1							
44	Other infectious and parasitic diseases F	1		1															
	II.—Cancers and other tumors Males	155	1			1		2	1	1		2	4	5	23	60	38	17	
	II.—Cancers and other tumors Females	110		1			1					1	5	19	24	34	14	11	
	Cancer and other malignant tumors M	153	1			1		1	1			2	4	5	23	60	38	17	
	Cancer and other malignant tumors F	106		1								1	5	17	24	33	14	11	
(45)	Buccal cavity M	11						1					1		1	2	2	4	
	Buccal cavity F	1												1					
(45)	Pharynx M	2														2			
(46)	Esophagus M	2													1		1		
(46)	Stomach and duodenum M	62													12	30	13	7	
	Stomach and duodenum F	26												5	7	7	4	3	
(46)	Liver and biliary passages M	24											1	2	3	11	6	1	
	Liver and biliary passages F	10													2	5	3		
(46)	Pancreas M	3													1	1	1		
	Pancreas F	2													1			1	
(46)	Other digestive tract and peritoneum M	16										1	1		2	5	5	2	
	Other digestive tract and peritoneum F	9												1	2	4		2	
47	Respiratory system M	12				1						1			1	7	2		
	Respiratory system F	2												1	1				
48	Uterus F	27										1	1	5	7	9	3	1	
49	Other female genital organs F	6												2		2		2	
50	Breast F	11											2	1	2	3	2	1	
51	Male genitourinary organs M	9												2		1	3	3	
52	Skin M	3													1		2		
53	Other or unspecified organs M	9	1						1				1	1	1	1	3		
	Other or unspecified organs F	12		1									2	1	2	3	2	1	
54b	Nonmalignant tumors, uterus F	2												2					
54 d, e	Nonmalignant tumors, other organs M	2						1		1									
55 d, e	Tumors, other organs (nature unspecified) F	1					1									1			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Males	71	25	1				1			2	3	1	5	9	12	10	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Females	52	15	1				1			1	1	2	6	9	8	7	1	
56	Acute rheumatic fever M	1						1											
	Acute rheumatic fever F	1														1			
57	Chronic rheumatism, osteoarthritis M	1															1		
59	Diabetes mellitus M	28									1			1	6	9	9	2	
	Diabetes mellitus F	30										1		5	9	7	7	1	
61	Beriberi M	33	17	1							1	3	1	4	3	3			
	Beriberi F	16	12	1				1					1	1					
63	Rickets M	1	1																
66b	Exophthalmic goiter F	2									1		1						
(66)	Other diseases of thyroid and parathyroid glands M	1	1																
67	Diseases of thymus gland M	6	6																
	Diseases of thymus gland F	3	3																

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IV.—Diseases of the blood and blood-making organs—Males	10	1					1	1	1	2			1		1	2		
	IV.—Diseases of the blood and blood-making organs—Female	6	1			1					1			2	1				
70	Hemorrhagic conditions—M	2	1								1								
	Hemorrhagic conditions—F	2	1								1								
71a	Pernicious anemia—F	1				1													
72a	True leukemias—M	7						1	1	1	1			1		1	1		
	True leukemias—F	3												2	1				
72b	Pseudoleukemias (Hodgkin's disease)—M	1															1		
	V.—Chronic poisonings and intoxications—Males	5									1			1	3				
75	Alcoholism (acute or chronic)—M	4									1			1	2				
76	Chronic poisoning by other organic substances—M	1													1				
	VI.—Diseases of the nervous system and of the organs of special sense—Males	175	4	4	2		2	3	3	4		2	1	10	31	50	41	18	
	VI.—Diseases of the nervous system and of the organs of special sense—Females	94	4	1	1	2		6	3	1	1	1		10	20	15	18	11	
78	Encephalitis (nonepidemic)—M	2		1												1			
	Encephalitis (nonepidemic)—F	2						2											
79a	Simple meningitis—M	5	2	2											1				
	Simple meningitis—F	2		1				1											
	Nonepidemic cerebrospinal meningitis—M	1								1									
79b	Progressive locomotor ataxia (tabes dorsalis)—M	2															2		
80	Progressive locomotor ataxia (tabes dorsalis)—F	1														1			
81	Other diseases of spinal cord—M	6						1				1			1	3			
	Other diseases of spinal cord—F	1				1													
82a	Cerebral hemorrhage—M	120												2	23	41	39	15	
	Cerebral hemorrhage—F	62			1									5	15	14	16	11	
82b	Cerebral embolism and thrombosis—M	2			1													1	
	Cerebral embolism and thrombosis—F	4										1		1	1		1		
82d	Hemiplegia and other paralysis, cause unspecified—F	1															1		
83	General paralysis of insane—M	12								1				4	3	3		1	
	General paralysis of insane—F	4												3	1				
84	Dementia praecox and other psychoses—M	8							1				1	1	2	2		1	
	Dementia praecox and other psychoses—F	3												1	2				
85	Epilepsy—M	5								1		1		3					
	Epilepsy—F	3			1				2										
86	Convulsions (under 5 years of age)—M	3	2				1												
	Convulsions (under 5 years of age)—F	3	3																
87	Other diseases of nervous system—M	1						1											
	Other diseases of nervous system—F	3						1			1				1				
89a	Diseases of ear—M	3	1	1					1										
	Diseases of ear—F	4	1					2		1									
89b	Diseases of mastoid process—M	5				1	1	1	1						1				
	Diseases of mastoid process—F	1							1										
	VII.—Diseases of the circulatory system—Males	329	1					5	4	2	4	8	7	20	42	79	86	71	
	VII.—Diseases of the circulatory system—Females	176	2		1	1		3	5	3	3	4	3	13	15	30	49	44	
90	Pericarditis—M	6									1		1	1		2		1	
	Pericarditis—F	1												1					
91a	Acute endocarditis—M	8	1					2	1			1		1	2				
	Acute endocarditis—F	5						1		1	1	1			1				
91b	Endocarditis, unspecified (under 45 years)—M	1						1											
92a	Endocarditis, specified as chronic, and other valvular diseases—M	49						1	2		1	1		5	8	14	13	4	
	Endocarditis, specified as chronic, and other valvular diseases—F	33	1					1	2	1	2	1	1	1	3	4	11	5	
92b	Endocarditis, unspecified (45 years and over)—M	1														1			
	Endocarditis, unspecified (45 years and over)—F	1															1		
93a	Acute myocarditis—M	7											1	3	1			2	
	Acute myocarditis—F	4			1	1										1	1		
93b	Myocarditis, unspecified (under 45 years)—M	1								1									
93c	Chronic myocarditis and myocardial degeneration—M	163						1	1	1	1	3	3	4	16	37	46	50	
	Chronic myocarditis and myocardial degeneration—F	92						1	1	1		2	2	7	10	17	26	25	
93d	Other diseases of myocardium—M	2															2		
	Other diseases of myocardium—F	5														2	1	2	
94a	Angina pectoris—M	18										1			2	6	7	2	
	Angina pectoris—F	6														3	3		
94b	Diseases of coronary arteries—M	32										1	2	6	9	5	5	4	
	Diseases of coronary arteries—F	8												3	1	1	2	1	
95a	Functional diseases of heart—M	1													1				
95b	Other and unspecified diseases of heart—M	20									1	1			2	9	4	3	
	Other and unspecified diseases of heart—F	6							1							1	1	3	
96	Aneurysm (except of heart)—M	5														2	3		
	Aneurysm (except of heart)—F	1															1		
97	Arteriosclerosis (coronary arteries excepted)—M	12													1	1	5	5	
	Arteriosclerosis (coronary arteries excepted)—F	11														1	2	8	
99	Other diseases of the arteries—M	2														1	1		
	Other diseases of the arteries—F	1												1					
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—M	1														1			
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—F	1							1										
101	Diseases of lymphatic system (lymphangitis, etc.)—F	1	1																
	VIII.—Diseases of the respiratory system—Males	271	95	16	10	4	4	11	7	3	9	7	11	22	21	28	11	12	
	VIII.—Diseases of the respiratory system—Females	179	84	21	4		4	6	5	5	3	3	1	7	12	10	7	7	
104a	Diseases of nasal fossae—F	1															1		
104b	Diseases of nasal fossae and annexae—M	1													1				
105	Diseases of larynx—F	1			1														
106a	Acute bronchitis—M	11	7	2									1	1					
	Acute bronchitis—F	12	7	2				1							1			1	
106c, d	Bronchitis, unspecified—M	1	1																
107a	Bronchopneumonia—M	95	59	6	5	3	3	3		1	1	2		2	3	2	2	3	
	Bronchopneumonia—F	76	50	10	1		1			1		1			3	2	4	3	
107b	Capillary bronchitis—M	4	4																
	Capillary bronchitis—F	3	3																

TABLE 7.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIII.—Diseases of the respiratory system—Continued.																		
108	Lobar pneumonia—M	129	20	7	4	1	1	6	6	2	7	4	9	13	15	19	7	8	----
	Lobar pneumonia—F	75	24	8	2	----	3	5	4	3	2	2	----	6	7	5	2	2	----
110	Pleurisy—M	13	2	1	----	----	----	1	----	----	1	1	----	4	1	2	----	----	----
	Pleurisy—F	4	----	1	----	----	----	----	1	----	----	----	----	----	----	2	----	----	----
111a	Pulmonary embolism and thrombosis—M	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
111b	Pulmonary congestion, edema, hemorrhagic infarct—F	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
112	Asthma—M	8	1	----	1	----	----	1	1	----	----	----	----	1	1	----	2	----	----
	Asthma—F	4	----	----	----	----	----	----	----	1	----	----	----	----	1	1	----	1	----
114	Other diseases of respiratory system (tuberculosis excepted)—M	8	1	----	----	----	----	----	----	----	----	----	1	1	----	4	----	1	----
	Other diseases of respiratory system (tuberculosis excepted)—F	2	----	----	----	----	----	----	----	----	1	----	1	----	----	----	----	----	----
	IX.—Diseases of the digestive system—Males	236	69	14	7	4	6	4	7	4	10	9	6	22	29	30	12	3	----
	IX.—Diseases of the digestive system—Females	134	48	14	8	5	6	7	5	2	----	3	4	10	7	10	4	1	----
115a	Diseases of pharynx, tonsils—M	8	2	----	----	----	----	----	----	1	1	----	----	1	2	1	----	----	----
	Diseases of pharynx, tonsils—F	4	----	----	----	----	----	1	----	----	----	----	1	1	1	----	----	----	----
115b	Diseases of buccal cavity and annexa—M	3	----	----	----	----	----	----	----	----	----	1	----	----	1	1	----	----	----
117a	Ulcer of stomach—M	25	----	----	----	----	----	----	----	----	----	1	2	7	8	6	1	----	----
	Ulcer of stomach—F	3	----	----	----	----	----	----	----	----	----	----	----	1	1	1	----	----	----
117b	Ulcer of duodenum—M	10	----	1	----	----	----	----	----	----	----	----	----	----	3	4	2	----	----
118	Other diseases of stomach (cancer excepted) M	3	1	----	----	----	----	----	----	----	----	----	----	1	1	----	----	----	----
119	Diarrhea, enteritis (under 2 years of age)—M	77	65	12	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
	Diarrhea, enteritis (under 2 years of age)—F	61	47	14	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
120	Diarrhea, enteritis (2 years and over)—M	24	----	----	7	4	5	1	----	1	----	1	----	2	----	----	2	1	----
	Diarrhea, enteritis (2 years and over)—F	26	----	----	8	5	5	3	1	----	----	----	----	1	1	2	----	----	----
121	Appendicitis—M	38	----	----	----	----	1	2	4	2	7	6	3	6	2	4	1	----	----
	Appendicitis—F	10	----	----	----	----	1	3	3	----	----	----	1	----	----	2	----	----	----
122a	Hernia—M	6	----	----	----	----	----	----	----	----	----	----	----	----	1	4	----	1	----
	Hernia—F	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	----	----
122b	Intestinal obstruction—M	8	1	----	----	----	----	----	2	----	1	----	----	1	1	1	----	1	----
	Intestinal obstruction—F	10	1	----	----	----	----	----	----	2	----	1	----	3	----	1	2	----	----
124	Cirrhosis of liver—M	18	----	----	----	----	----	----	----	----	----	----	----	2	5	7	4	----	----
	Cirrhosis of liver—F	9	----	----	----	----	----	----	----	----	----	----	1	1	3	3	----	1	----
125a	Yellow atrophy of liver—M	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
	Yellow atrophy of liver—F	4	----	----	----	----	----	----	1	----	----	2	1	----	----	----	----	----	----
125b	Other diseases of liver—M	3	----	----	----	----	----	----	1	----	----	----	----	----	1	----	1	----	----
	Other diseases of liver—F	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
126	Biliary calculi—M	3	----	----	----	----	----	----	----	----	----	----	1	1	1	----	----	----	----
	Biliary calculi—F	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
127	Other diseases of gall-bladder, biliary passages—M	5	----	----	----	----	----	----	----	----	----	----	----	1	2	1	1	----	----
	Other diseases of gall-bladder, biliary passages—F	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
128	Diseases of pancreas—M	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
129	Peritonitis, cause not specified—M	3	----	1	----	----	----	1	----	----	----	----	----	----	----	1	----	----	----
	Peritonitis, cause not specified—F	2	----	----	----	----	----	----	----	----	----	----	----	2	----	----	----	----	----
	X.—Diseases of the genitourinary system—Males	187	1	----	----	1	----	1	2	3	1	2	4	8	24	54	48	38	----
	X.—Diseases of the genitourinary system—Females	120	----	----	----	----	----	1	3	1	2	4	6	18	18	33	18	16	----
130	Acute nephritis (including unspecified under 10 years)—M	6	1	----	----	----	----	----	----	1	1	----	3	----	----	----	----	----	----
	Acute nephritis (including unspecified under 10 years)—F	2	----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	----	----
131	Chronic nephritis—M	172	----	----	----	1	----	1	2	1	----	1	1	7	23	53	47	35	----
	Chronic nephritis—F	105	----	----	----	----	----	1	2	1	1	1	2	12	18	33	18	16	----
133	Other diseases of kidneys, ureters (puerperal diseases excepted)—M	3	----	----	----	----	----	----	----	1	----	1	----	----	----	----	----	1	----
	Other diseases of kidneys, ureters (puerperal diseases excepted)—F	2	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----
134	Calculi of urinary passages—M	3	----	----	----	----	----	----	----	----	----	----	----	1	1	1	----	----	----
135	Diseases of bladder (tumors excepted)—M	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
137	Diseases of prostate—M	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----
139a	Cysts of ovary—F	5	----	----	----	----	----	----	----	----	----	2	2	1	----	----	----	----	----
139b	Other diseases of ovaries, diseases of tubes, parametrium—F	4	----	----	----	----	----	----	----	----	----	1	1	2	----	----	----	----	----
139c	Diseases of uterus—F	2	----	----	----	----	----	----	----	----	----	----	1	1	----	----	----	----	----
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Females	50	----	----	----	----	----	----	----	3	8	6	8	24	1	----	----	----	----
140	Abortion with septic conditions—F	2	----	----	----	----	----	----	----	----	----	----	----	2	----	----	----	----	----
141	Abortion without mention of septic conditions (includes hemorrhages)—F	3	----	----	----	----	----	----	----	----	----	----	1	2	----	----	----	----	----
142a	Ectopic gestation, septic conditions specified—F	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
142b	Ectopic gestation, septic conditions not mentioned—F	3	----	----	----	----	----	----	----	----	1	1	----	1	----	----	----	----	----
143	Other accidents of pregnancy (hemorrhage not included)—F	3	----	----	----	----	----	----	----	----	1	----	----	1	1	----	----	----	----
144a	Placenta praevia—F	3	----	----	----	----	----	----	----	1	----	----	----	2	----	----	----	----	----
144b	Other puerperal hemorrhages—F	6	----	----	----	----	----	----	----	1	1	2	2	----	----	----	----	----	----
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)—F	9	----	----	----	----	----	----	----	----	3	1	----	5	----	----	----	----	----
146	Puerperal albuminuria and eclampsia—F	10	----	----	----	----	----	----	----	1	1	----	3	5	----	----	----	----	----
147	Other toxemias of pregnancy—F	3	----	----	----	----	----	----	----	----	----	----	----	3	----	----	----	----	----
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—F	2	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----
149	Other accidents of childbirth—F	5	----	----	----	----	----	----	----	----	----	2	2	1	----	----	----	----	----
	XII.—Diseases of the skin and cellular tissue—Males	9	1	----	----	----	----	----	----	----	----	1	----	3	2	2	----	----	----
	XII.—Diseases of the skin and cellular tissue—Females	9	4	----	----	----	----	----	----	1	----	----	1	1	----	2	----	----	----
151	Furuncle, carbuncle—M	7	----	----	----	----	----	----	----	----	----	1	----	3	1	2	----	----	----
	Furuncle, carbuncle—F	4	1	----	----	----	----	----	----	----	----	----	1	1	----	1	----	----	----
152	Phlegmon, acute abscess—M	2	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
	Phlegmon, acute abscess—F	3	1	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----	----
153	Other diseases of skin and annexa, and of cellular tissue—F	2	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
	XIII.—Diseases of the bones and organs of locomotion—Males	8	----	1	----	----	----	1	3	----	1	----	----	----	----	2	----	----	----
	XIII.—Diseases of the bones and organs of locomotion—Females	4	1	----	----	----	----	----	----	----	----	----	----	1	----	1	----	1	----
154	Osteomyelitis—M	6	----	1	----	----	----	1	2	----	1	----	----	----	----	1	----	----	----
	Osteomyelitis—F	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
155	Other diseases of bones (tuberculosis excepted)—M	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
	Other diseases of bones (tuberculosis excepted)—F	3	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----
156	Diseases of joints, other organs of locomotion—M	1	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----

TABLE 7.—DEATHS *(Exclusive of Stillbirths)* FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1933—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XIV.—Congenital malformations—Males	33	24	5	1				3										
	XIV.—Congenital malformations—Females	30	25	2			1	1		1									
157a	Congenital hydrocephalus—M	5	1	3	1														
	Congenital hydrocephalus—F	5	4	1															
157c	Congenital malformations of heart—M	21	16	2					3										
	Congenital malformations of heart—F	18	14	1			1	1		1									
157d	Other congenital malformations—M	7	7																
	Other congenital malformations—F	7	7																
	XV.—Diseases of early infancy—Males	127	127																
	XV.—Diseases of early infancy—Females	97	97																
158	Congenital debility—M	10	10																
	Congenital debility—F	9	9																
159	Premature birth—M	70	70																
	Premature birth—F	62	62																
160	Injury at birth—M	33	33																
	Injury at birth—F	17	17																
161	Other diseases peculiar to early infancy—M	14	14																
	Other diseases peculiar to early infancy—F	9	9																
162	XVI.—Senility—Males	10														1	2	7	
	XVI.—Senility—Females	3																3	
	XVII.—Violent and accidental deaths—Males	241	3	5	5	3	4	14	7	11	23	27	25	36	28	30	14	6	
	XVII.—Violent and accidental deaths—Females	69	4	5	4	1	2	9	1	4	9	3	2	9	5	6	1	4	
	Suicide—M	49									4	8	3	11	9	7	6	1	
	Suicide—F	13								3	2			5	2	1			
163	By solid or liquid poisons or by absorption of corrosive substances—M	18									3		3	3	4	3	2		
	By solid or liquid poisons or by absorption of corrosive substances—F	7								2	2			2		1			
165	By hanging or strangulation—M	11										1		1	3	3	2	1	
	By hanging or strangulation—F	2												1	1				
166	By drowning—M	1										1							
	By drowning—F	1													1				
167	By firearms—M	13									1	3		5	2	1	1		
	By firearms—F	1												1					
168	By cutting or piercing instruments—M	4										1		2			1		
	By cutting or piercing instruments—F	2								1				1					
169	By jumping from high places—M	1										1							
170	By crushing—M	1										1							
	Homicide—M	12									2	1	4	2	1	2			
	Homicide—F	12						1			5	2	1	2	1				
173	By firearms—M	3										1		1		1			
	By firearms—F	4									1		1	1	1				
174	By cutting or piercing instruments—M	5									1		3			1			
	By cutting or piercing instruments—F	4									3	1							
175	By other means—M	4									1		1	1	1				
	By other means—F	4						1			1	1		1					
	Accidental, other, or undefined—M	180	3	5	5	3	4	14	7	11	17	18	18	23	18	21	8	5	
	Accidental, other, or undefined—F	44	4	5	4	1	2	8	1	1	2	1	1	2	2	5	1	4	
176	Attack by venomous animals—F	1														1			
177	Poisoning by food—M	2								1						1			
179	Other acute accidental poisonings (gas excepted)—M	2			1						1								
	Other acute accidental poisonings (gas excepted)—F	1		1															
181	Burns (conflagration excepted)—M	9	1	1	1		1					1	1	1		2			
	Burns (conflagration excepted)—F	6		1	2		1									2			
	Supplemental—M	1						1											
182	Mechanical suffocation—M	1	1																
183	Drowning—M	28	1	2	1	1	2	1	4	3		1	2	3	4	1	1	1	
	Drowning—F	8		2	1			4	1										
	Supplemental—M	9										2	1	4		2			
	Traumatism:																		
184	By firearms (wounds of war excepted)—M	2							1			1							
185	By cutting or piercing instruments (wounds of war excepted)—M	5						1		1	2			1					
	By cutting or piercing instruments (wounds of war excepted)—F	1						1											
	Supplemental—M	2									1				1				
186a	By fall—M	22		2				2			2	1	3	4	2	4	2		
	By fall—F	10	3					2								1		4	
	Supplemental—M	14			1					2		1	1	1	5	2	1		
	Supplemental—F	4						1			2			1					
186b	By crushing, landslide—M	2												1	1				
	Supplemental—M	19			1				2	1	3	2	3	3	1	2	1		
	Supplemental—F	3				1	1						1						
188	Injuries by animals—M	3											1				2		
193	Due to electric currents—M	1										1							
194a	Foreign bodies—M	1													1				
	Foreign bodies—F	2	1	1															
194b	Other accidents—M	8				1					1	2	1	1		1		1	
	Other accidents—F	2												1	1				
	Supplemental—M	47				1	1	9		3	6	6	5	3	3	6	1	3	
	Supplemental—F	6			1					1		1			1	1	1		
198	Legal executions—M	2									1			1					
	XVIII.—Ill-defined causes of death—Males	2														1		1	
	XVIII.—Ill-defined causes of death—Females	3		1				2											
200a	Cause of death ill-defined—F	1		1															
200b	Cause of death not specified or unknown—M	2														1		1	
	Cause of death not specified or unknown—F	2						2											
Punch symbol	SUPPLEMENTAL [1]																		
203	Elevator accidents—M	1													1				
205	Other machinery accidents—M	3							1		1			1					
207	Other railroad accidents—M	2													2				
209	Other street car accidents—M	1															1		
210	Automobile accidents (primary)—M	65			2	1	1	10	1	6	8	6	6	6	5	8	2	3	
	Automobile accidents (primary)—F	13			1	1	1	1		1	2	1	1	1	1	1	1		
212	Other land transportation accidents—M	4											1		1	2			
213	Water transportation accidents—M	7										1		4		2			
214	Air transportation accidents—M	9									1	4	3		1				

[1] See explanatory footnote, p. 456.

TABLE 8.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1933

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Total deaths (all causes)	3,648	360	277	344	329	297	296	295	280	274	266	305	325
Typhoid and paratyphoid fever (1, 2)	19	4	1	7		3		2	1		1		
Measles (7)	2			1									1
Whooping-cough (9)	46			5	11	10	6	4	5	3			2
Diphtheria (10)	7		1	2	1			1			2		
Influenza (11)	28	4	4	6	2	2	1		1	1	1	5	1
Dysentery (13)	4			2	1						1		
Erysipelas (15)	9		1	1		2		2		1	2		
Epidemic cerebrospinal meningitis (18)	3			1		1						1	
Tuberculosis of the respiratory system (23)	348	39	29	35	41	26	26	32	23	18	23	25	31
Other forms of tuberculosis (24–32)	29	1	2	4	1	4	3	3		3	1	4	3
Diabetes mellitus (59)	58	3	9	3	2	3	7	7	5	2	7	5	5
Cerebral hemorrhage and softening (82a, 82c)	182	23	10	11	19	14	17	19	12	15	11	11	20
Diseases of the heart (90–95)	470	41	34	40	38	37	38	43	35	48	38	35	43
Bronchitis (106)	24	1	1	1	3	3	2	2	3	1	4	1	2
Bronchopneumonia (107)	178	17	15	14	21	10	12	11	15	18	7	15	23
Lobar and unspecified pneumonia (108, 109)	204	19	20	13	14	10	25	20	10	10	13	21	29
Diarrhea and enteritis [under 2 years] (119)	138	15	18	15	16	13	12	13	12	6	6	5	7
Diarrhea and enteritis [2 years and over] (120)	50	10	6	3	5	5	1	2	2	4	2	2	8
Nephritis (130–132)	285	34	19	28	26	27	22	24	14	23	22	27	19
Puerperal septicemia (140, 142a, 145)	12	2	1	1	1	1	2				1	1	2
Other puerperal causes	38	2	2	2	4	3	4	3	3	6	3	4	2
Suicide (163–171)	62	4	2	6	8	3	3	7	8	7	2	9	3
Automobile accidents [1]	78	8	5	2	4	11	10	4	3	8	12	5	6
Other external causes	170	17	11	21	14	9	9	13	22	14	11	19	10
All other causes	1,204	116	86	120	97	100	96	83	106	86	96	110	108

[1] Excludes collision with railroad trains and street cars.

PUERTO RICO

TABLE 1.—DEATHS (*Exclusive of Stillbirths*), BY COLOR AND MONTHS, IN PUERTO RICO: 1933

AREA AND COLOR		All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico, total		**36,765**	**3,280**	**2,927**	**3,020**	**3,010**	**3,028**	**3,150**	**3,291**	**3,086**	**2,930**	**3,066**	**2,895**	**3,082**
White		27,074	2,462	2,159	2,196	2,190	2,214	2,347	2,418	2,345	2,153	2,242	2,096	2,252
Colored		9,691	818	768	824	820	814	803	873	741	777	824	799	830
Cities of 10,000 or more	White	5,598	505	432	481	494	510	513	475	465	419	466	418	420
	Colored	2,427	176	191	185	221	217	228	225	205	189	199	196	195
Cities of 2,500 to 10,000	White	2,344	207	194	200	185	199	216	204	195	172	188	184	200
	Colored	1,128	88	80	106	114	119	94	90	73	92	88	84	100
Rural	White	19,132	1,750	1,533	1,515	1,511	1,505	1,618	1,739	1,685	1,562	1,588	1,494	1,632
	Colored	6,136	554	497	533	485	478	481	558	463	496	537	519	535
CITIES OF 10,000 OR MORE														
Aguadilla	White	242	15	21	19	25	27	21	20	23	18	16	19	18
	Colored	78	5	10	7	2	6	11	7	7	10	5	4	4
Arecibo	White	377	49	28	38	29	35	33	29	26	28	23	28	31
	Colored	109	5	10	5	8	9	11	9	7	8	14	16	7
Bayamon	White	301	27	23	27	20	22	32	22	29	22	26	27	24
	Colored	68	------	4	3	10	9	8	6	3	8	4	8	5
Caguas	White	377	35	39	34	27	29	30	25	39	25	31	43	20
	Colored	213	20	18	17	17	11	26	24	18	14	15	19	14
Guayama	White	377	18	25	26	40	35	42	43	30	31	29	28	30
	Colored	102	6	5	9	7	16	11	4	10	6	9	8	11
Mayaguez	White	750	61	51	59	68	93	70	67	71	45	58	46	61
	Colored	278	25	22	21	31	27	29	29	28	16	18	14	18
Ponce	White	1,125	95	80	94	118	105	127	99	87	88	89	69	74
	Colored	435	24	34	41	40	32	38	49	34	36	39	36	32
Rio Piedras	White	542	40	45	43	42	42	49	59	44	38	62	37	41
	Colored	230	22	17	15	21	28	14	11	22	20	19	25	16
San Juan	White	1,507	165	120	141	125	122	109	111	116	124	132	121	121
	Colored	914	69	71	67	85	79	80	86	76	71	76	66	88

TABLE 2.—DEATHS (*Exclusive of Stillbirths*), BY COLOR AND AGE, IN PUERTO RICO: 1933

AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Puerto Rico, total		**36,765**	**8,607**	**2,645**	**2,011**	**1,347**	**888**	**15,498**	**2,003**	**830**	**1,383**	**2,245**	**1,640**	**1,312**	**1,464**	**1,168**	**1,208**	**1,178**	**870**	**1,335**	**867**	**1,119**	**611**	**843**	**476**	**374**	**186**	**163**	**12**
White		27,074	6,521	1,977	1,498	1,015	687	11,698	1,516	630	970	1,562	1,172	961	1,020	811	844	854	626	971	665	858	464	619	349	255	124	95	10
Colored		9,691	2,086	668	513	332	201	3,800	487	200	393	683	468	351	444	357	364	324	244	364	202	261	147	224	127	119	62	68	2
Cities of 10,000 or more	White	5,598	1,352	302	164	116	83	2,017	163	101	257	427	319	248	279	209	227	221	187	233	177	178	112	95	66	43	21	15	3
	Colored	2,427	541	116	79	50	26	812	70	42	110	203	142	114	128	102	116	104	72	100	66	59	46	46	35	26	19	15	---
Cities of 2,500 to 10,000	White	2,344	510	150	113	80	54	907	88	42	84	135	111	112	94	83	75	93	72	102	62	109	40	53	41	19	14	7	1
	Colored	1,128	219	83	64	38	19	423	49	27	44	76	59	47	35	38	49	38	38	51	25	38	18	24	20	13	7	8	1
Rural	White	19,132	4,659	1,525	1,221	819	550	8,774	1,265	487	629	1,000	742	601	647	519	542	540	367	636	426	571	312	471	242	193	89	73	6
	Colored	6,136	1,326	469	370	244	156	2,565	368	131	239	404	267	190	281	217	199	182	134	213	111	164	83	154	72	80	36	45	1
CITIES OF 10,000 OR MORE																													
Aguadilla	White	242	46	16	8	6	5	81	11	3	13	16	18	11	16	7	7	11	6	11	7	7	6	2	5	1	2	1	---
	Colored	78	14	5	3	2	---	24	1	1	1	12	7	4	4	2	5	4	2	2	---	3	3	2	---	---	---	1	---
Arecibo	White	377	84	27	7	8	5	131	14	6	15	32	15	21	18	16	14	15	12	12	17	18	4	4	6	7	---	---	---
	Colored	109	12	5	2	1	---	20	3	1	5	14	8	5	6	10	5	8	1	10	2	4	---	4	3	---	---	---	---
Bayamon	White	301	61	22	8	15	8	114	17	8	13	29	20	11	8	9	10	7	7	11	10	8	6	3	2	2	4	2	---
	Colored	68	10	2	2	2	2	18	1	1	2	5	1	4	4	3	3	7	1	2	2	3	---	5	2	2	2	---	---
Caguas	White	377	95	14	13	10	3	135	17	11	21	34	17	20	18	10	13	13	7	11	13	13	3	10	6	3	1	1	---
	Colored	213	42	12	5	7	4	70	9	3	14	18	13	13	18	7	9	10	3	5	4	6	2	2	3	1	2	1	---
Guayama	White	377	88	23	17	9	13	150	18	7	21	19	20	17	13	14	8	14	11	12	15	11	8	7	3	7	1	1	---
	Colored	102	23	6	4	2	1	36	3	1	3	10	7	4	3	3	5	5	4	4	3	2	2	3	2	---	2	---	---
Mayaguez	White	750	201	34	19	6	9	269	18	7	36	54	39	27	31	31	33	33	28	37	25	32	17	14	10	4	3	2	---
	Colored	278	85	15	10	4	2	116	7	6	14	23	10	7	10	6	13	12	9	13	9	8	3	9	2	1	---	---	---
Ponce	White	1,125	292	75	42	29	13	451	17	23	47	76	64	45	47	51	49	50	48	41	30	29	24	13	8	6	3	3	---
	Colored	435	70	18	13	12	2	115	10	8	22	33	36	21	27	21	24	16	18	18	12	8	11	8	8	10	4	5	---
Rio Piedras	White	542	75	10	15	10	7	117	10	9	32	71	50	38	43	22	31	19	19	26	14	16	8	7	4	4	1	---	1
	Colored	230	47	16	7	5	3	78	5	4	18	17	12	16	22	7	8	6	4	11	7	6	2	3	1	2	1	---	---
San Juan	White	1,507	410	81	35	23	20	569	41	27	59	96	76	58	85	49	62	59	49	72	46	44	36	35	22	9	6	5	2
	Colored	914	238	37	33	15	12	335	31	17	31	71	48	40	34	43	44	36	30	35	27	19	23	10	14	10	8	8	---

TABLE 3.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1933

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53	Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95
Puerto Rico, total	36,765	94	1	207	-------	157	74	262	16	----------	5,181	51	227	531	3,155	751	25	57	300	1,909
White	27,074	71	1	166	-------	119	56	181	13	----------	3,673	40	171	372	2,242	559	19	45	210	1,361
Colored	9,691	23	-------	41	-------	38	18	81	3	----------	1,508	11	56	159	913	192	6	12	90	548
Cities of 10,000 or more—White	5,598	46	-------	25	-------	14	13	26	2	----------	1,223	15	48	128	394	171	3	22	69	332
Colored	2,427	13	-------	7	-------	5	10	13	-------	----------	542	9	20	62	167	61	2	5	37	160
Cities of 2,500 to 10,000—White	2,344	4	-------	18	-------	3	10	22	1	----------	354	5	20	44	141	81	1	6	23	144
Colored	1,128	1	-------	7	-------	1	2	4	-------	----------	189	-------	11	23	75	17	1	2	15	88
Rural—White	19,132	21	1	123	-------	102	33	133	10	----------	2,096	20	103	200	1,707	307	15	17	118	885
Colored	6,136	9	-------	27	-------	32	6	64	3	----------	777	2	25	74	671	114	3	5	38	300
CITIES OF 10,000 OR MORE																				
Aquadilla—White	242	4	-------	1	-------	-------	-------	1	-------	----------	64	-------	-------	6	20	2	-------	1	1	18
Colored	78	1	-------	-------	-------	-------	-------	-------	-------	----------	24	-------	1	2	3	1	-------	-------	1	7
Arecibo—White	377	1	-------	6	-------	-------	-------	-------	-------	----------	70	2	3	2	28	12	-------	2	6	28
Colored	109	-------	-------	3	-------	-------	-------	-------	-------	----------	32	-------	1	1	7	3	-------	-------	1	13
Bayamon—White	301	-------	-------	2	-------	-------	1	1	1	----------	78	1	3	10	37	9	-------	1	1	14
Colored	68	-------	-------	-------	-------	1	-------	-------	-------	----------	17	1	1	3	4	2	-------	-------	1	3
Caguas—White	377	-------	-------	2	-------	-------	-------	-------	-------	----------	80	4	5	20	12	9	-------	2	-------	21
Colored	213	-------	-------	-------	-------	-------	-------	-------	-------	----------	43	1	3	7	11	5	-------	-------	4	11
Guayama—White	377	1	-------	3	-------	-------	1	1	-------	----------	60	-------	3	3	76	6	-------	2	5	11
Colored	102	-------	-------	-------	-------	-------	-------	3	-------	----------	17	-------	-------	1	24	1	-------	-------	3	5
Mayaguez—White	750	3	-------	4	-------	-------	1	-------	-------	----------	169	3	8	8	36	16	1	2	14	44
Colored	278	-------	-------	-------	-------	-------	3	1	-------	----------	56	3	8	2	8	3	-------	1	3	15
Ponce—White	1,125	3	-------	5	-------	9	5	5	-------	----------	220	2	5	32	99	36	-------	5	17	75
Colored	435	2	-------	1	-------	1	5	1	-------	----------	116	1	1	13	38	11	-------	1	9	32
Rio Piedras—White	542	2	-------	-------	-------	-------	-------	7	1	----------	229	-------	2	11	7	16	-------	1	3	36
Colored	230	1	-------	-------	-------	1	-------	2	-------	----------	80	1	-------	5	6	3	-------	-------	1	7
San Juan—White	1,507	32	-------	5	-------	5	5	11	-------	----------	253	3	19	36	79	65	2	6	22	85
Colored	914	9	-------	3	-------	2	2	6	-------	----------	157	2	5	28	66	32	2	3	14	67
	DEATH RATE PER 100,000 ESTIMATED POPULATION																			
Puerto Rico, total	2,267.6	5.8	0.1	12.8	-------	9.7	4.6	16.2	1.0	----------	319.6	3.1	14.0	32.8	194.6	46.3	1.5	3.5	18.5	117.7
White	2,238.4	5.9	0.1	13.7	-------	9.8	4.6	15.0	1.1	----------	303.7	3.3	14.1	30.8	185.4	46.2	1.6	3.7	17.4	112.5
Colored	2,353.3	5.6	-------	10.0	-------	9.2	4.4	19.7	0.7	----------	366.2	2.7	13.6	38.6	221.7	46.6	1.5	2.9	21.9	133.1

TABLE 3.—DEATHS *(Exclusive of stillbirths)* FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1933—Continued

[See note at the head of this table]

AREA AND COLOR	Bronchitis 106	Pneumonia (all forms) 107–109	DIARRHEA AND ENTERITIS: Under 2 years 119	DIARRHEA AND ENTERITIS: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	AUTOMOBILE ACCIDENTS: Primary [1]	AUTOMOBILE ACCIDENTS: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes
Puerto Rico, total	**922**	**3,098**	**4,281**	**3,237**	**73**	**101**	**224**	**2,761**	**134**	**291**	**2,349**	**356**	**213**	**109**	**3**	**429**	**850**	**4,336**
White	750	2,201	3,195	2,495	63	80	176	1,982	104	220	1,769	254	136	75	3	300	684	3,288
Colored	172	897	1,086	742	10	21	48	779	30	71	580	102	77	34	----	129	166	1,048
Cities of 10,000 or more—White	96	399	706	258	23	26	29	320	21	38	342	65	49	27	1	90	18	559
Colored	43	187	269	105	2	8	16	154	9	12	119	30	29	16	----	48	8	259
Cities of 2,500 to 10,000—White	39	195	254	209	3	10	31	144	11	28	144	28	11	14	----	25	39	282
Colored	11	118	140	103	1	3	7	101	6	11	53	13	4	3	----	13	6	99
Rural—White	615	1,607	2,235	2,028	37	44	116	1,518	72	154	1,283	161	76	34	2	185	627	2,447
Colored	118	592	677	534	7	10	25	524	15	48	408	59	44	15	----	68	152	690
CITIES OF 10,000 OR MORE																		
Aquadilla—White	2	8	39	19	1	----	----	9	3	----	8	4	1	3	----	4	2	21
Colored	3	1	13	4	----	----	----	2	----	----	2	1	1	1	----	2	----	8
Arecibo—White	2	31	52	20	4	----	----	22	2	3	22	1	7	2	----	8	----	41
Colored	----	7	8	7	----	----	----	9	----	----	2	3	1	1	----	4	----	6
Bayamon—White	----	21	37	7	----	3	----	22	1	3	12	4	3	----	----	2	1	26
Colored	----	6	2	2	----	----	----	16	----	----	2	----	2	----	----	1	----	4
Caguas—White	3	30	31	28	1	2	3	20	1	5	26	3	3	----	1	13	1	51
Colored	3	14	23	14	1	2	1	15	2	5	5	3	3	1	----	6	1	29
Guayama—White	28	39	41	19	1	3	5	17	3	2	12	5	4	3	----	4	----	19
Colored	2	13	11	3	----	----	----	7	1	----	4	----	1	----	----	1	----	5
Mayaguez—White	21	51	129	39	4	1	6	52	1	3	53	9	2	2	----	10	4	57
Colored	6	17	47	13	----	1	2	19	----	1	26	2	2	5	----	4	2	28
Ponce—White	12	50	140	60	6	1	7	66	4	9	88	12	14	6	----	20	5	107
Colored	6	20	37	21	1	2	4	27	1	1	15	7	4	5	----	8	1	43
Rio Piedras—White	14	33	44	27	1	2	2	30	2	1	17	8	3	3	----	2	----	38
Colored	12	14	33	12	----	----	1	11	----	----	8	2	2	----	----	3	----	25
San Juan—White	14	136	193	39	5	14	6	82	4	12	104	19	12	8	----	27	5	199
Colored	11	95	95	29	----	3	8	48	5	5	55	12	13	3	----	19	4	111
	DEATH RATE PER 100,000 ESTIMATED POPULATION																	
Puerto Rico, total	**56.9**	**191.1**	**264.0**	**199.7**	**4.5**	**6.2**	**13.8**	**170.3**	**8.3**	**17.9**	**144.9**	**22.0**	**13.1**	**6.7**	**0.2**	**26.5**	**52.4**	**267.4**
White	62.0	182.0	264.2	206.3	5.2	6.6	14.6	163.9	8.6	18.2	146.3	21.0	11.2	6.2	0.2	24.8	56.6	271.8
Colored	41.8	217.8	263.7	180.2	2.4	5.1	11.7	189.2	7.3	17.2	140.8	24.8	18.7	8.3	----	31.3	40.3	254.5

[1] Excludes collision with railroad trains and street cars.

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE[1] Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	Total deaths (all causes) White	27,074	5,598	2,344	19,132	6,521	1,977	1,498	1,015	687	1,516	630	970	1,562	2,133	1,831	1,698	1,597	3,429
	Total deaths (all causes) Colored	9,691	2,427	1,128	6,136	2,088	668	513	332	201	487	200	393	683	819	801	688	608	1,210
	I.—Infectious and parasitic diseases White	8,454	2,079	713	5,662	1,024	391	338	224	181	532	284	594	1,006	1,286	957	644	484	503
	I.—Infectious and parasitic diseases Colored	3,203	912	339	1,952	318	130	101	86	56	196	101	252	436	501	426	275	164	159
1	Typhoid fever W	71	46	4	21			1		2	2	5	12	16	14	13	4	1	1
1	Typhoid fever C	23	13	1	9			1			1		5	6	4	4	1	1	
6	Smallpox W	1			1			1											
7	Measles W	166	25	18	123	54	23	25	20	12	26	2	3					1	
7	Measles C	41	7	7	27	11	8	4	6	4	5	2				1			
9	Whooping-cough W	119	14	3	102	66	15	13	10	5	9	1							
9	Whooping-cough C	38	5	1	32	20	6	3	3	2	4								
10	Diphtheria W	56	13	10	33	13	15	10	6	3	6	1			1		1		
10	Diphtheria C	18	10	2	6	4	6	2	3	1	1	1							
11a	Influenza, respiratory complications specified W	135	23	18	94	36	18	10	5	5	7	3	2	4	7	14	5	5	14
11a	Influenza, respiratory complications specified C	61	11	3	47	16	6	5	6	2	4		1	6	3	4	3		5
11b	Influenza, respiratory complications not specified W	46	3	4	39	10	2	1	5		6	3			2	1	4	2	10
11b	Influenza, respiratory complications not specified C	20	2	1	17	2	3	2	1		2	1	1	4	1			1	2
13	Dysentery W	282	22	18	242	50	27	19	10	10	38	8	9	10	12	19	19	19	31
13	Dysentery C	85	10	9	66	9	7	6	3	1	9	3	1	2	6	5	6	9	18
15	Erysipelas W	13	2	1	10	7	1	1					1					1	2
15	Erysipelas C	3			3	2	1												
16	Acute poliomyelitis, acute polioencephalitis W	1			1				1										
20	Anthrax (bacillus anthracis) malignant pustule W	3		1	2											1	1	1	
20	Anthrax (bacillus anthracis) malignant pustule C	1		1													1		
22	Tetanus W	270	57	14	199	190	2	2	3	4	17	18	7	7	5	6	5	1	3
22	Tetanus C	102	34	5	63	49		3	1	2	11	12	3	3	8	5	2	2	1
	Tuberculosis (all forms) W	3,884	1,286	379	2,219	37	61	53	23	26	73	38	397	769	964	638	371	228	153
	Tuberculosis (all forms) C	1,575	571	200	804	10	12	7	11	8	26	28	173	333	379	296	160	82	48
23	Respiratory system W	3,673	1,223	354	2,096	24	39	43	18	15	58	79	376	754	936	617	355	210	141
23	Respiratory system C	1,508	542	189	777	4	8	3	8	7	23	27	166	325	370	291	152	79	43
24	Meninges and central nervous system W	40	15	5	20	5	10	2	2	4	4	2	5	2		2	1	1	
24	Meninges and central nervous system C	11	9		2	3		2	2	1		1	1			1			
25	Intestines and peritoneum W	116	27	16	73	1	7	1	2	3	6	2	10	11	18	16	13	16	10
25	Intestines and peritoneum C	43	16	8	19	2	3	2	1		2		5	6	6	3	7	1	5
26	Vertebral column W	12	3	1	8	1	1				3	1	2		2	2			
26	Vertebral column C	3	2		1		1								1			1	
27a	Bones (vertebral column excepted) W	5	2	1	2						1	2		1		1			
27a	Bones (vertebral column excepted) C	2		1	1									1	1				
27b	Joints W	2	2									2							
27b	Joints C	1		1														1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	11	5	1	5		2	1	1	3	1				2				1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	3	1		2	1							1	1					
30	Genitourinary system W	7	1		6	4									1		1	1	
30	Genitourinary system C	1			1											1			
31	Other organs W	1	1												1				
32a	Acute disseminated tuberculosis W	14	5		9	1	2	1		1			4	1	3				1
32a	Acute disseminated tuberculosis C	3	1	1	1						1				1		1		
32b, c	Other disseminated tuberculosis W	3	2	1		1									1		1		
33	Leprosy W	3			3										3				
33	Leprosy C	2			2										1		1		
34	Syphilis W	372	128	44	200	187	11	5	1	2	6	4	5	13	18	30	31	32	26
34	Syphilis C	159	62	23	74	62	6	4	1		2	2	4	9	15	13	18	15	8
35	Gonococcus infection, other venereal diseases W	8	4	2	2	2	1								2	1	1		1
35	Gonococcus infection, other venereal diseases C	3	2		1								2	1					
36	Purulent infection, septicemia (nonpuerperal) W	66	15	11	40	10	5	5	1	1	5	2	3	8	15	5	2	1	3
36	Purulent infection, septicemia (nonpuerperal) C	19	7	4	8	1	1			1		3		2	4	2	1	2	2
38	Malaria W	2,242	394	141	1,707	348	178	156	112	81	253	102	126	127	176	163	130	117	173
38	Malaria C	913	167	75	671	129	70	57	44	32	106	39	57	60	67	87	69	37	59
39	Other diseases due to protozoal parasites W	1	1													1			
40	Ankylostomiasis W	496	18	16	462	3	17	14	14	17	70	43	24	38	56	48	49	52	51
40	Ankylostomiasis C	92	3		89		2	3	3	2	21	9	4	6	10	5	7	9	11
42	Other diseases caused by helminths W	101	10	9	82	9	15	21	13	13	12	2		1	2	1	1	4	7
42	Other diseases caused by helminths C	21	3	3	15	2	2	3	4	1	3					1	2	1	2
43	Mycoses W	114	18	20	76	1					2	1	5	13	9	15	20	19	28
43	Mycoses C	25	5	4	16	1					1	1		4	3	3	4	5	3
44	Other infectious and parasitic diseases W	4			4	1		1				1				1			
44	Other infectious and parasitic diseases C	2			2			1					1						
	II.—Cancers and other tumors White	579	177	84	318	1		1	1	1	3	3		6	23	84	148	129	179
	II.—Cancers and other tumors Colored	198	64	17	117			1		1			1	4	9	37	41	47	57
	Cancer and other malignant tumors W	559	171	81	307	1		1	1	1	1	2		3	22	79	144	128	176
	Cancer and other malignant tumors C	192	61	17	114			1					1	4	9	34	40	46	57
(45)	Buccal cavity W	18	6	3	9										2	2	4	4	6
(45)	Buccal cavity C	6	2		4											1	2	1	2
(45)	Pharynx W	20	6	2	12											1	5	5	9
(45)	Pharynx C	6		1	5												3	2	1
(46)	Esophagus W	12	4		8											3		4	5
(46)	Esophagus C	5	1	1	3											3			2
(46)	Stomach and duodenum W	180	48	23	109										3	22	42	41	72
(46)	Stomach and duodenum C	73	21	4	48			1							2	11	12	18	29
(46)	Liver and biliary passages W	21	5	7	9	1										5	5	3	7
(46)	Liver and biliary passages C	10	3	2	5											2	1	6	1
(46)	Pancreas W	4		1	3											1		2	1
(46)	Pancreas C	2			2											2			
(46)	Other digestive tract and peritoneum W	26	11	4	11				1			1			2	1	5	11	5
(46)	Other digestive tract and peritoneum C	9	3	2	4											2	3		4
47	Respiratory system W	13	9	2	2										1	2	4	2	4
47	Respiratory system C	6	4		2									1		1	3		1
48	Uterus W	176	49	27	100									2	10	35	52	36	41
48	Uterus C	47	17	3	27									1	3	9	13	11	10
49	Other female genital organs W	2	2													1	1		
49	Other female genital organs C	1	1												1				

[1] In this table deaths at "age unknown" (numbering in all 12) are not shown separately but are, of course, included in the total number of deaths.

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued.																		
50	Breast	W 7	3	1	3										1		5	1	
		C 8	4	2	2										2	2	2	1	1
51	Male genitourinary organs	W 27	8	3	16											3	5	8	11
		C 7	2	1	4												1	4	2
52	Skin	W 19	6	2	11			1								1	8	2	7
		C 1			1											1			
53	Other or unspecified organs	W 34	14	6	14					1	1	1		1	3	2	8	9	8
		C 11	3	1	7								1	2	1			3	4
54b	Nonmalignant tumors, uterus	W 3		1	2									1	1	1			
		C 1			1											1			
54d, e	Nonmalignant tumors, other organs	W 1			1														1
		C 1			1					1									
55a	Tumors, ovary (nature unspecified)	W 1			1									1					
55d, e	Tumors, other organs (nature unspecified)	W 15	6	2	7						2	1		1		4	4	1	2
		C 4	3		1											2	1	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White 123	37	14	72	19	7	7	10	4	4	4	4	4	4	8	10	8	30
		Colored 40	13	6	21	7	2	2	2	2	1	2		4	5	1	2	7	3
56	Acute rheumatic fever	W 14	1	1	12		1	1	1	2	1		1	1		2	2		2
		C 6	2	1	3							1		1	2		1	1	
57	Chronic rheumatism, osteoarthritis	W 5	2		3										1	1			3
59	Diabetes mellitus	W 45	22	6	17					1		1		1	2	4	8	7	21
		C 12	5	2	5									2	1		1	5	3
61	Beriberi	W 1			1								1						
62	Pellagra	W 12	1	2	9		1		3	1		2	1	1	1			1	1
		C 5		2	3	1	1					1			1	1			
63	Rickets	W 34	8	4	22	14	5	6	6		3								
		C 11	2		9	4	1	2	2	1	1								
66b	Exophthalmic goiter	W 2	1		1											1			1
		C 2	1	1															
(66)	Other diseases of thyroid and parathyroid glands	W 5		1	4	2							1	1					1
67	Diseases of thymus gland	W 2			2	2													
		C 2	2			2													
69	Other general diseases	W 3	2		1	1							1						1
		C 2	1		1					1					1				
	IV.—Diseases of the blood and blood-making organs	White 250	58	32	160	18	3	8	4	4	10	6	11	22	26	33	30	27	48
		Colored 65	26	9	30	5	1	1			1	1	3	12	7	12	2	11	9
70	Hemorrhagic conditions	W 18	6		12	8		4		3	1				1		1		
		C 3	1		2	2					1								
71a	Pernicious anemia	W 151	36	28	87	1	1				1	1	9	12	18	25	25	20	38
		C 38	15	9	14		1						2	7	3	8	2	8	7
71b	Other anemias	W 71	12	2	57	8	2	4	4	1	6	5	2	8	6	6	3	7	9
		C 14	7		7	3		1						3	2	3			2
72a	True leukemias	W 5	3		2	1									1	1	1		1
		C 2			2														
72b	Pseudoleukemias (Hodgkin's disease)	W 2		1	1						1			1				1	
		C 4	2		2							1			1			2	
73	Diseases of spleen	W 3	1	1	1						1			1		1			
		C 4	1		3								1	1	1	1			
	V.—Chronic poisonings and intoxications	White 9	5	2	2							1	1	1		2		2	2
		Colored 6	4	1	1									1	2	1	1		1
75	Alcoholism (acute or chronic)	W 9	5	2	2							1	1	1		2		2	2
		C 6	4	1	1									1	2	1	1		1
	VI.—Diseases of the nervous system and of the organs of special sense	White 490	133	50	307	45	20	20	4	1	27	14	19	16	26	32	52	61	152
		Colored 163	59	23	81	5	4	3	5	1	5	6	8	2	11	15	20	30	48
78	Encephalitis (nonepidemic)	W 10	4	1	5	3	3				2						1		1
79a	Simple meningitis	W 59	17	8	34	20	7	10	3	1	8	2	2	1	2	1	1	1	
		C 12	4	1	7	1	2	2	3	1		1	1					1	
79b	Nonepidemic cerebrospinal meningitis	W 4	1		3		1	2			1								
		C 1			1						1								
80	Progressive locomotor ataxia (tabes dorsalis)	W 9	1		8										1	2	2	3	1
81	Other diseases of spinal cord	W 10	4	1	5		1									1		2	6
		C 4	2		2											2		2	
82a	Cerebral hemorrhage	W 207	67	22	118	6	2					1	2	3	7	14	31	39	102
		C 89	36	15	38							1	1	1	3	9	13	21	40
82b	Cerebral embolism and thrombosis	W 11	1	1	9							1	1	1		1	4	1	2
		C 6	1	1	4							1			1			2	2
82c	Softening of brain	W 3	2	1															3
		C 1	1																1
82d	Hemiplegia and other paralysis, cause unspecified	W 45	7	3	35						3	1	1		1	3	5	5	26
		C 11	2	3	6							1			1		2	3	4
83	General paralysis of insane	W 7	3		4										1	1	3		2
		C 5	2		3										2	2	1		
84	Dementia praecox and other psychoses	W 13	6	1	6										2	3		3	4
		C 5	3	1	1									1	2	1	1		

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																		
85	Epilepsy	W 59	7	6	46	2	1	2			8	5	8	9	9	4	6	2	3
		C 15	3		12	1	1		1		3	2	4	1	1	1			
86	Convulsions (under 5 years of age)	W 9	1	1	7	6	1	2											
		C 1	1			1													
87	Other diseases of nervous system	W 21	3	1	17	8	1		1		1	1	2	2	1			2	2
		C 6	2	1	3	2											2	1	1
89a	Diseases of ear	W 17	4	3	10		2	4			3	1	2		1	1		3	
		C 5	2	1	2		1	1	1		1				1				
89b	Diseases of mastoid process	W 6	5	1			1				1	2	1		1				
		C 2			2								1				1		
	VII.—Diseases of the circulatory system	White 1,719	405	171	1,143	7	4	4	7	4	12	18	19	25	70	111	190	267	981
		Colored 684	189	102	393	1	1		2	5	1	6	3	18	21	55	101	119	351
90	Pericarditis	W 3	1		2													1	2
91a	Acute endocarditis	W 28	4	4	20			1	2		1	4	2		8	2	2	1	5
		C 6	3	1	2							1		1	1	1			2
91b	Endocarditis, unspecified (under 45 years)	W 11	2	4	5		1		1			1		2	2	4			
		C 2		1	1								2						
92a	Endocarditis, specified as chronic, and other valvular diseases	W 380	96	28	256	2				1	2	5	3	11	17	34	58	56	191
		C 164	54	19	91					1		1	1	5	6	20	27	26	77
92b	Endocarditis, unspecified (45 years and over)	W 30	10	2	18												3	5	22
		C 10	1	2	7												3	2	5
93a	Acute myocarditis	W 23	1	3	19	1					1		2	1	1	6	4	3	4
		C 11	2	3	6									1	1	2	1	1	5
93b	Myocarditis, unspecified (under 45 years)	W 24	4	4	16	1	1				1		2	3	9	7			
		C 4			4					1					2	1			
93c	Chronic myocarditis and myocardial degeneration	W 399	81	40	278		1				1	3	2		8	15	26	66	277
		C 151	42	27	82							1		5		7	22	31	85
93d	Other diseases of myocardium	W 137	32	19	86						1		1	1	1	5	17	30	81
		C 64	13	18	33							1		2		3	9	15	34
94a	Angina pectoris	W 80	24	10	46								1		7	11	23	18	20
		C 20	5	1	14											4	7	3	6
94b	Diseases of coronary arteries	W 34	15	6	13								1	1		5	9	8	10
		C 10	2	2	6										1	3	2	3	1
95a	Functional diseases of heart	W 39	16	7	16					1			2	1		4	5	3	23
		C 19	8	4	7											1	2	3	13
95b	Other and unspecified diseases of heart	W 173	46	17	110	1					2	4	2	4	9	10	30	39	72
		C 87	30	10	47							2		3	4	8	19	19	32
96	Aneurysm (except of heart)	W 11	5	1	5									1		3	1	3	3
		C 8	3	3	2										2	3	1	1	1
97	Arteriosclerosis (coronary arteries excepted)	W 285	54	15	216										1		7	24	253
		C 102	24	7	71												4	11	87
98	Gangrene	W 32	5	6	21	1	1	3	3	2	2	1			2	2	2	5	8
		C 18	2	3	13	1	1		1	2	1			1	1	2	2	3	3
99	Other diseases of the arteries	W 21	8	3	10						1				5	3	2	4	6
		C 4		1	3										2		2		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 2		1	1												1		
101	Diseases of lymphatic system (lymphangitis, etc.)	W 2		1	1	1			1										1
		C 2			2				1	1									
102	Idiopathic anomalies of blood-pressure	W 4	1		3													1	
103	Other diseases of circulatory system	W 1			1								1						3
		C 2			2										1			1	
	VIII.—Diseases of the respiratory system	White 3,069	523	247	2,294	1,051	327	208	148	94	162	50	82	111	148	132	140	149	267
		Colored 1,102	237	132	733	325	113	86	46	20	64	21	31	61	66	62	64	47	96
104b	Diseases of nasal fossae and annexae	W 2	1		1								1	1					
		C 2			2										1	1			
105	Diseases of larynx	W 3			3	2	1												
		C 3	1		2	1					1							1	
106a	Acute bronchitis	W 339	25	19	295	205	53	28	16	6	15	1	1	2	2			1	9
		C 84	16	6	62	41	20	6	5	2	5	1		1				1	2
106b	Chronic bronchitis	W 59	10	4	45	2	4	1	4	5	5	1	1		3		5	10	18
		C 17	2	3	12	2	1	2	2		1			1	1	2			5
106c, d	Bronchitis, unspecified	W 352	61	16	275	198	55	31	19	7	15	1	4	2	1	1	2	4	12
		C 71	25	2	44	47	9	7	2	1	3		1				1		
107a	Bronchopneumonia	W 1,328	234	117	977	467	153	107	79	57	84	27	23	28	41	34	36	52	140
		C 505	113	63	329	174	56	48	25	11	29	8	11	13	21	19	18	22	50
107b	Capillary bronchitis	W 65	14	12	39	37	13	6	4	2	1		1						1
		C 72	7	15	50	35	13	12	5	2	4							1	
108	Lobar pneumonia	W 653	112	55	486	95	32	24	19	14	35	15	39	64	70	70	65	53	58
		C 254	45	33	176	14	11	7	4	4	19	8	11	34	34	34	34	14	26
109	Pneumonia, unspecified	W 155	39	11	105	34	11	6	5	1	4	2	8	7	21	18	13	13	12
		C 66	22	7	37	11	3	2	3		2	2	7	7	8	5	7	4	5
110	Pleurisy	W 32	14	2	16	4	1	1	1		2	2		2	3	2	9	3	2
		C 3			3									1			1	1	
111a	Pulmonary embolism and thrombosis	W 11	5	1	5	1								3	4	2			1
		C 3	2		1									2				1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 12	5	1	6					1				1	2		1	5	2
		C 6	1		5			1				1		1			1	1	1
112	Asthma	W 45	4	7	34	4	3	4		1	1	1	2			4	7	7	11
		C 12	1	1	10			1				1	1	1	1	1		1	5
113	Pulmonary emphysema	W 4	1	2	1	2								1					1
114	Other diseases of respiratory system (tuberculosis excepted)	W 9	3		6		1		1				2		1	1	2	1	
		C 4	2	2													2		2
	IX.—Diseases of the digestive system	White 6,333	1,093	541	4,699	2,276	1,042	730	496	296	465	100	43	57	110	136	159	142	281
		Colored 2,044	429	267	1,348	760	362	259	141	78	134	22	18	29	31	41	41	41	67
115a	Diseases of pharynx, tonsils	W 30	3	3	24	5	2	1	1	1	5	2	1	1	2	4	2	3	
		C 9	3	1	5	1			1	3		1			1	1		1	
115b	Diseases of buccal cavity and annexa	W 7	3		4	1						2			2	2			
		C 8	3	1	4	3		1	1		1						1	1	

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IX.—Diseases of the digestive system—Continued.																		
116	Diseases of esophagus	W 1			1												1		
117a	Ulcer of stomach	W 54	8	5	41							2		3	13	8	9	10	9
		C 12	1	1	10									4	2	2	2	1	1
117b	Ulcer of duodenum	W 6	2		4	1										2		1	2
		C 3	2	1										1				2	
118	Other diseases of stomach (cancer excepted)	W 121	6	15	100	59	18	8	11	1	5	2	1			4	4	2	6
		C 59	4	2	53	31	10	10	2		1			1			1		3
119	Diarrhea, enteritis (under 2 years of age)	W 3,195	706	254	2,235	2,177	1,018												
		C 1,086	269	140	677	734	352												
120	Diarrhea, enteritis (2 years and over)	W 2,495	258	209	2,028			719	478	292	440	77	26	37	54	52	72	63	185
		C 742	105	103	534			247	135	74	129	17	8	9	18	24	14	25	42
121	Appendicitis	W 63	23	3	37	4		1	3		3	11	7	2	7	10	7	5	3
		C 10	2	1	7				1		1	1	2	2		1	1		1
122a	Hernia	W 16	7	2	7										1	2	3	4	6
		C 4	1	1	2											1		2	1
122b	Intestinal obstruction	W 64	19	8	37	17	3	1		1	3	1	4	1	4	9	9	3	8
		C 17	7	2	8	7					1			2		1	2	2	2
123	Other diseases of intestines	W 20	10	2	8	9	1			1	3	2				2		1	1
		C 7	3	1	3	2		1			1		1			1	1		
124	Cirrhosis of liver	W 176	29	31	116						1			4	14	30	43	38	46
		C 48	16	7	25					1		2	2	6	2	7	14	5	9
125a	Yellow atrophy of liver	W 1		1															1
		C 3	3						1				1		1				
125b	Other diseases of liver	W 36	2	4	30				1		1		2	5	7	6	3	5	6
		C 21	6	3	12	2							2	2	3	2	3		7
126	Biliary calculi	W 3	2		1									1	1			1	
		C 3	2		1								1	1			1		
127	Other diseases of gall-bladder, biliary passages	W 19	3	2	14				1		1				3	2	3	2	7
		C 6	1		5								1		2	1	1	1	
128	Diseases of pancreas	W 3	3								1					1		1	
129	Peritonitis, cause not specified	W 23	9	2	12	3			1		2	1	2	3	2	2	3	3	1
		C 6	1	3	2							1		1	2			1	1
	X.—Diseases of the genitourinary system	White 2,125	364	153	1,608	67	59	109	82	75	219	92	50	60	129	148	221	238	575
		Colored 830	177	104	549	29	18	33	31	28	62	11	12	31	56	82	90	114	233
130	Acute nephritis (including unspecified under 10 years)	W 546	52	27	467	54	38	78	54	43	119	42	13	17	24	12	15	20	17
		C 165	24	15	126	23	10	19	19	16	29	4	6	7	5	10	5	4	8
131	Chronic nephritis	W 1,286	235	104	947	7	18	22	23	26	80	33	28	28	73	107	163	195	482
		C 543	111	77	355	4	8	10	9	12	24	6	5	17	37	57	67	91	196
132	Nephritis, unspecified (10 years and over)	W 150	33	13	104							10	1	7	21	19	25	18	49
		C 71	19	9	43				2			1		3	11	8	13	17	16
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 85	19	2	64	6	3	9	5	6	20	7	2	2	1	3	7	1	13
		C 26	10		16	2		4	1		9		1		1		3	1	4
134	Calculi of urinary passages	W 4	2	1	1										1			2	1
		C 1	1														1		
135	Diseases of bladder (tumors excepted)	W 6	2		4										1		2		3
		C 1		1															1
136	Diseases of urethra, urinary abscess, etc	W 7	5	1	1										1		5		1
		C 3	1	1	1												1		2
137	Diseases of prostate	W 9	3	1	5												2	2	5
		C 7	3	1	3											1			6
138	Diseases of male genital organs, not specified as venereal	W 1			1														1
139b	Other diseases of ovaries, diseases of tubes, parametrium	W 15	7	2	6								3	5	5	1			1
		C 7	5		2									3	1	3			
139c	Diseases of uterus	W 16	6	2	8								3	1	2	6	2		2
		C 6	3		3									1	1	3		1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 324	59	39	226							1	41	96	125	58	3		
		Colored 101	21	17	63								15	26	41	17	2		
140	Abortion with septic conditions	W 6	3		3								1	1	3	1			
		C 3	2		1									1	1	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	W 5			5									2	2	1			
		C 3	1		2									2		1			
142a	Ectopic gestation, septic conditions specified	C 1		1												1			
142b	Ectopic gestation, septic conditions not mentioned	W 2		1	1								1		1				
143	Other accidents of pregnancy (hemorrhage not included)	W 1		1											1				
144a	Placenta praevia	W 18	4	4	10								1	1	11	5			
		C 3	1	1	1								1	1	1				
144b	Other puerperal hemorrhages	W 66	13	8	45								5	18	33	10			
		C 26	4	3	19								2	6	16	1	1		
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	W 98	18	11	69							1	10	28	37	22			
		C 26	7	5	14								3	8	10	4	1		
146	Puerperal albuminuria and eclampsia	W 90	13	10	67								21	30	24	13	2		
		C 24	2	6	16								6	6	9	3			
147	Other toxemias of pregnancy	W 7	1		6									4	2	1			
		C 2		1	1									2					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 9	2	1	6									4	3	1	1		
		C 2			2										1	1			
149	Other accidents of childbirth	W 21	5	2	14								2	8	7	4			
		C 11	4		7								3		3	5			
150	Other and unspecified conditions of puerperal state	W 1		1											1				

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	XII.—Diseases of the skin and cellular tissue—White	67	14	6	47	21	6	5	----	2	3	3	2	3	6	5	4	4	3
	XII.—Diseases of the skin and cellular tissue—Colored	21	7	3	11	----	----	3	----	----	1	----	2	1	1	3	3	1	6
151	Furuncle, carbuncle—W	25	3	3	19	10	3	2	----	----	1	1	1	1	----	1	2	2	1
	Furuncle, carbuncle—C	4	----	2	2	----	----	----	----	----	1	----	----	----	----	----	1	1	1
152	Phlegmon, acute abscess—W	28	9	3	16	6	2	1	----	2	1	1	1	2	5	3	2	1	1
	Phlegmon, acute abscess—C	11	4	----	7	----	----	2	----	----	----	----	2	----	1	2	2	----	2
153	Other diseases of skin and annexa, and of cellular tissue—W	14	2	----	12	5	1	2	----	----	1	1	----	----	1	1	----	1	1
	Other diseases of skin and annexa, and of cellular tissue—C	6	3	1	2	----	----	1	----	----	----	----	----	----	----	1	----	----	3
	XIII.—Diseases of the bones and organs of locomotion—White	12	4	----	8	----	1	1	----	----	1	1	1	----	3	1	1	2	----
	XIII.—Diseases of the bones and organs of locomotion—Colored	8	1	2	5	----	----	----	----	----	----	----	1	1	1	1	1	1	2
154	Osteomyelitis—W	7	4	----	3	----	1	1	----	----	----	1	----	----	1	1	----	2	----
	Osteomyelitis—C	5	1	1	3	----	----	----	----	----	----	----	----	1	1	----	1	1	1
155	Other diseases of bones (tuberculosis excepted)—W	2	----	----	2	----	----	----	----	----	1	----	----	----	1	----	----	----	----
	Other diseases of bones (tuberculosis excepted)—C	2	----	1	1	----	----	----	----	----	----	----	----	----	----	1	----	----	1
156	Diseases of joints, other organs of locomotion—W	3	----	----	3	----	----	----	----	----	----	----	1	----	1	----	1	----	----
	Diseases of joints, other organs of locomotion—C	1	----	----	1	----	----	----	----	----	----	----	1	----	----	----	----	----	----
	XIV.—Congenital malformations—White	143	22	12	109	135	4	1	1	----	----	1	1	----	----	----	----	----	----
	XIV.—Congenital malformations—Colored	42	9	4	29	41	----	1	----	----	----	----	----	----	----	----	----	----	----
157a	Congenital hydrocephalus—W	15	3	1	11	11	1	----	1	----	----	1	1	----	----	----	----	----	----
	Congenital hydrocephalus—C	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----
157b	Spina bifida and meningocele—W	13	2	1	10	12	----	1	----	----	----	----	----	----	----	----	----	----	----
	Spina bifida and meningocele—C	5	1	1	3	5	----	----	----	----	----	----	----	----	----	----	----	----	----
157c	Congenital malformations of heart—W	30	9	2	19	27	3	----	----	----	----	----	----	----	----	----	----	----	----
	Congenital malformations of heart—C	10	3	1	6	9	----	1	----	----	----	----	----	----	----	----	----	----	----
157d	Other congenital malformations—W	85	8	8	69	85	----	----	----	----	----	----	----	----	----	----	----	----	----
	Other congenital malformations—C	26	5	2	19	26	----	----	----	----	----	----	----	----	----	----	----	----	----
	XV.—Diseases of early infancy—White	1,626	320	132	1,174	1,626	----	----	----	----	----	----	----	----	----	----	----	----	----
	XV.—Diseases of early infancy—Colored	538	110	49	379	538	----	----	----	----	----	----	----	----	----	----	----	----	----
158	Congenital debility—W	1,141	201	89	851	1,141	----	----	----	----	----	----	----	----	----	----	----	----	----
	Congenital debility—C	398	64	34	300	398	----	----	----	----	----	----	----	----	----	----	----	----	----
159	Premature birth—W	224	59	25	140	224	----	----	----	----	----	----	----	----	----	----	----	----	----
	Premature birth—C	64	24	8	32	64	----	----	----	----	----	----	----	----	----	----	----	----	----
160	Injury at birth—W	70	19	3	48	70	----	----	----	----	----	----	----	----	----	----	----	----	----
	Injury at birth—C	26	8	5	13	26	----	----	----	----	----	----	----	----	----	----	----	----	----
161	Other diseases peculiar to early infancy—W	191	41	15	135	191	----	----	----	----	----	----	----	----	----	----	----	----	----
	Other diseases peculiar to early infancy—C	50	14	2	34	50	----	----	----	----	----	----	----	----	----	----	----	----	----
162	XVI.—Senility—White	299	50	31	218	----	----	----	----	----	----	----	----	----	----	----	----	6	293
	XVI.—Senility—Colored	138	38	14	86	----	----	----	----	----	----	----	----	----	----	----	----	2	136
	XVII.—Violent and accidental deaths—White	768	232	78	458	19	23	8	9	7	32	37	82	126	152	98	73	54	47
	XVII.—Violent and accidental deaths—Colored	342	123	33	186	5	9	3	6	6	11	24	41	52	65	42	36	19	23
	Suicide—W	254	65	28	161	----	----	----	----	----	----	6	32	62	59	40	18	23	14
	Suicide—C	102	30	13	59	----	----	----	----	----	----	1	18	22	23	14	12	8	4
163	By solid or liquid poisons or by absorption of corrosive substances—W	77	21	13	43	----	----	----	----	----	----	3	19	25	14	7	3	4	2
	By solid or liquid poisons or by absorption of corrosive substances—C	43	16	9	18	----	----	----	----	----	----	1	7	10	10	5	6	3	1
165	By hanging or strangulation—W	88	13	5	70	----	----	----	----	----	----	2	8	14	17	18	9	12	8
	By hanging or strangulation—C	32	4	2	26	----	----	----	----	----	----	----	6	2	5	8	5	3	3
166	By drowning—W	9	2	2	5	----	----	----	----	----	----	1	----	2	3	1	1	1	----
	By drowning—C	6	3	----	3	----	----	----	----	----	----	----	1	3	----	1	----	1	----
167	By firearms—W	67	20	8	39	----	----	----	----	----	----	----	5	15	23	12	3	6	3
	By firearms—C	14	4	2	8	----	----	----	----	----	----	----	3	5	4	----	1	1	----
168	By cutting or piercing instruments—W	3	2	----	1	----	----	----	----	----	----	----	----	1	----	1	----	----	1
	By cutting or piercing instruments—C	1	----	----	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----
169	By jumping from high places—W	3	3	----	----	----	----	----	----	----	----	----	----	1	1	1	----	----	----
171	By other means—W	7	4	----	3	----	----	----	----	----	----	----	----	4	1	----	2	----	----
	By other means—C	6	3	----	3	----	----	----	----	----	----	----	1	2	3	----	----	----	----
	Homicide—W	136	49	11	76	1	----	----	----	1	1	3	13	23	43	23	17	8	3
	Homicide—C	77	29	4	44	----	----	----	----	----	----	----	7	18	23	13	12	1	3
173	By firearms—W	62	23	5	34	----	----	----	----	----	----	2	6	8	16	16	10	3	1
	By firearms—C	28	10	2	16	----	----	----	----	----	----	----	3	6	13	3	1	1	1
174	By cutting or piercing instruments—W	56	23	2	31	----	----	----	----	1	----	----	7	12	20	6	5	5	----
	By cutting or piercing instruments—C	39	14	2	23	----	----	----	----	----	----	----	4	11	8	7	8	----	1
175	By other means—W	18	3	4	11	1	----	----	----	----	1	1	----	3	7	1	2	----	2
	By other means—C	10	5	----	5	----	----	----	----	----	----	----	----	1	2	3	----	----	1
	Accidental, other, or undefined—W	378	118	39	221	18	23	8	9	6	31	28	37	41	50	35	38	23	30
	Accidental, other, or undefined—C	163	64	16	83	5	9	3	6	6	11	23	16	12	19	15	12	10	16
177	Poisoning by food—W	5	2	----	3	----	----	----	----	----	----	----	----	----	1	1	1	2	----
	Poisoning by food—C	6	4	----	2	1	----	----	1	1	1	1	----	----	----	----	----	1	----
178	Absorption of poisonous gas—W	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----
179	Other acute accidental poisonings (gas excepted)—W	10	2	2	6	----	3	----	----	1	2	----	----	----	1	1	1	----	1
	Other acute accidental poisonings (gas excepted)—C	5	2	----	3	1	1	1	----	----	----	----	----	----	2	----	----	----	----
180	Conflagration—W	10	7	----	3	1	1	----	----	----	1	3	1	1	----	1	----	----	1
	Conflagration—C	8	8	----	----	----	----	----	----	1	3	2	----	----	1	----	----	1	----
181	Burns (conflagration excepted)—W	45	15	4	26	8	11	4	4	3	4	----	1	4	1	2	2	----	1
	Burns (conflagration excepted)—C	21	10	3	8	2	5	1	4	1	----	----	----	----	1	2	1	2	2
182	Mechanical suffocation—W	2	----	----	2	2	----	----	----	----	----	----	----	----	----	----	----	----	----
	Mechanical suffocation—C	4	----	1	3	1	1	----	----	----	----	----	1	----	----	----	----	----	1
183	Drowning—W	74	19	5	50	----	3	3	----	----	7	6	14	11	12	5	6	3	3
	Drowning—C	31	8	5	18	----	1	1	----	----	1	10	9	1	2	3	2	----	1
	Supplemental—W	3	1	----	2	----	----	----	----	----	----	1	1	----	----	1	----	----	----
	Supplemental—C	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE IN CITIES AND RURAL AREAS, BY COLOR AND AGE, IN PUERTO RICO: 1933—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	IN CITIES OF— 10,000 or more	IN CITIES OF— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted) W	12	6	3	3				1	1	1	2	1		2	2		1	1
	C	1			1											1			
185	By cutting or piercing instruments (wounds of war excepted) W	6	1	1	4				1				1	1	1		1		1
	C	3			3					1		1				1			
186a	By fall W	26	8		18	1	2		1		1		2	4	1	6	2	1	5
	C	10	3	1	6							1		4	2		1	1	1
	Supplemental W	9	4	1	4							2	2	1	2		2		
186b	By crushing, landslide W	1			1												1		
	Supplemental W	11	3	1	7						2	1		1	2	2	1	2	
	C	5	2		3		1				1	1				1			1
187	Cataclysm W	16	2		14		1		1		5	1		1	2	1	1	2	1
	C	2			2									1			1		
188	Injuries by animals W	6		1	5						1		1		1	1		2	
	C	1			1														1
189	Hunger and thirst W	1			1											1			
191	Excessive heat W	1			1										1				
192	Lightning W	4			4								1	1	1		1		
	C	2			2										1	1			
193	Due to electric currents W	3			3									1	2				
	C	5	1		4								2			1	2		
194a	Foreign bodies W	5	3		2		2	1	1								1		
194b	Other accidents W	45	12	7	26	5					3	4		7	7	4	6	1	8
	C	20	9	2	9				1	2		2	1	2	2		3	3	4
	Supplemental W	82	33	14	35					1	4	8	12	8	13	7	12	9	8
	C	38	17	4	17						5	5	3	4	8	5	2	1	5
	XVIII.—Ill-defined causes of death White	684	18	39	627	212	90	58	29	18	46	15	20	29	25	26	23	24	68
	Colored	166	8	6	152	32	28	20	13	4	11	6	6	5	2	6	9	5	19
199	Sudden death W	6	1	1	4	1									1	3		1	
	C	2			2									1		1			
200a	Cause of death ill-defined W	104	13	16	75	6	33	23	11	7	9	2		1	1	2	3	2	4
	C	53	6	5	42	3	21	7	8	1	4			1			2		6
200b	Cause of death not specified or unknown W	574	4	22	548	205	57	35	18	11	37	13	20	28	23	21	20	21	64
	C	111	2	1	108	29	7	13	5	3	7	6	6	3	2	5	7	5	13
Punch symbol	SUPPLEMENTAL [2]																		
202	Accidents from agricultural machinery C	1			1											1			
205	Other machinery accidents C	2			2						1			1					
206	Railroad and automobile collisions W	3	1		2								1			1		1	
207	Other railroad accidents W	12	6	1	5						1		1	1	3	1	1	3	1
	C	3	2	1							1			1					1
209	Other street car accidents W	3	2	1								2	1						
	C	2	1		1							1	1						
210	Automobile accidents (primary) W	75	27	14	34						5	7	10	7	12	8	13	6	7
	C	34	16	3	15		1				4	5	2	2	7	5	2	1	5
211	Motorcycle accidents W	1	1											1					
212	Other land transportation accidents W	9	3		6					1		2	1	1	2		1	1	
	C	1			1										1				
213	Water transportation accidents W	2	1		1							1	1						
	C	1			1													1	

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN PUERTO RICO: 1933

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico (white), all causes	**27,074**	**2,462**	**2,159**	**2,198**	**2,190**	**2,214**	**2,347**	**2,418**	**2,345**	**2,153**	**2,242**	**2,096**	**2,252**
Typhoid and paratyphoid fever (1, 2)	71	3	1	6	5	9	12	7	10	4	3	4	7
Smallpox (6)	1								1				
Measles (7)	166	10	9	15	10	13	21	28	18	11	7	12	12
Whooping-cough (9)	119	2	5	5	10	11	13	17	14	11	8	11	12
Diphtheria (10)	56	3	4	4	2	3	5	1	6	7	6	6	9
Influenza (11)	181	13	10	12	10	14	8	16	10	12	24	32	20
Dysentery (13)	282	25	25	24	20	26	30	36	21	16	11	17	31
Erysipelas (15)	13	1	1		1	1	2	1	1	4			1
Tuberculosis of the respiratory system (23)	3,673	307	298	314	308	340	314	329	327	274	301	267	294
Other forms of tuberculosis (24–32)	211	21	13	18	15	11	19	24	22	18	16	18	16
Malaria (38)	2,242	222	164	159	157	164	202	205	206	186	197	171	209
Diabetes mellitus (59)	45	5	5	4	2	2	5	3	4	4	7	2	2
Cerebral hemorrhage and softening (82a, 82c)	210	14	22	13	28	17	17	13	18	14	22	16	16
Diseases of the heart (90–95)	1,361	128	126	120	124	109	112	116	110	97	109	104	106
Bronchitis (106)	750	75	84	73	51	43	52	51	62	52	77	56	74
Bronchopneumonia (107)	1,393	140	128	149	120	127	114	96	88	84	115	125	107
Lobar and unspecified pneumonia (108, 109)	808	58	71	90	79	87	68	68	59	39	66	49	74
Diarrhea and enteritis [under 2 years] (119)	3,195	261	223	225	265	276	328	342	275	299	227	223	251
Diarrhea and enteritis [2 years and over] (120)	2,495	210	140	140	168	180	220	278	271	251	235	182	220
Nephritis (130–132)	1,982	206	161	159	158	147	167	151	173	159	170	152	179
Puerperal septicemia (140, 142a, 145)	104	7	12	10	16	8	9	14	6	6	8	6	2
Other puerperal causes	220	17	10	19	17	23	22	24	14	17	18	14	25
Suicide (163–171)	254	18	18	22	29	17	30	21	21	16	20	26	16
Automobile accidents [1]	75	5	8	8	9	4	9	4	7	3	7	6	5
Automobile—railroad train and street car collisions	3	2										1	
Other external causes	436	31	38	48	33	51	35	30	31	40	41	28	30
All other causes	6,728	678	583	559	553	531	533	543	570	529	547	568	534
Puerto Rico (colored), all causes	**9,691**	**818**	**768**	**824**	**820**	**814**	**803**	**873**	**741**	**777**	**824**	**799**	**830**
Typhoid and paratyphoid fever (1, 2)	23	3			2	1	6	1	3	2	2	1	2
Measles (7)	41	1	2	2	7	6	3	7	4	3	5		1
Whooping-cough (9)	38	1	1	3	4	2	6	3	4	4	3	1	6
Diphtheria (10)	18			2	2		2	2		2	2	2	4
Influenza (11)	81	10	6	2	7	5	3	7	2	6	11	12	10
Dysentery (13)	85	9	11	6	7	5	7	7	3	10	10	2	8
Erysipelas (15)	3					1				2			
Tuberculosis of the respiratory system (23)	1,508	113	108	131	119	151	123	129	134	124	118	125	133
Other forms of tuberculosis (24–32)	67	8	4	6	8	5	4	6	2	4	7	6	7
Malaria (38)	913	89	65	66	67	61	73	100	65	78	86	85	78
Diabetes mellitus (59)	12		1		2		3	1		2		1	2
Cerebral hemorrhage and softening (82a, 82c)	90	8	9	9	9	8	6	6	5	6	8	5	11
Diseases of the heart (90–95)	548	45	49	47	46	46	51	54	41	53	31	47	33
Bronchitis (106)	172	23	20	14	16	8	10	16	12	9	22	7	15
Bronchopneumonia (107)	577	47	55	71	53	55	56	37	23	33	52	54	41
Lobar and unspecified pneumonia (108, 109)	320	18	29	41	34	29	33	23	16	15	30	23	20
Diarrhea and enteritis [under 2 years] (119)	1,086	83	89	81	82	113	96	104	111	95	71	79	82
Diarrhea and enteritis [2 years and over] (120)	742	67	62	63	47	48	64	66	63	74	65	55	68
Nephritis (130–132)	779	62	61	71	61	65	59	59	63	52	71	75	80
Puerperal septicemia (140, 142a, 145)	30	4	3	2	6	4	3		2	2		3	1
Other puerperal causes	71	5	9	7	11	7	3	3	4	3	7	10	2
Suicide (163–171)	102	6	8	6	6	5	12	9	14	9	8	9	10
Automobile accidents [1]	34	1	2	2	2	5	2	5	2	7	1	3	2
Other external causes	206	14	12	15	16	20	19	16	17	20	23	17	17
All other causes	2,145	201	162	177	206	164	159	212	151	162	191	177	183

[1] Excludes collision with railroad trains and street cars.

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION, BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands	22,012	2,010	17,243	2,719	40	St. John	765	18	653	94	
Males	10,208	1,156	7,841	1,182	29	Males	395	15	338	42	
Females	11,804	854	9,402	1,537	11	Females	370	3	315	52	
St. Croix	11,413	414	9,592	1,386	21	St. Thomas	9,834	1,578	6,998	1,239	19
Males	5,441	222	4,561	640	18	Males	4,372	919	2,942	500	11
Females	5,972	192	5,031	746	3	Females	5,462	659	4,056	739	8

TABLE 2.—DEATHS (*Exclusive of Stillbirths*), BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1933

Area, sex, and color	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands:													
Males	228	22	13	25	17	21	24	26	15	15	12	23	15
Females	253	22	23	28	20	33	26	29	15	16	15	14	12
White—Males	19	3	2	2	2	1	2	3		1	1	1	1
Females	18	4		6	3		1	2			1	1	
Negro—Males	183	17	8	22	13	16	20	20	12	13	10	20	12
Females	206	13	20	21	17	27	22	23	14	16	10	12	11
Mixed—Males	24	2	3	1	2	4	2	3	2	1	1	2	1
Females	29	5	3	1		6	3	4	1		4	1	1
Other colored—Males	2								1				1
St. Croix:													
Males	131	12	6	16	8	15	13	13	9	9	6	12	12
Females	108	5	12	11	8	15	14	12	7	6	6	7	5
White—Males	1												1
Females	3	1		2									
Negro—Males	111	10	5	15	6	12	12	10	6	9	6	11	9
Females	91	2	10	9	8	12	13	9	6	6	4	7	5
Mixed—Males	17	2	1	1	2	3	1	3	2			1	1
Females	14	2	2			3	1	3	1		2		
Other colored—Males	2								1				1
St. John:													
Males	5		1					1		1		1	1
Females	8		2	1	1		1			2		1	
Negro—Males	5		1					1		1		1	1
Females	8		2	1	1		1			2		1	
St. Thomas:													
Males	92	10	6	9	9	6	11	12	6	5	6	10	2
Females	137	17	9	16	11	18	11	17	8	8	9	6	7
White—Males	18	3	2	2	2	1	2	3		1	1	1	
Females	15	3		4	3		1	2			1	1	
Negro—Males	67	7	2	7	7	4	8	9	6	3	4	8	2
Females	107	11	8	11	8	15	8	14	8	8	6	4	6
Mixed—Males	7		2			1	1			1	1	1	
Females	15	3	1	1		3	2	1			2	1	1

TABLE 3.—DEATHS (*Exclusive of Stillbirths*), BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1933

AREA, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Virgin Islands:																												
Males	228	50	9	6	2		67	2	3	4	6	7	3	6	11	11	16	19	21	17	14	12	7	1				1
Females	253	41	9	4	4		58	3	7	3	3	12	9	8	11	11	13	10	12	11	22	26	21	8	3	1	1	
White—Males	19	3	1		1		5			1		1	1	1		1	1	2		1	1	2	2					
Females	18	3	3		2		8					1			1				1	1	2	2					
Negro—Males	183	43	7	5	1		56	2	3	2	5	6	2	5	9	8	11	16	16	15	11	10	4	1				1
Females	206	37	5	3	2		47	3	6	3	3	10	7	7	10	11	10	10	9	10	20	18	16	4		1	1	
Mixed—Males	24	4	1	1			6			1	1				2	2	4	1	4	1	1		1					
Females	29	1	1	1			3		1			2	2	1			3		2	1	1	7	3	2	1			
Other colored—Males	2																		1		1							
St. Croix:																												
Males	131	25	4	3	1		33	1	2	3	3	3	2	3	6	5	12	8	16	13	11	6	3					1
Females	108	13	4		2		19	3	1		2	7	3	4	2	6	8	4	7	9	11	9	8	4		1		
White—Males	1																						1					
Females	3																						1	2				
Negro—Males	111	21	4	2	1		28	1	2	2	3	3	2	3	4	4	10	7	12	12	9	6	2					1
Females	91	12	3		2		17	3	1		2	5	2	4	2	6	7	4	6	8	11	5	6	1		1		
Mixed—Males	17	4		1			5			1					2	1	2	1	3	1	1							
Females	14	1	1				2					2	1				1		1	1		4	1	1				
Other colored—Males	2																		1		1							
St. John:																												
Males	5	2					2														1		1	1				
Females	8	4					4		1													3						
Negro—Males	5	2					2														1		1	1				
Females	8	4					4		1													3						
St. Thomas:																												
Males	92	23	5	3	1		32	1	1	1	3	4	1	3	5	6	4	11	5	4	2	6	3					
Females	137	24	5	4	2		35		5	3	1	5	6	4	9	5	5	6	5	2	11	14	13	4	3		1	
White—Males	18	3	1		1		5			1		1	1	1		1	1	2		1	1	2	1					
Females	15	3	3		2		8								1				1		1	1	1		2			
Negro—Males	67	20	3	3			26	1	1		2	3		2	5	4	1	9	4	3	1	4	1					
Females	107	21	2	3			26		4	3	1	5	5	3	8	5	3	6	3	2	9	10	10	3			1	
Mixed—Males	7		1				1				1					1	2		1				1					
Females	15			1			1		1				1	1			2		1		1	3	2	1	1			

TABLE 4.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1933

List no.	CAUSE OF DEATH	VIRGIN ISLANDS					ST. CROIX				ST. JOHN	ST. THOMAS		
		Total	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	Negro	White	Negro	Mixed
	Total deaths (all causes)	481	37	389	53	2	4	202	31	2	13	33	174	22
	I.—Infectious and parasitic diseases	97	8	77	12	---	---	42	9	---	---	8	35	3
1	Typhoid fever	1	---	1	---	---	---	---	---	---	---	---	1	---
7	Measles	7	3	3	1	---	---	1	1	---	---	3	2	---
9	Whooping-cough	7	2	4	1	---	---	---	---	---	---	2	4	1
13	Dysentery	1	---	1	---	---	---	---	---	---	---	---	1	---
22	Tetanus	2	1	1	---	---	---	1	---	---	---	1	---	---
	Tuberculosis (all forms)	25	2	18	5	---	---	10	4	---	---	2	8	1
23	Respiratory system	24	2	17	5	---	---	10	4	---	---	2	7	1
26	Vertebral column	1	---	1	---	---	---	---	---	---	---	---	1	---
33	Leprosy	8	---	7	1	---	---	7	1	---	---	---	---	---
34	Syphilis	32	---	30	2	---	---	19	2	---	---	---	11	---
38	Malaria	9	---	8	1	---	---	3	---	---	---	---	5	1
42	Other diseases caused by helminths	1	---	1	---	---	---	1	---	---	---	---	---	---
43	Mycoses	4	---	3	1	---	---	---	1	---	---	---	3	---
	II.—Cancers and other tumors	20	2	17	1	---	---	12	1	---	2	2	3	---
	Cancer and other malignant tumors	19	2	16	1	---	---	12	1	---	2	2	2	---
(45)	Pharynx	1	---	1	---	---	---	1	---	---	---	---	---	---
(46)	Esophagus	2	---	1	1	---	---	1	1	---	---	---	---	---
(46)	Stomach and duodenum	4	---	4	---	---	---	4	---	---	---	---	---	---
(46)	Other digestive tract and peritoneum	1	---	1	---	---	---	1	---	---	---	---	---	---
47	Respiratory system	1	1	---	---	---	---	---	---	---	---	1	---	---
48	Uterus	3	---	3	---	---	---	1	---	---	1	---	1	---
49	Other female genital organs	2	---	2	---	---	---	2	---	---	---	---	---	---
50	Breast	3	---	3	---	---	---	2	---	---	---	---	1	---
52	Skin	1	1	---	---	---	---	---	---	---	---	1	---	---
53	Other or unspecified organs	1	---	1	---	---	---	---	---	---	1	---	---	---
4b	Nonmalignant tumors, uterus	1	---	1	---	---	---	---	---	---	---	---	1	---
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	30	2	25	3	---	1	18	---	---	---	1	7	3
57	Chronic rheumatism, osteoarthritis	1	---	1	---	---	---	1	---	---	---	---	---	---
59	Diabetes mellitus	5	1	3	1	---	1	2	---	---	---	---	1	1
62	Pellagra	23	1	20	2	---	---	14	---	---	---	1	6	2
63	Rickets	1	---	1	---	---	---	1	---	---	---	---	---	---
	IV.—Diseases of the blood and blood-making organs	3	---	3	---	---	---	2	---	---	---	---	1	---
70	Hemorrhagic conditions	2	---	2	---	---	---	1	---	---	---	---	1	---
72b	Pseudoleukemias (Hodgkin's disease)	1	---	1	---	---	---	1	---	---	---	---	---	---
	VI.—Diseases of the nervous system and of the organs of special sense	37	3	30	3	1	---	17	1	1	1	3	12	2
80	Progressive locomotor ataxia (tabes dorsalis)	1	---	---	1	---	---	---	---	---	---	---	---	1
82a	Cerebral hemorrhage	26	1	23	1	1	---	13	---	1	1	1	9	1
82b	Cerebral embolism and thrombosis	1	---	1	---	---	---	1	---	---	---	---	---	---
82d	Hemiplegia and other paralysis, cause unspecified	3	1	2	---	---	---	2	---	---	---	1	---	---
84	Dementia praecox and other psychoses	1	---	1	---	---	---	1	---	---	---	---	---	---
85	Epilepsy	1	---	1	---	---	---	---	---	---	---	---	1	---
87	Other diseases of nervous system	2	---	2	---	---	---	---	---	---	---	---	2	---
89a	Diseases of ear	1	---	---	1	---	---	---	1	---	---	---	---	---
89b	Diseases of mastoid process	1	1	---	---	---	---	---	---	---	---	1	---	---
	VII.—Diseases of the circulatory system	100	8	79	13	---	3	44	6	---	2	5	33	7
92a	Endocarditis, specified as chronic, and other valvular diseases	22	1	18	3	---	---	6	---	---	---	1	12	3
93c	Chronic myocarditis and myocardial degeneration	61	5	48	8	---	3	29	4	---	2	2	17	4
94b	Diseases of coronary arteries	2	---	2	---	---	---	1	---	---	---	---	1	---
95b	Other and unspecified diseases of heart	1	1	---	---	---	---	---	---	---	---	1	---	---
96	Aneurysm (except of heart)	4	---	3	1	---	---	2	1	---	---	---	1	---
97	Arteriosclerosis (coronary arteries excepted)	7	1	6	---	---	---	5	---	---	---	1	1	---
98	Gangrene	2	---	2	---	---	---	1	---	---	---	---	1	---
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1	---	---	1	---	---	---	1	---	---	---	---	---

List no.	CAUSE OF DEATH	VIRGIN ISLANDS					ST. CROIX				ST. JOHN	ST. THOMAS		
		Total	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	Negro	White	Negro	Mixed
	VIII.—Diseases of the respiratory system	44	3	37	3	1	---	15	2	1	4	3	18	1
104b	Diseases of nasal fossae and annexae	1	---	1	---	---	---	1	---	---	---	---	---	---
106a	Acute bronchitis	3	1	2	---	---	---	1	---	---	1	1	---	---
107a	Bronchopneumonia	21	1	18	1	1	---	10	1	1	2	1	6	---
108	Lobar pneumonia	18	1	15	2	---	---	2	1	---	1	1	12	1
112	Asthma	1	---	1	---	---	---	1	---	---	---	---	---	---
	IX.—Diseases of the digestive system	51	4	42	5	---	---	21	3	---	3	4	18	2
117a	Ulcer of stomach	2	---	2	---	---	---	2	---	---	---	---	---	---
118	Other diseases of stomach (cancer excepted)	1	---	1	---	---	---	1	---	---	---	---	---	---
119	Diarrhea, enteritis (under 2 years of age)	31	2	27	2	---	---	11	2	---	2	2	14	---
120	Diarrhea, enteritis (2 years and over)	7	---	5	2	---	---	3	1	---	1	---	1	1
124	Cirrhosis of liver	10	2	7	1	---	---	4	---	---	---	2	3	1
	X.—Diseases of the genitourinary system	51	5	39	7	---	---	9	4	---	---	5	30	3
130	Acute nephritis (including unspecified under 10 years)	1	---	1	---	---	---	---	---	---	---	---	1	---
131	Chronic nephritis	47	5	35	7	---	---	8	4	---	---	5	27	3
132	Nephritis, unspecified (10 years and over)	1	---	1	---	---	---	---	---	---	---	---	1	---
136	Diseases of urethra, urinary abscess, etc	1	---	1	---	---	---	---	---	---	---	---	1	---
137	Diseases of prostate	1	---	1	---	---	---	1	---	---	---	---	---	---
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	2	---	2	---	---	---	1	---	---	---	---	1	---
140	Abortion with septic conditions	1	---	1	---	---	---	---	---	---	---	---	1	---
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	1	---	1	---	---	---	1	---	---	---	---	---	---
	XII.—Diseases of the skin and cellular tissue	2	---	2	---	---	---	1	---	---	---	---	1	---
152	Phlegmon, acute abscess	1	---	1	---	---	---	---	---	---	---	---	1	---
153	Other diseases of skin and annexa, and of cellular tissue	1	---	1	---	---	---	1	---	---	---	---	---	---
	XIV.—Congenital malformations	7	1	6	---	---	---	1	---	---	---	1	5	---
157a	Congenital hydrocephalus	1	---	1	---	---	---	1	---	---	---	---	---	---
157c	Congenital malformations of heart	5	1	4	---	---	---	---	---	---	---	1	4	---
157d	Other congenital malformations	1	---	1	---	---	---	---	---	---	---	---	1	---
	XV.—Diseases of early infancy	22	---	19	3	---	---	10	3	---	1	---	8	---
158	Congenital debility	2	---	1	1	---	---	---	1	---	---	---	1	---
159	Premature birth	14	---	12	2	---	---	8	2	---	---	---	4	---
160	Injury at birth	2	---	2	---	---	---	1	---	---	---	---	1	---
161	Other diseases peculiar to early infancy	4	---	4	---	---	---	1	---	---	1	---	2	---
	XVII.—Violent and accidental deaths	11	1	7	3	---	---	5	2	---	---	1	2	1
	Homicide	1	---	---	1	---	---	---	1	---	---	---	---	---
173	By firearms	1	---	---	1	---	---	---	1	---	---	---	---	---
	Accidental, other, or undefined	10	1	7	2	---	---	5	1	---	---	1	2	1
181	Burns (conflagration excepted)	2	---	---	2	---	---	---	1	---	---	---	---	1
183	Drowning	1	---	1	---	---	---	---	---	---	---	---	1	---
	Traumatism:													
186a	By fall	2	---	2	---	---	---	1	---	---	---	---	1	---
	Supplemental	1	---	1	---	---	---	1	---	---	---	---	---	---
186b	By crushing, landslide	---	---	---	---	---	---	---	---	---	---	---	---	---
	Supplemental	1	---	1	---	---	---	1	---	---	---	---	---	---
194b	Other accidents	3	1	2	---	---	---	2	---	---	---	1	---	---
	XVIII.—Ill-defined causes of death	4	---	4	---	---	---	4	---	---	---	---	---	---
200a	Cause of death ill-defined	4	---	4	---	---	---	4	---	---	---	---	---	---
Punch symbol	SUPPLEMENTAL [1]													
205	Other machinery accidents	1	---	1	---	---	---	1	---	---	---	---	---	---
210	Automobile accidents (primary)	1	---	1	---	---	---	1	---	---	---	---	---	---

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1933

List no.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	Total deaths (all causes)	481	91	18	10	6		5	10	7	9	19	12	36	51	62	64	80	1
	I.—Infectious and parasitic diseases	97	7	6	3	4		1	3	4	6	16	4	14	11	8	6	4	
1	Typhoid fever	1							1										
7	Measles	7	1	3	1	2													
9	Whooping-cough	7	2	2	1	1		1											
13	Dysentery	1	1																
22	Tetanus	2	1									1							
	Tuberculosis (all forms)	25								4	4	8	1	4	1	1	1	1	
23	Respiratory system	24								3	4	8	1	4	1	1	1	1	
26	Vertebral column	1								1									
33	Leprosy	8										2		1	1	1	2	1	
34	Syphilis	32	2	1	1						1	4	1	6	9	3	3	1	
38	Malaria	9				1			1				2	2		2		1	
42	Other diseases caused by helminths	1							1										
43	Mycoses	4									1	1		1		1			
	II.—Cancers and other tumors	20												2	4	4	6	4	
	Cancer and other malignant tumors	19												1	4	4	6	4	
(45)	Pharynx	1															1		
(46)	Esophagus	2														1			
(46)	Stomach and duodenum	4													1	1	1	1	
(46)	Other digestive tract and peritoneum	1														1			
47	Respiratory system	1														1			
48	Uterus	3												1				2	
49	Other female genital organs	2															2		
50	Breast	3													2		1		
52	Skin	1																1	
53	Other or unspecified organs	1															1		
54b	Nonmalignant tumors, uterus	1												1					
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	30	1									2	2	2	5	7	5	5	1
57	Chronic rheumatism, osteoarthritis	1														1			
59	Diabetes mellitus	5													2	2		1	
62	Pellagra	23										2	2	2	3	4	5	4	1
63	Rickets	1	1																
	IV.—Diseases of the blood and blood-making organs	3	1			1			1										
70	Hemorrhagic conditions	2	1			1													
72b	Pseudoleukemias (Hodgkin's disease)	1							1										
	VI.—Diseases of the nervous system and of the organs of special sense	37	1	1								1	1	4	6	9	6	8	
80	Progressive locomotor ataxia (tabes dorsalis)	1													1				
82a	Cerebral hemorrhage	26												3	5	7	5	6	
82b	Cerebral embolism and thrombosis	1														1			
82d	Hemiplegia and other paralysis, cause unspecified	3														1	1	1	
84	Dementia praecox and other psychoses	1												1					
85	Epilepsy	1											1						
87	Other diseases of nervous system	2										1						1	
89a	Diseases of ear	1	1																
89b	Diseases of mastoid process	1		1															
	VII.—Diseases of the circulatory system	100	1						1	1	1		1	3	14	15	22	41	
92a	Endocarditis, specified as chronic, and other valvular diseases	22							1	1			1	3	6	1	2	7	
93c	Chronic myocarditis and myocardial degeneration	61													4	11	16	30	
94b	Diseases of coronary arteries	2													2				
95b	Other and unspecified diseases of heart	1	1																
96	Aneurysm (except of heart)	4									1				1	2			
97	Arteriosclerosis (coronary arteries excepted)	7															3	4	
98	Gangrene	2														1	1		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
	VIII.—Diseases of the respiratory system	44	21	6	4	1		2	2		1		2	1	1	1		2	
104b	Diseases of nasal fossae and annexae	1									1								
106a	Acute bronchitis	3	3																
107a	Bronchopneumonia	21	12	3	2	1		1					1			1			
108	Lobar pneumonia	18	6	3	2			1	2				1		1			2	
112	Asthma	1												1					
	IX.—Diseases of the digestive system	51	27	5					1				1	4	3	4	5	1	
117a	Ulcer of stomach	2															2		
118	Other diseases of stomach (cancer excepted)	1	1																
119	Diarrhea, enteritis (under 2 years of age)	31	26	5															
120	Diarrhea, enteritis (2 years and over)	7												3	1	1	1	1	
124	Cirrhosis of liver	10							1				1	1	2	3	2		

TABLE 5.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1933—Continued

List no.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	X.—Diseases of the genitourinary system	51			1				1		1			5	3	12	14	14	
130	Acute nephritis (including unspecified under 10 years)	1							1										
131	Chronic nephritis	47			1									4	3	12	13	14	
132	Nephritis, unspecified (10 years and over)	1												1					
136	Diseases of urethra, urinary abscess, etc.	1									1								
137	Diseases of prostate	1															1		
	XI.—Diseases of pregnacy, childbirth, and the puerperal state	2											1	1					
140	Abortion with septic conditions	1											1						
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded)	1												1					
	XII.—Diseases of the skin and cellular tissue	2	1															1	
152	Phlegmon, acute abscess	1	1																
153	Other diseases of skin and annexa, and of cellular tissue	1																1	
	XIV.—Congenital malformations	7	6		1														
157a	Congenital hydrocephalus	1			1														
157c	Congenital malformations of heart	5	5																
157d	Other congenital malformations	1	1																
	XV.—Diseases of early infancy	22	22																
158	Congenital debility	2	2																
159	Premature birth	14	14																
160	Injury at birth	2	2																
161	Other diseases peculiar to early infancy	4	4																
	XVII.—Violent and accidental deaths	11	2		1			2	1	2					1	2			
	Homicide	1														1			
173	By firearms	1														1			
	Accidental, other, or undefined	10	2		1			2	1	2					1	1			
181	Burns (conflagration excepted)	2			1											1			
183	Drowning	1							1										
	Traumatism:																		
186a	By fall	2						1							1				
	Supplemental	1								1									
186b	By crushing, landslide																		
	Supplemental	1						1											
194b	Other accidents	3	2							1									
	XVIII.—Ill-defined causes of death	4	1												3				
200a	Cause of death ill-defined	4	1												3				
Punch symbol	SUPPLEMENTAL [1]																		
205	Other machinery accidents	1						1											
210	Automobile accidents (primary)	1								1									

[1] See explanatory footnote, p. 473.

TABLE 6.—DEATHS (*Exclusive of Stillbirths*) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1933

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Total deaths (all causes)	481	44	36	53	37	54	50	55	30	31	27	37	27
Typhoid and paratyphoid fever (1, 2)	1										1		
Measles (7)	7			4	1	2							
Whooping-cough (9)	7	2	1	1	3								
Dysentery (13)	1			1									
Tuberculosis of the respiratory system (23)	24	3		1	2	3	3	4	1	1	3	2	1
Other forms of tuberculosis (24—32)	1					1							
Malaria (38)	9	3				1	1	2					2
Diabetes mellitus (59)	5			1								2	2
Cerebral hemorrhage and softening (82a, 82c)	26	3	1	4	1	3	3	3	1	2	1	2	2
Diseases of the heart (90–95)	86	6	3	11	7	10	11	7	8	4	5	7	7
Bronchitis (106)	3	1	1			1							
Bronchopneumonia (107)	21	1	1		1	1	1	1	2	1		10	2
Lobar and unspecified pneumonia (108, 109)	18	2	3	3		1	3	4	1		1		
Diarrhea and enteritis [under 2 years] (119)	31	1	2	3	4	3	6	4	3	2	1		2
Diarrhea and enteritis [2 years and over] (120)	7	1	1			1	1	1		1		1	
Nephritis (130–132)	49	6	4	3	6	4	6	12	2	2	3	1	
Puerperal septicemia (140, 142a, 145)	2		1						1				
Automobile accidents [1]	1												1
Other external causes	10	1	1	2		1	2		1		1	1	
All other causes	172	14	17	19	12	22	13	17	10	18	11	11	8

[1] Excludes collision with railroad trains and street cars.

APPENDIX

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes)		1,115,490	91,194	13,482	6,979	5,116	4,168	120,939	15,410	12,898	20,353	28,162
	Both sexes	White	980,453	74,036	10,770	5,786	4,273	3,558	98,423	13,178	10,653	15,616	21,152
		Negro	125,679	15,229	2,314	1,016	717	540	19,816	1,931	2,020	4,347	6,550
		Other races	9,358	1,929	398	177	126	70	2,700	301	225	390	460
	Males	White	538,682	42,252	5,867	3,178	2,360	1,935	55,592	7,358	6,241	8,956	11,206
		Negro	66,371	8,365	1,224	541	370	292	10,792	972	1,049	2,007	3,175
		Other races	5,824	1,085	200	94	64	41	1,484	166	113	200	279
	Females	White	441,771	31,784	4,903	2,608	1,913	1,623	42,831	5,820	4,412	6,660	9,946
		Negro	59,308	6,864	1,090	475	347	248	9,024	959	971	2,340	3,375
		Other races	3,534	844	198	83	62	29	1,216	135	112	190	181
	I.—Infectious and parasitic diseases:												
	Males	White	50,132	3,336	1,627	939	734	558	7,194	1,854	976	1,507	2,357
		Negro	13,953	1,139	375	189	143	112	1,958	330	337	826	1,292
		Other races	1,609	161	58	41	25	21	306	71	49	110	132
	Females	White	39,838	2,892	1,533	848	622	497	6,392	1,628	922	1,895	3,303
		Negro	12,446	1,029	354	186	147	92	1,808	373	459	1,205	1,691
		Other races	1,022	119	66	31	26	15	257	61	62	125	115
1	Typhoid fever:												
	Males	White	1,176	4	9	7	10	13	43	61	75	162	172
		Negro	377	3	4	3	6	16	30	45	77	69	
		Other races	28			2		2	3	2	5	3	
	Females	White	777	4	8	13	7	6	38	51	80	101	107
		Negro	327	2	3	3	4	4	16	45	51	56	48
		Other races	12			1			1	2	6	1	1
2	Paratyphoid fever:												
	Males	White	33			1		1	2	1		4	2
		Negro	5							1			
	Females	White	22	2	1		1		4			1	3
		Negro	2										
3	Typhus fever:												
	Males	White	9							2			
		Negro	1										
	Females	White	2										
5	Undulant fever:												
	Males	White	30			1			1		1	1	1
	Females	White	22		1				1	1			1
		Negro	2										1
6	Smallpox:												
	Males	White	8	1		1			2			1	1
		Negro	1										1
	Females	White	10		2				2	2		2	
		Other races	1	1					1				
7	Measles:												
	Males	White	755	174	194	81	46	36	531	131	30	14	8
		Negro	83	26	21	11	3	5	66	4	4	4	2
		Other races	39	14	14	6	2		36	2		1	
	Females	White	720	116	170	87	47	36	456	145	26	19	7
		Negro	82	20	18	12	6	1	57	9	4	5	4
		Other races	33	9	8	9	1	1	28	2	1		1
8	Scarlet fever:												
	Males	White	1,049	39	69	107	115	92	422	321	102	60	29
		Negro	31	2	1	2	5	3	13	9	3	1	2
		Other races	4							3	1		
	Females	White	1,130	25	106	98	89	90	408	317	113	62	50
		Negro	36	2	2	2	5	2	13	6	4	3	5
		Other races	4		1				1	1	2		
9	Whooping-cough:												
	Males	White	994	614	218	66	34	18	950	33	4		2
		Negro	357	206	86	35	8	8	343	8	3	2	
		Other races	51	36	10	2	2		50	1			
	Females	White	1,262	743	246	101	50	23	1,203	44	7	1	
		Negro	417	237	92	31	25	12	397	16	1		
		Other races	56	33	13	6	3	1	56				
10	Diptheria:												
	Males	White	1,489	103	238	219	195	128	888	410	84	25	17
		Negro	142	19	19	34	19	16	107	20	10	1	2
		Other races	17		4	1	4	4	13	2	1	1	
	Females	White	1,368	77	179	165	160	137	718	387	80	26	22
		Negro	145	24	19	14	16	12	85	28	10	7	3
		Other races	15	2	4		3	2	11	2			
11a	Influenza, respiratory complications specified:												
	Males	White	6,810	742	289	117	63	51	1,262	140	85	144	175
		Negro	1,161	182	46	14	17	5	264	30	24	45	64
		Other races	104	30	6	7	1	2	46	5	1	5	1
	Females	White	6,660	579	231	93	62	47	1,012	107	70	135	170
		Negro	1,066	133	44	20	14	11	222	32	25	57	62
		Other races	70	22	11	2			35	3	1	3	5
11b	Influenza, respiratory complications not specified:												
	Males	White	3,557	441	106	74	76	44	741	117	82	99	61
		Negro	606	110	25	10	8	5	158	18	20	28	27
		Other races	50	12	3		1	2	18	5	2	2	4
	Females	White	3,519	315	117	61	34	32	559	110	73	76	81
		Negro	715	148	20	14	5	7	194	18	20	24	31
		Other races	33	10	4		1		15			1	4
13	Dysentery:												
	Males	White	727	181	118	44	27	14	384	22	8	5	10
		Negro	207	64	33	9	7	3	116	3	3	3	5
		Other races	20	12	2	2			16	1			
	Females	White	565	129	83	32	19	8	271	10	1	6	8
		Negro	182	44	30	8	4	5	91	5	3	6	
		Other races	11	6	2	2	1		11				
14	Plague:												
	Males	White	1										
15	Erysipelas:												
	Males	White	886	205	23	11	4	3	246	7	9	14	16
		Negro	40	6				2	8	3		2	
		Other races	6	6					6				
	Females	White	742	212	20	5	4	2	243	10	8	7	16
		Negro	29	8	1		1		10	1	1		
		Other races	6	4					4				1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
30,073	32,981	40,888	49,766	60,945	72,458	82,061	98,237	106,009	115,171	100,046	71,974	38,618	13,697	3,024	788	1,012	
22,570	25,042	31,973	40,468	50,962	61,525	72,971	89,542	98,787	109,414	96,012	68,888	36,822	12,735	2,614	383	723	
7,013	7,487	8,468	8,844	9,473	10,430	8,635	8,246	6,816	5,391	3,733	2,856	1,693	897	382	375	276	
490	452	427	454	510	503	455	449	406	366	301	230	103	65	28	30	13	
11,614	13,402	17,640	23,659	30,452	36,617	42,790	51,470	55,093	59,378	49,730	33,963	16,902	5,086	930	152	451	
3,418	3,879	4,579	4,767	5,106	5,628	4,779	4,493	3,607	2,877	1,952	1,483	865	455	164	147	177	
324	293	256	304	376	371	343	317	266	258	202	144	64	28	11	13	12	
10,956	11,640	14,333	16,809	20,510	24,908	30,181	38,072	43,694	50,036	46,282	34,925	19,920	7,649	1,684	231	272	
3,595	3,608	3,889	4,077	4,367	4,802	3,856	3,753	3,209	2,514	1,781	1,373	828	442	218	228	99	
166	159	171	150	134	132	112	132	140	108	99	86	39	37	17	17	1	
2,687	2,999	3,485	3,951	4,213	3,970	3,460	3,208	2,579	2,092	1,595	1,088	626	195	44	5	47	
1,259	1,336	1,385	1,183	1,072	899	641	555	329	255	119	74	41	18	8	5	31	
157	127	105	107	107	96	67	50	47	31	19	18	4	1	2		3	
3,324	2,766	2,563	2,173	1,889	1,835	1,786	1,853	1,735	1,776	1,626	1,297	722	259	57	7	30	
1,531	1,171	953	769	652	524	367	302	226	152	106	70	38	17	11	13	8	
91	73	55	44	32	30	16	16	13	7	10	8	3	2	1	1		
153	107	77	58	74	54	47	36	30	19	5						3	
38	29	15	15	15	7	3	6	2	3	1	4					2	
6	2	2	3														
86	48	56	58	38	30	26	13	25	8	7	2	2				1	1
41	16	9	8	14	9	3	4	2	2	1	2						
						1											
3	5	5	3		3		2		1	1	1						
	1	1		1		1											
3	2	1	1		1	2	1	1	1	1							2
		1			1												
1			1	1	1	2		1									
1																	3
1									1								
4	1	5	1	2	1	4	2	3	2		1						
2	2	1	2	1	2	4	1	2		2							5
	1																
			1				2				1						
1		1			1		1										6
8	2	3	4	4	3	5		1	6	2	3						
	2	1															
5	9	6	12	9	7	4	5	2	3	2	1		1			1	7
2					1												
1																	
27	29	16	13	12	9	5	1	2	1								
	1	1						1									
66	44	23	19	11	8	3	2	1	2	1							8
3		1	1														
			1			1	1		1							1	
																1	
		2	1				1	1								2	9
	2		1														
10	8	10	10	5	7		4	3	2	3	2					1	
						1	1										
21	11	22	18	13	18	17	8	3	1	2	1						10
3	2		1	2	1	1	1	1									
	1				1												
171	224	338	394	402	400	416	463	450	493	493	395	261	83	16	1	4	
47	90	76	64	86	98	58	79	48	35	23	16	7	3	3		1	
2	3	7	2	4	9	3	3	1	3	5	1	1	1	1			
200	255	331	313	291	331	361	409	450	563	623	569	322	112	30	3	3	11a
71	77	59	60	76	74	60	46	41	41	24	16	12	3	3	4	1	
1	1	3	3	2	2		3	2		1	3	2					
72	84	86	132	147	147	140	179	202	242	329	235	236	91	25	4	6	
18	31	23	32	20	31	44	39	18	27	21	27	10	8	4	1	1	
1	1		1	2	1	2		2	2	1	2	3		1			
99	95	111	110	114	129	154	171	204	263	375	383	261	122	24	4	1	11b
30	29	39	55	34	32	45	30	36	27	21	22	11	6	4	6	1	
1	1			1	3		1		1	1	2			1	1		
10	6	8	14	21	28	20	29	25	32	45	36	16	7	1			
4	3	3	3	9	9	3	10	10	6	6	3	4	3		1		
1			1				1										
3	6	10	12	6	12	13	23	20	44	43	46	25	6	2		1	13
5	3	6	8	7	10	4	13	8	3	4	2	1	1	1	1		
								1									14
15	17	31	40	47	51	58	67	70	83	58	33	18	5	1			
2	3	3	3	1	4	2	3	2	2	1	1						
12	17	27	30	35	46	42	63	37	57	40	27	19	5	1			15
1	1		1	2	1	4	2		2	3							
1																	

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
16	Acute poliomyelitis, acute polioencephalitis:											
	Males—White	358	25	24	17	18	16	100	77	57	48	32
	Negro	18	4	4	1	3		12	1	1	1	1
	Other races	4	1				1	2		1		1
	Females—White	232	16	21	13	12	12	74	52	32	29	15
	Negro	18	4	3	3	1	1	12	1	3	2	
	Other races	3					1	1	1			
17	Lethargic or epidemic encephalitis:											
	Males—White	583	3	7	4	6	4	24	17	22	28	25
	Negro	30		1	1		1	3	1			1
	Other races	3										
	Females—White	521	9	6	6	3	6	30	17	18	15	25
	Negro	42	1	1	2		1	5	4	1	3	4
	Other races	2					1	1		1		
18	Epidemic cerebrospinal meningitis:											
	Males—White	650	108	40	28	18	13	207	63	59	71	44
	Negro	88	11	8	5	1	3	28	6	7	11	7
	Other races	6			1			1			2	2
	Females—White	386	71	34	15	18	10	148	47	34	33	24
	Negro	42	7	4			2	13	6	3	5	3
	Other races	2	1					1				
20	Anthrax (bacillus anthracis) malignant pustule:											
	Males—White	4									1	
	Negro	1								1		
	Females—White	1										
21	Rabies:											
	Males—White	27		1		1	2	4	8	5	1	
	Negro	2		1				1				
	Females—White	6			3			3	2	1		
	Negro	2								1		
22	Tetanus:											
	Males—White	535	24	7	7	17	27	82	94	96	37	23
	Negro	125	28	1		3	3	35	18	10	12	8
	Other races	8	1				1	2	2	3		
	Females—White	185	26	6	5	8	6	51	36	20	2	9
	Negro	50	14			2		16	12	5	3	1
	Other races	1							1			
	Tuberculosis (all forms):											
	Males—White	25,309	212	209	116	65	66	668	244	179	717	1,626
	Negro	7,572	86	73	38	36	33	266	110	144	570	982
	Other races	1,113	24	17	21	13	10	85	46	37	92	116
	Females—White	18,839	200	184	109	76	54	623	192	287	1,288	2,584
	Negro	6,913	60	76	45	33	19	233	110	261	929	1,329
	Other races	712	15	21	10	16	9	71	46	48	119	100
23	Respiratory system:											
	Males—White	22,921	74	67	37	19	15	212	75	87	609	1,469
	Negro	6,748	49	42	14	17	12	134	55	93	512	895
	Other races	977	14	8	14	5	7	48	23	24	84	106
	Females—White	16,723	78	62	28	18	15	201	72	182	1,160	2,415
	Negro	6,262	27	34	18	13	8	100	65	225	860	1,258
	Other races	623	9	11	4	7	6	37	25	43	110	93
24	Meninges and central nervous system:											
	Males—White	766	104	117	50	34	39	344	103	50	41	41
	Negro	214	18	17	15	11	12	73	32	21	11	14
	Other races	50	5	5	3	5	2	20	12	2	3	3
	Females—White	645	89	91	64	40	24	308	90	52	27	39
	Negro	159	15	21	14	11	9	70	18	16	17	10
	Other races	36	2	7	5	4	2	20	11	3	2	
25	Intestines and peritoneum:											
	Males—White	427	5	4	8	3	3	23	24	17	17	33
	Negro	209	2	2	1			5	4	16	21	27
	Other races	26				1		1	3	3	4	5
	Females—White	573	6	7	5	6	6	30	5	19	37	60
	Negro	205	1	3	2	1		7	8	7	24	31
	Other races	20	1		1	1	1	4	2	1	3	2
26	Vertebral column:											
	Males—White	313	3	1	5	1	4	14	17	10	11	21
	Negro	95	1			1	1	3	4	3	7	15
	Other races	10							1	1		
	Females—White	209		3	1	4	2	10	4	8	9	12
	Negro	39			1		1	2	4	4	4	2
	Other races	2				1		1	1			
27a	Bones (vetebral column excepted):											
	Males—White	62		1			1	2		2	6	3
	Negro	12					1	1			2	1
	Other races	3	1					1		1		
	Females—White	31	1					1	1	3	4	2
	Negro	14	1					1	2		2	2
27b	Joints:											
	Males—White	90							5	3	6	3
	Negro	24	1				1	2		1	3	3
	Other races	1								1		
	Females—White	70				1	1	2	1	3	7	3
	Negro	9								2		1
28	Skin and subcutaneous cellular tissue:											
	Males—White	7	1					1				1
	Negro	1										
	Other races	1										
	Females—White	18									2	
	Negro	3										1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted):											
	Males—White	36	1	1	2		1	5	3			1
	Negro	20	1					1	2	4		2
	Other races	3										
	Females—White	44	3		2		1	6	1		1	1
	Negro	19		1		2		3			2	3
	Other races	3		2				2	1			
30	Genitourinary system:											
	Males—White	284			1			1	1	1	12	19
	Negro	24									1	1
	Other races	4										
	Females—White	178					1	1	2	3	2	17
	Negro	16									1	2
	Other races	3								1		1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
16	7	6	6	2	2	3	1									1	
		2															
9	5	6	3	2	1			3									16
		1															
27	35	32	50	54	48	49	40	48	40	18	17	8	1				
1	3	3	2	2	1	5	4	2	2		1						
40	23	24	31	38	37	48	55	40	45	23	10	2					17
1		4	3	1	7	2	1	3	1	2							
23	26	26	39	17	21	18	18	5	10	1	1					1	
2	9	3	3	2	2	1	4	2								1	
	1																
20	10	17	6	17	6	9	9	2	3			1					18
1	1	1	2	4	1	2											
	1																
1			1		1												20
	1																
1	3		1			3	1										21
	1																
					1												
12	23	23	23	20	18	22	19	22	10	7	4						
6	8	5	5	11	4	1			1		1						22
		1															
3	7	9	8	5	10	3	3	6	8	5							
1	2	2		2	1	2		2		1							
1,982	2,206	2,534	2,777	2,844	2,570	2,097	1,836	1,316	913	502	209	62	4	1		22	
966	963	914	762	605	468	291	253	132	83	32	12	4	1			14	
134	111	79	83	88	71	54	38	32	20	12	13					2	
2,565	2,049	1,714	1,322	1,102	1,003	888	947	816	693	448	222	69	9			18	
1,163	810	609	426	331	267	155	116	81	43	30	10	3	2	1		4	
82	64	49	34	26	21	15	11	11	4	7	2	1	1				
1,832	2,061	2,382	2,602	2,679	2,422	1,990	1,707	1,219	848	462	190	52	1	1		21	
883	878	835	718	569	437	254	226	125	76	27	12	4	1			14	
125	103	74	81	81	66	51	37	29	19	11	13					2	23
2,396	1,917	1,599	1,202	1,001	917	797	842	720	621	407	195	56	8			15	
1,087	756	563	396	304	248	136	103	76	39	27	10	2	2	1		4	
75	60	48	33	26	21	15	11	11	4	7	2	1	1				
27	28	26	31	27	18	8	9	4	4	2	2	1					
18	11	15	8	4	1	3	1	2									
3	4	2		1													24
25	18	19	15	13	9	8	13	4	1	3	1						
5	8	5	2	2	6												
37	31	29	39	34	26	23	28	20	21	14	7	2	1			1	
16	31	28	15	5	9	10	13	4	3	2							
1	1		1	4	1		1			1							25
68	40	44	40	33	27	44	32	39	26	15	10	3				1	
31	21	18	17	15	2	11	7	2	1	2		1					
3	4		1														
19	26	19	31	29	30	21	18	26	11	9		1					
17	11	8	4	6	5	7	4		1								
3		2				2		1									26
18	17	17	11	13	14	16	18	12	13	5	6	3	1			2	
5	3	3		4	2	1	3	1	1								
6		7	3	4	4	6	3	5	2	5	4						
2						2	1		1	2							
					1												27
2	4		1	2	2	2	1	3	1			2					
3	1	1			1	1											
4	3	10	4	7	8	7	9	8	7	2		3	1				
2	1	3	2	1	3	3											27b
10	3	1	6	5	8	2	5	5	2	3	2	2					
		1	2		1	1				1							
				1			1		1		1		1				
1																	28
		1															
	2	2		1	3	1	1		1	5							
1							1										
2	1			2		2	5	8	2	2	2	1					
1	3	3	1	1	1					1							
1					1			1									29
2	3	2	1	3	2		6	4	7	2	2	1					
2	1	2	1	1	1	1	1		1								
23	29	31	33	27	28	20	32	14	5	5	2	1					
5	2	3		5	1	5		1									
	1		1	1	1												
17	15	14	24	17	13	9	12	17	9	3	2	1					30
4	2	2	4		1												
1																	

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 40 years
	I.—Infectious and parasitic diseases—Continued											
	Tuberculosis (all forms)—Continued											
31	Other organs:											
	Males—White	35										1
	Negro	7	1				1	2		1		2
	Females—White	38			1			1		1	2	
	Negro	7										1
32a	Acute disseminated tuberculosis:											
	Males—White	322	23	18	13	8	3	65	14	7	11	29
	Negro	190	12	12	7	5	5	41	11	4	12	17
	Other races	34	4	3	3	2	1	13	7	5	1	2
	Females—White	259	23	20	8	7	4	62	16	16	32	30
	Negro	167	15	14	10	6	1	46	13	7	17	18
	Other races	24	3	1		3		7	6		3	4
32b, c	Other disseminated tuberculosis:											
	Males—White	46	1					1	2	2	4	5
	Negro	28	1		1	2		4	2	1	1	5
	Other races	4		1	1			2				
	Females—White	51		1				1			5	5
	Negro	13	1	3				4			2	
	Other races	1									1	
33	Leprosy:											
	Males—White	17										1
	Negro	2										
	Other races	1										
	Females—White	3										
	Negro	1										
34	Syphilis:											
	Males—White	3,577	343	23	5	5	5	381	12	12	12	47
	Negro	2,357	327	20	6	1	1	355	9	7	29	88
	Other races	128	23	1	1		1	26			2	4
	Females—White	1,419	262	22	3	1	3	291	11	12	19	53
	Negro	1,418	250	19	8	4	2	283	11	13	42	106
	Other races	47	16	1				17	2	2	1	1
35	Gonococcus infection and other venereal diseases:											
	Males—White	93	3					3			2	3
	Negro	65	6					6	1	1		4
	Other races	2								1		
	Females—White	379	9	1	1			11	3	1	29	73
	Negro	222	3					3	1	2	21	39
	Other races	7										2
36	Purulent infection, septicemia (nonpuerperal):											
	Males—White	332	27	13	4	8	3	55	14	20	13	18
	Negro	40	3					3	2	3	1	2
	Other races	3	1					1				
	Females—White	246	28	7	5	2	4	46	13	17	12	21
	Negro	45	4	1				5		4	1	2
	Other races	1										
38	Malaria:											
	Males—White	810	43	27	19	17	14	120	54	31	38	39
	Negro	582	37	29	18	24	16	124	56	47	37	23
	Other races	5										
	Females—White	574	44	22	17	18	12	113	50	34	23	25
	Negro	633	42	13	19	24	12	110	67	47	38	50
	Other races	3			1	1		2				
39	Other diseases due to protozoal parasites:											
	Males—White	18	1		1			2		1	1	
	Negro	4										
	Other races	2										
	Females—White	15		1				1		1	2	1
	Negro	3	1					1			1	1
40	Ankylostomiasis											
	Males—White	2							1		1	
	Negro	1	1					1				
	Females—White	1							1			
	Negro	2							1			
41a	Hydatid cysts of liver:											
	Males—White	14	1					1				
	Females—White	10										
	Negro	1										
41b	Hydatid cysts of other organs:											
	Males—White	5										
	Females—White	4									1	
42	Other diseases caused by helminths:											
	Males—White	25		2	4	2	3	11	2	3	1	
	Negro	7	2	1		3	1	7				
	Other races	1										
	Females—White	35	1	5	4	6	2	18	3	3	1	1
	Negro	9		4	4	1		9				
	Other races	1							1			
43	Mycoses:											
	Males—White	95	7				1	8		2	2	3
	Negro	27	11	2	1	1		15		2		2
	Other races	8										1
	Females—White	62	3	3		1	1	8	2		2	6
	Negro	28	22	3		1		26				1
	Other races	1								1		
44	Other infectious and parasitic diseases:											
	Males—White	154	30	10	5	7	4	56	23	9	5	2
	Negro	21	8	1		1	1	11		2	2	2
	Other races	6	1	1				2	1			
	Females—White	118	21	17	12	4	6	60	14	4	3	1
	Negro	14	3	1	1	1	1	7			2	1
	Other races	1		1				1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
3	5	3	2	5	4	4	3	3	2								
		2															
1	4	5	4	3	3		3	3	4	1	2	1					31
1	1	1	2	1													
24	21	23	31	23	26	14	17	8	6	1	1	1					
20	21	16	11	13	9	5	8		2								
1	2			1	1			1									
20	21	9	13	8	1	7	7	7	4	4	2						32a
21	14	12	2	4	5	4	1	2	1								
3		1															
5	1	4	1	6	4	2	4	1	4								
1	5	1	3	1	2	2											
						1			1								
6	5	2	5	3	4	2	7	2	4								32b,c
3	3	1															
1	4	3	4		1		1	1	1								
1				1													
		1															33
	1		1							1							
1																	
63	124	205	289	462	502	469	415	311	166	79	19	4	1			4	
143	154	293	257	272	232	204	120	82	68	25	4	6	3	1	1	4	
7	7	11	13	12	12	7	8	10	5	1	2					1	
68	74	98	131	129	144	160	91	69	38	19	9	1	1			1	34
125	145	158	152	140	75	56	52	34	14	6	5				1		
4	2	1	6	3	3		1		2		1		1				
11	13	8	6	10	13	6	5	8	3	2							
7	5	4	8	9	7	6	4	1	1			1					
1																	
72	62	57	38	20	5	6	1	1									35
49	43	37	17	5	3	2											
1	2	1	1														
22	20	13	24	18	20	22	18	20	13	8	8	6					
2	6	1	1	4	4	3	2	2	3						1		
		1			1												
13	12	12	19	15	9	13	14	8	8	3	5	5	1				36
2	2	6	2	5	3	2	5	1	3		1		1				
										1							
45	38	42	46	55	50	49	49	42	37	32	21	15	3			4	
22	24	34	25	32	29	17	30	26	24	10	5	9			1	7	
1			2					2									
29	22	28	27	31	18	23	24	34	29	26	21	14	1			2	38
30	37	19	31	28	36	29	32	17	16	14	12	11	4	2	1	2	
	1																
	2	2		2	1	4	2		1								
		1	1	1	1												
1		1															39
1		1	2	2	1	2		1									
																	40
1																	
1		1	1	1	2	3	1		1	2							
	1	1	1	1	2	2			1			1					41a
1																	
1	1	1						1		1							
1									1	1							41b
1	2	1	1			3											
					1												
1	1	1		2	3				1								42
4	7	8	4	6	10	9	8	7	9	6	2						
	2	1	2		2			1									
2	2	2		1													
1	8	2	4	3	7	3	4	4	4	3	1						43
		1															
2	5	1	7	7	7	6	8	9	7								
	1	1		1		1											
			2						1								
2	1	2	4	4	4	3	7	5	2	1			1				44
		1	1	1	1												

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
											4		
	II.—Cancers and other tumors:												
	Males	White	50,577	39	41	54	56	52	242	182	152	267	303
		Negro	2,153	5	3	3	3	4	18	7	15	22	26
		Other races	253	1	1				2	1			4
	Females	White	60,296	36	32	46	44	38	196	135	131	167	263
		Negro	4,291	1	2	2	6	5	16	15	8	12	54
		Other races	244			1	1	1	3	2	2		3
	Cancer and other malignant tumors:												
	Males	White	49,099	22	31	38	39	38	168	125	115	220	237
		Negro	2,069		2	1	2	2	7	6	11	18	21
		Other races	246							1			3
	Females	White	57,297	22	22	32	33	26	135	85	91	125	200
		Negro	3,706	1	2	2	2	3	10	12	7	10	28
		Other races	231			1	1	1	3	1	1		2
45	Of the buccal cavity and pharynx:												
	Males	White	3,302				1	1	2	5	3	8	2
		Negro	124									1	
		Other races	11										1
	Females	White	683			1	1		2	3		4	7
		Negro	52							1			1
		Other races	3										
	Lip:												
	Males	White	533									1	
		Negro	5										
	Females	White	48										1
		Negro	1										
	Tongue:												
	Males	White	742									1	
		Negro	38										
		Other races	2										
	Females	White	144										
		Negro	7										1
		Other races	1										
	Mouth:												
	Males	White	342										
		Negro	11										
	Females	White	61										
		Negro	10										
		Other races	1										
	Jaw:												
	Males	White	654				1		1	3	1	4	1
		Negro	28										
		Other races	4										
	Females	White	176			1			1			2	4
		Negro	17							1			
		Other races	1										
	Other and unspecified parts of the buccal cavity:												
	Males	White	444								2	2	1
		Negro	14									1	
		Other races	2										1
	Females	White	111				1		1	2		1	1
		Negro	3										
	Pharynx:												
	Males	White	587					1	1	2			
		Negro	28										
		Other races	3										
	Females	White	143							1		1	1
		Negro	14										
46	Of the digestive tract and peritoneum:												
	Males	White	28,297	6	4	4	7	8	29	25	19	30	51
		Negro	1,230							1	3	1	4
		Other races	166										
	Females	White	24,920	6	4		1	4	15	5	8	21	53
		Negro	1,088					1	1	4	2	2	6
		Other races	90			1	1		2				
	Esophagus:												
	Males	White	1,508										1
		Negro	67										1
		Other races	10										
	Females	White	390										1
		Negro	14										
		Other races	2			1			1				
	Stomach and duodenum:												
	Males	White	12,973							1	3	6	7
		Negro	669								1		
		Other races	97										
	Females	White	8,912								1	4	10
		Negro	524										1
		Other races	38										
	Intestines (except duodenum, rectum, anus):												
	Males	White	4,974	1		1	3	3	8	9	7	12	18
		Negro	141							1	1		2
		Other races	17										
	Females	White	6,288	3				1	4	1	1	8	17
		Negro	158									1	3
		Other races	24				1		1				
	Rectum and anus:												
	Males	White	3,071					1	1	2	1	4	6
		Negro	105										1
		Other races	7										
	Females	White	2,455		1				1			4	3
		egro	180										2
		ther races	7										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
356	538	978	1,839	2,897	4,366	5,593	7,122	7,883	7,958	5,542	2,955	1,077	259	39		29	
39	56	97	139	239	317	285	286	238	179	109	49	20	4	4	1	3	
6	7	6	21	29	33	36	32	30	16	14	5	5	3	1	1	1	
571	1,131	2,321	3,711	5,191	6,320	7,155	7,748	7,743	7,302	5,363	3,099	1,285	356	69	4	35	
138	284	447	542	554	621	445	379	323	208	120	59	37	12	5	5	7	
6	12	25	25	22	36	20	19	25	10	21	7	4	1	1			
295	452	880	1,681	2,737	4,202	5,456	7,006	7,798	7,902	5,497	2,935	1,071	254	39		29	
34	53	93	132	227	310	274	285	235	177	106	48	20	4	4	1	3	
5	7	6	21	27	33	36	31	30	16	14	5	5	3	1	1	1	
471	939	1,976	3,225	4,639	5,999	6,934	7,603	7,608	7,203	5,289	3,056	1,264	351	68	4	32	
97	184	319	433	496	573	421	364	314	200	116	58	36	12	5	5	6	
6	11	21	23	21	36	20	18	25	10	20	7	4	1	1			
13	18	33	85	180	298	361	470	540	529	388	221	105	34	6		1	
	6	4	10	10	28	12	19	12	12	4	6						
	1		1	2		1		3	1							1	
1	10	12	17	37	62	68	77	91	81	91	54	47	15	3		1	
1	3		3	7	8	9	4	8	3	1	1	1	1				
				3													
3	3	7	14	26	30	35	62	81	85	83	58	34	9	2			
				1		2			2								
				2	2	5	5	5	2	7	8	6	4	1			
					1												
1	2	7	19	47	89	83	112	136	112	73	40	13	5	2			
	2	2	3	2	11	2	7	4	1	1	3						
				2													
	4	1	7	5	15	18	20	20	19	17	9	7	1	1			
1				1	2		1		1								
				1													
1	1	1	11	11	26	45	48	54	63	44	19	13	4	1			
	1		2		2		3	3									
		3		4	3	2	6	14	9	7	6	5	2				45
			2	1	2	2		1	2								
				1													
5	5	9	19	39	57	66	83	101	128	71	38	17	5			1	
		1	2	1	5	2	5	1	8	1	2						
			1			1		2									
1	3	2	6	8	16	19	21	30	18	18	14	8	5				
	1			1	3	3	1	6				1					
				1													
1	4	7	10	26	40	47	75	84	52	44	32	11	5	1			
			2	3	5	1	1	1									
	1																
		3	1	5	7	6	11	12	15	25	8	10	1	1		1	
				1		1				1							
2	3	2	12	31	56	85	90	84	89	73	34	17	6				
	3	1	1	3	5	5	3	3	1	2	1						
								1	1							1	
	3	3	3	13	19	18	14	10	18	17	9	11	2				
	2		1	3		3	2	1			1		1				
117	219	492	965	1,640	2,512	3,357	4,367	4,626	4,739	3,012	1,508	471	87	16		15	
19	26	57	81	161	185	169	168	145	108	59	25	9	2	3	1	3	
4	6	4	14	21	30	22	25	17	9	6	3	3	1		1		
116	224	463	857	1,360	2,001	2,664	3,460	3,920	4,056	3,078	1,759	682	146	19	1	12	
22	34	66	77	112	175	150	132	115	94	46	20	15	10	3		2	
1	1	4	7	8	13	10	9	15	6	7	4	2	1				
1	2	15	35	77	149	220	292	288	240	115	52	20				1	
		6	2	7	15	8	12	6	4	3	2		1				
					4	3	2			1							
	2	8	11	28	39	41	57	68	63	36	25	6	4	1			
1				3	5	3		1		1							
1																	
21	58	210	426	782	1,109	1,494	2,011	2,150	2,262	1,443	708	223	44	7		8	
6	11	21	50	87	110	97	91	83	60	29	13	6	1	1		2	
2	2	2	7	15	17	14	15	7	6	4	3	2	1				
23	59	122	252	411	609	895	1,223	1,435	1,608	1,208	718	268	55	7		4	46
5	12	26	31	47	86	65	77	62	53	26	11	9	9	3		1	
		4	1	3	5	4	6	7	2	2	2	2					
36	73	104	188	267	436	526	726	782	836	541	277	98	23	5		2	
4	7	10	13	14	15	14	18	12	13	10	6	1					
	2		3	2	3	1	1	1	1	1		1			1		
42	84	150	250	387	534	668	793	931	961	750	451	198	50	4		4	
2	4	14	7	14	32	26	12	11	17	7	2	5	1				
	1		2	3	5	2	2	3	2	2	1						
20	37	53	108	173	286	399	466	512	478	298	174	44	8			1	
4	4	6	4	15	12	12	11	18	9	6	1	2					
1					2	1	2	1									
23	34	73	135	167	237	283	326	356	314	269	148	67	13	2			
12	12	19	21	29	21	24	16	11	6	5	1					1	
			2	1	1	1	1				1						

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued												
	Cancer and other malignant tumors—Continued												
	Of the digestive tract and peritonum—Contd.												
46	Liver and biliary passages.												
	Males	White	3,687	2	3	1	3		9	4	6	4	7
		Negro	160										
		Other races	23										
	Females	White	5,056	1	1			1	3	2	4	3	10
		Negro	157								1		
		Other races	15										
	Pancreas:												
	Males	White	1,685							1	1	2	5
		Negro	69										
		Other races	12										
	Females	White	1,389					1	1			2	4
		Negro	34										
		Other races	2										
	Mesentery and peritoneum:												
	Males	White	374	3	1	2	1	4	11	7	1	2	7
		Negro	18								1	1	
	Females	White	390	2	1		1	1	5	2	2		7
		Negro	21					1	1	4	1	1	
		Other races	2										
	Others under this title:												
	Males	White	25							1			
		Negro	1										
	Females	White	40		1				1				1
47	Of the respiratory system:												
	Males	White	3,094	2	1	5		1	9	11	9	25	29
		Negro	112							1	1	2	2
		Other races	21										
	Females	White	1,212			2	2	1	5	5	7	7	10
		Negro	44							1			
		Other races	3										
	Larynx:												
	Males	White	847									1	
		Negro	20										
		Other races	4										
	Females	White	113										
		Negro	10										
		Other races	1										
	Lungs and pleura:												
	Males	White	1,942	2	1	5		1	9	10	9	23	27
		Negro	74							1	1		2
		Other races	15										
	Females	White	1,011			2	2	1	5	4	6	7	8
		Negro	25							1			
		Other races	2										
	Other respiratory organs:												
	Males	White	305							1		1	2
		Negro	18									2	
		Other races	2										
	Females	White	88							1	1		2
		Negro	9										
48	Of the uterus:												
	Females	White	11,382							1	3	2	38
		Negro	1,464	1			1		2			2	10
		Other races	92										1
49	Of other female genital organs:												
	Females	White	2,514				1	1	2	2	9	17	22
		Negro	132								2	3	6
		Other races	1								1		
	Ovary and Fallopian tube:												
	Females	White	2,014				1		1	1	9	16	21
		Negro	99								2	3	5
		Other races	1								1		
	Vagina and vulva:												
	Females	White	454					1	1	1		1	1
		Negro	30										1
	Other female genital organs:												
	Females	White	46										
		Negro	3										
50	Of the breast:												
	Male	White	131										
		Negro	12										
		Other races	1										
	Females	White	10,343					1	1		2	2	11
		Negro	589										
		Other races	20										
51	Of the male genitourinary organs:												
	Males	White	8,812	10	16	14	15	13	68	12	3	26	43
		Negro	367		1			1	2	3	1	1	2
		Other races	25							1			
	Kidneys and suprarenals:												
	Males	White	878	9	13	13	13	11	59	11	3	3	8
		Negro	35		1			1	2	2		1	
		Other races	2										
	Bladder:												
	Males	White	2,372		2			2	4	1		2	
		Negro	74							1			
		Other races	7										
	Prostate:												
	Males	White	5,011	1					1			3	3
		Negro	218										1
		Other races	10										
	Testes:												
	Males	White	312		1	1	2		4			18	32
		Negro	11								1		1
		Other races	2							1			
	Scrotum:												
	Males	White	29										
		Negro	3										
	Other male genital organs:												
	Males	White	210										
		Negro	26										
		Other races	4										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
14	24	42	110	182	303	424	561	608	638	456	221	61	9	2		2	
5	4	6	4	23	23	26	22	19	15	9				2	1	1	
1	2	2	3	2	4	2	2	3	2								
22	31	69	148	265	410	542	750	835	845	627	350	114	18	5	1	2	
1	5	5	13	12	23	25	20	22	16	7	6	1					
			2		2	3		3	2	2			1				
7	14	46	70	126	191	245	267	232	246	142	63	21	3	2		1	
		6	6	11	9	11	13	6	6	1							
			1	2		1	3	5									
6	5	22	37	64	131	182	255	233	216	145	54	25	5			2	
		1	3	3	8	6	4	7	2								
								1		1							46
18	10	21	27	29	38	45	42	49	35	16	12	4					
		2	2	4	1	1	1	1	1	1	2						
	7	17	22	35	37	49	51	57	48	35	12	3	1				
1	1	1	2	4		1	3	1									
				1				1									
	1	1	1	4		4	2	5	4	1	1						
											1						
	2	2	2	3	4	4	5	5	1	8	1	1					
26	35	88	192	308	487	507	458	386	286	158	54	22	2	1		1	
4	7	12	15	10	19	14	13	4	3	2		2		1			
			3	-1	2	5	2		-3	4		1					
18	33	54	84	102	126	155	177	167	139	77	33	9	3			1	
1	1	5	3	6	7	9	3	3	1	3	1						
		1			1		1										
1	3	17	26	55	111	140	141	139	112	71	22	6	1	1			
		1	2	4	4	2	5			1		1					
						1	1			2							
	2	3	5	7	8	11	13	23	11	17	10	1	2				
	1	1				3	1		1	3							
							1										47
23	24	56	134	216	318	315	280	218	160	76	28	14	1			1	
3	5	10	9	5	10	11	8	4	3	1		1					
			2	1	2	3	1		3	2		1					
17	27	49	76	89	106	132	150	127	121	55	22	8	1			1	
1		2	1	4	6	5	2	2			1						
		1			1												
2	8	15	32	37	58	52	37	29	14	11	4	2					
1	2	1	4	1	5	1								1			
			1			1											
1	4	2	3	6	12	12	14	17	7	5	1						
		2	2	2	1	1		1									
136	322	662	988	1,351	1,495	1,539	1,500	1,243	1,017	644	299	102	24	9		7	
42	101	159	217	216	218	157	130	97	54	29	15	9		1	4	1	48
4	10	12	13	7	18	6	5	8	4	3	1						
41	48	134	211	297	375	362	303	275	211	123	56	21	3	1		1	
10	7	12	19	19	21	13	7	10	2							1	
37	42	121	185	277	334	308	248	192	129	67	23	3					
5	6	8	15	14	15	13	5	7								1	
																	49
3	6	11	25	15	36	41	52	78	79	53	29	18	3	1			
5	1	3	2	5	6		2	3	2								
1		2	1	5	5	13	3	5	3	3	4					1	
		1	2														
1	3	3	7	6	18	16	14	13	19	18	12	1					
		1	1	4	1	1	2				2						
				1													
54	195	443	772	1,102	1,431	1,463	1,376	1,183	933	701	414	186	56	10	1	7	50
8	21	59	82	99	104	52	44	56	23	23	11	6			1		
1		3	1	3	2	2	2	1		2	1	1		1			
51	59	97	170	257	429	730	1,144	1,587	1,700	1,375	736	251	61	5		8	
3	5	5	14	23	47	56	64	55	37	31	12	4	2				
			3			4	2	6	3	3	1	1	1				
7	14	21	55	81	99	119	138	114	77	39	21	7	2				
		1	1	6	6	3	5	3	1	2	2						
			2														
3	3	20	50	102	161	243	321	453	406	345	176	62	18			2	
1	2	1	4	5	5	13	16	6	7	11	1	1					
			1			2	1	3									
2	3	8	28	51	131	330	635	972	1,169	949	510	168	38	5		5	
1	1	2	5	10	32	32	36	43	25	17	9	2	2				51
						2		1	3	3			1				
37	37	45	31	16	18	13	11	13	12	8	13	3				1	
1					1	3		1	2	1							
								1									
					4	3	7	5		5	4	1					
		1				1	1										
2	2	3	6	7	16	22	32	30	36	29	12	10	3				
	2		4	2	3	4	6	2	2			1					
							1	1			1	1					

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued												
	Cancer and other malignant tumors—Continued												
52	Of the skin:												
	Males	White	1,678	1			1	1	3	1	1		4
		Negro	25								1		1
	Females	White	943	2	1		2		5	1	5	2	2
		Negro	40				1		1		1		
		Other races	1										
53	Of other or unspecified organs:												
	Males	White	3,785	3	10	15	15	14	57	71	80	131	108
		Negro	199		1	1	2	1	5	1	5	13	12
		Other races	22										2
	Females	White	5,300	14	17	29	26	19	105	68	57	70	57
		Negro	297		2	2		2	6	6	2	3	5
		Other races	21					1	1	1			1
	Kidneys and suprarenals:												
	Females	White	668	5	11	19	11	6	52	11	3	4	5
		Negro	24			2		1	3	2			
		Other races	10					1	1				
	Bladder:												
	Females	White	1,197				3		3			2	1
		Negro	52										
		Other races	1										
	Brain:												
	Males	White	522	2	1	4	6	5	18	31	23	21	24
		Negro	18					1	1	1	1	1	3
		Other races	2										1
	Females	White	377	2	1	3	4	4	14	19	18	16	12
		Negro	17		1				1	2	1	1	
		Other races	2							1			1
	Bones (except jaw):												
	Males	White	802		2	2	1	1	6	18	27	63	35
		Negro	38			1			1		1	5	3
		Other races	2										
	Females	White	714	1	1	1	2	3	8	11	21	22	15
		Negro	31									2	1
		Other races	2										
	Other or unspecified organs:												
	Males	White	2,461	1	7	9	8	8	33	22	30	47	49
		Negro	143		1		2		3		3	7	6
		Other races	18										1
	Females	White	2,344	6	4	6	6	6	28	27	15	26	24
		Negro	173		1			1	2	2	1		4
		Other races	6										
54a	Nonmalignant tumors, ovary:												
	Females	White	118									2	5
		Negro	11										1
		Other races	2										
54b	Nonmalignant tumors, uterus:												
	Females	White	1,662									3	12
		Negro	470									1	16
		Other races	6										
54c	Nonmalignant tumors, other female genital organs:												
	Females	White	2										
		Negro	1										
54d,e	Nonmalignant tumors, other organs:												
	Males	White	691	11	5	5	10	4	35	31	16	32	30
		Negro	29	2					2		2	1	3
		Other races	4	1	1				2				
	Females	White	544	8	7	6	7	5	33	22	13	18	24
		Negro	37				1	1	2	1			4
		Other races	2							1	1		
55a	Tumors, ovary (nature unspecified):												
	Females	White	15										1
		Negro	2										
55b	Tumors, uterus (nature unspecified):												
	Females	White	6										
		Negro	2										
55c	Tumors, other female genital organs (nature unspecified):												
	Females	White	1										
		Negro	1										
55d, e	Tumors, other organs (nature unspecified):												
	Males	White	787	6	5	11	7	10	39	26	21	15	36
		Negro	55	3	1	2	1	2	9	1	2	3	2
		Other races	3										1
	Females	White	651	6	3	8	4	7	28	28	27	19	21
		Negro	61				3	1	4	2	1	1	5
		Other races	3										1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases:												
	Males	White	12,283	654	87	50	51	38	880	191	228	234	199
		Negro	1,103	90	19	5	5	10	129	21	26	31	31
		Other races	77	13	3	1			17	4	1	2	1
	Females	White	19,486	409	74	43	38	41	605	211	250	243	279
		Negro	2,140	76	15	5	2	2	100	27	37	60	90
		Other races	72	6	2			1	9	1	3	1	
56	Acute rheumatic fever:												
	Males	White	899	3	4	8	23	17	55	107	125	99	59
		Negro	138		1		1	2	4	11	12	10	6
		Other races	13							4	1	2	
	Females	White	942	3	3	9	16	13	44	132	125	74	67
		Negro	154	1			1	1	3	14	16	15	13
		Other races	5										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	13	17	38	36	75	122	152	229	269	273	238	151	42	8		1	
	1	2			2	1	4	4	2	3	1	3					
3	9	10	13	33	41	61	63	77	131	135	165	108	62	14	1	2	52
1	1	1	2	5	6	4	3	5	3	3	2	1	1				
											1						
82	105	150	224	310	383	363	401	417	360	273	166	70	28	3		3	
8	8	12	11	19	28	21	15	15	15	7	2	2					
1		2		2	1	4	2	4		1	1		1	1			
102	98	198	283	357	468	622	647	652	635	440	276	109	42	12	1	1	
12	16	17	30	32	34	27	41	20	20	11	8	4		1		2	
		1	2		2	2	1	1		8		1					
8	7	25	35	45	52	88	104	85	67	42	22	11	2				
1	1	1	3	3		3	4		1	1		1					
		1	1							7							
3	6	20	33	56	101	140	151	194	211	141	92	28	11	3		1	
1	2	3	3	8	7	7	7	8	5	1							
										1							
24	32	45	67	55	66	47	32	22	10	3	2						
	2	1	1	3	3	1											
					1												53
21	22	29	45	42	39	46	24	15	11	2	1	1					
2	1	1	1	2	1		2	1	1								
24	20	35	33	61	92	65	92	89	68	40	19	12	2			1	
1		1	3	4	2	4	5	4	2	2							
						1	1										
25	19	35	42	52	56	92	92	72	67	45	23	11	5	1			
2	1	2	4	3	6	1	5	2	1	1							
			1				1										
34	53	70	124	194	225	251	277	306	282	230	145	58	26	3		2	
7	6	10	7	12	23	16	10	11	13	5	2	2					
1		2		2		3	1	4		1	1		1	1			
45	44	89	128	162	220	256	276	286	279	210	138	58	24	8	1		
6	11	10	19	16	20	16	23	9	12	8	8	3		1		2	
					2	2		1				1					
6	6	7	11	16	14	15	2	14	10	5	4	1					54a
	1	5	1		2	1											
		1	1														
38	112	256	361	404	193	103	42	50	33	32	10	7	2	1		3	54b
35	90	110	96	46	36	14	9	6	6	3		1				1	
		2	1	1			1			1							
		1				1											54c
			1														
34	44	44	70	74	71	61	54	34	27	24	6	2	2				
2		1	1	6	3	5		2		1							
1				1													54d,e
25	38	37	47	56	43	47	52	32	23	11	12	9	2				
	3	6	7	5	3	1	2	1		1	1						
1	1		2	1	1	2	2		2	2							55a
					1	1											
1				1		1		1	1	1							55b
					1		1										
							1										55c
	1																
27	42	54	88	86	93	76	62	51	29	21	14	4	3				
3	3	3	6	6	4	6	1	1	2	2	1						
				1			1										55d,e
29	35	44	65	74	70	52	46	38	30	23	17	4	1				
6	5	7	4	7	5	7	3	2	2								
	1	1															
184	224	261	406	555	781	1,171	1,607	1,758	1,716	1,105	559	168	39	1		16	
41	49	61	67	93	126	95	91	98	57	42	26	10	5	1	2	1	
1		3	10	2	9	5	7	3	8	3		1					
275	318	429	675	993	1,470	2,113	2,852	3,136	2,785	1,716	784	279	44	13	1	15	
127	127	163	193	203	247	194	181	150	120	59	31	14	7	3	6	1	
1	4	3	4	9	4	7	7	7	6	4	1		1				
39	44	41	46	36	4	35	34	39	35	30	17	10	3			1	
9	4	6	7	13	12	9	4	13	8	3	4	2	1				
1		2				1	1					1					
62	47	45	43	48	27	38	41	44	40	31	15	12	4			3	56
9	9	7	10	11	10	7	7	5	8	3	3	2		1	1		
		1			1			2					1				

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued												
57	Chronic rheumatism, osteoarthritis:												
	Males	White	446							4	3	6	2
		Negro	32								1		
		Other races	1										
	Females	White	826			1	1		2		2	2	3
		Negro	47							2	1	1	2
		Other races	2										
58	Gout:												
	Males	White	1										
	Females	White	1										
59	Diabetes mellitus:												
	Males	White	8,875	3	15	8	6	10	42	48	77	100	106
		Negro	457				1	1	2	4	6	11	13
		Other races	39										1
	Females	White	13,557	6	7	8	7	10	38	53	100	93	103
		Negro	870	2	1	1			4	2	9	10	10
		Other races	36								2	1	
60	Scurvy:												
	Males	White	8	5	1	1			7				
		Negro	3	2					2				
	Females	White	11	7		1		1	9			1	
		Negro	2	1	1				2				
62	Pellagra:												
	Males	White	433		1	2	1		4	4	3		4
		Negro	297	1	3			1	5	4	4	7	9
		Other races	2										
	Females	White	579	2	1	1			4	2	2	10	14
		Negro	762		1			1	2	4	8	30	56
		Other races	4										
63	Rickets:												
	Males	White	110	74	18	7	3		102	3	1	1	
		Negro	48	28	13	3	1	1	46	1	1		
		Other races	1		1				1				
	Females	White	70	37	12	7	1	1	58	2	2	1	1
		Negro	32	24	7				31	1			
		Other races	3	1				1	2		1		
64	Osteomalacia:												
	Males	White	8								2	1	
		Negro	2	1					1				
	Females	White	6										
		Negro	1										
65	Diseases of the pituitary body:												
	Males	White	21		1	1			2	1		3	2
		Negro	2										1
	Females	White	40	2	1				3	1		4	3
66a	Simple goiter:												
	Males	White	45	4					4		1		2
		Negro	2										
		Other races	1										
	Females	White	158								1	3	4
		Negro	23							1		1	
		Other races	3										
66b	Exophthalmic goiter:												
	Males	White	426							2	3	8	11
		Negro	33									1	2
		Other races	2										
	Females	White	2,431					1	1	4	6	38	66
		Negro	169	1					1	2	1	3	8
		Other races	8										
66c,d,e	Other diseases of thyroid and parathyroid glands:												
	Males	White	125	42	4	4	6	1	57	5	3	6	2
		Negro	8	5		1			6				
		Other races	3	2					2				
	Females	White	213	26	11	5	5	5	52	4	5	5	6
		Negro	14	5	3				8				
		Other races	3	1	1				2				
67	Diseases of thymus gland:												
	Males	White	591	485	32	12	8	9	546	12	8	7	3
		Negro	51	45	1	1	1	2	50		1		
		Other races	14	11	2	1			14				
	Females	White	377	302	25	6	8	8	349	11	1	5	6
		Negro	37	29	1	4			34		1		1
		Other races	5	3	1				4	1			
68	Diseases of adrenals (Addison's disease, not specified as tuberculous):												
	Males	White	156	1					1		2	2	7
		Negro	6									1	
		Other races	1										
	Females	White	153	1	1				2		3	3	4
		Negro	3										
		Other races	1										
69	Other general diseases:												
	Males	White	139	37	11	7	4	1	60	5		1	1
		Negro	24	8	1		1	3	13	1	1	1	
	Females	White	122	23	13	5		2	43	2	3	4	2
		Negro	26	13	1		1		15	1	1		
		Other races	2	1					1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
6	9	13	16	21	35	24	46	63	61	69	47	14	5			2	
	4	1	3	2	4	4	2	6	2		3						
			1														
9	8	2	19	29	28	73	74	111	159	125	109	54	9	8			57
1		2	3	3	10	3	5	8	4	2							
			1				1										
					1												58
									1								
94	120	140	230	372	554	963	1,387	1,549	1,514	952	453	136	27	1		10	
12	25	34	28	44	60	50	46	53	29	21	11	3	3	1		1	
		1	6	2	8	4	6	3	6	2							
86	110	173	307	561	1,009	1,593	2,307	2,544	2,276	1,383	535	195	29	5	1	6	59
16	24	36	78	110	141	125	106	84	67	28	11	2	3	1	3		
	1	1	2	7	1	5	5	5	4	2							
							1										
											1						60
						1											
10	14	19	44	35	39	49	51	46	52	30	25	2	1			1	
16	13	16	24	26	40	28	37	23	16	17	6	4	1		1		
									1	1							
25	35	45	64	60	63	47	43	60	40	42	16	5	1			1	62
92	77	84	74	54	61	41	51	40	37	20	15	8	4	1	2	1	
1	1		1			1											
1									1							1	
		1	1		2	1				1							63
				1	1		1		1		1						
										1							
					2		1	3									64
											1						
	1	2	1	2	2	3	1	1									
						1											65
1	4	2	6		2	5	3	3	1	1	1						
1	2	1	2	3	5	7	6	3	5	2	1						
			1						1								
									1								
1	5	5	11	16	16	21	24	18	16	9	5	3					66a
1	1	4	2	2	2	2	3	1		1		2					
						1			1		1						
11	22	26	42	62	61	55	52	34	24	6	6		1				
4	3	3	3	5	5	3	2	1			1						
			1		1												
74	91	129	188	249	293	290	316	312	228	103	37	5				1	66b
8	12	27	21	23	19	14	8	12	4	5	1						
	2	1		2	1		1			1							
5	1	3	4	5	11	6	5	2	6	3			1				
			1		1												
			1														66c, d, e
6	5	10	13	12	13	27	18	18	11	3	3	1				1	
	1	1	1		2	1				1							
6	3		2		1	2										1	
2	2			1													67
					1												
8	7	13	16	11	20	19	17	13	11	3	5	1					
			1	2	2			1									
7	11	13	22	13	11	13	16	17	10	6	1					1	68
	1		1				1										
					1												
3	1	3	3	7	7	8	6	8	6	10	4	5	1				
		1		1	2			1	1			1			1		
2		4	1	4	4	4	9	6	3	12	12	4	1			2	69
	2	2	3		1	1											
									1								

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—Diseases of the blood and blood-making organs:												
	Males	White	4,476	258	63	47	51	61	480	139	136	122	149
		Negro	193	27	4	3	1	1	36	4	11	12	12
		Other races	29	6	2				8	2	1	3	
	Females	White	3,773	185	41	30	47	33	336	97	77	101	101
		Negro	152	14	2	1	1	2	20	4	3	9	13
		Other races	11	2	1	1	1		5		1		
70	Hemorrhagic conditions:												
	Males	White	311	158	13	7	7	10	195	15	12	10	8
		Negro	22	19					19	1	1	1	
		Other races	8	3					3			2	
	Females	White	305	107	9	3	8	3	130	11	19	17	12
		Negro	17	4		1			5	1	1	1	3
		Other races	3	1					1		1		
71a	Pernicious anemia:												
	Males	White	1,448	10	3	2	3	3	21	4	4	13	13
		Negro	43								1	1	3
		Other races	4										
	Females	White	1,564	5	6	4	2	4	21	12	8	18	10
		Negro	43									2	5
		Other races	3										
71b	Other anemias:												
	Males	White	204	53	13	6	4	3	79	4	4	3	4
		Negro	15	4	1	2		1	8			1	1
		Other races	2	2					2				
	Females	White	211	41	11	2	4	1	59	3	1	6	4
		Negro	33	9	1				10	1		3	3
		Other races	3	1	1				2				
72a	True leukemias:												
	Males	White	1,509	24	28	26	32	37	147	83	77	57	62
		Negro	58	1	2		1		4	3	5	3	4
		Other races	10	1	2				3	1	1		
	Females	White	1,076	21	12	18	26	20	97	53	36	41	43
		Negro	28		1			1	2	2	1	2	
		Other races	1			1			1				
72b	Pseudoleukemias (Hodgkin's disease):												
	Males	White	782	3	1	1	1	6	12	26	33	28	52
		Negro	43			1			1		3	5	3
		Other races	4							1		1	
	Females	White	411	1	1	1	1		4	8	8	11	27
		Negro	22								1		2
		Other races	1				1		1				
73	Diseases of spleen:												
	Males	White	184	9	5	5	4	2	25	5	5	11	10
		Negro	11	2	1				3		1	1	1
		Other races	1										
	Females	White	143	9		2	5	4	20	9	4	8	2
		Negro	6	1			1	1	3			1	
74	Other diseases of blood and blood-making organs:												
	Males	White	38	1					1	2	1		
		Negro	1	1					1				
	Females	White	63	1	2		1	1	5	1	1		3
		Negro	3										
	V.—Chronic poisonings and intoxications:												
	Males	White	2,433		3	1			4			14	35
		Negro	282									7	21
		Other races	22									1	
	Females	White	317		2	3	1		6			2	3
		Negro	67			1			1		1	1	7
		Other races	7										1
75	Alcoholism (acute or chronic):												
	Males	White	2,271									14	29
		Negro	275									7	21
		Other races	22									1	
	Females	White	266									2	2
		Negro	60								1	1	7
		Other races	7										1
76	Chronic poisoning by other organic substances:												
	Males	White	61										3
		Negro	2										
	Females	White	36										
		Negro	2										
77a	Chronic lead poisoning:												
	Males	White	89		3	1			4				2
		Negro	4										
	Females	White	10		2	3	1		6				
		Negro	1			1			1				
77b, c	Other chronic poisoning by mineral substances:												
	Males	White	12										1
		Negro	1										
	Females	White	5										1
		Negro	4										
	VI.—Diseases of the nervous system and of the organs of special sense:												
	Males	White	51,116	773	279	160	112	99	1,423	515	423	447	420
		Negro	5,602	122	34	17	11	13	197	38	42	63	102
		Other races	285	21	8	1	1		31	6	3	2	5
	Females	White	47,633	590	203	134	84	105	1,116	447	345	285	310
		Negro	5,517	122	37	21	6	10	196	38	41	40	79
		Other races	153	23	6		1		30	6	5	3	4
78	Encephalitis (nonepidemic):												
	Males	White	562	28	21	25	7	11	92	32	23	27	32
		Negro	77	7	3		3	2	15	3	4	4	7
		Other races	7	2	1				3			2	
	Females	White	455	36	15	16	6	7	80	27	26	15	21
		Negro	63	4	2	3			9	7	5	5	3
		Other races	5		1				1	2		1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
110	161	196	256	264	319	393	468	455	453	239	96	30	7			3	
14	10	9	9	6	16	10	18	15	4	3	3		1				
2		1		2	2	3	2		3								
122	127	154	194	252	289	306	411	395	379	268	107	40	13	2		2	
17	8	18	19	9	11	9	3	5	1		2		1				
1	1	1					1	1									
6	9	7	4	7	6	7	4	7	8	5			1				
				1		1			1								
11	9	10	10	12	11	13	14	5	7	7	2	3	2				70
2	1		2		1												
	1																
9	11	25	48	64	96	159	231	249	276	144	57	18	4			2	
5		1	2	4	2	5	6	7	3	2	1						
		1			1	1			1								
20	31	39	57	93	113	149	221	240	247	186	72	21	5	1			71a
2	2	5	10	2	1	6	3	3	1		1						
1		1					1										
		1	3	3	12	15	12	14	16	15	13	6					
			1		1		1	1					1				
3	5	5	9	6	8	7	13	6	20	26	16	10	3	1			71b
1	2	4	2	3	1			1			1		1				
								1									
38	74	95	104	94	126	132	141	112	100	49	15	2	1				
3	4	5	5	2	5	3	5	5		1	1						
2				1	1	1			1								
42	56	57	70	84	104	82	102	91	65	37	9	4	1			2	72a
4	1	3	4	4	3	2											
42	55	57	74	67	60	70	63	61	42	23	11	4	1			1	
4	6	3	1		6	1	6	2	1		1						
				1			1										
40	19	31	34	34	31	40	41	39	27	9	6	2					72b
5	1	6	1		4	1		1									
11	10	9	22	20	15	9	11	10	8	3							
2					2	1											
							1										
3	5	8	9	15	16	8	15	9	5	3	2		2				73
	1				1												
4	2	2	1	9	4	1	6	2	3								
3	2	4	5	8	6	7	5	5	8								74
3																	
81	183	296	431	363	338	269	165	123	77	34	10	7		1		2	
31	37	44	35	33	22	16	16	10	8				1			1	
3	2	4	1	2	5	1	1	1			1						
29	33	45	63	40	41	18	22	10	3	1	1						
8	16	8	4	6	8	6			1								
1	1		1	2	1												
75	173	281	416	352	321	242	152	106	64	28	9	6		1		2	
31	37	43	35	32	21	15	14	9	8				1			1	
3	2	4	1	2	5	1	1	1			1						
26	29	34	55	35	37	16	17	10	3								75
7	14	8	3	6	8	5											
1	1		1	2	1												
5	7	13	7	4	6	8	2	4	1	1							
					1		1										
3	2	10	7	4	3	2	3			1	1						76
						1			1								
1	3	1	8	7	9	16	9	11	11	5	1	1					
		1		1		1		1									
		1		1	1		1										77a
		1			2	3	2	2	1								
	2		1				1										77b, c
1	2		1				1										
445	684	1,032	1,557	2,158	3,185	4,263	5,770	6,798	7,877	6,824	4,480	2,127	552	75	17	44	
111	233	314	451	568	709	644	583	474	395	263	198	122	46	20	6	23	
4	7	8	18	20	26	27	30	17	24	33	14	3	3	2	1	1	
369	499	796	1,221	1,970	2,730	3,586	4,795	5,935	7,261	7,042	5,151	2,662	886	174	20	33	
109	178	274	384	601	656	616	646	520	394	300	215	101	56	26	27	20	
4	5	7	4	3	11	10	15	17	4	13	7	3	2				
27	34	43	41	48	43	30	23	24	19	15	7	1	1				
4	8	6	6	6		5	5	3		1							
2																	
18	18	34	36	33	37	23	32	21	14	12	5	1	2				78
2	3	4	6	7	4	4	1	1	1				1				
	1																

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense—Continued												
79a	Simple meningitis:												
	Males	White	905	176	66	37	22	18	319	85	62	53	37
		Negro	120	21	5	4	1	3	34	9	5	4	12
		Other races	13	5	1				6	3			1
	Females	White	560	104	42	29	21	13	209	67	42	21	26
		Negro	99	23	7	6	2	5	43	3	8	3	5
		Other races	9	5	2				7				
79b	Nonepidemic cerebrospinal meningitis:												
	Males	White	120	26	12	1	6		45	14	6	9	5
		Negro	12	3	1	1			5	1	2		
		Other races	1		1				1				
	Females	White	80	20	15	4	2	3	44	5	7	5	3
		Negro	13	4	2	1		1	8		1		1
80	Progressive locomotor ataxia (tabes dorsalis):												
	Males	White	729										
		Negro	66										2
		Other races	4										
	Females	White	179										
		Negro	21										1
81	Other diseases of spinal cord:												
	Males	White	1,339	9	8	6	8	6	37	17	29	47	34
		Negro	87		1	1			2	2	3	3	4
		Other races	4							1			
	Females	White	1,070	7	3	1		3	14	15	23	15	6
		Negro	79		1	2			3			2	3
		Other races	2								1		
82a	Cerebral hemorrhage:												
	Males	White	36,074	43	13	8	4	7	75	16	24	35	48
		Negro	3,650	3	3		1		7	1	5	8	22
		Other races	164										
	Females	White	36,195	30	9	13	1		53	8	25	32	42
		Negro	4,078	9	5	2			16	4	3	6	17
		Other races	78							1	1	1	1
82b	Cerebral embolism and thrombosis:												
	Males	White	2,528	3	4	4	2	5	18	8	7	19	24
		Negro	139	2					2	1	1		2
		Other races	10		1				1				
	Females	White	2,667	7	4	7		5	23	6	13	19	40
		Negro	136	1		1			2	3		1	4
		Other races	5										
82c	Softening of brain:												
	Males	White	300										
		Negro	11										
	Females	White	269										
		Negro	15										
		Other races	2										
82d	Hemiplegia and other paralysis, cause unspecified:												
	Males	White	1,166	3	2	3	3	2	13	5	2	7	2
		Negro	284	1		1			2		2		2
		Other races	10	1			1		2		1		
	Females	White	1,103	4			4	1	9	6	2	3	3
		Negro	353	3					3	2	1	1	1
		Other races	7										1
83	General paralysis of insane:												
	Males	White	2,340								2	10	15
		Negro	621								1	3	7
		Other races	30										
	Females	White	705								2	4	5
		Negro	210								4	4	7
		Other races	8										
84	Dementia praecox and other psychoses:												
	Males	White	411								1	11	34
		Negro	71									4	6
		Other races	6										1
	Females	White	520									8	21
		Negro	88									2	10
		Other races	1										
85	Epilepsy:												
	Males	White	1,042	18	6	4	7	8	43	40	63	86	83
		Negro	189	4	1		1	1	7	9	9	25	29
		Other races	5								2		
	Females	White	816	9	5	9	4	6	33	27	49	65	74
		Negro	117	4	2			1	7	6	8	12	19
		Other races	8	1			1		2	2	1		1
86	Convulsions (under 5 years):												
	Males	White	233	176	33	14	8	2	233				
		Negro	72	50	12	4	1	5	72				
		Other races	3	2		1			3				
	Females	White	167	123	22	13	6	3	167				
		Negro	62	51	7	3		1	62				
		Other races	4	4					4				
87	Other diseases of nervous system:												
	Males	White	1,552	34	20	18	7	3	82	33	27	23	32
		Negro	88	5	3				8	3	5	6	4
		Other races	5										1
	Females	White	1,437	35	21	11	5	12	84	36	21	25	24
		Negro	82	3	1	1	1		6	6	4	3	4
		Other races	1										
88	Diseases of organs of vision:												
	Males	White	28	4	2			2	8	2	4		1
		Negro	8	2					2				1
		Other races	1										
	Females	White	23	2	1				3	1	1	1	1
		Negro	6		1				1	1	1		
89a	Diseases of ear:												
	Males	White	1,045	193	62	19	22	21	317	140	96	52	39
		Negro	70	20	3	5	2	1	31	8	3	2	3
		Other races	18	10	4				14	1			2
	Females	White	820	165	42	16	19	33	275	128	75	36	21
		Negro	63	18	6	2	3	1	30	2	4		2
		Other races	20	13	2				15	1	1	1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
40	32	39	47	39	47	35	25	22	17	4		1				1	
5	6	6	8	11	8	8	1	1	1	1							
				2	1												79a
22	23	20	16	22	16	26	24	9	6	8	2	1					
5	3	7	5	6	5	2	2	1	1								
			1							1							
2	4	6	8	5	5	6	3	2									
1		1	1	1													79b
2	2	1	1	3	2	1		1	2							1	
	2		1														
4	6	15	26	55	92	121	132	134	82	42	16	2	1			1	
3	6	6	6	9	13	11	3	4	1		1	1					
			2				1					1					80
	2	3	19	13	22	23	29	30	16	12	6	3				1	
1	1	2	4	3	2	3	1	1	2								
25	42	51	59	78	113	143	145	141	166	117	64	21	10				
1	1	7	10	5	10	8	9	5	10	3	1		1		1	1	
			1		1					1							81
18	27	24	55	66	91	117	133	133	140	85	65	32	8	2		1	
3	2	3	4	10	13	7	10	7	4	5	1		1			1	
							1										
87	171	301	655	1,149	2,056	3,016	4,471	5,487	6,510	5,729	3,804	1,849	472	71	15	33	
32	90	143	243	365	524	479	471	373	314	216	168	107	36	19	4	18	
		2	7	10	18	22	24	15	21	25	13	2	2	1	1	1	82a
87	135	338	689	1,376	2,006	2,801	3,869	4,918	6,147	6,033	4,432	2,271	741	150	18	24	
44	90	182	280	474	533	513	543	436	326	243	185	84	40	20	24	15	
1	1	4	2	2	8	8	10	15	2	9	7	3	2				
16	24	40	61	86	149	241	301	355	435	380	223	107	31		1	2	
7	4	12	11	21	16	19	8	12	11	8	3	1					
				2	2	3		1	1								82b
28	34	41	55	87	133	212	283	347	411	406	293	163	62	8	1	2	
1	4	6	15	20	20	11	12	17	11	1	3	2	2			1	
		1					2	2									
	1	2	6	8	6	17	21	35	63	64	49	22	6				
	2	2		1		1	1	1	1		1	1					
	1	3	6	4	9	13	15	37	52	49	46	23	10	1			82c
		1		1		4	3		1		2		1			2	
						1				1							
2	6	11	12	26	50	78	101	167	198	219	180	68	14	2	1	2	
4	2	6	12	21	23	36	33	37	37	29	17	9	8	1	1	2	
				1			1		1	2	1		1				82d
3	4	6	12	17	47	53	85	143	168	211	170	108	45	6		2	
3	10	6	15	28	36	41	47	39	33	42	17	10	9	5	3	1	
1				1	1				1	2							
32	126	266	349	407	348	292	228	147	68	35	13		1			1	
26	62	82	118	100	85	55	39	25	11	1	3	1				2	
1	2	5	6	4	4	2	2	1		2				1			83
17	48	78	98	104	110	64	74	40	34	18	4	4				1	
17	26	24	26	33	23	15	13	9	2	3	2	2					
	1	2	1		2	1	1										
28	39	30	36	35	48	33	30	24	21	20	14	3	2	2			
5	13	7	7	6	8	5	2	5	1		1	1					
	1	1	2							1							
45	33	56	56	63	52	55	38	25	21	20	12	11	3		1		84
13	14	10	10	7	8	3	1	4	3	1	2						
	1																
97	99	87	98	71	65	51	43	36	36	29	9	3	1			2	
18	23	18	18	11	10	5	4	2	1								
	2									1							
69	70	78	70	58	50	43	27	28	30	18	14	7	5			1	85
14	11	17	7	2	6	2	4		2								
1							1										
																	86
18	40	62	70	64	88	133	168	185	232	149	90	44	10			2	
3	10	5	5	7	6	6	6	4	3	3	3		1				
1				1			1			1							
29	50	62	70	72	86	104	129	159	189	153	94	36	8	6			87
3	5	3	4	6	4	7	6	4	7	3	2	3	1	1			
1																	
1	1		1			2	1		2	2	1	1	1				
1		2							2								
									1								88
1		1	2		1		3	4	3				1				
			1				1			1							
32	31	47	56	49	33	34	49	25	18	14	6	5	2				
	4	3	3	3	2	4	1		2	1							
							1										89a
17	31	29	21	29	43	29	30	20	15	13	5	2	1				
3	3	6	3	2	2	1	1		1	1	1		1				
	1								1								

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense—Continued												
89b	Diseases of mastoid process:												
	Males	White	742	60	30	21	16	14	141	123	77	68	34
		Negro	37	4	2	1	2	1	10	1	2	4	1
		Other races	4	1					1	1			
	Females	White	567	48	24	15	16	19	122	121	59	36	23
		Negro	32	2	3			1	6	4	2	1	2
		Other races	3		1				1		1		1
	VII.—Diseases of the circulatory system:												
	Males	White	143,506	156	66	48	57	61	388	366	522	698	786
		Negro	11,424	15	12	8	5	9	49	38	65	76	112
		Other races	683	3	1	1			5	6	4	10	6
	Females	White	111,716	127	53	37	41	52	310	400	622	684	810
		Negro	10,460	18	7	8	7	8	48	47	64	94	187
		Other races	321	1	1		1	1	4	10	8	7	10
90	Pericarditis:												
	Males	White	388	8	6	2	1	2	19	7	8	8	11
		Negro	88	1					1	1	2	1	3
		Other races	3	1					1	1			
	Females	White	200	4	2	2	3		11	8	11	5	8
		Negro	50	2		1			3		2		1
		Other races	1										
91a	Acute endocarditis:												
	Males	White	1,172	13	11	13	13	9	59	49	48	65	101
		Negro	123		1	1	1	1	4	2	7	5	11
		Other races	15							1	1	2	1
	Females	White	1,118	9	6	3	7	10	35	62	82	106	122
		Negro	116	1		1	1	3	6	3	5	9	17
		Other races	9	1					1	2	2		1
91b	Endocarditis, unspecified (under 45 years):												
	Males	White	187	5	2	2	2	3	14	18	19	19	16
		Negro	50	1					1	1	2	4	2
	Females	White	180	5	3	2	2	5	17	13	19	16	16
		Negro	58	2	1	1	1	1	6	3	2	4	2
		Other races	4					1	1	1	1		
92a	Endocarditis, specified as chronic, and other valvular diseases:												
	Males	White	22,270	22	11	15	13	19	80	154	286	334	333
		Negro	2,522	1	3	2	1	4	11	17	25	29	28
		Other races	116		1				1	3	3	6	
	Females	White	20,729	28	8	8	9	21	74	173	320	333	368
		Negro	2,613	1	1	3	3	3	11	20	32	42	68
		Other races	64		1				1	4	2	2	4
92b	Endocarditis, unspecified (45 years and over):												
	Males	White	1,536										
		Negro	177										
		Other races	11										
	Females	White	1,336										
		Negro	146										
		Other races	2										
93a	Acute myocarditis:												
	Males	White	1,908	18	3	2	6	3	32	11	10	20	23
		Negro	216	1	2	1		1	5	2	2	1	1
		Other races	15			1			1				2
	Females	White	1,513	18	7	4	1	4	34	18	13	15	20
		Negro	231		1	1			2	1		4	6
		Other races	11				1		1		2		1
93b	Myocarditis, unspecified (under 45 years):												
	Males	White	374	13	1	4	1	1	20	8	14	20	15
		Negro	97	1					1				7
		Other races	7	1					1				1
	Females	White	335	7	4	1	4	1	17	16	11	18	21
		Negro	133	1					1	1	2	2	6
		Other races	2									1	
93c	Chronic myocarditis and myocardial degeneration:												
	Males	White	44,481	7	2	3	4	2	18	31	39	52	94
		Negro	2,491		1	1		1	3	3	7	8	12
		Other races	227										2
	Females	White	38,978	2	2	3	3	4	14	29	32	53	80
		Negro	2,324				1		1		3	6	13
		Other races	115									1	1
93d	Other diseases of myocardium:												
	Males	White	12,593	3			3		6	4		5	8
		Negro	952			1			1	1			1
		Other races	47										
	Females	White	11,329	1	1				2	1	4	6	5
		Negro	935							1		1	3
		Other races	20										
94a	Angina pectoris:												
	Males	White	11,630									6	13
		Negro	408							1		1	5
		Other races	24										
	Females	White	4,940								2		7
		Negro	325									3	8
		Other races	12									1	
94b	Diseases of coronary arteries:												
	Males	White	16,365	1	1			1	3	1	7	9	23
		Negro	468								1	2	1
		Other races	62										
	Females	White	7,246	1		1			2		1	9	17
		Negro	330										4
		Other races	13										1
95a	Functional diseases of heart:												
	Males	White	312	1	1	1			3			2	1
		Negro	14										
		Other races	2										
	Females	White	256	2					2		1	3	
		Negro	21									1	2
		Other races	1										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
34	28	32	32	38	42	31	29	14	10	5	4						
1	2	3	3	1	4	2		2				1					
	2																
13	21	22	15	23	25	22	24	20	13	4	3			1			89b
	4	3	3	2		3	1	1									
915	1,381	2,418	4,208	7,049	9,854	13,014	17,282	19,360	21,973	19,702	13,885	7,093	2,063	407	63	79	
215	405	684	885	1,188	1,503	1,321	1,321	1,096	896	639	444	242	131	43	36	35	
11	22	19	31	57	58	71	78	65	85	66	48	21	7	4	5	4	
979	1,252	1,713	2,547	3,801	5,167	7,181	10,681	13,716	17,647	17,605	14,059	8,423	3,267	700	88	64	
296	392	570	818	1,047	1,267	1,077	1,154	1,010	843	594	433	254	134	63	45	23	
6	9	10	15	16	11	20	29	32	37	23	32	14	15	5	8		
14	14	6	20	32	33	38	32	41	41	36	17	8	3				
1	5	4	9	14	12	12	6	6	4	6		1					
		1															
9	8	5	11	7	11	12	13	18	16	21	18	3	3	2			90
3	1	5	7	5	7	7	1	4		1	2		1				
								1									
93	82	90	87	85	80	77	72	47	54	50	19	13	1				
5	13	12	7	13	13	13	7	6	3	2							
1	1		3		1			2	2								
125	74	75	75	72	47	48	41	48	34	34	18	15	1	3		1	91a
8	11	12	7	4	6	11	7	5	4		1						
	2		1														
26	16	28	31														
7	7	11	15														
23	20	29	27														91b
9	10	7	15														
	1																
359	434	620	770	1,072	1,392	1,798	2,335	2,764	3,270	3,039	1,980	960	232	44	7	7	
58	101	178	210	256	320	250	293	222	187	146	95	52	21	7	5	11	
4	8	5	4	16	6	13	11	10	11	4	6	2			1	2	
424	514	629	767	900	1,039	1,268	1,760	2,237	2,998	2,935	2,264	1,265	377	61	6	17	92a
105	115	151	213	267	280	257	257	256	178	146	103	60	21	17	10	4	
1	3	3	5	5	2	3	6	5	5	6	5	1		1			
				98	122	123	227	212	276	234	151	75	13	4		1	
				33	38	22	25	23	11	14	4	4	2		1		
				2		1	2	2	1	2	1						
				72	76	119	146	199	217	216	166	85	31	9			92b
				18	29	14	27	22	17	3	5	4	2		3	2	
				1				1									
24	39	70	96	127	172	217	203	220	232	170	140	73	20	5		4	
5	21	18	23	27	31	19	24	17	8	6	6						
		1	1	1	4	2	2		2								
22	41	53	68	86	93	137	147	168	196	165	125	77	28	4	2	1	93a
10	11	20	20	25	40	18	29	18	7	11	6	3					
		1			1	1	2	1			1						
19	36	87	155														
13	15	31	30														
	2	1	2														93b
24	50	61	117														
14	26	36	45														
1																	
112	234	524	992	1,727	2,635	3,647	5,294	6,209	7,382	6,948	5,037	2,550	767	141	24	24	
34	54	132	178	228	306	315	318	264	243	151	105	61	38	15	7	9	
2	3	3	14	17	18	26	30	22	28	24	20	11	3	2	2		93c
148	198	354	642	1,055	1,659	2,381	3,673	5,033	6,639	6,799	5,414	3,229	1,231	267	35	13	
40	65	107	160	208	293	264	279	245	243	167	105	61	41	11	8	4	
4	1	2	6	6	3	7	12	11	19	8	14	8	7	3	2		
14	20	48	64	570	765	1,096	1,510	1,837	2,078	1,956	1,467	822	259	49	7	8	
3	4	7	16	111	165	123	141	141	93	49	40	26	17	6	5	2	
1	1	1		4	2	7	5	3	7	7	5	1		1	2		93d
13	15	24	39	365	509	745	1,097	1,408	1,884	1,948	1,674	1,051	433	90	11	5	
8	9	5	18	109	136	129	147	115	92	64	45	21	19	7	1	5	
						3	3	3		3	2	1	3		2		
26	84	188	498	822	1,123	1,483	1,789	1,791	1,730	1,193	619	217	34	7	1	6	
6	13	43	42	56	63	58	45	29	17	17	4	5	2			1	
	2	1		2	5	1	5	3	1	3			1				94a
8	28	42	91	158	257	474	702	793	931	744	428	216	46	11		2	
13	8	21	32	51	51	29	30	35	17	6	9	9	1	1		1	
		1	2	1	3	1	1	1							1		
47	144	340	795	1,286	1,770	2,143	2,561	2,475	2,135	1,456	777	304	65	15	1	8	
16	25	31	56	72	74	65	43	40	16	9	10	3	2		1	1	
3		4	3	5	11	11	5	2	6	8	2	1				1	
23	56	91	176	307	456	649	1,038	1,204	1,251	957	628	270	96	10	1	4	94b
10	13	25	34	44	44	37	47	24	19	15	7	2	1	2	1	1	
				2		1	1	2	2		1	1	1		1		
2	5	6	13	10	23	40	34	40	42	44	26	11	6	4			
			1	3	1	4		1	2	1			1				
	1				1												
4	3	8	12	16	10	19	18	29	30	41	34	14	10	1			95a
		2	1	1	1	1	2	2	2	4	1					1	
											1						

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Contd.											
95b	Other and unspecified diseases of heart:											
	Males—White	17,854	41	14	3	8	14	80	67	83	132	131
	Negro	2,724	7	3	2	2	2	16	8	15	21	38
	Other races	101							1		2	
	Females—White	13,611	29	13	7	9	5	63	71	119	105	122
	Negro	2,421	8	3		1	1	13	18	16	20	50
	Other races	30							3	1	2	2
96	Aneurysm (except of heart):											
	Males—White	1,161							2	2	9	5
	Negro	292				1		1				1
	Other races	8										
	Females—White	419	1					1	1	3	5	2
	Negro	119										2
	Other races	9										
97	Arteriosclerosis (coronary arteries excepted):											
	Males—White	9,611										
	Negro	592										1
	Other races	38										
	Females—White	8,153										
	Negro	463										
	Other races	24										
98	Gangrene:											
	Males—White	365	5	2		1	2	10	5	1	2	3
	Negro	71	1	1				2	1	2		1
	Other races	2	1					1				
	Females—White	251	4	3	4	1	1	13	1		1	4
	Negro	51		1				1		1		
	Other races	3										
99	Other diseases of arteries:											
	Males—White	714	3		3	1	1	8	2		7	5
	Negro	36										
	Other races	3										
	Females—White	537	4		1	1	1	7	2		4	7
	Negro	23								1		1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.):											
	Males—White	262	1	1				2	2	1	4	2
	Negro	19								1	1	
	Other races	2										
	Females—White	314		1	1	1		3			1	5
	Negro	14	1					1			1	1
	Other races	1										
101	Diseases of lymphatic system (lymphangitis, etc.):											
	Males—White	64	10	9		4	2	25	3	3	1	2
	Negro	7	1	1				2			1	
	Females—White	60	8	3				11	5	1	2	1
	Negro	9	1		1			2				1
102	Idiopathic anomalies of bl od-pressure:											
	Males—White	162							1			
	Negro	56										
	Females—White	135								3	1	2
	Negro	62										
103	Other diseases of circulatory system:											
	Males—White	97	5	2			2	9	1	1	3	
	Negro	21	1					1	1	1	2	
	Females—White	77	4					4			1	3
	Negro	16	1					1			1	2
	VIII.—Diseases of the respiratory system:											
	Males—White	39,875	5,822	1,511	593	379	238	8,543	705	472	731	770
	Negro	6,275	1,379	305	114	67	44	1,909	111	83	166	283
	Other races	755	243	67	14	12	6	342	15	8	11	22
	Females—White	30,805	4,412	1,193	512	319	209	6,645	646	415	464	608
	Negro	4,644	1,052	263	86	61	33	1,495	111	89	159	237
	Other races	443	182	49	23	9	4	267	14	7	9	1
104a	Diseases of nasal fossae:											
	Males—White	58	25	5	1	1	1	33	1	3	1	1
	Negro	51	41	1	2	1		45		1		1
	Other races	2	1					1				
	Females—White	59	22	4	3			29	1		3	1
	Negro	55	41	3			1	45				1
104b	Diseases of nasal fossae and annexae:											
	Males—White	364	6	5	2	5	2	20	8	33	46	41
	Negro	21	1					1		3	3	3
	Other races	4										1
	Females—White	206	4	3	4	6	2	19	12	19	17	17
	Negro	23	2			1		3	2	1	1	2
105	Diseases of larynx:											
	Males—White	222	41	42	28	16	12	139	23	5	3	6
	Negro	21	5	3	1	2	1	12				1
	Other races	3				1		1	1			
	Females—White	133	29	18	9	13	7	76	14	5	1	1
	Negro	21	6	4		1		11	1	1	1	
	Other races	2	1	1				2				
106a	Acute bronchitis:											
	Males—White	470	132	26	10	7	2	177	13	4	3	3
	Negro	53	23	5	1			29	1			
	Other races	4	2		1			3				
	Females—White	537	101	29	17	6	4	157	10	4	1	4
	Negro	66	21	9		2	1	33			1	5
	Other races	5	1					1				
106b	Chronic bronchitis:											
	Males—White	867	8	5	2	1	2	18	1	5	5	6
	Negro	29									1	
	Other races	11	1					1				
	Females—White	626	1		1		1	3	5	4	5	5
	Negro	42	1	3		1		5			2	2
	Other races	3		1				1			1	
106c, d	Bronchitis, unspecified:											
	Males—White	322	88	13	7	3	3	114	3	1	1	
	Negro	44	19	7	1			27	1			
	Other races	3	1					1				
	Females—White	319	54	10	3	2		69	7	1		1
	Negro	34	8	3	1	1		13				2
	Other races	4	1					1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
157	211	333	539	939	1,321	1,725	2,288	2,384	2,720	2,271	1,535	708	176	33	8	13	
50	113	161	228	288	360	326	304	246	213	140	101	52	24	8	5	7	
	4	2	4	8	7	6	12	15	15	11	9	3		1		1	
116	210	278	422	615	752	963	1,489	1,675	2,022	1,965	1,451	810	284	61	6	12	95b
65	102	148	228	257	310	244	242	205	181	117	97	55	28	11	10	4	
	2	2			1	2	1	4	4	3	1		1		1		
3	22	31	66	123	163	180	158	151	119	83	30	10	3			1	
10	20	42	46	43	51	30	22	10	7	5	3		1				
		1		1		1	2	1	1	1							
8	8	16	18	20	45	44	50	47	74	41	17	10	5			4	96
3	8	14	13	20	18	11	13	9	3	5							
		1		1	1	1	2	1	1	1							
1	5	6	23	68	145	306	634	1,009	1,672	2,030	1,897	1,243	453	98	14	7	
1	5	3	12	27	54	58	73	78	73	75	63	31	19	6	10	3	
					3	2	2	4	10	6	5	3	3				
3	2	6	22	54	104	203	389	726	1,205	1,566	1,700	1,289	688	167	25	4	97
2	1	6	12	15	31	40	58	52	72	48	45	38	19	12	11	1	
			1			1		2	5	2	6	3	3		1		
4	4	2	5	6	8	16	18	23	54	56	83	47	12	5	1		
2		4	3	3	6	5	5	6	8	5	7	4	4	1	1	1	
								1									
2	4	2	3	3	9	12	14	14	30	35	37	40	20	5	2		98
1		3	5	7	5	3	4	5	3	4	6		1	1	1		
									1		1			1			
10	15	23	24	45	56	63	61	87	104	88	65	37	13	1			
2	4	3	2	5	1	4	3	2	3	4	3						
				1		1			1								
15	6	13	20	26	39	46	45	63	72	87	43	27	10	5			99
1		2	2	3	1	5	2	3	1	1							
1	12	13	17	24	24	36	26	35	22	22	12	4	3				
1	1	1	3		1	3	2	1	2	1	1						
							2										
8	7	17	21	33	42	39	42	32	21	22	13	6	1			1	100
1		1		1	3	3		1	1								
							1										
	3		2	2	3	3	2	2	3	4	4	2					
	1			1		1	1										
2	2	4	6	2	5	5	2	3	2	2	3	1	1				101
	1	1			2	1			1								
2	1	2	10	10	14	18	25	19	26	14	13	4	2	1			
	2	1	2	5	5	12	7	4	6	7	1	3			1		
1	4	5	8	8	12	11	6	12	15	18	17	10		2			102
3	7	3	6	11	7	3	8	8	2	2		1		1			
1		1	1	3	5	5	13	14	13	8	13	5	1				
1	1	2	2	3	2	1	2			1	1						
1	2	1	2	2	2	6	9	7	10	9	9	5	2	2			103
	4	1		1	3		1	1			1						
848	1,121	1,069	2,127	2,443	2,599	2,626	2,785	2,869	2,935	2,665	2,130	1,223	479	90	18	27	
349	375	447	467	437	439	307	286	196	150	99	75	46	25	12	7	6	
17	18	30	34	35	37	34	37	27	24	25	24	9	4		1	1	
742	845	968	1,123	1,148	1,303	1,558	1,918	2,199	2,625	2,748	2,369	1,552	718	158	31	22	
260	300	260	268	264	287	213	154	170	138	77	62	48	21	12	15	4	
2	5	14	17	13	8	16	19	15	12	4	8	4	6		2		
1	2	2	2	1	1	2		1	1	1		2	3				
			1		1	1							1				
							1										104a
				1					2	4	9	1	6	1	1		
1	2	1				1		2	1						1		
26	24	37	22	34	19	21	13	4	7	6	1	2					
3		3	3	2													
1	1			1													104b
15	18	14	24	6	13	11	8	8	2	2	1						
4	2	1		1	1	2	1	1	1								
3	1	6	2	8	5	8	4	2	3		3	1					
1	1		1	2	2		1										
					1												105
9	2	4	4	1	1	4	2	2	3	1	1	2					
	2			1		2	1	1									
2	4	5	14	10	10	16	13	21	24	43	39	42	22	4	1		
5	1	2	2	3	1	3	2	1	2	1							
											1						
8	3	1	5	4	10	13	13	25	35	64	71	60	39	9	1		106a
1	4	2	1	2	4	1	1	3	2	2	1	1	1	1			
						1	1		1		1						
10	9	18	19	51	69	66	71	70	115	119	100	78	29	6	2		
	2	4	2		3	3	2		2	4		2	3	1			
					2		1	1	1	2	3						
5	12	14	8	12	17	25	41	59	87	109	116	56	36	4	2	1	106b
	2	1	3	2	3	4	3	3	5	2		1	1	2	1		
				1													
2	5	2	6	5	11	9	10	15	22	32	31	31	21	1			
2	2		1	2	4		1		1		2		1				
							1			1							
1		2	3	2	5	5	21	13	20	43	49	44	27	5	1		106c,d
1		1	3		1	1	3	4			2	1		1	1		
			1			1				1							

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system—Contd.												
107a	Bronchopneumonia:												
	Males	White	14,267	3,902	835	294	164	87	5,372	251	121	141	141
		Negro	1,970	804	160	43	29	18	1,054	49	21	25	46
		Other races	343	179	41	8	5	1	234	7	2	1	
	Females	White	12,275	3,028	648	226	149	88	4,139	221	126	114	139
		Negro	1,542	594	147	45	27	16	829	39	17	30	38
		Other races	237	131	34	16	8	3	192	5	1	5	1
107b	Capillary bronchitis:												
	Males	White	136	56	12	4	5	1	78	2		1	
		Negro	25	12	5	1	1		19				1
		Other races	11	3	1				4				
	Females	White	120	56	9	5			70	2			1
		Negro	18	8	5				13			1	
		Other races	3	2		1			3				
108	Lobar pneumonia:												
	Males	White	18,872	1,170	471	182	143	93	2,059	332	243	438	481
		Negro	3,240	267	91	49	26	14	447	47	40	121	196
		Other races	292	42	16	5	4	2	69	3	6	5	17
	Females	White	13,585	862	377	182	112	91	1,624	305	210	272	356
		Negro	2,205	207	64	31	24	9	335	49	57	100	153
		Other races	144	34	6	4	1		45	8	4	3	
109	Pneumonia, unspecified:												
	Males	White	837	185	36	20	12	12	265	18	15	28	20
		Negro	429	185	24	12	7	9	237	8	12	7	13
		Other races	30	8	3		2	1	14	2		2	1
	Females	White	627	139	38	20	7	2	206	22	11	6	10
		Negro	340	143	19	6	2	4	174	16	8	13	12
		Other races	18	9	3				12		1		
110	Pleurisy:												
	Males	White	1,282	77	47	33	17	21	195	41	28	42	43
		Negro	140	15	6	3		1	25	2	4	7	13
		Other races	29	2	3			1	6	1		1	3
	Females	White	749	64	45	33	21	10	173	30	23	20	24
		Negro	100	8	2	1	1	1	13	2	3	4	12
		Other races	12	1	3	2		1	7		1		
111a	Pulmonary embolism and thrombosis:												
	Males	White	225	6		1			7		1	2	3
		Negro	15									1	3
		Other races	1										
	Females	White	213	3					3	2	1	2	6
		Negro	11										
111b	Pulmonary congestion, edema, hemorrhagic infarct:												
	Males	White	456	13	5	1	1		20	3	2	4	4
		Negro	42	4	1			1	6	1	2		
		Other races	2					1	1				
	Females	White	540	21	2	2			25	3	1	4	8
		Negro	28	4	1				5			1	
		Other races	4		1				1	1			
112	Asthma:												
	Males	White	670	8	4	5	3	1	21	1	4	4	4
		Negro	99			1	1		2	1			
		Other races	8	2	3				5			1	
	Females	White	545	6	7	3	1	2	19	4	4	6	20
		Negro	99	1	3	2	1	1	8	1	2	3	5
		Other races	6										
113	Pulmonary emphysema:												
	Males	White	92		1	1			2	1		1	
		Negro	4										1
		Other races	1										
	Females	White	33	5	1				6				
		Negro	3										1
		Other races	2	1					1				
114	Other diseases of respiratory system (tuberculosis excepted):												
	Males	White	735	15	4	2	1	1	23	7	7	11	17
		Negro	92	3	2				5	1		1	5
		Other races	11	2					2	1		1	
	Females	White	238	17	2	4	2	2	27	8	6	13	14
		Negro	57	8					8	1		2	5
		Other races	3	1					1				
	IX.—Diseases of the digestive system:												
	Males	White	36,209	4,318	1,305	584	379	296	6,882	952	888	974	1,006
		Negro	4,180	921	286	93	46	30	1,376	102	100	121	151
		Other races	553	227	41	16	10	8	302	21	12	14	11
	Females	White	28,265	3,131	1,046	449	291	244	5,161	900	690	664	765
		Negro	3,628	707	248	55	37	19	1,066	88	76	115	160
		Other races	387	172	49	15	6	2	244	16	12	10	2
115a	Diseases of pharynx and tonsils:												
	Males	White	1,646	92	72	68	60	59	351	194	92	87	112
		Negro	153	14	7	6	5	3	35	16	6	11	10
		Other races	24	2	2	1	1	2	8	6		2	
	Females	White	1,848	41	65	51	59	47	263	187	95	80	103
		Negro	203	9	5	4	1	6	25	19	17	20	17
		Other races	14		3		1		4	2	1		1
115b	Diseases of buccal cavity and annexa:												
	Males	White	342	11	2	3	6	5	27	9	8	6	19
		Negro	48	8					8		1		3
		Other races	2										
	Females	White	259	11	11	2	1	2	27	20	9	7	16
		Negro	40	4	2	1			7	1			3
		Other races	3	1					1				
116	Diseases of esophagus:												
	Males	White	81										2
		Negro	7			1			1				
		Other races	1										
	Females	White	45	2					2	1			2
117a	Ulcer of stomach:												
	Males	White	3,108	1		3		2	6	5	3	14	53
		Negro	252	2		1			3		1		10
		Other races	31									2	1
	Females	White	836	3	2	2			7	1	3	5	15
		Negro	162							1		4	6
		Other races	2										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
172	206	330	466	469	574	634	762	872	1,015	1,023	919	527	214	40	9	9	
59	48	81	79	80	81	75	70	57	53	32	28	16	10	3	3		
3	2	9	6	11	5	14	13	8	6	9	7	4	2				
150	173	214	287	281	340	414	604	754	1,007	1,069	1,070	741	339	74	11	8	107a
46	57	39	51	63	60	59	45	48	38	27	25	17	8	1	4	1	
1	1	2	1	3	2	3	5	6	3	1	2	1	1		1		
		1	2	2	4	5	5	5	13	7	4	6	1				
				1	2	1			1								
1			1	1	1			1	1		1						
	1	2			1	3	2	5	6	5	13	4	4	1			107b
1			1			1	1										
538	747	1,066	1,350	1,537	1,549	1,540	1,575	1,565	1,396	1,147	774	376	122	21	2	14	
247	275	311	319	290	297	178	173	113	70	49	33	19	5	4	2	4	
9	14	20	24	18	22	13	19	13	12	10	10	5	2			1	
472	546	601	662	703	787	925	1,057	1,156	1,242	1,190	791	452	174	40	8	12	108
170	195	173	171	157	182	118	86	89	73	37	25	19	6	4	4	2	
1	2	10	13	9	6	9	10	7	6	2	2	2	4		1		
26	20	26	26	30	33	28	34	34	47	56	56	49	20	4	1	1	
11	17	12	18	14	18	12	15	6	9	7	4	4	4			1	
					1	1	1	3	2	1	1				1		
15	9	12	18	16	23	21	21	31	34	54	46	37	27	7	1		109
13	15	15	18	9	8	10	1	7	5	2	5	3	2	1	2	1	
	1					1			1		1	1					
39	49	94	90	113	108	104	87	77	85	43	30	7	3	3		1	
10	12	13	11	9	7	8	4	6	5	1	2	1					
1	1	1	3	2	4	3	1	1		1							
29	28	43	46	40	42	43	45	31	44	34	27	19	7	1			110
8	8	10	8	11	8	2	1	5	4	1							
	1	1	1			1											
1	8	9	7	22	16	24	20	34	21	28	13	7		1		1	
1			1	3		1	1	3						1			
										1							111a
6	11	9	10	20	14	21	24	22	24	22	12	3	1				
		2		2	4	1	1	1									
4	2	5	6	4	8	16	27	19	45	67	104	65	38	10	3		
3	1	3	5	4	2	1	2	1	1	2	2	2	1	1	2		
									1								
5	1	5	3	5	8	8	14	23	53	91	111	105	48	13	6		111b
1		3	1	1	4	1	1	1	1	1		2	3		2		
									1				1				
6	12	19	40	56	77	68	77	84	77	52	42	24	1			1	
2	8	9	9	12	11	13	10	8	5	2	2	2		2		1	
									1		1						
15	23	32	32	40	34	46	49	59	46	42	44	21	8	1			112
5	5	7	4	9	10	9	9	5	4	4	4	3		2			
		1					2	2			1						
1	2	1	7	6	8	10	10	11	11	9	5	4	3				
	1		1		1												
						1											
	3			2	2	1	2	2	1	8	1	3	1				113
1		1			1												
							1										
17	30	48	68	95	107	75	77	55	53	32	9	2	2				
5	7	9	14	15	9	11	5	1	1	1	2						
2				2	1	2											
12	15	15	21	15	6	18	15	9	19	10	7	4	1	2		1	114
8	8	4	7	6	1	1			4	1		1					
			1								1						
1,100	1,292	1,718	2,278	2,689	2,876	2,862	2,957	2,490	2,244	1,579	872	386	114	18	3	29	
157	204	261	299	289	302	265	181	133	95	55	44	23	9	4	3	6	
15	13	16	18	30	23	25	16	17	13	1	2	4					
831	986	1,321	1,552	1,840	1,985	2,070	2,228	2,205	1,877	1,492	958	519	167	39	3	12	
212	246	258	254	235	252	175	158	129	76	46	37	21	12	3	1	8	
10	12	7	12	9	11	7	7	11	6		8			1	1	1	
114	101	90	76	82	79	71	54	49	45	16	20	6	4			3	
15	11	10	11	8	6	4	4		1	3		2					
1	1		4		1			1									
103	114	121	109	113	124	104	97	92	62	40	20	5	5	1		1	115a
19	17	22	11	13	5	4	4	5	3			1	1				
2		1		1	1		1										
22	16	18	33	29	37	33	21	26	16	11	3	1	2		2	3	
4	3	6	3	5	2	3	2	5	1		1	1					
1				1													
9	17	14	21	23	15	12	19	16	8	3	7	13	3				115b
3	5	3	2	1	5	1			2	4	2		1				
					1			1									
		2	2	7	4	7	7	14	10	13	6	7					
		1	2	1			1						1				116
								1									
1	1		1	6	2	8	6	3	6	2	2	1		1			
96	122	202	341	408	408	360	346	266	236	142	67	17	10	2		4	
12	17	29	37	37	28	35	25	7	3	7	1						
	2	3	3	7	3	4	3	1				2					117a
20	18	37	51	81	82	92	79	98	90	81	37	25	12	1		1	
10	17	16	16	17	24	10	18	8	8	2	3	2					
2																	

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Contd.											
117b	Ulcer of duodenum:											
	Males—White	1,607	2					2	2	2	6	26
	Negro	76										4
	Other races	9									1	
	Females—White	338	1					1	1	3	4	11
	Negro	30							1		2	1
118	Other diseases of stomach (cancer excepted):											
	Males—White	999	138	26	18	8	8	198	8	5	6	13
	Negro	364	43	14	4	2	5	68	9	4	1	7
	Other races	11	10	1				11				
	Females—White	721	110	20	12	5	6	153	10	4	9	14
	Negro	381	45	10	5	3	2	65	4	4	6	11
	Other races	6	6					6				
119	Diarrhea and enteritis (under 2 years):											
	Males—White	4,630	3,570	1,060				4,630				
	Negro	1,025	773	252				1,025				
	Other races	242	205	37				242				
	Females—White	3,494	2,660	834				3,494				
	Negro	827	606	221				827				
	Other races	207	165	42				207				
120	Diarrhea and enteritis (2 years and over):											
	Males—White	1,672			312	141	67	520	93	38	32	27
	Negro	329			68	26	10	104	23	9	7	10
	Other races	40			12	7	3	22	4	1		
	Females—White	1,731			253	99	59	411	94	27	22	49
	Negro	354			40	22	8	70	13	6	10	12
	Other races	38			12	4		16	9	2		
121	Appendicitis:											
	Males—White	8,113	14	45	93	113	119	384	513	630	707	592
	Negro	667	3	3	2	5	7	20	38	63	71	57
	Other races	78			1	2	2	5	9	7	6	4
	Females—White	5,174	10	30	73	86	87	286	460	475	409	332
	Negro	431	1	1	2	4		8	32	36	42	47
	Other races	36		2	1		1	4	5	8	6	
122a	Hernia:											
	Males—White	2,214	33	6	3	2	2	46	3	3	7	20
	Negro	259	15	4	1	2	1	23	3	3	4	9
	Other races	15	1					1				2
	Females—White	1,724	4			1	1	6	4	3	2	4
	Negro	88	2	1		1		4			2	2
	Other races	8										
122b	Intestinal obstruction:											
	Males—White	2,562	341	57	57	31	18	504	67	61	59	60
	Negro	355	43	3	5	3	2	56	6	3	17	15
	Other races	27	8				1	9	2	1		2
	Females—White	2,642	201	57	25	18	9	310	45	27	39	72
	Negro	440	29	6	1	3	2	41	8	5	10	18
	Other races	10				1	1	2			1	
123	Other diseases of intestines:											
	Males—White	561	23	3	4	4		34	5	4	5	12
	Negro	68	5	2		1	1	9	1		3	5
	Other races	6		1	1			2				
	Females—White	408	19	6	3	1	4	33	6	4	3	12
	Negro	91	2	1	1			4		2	2	6
	Other races	2										
124	Cirrhosis of liver:											
	Males—White	4,965	4	2	2		1	9	7	7	8	11
	Negro	333			1		1	2	1	3	2	4
	Other races	28										
	Females—White	2,732	3	3	2		3	11	10	9	10	16
	Negro	246									2	6
	Other races	20									1	
125a	Yellow atrophy of liver:											
	Males—White	142	2	1			1	4	1		3	2
	Negro	18							1	1	1	1
	Other races	2										
	Females—White	232	1	1	1	1		4	4		10	20
	Negro	23								3	3	4
	Other races	2									1	
125b	Other diseases of liver:											
	Males—White	419	15	9	6	2	1	33	10	7	7	14
	Negro	61	7					7		2		3
	Other races	9									1	
	Females—White	329	14	2	1	2	1	20	5	5	6	11
	Negro	64	3	1				4			2	3
126	Biliary calculi:											
	Males—White	1,144										6
	Negro	23									1	2
	Other races	3										
	Females—White	2,787									7	20
	Negro	46										1
	Other races	20									1	
127	Other diseases of gall-bladder, biliary passages:											
	Males—White	1,174	4	2	1		5	12	3	3	6	14
	Negro	59	2		1			3	1	2	1	3
	Other races	14									1	2
	Females—White	2,101	4	1	1			6	4	3	3	27
	Negro	76	2					2			1	6
	Other races	10			1			1				
128	Diseases of pancreas:											
	Males—White	313	1		1	1	1	4			3	6
	Negro	20	1					1				5
	Other races	3	1					1				
	Females—White	269	2					2	1		3	5
	Negro	15	1					1			1	2
	Other races	3										
129	Peritonitis, cause not specified:											
	Males—White	517	67	20	13	11	7	118	32	25	18	17
	Negro	63	5	1	3	2		11	3	2	2	3
	Other races	8			1			1		3	1	
	Females—White	595	45	14	23	18	25	125	47	23	36	36
	Negro	111	3		1	3	1	8	9	3	8	15
	Other races	6		2	1			3		1		1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
68	90	139	171	212	211	201	174	128	89	57	21	4	2	1		1	
8	9	7	15	8	12	2	1	7	1	1	1						
	1	1	2	1		1	1	1									117b
7	11	21	21	34	33	37	39	39	28	28	11	7	1			1	
1	6	5	4	2	2	2	2	2									
11	18	27	54	52	79	70	89	81	86	74	67	36	15	2		8	
16	22	18	50	30	42	39	11	14	17	3	6	5	2				
8	8	15	24	20	29	39	50	51	72	68	73	44	22	7		1	118
18	25	28	32	39	46	23	22	27	14	2	6	2	3		1	3	
																	119
32	40	54	43	60	61	77	89	97	98	132	86	69	18	3	1	2	
7	11	15	10	15	24	23	21	15	7	9	9	4	2		2	2	
2				3	1	1	1	3	1			1					
51	50	37	45	58	70	66	71	96	129	149	129	118	41	16	1	1	120
18	20	15	27	21	26	28	24	15	14	8	15	7	2	2		1	
	1			1	1			2	2		3			1			
553	566	594	668	637	609	478	416	326	235	142	39	19	2	1		2	
49	71	76	50	48	37	33	26	12	10	4	2						
7	6	7	3	9	7	4	1	2	1								121
286	273	328	359	368	366	370	293	243	158	101	44	17	3	2		1	
57	46	37	31	28	22	16	11	9	3	2	2	1				1	
4	3	1			2	1	1	1									
26	41	66	104	147	191	239	257	264	310	239	150	78	20	1		2	
9	9	17	18	27	27	24	24	21	12	9	7	6	3	3		1	
	1	1		1	1	2	2		4								
10	17	49	78	129	158	207	258	253	237	176	95	27	6	1	1	3	122a
5	3	8	7	13	10	6	5	14	3	2	2	1		1			
	1		1			2	1	1	2								
52	73	98	115	148	159	188	231	216	205	161	111	38	14	2			
19	14	23	34	34	40	27	19	16	13	10	6	3					
1		1	1	1	1	2	4	1	1								122b
105	118	143	185	168	179	155	230	212	212	180	148	84	26	2		2	
31	52	53	50	48	36	28	23	10	13	6	2	2	3			1	
	2		1	3				1									
7	12	27	45	61	74	56	67	58	36	27	20	6	3	1		1	
6	4	5	6	9	8	5	3	2	1		1						
				1	1		1	1									123
12	21	23	29	27	31	50	45	30	22	25	19	13	2	1			
5	16	14	9	7	9	7	5	1	1	2	1						
				1			1										
35	93	181	326	494	601	688	765	623	538	358	159	46	12	2		2	
2	14	29	45	38	54	46	29	21	24	9	6	1	1			2	
1	1	1	1	5	3	6	1	4	4			1					
30	76	126	163	235	288	276	312	352	317	258	151	73	17	1		1	124
8	8	22	27	26	41	23	29	22	9	14	3	3	2			1	
	1	4	2		1	4		1	2		3				1		
4	7	9	17	15	15	14	14	7	10	11	4	3	2				
2	3	3	1	2	1		1	1									
					1	1											
30	20	21	22	16	18	14	12	7	8	12	14						125a
7	3	1		1		1											
	1																
21	21	38	39	38	33	34	31	21	31	16	13	8	1	3			
3	3	6	7	10	8	4	2	2	1		1	1			1		
	1		3		3	1											125b
8	12	22	25	33	17	24	27	35	28	18	22	7	2	2			
6	5	9	9	9	5	4	2	2		2		1				1	
13	21	58	92	109	125	149	179	141	136	65	34	16					
	1	2	1	2	2	6	3	3			1						
						1	1										126
62	100	179	223	277	302	346	375	372	243	175	72	25	5	3	1		
4	5	5	4	3	8	9	1	3	2	1							
2	2	1	4	3	4			2			1						
21	35	55	86	120	109	134	148	130	113	89	63	26	7				
1	3	6	3	7	4	10	4	5	2		2			1		1	
1		1	1	1		2		2	1	1	1						
39	80	124	146	187	204	215	254	263	217	156	99	54	19	1			127
1	8	7	11	3	9	9	7	9	1	1	1						
			2		1		2	2			1					1	
7	19	32	34	30	48	38	34	21	24	8	3	1				1	
	4	4	2	1	1		1	1									
					1		1										128
11	13	27	24	26	39	35	29	22	20	6	3	3					
3	3	3				1	1										
	1		2														
18	17	28	32	40	33	25	35	22	26	18	6	5	2				
4	5	4	4	7	6	4	4	1	2		1						
1		1							1								129
39	37	34	26	39	28	20	32	21	20	14	12	3	3				
16	7	10	14	4	4	3	4	2	3			1					
							1										

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the genitourinary system:												
	Males	White	50,193	176	51	55	46	36	364	136	149	260	341
		Negro	6,111	33	12	10	11	4	70	16	19	36	69
		Other races	245	1		3	2	1	7	6		5	2
	Females	White	41,107	114	51	53	32	28	278	149	198	303	529
		Negro	5,617	23	12	12	6	4	57	33	30	85	158
		Other races	140	4	2	1			7	4	3	6	6
130	Acute nephritis (including unspecified under 10 years):												
	Males	White	1,529	83	27	28	22	23	183	65	42	53	66
		Negro	396	13	7	7	7	2	36	10	7	14	16
		Other races	17			2	2		4	5		3	
	Females	White	1,213	40	23	30	18	13	124	65	48	49	50
		Negro	410	12	9	11	4	2	38	20	11	19	20
		Other races	11	2	1				3	3		1	1
131	Chronic nephritis:												
	Males	White	37,643	2	6	12	12	7	39	50	79	163	207
		Negro	4,215	2	1		2	2	7	2	8	7	25
		Other races	177					1	1			1	1
	Females	White	33,787	1	2	4	7	7	21	53	107	144	215
		Negro	4,030		2			1	3	6	13	28	48
		Other races	94							1	3	2	3
132	Nephritis, unspecified (10 years and over):												
	Males	White	2,561								14	22	34
		Negro	520								4	7	12
		Other races	11									1	
	Females	White	1,968								22	8	26
		Negro	483								1	5	7
		Other races	7									2	
133	Other diseases of kidneys, ureters (puerperal diseases excepted):												
	Males	White	1,228	71	18	11	11	5	116	16	14	20	20
		Negro	200	10	4	3	2		19	3		4	9
		Other races	11	1		1			2	1			1
	Females	White	1,243	70	24	19	7	8	128	27	12	28	37
		Negro	166	10	1	1	2		14	7		6	7
		Other races	12	2		1			3				
134	Calculi of urinary passages:												
	Males	White	641				1		1	1		1	8
		Negro	35									1	1
		Other races	1										
	Females	White	360								2	3	2
		Negro	19										
		Other races	1		1				1				
135	Diseases of bladder (tumors excepted):												
	Males	White	331	2		2			4	1			3
		Negro	74							1		1	
		Other races	3										
	Females	White	147	3	2				5				
		Negro	17	1				1	2				
		Other races	1										
136	Diseases of urethra, urinary abscess, etc.:												
	Males	White	230	1					1	1		1	1
		Negro	150										5
		Other races	1										
	Females	White	6										
		Negro	2										
137	Diseases of prostate:												
	Males	White	5,969										1
		Negro	498									1	
		Other races	23										
138	Diseases of male genital organs, not specified as venereal:												
	Males	White	61	17		2		1	20	2			1
		Negro	23	8					8			1	1
		Other races	1										
139a	Cysts of ovary:												
	Females	White	540								3	12	22
		Negro	54									2	1
		Other races	1										
139b	Other diseases of ovaries, diseases of tubes and parametrium:												
	Females	White	1,231							4	3	50	146
		Negro	356								3	20	63
		Other races	10										2
139c	Diseases of uterus:												
	Females	White	576								1	8	28
		Negro	63								1	5	8
		Other races	1									1	
139d	Nonpuerperal diseases of breast (cancer excepted):												
	Females	White	3									1	
		Negro	4										
139e	Other diseases of female genital organs:												
	Females	White	33										3
		Negro	13								1		4
		Other races	2										
	XI.—Diseases of pregnancy, childbirth, and the puerperal state:												
	Females	White	8,025								8	631	1,581
		Negro	1,672								13	337	350
		Other races	114									10	22
140	Abortion with septic conditions:												
	Females	White	1,344									98	334
		Negro	214								1	42	51
		Other races	20									2	5
141	Abortion without mention of septic conditions (includes hemorrhages):												
	Females	White	395									27	63
		Negro	85									8	16
		Other races	2										1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
391	542	880	1,335	1,988	2,871	3,986	5,396	6,724	8,382	7,435	5,486	2,645	725	110	21	26	
105	174	281	421	487	681	755	735	713	540	384	300	182	78	24	20	21	
7	7	5	8	12	16	25	25	28	32	20	22	9	6	1	1	1	
688	851	1,204	1,645	2,011	2,442	3,016	3,983	4,899	6,068	5,608	4,138	2,185	716	155	20	21	
222	305	416	479	550	675	553	530	462	351	272	206	122	56	22	19	14	
4	7	16	10	15	7	7	13	9	9	10	2	1	3	1			
59	76	83	99	93	120	98	116	94	99	69	70	32	11	1			
25	22	28	39	37	42	30	33	30	13	4	6	3	1				
1		1		1	1							1					
45	63	69	94	75	75	67	76	72	88	66	54	20	11	1	1		130
31	36	35	37	35	32	26	21	11	17	8	7	3	2	1			
	1			1				1									
244	351	606	972	1,592	2,294	3,216	4,205	5,078	6,309	5,570	4,076	1,964	520	71	18	19	
50	110	196	273	350	476	556	541	510	383	270	214	132	58	15	17	15	
5	5	3	6	10	12	22	20	19	23	17	19	5	5	1	1	1	
289	364	643	1,035	1,443	1,915	2,540	3,467	4,370	5,497	5,126	3,774	1,979	629	146	15	15	131
87	149	236	344	413	546	445	423	391	291	236	175	107	48	18	15	8	
3	3	11	7	6	6	6	11	8	7	10	2	1	3	1			
34	33	66	105	103	132	179	249	305	379	375	341	121	58	8	2	1	
10	16	23	39	40	64	56	55	44	42	40	30	23	9	4		2	
	1				2	1	1	2	1			2					
21	40	47	81	115	126	145	192	218	276	261	198	126	53	7	2	4	132
15	19	32	28	51	55	58	63	49	37	20	20	8	5	3	4	3	
	1	1			1				2								
33	36	63	72	77	107	99	105	118	116	89	69	45	9	3		1	
10	7	9	18	12	23	15	15	21	13	14	4	2	1			1	
	1	1	1				1	2			1						133
45	49	68	85	94	97	99	90	94	101	76	56	39	15	1	1	1	
13	14	18	11	17	14	10	12	8	2	5	3	2				3	
	1	2	1	3		1	1										
9	27	37	51	57	65	76	64	75	77	48	31	12	1				
			6	4	5	8	3	3	3	1							
1																	134
15	25	35	41	33	40	40	29	37	27	17	9	4	1				
	4	1	3	4	2	1	1	1		1		1					
4	5	7	6	10	16	13	21	34	46	45	50	46	17	3			
	3	4	4	4	3	7	10	8	12	6	2	3	5			1	
			1						1	1							135
1	7	6	5	5	11	11	9	14	18	21	19	10	4		1		
1		1	2		2	3	2		1	2			1				
							1										
4	7	8	14	15	28	30	34	32	26	10	8	8	2				
9	11	14	29	21	18	17	11	8	4	1	2						
								1									136
1		1		1				1			2						
		2															
4	5	10	13	37	104	271	598	986	1,325	1,223	839	416	107	24	1	5	
1	5	5	10	15	50	66	65	89	70	46	42	19	4	5	3	2	137
				1	1	2	2	4	7	2	2	1	1				
	2		3	4	5	4	4	2	5	6	2	1					
		2	3	4			2			2							138
							1										
42	62	59	62	60	47	32	36	34	23	24	15	4	3				
4	10	11	10	7	2	1	1		3		1	1					139a
		1															
183	202	201	153	113	69	41	30	17	8	6	5						
59	65	68	33	18	16	8	2	1									139b
1	1	1	1	4													
44	39	70	84	68	58	37	50	41	29	11	6	2					
8	8	10	8	4	6	1	3	1									139c
							1		1								
1			1	1			1										139d
2		5	5	4	4	4	3	1				1				1	
3		2	2				1										139e
			1	1													
1,776	1,705	1,572	667	78	2											5	
340	288	239	85	18												2	
28	21	21	10	2													
321	297	222	65	7													
53	32	28	5	1												1	140
2	6	2	2	1													
98	78	88	37	3												1	
21	22	12	4	2													141
1																	

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued											
142a	Ectopic gestation, septic conditions specified:											
	Females—White	90										12
	Negro	15									1	3
142b	Ectopic gestation, septic conditions not mentioned:											
	Females—White	337									11	53
	Negro	66									2	8
	Other races	4										1
143	Other accidents of pregnancy (hemorrhages not included):											
	Females—White	47									2	8
	Negro	13									2	2
144a	Placenta praevia:											
	Females—White	289									10	25
	Negro	35										6
	Other races	7										
144b	Other puerperal hemorrhages:											
	Females—White	602									20	106
	Negro	102								2	9	14
	Other races	12										1
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded):											
	Females—White	1,622								2	169	364
	Negro	390								4	89	97
	Other races	26									2	7
145b	Puerperal tetanus (abortion and ectopic gestation excluded):											
	Females—White	7										2
	Negro	1									1	
146	Puerperal albuminuria and eclampsia:											
	Females—White	1,346								5	172	285
	Negro	429								5	125	83
	Other races	16									2	4
147	Other toxemias of pregnancy:											
	Females—White	348								1	25	75
	Negro	67									15	14
	Other races	4										
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):											
	Females—White	464									25	70
	Negro	35								1	7	8
	Other races	2										
149	Other accidents of childbirth:											
	Females—White	1,101									70	176
	Negro	216									36	48
	Other races	20									4	3
150	Other and unspecified conditions of puerperal state:											
	Females—White	33									2	8
	Negro	4										
	Other races	1										
	XII.—Diseases of the skin and cellular tissue:											
	Males—White	853	142	9	1	3	3	158	19	29	34	34
	Negro	87	20	2	1			23	2	1	1	5
	Other races	11	1			1		2				2
	Females—White	654	111	15	3	6	2	137	8	23	38	37
	Negro	87	12	1	2	2		17	1	2	3	3
	Other races	3									1	1
151	Furuncle, carbuncle:											
	Males—White	308	12	1			1	14	9	9	20	11
	Negro	12	2					2				1
	Other races	4										1
	Females—White	173	10	4		1	1	16	4	5	15	16
	Negro	12								2		
	Other races	1									1	
152	Phlegmon, acute abscess:											
	Males—White	326	53	4	1	3	1	62	8	12	7	15
	Negro	41	11	1				12	2	1		3
	Other races	2										1
	Females—White	211	35	4	3	2	1	45	4	11	13	13
	Negro	37	5		1	2		8			3	1
	Other races	1										
153	Other diseases of skin and annexa, and of cellular tissue:											
	Males—White	219	77	4			1	82	2	8	7	8
	Negro	34	7	1	1			9			1	1
	Other races	5	1			1		2				
	Females—White	270	66	7		3		76		7	10	8
	Negro	38	7	1	1			9	1			2
	Other races	1										1
	XIII.—Diseases of the bones and organs of locomotion:											
	Males—White	765	25	13	13	9	16	76	68	111	58	34
	Negro	83	2	2	1	2	1	8	1	5	10	6
	Other races	6							1	1		1
	Females—White	428	14	10	10	7	11	52	64	52	23	11
	Negro	48	2	2	1		1	6	4	3	2	2
	Other races	3				1		1	1			
154	Osteomyelitis:											
	Males—White	548	14	11	11	6	14	56	57	98	50	25
	Negro	55	1	2	1	2	1	7	1	4	8	3
	Other races	4							1			1
	Females—White	258	9	8	10	6	9	42	50	40	17	6
	Negro	24	1	1	1		1	4	2	2	1	
	Other races	1							1			
155	Other diseases of bones (tuberculosis excepted):											
	Males—White	69	2	1	1	1	1	6	3	4	2	4
	Negro	10										2
	Females—White	63				1		1	2	5	2	2
	Negro	9							1	1		1
	Other races	1				1		1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
20	25	21	10	2													142a
6	4	1															
73	88	83	25	4													142b
22	24	3	7														
1	1	1															
6	10	9	10	2													143
3	1	1	4														
56	63	88	42	5													144a
9	7	10	3														
4	1		2														
109	142	147	68	9												1	144b
21	21	25	9	1													
3	3	4	1														
388	325	248	113	11												2	145a
83	65	32	15	5													
6	4	7															
	2	1	2														145b
263	228	264	109	18	1											1	146
61	60	70	18	6												1	
3	3	3	1														
70	76	68	31	1	1												147
12	8	14	4														
1	1	2															
96	129	95	42	7													148
3	6	8	2														
1		1															
268	236	233	109	9													149
44	36	35	14	3													
6	2		4	1													
8	6	5	4														150
2	2																
		1															
39	32	49	49	48	50	65	54	54	62	33	24	8	8	2	1	1	
3	2	6	5	4	10	5	2	5	4	3	2	2	1		1		
		1			1			1	1	2	1						
39	29	34	31	35	40	32	29	31	25	22	33	18	8	5			
5	2	4	3	12	7	4	7	6	4	1	2	1	3				
1																	
20	12	19	18	17	20	28	35	23	27	15	9	1	1				151
1	1	1	1	2			1		1			1					
					1					1	1						
14	11	13	11	9	13	12	8	7	3	5	6	4		1			
		2		1	2	1	3		1								
16	18	26	22	19	20	29	14	21	21	3	5	3	3		1	1	152
1	1	3	4	2	6	2		1		3							
										1							
19	11	7	11	15	15	10	10	5	6	3	6	5	1	1			
2	2	2	2	3	4	3	4	2					1				
1																	
3	2	4	9	12	10	8	5	10	14	15	10	4	4	2			153
1		2			4	3	1	4	3		2	1	1		1		
		1						1	1								
6	7	14	9	11	12	10	11	19	16	14	21	9	7	3			
3			1	8	1			4	3	1	2	1	2				
36	32	36	32	39	40	46	37	36	33	26	13	11	1				
4	3	8	7	9	7	6	4	2	1	1	1						
			1		1	1											
23	18	13	11	20	21	18	19	24	22	18	12	6	1				
3	5	6	3	5	1	1	4			1	1		1				
									1								
30	27	27	16	28	25	25	26	16	20	11	6	4	1				154
4	2	4	6	6	3	3		2	1	1							
			1			1											
13	12	8	6	8	8	12	6	6	9	9	3	3					
1	3	4	2	3	1	1											
1	2	1	5	3	5	3	5	6	3	7	5	4					155
			1	1	2		3				1						
1	2	1	1	5	5	2	4	7	7	5	7	3	1				
1		1		1			2				1						

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIII.—Diseases of the bones and organs of locomotion—Continued											
156	Diseases of joints, other organs of locomotion:											
	Males—White	148	9	1	1	2	1	14	8	9	6	5
	Negro	18	1					1		1	2	1
	Other races	2								1		
	Females—White	107	5	2			2	9	12	7	4	3
	Negro	15	1	1				2	1		1	1
	Other races	1										
	XIV.—Congenital malformations:											
	Males—White	5,237	4,959	175	82	38	23	4,977	98	48	37	17
	Negro	255	212	14	8	3	1	238	7	7		1
	Other races	51	43	1	2			46	2		2	
	Females—White	4,342	3,825	157	52	42	22	4,098	75	42	46	24
	Negro	216	176	9	5	6	1	197	7	4	4	2
	Other races	63	52	3	2	1		58	1	3	1	
157a	Congenital hydrocephalus:											
	Males—White	628	489	55	27	7	9	587	20	7	6	4
	Negro	31	17	7	2	2	1	29	1	1		
	Other races	4	2		1			3	1			
	Females—White	623	511	31	16	12	6	576	26	7	4	4
	Negro	32	18	5	1	2		26	2	2	1	1
	Other races	8	6		1			7			1	
157b	Spina bifida meningocele:											
	Males—White	446	424	9	1	1		435	3	4	2	1
	Negro	9	9					9				
	Other races	3	2		1			3				
	Females—White	604	568	15	6		2	591	6	3	1	1
	Negro	11	9			1	1	11				
	Other races	6	6					6				
157c	Congenital malformation of heart:											
	Males—White	2,792	2,505	70	32	20	9	2,636	57	30	24	10
	Negro	135	116	5	4	1		126	4	3		1
	Other races	28	24					24	1		2	
	Females—White	2,074	1,785	93	23	25	12	1,938	30	27	34	14
	Negro	117	99	4	4	1		108	4	2	3	
	Other races	31	26	2		1		29		2		
157d	Other congenital malformations:											
	Males—White	1,371	1,241	41	22	10	5	1,319	18	7	5	2
	Negro	80	70	2	2			74	2	3		
	Other races	16	15	1				16				
	Females—White	1,041	961	18	7	5	2	993	13	5	7	5
	Negro	56	50			2		52	1			1
	Other races	18	14	1	1			16	1	1		
	XV.—Diseases of early infancy:											
	Males—White	20,120	20,120					20,120				
	Negro	2,957	2,957					2,957				
	Other races	324	324					324				
	Females—White	14,571	14,571					14,571				
	Negro	2,424	2,424					2,424				
	Other races	240	240					240				
158	Congenital debility:											
	Males—White	1,151	1,151					1,151				
	Negro	350	350					350				
	Other races	40	40					40				
	Females—White	869	869					869				
	Negro	309	309					309				
	Other races	41	41					41				
159	Premature birth:											
	Males—White	12,532	12,532					12,532				
	Negro	1,927	1,927					1,927				
	Other races	197	197					197				
	Females—White	9,516	9,516					9,516				
	Negro	1,649	1,649					1,649				
	Other races	128	128					128				
160	Injury at birth:											
	Males—White	4,407	4,407					4,407				
	Negro	378	378					378				
	Other races	41	41					41				
	Females—White	2,766	2,766					2,766				
	Negro	263	263					263				
	Other races	35	35					35				
161	Other diseases peculiar to early infancy:											
	Males—White	2,030	2,030					2,030				
	Negro	302	302					302				
	Other races	46	46					46				
	Females—White	1,420	1,420					1,420				
	Negro	203	203					203				
	Other races	36	36					36				
162	**XVI.—Senility:**											
	Males—White	2,546										
	Negro	598										
	Other races	28										
	Females—White	3,226										
	Negro	694										
	Other races	46										
	XVII.—Violent and accidental deaths:											
	Males—White	64,743	679	559	521	429	446	2,634	2,106	2,086	3,548	4,717
	Negro	8,112	159	69	53	55	45	381	245	301	595	1,011
	Other races	823	10	13	6	13	5	56	31	32	38	88
	Females—White	25,013	540	440	367	329	327	2,009	1,035	614	1,095	1,283
	Negro	2,424	128	50	52	53	55	338	152	93	158	252
	Other races	197	19	14	7	14	4	58	19	4	17	16
	Suicide:											
	Males—White	13,203								22	210	555
	Negro	305								1	5	35
	Other races	100									4	10
	Females—White	3,529								6	153	322
	Negro	109									10	20
	Other races	16								1	4	5

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	3	8	11	8	10	18	6	14	10	8	2	3					
	1	4		2	2	3	1										
					1												
9	4	4	4	7	8	4	9	11	6	4	2						156
1	2	1	1	1			2			1			1				
									1								
15	8	12	8	9	4	3	1										
	1		1														
		1															
17	20	7	4	4	2	2	1										
2																	
			2		1	1											
1	2	1		1	1												157a
1																	
2																	157b
10	7	9	2	4	2		1										
	1																
		1															
9	13	4	2	2	1												157c
4	1	3	4	5	1	2											
			1														
5	5	2	2	1		2	1										157d
2																	
																	158
																	159
																	163
																	161
					6	4	22	47	211	417	725	650	358	82	17	7	
					3	3	14	17	68	66	141	103	91	41	50	1	
							1	1	2	3	6	6	4	1	4		
					2	6	21	49	233	473	806	820	611	161	43	1	162
					4	3	14	18	83	97	137	118	86	54	77	3	
								1	7	9	8	7	3	8	3		
4,374	4,159	4,533	5,049	5,578	5,167	4,795	4,298	3,636	3,084	2,281	1,465	779	268	58	5	123	
1,024	924	903	724	572	442	287	239	164	98	76	44	27	11	3	5	36	
98	89	57	55	79	60	43	35	25	16	16	3	1				1	
1,130	1,024	1,142	1,145	1,179	1,179	11,243	1,388	1,468	1,848	2,132	1,998	1,344	576	143	13	25	
243	206	178	161	106	116	86	89	74	58	32	35	23	9	6	4	5	
10	8	11	7	11	7	8	4	4	4	2	1	3	1		2		
674	795	1,075	1,281	1,597	1,617	1,495	1,347	1,032	776	439	198	62	7	3		18	
30	28	47	47	42	28	12	11	6	9	3		1					
15	12	5	9	13	10	8	7	2	4	1							
342	336	380	397	375	324	306	241	173	93	46	25	4	5			1	
18	19	8	12	9	6	4	2			1							
2		1		1	1	1											

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Contd.											
	Suicide—Continued.											
163	By solid or liquid poisons or by absorption of corrosive substances:											
	Males—White	1,426								1	16	62
	Negro	29										11
	Other races	9										1
	Females—White	1,065								1	67	160
	Negro	45									5	12
	Other races	7									2	4
164	By poisonous gas:											
	Males—White	1,810									20	64
	Negro	24										
	Other races	7										1
	Females—White	709									12	37
	Negro	8										1
	Other races	1										1
165	By hanging or strangulation:											
	Males—White	2,619								12	28	71
	Negro	27								1		2
	Other races	35									1	1
	Females—White	522								1	5	16
	Negro	5										
	Other races	3										
166	By drowning:											
	Males—White	578								1	5	17
	Negro	24										2
	Other races	2										
	Females—White	287								1	6	16
	Negro	12									1	1
167	By firearms:											
	Males—White	5,607								8	127	320
	Negro	148									4	15
	Other races	33									3	6
	Females—White	531								3	49	59
	Negro	18									2	4
	Other races	5								1	2	
168	By cutting or piercing instruments:											
	Males—White	591									1	2
	Negro	25										2
	Other races	7										
	Females—White	96									1	3
	Negro	2										
169	By jumping from high places:											
	Males—White	383									10	12
	Negro	24									1	3
	Other races	3										
	Females—White	243									9	28
	Negro	9										1
170	By crushing:											
	Males—White	100									2	3
	Negro	3										
	Other races	3										1
	Females—White	22									2	2
	Negro	1										
171	By other means:											
	Males—White	89									1	4
	Negro	1										
	Other races	1										
	Females—White	54									2	1
	Negro	9									2	1
	Homicide:											
	Males—White	4,007	62	5	3	7	5	82	32	25	199	441
	Negro	2,894	8	2	2		1	13	5	22	190	470
	Other races	142				1		1	1		7	20
	Females—White	1,062	57	6	4	3	6	76	23	23	86	169
	Negro	612	7		1			8	3	8	66	128
	Other races	17		1				1			2	4
173	By firearms:											
	Males—White	2,757	2		3	2	2	9	10	12	163	350
	Negro	1,843	1	1	1		1	4	4	14	136	313
	Other races	80									5	11
	Females—White	508	1	1	1		4	7	5	12	33	76
	Negro	317							1	6	32	65
	Other races	10		1				1			2	2
174	By cutting or piercing instruments:											
	Males—White	425	5					5	7	2	17	56
	Negro	732	1					1		5	42	123
	Other races	34							1		2	9
	Females—White	95	3	1	2	1	1	8	2	4	4	6
	Negro	180	1					1		1	16	48
	Other races	2										
175	By other means:											
	Males—White	825	55	5		5	3	68	15	11	19	35
	Negro	319	6	1	1			8	1	3	12	34
	Other races	28				1		1				
	Females—White	459	53	4	1	2	1	61	16	7	49	87
	Negro	115	6		1			7	2	1	18	15
	Other races	5										2
	Accidental, other, or undefined:											
	Males—White	47,533	617	554	518	422	441	2,552	2,074	2,039	3,139	3,721
	Negro	4,913	151	67	51	55	44	368	240	278	400	506
	Other races	581	19	13	6	12	5	55	30	32	27	58
	Females—White	20,422	489	434	363	326	321	1,933	1,012	585	856	792
	Negro	1,703	121	50	51	53	55	330	149	85	82	104
	Other races	164	19	13	7	14	4	57	19	3	11	7
176	Attack by venomous animals:											
	Males—White	35	5	2			1	8	2	2		1
	Negro	11	1					1	1			1
	Females—White	35	4	3	2		3	12	1	4		
	Negro	3	1					1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
99	115	142	147	172	188	137	132	97	57	38	17	4		1		1	
2	1	1	4	3	4	1	1		1								
2	2		1	1	2												
152	129	124	118	93	58	47	51	38	17	4	6						163
6	9	2	5	3	2		1										
1																	
85	111	145	200	260	232	222	206	127	80	38	15	3	1	1			
3		4	3	8	1	2			2			1					
2	1			1	2												
54	54	84	80	83	88	70	62	38	25	14	8						164
2	1	1		2		1											
90	124	157	246	322	342	343	277	229	194	100	58	18	3	1		4	
	1	6	6	3	5	2	1										
5	4	1	7	4	1	4	3		3	1							
17	40	51	66	71	57	75	45	34	18	14	4	3	5				165
1	2	1					1										
				1	1	1											
15	19	48	46	66	83	70	69	56	28	26	16	9	1			3	
1	4	5	4	1	1	2			3	1							
		1					1										166
10	13	22	31	34	36	34	28	27	19	9	1						
4	2	2		1		1											
345	360	481	526	637	610	586	539	427	351	193	65	23	2			7	
20	16	19	22	18	15	3	7	4	3	2							
6	2	2	1	4	4	2	1	1	1								
76	53	49	57	51	47	40	21	17	4	3	1					1	167
3	1		4		2	1				1							
1		1															
13	20	40	54	63	96	74	69	60	43	30	20	4				2	
1	5	6	3	4		1	1	2									
	2			3			2										168
3	8	13	10	14	13	11	9	6	3	1		1					
					2												
17	30	40	40	57	43	30	43	25	18	12	5	1					
3	1	3	5	5	2		1										
					1	2											169
22	29	31	23	24	21	23	14	10	4	1	4						
2	2	1	2	1													
6	10	13	14	15	10	13	4	7	1		2						
	1	2				1											
								1									170
4	1	3	2	1	2	2	1	1	1								
				1													
4	6	9	8	5	13	20	8	4	4	2						1	
		1															
		1															171
4	9	3	10	4	2	4	10	2	2		1						
	2	1	1	1		1											
528	513	500	462	377	284	205	146	82	55	39	15	7				15	
531	463	444	291	190	125	61	43	19	8	6	3		1	1		8	
27	21	13	9	16	8	7	6	2	3	1							
143	121	109	97	63	40	32	26	22	11	10	5	2				4	
132	103	66	53	23	12	3	4	1		1						1	
3	1	2	1	1				2									
410	382	360	312	250	176	136	90	37	24	15	7	2				12	
343	306	269	177	119	71	34	26	12	3	4	1		1			6	
18	14	7	5	6	3	5	1	1	3	1							
73	69	62	59	43	24	16	13	11	4		1						173
71	51	34	32	14	6	2	1	1								1	
		1	1	1				2									
61	66	57	47	44	25	15	6	8	6	2	1						
150	116	116	69	49	31	13	7	3	2	1	2					2	
3	4	4	2	5	2		2										
7	9	9	11	11	10	5	2	2	2	2		1					174
41	32	18	13	4	4		2										
1		1															
57	65	83	103	83	83	54	50	37	25	22	7	5				3	
38	41	59	45	22	23	14	10	4	3	1				1			
6	3	2	2	5	3	2	3	1									
63	43	38	27	9	6	11	11	9	5	8	4	1				4	175
20	20	14	8	5	2	1	1			1							
2	1																
3,172	2,851	2,958	3,306	3,604	3,266	3,095	2,805	2,522	2,253	1,803	1,252	710	261	55	5	90	
463	433	412	386	340	289	214	185	139	81	67	41	26	10	2	5	28	
56	56	39	37	50	42	28	22	21	9	14	3	1				1	
645	567	653	651	741	815	905	1,121	1,273	1,744	2,076	1,968	1,338	571	143	13	20	
93	84	104	96	74	98	79	83	73	58	30	35	23	9	6	4	4	
5	7	8	6	9	6	7	4	2	4	2	1	3	1		2		
4		2	1	2	2	1	2	2	1	1	4						
1		1	2		1	2		1									
1	2	1	3	2	3		2	1		2		1					176
						1			1								

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Contd.											
	Accidental, other, or undefined—Continued											
177	Poisoning by food:											
	Males—White	201	13	9	10	6	5	43	12	10	7	8
	Negro	51	3	1	3		1	8	5	2	6	3
	Other races	2	1					1				1
	Females—White	140	7	9	6	9	3	34	19	3	3	5
	Negro	49	2	1				3	7	3	3	4
	Other races	6			1	1		2	2			
178	Absorption of poisonous gas:											
	Males—White	1,103	10	2	3		3	18	7	6	12	47
	Negro	30	1			1		2		1		
	Other races	5										
	Females—White	318	4			1	1	6	3	6	16	12
	Negro	8	1				1	2				
	Other races	1							1			
	Supplemental:											
	Males—White	52		1				1			3	5
	Negro	2										
	Other races	2										
	Females—White	4							2			
	Negro	1	1					1				
179	Other acute accidental poisonings (gas excepted):											
	Males—White	630	16	48	28	20	12	124	17	6	10	24
	Negro	79	1	10	6	7	4	28	5		3	5
	Other races	10		1		1		2	1			
	Females—White	380	9	49	34	16	7	115	9	5	14	25
	Negro	57	1	5	3	3	4	16	4		2	8
	Other races	7		1				1	1	1		
180	Conflagration:											
	Males—White	610	26	16	17	16	21	96	30	11	19	24
	Negro	129	13	2	8	4	2	29	12	5	2	6
	Other races	14	1		2		1	4	1			1
	Females—White	366	17	11	18	14	10	70	34	14	22	16
	Negro	79	8	1	10	4	4	27	3	5	1	3
	Other races	5	2			1	1	4				
181	Burns (conflagration excepted):											
	Males—White	1,492	68	140	115	69	44	436	106	45	40	71
	Negro	286	18	26	13	18	9	84	17	7	6	15
	Other races	20		2	1	3	1	7		1		3
	Females—White	1,824	45	112	112	118	119	506	211	65	57	76
	Negro	392	20	25	28	24	29	126	61	15	10	15
	Other races	24	1	5		5	2	13	2	1		1
	Supplemental:											
	Males—White	403		2		3	1	6	6	3	23	70
	Negro	15									1	3
	Other races	8	1					1		1		1
	Females—White	63	1	3	2	1	1	8	4	3	11	7
	Negro	10		1			1	2			3	1
	Other races	2									1	
182	Mechanical suffocation:											
	Males—White	349	210	4	2	1		217	6	8	11	9
	Negro	61	46			1		47	1		1	3
	Other races	3	3					3				
	Females—White	231	206	7	1			214	3	1		
	Negro	42	41	1				42				
	Other races	6	5			1		6				
	Supplemental:											
	Males—White	47					1	1		1	2	7
	Negro	2										
	Females—White	3									1	
183	Drowning:											
	Males—White	3,893	2	95	87	42	47	273	337	459	549	368
	Negro	566	1	3	4	1	1	10	36	97	122	81
	Other races	59	1	4	1			6	6	8	11	6
	Females—White	632		75	43	21	14	153	59	90	79	56
	Negro	60	1	2	2	1		6	6	9	9	4
	Other races	12		2	3			5	3		2	
	Supplemental:											
	Males—White	831	2	1	5	2	2	12	34	53	96	108
	Negro	132			1			1	2	10	19	18
	Other races	10							2			3
	Females—White	96		1	1	1	1	4	8	8	8	10
	Negro	18								6	2	1
	Other races	3									1	1
	Traumatism:											
184	By firearms (wounds of war excepted):											
	Males—White	1,585	2	2	6	10	8	28	89	204	271	213
	Negro	263		1			3	4	25	38	45	44
	Other races	16							2	5	1	1
	Females—White	181	3	3	6	4	7	23	25	27	20	24
	Negro	74	1			1	2	4	10	9	12	15
	Other races	2							1			1
185	By cutting or piercing instruments (wounds of war excepted):											
	Males—White	391	8	3	5	2	2	20	19	23	18	24
	Negro	68	1		1	2	1	5	2	3	3	5
	Other races	8		1		1	1	3				
	Females—White	166	1	6	2	1		10	10	5	3	4
	Negro	34			1			1		2		1
	Other races	1		1				1				
	Supplemental:											
	Males—White	152	1		2	1	1	5	2	4	12	20
	Negro	14				1		1				2
	Other races	2										2
	Females—White	35				1	3	4	2	1	3	5

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	9	7	14	13	14	9	18	10	8	7	4	2				1	
1	3	5	3	5		2	2	4	2								
4	5	9	9	7	7	6	6	5	10	4	2	2					177
2	4	4	2	4	2	2	2	4		2		1					
		1				1											
59	57	84	130	103	146	123	119	84	50	25	21	9	2			1	
2	2	7	5	8	1	2											
	2	1			1	1											
19	14	18	25	25	28	33	32	18	26	22	8	3	3	1			
1	1		2				1			1							
9	5	4	8	8	4	1	3		1								178
1						1											
	1	1															
1							1										
30	32	54	52	68	60	46	42	35	16	7	4	2				1	
7	6	7	4	4	5	3	1	1									
1		1	1	2	2												
27	26	32	23	21	18	22	14	10	10	3	2	3				1	179
6	5	2	4	6	2	1		1									
1	1		1		1												
31	30	44	48	53	39	35	34	28	27	35	17	3	3			3	
6	7	11	6	11	7	8	4	3	5	2	1	3				1	
2	2	1		1	1				1								
30	21	13	20	15	11	13	16	16	21	13	18	2				1	180
3	3	3	7	2	5	2	5	2	2	1	1	3	1				
	1																
75	74	91	77	81	78	58	51	63	49	36	33	18	6	2		2	
13	23	13	8	8	16	13	18	7	8	10	9	4	3			4	
1	1	2			2		1			2							
66	53	72	56	79	66	71	63	81	91	99	59	38	11	2		2	
8	14	12	17	5	15	16	22	17	12	6	10	8	1	1	1		
1		1		1					1			1			2		
55	68	46	28	34	20	20	13	6	4	1							181
3	1	2	3	1		1											
2				1	1			1									
3	5	6	4	4	1	1	3	1	1	1							
1		2				1											
		1															
17	7	8	7	16	17	9	4	7	4	1						1	
1	3	1		3		1											
2		1	2	1	1		2	1	1	1	1						182
4	4	8	8	7	4						1						
2																	
						1	1										
251	214	229	229	245	191	178	132	90	72	36	14	7				19	
36	46	33	32	22	15	12	12	7	2	2		1					
5	3	2	3	1		4	1	2								1	
40	18	26	14	19	14	14	17	10	8	7	4	1	1			2	
8	2	3	1	3	2	3		2	1				1				
		1					1										183
101	94	90	80	58	24	37	20	13	2	2	2	2				3	
20	15	12	9	9	5	3	5	1	2		1						
	1		1	2					1								
14	11	11	9	6	2	1	3	1									
3	3		2	1													
			1														
134	111	96	70	96	95	82	38	31	17	4	2	2				2	
27	20	17	10	15	6	5	3	1	2							1	
2	2			2		1											184
9	15	10	6	7	5	3	4	2	1								
5	4	8	3	1	1	1										1	
14	18	21	28	40	34	39	34	25	11	18	4	1					
5	4	2	2	9	5	4	3	4	4	5	2	1					
				1	2	1		1									
5	9	8	14	15	14	14	9	20	11	7	3	3				2	
2	1	4	3	6	3	4	2	3	1		1						185
16	11	17	13	11	13	7	10	5	1		5						
2	1	1	2	2	1	1		1									
1	1	3	2	1	3	3	4	1	1								

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Contd.											
	Accidental, other, or undefined—Contd.											
	Traumatism—Continued											
186a	By fall:											
	Males—White	7,607	50	60	38	30	16	194	149	142	173	155
	Negro	432	20	9	5	7	1	42	9	12	7	21
	Other races	34	2	1				3		3		3
	Females—White	8,447	26	31	21	21	15	114	50	42	37	29
	Negro	246	7	1		3		11	5	4	6	8
	Other races	18	1			1		2	3			
	Supplemental:											
	Males—White	1,647	4	8	9	11	7	39	53	80	140	145
	Negro	206				1		1	3	13	25	28
	Other races	30							4	2	2	2
	Females—White	270	4	3	3	2	6	18	23	21	38	28
	Negro	20		1	1			2		1	1	3
	Other races	5		1		1	1	3	1			
186b	By crushing, landslide:											
	Males—White	382			2	2	5	9	9	11	16	33
	Negro	45	2		1			3	2	1	2	2
	Other races	4										1
	Females—White	13			1	3		4	3	1		
	Negro	2	1					1				
	Supplemental:											
	Males—White	4,345	7	20	37	28	45	137	153	134	309	429
	Negro	424		1	2	1		4	19	17	28	50
	Other races	79		3		3		6	2	3	2	7
	Females—White	859	9	16	18	17	16	76	68	25	81	57
	Negro	59			1	1		2	5	2	5	4
	Other races	9			2	1		3				1
187	Cataclysm:											
	Males—White	159	3	2	1	3	2	11	8	8	13	8
	Negro	33	1	1	1		2	5	3	6	1	4
	Other races	3										
	Females—White	144	4	4	4	2	4	18	10	8	11	6
	Negro	53	3		1	1	2	7	2	4	6	4
	Other races	1										
188	Injuries by animals:											
	Males—White	396		1	12	2	5	20	17	25	16	12
	Negro	27	1	1		1	1	4	2	3	2	1
	Other races	3				1		1				
	Females—White	41		4	1	3	2	10	8	3		
	Negro	1										
189	Hunger and thirst:											
	Males—White	17										
	Negro	5	2					2				
	Females—White	8	1					1				
	Other races	1			1			1				
190	Excessive cold:											
	Males—White	161	1			1		2		1	2	3
	Negro	34										3
	Other races	5										
	Females—White	48	1		1			2		1	2	
	Negro	7	1					1	1			
	Other races	2							1			
191	Excessive heat:											
	Males—White	522	16	6	2		1	25		1	4	6
	Negro	95	4	2				6		3		8
	Other races	17	5		1			6	2		1	
	Females—White	154	14	2	2	1	1	20	1	1	3	4
	Negro	28	4					4				1
	Other races	10	5	1				6	1			
192	Lightning:											
	Males—White	166					1	1	8	14	26	27
	Negro	37							2	1	5	9
	Females—White	35			1			1	1	3	3	7
	Negro	17				1		1	2	3	1	2
193	Due to electric currents:											
	Males—White	394	1				1	2	14	34	34	32
	Negro	22							1	2	4	4
	Females—White	39		3		2	1	6	3	3	1	4
	Negro	2								1		
	Supplemental:											
	Males—White	68			1			1			4	7
	Negro	5								1	1	1
	Females—White	4									1	
	Negro	1										
194a	Foreign bodies:											
	Males—White	301	65	59	27	11	7	169	12	7	2	2
	Negro	24	8	6	2	1		17	1		1	1
	Other races	3	1					1				
	Females—White	174	47	32	16	5	4	104	5	3	2	3
	Negro	18	10	5				15			1	1
	Other races	2	1			1		2				
194b	Other accidents:											
	Males—White	2,443	84	20	14	12	14	144	105	119	156	152
	Negro	309	25	1	1	1	3	31	11	11	17	24
	Other races	25	4			1		5			2	2
	Females—White	608	60	19	15	10	10	114	37	45	13	23
	Negro	67	16	3	2	2	1	24	4	2	1	3
	Other races	10	4	2				6	1		1	
	Supplemental:											
	Males—White	17,088	23	53	95	150	189	510	879	628	1,170	1,698
	Negro	1,460	3	3	3	8	16	33	81	45	98	151
	Other races	216		1	1	2	2	6	10	9	8	24
	Females—White	5,101	26	41	53	73	93	286	413	197	427	391
	Negro	354	2	4	2	12	11	31	39	19	19	26
	Other races	37				2		2	2	1	6	3
195	Violent deaths of unknown nature:											
	Males—White	5										
	Negro	1										
	Females—White	3										
	Negro	1										
196	Wounds of war:											
	Males—White	2										
198	Legal executions:											
	Males—White	56									1	13
	Negro	45									1	13
	Other races	3										1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
172	220	271	411	485	480	527	562	638	730	797	725	505	217	44	4	6	
39	35	40	40	36	38	20	21	20	14	11	9	9	4	1	2	2	
2	1	1	3	1	3	3	1	4	2	4							
40	42	72	65	120	190	260	477	653	1,124	1,592	1,660	1,197	529	136	13	5	
10	12	13	14	10	19	17	23	20	21	10	19	10	6	5	3		
1			2	2	1		1	1	2		1	2					
139	107	114	94	137	130	124	102	92	83	41	14	9				4	186a
25	18	19	15	14	10	13	10	8	1	2						1	
4	3	2	2	2	2	3		1		1							
18	15	11	12	6	10	14	12	12	6	13	7	6					
3	2	4		2	1		1										
									1								
41	39	26	40	47	46	24	20	13	6		1	1					
1	7	6	5	5	6	2	2	1									
		2						1									
		1	1	1	1	1											
		1															
346	353	334	398	369	347	322	243	195	137	72	41	14	4	1		7	186b
60	41	49	51	28	28	17	16	1	3	4	1	1				6	
7	12	6	6	13	7	4	3	1									
57	45	52	61	55	59	54	49	42	36	23	13	5	1				
5	4	7	5	2	6	5	3	1	2	1							
	1	1			1	2											
11	12	19	15	11	8	5	11	9	1	7	2						
2	3		2		1	2	1	1	1		1						
1	1			1													
8	13	12	7	9	5	10	7	5	4	3	4	4					187
3	2	3	4	2	3	3	3	1	2	3	1						
	1																
5	11	15	21	20	31	42	38	47	31	20	19	3	2			1	
1	2	3	1	1	2			2		1	2						
	1	1															188
	1		2	1	1		3	2	4	3	2	1					
						1											
			1	1	3	1	3	1	2	4		1					
					1			1		1							189
			1		1	1	1		2	1							
7	5	7	22	17	12	11	15	13	18	14	7	3	2				
1	3	2	1	1	2		5	4	5	3	1	2			1		
										3	2						
			3	1	3	5	4	2	7	9	6	2	1				190
	1								1	1	1	1					
						1											
13	26	26	41	72	58	53	50	48	35	27	25	7	3	2			
5	10	15	7	11	14	7	4	3	1	1							
			1	2	2	1		1	1								
1	5	5	6	5	11	4	12	6	18	14	17	9	11	1			191
2	2	4	1	4	5	1	2		2								
		1	1										1				
9	18	11	8	14	14	3	5	5	2	1							
5	3	3	3	3	1	1				1							
3	1	5	4	2	2	1			2								192
1		1	3	1	2												
57	49	42	48	38	16	8	7	6	5	2							
2	1	2	1		2		2	1									
2	5	4	2	3	2	1	1		1	1							
		1															193
15	7	9	7	8	7	1		2									
		1					1										
1	1		1														
					1												
4	7	13	13	12	13	11	12	6	5	8	4	1					
		1	2			1											
	1		1														194a
2	4	6	6	5	5	10	7	3	4	3	1		1				
	1																
147	165	150	192	220	183	178	149	132	111	61	46	19	8	1		5	
32	28	32	28	32	19	14	13	7	3	4	1	1	1				
1	4		1	2	3	2	1	1	1								
18	14	26	20	30	22	20	28	35	38	44	36	34	7	3		1	
3	5	6	1	1	5	4	4	2	2								
2																	
1,389	1,089	1,114	1,196	1,309	1,173	1,139	1,067	916	823	576	257	101	14	5	1	34	194b
146	145	125	141	110	102	79	61	60	28	20	13	4	2	1	2	13	
27	21	18	18	19	16	8	15	8	3	4	1	1					
273	241	249	272	301	330	342	343	346	317	210	125	26	6			6	
26	18	26	27	24	26	17	15	20	11	5	2					3	
	3	2	1	6	3	3	2	1		2							
				1	1	1	1		1								
				1													
			1							1		1					195
1																	
			1	1													196
12	9	6	5	7	3												
17	6	2	3	1	1		1										198
1		1															

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

List no.	CAUSE OF DEATH, SEX, AND COLOR OR RACE		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVIII.—Ill-defined causes of death:												
	Males	White	3,618	1,095	78	30	16	8	1,227	27	21	25	38
		Negro	3,003	1,284	87	36	18	18	1,443	50	37	41	53
		Other races	70	22	5	9			36		2	2	5
	Females	White	2,276	821	53	21	10	14	919	25	23	19	39
		Negro	2,781	1,080	88	38	13	16	1,235	59	48	56	90
		Other races	68	24	5	2	1	1	33		2		
199	Sudden death:												
	Males	White	622	57	3	2	1	1	64	5	1	4	6
		Negro	239	25	2	6	1		34	2	3	4	2
		Other races	5	2		1			3				
	Females	White	303	45	1		1		47	1	3	1	4
		Negro	180	26	3		2		31	3		5	6
		Other races	2										
200a	Cause of death ill-defined:												
	Males	White	1,088	160	35	12	4	2	213	5	10	7	13
		Negro	481	100	26	6	1	3	136	11	4	9	12
		Other races	10	1	2	2			5				1
	Females	White	653	144	27	9	3	2	185	7	7	7	9
		Negro	466	103	24	14	2	5	148	13	13	12	18
		Other races	9	2	3		1		6		1		
200b	Cause of death not specified or unknown:												
	Males	White	1,908	878	40	16	11	5	950	17	10	14	19
		Negro	2,283	1,159	59	24	16	15	1,273	37	30	28	39
		Other races	55	19	3	6			28		2	2	4
	Females	White	1,320	632	25	12	6	12	687	17	13	11	26
		Negro	2,135	951	61	24	9	11	1,056	43	35	39	66
		Other races	57	22	2	2		1	27		1		
Punch symbol	SUPPLEMENTAL [1]												
201	Accidents in mines and quarries:												
	Males	White	915								1	29	83
		Negro	37									1	3
		Other races	4										
	Females	White	1										1
202	Accidents from agricultural machinery:												
	Males	White	207		2	2		5	9	7	10	18	10
		Negro	7							1			
		Other races	3		1				1	1			
	Females	White	12			1	1	2	4	1	2	1	1
203	Elevator accidents:												
	Males	White	170	1		1	1		3	1	7	8	17
		Negro	11							1	1		
		Other races	2										
	Females	White	12					1	1		1	1	
		Negro	2										
204	Accidents from machinery used for recreation:												
	Males	White	4									2	1
	Females	White	3										
205	Other machinery accidents:												
	Males	White	654			3	1	4	8	12	5	26	50
		Negro	56								2	3	9
		Other races	3										1
	Females	White	36	1		2	1	1	5	1		3	3
		Negro	1	1					1				
		Other races	1				1		1				
206	Railroad and automobile collisions:												
	Males	White	839	1	4	5	4	4	18	17	22	83	93
		Negro	41					1	1			2	4
		Other races	9										1
	Females	White	335	4	1	2	3	2	12	18	21	43	26
		Negro	14	1					1			3	2
		Other races	2										
207	Other railroad accidents:												
	Males	White	2,428		8	7	4	3	22	46	90	195	190
		Negro	440					1	1	7	12	41	59
		Other races	44							1	1	4	7
	Females	White	185		8	3			11	6	8	13	12
		Negro	30		1			1	2	1		2	4
		Other races	2				1		1				
208	Street car and automobile collisions:												
	Males	White	221		1			1	2	1	2	16	31
		Negro	5								1		
		Other races	6										
	Females	White	65								5	9	7
		Negro	3										2
		Other races	1										
209	Other street car accidents:												
	Males	White	340		3	3	3		9	12	4	8	15
		Negro	30				1		1		4	2	3
		Other races	10										
	Females	White	112		1	1	1	2	5	2	2	6	2
		Negro	7			1	1		2	1			
		Other races	1										
210	Automobile accidents (primary):												
	Males	White	16,902	31	60	118	172	215	596	960	646	1,179	1,728
		Negro	1,439	3	3	6	10	13	35	92	47	100	151
		Other races	253	1	3	1	5	2	12	15	14	8	29
	Females	White	5,482	34	53	65	87	107	346	474	197	476	421
		Negro	381	1	3	3	12	10	29	41	19	22	26
		Other races	45			2	2	1	5	3	1	7	5
211	Motorcycle accidents:												
	Males	White	223		1				1	2	5	32	74
		Negro	5										3
	Females	White	23			1		1	2	1		2	4

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1933 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
33	46	77	133	159	191	240	298	281	281	253	175	72	18	3	2	18	
66	70	79	74	109	152	139	162	117	127	93	82	47	34	4	11	13	
3	1			1	4	5	3	4	3			1					
41	36	51	47	59	80	91	123	149	185	168	113	65	27	8	1	7	
82	80	95	95	105	126	107	132	116	85	76	83	51	27	13	16	4	
1	1	1	1		6	1	2	5	5	3	4		3				
5	6	12	24	36	43	60	78	78	75	61	43	17	3	1			
6	9	9	14	22	28	17	30	16	17	11	5	5	1		1	3	
					1	1											
2	3	4	15	10	11	20	34	38	40	32	22	11	4			1	199
4	9	10	12	12	19	13	14	9	7	9	10	4	2	1			
								1					1				
7	17	33	45	54	60	87	103	122	111	108	53	27	8		1	4	
14	12	24	17	22	33	33	46	26	24	24	13	8	7		2	4	
	1				1		1		1								
12	12	21	16	21	33	41	48	52	61	60	37	15	8			1	200a
19	15	26	16	20	31	23	32	27	22	10	11	5	3		1	1	
			1							1							
21	23	32	64	69	88	93	117	81	95	84	79	28	7	2	1	14	
46	49	46	43	65	91	89	86	75	86	58	64	34	26	4	8	6	
3				1	2	4	2	4	2			1					
27	21	26	16	28	36	30	41	59	84	76	54	39	15	8	1	5	200b
59	56	59	67	73	76	71	86	80	56	57	62	42	22	12	15	3	
1	1	1			6	1	2	4	5	2	4		2				
																	Punch symbol
104	97	103	146	122	90	74	41	13	8	2						2	
5	8	5	5	3	2	5											201
1		2		1													
10	15	15	18	16	15	19	15	14	7	8	1						
	2			2	1	1											202
1	1				1	1											
7	2	13	11	18	14	22	17	15	7	6	1					1	
4	1		2	1			1										
1						1											203
1	2				3		2					1					
	1				1												
1																	204
		1			1			1									
75	54	72	80	83	63	47	43	27	3	3	2	1					
11	5	3	9	6	3	5											
				1			1										205
		3	3	2	3	3	2	3	4	1							
80	62	63	83	68	51	66	59	31	26	9	7					1	
3	8	5	9	4	2			1	1							1	
2		2		1	2		1										206
32	29	18	26	26	15	20	18	13	8	4	5					1	
1	1	3	2						1								
160	194	182	235	245	222	186	159	129	63	56	26	8	4			16	
65	53	54	44	28	22	14	12	6	2	3	2		1			14	
4	8	4	6	6				2		1							
5	8	10	17	14	10	10	12	16	11	12	7	2	1				207
2	1	3		1	6		1	3	2	1	1						
								1									
27	16	25	20	16	16	20	11	6	8	3	1						
1			1	2													
1	1	1	1				1	1									208
3	6	7	6	7	4	4	4	1	2								
1																	
	1																
10	6	20	27	25	31	38	41	31	19	30	9	3	1	1			
4		1	1	2	3	5	1	2		1							
2	1			3		2	1			1							209
1	2	3	5	7	8	9	14	15	19	5	4	2	1				
1					2	1											
						1											
1,380	1,110	1,096	1,107	1,232	1,140	1,085	992	876	841	529	258	104	13	4	1	25	
142	131	126	136	103	102	77	67	57	26	21	12	5	1	1	2	5	
29	24	18	18	22	23	10	14	8	4	3	1	1					210
309	251	281	288	310	357	366	358	348	312	223	123	32	5			5	
30	23	32	30	28	24	22	18	18	10	5	1					3	
	2	3	1	6	4	4	2			2							
42	18	9	8	10	2	3	3	2	5	4	2	1					
							1		1								211
1	1	1	1	1	1	1	2	1	2		2						

TABLE 1.—DEATHS (*Exclusive of Stillbirths*) FROM EACH CAUSE, BY AGE, SEX, AND COLOR OR RACE,

Punch symbol	CAUSE OF DEATH, SEX, AND COLOR OR RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	SUPPLEMENTAL [1]—Continued											
212	Other land transportation accidents:											
	Males—White	713	4	6	6	7	11	34	41	62	52	30
	Negro	63		1			1	2	2	9	4	3
	Other races	6										
	Females—White	89	1		1	2	3	7	12	15	10	8
	Negro	7		1				1	1	3		
	Other races	2		1				1				
213	Water transportation accidents:											
	Males—White	713			4	2	2	8	27	45	93	88
	Negro	120							2	10	19	17
	Other races	7							1			1
	Females—White	50			1		1	2	5	4	5	4
	Negro	13								6	2	1
	Other races	2									1	
214	Air transportation accidents:											
	Males—White	304				1	1	2	1	4	18	79
	Negro	6										1
	Females—White	30		1				1			1	9
	Negro	5		1			1	2			1	

See explanatory footnote, p. 516.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1933—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	Punch symbol
31	28	20	20	47	51	54	56	68	60	40	11	7		1			
5	2	4	5	5	4	5	7	4	1	1							
	2		1	1	1	1											
3	5	3	5	2	1	2	4	5	2	1	4						212
			1		1												
									1								
87	81	74	63	48	21	31	18	16	4	2	2	2				3	
18	10	10	9	8	6	3	4	1	2		1						
	1		1	2					1								
7	6	4	7	4	1					1							213
2	1		1														
			1														
60	55	44	14	11	6	6	3	1									
1	2	1			1												
5	8	1	3			1			1								214
1		1															

○