U. S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, DIRECTOR

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS

FOR

THE CONTINENTAL UNITED STATES
THE TERRITORY OF HAWAII
THE VIRGIN ISLANDS

1936

TWENTY-SECOND ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF
DR. HALBERT L. DUNN
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1938

For sale by the Superintendent of Documents, Washington, D. C. - - - - - - - - - - - - - - - - - Price $1.25 (buckram)

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, a summary and rate table, and general tables for births in the United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text table, a rate tables, and general tables for deaths in the United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

BIRTH STATISTICS

	Page		Page
Introduction	3	Annual birth rates by months	5
Growth of the registration area: 1915 to 1936	3	Births and deaths in the original registration area	5
Definition of "urban" and "rural"	3	Country of birth of parents	7
Statistics of births and deaths in 1936	3	Plural births	7
Excess of births over deaths	4	Age of mother and father	8
Comparison of birth and death rates	4	Illegitimate births	9
Comparison of birth rates, 1932 to 1936	4		

STILLBIRTH STATISTICS

	Page		Page
Introduction	14	Stillbirths by legitimacy	15
Comparison of stillbirth ratios: 1935 and 1936	14	Percent of stillbirths from certain causes at specified periods of uterogestation	17
Stillbirths by months	15		
Stillbirths by age of mother	15		

INFANT MORTALITY STATISTICS

	Page		Page
Introduction	19	Comparison of infant mortality rates: 1931 to 1936	21
Infant mortality rates: 1932 to 1936	19	Infant mortality by race	21
Infant mortality rates for cities and rural districts	20	Infant mortality rates of foreign countries	23

SUMMARY AND RATE TABLE

Page

Table I.—Births, deaths, infant mortality, and stillbirths: 1936 — 28
Section A.—Cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.
Section B.—Each county (including cities of 10,000 or more inhabitants in 1930).

GENERAL TABLES

Page

Table 1.—Births (exclusive of stillbirths) by month: 1936 — 82
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State, and in cities of 100,000 inhabitants or more in 1930.

Table 2.—Births (exclusive of stillbirths) by sex and race, and by parent nativity of white: 1936 — 86
Births of whites, Negroes, Indians, Chinese, Japanese, and minor races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 3.—Births (exclusive of stillbirths) of white children, by sex, and country of birth of parents, in the United States: 1936 — 93

Table 4.—Births (exclusive of stillbirths) by sex, race, and age of mother, and for white by country of birth of mother, in the United States: 1936 — 93

Table 4A.—Births (exclusive of stillbirths) by sex, race, and age of mother, and for white by nativity of mother, in each State: 1936 — 94

Table 5.—Births (exclusive of stillbirths) by age of parents: 1936 — 98
In the United States and each State.

Table 6.—Births (exclusive of stillbirths) by number of child, age of mother, and race, and for white by nativity of mother, in the U- 104
United States: 1936 — 104

Table 7.—Births (exclusive of stillbirths) with the number of child in order of birth, by race, and for white by nativity of mother: 1936 109
In the United States and each State.

Table 8.—Cases of plural births and plural stillbirths, by sex and race: 1936 — 115
In the United States and each State.

Table 9.—Number of plural births and plural stillbirths, by race, and for white by country of birth of mother, in the United States: 1936 119

Table 10.—Stillbirths, by month: 1936 — 120
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State, and in cities of 100,000 inhabitants or more in 1930.

Table 11.—Stillbirths by race, and parent nativity of white: 1936 — 124
Stillbirths of whites, Negroes, Indians, Japanese, Chinese, and minor races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 12.—Stillbirths of white children, by sex, and country of birth of parents, in the United States: 1936 — 127

Table 13.—Stillbirths, by sex, and age of parents, in the United States: 1936 — 127

Page

Table 14.—Stillbirths, with the number of child in order of birth, by sex, race, and age of mother, and for white by country of birth of mother, in the United States: 1936---------- 128

Table 15.—Stillbirths, by cause, in certain specified States and cities: 1936---------- 132

Table 16.—Stillbirths, by sex, cause, and period of uterogestation, in a selected area: 1936---------- 133

Table 17.—Stillbirths, by period of uterogestation, in certain specified States and cities: 1936---------- 135

Table 18.—Deaths (exclusive of stillbirths) under 1 year of age, from important causes, by sex and race, in the United States: 1936---- 136

Table 19.—Deaths (exclusive of stillbirths) for certain subdivisions of the first year of life, by sex and race, in the United States: 1936---------- 136

Table 20.—Deaths (exclusive of stillbirths) from important causes, by month and certain subdivisions of the first year of life, in the United States: 1936---------- 137

Table 21.—Deaths (exclusive of stillbirths) from important causes, by certain subdivisions of the first year of life: 1936---------- 144
In the United States, each State, and cities of 500,000 inhabitants or more in 1930.

Table 22.—Deaths (exclusive of stillbirths) under 1 year of age from important causes, by sex: 1936---------- 183
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 23.—Deaths (exclusive of stillbirths) by sex and certain subdivisions of the first year of life: 1936---------- 192
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

MAP

Growth of the registration area for births---------- 2

SUPPLEMENT

Hawaii----------200,201
Virgin Islands----------200,205

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS 1936

GROWTH OF THE REGISTRATION AREA FOR BIRTHS: 1915 TO 1936



ORIGINAL REGISTRATION STATES, 1915

STATES ADDED SINCE 1915

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS: 1936

BIRTH STATISTICS: 1936

INTRODUCTION

This volume presents statistics of live births, stillbirths, and infant mortality in the United States, the Territory of Hawaii, and the Virgin Islands. The data were secured from transcripts of birth, death, and stillbirth certificates received from these areas.

As the text and general tables relate only to the United States, figures for Hawaii and the Virgin Islands are presented in special tables, as a supplement.

The number of live births reported in the United States in 1936 was 2,144,790, equivalent to a birth rate of 16.7 per 1,000 estimated population; the number of stillbirths reported was 73,735 or a ratio of 3.4 per 100 live births; and the number of deaths under 1 year of age was 122,535, corresponding to an infant mortality rate of 57.1 (deaths under 1 year per 1,000 live births).

The compilation of these data makes it possible to compare statistics for the United States with those for foreign countries. Also, light is thrown on such matters as the natural increase of populations in the States and cities, the relation between birth rates and rates of infant mortality, ratio of stillbirths to live births, etc.

This report was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, assisted by Dr. John Collinson, Assistant Chief Statistician for Vital Statistics.

Although it has again been necessary to present this volume in condensed form, the data eliminated are available in manuscript tables on file in the Bureau of the Census.

GROWTH OF REGISTRATION AREA: 1915 TO 1936

Table A shows the year in which each State was added to the registration area for births.

TABLE A

YEAR	STATE	YEAR	STATE	YEAR	STATE
1915	Connecticut	1917	Virginia	1925	West Virginia
	Maine		Washington		
	Massachusetts		Wisconsin	1926	Arizona
	Michigan				Idaho
	Minnesota	1919	California		
	New Hampshire		Oregon	1927	Alabama
	New York		South Carolina 3/		Arkansas
	Pennsylvania				Louisiana
	Rhode Island 1/	1920	Nebraska		Missouri
	Vermont				Tennessee
	District of Columbia 2/	1921	Delaware	1928	Colorado
			Mississippi		Georgia
1916	Maryland		New Jersey		Oklahoma
		1922	Illinois		
1917	Indiana		Montana	1929	Nevada
	Kansas		Wyoming		New Mexico
	Kentucky				
	North Carolina	1924	Florida	1932	South Dakota
	Ohio		Iowa		
	Utah		North Dakota	1933	Texas

1/ Dropped from the registration area in 1919; readmitted in 1921.
2/ Included in registration States.
3/ Dropped from the registration area in 1925; readmitted in 1928.

The birth registration area was established in 1915 and comprised but 10 States and the District of Columbia. Gradually, by the inclusion of other States, this area expanded until 1933 when the last State was admitted and the tables, for the first time, related to the entire continental United States. The Virgin Islands and the Territory of Hawaii became part of the registration area in 1924 and 1929, respectively.

DEFINITION OF "URBAN" AND "RURAL"

The term "urban" as used in the birth and mortality reports prior to 1930 included the population of cities having 10,000 or more inhabitants. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms to the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the birth reports, and the latter when combined with the rural population as now defined corresponds to the population previously designated as rural.

Unfortunately, however, in some States the Bureau of the Census did not succeed in obtaining for deaths the local detail necessary for applying the new classification and in such States the only distinction that can be shown for deaths is that between population of cities having more than 10,000 inhabitants and the remainder of the population, formerly designated as rural. Ultimately, of course, it is expected that the new classification can be made to cover all the States.

STATISTICS OF BIRTHS AND DEATHS IN 1936

BIRTHS.—In the United States in 1936 there were 2,144,790 live births, which represent a birth rate of 16.7 per 1,000 estimated population, as against 2,155,105 live births, with a rate of 16.9 reported in 1935. Of the 1936 births, 1,099,465 were males and 1,045,325 were females, or a proportion of 1,052 males to 1,000 females.

DEATHS.—The total deaths (exclusive of stillbirths) numbered 1,479,228, corresponding to a death rate of 11.5 per 1,000 estimated population; of these, 821,439 were males and 657,789 were females, or a proportion of 1,249 males to 1,000 females.

STILLBIRTHS.—There were 73,735 stillbirths in the United States in 1936, with a ratio of 3.4 per 100 live births; of these stillbirths, 40,892 were males, 31,384 were females, and in 1,459 cases the sex was not stated or was unknown. These stillbirths show a proportion of 1,303 males to 1,000 females.

INFANT MORTALITY.—Deaths of infants under 1 year of age numbered 122,535 or 57.1 per 1,000 live births, a rate 1.4 higher than the corresponding rate of 1935. Of the total deaths under 1 year of age, 69,749 were males and 52,786 were females, or a proportion of 1,321 males to 1,000 females. The infant mortality rates for the States ranged from 42.0 in Connecticut to 121.8 in New Mexico.

Table B shows births, total deaths, stillbirths, and deaths under 1 year of age, with the proportion of males to 1,000 females, from 1915 to 1936.

TABLE B — UNITED STATES (BIRTH REGISTRATION AREA)

CALENDAR YEAR	Births 1/				Total deaths 1/				Stillbirths					Deaths 1/ under 1 year of age			
	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Unknown sex	Male per 1,000 female	Total	Male	Female	Male per 1,000 female
1936	2,144,790	1,099,465	1,045,325	1,052	1,479,228	821,439	657,789	1,249	73,735	40,892	31,384	1,459	1,303	122,535	69,749	52,786	1,321
1935	2,155,105	1,105,489	1,049,616	1,053	1,392,752	771,320	621,432	1,241	77,119	42,658	32,845	1,616	1,299	120,138	68,805	51,333	1,340
1934	2,167,636	1,112,703	1,054,933	1,055	1,396,903	772,595	624,308	1,238	78,503	43,768	33,137	1,598	1,321	130,185	73,950	56,235	1,315
1933	2,081,232	1,068,871	1,012,361	1,056	1,342,106	737,312	604,794	1,219	77,059	42,857	32,561	1,621	1,315	120,887	68,331	52,556	1,300
1932	2,074,042	1,063,885	1,010,157	1,053	1,293,269	704,506	588,763	1,197	78,351	43,673	33,133	1,545	1,318	119,431	67,839	51,592	1,315
1931	2,112,760	1,084,404	1,028,356	1,055	1,301,405	714,277	587,128	1,217	80,616	45,090	33,933	1,593	1,329	130,134	74,056	56,078	1,321
1930	2,203,958	1,131,976	1,071,982	1,056	1,321,367	723,315	598,052	1,209	86,466	48,604	36,459	1,403	1,333	142,413	80,744	61,669	1,309
1929	2,169,920	1,114,814	1,055,106	1,057	1,369,757	745,491	624,266	1,194	85,678	48,074	36,046	1,558	1,334	146,661	83,144	63,517	1,309
1928	2,233,149	1,147,625	1,085,524	1,057	1,361,987	738,891	623,096	1,186	89,765	50,666	37,695	1,404	1,344	153,492	87,676	65,816	1,332
1927	2,137,836	1,099,287	1,038,549	1,058	1,176,805	638,080	538,725	1,184	82,931	47,150	34,478	1,303	1,368	138,017	78,652	59,365	1,325
1926	1,856,068	953,638	902,430	1,057	1,093,511	589,653	503,858	1,170	70,716	39,809	29,746	1,161	1,338	136,118	77,366	58,752	1,317
1925	1,878,880	966,973	911,907	1,060	1,030,518	555,267	475,251	1,168	71,519	40,387	29,999	1,133	1,346	134,652	76,902	57,750	1,332
1924	1,930,614	992,431	938,183	1,058	1,006,994	542,637	464,357	1,169	75,817	43,139	31,377	1,301	1,375	136,730	78,085	58,645	1,331
1923	1,792,646	921,020	871,626	1,057	992,237	528,429	463,808	1,139	69,757	39,566	29,235	956	1,353	138,259	78,309	59,950	1,306
1922	1,774,911	911,831	863,080	1,056	938,545	497,967	440,578	1,130	70,010	39,672	29,173	1,165	1,360	135,288	77,106	58,123	1,327
1921	1,714,261	881,591	832,670	1,059	825,511	434,019	391,492	1,109	2/	2/	2/	2/	2/	129,588	73,582	56,006	1,314
1920	1,508,874	775,322	733,552	1,057	836,134	438,201	397,933	1,101	2/	2/	2/	2/	2/	129,531	73,737	55,794	1,322
1919	1,373,438	705,593	667,845	1,057	798,104	422,252	375,852	1,123	2/	2/	2/	2/	2/	119,000	67,580	51,420	1,314
1918	1,363,649	701,164	662,485	1,058	996,627	534,720	461,907	1,158	48,634	28,127	20,507	3/	1,372	137,647	77,736	59,911	1,298
1917	1,353,792	696,101	657,691	1,058	776,222	423,359	352,863	1,200	2/	2/	2/	2/	2/	126,950	72,192	54,758	1,318
1916	818,983	420,881	398,102	1,057	486,682	264,498	222,184	1,190	2/	2/	2/	2/	2/	82,734	46,790	35,944	1,302
1915	776,304	398,615	377,689	1,055	436,593	234,871	201,722	1,164	2/	2/	2/	2/	2/	77,572	43,818	33,754	1,298

1/ Exclusive of stillbirths. 2/ Data not collected. 3/ Stillbirths of unknown sex distributed.
NOTE.—See tables A and C for growth of the registration area, etc.

The figures given in table B should be considered in relation to the growth of the birth registration area as shown in table C. Table C shows populations, births, and birth rates, in the birth registration area of the United States from 1915 to 1936. As may be seen in this table, the original birth registration area included only 31.1 percent of the population of the United States and the percent included increased gradually until 1933 when the registration area comprised the whole United States. The data given in table B refer only to the area included in the birth registration area although for the years shown in table B, mortality data were collected for a larger area. Mortality figures for the mortality registration area are published separately.

TABLE C

CALENDAR YEAR	Population of the United States 1/	REGISTRATION AREA IN THE UNITED STATES			
		Population 1/		Births 2/	
		Number	Percent of total	Number	Per 1,000 population
1936	128,429,000	128,429,000	100.0	2,144,790	16.7
1935	127,521,000	127,521,000	100.0	2,155,105	16.9
1934	126,626,000	126,626,000	100.0	2,167,636	17.1
1933	125,770,000	125,770,000	100.0	2,081,232	16.5
1932	124,974,000	119,027,000	95.2	2,074,042	17.4
1931	124,113,000	117,522,000	94.7	2,112,760	18.0
1930	123,091,000	116,556,000	94.7	2,203,958	18.9
1929	121,526,429	115,097,972	94.7	2,169,920	18.9
1928	119,861,607	113,050,663	94.3	2,233,149	19.8
1927	118,196,785	103,575,656	87.6	2,137,836	20.6
1926	116,531,963	89,682,479	77.0	1,856,068	20.7
1925	114,867,141	87,486,096	76.2	1,878,880	21.5
1924	113,202,319	86,256,025	76.2	1,930,614	22.4
1923	111,537,497	80,694,406	72.3	1,792,646	22.2
1922	109,872,675	79,415,841	72.3	1,774,911	22.3
1921	108,207,853	70,738,177	65.4	1,714,261	24.2
1920	106,543,031	63,740,689	59.8	1,508,874	23.7
1919	105,003,065	61,483,423	58.6	1,373,438	22.3
1918	103,587,955	55,515,241	53.6	1,363,649	24.6
1917	102,172,845	54,771,416	53.6	1,353,792	24.7
1916	100,757,735	32,788,670	32.5	818,983	25.0
1915	99,342,625	30,936,179	31.1	776,304	25.1

1/ Estimated as of July 1. 2/ Exclusive of stillbirths.

EXCESS OF BIRTHS OVER DEATHS

In 1936 there was a substantial excess of births over deaths in every State except Nevada, where births were outnumbered by 20 deaths.

According to the census of 1930 there were 913 cities in the United States having 10,000 or more inhabitants. There were also 47 towns and 23 townships with populations of 10,000 or more and with population densities of 1,000 or more per square mile which, for statistical purposes, are also considered urban.

In 213 of these 983 places the deaths outnumbered the births. Two factors were doubtless responsible for this apparent lack of natural increase in the population: First, many of these places have a State asylum, State hospital, or similar institution in which many deaths occur; second, many of them lack maternity hospital facilities causing their expectant mothers to use other areas.

If births to nonresident mothers were allocated to the mother's residence and deaths of nonresidents were credited to the decedent's usual place of abode instead of being charged to the areas in which they occur, the number of places where deaths outnumber births would be much smaller.

COMPARISON OF BIRTH AND DEATH RATES.—In 1936 the birth rate for the United States was 16.7, exceeding the death rate (11.5) by 5.2, or 45 percent. This signifies that if these rates were to remain unchanged and if there were no migration from or into this area the natural annual increase in the population would be 5.2 per 1,000 inhabitants. In the States, the greatest excess of births over deaths (15.8 per 1,000 population) was for New Mexico. Other large excesses were 14.4 for Utah, 12.6 for Mississippi, 11.7 for North Carolina, 11.4 for West Virginia, 11.3 for North Dakota, 10.8 for Idaho, and 10.1 for Alabama and Wyoming.

COMPARISON OF BIRTH RATES, 1932 TO 1936.—The birth rate (16.7 per 1,000 population) for the United States in 1936 was 0.2 lower than that for 1935. The rates for the individual States, as compared with those for 1935, were higher in only 14 States. The largest increase (1.6 per 1,000 population) was in the rate for Wyoming. The largest decrease (1.3) was in the rate for Arkansas.

The highest rate (30.6 for New Mexico) was followed by 24.6 for Mississippi and 24.3 for Utah as the next highest. The lowest rate (12.4) was for New Jersey.

A comparison of the rates for the birth registration area from 1932 to 1936 shows a decline from 17.4 in 1932 to 16.5 in 1933. This was followed by a rise to 17.1 in 1934 after which the rate declined again to 16.7 in 1936. Comparing the rates for 1936 with those for 1932 for the 47 States that were in the area in both years, it is found that rates for only 20 States were higher in the later year.

Table D shows birth and death rates from 1932 to 1936.

TABLE D

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of stillbirths)					Deaths (exclusive of stillbirths)				
	1936	1935	1934	1933	1932	1936	1935	1934	1933	1932
United States 1/	16.7	16.9	17.1	16.5	17.4	11.5	10.9	11.0	10.7	10.9
Alabama	21.0	22.0	22.6	21.4	23.0	10.9	10.1	10.5	9.8	10.1
Arizona	23.5	22.5	20.9	19.7	20.3	16.1	15.0	13.9	13.4	12.9
Arkansas	16.6	17.9	19.0	18.4	19.5	9.1	8.1	8.5	8.5	8.5
California	13.9	13.4	13.2	12.8	13.4	12.6	12.1	11.5	11.6	11.6
Colorado	17.1	17.7	16.9	16.3	16.8	12.8	12.4	11.8	11.4	12.0
Connecticut	12.8	13.0	13.1	13.4	14.3	10.3	10.3	10.3	10.4	10.2
Delaware	15.1	15.8	15.8	15.7	17.4	12.8	12.5	13.3	13.2	12.9
District of Columbia	18.9	18.2	18.1	18.3	19.3	14.7	14.3	14.8	14.5	15.1
Florida	17.1	17.4	16.8	16.5	17.9	12.8	12.4	12.8	12.0	11.9
Georgia	20.1	20.8	21.5	20.4	21.5	12.2	11.3	11.8	10.4	10.8
Idaho	21.1	19.8	19.8	18.4	19.0	10.3	9.5	9.3	8.7	8.6
Illinois	14.3	14.3	14.1	13.9	14.4	11.8	10.9	11.2	10.6	10.8
Indiana	15.6	15.4	15.4	15.0	15.9	12.3	11.5	12.0	11.3	11.6
Iowa	16.8	16.2	16.8	15.7	16.2	11.2	10.4	10.6	10.2	10.3
Kansas	15.9	16.3	17.4	16.4	16.9	11.5	10.8	10.7	10.5	10.4
Kentucky	19.3	20.3	21.3	20.0	21.9	11.2	10.3	10.7	10.3	10.7
Louisiana	20.7	19.9	20.3	18.8	20.5	12.2	11.2	11.0	10.9	11.0
Maine	17.9	18.6	18.8	18.2	19.7	13.3	13.0	13.1	13.4	13.1
Maryland	15.9	16.3	16.4	16.6	17.5	13.1	12.7	12.6	12.4	12.7
Massachusetts	13.9	14.4	14.8	14.7	16.0	11.8	11.5	11.7	11.8	11.5
Michigan	18.5	18.5	17.9	17.2	18.0	11.5	10.8	10.8	10.3	10.4
Minnesota	18.1	17.5	17.5	17.1	17.9	10.9	10.0	10.1	9.7	9.9
Mississippi	24.6	24.1	23.8	22.0	23.0	12.0	10.6	10.9	10.8	10.1
Missouri	14.1	14.6	15.3	15.0	15.9	12.3	11.0	12.1	11.1	11.6
Montana	19.6	18.9	18.7	16.8	17.0	11.8	11.8	10.6	9.8	9.9
Nebraska	17.4	17.1	18.4	17.7	18.3	10.1	9.7	9.8	9.4	9.4
Nevada	14.2	14.4	14.6	14.1	13.3	14.4	13.4	13.2	12.8	14.1
New Hampshire	15.1	15.5	15.9	15.1	16.2	12.7	13.0	12.9	13.3	13.1
New Jersey	12.4	12.7	12.8	13.3	14.7	10.4	10.1	10.3	10.4	10.3
New Mexico	30.6	31.3	30.3	29.2	29.4	14.8	14.9	14.5	13.8	14.1
New York	14.1	14.3	14.4	14.6	15.6	11.9	11.5	11.6	11.6	11.6
North Carolina	22.0	23.0	23.6	22.6	23.7	10.3	9.8	10.4	9.2	9.5
North Dakota	19.3	19.5	20.9	19.0	20.4	8.0	8.4	8.4	7.9	7.5
Ohio	15.4	15.1	14.9	14.3	15.2	12.1	11.5	11.5	10.9	11.4
Oklahoma	16.5	17.4	19.0	17.7	16.8	9.2	8.4	8.6	8.2	7.9
Oregon	13.7	13.1	13.1	12.3	13.1	12.2	11.3	10.6	10.6	10.5
Pennsylvania	15.7	16.0	16.0	15.8	17.1	11.1	10.8	11.0	10.7	11.1
Rhode Island	15.0	15.0	15.2	15.2	16.3	11.9	11.5	11.3	11.6	11.8
South Carolina	21.1	22.1	24.3	22.4	23.2	11.5	11.1	11.7	10.7	11.1
South Dakota	18.6	18.6	19.0	18.6	19.1	8.9	9.1	9.3	8.8	8.3
Tennessee	17.7	18.9	18.8	18.3	19.4	11.4	10.6	10.9	10.2	10.6
Texas	18.2	18.9	19.3	18.0	2/	10.8	10.1	9.9	9.8	2/
Utah	24.3	24.7	24.6	23.2	23.4	9.9	9.8	9.4	8.5	8.6
Vermont	17.0	17.5	17.6	16.5	16.4	13.0	12.7	13.0	12.5	12.9
Virginia	19.2	19.5	20.1	20.0	21.7	12.1	11.5	11.7	11.1	11.5
Washington	14.2	13.7	13.9	13.0	13.4	11.8	11.1	10.8	10.4	10.4
West Virginia	22.3	23.0	23.0	20.3	21.9	10.9	10.1	10.0	9.3	10.1
Wisconsin	18.1	18.1	17.7	17.3	18.2	11.4	10.6	10.5	10.1	10.4
Wyoming	20.4	18.8	19.8	18.3	18.6	10.3	9.8	9.1	8.6	9.0

1/ Exclusive of Texas in 1932. (See tables A and C.)
2/ Not added to the registration area until a later date.

TABLE E

MONTH	ANNUAL BIRTH RATE PER 1,000 ESTIMATED POPULATION IN THE UNITED STATES 1/				
	1936	1935	1934	1933	1932
The year	16.7	16.9	17.1	16.5	17.4
January	16.7	17.2	17.0	16.9	17.7
February	17.3	17.4	17.1	17.2	18.3
March	17.3	17.2	16.7	17.2	18.0
April	16.2	16.5	16.3	16.6	16.9
May	15.7	16.2	16.7	16.4	17.2
June	16.8	17.1	16.9	16.4	17.5
July	17.5	17.8	17.5	17.0	17.5
August	17.5	17.8	18.2	17.1	18.1
September	17.5	17.7	18.5	16.3	18.1
October	16.4	16.5	17.5	15.7	17.2
November	15.8	16.0	16.9	16.1	16.4
December	15.6	15.9	16.6	16.2	16.2

1/ Exclusive of Texas in 1932.

ANNUAL BIRTH RATES BY MONTHS

Table E, showing annual birth rates by months, indicates that the greatest natality occurred in the third quarter of the year, namely, July to September, inclusive. The highest rate in any month of 1936 was 17.5 for July, August, and September. The lowest rate in the same year was 15.6 for December.

A comparison of the rates for 1936 with those for 1935 shows the differences to be very slight. The only increase (0.1 per 1,000 population) was in the rate for March. The greatest decrease (0.5) was in the rates for both January and May.

BIRTHS AND DEATHS IN THE ORIGINAL REGISTRATION AREA

Table F shows birth, death, and infant mortality rates for the original birth registration area (exclusive of Rhode Island) from 1915 to 1936. Death rates for 1936 were higher and the birth rate was slightly lower than the corresponding rates for 1935.

TABLE F

YEAR AND AREA	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)						
	Population estimated as of July 1	Births (exclusive of stillbirths)	Deaths (exclusive of stillbirths)	Rate per 1,000 population		Deaths under 1 year of age	
				Births	Deaths	Total	Per 1,000 births
1936							
Total	39,008,000	602,931	451,391	15.5	11.6	29,677	49.2
Urban	1/	413,798	300,532	1/	1/	20,362	49.2
Rural	1/	189,133	150,859	1/	1/	9,315	49.3
1935							
Total	38,725,000	605,062	433,026	15.6	11.2	29,634	49.0
Urban	1/	411,259	287,148	1/	1/	19,965	48.5
Rural	1/	193,803	145,878	1/	1/	9,669	49.9
1934							
Total	38,438,000	602,101	434,205	15.7	11.3	31,787	52.8
Urban	1/	406,086	286,581	1/	1/	21,263	52.4
Rural	1/	196,015	147,624	1/	1/	10,524	53.7
1933							
Total	38,252,000	594,117	426,747	15.5	11.2	31,422	52.9
Urban	1/	400,804	280,832	1/	1/	21,280	53.1
Rural	1/	193,313	145,915	1/	1/	10,142	52.5
1932							
Total	38,078,000	631,467	428,350	16.6	11.2	34,794	55.1
Urban	1/	429,520	281,578	1/	1/	23,311	54.3
Rural	1/	201,947	146,772	1/	1/	11,483	56.9
1931							
Total	37,895,000	657,074	430,069	17.3	11.3	39,067	59.5
Urban	1/	448,901	287,576	1/	1/	26,449	58.9
Rural	1/	208,173	142,493	1/	1/	12,618	60.6
1930							
Total	37,666,000	694,433	432,479	18.4	11.5	43,129	62.1
Urban	1/	478,864	287,440	1/	1/	29,329	61.2
Rural	1/	215,569	145,039	1/	1/	13,800	64.0
1929							
Total	37,211,173	693,545	453,976	18.6	12.2	44,746	64.5
Urban	23,641,790	464,987	295,225	19.7	12.5	29,534	63.5
Rural	13,569,383	228,558	158,751	16.8	11.7	15,212	66.6
1928							
Total	36,704,193	719,569	450,564	19.6	12.3	48,003	66.7
Urban	23,277,184	476,545	294,205	20.5	12.6	32,251	67.7
Rural	13,427,009	243,024	156,359	18.1	11.6	15,752	64.8
1927							
Total	36,197,212	741,102	422,679	20.5	11.7	47,449	64.0
Urban	22,909,166	488,114	273,084	21.3	11.9	30,861	63.2
Rural	13,288,046	252,988	149,595	19.0	11.3	16,588	65.6
1926							
Total	35,690,232	735,708	453,386	20.6	12.7	54,961	74.7
Urban	22,513,414	483,863	294,288	21.5	13.1	36,092	74.6
Rural	13,176,818	251,845	159,098	19.1	12.1	18,869	74.9
1925							
Total	35,183,251	757,082	432,008	21.5	12.3	55,731	73.6
Urban	22,163,368	492,961	279,298	22.2	12.6	36,128	73.3
Rural	13,019,883	264,121	152,710	20.3	11.7	19,603	74.2
1924							
Total	34,676,271	778,525	420,300	22.5	12.1	55,781	71.6
Urban	21,821,222	505,605	272,001	23.2	12.5	36,432	72.1
Rural	12,855,049	272,920	148,299	21.2	11.5	19,349	70.9
1923							
Total	34,169,292	760,130	437,157	22.2	12.8	60,290	79.3
Urban	21,497,511	493,120	278,728	22.9	13.0	38,523	78.1
Rural	12,671,781	267,010	158,429	21.1	12.5	21,767	81.5
1922							
Total	33,662,313	755,808	414,938	22.5	12.3	59,896	79.2
Urban	21,155,337	483,657	265,376	22.9	12.5	39,283	81.2
Rural	12,506,976	272,151	149,562	21.8	12.0	20,613	75.7

1/ Figures not available.

TABLE F—Contd.

YEAR AND AREA	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)						
	Population estimated as of July 1	Births (exclusive of stillbirths)	Deaths (exclusive of stillbirths)	Rate per 1,000 population		Deaths under 1 year of age	
				Births	Deaths	Total	Per 1,000 births
1921							
Total	33,155,334	794,229	399,176	24.0	12.0	62,480	78.7
Urban	20,830,195	509,349	251,818	24.5	12.1	39,851	78.2
Rural	12,325,139	284,880	147,358	23.1	12.0	22,629	79.4
1920							
Total	32,648,354	773,648	445,780	23.7	13.7	69,566	89.9
Urban	20,507,897	503,524	286,531	24.6	14.0	46,512	92.4
Rural	12,140,457	270,124	159,249	22.2	13.1	23,054	85.3
1919							
Total	32,168,814	730,752	428,782	22.7	13.3	64,846	88.7
Urban	19,495,730	463,595	267,337	23.8	13.7	41,546	89.6
Rural	12,673,084	267,157	161,445	21.1	12.7	23,300	87.2
1918							
Total	31,716,715	783,997	607,605	24.7	19.2	82,971	105.8
Urban	19,125,220	493,949	382,084	25.8	20.0	53,248	107.8
Rural	12,591,495	290,048	225,521	23.0	17.9	29,723	102.5
1917							
Total	31,264,615	786,890	461,847	25.2	14.8	75,604	96.1
Urban	18,771,641	496,138	289,156	26.4	15.4	48,867	98.5
Rural	12,492,974	290,752	172,691	23.3	13.8	26,737	92.0
1916							
Total	30,812,521	770,718	454,669	25.0	14.8	77,037	100.0
Urban	18,393,761	479,048	281,478	26.0	15.3	49,330	103.0
Rural	12,418,760	291,670	173,191	23.5	13.9	27,707	95.0
1915							
Total	30,360,423	762,399	427,671	25.1	14.1	75,899	99.6
Urban	18,032,062	469,485	262,778	26.0	14.6	48,391	103.1
Rural	12,328,361	292,914	164,893	23.8	13.4	27,508	93.9

NOTE.—"Urban" includes municipalities with populations of 10,000 or more in 1930; "rural" includes the remainder of the area.

Some idea or the part played by the various nationalities in producing the coming generation in the registration area may be gained from table G, which shows the percent of births of white children with father, mother, or both parents born in specified country.

Of the white children born in the year 1936, 88.1 percent had native fathers, i.e., fathers born in the United States, and 92.4 percent had native mothers. The increase shown by the table in the percentage of white children born of native parents is a natural result of the check to immigration in recent years. Of all children of specified foreign parentage born in the United States in 1936, by far the largest number had parents born in Italy.

TABLE G

PERCENT OF BIRTHS OF WHITE CHILDREN BORN IN THE UNITED STATES, WITH FATHER, MOTHER, OR BOTH PARENTS BORN IN SPECIFIED COUNTRY

COUNTRY OF BIRTH OF PARENTS	1936			1935			1934		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
All countries	100.0	100.0	1/ 89.8	100.0	100.0	1/ 89.4	100.0	100.0	1/ 89.6
United States	88.1	92.4	85.5	87.3	91.6	84.6	87.3	91.5	84.6
Austria, Hungary	0.5	0.4	0.2	0.6	0.5	0.2	0.7	0.6	0.3
Canada	0.9	1.0	0.3	1.0	1.1	0.3	1.0	1.1	0.3
Denmark, Norway, Sweden	0.5	0.2	0.1	0.5	0.3	0.1	0.5	0.3	0.2
England, Scotland, Wales	0.6	0.5	0.1	0.6	0.5	0.2	0.7	0.6	0.2
Ireland	0.6	0.6	0.4	0.6	0.7	0.4	0.7	0.7	0.5
Germany	0.7	0.5	0.3	0.8	0.5	0.3	0.8	0.6	0.3
Italy	2.0	1.2	0.9	2.2	1.3	1.1	2.5	1.6	1.3
Poland	0.6	0.5	0.3	0.7	0.6	0.3	0.8	0.7	0.4
Russia	0.8	0.5	0.3	0.9	0.6	0.3	1.0	0.7	0.4
Other foreign	2.9	2.1	1.4	3.1	2.2	1.5	2.3	1.6	1.0
Not stated	1.7	0.1	2/	1.7	0.1	0.1	1.7	0.1	0.1

1/ This number excludes the percent of "mixed parentage."
2/ Less than one-tenth of 1 percent.

For the United States and certain foreign countries table H presents birth rates per 1,000 population from 1915 to 1936. Rates for 1936 are shown for 27 countries. A comparison of these rates with those for 1935 shows that only 10 countries had higher rates in the later year.

TABLE H

AREA	BIRTH RATE PER 1,000 POPULATION																				
	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
United States (birth registration area)	16.7	16.9	17.1	16.5	17.4	18.0	18.9	18.9	19.8	20.6	20.7	21.5	22.4	22.2	22.3	24.2	23.7	22.3	24.6	24.7	25.0	25.1
Australia	17.1	16.6	16.4	15.8	16.9	18.3	19.9	20.3	21.3	21.7	22.0	22.9	23.2	23.8	24.7	25.0	25.5	23.5	25.0	26.3	26.6	27.1
Austria	13.1	13.2	13.5	14.3	15.2	15.9	16.8	16.7	17.5	17.8	19.1	20.5	21.6	22.4	23.1	23.2	22.3	18.0	14.1	13.9	14.7	18.4
Belgium	15.1	15.4	15.0	15.5	17.6	18.2	18.7	18.1	18.4	18.3	19.0	19.8	19.9	20.4	20.4	21.8	22.1	16.3	11.3	11.3	12.9	16.1
British Guiana	43.2	39.4	28.8	32.6	34.1	31.4	33.4	31.7	28.3	32.6	34.7	33.5	32.4	30.4	27.8	34.5	31.9	25.9	25.1	28.4	26.5	31.3
British India	1/	34.4	28.8	36.2	34.1	34.4	36.0	35.5	36.8	35.3	34.8	33.7	34.4	35.1	31.9	32.2	33.0	30.2	35.4	39.3	37.1	37.8
Canada 2/	18.3	18.6	20.5	20.9	22.5	23.2	23.9	23.5	24.1	24.3	24.8	23.0	23.7	23.9	25.2	26.4	26.6	1/	1/	1/	1/	1/
Ceylon	34.1	34.4	37.2	38.6	37.0	37.4	39.0	38.3	41.9	41.0	42.0	39.9	37.5	38.7	39.1	40.7	36.5	36.0	39.2	40.1	39.0	37.0
Chile	33.9	34.1	33.8	33.4	34.2	34.6	39.8	41.9	43.6	42.8	40.1	39.8	40.0	39.5	38.7	39.2	39.4	39.2	39.9	41.2	40.3	38.6
Colombia	1/	1/	1/	27.5	22.2	27.1	28.1	30.4	29.5	27.5	27.7	26.4	25.5	26.6	27.5	27.1	26.4	26.9	26.9	27.8	28.9	28.3
Denmark	17.7	17.7	17.8	17.3	18.0	18.0	18.7	18.6	19.6	19.6	20.5	21.0	21.8	22.3	22.2	24.0	25.4	22.6	24.1	23.7	24.4	24.2
Egypt	1/	41.9	40.4	44.1	41.1	43.2	44.6	43.7	43.3	44.0	43.2	42.8	43.3	43.0	43.2	42.3	42.8	38.3	39.0	40.3	41.6	43.4
England and Wales	14.8	14.7	14.8	14.4	15.3	15.8	16.3	16.3	16.7	16.6	17.8	18.3	18.8	19.7	20.4	22.4	25.5	18.5	17.7	17.8	21.0	21.8
Estonia	16.1	15.9	15.4	16.2	17.6	17.4	17.4	17.1	18.0	17.7	17.9	18.3	19.2	20.1	20.2	20.3	18.4	17.3	20.2	16.9	19.5	22.6
Finland	18.1	18.5	18.1	17.4	18.7	19.5	20.6	20.9	21.5	21.1	21.7	22.3	22.4	23.7	23.4	24.3	25.3	19.2	23.8	24.3	24.1	25.4
France	15.0	15.2	16.2	16.2	17.3	17.5	18.0	17.7	18.3	18.2	18.8	19.0	18.7	19.1	19.3	20.7	21.4	12.4	12.1	10.4	9.4	11.3
Germany	19.0	18.9	18.0	14.7	15.1	16.0	17.5	17.9	18.6	18.4	19.5	20.7	20.5	21.1	23.0	25.3	25.9	20.0	14.3	13.9	15.2	20.4
Hungary	20.4	20.8	21.9	22.0	23.4	23.7	25.4	25.1	26.4	25.8	27.4	28.4	26.8	29.2	30.8	31.8	31.4	27.6	16.3	16.5	17.0	23.6
Irish Free State	19.9	19.6	19.5	19.4	19.1	19.5	19.9	19.8	20.1	20.3	20.6	20.8	21.1	20.5	19.5	19.7	21.6	19.9	19.9	20.0	21.1	22.0
Italy	22.4	23.3	23.4	23.7	23.8	24.9	26.7	25.6	26.7	27.4	27.2	27.8	28.4	29.4	30.2	30.3	31.8	21.4	18.1	19.5	24.0	30.5
Jamaica	32.3	33.4	31.2	32.9	32.2	34.8	37.0	34.2	35.8	34.8	38.5	34.6	36.8	38.2	37.3	34.9	40.8	33.5	34.1	34.1	33.4	35.8
Japan	31.6	31.6	30.0	31.6	32.9	32.2	32.4	33.0	34.4	33.6	34.8	34.9	33.8	34.9	34.2	35.2	36.2	31.6	32.2	32.3	32.7	33.1
Netherlands	20.2	20.2	20.7	20.8	22.0	22.2	23.1	22.8	23.3	23.1	23.8	24.2	25.1	26.0	25.9	27.4	28.3	24.4	25.0	26.2	26.6	26.3
New Zealand	16.6	16.1	16.5	16.6	17.1	18.4	18.8	19.0	19.6	20.3	21.1	21.2	21.6	21.9	23.2	23.3	25.1	21.4	23.4	25.7	25.9	25.3
Northern Ireland	20.0	19.2	19.8	19.4	19.9	20.5	20.8	20.4	20.8	21.3	22.4	22.0	22.7	23.9	23.3	23.6	25.9	22.0	21.6	20.7	22.1	23.2
Norway	14.8	14.3	14.6	14.8	16.0	16.3	17.0	17.3	17.9	18.1	19.5	19.6	21.2	22.6	23.2	24.0	26.2	22.7	24.6	25.1	24.2	23.6
Scotland	17.9	17.8	18.0	17.6	18.6	19.0	19.6	19.2	20.0	19.9	21.1	21.4	21.9	23.0	23.6	25.2	28.1	22.0	20.5	20.3	22.9	23.9
Spain	25.5	25.7	26.3	27.8	28.3	28.3	29.0	28.9	29.7	28.6	30.0	29.4	30.0	30.6	30.5	30.4	30.0	28.3	29.1	28.8	28.9	30.8
Sweden	14.1	13.8	13.7	13.7	14.5	14.8	15.4	15.2	16.1	16.1	16.8	17.6	18.1	18.9	19.6	21.5	23.6	19.8	20.3	20.9	21.2	21.6
Switzerland	15.6	16.0	16.2	16.4	16.7	16.7	17.2	17.1	17.4	17.5	18.3	18.5	18.9	19.4	19.6	20.8	20.9	18.6	18.7	18.5	18.9	19.5
Union of South Africa	1/	24.2	23.4	23.6	24.2	25.4	26.4	26.2	25.8	26.0	26.2	26.5	26.3	26.7	27.5	28.4	29.0	26.9	28.6	29.0	29.3	29.3
Uruguay	1/	20.4	20.6	21.0	22.5	23.1	24.0	24.2	25.0	24.6	25.4	25.4	25.8	25.4	26.0	26.2	26.6	27.2	27.4	26.4	27.1	28.6

1/ Figures not available.
2/ Exclusive of Yukon and the Northwest Territories; Quebec also excluded in the years previous to 1926.

NOTE.—These rates were procured from the annual reports on vital statistics of the various countries.

COUNTRY OF BIRTH OF PARENTS

Table J, in which the distribution per thousand by country of birth of father is shown for children classified by country of birth of mother, gives some idea of the extent to which the natives of the United States and various foreign countries have intermarried. Thus, of the children born in 1936 of mothers who were born in Ireland, 267 per thousand, or 26.7 percent, have fathers who were born in the United States, while 65.4 percent have fathers born in Ireland, and the remainder (7.9 percent) have fathers born in other foreign countries or in "country not stated." Of the children whose mothers were born in Canada, 66.0 percent have fathers who were born in the United States, while for the children whose mothers were born in Italy the corresponding percentage is only 18.5.

TABLE J

COUNTRY OF BIRTH OF MOTHERS OF WHITE CHILDREN BORN IN THE UNITED STATES: 1936

COUNTRY OF BIRTH OF FATHERS OF WHITE CHILDREN	United States	Foreign country: Total foreign	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	Country not stated
Total	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
United States	925.7	341.4	318.0	659.5	420.6	559.5	266.6	301.7	184.6	273.9	330.8	265.5	388.7
Foreign countries	57.5	651.2	677.8	325.4	575.3	433.5	726.4	692.9	813.3	721.4	666.4	724.3	51.1
Austria, Hungary	3.0	33.3	487.9	2.1	2.2	5.3	1.3	19.6	1.3	22.2	32.5	5.7	1.9
Canada	7.0	39.9	3.6	253.4	8.4	30.7	9.5	3.7	1.0	3.3	4.7	3.6	5.2
Denmark, Norway, Sweden	3.6	19.0	3.8	5.3	522.3	9.0	4.1	10.7	0.1	1.1	1.2	3.3	1.3
England, Scotland, Wales	4.2	27.1	4.3	20.3	8.2	277.5	32.7	5.6	1.0	5.6	12.4	2.7	0.6
Ireland	1.7	58.9	0.9	5.5	2.4	48.4	654.1	1.8	0.3	0.5	0.4	1.1	2.6
Germany	4.2	45.1	36.2	5.6	13.2	9.9	6.0	593.3	1.9	8.1	7.3	6.8	1.9
Italy	11.2	131.2	12.0	6.2	3.8	7.5	4.9	9.8	791.8	5.0	3.0	9.7	7.8
Poland	3.3	44.6	22.8	2.5	1.0	6.0	0.9	5.5	0.2	561.4	58.4	4.9	1.9
Russia	4.4	50.4	61.7	8.0	2.2	17.8	0.3	8.0	0.4	84.4	509.9	9.1	2.6
Other foreign	15.0	201.5	44.5	16.5	11.8	21.4	11.8	35.1	15.2	29.8	36.7	677.2	25.2
Country not stated	16.8	7.4	4.2	15.0	4.1	7.0	7.4	5.3	2.1	4.6	2.8	10.2	560.2

PLURAL BIRTHS

In the United States, in 1936, there were 48,123 living plural births in 24,852 cases where at least one was a live birth. There were 22,760 cases of twins where both were living at birth and 1,809 cases where only one was born alive.

In 232 cases of triplets all were born alive; in 29 cases only 2 were living; and in 16 cases only 1 was a live birth.

There were 6 cases of quadruplets in 1936 and in each case all were live births.

Tables 8 and 9 of this report relate to plural births.

Table K shows cases of single and plural births and also cases of plural births per 1,000 total cases, at specified age of parents.

The relative frequency of plural births increases with aging of the mother up to the age period, 35 to 39.

TABLE K

AGE OF MOTHER	All ages	Under 20 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
	AGE OF FATHER										
	TOTAL CASES OF BIRTHS IN THE UNITED STATES: 1936										
All ages	2,121,519	30,629	404,488	587,856	444,948	301,895	169,645	76,690	27,724	16,438	61,206
Under 20 years	270,476	25,278	147,674	52,933	11,153	3,844	1,240	557	280	260	27,257
20 to 24 years	661,552	4,939	229,674	282,879	85,815	25,988	8,265	3,138	1,315	1,017	18,522
25 to 29 years	559,550	306	24,112	223,832	198,061	72,777	21,169	7,641	2,760	2,009	6,883
30 to 34 years	348,666	51	2,165	24,694	133,196	117,328	45,314	14,284	5,038	3,247	3,349
35 to 39 years	202,463	11	384	2,628	15,147	75,736	66,148	26,866	8,387	4,991	2,165
40 to 44 years	67,460	3	55	250	1,038	5,662	26,557	21,298	8,092	3,907	598
45 years and over	6,756	--------	10	29	70	208	733	2,820	1,814	971	101
Not stated	4,596	41	414	611	468	352	219	86	38	36	2,331
	CASES OF SINGLE BIRTHS										
All ages	2,096,667	30,430	401,239	582,023	439,454	297,321	166,796	75,388	27,279	16,145	60,592
Under 20 years	268,638	25,125	146,659	52,546	11,073	3,814	1,232	553	280	257	27,099
20 to 24 years	655,692	4,895	227,751	280,365	85,020	25,733	8,180	3,108	1,300	1,005	18,335
25 to 29 years	552,849	304	23,849	221,317	195,629	71,844	20,902	7,530	2,716	1,975	6,783
30 to 34 years	343,187	51	2,130	24,327	131,277	115,429	44,525	14,034	4,962	3,184	3,268
35 to 39 years	198,666	11	375	2,583	14,896	74,375	64,876	26,339	8,214	4,882	2,115
40 to 44 years	66,376	3	55	247	1,021	5,568	26,140	20,944	7,969	3,841	588
45 years and over	6,702	--------	10	29	70	208	725	2,795	1,800	965	100
Not stated	4,557	41	410	609	468	350	216	85	38	36	2,304
	CASES 1/ OF TWIN BIRTHS										
All ages	24,569	197	3,226	5,767	5,430	4,523	2,806	1,284	441	288	607
Under 20 years	1,824	152	1,005	386	79	30	8	4	--------	3	157
20 to 24 years	5,807	43	1,910	2,487	789	254	84	30	15	12	183
25 to 29 years	6,633	2	263	2,487	2,406	925	264	109	44	33	100
30 to 34 years	5,402	--------	35	359	1,892	1,877	775	247	74	63	80
35 to 39 years	3,740	--------	9	43	247	1,341	1,252	520	171	107	50
40 to 44 years	1,070	--------	--------	3	17	94	412	348	123	64	9
45 years and over	54	--------	--------	--------	--------	--------	8	25	14	6	1
Not stated	39	--------	4	2	--------	2	3	1	--------	--------	27

1/ Only those cases where at least 1 was a live birth.

TABLE K—Continued

AGE OF MOTHER	AGE OF FATHER: All ages	Under 20 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
	CASES 1/ OF TRIPLE BIRTHS										
All ages	277	2	23	65	64	50	41	16	4	5	7
Under 20 years	13	1	10	--------	1	--------	--------	--------	--------	--------	1
20 to 24 years	53	1	13	27	6	1	1	--------	--------	--------	4
25 to 29 years	68	--------	--------	28	26	8	3	2	--------	1	----------
30 to 34 years	76	--------	--------	8	27	21	14	3	2	--------	1
35 to 39 years	53	--------	--------	2	4	20	18	5	2	2	----------
40 to 44 years	14	--------	--------	--------	--------	--------	5	6	--------	2	1
	CASES 1/ OF QUADRUPLE BIRTHS										
All ages	6	--------	--------	1	--------	1	2	2	--------	--------	----------
Under 20 years	1	--------	--------	1	--------	--------	--------	--------	--------	--------	----------
30 to 34 years	1	--------	--------	--------	--------	1	--------	--------	--------	--------	----------
35 to 39 years	4	--------	--------	--------	--------	--------	2	2	--------	--------	----------
	CASES 1/ OF PLURAL BIRTHS PER 1,000 TOTAL CASES AT SPECIFIED AGE OF PARENTS										
All ages	11.7	6.5	8.0	9.9	12.3	15.2	16.8	17.0	16.1	17.8	10.0
Under 20 years	6.8	6.1	6.9	7.3	7.2	7.8	6.5	7.2	--------	11.5	5.8
20 to 24 years	8.9	8.9	8.4	8.9	9.3	9.8	10.3	9.6	11.4	11.8	10.1
25 to 29 years	12.0	6.5	10.9	11.2	12.3	12.8	12.6	14.5	15.9	16.9	14.5
30 to 34 years	15.7	--------	16.2	14.9	14.4	16.2	17.4	17.5	15.1	19.4	24.2
35 to 39 years	18.8	--------	23.4	17.1	16.6	18.0	19.2	19.6	20.6	21.8	23.1
40 to 44 years	16.1	--------	--------	12.0	16.4	16.6	15.7	16.6	15.2	16.9	16.7
45 years and over	8.0	--------	--------	--------	--------	--------	10.9	8.9	7.7	6.2	9.9
Not stated	8.6	--------	9.7	3.3	--------	5.7	13.7	11.6	--------	--------	11.6

1/ Only those cases where at least 1 was a live birth.

Table L shows for the United States and each State the number of cases of plural births per 1,000 women who bore children in 1936. In Arkansas, the rate was highest, there having been 15.8 cases of plural births in that State per 1,000 mothers or confinements. The next highest rates were 15.4 for Mississippi, 14.1 for Arizona, and 14.0 for Minnesota. The lowest rate (6.4) was for Delaware.

AGE OF MOTHER AND FATHER

The ages of both parents were reported on the transcripts of birth certificates of 2,080,769 of the children born in the United States in 1936. The fathers of 61 percent of these children were in a higher age-group than were the mothers, whereas only 4 percent were in a lower-age group and 35 percent were of the same age group.

In 1936, as in previous years, the number of children whose fathers were 25 to 29 years of age, and mothers 20 to 24 was larger than that in any other group, as shown in table 5.

Table M shows the distribution of births per 1,000, by age of parents.

In table N the distribution per 1,000, by age of father, is shown for children born in 1936 classified by age of mother.

TABLE L

AREA	1936: Number of women who bore children in 1936	Cases of plural births having at least 1 mate born alive: Number	Per 1,000 mothers
United States	2,121,519	24,852	11.7
Alabama	59,440	760	12.8
Arizona	9,426	133	14.1
Arkansas	33,029	523	15.8
California	83,683	871	10.4
Colorado	18,085	198	10.9
Connecticut	22,007	228	10.4
Delaware	3,898	25	6.4
District of Columbia	11,577	139	12.0
Florida	27,773	349	12.6
Georgia	60,986	712	11.7
Idaho	10,114	111	11.0
Illinois	111,036	1,206	10.9
Indiana	53,442	619	11.6
Iowa	42,247	500	11.8
Kansas	29,703	312	10.5
Kentucky	55,170	653	11.8
Louisiana	43,268	601	13.9
Maine	15,140	174	11.5
Maryland	26,314	288	10.9
Massachusetts	61,100	629	10.3
Michigan	87,550	899	10.3
Minnesota	46,957	656	14.0
Mississippi	48,773	749	15.4
Missouri	55,335	628	11.3
Montana	10,277	138	12.8
Nebraska	23,502	314	13.4
Nevada	1,409	11	7.8
New Hampshire	7,619	62	8.1
New Jersey	53,345	526	9.9
New Mexico	12,791	118	9.2
New York	180,661	1,854	10.3
North Carolina	75,290	977	13.0
North Dakota	13,399	176	13.1
Ohio	102,585	1,186	11.6
Oklahoma	41,321	536	13.0
Oregon	13,826	151	10.9
Pennsylvania	157,855	1,675	10.6
Rhode Island	10,073	114	11.3
South Carolina	38,777	553	14.3
South Dakota	12,724	166	13.0
Tennessee	49,958	678	13.6
Texas	110,270	1,433	13.0
Utah	12,435	121	9.7
Vermont	6,389	64	10.0
Virginia	50,691	621	12.3
Washington	23,169	223	9.6
West Virginia	40,365	529	13.1
Wisconsin	52,030	617	11.9
Wyoming	4,705	52	11.1

TABLE M

AGE OF PARENT	DISTRIBUTION OF BIRTHS PER 1,000, BY AGE OF PARENT, IN THE UNITED STATES: 1936: Father	Mother
All ages	1,000.0	1,000.0
10 to 14 years	1/	1.4
15 to 19 years	14.4	125.5
20 to 24 years	190.1	311.0
25 to 29 years	276.6	263.8
30 to 34 years	209.9	165.0
35 to 39 years	142.8	96.1
40 to 44 years	80.3	31.9
45 to 49 years	36.3	3.1
50 to 54 years	13.1	0.1
55 years and over	7.8	1/
Not stated	28.8	2.2

1/ Less than one-tenth of 1 per 1,000 births.

TABLE N

AGE OF FATHERS	AGE OF MOTHERS OF CHILDREN BORN IN THE UNITED STATES: 1936									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	3.7	1/	1/	-------	-------	-------	-------	-------	-------	-------
15 to 19 years	182.1	92.3	7.5	0.5	0.1	0.1	1/	-------	-------	8.9
20 to 24 years	237.6	549.4	347.0	43.1	6.2	1.9	0.8	1.5	-------	89.9
25 to 29 years	73.5	197.1	427.6	399.7	70.8	12.9	3.7	3.8	24.2	132.3
30 to 34 years	22.5	41.5	129.8	354.0	381.6	74.7	15.4	8.4	84.8	101.1
35 to 39 years	8.5	14.3	39.3	130.2	336.7	373.9	83.9	29.1	90.9	76.5
40 to 44 years	5.4	4.6	12.5	37.9	130.2	326.8	393.5	108.6	109.1	47.5
45 to 49 years	4.8	2.0	4.7	13.7	41.0	132.8	316.0	425.7	103.0	18.8
50 to 54 years	1.0	1.0	2.0	4.9	14.4	41.5	119.8	268.1	284.8	8.2
55 years and over	3.4	0.9	1.5	3.6	9.3	24.7	58.0	140.7	248.5	7.8
Not stated	457.5	96.8	28.0	12.3	9.7	10.7	8.9	14.0	54.5	509.0

1/ Less than one-tenth of 1 per 1,000 mothers.

ILLEGITIMATE BIRTHS

Statistics relating to illegitimate births may be found in tables O and P. The ratio of illegitimate births to 1,000 total births, as shown in table O, varied in 1936 from 11.2 in Utah to 101.6 in South Carolina. The exceptionally high rates—101.6 in South Carolina, 85.4 in Mississippi, 84.4 in Louisiana, 83.4 in Alabama, 83.1 in the District of Columbia—were due to the large number of illegitimate births among the populations of other races.

A comparison of the figures for 1936 with those for 1935 shows that rates for illegitimacy in 1936 were higher in 10 States and the District of Columbia. The largest increases (7.2, 4.1, and 3.2) were for Kentucky, Arizona, and Oklahoma, respectively. The largest decrease (5.5) was for Nebraska.

TABLE O

AREA AND RACE	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1936	1935	1934	1936	1935	1934
United States 1/	72,338	75,141	75,352	39.8	41.1	41.0
White	31,850	33,685	32,682	20.3	21.4	20.9
Other races	40,488	41,456	42,670	162.4	163.6	154.0
ALABAMA	5,012	5,354	5,607	83.4	86.0	88.3
White	593	710	774	16.1	18.5	19.6
Other races	4,419	4,644	4,833	189.1	194.5	201.8
ARIZONA	270	221	160	28.3	24.2	18.8
White	186	148	25	22.5	19.0	5.8
Other races	84	73	135	66.5	54.8	32.3
ARKANSAS	1,554	1,688	1,675	46.4	47.3	44.6
White	369	393	414	14.5	14.5	14.3
Other races	1,185	1,295	1,261	145.5	152.2	145.7
COLORADO	414	488	417	22.6	25.9	23.4
White	397	461	327	22.0	24.8	21.2
Other races	17	27	90	70.8	101.9	37.3
CONNECTICUT	425	481	387	19.1	21.6	17.4
White	368	415	358	17.0	19.1	16.5
Other races	57	66	29	95.8	117.4	51.0
DELAWARE	260	284	274	66.3	70.4	68.7
White	81	94	101	24.9	27.8	30.8
Other races	179	190	173	266.0	289.2	244.4
DISTRICT OF COLUMBIA	973	893	824	83.1	82.7	81.3
White	179	148	128	22.7	20.7	19.3
Other races	794	745	696	208.7	204.6	198.1
FLORIDA	1,895	1,837	1,722	67.4	65.5	64.5
White	355	341	318	18.0	17.4	17.1
Other races	1,540	1,496	1,404	184.6	176.6	173.2
GEORGIA	4,822	4,963	5,254	78.2	78.5	81.3
White	587	662	700	16.1	17.7	18.3
Other races	4,235	4,301	4,554	167.4	165.9	173.0
IDAHO	119	100	98	11.6	10.6	10.5
White	115	94	93	11.4	10.1	10.1
Other races	4	6	5	39.6	48.0	32.7
ILLINOIS	2,675	2,801	2,870	23.8	25.0	26.0
White	2,005	2,100	2,171	18.8	19.8	20.8
Other races	670	701	699	119.8	121.6	117.2
INDIANA	1,043	1,104	1,135	19.3	20.9	21.7
White	834	940	929	15.9	18.4	18.4
Other races	209	164	206	127.9	89.5	112.9
IOWA	767	741	789	18.0	18.0	18.6
White	739	719	755	17.4	17.6	17.9
Other races	28	22	34	107.7	85.3	95.2
KANSAS	483	525	565	16.1	17.2	17.4
White	376	396	433	12.9	13.4	14.0
Other races	107	129	132	116.1	135.1	86.4
KENTUCKY	1,501	1,135	1,055	26.9	19.7	17.6
White	1,047	836	795	19.8	15.2	14.0
Other races	454	299	260	151.2	106.9	85.4
LOUISIANA	3,699	3,633	3,814	84.4	85.9	88.7
White	468	464	527	18.4	19.0	21.2
Other races	3,231	3,169	3,287	175.1	177.5	181.3
MAINE	487	532	504	31.8	33.8	32.0
White	484	530	498	31.7	33.8	31.7
Other races	3	2	6	69.8	47.6	122.4
MARYLAND	1,978	2,041	1,966	74.4	74.9	71.9
White	540	541	510	25.7	25.4	24.0
Other races	1,438	1,500	1,456	256.4	253.6	239.6
MICHIGAN	2,144	2,235	2,139	24.2	25.6	25.5
White	1,807	1,910	1,845	21.2	22.6	22.8
Other races	337	325	294	107.3	105.9	99.0
MINNESOTA	1,048	1,134	1,135	22.0	24.7	24.7
White	965	1,050	1,051	20.6	23.1	23.2
Other races	83	84	84	133.4	140.5	156.4
MISSISSIPPI	4,221	4,221	4,140	85.4	87.4	86.5
White	246	269	293	11.0	12.2	13.1
Other races	3,975	3,952	3,847	146.3	150.0	150.5
MISSOURI	1,762	1,848	1,923	31.5	32.3	32.5
White	1,221	1,296	1,360	23.3	24.1	24.5
Other races	541	552	563	153.6	154.4	154.1
MONTANA	204	210	197	19.6	20.9	19.8
White	150	153	157	15.4	16.4	16.9
Other races	54	57	40	84.6	83.7	60.0
NEBRASKA	305	428	426	12.8	18.3	17.0
White	289	393	388	12.3	17.1	15.8
Other races	16	35	38	57.3	105.7	68.2
NEVADA	17	22	13	12.0	15.5	9.1
White	11	15	6	8.3	11.3	4.6
Other races	6	7	7	67.4	71.4	50.7
NEW HAMPSHIRE	164	181	157	21.4	23.3	20.0
White	161	181	156	21.0	23.3	19.8
Other races	3	-------	1	500.0	-------	166.7
NEW JERSEY	1,243	1,323	1,290	23.1	24.3	23.7
White	773	863	832	15.6	17.2	16.6
Other races	470	460	458	111.9	109.3	107.1
NEW MEXICO	504	494	524	39.0	37.5	41.0
White	453	419	463	36.8	33.3	37.9
Other races	51	75	61	85.1	127.1	108.7
NORTH CAROLINA	5,748	6,414	6,514	77.5	81.4	81.7
White	1,362	1,562	1,547	26.1	29.1	28.4
Other races	4,386	4,852	4,967	183.3	193.4	197.1
NORTH DAKOTA	272	340	315	20.0	24.9	21.7
White	232	295	284	17.6	22.3	20.1
Other races	40	45	31	95.2	102.3	79.9
OHIO	2,443	2,464	2,436	23.6	24.4	24.3
White	1,813	1,852	1,870	18.4	19.3	19.7
Other races	630	612	566	118.1	117.1	107.3
OKLAHOMA	1,005	908	911	24.0	20.8	19.3
White	616	614	605	16.0	15.2	14.0
Other races	389	294	306	115.0	88.3	77.0
OREGON	198	209	222	14.2	15.9	17.0
White	195	188	211	14.1	14.5	16.4
Other races	3	21	11	18.3	97.2	44.7
PENNSYLVANIA	5,253	5,489	5,216	33.0	34.1	32.6
White	4,049	4,296	4,064	26.7	28.1	26.7
Other races	1,204	1,193	1,152	154.0	147.2	142.6
RHODE ISLAND	288	308	299	28.3	30.2	28.9
White	256	277	269	25.7	27.8	26.6
Other races	32	31	30	136.2	131.9	119.5
SOUTH CAROLINA	3,992	4,256	4,682	101.6	104.8	105.8
White	408	417	507	21.1	21.3	23.2
Other races	3,584	3,839	4,175	179.8	182.7	186.3
SOUTH DAKOTA	230	226	256	17.9	17.6	19.4
White	186	183	206	15.3	15.0	16.4
Other races	44	43	50	64.1	67.5	77.8
TENNESSEE	2,166	2,226	2,114	42.8	41.8	40.3
White	928	999	967	21.7	22.2	21.7
Other races	1,238	1,227	1,147	158.9	147.2	145.0
TEXAS	3,269	3,541	3,586	29.3	30.9	30.8
White	1,595	1,753	1,192	16.3	17.4	13.6
Other races	1,674	1,788	2,394	121.5	128.1	82.1

1/ Exclusive of California, Massachusetts, and New York. These States do not require a statement concerning legitimacy of child.

TABLE O—Continued

AREA AND RACE	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1936	1935	1934	1936	1935	1934
UTAH	140	116	125	11.2	9.1	9.9
White	131	110	123	10.5	8.7	9.9
Other races	9	6	2	70.3	54.5	12.5
VERMONT	209	207	189	32.4	31.4	28.7
White	209	207	187	32.4	31.4	28.4
Other races	----	----	2	----	----	2/
VIRGINIA	3,711	3,802	3,822	72.4	73.8	73.0
White	997	1,068	1,034	27.3	29.2	27.8
Other races	2,714	2,734	2,788	184.5	183.8	184.2
WASHINGTON	468	478	496	19.8	21.3	22.0
White	422	431	461	18.6	19.8	21.1
Other races	40	47	35	63.4	68.8	54.3
WEST VIRGINIA	1,785	2,003	1,902	43.7	47.9	45.9
White	1,545	1,733	1,620	39.9	43.9	41.3
Other races	240	270	282	114.8	119.4	124.0
WISCONSIN	1,117	1,174	1,142	21.2	22.3	22.2
White	1,057	1,108	1,074	20.3	21.3	21.1
Other races	60	66	68	106.4	121.1	127.6
WYOMING	61	63	65	12.8	14.4	14.2
White	50	51	54	10.8	12.0	12.6
Other races	11	12	11	85.9	100.8	41.4

2/ Less than one-tenth of 1 per 1,000 total births.

Table P shows the number of legitimate and illegitimate births by race and by nativity of mother, with the ratio of illegitimate births to 1,000 total births, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants, and rural districts of each State.

Although the ratio (41.8) of illegitimate births for the rural part of the United States was higher than the ratios for both the larger and the smaller cities (40.5 and 28.8, respectively), the reverse was true in 17 States, and in 18 of the remaining States the ratios for rural districts were lower than those for the larger cities.

Considering only the illegitimate births to white mothers in each State, ratios were generally highest for the larger cities. In Delaware, Kentucky, Maryland, and West Virginia, ratios were highest for the smaller cities (those having from 2,500 to 10,000 inhabitants) and in Connecticut, Florida, Nevada, New Hampshire, New Jersey, Rhode Island, and Virginia, ratios were highest for the rural part of the State. The highest ratio for illegitimate births to all white mothers (52.7) was for the larger cities of Vermont.

The highest ratio for illegitimate births to native mothers (55.1) was also for the larger cities of Vermont.

For children of foreign-born mothers, the highest ratio of illegitimate births (111.1 per 1,000 total births) was for the rural districts of Delaware.

Considering only the illegitimate births in each State to mothers of other races, ratios were highest for the larger cities in the majority of States. In 10 States ratios were highest in the smaller cities and in 9 other States the highest ratios were for the rural districts.

TABLE P

AREA	1936				
	Total births 1/	White			Other races
		Total 1/	Mother native	Mother foreign-born	
	LEGITIMATE BIRTHS				
UNITED STATES 2/	1,743,777	1,534,931	1,453,112	80,792	208,846
Cities of 10,000 or more	722,295	659,658	603,073	56,331	62,637
Cities of 2,500 to 10,000	193,576	181,123	173,722	7,204	12,453
Rural	827,906	694,150	676,317	17,257	133,756
ALABAMA	55,104	36,156	36,051	83	18,948
Cities of 10,000 or more	10,360	7,134	7,071	59	3,226
Cities of 2,500 to 10,000	3,245	2,488	2,485	2	757
Rural	41,499	26,534	26,495	22	14,965
ARIZONA	9,275	8,095	6,613	1,461	1,180
Cities of 10,000 or more	3,093	2,990	2,574	411	103
Cities of 2,500 to 10,000	2,392	2,336	1,799	531	56
Rural	3,790	2,769	2,240	519	1,081

1/ Includes "Country not stated." 2/Exclusive of California, Massachusetts, and New York. These States do not require a statement concerning legitimacy of child.

TABLE P—Continued

AREA	1936				
	Total births 1/	White			Other races
		Total 1/	Mother native	Mother foreign-born	
	LEGITIMATE BIRTHS				
ARKANSAS	31,966	25,005	24,917	40	6,961
Cities of 10,000 or more	3,387	2,926	2,915	10	461
Cities of 2,500 to 10,000	3,128	2,548	2,540	3	580
Rural	25,451	19,531	19,462	27	5,920
COLORADO	17,865	17,642	16,513	936	223
Cities of 10,000 or more	7,803	7,692	7,340	336	111
Cities of 2,500 to 10,000	2,965	2,944	2,742	189	21
Rural	7,097	7,006	6,431	471	91
CONNECTICUT	21,803	21,265	17,548	3,713	538
Cities of 10,000 or more	18,472	17,976	14,807	3,166	496
Cities of 2,500 to 10,000	1,208	1,198	990	208	10
Rural	2,123	2,091	1,751	339	32
DELAWARE	3,662	3,168	3,023	144	494
Cities of 10,000 or more	2,049	1,851	1,721	130	198
Cities of 2,500 to 10,000	408	365	359	6	43
Rural	1,205	952	943	8	253
DISTRICT OF COLUMBIA	10,731	7,721	7,286	432	3,010
FLORIDA	26,202	19,400	18,921	452	6,802
Cities of 10,000 or more	10,017	7,849	7,543	298	2,168
Cities of 2,500 to 10,000	4,260	3,337	3,253	80	923
Rural	11,925	8,214	8,125	74	3,711
GEORGIA	56,836	35,774	35,637	97	21,062
Cities of 10,000 or more	12,700	8,672	8,587	79	4,028
Cities of 2,500 to 10,000	6,159	4,281	4,276	2	1,878
Rural	37,977	22,821	22,774	16	15,156
IDAHO	10,105	10,008	9,708	292	97
Cities of 10,000 or more	1,444	1,439	1,397	42	5
Cities of 2,500 to 10,000	4,401	4,389	4,259	125	12
Rural	4,260	4,180	4,052	125	80
ILLINOIS	109,492	104,569	95,477	9,071	4,923
Cities of 10,000 or more	74,856	70,405	62,098	8,294	4,451
Cities of 2,500 to 10,000	10,295	10,135	9,833	299	160
Rural	24,341	24,029	23,546	478	312
INDIANA	52,991	51,566	50,413	1,133	1,425
Cities of 10,000 or more	26,221	24,889	23,917	964	1,332
Cities of 2,500 to 10,000	6,124	6,083	6,038	44	41
Rural	20,646	20,594	20,458	125	52
IOWA	41,948	41,716	40,665	986	232
Cities of 10,000 or more	15,853	15,653	15,237	400	200
Cities of 2,500 to 10,000	6,738	6,723	6,572	141	15
Rural	19,357	19,340	18,856	445	17
KANSAS	29,515	28,700	28,088	605	815
Cities of 10,000 or more	10,387	9,801	9,530	268	586
Cities of 2,500 to 10,000	4,681	4,604	4,541	62	77
Rural	14,447	14,295	14,017	275	152
KENTUCKY	54,277	51,729	51,590	114	2,548
Cities of 10,000 or more	10,114	9,239	9,162	72	875
Cities of 2,500 to 10,000	4,323	3,991	3,975	14	332
Rural	39,840	38,499	38,453	28	1,341
LOUISIANA	40,129	24,908	24,713	187	15,221
Cities of 10,000 or more	13,166	8,655	8,513	141	4,511
Cities of 2,500 to 10,000	3,750	2,559	2,548	9	1,191
Rural	23,213	13,694	13,652	37	9,519
MAINE	14,815	14,775	12,977	1,795	40
Cities of 10,000 or more	4,672	4,659	3,931	726	13
Cities of 2,500 to 10,000	2,009	2,004	1,751	252	5
Rural	8,134	8,112	7,295	817	22
MARYLAND	24,610	20,440	19,740	698	4,170
Cities of 10,000 or more	14,682	12,318	11,720	597	2,364
Cities of 2,500 to 10,000	1,524	1,408	1,386	22	116
Rural	8,404	6,714	6,634	79	1,690
MICHIGAN	86,283	83,480	74,351	9,083	2,803
Cities of 10,000 or more	54,808	52,268	44,823	7,419	2,540
Cities of 2,500 to 10,000	8,027	7,953	7,489	460	74
Rural	23,448	23,259	22,039	1,204	189
MINNESOTA	46,528	45,989	44,084	1,898	539
Cities of 10,000 or more	18,402	18,275	17,293	980	127
Cities of 2,500 to 10,000	6,679	6,667	6,456	210	12
Rural	21,447	21,047	20,335	708	400
MISSISSIPPI	45,225	22,021	21,955	56	23,204
Cities of 10,000 or more	4,511	3,215	3,187	26	1,296
Cities of 2,500 to 10,000	1,786	1,205	1,199	5	581
Rural	38,928	17,601	17,569	25	21,327
MISSOURI	54,154	51,172	50,364	792	2,982
Cities of 10,000 or more	22,941	20,774	20,072	697	2,167
Cities of 2,500 to 10,000	5,439	5,174	5,137	36	265
Rural	25,774	25,224	25,155	59	550
MONTANA	10,196	9,612	8,912	698	584
Cities of 10,000 or more	3,206	3,186	2,981	203	20
Cities of 2,500 to 10,000	1,797	1,783	1,686	97	14
Rural	5,193	4,643	4,245	398	550

TABLE P—Continued — 1936

AREA	Total births 1/	White			Other races
		Total 1/	Mother native	Mother foreign-born	
LEGITIMATE BIRTHS					
NEBRASKA	23,493	23,230	22,508	713	263
Cities of 10,000 or more	7,404	7,221	6,894	323	183
Cities of 2,500 to 10,000	3,032	3,026	2,950	76	6
Rural	13,057	12,983	12,664	314	74
NEVADA	1,402	1,319	1,207	107	83
Cities of 10,000 or more	220	213	196	17	7
Cities of 2,500 to 10,000	348	337	307	25	11
Rural	834	769	704	65	65
NEW HAMPSHIRE	7,515	7,512	6,547	959	3
Cities of 10,000 or more	4,251	4,249	3,581	664	2
Cities of 2,500 to 10,000	790	790	709	81	-------
Rural	2,474	2,473	2,257	214	1
NEW JERSEY	52,590	48,861	41,408	7,415	3,729
Cities of 10,000 or more	42,497	39,479	32,986	6,471	3,018
Cities of 2,500 to 10,000	4,466	4,173	3,707	459	293
Rural	5,627	5,209	4,715	485	418
NEW MEXICO	12,403	11,855	11,251	579	548
Cities of 10,000 or more	1,660	1,584	1,533	48	76
Cities of 2,500 to 10,000	2,103	2,090	1,981	107	13
Rural	8,640	8,181	7,737	424	459
NORTH CAROLINA	70,434	50,894	50,801	84	19,540
Cities of 10,000 or more	12,450	9,512	9,456	52	2,938
Cities of 2,500 to 10,000	5,962	5,001	4,988	13	961
Rural	52,022	36,381	36,357	19	15,641
NORTH DAKOTA	13,299	12,919	12,049	870	380
Cities of 10,000 or more	2,466	2,460	2,365	95	6
Cities of 2,500 to 10,000	1,775	1,766	1,672	94	9
Rural	9,058	8,693	8,012	681	365
OHIO	101,260	96,554	91,217	5,330	4,706
Cities of 10,000 or more	63,618	59,558	54,978	4,576	4,060
Cities of 2,500 to 10,000	8,412	8,188	7,969	218	224
Rural	29,230	28,808	28,270	536	422
OKLAHOMA	40,810	37,817	37,565	203	2,993
Cities of 10,000 or more	10,767	9,911	9,815	94	856
Cities of 2,500 to 10,000	7,225	6,591	6,541	41	634
Rural	22,818	21,315	21,209	68	1,503
OREGON	13,777	13,616	12,872	739	161
Cities of 10,000 or more	6,500	6,433	5,963	470	67
Cities of 2,500 to 10,000	3,293	3,273	3,148	122	20
Rural	3,984	3,910	3,761	147	74
PENNSYLVANIA	154,140	147,524	135,929	11,559	6,616
Cities of 10,000 or more	86,717	80,929	72,861	8,046	5,788
Cities of 2,500 to 10,000	20,384	20,150	18,824	1,321	234
Rural	47,039	46,445	44,244	2,192	594
RHODE ISLAND	9,898	9,695	7,920	1,772	203
Cities of 10,000 or more	9,146	8,966	7,287	1,677	180
Cities of 2,500 to 10,000	236	235	201	34	1
Rural	516	494	432	61	22
SOUTH CAROLINA	35,300	18,951	18,901	50	16,349
Cities of 10,000 or more	4,857	3,383	3,340	43	1,484
Cities of 2,500 to 10,000	2,673	1,842	1,838	4	831
Rural	27,760	13,726	13,723	3	14,034
SOUTH DAKOTA	12,649	12,007	11,651	366	642
Cities of 10,000 or more	2,641	2,635	2,570	62	6
Cities of 2,500 to 10,000	1,514	1,498	1,457	41	16
Rural	8,494	7,874	7,604	263	620
TENNESSEE	48,405	41,854	41,738	88	6,551
Cities of 10,000 or more	12,778	9,992	9,904	82	2,786
Cities of 2,500 to 10,000	3,870	3,437	3,431	2	433
Rural	31,757	28,425	28,403	4	3,332
TEXAS	108,333	96,232	87,390	8,741	12,101
Cities of 10,000 or more	36,619	32,987	28,724	4,240	3,632
Cities of 2,500 to 10,000	14,390	13,486	12,363	1,106	904
Rural	57,324	49,759	46,303	3,395	7,565
UTAH	12,411	12,292	11,760	532	119
Cities of 10,000 or more	5,118	5,099	4,789	310	19
Cities of 2,500 to 10,000	2,856	2,849	2,742	107	7
Rural	4,437	4,344	4,229	115	93
VERMONT	6,240	6,239	5,518	710	1
Cities of 10,000 or more	1,456	1,456	1,303	153	-------
Cities of 2,500 to 10,000	1,408	1,408	1,248	157	-------
Rural	3,376	3,375	2,967	400	1
VIRGINIA	47,536	35,541	35,354	181	11,995
Cities of 10,000 or more	10,892	8,290	8,184	104	2,602
Cities of 2,500 to 10,000	3,514	3,031	3,014	17	483
Rural	33,130	24,220	24,156	60	8,910
WASHINGTON	22,914	22,323	20,430	1,886	591
Cities of 10,000 or more	14,455	14,191	12,876	1,311	264
Cities of 2,500 to 10,000	2,603	2,556	2,397	159	47
Rural	5,856	5,576	5,157	416	280
WEST VIRGINIA	39,068	37,218	36,618	590	1,850
Cities of 10,000 or more	7,110	6,846	6,679	164	264
Cities of 2,500 to 10,000	3,545	3,407	3,343	62	138
Rural	28,413	26,965	26,596	364	1,448
WISCONSIN	51,496	50,992	48,628	2,317	504
Cities of 10,000 or more	24,028	23,923	22,371	1,542	105
Cities of 2,500 to 10,000	6,828	6,811	6,627	173	17
Rural	20,640	20,258	19,630	602	382
WYOMING	4,692	4,575	4,324	235	117
Cities of 10,000 or more	760	754	713	37	6
Cities of 2,500 to 10,000	1,011	1,003	951	48	8
Rural	2,921	2,818	2,660	150	103
ILLEGITIMATE BIRTHS					
UNITED STATES 2/	72,338	31,850	30,597	806	40,488
Cities of 10,000 or more	30,461	16,441	15,615	583	14,020
Cities of 2,500 to 10,000	5,741	2,969	2,894	44	2,772
Rural	36,136	12,440	12,088	179	23,696
ALABAMA	5,012	593	588	---------	4,419
Cities of 10,000 or more	1,014	156	153	---------	858
Cities of 2,500 to 10,000	228	33	32	---------	195
Rural	3,770	404	403	---------	3,366
ARIZONA	270	186	151	33	84
Cities of 10,000 or more	88	76	64	10	12
Cities of 2,500 to 10,000	57	50	41	9	7
Rural	125	60	46	14	65
ARKANSAS	1,554	369	363	---------	1,185
Cities of 10,000 or more	176	65	65	---------	111
Cities of 2,500 to 10,000	151	25	25	---------	126
Rural	1,227	279	273	---------	948
COLORADO	414	397	378	12	17
Cities of 10,000 or more	294	281	270	7	13
Cities of 2,500 to 10,000	35	35	33	1	-------
Rural	85	81	75	4	4
CONNECTICUT	425	368	348	19	57
Cities of 10,000 or more	341	290	273	16	51
Cities of 2,500 to 10,000	19	19	18	1	-------
Rural	65	59	57	2	6
DELAWARE	260	81	78	3	179
Cities of 10,000 or more	110	48	46	2	62
Cities of 2,500 to 10,000	28	11	11	---------	17
Rural	122	22	21	1	100
DISTRICT OF COLUMBIA	973	179	144	1	794
FLORIDA	1,895	355	345	7	1,540
Cities of 10,000 or more	716	125	118	6	591
Cities of 2,500 to 10,000	264	34	33	1	230
Rural	915	196	194	---------	719
GEORGIA	4,822	587	583	1	4,235
Cities of 10,000 or more	1,235	159	157	1	1,076
Cities of 2,500 to 10,000	475	49	49	---------	426
Rural	3,112	379	377	---------	2,733
IDAHO	119	115	114	1	4
Cities of 10,000 or more	48	48	47	1	-------
Cities of 2,500 to 10,000	40	39	39	---------	1
Rural	31	28	28	---------	3
ILLINOIS	2,675	2,005	1,881	71	670
Cities of 10,000 or more	2,132	1,523	1,410	67	609
Cities of 2,500 to 10,000	189	162	158	---------	27
Rural	354	320	313	4	34
INDIANA	1,043	834	824	6	209
Cities of 10,000 or more	663	466	459	6	197
Cities of 2,500 to 10,000	83	79	78	---------	4
Rural	297	289	287	---------	8
IOWA	767	739	727	7	28
Cities of 10,000 or more	534	511	503	5	23
Cities of 2,500 to 10,000	72	69	67	1	3
Rural	161	159	157	1	2
KANSAS	483	376	368	7	107
Cities of 10,000 or more	308	214	209	4	94
Cities of 2,500 to 10,000	68	61	60	1	7
Rural	107	101	99	2	6
KENTUCKY	1,501	1,047	1,043	---------	454
Cities of 10,000 or more	384	186	185	---------	198
Cities of 2,500 to 10,000	155	85	84	---------	70
Rural	962	776	774	---------	186

1/ Includes "Country not stated." 2/ Exclusive of California, Massachusetts, and New York. These States do not require a statement concerning legitimacy of child.

TABLE P—Continued

AREA	1936 Total births 1/	White Total 1/	White Mother native	White Mother foreign-born	Other races
	ILLEGITIMATE BIRTHS				
LOUISIANA	3,699	468	468	--------	3,231
Cities of 10,000 or more	1,190	229	229	--------	961
Cities of 2,500 to 10,000	330	47	47	--------	283
Rural	2,179	192	192	--------	1,987
MAINE	487	484	457	26	3
Cities of 10,000 or more	178	177	162	15	1
Cities of 2,500 to 10,000	73	72	69	3	1
Rural	236	235	226	8	1
MARYLAND	1,978	540	534	3	1,438
Cities of 10,000 or more	1,121	286	283	3	835
Cities of 2,500 to 10,000	128	45	45	--------	83
Rural	729	209	206	--------	520
MICHIGAN	2,144	1,807	1,707	89	337
Cities of 10,000 or more	1,666	1,358	1,273	78	308
Cities of 2,500 to 10,000	110	103	101	1	7
Rural	368	346	333	10	22
MINNESOTA	1,048	965	941	20	83
Cities of 10,000 or more	641	630	613	14	11
Cities of 2,500 to 10,000	102	101	99	2	1
Rural	305	234	229	4	71
MISSISSIPPI	4,221	246	246	--------	3,975
Cities of 10,000 or more	486	54	54	--------	434
Cities of 2,500 to 10,000	148	8	8	--------	140
Rural	3,585	184	184	--------	3,401
MISSOURI	1,762	1,221	1,210	8	541
Cities of 10,000 or more	1,267	847	838	6	420
Cities of 2,500 to 10,000	123	72	72	--------	51
Rural	372	302	300	2	70
MONTANA	204	150	142	7	54
Cities of 10,000 or more	69	68	63	4	1
Cities of 2,500 to 10,000	28	27	27	--------	1
Rural	107	55	52	3	52
NEBRASKA	305	289	285	4	16
Cities of 10,000 or more	180	171	167	4	9
Cities of 2,500 to 10,000	22	20	20	--------	2
Rural	103	98	98	--------	5
NEVADA	17	11	8	3	6
Cities of 10,000 or more	--------	--------	--------	--------	--------
Cities of 2,500 to 10,000	3	2	2	--------	1
Rural	14	9	6	3	5
NEW HAMPSHIRE	164	161	151	9	3
Cities of 10,000 or more	86	85	81	4	1
Cities of 2,500 to 10,000	9	9	8	1	--------
Rural	69	67	62	4	2
NEW JERSEY	1,243	773	732	41	470
Cities of 10,000 or more	947	584	551	33	363
Cities of 2,500 to 10,000	106	61	60	1	45
Rural	190	128	121	7	62
NEW MEXICO	504	453	424	25	51
Cities of 10,000 or more	72	63	59	2	9
Cities of 2,500 to 10,000	77	76	73	3	1
Rural	355	314	292	20	41
NORTH CAROLINA	5,748	1,362	1,119	--------	4,386
Cities of 10,000 or more	1,448	299	198	--------	1,149
Cities of 2,500 to 10,000	439	117	98	--------	322
Rural	3,861	946	823	--------	2,915
NORTH DAKOTA	272	232	226	6	40
Cities of 10,000 or more	127	127	121	6	--------
Cities of 2,500 to 10,000	28	28	28	--------	--------
Rural	117	77	77	--------	40
OHIO	2,443	1,813	1,787	21	630
Cities of 10,000 or more	1,738	1,176	1,155	18	562
Cities of 2,500 to 10,000	160	134	134	--------	26
Rural	545	503	498	3	42
OKLAHOMA	1,005	616	612	3	389
Cities of 10,000 or more	334	185	184	1	149
Cities of 2,500 to 10,000	135	67	67	--------	68
Rural	536	364	361	2	172
OREGON	198	195	191	4	3
Cities of 10,000 or more	152	151	147	4	1
Cities of 2,500 to 10,000	23	23	23	--------	--------
Rural	23	21	21	--------	2
PENNSYLVANIA	5,253	4,049	3,960	83	1,204
Cities of 10,000 or more	3,409	2,278	2,207	65	1,131
Cities of 2,500 to 10,000	526	508	505	3	18
Rural	1,318	1,263	1,248	15	55
RHODE ISLAND	288	256	246	10	32
Cities of 10,000 or more	270	240	231	9	30
Cities of 2,500 to 10,000	1	1	1	--------	--------
Rural	17	15	14	1	2
SOUTH CAROLINA	3,992	408	403	--------	3,584
Cities of 10,000 or more	677	94	90	--------	583
Cities of 2,500 to 10,000	277	37	37	--------	240
Rural	3,038	277	276	--------	2,761
SOUTH DAKOTA	230	186	182	2	44
Cities of 10,000 or more	83	82	80	--------	1
Cities of 2,500 to 10,000	25	24	24	--------	1
Rural	122	80	78	2	42
TENNESSEE	2,166	928	923	1	1,238
Cities of 10,000 or more	1,108	339	335	1	769
Cities of 2,500 to 10,000	145	64	64	--------	81
Rural	913	525	524	--------	388
TEXAS	3,269	1,595	1,370	217	1,674
Cities of 10,000 or more	1,542	1,003	848	155	539
Cities of 2,500 to 10,000	273	125	113	11	148
Rural	1,354	467	409	51	887
UTAH	140	131	127	4	9
Cities of 10,000 or more	82	81	78	3	1
Cities of 2,500 to 10,000	20	20	19	1	--------
Rural	38	30	30	--------	8
VERMONT	209	209	199	7	--------
Cities of 10,000 or more	81	81	76	3	--------
Cities of 2,500 to 10,000	44	44	41	3	--------
Rural	84	84	82	1	--------
VIRGINIA	3,711	997	994	--------	2,714
Cities of 10,000 or more	1,107	218	217	--------	889
Cities of 2,500 to 10,000	194	78	78	--------	116
Rural	2,410	701	699	--------	1,709
WASHINGTON	462	422	394	26	40
Cities of 10,000 or more	346	337	314	22	9
Cities of 2,500 to 10,000	29	25	25	--------	4
Rural	87	60	55	4	27
WEST VIRGINIA	1,785	1,545	1,541	--------	240
Cities of 10,000 or more	330	280	277	--------	50
Cities of 2,500 to 10,000	163	144	143	--------	19
Rural	1,292	1,121	1,121	--------	171
WISCONSIN	1,117	1,057	1,033	19	60
Cities of 10,000 or more	588	575	565	7	13
Cities of 2,500 to 10,000	120	120	119	1	--------
Rural	409	362	349	11	47
WYOMING	61	50	50	--------	11
Cities of 10,000 or more	18	16	16	--------	2
Cities of 2,500 to 10,000	16	16	16	--------	--------
Rural	27	18	18	--------	9
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
UNITED STATES 2/	39.8	20.3	20.6	9.9	162.4
Cities of 10,000 or more	40.5	24.3	25.2	10.2	182.9
Cities of 2,500 to 10,000	28.8	16.1	16.4	6.1	182.1
Rural	41.8	17.6	17.6	10.3	150.5
ALABAMA	83.4	16.1	16.0	--------	189.1
Cities of 10,000 or more	89.2	21.4	21.2	--------	210.1
Cities of 2,500 to 10,000	65.6	13.1	12.7	--------	204.8
Rural	83.3	15.0	15.0	--------	183.6
ARIZONA	28.3	22.5	22.3	22.1	66.5
Cities of 10,000 or more	27.7	24.8	24.3	23.8	104.4
Cities of 2,500 to 10,000	23.3	21.0	22.3	16.7	111.1
Rural	31.9	21.2	20.1	26.3	59.9
ARKANSAS	46.4	14.5	14.4	--------	145.5
Cities of 10,000 or more	49.4	21.7	21.8	--------	194.1
Cities of 2,500 to 10,000	46.1	9.7	9.7	--------	178.5
Rural	46.0	14.1	13.8	--------	138.0
COLORADO	22.6	22.0	22.4	12.7	70.8
Cities of 10,000 or more	36.3	35.2	35.5	20.4	104.8
Cities of 2,500 to 10,000	11.7	11.7	11.9	7.7	--------
Rural	11.8	11.4	11.5	8.4	42.1
CONNECTICUT	19.1	17.0	19.4	5.1	95.8
Cities of 10,000 or more	18.1	15.9	18.1	5.0	93.2
Cities of 2,500 to 10,000	15.5	15.6	17.9	4.8	--------
Rural	29.7	27.4	31.5	5.9	157.9
DELAWARE	66.3	24.9	25.2	20.4	266.0
Cities of 10,000 or more	50.9	25.3	26.0	15.2	238.5
Cities of 2,500 to 10,000	64.2	29.3	29.7	--------	283.3
Rural	91.9	22.6	21.8	111.1	283.3
DISTRICT OF COLUMBIA	83.1	22.7	19.4	2.3	208.7

1/ Includes "Country not stated." 2/ Exclusive of California, Massachusetts, and New York. These States do not require a statement concerning legitimacy of child.

TABLE P—Continued

AREA	1936				
	Total births 1/	White			Other races
		Total 1/	Mother native	Mother foreign-born	
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
FLORIDA	67.4	18.0	17.9	15.3	184.6
Cities of 10,000 or more	66.7	15.7	15.4	19.7	214.2
Cities of 2,500 to 10,000	58.4	10.1	10.0	12.3	199.5
Rural	71.3	23.3	23.3	--------	162.3
GEORGIA	78.2	16.1	16.1	10.2	167.4
Cities of 10,000 or more	88.6	18.0	18.0	12.5	210.8
Cities of 2,500 to 10,000	71.6	11.3	11.3	--------	184.9
Rural	75.7	16.3	16.3	--------	152.8
IDAHO	11.6	11.4	11.6	3.4	39.6
Cities of 10,000 or more	32.2	32.3	32.5	23.3	-------
Cities of 2,500 to 10,000	9.0	8.8	9.1	--------	76.9
Rural	7.2	6.7	6.9	--------	36.1
ILLINOIS	23.8	18.8	19.3	7.8	119.8
Cities of 10,000 or more	27.7	21.2	22.2	8.0	120.4
Cities of 2,500 to 10,000	18.0	15.7	15.8	--------	144.4
Rural	14.3	13.1	13.1	8.3	98.3
INDIANA	19.3	15.9	16.1	5.3	127.9
Cities of 10,000 or more	24.7	18.4	18.8	6.2	128.8
Cities of 2,500 to 10,000	13.4	12.8	12.8	--------	88.9
Rural	14.2	13.8	13.8	--------	133.3
IOWA	18.0	17.4	17.6	7.0	107.7
Cities of 10,000 or more	32.6	31.6	32.0	12.3	103.1
Cities of 2,500 to 10,000	10.6	10.2	10.1	7.0	166.7
Rural	8.2	8.2	8.3	2.2	105.3
KANSAS	16.1	12.9	12.9	11.4	116.1
Cities of 10,000 or more	28.8	21.4	21.5	14.7	138.2
Cities of 2,500 to 10,000	14.3	13.1	13.0	15.9	83.5
Rural	7.4	7.0	7.0	7.2	38.0
KENTUCKY	26.9	19.8	19.8	--------	151.2
Cities of 10,000 or more	36.6	19.7	19.8	--------	184.5
Cities of 2,500 to 10,000	34.6	20.9	20.7	--------	174.1
Rural	23.6	19.8	19.7	--------	121.8
LOUISIANA	84.4	18.4	18.6	--------	175.1
Cities of 10,000 or more	82.9	25.8	26.2	--------	175.6
Cities of 2,500 to 10,000	80.9	18.0	18.1	--------	192.0
Rural	85.8	13.8	13.9	--------	172.7
MAINE	31.8	31.7	34.0	14.3	69.8
Cities of 10,000 or more	36.7	36.6	39.6	20.2	71.4
Cities of 2,500 to 10,000	35.1	34.7	37.9	11.8	166.7
Rural	28.2	28.2	30.0	9.7	43.5
MARYLAND	74.4	25.7	26.3	4.3	256.4
Cities of 10,000 or more	70.9	22.7	23.6	5.0	261.0
Cities of 2,500 to 10,000	77.5	31.0	31.4	--------	417.1
Rural	79.8	30.2	30.1	--------	235.3
MICHIGAN	24.2	21.2	22.4	9.7	107.3
Cities of 10,000 or more	29.5	25.3	27.6	10.4	108.1
Cities of 2,500 to 10,000	13.5	12.8	13.3	2.2	86.4
Rural	15.5	14.7	14.9	8.2	104.3
MINNESOTA	22.0	20.6	20.9	10.4	133.4
Cities of 10,000 or more	33.7	33.3	34.2	14.1	79.7
Cities of 2,500 to 10,000	15.0	14.9	15.1	9.4	76.9
Rural	14.0	11.0	11.1	5.6	150.7
MISSISSIPPI	85.4	11.0	11.1	--------	146.3
Cities of 10,000 or more	97.6	16.5	16.7	--------	250.9
Cities of 2,500 to 10,000	76.5	6.6	6.6	--------	194.2
Rural	84.3	10.3	10.4	--------	137.5
MISSOURI	31.5	23.3	23.5	10.0	153.6
Cities of 10,000 or more	52.3	39.2	40.1	8.5	162.4
Cities of 2,500 to 10,000	22.1	13.7	13.8	--------	161.4
Rural	14.2	11.8	11.8	32.8	112.9
MONTANA	19.6	15.4	15.7	9.9	84.6
Cities of 10,000 or more	21.1	20.9	20.7	19.3	47.6
Cities of 2,500 to 10,000	15.3	14.9	15.8	--------	66.7
Rural	20.2	11.7	12.1	7.5	86.4
NEBRASKA	12.8	12.3	12.5	5.6	57.3
Cities of 10,000 or more	23.7	23.1	23.7	12.2	46.9
Cities of 2,500 to 10,000	7.2	6.6	6.7	--------	250.0
Rural	7.8	7.5	7.7	--------	63.3
NEVADA	12.0	8.3	6.6	27.3	67.4
Cities of 10,000 or more	---------	--------	--------	--------	-------
Cities of 2,500 to 10,000	8.5	5.9	6.5	--------	83.3
Rural	16.5	11.6	8.5	44.1	71.4
NEW HAMPSHIRE	21.4	21.0	22.5	9.3	500.0
Cities of 10,000 or more	19.8	19.6	22.1	6.0	333.3
Cities of 2,500 to 10,000	11.3	11.3	11.2	12.2	-------
Rural	27.1	26.4	26.7	18.3	666.7
NEW JERSEY	23.1	15.6	17.4	5.5	111.9
Cities of 10,000 or more	21.8	14.6	16.4	5.1	107.4
Cities of 2,500 to 10,000	23.2	14.4	15.9	2.2	133.1
Rural	32.7	24.0	25.0	14.2	189.2

1/ Includes "Country not stated."

79517 O—38——2

TABLE P—Continued

AREA	1936				
	Total births 1/	White			Other races
		Total 1/	Mother native	Mother foreign-born	
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
NEW MEXICO	39.0	36.8	36.3	41.4	85.1
Cities of 10,000 or more	41.6	38.3	37.1	40.0	105.9
Cities of 2,500 to 10,000	35.3	35.1	35.5	27.3	71.4
Rural	39.5	37.0	36.4	45.0	82.0
NORTH CAROLINA	75.5	26.1	21.6	--------	183.3
Cities of 10,000 or more	104.2	30.5	20.5	--------	281.1
Cities of 2,500 to 10,000	68.6	22.9	19.3	--------	251.1
Rural	69.1	25.3	22.1	--------	157.1
NORTH DAKOTA	20.0	17.6	18.4	6.8	95.2
Cities of 10,000 or more	49.0	49.1	48.7	59.4	--------
Cities of 2,500 to 10,000	15.5	15.6	16.5	--------	-------
Rural	12.8	8.8	9.5	--------	98.8
OHIO	23.6	18.4	19.2	3.9	118.1
Cities of 10,000 or more	26.6	19.4	20.6	3.9	121.6
Cities of 2,500 to 10,000	18.7	16.1	16.5	--------	104.0
Rural	18.3	17.2	17.3	5.6	90.5
OKLAHOMA	24.0	16.0	16.0	14.6	115.0
Cities of 10,000 or more	30.1	18.3	18.4	10.5	148.3
Cities of 2,500 to 10,000	18.3	10.1	10.1	--------	96.9
Rural	23.0	16.8	16.7	28.6	102.7
OREGON	14.2	14.1	14.6	5.4	18.3
Cities of 10,000 or more	22.9	22.9	24.1	8.4	14.7
Cities of 2,500 to 10,000	6.9	7.0	7.3	--------	-------
Rural	5.7	5.3	5.6	--------	26.3
PENNSYLVANIA	33.0	26.7	28.3	7.1	154.1
Cities of 10,000 or more	37.8	27.4	29.4	8.0	163.5
Cities of 2,500 to 10,000	25.2	24.6	26.1	2.3	71.4
Rural	27.3	26.5	27.4	6.8	84.7
RHODE ISLAND	28.3	25.7	30.1	5.6	136.2
Cities of 10,000 or more	28.7	26.1	30.7	5.3	142.9
Cities of 2,500 to 10,000	4.2	4.2	5.0	--------	-------
Rural	31.9	29.5	31.4	16.1	83.3
SOUTH CAROLINA	101.6	21.1	20.9	--------	179.8
Cities of 10,000 or more	122.1	27.0	26.2	--------	282.1
Cities of 2,500 to 10,000	93.9	19.7	19.7	--------	224.1
Rural	98.6	19.8	19.7	--------	164.4
SOUTH DAKOTA	17.9	15.3	15.4	5.4	64.1
Cities of 10,000 or more	30.5	30.2	30.2	--------	142.9
Cities of 2,500 to 10,000	16.2	15.8	16.2	--------	58.8
Rural	14.2	10.1	10.2	7.5	63.4
TENNESSEE	42.8	21.7	21.6	11.2	158.9
Cities of 10,000 or more	79.8	32.8	32.7	12.0	216.3
Cities of 2,500 to 10,000	36.1	18.3	18.3	--------	157.6
Rural	27.9	18.1	18.1	--------	104.3
TEXAS	29.3	16.3	15.4	24.2	121.5
Cities of 10,000 or more	42.9	29.5	28.7	35.3	149.6
Cities of 2,500 to 10,000	18.6	9.2	9.1	9.8	140.7
Rural	23.1	9.3	8.8	14.8	104.9
UTAH	11.2	10.5	10.7	7.5	70.3
Cities of 10,000 or more	15.8	15.6	16.0	9.6	50.0
Cities of 2,500 to 10,000	7.0	7.0	6.9	9.3	-------
Rural	8.5	6.9	7.0	--------	79.2
VERMONT	32.4	32.4	34.8	9.8	-------
Cities of 10,000 or more	52.7	52.7	55.1	19.2	-------
Cities of 2,500 to 10,000	30.3	30.3	31.8	18.8	-------
Rural	24.3	24.3	26.9	2.5	-------
VIRGINIA	72.4	27.3	27.3	--------	184.5
Cities of 10,000 or more	92.3	25.6	25.8	--------	254.7
Cities of 2,500 to 10,000	52.3	25.1	25.2	--------	193.7
Rural	67.8	28.1	28.1	--------	160.9
WASHINGTON	19.8	18.6	18.9	13.6	63.4
Cities of 10,000 or more	23.4	23.2	23.8	16.5	33.0
Cities of 2,500 to 10,000	11.0	9.7	10.3	--------	78.4
Rural	14.6	10.6	10.6	9.5	87.9
WEST VIRGINIA	43.7	39.9	40.4	--------	114.8
Cities of 10,000 or more	44.4	39.3	39.8	--------	159.2
Cities of 2,500 to 10,000	44.0	40.6	41.0	--------	121.0
Rural	43.5	39.9	40.4	--------	105.6
WISCONSIN	21.2	20.3	20.8	8.1	106.4
Cities of 10,000 or more	23.9	23.5	24.6	4.5	110.2
Cities of 2,500 to 10,000	17.3	17.3	17.6	5.7	-------
Rural	19.4	17.6	17.5	17.9	109.6
WYOMING	12.8	10.8	11.4	--------	85.9
Cities of 10,000 or more	23.1	20.8	21.9	--------	250.0
Cities of 2,500 to 10,000	15.6	15.7	16.5	--------	-------
Rural	9.2	6.3	6.7	--------	80.4

STILLBIRTH STATISTICS: 1936

INTRODUCTION

The annual presentation of stillbirth statistics was begun in 1922. Previous to that time the Bureau of the Census had published such data but once, in 1918.

The interpretation of the statistics relating to stillbirths should be made with caution. There is no single definition for "stillbirth" in general use, and the application of the term varies widely in the law and practices of the different States.

Therefore, it is suggested that persons interested in stillbirth statistics study table Q before drawing conclusions from the figures presented in tables relating to stillbirths.

TABLE Q

PERIOD OF UTEROGESTATION TO WHICH A STILLBORN CHILD MUST HAVE ADVANCED BEFORE A CERTIFICATE IS REQUIRED TO BE REGISTERED

STATE	Period	Authority
Alabama	Advanced to 5th month	Law
Arizona	Advanced to 5th month	Law
California	Advanced to 5th month	Law
Connecticut	Not less than 28 weeks	Law
District of Columbia	Passed the 5th month	Law
Florida	Advanced to 5th month	Law
Georgia	Advanced to 5th month	Law
Illinois	Advanced to 5th month	Law
Indiana	7 months and over	Law
Iowa	Advanced to 5th month	Law
Louisiana	Advanced to 5th month	Law
Michigan	Advanced to 5th month	Law
Minnesota	Advanced to 5th month	Law
Mississippi	Advanced to 5th month	Law
Nebraska	Advanced to 5th month	Law
New Mexico	Advanced to 5th month	Law
New York 1/	Advanced to 5th month	Law
North Carolina	Advanced to 5th month	Law
Oklahoma	Advanced to 5th month	Law
Oregon	Advanced to 5th month	Law
South Dakota	Advanced to 5th month	Law
Tennessee	Advanced to 5th month	Law
Texas	Advanced to 5th month	Law
Washington	Beyond the 7th month	Law
West Virginia	Advanced to 5th month	Law
Arkansas	5 months	Letter, State Board of Health
Colorado	5 months	Letter, State Board of Health
Delaware	No definite ruling	Letter, State Board of Health
Idaho	4 months	Letter, State Board of Health
Kansas	Passed the 28th week	Letter, State Board of Health
Kentucky	4 1/2 months	Letter, State Board of Health
Maine	5 months	Letter, State Board of Health
Massachusetts	After 4 1/2 months	Letter, State Board of Health
Missouri	Any period	Letter, State Board of Health
Montana	Passed 4th month or 16th week	Letter, State Board of Health
Nevada	6 months	Letter, State Board of Health
New Hampshire	No definite ruling	Letter, State Board of Health
New Jersey	Advanced to 5th month	Letter, State Board of Health
North Dakota	7th month	Letter, State Board of Health
Ohio	4 months	Letter, State Board of Health
Rhode Island	After the 6th month	Letter, State Board of Health
South Carolina	5 months	Letter, State Board of Health
Utah	6 months	Letter, State Board of Health
Vermont	About the 5th month	Letter, State Board of Health
Virginia	5 months	Letter, State Board of Health
Wisconsin	After the 5th month	Letter, State Board of Health
Wyoming	Advanced to 5th month	Letter, State Board of Health
Maryland	Any product of conception	Letter to doctors of Maryland Instructions for local registrars
Pennsylvania	Passed the 4th month	Letter to doctors of Maryland Instructions for local registrars

1/ Exclusive of New York City, where any product of conception is required to be registered.

NOTE.—Connecticut, Illinois, New Jersey, New York, North Carolina, Oregon, Texas, and the District of Columbia report a stillbirth as a stillbirth. In the remaining States a stillbirth is reported either as a birth or as both a birth and a death.

COMPARISON OF STILLBIRTH RATIOS: 1935 AND 1936

In 1936 the highest stillbirth ratio (5.9 per 100 live births) was for Georgia, closely followed by 5.8 for South Carolina. Ratios for the white populations of these States were 4.0 and 3.4, respectively, and for the populations of other races, 8.7 and 8.2, respectively. The next highest ratio (4.9 per 100 live births) was for both Florida and Maryland. In these States a large proportion of the population is of other races, for which the ratios were, respectively, 8.8 and 8.2, whereas the ratios for the white populations were only 3.3 and 4.0, respectively. The lowest stillbirth ratio (1.4 per 100 live births) was for Wyoming. A comparison of the figures for 1936 with those for 1935 shows that ratios were higher in 1936 in only 8 States and lower in 33.

In table R stillbirths per 100 live births are presented by race for certain States, and by cities of 10,000 inhabitants or more, cities of 2,500 to 10,000 inhabitants, and rural districts of each State, for the years 1935 and 1936. In 1936, in the United States, all rates were slightly lower than the corresponding rates for 1935.

Considering the States separately, rates in 1936 were lowest for rural districts in 29 States.

The stillbirth ratio for the population of other races in the United States (6.7 per 100 live births) was more than double that for the white (3.0) and for each State shown by race this marked difference prevailed, the greatest (5.5) being for Florida.

TABLE R

STILLBIRTHS PER 100 LIVE BIRTHS

AREA	1936 Total	1936 Cities of 10,000 or more	1936 Cities of 2,500 to 10,000	1936 Rural	1935 Total	1935 Cities of 10,000 or more	1935 Cities of 2,500 to 10,000	1935 Rural
United States	3.4	3.5	3.6	3.4	3.6	3.6	3.7	3.5
White	3.0	3.1	3.3	2.7	3.1	3.3	3.3	2.9
Other races	6.7	7.2	7.9	6.3	6.9	7.4	8.1	6.5
Alabama	4.4	5.4	5.4	4.1	4.8	5.6	5.7	4.6
White	3.0	3.6	4.3	2.7	3.4	3.7	4.6	3.2
Other races	6.7	8.6	8.3	6.2	7.1	8.8	8.5	6.7
Arizona	2.9	3.3	2.9	2.6	2.8	3.4	2.5	2.5
Arkansas	3.8	3.9	4.3	3.7	3.8	3.7	4.7	3.7
White	2.9	3.0	3.7	2.8	2.9	2.8	3.1	2.9
Other races	6.7	8.6	6.7	6.5	6.6	7.6	9.5	6.2
California	2.4	2.3	2.4	2.5	2.4	2.4	2.4	2.5
Colorado	3.0	3.2	2.8	2.9	2.9	3.1	3.2	2.5
Connecticut	2.5	2.5	2.0	3.0	2.6	2.7	2.2	2.4
Delaware	3.6	3.6	2.8	4.0	3.7	3.4	6.0	3.5
District of Columbia	3.7	3.7	----	---	3.8	3.8	----	----
White	2.7	2.7	----	---	3.1	3.1	----	----
Other races	5.8	5.8	----	---	5.1	5.1	----	----
Florida	4.9	5.0	4.8	5.0	5.6	5.7	5.2	5.7
White	3.3	3.2	3.1	3.5	3.7	3.4	3.4	4.0
Other races	8.8	10.1	9.5	7.7	10.1	11.8	9.7	9.1
Georgia	5.9	6.2	4.3	6.1	6.1	6.9	6.0	5.9
White	4.0	4.1	3.2	4.0	4.0	4.6	4.2	3.7
Other races	8.7	9.7	6.4	8.8	9.3	10.9	9.5	8.8
Idaho	2.4	1.8	2.7	2.5	2.3	2.4	2.3	2.3
Illinois	2.8	2.8	3.6	2.4	3.0	2.9	3.3	2.9
Indiana	2.4	2.5	2.8	2.1	2.7	3.0	3.3	2.2
Iowa	2.7	3.3	2.7	2.2	2.7	3.0	3.3	2.3
Kansas	2.6	3.0	3.7	2.0	2.7	3.1	3.3	2.3
Kentucky	3.6	3.6	4.1	3.6	3.3	3.5	2.2	3.4
White	3.5	3.3	4.0	3.5	3.2	3.2	1.9	3.3
Other races	6.4	6.6	5.0	6.5	6.4	6.2	5.0	6.9
Louisiana	4.7	5.0	4.9	4.6	4.9	5.1	5.4	4.7
White	3.2	3.8	3.6	2.7	3.4	3.9	3.6	3.0
Other races	6.8	6.9	7.0	6.8	7.0	6.9	8.2	6.9

TABLE R—Continued

AREA	STILLBIRTHS PER 100 LIVE BIRTHS							
	1936				1935			
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Maine	3.1	2.7	3.4	3.2	3.4	3.2	3.6	3.5
Maryland	4.9	4.4	8.3	5.2	5.6	5.3	8.5	5.5
White	4.0	3.7	6.0	4.1	4.8	4.6	7.4	4.6
Other races	8.2	7.4	1.7	8.6	8.4	7.8	15.0	8.5
Massachusetts	2.9	2.9	3.0	3.2	3.0	3.1	2.5	2.4
Michigan	3.0	3.1	3.6	2.7	3.1	3.2	3.2	2.9
Minnesota	2.6	3.0	3.4	2.1	2.7	3.2	2.9	2.3
Mississippi	4.7	6.9	5.7	4.4	4.8	6.8	4.6	4.5
White	3.1	4.6	5.5	2.7	3.1	4.3	4.3	2.8
Other races	6.1	11.4	6.0	5.7	6.2	10.9	5.1	5.9
Missouri	3.6	3.9	4.3	3.2	3.8	4.2	3.6	3.6
Montana	2.2	2.0	2.2	2.3	2.3	2.5	2.1	2.3
Nebraska	2.2	2.2	2.6	2.2	2.8	2.8	3.6	2.5
Nevada	2.2	2.8	2.3	2.2	2.2	0.4	1.3	3.1
New Hampshire	3.0	3.1	2.8	2.8	3.4	3.5	3.2	3.3
New Jersey	3.3	3.5	2.9	2.9	3.4	3.5	3.6	2.5
New Mexico	3.2	3.8	3.4	3.0	2.9	3.9	3.9	2.4
New York	4.0	4.2	3.2	2.5	4.0	4.2	3.3	2.7
North Carolina	4.1	5.4	5.7	3.6	4.1	5.8	6.1	3.6
White	3.0	3.6	4.4	2.7	3.0	3.6	5.0	2.7
Other races	6.4	9.5	11.1	5.4	6.5	10.4	9.9	5.4
North Dakota	2.7	2.8	3.2	2.6	2.6	2.9	3.0	2.4
Ohio	3.0	3.1	3.1	2.6	3.2	3.3	3.9	2.7
Oklahoma	2.8	2.8	3.7	2.6	2.9	3.2	3.2	2.7
White	2.6	2.5	3.4	2.4	2.7	2.9	3.1	2.5
Other races	5.2	5.0	6.3	4.8	5.1	6.4	4.3	4.5
Oregon	2.1	2.2	2.5	1.6	2.2	2.3	2.7	1.8
Pennsylvania	3.2	3.3	3.3	2.9	3.2	3.3	3.4	3.1
Rhode Island	3.0	3.0	3.0	3.0	2.9	2.8	2.7	3.8
South Carolina	5.8	8.2	7.1	5.3	6.1	8.0	7.8	5.6
White	3.4	4.5	4.2	2.9	3.7	4.0	4.9	3.4
Other races	8.2	14.3	12.2	7.2	8.3	14.3	12.8	7.3
South Dakota	2.1	2.3	2.5	1.9	2.7	3.1	2.8	2.5
Tennessee	3.9	4.7	5.4	3.4	4.0	5.0	4.3	3.7
White	3.4	3.9	4.7	3.1	3.6	3.9	3.7	3.5
Other races	6.4	7.1	10.1	5.2	6.6	7.9	7.9	5.2
Texas	3.5	3.8	3.9	3.2	3.8	4.1	3.9	3.6
White	3.1	3.3	3.4	2.8	3.3	3.6	3.5	3.1
Other races	6.5	7.5	9.4	5.6	7.3	8.5	8.3	6.7
Utah	2.0	2.2	2.2	1.7	2.2	2.3	2.4	1.9
Vermont	2.8	2.3	2.5	3.2	2.9	2.9	3.4	2.7
Virginia	4.4	5.7	5.1	3.8	4.2	6.0	4.1	3.7
White	3.2	3.9	4.5	2.8	3.2	4.2	3.6	2.8
Other races	7.2	10.0	8.3	6.2	6.8	10.4	6.8	5.7
Washington	2.0	2.0	1.6	2.1	2.1	2.4	1.9	1.7
West Virginia	3.7	4.4	5.5	3.3	3.9	4.7	5.7	3.6
Wisconsin	2.4	2.5	3.0	2.2	2.4	2.4	3.0	2.2
Wyoming	1.4	1.4	1.7	1.4	2.0	1.7	1.5	2.2

STILLBIRTHS BY MONTHS

Table S shows stillbirths per 100 live births by month of birth for the years 1935 and 1936. A comparison of the ratios for the 2 years shows the differences to be very slight. Rates were lower in 1936 for every month except March, the lowest rate (3.2) being for August and September.

TABLE S

MONTH OF BIRTH	STILLBIRTHS PER 100 LIVE BIRTHS IN THE UNITED STATES IN—	
	1936	1935
Total	3.4	3.6
January	3.6	3.7
February	3.5	3.6
March	3.6	3.6
April	3.6	3.8
May	3.6	3.7
June	3.4	3.6
July	3.3	3.4
August	3.2	3.3
September	3.2	3.3
October	3.4	3.6
November	3.5	3.7
December	3.4	3.5

STILLBIRTHS BY AGE OF MOTHER

Table T shows stillbirths per 100 live births, by age of mother, and plainly indicates that as mothers grow older the tendency for stillbirths among them becomes greater, especially after the age of 30. The ratios of 8.0 for mothers 45 to 49 years of age, and 10.3 for those aged 50 or more, are in marked contrast with 2.8 and 2.9 for mothers in the age periods 20 to 24 and 25 to 29 years, respectively.

TABLE T

AGE OF MOTHER	UNITED STATES: 1936		
	Live births	Stillbirths	Stillbirths per 100 live births
All ages	2,144,790	73,735	3.4
10 to 14 years	2,938	185	6.3
15 to 19 years	269,223	9,937	3.7
20 to 24 years	667,019	18,748	2.8
25 to 29 years	565,830	16,401	2.9
30 to 34 years	353,834	12,177	3.4
35 to 39 years	206,034	9,553	4.6
40 to 44 years	68,484	4,255	6.2
45 to 49 years	6,636	534	8.0
50 years and over	165	17	10.3
Not stated	4,627	1,928	41.7

Table U shows the distribution of births and stillbirths, by age of mother, in the United States.

TABLE U

AGE OF MOTHER	DISTRIBUTION PER 1,000, BY AGE OF MOTHER, IN THE UNITED STATES: 1936	
	Live births	Stillbirths
All ages	1,000.0	1,000.0
10 to 14 years	1.4	2.5
15 to 19 years	125.5	134.8
20 to 24 years	311.0	254.3
25 to 29 years	263.8	222.4
30 to 34 years	165.0	165.1
35 to 39 years	96.1	129.6
40 to 44 years	31.9	57.7
45 to 49 years	3.1	7.2
50 years and over	0.1	0.2
Not stated	2.2	26.1

STILLBIRTHS BY LEGITIMACY

Table V shows the number of stillbirths, with the ratio to 100 live births, by legitimacy, for cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000, and rural districts of the United States and each State.

Ratios were higher for illegitimates in all States except three—Nevada, South Dakota, and Vermont. In 22 States rates of illegitimacy were highest in the smaller cities and in 9 States the highest rates were for the larger cities.

TABLE V

AREA	1936					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
UNITED STATES 1/	62,694	57,330	5,364	3.5	3.3	7.4
White	45,964	44,327	1,637	2.9	2.9	5.1
Other races	16,730	13,003	3,727	6.7	6.2	9.2
Cities of 10,000 or more	25,878	23,659	2,219	3.4	3.3	7.3
White	20,351	19,580	771	3.0	3.0	4.7
Other races	5,527	4,079	1,448	7.2	6.5	10.3
Cities of 2,500 to 10,000	7,372	6,859	513	3.7	3.5	8.9
White	6,149	5,961	188	3.3	3.3	6.3
Other races	1,223	898	325	8.0	7.2	11.7
Rural	29,444	26,812	2,632	3.4	3.2	7.3
White	19,464	18,786	678	2.8	2.7	5.5
Other races	9,980	8,026	1,954	6.3	6.0	8.2
ALABAMA	2,659	2,249	410	4.4	4.1	8.2
White	1,099	1,059	40	3.0	2.9	6.7
Other races	1,560	1,190	370	6.7	6.3	8.4
Cities of 10,000 or more	613	502	111	5.4	4.8	10.9
White	261	245	16	3.6	3.4	10.3
Other races	352	257	95	8.6	8.0	11.1
Cities of 2,500 to 10,000	187	163	24	5.4	5.0	10.5
White	108	106	2	4.3	4.3	6.1
Other races	79	57	22	8.3	7.5	11.3
Rural	1,859	1,584	275	4.1	3.8	7.3
White	730	708	22	2.7	2.7	5.4
Other races	1,129	876	253	6.2	5.9	7.5

1/ Exclusive of California, Massachusetts, and New York. These States do not require a statement concerning legitimacy of child.

TABLE V—Continued

1936

AREA	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
ARIZONA	277	267	10	2.9	2.9	3.7
Cities of 10,000 or more	106	103	3	3.3	3.3	3.4
Cities of 2,500 to 10,000	70	68	2	2.9	2.8	3.5
Rural	101	96	5	2.6	2.5	4.0
ARKANSAS	1,274	1,170	104	3.8	3.7	6.7
White	729	711	18	2.9	2.8	4.9
Other races	545	459	86	6.7	6.6	7.3
Cities of 10,000 or more	138	129	9	3.9	3.8	6.1
White	89	87	2	3.0	3.0	3.1
Other races	49	42	7	8.6	9.1	6.3
Cities of 2,500 to 10,000	141	130	11	4.3	4.2	7.3
White	94	93	1	3.7	3.6	4.0
Other races	47	37	10	6.7	6.4	7.9
Rural	995	911	84	3.7	3.6	6.8
White	546	531	15	2.8	2.7	5.4
Other races	449	380	69	6.5	6.4	7.3
COLORADO	553	525	28	3.0	2.9	6.8
Cities of 10,000 or more	263	247	16	3.2	3.2	5.4
Cities of 2,500 to 10,000	84	76	8	2.8	2.6	22.9
Rural	206	202	4	2.9	2.8	4.7
CONNECTICUT	563	545	18	2.5	2.5	4.2
Cities of 10,000 or more	474	457	17	2.5	2.5	5.0
Cities of 2,500 to 10,000	24	23	1	2.0	1.9	5.3
Rural	65	65	-----	3.0	3.1	-----
DELAWARE	143	124	19	3.5	3.4	7.3
Cities of 10,000 or more	78	70	8	3.6	3.4	7.3
Cities of 2,500 to 10,000	12	9	3	2.8	2.2	10.7
Rural	53	45	8	4.0	3.7	6.6
DISTRICT OF COLUMBIA	432	360	72	3.7	3.4	7.4
White	212	204	8	2.7	2.6	4.5
Other races	220	156	64	5.8	5.2	8.1
FLORIDA	1,388	1,218	170	4.9	4.6	9.0
White	657	639	18	3.3	3.3	5.1
Other races	731	579	152	8.8	8.5	9.9
Cities of 10,000 or more	535	454	81	5.0	4.5	11.3
White	256	246	10	3.2	3.1	8.0
Other races	279	208	71	10.1	9.6	12.0
Cities of 2,500 to 10,000	215	184	31	4.8	4.3	11.7
White	106	104	2	3.1	3.1	5.9
Other races	109	80	29	9.5	8.7	12.6
Rural	638	580	58	5.0	4.9	6.3
White	295	289	6	3.5	3.5	3.1
Other races	343	291	52	7.7	7.8	7.2
GEORGIA	3,648	3,103	545	5.9	5.5	11.3
White	1,439	1,398	41	4.0	3.9	7.0
Other races	2,209	1,705	504	8.7	8.1	11.9
Cities of 10,000 or more	859	706	153	6.2	5.6	12.4
White	363	351	12	4.1	4.0	7.5
Other races	496	355	141	9.7	8.8	13.1
Cities of 2,500 to 10,000	286	244	42	4.3	4.0	8.8
White	139	134	5	3.2	3.1	10.2
Other races	147	110	37	6.4	5.9	8.7
Rural	2,503	2,153	350	6.1	5.7	11.2
White	937	913	24	4.0	4.0	6.3
Other races	1,566	1,240	326	8.8	8.2	11.9
IDAHO	253	247	6	2.5	2.4	5.0
Cities of 10,000 or more	27	26	1	1.8	1.8	2.1
Cities of 2,500 to 10,000	120	117	3	2.7	2.7	7.5
Rural	106	104	2	2.5	2.4	6.5
ILLINOIS	3,099	2,992	107	2.8	2.7	4.0
Cities of 10,000 or more	2,122	2,039	83	2.8	2.7	3.9
Cities of 2,500 to 10,000	375	367	8	3.6	3.6	4.2
Rural	602	586	16	2.4	2.4	4.5
INDIANA	1,286	1,242	44	2.4	2.3	4.2
Cities of 10,000 or more	680	653	27	2.5	2.5	4.1
Cities of 2,500 to 10,000	171	170	1	2.8	2.8	1.2
Rural	435	419	16	2.1	2.0	5.4
IOWA	1,156	1,118	38	2.7	2.7	5.0
Cities of 10,000 or more	536	515	21	3.3	3.2	3.9
Cities of 2,500 to 10,000	181	179	2	2.7	2.7	2.8
Rural	439	424	15	2.2	2.2	9.3
KANSAS	785	763	22	2.6	2.6	4.6
Cities of 10,000 or more	321	309	12	3.0	3.0	3.9
Cities of 2,500 to 10,000	174	169	5	3.7	3.6	7.4
Rural	290	285	5	2.0	2.0	4.7
KENTUCKY	2,029	1,891	138	3.6	3.5	9.2
White	1,838	1,742	96	3.5	3.4	9.2
Other races	191	149	42	6.4	5.8	9.3
Cities of 10,000 or more	382	349	33	3.6	3.5	8.6
White	311	295	16	3.3	3.2	8.6
Other races	71	54	17	6.6	6.2	8.6
Cities of 2,500 to 10,000	182	172	10	4.1	4.0	6.5
White	162	155	7	4.0	3.9	8.2
Other races	20	17	3	5.0	5.1	4.3
Rural	1,465	1,370	95	3.6	3.4	9.9
White	1,365	1,292	73	3.5	3.4	9.4
Other races	100	78	22	6.5	5.8	11.8
LOUISIANA	2,079	1,661	418	4.7	4.1	11.3
White	816	797	19	3.2	3.2	4.1
Other races	1,263	864	399	6.8	5.7	12.3
Cities of 10,000 or more	717	519	198	5.0	3.9	16.6
White	337	325	12	3.8	3.8	5.2
Other races	380	194	186	6.9	4.3	19.4
Cities of 2,500 to 10,000	198	165	33	4.9	4.4	10.0
White	95	94	1	3.6	3.7	2.1
Other races	103	71	32	7.0	6.0	11.3
Rural	1,164	977	187	4.6	4.2	8.6
White	384	378	6	2.8	2.8	3.1
Other races	780	599	181	6.8	6.3	9.1

TABLE V—Continued

1936

AREA	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
MAINE	472	454	18	3.1	3.1	3.7
Cities of 10,000 or more	132	125	7	2.7	2.7	3.9
Cities of 2,500 to 10,000	70	67	3	3.4	3.3	4.1
Rural	270	262	8	3.2	3.2	3.4
MARYLAND	1,291	1,106	185	4.9	4.5	9.4
White	832	794	38	4.0	3.9	7.0
Other races	459	312	147	8.2	7.5	10.2
Cities of 10,000 or more	699	620	79	4.4	4.2	7.0
White	462	445	17	3.7	3.6	5.9
Other races	237	175	62	7.4	7.4	7.4
Cities of 2,500 to 10,000	120	98	22	7.3	6.4	17.2
White	87	81	6	6.0	5.8	13.3
Other races	33	17	16	16.6	14.7	19.3
Rural	472	388	84	5.2	4.6	11.5
White	283	268	15	4.1	4.0	7.2
Other races	189	120	69	8.6	7.1	13.3
MICHIGAN	2,650	2,542	108	3.0	2.9	5.0
Cities of 10,000 or more	1,727	1,646	81	3.1	3.0	4.9
Cities of 2,500 to 10,000	290	278	12	3.6	3.5	10.9
Rural	633	618	15	2.7	2.6	4.1
MINNESOTA	1,247	1,215	32	2.6	2.6	3.1
Cities of 10,000 or more	570	554	16	3.0	3.0	2.5
Cities of 2,500 to 10,000	230	225	5	3.4	3.4	4.9
Rural	447	436	11	2.1	2.0	3.6
MISSISSIPPI	2,348	2,010	338	4.7	4.4	8.0
White	691	677	14	3.1	3.1	5.7
Other races	1,657	1,333	324	6.1	5.7	8.2
Cities of 10,000 or more	347	284	63	6.9	6.3	12.9
White	149	146	3	4.6	4.5	5.6
Other races	198	138	60	11.4	10.6	13.8
Cities of 2,500 to 10,000	110	94	16	5.7	5.3	10.8
White	67	64	3	5.5	5.3	37.5
Other races	43	30	13	6.0	5.2	9.3
Rural	1,891	1,632	259	4.4	4.2	7.2
White	475	467	8	2.7	2.7	4.3
Other races	1,416	1,165	251	5.7	5.5	7.4
MISSOURI	2,013	1,875	138	3.6	3.5	7.8
Cities of 10,000 or more	933	835	98	3.9	3.6	7.7
Cities of 2,500 to 10,000	237	222	15	4.3	4.1	12.2
Rural	843	818	25	3.2	3.2	6.7
MONTANA	227	220	7	2.2	2.2	3.4
Cities of 10,000 or more	66	65	1	2.0	2.0	1.4
Cities of 2,500 to 10,000	41	39	2	2.2	2.2	7.1
Rural	120	116	4	2.3	2.2	3.7
NEBRASKA	529	521	8	2.2	2.2	2.6
Cities of 10,000 or more	166	161	5	2.2	2.2	2.8
Cities of 2,500 to 10,000	80	79	1	2.6	2.6	4.5
Rural	283	281	2	2.2	2.2	1.9
NEVADA	31	31	-----	2.2	2.2	-----
Cities of 10,000 or more	4	4	-----	1.8	1.8	-----
Cities of 2,500 to 10,000	8	8	-----	2.3	2.3	-----
Rural	19	19	-----	2.2	2.3	-----
NEW HAMPSHIRE	228	215	13	3.0	2.9	7.9
Cities of 10,000 or more	136	129	7	3.1	3.0	8.1
Cities of 2,500 to 10,000	22	21	1	2.8	2.7	11.1
Rural	70	65	5	2.8	2.6	7.2
NEW JERSEY	1,801	1,741	60	3.3	3.3	4.8
Cities of 10,000 or more	1,499	1,448	51	3.5	3.4	5.4
Cities of 2,500 to 10,000	133	131	2	2.9	2.9	1.9
Rural	169	162	7	2.9	2.9	3.7
NEW MEXICO	407	383	24	3.2	3.1	4.8
Cities of 10,000 or more	65	61	4	3.8	3.7	5.6
Cities of 2,500 to 10,000	74	66	8	3.4	3.1	10.4
Rural	268	256	12	3.0	3.0	3.4
NORTH CAROLINA	3,116	2,670	446	4.1	3.8	7.8
White	1,579	1,505	74	3.0	3.0	5.4
Other races	1,537	1,165	372	6.4	6.0	8.5
Cities of 10,000 or more	746	601	145	5.4	4.8	10.0
White	358	344	14	3.6	3.6	4.7
Other races	388	257	131	9.5	8.7	11.4
Cities of 2,500 to 10,000	367	311	56	5.7	5.2	12.8
White	224	215	9	4.4	4.3	7.7
Other races	143	96	47	11.1	10.0	14.6
Rural	2,003	1,758	245	3.6	3.4	6.3
White	997	946	51	2.7	2.6	5.4
Other races	1,006	812	194	5.4	5.2	6.7
NORTH DAKOTA	366	356	10	2.7	2.7	3.7
Cities of 10,000 or more	72	66	6	2.8	2.7	4.7
Cities of 2,500 to 10,000	57	56	1	3.2	3.2	3.6
Rural	237	234	3	2.6	2.6	2.6
OHIO	3,088	2,955	133	3.0	2.9	5.4
Cities of 10,000 or more	2,047	1,952	95	3.1	3.1	5.5
Cities of 2,500 to 10,000	270	262	8	3.1	3.1	5.0
Rural	771	741	30	2.6	2.5	5.5
OKLAHOMA	1,182	1,126	56	2.8	2.8	5.6
White	1,007	980	27	2.6	2.6	4.4
Other races	175	146	29	5.2	4.9	7.5
Cities of 10,000 or more	306	284	22	2.8	2.6	6.6
White	256	249	7	2.5	2.5	3.8
Other races	50	35	15	5.0	4.1	10.1
Cities of 2,500 to 10,000	269	260	9	3.7	3.6	6.7
White	225	221	4	3.4	3.4	6.0
Other races	44	39	5	6.3	6.2	7.4
Rural	607	582	25	2.6	2.6	4.7
White	526	510	16	2.4	2.4	4.4
Other races	81	72	9	4.8	4.8	5.2

TABLE V—Continued

AREA	1936 STILLBIRTHS Total	Legitimate	Illegitimate	1936 STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
OREGON	297	286	11	2.1	2.1	5.6
Cities of 10,000 or more	148	140	8	2.2	2.2	5.3
Cities of 2,500 to 10,000	83	81	2	2.5	2.5	8.7
Rural	66	65	1	1.6	1.6	4.3
PENNSYLVANIA	5,034	4,714	320	3.2	3.1	6.1
Cities of 10,000 or more	2,965	2,760	205	3.3	3.2	6.0
Cities of 2,500 to 10,000	687	660	27	3.3	3.2	5.1
Rural	1,382	1,294	88	2.9	2.8	6.7
RHODE ISLAND	302	292	10	3.0	3.0	3.5
Cities of 10,000 or more	279	270	9	3.0	3.0	3.3
Cities of 2,500 to 10,000	7	7	-----	3.0	3.0	-----
Rural	16	15	1	3.0	2.9	5.9
SOUTH CAROLINA	2,286	1,890	396	5.8	5.4	9.9
White	650	522	28	3.4	3.3	6.9
Other races	1,636	1,268	368	8.2	7.8	10.3
Cities of 10,000 or more	454	342	112	8.2	7.0	16.5
White	158	149	9	4.5	4.4	9.6
Other races	296	193	103	14.3	13.0	17.7
Cities of 2,500 to 10,000	210	173	37	7.1	6.5	13.4
White	79	74	5	4.2	4.0	13.5
Other races	131	99	32	12.2	11.9	13.3
Rural	1,622	1,375	247	5.3	5.0	8.1
White	413	399	14	2.9	2.9	5.1
Other races	1,209	976	233	7.2	7.0	8.4
SOUTH DAKOTA	267	265	2	2.1	2.1	0.9
Cities of 10,000 or more	63	62	1	2.3	2.3	1.2
Cities of 2,500 to 10,000	39	39	-----	2.5	2.6	-----
Rural	165	164	1	1.9	1.9	0.8
TENNESSEE	1,969	1,803	166	3.9	3.7	7.7
White	1,470	1,409	61	3.4	3.4	6.6
Other races	499	394	105	6.4	6.0	8.5
Cities of 10,000 or more	654	578	76	4.7	4.5	6.9
White	402	385	17	3.9	3.9	5.0
Other races	252	193	59	7.1	6.9	7.7
Cities of 2,500 to 10,000	215	190	25	5.4	4.9	17.2
White	163	157	6	4.7	4.6	9.4
Other races	52	33	19	10.1	7.6	23.5
Rural	1,100	1,035	65	3.4	3.3	7.1
White	905	867	38	3.1	3.1	7.2
Other races	195	168	27	5.2	5.0	7.0
TEXAS	3,905	3,672	233	3.5	3.4	7.1
White	3,010	2,921	89	3.1	3.0	5.6
Other races	895	751	144	6.5	6.2	8.6
Cities of 10,000 or more	1,437	1,325	112	3.8	3.6	6.8
White	1,116	1,061	55	3.3	3.2	5.5
Other races	321	264	57	7.5	7.3	8.9

TABLE V—Continued

AREA	1936 STILLBIRTHS Total	Legitimate	Illegitimate	1936 STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
TEXAS—Continued						
Cities of 2,500 to 10,000	568	538	30	3.9	3.7	11.0
White	469	459	10	3.4	3.4	8.0
Other races	99	79	20	9.4	8.7	13.5
Rural	1,900	1,809	91	3.2	3.2	6.7
White	1,425	1,401	24	2.8	2.8	5.1
Other races	475	408	67	5.6	5.4	7.6
UTAH	255	252	3	2.0	2.0	2.1
Cities of 10,000 or more	116	116	-----	2.2	2.3	-----
Cities of 2,500 to 10,000	62	61	1	2.2	2.1	5.0
Rural	77	75	2	1.7	1.7	5.3
VERMONT	183	178	5	2.8	2.9	2.4
Cities of 10,000 or more	35	34	1	2.3	2.3	1.2
Cities of 2,500 to 10,000	37	37	-----	2.5	2.6	-----
Rural	111	107	4	3.2	3.2	4.8
VIRGINIA	2,235	1,907	328	4.4	4.0	8.8
White	1,176	1,102	74	3.2	3.1	7.4
Other races	1,059	805	254	7.2	6.7	9.4
Cities of 10,000 or more	683	566	117	5.7	5.2	10.6
White	333	314	19	3.9	3.8	8.7
Other races	350	252	98	10.0	9.7	11.0
Cities of 2,500 to 10,000	190	160	30	5.1	4.6	15.5
White	140	128	12	4.5	4.2	15.4
Other races	50	32	18	8.3	6.6	15.5
Rural	1,362	1,181	181	3.8	3.6	7.5
White	703	660	43	2.8	2.7	6.1
Other races	659	521	138	6.2	5.8	8.1
WASHINGTON	468	448	20	2.0	2.0	4.3
Cities of 10,000 or more	300	286	14	2.0	2.0	4.0
Cities of 2,500 to 10,000	43	43	-----	1.6	1.7	-----
Rural	125	119	6	2.1	2.0	6.9
WEST VIRGINIA	1,524	1,429	95	3.7	3.7	5.3
Cities of 10,000 or more	330	309	21	4.4	4.3	6.4
Cities of 2,500 to 10,000	205	195	10	5.5	5.5	6.1
Rural	989	925	64	3.3	3.3	5.0
WISCONSIN	1,281	1,233	48	2.4	2.4	4.3
Cities of 10,000 or more	605	588	17	2.5	2.4	2.9
Cities of 2,500 to 10,000	211	205	6	3.0	3.0	5.0
Rural	465	440	25	2.2	2.1	6.1
WYOMING	68	66	2	1.4	1.4	3.3
Cities of 10,000 or more	11	10	1	1.4	1.3	5.6
Cities of 2,500 to 10,000	17	17	-----	1.7	1.7	-----
Rural	40	39	1	1.4	1.3	3.7

PERCENT OF STILLBIRTHS FROM CERTAIN CAUSES AT SPECIFIED PERIODS OF UTEROGESTATION

In table W the percentage distribution by sex and by cause is shown for the number of stillbirths reported in seven States, the District of Columbia, and Baltimore, Md., the total number being 15,162. Similar tabulations are not available for other States or cities, as information concerning the cause of stillbirths and the period of gestation is not returned on a sufficient number of transcripts to warrant its tabulation.

Note the much greater preponderance of males in the stillbirths of the first 4 months of uterogestation as compared with those of the later months. The following comments apply to male stillbirths presented for the seventh, eighth, and ninth months of uterogestation, these being the months for which stillbirths are believed to be best reported.

For stillbirths of 7 months, only 17.6 percent were due to causes not specified or unknown, though this percentage would change to 24.6 if the terms "abortion, miscarriage, and premature birth" were included. For stillbirths of 8 and 9 months, 15.5 and 15.3 percent, respectively, were due to unknown or not specified causes.

Of the well-defined causes of stillbirths of 7 months' uterogestation, separation of the placenta was the principal cause, being responsible for 12.2 percent of the total. Next in importance were toxemia of pregnancy and prolapse and compression of cord, each 6.6 percent; malformations, 5.8 percent; and placenta praevia, 5.3 percent.

Of the well-defined causes of 8 months' uterogestation, prolapse and compression of cord was of first importance, responsible for 15.3 percent of the total. Next in importance were other difficult labor, 11.6 percent; separation of placenta, 7.8 percent; and malformations, 6.1 percent.

Of the well-defined causes of 9 months' uterogestation, prolapse and compression of cord was the principal cause, responsible for 19.1 percent of the total. Next in importance were other difficult labor, 14.1 percent; asphyxia of child, 7.2 percent; malformations, 6.2 percent; and separation of placenta, 5.1 percent.

From table X, which shows the percent of stillbirths at specified periods of uterogestation by sex and cause of stillbirth, it is found that 29.6 percent of the male and 29.8 percent of the female stillbirths reported were at the ninth month, and that for 19 of the 20 groups of causes there were more stillbirths of males than females. Malformations, as usual, was the only cause responsible for more stillbirths of females than males.

As causes of stillbirths among males, albuminuria, nephritis, and other diseases incident to pregnancy played their most important role at the seventh and eighth months; the higher percentages of stillbirths from abortion, miscarriage, and premature birth were credited to the fifth and sixth months; the higher percentages from both eclampsia of pregnancy and toxemia of pregnancy were credited to the seventh, eighth, and ninth months; from traumatism to the fifth and sixth months; from placenta praevia to the seventh months; from separation of placenta to the seventh, eighth, and ninth months; from syphilis to the eighth and ninth months; from other deaths in utero to the eighth month; and for all other causes listed the higher percentages were for the ninth month.

TABLE W

A SELECTED AREA:1/ 1936

SEX AND CAUSE OF STILLBIRTH	Total	Period of uterogestation of stillbirth: Under 4 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Stillbirths, number	15,162	383	688	1,236	1,628	2,138	3,328	4,496	130	1,135
Male	8,497	298	470	692	888	1,113	1,816	2,511	76	633
Female	6,665	85	218	544	740	1,025	1,512	1,985	54	502
PERCENT OF EACH SEX										
Male	56.0	77.8	68.3	56.0	54.5	52.1	54.6	55.8	58.5	55.8
Female	44.0	22.2	31.7	44.0	45.5	47.9	45.4	44.2	41.5	44.2
PERCENT OF EACH CAUSE TO ALL CAUSES OF EACH SEX										
All causes—M	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
F	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Syphilis—M	2.3	2.7	2.1	1.9	2.8	3.0	2.6	1.9	2.6	1.7
F	2.1	-------	1.8	2.9	3.5	3.5	1.9	1.3	----------	1.2
Eclampsia of pregnancy—M	1.5	-------	0.2	0.7	1.6	3.4	1.9	1.2	2.6	0.9
F	1.5	1.2	--------	0.6	2.6	2.8	1.9	0.9	----------	0.6
Toxemia of pregnancy—M	3.5	1.0	2.1	3.2	5.1	6.6	3.8	2.7	----------	1.4
F	3.6	1.2	3.7	2.2	5.9	6.0	3.7	2.5	5.6	1.8
Albuminuria, nephritis, and other diseases incident to pregnancy—M	2.0	1.3	1.5	2.9	2.7	4.4	2.1	1.0	----------	0.8
F	2.5	1.2	2.8	3.1	3.8	4.4	2.4	1.5	----------	1.0
Malformations—M	4.9	0.3	1.3	2.2	4.2	5.8	6.1	6.2	9.2	2.5
F	8.1	1.2	0.9	2.6	6.6	12.5	8.3	9.6	7.4	4.6
Placenta praevia—M	2.9	1.3	1.9	2.9	5.4	5.3	2.8	1.8	----------	1.4
F	2.9	2.4	3.7	2.9	4.1	4.8	2.8	2.1	3.7	0.8
Separation of placenta—M	7.0	4.4	3.2	7.7	9.0	12.2	7.8	5.1	2.6	3.9
F	7.1	2.4	6.4	9.7	9.1	9.7	8.0	4.8	5.6	1.8
Other diseases of the placenta and membranes—M	2.1	1.0	2.3	2.2	2.5	2.2	2.3	2.3	1.3	0.3
F	1.9	2.4	0.9	3.3	2.2	1.8	1.7	2.3	----------	0.4
Abortion, miscarriage, and premature birth—M	7.2	30.5	23.4	20.1	15.4	7.0	1.8	0.3	----------	3.5
F	7.0	30.6	26.1	22.6	16.6	7.5	2.2	0.5	----------	4.0
Prolapse and compression of cord—M	11.2	1.3	3.4	3.3	3.2	6.6	15.3	19.1	14.5	6.6
F	10.6	2.4	2.3	3.3	3.2	5.3	13.2	18.0	20.4	7.0
Breech presentation—M	2.4	-------	--------	0.3	0.5	1.2	3.5	4.3	2.6	1.1
F	2.4	-------	--------	0.4	0.4	0.8	3.2	4.2	5.6	1.8
Other malpresentations—M	1.7	-------	0.2	0.3	0.6	1.1	2.3	3.3	1.3	0.6
F	1.5	-------	--------	--------	0.1	0.5	2.1	2.8	5.6	0.6
Deformed pelvis—M	1.3	0.3	0.2	--------	0.2	0.2	1.8	2.6	5.3	0.8
F	0.8	-------	0.5	--------	--------	0.1	1.2	1.6	3.7	0.4
Other difficult labor—M	7.4	-------	--------	--------	0.8	1.7	11.6	14.1	14.5	3.6
F	6.0	-------	--------	--------	0.3	1.7	9.1	11.4	13.0	1.8
Asphyxia of child (cause not stated)—M	4.6	1.8	3.4	2.5	3.2	3.5	4.4	7.2	18.4	2.1
F	4.9	1.2	1.4	3.1	2.8	3.1	4.0	8.8	5.6	2.4
Maceration—M	2.0	1.0	1.7	1.2	2.4	3.0	1.5	2.6	3.9	0.5
F	1.6	-------	0.9	0.2	2.6	2.1	1.4	2.1	3.7	-----
Other deaths in utero—M	3.3	2.7	4.3	3.3	5.3	4.7	4.7	1.7	----------	0.5
F	3.6	8.2	4.1	4.2	4.5	4.9	5.0	1.7	3.7	0.8
Traumatism (exclusive of overwork)—M	2.1	5.0	5.7	5.2	4.3	2.2	1.2	0.6	----------	0.3
F	1.9	4.7	4.6	4.2	3.0	3.1	1.2	0.5	----------	1.6
Other specified causes—M	7.4	9.4	8.9	11.4	6.5	8.3	7.2	6.8	10.5	3.3
F	7.7	11.8	6.9	8.8	6.1	9.3	9.9	6.8	7.4	3.0
Causes not specified and unknown—M	23.1	35.9	34.0	28.9	24.5	17.6	15.5	15.3	10.5	64.0
F	22.4	29.4	33.0	25.7	22.7	16.3	16.8	16.9	9.3	64.5

1/ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore (Md.), and the District of Columbia.

TABLE X

A SELECTED AREA:1/ 1936

CAUSE OF STILLBIRTH	Stillbirths: Number: Total	M	F	Percent of each sex: M	F	Percent of stillbirths at specified period of uterogestation for total of each sex: All periods M and F	Under 4 months: M	F	4 months: M	F	5 months: M	F	6 months: M	F	7 months: M	F	8 months: M	F	9 months: M	F	10 months and over: M	F	Unknown: M	F
All causes	15,162	8,497	6,665	56.0	44.0	100.0	3.5	1.3	5.5	3.3	8.1	8.2	10.5	11.1	13.1	15.4	21.4	22.7	29.6	29.8	0.9	0.8	7.5	7.5
Syphilis	339	197	142	58.1	41.9	100.0	4.1	---	5.1	2.8	6.6	11.3	12.7	18.3	16.8	25.4	23.9	20.4	24.4	17.6	1.0	---	5.6	4.2
Eclampsia of pregnancy	230	129	101	56.1	43.9	100.0	---	1.0	0.8	---	3.9	3.0	10.9	18.8	29.5	28.7	26.4	28.7	22.5	16.8	1.6	---	4.7	3.0
Toxemia of pregnancy	543	300	243	55.2	44.8	100.0	1.0	0.4	3.3	3.3	7.3	4.9	15.0	18.1	24.7	25.1	23.0	23.0	22.7	20.2	---	1.2	3.0	3.7
Albuminuria, nephritis, and other diseases incident to pregnancy	342	173	169	50.6	49.4	100.0	2.3	0.6	4.0	3.6	11.6	10.1	13.9	16.6	28.3	26.6	22.5	21.9	14.5	17.8	---	---	2.9	3.0
Malformations	950	413	537	43.5	56.5	100.0	0.2	0.2	1.5	0.4	3.6	2.6	9.0	9.1	15.5	23.8	26.9	23.3	37.8	35.6	1.7	0.7	3.9	4.3
Placenta praevia	441	246	195	55.8	44.2	100.0	1.6	1.0	3.7	4.1	8.1	8.2	19.5	15.4	24.0	25.1	20.7	22.1	18.7	21.0	---	1.0	3.7	2.1
Separation of placenta	1,056	593	463	56.2	43.8	100.0	2.2	0.4	2.5	3.0	8.9	11.4	13.5	14.5	22.9	21.4	23.8	26.1	21.6	20.5	0.3	0.6	4.2	1.9
Other diseases of the placenta and membranes	306	177	129	57.8	42.2	100.0	1.7	1.6	6.2	1.6	8.5	14.0	12.4	12.4	14.1	14.0	23.2	19.4	32.2	35.7	0.6	---	1.1	1.6
Abortion, miscarriage, and premature birth	1,083	617	466	57.0	43.0	100.0	14.7	5.6	17.8	12.2	22.5	26.4	22.2	26.4	12.6	16.5	5.3	7.1	1.1	1.5	---	---	3.6	4.3
Prolapse and compression of cord	1,659	954	705	57.5	42.5	100.0	0.4	0.3	1.7	0.7	2.4	2.6	2.9	3.4	7.8	7.7	29.0	28.2	50.2	50.6	1.2	1.6	4.4	5.0
Breech presentation	357	200	157	56.0	44.0	100.0	---	---	----	---	1.0	1.3	2.0	1.9	6.5	5.1	31.5	30.6	54.5	53.5	1.0	1.9	3.5	5.7
Other malpresentations	247	148	99	59.9	40.1	100.0	---	---	0.7	---	1.4	---	3.4	1.0	8.1	5.1	27.7	32.3	55.4	55.6	0.7	3.0	2.7	3.0
Deformed pelvis	168	112	56	66.7	33.3	100.0	0.9	---	0.9	1.8	-----	---	1.8	----	1.8	1.8	28.6	32.1	58.0	57.1	3.6	3.6	4.5	3.6
Other difficult labor	1,024	626	398	61.1	38.9	100.0	---	---	----	---	-----	---	1.1	0.5	3.0	4.3	33.7	34.4	56.7	56.8	1.8	1.8	3.7	2.3
Asphyxia of child (cause not stated)	717	392	325	54.7	45.3	100.0	1.3	0.3	4.1	0.9	4.3	5.2	7.1	6.5	9.9	9.8	20.2	18.8	46.2	53.8	3.6	0.9	3.3	3.7
Maceration	280	171	109	61.1	38.9	100.0	1.8	---	4.7	1.8	4.7	0.9	12.3	17.4	19.3	20.2	15.8	19.3	38.0	38.5	1.8	1.8	1.8	---
Other deaths in utero	517	280	237	54.2	45.8	100.0	2.9	3.0	7.1	3.8	8.2	9.7	16.8	13.9	18.6	21.1	30.4	32.1	15.0	13.9	---	0.8	1.1	1.7
Traumatism (exclusive of overwork)	306	179	127	58.5	41.5	100.0	8.4	3.1	15.1	7.9	20.1	18.1	21.2	17.3	14.0	25.2	12.3	14.2	7.8	7.9	---	---	1.1	6.3
Other specified causes	1,147	631	516	55.0	45.0	100.0	4.4	1.9	6.7	2.9	12.5	9.3	9.2	8.7	14.6	18.4	20.8	29.1	27.3	26.0	1.3	0.8	3.3	2.9
Causes not specified and unknown	3,450	1,959	1,491	56.8	43.2	100.0	5.5	1.7	8.2	4.8	10.2	9.4	11.1	11.3	10.0	11.2	14.4	17.0	19.6	22.5	0.4	0.3	20.7	21.7

1/ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore (Md.), and the District of Columbia.

INFANT MORTALITY STATISTICS: 1936

INTRODUCTION

The infant mortality rate is the number of deaths of infants under 1 year of age per 1,000 born alive. In 1936 the rate of infant mortality for the United States was 57.1. This is 1.4 higher than the 1935 rate and is practically equivalent to saying that of every 18 infants born alive 1 dies before reaching the age of 1 year.

INFANT MORTALITY RATES: 1932 TO 1936

Table Y shows, for the years 1932 to 1936, infant mortality rates for each State, and each city having 100,000 or more inhabitants in 1930.

For the States, the rates in 1936 ranged from 42.0 in Connecticut to 121.8 in New Mexico. A comparison of the rates for 1936 with those for 1935 shows that rates in 1936 were higher for all but 15 States. The greatest increases (10.6 and 9.4) were in the rates for West Virginia and Vermont, respectively. The greatest decrease (9.7) was in the rate for North Dakota.

For the 93 cities that had populations in 1930 of 100,000 or more, the infant mortality rates varied from 31.7 in Lynn, Mass., to 104.7 in San Antonio, Tex. In 1936 the rates for 40 cities were lower than in the preceding year and those for 52 cities were higher. The greatest decreases were 38.8 in the rate for Lynn, Mass., and 22.9 for El Paso, Tex.

The greatest increase (21.4) was in the rate for Birmingham, Ala.

TABLE Y

AREA AND RACE	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1936	1935	1934	1933	1932
UNITED STATES 2/	57.1	55.7	60.1	58.1	57.6
White	52.9	51.9	55.6	54.1	53.9
Other races	87.6	83.2	91.6	86.4	84.4
ALABAMA	66.8	62.8	67.8	65.1	60.9
White	54.6	51.6	57.4	55.7	51.9
Other races	86.1	80.8	84.9	80.1	76.1
ARIZONA	119.6	111.7	103.5	111.4	95.9
White	105.2	97.0	92.7	101.2	89.1
Other races	214.4	198.2	179.1	182.1	142.7
ARKANSAS	50.9	47.1	54.1	54.4	45.3
White	49.1	46.7	52.1	51.2	43.4
Other races	56.5	48.5	60.7	65.2	51.6
CALIFORNIA	53.1	49.6	51.7	53.7	52.7
White	52.5	49.3	51.3	53.3	52.3
Other races	64.4	56.5	59.3	60.6	59.4
COLORADO	74.1	72.7	72.7	68.9	71.5
White	73.8	72.4	72.4	67.9	71.0
Other races	91.7	98.1	93.1	146.3	110.1
CONNECTICUT	42.0	42.7	48.8	48.4	49.4
White	41.2	42.0	48.1	47.7	48.2
Other races	68.9	71.2	75.6	73.9	95.4
DELAWARE	64.5	66.4	61.4	60.4	67.1
White	55.1	53.3	51.5	54.4	62.4
Other races	110.0	133.9	107.3	91.8	90.9
FLORIDA	59.4	61.9	68.2	62.9	61.1
White	49.5	50.5	54.5	49.8	49.4
Other races	83.0	86.3	99.5	91.6	86.9
GEORGIA	70.0	68.3	78.9	66.7	64.4
White	57.9	59.7	68.0	59.0	55.5
Other races	87.2	80.7	94.7	77.8	77.7
IDAHO	51.4	51.0	50.3	47.2	43.4
White	50.6	48.9	47.9	45.1	41.4
Other races	138.6	208.0	222.2	193.5	157.9
ILLINOIS	46.8	45.9	52.8	49.0	52.8
White	45.2	44.6	51.6	47.1	51.3
Other races	76.5	69.6	76.6	83.3	81.2
INDIANA	50.7	50.8	56.5	53.0	54.7
White	49.6	49.3	55.4	52.0	53.7
Other races	87.5	92.8	92.1	82.1	83.7
IOWA	48.2	47.1	50.6	48.3	47.9
White	47.9	46.8	50.4	47.9	47.4
Other races	88.5	96.9	83.0	139.8	169.8
KANSAS	51.8	50.3	48.5	53.5	48.1
White	50.2	49.2	46.8	52.0	46.2
Other races	102.0	83.8	97.7	99.6	108.4
KENTUCKY	66.8	58.7	64.9	58.1	63.3
White	64.7	56.6	62.1	55.6	60.7
Other races	102.9	99.4	116.5	98.4	108.2
LOUISIANA	71.9	69.4	69.1	70.1	64.8
White	59.9	57.7	55.6	56.8	52.8
Other races	88.4	85.4	87.6	88.8	82.0

TABLE Y—Continued

AREA AND RACE	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1936	1935	1934	1933	1932
MAINE	64.1	63.0	70.6	66.3	63.1
White	64.0	62.9	70.8	66.2	62.9
Other races	93.0	95.2	------	76.9	121.2
MARYLAND	69.1	62.0	70.4	65.8	69.0
White	56.3	51.7	59.8	54.7	57.3
Other races	117.0	99.1	107.3	104.0	110.4
MASSACHUSETTS	46.5	48.3	49.0	52.0	52.9
White	46.2	47.6	48.5	51.6	52.4
Other races	66.7	91.4	78.1	78.6	84.1
MICHIGAN	50.7	47.7	52.0	50.5	54.0
White	49.9	47.1	51.4	49.8	53.5
Other races	71.0	64.2	67.5	70.3	67.1
MINNESOTA	44.4	44.7	47.2	47.6	47.2
White	43.8	44.0	46.5	46.9	46.5
Other races	91.6	92.0	105.1	114.6	109.0
MISSISSIPPI	58.2	53.9	64.8	63.6	53.6
White	50.5	47.8	54.9	50.9	44.5
Other races	64.7	59.0	73.5	74.7	61.7
MISSOURI	57.9	56.9	63.1	55.4	57.2
White	55.7	55.2	60.1	52.7	53.7
Other races	90.0	83.1	109.7	100.3	110.7
MONTANA	57.0	60.0	53.5	51.5	51.4
White	50.1	54.3	47.1	46.1	46.2
Other races	163.0	138.0	153.8	125.8	125.4
NEBRASKA	44.1	41.2	45.5	49.3	43.4
White	43.5	40.3	44.8	48.9	42.9
Other races	96.8	102.7	88.5	78.7	74.5
NEVADA	69.8	71.0	59.3	73.2	69.8
White	57.9	61.1	48.4	68.2	60.3
Other races	247.2	204.1	165.4	132.1	204.8
NEW HAMPSHIRE	46.2	53.9	60.7	55.9	58.9
White	46.3	54.0	60.8	55.9	59.0
Other races	------	------	------	------	------
NEW JERSEY	44.3	46.2	49.1	46.3	50.2
White	41.3	43.7	45.3	43.7	46.8
Other races	80.0	76.5	94.3	77.1	92.4
NEW MEXICO	121.8	129.3	126.3	136.1	119.4
White	112.9	124.7	120.9	132.8	116.3
Other races	303.8	227.1	246.0	213.4	204.6
NEW YORK	47.0	48.0	51.9	53.6	58.8
White	45.0	46.3	50.1	51.8	50.8
Other races	86.5	82.4	89.9	89.8	93.1
NORTH CAROLINA	68.9	68.8	77.9	66.0	66.5
White	59.9	59.6	67.2	55.0	57.2
Other races	88.6	88.5	101.1	89.8	87.2
NORTH DAKOTA	49.7	59.4	57.3	60.0	55.5
White	47.9	57.3	56.2	56.4	54.6
Other races	104.8	122.7	95.0	198.8	96.6
OHIO	51.2	50.4	53.7	52.7	58.5
White	49.4	48.8	52.2	50.7	56.6
Other races	84.5	78.9	81.6	88.3	97.3
OKLAHOMA	60.0	54.6	60.5	56.4	50.0
White	55.0	50.5	56.5	53.1	47.2
Other races	116.8	103.6	106.2	95.5	81.0
OREGON	44.3	41.2	39.8	40.3	41.3
White	43.7	39.7	37.5	39.4	40.0
Other races	97.6	134.3	170.3	84.7	103.1
PENNSYLVANIA	51.2	50.8	55.0	53.4	60.0
White	49.8	49.3	53.0	52.1	58.1
Other races	76.6	80.5	92.6	79.2	98.3
RHODE ISLAND	48.2	47.2	53.9	55.5	57.2
White	47.6	46.9	53.3	55.4	56.6
Other races	72.3	59.6	79.7	61.2	86.5
SOUTH CAROLINA	80.8	79.3	85.0	78.2	77.2
White	62.1	61.6	67.3	60.9	61.5
Other races	98.9	95.8	98.3	94.6	91.9
SOUTH DAKOTA	47.8	52.5	58.0	54.8	50.4
White	42.4	47.2	53.3	46.7	46.6
Other races	142.9	152.3	151.9	204.2	126.4
TENNESSEE	68.5	64.0	73.7	69.3	67.6
White	64.5	60.4	67.4	63.2	62.7
Other races	90.5	85.8	109.3	101.9	94.9
TEXAS	71.2	71.7	71.9	75.5	3/
White	69.6	70.2	70.3	75.1	3/
Other races	83.1	82.7	82.5	78.9	3/
UTAH	52.7	49.3	49.2	47.6	44.2
White	51.7	47.0	47.9	47.2	43.1
Other races	148.4	309.1	181.1	131.1	195.4
VERMONT	58.0	48.6	52.6	53.0	63.2
White	58.0	48.6	52.7	53.0	63.2
Other races	------	------	------	------	------
VIRGINIA	73.9	69.6	72.6	68.5	67.2
White	62.6	58.8	62.2	59.2	57.7
Other races	101.8	96.1	98.4	90.0	90.1
WASHINGTON	43.4	45.2	43.2	38.8	45.2
White	43.5	43.3	41.3	36.8	45.7
Other races	114.1	105.4	108.0	108.0	88.3
WEST VIRGINIA	71.2	60.6	67.4	68.2	75.0
White	70.5	60.0	65.9	67.3	73.3
Other races	83.3	72.1	92.4	84.1	103.5
WISCONSIN	47.7	46.0	49.4	48.5	50.4
White	47.0	45.5	48.9	48.0	50.0
Other races	109.9	91.7	97.9	113.8	98.6
WYOMING	57.6	51.1	53.0	54.7	57.0
White	55.8	49.7	52.0	51.6	54.4
Other races	125.0	100.8	98.0	159.7	146.6

See footnotes at end of table.

TABLE Y—Continued

AREA	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1936	1935	1934	1933	1932
Cities with populations of 100,000 or more in 1930					
Akron, Ohio	48.4	47.8	47.6	47.3	45.8
Albany, N. Y.	53.1	47.2	54.1	46.5	48.8
Atlanta, Ga.	77.1	73.5	82.9	82.7	69.3
Baltimore, Md.	67.2	56.5	65.1	61.2	61.9
Birmingham, Ala.	85.2	63.8	77.3	70.5	65.0
Boston, Mass.	52.3	51.4	54.9	59.0	59.4
Bridgeport, Conn.	40.3	30.2	45.5	42.6	46.8
Buffalo, N. Y.	50.0	52.0	56.4	68.4	67.0
Cambridge, Mass.	48.6	56.8	46.6	48.5	56.8
Camden, N. J.	50.1	57.9	57.4	57.2	67.8
Canton, Ohio	53.2	52.5	57.6	39.0	69.1
Chattanooga, Tenn.	82.6	82.6	104.8	93.3	89.7
Chicago, Ill.	39.3	40.3	47.7	48.6	49.0
Cincinnati, Ohio	61.3	61.2	64.2	57.1	54.5
Cleveland, Ohio	42.6	44.2	44.6	44.2	52.8
Columbus, Ohio	61.6	55.3	58.0	69.2	60.5
Dallas, Tex.	76.6	72.7	71.3	86.3	3/
Dayton, Ohio	55.0	47.3	44.7	50.6	54.5
Denver, Colo.	62.7	60.4	63.4	54.5	69.1
Des Moines, Iowa	49.0	43.2	51.8	44.9	57.2
Detroit, Mich.	53.4	44.8	50.4	50.8	51.8
Duluth, Minn.	33.8	28.8	48.2	46.9	51.6
Elizabeth, N. J.	47.6	44.1	40.4	46.6	47.0
El Paso, Tex.	80.9	103.8	104.4	125.7	3/
Erie, Pa.	39.7	41.4	40.0	47.3	54.3
Evansville, Ind.	66.0	58.4	64.1	65.0	44.5
Fall River, Mass.	44.9	56.7	41.6	62.7	52.9
Flint, Mich.	57.8	50.9	64.5	59.5	61.0
Fort Wayne, Ind.	38.3	37.6	48.5	33.9	49.4
Fort Worth, Tex.	64.7	64.2	66.0	76.4	3/
Gary, Ind.	45.6	53.9	51.6	53.2	55.0
Grand Rapids, Mich.	43.7	57.2	48.4	53.3	40.2
Hartford, Conn.	42.0	46.7	68.7	55.9	54.2
Houston, Tex.	56.1	57.5	68.1	61.4	3/
Indianapolis, Ind.	63.4	66.5	66.9	60.8	61.1
Jacksonville, Fla.	57.9	55.2	64.9	55.2	54.3
Jersey City, N. J.	35.4	40.6	45.0	41.3	54.0
Kansas City, Kans.	62.9	52.3	63.4	58.8	59.4
Kansas City, Mo.	56.3	58.3	59.0	52.1	56.8
Knoxville, Tenn.	86.3	72.2	77.3	70.9	74.6
Long Beach, Calif.	34.7	38.0	31.3	34.6	36.1
Los Angeles, Calif.	56.3	52.9	53.3	56.8	56.1
Louisville, Ky.	67.7	53.7	71.0	65.7	67.1
Lowell, Mass.	52.7	67.7	62.6	61.1	67.3
Lynn, Mass.	31.7	70.5	33.5	48.8	42.3
Memphis, Tenn.	93.1	90.0	112.4	111.4	96.0
Miami, Fla.	52.6	63.3	61.9	58.4	57.7
Milwaukee, Wis.	46.0	45.8	45.3	47.2	47.4
Minneapolis, Minn.	43.6	43.0	47.4	48.5	52.5
Nashville, Tenn.	76.4	75.7	87.3	85.1	78.3
Newark, N. J.	43.6	50.9	45.1	43.4	41.1
New Bedford, Mass.	57.9	55.8	60.8	56.5	56.2
New Haven, Conn.	33.7	40.6	35.2	44.1	43.5
New Orleans, La.	93.1	77.1	81.6	80.7	74.8
New York, N. Y.	45.4	47.8	52.1	53.0	50.8
Bronx Borough	41.6	45.4	45.0	44.4	40.8
Brooklyn Borough	42.3	45.3	48.1	49.7	47.4
Manhattan Borough	53.4	52.8	62.0	64.7	62.6
Queens Borough	40.5	46.2	49.1	43.9	42.5
Richmond Borough	35.5	45.0	51.2	53.4	58.1
Norfolk, Va.	85.4	71.8	81.3	69.2	60.2
Oakland, Calif.	44.2	41.9	40.4	38.1	40.1
Oklahoma City, Okla.	63.6	64.1	65.0	62.2	63.6
Omaha, Nebr.	53.1	42.2	47.8	46.5	41.9
Paterson, N. J.	46.1	41.9	46.2	46.2	49.1
Peoria, Ill.	60.6	54.0	59.5	48.9	56.5
Philadelphia, Pa.	47.7	48.5	54.1	49.2	51.8
Pittsburgh, Pa.	51.5	50.0	54.6	53.4	66.5
Portland, Oreg.	39.4	34.0	35.5	37.7	33.7
Providence, R. I.	40.3	41.0	49.7	54.6	59.6
Reading, Pa.	52.5	52.8	46.0	50.4	69.5
Richmond, Va.	76.1	78.8	73.3	64.0	63.7
Rochester, N. Y.	40.0	46.1	42.0	50.9	48.3
St. Louis, Mo.	49.9	51.9	60.9	44.6	56.4
St. Paul, Minn.	41.0	36.9	42.9	45.9	39.1
Salt Lake City, Utah	43.4	50.3	48.3	50.5	43.4
San Antonio, Tex.	104.7	96.3	109.0	113.3	3/
San Diego, Calif.	44.2	38.7	47.0	50.4	47.2
San Francisco, Calif.	41.3	35.4	33.0	39.9	39.2
Scranton, Pa.	47.5	52.5	59.8	53.8	64.6
Seattle, Wash.	34.1	41.4	41.3	37.6	43.3
Somerville, Mass.	35.7	34.8	46.3	50.9	46.9
South Bend, Ind.	44.0	63.3	36.1	41.1	49.5
Spokane, Wash.	57.1	53.9	51.8	38.3	39.6
Springfield, Mass.	54.7	52.4	52.2	52.2	56.8
Syracuse, N. Y.	45.9	46.7	47.6	39.5	48.9
Tacoma, Wash.	40.3	36.0	45.4	34.5	47.5
Tampa, Fla.	51.4	57.4	63.2	58.0	52.0
Toledo, Ohio	48.3	53.5	52.8	58.8	61.8
Trenton, N. J.	54.3	54.4	64.4	49.6	57.7

TABLE Y—Continued

AREA	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1936	1935	1934	1933	1932
Tulsa, Okla.	58.0	66.9	72.5	60.2	62.9
Utica, N. Y.	49.8	51.0	52.0	54.2	59.9
Washington, D. C.	72.4	59.4	65.3	67.2	72.9
Wichita, Kans.	56.4	50.8	49.1	43.0	46.2
Wilmington, Del.	56.5	58.6	55.1	55.2	62.3
Worcester, Mass.	51.2	47.9	60.8	55.1	52.7
Yonkers, N. Y.	50.1	34.9	46.7	51.6	45.8
Youngstown, Ohio	47.7	42.2	48.8	51.2	61.8

1/ Exclusive of stillbirths.
2/ Exclusive of Texas in 1932. (See tables A and C.)
3/ Not added to the registration area until a later date.

INFANT MORTALITY RATES FOR CITIES AND RURAL DISTRICTS

In table Z the infant mortality rates of 1917 and 1936 in the registration area of 1917 are shown for cities of 10,000 inhabitants or more and for smaller cities and rural districts combined. There was in this interval a much greater improvement in the rate for larger cities than in that for the smaller cities and rural districts, the table showing a decrease of 47.2 in the former rate as compared with 33.0 in the latter. This greater decline for the larger cities was largely due to the greater decrease (19.7) in the rate from diarrhea and enteritis. Both in the larger cities and in the smaller cities and rural districts injury at birth was the only cause which produced greater infant mortality in 1936 than in 1917.

TABLE Z

List no.	CAUSE OF DEATH	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		Total		Cities of 10,000 or more		Cities of 2,500 to 10,000 and rural districts	
		1936	1917	1936	1917	1936	1917
	All causes	53.4	93.6	52.2	99.4	54.8	87.8
7	Measles	0.1	1.2	0.1	1.0	0.2	1.4
8	Scarlet fever	4/	0.1	4/	0.1	0.1	0.1
9	Whooping-cough	0.8	2.4	0.7	2.1	0.9	2.7
10	Diphtheria	0.1	0.5	4/	0.6	0.2	0.5
11,108, 109	Influenza and pneumonia	3.4	5.0	2.5	5.1	4.5	4.8
13	Dysentery	0.3	0.3	0.2	0.2	0.5	0.5
15	Erysipelas	0.2	0.5	0.2	0.6	0.2	0.4
22	Tetanus	4/	0.1	4/	0.1	4/	0.1
23-32	Tuberculosis (all forms)	0.3	1.5	0.3	1.8	0.2	1.2
34	Syphilis	0.5	1.2	0.6	1.7	0.5	0.6
86	Convulsions	0.2	1.0	0.1	0.8	0.4	1.2
106,107	Bronchitis and bronchopneumonia	6.3	10.5	6.3	12.4	6.3	8.6
117,118	Diseases of the stomach	0.2	1.2	0.1	1.0	0.3	1.5
119	Diarrhea and enteritis	4.6	20.0	4.2	23.9	5.1	16.1
157	Congenital malformations	5.4	6.3	5.6	6.5	5.2	6.1
158,161	Congenital debility and other diseases of early infancy 2/	3.7	8.7	3.4	8.7	4.2	8.7
159	Premature birth	15.9	19.1	16.7	20.1	14.9	18.1
160	Injury at birth	4.8	3.8	5.4	4.6	4.0	3.0
172-195, 201-214	External causes 3/	1.1	1.3	0.9	1.3	1.4	1.4
199,200	Unknown or ill-defined diseases	1.2	2.9	0.3	0.6	2.2	5.2
	All other causes	4.1	6.0	4.4	6.3	3.8	5.7

1/ Exclusive of stillbirths.
2/ Excludes lack of care, desertion, etc., in 1936.
3/ Includes lack of care, desertion, etc., in 1936.
4/ Less than one-tenth of 1 per 1,000 births.

Table AA presents infant mortality rates, by sex, for certain subdivisions of the first year of life, for the class of cities having 10,000 inhabitants or more, and for smaller cities combined with rural districts, in the birth registration area of 1917 (exclusive of Rhode Island), from 1930 to 1936. The table shows the difference in rates for this 6-year interval to be 9.7 per 1,000 for cities of 10,000 or more, and 9.9 per 1,000 for the smaller cities and rural districts.

The table also shows that in 1936 rates under 1 year were, on the whole, slightly higher than in 1935.

TABLE AA

INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)

AGE AND SEX	In cities of 10,000 or more							In cities of 2,500 to 10,000 and rural districts						
	1936	1935	1934	1933	1932	1931	1930	1936	1935	1934	1933	1932	1931	1930
Under 1 year	52.2	51.1	54.9	54.4	55.8	60.1	61.9	54.8	53.7	58.2	55.0	58.1	62.0	64.7
Male	58.0	57.6	61.1	60.4	61.8	67.0	68.7	61.3	59.9	64.9	61.0	64.7	68.3	70.9
Female	46.1	44.3	48.4	48.0	49.6	52.9	54.7	48.1	47.1	51.2	48.5	51.1	55.4	58.1
Under 1 day	15.7	15.4	16.1	15.7	15.8	15.5	15.4	14.0	14.1	14.7	14.2	14.0	14.3	14.1
Male	17.6	17.6	17.8	17.2	17.5	17.3	17.2	15.7	16.0	16.5	15.8	15.8	16.4	15.9
Female	13.7	13.1	14.3	14.2	14.1	13.7	13.5	12.2	12.1	12.8	12.5	12.2	12.1	12.2
1 day	4.1	3.9	4.0	4.1	4.0	4.2	4.3	3.6	3.5	3.5	3.5	3.7	3.9	4.0
Male	4.8	4.5	4.6	4.6	4.6	4.6	4.9	4.0	3.9	4.0	4.0	4.3	4.4	4.4
Female	3.4	3.3	3.4	3.5	3.4	3.7	3.7	3.1	3.0	3.0	3.0	3.0	3.4	3.7
2 days	2.5	2.4	2.4	2.7	2.6	2.8	3.0	2.4	2.5	2.7	2.7	2.7	2.7	2.9
Male	3.0	2.8	2.9	3.2	3.1	3.3	3.5	2.8	3.1	3.2	3.2	3.1	3.2	3.4
Female	2.1	2.0	2.0	2.3	2.2	2.4	2.4	1.9	1.9	2.1	2.1	2.3	2.2	2.4
3 to 6 days	3.7	3.9	4.1	4.4	4.4	4.6	4.9	4.4	4.5	4.7	4.8	4.9	4.9	5.2
Male	4.2	4.4	4.6	4.9	5.0	5.2	5.4	5.1	5.3	5.4	5.2	5.9	5.6	6.0
Female	3.1	3.4	3.4	3.7	3.7	3.9	4.3	3.7	3.7	4.0	4.4	4.0	4.3	4.5
1 week	2.5	2.7	2.7	2.7	3.0	3.2	3.5	2.9	3.1	3.5	3.5	3.5	4.1	4.2
Male	2.6	3.0	3.0	3.0	3.1	3.4	3.7	3.3	3.3	4.0	3.8	4.0	4.4	4.5
Female	2.3	2.4	2.4	2.5	2.8	2.8	3.2	2.6	2.8	3.1	3.1	3.1	3.8	4.0
2 weeks	1.8	1.8	2.1	1.9	2.0	2.2	2.4	2.0	2.0	2.3	2.2	2.3	2.6	2.6
Male	1.9	1.9	2.3	2.1	2.2	2.5	2.6	2.2	2.2	2.5	2.5	2.5	2.9	2.8
Female	1.8	1.7	1.9	1.7	1.8	2.0	2.2	1.8	1.9	2.1	2.0	2.1	2.4	2.4
3 weeks but under 1 month	1.6	1.6	1.7	1.7	1.7	1.8	2.0	1.8	1.7	2.0	1.9	2.1	2.3	2.2
Male	1.7	1.7	1.9	1.9	1.8	1.9	2.2	2.1	2.0	2.3	2.1	2.2	2.5	2.4
Female	1.4	1.4	1.5	1.6	1.5	1.6	1.8	1.4	1.5	1.8	1.7	1.9	2.0	2.0
Under 1 month	31.9	31.7	33.1	33.3	33.6	34.3	35.4	31.1	31.4	33.5	32.9	33.3	34.9	35.4
Male	35.8	36.0	37.1	36.9	37.4	38.8	39.4	35.2	35.7	37.9	36.4	37.8	39.3	39.4
Female	27.8	27.3	28.9	29.4	29.5	30.1	31.1	26.7	26.8	28.8	29.2	28.6	30.3	31.2
1 month	3.7	3.6	3.9	3.9	4.1	4.6	4.7	4.5	4.6	4.9	5.5	4.9	5.4	5.6
Male	4.3	4.1	4.5	4.4	4.7	5.3	5.4	5.1	5.1	5.5	5.0	5.7	6.0	6.1
Female	3.1	3.1	3.3	3.4	3.6	3.9	4.0	3.8	4.0	4.2	3.9	4.1	4.8	5.1
2 months	3.0	2.9	3.2	3.0	3.2	3.8	3.8	3.7	3.6	3.7	3.1	3.7	4.2	4.4
Male	3.3	3.2	3.5	3.5	3.5	4.3	4.3	4.1	4.0	4.2	3.6	3.9	4.5	4.8
Female	2.7	2.6	2.9	2.7	2.7	3.2	3.3	3.3	3.1	3.2	2.9	3.6	3.8	3.9
3 to 5 months	6.2	5.8	6.5	6.3	6.7	7.6	8.0	7.7	6.8	7.5	6.6	7.5	7.8	8.9
Male	6.8	6.5	7.2	7.0	7.2	8.4	8.9	8.2	7.3	8.1	7.0	8.1	8.3	9.5
Female	5.6	5.1	5.7	5.5	6.1	6.7	7.1	7.1	6.2	6.9	6.2	6.9	7.3	8.1
6 to 8 months	4.4	3.9	4.7	4.5	4.7	5.6	5.8	4.6	4.2	5.0	4.3	4.8	5.6	6.0
Male	4.6	4.5	4.9	4.9	5.0	6.2	6.3	5.1	4.5	5.4	4.6	5.2	6.0	6.4
Female	4.1	3.4	4.4	3.9	4.4	5.0	5.3	4.1	3.8	4.5	4.0	4.4	5.2	5.6
9 to 11 months	3.0	3.1	3.5	3.4	3.6	4.3	4.2	3.3	3.2	3.7	3.3	3.7	4.1	4.4
Male	3.1	3.3	3.9	3.7	3.9	4.6	4.4	3.5	3.3	3.8	3.6	4.0	4.2	4.6
Female	2.8	2.8	3.1	3.0	3.3	4.1	3.9	3.1	3.1	3.6	3.2	3.5	4.0	4.1

1/ Exclusive of stillbirths.

COMPARISON OF INFANT MORTALITY RATES: 1931 TO 1936

Table AB shows infant mortality rates from certain important causes for each year from 1931 to 1936. A comparison of the rates for 1936 with those for 1935 shows the differences in the rates to be very slight in both the expanding area and in the area of 1915.

INFANT MORTALITY BY RACE

Table AC presents infant mortality rates by age, sex, and race.

With a rate of 57.1 per 1,000 live births for the total, rates for white and Negro children and for those of other races were 52.9, 86.1, and 120.0, respectively.

TABLE AB

List no.	CAUSE OF DEATH	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE EXPANDING REGISTRATION AREA IN THE UNITED STATES						INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1915 EXCLUSIVE OF RHODE ISLAND)					
		1936	1935	1934	1933	1932	1931	1936	1935	1934	1933	1932	1931
	All causes	57.1	55.7	60.1	58.1	57.6	61.6	49.2	49.0	52.8	52.9	55.1	59.5
7	Measles	0.1	0.4	0.7	0.3	0.2	0.4	0.1	0.3	0.3	0.2	0.3	0.3
8	Scarlet fever	2/	0.1	2/	2/	2/	0.1	2/	2/	2/	2/	2/	2/
9	Whooping-cough	0.8	1.4	2.1	1.3	1.5	1.2	0.7	1.0	1.2	0.9	1.2	1.1
10	Diphtheria	0.1	0.1	0.2	0.2	0.2	0.2	2/	2/	2/	2/	0.1	0.1
11,108, 109	Influenza and pneumonia	4.0	3.6	3.5	4.1	4.0	4.2	2.6	2.7	2.6	3.0	3.3	3.8
13	Dysentery	0.5	0.4	0.4	0.4	0.2	0.3	0.1	2/	0.1	0.1	0.1	0.1
15	Erysipelas	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.4	0.3	0.4
22	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2/	2/	2/	2/	2/
23-32	Tuberculosis (all forms)	0.3	0.3	0.3	0.4	0.4	0.5	0.2	0.3	0.4	0.3	0.4	0.5
34	Syphilis	0.7	0.7	0.7	0.8	0.8	0.8	0.4	0.4	0.5	0.5	0.6	0.7
86	Convulsions	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3
106,107	Bronchitis and bronchopneumonia	6.1	5.8	6.2	5.7	6.0	6.8	6.2	6.1	6.5	6.0	6.9	7.8
117,118	Diseases of the stomach	0.2	0.2	0.3	0.3	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.2
119	Diarrhea and enteritis	5.7	4.9	6.1	5.6	5.2	6.6	3.6	3.1	4.1	4.0	4.3	5.6
157	Congenital malformations	4.9	4.8	5.2	5.1	5.3	5.4	5.8	5.9	6.4	6.4	6.6	6.6
158,161	Congenital debility and other diseases of early infancy	3.9	3.9	4.3	4.3	4.2	4.5	3.3	3.2	3.6	3.8	3.9	4.4
159	Premature birth	15.7	15.4	16.2	15.8	15.8	16.0	15.3	14.9	16.1	15.8	15.7	15.9
160	Injury at birth	4.5	4.5	4.5	4.6	4.6	4.8	5.1	5.1	5.4	5.6	5.8	5.9
172-195, 201-214	External causes	1.2	1.0	1.0	1.0	0.9	1.0	1.0	0.8	0.8	0.8	0.7	0.8
199,200	Unknown or ill-defined diseases	3.3	3.4	3.5	3.8	3.6	3.7	0.2	0.3	0.2	0.3	0.4	0.4
	All other causes	4.3	4.2	4.0	3.9	3.8	4.3	4.0	4.1	4.0	4.0	4.1	4.7

1/ Exclusive of stillbirths. 2/ Less than one-tenth of 1 per 1,000 births.

For "under 1 day", rates for children of other races were lower than those for white and Negro children, but in every other instance rates for the white were lower than those for both Negroes and other races.

For the first two age-periods—under 1 day and 1 day—rates for children of other races were lower than those for Negroes but for all other ages rates for Negroes were lower than those for other races.

Except for 5 ages—5,6,8,9,and 11 months for other races—rates throughout the table are higher for males than for females.

TABLE AC

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES: 1936

AGE AND SEX	Total	White	Negro	Other races
Under 1 year	57.1	52.9	86.1	120.0
Male	63.4	58.9	94.7	129.7
Female	50.5	46.5	77.2	109.6
Under 1 day	15.1	14.9	16.6	13.0
Male	17.1	16.9	18.6	15.0
Female	13.0	12.8	14.4	10.9
1 day	3.9	3.7	5.1	4.0
Male	4.5	4.3	5.9	4.6
Female	3.3	3.2	4.3	3.3
2 days	2.5	2.4	3.3	4.9
Male	2.9	2.8	3.9	5.4
Female	2.0	1.9	2.7	4.4
3 to 6 days	4.3	3.9	7.1	8.8
Male	4.9	4.4	8.1	10.0
Female	3.7	3.4	6.0	7.6
1 week	3.0	2.7	5.6	5.7
Male	3.3	3.0	5.7	6.4
Female	2.7	2.3	5.6	4.9
2 weeks	2.0	1.8	3.3	4.7
Male	2.2	1.9	3.6	6.2
Female	1.9	1.7	3.1	3.2
3 weeks but under 1 month	1.8	1.6	2.8	3.2
Male	2.0	1.8	3.1	3.8
Female	1.6	1.5	2.5	2.6
Under 1 month	32.6	31.0	43.8	44.4
Male	36.8	35.1	48.9	51.3
Female	28.2	26.7	38.7	36.9
1 month	4.4	4.1	7.0	10.6
Male	5.0	4.6	7.3	11.6
Female	3.8	3.4	6.7	9.5
2 months	3.6	3.3	6.0	10.9
Male	4.0	3.6	6.6	11.3
Female	3.3	3.0	5.4	10.5
3 months	3.1	2.7	5.4	9.3
Male	3.4	3.0	5.9	10.0
Female	2.8	2.5	4.9	8.6
4 months	2.5	2.2	4.6	8.1
Male	2.7	2.3	5.0	9.5
Female	2.3	2.1	4.2	6.7
5 months	2.1	1.8	4.1	5.9
Male	2.3	2.0	4.6	5.9
Female	1.9	1.6	3.6	6.0
6 months	1.9	1.7	3.6	6.9
Male	2.1	1.8	4.0	5.9
Female	1.8	1.6	3.3	7.9
7 months	1.7	1.5	3.0	6.7
Male	1.8	1.6	3.3	7.8
Female	1.5	1.3	2.6	5.4
8 months	1.5	1.3	2.8	3.6
Male	1.6	1.4	3.0	3.3
Female	1.4	1.2	2.6	3.9
9 months	1.4	1.2	2.4	4.8
Male	1.5	1.3	2.6	4.6
Female	1.3	1.2	2.1	5.1
10 months	1.2	1.1	1.7	5.0
Male	1.2	1.1	1.8	5.1
Female	1.1	1.0	1.6	4.9
11 months	1.1	1.0	1.8	3.8
Male	1.2	1.1	1.9	3.4
Female	1.0	0.9	1.6	4.2

1/ Exclusive of stillbirths.

Table AD presents rates of infant mortality, by cause and sex, for white and Negro children and for those of other races, in the United States in 1936.

The table shows that the only diseases causing a higher mortality among white children than among Negroes were erysipelas, congenital malformations, and injury at birth. A comparison of the rates for white children with those for other races shows there was higher mortality among the white from scarlet fever, diphtheria, congenital malformations, premature birth, and injury at birth.

TABLE AD

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES: 1936

List no.	CAUSE OF DEATH AND SEX	Total	White	Negro	Other races
	All causes	57.1	52.9	86.1	120.0
	Male	63.4	58.9	94.7	129.7
	Female	50.5	46.5	77.2	109.6
7	Measles	0.1	0.1	0.1	0.3
	Male	0.1	0.1	0.2	0.5
	Female	0.1	0.1	0.1	0.2
8	Scarlet fever	2/	2/	2/	-------
	Male	0.1	0.1	2/	-------
	Female	2/	2/	2/	-------
9	Whooping-cough	0.8	0.7	1.4	2.3
	Male	0.8	0.7	1.4	2.9
	Female	0.8	0.7	1.4	1.6
10	Diphtheria	0.1	0.1	0.3	-------
	Male	0.2	0.1	0.3	-------
	Female	0.1	0.1	0.3	-------
11	Influenza	1.6	1.4	3.3	4.2
	Male	1.8	1.5	3.8	4.6
	Female	1.4	1.2	2.8	3.9
13	Dysentery	0.5	0.5	0.8	1.9
	Male	0.6	0.5	0.8	2.8
	Female	0.4	0.4	0.7	1.1
15	Erysipelas	0.2	0.2	0.1	0.9
	Male	0.2	0.2	0.1	1.3
	Female	0.2	0.2	0.1	0.5
18	Epidemic cerebrospinal meningitis	0.1	0.1	0.1	0.3
	Male	0.2	0.2	0.2	0.7
	Female	0.1	0.1	0.1	-------
22	Tetanus	0.1	2/	0.3	0.1
	Male	0.1	0.1	0.3	-------
	Female	0.1	2/	0.2	0.2
23	Tuberculosis of the respiratory system	0.1	0.1	0.4	1.2
	Male	0.1	0.1	0.3	1.3
	Female	0.1	0.1	0.4	1.1
24	Tuberculosis of the meninges, etc.	0.1	0.1	0.2	1.0
	Male	0.1	0.1	0.1	0.8
	Female	0.1	0.1	0.2	1.2
25-32	Other forms of tuberculosis	0.1	0.1	0.1	0.6
	Male	0.1	0.1	0.1	0.8
	Female	0.1	2/	0.2	0.4
34	Syphilis	0.7	0.4	3.1	2.9
	Male	0.8	0.5	3.3	2.5
	Female	0.7	0.4	2.9	3.3
86	Convulsions	0.3	0.2	0.7	0.6
	Male	0.3	0.2	0.8	0.5
	Female	0.2	0.2	0.6	0.7
106	Bronchitis	0.3	0.3	0.4	0.6
	Male	0.3	0.3	0.5	0.7
	Female	0.2	0.2	0.3	0.5
107	Bronchopneumonia	5.8	5.4	8.5	18.6
	Male	6.4	5.9	9.4	19.6
	Female	5.3	4.9	7.7	17.6
108,109	Lobar and unspecified pneumonia	2.4	2.0	5.0	9.5
	Male	2.7	2.2	5.6	9.6
	Female	2.2	1.8	4.4	9.3
117,118	Diseases of the stomach	0.2	0.2	0.5	0.9
	Male	0.3	0.2	0.6	0.2
	Female	0.2	0.2	0.3	1.8
119	Diarrhea and enteritis	5.7	5.3	8.4	16.2
	Male	6.2	5.8	9.0	16.7
	Female	5.2	4.8	7.7	15.6
122b	Intestinal obstruction	0.5	0.4	0.6	0.7
	Male	0.6	0.6	0.6	0.7
	Female	0.4	0.3	0.5	0.7
157	Congenital malformations	4.9	5.2	2.2	3.5
	Male	5.3	5.7	2.4	3.8
	Female	4.4	4.7	2.0	3.2
158,161 b,c	Congenital debility, icterus, sclerema	2.1	1.8	4.4	5.3
	Male	2.4	2.0	4.8	5.2
	Female	1.8	1.5	4.0	5.3
159	Premature birth	15.7	15.3	18.9	15.0
	Male	17.4	16.9	20.7	18.1
	Female	13.9	13.5	17.0	11.6
160	Injury at birth	4.5	4.7	3.3	3.6
	Male	5.5	5.7	4.1	4.4
	Female	3.5	3.6	2.5	2.6
161a,d	Other diseases of early infancy	1.8	1.8	2.2	4.6
	Male	2.1	2.0	2.4	4.4
	Female	1.6	1.5	2.0	4.7
172-195, 201-214	External causes	1.2	1.1	2.2	2.3
	Male	1.3	1.2	2.4	2.8
	Female	1.1	1.0	2.0	1.8
199,200	Unknown or ill-defined diseases	3.3	1.8	13.7	16.5
	Male	3.5	1.9	15.0	19.1
	Female	2.9	1.6	12.5	13.7
	All other causes	3.7	3.5	4.9	6.4
	Male	4.2	4.0	5.6	5.7
	Female	3.2	3.0	4.2	7.2

1/ Exclusive of stillbirths.

2/ Less than one-tenth of 1 per 1,000 births.

INFANT MORTALITY RATES OF FOREIGN COUNTRIES

Infant mortality rates for the United States and certain foreign countries are presented in tables AE, AF, and AG.

For 23 countries rates are shown for both 1935 and 1936. Of these, all but 9 had lower rates in 1936, namely, the United States, Australia, Belgium, Chile, England and Wales, Scotland, Irish Free State, Lithuania, and Sweden.

New Zealand, in 1936, had a rate of 31.0 or 26.1 lower than the 1936 rate for the United States. Of this difference, 59 percent is found in the rates for the first 3 months of life, and the other 41 percent is distributed over the other 9 months. Considering the difference by cause of death, it is found that the rates in the United States were higher for all but three causes. The rates in the United States from congenital debility and other diseases of early infancy, congenital malformations, and whooping-cough were 0.6, 0.2, and 0.2, respectively, lower than the rates for the same causes in New Zealand, and the rates for diphtheria and convulsions were the same in both countries.

The diseases chiefly responsible for the difference between the rates of the two countries are premature birth, diarrhea and enteritis, bronchitis and bronchopneumonia, and unknown or ill-defined diseases.

Chile and British Guiana, in 1936, had rates of 252.2 and 120.5, or 195.1 and 63.4, respectively, higher than that for the United States. In Chile, 29 percent of the difference was caused by the high rates from influenza and pneumonia, and bronchitis and bronchopneumonia, 26 percent from congenital debility and other diseases of early infancy, and 18 percent from diarrhea and enteritis.

British Guiana's high mortality from congenital debility and other diseases of early infancy was responsible for 50 percent of the difference between the rates of the two countries, and the large number of deaths from diarrhea and enteritis and from bronchitis and bronchopneumonia caused 12 and 8 percent, respectively, of the difference.

TABLE AE

COUNTRY, YEAR, AND SEX	Births 1/	Deaths under 1 year 1/	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
UNITED STATES:			
1936—Total	2,144,790	122,535	57.1
Male	1,099,465	69,749	63.4
Female	1,045,325	52,786	50.5
1935—Total	2,155,105	120,138	55.7
Male	1,105,489	68,805	62.2
Female	1,049,616	51,333	48.9
1934—Total	2,167,636	130,185	60.1
Male	1,112,703	73,950	66.5
Female	1,054,933	56,235	53.3
AUSTRALIA:			
1936—Total	116,073	4,778	41.2
Male	59,394	2,668	44.9
Female	56,679	2,110	37.2
1935—Total	111,325	4,429	39.8
Male	56,892	2,537	44.6
Female	54,433	1,892	34.8
1934—Total	109,475	4,772	43.6
Male	55,848	2,697	48.3
Female	53,627	2,075	38.7
BELGIUM:			
1936—Total	125,511	9,953	79.3
1935—Total	127,405	9,839	77.2
1934—Total	132,568	10,067	75.9
Male	67,746	5,808	85.7
Female	64,822	4,259	65.7
BRITISH GUIANA:			
1936—Total	11,736	1,414	120.5
Male	6,028	767	127.2
Female	5,708	647	113.3
1935—Total	11,262	1,372	121.8
Male	5,657	727	128.5
Female	5,605	645	115.1
1934—Total	9,301	1,567	168.5
Male	4,727	846	179.0
Female	4,574	721	157.6
CANADA: 2/			
1936—Total	219,894	14,550	66.2
Male	113,024	8,265	73.1
Female	106,870	6,285	58.8

See footnotes at end of table.

TABLE AE—Continued

COUNTRY, YEAR, AND SEX	Births 1/	Deaths under 1 year 1/	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
CANADA 2/—Continued			
1935—Total	221,226	15,723	71.1
Male	113,188	9,064	80.1
Female	108,038	6,659	61.6
1934—Total	221,303	15,870	71.7
Male	113,323	9,124	80.5
Female	107,980	6,746	62.5
CEYLON:			
1936—Total	192,060	31,789	165.5
1935—Total	192,755	50,733	263.2
Male	98,209	26,136	266.1
Female	94,546	24,597	260.2
1934—Total	206,512	35,719	173.0
Male	105,298	19,161	182.0
Female	101,214	16,558	163.6
CHILE:			
1936—Total	156,917	39,569	252.2
Male	80,357	20,774	258.5
Female	76,560	18,795	245.5
1935—Total	153,151	38,432	250.9
Male	78,689	20,213	256.9
Female	74,462	18,219	244.7
1934—Total	150,362	39,383	261.9
Male	77,056	20,720	268.9
Female	73,306	18,663	254.6
DENMARK:			
1936—Total	66,418	4,473	67.3
Male	34,047	2,609	76.6
Female	32,371	1,864	57.6
1935—Total	65,223	4,634	71.0
Male	33,632	2,712	80.6
Female	31,591	1,922	60.8
1934—Total	65,116	4,194	64.4
Male	33,600	2,469	73.5
Female	31,516	1,725	54.7
ENGLAND, SCOTLAND, AND WALES:			
1936—Total	694,220	52,047	75.0
1935—Total	686,684	40,846	59.5
Male	352,517	23,563	66.8
Female	334,167	17,283	51.7
1934—Total	686,478	41,918	61.1
Male	352,288	24,009	68.2
Female	334,190	17,909	53.6
ENGLAND AND WALES:			
1936—Total	605,292	44,732	73.9
1935—Total	598,756	34,092	56.9
Male	307,552	19,654	63.9
Female	291,204	14,438	49.6
1934—Total	597,642	35,017	58.6
Male	306,874	20,061	65.4
Female	290,768	14,956	51.4
SCOTLAND:			
1936—Total	88,928	7,315	82.3
Male	45,323	4,180	92.2
Female	43,605	3,135	71.9
1935—Total	87,928	6,754	76.8
Male	44,965	3,909	86.9
Female	42,963	2,845	66.2
1934—Total	88,856	6,901	77.7
Male	45,414	3,948	86.9
Female	43,422	2,953	68.0
ESTONIA:			
1936—Total	18,222	1,626	89.2
Male	9,320	953	102.3
Female	8,902	673	75.6
1935—Total	17,891	1,598	89.3
1934—Total	17,305	1,576	91.1
Male	8,959	931	103.9
Female	8,346	645	77.3
FINLAND:			
1936—Total	68,895	4,543	65.9
Male	35,350	2,560	72.4
Female	33,545	1,983	59.1
1935—Total	69,942	4,669	66.8
Male	36,178	2,586	71.5
Female	33,764	2,083	61.7
1934—Total	67,713	4,944	73.0
Male	34,576	2,825	81.7
Female	33,137	2,119	63.9
FRANCE:			
1935—Total	640,527	44,137	68.9
Male	326,340	25,281	77.5
Female	314,187	18,856	60.0
1934—Total	677,878	47,075	69.4
Male	345,780	27,019	78.1
Female	332,098	20,056	60.4
GERMANY:			
1936—Total	1,277,052	84,073	65.8
1935—Total	1,265,976	86,649	68.6
Male	652,340	49,948	76.6
Female	611,636	36,701	60.0
1934—Total	1,182,789	77,848	65.8
Male	611,027	44,867	73.4
Female	571,762	32,981	57.7

TABLE AE—Continued

COUNTRY, YEAR, AND SEX	Births 1/	Deaths under 1 year 1/	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
HUNGARY:			
1936—Total	183,369	25,489	139.0
1935—Total	189,479	28,812	152.1
1934—Total	194,279	28,721	147.8
IRISH FREE STATE:			
1936—Total	58,115	4,309	74.1
Male	29,602	2,414	81.5
Female	28,513	1,895	66.5
1935—Total	56,266	3,988	68.4
Male	29,898	2,337	78.2
Female	28,368	1,651	58.2
1934—Total	57,897	3,664	63.3
Male	29,825	2,086	69.9
Female	28,072	1,578	56.2
ITALY:			
1936—Total	962,686	96,680	100.4
Male	493,304	53,184	107.8
Female	469,382	43,496	92.7
1935—Total	996,708	100,876	101.2
Male	510,944	54,869	107.4
Female	485,764	46,007	94.7
1934—Total	992,966	98,023	98.7
Male	508,814	53,192	104.5
Female	484,152	44,831	92.6
JAMAICA:			
1936—Total	36,561	4,781	130.8
Male	18,317	2,523	137.7
Female	18,244	2,258	123.8
1935—Total	37,379	5,144	137.6
Male	18,898	2,722	144.0
Female	18,481	2,422	131.1
1934—Total	34,247	4,507	131.6
Male	17,291	2,447	141.5
Female	16,956	2,060	121.5
JAPAN:			
1935—Total	2,190,703	233,704	106.7
Male	1,122,867	126,936	113.0
Female	1,067,836	106,768	100.0
1934—Total	2,043,783	255,063	124.8
Male	1,042,736	138,736	133.0
Female	1,001,047	116,327	116.2
LITHUANIA:			
1936—Total	60,446	7,755	128.3
Male	31,099	4,372	140.6
Female	29,347	3,383	115.3
1935—Total	57,970	7,146	123.3
Male	29,821	4,024	134.9
Female	28,149	3,122	110.9
1934—Total	60,770	10,059	165.5
Male	31,247	5,576	178.4
Female	29,523	4,483	151.8
NETHERLANDS:			
1936—Total	171,675	6,670	38.9
Male	88,451	3,825	43.2
Female	83,224	2,845	34.2
1935—Total	170,425	6,819	40.0
Male	87,910	3,977	45.2
Female	82,515	2,842	34.4
1934—Total	172,214	7,334	42.6
Male	88,725	4,218	47.5
Female	83,489	3,116	37.3

TABLE AE—Continued

COUNTRY, YEAR, AND SEX	Births 1/	Deaths under 1 year 1/	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
NEW ZEALAND:			
1936—Total	24,837	769	31.0
Male	12,608	415	32.9
Female	12,229	354	28.9
1935—Total	23,965	773	32.3
Male	12,316	444	36.1
Female	11,649	329	28.2
1934—Total	24,322	781	32.1
Male	12,554	456	36.3
Female	11,768	325	27.6
NORTHERN IRELAND:			
1936—Total	25,909	1,992	76.9
Male	13,278	1,140	85.9
Female	12,631	852	67.5
1935—Total	24,742	2,136	86.3
Male	12,760	1,227	96.0
Female	11,962	909	76.0
1934—Total	25,365	1,767	69.7
Male	13,165	1,054	80.1
Female	12,200	713	58.4
NORWAY:			
1935—Total	41,321	1,827	44.2
Male	21,145	1,057	50.0
Female	20,176	770	38.2
1934—Total	41,833	1,645	39.3
Male	21,589	922	42.7
Female	20,244	723	35.7
SPAIN:			
1934—Total	637,446	72,027	113.0
SWEDEN:			
1936—Total	88,672	4,394	49.6
1935—Total	85,902	4,020	46.8
1934—Total	85,036	4,027	47.4
SWITZERLAND:			
1936—Total	64,966	3,023	46.5
Male	33,219	1,739	52.3
Female	31,747	1,284	40.4
1935—Total	66,378	3,179	47.9
Male	34,241	1,826	53.3
Female	32,137	1,353	42.1
1934—Total	67,277	3,077	45.7
Male	34,591	1,809	52.3
Female	32,686	1,268	38.8
UNION OF SOUTH AFRICA (EUROPEAN):			
1935—Total	47,717	2,997	62.8
Male	24,407	1,745	71.5
Female	23,310	1,252	53.7
1934—Total	44,878	2,728	60.8
Male	22,924	1,513	66.0
Female	21,954	1,215	55.3

1/ Exclusive of stillbirths.
2/ Exclusive of Yukon and the Northwest Territories.

NOTE.—These data were procured from the annual reports on vital statistics of the various countries.

TABLE AF

AGE AND SEX	United States	New Zealand	Scotland	Chile	Northern Ireland	Australia	Irish Free State
	DEATHS 1/ UNDER 1 YEAR OF AGE IN 1936 IN—						
Under 1 year	122,535	769	7,315	39,569	1,992	4,778	4,309
Male	69,749	415	4,180	20,774	1,140	2,668	2,414
Female	52,786	354	3,135	18,795	852	2,110	1,895
Under 1 day—Total	32,297	227	1,060	4,021	321	----------	----------
Male	18,757	123	614	2,205	183	----------	----------
Female	13,540	104	446	1,816	138	----------	----------
1 day—Total	8,354	77					
Male	4,899	40					
Female	3,455	37					
2 days—Total	5,343		1,156 (1-6 days)	5,542 (1-7 days)	317 (1-6 days)	----------	----------
Male	3,229		674	2,912	191	----------	----------
Female	2,114	142 (2-6 days)	482	2,630	126	----------	----------
3 to 6 days—Total	9,216	84					
Male	5,355	58					
Female	3,861						
Under 1 week—Total	55,210	446	2,216	9,563	638	2,582	----------
Male	32,240	247	1,288	5,117	374	1,463	----------
Female	22,970	199	928	4,446	264	1,119	----------
1 week—Total	6,511	65	418			330	
Male	3,643	40	227			190	
Female	2,868	25	191			140	
2 weeks—Total	4,331	26	354	7,649 (8-29 days)	301 (1-4 weeks)	157	----------
Male	2,374	15	216	3,960	182	83	----------
Female	1,957	11	148	3,689	119	74	----------
3 weeks but under 1 month—Total	3,617	17	345			119	
Male	2,157	7	194			67	
Female	1,660	10	151			52	
Under 1 month—Total	69,869	554	3,343	17,212	939	3,188	1,747
Male	40,414	309	1,925	9,077	556	1,803	987
Female	29,455	245	1,418	8,135	383	1,385	760
1 month—Total	9,503	43			198	(1-2 months)	573
Male	5,481	28			117		338
Female	4,022	15	1,184 (1-2 months)	8,364 (1-2 months)	81	487	235
2 months—Total	7,808	30	719	4,459	170	274	401
Male	4,361	14	465	3,905	98	213	218
Female	3,447	16			72		183
3 to 5 months—Total	16,601	54	1,252	5,971	320	396	784
Male	9,246	23	687	3,161	168	217	426
Female	7,355	31	565	2,810	152	179	358
6 to 8 months—Total	10,930	45	852	4,364			
Male	6,020	21	472	2,195			
Female	4,910	24	380	2,169	365 (6-12 months)	707 (6-12 months)	804 (6-12 months)
9 to 11 months—Total	7,824	43	684	3,658	201	374	445
Male	4,227	20	377	1,882	164	333	359
Female	3,597	23	307	1,776			
	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN 1936 IN-						
Under 1 year	57.1	31.0	82.3	252.2	76.9	41.2	74.1
Male	63.4	32.9	92.2	258.5	85.9	44.9	81.5
Female	50.5	28.9	71.9	245.5	67.5	37.2	66.5
Under 1 day—Total	15.1	9.1	11.9	25.6	12.4	----------	----------
Male	17.1	9.8	13.5	27.4	13.8	----------	----------
Female	13.0	8.5	10.2	23.7	10.9	----------	----------
1 day—Total	3.9	3.1					
Male	4.5	3.2					
Female	3.3	3.0					
2 days—Total	2.5		13.0 (1-6 days)	35.3 (1-7 days)	12.2 (1-6 days)	----------	----------
Male	2.9		14.9	36.2	14.4	----------	----------
Female	2.0	5.7 (2-6 days)	11.1	34.4	10.0	----------	----------
3 to 6 days—Total	4.3	6.7					
Male	4.9	4.7					
Female	3.7						
Under 1 week—Total	25.7	18.0	24.9	60.9	24.6	22.2	----------
Male	29.3	19.6	28.4	63.7	28.2	24.6	----------
Female	22.0	16.3	21.3	58.1	20.9	19.7	----------
1 week—Total	3.0	2.6	4.7			2.8	
Male	3.3	3.2	5.0			3.2	
Female	2.7	2.0	4.4			2.5	
2 weeks—Total	2.0	1.0	4.1	48.7 (8-29 days)	11.6 (1-4 weeks)	1.4	----------
Male	2.2	1.2	4.8	49.3	13.7	1.4	----------
Female	1.9	0.9	3.4	48.2	9.4	1.3	----------
3 weeks but under 1 month—Total	1.8	0.7	3.9			1.0	
Male	2.0	0.6	4.3			1.1	
Female	1.6	0.8	3.5			0.9	
Under 1 month—Total	32.6	22.3	37.6	109.7	36.2	27.5	30.1
Male	36.8	24.5	42.5	113.0	41.9	30.4	33.3
Female	28.2	20.0	32.5	106.3	30.3	24.4	26.7
1 month—Total	4.4	1.7			7.6	(1-2 months)	9.9
Male	5.0	2.2			8.8		11.4
Female	3.8	1.2	13.3 (1-2 months)	53.3 (1-2 months)	6.4	4.2	8.2
2 months—Total	3.6	1.2	15.9	55.5	6.6	4.6	6.9
Male	4.0	1.1	10.7	51.0	7.4	3.8	7.4
Female	3.3	1.3			5.7		6.4
3 to 5 months—Total	7.7	2.2	14.1	38.1	12.4	3.4	13.5
Male	8.4	1.8	15.2	39.3	12.7	3.7	14.4
Female	7.0	2.5	13.0	36.7	12.0	3.2	12.6
6 to 8 months—Total	5.1	1.8	9.6	27.8			
Male	5.5	1.7	10.4	27.3			
Female	4.7	2.0	8.7	28.3	14.1 (6-12 months)	6.1 (6-12 months)	13.8 (6-12 months)
9 to 11 months—Total	3.6	1.7	7.7	23.3	15.1	6.3	15.0
Male	3.8	1.6	8.3	23.4	13.0	5.9	12.6
Female	3.4	1.9	7.0	23.2			

1/ Exclusive of stillbirths.

NOTE.—These data were procured from the annual reports on vital statistics of the various countries.

TABLE AG

INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN—

CAUSE OF DEATH AND SEX	United States		England and Wales	Canada 2/	Australia		Scotland		New Zealand		Netherlands		Irish Free State		Chile		Northern Ireland		British Guiana		Japan	Switzerland	
	1936	1935	1935	1936	1936	1935	1936	1935	1936	1935	1936	1935	1936	1935	1936	1935	1936	1935	1936	1935	1935	1936	1935
All causes	57.1	55.7	56.9	56.2	41.2	39.8	82.3	76.8	31.0	32.3	38.9	40.0	74.1	68.4	252.2	250.9	76.9	86.3	120.5	121.8	106.7	46.5	47.9
Male	63.4	62.2	63.9	73.1	44.9	44.6	92.2	86.9	32.9	36.1	43.2	45.2	81.5	78.2	258.5	256.9	85.9	96.0	127.2	128.5	113.0	52.3	53.3
Female	50.5	48.9	49.6	58.8	37.2	34.8	71.9	66.2	28.9	28.2	34.2	34.4	66.5	58.2	245.5	244.7	67.5	76.0	113.3	115.1	100.0	40.4	42.1
Measles (7)	0.1	0.4	0.5	0.5	3/	0.1	2.2	0.4	----	3/	0.3	0.2	0.9	1.0	1.0	2.6	0.2	4.7	-----	-----	1.4	3/	0.1
Male	0.1	0.4	0.5	0.6	0.1	0.1	2.5	0.3	----	0.1	0.4	0.2	0.8	0.9	1.0	2.6	0.2	4.9	-----	-----	1.4	0.1	3/
Female	0.1	0.3	0.4	0.4	3/	0.2	1.9	0.5	----	----	0.3	0.2	1.0	1.0	1.0	2.6	0.2	4.4	-----	-----	1.4	3/	0.1
Scarlet fever (8)	3/	0.1	3/	0.1	----	3/	0.1	0.1	----	----	3/	3/	0.3	0.1	3/	3/	0.3	0.1	-----	-----	3/	----	----
Male	0.1	0.1	3/	0.1	----	----	0.1	0.1	----	----	----	3/	0.3	0.1	3/	3/	0.5	0.2	-----	-----	3/	----	----
Female	3/	3/	3/	3/	----	3/	3/	----	----	----	3/	----	0.3	0.1	3/	3/	0.2	0.1	-----	-----	3/	----	----
Whooping-cough (9)	0.8	1.4	1.4	1.8	1.4	0.9	2.5	3.4	1.0	1.0	1.3	1.1	2.2	1.0	7.4	8.5	3.2	1.6	1.3	3.6	3.0	1.3	0.9
Male	0.8	1.3	1.2	1.8	1.2	0.8	2.1	3.3	0.6	1.0	1.4	0.9	1.8	1.0	6.5	8.2	2.3	1.4	1.2	3.4	2.6	1.2	0.8
Female	0.8	1.4	1.5	1.8	1.6	1.0	2.9	3.4	1.4	1.0	1.3	1.3	2.6	1.1	8.5	8.8	4.2	1.8	1.4	3.9	3.4	1.4	0.9
Diphtheria (10)	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.4	0.1	0.2	3/	3/	0.6	0.4	0.3	0.3	0.3	0.3	-----	0.2	0.1	3/	3/
Male	0.2	0.1	0.1	0.1	0.4	0.2	0.1	0.4	0.1	----	3/	3/	0.5	0.4	0.3	0.3	0.2	0.3	-----	0.2	0.2	3/	3/
Female	0.1	0.1	0.1	3/	0.2	0.2	0.2	0.3	0.1	0.3	3/	3/	0.5	0.4	0.3	0.3	0.3	0.3	-----	0.2	0.1	----	0.1
Influenza and pneumonia (11,108,109)	4.1	3.6	1.6	10.6	1.6	1.6	15.2	3.1	0.8	1.2	2.3	2.1	3.0	2.6	29.1	30.3	4/ 9.9	4/ 13.5	4.4	3.7	19.3	3.3	4.1
Male	4.5	4.1	1.8	11.6	1.3	1.8	16.9	3.3	0.8	1.9	2.6	2.7	3.2	3.1	29.4	31.3	10.8	15.3	5.1	3.9	20.7	3.5	4.4
Female	3.6	3.1	1.3	9.5	1.9	1.4	13.3	2.8	0.7	0.4	2.0	1.5	2.9	2.0	28.8	29.2	9.0	11.5	3.7	3.6	17.8	3.0	3.8
Dysentery (13)	0.5	0.4	3/	----	----	3/	----	3/	3/	----	3/	3/	3/	----	0.3	0.3	----	----	0.4	0.6	0.1	----	----
Male	0.6	0.4	3/	----	----	0.1	----	3/	----	----	3/	3/	----	----	0.3	0.3	----	----	0.8	0.5	0.1	----	----
Female	0.4	0.3	3/	----	----	3/	----	----	0.1	----	----	----	3/	----	0.2	0.2	----	----	-----	0.7	0.1	----	----
Erysipelas (15)	0.2	0.3	0.2	0.3	0.1	0.1	----	0.4	0.1	----	0.1	0.1	0.1	0.1	0.2	0.3	----	----	0.3	0.1	-----	0.1	0.1
Male	0.2	0.3	0.2	0.4	0.1	0.1	----	0.5	0.2	----	0.1	0.1	----	3/	0.3	0.3	----	----	0.3	0.2	-----	0.1	0.1
Female	0.2	0.2	0.2	0.3	0.1	0.1	----	0.3	----	----	0.1	0.2	0.2	0.1	0.2	0.4	----	----	0.2	-----	-----	0.1	0.1
Tetanus (22)	0.1	0.1	3/	----	----	3/	----	----	----	----	3/	0.1	3/	3/	3/	3/	----	----	0.2	0.4	-----	3/	3/
Male	0.1	0.1	3/	----	----	0.1	----	----	----	----	0.1	0.1	3/	----	3/	3/	----	----	0.2	0.7	-----	3/	0.1
Female	0.1	0.1	3/	----	----	----	----	----	----	----	3/	3/	----	3/	-----	3/	----	----	0.2	0.2	-----	3/	3/
Tuberculosis (all forms) (23-32)	0.3	0.3	0.6	0.7	0.2	0.2	1.0	1.0	0.2	0.2	0.5	0.5	1.3	1.3	1.9	1.9	1.0	1.0	0.5	0.5	0.4	0.7	0.6
Male	0.3	0.4	0.6	0.8	0.2	0.2	1.1	1.1	0.2	0.2	0.5	0.6	1.5	1.4	2.0	1.8	1.0	1.3	0.5	0.4	0.5	0.7	0.8
Female	0.3	0.3	0.5	0.6	0.2	0.1	0.9	0.8	0.2	0.2	0.6	0.5	1.1	1.3	1.9	2.1	1.0	0.7	0.5	0.7	0.4	0.8	0.4
Syphilis (34)	0.7	0.7	0.3	0.9	0.2	0.1	----	0.3	----	0.1	0.1	0.1	0.2	0.1	6.4	7.2	0.2	0.3	1.4	2.0	1.4	0.3	0.1
Male	0.8	0.8	0.3	1.0	0.2	0.1	----	0.3	----	----	0.1	0.1	0.3	0.1	6.7	7.7	0.4	0.3	2.2	2.5	1.4	0.4	0.1
Female	0.7	0.6	0.3	0.8	0.1	0.1	----	0.3	----	0.2	0.1	0.1	0.1	0.1	6.2	6.6	0.1	0.3	0.7	1.4	1.3	0.3	0.2
Convulsions (86)	0.3	0.3	1.7	0.7	0.3	0.2	----	1.8	0.3	0.5	1.1	1.4	5.3	4.5	0.8	0.8	----	5/	3.3	2.6	-----	0.9	0.9
Male	0.3	0.4	2.0	0.9	0.4	0.2	----	2.2	0.4	0.8	1.1	1.6	5.7	5.0	0.8	0.8	----	5/	3.3	3.7	-----	1.0	1.1
Female	0.2	0.2	1.4	0.5	0.2	0.2	----	1.4	0.2	0.2	1.1	1.2	4.9	3.9	0.8	0.8	----	5/	3.3	1.4	-----	0.8	0.7
Bronchitis and broncho-pneumonia (106,107)	6.1	5.8	9.1	0.3	3.4	3.5	3.3	13.2	2.5	2.5	4.4	4.0	9.4	9.5	38.2	34.1	5/ 2.4	6/ 3.3	10.9	14.0	6/ 3.6	3.3	2.6
Male	6.7	6.4	10.1	0.3	3.8	4.0	3.7	14.7	2.2	2.5	5.0	4.3	10.5	11.5	39.8	35.3	2.9	3.1	11.4	13.8	3.9	3.7	3.2
Female	5.5	5.1	8.1	0.3	3.0	3.0	2.9	11.8	2.9	2.6	3.8	3.7	8.1	7.3	36.6	32.8	1.8	3.6	10.3	14.3	3.4	2.9	1.9
Diseases of the stomach (117,118)	0.2	0.2	0.3	0.5	0.1	0.1	----	0.3	0.1	0.2	0.2	0.1	1.2	1.1	-----	-----	----	----	0.3	0.4	3/	4.1	----
Male	0.3	0.3	0.3	0.6	0.1	0.1	----	0.2	0.1	0.2	0.2	0.2	1.1	1.2	-----	-----	----	----	0.5	0.4	3/	5.0	----
Female	0.2	0.2	0.2	0.4	0.1	3/	----	0.3	0.1	0.2	0.1	3/	1.2	0.9	-----	-----	----	----	0.2	0.5	3/	3.2	----
Diarrhea and enteritis (119)	5.7	4.9	5.1	7.4	2.1	2.0	9.6	6.8	0.6	0.7	2.1	2.2	10.4	10.7	40.4	37.8	10.9	13.1	13.2	11.8	18.3	0.1	4.5
Male	6.2	5.4	5.9	8.2	2.4	2.5	11.5	7.8	0.6	0.6	2.5	2.8	11.9	12.2	41.0	38.2	11.9	16.0	13.6	12.0	19.2	0.1	5.1
Female	5.2	4.4	4.2	6.6	1.9	1.5	7.6	5.7	0.7	0.8	1.7	1.6	8.8	9.0	39.8	37.4	9.9	10.1	12.8	11.6	17.2	----	3.8
Congenital malformations (157)	4.9	4.8	5.9	5.7	4.5	4.6	----	5.4	5.1	4.6	5.1	5.2	4.4	3.9	0.6	0.5	5.1	5.3	1.0	1.6	1.6	3.5	3.0
Male	5.3	5.2	6.4	6.1	5.2	5.3	----	6.1	5.5	4.5	5.2	5.2	5.0	4.4	0.5	0.6	5.0	5.8	1.2	1.9	1.8	4.1	3.1
Female	4.4	4.4	5.4	5.3	3.7	3.9	----	4.5	4.7	4.8	5.0	5.2	3.8	3.3	0.6	0.5	5.1	4.8	0.9	1.2	1.4	3.0	2.8
Congenital debility and other diseases of early infancy (158,161)	3.9	3.9	5.6	15.1	6.3	5.9	37.8	11.7	4.5	4.2	4.9	5.8	17.1	16.5	54.1	54.4	14.0	14.5	35.9	33.7	34.0	15.6	----
Male	4.4	4.5	6.5	16.7	6.9	6.7	42.3	13.5	5.2	4.4	5.7	6.6	18.7	18.4	56.4	56.2	15.7	16.1	40.1	36.6	36.1	17.2	----
Female	3.4	3.3	4.6	13.4	5.6	5.0	33.1	9.8	3.8	4.0	4.1	4.9	15.5	14.5	51.7	52.4	12.2	12.8	31.4	30.9	31.7	13.8	----
Premature birth (159)	15.7	15.4	17.2	15.7	12.9	13.0	----	18.8	10.2	10.8	7.3	7.8	11.3	9.8	9.4	9.1	18.3	15.7	17.8	19.7	2.6	----	22.2
Male	17.4	17.1	19.1	17.2	14.0	14.0	----	21.6	10.9	12.4	7.9	9.1	12.5	11.2	9.6	9.7	21.2	17.0	17.9	21.0	2.8	----	24.6
Female	13.9	13.6	15.3	14.1	11.9	12.0	----	16.0	9.5	9.1	6.6	6.4	10.0	8.2	9.1	8.5	15.2	14.2	17.7	18.4	2.4	----	19.6
Injury at birth (160)	4.5	4.5	2.4	3.9	3.5	3.7	----	2.7	2.7	2.5	3.2	3.3	1.2	0.9	7.1	6.4	1.7	1.3	0.1	0.4	0.2	5.1	----
Male	5.5	5.4	2.9	4.7	4.2	4.5	----	2.9	3.3	3.1	3.9	3.7	1.2	0.9	7.4	6.4	2.4	1.6	0.2	0.5	0.2	6.4	----
Female	3.5	3.5	1.8	3.1	2.9	2.9	----	2.4	2.2	1.8	2.5	2.8	1.2	0.8	6.7	6.3	1.0	1.0	-----	0.4	0.1	3.7	----
External causes (172-195, 201-214)	1.2	1.0	1.1	----	----	0.8	1.3	1.1	0.6	0.7	0.4	0.3	----	0.9	0.7	0.7	1.0	1.4	-----	0.2	-----	0.7	0.7
Male	1.3	1.1	1.2	----	----	1.1	1.1	1.1	0.5	0.9	0.5	0.4	----	0.8	0.7	0.7	0.8	1.6	-----	0.4	-----	0.5	0.6
Female	1.1	1.0	0.9	----	----	0.5	1.4	1.0	0.7	0.4	0.4	0.2	----	1.0	0.6	0.6	1.2	1.2	-----	-----	-----	0.8	0.9
Unknown or ill-defined diseases (199,200)	3.3	3.4	3/	0.8	----	0.1	0.4	0.5	----	3/	3.0	3.2	0.1	0.2	23.6	24.8	----	0.2	1.4	2.6	4.1	3.2	4.2
Male	3.5	3.7	3/	0.9	----	0.1	0.6	0.6	----	0.1	3.5	3.7	0.1	0.2	23.7	25.4	----	0.2	1.7	2.7	4.3	3.7	4.6
Female	2.9	3.0	3/	0.8	----	0.1	0.3	0.3	----	----	2.4	2.6	0.1	0.2	23.6	24.2	----	0.3	1.1	2.5	3.9	2.7	3.7
All other causes	4.3	4.2	3.8	0.9	4.3	2.7	8.8	5.7	2.1	2.8	2.4	2.5	5.1	4.1	30.6	31.0	8.5	9.8	28.0	23.5	16.6	4.2	3.9
Male	4.9	4.9	4.5	1.0	4.6	2.9	10.2	6.8	2.5	3.3	2.7	3.0	6.0	5.2	32.1	31.1	10.6	10.7	27.0	23.9	17.8	4.5	4.7
Female	3.7	3.5	3.1	0.8	3.9	2.5	7.4	4.6	1.7	2.2	2.1	1.9	4.1	3.0	29.1	30.9	6.2	8.9	29.1	23.2	15.3	3.9	3.0

1/ Exclusive of stillbirths.
2/ Exclusive of Yukon and the Northwest Territories.
3/ Less than one-tenth of 1 per 1,000 births.
4/ Includes bronchopneumonia (107).
5/ Included with "All other causes".
6/ Bronchitis only (106).

NOTE.—Numbers after causes of death correspond to those of the detailed International List. These data were procured from the annual reports on vital statistics of the various countries.

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936

(White and other races are shown separately for minor areas only when the populations of other races in 1930 formed at least 10 percent of the total or numbered 10,000 or more)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
UNITED STATES	2,144,790	1,479,228	665,562	145	122,535	57.1	73,735	3.4
White	1,881,883	1,278,379	603,504	147	99,504	52.9	56,156	3.0
Other races	262,907	200,849	62,058	131	23,031	87.6	17,579	6.7
Cities, 10,000 or more	1,012,957	772,647	240,310	131	55,975	55.3	35,128	3.5
White	924,906	677,780	247,126	136	47,455	51.3	28,830	3.1
Other races	88,051	94,867	-6,816	93	8,520	96.8	6,298	7.2
Cities, 2,500-10,000[2]	211,266	151,952	59,314	139	12,783	60.5	7,550	3.6
White	198,183	137,368	60,815	144	11,382	57.4	6,466	3.3
Other races	13,083	14,584	-1,501	90	1,401	107.1	1,084	8.3
Rural [2]	920,567	554,629	365,938	166	53,777	58.4	31,057	3.4
White	758,794	463,231	295,563	164	40,667	53.6	20,860	2.7
Other races	161,773	91,398	70,375	177	13,110	81.0	10,197	6.3
Section A (States)								
ALABAMA	60,116	31,153	28,963	193	4,017	66.8	2,659	4.4
White	36,749	16,810	19,939	219	2,005	54.6	1,099	3.0
Other races	23,367	14,343	9,024	163	2,012	86.1	1,560	6.7
Cities, 10,000 or more	11,374	9,888	1,486	115	962	84.6	613	5.4
White	7,290	5,232	2,058	139	486	66.7	261	3.6
Other races	4,084	4,656	-572	88	476	116.6	352	8.6
Cities, 2,500-10,000	3,473	2,565	908	135	270	77.7	187	5.4
White	2,521	1,581	940	159	176	69.8	108	4.3
Other races	952	984	-32	97	94	98.7	79	8.3
Rural	45,269	18,700	26,569	242	2,785	61.5	1,859	4.1
White	26,938	9,997	16,941	269	1,343	49.9	730	2.7
Other races	18,331	8,703	9,628	211	1,442	78.7	1,129	6.2
ARIZONA	9,545	6,551	2,994	146	1,142	119.6	277	2.9
White	8,281	5,392	2,889	154	871	105.2	242	2.9
Other races	1,264	1,159	105	109	271	214.4	35	2.8
Cities, 10,000 or more	3,181	2,218	963	143	306	96.2	106	3.3
White	3,066	2,038	1,028	150	279	91.0	96	3.1
Other races	115	180	-65	64	27	234.8	10	8.7
Cities, 2,500-10,000	2,449	1,573	876	156	264	107.8	70	2.9
White	2,386	1,505	881	159	254	106.5	68	2.8
Other races	63	68	-5	3/	10	158.7	2	4/
Rural	3,915	2,760	1,155	142	572	146.1	101	2.6
White	2,629	1,849	980	153	338	119.5	78	2.8
Other races	1,086	911	175	119	234	215.5	23	2.1
ARKANSAS	33,520	18,465	15,055	182	1,707	50.9	1,274	3.8
White	25,374	12,989	12,385	195	1,247	49.1	729	2.9
Other races	8,146	5,476	2,670	149	460	56.5	545	6.7
Cities, 10,000 or more	3,563	4,420	-857	81	260	73.0	138	3.9
White	2,991	3,141	-150	95	200	66.9	89	3.0
Other races	572	1,279	-707	45	60	104.9	49	8.6
Cities, 2,500-10,000	3,279	2,623	656	125	219	66.8	141	4.3
White	2,573	1,811	762	142	158	61.4	94	3.7
Other races	706	812	-106	87	61	86.4	47	6.7
Rural	26,678	11,422	15,256	234	1,228	46.0	995	3.7
White	19,810	8,037	11,773	246	889	44.9	546	2.8
Other races	6,868	3,385	3,483	203	339	49.4	449	6.5
CALIFORNIA	84,502	76,094	8,408	111	4,489	53.1	2,000	2.4
White	80,421	72,656	7,765	111	4,226	52.5	1,899	2.4
Other races	4,081	3,438	643	119	263	64.4	101	2.5
Cities, 10,000 or more	53,287	47,785	5,502	112	2,558	48.0	1,239	2.3
White	50,520	45,780	4,740	110	2,416	47.8	1,177	2.3
Other races	2,767	2,005	762	138	142	51.3	62	2.2
Cities, 2,500-10,000	11,609	7,531	4,078	154	590	50.8	276	2.4
White	11,262	7,280	3,982	155	566	50.3	262	2.3
Other races	347	251	96	138	24	69.2	14	4.0
Rural	19,606	20,778	-1,172	94	1,341	68.4	485	2.5
White	18,639	19,596	-957	95	1,244	66.7	460	2.5
Other races	967	1,182	-215	82	97	100.3	25	2.6
COLORADO	18,279	13,674	4,605	134	1,354	74.1	553	3.0
White	18,039	13,346	4,693	135	1,332	73.8	546	3.0
Other races	240	328	-88	73	22	91.7	7	2.9
Cities, 10,000 or more	8,097	6,789	1,308	119	539	66.6	263	3.2
White	7,973	6,575	1,398	121	532	66.7	257	3.2
Other races	124	214	-90	58	7	56.5	6	4.8
Cities, 2,500-10,000	3,000	2,045	955	147	278	92.7	84	2.8
White	2,979	2,024	955	147	276	92.6	84	2.8
Other races	21	21	------	3/	2	95.2	-----	------
Rural	7,182	4,840	2,342	148	537	74.8	206	2.9
White	7,087	4,747	2,340	149	524	73.9	205	2.9
Other races	95	93	2	3/	13	136.8	1	4/
Sec. A (States)—Con.								
CONNECTICUT	22,228	17,858	4,370	124	933	42.0	563	2.5
White	21,633	17,389	4,244	124	892	41.2	547	2.5
Other races	595	469	126	127	41	68.9	16	2.7
Cities, 10,000 or more	18,813	13,119	5,694	143	782	41.6	474	2.5
White	18,266	12,715	5,551	144	745	40.8	462	2.5
Other races	547	404	143	135	37	67.6	12	2.2
Cities, 2,500-10,000	1,227	685	542	179	33	25.9	24	2.0
White	1,217	675	542	180	32	26.3	24	2.0
Other races	10	10	------	3/	1	100.0	-----	------
Rural	2,188	4,054	-1,866	54	118	53.9	65	3.0
White	2,150	3,999	-1,849	54	115	53.5	61	2.8
Other races	38	55	-17	3/	3	78.9	4	4/
DELAWARE	3,922	3,317	605	118	253	64.5	143	3.6
White	3,249	2,648	601	123	179	55.1	100	3.1
Other races	673	669	4	101	74	110.0	43	6.4
Cities, 10,000 or more	2,159	1,609	550	134	122	56.5	78	3.6
White	1,899	1,325	574	143	103	54.2	57	3.0
Other races	260	284	-24	92	19	73.1	21	8.1
Cities, 2,500-10,000	436	364	72	120	40	91.7	12	2.8
White	376	272	104	138	30	79.8	10	2.7
Other races	60	92	-32	3/	10	166.7	2	4/
Rural	1,327	1,344	-17	99	91	68.6	53	4.0
White	974	1,051	-77	93	46	47.2	33	3.4
Other races	353	293	60	120	45	127.5	20	5.7
DIST. OF COLUMBIA	11,704	9,094	2,610	129	847	72.4	432	3.7
White	7,900	5,610	2,290	141	391	49.5	212	2.7
Other races	3,804	3,484	320	109	456	119.9	220	5.8
FLORIDA	28,097	20,953	7,144	134	1,669	59.4	1,388	4.9
White	19,755	13,631	6,124	145	977	49.5	657	3.3
Other races	8,342	7,322	1,020	114	692	83.0	731	8.8
Cities, 10,000 or more	10,733	9,183	1,550	117	597	55.6	535	5.0
White	7,974	6,067	1,907	131	373	46.8	256	3.2
Other races	2,759	3,116	-357	89	224	81.2	279	10.1
Cities, 2,500-10,000	4,524	3,955	569	114	277	61.2	215	4.8
White	3,371	2,733	638	123	182	54.0	106	3.1
Other races	1,153	1,222	-69	94	95	82.4	109	9.5
Rural	12,840	7,815	5,025	164	795	61.9	638	5.0
White	8,410	4,831	3,579	174	422	50.2	295	3.5
Other races	4,430	2,984	1,446	148	373	84.2	343	7.7
GEORGIA	61,658	37,263	24,395	165	4,314	70.0	3,648	5.9
White	36,361	20,140	16,221	181	2,107	57.9	1,439	4.0
Other races	25,297	17,123	8,174	148	2,207	87.2	2,209	8.7
Cities, 10,000 or more	13,935	12,834	1,101	109	1,164	83.5	859	6.2
White	8,831	6,564	2,267	135	588	66.6	363	4.1
Other races	5,104	6,270	-1,166	81	576	112.9	496	9.7
Rural [2]	47,723	24,429	23,294	195	3,150	66.0	2,789	5.8
White	27,530	13,576	13,954	203	1,619	55.2	1,076	3.9
Other races	20,193	10,853	9,340	186	1,531	80.8	1,713	8.5
IDAHO	10,224	5,014	5,210	204	526	51.4	253	2.5
White	10,123	4,879	5,244	207	512	50.6	249	2.5
Other races	101	135	-34	75	14	138.6	4	4.0
Cities, 10,000 or more	1,492	808	684	185	78	52.3	27	1.8
White	1,487	794	693	187	76	51.1	26	1.7
Other races	5	14	-9	3/	2	400.0	1	4/
Cities, 2,500-10,000	4,441	2,080	2,361	214	228	51.3	120	2.7
White	4,428	2,054	2,374	216	225	50.8	120	2.7
Other races	13	26	-13	3/	3	230.8	-----	------
Rural	4,291	2,126	2,165	202	220	51.3	106	2.5
White	4,208	2,031	2,177	207	211	50.1	103	2.4
Other races	83	95	-12	3/	9	108.4	3	4/
ILLINOIS	112,167	92,806	19,361	121	5,246	46.8	3,099	2.8
White	106,574	85,990	20,584	124	4,818	45.2	2,869	2.7
Other races	5,593	6,816	-1,223	82	428	76.5	230	4.1
Cities, 10,000 or more	76,988	60,551	16,437	127	3,473	45.1	2,122	2.8
White	71,928	54,893	17,035	131	3,101	43.1	1,930	2.7
Other races	5,060	5,658	-598	89	372	73.5	192	3.8
Cities, 2,500-10,000	10,484	8,404	2,080	125	593	56.6	375	3.6
White	10,297	8,201	2,096	126	574	55.7	362	3.5
Other races	187	203	-16	92	19	101.6	13	7.0
Rural	24,695	23,851	844	104	1,180	47.8	602	2.4
White	24,349	22,896	1,453	106	1,143	46.9	577	2.4
Other races	346	955	-609	36	37	106.9	25	7.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
INDIANA	54,034	42,470	11,564	127	2,742	50.7	1,286	2.4
White	52,400	40,298	12,102	130	2,599	49.6	1,217	2.3
Other races	1,634	2,172	-538	75	143	87.5	69	4.2
Cities, 10,000 or more	26,884	20,218	6,666	133	1,480	55.1	680	2.5
White	25,355	18,428	6,927	138	1,351	53.3	615	2.4
Other races	1,529	1,790	-261	85	129	84.4	65	4.2
Cities, 2,500-10,000	6,207	4,869	1,318	127	299	48.2	171	2.8
White	6,162	4,798	1,364	128	296	48.0	169	2.7
Other races	45	91	-46	[3]	3	66.7	2	[4]
Rural	20,943	17,363	3,580	121	963	46.0	435	2.1
White	20,883	17,072	3,811	122	952	45.6	433	2.1
Other races	60	291	-231	21	11	183.3	2	[4]
IOWA	42,715	28,432	14,283	150	2,057	48.2	1,156	2.7
White	42,455	28,114	14,341	151	2,034	47.9	1,137	2.7
Other races	260	318	-58	82	23	88.5	19	7.3
Cities, 10,000 or more	16,387	10,957	5,430	150	918	56.0	536	3.3
White	16,164	10,732	5,432	151	898	55.6	518	3.2
Other races	223	225	-2	99	20	89.7	18	8.1
Cities, 2,500-10,000	6,810	5,562	1,248	122	375	55.1	181	2.7
White	6,792	5,511	1,281	123	373	54.9	181	2.7
Other races	18	51	-33	[3]	2	111.1	----	------
Rural	19,518	11,913	7,605	164	764	39.1	439	2.2
White	19,499	11,871	7,628	164	763	39.1	438	2.2
Other races	19	42	-23	[3]	1	52.6	1	[4]
KANSAS	29,998	21,674	8,324	138	1,554	51.8	785	2.6
White	29,076	20,387	8,689	143	1,460	50.2	728	2.5
Other races	922	1,287	-365	72	94	102.0	57	6.2
Cities, 10,000 or more	10,695	7,959	2,736	134	621	58.1	321	3.0
White	10,015	7,112	2,903	141	555	55.4	272	2.7
Other races	680	847	-167	80	66	97.1	49	7.2
Cities, 2,500-10,000	4,749	3,288	1,461	144	251	52.9	174	3.7
White	4,665	3,193	1,472	146	243	52.1	169	3.6
Other races	84	95	-11	[3]	8	95.2	5	[4]
Rural	14,554	10,427	4,127	140	682	46.9	290	2.0
White	14,396	10,082	4,314	143	662	46.0	287	2.0
Other races	158	345	-187	46	20	126.6	3	2.0
KENTUCKY	55,778	32,378	23,400	172	3,726	66.8	2,029	3.6
White	52,776	27,734	25,042	190	3,417	64.7	1,838	3.5
Other races	3,002	4,644	-1,642	65	309	102.9	191	6.4
Cities, 10,000 or more	10,498	9,992	506	105	763	72.7	382	3.6
White	9,425	7,937	1,488	119	647	68.6	311	3.3
Other races	1,073	2,055	-982	52	116	108.1	71	6.6
Rural [2]	45,280	22,386	22,894	202	2,963	65.4	1,647	3.6
White	43,351	19,797	23,554	219	2,770	63.9	1,527	3.5
Other races	1,929	2,589	-660	75	193	100.1	120	6.2
LOUISIANA	43,828	25,974	17,854	169	3,151	71.9	2,079	4.7
White	25,376	14,138	11,238	179	1,519	59.9	816	3.2
Other races	18,452	11,836	6,616	156	1,632	88.4	1,263	6.8
Cities, 10,000 or more	14,356	12,887	1,469	111	1,277	89.0	717	5.0
White	8,884	7,349	1,535	121	639	71.9	337	3.8
Other races	5,472	5,538	-66	99	638	116.6	380	6.9
Cities, 2,500-10,000	4,080	2,624	1,456	155	273	66.9	198	4.9
White	2,606	1,524	1,082	171	150	57.6	95	3.6
Other races	1,474	1,100	374	134	123	83.4	103	7.0
Rural	25,392	10,463	14,929	243	1,601	63.1	1,164	4.6
White	13,886	5,265	8,621	264	730	52.6	384	2.7
Other races	11,506	5,198	6,308	221	871	75.7	780	6.8
MAINE	15,302	11,325	3,977	135	981	64.1	472	3.1
White	15,259	11,281	3,978	135	977	64.0	471	3.1
Other races	43	44	-1	[3]	4	93.0	1	[4]
Cities, 10,000 or more	4,850	3,785	1,065	128	327	67.4	132	2.7
White	4,836	3,770	1,066	128	327	67.6	132	2.7
Other races	14	15	-1	[3]	-----	------	----	------
Cities, 2,500-10,000	2,082	1,464	618	142	124	59.6	70	3.4
White	2,076	1,455	621	143	124	59.7	70	3.4
Other races	6	9	-3	[3]	-----	------	----	------
Rural	8,370	6,076	2,294	138	530	63.3	270	3.2
White	8,347	6,056	2,291	138	526	63.0	269	3.2
Other races	23	20	3	[3]	4	173.9	1	[4]
MARYLAND	26,588	21,960	4,628	121	1,838	69.1	1,291	4.9
White	20,980	16,748	4,232	125	1,182	56.3	832	4.0
Other races	5,608	5,212	396	108	656	117.0	459	8.2
Cities, 10,000 or more	15,803	13,247	2,556	119	1,083	68.5	699	4.4
White	12,604	10,148	2,456	124	734	58.2	462	3.7
Other races	3,199	3,099	100	103	349	109.1	237	7.4

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
MARYLAND—Con.								
Cities, 2,500-10,000	1,652	1,151	501	144	97	58.7	120	8.3
White	1,453	891	562	163	79	54.4	87	6.0
Other races	199	260	-61	77	18	90.5	33	1.7
Rural	9,133	7,562	1,571	121	658	72.0	472	5.2
White	6,923	5,709	1,214	121	369	53.3	283	4.1
Other races	2,210	1,853	357	119	289	130.8	189	8.6
MASSACHUSETTS	61,704	52,052	9,652	119	2,872	46.5	1,820	2.9
White	60,744	51,178	9,566	119	2,808	46.2	1,778	2.9
Other races	960	874	86	110	64	66.7	42	4.4
Cities, 10,000 or more	55,787	42,668	13,119	131	2,605	46.7	1,637	2.9
White	54,959	41,935	13,024	131	2,547	46.3	1,603	2.9
Other races	828	733	95	113	58	70.0	34	4.1
Cities, 2,500-10,000	3,274	3,398	-124	96	154	47.0	99	3.0
White	3,250	3,369	-119	96	149	45.8	96	3.0
Other races	24	29	-5	[3]	5	208.3	3	[4]
Rural	2,643	5,986	-3,343	44	113	42.8	84	3.2
White	2,535	5,874	-3,339	43	112	44.2	79	3.1
Other races	108	112	-4	96	1	9.3	5	4.6
MICHIGAN	88,427	54,781	33,646	161	4,482	50.7	2,650	3.0
White	85,287	51,831	33,456	165	4,259	49.9	2,496	2.9
Other races	3,140	2,950	190	106	223	71.0	154	4.9
Cities, 10,000 or more	56,474	31,105	25,369	182	3,023	53.5	1,727	3.1
White	53,626	28,740	24,886	187	2,827	52.7	1,586	3.0
Other races	2,848	2,365	483	120	196	68.8	141	5.0
Cities, 2,500-10,000	8,137	4,948	3,189	164	417	51.2	290	3.6
White	8,056	4,887	3,169	165	410	50.9	283	3.5
Other races	81	61	20	[3]	7	86.4	7	[4]
Rural	23,816	18,728	5,088	127	1,042	43.8	633	2.7
White	23,605	18,204	5,401	130	1,022	43.3	627	2.7
Other races	211	524	-313	40	20	94.8	6	2.8
MINNESOTA	47,576	28,630	18,946	166	2,113	44.4	1,247	2.6
White	46,954	28,167	18,787	167	2,056	43.8	1,229	2.6
Other races	622	463	159	134	57	91.6	18	2.9
Cities, 10,000 or more	19,043	13,228	5,815	144	842	44.2	570	3.0
White	18,905	13,038	5,867	145	833	44.1	563	3.0
Other races	138	190	-52	73	9	65.2	7	5.1
Cities, 2,500-10,000	6,781	4,135	2,646	164	325	47.9	230	3.4
White	6,768	4,116	2,652	164	324	47.9	228	3.4
Other races	13	19	-6	[3]	1	76.9	2	[4]
Rural	21,752	11,267	10,485	193	946	43.5	447	2.1
White	21,281	11,013	10,268	193	899	42.2	438	2.1
Other races	471	254	217	185	47	99.8	9	1.9
MISSISSIPPI	49,446	24,128	25,318	205	2,879	58.2	2,348	4.7
White	22,267	10,398	11,869	214	1,120	50.3	691	3.1
Other races	27,179	13,730	13,449	198	1,759	64.7	1,657	6.1
Cities, 10,000 or more	4,999	4,699	300	106	409	81.8	347	6.9
White	3,269	2,371	898	138	236	72.2	149	4.6
Other races	1,730	2,328	-598	74	173	100.0	198	11.4
Cities, 2,500-10,000	1,934	2,018	-84	96	190	98.2	110	5.7
White	1,215	1,051	162	115	96	79.1	67	5.5
Other races	721	967	-246	75	94	130.4	43	6.0
Rural	42,513	17,411	25,102	244	2,280	53.6	1,891	4.4
White	17,785	6,976	10,809	255	788	44.3	475	2.7
Other races	24,728	10,435	14,293	237	1,492	60.3	1,416	5.7
MISSOURI	55,916	48,767	7,149	115	3,235	57.9	2,013	3.6
White	52,393	43,854	8,539	119	2,918	55.7	1,750	3.3
Other races	3,523	4,913	-1,390	72	317	90.0	263	7.5
Cities, 10,000 or more	24,208	23,813	395	102	1,319	54.5	933	3.9
White	21,621	20,401	1,220	106	1,141	52.8	724	3.3
Other races	2,587	3,412	-825	76	178	68.8	209	8.1
Cities, 2,500-10,000	5,562	5,409	153	103	415	74.6	237	4.3
White	5,246	4,873	373	108	363	69.2	214	4.1
Other races	316	536	-220	59	52	164.6	23	7.3
Rural	26,146	19,545	6,601	134	1,501	57.4	843	3.2
White	25,526	18,580	6,946	137	1,414	55.4	812	3.2
Other races	620	965	-345	64	87	140.3	31	5.0
MONTANA	10,400	6,255	4,145	166	593	57.0	227	2.2
White	9,762	5,846	3,916	167	489	50.1	206	2.1
Other races	638	409	229	156	104	163.0	21	3.3
Cities, 10,000 or more	3,275	2,042	1,233	160	151	46.1	66	2.0
White	3,254	2,009	1,245	162	149	45.8	66	2.0
Other races	21	33	-12	[3]	2	95.2	----	------
Cities, 2,500-10,000	1,825	924	901	198	85	46.6	41	2.2
White	1,810	912	898	198	84	46.4	40	2.2
Other races	15	12	3	[3]	1	66.7	1	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
MONTANA—Con.								
Rural	5,300	3,289	2,011	161	357	67.4	120	2.3
White	4,698	2,925	1,773	161	256	54.5	100	2.1
Other races	602	364	238	165	101	167.8	20	3.3
NEBRASKA	23,798	13,752	10,046	173	1,049	44.1	529	2.2
White	23,519	13,419	10,100	175	1,022	43.5	522	2.2
Other races	279	333	-54	84	27	96.8	7	2.5
Cities, 10,000 or more	7,584	5,294	2,290	143	398	52.5	166	2.2
White	7,392	5,060	2,332	146	384	51.9	162	2.2
Other races	192	234	-42	82	14	72.9	4	2.1
Cities, 2,500-10,000	3,054	1,966	1,088	155	179	58.6	80	2.6
White	3,046	1,950	1,096	156	179	58.8	80	2.6
Other races	8	16	-8	3/	-----	------	----	------
Rural	13,160	6,492	6,668	203	472	35.9	283	2.2
White	13,081	6,409	6,672	204	459	35.1	280	2.1
Other races	79	83	-4	3/	13	164.6	3	4/
NEVADA	1,419	1,439	-20	99	99	69.8	31	2.2
White	1,330	1,300	30	102	77	57.9	30	2.3
Other races	89	139	-50	64	22	247.2	1	4/
Cities, 10,000 or more	220	238	-18	92	16	72.7	4	2.8
White	213	230	-17	93	16	75.1	4	1.9
Other races	7	8	-1	3/	-----	------	----	------
Cities, 2,500-10,000	351	335	16	105	31	98.3	8	2.3
White	339	310	29	109	28	82.6	8	2.4
Other races	12	25	-13	3/	3	250.0	----	------
Rural	848	866	-18	98	52	61.3	19	2.2
White	778	760	18	102	33	42.4	18	2.3
Other races	70	106	-36	66	19	271.4	1	4/
NEW HAMPSHIRE	7,679	6,438	1,241	119	355	46.2	228	3.0
White	7,673	6,432	1,241	119	355	46.3	226	3.0
Other races	6	6	-------	3/	-----	------	2	4/
Cities, 10,000 or more	4,337	3,128	1,209	139	210	48.4	136	3.1
White	4,334	3,124	1,210	139	210	48.5	135	3.1
Other races	3	4	-1	3/	-----	------	1	4/
Cities, 2,500-10,000	799	519	280	154	42	52.6	22	2.8
White	799	519	280	154	42	52.6	22	2.8
Other races	------	------	-------	------	-----	------	----	------
Rural	2,543	2,791	-248	91	103	40.5	70	2.8
White	2,540	2,789	-249	91	103	40.6	69	2.7
Other races	3	2	1	3/	-----	------	1	4/
NEW JERSEY	53,833	44,959	8,874	120	2,386	44.3	1,801	3.3
White	49,634	41,380	8,254	120	2,050	41.3	1,561	3.1
Other races	4,199	3,579	620	117	336	80.0	240	5.7
Cities, 10,000 or more	43,444	30,299	13,145	143	1,891	43.5	1,499	3.5
White	40,063	27,746	12,317	144	1,627	40.6	1,293	3.2
Other races	3,381	2,553	828	132	264	78.1	206	6.1
Cities, 2,500-10,000	4,572	5,604	-1,032	82	178	38.9	133	2.9
White	4,254	5,232	-998	81	147	34.7	120	2.8
Other races	318	372	-54	91	31	91.7	13	3.8
Rural	5,817	9,056	-3,239	64	317	54.5	169	2.9
White	5,337	8,402	-3,065	64	276	51.7	148	2.8
Other races	480	654	-174	73	41	85.4	21	4.4
NEW MEXICO	12,907	6,248	6,659	207	1,572	121.8	407	3.2
White	12,308	5,710	6,598	216	1,390	112.9	407	3.3
Other races	599	538	61	111	182	303.8	----	------
Cities, 10,000 or more	1,732	1,224	508	142	207	119.5	65	3.8
White	1,647	1,159	488	142	192	116.6	65	3.9
Other races	85	65	20	3/	15	176.5	----	------
Cities, 2,500-10,000	2,180	1,004	1,176	217	191	87.6	74	3.4
White	2,166	988	1,178	219	189	87.3	74	3.4
Other races	14	16	-2	3/	2	142.9	----	------
Rural	8,995	4,020	4,975	224	1,174	130.5	268	3.0
White	8,495	3,563	4,932	238	1,009	118.8	268	3.2
Other races	500	457	43	109	165	330.0	----	------
NEW YORK	182,469	153,545	28,924	119	8,567	47.0	7,221	4.0
White	173,937	145,295	28,642	120	7,829	45.0	6,515	3.7
Other races	8,532	8,250	282	103	738	86.5	706	8.3
Cities, 10,000 or more	151,127	116,963	34,164	129	6,988	46.2	6,374	4.2
White	143,328	109,652	33,676	131	6,313	44.0	5,699	4.0
Other races	7,799	7,311	488	107	675	86.5	675	8.7
Cities, 2,500-10,000	9,630	7,998	1,632	120	477	49.5	306	3.2
White	9,437	7,827	1,610	121	458	48.5	297	3.1
Other races	193	171	22	113	19	98.4	11	5.7
Rural	21,712	28,584	-6,872	76	1,102	50.8	539	2.5
White	21,172	27,816	-6,644	76	1,058	50.0	519	2.5
Other races	540	768	-228	70	44	81.5	20	3.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
NORTH CAROLINA	76,182	35,630	40,552	214	5,247	68.9	3,116	4.1
White	52,256	22,243	30,013	235	3,128	59.9	1,579	3.0
Other races	23,926	13,387	10,539	179	2,119	88.6	1,537	6.4
Cities, 10,000 or more	13,898	10,181	3,717	137	1,345	96.8	746	5.4
White	9,811	5,929	3,882	165	815	83.1	358	3.6
Other races	4,087	4,252	-165	96	530	129.7	388	9.5
Cities, 2,500-10,000	6,401	3,616	2,785	177	483	75.5	367	5.7
White	5,118	2,811	2,607	221	302	59.0	224	4.4
Other races	1,283	1,305	-22	98	181	141.1	143	11.1
Rural	55,883	21,833	34,050	256	3,419	61.2	2,003	3.6
White	37,327	14,003	23,324	267	2,011	53.9	997	2.7
Other races	18,556	7,830	10,726	237	1,408	75.9	1,006	5.4
NORTH DAKOTA	13,571	5,654	7,917	240	674	49.7	366	2.7
White	13,151	5,462	7,689	241	630	47.9	350	2.7
Other races	420	192	228	219	44	104.8	16	3.8
Cities, 10,000 or more	2,593	1,229	1,364	211	122	47.0	72	2.8
White	2,587	1,220	1,367	212	122	47.2	72	2.8
Other races	6	9	-3	3/	-----	------	----	------
Cities, 2,500-10,000	1,803	830	973	217	91	50.5	57	3.2
White	1,794	828	966	217	91	50.7	56	3.1
Other races	9	2	7	3/	-----	------	1	4/
Rural	9,175	3,595	5,580	255	461	50.2	237	2.6
White	8,770	3,414	5,356	257	417	47.5	222	2.5
Other races	405	181	224	224	44	108.6	15	3.7
OHIO	103,703	80,941	22,762	128	5,314	51.2	3,088	3.0
White	98,367	75,049	23,318	131	4,863	49.4	2,798	2.8
Other races	5,336	5,892	-556	91	451	84.5	290	5.4
Cities, 10,000 or more	65,356	50,012	15,344	131	3,423	52.4	2,047	3.1
White	60,734	45,155	15,579	135	3,037	50.0	1,802	3.0
Other races	4,622	4,857	-235	95	386	83.5	245	5.3
Cities, 2,500-10,000	8,572	7,264	1,308	118	440	51.3	270	3.1
White	8,322	6,993	1,329	119	415	49.9	252	3.0
Other races	250	271	-21	92	25	100.0	18	7.2
Rural	29,775	23,665	6,110	126	1,451	48.7	771	2.6
White	29,311	22,901	6,410	128	1,411	48.1	744	2.5
Other races	464	764	-300	61	40	86.2	27	5.8
OKLAHOMA	41,815	23,250	18,565	180	2,509	60.0	1,182	2.8
White	38,433	19,818	18,615	194	2,114	55.0	1,007	2.6
Other races	3,382	3,432	-50	99	395	116.8	175	5.2
Cities, 10,000 or more	11,101	7,805	3,296	142	744	67.0	306	2.8
White	10,096	6,444	3,652	157	610	60.4	256	2.5
Other races	1,005	1,361	-356	74	134	133.3	50	5.0
Cities, 2,500-10,000	7,360	5,042	2,318	146	504	68.5	269	3.7
White	6,658	4,488	2,170	148	430	64.6	225	3.4
Other races	702	554	148	127	74	105.4	44	6.3
Rural	23,354	10,403	12,951	224	1,261	54.0	607	2.6
White	21,679	8,886	12,793	244	1,074	49.5	526	2.4
Other races	1,675	1,517	158	110	187	111.6	81	4.8
OREGON	13,975	12,367	1,608	113	619	44.3	297	2.1
White	13,811	12,155	1,656	114	603	43.7	294	2.1
Other races	164	212	-48	77	16	97.6	3	1.8
Cities, 10,000 or more	6,652	5,945	707	112	288	43.3	148	2.2
White	6,584	5,851	733	113	285	43.3	147	2.2
Other races	68	94	-26	3/	3	44.1	1	4/
Cities, 2,500-10,000	3,316	2,578	738	129	146	44.0	83	2.5
White	3,296	2,548	748	129	143	43.4	83	2.5
Other races	20	30	-10	3/	3	150.0	----	------
Rural	4,007	3,844	163	104	185	46.2	66	1.6
White	3,931	3,756	175	105	175	44.5	64	1.6
Other races	76	88	-12	3/	10	131.6	2	4/
PENNSYLVANIA	159,393	112,711	46,682	141	8,153	51.2	5,034	3.2
White	151,573	105,538	46,035	144	7,554	49.8	4,623	3.1
Other races	7,820	7,173	647	109	599	76.6	411	5.3
Cities, 10,000 or more	90,126	66,476	23,650	136	4,656	51.7	2,965	3.3
White	83,207	60,568	22,639	137	4,136	49.7	2,610	3.1
Other races	6,919	5,908	1,011	117	520	75.2	355	5.1
Cities, 2,500-10,000	20,910	13,932	6,978	150	1,088	52.0	687	3.3
White	20,658	13,625	7,033	152	1,057	51.2	670	3.2
Other races	252	307	-55	82	31	123.0	17	6.7
Rural	48,357	32,303	16,054	150	2,409	49.8	1,382	2.9
White	47,708	31,345	16,363	152	2,361	49.5	1,343	2.8
Other races	649	958	-309	68	48	74.0	39	6.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
RHODE ISLAND	10,186	8,126	2,060	125	491	48.2	302	3.0
White	9,951	7,903	2,048	126	474	47.6	289	2.9
Other races	235	223	12	105	17	72.3	13	5.5
Cities, 10,000 or more	9,416	7,141	2,275	132	444	47.2	279	3.0
White	9,206	6,941	2,265	133	427	46.4	269	2.9
Other races	210	200	10	105	17	81.0	10	4.8
Cities, 2,500-10,000	237	334	-97	71	9	38.0	7	3.0
White	236	327	-91	72	9	38.1	5	2.1
Other races	1	7	-6	3/	-----	-----	2	4/
Rural	533	651	-118	82	38	71.3	16	3.0
White	509	635	-126	80	38	74.7	15	2.9
Other races	24	16	8	3/	-----	-----	1	4/
SOUTH CAROLINA	39,292	21,426	17,866	183	3,174	80.8	2,286	5.8
White	19,359	9,736	9,623	199	1,203	62.1	650	3.4
Other races	19,933	11,690	8,243	171	1,971	98.9	1,636	8.2
Cities, 10,000 or more	5,544	5,319	225	104	591	106.6	454	8.2
White	3,477	2,745	732	127	275	79.1	158	4.5
Other races	2,067	2,574	-507	80	316	152.9	296	14.3
Cities, 2,500-10,000	2,950	2,149	801	137	250	84.7	210	7.1
White	1,879	1,139	740	165	132	70.3	79	4.2
Other races	1,071	1,010	61	106	118	110.2	131	12.2
Rural	30,798	13,958	16,840	221	2,333	75.8	1,622	5.3
White	14,003	5,852	8,151	239	796	56.8	413	2.9
Other races	16,795	8,106	8,689	207	1,537	91.5	1,209	7.2
SOUTH DAKOTA	12,879	6,157	6,722	209	615	47.8	267	2.1
White	12,193	5,681	6,512	215	517	42.4	257	2.1
Other races	686	476	210	144	98	142.9	10	1.5
Cities, 10,000 or more	2,724	1,464	1,260	186	113	41.5	63	2.3
White	2,717	1,460	1,257	186	113	41.6	62	2.3
Other races	7	4	3	3/	-----	-----	1	4/
Cities, 2,500-10,000	1,539	975	564	158	80	52.0	39	2.5
White	1,522	960	562	159	79	51.9	39	2.6
Other races	17	15	2	3/	1	58.8	-----	-----
Rural	8,616	3,718	4,898	232	422	49.0	165	1.9
White	7,954	3,261	4,693	244	325	40.9	156	2.0
Other races	662	457	205	145	97	146.5	9	1.4
TENNESSEE	50,571	32,522	18,049	155	3,464	68.5	1,969	3.9
White	42,782	23,913	18,869	179	2,759	64.5	1,470	3.4
Other races	7,789	8,609	-820	90	705	90.5	499	6.4
Cities, 10,000 or more	13,886	12,333	1,553	113	1,185	85.3	654	4.7
White	10,331	7,603	2,728	136	819	79.3	402	3.9
Other races	3,555	4,730	-1,175	75	366	103.0	252	7.1
Cities, 2,500-10,000	4,015	3,151	864	127	296	73.7	215	5.4
White	3,501	2,355	1,146	149	240	68.6	163	4.7
Other races	514	796	-282	65	56	108.9	52	10.1
Rural	32,670	17,038	15,632	192	1,983	60.7	1,100	3.4
White	28,950	13,955	14,995	207	1,700	58.7	905	3.1
Other races	3,720	3,083	637	121	283	76.1	195	5.2
TEXAS	111,602	65,803	45,799	170	7,951	71.2	3,905	3.5
White	97,827	53,554	44,273	183	6,806	69.6	3,010	3.1
Other races	13,775	12,249	1,526	112	1,145	83.1	895	6.5
Cities, 10,000 or more	38,261	26,815	11,446	143	3,150	82.3	1,437	3.8
White	33,990	21,584	12,406	157	2,714	79.8	1,116	3.3
Other races	4,271	5,231	-960	82	436	102.1	321	7.5
Cities, 2,500-10,000	14,663	9,657	5,006	152	1,112	75.8	568	3.9
White	13,611	7,971	5,640	171	990	72.7	469	3.4
Other races	1,052	1,686	-634	62	122	116.0	99	9.4
Rural	58,678	29,331	29,347	200	3,689	62.9	1,900	3.2
White	50,226	23,999	26,227	209	3,102	61.8	1,425	2.8
Other races	8,452	5,332	3,120	159	587	69.5	475	5.6
UTAH	12,551	5,126	7,425	245	661	52.7	255	2.0
White	12,423	5,012	7,411	248	642	51.7	253	2.0
Other races	128	114	14	112	19	148.4	2	1.6
Cities, 10,000 or more	5,200	2,526	2,674	206	245	47.1	116	2.2
White	5,180	2,484	2,696	209	243	46.9	115	2.2
Other races	20	42	-22	3/	2	100.0	1	4/
Cities, 2,500-10,000	2,876	802	2,074	359	138	48.0	62	2.2
White	2,869	796	2,073	360	136	47.4	62	2.2
Other races	7	6	1	3/	2	285.7	-----	-----
Rural	4,475	1,798	2,677	249	278	62.1	77	1.7
White	4,374	1,732	2,642	253	263	60.1	76	1.7
Other races	101	66	35	3/	15	148.5	1	1.0
Sec. A (States)—Con.								
VERMONT	6,449	4,957	1,492	130	374	58.0	183	2.8
White	6,448	4,954	1,494	130	374	58.0	183	2.8
Other races	1	3	-2	3/	-----	-----	-----	-----
Cities, 10,000 or more	1,537	966	571	159	82	53.4	35	2.3
White	1,537	964	573	159	82	53.4	35	2.3
Other races	-----	2	-2	-----	-----	-----	-----	-----
Rural 3/	4,912	3,991	921	123	292	59.4	148	3.0
White	4,911	3,990	921	123	292	59.5	148	3.0
Other races	1	1	-----	3/	-----	-----	-----	-----
VIRGINIA	51,247	32,202	19,045	159	3,787	73.9	2,235	4.4
White	36,538	20,572	15,966	178	2,289	62.6	1,176	3.2
Other races	14,709	11,630	3,079	126	1,498	101.8	1,059	7.2
Cities, 10,000 or more	11,999	10,457	1,542	115	957	79.8	683	5.7
White	8,508	6,221	2,287	137	510	59.9	333	3.9
Other races	3,491	4,236	-745	82	447	128.0	350	10.0
Cities, 2,500-10,000	3,708	2,699	1,009	137	316	85.2	190	5.1
White	3,109	2,115	994	147	249	80.1	140	4.5
Other races	599	584	15	103	67	111.9	50	8.3
Rural	35,540	19,046	16,494	187	2,514	70.7	1,362	3.8
White	24,921	12,236	12,685	204	1,530	61.4	703	2.8
Other races	10,619	6,810	3,809	156	984	92.7	659	6.2
WASHINGTON	23,376	19,356	4,020	121	1,062	45.4	468	2.0
White	22,745	18,683	4,062	122	990	43.5	458	2.0
Other races	631	673	-42	94	72	114.1	10	1.6
Cities, 10,000 or more	14,801	11,209	3,592	132	636	43.0	300	2.0
White	14,528	10,869	3,659	134	613	42.2	298	2.1
Other races	273	340	-67	80	23	84.2	2	0.7
Cities, 2,500-10,000	2,632	1,735	897	152	127	48.3	43	1.6
White	2,581	1,676	905	154	122	47.3	41	1.6
Other races	51	59	-8	3/	5	98.0	2	4/
Rural	5,943	6,412	-469	93	299	50.3	125	2.1
White	5,636	6,138	-502	92	255	45.2	119	2.1
Other races	307	274	33	112	44	143.3	6	2.0
WEST VIRGINIA	40,853	19,908	20,945	205	2,908	71.2	1,524	3.7
White	38,763	18,018	20,745	215	2,734	70.5	1,389	3.6
Other races	2,090	1,890	200	111	174	83.3	135	6.5
Cities, 10,000 or more	7,440	5,725	1,715	130	606	81.5	330	4.4
White	7,126	5,215	1,911	137	583	81.8	303	4.3
Other races	314	510	-196	62	23	73.2	27	8.6
Cities, 2,500-10,000	3,708	3,115	593	119	366	98.7	205	5.5
White	3,551	2,713	838	131	341	96.0	192	5.4
Other races	157	402	-245	39	25	159.2	13	8.3
Rural	29,705	11,068	18,637	268	1,936	65.2	989	3.3
White	28,086	10,090	17,996	278	1,810	64.4	894	3.2
Other races	1,619	978	641	166	126	77.8	95	5.9
WISCONSIN	52,613	33,242	19,371	158	2,510	47.7	1,281	2.4
White	52,049	32,791	19,258	159	2,448	47.0	1,264	2.4
Other races	564	451	113	125	62	109.9	17	3.0
Cities, 10,000 or more	24,616	14,504	10,112	170	1,126	45.7	605	2.5
White	24,498	14,370	10,128	170	1,110	45.3	601	2.5
Other races	118	134	-16	88	16	135.6	4	3.4
Cities, 2,500-10,000	6,948	4,353	2,595	160	375	54.0	211	3.0
White	6,931	4,338	2,593	160	373	53.8	211	3.0
Other races	17	15	2	3/	2	117.6	-----	-----
Rural	21,049	14,385	6,664	146	1,009	47.9	465	2.2
White	20,620	14,083	6,537	146	965	45.8	452	2.2
Other races	429	302	127	142	44	102.6	13	3.0
WYOMING	4,753	2,401	2,352	198	274	57.6	68	1.4
White	4,625	2,307	2,318	200	258	55.8	68	1.5
Other races	128	94	34	3/	16	125.0	-----	-----
Cities, 10,000 or more	778	496	282	157	46	59.1	11	1.4
White	770	482	288	160	45	58.4	11	1.4
Other races	8	14	-6	3/	1	125.0	-----	-----
Cities, 2,500-10,000	1,027	659	368	156	67	65.2	17	1.7
White	1,019	643	376	158	66	64.8	17	1.7
Other races	8	16	-8	3/	1	125.0	-----	-----
Rural	2,948	1,245	1,702	237	161	54.6	40	1.4
White	2,836	1,182	1,654	240	147	51.8	40	1.4
Other races	112	64	48	3/	14	125.0	-----	-----

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B (Counties including cities of 10,000 or more in 1930)								
ALABAMA (total)	60,116	31,153	28,963	193	4,017	66.8	2,659	4.4
Autauga	489	202	287	242	31	63.4	35	7.2
White	182	78	104	[3]	4	22.0	8	4.4
Other races	307	124	183	248	27	87.9	27	8.8
Baldwin	689	313	376	220	38	55.2	33	4.8
White	490	214	276	229	22	44.9	12	2.4
Other races	199	99	100	[3]	16	80.4	21	10.1
Barbour	716	374	342	191	52	72.6	35	4.9
White	292	148	144	197	13	44.5	5	1.7
Other races	424	226	198	188	39	92.0	30	7.1
Bibb	450	161	289	280	29	64.4	13	2.9
White	289	106	183	273	16	55.4	6	2.1
Other races	161	55	106	[3]	13	80.7	7	4.3
Blount	747	193	554	387	32	42.8	18	2.4
White	722	175	547	413	31	42.9	17	2.4
Other races	25	18	7	[3]	1	40.0	1	[4]
Bullock	638	286	352	223	48	75.2	45	7.1
White	69	43	26	[3]	-----	------	1	[4]
Other races	569	243	326	234	48	84.4	44	7.7
Butler	648	321	327	202	66	101.9	36	5.6
White	262	166	96	158	26	99.2	14	5.3
Other races	386	155	231	249	40	103.6	22	5.7
Calhoun	1,354	703	651	193	93	68.7	68	5.0
Rural part	817	342	475	239	48	58.8	29	3.5
White	680	256	424	266	37	54.4	23	3.4
Other races	137	86	51	[3]	11	80.3	6	4.4
Anniston	537	361	176	149	45	83.8	39	7.3
White	381	224	157	170	29	76.1	20	5.2
Other races	156	137	19	114	16	102.6	19	12.2
Chambers	769	443	326	174	55	71.5	32	4.2
White	364	241	123	151	25	68.7	13	3.6
Other races	405	202	203	200	30	74.1	19	4.7
Cherokee	556	201	355	277	41	73.7	17	3.1
White	499	177	322	282	35	70.1	16	3.2
Other races	57	24	33	[3]	6	105.3	1	[4]
Chilton	688	270	418	255	44	64.0	21	3.1
White	554	219	335	253	36	65.0	14	2.5
Other races	134	51	83	[3]	8	59.7	7	5.2
Choctaw	447	152	295	294	27	60.4	19	4.3
White	178	56	122	[3]	7	39.3	5	2.8
Other races	269	96	173	[3]	20	74.3	14	5.2
Clarke	646	308	338	210	38	58.8	27	4.2
White	259	114	145	227	4	15.4	4	1.5
Other races	387	194	193	199	34	87.9	23	5.9
Clay	397	159	238	250	16	40.3	16	4.0
White	321	127	194	253	10	31.2	11	3.4
Other races	76	32	44	[3]	6	78.9	5	[4]
Cleburne	355	84	272	[3]	8	22.5	8	2.2
White	338	73	265	[3]	8	23.7	8	2.4
Other races	18	11	7	[3]	-----	------	----	------
Coffee	686	313	373	219	41	59.8	28	4.1
White	575	234	341	246	32	55.7	19	3.3
Other races	111	79	32	[3]	9	81.1	9	8.1
Colbert	774	331	443	234	44	56.8	27	3.5
White	594	198	396	300	34	57.2	16	2.7
Other races	180	133	47	135	10	55.6	11	6.1
Conecuh	712	275	437	259	48	67.4	33	4.6
White	327	116	211	282	14	42.8	12	3.7
Other races	385	159	226	242	34	88.3	21	5.5
Coosa	251	123	128	204	19	75.7	21	8.4
White	127	66	61	[3]	9	70.9	4	3.1
Other races	124	57	67	[3]	10	80.6	17	13.7
Covington	974	344	630	283	47	48.3	45	4.6
White	804	275	529	292	41	51.0	36	4.5
Other races	170	69	101	[3]	6	35.3	9	5.3
Crenshaw	551	203	348	271	31	56.3	13	2.4
White	304	137	167	222	16	52.6	3	1.0
Other races	247	66	181	[3]	15	60.7	10	4.0
Cullman	1,071	315	756	340	51	47.6	26	2.4
White	1,053	313	740	336	51	48.4	25	2.4
Other races	18	2	16	[3]	-----	------	1	[4]
Dale	494	214	280	231	25	50.6	15	3.0
White	408	153	255	267	16	39.2	9	2.2
Other races	86	61	25	[3]	9	104.7	6	[4]
Dallas	1,405	969	436	145	136	96.8	101	7.2
Rural part	983	484	499	203	93	94.6	74	7.5
White	39	35	4	[3]	2	51.3	1	[4]
Other races	944	449	495	210	91	96.4	73	7.7
Selma	422	485	-63	87	43	101.9	27	6.4
White	203	214	-11	95	15	73.9	4	2.0
Other races	219	271	-52	81	28	127.9	23	10.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Con.								
De Kalb	879	297	582	296	34	38.7	24	2.7
White	856	279	577	307	32	37.4	24	2.8
Other races	23	18	5	[3]	2	87.0	----	------
Elmore	565	349	316	191	48	72.2	25	3.8
White	306	168	138	182	17	55.6	8	2.6
Other races	359	181	178	198	31	86.4	17	4.7
Escambia	778	343	435	227	46	59.1	49	6.3
White	523	213	310	246	29	55.4	24	4.6
Other races	255	130	125	196	17	66.7	25	9.8
Etowah	1,301	643	658	202	50	38.4	56	4.3
Rural part	786	306	480	257	26	33.1	30	3.8
White	732	251	481	292	25	34.2	23	3.1
Other races	54	55	-1	[3]	1	18.5	7	[4]
Gadsden	515	337	178	153	24	46.6	26	5.0
White	435	234	201	186	22	50.6	21	4.8
Other races	80	103	-23	78	2	25.0	5	[4]
Fayette	461	172	289	268	23	49.9	12	2.6
White	393	144	249	273	19	48.3	6	1.5
Other races	68	28	40	[3]	4	58.8	6	[4]
Franklin	724	245	479	296	27	37.3	21	2.9
White	694	221	473	314	26	37.5	17	2.4
Other races	30	24	6	[3]	1	33.3	4	[4]
Geneva	668	209	459	320	38	56.9	30	4.5
White	567	159	408	357	24	42.3	23	4.1
Other races	101	50	51	[3]	14	138.6	7	6.9
Greene	510	279	231	163	59	115.7	38	7.5
White	45	36	9	[3]	1	22.2	3	[4]
Other races	465	243	222	191	58	124.7	35	7.5
Hale	644	329	315	196	37	57.5	58	9.0
White	112	61	51	[3]	3	26.8	4	3.6
Other races	532	268	264	199	34	63.9	54	10.2
Henry	585	186	399	315	21	35.9	22	3.8
White	234	84	150	[3]	6	25.6	6	2.6
Other races	351	102	249	344	15	42.7	16	4.6
Houston	930	573	357	162	61	65.6	46	4.9
Rural part	687	243	444	283	39	56.8	18	2.6
White	527	165	362	319	25	47.4	12	2.3
Other races	160	78	82	[3]	14	87.5	6	3.8
Dothan	243	330	-87	74	22	90.5	28	11.5
White	187	226	-39	83	15	80.2	18	9.6
Other races	56	104	-48	54	7	125.0	10	[4]
Jackson	925	377	548	245	59	63.8	29	3.1
White	878	329	549	267	56	63.8	29	3.3
Other races	47	48	-1	[3]	3	63.8	----	------
Jefferson	7,467	5,654	1,813	132	586	78.5	288	3.9
Rural part	1,933	1,262	671	153	119	61.6	46	2.4
White	1,173	666	507	176	68	58.0	16	1.4
Other races	760	596	164	128	51	67.1	30	3.9
Bessemer	315	252	63	125	16	50.8	14	4.4
White	132	100	32	132	5	37.9	4	3.0
Other races	183	152	31	120	11	60.1	10	5.5
Birmingham	4,718	3,827	891	123	402	85.2	215	4.6
White	2,874	1,847	1,027	156	185	64.4	86	3.0
Other races	1,844	1,980	-136	93	217	117.7	129	7.0
Fairfield	501	313	188	160	49	97.8	13	2.6
White	311	117	194	266	22	70.7	4	1.3
Other races	190	196	-6	97	27	142.1	9	4.7
Lamar	479	140	339	342	26	54.3	17	3.5
White	392	112	280	350	21	53.6	12	3.1
Other races	87	28	59	[3]	5	57.5	5	[4]
Lauderdale	952	498	454	191	65	68.3	31	3.3
Rural part	714	240	474	298	37	51.8	19	2.7
White	600	189	411	317	32	53.3	14	2.3
Other races	114	51	63	[3]	5	43.9	5	4.4
Florence	238	258	-20	92	28	117.6	12	5.0
White	202	179	23	113	22	108.9	8	4.0
Other races	36	79	-43	[3]	6	166.7	4	[4]
Lawrence	641	248	393	258	37	57.7	20	3.1
White	496	162	334	306	34	68.5	17	3.4
Other races	145	86	59	[3]	3	20.7	3	2.1
Lee	850	411	439	207	69	81.2	43	5.1
Rural part	850	411	439	207	69	81.2	43	5.1
White	234	159	75	147	17	72.6	8	3.4
Other races	616	252	364	244	52	84.4	35	5.7
Phenix City (part)	------	------	-------	------	-----	-------	----	------
White	------	------	-------	------	-----	-------	----	------
Other races	------	------	-------	------	-----	-------	----	------
Limestone	895	376	519	238	68	76.0	32	3.6
White	665	257	408	259	54	81.2	24	3.6
Other races	230	119	111	193	14	60.9	8	3.5
Lowndes	752	343	409	219	83	110.4	55	7.3
White	37	22	15	[3]	-----	------	1	[4]
Other races	715	321	394	223	83	116.1	54	7.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Con.								
Macon	819	499	320	164	66	80.6	72	8.8
White	68	49	19	3/	1	14.7	4	4/
Other races	751	450	301	167	65	86.6	68	9.1
Madison	1,526	750	776	203	97	63.6	54	3.5
Rural part	1,272	471	801	270	74	58.2	34	2.7
White	922	311	611	296	54	58.6	22	2.4
Other races	350	160	190	219	20	57.1	12	3.4
Huntsville	254	279	-25	91	23	90.6	20	7.9
White	187	168	19	111	16	85.6	15	8.0
Other races	67	111	-44	60	7	104.5	5	4/
Marengo	747	426	321	175	50	66.9	52	7.0
White	159	103	56	154	6	37.7	2	1.3
Other races	588	323	265	182	44	74.8	50	8.5
Marion	652	150	502	435	29	44.5	15	2.3
White	628	144	484	436	29	46.2	14	2.2
Other races	24	6	18	3/	-----	-----	1	4/
Marshall	916	349	567	262	52	56.8	29	3.2
White	904	329	575	275	51	56.4	29	3.2
Other races	12	20	-8	3/	1	83.3	----	-----
Mobile	2,435	2,052	383	119	172	70.6	120	4.9
Rural part	988	783	205	126	49	49.6	47	4.8
White	555	288	267	193	15	27.0	22	4.0
Other races	433	495	-62	87	34	78.5	25	5.8
Mobile	1,447	1,269	178	114	123	85.0	73	5.0
White	982	720	262	136	74	75.4	27	2.7
Other races	465	549	-84	85	49	105.4	46	9.9
Monroe	855	291	565	294	51	59.6	36	4.2
White	324	129	195	251	13	40.1	12	3.7
Other races	532	162	370	328	38	71.4	24	4.5
Montgomery	1,883	1,533	350	123	145	77.0	98	5.2
Rural part	693	442	251	157	43	62.0	24	3.5
White	97	94	3	3/	4	41.2	1	4/
Other races	596	348	248	171	39	65.4	23	3.9
Montgomery	1,190	1,091	99	109	102	85.7	74	6.2
White	574	458	216	147	30	44.5	22	3.3
Other races	516	633	-117	82	72	139.5	52	10.1
Morgan	858	539	319	159	61	71.1	47	5.5
Rural part	566	282	284	201	42	74.2	23	4.1
White	493	217	276	227	35	71.0	13	2.6
Other races	73	65	8	3/	7	95.9	10	4/
Decatur	292	257	35	114	19	65.1	24	8.2
White	232	183	49	127	13	56.0	14	6.0
Other races	60	74	-14	3/	6	100.0	10	4/
Perry	772	298	474	259	49	63.5	55	7.1
White	133	57	76	3/	5	37.6	4	3.0
Other races	639	241	398	265	44	68.9	51	8.0
Pickens	648	292	356	222	52	80.2	24	3.7
White	315	131	184	240	16	51.0	7	2.2
Other races	333	161	172	207	36	108.1	17	5.1
Pike	726	415	311	175	54	74.4	46	6.3
White	353	206	147	171	25	70.8	14	4.0
Other races	373	209	164	178	29	77.7	32	8.6
Randolph	483	225	258	215	33	68.3	25	5.2
White	350	159	191	220	19	54.3	18	5.1
Other races	133	66	67	3/	14	105.3	7	5.3
Russell	733	441	292	166	71	96.9	55	7.5
Rural part	503	210	293	240	41	81.5	32	6.4
White	32	39	-7	3/	3	93.8	2	4/
Other races	471	171	300	275	38	80.7	30	6.4
Phenix City (part)	230	231	-1	6/	30	6/	23	6/
White	138	142	-4	6/	21	6/	8	6/
Other races	92	89	3	6/	9	6/	15	6/
Phenix City(total)	230	231	-1	100	30	130.4	23	10.0
White	138	142	-4	97	21	152.2	8	5.8
Other races	92	89	3	3/	9	97.8	15	4/
St. Clair	631	209	422	302	29	46.0	21	3.3
White	502	164	338	306	24	47.8	16	3.2
Other races	129	45	84	3/	5	38.8	5	3.9
Shelby	611	266	345	230	27	44.2	24	3.9
White	470	174	296	270	18	38.3	12	2.6
Other races	141	92	49	3/	9	63.8	12	8.5
Sumter	782	354	428	221	67	85.7	57	7.3
White	94	62	32	3/	3	31.9	4	4/
Other races	688	292	396	236	64	93.0	53	7.7
Talladega	1,326	579	747	229	105	79.2	50	3.8
White	801	339	462	236	61	76.2	22	2.7
Other races	525	240	285	219	44	83.8	28	5.3
Tallapoosa	747	333	414	224	43	57.6	33	4.4
White	495	213	282	232	26	52.5	19	3.8
Other races	252	120	132	210	17	67.5	14	5.6
Tuscaloosa	1,203	1,050	153	115	74	61.5	44	3.7
Rural part	731	452	279	162	38	52.0	19	2.6
White	447	276	171	162	16	35.8	10	2.2
Other races	284	176	108	161	22	77.5	9	3.2
Tuscaloosa	472	598	-126	79	36	76.3	25	5.3
White	352	420	-68	84	17	48.3	10	2.8
Other races	120	178	-58	67	19	158.3	15	12.5
Walker	1,443	557	886	259	95	65.8	45	3.2
White	1,324	457	867	290	85	64.2	32	2.4
Other races	119	100	19	119	10	84.0	14	11.8
Washington	448	169	279	265	21	46.9	23	5.1
White	275	83	192	3/	12	43.6	6	2.2
Other races	173	86	87	3/	9	52.0	17	9.8
Wilcox	822	335	487	245	60	73.0	5	0.6
White	90	47	43	3/	3	33.3	----	-----
Other races	732	288	444	254	57	77.9	5	0.7
Winston	435	112	323	388	17	39.1	----	-----
White	434	110	324	395	17	39.2	----	-----
Other races	1	2	-1	3/	-----	-----	----	-----
ARIZONA (total)	9,545	6,551	2,994	146	1,142	119.6	277	2.9
Apache	385	241	144	160	62	161.0	3	0.8
Cochise	685	420	265	163	46	67.2	8	1.2
Coconino	327	177	150	185	42	128.4	3	0.9
Gila	515	317	198	162	59	114.6	11	2.1
Graham	372	168	204	221	43	115.6	9	2.4
Greenlee	126	60	66	3/	12	95.2	1	0.8
Maricopa	3,485	2,470	1,015	141	401	115.1	124	3.6
Rural part	1,449	1,003	446	144	191	131.8	55	3.8
Phoenix	2,036	1,467	569	139	210	103.1	69	3.4
White	1,965	1,359	606	145	196	99.7	62	3.1
Other races	71	108	-37	66	14	197.2	7	4/
Mohave	123	103	20	119	8	65.0	4	3.3
Navajo	518	327	191	158	106	204.6	16	3.1
Pima	1,389	1,047	342	133	145	104.4	41	3.0
Rural part	244	296	-52	82	49	200.8	4	1.6
Tucson	1,145	751	394	152	96	83.8	37	3.2
Pinal	496	358	138	139	86	173.4	15	3.0
Santa Cruz	235	139	96	169	19	80.9	7	3.0
Yavapai	498	426	72	117	47	94.4	19	3.8
Yuma	391	298	93	131	66	168.8	16	4.1
ARKANSAS (total)	33,520	18,465	15,055	182	1,707	50.9	1,274	3.8
Arkansas	327	138	189	237	14	42.8	6	1.8
White	268	111	157	241	12	44.8	5	1.9
Other races	59	27	32	3/	2	33.9	1	4/
Ashley	615	288	328	214	29	47.1	30	4.9
White	300	147	153	204	16	53.3	19	6.3
Other races	316	141	175	224	13	41.1	11	3.5
Baxter	166	58	108	3/	5	30.1	2	1.2
White	166	58	108	3/	5	30.1	2	1.2
Other races	-----	-----	-----	-----	-----	-----	----	-----
Benton	616	489	127	126	34	55.2	11	1.8
White	615	485	130	127	34	55.3	11	1.8
Other races	1	4	-3	3/	-----	-----	----	-----
Boone	264	181	83	146	12	45.5	6	2.3
White	264	181	83	146	12	45.5	6	2.3
Other races	-----	-----	-----	-----	-----	-----	----	-----
Bradley	320	139	181	230	14	43.8	10	3.1
White	216	102	114	212	11	50.9	8	3.7
Other races	104	37	67	3/	3	28.8	2	1.9
Calhoun	133	62	71	3/	11	82.7	11	8.3
White	76	40	36	3/	8	105.3	6	4/
Other races	57	22	35	3/	3	52.6	5	4/
Carroll	269	174	95	155	11	40.9	12	4.5
White	269	174	95	155	11	40.9	12	4.5
Other races	-----	-----	-----	-----	-----	-----	----	-----
Chicot	421	234	187	180	21	49.9	25	5.9
White	161	78	83	3/	7	43.5	10	6.2
Other races	260	156	104	167	14	53.8	15	5.8
Clark	327	196	131	167	14	42.8	15	4.6
White	220	136	84	162	10	45.5	10	4.5
Other races	107	60	47	3/	4	37.4	5	4.7
Clay	521	259	262	201	39	74.9	16	3.1
White	521	259	262	201	39	74.9	16	3.1
Other races	-----	-----	-----	-----	-----	-----	----	-----
Cleburne	247	83	164	3/	12	48.6	4	1.6
White	247	83	164	3/	12	48.6	4	1.6
Other races	-----	-----	-----	-----	-----	-----	----	-----

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Con.								
Cleveland	228	88	140	3/	11	48.2	8	3.5
White	178	66	112	3/	11	61.8	3	1.7
Other races	50	22	28	3/	-----	------	5	4/
Columbia	347	149	198	233	13	37.5	13	3.7
White	162	82	80	3/	4	24.7	4	2.5
Other races	185	67	118	3/	9	48.6	9	4.9
Conway	474	181	293	262	29	61.2	26	5.5
White	358	129	229	278	21	58.7	10	2.8
Other races	116	52	64	3/	8	69.0	16	13.8
Craighead	838	518	320	162	77	91.9	28	3.3
Rural part	633	244	389	259	47	74.2	16	2.5
White	630	242	388	260	47	74.6	16	2.5
Other races	3	2	1	3/	-----	------	----	------
Jonesboro	205	274	-69	75	30	146.3	12	5.9
White	196	250	-54	78	29	148.0	10	5.1
Other races	9	24	-15	3/	1	111.1	2	4/
Crawford	500	223	277	224	16	32.0	11	2.2
White	486	208	278	234	15	30.9	10	2.1
Other races	14	15	-1	3/	1	71.4	1	4/
Crittenden	691	405	286	171	32	46.3	55	8.0
White	101	63	38	3/	3	29.7	6	5.9
Other races	590	342	248	173	29	49.2	49	8.3
Cross	401	178	223	225	17	42.4	17	4.2
White	221	87	134	3/	10	45.2	6	2.7
Other races	180	91	89	3/	7	38.9	11	6.1
Dallas	226	96	130	3/	9	39.8	6	2.7
White	154	77	77	3/	9	58.4	2	1.3
Other races	72	19	53	3/	-----	------	4	4/
Desha	447	177	270	253	7	15.7	26	5.8
White	158	55	103	3/	2	12.7	3	1.9
Other races	289	122	167	237	5	17.3	23	8.0
Drew	475	199	276	239	25	52.6	21	4.4
White	280	117	163	239	14	50.0	7	2.5
Other races	195	82	113	3/	11	56.4	14	7.2
Faulkner	550	250	300	220	24	43.6	13	2.4
White	477	201	276	237	17	35.6	9	1.9
Other races	73	49	24	3/	7	95.9	4	4/
Franklin	350	122	228	287	7	20.0	4	1.1
White	344	117	227	294	6	17.4	4	1.2
Other races	6	5	1	3/	1	166.7	----	------
Fulton	203	60	143	3/	5	24.6	9	4.4
White	202	60	142	3/	5	24.8	9	4.5
Other races	1	------	1	------	-----	------	----	------
Garland	534	690	-156	77	30	56.2	15	2.8
Rural part	210	89	121	3/	6	28.6	3	1.4
White	203	88	115	3/	6	29.6	3	1.5
Other races	7	1	6	3/	-----	------	----	------
Hot Springs	324	601	-277	54	24	74.1	12	3.7
White	297	495	-198	60	23	77.4	8	2.7
Other races	27	106	-79	25	1	37.0	4	4/
Grant	226	83	143	3/	3	13.3	9	4.0
White	208	76	132	3/	3	14.4	6	2.9
Other races	18	7	11	3/	-----	------	3	4/
Greene	506	266	240	190	47	92.9	12	2.4
White	506	266	240	190	47	92.9	12	2.4
Other races	------	------	------	------	-----	------	----	------
Hempstead	574	275	299	209	27	47.0	30	5.2
White	345	139	206	248	19	55.1	14	4.1
Other races	229	136	93	168	8	34.9	16	7.0
Hot Spring	352	196	156	180	14	39.8	9	2.6
White	321	189	132	170	14	43.6	8	2.5
Other races	31	7	24	3/	-----	------	1	4/
Howard	342	144	198	238	15	43.9	5	1.5
White	247	99	148	3/	8	32.4	2	0.8
Other races	95	45	50	3/	7	73.7	3	4/
Independence	488	217	271	225	21	43.0	10	2.0
White	474	202	272	235	20	42.2	10	2.1
Other races	14	15	-1	3/	1	71.1	----	------
Izard	253	63	190	3/	8	31.6	4	1.6
White	251	63	188	3/	8	31.9	4	1.6
Other races	2	------	2	------	-----	------	----	------
Jackson	596	286	310	208	29	48.7	19	3.2
White	510	234	276	218	24	47.1	13	2.5
Other races	86	52	34	3/	5	58.1	6	4/
Jefferson	986	659	327	150	41	41.6	48	4.9
Rural part	689	303	386	227	24	34.8	40	5.8
White	143	73	70	3/	10	69.9	9	6.3
Other races	546	230	316	237	14	25.6	31	5.7
Pine Bluff	297	356	-59	83	17	57.2	8	2.7
White	206	194	12	106	10	48.5	5	2.4
Other races	91	162	-71	56	7	76.9	3	4/
Johnson	368	124	244	297	9	24.5	23	6.3
White	361	121	240	298	9	24.9	23	6.4
Other races	7	3	4	3/	-----	------	----	------
Lafayette	222	84	138	3/	6	27.0	14	6.3
White	77	33	44	3/	1	13.0	3	4/
Other races	145	51	94	3/	5	34.5	11	7.6
Lawrence	403	155	247	258	24	59.6	7	1.7
White	395	149	246	265	24	60.8	7	1.8
Other races	8	7	1	3/	-----	------	----	------
Lee	405	329	76	123	43	106.2	21	5.2
White	141	108	33	131	23	163.1	7	5.0
Other races	264	221	43	119	20	75.8	14	5.3
Lincoln	375	182	193	206	18	48.0	20	5.3
White	121	29	92	3/	3	24.8	5	4.1
Other races	254	153	101	166	15	59.1	15	5.9
Little River	219	99	120	3/	16	73.1	9	4.1
White	132	52	80	3/	10	75.8	4	3.0
Other races	87	47	40	3/	6	69.0	5	4/
Logan	611	217	394	282	18	29.5	15	2.5
White	600	213	387	282	18	30.0	14	2.3
Other races	11	4	7	3/	-----	------	1	4/
Lonoke	522	270	252	307	21	40.2	32	6.1
White	357	163	194	219	11	30.8	11	3.1
Other races	165	107	58	154	10	60.6	21	12.7
Madison	286	63	223	3/	2	7.0	5	1.7
White	285	63	222	3/	2	7.0	5	1.8
Other races	1	------	1	------	-----	------	----	------
Marion	185	61	124	3/	3	16.2	8	4.3
White	185	61	124	3/	3	16.2	8	4.3
Other races	------	------	------	------	-----	------	----	------
Miller	434	362	72	120	29	66.8	17	3.9
Rural part	271	142	129	191	18	66.4	6	2.2
White	206	84	122	3/	10	48.5	4	1.9
Other races	65	58	7	3/	8	123.1	2	4/
Texarkana	163	220	-57	74	11	67.5	11	6.7
White	135	139	-4	97	10	74.1	8	5.9
Other races	28	81	-53	3/	1	35.7	3	4/
Mississippi	1,655	705	950	235	140	84.6	64	3.9
Rural part	1,511	548	963	276	120	79.4	60	4.0
White	1,089	322	767	338	85	78.1	27	2.5
Other races	422	226	196	187	35	82.9	33	7.8
Blytheville	144	157	-13	92	20	138.9	4	2.8
White	110	119	-9	92	12	109.1	1	0.9
Other races	34	38	-4	3/	8	235.3	3	4/
Monroe	376	238	138	158	29	77.1	21	5.6
White	164	102	62	161	18	109.8	6	3.7
Other races	212	136	76	156	11	51.9	15	7.1
Montgomery	155	33	122	3/	3	19.4	8	5.2
White	150	33	117	3/	3	20.0	8	5.3
Other races	5	------	5	------	-----	------	----	------
Nevada	261	125	136	209	9	34.5	13	5.0
White	182	81	101	3/	7	38.5	9	4.9
Other races	79	44	35	3/	2	25.3	4	4/
Newton	289	82	207	3/	9	31.1	10	3.5
White	288	81	207	3/	9	31.3	10	3.5
Other races	1	1	-------	3/	-----	------	----	------
Ouachita	527	286	241	184	26	49.3	19	3.6
White	241	164	77	147	12	49.8	8	3.3
Other races	286	122	164	234	14	49.0	11	3.8
Perry	196	59	137	3/	11	56.1	3	1.5
White	191	55	136	3/	9	47.1	3	1.6
Other races	5	4	1	3/	2	400.0	----	------
Phillips	839	607	232	138	45	53.6	64	7.6
White	306	155	151	197	13	42.5	19	6.2
Other races	533	452	81	118	32	60.0	45	8.4
Pike	200	70	130	3/	8	40.0	3	1.5
White	181	55	126	3/	7	38.7	2	1.1
Other races	19	15	4	3/	1	52.6	1	4/
Poinsett	724	278	446	260	39	53.9	44	6.1
White	623	227	396	274	32	51.4	28	4.5
Other races	101	51	50	3/	7	69.3	16	15.8
Polk	316	155	161	204	15	47.5	10	3.2
White	316	155	161	204	15	47.5	10	3.2
Other races	------	------	-------	------	-----	------	----	------
Pope	533	184	349	290	21	39.4	15	2.8
White	520	171	349	304	19	36.5	15	2.9
Other races	13	13	-------	3/	2	153.8	----	------
Prairie	274	175	99	157	28	102.2	7	2.6
White	185	120	65	154	12	64.9	2	1.1
Other races	89	55	34	3/	16	179.8	5	4/

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Con.								
Pulaski	2,027	2,364	-337	86	126	62.2	80	3.9
Rural part	547	351	196	156	33	60.3	26	4.8
White	265	197	68	135	13	49.1	10	3.8
Other races	282	154	128	183	20	70.9	16	5.7
Little Rock	1,278	1,827	-549	70	81	63.4	43	3.4
White	1,044	1,224	-180	85	59	56.5	26	2.5
Other races	234	603	-369	39	22	94.0	17	7.3
North Little Rock	202	186	16	109	12	59.4	11	5.4
White	130	78	52	3/	7	53.8	4	3.1
Other races	72	108	-36	67	5	69.4	7	4/
Randolph	367	182	185	202	11	30.0	9	2.5
White	365	181	184	202	11	30.1	9	2.5
Other races	2	1	1	3/	-----	------	----	------
St. Francis	607	401	206	151	39	64.3	28	4.6
White	202	130	72	155	16	79.2	5	2.5
Other races	405	271	134	149	23	56.8	23	5.7
Saline	347	178	169	195	17	49.0	6	1.7
White	340	153	187	222	16	47.1	5	1.5
Other races	7	25	-18	3/	1	142.9	1	4/
Scott	241	78	163	3/	7	29.0	4	1.7
White	235	77	158	3/	6	25.5	4	1.7
Other races	6	1	5	3/	1	166.7	----	------
Searcy	232	94	138	3/	15	64.7	3	1.3
White	232	93	139	3/	15	64.7	3	1.3
Other races	------	1	-1	------	-----	------	----	------
Sebastian	1,029	740	289	139	58	56.4	23	2.2
Rural part	372	146	226	255	12	32.3	3	0.8
White	358	142	216	252	12	33.5	3	0.8
Other races	14	4	10	3/	-----	------	----	------
Fort Smith	657	594	63	111	46	70.0	20	3.0
White	615	504	111	122	35	56.9	17	2.8
Other races	42	90	-48	3/	11	261.9	3	4/
Sevier	281	130	151	216	9	32.0	10	3.6
White	245	120	125	204	8	32.7	9	3.7
Other races	36	10	26	3/	1	27.8	1	4/
Sharp	242	54	188	3/	4	16.5	4	1.7
White	242	54	188	3/	4	16.5	4	1.7
Other races	------	------	-------	------	-----	------	----	------
Stone	164	54	110	3/	8	48.8	5	3.0
White	163	54	109	3/	8	49.1	5	3.1
Other races	1	------	1	------	-----	------	----	------
Union	608	334	274	182	25	41.1	30	4.9
Rural part	315	129	186	244	6	19.0	13	4.1
White	177	89	88	3/	3	16.9	6	3.4
Other races	138	40	98	3/	3	21.7	7	5.1
El Dorado	293	205	88	143	19	64.8	17	5.8
White	258	138	120	187	15	58.1	10	3.9
Other races	35	67	-32	3/	4	114.3	7	4/
Van Buren	234	51	183	3/	6	25.6	8	3.4
White	233	51	182	3/	6	25.8	8	3.4
Other races	1	------	1	------	-----	------	----	------
Washington	755	498	257	152	36	47.7	22	2.9
White	744	493	251	151	36	48.4	21	2.8
Other races	11	5	6	3/	-----	------	1	4/
White	592	301	291	197	29	49.0	15	2.5
White	571	275	296	208	27	47.3	14	2.5
Other races	21	26	-5	3/	2	95.2	1	4/
Woodruff	343	130	213	264	11	32.1	20	5.8
White	181	54	127	3/	3	16.6	8	4.4
Other races	162	76	86	3/	8	49.4	12	7.4
Yell	262	106	156	247	11	42.0	9	3.4
White	252	101	151	250	8	31.7	9	3.6
Other races	10	5	5	3/	3	300.0	----	------
CALIFORNIA (total)	84,502	76,094	8,408	111	4,489	53.1	2,000	2.4
Alameda	5,941	5,849	92	102	254	42.8	141	2.4
Rural part	580	1,110	-530	52	26	44.8	18	3.1
Alameda	302	314	-12	96	7	23.2	3	1.0
Berkeley	778	727	51	107	31	39.8	11	1.4
Oakland	4,205	3,611	595	116	186	44.2	106	2.5
San Leandro	75	87	-12	3/	4	53.3	3	4/
Alpine	1	3	-2	3/	-----	------	----	------
Amador	65	84	-19	3/	1	15.4	1	4/
Butte	616	569	47	108	35	56.8	14	2.3
Calaveras	57	115	-58	50	2	35.1	1	4/
Colusa	162	135	27	120	9	55.6	2	1.2
Contra Costa	945	744	201	127	42	44.4	19	2.0
Rural part	660	550	110	120	28	42.4	13	2.0
Richmond	285	194	91	147	14	49.1	6	2.1
Del Norte	53	60	-7	3/	3	56.6	1	4/
Eldorado	150	155	-5	97	5	33.3	6	4.0

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Con.								
Fresno	2,557	1,775	782	144	188	73.5	51	2.0
Rural part	1,855	1,370	485	135	163	87.9	39	2.1
Fresno	702	405	297	173	25	35.6	12	1.7
Glenn	132	106	26	125	5	37.9	4	3.0
Humboldt	682	600	82	114	36	52.8	19	2.8
Rural part	276	232	44	119	11	39.9	8	2.9
Eureka	406	368	38	110	25	61.6	11	2.7
Imperial	1,317	650	667	203	166	126.0	26	2.0
Rural part	959	537	422	179	123	128.3	20	2.1
Brawley	358	113	245	317	43	120.1	6	1.7
Inyo	83	69	14	3/	8	96.4	3	4/
Kern	1,954	1,205	749	162	170	87.0	43	2.2
Rural part	1,283	920	363	139	140	109.1	33	2.6
Bakersfield	671	285	386	235	30	44.7	10	1.5
Kings	570	343	227	166	63	110.5	16	2.8
Lake	84	89	-5	3/	5	59.5	2	4/
Lassen	245	143	102	171	21	85.7	7	2.9
Los Angeles	32,050	28,515	3,535	112	1,465	45.7	752	2.3
Rural part	5,072	5,490	582	111	208	34.3	142	2.3
Alhambra	268	269	-1	100	2	7.5	4	1.5
Belvedere (twp.)	473	182	291	260	14	29.6	11	2.3
Beverly Hills	2	124	-122	2	-----	------	----	------
Burbank	206	146	60	141	4	19.4	3	1.5
Compton	260	128	132	203	9	34.6	4	1.5
Gardena (twp.)	34	94	-60	3/	1	29.4	1	4/
Glendale	1,063	838	245	129	27	24.9	15	1.4
Hungtington Park	338	225	113	150	10	29.6	12	3.6
Inglewood	411	173	238	238	7	17.0	6	1.5
Long Beach	2,476	1,601	875	155	86	34.7	57	2.3
Los Angeles	17,564	16,774	790	105	988	56.3	443	2.5
White	16,258	15,830	428	103	927	57.0	409	2.5
Other races	1,306	944	362	138	61	46.7	34	2.6
Monrovia	77	206	-129	37	5	64.9	4	4/
Pasadena	771	1,050	-279	73	39	50.6	10	1.3
Pomona	401	233	168	172	22	54.9	9	2.2
Santa Monica	836	605	231	138	24	28.7	17	2.0
South Gate	429	100	329	429	12	28.0	7	1.6
South Pasadena	18	124	-106	15	2	111.1	----	------
Whittier	331	153	178	216	5	15.1	7	2.1
Madera	326	240	86	136	41	125.8	8	2.5
Marin	301	468	-167	64	8	26.6	8	2.7
Mariposa	34	40	-6	3/	4	117.6	3	4/
Mendocino	328	458	-130	72	28	85.4	11	3.4
Merced	693	445	248	156	51	73.6	13	1.9
Modoc	100	106	-6	94	14	140.0	1	1.0
Mono	9	35	-26	3/	3	333.3	----	------
Monterey	942	642	300	147	56	59.4	36	3.8
Rural part	791	542	249	146	49	61.9	33	4.2
Salinas	151	100	51	151	7	46.4	3	2.0
Napa	287	720	-433	40	10	34.8	7	2.4
Nevada	249	273	-24	91	11	44.2	5	2.0
Orange	1,958	1,307	651	150	112	57.2	55	2.8
Rural part	1,216	872	344	139	71	58.4	38	3.1
Anaheim	127	88	39	3/	12	94.5	3	2.4
Fullerton	196	102	94	192	11	56.1	6	3.1
Santa Ana	419	245	174	171	18	43.0	8	1.9
Placer	257	425	-168	60	15	58.4	3	1.2
Plumas	129	109	20	118	3	23.3	3	2.3
Riverside	1,647	1,147	500	144	143	86.8	54	3.3
Rural part	855	556	299	154	86	100.6	25	2.9
Riverside	792	591	201	134	57	72.0	29	3.7
Sacramento	2,215	2,073	142	107	129	58.2	49	2.2
Rural part	195	290	-95	67	9	46.2	4	2.1
Sacramento	2,020	1,783	237	113	120	59.4	45	2.2
San Benito	140	108	32	130	10	71.4	7	5.0
San Bernardino	2,606	2,133	473	122	197	75.6	64	2.5
Rural part	1,073	997	76	108	76	70.8	18	1.7
Ontario	145	102	43	142	9	62.1	2	1.4
Redlands	269	166	103	162	11	40.9	2	0.7
San Bernardino	1,119	868	251	129	101	90.3	42	3.8
San Diego	3,889	3,109	780	125	168	43.2	94	2.4
Rural part	742	678	64	109	29	39.1	17	2.3
San Diego	3,147	2,431	716	129	139	44.2	77	2.4
San Francisco, coextensive with:								
San Francisco (City)	7,314	9,028	-1,714	81	302	41.3	158	2.2
White	6,912	8,692	-1,780	80	274	39.6	149	2.2
Other races	402	336	66	120	28	69.7	9	2.2
San Joaquin	1,650	1,787	-137	92	85	51.5	41	2.5
Rural part	1,008	1,275	-267	79	60	59.5	24	2.4
Stockton	642	512	130	125	25	38.9	17	2.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Con.								
San Luis Obispo	466	375	91	124	16	34.3	10	2.1
San Mateo	564	858	-294	66	30	53.2	7	1.2
Rural part	162	462	-300	35	9	55.6	----	------
Burlingame	------	62	-62	------	-----	------	----	------
San Mateo	402	334	68	120	21	52.2	7	1.7
Santa Barbara	1,116	802	314	139	67	60.0	30	2.7
Rural part	637	420	217	152	46	72.2	19	3.0
Santa Barbara	479	382	97	125	21	43.8	11	2.3
Santa Clara	2,116	2,308	-192	92	94	44.4	46	2.2
Rural part	1,303	1,560	-257	84	71	54.5	30	2.3
Palo Alto	253	168	85	151	6	23.7	1	0.4
San Jose	560	580	-20	97	17	30.2	15	2.7
Santa Cruz	543	581	-38	93	28	51.6	10	1.8
Rural part	353	322	31	110	20	56.7	6	1.7
Santa Cruz	190	259	-69	73	8	42.1	4	2.1
Shasta	281	252	29	112	14	49.8	5	1.8
Sierra	26	34	-8	3/	1	38.5	1	4/
Siskiyou	369	288	81	128	23	62.3	13	3.5
Solano	439	449	-10	98	17	38.7	14	3.2
Rural part	186	236	-50	79	8	43.0	4	2.2
Vallejo	253	213	40	119	9	35.6	10	4.0
Sonoma	739	967	-228	76	25	33.8	16	2.2
Rural part	520	811	-291	64	17	32.7	14	2.7
Santa Rosa	219	156	63	140	8	36.5	2	0.9
Stanislaus	1,118	727	391	154	45	40.3	31	2.8
Rural part	495	341	154	145	20	40.4	17	3.4
Modesto	623	386	237	161	25	40.1	14	2.2
Sutter	277	165	112	168	7	25.3	4	1.4
Tehama	214	225	-11	95	9	42.1	6	2.8
Trinity	39	38	1	3/	3	76.9	----	------
Tulare	1,685	876	809	192	108	64.1	38	2.3
Tuolumne	118	157	-39	75	5	42.4	----	------
Ventura	1,133	611	522	185	90	79.4	30	2.6
Rural part	927	511	416	181	81	87.4	25	2.7
San Buenaventura	206	100	106	206	9	43.7	5	2.4
Yolo	312	314	-2	99	23	73.7	8	2.6
Yuba	209	205	4	102	16	76.6	3	1.4
COLORADO (total)	18,279	13,674	4,605	134	1,354	74.1	553	3.0
Adams	211	332	-121	64	16	75.8	4	1.9
Alamosa	217	140	77	155	38	175.1	7	3.2
Arapahoe	166	240	-74	70	9	54.2	----	------
Archuleta	49	18	31	3/	2	40.8	4	4/
Baca	137	41	96	3/	6	43.8	4	2.9
Bent	158	114	44	139	16	101.3	5	3.2
Boulder	644	502	142	128	36	55.9	22	3.4
Rural part	488	332	156	147	30	61.5	15	3.1
Boulder	156	170	-14	92	6	38.5	7	4.5
Chaffee	118	142	-24	83	6	50.8	6	5.1
Cheyenne	60	24	36	3/	5	83.3	2	4/
Clear Creek	20	12	8	3/	1	50.0	1	4/
Conejos	116	50	66	3/	15	129.3	6	5.2
Costilla	63	21	42	3/	5	79.4	3	4/
Crowley	87	62	25	3/	9	103.4	7	4/
Custer	29	19	10	3/	1	34.5	1	4/
Delta	299	181	118	165	20	66.9	7	2.3
Denver, coextensive with:								
Denver (City)	5,503	4,673	830	118	345	62.7	157	2.9
White	5,407	4,510	897	120	341	63.1	152	2.8
Other races	96	163	-67	59	4	41.7	5	4/
Dolores	14	3	11	3/	-----	------	----	------
Douglas	11	17	-6	3/	-----	------	----	------
Eagle	55	54	11	3/	8	123.1	1	4/
Elbert	69	26	43	3/	1	14.5	1	4/
El Paso	882	892	-10	99	37	42.0	33	3.7
Rural part	85	243	-158	35	3	35.3	5	4/
Colorado Springs	797	649	148	123	34	42.7	28	3.5
Fremont	315	228	87	138	20	63.5	6	1.9
Garfield	212	137	75	155	12	56.6	9	4.2
Gilpin	18	10	8	3/	-----	------	----	------
Grand	40	24	16	3/	3	75.0	----	------
Gunnison	123	62	61	3/	7	56.9	5	4.1
Hinsdale	6	6	-------	3/	-----	------	----	------
Huerfano	296	183	113	162	37	125.0	9	3.0
Jackson	30	10	20	3/	2	66.7	----	------
Jefferson	162	217	-55	75	5	30.9	3	1.9
Kiowa	52	26	26	3/	1	19.2	1	4/
Kit Carson	181	48	133	3/	6	33.1	3	1.7
Lake	87	120	-33	73	14	160.9	3	4/
La Plata	333	200	133	167	20	60.1	9	2.7
Section B—Continued								
COLORADO—Con.								
Larimer	590	385	205	153	33	55.9	13	2.2
Rural part	516	272	244	190	30	58.1	7	1.4
Fort Collins	74	113	-39	65	3	40.5	6	4/
Las Animas	590	429	161	138	105	178.0	28	4.7
Rural part	363	281	82	129	64	176.3	11	3.0
Trinidad	227	148	79	153	41	180.6	17	7.5
Lincoln	106	46	60	3/	4	37.7	2	1.9
Logan	408	176	232	232	30	73.5	13	3.2
Mesa	543	369	174	147	45	82.9	17	3.1
Rural part	261	160	101	163	15	57.5	6	2.3
Grand Junction	282	209	73	135	30	106.4	11	3.9
Mineral	18	10	8	3/	3	166.7	----	------
Moffat	72	47	25	3/	6	83.3	3	4/
Montezuma	239	115	124	208	20	83.7	1	0.4
Montrose	278	144	134	193	26	93.5	7	2.5
Morgan	439	195	244	225	18	41.0	9	2.1
Otero	435	301	134	145	48	110.3	21	4.8
Ouray	39	45	-6	3/	5	128.2	3	4/
Park	50	43	7	3/	8	160.0	3	4/
Phillips	104	44	60	3/	5	48.1	3	2.9
Pitkin	16	31	-15	3/	-----	------	1	4/
Prowers	302	141	161	214	25	82.8	10	3.3
Pueblo	930	1,028	-98	90	61	65.6	33	3.5
Rural part	279	495	-216	56	20	71.7	12	4.3
Pueblo	651	533	118	122	41	63.0	21	3.2
Rio Blanco	37	17	20	3/	-----	------	1	4/
Rio Grande	239	197	42	121	50	209.2	8	3.3
Routt	125	94	31	3/	11	88.0	8	6.4
Saguache	80	63	17	3/	11	137.5	1	4/
San Juan	34	23	11	3/	2	58.8	3	4/
San Miguel	37	34	3	3/	2	54.1	----	------
Sedgwick	126	48	78	3/	4	31.7	2	1.6
Summit	15	12	3	3/	1	66.7	1	4/
Teller	90	86	4	3/	5	55.6	5	4/
Washington	129	42	87	3/	5	38.8	3	2.3
Weld	1,232	591	641	208	110	89.3	31	2.5
Rural part	825	297	528	278	71	86.1	15	1.8
Greeley	407	294	113	138	39	95.8	16	3.9
Yuma	203	84	119	3/	8	39.4	4	2.0
CONNECTICUT (total)	22,228	17,858	4,370	124	933	42.0	563	2.5
Fairfield	5,158	4,229	929	122	211	40.9	153	3.0
Rural part	477	855	-378	56	24	50.3	13	2.7
Bridgeport	2,557	1,708	849	150	103	40.3	87	3.4
Danbury	489	375	114	130	28	57.3	6	1.2
Norwalk	699	449	250	156	21	30.0	15	2.1
Shelton	42	120	-78	35	1	23.8	----	------
Stamford	851	616	235	138	30	35.3	32	3.8
Stratford (town)	43	106	-63	41	4	93.0	----	------
Hartford	5,962	4,278	1,684	139	254	42.6	135	2.3
Rural part	660	981	-321	67	30	45.5	15	2.3
Bristol	492	228	264	22	15	30.5	8	1.6
East Hartford (town)	17	100	-83	17	-----	------	----	------
Hartford	3,785	2,215	1,571	171	159	42.0	94	2.5
New Britain	961	568	393	169	34	35.4	17	1.8
West Hartford (town)	45	186	-140	25	16	347.8	1	4/
Litchfield	1,048	871	177	120	46	43.9	25	2.4
Rural part	574	600	-26	96	30	52.3	15	2.6
Torrington	474	271	203	175	16	33.8	10	2.1
Middlesex	644	865	-221	74	24	37.3	12	1.9
Rural part	106	262	-156	40	7	66.0	----	------
Middletown	538	603	-65	89	17	31.6	12	2.2
New Haven	6,427	5,065	1,362	127	267	41.5	157	2.4
Rural part	323	644	-321	50	18	55.7	8	2.5
Ansonia	62	92	-30	3/	4	64.5	1	4/
Derby	423	195	228	217	24	56.7	14	3.3
Meriden	624	458	166	136	18	28.8	11	1.8
Naugatuck	19	121	-102	16	4	210.5	1	4/
New Haven	3,030	2,118	912	143	102	33.7	72	2.4
Wallingford	38	170	-132	22	1	26.3	----	------
Waterbury	1,847	1,059	788	174	94	50.9	49	2.7
West Haven (town)	61	208	-147	29	2	32.8	1	4/
New London	1,772	1,688	84	105	90	50.8	48	2.7
Rural part	339	699	-360	48	11	32.4	8	2.4
New London	757	466	291	162	36	47.6	24	3.2
Norwich	676	523	153	129	43	63.6	16	2.4
Tolland	346	283	63	122	10	28.9	8	2.3
Windham	871	579	292	150	31	35.6	25	2.9
Rural part	590	415	175	142	21	35.6	22	3.7
Willimantic	281	164	117	171	10	35.6	3	1.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
DELAWARE (total)--	3,922	3,317	605	118	253	64.5	143	3.6
Kent	693	612	81	113	53	76.5	19	2.7
New Castle	2,525	2,114	411	119	142	56.2	89	3.5
Rural part	366	505	-139	72	20	54.6	11	3.0
Wilmington	2,159	1,609	550	134	122	56.5	78	3.6
White	1,899	1,325	574	143	103	54.2	57	3.0
Other races	260	284	-24	92	19	73.1	21	8.1
Sussex	704	591	113	119	58	82.4	35	5.0
DIST. OF COLUMBIA	11,704	9,094	2,610	129	847	72.4	432	3.7
Washington	11,704	9,094	2,610	129	847	72.4	432	3.7
White	7,900	5,610	2,290	141	391	49.5	212	2.7
Other races	3,804	3,484	320	109	456	119.9	220	5.8
FLORIDA (total)	28,097	20,953	7,144	134	1,669	59.4	1,388	4.9
Alachua	666	495	171	135	50	75.1	44	6.6
Rural part	386	258	128	150	29	75.1	29	7.5
White	152	128	24	119	11	72.4	8	5.3
Other races	234	130	104	180	18	76.9	21	9.0
Gainesville	280	237	43	118	21	75.0	15	5.4
White	199	143	56	139	13	65.3	8	4.0
Other races	81	94	-13	[3]	8	98.8	7	[4]
Baker	145	54	91	[3]	4	27.6	10	6.9
White	113	29	84	[3]	4	35.4	6	5.3
Other races	32	25	7	[3]	-----	------	4	[4]
Bay	472	172	300	274	25	53.0	26	5.5
White	390	136	254	287	18	46.2	11	2.8
Other races	82	36	46	[3]	7	85.4	15	[4]
Bradford	173	74	99	[3]	4	23.1	9	5.2
White	143	53	90	[3]	3	21.0	5	3.5
Other races	30	21	9	[3]	1	33.3	4	[4]
Brevard	185	185	-------	100	10	54.1	2	1.1
White	122	125	-3	98	5	41.0	1	0.8
Other races	63	60	3	[3]	5	79.4	1	[4]
Broward	458	326	132	140	28	61.1	20	4.4
White	232	196	36	118	7	30.2	7	3.0
Other races	226	130	96	174	21	92.9	13	5.8
Calhoun	210	68	142	[3]	6	28.6	10	4.8
White	178	54	124	[3]	4	22.5	9	5.1
Other races	32	14	18	[3]	2	62.5	1	[4]
Charlotte	51	46	5	[3]	3	58.8	1	[4]
White	41	32	9	[3]	2	48.8	1	[4]
Other races	10	14	-4	[3]	1	100.0	----	------
Citrus	96	53	43	[3]	5	52.1	10	[4]
White	70	34	36	[3]	3	42.9	4	[4]
Other races	26	19	7	[3]	2	76.9	6	[4]
Clay	84	91	-7	[3]	7	83.3	5	[4]
White	57	68	-11	[3]	5	87.7	3	[4]
Other races	27	23	4	[3]	2	74.1	2	[4]
Collier	56	30	26	[3]	6	107.1	1	[4]
White	42	16	26	[3]	4	95.2	1	[4]
Other races	14	14	-------	[3]	2	142.9	----	------
Columbia	317	341	-24	93	23	72.6	23	7.3
White	184	179	5	103	13	70.7	9	4.9
Other races	133	162	-29	82	10	75.2	14	10.5
Dade	2,980	2,262	718	132	159	53.4	114	3.8
Rural part	736	613	123	120	41	55.7	33	4.5
White	582	501	81	116	27	46.4	21	3.6
Other races	154	112	42	138	14	90.9	12	7.8
Miami	2,244	1,649	595	136	118	52.6	81	3.6
White	1,733	1,198	535	145	72	41.5	45	2.6
Other races	511	451	60	113	46	90.0	36	7.0
De Soto	162	100	62	162	13	80.2	10	6.2
White	142	82	60	[3]	12	84.5	6	4.2
Other races	20	18	2	[3]	1	50.0	4	[4]
Dixie	128	58	70	[3]	5	39.1	9	7.0
White	88	26	62	[3]	4	45.5	3	[4]
Other races	40	32	8	[3]	1	25.0	6	[4]
Duval	2,800	2,433	367	115	159	56.8	171	6.1
Rural part	210	225	-15	93	9	42.9	10	4.8
White	141	152	-11	93	4	28.4	6	4.3
Other races	69	73	-4	[3]	5	72.5	4	[4]
Jacksonville	2,590	2,208	382	117	150	57.9	161	6.2
White	1,779	1,107	672	161	84	47.2	68	3.8
Other races	811	1,101	-290	74	66	81.4	93	11.5
Escambia	1,206	869	337	139	76	63.0	75	6.2
Rural part	412	302	110	136	31	75.2	23	5.6
White	323	213	110	152	21	65.0	12	3.7
Other races	89	89	-------	[3]	10	112.4	11	[4]
Pensacola	794	567	227	140	45	56.7	52	6.5
White	523	350	273	178	32	51.4	32	5.1
Other races	171	217	-46	79	13	76.0	20	11.7
Flagler	35	27	8	[3]	5	142.9	3	[4]
White	14	10	4	[3]	2	142.9	1	[4]
Other races	21	17	4	[3]	3	142.9	2	[4]

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Franklin	134	85	49	[3]	7	52.2	8	6.0
White	90	44	46	[3]	6	66.7	3	[4]
Other races	44	41	3	[3]	1	22.7	5	[4]
Gadsden	565	665	-100	85	62	109.7	34	6.0
White	211	327	-116	65	21	99.5	11	5.2
Other races	354	338	16	105	41	115.8	23	6.5
Gilchrist	119	35	84	[3]	7	58.8	5	4.2
White	104	29	75	[3]	6	57.7	1	1.0
Other races	15	6	9	[3]	1	66.7	4	[4]
Glades	51	17	34	[3]	1	19.6	1	[4]
White	43	10	33	[3]	1	23.3	----	------
Other races	8	7	1	[3]	-----	------	1	[4]
Gulf	67	32	35	[3]	4	59.7	6	[4]
White	42	18	24	[3]	3	71.4	2	[4]
Other races	25	14	11	[3]	1	40.0	4	[4]
Hamilton	220	89	131	[3]	8	36.4	13	6.0
White	129	44	85	[3]	3	23.3	8	6.2
Other races	91	45	46	[3]	5	54.9	5	[4]
Hardee	181	107	74	169	10	55.2	6	3.3
White	160	99	61	[3]	10	62.5	6	3.8
Other races	21	8	13	[3]	-----	------	----	------
Hendry	46	36	10	[3]	-----	------	3	[4]
White	44	20	24	[3]	-----	------	2	[4]
Other races	2	16	-14	[3]	-----	------	1	[4]
Hernando	112	53	59	[3]	8	71.4	3	2.7
White	78	37	41	[3]	6	76.9	2	[4]
Other races	34	16	18	[3]	2	58.8	1	[4]
Highlands	198	136	62	146	16	80.8	6	3.0
White	149	99	50	[3]	12	80.5	2	1.3
Other races	49	37	12	[3]	4	81.6	4	[4]
Hillsborough	2,427	1,915	512	127	129	53.2	95	3.9
Rural part	793	599	194	132	45	56.7	24	3.0
White	678	471	207	144	38	56.0	19	2.8
Other races	115	128	-13	90	7	60.9	5	4.3
Tampa	1,634	1,316	318	124	84	51.4	71	4.3
White	1,345	968	377	139	60	44.6	36	2.7
Other races	289	348	-59	83	24	83.0	35	12.1
Holmes	364	125	239	291	13	35.7	10	2.7
White	354	118	236	300	13	36.7	10	2.8
Other races	10	7	3	[3]	-----	------	----	------
Indian River	173	94	79	[3]	7	40.5	8	4.6
White	126	63	63	[3]	3	23.8	4	3.2
Other races	47	31	16	[3]	4	85.1	4	[4]
Jackson	836	369	467	227	49	58.6	43	5.1
White	496	202	294	246	25	50.4	17	3.4
Other races	340	167	173	204	24	70.6	26	7.6
Jefferson	318	194	124	164	34	106.9	16	5.0
White	66	37	29	[3]	1	15.2	6	[4]
Other races	252	157	95	161	33	131.0	10	4.0
Lafayette	87	33	54	[3]	2	23.0	3	[4]
White	79	26	53	[3]	2	25.3	2	[4]
Other races	8	7	1	[3]	-----	------	1	[4]
Lake	434	373	61	116	39	89.9	28	6.5
White	314	259	55	121	24	76.4	14	4.5
Other races	120	114	6	105	15	125.0	14	11.7
Lee	289	187	102	155	14	48.4	16	5.5
White	246	143	103	172	12	48.8	6	2.4
Other races	43	44	-1	[3]	2	46.5	10	[4]
Leon	535	366	169	146	39	72.9	27	5.0
Rural part	264	191	73	138	22	83.3	15	5.7
White	43	30	13	[3]	5	116.3	2	[4]
Other races	221	161	60	137	17	76.9	13	5.9
Tallahassee	271	175	96	155	17	62.7	12	4.4
White	142	86	56	[3]	8	56.3	5	3.5
Other races	129	89	40	[3]	9	69.8	7	5.4
Levy	205	143	62	143	16	78.0	12	5.9
White	130	80	50	[3]	9	69.2	5	3.8
Other races	75	63	12	[3]	7	93.3	7	[4]
Liberty	83	36	47	[3]	6	72.3	3	[4]
White	53	27	26	[3]	3	56.6	2	[4]
Other races	30	9	21	[3]	3	100.0	1	[4]
Madison	401	222	179	181	38	94.8	31	7.7
White	203	85	118	[3]	17	83.7	9	4.4
Other races	198	137	61	145	21	106.1	22	11.1
Manatee	333	313	20	106	16	48.0	20	6.0
White	205	211	-6	97	11	53.7	7	3.4
Other races	128	102	26	125	5	39.1	13	10.2
Marion	595	468	127	127	46	77.3	38	6.4
White	319	186	133	172	21	65.8	8	2.5
Other races	276	282	-6	98	25	90.6	30	10.9
Martin	74	37	37	[3]	8	108.1	----	------
White	54	21	33	[3]	2	37.0	----	------
Other races	20	16	4	[3]	6	300.0	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Monroe	193	165	28	117	13	67.4	7	3.6
Rural part	------	2	-2	------	-----	------	----	------
White	------	1	-1	------	-----	------	----	------
Other races	------	1	-1	------	-----	------	----	------
Key West	193	163	30	116	13	67.4	7	3.6
White	144	122	22	118	8	55.6	4	2.8
Other races	49	41	8	3/	5	102.0	3	4/
Nassau	153	109	44	140	4	26.1	6	3.9
White	88	63	25	3/	1	11.4	2	4/
Other races	65	46	19	3/	3	46.2	4	4/
Okaloosa	288	119	169	242	16	55.6	7	2.4
White	266	104	162	256	13	48.9	7	2.6
Other races	22	15	7	3/	3	136.4	----	------
Okeechobee	59	22	37	3/	5	84.7	3	4/
White	47	14	33	3/	5	106.4	2	4/
Other races	12	8	4	3/	-----	------	1	4/
Orange	853	802	51	106	45	52.8	50	5.9
Rural part	326	257	69	127	10	30.7	21	6.4
White	212	196	16	108	8	37.7	9	4.2
Other races	114	61	53	3/	2	17.5	12	10.5
Orlando	527	545	-18	97	35	66.4	29	5.5
White	437	420	17	104	25	57.2	14	3.2
Other races	90	125	-35	72	10	111.0	15	4/
Osceola	146	155	-9	94	6	41.1	2	1.4
White	112	117	-5	96	1	8.9	1	0.9
Other races	34	38	-4	3/	5	147.1	1	4/
Palm Beach	818	729	89	112	61	74.6	51	6.2
Rural part	337	290	47	116	28	83.1	28	8.3
White	175	151	24	116	9	51.4	10	5.7
Other races	162	139	23	117	19	117.3	18	11.1
West Palm Beach	481	439	42	110	33	68.6	23	4.8
White	342	241	101	142	22	64.3	9	2.6
Other races	139	198	-59	70	11	79.1	14	10.1
Pasco	195	138	57	141	7	35.9	8	4.1
White	168	119	49	141	6	35.7	3	1.8
Other races	27	19	8	3/	1	37.0	5	4/
Pinellas	841	1,317	-476	64	38	45.2	41	4.9
Rural part	273	427	-154	64	15	54.9	13	4.8
White	221	372	-151	59	11	49.8	10	4.5
Other races	52	55	-3	3/	4	76.9	3	4/
St. Petersburg	568	890	-322	64	23	40.5	28	4.9
White	415	758	-343	55	16	38.6	12	2.9
Other races	153	132	21	116	7	45.8	16	10.5
Polk	1,481	902	579	164	78	52.7	57	3.8
Rural part	1,103	569	534	194	53	48.1	45	4.1
White	861	421	440	205	36	41.8	33	3.8
Other races	242	148	94	164	17	70.2	12	5.0
Lakeland	378	333	45	114	25	66.1	12	3.2
White	295	272	23	108	18	61.0	10	3.4
Other races	83	61	22	3/	7	84.3	2	4/
Putnam	333	317	16	105	28	84.1	16	4.8
White	197	176	21	112	11	55.8	3	1.5
Other races	136	141	-5	96	17	125.0	13	9.6
St. Johns	357	266	91	134	15	42.0	20	5.6
Rural part	63	47	16	3/	6	95.2	4	4/
White	20	18	2	3/	1	50.0	1	4/
Other races	43	29	14	3/	5	116.3	3	4/
St. Augustine	294	219	75	134	9	30.6	16	5.4
White	221	120	101	184	5	22.6	6	2.7
Other races	73	99	-26	3/	4	54.8	10	4/
St. Lucie	179	92	87	3/	13	72.6	3	1.7
White	110	58	52	3/	8	72.7	2	1.8
Other races	69	34	35	3/	5	72.5	1	4/
Santa Rosa	380	140	240	271	19	50.0	13	3.4
White	328	115	213	285	17	51.8	11	3.4
Other races	52	25	27	3/	2	38.5	2	4/
Sarasota	200	166	34	120	11	55.0	8	4.0
White	135	122	13	111	8	59.3	4	3.0
Other races	65	44	21	3/	3	46.2	4	4/
Seminole	391	273	118	143	32	81.8	19	4.9
Rural part	173	118	55	147	17	98.3	7	4.0
White	55	47	8	3/	6	109.1	1	4/
Other races	118	71	47	3/	11	93.2	6	5.1
Sanford	218	155	63	141	15	68.8	12	5.5
White	127	76	51	3/	5	39.4	----	------
Other races	91	79	12	3/	10	109.9	12	4/
Sumter	200	100	100	200	12	60.0	9	4.5
White	134	60	74	3/	5	37.3	3	2.2
Other races	66	40	26	3/	7	106.1	6	4/
Suwannee	369	181	188	204	16	43.4	17	4.6
White	229	110	119	208	6	26.2	9	3.9
Other races	140	71	69	3/	10	71.4	8	5.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Taylor	197	108	89	182	11	55.8	5	2.5
White	150	56	94	3/	8	53.3	5	3.3
Other races	47	52	-5	3/	3	63.8	----	------
Union	126	69	57	3/	2	15.9	3	2.4
White	99	33	66	3/	1	10.1	----	------
Other races	27	36	-9	3/	1	37.0	3	4/
Volusia	643	679	-36	95	35	54.4	35	5.4
Rural part	382	392	-10	97	26	68.1	19	5.0
White	256	288	-32	89	14	54.7	7	2.7
Other races	126	104	22	121	12	95.2	12	9.5
Daytona Beach	261	287	-26	91	9	34.5	16	6.1
White	172	206	-34	83	5	29.1	7	4.1
Other races	89	81	8	3/	4	44.9	9	4/
Wakulla	95	47	48	3/	3	31.6	2	4/
White	53	27	26	3/	2	37.7	1	4/
Other races	42	20	22	3/	1	23.8	1	4/
Walton	275	129	146	213	13	47.3	16	5.8
White	238	99	139	3/	11	46.2	9	3.8
Other races	37	30	7	3/	2	54.1	7	4/
Washington	254	114	140	223	19	74.8	12	4.7
White	197	77	120	3/	13	66.0	6	3.0
Other races	57	37	20	3/	6	105.3	6	4/
GEORGIA (total)	61,658	37,263	24,395	165	4,314	70.0	3,648	5.9
Appling	310	122	188	254	12	38.7	16	5.2
White	251	84	167	3/	11	43.8	8	3.2
Other races	59	38	21	3/	1	16.9	8	4/
Atkinson	189	75	114	3/	15	79.4	9	4.8
White	141	48	93	3/	10	70.9	2	1.4
Other races	48	27	21	3/	5	104.2	7	4/
Bacon	211	74	137	3/	12	56.9	13	6.2
White	161	55	126	3/	9	49.7	8	4.4
Other races	30	19	11	3/	3	100.0	5	4/
Baker	158	64	94	3/	7	44.3	15	9.5
White	53	21	32	3/	1	18.9	3	4/
Other races	105	43	62	3/	6	57.1	12	11.4
Baldwin	270	653	-383	41	13	48.1	16	5.9
White	86	354	-268	24	4	46.5	4	4/
Other races	184	299	-115	62	9	48.9	12	6.5
Banks	192	82	110	3/	7	36.5	7	3.6
White	173	59	114	3/	6	34.7	4	2.3
Other races	19	23	-4	3/	1	52.6	3	4/
Barrow	201	145	56	139	19	94.5	12	6.0
White	147	106	41	139	14	95.2	7	4.8
Other races	54	39	15	3/	5	92.6	5	4/
Bartow	493	289	204	171	34	69.0	29	5.9
White	424	211	213	201	27	63.7	18	4.2
Other races	69	78	-9	3/	7	101.4	11	4/
Ben Hill	277	186	91	149	15	54.2	18	6.5
White	176	116	60	152	8	45.5	8	4.5
Other races	101	70	31	3/	7	69.3	10	9.9
Berrien	446	132	314	338	25	56.1	15	3.4
White	383	107	276	358	18	47.0	11	2.9
Other races	63	25	38	3/	7	111.1	4	4/
Bibb	1,426	1,408	18	101	113	79.2	119	8.3
Rural part	200	176	24	114	18	90.0	21	10.5
White	38	72	-34	3/	2	52.6	2	4/
Other races	162	104	58	156	16	98.8	19	11.7
Macon	1,226	1,232	-6	100	95	77.5	98	8.0
White	739	600	139	123	44	59.5	41	5.5
Other races	487	632	-145	77	51	104.7	57	11.7
Bleckley	213	106	107	201	27	126.8	9	4.2
White	139	49	90	3/	12	86.3	4	2.9
Other races	74	57	17	3/	15	202.7	5	4/
Brantley	162	78	84	3/	8	49.4	10	6.2
White	128	61	67	3/	6	46.9	8	6.3
Other races	34	17	17	3/	2	58.8	2	4/
Brooks	438	239	199	183	28	63.9	42	9.6
White	163	98	65	3/	14	85.9	10	6.1
Other races	275	141	134	195	14	50.9	32	11.6
Bryan	175	71	104	3/	13	74.3	5	2.9
White	77	34	43	3/	4	51.9	3	4/
Other races	98	37	61	3/	9	91.8	2	4/
Bulloch	637	241	396	264	33	51.8	39	6.1
White	344	143	201	241	13	37.8	13	3.8
Other races	293	98	195	3/	20	68.3	26	8.9
Burke	553	291	262	190	34	61.5	43	7.8
White	106	60	46	3/	9	84.9	1	0.9
Other races	447	231	216	194	25	55.9	42	9.4
Butts	172	119	53	145	7	40.7	10	5.8
White	79	53	26	3/	3	38.0	3	4/
Other races	93	66	27	3/	4	43.0	7	4/

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Calhoun	264	156	108	169	17	64.4	13	4.9
White	45	38	7	3/	2	44.4	1	4/
Other races	219	118	101	186	15	68.5	12	5.5
Camden	134	82	52	3/	4	29.9	14	10.4
White	46	24	22	3/	2	43.5	2	4/
Other races	88	58	30	3/	2	22.7	12	4/
Candler	165	106	59	156	15	90.9	7	4.2
White	88	69	19	3/	10	113.6	6	4/
Other races	77	37	40	3/	5	64.9	1	4/
Carroll	579	367	212	165	49	72.3	33	4.9
White	488	267	221	183	37	75.8	25	5.1
Other races	191	100	91	191	12	62.8	8	4.2
Catoosa	151	83	68	3/	8	53.0	5	3.3
White	148	79	69	3/	8	54.1	5	3.4
Other races	3	4	-1	3/	-----	-----	-----	-----
Charlton	127	57	70	3/	10	78.7	11	8.7
White	87	38	49	3/	5	57.5	5	4/
Other races	40	19	21	3/	5	125.0	6	4/
Chatham	1,946	2,060	-114	94	156	80.2	104	5.3
Rural part	201	279	-78	72	24	119.4	15	7.5
White	71	81	-10	3/	2	28.2	2	4/
Other races	130	198	-68	66	22	169.2	13	10.0
Savannah	1,745	1,781	-36	98	132	75.6	89	5.1
White	924	750	174	123	45	48.7	26	2.8
Other races	821	1,031	-210	80	87	106.0	63	7.7
Chattahoochee	193	76	117	3/	9	46.6	5	2.6
White	150	44	106	3/	6	40.0	3	2.0
Other races	43	32	11	3/	3	69.8	2	4/
Chattooga	482	181	301	266	43	89.2	23	4.8
White	434	157	277	276	38	87.6	20	4.6
Other races	48	24	24	3/	5	104.2	3	4/
Cherokee	443	154	289	288	17	38.4	18	4.0
White	425	140	285	304	17	40.0	17	4.0
Other races	18	14	4	3/	-----	-----	1	4/
Clarke	538	411	127	131	49	91.1	39	7.2
Rural part	173	77	96	3/	12	69.4	6	3.5
White	77	44	33	3/	6	77.9	4	4/
Other races	96	33	63	3/	6	62.5	2	4/
Athens	365	334	31	109	37	101.4	33	9.0
White	232	194	38	120	23	99.1	17	7.3
Other races	133	140	-7	95	14	105.3	16	12.0
Clay	141	61	80	3/	3	21.3	11	7.8
White	32	13	19	3/	1	31.3	1	4/
Other races	109	48	61	3/	2	18.3	10	9.2
Clayton	157	109	48	144	13	82.8	8	5.1
White	88	82	6	3/	8	90.9	3	4/
Other races	69	27	42	3/	5	72.5	5	4/
Clinch	151	52	99	3/	8	53.0	11	7.3
White	91	26	65	3/	5	54.9	4	4/
Other races	60	26	34	3/	3	50.0	7	4/
Cobb	599	387	212	155	56	93.5	27	4.5
White	484	275	209	176	37	76.4	20	4.1
Other races	115	112	3	103	19	165.2	7	6.1
Coffee	425	204	221	208	11	25.9	31	7.3
White	328	142	186	231	10	30.5	18	5.5
Other races	97	62	35	3/	1	10.3	13	4/
Colquitt	680	298	382	228	37	54.4	49	7.2
White	531	210	321	255	24	45.2	29	5.5
Other races	149	88	61	3/	13	87.2	20	13.4
Columbia	222	83	139	3/	9	40.5	12	5.4
White	51	32	19	3/	2	39.2	1	4/
Other races	171	51	120	3/	7	40.9	11	6.4
Cook	268	112	156	239	12	44.8	17	6.3
White	179	68	111	3/	9	50.3	7	3.9
Other races	89	44	45	3/	3	33.7	10	4/
Coweta	470	236	234	199	23	48.9	19	4.0
White	232	95	137	3/	10	43.1	7	3.0
Other races	238	141	97	169	13	54.6	12	5.0
Crawford	170	84	86	3/	11	64.7	10	5.9
White	43	37	6	3/	4	93.0	-----	-----
Other races	127	47	80	3/	7	55.1	10	7.9
Crisp	421	298	123	141	50	118.8	43	10.2
White	191	132	59	145	17	89.0	12	6.3
Other races	230	166	64	139	33	143.5	31	13.5
Dade	94	23	71	3/	4	42.6	6	4/
White	91	23	68	3/	4	44.0	6	4/
Other races	3	-----	3	-----	-----	-----	-----	-----
Dawson	78	15	63	3/	2	25.6	1	4/
White	78	15	63	3/	2	25.6	1	4/
Other races	-----	-----	-----	-----	-----	-----	-----	-----
Decatur	605	308	297	196	44	72.7	67	11.1
White	295	128	167	230	11	37.3	20	6.8
Other races	310	180	130	172	33	106.5	47	15.1

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con								
De Kalb	952	801	151	119	64	67.2	47	4.9
Rural part	849	551	298	154	51	30.1	37	4.4
White	692	427	265	162	32	46.2	22	3.2
Other races	157	124	33	127	19	121.0	15	9.6
Atlanta (part)	37	145	-108	6/	6	6/	5	6/
White	31	121	-90	6/	4	6/	2	6/
Other races	6	24	-18	6/	2	6/	3	6/
Decatur	66	105	-39	63	7	106.1	5	4/
White	19	52	-33	3/	2	105.3	1	4/
Other races	47	53	-6	3/	5	106.4	4	4/
Dodge	526	182	344	289	22	41.8	23	4.4
White	302	116	186	260	14	46.4	10	3.3
Other races	224	66	158	3/	8	35.7	13	5.8
Dooly	389	203	186	192	33	84.8	21	5.4
White	154	74	80	3/	8	51.9	4	2.6
Other races	235	129	106	182	25	106.4	17	7.2
Dougherty	428	314	114	136	30	70.1	24	5.6
Rural part	100	40	60	3/	1	10.0	9	9.0
White	19	5	14	3/	-----	-----	-----	-----
Other races	81	35	46	3/	1	12.3	9	4/
Albany	328	274	54	120	29	88.4	15	4.6
White	168	116	52	145	10	59.5	7	4.2
Other races	160	158	2	101	19	118.8	8	5.0
Douglas	209	99	110	3/	12	57.4	11	5.3
White	149	76	73	3/	6	40.3	7	4.7
Other races	60	23	37	3/	6	100.0	4	4/
Early	460	205	255	224	36	78.3	32	7.0
White	177	72	105	3/	9	50.8	6	3.4
Other races	283	133	150	213	27	95.4	26	9.2
Echols	55	15	40	3/	-----	-----	4	4/
White	36	11	25	3/	-----	-----	3	4/
Other races	19	4	15	3/	-----	-----	1	4/
Effingham	226	133	93	170	27	119.5	18	8.0
White	108	66	42	3/	7	64.8	5	4.8
Other races	118	67	51	3/	20	169.5	13	11.0
Elbert	394	179	215	220	19	48.2	19	4.8
White	168	90	78	3/	5	29.8	9	5.4
Other races	226	89	137	3/	14	61.9	10	4.4
Emanuel	506	257	249	197	44	87.0	46	9.1
White	281	134	147	210	17	60.5	23	8.2
Other races	225	123	102	183	27	120.0	23	10.2
Evans	156	84	72	3/	15	96.2	15	9.6
White	109	45	64	3/	7	64.2	8	7.3
Other races	47	39	8	3/	8	170.2	7	4/
Fannin	352	122	230	289	24	68.2	14	4.0
White	348	120	228	290	24	69.0	14	4.0
Other races	4	2	2	3/	-----	-----	-----	-----
Fayette	173	88	85	3/	9	52.0	9	5.2
White	98	55	43	3/	4	40.8	2	4/
Other races	75	33	42	3/	5	66.7	7	4/
Floyd	1,028	632	396	163	81	78.8	64	6.2
Rural part	560	215	345	260	27	48.2	18	3.2
White	493	156	337	316	22	44.6	14	2.8
Other races	67	59	8	3/	5	74.6	4	4/
Rome	468	417	51	112	54	115.4	46	9.8
White	388	292	96	133	44	113.4	29	7.5
Other races	80	125	-45	64	10	125.0	17	4/
Forsyth	248	43	205	3/	4	16.1	9	3.6
White	248	43	205	3/	4	16.1	9	3.6
Other races	-----	-----	-----	-----	-----	-----	-----	-----
Franklin	355	136	219	261	22	62.0	18	5.1
White	297	111	186	268	18	60.6	9	3.0
Other races	58	25	33	3/	4	69.0	9	4/
Fulton	6,191	5,540	651	112	463	74.8	294	4.7
Rural part	613	821	-208	75	36	58.7	28	4.6
White	495	538	-43	92	25	50.5	14	2.8
Other races	118	283	-165	42	11	93.2	14	11.9
Atlanta (part)	5,578	4,719	859	6/	427	6/	266	6/
White	3,677	2,408	1,269	6/	223	6/	111	6/
Other races	1,901	2,311	-410	6/	204	6/	155	6/
Atlanta (total)	5,615	4,864	751	115	433	77.1	271	4.8
White	3,708	2,529	1,179	147	227	61.2	113	3.0
Other races	1,907	2,335	-428	82	206	108.0	158	8.3
Gilmer	225	73	152	3/	15	66.7	8	3.6
White	224	73	151	3/	15	67.0	8	3.6
Other races	1	-----	1	-----	-----	-----	-----	-----
Glascock	116	30	86	3/	3	25.9	3	2.6
White	90	23	67	3/	3	33.3	2	4/
Other races	26	7	19	3/	-----	-----	1	4/
Glynn	376	324	52	116	24	63.8	28	7.4
Rural part	92	52	40	3/	4	43.5	5	5.4
White	56	31	25	3/	4	71.4	-----	-----
Other races	36	21	15	3/	-----	-----	5	4/
Brunswick	284	272	12	104	20	70.4	23	8.1
White	189	144	45	131	10	52.9	14	7.4
Other races	95	128	-33	74	10	105.3	9	4/

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Gordon	361	166	195	217	23	63.7	14	3.9
White	337	150	187	225	23	68.2	12	3.6
Other races	24	16	8	[3]	-----	------	2	[4]
Grady	409	212	197	193	34	83.1	27	6.6
White	237	137	100	173	16	67.5	14	5.9
Other races	172	75	97	[3]	18	104.7	13	7.6
Greene	291	168	123	173	27	92.8	17	5.8
White	98	62	36	[3]	13	132.7	5	[4]
Other races	193	106	87	182	14	72.5	12	6.2
Gwinnett	569	293	276	194	37	65.0	23	4.0
White	496	234	262	212	28	56.5	16	3.2
Other races	73	59	14	[3]	9	123.3	7	[4]
Habersham	287	130	157	221	17	59.2	11	3.8
White	279	123	156	227	16	57.3	11	3.9
Other races	8	7	1	[3]	1	125.0	----	------
Hall	573	473	100	121	37	64.6	24	4.2
White	528	401	127	132	30	56.8	22	4.2
Other races	45	72	-27	[3]	7	155.6	2	[4]
Hancock	343	133	210	258	15	43.7	25	7.3
White	53	30	23	[3]	-----	------	2	[4]
Other races	290	103	187	282	15	51.7	23	7.9
Haralson	256	129	127	198	15	58.6	10	3.9
White	226	108	118	209	11	48.7	6	2.7
Other races	30	21	9	[3]	4	133.3	4	[4]
Harris	274	137	137	200	17	62.0	20	7.3
White	70	56	14	[3]	1	14.3	4	[4]
Other races	204	81	123	[3]	16	78.4	16	7.8
Hart	351	103	248	341	18	51.3	13	3.7
White	256	61	195	[3]	9	35.2	5	2.0
Other races	95	42	53	[3]	9	94.7	8	[4]
Heard	211	76	135	[3]	7	33.2	7	3.3
White	123	56	67	[3]	3	24.4	5	4.1
Other races	88	20	68	[3]	4	45.5	2	[4]
Henry	314	157	157	200	19	60.5	12	3.8
White	127	64	63	[3]	3	23.6	5	3.9
Other races	187	93	94	[3]	16	85.6	7	3.7
Houston	235	108	127	218	11	46.8	27	11.5
White	39	28	11	[3]	1	25.6	3	[4]
Other races	196	80	116	[3]	10	51.0	24	12.2
Irwin	329	107	222	307	21	63.8	16	4.9
White	168	65	103	[3]	12	71.4	8	4.8
Other races	161	42	119	[3]	9	55.9	8	5.0
Jackson	474	193	281	246	25	52.7	17	3.6
White	375	149	226	252	18	48.0	13	3.5
Other races	99	44	55	[3]	7	70.7	4	[4]
Jasper	215	98	117	[3]	11	51.2	13	6.0
White	68	38	30	[3]	3	44.1	----	------
Other races	147	60	87	[3]	8	54.4	13	8.8
Jeff Davis	170	65	105	[3]	5	29.4	11	6.5
White	140	50	90	[3]	3	21.4	8	5.7
Other races	30	15	15	[3]	2	66.7	3	[4]
Jefferson	461	182	299	264	14	29.1	39	8.1
White	155	67	88	[3]	2	12.9	12	7.7
Other races	326	115	211	283	12	36.8	27	8.3
Jenkins	308	172	136	179	17	55.2	17	5.5
White	119	71	48	[3]	1	8.4	5	4.2
Other races	189	101	88	187	16	84.7	12	6.3
Johnson	302	119	183	254	21	69.5	21	7.0
White	157	74	83	[3]	9	57.3	6	3.8
Other races	145	45	100	[3]	12	82.8	15	10.3
Jones	226	102	124	222	21	92.9	13	5.8
White	49	29	20	[3]	2	40.8	3	[4]
Other races	177	73	104	[3]	19	107.3	10	5.6
Lamar	163	115	48	142	9	55.2	13	8.0
White	71	60	11	[3]	3	42.3	8	[4]
Other races	92	55	37	[3]	6	65.2	5	[4]
Lanier	19	10	9	[3]	2	105.3	----	------
White	9	7	2	[3]	2	222.2	----	------
Other races	10	3	7	[3]	-----	------	----	------
Laurens	788	475	313	166	60	76.1	45	5.7
White	418	259	159	161	27	64.6	16	3.8
Other races	370	216	154	171	33	89.2	29	7.8
Lee	175	109	66	161	24	137.1	25	14.1
White	28	25	3	[3]	1	35.7	2	[4]
Other races	147	84	63	[3]	23	156.5	23	15.6
Liberty	170	114	56	149	18	105.9	19	11.2
White	47	28	19	[3]	2	42.6	1	[4]
Other races	123	86	37	[3]	16	130.1	18	14.6
Lincoln	219	37	182	[3]	9	41.1	8	3.7
White	99	18	81	[3]	2	20.2	5	[4]
Other races	120	19	101	[3]	7	58.3	3	2.5
Long	71	39	32	[3]	4	56.3	8	[4]
White	41	13	28	[3]	1	24.4	1	[4]
Other races	30	26	4	[3]	3	100.0	7	[4]
Lowndes	699	452	247	155	43	61.5	25	3.6
Rural part	312	125	187	250	13	41.7	12	3.8
White	147	49	98	[3]	4	27.2	4	2.7
Other races	165	76	89	[3]	9	54.5	8	4.8
Valdosta	387	327	60	118	30	77.5	13	3.4
White	221	176	45	126	16	72.4	5	2.3
Other races	166	151	15	110	14	84.3	8	4.8
Lumpkin	146	50	96	[3]	9	61.6	5	3.4
White	144	48	96	[3]	9	62.5	5	3.5
Other races	2	2	-------	[3]	-----	------	----	------
McDuffie	202	107	95	189	14	69.3	14	6.9
White	70	43	27	[3]	2	28.6	3	[4]
Other races	132	64	68	[3]	12	90.9	11	8.3
McIntosh	110	85	25	[3]	8	72.7	8	7.3
White	29	22	7	[3]	3	103.4	1	[4]
Other races	81	63	18	[3]	5	61.7	7	[4]
Macon	374	185	189	202	22	58.8	31	8.3
White	85	57	28	[3]	5	58.8	5	[4]
Other races	289	128	161	226	17	58.8	26	9.0
Madison	315	143	172	220	23	73.0	15	4.8
White	249	109	140	228	18	72.3	6	2.4
Other races	66	34	32	[3]	5	75.8	9	[4]
Marion	217	90	127	[3]	11	50.7	15	6.9
White	80	38	42	[3]	4	50.0	4	[4]
Other races	137	52	85	[3]	7	51.1	11	8.0
Meriwether	450	226	224	199	23	51.1	18	4.0
White	192	94	98	[3]	9	46.9	5	2.6
Other races	258	132	126	195	14	54.3	13	5.0
Miller	219	48	171	[3]	10	45.7	8	3.7
White	113	30	83	[3]	5	44.2	1	0.9
Other races	106	18	88	[3]	5	47.2	7	6.6
Mitchell	562	313	249	180	47	83.6	34	6.0
White	204	117	87	174	15	73.5	7	3.4
Other races	358	196	162	183	32	89.4	27	7.5
Monroe	283	149	134	190	28	98.9	15	5.3
White	82	55	27	[3]	9	109.8	1	[4]
Other races	201	94	107	[3]	19	94.5	14	7.0
Montgomery	248	87	161	[3]	13	52.4	18	7.3
White	110	38	72	[3]	4	36.4	6	5.5
Other races	138	49	89	[3]	9	65.2	12	8.7
Morgan	256	151	105	170	13	50.8	21	8.2
White	93	54	39	[3]	3	32.3	2	[4]
Other races	163	97	66	[3]	10	61.3	19	11.7
Murray	245	92	153	[3]	17	69.4	10	4.1
White	237	86	151	[3]	16	67.5	9	3.8
Other races	8	6	2	[3]	1	125.0	1	[4]
Muscogee	1,109	843	266	132	59	53.2	67	6.0
Rural part	193	91	102	[3]	4	20.7	11	5.7
White	101	45	56	[3]	1	9.9	5	5.0
Other races	92	46	46	[3]	3	32.6	6	[4]
Columbus	916	752	164	122	55	60.0	56	6.1
White	617	403	214	153	33	53.5	20	3.2
Other races	299	349	-50	86	22	73.6	36	12.0
Newton	401	199	202	202	23	57.4	12	3.0
White	258	101	157	255	13	50.4	4	1.6
Other races	143	98	45	[3]	10	69.9	8	5.6
Oconee	119	69	50	[3]	7	58.8	4	3.4
White	69	39	30	[3]	3	43.5	1	[4]
Other races	50	30	20	[3]	4	80.0	3	[4]
Oglethorpe	314	113	201	278	19	60.5	10	3.2
White	140	49	91	[3]	5	35.7	3	2.1
Other races	174	64	110	[3]	14	80.5	7	4.0
Paulding	195	91	104	[3]	8	41.0	5	2.6
White	170	79	91	[3]	8	47.1	4	2.4
Other races	25	12	13	[3]	-----	------	1	[4]
Peach	241	155	86	155	25	103.7	16	6.6
White	95	44	51	[3]	4	42.1	1	[4]
Other races	146	111	35	132	21	143.8	15	10.3
Pickens	189	65	124	[3]	7	37.0	10	5.3
White	183	64	119	[3]	7	38.3	10	5.5
Other races	6	1	5	[3]	-----	------	----	------
Pierce	347	127	220	273	28	80.7	12	3.5
White	252	95	157	[3]	22	87.3	7	2.8
Other races	95	32	63	[3]	6	63.2	5	[4]
Pike	261	130	131	201	21	80.5	12	4.6
White	89	61	28	[3]	6	67.4	2	[4]
Other races	172	69	103	[3]	15	87.2	10	5.8
Polk	477	252	225	189	38	79.7	16	3.4
White	392	183	209	214	25	63.8	10	2.6
Other races	85	69	16	[3]	13	152.9	6	[4]
Pulaski	160	105	55	152	7	43.8	9	5.6
White	69	45	24	[3]	4	58.0	----	------
Other races	91	60	31	[3]	3	33.0	9	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Putnam	198	113	85	175	13	65.7	14	7.1
White	39	43	-4	[3]	3	76.9	1	[4]
Other races	159	70	89	[3]	10	62.9	13	8.2
Quitman	68	35	33	[3]	2	29.4	3	[4]
White	12	8	4	[3]	-----	------	1	[4]
Other races	56	27	29	[3]	2	35.7	2	[4]
Rabun	124	33	91	[3]	6	48.4	2	1.6
White	122	31	91	[3]	5	41.0	2	1.6
Other races	2	2	-------	[3]	1	500.0	----	------
Randolph	412	192	220	215	29	70.4	32	7.8
White	102	65	37	[3]	8	78.4	3	2.9
Other races	310	127	183	244	21	67.7	29	9.4
Richmond	1,452	1,516	-64	96	172	118.5	99	6.8
Rural part	175	138	37	127	9	51.4	12	6.9
White	71	67	4	[3]	4	56.3	2	[4]
Other races	104	71	33	[3]	5	48.1	10	9.6
Augusta	1,277	1,378	-101	93	163	127.6	87	6.8
White	762	679	83	112	66	86.6	40	5.2
Other races	515	699	-184	74	97	188.3	47	9.1
Rockdale	103	74	29	[3]	13	126.2	6	5.8
White	49	46	3	[3]	7	142.9	4	[4]
Other races	54	28	26	[3]	6	111.1	2	[4]
Schley	131	63	68	[3]	10	76.3	8	6.1
White	29	23	6	[3]	2	69.0	----	------
Other races	102	40	62	[3]	8	78.4	8	7.8
Screven	468	255	213	184	51	109.0	42	9.0
White	149	92	57	[3]	13	87.2	6	4.0
Other races	319	163	156	196	38	119.1	36	11.3
Seminole	228	80	148	[3]	16	70.2	20	8.8
White	136	47	89	[3]	7	51.5	10	7.4
Other races	92	33	59	[3]	9	97.8	10	[4]
Spalding	498	346	152	144	47	94.4	51	10.2
Rural part	210	137	73	153	26	123.8	14	6.6
White	116	77	39	[3]	12	103.4	7	6.0
Other races	94	60	34	[3]	14	148.9	7	[4]
Griffin	288	209	79	138	21	72.9	37	12.8
White	187	114	73	164	9	48.1	12	6.4
Other races	101	95	6	[3]	12	118.8	25	24.8
Stephens	281	127	154	221	19	67.6	12	4.3
White	235	102	133	230	14	59.6	7	3.0
Other races	46	25	21	[3]	5	108.7	5	[4]
Stewart	239	133	106	180	15	62.8	20	8.4
White	31	37	-6	[3]	2	64.5	2	[4]
Other races	208	96	112	[3]	13	62.5	18	8.7
Sumter	588	353	235	167	52	88.4	57	9.7
White	131	103	28	127	7	53.4	6	4.6
Other races	457	250	207	183	45	98.5	51	11.2
Talbot	217	115	102	189	14	64.5	12	5.5
White	32	25	7	[3]	-----	------	2	[4]
Other races	185	90	95	[3]	14	75.7	10	5.4
Taliaferro	160	106	54	151	14	87.5	2	1.3
White	33	24	9	[3]	-----	------	----	-------
Other races	127	82	45	[3]	14	110.2	2	1.6
Tattnall	325	130	195	250	21	64.6	26	8.0
White	235	92	143	[3]	15	63.8	15	6.4
Other races	90	38	52	[3]	6	66.7	11	[4]
Taylor	259	101	158	256	13	50.2	17	6.6
White	89	45	44	[3]	3	33.7	3	[4]
Other races	170	56	114	[3]	10	58.8	14	8.2
Telfair	339	179	160	189	30	88.5	20	5.9
White	196	99	97	[3]	13	66.3	8	4.1
Other races	143	80	63	[3]	17	118.9	12	8.4
Terrell	404	233	171	173	40	99.0	47	12.6
White	53	59	-6	[3]	3	56.6	4	[4]
Other races	351	174	177	202	37	105.4	43	12.3
Thomas	641	525	116	122	57	88.9	60	9.4
Rural part	436	246	190	177	34	78.0	35	8.0
White	191	114	77	168	17	89.0	14	7.3
Other races	245	132	113	186	17	69.4	21	8.6
Thomasville	205	279	-74	73	23	112.2	25	12.1
White	129	145	-16	89	11	85.3	7	5.4
Other races	76	134	-58	57	12	157.9	18	[4]
Tift	395	243	152	163	36	91.1	25	6.3
White	257	144	113	178	19	73.9	13	5.1
Other races	138	99	39	[3]	17	123.2	12	8.7
Toombs	388	184	204	211	25	64.4	20	5.2
White	270	112	158	241	13	48.1	8	3.0
Other races	118	72	46	[3]	12	101.7	12	10.2
Towns	115	36	79	[3]	7	60.9	5	4.3
White	115	36	79	[3]	7	60.9	5	4.3
Other races	------	------	-------	------	-----	------	----	------
Treutlen	173	60	113	[3]	8	46.2	10	5.8
White	128	41	87	[3]	6	46.9	3	2.3
Other races	45	19	26	[3]	2	44.4	7	[4]

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Troup	794	537	257	148	73	91.9	60	7.6
Rural part	388	244	144	159	27	69.6	28	7.2
White	148	98	50	[3]	9	60.8	7	4.7
Other races	240	146	94	164	18	75.0	21	8.8
La Grange	406	293	113	139	46	113.3	32	7.9
White	304	165	139	184	31	102.0	16	5.3
Other races	102	128	-26	80	15	147.1	16	15.7
Turner	279	101	178	276	17	60.9	9	3.2
White	167	48	119	[3]	5	29.9	3	1.8
Other races	112	53	59	[3]	12	107.1	6	5.4
Twiggs	245	100	145	245	19	77.6	13	5.3
White	51	32	19	[3]	3	58.8	6	[4]
Other races	194	68	126	[3]	16	82.5	7	3.6
Union	219	56	163	[3]	16	73.1	11	5.0
White	219	56	163	[3]	16	73.1	11	5.0
Other races	------	------	-------	------	-----	------	----	------
Upson	552	290	262	190	51	92.4	33	6.0
White	380	164	216	232	26	68.4	14	3.7
Other races	172	126	46	137	25	145.3	19	11.0
Walker	590	234	356	252	32	54.2	19	3.2
White	549	204	345	269	31	56.5	16	2.9
Other races	41	30	11	[3]	1	24.4	3	[4]
Walton	444	255	189	174	36	81.1	29	6.5
White	247	153	94	161	18	72.9	9	3.6
Other races	197	102	95	193	18	91.4	20	10.2
Ware	565	387	178	146	29	51.3	35	6.2
Rural part	206	70	136	[3]	10	48.5	6	2.9
White	173	53	120	[3]	9	52.0	4	2.3
Other races	33	17	16	[3]	1	30.3	2	[4]
Waycross	359	317	42	113	19	52.9	29	8.1
White	244	205	39	119	17	69.7	15	6.1
Other races	115	112	3	103	2	17.4	14	12.2
Warren	268	113	155	237	15	56.0	9	3.4
White	56	36	20	[3]	1	17.9	1	[4]
Other races	212	77	135	[3]	14	66.0	8	3.8
Washington	545	257	288	212	34	62.4	43	7.9
White	189	99	90	[3]	7	37.0	5	2.6
Other races	356	158	198	225	27	75.8	38	10.7
Wayne	332	151	181	220	16	48.2	22	6.6
White	257	110	157	243	14	52.4	18	6.7
Other races	65	41	24	[3]	2	30.8	4	[4]
Webster	113	76	37	[3]	9	79.6	8	7.1
White	31	25	6	[3]	1	32.3	----	------
Other races	82	51	31	[3]	8	97.6	8	[4]
Wheeler	206	55	151	[3]	8	38.8	16	7.8
White	124	34	90	[3]	4	32.3	5	4.0
Other races	82	21	61	[3]	4	48.8	11	[4]
White	173	59	114	[3]	11	63.6	5	2.9
White	159	56	103	[3]	11	69.2	5	3.1
Other races	14	3	11	[3]	-----	------	----	------
Whitfield	528	266	262	198	41	77.7	16	3.0
White	493	240	253	205	38	77.1	14	2.8
Other races	35	26	9	[3]	3	85.7	2	[4]
Wilcox	284	112	172	254	18	63.4	10	3.5
White	133	52	81	[3]	4	30.1	3	2.3
Other races	151	60	91	[3]	14	92.7	7	4.6
Wilkes	352	246	106	143	24	68.2	23	6.5
White	101	76	25	[3]	6	59.4	2	2.0
Other races	251	170	81	148	18	71.7	21	8.4
Wilkinson	223	98	125	[3]	12	53.8	16	7.2
White	105	47	58	[3]	3	28.6	3	2.9
Other races	118	51	67	[3]	9	76.3	13	11.0
Worth	526	251	275	210	53	100.8	38	7.2
White	245	97	148	[3]	15	61.2	15	6.1
Other races	281	154	127	182	38	135.2	23	8.2
IDAHO (total)	10,224	5,014	5,210	204	526	51.4	253	2.5
Ada	917	582	335	158	46	50.2	14	1.5
Rural part	46	51	-5	[3]	1	21.7	1	[4]
Boise	871	531	340	164	45	51.7	13	1.5
Adams	52	32	20	[3]	1	19.2	2	[4]
Bannock	766	308	458	249	39	50.9	19	2.5
Rural part	145	31	114	[3]	6	41.4	5	3.4
Pocatello	621	277	344	224	33	53.1	14	2.3
Bear Lake	142	61	81	[3]	6	42.3	1	0.7
Benewah	119	74	45	[3]	4	33.6	2	1.7
Bingham	464	225	239	206	26	56.0	11	2.4
Blaine	69	54	15	[3]	4	58.0	3	[4]
Boise	3	18	-15	[3]	-----	------	----	------
Bonner	238	123	115	193	8	33.6	10	4.2
Bonneville	780	242	538	223	45	57.7	25	3.2
Boundary	122	57	65	[3]	7	57.4	5	4.1
Butte	33	15	18	[3]	2	60.6	5	[4]
Camas	42	9	33	[3]	1	23.8	3	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
IDAHO—Con.								
Canyon	719	373	346	193	43	59.8	15	2.1
Caribou	41	45	-4	[3]	3	73.2	2	[4]
Cassia	330	116	214	284	14	42.4	4	1.2
Clark	4	6	-2	[3]	-----	------	----	------
Clearwater	157	165	-8	95	8	51.0	7	4.5
Custer	41	30	11	[3]	-----	------	3	[4]
Elmore	71	62	9	[3]	2	28.2	1	[4]
Franklin	288	81	207	[3]	16	55.6	3	1.0
Fremont	190	70	120	[3]	9	47.4	3	1.6
Gem	175	67	108	[3]	4	22.9	1	0.6
Gooding	205	86	119	[3]	12	58.5	6	2.9
Idaho	246	120	126	205	18	73.2	6	2.4
Jefferson	158	60	98	[3]	12	75.9	6	3.8
Jerome	190	53	137	[3]	7	36.8	3	1.6
Kootenai	327	245	82	133	16	48.9	7	2.1
Latah	308	225	83	137	20	64.9	7	2.3
Lemhi	137	70	67	[3]	14	102.2	1	0.7
Lewis	78	39	39	[3]	2	25.6	2	[4]
Lincoln	81	27	54	[3]	6	74.1	----	------
Madison	272	65	207	[3]	8	29.4	7	2.6
Minidoka	226	63	163	[3]	7	31.0	2	0.8
Nez Perce	427	298	129	143	30	70.3	16	3.7
Oneida	139	37	102	[3]	4	28.8	3	2.2
Owyhee	19	21	-2	[3]	-----	------	----	------
Payette	118	88	30	[3]	8	67.8	4	3.4
Power	120	44	76	[3]	6	50.0	4	3.3
Shoshone	278	214	64	130	13	46.8	11	4.0
Teton	54	27	27	[3]	6	111.1	1	[4]
Twin Falls	834	319	515	261	41	49.2	21	2.5
Valley	73	26	47	[3]	5	68.5	4	[4]
Washington	171	72	99	[3]	3	17.5	3	1.8
ILLINOIS (total)	112,167	92,806	19,361	121	5,246	46.8	3,099	2.8
Adams	981	1,019	-38	96	71	72.4	26	2.7
Rural part	140	273	-133	51	11	78.6	6	4.3
Quincy	841	746	95	113	60	71.3	20	2.4
Alexander	412	400	12	103	38	92.2	22	5.3
Rural part	235	113	122	208	14	59.6	13	5.5
Cairo	177	287	-110	62	24	135.6	9	5.1
White	133	164	-31	81	13	97.7	5	3.8
Other races	44	123	-79	36	11	250.0	4	[4]
Bond	189	138	51	137	10	52.9	1	0.5
Boone	230	188	42	122	11	47.8	7	3.0
Brown	97	99	-2	[3]	5	51.5	6	[4]
Bureau	614	471	143	130	19	30.9	14	2.3
Calhoun	175	62	113	[3]	8	45.7	8	4.6
Carroll	189	186	3	102	13	68.8	7	3.7
Cass	283	236	47	120	12	42.4	17	6.0
Champaign	959	704	255	136	44	45.9	29	3.0
Rural part	357	286	71	125	12	33.6	15	4.2
Champaign	332	230	102	144	11	33.1	6	1.8
Urbana	270	188	82	144	21	77.8	8	3.0
Christian	631	478	153	132	28	44.4	17	2.7
Clark	276	217	59	127	7	25.4	8	2.9
Clay	266	211	55	126	14	52.6	9	3.4
Clinton	361	207	154	174	12	33.2	7	1.9
Rural part	361	207	154	174	12	33.2	7	1.9
Centralia (part)	------	------	-------	------	-----	------	----	------
Coles	635	564	71	113	42	66.1	17	2.7
Rural part	371	259	112	143	13	35.0	11	3.0
Mattoon	264	305	-41	87	29	109.8	6	2.3
Cook	55,243	46,254	8,989	119	2,159	39.1	1,483	2.7
Rural part	1,568	3,949	-2,381	40	71	45.3	41	2.6
Berwyn	435	325	110	134	9	20.7	8	1.8
Blue Island	390	190	200	205	25	64.1	14	3.6
Brookfield	39	48	-9	[3]	1	25.6	2	[4]
Calumet City	75	62	13	[3]	-----	------	5	[4]
Chicago	47,938	38,541	9,397	124	1,885	39.3	1,311	2.7
White	43,670	33,953	9,717	129	1,609	36.8	1,163	2.7
Other races	4,268	4,588	-320	93	276	64.7	148	3.5
Chicago Heights	435	222	213	196	24	55.2	11	2.5
White	404	197	207	205	19	47.0	8	2.0
Other races	31	25	6	[3]	5	161.3	3	[4]
Cicero	124	366	-242	34	10	80.6	3	2.4
Elgin (part)	------	3	-3	------	1	[6]	----	------
Elmwood Park	40	38	2	[3]	2	50.0	----	------
Evanston	1,578	733	845	215	51	32.3	27	1.7
Forest Park	26	137	-111	19	3	115.4	1	[4]
Harvey	480	171	309	281	21	43.8	11	2.3
La Grange	9	65	-56	[3]	-----	------	----	------
Maywood	47	201	-154	23	3	63.8	1	[4]
Melrose Park	298	121	177	246	6	20.1	6	2.1

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Con.								
Cook—Continued								
Oak Park	1,752	851	901	206	47	26.8	42	2.4
Park Ridge	2	69	-67	[3]	-----	------	----	------
Wilmette	7	93	-86	[3]	-----	------	----	------
Winnetka	------	69	-69	------	-----	------	----	------
Crawford	378	271	107	139	17	45.0	11	2.9
Cumberland	206	146	60	141	9	43.7	1	0.5
De Kalb	498	426	72	117	25	50.2	15	3.0
De Witt	245	201	44	122	8	32.7	7	2.9
Douglas	294	222	72	132	15	51.0	7	2.4
Du Page	719	719	-------	100	23	32.0	26	3.6
Rural part	406	574	-168	71	18	44.3	12	3.0
Elmhurst	313	145	168	216	5	16.0	14	4.5
Edgar	410	324	86	127	21	51.2	18	4.4
Edwards	140	105	35	133	9	64.3	2	1.4
Effingham	354	292	62	121	22	62.1	15	4.2
Fayette	476	332	144	143	46	96.6	12	2.5
Ford	189	172	17	110	13	68.8	6	3.2
Franklin	930	591	339	157	75	80.6	16	1.7
Rural part	567	401	166	141	48	84.7	12	2.1
West Frankfort	363	190	173	191	27	74.4	4	1.1
Fulton	666	545	121	122	32	48.0	19	2.9
Rural part	349	331	18	105	13	37.2	10	2.9
Canton	317	214	103	148	19	59.9	9	2.8
Gallatin	186	127	59	146	21	112.9	6	3.2
Greene	306	240	66	128	11	35.9	12	3.9
Grundy	283	174	109	163	7	24.7	4	1.4
Hamilton	237	155	82	153	10	42.2	3	1.3
Hancock	272	313	-41	87	16	58.8	9	3.3
Hardin	139	82	57	[3]	7	50.4	6	4.3
Henderson	115	75	40	[3]	6	52.2	5	4.3
Henry	619	521	98	119	32	51.7	20	3.2
Rural part	254	276	-22	92	12	47.2	8	3.1
Kewanee	365	245	120	149	20	54.8	12	3.3
Iroquois	495	342	153	145	25	50.5	9	1.8
Jackson	555	467	188	140	32	48.9	22	3.4
Jasper	215	141	74	152	8	37.2	3	1.4
Jefferson	494	364	130	136	26	52.6	17	3.4
Rural part	299	186	113	161	12	40.1	5	1.7
Mount Vernon	195	178	17	110	14	71.8	12	6.2
Jersey	201	149	52	135	13	64.7	4	2.0
Jo Daviess	227	206	21	110	7	30.8	3	1.3
Johnson	214	101	113	212	8	37.4	11	5.1
Kane	2,128	2,005	123	106	92	43.2	59	2.8
Rural part	300	406	-106	74	13	43.3	11	3.7
Aurora	1,090	631	459	173	47	43.1	28	2.6
Elgin (part)	738	968	-230	[6]	32	[6]	20	[6]
Elgin (total)	738	971	-233	76	32	43.4	20	2.7
Kankakee	791	983	-192	80	42	53.1	23	2.9
Rural part	346	670	-324	52	11	31.8	13	3.8
Kankakee	445	313	132	142	31	69.7	10	2.2
Kendall	54	101	-47	53	2	37.0	2	[4]
Knox	780	701	79	111	54	69.2	22	2.8
Rural part	196	199	-3	98	13	66.3	4	2.0
Galesburg	584	502	82	116	41	70.2	18	3.1
Lake	1,604	1,097	507	146	61	38.0	41	2.6
Rural part	1,100	767	333	143	43	39.1	30	2.7
Highland Park	209	130	79	161	5	23.9	6	2.9
Waukegan	295	200	95	148	13	44.1	5	1.7
La Salle	1,526	1,242	284	123	70	45.9	45	2.9
Rural part	535	559	-24	96	21	39.3	13	2.4
La Salle	272	201	71	135	10	36.8	10	3.7
Ottawa	320	236	84	136	22	68.8	11	3.4
Streator	399	246	153	162	17	42.6	11	2.8
Lawrence	365	219	147	167	23	62.8	7	1.9
Lee	489	514	-25	95	29	59.3	15	3.1
Livingston	548	443	105	124	26	47.4	17	3.1
Logan	414	396	18	105	22	53.1	12	2.9
Rural part	126	101	25	125	6	47.6	5	4.0
Lincoln	288	295	-7	98	16	55.6	7	2.4
McDonough	472	380	92	124	28	59.3	17	3.6
McHenry	365	413	-48	88	16	43.8	8	2.2
McLean	1,284	940	344	137	70	54.5	41	3.2
Rural part	573	415	158	138	28	48.9	9	1.6
Bloomington	711	525	186	135	42	59.1	32	4.5
Macon	1,301	1,054	247	123	77	59.2	26	2.0
Rural part	178	214	-36	83	9	50.6	2	1.1
Decatur	1,123	840	283	134	68	60.6	24	2.1
Macoupin	539	447	92	121	19	35.3	15	2.8
Madison	2,230	1,669	561	134	131	58.7	74	3.3
Rural part	1,127	918	209	123	46	40.8	37	3.3
Alton	629	462	167	136	55	87.4	25	4.0
Granite City	474	289	185	164	30	63.3	12	2.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Con.								
Marion	648	493	155	131	36	55.6	24	3.7
Rural part	401	276	125	145	21	52.4	13	3.2
Centralia (part)	247	217	30	5/	15	5/	11	5/
Centralia (total)	247	217	30	114	15	60.7	11	4.5
Marshall	150	119	31	126	9	60.0	3	2.0
Mason	240	179	61	134	17	70.8	2	0.8
Massac	245	199	46	123	17	69.4	15	6.1
Menard	140	98	42	3/	4	28.6	2	1.4
Mercer	224	200	24	112	13	58.0	3	1.3
Monroe	141	115	26	123	6	42.6	2	1.4
Montgomery	507	530	77	115	32	52.7	19	3.1
Morgan	554	909	-355	61	21	37.9	15	2.7
Rural part	197	167	30	118	9	45.7	3	1.5
Jacksonville	357	742	-385	48	12	33.6	12	3.4
Moultrie	263	140	123	188	4	15.2	6	2.3
Ogle	332	324	8	102	14	42.2	9	2.7
Peoria	2,710	2,278	432	119	154	56.8	64	2.4
Rural part	319	685	-366	47	9	28.2	6	1.9
Peoria	2,391	1,593	798	150	145	60.6	58	2.4
Perry	441	284	157	155	33	74.8	10	2.3
Piatt	193	119	74	162	7	36.3	4	2.1
Pike	338	283	55	119	17	50.3	7	2.1
Pope	140	85	55	3/	6	42.9	5	3.6
Pulaski	284	225	59	126	24	84.5	17	6.0
Putnam	60	54	6	3/	3	50.0	1	4/
Randolph	428	396	32	108	26	60.7	9	2.1
Richland	330	304	26	109	30	90.9	9	2.7
Rock Island	1,578	1,393	185	113	74	46.9	40	2.5
Rural part	122	147	-25	83	10	82.0	4	3.3
East Moline	43	295	-252	15	6	139.5	1	4/
Moline	910	495	415	184	29	31.9	28	3.1
Rock Island	503	456	47	110	29	57.7	7	1.4
St. Clair	2,405	1,986	419	121	174	72.3	73	3.0
Rural part	602	591	11	102	42	69.8	14	2.3
Belleville	485	397	88	122	24	49.7	17	3.5
East St. Louis	1,320	998	322	132	108	81.8	42	3.2
White	1,095	776	319	141	75	68.5	28	2.6
Other races	225	222	3	101	33	146.7	14	6.2
Saline	683	446	237	153	53	77.6	22	3.2
Rural part	454	266	188	171	37	81.5	11	2.4
Harrisburg	229	180	49	127	16	69.9	11	4.8
Sangamon	1,756	1,599	157	110	107	60.9	70	4.0
Rural part	332	336	-4	99	11	33.1	10	3.0
Springfield	1,424	1,263	161	113	96	67.4	60	4.2
Schuyler	184	112	72	164	13	70.7	3	1.6
Scott	104	75	29	3/	4	38.5	4	3.8
Shelby	429	324	105	132	17	39.6	8	1.9
Stark	103	79	24	3/	2	19.4	----	----
Stephenson	805	560	245	144	33	41.0	19	2.4
Rural part	159	137	22	116	3	18.9	2	1.3
Freeport	646	423	223	153	30	46.4	17	2.6
Tazewell	711	459	252	155	40	55.3	19	2.7
Rural part	320	226	94	142	14	43.8	11	3.4
Pekin	391	233	158	168	26	66.5	8	2.0
Union	425	558	-133	76	27	63.5	14	3.3
Vermilion	1,385	1,294	91	107	89	64.3	36	2.6
Rural part	605	570	35	106	20	33.1	7	1.2
Danville	780	724	56	108	69	88.5	29	3.7
Wabash	212	141	71	150	8	37.7	3	1.4
Warren	337	272	65	124	10	29.7	13	3.9
Washington	216	188	28	115	10	46.3	7	3.2
Wayne	385	248	137	155	27	70.1	15	3.9
White	302	203	99	149	7	23.2	12	4.0
Whiteside	727	409	318	178	25	34.4	24	3.3
Rural part	354	244	110	145	13	36.7	11	3.1
Sterling	373	165	208	226	12	32.2	13	3.5
Will	1,490	1,289	201	116	68	45.6	28	1.9
Rural part	706	684	22	103	29	41.1	15	2.1
Joliet	784	605	179	130	39	49.7	13	1.7
Williamson	923	572	351	161	84	91.0	28	3.0
Winnebago	1,734	1,252	482	138	93	53.6	42	2.4
Rural part	316	358	-42	88	23	72.8	8	2.5
Rockford	1,418	894	524	159	70	49.4	34	2.4
Woodford	210	172	38	122	9	42.9	2	1.0
INDIANA (total)	54,034	42,470	11,564	127	2,742	50.7	1,286	2.4
Adams	372	243	129	153	15	40.3	8	2.2
Allen	2,373	1,786	647	137	90	37.9	54	2.3
Rural part	365	401	-36	91	13	35.6	5	1.4
Fort Wayne	2,008	1,325	683	152	77	38.3	49	2.4
Bartholomew	466	369	97	126	31	66.5	10	2.1
Benton	77	96	-19	3/	5	64.9	2	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
INDIANA—Con.								
Blackford	243	153	90	159	9	37.0	6	2.5
Boone	290	300	-10	97	12	41.4	7	2.4
Brown	126	69	57	3/	7	55.6	4	3.2
Carroll	205	166	39	123	4	19.5	4	2.0
Cass	546	628	-82	87	31	56.8	9	1.6
Rural part	207	310	-103	67	8	38.6	1	0.5
Logansport	339	318	21	107	23	67.8	8	2.4
Clark	455	380	75	120	32	70.3	14	3.1
Rural part	262	174	88	151	14	53.4	7	2.7
Jeffersonville	193	206	-13	94	18	93.3	7	3.6
White	181	164	17	110	15	82.9	7	3.9
Other races	12	42	-30	3/	3	250.0	----	----
Clay	430	343	87	125	17	39.5	10	2.3
Clinton	462	352	110	131	14	30.3	6	1.3
Rural part	194	161	33	120	4	20.6	1	0.5
Frankfort	268	191	77	140	10	37.3	5	1.9
Crawford	192	132	60	145	12	62.5	8	4.2
Daviess	551	367	184	150	24	43.6	11	2.0
Dearborn	296	260	36	114	13	43.9	11	3.7
Decatur	279	278	1	100	8	28.7	7	2.5
De Kalb	397	336	61	118	20	50.4	9	2.3
Delaware	1,227	812	415	151	56	45.6	27	2.2
Rural part	224	220	4	102	7	31.3	3	1.3
Muncie	1,003	592	411	169	49	48.9	24	2.4
Dubois	394	215	179	183	16	40.6	7	1.8
Elkhart	1,160	795	365	146	49	42.2	30	2.6
Rural part	373	266	107	140	21	56.3	8	2.1
Elkhart	553	379	174	146	18	32.5	12	2.2
Goshen	234	150	84	156	10	42.7	10	4.3
Fayette	417	281	136	148	26	62.4	8	1.9
Rural part	94	56	38	3/	4	42.6	1	4/
Connersville	323	225	98	144	22	68.1	7	2.2
Floyd	479	512	-33	94	28	58.5	19	4.0
Rural part	85	104	-19	82	6	70.6	2	4/
New Albany	394	408	-14	97	22	55.8	17	4.3
Fountain	265	191	74	139	12	45.3	7	2.6
Franklin	230	144	86	160	7	30.4	1	0.4
Fulton	255	269	-14	95	11	43.1	4	1.6
Gibson	484	383	101	126	27	55.8	19	3.9
Grant	929	771	158	120	63	67.8	28	3.0
Rural part	349	400	-51	87	20	57.3	7	2.0
Marion	580	371	209	156	43	74.1	21	3.6
Greene	528	368	160	143	32	60.6	15	2.8
Hamilton	300	315	-15	95	11	36.7	10	3.3
Hancock	196	237	-41	83	12	61.2	3	1.5
Harrison	257	204	53	126	17	66.1	11	4.3
Hendricks	176	220	-44	80	6	34.1	7	4.0
Henry	668	493	175	135	45	67.4	16	2.4
Rural part	387	376	11	103	32	82.7	9	2.3
New Castle	281	117	164	240	13	46.3	7	2.5
Howard	814	579	235	141	45	55.3	15	1.8
Rural part	198	141	57	140	9	45.5	2	1.0
Kokomo	616	438	178	141	36	58.4	13	2.1
Huntington	519	432	87	120	26	50.1	12	2.3
Rural part	216	219	-3	99	10	46.3	6	2.8
Huntington	303	213	90	142	16	52.8	6	2.0
Jackson	497	293	204	170	27	54.3	14	2.8
Jasper	300	189	111	159	9	30.0	4	1.3
Jay	338	278	60	122	27	79.9	5	1.5
Jefferson	285	395	-110	72	11	38.5	10	3.5
Jennings	204	141	63	145	8	39.2	6	2.9
Johnson	282	277	5	102	10	35.5	2	0.7
Knox	745	612	133	122	65	87.2	20	2.7
Rural part	400	291	109	137	34	85.0	5	1.3
Vincennes	345	321	24	107	31	89.9	15	4.3
Kosciusko	481	385	96	125	19	39.5	3	0.6
Lagrange	223	160	63	139	14	62.8	3	1.3
Lake	4,729	2,550	2,179	185	206	43.6	111	2.3
Rural part	296	306	-10	97	10	33.8	3	1.0
East Chicago	1,058	537	521	197	67	63.3	34	3.2
White	958	444	514	216	58	60.5	27	2.8
Other races	100	93	7	3/	9	90.0	7	7.0
Gary	2,017	1,072	945	188	92	45.6	39	1.9
White	1,739	808	931	215	71	40.8	31	1.8
Other races	278	264	14	105	21	75.5	8	2.9
Hammond	1,303	598	705	218	35	26.9	30	2.3
Whiting	55	37	18	3/	2	36.4	5	4/
La Porte	950	755	195	126	52	54.7	29	3.1
Rural part	150	174	-24	86	8	53.3	2	1.3
La Porte	394	304	90	130	28	71.1	9	2.3
Michigan City	406	277	129	147	16	39.4	18	4.4
Lawrence	734	418	316	176	40	54.5	15	2.0
Rural part	491	232	259	212	22	44.8	7	1.4
Bedford	243	186	57	131	18	74.1	8	3.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
INDIANA—Con.								
Madison	1,399	1,016	383	138	63	59.3	36	2.6
Rural part	465	357	108	130	19	40.9	10	2.2
Anderson	641	497	144	129	46	71.8	17	2.7
Elwood	293	162	131	181	18	61.4	9	3.1
Marion	6,997	6,399	598	109	406	58.0	135	1.9
Rural part	1,065	783	282	136	30	28.2	14	1.3
Indianapolis	5,932	5,616	316	106	376	63.4	121	2.0
White	5,230	4,752	478	110	316	60.4	104	2.0
Other races	702	864	-162	81	60	85.5	17	2.4
Marshall	436	283	153	154	12	27.5	10	2.3
Martin	229	107	122	214	13	56.8	10	4.4
Miami	414	376	38	110	21	50.7	16	3.9
Rural part	194	195	-1	99	10	51.5	9	4.6
Peru	220	181	39	122	11	50.0	7	3.2
Monroe	693	347	346	200	29	41.8	14	2.0
Rural part	369	151	218	244	14	37.9	5	1.4
Bloomington	324	196	128	165	15	46.3	9	2.8
Montgomery	431	406	25	106	22	51.0	9	2.1
Rural part	139	192	-53	72	4	28.8	1	0.7
Crawfordsville	292	214	78	136	18	61.6	8	2.7
Morgan	316	257	59	123	10	31.6	4	1.3
Newton	145	88	57	[3]	4	27.6	3	2.1
Noble	379	342	37	111	14	36.9	7	1.8
Ohio	45	50	-5	[3]	1	22.2	2	[4]
Orange	299	213	86	140	15	50.2	8	2.7
Owen	186	148	38	126	6	32.3	4	2.2
Parke	255	203	52	126	5	19.6	7	2.7
Perry	337	176	161	191	19	56.4	7	2.1
Pike	287	173	114	166	11	38.3	15	5.2
Porter	296	286	10	103	12	40.5	9	3.0
Posey	279	228	51	122	7	25.1	6	2.2
Pulaski	244	130	114	188	21	86.1	2	0.8
Putnam	274	285	-11	96	6	21.9	7	2.6
Randolph	400	344	56	116	30	75.0	8	2.0
Ripley	353	258	95	137	12	34.0	22	6.2
Rush	284	213	71	133	7	24.6	6	2.1
St. Joseph	2,547	1,554	993	164	110	43.2	52	2.0
Rural part	348	333	15	105	12	34.5	7	2.0
Mishawaka	678	302	376	225	31	45.7	13	1.9
South Bend	1,521	919	602	166	67	44.0	32	2.1
Scott	158	88	70	[3]	6	31.6	1	0.6
Shelby	406	386	20	105	18	44.3	6	1.5
Rural part	219	193	26	113	7	32.0	1	0.5
Shelbyville	187	193	-6	97	11	58.8	5	2.7
Spencer	292	223	69	131	20	68.5	4	1.4
Starke	148	101	47	147	7	47.3	4	2.7
Steuben	227	233	-6	97	16	70.5	3	1.3
Sullivan	483	342	141	141	23	47.6	13	2.7
Switzerland	120	102	18	118	5	41.7	1	0.8
Tippecanoe	937	814	123	115	41	43.8	16	1.7
Rural part	121	219	-98	55	5	41.3	2	1.7
Lafayette	816	595	221	137	36	44.1	14	1.7
Tipton	267	149	118	179	10	37.5	5	1.9
Union	50	59	-9	[3]	2	40.0	1	[4]
Vanderburgh	2,040	2,117	-77	96	135	66.2	61	3.0
Rural part	344	476	-132	72	23	66.9	7	2.0
Evansville	1,696	1,641	55	103	112	66.0	54	3.2
Vermillion	361	292	89	130	25	65.6	11	2.9
Vigo	1,484	1,521	-37	98	95	64.0	49	3.3
Rural part	407	406	1	100	24	59.0	12	2.9
Terre Haute	1,077	1,115	-38	97	71	65.9	37	3.4
Wabash	397	352	45	113	19	47.9	16	4.0
Warren	118	112	6	105	7	59.3	2	1.7
Warrick	271	245	26	111	18	66.4	12	4.4
Washington	276	192	84	144	18	65.2	5	1.8
Wayne	872	831	41	105	45	51.6	24	2.8
Rural part	581	509	72	114	23	39.6	14	2.4
Richmond	291	322	-31	90	22	75.6	10	3.4
Wells	311	227	84	137	14	45.0	9	2.9
White	244	142	102	172	11	45.1	2	0.8
Whitley	201	188	13	107	11	54.7	1	0.5
IOWA (total)	42,715	28,432	14,283	150	2,057	48.2	1,156	2.7
Adair	236	150	86	157	8	33.9	3	1.3
Adams	115	96	19	[3]	7	60.9	6	5.2
Allamakee	267	192	75	139	15	56.2	8	3.0
Appanoose	409	330	79	124	29	70.9	17	4.2
Audubon	215	89	126	[3]	12	55.8	6	2.8
Benton	344	212	132	162	12	34.9	7	2.0
Black Hawk	1,255	797	458	157	56	44.6	42	3.3
Rural part	266	238	28	112	10	37.6	11	4.1
Waterloo	989	559	430	177	46	46.5	31	3.1

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
IOWA—Con.								
Boone	418	352	66	119	18	43.1	8	1.9
Rural part	157	187	-30	84	6	38.2	6	3.8
Boone	261	165	96	158	12	46.0	2	0.8
Bremer	350	215	135	163	19	54.3	10	2.9
Buchanan	335	410	-75	82	14	41.8	5	1.5
Buena Vista	299	162	137	185	12	40.1	9	3.0
Butler	215	159	56	135	16	74.4	9	4.2
Calhoun	286	174	112	164	9	31.5	4	1.4
Carroll	571	283	288	202	28	49.0	7	1.2
Cass	310	220	90	141	13	41.9	10	3.2
Cedar	156	168	-12	93	7	44.9	6	3.8
Cerro Gordo	801	494	307	162	52	64.9	30	3.7
Rural part	188	144	44	131	7	37.2	6	3.2
Mason City	613	350	263	175	45	73.4	24	3.9
Cherokee	279	288	-9	97	8	28.7	7	2.5
Chickasaw	298	175	123	170	16	53.7	7	2.3
Clarke	203	133	70	153	6	29.6	7	3.4
Clay	329	141	188	233	11	33.4	2	0.6
Clayton	383	244	139	157	20	52.2	6	1.6
Clinton	740	573	167	129	39	52.7	18	2.4
Rural part	146	148	-2	99	13	89.0	5	3.4
Clinton	594	425	169	140	26	43.8	13	2.2
Crawford	298	156	142	191	15	50.3	6	2.0
Dallas	387	265	122	146	19	49.1	10	2.6
Davis	154	124	30	124	8	51.9	4	2.6
Decatur	274	198	76	138	12	43.8	8	2.9
Delaware	313	184	129	170	20	63.9	5	1.6
Des Moines	571	543	28	105	38	66.5	18	3.2
Rural part	56	89	-33	[3]	-----	-----	3	[4]
Burlington	515	454	61	113	38	73.8	15	2.9
Dickinson	183	94	89	[3]	9	49.2	----	------
Dubuque	1,055	821	234	129	48	45.5	42	4.0
Rural part	274	144	130	190	5	18.2	7	2.6
Dubuque	781	677	104	115	43	55.1	35	4.5
Emmet	281	112	169	251	10	35.6	6	2.1
Fayette	506	302	204	168	18	35.6	12	2.4
Floyd	339	217	122	156	12	35.4	5	1.5
Franklin	288	155	133	186	13	45.1	7	2.4
Fremont	252	176	76	143	19	75.4	8	3.2
Greene	217	125	92	174	2	9.2	2	0.9
Grundy	163	97	66	[3]	12	73.6	6	3.7
Guthrie	276	156	120	177	9	32.6	9	3.3
Hamilton	330	206	124	160	24	72.7	5	1.5
Hancock	190	105	85	181	5	26.3	4	2.1
Hardin	339	228	111	149	16	47.2	5	1.5
Harrison	394	212	182	186	21	53.3	10	2.5
Henry	214	396	-182	54	14	65.4	4	1.9
Howard	267	155	112	172	22	82.4	10	3.7
Humboldt	156	101	55	154	5	32.1	1	0.6
Ida	190	95	95	[3]	9	47.4	4	2.1
Iowa	220	161	59	137	6	27.3	9	4.1
Jackson	295	214	81	138	18	61.0	6	2.0
Jasper	495	303	192	163	27	54.5	16	3.2
Rural part	241	172	69	140	14	58.1	4	1.7
Newton	254	131	123	194	13	51.2	12	4.7
Jefferson	246	162	84	152	3	12.2	8	3.3
Johnson	1,759	991	768	177	86	48.9	61	3.5
Rural part	144	158	-14	91	2	13.9	3	2.1
Iowa City	1,615	833	782	194	84	52.0	58	3.6
Jones	339	206	133	165	15	44.2	11	3.2
Keokuk	187	192	-5	97	8	42.8	3	1.6
Kossuth	561	216	345	260	29	51.7	11	2.0
Lee	730	627	103	116	53	72.6	22	3.0
Rural part	121	125	-4	97	7	57.9	3	2.5
Fort Madison	230	207	23	111	20	87.0	7	3.0
Keokuk	379	295	84	128	26	68.6	12	3.2
Linn	1,268	925	343	137	48	37.9	38	3.0
Rural part	227	245	-18	93	6	26.4	2	0.9
Cedar Rapids	1,041	680	361	153	42	40.3	36	3.5
Louisa	149	117	32	127	11	73.8	6	4.0
Lucas	216	163	53	133	10	46.3	4	1.9
Lyon	279	90	189	[3]	9	32.3	7	2.5
Madison	229	165	64	139	3	13.1	3	1.3
Mahaska	400	333	67	120	23	57.5	13	3.3
Rural part	194	138	56	141	8	41.2	3	1.5
Oskaloosa	206	195	11	106	15	72.8	10	4.9
Marion	357	258	99	138	13	36.4	7	2.0
Marshall	669	428	241	156	40	59.8	20	3.0
Rural part	183	125	58	146	5	27.3	2	1.1
Marshalltown	486	303	183	160	35	72.0	18	3.7
Mills	233	167	66	140	11	47.2	6	2.6
Mitchell	214	141	73	152	10	46.7	5	2.3
Monona	338	140	198	241	17	50.3	----	------
Monroe	259	171	88	151	18	69.5	7	2.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
IOWA—Con.								
Montgomery	279	172	107	162	10	35.8	5	1.8
Muscatine	500	458	42	109	27	54.0	15	3.0
Rural part	120	118	2	102	3	25.0	2	1.7
Muscatine	380	340	40	112	24	63.2	13	3.4
O'Brien	346	176	170	197	9	26.0	10	2.9
Osceola	205	106	99	193	9	43.9	8	3.9
Page	388	430	-42	90	10	25.8	7	1.8
Palo Alto	341	117	224	291	21	61.6	9	2.6
Plymouth	401	189	212	212	20	49.9	9	2.2
Pocahontas	246	101	145	244	11	44.7	5	2.0
Polk	3,255	2,211	1,044	147	151	46.4	95	2.9
Rural part	254	215	39	118	4	15.7	6	2.4
Des Moines	3,001	1,996	1,005	150	147	49.0	89	3.0
Pottawattamie	1,111	804	307	138	66	59.4	32	2.9
Rural part	278	167	111	166	5	18.0	7	2.5
Council Bluff	833	637	196	131	61	73.2	25	3.0
Poweshiek	303	188	115	161	14	46.2	7	2.3
Ringgold	171	105	66	163	6	35.1	7	4.1
Sac	243	133	110	183	8	32.9	9	3.7
Scott	1,256	1,064	192	118	51	40.6	35	2.8
Rural part	107	201	-94	53	4	37.4	4	3.7
Davenport	1,149	863	286	133	47	40.9	31	2.7
Shelby	320	125	195	256	12	37.5	7	2.2
Sioux	579	210	369	276	18	31.1	8	1.4
Story	431	266	165	162	15	34.8	6	1.4
Rural part	243	177	66	137	6	24.7	4	1.6
Ames	188	89	99	3/	9	47.9	2	1.1
Tama	278	192	86	145	7	25.2	5	1.8
Taylor	202	144	58	140	9	44.6	6	3.0
Union	262	224	38	117	18	68.7	9	3.4
Van Buren	163	187	-24	87	10	61.3	4	2.5
Wapello	787	607	180	130	54	68.6	34	4.3
Rural part	130	172	-42	76	6	46.2	4	3.1
Ottumwa	657	435	222	151	48	73.1	30	4.6
Warren	257	172	85	149	11	42.8	4	1.6
Washington	364	222	142	164	10	27.5	9	2.5
Wayne	189	154	35	123	13	68.8	4	2.1
Webster	813	395	418	206	32	39.4	26	3.2
Rural part	185	93	92	3/	5	27.0	4	2.2
Fort Dodge	628	302	326	208	27	43.0	22	3.5
Winnebago	355	136	219	261	17	47.9	10	2.8
Winneshiek	376	247	129	152	11	29.3	12	3.2
Woodbury	1,925	1,193	732	161	117	60.8	61	3.2
Rural part	338	172	166	197	7	20.7	10	3.0
Sioux City	1,587	1,021	566	155	110	69.3	51	3.2
Worth	132	71	61	3/	2	15.2	2	1.5
Wright	343	183	160	187	23	67.1	8	2.3
KANSAS (total)	29,998	21,674	8,324	138	1,554	51.8	785	2.6
Allen	372	270	102	138	17	45.7	19	5.1
Anderson	198	143	55	138	11	55.6	7	3.5
Atchison	352	284	68	124	15	42.6	8	2.3
Rural part	71	80	-9	3/	3	42.3	2	4/
Atchison	281	204	77	138	12	42.7	6	2.1
White	258	171	87	151	11	42.6	5	1.9
Other races	23	33	-10	3/	1	43.5	1	4/
Barber	121	74	47	3/	11	90.9	2	1.7
Barton	405	235	170	172	28	69.1	21	5.2
Bourbon	334	349	-15	96	28	83.8	10	3.0
Rural part	102	86	16	3/	1	9.8	1	1.0
Fort Scott	232	263	-31	88	27	116.4	9	3.9
Brown	289	187	102	155	18	62.3	6	2.1
Butler	465	322	143	144	27	58.1	7	1.5
Rural part	216	167	49	129	9	41.7	3	1.4
El Dorado	249	155	94	161	18	72.3	4	1.6
Chase	80	47	33	3/	3	37.5	----	------
Chautauqua	145	102	43	142	7	48.3	3	2.1
Cherokee	472	371	101	127	25	53.0	10	2.1
Cheyenne	159	52	107	3/	9	56.6	----	------
Clark	101	44	57	3/	4	39.6	1	1.0
Clay	228	170	58	134	7	30.7	8	3.5
Cloud	331	242	89	137	19	57.4	13	3.9
Coffey	212	118	94	180	8	37.7	2	0.9
Comanche	84	40	44	3/	5	59.5	2	4/
Cowley	804	512	292	157	37	46.0	25	3.1
Rural part	465	344	121	135	22	47.3	15	3.2
Arkansas City	339	168	171	202	15	44.2	10	2.9
Crawford	679	635	44	107	43	63.3	18	2.7
Rural part	444	445	-1	100	27	60.8	13	2.9
Pittsburg	235	190	45	124	16	68.1	5	2.1
Decatur	140	61	79	3/	7	50.0	8	5.7
Dickinson	319	250	69	128	25	78.4	2	0.6
Doniphan	185	127	58	146	8	43.2	----	------

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KANSAS—Con.								
Douglas	340	316	24	108	14	41.2	6	1.8
Rural part	69	90	-21	3/	1	14.5	1	4/
Lawrence	271	226	45	120	13	48.0	5	1.8
White	255	187	68	136	9	35.3	3	1.2
Other races	16	39	-23	3/	4	250.0	2	4/
Edwards	119	54	65	3/	4	33.6	2	1.7
Elk	112	98	14	3/	2	17.9	4	3.6
Ellis	560	229	331	245	28	50.0	10	1.8
Ellsworth	173	99	74	3/	3	17.3	4	2.3
Finney	279	126	153	221	18	64.5	10	3.6
Ford	457	258	199	177	26	56.9	13	2.8
Rural part	125	77	48	3/	10	80.0	2	1.6
Dodge City	332	181	151	183	16	48.2	11	3.3
Franklin	321	300	21	107	21	65.4	9	2.8
Geary	266	168	98	158	8	30.1	3	1.1
Gove	121	54	67	3/	11	90.9	----	------
Graham	138	54	84	3/	8	58.0	3	2.2
Grant	39	12	27	3/	2	51.3	1	4/
Gray	101	30	71	3/	6	59.4	1	1.0
Greeley	44	5	39	3/	----	------	----	------
Greenwood	239	137	102	174	7	29.3	10	4.2
Hamilton	74	20	54	3/	3	40.5	3	4/
Harper	290	193	97	150	22	75.9	7	2.4
Harvey	461	377	84	122	24	52.1	15	3.3
Rural part	119	181	-62	66	7	58.8	5	4.2
Newton	342	196	146	174	17	49.7	10	2.9
Haskell	57	10	47	3/	1	17.5	----	------
Hodgeman	61	31	30	3/	2	32.8	----	------
Jackson	195	134	62	146	7	35.7	2	1.0
Jefferson	166	118	48	141	7	42.2	----	------
Jewell	157	106	61	158	3	18.0	5	3.0
Johnson	269	230	39	117	6	22.3	3	1.1
Kearny	52	29	23	3/	4	76.9	2	4/
Kingman	207	112	95	185	12	58.0	5	2.4
Kiowa	94	33	61	3/	3	31.9	3	4/
Labette	489	413	76	118	19	38.9	15	3.1
Rural part	325	221	104	147	15	46.2	8	2.5
Parsons	164	192	-28	85	4	24.4	7	4.3
White	146	163	-17	90	4	27.4	7	4.8
Other races	18	29	-11	3/	----	------	----	------
Lane	44	16	28	3/	1	22.7	2	4/
Leavenworth	460	694	-234	66	29	63.0	23	5.0
Rural part	149	379	-230	39	7	47.0	4	2.7
Leavenworth	311	315	-4	99	22	70.7	19	6.1
White	288	264	24	109	17	59.0	17	5.9
Other races	23	51	-28	3/	5	217.4	2	4/
Lincoln	121	69	52	3/	8	66.1	3	2.5
Linn	187	149	38	126	12	64.2	4	2.1
Logan	60	29	31	3/	4	66.7	1	4/
Lyon	538	350	188	154	26	48.3	25	4.6
Rural part	155	116	39	134	8	51.6	3	1.9
Emporia	383	234	149	164	18	47.0	22	5.7
McPherson	326	177	149	184	8	24.5	11	3.4
Marion	341	210	131	162	19	55.7	8	2.3
Marshall	367	263	104	140	17	46.3	7	1.9
Meade	98	41	57	3/	6	61.2	2	4/
Miami	267	340	-73	79	11	41.2	10	3.7
Mitchell	215	184	31	117	20	93.0	8	3.7
Montgomery	840	699	141	120	44	52.4	25	3.0
Rural part	296	289	7	102	13	43.9	4	1.4
Coffeyville	332	210	122	158	19	57.2	13	3.9
White	295	177	118	167	16	54.2	7	2.4
Other races	37	33	4	3/	3	81.1	6	4/
Independence	212	200	12	106	12	56.6	8	3.8
Morris	147	116	31	127	6	40.8	2	1.4
Morton	66	28	38	3/	2	30.3	1	4/
Nemaha	335	193	142	174	13	38.8	5	1.5
Neosho	372	282	90	132	14	37.6	11	3.0
Rural part	177	100	77	177	3	16.9	5	2.8
Chanute	195	182	13	107	11	56.4	6	3.1
Ness	132	55	77	3/	10	75.8	----	------
Norton	181	169	12	107	6	33.1	3	1.7
Osage	172	184	-12	93	6	34.9	5	2.9
Osborne	131	93	38	3/	7	53.4	8	6.1
Ottawa	146	91	55	3/	6	41.1	1	0.7
Pawnee	168	211	-43	80	9	53.6	5	3.0
Phillips	165	95	70	3/	6	36.4	4	2.4
Pottawatomie	221	123	98	180	7	31.7	5	2.3
Pratt	224	102	122	220	5	22.3	5	2.2
Rawlins	86	50	36	3/	3	34.9	1	4/
Reno	965	522	443	185	50	51.8	26	2.7
Rural part	195	162	33	120	13	66.7	6	3.1
Hutchinson	770	360	410	214	37	48.1	20	2.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KANSAS—Con.								
Republic	224	163	61	137	3	13.4	8	3.6
Rice	284	135	149	210	12	42.3	3	1.1
Riley	295	210	85	140	14	47.5	8	2.7
Rural part	85	70	15	3/	3	35.3	4	4/
Manhattan	210	140	70	150	11	52.4	4	1.9
Rooks	151	79	72	3/	3	19.9	----	------
Rush	175	71	104	3/	16	91.4	4	2.3
Russell	169	90	79	3/	6	35.5	3	1.8
Saline	421	357	64	118	22	52.3	12	2.9
Rural part	50	59	-9	3/	1	20.0	1	4/
Salina	371	298	73	124	21	56.6	11	3.0
Scott	98	43	55	3/	5	51.0	2	4/
Sedgewick	2,338	1,718	620	136	144	61.6	58	2.5
Rural part	300	347	-47	86	29	96.7	8	2.7
Wichita	2,038	1,371	667	149	115	56.4	50	2.5
Seward	157	103	54	152	9	57.3	7	4.5
Shawnee	1,417	1,379	38	103	88	62.1	43	3.0
Rural part	199	376	-177	53	10	50.3	3	1.5
Topeka	1,218	1,003	215	121	78	64.0	40	3.3
White	1,138	901	237	126	67	58.9	38	3.3
Other races	80	102	-22	78	11	137.5	2	4/
Sheridan	107	38	69	3/	5	46.7	2	1.9
Sherman	149	72	77	3/	5	33.6	9	6.0
Smith	173	138	35	125	8	46.2	8	4.6
Stafford	168	94	74	3/	11	65.5	6	3.6
Stanton	22	8	14	3/	2	90.9	----	------
Stevens	48	22	26	3/	1	20.8	----	------
Sumner	416	319	97	130	16	38.5	9	2.2
Thomas	121	51	70	3/	3	24.8	1	0.8
Trego	94	33	61	3/	5	53.2	----	------
Wabaunsee	137	79	58	3/	-----	------	2	1.5
Wallace	44	15	29	3/	-----	------	2	4/
Washington	235	153	82	154	14	59.6	3	1.3
Wichita	33	12	21	3/	2	60.6	----	------
Wilson	331	222	109	149	18	54.4	9	2.7
Woodson	105	89	16	3/	7	66.7	2	1.9
Wyandotte	2,344	2,065	279	114	147	62.7	65	2.8
Rural part	134	194	-60	69	8	59.7	4	3.0
Kansas City	2,210	1,871	339	118	139	62.9	61	2.8
White	1,908	1,483	425	129	110	57.7	45	2.4
Other races	302	388	-86	78	29	96.0	16	5.3
KENTUCKY (total)	55,778	32,378	23,400	172	3,726	66.8	2,029	3.6
Adair	423	197	226	215	22	52.0	16	3.8
White	407	179	228	227	20	49.1	15	3.7
Other races	16	18	-2	3/	2	125.0	1	4/
Allen	303	201	102	151	19	62.7	9	3.0
White	294	186	108	158	19	64.6	9	3.1
Other races	9	15	-6	3/	-----	------	----	------
Anderson	164	104	60	158	10	61.0	3	1.8
White	151	92	59	3/	9	59.6	2	1.3
Other races	13	12	1	3/	1	76.9	1	4/
Ballard	174	110	64	158	10	57.5	7	4.0
White	161	101	60	159	8	49.7	6	3.7
Other races	13	9	4	3/	2	153.8	1	4/
Barren	559	381	178	147	40	71.6	17	3.0
White	508	331	177	153	34	66.9	12	2.4
Other races	51	50	1	3/	6	117.6	5	4/
Bath	260	152	108	171	15	57.7	17	6.5
White	244	137	107	178	13	53.3	17	7.0
Other races	16	15	1	3/	2	125.0	----	------
Bell	957	442	515	217	97	101.4	25	2.6
Rural part	696	209	487	333	58	83.3	16	2.3
White	683	200	483	342	57	83.5	16	2.3
Other races	13	9	4	3/	1	76.9	----	------
Middlesborough	261	233	28	112	39	149.4	9	3.4
White	247	206	41	120	36	145.7	9	3.6
Other races	14	27	-13	3/	3	214.3	----	------
Boone	144	113	31	127	5	34.7	1	0.7
White	137	111	26	123	4	29.2	1	0.7
Other races	7	2	5	3/	1	142.9	----	------
Bourbon	338	301	37	112	31	91.7	10	3.0
White	286	183	103	156	20	69.9	9	3.1
Other races	52	118	-66	44	11	211.5	1	4/
Boyd	931	521	410	179	85	91.3	37	4.0
Rural part	242	92	150	3/	19	78.5	8	3.3
White	240	91	149	3/	19	79.2	8	3.3
Other races	2	1	1	3/	-----	------	----	------
Ashland	689	429	260	161	66	95.8	29	4.2
White	682	415	267	164	65	95.3	28	4.1
Other races	7	14	-7	3/	1	142.9	1	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Con.								
Boyle	304	257	47	118	11	36.2	15	4.9
White	281	183	98	154	10	35.6	12	4.3
Other races	23	74	-51	3/	1	43.5	3	4/
Bracken	157	137	20	115	10	63.7	8	5.1
White	151	129	22	117	10	66.2	8	5.3
Other races	6	8	-2	3/	-----	------	----	------
Breathitt	631	156	475	404	33	52.3	16	2.5
White	629	153	476	411	33	52.5	16	2.5
Other races	2	3	-1	3/	-----	------	----	------
Breckinridge	399	215	184	186	29	72.7	31	7.8
White	384	202	182	190	27	70.3	30	7.8
Other races	15	13	2	3/	2	133.3	1	4/
Bullitt	143	100	43	143	15	104.9	8	5.6
White	135	97	38	3/	15	111.1	8	5.9
Other races	8	3	5	3/	-----	------	----	------
Butler	210	101	109	208	11	52.4	10	4.8
White	207	96	111	3/	11	53.1	10	4.8
Other races	3	5	-2	3/	-----	------	----	------
Caldwell	217	150	67	145	17	78.3	27	12.4
White	200	124	76	161	15	75.0	25	12.5
Other races	17	26	-9	3/	2	117.6	2	4/
Calloway	296	214	82	138	13	43.9	10	3.4
White	260	195	65	144	11	39.3	10	3.6
Other races	16	19	-3	3/	2	125.0	----	------
Campbell	745	818	-73	91	35	47.0	25	3.4
Rural part	493	429	64	115	24	48.7	18	3.7
White	481	426	55	113	22	45.7	18	3.7
Other races	12	3	9	3/	2	166.7	----	------
Fort Thomas	27	82	-55	3/	-----	------	----	------
White	27	82	-55	3/	-----	------	----	------
Other races	------	------	------	------	-----	------	----	------
Newport	225	307	-82	73	11	48.9	7	3.1
White	224	292	-68	77	10	44.6	7	3.1
Other races	1	15	-14	3/	1	5/	----	------
Carlisle	143	105	38	136	3	21.0	4	2.8
White	141	103	38	137	3	21.3	3	2.1
Other races	2	2	-------	3/	-----	------	1	4/
Carroll	111	84	27	3/	9	81.1	7	6.3
White	106	81	25	3/	8	75.5	7	6.6
Other races	5	3	2	3/	1	200.0	----	------
Carter	678	226	452	300	42	61.9	24	3.5
White	677	225	452	301	42	62.0	24	3.5
Other races	1	1	-------	3/	-----	------	----	------
Casey	477	153	324	312	13	27.3	20	4.2
White	476	150	326	317	13	27.3	20	4.2
Other races	1	3	-2	3/	-----	------	----	------
Christian	543	793	-250	68	31	57.1	31	5.7
Rural part	390	521	-131	75	19	48.7	20	5.1
White	286	381	-95	75	12	42.0	5	1.7
Other races	104	140	-36	74	7	67.3	15	14.4
Hopkinsville	153	272	-119	56	12	78.4	11	7.2
White	115	155	-40	74	9	78.3	2	1.7
Other races	38	117	-79	32	3	78.9	9	4/
Clark	336	294	42	114	28	83.3	13	3.9
White	305	213	92	143	24	78.7	12	3.9
Other races	31	81	-50	3/	4	129.0	1	4/
Clay	628	101	527	622	18	28.7	15	2.4
White	619	96	523	3/	18	29.1	15	2.4
Other races	9	5	4	3/	-----	------	----	------
Clinton	212	85	127	3/	8	37.7	12	5.7
White	210	83	127	3/	8	38.1	12	5.7
Other races	2	2	-------	3/	-----	------	----	------
Crittenden	211	137	74	154	11	52.1	19	9.0
White	208	133	75	156	11	52.9	19	9.1
Other races	3	4	-1	3/	-----	------	----	------
Cumberland	235	60	175	3/	13	55.3	13	5.5
White	224	54	170	3/	12	53.6	12	5.4
Other races	11	6	5	3/	1	90.9	1	4/
Daviess	983	544	439	181	60	61.0	39	4.0
Rural part	373	183	190	204	31	83.1	11	2.9
White	365	176	189	207	30	82.2	11	3.0
Other races	8	7	1	3/	1	125.0	----	------
Owensboro	610	361	249	169	29	47.5	28	4.6
White	576	299	277	193	25	43.4	24	4.2
Other races	34	62	-28	3/	4	117.6	4	4/
Edmonson	253	100	153	253	17	67.2	6	2.4
White	247	98	149	3/	17	68.8	6	2.4
Other races	6	2	4	3/	-----	------	----	------
Elliott	237	58	179	3/	16	67.5	4	1.7
White	237	58	179	3/	16	67.5	4	1.7
Other races	------	------	------	------	-----	------	----	------
Estill	479	149	330	321	27	56.4	21	4.4
White	479	148	331	324	27	56.4	21	4.4
Other races	------	1	-1	------	-----	------	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Con.								
Fayette	1,115	1,421	-306	78	88	78.9	51	4.6
Rural part	145	209	-64	69	11	75.9	8	5.5
White	119	143	-24	83	8	67.2	7	5.9
Other races	26	66	-40	[3]	3	115.4	1	[4]
Lexington	970	1,212	-242	80	77	79.4	43	4.4
White	817	877	-60	93	66	80.8	26	3.2
Other races	153	335	-182	46	11	71.9	17	11.1
Fleming	275	187	88	147	23	83.6	14	5.1
White	262	172	90	152	22	84.0	13	5.0
Other races	13	15	-2	[3]	1	76.9	1	[4]
Floyd	1,353	304	1,049	445	78	57.6	43	3.2
White	1,335	294	1,041	454	77	57.7	43	3.2
Other races	18	10	8	[3]	1	55.6	----	------
Franklin	317	327	-10	97	26	82.0	18	5.7
Rural part	117	88	29	[3]	7	59.8	5	4.3
White	115	85	30	[3]	7	60.9	5	4.3
Other races	2	3	-1	[3]	-----	------	----	------
Frankfort	200	239	-39	84	19	95.0	13	6.5
White	170	177	-7	96	10	58.8	12	7.1
Other races	30	62	-32	[3]	9	300.0	1	[4]
Fulton	238	204	34	117	19	79.8	13	5.5
White	202	150	52	135	14	69.3	11	5.4
Other races	36	54	-18	[3]	5	138.9	2	[4]
Gallatin	81	74	7	[3]	5	61.7	2	[4]
White	79	71	8	[3]	5	63.3	2	[4]
Other races	2	3	-1	[3]	-----	------	----	------
Garrard	206	107	99	193	7	34.0	11	5.3
White	193	80	113	[3]	7	36.3	8	4.1
Other races	13	27	-14	[3]	-----	------	3	[4]
Grant	166	129	37	129	7	42.2	4	2.4
White	166	124	42	134	7	42.2	4	2.4
Other races	------	5	-5	------	-----	------	----	------
Graves	502	393	109	128	31	61.8	19	3.8
White	487	358	129	136	31	63.7	16	3.3
Other races	15	35	-20	[3]	-----	------	3	[4]
Grayson	406	177	229	229	25	61.6	18	4.4
White	404	173	231	234	25	61.9	18	4.5
Other races	2	4	-2	[3]	-----	------	----	------
Green	254	110	144	231	15	59.1	6	2.4
White	232	94	138	[3]	14	60.3	5	2.2
Other races	22	16	6	[3]	1	45.5	1	[4]
Greenup	608	208	400	292	58	95.4	14	2.3
White	607	208	399	292	58	95.6	14	2.3
Other races	1	------	1	------	-----	------	----	------
Hancock	138	81	57	[3]	6	43.5	3	2.2
White	134	77	57	[3]	6	44.8	3	2.2
Other races	4	4	------	[3]	-----	------	----	------
Hardin	410	307	103	134	25	61.0	15	3.7
White	393	270	123	146	23	58.5	15	3.8
Other races	17	37	-20	[3]	2	117.6	----	------
Harlan	1,865	703	1,162	265	191	102.4	66	3.5
White	1,734	602	1,132	288	177	102.1	59	3.4
Other races	131	101	30	130	14	106.9	7	5.3
Harrison	244	249	-5	98	17	69.7	6	2.5
White	229	218	11	105	15	65.5	6	2.6
Other races	15	31	-16	[3]	2	133.3	----	------
Hart	291	154	137	189	16	55.0	12	4.1
White	260	127	133	205	13	50.0	9	3.5
Other races	31	27	4	[3]	3	96.8	3	[4]
Henderson	459	373	86	123	49	106.8	25	5.4
Rural part	262	164	98	160	27	103.1	9	3.4
White	231	136	95	170	21	90.9	4	1.7
Other races	31	28	3	[3]	6	193.5	5	[4]
Henderson	197	209	-12	94	22	111.7	16	8.1
White	160	150	10	107	14	87.5	13	8.1
Other races	37	59	-22	[3]	8	216.2	3	[4]
Henry	216	168	48	129	13	60.2	4	1.9
White	204	140	64	146	11	53.9	3	1.5
Other races	12	28	-16	[3]	2	166.7	1	[4]
Hickman	139	111	28	125	15	107.9	7	5.0
White	120	98	22	[3]	13	108.3	6	5.0
Other races	19	13	6	[3]	2	105.3	1	[4]
Hopkins	675	515	160	131	48	71.1	44	6.5
White	607	413	194	147	41	67.5	38	6.3
Other races	68	102	-34	67	7	102.9	6	[4]
Jackson	424	76	348	[3]	23	54.2	8	1.9
White	424	76	348	[3]	23	54.2	8	1.9
Other races	------	------	------	------	-----	------	----	------
Jefferson	5,748	5,551	197	104	385	67.0	170	3.0
Rural part	432	756	-324	57	25	57.9	13	3.0
White	409	583	-174	70	23	56.2	13	3.2
Other races	23	173	-150	13	2	87.0	----	------

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Con.								
Jefferson—Continued								
Louisville	5,316	4,795	521	111	360	67.7	157	3.0
White	4,682	3,720	962	126	300	64.1	132	2.8
Other races	634	1,075	-441	59	60	94.6	25	3.9
Jessamine	201	140	61	144	11	54.7	6	3.0
White	182	99	83	[3]	8	44.0	3	1.6
Other races	19	41	-22	[3]	3	157.9	3	[4]
Johnson	715	261	454	274	71	99.3	27	3.8
White	715	259	456	276	71	99.3	27	3.8
Other races	------	2	-2	------	-----	------	----	------
Kenton	1,347	1,241	106	109	81	60.1	29	2.2
Rural part	245	239	6	103	14	57.1	2	0.8
White	239	230	9	104	14	58.6	2	0.8
Other races	6	9	-3	[3]	-----	------	----	------
Covington	1,102	1,002	100	110	67	60.8	27	2.5
White	1,078	926	152	116	63	58.4	25	2.3
Other races	24	76	-52	[3]	4	166.7	2	[4]
Knott	490	97	393	[3]	15	30.6	9	1.8
White	487	95	392	[3]	15	30.8	9	1.8
Other races	3	2	1	[3]	-----	------	----	------
Knox	829	244	585	340	53	63.9	23	2.8
White	820	235	585	349	51	62.2	23	2.8
Other races	9	9	------	[3]	2	222.2	----	------
Larue	194	114	80	170	8	41.2	8	4.1
White	185	107	78	173	8	43.2	6	3.2
Other races	9	7	2	[3]	-----	------	2	[4]
Laurel	539	145	394	372	21	39.0	16	3.0
White	531	141	390	377	21	39.5	16	3.0
Other races	8	4	4	[3]	-----	------	----	------
Lawrence	384	167	217	230	21	54.7	11	2.9
White	382	160	222	239	21	55.0	11	2.9
Other races	2	7	-5	[3]	-----	------	----	------
Lee	234	70	164	[3]	7	29.9	9	3.8
White	234	69	165	[3]	7	29.9	8	3.4
Other races	------	1	-1	------	-----	------	1	------
Leslie	503	108	395	466	41	81.5	11	2.2
White	503	106	397	475	41	81.5	11	2.2
Other races	------	2	-2	------	-----	------	----	------
Letcher	1,271	360	911	353	98	77.1	50	3.9
White	1,235	323	913	383	95	77.7	48	3.9
Other races	35	37	-2	[3]	2	57.1	2	[4]
Lewis	379	211	168	180	36	95.0	17	4.5
White	378	209	169	181	36	95.2	17	4.5
Other races	1	2	-1	[3]	-----	------	----	------
Lincoln	464	229	235	203	34	73.3	19	4.1
White	435	209	226	208	34	78.2	17	3.9
Other races	29	20	9	[3]	-----	------	2	[4]
Livingston	199	121	78	164	13	65.3	4	2.0
White	195	119	76	164	13	66.7	4	2.1
Other races	4	2	2	[3]	-----	------	----	------
Logan	463	317	146	145	33	71.3	13	2.8
White	418	255	163	164	28	67.0	12	2.9
Other races	45	62	-17	[3]	5	111.1	1	[4]
Lyon	121	91	30	[3]	5	41.3	6	5.0
White	120	74	46	[3]	5	41.7	5	4.2
Other races	1	17	-16	[3]	-----	------	1	[4]
McCracken	644	713	-69	90	53	82.3	32	5.0
Rural part	150	112	38	134	8	53.3	8	5.3
White	142	103	39	138	6	42.3	6	4.2
Other races	8	9	-1	[3]	2	250.0	2	[4]
Paducah	494	601	-107	82	45	91.1	24	4.9
White	438	439	-1	100	36	82.2	19	4.3
Other races	56	162	-106	35	9	160.7	5	[4]
McCreary	397	131	266	303	36	90.7	13	3.3
White	397	131	266	303	36	90.7	13	3.3
Other races	------	------	------	------	-----	------	----	------
McLean	218	121	97	180	12	55.0	5	2.3
White	214	114	100	188	11	51.4	4	1.9
Other races	4	7	-3	[3]	1	250.0	1	[4]
Madison	488	328	160	149	19	38.9	16	3.3
White	443	265	178	167	17	38.4	14	3.2
Other races	45	63	-18	[3]	2	44.4	2	[4]
Magoffin	535	101	434	530	24	44.9	16	3.0
White	533	101	432	528	24	45.0	16	3.0
Other races	2	------	2	------	-----	------	----	------
Marion	403	209	194	193	26	64.5	16	4.0
White	376	186	190	202	25	66.5	16	4.3
Other races	27	23	4	[3]	1	37.0	----	------
Marshall	242	129	113	188	11	45.5	6	2.5
White	242	127	115	191	11	45.5	6	2.5
Other races	------	2	-2	------	-----	------	----	------
Martin	309	67	242	[3]	20	64.7	8	2.6
White	309	67	242	[3]	20	64.7	8	2.6
Other races	------	------	------	------	-----	------	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Con.								
Mason	328	303	25	108	28	85.4	10	3.0
White	301	247	54	122	25	83.1	9	3.0
Other races	27	56	-29	[3]	3	111.1	1	[4]
Meade	194	100	94	194	15	77.3	2	1.0
White	185	93	92	[3]	14	75.7	2	1.1
Other races	9	7	2	[3]	1	111.1	----	------
Menifee	172	56	116	[3]	12	69.8	5	2.9
White	172	55	117	[3]	12	69.8	5	2.9
Other races	------	1	-1	------	-----	------	----	------
Mercer	222	185	37	120	17	76.6	9	4.1
White	200	142	58	141	13	65.0	8	4.0
Other races	22	43	-21	[3]	4	181.8	1	[4]
Metcalfe	220	113	107	195	12	54.5	7	3.2
White	211	108	103	195	11	52.1	7	3.3
Other races	9	5	4	[3]	1	111.1	----	------
Monroe	335	144	191	233	20	59.7	10	3.0
White	331	139	192	238	20	60.4	9	2.7
Other races	4	5	-1	[3]	-----	------	1	[4]
Montgomery	216	205	11	105	17	78.7	20	9.3
White	197	152	45	130	14	71.1	15	7.6
Other races	19	53	-34	[3]	3	157.9	5	[4]
Morgan	474	145	329	327	31	65.4	28	5.9
White	474	145	329	327	31	65.4	28	5.9
Other races	------	------	------	------	-----	------	----	------
Muhlenberg	805	449	356	179	74	91.9	33	4.1
White	766	394	372	194	69	90.1	30	3.9
Other races	39	55	-16	[3]	5	128.2	3	[4]
Nelson	414	191	223	217	23	55.6	9	2.2
White	385	150	235	257	18	46.8	9	2.3
Other races	29	41	-12	[3]	5	172.4	----	------
Nicholas	159	110	49	145	10	62.9	7	4.4
White	151	96	55	[3]	10	66.2	7	4.6
Other races	8	14	-6	[3]	-----	------	----	------
Ohio	365	241	124	151	29	79.5	14	3.8
White	354	221	133	160	27	76.3	14	4.0
Other races	11	20	-9	[3]	2	181.8	----	------
Oldham	120	98	22	[3]	1	8.3	6	5.0
White	106	91	15	[3]	1	9.4	5	4.7
Other races	14	7	7	[3]	-----	------	1	[4]
Owen	168	104	64	162	13	77.4	4	2.4
White	156	98	58	[3]	10	64.1	3	1.9
Other races	12	6	6	[3]	3	250.0	1	[4]
Owsley	247	39	208	[3]	4	16.2	10	4.0
White	246	39	207	[3]	4	16.3	10	4.1
Other races	1	------	1	------	-----	------	----	------
Pendleton	192	149	43	129	8	41.7	9	4.7
White	190	145	45	131	8	42.1	9	4.7
Other races	2	4	-2	[3]	-----	------	----	------
Perry	1,232	298	934	413	67	54.4	39	3.2
White	1,196	269	927	445	63	52.7	37	3.1
Other races	36	29	7	[3]	4	111.1	2	[4]
Pike	2,014	638	1,376	316	159	78.9	64	3.2
White	1,996	622	1,374	321	157	78.7	64	3.2
Other races	18	16	2	[3]	2	111.1	----	------
Powell	178	55	123	[3]	6	33.7	12	6.7
White	173	53	120	[3]	5	28.9	12	6.9
Other races	5	2	3	[3]	1	200.0	----	------
Pulaski	845	318	527	266	44	52.1	36	4.3
White	826	307	519	269	43	52.1	35	4.2
Other races	19	11	8	[3]	1	52.6	1	[4]
Robertson	62	46	16	[3]	4	64.5	3	[4]
White	62	45	17	[3]	4	64.5	2	[4]
Other races	------	1	-1	------	-----	------	1	------
Rockcastle	425	110	315	386	18	42.4	14	3.3
White	425	108	317	394	18	42.4	14	3.3
Other races	------	2	-2	------	-----	------	----	------
Rowan	368	105	263	350	26	70.7	11	3.0
White	368	105	263	350	26	70.7	11	3.0
Other races	------	------	------	------	-----	------	----	------
Russell	306	61	245	[3]	7	22.9	11	3.6
White	302	61	241	[3]	7	23.2	11	3.6
Other races	4	------	4	------	-----	------	----	------
Scott	232	192	40	121	17	73.3	6	2.6
White	208	151	57	138	15	72.1	6	2.9
Other races	24	41	-17	[3]	2	83.3	----	------
Shelby	287	255	32	113	13	45.3	10	3.5
White	250	197	53	127	9	36.0	9	3.6
Other races	37	58	-21	[3]	4	108.1	1	[4]
Simpson	187	167	20	112	18	96.3	9	4.8
White	167	137	30	122	12	71.9	8	4.8
Other races	20	30	-10	[3]	6	300.0	1	[4]
Spencer	133	90	43	[3]	20	150.4	7	5.3
White	113	77	36	[3]	17	150.4	7	6.2
Other races	20	13	7	[3]	3	150.0	----	------
Taylor	293	172	121	170	32	109.2	7	2.4
White	274	153	121	179	31	113.1	7	2.6
Other races	19	19	-------	[3]	1	52.6	----	------
Todd	257	171	86	150	10	38.9	8	3.1
White	203	115	88	177	9	44.3	6	3.0
Other races	54	56	-2	[3]	1	18.5	2	[4]
Trigg	238	138	100	172	13	54.6	8	3.4
White	203	110	93	185	11	54.2	5	2.5
Other races	35	28	7	[3]	2	57.1	3	[4]
Trimble	122	49	73	[3]	5	41.0	2	1.6
White	122	48	74	[3]	5	41.0	2	1.6
Other races	------	1	-1	------	-----	------	----	------
Union	329	201	128	164	30	91.2	16	4.9
White	285	175	110	163	28	98.2	11	3.9
Other races	44	26	18	[3]	2	45.5	5	[4]
Warren	652	492	160	133	48	73.6	35	5.4
Rural part	398	242	156	164	32	80.4	17	4.3
White	344	202	142	170	25	72.7	12	3.5
Other races	54	40	14	[3]	7	129.6	5	[4]
Bowling Green	254	250	4	102	16	63.0	18	7.1
White	209	199	10	105	13	62.2	14	6.7
Other races	45	51	-6	[3]	3	66.7	4	[4]
Washington	299	138	161	217	17	56.9	6	2.0
White	269	115	154	234	15	55.8	6	2.2
Other races	30	23	7	[3]	2	66.7	----	------
Wayne	478	129	349	371	33	69.0	21	4.4
White	475	126	349	377	33	69.5	21	4.4
Other races	3	3	-------	[3]	-----	------	----	------
Webster	357	223	134	160	28	78.4	18	5.0
White	320	185	135	173	24	75.0	17	5.3
Other races	37	38	-1	[3]	4	108.1	1	[4]
Whitley	802	305	497	263	53	66.1	29	3.6
White	796	299	497	266	53	66.6	29	3.6
Other races	6	6	-------	[3]	-----	------	----	------
Wolfe	267	38	229	[3]	7	26.2	6	2.2
White	267	38	229	[3]	7	26.2	6	2.2
Other races	------	------	-------	-------	-----	------	----	------
Woodford	204	152	52	134	14	68.6	5	2.5
White	181	93	88	[3]	8	44.2	4	2.2
Other races	23	59	-36	[3]	6	260.9	1	[4]
LOUISIANA (total)	43,628	25,974	17,854	169	3,151	71.9	2,079	4.7
Acadia	1,145	387	758	296	73	63.8	34	3.0
White	659	282	377	305	52	60.5	24	2.8
Other races	286	105	181	272	21	73.4	10	3.5
Allen	373	160	213	233	20	53.6	16	4.3
White	246	96	150	[3]	10	40.7	12	4.9
Other races	127	64	63	[3]	10	78.7	4	3.1
Ascension	419	215	204	195	33	78.8	27	6.4
White	244	109	135	224	15	61.5	9	3.7
Other races	175	106	69	165	18	102.9	18	10.3
Assumption	412	211	201	195	36	87.4	14	3.4
White	214	100	114	214	19	88.8	9	4.2
Other races	198	111	87	178	17	85.9	5	2.5
Avoyelles	732	228	504	321	23	31.4	22	3.0
White	467	134	333	349	7	15.0	9	1.9
Other races	265	94	171	[3]	16	60.4	13	4.9
Beauregard	274	87	187	[3]	10	36.5	17	6.2
White	227	74	153	[3]	7	30.8	12	5.3
Other races	47	13	34	[3]	3	63.8	5	[4]
Bienville	369	158	211	234	26	70.5	12	3.3
White	186	86	100	[3]	8	43.0	5	2.7
Other races	183	72	111	[3]	18	98.4	7	3.8
Bossier	310	199	111	156	20	64.5	11	3.5
White	134	82	52	[3]	6	44.8	3	2.2
Other races	176	117	59	150	14	79.5	8	4.5
Caddo	3,391	2,610	781	130	301	88.8	215	6.3
Rural part	718	385	333	186	57	79.4	52	7.2
White	228	137	91	166	12	52.6	4	1.8
Other races	490	248	242	198	45	91.8	48	9.8
Shreveport	2,673	2,225	448	120	244	91.3	163	6.1
White	1,518	1,094	424	139	116	76.4	58	3.8
Other races	1,155	1,131	24	102	128	110.8	105	9.1
Calcasieu	1,086	566	520	192	73	67.2	43	4.0
Rural part	602	260	342	232	30	49.8	15	2.5
White	486	190	296	256	24	49.4	10	2.1
Other races	116	70	46	[3]	6	51.7	5	4.3
Lake Charles	484	306	178	158	43	88.8	28	5.8
White	327	172	155	190	24	73.4	10	3.1
Other races	157	134	23	117	19	121.0	18	11.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Con.								
Caldwell	233	89	144	[3]	11	47.2	9	3.9
White	155	52	103	[3]	8	51.6	5	3.2
Other races	78	37	41	[3]	3	38.5	4	[4]
Cameron	81	30	51	[3]	3	37.0	1	[4]
White	74	30	44	[3]	3	40.5	1	[4]
Other races	7	---	7	---	---	---	---	---
Catahoula	193	72	121	[3]	6	31.1	7	3.6
White	119	29	90	[3]	4	33.6	5	4.2
Other races	74	43	31	[3]	2	27.0	2	[4]
Claiborne	622	188	434	331	24	38.6	50	8.0
White	166	71	95	[3]	5	30.1	5	3.0
Other races	456	117	339	390	19	41.7	45	9.9
Concordia	252	124	128	203	12	47.6	22	8.7
White	84	28	56	[3]	2	23.8	3	[4]
Other races	168	96	72	[3]	10	59.5	19	11.3
De Soto	677	233	444	291	33	48.7	39	5.8
White	181	102	79	177	9	49.7	5	2.8
Other races	496	131	365	379	24	48.4	34	6.9
East Baton Rouge	1,240	805	435	154	80	64.5	70	5.6
Rural part	849	488	361	174	58	68.3	56	6.6
White	511	217	294	235	24	47.0	19	3.7
Other races	338	271	67	125	34	100.6	37	10.9
Baton Rouge	391	317	74	123	22	56.3	14	3.6
White	258	171	87	151	12	46.5	3	1.2
Other races	133	146	-13	91	10	75.2	11	8.3
East Carroll	334	146	188	229	22	65.9	15	4.5
White	105	27	78	[3]	7	66.7	3	2.9
Other races	229	119	110	192	15	65.5	12	5.2
East Feliciana	347	452	-85	80	21	60.5	17	4.9
White	47	172	-125	27	1	21.3	1	[4]
Other races	300	280	40	115	20	66.7	16	5.3
Evangeline	457	111	346	412	9	19.7	13	2.8
White	265	85	180	[3]	7	26.4	6	2.3
Other races	192	26	166	[3]	2	10.4	7	3.6
Franklin	709	239	470	297	32	45.1	38	5.4
White	441	133	308	332	22	49.9	12	2.7
Other races	268	106	162	253	10	37.3	26	9.7
Grant	291	136	155	214	14	48.1	19	6.5
White	193	90	103	[3]	8	41.5	8	4.1
Other races	98	46	52	[3]	6	61.2	11	[4]
Iberia	694	317	377	219	48	69.2	35	5.0
White	414	177	237	234	20	48.3	16	3.9
Other races	280	140	140	200	28	100.0	19	6.8
Iberville	527	316	211	167	29	55.0	36	6.8
White	248	120	128	207	11	44.4	7	2.8
Other races	279	196	83	142	18	64.5	29	10.4
Jackson	269	109	160	247	13	48.3	15	5.6
White	171	77	94	[3]	11	64.3	4	2.3
Other races	98	32	66	[3]	2	20.4	11	[4]
Jefferson	308	278	30	111	33	107.1	12	3.9
White	268	180	88	149	25	93.3	6	2.2
Other races	40	98	-58	[3]	8	200.0	6	[4]
Jefferson Davis	592	226	366	262	50	84.5	27	4.6
White	412	160	252	258	26	63.1	14	3.4
Other races	180	66	114	[3]	24	133.3	13	7.2
Lafayette	932	353	579	264	74	79.4	30	3.2
Rural part	607	191	416	318	50	82.4	19	3.1
White	333	112	221	297	19	57.1	6	1.8
Other races	274	79	195	[3]	31	113.1	13	4.7
Lafayette	325	162	163	201	24	73.8	11	3.4
White	192	78	114	[3]	10	52.1	3	1.6
Other races	133	84	49	[3]	14	105.3	8	6.0
Lafourche	832	302	530	275	62	74.5	27	3.2
White	708	210	498	337	45	63.6	23	3.2
Other races	124	92	32	[3]	17	137.1	4	3.2
La Salle	212	112	100	189	14	66.0	9	4.2
White	177	89	88	[3]	10	56.5	6	3.4
Other races	35	23	12	[3]	4	114.3	3	[4]
Lincoln	429	153	276	280	13	30.3	15	3.5
White	237	86	151	[3]	8	33.8	5	2.1
Other races	192	67	125	[3]	5	26.0	10	5.2
Livingston	315	99	216	[3]	15	47.6	7	2.2
White	273	87	186	[3]	13	47.6	5	1.8
Other races	42	12	30	[3]	2	47.6	2	[4]
Madison	290	162	128	179	13	44.8	26	9.0
White	69	34	35	[3]	1	14.5	7	[4]
Other races	221	128	93	173	12	54.3	19	8.6
Morehouse	591	301	290	196	37	62.6	50	8.5
White	235	94	141	[3]	12	51.1	13	5.5
Other races	356	207	149	172	25	70.2	37	10.4
Natchitoches	930	421	509	221	57	61.3	47	5.1
White	410	189	221	217	21	51.2	16	3.9
Other races	520	232	288	224	36	69.2	31	6.0
Section B—Continued								
LOUISIANA—Con.								
Orleans, coextensive with:								
New Orleans	8,962	8,811	151	102	834	93.1	409	4.6
White	5,556	5,237	319	106	413	74.3	215	3.9
Other races	3,406	3,574	-168	95	421	123.6	194	5.7
Ouachita	1,045	641	404	163	60	57.4	67	6.4
Rural part	402	136	266	296	14	34.8	14	3.5
White	254	80	174	[3]	8	31.5	5	2.0
Other races	148	56	92	[3]	6	40.5	9	6.1
Monroe	643	505	138	127	46	71.5	53	8.2
White	453	283	170	160	28	61.8	27	6.0
Other races	190	222	-32	86	18	94.7	26	13.7
Plaquemines	211	89	122	[3]	13	61.6	4	1.9
White	86	33	53	[3]	2	23.3	2	[4]
Other races	125	56	69	[3]	11	88.0	2	1.6
Pointe Coupee	500	244	256	205	49	98.0	43	8.6
White	170	66	104	[3]	9	52.9	5	2.9
Other races	330	178	152	185	40	121.2	38	11.5
Rapides	1,293	971	322	133	82	63.4	50	3.9
Rural part	800	618	182	129	47	58.8	31	3.9
White	470	362	108	130	32	68.1	14	3.0
Other races	330	256	74	129	15	45.5	17	5.2
Alexandria	493	353	140	140	35	71.0	19	3.9
White	306	177	129	173	14	45.8	11	3.6
Other races	187	176	11	106	21	112.3	8	4.3
Red River	297	85	212	[3]	15	50.5	16	5.4
White	137	37	100	[3]	5	36.5	9	6.6
Other races	160	48	112	[3]	10	62.5	7	4.4
Richland	584	216	368	270	36	61.6	26	4.5
White	318	93	225	[3]	20	62.9	6	1.9
Other races	266	123	143	216	16	60.2	20	7.5
Sabine	386	158	228	244	16	41.5	23	6.0
White	320	133	187	241	15	46.9	12	3.8
Other races	66	25	41	[3]	1	15.2	11	[4]
St. Bernard	31	35	-4	[3]	1	32.3	1	[4]
White	26	22	4	[3]	1	38.5	1	[4]
Other races	5	13	-8	[3]	---	---	---	---
St. Charles	169	81	88	[3]	14	82.8	5	3.0
White	113	37	76	[3]	7	61.9	3	2.7
Other races	56	44	12	[3]	7	125.0	2	[4]
St. Helena	152	63	89	[3]	10	65.8	3	2.0
White	48	25	23	[3]	2	41.7	2	[4]
Other races	104	38	66	[3]	8	76.9	1	1.0
St. James	372	184	188	202	34	91.4	9	2.4
White	156	63	93	[3]	12	76.9	1	0.6
Other races	216	121	95	179	22	101.9	8	3.7
St. John the Baptist	283	136	147	208	23	81.3	10	3.5
White	142	40	102	[3]	9	63.4	2	1.4
Other races	141	96	45	[3]	14	99.3	8	5.7
St. Landry	1,651	596	1,055	277	140	84.8	69	4.2
White	635	239	396	266	38	59.8	19	3.0
Other races	1,016	357	659	285	102	100.4	50	4.9
St. Martin	612	189	423	324	40	65.4	22	3.6
White	333	106	227	314	23	69.1	9	2.7
Other races	279	83	196	[3]	17	60.9	13	4.7
St. Mary	681	296	385	230	39	57.3	24	3.5
White	338	113	225	299	14	41.4	6	1.8
Other races	343	183	160	187	25	72.9	18	5.2
St. Tammany	328	185	143	177	25	76.2	18	5.5
White	206	119	87	173	13	63.1	7	3.4
Other races	122	66	56	[3]	12	98.4	11	9.0
Tangipahoa	697	383	314	182	64	91.8	35	5.0
White	471	241	230	195	40	84.9	14	3.0
Other races	226	142	84	159	24	106.2	21	9.3
Tensas	308	144	164	214	14	45.5	12	3.9
White	72	28	44	[3]	3	41.7	2	[4]
Other races	236	116	120	203	11	46.6	10	4.2
Terrebonne	790	352	458	238	79	100.0	44	5.6
White	539	198	341	272	50	92.8	14	2.6
Other races	251	134	117	187	29	115.5	30	12.0
Union	318	135	183	236	19	59.7	12	3.8
White	197	94	103	[3]	10	50.8	5	2.5
Other races	121	41	80	[3]	9	74.4	7	5.8
Vermilion	861	315	546	273	61	70.8	31	3.6
White	708	256	452	277	47	66.4	20	2.8
Other races	153	59	94	[3]	14	91.5	11	7.2
Vernon	364	97	267	[3]	11	30.2	8	2.2
White	327	85	242	[3]	9	27.5	5	1.5
Other races	37	12	25	[3]	2	54.1	3	[4]
Washington	706	324	382	218	50	70.8	34	4.8
Rural part	321	116	205	277	21	65.4	14	4.4
White	194	68	126	[3]	6	30.9	8	4.1
Other races	127	48	79	[3]	15	118.1	6	4.7
Bogalusa	385	208	177	185	29	75.3	20	5.2
White	274	137	137	200	22	80.3	10	3.6
Other races	111	71	40	[3]	7	63.1	10	9.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Con.								
Webster	514	219	295	235	14	27.2	16	3.1
White	228	122	106	187	4	17.5	4	1.8
Other races	286	97	189	3/	10	35.0	12	4.2
West Baton Rouge	159	122	37	130	22	138.4	13	8.2
White	34	26	8	3/	2	58.8	----	------
Other races	125	96	29	3/	20	160.0	13	10.4
West Carroll	346	119	227	291	21	60.7	12	3.5
White	268	71	197	3/	10	37.3	5	1.9
Other races	78	48	30	3/	11	141.0	7	4/
West Feliciana	214	154	60	139	17	79.4	11	5.1
White	20	37	-17	3/	2	100.0	----	------
Other races	194	117	77	166	15	77.3	11	5.7
Winn	126	75	51	3/	8	63.5	5	4.0
White	95	54	41	3/	5	52.6	1	4/
Other races	31	21	10	3/	3	96.8	4	4/
MAINE (total)	15,302	11,325	3,977	135	981	64.1	472	3.1
Androscoggin	1,463	1,024	439	143	104	71.1	37	2.5
Rural part	225	199	26	113	20	88.9	9	4.0
Auburn	150	165	-15	91	3	20.0	4	2.7
Lewiston	1,088	660	428	165	81	74.4	24	2.2
Aroostook	2,564	999	1,565	257	202	78.8	93	3.6
Cumberland	2,277	1,990	287	114	144	63.2	64	2.8
Rural part	503	540	-37	93	27	53.7	16	3.2
Portland	1,557	1,226	331	127	100	64.2	41	2.6
South Portland	38	112	-74	34	8	210.5	1	4/
Westbrook	179	112	67	160	9	50.3	6	3.4
Franklin	386	252	134	153	27	69.9	18	4.7
Hancock	524	459	65	114	26	49.6	16	3.1
Kennebec	1,363	1,127	236	121	88	64.6	30	2.2
Rural part	620	542	78	114	37	59.7	16	2.6
Augusta	351	331	20	106	26	74.1	4	1.1
Waterville	392	254	138	154	25	63.8	10	2.6
Knox	415	434	-19	96	18	43.4	6	1.4
Lincoln	213	266	-53	80	11	51.6	9	4.2
Oxford	716	470	246	152	45	62.8	26	3.6
Penobscot	1,800	1,364	436	132	108	60.0	69	3.8
Rural part	1,214	745	469	163	59	48.6	45	3.7
Bangor	586	619	-33	95	49	83.6	24	4.1
Piscataquis	353	225	128	157	12	34.0	5	1.4
Sagadahoc	273	287	-14	95	18	65.9	10	3.7
Somerset	611	517	94	118	35	57.3	18	2.9
Waldo	379	336	43	113	19	50.1	14	3.7
Washington	692	509	183	136	42	60.7	14	2.0
York	1,273	1,066	207	119	82	64.4	43	3.4
Rural part	764	760	4	101	56	73.3	25	3.3
Biddeford	509	306	203	166	26	51.1	18	3.5
MARYLAND (total)	26,588	21,960	4,628	121	1,838	69.1	1,291	4.9
Allegany	1,792	1,000	792	179	124	69.2	82	4.6
Rural part	808	370	438	218	47	58.2	39	4.8
White	801	366	435	219	47	58.7	39	4.9
Other races	7	4	3	3/	-----	------	----	------
Cumberland	984	630	354	156	77	78.3	43	4.4
White	965	608	357	159	75	77.7	42	4.4
Other races	19	22	-3	3/	2	105.3	1	4/
Anne Arundel	904	761	143	119	79	87.4	40	4.4
Rural part	563	587	-24	96	55	97.7	24	4.3
White	308	248	60	124	13	42.2	7	2.3
Other races	255	339	-84	75	42	164.7	17	6.7
Annapolis	341	174	167	196	24	70.4	16	4.7
White	259	113	146	229	13	50.2	10	3.9
Other races	82	61	21	3/	11	134.1	6	4/
Baltimore	1,134	1,261	-127	90	53	46.7	52	4.6
White	1,013	1,171	-158	87	42	41.5	44	4.3
Other races	121	90	31	3/	11	90.9	8	6.6
Baltimore (city)	13,281	11,516	1,765	115	893	67.2	568	4.3
White	10,286	8,616	1,670	119	569	55.3	349	3.4
Other races	2,995	2,900	95	103	324	108.2	219	7.3
Calvert	266	152	114	175	24	90.2	36	13.5
White	101	70	31	3/	8	79.2	7	6.9
Other races	165	82	83	3/	16	97.0	29	17.6
Caroline	262	197	65	133	19	72.5	13	5.0
White	193	131	62	147	12	62.2	7	3.6
Other races	69	66	3	3/	7	101.4	6	4/
Carroll	419	592	-173	71	27	64.4	17	4.1
White	387	469	-82	83	24	62.0	15	3.9
Other races	32	123	-91	26	3	93.8	2	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MARYLAND—Con.								
Cecil	417	393	24	106	34	81.5	20	4.8
White	365	318	47	115	27	74.0	19	5.2
Other races	52	75	-23	3/	7	134.6	1	4/
Charles	366	151	215	242	42	114.8	24	6.6
White	144	62	82	3/	11	76.4	8	5.6
Other races	222	89	133	3/	31	139.6	16	7.2
Dorchester	472	474	-2	100	40	84.7	59	12.5
White	322	295	27	109	18	55.9	29	9.0
Other races	150	179	-29	84	22	146.7	30	20.0
Frederick	1,030	789	241	131	66	64.1	39	3.8
Rural part	748	557	191	134	44	58.8	28	3.7
White	678	510	168	133	37	54.6	20	2.9
Other races	70	47	23	3/	7	100.0	8	4/
Frederick	282	232	50	122	22	78.0	11	3.9
White	256	213	43	120	21	82.0	8	3.1
Other races	26	19	7	3/	1	38.5	3	4/
Garrett	465	219	246	212	30	64.5	25	5.4
White	465	218	247	213	29	62.4	25	5.4
Other races	------	1	-1	------	1	------	----	------
Harford	448	386	62	116	24	53.6	15	3.3
White	382	317	65	121	16	41.9	13	3.4
Other races	66	69	-3	3/	8	121.2	2	4/
Howard	250	150	100	167	9	36.0	5	2.0
White	186	113	73	165	4	21.5	2	1.1
Other races	64	37	27	3/	5	78.1	3	4/
Kent	193	194	-1	99	17	88.1	13	6.7
White	105	110	-5	95	8	76.2	9	8.6
Other races	88	84	4	3/	9	102.3	4	4/
Montgomery	869	669	200	130	49	56.4	37	4.3
White	738	555	183	133	35	47.4	28	3.8
Other races	131	114	17	115	14	106.9	9	6.9
Prince Georges	628	502	126	125	50	79.6	29	4.6
White	410	356	54	115	22	53.7	12	2.9
Other races	218	146	72	149	28	128.4	17	7.8
Queen Annes	215	182	33	118	19	88.4	9	4.2
White	155	112	43	138	10	64.5	7	4.5
Other races	60	70	-10	3/	9	150.0	2	4/
St. Marys	392	164	228	239	32	81.6	22	5.6
White	256	85	171	3/	16	62.5	12	4.7
Other races	136	79	57	3/	16	117.6	10	7.4
Somerset	378	353	25	107	33	87.3	42	11.1
White	216	216	-------	100	13	60.2	21	9.7
Other races	162	137	25	118	20	123.5	21	13.0
Talbot	403	274	129	147	33	81.9	22	5.5
White	298	169	129	176	16	53.7	12	4.0
Other races	105	105	-------	100	17	161.9	10	9.5
Washington	1,142	780	362	146	74	64.8	62	5.4
Rural part	525	342	183	154	25	47.6	23	4.4
White	521	336	185	155	25	48.0	23	4.4
Other races	4	6	-2	3/	-----	------	----	------
Hagerstown	617	438	179	141	49	79.4	39	6.3
White	599	404	195	148	44	73.5	38	6.3
Other races	18	34	-16	3/	5	277.8	1	4/
Wicomico	528	506	22	104	37	70.1	32	6.1
Rural part	230	249	-19	92	19	82.6	10	4.3
White	152	188	-36	81	9	59.2	2	1.3
Other races	78	61	17	3/	10	128.2	8	4/
Salisbury	298	257	41	116	18	60.4	22	7.4
White	239	194	45	123	12	50.2	15	6.3
Other races	59	63	-4	3/	6	101.7	7	4/
Worcester	334	295	39	113	30	89.8	28	8.4
White	180	185	-5	97	6	33.3	9	5.0
Other races	154	110	44	140	24	155.8	19	12.3
MASSACHUSETTS (total)	61,704	52,052	9,652	119	2,872	46.5	1,820	2.9
Barnstable	418	535	-117	78	20	47.8	14	3.3
Berkshire	1,783	1,521	262	117	77	43.2	73	4.1
Rural part	266	413	-147	64	14	52.6	13	4.9
Adams (town)	181	143	38	127	5	27.6	4	2.2
North Adams	387	322	65	120	23	59.4	15	3.9
Pittsfield	949	643	306	148	35	36.9	41	4.3
Bristol	5,380	4,544	836	118	258	48.0	184	3.4
Rural part	559	531	28	105	19	34.0	16	2.9
Attleboro	454	275	179	165	13	28.6	15	3.3
Fairhaven (town)	81	95	-14	3/	4	49.4	2	4/
Fall River	1,936	1,612	324	120	87	44.9	65	3.4
New Bedford	1,761	1,307	454	135	102	57.9	61	3.5
North Attleboro (town)	64	78	-14	3/	2	31.3	3	4/
Taunton	525	646	-121	81	31	59.0	22	4.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MASSACHUSETTS—Con.								
Dukes	88	91	-3	[3]	5	56.8	2	[4]
Essex	6,548	5,872	676	112	311	47.5	199	3.0
Rural part	443	747	-304	59	9	20.3	12	2.7
Amesbury (town)	146	119	27	123	8	54.8	4	2.7
Beverly	385	294	91	131	14	36.4	8	2.1
Danvers (town)	113	404	-291	28	5	44.2	2	1.8
Gloucester	380	291	89	131	18	47.4	9	2.4
Haverhill	662	577	85	115	31	46.8	22	3.3
Lawrence	1,379	959	420	144	75	54.4	51	3.7
Lynn	1,198	1,063	135	113	38	31.7	38	3.2
Methuen (town)	273	194	79	141	13	47.6	6	2.2
Newburyport	250	205	45	122	13	52.0	8	3.2
Peabody	326	229	97	142	13	39.4	12	3.7
Salem	736	577	159	128	68	92.4	21	2.9
Saugus (town)	91	119	-28	76	4	40.0	2	[4]
Swampscott (town)	166	94	72	[3]	2	12.0	4	2.4
Franklin	675	608	67	111	34	50.4	16	2.4
Rural part	344	376	-32	91	15	43.6	9	2.6
Greenfield (town)	331	232	99	143	19	57.4	7	2.1
Hampden	4,549	3,647	902	125	238	52.3	140	3.1
Rural part	393	488	-95	81	26	66.2	10	2.5
Chicopee	319	243	76	131	18	56.4	6	1.9
Holyoke	921	745	176	124	42	45.6	31	3.4
Springfield	2,521	1,855	666	136	138	54.7	79	3.1
Westfield	343	228	115	150	12	35.0	12	3.4
West Springfield (town)	52	88	-36	[3]	2	38.5	2	[4]
Hampshire	894	952	-58	94	35	39.1	23	2.6
Rural part	379	355	24	107	13	34.3	10	2.6
Easthampton (town)	77	79	-2	[3]	6	77.9	3	[4]
Northampton	438	518	-80	85	16	36.5	10	2.3
Middlesex	12,978	10,144	2,834	128	506	39.0	378	2.9
Rural part	989	1,752	-763	56	45	45.5	27	2.7
Arlington (town)	384	356	28	108	11	28.6	12	3.1
Belmont (town)	23	135	-112	17	----	------	3	[4]
Cambridge	2,098	1,435	663	146	102	48.6	61	2.9
Everett	740	378	362	196	26	35.1	18	2.4
Framingham (town)	441	289	152	153	12	27.2	15	3.4
Lowell	1,783	1,393	390	128	94	52.7	53	3.0
Malden	753	557	196	135	28	37.2	23	3.1
Marlborough	275	163	112	169	7	25.5	----	------
Medford	836	473	363	177	25	29.9	23	2.8
Melrose	403	277	126	145	12	29.8	11	2.7
Natick (town)	196	143	53	137	12	61.2	6	3.1
Newton	717	593	124	121	16	22.3	21	2.9
Somerville	1,288	965	323	133	46	35.7	40	3.1
Stoneham (town)	329	130	199	253	7	21.3	8	2.4
Wakefield (town)	140	117	23	120	6	42.9	3	2.1
Waltham	870	453	417	192	36	41.4	23	2.6
Watertown (town)	88	186	-98	47	4	45.5	2	[4]
Winchester (town)	244	140	104	174	5	20.5	10	4.1
Woburn	381	209	172	182	12	31.5	19	6.0
Nantucket	60	64	-4	[3]	4	66.7	1	[4]
Norfolk	2,650	3,439	-789	77	107	40.4	73	2.8
Rural part	411	1,229	-818	33	28	68.1	10	2.4
Braintree (town)	47	152	-105	31	1	21.3	2	4/
Brookline (town)	136	528	-392	26	5	36.8	2	1.5
Dedham (town)	69	99	-30	[3]	2	29.0	1	[4]
Milton (town)	73	166	-93	44	2	27.4	5	[4]
Needham (town)	55	92	-37	[3]	2	36.4	----	------
Norwood (town)	459	161	298	285	10	21.8	13	2.8
Quincy	924	647	277	143	38	41.1	25	2.7
Wellesley (town)	8	90	-82	[3]	3	375.0	----	------
Weymouth (town)	468	275	193	170	16	34.2	15	3.2
Plymouth	2,099	2,125	-26	99	89	42.4	70	3.3
Rural part	647	1,100	-453	59	28	43.3	27	4.2
Brockton	1,210	845	365	143	51	42.1	39	3.2
Plymouth (town)	242	180	62	134	10	41.3	4	1.7
Suffolk	16,669	12,437	4,232	134	858	51.5	426	2.6
Boston	15,719	11,504	4,215	137	822	52.3	392	2.5
White	15,312	11,098	4,214	138	788	51.5	379	2.5
Other races	407	406	1	100	34	83.5	13	3.2
Chelsea	486	529	-43	92	20	41.2	24	4.9
Revere	112	207	-95	54	4	35.7	1	0.9
Winthrop (town)	352	197	155	179	12	34.1	9	2.6
Worcester	6,913	6,073	840	114	330	47.7	221	3.2
Rural part	920	1,703	-783	54	41	44.6	32	3.5
Athol (town)	88	108	-20	81	3	34.1	3	[4]
Clinton (town)	232	165	67	141	10	43.1	8	3.4
Fitchburg	645	444	201	145	30	46.5	21	3.3
Gardner	452	326	136	142	25	54.1	9	1.9
Leominster	329	237	92	139	20	60.8	12	3.6
Milford (town)	445	166	279	268	12	27.0	15	3.4
Southbridge (town)	253	149	104	170	12	47.4	5	2.0
Webster (town)	260	122	138	213	9	34.6	9	3.5
Worcester	3,279	2,653	626	124	168	51.2	107	3.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MICHIGAN (total)	88,427	54,781	33,646	161	4,482	50.7	2,650	3.0
Alcona	116	63	53	[3]	6	51.7	5	4.3
Alger	178	111	67	160	10	56.2	8	4.5
Allegan	675	471	204	143	21	31.1	9	1.3
Alpena	396	220	176	180	23	58.1	20	5.1
Rural part	118	62	56	[3]	7	59.3	3	2.5
Alpena	278	158	120	176	16	57.6	17	6.1
Antrim	234	122	112	192	13	55.6	3	1.3
Arenac	150	90	60	[3]	6	40.0	3	2.0
Baraga	119	80	39	[3]	9	75.6	3	2.5
Barry	370	283	87	130	16	43.2	12	3.2
Bay	1,401	812	589	173	87	62.1	35	2.5
Rural part	407	159	248	256	21	51.6	6	1.5
Bay City	994	653	341	152	66	66.4	29	2.9
Benzie	155	111	44	140	8	51.6	3	1.9
Berrien	1,380	972	408	142	59	42.8	39	2.8
Rural part	700	586	114	119	31	44.3	19	2.7
Benton Harbor	450	264	186	170	19	42.2	9	2.0
Niles	230	122	108	189	9	39.1	11	4.8
Branch	388	341	47	114	12	30.9	13	3.4
Calhoun	1,635	1,225	410	133	97	59.3	41	2.5
Rural part	588	598	-10	98	35	59.5	14	2.4
Battle Creek	1,047	627	420	167	62	59.2	27	2.6
Cass	305	337	-32	91	18	59.0	13	4.3
Charlevoix	225	155	70	145	13	57.8	7	3.1
Cheboygan	291	162	129	180	14	48.1	11	3.8
Chippewa	669	305	364	219	39	58.3	16	2.4
Rural part	191	82	109	[3]	13	68.1	5	2.6
Sault Ste. Marie	478	223	255	214	26	54.4	11	2.3
Clare	189	120	69	158	13	68.8	2	1.1
Clinton	416	293	123	142	10	24.0	12	2.9
Crawford	112	71	41	[3]	6	53.6	4	3.6
Delta	754	399	355	189	53	70.3	21	2.8
Rural part	250	150	100	167	18	72.0	4	1.6
Escanaba	504	249	255	202	35	69.4	17	3.4
Dickinson	486	288	198	169	38	78.2	14	2.9
Rural part	284	147	137	193	21	73.9	6	2.1
Iron Mountain	202	141	61	143	17	84.2	8	4.0
Eaton	532	420	112	127	18	33.8	15	2.8
Emmet	399	271	128	147	24	60.2	17	4.3
Genesee	4,549	1,924	2,625	236	251	55.2	129	2.8
Rural part	899	506	393	178	40	44.5	27	3.0
Flint	3,650	1,418	2,232	257	211	57.8	102	2.8
Gladwin	167	77	90	[3]	3	18.0	4	2.4
Gogebic	537	342	195	157	30	55.9	14	2.6
Rural part	328	226	102	145	19	57.9	9	2.7
Ironwood	209	116	93	180	11	52.6	5	2.4
Grand Traverse	436	484	-48	90	35	80.3	13	3.0
Rural part	139	118	21	118	8	57.6	4	2.9
Traverse City	297	366	-69	81	27	90.9	9	3.0
Gratiot	599	431	168	139	29	48.4	20	3.3
Hillsdale	462	409	53	113	18	39.0	15	3.2
Houghton	787	635	152	124	39	49.6	26	3.3
Huron	599	308	291	194	33	55.1	11	1.8
Ingham	2,474	1,273	1,201	194	111	44.9	68	2.7
Rural part	583	385	198	151	19	32.6	12	2.1
Lansing	1,891	888	1,003	213	92	48.7	56	3.0
Ionia	561	436	125	129	25	44.6	13	2.3
Iosco	160	86	74	[3]	4	25.0	3	1.9
Iron	311	186	125	167	19	61.1	15	4.8
Isabella	510	256	254	199	34	66.7	16	3.1
Jackson	1,392	1,099	293	127	71	51.0	41	2.9
Rural part	325	319	6	102	14	43.1	12	3.7
Jackson	1,067	780	287	137	57	53.4	29	2.7
Kalamazoo	1,675	1,389	286	121	76	45.4	46	2.7
Rural part	352	377	-25	93	8	22.7	8	2.3
Kalamazoo	1,323	1,012	311	131	68	51.4	38	2.9
Kalkaska	98	47	51	[3]	1	10.2	5	[4]
Kent	4,028	2,648	1,380	152	150	37.2	131	3.3
Rural part	1,399	916	483	153	35	25.0	36	2.6
Grand Rapids	2,629	1,732	897	152	115	43.7	95	3.6
Keweenaw	60	45	15	[3]	4	66.7	----	------
Lake	80	55	25	[3]	8	100.0	2	[4]
Lapeer	458	461	-3	99	24	52.4	8	1.7
Leelanau	151	105	46	144	5	33.1	5	3.3
Lenawee	830	709	121	117	37	44.6	30	3.6
Rural part	498	485	13	103	20	40.2	16	3.2
Adrian	332	224	108	148	17	51.2	14	4.2
Livingston	252	317	-65	79	11	43.7	13	5.2
Luce	194	179	15	108	13	67.0	7	3.6
Mackinac	178	93	85	[3]	12	67.4	5	2.8
Macomb	1,268	770	498	165	66	52.1	56	4.4
Rural part	934	497	437	188	46	49.3	31	3.3
Mount Clemens	334	273	61	122	20	59.9	25	7.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MICHIGAN—Con.								
Manistee	316	221	95	143	16	50.6	7	2.2
Marquette	847	599	248	141	59	69.7	25	3.0
Rural part	496	343	153	145	25	50.4	11	2.2
Marquette	351	256	95	137	34	96.9	14	4.0
Mason	337	245	92	138	16	47.5	12	3.6
Mecosta	311	233	78	133	25	80.4	7	2.3
Menominee	554	289	265	192	28	50.5	19	3.4
Rural part	238	149	89	160	10	42.0	10	4.2
Menominee	316	140	176	226	18	57.0	9	2.8
Midland	518	186	332	278	23	44.4	12	2.3
Missaukee	192	75	117	3/	7	36.5	4	2.1
Monroe	1,101	589	512	187	53	48.1	34	3.1
Rural part	507	323	184	157	23	45.4	15	3.0
Monroe	594	266	328	223	30	50.5	19	3.2
Montcalm	517	412	105	125	27	52.2	21	4.1
Montmorency	85	36	49	3/	9	105.9	3	4/
Muskegon	1,693	949	744	178	107	63.2	50	3.0
Rural part	215	222	-7	97	6	27.9	6	2.8
Muskegon	1,339	653	686	205	94	70.2	43	3.2
Muskegon Heights	139	74	65	3/	7	50.4	1	0.7
Newaygo	382	217	165	176	17	44.5	10	2.6
Oakland	3,605	1,926	1,679	187	172	47.7	118	3.3
Rural part	1,428	956	472	149	62	43.4	47	3.3
Pontiac	1,616	705	911	229	85	52.6	52	3.2
Ferndale	295	80	215	3/	8	27.1	12	4.1
Royal Oak	266	185	81	144	17	63.9	7	2.6
Oceana	271	187	84	145	11	40.6	7	2.6
Ogemaw	188	116	72	162	10	53.2	9	4.8
Ontonagon	197	126	71	156	17	86.3	9	4.6
Osceola	269	180	89	149	11	40.9	13	4.8
Oscoda	51	22	29	3/	3	58.8	---	------
Otsego	149	73	76	3/	8	53.7	4	2.7
Ottawa	1,008	546	462	185	28	27.8	35	3.5
Rural part	713	391	322	182	15	21.0	23	3.2
Holland	295	155	140	190	13	44.1	12	4.1
Presque Isle	240	103	137	233	18	75.0	8	3.3
Roscommon	47	30	17	3/	2	42.6	2	4/
Saginaw	2,476	1,398	1,078	177	137	55.3	67	2.7
Rural part	501	382	119	131	23	45.9	13	2.6
Saginaw	1,975	1,016	959	194	114	57.7	54	2.7
St. Clair	1,217	866	351	141	58	47.7	42	3.5
Rural part	606	462	144	131	31	51.2	25	4.1
Port Huron	611	404	207	151	27	44.2	17	2.8
St. Joseph	547	424	123	129	15	27.4	19	3.5
Sanilac	523	325	198	161	26	49.7	9	1.7
Schoolcraft	208	85	123	3/	8	38.5	9	4.3
Shiawassee	760	559	201	136	40	52.6	19	2.5
Rural part	324	307	17	106	13	40.1	12	3.7
Owosso	436	252	184	173	27	61.9	7	1.6
Tuscola	601	517	84	116	35	58.2	11	1.8
Van Buren	480	483	-3	99	26	54.2	12	2.5
Washtenaw	1,443	1,673	-230	86	99	68.6	40	2.8
Rural part	275	434	-159	63	7	25.5	6	2.2
Ann Arbor	959	1,072	-113	89	79	82.4	23	2.4
Ypsilanti	209	167	42	125	13	62.2	11	5.3
White	200	151	49	132	12	60.0	9	4.5
Other races	9	16	-7	3/	1	111.1	2	4/
Wayne	32,537	18,370	14,167	177	1,629	50.1	979	3.0
Rural part	1,379	1,936	-557	71	40	29.0	35	2.5
Dearborn	753	237	516	318	20	26.6	20	2.7
Detroit	26,601	14,816	11,785	180	1,420	53.4	796	3.0
White	24,344	12,942	11,402	188	1,258	51.7	694	2.9
Other races	2,257	1,874	383	120	162	71.8	102	4.5
Ecorse	213	55	158	3/	9	42.3	6	2.8
White	198	46	152	3/	8	40.4	5	2.5
Other races	15	9	6	3/	1	66.7	1	4/
Grosse Pointe Park	28	38	-10	3/	-----	------	1	4/
Hamtramck	748	307	441	244	35	46.8	26	3.5
Highland Park	1,560	565	995	276	44	28.2	59	3.8
Lincoln Park	187	36	151	3/	2	10.7	3	1.6
River Rouge	234	72	162	3/	5	21.4	2	0.9
Wyandotte	834	308	526	271	54	64.7	31	3.7
Wexford	366	235	131	156	20	54.6	12	3.3
MINNESOTA (total)	47,576	28,630	18,946	166	2,113	44.4	1,247	2.6
Aitkin	330	136	194	243	19	57.6	6	1.8
Anoka	200	212	-12	94	4	20.0	5	2.5
Becker	564	227	337	248	26	46.1	13	2.3
Beltrami	594	271	323	219	41	69.0	17	2.9
Benton	269	90	179	3/	8	29.7	3	1.1
Rural part	244	81	163	3/	7	28.7	2	0.8
St. Cloud (part)	25	9	16	6/	1	6/	1	6/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MINNESOTA—Con.								
Big Stone	284	123	161	231	15	52.8	12	4.2
Blue Earth	707	401	306	176	28	39.6	13	1.8
Rural part	170	141	29	121	6	35.3	4	2.4
Mankato	537	260	277	207	22	41.0	9	1.7
Brown	624	287	337	217	29	46.5	21	3.4
Carlton	467	179	288	261	17	36.4	7	1.5
Carver	269	133	136	202	11	40.9	6	2.2
Cass	425	251	174	169	32	75.3	7	1.6
Chippewa	339	155	184	219	14	41.3	14	4.1
Chisago	102	129	-27	79	3	29.4	2	2.0
Clay	390	207	183	188	12	30.8	11	2.8
Clearwater	213	86	127	3/	14	65.7	2	0.9
Cook	22	21	1	3/	4	181.8	----	------
Cottonwood	346	131	215	264	13	37.6	8	2.3
Crow Wing	595	297	298	200	38	63.9	17	2.9
Rural part	243	122	121	199	13	53.5	7	2.9
Brainerd	352	175	177	201	25	71.0	10	2.8
Dakota	394	338	56	117	24	60.9	8	2.0
Rural part	339	284	55	119	18	53.1	8	2.4
South St. Paul	55	54	1	3/	6	109.1	----	------
Dodge	211	109	102	194	7	33.2	6	2.8
Douglas	323	174	149	186	10	31.0	3	0.9
Faribault	448	192	256	233	19	42.4	9	2.0
Fillmore	354	230	124	154	11	31.1	7	2.0
Freeborn	614	310	304	198	25	40.7	16	2.6
Rural part	190	136	54	140	8	42.1	2	1.1
Albert Lea	424	174	250	244	17	40.1	14	3.3
Goodhue	552	381	171	145	20	36.2	11	2.0
Grant	163	75	88	3/	11	67.5	3	1.8
Hennepin	8,096	6,551	1,545	124	351	43.4	224	2.8
Rural part	326	728	-402	45	12	36.8	4	1.2
Minneapolis	7,770	5,823	1,947	133	339	43.6	220	2.8
Houston	252	132	120	191	9	35.7	5	2.0
Hubbard	218	108	110	202	12	55.0	5	2.3
Isanti	200	147	53	136	8	40.0	3	1.5
Itasca	604	269	335	225	26	43.0	17	2.8
Jackson	272	133	139	205	16	58.8	11	4.0
Kanabec	151	79	72	3/	5	33.1	3	2.0
Kandiyohi	418	291	127	144	13	31.1	11	2.6
Kittson	186	83	103	3/	9	48.4	8	4.3
Koochiching	359	157	202	229	23	64.1	7	1.9
Lac qui Parle	252	114	138	221	10	39.7	4	1.6
Lake	99	83	16	3/	4	40.4	1	4/
Lake of the Woods	91	39	52	3/	2	22.0	----	------
Le Sueur	293	142	151	206	6	20.5	2	0.7
Lincoln	244	103	141	237	11	45.1	9	3.7
Lyon	468	176	292	266	18	38.5	16	3.4
McLeod	390	196	194	199	17	43.6	12	3.1
Mahnomen	153	65	88	3/	11	71.9	1	0.7
Marshall	368	155	213	237	16	43.5	7	1.9
Martin	494	204	290	242	26	52.6	10	2.0
Meeker	354	183	171	193	19	53.7	12	3.4
Mille Lacs	297	158	139	188	20	67.3	6	2.0
Morrison	592	254	338	233	31	52.4	8	1.4
Mower	706	264	442	267	18	25.5	19	2.7
Rural part	267	108	159	247	4	15.0	4	1.5
Austin	439	156	283	281	14	31.9	15	3.4
Murray	312	86	226	3/	10	32.1	4	1.3
Nicollet	249	339	-90	73	15	60.2	7	2.8
Nobles	441	185	256	238	24	54.4	15	3.4
Norman	274	122	152	225	18	65.7	10	3.6
Olmsted	867	1,133	-266	77	52	60.0	25	2.9
Rural part	199	118	81	169	6	30.2	4	2.0
Rochester	668	1,015	-347	66	46	68.9	21	3.1
Otter Tail	1,021	714	307	143	49	48.0	29	2.8
Pennington	301	125	176	241	14	46.5	5	1.7
Pine	361	189	172	191	21	58.2	7	1.9
Pipestone	287	105	182	273	12	41.8	5	1.7
Polk	664	383	281	173	28	42.2	11	1.7
Pope	228	124	104	184	10	43.9	8	3.5
Ramsey	5,100	3,432	1,668	149	210	41.2	171	3.4
Rural part	46	125	-79	37	3	65.2	----	------
St. Paul	5,054	3,307	1,747	153	207	41.0	171	3.4
Red Lake	147	49	98	3/	9	61.2	2	1.4
Redwood	400	136	264	294	9	22.5	10	2.5
Renville	381	141	240	270	11	28.9	5	1.3
Rice	562	382	180	147	15	26.7	11	2.0
Rural part	242	141	101	172	1	4.1	3	1.2
Faribault	320	241	79	133	14	43.8	8	2.5
Rock	183	88	95	3/	8	43.7	8	4.4
Roseau	397	136	261	292	22	55.4	11	2.8

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MINNESOTA—Con.								
St. Louis	3,044	2,025	1,019	150	130	42.7	91	3.0
Rural part	776	598	178	130	36	46.4	25	3.2
Duluth	1,777	1,199	578	148	60	33.8	49	2.8
Hibbing	307	141	166	218	19	61.9	14	4.6
Virginia	184	87	97	[3]	15	81.5	3	1.6
Scott	219	145	74	151	7	32.0	2	0.9
Sherburne	120	102	18	118	7	58.3	3	2.5
Rural part	116	76	40	[3]	7	60.3	3	2.6
St. Cloud (part)	4	26	-22	[6]	-----	-----	----	-----
Sibley	247	112	135	221	10	40.5	9	3.6
Stearns	1,631	649	982	251	81	49.7	43	2.6
Rural part	1,037	330	707	314	44	42.4	24	2.3
St. Cloud (part)	594	319	275	[6]	37	[6]	19	[6]
St. Cloud (total)	623	354	269	176	38	61.0	20	3.2
Steele	280	194	86	144	18	64.3	13	4.6
Stevens	237	109	128	217	13	54.9	2	0.8
Swift	337	136	201	248	13	38.6	5	1.5
Todd	616	247	369	249	29	47.1	16	2.6
Traverse	112	46	66	[3]	3	26.8	4	3.6
Wabasha	250	178	72	140	7	28.0	7	2.8
Wadena	348	163	185	213	20	57.5	6	1.7
Waseca	270	156	114	173	17	63.0	11	4.1
Washington	284	265	19	107	10	35.2	10	3.5
Watonwan	290	138	152	210	6	20.7	10	3.4
Wilkin	297	122	175	243	14	47.1	6	2.0
Winona	696	344	352	202	22	31.6	21	3.0
Rural part	163	102	61	160	2	12.3	5	3.1
Winona	533	242	291	220	20	37.5	16	3.0
Wright	456	260	196	175	16	35.1	10	2.2
Yellow Medicine	311	139	172	224	17	54.7	6	1.9
MISSISSIPPI (total)	49,446	24,128	25,318	205	2,879	58.2	2,348	4.7
Adams	681	501	180	136	48	70.5	53	7.8
Rural part	339	198	141	171	28	82.6	28	8.3
White	100	58	42	[3]	7	70.0	8	8.0
Other races	239	140	99	171	21	87.9	20	8.4
Natchez	342	303	39	113	20	58.5	25	7.3
White	163	110	53	148	7	42.9	10	6.1
Other races	179	193	-14	93	13	72.6	15	8.4
Alcorn	521	258	263	202	20	38.4	18	3.5
White	416	194	222	214	13	31.3	14	3.4
Other races	105	64	41	[3]	7	66.7	4	3.8
Amite	565	189	376	299	37	65.5	13	2.3
White	195	89	106	[3]	12	61.5	1	0.5
Other races	370	100	270	370	25	67.6	12	3.2
Attala	640	256	384	250	30	46.9	32	5.0
White	321	129	192	249	9	28.0	14	4.4
Other races	319	127	192	251	21	65.8	18	5.6
Benton	270	51	219	[3]	8	29.6	10	3.7
White	126	29	97	[3]	5	39.7	3	2.4
Other races	144	22	122	[3]	3	20.8	7	4.9
Bolivar	1,403	800	603	175	106	75.6	57	4.1
White	310	132	178	235	20	64.5	7	2.3
Other races	1,093	668	425	164	86	78.7	50	4.6
Calhoun	328	143	185	229	14	42.7	10	3.0
White	275	113	162	243	11	40.0	7	2.5
Other races	53	30	23	[3]	3	56.6	3	[4]
Carroll	540	181	359	298	34	63.0	29	5.4
White	199	67	132	[3]	11	55.3	9	4.5
Other races	341	114	227	299	23	67.4	20	5.9
Chickasaw	508	238	270	213	23	45.3	15	3.0
White	223	118	105	189	10	44.8	7	3.1
Other races	285	120	165	238	13	45.6	8	2.8
Choctaw	304	124	180	245	12	39.5	9	3.0
White	185	91	94	[3]	9	48.6	3	1.6
Other races	119	33	86	[3]	3	25.2	6	5.0
Claiborne	296	155	141	191	10	33.8	18	6.1
White	48	26	22	[3]	3	62.5	1	[4]
Other races	248	129	119	192	7	28.2	17	6.9
Clarke	494	168	326	294	22	44.5	15	3.0
White	251	85	166	[3]	6	23.9	3	1.2
Other races	243	83	160	[3]	16	65.8	12	4.9
Clay	421	189	232	223	16	38.0	24	5.7
White	113	65	48	[3]	-----	-----	5	4.4
Other races	308	124	184	248	16	51.9	19	6.2
Coahoma	979	622	357	157	70	71.5	54	5.5
Rural part	788	446	342	177	45	57.1	43	5.5
White	110	37	73	[3]	4	36.4	1	0.9
Other races	678	409	269	166	41	60.5	42	6.2
Clarksdale	191	176	15	109	25	130.9	11	5.8
White	95	53	42	[3]	8	84.2	6	[4]
Other races	96	123	-27	78	17	177.1	5	[4]

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Copiah	804	265	539	303	28	34.8	47	5.8
White	298	113	185	264	11	36.9	11	3.7
Other races	506	152	354	333	17	33.6	36	7.1
Covington	468	127	341	369	13	27.8	16	3.4
White	283	72	211	[3]	7	24.7	7	2.5
Other races	185	55	130	[3]	6	32.4	9	4.9
De Soto	593	261	332	227	44	74.2	31	5.2
White	108	45	63	[3]	3	27.8	2	1.9
Other races	485	216	269	225	41	84.5	29	6.0
Forrest	646	370	276	175	45	69.7	41	6.3
Rural part	263	115	148	229	17	64.6	12	4.6
White	194	77	117	[3]	10	51.5	9	4.6
Other races	69	38	31	[3]	7	101.4	3	[4]
Hattiesburg	383	255	128	150	28	73.1	29	7.6
White	270	151	119	179	18	66.7	15	5.6
Other races	113	104	9	109	10	88.5	14	12.4
Franklin	268	111	157	241	20	74.6	24	9.0
White	148	59	89	[3]	9	60.8	5	3.4
Other races	120	52	68	[3]	11	91.7	19	15.8
George	229	82	147	[3]	13	56.8	6	2.6
White	195	69	126	[3]	10	51.3	4	2.1
Other races	34	13	21	[3]	3	88.2	2	[4]
Greene	217	55	162	[3]	6	27.6	5	2.3
White	177	38	139	[3]	5	28.2	4	2.3
Other races	40	17	23	[3]	1	25.0	1	[4]
Grenada	449	268	181	168	39	86.9	26	5.8
White	155	106	49	146	16	103.2	8	5.2
Other races	294	162	132	181	23	78.2	18	6.1
Hancock	240	121	119	198	16	66.7	5	2.1
White	187	85	102	[3]	11	58.8	5	2.7
Other races	53	36	17	[3]	5	94.3	----	-----
Harrison	944	607	337	156	50	53.0	43	4.6
Rural part	274	219	55	125	14	51.1	8	2.9
White	194	163	31	119	9	46.4	3	1.5
Other races	80	56	24	[3]	5	62.5	5	[4]
Biloxi	362	193	169	188	23	63.5	22	6.1
White	307	150	157	205	20	65.1	17	5.5
Other races	55	43	12	[3]	3	54.5	5	[4]
Gulfport	308	195	113	158	13	42.2	13	4.2
White	254	150	104	169	11	43.3	8	3.1
Other races	54	45	9	[3]	2	37.0	5	[4]
Hinds	1,969	1,329	640	148	152	77.2	120	6.1
Rural part	1,113	489	624	228	71	63.8	50	4.5
White	129	109	20	118	6	46.5	2	1.6
Other races	984	380	604	259	65	66.1	48	4.9
Jackson	856	840	16	102	81	94.6	70	8.2
White	570	428	142	133	47	82.5	28	4.9
Other races	286	412	-126	69	34	118.9	42	14.7
Holmes	928	427	501	217	45	48.5	68	7.3
White	143	92	51	[3]	6	42.0	1	0.7
Other races	785	335	450	234	39	49.7	67	8.5
Humphreys	648	263	385	246	51	78.7	47	7.3
White	156	47	109	[3]	10	64.1	7	4.5
Other races	492	216	276	228	41	83.3	40	8.1
Issaquena	142	80	62	[3]	11	77.5	7	4.9
White	15	7	8	[3]	-----	-----	----	-----
Other races	127	73	54	[3]	11	86.6	7	5.5
Itawamba	463	157	306	295	18	38.9	16	3.5
White	438	145	293	302	16	36.5	15	3.4
Other races	25	12	13	[3]	2	80.0	1	[4]
Jackson	381	200	181	191	25	65.6	13	3.4
White	285	134	151	213	17	59.6	12	4.2
Other races	96	66	30	[3]	8	83.3	1	[4]
Jasper	537	156	381	344	19	35.4	25	4.7
White	225	82	143	[3]	3	13.3	7	3.1
Other races	312	74	238	[3]	16	51.3	18	5.8
Jefferson	325	164	161	198	15	46.2	14	4.3
White	54	37	17	[3]	5	92.6	3	[4]
Other races	271	127	144	213	10	36.9	11	4.1
Jefferson Davis	494	132	362	374	22	44.5	16	3.2
White	195	40	155	[3]	8	41.0	3	1.5
Other races	299	92	207	[3]	14	46.8	13	4.3
Jones	1,044	575	469	182	70	67.0	47	4.5
Rural part	624	190	434	328	30	48.1	14	2.2
White	475	146	329	325	19	40.0	4	0.8
Other races	149	44	105	[3]	11	73.8	10	6.7
Laurel	420	385	35	109	40	95.2	33	7.9
White	293	212	81	138	28	95.6	15	5.1
Other races	127	173	-46	73	12	94.5	18	14.2
Kemper	564	207	357	272	22	39.0	25	4.4
White	183	96	87	[3]	8	43.7	5	2.7
Other races	381	111	270	345	14	36.7	20	5.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Lafayette	584	267	317	219	29	49.7	29	5.0
White	303	137	166	221	14	46.2	10	3.3
Other races	281	130	151	216	15	53.4	19	6.8
Lamar	286	106	180	270	12	42.0	11	3.8
White	252	81	171	[3]	11	43.7	9	3.6
Other races	34	25	9	[3]	1	29.4	2	[4]
Lauderdale	1,180	924	256	128	88	74.6	59	5.0
Rural part	539	183	356	295	17	31.5	23	4.3
White	211	92	119	[3]	6	28.4	2	0.9
Other races	328	91	237	[3]	11	33.5	21	6.4
Meridian	641	741	-100	87	71	110.8	36	5.6
White	481	451	30	107	44	91.5	20	2.4
Other races	160	290	-130	55	27	168.8	16	10.0
Lawrence	354	129	225	274	17	48.0	10	2.8
White	201	68	133	[3]	5	24.9	4	2.0
Other races	153	61	92	[3]	12	78.4	6	3.9
Leake	656	172	484	381	30	45.7	10	1.5
White	325	102	223	319	11	33.8	6	1.8
Other races	331	70	261	[3]	19	57.4	4	1.2
Lee	820	504	316	163	50	61.0	32	3.9
White	536	326	210	164	35	65.3	21	3.9
Other races	284	178	106	160	15	52.8	11	3.9
Leflore	1,254	687	567	183	101	80.5	78	6.2
Rural part	1,078	499	579	216	87	80.7	65	6.0
White	145	57	88	[3]	10	69.0	5	3.4
Other races	933	442	491	211	77	82.5	60	6.4
Greenwood	176	188	-12	94	14	79.5	13	7.4
White	103	70	33	[3]	3	29.1	5	4.9
Other races	73	118	-45	62	11	150.7	8	[4]
Lincoln	578	300	278	193	39	67.5	25	4.3
White	348	169	179	206	18	51.7	15	4.3
Other races	230	131	99	176	21	91.3	10	4.3
Lowndes	809	418	391	194	48	59.3	43	5.3
Rural part	599	207	392	289	28	46.7	29	4.8
White	157	55	102	[3]	3	19.1	1	0.6
Other races	442	152	290	291	25	56.6	28	6.3
Columbus	210	211	-1	100	20	95.2	14	6.7
White	106	99	7	[3]	10	94.3	5	4.7
Other races	104	112	-8	93	10	96.2	9	8.7
Madison	932	400	532	233	43	46.1	54	5.8
White	165	80	85	[3]	4	24.2	6	3.6
Other races	767	320	447	240	39	50.8	48	6.3
Marion	542	228	314	238	39	72.0	20	3.7
White	301	143	158	210	26	86.4	9	3.0
Other races	241	85	156	[3]	13	53.9	11	4.6
Marshall	557	242	415	271	30	45.7	24	3.7
White	149	66	83	[3]	5	33.6	1	0.7
Other races	508	176	332	289	25	49.2	23	4.5
Monroe	697	389	308	179	30	43.0	34	4.9
White	338	197	141	172	17	50.3	17	5.0
Other races	359	192	167	187	13	36.2	17	4.7
Montgomery	397	181	216	219	16	40.3	6	1.5
White	199	81	118	[3]	4	20.1	2	1.0
Other races	198	100	98	198	12	60.6	4	2.0
Neshoba	728	222	506	328	25	34.3	41	5.6
White	498	150	348	332	14	28.1	24	4.8
Other races	230	72	158	[3]	11	47.8	17	7.4
Newton	565	206	359	274	28	49.6	27	4.8
White	304	115	189	264	10	32.9	5	1.6
Other races	261	91	170	[3]	18	69.0	22	8.4
Noxubee	727	339	388	214	45	61.9	62	8.5
White	118	43	75	[3]	5	42.4	6	5.1
Other races	609	296	313	206	40	65.7	56	9.2
Oktibbeha	544	247	297	220	29	53.3	25	4.6
White	160	100	60	160	14	87.5	7	4.4
Other races	384	147	237	261	15	39.1	18	4.7
Panola	814	330	484	247	50	61.4	45	5.5
White	238	98	140	[3]	12	50.4	5	2.1
Other races	576	232	344	248	38	66.0	40	6.9
Pearl River	463	203	260	228	41	88.6	23	5.0
White	376	145	231	259	32	85.1	18	4.8
Other races	87	58	29	[3]	9	103.4	5	[4]
Perry	219	69	150	[3]	11	50.2	9	4.1
White	153	47	106	[3]	8	52.3	5	3.3
Other races	66	22	44	[3]	3	45.5	4	[4]
Pike	797	406	391	196	52	65.2	31	3.9
Rural part	608	218	390	279	34	55.9	19	3.1
White	210	86	124	[3]	7	33.3	5	2.4
Other races	398	132	266	302	27	67.8	14	3.5
McComb	189	188	1	101	18	95.2	12	6.3
White	152	138	14	110	14	92.1	9	5.9
Other races	37	50	-13	[3]	4	108.1	3	[4]
Pontotoc	534	223	311	239	31	58.1	15	2.8
White	417	172	245	242	25	60.0	11	2.6
Other races	117	51	66	[3]	6	51.3	4	3.4
Prentiss	465	191	274	243	21	45.2	12	2.6
White	415	170	245	244	18	43.4	10	2.4
Other races	50	21	29	[3]	3	60.0	2	[4]
Quitman	557	273	284	204	33	59.2	22	3.9
White	199	70	129	[3]	13	65.3	3	1.5
Other races	358	203	155	176	20	55.9	19	5.3
Rankin	562	666	-104	84	27	48.0	23	4.1
White	205	243	-38	84	5	24.4	3	1.5
Other races	357	423	-66	84	22	61.6	20	5.6
Scott	578	162	416	357	23	39.8	25	4.3
White	281	86	195	[3]	8	28.5	5	1.8
Other races	297	76	221	[3]	15	50.5	20	6.7
Sharkey	357	154	203	232	22	61.6	16	4.5
White	80	36	44	[3]	3	37.5	3	[4]
Other races	277	118	159	235	19	68.6	13	4.7
Simpson	570	214	356	266	24	42.1	16	2.8
White	376	143	233	263	11	29.3	3	0.8
Other races	194	71	123	[3]	13	67.0	13	6.7
Smith	516	117	399	441	17	32.9	24	4.7
White	415	102	313	407	14	33.7	14	3.4
Other races	101	15	86	[3]	3	29.7	10	9.9
Stone	147	57	90	[3]	6	40.8	4	2.7
White	109	40	69	[3]	3	27.5	4	3.7
Other races	38	17	21	[3]	3	78.9	----	------
Sunflower	1,390	687	703	202	111	79.9	68	4.9
White	260	100	160	260	10	38.5	6	2.3
Other races	1,130	587	543	193	101	89.4	62	5.5
Tallahatchie	761	367	394	207	54	71.0	31	4.1
White	260	101	159	257	16	61.5	3	1.2
Other races	501	266	235	188	38	75.8	28	5.6
Tate	415	204	211	203	33	79.5	24	5.8
White	140	69	71	[3]	6	42.9	4	2.9
Other races	275	135	140	204	27	98.2	20	7.3
Tippah	442	152	290	291	19	43.0	14	3.2
White	363	122	241	298	17	46.8	8	2.2
Other races	79	30	49	[3]	2	25.3	6	[4]
Tishomingo	447	213	234	210	35	78.3	10	2.2
White	422	197	225	214	34	80.6	7	1.7
Other races	25	16	9	[3]	1	40.0	3	[4]
Tunica	428	283	145	151	27	63.1	36	8.4
White	42	21	21	[3]	1	23.8	----	------
Other races	386	262	124	147	26	67.4	36	9.3
Union	482	232	250	208	30	62.2	23	4.8
White	381	172	209	222	21	55.1	16	4.2
Other races	101	60	41	[3]	9	89.1	7	6.9
Walthall	547	145	402	377	32	58.5	24	4.4
White	232	77	155	[3]	16	69.0	10	4.3
Other races	315	68	247	[3]	16	50.8	14	4.4
Warren	686	811	-125	85	36	52.5	55	8.0
Rural part	203	189	14	107	15	73.9	8	3.9
White	48	24	24	[3]	2	41.7	1	[4]
Other races	155	165	-10	94	13	83.9	7	4.5
Vicksburg	483	622	-139	78	21	43.5	47	9.7
White	265	235	30	113	13	49.1	7	2.6
Other races	218	387	-169	56	8	36.7	40	18.3
Washington	1,346	849	497	159	79	58.7	63	4.7
Rural part	908	447	461	203	44	48.5	41	4.5
White	124	57	67	[3]	1	8.1	3	2.4
Other races	784	390	394	201	43	54.8	38	4.8
Greenville	438	402	36	109	35	79.9	22	5.0
White	210	124	86	169	13	61.9	4	1.9
Other races	228	278	-50	82	22	96.5	18	7.9
Wayne	547	153	394	358	26	47.5	15	2.7
White	339	97	242	[3]	20	59.0	7	2.1
Other races	208	56	152	[3]	6	28.8	8	3.8
Webster	329	105	224	313	14	42.6	7	2.1
White	221	76	145	[3]	7	31.7	3	1.4
Other races	108	29	79	[3]	7	64.8	4	3.7
Wilkinson	397	178	219	223	26	65.5	21	5.3
White	118	68	50	[3]	11	93.2	3	2.5
Other races	279	110	169	254	15	53.8	18	6.5
Winston	577	189	388	305	37	64.1	29	5.0
White	297	105	192	283	17	57.2	12	4.0
Other races	280	84	196	[3]	20	71.4	17	6.1
Yalobusha	473	199	274	238	38	80.3	24	5.1
White	187	105	82	178	9	48.1	7	3.7
Other races	286	94	192	[3]	29	101.4	17	5.9
Yazoo	987	503	484	196	51	51.7	50	5.1
White	271	141	130	192	16	59.0	13	4.8
Other races	716	362	354	198	35	48.9	37	5.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSOURI (total)—	55,916	48,767	7,149	115	3,235	57.9	2,013	3.6
Adair	398	326	72	122	31	77.9	14	3.5
Andrew	148	177	-29	84	6	40.5	4	2.7
Atchison	224	93	131	3/	8	35.7	3	1.3
Audrain	346	280	66	124	20	57.8	16	4.6
Barry	405	244	161	166	18	44.4	11	2.7
Barton	206	154	52	134	6	29.1	4	1.9
Bates	307	263	44	117	12	39.1	11	3.6
Benton	190	135	55	141	10	52.6	5	2.6
Bollinger	173	56	117	3/	4	23.1	6	3.5
Boone	475	490	-15	97	28	58.9	17	3.6
Rural part	208	199	9	105	11	52.9	9	4.3
Columbia	267	291	-24	92	17	63.7	8	3.0
White	236	238	-2	99	14	59.3	7	3.0
Other races	31	53	-22	3/	3	96.8	1	4/
Buchanan	1,387	1,705	-318	81	69	49.7	62	4.5
Rural part	191	167	24	114	4	20.9	5	2.6
St. Joseph	1,196	1,538	-342	78	65	54.3	57	4.8
Butler	673	412	261	163	52	77.3	20	3.0
Caldwell	159	142	17	112	9	56.6	8	5.0
Callaway	269	505	-236	53	22	81.8	12	4.5
Camden	156	84	72	3/	9	57.7	6	3.8
Cape Girardeau	706	537	169	131	55	77.9	32	4.5
Rural part	277	144	133	192	12	43.3	8	2.9
Cape Girardeau	429	393	36	109	43	100.2	24	5.6
Carroll	270	241	29	112	14	51.9	7	2.6
Carter	130	46	84	3/	5	38.5	---	---
Cass	262	285	-23	92	19	72.5	6	2.3
Cedar	193	165	28	117	11	57.0	6	3.1
Chariton	284	238	46	119	12	42.3	12	4.2
Christian	223	151	72	148	8	35.9	10	4.5
Clark	144	121	23	119	4	27.8	2	1.4
Clay	331	457	-126	72	15	45.3	14	4.2
Clinton	157	143	14	110	5	31.8	1	0.6
Cole	527	407	120	129	33	62.6	14	2.7
Rural part	143	91	52	3/	7	49.0	3	2.1
Jefferson City	384	316	68	122	26	67.7	11	2.9
White	375	288	87	130	25	66.7	10	2.7
Other races	9	28	-19	3/	1	111.1	1	4/
Cooper	273	249	24	110	14	51.3	11	4.0
Crawford	134	104	30	129	12	89.6	3	2.2
Dade	119	149	-30	80	7	58.8	4	3.4
Dallas	176	104	72	169	4	22.7	8	4.5
Daviess	205	167	38	123	7	34.1	5	2.4
De Kalb	98	103	-5	95	1	10.2	4	4/
Dent	150	128	22	117	13	86.7	5	3.3
Douglas	297	118	179	252	15	50.5	2	0.7
Dunklin	902	462	440	195	97	107.5	26	2.9
Franklin	574	381	193	151	28	48.8	21	3.7
Gasconade	148	124	24	119	7	47.3	2	1.4
Gentry	190	193	-3	98	13	68.4	5	2.6
Greene	1,311	1,261	50	104	80	61.0	34	2.6
Rural part	279	278	1	100	9	32.3	10	3.6
Springfield	1,032	983	49	105	71	68.8	24	2.3
Grundy	242	226	16	107	10	41.3	6	2.5
Harrison	255	220	35	116	13	51.0	13	5.1
Henry	343	288	55	119	14	40.8	9	2.6
Hickory	109	72	37	3/	4	36.7	3	2.8
Holt	187	117	70	160	5	26.7	8	4.3
Howard	150	176	-26	85	11	73.3	5	3.3
Howell	426	260	166	164	23	54.0	15	3.5
Iron	213	126	87	169	8	37.6	14	6.6
Jackson	6,629	6,576	53	101	352	53.1	173	2.6
Rural part	482	655	-173	74	11	22.8	12	2.5
Independence	424	241	183	176	19	44.8	20	4.7
Kansas City	5,723	5,680	43	101	322	56.3	141	2.5
White	5,151	4,811	340	107	287	55.7	121	2.3
Other races	572	869	-297	66	35	61.2	20	3.5
Jasper	1,358	1,219	139	111	80	58.9	46	3.4
Rural part	719	612	107	117	25	34.8	23	3.2
Joplin (part)	639	607	32	6/	55	6/	23	6/
Joplin (total)	640	618	22	104	57	89.1	23	3.6
Jefferson	450	322	128	140	38	84.4	19	4.2
Johnson	327	314	13	104	15	45.9	10	3.1
Knox	116	110	6	105	5	43.1	1	0.9
Laclede	306	211	95	145	16	52.3	10	3.3
Lafayette	411	312	99	132	21	51.1	11	2.7
Lawrence	402	404	-2	100	26	64.7	22	5.5
Lewis	185	173	12	107	7	37.8	2	1.1
Lincoln	193	157	36	123	9	46.6	5	2.6
Linn	321	275	46	117	18	56.1	18	5.6
Livingston	266	243	23	109	18	67.7	9	3.4
McDonald	219	118	101	186	8	36.5	8	3.7
Macon	297	302	-5	98	14	47.1	3	1.0
Madison	151	97	54	3/	6	39.7	6	4.0
Maries	166	70	96	3/	10	60.2	2	1.2
Marion	495	409	86	121	24	48.5	20	4.0
Rural part	89	88	1	3/	2	22.5	4	4/
Hannibal	406	321	85	126	22	54.2	16	3.9
Mercer	144	93	51	3/	3	20.8	6	4.2
Miller	280	160	120	175	21	75.0	17	6.1
Mississippi	408	229	179	178	36	88.2	18	4.4
Moniteau	158	163	-5	97	12	75.9	6	3.8
Monroe	140	197	-57	71	11	78.6	9	6.4
Montgomery	150	147	3	102	5	33.3	7	4.7
Morgan	187	130	57	144	13	69.5	7	3.7
New Madrid	634	381	253	166	92	145.1	29	4.6
Newton	547	323	224	169	31	56.7	20	3.7
Rural part	546	312	234	175	29	53.1	20	3.7
Joplin (part)	1	11	-10	6/	2	6/	---	---
Nodaway	388	275	113	141	18	46.4	12	3.1
Oregon	220	103	117	214	10	45.5	8	3.6
Osage	231	138	93	167	12	51.9	4	1.7
Ozark	203	71	132	3/	9	44.3	9	4.4
Pemiscot	697	521	176	133	108	154.9	34	4.9
Perry	280	117	163	239	18	64.3	8	2.9
Pettis	428	437	-9	98	25	58.4	14	3.3
Rural part	153	104	49	147	8	52.3	4	2.6
Sedalia	275	333	-58	83	17	61.8	10	3.6
White	251	295	-44	85	14	55.8	6	2.4
Other races	24	38	-14	3/	3	125.0	4	4/
Phelps	302	257	45	118	27	89.4	17	5.6
Pike	245	281	-36	87	16	65.3	13	5.3
Platte	152	134	18	113	9	59.2	2	1.3
Polk	268	222	46	121	17	63.4	9	3.4
Pulaski	182	111	71	164	11	60.4	5	2.7
Putnam	190	129	61	147	9	47.4	5	2.6
Ralls	117	125	-8	94	5	42.7	3	2.6
Randolph	317	403	-86	79	16	50.5	9	2.8
Rural part	115	153	-38	75	10	87.0	3	2.6
Moberly	202	250	-48	81	6	29.7	6	3.0
Ray	269	243	26	111	15	55.8	6	2.2
Reynolds	182	69	113	3/	12	65.9	3	1.6
Ripley	188	121	67	155	11	58.5	6	3.2
St. Charles	414	324	90	128	17	41.1	19	4.6
Rural part	163	133	30	123	7	42.9	5	3.1
St. Charles	251	191	60	131	10	39.8	14	5.6
St. Clair	219	158	61	139	6	27.4	12	5.5
St. Francois	646	504	142	128	40	61.9	25	3.9
St. Louis	1,849	2,372	-523	78	133	71.9	61	3.3
Rural part	1,723	2,040	-317	84	130	75.4	51	3.0
Maplewood	53	91	-38	3/	1	18.9	2	4/
University City	28	112	-84	25	-----	------	3	4/
Webster Groves	45	129	-84	35	2	44.4	5	4/
St. Louis (city)	12,853	12,326	527	104	641	49.9	569	4.4
White	11,046	10,149	897	109	521	47.2	401	3.6
Other races	1,807	2,177	-370	83	120	66.4	168	9.3
Ste. Genevieve	213	104	109	205	10	46.9	6	2.8
Saline	396	414	-18	96	25	63.1	18	4.5
Schuyler	95	84	11	3/	2	21.1	3	4/
Scotland	99	111	-12	89	7	70.7	3	4/
Scott	457	245	212	187	31	67.8	17	3.7
Shannon	222	84	138	3/	10	45.0	6	2.7
Shelby	137	157	-20	87	3	21.9	3	2.2
Stoddard	601	314	287	191	37	61.6	25	4.2
Stone	240	104	136	231	8	33.3	3	1.3
Sullivan	218	167	51	131	17	78.0	9	4.1
Taney	158	70	88	3/	7	44.3	4	2.5
Texas	391	216	175	181	26	66.5	20	5.1
Vernon	373	495	-122	75	17	45.6	15	4.0
Warren	98	87	11	3/	4	40.8	2	4/
Washington	283	148	135	191	22	77.7	6	2.1
Wayne	148	102	46	145	10	67.6	3	2.0
Webster	319	171	148	187	20	62.7	13	4.1
Worth	87	67	20	3/	11	126.4	3	4/
Wright	356	166	190	214	21	59.0	11	3.1
MONTANA (total)—	10,400	6,255	4,145	166	593	57.0	227	2.2
Beaverhead	103	66	37	3/	2	19.4	2	1.9
Big Horn	218	123	95	177	29	133.0	6	2.8
Blaine	212	79	133	3/	20	94.3	8	3.8
Broadwater	30	19	11	3/	-----	------	1	4/
Carbon	154	99	55	3/	10	64.9	8	5.2
Carter	40	23	17	3/	3	75.0	---	---
Cascade	865	473	392	183	35	40.5	16	1.8
Rural part	34	56	-22	3/	1	29.4	2	4/
Great Falls	831	417	414	199	34	40.9	14	1.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MONTANA—Con.								
Chouteau	79	53	26	[3]	4	50.6	2	[4]
Custer	252	139	113	181	10	39.7	3	1.2
Daniels	117	29	88	[3]	3	25.6	2	1.7
Dawson	198	90	108	[3]	8	40.4	2	1.0
Deer Lodge	197	463	-266	43	10	50.8	8	4.1
Rural part	6	298	-292	2	2	333.3	----	------
Anaconda	191	165	26	116	8	41.9	8	4.2
Fallon	93	31	62	[3]	4	43.0	2	[4]
Fergus	315	178	137	177	14	44.4	8	2.5
Flathead	442	247	195	179	26	58.8	5	1.1
Gallatin	314	177	137	177	11	35.0	11	3.5
Garfield	48	21	27	[3]	3	62.5	3	[4]
Glacier	209	97	112	[3]	24	114.8	6	2.9
Golden Valley	6	12	-6	[3]	-----	------	----	------
Granite	19	46	-27	[3]	1	52.6	----	------
Hill	349	158	191	221	18	51.6	6	1.7
Jefferson	46	51	-5	[3]	2	43.5	1	[4]
Judith Basin	16	13	3	[3]	-----	------	----	------
Lake	639	357	282	179	34	53.2	14	2.2
Rural part	277	122	155	227	20	72.2	7	2.5
Helena	362	235	127	154	14	38.7	7	1.9
Lewis and Clark	13	37	-24	[3]	2	153.8	----	------
Liberty	28	19	9	[3]	1	35.7	----	------
Lincoln	122	68	54	[3]	4	32.8	1	0.8
McCone	41	30	11	[3]	3	73.2	1	[4]
Madison	72	47	25	[3]	2	27.8	----	------
Meagher	27	17	10	[3]	2	74.1	----	------
Mineral	11	19	-8	[3]	1	90.9	----	------
Missoula	503	341	162	148	25	49.7	8	1.6
Rural part	11	38	-27	[3]	2	181.8	----	------
Missoula	492	303	189	162	23	46.7	8	1.6
Musselshell	54	59	-5	[3]	3	55.6	4	[4]
Park	184	140	44	131	10	54.3	5	2.7
Petroleum	7	4	3	[3]	-----	------	----	------
Phillips	142	66	76	[3]	7	49.3	1	0.7
Pondera	172	85	87	[3]	10	58.1	4	2.3
Powder River	26	19	7	[3]	1	38.5	----	------
Powell	71	60	11	[3]	5	70.4	1	[4]
Prairie	48	23	25	[3]	1	20.8	----	------
Ravalli	165	115	50	143	7	42.4	3	1.8
Richland	237	66	171	[3]	7	29.5	4	1.7
Roosevelt	325	112	213	290	25	76.9	9	2.8
Rosebud	154	102	52	151	24	155.8	3	1.9
Sanders	761	645	116	118	33	43.4	20	2.6
Rural part	61	52	9	[3]	4	65.6	1	[4]
Butte	700	593	107	118	29	41.4	19	2.7
Sheridan	141	56	85	[3]	5	35.5	4	2.8
Silver Bow	65	182	-117	36	5	76.9	----	------
Stillwater	82	41	41	[3]	6	73.2	2	[4]
Sweet Grass	69	30	39	[3]	4	58.0	1	[4]
Teton	73	35	38	[3]	6	82.2	1	[4]
Toole	106	47	59	[3]	4	37.7	5	4.7
Treasure	16	5	11	[3]	1	62.5	----	------
Valley	726	261	465	278	52	71.6	12	1.7
Wheatland	67	29	38	[3]	3	44.8	2	[4]
Wibaux	39	23	16	[3]	6	153.8	----	------
Yellowstone	892	428	464	208	57	63.9	22	2.5
Rural part	193	99	94	[3]	14	72.5	12	6.2
Billings	699	329	370	212	43	61.5	10	1.4
NEBRASKA (total)	23,798	13,752	10,046	173	1,049	44.1	529	2.2
Adams	420	339	81	124	20	47.6	11	2.6
Rural part	90	129	-39	70	4	44.4	1	[4]
Hastings	330	210	120	157	16	48.5	10	3.0
Antelope	271	115	156	236	7	25.8	5	1.8
Arthur	6	4	2	[3]	-----	------	----	------
Banner	9	------	9	------	-----	------	----	------
Blaine	19	6	13	[3]	-----	------	1	[4]
Boone	254	103	151	247	13	51.2	6	2.4
Box Butte	252	151	101	167	16	63.5	2	0.8
Boyd	130	52	78	[3]	5	38.5	4	3.1
Brown	163	66	97	[3]	5	30.7	2	1.2
Buffalo	419	245	174	171	13	31.0	15	3.6
Burt	236	116	120	203	9	38.1	10	4.2
Butler	214	100	114	214	5	23.4	7	3.3
Cass	248	151	97	164	12	48.4	5	2.0
Cedar	299	84	215	[3]	9	30.1	5	1.7
Chase	116	37	79	[3]	4	34.5	----	------
Cherry	181	71	110	[3]	10	55.2	3	1.7
Section B—Continued								
NEBRASKA—Con.								
Cheyenne	162	98	64	[3]	11	67.9	2	1.2
Clay	191	140	51	136	10	52.4	6	3.1
Colfax	188	107	81	176	4	21.3	2	1.1
Cuming	266	130	136	205	9	33.8	7	2.6
Custer	506	244	262	207	30	59.3	12	2.4
Dakota	158	66	92	[3]	7	44.3	1	0.6
Dawes	148	117	31	126	11	74.3	7	4.7
Dawson	344	169	175	203	16	46.5	8	2.3
Deuel	66	25	41	[3]	-----	------	----	------
Dixon	217	101	116	215	12	55.3	3	1.4
Dodge	462	261	201	177	14	30.3	13	2.8
Rural part	155	82	73	[3]	3	19.4	4	2.6
Fremont	307	179	128	172	11	35.8	9	2.9
Douglas	4,320	3,200	1,120	135	226	52.3	84	1.9
Rural part	64	132	-68	48	-----	------	1	[4]
Omaha	4,256	3,068	1,188	139	226	53.1	83	2.0
White	4,071	2,863	1,208	142	215	52.8	81	2.0
Other races	185	205	-20	90	11	59.5	2	1.1
Dundy	87	46	41	[3]	4	46.0	1	[4]
Fillmore	162	93	69	[3]	6	37.0	3	1.9
Franklin	127	74	53	[3]	2	15.7	3	2.4
Frontier	105	46	59	[3]	4	38.1	3	2.9
Furnas	215	130	85	165	9	41.9	8	3.7
Gage	573	343	230	167	12	20.9	7	1.2
Rural part	200	191	9	105	4	20.0	----	------
Beatrice	373	152	221	245	8	21.4	7	1.9
Garden	88	34	54	[3]	4	45.5	----	------
Garfield	98	27	71	[3]	5	51.0	----	------
Gosper	65	21	44	[3]	-----	------	----	------
Grant	34	5	29	[3]	1	29.4	1	[4]
Greeley	178	64	114	[3]	5	28.1	2	1.1
Hall	498	362	136	138	28	56.2	14	2.8
Rural part	111	63	48	[3]	6	54.1	2	1.8
Grand Island	387	299	88	129	22	56.8	12	3.1
Hamilton	149	85	64	[3]	4	26.8	2	1.3
Harlan	131	70	61	[3]	1	7.6	2	1.5
Hayes	63	20	43	[3]	6	95.2	----	------
Hitchcock	150	51	99	[3]	1	6.7	1	0.7
Holt	371	135	236	275	15	40.4	17	4.6
Hooker	25	16	9	[3]	4	160.0	1	[4]
Howard	142	68	74	[3]	3	21.1	5	3.5
Jefferson	255	150	105	170	16	62.7	6	2.4
Johnson	151	75	76	[3]	7	46.4	3	2.0
Kearney	103	95	8	[3]	2	19.4	5	4.9
Keith	156	63	93	[3]	5	32.1	5	3.2
Keyapaha	45	6	39	[3]	-----	------	1	[4]
Kimball	119	51	68	[3]	2	16.8	2	1.7
Knox	279	138	141	202	7	25.1	5	1.8
Lancaster	1,435	1,248	187	115	66	46.0	31	2.2
Rural part	147	241	-94	61	4	27.2	2	1.4
Lincoln	1,288	1,007	281	128	62	48.1	29	2.3
Lincoln	511	267	244	191	35	68.5	9	1.8
Rural part	197	80	117	[3]	8	40.6	1	0.5
North Platte	314	187	127	168	27	86.0	8	2.5
Logan	38	8	30	[3]	1	26.3	----	------
Loup	27	11	16	[3]	-----	------	----	------
McPherson	10	5	5	[3]	2	200.0	----	------
Madison	504	334	170	151	27	53.6	10	2.0
Rural part	175	142	33	123	1	5.7	2	1.1
Norfolk	329	192	137	171	26	79.0	8	2.4
Merrick	141	76	65	[3]	9	63.8	4	2.8
Morrill	236	72	164	[3]	14	59.3	4	1.7
Nance	163	64	99	[3]	2	12.3	5	3.1
Nemaha	222	137	85	162	14	63.1	5	2.3
Nuckolls	199	110	89	181	7	35.2	9	4.5
Otoe	297	188	109	158	14	47.1	7	2.4
Pawnee	167	88	79	[3]	3	18.0	4	2.4
Perkins	86	26	60	[3]	2	23.3	2	[4]
Phelps	178	100	78	178	6	33.7	5	2.8
Pierce	187	66	121	[3]	6	32.1	3	1.6
Platte	445	223	222	200	28	62.9	10	2.2
Polk	153	58	95	[3]	4	26.1	3	2.0
Redwillow	285	160	125	178	16	56.1	10	3.5
Richardson	326	195	131	167	17	52.1	10	3.1
Rock	55	21	34	[3]	1	18.2	----	------
Saline	192	116	76	166	3	15.6	4	2.1
Sarpy	67	57	10	[3]	1	14.9	1	[4]
Saunders	230	148	82	155	5	21.7	7	3.0
Scotts Bluff	788	278	510	283	53	67.3	17	2.2
Seward	312	150	162	208	6	19.2	8	2.6
Sheridan	211	99	112	[3]	11	52.1	2	0.9
Sherman	177	58	119	[3]	7	39.5	2	1.1
Sioux	42	19	23	[3]	1	23.8	2	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEBRASKA—Con.								
Stanton	110	46	64	[3]	3	27.3	1	0.9
Thayer	195	108	87	181	5	25.6	5	2.6
Thomas	26	10	16	[3]	-----	------	4	[4]
Thurston	234	103	131	227	15	64.1	6	2.6
Valley	162	90	72	[3]	7	43.2	8	4.9
Washington	139	97	42	[3]	2	14.4	2	1.4
Wayne	149	71	78	[3]	8	53.7	3	2.0
Webster	128	72	56	[3]	4	31.3	3	2.3
Wheeler	52	18	34	[3]	3	57.7	----	------
York	285	189	96	151	10	35.1	5	1.8
NEVADA (total)	1,419	1,439	-20	99	99	69.8	31	2.2
Churchill	86	57	29	[3]	2	23.3	4	[4]
Clark	236	160	76	148	22	93.2	5	2.1
Douglas	4	20	-16	[3]	3	[5]	2	[4]
Elko	105	127	-22	83	9	85.7	3	2.9
Esmeralda	4	22	-18	[3]	-----	------	----	------
Eureka	10	6	4	[3]	-----	------	1	[4]
Humboldt	56	45	11	[3]	2	35.7	1	[4]
Lander	20	28	-8	[3]	1	50.0	2	[4]
Lincoln	53	25	28	[3]	2	37.7	1	[4]
Lyon	46	48	-2	[3]	2	43.5	1	[4]
Mineral	30	48	-18	[3]	6	200.0	----	------
Nye	38	96	-58	[3]	4	105.3	2	[4]
Ormsby	41	52	-11	[3]	6	146.3	----	------
Pershing	19	33	-14	[3]	1	52.6	----	------
Storey	8	19	-11	[3]	-----	------	----	------
Washoe	484	550	-66	88	30	62.0	7	1.4
Rural part	264	312	-48	85	14	53.0	3	1.1
Reno	220	238	-18	92	16	72.7	4	1.8
White Pine	179	103	76	174	9	50.3	2	1.1
NEW HAMPSHIRE (total)	7,679	6,438	1,241	119	355	46.2	228	3.0
Belknap	348	388	-40	90	17	48.9	8	2.3
Rural part	53	142	-89	37	1	18.9	1	[4]
Laconia	295	246	49	120	16	54.2	7	2.4
Carroll	285	259	26	110	13	45.6	5	1.8
Cheshire	474	448	26	106	22	46.4	5	1.1
Rural part	161	226	-65	71	7	43.5	1	0.6
Keene	313	222	91	141	15	47.9	4	1.3
Coos	765	435	330	176	40	52.3	14	1.8
Rural part	362	258	104	140	17	47.0	6	1.7
Berlin	403	177	226	228	23	57.1	8	2.0
Grafton	873	630	243	139	23	26.3	33	3.8
Hillsboro	2,309	1,776	533	130	120	52.0	82	3.6
Rural part	460	528	-68	87	27	58.7	17	3.7
Manchester	1,244	826	418	151	59	47.4	39	3.1
Nashua	605	422	183	143	34	56.2	26	4.3
Merrimack	868	974	-106	89	31	35.7	27	3.1
Rural part	395	442	-47	89	13	32.9	10	2.5
Concord	473	532	-59	89	18	38.1	17	3.6
Rockingham	766	727	39	105	38	49.6	24	3.1
Rural part	477	523	-46	91	27	56.6	11	2.3
Portsmouth	289	204	85	142	11	38.1	13	4.5
Strafford	658	522	136	126	31	47.1	19	2.9
Rural part	126	161	-35	78	8	63.5	5	4.0
Dover	268	172	96	156	10	37.3	6	2.2
Rochester	264	189	75	140	13	49.2	8	3.0
Sullivan	333	279	54	119	20	60.1	11	3.3
Rural part	150	141	9	106	9	60.0	3	2.0
Claremont (town)	183	138	45	133	11	60.1	8	4.4
NEW JERSEY (total)	53,833	44,959	8,874	120	2,386	44.3	1,801	3.3
Atlantic	1,628	1,947	-319	84	71	43.6	70	4.3
Rural part	487	618	-131	79	18	37.0	22	4.5
Atlantic City	1,033	1,178	-145	88	47	45.5	42	4.1
White	774	876	-102	88	30	38.8	29	3.7
Other races	259	302	-43	86	17	65.6	13	5.0
Pleasantville	108	151	-43	72	6	55.6	6	5.6
White	94	115	-21	82	5	53.2	4	[4]
Other races	14	36	-22	[3]	1	71.4	2	[4]
Bergen	3,499	3,261	238	107	165	47.2	104	3.0
Rural part	687	1,373	-686	50	35	50.9	17	2.5
Cliffside Park	36	89	-53	[3]	3	83.3	2	[4]
Englewood	769	375	394	205	34	44.2	18	2.3
White	711	328	383	217	29	40.8	15	2.1
Other races	58	47	11	[3]	5	86.2	3	[4]
Garfield	129	99	30	[3]	4	31.0	5	3.9
Hackensack	923	552	376	168	47	50.6	34	3.7
White	848	522	326	162	43	50.7	31	3.7
Other races	80	30	50	[3]	4	50.0	3	[4]
Lodi	64	57	7	[3]	2	31.3	3	[4]

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW JERSEY—Con.								
Bergen—Continued								
Lyndhurst (twp.)	68	92	-24	[3]	-----	------	1	[4]
Ridgefield Park	12	67	-55	[3]	1	83.3	----	------
Ridgewood	65	101	-36	64	3	46.2	2	[4]
Rutherford	18	115	-97	16	4	222.2	----	------
Teaneck (twp.)	723	341	382	212	32	44.3	22	3.0
Burlington	1,260	1,156	104	109	71	56.3	35	2.8
Rural part	1,157	1,066	91	109	65	56.2	33	2.9
Burlington	103	90	13	[3]	6	58.3	2	1.9
White	94	78	16	[3]	4	42.6	2	[4]
Other races	9	12	-3	[3]	2	222.2	----	------
Camden	3,838	2,953	885	130	188	49.0	125	3.3
Rural part	560	1,009	-449	56	28	50.0	13	2.3
Camden	3,073	1,620	1,453	190	154	50.1	108	3.5
White	2,685	1,410	1,275	190	122	45.4	87	3.2
Other races	388	210	178	185	32	82.5	21	5.4
Collingswood	41	105	-64	39	5	122.0	1	[4]
Gloucester	84	108	-24	78	1	11.9	1	[4]
Pensauken (twp.)	80	111	-31	72	-----	------	2	[4]
Cape May	315	470	-155	67	11	34.9	9	2.9
Cumberland	1,137	944	193	120	55	48.4	43	3.8
Rural part	492	473	19	104	20	40.7	18	3.7
Bridgeton	377	258	119	146	22	58.4	15	4.0
Millville	268	213	55	126	13	48.5	10	3.7
Essex	11,323	9,010	2,313	126	483	42.7	350	3.1
Rural part	701	982	-281	71	19	27.1	16	2.3
Belleville	96	254	-158	38	27	281.3	----	------
Bloomfield	73	205	-132	36	7	95.9	2	[4]
East Orange	569	535	34	106	18	31.6	24	4.2
Irvington	372	399	-27	93	19	51.1	8	2.2
Maplewood (twp.)	14	169	-155	83	1	71.4	----	------
Montclair	508	341	167	149	18	35.4	14	2.8
White	484	301	183	161	18	37.2	14	2.9
Other races	24	40	-16	[3]	-----	------	----	------
Newark	7,245	5,106	2,139	142	316	43.6	231	3.2
White	6,352	4,387	1,965	145	243	38.3	179	2.8
Other races	893	719	174	124	73	81.7	52	5.8
Nutley	55	102	-47	54	4	72.7	1	[4]
Orange	1,654	689	965	240	54	32.6	53	3.2
White	1,523	601	922	253	41	26.9	46	3.0
Other races	131	88	43	[3]	13	99.2	7	5.3
South Orange	13	98	-85	[3]	-----	------	----	------
West Orange	23	130	-107	17	-----	------	1	[4]
Gloucester	870	785	85	111	43	49.4	21	2.4
Hudson	8,649	6,782	1,867	128	332	38.4	360	4.2
Rural part	30	573	-543	5	4	133.3	----	------
Bayonne	625	622	3	100	36	57.6	30	4.8
Harrison	39	74	-35	[3]	3	76.9	4	[4]
Hoboken	495	633	-138	78	21	42.4	25	5.1
Jersey City	6,658	3,560	3,098	187	236	35.4	264	4.0
White	6,325	3,361	2,964	188	219	34.6	235	3.7
Other races	333	199	134	167	17	51.1	29	8.7
Kearny	210	297	-87	71	6	28.6	15	7.1
North Bergen (twp.)	111	195	-84	57	3	27.0	5	4.5
Union City	171	297	-126	58	6	35.1	4	2.3
Weehawken (twp.)	214	375	-161	57	16	74.8	8	3.7
West New York	96	156	-60	62	1	10.4	5	[4]
Hunterdon	294	427	-133	69	16	54.4	9	3.1
Mercer	2,847	2,494	353	114	159	55.8	101	3.5
Rural part	473	739	-266	64	30	63.4	10	2.1
Trenton	2,374	1,755	619	135	129	54.3	91	3.8
Middlesex	2,796	1,855	941	151	115	41.1	98	3.5
Rural part	621	559	62	111	19	30.6	18	2.9
Carteret	120	42	78	[3]	4	33.3	----	------
New Brunswick	939	592	347	159	47	50.1	35	3.7
Perth Amboy	839	487	352	172	41	48.9	37	4.4
South River	112	51	61	[3]	2	17.9	1	0.9
Woodbridge (twp.)	165	124	41	133	2	12.1	7	4.2
Monmouth	1,998	2,264	-266	88	83	41.5	58	2.9
Rural part	390	1,191	-801	33	22	56.4	12	3.1
Asbury Park	75	138	-63	54	-----	------	1	[4]
White	66	115	-49	57	-----	------	1	[4]
Other races	9	23	-14	[3]	-----	------	----	------
Long Branch	828	476	352	174	27	32.6	21	2.5
Neptune (twp.)	556	323	233	172	28	50.4	19	3.4
White	480	274	206	175	20	41.7	16	3.3
Other races	76	49	27	[3]	8	105.3	3	[4]
Red Bank	149	136	13	110	6	40.3	5	3.4
White	143	118	25	121	3	21.0	5	3.5
Other races	6	18	-12	[3]	3	500.0	----	------
Morris	1,361	1,732	-371	79	55	40.4	44	3.2
Rural part	337	1,232	-895	27	19	56.4	11	3.3
Dover	430	171	259	251	10	23.3	15	3.5
Morristown	594	329	265	181	26	43.8	18	3.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW JERSEY—Con.								
Ocean	471	576	-105	82	38	80.7	18	3.8
Passaic	4,933	3,256	1,677	152	223	45.2	149	3.0
Rural part	253	414	-161	61	9	35.6	7	2.8
Clifton	154	216	-62	71	3	19.5	3	1.9
Hawthorne	40	69	-29	[3]	-----	------	----	------
Passaic	1,863	793	1,070	235	90	48.3	45	2.4
Paterson	2,623	1,764	859	149	121	46.1	94	3.6
Salem	587	377	210	156	31	52.8	26	4.4
Somerset	798	770	28	104	25	31.3	27	3.4
Sussex	482	369	113	131	26	53.9	10	2.1
Union	4,233	2,958	1,275	143	175	41.3	129	3.0
Rural part	125	309	-184	40	6	48.0	1	0.8
Cranford (twp.)	84	69	15	[3]	3	35.7	3	[4]
Elizabeth	2,059	1,299	760	159	98	47.6	66	3.2
Hillside (twp.)	44	84	-40	[3]	2	45.5	1	[4]
Linden	140	76	64	[3]	3	21.4	3	2.1
Plainfield	881	493	388	179	30	34.1	34	3.9
White	775	424	351	183	23	29.7	28	3.6
Other races	106	69	37	[3]	7	66.0	6	5.7
Rahway	392	169	223	232	11	28.1	6	1.5
Roselle	20	63	-43	[3]	1	50.0	2	[4]
White	11	60	-49	[3]	-----	------	----	------
Other races	9	3	6	[3]	1	111.1	2	[4]
Summit	392	218	174	180	14	35.7	8	2.0
Union (twp.)	57	73	-16	[3]	4	70.2	3	[4]
Westfield	39	105	-66	37	3	76.9	2	[4]
Warren	514	573	-59	90	21	40.9	15	2.9
Rural part	259	348	-89	74	11	42.5	4	1.5
Phillipsburg	255	225	30	113	10	39.2	11	4.3
NEW MEXICO (total)	12,907	6,248	6,659	207	1,572	121.8	407	3.2
Bernalillo	1,494	1,084	410	138	220	147.3	59	3.9
Rural part	644	340	304	189	106	164.6	27	4.2
Albuquerque	850	744	106	114	114	134.1	32	3.8
Catron	141	46	95	[3]	13	92.2	7	5.0
Chaves	514	245	269	210	32	62.3	21	4.1
Rural part	128	41	87	[3]	10	78.1	6	4.7
Roswell	386	204	182	189	22	57.0	15	3.9
Colfax	388	225	163	172	46	118.6	19	4.9
Curry	491	167	324	294	31	63.1	13	2.6
De Baca	97	41	56	[3]	11	113.4	2	[4]
Dona Ana	929	353	576	263	113	121.6	22	2.4
Eddy	605	221	384	274	61	100.8	20	3.3
Grant	376	231	145	163	35	93.1	8	2.1
Guadalupe	272	108	164	252	27	99.3	9	3.3
Harding	115	43	72	[3]	10	87.0	----	------
Hidalgo	133	62	71	[3]	13	97.7	4	3.0
Lea	347	119	228	292	19	54.8	17	4.9
Lincoln	208	102	106	204	14	67.3	6	2.9
Luna	160	118	42	136	22	137.5	4	2.5
McKinley	489	306	183	160	112	229.0	8	1.6
Mora	372	130	242	286	47	126.3	20	5.4
Otero	236	127	109	186	25	105.9	9	3.8
Quay	250	111	139	225	26	104.0	9	3.6
Rio Arriba	785	286	499	274	111	141.4	19	2.4
Roosevelt	271	99	172	[3]	8	29.5	7	2.6
Sandoval	358	165	193	217	59	164.8	7	2.0
San Juan	173	108	65	160	27	156.1	4	2.3
San Miguel	809	481	328	168	120	148.3	34	4.2
Santa Fe	799	403	396	198	130	162.7	30	3.8
Rural part	303	127	176	239	59	194.7	12	4.0
Santa Fe	496	276	220	180	71	143.1	18	3.6
Sierra	144	113	31	127	12	83.3	3	2.1
Socorro	314	200	114	157	52	165.6	11	3.5
Taos	527	138	389	382	47	89.2	7	1.3
Torrance	325	86	239	[3]	27	83.1	8	2.5
Union	214	108	106	198	18	84.1	6	2.8
Valencia	571	222	349	257	84	147.1	14	2.5
NEW YORK (total)	182,469	153,545	28,924	119	8,567	47.0	7,221	4.0
New York City	99,058	77,687	21,371	128	4,500	45.4	4,866	4.9
White	92,402	71,375	21,027	129	3,912	42.3	4,247	4.6
Other races	6,656	6,312	344	105	588	88.3	619	9.3
Bronx Borough	15,016	12,048	2,968	125	625	41.6	628	4.2
White	14,566	11,458	3,108	127	580	39.8	595	4.1
Other races	450	590	-140	76	45	100.0	33	7.3
Brooklyn Borough	39,481	26,067	13,414	151	1,670	42.3	1,919	4.9
White	37,547	24,776	12,771	152	1,526	40.6	1,724	4.6
Other races	1,934	1,291	643	150	144	74.5	195	10.1
Manhattan Borough	31,810	28,303	3,507	112	1,700	53.4	1,765	5.5
White	27,940	24,422	3,518	114	1,332	47.7	1,410	5.0
Other races	3,870	3,881	-11	100	368	95.1	355	9.2
Section B—Continued								
NEW YORK—Con.								
New York City—Con.								
Queens Borough	10,385	8,834	1,551	118	421	40.5	461	4.4
White	10,050	8,549	1,501	118	394	39.2	431	4.3
Other races	335	285	50	118	27	80.6	30	9.0
Richmond Borough	2,366	2,435	-69	97	84	35.5	93	3.9
White	2,299	2,170	129	106	80	34.8	87	3.8
Other races	67	265	-198	25	4	59.7	6	[4]
Albany	3,030	2,853	177	106	163	53.8	70	2.3
Rural part	158	496	-338	32	9	57.0	3	1.9
Albany	2,467	1,942	525	127	131	53.1	57	2.3
Cohoes	326	287	39	114	19	58.3	9	2.8
Watervliet	79	128	-49	62	4	50.6	1	[4]
Allegany	622	533	89	117	37	59.5	26	4.2
Bronx, coextensive with:								
Bronx Borough	15,016	12,048	2,968	125	625	41.6	628	4.2
White	14,566	11,458	3,108	127	580	39.8	595	4.1
Other races	450	590	-140	76	45	100.0	33	7.3
Broome	2,893	1,924	969	150	156	53.9	68	2.4
Rural part	372	378	-6	98	17	45.7	8	2.2
Binghamton	1,222	1,138	84	107	79	64.6	30	2.5
Endicott	556	196	460	335	26	39.6	14	2.1
Johnson City	643	212	431	303	34	52.9	16	2.5
Cattaraugus	1,416	977	439	145	64	45.2	33	2.3
Rural part	753	675	78	112	32	42.5	16	2.1
Olean	663	302	361	220	32	48.3	17	2.6
Cayuga	971	895	76	108	44	45.3	26	2.7
Rural part	283	378	-95	75	11	38.9	12	4.2
Auburn	688	517	171	133	33	48.0	14	2.0
Chautauqua	1,737	1,478	259	118	73	42.0	35	2.0
Rural part	573	711	-138	81	28	48.9	10	1.7
Dunkirk	285	214	71	133	10	35.1	6	2.1
Jamestown	879	553	326	159	35	39.8	19	2.2
Chemung	1,140	968	172	118	53	46.5	32	2.8
Rural part	121	255	-134	47	6	49.6	4	3.3
Elmira	1,019	713	306	143	47	46.1	28	2.7
Chenango	630	526	104	120	27	42.9	15	2.4
Clinton	1,102	651	451	169	68	61.7	40	3.6
Rural part	530	359	171	148	39	73.6	18	3.4
Plattsburg	572	292	280	196	29	50.7	22	3.8
Columbia	538	613	-75	88	22	40.9	10	1.9
Rural part	192	355	-163	54	6	31.3	6	3.1
Hudson	346	258	88	134	16	46.2	4	1.2
Cortland	662	492	170	135	38	57.4	16	2.4
Rural part	179	205	-26	87	11	61.5	2	1.1
Cortland	483	287	196	168	27	55.9	14	2.9
Delaware	726	573	153	127	42	57.9	25	3.4
Dutchess	1,338	2,315	-977	58	80	59.8	45	3.4
Rural part	633	1,574	-941	40	30	47.4	19	3.0
Beacon	157	209	-52	75	6	38.2	9	5.7
Poughkeepsie	548	532	16	103	44	80.3	17	3.1
Erie	11,779	9,657	2,122	122	578	49.1	358	3.0
Rural part	1,245	1,539	-294	81	51	41.0	24	1.9
Buffalo	9,753	7,704	2,049	127	488	50.0	304	3.1
White	9,376	7,351	2,025	128	457	48.7	291	3.1
Other races	377	353	24	107	31	82.2	13	3.4
Kenmore	17	94	-77	[3]	1	58.8	----	------
Lackawanna	678	243	435	279	36	53.1	27	4.0
White	654	229	425	286	33	50.5	25	3.8
Other races	24	14	10	[3]	3	125.0	2	[4]
Tonawanda	86	77	9	[3]	2	23.3	3	[4]
Essex	666	570	96	117	46	69.1	23	3.5
Franklin	882	755	127	117	63	71.4	33	3.7
Fulton	616	664	-48	93	33	53.6	16	2.6
Rural part	155	177	-22	88	11	71.0	4	2.6
Gloversville	349	367	-18	95	19	54.4	11	3.2
Johnstown	112	120	-8	93	3	26.8	1	0.9
Genesee	670	656	14	102	32	47.8	19	2.8
Rural part	221	272	-51	81	10	45.2	2	0.9
Batavia	449	384	65	117	22	49.0	17	3.8
Greene	357	445	-88	80	23	64.4	6	1.7
Hamilton	44	46	-2	[3]	2	45.5	----	------
Herkimer	835	790	45	106	35	41.9	20	2.4
Rural part	478	491	-13	97	22	46.0	9	1.9
Herkimer	174	142	32	123	5	28.7	5	2.9
Little Falls	183	157	26	117	8	43.7	6	3.3
Jefferson	1,443	1,205	238	120	77	53.4	36	2.5
Rural part	700	643	57	109	37	52.9	14	2.0
Watertown	743	562	181	132	40	53.8	22	3.0
Kings, coextensive with:								
Brooklyn Borough	39,481	26,067	13,414	151	1,670	42.3	1,919	4.9
White	37,547	24,776	12,771	152	1,526	40.6	1,724	4.6
Other races	1,934	1,291	643	150	144	74.5	195	10.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Con.								
Lewis	437	285	152	153	22	50.3	13	3.0
Livingston	369	607	-238	61	13	35.2	7	1.9
Madison	623	603	20	103	33	53.0	13	2.1
Rural part	400	378	22	106	17	42.5	10	2.5
Oneida	223	225	-2	99	16	71.7	3	1.3
Monroe	5,665	5,226	439	108	232	41.0	145	2.6
Rural part	694	1,126	-432	62	34	49.0	11	1.6
Rochester	4,914	3,997	917	123	197	40.0	133	2.7
Irondequoit (town)	57	103	-46	55	1	17.5	1	4/
Montgomery	772	800	-28	97	30	38.9	24	3.1
Rural part	199	306	-107	65	10	50.3	4	2.0
Amsterdam	573	494	79	116	20	34.9	20	3.5
Nassau	3,755	3,039	716	124	161	42.9	111	3.0
Rural part	2,568	2,218	350	116	123	47.9	74	2.9
Floral Park	126	94	32	3/	6	47.6	5	4.0
Freeport	186	157	29	118	5	26.9	5	2.7
Glen Cove	453	186	267	244	16	35.3	11	2.4
Hempstead	288	122	166	236	5	17.4	9	3.1
Lynbrook	64	84	-20	3/	3	46.9	1	4/
Rockville Centre	29	115	-86	25	3	103.4	1	4/
Valley Stream	41	63	-22	3/	-----	------	5	4/
New York, coextensive with:								
Manhattan Borough	31,810	28,303	3,507	112	1,700	53.4	1,765	5.5
White	27,940	24,422	3,518	114	1,332	47.7	1,410	5.0
Other races	3,870	3,881	-11	100	368	95.1	355	9.2
Niagara	2,413	1,674	739	144	96	39.8	64	2.7
Rural part	300	456	-156	66	18	60.0	7	2.3
Lockport	428	331	97	129	9	21.0	20	4.7
Niagara Falls	1,336	696	640	192	53	39.7	26	1.9
North Tonawanda	349	191	158	183	16	45.8	11	3.2
Oneida	3,027	2,903	124	104	152	50.2	82	2.7
Rural part	474	900	-426	53	20	42.2	11	2.3
Rome	704	576	128	122	40	56.8	23	3.3
Utica	1,849	1,427	422	130	92	49.8	48	2.6
Onondaga	4,149	3,315	834	125	180	43.4	114	2.7
Rural part	579	857	-278	68	16	27.6	16	2.8
Syracuse	3,570	2,458	1,112	145	164	45.9	98	2.7
Ontario	905	834	71	109	52	57.5	18	2.0
Rural part	550	625	-75	88	39	70.9	9	1.6
Geneva	355	209	146	170	13	36.6	9	2.5
Orange	1,970	2,024	-54	97	110	55.8	57	2.9
Rural part	980	878	102	112	42	42.9	25	2.6
Middletown	416	518	-102	80	27	64.9	12	2.9
Newburgh	403	467	-64	86	28	69.5	12	3.0
Port Jervis	171	161	10	106	13	76.0	8	4.7
Orleans	393	366	27	107	12	30.5	13	3.3
Oswego	1,149	889	260	129	46	40.0	31	2.7
Rural part	401	478	-77	84	17	42.4	7	1.7
Fulton	316	135	183	236	9	28.3	9	2.8
Oswego	430	276	154	156	20	46.5	15	3.5
Otsego	758	739	19	103	38	50.1	29	3.8
Rural part	473	544	-71	87	25	52.9	17	3.6
Oneonta	285	195	90	146	13	45.6	12	4.2
Putnam	166	162	4	102	10	60.2	4	2.4
Queens, coextensive with:								
Queens Borough	10,385	8,834	1,551	118	421	40.5	461	4.4
White	10,050	8,549	1,501	118	394	39.2	431	4.3
Other races	335	285	50	118	27	80.6	30	9.0
Rensselaer	1,598	1,801	-203	89	87	54.4	45	2.8
Rural part	256	450	-194	57	13	50.8	4	1.6
Rensselaer	39	93	-54	3/	2	51.3	----	------
Troy	1,303	1,258	45	104	72	55.3	41	3.1
Richmond, coextensive with:								
Richmond Borough	2,366	2,435	-69	97	84	35.5	93	3.9
White	2,299	2,170	129	106	80	34.8	87	3.8
Other races	67	265	-198	25	4	59.7	6	4/
Rockland	762	1,036	-274	74	29	38.1	24	3.1
St. Lawrence	1,694	1,469	225	115	109	64.3	67	4.0
Rural part	1,051	921	140	115	69	65.0	26	2.5
Massena	215	71	144	3/	15	69.8	10	4.7
Ogdensburg	418	477	-59	88	25	59.8	31	7.4
Saratoga	805	853	-48	94	54	67.1	25	3.1
Rural part	555	556	-1	100	36	64.9	16	2.9
Saratoga Springs	250	297	-47	84	18	72.0	9	3.6
Schenectady	1,516	1,364	152	111	73	48.2	51	3.4
Rural part	145	322	-177	45	7	48.3	2	1.4
Schenectady	1,371	1,042	329	132	66	48.1	49	3.6
Schoharie	301	290	11	104	20	66.4	10	3.3
Schuyler	208	189	19	110	15	72.1	3	1.4
Seneca	334	599	-265	56	15	44.9	11	3.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Con.								
Steuben	1,522	1,253	269	121	70	46.0	41	2.7
Rural part	828	797	31	104	38	45.9	25	3.0
Corning	410	235	175	174	19	46.3	8	2.0
Hornell	284	221	63	129	13	45.8	8	2.8
Suffolk	2,313	3,343	-1,030	69	98	42.4	63	2.7
Sullivan	397	596	-199	67	18	45.3	16	4.0
Tioga	381	412	-31	92	23	60.4	13	3.4
Tompkins	596	554	42	108	27	45.3	12	2.0
Rural part	174	247	-73	70	9	51.7	4	2.3
Ithaca	422	307	115	137	18	42.7	8	1.9
Ulster	1,007	1,210	-203	83	55	54.6	31	3.1
Rural part	423	574	-151	74	19	44.9	11	2.6
Kingston	584	636	-52	92	36	61.6	20	3.4
Warren	641	593	48	108	35	54.6	23	3.6
Rural part	210	216	-6	97	6	28.6	7	3.3
Glens Falls	431	377	54	114	29	67.3	16	3.7
Washington	745	655	90	114	42	56.4	25	3.4
Wayne	684	753	-69	91	31	45.3	10	1.5
Westchester	6,598	5,167	1,431	128	289	43.8	184	2.8
Rural part	1,401	1,815	-414	77	79	56.4	46	3.3
Mamaroneck	33	71	-38	3/	1	30.3	1	4/
Mount Vernon	870	562	308	155	35	40.2	27	3.1
New Rochelle	643	475	168	135	25	38.9	18	2.8
Ossining	226	182	44	124	6	26.5	8	3.5
Peekskill	350	200	150	175	11	31.4	11	3.1
Port Chester	603	287	316	210	24	39.8	12	2.0
White Plains	774	353	421	219	23	29.7	13	1.7
Yonkers	1,698	1,222	476	139	85	50.1	48	2.8
Wyoming	420	393	27	107	23	54.8	13	3.1
Yates	241	276	-35	87	11	45.6	11	4.6
NORTH CAROLINA (total)	76,182	35,630	40,552	214	5,247	68.9	3,116	4.1
Alamance	1,002	387	615	259	37	36.9	43	4.3
White	777	289	488	269	25	32.2	28	3.6
Other races	225	98	127	3/	12	53.3	15	6.7
Alexander	305	89	216	3/	16	52.5	6	2.0
White	273	84	189	3/	15	54.9	6	2.2
Other races	32	5	27	3/	1	31.3	----	------
Alleghany	164	74	90	3/	15	91.5	1	0.6
White	161	70	91	3/	15	93.2	1	0.6
Other races	3	4	-1	3/	-----	------	----	------
Anson	702	273	429	257	51	72.6	24	3.4
White	331	113	218	293	22	66.5	9	2.7
Other races	371	160	211	232	29	78.2	15	4.0
Ashe	538	134	404	401	33	61.3	10	1.9
White	530	133	397	398	33	62.3	10	1.9
Other races	8	1	7	3/	-----	------	----	------
Avery	440	111	329	396	20	45.5	10	2.3
White	429	104	325	413	18	42.0	10	2.3
Other races	11	7	4	3/	2	181.8	----	------
Beaufort	878	526	352	167	69	78.6	46	5.2
White	547	275	272	199	36	65.8	16	2.9
Other races	331	251	80	132	33	99.7	30	9.1
Bertie	691	346	345	200	68	98.4	39	5.6
White	210	128	82	164	16	76.2	7	3.3
Other races	481	218	263	221	52	108.1	32	6.7
Bladen	720	228	492	316	55	76.4	32	4.4
White	378	117	261	323	34	89.9	14	3.7
Other races	342	111	231	308	21	61.4	18	5.3
Brunswick	380	210	170	181	22	57.9	24	6.3
White	232	138	94	168	13	56.0	12	5.2
Other races	148	72	76	3/	9	60.8	12	8.1
Buncombe	1,871	1,413	458	132	126	67.3	57	3.0
Rural part	892	677	215	132	48	53.8	24	2.7
White	865	537	328	161	47	54.3	23	2.7
Other races	27	140	-113	19	1	37.0	1	4/
Asheville	979	736	243	133	78	79.7	33	3.4
White	773	518	255	149	55	71.2	21	2.7
Other races	206	218	-12	94	23	111.7	12	5.8
Burke	756	421	335	180	33	43.7	15	2.0
White	691	391	300	177	30	43.4	11	1.6
Other races	65	30	35	3/	3	46.2	4	4/
Cabarrus	905	360	545	251	59	65.2	24	2.7
Rural part	638	240	398	266	40	62.7	19	3.0
White	509	154	355	331	25	49.1	10	2.0
Other races	129	86	43	3/	15	116.3	9	7.0
Concord	257	120	147	223	19	71.2	5	1.9
White	226	83	143	3/	15	66.4	4	1.8
Other races	41	37	4	3/	4	97.6	1	4/
Caldwell	915	263	652	348	55	60.1	26	2.8
White	855	227	628	377	46	53.8	22	2.6
Other races	60	36	24	3/	9	150.0	4	4/

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Camden	101	71	30	3/	12	118.8	3	3.0
White	42	33	9	3/	5	119.0	----	------
Other races	59	38	21	3/	7	118.6	3	4/
Carteret	385	209	176	184	20	51.9	15	3.9
White	323	165	158	196	14	43.3	12	3.7
Other races	62	44	18	3/	6	96.8	3	4/
Caswell	418	117	301	357	19	45.5	21	5.0
White	179	60	119	3/	9	50.3	4	2.2
Other races	239	57	182	3/	10	41.8	17	7.1
Catawba	1,031	427	604	241	51	49.5	24	2.3
White	931	360	571	259	40	43.0	19	2.0
Other races	100	67	33	3/	11	110.0	5	5.0
Chatham	454	231	223	197	29	63.9	16	3.5
White	277	147	130	188	12	43.3	7	2.5
Other races	177	84	93	3/	17	96.0	9	5.1
Cherokee	441	129	312	342	15	34.0	12	2.7
White	430	124	306	347	15	34.9	10	2.3
Other races	11	5	6	3/	-----	------	2	4/
Chowan	246	117	129	210	21	85.4	10	4.1
White	112	36	76	3/	3	26.8	2	1.8
Other races	134	81	53	3/	18	134.3	8	6.0
Clay	111	39	72	3/	8	72.1	1	0.9
White	111	37	74	3/	8	72.1	1	0.9
Other races	------	2	-2	------	-----	------	----	------
Cleveland	1,267	363	904	349	61	48.1	41	3.2
Rural part	933	239	695	390	36	38.6	25	2.7
White	653	196	457	333	30	45.9	15	2.3
Other races	280	43	237	3/	6	21.4	10	3.6
Shelby	334	124	210	269	25	74.9	16	4.8
White	280	98	182	3/	20	71.4	10	3.6
Other races	54	26	28	3/	5	92.6	6	4/
Columbus	1,099	452	647	243	93	84.6	56	5.1
White	702	290	412	242	52	74.1	23	3.3
Other races	397	162	235	245	41	103.3	33	8.3
Craven	620	435	185	143	57	91.9	34	5.5
Rural part	407	222	185	183	34	83.5	17	4.2
White	196	91	105	3/	10	51.0	4	2.0
Other races	211	131	80	161	24	113.7	13	6.2
New Bern	213	213	-------	100	23	108.0	17	8.0
White	98	75	23	3/	9	91.8	4	4/
Other races	115	138	-23	83	14	121.7	13	11.3
Cumberland	1,125	738	387	152	95	84.4	48	4.3
Rural part	751	304	447	247	36	47.9	27	3.6
White	462	186	276	248	26	56.3	11	2.4
Other races	289	118	171	245	10	34.6	16	5.5
Fayetteville	374	434	-60	86	59	157.8	21	5.6
White	269	257	12	105	44	163.6	11	4.1
Other races	105	177	-72	59	15	142.9	10	9.5
Currituck	98	71	27	3/	7	71.4	9	4/
White	55	37	18	3/	2	36.4	6	4/
Other races	43	34	9	3/	5	116.3	3	4/
Dare	135	67	68	3/	10	74.1	4	3.0
White	123	58	65	3/	9	73.2	4	3.3
Other races	12	9	3	3/	1	83.3	----	------
Davidson	1,075	420	655	256	54	50.2	41	3.8
Rural part	827	317	510	261	32	38.7	28	3.4
White	743	272	471	273	27	36.3	19	2.6
Other races	84	45	39	3/	5	59.5	9	4/
Thomasville	248	103	145	241	22	88.7	13	5.2
White	209	68	141	3/	17	81.3	7	3.3
Other races	39	35	4	3/	5	128.2	6	4/
Davie	337	148	189	228	19	56.4	12	3.6
White	266	115	151	231	13	48.9	9	3.4
Other races	71	33	38	3/	6	84.5	3	4/
Duplin	989	364	625	272	56	56.6	40	4.0
White	596	191	405	312	28	47.0	17	2.9
Other races	393	173	220	227	28	71.2	23	5.9
Durham	1,628	1,294	334	126	184	113.0	90	5.5
Rural part	295	167	128	177	12	40.7	14	4.7
White	207	96	111	3/	9	43.5	8	3.9
Other races	88	71	17	3/	3	34.1	6	4/
Durham	1,333	1,127	206	118	172	129.0	76	5.7
White	837	598	239	140	94	112.3	46	5.5
Other races	496	529	-33	94	78	157.3	30	6.0
Edgecombe	1,154	569	585	203	95	82.3	68	5.9
Rural part	1,011	461	550	219	79	78.1	56	5.5
White	364	166	198	219	28	76.9	10	2.7
Other races	647	295	352	219	51	78.8	46	7.1
Rocky Mount (part)	143	108	35	6/	16	6/	12	6/
White	43	23	20	6/	1	6/	2	6/
Other races	100	85	15	6/	15	6/	10	6/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Forsyth	2,366	1,352	1,014	175	164	69.3	112	4.7
Rural part	715	322	393	222	36	50.3	15	2.1
White	634	260	374	244	31	48.9	12	1.9
Other races	81	62	19	3/	5	61.7	3	4/
Winston-Salem	1,651	1,030	621	160	128	77.5	97	5.9
White	1,030	489	541	211	58	56.3	33	3.2
Other races	621	541	80	115	70	112.7	64	10.3
Franklin	650	253	397	257	32	49.2	27	4.2
White	312	124	188	252	11	35.3	5	1.6
Other races	338	129	209	262	21	62.1	22	6.5
Gaston	1,783	748	1,035	238	151	84.7	62	3.5
Rural part	1,290	477	813	270	94	72.9	40	3.1
White	1,142	386	756	296	81	70.9	32	2.8
Other races	148	91	57	3/	13	87.8	8	5.4
Gastonia	493	271	222	182	57	115.6	22	4.5
White	440	199	241	221	47	106.8	15	3.4
Other races	53	72	-19	3/	10	188.7	7	4/
Gates	209	96	113	3/	9	43.1	12	5.7
White	85	46	39	3/	4	47.1	5	4/
Other races	124	50	74	3/	5	40.3	7	5.6
Graham	142	35	107	3/	10	70.4	5	3.5
White	142	35	107	3/	10	70.4	5	3.5
Other races	------	------	-------	------	----	------	----	------
Granville	733	351	382	209	53	72.3	51	7.0
White	296	167	129	177	19	64.2	14	4.7
Other races	437	184	253	238	34	77.8	37	8.5
Greene	523	137	386	382	40	76.5	17	3.3
White	288	64	224	3/	24	83.3	3	1.0
Other races	235	73	162	3/	16	68.1	14	6.0
Guilford	2,651	1,485	1,166	179	159	60.0	98	3.7
Rural part	805	359	446	224	33	41.0	17	2.1
White	653	275	378	237	26	39.8	14	2.1
Other races	152	84	68	3/	7	46.1	3	2.0
Greensboro	1,170	766	404	153	83	70.9	53	4.5
White	906	497	409	182	54	59.6	28	3.1
Other races	264	269	-5	98	29	109.8	25	9.5
High Point	576	360	216	188	43	63.6	28	4.1
White	589	252	337	234	33	56.0	23	3.9
Other races	87	108	-21	81	10	114.9	5	4/
Halifax	1,444	566	878	255	103	71.3	73	5.1
White	427	237	190	180	25	58.5	17	4.0
Other races	1,017	329	688	309	78	76.7	56	5.5
Harnett	1,059	344	715	308	58	54.8	30	2.8
White	751	214	537	351	35	46.6	18	2.4
Other races	308	130	178	237	23	74.7	12	3.9
Haywood	811	273	538	297	46	56.7	14	1.7
White	800	266	534	301	46	57.5	14	1.8
Other races	11	7	4	3/	-----	------	----	------
Henderson	545	264	281	206	37	67.9	16	2.9
White	499	213	286	234	26	52.1	14	2.8
Other races	46	51	-5	3/	11	239.1	2	4/
Hertford	415	188	227	221	41	98.8	12	2.9
White	119	59	60	3/	6	50.4	1	0.8
Other races	296	129	167	229	35	118.2	11	3.7
Hoke	331	167	164	198	17	51.4	21	6.3
White	96	65	31	3/	5	52.1	5	4/
Other races	235	102	133	230	12	51.1	16	6.8
Hyde	170	72	98	3/	9	52.9	5	2.9
White	70	40	30	3/	3	42.9	3	4/
Other races	100	32	68	3/	6	60.0	2	2.0
Iredell	1,083	592	491	183	75	69.3	36	3.3
Rural part	824	371	453	222	58	70.4	28	3.4
White	663	257	406	258	37	55.8	19	2.9
Other races	161	114	47	141	21	130.4	9	5.6
Statesville	259	221	38	117	17	65.6	8	3.1
White	225	181	44	124	15	66.7	7	3.1
Other races	34	40	-6	3/	2	58.8	1	4/
Jackson	478	182	296	263	31	64.9	11	2.3
White	460	161	299	286	25	54.3	11	2.4
Other races	18	21	-3	3/	6	333.3	----	------
Johnston	1,519	511	1,008	297	86	56.6	56	3.7
White	1,215	334	881	364	58	47.7	41	3.4
Other races	304	177	127	172	28	92.1	15	4.9
Jones	286	81	205	3/	20	69.9	14	4.9
White	126	39	87	3/	9	71.4	2	1.6
Other races	160	42	118	3/	11	68.8	12	7.5
Lee	381	208	173	183	23	60.4	29	7.6
White	252	127	125	198	11	43.7	22	8.7
Other races	129	81	48	3/	12	93.0	7	5.4

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Lenoir	898	546	352	164	112	124.7	44	4.9
Rural part	535	234	301	229	48	89.7	21	3.9
White	252	109	143	231	19	75.4	6	2.4
Other races	283	125	158	226	29	102.5	15	5.3
Kinston	363	312	51	116	64	176.3	23	6.3
White	266	192	74	139	48	180.5	9	3.4
Other races	97	120	-23	81	16	164.9	14	[4]
Lincoln	546	194	352	281	26	47.6	18	3.3
White	476	159	317	299	24	50.4	16	3.4
Other races	70	35	35	[3]	2	28.6	2	[4]
McDowell	541	188	353	288	36	66.5	25	4.6
White	491	175	316	281	35	71.3	23	4.7
Other races	50	13	37	[3]	1	20.0	2	[4]
Macon	447	170	277	263	23	51.5	9	2.0
White	438	160	278	274	22	50.2	9	2.1
Other races	9	10	-1	[3]	1	111.1	----	------
Madison	548	137	411	400	26	47.4	20	3.6
White	546	136	410	401	26	47.6	19	3.5
Other races	2	1	1	[3]	-----	------	1	[4]
Martin	757	270	487	284	49	63.9	26	3.4
White	350	117	233	299	16	45.7	8	2.3
Other races	417	153	264	273	33	79.1	18	4.3
Mecklenburg	2,635	1,650	985	160	203	77.0	118	4.5
Rural part	696	388	308	179	42	60.3	27	3.9
White	395	240	155	165	18	45.6	10	2.5
Other races	301	148	153	203	24	79.7	17	5.6
Charlotte	1,939	1,262	677	154	161	83.0	91	4.7
White	1,390	717	673	194	97	69.8	46	3.3
Other races	549	545	4	101	64	116.6	45	8.2
Mitchell	421	105	316	401	24	57.0	8	1.9
White	421	103	318	409	24	57.0	8	1.9
Other races	------	2	-2	------	-----	------	----	------
Montgomery	307	142	165	216	14	45.6	9	2.9
White	215	80	135	[3]	7	32.6	7	3.3
Other races	92	62	30	[3]	7	76.1	2	[4]
Moore	502	263	239	191	22	43.8	20	4.0
White	342	171	171	200	11	32.2	13	3.8
Other races	160	92	68	[3]	11	68.8	7	4.4
Nash	1,410	660	750	214	122	86.5	83	5.9
Rural part	1,009	293	716	344	65	64.4	55	5.5
White	457	149	308	307	23	50.3	13	2.8
Other races	552	144	408	383	42	76.1	42	7.6
Rocky Mount (part)	401	367	34	[6]	57	[6]	28	[6]
White	295	220	75	[6]	35	[6]	16	[6]
Other races	106	147	-41	[6]	22	[6]	12	[6]
Rocky Mount (total)	544	475	69	115	73	134.2	40	7.4
White	338	243	95	139	36	106.5	18	5.3
Other races	206	232	-26	89	37	179.6	22	5.8
New Hanover	932	707	225	132	86	92.3	47	5.0
Rural part	32	121	-89	26	11	343.8	1	[4]
White	24	66	-42	[3]	11	458.3	1	[4]
Other races	8	55	-47	[3]	-----	------	----	------
Wilmington	900	586	314	154	75	83.3	46	5.1
White	560	301	259	186	44	78.6	16	2.9
Other races	340	285	55	119	31	91.2	30	8.8
Northampton	606	226	380	268	35	57.8	17	2.8
White	156	79	77	[3]	7	44.9	2	1.3
Other races	450	147	303	306	28	62.2	15	3.3
Onslow	482	185	297	261	40	83.0	15	3.1
White	332	120	212	277	17	51.2	8	2.4
Other races	150	65	85	[3]	23	153.3	7	4.7
Orange	358	195	163	184	21	58.7	14	3.9
White	196	122	74	161	10	51.0	8	4.1
Other races	162	73	89	[3]	11	67.9	6	3.7
Pamlico	217	110	107	197	23	106.0	8	3.7
White	103	61	42	[3]	9	87.4	4	3.9
Other races	114	49	65	[3]	14	122.8	4	3.5
Pasquotank	336	253	83	133	22	65.5	23	6.8
Rural part	162	79	83	[3]	10	61.7	9	5.6
White	63	31	32	[3]	5	79.4	2	[4]
Other races	99	48	51	[3]	5	50.5	7	[4]
Elizabeth City	174	174	-------	100	12	69.0	14	8.0
White	117	91	26	[3]	8	68.4	6	5.1
Other races	57	83	-26	[3]	4	70.2	8	[4]
Pender	398	143	255	278	21	52.8	18	4.5
White	184	75	109	[3]	12	65.2	8	4.3
Other races	214	68	146	[3]	9	42.1	10	4.7
Perquimans	204	122	82	167	16	78.4	13	6.4
White	85	63	22	[3]	4	47.1	6	[4]
Other races	119	59	60	[3]	12	100.8	7	5.9
Person	620	210	410	295	41	66.1	16	2.6
White	331	121	210	274	21	63.4	6	1.8
Other races	289	89	200	[3]	20	69.2	10	3.5
Section B—Continued								
NORTH CAROLINA—Con.								
Pitt	1,379	623	756	221	126	91.4	60	4.4
White	688	307	381	224	54	78.5	6	0.9
Other races	691	316	375	219	72	104.2	54	7.8
Polk	199	115	84	173	18	90.5	5	2.5
White	153	92	61	[3]	15	98.0	2	1.3
Other races	46	23	23	[3]	3	65.2	3	[4]
Randolph	774	359	415	216	38	49.1	34	4.4
White	694	305	389	228	30	43.2	32	4.6
Other races	80	54	26	[3]	8	100.0	2	[4]
Richmond	732	412	320	178	42	57.4	54	7.4
White	453	229	224	198	21	46.4	23	5.1
Other races	279	183	96	152	21	75.3	31	11.1
Robeson	2,067	783	1,284	264	164	79.3	134	6.5
White	866	347	519	250	55	63.5	57	6.6
Other races	1,201	436	765	275	109	90.8	77	6.4
Rockingham	1,229	540	689	228	89	72.4	43	3.5
White	968	388	580	249	62	64.0	29	3.0
Other races	261	152	109	172	27	103.4	14	5.4
Rowan	1,225	571	654	215	78	63.7	34	2.8
Rural part	856	307	549	279	48	56.1	20	2.3
White	679	222	457	306	36	53.0	10	1.5
Other races	177	85	92	[3]	12	67.8	10	5.6
Salisbury	369	264	105	140	30	81.3	14	3.8
White	288	186	102	155	20	69.4	9	3.1
Other races	81	78	3	[3]	10	123.5	5	[4]
Rutherford	1,009	287	722	352	38	37.7	34	3.4
White	883	238	645	371	32	36.2	25	2.8
Other races	126	49	77	[3]	6	47.6	9	7.1
Sampson	1,169	359	810	326	65	55.6	48	4.1
White	753	198	555	380	36	47.8	25	3.3
Other races	416	161	255	258	29	69.7	23	5.5
Scotland	501	249	252	201	41	81.8	23	4.6
White	192	114	78	168	15	78.1	4	2.1
Other races	309	135	174	229	26	84.1	19	6.1
Stanly	688	255	433	270	32	46.5	13	1.9
White	629	213	416	295	28	44.5	11	1.7
Other races	59	42	17	[3]	4	67.8	2	[4]
Stokes	524	158	366	332	27	51.5	11	2.1
White	476	138	338	345	25	52.5	10	2.1
Other races	48	20	28	[3]	2	41.7	1	[4]
Surry	1,038	388	650	268	75	72.3	42	4.0
White	985	355	630	277	73	74.1	39	4.0
Other races	53	33	20	[3]	2	37.7	3	[4]
Swain	339	95	244	[3]	12	35.4	9	2.7
White	270	66	204	[3]	8	29.6	7	2.6
Other races	69	29	40	[3]	4	58.0	2	[4]
Transylvania	245	89	156	[3]	13	53.1	6	2.4
White	225	84	141	[3]	11	48.9	6	2.7
Other races	20	5	15	[3]	2	100.0	----	------
Tyrrell	144	60	84	[3]	14	97.2	2	1.4
White	67	42	25	[3]	11	164.2	1	[4]
Other races	77	18	59	[3]	3	39.0	1	[4]
Union	934	393	541	238	60	64.2	22	2.4
White	711	258	453	276	47	66.1	13	1.8
Other races	223	135	88	165	13	58.3	9	4.0
Vance	683	298	385	229	47	68.8	42	6.1
White	277	152	125	182	17	61.4	14	5.1
Other races	406	146	260	278	30	73.9	28	6.9
Wake	1,948	1,464	484	133	166	85.2	101	5.2
Rural part	1,135	519	616	219	75	66.1	37	3.3
White	627	289	338	217	33	52.6	19	3.0
Other races	508	230	278	221	42	82.7	18	3.5
Raleigh	813	945	-132	86	91	111.9	64	7.9
White	523	590	-67	89	45	86.0	23	4.4
Other races	290	355	-65	82	46	158.6	41	14.1
Warren	688	284	404	242	58	84.3	35	5.1
White	162	94	68	[3]	15	92.6	5	3.1
Other races	526	190	336	277	43	81.7	30	5.7
Washington	262	144	118	182	27	103.1	11	4.2
White	117	63	54	[3]	13	111.1	3	2.6
Other races	145	81	64	[3]	14	96.6	8	5.5
Watauga	424	119	305	356	18	42.5	12	2.8
White	420	111	309	378	16	38.1	12	2.9
Other races	4	8	-4	[3]	2	500.0	----	------
Wayne	1,216	910	306	134	88	72.4	68	5.6
Rural part	881	623	258	141	46	52.2	43	4.9
White	528	222	306	238	28	53.0	16	3.0
Other races	353	401	-48	88	18	51.0	27	7.6
Goldsboro	335	287	48	117	42	125.4	25	7.5
White	187	141	46	133	19	101.6	10	5.3
Other races	148	146	2	101	23	155.4	15	10.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Wilkes	952	340	612	280	54	56.7	30	3.2
White	896	304	592	295	49	54.7	25	2.8
Other races	56	36	20	[3]	5	89.3	5	[4]
Wilson	1,222	643	579	190	129	105.6	72	5.9
Rural part	758	272	486	279	58	76.5	32	4.2
White	450	157	293	287	22	48.9	17	3.8
Other races	308	115	193	268	36	116.9	15	4.9
Wilson	464	371	93	125	71	153.0	40	8.6
White	260	153	107	170	37	142.3	12	4.6
Other races	204	218	-14	94	34	166.7	28	13.7
Yadkin	455	139	316	327	25	54.9	7	1.5
White	432	127	305	340	22	50.9	7	1.6
Other races	23	12	11	[3]	3	130.4	----	------
Yancey	401	76	325	[3]	12	29.9	10	2.5
White	397	73	324	[3]	11	27.7	9	2.3
Other races	4	3	1	[3]	1	250.0	1	[4]
NORTH DAKOTA (total)	13,571	5,654	7,917	240	674	49.7	366	2.7
Adams	138	38	100	[3]	6	43.5	1	0.7
Barnes	337	148	189	228	15	44.5	8	2.4
Benson	224	80	144	[3]	14	62.5	8	3.6
Billings	35	8	27	[3]	2	57.1	1	[4]
Bottineau	285	129	156	221	13	45.6	16	5.6
Bowman	98	38	60	[3]	9	91.8	2	[4]
Burke	122	42	80	[3]	7	57.4	3	2.5
Burleigh	560	284	276	197	33	58.9	22	3.9
Rural part	65	37	28	[3]	6	92.3	2	[4]
Bismarck	495	247	248	200	27	54.5	20	4.0
Cass	1,162	635	527	183	58	49.9	23	2.0
Rural part	273	186	87	147	8	29.3	3	1.1
Fargo	889	449	440	198	50	56.2	20	2.2
Cavalier	278	101	177	275	14	50.4	9	3.2
Dickey	188	65	123	[3]	5	26.6	7	3.7
Divide	183	43	140	[3]	4	21.9	4	2.2
Dunn	164	39	125	[3]	11	67.1	6	3.7
Eddy	68	56	12	[3]	4	58.8	2	[4]
Emmons	291	53	238	[3]	10	34.4	6	2.1
Foster	161	61	100	[3]	13	80.7	2	1.2
Golden Valley	92	33	59	[3]	7	76.1	----	------
Grand Forks	777	400	377	194	25	32.2	20	2.6
Rural part	155	144	11	108	8	51.6	4	2.6
Grand Forks	622	256	366	243	17	27.3	16	2.6
Grant	209	59	150	[3]	22	105.3	4	1.9
Griggs	82	34	48	[3]	4	48.8	2	[4]
Hettinger	234	57	177	[3]	10	42.7	3	1.3
Kidder	140	34	106	[3]	5	35.7	4	2.9
La Moure	241	79	162	[3]	8	33.2	8	3.3
Logan	212	36	176	[3]	14	66.0	5	2.4
McHenry	218	86	132	[3]	10	45.9	4	1.8
McIntosh	209	54	155	[3]	10	47.8	7	3.3
McKenzie	175	29	146	[3]	3	17.1	4	2.3
McLean	351	93	258	[3]	15	42.7	9	2.6
Mercer	215	41	174	[3]	8	37.2	5	2.3
Morton	505	175	330	288	25	49.5	10	2.0
Mountrail	183	55	128	[3]	6	32.8	3	1.6
Nelson	178	91	87	[3]	4	22.5	2	1.1
Oliver	43	22	21	[3]	3	69.8	1	[4]
Pembina	243	102	141	238	13	53.5	10	4.1
Pierce	298	93	205	[3]	14	47.0	13	4.4
Ramsey	337	164	173	205	22	65.3	10	3.0
Ransom	177	73	104	[3]	1	5.6	5	2.8
Renville	83	28	55	[3]	1	12.0	1	[4]
Richland	269	139	130	186	12	46.3	3	1.2
Rolette	288	145	143	199	17	59.0	10	3.5
Sargent	100	53	47	[3]	8	80.0	1	1.0
Sheridan	146	32	114	[3]	8	54.8	2	1.4
Sioux	97	59	38	[3]	18	185.6	5	[4]
Slope	48	23	25	[3]	1	20.8	1	[4]
Stark	419	180	239	233	26	62.1	15	3.6
Steele	86	40	46	[3]	5	58.1	4	[4]
Stutsman	474	359	115	132	28	59.1	10	2.1
Towner	123	47	76	[3]	3	24.4	6	4.9
Traill	194	107	87	181	7	36.1	8	4.1
Walsh	424	199	225	213	17	40.1	13	3.1
Ward	838	374	464	224	42	50.1	26	3.1
Rural part	251	97	154	[3]	14	55.8	10	4.0
Minot	587	277	310	212	28	47.7	16	2.7
Wells	186	111	75	168	13	69.9	1	0.5
Williams	393	128	265	307	21	53.4	11	2.8

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OHIO (total)	103,703	80,941	22,762	128	5,314	51.2	3,088	3.0
Adams	404	271	133	149	33	81.7	18	4.5
Allen	1,277	965	312	132	63	49.3	35	2.7
Rural part	357	357	-------	100	14	39.2	9	2.5
Lima	920	608	312	151	49	53.3	26	2.8
Ashland	466	376	90	124	23	49.4	11	2.4
Rural part	202	203	-1	100	7	34.7	5	2.5
Ashland	264	173	91	153	16	60.6	6	2.3
Ashtabula	992	891	101	111	61	61.5	34	3.4
Rural part	637	603	34	106	37	58.1	20	3.1
Ashtabula	355	288	67	123	24	67.6	14	3.9
Athens	894	609	285	147	57	63.8	36	4.0
Auglaize	406	299	107	136	15	36.9	16	3.9
Belmont	1,514	1,074	440	141	89	58.8	37	2.4
Rural part	912	665	247	137	54	59.2	20	2.2
Bellaire	275	178	97	154	13	47.3	10	3.6
Martins Ferry	327	231	96	142	22	67.3	7	2.1
Brown	304	280	24	109	18	59.2	7	2.3
Butler	2,171	1,384	787	157	127	58.5	68	3.1
Rural part	262	303	-41	86	15	57.3	6	2.3
Hamilton	1,116	724	392	154	72	64.5	36	3.2
Middletown	793	357	436	222	40	50.4	26	3.3
Carroll	204	172	32	119	8	39.2	10	4.9
Champaign	390	309	81	126	18	46.2	13	3.3
Clark	1,374	1,241	133	111	67	48.8	39	2.8
Rural part	225	284	-59	79	13	57.8	9	4.0
Springfield	1,149	957	192	120	54	47.0	30	2.6
White	1,037	836	201	124	46	44.4	25	2.4
Other races	112	121	-9	93	8	71.4	5	4.5
Clermont	389	402	-13	97	19	48.8	14	3.6
Clinton	322	269	53	120	16	49.7	9	2.8
Columbiana	1,605	1,087	518	148	82	51.1	39	2.4
Rural part	709	522	187	136	30	42.3	18	2.5
East Liverpool	570	363	207	157	34	59.6	13	2.3
Salem	326	202	124	161	18	55.2	8	2.5
Coshocton	563	395	168	143	30	53.3	21	3.7
Rural part	316	202	114	156	15	47.5	10	3.2
Coshocton	247	193	54	128	15	60.7	11	4.5
Crawford	569	517	52	110	27	47.5	18	3.2
Rural part	392	332	60	118	16	40.8	12	3.1
Bucyrus	177	185	-8	96	11	62.1	6	3.4
Cuyahoga	16,166	13,161	3,005	123	664	41.1	521	3.2
Rural part	475	872	-397	54	17	35.8	16	3.4
Cleveland	14,310	10,620	3,690	135	610	42.6	469	3.3
White	13,002	9,329	3,673	139	537	41.3	405	3.1
Other races	1,308	1,291	17	101	73	55.8	64	4.9
Cleveland Heights	12	325	-313	4	2	166.7	----	------
East Cleveland	754	479	275	157	25	33.2	23	3..
Euclid	32	86	-54	[3]	1	31.3	1	[4]
Garfield Heights	74	73	1	[3]	2	27.0	----	------
Lakewood	455	548	-93	83	6	13.2	10	2.2
Parma	45	74	-29	[3]	1	22.2	2	[4]
Shaker Heights	9	84	-75	[3]	-----	------	----	------
Darke	631	448	183	141	26	41.2	7	1.1
Defiance	429	283	146	152	20	46.6	12	2.8
Delaware	357	351	6	102	17	47.6	8	2.2
Erie	612	605	7	101	31	50.7	12	2.0
Rural part	131	205	-74	64	9	68.7	1	0.8
Sandusky	481	400	81	120	22	45.7	11	2.3
Fairfield	814	528	286	154	32	39.3	18	2.2
Rural part	326	233	93	140	12	36.8	5	1.5
Lancaster	488	295	193	165	20	41.0	13	2.7
Fayette	359	290	69	124	23	64.1	9	2.5
Franklin	5,521	5,231	290	106	330	59.8	167	3.0
Rural part	539	626	-87	86	23	42.7	20	3.7
Columbus	4,982	4,605	377	108	307	61.6	147	3.0
White	4,355	4,004	351	109	249	57.2	117	2.7
Other races	627	601	26	104	58	92.5	30	4.8
Fulton	394	281	113	140	25	63.5	11	2.8
Gallia	481	518	-37	93	47	97.7	9	1.9
Geauga	179	172	7	104	7	39.1	6	3.4
Greene	490	423	67	116	33	67.3	9	1.8
Rural part	287	243	44	118	11	38.3	7	2.4
Xenia	203	180	23	113	22	108.4	2	1.0
White	174	142	32	123	20	114.9	2	1.1
Other races	29	38	-9	[3]	2	69.0	----	------
Guernsey	631	478	153	132	37	58.6	12	1.9
Rural part	356	249	107	143	21	59.0	6	1.7
Cambridge	275	229	46	120	16	58.2	6	2.2
Hamilton	9,020	8,657	363	104	522	57.9	301	3.3
Rural part	1,010	988	22	102	32	31.7	29	2.9
Cincinnati	7,911	7,452	459	106	485	61.3	270	3.4
White	6,999	6,239	760	112	385	55.0	207	3.0
Other races	912	1,213	-301	75	100	109.6	63	6.9
Norwood	99	217	-118	46	5	50.5	2	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OHIO—Con.								
Hancock	687	534	153	129	37	53.9	14	2.0
Rural part	211	193	18	109	8	37.9	4	1.9
Findlay	357	289	68	124	22	61.6	10	2.8
Fostoria (part)	119	52	67	[6]	7	[6]	----	------
Hardin	468	371	97	126	28	59.8	15	3.2
Harrison	325	221	104	147	21	64.6	5	1.5
Henry	386	233	153	166	10	25.9	12	3.1
Highland	454	355	99	128	25	55.1	20	4.4
Hocking	426	252	174	169	25	58.7	18	4.2
Holmes	350	196	154	179	14	40.0	5	1.4
Huron	508	487	21	104	20	39.4	17	3.3
Jackson	504	325	179	155	30	59.5	13	2.6
Jefferson	1,851	1,001	850	185	111	60.0	66	3.6
Rural part	878	405	473	217	47	53.5	25	2.8
Steubenville	973	596	377	163	64	65.8	41	4.2
Knox	482	427	55	113	22	45.6	13	2.7
Lake	618	515	103	120	31	50.2	4	0.6
Rural part	250	310	-60	81	17	68.0	----	------
Painesville	368	205	163	180	14	38.0	4	1.1
Lawrence	849	539	310	158	84	98.9	32	3.8
Rural part	547	298	249	184	61	111.5	19	3.5
Ironton	302	241	61	125	23	76.2	13	4.3
Licking	892	814	78	110	30	33.6	40	4.5
Rural part	349	351	-2	99	10	28.7	6	1.7
Newark	543	463	80	117	20	36.8	34	6.3
Logan	435	390	45	112	17	39.1	11	2.5
Lorain	1,522	1,097	425	139	67	44.0	34	2.2
Rural part	337	403	-66	84	14	41.5	4	1.2
Elyria	478	310	168	154	24	50.2	9	1.9
Lorain	707	384	323	184	29	41.0	21	3.0
Lucas	5,262	4,195	1,067	125	242	46.0	142	2.7
Rural part	644	355	289	181	19	29.5	12	1.9
Toledo	4,618	3,840	778	120	223	48.3	130	2.8
White	4,394	3,574	820	123	203	46.2	118	2.7
Other races	224	266	-42	84	20	89.3	12	5.4
Madison	323	225	98	144	12	37.2	9	2.8
Mahoning	3,566	2,395	1,171	149	168	47.1	125	3.5
Rural part	361	378	-17	96	18	49.9	13	3.6
Youngstown (part)	2,914	1,883	1,031	[6]	139	[6]	99	[6]
White	2,660	1,612	1,048	[6]	110	[6]	76	[6]
Other races	254	271	-17	[6]	29	[6]	23	[6]
Youngstown (total)	2,914	1,883	1,031	155	139	47.7	99	3.4
White	2,660	1,612	1,048	165	110	41.4	76	2.9
Other races	254	271	-17	94	29	114.2	23	9.6
Campbell	175	70	105	[3]	7	40.0	10	5.7
White	143	51	92	[3]	7	49.0	9	6.3
Other races	32	19	13	[3]	-----	------	1	[4]
Struthers	116	64	52	[3]	4	34.5	3	2.6
Marion	764	580	184	132	39	51.0	20	2.6
Rural part	182	177	5	103	7	38.5	4	2.2
Marion	582	403	179	144	32	55.0	16	2.7
Medina	456	362	94	126	12	26.3	21	4.6
Meigs	358	289	69	124	24	67.0	14	3.9
Mercer	453	268	185	169	16	35.3	8	1.8
Miami	835	670	165	125	43	51.5	31	3.7
Rural part	554	426	128	130	21	37.9	18	3.2
Piqua	281	244	37	115	22	78.3	13	4.6
Monroe	312	195	117	160	11	35.3	4	1.3
Montgomery	4,406	3,709	697	119	228	51.7	124	2.8
Rural part	622	848	-226	73	20	32.2	10	1.6
Dayton	3,784	2,861	923	132	208	55.0	114	3.0
White	3,466	2,560	906	135	190	54.8	104	3.0
Other races	318	301	17	106	18	56.6	10	3.1
Morgan	250	187	63	134	8	32.0	6	2.4
Morrow	198	185	13	107	12	60.6	6	3.0
Muskingum	1,226	945	281	130	77	62.8	55	4.5
Rural part	382	326	56	117	9	23.6	14	3.7
Zanesville	844	619	225	136	68	80.6	41	4.9
Noble	255	176	79	145	11	43.1	2	0.8
Ottawa	286	288	-2	99	13	45.5	4	1.4
Paulding	252	141	111	179	6	23.8	6	2.4
Perry	431	308	123	140	22	51.0	7	1.6
Pickaway	463	376	87	123	32	69.1	13	2.8
Pike	362	142	220	255	24	66.3	20	5.5
Portage	585	477	108	123	32	54.7	6	1.0
Preble	295	286	9	103	13	44.1	3	1.0
Putnam	429	236	193	182	15	35.0	10	2.3
Richland	1,151	748	403	154	53	46.0	33	2.9
Rural part	434	348	86	125	22	50.7	14	3.2
Mansfield	717	400	317	179	31	43.2	19	2.6
Ross	956	588	368	163	48	50.2	33	3.5
Rural part	589	335	254	176	32	54.3	15	2.5
Chillicothe	367	253	114	145	16	43.6	18	4.9
Section B—Continued								
OHIO—Con.								
Sandusky	651	506	145	129	33	50.7	17	2.6
Rural part	548	349	199	157	26	47.4	16	2.9
Fremont	103	157	-54	66	7	68.0	1	1.0
Scioto	1,772	1,001	771	177	166	93.7	70	4.0
Rural part	915	355	560	257	80	87.4	32	3.5
Portsmouth	857	646	211	133	86	100.4	38	4.4
Seneca	634	614	20	103	41	64.7	29	4.6
Rural part	264	234	30	113	16	60.6	8	3.0
Fostoria (part)	115	106	9	[5]	9	[5]	11	[5]
Fostoria (total)	234	158	76	148	16	68.4	11	4.7
Tiffin	255	274	-19	93	16	62.7	10	3.9
Shelby	470	315	155	149	23	48.9	18	3.8
Stark	3,625	2,670	955	136	186	51.3	80	2.2
Rural part	731	877	-146	83	28	38.3	12	1.6
Alliance	344	289	55	119	21	61.0	8	2.3
Canton	2,069	1,162	907	178	110	53.2	50	2.4
Massillon	481	342	139	141	27	56.1	10	2.1
Summit	5,003	2,950	2,053	170	231	46.2	127	2.5
Rural part	396	373	23	106	13	32.8	7	1.8
Akron	4,033	2,220	1,813	182	195	48.4	110	2.7
White	3,820	2,076	1,744	184	177	46.3	103	2.7
Other races	213	144	69	148	18	84.5	7	3.3
Barberton	477	235	242	203	23	48.2	7	1.5
Cuyahoga Falls	97	122	-25	80	-----	------	3	[4]
Trumbull	1,652	1,104	548	150	84	50.8	52	3.1
Rural part	672	515	157	130	36	53.6	11	1.6
Niles	157	90	67	[3]	6	38.2	7	4.5
Warren	823	499	324	165	42	51.0	34	4.1
Youngstown (part)	------	------	------	------	-----	------	----	------
White	------	------	------	------	-----	------	----	------
Other races	------	------	------	------	-----	------	----	------
Tuscarawas	1,150	875	275	131	57	49.6	39	3.4
Rural part	978	751	227	130	51	52.1	34	3.5
New Philadelphia	172	124	48	139	6	34.9	5	2.9
Union	289	233	56	124	12	41.5	6	2.1
Van Wert	363	290	73	125	16	44.1	12	3.3
Vinton	244	116	128	210	14	57.4	7	2.9
Warren	410	327	83	125	23	56.1	5	1.2
Washington	721	595	126	121	44	61.0	21	2.9
Rural part	448	319	129	140	24	53.6	15	3.3
Marietta	273	276	-3	99	20	73.3	6	2.2
Wayne	771	560	211	138	25	32.4	14	1.8
Rural part	565	393	172	144	15	26.5	11	1.9
Wooster	206	167	39	123	10	48.5	3	1.5
Williams	367	325	42	113	17	46.3	10	2.7
Wood	740	519	221	143	25	33.8	22	3.0
Wyandot	282	246	36	115	17	60.3	11	3.9
OKLAHOMA (total)	41,815	23,250	18,565	180	2,509	60.0	1,182	2.8
Adair	209	145	64	144	20	95.7	9	4.3
White	170	93	77	[3]	8	47.1	7	4.1
Other races	39	52	-13	[3]	12	307.7	2	[4]
Alfalfa	193	144	49	134	10	51.8	2	1.0
White	193	144	49	134	10	51.8	2	1.0
Other races	------	------	------	------	-----	------	----	------
Atoka	385	145	240	266	27	70.1	20	5.2
White	346	121	225	286	23	66.5	17	4.9
Other races	39	24	15	[3]	4	102.6	3	[4]
Beaver	186	74	112	[3]	6	32.3	6	3.2
White	186	74	112	[3]	6	32.3	6	3.2
Other races	------	------	------	------	-----	------	----	------
Beckham	568	245	323	232	26	45.8	21	3.7
White	560	241	319	232	25	44.6	21	3.8
Other races	8	4	4	[3]	1	125.0	----	------
Blaine	420	185	235	227	27	64.3	12	2.9
White	392	148	244	265	18	45.9	8	2.0
Other races	28	37	-9	[3]	9	321.4	4	[4]
Bryan	708	298	410	238	33	46.6	31	4.4
White	677	281	396	241	31	45.8	31	4.6
Other races	31	17	14	[3]	2	64.5	----	------
Caddo	912	372	540	245	47	51.5	25	2.7
White	869	321	548	271	34	39.1	22	2.5
Other races	43	51	-8	[3]	13	302.3	3	[4]
Canadian	539	280	259	193	31	57.5	12	2.2
White	472	244	228	193	26	55.1	8	1.7
Other races	67	36	31	[3]	5	74.6	4	[4]
Carter	727	490	237	148	50	68.8	26	3.6
Rural part	428	172	256	249	21	49.1	14	3.3
White	397	140	257	284	20	50.4	13	3.3
Other races	31	32	-1	[3]	1	32.3	1	[4]
Ardmore	299	318	-19	94	29	97.0	12	4.0
White	271	267	4	101	27	99.6	11	4.1
Other races	28	51	-23	[3]	2	71.4	1	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Con.								
Cherokee	319	149	170	214	15	47.0	10	3.1
White	242	106	136	228	10	41.3	4	1.7
Other races	77	43	34	[3]	5	64.9	6	[4]
Choctaw	531	276	255	192	42	79.1	15	2.8
White	423	230	193	184	38	89.8	12	2.8
Other races	108	46	62	[3]	4	37.0	3	2.8
Cimarron	58	25	33	[3]	5	86.2	1	[4]
White	58	25	33	[3]	5	86.2	1	[4]
Other races	----	----	----	----	----	----	----	----
Cleveland	360	417	-57	86	25	69.4	3	0.8
White	356	416	-60	86	25	70.2	3	0.8
Other races	4	1	3	[3]	----	----	----	----
Coal	218	101	117	216	10	45.9	13	6.0
White	204	91	113	[3]	10	49.0	10	4.9
Other races	14	10	4	[3]	----	----	3	[4]
Comanche	890	391	499	228	68	76.4	16	1.8
Rural part	406	161	245	252	27	66.5	4	1.0
White	400	150	250	267	26	65.0	4	1.0
Other races	6	11	-5	[3]	1	166.7	----	----
Lawton	484	230	254	210	41	84.7	12	2.5
White	277	121	156	229	15	54.2	4	1.4
Other races	207	109	98	190	26	125.6	8	3.9
Cotton	286	97	189	[3]	13	45.5	13	4.5
White	276	91	185	[3]	13	47.1	13	4.7
Other races	10	6	4	[3]	----	----	----	----
Craig	324	442	-118	73	12	37.0	6	1.9
White	312	424	-112	74	11	35.3	6	1.9
Other races	12	18	-6	[3]	1	83.3	----	----
Cresk	909	527	382	172	57	62.7	22	2.4
Rural part	705	378	327	187	44	62.4	15	2.1
White	660	315	345	210	39	59.1	15	2.3
Other races	45	63	-18	[3]	5	111.1	----	----
Sapulpa	204	149	55	137	13	63.7	7	3.4
White	193	117	76	165	9	46.6	6	3.1
Other races	11	32	-21	[3]	4	363.6	1	[4]
Custer	474	315	159	150	22	46.4	12	2.5
White	428	258	170	166	20	46.7	12	2.8
Other races	46	57	-11	[3]	2	43.5	----	----
Delaware	216	103	113	210	18	83.3	13	6.0
White	202	90	112	[3]	17	84.2	12	5.9
Other races	14	13	1	[3]	1	71.4	1	[4]
Dewey	256	97	159	[3]	10	39.1	5	2.0
White	256	88	168	[3]	10	39.1	5	2.0
Other races	----	9	-9	----	----	----	----	----
Ellis	232	97	135	[3]	9	38.8	3	1.3
White	232	97	135	[3]	9	38.8	3	1.3
Other races	----	----	----	----	----	----	----	----
Garfield	770	548	222	141	46	59.7	18	2.3
Rural part	172	107	65	161	11	64.0	2	1.2
White	170	107	63	159	11	64.7	2	1.2
Other races	2	----	2	----	----	----	----	----
Enid	598	441	157	136	35	58.5	16	2.7
White	576	429	147	134	32	55.6	16	2.8
Other races	22	12	10	[3]	3	136.4	----	----
Garvin	725	254	471	285	44	60.7	24	3.3
White	696	238	458	292	43	61.8	19	2.7
Other races	29	16	13	[3]	1	34.5	5	[4]
Grady	873	349	524	250	52	59.6	13	1.5
Rural part	571	121	450	472	17	29.8	5	0.9
White	567	121	446	469	17	30.0	5	0.9
Other races	4	----	4	----	----	----	----	----
Chickasha	302	228	74	132	35	115.9	8	2.6
White	281	194	87	145	26	92.5	6	2.1
Other races	21	34	-13	[3]	9	428.6	2	[4]
Grant	136	89	47	[3]	3	22.1	2	1.5
White	136	88	48	[3]	3	22.1	2	1.5
Other races	----	1	-1	----	----	----	----	----
reer	273	139	134	196	11	40.3	7	2.6
White	269	133	136	202	10	37.2	6	2.2
Other races	4	6	-2	[3]	1	250.0	1	[4]
Harmon	331	89	242	[3]	26	78.5	15	4.5
White	325	83	242	[3]	23	70.8	13	4.0
Other races	6	6	----	[3]	3	500.0	2	[4]
Harper	103	36	67	[3]	5	48.5	1	1.0
White	103	36	67	[3]	5	48.5	1	1.0
Other races	----	----	----	----	----	----	----	----
Haskell	326	98	228	[3]	12	36.8	7	2.1
White	307	86	221	[3]	11	35.8	5	1.6
Other races	19	12	7	[3]	1	52.6	2	[4]
Hughes	585	231	354	253	25	42.7	18	3.1
White	555	196	359	283	22	39.6	15	2.7
Other races	30	35	-5	[3]	3	100.0	3	[4]
Jackson	426	194	232	220	34	79.8	14	3.3
White	417	174	243	240	30	71.9	13	3.1
Other races	9	20	-11	[3]	4	444.4	1	[4]
Jefferson	330	145	185	228	18	54.5	12	3.6
White	327	143	184	229	18	55.0	12	3.7
Other races	3	2	1	[3]	----	----	----	----
Johnston	264	59	205	[3]	10	37.9	6	2.3
White	255	57	198	[3]	10	39.2	6	2.4
Other races	9	2	7	[3]	----	----	----	----
Kay	832	470	362	177	52	62.5	9	1.1
Rural part	476	267	209	178	27	56.7	8	1.7
White	462	256	206	180	25	54.1	8	1.7
Other races	14	11	3	[3]	2	142.9	----	----
Ponca City	356	203	153	175	25	70.2	1	0.3
White	344	177	167	194	19	55.2	1	0.3
Other races	12	26	-14	[3]	6	500.0	----	----
Kingfisher	275	163	112	169	15	54.5	9	3.3
White	238	140	98	170	12	50.4	8	3.4
Other races	37	23	14	[3]	3	81.1	1	[4]
Kiowa	428	220	208	195	32	74.8	9	2.1
White	408	194	214	210	28	68.6	7	1.7
Other races	20	26	-6	[3]	4	200.0	2	[4]
Latimer	213	112	101	190	9	42.3	15	7.0
White	201	99	102	[3]	8	39.8	15	7.5
Other races	12	13	-1	[3]	1	83.3	----	----
Le Flore	725	326	399	222	28	38.6	8	1.1
White	668	299	369	223	25	37.4	7	1.0
Other races	57	27	30	[3]	3	52.6	1	[4]
Lincoln	551	254	297	217	25	45.4	11	2.0
White	521	221	300	236	21	40.3	10	1.9
Other races	30	33	-3	[3]	4	133.3	1	[4]
Logan	457	334	123	137	32	70.0	20	4.4
White	355	237	118	150	11	31.0	13	3.7
Other races	102	97	5	[3]	21	205.9	7	6.9
Love	174	38	136	[3]	7	40.2	5	2.9
White	173	35	138	[3]	6	34.7	4	2.3
Other races	1	3	-2	[3]	1	[5]	1	[4]
McClain	465	130	335	358	18	38.7	10	2.2
White	459	121	338	379	18	39.2	9	2.0
Other races	6	9	-3	[3]	----	----	1	[4]
McCurtain	477	223	254	214	26	54.5	16	3.4
White	393	179	214	220	23	58.5	8	2.0
Other races	84	44	40	[3]	3	35.7	8	[4]
McIntosh	395	221	174	179	39	98.7	13	3.3
White	324	143	181	227	27	83.3	8	2.5
Other races	71	78	-7	[3]	12	169.0	5	[4]
Major	216	104	112	208	9	41.7	4	1.9
White	216	103	113	210	9	41.7	4	1.9
Other races	----	1	-1	----	----	----	----	----
Marshall	253	100	153	253	20	79.1	11	4.3
White	239	85	154	[3]	15	62.8	10	4.2
Other races	14	15	-1	[3]	5	357.1	1	[4]
Mayes	332	191	141	174	23	69.3	11	3.3
White	320	173	147	185	21	65.6	11	3.4
Other races	12	18	-6	[3]	2	166.7	----	----
Murray	295	164	131	180	15	50.8	9	3.1
White	283	157	126	180	14	49.5	8	2.8
Other races	12	7	5	[3]	1	83.3	1	[4]
Muskogee	941	1,194	-253	79	81	86.1	37	3.9
Rural part	344	495	-151	69	33	95.9	10	2.9
White	258	199	59	130	23	89.1	10	3.9
Other races	86	296	-210	29	10	116.3	----	----
Muskogee	597	699	-102	85	48	80.4	27	4.5
White	495	469	26	106	41	82.8	21	4.2
Other races	102	230	-128	44	7	68.6	6	5.9
Noble	175	127	48	138	7	40.0	5	2.9
White	172	107	65	161	5	29.1	5	2.9
Other races	3	20	-17	[3]	2	666.7	----	----
Nowata	241	166	75	145	20	83.0	8	3.3
White	229	144	85	159	18	78.6	4	1.7
Other races	12	22	-10	[3]	2	166.7	4	[4]
Okfuskee	568	199	369	285	29	51.1	16	2.8
White	451	129	322	350	24	53.2	12	2.7
Other races	117	70	47	[3]	5	42.7	4	3.4
Oklahoma	4,289	2,818	1,471	152	268	62.5	100	2.3
Rural part	548	384	164	143	30	54.7	11	2.0
White	490	350	140	140	24	49.0	8	1.6
Other races	58	34	24	[3]	6	103.4	3	[4]
Oklahoma City	3,741	2,434	1,307	154	238	63.6	89	2.4
White	3,452	2,111	1,341	164	210	60.8	78	2.3
Other races	289	323	-34	89	28	96.9	11	3.8

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Con.								
Okmulgee	879	565	314	156	59	67.1	20	2.3
Rural part	568	306	262	186	33	58.1	14	2.5
White	473	232	241	204	26	55.0	12	2.5
Other races	95	74	21	[3]	7	73.7	2	[4]
Okmulgee	311	259	52	120	26	83.6	6	1.9
White	259	178	81	146	19	73.4	3	1.2
Other races	52	81	-29	[3]	7	134.6	3	[4]
Osage	721	373	348	193	47	65.2	25	3.5
White	667	330	337	202	40	60.0	20	3.0
Other races	54	43	11	[3]	7	129.6	5	[4]
Ottawa	565	390	195	150	40	68.4	13	2.2
White	563	378	185	149	38	67.5	13	2.3
Other races	22	12	10	[3]	2	90.9	----	------
Pawnee	450	233	217	193	38	84.4	16	3.6
White	309	176	133	176	28	90.6	12	3.9
Other races	141	57	84	[3]	10	70.9	4	2.8
Payne	669	345	324	194	31	46.3	20	3.0
White	642	316	326	203	27	42.1	18	2.8
Other races	27	29	-2	[3]	4	148.1	2	[4]
Pittsburg	745	539	206	138	54	72.5	35	4.7
Rural part	526	286	240	184	40	76.0	24	4.6
White	498	264	234	189	38	76.3	24	4.8
Other races	28	22	6	[3]	2	71.4	----	------
McAlester	219	253	-34	87	14	63.9	11	5.0
White	202	213	-11	95	13	64.4	10	5.0
Other races	17	40	-23	[3]	1	58.8	1	[4]
Pontotoc	856	400	456	214	45	52.6	24	2.8
Rural part	433	185	248	234	22	50.8	11	2.5
White	409	165	244	248	18	44.0	11	2.7
Other races	24	20	4	[3]	4	166.7	----	------
Ada	423	215	208	197	23	54.4	13	3.1
White	407	198	209	206	22	54.1	12	2.9
Other races	16	17	-1	[3]	1	62.5	1	[4]
Pottawatomie	1,030	522	508	197	55	53.4	29	2.8
Rural part	571	261	310	219	34	59.5	19	3.3
White	553	237	316	233	32	57.9	18	3.3
Other races	18	24	-6	[3]	2	111.1	1	[4]
Shawnee	459	261	198	176	21	45.8	10	2.2
White	430	219	211	196	15	34.9	9	2.1
Other races	29	42	-13	[3]	6	206.9	1	[4]
Pushmataha	350	132	218	265	17	48.6	15	4.3
White	328	120	208	273	15	45.7	12	3.7
Other races	22	12	10	[3]	2	90.9	3	[4]
Roger Mills	192	66	126	[3]	8	41.7	6	3.1
White	190	62	128	[3]	6	31.6	6	3.2
Other races	2	4	-2	[3]	2	[5]	----	------
Rogers	498	255	243	195	32	64.3	16	3.2
White	333	218	115	153	27	81.1	8	2.4
Other races	165	37	128	[3]	5	30.3	8	4.8
Seminole	983	484	499	203	75	76.3	42	4.3
Rural part	413	200	213	207	33	79.9	10	2.4
White	384	149	235	258	24	62.5	10	2.6
Other races	29	51	-22	[3]	9	310.3	----	------
Seminole	343	161	182	213	25	72.9	18	5.2
White	336	136	200	247	22	65.5	18	5.4
Other races	7	25	-18	[3]	3	428.6	----	------
Wewoka	227	123	104	185	17	74.9	14	6.2
White	191	78	113	[3]	8	41.9	10	5.2
Other races	36	45	-9	[3]	9	250.0	4	[4]
Sequoyah	376	163	213	231	22	58.5	6	1.6
White	348	136	212	256	20	57.5	6	1.7
Other races	28	27	1	[3]	2	71.4	----	------
Stephens	617	239	378	258	30	48.6	13	2.1
White	605	232	373	261	28	46.3	12	2.0
Other races	12	7	5	[3]	2	166.7	1	[4]
Texas	203	104	99	195	13	64.0	2	1.0
White	203	104	99	195	13	64.0	2	1.0
Other races	------	------	------	------	------	------	----	------
Tillman	477	182	295	262	25	52.4	27	5.7
White	436	149	287	293	17	39.0	22	5.0
Other races	41	33	8	[3]	8	195.1	5	[4]
Tulsa	2,865	1,909	956	150	154	53.8	67	2.3
Rural part	624	278	346	224	24	38.5	9	1.4
White	590	240	350	246	20	33.9	9	1.5
Other races	34	38	-4	[3]	4	117.6	----	------
Tulsa	2,241	1,631	610	137	130	58.0	58	2.6
White	2,101	1,361	740	154	111	52.8	47	2.2
Other races	140	270	-130	52	19	135.7	11	7.9
Wagoner	435	225	210	193	37	85.1	14	3.2
White	304	138	166	220	19	62.5	6	2.0
Other races	131	87	44	[3]	18	137.4	8	6.1
Section B—Continued								
OKLAHOMA—Con.								
Washington	498	311	187	160	42	84.3	12	2.4
Rural part	201	111	90	181	18	89.6	8	4.0
White	187	102	85	183	16	85.6	6	3.2
Other races	14	9	5	[3]	2	142.9	2	[4]
Bartlesville	297	200	97	149	24	80.8	4	1.3
White	281	176	105	160	21	74.7	4	1.4
Other races	16	24	-8	[3]	3	187.5	----	------
Washita	461	160	301	288	24	52.1	10	2.2
White	456	155	301	294	22	48.2	10	2.2
Other races	5	5	-------	[3]	2	400.0	----	------
Woods	300	138	162	217	20	66.7	8	2.7
White	300	138	162	217	20	66.7	8	2.7
Other races	------	------	-------	------	------	------	----	------
Woodward	261	315	-54	83	17	65.1	3	1.1
White	261	312	-51	84	16	61.3	3	1.1
Other races	------	3	-3	------	1	------	----	------
OREGON (total)	13,975	12,367	1,608	113	619	44.3	297	2.1
Baker	308	227	81	136	16	51.9	2	0.6
Benton	208	153	55	136	8	38.5	7	3.4
Clackamas	434	524	-90	83	23	53.0	13	3.0
Clatsop	285	260	25	110	8	28.1	10	3.5
Rural part	55	90	-35	[3]	1	18.2	3	[4]
Astoria	230	170	60	135	7	30.4	7	3.0
Columbia	246	163	83	151	9	36.6	4	1.6
Coos	577	377	200	153	18	31.2	13	2.3
Crook	45	31	14	[3]	2	44.4	----	------
Curry	54	39	15	[3]	1	18.5	----	------
Deschutes	269	165	104	163	17	63.2	9	3.3
Douglas	333	318	15	105	25	75.1	10	3.0
Gilliam	28	13	15	[3]	2	71.4	----	------
Grant	85	62	23	[3]	4	47.1	1	[4]
Harney	95	69	26	[3]	8	84.2	----	------
Hood River	217	107	110	203	4	18.4	2	0.9
Jackson	494	457	37	108	27	54.7	9	1.8
Rural part	178	231	-53	77	12	67.4	4	2.2
Medford	316	226	90	140	15	47.5	5	1.6
Jefferson	5	10	-5	[3]	-----	------	----	------
Josephine	235	214	21	110	11	46.8	1	0.4
Klamath	686	340	346	202	37	53.9	16	2.3
Rural part	160	118	42	136	5	31.3	2	1.3
Klamath Falls	526	222	304	237	32	60.8	14	2.7
Lake	97	53	44	[3]	4	41.2	2	[4]
Lane	923	646	277	143	47	50.9	18	2.0
Rural part	314	249	65	126	16	51.0	6	1.9
Eugene	609	397	212	153	31	50.9	12	2.0
Lincoln	178	128	50	139	12	67.4	3	1.7
Linn	390	301	89	130	10	25.6	11	2.8
Malheur	270	151	119	179	20	74.1	5	1.9
Marion	1,013	1,115	-102	91	48	47.4	18	1.8
Rural part	429	409	20	105	18	42.0	7	1.6
Salem	584	706	-122	83	30	51.4	11	1.9
Morrow	74	48	26	[3]	5	67.6	1	[4]
Multnomah	4,458	4,641	-183	96	178	39.9	100	2.2
Rural part	71	417	-346	17	5	70.4	1	[4]
Portland	4,387	4,224	163	104	173	39.4	99	2.3
Polk	211	162	49	130	10	47.4	9	4.3
Sherman	11	7	4	[3]	-----	------	----	------
Tillamook	155	125	30	124	3	19.4	2	1.3
Umatilla	285	326	-41	87	12	42.1	5	1.8
Union	268	183	85	146	13	48.5	5	1.9
Wallowa	109	82	27	[3]	3	27.5	1	0.9
Wasco	206	199	7	104	14	68.0	6	2.9
Washington	351	353	-2	99	12	34.2	5	1.4
Wheeler	20	18	2	[3]	-----	------	1	[4]
Yamhill	352	300	52	117	8	22.7	8	2.3
PENNSYLVANIA (total)	159,393	112,711	46,682	141	8,153	51.2	5,034	3.2
Adams	701	391	310	179	28	39.9	22	3.1
Allegheny	21,006	16,120	4,886	130	1,108	52.7	690	3.3
Rural part	3,809	3,987	-178	96	201	52.8	107	2.8
Bellevue	315	180	135	175	13	41.3	6	1.9
Braddock	509	290	219	176	30	58.9	21	4.1
White	438	256	182	171	26	59.4	19	4.3
Other races	71	34	37	[3]	4	56.3	2	[4]
Carnegie	121	73	48	[3]	6	49.6	7	5.8
Clairton	186	82	104	[3]	14	75.3	2	1.1
White	150	66	84	[3]	8	53.3	1	0.7
Other races	36	16	20	[3]	6	166.7	1	[4]
Coraopolis	95	70	25	[3]	3	31.6	2	[4]
Dormont	9	83	-74	[3]	2	222.2	----	------
Duquesne	199	130	69	153	12	60.3	4	2.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Allegheny—Continued								
Harrison (twp.)	388	216	172	180	32	82.5	19	4.9
Homestead	411	231	180	178	20	48.7	27	6.6
White	381	186	195	205	15	39.4	17	4.5
Other races	30	45	-15	[3]	5	166.7	10	[4]
McKeesport	1,258	702	556	179	71	56.4	52	4.1
McKees Rocks	111	105	6	106	6	54.1	1	0.9
Mount Lebanon(twp.)	9	75	-66	[3]	2	222.2	----	------
Munhall	81	77	4	[3]	6	74.1	1	[4]
North Braddock	132	87	45	[3]	9	68.2	10	7.6
Pittsburgh	12,243	9,035	3,208	136	630	51.5	399	3.3
White	11,216	8,051	3,165	139	577	51.4	334	3.0
Other races	1,027	984	43	104	53	51.6	65	6.3
Stowe (twp.)	346	115	231	301	13	37.6	15	4.3
Swissvale	74	112	-38	66	5	67.6	2	[4]
Turtle Creek	106	70	36	[3]	3	28.3	5	4.7
Wilkinsburg	604	400	204	151	30	49.7	10	1.7
Armstrong	1,579	708	871	223	91	57.6	44	2.8
Beaver	2,458	1,331	1,127	185	130	52.9	79	3.2
Rural part	1,481	895	586	165	78	52.7	55	3.7
Aliquippa	412	144	268	286	19	46.1	11	2.7
Ambridge	242	83	159	[3]	11	45.5	7	2.9
Beaver Falls	318	206	112	154	22	69.2	6	1.9
Elwood City (part)	5	3	2	[6]	-----	------	----	------
Bedford	794	413	381	192	51	64.2	13	1.6
Berks	3,459	3,032	427	114	185	53.5	123	3.6
Rural part	2,107	1,721	386	122	114	54.1	75	3.6
Reading	1,352	1,311	41	103	71	52.5	48	3.6
Blair	2,420	1,649	771	147	113	46.7	80	3.3
Rural part	1,001	643	358	156	38	38.0	28	2.8
Altoona	1,419	1,006	413	141	75	52.9	52	3.7
Bradford	969	747	222	130	39	40.2	39	4.0
Bucks	1,279	1,011	268	127	48	37.5	31	2.4
Rural part	1,060	906	154	117	40	37.7	28	2.6
Bristol	219	105	114	209	8	36.5	3	1.4
Butler	1,442	845	597	171	65	45.1	41	2.8
Rural part	1,162	666	496	174	55	47.3	35	3.0
Butler	280	179	101	156	10	35.7	6	2.1
Cambria	4,228	2,132	2,096	198	243	57.5	141	3.3
Rural part	2,417	1,123	1,294	215	140	57.9	79	3.3
Johnstown	1,811	1,009	802	179	103	56.9	62	3.4
Cameron	83	51	22	[3]	8	96.4	4	[4]
Carbon	837	593	244	141	47	56.2	22	2.6
Centre	1,201	640	561	188	72	60.0	48	4.0
Chester	2,135	1,627	508	131	123	57.6	69	3.2
Rural part	1,035	1,033	2	100	58	56.0	35	3.4
Coatesville	139	98	41	[3]	8	57.6	5	3.6
White	107	74	33	[3]	5	46.7	4	3.7
Other races	32	24	8	[3]	3	93.8	1	[4]
Phoenixville	258	152	106	170	16	62.0	9	3.5
West Chester	703	344	359	204	41	58.3	20	2.8
White	605	295	310	205	32	52.9	20	3.3
Other races	98	49	49	[3]	9	91.8	----	------
Clarion	757	344	413	220	36	47.6	23	3.0
Clearfield	1,880	960	920	196	99	52.7	44	2.3
Rural part	1,548	780	768	198	77	49.7	34	2.2
Du Bois	332	180	152	184	22	66.3	10	3.0
Clinton	545	421	224	153	50	77.5	26	4.0
Columbia	818	554	264	148	37	45.2	29	3.5
Rural part	582	420	162	139	32	55.0	21	3.6
Berwick	236	134	102	176	5	21.2	8	3.4
Crawford	1,199	943	256	127	50	41.7	32	2.7
Rural part	543	506	37	106	23	35.8	19	3.0
Meadville	556	337	219	165	27	48.6	13	2.3
Cumberland	1,103	837	266	132	45	40.8	27	2.4
Rural part	739	555	184	133	24	32.5	15	2.0
Carlisle	364	282	82	129	21	57.7	12	3.3
Dauphin	2,628	2,210	418	119	127	48.3	90	3.4
Rural part	987	804	183	123	35	35.5	18	1.8
Harrisburg	1,525	1,320	205	116	88	57.7	67	4.4
Steelton	116	86	30	[3]	4	34.5	5	4.3
White	93	75	18	[3]	4	43.0	3	[4]
Other races	23	11	12	[3]	-----	------	2	[4]
Delaware	3,138	2,700	438	116	165	52.6	105	3.3
Rural part	1,525	1,360	165	119	65	40.0	53	3.3
Haverford (twp.)	36	149	-113	24	1	27.8	----	------
Upper Darby (twp.)	346	365	-19	95	14	40.5	8	2.3
Chester	1,131	826	305	137	85	75.2	44	3.9
White	909	650	259	140	52	57.2	30	3.3
Other races	222	176	46	126	33	148.6	14	6.3
Elk	695	353	342	197	32	46.0	21	3.0
Erie	2,907	2,053	854	142	124	42.7	80	2.8
Rural part	714	639	75	112	37	51.8	14	2.0
Erie	2,193	1,414	779	155	87	39.7	66	3.0
Fayette	3,899	1,981	1,918	197	241	61.8	138	3.5
Rural part	2,995	1,333	1,662	225	183	61.1	98	3.3
Connellsville	384	238	146	161	28	72.9	17	4.4
Uniontown	520	410	110	127	30	57.7	23	4.4
Forest	97	46	51	[3]	2	20.6	5	[4]
Franklin	1,236	828	408	149	61	49.4	46	3.7
Rural part	568	486	82	117	30	52.8	18	3.2
Chambersburg	403	218	185	185	17	42.2	16	4.0
Waynesboro	265	124	141	214	14	52.8	12	4.5
Fulton	207	94	113	[3]	9	43.5	12	5.8
Greene	858	407	451	211	51	59.4	44	5.1
Huntingdon	885	495	390	179	54	61.0	30	3.4
Indiana	1,663	762	901	218	84	50.5	53	3.2
Jefferson	1,103	584	519	189	56	50.8	37	3.4
Juniata	286	141	145	203	11	38.5	11	3.8
Lackawanna	4,892	3,528	1,364	139	283	57.8	179	3.7
Rural part	1,064	815	249	131	58	54.5	35	3.3
Carbondale	426	341	85	125	37	86.9	24	5.6
Dickson City	112	60	52	[3]	8	71.4	1	0.9
Dunmore	195	204	-9	96	33	169.2	5	2.6
Old Forge	122	76	46	[3]	6	49.2	3	2.5
Olyphant	78	68	10	[3]	6	76.9	3	[4]
Scranton	2,673	1,845	828	145	127	47.5	91	3.4
Taylor	222	119	103	187	8	36.0	17	7.7
Lancaster	3,634	2,469	1,165	147	187	51.5	91	2.5
Rural part	2,102	1,369	733	154	96	45.7	43	2.0
Columbia	205	152	53	135	10	48.8	5	2.4
Lancaster	1,327	948	379	140	81	61.0	43	3.2
Lawrence	1,770	1,051	719	168	106	59.9	50	2.8
Rural part	430	301	129	143	23	53.5	8	1.9
Elwood City (part)	259	124	135	[6]	17	[6]	9	[6]
Elwood City(total)	264	127	137	208	17	64.4	9	3.4
New Castle	1,081	626	455	173	66	61.1	33	3.1
Lebanon	1,242	814	428	153	63	50.7	46	3.7
Rural part	601	417	184	144	33	54.9	16	2.7
Lebanon	641	397	244	161	30	46.8	30	4.7
Lehigh	3,166	2,260	906	140	179	56.5	101	3.2
Rural part	1,253	763	490	164	72	57.5	36	2.9
Allentown	1,860	1,439	421	129	105	56.5	61	3.3
Bethlehem (part)	53	58	-5	[6]	2	[6]	4	[6]
Luzerne	7,403	4,687	2,716	158	403	54.4	248	3.4
Rural part	2,694	1,792	902	150	121	44.9	78	2.9
Hanover (twp.)	182	108	74	169	15	82.4	5	2.7
Hazleton	964	471	493	205	41	42.5	32	3.3
Kingston	382	252	130	152	18	47.1	12	3.1
Nanticoke	570	289	281	197	24	42.1	21	3.7
Pittston	222	165	57	135	11	49.5	6	2.7
Plains (twp.)	157	104	53	151	10	63.7	4	2.5
Plymouth	174	133	41	131	11	63.2	10	5.7
Wilkes Barre	2,058	1,373	685	150	152	73.9	80	3.9
Lycoming	1,594	1,164	430	137	88	55.2	48	3.0
Rural part	619	452	167	137	25	40.4	19	3.1
Williamsport	975	712	263	137	63	64.6	29	3.0
McKean	1,063	648	415	164	63	59.3	34	3.2
Rural part	624	383	241	163	32	51.3	19	3.0
Bradford	439	265	174	166	31	70.6	15	3.4
Mercer	1,686	1,152	534	146	72	42.7	56	3.3
Rural part	974	732	242	133	50	51.3	37	3.8
Farrell	165	72	93	[3]	6	36.4	4	2.4
White	146	61	85	[3]	5	34.2	4	2.7
Other races	19	11	8	[3]	1	52.6	----	------
Sharon	547	348	199	157	16	29.3	15	2.7
Mifflin	895	545	350	164	70	78.2	29	3.2
Rural part	690	424	266	163	62	89.9	24	3.5
Lewistown	205	121	84	169	8	39.0	5	2.4
Monroe	491	376	115	131	20	40.7	17	3.5
Montgomery	3,792	3,273	519	116	156	41.1	120	3.2
Rural part	1,030	1,172	-142	88	49	47.6	24	2.3
Abington (twp.)	727	386	341	188	31	42.6	26	3.6
Cheltenham (twp.)	21	113	-92	19	1	47.6	----	------
Conshohocken	95	65	30	[3]	4	42.1	5	[4]
Lower Merion(twp.)	557	415	142	134	19	34.1	16	2.9
Norristown	906	797	109	114	32	35.3	26	2.9
Pottstown	456	325	131	140	20	43.9	23	5.0
Montour	563	557	26	105	30	51.5	12	2.1
Northampton	2,273	1,636	637	139	91	40.0	56	2.5
Rural part	1,524	1,022	502	149	65	42.7	35	2.3
Bethlehem (part)	388	296	92	[6]	15	[6]	10	[6]
Bethlehem (total)	441	354	87	125	17	38.5	14	3.2
Easton	361	318	43	114	11	30.5	11	3.0
Northumberland	1,792	1,304	488	137	95	53.0	49	2.7
Rural part	1,131	730	401	155	60	53.1	29	2.6
Mount Carmel	175	147	28	119	8	45.7	6	3.4
Shamokin	196	179	17	109	12	61.2	3	1.5
Sunbury	290	248	42	117	15	51.7	11	3.8

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Perry	384	242	142	159	20	52.1	5	1.3
Philadelphia, coextensive with:								
Philadelphia	29,757	25,105	4,652	119	1,418	47.7	888	3.0
White	25,370	21,429	3,941	118	1,104	43.5	694	2.7
Other races	4,387	3,676	711	119	314	71.6	194	4.4
Pike	67	97	-30	[3]	1	14.9	5	[4]
Potter	272	228	44	119	14	51.5	3	1.1
Schuylkill	4,205	2,806	1,399	150	278	66.1	150	3.6
Rural part	3,019	1,833	1,186	165	181	60.0	96	3.2
Mahanoy City	139	126	13	110	8	57.6	3	2.2
Pottsville	768	547	221	140	43	82.0	43	5.6
Shenandoah	194	176	18	110	20	103.1	5	2.6
Tamaqua	85	124	-39	69	6	70.6	3	[4]
Snyder	342	224	118	153	15	43.9	7	2.0
Somerset	1,724	749	975	230	82	47.6	64	3.7
Sullivan	110	71	39	[3]	5	45.5	3	2.7
Susquehanna	503	392	111	128	25	49.7	12	2.4
Tioga	623	494	129	126	32	51.4	20	3.2
Union	338	233	105	145	10	29.6	6	1.8
Venango	1,153	807	346	143	54	46.8	43	3.7
Rural part	560	438	122	128	30	53.6	20	3.6
Franklin	120	105	15	114	5	41.7	4	3.3
Oil City	473	264	209	179	19	40.2	19	4.0
Warren	654	703	-49	93	29	44.3	23	3.5
Rural part	240	471	-231	51	13	54.2	7	2.9
Warren	414	232	182	178	16	38.6	16	3.9
Washington	3,774	1,941	1,833	194	196	51.9	116	3.1
Rural part	2,553	1,251	1,302	204	123	48.2	73	2.9
Canonsburg	382	114	268	335	13	34.0	13	3.4
Charleroi	110	69	41	[3]	9	81.8	5	4.5
Donora	158	72	86	[3]	6	38.0	3	1.9
Washington	571	435	136	131	45	78.8	22	3.9
Wayne	380	359	21	106	19	50.0	12	3.2
Westmoreland	4,935	2,777	2,158	178	216	43.8	141	2.9
Rural part	2,750	1,586	1,164	173	112	40.7	70	2.5
Arnold	154	49	105	[3]	7	45.5	3	1.9
Greensburg	594	329	265	181	19	32.0	22	3.7
Jeannette	179	98	81	[3]	5	27.9	6	3.4
Latrobe	309	176	133	176	11	35.6	14	4.5
Monessen	246	124	122	198	15	61.0	11	4.5
New Kensington	532	324	208	164	38	71.4	13	2.4
Vandergrift	171	91	80	[3]	9	52.6	2	1.2
Wyoming	219	181	38	121	7	32.0	2	0.9
York	3,082	1,825	1,257	169	141	45.7	99	3.2
Rural part	1,540	924	616	167	61	39.6	46	3.0
Hanover	401	173	228	232	24	59.9	9	2.2
York	1,141	728	413	157	56	49.1	44	3.9
RHODE ISLAND (total)	10,186	8,126	2,060	125	491	48.2	302	3.0
Bristol	168	191	-23	88	10	59.5	5	3.0
Rural part	86	93	-7	[3]	5	58.1	2	[4]
Bristol (town)	82	98	-16	[3]	5	61.0	3	[4]
Kent	492	457	35	108	26	52.8	5	1.0
Rural part	100	109	-9	92	5	50.0	1	1.0
Warwick	128	218	-90	59	5	39.1	2	1.6
West Warwick (town)	264	130	134	203	16	60.6	2	0.8
Newport	579	544	35	106	25	43.2	13	2.2
Rural part	136	156	-20	87	7	51.5	2	1.5
Newport	443	388	55	114	18	40.6	11	2.5
Providence	8,423	6,503	1,920	130	390	46.3	264	3.1
Rural part	215	335	-120	64	6	27.9	7	3.3
Central Falls	405	207	198	196	14	34.6	12	3.0
Cranston	251	845	-584	31	21	80.5	9	3.4
Cumberland (town)	85	110	-25	77	2	23.5	1	[4]
East Providence (town)	176	234	-58	75	10	56.8	7	4.0
Lincoln (town)	68	77	-9	[3]	2	29.4	----	------
North Providence (town)	46	69	-23	[3]	2	43.5	----	------
Pawtucket	1,081	843	238	128	67	62.0	38	3.5
Providence	5,207	3,284	1,923	159	210	40.3	149	2.9
Woonsocket	879	499	380	176	56	63.7	41	4.7
Washington	524	431	93	122	40	76.3	15	2.9
Rural part	233	292	-59	80	24	103.0	11	4.7
Westerly (town)	291	139	152	209	16	55.0	4	1.4
SOUTH CAROLINA (total)	39,292	21,426	17,866	183	3,174	80.8	2,286	5.8
Abbeville	479	230	249	208	31	64.7	13	2.7
White	221	89	132	[3]	12	54.3	4	1.8
Other races	258	141	117	183	19	73.6	9	3.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA—Con.								
Aiken	946	617	329	153	94	99.4	59	6.2
White	498	316	182	158	46	92.4	23	4.6
Other races	448	301	147	149	48	107.1	36	8.0
Allendale	317	148	169	214	25	78.9	20	6.3
White	41	34	7	[3]	4	97.6	2	[4]
Other races	276	114	162	242	21	76.1	18	6.5
Anderson	1,787	840	947	213	109	61.0	65	3.6
Rural part	1,255	496	759	253	77	61.4	34	2.7
White	866	300	566	289	43	49.7	16	1.8
Other races	389	196	193	198	34	87.4	18	4.6
Anderson	532	344	188	155	32	60.2	31	5.8
White	469	199	270	236	18	38.4	24	5.1
Other races	63	145	-82	43	14	222.2	7	[4]
Bamberg	440	197	243	223	24	54.5	21	4.8
White	121	73	48	[3]	4	33.1	3	2.5
Other races	319	124	195	257	20	62.7	18	5.6
Barnwell	446	164	282	272	23	51.6	29	6.5
White	97	41	56	[3]	5	51.5	5	[4]
Other races	349	123	226	284	18	51.6	24	6.9
Beaufort	439	327	112	134	39	88.8	55	12.5
White	79	49	30	[3]	5	63.3	6	[4]
Other races	360	278	82	129	34	94.4	49	13.6
Berkeley	712	371	341	192	60	84.3	40	5.6
White	155	76	79	[3]	6	38.7	10	6.5
Other races	557	295	262	189	54	96.9	30	5.4
Calhoun	445	215	230	207	46	103.4	38	8.5
White	69	27	42	[3]	2	29.0	----	------
Other races	376	188	188	200	44	117.0	38	10.1
Charleston	2,584	1,828	756	141	260	100.6	266	10.3
Rural part	807	512	295	158	86	106.6	70	8.7
White	159	93	66	[3]	6	37.7	5	3.1
Other races	648	419	229	155	80	123.5	65	10.0
Charleston	1,777	1,316	461	135	174	97.9	196	11.0
White	776	478	298	162	33	42.5	25	3.2
Other races	1,001	838	163	119	141	140.9	171	17.1
Cherokee	730	330	400	221	55	75.3	29	4.0
White	556	229	327	243	40	71.9	21	3.8
Other races	174	101	73	172	15	86.2	8	4.6
Chester	764	348	416	220	39	51.0	51	6.7
White	324	142	182	228	10	30.9	7	2.2
Other races	440	206	234	214	29	65.9	44	10.0
Chesterfield	924	343	581	269	70	75.8	57	6.2
White	499	167	332	299	26	52.1	17	3.4
Other races	425	176	249	241	44	103.5	40	9.4
Clarendon	692	329	363	210	75	108.4	34	4.9
White	151	71	80	[3]	7	46.4	6	4.0
Other races	541	258	283	210	68	125.7	28	5.2
Colleton	595	275	320	216	39	65.5	38	6.4
White	209	104	105	201	6	28.7	4	1.9
Other races	386	171	215	226	33	85.5	34	8.8
Darlington	1,060	473	587	224	73	68.9	58	5.5
White	476	185	291	257	23	48.3	18	3.8
Other races	584	288	296	203	50	85.6	40	6.8
Dillon	654	280	374	234	62	94.8	47	7.2
White	305	108	197	282	22	72.1	16	5.2
Other races	349	172	177	203	40	114.6	31	8.9
Dorchester	452	290	162	156	47	104.0	49	10.8
White	118	105	13	112	7	59.3	4	3.4
Other races	334	185	149	181	40	119.8	45	13.5
Edgefield	452	220	232	205	34	75.2	13	2.9
White	108	63	45	[3]	5	46.3	1	0.9
Other races	344	157	187	219	29	84.3	12	3.5
Fairfield	556	201	355	277	36	64.7	26	4.7
White	172	70	102	[3]	9	52.3	4	2.3
Other races	384	131	253	293	27	70.3	22	5.7
Florence	1,512	1,064	448	142	169	111.8	137	9.1
Rural part	1,169	535	634	219	99	84.7	83	7.1
White	545	218	327	251	26	47.7	23	4.2
Other races	624	317	307	197	73	117.0	60	9.6
Florence	343	529	-186	65	70	204.1	54	15.7
White	215	306	-91	70	42	195.3	23	10.7
Other races	128	223	-95	57	28	218.8	31	24.2
Georgetown	597	250	347	239	34	57.0	30	5.0
White	184	64	120	[3]	6	32.6	3	1.6
Other races	413	186	227	222	28	67.8	27	6.5
Greenville	2,236	1,270	966	176	182	81.4	94	4.2
Rural part	1,743	688	1,055	253	111	63.7	53	3.0
White	1,444	531	913	272	85	58.9	35	2.4
Other races	299	157	142	190	26	87.0	18	6.0
Greenville	493	582	-89	85	71	144.0	41	8.3
White	278	308	-30	90	38	136.7	21	7.6
Other races	215	274	-59	78	33	153.5	20	9.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA—Con.								
Greenwood	664	465	199	143	42	63.3	33	5.0
Rural part	475	251	224	189	19	40.0	19	4.0
White	219	106	113	207	5	22.8	3	1.4
Other races	256	145	111	177	14	54.7	16	6.3
Greenwood	189	214	-25	88	23	121.7	14	7.4
White	141	116	25	122	10	70.9	6	4.3
Other races	48	98	-50	[3]	13	270.8	8	[4]
Hampton	384	260	124	148	33	85.9	31	8.1
White	110	79	31	[3]	2	18.2	2	1.8
Other races	274	181	93	151	31	113.1	29	10.6
Horry	1,347	497	850	271	121	89.8	53	3.9
White	983	347	636	283	83	84.4	29	3.0
Other races	364	150	214	243	38	104.4	24	6.6
Jasper	247	133	114	186	14	56.7	26	10.5
White	84	36	48	[3]	2	23.8	4	[4]
Other races	163	97	66	[3]	12	73.6	22	13.5
Kershaw	644	251	393	257	33	51.2	38	5.9
White	203	102	101	199	8	39.4	12	5.9
Other races	441	149	292	296	25	56.7	26	5.9
Lancaster	628	295	333	213	54	86.0	31	4.9
White	416	172	244	242	37	88.9	17	4.1
Other races	212	123	89	172	17	80.2	14	6.6
Laurens	663	390	273	170	40	60.3	32	4.8
White	362	214	148	169	21	58.0	15	4.1
Other races	301	176	125	171	19	63.1	17	5.6
Lee	545	268	277	203	43	78.9	42	7.7
White	122	82	40	[3]	9	73.8	2	1.6
Other races	423	186	237	227	34	80.4	40	9.5
Lexington	668	386	282	173	56	83.8	52	7.8
White	444	237	207	187	31	69.8	29	6.5
Other races	224	149	75	150	25	111.6	23	10.3
McCormick	276	127	149	217	18	65.2	18	6.5
White	40	31	9	[3]	2	50.0	1	[4]
Other races	236	96	140	[3]	16	67.8	17	7.2
Marion	751	306	445	245	54	71.9	39	5.2
White	323	100	223	323	8	24.8	17	5.3
Other races	428	206	222	208	46	107.5	22	5.1
Marlboro	761	459	302	166	123	161.6	38	5.0
White	344	200	144	172	45	130.8	14	4.1
Other races	417	259	158	161	78	187.1	24	5.8
Newberry	669	364	305	184	42	62.8	24	3.6
White	369	162	207	228	20	54.2	6	1.6
Other races	300	202	98	149	22	73.3	18	6.0
Oconee	740	326	414	227	61	82.4	29	3.9
White	618	242	376	255	51	82.5	23	3.7
Other races	122	84	38	[3]	10	82.0	6	4.9
Orangeburg	1,528	826	702	185	159	104.1	112	7.3
White	396	261	135	152	25	63.1	11	2.8
Other races	1,132	565	567	200	134	118.4	101	8.9
Pickens	854	304	550	281	45	52.7	17	2.0
White	739	237	502	312	34	46.0	13	1.8
Other races	115	67	48	[3]	11	95.7	4	3.5
Richland	1,477	1,808	-331	82	133	90.0	88	6.0
Rural part	577	593	-16	97	34	58.9	43	7.5
White	139	216	-77	64	7	50.4	2	1.4
Other races	438	377	61	116	27	61.6	41	9.4
Columbia	900	1,215	-315	74	99	110.0	45	5.0
White	518	695	-77	89	57	92.2	21	3.4
Other races	382	520	-238	54	42	148.9	24	8.5
Saluda	302	142	160	213	14	46.4	14	4.6
White	132	58	74	[3]	6	45.5	4	3.0
Other races	170	84	86	[3]	8	47.1	10	5.9
Spartanburg	2,436	1,188	1,248	205	146	59.9	108	4.4
Rural part	1,591	563	1,028	283	82	51.5	51	3.2
White	1,225	413	812	297	51	41.6	18	1.5
Other races	366	150	216	244	31	84.7	33	9.0
Spartanburg	845	625	220	135	64	75.7	57	6.7
White	633	378	255	167	46	72.7	31	4.9
Other races	212	247	-35	86	18	84.9	26	12.3
Sumter	1,065	686	379	155	94	88.3	62	5.8
Rural part	909	420	489	216	79	86.9	53	5.8
White	138	69	69	[3]	11	79.7	4	2.9
Other races	771	351	420	220	68	88.2	49	6.4
Sumter	156	266	-110	59	15	96.2	9	5.8
White	72	125	-53	58	5	69.4	3	[4]
Other races	84	141	-57	60	10	119.0	6	[4]
Union	612	258	354	237	32	52.3	13	2.1
White	358	168	190	213	23	64.2	5	1.4
Other races	254	90	164	[3]	9	35.4	8	3.1
Section B—Continued								
SOUTH CAROLINA—Con.								
Williamsburg	1,005	439	566	229	98	97.5	75	7.5
White	271	117	154	232	19	70.1	13	4.8
Other races	734	322	412	228	79	107.6	62	8.4
York	1,207	638	569	189	93	77.1	42	3.5
Rural part	898	410	488	219	50	55.7	35	3.9
White	450	187	263	241	23	51.1	15	3.3
Other races	448	223	225	201	27	60.3	20	4.5
Rock Hill	309	228	81	136	43	139.2	7	2.3
White	275	140	135	196	26	94.5	4	1.5
Other races	34	88	-54	[3]	17	500.0	3	[4]
SOUTH DAKOTA (total)	12,879	6,157	6,722	209	615	47.8	267	2.1
Armstrong	------	------	-------	------	-----	------	----	------
Aurora	88	28	60	[3]	3	34.1	1	[4]
Beadle	359	174	185	206	9	25.1	9	2.5
Rural part	110	39	71	[3]	3	27.3	3	2.7
Huron	249	135	114	184	6	24.1	6	2.4
Bennett	66	23	43	[3]	6	90.9	1	[4]
Bon Homme	159	87	72	[3]	9	56.6	4	2.5
Brookings	285	122	163	234	11	38.6	3	1.1
Brown	589	326	263	181	24	40.7	7	1.2
Rural part	112	65	47	[3]	2	17.9	2	1.8
Aberdeen	477	261	216	183	22	46.1	5	1.0
Brule	119	68	51	[3]	6	50.4	5	4.2
Buffalo	76	34	42	[3]	5	65.8	----	------
Butte	209	92	117	[3]	8	38.3	9	4.3
Campbell	89	24	65	[3]	7	78.7	5	[4]
Charles Mix	308	132	176	233	12	39.0	6	1.9
Clark	158	60	98	[3]	6	38.0	6	3.8
Clay	156	82	74	[3]	9	57.7	3	1.9
Codington	410	204	206	201	17	41.5	8	2.0
Rural part	81	29	52	[3]	2	24.7	2	[4]
Watertown	329	175	154	188	15	45.6	6	1.8
Corson	187	74	113	[3]	16	85.6	4	2.1
Custer	76	52	24	[3]	1	13.2	1	[4]
Davison	452	254	198	178	18	39.8	9	2.0
Rural part	42	15	27	[3]	1	23.8	----	------
Mitchell	410	239	171	172	17	41.5	9	2.2
Day	299	134	165	223	14	46.8	10	3.3
Deuel	123	50	73	[3]	3	24.4	2	1.6
Dewey	157	59	98	[3]	10	63.7	2	1.3
Douglas	143	43	100	[3]	4	28.0	2	1.4
Edmunds	182	50	132	[3]	13	71.4	4	2.2
Fall River	174	178	-4	98	12	69.0	5	2.9
Faulk	110	43	67	[3]	3	27.3	----	------
Grant	183	82	101	[3]	9	49.2	1	0.5
Gregory	225	84	141	[3]	13	57.8	6	2.7
Haakon	71	26	45	[3]	4	56.3	1	[4]
Hamlin	141	56	85	[3]	6	42.6	3	2.1
Hand	120	54	66	[3]	6	50.0	1	0.8
Hanson	107	31	76	[3]	2	18.7	3	2.8
Harding	40	16	24	[3]	-----	------	1	[4]
Hughes	242	97	145	[3]	13	53.7	6	2.5
Hutchinson	260	89	171	[3]	10	38.5	4	1.5
Hyde	51	15	36	[3]	2	39.2	----	------
Jackson	27	14	13	[3]	3	111.1	----	------
Jerauld	94	36	58	[3]	2	21.3	2	[4]
Jones	60	14	46	[3]	4	66.7	2	[4]
Kingsbury	200	94	106	[3]	3	15.0	4	2.0
Lake	273	121	152	226	13	47.6	9	3.3
Lawrence	424	159	265	267	18	42.5	12	2.8
Lincoln	221	102	119	217	4	18.1	4	1.8
Lyman	64	36	28	[3]	4	62.5	----	------
McCook	154	57	97	[3]	6	39.0	3	1.9
McPherson	198	71	127	[3]	8	40.4	4	2.0
Marshall	233	94	139	[3]	11	47.2	4	1.7
Meade	213	76	137	[3]	12	56.3	2	0.9
Mellette	75	43	32	[3]	9	120.0	2	[4]
Miner	128	50	78	[3]	4	31.3	2	1.6
Minnehaha	1,053	569	484	185	34	32.3	32	3.0
Rural part	209	116	93	180	4	19.1	6	2.9
Sioux Falls	844	453	391	186	30	35.5	26	3.1
Moody	144	62	82	[3]	6	41.7	4	2.8
Pennington	527	262	265	201	30	56.9	12	2.3
Rural part	112	61	51	[3]	7	62.5	1	0.9
Rapid City	415	201	214	206	23	55.4	11	2.7
Perkins	141	51	90	[3]	7	49.6	2	1.4
Potter	59	39	20	[3]	3	50.8	1	[4]
Roberts	256	148	108	173	15	58.6	3	1.2
Sanborn	79	32	47	[3]	2	25.3	1	[4]
Shannon	196	91	105	[3]	18	91.8	1	0.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH DAKOTA—Con.								
Spink	205	146	59	140	8	39.0	3	1.5
Stanley	20	11	9	3/	1	50.0	----	------
Sully	41	26	15	3/	3	73.2	----	------
Todd	163	68	95	3/	21	128.8	5	3.1
Tripp	230	75	155	3/	15	65.2	3	1.3
Turner	200	95	105	3/	12	60.0	7	3.5
Union	135	78	57	3/	11	81.5	2	1.5
Walworth	189	83	106	3/	17	89.9	5	2.6
Washabaugh	27	13	14	3/	1	37.0	----	------
Washington	15	16	-1	3/	1	66.7	----	------
Yankton	337	349	-12	97	11	32.6	4	1.2
Ziebach	84	33	51	3/	7	83.3	----	------
TENNESSEE (total)	50,571	32,522	18,049	155	3,464	68.5	1,969	3.9
Anderson	581	188	393	309	49	84.3	18	3.1
White	577	183	394	315	49	84.9	18	3.1
Other races	4	5	-1	3/	-----	------	----	------
Bedford	373	279	94	134	26	69.7	24	6.4
White	326	231	95	141	23	70.6	17	5.2
Other races	47	48	-1	3/	3	63.8	7	4/
Benton	189	124	65	152	11	58.2	13	6.9
White	187	121	66	155	11	58.8	13	7.0
Other races	2	3	-1	3/	-----	------	----	------
Bledsoe	148	44	104	3/	1	6.8	2	1.4
White	147	40	107	3/	1	6.8	2	1.4
Other races	1	4	-3	3/	-----	------	----	------
Blount	784	309	475	254	49	62.5	23	2.9
White	750	290	460	259	48	64.0	21	2.8
Other races	34	19	15	3/	1	29.4	2	4/
Bradley	582	301	281	193	43	73.9	26	4.5
White	545	272	273	200	38	69.7	22	4.0
Other races	37	29	8	3/	5	135.1	4	4/
Campbell	698	254	444	275	47	67.3	25	3.6
White	686	243	443	282	46	67.1	23	3.4
Other races	12	11	1	3/	1	83.3	2	4/
Cannon	161	107	54	150	12	74.5	8	5.0
White	156	101	55	154	11	70.5	8	5.1
Other races	5	6	-1	3/	1	200.0	----	------
Carroll	445	270	175	165	27	60.7	14	3.1
White	388	220	168	176	23	59.3	10	2.6
Other races	57	50	7	3/	4	70.2	4	4/
Carter	703	290	413	242	50	71.1	32	4.6
White	695	282	413	246	49	70.5	32	4.6
Other races	8	8	-------	3/	1	125.0	----	------
Cheatham	170	73	97	3/	5	29.4	7	4.1
White	158	60	98	3/	3	19.0	5	3.2
Other races	12	13	-1	3/	2	166.7	2	4/
Chester	135	98	37	3/	8	59.3	4	3.0
White	124	76	48	3/	8	64.5	4	3.2
Other races	11	22	-11	3/	-----	------	----	------
Claiborne	371	114	257	325	16	43.1	5	1.3
White	366	112	254	327	16	43.7	5	1.4
Other races	5	2	3	3/	-----	------	----	------
Clay	169	55	114	3/	5	29.6	3	1.8
White	166	55	111	3/	5	30.1	3	1.8
Other races	3	-------	3	------	-----	------	----	------
Cocke	531	229	302	232	45	84.7	16	3.0
White	516	217	299	238	44	85.3	16	3.1
Other races	15	12	3	3/	1	66.7	----	------
Coffee	316	196	120	161	22	69.6	5	1.6
White	299	181	118	165	18	60.2	5	1.7
Other races	17	15	2	3/	4	235.3	----	------
Crockett	322	155	167	208	13	40.4	14	4.3
White	280	119	161	235	9	32.1	9	3.2
Other races	42	36	6	3/	4	95.2	5	4/
Cumberland	282	82	200	3/	16	56.7	14	5.0
White	282	82	200	3/	16	56.7	14	5.0
Other races	------	------	-------	------	-----	------	----	------
Davidson	4,302	3,861	441	111	300	69.7	188	4.4
Rural part	910	883	27	103	41	45.1	28	3.1
White	852	680	172	125	36	42.3	28	3.3
Other races	58	203	-145	29	5	86.2	----	------
Nashville	3,392	2,978	414	114	259	76.4	160	4.7
White	2,570	1,869	701	138	184	71.6	108	4.2
Other races	822	1,109	-287	74	75	91.2	52	6.3
Decatur	173	105	68	165	10	57.8	5	2.9
White	160	92	68	3/	10	62.5	4	2.5
Other races	13	13	-------	3/	-----	------	1	4/
De Kalb	335	158	177	212	29	86.6	18	5.4
White	327	145	182	226	26	79.5	16	4.9
Other races	8	13	-5	3/	3	375.0	2	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TENNESSEE—Con.								
Dickson	329	162	167	203	17	51.7	9	2.7
White	304	144	160	211	16	52.6	7	2.3
Other races	25	18	7	3/	1	40.0	2	4/
Dyer	523	402	121	130	47	89.9	33	6.3
White	491	316	175	155	43	87.6	31	6.3
Other races	32	86	-54	3/	4	125.0	2	4/
Fayette	594	289	305	206	62	104.4	27	4.5
White	161	65	96	3/	11	68.3	4	2.5
Other races	433	224	209	193	51	117.8	23	5.3
Fentress	227	60	167	3/	13	57.3	10	4.4
White	226	60	166	3/	13	57.5	10	4.4
Other races	1	-------	1	-------	-----	------	----	------
Franklin	385	230	155	167	26	67.5	15	3.9
White	354	192	162	184	23	65.0	13	3.7
Other races	31	38	-7	3/	3	96.8	2	4/
Gibson	825	435	390	190	33	40.0	35	4.2
White	677	323	354	210	27	39.9	21	3.1
Other races	148	112	36	132	6	40.5	14	9.5
Giles	482	340	142	142	28	58.1	23	4.8
White	359	245	114	147	23	64.1	13	3.6
Other races	123	95	28	3/	5	40.7	10	8.1
Grainger	271	118	153	230	15	55.4	7	2.6
White	269	117	152	230	15	55.8	7	2.6
Other races	2	1	1	3/	-----	------	----	------
Greene	810	385	425	210	53	65.4	32	4.0
White	788	359	429	219	49	62.2	31	3.9
Other races	22	26	-4	3/	4	181.8	1	4/
Grundy	243	75	168	3/	12	49.4	9	3.7
White	242	74	168	3/	12	49.6	9	3.7
Other races	1	1	-------	3/	-----	------	----	------
Hamblen	322	241	81	134	34	105.6	15	4.7
White	284	207	77	137	30	105.6	15	5.3
Other races	38	34	4	3/	4	105.3	----	------
Hamilton	2,834	2,398	436	118	222	78.3	130	4.6
Rural part	545	357	188	153	33	60.6	16	2.9
White	524	300	224	175	27	51.5	15	2.9
Other races	21	57	-36	3/	6	285.7	1	4/
Chattanooga	2,289	2,041	248	112	189	82.6	114	5.0
White	1,805	1,196	609	151	142	78.7	74	4.1
Other races	484	845	-361	57	47	97.1	40	8.3
Hancock	217	65	152	3/	8	36.9	8	3.7
White	212	65	147	3/	8	37.7	8	3.8
Other races	5	-------	5	-------	-----	------	----	------
Hardeman	385	376	9	102	17	44.2	14	3.6
White	249	200	49	125	8	32.1	5	2.0
Other races	136	176	-40	77	9	66.2	9	6.6
Hardin	244	177	67	138	19	77.9	4	1.6
White	223	156	67	143	18	80.7	4	1.8
Other races	21	21	-------	3/	1	47.6	----	------
Hawkins	430	208	222	207	31	72.1	13	3.0
White	419	190	229	221	30	71.6	13	3.1
Other races	11	18	-7	3/	1	90.9	----	------
Haywood	460	290	170	159	27	58.7	24	5.2
White	165	105	60	157	8	48.5	3	1.8
Other races	295	185	110	159	19	64.4	21	7.1
Henderson	262	178	84	147	16	61.1	10	3.8
White	221	156	65	142	13	58.8	9	4.1
Other races	41	22	19	3/	3	73.2	1	4/
Henry	305	321	-16	95	27	88.5	17	5.6
White	260	238	22	109	22	84.6	13	5.0
Other races	45	83	-38	3/	5	111.1	4	4/
Hickman	300	122	178	246	11	36.7	14	4.7
White	279	109	170	256	10	35.8	12	4.3
Other races	21	13	8	3/	1	47.6	2	4/
Houston	124	68	56	3/	12	96.8	2	1.6
White	115	58	57	3/	11	95.7	2	1.7
Other races	9	10	-1	3/	1	111.1	----	------
Humphreys	257	123	134	209	12	46.7	3	1.2
White	245	113	132	217	10	40.8	3	1.2
Other races	12	10	2	3/	2	166.7	----	------
Jackson	276	124	152	223	21	76.1	8	2.9
White	273	122	151	224	20	73.3	7	2.6
Other races	3	2	1	3/	1	333.3	1	4/
Jefferson	376	202	174	186	31	82.4	15	4.0
White	356	186	170	191	28	78.7	15	4.2
Other races	20	16	4	3/	3	150.0	----	------
Johnson	280	105	175	267	26	92.9	18	6.4
White	276	103	173	268	24	87.0	18	6.5
Other races	4	2	2	3/	2	500.0	----	------
Knox	3,040	2,146	894	142	238	78.3	119	3.9
Rural part	838	639	199	131	48	57.3	31	3.7
White	823	576	247	143	45	54.7	29	3.5
Other races	15	63	-48	3/	3	200.0	2	4/
Knoxville	2,202	1,507	695	146	190	86.3	88	4.0
White	1,966	1,233	733	159	166	84.4	68	3.5
Other races	236	274	-38	86	24	101.7	20	8.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TENNESSEE—Con.								
Lake	223	103	120	217	14	62.8	8	3.6
White	205	72	133	3/	14	68.3	6	2.9
Other races	18	31	-13	3/	-----	-----	2	4/
Lauderdale	363	278	85	131	26	71.6	14	3.9
White	248	148	100	168	16	64.5	9	3.6
Other races	115	130	-15	88	10	87.0	5	4.3
Lawrence	648	231	417	281	32	49.4	11	1.7
White	632	219	413	289	32	50.6	10	1.6
Other races	16	12	4	3/	-----	-----	1	4/
Lewis	111	45	66	3/	6	54.1	2	1.8
White	103	42	61	3/	6	58.3	2	1.9
Other races	8	3	5	3/	-----	-----	----	-----
Lincoln	513	294	219	174	21	40.9	19	3.7
White	420	238	182	176	15	35.7	14	3.3
Other races	93	56	37	3/	6	64.5	5	4/
Loudon	405	214	191	189	19	46.9	24	5.9
White	390	207	183	188	18	46.2	23	5.9
Other races	15	7	8	3/	1	66.7	1	4/
McMinn	564	287	277	197	38	67.4	18	3.2
White	548	263	285	208	35	63.9	15	2.7
Other races	16	24	-8	3/	3	187.5	3	4/
McNairy	347	162	185	214	23	66.3	15	4.3
White	322	147	175	219	21	65.2	15	4.7
Other races	25	15	10	3/	2	80.0	----	-----
Macon	242	150	92	161	18	74.4	8	3.3
White	241	148	93	163	18	74.7	8	3.3
Other races	1	2	-1	3/	-----	-----	----	-----
Madison	638	586	52	109	45	70.5	29	4.5
Rural part	414	217	197	191	22	53.1	13	3.1
White	239	127	112	188	14	58.6	8	3.3
Other races	175	90	85	3/	8	45.7	5	2.9
Jackson	224	369	-145	61	23	102.7	16	7.1
White	165	229	-64	72	17	103.0	13	7.9
Other races	59	140	-81	42	6	101.7	3	4/
Marion	299	154	145	194	16	53.5	8	2.7
White	289	126	163	229	16	55.4	7	2.4
Other races	10	28	-18	3/	-----	-----	1	4/
Marshall	235	183	52	128	13	55.3	12	5.1
White	207	155	52	134	11	53.1	11	5.3
Other races	28	28	-------	3/	2	71.4	1	4/
Maury	595	444	151	134	40	67.2	24	4.0
White	467	270	197	173	34	72.8	15	3.2
Other races	128	174	-46	74	6	46.9	9	7.0
Meigs	113	42	71	3/	7	61.9	3	2.7
White	107	37	70	3/	7	65.4	3	2.8
Other races	6	5	1	3/	-----	-----	----	-----
Monroe	631	252	379	250	34	53.9	16	2.5
White	604	236	368	256	30	49.7	14	2.3
Other races	27	16	11	3/	4	148.1	2	4/
Montgomery	601	468	133	128	49	81.5	25	4.2
White	415	292	123	142	35	84.3	15	3.6
Other races	186	176	10	106	14	75.3	10	5.4
Moore	79	36	43	3/	5	63.3	3	4/
White	77	34	43	3/	5	64.9	3	4/
Other races	2	2	-------	3/	-----	-----	----	-----
Morgan	269	136	133	198	25	92.9	9	3.3
White	269	126	143	213	25	92.9	9	3.3
Other races	-------	10	-10	------	-----	-----	----	-----
Obion	516	354	162	146	31	60.1	18	3.5
White	460	285	175	161	23	50.0	13	2.8
Other races	56	69	-13	3/	8	142.9	5	4/
Overton	432	158	274	273	30	69.4	15	3.5
White	431	156	275	276	30	69.6	15	3.5
Other races	1	2	-1	3/	-----	-----	----	-----
Perry	157	76	81	3/	4	25.5	2	1.3
White	153	73	80	3/	4	26.1	2	1.3
Other races	4	3	1	3/	-----	-----	----	-----
Pickett	128	31	97	3/	1	7.8	3	2.3
White	127	31	96	3/	1	7.9	3	2.4
Other races	1	------	1	------	-----	-----	----	-----
Polk	344	96	248	3/	14	40.7	12	3.5
White	341	95	246	3/	14	41.1	12	3.5
Other races	3	1	2	3/	-----	-----	----	-----
Putnam	491	253	238	194	21	42.8	19	3.9
White	481	238	243	202	21	43.7	16	3.3
Other races	10	15	-5	3/	-----	-----	3	4/
Rhea	343	154	189	223	11	32.1	9	2.6
White	324	138	186	235	10	30.9	8	2.5
Other races	19	16	3	3/	1	52.6	1	4/
Roane	618	324	294	191	52	84.1	16	2.6
White	599	303	296	198	50	83.5	15	2.5
Other races	19	21	-2	3/	2	105.3	1	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TENNESSEE—Con.								
Robertson	501	299	202	168	29	57.9	20	4.0
White	407	203	204	200	22	54.1	15	3.7
Other races	94	96	-2	3/	7	74.5	5	4/
Rutherford	585	314	271	186	26	44.4	19	3.2
White	456	215	241	212	19	41.7	14	3.1
Other races	129	99	30	3/	7	54.3	5	3.9
Scott	230	84	146	3/	13	56.5	10	4.3
White	230	84	146	3/	13	56.5	10	4.3
Other races	------	------	-------	------	-----	------	----	------
Sequatchie	109	53	56	3/	12	110.1	1	0.9
White	109	53	56	3/	12	110.1	1	0.9
Other races	------	------	-------	------	-----	------	----	------
Sevier	533	166	367	321	28	52.5	15	2.8
White	531	166	365	320	28	52.7	15	2.8
Other races	2	------	2	------	-----	------	----	------
Shelby	5,666	5,505	161	103	501	88.4	249	4.4
Rural part	792	707	85	112	47	59.3	30	3.8
White	159	252	-93	63	5	31.4	3	1.9
Other races	633	455	178	139	42	66.4	27	4.3
Memphis	4,874	4,798	76	102	454	93.1	219	4.5
White	2,968	2,513	455	118	243	81.9	87	2.9
Other races	1,906	2,285	-379	83	211	110.7	132	6.9
Smith	258	150	108	172	7	27.1	8	3.1
White	237	136	101	174	6	25.3	8	3.4
Other races	21	14	7	3/	1	47.6	----	------
Stewart	258	146	112	177	11	42.6	11	4.3
White	250	135	115	185	11	44.0	10	4.0
Other races	8	11	-3	3/	-----	------	1	4/
Sullivan	1,336	528	808	253	82	61.4	46	3.6
Rural part	807	244	563	331	42	52.0	21	2.6
White	802	243	559	330	42	52.4	21	2.6
Other races	5	1	4	3/	-----	------	----	------
Bristol	216	144	72	150	18	83.3	6	2.8
White	199	125	74	159	18	90.5	6	3.0
Other races	17	19	-2	3/	-----	------	----	------
Kingsport	313	140	173	224	22	70.3	21	6.7
White	303	133	170	228	22	72.6	20	6.6
Other races	10	7	3	3/	-----	------	1	4/
Sumner	555	331	224	168	31	55.9	10	1.8
White	483	271	212	178	24	49.7	7	1.4
Other races	72	60	12	3/	7	97.2	3	4/
Tipton	413	267	146	155	30	72.6	17	4.1
White	266	158	108	168	16	60.2	9	3.4
Other races	147	109	38	135	14	95.2	8	5.4
Trousdale	94	80	14	3/	12	127.7	5	4/
White	76	59	17	3/	11	144.7	4	4/
Other races	18	21	-3	3/	1	55.6	1	4/
Unicoi	321	121	200	265	37	115.3	6	1.9
White	320	121	199	264	37	115.6	6	1.9
Other races	1	------	1	------	-----	------	----	------
Union	131	82	49	3/	11	84.0	4	3.1
White	131	82	49	3/	11	84.0	4	3.1
Other races	------	------	-------	------	-----	------	----	------
Van Buren	81	27	54	3/	2	24.7	5	4/
White	79	26	53	3/	2	25.3	5	4/
Other races	2	1	1	3/	-----	------	----	------
Warren	359	249	110	144	36	100.3	15	4.2
White	341	208	133	164	31	90.9	11	3.2
Other races	18	41	-23	3/	5	277.8	4	4/
Washington	811	555	256	146	44	54.3	41	5.1
Rural part	435	199	236	219	14	32.2	11	2.5
White	432	193	239	224	14	32.4	11	2.5
Other races	3	6	-3	3/	-----	------	----	------
Johnson City	376	356	20	106	30	79.8	30	8.0
White	355	305	50	116	27	76.1	26	7.3
Other races	21	51	-30	3/	3	142.9	4	4/
Wayne	241	131	110	184	20	83.0	2	0.8
White	235	120	115	196	18	76.6	2	0.9
Other races	6	11	-5	3/	2	333.3	----	------
Weakley	438	335	103	131	22	50.2	20	4.6
White	424	288	136	147	17	40.1	16	3.8
Other races	14	47	-33	3/	5	357.1	4	4/
White	403	165	238	244	25	62.0	12	3.0
White	393	156	237	252	24	61.1	12	3.1
Other	10	9	1	3/	1	100.0	----	------
Williamson	390	236	154	165	27	69.2	11	2.8
White	291	151	140	193	21	72.2	6	2.1
Other races	99	85	14	3/	6	60.6	5	4/
Wilson	382	255	127	150	21	55.0	20	5.2
White	318	203	115	157	17	53.5	15	4.7
Other races	64	52	12	3/	4	62.5	5	4/

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS (total)	111,602	65,803	45,799	170	7,951	71.2	3,905	3.5
Anderson	568	406	162	140	38	66.9	25	4.4
Rural part	374	205	169	182	17	45.5	15	4.0
White	258	112	146	230	8	31.0	9	3.5
Other races	116	93	23	[3]	9	77.6	6	5.2
Palestine	194	201	-7	97	21	108.2	10	5.2
White	160	137	23	117	15	93.8	8	5.0
Other races	34	64	-30	[3]	6	176.5	2	[4]
Andrews	17	6	11	[3]	1	58.8	----	----
White	17	6	11	[3]	1	58.8	----	----
Other races	----	----	----	----	----	----	----	----
Angelina	540	329	211	164	24	44.4	20	3.7
White	495	282	213	176	20	40.4	14	2.8
Other races	45	47	-2	[3]	4	88.9	6	[4]
Aransas	28	21	7	[3]	3	107.1	----	----
White	28	21	7	[3]	3	107.1	----	----
Other races	----	----	----	----	----	----	----	----
Archer	134	51	83	[3]	6	44.8	1	0.7
White	133	51	82	[3]	6	45.1	1	0.8
Other races	1	----	1	----	----	----	----	----
Armstrong	47	22	25	[3]	1	21.3	----	----
White	47	22	25	[3]	1	21.3	----	----
Other races	----	----	----	----	----	----	----	----
Atascosa	352	169	183	208	30	85.2	12	3.4
White	350	168	182	208	30	85.7	12	3.4
Other races	2	1	1	[3]	----	----	----	----
Austin	266	180	86	148	10	37.6	7	2.6
White	171	110	61	155	4	23.4	3	1.8
Other races	95	70	25	[3]	6	63.2	4	[4]
Bailey	118	29	89	[3]	4	33.9	1	0.8
White	118	29	89	[3]	4	33.9	1	0.8
Other races	----	----	----	----	----	----	----	----
Bandera	51	23	28	[3]	----	----	3	[4]
White	51	23	28	[3]	----	----	3	[4]
Other races	----	----	----	----	----	----	----	----
Bastrop	425	250	175	170	27	63.5	19	4.5
White	252	159	93	158	17	67.5	13	5.2
Other races	173	91	82	[3]	10	57.8	6	3.5
Baylor	181	75	106	[3]	12	66.3	8	4.4
White	178	73	105	[3]	11	61.8	8	4.5
Other races	3	2	1	[3]	1	333.3	----	----
Bee	375	202	173	186	39	104.0	15	4.0
White	364	195	169	187	38	104.4	14	3.8
Other races	11	7	4	[3]	1	90.9	1	[4]
Bell	878	581	297	151	45	51.3	26	3.0
Rural part	604	275	329	220	25	41.4	13	2.2
White	559	250	309	224	18	32.2	12	2.1
Other races	45	25	20	[3]	7	155.6	1	[4]
Temple	274	306	-32	90	20	73.0	13	4.7
White	245	270	-25	91	19	77.6	11	4.5
Other races	29	36	-7	[3]	1	34.5	2	[4]
Bexar	6,500	4,506	1,994	144	702	108.0	257	4.0
Rural part	645	778	-133	83	89	138.0	19	2.9
White	628	745	-117	84	85	135.4	15	2.4
Other races	17	33	-16	[3]	4	235.3	4	[4]
San Antonio	5,855	3,728	2,127	157	613	104.7	238	4.1
White	5,584	3,412	2,172	164	586	104.9	215	3.9
Other races	271	316	-45	86	27	99.6	23	8.5
Blanco	64	29	35	[3]	1	15.6	1	[4]
White	62	28	34	[3]	1	16.1	1	[4]
Other races	2	1	1	[3]	----	----	----	----
Borden	11	6	5	[3]	----	----	3	[4]
White	11	6	5	[3]	----	----	3	[4]
Other races	----	----	----	----	----	----	----	----
Bosque	278	124	154	224	17	61.2	8	2.9
White	264	120	144	220	17	64.4	7	2.7
Other races	14	4	10	[3]	----	----	1	[4]
Bowie	721	495	226	146	39	54.1	32	4.4
Rural part	536	243	293	221	28	52.2	22	4.1
White	396	152	244	261	21	53.0	14	3.5
Other races	140	91	49	[3]	7	50.0	8	5.7
Texarkana	185	252	-67	73	11	59.5	10	5.4
White	155	152	3	102	9	58.1	6	3.9
Other races	30	100	-70	30	2	66.7	4	[4]
Brazoria	318	199	119	160	20	62.9	16	5.0
White	234	119	115	197	15	64.1	10	4.3
Other races	84	80	4	[3]	5	59.5	6	[4]
Brazos	481	279	202	172	34	70.7	18	3.7
White	285	139	146	205	16	56.1	9	3.2
Other races	196	140	56	140	18	91.8	9	4.6
Brewster	160	81	79	[3]	20	125.0	6	3.8
White	160	81	79	[3]	20	125.0	6	3.8
Other races	----	----	----	----	----	----	----	----

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Briscoe	84	20	64	[3]	5	59.5	2	[4]
White	83	20	63	[3]	5	60.2	2	[4]
Other races	1	----	1	----	----	----	----	----
Brooks	212	74	138	[3]	20	94.3	8	3.8
White	212	73	139	[3]	20	94.3	8	3.8
Other races	----	1	-1	----	----	----	----	----
Brown	438	292	146	150	31	70.8	12	2.7
Rural part	172	74	98	[3]	6	34.9	4	2.3
White	171	72	99	[3]	6	35.1	4	2.3
Other races	1	2	-1	[3]	----	----	----	----
Brownwood	266	218	48	122	25	94.0	8	3.0
White	262	210	52	125	25	95.4	7	2.7
Other races	4	8	-4	[3]	----	----	1	[4]
Burleson	332	199	133	167	26	78.3	17	5.1
White	216	104	112	208	12	55.6	11	5.1
Other races	116	95	21	[3]	14	120.7	6	5.2
Burnet	198	107	91	185	13	65.7	5	2.5
White	194	102	92	190	13	67.0	5	2.6
Other races	4	5	-1	[3]	----	----	----	----
Caldwell	545	347	198	157	56	102.8	14	2.6
White	478	276	202	173	50	104.6	10	2.1
Other races	67	71	-4	[3]	6	89.6	4	[4]
Calhoun	142	75	67	[3]	16	112.7	4	2.8
White	134	66	68	[3]	15	111.9	3	2.2
Other races	8	9	-1	[3]	1	125.0	1	[4]
Callahan	286	99	187	[3]	10	35.0	5	1.7
White	285	99	186	[3]	10	35.1	5	1.8
Other races	1	----	1	----	----	----	----	----
Cameron	2,095	997	1,098	210	284	135.6	74	3.5
Rural part	1,025	433	592	237	153	149.3	36	3.5
White	1,021	429	592	238	152	148.9	36	3.5
Other races	4	4	----	[3]	1	250.0	----	----
Brownsville	615	347	268	177	84	137.0	22	3.6
White	613	344	269	178	84	137.0	22	3.6
Other races	----	3	-3	----	----	----	----	----
Harlingen	211	124	87	170	24	113.7	11	5.2
White	208	122	86	170	23	110.6	11	5.3
Other races	3	2	1	[3]	1	333.3	----	----
San Benito	246	93	153	[3]	23	93.5	5	2.0
White	246	89	157	[3]	23	93.5	5	2.0
Other races	----	4	-4	----	----	----	----	----
Camp	150	79	71	[3]	6	40.0	7	4.7
White	110	47	63	[3]	4	36.4	4	3.6
Other races	40	32	8	[3]	2	50.0	3	[4]
Carson	51	39	12	[3]	6	117.6	----	----
White	51	38	13	[3]	6	117.6	----	----
Other races	----	1	-1	----	----	----	----	----
Cass	428	252	176	170	20	46.7	19	4.4
White	307	160	147	192	12	39.1	11	3.6
Other races	121	92	29	[3]	8	66.1	8	6.6
Castro	89	16	73	[3]	----	----	----	----
White	89	16	73	[3]	----	----	----	----
Other races	----	----	----	----	----	----	----	----
Chambers	106	57	49	[3]	8	75.5	1	0.9
White	78	27	51	[3]	6	76.9	----	----
Other races	28	30	-2	[3]	2	71.4	1	[4]
Cherokee	725	551	174	132	42	57.9	28	3.9
White	594	376	218	158	35	58.9	18	3.0
Other races	131	175	-44	75	7	53.4	10	7.6
Childress	286	128	158	223	18	62.9	9	3.1
White	278	116	162	240	15	54.0	8	2.9
Other races	8	12	-4	[3]	3	375.0	1	[4]
Clay	264	101	163	261	9	34.1	5	1.9
White	261	97	164	[3]	8	30.7	5	1.9
Other races	3	4	-1	[3]	1	333.3	----	----
Cochran	94	10	84	[3]	3	31.9	----	----
White	94	10	84	[3]	3	31.9	----	----
Other races	----	----	----	----	----	----	----	----
Coke	55	36	19	[3]	7	127.3	2	[4]
White	55	35	20	[3]	7	127.3	2	[4]
Other races	----	1	-1	----	----	----	----	----
Coleman	372	225	147	165	15	40.3	11	3.0
White	366	218	148	168	14	38.3	9	2.5
Other races	6	7	-1	[3]	1	166.7	2	[4]
Collin	688	453	235	152	42	61.0	26	3.8
White	639	403	236	159	35	54.8	22	3.4
Other races	49	50	-1	[3]	7	142.9	4	[4]
Collingsworth	285	92	193	[3]	14	49.1	9	3.2
White	280	83	197	[3]	11	39.3	9	3.2
Other races	5	9	-4	[3]	3	600.0	----	----

See footnotes at end of table.

TABLE I.—BIRTHS. DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Colorado	318	194	124	164	18	56.6	13	4.1
White	212	110	102	193	10	47.2	6	2.8
Other races	106	84	22	[3]	8	75.5	7	6.6
Comal	266	152	114	175	23	86.5	14	5.3
White	260	148	112	176	23	88.5	12	4.6
Other races	6	4	2	[3]	-----	------	2	[4]
Comanche	246	169	77	146	12	48.8	3	1.2
White	246	169	77	146	12	48.8	3	1.2
Other races	------	------	-------	------	-----	------	----	------
Concho	102	38	64	[3]	6	58.8	2	2.0
White	102	38	64	[3]	6	58.8	2	2.0
Other races	------	------	-------	------	-----	------	----	------
Cooke	439	252	187	174	25	56.9	19	4.3
White	434	226	208	192	24	55.3	18	4.1
Other races	5	26	-21	[3]	1	200.0	1	[4]
Coryell	295	152	143	194	14	47.5	9	3.1
White	292	149	143	196	14	47.9	9	3.1
Other races	3	3	-------	[3]	-----	------	----	------
Cottle	193	70	123	[3]	20	103.6	5	2.6
White	183	64	119	[3]	19	103.8	4	2.2
Other races	10	6	4	[3]	1	100.0	1	[4]
Crane	40	24	16	[3]	1	25.0	----	------
White	40	24	16	[3]	1	25.0	----	------
Other races	------	------	-------	------	-----	------	----	------
Crockett	55	25	30	[3]	3	54.5	1	[4]
White	55	25	30	[3]	3	54.5	1	[4]
Other races	------	------	-------	------	-----	------	----	------
Crosby	177	64	113	[3]	6	33.9	5	2.8
White	174	57	117	[3]	5	28.7	5	2.9
Other races	3	7	-4	[3]	1	333.3	----	------
Culberson	20	17	3	[3]	1	50.0	----	------
White	19	15	4	[3]	1	52.6	----	------
Other races	1	2	-1	[3]	-----	------	----	------
Dallam	165	67	98	[3]	6	36.4	3	1.8
White	165	67	98	[3]	6	36.4	3	1.8
Other races	------	------	-------	------	-----	------	----	------
Dallas	5,378	4,256	1,122	126	408	75.9	172	3.2
Rural part	326	596	-270	55	21	64.4	14	4.3
White	279	455	-176	61	15	53.8	11	3.9
Other races	47	141	-94	33	6	127.7	3	[4]
Dallas	5,052	3,660	1,392	138	387	76.6	158	3.1
White	4,225	2,771	1,454	152	285	67.5	111	2.6
Other races	827	889	-62	93	102	123.3	47	5.7
Dawson	371	88	283	[3]	12	32.3	7	1.9
White	369	84	285	[3]	11	29.8	7	1.9
Other races	2	4	-2	[3]	1	500.0	----	------
Deaf Smith	109	44	65	[3]	4	36.7	2	1.8
White	109	44	65	[3]	4	36.7	2	1.8
Other races	------	------	-------	------	-----	------	----	------
Delta	231	110	121	210	15	64.9	7	3.0
White	216	93	123	[3]	12	55.6	7	3.2
Other races	15	17	-2	[3]	3	200.0	----	------
Denton	539	370	169	146	28	51.9	22	4.1
White	513	331	182	155	25	48.7	20	3.9
Other races	26	39	-13	[3]	3	115.4	2	[4]
De Witt	475	332	143	143	42	88.4	14	2.9
White	393	246	147	160	28	71.2	12	3.1
Other races	82	86	-4	[3]	14	170.7	2	[4]
Dickens	195	63	132	[3]	5	25.6	8	4.1
White	189	58	131	[3]	5	26.5	6	3.2
Other races	6	5	1	[3]	-----	------	2	[4]
Dimmit	258	120	138	215	31	120.2	14	5.4
White	258	119	139	217	31	120.2	13	5.0
Other races	------	1	-1	------	-----	------	1	------
Donley	164	45	119	[3]	3	18.3	10	6.1
White	160	44	116	[3]	3	18.8	9	5.6
Other races	4	1	3	[3]	-----	------	1	[4]
Duval	365	137	228	266	38	104.1	9	2.5
White	365	137	228	266	38	104.1	9	2.5
Other races	------	------	-------	------	-----	------	----	------
Eastland	762	312	450	244	37	48.6	27	3.5
White	754	302	452	250	37	49.1	27	3.6
Other races	8	10	-2	[3]	-----	------	----	------
Ector	126	49	77	[3]	5	39.7	3	2.4
White	123	46	77	[3]	4	32.5	3	2.4
Other races	3	3	-------	[3]	1	333.3	----	------
Edwards	41	12	29	[3]	2	48.8	1	[4]
White	41	12	29	[3]	2	48.8	1	[4]
Other races	------	------	-------	------	-----	------	----	------
Ellis	805	550	255	146	50	62.1	23	2.9
White	670	389	281	172	34	50.7	17	2.5
Other races	135	161	-26	84	16	118.5	6	4.4

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
El Paso	3,384	1,806	1,578	187	316	93.4	100	3.0
Rural part	763	393	370	194	104	136.3	22	2.9
White	757	384	373	197	102	134.7	22	2.9
Other races	6	9	-3	[3]	2	333.3	----	------
El Paso	2,621	1,413	1,208	185	212	80.9	78	3.0
White	2,588	1,372	1,216	189	210	81.1	78	3.0
Other races	33	41	-8	[3]	2	60.6	----	------
Erath	309	179	130	173	10	32.4	14	4.5
White	306	177	129	173	10	32.7	14	4.6
Other races	3	2	1	[3]	-----	------	----	------
Falls	615	411	204	150	42	68.3	16	2.6
White	463	253	210	183	28	60.5	8	1.7
Other races	152	158	-6	96	14	92.1	8	5.3
Fannin	683	415	268	165	25	36.6	28	4.1
White	631	348	283	181	21	33.3	23	3.6
Other races	52	67	-15	[3]	4	76.9	5	[4]
Fayette	550	288	262	191	27	49.1	16	2.9
White	408	200	208	204	16	39.2	9	2.2
Other races	142	88	54	[3]	11	77.5	7	4.9
Fisher	310	90	220	[3]	8	25.8	8	2.6
White	298	81	217	[3]	5	16.8	6	2.0
Other races	12	9	3	[3]	3	250.0	2	[4]
Floyd	225	75	150	[3]	12	53.3	8	3.6
White	223	75	148	[3]	12	53.8	5	2.2
Other races	2	------	2	-------	-----	------	3	[4]
Foard	117	48	69	[3]	6	51.3	5	4.3
White	108	43	65	[3]	6	55.6	4	3.7
Other races	9	5	4	[3]	-----	------	1	[4]
Fort Bend	387	362	25	107	54	139.5	16	4.1
White	281	240	41	117	44	156.6	12	4.3
Other races	106	122	-16	87	10	94.3	4	3.8
Franklin	138	64	74	[3]	3	21.7	5	3.6
White	132	59	73	[3]	3	22.7	4	3.0
Other races	6	5	1	[3]	-----	------	1	[4]
Freestone	372	202	170	184	15	40.3	12	3.2
White	259	111	148	233	6	23.2	6	2.3
Other races	113	91	22	[3]	9	79.6	6	5.3
Frio	334	133	201	251	49	146.7	9	2.7
White	329	133	196	247	49	148.9	9	2.7
Other races	5	------	5	-------	-----	------	----	------
Gaines	50	16	34	[3]	2	40.0	----	------
White	50	16	34	[3]	2	40.0	----	------
Other races	------	------	-------	------	-----	------	----	------
Galveston	1,044	1,014	30	103	63	60.3	31	3.0
Rural part	157	91	66	[3]	3	19.1	1	0.6
White	152	70	82	[3]	2	13.2	1	0.7
Other races	5	21	-16	[3]	1	200.0	----	------
Galveston	887	923	-36	96	60	67.6	30	3.4
White	684	624	60	110	39	57.0	23	3.4
Other races	203	299	-96	68	21	103.4	7	3.4
Garza	109	26	83	[3]	6	55.0	1	0.9
White	108	26	82	[3]	6	55.6	1	0.9
Other races	1	------	1	-------	-----	------	----	------
Gillespie	195	86	109	[3]	5	25.6	5	2.6
White	193	84	109	[3]	5	25.9	5	2.6
Other races	2	2	-------	[3]	-----	------	----	------
Glasscock	3	3	-------	[3]	-----	------	1	[4]
White	3	2	1	[3]	-----	------	1	[4]
Other races	------	1	-1	-------	-----	------	----	------
Goliad	195	104	91	188	18	92.3	2	1.0
White	182	92	90	[3]	17	93.4	2	1.1
Other races	13	12	1	[3]	1	76.9	----	------
Gonzales	564	334	230	169	68	120.6	20	3.5
White	432	250	182	173	55	127.3	18	4.2
Other races	132	84	48	[3]	13	98.5	2	1.5
Gray	540	182	358	297	25	46.3	13	2.4
Rural part	113	33	80	[3]	2	17.7	----	------
White	113	33	80	[3]	2	17.7	----	------
Other races	------	------	-------	------	-----	------	----	------
Pampa	427	149	278	287	23	53.9	13	3.0
White	427	146	281	292	23	53.9	12	2.8
Other races	------	3	-3	-------	-----	------	1	------
Grayson	1,149	876	273	131	83	72.2	45	3.9
Rural part	588	323	265	182	29	49.3	12	2.0
White	568	295	273	193	29	51.1	12	2.1
Other races	20	28	-8	[3]	-----	------	----	------
Denison	214	232	-18	92	14	65.4	16	7.5
White	175	173	2	101	12	68.6	9	5.1
Other races	39	59	-20	[3]	2	51.3	7	[4]
Sherman	347	321	26	108	40	115.3	17	4.9
White	307	274	33	112	36	117.3	13	4.2
Other races	40	47	-7	[3]	4	100.0	4	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Gregg	1,001	503	498	199	49	49.0	42	4.2
White	857	336	521	255	39	45.5	32	3.7
Other races	144	167	-23	86	10	69.4	10	6.9
Grimes	339	208	131	163	13	38.3	18	5.3
White	188	103	85	183	6	31.9	2	1.1
Other races	151	105	46	144	7	46.4	16	10.6
Guadalupe	423	323	100	131	54	127.7	16	3.8
White	364	267	97	136	49	134.6	10	2.7
Other races	59	56	3	[3]	5	84.7	6	[4]
Hale	372	152	220	245	17	45.7	8	2.2
White	368	151	217	244	17	46.2	8	2.2
Other races	4	1	3	[3]	-----	-----	----	-----
Hall	274	112	162	245	12	43.8	8	2.9
White	270	105	165	257	11	40.7	8	3.0
Other races	4	7	-3	[3]	1	250.0	----	-----
Hamilton	223	119	104	187	6	26.9	8	3.6
White	223	119	104	187	6	26.9	8	3.6
Other races	-----	-----	-----	-----	-----	-----	----	-----
Hansford	55	16	39	[3]	1	18.2	2	[4]
White	55	16	39	[3]	1	18.2	2	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
Hardeman	291	131	160	222	12	41.2	6	2.1
White	273	122	151	224	9	33.0	5	1.8
Other races	18	9	9	[3]	3	166.7	1	[4]
Hardin	256	150	106	171	21	82.0	7	2.7
White	220	114	106	193	15	68.2	7	3.2
Other races	36	36	-----	[3]	6	166.7	----	-----
Harris	6,825	4,620	2,205	148	371	54.4	232	3.4
Rural part	659	393	266	168	25	37.9	37	5.6
White	595	321	274	185	20	33.6	30	5.0
Other races	64	72	-8	[3]	5	78.1	7	[4]
Houston	5,166	4,227	1,939	146	346	56.1	195	3.2
White	5,010	2,905	2,105	172	247	49.3	124	2.5
Other races	1,156	1,322	-166	87	99	85.6	71	6.1
Harrison	922	597	325	154	62	67.2	62	6.7
Rural part	696	307	389	227	40	57.5	49	7.0
White	169	97	72	[3]	7	41.4	6	3.6
Other races	527	210	317	251	33	62.6	43	8.2
Marshall	226	290	-64	78	22	97.3	13	5.8
White	121	147	-26	82	4	33.1	3	2.5
Other races	105	143	-38	73	18	17.1	10	9.1
Hartley	16	10	6	[3]	1	62.5	----	-----
White	16	10	6	[3]	1	62.5	----	-----
Other races	-----	-----	-----	-----	-----	-----	----	-----
Haskell	306	113	193	271	6	19.6	6	2.0
White	297	105	192	283	5	16.8	4	1.3
Other races	9	8	1	[3]	1	111.1	2	[4]
Hays	283	239	44	118	30	106.0	10	3.5
White	257	211	46	122	29	112.8	10	3.9
Other races	26	28	-2	[3]	1	38.5	----	-----
Hemphill	80	32	48	[3]	7	87.5	1	[4]
White	80	32	48	[3]	7	87.5	1	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
Henderson	468	273	195	171	30	64.1	12	2.6
White	373	219	154	170	28	75.1	11	2.9
Other races	95	54	41	[3]	2	21.1	1	[4]
Hidalgo	2,061	944	1,117	218	245	118.9	71	3.4
White	2,060	940	1,120	219	244	118.4	71	3.4
Other races	1	4	-3	[3]	1	[5]	----	-----
Hill	635	376	259	169	28	44.1	25	3.9
White	564	317	247	178	23	40.8	20	3.5
Other races	71	59	12	[3]	5	70.4	5	[4]
Hockley	264	32	232	[3]	12	45.5	7	2.7
White	263	30	233	[3]	12	45.6	5	1.9
Other races	1	2	-1	[3]	-----	-----	2	[4]
Hood	100	49	51	[3]	4	40.0	4	4.0
White	100	49	51	[3]	4	40.0	4	4.0
Other races	-----	-----	-----	-----	-----	-----	----	-----
Hopkins	557	281	276	198	31	55.7	13	2.3
White	505	255	250	198	29	57.4	11	2.2
Other races	52	26	26	[3]	2	38.5	2	[4]
Houston	511	286	225	179	24	47.0	17	3.3
White	305	163	142	187	13	42.6	6	2.0
Other races	206	123	83	167	11	53.4	11	5.3
Howard	468	174	294	269	23	49.1	20	4.3
Rural part	88	29	59	[3]	1	11.4	2	[4]
White	88	29	59	[3]	1	11.4	2	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
Big Spring	380	145	235	262	22	57.9	18	4.7
White	375	136	239	276	20	53.3	17	4.5
Other races	5	9	-4	[3]	2	400.0	1	[4]
Hudspeth	55	14	41	[3]	2	36.4	1	[4]
White	55	14	41	[3]	2	36.4	1	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Hunt	789	521	268	151	45	57.0	34	4.3
Rural part	595	307	288	194	27	45.4	22	3.7
White	541	277	264	195	25	46.2	15	2.8
Other races	54	30	24	[3]	2	37.0	7	[4]
Greenville	194	214	-20	91	18	92.8	12	6.2
White	150	173	-23	87	14	93.3	7	4.7
Other races	44	41	3	[3]	4	90.9	5	[4]
Hutchinson	361	97	264	[3]	19	52.6	9	2.5
White	358	97	261	[3]	19	53.1	9	2.5
Other races	3	-----	3	-----	-----	-----	----	-----
Irion	26	17	9	[3]	4	153.8	1	[4]
White	26	17	9	[3]	4	153.8	1	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
Jack	157	72	85	[3]	7	44.6	7	4.5
White	155	70	85	[3]	6	38.7	7	4.5
Other races	2	2	-----	[3]	1	500.0	----	-----
Jackson	207	87	120	[3]	6	29.0	12	5.8
White	175	70	105	[3]	5	28.6	11	6.3
Other races	32	17	15	[3]	1	31.3	1	[4]
Jasper	291	160	131	182	8	27.5	13	4.5
White	207	117	90	177	5	24.2	7	3.4
Other races	84	43	41	[3]	3	35.7	6	[4]
Jeff Davis	50	28	22	[3]	10	200.0	----	-----
White	50	28	22	[3]	10	200.0	----	-----
Other races	-----	-----	-----	-----	-----	-----	----	-----
Jefferson	2,383	1,332	1,051	179	138	57.9	116	4.9
Rural part	466	185	281	252	18	38.6	12	2.6
White	346	130	216	266	13	37.6	6	1.3
Other races	120	55	65	[3]	5	41.7	6	5.0
Beaumont	1,074	720	354	149	66	61.5	63	5.9
White	771	432	339	178	40	51.9	28	3.6
Other races	303	288	15	105	26	85.8	35	11.6
Port Arthur	843	427	416	197	54	64.1	41	4.9
White	731	310	421	236	38	52.0	24	3.3
Other races	112	117	-5	96	16	142.9	17	15.2
Jim Hogg	142	49	93	[3]	10	70.4	1	0.7
White	142	49	93	[3]	10	70.4	1	0.7
Other races	-----	-----	-----	-----	-----	-----	----	-----
Jim Wells	304	174	130	175	37	121.7	12	3.9
White	303	173	130	175	37	122.1	12	4.0
Other races	1	1	-----	[3]	-----	-----	----	-----
Johnson	571	386	185	148	39	68.3	14	2.5
Rural part	340	233	107	146	21	61.8	10	2.9
White	322	220	102	146	18	55.9	8	2.5
Other races	18	13	5	[3]	3	166.7	2	[4]
Cleburne	231	153	78	151	18	77.9	4	1.7
White	224	140	84	160	17	75.9	4	1.8
Other races	7	13	-6	[3]	1	142.9	----	-----
Jones	567	240	327	236	31	54.7	17	3.0
White	549	229	320	240	29	52.8	17	3.1
Other races	18	11	7	[3]	2	111.1	----	-----
Karnes	518	248	270	209	52	100.4	20	3.9
White	498	233	265	214	50	100.4	20	4.0
Other races	20	15	5	[3]	2	100.0	----	-----
Kaufman	676	609	67	111	38	56.2	33	4.9
White	484	448	36	108	24	49.6	13	2.7
Other races	192	161	31	119	14	72.9	20	10.4
Kendall	63	43	20	[3]	3	47.6	2	[4]
White	63	41	22	[3]	3	47.6	2	[4]
Other races	-----	2	-2	-----	-----	-----	----	-----
Kenedy	21	4	17	[3]	-----	-----	1	[4]
White	21	4	17	[3]	-----	-----	1	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
Kent	77	19	58	[3]	2	26.0	----	-----
White	75	18	57	[3]	2	26.7	----	-----
Other races	2	1	1	[3]	-----	-----	----	-----
Kerr	170	241	-71	71	14	82.4	6	3.5
White	165	233	-68	71	14	84.8	5	3.0
Other races	5	8	-3	[3]	-----	-----	1	[4]
Kimble	69	35	34	[3]	1	14.5	4	[4]
White	69	35	34	[3]	1	14.5	4	[4]
Other races	-----	-----	-----	-----	-----	-----	----	-----
King	7	5	2	[3]	1	142.9	----	-----
White	7	5	2	[3]	1	142.9	----	-----
Other races	-----	-----	-----	-----	-----	-----	----	-----
Kinney	93	46	47	[3]	12	129.0	4	[4]
White	88	41	47	[3]	12	136.4	1	[4]
Other races	5	5	-----	[3]	-----	-----	3	[4]
Kleberg	300	177	123	169	38	126.7	20	6.7
White	293	170	123	172	37	126.3	19	6.5
Other races	7	7	-----	[3]	1	142.9	1	[4]
Knox	288	89	199	[3]	13	45.1	8	2.8
White	283	86	197	[3]	13	45.9	8	2.8
Other races	5	3	2	[3]	-----	-----	----	-----

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Lamar	943	669	274	141	64	67.9	38	4.0
Rural part	614	271	343	227	33	53.7	25	4.1
White	466	226	240	215	25	51.4	15	3.1
Other races	128	45	83	3/	8	62.5	10	7.8
Paris	329	398	-69	83	31	94.2	13	4.0
White	293	319	-26	92	25	85.3	11	3.8
Other races	36	79	-43	3/	6	166.7	2	4/
Lamb	424	104	320	408	22	51.9	7	1.7
White	410	94	316	3/	20	48.8	7	1.7
Other races	14	10	4	3/	2	142.9	----	------
Lampasas	204	108	96	189	7	34.3	4	2.0
White	198	105	93	189	7	35.4	4	2.0
Other races	6	3	3	3/	-----	------	----	------
La Salle	218	114	104	191	39	178.9	5	2.3
White	217	113	104	192	39	179.7	5	2.3
Other races	1	1	-------	3/	-----	------	----	------
Lavaca	463	263	200	176	20	43.2	15	3.2
White	412	208	204	198	14	34.0	11	2.7
Other races	51	55	-4	3/	6	117.6	4	4/
Lee	283	108	175	262	9	31.8	16	5.7
White	185	57	128	3/	3	16.2	7	3.8
Other races	98	51	47	3/	6	61.2	9	4/
Leon	295	149	146	198	9	30.5	15	5.1
White	153	92	61	3/	4	26.1	9	5.9
Other races	142	57	85	3/	5	35.2	6	4.2
Liberty	459	196	263	234	27	58.8	18	3.9
White	297	153	144	194	21	70.7	10	3.4
Other races	162	43	119	3/	6	37.0	8	4.9
Limestone	539	359	180	150	28	51.9	22	4.1
White	415	230	185	160	17	41.0	17	4.1
Other races	124	129	-5	96	11	88.7	5	4.0
Lipscomb	60	26	34	3/	3	50.0	3	4/
White	60	26	34	3/	3	50.0	3	4/
Other races	------	------	-------	------	-----	------	----	------
Live Oak	204	51	153	3/	7	34.3	2	1.0
White	204	50	154	3/	7	34.3	2	1.0
Other races	------	1	-1	------	-----	------	----	------
Llano	95	58	37	3/	8	84.2	3	4/
White	95	54	41	3/	8	84.2	3	4/
Other races	------	4	-4	------	-----	------	----	------
Loving	------	1	-1	------	-----	------	----	------
White	------	1	-1	------	-----	------	----	------
Other races	------	------	-------	------	-----	------	----	------
Lubbock	928	456	472	204	78	84.1	32	3.4
Rural part	267	86	181	3/	11	41.2	7	2.6
White	266	81	185	3/	11	41.4	6	2.3
Other races	1	5	-4	3/	-----	------	1	4/
Lubbock	661	370	291	179	67	101.4	25	3.8
White	631	341	290	185	63	99.8	23	3.6
Other races	30	29	1	3/	4	133.3	2	4/
Lynn	251	60	191	3/	15	59.8	8	3.2
White	249	56	193	3/	14	56.2	8	3.2
Other races	2	4	-2	3/	1	500.0	----	------
McCulloch	280	141	139	199	19	67.9	8	2.9
White	270	132	138	205	18	66.7	7	2.6
Other races	10	9	1	3/	1	100.0	1	4/
McLennan	1,716	1,212	504	142	119	69.3	64	3.7
Rural part	672	352	320	191	28	41.7	15	2.2
White	493	256	237	193	18	36.5	11	2.2
Other races	179	96	83	3/	10	55.9	4	2.2
Waco	1,044	860	184	121	91	87.2	49	4.7
White	848	638	210	133	68	80.2	32	3.8
Other races	196	222	-26	88	23	117.3	17	8.7
McMullen	19	5	14	3/	-----	------	----	------
White	19	5	14	3/	-----	------	----	------
Other races	------	------	-------	------	-----	------	----	------
Madison	250	129	121	194	19	76.0	11	4.4
White	156	97	59	3/	13	83.3	7	4.5
Other races	94	32	62	3/	6	63.8	4	4/
Marion	173	127	46	136	9	52.0	9	5.2
White	60	40	20	3/	3	50.0	2	4/
Other races	113	87	26	3/	6	53.1	7	6.2
Martin	89	31	58	3/	6	67.4	3	4/
White	89	30	59	3/	6	67.4	3	4/
Other races	------	1	-1	------	-----	------	----	------
Mason	93	53	40	3/	4	43.0	4	4/
White	90	52	38	3/	4	44.4	4	4/
Other races	3	1	2	3/	-----	------	----	------
Matagorda	349	178	171	196	22	63.0	10	2.9
White	270	114	156	237	13	48.1	9	3.3
Other races	79	64	15	3/	9	113.9	1	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Maverick	219	113	106	194	28	127.9	13	5.9
White	219	113	106	194	28	127.9	13	5.9
Other races	------	------	-------	------	-----	------	----	------
Medina	317	155	162	205	39	123.0	11	3.5
White	314	151	163	208	39	124.2	11	3.5
Other races	3	4	-1	3/	-----	------	----	------
Menard	79	38	41	3/	4	50.6	----	------
White	79	37	42	3/	4	50.6	----	------
Other races	------	1	-1	------	-----	------	----	------
Midland	206	84	122	3/	15	72.8	4	1.9
White	201	76	125	3/	15	74.6	4	2.0
Other races	5	8	-3	3/	-----	------	----	------
Milam	681	395	286	172	45	66.1	34	5.0
White	514	281	233	183	26	50.6	20	3.9
Other races	167	114	53	146	19	113.8	14	8.4
Mills	142	63	79	3/	7	49.3	5	3.5
White	142	63	79	3/	7	49.3	5	3.5
Other races	------	------	-------	------	-----	------	----	------
Mitchell	299	125	174	239	20	66.9	7	2.3
White	284	118	166	241	20	70.4	6	2.1
Other races	15	7	8	3/	-----	------	1	4/
Montague	392	216	176	181	13	33.2	14	3.6
White	388	216	172	180	13	33.5	14	3.6
Other races	4	------	4	------	-----	------	----	------
Montgomery	312	191	121	163	21	67.3	12	3.8
White	237	129	108	184	19	80.2	10	4.2
Other races	75	62	13	3/	2	26.7	2	4/
Moore	41	18	23	3/	4	97.6	2	4/
White	41	18	23	3/	4	97.6	2	4/
Other races	------	------	-------	------	-----	------	----	------
Morris	130	80	50	3/	9	69.2	1	8.0
White	85	48	37	3/	7	82.4	----	------
Other races	45	32	13	3/	2	44.4	1	4/
Motley	122	38	84	3/	6	49.2	2	1.6
White	118	36	82	3/	5	42.4	2	1.7
Other races	4	2	2	3/	1	250.0	----	------
Nacogdoches	491	309	182	159	32	65.2	18	3.7
White	404	225	179	180	24	59.4	14	3.5
Other races	87	84	3	3/	8	92.0	4	4/
Navarro	883	571	312	155	46	52.1	40	4.5
Rural part	667	300	367	222	31	46.5	35	5.2
White	531	204	327	260	22	41.4	19	3.6
Other races	136	96	40	3/	9	66.2	16	1.2
Corsicana	216	271	-55	80	15	69.4	5	2.3
White	196	191	5	103	12	61.2	4	2.0
Other races	20	80	-60	3/	3	150.0	1	4/
Newton	205	95	110	3/	9	43.9	15	7.3
White	126	55	71	3/	4	31.7	3	2.4
Other races	79	40	39	3/	5	63.3	12	4/
Nolan	385	167	218	231	30	77.9	8	2.1
Rural part	172	60	112	3/	10	58.1	4	2.3
White	170	60	110	3/	10	58.8	4	2.4
Other races	2	------	2	------	-----	------	----	------
Sweetwater	213	107	106	199	20	93.9	4	1.9
White	207	96	111	3/	19	91.8	3	1.4
Other races	6	11	-5	3/	1	166.7	1	4/
Nueces	1,418	908	510	156	253	178.4	62	4.4
Rural part	733	399	334	184	131	178.7	28	3.8
White	724	387	337	187	129	178.2	28	3.9
Other races	9	12	-3	3/	2	222.2	----	------
Corpus Christi	685	509	176	135	122	178.1	34	5.0
White	662	468	194	141	117	176.7	29	4.4
Other races	23	41	-18	3/	5	217.4	5	4/
Ochiltree	56	30	26	3/	3	53.6	1	4/
White	56	30	26	3/	3	53.6	1	4/
Other races	------	------	-------	------	-----	------	----	------
Oldham	22	11	11	3/	3	136.4	----	------
White	22	11	11	3/	3	136.4	----	------
Other races	------	------	-------	------	-----	------	----	------
Orange	257	186	71	138	24	93.4	12	4.7
White	223	150	73	149	18	80.7	7	3.1
Other races	34	36	-2	3/	6	176.5	5	4/
Palo Pinto	287	237	50	121	9	31.4	10	3.5
White	284	233	51	122	9	31.7	8	2.8
Other races	3	4	-1	3/	-----	------	2	4/
Panola	315	150	165	210	22	69.8	15	4.8
White	169	97	72	3/	15	88.8	5	3.0
Other races	146	53	93	3/	7	47.9	10	6.8
Parker	256	216	40	119	11	43.0	12	4.7
White	256	210	46	122	11	43.0	11	4.3
Other races	------	6	-6	------	-----	------	1	------
Parmer	60	21	39	3/	3	50.0	2	4/
White	60	21	39	3/	3	50.0	2	4/
Other races	------	------	-------	------	-----	------	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Pecos	168	55	113	3/	7	41.7	4	2.4
White	168	55	113	3/	7	41.7	4	2.4
Other races	------	------	-------	------	-----	------	----	------
Polk	376	211	165	178	26	69.1	16	4.3
White	254	130	124	195	16	63.0	8	3.1
Other races	122	81	41	3/	10	82.0	8	6.6
Potter	869	518	351	168	70	80.6	29	3.3
Rural part	50	16	34	3/	-----	------	2	4/
White	50	16	34	3/	-----	------	2	4/
Other races	------	------	-------	------	-----	------	----	------
Amarillo (part)	819	502	317	6/	70	6/	27	6/
White	803	477	326	6/	66	6/	27	6/
Other races	16	25	-9	6/	4	6/	----	------
Amarillo (total)	819	503	316	163	70	85.5	27	3.3
White	803	477	326	168	66	82.2	27	3.4
Other races	16	26	-10	3/	4	250.0	----	------
Presidio	240	125	115	192	31	129.2	4	1.7
White	240	125	115	192	31	129.2	4	1.7
Other races	------	------	-------	------	-----	------	----	------
Rains	159	47	112	3/	4	25.2	8	5.0
White	148	44	104	3/	4	27.0	7	4.7
Other races	11	3	8	3/	-----	------	1	4/
Randall	78	26	52	3/	2	25.6	1	4/
Rural part	78	25	53	3/	2	25.6	1	4/
White	78	25	53	3/	2	25.6	1	4/
Other races	------	------	-------	------	-----	------	----	------
Amarillo (part)	------	1	-1	------	-----	------	----	------
White	------	------	-------	------	-----	------	----	------
Other races	------	1	-1	------	-----	------	----	------
Reagan	39	10	29	3/	-----	------	3	4/
White	39	9	30	3/	-----	------	3	4/
Other races	------	1	-1	------	-----	------	----	------
Real	30	14	16	3/	2	66.7	1	4/
White	30	14	16	3/	2	66.7	1	4/
Other races	------	------	-------	------	-----	------	----	------
Red River	621	361	260	172	39	62.8	20	3.2
White	487	240	247	203	23	47.2	17	3.5
Other races	134	121	13	111	16	119.4	3	2.2
Reeves	210	91	119	3/	18	85.7	5	2.4
White	208	88	120	3/	18	86.5	5	2.4
Other races	2	3	-1	3/	-----	------	----	------
Refugio	220	76	144	3/	18	81.8	7	3.2
White	207	59	148	3/	18	87.0	4	1.9
Other races	13	17	-4	3/	-----	------	3	4/
Roberts	8	11	-3	3/	-----	------	----	------
White	8	11	-3	3/	-----	------	----	------
Other races	------	------	-------	------	-----	------	----	------
Robertson	519	282	237	184	34	65.5	18	3.5
White	248	142	106	175	20	80.6	4	1.6
Other races	271	140	131	194	14	51.7	14	5.2
Rockwall	132	71	61	3/	5	37.9	12	9.1
White	95	56	39	3/	3	31.6	8	4/
Other races	37	15	22	3/	2	54.1	4	4/
Runnels	448	198	250	226	25	55.8	7	1.6
White	434	188	246	231	23	53.0	7	1.6
Other races	14	10	4	3/	2	142.9	----	------
Rusk	700	373	327	188	23	32.9	16	2.3
White	570	250	320	228	17	29.8	12	2.1
Other races	130	123	7	106	6	46.2	4	3.1
Sabine	213	66	147	3/	2	9.4	7	3.3
White	166	50	116	3/	2	12.0	6	3.6
Other races	47	16	31	3/	-----	------	1	4/
San Augustine	228	107	121	213	13	57.0	4	1.8
White	174	70	104	3/	6	34.5	4	2.3
Other races	54	37	17	3/	7	129.6	----	------
San Jacinto	134	80	54	3/	6	44.8	5	3.7
White	50	32	18	3/	1	20.0	2	4/
Other races	84	48	36	3/	5	59.5	3	4/
San Patricio	601	231	370	260	57	94.8	16	2.7
White	595	221	374	269	55	92.4	15	2.5
Other races	6	10	-4	3/	2	333.3	1	4/
San Saba	174	99	75	3/	9	51.7	7	4.0
White	173	97	76	3/	9	52.0	7	4.0
Other races	1	2	-1	3/	-----	------	----	------
Schleicher	44	19	25	3/	5	113.6	----	------
White	43	17	26	3/	4	93.0	----	------
Other races	1	2	-1	3/	1	5/	----	------
Scurry	234	112	122	209	8	34.2	7	3.0
White	234	110	124	213	8	34.2	7	3.0
Other races	------	2	-2	------	-----	------	----	------
Shackelford	71	43	28	3/	5	70.4	1	4/
White	69	41	28	3/	5	72.5	1	4/
Other races	2	2	-------	3/	-----	------	----	------
Shelby	481	282	199	171	23	47.8	8	1.7
White	406	212	194	192	20	49.3	7	1.7
Other races	75	70	5	3/	3	40.0	1	4/
Sherman	27	6	21	3/	-----	------	----	------
White	27	6	21	3/	-----	------	----	------
Other races	------	------	-------	------	-----	------	----	------
Smith	1,097	642	455	171	76	69.3	48	4.4
Rural part	683	335	348	204	48	70.3	28	4.1
White	430	182	248	236	24	55.8	14	3.3
Other races	253	153	100	165	24	94.9	14	5.5
Tyler	414	307	107	135	28	67.6	20	4.8
White	325	213	112	153	20	61.5	11	3.4
Other races	89	94	-5	3/	8	89.9	9	4/
Somervell	52	25	27	3/	2	38.5	9	4/
White	52	25	27	3/	2	38.5	9	4/
Other races	------	------	-------	------	-----	------	----	------
Starr	416	143	273	291	25	60.1	7	1.7
White	416	143	273	291	25	60.1	7	1.7
Other races	------	------	-------	------	-----	------	----	------
Stephens	188	110	78	171	11	58.5	3	1.6
White	185	104	81	178	11	59.5	3	1.6
Other races	3	6	-3	3/	-----	------	----	------
Sterling	12	5	7	3/	-----	------	----	------
White	12	5	7	3/	-----	------	----	------
Other races	------	------	-------	------	-----	------	----	------
Stonewall	126	30	96	3/	4	31.7	1	0.8
White	123	27	96	3/	4	32.5	1	0.8
Other races	3	3	-------	3/	-----	------	----	------
Sutton	72	22	50	3/	6	83.3	4	4/
White	71	21	50	3/	6	84.5	4	4/
Other races	1	1	-------	3/	-----	------	----	------
Swisher	116	53	63	3/	5	43.1	2	1.7
White	116	52	64	3/	5	43.1	2	1.7
Other races	------	1	-1	------	-----	------	----	------
Tarrant	3,103	2,495	608	124	194	62.5	109	3.5
Rural part	323	353	-30	92	14	43.3	8	2.5
White	316	336	-20	94	13	41.1	8	2.5
Other races	7	17	-10	3/	1	142.9	----	------
Fort Worth	2,780	2,142	638	130	180	64.7	101	3.6
White	2,465	1,705	760	145	157	63.7	81	3.3
Other races	315	437	-122	72	23	73.0	20	6.3
Taylor	736	468	268	157	53	72.0	15	2.0
Rural part	268	168	100	160	13	48.5	6	2.2
White	266	168	98	158	13	48.9	5	1.9
Other races	2	------	2	-------	-----	------	1	4/
Abilene	468	300	168	156	40	85.5	9	1.9
White	456	278	178	164	38	83.3	9	2.0
Other races	12	22	-10	3/	2	166.7	----	------
Terrell	69	23	46	3/	4	58.0	1	4/
White	69	23	46	3/	4	58.0	1	4/
Other races	------	------	-------	------	-----	------	----	------
Terry	304	73	231	3/	10	32.9	3	1.0
White	300	73	227	3/	10	33.3	3	1.0
Other races	4	------	4	-------	-----	------	----	------
Throckmorton	73	33	40	3/	1	13.7	1	4/
White	73	33	40	3/	1	13.7	1	4/
Other races	------	------	-------	------	-----	------	----	------
Titus	260	189	71	138	19	73.1	11	4.2
White	233	160	73	146	18	77.3	8	3.4
Other races	27	29	-2	3/	1	37.0	3	4/
Tom Green	766	535	231	143	48	62.7	27	3.5
Rural part	167	155	12	108	8	47.9	3	1.8
White	167	155	12	108	8	47.9	3	1.8
Other races	------	------	-------	------	-----	------	----	------
San Angelo	599	380	219	158	40	66.8	24	4.0
White	578	354	224	163	38	65.7	22	3.8
Other races	21	26	-5	3/	2	95.2	2	4/
Travis	1,462	1,336	126	109	117	80.0	64	4.4
Rural part	220	178	42	124	27	122.7	9	4.1
White	157	129	28	122	18	114.6	2	1.3
Other races	63	49	14	3/	9	142.9	7	4/
Austin	1,242	1,158	84	107	90	72.5	55	4.4
White	1,048	855	183	121	74	70.6	38	3.6
Other races	194	293	-99	66	16	82.5	17	8.8
Trinity	249	141	108	177	15	60.2	6	2.4
White	191	91	100	3/	11	57.6	5	2.6
Other races	58	50	8	3/	4	69.0	1	4/
Tyler	221	119	102	186	11	49.8	6	2.7
White	178	97	81	3/	8	44.9	5	2.8
Other races	43	22	21	3/	3	69.8	1	4/
Upshur	495	266	229	186	29	58.6	13	2.6
White	363	190	173	191	17	46.8	7	1.9
Other races	132	76	56	3/	12	90.9	6	4.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con								
Upton	53	26	27	[3]	4	75.5	3	[4]
White	52	23	29	[3]	4	76.9	3	[4]
Other races	1	3	-2	[3]	-----	------	----	------
Uvalde	294	148	146	199	30	102.0	2	0.7
White	290	147	143	197	30	103.4	2	0.7
Other races	4	1	3	[3]	-----	------	----	------
Val Verde	393	240	153	164	60	152.7	12	3.1
Rural part	10	15	-5	[3]	1	100.0	----	------
White	10	14	-4	[3]	1	100.0	----	------
Other races	------	1	-1	------	-----	------	----	------
Del Rio	383	225	158	170	59	154.0	12	3.1
White	379	218	161	174	59	155.7	12	3.2
Other races	4	7	-3	[3]	-----	------	----	------
Van Zandt	641	250	391	256	24	37.4	32	5.0
White	601	228	373	264	21	34.9	28	4.7
Other races	40	22	18	[3]	3	75.0	4	[4]
Victoria	463	277	186	167	29	62.6	14	3.0
White	438	216	222	203	27	61.6	12	2.7
Other races	25	61	-36	[3]	2	80.0	2	[4]
Walker	317	205	112	155	14	44.2	9	2.8
White	140	113	27	124	7	50.0	3	2.1
Other races	177	92	85	[3]	7	39.5	6	3.4
Waller	205	151	54	136	14	68.3	2	1.0
White	74	56	18	[3]	4	54.1	----	------
Other races	131	95	36	[3]	10	76.3	2	1.5
Ward	137	42	95	[3]	12	87.6	7	5.1
White	135	40	95	[3]	12	88.9	7	5.2
Other races	2	2	------	[3]	-----	------	----	------
Washington	516	315	201	164	28	54.3	14	2.7
White	274	156	118	176	10	36.5	3	1.1
Other races	242	159	83	152	18	74.4	11	4.5
Webb	1,212	667	545	182	155	127.9	60	5.0
Rural part	157	62	95	[3]	13	82.8	7	4.5
White	157	61	96	[3]	13	82.8	7	4.5
Other races	------	1	-1	------	-----	------	----	------
Laredo	1,055	605	450	174	142	134.6	53	5.0
White	1,054	601	453	175	142	134.7	53	5.0
Other races	1	4	-3	[3]	-----	------	----	------
Wharton	689	296	393	233	34	49.3	24	3.5
White	509	180	329	283	23	45.2	9	1.8
Other races	180	116	64	155	11	61.1	15	8.3
Wheeler	306	103	203	297	12	39.2	5	1.6
White	305	101	204	302	12	39.3	5	1.6
Other races	1	2	-1	[3]	-----	------	----	------
Wichita	1,212	830	382	146	72	59.4	47	3.9
Rural part	365	293	72	125	20	54.8	16	4.4
White	359	289	70	124	19	52.9	15	4.2
Other races	6	4	2	[3]	1	166.7	1	[4]
Wichita Falls	847	537	310	158	52	61.4	31	3.7
White	784	481	303	163	47	59.9	23	2.9
Other races	63	56	7	[3]	5	79.4	8	[4]
Wilbarger	455	172	283	265	22	48.4	17	3.7
White	433	151	282	287	19	43.9	15	3.5
Other races	22	21	1	[3]	3	136.4	2	[4]
Willacy	331	132	199	251	51	154.1	9	2.7
White	330	131	199	252	51	154.5	9	2.7
Other races	1	1	------	[3]	-----	------	----	------
Williamson	699	514	185	136	45	64.4	31	4.4
White	551	413	138	133	33	59.9	23	4.2
Other races	148	101	47	147	12	81.1	8	5.4
Wilson	388	210	178	185	29	74.7	12	3.1
White	378	205	173	184	28	74.1	12	3.2
Other races	10	5	5	[3]	1	100.0	----	------
Winkler	158	51	107	[3]	11	69.6	3	1.9
White	158	51	107	[3]	11	69.6	3	1.9
Other races	------	------	------	------	-----	------	----	------
Wise	362	202	160	179	21	58.0	7	1.9
White	360	199	161	181	21	58.3	7	1.9
Other races	2	3	-1	[3]	-----	------	----	------
Wood	435	218	218	200	15	34.4	19	4.4
White	365	192	173	190	12	32.9	13	3.6
Other races	71	26	45	[3]	3	42.3	6	[4]
Yoakum	16	3	13	[3]	-----	------	----	------
White	16	3	13	[3]	-----	------	----	------
Other races	------	------	------	------	-----	------	----	------
Young	447	193	254	232	16	35.8	14	3.1
White	444	191	253	232	16	36.0	14	3.2
Other races	3	2	1	[3]	-----	------	----	------
Zapata	74	33	41	[3]	-----	------	4	[4]
White	74	33	41	[3]	-----	------	4	[4]
Other races	------	------	------	------	-----	------	----	------
Zavala	286	117	169	244	36	125.9	11	3.8
White	285	116	169	246	36	126.3	10	3.5
Other races	1	1	------	[3]	-----	------	1	[4]
Section B—Continued								
UTAH (total)	12,551	5,126	7,425	245	661	52.7	255	2.0
Beaver	92	44	48	[3]	7	76.1	1	[4]
Box Elder	511	133	378	384	27	52.8	6	1.2
Cache	824	282	542	292	43	52.2	18	2.2
Carbon	441	182	259	242	32	72.6	5	1.1
Daggett	15	10	5	[3]	[3]	[3]	[3]	[3]
Davis	148	90	58	[3]	9	60.8	2	1.4
Duchesne	240	65	175	[3]	12	50.0	5	2.1
Emery	182	78	104	[3]	16	87.9	7	3.8
Garfield	158	37	121	[3]	7	44.3	2	1.3
Grand	50	24	26	[3]	4	80.0	1	[4]
Iron	278	76	202	[3]	13	46.8	4	1.4
Juab	166	48	118	[3]	9	54.2	3	1.8
Kane	71	20	51	[3]	2	28.2	2	[4]
Millard	224	56	168	[3]	9	40.2	4	1.8
Morgan	23	12	11	[3]	3	130.4	----	------
Piute	46	23	23	[3]	7	152.2	1	[4]
Rich	53	6	47	[3]	2	37.7	1	[4]
Salt Lake	4,304	2,121	2,183	203	193	44.8	94	2.2
Rural part	871	320	551	272	44	50.5	17	2.0
Salt Lake City	3,433	1,801	1,632	191	149	43.4	77	2.2
San Juan	57	19	38	[3]	2	35.1	2	[4]
Sanpete	396	146	250	271	20	50.5	10	2.5
Sevier	353	133	220	265	20	56.7	7	2.0
Summit	230	80	150	[3]	9	39.1	5	2.2
Tooele	161	48	113	[3]	7	43.5	7	4.3
Uintah	300	108	192	278	22	73.3	2	0.7
Utah	1,387	566	821	245	80	57.7	34	2.5
Rural part	889	343	546	259	55	61.9	18	2.0
Provo	498	223	275	223	25	50.2	16	3.2
Wasatch	139	50	89	[3]	9	64.7	4	2.9
Washington	260	70	190	[3]	12	46.2	3	1.2
Wayne	85	15	70	[3]	4	47.1	1	[4]
Weber	1,357	584	773	232	78	57.5	24	1.8
Rural part	88	82	6	[3]	7	79.5	1	[4]
Ogden	1,269	502	767	253	71	55.9	23	1.8
VERMONT (total)	6,449	4,957	1,492	130	374	58.0	183	2.8
Addison	317	225	92	141	20	63.1	3	0.9
Bennington	384	306	78	125	15	39.1	15	3.9
Caledonia	397	332	65	120	19	47.9	10	2.5
Chittendon	1,211	777	434	156	68	56.2	32	2.6
Rural part	377	277	100	136	25	66.3	14	3.7
Burlington	834	500	334	167	43	51.6	18	2.2
Essex	89	64	25	[3]	6	67.4	3	[4]
Franklin	587	388	199	151	48	81.8	23	3.9
Grand Isle	31	31	------	[3]	2	64.5	----	------
Lamoille	205	134	71	153	16	78.0	8	3.9
Orange	275	282	-7	98	27	98.2	15	5.5
Orleans	423	281	142	151	15	35.5	13	3.1
Rutland	760	645	115	118	36	47.4	14	1.8
Rural part	317	341	-24	93	14	44.2	4	1.3
Rutland	443	304	139	146	22	49.7	10	2.3
Washington	824	640	184	129	49	59.5	20	2.4
Rural part	564	478	86	118	32	56.7	13	2.3
Barre	260	162	98	160	17	65.4	7	2.7
Windham	458	454	4	101	30	65.5	14	3.1
Windsor	488	398	90	123	23	47.1	13	2.7
VIRGINIA (total)	51,247	32,202	19,045	159	3,787	73.9	2,235	4.4
Accomac	508	453	55	112	59	116.1	37	7.3
White	267	235	32	114	13	48.7	9	3.4
Other races	241	218	23	111	46	190.9	28	11.6
Albemarle	910	649	261	140	75	82.4	42	4.6
White	681	462	219	147	59	86.6	25	3.7
Other races	229	187	42	122	16	69.9	17	7.4
Charlottesville city	247	169	78	146	13	52.6	8	3.2
White	219	126	93	174	10	45.7	8	3.7
Other races	28	43	-15	[3]	3	107.1	----	------
Alleghany	483	200	283	242	37	76.6	15	3.1
White	443	177	266	250	35	79.0	11	2.5
Other races	40	23	17	[3]	2	50.0	4	[4]
Clifton Forge city	126	113	13	112	8	63.5	7	5.6
White	99	85	14	[3]	6	60.6	5	[4]
Other races	27	28	-1	[3]	2	74.1	2	[4]
Amelia	204	109	95	187	18	88.2	3	1.5
White	67	29	38	[3]	2	29.9	----	------
Other races	137	80	57	[3]	16	116.8	3	2.2
Amherst	343	234	109	147	23	67.1	14	4.1
White	210	163	47	129	11	52.4	7	3.3
Other races	133	71	62	[3]	12	90.2	7	5.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Appomattox	136	97	39	3/	11	80.9	4	2.9
White	95	60	35	3/	4	42.1	----	------
Other races	41	37	4	3/	7	170.7	4	4/
Arlington	154	187	-33	82	6	39.0	2	1.3
White	120	146	-26	82	5	41.7	----	------
Other races	34	41	-7	3/	1	29.4	2	4/
Alexandria city	503	355	148	142	37	73.6	23	4.6
White	411	260	151	158	29	70.6	17	4.1
Other races	92	95	-3	3/	8	87.0	6	4/
Augusta	762	392	370	194	34	44.6	30	3.9
White	695	346	349	201	28	40.3	25	3.6
Other races	67	46	21	3/	6	89.6	5	4/
Staunton city	237	414	-177	57	20	84.4	15	6.3
White	213	375	-162	57	17	79.8	13	6.1
Other races	24	39	-15	3/	3	125.0	2	4/
Bath	167	68	99	3/	10	59.9	5	3.0
White	156	55	101	3/	9	57.7	3	1.9
Other races	11	13	-2	3/	1	90.9	2	4/
Bedford	557	387	170	144	33	59.2	24	4.3
White	399	295	104	135	22	55.1	16	4.0
Other races	158	92	66	3/	11	69.6	8	5.1
Bland	154	64	90	3/	11	71.4	3	1.9
White	152	63	89	3/	11	72.4	3	2.0
Other races	2	1	1	3/	-----	------	----	------
Botetourt	325	154	171	211	26	80.0	15	4.6
White	285	122	163	234	19	66.7	9	3.2
Other races	40	32	8	3/	7	175.0	6	4/
Brunswick	528	219	309	241	34	64.4	28	5.3
White	189	79	110	3/	10	52.9	7	3.7
Other races	339	140	199	242	24	70.8	21	6.2
Buchanan	935	240	695	390	81	86.6	33	3.5
White	935	237	698	395	81	86.6	33	3.5
Other races	------	3	-3	------	-----	------	----	------
Buckingham	289	137	152	211	21	72.7	9	3.1
White	144	55	89	3/	6	41.7	2	1.4
Other races	145	82	63	3/	15	103.4	7	4.8
Campbell	523	228	295	229	35	66.9	13	2.5
White	340	125	215	272	19	55.9	6	1.8
Other races	183	103	80	178	16	87.4	7	3.8
Lynchburg city	932	685	247	136	66	70.8	39	4.2
White	712	445	267	160	42	59.0	23	3.2
Other races	220	240	-20	92	24	109.1	16	7.3
Caroline	309	194	115	159	28	90.6	13	4.2
White	110	82	28	3/	5	45.5	1	0.9
Other races	199	112	87	178	23	115.6	12	6.0
Carroll	637	204	433	312	34	53.4	16	2.5
White	629	203	426	310	34	54.1	15	2.4
Other races	8	1	7	3/	-----	------	1	4/
Charles City	79	62	17	3/	7	88.6	9	4/
White	3	16	-13	3/	-----	------	----	------
Other races	76	46	30	3/	7	92.1	9	4/
Charlotte	369	184	185	201	23	62.3	21	5.7
White	180	85	95	3/	10	55.6	7	3.9
Other races	189	99	90	3/	13	68.8	14	7.4
Chesterfield	349	245	104	142	20	57.3	19	5.4
White	198	165	33	120	5	25.3	7	3.5
Other races	151	80	71	3/	15	99.3	12	7.9
Clarke	123	77	46	3/	6	48.8	3	2.4
White	100	56	44	3/	4	40.0	3	3.0
Other races	23	21	2	3/	2	87.0	----	------
Craig	73	44	29	3/	7	95.9	1	4/
White	72	43	29	3/	7	97.2	1	4/
Other races	1	1	------	3/	-----	------	----	------
Culpeper	225	155	70	145	15	66.7	5	2.2
White	128	104	24	123	5	39.1	1	0.8
Other races	97	51	46	3/	10	103.1	4	4/
Cumberland	175	90	85	3/	11	62.9	7	4.0
White	53	29	24	3/	-----	------	----	------
Other races	122	61	61	3/	11	90.2	7	5.7
Dickenson	683	157	526	435	51	74.7	16	2.3
White	673	156	517	431	50	74.3	16	2.4
Other races	10	1	9	3/	1	100.0	----	------
Dinwiddie	281	493	-212	57	13	46.3	11	3.9
White	76	60	16	3/	2	26.3	2	4/
Other races	205	433	-228	47	11	53.7	9	4.4
Petersburg city	462	478	-16	97	49	106.1	32	6.9
White	250	209	41	120	20	80.0	4	1.6
Other races	212	269	-57	79	29	136.8	28	13.2
Elizabeth City	233	298	-65	78	19	81.5	14	6.0
White	152	185	-33	82	11	72.4	8	5.3
Other races	81	113	-32	72	8	98.8	6	4/

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Hampton city	189	171	18	111	14	74.1	12	6.3
White	130	80	50	3/	7	53.8	5	3.8
Other races	59	91	-32	3/	7	118.6	7	4/
Essex	147	87	60	3/	8	54.4	8	5.4
White	50	30	20	3/	2	40.0	1	4/
Other races	97	57	40	3/	6	61.9	7	4/
Fairfax	330	234	96	141	15	45.5	8	2.4
White	274	180	94	152	9	32.8	7	2.6
Other races	56	54	2	3/	6	107.1	1	4/
Fauquier	432	278	154	155	37	85.6	22	5.1
White	291	179	112	163	23	79.0	13	4.5
Other races	141	99	42	3/	14	99.3	9	6.4
Floyd	277	133	144	208	10	36.1	6	2.2
White	262	123	139	213	10	38.2	5	1.9
Other races	15	10	5	3/	-----	------	1	4/
Fluvanna	127	94	33	3/	8	63.0	2	1.6
White	64	61	3	3/	5	78.1	----	------
Other races	63	33	30	3/	3	47.6	2	4/
Franklin	554	219	335	253	22	39.7	17	3.1
White	465	179	286	260	17	36.6	9	1.9
Other races	89	40	49	3/	5	56.2	8	4/
Frederick	214	124	90	173	14	65.4	8	3.7
White	207	114	93	182	13	62.8	7	3.4
Other races	7	10	-3	3/	1	142.9	1	4/
Winchester city	293	264	29	111	29	99.0	20	6.8
White	277	230	47	120	27	97.5	17	6.1
Other races	16	34	-18	3/	2	125.0	3	4/
Giles	296	164	132	180	22	74.3	11	3.7
White	288	154	134	187	19	66.0	10	3.5
Other races	8	10	-2	3/	3	375.0	1	4/
Gloucester	163	118	45	138	6	36.8	5	3.1
White	91	55	36	3/	2	22.0	----	------
Other races	72	63	9	3/	4	55.6	5	4/
Goochland	178	110	68	162	12	67.4	10	5.6
White	72	32	40	3/	-----	------	----	------
Other races	106	78	28	3/	12	113.2	10	9.4
Grayson	504	198	306	255	37	73.4	14	2.8
White	487	188	299	259	32	65.7	14	2.9
Other races	17	10	7	3/	5	294.1	----	------
Greene	103	50	53	3/	9	87.4	6	5.8
White	84	36	48	3/	8	95.2	4	4/
Other races	19	14	5	3/	1	52.6	2	4/
Greensville	307	162	145	190	25	81.4	17	5.5
White	85	56	29	3/	5	58.8	3	4/
Other races	222	106	116	209	20	90.1	14	6.3
Halifax	1,060	495	565	214	81	76.4	43	4.1
White	527	232	295	227	32	60.7	14	2.7
Other races	533	263	270	203	49	91.9	29	5.4
Hanover	307	223	84	138	26	84.7	23	7.5
White	163	137	26	119	11	67.5	7	4.3
Other races	144	86	58	3/	15	104.2	16	11.1
Henrico	315	317	-2	99	19	60.3	13	4.1
White	213	229	-16	93	8	37.6	4	1.9
Other races	102	88	14	3/	11	107.8	9	8.8
Richmond city	3,205	3,237	-31	99	244	76.1	199	6.2
White	2,134	1,882	252	113	106	49.7	90	4.2
Other races	1,072	1,355	-283	79	138	128.7	109	10.2
Henry	733	210	523	349	41	55.9	16	2.2
White	477	132	345	361	21	44.0	8	1.7
Other races	256	78	178	3/	20	78.1	8	3.1
Martinsville city	241	134	107	180	25	103.7	8	3.3
White	168	90	78	3/	15	89.3	6	3.6
Other races	73	44	29	3/	10	137.0	2	4/
Higuland	116	51	65	3/	8	69.0	----	------
White	115	46	69	3/	8	69.6	----	------
Other races	1	5	-4	3/	-----	------	----	------
Isle of Wight	276	159	117	174	15	54.3	10	3.6
White	92	70	22	3/	3	32.6	3	4/
Other	184	89	95	3/	12	65.2	7	3.8
James City	100	49	51	3/	7	70.0	2	2.0
White	35	10	25	3/	-----	------	----	------
Other races	65	39	26	3/	7	107.7	2	4/
Williamsburg city	38	162	-124	23	-----	------	3	4/
White	25	154	-129	16	-----	------	1	4/
Other races	13	8	5	3/	-----	------	2	4/
King and Queen	156	80	76	3/	7	44.9	9	5.8
White	60	34	26	3/	4	66.7	5	4/
Other races	96	46	50	3/	3	31.3	4	4/
King George	97	57	40	3/	11	113.4	2	4/
White	36	25	11	3/	1	27.8	1	4/
Other races	61	32	29	3/	10	163.9	1	4/
King William	158	91	67	3/	8	50.6	7	4.4
White	52	34	18	3/	3	57.7	2	4/
Other races	106	57	49	3/	5	47.2	5	4.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths [1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Lancaster	142	130	12	109	13	91.5	11	7.7
White	68	56	12	[3]	4	58.8	7	[4]
Other races	74	74	-------	[3]	9	121.6	4	[4]
Lee	1,066	379	687	281	97	91.0	37	3.5
White	1,054	369	685	286	94	89.2	36	3.4
Other races	12	10	2	[3]	3	250.0	1	[4]
Loudoun	382	289	93	132	25	65.4	13	3.4
White	286	223	63	128	16	55.9	9	3.1
Other races	96	66	30	[3]	9	93.8	4	[4]
Louisa	294	192	102	153	11	37.4	7	2.4
White	155	98	57	[3]	8	51.6	2	1.3
Other races	139	94	45	[3]	3	21.6	5	3.6
Lunenburg	302	156	146	194	16	53.0	11	3.6
White	116	65	51	[3]	2	17.2	3	2.6
Other races	186	91	95	[3]	14	75.3	8	4.3
Madison	163	88	75	[3]	13	79.8	6	3.7
White	109	55	54	[3]	9	82.6	2	1.8
Other races	54	33	21	[3]	4	74.1	4	[4]
Mathews	94	104	-10	90	4	42.6	3	[4]
White	53	83	-30	[3]	2	37.7	1	[4]
Other races	41	21	20	[3]	2	48.8	2	[4]
Mecklenburg	748	311	437	241	44	58.8	37	4.9
White	277	124	153	223	7	25.3	3	1.1
Other races	471	187	284	252	37	78.6	34	7.2
Middlesex	106	84	22	[3]	7	66.0	3	2.8
White	53	35	18	[3]	2	37.7	----	------
Other races	53	49	4	[3]	5	94.3	3	[4]
Montgomery	470	272	198	173	31	66.0	14	3.0
White	440	245	195	180	29	65.9	12	2.7
Other races	30	27	3	[3]	2	66.7	2	[4]
Radford city	104	56	48	[3]	9	86.5	2	1.9
White	93	52	41	[3]	8	86.0	2	[4]
Other races	11	4	7	[3]	1	90.9	----	------
Nansemond	436	352	84	124	54	123.9	26	6.0
White	72	71	1	[3]	4	55.6	3	[4]
Other races	364	281	83	130	50	137.4	23	6.3
Suffolk city	221	224	-3	99	17	76.9	15	6.8
White	154	105	49	147	8	51.9	6	3.9
Other races	67	119	-52	56	9	134.3	9	[4]
Nelson	324	140	184	231	23	71.0	10	3.1
White	210	98	112	[3]	12	57.1	3	1.4
Other races	114	42	72	[3]	11	96.5	7	6.1
New Kent	85	59	26	[3]	8	94.1	2	[4]
White	24	19	5	[3]	4	166.7	----	------
Other races	61	40	21	[3]	4	65.6	2	[4]
Norfolk	442	346	96	128	39	88.2	32	7.2
White	157	158	-1	99	9	57.3	7	4.5
Other races	285	188	97	152	30	105.3	25	8.8
Norfolk city	2,166	1,757	409	123	185	85.4	128	5.9
White	1,382	933	449	148	82	59.3	48	3.5
Other races	784	824	-40	95	103	131.4	80	10.2
Portsmouth city	776	731	45	106	69	88.9	51	6.6
White	452	298	154	152	19	42.0	12	2.7
Other races	324	433	-109	75	50	154.3	39	12.0
South Norfolk city	110	67	43	[3]	5	45.5	7	6.4
White	81	45	36	[3]	3	37.0	1	[4]
Other races	29	22	7	[3]	2	69.0	6	[4]
Northampton	355	281	74	126	27	76.1	21	5.9
White	120	109	11	110	9	75.0	2	1.7
Other races	235	172	63	137	18	76.6	19	8.1
Northumberland	148	130	18	114	11	74.3	10	6.8
White	66	66	-------	[3]	2	30.3	3	[4]
Other races	82	64	18	[3]	9	109.8	7	[4]
Nottoway	273	237	36	115	24	87.9	7	2.6
White	110	72	38	[3]	5	45.5	----	------
Other races	163	165	-2	99	19	116.6	7	4.3
Orange	188	141	47	133	23	122.3	10	5.3
White	106	83	23	[3]	10	94.3	4	3.8
Other races	82	58	24	[3]	13	158.5	6	[4]
Page	332	150	182	221	15	45.2	14	4.2
White	313	145	168	216	15	47.9	14	4.5
Other races	19	5	14	[3]	-----	------	----	------
Patrick	447	123	324	363	22	49.2	13	2.9
White	408	106	302	385	22	53.9	12	2.9
Other races	39	17	22	[3]	-----	------	1	[4]
Pittsylvania	1,233	514	719	240	56	45.4	59	4.8
White	702	295	407	238	29	41.3	30	4.3
Other races	531	219	312	242	27	50.8	29	5.5
Danville city	770	575	195	134	75	97.4	46	6.0
White	602	333	269	181	45	76.4	31	5.1
Other races	168	242	-74	69	29	172.6	15	8.9
Powhatan	103	70	33	[3]	9	87.4	5	4.9
White	37	23	14	[3]	1	27.0	----	------
Other races	66	47	19	[3]	8	121.2	5	[4]
Prince Edward	388	239	149	162	35	90.2	11	2.8
White	147	95	52	[3]	11	74.8	3	2.0
Other races	241	144	97	167	24	99.6	8	3.3
Prince George	232	115	117	202	22	94.8	10	4.3
White	92	42	50	[3]	4	43.5	2	[4]
Other races	140	73	67	[3]	18	128.6	8	5.7
Hopewell city	134	82	52	[3]	3	22.4	5	3.7
White	118	67	51	[3]	1	8.5	4	3.4
Other races	16	15	1	[3]	2	125.0	1	[4]
Princess Anne	297	521	-224	57	40	134.7	12	4.0
White	128	180	-52	71	6	46.9	10	7.8
Other races	169	341	-172	50	34	201.2	2	1.2
Prince William	264	129	135	205	10	37.9	19	7.2
White	215	104	111	207	9	41.9	6	2.8
Other races	49	25	24	[3]	1	20.4	13	[4]
Pulaski	489	247	242	198	42	85.9	15	3.1
White	440	199	241	221	37	84.1	13	3.0
Other races	49	48	1	[3]	5	102.0	2	[4]
Rappahannock	156	72	84	[3]	10	64.1	11	7.1
White	116	48	68	[3]	9	77.6	8	6.9
Other races	40	24	16	[3]	1	25.0	3	[4]
Richmond	128	77	51	[3]	13	101.6	9	7.0
White	62	37	25	[3]	4	64.5	2	[4]
Other races	66	40	26	[3]	9	136.4	7	[4]
Roanoke	550	401	149	137	43	78.2	10	1.8
White	494	339	155	146	36	72.9	9	1.8
Other races	56	62	-6	[3]	7	125.0	1	[4]
Roanoke city	1,217	967	250	126	97	79.7	68	5.6
White	1,027	715	312	144	73	71.1	49	4.8
Other races	190	252	-62	75	24	126.3	19	10.0
Rockbridge	442	257	185	172	27	61.1	9	2.0
White	407	224	183	182	23	56.5	7	1.7
Other races	35	33	2	[3]	4	114.3	2	[4]
Buena Vista city	111	32	79	[3]	13	117.1	4	3.6
White	103	26	77	[3]	9	87.4	4	3.9
Other races	8	6	2	[3]	4	500.0	----	------
Rockingham	531	265	266	200	22	41.4	22	4.1
White	515	258	257	200	21	40.8	19	3.7
Other races	16	7	9	[3]	1	62.5	3	[4]
Harrisonburg city	263	252	11	104	36	136.9	21	8.0
White	254	233	21	109	32	125.0	18	7.1
Other races	9	19	-10	[3]	4	444.4	3	[4]
Russell	807	281	526	287	66	81.8	16	2.0
White	784	269	515	291	63	80.4	14	1.8
Other races	23	12	11	[3]	3	130.4	2	[4]
Scott	614	226	388	272	30	48.9	15	2.4
White	612	222	390	276	28	45.8	15	2.5
Other races	2	4	-2	[3]	2	[5]	----	------
Shenandoah	376	206	170	183	17	45.2	7	1.9
White	370	202	168	183	17	45.9	6	1.6
Other races	6	4	2	[3]	-----	------	1	[4]
Smyth	684	354	330	193	55	80.4	15	2.2
White	671	343	328	196	54	80.5	15	2.2
Other races	13	11	2	[3]	1	76.9	----	------
Southampton	624	298	326	209	37	59.3	34	5.4
White	153	95	58	[3]	6	39.2	5	3.3
Other races	471	203	268	232	31	65.8	29	6.2
Spotsylvania	163	130	33	125	22	135.0	4	12.9
White	106	87	19	[3]	13	122.6	1	0.9
Other races	57	43	14	[3]	9	157.9	3	[4]
Fredericksburg city	249	189	60	132	25	100.4	17	6.8
White	213	146	67	146	18	84.5	8	3.8
Other races	36	43	-7	[3]	7	194.4	9	[4]
Stafford	124	91	33	[3]	12	96.8	6	4.8
White	87	70	17	[3]	6	69.0	3	[4]
Other races	37	21	16	[3]	6	162.2	3	[4]
Surry	142	76	66	[3]	12	84.5	6	4.2
White	35	20	15	[3]	4	114.3	2	[4]
Other races	107	56	51	[3]	8	74.8	4	3.7
Sussex	336	179	157	188	34	101.2	24	7.1
White	53	38	15	[3]	4	75.5	----	------
Other races	283	141	142	201	30	106.0	24	8.5
Tazewell	1,019	385	634	265	72	70.7	31	3.0
White	974	347	627	281	67	68.8	31	3.2
Other races	45	38	7	[3]	5	111.1	----	------
Warren	191	108	83	177	18	94.2	9	4.7
White	168	90	78	[3]	14	83.3	7	4.2
Other races	23	18	5	[3]	4	173.9	2	[4]
Warwick	92	98	-6	[3]	8	87.0	4	[4]
White	37	48	-11	[3]	1	27.0	1	[4]
Other races	55	50	5	[3]	7	127.3	3	[4]
Newport News city	835	519	316	161	53	63.5	34	4.1
White	557	243	314	229	30	53.9	11	2.0
Other races	278	276	2	101	23	82.7	23	8.3
Washington	931	407	524	229	62	66.6	37	4.0
White	900	382	518	236	57	63.3	33	3.7
Other races	31	25	6	[3]	5	161.3	4	[4]
Bristol city	343	176	167	195	30	87.5	19	5.5
White	320	153	167	209	27	84.4	17	5.3
Other races	23	23	-------	[3]	3	130.4	2	[4]

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Westmoreland	183	117	66	156	15	82.0	10	5.5
White	72	57	15	3/	4	55.6	3	4/
Other races	111	60	51	3/	11	99.1	7	6.3
Wise	1,445	543	902	266	132	91.3	49	3.4
White	1,389	494	895	281	125	90.0	47	3.4
Other races	56	49	7	3/	7	125.0	2	4/
Wythe	506	206	300	246	34	67.2	27	5.3
White	476	186	290	256	30	63.0	24	5.0
Other races	30	20	10	3/	4	133.3	3	4/
York	163	93	70	3/	7	42.9	8	4.9
White	63	44	19	3/	3	47.6	3	4/
Other races	100	49	51	3/	4	40.0	5	5.0
WASHINGTON (total)	23,376	19,356	4,020	121	1,062	45.4	468	2.0
Adams	82	36	46	3/	3	36.6	1	4/
Asotin	55	76	-21	3/	4	72.7	---	------
Benton	109	76	33	3/	6	55.0	4	3.7
Chelan	618	385	233	161	29	46.9	12	1.9
Rural part	146	189	-43	77	6	41.1	2	1.4
Wenatchee	472	196	276	241	23	48.7	10	2.1
Clallam	359	226	133	159	22	61.3	5	1.4
Rural part	120	91	29	3/	13	108.3	2	1.7
Port Angeles	239	135	104	177	9	37.7	3	1.3
Clark	565	495	70	114	38	67.3	9	1.6
Rural part	171	185	-14	92	13	76.0	4	2.3
Vancouver	394	310	84	127	25	63.5	5	1.3
Columbia	79	62	17	3/	-----	------	---	------
Cowlitz	702	364	338	193	35	49.9	22	3.1
Rural part	223	209	14	107	7	31.4	4	1.8
Longview	479	155	324	309	28	58.5	18	3.8
Douglas	38	54	-16	3/	3	78.9	---	------
Ferry	56	41	15	3/	6	107.1	---	------
Franklin	154	109	45	141	13	84.4	1	0.6
Garfield	76	35	41	3/	2	26.3	---	------
Grant	80	71	9	3/	6	75.0	3	4/
Grays Harbor	807	585	222	138	44	54.5	22	2.7
Rural part	220	186	34	118	14	63.6	4	1.8
Aberdeen	423	276	147	153	23	54.4	14	3.3
Hoquiam	164	123	41	133	7	42.7	4	2.4
Island	59	65	-6	3/	3	50.8	---	------
Jefferson	134	102	32	131	5	37.3	2	1.5
King	5,895	5,752	143	102	201	34.1	109	1.8
Rural part	798	833	-35	96	27	33.8	18	2.3
Seattle	5,097	4,919	178	104	174	34.1	91	1.8
White	4,927	4,732	195	104	166	33.7	89	1.8
Other races	170	187	-17	91	8	47.1	2	1.2
Kitsap	470	401	69	117	14	29.8	11	2.3
Rural part	117	253	-136	46	5	42.7	1	0.9
Bremerton	353	148	205	239	9	25.5	10	2.8
Kittitas	325	212	113	153	21	64.6	4	1.2
Klickitat	102	67	35	3/	3	29.4	---	------
Lewis	671	431	240	156	32	47.7	18	2.7
Lincoln	158	81	77	3/	3	19.0	1	0.6
Mason	169	109	60	155	11	65.1	3	1.8
Okanogan	620	272	348	228	36	58.1	10	1.6
Pacific	202	150	52	135	8	39.6	3	1.5
Pend Oreille	101	72	29	3/	7	69.3	4	4.0
Pierce	2,203	2,366	-163	93	90	40.9	44	2.0
Rural part	367	771	-404	48	16	43.6	5	1.4
Tacoma	1,836	1,595	241	115	74	40.3	39	2.1
San Juan	21	28	-7	3/	1	47.6	1	4/
Skagit	490	466	24	105	18	36.7	6	1.2
Skamania	48	33	15	3/	5	104.2	2	4/
Snohomish	1,243	943	300	132	49	39.4	32	2.6
Rural part	559	539	20	104	20	35.8	12	2.1
Everett	684	404	280	169	29	42.4	20	2.9
Spokane	2,360	2,287	73	103	135	57.2	45	1.9
Rural part	136	624	-488	22	8	58.8	7	5.1
Spokane	2,224	1,663	561	134	127	57.1	38	1.7
Stevens	278	201	77	138	16	57.6	11	4.0
Thurston	474	321	153	148	13	27.4	11	2.3
Rural part	157	152	5	103	2	12.7	3	1.9
Olympia	317	169	148	188	11	34.7	8	2.5
Wahkiakum	32	26	6	3/	-----	------	1	4/
Walla Walla	451	470	-19	96	27	59.9	11	2.4
Rural part	43	178	-135	24	1	23.3	1	4/
Walla Walla	408	292	116	140	26	63.7	10	2.5
Whatcom	931	672	259	139	16	17.2	14	1.5
Rural part	238	259	-21	92	4	16.8	5	2.1
Bellingham	693	413	280	168	12	17.3	9	1.3
Whitman	409	252	157	162	20	48.9	6	1.5
Yakima	1,750	962	788	182	117	66.9	40	2.3
Rural part	732	551	181	133	58	79.2	19	2.6
Yakima	1,018	411	607	248	59	58.0	21	2.1
Section B—Continued								
WEST VIRGINIA (total)	40,853	19,908	20,945	205	2,908	71.2	1,524	3.7
Barbour	397	215	182	185	38	95.7	5	1.3
Berkeley	510	372	138	137	34	66.7	30	5.9
Rural part	184	117	67	157	9	48.9	11	6.0
Martinsburg	326	255	71	128	25	76.7	19	5.8
Boone	750	207	543	362	56	74.7	24	3.2
Braxton	454	215	239	211	28	61.7	24	5.3
Brooke	396	192	204	206	19	48.0	9	2.3
Cabell	1,812	1,241	571	146	161	88.9	61	3.4
Rural part	427	161	266	265	34	79.6	17	4.0
Huntington (part)	1,385	1,080	305	6/	127	6/	44	6/
Huntington (total)	1,443	1,166	277	124	131	90.8	44	3.0
Calhoun	315	77	238	3/	11	34.9	10	3.2
Clay	392	117	275	335	35	89.3	18	4.6
Doddridge	226	101	125	224	15	66.4	4	1.8
Fayette	2,060	908	1,152	227	155	75.2	74	3.6
Gilmer	249	82	167	3/	17	68.3	12	4.8
Grant	143	78	65	3/	10	69.9	11	7.7
Greenbrier	863	418	445	206	75	86.9	32	3.7
Hampshire	224	117	107	191	16	71.4	15	6.7
Hancock	543	164	379	331	23	42.4	21	3.9
Hardy	222	83	139	3/	15	67.6	10	4.5
Harrison	1,658	864	794	192	102	61.5	55	3.3
Rural part	915	471	444	194	72	78.7	27	3.0
Clarksburg	743	393	350	189	30	40.4	28	3.8
Jackson	354	193	161	183	24	67.8	3	0.8
Jefferson	345	198	147	174	22	63.8	9	2.6
Kanawha	3,846	2,048	1,798	188	315	81.9	188	4.9
Rural part	2,284	844	1,440	271	153	67.0	91	4.0
Charleston	1,562	1,204	358	130	162	103.7	97	6.2
White	1,458	1,035	423	141	156	107.0	84	5.8
Other races	104	169	-65	62	6	57.7	13	12.5
Lewis	351	351	-------	100	18	51.3	19	5.4
Lincoln	485	166	319	292	38	78.4	14	2.9
Logan	1,934	573	1,361	338	146	75.5	73	3.8
McDowell	2,700	1,098	1,602	245	262	97.0	113	4.2
Marion	1,297	796	501	163	84	64.8	52	4.0
Rural part	888	357	531	249	42	47.3	24	2.7
Fairmont	409	439	-30	93	42	102.7	28	6.8
Marshall	681	407	274	167	32	47.0	36	5.3
Rural part	465	259	206	180	18	38.7	32	6.9
Moundsville	216	148	68	146	14	64.8	4	1.9
Mason	440	271	169	162	38	86.4	14	3.2
Mercer	1,443	812	631	178	140	97.0	66	4.6
Rural part	1,092	418	674	261	90	82.4	35	3.2
Bluefield	351	394	-43	89	50	142.5	31	8.8
White	307	307	-------	100	48	156.4	28	9.1
Other races	44	87	-43	3/	2	45.5	3	4/
Mineral	418	240	178	174	24	57.4	17	4.1
Mingo	1,033	386	647	268	71	68.7	49	4.7
Monongalia	1,058	469	589	226	52	49.1	27	2.6
Rural part	640	214	426	299	27	42.2	19	3.0
Morgantown	418	255	163	164	25	59.8	8	1.9
Monroe	278	119	159	234	12	43.2	11	4.0
Morgan	156	96	60	3/	12	76.9	4	2.6
Nicholas	582	187	395	311	47	80.8	17	2.9
Ohio	1,425	1,035	390	138	77	54.0	47	3.3
Rural part	143	115	28	124	8	55.9	5	3.5
Wheeling	1,282	920	362	139	69	53.8	42	3.3
Pendleton	202	75	127	3/	6	29.7	7	3.5
Pleasants	129	60	69	3/	3	23.3	4	3.1
Pocahontas	302	183	119	165	31	102.6	8	2.6
Preston	661	310	351	213	30	45.4	18	2.7
Putnam	438	170	268	258	21	47.9	11	2.5
Raleigh	2,195	827	1,368	265	169	77.0	78	3.5
Randolph	671	368	303	182	48	71.5	28	4.2
Ritchie	311	147	164	212	22	70.7	13	4.2
Roane	443	300	143	148	16	36.1	12	2.7
Summers	429	211	218	203	29	67.6	15	3.5
Taylor	410	254	156	161	32	78.0	12	2.9
Tucker	296	122	174	243	21	70.9	12	4.1
Tyler	247	168	79	147	14	56.7	3	1.2
Upshur	388	151	237	257	15	38.7	16	4.1
Wayne	812	310	502	262	38	46.8	15	1.8
Rural part	754	224	530	337	34	45.1	15	2.0
Huntington (part)	58	86	-28	6/	4	6/	----	------
Webster	458	121	337	379	32	69.9	24	5.2
Wetzel	506	242	264	209	30	59.3	13	2.6
Wirt	110	73	37	3/	6	54.5	4	3.6
Wood	1,185	790	395	150	96	81.0	33	2.8
Rural part	495	239	256	207	38	76.8	4	0.8
Parkersburg	690	551	139	125	58	84.1	29	4.2
Wyoming	620	130	490	477	25	40.3	24	3.9

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1936—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WISCONSIN (total)	52,613	33,242	19,371	158	2,510	47.7	1,281	2.4
Adams	156	103	53	151	12	76.9	----	------
Ashland	515	309	206	167	31	60.2	8	1.6
Rural part	146	77	69	3/	10	68.5	2	1.4
Ashland	369	232	137	159	21	56.9	6	1.6
Barron	784	410	374	177	54	74.6	18	2.5
Bayfield	148	137	11	108	10	67.6	2	1.4
Brown	1,679	937	742	179	80	47.6	42	2.5
Rural part	364	247	117	147	19	52.2	4	1.1
Green Bay	1,315	690	625	191	61	46.4	38	2.9
Buffalo	251	124	127	202	6	23.9	5	2.0
Burnett	179	116	63	154	15	83.8	2	1.1
Calumet	212	148	64	143	12	56.6	8	3.8
Chippewa	796	496	300	160	44	55.3	15	1.9
Clark	570	315	255	181	27	47.4	13	2.3
Columbia	584	419	165	139	19	32.5	15	2.6
Crawford	363	179	184	203	18	49.6	8	2.2
Dane	2,176	1,747	429	125	82	37.7	46	2.1
Rural part	563	656	-103	84	22	39.8	14	2.5
Madison	1,623	1,091	532	149	60	37.0	32	2.0
Dodge	740	495	245	149	29	39.2	15	2.0
Rural part	708	472	236	150	29	41.0	13	1.8
Watertown (part)	32	23	9	6/	-----	------	2	6/
Door	339	184	155	184	12	35.4	6	1.8
Douglas	790	573	217	138	44	55.7	27	3.4
Rural part	100	138	-38	72	7	70.0	2	2.0
Superior	690	435	255	159	37	53.6	25	3.6
Dunn	470	319	151	147	29	61.7	8	1.7
Eau Claire	940	527	413	178	49	52.1	22	2.3
Rural part	150	107	43	140	8	53.3	4	2.7
Eau Claire	790	420	370	188	41	51.9	18	2.3
Florence	60	44	16	3/	2	33.3	3	4/
Fond du Lac	1,015	705	310	144	44	43.3	29	2.9
Rural part	376	294	82	128	15	39.9	8	2.1
Fond du Lac	639	411	228	155	29	45.4	21	3.3
Forest	287	98	189	3/	16	55.7	9	3.1
Grant	764	463	301	165	27	35.3	14	1.8
Green	398	246	152	162	11	27.6	4	1.0
Green Lake	188	147	41	128	7	37.2	3	1.6
Iowa	384	244	140	157	15	39.1	6	1.6
Iron	137	67	70	3/	5	36.5	5	3.6
Jackson	327	183	144	179	23	70.3	9	2.8
Jefferson	557	451	106	124	19	34.1	10	1.8
Rural part	323	301	22	107	10	31.0	5	1.5
Watertown (part)	234	150	84	6/	9	6/	5	6/
Watertown (total)	266	173	93	154	9	33.8	7	2.6
Juneau	354	230	124	154	24	67.8	8	2.3
Kenosha	851	526	325	162	34	40.0	21	2.5
Rural part	84	95	-11	3/	4	47.6	2	4/
Kenosha	767	431	336	178	30	39.1	19	2.5
Kewaunee	278	179	99	155	15	54.0	5	1.8
La Crosse	1,284	842	442	152	72	56.1	39	3.0
Rural part	142	128	14	111	6	42.3	3	2.1
La Crosse	1,142	714	428	160	66	57.8	36	3.2
Lafayette	256	173	83	148	17	66.4	8	3.1
Langlade	506	235	271	215	22	43.5	14	2.8
Lincoln	437	227	210	193	31	70.9	16	3.7
Manitowoc	993	623	370	159	64	64.5	25	2.5
Rural part	358	227	131	158	16	44.7	6	1.7
Manitowoc	390	295	95	132	32	82.1	11	2.8
Two Rivers	245	101	144	243	16	65.3	8	3.3
Marathon	1,412	600	812	235	61	43.2	31	2.2
Rural part	742	254	488	292	34	45.8	17	2.3
Wausau	670	346	324	194	27	40.3	14	2.1
Marinette	598	394	204	152	42	70.2	11	1.8
Rural part	318	177	141	180	22	69.2	7	2.2
Marinette	280	217	63	129	20	71.4	4	1.4
Marquette	95	94	1	3/	2	21.1	4	4/
Milwaukee	11,570	7,834	3,736	148	548	47.4	275	2.4
Rural part	1,554	1,942	-388	80	98	63.1	50	3.2
Cudahy	128	39	89	3/	1	7.8	1	0.8
Milwaukee	9,308	5,409	3,899	172	426	46.0	208	2.2
Shorewood	7	68	-61	3/	1	142.9	----	------
South Milwaukee	168	89	79	3/	6	35.7	10	6.0
Wauwatosa	155	135	20	115	4	25.8	----	------
West Allis	250	152	98	164	10	40.0	6	2.4
Monroe	640	345	295	186	45	70.3	26	4.1
Oconto	442	271	171	163	32	72.4	13	2.9
Oneida	356	215	141	166	22	61.8	11	3.1
Outagamie	1,453	696	757	209	64	44.0	34	2.3
Rural part	727	359	368	203	36	49.5	15	2.1
Appleton	726	337	389	215	28	38.6	19	2.6
Ozaukee	180	172	8	105	9	50.0	5	2.8
Pepin	195	73	122	3/	4	20.5	6	3.1
Pierce	356	233	123	153	12	33.7	14	3.9
Polk	472	276	196	171	19	40.3	19	4.0
Portage	673	350	323	192	39	57.9	18	2.7
Rural part	319	135	184	236	15	47.0	9	2.8
Stevens Point	354	215	139	165	24	67.8	9	2.5
Price	356	133	223	268	11	30.9	13	3.7
Racine	1,442	973	469	148	51	35.4	32	2.2
Rural part	236	296	-60	80	8	33.9	6	2.5
Racine	1,206	677	529	178	43	35.7	26	2.2
Richland	409	240	169	170	23	56.2	7	1.7
Rock	1,355	945	410	143	73	53.9	39	2.9
Rural part	344	305	39	113	14	40.7	11	3.2
Beloit	467	293	174	159	22	47.1	11	2.4
Janesville	544	347	197	157	37	68.0	17	3.1
Rusk	347	141	206	246	17	49.0	3	0.9
St. Croix	324	237	87	137	9	27.8	2	0.6
Sauk	578	385	193	150	26	45.0	19	3.3
Sawyer	301	143	158	210	16	53.2	10	3.3
Shawano	558	327	331	201	40	60.8	15	2.3
Sheboygan	1,312	770	542	170	44	33.5	37	2.8
Rural part	326	302	24	108	11	33.7	7	2.1
Sheboygan	986	468	518	211	33	33.5	30	3.0
Taylor	432	170	262	254	22	50.9	10	2.3
Trempealeau	416	211	205	197	8	19.2	6	1.4
Vernon	516	276	240	187	20	38.8	9	1.7
Vilas	130	82	48	3/	5	38.5	----	------
Walworth	400	402	-2	100	13	32.5	11	2.8
Washburn	207	94	113	3/	14	67.6	6	2.9
Washington	490	287	203	171	17	34.7	12	2.4
Waukesha	838	647	191	130	39	46.5	16	1.9
Rural part	379	454	-75	83	21	55.4	7	1.8
Waukesha	459	193	266	238	18	39.2	9	2.0
Waupaca	524	433	91	121	27	51.5	14	2.7
Waushara	225	139	86	162	8	35.6	6	2.7
Winnebago	1,198	940	258	127	40	33.4	30	2.5
Rural part	526	414	112	127	18	34.2	10	1.9
Oshkosh	672	526	146	128	22	32.7	20	3.0
Wood	1,005	493	512	204	67	66.7	29	2.9
WYOMING (total)	4,753	2,401	2,352	198	274	57.6	68	1.4
Albany	223	141	82	158	13	58.3	2	0.9
Big Horn	321	114	207	282	12	37.4	3	0.9
Campbell	133	77	56	3/	2	15.0	2	1.5
Carbon	228	123	105	185	11	48.2	3	1.3
Converse	151	63	88	3/	6	45.8	1	0.8
Crook	76	41	35	3/	4	52.6	2	4/
Fremont	338	184	154	184	27	79.9	5	1.5
Goshen	268	104	164	258	17	63.4	1	0.4
Hot Springs	112	55	57	3/	6	53.6	3	2.7
Johnson	90	29	61	3/	2	22.2	1	4/
Laramie	514	322	192	160	29	56.4	5	1.0
Rural part	106	37	69	3/	3	28.3	----	------
Cheyenne	408	285	123	143	26	63.7	5	1.2
Lincoln	253	93	160	3/	17	67.2	5	2.0
Natrona	444	227	217	196	20	45.0	7	1.6
Rural part	74	16	58	3/	-----	------	1	4/
Casper	370	211	159	175	20	54.1	6	1.6
Niobrara	135	34	101	3/	7	51.9	2	1.5
Park	189	91	98	3/	16	84.7	3	1.6
Platte	172	89	83	3/	10	58.1	2	1.2
Sheridan	350	212	138	165	16	45.7	6	1.7
Sublette	20	7	13	3/	2	100.0	----	------
Sweetwater	344	189	155	182	28	81.4	8	2.3
Teton	44	19	25	3/	4	90.9	----	------
Uinta	117	106	11	110	10	85.5	1	0.9
Washakie	134	43	91	3/	7	52.2	3	2.2
Weston	115	38	77	3/	8	69.6	3	2.6
Yellowstone National Park (part) 7/	2	------	2	------	-----	------	----	------

1/ A minus sign (-) indicates an excess of deaths over births.
2/ Figures for cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont) are included in the rural.
3/ Figures not shown when the number of deaths is less than 100.
4/ Rate not computed when the number of births is less than 100.
5/ Rate not computed.
6/ Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures and rates for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Texas, are shown under Potter Co.; Atlanta, Ga., under Fulton Co.; Bethlehem, Pa., under Northampton Co.; Centralia, Ill., under Marion Co.; Elgin, Ill., under Kane Co.; Elwood City, Pa., under Lawrence Co.; Fostoria, Ohio, under Seneca Co.; Huntington, W. Va., under Cabell Co.; Joplin, Mo., under Jasper Co.; Phenix City, Ala., under Russell Co.; Rocky Mount, N. C., under Nash Co.; St. Cloud, Minn., under Stearns Co.; Watertown, Wis., under Jefferson Co.; and Youngstown, Ohio, under Mahoning Co.
7/ Figures relate to entire area.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTH: 1936

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	2,144,790	182,221	176,711	188,522	170,489	170,479	176,341	190,986	190,494	183,819	178,672	166,482	169,574
Male	1,099,465	93,385	90,350	96,333	87,065	88,087	90,701	98,061	97,855	94,035	91,766	85,093	86,734
Female	1,045,325	88,836	86,361	92,189	83,424	82,392	85,640	92,925	92,639	89,784	86,906	81,389	82,840
Cities of 10,000 or more	1,012,957	85,230	81,603	87,056	77,953	79,629	84,341	91,583	89,675	86,006	85,342	81,190	83,349
Male	520,029	43,939	41,878	44,539	40,003	41,121	43,370	47,042	46,075	43,862	43,921	41,554	42,725
Female	492,928	41,291	39,725	42,517	37,950	38,508	40,971	44,541	43,600	42,144	41,421	39,636	40,624
Cities of 2,500 to 10,000	223,830	18,860	18,413	19,535	17,324	17,417	18,202	19,882	20,196	19,204	18,900	17,819	18,078
Male	114,419	9,545	9,317	10,023	8,763	8,894	9,382	10,225	10,374	9,865	9,712	9,094	9,225
Female	109,411	9,315	9,096	9,512	8,561	8,523	8,820	9,657	9,822	9,339	9,188	8,725	8,853
Rural	908,003	78,131	76,695	81,931	75,212	73,433	73,798	79,521	80,623	78,609	74,430	67,473	68,147
Male	465,017	39,901	39,155	41,771	38,299	38,072	37,949	40,794	41,406	40,308	38,133	34,445	34,784
Female	442,986	38,230	37,540	40,160	36,913	35,361	35,849	38,727	39,217	38,301	36,297	33,028	33,363
ALABAMA	60,116	5,280	5,230	5,668	5,135	4,595	4,759	5,293	5,372	4,997	4,866	4,403	4,518
Cities of 10,000 or more	11,374	1,017	932	994	908	778	956	995	978	949	981	929	957
Cities of 2,500 to 10,000	3,473	296	263	310	280	256	293	314	351	306	297	238	269
Rural	45,269	3,967	4,035	4,364	3,947	3,561	3,510	3,984	4,043	3,742	3,588	3,236	3,292
ARIZONA	9,545	820	799	857	813	773	660	819	865	767	765	781	826
Cities of 10,000 or more	3,181	273	267	278	252	259	210	281	265	266	271	273	286
Cities of 2,500 to 10,000	2,449	201	189	219	209	171	148	220	242	201	200	218	231
Rural	3,915	346	343	360	352	343	302	318	358	300	294	290	309
ARKANSAS	33,520	2,851	2,850	2,783	2,532	2,421	2,675	3,011	3,182	3,062	2,873	2,572	2,708
Cities of 10,000 or more	3,563	319	320	312	251	226	267	324	340	320	288	289	307
Cities of 2,500 to 10,000	3,279	299	292	267	222	202	244	292	320	299	275	284	283
Rural	26,678	2,233	2,238	2,204	2,059	1,993	2,164	2,395	2,522	2,443	2,310	1,999	2,118
CALIFORNIA	84,502	6,833	6,336	6,705	6,617	7,012	6,969	7,455	7,517	7,371	7,226	7,019	7,442
Cities of 10,000 or more	53,287	4,342	4,000	4,273	4,192	4,479	4,434	4,652	4,733	4,591	4,545	4,388	4,658
Cities of 2,500 to 10,000	11,609	907	822	869	846	906	935	1,060	1,049	1,052	1,026	1,035	1,102
Rural	19,606	1,584	1,514	1,563	1,579	1,627	1,600	1,743	1,735	1,728	1,655	1,596	1,682
COLORADO	18,279	1,485	1,365	1,523	1,504	1,507	1,551	1,670	1,621	1,461	1,569	1,507	1,516
Cities of 10,000 or more	8,097	643	611	681	609	708	685	739	746	647	676	664	688
Cities of 2,500 to 10,000	3,000	249	211	271	248	229	267	290	231	219	282	261	242
Rural	7,182	593	543	571	647	570	599	641	644	595	611	582	586
CONNECTICUT	22,228	1,884	1,731	1,923	1,789	1,859	1,954	2,059	2,002	1,877	1,767	1,595	1,788
Cities of 10,000 or more	18,813	1,581	1,423	1,626	1,518	1,573	1,655	1,757	1,677	1,590	1,491	1,376	1,546
Cities of 2,500 to 10,000	1,227	100	112	103	87	101	107	116	118	87	114	86	96
Rural	2,188	203	196	194	184	185	192	186	207	200	162	133	146
DELAWARE	3,922	322	339	328	324	333	327	349	333	347	306	299	315
Cities of 10,000 or more	2,159	179	202	186	155	166	167	215	170	194	166	173	184
Cities of 2,500 to 10,000	436	34	30	37	40	37	37	33	43	39	46	25	35
Rural	1,327	109	107	103	129	130	123	101	120	114	94	101	96
DISTRICT OF COLUMBIA	11,704	993	948	971	910	861	992	1,049	1,014	990	1,032	956	988
FLORIDA	28,097	2,712	2,357	2,525	2,037	1,831	1,876	2,258	2,509	2,566	2,514	2,458	2,474
Cities of 10,000 or more	10,733	1,025	840	868	716	705	738	944	974	1,024	936	981	982
Cities of 2,500 to 10,000	4,524	454	390	418	345	284	262	346	376	403	448	399	399
Rural	12,840	1,233	1,127	1,239	976	842	876	968	1,159	1,139	1,130	1,078	1,093
GEORGIA	61,658	5,301	5,219	5,869	5,269	4,983	4,875	5,434	5,442	5,202	4,891	4,429	4,694
Cities of 10,000 or more	13,935	1,266	1,211	1,193	1,089	1,016	1,094	1,225	1,224	1,199	1,112	1,069	1,237
Cities of 2,500 to 10,000	6,634	585	571	636	504	561	572	578	613	556	507	476	475
Rural	41,089	3,500	3,437	4,040	3,676	3,406	3,209	3,631	3,605	3,447	3,272	2,884	2,982
IDAHO	10,224	803	762	853	804	900	796	826	908	921	875	861	815
Cities of 10,000 or more	1,492	140	127	115	105	144	125	134	134	126	133	110	99
Cities of 2,500 to 10,000	4,441	339	305	376	339	368	347	389	387	427	392	402	370
Rural	4,291	324	330	362	360	388	324	403	387	368	350	349	346
ILLINOIS	112,157	9,580	9,131	9,721	8,603	8,396	9,165	10,191	10,370	9,599	9,614	9,068	8,729
Cities of 10,000 or more	76,988	6,439	6,194	6,541	5,835	5,827	6,370	7,064	7,059	6,566	6,556	6,285	6,252
Cities of 2,500 to 10,000	10,484	906	874	1,016	822	723	812	946	971	894	899	856	765
Rural	24,695	2,235	2,063	2,164	1,946	1,846	1,983	2,181	2,340	2,139	2,159	1,927	1,712
INDIANA	54,034	4,709	4,495	4,763	4,123	3,991	4,320	4,849	4,749	4,784	4,522	4,295	4,434
Cities of 10,000 or more	26,884	2,326	2,223	2,343	2,006	1,920	2,142	2,476	2,359	2,330	2,275	2,170	2,314
Cities of 2,500 to 10,000	6,207	560	543	596	482	454	509	538	574	514	493	468	476
Rural	20,943	1,823	1,729	1,824	1,635	1,617	1,669	1,835	1,816	1,940	1,754	1,657	1,644
IOWA	42,715	3,621	3,597	3,822	3,321	3,122	3,570	3,898	3,921	3,667	3,475	3,326	3,375
Cities of 10,000 or more	16,387	1,363	1,423	1,478	1,210	1,145	1,354	1,501	1,503	1,402	1,364	1,308	1,336
Cities of 2,500 to 10,000	6,810	567	589	616	524	504	553	632	620	576	533	546	550
Rural	19,518	1,691	1,585	1,728	1,587	1,473	1,663	1,765	1,798	1,689	1,578	1,472	1,489

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTH: 1936—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS	29,998	2,610	2,554	2,591	2,252	2,167	2,464	2,739	2,714	2,712	2,565	2,408	2,222
Cities of 10,000 or more	10,695	948	879	911	766	702	836	1,012	957	1,016	949	884	835
Cities of 2,500 to 10,000	4,749	394	390	421	346	336	379	401	479	441	390	396	376
Rural	14,554	1,268	1,285	1,259	1,140	1,129	1,249	1,326	1,278	1,255	1,226	1,128	1,011
KENTUCKY	55,778	4,972	5,053	5,352	4,797	4,330	4,504	4,576	4,773	4,674	4,570	4,023	4,154
Cities of 10,000 or more	10,498	870	916	881	815	753	856	953	909	896	933	834	882
Cities of 2,500 to 10,000	4,478	375	357	410	368	332	428	395	442	377	363	301	330
Rural	40,802	3,727	3,780	4,061	3,614	3,245	3,220	3,228	3,422	3,401	3,274	2,888	2,942
LOUISIANA	43,828	3,725	3,665	3,656	3,131	2,746	3,211	3,886	4,201	4,163	4,118	3,595	3,731
Cities of 10,000 or more	14,356	1,253	1,151	1,180	958	875	1,072	1,266	1,356	1,353	1,392	1,237	1,263
Cities of 2,500 to 10,000	4,080	455	463	442	355	238	236	309	302	310	342	316	310
Rural	25,392	2,017	2,051	2,034	1,818	1,633	1,903	2,311	2,543	2,500	2,384	2,040	2,158
MAINE	15,302	1,268	1,235	1,368	1,300	1,290	1,306	1,365	1,331	1,332	1,190	1,184	1,133
Cities of 10,000 or more	4,850	417	389	414	411	383	404	449	412	437	381	391	362
Cities of 2,500 to 10,000	2,082	159	175	170	159	191	193	174	204	184	140	155	178
Rural	8,370	692	671	784	730	716	709	742	715	711	669	638	593
MARYLAND	26,588	2,349	2,237	2,401	2,161	2,158	2,275	2,393	2,286	2,236	2,120	1,931	2,041
Cities of 10,000 or more	15,803	1,388	1,272	1,397	1,253	1,242	1,348	1,417	1,394	1,359	1,304	1,183	1,246
Cities of 2,500 to 10,000	1,652	148	123	154	135	128	172	155	143	131	131	112	120
Rural	9,133	813	842	850	773	788	755	821	749	746	685	636	675
MASSACHUSETTS	61,704	4,991	4,813	5,303	4,979	5,246	5,344	5,538	5,337	5,182	5,104	4,962	4,904
Cities of 10,000 or more	55,787	4,481	4,321	4,778	4,467	4,778	4,843	5,017	4,780	4,689	4,633	4,522	4,478
Cities of 2,500 to 10,000	3,274	292	274	291	300	248	268	281	313	284	248	234	241
Rural	2,643	218	218	234	212	220	233	240	244	210	223	206	185
MICHIGAN	88,427	7,404	7,243	7,916	7,050	7,316	7,558	7,853	7,648	7,528	7,150	6,764	6,997
Cities of 10,000 or more	56,474	4,776	4,633	5,039	4,465	4,592	4,794	5,025	4,842	4,776	4,587	4,401	4,544
Cities of 2,500 to 10,000	8,137	639	654	751	646	680	705	714	689	711	684	619	635
Rural	23,816	1,989	1,946	2,126	1,939	2,044	2,059	2,114	2,117	2,041	1,879	1,744	1,818
MINNESOTA	47,576	3,783	3,767	4,303	3,907	3,869	4,057	4,331	4,184	4,073	3,923	3,690	3,689
Cities of 10,000 or more	19,043	1,530	1,500	1,653	1,462	1,491	1,661	1,726	1,664	1,609	1,623	1,540	1,584
Cities of 2,500 to 10,000	6,781	531	522	615	568	511	576	666	599	601	571	489	532
Rural	21,752	1,722	1,745	2,035	1,877	1,867	1,820	1,939	1,921	1,863	1,729	1,661	1,573
MISSISSIPPI	49,446	4,441	4,231	4,326	4,022	3,744	4,009	4,516	4,664	4,428	4,042	3,500	3,523
Cities of 10,000 or more	4,999	394	468	381	314	327	392	440	524	442	449	443	425
Cities of 2,500 to 10,000	1,934	145	205	159	147	121	114	157	198	186	160	176	166
Rural	42,513	3,902	3,558	3,786	3,561	3,296	3,503	3,919	3,942	3,800	3,433	2,881	2,932
MISSOURI	55,916	4,813	4,950	4,890	3,921	3,837	4,455	5,062	5,037	4,930	4,883	4,515	4,623
Cities of 10,000 or more	24,208	2,066	2,150	2,112	1,608	1,563	1,906	2,291	2,171	2,047	2,161	2,029	2,104
Cities of 2,500 to 10,000	5,562	446	469	473	397	396	495	488	506	471	484	472	465
Rural	26,146	2,301	2,331	2,305	1,916	1,878	2,054	2,283	2,360	2,412	2,238	2,014	2,054
MONTANA	10,400	821	853	914	854	919	883	879	880	904	824	858	831
Cities of 10,000 or more	3,275	218	235	285	254	305	321	290	290	285	250	262	280
Cities of 2,500 to 10,000	1,825	139	140	146	141	162	134	157	155	159	180	157	155
Rural	5,300	464	478	483	459	452	428	432	435	460	394	419	396
NEBRASKA	23,798	1,958	1,925	1,975	1,923	1,823	1,959	2,156	2,196	2,022	2,013	1,903	1,945
Cities of 10,000 or more	7,584	629	620	649	562	548	607	677	730	633	645	615	669
Cities of 2,500 to 10,000	3,054	275	255	243	251	248	259	256	270	274	278	224	221
Rural	13,160	1,054	1,050	1,083	1,110	1,027	1,093	1,223	1,196	1,115	1,090	1,064	1,055
NEVADA	1,419	99	90	118	137	126	108	126	131	133	111	125	115
Cities of 10,000 or more	220	13	17	19	23	18	22	20	27	17	18	14	12
Cities of 2,500 to 10,000	351	25	15	28	27	30	18	22	36	38	35	37	40
Rural	848	61	58	71	87	78	68	84	68	78	58	74	63
NEW HAMPSHIRE	7,679	602	618	613	642	689	606	711	711	626	647	614	600
Cities of 10,000 or more	4,337	342	364	327	356	393	328	425	403	348	371	327	353
Cities of 2,500 to 10,000	799	67	55	55	61	66	71	79	72	54	77	70	72
Rural	2,543	193	199	231	225	230	207	207	236	224	199	217	175
NEW JERSEY	53,833	4,665	4,358	4,657	4,135	4,520	4,537	5,033	4,620	4,416	4,398	4,238	4,256
Cities of 10,000 or more	43,444	3,756	3,504	3,765	3,360	3,618	3,660	4,053	3,753	3,565	3,524	3,434	3,452
Cities of 2,500 to 10,000	4,572	403	370	395	359	414	393	415	377	376	360	336	374
Rural	5,817	506	484	497	416	488	484	565	490	475	514	468	430
NEW MEXICO	12,907	1,024	951	1,156	1,194	1,208	1,133	1,054	1,132	1,130	1,033	934	948
Cities of 10,000 or more	1,732	145	134	141	158	168	165	139	140	144	162	104	132
Cities of 2,500 to 10,000	2,180	189	139	206	216	211	196	160	168	136	160	198	201
Rural	8,995	690	678	809	820	829	772	765	824	850	711	632	615
NEW YORK	182,469	15,190	14,772	15,890	14,475	15,369	15,849	16,702	15,899	15,003	15,040	14,102	14,178
Cities of 10,000 or more	151,127	12,581	12,217	13,230	11,912	12,690	13,031	13,794	13,135	12,433	12,529	11,732	11,843
Cities of 2,500 to 10,000	9,630	818	801	837	786	811	831	875	890	780	754	745	702
Rural	21,712	1,791	1,754	1,823	1,777	1,868	1,987	2,033	1,874	1,790	1,757	1,625	1,633
NORTH CAROLINA	76,182	6,799	6,553	6,749	6,435	6,708	6,065	6,648	6,629	6,418	6,102	5,437	5,639
Cities of 10,000 or more	13,898	1,267	1,150	1,222	1,059	1,079	1,059	1,264	1,218	1,145	1,193	1,097	1,146
Cities of 2,500 to 10,000	6,401	566	561	556	484	514	503	603	559	505	535	521	494
Rural	55,883	4,966	4,842	4,971	4,892	5,116	4,503	4,781	4,852	4,768	4,374	3,819	3,999

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTH: 1936—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA	13,571	1,079	1,061	1,159	1,150	1,276	1,158	1,205	1,212	1,161	1,123	1,005	982
Cities of 10,000 or more	2,593	214	202	201	221	223	217	238	254	220	205	202	196
Cities of 2,500 to 10,000	1,803	124	129	150	145	154	146	184	150	180	145	146	150
Rural	9,175	741	730	808	784	899	795	783	808	761	773	657	636
OHIO	103,703	8,471	8,396	9,129	8,011	8,085	8,779	9,446	9,314	8,842	8,616	8,273	8,341
Cities of 10,000 or more	65,356	5,263	5,209	5,829	4,967	5,082	5,487	5,956	5,860	5,569	5,434	5,299	5,401
Cities of 2,500 to 10,000	8,572	692	698	744	648	704	770	832	770	704	703	655	652
Rural	29,775	2,516	2,489	2,556	2,396	2,299	2,522	2,658	2,684	2,569	2,479	2,319	2,288
OKLAHOMA	41,815	3,767	3,721	3,520	2,903	2,933	3,296	3,694	3,765	3,763	3,733	3,244	3,456
Cities of 10,000 or more	11,101	959	928	859	741	730	862	1,000	1,053	1,003	1,010	923	1,033
Cities of 2,500 to 10,000	7,360	761	666	586	513	487	526	641	633	674	637	589	647
Rural	23,354	2,067	2,127	2,075	1,649	1,716	1,908	2,053	2,079	2,086	2,086	1,732	1,776
OREGON	13,975	1,068	1,088	1,169	1,089	1,232	1,254	1,232	1,237	1,126	1,197	1,127	1,156
Cities of 10,000 or more	6,652	507	504	553	539	556	616	571	573	551	567	531	584
Cities of 2,500 to 10,000	3,316	249	255	271	231	310	298	311	308	271	285	294	233
Rural	4,007	312	329	345	319	366	340	350	356	304	345	302	339
PENNSYLVANIA	159,393	13,522	12,968	14,041	12,636	12,994	13,455	14,196	13,744	13,224	13,234	12,662	12,717
Cities of 10,000 or more	90,126	7,642	7,283	7,831	7,055	7,204	7,641	8,114	7,766	7,507	7,613	7,192	7,278
Cities of 2,500 to 10,000	20,910	1,783	1,708	1,792	1,607	1,697	1,755	1,800	1,845	1,766	1,755	1,687	1,714
Rural	48,357	4,097	3,977	4,418	3,974	4,093	4,058	4,282	4,133	3,951	3,866	3,783	3,725
RHODE ISLAND	10,186	837	832	873	839	884	829	943	873	870	773	788	845
Cities of 10,000 or more	9,416	762	750	799	794	813	767	879	808	810	724	731	779
Cities of 2,500 to 10,000	237	28	27	17	16	22	21	19	20	18	14	15	20
Rural	533	47	55	57	29	49	41	45	45	42	35	42	46
SOUTH CAROLINA	39,292	3,392	3,136	3,637	3,550	3,233	3,185	3,377	3,530	3,522	3,210	2,793	2,727
Cities of 10,000 or more	5,544	504	455	492	452	423	466	470	524	467	471	406	414
Cities of 2,500 to 10,000	2,950	251	235	253	259	228	215	254	257	262	286	220	230
Rural	30,798	2,637	2,446	2,892	2,839	2,582	2,504	2,653	2,749	2,793	2,453	2,167	2,083
SOUTH DAKOTA	12,879	997	1,011	1,174	1,132	1,050	1,052	1,155	1,203	1,118	1,029	931	1,017
Cities of 10,000 or more	2,724	214	224	238	217	227	229	245	258	249	188	205	230
Cities of 2,500 to 10,000	1,539	99	142	135	128	129	121	130	129	141	128	109	148
Rural	8,616	684	645	801	787	694	712	780	816	728	713	617	639
TENNESSEE	50,571	4,554	4,349	4,787	4,196	4,140	4,239	4,390	4,322	4,259	4,022	3,586	3,727
Cities of 10,000 or more	13,886	1,228	1,167	1,242	1,066	1,044	1,149	1,236	1,230	1,182	1,129	1,092	1,121
Cities of 2,500 to 10,000	4,015	377	348	358	302	303	337	368	353	330	321	324	294
Rural	32,670	2,949	2,834	3,187	2,828	2,793	2,753	2,786	2,739	2,747	2,572	2,170	2,312
TEXAS	111,602	9,790	9,462	9,375	8,023	7,715	8,271	9,678	10,189	10,168	10,040	9,255	9,636
Cities of 10,000 or more	38,261	3,384	3,147	3,053	2,521	2,525	2,867	3,420	3,481	3,482	3,568	3,378	3,435
Cities of 2,500 to 10,000	14,663	1,245	1,193	1,157	1,064	1,024	1,059	1,258	1,413	1,320	1,360	1,250	1,320
Rural	58,678	5,161	5,122	5,165	4,438	4,166	4,345	5,000	5,295	5,366	5,112	4,627	4,881
UTAH	12,551	996	1,054	1,042	1,098	1,126	1,012	1,090	1,080	1,078	1,023	944	1,008
Cities of 10,000 or more	5,200	422	449	408	450	461	430	464	448	438	437	395	398
Cities of 2,500 to 10,000	2,876	197	209	243	237	254	235	252	240	253	247	246	263
Rural	4,475	377	396	391	411	411	347	374	392	387	339	303	347
VERMONT	6,449	523	474	611	546	554	568	597	597	526	529	473	451
Cities of 10,000 or more	1,537	118	114	150	144	127	136	141	134	115	111	114	133
Cities of 2,500 to 10,000	1,452	101	102	133	98	128	141	150	145	132	138	97	87
Rural	3,460	304	258	328	304	299	291	306	318	279	280	262	231
VIRGINIA	51,247	4,427	4,485	4,702	4,307	4,431	4,308	4,521	4,284	4,327	4,018	3,658	3,779
Cities of 10,000 or more	11,999	1,097	994	1,057	930	914	968	1,063	1,064	1,022	990	924	976
Cities of 2,500 to 10,000	3,708	287	371	337	276	318	302	321	318	335	275	273	295
Rural	35,540	3,043	3,120	3,308	3,101	3,199	3,038	3,137	2,902	2,970	2,753	2,461	2,508
WASHINGTON	23,376	1,906	1,765	1,986	1,898	1,993	1,984	2,007	2,091	2,010	1,982	1,870	1,884
Cities of 10,000 or more	14,801	1,227	1,069	1,243	1,236	1,268	1,197	1,252	1,341	1,270	1,305	1,158	1,235
Cities of 2,500 to 10,000	2,632	204	224	229	210	235	230	231	232	227	215	210	185
Rural	5,943	475	472	514	452	490	557	524	518	513	462	502	464
WEST VIRGINIA	40,853	3,502	3,361	3,650	3,332	3,292	3,301	3,479	3,723	3,531	3,297	3,165	3,220
Cities of 10,000 or more	7,440	668	584	579	579	576	617	657	700	625	570	617	668
Cities of 2,500 to 10,000	3,708	291	287	339	313	323	322	340	334	303	300	263	293
Rural	29,705	2,543	2,490	2,732	2,440	2,393	2,362	2,482	2,689	2,603	2,427	2,285	2,259
WISCONSIN	52,613	4,260	4,150	4,761	4,322	4,474	4,470	4,578	4,712	4,379	4,287	4,010	4,090
Cities of 10,000 or more	24,616	1,982	1,828	2,205	2,029	2,060	2,132	2,200	2,205	2,040	2,030	1,940	1,965
Cities of 2,500 to 10,000	6,948	540	575	618	512	579	596	628	664	610	584	490	552
Rural	21,049	1,738	1,747	1,958	1,781	1,835	1,742	1,850	1,843	1,729	1,673	1,580	1,573
WYOMING	4,753	352	371	397	361	418	358	459	440	393	431	386	387
Cities of 10,000 or more	778	59	55	72	53	55	66	63	95	68	60	63	59
Cities of 2,500 to 10,000	1,027	68	75	87	71	89	70	102	88	87	103	97	90
Rural	2,948	225	241	238	237	264	222	294	257	238	268	226	238

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTH: 1936—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cities with a population of 100,000 or more in 1930													
Birmingham, Ala.	4,718	398	395	402	384	335	414	406	421	395	391	383	394
Long Beach, Calif.	2,476	193	144	184	191	219	207	237	227	220	211	194	249
Los Angeles, Calif.	17,564	1,466	1,324	1,441	1,398	1,450	1,420	1,563	1,542	1,441	1,542	1,474	1,501
Oakland, Calif.	4,206	305	344	317	311	270	361	376	389	384	358	341	350
San Diego, Calif.	3,147	254	217	253	258	262	256	256	296	276	278	272	269
San Francisco, Calif.	7,314	606	538	612	603	649	596	611	633	648	598	568	652
Denver, Colo.	5,503	453	409	462	406	478	476	501	512	435	443	461	467
Bridgeport, Conn.	2,557	215	175	249	191	230	233	233	214	210	207	202	198
Hartford, Conn.	3,786	312	294	306	313	319	317	341	325	374	300	262	323
New Haven, Conn.	3,030	252	240	253	276	222	280	283	296	215	262	226	225
Wilmington, Del.	2,159	179	202	188	155	166	167	215	170	194	166	173	184
Washington, D. C.	11,704	993	948	971	910	861	992	1,049	1,014	990	1,032	956	988
Jacksonville, Fla.	2,590	242	216	217	159	169	166	243	250	266	217	221	224
Miami, Fla.	2,244	222	159	175	150	150	142	185	190	222	196	215	238
Tampa, Fla.	1,634	142	135	117	124	103	110	139	146	167	151	157	143
Atlanta, Ga.	5,615	517	498	493	461	456	436	478	465	463	442	407	499
Chicago, Ill.	47,938	4,012	3,833	4,077	3,636	3,641	4,009	4,405	4,420	4,074	4,015	3,928	3,888
Peoria, Ill.	2,391	220	177	199	165	162	173	230	227	231	215	211	181
Evansville, Ind.	1,696	151	156	135	140	94	131	165	159	138	142	144	141
Fort Wayne, Ind.	2,008	154	158	169	135	154	157	202	163	189	205	170	152
Gary, Ind.	2,017	174	174	172	151	126	153	161	175	187	186	167	189
Indianapolis, Ind.	5,932	544	473	508	455	432	462	571	542	494	479	433	539
South Bend, Ind.	1,521	123	126	143	120	129	120	140	126	131	123	121	119
Des Moines, Iowa	3,001	243	286	238	209	165	240	294	269	252	239	251	265
Kansas City, Kans.	2,210	193	164	180	175	135	201	223	201	223	208	163	144
Wichita, Kans.	2,038	161	191	166	154	141	166	189	170	182	170	178	170
Louisville, Ky.	5,316	441	451	471	392	383	426	466	483	458	449	432	464
New Orleans, La.	8,962	774	715	730	594	566	661	819	833	858	900	757	755
Baltimore, Md.	13,281	1,184	1,075	1,167	1,052	1,026	1,173	1,202	1,146	1,136	1,092	989	1,039
Boston, Mass.	16,719	1,274	1,216	1,329	1,245	1,338	1,309	1,401	1,427	1,316	1,319	1,227	1,268
Cambridge, Mass.	2,098	146	148	191	168	178	200	201	177	177	179	175	158
Fall River, Mass.	1,936	179	154	160	133	153	182	167	162	161	144	176	165
Lowell, Mass.	1,783	143	133	170	130	153	158	162	149	166	137	155	127
Lynn, Mass.	1,198	73	96	107	111	98	93	117	85	112	86	118	102
New Bedford, Mass.	1,761	142	119	159	127	146	138	161	144	159	167	141	158
Somerville, Mass.	1,288	112	101	89	107	115	101	114	108	113	98	107	123
Springfield, Mass.	2,521	221	211	214	211	221	210	225	202	192	206	216	192
Worcester, Mass.	3,279	259	263	281	231	303	275	298	293	285	284	246	261
Detroit, Mich.	26,601	2,257	2,203	2,361	2,068	2,137	2,287	2,387	2,239	2,253	2,181	2,114	2,114
Flint, Mich.	3,650	314	308	345	267	315	320	303	294	287	310	267	320
Grand Rapids, Mich.	2,629	225	250	236	228	214	212	214	220	205	195	218	212
Duluth, Minn.	1,777	138	131	139	143	155	162	168	160	132	147	163	139
Minneapolis, Minn.	7,770	650	630	665	585	566	669	713	660	697	701	600	634
St. Paul, Minn.	5,054	412	393	449	387	400	461	450	447	405	386	442	422
Kansas City, Mo.	5,723	511	506	525	366	373	474	544	543	491	482	458	450
St. Louis, Mo.	12,655	1,088	1,143	1,084	862	809	989	1,185	1,144	1,106	1,193	1,086	1,164
Omaha, Nebr.	4,256	384	352	388	327	289	368	379	384	357	368	328	372
Camden, N. J.	3,073	256	250	263	246	247	256	290	258	271	250	242	244
Elizabeth, N. J.	2,059	171	173	202	154	153	158	188	178	167	185	162	168
Jersey City, N. J.	6,658	584	516	609	490	555	573	603	584	550	513	547	532
Newark, N. J.	7,245	645	583	605	534	634	602	705	623	595	579	540	600
Paterson, N. J.	2,623	242	195	227	236	216	224	250	219	210	215	184	205
Trenton, N. J.	2,374	208	181	172	193	183	209	206	214	216	190	207	195
Albany, N. Y.	2,467	185	168	223	186	199	232	231	234	242	172	195	200
Buffalo, N. Y.	9,753	800	775	869	817	730	817	915	894	799	814	701	762
New York, N. Y.	99,058	8,387	8,065	8,639	7,717	8,304	8,569	8,996	8,498	8,073	8,279	7,690	7,841
Bronx Borough	15,016	1,307	1,287	1,269	1,169	1,206	1,290	1,351	1,282	1,230	1,310	1,146	1,169
Brooklyn Borough	39,481	3,285	3,220	3,528	3,116	3,307	3,433	3,591	3,370	3,123	3,318	3,071	3,119
Manhattan Borough	31,810	2,723	2,511	2,730	2,464	2,718	2,755	2,856	2,757	2,549	2,549	2,493	2,505
Queens Borough	10,385	867	797	897	794	862	878	973	893	887	898	807	832
Richmond Borough	2,366	205	150	215	174	211	213	225	196	184	204	175	216
Rochester, N. Y.	4,914	413	388	434	389	407	445	415	460	413	419	379	352
Syracuse, N. Y.	3,570	313	282	313	256	313	295	335	305	314	299	269	266
Utica, N. Y.	1,849	152	163	160	169	169	146	170	155	159	143	136	127
Yonkers, N. Y.	1,698	139	146	149	125	126	154	162	126	132	154	136	145
Akron, Ohio	4,033	309	319	329	327	330	372	340	379	324	338	316	350
Canton, Ohio	2,069	154	152	178	153	169	178	191	205	187	174	181	147
Cincinnati, Ohio	7,911	644	630	720	590	587	630	699	700	672	712	657	670
Cleveland, Ohio	14,310	1,171	1,122	1,309	1,106	1,207	1,234	1,341	1,243	1,220	1,123	1,098	1,136
Columbus, Ohio	4,982	434	413	441	376	375	409	477	421	448	392	383	413
Dayton, Ohio	3,784	298	298	309	287	276	320	349	346	339	320	327	315
Toledo, Ohio	4,618	357	388	418	336	327	381	461	414	376	382	380	398
Youngstown, Ohio	2,914	217	240	283	206	223	211	272	274	249	255	243	241
Oklahoma City, Okla.	3,741	312	315	311	220	238	293	345	334	331	327	342	373
Tulsa, Okla.	2,241	208	195	169	140	132	164	184	226	197	225	197	202
Portland, Oreg.	4,387	324	359	369	357	386	385	381	360	354	376	359	375
Erie, Pa.	2,193	180	188	214	201	148	189	200	195	179	176	165	178
Philadelphia, Pa.	29,757	2,634	2,427	2,506	2,330	2,259	2,526	2,736	2,551	2,491	2,453	2,367	2,477
Pittsburgh, Pa.	12,243	1,042	1,026	1,106	942	1,000	1,010	1,116	1,036	1,035	1,048	973	907
Reading, Pa.	1,352	105	123	124	109	110	110	143	104	115	117	106	86
Scranton, Pa.	2,673	195	195	241	224	243	243	234	245	228	221	203	201
Providence, R. I.	5,207	420	421	433	441	453	419	498	443	452	397	395	435
Chattanooga, Tenn.	2,289	197	215	225	180	157	172	199	190	176	194	193	191
Knoxville, Tenn.	2,202	186	167	193	169	191	213	190	220	178	166	155	174
Memphis, Tenn.	4,874	440	420	390	373	354	399	444	401	447	416	395	395
Nashville, Tenn.	3,392	298	284	319	261	260	260	299	316	284	273	263	273
Dallas, Tex.	5,052	468	434	394	329	302	372	474	452	470	476	451	430
El Paso, Tex.	2,621	207	170	237	211	233	218	219	204	218	248	237	219
Fort Worth, Tex.	2,780	251	225	212	162	184	211	245	265	247	282	255	241
Houston, Tex.	6,166	535	488	452	323	342	461	554	602	642	605	582	580
San Antonio, Tex.	5,855	517	500	516	392	380	404	531	526	516	515	504	554
Salt Lake City, Utah	3,433	276	307	269	308	297	281	305	278	300	290	261	261
Norfolk, Va.	2,166	192	165	181	174	165	173	206	187	205	165	176	180
Richmond, Va.	3,206	277	260	275	255	237	262	310	295	241	254	255	285
Seattle, Wash.	5,097	421	383	446	410	426	421	415	432	427	445	427	444
Spokane, Wash.	2,224	197	153	197	195	180	176	193	186	202	205	155	185
Tacoma, Wash.	1,836	162	114	158	180	157	137	140	192	162	151	147	136
Milwaukee, Wis.	9,308	757	730	845	753	740	817	783	843	766	752	746	754

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
United States	2,144,790	1,881,883	1,609,626	92,149	866	148,365	29,744	1,133	262,907	251,098	8,289	1,007	1,803	710
Male	1,099,465	966,332	826,787	47,252	433	75,992	15,247	621	133,133	127,017	4,291	513	935	377
Female	1,045,325	915,551	782,839	44,897	433	72,373	14,497	512	129,774	124,081	3,998	494	868	333
Cities of 10,000 or more	1,012,957	924,906	727,051	71,740	337	107,912	17,018	848	88,051	84,861	708	864	1,136	482
Male	520,029	475,424	373,977	36,733	171	55,308	8,772	463	44,605	42,929	395	437	582	262
Female	492,928	449,482	353,074	35,007	166	52,604	8,246	385	43,446	41,932	313	427	554	220
Cities of 2,500 to 10,000	223,830	208,041	186,463	6,246	138	12,573	2,564	57	15,789	14,706	727	74	213	69
Male	114,419	106,390	95,395	3,207	70	6,377	1,307	34	8,029	7,457	390	41	108	33
Female	109,411	101,651	91,068	3,039	68	6,196	1,257	23	7,760	7,249	337	33	105	36
Rural	908,003	748,936	696,112	14,163	391	27,880	10,162	228	159,067	151,531	6,854	69	454	159
Male	465,017	384,518	357,415	7,312	192	14,307	5,168	124	80,499	76,631	3,506	35	245	82
Female	442,986	364,418	338,697	6,851	199	13,573	4,994	104	78,568	74,900	3,348	34	209	77
ALABAMA	60,116	36,749	35,909	46	14	169	611	--------	23,367	23,349	16	1	-----	1
Male	30,492	18,684	18,267	20	9	91	297	--------	11,808	11,793	14	-------	-----	1
Female	29,624	18,065	17,642	26	5	78	314	--------	11,559	11,556	2	1	-----	------
Cities of 10,000 or more	11,374	7,290	6,978	32	6	119	155	--------	4,084	4,082	------	1	-----	1
Male	5,772	3,725	3,567	13	2	67	76	--------	2,047	2,046	------	------	-----	1
Female	5,602	3,565	3,411	19	4	52	79	--------	2,037	2,036	------	1	-----	------
Cities of 2,500 to 10,000	3,473	2,521	2,482	---------	2	6	31	--------	952	951	1	------	-----	------
Male	1,776	1,286	1,267	---------	2	3	14	--------	490	489	1	------	-----	------
Female	1,697	1,235	1,215	---------	------	3	17	--------	462	------	------	------	-----	------
Rural	45,269	26,938	26,449	14	6	44	425	-------	18,331	18,316	15	------	-----	------
Male	22,944	13,673	13,433	7	5	21	207	-------	9,271	9,258	13	------	-----	------
Female	22,325	13,265	13,016	7	1	23	218	-------	9,060	9,058	2	------	-----	------
ARIZONA	9,545	8,281	5,918	956	9	1,306	75	17	1,264	157	1,06-	24	7	16
Male	4,979	4,319	3,079	500	5	693	35	7	660	89	549	10	4	8
Female	4,566	3,962	2,839	456	4	613	40	10	604	68	511	14	3	8
Cities of 10,000 or more	3,181	3,066	2,356	228	4	438	32	8	115	71	13	20	1	10
Male	1,624	1,563	1,205	112	4	226	12	4	61	39	7	8	1	6
Female	1,557	1,503	1,151	116	------	212	20	4	54	32	6	12	-----	4
Cities of 2,500 to 10,000	2,449	2,386	1,569	363	3	422	26	3	63	45	9	4	2	3
Male	1,319	1,284	839	196	------	234	14	1	35	28	3	2	2	------
Female	1,130	1,102	730	167	3	188	12	2	28	17	6	2	-----	3
Rural	3,915	2,829	1,993	365	2	446	17	6	1,086	41	1,038	------	4	3
Male	2,036	1,472	1,035	192	1	233	9	2	564	22	539	------	1	2
Female	1,879	1,357	958	173	1	213	8	4	522	19	499	------	3	1
ARKANSAS	33,520	25,374	24,983	26	24	86	255	--------	8,146	8,137	4	5	-----	------
Male	17,202	13,097	12,923	8	10	46	110	--------	4,105	4,099	2	4	-----	------
Female	16,318	12,277	12,060	18	14	40	145	--------	4,041	4,038	2	1	-----	------
Cities of 10,000 or more	3,563	2,991	2,898	5	------	32	56	--------	572	571	------	1	-----	------
Male	1,799	1,523	1,483	2	------	15	23	--------	276	275	------	1	-----	------
Female	1,764	1,468	1,415	3	------	17	33	--------	296	296	------	------	-----	------
Cities of 2,500 to 10,000	3,279	2,573	2,543	2	2	15	11	--------	706	704	------	2	-----	------
Male	1,699	1,345	1,330	1	1	8	5	--------	354	352	------	2	-----	------
Female	1,580	1,228	1,213	1	1	7	6	--------	352	352	------	------	-----	------
Rural	26,678	19,810	19,542	19	22	39	188	--------	6,868	6,862	4	2	-----	------
Male	13,704	10,229	10,110	5	9	23	82	--------	3,475	3,472	2	1	-----	------
Female	12,974	9,581	9,432	14	13	16	106	--------	3,393	3,390	2	1	-----	------
CALIFORNIA	84,502	80,421	69,959	8,375	10	11,468	554	55	4,081	1,322	337	553	1,429	440
Male	43,144	41,018	30,714	4,159	4	5,831	275	35	2,126	677	161	294	755	239
Female	41,358	39,403	29,245	4,216	6	5,637	279	20	1,955	645	176	259	674	201
Cities of 10,000 or more	53,287	50,520	37,996	4,616	3	7,450	410	45	2,767	1,074	57	460	919	257
Male	27,255	25,805	19,440	2,303	2	3,829	202	29	1,450	544	30	246	486	144
Female	26,032	24,715	18,556	2,313	1	3,621	208	16	1,317	530	27	214	433	113
Cities of 2,500 to 10,000	11,609	11,262	8,487	1,245	1	1,490	35	4	347	44	25	52	169	57
Male	5,923	5,744	4,375	608	1	738	20	2	179	23	12	29	85	30
Female	5,686	5,518	4,112	637	------	752	15	2	168	21	13	23	84	27
Rural	19,606	18,639	13,476	2,514	6	2,528	109	6	957	204	255	41	341	126
Male	9,966	9,469	6,899	1,248	1	1,264	53	4	497	110	119	19	184	65
Female	9,640	9,170	6,577	1,266	5	1,264	56	2	470	94	136	22	157	61
COLORADO	18,279	18,039	15,644	621	158	1,260	341	15	240	130	56	2	40	12
Male	9,431	9,316	8,064	324	76	667	178	7	115	64	26	2	16	7
Female	8,848	8,723	7,580	297	82	593	163	8	125	66	30	------	24	5
Cities of 10,000 or more	8,097	7,973	7,014	187	13	554	202	3	124	95	8	2	14	5
Male	4,179	4,117	3,619	97	5	293	101	2	62	48	3	2	4	5
Female	3,918	3,856	3,395	90	8	261	101	1	62	47	5	------	10	------
Cities of 2,500 to 10,000	3,000	2,979	2,599	91	68	171	49	1	21	8	6	------	6	1
Male	1,538	1,529	1,333	46	33	93	24	--------	9	3	4	------	2	------
Female	1,462	1,450	1,266	45	35	78	25	1	12	5	2	------	4	1
Rural	7,182	7,087	6,031	343	77	535	90	11	95	27	42	------	20	6
Male	3,714	3,670	3,112	181	38	281	53	5	44	13	19	------	10	2
Female	3,468	3,417	2,919	162	39	254	37	6	51	14	23	------	10	4
CONNECTICUT	22,228	21,633	15,040	2,415	2	3,888	275	13	595	594	------	------	1	------
Male	11,449	11,159	7,761	1,268	2	1,985	134	9	290	289	------	------	1	------
Female	10,779	10,474	7,279	1,147	------	1,903	141	4	305	305	------	------	-----	------
Cities of 10,000 or more	18,813	18,266	12,861	2,063	2	3,318	211	11	547	546	------	------	1	------
Male	9,706	9,439	6,563	1,092	2	1,673	101	8	267	266	------	------	1	------
Female	9,107	8,827	6,098	971	------	1,645	110	3	280	280	------	------	-----	------
Cities of 2,500 to 10,000	1,227	1,217	867	123	------	215	12	--------	10	10	------	------	-----	------
Male	619	616	436	57	------	117	6	--------	3	3	------	------	-----	------
Female	608	601	431	66	------	98	6	--------	7	7	------	------	-----	------
Rural	2,188	2,150	1,812	229	------	355	52	2	38	38	------	------	-----	------
Male	1,124	1,104	762	119	------	195	27	1	20	20	------	------	-----	------
Female	1,064	1,046	750	110	------	160	25	1	18	18	------	------	-----	------

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
DELAWARE	3,922	3,249	2,891	101	------	170	83	4	673	669	2	1	------	1
Male	2,040	1,678	1,492	58	------	92	36	------	362	359	2	------	------	1
Female	1,882	1,571	1,399	43	------	78	47	4	311	310	------	1	------	------
Cities of 10,000 or more	2,159	1,899	1,616	95	------	137	48	3	260	258	------	1	------	1
Male	1,128	989	842	54	------	73	20	------	139	138	------	------	------	1
Female	1,031	910	774	41	------	64	28	3	121	120	------	1	------	------
Cities of 2,500 to 10,000	436	376	346	2	------	17	11	------	60	60	------	------	------	------
Male	218	184	169	1	------	11	3	------	34	34	------	------	------	------
Female	218	192	177	1	------	6	8	------	26	26	------	------	------	------
Rural	1,327	974	929	4	------	16	24	1	353	351	2	------	------	------
Male	694	505	481	3	------	8	13	------	189	187	2	------	------	------
Female	633	469	448	1	------	8	11	1	164	164	------	------	------	------
DISTRICT OF COLUMBIA	11,704	7,900	6,952	261	34	504	149	------	3,804	3,791	------	8	2	3
Male	5,988	4,031	3,551	128	19	260	73	------	1,957	1,954	------	2	1	------
Female	5,716	3,869	3,401	133	15	244	76	------	1,847	1,837	------	6	1	3
FLORIDA	28,097	19,755	18,447	208	12	702	378	8	8,342	8,326	10	5	------	1
Male	14,315	10,135	9,474	98	5	355	198	5	4,180	4,172	5	3	------	------
Female	13,782	9,620	8,973	110	7	347	180	3	4,162	4,154	5	2	------	1
Cities of 10,000 or more	10,733	7,974	7,212	134	1	482	139	6	2,759	2,755	1	2	------	1
Male	5,480	4,108	3,726	63	------	242	73	4	1,372	1,370	1	1	------	------
Female	5,253	3,866	3,486	71	1	240	66	2	1,387	1,385	------	1	------	1
Cities of 2,500 to 10,000	4,524	3,371	3,179	39	3	113	35	2	1,153	1,152	------	1	------	------
Male	2,289	1,737	1,629	24	1	62	20	1	552	551	------	1	------	------
Female	2,235	1,634	1,550	15	2	51	15	1	601	601	------	------	------	------
Rural	12,840	8,410	8,056	35	8	107	204	------	4,430	4,419	9	2	------	------
Male	6,546	4,290	4,119	11	4	51	105	------	2,256	2,251	4	1	------	------
Female	6,294	4,120	3,937	24	4	56	99	------	2,174	2,168	5	1	------	------
GEORGIA	61,658	36,361	35,427	54	11	165	701	3	25,297	25,290	------	7	------	------
Male	31,641	18,855	18,385	29	4	76	359	2	12,786	12,779	------	7	------	------
Female	30,017	17,506	17,042	25	7	89	342	1	12,511	12,511	------	------	------	------
Cities of 10,000 or more	13,935	8,831	8,458	49	2	108	211	3	5,104	5,097	------	7	------	------
Male	7,179	4,553	4,370	27	------	47	107	2	2,626	2,619	------	7	------	------
Female	6,756	4,278	4,088	22	2	61	104	1	2,478	2,478	------	------	------	------
Cities of 2,500 to 10,000	6,634	4,330	4,260	------	------	14	56	------	2,304	2,304	------	------	------	------
Male	3,382	2,202	2,169	------	------	4	29	------	1,180	1,180	------	------	------	------
Female	3,252	2,128	2,091	------	------	10	27	------	1,124	1,124	------	------	------	------
Rural	41,089	23,200	22,709	5	9	43	434	------	17,889	17,889	------	------	------	------
Male	21,080	12,100	11,846	2	4	25	223	------	8,980	8,980	------	------	------	------
Female	20,009	11,100	10,863	3	5	18	211	------	8,909	8,909	------	------	------	------
IDAHO	10,224	10,123	9,407	99	2	531	84	------	101	1	82	------	18	------
Male	5,252	5,195	4,815	53	1	281	45	------	57	------	46	------	11	------
Female	4,972	4,928	4,592	46	1	250	39	------	44	1	36	------	7	------
Cities of 10,000 or more	1,492	1,487	1,384	19	------	72	12	------	5	1	2	------	2	------
Male	775	773	708	12	------	45	8	------	2	------	1	------	1	------
Female	717	714	676	7	------	27	4	------	3	1	1	------	1	------
Cities of 2,500 to 10,000	4,441	4,428	4,093	31	1	253	50	------	13	------	3	------	10	------
Male	2,275	2,267	2,095	17	------	132	23	------	8	------	2	------	6	------
Female	2,166	2,161	1,998	14	1	121	27	------	5	------	1	------	4	------
Rural	4,291	4,208	3,930	49	1	206	22	------	83	------	77	------	6	------
Male	2,202	2,155	2,012	24	1	104	14	------	47	------	43	------	4	------
Female	2,089	2,053	1,918	25	------	102	8	------	36	------	34	------	2	------
ILLINOIS	112,167	106,574	88,321	6,215	57	10,169	1,743	69	5,593	5,513	9	23	6	42
Male	57,636	54,804	45,408	3,183	27	5,226	925	35	2,832	2,788	5	15	3	21
Female	54,531	51,770	42,913	3,032	30	4,943	818	34	2,761	2,725	4	8	3	21
Cities of 10,000 or more	76,988	71,928	55,698	5,762	50	9,003	1,349	66	5,060	4,980	9	23	6	42
Male	39,612	37,078	28,703	2,976	23	4,632	710	34	2,534	2,490	5	15	3	21
Female	37,376	34,850	26,995	2,786	27	4,371	639	32	2,526	2,490	4	8	3	21
Cities of 2,500 to 10,000	10,484	10,297	9,512	164	4	457	150	------	187	187	------	------	------	------
Male	5,381	5,272	4,879	73	3	235	82	------	109	109	------	------	------	------
Female	5,103	5,025	4,633	91	1	232	68	------	78	78	------	------	------	------
Rural	24,695	24,349	23,111	289	3	699	244	3	346	346	------	------	------	------
Male	12,643	12,454	11,826	134	1	359	133	1	189	189	------	------	------	------
Female	12,052	11,895	11,285	155	2	340	111	2	157	157	------	------	------	------
INDIANA	54,034	52,400	49,788	706	9	1,449	442	6	1,634	1,630	------	3	1	------
Male	27,653	26,856	25,484	402	5	724	237	4	797	794	------	2	1	------
Female	26,381	25,544	24,304	304	4	725	205	2	837	836	------	1	------	------
Cities of 10,000 or more	26,884	25,355	23,286	622	5	1,166	270	6	1,529	1,525	------	3	1	------
Male	13,809	13,056	11,962	352	3	588	147	4	753	750	------	2	1	------
Female	13,075	12,299	11,324	270	2	578	123	2	776	775	------	1	------	------
Cities of 2,500 to 10,000	6,207	6,162	6,028	18	------	78	38	------	45	45	------	------	------	------
Male	3,178	3,162	3,085	12	------	42	23	------	16	16	------	------	------	------
Female	3,029	3,000	2,943	6	------	36	15	------	29	29	------	------	------	------
Rural	20,943	20,883	20,474	66	4	205	134	------	60	60	------	------	------	------
Male	10,666	10,638	10,437	38	2	94	67	------	28	28	------	------	------	------
Female	10,277	10,245	10,037	28	2	111	67	------	32	32	------	------	------	------
IOWA	42,715	42,455	39,508	507	26	1,672	728	14	260	247	12	1	------	------
Male	21,939	21,813	20,316	251	10	860	367	9	126	122	4	------	------	------
Female	20,776	20,642	19,192	256	16	812	361	5	134	125	8	1	------	------
Cities of 10,000 or more	16,387	16,164	14,796	221	7	615	516	9	223	221	1	1	------	------
Male	8,415	8,305	7,612	113	4	308	261	7	110	110	------	------	------	------
Female	7,972	7,859	7,184	108	3	307	255	2	113	111	1	1	------	------
Cities of 2,500 to 10,000	6,810	6,792	6,434	68	6	224	58	2	18	14	4	------	------	------
Male	3,413	3,406	3,228	33	3	114	28	------	7	6	1	------	------	------
Female	3,397	3,386	3,206	35	3	110	30	2	11	8	3	------	------	------
Rural	19,518	19,499	18,278	218	13	833	154	3	19	12	7	------	------	------
Male	10,111	10,102	9,476	105	3	438	78	2	9	6	3	------	------	------
Female	9,407	9,397	8,802	113	10	395	76	1	10	6	4	------	------	------

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
KANSAS	29,998	29,076	27,685	405	4	690	289	3	922	864	55	1	-----	2
Male	15,467	14,981	14,303	197	2	342	136	1	486	448	38	------	-----	------
Female	14,531	14,095	13,382	208	2	348	153	2	436	416	17	1	-----	2
Cities of 10,000 or more	10,695	10,015	9,385	195	2	259	173	1	680	665	14	1	-----	------
Male	5,505	5,152	4,844	59	1	141	77	-------	353	342	11	------	-----	------
Female	5,190	4,863	4,541	106	1	118	96	1	327	323	3	1	-----	------
Cities of 2,500 to 10,000	4,749	4,665	4,509	40	1	75	40	-------	84	77	6	------	-----	1
Male	2,442	2,397	2,323	22	1	30	21	-------	45	42	3	------	-----	------
Female	2,307	2,268	2,186	18	------	45	19	-------	39	35	3	------	-----	1
Rural	14,554	14,396	13,791	170	1	356	76	2	158	122	35	------	-----	1
Male	7,520	7,432	7,136	86	------	171	38	1	88	64	24	------	-----	------
Female	7,034	6,964	6,655	84	1	185	38	1	70	58	11	------	-----	1
KENTUCKY	55,778	52,776	52,094	67	11	209	395	-------	3,002	3,001	1	------	-----	------
Male	28,773	27,224	26,858	38	5	110	213	-------	1,549	1,549	------	------	-----	------
Female	27,005	25,552	25,236	29	6	99	182	-------	1,453	1,452	1	------	-----	------
Cities of 10,000 or more	10,498	9,425	9,165	43	3	111	103	-------	1,073	1,073	------	------	-----	------
Male	5,401	4,858	4,715	24	1	58	60	-------	543	543	------	------	-----	------
Female	5,097	4,567	4,450	19	2	53	43	-------	530	530	------	------	-----	------
Cities of 2,500 to 10,000	4,478	4,076	4,020	8	2	16	28	-------	402	402	------	------	-----	------
Male	2,284	2,072	2,042	5	1	9	15	-------	212	212	------	------	-----	------
Female	2,194	2,004	1,978	3	1	9	13	-------	190	190	------	------	-----	------
Rural	40,802	39,275	38,909	16	6	80	264	-------	1,527	1,526	1	------	-----	------
Male	21,088	20,294	20,101	9	3	43	138	-------	794	794	------	------	-----	------
Female	19,714	18,981	18,808	7	3	37	126	-------	733	732	1	------	-----	------
LOUISIANA	43,828	25,376	24,630	100	1	391	252	2	18,452	18,356	85	6	1	4
Male	22,341	13,018	12,628	50	1	201	136	2	9,323	9,282	37	2	1	1
Female	21,487	12,358	12,002	50	------	190	116	-------	9,129	9,074	48	4	-----	3
Cities of 10,000 or more	14,356	8,884	8,365	73	------	290	156	-------	5,472	5,465	1	5	1	------
Male	7,312	4,536	4,272	35	------	143	86	-------	2,776	2,773	------	2	1	------
Female	7,044	4,348	4,093	38	------	147	70	-------	2,696	2,692	1	3	-----	------
Cities of 2,500 to 10,000	4,080	2,606	2,555	6	------	26	16	1	1,474	1,472	1	1	-----	------
Male	2,074	1,334	1,310	4	------	9	10	1	740	739	1	------	-----	------
Female	2,006	1,272	1,245	2	------	17	6	-------	734	733	------	1	-----	------
Rural	25,392	13,886	13,710	21	1	75	78	1	11,506	11,419	83	------	-----	4
Male	12,955	7,148	7,046	11	1	49	40	1	5,807	5,770	36	------	-----	1
Female	12,437	6,738	6,664	10	------	26	38	-------	5,699	5,649	47	------	-----	3
MAINE	15,302	15,259	11,986	710	2	2,269	275	17	43	18	22	2	-----	1
Male	7,812	7,792	6,133	351	1	1,141	151	15	20	8	12	------	-----	------
Female	7,490	7,467	5,853	359	1	1,128	124	2	23	10	10	2	-----	1
Cities of 10,000 or more	4,850	4,836	3,525	318	------	863	120	10	14	12	------	2	-----	------
Male	2,482	2,478	1,800	161	------	441	67	9	4	4	------	------	-----	------
Female	2,368	2,358	1,725	157	------	422	53	1	10	8	------	2	-----	------
Cities of 2,500 to 10,000	2,082	2,076	1,633	104	1	298	39	1	6	1	4	------	-----	1
Male	1,069	1,066	831	51	1	159	23	1	3	1	2	------	-----	------
Female	1,013	1,010	802	53	------	139	16	-------	3	--------	2	------	-----	1
Rural	8,370	8,347	6,828	268	1	1,108	116	6	23	5	18	------	-----	------
Male	4,261	4,248	3,502	139	------	541	61	5	13	3	10	------	-----	------
Female	4,109	4,099	3,326	149	1	567	55	1	10	2	8	------	-----	------
MARYLAND	26,588	20,980	19,487	414	3	912	163	1	5,608	5,592	1	8	1	6
Male	13,715	10,861	10,077	226	3	469	85	1	2,854	2,848	1	1	-----	4
Female	12,873	10,119	9,410	188	------	443	78	-------	2,754	2,744	------	7	1	2
Cities of 10,000 or more	15,803	12,604	11,394	358	------	764	87	1	3,199	3,184	------	8	1	6
Male	8,151	6,514	5,888	195	------	389	41	1	1,637	1,632	------	1	-----	4
Female	7,652	6,090	5,506	163	------	375	46	-------	1,562	1,552	------	7	1	2
Cities of 2,500 to 10,000	1,652	1,453	1,391	8	------	32	22	-------	199	199	------	------	-----	------
Male	899	797	761	4	------	18	14	-------	102	102	------	------	-----	------
Female	753	656	630	4	------	14	8	-------	97	97	------	------	-----	------
Rural	9,133	6,923	6,702	48	3	116	54	-------	2,210	2,209	1	------	-----	------
Male	4,665	3,550	3,428	27	3	62	30	-------	1,115	1,114	1	------	-----	------
Female	4,468	3,373	3,274	21	------	54	24	-------	1,095	1,095	------	------	-----	------
MASSACHUSETTS	61,704	60,744	40,755	7,211	4	11,212	1,415	147	960	917	6	30	-----	7
Male	31,566	31,063	20,884	3,623	2	5,751	730	73	503	484	------	15	-----	4
Female	30,138	29,681	19,871	3,588	2	5,461	685	74	457	433	6	15	-----	3
Cities of 10,000 or more	55,787	54,959	36,585	6,804	3	10,232	1,214	121	828	790	1	30	-----	7
Male	28,069	28,132	18,767	3,430	2	5,235	639	59	437	418	------	16	-----	4
Female	27,218	26,827	17,818	3,374	1	4,997	575	62	391	372	1	15	-----	3
Cities of 2,500 to 10,000	3,274	3,250	2,386	230	1	555	71	7	24	22	2	------	-----	------
Male	1,673	1,662	1,217	109	------	296	34	6	11	11	------	------	-----	------
Female	1,601	1,588	1,169	121	1	259	37	1	13	11	2	------	-----	------
Rural	2,643	2,535	1,784	177	------	425	130	19	108	105	3	------	-----	------
Male	1,324	1,269	900	84	------	220	57	8	55	55	------	------	-----	------
Female	1,319	1,266	884	93	------	205	73	11	53	50	3	------	-----	------
MICHIGAN	88,427	85,287	67,353	5,332	28	10,490	1,785	99	3,140	2,975	131	20	2	12
Male	45,279	43,702	34,661	2,693	14	5,352	933	49	1,577	1,498	64	8	1	6
Female	43,148	41,585	32,692	2,639	14	5,138	852	50	1,563	1,477	67	12	1	6
Cities of 10,000 or more	56,474	53,626	39,565	4,478	19	8,156	1,325	83	2,848	2,765	31	19	2	11
Male	28,936	27,516	20,345	2,251	9	4,161	701	39	1,420	1,393	13	8	1	5
Female	27,538	26,110	19,220	2,217	10	3,995	624	44	1,428	1,392	18	11	1	6
Cities of 2,500 to 10,000	8,137	8,056	7,062	224	3	658	107	2	81	67	14	------	-----	------
Male	4,172	4,134	3,645	111	2	324	50	2	38	33	5	------	-----	------
Female	3,965	3,922	3,417	113	1	334	57	-------	43	34	9	------	-----	------
Rural	23,816	23,605	20,926	630	6	1,676	353	14	211	123	86	1	-----	1
Male	12,171	12,052	10,671	321	3	867	182	8	119	72	46	------	-----	1
Female	11,645	11,553	10,255	309	3	809	171	6	92	51	40	1	-----	------

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
MINNESOTA	47,576	46,954	41,417	856	5	3,712	945	19	622	119	480	5	2	16
Male	24,522	24,207	21,323	463	5	1,900	501	15	315	64	237	1	1	12
Female	23,054	22,747	20,094	393	------	1,812	444	4	307	55	243	4	1	4
Cities of 10,000 or more	19,043	18,905	16,042	467	3	1,754	625	14	138	111	5	4	2	16
Male	9,917	9,840	8,342	261	3	896	328	10	77	61	2	1	1	12
Female	9,126	9,065	7,700	206	------	858	297	4	61	50	3	3	1	4
Cities of 2,500 to 10,000	6,781	6,768	6,120	90	------	454	102	2	13	4	8	1	-----	------
Male	3,498	3,493	3,151	48	------	239	53	2	5	2	3	------	-----	------
Female	3,283	3,275	2,969	42	------	215	49	-------	8	2	5	1	-----	------
Rural	21,752	21,281	19,255	299	2	1,504	218	3	471	4	467	------	-----	------
Male	11,107	10,874	9,830	154	2	765	120	3	233	1	232	------	-----	------
Female	10,645	10,407	9,425	145	------	739	98	-------	238	3	235	------	-----	------
MISSISSIPPI	49,446	22,267	21,954	35	4	98	176	-------	27,179	27,094	69	16	-----	------
Male	25,111	11,370	11,209	15	3	51	92	-------	13,741	13,698	37	6	-----	------
Female	24,335	10,897	10,745	20	1	47	84	-------	13,438	13,396	32	10	-----	------
Cities of 10,000 or more	4,999	3,269	3,160	16	------	51	42	-------	1,730	1,726	------	4	-----	------
Male	2,569	1,682	1,624	6	------	26	26	-------	887	886	------	1	-----	------
Female	2,430	1,587	1,536	10	------	25	16	-------	843	840	------	3	-----	------
Cities of 2,500 to 10,000	1,934	1,213	1,193	1	------	13	6	-------	721	687	33	1	-----	------
Male	986	626	617	---------	------	7	2	-------	360	343	16	1	-----	------
Female	948	587	576	1	------	6	4	-------	361	344	17	------	-----	------
Rural	42,513	17,785	17,601	18	4	34	128	-------	24,728	24,681	36	11	-----	------
Male	21,556	9,062	8,968	9	3	18	64	-------	12,494	12,469	21	4	-----	------
Female	20,957	8,723	8,633	9	1	16	64	-------	12,234	12,212	15	7	-----	------
MISSOURI	55,916	52,393	49,455	477	7	1,148	1,298	8	3,523	3,494	9	8	4	8
Male	28,626	26,802	25,288	263	4	577	664	6	1,824	1,808	7	2	2	5
Female	27,290	25,591	24,167	214	3	571	634	2	1,699	1,686	2	6	2	3
Cities of 10,000 or more	24,208	21,621	19,314	439	5	964	893	6	2,587	2,565	4	8	2	8
Male	12,340	11,012	9,828	241	3	485	450	5	1,328	1,317	3	2	1	5
Female	11,868	10,609	9,486	198	2	479	443	1	1,259	1,248	1	6	1	3
Cities of 2,500 to 10,000	5,562	5,246	5,096	15	------	54	81	-------	316	315	1	------	-----	------
Male	2,898	2,732	2,652	9	------	25	46	-------	166	165	1	------	-----	------
Female	2,664	2,514	2,444	6	------	29	35	-------	150	150	------	------	-----	------
Rural	26,146	25,526	25,045	23	2	130	324	2	620	614	4	------	2	------
Male	13,388	13,058	12,808	13	1	67	168	1	330	326	3	------	1	------
Female	12,758	12,468	12,237	10	1	63	156	1	290	288	1	------	1	------
MONTANA	10,400	9,762	8,208	299	2	1,174	75	4	638	12	611	------	9	6
Male	5,276	4,949	4,187	128	1	588	42	3	327	5	315	------	4	3
Female	5,124	4,813	4,021	171	1	586	33	1	311	7	296	------	5	3
Cities of 10,000 or more	3,275	3,254	2,761	81	2	371	36	3	21	8	8	------	-----	5
Male	1,696	1,687	1,446	38	1	184	16	2	9	2	5	------	-----	2
Female	1,579	1,567	1,315	43	1	187	20	1	12	6	3	------	-----	3
Cities of 2,500 to 10,000	1,825	1,810	1,586	34	------	175	15	-------	15	3	9	------	3	------
Male	898	891	784	13	------	82	12	-------	7	2	4	------	1	------
Female	927	919	802	21	------	93	3	-------	8	1	5	------	2	------
Rural	5,300	4,698	3,861	184	------	628	24	1	602	1	594	------	6	1
Male	2,682	2,371	1,957	77	------	322	14	1	311	1	306	------	3	1
Female	2,618	2,327	1,904	107	------	306	10	-------	291	--------	288	------	3	------
NEBRASKA	23,798	23,519	21,649	399	1	1,173	294	3	279	198	73	1	7	------
Male	12,188	12,033	11,082	207	1	601	140	2	155	102	47	------	6	------
Female	11,610	11,486	10,567	192	------	572	154	1	124	96	26	1	1	------
Cities of 10,000 or more	7,584	7,392	6,553	194	------	481	161	3	192	187	2	1	2	------
Male	3,846	3,748	3,323	101	------	249	73	2	98	95	2	------	1	------
Female	3,738	3,644	3,230	93	------	232	88	1	94	92	------	1	1	------
Cities of 2,500 to 10,000	3,054	3,046	2,839	44	------	137	26	-------	8	7	1	------	-----	------
Male	1,577	1,574	1,457	24	------	79	14	-------	3	3	------	------	-----	------
Female	1,477	1,472	1,382	20	------	58	12	-------	5	4	1	------	-----	------
Rural	13,160	13,081	12,257	161	1	555	107	-------	79	4	70	------	5	------
Male	6,765	6,711	6,302	82	1	273	53	-------	54	4	45	------	5	------
Female	6,395	6,370	5,955	79	------	282	54	-------	25	--------	25	------	-----	------
NEVADA	1,419	1,330	1,106	76	1	129	16	2	89	6	73	3	5	2
Male	746	699	578	43	------	67	10	1	47	2	40	1	3	1
Female	673	631	528	33	1	62	6	1	42	4	33	2	2	1
Cities of 10,000 or more	220	213	182	8	------	22	-------	1	7	--------	4	2	-----	1
Male	115	111	94	3	------	13	-------	1	4	--------	2	1	-----	1
Female	105	102	88	5	------	9	-------	-------	3	--------	2	1	-----	------
Cities of 2,500 to 10,000	351	339	289	16	1	27	6	-------	12	3	8	------	1	------
Male	192	185	153	9	------	19	4	-------	7	1	5	------	1	------
Female	159	154	136	7	1	8	2	-------	5	2	3	------	-----	------
Rural	848	778	635	52	------	80	10	1	70	3	61	1	4	1
Male	439	403	331	31	------	35	6	-------	36	1	33	------	2	------
Female	409	375	304	21	------	45	4	1	34	2	28	1	2	1
NEW HAMPSHIRE	7,679	7,673	5,857	419	3	1,218	165	11	6	5	------	1	-----	------
Male	3,987	3,984	3,078	201	2	616	83	4	3	2	------	1	-----	------
Female	3,692	3,689	2,779	218	1	602	82	7	3	3	------	------	-----	------
Cities of 10,000 or more	4,337	4,334	3,160	315	2	762	90	5	3	2	------	1	-----	------
Male	2,283	2,280	1,692	150	1	394	42	1	3	2	------	1	-----	------
Female	2,054	2,054	1,468	165	1	368	48	4	--------	--------	------	------	-----	------
Cities of 2,500 to 10,000	799	799	640	30	------	121	7	1	--------	--------	------	------	-----	------
Male	361	361	299	10	------	49	2	1	--------	--------	------	------	-----	------
Female	438	438	341	20	------	72	5	-------	--------	--------	------	------	-----	------
Rural	2,543	2,540	2,057	74	1	335	68	5	3	3	------	------	-----	------
Male	1,343	1,343	1,087	41	1	173	39	2	--------	--------	------	------	-----	------
Female	1,200	1,197	970	33	------	162	29	3	3	3	------	------	-----	------

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
NEW JERSEY	53,833	49,634	36,646	5,225	9	7,202	517	35	4,199	4,177	------	18	3	1
Male	27,632	25,479	18,773	2,713	6	3,717	254	16	2,153	2,141	------	10	1	1
Female	26,201	24,155	17,873	2,512	3	3,485	263	19	2,046	2,036	------	8	2	------
Cities of 10,000 or more	43,444	40,063	28,869	4,572	5	6,189	404	24	3,381	3,361	------	16	3	1
Male	22,232	20,515	14,750	2,374	3	3,160	197	11	1,717	1,706	------	9	1	1
Female	21,212	19,548	14,119	2,198	2	3,009	207	13	1,664	1,655	------	7	2	------
Cities of 2,500 to 10,000	4,572	4,234	3,384	305	2	505	35	3	338	336	------	2	-----	------
Male	2,337	2,148	1,708	158	1	261	18	2	189	188	------	1	-----	------
Female	2,235	2,086	1,676	147	1	244	17	1	149	148	------	1	-----	------
Rural	5,817	5,337	4,393	348	2	508	78	8	480	480	------	------	-----	------
Male	3,063	2,816	2,315	181	2	276	39	3	247	247	------	------	-----	------
Female	2,754	2,521	2,078	167	------	232	39	5	233	233	------	------	-----	------
NEW MEXICO	12,907	12,308	10,888	395	15	684	309	17	599	46	549	2	2	------
Male	6,647	6,345	5,629	210	6	343	146	11	302	27	274	------	1	------
Female	6,260	5,963	5,259	185	9	341	163	6	297	19	275	2	1	------
Cities of 10,000 or more	1,732	1,647	1,492	29	5	71	49	1	85	10	74	1	-----	------
Male	913	864	785	16	3	37	22	1	49	4	45	------	-----	------
Female	819	783	707	13	2	34	27	-------	36	6	29	1	-----	------
Cities of 2,500 to 10,000	2,180	2,166	1,905	74	------	136	49	2	14	10	2	1	1	------
Male	1,159	1,151	1,016	48	------	62	25	-------	8	7	------	------	1	------
Female	1,021	1,015	889	26	------	74	24	2	6	3	2	1	-----	------
Rural	8,995	8,495	7,491	292	10	477	211	14	500	26	473	------	1	------
Male	4,575	4,330	3,828	146	3	244	99	10	245	16	229	------	-----	------
Female	4,420	4,165	3,663	146	7	233	112	4	255	10	244	------	1	------
NEW YORK	182,469	173,937	116,041	25,982	12	29,336	2,399	167	8,532	8,149	202	124	27	30
Male	93,983	89,713	59,799	13,356	6	15,187	1,270	96	4,270	4,074	106	63	14	13
Female	88,486	84,224	56,242	12,627	6	14,149	1,129	71	4,262	4,075	96	61	13	17
Cities of 10,000 or more	151,127	143,328	90,485	24,296	10	26,445	1,947	145	7,799	7,562	65	118	27	27
Male	77,820	73,922	46,576	12,440	5	13,695	1,023	83	3,898	3,779	34	60	14	11
Female	73,307	69,406	43,909	11,856	5	12,750	924	62	3,901	3,783	31	58	13	16
Cities of 2,500 to 10,000	9,630	9,437	7,587	614	1	1,084	145	6	193	165	23	3	-----	2
Male	4,916	4,827	3,873	327	------	550	73	4	89	74	13	1	-----	1
Female	4,714	4,610	3,714	287	1	534	72	2	104	91	10	2	-----	1
Rural	21,712	21,172	17,969	1,072	1	1,807	307	16	540	422	114	3	-----	1
Male	11,247	10,964	9,220	588	1	942	174	9	283	221	59	2	-----	1
Female	10,465	10,208	8,719	484	------	865	133	7	257	201	55	1	-----	------
NORTH CAROLINA	76,182	52,256	50,684	46	246	153	1,126	1	23,926	23,220	704	2	-----	------
Male	39,037	26,890	26,085	23	123	78	580	1	12,147	11,792	354	1	-----	------
Female	37,145	25,366	24,599	23	123	75	546	-------	11,779	11,428	350	1	-----	------
Cities of 10,000 or more	13,398	9,311	9,363	32	103	99	214	-------	4,087	4,084	2	1	-----	------
Male	7,158	5,075	4,845	15	51	50	114	-------	2,083	2,082	1	------	-----	------
Female	6,740	4,736	4,518	17	52	49	100	-------	2,004	2,002	1	1	-----	------
Cities of 2,500 to 10,000	6,401	5,118	4,975	9	19	17	98	-------	1,283	1,248	35	------	-----	------
Male	3,285	2,610	2,535	6	13	8	48	-------	675	658	17	------	-----	------
Female	3,116	2,508	2,440	3	6	9	50	-------	608	590	18	------	-----	------
Rural	55,883	37,827	36,346	5	124	37	814	1	18,556	17,888	667	1	-----	------
Male	28,594	19,205	18,705	2	59	20	418	1	9,389	9,052	336	1	-----	------
Female	27,289	18,122	17,641	3	65	17	396	-------	9,167	8,836	331	------	-----	------
NORTH DAKOTA	13,571	13,151	10,763	427	------	1,725	229	7	420	1	418	1	-----	------
Male	6,932	6,710	5,506	236	------	858	107	3	222	1	221	------	-----	------
Female	6,639	6,441	5,257	191	------	867	122	4	198	--------	197	1	-----	------
Cities of 10,000 or more	2,593	2,587	2,203	35	------	220	122	7	6	--------	6	------	-----	------
Male	1,301	1,300	1,111	19	------	110	57	3	1	--------	1	------	-----	------
Female	1,292	1,287	1,092	16	------	110	65	4	5	--------	5	------	-----	------
Cities of 2,500 to 10,000	1,803	1,794	1,519	50	------	197	28	-------	9	--------	8	1	-----	------
Male	889	884	764	28	------	84	8	-------	5	--------	5	------	-----	------
Female	914	910	755	22	------	113	20	-------	4	--------	3	1	-----	------
Rural	9,175	8,770	7,041	342	------	1,308	79	-------	405	1	404	------	-----	------
Male	4,742	4,526	3,631	189	------	664	42	-------	216	1	215	------	-----	------
Female	4,433	4,244	3,410	153	------	644	37	-------	189	--------	189	------	-----	------
OHIO	103,703	98,367	86,866	3,529	8	6,110	1,831	23	5,336	5,308	11	14	1	2
Male	52,863	50,174	44,346	1,838	2	3,076	901	9	2,689	2,672	9	6	-----	2
Female	50,840	48,193	42,520	1,691	6	3,032	930	14	2,647	2,636	2	8	1	------
Cities of 10,000 or more	65,356	60,734	51,321	3,028	4	5,169	1,191	21	4,622	4,597	8	14	1	2
Male	33,432	31,094	26,296	1,578	1	2,621	590	8	2,338	2,324	6	6	-----	2
Female	31,924	29,640	25,025	1,450	3	2,548	601	13	2,284	2,273	2	8	1	------
Cities of 2,500 to 10,000	8,572	8,322	7,754	151	1	275	141	-------	250	250	------	------	-----	------
Male	4,317	4,189	3,914	74	------	131	70	-------	128	128	------	------	-----	------
Female	4,255	4,133	3,840	77	1	144	71	-------	122	122	------	------	-----	------
Rural	29,775	29,311	27,791	350	3	666	499	2	464	461	3	------	-----	------
Male	15,114	14,891	14,136	186	1	326	241	1	223	220	3	------	-----	------
Female	14,661	14,420	13,655	164	2	340	258	1	241	241	------	------	-----	------
OKLAHOMA	41,815	38,433	37,490	95	23	363	456	6	3,382	1,950	1,428	1	1	2
Male	21,840	20,046	19,555	55	11	191	230	4	1,794	1,019	772	1	1	1
Female	19,975	18,387	17,935	40	12	172	226	2	1,588	931	656	------	-----	1
Cities of 10,000 or more	11,101	10,096	9,794	45	1	146	108	2	1,005	704	298	1	1	1
Male	5,808	5,246	5,100	22	------	69	54	1	562	388	172	1	1	------
Female	5,293	4,850	4,694	23	1	77	54	1	443	316	126	------	-----	1
Cities of 2,500 to 10,000	7,360	6,658	6,525	17	5	66	45	-------	702	265	436	------	-----	1
Male	3,808	3,439	3,366	11	2	37	23	-------	369	123	245	------	-----	1
Female	3,552	3,219	3,159	6	3	29	22	-------	333	142	191	------	-----	------
Rural	23,354	21,679	21,171	33	17	151	303	4	1,675	981	694	------	-----	------
Male	12,224	11,361	11,089	22	9	85	153	3	863	508	355	------	-----	------
Female	11,130	10,318	10,082	11	8	66	150	1	812	473	339	------	-----	------

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
OREGON	13,975	13,811	12,218	253	1	1,217	120	2	164	17	88	14	32	13
Male	7,262	7,173	6,380	104	------	626	62	1	89	10	42	9	22	6
Female	6,713	6,638	5,838	149	1	591	58	1	75	7	46	5	10	7
Cities of 10,000 or more	6,652	6,584	5,608	169	------	741	66	--------	68	12	12	13	20	11
Male	3,458	3,420	2,929	69	------	386	36	--------	38	7	5	8	14	4
Female	3,194	3,164	2,679	100	------	355	30	--------	30	5	7	5	6	7
Cities of 2,500 to 10,000	3,316	3,296	3,021	35	------	207	33	--------	20	2	16	------	2	------
Male	1,692	1,678	1,540	16	------	107	15	--------	14	2	12	------	------	------
Female	1,624	1,618	1,481	19	------	100	18	--------	6	--------	4	------	2	------
Rural	4,007	3,931	3,589	49	1	269	21	2	76	3	60	1	10	2
Male	2,112	2,075	1,911	19	------	133	11	1	37	1	25	1	8	2
Female	1,895	1,856	1,678	30	1	136	10	1	39	2	35	------	2	------
PENNSYLVANIA	159,393	151,573	128,759	8,314	19	12,781	1,646	54	7,820	7,787	8	13	1	11
Male	81,550	77,634	65,904	4,284	12	6,533	876	25	3,916	3,903	4	4	1	4
Female	77,843	73,939	62,855	4,030	7	6,248	770	29	3,904	3,884	4	9	------	7
Cities of 10,000 or more	90,126	83,207	67,591	5,718	15	8,744	1,095	44	6,919	6,888	8	12	1	10
Male	46,178	42,704	34,693	2,941	9	4,467	575	19	3,474	3,463	4	3	1	3
Female	43,948	40,503	32,898	2,777	6	4,277	520	25	3,445	3,425	4	9	------	7
Cities of 2,500 to 10,000	20,910	20,658	18,015	917	2	1,543	180	1	252	251	------	1	------	------
Male	10,752	10,638	9,290	486	1	770	90	1	114	113	------	1	------	------
Female	10,158	10,020	8,725	431	1	773	90	--------	138	138	------	------	------	------
Rural	48,357	47,708	43,153	1,679	2	2,494	371	9	649	648	------	------	------	1
Male	24,620	24,292	21,921	857	2	1,296	211	5	328	327	------	------	------	1
Female	23,737	23,416	21,232	822	------	1,198	160	4	321	321	------	------	------	------
RHODE ISLAND	10,186	9,951	6,728	1,015	------	1,948	248	12	235	231	1	3	------	------
Male	5,150	5,021	3,407	505	------	983	119	7	129	126	1	2	------	------
Female	5,036	4,930	3,321	510	------	965	129	5	106	105	------	1	------	------
Cities of 10,000 or more	9,416	9,206	6,171	961	------	1,831	233	10	210	208	------	2	------	------
Male	4,768	4,654	3,138	479	------	917	114	6	114	113	------	1	------	------
Female	4,648	4,552	3,033	482	------	914	119	4	96	95	------	1	------	------
Cities of 2,500 to 10,000	237	236	171	22	------	42	1	--------	1	1	------	------	------	------
Male	109	109	81	9	------	19	--------	--------	--------	--------	------	------	------	------
Female	128	127	90	13	------	23	1	--------	1	1	------	------	------	------
Rural	533	509	386	32	------	75	14	2	24	22	1	1	------	------
Male	273	258	188	17	------	47	5	1	15	13	1	1	------	------
Female	260	251	198	15	------	28	9	1	9	9	------	------	------	------
SOUTH CAROLINA	39,292	19,359	18,841	31	5	75	407	--------	19,933	19,910	21	------	------	2
Male	19,953	9,902	9,638	15	4	49	196	--------	10,051	10,040	11	------	------	------
Female	19,339	9,457	9,203	16	1	26	211	--------	9,882	9,870	10	------	------	2
Cities of 10,000 or more	5,544	3,477	3,306	27	4	45	95	--------	2,067	2,066	------	------	------	1
Male	2,855	1,817	1,723	14	4	31	45	--------	1,038	1,038	------	------	------	------
Female	2,689	1,660	1,583	13	------	14	50	--------	1,029	1,028	------	------	------	1
Cities of 2,500 to 10,000	2,950	1,879	1,831	2	------	7	39	--------	1,071	1,071	------	------	------	------
Male	1,469	938	916	1	------	6	15	--------	531	531	------	------	------	------
Female	1,481	941	915	1	------	1	24	--------	540	540	------	------	------	------
Rural	30,798	14,003	13,704	2	1	23	273	--------	16,795	16,773	21	------	------	1
Male	15,629	7,147	6,999	--------	------	12	136	--------	8,482	8,471	11	------	------	------
Female	15,169	6,856	6,705	2	1	11	137	--------	8,313	8,302	10	------	------	1
SOUTH DAKOTA	12,879	12,193	11,003	154	6	826	200	4	686	5	680	1	------	------
Male	6,507	6,134	5,533	92	3	416	89	1	373	3	369	1	------	------
Female	6,372	6,059	5,470	62	3	410	111	3	313	2	311	------	------	------
Cities of 10,000 or more	2,724	2,717	2,461	25	2	138	91	--------	7	4	2	1	------	------
Male	1,385	1,381	1,254	19	2	68	38	--------	4	2	1	1	------	------
Female	1,339	1,336	1,207	6	------	70	53	--------	3	2	1	------	------	------
Cities of 2,500 to 10,000	1,539	1,522	1,390	13	------	88	31	--------	17	1	16	------	------	------
Male	778	767	699	6	------	43	19	--------	11	1	10	------	------	------
Female	761	755	691	7	------	45	12	--------	6	--------	6	------	------	------
Rural	8,616	7,954	7,152	116	4	600	78	4	662	--------	662	------	------	------
Male	4,344	3,986	3,580	67	1	305	32	1	358	--------	358	------	------	------
Female	4,272	3,968	3,572	49	3	295	46	3	304	--------	304	------	------	------
TENNESSEE	50,571	42,782	41,566	50	10	161	994	1	7,789	7,782	3	4	------	------
Male	25,722	21,848	21,216	26	4	86	516	--------	3,874	3,870	2	2	------	------
Female	24,849	20,934	20,350	24	6	75	478	1	3,915	3,912	1	2	------	------
Cities of 10,000 or more	13,886	10,331	9,767	48	6	126	383	1	3,555	3,550	2	3	------	------
Male	7,107	5,348	5,049	25	2	63	209	--------	1,759	1,756	2	1	------	------
Female	6,779	4,983	4,718	23	4	63	174	1	1,796	1,794	------	2	------	------
Cities of 2,500 to 10,000	4,015	3,501	3,422	--------	1	9	69	--------	514	514	------	------	------	------
Male	1,994	1,730	1,681	--------	1	8	40	--------	264	264	------	------	------	------
Female	2,021	1,771	1,741	--------	------	1	29	--------	250	250	------	------	------	------
Rural	32,670	28,950	28,377	2	3	26	542	--------	3,720	3,718	1	1	------	------
Male	16,621	14,770	14,486	1	1	15	267	--------	1,851	1,850	------	1	------	------
Female	16,049	14,180	13,891	1	2	11	275	--------	1,869	1,868	1	------	------	------
TEXAS	111,602	97,827	82,195	5,984	31	7,725	1,659	233	13,775	13,693	38	29	10	5
Male	57,496	50,480	42,385	3,127	15	3,936	883	134	7,016	6,973	22	15	4	2
Female	54,106	47,347	39,810	2,857	16	3,789	776	99	6,759	6,720	16	14	6	3
Cities of 10,000 or more	38,261	33,990	26,403	2,863	5	3,570	988	161	4,271	4,216	15	29	7	4
Male	19,635	17,475	13,561	1,473	2	1,806	538	95	2,160	2,130	10	15	3	2
Female	18,626	16,515	12,842	1,390	3	1,764	450	66	2,111	2,086	5	14	4	2
Cities of 2,500 to 10,000	14,663	13,611	11,620	716	2	1,092	167	14	1,052	1,050	1	------	1	------
Male	7,484	6,943	5,904	373	1	563	93	9	541	539	1	------	1	------
Female	7,179	6,668	5,716	343	1	529	74	5	511	511	------	------	------	------
Rural	58,678	50,226	44,172	2,405	24	3,063	504	58	8,452	8,427	22	------	2	1
Male	30,377	26,062	22,920	1,281	12	1,567	252	30	4,315	4,304	11	------	------	------
Female	28,301	24,164	21,252	1,124	12	1,496	252	28	4,137	4,123	11	------	2	1

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
UTAH	12,551	12,423	11,284	232	------	814	90	3	128	7	87	7	26	1
Male	6,398	6,338	5,763	125	------	403	46	1	60	4	38	6	12	------
Female	6,153	6,085	5,521	107	------	411	44	2	68	3	49	1	14	1
Cities of 10,000 or more	5,200	5,180	4,540	142	------	440	56	2	20	7	------	4	9	------
Male	2,681	2,672	2,365	74	------	207	25	1	9	4	------	3	2	------
Female	2,519	2,508	2,175	68	------	233	31	1	11	3	------	1	7	------
Cities of 2,500 to 10,000	2,876	2,869	2,633	49	------	174	12	1	7	--------	1	2	4	------
Male	1,431	1,427	1,303	27	------	91	6	-------	4	--------	------	2	2	------
Female	1,445	1,442	1,330	22	------	83	6	1	3	--------	1	------	2	------
Rural	4,475	4,374	4,111	41	------	200	22	-------	101	--------	86	1	13	1
Male	2,286	2,239	2,095	24	------	105	15	-------	47	--------	38	1	8	------
Female	2,189	2,135	2,016	17	------	95	7	-------	54	--------	48	------	5	1
VERMONT	6,449	6,448	5,118	362	3	807	150	8	1	1	------	------	------	------
Male	3,282	3,281	2,605	182	2	417	72	3	1	1	------	------	------	------
Female	3,167	3,167	2,513	180	1	390	78	5	--------	--------	------	------	------	------
Cities of 10,000 or more	1,537	1,537	1,211	79	------	185	59	3	--------	--------	------	------	------	------
Male	783	783	609	43	------	99	31	1	--------	--------	------	------	------	------
Female	754	754	602	36	------	86	28	2	--------	--------	------	------	------	------
Cities of 2,500 to 10,000	1,452	1,452	1,139	66	------	218	27	2	--------	--------	------	------	------	------
Male	715	715	556	32	------	116	11	-------	--------	--------	------	------	------	------
Female	737	737	583	34	------	102	16	2	--------	--------	------	------	------	------
Rural	3,460	3,459	2,768	217	3	404	64	3	1	1	------	------	------	------
Male	1,784	1,783	1,440	107	2	202	30	2	1	1	------	------	------	------
Female	1,676	1,676	1,328	110	1	202	34	1	--------	--------	------	------	------	------
VIRGINIA	51,247	36,538	35,390	92	4	344	708	-------	14,709	14,672	27	3	------	7
Male	26,188	18,807	18,225	44	3	172	363	-------	7,381	7,363	13	1	------	4
Female	25,059	17,731	17,165	48	1	172	345	-------	7,328	7,309	14	2	------	3
Cities of 10,000 or more	11,999	8,508	8,081	53	1	195	178	-------	3,491	3,481	1	2	------	7
Male	6,128	4,360	4,145	24	------	96	95	-------	1,768	1,762	1	1	------	4
Female	5,871	4,148	3,936	29	1	99	83	-------	1,723	1,719	------	1	------	3
Cities of 2,500 to 10,000	3,708	3,109	3,008	11	------	27	63	-------	599	597	1	1	------	------
Male	1,878	1,584	1,542	6	------	12	24	-------	294	294	------	------	------	------
Female	1,830	1,525	1,466	5	------	15	39	-------	305	303	1	1	------	------
Rural	35,540	24,921	24,301	28	3	122	467	-------	10,619	10,594	25	------	------	------
Male	18,182	12,863	12,538	14	3	64	244	-------	5,319	5,307	12	------	------	------
Female	17,358	12,058	11,763	14	------	58	223	-------	5,300	5,287	13	------	------	------
WASHINGTON	23,376	22,745	18,946	647	3	2,945	190	14	631	61	332	33	153	52
Male	12,009	11,705	9,791	329	3	1,484	92	6	304	29	168	13	65	29
Female	11,367	11,040	9,155	318	------	1,461	98	8	327	32	164	20	88	23
Cities of 10,000 or more	14,801	14,528	11,888	456	1	2,034	140	9	273	53	38	31	110	41
Male	7,570	7,448	6,102	228	1	1,044	69	4	122	25	21	11	43	22
Female	7,231	7,080	5,786	228	------	990	71	5	151	28	17	20	67	19
Cities of 2,500 to 10,000	2,632	2,581	2,264	50	------	252	14	1	51	1	36	1	11	2
Male	1,367	1,341	1,187	27	------	120	7	-------	26	1	18	1	5	1
Female	1,265	1,240	1,077	23	------	132	7	1	25	--------	18	------	6	1
Rural	5,943	5,636	4,794	141	2	659	36	4	307	7	258	1	32	9
Male	3,072	2,916	2,502	74	2	320	16	2	156	3	129	1	17	6
Female	2,871	2,720	2,292	67	------	339	20	2	151	4	129	------	15	3
WEST VIRGINIA	40,853	38,763	35,977	462	8	782	1,534	-------	2,090	2,086	1	2	------	1
Male	20,950	19,851	18,430	256	3	409	753	-------	1,099	1,098	------	1	------	------
Female	19,903	18,912	17,547	206	5	373	781	-------	991	988	1	1	------	1
Cities of 10,000 or more	7,440	7,126	6,504	112	5	217	288	-------	314	313	------	1	------	------
Male	3,908	3,731	3,417	53	1	120	140	-------	177	177	------	------	------	------
Female	3,532	3,395	3,087	59	4	97	148	-------	137	136	------	1	------	------
Cities of 2,500 to 10,000	3,708	3,551	3,267	53	2	91	138	-------	157	156	------	------	------	1
Male	1,928	1,846	1,702	27	1	49	67	-------	82	82	------	------	------	------
Female	1,780	1,705	1,565	26	1	42	71	-------	75	74	------	------	------	1
Rural	29,705	28,086	26,206	297	1	474	1,108	-------	1,619	1,617	1	1	------	------
Male	15,114	14,274	13,311	176	1	240	546	-------	840	839	------	1	------	------
Female	14,591	13,812	12,895	121	------	234	562	-------	779	778	1	------	------	------
WISCONSIN	52,613	52,049	46,100	1,335	13	3,658	919	24	564	177	386	1	------	------
Male	27,069	26,792	23,706	694	7	1,886	482	17	277	91	185	1	------	------
Female	25,544	25,257	22,394	641	6	1,772	437	7	287	86	201	------	------	------
Cities of 10,000 or more	24,616	24,498	20,847	948	4	2,175	514	10	118	101	16	1	------	------
Male	12,667	12,609	10,744	479	2	1,103	274	7	58	50	7	1	------	------
Female	11,949	11,889	10,103	469	2	1,072	240	3	60	51	9	------	------	------
Cities of 2,500 to 10,000	6,948	6,931	6,428	76	2	323	101	1	17	1	16	------	------	------
Male	3,555	3,549	3,285	47	1	161	54	1	6	1	5	------	------	------
Female	3,393	3,382	3,143	29	1	162	47	-------	11	--------	11	------	------	------
Rural	21,049	20,620	18,825	311	7	1,160	304	13	429	75	354	------	------	------
Male	10,847	10,634	9,577	168	4	622	154	9	213	40	173	------	------	------
Female	10,202	9,986	9,148	143	3	538	150	4	216	35	181	------	------	------
WYOMING	4,753	4,625	4,093	129	6	345	50	2	128	11	101	1	12	3
Male	2,425	2,364	2,089	60	2	187	25	1	61	3	51	1	4	2
Female	2,328	2,261	2,004	69	4	158	25	1	67	8	50	------	8	1
Cities of 10,000 or more	778	770	685	19	------	54	12	-------	8	4	------	------	1	3
Male	399	395	354	9	------	26	6	-------	4	2	------	------	------	2
Female	379	375	331	10	------	28	6	-------	4	2	------	------	1	1
Cities of 2,500 to 10,000	1,027	1,019	887	20	2	92	18	-------	8	4	1	------	3	------
Male	523	519	457	11	------	41	10	-------	4	1	1	------	2	------
Female	504	500	430	9	2	51	8	-------	4	3	------	------	1	------
Rural	2,948	2,836	2,521	90	4	199	20	2	112	3	100	1	8	------
Male	1,503	1,450	1,278	40	2	120	9	1	53	--------	50	1	2	------
Female	1,445	1,386	1,243	50	2	79	11	1	59	3	50	------	6	------

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS, IN THE UNITED STATES: 1936

AREA, SEX OF CHILD, AND COUNTRY OF BIRTH OF MOTHER	Total white births	COUNTRY OF BIRTH OF FATHER												
		United States	Foreign country											Country not stated
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
United States	1,881,883	1,658,535	192,285	9,897	17,754	8,905	11,153	11,274	13,705	37,975	12,087	14,868	54,667	31,063
Male	966,332	851,775	98,604	5,071	9,045	4,578	5,743	5,805	7,082	19,493	6,271	7,665	27,851	15,953
Female	915,551	806,760	93,681	4,826	8,709	4,327	5,410	5,469	6,623	18,482	5,816	7,203	26,816	15,110
United States—M	893,038	826,787	51,312	2,658	6,187	3,155	3,791	1,496	3,761	9,956	2,979	4,004	13,325	14,939
F	845,788	782,839	48,745	2,524	5,909	3,059	3,526	1,434	3,558	9,434	2,788	3,722	12,791	14,204
Total foreign—M	72,513	24,680	47,252	2,412	2,855	1,422	1,951	4,307	3,318	9,531	3,291	3,660	14,505	581
F	68,998	23,628	44,897	2,300	2,795	1,267	1,884	4,033	3,055	9,042	3,026	3,478	14,007	473
Austria, Hungary—M	3,819	1,253	2,543	1,839	9	13	16	3	125	47	84	230	177	23
F	3,640	1,119	2,513	1,800	18	15	16	4	145	44	86	230	155	8
Canada—M	9,856	6,477	3,218	19	2,501	55	189	53	65	64	26	87	159	161
F	9,527	6,306	3,090	22	2,411	47	205	54	44	56	22	68	161	131
Denmark, Norway, Sweden—M	2,188	907	1,269	3	20	1,158	17	5	23	10	3	2	28	12
F	1,980	846	1,129	6	15	1,019	17	5	32	6	1	7	21	5
England, Scotland, Wales—M	4,843	2,722	2,096	26	148	42	1,344	217	51	35	28	96	109	25
F	4,662	2,596	2,024	24	144	44	1,294	243	43	36	29	73	94	42
Ireland—M	6,046	1,578	4,424	7	50	27	205	3,990	31	26	5	2	81	44
F	5,688	1,550	4,095	8	62	21	179	3,690	39	31	5	2	58	43
Germany—M	4,704	1,400	3,275	103	17	48	24	10	2,809	44	29	29	162	29
F	4,281	1,311	2,951	73	16	48	26	6	2,522	44	20	43	153	19
Italy—M	11,425	2,098	9,300	20	13	2	10	4	20	9,056	4	4	167	27
F	10,901	2,023	8,858	9	10	-------	13	3	22	8,622	1	5	173	20
Poland—M	4,729	1,268	3,436	102	17	7	31	3	38	25	2,691	379	143	25
F	4,526	1,267	3,241	103	14	3	21	2	37	21	2,505	402	133	18
Russia—M	5,168	1,679	3,479	185	21	5	66	-------	34	18	324	2,640	186	10
F	4,887	1,647	3,222	142	26	7	59	4	39	12	263	2,487	183	18
Other foreign countries—M	19,735	5,298	14,212	108	59	65	49	22	122	206	97	191	13,293	225
F	18,906	4,963	13,774	113	79	63	54	22	142	170	94	161	12,876	169
Country not stated—M	781	308	40	1	3	1	1	2	3	6	1	1	21	433
F	765	293	39	2	5	1	--------	2	-------	6	2	3	18	433

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1936

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
United States	2,144,790	1,881,883	1,738,826	141,511	7,459	19,383	4,168	9,505	11,734	8,985	22,326	9,255	10,055	38,641	1,546	262,907
Male	1,099,465	966,332	893,038	72,513	3,819	9,856	2,188	4,843	6,046	4,704	11,425	4,729	5,168	19,735	781	133,133
Female	1,045,325	915,551	845,788	68,998	3,640	9,527	1,980	4,662	5,688	4,281	10,901	4,526	4,887	18,906	765	129,774
Age of mother:																
10 to 14 years—M	1,452	615	599	11	1	2	------	1	1	------	1	------	------	5	5	837
F	1,486	590	578	9	--------	3	------	1	------	------	------	------	------	5	3	896
15 to 19 years—M	138,246	107,966	106,214	1,611	16	579	33	94	14	60	116	11	13	675	141	30,280
F	130,977	101,699	100,128	1,422	19	545	20	101	11	44	76	13	8	585	149	29,278
20 to 24 years—M	341,836	299,913	288,651	11,055	345	2,595	205	659	447	553	1,499	595	580	3,577	207	41,923
F	325,183	284,024	273,401	10,427	332	2,392	203	633	390	481	1,452	550	519	3,475	196	41,159
25 to 29 years—M	289,833	261,850	241,593	20,124	913	2,832	539	1,347	2,058	1,479	2,644	1,248	1,705	5,359	133	27,983
F	275,997	248,979	229,231	19,621	843	2,730	508	1,363	2,001	1,315	2,557	1,288	1,649	5,367	127	27,018
30 to 34 years—M	181,526	165,249	145,525	19,658	1,082	2,119	642	1,534	2,129	1,581	2,886	1,082	1,689	4,914	66	16,277
F	172,308	156,398	137,825	18,483	1,048	2,079	597	1,407	1,942	1,467	2,769	980	1,590	4,604	90	15,910
35 to 39 years—M	105,594	94,210	80,198	13,965	933	1,261	503	882	1,047	784	2,871	1,004	874	3,806	47	11,384
F	100,440	89,145	75,773	13,324	877	1,242	424	874	1,035	722	2,791	958	839	3,562	48	11,295
40 to 44 years—M	35,051	31,608	26,253	5,327	477	391	218	297	319	211	1,238	686	268	1,222	28	3,443
F	33,433	30,150	25,112	5,021	467	430	195	265	279	223	1,121	666	254	1,121	17	3,283
45 to 49 years—M	3,446	2,948	2,327	619	50	39	46	21	19	33	153	95	34	129	2	498
F	3,190	2,732	2,180	547	48	45	29	14	25	25	124	67	27	143	5	458
50 to 54 years—M	85	51	43	7	--------	------	1	-------	------	-------	2	------	------	4	1	34
F	77	52	44	8	1	1	------	-------	------	------	4	1	------	1	--------	25
55 years and over—M	2	1	1	-------	--------	------	------	-------	------	------	------	------	------	-------	-------	1
F	1	1	----------	1	--------	------	------	-------	------	------	------	------	------	1	-------	--------
Not stated—M	2,394	1,921	1,634	136	2	38	1	8	12	3	15	8	5	44	151	473
F	2,233	1,781	1,516	135	5	60	4	4	5	4	7	3	1	42	130	452

TABLE 4A.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1936

AREA, AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
ALABAMA	60,116	36,749	36,639	83	23,367
Male	30,492	18,684	18,632	36	11,808
Female	29,624	18,065	18,007	47	11,559
10 to 14 years	193	35	34	----------	158
15 to 19 years	10,749	5,309	5,305	1	5,440
20 to 24 years	19,372	11,737	11,713	22	7,635
25 to 29 years	13,953	9,067	9,038	20	4,886
30 to 34 years	8,291	5,636	5,614	19	2,655
35 to 39 years	5,343	3,507	3,492	13	1,836
40 to 44 years	1,850	1,247	1,243	4	603
45 to 49 years	212	130	126	4	82
50 to 54 years	6	1	1	----------	5
Not stated	147	80	73	----------	67
ARIZONA	9,545	8,281	6,764	1,494	1,264
Male	4,979	4,319	3,534	777	660
Female	4,566	3,962	3,230	717	604
10 to 14 years	11	5	4	1	6
15 to 19 years	1,438	1,245	1,147	94	193
20 to 24 years	3,061	2,688	2,395	290	373
25 to 29 years	2,307	2,036	1,585	447	271
30 to 34 years	1,438	1,228	906	316	210
35 to 39 years	853	737	487	247	116
40 to 44 years	306	253	178	75	53
45 to 49 years	34	22	14	8	12
50 to 54 years	2	1	1	----------	1
55 years and over	1	1	----------	1	---------
Not stated	94	65	47	15	29
ARKANSAS	33,520	25,374	25,280	40	8,146
Male	17,202	13,097	13,058	14	4,105
Female	16,318	12,277	12,222	26	4,041
10 to 14 years	86	28	28	----------	58
15 to 19 years	6,205	4,162	4,152	2	2,043
20 to 24 years	10,350	7,981	7,965	3	2,369
25 to 29 years	7,628	5,976	5,964	6	1,652
30 to 34 years	4,705	3,740	3,724	12	965
35 to 39 years	2,948	2,245	2,232	10	703
40 to 44 years	1,011	821	813	6	190
45 to 49 years	136	102	100	1	34
50 to 54 years	3	1	1	----------	2
Not stated	448	318	301	----------	130
CALIFORNIA	84,502	80,421	68,110	12,288	4,081
Male	43,144	41,018	34,842	6,164	2,126
Female	41,358	39,403	33,268	6,124	1,955
10 to 14 years	67	57	52	5	10
15 to 19 years	9,976	9,451	8,882	568	525
20 to 24 years	28,333	26,927	24,281	2,639	1,406
25 to 29 years	23,598	22,673	19,211	3,456	925
30 to 34 years	13,647	13,017	10,058	2,957	630
35 to 39 years	6,863	6,434	4,391	2,041	429
40 to 44 years	1,817	1,690	1,136	553	127
45 to 49 years	162	141	79	62	21
50 to 54 years	5	2	2	----------	3
Not stated	34	29	18	7	5
COLORADO	18,279	18,039	16,691	948	240
Male	9,431	9,316	8,716	499	115
Female	8,848	8,723	8,175	449	125
10 to 14 years	12	12	11	1	---------
15 to 19 years	2,439	2,398	2,360	22	41
20 to 24 years	6,054	5,990	5,800	157	64
25 to 29 years	4,697	4,647	4,375	258	50
30 to 34 years	2,705	2,666	2,410	239	39
35 to 39 years	1,555	1,523	1,333	183	32
40 to 44 years	535	526	456	67	9
45 to 49 years	58	55	43	12	3
50 to 54 years	1	1	1	----------	---------
Not stated	223	221	101	9	2
CONNECTICUT	22,228	21,633	17,896	3,732	595
Male	11,449	11,159	9,232	1,923	290
Female	10,779	10,474	8,664	1,809	305
10 to 14 years	5	3	3	----------	2
15 to 19 years	1,430	1,327	1,294	32	103
20 to 24 years	6,490	6,292	5,771	519	198
25 to 29 years	6,749	6,613	5,597	1,014	136
30 to 34 years	4,318	4,230	3,280	950	88
35 to 39 years	2,410	2,356	1,564	792	54
40 to 44 years	744	733	354	379	11
45 to 49 years	76	74	30	44	2
50 to 54 years	2	2	1	1	---------
Not stated	4	3	2	1	1
DELAWARE	3,922	3,249	3,101	147	673
Male	2,040	1,678	1,594	84	362
Female	1,882	1,571	1,507	63	311
10 to 14 years	9	----------	---------	----------	9
15 to 19 years	603	430	428	2	173
20 to 24 years	1,198	1,008	987	20	190
DELAWARE—Continued					
25 to 29 years	1,011	884	843	41	127
30 to 34 years	610	524	484	40	86
35 to 39 years	331	275	246	29	56
40 to 44 years	144	118	103	15	26
45 to 49 years	9	5	5	----------	4
50 to 54 years	1	1	1	----------	----------
Not stated	6	4	4	----------	2
DISTRICT OF COLUMBIA	11,704	7,900	7,430	433	3,804
Male	5,988	4,031	3,798	212	1,957
Female	5,716	3,869	3,632	221	1,847
10 to 14 years	34	7	7	----------	27
15 to 19 years	1,782	822	811	3	960
20 to 24 years	3,645	2,401	2,328	61	1,244
25 to 29 years	3,234	2,414	2,260	152	820
30 to 34 years	1,820	1,403	1,287	115	417
35 to 39 years	873	640	562	78	233
40 to 44 years	251	176	155	21	75
45 to 49 years	13	8	6	2	5
50 to 54 years	1	----------	----------	----------	1
Not stated	51	29	14	1	22
FLORIDA	28,097	19,755	19,266	459	8,342
Male	14,315	10,135	9,895	226	4,180
Female	13,782	9,620	9,371	233	4,162
10 to 14 years	112	28	28	----------	84
15 to 19 years	5,246	3,009	2,987	14	2,237
20 to 24 years	8,957	6,534	6,431	95	2,423
25 to 29 years	6,516	5,003	4,849	149	1,613
30 to 34 years	3,979	2,924	2,835	86	1,055
35 to 39 years	2,340	1,653	1,561	89	687
40 to 44 years	665	487	466	21	178
45 to 49 years	66	38	36	2	28
50 to 54 years	2	----------	----------	----------	2
55 years and over	1	----------	----------	----------	1
Not stated	113	79	73	1	34
GEORGIA	51,658	36,361	36,220	98	25,297
Male	31,641	18,855	18,781	50	12,786
Female	30,017	17,506	17,439	48	12,511
10 to 14 years	216	48	48	----------	168
15 to 19 years	11,728	5,284	5,275	4	6,444
20 to 24 years	19,935	11,564	11,533	18	8,371
25 to 29 years	14,304	9,195	9,156	32	5,109
30 to 34 years	8,044	5,502	5,463	29	2,542
35 to 39 years	5,315	3,423	3,409	12	1,892
40 to 44 years	1,740	1,157	1,150	3	583
45 to 49 years	208	96	96	----------	112
50 to 54 years	9	2	2	----------	7
Not stated	159	90	88	----------	69
IDAHO	10,224	10,123	9,822	293	101
Male	5,252	5,195	5,048	143	57
Female	4,972	4,928	4,774	150	44
10 to 14 years	3	3	3	----------	---------
15 to 19 years	1,464	1,454	1,438	14	10
20 to 24 years	3,489	3,462	3,386	74	27
25 to 29 years	2,614	2,591	2,515	76	23
30 to 34 years	1,443	1,425	1,369	55	18
35 to 39 years	831	817	771	45	14
40 to 44 years	337	328	302	25	9
45 to 49 years	31	31	28	3	---------
Not stated	12	12	10	1	---------
ILLINOIS	112,167	105,674	97,358	8,142	5,593
Male	57,636	54,804	50,079	4,691	2,832
Female	54,531	51,770	47,279	4,451	2,761
10 to 14 years	60	32	30	1	28
15 to 19 years	11,472	10,167	10,015	130	1,305
20 to 24 years	34,768	33,039	31,846	1,175	1,729
25 to 29 years	31,657	30,423	27,742	2,667	1,234
30 to 34 years	19,969	19,216	16,516	2,694	753
35 to 39 years	10,552	10,133	8,399	1,730	419
40 to 44 years	3,340	3,234	2,558	675	106
45 to 49 years	246	239	183	56	7
50 to 54 years	2	1	1	----------	1
Not stated	101	90	68	14	11
INDIANA	54,034	52,400	51,237	1,139	1,634
Male	27,653	25,856	26,230	614	797
Female	26,381	25,544	25,007	525	837
10 to 14 years	43	36	36	----------	7
15 to 19 years	7,166	6,793	6,755	33	373
20 to 24 years	17,491	17,042	16,863	175	449
25 to 29 years	13,589	13,228	12,923	297	361
30 to 34 years	8,695	8,475	8,191	283	220
35 to 39 years	5,072	4,905	4,669	234	167
40 to 44 years	1,810	1,760	1,653	104	50
45 to 49 years	150	143	130	13	7
50 to 54 years	3	3	3	----------	----------
Not stated	15	15	13	----------	----------

1/ Includes "Country not stated."

TABLE 4A.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
IOWA	42,715	42,455	41,392	993	260
Male	21,939	21,813	21,279	501	126
Female	20,776	20,642	20,113	492	134
10 to 14 years	15	14	14	----	1
15 to 19 years	4,153	4,095	4,072	20	58
20 to 24 years	12,831	12,737	12,597	124	94
25 to 29 years	11,411	11,364	11,101	246	47
30 to 34 years	7,638	7,603	7,349	246	35
35 to 39 years	4,500	4,485	4,276	204	15
40 to 44 years	1,634	1,625	1,512	105	9
45 to 49 years	150	150	117	32	----
50 to 54 years	2	2	1	1	----
Not stated	381	380	353	15	1
KANSAS	29,998	29,076	28,456	612	922
Male	15,467	14,981	14,671	306	486
Female	14,531	14,095	13,785	306	436
10 to 14 years	19	14	13	1	5
15 to 19 years	3,311	3,111	3,085	25	200
20 to 24 years	9,239	8,968	8,871	96	271
25 to 29 years	8,107	7,912	7,767	143	195
30 to 34 years	5,117	4,992	4,825	167	125
35 to 39 years	3,076	2,983	2,855	126	93
40 to 44 years	1,010	980	936	43	30
45 to 49 years	90	87	76	11	3
Not stated	29	29	28	----	----
KENTUCKY	55,778	52,776	52,633	114	3,002
Male	28,773	27,224	27,148	63	1,549
Female	27,005	25,552	25,485	51	1,453
10 to 14 years	114	87	87	----	27
15 to 19 years	8,745	8,043	8,031	6	702
20 to 24 years	16,989	16,092	16,071	15	897
25 to 29 years	12,980	12,428	12,384	36	552
30 to 34 years	8,502	8,108	8,076	29	394
35 to 39 years	5,897	5,595	5,572	20	302
40 to 44 years	2,177	2,071	2,064	7	106
45 to 49 years	242	229	229	----	13
50 to 54 years	7	7	7	----	----
Not stated	125	116	112	1	9
LOUISIANA	43,828	25,376	25,181	187	18,452
Male	22,341	13,018	12,913	99	9,323
Female	21,487	12,358	12,268	88	9,129
10 to 14 years	123	18	18	----	105
15 to 19 years	7,445	3,486	3,479	4	3,959
20 to 24 years	13,945	8,112	8,084	25	5,833
25 to 29 years	10,651	6,613	6,570	43	4,038
30 to 34 years	6,315	4,039	3,984	55	2,276
35 to 39 years	3,898	2,243	2,200	43	1,655
40 to 44 years	1,175	722	709	13	453
45 to 49 years	161	92	88	4	69
50 to 54 years	8	3	3	----	5
Not stated	107	48	46	----	59
MAINE	15,302	15,259	13,434	1,821	43
Male	7,812	7,792	6,887	903	20
Female	7,490	7,467	6,547	918	23
10 to 14 years	15	15	15	----	----
15 to 19 years	1,835	1,829	1,743	86	6
20 to 24 years	4,572	4,563	4,193	369	9
25 to 29 years	3,829	3,819	3,395	423	10
30 to 34 years	2,449	2,440	2,035	405	9
35 to 39 years	1,460	1,456	1,144	312	4
40 to 44 years	514	511	374	137	3
45 to 49 years	48	47	32	15	1
Not stated	580	579	503	74	1
MARYLAND	26,588	20,980	20,274	701	5,608
Male	13,715	10,861	10,482	374	2,854
Female	12,873	10,119	9,792	327	2,754
10 to 14 years	79	14	14	----	65
15 to 19 years	4,264	2,819	2,814	5	1,445
20 to 24 years	8,070	6,551	6,458	92	1,519
25 to 29 years	6,562	5,449	5,258	191	1,113
30 to 34 years	4,144	3,413	3,221	192	731
35 to 39 years	2,512	1,992	1,838	154	520
40 to 44 years	848	664	606	58	184
45 to 49 years	77	58	49	9	19
50 to 54 years	2	2	2	----	----
Not stated	30	18	14	----	12
MASSACHUSETTS	61,704	60,744	48,804	11,923	960
Male	31,566	31,063	24,993	6,063	503
Female	30,138	29,681	23,811	5,860	457
10 to 14 years	23	20	20	----	3
15 to 19 years	3,968	3,824	3,646	176	144
20 to 24 years	16,585	16,282	14,730	1,549	303
25 to 29 years	18,317	18,115	14,898	3,214	202
30 to 34 years	12,964	12,813	9,368	3,441	151
35 to 39 years	7,272	7,156	4,701	2,454	116
40 to 44 years	2,207	2,178	1,240	937	29
45 to 49 years	167	162	69	92	5
50 to 54 years	2	2	2	----	----
Not stated	199	192	130	60	7
MICHIGAN	88,427	85,287	76,058	9,172	3,140
Male	45,279	43,702	39,042	4,632	1,577
Female	43,148	41,585	37,016	4,540	1,563
10 to 14 years	53	35	33	2	18
15 to 19 years	9,764	9,082	8,790	284	682
20 to 24 years	28,681	27,774	26,032	1,724	907
25 to 29 years	23,584	22,963	20,337	2,612	621
30 to 34 years	14,814	14,284	12,078	2,201	530
35 to 39 years	8,194	7,902	6,285	1,615	292
40 to 44 years	2,866	2,789	2,149	638	77
45 to 49 years	273	267	193	72	6
50 to 54 years	1	1	1	----	----
Not stated	197	190	160	24	7
MINNESOTA	47,576	46,954	45,025	1,918	622
Male	24,522	24,207	23,191	1,008	315
Female	23,054	22,747	21,834	910	307
10 to 14 years	11	8	8	----	3
15 to 19 years	3,536	3,436	3,388	46	100
20 to 24 years	13,798	13,598	13,299	296	200
25 to 29 years	13,256	13,101	12,641	459	155
30 to 34 years	9,079	8,998	8,514	483	81
35 to 39 years	5,660	5,600	5,209	391	60
40 to 44 years	2,042	2,025	1,807	216	17
45 to 49 years	181	177	150	27	4
50 to 54 years	2	2	2	----	----
Not stated	11	9	7	----	2
MISSISSIPPI	49,446	22,267	22,201	56	27,179
Male	25,111	11,370	11,336	28	13,741
Female	24,335	10,897	10,865	28	13,438
10 to 14 years	219	25	25	----	194
15 to 19 years	9,135	2,961	2,960	1	6,175
20 to 24 years	15,138	6,873	6,863	9	8,265
25 to 29 years	11,675	5,792	5,775	15	5,883
30 to 34 years	6,822	3,502	3,488	13	3,320
35 to 39 years	4,500	2,141	2,129	12	2,359
40 to 44 years	1,378	712	709	3	666
45 to 49 years	169	75	73	2	94
50 to 54 years	8	1	1	----	7
55 years and over	1	1	1	----	----
Not stated	400	184	177	1	216
MISSOURI	55,916	52,393	51,574	800	3,523
Male	28,625	26,802	26,361	431	1,824
Female	27,290	25,591	25,213	369	1,699
10 to 14 years	67	40	38	1	27
15 to 19 years	7,901	6,960	6,945	14	941
20 to 24 years	17,204	16,172	16,040	126	1,032
25 to 29 years	14,382	13,704	13,488	213	678
30 to 34 years	8,973	8,523	8,285	237	450
35 to 39 years	5,336	5,040	4,881	155	296
40 to 44 years	1,854	1,771	1,723	48	83
45 to 49 years	165	157	152	5	8
50 to 54 years	4	3	3	----	1
Not stated	30	23	19	1	7
MONTANA	10,400	9,762	9,054	705	638
Male	5,276	4,949	4,610	338	327
Female	5,124	4,813	4,444	367	311
10 to 14 years	6	5	4	1	1
15 to 19 years	1,212	1,112	1,075	36	100
20 to 24 years	3,532	3,330	3,186	143	202
25 to 29 years	2,766	2,615	2,420	195	151
30 to 34 years	1,620	1,528	1,379	149	92
35 to 39 years	894	840	715	125	54
40 to 44 years	336	303	251	52	33
45 to 49 years	32	27	23	4	5
Not stated	2	2	1	----	----
NEBRASKA	23,798	23,519	22,793	717	279
Male	12,188	12,033	11,657	370	155
Female	11,610	11,486	11,136	347	124
10 to 14 years	12	10	10	----	2
15 to 19 years	2,113	2,077	2,059	16	35
20 to 24 years	7,400	7,316	7,207	105	84
25 to 29 years	6,740	6,651	6,488	162	89
30 to 34 years	4,108	4,076	3,873	202	32
35 to 39 years	2,473	2,450	2,280	169	23
40 to 44 years	854	845	792	53	9
45 to 49 years	80	78	68	10	2
50 to 54 years	2	2	2	----	----
Not stated	16	14	14	----	2
NEVADA	1,419	1,330	1,215	110	89
Male	746	699	636	61	47
Female	673	631	579	49	42
10 to 14 years	3	2	2	----	1
15 to 19 years	162	150	146	3	12

1/ Includes "Country not stated."

TABLE 4A.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
NEVADA—Continued					
20 to 24 years	498	459	443	22	29
25 to 29 years	386	361	332	29	25
30 to 34 years	215	206	179	27	9
35 to 39 years	120	110	87	23	10
40 to 44 years	29	27	21	6	2
45 to 49 years	4	3	3	----------	1
Not stated	2	2	2	----------	---------
NEW HAMPSHIRE	7,679	7,673	6,698	968	6
Male	3,987	3,984	3,506	474	3
Female	3,692	3,689	3,192	494	3
10 to 14 years	3	3	3	----------	---------
15 to 19 years	724	722	698	23	2
20 to 24 years	2,326	2,325	2,161	162	1
25 to 29 years	2,169	2,168	1,918	247	1
30 to 34 years	1,326	1,325	1,082	243	1
35 to 39 years	823	823	635	187	---------
40 to 44 years	264	263	170	93	1
45 to 49 years	26	26	14	12	---------
Not stated	18	18	17	1	---------
NEW JERSEY	53,833	49,634	42,140	7,456	4,199
Male	27,632	25,479	21,592	3,869	2,153
Female	26,201	24,155	20,548	3,587	2,046
10 to 14 years	26	11	11	----------	15
15 to 19 years	4,539	3,701	3,628	70	838
20 to 24 years	15,789	14,473	13,551	912	1,316
25 to 29 years	15,955	15,030	13,060	1,960	925
30 to 34 years	10,284	9,684	7,508	2,168	600
35 to 39 years	5,450	5,069	3,422	1,643	381
40 to 44 years	1,612	1,505	873	630	107
45 to 49 years	142	128	60	68	14
50 to 54 years	5	5	3	2	---------
Not stated	31	28	24	3	3
NEW MEXICO	12,907	12,308	11,675	604	599
Male	6,647	6,345	6,013	318	302
Female	6,260	5,963	5,662	286	297
10 to 14 years	16	12	12	----------	4
15 to 19 years	1,808	1,743	1,716	24	65
20 to 24 years	3,981	3,803	3,662	133	178
25 to 29 years	3,141	3,005	2,853	146	136
30 to 34 years	1,933	1,833	1,705	124	100
35 to 39 years	1,425	1,352	1,225	124	73
40 to 44 years	497	467	424	41	30
45 to 49 years	51	43	33	10	8
50 to 54 years	1	1	1	----------	---------
Not stated	54	49	44	2	5
NEW YORK	182,469	173,937	138,203	35,702	8,532
Male	93,983	89,713	71,285	18,411	4,270
Female	88,486	84,224	66,918	17,291	4,262
10 to 14 years	101	68	64	4	33
15 to 19 years	12,621	11,264	10,899	359	1,357
20 to 24 years	51,843	49,034	44,380	4,647	2,809
25 to 29 years	57,324	55,223	44,042	11,172	2,101
30 to 34 years	36,870	35,603	24,749	10,847	1,267
35 to 39 years	18,287	17,504	10,979	6,523	783
40 to 44 years	5,048	4,873	2,896	1,976	175
45 to 49 years	353	348	178	170	5
50 to 54 years	5	4	3	1	1
Not stated	17	16	13	3	1
NORTH CAROLINA	76,182	52,256	51,920	84	23,926
Male	39,037	26,890	26,717	46	12,147
Female	37,145	25,366	25,203	38	11,779
10 to 14 years	224	59	56	----------	165
15 to 19 years	12,784	7,427	7,305	3	5,357
20 to 24 years	24,006	16,438	16,348	14	7,568
25 to 29 years	17,733	12,764	12,713	25	4,969
30 to 34 years	11,110	8,253	8,222	18	2,857
35 to 39 years	7,386	5,186	5,165	17	2,200
40 to 44 years	2,495	1,842	1,835	6	653
45 to 49 years	319	214	213	1	105
50 to 54 years	7	3	3	----------	4
Not stated	118	70	60	----------	48
NORTH DAKOTA	13,571	13,151	12,275	876	420
Male	6,932	6,710	6,267	443	222
Female	6,639	6,441	6,008	433	198
10 to 14 years	3	2	2	----------	1
15 to 19 years	971	908	896	12	63
20 to 24 years	3,911	3,800	3,722	78	111
25 to 29 years	3,868	3,770	3,606	164	98
30 to 34 years	2,500	2,441	2,227	214	59
35 to 39 years	1,583	1,514	1,263	251	69
40 to 45 years	654	639	505	134	15
45 to 49 years	77	74	51	23	3
50 to 54 years	3	2	2	----------	1
Not stated	1	1	1	----------	---------
OHIO	103,703	98,367	93,004	5,351	5,336
Male	52,863	50,174	47,412	2,758	2,689
Female	50,840	48,193	45,592	2,593	2,647

AREA, AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
OHIO—Continued					
10 to 14 years	100	53	52	----------	47
15 to 19 years	11,863	10,680	10,611	69	1,183
20 to 24 years	32,934	31,296	30,523	768	1,638
25 to 29 years	28,091	26,976	25,512	1,462	1,115
30 to 34 years	17,319	16,609	15,191	1,417	710
35 to 39 years	9,687	9,194	8,104	1,090	493
40 to 44 years	3,362	3,234	2,747	487	128
45 to 49 years	303	283	227	56	20
50 to 54 years	2	2	2	----------	---------
Not stated	42	40	35	2	2
OKLAHOMA	41,815	38,433	38,177	206	3,382
Male	21,840	20,046	19,905	112	1,794
Female	19,975	18,387	18,272	94	1,588
10 to 14 years	46	34	34	----------	12
15 to 19 years	7,002	6,234	6,220	7	768
20 to 24 years	13,939	12,890	12,830	42	1,049
25 to 29 years	9,890	9,193	9,125	56	697
30 to 34 years	5,996	5,562	5,506	51	434
35 to 39 years	3,511	3,204	3,165	34	307
40 to 44 years	1,249	1,155	1,140	13	94
45 to 49 years	117	108	105	3	9
50 to 54 years	2	1	1	----------	1
Not stated	63	52	51	----------	11
OREGON	13,975	13,811	13,063	743	164
Male	7,262	7,173	6,803	369	89
Female	6,713	6,638	6,260	374	75
10 to 14 years	4	4	3	1	---------
15 to 19 years	1,695	1,676	1,629	45	19
20 to 24 years	4,730	4,679	4,517	161	51
25 to 29 years	3,864	3,828	3,605	222	36
30 to 34 years	2,129	2,103	1,953	150	26
35 to 39 years	1,117	1,092	979	113	25
40 to 44 years	388	381	335	46	7
45 to 49 years	26	26	22	4	---------
Not stated	22	22	20	1	---------
PENNSYLVANIA	159,393	151,573	139,889	11,642	7,820
Male	81,550	77,634	71,664	5,949	3,916
Female	77,843	73,939	68,225	5,693	3,904
10 to 14 years	113	62	61	1	51
15 to 19 years	17,699	15,906	15,784	120	1,793
20 to 24 years	49,227	46,863	45,551	1,297	2,364
25 to 29 years	42,804	41,201	38,446	2,748	1,603
30 to 34 years	27,183	26,046	23,007	3,033	1,137
35 to 39 years	15,800	15,126	12,390	2,734	674
40 to 44 years	5,896	5,721	4,207	1,512	175
45 to 49 years	559	542	360	180	17
50 to 54 years	20	19	13	5	1
Not stated	92	87	70	12	5
RHODE ISLAND	10,186	9,951	8,166	1,782	235
Male	5,150	5,021	4,136	883	129
Female	5,036	4,930	4,030	899	106
10 to 14 years	3	1	1	----------	2
15 to 19 years	669	635	614	21	34
20 to 24 years	2,852	2,767	2,564	202	85
25 to 29 years	3,006	2,961	2,465	495	45
30 to 34 years	2,023	1,984	1,519	464	39
35 to 39 years	1,175	1,157	769	388	19
40 to 44 years	422	414	218	196	8
45 to 49 years	31	29	13	16	2
Not stated	4	3	3	----------	1
SOUTH CAROLINA	39,292	19,359	19,304	50	19,933
Male	19,953	9,902	9,868	30	10,051
Female	19,339	9,457	9,436	20	9,882
10 to 14 years	97	13	13	----------	84
15 to 19 years	7,114	2,789	2,789	----------	4,325
20 to 24 years	13,283	6,058	6,047	10	7,225
25 to 29 years	9,064	4,967	4,953	14	4,097
30 to 34 years	4,887	2,869	2,852	17	2,018
35 to 39 years	3,468	1,907	1,899	8	1,561
40 to 44 years	1,103	647	646	1	456
45 to 49 years	157	61	61	----------	96
50 to 54 years	7	1	1	----------	6
Not stated	112	47	43	----------	65
SOUTH DAKOTA	12,879	12,193	11,813	368	686
Male	6,507	6,134	5,918	211	373
Female	6,372	6,059	5,895	157	313
10 to 14 years	5	5	5	----------	---------
15 to 19 years	1,004	921	913	7	83
20 to 24 years	3,755	3,549	3,511	35	206
25 to 29 years	3,611	3,455	3,378	76	156
30 to 34 years	2,294	2,181	2,073	105	113
35 to 39 years	1,500	1,424	1,348	75	76
40 to 44 years	612	574	516	57	38
45 to 49 years	66	62	51	11	4
50 to 54 years	4	2	2	----------	2
Not stated	28	20	16	2	8

1/ Includes "Country not stated."

TABLE 4A.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
TENNESSEE	50,571	42,782	42,661	89	7,789
Male	25,722	21,848	21,783	47	3,874
Female	24,849	20,934	20,878	42	3,915
10 to 14 years	129	58	58	----	71
15 to 19 years	8,364	6,382	6,376	1	1,982
20 to 24 years	15,825	13,443	13,424	11	2,382
25 to 29 years	12,075	10,534	10,497	31	1,541
30 to 34 years	7,538	6,591	6,563	24	947
35 to 39 years	4,808	4,146	4,128	15	662
40 to 44 years	1,578	1,406	1,397	7	172
45 to 49 years	170	156	156	----	14
50 to 54 years	2	----	----	----	2
Not stated	82	66	62	----	16
TEXAS	111,602	97,827	88,760	8,958	13,775
Male	57,496	50,480	45,767	4,655	7,016
Female	54,106	47,347	42,993	4,303	6,759
10 to 14 years	194	81	80	----	113
15 to 19 years	16,544	13,373	12,945	404	3,171
20 to 24 years	36,318	32,047	30,113	1,900	4,271
25 to 29 years	27,969	25,038	22,388	2,628	2,931
30 to 34 years	17,194	15,435	13,402	2,022	1,759
35 to 39 years	9,972	8,865	7,276	1,580	1,107
40 to 44 years	2,968	2,635	2,269	365	333
45 to 49 years	272	225	182	43	47
50 to 54 years	15	13	9	4	2
Not stated	156	115	96	12	41
UTAH	12,551	12,423	11,887	536	128
Male	6,398	6,338	6,065	273	60
Female	6,153	6,085	5,822	263	68
10 to 14 years	1	1	1	----	----
15 to 19 years	1,281	1,257	1,238	19	24
20 to 24 years	4,145	4,115	4,038	77	30
25 to 29 years	3,255	3,231	3,087	144	24
30 to 34 years	2,065	2,047	1,901	146	18
35 to 39 years	1,249	1,223	1,119	104	26
40 to 44 years	491	487	446	41	4
45 to 49 years	60	60	55	5	----
50 to 54 years	1	1	1	----	----
Not stated	3	1	1	----	2
VERMONT	6,449	6,448	5,717	717	1
Male	3,282	3,281	2,915	360	1
Female	3,167	3,167	2,802	357	----
10 to 14 years	11	11	10	1	----
15 to 19 years	764	764	729	35	----
20 to 24 years	1,950	1,949	1,808	137	1
25 to 29 years	1,705	1,705	1,508	193	----
30 to 34 years	1,109	1,109	927	181	----
35 to 39 years	668	668	547	118	----
40 to 44 years	204	204	160	43	----
45 to 49 years	24	24	17	7	----
50 to 54 years	1	1	----	1	----
Not stated	13	13	11	1	----
VIRGINIA	51,247	36,538	36,348	181	14,709
Male	26,188	18,807	18,713	90	7,381
Female	25,059	17,731	17,635	91	7,328
10 to 14 years	155	44	44	----	111
15 to 19 years	8,388	4,959	4,958	----	3,429
20 to 24 years	15,757	11,172	11,151	19	4,585
VIRGINIA—Continued					
25 to 29 years	11,979	9,129	9,072	56	2,850
30 to 34 years	7,627	5,906	5,850	55	1,721
35 to 39 years	5,163	3,726	3,692	34	1,437
40 to 44 years	1,922	1,418	1,404	14	504
45 to 49 years	211	157	154	3	54
50 to 54 years	5	2	2	----	3
Not stated	40	25	21	----	15
WASHINGTON	23,376	22,745	20,824	1,912	631
Male	12,009	11,705	10,717	982	304
Female	11,367	11,040	10,107	930	327
10 to 14 years	9	9	9	----	----
15 to 19 years	2,681	2,608	2,481	126	73
20 to 24 years	7,997	7,783	7,284	497	214
25 to 29 years	6,337	6,194	5,680	511	143
30 to 34 years	3,732	3,636	3,248	388	96
35 to 39 years	1,942	1,867	1,581	284	75
40 to 44 years	614	587	497	90	27
45 to 49 years	56	53	38	15	3
Not stated	8	8	6	1	----
WEST VIRGINIA	40,853	38,763	38,159	590	2,090
Male	20,950	19,851	19,531	314	1,099
Female	19,903	18,912	18,628	276	991
10 to 14 years	69	54	54	----	15
15 to 19 years	6,681	6,209	6,200	8	472
20 to 24 years	13,172	12,517	12,429	87	655
25 to 29 years	9,505	9,086	8,951	134	419
30 to 34 years	5,999	5,720	5,581	137	279
35 to 39 years	3,795	3,608	3,473	134	187
40 to 44 years	1,394	1,341	1,263	78	53
45 to 49 years	168	161	151	10	7
50 to 54 years	5	4	4	----	1
Not stated	65	63	53	2	2
WISCONSIN	52,613	52,049	49,661	2,336	564
Male	27,069	26,792	25,568	1,199	277
Female	25,544	25,257	24,093	1,137	287
10 to 14 years	12	12	12	----	----
15 to 19 years	4,172	4,082	4,053	28	90
20 to 24 years	15,979	15,796	15,470	311	183
25 to 29 years	14,694	14,574	13,954	607	120
30 to 34 years	9,601	9,528	8,881	638	73
35 to 39 years	5,735	5,664	5,177	481	71
40 to 44 years	2,096	2,074	1,840	233	22
45 to 49 years	193	192	157	35	1
50 to 54 years	2	2	2	----	----
Not stated	129	125	115	3	4
WYOMING	4,753	4,625	4,374	235	128
Male	2,425	2,364	2,248	110	61
Female	2,328	2,261	2,126	125	67
10 to 14 years	7	7	7	----	----
15 to 19 years	612	589	577	11	23
20 to 24 years	1,675	1,638	1,595	39	37
25 to 29 years	1,188	1,160	1,098	58	28
30 to 34 years	691	671	612	55	20
35 to 39 years	411	395	347	46	16
40 to 44 years	141	138	117	21	3
45 to 49 years	15	15	11	4	----
Not stated	13	12	10	1	1

1/ Includes "Country not stated."

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
United States	2,144,790	25	30,783	407,503	593,303	450,108	306,242	172,312	77,917	28,135	16,713	61,749
Male	1,099,465	14	15,939	209,393	303,680	230,978	156,815	88,482	39,952	14,368	8,472	31,372
Female	1,045,325	11	14,844	198,110	289,623	219,130	149,427	83,830	37,965	13,767	8,241	30,377
10 to 14 years—M	1,452	5	263	337	95	35	11	9	6	2	5	684
F	1,486	6	272	361	121	31	14	7	8	1	5	660
15 to 19 years—M	138,246	7	12,920	76,038	27,114	5,732	1,987	610	287	144	132	13,275
F	130,977	3	11,937	71,881	25,957	5,429	1,860	620	260	133	121	12,776
20 to 24 years—M	341,836	2	2,554	118,993	145,933	44,367	13,430	4,276	1,607	701	522	9,451
F	325,183	2	2,423	112,464	139,294	42,199	12,795	4,073	1,559	626	505	9,243
25 to 29 years—M	289,833	----	153	12,485	115,805	102,806	37,842	10,971	3,933	1,412	988	3,438
F	275,997	----	155	11,876	110,384	97,524	35,822	10,454	3,812	1,388	1,053	3,529
30 to 34 years—M	181,526	----	21	1,133	12,919	69,416	60,841	23,680	7,424	2,622	1,698	1,772
F	172,308	----	30	1,063	12,119	65,592	58,296	22,373	7,091	2,487	1,608	1,649
35 to 39 years—M	105,594	----	4	181	1,350	7,775	39,496	34,540	14,139	4,340	2,625	1,144
F	100,440	----	7	210	1,318	7,610	37,539	32,794	13,220	4,211	2,469	1,062
40 to 44 years—M	35,051	----	2	21	136	556	2,931	13,889	11,052	4,165	1,993	306
F	33,433	----	1	34	117	498	2,816	13,057	10,590	4,039	1,978	303
45 to 49 years—M	3,446	----	----	4	15	29	95	387	1,450	941	471	54
F	3,190	----	----	6	10	27	98	334	1,375	838	463	39
50 to 54 years—M	85	----	----	----	3	9	9	9	7	26	15	7
F	77	----	----	----	1	5	5	8	10	21	25	2
55 years and over—M	2	----	----	----	----	----	----	1	----	----	1	----
F	1	----	----	----	----	----	1	----	----	----	----	----
Not stated—M	2,394	----	22	201	310	253	173	110	47	15	22	1,241
F	2,233	----	19	215	302	215	181	110	40	23	14	1,114
ALABAMA	60,116	----	1,081	13,430	15,069	9,906	7,147	4,113	2,512	968	717	5,173
10 to 14 years	193	----	24	40	6	2	1	----	1	----	----	119
15 to 19 years	10,749	----	834	5,460	1,613	341	115	32	16	9	10	2,319
20 to 24 years	19,372	----	210	7,105	7,504	2,006	656	231	135	51	46	1,428
25 to 29 years	13,953	----	10	726	5,326	4,455	1,602	506	280	120	106	622
30 to 34 years	8,291	----	2	70	532	2,779	2,750	1,078	446	182	132	320
35 to 39 years	5,343	----	----	8	69	296	1,714	1,636	877	301	231	211
40 to 44 years	1,850	----	----	3	4	15	97	605	668	242	151	65
45 to 49 years	212	----	----	1	----	2	5	16	83	60	38	7
50 to 54 years	6	----	----	----	1	----	----	1	----	1	2	1
Not stated	147	----	1	17	14	10	7	8	6	2	1	81
ARIZONA	9,545	----	143	1,998	2,521	1,872	1,379	743	436	182	103	168
10 to 14 years	11	----	1	2	1	2	----	1	1	----	----	3
15 to 19 years	1,438	----	123	783	335	100	29	10	6	4	3	45
20 to 24 years	3,061	----	17	1,077	1,240	426	176	53	15	16	9	32
25 to 29 years	2,307	----	1	114	816	764	394	111	53	19	9	26
30 to 34 years	1,438	----	----	12	96	485	487	190	99	34	25	10
35 to 39 years	853	----	----	2	17	69	258	264	155	51	28	9
40 to 44 years	306	----	----	----	2	9	27	108	89	48	20	3
45 to 49 years	34	----	----	----	----	----	1	3	15	8	7	----
50 to 54 years	2	----	----	----	----	----	----	1	----	----	1	----
55 years and over	1	----	----	----	----	----	1	----	----	----	----	----
Not stated	94	----	1	8	14	17	6	2	3	2	1	40
ARKANSAS	33,520	1	908	7,781	8,791	5,821	4,132	2,630	1,450	625	511	870
10 to 14 years	86	1	36	30	5	3	----	----	----	----	----	11
15 to 19 years	6,205	----	757	3,493	1,200	263	125	30	21	9	13	294
20 to 24 years	10,350	----	104	3,720	4,331	1,279	406	175	84	43	33	175
25 to 29 years	7,628	----	5	425	2,863	2,549	1,038	354	182	85	59	68
30 to 34 years	4,705	----	2	43	293	1,540	1,554	702	308	121	97	45
35 to 39 years	2,948	----	----	12	48	146	908	992	449	198	174	21
40 to 44 years	1,011	----	----	4	1	16	62	351	346	126	101	4
45 to 49 years	136	----	----	1	1	1	2	8	55	40	27	1
50 to 54 years	3	----	----	----	----	----	----	----	----	1	2	----
Not stated	448	----	4	53	49	24	37	18	5	2	5	251
CALIFORNIA	84,502	1	795	15,697	25,489	19,566	12,564	5,950	2,697	946	488	309
10 to 14 years	67	----	11	16	15	5	2	1	1	----	1	15
15 to 19 years	9,976	1	690	5,878	2,419	608	210	38	19	6	4	103
20 to 24 years	28,333	----	89	8,958	12,694	4,483	1,466	370	114	34	21	104
25 to 29 years	23,598	----	3	761	9,299	8,467	3,547	1,006	322	110	50	33
30 to 34 years	13,647	----	1	68	937	5,333	4,539	1,832	628	214	76	19
35 to 39 years	6,863	----	----	8	106	630	2,576	2,002	1,005	323	195	18
40 to 44 years	1,817	----	1	1	11	34	202	687	536	222	117	6
45 to 49 years	162	----	----	----	2	2	14	14	72	35	22	1
50 to 54 years	5	----	----	----	----	1	----	----	----	2	2	----
Not stated	34	----	----	7	6	3	8	----	----	----	----	10
COLORADO	18,279	1	237	3,679	5,420	3,621	2,461	1,462	684	266	150	298
10 to 14 years	12	----	1	4	3	1	----	----	----	----	----	3
15 to 19 years	2,439	1	192	1,340	626	158	49	14	5	3	1	50
20 to 24 years	6,054	----	36	2,095	2,589	886	257	92	34	7	11	47
25 to 29 years	4,697	----	6	203	1,940	1,517	673	216	71	26	14	31
30 to 34 years	2,705	----	----	20	213	932	882	410	157	56	19	16
35 to 39 years	1,555	----	1	2	22	99	536	534	218	79	56	6
40 to 44 years	535	----	----	----	3	14	43	188	164	78	43	2
45 to 49 years	58	----	----	----	----	1	----	4	33	15	5	----
50 to 54 years	1	----	----	----	----	1	----	----	----	----	----	----
Not stated	223	----	1	15	24	12	19	4	2	2	1	143
CONNECTICUT	22,228	----	119	3,303	6,568	5,494	3,530	1,913	754	195	79	273
10 to 14 years	5	----	1	----	----	1	----	----	----	----	----	3
15 to 19 years	1,430	----	95	853	311	63	12	4	1	----	2	89
20 to 24 years	6,490	----	22	2,193	2,987	866	223	62	11	9	2	115
25 to 29 years	6,749	----	1	239	2,882	2,514	782	219	54	12	9	37
30 to 34 years	4,318	----	----	14	355	1,790	1,430	540	145	24	11	9
35 to 39 years	2,410	----	----	4	30	250	998	757	268	64	25	14
40 to 44 years	744	----	----	----	2	10	82	318	237	67	24	4
45 to 49 years	76	----	----	----	----	----	3	12	38	17	6	----
50 to 54 years	2	----	----	----	----	----	----	----	----	2	----	----
Not stated	4	----	----	----	1	----	----	1	----	----	----	2

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DELAWARE	3,922	--------	58	759	1,065	807	474	311	116	38	22	272
10 to 14 years	9	--------	3	2	--------	--------	--------	--------	--------	--------	--------	4
15 to 19 years	603	--------	45	314	91	15	4	3	1	1	--------	129
20 to 24 years	1,198	--------	10	405	501	157	36	13	4	1	--------	71
25 to 29 years	1,011	--------	--------	34	421	366	101	39	6	4	3	37
30 to 34 years	610	--------	--------	4	47	235	197	82	17	5	7	16
35 to 39 years	331	--------	--------	--------	4	30	125	107	41	11	6	7
40 to 44 years	144	--------	--------	--------	--------	2	9	65	42	15	6	5
45 to 49 years	9	--------	--------	--------	--------	1	--------	1	5	1	--------	1
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1
Not stated	6	--------	--------	--------	1	1	2	1	--------	--------	--------	1
DISTRICT OF COLUMBIA	11,704	--------	184	2,151	3,271	2,455	1,564	744	269	86	42	938
10 to 14 years	34	--------	5	4	1	--------	--------	--------	--------	--------	--------	24
15 to 19 years	1,782	--------	163	824	265	54	16	5	1	--------	--------	454
20 to 24 years	3,645	--------	15	1,200	1,518	432	142	56	9	4	3	266
25 to 29 years	3,234	--------	--------	108	1,331	1,122	390	126	39	16	4	98
30 to 34 years	1,820	--------	--------	9	132	736	615	200	61	18	14	35
35 to 39 years	873	--------	--------	1	15	99	360	254	83	24	13	24
40 to 44 years	251	--------	--------	--------	3	7	36	100	72	22	4	7
45 to 49 years	13	--------	--------	--------	--------	--------	2	3	3	2	3	--------
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	--------
Not stated	51	--------	1	5	6	5	3	--------	1	--------	--------	30
FLORIDA	28,097	--------	482	5,622	7,178	5,076	3,715	2,056	1,066	504	388	2,010
10 to 14 years	112	--------	9	17	5	1	--------	1	1	--------	--------	78
15 to 19 years	5,246	--------	413	2,455	992	223	119	39	18	15	9	963
20 to 24 years	8,957	--------	52	2,808	3,575	1,267	480	177	67	36	21	474
25 to 29 years	6,616	--------	5	270	2,298	2,154	1,030	337	160	81	50	231
30 to 34 years	3,979	--------	--------	46	248	1,239	1,293	593	233	113	87	127
35 to 39 years	2,340	--------	2	7	40	158	729	682	365	145	127	85
40 to 44 years	665	--------	--------	--------	3	14	53	214	192	93	81	15
45 to 49 years	66	--------	--------	--------	--------	--------	2	7	25	20	9	3
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	--------	2	--------
55 years and over	1	--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------
Not stated	113	--------	1	19	17	20	9	5	5	1	2	34
GEORGIA	61,658	1	1,469	14,236	15,639	9,963	7,157	4,150	2,187	1,038	904	4,914
10 to 14 years	216	--------	31	37	9	1	--------	1	--------	--------	--------	137
15 to 19 years	11,728	1	1,183	5,808	1,726	350	139	50	19	20	13	2,419
20 to 24 years	19,935	--------	238	7,519	7,635	2,095	705	216	110	50	66	1,301
25 to 29 years	14,304	--------	12	738	5,563	4,545	1,814	602	256	126	130	518
30 to 34 years	8,044	--------	2	85	583	2,604	2,638	1,037	418	210	206	261
35 to 39 years	5,315	--------	--------	23	88	335	1,742	1,638	770	294	254	171
40 to 44 years	1,740	--------	--------	2	5	23	100	580	551	270	173	36
45 to 49 years	208	--------	--------	--------	1	--------	4	17	59	64	56	7
50 to 54 years	9	--------	--------	--------	--------	--------	--------	2	1	3	2	1
Not stated	159	--------	3	24	29	10	15	7	3	1	4	63
IDAHO	10,224	--------	143	2,131	3,033	2,112	1,342	805	369	135	91	63
10 to 14 years	3	--------	--------	3	--------	--------	--------	--------	--------	--------	--------	--------
15 to 19 years	1,464	--------	130	828	371	74	25	11	4	--------	--------	21
20 to 24 years	3,489	--------	12	1,175	1,526	510	158	59	22	4	4	19
25 to 29 years	2,614	--------	--------	113	1,028	930	366	102	47	14	9	5
30 to 34 years	1,443	--------	1	9	96	543	485	217	60	13	13	6
35 to 39 years	831	--------	--------	2	8	50	288	278	125	46	30	4
40 to 44 years	337	--------	--------	--------	2	4	20	134	99	46	32	--------
45 to 49 years	31	--------	--------	--------	--------	1	--------	2	12	12	3	1
Not stated	12	--------	--------	1	2	--------	--------	2	--------	--------	--------	7
ILLINOIS	112,167	--------	1,148	19,650	32,158	26,114	16,588	9,038	3,510	1,103	495	2,363
10 to 14 years	60	--------	8	12	8	3	--------	--------	--------	--------	--------	29
15 to 19 years	11,472	--------	950	6,641	2,255	468	144	43	13	10	8	940
20 to 24 years	34,768	--------	180	11,807	15,502	4,561	1,329	388	108	47	28	818
25 to 29 years	31,657	--------	8	1,090	12,979	11,896	3,837	1,070	330	85	47	315
30 to 34 years	19,969	--------	2	72	1,290	8,298	6,710	2,470	671	203	105	148
35 to 39 years	10,552	--------	--------	13	85	820	4,267	3,558	1,245	334	159	71
40 to 44 years	3,340	--------	--------	1	13	49	279	1,476	1,031	360	111	20
45 to 49 years	246	--------	--------	--------	1	2	8	23	111	63	37	1
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	1	--------	1
Not stated	101	--------	--------	14	25	17	14	10	1	--------	--------	20
INDIANA	54,034	1	1,043	11,886	15,290	10,929	7,401	4,179	1,858	677	327	443
10 to 14 years	43	--------	11	12	6	2	1	1	--------	--------	--------	10
15 to 19 years	7,166	1	873	4,376	1,365	231	91	24	9	4	9	183
20 to 24 years	17,491	--------	149	6,793	7,478	1,976	613	196	70	41	20	155
25 to 29 years	13,589	--------	9	648	5,743	4,857	1,560	434	160	67	45	46
30 to 34 years	8,695	--------	1	47	633	3,436	2,959	1,058	340	117	82	22
35 to 39 years	5,072	--------	--------	7	54	401	2,035	1,653	610	207	86	19
40 to 44 years	1,810	--------	--------	1	6	21	139	787	581	199	73	3
45 to 49 years	150	--------	--------	--------	1	1	2	26	68	40	12	--------
50 to 54 years	3	--------	--------	--------	--------	1	--------	--------	--------	2	--------	--------
Not stated	15	--------	--------	2	4	3	1	--------	--------	--------	--------	5
IOWA	42,715	--------	530	7,645	11,987	9,191	6,405	3,743	1,577	487	246	904
10 to 14 years	15	--------	2	4	2	1	--------	--------	--------	--------	--------	6
15 to 19 years	4,153	--------	421	2,357	862	162	61	11	5	--------	1	273
20 to 24 years	12,831	--------	97	4,684	5,579	1,551	407	125	61	20	15	292
25 to 29 years	11,411	--------	8	524	4,847	4,032	1,350	363	118	35	22	112
30 to 34 years	7,638	--------	--------	29	569	3,040	2,637	900	278	79	49	57
35 to 39 years	4,500	--------	--------	4	53	321	1,769	1,565	549	140	67	32
40 to 44 years	1,634	--------	--------	--------	1	22	139	723	498	172	69	10
45 to 49 years	150	--------	--------	1	--------	2	3	24	60	37	21	2
50 to 54 years	2	--------	--------	--------	--------	1	--------	--------	--------	1	--------	--------
Not stated	381	--------	2	42	74	59	39	32	8	3	2	120

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KANSAS	29,998	--------	406	5,681	8,645	6,366	4,388	2,483	1,152	403	201	273
10 to 14 years	19	--------	1	3	4	3	1	--------	--------	--------	1	6
15 to 19 years	3,311	--------	332	1,942	711	134	43	17	2	4	5	121
20 to 24 years	9,239	--------	71	3,323	4,094	1,177	331	89	38	17	11	88
25 to 29 years	8,107	--------	2	375	3,392	2,823	1,012	299	114	36	24	30
30 to 34 years	5,117	--------	--------	30	396	2,006	1,742	612	220	65	36	10
35 to 39 years	3,076	--------	--------	5	35	205	1,175	1,065	404	122	58	7
40 to 44 years	1,010	--------	--------	1	2	12	78	387	337	129	59	5
45 to 49 years	90	--------	--------	--------	1	1	4	13	36	28	7	--------
Not stated	29	--------	--------	2	10	5	2	1	1	2	--------	6
KENTUCKY	55,778	2	1,304	12,168	14,416	10,304	7,856	4,939	2,377	1,035	814	563
10 to 14 years	114	1	24	53	18	4	1	--------	1	--------	--------	12
15 to 19 years	8,745	1	1,006	5,002	1,825	421	145	70	29	22	15	209
20 to 24 years	16,989	--------	243	6,173	6,946	2,181	725	283	139	69	64	166
25 to 29 years	12,980	--------	25	831	4,826	4,404	1,807	555	231	116	130	55
30 to 34 years	8,502	--------	3	76	661	2,839	2,907	1,211	417	194	164	30
35 to 39 years	5,897	--------	2	16	107	408	2,095	1,941	801	288	218	21
40 to 44 years	2,177	--------	--------	2	12	33	164	840	648	282	186	10
45 to 49 years	242	--------	--------	--------	2	2	--------	32	108	63	33	2
50 to 54 years	7	--------	--------	--------	--------	--------	1	2	--------	--------	4	--------
Not stated	125	--------	1	15	19	12	11	5	3	1	--------	58
LOUISIANA	43,828	2	1,010	9,801	11,947	7,980	5,858	3,258	1,681	661	526	1,104
10 to 14 years	123	1	32	40	13	2	4	3	2	1	2	23
15 to 19 years	7,445	1	817	4,142	1,491	359	137	53	19	12	11	403
20 to 24 years	13,945	--------	139	4,997	5,714	1,735	606	220	101	38	42	353
25 to 29 years	10,651	--------	16	539	4,154	3,489	1,449	477	229	85	84	129
30 to 34 years	6,315	--------	3	54	485	2,103	2,176	858	324	135	104	73
35 to 39 years	3,898	--------	--------	12	71	253	1,399	1,214	553	199	147	50
40 to 44 years	1,175	--------	--------	1	13	22	75	414	386	142	106	16
45 to 49 years	161	--------	--------	1	--------	1	4	17	65	46	26	1
50 to 54 years	8	--------	--------	--------	--------	1	1	--------	2	1	2	1
Not stated	107	--------	3	15	6	15	7	2	--------	2	2	55
MAINE	15,302	--------	286	2,986	4,026	3,034	2,069	1,174	583	246	139	759
10 to 14 years	15	--------	5	6	1	1	--------	--------	--------	--------	--------	2
15 to 19 years	1,835	--------	210	971	412	93	34	11	2	4	2	96
20 to 24 years	4,572	--------	65	1,698	1,793	599	183	67	35	8	9	115
25 to 29 years	3,829	--------	4	254	1,515	1,275	474	155	62	21	19	50
30 to 34 years	2,449	--------	1	34	246	898	760	293	113	50	31	23
35 to 39 years	1,460	--------	--------	1	24	128	546	440	200	70	40	11
40 to 44 years	514	--------	--------	3	2	11	54	191	142	75	32	4
45 to 49 years	48	--------	--------	--------	--------	1	--------	2	24	15	6	--------
Not stated	580	--------	1	19	33	28	18	15	5	3	--------	458
MARYLAND	26,588	3	685	5,745	7,319	5,593	3,588	2,024	844	318	166	303
10 to 14 years	79	1	39	21	4	3	2	--------	--------	--------	--------	9
15 to 19 years	4,264	1	586	2,487	797	168	68	11	9	6	7	124
20 to 24 years	8,070	1	55	2,897	3,519	1,087	285	100	24	16	10	76
25 to 29 years	6,562	--------	3	297	2,647	2,404	801	237	85	34	18	36
30 to 34 years	4,144	--------	1	32	295	1,671	1,393	491	149	59	31	22
35 to 39 years	2,512	--------	--------	6	47	228	957	824	296	92	52	10
40 to 44 years	848	--------	--------	3	5	29	79	352	247	84	42	7
45 to 49 years	77	--------	--------	--------	--------	--------	1	9	34	26	6	1
50 to 54 years	2	--------	--------	--------	--------	--------	1	--------	--------	1	--------	--------
Not stated	30	--------	1	2	5	3	1	--------	--------	--------	--------	18
MASSACHUSETTS	61,704	--------	397	8,849	17,065	15,015	10,357	5,384	1,992	574	218	1,853
10 to 14 years	23	--------	2	2	--------	--------	--------	--------	--------	--------	--------	19
15 to 19 years	3,968	--------	298	2,213	727	138	44	8	4	3	--------	533
20 to 24 years	16,585	--------	93	5,782	7,212	2,080	547	155	36	15	10	655
25 to 29 years	18,317	--------	3	766	7,900	5,419	2,190	548	145	32	21	293
30 to 34 years	12,964	--------	1	68	1,099	5,640	4,112	1,469	337	83	44	111
35 to 39 years	7,272	--------	--------	8	98	687	3,195	2,187	747	191	76	83
40 to 44 years	2,207	--------	--------	--------	6	32	256	985	643	208	56	21
45 to 49 years	167	--------	--------	--------	--------	2	5	27	79	39	11	4
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	2	--------	--------
Not stated	199	--------	--------	10	23	17	8	5	1	1	--------	134
MICHIGAN	88,427	1	1,045	16,141	25,431	19,861	12,771	7,298	2,937	890	393	1,659
10 to 14 years	53	--------	13	9	5	2	--------	--------	--------	--------	--------	24
15 to 19 years	9,764	1	839	5,564	2,036	463	146	44	12	9	3	647
20 to 24 years	28,681	--------	179	9,638	12,709	4,004	1,132	329	91	25	16	558
25 to 29 years	23,584	--------	11	839	9,507	8,680	3,149	846	256	82	41	173
30 to 34 years	14,814	--------	2	56	1,016	6,039	4,640	1,988	533	170	70	100
35 to 39 years	8,194	--------	--------	13	104	596	3,219	2,818	1,007	257	118	62
40 to 44 years	2,866	--------	--------	3	14	40	260	1,229	919	267	110	24
45 to 49 years	273	--------	--------	--------	3	2	6	33	115	79	33	2
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	--------
Not stated	197	--------	1	19	37	35	19	11	4	1	1	69
MINNESOTA	47,576	--------	254	6,485	12,647	11,002	8,149	4,859	2,160	715	300	1,005
10 to 14 years	11	--------	1	--------	1	--------	1	--------	--------	--------	--------	8
15 to 19 years	3,536	--------	196	1,815	854	190	75	28	11	3	--------	364
20 to 24 years	13,798	--------	55	4,124	6,028	2,187	658	212	65	28	15	426
25 to 29 years	13,256	--------	2	513	5,055	4,750	1,979	596	169	51	23	118
30 to 34 years	9,079	--------	--------	29	661	3,409	3,121	1,260	384	110	60	45
35 to 39 years	5,660	--------	--------	3	45	437	2,136	1,944	772	210	85	28
40 to 44 years	2,042	--------	--------	1	2	24	170	797	673	279	87	9
45 to 49 years	181	--------	--------	--------	--------	3	7	21	85	34	30	1
50 to 54 years	2	--------	--------	--------	--------	--------	--------	1	1	--------	--------	--------
Not stated	11	--------	--------	--------	1	2	2	--------	--------	--------	--------	6

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSISSIPPI	49,446	2	1,276	11,059	12,695	8,324	6,304	3,429	2,025	960	805	2,567
10 to 14 years	219	2	62	68	14	2	2	1	2	---	1	65
15 to 19 years	9,136	---	1,019	4,871	1,575	389	157	54	26	18	13	1,014
20 to 24 years	15,138	---	173	5,374	6,110	1,737	654	219	115	62	56	638
25 to 29 years	11,675	---	12	599	4,389	3,728	1,615	487	283	141	103	318
30 to 34 years	6,822	---	2	82	462	2,163	2,311	865	409	189	175	164
35 to 39 years	4,500	---	2	23	92	248	1,456	1,321	697	282	268	111
40 to 44 years	1,378	---	---	1	9	23	86	460	414	229	140	16
45 to 49 years	169	---	---	---	---	3	4	10	68	34	40	10
50 to 54 years	8	---	---	---	---	---	1	---	2	2	2	1
55 years and over	1	---	---	---	---	---	---	---	---	---	1	---
Not stated	400	---	6	41	44	31	18	12	9	3	6	230
MISSOURI	55,916	---	853	11,075	15,225	11,532	7,595	4,620	2,057	735	410	1,814
10 to 14 years	67	---	4	13	6	1	---	---	---	---	---	43
15 to 19 years	7,901	---	705	4,384	1,502	297	104	33	12	6	8	850
20 to 24 years	17,204	---	139	5,981	7,256	2,260	641	200	84	37	28	578
25 to 29 years	14,382	---	4	620	5,795	5,159	1,723	561	204	87	48	181
30 to 34 years	8,973	---	1	60	586	3,411	3,048	1,189	393	117	79	89
35 to 39 years	5,336	---	---	14	66	376	1,929	1,861	708	222	114	46
40 to 44 years	1,854	---	---	2	9	17	140	760	583	225	103	15
45 to 49 years	165	---	---	---	---	4	4	15	71	39	28	4
50 to 54 years	4	---	---	---	---	---	1	---	1	2	---	---
Not stated	30	---	---	1	5	7	5	1	1	---	2	8
MONTANA	10,400	---	96	1,874	2,977	2,184	1,483	909	546	160	103	68
10 to 14 years	6	---	2	1	---	2	---	---	---	---	---	1
15 to 19 years	1,212	---	68	654	337	83	24	10	7	1	2	26
20 to 24 years	3,532	---	23	1,103	1,504	573	186	68	34	6	11	24
25 to 29 years	2,766	---	2	108	996	946	442	179	56	20	14	5
30 to 34 years	1,620	---	1	7	138	495	541	257	121	36	17	7
35 to 39 years	894	---	---	2	2	77	265	284	187	50	25	2
40 to 44 years	336	---	---	---	---	8	22	107	126	39	32	2
45 to 49 years	32	---	---	---	---	---	3	4	15	8	2	---
Not stated	2	---	---	1	---	---	---	---	---	---	---	1
NEBRASKA	23,798	---	237	4,031	6,998	5,350	3,542	2,039	862	306	149	284
10 to 14 years	12	---	2	3	---	---	---	---	---	---	---	7
15 to 19 years	2,113	---	176	1,198	479	96	31	3	6	1	1	122
20 to 24 years	7,400	---	55	2,483	3,390	990	263	69	31	9	6	104
25 to 29 years	6,740	---	3	317	2,784	2,453	797	250	66	28	12	30
30 to 34 years	4,108	---	1	24	323	1,652	1,379	520	142	43	14	10
35 to 39 years	2,473	---	---	4	18	146	999	843	310	97	54	2
40 to 44 years	854	---	---	1	---	9	69	344	273	106	50	2
45 to 49 years	80	---	---	---	---	2	4	8	33	21	12	---
50 to 54 years	2	---	---	---	---	---	---	1	---	1	---	---
Not stated	16	---	---	1	4	2	---	1	1	---	---	7
NEVADA	1,419	---	14	257	407	308	209	110	62	26	13	13
10 to 14 years	3	---	1	---	---	---	---	---	1	---	---	1
15 to 19 years	162	---	11	78	51	11	4	2	---	2	---	3
20 to 24 years	498	---	2	167	194	83	29	14	4	---	---	5
25 to 29 years	386	---	---	11	144	133	64	16	14	1	2	1
30 to 34 years	215	---	---	1	16	74	68	34	9	6	5	2
35 to 39 years	120	---	---	---	2	6	42	35	18	11	5	1
40 to 44 years	29	---	---	---	---	---	2	8	13	5	1	---
45 to 49 years	4	---	---	---	---	---	---	---	3	1	---	---
Not stated	2	---	---	---	---	1	---	1	---	---	---	---
NEW HAMPSHIRE	7,679	---	82	1,367	2,158	1,720	1,151	616	240	102	69	174
10 to 14 years	3	---	---	---	1	---	---	1	---	---	---	1
15 to 19 years	724	---	64	391	156	33	9	7	---	2	2	60
20 to 24 years	2,326	---	17	831	980	294	86	31	16	8	8	55
25 to 29 years	2,169	---	1	132	858	745	269	76	30	20	13	25
30 to 34 years	1,326	---	---	9	146	548	389	134	50	22	15	13
35 to 39 years	823	---	---	1	15	92	352	246	67	26	16	8
40 to 44 years	264	---	---	---	---	6	45	120	61	23	7	2
45 to 49 years	26	---	---	---	---	---	1	---	16	1	8	---
Not stated	18	---	---	3	2	2	---	1	---	---	---	10
NEW JERSEY	53,833	3	417	8,337	15,835	13,297	8,543	4,358	1,684	497	173	689
10 to 14 years	26	1	4	4	2	2	1	---	---	---	---	12
15 to 19 years	4,539	2	361	2,709	917	180	61	16	8	3	3	279
20 to 24 years	15,789	---	48	5,180	7,398	2,207	516	154	45	13	6	222
25 to 29 years	15,955	---	3	407	6,734	6,008	2,046	492	120	32	20	93
30 to 34 years	10,284	---	---	31	707	4,391	3,501	1,200	299	81	38	36
35 to 39 years	5,450	---	---	5	59	470	2,247	1,766	657	174	46	26
40 to 44 years	1,612	---	1	1	6	34	158	704	489	155	48	16
45 to 49 years	142	---	---	---	---	1	7	20	65	37	12	---
50 to 54 years	5	---	---	---	---	---	---	2	1	2	---	---
Not stated	31	---	---	---	12	4	6	4	---	---	---	5
NEW MEXICO	12,907	---	167	2,430	3,367	2,351	1,876	1,234	698	238	183	363
10 to 14 years	16	---	1	5	2	1	---	---	---	---	---	7
15 to 19 years	1,808	---	137	971	468	86	34	8	9	2	3	90
20 to 24 years	3,981	---	26	1,259	1,687	551	205	74	40	19	7	113
25 to 29 years	3,141	---	2	170	1,065	1,056	504	170	77	21	18	58
30 to 34 years	1,933	---	---	15	118	562	667	353	120	36	30	32
35 to 39 years	1,425	---	---	5	17	80	423	468	253	79	68	32
40 to 44 years	497	---	---	---	1	9	34	154	175	68	47	9
45 to 49 years	51	---	---	---	---	1	4	4	21	13	8	---
50 to 54 years	1	---	---	---	---	---	---	---	---	---	1	---
Not stated	54	---	1	5	9	5	5	3	3	---	1	22

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW YORK	182,469	1	1,077	24,304	52,488	48,299	30,417	14,887	5,673	1,627	604	3,092
10 to 14 years	101	1	10	11	2	---	1	---	---	---	---	76
15 to 19 years	12,621	---	866	7,010	2,829	588	157	48	24	6	8	1,085
20 to 24 years	51,843	---	191	15,523	24,020	7,943	2,125	554	157	54	37	1,239
25 to 29 years	57,324	---	8	1,608	22,928	22,398	7,537	1,805	468	124	57	391
30 to 34 years	36,870	---	1	124	2,456	15,544	12,534	4,507	1,112	291	121	180
35 to 39 years	18,287	---	---	23	227	1,707	7,487	5,858	2,187	509	188	101
40 to 44 years	5,048	---	1	3	18	113	554	2,079	1,557	547	157	19
45 to 49 years	353	---	---	---	3	2	16	35	168	94	35	---
50 to 54 years	5	---	---	---	---	1	2	---	---	2	---	---
Not stated	17	---	---	2	5	3	4	1	---	---	1	1
NORTH CAROLINA	76,182	1	1,756	17,333	18,666	12,796	9,674	5,694	2,931	1,236	972	5,123
10 to 14 years	224	---	32	36	12	5	2	3	1	---	2	131
15 to 19 years	12,784	---	1,357	6,514	1,909	357	136	44	23	11	13	2,420
20 to 24 years	24,006	1	330	9,499	9,052	2,330	780	278	123	59	61	1,493
25 to 29 years	17,733	---	26	1,126	6,817	5,743	2,232	695	279	132	122	561
30 to 34 years	11,110	---	7	116	749	3,794	3,839	1,433	499	234	195	244
35 to 39 years	7,386	---	3	27	106	516	2,506	2,284	1,091	389	303	161
40 to 44 years	2,495	---	---	5	8	41	162	920	774	323	228	34
45 to 49 years	319	---	---	1	1	---	11	32	141	85	44	4
50 to 54 years	7	---	---	---	---	1	1	1	---	1	2	1
Not stated	118	---	1	9	12	9	5	4	---	2	2	74
NORTH DAKOTA	13,571	---	73	1,677	3,573	3,034	2,274	1,513	750	289	115	273
10 to 14 years	3	---	---	---	---	---	1	---	---	---	---	2
15 to 19 years	971	---	49	425	292	61	19	4	3	2	2	114
20 to 24 years	3,911	---	24	1,058	1,752	628	212	102	21	8	5	101
25 to 29 years	3,868	---	---	174	1,332	1,409	626	198	54	32	6	37
30 to 34 years	2,500	---	---	18	182	822	863	391	151	46	16	11
35 to 39 years	1,583	---	---	1	15	106	504	577	259	79	37	5
40 to 44 years	654	---	---	1	---	6	47	232	225	103	38	2
45 to 49 years	77	---	---	---	---	1	2	9	36	19	10	---
50 to 54 years	3	---	---	---	---	1	---	---	1	---	1	---
Not stated	1	---	---	---	---	---	---	---	---	---	---	1
OHIO	103,703	---	1,359	19,936	30,012	22,446	14,345	8,206	3,296	1,108	526	2,469
10 to 14 years	100	---	11	11	9	3	---	---	1	---	---	65
15 to 19 years	11,863	---	1,123	6,717	2,244	425	129	47	25	4	9	1,140
20 to 24 years	32,934	---	212	12,003	14,280	3,916	1,137	380	125	45	28	808
25 to 29 years	26,091	---	12	1,115	12,100	10,068	3,203	925	295	90	52	221
30 to 34 years	17,319	---	1	78	1,276	7,226	5,655	2,115	559	206	85	118
35 to 39 years	9,687	---	---	10	91	748	3,901	3,269	1,132	316	147	73
40 to 44 years	3,362	---	---	1	5	50	308	1,427	1,025	366	153	27
45 to 49 years	303	---	---	---	1	2	4	38	133	81	41	3
50 to 54 years	2	---	---	---	1	---	---	---	---	---	1	---
Not stated	42	---	---	1	5	8	8	5	1	---	---	14
OKLAHOMA	41,815	---	975	9,812	11,624	7,859	5,202	3,228	1,506	600	417	592
10 to 14 years	46	---	13	16	5	---	1	---	---	---	---	11
15 to 19 years	7,002	---	812	4,065	1,418	297	77	32	16	7	9	269
20 to 24 years	13,939	---	142	5,220	5,867	1,668	545	195	80	27	22	173
25 to 29 years	9,890	---	2	454	3,930	3,535	1,232	425	142	59	48	63
30 to 34 years	5,996	---	2	41	340	2,149	2,076	879	292	115	83	19
35 to 39 years	3,511	---	---	8	47	187	1,190	1,253	489	190	127	20
40 to 44 years	1,249	---	---	1	7	14	77	432	442	164	104	8
45 to 49 years	117	---	---	---	1	2	1	12	41	37	22	1
50 to 54 years	2	---	---	---	---	---	---	---	---	---	2	---
Not stated	63	---	4	7	9	7	3	---	4	1	---	28
OREGON	13,975	---	124	2,646	4,236	3,073	1,960	1,061	517	199	99	60
10 to 14 years	4	---	1	2	---	---	---	---	---	1	---	---
15 to 19 years	1,695	---	107	966	431	114	35	8	4	4	4	22
20 to 24 years	4,730	---	15	1,528	2,065	732	255	67	20	6	4	18
25 to 29 years	3,864	---	1	134	1,553	1,330	552	180	76	17	12	9
30 to 34 years	2,129	---	---	11	151	812	699	274	123	35	21	3
35 to 39 years	1,117	---	---	1	13	73	383	397	157	65	27	1
40 to 44 years	388	---	---	1	---	6	32	131	125	65	28	---
45 to 49 years	26	---	---	---	---	---	2	2	12	6	3	1
Not stated	22	---	---	3	3	6	2	2	---	---	---	6
PENNSYLVANIA	159,393	1	2,278	31,310	45,275	33,906	23,016	13,644	5,664	1,719	694	1,886
10 to 14 years	113	1	31	34	8	2	2	---	---	1	1	33
15 to 19 years	17,699	---	1,877	10,704	3,410	583	199	70	31	8	12	805
20 to 24 years	49,227	---	354	18,545	21,459	5,810	1,663	478	171	64	43	640
25 to 29 years	42,804	---	14	1,828	18,229	15,359	5,071	1,495	433	118	73	184
30 to 34 years	27,183	---	2	163	1,938	10,861	9,274	3,563	906	249	118	109
35 to 39 years	15,800	---	---	23	187	1,186	6,273	5,434	1,977	477	180	63
40 to 44 years	5,896	---	---	3	24	86	507	2,529	1,879	645	206	17
45 to 49 years	559	---	---	---	3	4	15	65	256	151	58	7
50 to 54 years	20	---	---	---	2	2	3	3	5	4	1	---
Not stated	92	---	---	10	15	13	9	7	6	2	2	28
RHODE ISLAND	10,186	---	82	1,563	2,904	2,358	1,628	864	348	111	37	291
10 to 14 years	3	---	---	---	---	---	---	---	---	---	---	3
15 to 19 years	669	---	62	354	131	25	7	4	3	---	1	82
20 to 24 years	2,852	---	17	1,023	1,253	329	81	18	6	3	3	119
25 to 29 years	3,006	---	3	175	1,296	1,022	350	84	19	11	3	43
30 to 34 years	2,023	---	---	9	205	837	634	233	53	20	7	25
35 to 39 years	1,176	---	---	2	16	135	489	347	132	34	10	11
40 to 44 years	422	---	---	---	3	7	65	174	119	36	11	7
45 to 49 years	31	---	---	---	---	---	2	4	16	7	2	---
Not stated	4	---	---	---	---	3	---	---	---	---	---	1

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH CAROLINA	39,292	---	711	9,285	9,441	5,827	4,649	2,808	1,428	584	479	4,080
10 to 14 years	97	---	8	9	3	1	---	---	---	---	1	75
15 to 19 years	7,114	---	569	3,493	855	166	66	23	14	2	9	1,917
20 to 24 years	13,283	---	126	5,230	4,829	1,121	466	148	96	29	29	1,209
25 to 29 years	9,064	---	7	495	3,415	2,793	1,205	384	185	74	75	431
30 to 34 years	4,887	---	---	49	282	1,564	1,683	690	235	103	105	176
35 to 39 years	3,468	---	---	7	49	165	1,153	1,145	494	180	140	135
40 to 44 years	1,103	---	---	---	2	11	67	396	357	138	97	35
45 to 49 years	157	---	---	2	1	2	7	18	44	56	21	6
50 to 54 years	7	---	---	---	---	1	1	---	---	2	2	1
Not stated	112	---	1	---	5	3	1	4	3	---	---	95
SOUTH DAKOTA	12,879	---	92	1,757	3,414	2,883	2,141	1,387	629	221	100	255
10 to 14 years	5	---	1	1	1	---	---	---	---	---	---	2
15 to 19 years	1,004	---	67	478	281	59	12	3	5	---	---	99
20 to 24 years	3,755	---	23	1,121	1,627	596	174	65	23	17	3	106
25 to 29 years	3,611	---	1	150	1,333	1,322	554	153	48	14	12	24
30 to 34 years	2,294	---	---	6	155	784	795	372	116	37	16	13
35 to 39 years	1,500	---	---	---	14	116	549	513	213	69	22	4
40 to 44 years	612	---	---	---	1	3	50	261	187	72	37	1
45 to 49 years	66	---	---	---	---	---	2	7	37	10	10	---
50 to 54 years	4	---	---	---	---	1	---	2	---	1	---	---
Not stated	28	---	---	1	2	2	5	11	---	1	---	6
TENNESSEE	50,571	---	1,074	11,145	13,187	9,081	6,582	3,833	1,855	897	642	2,275
10 to 14 years	129	---	15	42	9	2	1	1	---	---	---	59
15 to 19 years	8,364	---	862	4,349	1,582	315	111	39	12	12	11	1,071
20 to 24 years	15,825	---	175	5,902	6,257	1,857	599	226	88	54	53	614
25 to 29 years	12,075	---	19	737	4,659	3,972	1,566	480	210	120	78	234
30 to 34 years	7,538	---	2	90	575	2,608	2,513	974	356	162	125	133
35 to 39 years	4,808	---	---	12	88	298	1,649	1,559	626	291	194	91
40 to 44 years	1,578	---	---	1	9	23	132	532	497	204	156	24
45 to 49 years	170	---	---	1	---	---	5	19	65	52	25	3
50 to 54 years	2	---	---	---	---	---	1	---	---	1	---	---
Not stated	82	---	1	11	8	6	5	3	1	1	---	46
TEXAS	111,602	3	1,807	22,453	31,192	22,100	15,317	8,426	4,174	1,589	1,058	3,483
10 to 14 years	194	2	28	59	15	4	1	---	---	---	---	85
15 to 19 years	16,544	---	1,482	8,900	3,527	805	274	67	31	16	9	1,433
20 to 24 years	36,318	1	275	12,029	15,628	4,994	1,566	476	203	87	42	1,017
25 to 29 years	27,969	---	15	1,291	10,668	9,595	3,950	1,226	512	155	126	431
30 to 34 years	17,194	---	3	130	1,186	5,925	5,909	2,337	872	327	248	257
35 to 39 years	9,972	---	1	24	130	703	3,388	3,221	1,458	520	375	152
40 to 44 years	2,968	---	---	6	10	46	210	1,059	993	393	210	41
45 to 49 years	272	---	---	1	2	4	5	24	101	81	45	9
50 to 54 years	15	---	---	---	---	2	1	1	1	8	2	---
Not stated	156	---	3	13	25	22	13	15	3	2	1	58
UTAH	12,551	---	155	2,484	3,676	2,604	1,842	987	467	159	77	100
10 to 14 years	1	---	---	1	---	---	---	---	---	---	---	---
15 to 19 years	1,281	---	129	795	258	44	15	4	1	---	1	34
20 to 24 years	4,145	---	25	1,565	1,843	490	129	33	9	3	1	47
25 to 29 years	3,255	---	1	118	1,440	1,175	376	89	26	13	8	9
30 to 34 years	2,065	---	---	5	125	834	765	216	79	26	10	5
35 to 39 years	1,249	---	---	---	9	59	531	420	159	46	22	3
40 to 44 years	491	---	---	---	1	2	24	217	165	55	26	1
45 to 49 years	60	---	---	---	---	---	1	7	28	15	9	---
50 to 54 years	1	---	---	---	---	---	---	---	---	1	---	---
Not stated	3	---	---	---	---	---	1	1	---	---	---	1
VERMONT	6,449	---	84	1,145	1,830	1,350	944	539	255	103	65	134
10 to 14 years	11	---	4	3	1	---	---	---	---	---	---	3
15 to 19 years	764	---	55	399	186	46	16	8	2	---	1	51
20 to 24 years	1,950	---	22	643	835	276	72	37	8	10	7	40
25 to 29 years	1,705	---	3	87	692	581	219	57	33	11	8	14
30 to 34 years	1,109	---	---	10	101	395	360	144	51	18	16	14
35 to 39 years	668	---	---	1	9	47	249	218	86	36	17	5
40 to 44 years	204	---	---	---	3	4	26	70	54	23	13	1
45 to 49 years	24	---	---	---	---	---	2	5	10	5	2	---
50 to 54 years	1	---	---	---	---	---	---	---	---	---	1	---
Not stated	13	---	---	2	3	1	---	---	1	---	---	6
VIRGINIA	51,247	1	1,049	10,801	13,190	9,163	6,948	4,208	2,142	878	693	2,174
10 to 14 years	155	---	30	37	12	4	---	1	2	---	1	68
15 to 19 years	8,388	---	833	4,360	1,665	303	116	50	28	11	4	1,018
20 to 24 years	15,757	1	164	5,542	6,395	1,982	627	228	101	58	47	612
25 to 29 years	11,979	---	19	750	4,479	3,950	1,631	503	215	90	106	226
30 to 34 years	7,627	---	3	92	551	2,506	2,662	1,026	373	162	129	123
35 to 39 years	5,163	---	---	18	79	367	1,736	1,701	734	241	204	83
40 to 44 years	1,922	---	---	---	6	33	163	677	601	261	164	17
45 to 49 years	211	---	---	---	---	2	9	21	88	53	35	3
50 to 54 years	5	---	---	---	---	---	---	---	---	2	3	---
Not stated	40	---	---	2	3	6	4	1	---	---	---	24
WASHINGTON	23,376	---	218	4,345	7,088	5,187	3,290	1,815	809	326	157	141
10 to 14 years	9	---	2	3	---	---	---	---	---	---	---	4
15 to 19 years	2,681	---	184	1,534	680	160	43	21	6	1	1	51
20 to 24 years	7,997	---	32	2,530	3,571	1,277	347	141	39	8	5	47
25 to 29 years	6,337	---	---	258	2,530	2,190	896	289	111	29	17	17
30 to 34 years	3,732	---	---	15	275	1,383	1,261	524	162	71	33	8
35 to 39 years	1,942	---	---	3	27	158	683	610	289	108	54	10
40 to 44 years	614	---	---	---	4	19	57	222	184	87	38	3
45 to 49 years	56	---	---	1	---	---	1	7	16	22	9	---
Not stated	8	---	---	1	1	---	2	1	2	---	---	1

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1936—Continued

AREA, AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WEST VIRGINIA	40,853	--------	629	8,454	10,570	7,531	5,496	3,467	1,721	716	454	1,815
10 to 14 years	69	--------	11	17	6	---------	---------	1	--------	--------	--------	34
15 to 19 years	6,681	--------	469	3,484	1,413	293	103	48	20	9	6	836
20 to 24 years	13,172	--------	137	4,388	5,345	1,757	607	209	81	37	39	562
25 to 29 years	9,505	--------	9	485	3,363	3,301	1,369	466	195	66	54	197
30 to 34 years	5,999	--------	2	59	374	1,949	2,042	969	325	118	85	76
35 to 39 years	3,795	--------	--------	17	52	198	1,277	1,279	570	221	127	54
40 to 44 years	1,394	--------	--------	1	5	16	88	475	459	215	114	21
45 to 49 years	168	--------	--------	---------	---------	1	2	19	68	48	27	3
50 to 54 years	5	--------	--------	---------	---------	---------	---------	---------	1	1	2	1
Not stated	65	--------	1	3	12	6	8	1	2	1	--------	31
WISCONSIN	52,613	--------	330	7,906	14,914	12,427	8,285	4,748	2,172	603	256	972
10 to 14 years	12	--------	--------	2	1	---------	---------	---------	--------	--------	--------	9
15 to 19 years	4,172	--------	227	2,230	1,033	231	60	17	5	2	4	363
20 to 24 years	15,979	--------	93	5,066	7,196	2,330	642	185	65	24	18	360
25 to 29 years	14,694	--------	7	560	5,904	5,504	1,903	480	183	34	22	97
30 to 34 years	9,601	--------	1	37	683	3,874	3,235	1,249	339	93	42	48
35 to 39 years	5,735	--------	--------	3	62	445	2,229	1,924	788	173	71	40
40 to 44 years	2,096	--------	--------	1	10	23	188	861	709	219	72	13
45 to 49 years	193	--------	--------	---------	1	---------	6	20	81	56	25	4
50 to 54 years	2	--------	--------	---------	---------	---------	---------	---------	1	--------	1	--------
Not stated	129	--------	2	7	24	20	22	12	1	2	1	38
WYOMING	4,753	--------	41	893	1,386	1,036	634	426	195	54	43	45
10 to 14 years	7	--------	2	3	---------	---------	---------	---------	--------	--------	--------	2
15 to 19 years	612	--------	33	340	158	38	17	4	--------	3	1	18
20 to 24 years	1,675	--------	6	493	740	280	97	32	8	1	2	16
25 to 29 years	1,188	--------	---------	47	424	433	187	62	22	4	5	4
30 to 34 years	691	--------	--------	7	55	250	207	114	31	11	15	1
35 to 39 years	411	--------	--------	---------	6	30	116	148	81	20	8	2
40 to 44 years	141	--------	--------	---------	---------	2	10	64	45	12	8	--------
45 to 49 years	15	--------	--------	---------	---------	---------	---------	2	7	3	3	--------
Not stated	13	--------	--------	3	3	3	---------	---------	1	--------	1	2

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1936

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races	NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born				Total 2/	Mother native	Mother foreign-born	
Total births	2,075,407	1,813,466	1,683,324	128,620	261,941	FIRST CHILD	741,898	665,242	632,372	32,258	76,656
12 years	51	20	18	2	31	12 years	51	20	18	2	31
13 years	443	142	142	--------	301	13 years	443	142	142	--------	301
14 years	2,418	1,020	994	18	1,398	14 years	2,398	1,013	987	18	1,385
15 years	8,842	4,742	4,681	50	4,100	15 years	8,457	4,591	4,532	48	3,866
16 years	24,879	15,954	15,748	174	8,925	16 years	22,944	14,974	14,785	159	7,970
17 years	46,851	34,827	34,359	423	12,024	17 years	40,542	30,935	30,522	370	9,607
18 years	79,896	62,900	61,951	852	16,996	18 years	62,845	51,246	50,490	673	11,599
19 years	104,063	86,696	85,259	1,335	17,367	19 years	72,788	63,424	62,398	947	9,364
20 years	120,593	102,117	100,012	2,022	18,476	20 years	72,930	65,071	63,743	1,272	7,859
21 years	130,102	113,633	110,815	2,735	16,469	21 years	69,677	64,182	62,491	1,646	5,495
22 years	133,191	116,051	112,065	3,901	17,140	22 years	62,701	58,184	56,041	2,104	4,517
23 years	134,603	118,325	113,076	5,173	16,278	23 years	56,504	53,081	50,411	2,641	3,423
24 years	129,619	115,204	109,193	5,940	14,415	24 years	48,383	45,927	43,230	2,666	2,456
25 years	123,286	109,984	103,512	6,408	13,302	25 years	41,937	40,113	37,458	2,628	1,824
26 years	117,718	105,404	98,233	7,113	12,314	26 years	35,853	34,452	31,885	2,550	1,401
27 years	105,919	95,879	88,574	7,252	10,040	27 years	29,205	28,136	25,784	2,341	1,069
28 years	105,962	95,481	87,459	7,980	10,481	28 years	25,433	24,467	22,250	2,207	966
29 years	92,459	83,798	76,230	7,531	8,661	29 years	19,884	19,194	17,338	1,847	690
30 years	88,792	79,484	71,323	8,117	9,308	30 years	16,724	16,076	14,226	1,842	648
31 years	68,950	63,376	56,970	6,372	5,574	31 years	11,677	11,369	10,174	1,192	308
32 years	69,238	62,874	55,434	7,418	6,364	32 years	9,880	9,543	8,313	1,228	337
33 years	59,493	53,875	47,233	6,614	5,618	33 years	7,116	6,881	6,001	880	235
34 years	53,071	47,900	41,940	5,936	5,171	34 years	5,532	5,317	4,610	704	215
35 years	50,345	44,634	38,474	6,134	5,711	35 years	4,534	4,307	3,709	597	227
36 years	49,707	43,767	37,765	5,978	5,940	36 years	3,783	3,596	3,116	479	187
37 years	34,617	31,003	26,765	4,220	3,614	37 years	2,453	2,336	2,034	301	117
38 years	35,332	31,161	26,572	4,577	4,171	38 years	2,016	1,898	1,606	290	118
39 years	27,938	24,811	21,059	3,739	3,127	39 years	1,432	1,360	1,155	205	72
40 years	23,222	20,587	17,403	3,171	2,635	40 years	1,020	967	822	144	53
41 years	14,786	13,565	11,593	1,963	1,221	41 years	582	563	478	85	19
42 years	13,624	12,196	10,209	1,976	1,428	42 years	451	423	360	63	28
43 years	8,913	8,062	6,711	1,343	851	43 years	242	227	177	50	15
44 years	5,468	4,907	4,039	865	561	44 years	124	120	97	23	4
45 years	3,297	2,866	2,306	557	431	45 years	84	76	69	7	8
46 years	1,671	1,457	1,192	264	214	46 years	37	30	21	9	7
47 years	762	646	518	128	116	47 years	7	6	4	2	1
48 years	478	352	284	67	126	48 years	25	24	21	3	1
49 years	235	171	124	46	64	49 years	2	---------	--------	--------	2
50 years	80	49	37	11	31	50 years	6	5	4	1	1
51 years	21	13	12	1	8	51 years	3	2	2	--------	1
52 years	27	19	18	1	8	52 years	4	2	2	--------	2
53 years	16	10	10	--------	6	53 years	1	1	1	--------	--------
54 years	16	10	8	2	6	54 years	1	1	1	--------	--------
55 years	3	2	1	1	1	Not stated	1,187	960	864	34	227
Not stated	4,410	3,492	3,003	210	918						

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
SECOND CHILD	475,118	426,008	397,300	28,438	49,110
14 years	20	7	7	--	13
15 years	368	148	147	1	220
16 years	1,791	930	913	15	861
17 years	5,713	3,593	3,549	42	2,120
18 years	14,899	10,500	10,344	143	4,399
19 years	25,515	19,772	19,465	286	5,743
20 years	35,100	28,653	28,120	511	6,447
21 years	39,666	34,182	33,431	726	5,484
22 years	40,907	35,810	34,711	1,067	5,097
23 years	40,125	35,925	34,468	1,433	4,200
24 years	37,686	34,497	32,762	1,723	3,189
25 years	33,862	31,468	29,572	1,882	2,394
26 years	31,346	29,387	27,263	2,115	1,959
27 years	27,908	26,569	24,306	2,254	1,339
28 years	26,645	25,383	22,978	2,397	1,262
29 years	22,420	21,509	19,351	2,148	911
30 years	19,706	18,895	16,677	2,207	811
31 years	14,774	14,336	12,669	1,657	438
32 years	13,113	12,671	10,860	1,806	442
33 years	10,356	10,002	8,599	1,399	354
34 years	8,139	7,873	6,798	1,072	266
35 years	6,606	6,336	5,387	946	270
36 years	5,576	5,328	4,485	841	248
37 years	3,535	3,394	2,894	499	141
38 years	2,962	2,845	2,412	432	117
39 years	2,076	1,985	1,686	297	91
40 years	1,406	1,342	1,148	194	64
41 years	834	807	688	119	27
42 years	601	579	493	85	22
43 years	326	310	250	60	16
44 years	165	158	133	25	7
45 years	77	71	62	9	6
46 years	36	34	30	4	2
47 years	17	15	13	2	2
48 years	10	6	5	1	4
49 years	5	3	2	1	2
50 years	7	2	2	--	5
51 years	1	1	1	--	--
52 years	3	2	2	--	1
53 years	2	1	1	--	1
54 years	1	--	--	--	1
55 years	1	1	1	--	--
Not stated	812	678	615	39	134
THIRD CHILD	278,680	244,537	225,258	19,151	34,143
15 years	16	3	2	1	13
16 years	117	39	39	--	78
17 years	509	257	250	7	252
18 years	1,828	993	963	29	835
19 years	4,846	3,035	2,950	84	1,811
20 years	9,758	6,819	6,644	172	2,939
21 years	15,048	11,651	11,393	254	3,397
22 years	19,452	15,378	14,901	471	4,074
23 years	22,274	18,356	17,718	626	3,918
24 years	22,493	19,238	18,456	766	3,255
25 years	22,012	19,314	18,377	926	2,698
26 years	20,701	18,549	17,413	1,124	2,152
27 years	18,565	16,965	15,788	1,168	1,600
28 years	18,874	17,379	15,989	1,386	1,495
29 years	16,298	15,207	13,834	1,364	1,091
30 years	15,276	14,259	12,782	1,472	1,017
31 years	11,966	11,393	10,162	1,227	573
32 years	11,522	10,948	9,550	1,397	574
33 years	9,639	9,162	7,881	1,277	477
34 years	8,025	7,689	6,603	1,079	336
35 years	7,223	6,832	5,725	1,107	391
36 years	6,271	5,952	5,110	839	319
37 years	4,129	3,947	3,302	644	182
38 years	3,765	3,550	2,975	574	215
39 years	2,718	2,595	2,164	431	123
40 years	1,905	1,826	1,544	282	79
41 years	1,144	1,109	958	150	35
42 years	810	774	662	111	36
43 years	454	436	375	60	18
44 years	229	219	167	51	10
45 years	130	116	92	24	14
46 years	69	64	54	10	5
47 years	26	22	17	5	4
48 years	14	11	10	1	3
49 years	17	16	6	10	1
50 years	1	--	--	--	1
51 years	2	1	1	--	1
52 years	2	2	2	--	--
Not stated	552	431	399	22	121
FOURTH CHILD	179,875	153,654	140,632	12,930	26,221
16 years	19	5	5	--	14
17 years	64	29	26	3	35
18 years	223	105	101	4	118
19 years	731	380	366	13	351
20 years	2,139	1,242	1,191	50	897
21 years	4,187	2,764	2,676	84	1,423
22 years	7,176	4,968	4,784	182	2,208
23 years	10,397	7,674	7,387	281	2,723
24 years	12,961	10,152	9,708	437	2,809
25 years	13,791	11,143	10,647	489	2,648
26 years	14,419	11,972	11,379	583	2,447
27 years	13,263	11,459	10,781	668	1,804
28 years	13,619	11,872	11,096	767	1,747
29 years	12,064	10,724	9,880	843	1,340
30 years	11,745	10,508	9,593	913	1,237
31 years	9,133	8,445	7,671	767	688
32 years	9,208	8,523	7,580	942	685
33 years	7,851	7,314	6,413	899	537
34 years	7,139	6,637	5,769	866	502
35 years	6,531	6,019	5,130	886	512
36 years	6,045	5,585	4,782	800	460
37 years	4,118	3,881	3,336	543	237
38 years	3,904	3,649	3,086	562	255
39 years	2,923	2,759	2,312	447	164
40 years	2,222	2,119	1,769	350	103
41 years	1,248	1,201	1,037	164	47
42 years	1,057	1,013	833	180	44
43 years	611	572	476	95	39
44 years	339	320	274	45	19
45 years	165	150	130	20	15
46 years	78	71	61	10	7
47 years	34	31	24	7	3
48 years	19	14	12	2	5
49 years	8	6	5	1	2
50 years	5	3	2	1	2
51 years	2	2	2	--	--
52 years	5	4	4	--	1
53 years	3	1	1	--	2
54 years	3	1	1	--	2
Not stated	426	337	302	26	89
FIFTH CHILD	120,513	100,704	91,506	9,138	19,809
17 years	11	4	4	--	7
18 years	47	25	23	2	22
19 years	110	43	42	1	67
20 years	429	202	193	9	227
21 years	939	490	475	15	449
22 years	1,902	1,103	1,049	50	799
23 years	3,524	2,282	2,146	135	1,242
24 years	5,182	3,633	3,418	212	1,549
25 years	7,022	5,092	4,856	236	1,930
26 years	8,528	6,492	6,116	371	2,036
27 years	8,650	6,902	6,513	383	1,748
28 years	9,814	8,061	7,542	516	1,753
29 years	8,943	7,551	7,044	503	1,392
30 years	9,304	7,911	7,338	567	1,393
31 years	7,145	6,404	5,890	513	741
32 years	7,799	6,947	6,300	642	852
33 years	6,666	6,021	5,383	634	645
34 years	6,095	5,505	4,877	628	590
35 years	5,675	5,113	4,459	649	562
36 years	5,535	4,988	4,338	649	547
37 years	3,897	3,626	3,133	490	271
38 years	3,743	3,432	2,900	531	311
39 years	2,676	2,668	2,265	402	208
40 years	2,317	2,158	1,817	339	159
41 years	1,424	1,363	1,160	203	61
42 years	1,150	1,083	899	182	67
43 years	695	652	533	118	43
44 years	352	330	269	61	22
45 years	235	217	169	48	18
46 years	108	95	80	15	13
47 years	60	55	47	8	5
48 years	24	17	14	3	7
49 years	10	9	9	--	1
50 years	5	2	2	--	3
51 years	1	1	1	--	--
52 years	3	3	3	--	--
53 years	2	2	2	--	--
54 years	1	1	1	--	--
Not stated	290	221	196	23	69
SIXTH CHILD	85,368	70,210	63,110	7,055	15,158
18 years	25	9	9	--	16
19 years	33	12	10	2	21
20 years	123	59	52	7	64
21 years	208	104	101	3	104
22 years	513	265	247	18	248
23 years	1,000	529	494	34	471
24 years	1,794	1,119	1,031	88	675
25 years	2,850	1,812	1,672	137	1,038
26 years	4,159	2,898	2,704	193	1,261
27 years	4,762	3,518	3,284	231	1,244
28 years	6,103	4,666	4,299	364	1,437
29 years	6,327	5,041	4,694	345	1,286
30 years	6,870	5,485	5,046	433	1,385
31 years	5,737	4,957	4,568	386	780
32 years	6,351	5,439	4,963	472	912
33 years	5,773	4,992	4,532	458	781
34 years	5,281	4,648	4,181	465	633
35 years	5,300	4,638	4,068	566	662
36 years	5,278	4,649	4,072	574	629
37 years	3,604	3,246	2,856	386	358
38 years	3,589	3,219	2,757	461	370
39 years	2,810	2,556	2,166	390	254
40 years	2,282	2,093	1,766	325	189
41 years	1,457	1,365	1,157	208	92

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
SIXTH CHILD—Con.					
42 years	1,263	1,177	965	212	86
43 years	753	715	592	123	38
44 years	422	395	324	71	27
45 years	232	214	181	33	18
46 years	154	143	111	32	11
47 years	52	48	35	13	4
48 years	33	26	20	6	7
49 years	19	15	10	5	4
50 years	7	5	4	1	2
51 years	3	1	1	--------	2
53 years	1	1	1	--------	-------
54 years	2	2	2	--------	-------
Not stated	198	149	135	13	49
SEVENTH CHILD	60,454	49,127	43,629	5,467	11,327
19 years	2	---------	--------	--------	2
20 years	48	21	20	1	27
21 years	68	38	35	3	30
22 years	130	58	55	3	72
23 years	258	118	110	8	140
24 years	548	271	241	29	277
25 years	953	544	489	54	409
26 years	1,539	933	836	96	606
27 years	2,072	1,396	1,281	113	676
28 years	3,065	2,131	1,953	175	934
29 years	3,419	2,542	2,310	222	877
30 years	4,413	3,339	3,039	299	1,074
31 years	3,971	3,190	2,933	253	781
32 years	4,738	3,949	3,609	340	789
33 years	4,621	3,885	3,470	412	736
34 years	4,623	3,941	3,553	386	682
35 years	4,545	3,846	3,410	434	699
36 years	4,882	4,131	3,629	499	751
37 years	3,287	2,905	2,553	350	382
38 years	3,553	3,095	2,641	454	458
39 years	2,680	2,393	2,035	356	287
40 years	2,240	1,991	1,691	300	249
41 years	1,479	1,375	1,182	192	104
42 years	1,291	1,179	999	179	112
43 years	863	814	695	119	49
44 years	486	451	374	77	35
45 years	263	235	195	40	28
46 years	129	121	94	27	8
47 years	66	57	47	10	9
48 years	32	24	20	4	8
49 years	25	21	14	7	4
50 years	10	9	7	2	1
52 years	2	1	1	--------	1
53 years	3	2	2	--------	1
Not stated	150	121	106	13	29
EIGHTH CHILD	43,839	35,192	30,950	4,206	8,647
20 years	18	13	13	--------	5
21 years	32	15	15	--------	17
22 years	52	25	23	2	27
23 years	99	41	39	2	58
24 years	171	74	67	7	97
25 years	338	164	139	25	174
26 years	556	311	272	39	245
27 years	747	463	420	42	284
28 years	1,378	895	790	103	483
29 years	1,688	1,180	1,053	126	508
30 years	2,442	1,668	1,464	204	774
31 years	2,292	1,743	1,563	179	549
32 years	3,170	2,476	2,212	260	694
33 years	3,377	2,708	2,445	261	669
34 years	3,475	2,832	2,523	308	643
35 years	3,756	3,073	2,751	319	683
36 years	4,229	3,486	3,058	424	743
37 years	3,060	2,629	2,321	306	431
38 years	3,329	2,845	2,518	326	484
39 years	2,522	2,223	1,921	298	299
40 years	2,223	1,940	1,649	289	283
41 years	1,489	1,352	1,171	181	137
42 years	1,331	1,211	1,024	186	120
43 years	866	783	648	134	83
44 years	528	480	401	79	48
45 years	298	262	207	53	36
46 years	122	109	91	18	13
47 years	59	47	37	10	12
48 years	46	35	24	11	11
49 years	14	10	8	2	4
50 years	4	2	2	--------	2
51 years	1	1	1	--------	-------
53 years	1	---------	--------	--------	1
54 years	1	---------	--------	--------	1
Not stated	125	96	80	12	29
NINTH CHILD	30,834	24,239	21,102	3,115	6,595
21 years	14	8	8	--------	6
22 years	26	14	13	1	12
23 years	35	16	15	1	19
24 years	58	34	32	2	24
25 years	99	41	36	5	58
26 years	205	106	85	21	99
27 years	296	158	134	24	138
NINTH CHILD—Con.					
28 years	500	284	259	25	216
29 years	739	443	375	68	296
30 years	1,139	683	593	89	456
31 years	1,148	800	713	87	348
32 years	1,743	1,262	1,112	150	481
33 years	2,049	1,548	1,352	194	501
34 years	2,267	1,723	1,525	198	544
35 years	2,614	1,976	1,737	238	638
36 years	3,212	2,563	2,275	288	649
37 years	2,490	2,043	1,807	236	447
38 years	2,813	2,356	2,065	289	457
39 years	2,393	2,027	1,746	279	366
40 years	2,146	1,827	1,561	265	319
41 years	1,294	1,166	1,002	162	128
42 years	1,371	1,219	1,027	188	152
43 years	864	790	677	112	74
44 years	559	506	427	79	53
45 years	339	303	243	60	36
46 years	175	150	125	24	25
47 years	85	73	60	13	12
48 years	40	26	21	5	14
49 years	22	18	14	3	4
50 years	8	6	5	1	2
51 years	2	2	2	--------	--------
52 years	2	2	1	1	--------
54 years	3	3	2	1	--------
55 years	1	1	--------	1	--------
Not stated	83	62	53	5	21
TENTH CHILD	21,624	16,713	14,419	2,279	4,911
22 years	15	5	5	--------	10
23 years	17	10	8	2	7
24 years	32	17	16	1	15
25 years	61	26	18	8	35
26 years	67	36	32	4	31
27 years	124	60	54	6	64
28 years	186	86	73	13	100
29 years	280	146	127	19	134
30 years	536	305	257	48	231
31 years	560	379	328	51	181
32 years	880	595	494	101	285
33 years	1,013	684	588	95	329
34 years	1,249	893	785	106	356
35 years	1,675	1,210	1,039	170	465
36 years	2,247	1,709	1,455	251	538
37 years	1,688	1,304	1,145	159	384
38 years	2,270	1,820	1,593	227	450
39 years	2,013	1,647	1,448	198	366
40 years	1,970	1,623	1,410	212	347
41 years	1,262	1,141	997	142	121
42 years	1,313	1,126	954	172	187
43 years	859	775	654	120	84
44 years	553	493	423	70	60
45 years	353	306	242	63	47
46 years	176	149	129	20	27
47 years	74	62	55	7	12
48 years	43	31	25	6	12
49 years	33	25	21	4	8
50 years	6	3	3	--------	3
51 years	1	---------	--------	--------	1
52 years	1	1	1	--------	--------
54 years	2	1	1	--------	1
Not stated	65	45	39	4	20
ELEVENTH CHILD	13,695	10,397	8,724	1,661	3,298
23 years	21	16	16	--------	5
24 years	29	18	18	--------	11
25 years	25	12	11	1	13
26 years	45	26	23	3	19
27 years	46	25	21	4	21
28 years	72	45	38	7	27
29 years	106	58	42	16	48
30 years	248	118	97	21	130
31 years	223	134	107	27	89
32 years	389	231	194	37	158
33 years	528	352	296	55	176
34 years	614	419	354	64	195
35 years	915	637	542	94	278
36 years	1,228	847	714	133	381
37 years	1,039	767	623	143	272
38 years	1,432	1,094	930	164	338
39 years	1,432	1,099	940	159	333
40 years	1,332	1,092	914	175	240
41 years	973	836	714	119	137
42 years	1,054	890	750	139	164
43 years	777	684	568	116	93
44 years	511	449	364	85	62
45 years	310	264	221	43	46
46 years	158	139	114	25	19
47 years	77	68	55	13	9
48 years	50	33	25	8	17
49 years	17	12	8	4	5
50 years	6	3	2	1	3
51 years	1	1	--------	1	--------
52 years	1	1	1	--------	--------
Not stated	36	27	22	4	9

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
TWELFTH CHILD	8,684	6,567	5,400	1,163	2,117
25 years	22	6	5	1	16
26 years	16	11	10	1	5
27 years	21	17	16	1	4
28 years	34	20	17	3	14
29 years	51	23	20	3	28
30 years	96	49	44	5	47
31 years	109	63	53	9	46
32 years	158	101	82	19	57
33 years	208	128	105	23	80
34 years	260	174	146	28	86
35 years	477	332	263	68	145
36 years	678	461	361	100	217
37 years	618	450	373	77	168
38 years	895	643	530	113	252
39 years	920	682	556	126	238
40 years	955	736	607	128	219
41 years	677	573	480	93	104
42 years	821	683	565	118	138
43 years	657	563	473	90	94
44 years	442	382	318	64	60
45 years	280	237	184	53	43
46 years	131	109	91	18	22
47 years	67	58	47	11	9
48 years	46	36	31	5	10
49 years	19	12	9	3	7
50 years	6	5	3	2	1
52 years	2	1	1	---	1
53 years	1	1	1	---	---
55 years	1	---	---	---	1
Not stated	16	11	9	1	5
THIRTEENTH CHILD	4,795	3,522	2,855	665	1,273
25 years	3	---	---	---	3
26 years	1	---	---	---	1
27 years	5	1	1	---	4
28 years	9	5	3	2	4
29 years	13	6	6	---	7
30 years	48	18	15	3	30
31 years	29	14	9	5	15
32 years	72	39	34	5	33
33 years	100	57	47	10	43
34 years	130	85	67	18	45
35 years	202	129	101	28	73
36 years	334	218	161	57	116
37 years	307	224	188	36	83
38 years	492	350	279	70	142
39 years	503	351	288	63	152
40 years	542	405	335	70	137
41 years	394	323	265	58	71
42 years	506	403	333	70	103
43 years	387	313	264	49	74
44 years	298	242	198	44	56
45 years	211	166	131	35	45
46 years	114	99	76	23	15
47 years	41	35	23	12	6
48 years	30	24	19	4	6
49 years	13	8	6	2	5
50 years	2	---	---	---	2
54 years	1	1	---	1	---
Not stated	8	6	6	---	2
FOURTEENTH CHILD	2,707	1,936	1,516	418	771
26 years	3	3	3	---	---
27 years	5	2	2	---	3
28 years	7	2	1	1	5
29 years	13	6	6	---	7
30 years	32	13	11	2	19
31 years	25	17	14	3	8
32 years	32	15	12	3	17
33 years	38	23	19	3	15
34 years	70	40	36	4	30
35 years	93	55	43	12	38
36 years	138	83	68	15	55
37 years	177	118	94	24	59
38 years	257	160	122	38	97
39 years	292	219	174	45	73
40 years	293	217	166	51	76
41 years	226	179	136	43	47
42 years	273	204	160	44	69
43 years	233	177	140	36	56
44 years	188	154	114	40	34
45 years	139	111	83	28	28
46 years	79	66	51	15	13
47 years	38	27	23	4	11
48 years	37	31	26	5	6
49 years	8	5	4	1	3
50 years	2	1	1	---	1
51 years	1	1	1	---	---
52 years	1	---	---	---	1
Not stated	7	7	6	1	---
FIFTEENTH CHILD	1,407	930	720	209	477
27 years	1	1	1	---	---
28 years	1	---	---	---	1
29 years	5	2	1	1	3

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE.			Other races
		Total 2/	Mother native	Mother foreign-born	
FIFTEENTH CHILD—Con.					
30 years	8	5	4	---	3
31 years	7	3	2	1	4
32 years	14	6	5	1	8
33 years	21	14	12	2	7
34 years	33	15	12	3	18
35 years	40	20	14	6	20
36 years	70	36	27	9	34
37 years	74	32	27	5	42
38 years	135	78	60	18	57
39 years	132	90	74	16	42
40 years	153	100	77	23	53
41 years	121	85	61	24	36
42 years	145	108	88	20	37
43 years	153	120	90	30	33
44 years	116	86	70	16	30
45 years	72	54	38	16	18
46 years	45	36	28	8	9
47 years	31	22	16	6	9
48 years	16	9	7	2	7
49 years	9	4	4	---	5
50 years	1	1	---	1	---
52 years	1	---	---	---	1
Not stated	3	3	2	1	---
SIXTEENTH CHILD	759	510	391	118	249
28 years	2	---	---	---	2
29 years	2	1	---	1	1
30 years	6	2	2	---	4
31 years	6	5	5	---	1
32 years	6	2	2	---	4
33 years	3	2	2	---	1
34 years	11	7	6	1	4
35 years	30	15	12	3	15
36 years	41	24	19	5	17
37 years	25	16	13	3	9
38 years	50	29	22	7	21
39 years	77	57	48	9	20
40 years	88	55	43	12	33
41 years	84	55	46	9	29
42 years	71	49	39	10	22
43 years	73	57	40	17	16
44 years	71	52	37	15	19
45 years	51	40	23	17	11
46 years	35	28	25	3	7
47 years	8	6	4	2	2
48 years	6	2	2	---	4
49 years	7	3	1	2	4
50 years	3	2	---	1	1
51 years	1	---	---	---	1
54 years	1	---	---	---	1
Not stated	1	1	---	1	---
SEVENTEENTH CHILD	344	227	184	41	117
30 years	2	1	1	---	1
31 years	1	---	---	---	1
32 years	2	1	1	---	1
33 years	1	1	---	1	---
34 years	4	2	1	1	2
35 years	12	4	4	---	8
36 years	18	10	7	3	8
37 years	15	9	8	1	6
38 years	24	17	13	4	7
39 years	40	23	15	7	17
40 years	33	22	17	5	11
41 years	27	20	18	2	7
42 years	40	25	20	5	15
43 years	46	35	30	5	11
44 years	28	24	18	5	4
45 years	24	18	17	1	6
46 years	7	5	5	---	2
47 years	9	7	6	1	2
48 years	2	1	1	---	1
49 years	3	---	---	---	3
50 years	1	---	---	---	1
51 years	2	---	---	---	2
Not stated	3	2	2	---	1
EIGHTEENTH CHILD	176	116	82	34	60
31 years	1	---	---	---	1
32 years	2	1	1	---	1
33 years	1	---	---	---	1
34 years	5	4	2	2	1
35 years	5	5	5	---	---
36 years	12	7	5	2	5
37 years	9	3	---	3	6
38 years	12	10	7	3	2
39 years	14	11	10	1	3
40 years	20	14	12	2	6
41 years	13	6	4	2	7
42 years	20	16	9	7	4
43 years	15	11	10	1	4
44 years	20	15	10	5	5
45 years	12	7	4	3	5
46 years	8	2	2	---	6
47 years	5	3	1	2	2
48 years	1	1	---	1	---
53 years	1	---	---	---	1

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER OF CHILD AND AGE OF MOTHER	Total births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
NINETEENTH CHILD	96	54	42	12	42
32 years	2	1	1	--	1
33 years	2	--	--	--	2
34 years	1	--	--	--	1
35 years	4	3	2	1	1
36 years	7	3	3	--	4
37 years	3	1	--	1	2
38 years	8	4	3	1	4
39 years	15	9	7	2	6
40 years	9	4	4	--	5
41 years	4	3	1	2	1
42 years	11	5	5	--	6
43 years	9	6	5	1	3
44 years	11	8	5	3	3
45 years	5	3	3	--	2
46 years	1	1	1	--	--
47 years	1	1	1	--	--
48 years	1	--	--	--	1
49 years	2	2	1	1	--
TWENTIETH CHILD	50	32	25	7	18
34 years	1	--	--	--	1
35 years	1	1	1	--	--
36 years	2	2	2	--	--
37 years	3	1	1	--	2
38 years	5	2	2	--	3
39 years	6	5	4	1	1
40 years	6	4	3	1	2
41 years	6	3	3	--	3
42 years	8	4	4	--	4
43 years	3	3	1	2	--
44 years	3	3	2	1	--
45 years	2	1	1	--	1
46 years	2	2	--	2	--
47 years	1	--	--	--	1
49 years	1	1	1	--	--
TWENTY-FIRST CHILD	19	12	11	1	7
34 years	1	1	1	--	--
35 years	1	1	1	--	--
39 years	1	1	1	--	--
40 years	2	2	2	--	--
41 years	4	2	2	--	2
42 years	3	--	--	--	3
43 years	2	--	--	--	2
44 years	1	1	--	1	--
45 years	3	3	3	--	--
47 years	1	1	1	--	--
TWENTY-SECOND CHILD	12	7	6	1	5
36 years	1	1	1	--	--
37 years	1	--	--	--	1
38 years	1	1	1	--	--
40 years	1	--	--	--	1
41 years	2	2	2	--	--
42 years	1	--	--	--	1
43 years	3	1	--	1	2
44 years	2	2	2	--	--
TWENTY-THIRD CHILD	10	4	1	3	6
39 years	1	--	--	--	1
42 years	3	1	--	1	2
43 years	1	--	--	--	1
TWENTY-THIRD CHILD—Continued					
44 years	3	2	1	1	1
45 years	1	1	--	1	--
48 years	1	--	--	--	1
TWENTY-FOURTH CHILD	5	2	2	--	3
38 years	1	1	1	--	--
40 years	1	--	--	--	1
42 years	1	--	--	--	1
43 years	1	1	1	--	--
46 years	1	--	--	--	1
TWENTY-FIFTH CHILD	3	2	1	1	1
39 years	1	--	--	--	1
45 years	2	2	1	1	--
TWENTY-SIXTH CHILD	2	1	1	--	1
39 years	1	--	--	--	1
45 years	1	1	1	--	--
TWENTY-SEVENTH CHILD	1	1	1	--	--
46 years	1	1	1	--	--
NUMBER OF CHILD NOT STATED	4,439	3,520	3,084	249	919
15 years	1	--	--	--	1
16 years	8	6	6	--	2
17 years	12	9	8	1	3
18 years	30	23	21	2	7
19 years	38	30	28	2	8
20 years	48	37	36	--	11
21 years	263	199	190	4	64
22 years	317	241	236	3	76
23 years	349	277	264	10	72
24 years	282	224	214	9	58
25 years	311	249	232	16	62
26 years	280	228	212	13	52
27 years	249	207	188	17	42
28 years	220	185	171	14	35
29 years	207	165	149	15	42
30 years	197	149	134	12	48
31 years	146	124	109	15	22
32 years	157	124	109	15	33
33 years	130	101	88	11	29
34 years	116	95	91	3	21
35 years	106	82	71	10	24
36 years	120	88	77	10	32
37 years	85	71	57	13	14
38 years	76	63	49	13	13
39 years	60	51	44	7	9
40 years	56	50	46	4	6
41 years	42	36	31	5	6
42 years	29	24	20	4	5
43 years	20	17	12	4	3
44 years	16	14	11	3	2
45 years	8	8	6	2	--
46 years	5	3	2	1	2
47 years	3	2	2	--	1
48 years	2	1	1	--	1
49 years	1	1	1	--	--
53 years	1	1	1	--	--
Not stated	448	335	167	11	113

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
United States	2,144,790	1,881,883	1,738,826	141,511	262,907
First child	744,601	667,944	634,849	32,482	76,657
Second child	476,859	427,747	398,843	28,632	49,112
Third child	279,767	245,623	226,219	19,274	34,144
Fourth child	180,561	154,340	141,214	13,034	26,221
Fifth child	120,957	101,148	91,874	9,213	19,809
Sixth child	85,694	70,536	63,380	7,111	15,158
Seventh child	60,670	49,342	43,792	5,519	11,328
Eighth child	43,993	35,346	31,066	4,244	8,647
Ninth child	30,931	24,336	21,169	3,145	6,595
Tenth child	21,700	16,788	14,472	2,301	4,912
Eleventh child	13,749	10,451	8,761	1,678	3,298
Twelfth child	8,713	6,596	5,416	1,176	2,117
Thirteenth child	4,817	3,544	2,869	673	1,273
Fourteenth child	2,715	1,944	1,520	422	771
Fifteenth child	1,411	934	722	210	477
Sixteenth child	761	512	391	120	249
Seventeenth child	345	228	184	42	117
Eighteenth child	176	116	82	34	60
Nineteenth child	96	54	42	12	42
Twentieth child	51	33	26	7	18
Twenty-first child	19	12	11	1	7
Twenty-second child	12	7	6	1	5
Twenty-third child	10	4	1	3	6
Twenty-fourth child	5	2	2	---	3
Twenty-fifth child	3	2	1	1	1
Twenty-sixth child	2	1	1	---	1
Twenty-seventh child	1	1	1	---	---
Not stated	66,171	64,292	51,912	12,176	1,879
ALABAMA	60,116	36,749	36,639	83	23,367
First child	18,868	12,149	12,102	35	6,719
Second child	11,743	7,536	7,519	13	4,207
Third child	8,052	5,013	5,003	9	3,049
Fourth child	5,913	3,480	3,472	8	2,433
Fifth child	4,382	2,543	2,535	4	1,839
Sixth child	3,343	1,945	1,941	4	1,398
Seventh child	2,240	1,242	1,237	4	998
Eighth child	1,801	1,017	1,016	---	784
Ninth child	1,318	716	715	1	602
Tenth child	890	444	442	1	446
Eleventh child	586	282	281	1	304
Twelfth child	383	167	166	1	216
Thirteenth child	210	66	66	---	144
Fourteenth child	118	43	41	2	75
Fifteenth child	65	17	16	---	48
Sixteenth child	28	7	7	---	21
Seventeenth child	11	2	2	---	9
Eighteenth child	10	2	2	---	8
Nineteenth child	6	---	---	---	6
Twentieth child	5	2	2	---	3
Twenty-first child	1	---	---	---	1
Twenty-fourth child	2	---	---	---	2
Not stated	131	76	74	---	55
ARIZONA	9,545	8,281	6,764	1,494	1,264
First child	3,041	2,679	2,446	228	362
Second child	1,996	1,774	1,575	196	222
Third child	1,237	1,100	913	185	137
Fourth child	879	743	592	149	136
Fifth child	643	537	387	150	106
Sixth child	507	412	269	141	95
Seventh child	340	287	178	107	53
Eighth child	269	217	126	88	52
Ninth child	189	154	80	73	35
Tenth child	147	121	64	56	26
Eleventh child	89	74	37	37	15
Twelfth child	69	60	30	29	9
Thirteenth child	34	30	11	19	4
Fourteenth child	20	18	9	9	2
Fifteenth child	16	15	8	7	1
Sixteenth child	6	6	3	3	---
Seventeenth child	6	6	2	4	---
Eighteenth child	2	2	---	2	---
Nineteenth child	1	1	1	---	---
Not stated	54	45	33	11	9
ARKANSAS	33,520	25,374	25,280	40	8,146
First child	10,607	8,310	8,289	6	2,297
Second child	6,984	5,453	5,435	6	1,531
Third child	4,512	3,496	3,487	5	1,016
Fourth child	3,189	2,393	2,382	4	796
Fifth child	2,403	1,758	1,749	5	645
Sixth child	1,695	1,228	1,223	4	467
Seventh child	1,265	868	861	5	397
Eighth child	876	616	613	1	260
Ninth child	623	412	411	1	211
Tenth child	454	294	293	---	160
Eleventh child	270	151	150	---	119
Twelfth child	179	96	94	2	83
Thirteenth child	88	49	48	1	39
Fourteenth child	37	16	16	---	21
Fifteenth child	20	5	5	---	15
Sixteenth child	10	2	2	---	8
Seventeenth child	11	4	4	---	7
Eighteenth child	1	---	---	---	1
ARKANSAS—Continued					
Nineteenth child	1	---	---	---	1
Not stated	295	223	218	---	72
CALIFORNIA	84,502	80,421	68,110	12,288	4,081
First child	36,305	35,081	31,947	3,127	1,224
Second child	21,991	21,091	18,665	2,416	900
Third child	10,429	9,851	8,264	1,586	578
Fourth child	5,425	5,058	3,957	1,100	367
Fifth child	3,227	2,932	2,060	872	295
Sixth child	2,190	1,973	1,221	752	217
Seventh child	1,613	1,397	747	650	216
Eighth child	1,094	976	457	518	118
Ninth child	773	695	326	369	78
Tenth child	535	495	197	298	40
Eleventh child	359	337	124	212	22
Twelfth child	236	223	72	151	13
Thirteenth child	144	137	30	107	7
Fourteenth child	89	87	20	66	2
Fifteenth child	40	37	9	28	3
Sixteenth child	25	24	5	19	1
Seventeenth child	4	4	1	3	---
Eighteenth child	10	10	---	10	---
Nineteenth child	2	2	---	2	---
Twentieth child	3	3	2	1	---
Twenty-second child	1	1	---	1	---
Not stated	7	7	6	---	---
COLORADO	18,279	18,039	16,891	948	240
First child	6,561	6,495	6,320	127	66
Second child	4,267	4,221	4,081	129	46
Third child	2,391	2,357	2,219	122	34
Fourth child	1,527	1,508	1,399	100	19
Fifth child	981	961	860	96	20
Sixth child	696	679	597	80	17
Seventh child	491	483	404	74	8
Eighth child	366	356	294	58	10
Ninth child	245	237	190	45	8
Tenth child	194	190	150	40	4
Eleventh child	115	112	76	35	3
Twelfth child	75	74	59	15	1
Thirteenth child	37	36	25	11	1
Fourteenth child	24	24	21	3	---
Fifteenth child	7	7	6	1	---
Sixteenth child	4	4	3	1	---
Seventeenth child	5	5	4	1	---
Eighteenth child	1	1	1	---	---
Nineteenth child	1	1	1	---	---
Twentieth child	2	2	2	---	---
Not stated	289	286	179	10	3
CONNECTICUT	22,228	21,633	17,896	3,732	595
First child	9,083	8,919	7,992	925	164
Second child	5,619	5,499	4,687	811	120
Third child	2,907	2,845	2,277	567	62
Fourth child	1,649	1,582	1,185	396	67
Fifth child	1,018	958	686	272	60
Sixth child	637	595	402	193	42
Seventh child	431	402	237	165	29
Eighth child	286	270	150	120	16
Ninth child	201	191	95	96	10
Tenth child	165	152	85	67	13
Eleventh child	93	88	40	48	5
Twelfth child	55	49	24	25	6
Thirteenth child	39	38	15	23	1
Fourteenth child	18	18	5	13	---
Fifteenth child	6	6	3	3	---
Sixteenth child	7	7	2	5	---
Seventeenth child	3	3	2	1	---
Eighteenth child	1	1	---	1	---
Nineteenth child	2	2	1	1	---
Not stated	8	8	8	---	---
DELAWARE	3,922	3,249	3,101	147	673
First child	1,442	1,258	1,217	40	184
Second child	895	774	751	23	121
Third child	503	423	401	22	80
Fourth child	326	258	244	14	68
Fifth child	231	167	157	10	64
Sixth child	160	111	104	7	49
Seventh child	104	81	71	10	23
Eighth child	89	66	59	7	23
Ninth child	64	41	35	6	23
Tenth child	28	20	17	3	8
Eleventh child	31	18	14	4	13
Twelfth child	16	11	11	---	5
Thirteenth child	10	5	4	1	5
Fourteenth child	6	5	5	---	1
Fifteenth child	5	4	4	---	1
Sixteenth child	1	---	---	---	1
Seventeenth child	---	---	---	---	---
Eighteenth child	1	---	---	---	1
Twenty-fourth child	1	---	---	---	1
Not stated	9	7	7	---	2

1/ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936—Continued

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
DISTRICT OF COLUMBIA	11,704	7,900	7,430	433	3,804
First child	5,116	3,874	3,710	143	1,242
Second child	2,812	2,019	1,894	125	793
Third child	1,393	915	841	73	478
Fourth child	821	464	425	39	357
Fifth child	491	232	211	21	259
Sixth child	323	138	126	12	185
Seventh child	209	81	74	7	128
Eighth child	160	58	55	3	102
Ninth child	82	19	18	1	63
Tenth child	60	15	13	2	45
Eleventh child	35	10	9	1	25
Twelfth child	22	8	6	2	14
Thirteenth child	12	3	2	1	9
Fourteenth child	9	2	1	1	7
Fifteenth child	6	3	2	1	3
Sixteenth child	5	2	2	--------	3
Seventeenth child	1	----------	----------	--------	1
Eighteenth child	1	----------	----------	--------	1
Nineteenth child	1	----------	----------	--------	1
Twentieth child	1	----------	----------	--------	1
Not stated	144	57	41	1	87
FLORIDA	28,097	19,755	19,266	459	8,342
First child	10,340	7,718	7,535	173	2,622
Second child	5,125	4,572	4,469	95	1,553
Third child	3,617	2,592	2,521	70	1,025
Fourth child	2,447	1,632	1,588	42	815
Fifth child	1,668	1,067	1,036	29	601
Sixth child	1,186	744	722	20	442
Seventh child	830	491	482	9	339
Eighth child	661	360	347	13	301
Ninth child	423	217	215	2	206
Tenth child	284	143	140	2	141
Eleventh child	172	76	75	1	96
Twelfth child	111	44	44	--------	67
Thirteenth child	70	24	24	--------	46
Fourteenth child	42	16	13	3	26
Fifteenth child	23	7	7	--------	16
Sixteenth child	9	3	3	--------	6
Seventeenth child	2	----------	----------	--------	2
Eighteenth child	2	----------	----------	--------	2
Nineteenth child	3	1	1	--------	2
Twentieth child	1	1	1	--------	--------
Twenty-second child	1	----------	----------	--------	1
Not stated	80	47	43	--------	33
GEORGIA	61,658	36,361	36,220	98	25,297
First child	20,112	12,462	12,415	36	7,650
Second child	12,269	7,578	7,537	32	4,691
Third child	8,595	4,999	4,985	12	3,596
Fourth child	5,816	3,333	3,323	5	2,483
Fifth child	4,200	2,339	2,331	4	1,861
Sixth child	3,077	1,733	1,727	4	1,344
Seventh child	2,147	1,184	1,180	1	963
Eighth child	1,618	887	884	2	731
Ninth child	1,161	619	617	--------	542
Tenth child	871	421	419	1	450
Eleventh child	592	280	278	--------	312
Twelfth child	337	143	143	--------	194
Thirteenth child	179	63	63	--------	116
Fourteenth child	101	44	44	--------	57
Fifteenth child	73	25	25	--------	48
Sixteenth child	38	11	11	--------	27
Seventeenth child	15	4	4	--------	11
Eighteenth child	14	4	4	--------	10
Nineteenth child	5	1	1	--------	4
Twentieth child	6	2	2	--------	4
Twenty-first child	2	1	1	--------	1
Twenty-second child	1	----------	----------	--------	1
Twenty-third child	4	----------	----------	--------	4
Twenty-fourth child	1	1	1	--------	--------
Twenty-fifth child	1	----------	----------	--------	1
Twenty-sixth child	1	----------	----------	--------	1
Not stated	422	227	225	1	195
IDAHO	10,224	10,123	9,822	293	101
First child	3,636	3,620	3,535	82	16
Second child	2,461	2,446	2,399	44	15
Third child	1,439	1,425	1,389	36	14
Fourth child	894	883	851	32	11
Fifth child	598	586	556	30	12
Sixth child	409	397	372	25	12
Seventh child	262	258	244	13	4
Eighth child	196	191	182	9	5
Ninth child	125	119	112	7	6
Tenth child	78	75	71	4	3
Eleventh child	50	49	46	2	1
Twelfth child	29	28	23	5	1
Thirteenth child	17	17	17	--------	--------
Fourteenth child	11	11	9	2	--------
Fifteenth child	6	6	4	2	--------
Not stated	13	12	12	--------	1
ILLINOIS	112,167	106,574	97,358	9,142	5,593
First child	45,340	43,563	40,941	2,570	1,777
Second child	28,108	26,908	24,583	2,314	1,200
ILLINOIS—Continued					
Third child	14,863	14,112	12,653	1,457	751
Fourth child	8,567	8,002	7,084	917	565
Fifth child	5,158	4,780	4,208	570	378
Sixth child	3,424	3,135	2,716	418	289
Seventh child	2,247	2,028	1,768	259	219
Eighth child	1,660	1,512	1,277	235	148
Ninth child	1,063	968	828	139	95
Tenth child	665	595	511	84	70
Eleventh child	381	347	290	57	34
Twelfth child	285	263	205	57	22
Thirteenth child	143	131	106	25	12
Fourteenth child	77	70	56	14	7
Fifteenth child	40	32	26	6	8
Sixteenth child	28	23	19	4	5
Seventeenth child	10	9	8	1	1
Eighteenth child	3	2	1	1	1
Nineteenth child	2	1	1	--------	1
Twentieth child	3	2	2	--------	1
Twenty-second child	1	1	1	--------	--------
Not stated	99	90	74	14	9
INDIANA	54,034	52,400	51,237	1,139	1,634
First child	19,337	18,882	18,614	262	455
Second child	12,416	12,124	11,893	225	292
Third child	7,277	7,059	6,893	165	218
Fourth child	4,739	4,574	4,447	123	165
Fifth child	3,230	3,097	2,996	101	133
Sixth child	2,166	2,066	1,991	74	100
Seventh child	1,644	1,570	1,513	57	74
Eighth child	1,149	1,085	1,046	37	64
Ninth child	789	741	710	31	48
Tenth child	531	501	470	30	30
Eleventh child	332	307	292	14	25
Twelfth child	188	180	175	5	8
Thirteenth child	95	86	82	4	9
Fourteenth child	66	58	53	5	8
Fifteenth child	23	20	17	3	3
Sixteenth child	14	13	12	1	1
Seventeenth child	10	10	8	2	--------
Eighteenth child	1	----------	----------	--------	1
Nineteenth child	1	1	1	--------	--------
Not stated	26	26	24	--------	--------
IOWA	42,715	42,455	41,392	993	260
First child	14,888	14,811	14,616	176	77
Second child	10,028	9,969	9,764	189	59
Third child	6,103	6,065	5,901	155	38
Fourth child	3,772	3,746	3,625	115	26
Fifth child	2,444	2,425	2,345	76	19
Sixth child	1,650	1,639	1,562	75	11
Seventh child	1,127	1,116	1,057	58	11
Eighth child	771	756	728	34	5
Ninth child	514	511	474	34	3
Tenth child	343	340	319	21	3
Eleventh child	203	199	190	9	4
Twelfth child	147	147	130	17	--------
Thirteenth child	60	59	54	5	1
Fourteenth child	35	34	30	4	1
Fifteenth child	14	14	11	3	--------
Sixteenth child	5	5	4	1	--------
Seventeenth child	4	4	4	--------	--------
Eighteenth child	2	2	2	--------	--------
Twenty-sixth child	1	1	1	--------	--------
Not stated	604	602	575	21	2
KANSAS	29,998	29,076	28,456	612	922
First child	10,665	10,388	10,304	82	277
Second child	7,079	6,900	6,819	79	179
Third child	4,255	4,133	4,058	74	122
Fourth child	2,615	2,529	2,477	52	86
Fifth child	1,752	1,678	1,617	61	74
Sixth child	1,223	1,176	1,127	48	47
Seventh child	798	764	710	54	34
Eighth child	562	514	462	52	48
Ninth child	377	356	327	29	21
Tenth child	299	285	256	29	14
Eleventh child	151	142	119	23	9
Twelfth child	101	97	85	12	4
Thirteenth child	51	49	40	9	2
Fourteenth child	25	22	16	5	3
Fifteenth child	19	18	15	3	1
Sixteenth child	8	8	8	--------	--------
Seventeenth child	2	2	2	--------	--------
Not stated	16	15	14	--------	1
KENTUCKY	55,778	52,775	52,633	114	3,002
First child	16,781	15,855	15,811	30	926
Second child	11,050	10,502	10,471	26	548
Third child	7,455	7,064	7,046	17	391
Fourth child	5,509	5,218	5,199	16	291
Fifth child	4,234	4,025	4,015	8	209
Sixth child	3,179	3,005	2,997	7	174
Seventh child	2,429	2,297	2,296	1	132
Eighth child	1,828	1,724	1,721	3	104
Ninth child	1,254	1,183	1,181	1	71
Tenth child	857	797	796	1	60
Eleventh child	565	513	510	3	52

1/ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936—Continued

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
KENTUCKY—Continued					
Twelfth child	293	278	278	--	15
Thirteenth child	142	130	130	--	12
Fourteenth child	93	86	86	--	7
Fifteenth child	41	38	38	--	3
Sixteenth child	18	14	14	--	4
Seventeenth child	8	7	7	--	1
Eighteenth child	4	4	4	--	--
Twentieth child	1	1	1	--	--
Twenty-first child	1	--	--	--	1
Twenty-third child	1	1	--	1	--
Not stated	35	34	32	--	1
LOUISIANA	43,828	25,376	25,181	187	18,452
First child	14,571	9,195	9,156	35	5,376
Second child	9,009	5,638	5,595	40	3,371
Third child	5,763	3,373	3,346	27	2,390
Fourth child	4,071	2,227	2,208	19	1,844
Fifth child	2,947	1,515	1,503	11	1,432
Sixth child	2,230	1,116	1,100	16	1,114
Seventh child	1,602	766	751	15	836
Eighth child	1,180	558	555	3	622
Ninth child	833	371	367	4	462
Tenth child	573	234	232	2	339
Eleventh child	405	166	161	5	239
Twelfth child	260	89	84	5	171
Thirteenth child	147	49	47	2	98
Fourteenth child	85	27	25	2	58
Fifteenth child	46	18	18	--	28
Sixteenth child	20	7	6	1	13
Seventeenth child	16	5	5	--	11
Eighteenth child	7	2	2	--	5
Nineteenth child	3	--	--	--	3
Twentieth child	2	--	--	--	2
Twenty-seventh child	1	1	1	--	--
Not stated	57	19	19	--	38
MAINE	15,302	15,259	13,434	1,821	43
First child	4,832	4,821	4,406	413	11
Second child	3,286	3,281	2,967	313	5
Third child	2,092	2,088	1,861	227	4
Fourth child	1,425	1,421	1,230	191	4
Fifth child	1,023	1,017	867	150	6
Sixth child	741	735	591	144	6
Seventh child	539	537	429	108	2
Eighth child	412	410	343	67	2
Ninth child	250	250	207	43	--
Tenth child	195	193	151	42	2
Eleventh child	160	160	124	36	--
Twelfth child	103	103	77	26	--
Thirteenth child	83	82	60	22	1
Fourteenth child	51	51	37	14	--
Fifteenth child	24	24	14	10	--
Sixteenth child	18	18	11	7	--
Seventeenth child	12	12	9	3	--
Eighteenth child	3	3	3	--	--
Nineteenth child	2	2	2	--	--
Twentieth child	1	1	1	--	--
Twenty-first child	1	1	1	--	--
Not stated	49	49	43	5	--
MARYLAND	26,588	20,980	20,274	701	5,608
First child	9,537	8,018	7,847	171	1,519
Second child	5,736	4,805	4,631	173	931
Third child	3,389	2,679	2,585	94	710
Fourth child	2,356	1,778	1,702	76	578
Fifth child	1,562	1,138	1,088	50	424
Sixth child	1,213	846	806	40	367
Seventh child	791	504	480	24	287
Eighth child	618	398	383	15	220
Ninth child	428	252	236	16	176
Tenth child	316	193	181	12	123
Eleventh child	216	124	114	10	92
Twelfth child	143	89	82	7	54
Thirteenth child	97	58	53	5	39
Fourteenth child	53	26	23	3	27
Fifteenth child	37	17	14	3	20
Sixteenth child	22	7	6	1	15
Seventeenth child	10	5	5	--	5
Eighteenth child	4	1	1	--	3
Nineteenth child	2	1	1	--	1
Twenty-first child	2	1	1	--	1
Twenty-fourth child	1	1	1	--	--
Not stated	55	39	34	1	16
MASSACHUSETTS 2/	61,704	60,744	48,804	11,923	960
Not stated	61,704	60,744	48,804	11,923	960
MICHIGAN	88,427	85,287	76,058	9,172	3,140
First child	31,410	30,588	28,139	2,425	822
Second child	21,088	20,502	18,384	2,105	586
Third child	12,614	12,212	10,738	1,468	402
Fourth child	7,649	7,349	6,394	952	300
Fifth child	5,012	4,767	4,128	637	245
Sixth child	3,358	3,131	2,701	429	227
MICHIGAN—Continued					
Seventh child	2,181	2,032	1,723	308	149
Eighth child	1,549	1,434	1,181	252	115
Ninth child	1,086	1,003	814	186	83
Tenth child	725	663	558	105	62
Eleventh child	470	421	341	80	49
Twelfth child	308	285	220	65	23
Thirteenth child	175	162	130	31	13
Fourteenth child	101	91	71	20	10
Fifteenth child	47	43	31	12	4
Sixteenth child	23	23	19	4	--
Seventeenth child	11	10	7	3	1
Eighteenth child	5	4	3	1	1
Nineteenth child	3	3	1	2	--
Twentieth child	2	2	2	--	--
Twenty-first child	2	1	1	--	1
Not stated	608	561	472	86	47
MINNESOTA	47,576	46,954	45,025	1,918	622
First child	16,397	16,235	15,796	434	162
Second child	11,267	11,156	10,819	335	111
Third child	6,966	6,874	6,555	318	92
Fourth child	4,314	4,264	4,050	214	50
Fifth child	2,820	2,759	2,583	176	61
Sixth child	1,950	1,904	1,780	124	46
Seventh child	1,257	1,230	1,139	91	27
Eighth child	893	872	805	67	21
Ninth child	624	603	555	48	21
Tenth child	453	438	385	52	15
Eleventh child	259	252	226	26	7
Twelfth child	156	153	141	12	3
Thirteenth child	99	99	88	11	--
Fourteenth child	45	42	40	2	3
Fifteenth child	33	31	28	3	2
Sixteenth child	14	14	12	2	--
Seventeenth child	6	6	6	--	--
Eighteenth child	2	2	1	1	--
Nineteenth child	2	2	1	1	--
Not stated	19	18	15	1	1
MISSISSIPPI	49,446	22,267	22,201	56	27,179
First child	14,362	7,043	7,030	12	7,319
Second child	9,504	4,673	4,656	13	4,831
Third child	6,549	3,086	3,081	5	3,463
Fourth child	5,091	2,254	2,246	4	2,837
Fifth child	3,728	1,558	1,556	2	2,170
Sixth child	2,917	1,209	1,201	8	1,708
Seventh child	2,080	821	818	3	1,259
Eighth child	1,562	556	554	2	1,006
Ninth child	1,149	394	393	1	755
Tenth child	879	271	271	--	608
Eleventh child	513	135	135	--	378
Twelfth child	342	93	89	4	249
Thirteenth child	221	53	53	--	168
Fourteenth child	126	26	25	1	100
Fifteenth child	74	9	9	--	65
Sixteenth child	48	7	7	--	41
Seventeenth child	24	3	3	--	21
Eighteenth child	7	--	--	--	7
Nineteenth child	13	2	1	1	11
Twentieth child	4	--	--	--	4
Twenty-first child	1	--	--	--	1
Twenty-second child	1	--	--	--	1
Twenty-third child	1	--	--	--	1
Not stated	250	74	73	--	176
MISSOURI	55,916	52,393	51,574	800	3,523
First child	20,713	19,583	19,370	208	1,130
Second child	12,947	12,222	12,039	178	725
Third child	7,615	7,143	7,010	127	472
Fourth child	4,689	4,356	4,267	88	333
Fifth child	3,140	2,890	2,829	61	250
Sixth child	2,147	1,965	1,922	43	182
Seventh child	1,550	1,406	1,380	26	144
Eighth child	1,092	1,010	980	29	82
Ninth child	777	713	704	9	64
Tenth child	537	484	472	12	53
Eleventh child	313	284	273	10	29
Twelfth child	180	154	149	5	26
Thirteenth child	96	86	84	2	10
Fourteenth child	49	38	37	1	11
Fifteenth child	21	18	18	--	3
Sixteenth child	19	16	16	--	3
Seventeenth child	9	6	5	1	3
Eighteenth child	2	2	2	--	--
Nineteenth child	3	3	3	--	--
Twenty-second child	1	1	1	--	--
Not stated	16	13	13	--	3
MONTANA	10,400	9,762	9,054	705	638
First child	3,877	3,736	3,581	153	141
Second child	2,507	2,408	2,270	138	99
Third child	1,394	1,297	1,182	114	97
Fourth child	896	811	735	76	85
Fifth child	579	526	476	50	53
Sixth child	388	337	294	43	51

1/ Includes "Country not stated."

2/ The birth certificate of this State does not require the number of child in order of birth.

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936—Continued

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
MONTANA—Continued					
Seventh child	243	212	167	45	31
Eighth child	168	149	127	22	19
Ninth child	121	100	84	16	21
Tenth child	87	74	58	16	13
Eleventh child	65	50	40	10	15
Twelfth child	33	27	19	8	6
Thirteenth child	16	13	8	5	3
Fourteenth child	15	12	6	6	3
Fifteenth child	3	2	2	----	1
Sixteenth child	4	4	2	2	----
Seventeenth child	1	1	1	----	----
Eighteenth child	1	1	----	1	----
Not stated	2	2	2	----	----
NEBRASKA	23,798	23,519	22,793	717	279
First child	8,398	8,326	8,205	115	72
Second child	5,819	5,753	5,610	140	66
Third child	3,463	3,429	3,320	109	34
Fourth child	2,127	2,101	2,011	90	26
Fifth child	1,379	1,356	1,295	61	23
Sixth child	916	897	850	47	19
Seventh child	574	566	525	41	8
Eighth child	426	418	384	34	8
Ninth child	260	250	229	21	10
Tenth child	167	165	144	21	2
Eleventh child	121	117	98	19	4
Twelfth child	71	67	53	14	4
Thirteenth child	32	30	28	2	2
Fourteenth child	20	19	18	1	1
Fifteenth child	8	8	7	1	----
Sixteenth child	8	8	8	----	----
Seventeenth child	3	3	3	----	----
Eighteenth child	3	3	2	1	----
Not stated	3	3	3	----	----
NEVADA	1,419	1,330	1,215	110	89
First child	585	561	536	25	24
Second child	335	319	295	20	16
Third child	194	185	169	16	9
Fourth child	117	101	88	12	16
Fifth child	75	68	54	14	7
Sixth child	48	42	37	5	6
Seventh child	25	20	14	6	5
Eighth child	18	15	12	3	3
Ninth child	14	12	8	4	2
Tenth child	2	1	1	----	1
Eleventh child	3	3	1	2	----
Twelfth child	1	1	----	1	----
Thirteenth child	1	1	----	1	----
Fourteenth child	1	1	----	1	----
NEW HAMPSHIRE	7,679	7,673	6,698	968	6
First child	2,703	2,702	2,477	224	1
Second child	1,741	1,739	1,543	194	2
Third child	1,087	1,086	961	123	1
Fourth child	686	686	582	104	----
Fifth child	444	444	368	75	----
Sixth child	326	326	270	56	----
Seventh child	216	215	163	52	1
Eighth child	154	154	116	38	----
Ninth child	97	97	67	30	----
Tenth child	76	75	53	22	1
Eleventh child	54	54	37	17	----
Twelfth child	29	29	16	13	----
Thirteenth child	22	22	14	8	----
Fourteenth child	8	8	4	4	----
Fifteenth child	4	4	2	1	----
Sixteenth child	2	2	----	2	----
Seventeenth child	1	1	----	1	----
Twentieth child	1	1	1	----	----
Not stated	28	28	24	4	----
NEW JERSEY	53,833	49,634	42,140	7,456	4,199
First child	21,755	20,546	18,634	1,904	1,209
Second child	13,579	12,795	10,969	1,815	784
Third child	7,054	6,485	5,348	1,130	569
Fourth child	4,013	3,595	2,847	745	418
Fifth child	2,411	2,098	1,570	525	313
Sixth child	1,626	1,352	935	415	274
Seventh child	1,081	875	602	272	206
Eighth child	756	639	421	217	117
Ninth child	550	436	281	155	114
Tenth child	353	276	168	108	77
Eleventh child	211	163	98	64	48
Twelfth child	134	112	76	36	22
Thirteenth child	80	64	41	23	16
Fourteenth child	38	31	16	15	7
Fifteenth child	26	17	9	8	9
Sixteenth child	15	9	5	4	6
Seventeenth child	7	6	5	1	1
Eighteenth child	3	3	3	----	----
Nineteenth child	1	1	1	----	----
Twentieth child	1	1	----	1	----
Twenty-first child	1	----	----	----	1
Twenty-third child	1	1	1	----	----
Not stated	137	129	110	18	8
NEW MEXICO	12,907	12,308	11,675	604	599
First child	3,505	3,364	3,284	74	141
Second child	2,484	2,356	2,283	66	128
Third child	1,699	1,615	1,549	64	84
Fourth child	1,295	1,233	1,167	63	62
Fifth child	970	927	860	63	43
Sixth child	783	748	683	64	35
Seventh child	648	611	560	51	37
Eighth child	443	425	380	45	18
Ninth child	358	338	305	31	20
Tenth child	269	255	229	25	14
Eleventh child	190	183	162	20	7
Twelfth child	101	97	82	15	4
Thirteenth child	58	54	47	7	4
Fourteenth child	27	27	22	5	----
Fifteenth child	21	21	15	6	----
Sixteenth child	11	11	9	2	----
Seventeenth child	8	8	7	1	----
Eighteenth child	4	4	4	----	----
Nineteenth child	3	3	3	----	----
Twentieth child	1	1	----	1	----
Twenty-first child	1	1	1	----	----
Not stated	28	26	23	1	2
NEW YORK	182,469	173,937	138,203	35,702	8,532
First child	73,759	70,995	60,089	10,892	2,764
Second child	48,082	46,210	36,485	9,717	1,872
Third child	24,671	23,439	17,725	5,713	1,232
Fourth child	13,709	12,851	9,549	3,300	858
Fifth child	7,821	7,216	5,247	1,965	605
Sixth child	5,073	4,664	3,324	1,339	409
Seventh child	3,388	3,082	2,130	952	306
Eighth child	2,108	1,912	1,323	589	196
Ninth child	1,404	1,284	847	437	120
Tenth child	961	893	600	292	68
Eleventh child	582	540	341	199	42
Twelfth child	382	360	225	135	22
Thirteenth child	216	199	130	69	17
Fourteenth child	136	128	89	39	8
Fifteenth child	63	57	32	25	6
Sixteenth child	25	23	14	9	2
Seventeenth child	15	15	12	3	----
Eighteenth child	6	6	2	4	----
Nineteenth child	3	3	2	1	----
Twentieth child	4	4	2	2	----
Twenty-first child	1	1	----	1	----
Not stated	60	55	35	19	5
NORTH CAROLINA	76,182	52,256	51,920	84	23,926
First child	23,890	17,146	16,945	22	6,744
Second child	15,295	10,866	10,798	26	4,429
Third child	9,844	6,871	6,847	12	2,973
Fourth child	7,241	4,893	4,877	12	2,348
Fifth child	5,439	3,588	3,582	5	1,851
Sixth child	4,017	2,626	2,619	3	1,391
Seventh child	3,123	2,040	2,039	1	1,083
Eighth child	2,390	1,503	1,498	2	887
Ninth child	1,724	1,004	1,002	----	720
Tenth child	1,281	746	745	1	535
Eleventh child	780	420	420	----	360
Twelfth child	526	274	274	----	252
Thirteenth child	268	143	143	----	125
Fourteenth child	171	67	67	----	104
Fifteenth child	84	24	24	----	60
Sixteenth child	33	11	11	----	22
Seventeenth child	17	7	7	----	10
Eighteenth child	6	----	----	----	6
Nineteenth child	6	3	3	----	3
Twentieth child	1	1	1	----	----
Twenty-first child	1	1	1	----	----
Twenty-second child	2	----	----	----	2
Not stated	43	22	17	----	21
NORTH DAKOTA	13,571	13,151	12,275	876	420
First child	3,991	3,905	3,821	84	86
Second child	2,942	2,863	2,780	83	79
Third child	1,944	1,887	1,785	102	57
Fourth child	1,337	1,305	1,214	91	32
Fifth child	952	912	837	75	40
Sixth child	656	632	551	81	24
Seventh child	501	475	404	71	26
Eighth child	378	351	301	50	27
Ninth child	272	258	198	60	14
Tenth child	213	202	142	60	11
Eleventh child	145	136	98	38	9
Twelfth child	93	88	57	31	5
Thirteenth child	72	67	39	28	5
Fourteenth child	43	41	28	13	2
Fifteenth child	14	14	7	7	----
Sixteenth child	8	6	4	2	2
Seventeenth child	2	2	2	----	----
Eighteenth child	2	2	2	----	----
Nineteenth child	1	----	----	----	1
Not stated	5	5	5	----	----

1/ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936—Continued

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
OHIO	103,703	98,367	93,004	5,351	5,336
First child	40,129	38,478	37,147	1,322	1,651
Second child	24,412	23,345	22,199	1,145	1,067
Third child	13,552	12,873	12,026	846	679
Fourth child	8,633	8,129	7,531	598	504
Fifth child	5,286	4,921	4,531	390	365
Sixth child	3,740	3,426	3,113	312	314
Seventh child	2,635	2,405	2,194	211	230
Eighth child	1,809	1,641	1,480	161	168
Ninth child	1,282	1,153	1,024	129	129
Tenth child	901	816	736	80	85
Eleventh child	542	480	416	64	62
Twelfth child	361	319	282	37	42
Thirteenth child	203	185	163	22	18
Fourteenth child	104	89	73	16	15
Fifteenth child	39	37	29	8	2
Sixteenth child	20	18	15	3	2
Seventeenth child	6	5	5	---	1
Eighteenth child	8	8	7	1	---
Nineteenth child	6	6	5	1	---
Twenty-first child	2	2	2	---	---
Not stated	33	31	26	5	2
OKLAHOMA	41,815	38,433	38,177	206	3,382
First child	14,066	13,020	12,958	52	1,046
Second child	9,740	9,110	9,070	33	630
Third child	5,863	5,409	5,365	31	454
Fourth child	3,829	3,485	3,456	21	344
Fifth child	2,651	2,388	2,369	15	263
Sixth child	1,797	1,605	1,589	15	192
Seventh child	1,349	1,210	1,197	11	139
Eighth child	950	861	848	10	89
Ninth child	592	528	523	4	64
Tenth child	406	347	341	6	59
Eleventh child	237	206	205	1	31
Twelfth child	133	110	106	3	23
Thirteenth child	92	71	69	2	21
Fourteenth child	35	27	27	---	8
Fifteenth child	25	17	17	---	8
Sixteenth child	15	11	10	1	4
Seventeenth child	6	3	2	1	3
Eighteenth child	3	---	---	---	3
Twenty-second child	1	1	1	---	---
Not stated	25	24	24	---	1
OREGON	13,975	13,811	13,063	743	164
First child	5,961	5,915	5,659	252	46
Second child	3,686	3,656	3,447	209	30
Third child	1,728	1,708	1,597	111	20
Fourth child	999	984	916	67	15
Fifth child	570	557	520	37	13
Sixth child	371	361	335	26	10
Seventh child	219	215	204	11	4
Eighth child	150	141	129	12	9
Ninth child	92	84	78	6	8
Tenth child	67	63	60	3	4
Eleventh child	39	38	34	4	1
Twelfth child	22	22	21	1	---
Thirteenth child	15	13	12	1	2
Fourteenth child	6	6	5	1	---
Fifteenth child	2	2	2	---	---
Sixteenth child	3	3	2	1	---
Seventeenth child	1	1	1	---	---
Eighteenth child	1	1	1	---	---
Not stated	43	41	40	1	2
PENNSYLVANIA	159,393	151,573	139,889	11,642	7,820
First child	57,557	55,172	53,016	2,141	2,385
Second child	36,164	34,667	32,556	2,105	1,497
Third child	20,962	19,987	18,332	1,650	975
Fourth child	13,537	12,760	11,581	1,178	777
Fifth child	9,271	8,678	7,699	979	593
Sixth child	6,517	6,057	5,280	776	460
Seventh child	4,715	4,378	3,688	689	337
Eighth child	3,368	3,121	2,558	560	247
Ninth child	2,441	2,247	1,789	458	194
Tenth child	1,779	1,636	1,274	359	143
Eleventh child	1,194	1,112	826	286	82
Twelfth child	800	744	542	202	56
Thirteenth child	421	397	294	103	24
Fourteenth child	253	228	156	72	25
Fifteenth child	128	117	86	31	11
Sixteenth child	75	73	51	21	2
Seventeenth child	17	15	11	3	2
Eighteenth child	13	13	10	3	---
Nineteenth child	7	6	5	1	1
Twentieth child	3	2	2	---	1
Twenty-first child	1	1	---	1	---
Twenty-second child	1	1	1	---	---
Twenty-third child	2	2	---	2	---
Not stated	167	159	132	22	8
RHODE ISLAND	10,186	9,951	8,166	1,782	235
First child	3,864	3,804	3,406	398	60
Second child	2,401	2,357	1,986	369	44
Third child	1,373	1,337	1,076	260	36
Fourth child	814	794	631	163	20
Fifth child	549	529	387	142	20
Sixth child	390	375	258	117	15
Seventh child	257	247	130	117	10
Eighth child	195	184	107	77	11
Ninth child	116	109	68	41	7
Tenth child	77	71	39	32	6
Eleventh child	52	50	28	22	2
Twelfth child	32	31	12	19	1
Thirteenth child	30	29	20	9	1
Fourteenth child	15	15	7	8	---
Fifteenth child	7	7	2	5	---
Sixteenth child	5	4	4	---	1
Seventeenth child	5	5	2	3	---
Twenty-second child	1	1	1	---	---
Not stated	3	2	2	---	1
SOUTH CAROLINA	39,292	19,359	19,304	50	19,933
First child	12,226	6,332	6,315	16	5,894
Second child	7,813	4,059	4,042	17	3,754
Third child	5,341	2,618	2,611	7	2,723
Fourth child	3,911	1,846	1,843	3	2,065
Fifth child	2,864	1,402	1,400	2	1,462
Sixth child	2,060	919	917	2	1,141
Seventh child	1,612	759	758	1	853
Eighth child	1,123	532	531	1	591
Ninth child	786	340	339	1	446
Tenth child	634	243	243	---	391
Eleventh child	396	143	143	---	253
Twelfth child	234	85	85	---	149
Thirteenth child	136	43	43	---	93
Fourteenth child	62	17	17	---	45
Fifteenth child	40	5	5	---	35
Sixteenth child	23	3	3	---	20
Seventeenth child	11	2	2	---	9
Eighteenth child	2	---	---	---	2
Nineteenth child	3	---	---	---	3
Twenty-first child	1	1	1	---	---
Twenty-third child	1	---	---	---	1
Twenty-fifth child	1	1	1	---	---
Not stated	12	9	5	---	3
SOUTH DAKOTA	12,879	12,193	11,813	368	686
First child	4,065	3,906	3,859	44	159
Second child	2,953	2,815	2,754	59	138
Third child	1,897	1,814	1,767	46	83
Fourth child	1,254	1,167	1,116	49	87
Fifth child	823	764	743	21	59
Sixth child	604	562	521	40	42
Seventh child	370	337	314	22	33
Eighth child	308	277	250	26	31
Ninth child	215	190	175	15	25
Tenth child	141	128	117	11	13
Eleventh child	110	101	88	12	9
Twelfth child	43	40	27	13	3
Thirteenth child	33	31	26	5	2
Fourteenth child	17	17	14	3	---
Fifteenth child	9	7	7	---	2
Sixteenth child	5	5	4	1	---
Seventeenth child	3	3	3	---	---
Eighteenth child	2	2	2	---	---
Nineteenth child	2	2	2	---	---
Not stated	25	25	24	1	---
TENNESSEE	50,571	42,782	42,661	89	7,789
First child	17,007	14,551	14,504	37	2,456
Second child	10,462	8,913	8,888	19	1,549
Third child	6,624	5,656	5,637	18	968
Fourth child	4,813	4,050	4,042	5	763
Fifth child	3,396	2,852	2,845	4	544
Sixth child	2,631	2,186	2,182	---	445
Seventh child	1,823	1,516	1,513	1	307
Eighth child	1,325	1,086	1,082	2	239
Ninth child	978	782	781	---	196
Tenth child	702	569	569	---	133
Eleventh child	381	301	299	2	80
Twelfth child	209	165	164	1	44
Thirteenth child	104	76	76	---	28
Fourteenth child	46	38	38	---	8
Fifteenth child	23	12	12	---	11
Sixteenth child	6	4	4	---	2
Seventeenth child	5	1	1	---	4
Eighteenth child	2	2	2	---	---
Nineteenth child	1	1	1	---	---
Not stated	33	21	21	---	12
TEXAS	111,602	97,827	88,760	8,958	13,775
First child	38,720	34,574	33,167	1,359	4,146
Second child	24,743	22,100	20,652	1,231	2,643
Third child	14,774	13,009	11,854	1,143	1,765
Fourth child	10,087	8,735	7,651	1,079	1,352
Fifth child	6,892	5,845	4,937	902	1,047
Sixth child	4,868	4,101	3,310	783	767
Seventh child	3,589	3,025	2,387	636	564
Eighth child	2,651	2,181	1,627	554	470
Ninth child	1,849	1,513	1,092	419	336

1/ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1936—Continued

AREA, AND NUMBER OF CHILD	Total births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
TEXAS—Continued					
Tenth child	1,212	989	696	291	223
Eleventh child	784	627	417	210	157
Twelfth child	523	421	277	143	102
Thirteenth child	268	217	137	79	51
Fourteenth child	137	103	57	46	34
Fifteenth child	79	57	33	24	22
Sixteenth child	53	44	24	20	9
Seventeenth child	21	14	8	6	7
Eighteenth child	12	10	4	6	2
Nineteenth child	2	2	---	2	---
Twentieth child	3	2	1	1	1
Twenty-second child	1	1	1	---	---
Not stated	334	257	228	24	77
UTAH	12,551	12,423	11,887	536	128
First child	4,007	3,979	3,874	105	28
Second child	2,978	2,959	2,865	94	19
Third child	1,890	1,874	1,786	88	16
Fourth child	1,282	1,269	1,201	68	13
Fifth child	772	762	706	56	10
Sixth child	541	528	487	41	13
Seventh child	377	365	341	24	12
Eighth child	255	248	230	18	7
Ninth child	182	179	162	17	3
Tenth child	111	107	100	7	4
Eleventh child	73	72	65	7	1
Twelfth child	47	46	40	6	1
Thirteenth child	15	14	10	4	1
Fourteenth child	9	9	8	1	---
Fifteenth child	6	6	6	---	---
Sixteenth child	1	1	1	---	---
Seventeenth child	1	1	1	---	---
Not stated	4	4	4	---	---
VERMONT	6,449	6,448	5,717	717	1
First child	2,056	2,056	1,895	157	---
Second child	1,455	1,454	1,331	123	1
Third child	892	892	793	96	---
Fourth child	650	650	555	94	---
Fifth child	432	432	364	67	---
Sixth child	282	282	255	27	---
Seventh child	207	207	163	41	---
Eighth child	154	154	121	32	---
Ninth child	111	111	81	30	---
Tenth child	80	80	63	17	---
Eleventh child	47	47	33	13	---
Twelfth child	22	22	17	5	---
Thirteenth child	17	17	11	6	---
Fourteenth child	18	18	13	5	---
Fifteenth child	9	9	8	1	---
Sixteenth child	3	3	3	---	---
Seventeenth child	3	3	2	1	---
Not stated	11	11	9	2	---
VIRGINIA	51,247	36,538	36,348	181	14,709
First child	16,281	12,031	11,988	43	4,250
Second child	10,314	7,681	7,637	41	2,633
Third child	6,596	4,778	4,743	34	1,818
Fourth child	4,706	3,268	3,251	16	1,438
Fifth child	3,461	2,383	2,369	14	1,078
Sixth child	2,603	1,805	1,796	9	798
Seventh child	2,019	1,375	1,366	8	644
Eighth child	1,571	1,035	1,031	4	536
Ninth child	1,267	792	789	3	475
Tenth child	877	535	531	4	342
Eleventh child	628	369	367	2	259
Twelfth child	395	230	228	2	165
Thirteenth child	213	108	107	1	105
Fourteenth child	129	51	51	---	78
Fifteenth child	57	29	29	---	28
Sixteenth child	40	17	17	---	23
Seventeenth child	15	9	9	---	6
Eighteenth child	11	5	5	---	6
Nineteenth child	5	1	1	---	4
Twentieth child	2	1	1	---	1
Not stated	57	35	32	---	22
WASHINGTON	23,376	22,745	20,824	1,912	631
First child	9,644	9,488	8,778	705	156
Second child	6,376	6,248	5,757	488	128
Third child	3,116	3,030	2,732	298	86
WASHINGTON—Continued					
Fourth child	1,693	1,623	1,464	159	70
Fifth child	913	864	775	89	49
Sixth child	578	536	476	59	42
Seventh child	404	379	343	36	25
Eighth child	240	213	191	22	27
Ninth child	170	149	127	22	21
Tenth child	97	88	74	14	9
Eleventh child	56	49	44	5	7
Twelfth child	39	31	23	8	8
Thirteenth child	18	17	15	2	1
Fourteenth child	11	11	8	3	---
Fifteenth child	6	5	3	2	1
Sixteenth child	3	3	3	---	---
Not stated	12	11	11	---	1
WEST VIRGINIA	40,853	38,763	38,159	590	2,090
First child	12,606	11,985	11,917	66	621
Second child	8,127	7,778	7,691	84	349
Third child	5,440	5,186	5,104	81	254
Fourth child	4,046	3,832	3,757	73	214
Fifth child	2,860	2,708	2,655	53	152
Sixth child	2,263	2,142	2,092	50	121
Seventh child	1,625	1,517	1,478	39	108
Eighth child	1,325	1,243	1,198	45	82
Ninth child	920	852	826	26	68
Tenth child	633	589	565	22	44
Eleventh child	392	366	340	26	26
Twelfth child	274	255	245	10	19
Thirteenth child	127	115	110	5	12
Fourteenth child	78	73	69	4	5
Fifteenth child	42	35	31	4	7
Sixteenth child	23	18	17	1	5
Seventeenth child	7	7	7	---	---
Eighteenth child	6	6	6	---	---
Nineteenth child	1	1	1	---	---
Twentieth child	2	2	1	1	---
Twenty-first child	2	2	2	---	---
Not stated	54	51	46	---	3
WISCONSIN	52,613	52,049	49,661	2,336	564
First child	18,260	18,114	17,586	511	146
Second child	12,629	12,529	12,021	500	100
Third child	7,663	7,591	7,255	328	72
Fourth child	4,772	4,706	4,418	283	66
Fifth child	3,024	2,976	2,784	191	48
Sixth child	2,034	1,995	1,871	120	39
Seventh child	1,377	1,353	1,239	113	24
Eighth child	953	932	840	91	21
Ninth child	714	701	632	68	13
Tenth child	455	443	399	44	12
Eleventh child	292	283	249	34	9
Twelfth child	177	173	150	23	4
Thirteenth child	104	99	89	10	5
Fourteenth child	52	50	43	7	2
Fifteenth child	27	25	23	2	2
Sixteenth child	9	9	8	1	---
Seventeenth child	9	8	5	3	1
Eighteenth child	6	6	4	2	---
Nineteenth child	2	2	2	---	---
Twentieth child	2	2	2	---	---
Not stated	52	52	41	5	---
WYOMING	4,753	4,625	4,374	235	128
First child	1,745	1,711	1,670	41	34
Second child	1,142	1,124	1,081	35	18
Third child	680	663	628	33	17
Fourth child	431	414	384	29	17
Fifth child	231	223	198	22	8
Sixth child	161	150	137	13	11
Seventh child	116	113	94	19	3
Eighth child	83	78	63	14	5
Ninth child	68	62	52	10	6
Tenth child	40	33	31	2	7
Eleventh child	15	14	7	7	1
Twelfth child	14	13	8	5	1
Thirteenth child	7	7	5	2	---
Fourteenth child	3	3	1	2	---
Fifteenth child	3	3	3	---	---
Sixteenth child	1	1	---	1	---
Seventeenth child	1	1	---	---	---
Eighteenth child	2	2	2	---	---
Not stated	10	10	10	---	---

1/ Includes "Country not stated."

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1936

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS			
United States	25,583	21,668	3,915
2 males	8,787	7,492	1,295
Both living	7,593	6,587	1,006
1 living	738	563	175
Both stillborn	456	342	114
1 male, 1 female	8,388	7,059	1,329
Both living	7,728	6,582	1,146
1 living—M	185	141	44
1 living—F	256	204	52
Both stillborn	219	132	87
2 females	8,394	7,104	1,290
Both living	7,439	6,375	1,064
1 living	630	482	148
Both stillborn	325	247	78
Both unknown	14	13	1
Both stillborn	14	13	1
ALABAMA:			
2 males	264	147	117
Both living	208	123	85
1 living	43	20	23
Both stillborn	13	4	9
1 male, 1 female	258	149	109
Both living	231	135	96
1 living—M	6	4	2
1 living—F	11	7	4
Both stillborn	10	3	7
2 females	261	160	101
Both living	224	145	79
1 living	28	10	18
Both stillborn	9	5	4
ARIZONA:			
2 males	43	38	5
Both living	33	28	5
1 living	7	7	-------
Both stillborn	3	3	-------
1 male, 1 female	43	38	5
Both living	40	35	5
1 living—M	1	1	-------
1 living—F	2	2	-------
2 females	53	44	9
Both living	46	39	7
1 living	4	2	2
Both stillborn	3	3	-------
ARKANSAS:			
2 males	200	138	62
Both living	163	115	48
1 living	21	16	5
Both stillborn	16	7	9
1 male, 1 female	210	169	41
Both living	197	161	36
1 living—F	6	5	1
Both stillborn	7	3	4
2 females	134	102	32
Both living	121	91	30
1 living	10	9	1
Both stillborn	3	2	1
CALIFORNIA:			
2 males	301	285	16
Both living	265	252	13
1 living	27	25	2
Both stillborn	9	8	1
1 male, 1 female	284	268	16
Both living	258	246	12
1 living—M	13	12	1
1 living—F	6	6	-------
Both stillborn	7	4	3
2 females	302	291	11
Both living	276	265	11
1 living	16	16	-------
Both stillborn	10	10	-------
COLORADO:			
2 males	63	63	-------
Both living	61	61	-------
1 living	1	1	-------
Both stillborn	1	1	-------
1 male, 1 female	77	76	1
Both living	73	72	1
1 living—F	2	2	-------
Both stillborn	2	2	-------
2 females	62	61	1
Both living	55	54	1
1 living	3	3	-------
Both stillborn	4	4	-------
CONNECTICUT:			
2 males	81	79	2
Both living	77	75	2
1 living	4	4	-------
1 male, 1 female	69	68	1
Both living	67	66	1
1 living—F	2	2	-------
2 females	82	78	4
Both living	73	70	3
1 living	3	3	-------
Both stillborn	6	5	1

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Con.			
DELAWARE:			
2 males	5	4	1
Both living	3	2	1
1 living	1	1	-------
Both stillborn	1	1	-------
1 male, 1 female	9	8	1
Both living	9	8	1
2 females	12	9	3
Both living	12	9	3
DISTRICT OF COLUMBIA:			
2 males	49	29	20
Both living	41	23	18
1 living	4	4	-------
Both stillborn	4	2	2
1 male, 1 female	36	21	15
Both living	34	20	14
1 living—M	1	-------	1
1 living—F	1	1	-------
2 females	59	43	16
Both living	49	40	9
1 living	7	3	4
Both stillborn	3	-------	3
FLORIDA:			
2 males	121	72	49
Both living	101	62	39
1 living	15	7	8
Both stillborn	5	3	2
1 male, 1 female	128	80	48
Both living	116	73	43
1 living—M	4	2	2
1 living—F	5	3	2
Both stillborn	3	2	1
2 females	106	59	47
Both living	96	54	42
1 living	6	2	4
Both stillborn	4	3	1
GEORGIA:			
2 males	243	142	101
Both living	198	117	81
1 living	20	11	9
Both stillborn	25	14	11
1 male, 1 female	273	151	122
Both living	243	136	107
1 living—M	4	1	3
1 living—F	8	5	3
Both stillborn	18	9	9
2 females	245	126	119
Both living	215	112	103
1 living	15	10	5
Both stillborn	15	4	11
Both unknown	1	1	-------
Both stillborn	1	1	-------
IDAHO:			
2 males	46	46	-------
Both living	40	40	-------
Both stillborn	6	6	-------
1 male, 1 female	40	40	-------
Both living	38	38	-------
1 living—M	1	1	-------
Both stillborn	1	1	-------
2 females	35	35	-------
Both living	32	32	-------
Both stillborn	3	3	-------
ILLINOIS:			
2 males	418	397	21
Both living	379	361	18
1 living	26	23	3
Both stillborn	13	13	-------
1 male, 1 female	392	370	22
Both living	364	346	18
1 living—M	12	10	2
1 living—F	9	9	-------
Both stillborn	7	5	2
2 females	419	395	24
Both living	379	358	21
1 living	29	26	3
Both stillborn	11	11	-------
INDIANA:			
2 males	230	219	11
Both living	212	201	11
1 living	10	10	-------
Both stillborn	8	8	-------
1 male, 1 female	204	196	8
Both living	186	180	6
1 living—M	8	7	1
1 living—F	6	6	-------
Both stillborn	4	3	1
2 females	193	189	4
Both living	172	168	4
1 living	14	14	-------
Both stillborn	7	7	-------
IOWA:			
2 males	188	188	-------
Both living	168	168	-------
1 living	13	13	-------
Both stillborn	7	7	-------

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Con.			
IOWA—Continued			
1 male, 1 female	155	154	1
Both living	146	145	1
1 living—M	3	3	-------
1 living—F	5	5	-------
Both stillborn	1	1	-------
2 females	164	164	-------
Both living	144	144	-------
1 living	16	16	-------
Both stillborn	4	4	-------
KANSAS:			
2 males	109	108	1
Both living	98	97	1
1 living	8	8	-------
Both stillborn	3	3	-------
1 male, 1 female	95	91	4
Both living	85	81	4
1 living—M	2	2	-------
1 living—F	7	7	-------
Both stillborn	1	1	-------
2 females	111	106	5
Both living	104	99	5
1 living	4	4	-------
Both stillborn	3	3	-------
KENTUCKY:			
2 males	214	208	6
Both living	184	179	5
1 living	16	15	1
Both stillborn	14	14	-------
1 male, 1 female	260	247	13
Both living	234	224	10
1 living—M	6	6	-------
1 living—F	13	11	2
Both stillborn	7	6	1
2 females	199	186	13
Both living	176	165	11
1 living	15	13	2
Both stillborn	8	8	-------
LOUISIANA:			
2 males	192	111	81
Both living	159	98	61
1 living	21	8	13
Both stillborn	12	5	7
1 male, 1 female	215	94	121
Both living	200	90	110
1 living—M	2	1	1
Both stillborn	13	3	10
2 females	223	106	117
Both living	186	93	93
1 living	24	7	17
Both stillborn	13	6	7
MAINE:			
2 males	72	72	-------
Both living	61	61	-------
1 living	5	5	-------
Both stillborn	6	6	-------
1 male, 1 female	55	55	-------
Both living	52	52	-------
1 living—F	2	2	-------
Both stillborn	1	1	-------
2 females	53	52	1
Both living	48	47	1
1 living	5	5	-------
MARYLAND:			
2 males	109	82	27
Both living	90	73	17
1 living	11	4	7
Both stillborn	8	5	3
1 male, 1 female	99	77	22
Both living	90	73	17
1 living—M	4	3	1
1 living—F	2	-------	2
Both stillborn	3	1	2
2 females	93	80	13
Both living	85	73	12
1 living	2	2	-------
Both stillborn	6	5	1
Both unknown	1	1	-------
Both stillborn	1	1	-------
MASSACHUSETTS:			
2 males	222	220	2
Both living	200	198	2
1 living	12	12	-------
Both stillborn	10	10	-------
1 male, 1 female	213	210	3
Both living	198	196	2
1 living—M	3	2	1
1 living—F	3	3	-------
Both stillborn	9	9	-------
2 females	213	210	3
Both living	190	187	3
1 living	15	15	-------
Both stillborn	8	8	-------

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1936—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Con.			
MICHIGAN:			
2 males	330	312	18
Both living	306	291	15
1 living	10	7	3
Both stillborn	14	14	-------
1 male, 1 female	313	295	18
Both living	302	287	15
1 living—M	2	1	1
F	2	1	1
Both stillborn	7	6	1
2 females	286	273	13
Both living	263	250	13
1 living	11	11	-------
Both stillborn	12	12	-------
MINNESOTA:			
2 males	232	230	2
Both living	212	210	2
1 living	13	13	-------
Both stillborn	7	7	-------
1 male, 1 female	223	220	3
Both living	210	207	3
1 living—M	3	3	-------
F	8	8	-------
Both stillborn	2	2	-------
2 females	212	208	4
Both living	192	189	3
1 living	15	14	1
Both stillborn	5	5	-------
MISSISSIPPI:			
2 males	269	103	166
Both living	198	80	118
1 living	46	17	29
Both stillborn	25	6	19
1 male, 1 female	262	101	161
Both living	234	94	140
1 living—M	6	1	5
F	10	4	6
Both stillborn	12	2	10
2 females	154	113	141
Both living	216	102	114
I living	26	10	16
Both stillborn	12	1	11
MISSOURI:			
2 males	216	195	21
Both living	188	172	16
1 living	17	14	3
Both stillborn	11	9	2
1 male, 1 female	185	167	18
Both living	166	149	17
1 living—M	6	6	-------
F	10	9	1
Both stillborn	3	3	-------
2 females	239	222	17
Both living	208	195	13
1 living	23	20	3
Both stillborn	8	7	1
Both unknown	3	3	-------
Both stillborn	3	3	-------
MONTANA:			
2 males	45	41	4
Both living	41	38	3
1 living	2	2	-------
Both stillborn	2	1	1
1 male, 1 female	49	43	6
Both living	42	36	6
1 living—M	2	2	-------
F	3	3	-------
Both stillborn	2	2	-------
2 females	44	41	3
Both living	38	36	2
1 living	3	2	1
Both stillborn	3	3	-------
NEBRASKA:			
2 males	116	114	2
Both living	109	107	2
1 living	4	4	-------
Both stillborn	3	3	-------
1 male, 1 female	106	106	-------
Both living	99	99	-------
1 living—M	3	3	-------
F	4	4	-------
2 females	96	95	1
Both living	86	85	1
1 living	8	8	-------
Both stillborn	2	2	-------
NEVADA:			
2 males	3	3	-------
Both living	2	2	-------
1 living	1	1	-------
1 male, 1 female	6	6	-------
Both living	6	6	-------
2 females	2	2	-------
Both living	2	2	-------
NEW HAMPSHIRE:			
2 males	18	18	-------
Both living	16	16	-------
Both stillborn	2	2	-------
CASES OF TWINS—Con.			
NEW HAMPSHIRE—Continued			
1 male, 1 female	21	21	-------
Both living	19	19	-------
Both stillborn	2	2	-------
2 females	30	30	-------
Both living	25	25	-------
1 living	2	2	-------
Both stillborn	3	3	-------
NEW JERSEY:			
2 males	188	164	24
Both living	167	146	21
1 living	14	12	2
Both stillborn	7	6	1
1 male, 1 female	156	140	16
Both living	137	122	15
1 living—M	11	11	-------
F	6	5	1
Both stillborn	2	2	-------
2 females	192	173	19
Both living	173	157	16
1 living	13	11	2
Both stillborn	6	5	1
NEW MEXICO:			
2 males	33	32	1
Both living	33	32	1
1 male, 1 female	48	47	1
Both living	48	47	1
2 females	38	37	1
Both living	35	34	1
1 living	2	2	-------
Both stillborn	1	1	-------
NEW YORK:			
2 males	681	648	33
Both living	617	589	28
1 living	23	23	-------
Both stillborn	41	36	5
1 male, 1 female	561	527	34
Both living	534	505	29
1 living—M	13	13	-------
F	7	5	2
Both stillborn	7	4	3
2 females	675	631	44
Both living	625	585	40
1 living	17	16	1
Both stillborn	33	30	3
Both unknown	8	7	1
Both stillborn	8	7	1
NORTH CAROLINA:			
2 males	339	215	124
Both living	283	182	101
1 living	36	23	13
Both stillborn	20	10	10
1 male, 1 female	330	196	134
Both living	287	179	108
1 living—M	9	3	6
F	21	9	12
Both stillborn	13	5	8
2 females	331	191	140
Both living	283	169	114
1 living	38	18	20
Both stillborn	10	4	6
NORTH DAKOTA:			
2 males	60	58	2
Both living	55	53	2
1 living	2	2	-------
Both stillborn	3	3	-------
1 male, 1 female	63	62	1
Both living	61	60	1
1 living—M	1	1	-------
F	1	1	-------
2 females	57	57	-------
Both living	52	52	-------
1 living	2	2	-------
Both stillborn	3	3	-------
OHIO:			
2 males	416	397	19
Both living	356	342	14
1 living	35	30	5
Both stillborn	25	25	-------
1 male, 1 female	388	355	33
Both living	364	336	28
1 living—M	5	4	1
F	9	8	1
Both stillborn	10	7	3
2 females	422	395	27
Both living	380	360	20
1 living	25	22	3
Both stillborn	17	13	4
OKLAHOMA:			
2 males	180	164	16
Both living	152	139	13
1 living	16	14	2
Both stillborn	12	11	1
1 male, 1 female	195	183	12
Both living	186	175	11
1 living—F	2	1	1
Both stillborn	7	7	-------
CASES OF TWINS—Con.			
OKLAHOMA—Continued			
2 females	185	166	19
Both living	150	133	17
1 living	27	25	2
Both stillborn	8	8	-------
OREGON:			
2 males	50	49	1
Both living	47	46	1
1 living	2	2	-------
Both stillborn	1	1	-------
1 male, 1 female	47	46	1
Both living	45	44	1
1 living—M	2	2	-------
2 females	53	52	1
Both living	51	50	1
1 living	1	1	-------
Both stillborn	1	1	-------
PENNSYLVANIA:			
2 males	634	599	35
Both living	533	507	26
1 living	74	67	7
Both stillborn	27	25	2
1 male, 1 female	528	498	30
Both living	490	461	29
1 living—M	7	6	1
F	25	25	-------
Both stillborn	6	6	-------
2 females	541	503	38
Both living	480	447	33
1 living	45	44	1
Both stillborn	16	12	4
RHODE ISLAND:			
2 males	35	35	-------
Both living	33	33	-------
1 living	2	2	-------
1 male, 1 female	41	41	-------
Both living	41	41	-------
2 females	35	33	2
Both living	34	32	2
1 living	1	1	-------
SOUTH CAROLINA:			
2 males	187	77	110
Both living	146	63	83
1 living	23	10	13
Both stillborn	18	4	14
1 male, 1 female	201	97	104
Both living	181	90	91
1 living—M	1	1	-------
F	3	1	2
Both stillborn	16	5	11
2 females	207	97	110
Both living	171	81	90
1 living	20	8	12
Both stillborn	16	8	8
SOUTH DAKOTA:			
2 males	50	46	4
Both living	44	40	4
1 living	3	3	-------
Both stillborn	3	3	-------
1 male, 1 female	62	61	1
Both living	59	58	1
1 living—F	2	2	-------
Both stillborn	1	1	-------
2 females	56	56	-------
Both living	47	47	-------
1 living	8	8	-------
Both stillborn	1	1	-------
TENNESSEE:			
2 males	265	229	36
Both living	218	191	27
1 living	32	27	5
Both stillborn	15	11	4
1 male, 1 female	218	172	46
Both living	203	163	40
1 living—M	7	4	3
F	5	3	2
Both stillborn	3	2	1
2 females	214	176	38
Both living	183	154	29
1 living	25	18	7
Both stillborn	6	4	2
Both unknown	1	1	-------
Both stillborn	1	1	-------
TEXAS:			
2 males	498	418	80
Both living	432	367	65
1 living	41	32	9
Both stillborn	25	19	6
1 male, 1 female	510	440	70
Both living	464	405	59
1 living—M	15	10	5
F	18	14	4
Both stillborn	13	11	2
2 females	460	394	66
Both living	398	346	52
1 living	45	35	10
Both stillborn	17	13	4

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1936—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Con.			
UTAH:			
2 males	47	47	--------
Both living	44	44	--------
1 living	3	3	--------
1 male, 1 female	41	41	--------
Both living	37	37	--------
1 living—F	3	3	--------
Both stillborn	1	1	--------
2 females	33	33	--------
Both living	33	33	--------
VERMONT:			
2 males	22	22	--------
Both living	20	20	--------
1 living	2	2	--------
1 male, 1 female	24	24	--------
Both living	22	22	--------
1 living—F	1	1	--------
Both stillborn	1	1	--------
2 females	20	20	--------
Both living	18	18	--------
1 living	1	1	--------
Both stillborn	1	1	--------
VIRGINIA:			
2 males	215	148	67
Both living	178	126	52
1 living	28	17	11
Both stillborn	9	5	4
1 male, 1 female	207	132	75
Both living	182	124	58
1 living—M	9	2	7
F	8	4	4
Both stillborn	8	2	6
2 females	219	148	71
Both living	188	133	55
1 living	22	10	12
Both stillborn	9	5	4
WASHINGTON:			
2 males	80	78	2
Both living	71	69	2
1 living	8	8	--------
Both stillborn	1	1	--------
1 male, 1 female	60	59	1
Both living	59	58	1
1 living—M	1	1	--------
2 females	83	81	2
Both living	73	71	2
1 living	9	9	--------
Both stillborn	1	1	--------
WEST VIRGINIA:			
2 males	187	182	5
Both living	150	148	2
1 living	24	22	2
Both stillborn	13	12	1
1 male, 1 female	201	190	11
Both living	181	173	8
1 living—M	6	6	--------
F	6	5	1
Both stillborn	8	6	2
2 females	163	157	6
Both living	141	137	4
1 living	12	11	1
Both stillborn	10	9	1
WISCONSIN:			
2 males	205	204	1
Both living	187	186	1
1 living	10	10	--------
Both stillborn	8	8	--------
1 male, 1 female	212	212	--------
Both living	194	194	--------
1 living—M	5	5	--------
F	12	12	--------
Both stillborn	1	1	--------
2 females	208	205	3
Both living	193	190	3
1 living	11	11	--------
Both stillborn	4	4	--------
WYOMING:			
2 males	16	16	--------
Both living	14	14	--------
1 living	2	2	--------
1 male, 1 female	15	15	--------
Both living	14	14	--------
1 living—M	1	1	--------
2 females	20	19	1
Both living	18	17	1
1 living	2	2	--------
CASES OF TRIPLETS			
United States	297	224	73
3 males	68	51	17
All living	53	43	10
2 living	5	3	2
1 living	4	3	1
All stillborn	6	2	4

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Con.			
United States—Con.			
2 males, 1 female	75	58	17
All living	59	47	12
2 living—2M, 1M,1F	3	2	1
	4	3	1
1 living—F	4	4	--------
All stillborn	5	2	3
1 male, 2 females	85	61	24
All living	63	47	16
2 living—2F	6	5	1
1M,1F	7	5	2
1 living—M	3	2	1
All stillborn	6	2	4
3 females	69	54	15
All living	57	46	11
2 living	4	3	1
1 living	5	4	1
All stillborn	3	1	2
ALABAMA:			
3 males	6	2	4
All living	3	2	1
2 living	1	--------	1
1 living	1	--------	1
All stillborn	1	--------	1
2 males, 1 female	1	--------	1
All living	1	--------	1
1 male, 2 females	3	1	2
All living	1	1	--------
1 living—M	1	--------	1
All stillborn	1	--------	1
3 females	1	--------	1
All living	1	--------	1
ARKANSAS:			
3 males	4	4	--------
All living	4	4	--------
1 male, 2 females	1	1	--------
All living	1	1	--------
CALIFORNIA:			
3 males	1	1	--------
All living	1	1	--------
2 males, 1 female	2	2	--------
All living	2	2	--------
3 females	7	6	1
All living	7	6	1
COLORADO:			
3 males	1	1	--------
All living	1	1	--------
2 males, 1 female	1	1	--------
2 living—1M,1F	1	1	--------
1 male, 2 females	1	1	--------
All living	1	1	--------
CONNECTICUT:			
1 male, 2 females	1	1	--------
All living	1	1	--------
3 females	1	1	--------
All living	1	1	--------
DISTRICT OF COLUMBIA:			
1 male, 2 females	1	--------	1
2 living—2F	1	--------	1
3 females	1	1	--------
All living	1	1	--------
FLORIDA:			
3 males	2	2	--------
All living	2	2	--------
2 males, 1 female	2	1	1
All living	2	1	1
1 male, 2 females	1	--------	1
All living	1	--------	1
3 females	1	--------	1
2 living	1	--------	1
GEORGIA:			
3 males	1	1	--------
All living	1	1	--------
2 males, 1 female	4	3	1
All living	3	3	--------
All stillborn	1	--------	1
1 male, 2 females	2	--------	2
All living	2	--------	2
3 females	3	2	1
All living	2	1	1
1 living	1	1	--------
ILLINOIS:			
3 males	3	3	--------
All living	2	1	--------
2 living	1	1	--------
1 living	1	1	--------
2 males, 1 female	1	1	--------
All living	1	1	--------
1 male, 2 females	2	2	--------
All living	2	2	--------
1 living—M	1	1	--------

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Con.			
ILLINOIS—Continued			
3 females	2	2	--------
All living	1	1	--------
1 living	1	1	--------
INDIANA:			
3 males	2	2	--------
All living	2	2	--------
2 males, 1 female	4	4	--------
All living	4	4	--------
1 male, 2 females	3	3	--------
All living	2	2	--------
2 living—1M,1F	1	1	--------
3 females	1	1	--------
All living	1	1	--------
IOWA			
2 males, 1 female	1	1	--------
All living	1	1	--------
1 male, 2 females	2	2	--------
All living	2	2	--------
3 females	2	2	--------
All living	2	2	--------
KANSAS:			
2 males, 1 female	2	2	--------
All living	2	2	--------
1 male, 2 females	1	1	--------
All living	1	1	--------
3 females	1	1	--------
All living	1	1	--------
KENTUCKY:			
3 males	2	2	--------
All living	2	2	--------
2 males, 1 female	1	1	--------
1 living—F	1	1	--------
1 male, 2 females	4	3	1
All living	3	2	1
2 living—1M,1F	1	1	--------
3 females	2	2	--------
All living	1	1	--------
2 living	1	1	--------
LOUISIANA:			
3 males	3	-------	3
All living	3	-------	3
2 males, 1 female	2	1	1
All living	1	1	--------
2 living—1M,1F	1	--------	1
1 male, 2 females	3	1	2
All living	1	1	--------
2 living—1M,1F	2	--------	2
3 females	2	--------	2
All living	1	--------	1
All stillborn	1	--------	1
MAINE:			
2 males, 1 female	1	1	--------
2 living—2M	1	1	--------
MARYLAND:			
2 males, 1 female	3	1	2
All living	2	1	1
All stillborn	1	--------	1
1 male, 2 females	1	1	--------
All living	1	1	--------
MASSACHUSETTS:			
3 males	3	3	--------
All living	3	3	--------
1 male, 2 females	1	1	--------
All living	1	1	--------
3 females	4	4	--------
All living	4	4	--------
MICHIGAN:			
3 males	1	1	--------
All living	1	1	--------
1 male, 2 females	1	1	--------
All living	1	1	--------
3 females	1	1	--------
All living	1	1	--------
MINNESOTA:			
3 males	1	1	--------
All living	1	1	--------
1 male, 2 females	2	2	--------
All living	1	1	--------
2 living—1M,1F	1	1	--------
MISSISSIPPI:			
3 males	3	-------	3
All living	1	-------	1
2 living	1	-------	1
All stillborn	1	-------	1
2 males, 1 female	4	1	3
All living	4	1	3
1 male, 2 females	3	-------	3
All living	3	-------	3
3 females	5	1	4
All living	4	1	3
All stillborn	1	-------	1

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1936—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Con.			
MISSOURI:			
3 males	3	3	-------
All living	2	2	-------
All stillborn	1	1	-------
2 males, 1 female	5	5	-------
All living	3	3	-------
1 living—F	1	1	-------
All stillborn	1	1	-------
1 male, 2 females	1	1	-------
All stillborn	1	1	-------
3 females	3	3	-------
All living	3	3	-------
MONTANA:			
3 females	1	1	-------
All living	1	1	-------
NEBRASKA:			
3 females	1	1	-------
All living	1	1	-------
NEW JERSEY:			
3 males	2	2	-------
All living	2	2	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
NEW YORK:			
3 males	6	6	-------
All living	5	5	-------
All stillborn	1	1	-------
2 males, 1 female	7	7	-------
All living	5	5	-------
2 living—1M,1F	1	1	-------
All stillborn	1	1	-------
1 male, 2 females	5	4	1
All living	4	3	1
2 living—1M,1F	1	1	-------
3 females	2	2	-------
All living	1	1	-------
1 living	1	1	-------
NORTH CAROLINA:			
3 males	2	-------	2
All living	2	-------	2
2 males, 1 female	5	2	3
All living	3	2	1
2 living—2M	1	-------	1
All stillborn	1	-------	1
1 male, 2 females	10	5	5
All living	7	5	2
All stillborn	3	-------	3
3 females	6	3	3
All living	5	2	3
2 living	1	1	-------
NORTH DAKOTA:			
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
OHIO:			
3 males	4	4	-------
All living	1	1	-------
2 living	1	1	-------
1 living	2	2	-------
2 males, 1 female	2	2	-------
All living	2	2	-------
1 male, 2 females	4	3	1
All living	3	2	1
2 living—1M,1F	1	1	-------
3 females	2	2	-------
All living	2	2	-------
CASES OF TRIPLETS—Con.			
OKLAHOMA:			
3 males	1	-------	1
All living	1	-------	1
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
All stillborn	1	1	-------
3 females	2	2	-------
All living	1	1	-------
All stillborn	1	1	-------
OREGON:			
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	2	2	-------
All living	2	2	-------
PENNSYLVANIA:			
3 males	3	2	1
All living	2	2	-------
All stillborn	1	-------	1
2 males, 1 female	7	6	1
All living	6	5	1
2 living—2M	1	1	-------
1 male, 2 females	11	10	1
All living	6	5	1
2 living—2F	4	4	-------
1 living—M	1	1	-------
3 females	1	1	-------
All living	1	1	-------
RHODE ISLAND:			
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	2	2	-------
All living	1	1	-------
2 living	1	1	-------
SOUTH CAROLINA:			
3 males	2	-------	2
All living	1	-------	1
All stillborn	1	-------	1
2 males, 1 female	2	-------	2
All living	2	-------	2
1 male, 2 females	3	2	1
All living	3	2	1
3 females	1	1	-------
All living	1	1	-------
SOUTH DAKOTA:			
3 males	3	3	-------
All living	2	2	-------
2 living	1	1	-------
TENNESSEE:			
2 males, 1 female	4	4	-------
All living	3	3	-------
2 living—1M,1F	1	1	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
TEXAS:			
3 males	5	4	1
All living	5	4	1
2 males, 1 female	6	4	2
All living	6	4	2
1 male, 2 females	4	3	1
All living	4	3	1
3 females	5	5	-------
All living	4	4	-------
1 living	1	1	-------
UTAH:			
3 females	1	1	-------
All living	1	1	-------
CASES OF TRIPLETS—Con.			
VIRGINIA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
1 living—F	1	1	-------
1 male, 2 females	3	2	1
All living	3	2	1
3 females	1	-------	1
1 living	1	-------	1
WASHINGTON:			
2 males, 1 female	2	2	-------
All living	2	2	-------
WEST VIRGINIA:			
2 males, 1 female	1	1	-------
1 living—F	1	1	-------
1 male, 2 females	4	3	1
All living	4	3	1
3 females	4	3	1
All living	4	3	1
WISCONSIN:			
3 males	2	2	-------
All living	2	2	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
2 living—2F	1	1	-------
3 females	1	1	-------
All living	1	1	-------
WYOMING:			
3 males	1	1	-------
All living	1	1	-------
CASES OF QUADRUPLETS			
United States	7	3	4
3 males, 1 female	1	1	-------
All living	1	1	-------
2 males, 2 females	2	-------	2
All living	1	-------	1
All stillborn	1	-------	1
1 male, 3 females	2	1	1
All living	2	1	1
4 females	2	1	1
All living	2	1	1
INDIANA:			
4 females	1	1	-------
All living	1	1	-------
MARYLAND:			
4 females	1	-------	1
All living	1	-------	1
MISSOURI:			
1 male, 3 females	1	1	-------
All living	1	1	-------
NEW JERSEY:			
3 males, 1 female	1	1	-------
All living	1	1	-------
NORTH CAROLINA:			
2 males, 2 females	1	-------	1
All stillborn	1	-------	1
1 male, 3 females	1	-------	1
All living	1	-------	1
SOUTH CAROLINA:			
2 males, 2 females	1	-------	1
All living	1	-------	1

TABLE 9.—NUMBER OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY RACE, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1936

LIVING OR STILLBORN	Total plural births	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
NUMBER OF TWINS															
Total	51,166	43,336	39,789	3,527	200	466	120	224	312	180	559	212	224	1,030	20	7,830
Living	47,329	40,478	37,161	3,297	185	431	118	200	298	170	526	201	210	958	20	6,851
Stillborn	3,837	2,858	2,628	230	15	35	2	24	14	10	33	11	14	72	-----	979
Both living	45,520	39,088	35,866	3,202	182	420	116	192	290	166	514	194	204	924	20	6,432
1 living	1,809	1,390	1,295	95	3	11	2	8	8	4	12	7	6	34	-----	419
Both stillborn	2,028	1,458	1,333	135	12	24	------	16	6	6	21	4	8	38	-----	560
NUMBER OF TRIPLETS																
Total	891	672	621	51	6	6	------	-----	9	------	6	3	3	18	-----	219
Living	770	604	553	51	6	6	------	-----	9	------	6	3	3	18	-----	166
Stillborn	121	68	68	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	53
All living	696	549	498	51	6	6	------	-----	9	------	6	3	3	18	-----	147
2 living	58	42	42	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	16
1 living	16	13	13	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	3
All stillborn	60	21	21	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	39
NUMBER OF QUADRUPLETS																
Total	28	12	8	4	------	------	------	-----	------	4	-----	------	------	-------	-----	16
Living	24	12	8	4	------	------	------	-----	------	4	-----	------	------	-------	-----	12
Stillborn	4	----------	--------	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	4
All living	24	12	8	4	------	------	------	-----	------	4	-----	------	------	-------	-----	12
All stillborn	4	----------	--------	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	4

TABLE 10.—STILLBIRTHS, BY MONTH: 1936

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	73,735	6,615	6,232	6,807	6,082	6,162	6,070	6,354	6,029	5,796	6,008	5,764	5,816
Cities of 10,000 or more	35,128	3,027	2,838	3,029	2,749	2,898	2,936	3,161	2,937	2,789	3,020	2,886	2,858
Cities of 2,500 to 10,000	8,055	687	620	730	614	650	721	693	770	647	642	626	655
Rural	30,552	2,901	2,774	3,048	2,719	2,614	2,413	2,500	2,322	2,360	2,346	2,252	2,303
ALABAMA	2,659	242	260	325	244	199	233	219	187	182	203	181	184
Cities of 10,000 or more	613	54	62	55	43	37	52	59	46	44	51	57	53
Cities of 2,500 to 10,000	187	16	16	25	14	18	25	14	6	16	14	11	12
Rural	1,859	172	182	245	187	144	156	146	135	122	138	113	119
ARIZONA	277	27	27	12	26	20	20	28	25	24	25	15	28
Cities of 10,000 or more	106	9	12	2	11	13	11	8	7	9	12	3	9
Cities of 2,500 to 10,000	70	7	5	5	5	3	1	6	10	9	7	4	8
Rural	101	11	10	5	10	4	8	14	8	6	6	8	11
ARKANSAS	1,274	119	103	114	99	111	112	108	106	111	105	83	103
Cities of 10,000 or more	138	7	16	12	7	14	23	6	8	10	14	10	11
Cities of 2,500 to 10,000	141	20	5	13	11	9	4	16	15	15	13	11	9
Rural	995	92	82	89	81	88	85	86	83	86	78	62	83
CALIFORNIA	2,000	164	145	170	154	161	151	161	182	182	189	187	154
Cities of 10,000 or more	1,239	113	95	107	97	97	96	98	109	119	112	109	87
Cities of 2,500 to 10,000	276	19	19	18	22	21	26	22	31	27	21	26	24
Rural	485	32	31	45	35	43	29	41	42	36	56	52	43
COLORADO	553	51	50	43	53	50	39	43	49	55	45	36	39
Cities of 10,000 or more	263	22	23	21	18	27	23	22	25	21	23	17	21
Cities of 2,500 to 10,000	84	9	8	11	8	5	4	5	6	11	6	6	5
Rural	206	20	19	11	27	18	12	16	18	23	16	13	13
CONNECTICUT	563	45	51	45	40	59	47	47	47	50	49	42	41
Cities of 10,000 or more	474	41	44	33	32	52	40	44	39	42	45	32	30
Cities of 2,500 to 10,000	24	-----	2	6	2	3	3	------	2	2	1	1	2
Rural	65	4	5	6	6	4	4	3	6	6	3	9	9
DELAWARE	143	9	12	15	8	16	11	10	8	12	19	13	10
Cities of 10,000 or more	78	6	7	10	6	9	6	4	3	2	12	7	6
Cities of 2,500 to 10,000	12	-----	1	-----	-----	1	2	3	------	2	2	------	1
Rural	53	3	4	5	2	6	3	3	5	8	5	6	3
DISTRICT OF COLUMBIA	432	39	33	40	30	29	35	39	36	39	39	35	38
FLORIDA	1,388	137	85	98	96	113	127	124	111	136	122	114	125
Cities of 10,000 or more	535	53	28	33	38	47	55	48	42	54	45	43	49
Cities of 2,500 to 10,000	215	23	15	17	14	17	26	19	14	20	16	14	20
Rural	638	61	42	48	44	49	46	57	55	62	61	57	56
GEORGIA	3,648	323	349	364	318	296	296	315	281	229	295	275	307
Cities of 10,000 or more	659	63	62	76	61	66	77	81	67	64	85	75	82
Cities of 2,500 to 10,000	286	7	6	10	13	30	28	34	40	32	24	26	36
Rural	2,503	253	281	278	244	200	191	200	174	133	186	174	189
IDAHO	253	25	18	25	20	18	21	18	27	22	23	19	17
Cities of 10,000 or more	27	2	1	2	1	2	1	7	3	3	1	2	2
Cities of 2,500 to 10,000	120	11	9	14	11	7	12	7	12	9	13	7	8
Rural	106	12	8	9	8	9	8	4	12	10	9	10	7
ILLINOIS	3,099	273	254	266	239	242	246	280	270	272	276	228	253
Cities of 10,000 or more	2,122	188	163	173	159	168	170	209	187	179	195	160	171
Cities of 2,500 to 10,000	375	28	32	40	31	31	30	31	28	42	27	24	31
Rural	602	57	59	53	49	43	46	40	55	51	54	44	51
INDIANA	1,286	129	95	113	106	107	111	114	115	114	95	83	104
Cities of 10,000 or more	680	61	44	58	60	61	63	64	61	57	50	38	63
Cities of 2,500 to 10,000	171	26	9	17	12	15	12	17	14	13	10	11	15
Rural	435	42	42	38	34	31	36	33	40	44	35	34	26
IOWA	1,156	120	88	113	99	92	98	99	95	74	99	83	96
Cities of 10,000 or more	536	57	33	52	42	47	49	49	43	35	47	40	42
Cities of 2,500 to 10,000	181	14	17	14	21	10	14	15	21	12	11	14	18
Rural	439	49	38	47	36	35	35	35	31	27	41	29	36
KANSAS	785	72	67	68	61	67	70	56	70	58	71	67	58
Cities of 10,000 or more	321	29	21	26	25	24	28	24	32	30	31	27	24
Cities of 2,500 to 10,000	174	21	10	22	13	14	18	15	14	8	11	14	14
Rural	290	22	36	20	23	29	24	17	24	20	29	26	20
KENTUCKY	2,029	197	220	179	169	180	168	179	161	131	151	153	141
Cities of 10,000 or more	382	34	32	31	28	43	33	31	27	25	40	31	27
Cities of 2,500 to 10,000	182	7	13	17	21	7	22	21	20	11	13	14	16
Rural	1,465	156	175	131	120	130	113	127	114	95	98	108	98
LOUISIANA	2,079	191	165	192	144	169	162	186	168	185	180	167	170
Cities of 10,000 or more	717	65	54	66	48	55	57	70	59	65	58	62	58
Cities of 2,500 to 10,000	198	19	8	15	12	17	15	14	26	16	19	21	16
Rural	1,164	107	103	111	84	97	90	102	83	104	103	84	96

TABLE 10.—STILLBIRTHS, BY MONTH: 1936—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	472	41	38	43	45	38	39	39	39	39	43	39	29
Cities of 10,000 or more	132	14	8	14	10	9	6	9	10	16	15	13	8
Cities of 2,500 to 10,000	70	4	7	6	11	7	7	2	7	6	6	4	3
Rural	270	23	23	23	24	22	26	28	22	17	22	22	18
MARYLAND	1,291	142	107	122	97	104	103	116	107	96	106	99	92
Cities of 10,000 or more	699	73	46	59	52	48	57	64	68	59	57	61	55
Cities of 2,500 to 10,000	120	14	14	3	8	5	10	19	8	11	10	11	7
Rural	472	55	47	60	37	51	36	33	31	26	39	27	30
MASSACHUSETTS	1,820	167	161	153	138	143	157	162	144	149	142	152	152
Cities of 10,000 or more	1,637	150	145	136	119	128	138	150	132	135	131	140	133
Cities of 2,500 to 10,000	99	12	10	10	8	3	12	5	7	6	7	10	9
Rural	84	5	6	7	11	12	7	7	5	8	4	2	10
MICHIGAN	2,650	223	213	231	213	250	222	236	223	183	216	225	215
Cities of 10,000 or more	1,727	152	138	154	135	162	140	149	154	120	141	149	133
Cities of 2,500 to 10,000	290	25	21	23	26	22	22	29	29	21	28	22	22
Rural	633	46	54	54	52	66	60	58	40	42	47	54	60
MINNESOTA	1,247	102	87	129	101	102	113	108	98	79	108	119	101
Cities of 10,000 or more	570	45	43	63	47	43	52	52	44	29	47	57	48
Cities of 2,500 to 10,000	230	22	17	23	16	20	25	18	18	12	20	22	17
Rural	447	35	27	43	38	39	36	38	36	38	41	40	36
MISSISSIPPI	2,348	177	184	242	213	192	186	234	194	177	186	188	175
Cities of 10,000 or more	347	30	23	34	16	22	29	35	31	19	36	39	33
Cities of 2,500 to 10,000	110	11	10	6	6	11	6	9	12	9	10	12	8
Rural	1,891	136	151	202	191	159	151	190	151	149	140	137	134
MISSOURI	2,013	197	169	186	170	157	192	173	149	159	145	145	161
Cities of 10,000 or more	933	77	78	81	76	72	95	90	80	71	81	61	71
Cities of 2,500 to 10,000	237	14	28	22	19	11	31	26	18	17	11	16	24
Rural	843	106	63	83	75	74	66	57	51	81	53	68	66
MONTANA	227	21	19	21	11	22	22	25	15	18	17	20	16
Cities of 10,000 or more	66	5	9	5	6	4	5	7	2	3	6	10	4
Cities of 2,500 to 10,000	41	1	5	3	-----	3	3	8	4	4	5	3	2
Rural	120	15	5	13	5	15	14	10	9	11	6	7	10
NEBRASKA	529	55	50	50	54	47	36	30	46	40	36	47	38
Cities of 10,000 or more	166	18	11	17	16	15	15	6	20	11	11	14	12
Cities of 2,500 to 10,000	80	7	5	5	9	7	3	4	6	6	9	9	10
Rural	283	30	34	28	29	25	18	20	20	23	16	24	16
NEVADA	31	1	1	4	3	5	3	3	3	3	-----	2	3
Cities of 10,000 or more	4	-----	------	1	-----	1	1	------	------	1	-----	------	-------
Cities of 2,500 to 10,000	8	-----	------	2	-----	1	1	2	------	-------	-----	1	1
Rural	19	1	1	1	3	3	1	1	3	2	-----	1	2
NEW HAMPSHIRE	228	21	15	27	28	22	15	10	16	22	18	16	18
Cities of 10,000 or more	136	13	8	17	17	15	6	8	7	14	11	9	11
Cities of 2,500 to 10,000	22	1	2	5	4	2	------	------	1	1	1	1	4
Rural	70	7	5	5	7	5	9	2	8	7	6	6	3
NEW JERSEY	1,801	166	160	149	140	153	158	152	171	143	120	149	140
Cities of 10,000 or more	1,499	138	142	128	111	130	135	125	138	122	97	117	116
Cities of 2,500 to 10,000	133	12	8	12	13	4	12	12	17	7	12	15	9
Rural	169	16	10	9	16	19	11	15	16	14	11	17	15
NEW MEXICO	407	40	42	34	45	27	34	43	29	22	37	27	27
Cities of 10,000 or more	65	4	1	4	11	2	8	7	2	2	7	7	10
Cities of 2,500 to 10,000	74	11	9	5	5	5	7	7	7	4	8	4	2
Rural	268	25	32	25	29	20	19	29	20	16	22	16	15
NEW YORK	7,221	613	622	597	558	628	583	664	588	602	595	569	602
Cities of 10,000 or more	6,374	534	545	523	495	542	516	578	520	534	533	510	544
Cities of 2,500 to 10,000	308	23	28	26	25	29	27	29	27	27	21	23	23
Rural	539	56	49	48	38	57	40	57	41	41	41	36	35
NORTH CAROLINA	3,116	278	274	378	295	300	279	258	217	214	224	211	188
Cities of 10,000 or more	746	65	67	87	66	64	58	61	61	44	52	62	59
Cities of 2,500 to 10,000	367	29	31	43	25	49	37	34	22	27	25	30	15
Rural	2,003	184	176	248	204	187	184	163	134	143	147	119	114
NORTH DAKOTA	366	36	27	39	43	39	24	25	32	19	24	27	31
Cities of 10,000 or more	72	4	9	6	13	5	7	3	8	4	4	4	5
Cities of 2,500 to 10,000	57	6	2	8	1	5	6	5	4	4	5	3	8
Rural	237	26	16	25	29	29	11	17	20	11	15	20	18
OHIO	3,088	256	251	254	285	242	251	253	275	262	261	248	250
Cities of 10,000 or more	2,047	175	157	166	182	153	162	179	178	182	159	170	174
Cities of 2,500 to 10,000	270	19	23	18	13	22	25	25	36	16	30	24	19
Rural	771	62	71	70	90	67	64	49	61	64	62	54	57

TABLE 10.—STILLBIRTHS, BY MONTH: 1936—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA	1,182	139	109	82	88	79	80	97	102	106	114	93	93
Cities of 10,000 or more	306	30	24	24	23	16	16	31	30	27	37	30	18
Cities of 2,500 to 10,000	269	39	24	17	21	16	22	22	25	19	21	20	23
Rural	607	70	61	41	44	47	42	44	47	60	56	43	52
OREGON	297	28	33	22	24	31	20	18	28	18	23	27	25
Cities of 10,000 or more	148	17	19	9	12	16	9	7	14	7	12	12	14
Cities of 2,500 to 10,000	83	4	4	5	9	10	7	7	9	4	9	6	9
Rural	66	7	10	8	3	5	4	4	5	7	2	9	2
PENNSYLVANIA	5,034	443	420	465	414	434	419	448	406	406	425	382	372
Cities of 10,000 or more	2,965	246	245	264	244	252	254	268	234	236	268	241	213
Cities of 2,500 to 10,000	587	55	53	57	46	62	58	68	65	67	51	40	55
Rural	1,382	142	122	134	124	120	107	112	107	103	106	101	104
RHODE ISLAND	302	26	22	27	19	24	26	22	25	15	25	42	29
Cities of 10,000 or more	279	22	21	25	17	24	24	22	23	15	24	39	23
Cities of 2,500 to 10,000	7	1	------	1	-----	-----	------	------	------	-------	1	2	2
Rural	16	3	1	1	2	-----	2	------	2	-------	-----	1	4
SOUTH CAROLINA	2,286	186	211	229	197	194	200	194	162	188	161	172	192
Cities of 10,000 or more	454	39	44	42	31	44	44	36	31	37	29	35	42
Cities of 2,500 to 10,000	210	14	17	19	18	20	18	19	23	15	10	12	25
Rural	1,622	133	150	168	148	130	138	139	108	136	122	125	125
SOUTH DAKOTA	267	19	15	24	27	22	20	26	21	24	27	21	21
Cities of 10,000 or more	63	6	6	5	3	3	5	9	5	4	8	5	4
Cities of 2,500 to 10,000	39	-----	1	7	4	4	4	2	3	2	5	2	5
Rural	165	13	8	12	20	15	11	15	13	18	14	14	12
TENNESSEE	1,969	159	160	224	190	179	149	170	134	143	146	164	151
Cities of 10,000 or more	654	41	62	58	52	49	52	64	46	47	56	66	61
Cities of 2,500 to 10,000	215	7	18	27	21	23	22	14	16	16	18	20	13
Rural	1,100	111	80	139	117	107	75	92	72	80	72	78	77
TEXAS	3,905	363	295	361	266	297	313	340	355	310	359	313	333
Cities of 10,000 or more	1,437	111	90	148	106	104	125	143	131	109	147	116	107
Cities of 2,500 to 10,000	568	45	50	46	35	38	47	38	71	48	53	44	53
Rural	1,900	207	155	167	125	155	141	159	153	153	159	153	173
UTAH	255	28	14	27	27	17	14	26	21	24	15	21	21
Cities of 10,000 or more	116	11	6	8	9	11	8	11	10	10	10	11	11
Cities of 2,500 to 10,000	62	8	3	9	9	3	3	8	5	3	4	2	5
Rural	77	9	5	10	9	3	3	7	6	11	1	8	5
VERMONT	183	22	25	12	14	10	16	8	20	15	13	18	10
Cities of 10,000 or more	35	5	5	-----	2	1	4	1	3	1	4	9	-------
Cities of 2,500 to 10,000	37	5	2	2	7	1	2	2	3	4	4	1	4
Rural	111	12	18	10	5	8	10	5	14	10	5	8	6
VIRGINIA	2,235	193	192	210	199	193	191	178	173	168	176	156	206
Cities of 10,000 or more	683	54	54	61	59	60	56	69	55	40	59	45	71
Cities of 2,500 to 10,000	190	20	15	21	14	17	17	10	16	15	15	14	15
Rural	1,362	119	122	128	126	116	118	99	102	113	102	97	120
WASHINGTON	468	37	45	33	40	38	37	49	36	25	41	38	49
Cities of 10,000 or more	300	21	27	20	31	25	22	31	25	22	28	18	30
Cities of 2,500 to 10,000	43	5	6	2	2	3	2	4	4	2	5	5	3
Rural	125	11	12	11	7	10	13	14	7	1	8	15	16
WEST VIRGINIA	1,524	143	147	127	132	133	116	106	150	130	105	128	107
Cities of 10,000 or more	330	22	36	23	31	34	22	26	34	29	24	31	18
Cities of 2,500 to 10,000	205	21	13	25	17	21	23	11	25	10	13	16	10
Rural	989	100	98	79	84	78	71	69	91	91	68	81	79
WISCONSIN	1,281	120	97	121	94	108	99	113	108	102	107	118	94
Cities of 10,000 or more	605	60	38	50	49	53	46	57	47	39	54	56	56
Cities of 2,500 to 10,000	211	25	18	18	11	17	18	15	21	17	16	23	12
Rural	465	35	41	53	34	38	35	41	40	46	37	39	26
WYOMING	68	10	5	2	6	3	6	2	4	9	7	7	7
Cities of 10,000 or more	11	2	1	-----	2	-----	------	------	------	2	2	1	1
Cities of 2,500 to 10,000	17	-----	------	-----	1	1	2	------	2	2	1	5	3
Rural	40	8	4	2	3	2	4	2	2	5	4	1	3
Cities with a population of 100,000 or more in 1930													
Birmingham, Ala.	215	22	23	17	16	15	16	21	18	9	18	22	16
Long Beach, Calif.	57	3	5	3	5	3	2	9	7	2	7	5	6
Los Angeles, Calif.	443	39	34	45	37	31	31	29	42	43	44	46	22
Oakland, Calif.	106	7	4	8	7	6	14	14	8	11	8	6	13
San Diego, Calif.	77	10	5	6	9	6	8	3	8	9	6	3	4
San Francisco, Calif.	158	18	11	12	11	13	12	10	15	17	16	12	11
Denver, Colo.	157	14	16	17	11	13	14	14	10	10	15	11	12
Bridgeport, Conn.	87	2	7	1	6	11	8	10	10	10	10	6	6
Hartford, Conn.	94	10	11	9	6	8	5	12	5	7	5	11	5
New Haven, Conn.	72	6	8	3	5	6	9	6	2	8	5	7	7

TABLE 10.—STILLBIRTHS, BY MONTH: 1936—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cities with a population of 100,000 or more in 1930—Continued													
Wilmington, Del.	78	6	7	10	6	9	6	4	3	2	12	7	6
Washington, D. C.	432	39	33	40	30	29	35	39	36	39	39	35	38
Jacksonville, Fla.	161	12	7	12	13	17	14	19	13	17	14	9	14
Miami, Fla.	81	6	6	4	5	9	11	4	6	6	9	8	7
Tampa, Fla.	71	12	3	4	5	9	6	6	2	10	4	5	5
Atlanta, Ga.	271	20	23	17	23	22	27	19	21	16	25	24	34
Chicago, Ill.	1,311	122	102	106	100	108	99	130	120	100	114	106	102
Peoria, Ill.	58	2	3	5	7	1	5	3	4	10	9	3	6
Evansville, Ind.	54	6	2	5	3	7	4	3	3	8	3	2	8
Fort Wayne, Ind.	49	3	4	5	5	2	2	4	7	6	4	3	4
Gary, Ind.	39	3	4	3	2	2	4	1	6	1	3	2	8
Indianapolis, Ind.	121	10	9	8	7	12	11	11	14	7	12	9	11
South Bend, Ind.	32	3	3	1	5	1	5	2	2	3	3	------	4
Des Moines, Iowa	89	8	7	8	4	7	9	6	6	2	10	10	12
Kansas City, Kans.	61	4	5	2	5	5	6	5	5	7	9	3	5
Wichita, Kans.	50	5	2	4	1	3	5	3	9	5	6	5	2
Louisville, Ky.	157	12	10	13	12	16	16	13	10	11	22	12	10
New Orleans, La.	409	35	30	29	22	35	33	42	33	37	38	40	35
Baltimore, Md.	568	57	41	49	37	35	53	55	54	47	49	50	41
Boston, Mass.	392	31	28	29	36	34	22	41	29	32	34	46	30
Cambridge, Mass.	61	7	5	9	4	6	3	5	2	4	5	6	5
Fall River, Mass.	65	9	8	6	5	3	5	5	10	4	3	1	6
Lowell, Mass.	53	9	3	7	4	5	4	3	5	2	3	2	6
Lynn, Mass.	38	3	4	2	2	1	2	1	4	3	11	1	4
New Bedford, Mass.	61	4	6	4	5	4	6	2	4	6	5	7	8
Somerville, Mass.	40	3	4	3	5	6	3	2	3	3	3	1	4
Springfield, Mass.	79	6	14	3	5	9	10	4	3	11	5	4	5
Worcester, Mass.	107	8	10	12	6	7	10	9	10	11	7	11	6
Detroit, Mich.	796	70	64	82	73	71	60	74	60	66	63	66	47
Flint, Mich.	102	8	18	5	5	9	7	4	6	11	13	7	9
Grand Rapids, Mich.	95	9	5	5	12	6	7	9	9	4	9	12	8
Duluth, Minn.	49	3	5	4	3	6	5	2	4	2	3	6	6
Minneapolis, Minn.	220	18	13	24	16	18	20	20	18	16	18	19	20
St. Paul, Minn.	171	14	17	17	16	11	13	15	17	6	17	18	10
Kansas City, Mo.	141	12	9	13	10	11	16	11	17	13	13	4	12
St. Louis, Mo.	569	47	57	49	48	37	54	55	47	44	50	37	44
Omaha, Nebr.	83	9	7	8	9	7	9	2	10	6	3	6	7
Camden, N. J.	108	15	10	10	8	6	6	7	13	8	6	9	10
Elizabeth, N. J.	66	12	4	6	7	5	4	4	5	2	4	6	7
Jersey City, N. J.	264	23	29	27	22	28	27	15	26	22	15	13	17
Newark, N. J.	231	14	23	18	14	21	23	21	21	15	17	22	22
Paterson, N. J.	94	11	8	7	11	14	7	8	2	7	7	5	7
Trenton, N. J.	91	5	8	2	5	6	16	13	4	9	8	10	5
Albany, N. Y.	57	7	7	5	6	4	3	1	7	2	9	2	4
Buffalo, N. Y.	304	26	22	31	30	24	25	24	29	17	18	25	33
New York, N. Y.	4,866	408	413	389	379	406	389	453	384	424	420	393	408
Bronx Borough	628	47	40	47	50	53	48	59	44	64	57	50	69
Brooklyn Borough	1,919	156	156	150	145	161	155	186	160	180	179	140	151
Manhattan Borough	1,765	153	170	139	142	147	146	144	134	140	139	163	148
Queens Borough	461	46	38	45	33	32	31	52	41	31	39	36	37
Richmond Borough	93	6	9	8	9	13	9	12	5	9	6	4	3
Rochester, N. Y.	133	11	11	12	11	13	12	17	8	8	11	11	8
Syracuse, N. Y.	98	6	17	7	5	10	8	6	14	9	6	4	6
Utica, N. Y.	48	1	4	5	4	3	5	2	6	4	3	4	7
Yonkers, N. Y.	48	1	5	3	3	4	8	6	2	1	5	2	8
Akron, Ohio	110	10	12	8	7	7	12	4	11	11	11	9	8
Canton, Ohio	50	7	4	2	1	3	5	9	5	5	3	2	4
Cincinnati, Ohio	270	25	23	16	22	16	19	19	22	28	17	27	36
Cleveland, Ohio	469	41	35	38	45	43	35	37	45	40	40	38	32
Columbus, Ohio	147	13	5	16	13	12	15	12	16	13	10	10	12
Dayton, Ohio	114	8	11	10	11	7	9	10	10	10	8	6	14
Toledo, Ohio	130	12	10	16	7	11	12	16	8	8	12	10	8
Youngstown, Ohio	99	6	8	11	9	7	4	15	6	11	11	8	3
Oklahoma City, Okla.	89	10	6	8	3	5	5	11	10	8	9	11	3
Tulsa, Okla.	58	11	5	4	3	6	3	10	5	3	7	1	-------
Portland, Oreg.	99	12	12	4	8	10	5	6	10	5	9	9	9
Erie, Pa.	66	9	7	3	5	10	2	3	5	6	4	8	4
Philadelphia, Pa.	888	69	67	68	65	76	88	84	63	70	91	78	69
Pittsburgh, Pa.	399	22	31	42	32	34	32	34	33	33	47	33	26
Reading, Pa.	48	2	4	4	4	4	4	6	2	8	5	2	3
Scranton, Pa.	91	5	9	9	8	13	8	10	6	9	4	4	6
Providence, R. I.	149	16	10	14	8	12	14	10	10	8	13	19	15
Chattanooga, Tenn.	114	10	8	11	8	11	9	8	9	9	7	12	12
Knoxville, Tenn.	88	8	14	7	6	6	9	8	4	6	8	5	7
Memphis, Tenn.	219	14	18	20	17	17	15	23	19	16	16	27	17
Nashville, Tenn.	160	6	16	14	12	9	14	18	10	11	18	16	16
Dallas, Tex.	158	10	6	17	11	15	14	17	15	12	16	9	16
El Paso, Tex.	78	8	5	10	9	4	4	10	10	6	5	4	3
Fort Worth, Tex.	101	7	8	10	6	6	13	12	10	6	6	9	8
Houston, Tex.	195	16	13	14	7	14	16	25	18	12	22	23	15
San Antonio, Tex.	238	20	9	27	17	16	22	26	24	17	16	25	19
Salt Lake City, Utah	77	9	3	6	5	8	4	8	6	8	7	7	6
Norfolk, Va.	128	7	12	10	9	11	11	14	8	7	11	9	19
Richmond, Va.	199	17	17	10	23	21	14	16	18	11	19	13	20
Seattle, Wash.	91	6	8	9	14	10	4	10	3	6	7	5	9
Spokane, Wash.	38	6	3	3	3	3	5	5	3	1	4	2	-------
Tacoma, Wash.	39	2	5	-----	3	3	2	3	2	4	6	2	7
Milwaukee, Wis.	208	21	7	19	16	17	17	15	20	11	25	24	16

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1936

AREA AND SEX	Total stillbirths	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
United States	73,735	56,156	45,937	3,924	117	4,580	1,523	75	17,579	17,266	225	22	28	38
Male	40,892	30,979	25,464	2,109	66	2,491	809	40	9,913	9,728	133	12	17	23
Female	31,364	24,007	19,625	1,671	48	1,963	668	32	7,377	7,252	91	9	11	14
Not stated	1,459	1,170	848	144	3	126	46	3	289	285	1	1	------	1
Cities of 10,000 or more	35,128	28,830	21,332	3,139	74	3,415	812	58	6,298	6,226	15	18	14	25
Cities of 2,500 to 10,000	8,055	6,804	5,997	253	9	372	167	6	1,251	1,206	31	1	9	4
Rural	30,552	20,522	18,608	532	34	793	544	11	10,030	9,834	179	3	5	9
ALABAMA	2,659	1,099	1,041	2	2	8	46	-----	1,560	1,560	------	-----	------	-----
Cities of 10,000 or more	613	261	234	2	-----	7	18	-----	352	352	------	-----	------	-----
Cities of 2,500 to 10,000	187	108	104	-----	-----	-----	4	-----	79	79	------	-----	------	-----
Rural	1,859	730	703	-----	2	1	24	-----	1,129	1,129	------	-----	------	-----
ARIZONA	277	242	159	34	-----	45	2	2	35	13	21	1	------	-----
Cities of 10,000 or more	106	96	60	16	-----	19	1	-----	10	7	2	1	------	-----
Cities of 2,500 to 10,000	70	68	50	8	-----	8	1	-----	2	2	------	-----	------	-----
Rural	101	78	49	10	-----	18	-----	1	23	4	19	-----	------	-----
ARKANSAS	1,274	729	710	1	1	3	14	-----	545	544	------	1	------	-----
Cities of 10,000 or more	138	89	88	1	-----	-----	-----	-----	49	48	------	1	------	-----
Cities of 2,500 to 10,000	141	94	92	-----	-----	1	1	-----	47	47	------	-----	------	-----
Rural	995	546	530	-----	1	2	13	-----	449	449	------	-----	------	-----
CALIFORNIA	2,000	1,899	1,277	285	-----	312	21	4	101	37	11	11	25	17
Cities of 10,000 or more	1,239	1,177	799	158	-----	201	17	2	62	30	1	7	13	11
Cities of 2,500 to 10,000	276	252	181	40	-----	40	1	-----	14	-----	3	1	8	2
Rural	485	450	297	87	-----	71	3	2	25	7	7	3	4	4
COLORADO	553	546	461	27	7	28	19	4	7	7	------	-----	------	-----
Cities of 10,000 or more	263	257	218	10	7	8	11	3	6	6	------	-----	------	-----
Cities of 2,500 to 10,000	84	84	67	3	-----	7	7	-----	-----	-----	------	-----	------	-----
Rural	206	205	176	14	-----	13	1	1	1	1	------	-----	------	-----
CONNECTICUT	563	547	352	88	-----	91	16	-----	16	16	------	-----	------	-----
Cities of 10,000 or more	474	462	294	78	-----	75	15	-----	12	12	------	-----	------	-----
Cities of 2,500 to 10,000	24	24	16	4	-----	3	1	-----	-----	-----	------	-----	------	-----
Rural	65	61	42	6	-----	13	-----	-----	4	4	------	-----	------	-----
DELAWARE	143	100	82	9	-----	4	5	-----	43	43	------	-----	------	-----
Cities of 10,000 or more	78	57	41	9	-----	4	3	-----	21	21	------	-----	------	-----
Cities of 2,500 to 10,000	12	10	9	-----	-----	-----	1	-----	2	2	------	-----	------	-----
Rural	53	33	32	-----	-----	-----	1	-----	20	20	------	-----	------	-----
DISTRICT OF COLUMBIA	432	212	175	6	3	15	13	-----	220	220	------	-----	------	-----
FLORIDA	1,388	657	601	9	-----	24	23	-----	731	729	1	-----	------	1
Cities of 10,000 or more	535	256	224	3	-----	18	11	-----	279	278	------	-----	------	1
Cities of 2,500 to 10,000	215	106	97	3	-----	3	3	-----	109	109	------	-----	------	-----
Rural	638	295	280	3	-----	3	9	-----	343	342	1	-----	------	-----
GEORGIA	3,648	1,439	1,389	2	2	6	40	-----	2,209	2,208	------	-----	------	1
Cities of 10,000 or more	859	363	344	1	-----	6	12	-----	496	496	------	-----	------	-----
Cities of 2,500 to 10,000	286	139	133	1	1	-----	4	-----	147	147	------	-----	------	-----
Rural	2,503	937	912	-----	1	-----	24	-----	1,566	1,565	------	-----	------	1
IDAHO	253	249	225	1	1	20	2	-----	4	1	3	-----	------	-----
Cities of 10,000 or more	27	26	24	-----	-----	2	-----	-----	1	1	------	-----	------	-----
Cities of 2,500 to 10,000	120	120	105	1	-----	13	1	-----	-----	-----	------	-----	------	-----
Rural	106	103	96	-----	1	5	1	-----	3	-----	3	-----	------	-----
ILLINOIS	3,099	2,869	2,262	251	-----	293	58	5	230	229	1	-----	------	-----
Cities of 10,000 or more	2,122	1,930	1,385	231	-----	265	44	5	192	191	1	-----	------	-----
Cities of 2,500 to 10,000	375	362	330	11	-----	15	6	-----	13	13	------	-----	------	-----
Rural	602	577	547	9	-----	13	8	-----	25	25	------	-----	------	-----
INDIANA	1,286	1,217	1,137	23	1	34	22	-----	69	69	------	-----	------	-----
Cities of 10,000 or more	680	615	550	22	1	30	12	-----	65	65	------	-----	------	-----
Cities of 2,500 to 10,000	171	169	167	-----	-----	-----	2	-----	2	2	------	-----	------	-----
Rural	435	433	420	1	-----	4	8	-----	2	2	------	-----	------	-----
IOWA	1,156	1,137	1,047	7	1	50	31	1	19	17	1	-----	------	1
Cities of 10,000 or more	536	518	473	5	1	23	16	-----	18	16	1	-----	------	1
Cities of 2,500 to 10,000	181	181	173	-----	-----	6	2	-----	-----	-----	------	-----	------	-----
Rural	439	438	401	2	-----	21	13	1	1	1	------	-----	------	-----
KANSAS	785	728	679	21	-----	17	11	-----	57	57	------	-----	------	-----
Cities of 10,000 or more	321	272	248	14	-----	7	3	-----	49	49	------	-----	------	-----
Cities of 2,500 to 10,000	174	169	159	2	-----	4	4	-----	5	5	------	-----	------	-----
Rural	290	287	272	5	-----	6	4	-----	3	3	------	-----	------	-----
KENTUCKY	2,029	1,838	1,798	1	-----	4	35	-----	191	190	------	-----	------	1
Cities of 10,000 or more	382	311	307	-----	-----	1	3	-----	71	70	------	-----	------	1
Cities of 2,500 to 10,000	182	162	158	-----	-----	1	3	-----	20	20	------	-----	------	-----
Rural	1,465	1,365	1,333	1	-----	2	29	-----	100	100	------	-----	------	-----

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total stillbirths	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
LOUISIANA	2,079	816	785	8	2	7	14	-----	1,263	1,261	2	-----	-----	-----
Cities of 10,000 or more	717	337	314	6	2	3	12	-----	380	380	-----	-----	-----	-----
Cities of 2,500 to 10,000	198	95	92	-----	-----	3	-----	-----	103	103	-----	-----	-----	-----
Rural	1,164	384	379	2	-----	1	2	-----	780	778	2	-----	-----	-----
MAINE	472	471	360	21	-----	81	8	1	1	-----	1	-----	-----	-----
Cities of 10,000 or more	132	132	98	4	-----	27	3	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	70	70	53	3	-----	13	-----	1	-----	-----	-----	-----	-----	-----
Rural	270	269	209	14	-----	41	5	-----	1	-----	1	-----	-----	-----
MARYLAND	1,291	832	765	23	1	26	16	1	459	459	-----	-----	-----	-----
Cities of 10,000 or more	699	462	416	17	1	20	7	1	237	237	-----	-----	-----	-----
Cities of 2,500 to 10,000	120	87	83	-----	-----	1	3	-----	33	33	-----	-----	-----	-----
Rural	472	283	266	6	-----	5	6	-----	189	189	-----	-----	-----	-----
MASSACHUSETTS	1,820	1,778	1,073	275	1	343	79	7	42	41	-----	1	-----	-----
Cities of 10,000 or more	1,637	1,603	958	260	1	313	65	6	34	33	-----	1	-----	-----
Cities of 2,500 to 10,000	99	96	67	8	-----	14	7	-----	3	3	-----	-----	-----	-----
Rural	84	79	48	7	-----	16	7	1	5	5	-----	-----	-----	-----
MICHIGAN	2,650	2,496	1,917	199	6	312	57	5	154	151	3	-----	-----	-----
Cities of 10,000 or more	1,727	1,586	1,133	166	5	236	42	4	141	141	-----	-----	-----	-----
Cities of 2,500 to 10,000	290	283	238	10	1	25	8	1	7	6	1	-----	-----	-----
Rural	633	627	546	23	-----	51	7	-----	6	4	2	-----	-----	-----
MINNESOTA	1,247	1,229	1,034	51	-----	113	28	3	18	7	11	-----	-----	-----
Cities of 10,000 or more	570	563	457	31	-----	57	16	2	7	7	-----	-----	-----	-----
Cities of 2,500 to 10,000	230	228	199	7	-----	16	6	-----	2	-----	2	-----	-----	-----
Rural	447	438	378	13	-----	40	6	1	9	-----	9	-----	-----	-----
MISSISSIPPI	2,348	691	676	2	-----	4	9	-----	1,657	1,657	-----	-----	-----	-----
Cities of 10,000 or more	347	149	143	2	-----	3	1	-----	198	198	-----	-----	-----	-----
Cities of 2,500 to 10,000	110	67	65	-----	-----	-----	2	-----	43	43	-----	-----	-----	-----
Rural	1,891	475	468	-----	-----	1	6	-----	1,416	1,416	-----	-----	-----	-----
MISSOURI	2,013	1,750	1,627	22	2	31	68	-----	263	263	-----	-----	-----	-----
Cities of 10,000 or more	933	724	632	20	1	26	45	-----	209	209	-----	-----	-----	-----
Cities of 2,500 to 10,000	237	214	204	1	-----	3	6	-----	23	23	-----	-----	-----	-----
Rural	843	812	791	1	1	2	17	-----	31	31	-----	-----	-----	-----
MONTANA	227	206	167	10	-----	25	4	-----	21	-----	21	-----	-----	-----
Cities of 10,000 or more	66	66	60	1	-----	4	1	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	41	40	35	1	-----	3	1	-----	1	-----	1	-----	-----	-----
Rural	120	100	72	8	-----	18	2	-----	20	-----	20	-----	-----	-----
NEBRASKA	529	522	472	13	-----	29	8	-----	7	4	3	-----	-----	-----
Cities of 10,000 or more	166	162	144	4	-----	9	5	-----	4	4	-----	-----	-----	-----
Cities of 2,500 to 10,000	80	80	69	2	-----	8	1	-----	-----	-----	-----	-----	-----	-----
Rural	283	280	259	7	-----	12	2	-----	3	-----	3	-----	-----	-----
NEVADA	31	30	21	5	1	3	-----	-----	1	-----	1	-----	-----	-----
Cities of 10,000 or more	4	4	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	8	8	7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural	19	18	10	4	1	3	-----	-----	1	-----	1	-----	-----	-----
NEW HAMPSHIRE	228	226	155	12	-----	44	14	1	2	2	-----	-----	-----	-----
Cities of 10,000 or more	136	135	90	7	-----	30	7	1	1	1	-----	-----	-----	-----
Cities of 2,500 to 10,000	22	22	19	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----
Rural	70	69	46	4	-----	13	6	-----	1	1	-----	-----	-----	-----
NEW JERSEY	1,801	1,561	1,090	223	3	227	15	3	240	235	-----	-----	-----	5
Cities of 10,000 or more	1,499	1,293	876	200	2	199	14	2	206	205	-----	-----	-----	1
Cities of 2,500 to 10,000	133	120	92	11	-----	16	1	-----	13	12	-----	-----	-----	1
Rural	169	148	122	12	1	12	-----	1	21	18	-----	-----	-----	3
NEW MEXICO	407	407	342	17	1	24	23	-----	-----	-----	-----	-----	-----	-----
Cities of 10,000 or more	65	65	56	1	-----	4	4	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	74	74	56	3	-----	8	7	-----	-----	-----	-----	-----	-----	-----
Rural	268	268	230	13	1	12	12	-----	-----	-----	-----	-----	-----	-----
NEW YORK	7,221	6,515	3,945	1,335	36	1,044	139	16	706	686	6	5	-----	9
Cities of 10,000 or more	6,374	5,699	3,284	1,267	36	980	118	14	675	660	1	5	-----	9
Cities of 2,500 to 10,000	308	297	225	32	-----	30	9	1	11	8	3	-----	-----	-----
Rural	539	519	436	36	-----	34	12	1	20	18	2	-----	-----	-----
NORTH CAROLINA	3,116	1,579	1,499	1	32	5	42	-----	1,537	1,507	30	-----	-----	-----
Cities of 10,000 or more	746	358	342	1	10	1	4	-----	388	388	-----	-----	-----	-----
Cities of 2,500 to 10,000	367	224	213	-----	4	1	6	-----	143	137	6	-----	-----	-----
Rural	2,003	997	944	-----	18	3	32	-----	1,006	982	24	-----	-----	-----
NORTH DAKOTA	366	350	262	16	-----	62	9	1	16	-----	16	-----	-----	-----
Cities of 10,000 or more	72	72	57	1	-----	8	6	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	57	56	44	1	-----	9	2	-----	1	-----	1	-----	-----	-----
Rural	237	222	161	14	-----	45	1	1	15	-----	15	-----	-----	-----

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1936—Continued

AREA AND SEX	Total stillbirths	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
OHIO	3,088	2,798	2,391	148	-----	173	84	2	290	288	2	-----	------	-----
Cities of 10,000 or more	2,047	1,802	1,461	129	-----	154	56	2	245	245	------	-----	------	-----
Cities of 2,500 to 10,000	270	252	235	4	-----	6	7	-----	18	18	------	-----	------	-----
Rural	771	744	695	15	-----	13	21	-----	27	25	2	-----	------	-----
OKLAHOMA	1,182	1,007	967	4	-----	10	25	1	175	116	59	-----	------	-----
Cities of 10,000 or more	306	256	245	2	-----	2	6	1	50	43	7	-----	------	-----
Cities of 2,500 to 10,000	269	225	219	1	-----	2	3	-----	44	31	13	-----	------	-----
Rural	607	526	503	1	-----	6	16	-----	81	42	39	-----	------	-----
OREGON	297	294	248	10	1	24	11	-----	3	1	1	-----	1	-----
Cities of 10,000 or more	148	147	113	7	-----	19	8	-----	1	1	------	-----	------	-----
Cities of 2,500 to 10,000	83	83	76	2	1	2	2	-----	-----	-----	------	-----	------	-----
Rural	66	64	59	1	-----	3	1	-----	2	-----	1	-----	1	-----
PENNSYLVANIA	5,034	4,623	3,766	347	2	407	98	3	411	409	------	1	------	1
Cities of 10,000 or more	2,965	2,610	2,024	220	-----	298	65	3	355	353	------	1	------	1
Cities of 2,500 to 10,000	687	670	576	51	1	36	6	-----	17	17	------	-----	------	-----
Rural	1,382	1,343	1,166	76	1	73	27	-----	39	39	------	-----	------	-----
RHODE ISLAND	302	289	173	41	-----	66	7	2	13	12	------	-----	------	1
Cities of 10,000 or more	279	269	157	40	-----	64	6	2	10	10	------	-----	------	-----
Cities of 2,500 to 10,000	7	5	4	1	-----	-----	-----	-----	2	1	------	-----	------	1
Rural	16	15	12	-----	-----	2	1	-----	1	1	------	-----	------	-----
SOUTH CAROLINA	2,286	650	620	-----	-----	1	29	-----	1,636	1,636	------	-----	------	-----
Cities of 10,000 or more	454	158	149	-----	-----	-----	9	-----	296	296	------	-----	------	-----
Cities of 2,500 to 10,000	210	79	73	-----	-----	-----	6	-----	131	131	------	-----	------	-----
Rural	1,622	413	398	-----	-----	1	14	-----	1,209	1,209	------	-----	------	-----
SOUTH DAKOTA	267	257	222	6	-----	25	3	1	10	1	9	-----	------	-----
Cities of 10,000 or more	63	62	57	2	-----	2	1	-----	1	1	------	-----	------	-----
Cities of 2,500 to 10,000	39	39	36	-----	-----	3	-----	-----	-----	-----	------	-----	------	-----
Rural	165	156	129	4	-----	20	2	1	9	-----	9	-----	------	-----
TENNESSEE	1,969	1,470	1,388	-----	5	6	71	-----	499	498	------	1	------	-----
Cities of 10,000 or more	654	402	379	-----	2	4	17	-----	252	251	------	1	------	-----
Cities of 2,500 to 10,000	215	163	156	-----	-----	1	6	-----	52	52	------	-----	------	-----
Rural	1,100	905	853	-----	3	1	48	-----	195	195	------	-----	------	-----
TEXAS	3,905	3,010	2,381	247	2	272	98	10	895	891	2	1	------	1
Cities of 10,000 or more	1,437	1,116	778	135	1	139	55	8	321	320	------	1	------	-----
Cities of 2,500 to 10,000	568	469	388	30	1	35	13	2	99	99	------	-----	------	-----
Rural	1,900	1,425	1,215	82	-----	98	30	-----	475	472	2	-----	------	1
UTAH	255	253	224	6	-----	21	2	-----	2	1	1	-----	------	-----
Cities of 10,000 or more	116	115	102	4	-----	9	-----	-----	1	1	------	-----	------	-----
Cities of 2,500 to 10,000	62	62	54	1	-----	7	-----	-----	-----	-----	------	-----	------	-----
Rural	77	76	68	1	-----	5	2	-----	1	-----	1	-----	------	-----
VERMONT	183	183	140	11	-----	26	6	-----	-----	-----	------	-----	------	-----
Cities of 10,000 or more	35	35	29	2	-----	2	2	-----	-----	-----	------	-----	------	-----
Cities of 2,500 to 10,000	37	37	27	3	-----	7	-----	-----	-----	-----	------	-----	------	-----
Rural	111	111	84	6	-----	17	4	-----	-----	-----	------	-----	------	-----
VIRGINIA	2,235	1,176	1,091	3	1	11	70	-----	1,059	1,059	------	-----	------	-----
Cities of 10,000 or more	683	333	304	3	-----	8	18	-----	350	350	------	-----	------	-----
Cities of 2,500 to 10,000	190	140	129	-----	-----	1	10	-----	50	50	------	-----	------	-----
Rural	1,362	703	658	-----	1	2	42	-----	659	659	------	-----	------	-----
WASHINGTON	468	458	360	19	-----	66	11	2	10	1	7	-----	2	-----
Cities of 10,000 or more	300	298	234	11	-----	45	6	2	2	1	------	-----	1	-----
Cities of 2,500 to 10,000	43	41	36	1	-----	4	-----	-----	2	-----	1	-----	1	-----
Rural	125	119	90	7	-----	17	5	-----	6	-----	6	-----	------	-----
WEST VIRGINIA	1,524	1,389	1,246	26	3	35	79	-----	135	135	------	-----	------	-----
Cities of 10,000 or more	330	303	273	6	1	4	19	-----	27	27	------	-----	------	-----
Cities of 2,500 to 10,000	205	192	173	2	-----	9	8	-----	13	13	------	-----	------	-----
Rural	989	894	800	18	2	22	52	-----	95	95	------	-----	------	-----
WISCONSIN	1,281	1,264	1,083	52	-----	92	37	-----	17	5	12	-----	------	-----
Cities of 10,000 or more	605	601	489	34	-----	64	14	-----	4	2	2	-----	------	-----
Cities of 2,500 to 10,000	211	211	201	1	-----	4	5	-----	-----	-----	------	-----	------	-----
Rural	465	452	393	17	-----	24	18	-----	13	3	10	-----	------	-----
WYOMING	68	68	52	4	-----	11	1	-----	-----	-----	------	-----	------	-----
Cities of 10,000 or more	11	11	10	-----	-----	-----	1	-----	-----	-----	------	-----	------	-----
Cities of 2,500 to 10,000	17	17	12	2	-----	3	-----	-----	-----	-----	------	-----	------	-----
Rural	40	40	30	2	-----	8	-----	-----	-----	-----	------	-----	------	-----

TABLE 12.—STILLBIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS, IN THE UNITED STATES: 1936

COUNTRY OF BIRTH OF MOTHER	Total white stillbirths	COUNTRY OF BIRTH OF FATHER											
		United States	Foreign country										Country not stated
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total	56,156	47,466	7,022	396	547	296	349	479	428	1,594	470	512	1,953	1,668
Male	30,979	26,288	3,798	222	297	163	189	257	231	845	278	273	1,043	893
Female	24,007	20,281	3,001	165	235	124	150	196	175	698	178	212	867	725
Not stated	1,170	897	223	9	14	9	10	26	22	49	14	27	43	50
United States	50,511	45,937	3,094	171	353	205	218	114	211	659	164	199	800	1,480
Total foreign	5,481	1,486	3,924	225	194	91	131	365	217	932	305	312	1,152	71
Austria, Hungary	305	63	239	181	3	----	2	-----	8	3	6	22	14	3
Canada	589	367	210	3	161	2	11	4	2	7	1	7	12	12
Denmark, Norway, Sweden	136	52	83	2	1	78	-----	1	1	-----	----	----	-----	1
England, Scotland, Wales	326	169	155	1	14	1	91	21	6	4	5	5	7	2
Ireland	486	108	368	------	3	----	15	339	2	3	----	1	5	10
Germany	308	91	212	7	3	2	1	------	186	2	3	-----	8	5
Italy	1,042	122	916	1	3	1	-----	------	1	893	----	----	17	4
Poland	417	96	318	5	----	----	2	------	1	1	261	35	13	3
Russia	390	98	287	12	3	2	4	------	2	------	24	227	13	5
Other foreign countries	1,482	320	1,136	13	3	5	5	------	8	19	5	15	1,063	25
Country not stated	164	43	4	------	----	----	-----	------	-----	1	1	1	1	117

TABLE 13.—STILLBIRTHS, BY SEX, AND AGE OF PARENTS, IN THE UNITED STATES: 1936

SEX OF STILLBIRTH AND AGE OF MOTHER		Total stillbirths	AGE OF FATHER										
			10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
Total		73,735	3	1,247	12,580	16,059	13,045	10,678	7,493	3,825	1,577	878	6,350
Male		40,892	2	687	7,103	8,991	7,156	5,811	4,163	2,124	882	487	3,486
Female		31,384	1	550	5,308	6,783	5,500	4,623	3,144	1,618	664	378	2,715
Not stated		1,459	-------	10	169	285	289	244	186	83	31	13	149
10 to 14 years	Male	108	1	25	17	3	-------	2	-------	-------	-------	-------	60
	Female	75	-------	12	18	2	1	2	1	-------	1	-------	38
	Not stated	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2
15 to 19 years	Male	5,506	1	555	2,749	928	188	87	30	16	4	7	941
	Female	4,313	1	445	2,146	724	138	71	18	12	10	6	742
	Not stated	118	-------	10	56	18	5	1	-------	-------	-------	-------	28
20 to 24 years	Male	10,472	-------	95	3,817	4,027	1,198	381	125	65	24	20	720
	Female	7,946	-------	82	2,743	3,048	958	364	96	45	19	16	565
	Not stated	330	-------	-------	100	134	41	6	7	-------	1	-------	41
25 to 29 years	Male	9,127	-------	8	446	3,464	2,976	1,167	411	181	70	52	352
	Female	6,945	-------	4	337	2,587	2,343	931	272	105	44	28	294
	Not stated	329	-------	-------	11	113	109	53	14	4	2	1	22
30 to 34 years	Male	6,636	-------	2	45	467	2,383	2,189	866	314	112	73	185
	Female	5,217	-------	4	44	349	1,837	1,692	709	259	94	55	164
	Not stated	324	-------	-------	2	15	115	100	50	22	3	6	11
35 to 39 years	Male	5,308	-------	1	15	76	359	1,774	1,781	696	290	153	163
	Female	4,026	-------	-------	10	58	272	1,403	1,324	526	193	119	121
	Not stated	219	-------	-------	-------	4	15	78	82	25	10	2	3
40 to 44 years	Male	2,337	-------	-------	2	1	27	185	905	739	284	139	55
	Female	1,836	-------	-------	3	5	23	143	695	561	246	117	43
	Not stated	82	-------	-------	-------	-------	3	4	32	29	10	4	-------
45 to 49 years	Male	305	-------	1	1	1	-------	10	37	108	94	41	12
	Female	219	-------	-------	-------	1	1	7	19	96	55	35	5
	Not stated	10	-------	-------	-------	-------	-------	-------	1	3	5	-------	1
50 to 54 years	Male	10	-------	-------	-------	-------	-------	-------	2	2	3	1	2
	Female	5	-------	-------	-------	-------	1	-------	1	-------	-------	2	1
	Not stated	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
55 years and over	Male	1	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------
	Female	1	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------
	Not stated	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Not stated	Male	1,082	-------	-------	11	24	25	16	5	3	1	1	996
	Female	801	-------	3	7	9	16	10	9	3	2	-------	742
	Not stated	45	-------	-------	-------	1	1	2	-------	-------	-------	-------	41

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1936

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
Total	71,915	54,378	49,162	5,054	302	446	135	297	422	305	966	392	380	1,409	162	17,537
Male	39,933	30,045	27,222	2,736	167	246	71	155	225	168	512	222	191	779	87	9,888
Female	30,544	23,183	20,985	2,128	128	182	61	131	171	116	423	154	166	596	70	7,361
Not stated	1,438	1,150	955	190	7	18	3	11	26	21	31	16	23	34	5	288
10 to 14 years	184	50	50	-----	---	-----	-----	---	-----	-----	-----	-----	----	-----	----	134
15 to 19 years	9,837	6,097	5,999	79	---	29	2	5	2	4	7	1	1	28	19	3,740
20 to 24 years	18,405	13,457	12,919	510	15	92	14	18	22	21	79	26	33	190	28	4,948
25 to 29 years	15,973	12,608	11,572	1,015	52	93	21	71	114	73	144	66	85	296	21	3,365
30 to 34 years	11,765	9,552	8,272	1,272	52	107	43	90	138	105	209	81	119	328	8	2,213
35 to 39 years	9,229	7,388	6,098	1,279	95	74	35	80	104	64	278	92	101	356	11	1,841
40 to 44 years	4,119	3,533	2,799	730	78	38	15	28	37	31	199	108	32	164	4	586
45 to 49 years	509	419	312	106	9	4	5	4	1	3	41	15	5	19	1	90
50 to 54 years	12	9	7	2	---	----	-----	---	-----	1	-----	----	----	1	----	3
55 years and over	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	1,880	1,264	1,133	61	1	9	-----	1	4	3	9	3	4	27	70	616
FIRST CHILD	26,484	21,259	19,964	1,209	56	168	46	82	134	119	144	77	118	265	86	5,225
Male	14,898	11,947	11,243	661	31	98	20	42	74	71	72	43	59	151	43	2,951
Female	11,204	9,003	8,446	518	23	66	26	37	52	43	71	31	57	112	39	2,201
Not stated	382	309	275	30	2	4	-----	3	8	5	1	3	2	2	4	73
10 to 14 years	179	47	47	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	132
15 to 19 years	7,596	4,987	4,906	64	---	27	2	3	2	4	6	1	----	19	17	2,609
20 to 24 years	9,481	7,918	7,615	284	13	63	9	10	13	11	44	18	23	80	19	1,563
25 to 29 years	5,252	4,783	4,361	414	23	34	10	28	57	42	43	35	49	93	8	469
30 to 34 years	2,354	2,147	1,868	276	11	24	16	28	39	38	29	18	33	40	3	207
35 to 39 years	945	844	721	121	6	13	8	11	17	16	15	5	8	22	2	101
40 to 44 years	236	217	181	36	3	3	1	2	4	7	5	----	2	9	----	19
45 to 49 years	21	18	16	2	---	----	-----	---	1	-----	-----	----	1	-----	----	3
50 to 54 years	2	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	418	296	247	12	---	4	-----	---	1	1	2	----	2	2	37	122
SECOND CHILD	11,736	9,032	8,269	746	32	75	22	61	78	74	99	50	77	178	17	2,704
Male	6,410	4,924	4,504	408	22	38	12	28	43	37	58	26	38	106	12	1,486
Female	5,064	3,890	3,583	302	7	31	10	31	33	29	40	23	32	66	5	1,174
Not stated	262	218	182	36	3	6	-----	2	2	8	1	1	7	6	----	44
10 to 14 years	4	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
15 to 19 years	1,704	910	893	15	---	2	-----	2	-----	-----	1	----	1	9	2	794
20 to 24 years	4,229	3,028	2,909	115	1	19	2	5	5	6	19	5	5	48	4	1,201
25 to 29 years	3,086	2,655	2,430	219	12	19	4	23	28	20	26	16	25	46	5	431
30 to 34 years	1,660	1,496	1,281	214	7	18	13	16	24	25	31	17	32	31	1	164
35 to 39 years	770	697	559	137	8	11	3	11	17	18	19	8	13	29	1	73
40 to 44 years	176	162	125	36	3	6	-----	4	3	5	3	2	1	9	1	14
45 to 49 years	18	16	14	2	1	----	-----	---	-----	-----	-----	1	----	-----	----	2
50 to 54 years	2	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	87	64	54	8	---	----	-----	---	1	-----	-----	1	----	6	2	23
THIRD CHILD	7,917	5,938	5,349	581	29	48	17	55	54	29	107	33	55	154	8	1,979
Male	4,299	3,169	2,855	312	8	26	10	31	24	20	67	16	29	81	2	1,130
Female	3,386	2,586	2,346	235	21	21	7	19	26	8	36	14	19	64	5	800
Not stated	232	183	148	34	---	1	-----	5	4	1	4	3	7	9	1	49
10 to 14 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
15 to 19 years	394	155	155	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	239
20 to 24 years	2,409	1,440	1,381	57	---	7	2	2	3	1	10	2	3	27	2	969
25 to 29 years	2,274	1,810	1,655	143	9	18	2	14	12	3	29	9	7	40	2	464
30 to 34 years	1,608	1,414	1,210	203	5	8	7	19	23	21	30	13	26	51	1	194
35 to 39 years	933	845	711	133	10	11	5	15	14	4	32	4	16	22	1	88
40 to 44 years	231	218	178	39	4	2	1	5	2	-----	6	5	3	11	1	13
45 to 49 years	16	14	10	4	1	1	-----	---	-----	-----	-----	----	----	2	----	2
50 to 54 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	50	40	37	2	---	1	-----	---	-----	-----	-----	----	----	1	1	10
FOURTH CHILD	5,920	4,376	3,885	487	30	36	15	28	52	25	114	29	35	123	4	1,544
Male	3,285	2,407	2,133	271	17	16	7	17	26	13	66	18	18	71	3	878
Female	2,485	1,841	1,640	200	12	17	7	11	24	10	46	8	15	50	1	644
Not stated	150	128	112	16	1	1	1	---	2	2	2	3	2	2	----	22
15 to 19 years	103	32	32	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	71
20 to 24 years	1,220	641	617	22	---	2	-----	---	-----	-----	4	----	1	15	2	579
25 to 29 years	1,781	1,320	1,240	79	5	7	4	3	10	4	21	4	2	19	1	461
30 to 34 years	1,492	1,242	1,079	162	9	18	3	10	23	12	29	11	8	39	1	250
35 to 39 years	956	818	666	152	9	5	3	11	15	5	40	10	20	34	----	138
40 to 44 years	304	276	210	66	5	4	5	4	4	4	17	4	3	16	----	28
45 to 49 years	28	26	20	6	2	----	-----	---	-----	-----	3	----	1	-----	----	2
50 to 54 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	35	20	20	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	15
FIFTH CHILD	4,498	3,256	2,842	411	31	24	8	27	31	21	87	33	24	125	3	1,242
Male	2,478	1,774	1,557	215	21	14	5	13	18	9	41	18	9	67	2	704
Female	1,905	1,394	1,218	175	9	8	3	14	10	11	39	14	13	54	1	511
Not stated	115	88	67	21	1	2	-----	---	3	1	7	1	2	4	----	27
15 to 19 years	24	4	4	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	20
20 to 24 years	560	241	226	15	---	1	-----	1	-----	1	-----	----	1	11	----	319
25 to 29 years	1,396	910	854	55	2	8	-----	3	4	1	6	1	----	30	1	486
30 to 34 years	1,190	949	834	115	8	7	1	10	10	5	27	6	5	36	----	241
35 to 39 years	923	780	635	143	9	5	5	11	12	6	35	10	14	36	2	143
40 to 44 years	350	328	257	71	12	3	1	2	4	5	16	12	4	12	----	22
45 to 49 years	34	32	22	10	---	----	1	---	-----	3	2	4	----	-----	----	2
Not stated	21	12	10	2	---	----	-----	---	1	-----	1	----	----	-----	----	9

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
SIXTH CHILD	3,393	2,392	2,040	349	21	20	12	14	32	6	80	39	22	103	3	1,001
Male	1,872	1,306	1,114	192	12	13	8	8	19	4	41	24	8	55	----	566
Female	1,441	1,025	882	140	9	6	2	6	11	1	35	13	13	44	3	416
Not stated	80	61	44	17	---	1	2	---	2	1	4	2	1	4	----	19
15 to 19 years	4	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
20 to 24 years	233	73	65	8	---	----	1	---	-----	-----	2	----	----	5	----	160
25 to 29 years	927	522	481	39	---	2	-----	---	2	1	9	----	----	25	2	405
30 to 34 years	972	730	628	101	7	11	3	2	12	-----	18	12	7	29	1	242
35 to 39 years	836	693	557	136	10	5	5	9	10	5	32	18	11	31	----	143
40 to 44 years	368	331	273	58	4	2	2	1	8	-----	17	8	4	12	----	37
45 to 49 years	35	32	25	7	---	----	1	2	-----	-----	2	1	----	1	----	3
Not stated	18	10	10	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	8
SEVENTH CHILD	2,629	1,834	1,568	263	21	28	5	7	9	6	66	16	13	92	3	795
Male	1,476	1,011	874	135	9	14	3	5	6	3	28	9	8	50	2	465
Female	1,105	785	663	121	12	13	2	2	3	3	34	7	5	40	1	320
Not stated	48	38	31	7	---	1	-----	---	-----	-----	4	----	----	2	----	10
20 to 24 years	106	28	27	1	---	----	-----	---	-----	-----	-----	----	----	1	----	78
25 to 29 years	534	254	226	28	1	2	1	---	-----	-----	4	1	----	19	----	280
30 to 34 years	764	544	475	69	3	11	-----	1	3	1	13	1	3	33	----	220
35 to 39 years	817	651	557	92	9	11	2	1	5	1	27	5	7	24	2	166
40 to 44 years	363	319	251	68	7	3	2	5	1	4	22	8	3	13	----	44
45 to 49 years	27	24	19	5	1	1	-----	---	-----	-----	-----	1	----	2	----	3
50 to 54 years	2	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
Not stated	16	14	13	-----	---	----	-----	---	-----	-----	-----	----	----	-----	1	2
EIGHTH CHILD	2,199	1,528	1,289	238	14	11	3	5	13	4	64	21	12	91	1	671
Male	1,216	841	720	120	7	8	2	3	5	1	32	10	8	44	1	375
Female	944	653	542	111	7	3	1	1	6	2	32	10	4	45	----	291
Not stated	39	34	27	7	---	----	-----	1	2	1	-----	1	----	2	----	5
20 to 24 years	45	10	7	3	---	----	-----	---	1	-----	-----	----	----	2	----	35
25 to 29 years	311	147	130	17	---	1	-----	---	-----	-----	2	----	2	12	----	164
30 to 34 years	628	416	366	50	1	5	-----	---	3	1	15	1	2	22	----	212
35 to 39 years	782	589	497	92	9	3	2	3	4	2	19	6	6	38	----	193
40 to 44 years	389	332	264	68	3	2	-----	2	5	1	26	13	2	14	----	57
45 to 49 years	31	27	18	8	1	----	1	---	-----	-----	2	1	----	3	1	4
50 to 54 years	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	12	7	7	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	5
NINTH CHILD	1,636	1,120	935	183	19	8	2	5	5	4	50	20	4	56	2	516
Male	920	638	533	104	12	5	2	1	2	2	22	11	2	45	1	282
Female	681	456	384	71	7	3	-----	4	2	1	24	8	2	20	1	225
Not stated	35	26	18	8	---	----	-----	---	1	1	4	1	----	1	----	9
20 to 24 years	16	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	15
25 to 29 years	138	56	51	5	---	1	-----	---	-----	-----	-----	----	----	4	----	82
30 to 34 years	396	227	203	23	---	1	-----	1	-----	-----	5	----	1	15	1	169
35 to 39 years	677	488	407	80	10	2	1	4	3	2	18	7	1	32	1	189
40 to 44 years	362	311	245	66	9	4	-----	---	1	2	22	12	2	14	----	51
45 to 49 years	43	33	26	7	---	----	1	---	-----	-----	5	1	----	-----	----	10
Not stated	4	4	2	2	---	----	-----	---	1	-----	-----	----	----	1	----	------
TENTH CHILD	1,224	837	686	150	14	4	2	3	4	3	43	18	3	56	1	387
Male	710	488	399	88	7	2	-----	2	2	1	25	12	2	35	1	222
Female	491	334	276	58	7	2	2	1	-----	2	17	6	1	20	----	157
Not stated	23	15	11	4	---	----	-----	---	2	-----	1	----	----	1	----	8
20 to 24 years	7	4	4	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
25 to 29 years	74	30	26	4	---	1	-----	---	-----	-----	-----	----	----	3	----	44
30 to 34 years	259	142	121	21	---	1	-----	---	-----	-----	4	1	1	14	----	117
35 to 39 years	502	352	295	57	7	1	1	1	2	3	13	6	1	22	----	150
40 to 44 years	317	254	205	58	7	1	1	1	2	-----	20	9	1	16	1	53
45 to 49 years	57	40	30	10	---	----	-----	1	-----	-----	6	2	----	1	----	17
55 years and over	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	7	4	4	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
ELEVENTH CHILD	910	624	504	119	5	3	-----	3	5	3	38	17	7	38	1	286
Male	502	338	272	65	4	1	-----	2	3	2	17	9	5	22	1	164
Female	388	271	222	49	1	1	-----	1	2	-----	19	8	1	16	----	117
Not stated	20	15	10	5	---	1	-----	---	-----	1	2	----	1	-----	----	5
20 to 24 years	3	2	1	1	---	----	-----	---	-----	1	-----	----	----	-----	----	1
25 to 29 years	28	9	8	1	---	----	-----	---	-----	-----	-----	----	----	1	----	19
30 to 34 years	158	85	72	13	---	2	-----	---	-----	-----	7	----	----	4	----	73
35 to 39 years	375	224	172	51	2	----	-----	1	4	-----	14	5	2	23	1	151
40 to 44 years	300	263	219	44	3	1	-----	1	1	2	13	12	3	8	----	37
45 to 49 years	43	39	30	9	---	----	-----	1	-----	-----	4	----	2	2	----	4
Not stated	3	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
TWELFTH CHILD	664	440	340	99	6	5	2	1	1	-----	26	16	3	39	1	224
Male	347	226	181	45	2	3	1	---	-----	-----	11	12	1	15	----	121
Female	309	209	156	52	4	2	1	1	1	-----	14	4	2	23	1	100
Not stated	8	5	3	2	---	----	-----	---	-----	-----	1	----	----	1	----	3
25 to 29 years	21	7	6	1	---	----	-----	---	-----	-----	1	----	----	-----	----	14
30 to 34 years	91	49	38	11	---	1	-----	---	-----	-----	-----	1	----	9	----	42
35 to 39 years	258	157	124	33	---	3	-----	---	-----	-----	6	4	1	19	----	101
40 to 44 years	246	185	144	41	6	----	2	1	1	-----	12	9	2	8	----	61
45 to 49 years	41	37	24	13	---	1	-----	---	-----	-----	7	2	----	3	----	4
50 to 54 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	6	4	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	1	2

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
THIRTEENTH CHILD	430	259	197	62	10	4	1	---	-----	1	13	6	4	23	----	171
Male	230	138	103	35	6	1	1	---	-----	-----	9	3	3	12	----	92
Female	197	120	94	26	4	3	-----	---	-----	1	4	3	----	11	----	77
Not stated	3	1	-----	1	---	----	-----	---	-----	-----	-----	----	1	-----	----	2
25 to 29 years	6	-------	------	-----	---	---	-----	---	-----	-----	-----	----	----	-----	----	6
30 to 34 years	50	19	18	1	---	----	-----	---	-----	-----	-----	----	----	1	----	31
35 to 39 years	151	78	62	16	2	2	-----	---	-----	-----	5	1	1	5	----	73
40 to 44 years	184	132	96	36	8	2	-----	---	-----	1	5	5	2	13	----	52
45 to 49 years	37	29	21	8	---	----	1	---	-----	-----	3	----	1	3	----	8
50 to 54 years	1	1	-----	1	---	----	-----	---	-----	-----	-----	----	----	1	----	-------
Not stated	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
FOURTEENTH CHILD	270	173	133	40	5	2	-----	---	-----	1	12	3	----	17	----	97
Male	148	93	68	25	5	1	-----	---	-----	-----	8	2	----	9	----	55
Female	115	74	59	15	---	1	-----	---	-----	1	4	1	----	8	----	41
Not stated	7	6	6	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
30 to 34 years	27	11	8	3	---	----	-----	---	-----	-----	1	----	----	2	----	16
35 to 39 years	90	52	40	12	1	----	-----	---	-----	-----	2	----	----	9	----	38
40 to 44 years	130	90	70	20	4	2	-----	---	-----	-----	7	2	----	5	----	40
45 to 49 years	21	18	14	4	---	----	-----	---	-----	-----	2	1	----	1	----	3
50 to 54 years	1	1	-----	1	---	----	-----	---	-----	1	-----	----	----	-----	----	-------
Not stated	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
FIFTEENTH CHILD	148	78	60	18	1	2	-----	---	-----	-----	7	2	----	6	----	70
Male	84	39	31	8	1	----	-----	---	-----	-----	2	2	----	3	----	45
Female	63	39	29	10	---	2	-----	---	-----	-----	5	----	----	3	----	24
Not stated	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
25 to 29 years	3	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
30 to 34 years	13	6	5	1	---	----	-----	---	-----	-----	-----	----	----	1	----	7
35 to 39 years	49	22	16	6	1	1	-----	---	-----	-----	-----	----	----	4	----	27
40 to 44 years	57	34	26	8	---	1	-----	---	-----	-----	5	1	----	1	----	23
45 to 49 years	25	15	12	3	---	----	-----	---	-----	-----	2	1	----	-----	----	10
55 years and over	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
SIXTEENTH CHILD	87	52	39	13	3	----	-----	---	-----	-----	2	3	----	5	----	35
Male	49	28	23	5	1	----	-----	---	-----	-----	-----	2	----	2	----	21
Female	36	23	16	7	2	----	-----	---	-----	-----	2	----	----	3	----	13
Not stated	2	1	-----	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	1
25 to 29 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
30 to 34 years	4	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
35 to 39 years	40	23	18	5	1	----	-----	---	-----	-----	1	----	----	3	----	17
40 to 44 years	30	19	14	5	---	----	-----	---	-----	-----	-----	3	----	2	----	11
45 to 49 years	12	8	5	3	2	----	-----	---	-----	-----	1	----	----	-----	----	4
SEVENTEENTH CHILD	46	23	17	5	---	----	-----	---	-----	-----	1	----	----	4	1	23
Male	25	15	12	2	---	----	-----	---	-----	-----	1	----	----	1	1	10
Female	21	8	5	3	---	----	-----	---	-----	-----	-----	----	----	3	----	13
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
30 to 34 years	3	1	------	1	---	----	-----	---	-----	-----	-----	----	----	1	----	2
35 to 39 years	19	8	6	2	---	----	-----	---	-----	-----	-----	----	----	2	----	11
40 to 44 years	19	11	9	1	---	----	-----	---	-----	-----	-----	----	----	1	1	8
45 to 49 years	5	3	2	1	---	----	-----	---	-----	-----	1	----	----	-----	----	2
EIGHTEENTH CHILD	33	19	16	3	---	1	-----	---	-----	-----	-----	1	----	1	----	14
Male	15	11	9	2	---	----	-----	---	-----	-----	-----	1	----	1	----	4
Female	18	8	7	1	---	1	-----	---	-----	-----	-----	----	----	-----	----	10
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
35 to 39 years	13	5	5	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	8
40 to 44 years	15	11	10	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	4
45 to 49 years	5	3	1	2	---	1	-----	---	-----	-----	-----	----	----	1	----	2
NINETEENTH CHILD	14	5	3	2	1	----	-----	---	-----	-----	1	----	----	-----	----	9
Male	10	3	1	2	1	----	-----	---	-----	-----	1	----	----	-----	----	7
Female	4	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
35 to 39 years	5	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
40 to 44 years	6	3	2	1	---	----	-----	---	-----	-----	1	----	----	-----	----	3
45 to 49 years	3	1	------	1	1	----	-----	---	-----	-----	-----	----	----	-----	----	2
TWENTIETH CHILD	11	6	4	2	---	----	-----	---	-----	-----	2	----	----	-----	----	5
Male	4	3	1	2	---	----	-----	---	-----	-----	2	----	----	-----	----	1
Female	7	3	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
35 to 39 years	4	3	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
40 to 44 years	6	2	1	1	---	----	-----	---	-----	-----	1	----	----	-----	----	4
45 to 49 years	1	1	------	1	---	----	-----	---	-----	-----	1	----	----	-----	----	-------
TWENTY-FIRST CHILD	4	3	2	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	1
Male	2	2	1	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	-------
Female	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-------
35 to 39 years	2	2	1	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	-------
40 to 44 years	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1936—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	Total stillbirths	WHITE														Other races
		Total	Country of birth of mother													
			United States	Foreign country											Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
TWENTY-SECOND CHILD	2	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
Male	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Female	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
45 to 49 years	2	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
TWENTY-FOURTH CHILD	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Male	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Female	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	------	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
35 to 39 years	1	-------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
40 to 44 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
NUMBER OF CHILD NOT STATED	1,658	1,123	1,019	73	4	7	-----	6	4	9	10	7	3	23	31	535
Male	952	644	588	38	1	4	-----	3	3	5	9	3	1	9	18	308
Female	675	457	410	34	3	2	-----	3	1	4	1	4	2	14	13	218
Not stated	31	22	21	1	---	1	-----	---	-----	-----	-----	----	----	-----	----	9
15 to 19 years	12	8	8	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
20 to 24 years	96	71	66	4	1	----	-----	---	-----	1	-----	1	----	1	1	25
25 to 29 years	141	103	92	10	---	----	-----	---	1	2	3	----	----	4	1	38
30 to 34 years	96	73	65	8	1	----	-----	3	1	2	-----	----	1	-----	----	23
35 to 39 years	81	56	45	10	1	1	-----	2	1	2	-----	2	----	1	1	25
40 to 44 years	27	23	17	6	---	2	-----	---	1	-----	1	2	----	-----	----	4
45 to 49 years	4	3	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	1,201	786	723	35	1	4	-----	1	-----	2	6	2	2	17	28	415

1/ Exclusive of Massachusetts.

TABLE 15.—STILLBIRTHS, BY CAUSE, IN CERTAIN SPECIFIED STATES AND CITIES: 1936

CAUSE OF STILLBIRTH	Total	Connecticut	Illinois	New Jersey	New York	Oregon	Washington	West Virginia	District of Columbia	Baltimore, Md.
All causes	15,973	563	3,099	1,801	7,221	297	468	1,524	432	568
General diseases	506	17	113	45	211	6	4	52	20	36
Syphilis	345	11	64	30	144	1	2	38	20	35
Other general diseases	161	6	49	15	67	5	2	14	------	3
Extra-uterine pregnancy	13	-----	2	2	9	----	----	------	------	-------
Albuminuria and other diseases incident to pregnancy	1,125	63	206	118	543	32	43	53	18	49
Albuminuria	29	1	11	1	7	2	6	1	------	-------
Eclampsia	230	10	47	28	106	4	9	13	6	7
Nephritis	257	12	49	30	117	8	7	10	1	23
Toxemia	549	38	91	56	283	15	14	25	11	16
Other diseases incident to pregnancy	60	2	8	3	30	3	7	4	------	3
Antepartum hemorrhage	3	-----	1	------	2	----	----	------	------	-------
Hemorrhage of uterus	38	1	4	2	27	----	2	------	------	2
Inertia of uterus	31	-----	5	5	19	----	----	2	------	-------
Prolapse of uterus	2	-----	------	------	2	----	----	------	------	-------
Retroversion of uterus	11	-----	1	------	10	----	----	------	------	-------
Rupture of uterus	33	2	5	6	15	----	----	2	1	2
Malformations	963	55	226	109	438	12	36	59	12	16
Hydrocephalus	287	18	76	20	132	5	7	20	5	4
Spina bifida	87	6	24	10	39	----	5	3	------	-------
Other malformations	589	31	126	79	267	7	24	36	7	12
Diseases of the placenta and membranes	1,842	72	436	192	912	48	51	71	23	37
Placenta praevia	441	12	130	36	195	15	12	22	7	12
Separation of placenta	1,089	43	235	131	549	21	33	41	15	21
Diseases of the placenta	209	14	53	18	105	6	3	7	1	2
Premature rupture of membranes	103	3	18	7	63	6	3	1	------	2
Abortion, miscarriage, premature birth	1,511	34	110	141	1,052	8	12	53	17	84
Abortion, miscarriage, premature birth, induced, criminal	5	-----	1	2	1	----	----	------	------	1
Abortion, miscarriage, premature birth, induced, therapeutic	204	1	1	1	187	1	1	------	------	12
Abortion, miscarriage, premature birth, self-induced	16	-----	------	1	10	----	----	2	------	3
Abortion, miscarriage, premature birth, induced, unspecified	16	-----	1	2	12	----	----	1	------	-------
Abortion, miscarriage, premature birth, spontaneous	165	-----	3	11	120	----	----	------	------	31
Other abortions and miscarriages	598	13	49	47	426	1	----	31	5	26
Other premature births	507	20	55	77	296	6	11	19	12	11
Prolapse and compression of cord	1,665	64	410	187	774	44	66	68	24	28
Compression of cord	298	11	96	39	102	14	20	9	4	3
Cord around neck	531	24	131	51	276	11	16	12	6	2
Knot in cord	162	2	37	20	87	5	4	2	5	-------
Prolapsed cord	602	22	124	69	275	12	26	44	8	22
Twisted cord	72	5	22	8	32	2	----	1	1	1
Thrombosis of cord	48	3	8	8	20	----	6	3	------	-------
Malpresentation	604	26	152	63	261	13	31	42	5	11
Breech	357	15	89	37	149	4	19	37	------	7
Foot	27	1	3	1	12	3	2	1	2	2
Brow	7	-----	1	------	6	----	----	------	------	-------
Face	25	-----	7	3	12	1	2	------	------	-------
Transverse	57	3	24	5	28	2	3	------	2	-------
Shoulder	23	2	8	2	8	----	2	1	------	-------
Hand	15	-----	3	1	8	1	1	------	------	1
Other and unspecified	83	5	17	14	38	2	2	3	1	1
Difficult labor	1,195	35	367	110	479	24	43	94	15	28
Deformed pelvis	168	4	42	19	78	1	4	15	1	4
Instrumental delivery	116	2	42	8	38	6	5	10	1	4
Version	24	1	8	3	12	----	----	------	------	-------
Other and unspecified	887	28	275	80	351	17	34	69	13	20
Asphyxia of child (cause not stated)	742	30	113	90	399	6	5	28	8	63
Hydramnios	82	4	11	6	50	----	5	2	------	4
Death in utero	832	36	350	66	250	22	47	14	15	32
Maceration	299	26	35	19	192	4	6	1	13	3
Other deaths in utero	533	10	315	47	58	18	41	13	2	29
Traumatism and overwork	345	8	72	26	143	8	9	32	7	20
Blow	12	-----	1	4	3	----	----	3	1	-------
Fall	173	4	32	12	72	4	2	30	4	13
Shock	13	-----	4	1	4	----	1	2	------	1
Overwork	20	-----	3	1	13	----	1	1	------	1
Other	127	4	32	8	51	4	5	16	2	5
Predisposition of mother to abortion	10	-----	2	------	6	1	----	1	------	-------
Other diseases or conditions of mother	334	15	61	25	182	5	7	22	3	14
Other specified causes	420	21	124	40	152	12	14	27	18	12
Causes not specified and unknown	3,618	77	320	560	1,265	56	87	879	245	128

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1936

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Not stated
All causes	15,973	148	307	505	792	1,279	1,650	2,153	3,341	4,510	132	1,156
Male	8,497	4	68	226	470	692	888	1,113	1,816	2,511	76	633
Female	6,665	2	17	55	218	544	740	1,025	1,512	1,985	54	502
Not stated	811	142	222	213	104	43	22	15	13	14	2	21
General diseases—Male	288	1	3	11	15	26	37	49	63	68	4	11
Female	199	-----	-----	1	7	24	34	49	44	34	----	6
Not stated	19	3	6	7	2	-----	-----	-----	1	-----	----	-----
Syphilis—Male	197	1	1	6	10	13	25	33	47	48	2	11
Female	142	-----	-----	-----	4	16	26	36	29	25	----	6
Not stated	6	1	-----	3	1	-----	-----	-----	1	-----	----	-----
Other general diseases—Male	91	-----	2	5	5	13	12	16	16	20	2	-----
Female	57	-----	-----	1	3	8	8	13	15	9	----	-----
Not stated	13	2	6	4	1	-----	-----	-----	-----	-----	----	-----
Extra-uterine pregnancy—Male	2	-----	1	-----	-----	-----	1	-----	-----	-----	----	-----
Female	2	-----	-----	-----	-----	-----	-----	-----	1	1	----	-----
Not stated	9	4	2	2	-----	-----	-----	-----	-----	-----	----	1
Albuminuria and other diseases incident to pregnancy—Male	602	-----	-----	7	18	47	83	161	142	122	2	20
Female	513	-----	1	2	14	32	91	135	122	96	3	17
Not stated	10	-----	-----	4	1	1	-----	1	2	-----	----	1
Albuminuria—Male	17	-----	-----	-----	-----	3	3	5	6	-----	----	-----
Female	12	-----	-----	-----	1	-----	3	1	6	1	----	-----
Eclampsia—Male	129	-----	-----	-----	1	5	14	38	34	29	2	6
Female	101	-----	1	-----	-----	3	19	29	29	17	----	3
Nephritis—Male	123	-----	-----	4	6	14	18	33	25	20	----	3
Female	132	-----	-----	1	2	14	23	40	23	25	----	4
Not stated	2	-----	-----	1	-----	-----	-----	1	-----	-----	----	-----
Toxemia—Male	300	-----	-----	3	10	22	45	74	69	68	----	9
Female	243	-----	-----	1	8	12	44	61	56	49	3	9
Not stated	6	-----	-----	2	-----	1	-----	-----	2	-----	----	1
Other diseases incident to pregnancy—Male	33	-----	-----	-----	1	3	3	11	8	5	----	2
Female	25	-----	-----	-----	3	3	2	4	8	4	----	1
Not stated	2	-----	-----	1	1	-----	-----	-----	-----	-----	----	-----
Antepartum hemorrhage—Male	3	-----	-----	-----	-----	-----	-----	-----	1	2	----	-----
Hemorrhage of uterus—Male	26	-----	-----	1	3	3	3	1	10	4	----	1
Female	10	-----	-----	-----	2	-----	3	1	1	3	----	-----
Not stated	2	-----	-----	1	-----	-----	-----	1	-----	-----	----	-----
Inertia of uterus—Male	18	-----	-----	-----	-----	-----	-----	-----	2	15	----	1
Female	13	-----	-----	-----	-----	-----	-----	1	2	8	1	1
Prolapse of uterus—Male	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	-----
Not stated	1	-----	-----	-----	1	-----	-----	-----	-----	-----	----	-----
Retroversion of uterus—Male	5	-----	-----	-----	2	2	1	-----	-----	-----	----	-----
Not stated	6	-----	5	1	-----	-----	-----	-----	-----	-----	----	-----
Rupture of uterus—Male	15	-----	-----	-----	1	-----	-----	1	5	7	----	1
Female	18	-----	-----	-----	-----	-----	1	5	4	7	----	1
Malformations—Male	413	-----	1	-----	6	15	37	64	111	156	7	16
Female	537	-----	1	-----	2	14	49	128	125	191	4	23
Not stated	13	-----	-----	1	1	-----	2	3	3	2	----	1
Hydrocephalus—Male	150	-----	-----	-----	1	3	5	15	48	71	4	3
Female	136	-----	-----	-----	1	4	6	20	31	71	----	3
Not stated	1	-----	-----	-----	-----	-----	-----	1	-----	-----	----	-----
Spina bifida—Male	29	-----	-----	-----	-----	4	5	4	9	7	----	-----
Female	58	-----	1	-----	-----	1	7	13	14	17	2	3
Other malformations—Male	234	-----	1	-----	5	8	27	45	54	78	3	13
Female	343	-----	-----	-----	1	9	36	95	80	103	2	17
Not stated	12	-----	-----	1	1	-----	2	2	3	2	----	1
Diseases of the placenta and membranes—Male	1,016	-----	5	15	35	88	150	220	233	231	3	36
Female	787	1	2	3	24	87	113	166	189	182	5	15
Not stated	39	3	5	10	10	5	1	2	1	1	----	1
Placenta praevia—Male	246	-----	1	3	9	20	48	59	51	45	----	9
Female	195	-----	1	1	8	16	30	49	43	41	2	4
Separation of placenta—Male	593	-----	4	9	15	53	80	136	141	128	2	25
Female	463	1	1	-----	14	53	67	99	121	95	3	9
Not stated	33	3	5	9	7	5	1	-----	1	1	----	1
Diseases of the placenta—Male	119	-----	-----	1	7	5	14	21	35	33	1	2
Female	85	-----	-----	2	2	9	12	14	20	2[F]	----	1
Not stated	5	-----	-----	1	2	-----	-----	2	-----	-----	----	-----
Premature rupture of membranes—Male	58	-----	-----	2	4	10	8	4	6	24	----	-----
Female	44	-----	-----	-----	-----	9	4	4	5	21	----	1
Not stated	1	-----	-----	-----	1	-----	-----	-----	-----	-----	----	-----

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1936—Continued

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Not stated
Abortion, miscarriage, and premature birth—Male	617	2	20	69	110	139	137	78	33	7	----	22
Female	466	-----	3	23	57	123	123	77	33	7	----	20
Not stated	428	105	142	103	48	16	6	3	1	-----	----	4
Abortion, miscarriage, premature birth, induced, criminal—Male	1	-----	-----	-----	-----	-----	1	-----	-----	-----	----	------
Female	2	-----	-----	-----	-----	2	-----	-----	-----	-----	----	------
Not stated	2	-----	-----	1	1	-----	-----	-----	-----	-----	----	------
Abortion, miscarriage, premature birth, induced, therapeutic—Male	19	1	1	5	6	3	2	1	-----	-----	----	------
Female	11	-----	1	3	2	1	3	-----	-----	-----	----	1
Not stated	174	70	59	33	11	-----	-----	-----	-----	-----	----	1
Abortion, miscarriage, premature birth, self-induced—Male	7	-----	1	1	3	2	-----	-----	-----	-----	----	------
Female	3	-----	-----	1	-----	-----	1	-----	-----	1	----	------
Not stated	6	3	1	1	1	-----	-----	-----	-----	-----	----	------
Abortion, miscarriage, premature birth, induced, unspecified—Male	8	-----	1	1	2	3	-----	1	-----	-----	----	------
Female	2	-----	-----	-----	-----	1	1	-----	-----	-----	----	------
Not stated	6	1	2	3	-----	-----	-----	-----	-----	-----	----	------
Abortion, miscarriage, premature birth, spontaneous—Male	54	-----	4	16	15	7	9	1	1	-----	----	1
Female	25	-----	1	2	10	2	8	1	1	-----	----	------
Not stated	86	15	33	21	8	5	2	-----	1	-----	----	1
Other abortions and miscarriages—Male	271	1	13	46	84	124	1	-----	-----	-----	----	2
Female	180	-----	1	17	45	116	-----	-----	-----	-----	----	1
Not stated	147	16	47	44	27	11	-----	-----	-----	-----	----	2
Other premature births—Male	257	-----	-----	-----	-----	-----	124	75	32	7	----	19
Female	243	-----	-----	-----	-----	1	110	76	32	6	----	18
Not stated	7	-----	-----	-----	-----	-----	4	3	-----	-----	----	------
Prolapse and compression of cord—Male	954	-----	3	1	16	23	28	74	277	479	11	42
Female	705	-----	-----	2	5	18	24	54	199	357	11	35
Not stated	6	-----	-----	1	1	1	1	-----	-----	1	1	------
Compression of cord—Male	172	-----	1	-----	3	-----	5	11	61	80	4	7
Female	126	-----	-----	-----	1	1	3	6	44	63	3	5
Cord around neck—Male	298	-----	1	-----	4	3	6	27	83	158	5	11
Female	232	-----	-----	1	2	2	5	17	72	121	3	9
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	------
Knot in cord—Male	90	-----	-----	-----	-----	1	2	7	28	50	1	1
Female	71	-----	-----	-----	-----	1	4	11	17	35	2	1
Not stated	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	------
Prolapsed cord—Male	363	-----	1	1	9	18	11	23	95	182	1	22
Female	237	-----	-----	1	2	10	10	15	54	124	3	18
Not stated	2	-----	-----	-----	1	1	-----	-----	-----	-----	----	------
Twisted cord—Male	31	-----	-----	-----	-----	1	4	6	10	9	----	1
Female	39	-----	-----	-----	-----	4	2	5	12	14	----	2
Not stated	2	-----	-----	-----	-----	-----	1	-----	-----	-----	1	------
Thrombosis of cord—Male	26	-----	-----	-----	-----	-----	3	4	6	13	----	------
Female	22	-----	-----	-----	-----	1	-----	1	10	8	1	1
Malpresentation—Male	348	-----	-----	-----	1	4	9	25	104	191	3	11
Female	256	-----	-----	-----	-----	2	4	13	80	139	6	12
Breech—Male	200	-----	-----	-----	-----	2	4	13	63	109	2	7
Female	157	-----	-----	-----	-----	2	3	8	48	84	3	9
Foot—Male	18	-----	-----	-----	1	1	-----	3	5	7	----	1
Female	9	-----	-----	-----	-----	-----	-----	1	1	6	----	1
Brow—Male	2	-----	-----	-----	-----	-----	-----	-----	-----	2	----	------
Female	5	-----	-----	-----	-----	-----	-----	-----	1	3	1	------
Face—Male	16	-----	-----	-----	-----	-----	-----	-----	4	11	1	------
Female	9	-----	-----	-----	-----	-----	-----	-----	3	6	----	------
Transverse—Male	42	-----	-----	-----	-----	-----	2	5	15	20	----	------
Female	25	-----	----	-----	-----	-----	-----	1	7	15	1	1
Shoulder—Male	10	-----	-----	-----	-----	1	1	-----	6	2	----	------
Female	13	-----	-----	-----	-----	-----	1	-----	7	4	----	1
Hand—Male	10	-----	-----	-----	-----	-----	1	1	1	7	----	------
Female	5	-----	-----	-----	-----	-----	-----	1	1	3	----	------
Other and unspecified—Male	50	-----	-----	-----	-----	-----	1	3	10	33	----	3
Female	33	-----	-----	-----	-----	-----	-----	2	12	18	1	------
Difficult labor—Male	738	-----	1	-----	1	-----	9	21	243	420	15	28
Female	454	-----	-----	-----	1	-----	2	18	155	258	9	11
Not stated	3	-----	-----	-----	-----	-----	-----	-----	-----	3	----	------
Deformed pelvis—Male	112	-----	1	-----	1	-----	2	2	32	65	4	5
Female	56	-----	-----	-----	1	-----	-----	1	18	32	2	2
Instrumental delivery—Male	77	-----	-----	-----	-----	-----	1	-----	31	40	----	5
Female	39	-----	-----	-----	-----	-----	-----	1	16	19	1	2

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1936—Continued

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Not stated
Difficult labor—Continued												
Version—Male	13	-----	-----	-----	-----	-----	-----	-----	4	8	1	------
Female	10	-----	-----	-----	-----	-----	-----	1	2	7	----	------
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	------
Other and unspecified—Male	536	-----	-----	-----	-----	-----	6	19	176	307	10	18
Female	349	-----	-----	-----	-----	-----	2	15	119	200	6	7
Not stated	2	-----	-----	-----	-----	-----	-----	-----	-----	2	----	------
Asphyxia of child (cause not stated)—Male	392	-----	1	4	16	17	28	39	79	181	14	13
Female	325	-----	-----	1	3	17	21	32	61	175	3	12
Not stated	25	2	10	6	4	1	-----	-----	-----	2	----	------
Hydramnios—Male	44	-----	-----	-----	7	2	5	8	12	6	1	3
Female	38	-----	2	-----	1	7	5	9	9	5	----	------
Death in utero—Male	451	-----	2	9	28	31	68	85	112	107	3	6
Female	346	-----	1	6	11	24	52	72	97	75	4	4
Not stated	35	3	8	3	7	5	3	-----	4	1	----	1
Maceration—Male	171	-----	-----	3	8	8	21	33	27	65	3	3
Female	109	-----	-----	-----	2	1	19	22	21	42	2	------
Not stated	19	1	2	2	5	3	2	-----	2	1	----	1
Other deaths in utero—Male	280	-----	2	6	20	23	47	52	85	42	----	3
Female	237	-----	1	6	9	23	33	50	76	33	2	4
Not stated	16	2	6	1	2	2	1	-----	2	-----	----	------
Traumatism and overwork—Male	192	-----	1	15	30	41	39	27	22	15	----	2
Female	131	-----	-----	4	11	24	22	32	20	10	----	8
Not stated	22	3	4	6	5	2	2	-----	-----	-----	----	------
Blow—Male	10	-----	-----	-----	2	-----	3	-----	5	-----	----	------
Female	1	-----	-----	-----	-----	-----	-----	-----	1	-----	----	------
Not stated	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	------
Fall—Male	94	-----	1	5	13	20	16	16	11	10	----	2
Female	70	-----	-----	3	8	12	10	14	11	7	----	5
Not stated	9	2	2	1	1	2	1	-----	-----	-----	----	------
Shock—Male	10	-----	-----	2	1	2	-----	4	-----	1	----	------
Female	2	-----	-----	-----	-----	-----	-----	1	-----	-----	----	1
Not stated	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	------
Overwork—Male	13	-----	-----	1	3	5	1	2	-----	1	----	------
Female	4	-----	-----	-----	1	1	-----	-----	2	-----	----	------
Not stated	3	-----	-----	1	2	-----	-----	-----	-----	-----	----	------
Other—Male	65	-----	-----	7	11	14	19	5	6	3	----	------
Female	54	-----	-----	1	2	11	12	17	6	3	----	2
Not stated	8	1	2	2	2	-----	1	-----	-----	-----	----	------
Predisposition of mother to abortion—Male	3	-----	-----	-----	-----	3	-----	-----	-----	-----	----	------
Female	6	-----	-----	1	-----	4	1	-----	-----	-----	----	------
Not stated	1	-----	1	-----	-----	-----	-----	-----	-----	-----	----	------
Other diseases or conditions of mother—Male	158	-----	1	15	16	33	18	30	19	19	1	6
Female	156	-----	-----	4	7	22	20	37	38	23	----	5
Not stated	20	4	9	6	1	-----	-----	-----	-----	-----	----	------
Other specified causes—Male	226	-----	1	-----	5	18	14	30	60	85	4	9
Female	190	-----	2	-----	1	5	7	28	68	70	2	7
Not stated	4	-----	-----	2	2	-----	-----	-----	-----	-----	----	------
Causes not specified and unknown—Male	1,959	1	28	78	160	200	218	196	282	383	8	405
Female	1,491	1	5	19	72	140	168	167	254	336	5	324
Not stated	168	15	30	60	21	12	7	5	1	4	1	12

TABLE 17.—STILLBIRTHS, BY PERIOD OF UTEROGESTATION, IN CERTAIN SPECIFIED STATES AND CITIES: 1936

AREA	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Not stated
Total	15,973	148	307	505	792	1,279	1,650	2,153	3,341	4,510	132	1,156
Connecticut	563	------	------	1	7	30	55	84	124	251	5	6
Illinois	3,099	------	8	33	135	265	423	605	1,436	181	6	7
New Jersey	1,801	------	6	26	49	129	157	230	264	703	21	216
New York	7,221	125	246	380	488	616	705	871	824	2,783	94	88
Oregon	297	------	------	------	1	15	40	49	53	133	1	5
Washington	468	------	------	------	------	1	6	59	64	237	1	100
West Virginia	1,524	7	9	11	46	139	150	168	425	13	1	555
District of Columbia	432	------	1	1	2	29	59	46	69	148	1	76
Baltimore, Md.	568	16	37	53	64	55	54	41	82	61	2	103

TABLE 18.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE, FROM IMPORTANT CAUSES, BY SEX AND RACE, IN THE UNITED STATES: 1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	DEATHS UNDER 1 YEAR OF AGE				CAUSE OF DEATH AND SEX	DEATHS UNDER 1 YEAR OF AGE			
	Total	White	Negro	Other races		Total	White	Negro	Other races
All causes	122,535	99,504	21,614	1,417	Convulsions (86):				
Male	69,749	56,923	12,033	793	Male	333	225	105	3
Female	52,786	42,581	9,581	624	Female	250	166	80	4
					Bronchitis (106):				
					Male	346	283	59	4
					Female	246	201	42	3
Measles (7):					Bronchopneumonia (107):				
Male	130	106	21	3	Male	7,038	5,727	1,191	120
Female	122	110	11	1	Female	5,507	4,456	951	100
Scarlet fever (8):					Lobar and unspecified pneumonia,(108, 109):				
Male	58	57	1	-----	Male	2,932	2,158	715	59
Female	33	32	1	-----	Female	2,270	1,667	550	53
Whooping-cough (9):					Diseases of the stomach (117, 118):				
Male	864	674	172	18	Male	312	232	79	1
Female	854	671	174	9	Female	219	168	41	10
Diphtheria (10):					Diarrhea and enteritis (119):				
Male	173	140	33	-----	Male	6,808	5,557	1,149	102
Female	143	106	37	-----	Female	5,467	4,419	959	89
Influenza (11):					Intestinal obstruction (122b):				
Male	1,999	1,493	478	28	Male	611	535	72	4
Female	1,502	1,127	353	22	Female	378	306	68	4
Dysentery (13):					Congenital malformations (157):				
Male	633	511	105	17	Male	5,857	5,523	311	23
Female	450	351	93	6	Female	4,563	4,298	247	18
Erysipelas (15):					Congenital debility, etc. (158, 161b, c):				
Male	241	218	15	8	Male	2,601	1,962	607	32
Female	216	202	11	3	Female	1,906	1,382	494	30
Epidemic cerebrospinal meningitis (18):					Premature birth (159):				
Male	194	168	22	4	Male	19,094	16,350	2,633	111
Female	106	96	10	-----	Female	14,549	12,378	2,105	66
Tetanus (22):					Injury at birth (160):				
Male	91	51	40	-----	Male	6,004	5,460	517	27
Female	58	31	26	1	Female	3,646	3,319	312	15
Tuberculosis of the respiratory system (23):					Other diseases of early infancy (161a, d):				
Male	152	101	43	8	Male	2,270	1,942	301	27
Female	149	96	47	6	Female	1,691	1,415	249	27
Tuberculosis of the meninges, etc. (24):					External causes (172-195, 201-214):				
Male	113	89	19	5	Male	1,442	1,126	299	17
Female	113	87	19	7	Female	1,163	903	250	10
Other forms of tuberculosis (25-32):					Unknown or ill-defined diseases (199, 200):				
Male	79	60	14	5	Male	3,902	1,883	1,902	117
Female	64	40	22	2	Female	3,071	1,444	1,549	78
Syphilis (34):					All other causes:				
Male	869	439	415	15	Male	4,603	3,853	715	35
Female	707	329	359	19	Female	3,343	2,781	521	41

TABLE 19.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, BY SEX AND RACE, IN THE UNITED STATES: 1936

AGE AND SEX	DEATHS UNDER 1 YEAR OF AGE				AGE AND SEX	DEATHS UNDER 1 YEAR OF AGE			
	Total	White	Negro	Other races		Total	White	Negro	Other races
Under 1 year	122,535	99,504	21,614	1,417	2 months	7,808	6,172	1,507	129
Male	69,749	56,923	12,033	793	Male	4,361	3,460	d32	69
Female	52,786	42,581	9,581	624	Female	3,447	2,712	675	60
Under 1 day	32,297	27,985	4,158	154	3 months	6,640	5,174	1,356	110
Male	18,757	16,299	2,366	92	Male	3,710	2,904	745	61
Female	13,540	11,686	1,792	62	Female	2,930	2,270	611	49
1 day	8,354	7,023	1,284	47	4 months	5,409	4,156	1,157	96
Male	4,899	4,119	752	28	Male	2,957	2,264	635	58
Female	3,455	2,904	532	19	Female	2,452	1,892	522	38
2 days	5,343	4,448	837	58	5 months	4,552	3,457	1,025	70
Male	3,229	2,699	497	33	Male	2,579	1,960	583	36
Female	2,114	1,749	340	25	Female	1,973	1,497	442	34
3 to 6 days	9,216	7,340	1,772	104	6 months	4,131	3,143	907	81
Male	5,355	4,267	1,027	61	Male	2,257	1,719	502	36
Female	3,861	3,073	745	43	Female	1,874	1,424	405	45
1 week	6,511	5,029	1,415	67	7 months	3,573	2,753	741	79
Male	3,643	2,883	721	39	Male	1,994	1,531	415	48
Female	2,868	2,146	694	28	Female	1,579	1,222	326	31
2 weeks	4,331	3,437	838	56	8 months	3,226	2,489	695	42
Male	2,374	1,879	457	38	Male	1,769	1,372	377	20
Female	1,957	1,558	381	18	Female	1,457	1,117	318	22
3 weeks but under 1 month	3,817	3,074	705	38	9 months	2,946	2,296	593	57
Male	2,157	1,743	391	23	Male	1,598	1,234	336	28
Female	1,660	1,331	314	15	Female	1,348	1,062	257	29
Under 1 month	69,869	58,336	11,009	524	10 months	2,511	2,018	434	59
Male	40,414	33,889	6,211	314	Male	1,338	1,077	230	31
Female	29,455	24,447	4,798	210	Female	1,173	941	204	28
1 month	9,503	7,628	1,750	125	11 months	2,367	1,882	440	45
Male	5,481	4,487	923	71	Male	1,291	1,026	244	21
Female	4,022	3,141	827	54	Female	1,076	856	196	24

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR OF AGE													
All causes—Total	122,535	11,074	10,950	10,686	10,127	9,456	9,314	10,063	9,263	9,510	10,611	9,855	11,626
Male	69,749	6,303	6,289	6,124	5,766	5,386	5,288	5,806	5,193	5,397	5,951	5,638	6,608
Female	52,786	4,771	4,661	4,562	4,361	4,070	4,026	4,257	4,070	4,113	4,660	4,217	5,018
Measles (7)—M	130	12	17	18	26	19	19	7	1	2	2	2	5
F	122	13	18	13	24	16	12	8	4	1	6	2	5
Scarlet fever (8)—M	58	14	10	5	6	3	3	2	2	2	2	4	5
F	33	9	3	7	5	2	1	1	------	1	1	2	1
Whooping-cough (9)—M	864	76	74	66	76	83	63	74	64	68	68	82	70
F	854	72	60	78	85	79	68	55	58	65	70	73	91
Diphtheria (10)—M	173	29	24	13	7	9	10	4	6	7	17	19	28
F	143	16	16	12	6	5	5	8	5	7	13	21	29
Influenza (11)—M	1,999	252	324	350	270	118	32	23	20	35	93	172	310
F	1,502	190	252	248	189	85	38	19	22	25	69	120	245
Dysentery (13)—M	633	15	12	6	10	27	66	82	112	121	123	43	16
F	450	11	6	3	9	23	51	60	82	86	81	29	9
Erysipelas (15)—M	241	23	29	39	28	26	17	13	12	8	15	18	13
F	216	23	27	20	25	20	15	12	11	14	10	18	21
Epidemic cerebrospinal meningitis (18)—M	194	21	23	32	22	13	16	9	10	4	11	18	15
F	106	12	10	14	13	7	6	7	2	3	8	15	9
Tetanus (22)—M	91	6	8	9	8	7	5	8	10	9	5	11	5
F	58	4	5	8	3	4	3	3	7	7	6	3	5
Tuberculosis of the respiratory system (23)—M	152	9	7	18	17	21	13	12	7	12	17	10	9
F	149	13	15	14	15	12	19	10	10	10	11	8	12
Tuberculosis of the meninges, etc. (24)—M	113	10	9	16	10	10	10	7	9	6	12	8	6
F	113	10	11	8	18	15	7	10	10	5	9	7	3
Other forms of tuberculosis (25-32)—M	79	4	7	11	8	9	2	10	8	7	3	3	7
F	64	5	3	12	6	4	6	1	6	5	8	5	3
Syphilis (34)—M	869	75	61	78	75	58	77	85	57	77	72	76	78
F	707	49	72	50	62	59	64	44	58	52	80	57	60
Convulsions (86)—M	333	27	38	32	26	14	28	43	31	27	24	20	23
F	250	28	24	25	23	19	14	18	16	30	17	13	23
Bronchitis (106)—M	346	33	46	33	41	20	14	15	12	16	27	28	61
F	246	30	18	19	29	21	13	12	8	9	16	21	50
Bronchopneumonia (107)—M	7,038	826	913	741	709	516	305	277	217	266	473	662	1,133
F	5,507	642	698	535	527	388	270	223	189	239	387	545	864
Lobar and unspecified pneumonia (108, 109)—M	2,932	390	403	353	263	205	127	103	82	96	171	301	438
F	2,270	302	322	257	213	126	119	65	70	75	149	220	352
Diseases of the stomach (117, 118)—M	312	27	27	24	15	24	27	30	25	22	46	28	17
F	219	15	15	18	13	11	31	19	17	21	30	17	12
Diarrhea and enteritis (119)—M	6,808	271	233	286	284	395	670	901	866	1,035	996	552	319
F	5,467	227	201	211	216	361	563	677	712	809	839	411	240
Intestinal obstruction (122b)—M	611	68	40	52	41	47	58	53	53	64	51	40	44
F	378	35	18	31	27	27	31	44	40	27	41	30	27
Congenital malformations (157)—M	5,857	487	503	520	475	476	434	548	459	466	505	475	509
F	4,563	407	353	400	378	383	364	392	369	368	404	336	409
Congenital debility, icterus, sclerema (158,161b,c)—M	2,601	200	230	203	175	197	209	234	232	231	268	216	206
F	1,905	144	168	154	156	143	148	174	163	185	207	135	129
Premature birth (159)—M	19,094	1,610	1,520	1,578	1,670	1,732	1,699	1,668	1,522	1,490	1,521	1,413	1,671
F	14,549	1,242	1,118	1,262	1,273	1,304	1,221	1,257	1,206	1,092	1,157	1,161	1,256
Injury at birth (160)—M	6,004	561	510	534	482	495	476	562	489	488	456	443	508
F	3,646	319	304	307	296	320	300	344	307	295	287	247	320
Other diseases of early infancy (161a, d)—M	2,270	226	209	192	171	171	195	207	199	162	166	172	200
F	1,691	171	151	154	137	125	136	156	136	131	129	122	143
External causes (172-195, 201-214)—M	1,442	172	149	115	115	82	102	164	104	90	110	119	120
F	1,163	123	121	86	94	74	77	127	78	84	92	83	124
Unknown or ill-defined diseases (199, 200)—M	3,902	422	424	387	328	263	273	291	257	277	335	312	333
F	3,071	319	338	304	248	201	208	251	247	217	247	236	255
All other causes—M	4,603	437	439	413	408	346	338	374	327	309	362	391	459
F	3,343	340	314	312	271	236	236	260	237	250	286	280	321
UNDER 1 DAY													
All causes	32,297	2,618	2,526	2,669	2,724	3,004	2,856	2,968	2,732	2,551	2,582	2,391	2,676
Measles (7)	1	------	------	------	------	1	------	------	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	1	------	------	------	------	------	------	1	------	------	------	------	------
Diphtheria (10)	------	------	------	------	------	------	------	------	------	------	------	------	------
Influenza (11)	11	1	5	3	2	------	------	------	------	------	------	------	------
Dysentery (13)	------	------	------	------	------	------	------	------	------	------	------	------	------
Erysipelas (15)	------	------	------	------	------	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	1	------	------	------	------	------	------	------	1	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	242	21	16	17	25	28	24	21	20	18	20	16	16
Convulsions (86)	21	1	------	------	3	1	3	2	4	4	2	------	1
Bronchitis (106)	3	------	------	------	1	------	------	------	------	------	1	1	------
Bronchopneumonia (107)	34	5	3	3	5	3	------	3	4	1	2	2	3
Lobar and unspecified pneumonia (108, 109)	23	4	2	2	3	------	1	1	1	1	2	3	3
Diseases of the stomach (117, 118)	3	------	2	------	------	------	------	1	------	------	------	------	------
Diarrhea and enteritis (119)	4	------	------	1	------	------	------	------	------	2	1	------	------
Intestinal obstruction (122b)	2	------	------	------	------	------	1	1	------	------	------	------	------
Congenital malformations (157)	2,525	190	200	211	183	235	216	246	210	215	223	190	206
Congenital debility, icterus, sclerema (158, 161b,c)	708	55	68	71	60	62	51	62	56	62	63	52	46
Premature birth (159)	20,269	1,582	1,519	1,666	1,763	1,939	1,844	1,840	1,724	1,597	1,591	1,522	1,682
Injury at birth (160)	4,957	441	389	405	379	458	413	479	419	394	412	338	430
Other diseases of early infancy (161a,d)	1,748	160	148	143	126	142	159	152	154	129	139	141	155
External causes (172-195, 201-214)	168	18	17	11	17	12	13	18	15	12	11	13	11
Unknown or ill-defined diseases (199, 200)	1,346	121	141	113	137	103	111	124	105	97	97	96	101
All other causes	230	19	16	23	20	20	20	17	19	19	18	17	22

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 DAY													
All causes	8,354	756	650	759	730	702	710	759	684	637	637	628	702
Measles (7)	1	------	------	------	------	1	------	------	------	------	------	------	------
Scarlet fever (8)	1	------	------	1	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	------	------	------	------	------	------	------	------	------	------	------	------	------
Diphtheria (10)	2	------	1	------	------	------	------	------	------	------	------	------	1
Influenza (11)	7	4	1	2	------	------	------	------	------	------	------	------	------
Dysentery (13)	------	------	------	------	------	------	------	------	------	------	------	------	------
Erysipelas (15)	1	------	1	------	------	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	1	------	1	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	1	------	------	------	------	------	------	------	------	------	1	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	61	4	4	11	4	3	6	5	3	4	6	5	6
Convulsions (86)	27	1	1	2	4	3	3	2	2	2	------	3	4
Bronchitis (106)	4	1	------	------	3	------	------	------	------	------	------	------	------
Bronchopneumonia (107)	83	12	10	6	7	7	7	8	7	5	4	5	5
Lobar and unspecified pneumonia (108, 109)	28	------	3	4	4	------	2	4	------	1	4	5	1
Diseases of the stomach (117, 118)	5	------	------	------	------	------	------	1	1	2	1	------	------
Diarrhea and enteritis (119)	12	------	------	1	------	1	1	3	------	5	1	------	------
Intestinal obstruction (122b)	------	------	------	------	------	------	------	------	------	------	------	------	------
Congenital malformations (157)	914	79	76	90	68	76	77	81	81	69	79	69	69
Congenital debility, icterus, sclerema (158, 161b, c)	235	17	25	25	20	16	18	20	24	16	21	11	22
Premature birth (159)	4,143	394	292	354	378	390	368	361	305	305	320	317	359
Injury at birth (160)	1,503	130	118	133	131	118	131	147	133	120	107	113	122
Other diseases of early infancy (161a, d)	596	56	50	51	46	32	49	58	65	44	37	48	60
External causes (172-195, 201-214)	74	6	7	4	6	2	5	14	9	4	7	6	4
Unknown or ill-defined diseases (199, 200)	500	42	51	61	52	33	33	39	35	46	39	36	33
All other causes	155	10	9	14	7	20	10	16	19	14	10	10	16
2 DAYS													
All causes	5,343	543	503	478	439	404	431	443	423	418	394	421	446
Measles (7)	------	------	------	------	------	------	------	------	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	------	------	------	------	------	------	------	------	------	------	------	------	------
Diphtheria (10)	1	------	------	------	------	------	------	1	------	------	------	------	------
Influenza (11)	9	1	2	1	1	------	------	------	------	------	1	1	2
Dysentery (13)	2	------	------	------	------	------	------	------	------	1	------	------	1
Erysipelas (15)	1	------	------	------	------	------	------	------	------	------	1	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	2	------	------	------	------	------	------	------	1	------	------	1	------
Tuberculosis of the respiratory system (23)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	55	2	5	4	7	2	7	4	7	5	4	5	3
Convulsions (86)	46	3	4	7	3	2	4	4	4	5	1	4	5
Bronchitis (106)	2	1	------	------	------	1	------	------	------	------	------	------	------
Bronchopneumonia (107)	112	12	12	4	10	9	7	12	9	9	11	7	10
Lobar and unspecified pneumonia (108,109)	43	6	5	5	3	------	6	3	2	4	1	3	5
Diseases of the stomach (117, 118)	10	1	------	2	------	1	3	1	------	1	1	------	------
Diarrhea and enteritis (119)	31	2	4	4	1	------	4	3	5	3	3	1	1
Intestinal obstruction (122b)	16	1	3	------	4	1	2	------	2	------	2	1	------
Congenital malformations (157)	752	78	51	61	66	58	62	64	68	63	70	42	59
Congenital debility, icterus, sclerema (158, 161b, c)	241	19	22	20	24	19	23	29	21	16	20	11	17
Premature birth (159)	1,893	202	181	176	159	148	146	131	143	125	126	175	181
Injury at birth (160)	1,050	90	99	87	78	84	94	95	79	103	74	86	81
Other diseases of early infancy (161a, d)	420	51	39	39	40	29	25	45	32	34	28	25	33
External causes (172-195, 201-214)	56	5	7	8	2	------	4	8	7	2	3	5	5
Unknown or ill-defined diseases (199, 200)	399	49	49	41	24	31	29	22	27	27	37	37	26
All other causes	202	20	20	19	17	9	15	21	16	20	11	17	17
3 TO 6 DAYS													
All causes	9,216	956	921	862	794	642	676	815	701	665	715	666	803
Measles (7)	1	------	------	------	------	------	------	1	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	5	------	------	------	1	------	1	1	1	------	------	------	1
Diphtheria (10)	2	------	------	------	------	------	1	------	------	------	------	------	1
Influenza (11)	58	11	9	12	10	2	------	1	------	1	2	5	5
Dysentery (13)	4	------	------	------	1	------	------	------	------	2	------	------	1
Erysipelas (15)	4	------	------	1	------	------	1	------	1	1	------	------	------
Epidemic cerebrospinal meningitis (18)	1	1	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	42	3	4	3	2	2	5	1	5	4	4	6	3
Tuberculosis of the respiratory system (23)	1	------	------	------	------	1	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	1	------	------	------	------	------	------	------	1	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	83	9	12	6	5	9	2	10	8	1	9	4	8
Convulsions (86)	111	11	16	9	11	8	7	10	10	7	11	8	3
Bronchitis (106)	15	2	1	3	1	------	1	------	1	1	1	1	3
Bronchopneumonia (107)	328	36	39	33	21	13	23	23	24	24	32	35	25
Lobar and unspecified pneumonia (108, 109)	148	26	21	15	7	7	8	7	8	6	8	17	18
Diseases of the stomach (117, 118)	32	6	3	------	2	1	2	4	3	3	3	3	2
Diarrhea and enteritis (119)	142	10	4	10	15	9	15	16	13	19	9	11	11
Intestinal obstruction (122b)	64	7	1	11	5	4	9	5	4	2	9	4	3
Congenital malformations (157)	1,333	134	112	125	118	90	104	121	106	116	105	82	120
Congenital debility, icterus, sclerema (158, 161b, c)	648	63	64	64	53	49	50	51	59	48	44	50	53
Premature birth (159)	2,669	254	260	220	242	207	186	226	197	184	231	193	264
Injury at birth (160)	1,350	143	139	127	126	99	86	123	102	106	87	93	114
Other diseases of early infancy (161a, d)	689	69	78	69	55	50	64	64	51	46	54	38	51
External causes (172-195, 201-214)	134	18	18	9	10	3	8	28	11	5	7	8	9
Unknown or ill-defined diseases (199, 200)	798	95	81	99	62	55	59	66	52	45	60	53	71
All other causes	553	58	59	46	47	33	44	52	44	44	39	50	37

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	1 WEEK												
All causes	6,511	576	622	607	571	502	483	539	496	492	504	480	639
Measles (7)	3	------	------	1	1	------	1	------	------	------	------	------	------
Scarlet fever (8)	2	1	------	------	------	------	------	------	------	------	------	------	1
Whooping-cough (9)	5	------	------	------	------	1	------	1	1	------	------	------	2
Diphtheria (10)	9	2	1	1	1	------	1	------	------	------	1	------	2
Influenza (11)	98	13	11	13	16	7	2	1	4	3	4	9	15
Dysentery (13)	16	------	1	------	1	1	------	3	2	2	3	2	1
Erysipelas (15)	13	------	2	1	1	5	1	------	1	1	------	1	------
Epidemic cerebrospinal meningitis (18)	2	------	------	------	------	------	1	------	------	------	------	1	------
Tetanus (22)	81	5	7	10	7	7	2	10	8	8	6	5	6
Tuberculosis of the respiratory system (23)	2	1	------	------	------	1	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	96	14	11	10	11	8	5	3	8	5	5	7	9
Convulsions (86)	70	4	9	3	3	3	7	9	6	13	5	2	6
Bronchitis (106)	21	3	2	2	2	------	1	------	3	1	1	2	4
Bronchopneumonia (107)	440	44	54	32	34	36	15	32	25	27	31	41	69
Lobar and unspecified pneumonia (108, 109)	197	27	20	16	8	9	10	9	8	8	18	28	36
Diseases of the stomach (117, 118)	36	------	3	2	3	2	3	6	4	------	9	3	1
Diarrhea and enteritis (119)	316	12	20	22	23	18	38	39	37	33	27	25	22
Intestinal obstruction (122b)	50	1	2	2	5	5	3	7	8	8	3	1	5
Congenital malformations (157)	847	74	72	96	78	79	64	76	60	60	63	63	62
Congenital debility, icterus, sclerema (158, 161b, c)	424	35	51	38	34	35	26	45	35	33	34	23	35
Premature birth (159)	1,930	182	175	179	184	141	155	147	138	141	146	140	202
Injury at birth (160)	428	32	38	49	37	31	30	31	39	32	33	27	49
Other diseases of early infancy (161a, d)	241	25	25	17	18	25	19	22	20	14	21	17	18
External causes (172-195, 201-214)	85	8	9	7	7	6	3	14	5	6	8	5	7
Unknown or ill-defined diseases (199, 200)	630	47	69	58	61	52	56	48	44	56	48	46	45
All other causes	469	46	40	48	36	30	40	36	40	41	38	32	42
	2 WEEKS												
All causes	4,331	405	386	378	341	307	306	311	301	322	380	398	496
Measles (7)	4	------	1	------	1	2	------	------	------	------	------	------	------
Scarlet fever (8)	2	2	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	20	1	1	2	1	2	------	2	1	1	4	4	1
Diphtheria (10)	6	------	------	------	------	------	------	------	------	1	------	1	4
Influenza (11)	92	10	19	16	9	3	3	1	2	1	2	9	17
Dysentery (13)	24	1	------	1	1	------	3	1	3	6	5	2	1
Erysipelas (15)	34	5	3	5	5	3	1	5	1	1	1	3	1
Epidemic cerebrospinal meningitis (18)	2	1	------	------	------	------	------	------	------	------	1	------	------
Tetanus (22)	12	1	------	3	1	2	1	------	1	2	------	1	------
Tuberculosis of the respiratory system (23)	1	------	------	1	------	------	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	2	1	------	------	------	------	1	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	1	1	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	85	5	5	6	11	7	5	3	7	8	9	10	9
Convulsions (86)	15	3	2	1	2	------	------	1	1	3	------	------	2
Bronchitis (106)	27	2	5	1	1	------	1	2	------	2	1	2	10
Bronchopneumonia (107)	572	71	49	40	47	39	32	27	23	33	49	67	95
Lobar and unspecified pneumonia (108, 109)	174	19	26	16	17	8	7	5	4	8	14	14	36
Diseases of the stomach (117, 118)	26	2	------	2	------	2	2	3	3	2	8	2	------
Diarrhea and enteritis (119)	509	37	32	32	24	21	44	56	59	65	67	25	47
Intestinal obstruction (122b)	39	2	1	2	3	2	9	2	3	3	5	4	3
Congenital malformations (157)	468	37	51	41	41	41	31	38	35	26	19	54	54
Congenital debility, icterus, sclerema (158, 161b, c)	267	21	25	23	19	30	22	16	21	15	24	18	33
Premature birth (159)	962	83	74	91	77	80	70	78	72	69	86	89	93
Injury at birth (160)	133	10	13	15	6	11	9	13	10	10	8	17	11
Other diseases of early infancy (161a, d)	112	9	5	11	8	10	6	10	7	11	7	17	11
External causes (172-195, 201-214)	75	12	7	7	5	4	6	5	3	5	7	5	9
Unknown or ill-defined diseases (199, 200)	314	27	30	32	35	18	28	14	23	19	29	29	30
All other causes	353	42	37	30	27	22	25	29	22	31	34	25	29
	3 WEEKS BUT UNDER 1 MONTH												
All causes	3,817	387	398	389	322	256	239	248	214	283	326	349	406
Measles (7)	4	------	1	1	2	------	------	------	------	------	------	------	------
Scarlet fever (8)	2	------	------	------	------	------	2	------	------	------	------	------	------
Whooping-cough (9)	60	11	2	9	7	6	2	2	2	3	5	6	5
Diphtheria (10)	14	4	2	1	------	2	1	------	1	------	------	1	2
Influenza (11)	144	11	31	25	14	8	3	2	1	3	6	14	26
Dysentery (13)	19	------	1	1	------	3	2	1	4	2	4	------	1
Erysipelas (15)	58	7	11	7	9	2	4	4	2	2	2	7	2
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	5	------	------	1	------	2	------	------	------	------	------	1	1
Tuberculosis of the meninges, etc. (24)	2	1	------	1	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	1	------	------	------	------	------	------	------	------	------	------	1	------
Syphilis (34)	66	8	5	6	5	4	5	3	1	6	10	9	4
Convulsions (86)	25	6	5	3	1	1	1	1	1	2	1	1	2
Bronchitis (106)	31	6	5	2	5	2	------	------	1	1	2	2	5
Bronchopneumonia (107)	586	60	83	52	53	38	29	17	18	30	33	65	108
Lobar and unspecified pneumonia (108, 109)	204	27	30	27	18	2	9	4	6	8	9	30	34
Diseases of the stomach (117, 118)	30	6	1	3	2	3	3	5	1	3	1	------	2
Diarrhea and enteritis (119)	477	45	27	27	23	35	43	47	47	61	54	34	34
Intestinal obstruction (122b)	34	8	2	3	2	2	1	3	3	1	4	2	3
Congenital malformations (157)	457	33	46	43	41	35	23	37	37	41	44	41	36
Congenital debility, icterus, sclerema (158, 161b, c)	225	14	24	23	19	9	20	16	13	24	30	20	13
Premature birth (159)	586	53	44	63	50	50	53	44	34	46	50	51	48
Injury at birth (160)	81	4	8	5	7	6	9	7	3	7	10	4	11
Other diseases of early infancy (161a, d)	56	5	3	9	5	5	2	5	3	5	2	4	6
External causes (172-195, 201-214)	70	10	11	9	6	------	3	3	3	4	5	9	7
Unknown or ill-defined diseases (199, 200)	282	38	30	33	22	15	10	21	17	22	28	22	24
All other causes	298	30	24	35	31	26	14	27	16	12	26	25	32

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 MONTH													
All causes	69,869	6,241	6,006	6,142	5,921	5,817	5,701	6,083	5,551	5,368	5,538	5,333	6,168
Measles (7)	14	------	2	2	4	4	1	1	------	------	------	------	------
Scarlet fever (8)	7	3	------	1	------	------	2	------	------	------	------	------	1
Whooping-cough (9)	91	12	3	11	9	9	3	7	5	4	9	10	9
Diphtheria (10)	34	6	4	2	1	2	3	1	1	1	1	2	10
Influenza (11)	419	51	78	72	52	20	8	5	7	8	15	38	65
Dysentery (13)	65	1	2	2	3	4	5	5	9	13	12	4	5
Erysipelas (15)	111	12	17	14	15	10	7	8	5	5	4	11	3
Epidemic cerebrospinal meningitis (18)	5	2	------	------	------	------	1	------	------	------	1	1	------
Tetanus (22)	138	9	12	16	10	11	8	11	15	14	10	13	9
Tuberculosis of the respiratory system (23)	10	1	------	2	------	4	------	------	------	------	1	1	1
Tuberculosis of the meninges, etc. (24)	6	2	------	1	------	------	1	------	2	------	------	------	------
Other forms of tuberculosis (25-32)	2	1	------	------	------	------	------	------	------	------	------	1	------
Syphilis (34)	688	63	58	60	68	61	54	49	54	47	63	56	55
Convulsions (86)	315	29	37	25	27	18	25	29	28	36	20	18	23
Bronchitis (106)	103	15	13	8	13	3	3	2	5	5	6	8	22
Bronchopneumonia (107)	2,155	240	250	170	177	145	113	122	110	129	162	222	315
Lobar and unspecified pneumonia (108, 109)	817	109	107	85	60	26	43	33	29	36	56	100	133
Diseases of the stomach (117, 118)	142	15	9	9	7	9	13	21	12	11	23	8	5
Diarrhea and enteritis (119)	1,491	106	87	97	86	84	145	164	161	188	162	96	115
Intestinal obstruction (122b)	205	19	9	18	19	14	25	18	20	14	23	12	14
Congenital malformations (157)	7,296	625	608	667	595	624	577	663	597	590	603	541	606
Congenital debility, icterus, sclerema (158, 161b, c)	2,748	224	279	264	229	220	210	239	229	214	236	185	219
Premature birth (159)	32,452	2,750	2,545	2,749	2,853	2,955	2,822	2,827	2,613	2,467	2,550	2,492	2,829
Injury at birth (160)	9,502	850	804	821	764	807	772	900	785	772	731	678	818
Other diseases of early infancy (161a, d)	3,862	375	350	339	298	293	324	356	332	283	288	290	334
External causes (172-195, 201-214)	662	77	76	55	53	27	42	90	53	38	48	51	52
Unknown or ill-defined diseases (199, 200)	4,269	419	451	437	393	307	326	334	303	312	338	319	330
All other causes	2,260	225	205	215	185	160	168	198	176	181	176	176	195
1 MONTH													
All causes	9,503	894	967	819	751	675	595	649	597	706	903	821	1,126
Measles (7)	20	------	1	1	8	3	2	1	1	------	1	------	2
Scarlet fever (8)	5	------	1	------	2	------	------	------	------	------	1	1	------
Whooping-cough (9)	219	8	18	21	29	20	19	23	17	12	14	18	20
Diphtheria (10)	29	4	2	2	2	1	2	1	1	1	1	7	5
Influenza (11)	415	50	65	71	45	22	3	4	2	6	19	43	85
Dysentery (13)	83	5	2	1	4	7	10	9	15	9	13	7	1
Erysipelas (15)	143	14	13	22	19	18	8	4	5	5	11	13	11
Epidemic cerebrospinal meningitis (18)	18	3	------	4	2	2	1	2	------	------	------	4	------
Tetanus (22)	6	1	1	------	------	------	------	------	1	2	------	1	------
Tuberculosis of the respiratory system (23)	10	------	------	3	------	2	1	1	1	------	1	------	1
Tuberculosis of the meninges, etc. (24)	8	2	------	------	------	3	------	1	------	------	1	------	1
Other forms of tuberculosis (25-32)	9	------	------	2	1	------	------	------	3	1	------	------	2
Syphilis (34)	242	18	21	17	16	21	29	27	15	24	25	15	15
Convulsions (86)	47	2	7	5	7	2	2	6	2	4	3	2	5
Bronchitis (106)	105	7	14	15	10	7	7	6	2	2	6	6	23
Bronchopneumonia (107)	1,700	172	236	135	140	121	67	61	47	62	135	178	346
Lobar and unspecified pneumonia (108, 109)	625	74	86	61	47	32	35	18	19	24	34	69	126
Diseases of the stomach (117, 118)	86	7	7	7	5	7	6	5	6	12	10	9	5
Diarrhea and enteritis (119)	1,371	91	69	67	72	92	103	155	144	187	204	105	82
Intestinal obstruction (122b)	101	10	7	9	5	13	10	7	8	9	10	4	9
Congenital malformations (157)	916	59	83	76	86	78	68	81	49	78	96	77	85
Congenital debility, icterus, sclerema (158, 161b, c)	538	50	43	32	24	41	47	43	58	58	67	43	32
Premature birth (159)	702	58	62	55	49	51	49	57	72	58	73	56	65
Injury at birth (160)	95	15	8	16	8	6	2	3	9	9	6	9	4
Other diseases of early infancy (161a, d)	70	11	8	5	7	2	4	5	2	9	6	2	9
External causes (172-195, 201-214)	335	39	43	31	29	25	19	21	16	27	25	24	36
Unknown or ill-defined diseases (199, 200)	698	105	74	68	57	43	38	47	34	47	58	60	67
All other causes	907	89	96	93	77	56	64	61	68	63	83	68	89
2 MONTHS													
All causes	7,808	761	746	659	650	488	506	478	528	579	805	732	876
Measles (7)	15	1	2	3	4	2	2	------	------	------	1	------	------
Scarlet fever (8)	5	------	------	------	1	------	2	------	------	------	1	1	------
Whooping-cough (9)	252	23	15	24	23	27	30	15	10	19	17	27	22
Diphtheria (10)	19	3	4	1	------	1	1	1	------	1	2	3	2
Influenza (11)	426	60	60	68	59	18	7	1	3	5	17	41	87
Dysentery (13)	92	2	1	------	2	2	11	8	18	23	19	4	2
Erysipelas (15)	52	5	8	8	3	6	3	4	1	4	2	3	5
Epidemic cerebrospinal meningitis (18)	27	4	3	1	3	2	------	1	------	1	5	3	4
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	16	1	------	------	3	2	4	1	1	------	2	2	------
Tuberculosis of the meninges, etc. (24)	13	1	------	1	5	1	2	1	1	1	------	------	------
Other forms of tuberculosis (25-32)	6	------	1	1	------	------	------	1	------	------	1	2	------
Syphilis (34)	197	10	18	16	12	15	13	11	17	22	23	18	22
Convulsions (86)	50	6	3	8	3	2	3	7	1	4	5	4	4
Bronchitis (106)	79	3	9	10	8	3	6	4	4	3	4	10	15
Bronchopneumonia (107)	1,561	195	210	156	164	100	62	49	45	51	126	155	248
Lobar and unspecified pneumonia (108, 109)	599	77	92	56	66	32	26	15	15	15	44	51	110
Diseases of the stomach (117, 118)	73	4	4	5	2	6	11	6	5	4	16	6	4
Diarrhea and enteritis (119)	1,431	60	42	60	59	87	118	160	170	214	251	136	74
Intestinal obstruction (122b)	76	6	4	6	7	8	4	5	6	7	7	12	4
Congenital malformations (157)	552	48	46	41	46	32	39	43	51	47	52	46	61
Congenital debility, icterus, sclerema (158, 161b, c)	376	28	29	20	26	21	29	35	34	34	45	40	34
Premature birth (159)	245	19	16	20	19	13	27	18	27	32	24	19	11
Injury at birth (160)	53	15	2	4	6	2	2	3	2	2	6	3	6
Other diseases of early infancy (161a, d)	29	11	2	2	3	1	3	2	1	1	1	2	------
External causes (172-195, 201-214)	313	47	33	29	25	20	20	23	19	18	26	26	27
Unknown or ill-defined diseases (199, 200)	478	54	61	49	29	31	26	29	39	23	38	46	53
All other causes	773	78	81	70	72	54	55	35	58	48	69	72	81

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	3 MONTHS												
All causes	6,640	632	627	540	565	455	429	485	433	509	640	623	702
Measles (7)	16	3	1	1	5	1	3	1	------	------	------	------	1
Scarlet fever (8)	2	1	------	------	1	------	------	------	------	------	------	------	------
Whooping-cough (9)	214	17	22	15	22	19	15	14	17	17	9	19	28
Diphtheria (10)	21	1	4	------	1	2	1	------	------	1	4	2	5
Influenza (11)	377	43	64	60	50	20	16	4	6	6	23	26	59
Dysentery (13)	123	4	------	1	1	6	6	18	23	25	27	10	2
Erysipelas (15)	30	2	3	3	7	4	3	1	2	------	3	2	------
Epidemic cerebrospinal meningitis (18)	34	4	7	5	6	3	1	1	2	2	1	1	1
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	23	3	2	2	1	2	3	1	2	6	1	------	------
Tuberculosis of the meninges, etc. (24)	11	1	------	------	------	------	1	2	------	1	2	2	2
Other forms of tuberculosis (25-32)	9	1	------	4	------	------	------	------	1	1	1	------	1
Syphilis (34)	127	9	6	11	11	4	17	8	6	16	13	16	10
Convulsions (86)	37	5	2	3	5	3	2	2	2	3	6	2	2
Bronchitis (106)	68	7	12	2	9	6	1	5	1	1	8	9	7
Bronchopneumonia (107)	1,418	171	181	155	150	101	63	46	36	46	93	156	220
Lobar and unspecified pneumonia (108, 109)	557	75	75	52	61	39	24	15	21	21	35	59	80
Diseases of the stomach (117, 118)	61	3	7	7	3	2	5	4	7	6	7	8	2
Diarrhea and enteritis (119)	1,316	52	33	51	60	72	119	161	169	192	214	129	64
Intestinal obstruction (122b)	67	10	8	3	6	6	7	6	4	6	5	3	3
Congenital malformations (157)	397	40	29	34	33	36	25	37	37	18	33	31	44
Congenital debility, icterus, sclerema (158, 161b, c)	259	17	16	14	15	27	23	27	12	34	36	21	17
Premature birth (159)	128	9	8	7	12	10	17	14	8	21	13	5	4
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	253	36	25	19	16	14	15	33	10	11	23	23	28
Unknown or ill-defined diseases (199, 200)	411	53	51	36	28	17	14	32	35	30	29	43	43
All other causes	681	65	71	55	62	61	48	53	32	45	54	56	79
	4 MONTHS												
All causes	5,409	498	468	444	369	387	371	444	393	395	535	529	576
Measles (7)	16	2	1	3	1	1	4	1	------	1	1	1	------
Scarlet fever (8)	4	2	------	1	1	------	------	------	------	------	------	------	------
Whooping-cough (9)	145	17	10	12	11	16	9	9	10	9	10	13	19
Diphtheria (10)	21	4	4	4	1	------	------	------	1	1	1	2	3
Influenza (11)	280	40	36	46	49	13	3	6	1	6	12	28	40
Dysentery (13)	116	------	2	------	1	7	9	20	19	22	23	10	3
Erysipelas (15)	16	3	------	1	2	1	4	1	------	1	1	1	1
Epidemic cerebrospinal meningitis (18)	43	4	6	8	7	1	5	1	3	------	3	4	1
Tetanus (22)	1	------	------	------	------	------	------	------	1	------	------	------	------
Tuberculosis of the respiratory system (23)	25	5	4	1	3	1	2	------	5	------	2	1	1
Tuberculosis of the meninges, etc. (24)	15	3	1	------	1	1	1	1	3	1	1	2	------
Other forms of tuberculosis (25-32)	16	1	3	2	------	1	------	3	1	2	------	2	1
Syphilis (34)	96	6	6	7	5	3	8	11	8	6	10	12	14
Convulsions (86)	25	6	2	3	------	2	------	1	1	1	3	3	3
Bronchitis (106)	62	13	2	3	8	8	3	1	2	4	6	7	5
Bronchopneumonia (107)	1,073	141	136	101	91	81	59	39	25	43	65	106	186
Lobar and unspecified pneumonia (108, 109)	440	65	53	66	31	32	17	20	8	9	24	38	77
Diseases of the stomach (117, 118)	42	3	6	4	1	3	3	5	5	------	4	7	1
Diarrhea and enteritis (119)	1,254	33	35	46	37	78	122	174	166	173	219	120	51
Intestinal obstruction (122b)	114	9	7	10	8	12	9	9	16	13	7	7	7
Congenital malformations (157)	319	35	27	26	18	26	21	29	23	17	31	34	32
Congenital debility, icterus, sclerema (158, 161b, c)	173	5	10	8	12	13	16	19	18	17	21	24	10
Premature birth (159)	42	4	4	6	4	2	2	2	3	4	7	------	4
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	188	19	28	10	13	13	14	16	15	12	12	19	17
Unknown or ill-defined diseases (199, 200)	287	27	34	19	17	17	20	29	21	20	23	27	33
All other causes	596	51	51	57	47	55	40	47	38	33	49	61	67
	5 MONTHS												
All causes	4,552	410	388	385	364	302	320	386	348	390	450	391	418
Measles (7)	16	1	5	1	2	2	3	------	------	------	1	------	1
Scarlet fever (8)	5	2	------	1	1	------	------	------	------	------	------	------	1
Whooping-cough (9)	125	15	6	7	15	5	14	13	10	10	12	12	6
Diphtheria (10)	16	1	2	1	1	1	------	------	1	2	1	4	2
Influenza (11)	285	35	45	49	34	22	3	3	2	10	17	23	42
Dysentery (13)	109	3	2	1	------	5	17	12	18	19	20	7	5
Erysipelas (15)	22	2	6	2	1	1	2	1	1	------	1	2	3
Epidemic cerebrospinal meningitis (18)	40	3	4	4	5	2	3	3	------	2	2	6	6
Tetanus (22)	1	------	------	------	------	------	------	------	------	------	------	------	1
Tuberculosis of the respiratory system (23)	33	1	3	4	1	6	4	3	1	2	3	1	4
Tuberculosis of the meninges, etc. (24)	18	2	1	1	2	2	------	3	3	1	------	2	1
Other forms of tuberculosis (25-32)	13	2	------	5	1	1	------	1	1	------	1	------	1
Syphilis (34)	55	7	3	7	5	5	8	5	2	5	4	2	2
Convulsions (86)	25	3	2	4	1	2	2	3	4	------	1	2	1
Bronchitis (106)	38	6	6	3	5	3	------	2	1	4	1	------	7
Bronchopneumonia (107)	903	112	99	84	115	76	35	48	22	36	62	91	123
Lobar and unspecified pneumonia (108, 109)	410	54	56	66	32	39	14	13	9	13	23	39	52
Diseases of the stomach (117, 118)	23	1	3	1	4	------	4	2	1	------	4	1	2
Diarrhea and enteritis (119)	1,091	30	29	37	31	60	117	155	158	178	169	94	33
Intestinal obstruction (122b)	89	9	5	7	6	1	6	9	9	7	13	7	9
Congenital malformations (157)	229	18	17	16	20	10	17	19	21	24	21	26	20
Congenital debility, icterus, sclerema (158, 161b, c)	105	7	5	9	6	5	8	13	5	21	9	9	8
Premature birth (159)	23	2	1	------	2	3	2	1	3	------	4	------	5
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	173	16	12	15	18	8	18	19	17	11	13	11	15
Unknown or ill-defined diseases (199, 200)	195	20	28	23	9	7	9	18	20	9	21	13	18
All other causes	511	58	48	37	47	36	34	40	39	36	47	39	50

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	6 MONTHS												
All causes	4,131	354	408	357	295	246	291	327	326	358	429	315	425
Measles (7)	20	1	2	1	5	4	2	------	------	------	2	1	2
Scarlet fever (8)	4	2	------	------	------	1	------	------	------	------	------	1	------
Whooping-cough (9)	134	13	14	10	11	8	8	16	14	12	8	10	10
Diphtheria (10)	22	4	5	1	1	------	------	------	------	1	1	7	2
Influenza (11)	279	30	53	54	33	20	5	3	4	2	13	23	39
Dysentery (13)	105	2	1	2	5	1	13	14	21	17	21	7	1
Erysipelas (15)	17	2	2	2	2	1	------	------	3	2	------	1	2
Epidemic cerebrospinal meningitis (18)	32	3	3	4	1	1	4	1	1	1	2	6	5
Tetanus (22)	1	------	------	1	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	28	3	2	------	5	2	2	4	2	4	2	------	2
Tuberculosis of the meninges, etc. (24)	25	2	3	3	4	1	3	------	2	------	1	5	1
Other forms of tuberculosis (25-32)	12	------	------	1	1	1	2	2	3	1	1	------	------
Syphilis (34)	40	3	7	3	3	1	2	4	3	1	3	4	6
Convulsions (86)	13	------	------	3	------	------	2	1	3	1	------	------	3
Bronchitis (106)	41	4	3	4	3	5	4	2	1	3	1	2	9
Bronchopneumonia (107)	841	105	120	88	83	38	37	27	28	37	65	62	151
Lobar and unspecified pneumonia (108, 109)	372	57	56	50	30	23	19	11	12	12	22	39	41
Diseases of the stomach (117, 118)	22	2	1	1	2	2	5	1	1	1	1	2	3
Diarrhea and enteritis (119)	985	28	37	36	29	80	95	119	133	167	167	67	27
Intestinal obstruction (122b)	89	8	2	6	2	6	7	8	11	13	9	8	9
Congenital malformations (157)	188	13	8	19	15	9	16	21	15	12	20	12	28
Congenital debility, icterus, sclerema (158, 161b, c)	85	1	7	------	4	4	9	13	9	13	17	6	2
Premature birth (159)	19	4	1	2	1	------	------	2	1	2	2	1	3
Injury at birth (160)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
Other diseases of early infancy (161a, d)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
External causes (172-195, 201-214)	138	9	18	9	6	11	10	16	13	10	10	7	19
Unknown or ill-defined diseases (199, 200)	154	16	13	14	11	8	13	13	12	13	22	4	15
All other causes	465	42	50	43	38	19	33	49	34	33	39	40	45
	7 MONTHS												
All causes	3,573	337	333	339	300	264	249	262	260	298	335	279	317
Measles (7)	27	2	5	5	6	2	4	1	1	------	1	------	-------
Scarlet fever (8)	11	3	2	------	2	------	------	1	1	1	------	------	1
Whooping-cough (9)	118	9	6	11	13	11	7	10	5	12	12	12	10
Diphtheria (10)	22	6	4	1	2	2	------	------	1	------	1	3	2
Influenza (11)	246	36	43	51	30	14	4	3	2	4	10	15	34
Dysentery (13)	86	1	2	------	------	3	7	9	11	26	18	7	-------
Erysipelas (15)	23	2	------	3	1	3	3	2	------	3	1	------	5
Epidemic cerebrospinal meningitis (18)	27	3	2	4	4	4	------	1	2	------	3	2	2
Tetanus (22)	1	------	------	------	1	------	------	------	------	------	------	------	-------
Tuberculosis of the respiratory system (23)	35	1	1	6	2	6	1	2	1	2	10	3	-------
Tuberculosis of the meninges, etc. (24)	31	4	4	6	3	5	2	1	1	1	2	2	-------
Other forms of tuberculosis (25-32)	17	------	2	2	3	2	3	1	------	1	------	1	2
Syphilis (34)	38	2	3	2	5	3	5	1	3	2	5	2	5
Convulsions (86)	18	2	2	2	2	------	2	4	1	------	1	2	-------
Bronchitis (106)	24	3	1	4	1	2	1	2	------	1	5	1	3
Bronchopneumonia (107)	743	87	110	102	79	59	39	24	25	26	31	64	97
Lobar and unspecified pneumonia (108, 109)	335	45	46	36	40	27	17	8	12	10	24	35	35
Diseases of the stomach (117, 118)	24	3	1	3	------	2	1	2	2	3	3	1	3
Diarrhea and enteritis (119)	841	24	27	34	34	58	89	109	128	137	116	56	29
Intestinal obstruction (122b)	72	9	1	9	6	4	7	11	5	5	5	5	5
Congenital malformations (157)	134	17	10	10	9	7	8	10	4	14	17	12	16
Congenital debility, icterus, sclerema (158, 161b, c)	63	2	4	3	4	2	5	3	11	7	13	8	1
Premature birth (159)	16	1	------	1	1	------	1	4	------	1	2	1	4
Injury at birth (160)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
Other diseases of early infancy (161a, d)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
External causes (172-195, 201-214)	128	20	6	9	13	8	7	15	11	13	6	8	12
Unknown or ill-defined diseases (199, 200)	110	13	12	8	9	10	9	7	10	8	13	6	5
All other causes	383	42	39	27	30	28	27	31	23	21	36	33	46
	8 MONTHS												
All causes	3,226	258	306	301	273	244	245	273	237	253	298	230	308
Measles (7)	26	4	5	4	4	2	1	4	------	------	------	1	1
Scarlet fever (8)	11	1	5	2	------	1	------	1	------	------	1	------	-------
Whooping-cough (9)	121	7	17	8	7	19	10	5	6	9	12	11	10
Diphtheria (10)	26	5	2	5	------	1	1	1	2	1	2	2	4
Influenza (11)	216	29	33	40	26	10	6	7	3	4	10	16	32
Dysentery (13)	80	3	2	------	3	2	9	15	9	11	20	6	-------
Erysipelas (15)	9	2	1	1	1	------	------	1	1	1	1	------	-------
Epidemic cerebrospinal meningitis (18)	16	1	1	2	2	------	2	2	3	------	------	3	-------
Tetanus (22)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
Tuberculosis of the respiratory system (23)	37	1	6	6	5	3	7	2	1	2	------	1	3
Tuberculosis of the meninges, etc. (24)	32	------	5	4	2	1	1	2	3	5	6	------	3
Other forms of tuberculosis (25-32)	14	------	1	1	3	4	------	1	------	------	4	------	-------
Syphilis (34)	31	4	5	3	3	1	1	2	5	------	3	1	3
Convulsions (86)	16	1	2	------	2	------	2	2	1	3	1	------	2
Bronchitis (106)	25	1	1	2	4	2	------	1	3	------	1	3	7
Bronchopneumonia (107)	662	71	80	90	81	53	30	25	19	22	40	54	97
Lobar and unspecified pneumonia (108, 109)	290	32	43	40	27	29	15	7	13	5	20	21	38
Diseases of the stomach (117, 118)	17	3	1	2	1	1	2	2	------	1	2	1	1
Diarrhea and enteritis (119)	743	22	27	15	27	43	107	106	105	118	98	41	29
Intestinal obstruction (122b)	74	10	7	5	5	5	4	13	5	7	8	3	2
Congenital malformations (157)	126	15	7	12	13	12	8	9	11	11	10	11	7
Congenital debility, icterus, sclerema (158, 161b, c)	46	1	2	------	5	2	2	5	7	8	10	2	2
Premature birth (159)	8	1	------	------	1	1	------	------	1	------	3	------	1
Injury at birth (160)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
Other diseases of early infancy (161a, d)	-------	------	------	------	------	------	------	------	------	------	------	------	-------
External causes (172-195, 201-214)	102	3	9	4	11	7	10	17	6	7	6	8	14
Unknown or ill-defined diseases (199, 200)	121	12	12	18	8	5	7	8	7	11	13	10	10
All other causes	377	29	32	37	32	35	20	35	26	27	27	35	42

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	9 MONTHS												
All causes	2,946	227	258	267	228	207	216	263	235	257	279	232	277
Measles (7)	21	------	5	3	4	2	1	1	2	1	------	------	2
Scarlet fever (8)	10	1	2	3	1	1	------	------	1	1	------	------	------
Whooping-cough (9)	112	9	11	8	7	12	6	9	9	9	14	5	13
Diphtheria (10)	34	2	6	------	2	------	3	3	2	1	4	4	7
Influenza (11)	214	23	41	33	28	11	6	3	2	2	15	15	35
Dysentery (13)	88	------	------	1	------	4	10	11	24	16	15	4	3
Erysipelas (15)	14	1	3	1	1	1	1	2	------	1	------	2	1
Epidemic cerebrospinal meningitis (18)	20	3	2	4	2	1	1	1	1	1	2	2	------
Tetanus (22)	1	------	------	------	------	------	------	------	------	------	1	------	------
Tuberculosis of the respiratory system (23)	30	------	2	5	3	3	3	4	------	3	1	3	3
Tuberculosis of the meninges, etc. (24)	23	1	------	1	6	4	1	3	------	1	5	------	1
Other forms of tuberculosis (25-32)	10	1	------	------	4	------	1	1	------	3	------	------	------
Syphilis (34)	23	1	3	1	1	1	4	4	1	3	------	2	2
Convulsions (86)	11	1	1	2	1	2	------	------	1	2	------	------	1
Bronchitis (106)	14	1	------	------	3	------	------	------	------	------	3	1	6
Bronchopneumonia (107)	579	59	75	79	51	56	27	23	20	16	35	50	88
Lobar and unspecified pneumonia (108, 109)	265	27	36	39	30	17	11	8	7	10	14	27	39
Diseases of the stomach (117, 118)	13	------	------	1	2	2	3	------	------	1	4	------	------
Diarrhea and enteritis (119)	708	21	15	26	27	33	76	109	106	123	102	45	25
Intestinal obstruction (122b)	55	6	5	3	------	2	8	6	6	7	4	5	3
Congenital malformations (157)	113	12	6	7	8	9	7	15	9	13	12	9	6
Congenital debility, icterus, sclerema (158, 161b, c)	50	5	1	2	4	1	5	7	4	2	10	5	4
Premature birth (159)	3	3	------	------	------	------	------	------	------	------	------	------	------
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	114	9	9	5	10	11	8	14	10	12	13	7	6
Unknown or ill-defined diseases (199, 200)	87	7	13	4	5	6	6	9	8	7	9	10	3
All other causes	334	34	22	39	28	28	28	30	22	22	16	36	29
	10 MONTHS												
All causes	2,511	218	227	214	206	185	206	232	161	199	205	217	241
Measles (7)	32	6	1	4	4	6	4	3	1	1	1	------	1
Scarlet fever (8)	17	5	1	3	------	1	------	1	------	1	------	2	3
Whooping-cough (9)	95	8	6	6	6	8	5	3	8	9	12	12	12
Diphtheria (10)	32	3	1	3	1	1	1	2	------	2	6	4	8
Influenza (11)	173	25	22	23	20	18	5	1	9	4	6	16	24
Dysentery (13)	71	4	4	1	------	3	15	10	9	13	6	4	2
Erysipelas (15)	16	1	3	2	1	1	------	1	2	------	1	1	3
Epidemic cerebrospinal meningitis (18)	23	------	4	6	1	2	3	3	------	------	------	------	4
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	27	4	------	1	4	1	4	3	2	1	3	2	2
Tuberculosis of the meninges, etc. (24)	23	1	5	5	2	3	------	2	2	------	2	1	------
Other forms of tuberculosis (25-32)	19	1	2	------	1	3	2	1	4	------	1	1	3
Syphilis (34)	21	1	2	1	4	------	1	3	------	2	1	3	3
Convulsions (86)	9	------	2	------	------	1	------	1	2	2	------	------	1
Bronchitis (106)	16	1	1	1	4	------	------	2	------	------	2	1	4
Bronchopneumonia (107)	457	53	61	56	56	29	23	20	13	21	21	36	68
Lobar and unspecified pneumonia (108, 109)	261	38	42	33	28	16	10	14	2	6	10	31	31
Diseases of the stomach (117, 118)	17	1	2	1	1	1	3	------	2	1	1	2	2
Diarrhea and enteritis (119)	527	12	15	10	17	37	78	87	63	86	67	38	17
Intestinal obstruction (122b)	27	5	1	4	3	------	2	5	1	1	1	1	3
Congenital malformations (157)	88	6	7	7	7	10	5	10	3	6	11	7	9
Congenital debility, icterus, sclerema (158, 161b, c)	30	1	1	4	2	2	3	2	3	2	5	5	------
Premature birth (159)	3	1	------	------	------	1	------	------	------	------	------	------	1
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	94	7	5	10	6	4	5	15	7	10	8	10	7
Unknown or ill-defined diseases (199, 200)	92	8	7	8	6	11	5	9	6	8	11	7	6
All other causes	341	26	32	25	32	26	32	34	22	23	29	33	27
	11 MONTHS												
All causes	2,367	244	216	219	205	186	185	181	194	198	194	153	192
Measles (7)	29	5	5	3	3	6	4	2	------	------	------	1	------
Scarlet fever (8)	10	3	2	1	2	1	------	------	------	------	------	1	------
Whooping-cough (9)	92	10	6	11	8	8	5	5	11	11	9	6	2
Diphtheria (10)	40	6	2	5	1	3	3	3	2	2	6	------	7
Influenza (11)	171	20	36	31	33	15	4	2	1	3	5	8	13
Dysentery (13)	65	1	------	------	------	4	5	11	18	13	10	2	1
Erysipelas (15)	4	------	------	------	------	------	1	------	3	------	------	------	------
Epidemic cerebrospinal meningitis (18)	15	3	1	4	2	2	1	------	------	------	------	1	1
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	27	2	2	2	5	1	1	1	1	2	2	4	4
Tuberculosis of the meninges, etc. (24)	21	1	1	2	3	4	5	1	2	------	1	1	------
Other forms of tuberculosis (25-32)	16	2	1	5	------	1	------	------	1	3	2	1	------
Syphilis (34)	18	------	1	------	4	2	------	4	1	1	2	2	1
Convulsions (86)	17	------	2	2	1	1	2	5	1	1	1	------	1
Bronchitis (106)	17	2	2	------	2	2	2	------	1	2	------	1	3
Bronchopneumonia (107)	453	62	53	60	49	45	20	16	16	16	25	33	58
Lobar and unspecified pneumonia (108, 109)	231	39	33	26	24	19	15	6	5	10	14	12	28
Diseases of the stomach (117, 118)	11	------	1	1	------	------	2	1	1	3	1	------	1
Diarrhea and enteritis (119)	517	19	18	18	21	27	64	79	75	81	66	36	13
Intestinal obstruction (122b)	21	2	2	3	1	3	------	------	2	2	------	3	3
Congenital malformations (157)	62	6	8	5	3	6	7	3	8	4	3	5	4
Congenital debility, icterus, sclerema (158, 161b, c)	34	3	1	1	------	2	------	2	5	6	5	3	6
Premature birth (159)	2	------	1	------	1	------	------	------	------	------	------	------	------
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a, d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-195, 201-214)	105	13	6	5	9	8	11	12	5	5	12	8	11
Unknown or ill-defined diseases (199, 200)	71	7	6	7	4	2	8	7	9	6	7	3	5
All other causes	318	38	26	27	29	24	25	21	26	27	23	22	30

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936

(Numbers after causes of death correspond to those of the detailed International List of Causes of Death. Refer to this list for complete definition of each cause and for causes included in "All other causes." Washington, D. C., and cities having 500,000 inhabitants or more on April 1, 1930, are included, and those with a minimum of 25,000 inhabitants other than white are shown by race.)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (total)----------All causes	122,535	32,297	8,354	5,343	9,216	6,511	4,331	3,817	69,869	9,503	7,808	6,640	5,409	4,552	4,131	3,573	3,226	2,946	2,511	2,367
Measles----------7	252	1	1	----	1	3	4	4	14	20	15	16	16	16	20	27	26	21	32	29
Scarlet fever----------8	91	-----	1	----	----	2	2	2	7	5	5	2	4	5	4	11	11	10	17	10
Whooping-cough----------9	1,718	1	----	----	5	5	20	60	91	219	252	214	145	125	134	118	121	112	95	92
Diphtheria----------10	316	-----	2	1	2	9	6	14	34	29	19	21	21	16	22	22	26	34	32	40
Influenza----------11	3,501	11	7	9	58	98	92	144	419	415	426	377	280	285	279	246	216	214	173	171
Dysentery----------13	1,083	-----	----	2	4	16	24	19	65	83	92	123	116	109	105	86	80	88	71	65
Erysipelas----------15	457	-----	1	1	4	13	34	58	111	143	52	30	16	22	17	23	9	14	16	4
Epidemic cerebrospinal meningitis------18	300	-----	----	----	1	2	2	----	5	18	27	34	43	40	32	27	16	20	23	15
Tetanus----------22	149	-----	1	2	42	81	12	----	138	6	----	----	1	1	1	1	----	1	----	----
Tuberculosis of the respiratory system-23	301	-----	1	----	1	2	1	5	10	10	16	23	25	33	28	35	37	30	27	27
Tuberculosis of the meninges, etc.------24	226	1	----	----	1	----	2	2	6	8	13	11	15	18	25	31	32	23	23	21
Other forms of tuberculosis---------25-32	143	-----	----	----	----	----	1	1	2	9	6	9	16	13	12	17	14	10	19	16
Syphilis----------34	1,576	242	61	55	83	96	85	66	688	242	197	127	96	55	40	38	31	23	21	18
Convulsions----------86	583	21	27	46	111	70	15	25	315	47	50	37	25	25	13	18	16	11	9	17
Bronchitis----------106	592	3	4	2	15	21	27	31	103	105	79	68	62	38	41	24	25	14	16	17
Bronchopneumonia----------107	12,545	34	83	112	328	440	572	586	2,155	1,700	1,561	1,418	1,073	903	841	743	662	579	457	453
Lobar and unspecified pneumonia---108,109	5,202	23	28	43	148	197	174	204	817	625	599	557	440	410	372	335	290	265	261	231
Diseases of the stomach----------117,118	531	3	5	10	32	36	26	30	142	86	73	61	42	23	22	24	17	13	17	11
Diarrhea and enteritis----------119	12,275	4	12	31	142	316	509	477	1,491	1,371	1,431	1,316	1,254	1,091	985	841	743	708	527	517
Intestinal obstruction----------122b	989	2	----	16	64	50	39	34	205	101	76	67	114	88	89	72	74	55	27	21
Congenital malformations----------157	10,420	2,525	914	752	1,333	847	468	457	7,296	916	552	397	319	229	188	134	126	113	88	62
Congenital debility, etc.------158,161b,c	4,507	708	235	241	648	424	267	225	2,748	538	376	259	173	105	85	53	46	50	30	34
Premature birth----------159	33,643	20,269	4,143	1,893	2,669	1,930	962	586	32,452	702	245	188	42	23	19	16	8	3	3	2
Injury at birth----------160	9,650	4,957	1,503	1,050	1,350	428	133	81	9,502	95	53	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3,961	1,748	596	420	689	241	112	56	3,862	70	29	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	2,605	168	74	56	134	85	75	70	662	335	313	253	188	173	138	128	102	114	94	105
Unknown or ill-defined diseases---199,200	5,973	1,346	500	399	798	630	314	282	4,269	698	478	411	287	195	154	110	121	87	92	71
All other causes----------	7,948	230	155	202	553	469	353	298	2,260	907	773	681	596	511	465	383	377	334	341	318
MALE----------All causes	69,749	18,757	4,899	3,229	5,355	3,643	2,374	2,157	40,414	5,481	4,361	3,710	2,957	2,579	2,257	1,994	1,769	1,598	1,338	1,291
Measles----------7	130	-----	----	----	----	2	4	2	8	12	6	7	6	9	16	15	13	11	13	14
Scarlet fever----------8	58	-----	1	----	----	2	2	2	7	3	2	1	2	2	2	9	6	6	14	4
Whooping-cough----------9	864	-----	----	----	5	2	12	23	42	107	129	111	82	63	69	60	64	49	42	46
Diphtheria----------10	173	-----	1	----	1	5	2	10	19	15	9	11	15	10	13	11	14	18	15	23
Influenza----------11	1,999	8	4	5	30	55	56	79	237	256	242	215	154	180	148	135	122	127	90	93
Dysentery----------13	633	-----	----	1	2	12	12	14	41	48	50	72	68	69	54	46	48	54	44	39
Erysipelas----------15	241	-----	----	1	3	10	20	35	69	79	27	12	10	11	4	11	2	7	7	2
Epidemic cerebrospinal meningitis------18	194	-----	----	----	1	2	2	----	5	11	18	25	32	30	12	17	10	12	13	9
Tetanus----------22	91	-----	1	1	27	49	5	----	83	6	----	----	----	----	----	1	----	1	----	----
Tuberculosis of the respiratory system-23	152	-----	1	----	----	2	----	2	5	7	7	16	12	16	10	18	15	16	14	16
Tuberculosis of the meninges, etc.------24	113	1	----	----	1	----	1	2	5	4	7	6	8	6	13	14	17	12	13	8
Other forms of tuberculosis---------25-32	79	-----	----	----	----	----	1	1	2	4	3	5	9	9	9	7	10	8	8	5
Syphilis----------34	869	119	40	31	44	46	40	40	360	148	116	77	51	31	15	17	19	14	12	9
Convulsions----------86	333	13	14	29	66	40	9	11	182	28	31	22	12	15	5	11	9	6	3	9
Bronchitis----------106	346	2	2	1	6	12	16	16	55	61	47	41	41	23	23	15	13	8	9	10
Bronchopneumonia----------107	7,038	18	47	69	199	248	330	326	1,237	978	864	812	599	496	472	420	345	314	240	261
Lobar and unspecified pneumonia---108,109	2,932	18	18	24	91	124	92	114	481	357	329	318	246	217	207	194	165	142	141	135
Diseases of the stomach----------117,118	312	2	3	5	22	19	14	20	85	55	47	35	24	10	14	12	8	10	7	5
Diarrhea and enteritis----------119	6,808	2	6	23	72	188	266	280	837	791	814	710	672	634	538	459	422	371	288	272
Intestinal obstruction----------122b	611	1	----	10	28	30	20	23	112	63	46	43	74	53	52	52	47	41	15	13
Congenital malformations----------157	5,857	1,399	534	465	761	458	249	261	4,127	564	302	212	162	121	96	69	64	61	50	29
Congenital debility, etc.------158,161b,c	2,601	416	140	152	386	264	156	130	1,644	305	216	136	93	56	49	35	22	21	10	14
Premature birth----------159	19,094	11,690	2,367	1,094	1,497	1,000	513	303	18,464	385	114	77	17	15	9	5	4	2	1	1
Injury at birth----------160	6,004	3,071	951	667	827	273	76	45	5,910	63	31	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	2,270	978	351	253	407	136	59	32	2,216	36	18	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1,442	91	41	33	75	48	39	38	365	183	176	144	102	96	82	70	56	60	50	58
Unknown or ill-defined diseases---199,200	3,902	791	279	244	451	351	179	158	2,453	371	258	219	153	102	85	62	69	38	54	38
All other causes----------	4,603	137	98	121	353	265	199	190	1,363	541	452	383	313	305	260	229	205	189	185	178
FEMALE----------All causes	52,786	13,540	3,455	2,114	3,861	2,868	1,957	1,660	29,455	4,022	3,447	2,930	2,452	1,973	1,874	1,579	1,457	1,348	1,173	1,076
Measles----------7	122	1	1	----	1	1	----	2	6	8	9	9	10	7	4	12	13	10	19	15
Scarlet fever----------8	33	-----	----	----	----	----	----	----	-----	2	3	1	2	3	2	2	5	4	3	6
Whooping-cough----------9	854	1	----	----	----	3	8	37	49	112	123	103	63	62	65	58	57	63	53	46
Diphtheria----------10	143	-----	1	1	1	4	4	4	15	14	10	10	6	6	9	11	12	16	17	17
Influenza----------11	1,502	3	3	4	28	43	36	65	182	159	184	162	126	105	131	111	94	87	83	78
Dysentery----------13	450	-----	----	1	2	4	12	5	24	35	42	51	48	40	51	40	32	34	27	26
Erysipelas----------15	216	-----	1	----	1	3	14	23	42	64	25	18	6	11	13	12	7	7	9	2
Epidemic cerebrospinal meningitis------18	106	-----	----	----	----	----	----	----	-----	7	9	9	11	10	20	10	6	8	10	6
Tetanus----------22	58	-----	----	1	15	32	7	----	55	-----	----	----	1	1	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	149	-----	----	----	1	----	1	3	5	3	9	7	13	17	18	17	22	14	13	11
Tuberculosis of the meninges, etc.------24	113	-----	----	----	----	----	1	----	1	4	6	5	7	12	12	17	15	11	10	13
Other forms of tuberculosis---------25-32	54	-----	----	----	----	----	----	----	-----	5	3	4	7	4	3	10	4	2	11	11
Syphilis----------34	707	123	21	24	39	50	45	26	328	94	81	50	45	24	25	21	12	9	9	9
Convulsions----------86	250	8	13	17	45	30	6	14	133	19	19	15	13	10	8	7	7	5	6	8
Bronchitis----------106	246	1	2	1	9	9	11	15	48	44	32	27	21	15	18	9	12	6	7	7
Bronchopneumonia----------107	5,507	16	36	43	129	192	242	260	918	722	697	606	474	407	369	323	317	265	217	192
Lobar and unspecified pneumonia---108,109	2,270	5	10	19	57	73	82	90	336	268	270	239	194	193	165	141	125	123	120	96
Diseases of the stomach----------117,118	219	1	2	5	10	17	12	10	57	31	26	26	18	13	8	12	9	3	10	6
Diarrhea and enteritis----------119	5,467	2	6	8	70	128	243	197	654	580	617	606	582	457	447	382	321	337	239	245
Intestinal obstruction----------122b	378	1	----	6	36	20	19	11	93	38	30	24	40	35	37	20	27	14	12	8
Congenital malformations----------157	4,563	1,126	380	287	572	389	219	196	3,169	352	250	185	157	108	92	65	62	52	38	33
Congenital debility, etc.------158,161b,c	1,906	292	95	89	262	160	111	95	1,104	233	160	123	80	49	36	28	24	29	20	20
Premature birth----------159	14,549	8,579	1,776	799	1,172	930	449	283	13,988	317	131	51	25	8	10	11	4	1	2	1
Injury at birth----------160	3,646	1,886	552	383	523	155	57	36	3,592	32	22	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	1,691	770	245	167	282	105	53	24	1,646	34	11	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1,163	77	33	23	59	37	36	32	297	152	137	109	86	77	56	58	46	54	44	47
Unknown or ill-defined diseases---199,200	3,071	555	221	155	347	279	135	124	1,816	327	220	192	134	93	69	48	52	49	38	33
All other causes----------	3,343	93	57	81	200	204	154	108	897	366	321	298	283	206	205	154	172	145	156	140

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white)----------All causes	99,504	27,985	7,023	4,448	7,340	5,029	3,437	3,074	58,336	7,628	6,172	5,174	4,156	3,457	3,143	2,753	2,489	2,296	2,018	1,882
Measles----------7	216	1	1	----	1	2	1	3	9	16	12	12	15	11	18	23	25	16	31	28
Scarlet fever----------8	89	-----	1	----	----	2	2	2	7	5	4	2	4	5	4	11	10	10	17	10
Whooping-cough----------9	1,345	1	----	----	4	3	14	52	74	192	207	166	117	100	97	82	91	80	71	68
Diphtheria----------10	246	-----	----	1	1	5	5	10	22	21	12	14	18	13	16	18	23	24	29	36
Influenza----------11	2,620	9	6	6	40	68	74	121	324	335	332	279	199	212	184	179	159	157	137	123
Dysentery----------13	862	-----	----	1	1	10	19	16	47	65	69	100	93	92	78	68	55	74	61	60
Erysipelas----------15	420	-----	1	----	4	12	32	52	101	129	50	27	15	20	16	21	9	14	15	3
Epidemic cerebrospinal meningitis------18	264	-----	----	----	1	2	2	----	5	18	23	25	38	36	30	25	13	17	21	13
Tetanus----------22	82	-----	----	----	29	46	1	----	76	1	----	----	1	1	1	1	----	1	----	----
Tuberculosis of the respiratory system-23	197	-----	1	----	1	2	----	5	9	8	13	13	16	22	16	24	21	19	18	18
Tuberculosis of the meninges, etc.-----24	176	1	----	----	1	----	2	1	5	4	10	8	11	13	18	26	23	18	22	18
Other forms of tuberculosis---------25-32	100	-----	----	----	----	----	1	1	2	8	4	8	8	11	8	10	12	8	10	11
Syphilis----------34	768	118	29	26	30	40	38	35	316	138	109	65	46	22	18	17	13	8	7	9
Convulsions----------86	391	17	20	33	73	37	11	19	210	32	32	24	13	18	8	13	13	6	8	14
Bronchitis----------106	484	3	4	1	13	17	18	28	84	89	66	49	47	33	34	17	23	12	16	14
Bronchopneumonia----------107	10,183	28	66	96	268	362	485	498	1,803	1,434	1,287	1,172	835	699	649	583	503	458	384	376
Lobar and unspecified pneumonia---108,109	3,825	19	21	39	111	148	135	157	630	490	448	415	298	279	263	234	219	185	188	176
Diseases of the stomach----------117,118	400	2	2	9	22	27	19	25	106	65	58	45	34	14	15	17	17	11	8	10
Diarrhea and enteritis----------119	9,976	4	8	22	111	255	438	387	1,225	1,143	1,177	1,060	1,013	843	787	681	615	576	436	420
Intestinal obstruction----------122b	841	2	----	16	52	41	32	30	173	78	69	60	100	71	79	59	62	49	25	16
Congenital malformations----------157	9,821	2,416	867	708	1,275	790	438	428	6,922	866	510	366	302	207	170	120	113	106	81	58
Congenital debility, etc.-------158,161b,c	3,344	538	157	182	515	316	194	161	2,063	395	285	191	124	74	53	47	30	36	20	26
Premature birth----------159	28,728	17,784	3,532	1,588	2,139	1,534	746	463	27,786	556	199	97	34	18	13	12	8	1	3	1
Injury at birth----------160	8,779	4,531	1,379	954	1,204	383	119	76	8,646	85	48	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3,357	1,555	518	352	545	175	81	43	3,269	64	24	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	2,029	110	53	43	107	60	62	52	487	270	236	202	154	137	108	107	72	88	81	87
Unknown or ill-defined diseases---199,200	3,327	640	220	190	336	287	159	146	1,978	363	233	206	153	94	82	45	62	44	42	25
All other causes----------	6,634	206	137	181	456	405	309	263	1,957	756	655	568	468	412	378	313	298	278	287	262
MALE----------All causes	56,923	16,299	4,119	2,699	4,267	2,883	1,879	1,743	33,889	4,487	3,460	2,904	2,264	1,960	1,719	1,531	1,372	1,234	1,077	1,026
Measles----------7	106	-----	----	----	----	1	1	1	3	10	5	5	6	5	14	13	12	7	12	14
Scarlet fever----------8	57	-----	1	----	----	2	2	2	7	3	2	1	2	2	2	9	5	6	14	4
Whooping-cough----------9	674	-----	----	----	4	1	9	21	35	95	110	85	64	53	45	41	48	35	29	34
Diphtheria----------10	140	-----	----	----	----	4	1	7	12	12	5	9	15	8	11	9	13	13	13	20
Influenza----------11	1,493	7	4	4	21	42	47	70	195	214	184	154	104	133	95	96	89	95	73	61
Dysentery----------13	511	-----	----	----	1	9	10	12	32	40	40	58	55	59	43	37	30	44	38	35
Erysipelas----------15	218	-----	----	----	3	9	18	29	59	72	26	11	9	10	4	10	2	7	7	1
Epidemic cerebrospinal meningitis------18	168	-----	----	----	1	2	2	----	5	11	14	18	27	27	12	15	8	11	12	8
Tetanus----------22	51	-----	----	----	19	28	1	----	48	1	----	----	----	----	----	1	----	1	----	----
Tuberculosis of the respiratory system-23	101	-----	1	----	----	2	----	2	5	7	6	8	11	9	6	11	7	10	10	11
Tuberculosis of the meninges, etc.-----24	89	1	----	----	1	----	1	1	4	1	6	3	6	5	12	12	10	10	13	7
Other forms of tuberculosis---------25-32	60	-----	----	----	----	----	1	1	2	3	2	5	5	7	7	5	10	6	5	3
Syphilis----------34	439	62	19	13	13	23	17	21	168	88	66	43	23	13	7	8	9	4	4	6
Convulsions----------86	225	10	11	22	44	16	7	9	119	21	22	15	6	10	3	7	8	4	3	7
Bronchitis----------106	283	2	2	1	6	10	10	14	45	53	40	29	30	20	18	11	12	8	9	8
Bronchopneumonia----------107	5,727	12	39	59	163	206	277	286	1,042	841	708	674	461	392	366	316	265	246	203	213
Lobar and unspecified pneumonia---108,109	2,158	16	14	22	65	99	71	86	373	286	249	240	160	144	146	136	126	96	100	102
Diseases of the stomach----------117,118	232	1	1	4	13	14	10	16	59	39	40	24	19	5	10	11	8	9	3	5
Diarrhea and enteritis----------119	5,557	2	4	16	56	156	233	231	698	664	662	574	542	487	427	381	355	300	238	229
Intestinal obstruction----------122b	535	1	----	10	22	26	18	20	97	53	40	40	64	47	50	43	40	36	14	11
Congenital malformations----------157	5,523	1,342	506	437	727	428	235	244	3,919	538	281	196	153	108	85	64	54	55	44	26
Congenital debility, etc.-------158,161b,c	1,962	319	92	117	307	207	115	92	1,249	228	169	105	67	37	31	25	17	14	8	12
Premature birth----------159	16,350	10,257	2,019	924	1,202	809	393	243	15,847	307	96	57	15	11	7	4	4	1	1	----
Injury at birth----------160	5,460	2,820	872	603	730	241	67	42	5,375	57	28	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	1,942	882	303	214	322	102	43	24	1,890	35	17	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1,126	61	26	24	63	34	30	25	263	152	138	115	86	73	66	59	39	44	44	47
Unknown or ill-defined diseases---199,200	1,883	381	119	122	193	179	93	82	1,169	198	120	109	84	48	41	22	36	21	21	14
All other causes----------	3,853	123	86	107	291	233	167	162	1,169	458	384	326	250	247	211	185	165	151	159	148
FEMALE----------All causes	42,581	11,686	2,904	1,749	3,073	2,146	1,558	1,331	24,447	3,141	2,712	2,270	1,892	1,497	1,424	1,222	1,117	1,062	941	856
Measles----------7	110	1	1	----	1	1	----	2	6	6	7	7	9	6	4	10	13	9	19	14
Scarlet fever----------8	32	-----	----	----	----	----	----	----	-----	2	2	1	2	3	2	2	5	4	3	6
Whooping-cough----------9	671	1	----	----	----	2	5	31	39	97	97	81	53	47	52	41	43	45	42	34
Diphtheria----------10	106	-----	----	1	1	1	4	3	10	9	7	5	3	5	5	9	10	11	16	16
Influenza----------11	1,127	2	2	2	19	26	27	51	129	121	148	125	95	79	89	83	70	62	64	62
Dysentery----------13	351	-----	----	1	----	1	9	4	15	25	29	42	38	33	35	31	25	30	23	25
Erysipelas----------15	202	-----	1	----	1	3	14	23	42	57	24	16	6	10	12	11	7	7	8	2
Epidemic cerebrospinal meningitis------18	96	-----	----	----	----	----	----	----	-----	7	9	7	11	9	18	10	5	6	9	5
Tetanus----------22	31	-----	----	----	10	18	----	----	28	-----	----	----	1	1	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	96	-----	----	----	1	----	----	3	4	1	7	5	5	13	10	13	14	9	8	7
Tuberculosis of the meninges, etc.-----24	87	-----	----	----	----	----	1	----	1	3	4	5	5	8	6	14	13	8	9	11
Other forms of tuberculosis---------25-32	40	-----	----	----	----	----	----	----	-----	5	2	3	3	4	1	5	2	2	5	8
Syphilis----------34	329	56	10	13	17	17	21	14	148	50	43	22	23	9	11	9	4	4	3	3
Convulsions----------86	166	7	9	11	29	21	4	10	91	11	10	9	7	8	5	6	5	2	5	7
Bronchitis----------106	201	1	2	----	7	7	8	14	39	36	26	20	17	13	16	6	11	4	7	6
Bronchopneumonia----------107	4,456	16	27	37	105	156	208	212	761	593	579	498	374	307	283	267	238	212	181	163
Lobar and unspecified pneumonia---108,109	1,667	3	7	17	46	49	64	71	257	204	199	175	138	135	117	98	93	89	88	74
Diseases of the stomach----------117,118	168	1	1	5	9	13	9	9	47	26	18	21	15	9	5	6	9	2	5	5
Diarrhea and enteritis----------119	4,419	2	4	6	55	99	205	156	527	479	515	486	471	356	360	300	260	276	198	191
Intestinal obstruction----------122b	306	1	----	6	30	15	14	10	76	25	29	20	36	24	29	16	22	13	11	5
Congenital malformations----------157	4,298	1,074	361	271	548	362	203	184	3,003	328	229	170	149	99	85	56	59	51	37	32
Congenital debility, etc.-------158,161b,c	1,382	219	65	65	208	109	79	69	814	167	116	86	57	37	22	22	13	22	12	14
Premature birth----------159	12,378	7,527	1,513	664	937	725	353	220	11,939	249	103	40	19	7	6	8	4	----	2	1
Injury at birth----------160	3,319	1,711	507	351	474	142	52	34	3,271	28	20	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	1,415	673	215	138	223	73	38	19	1,379	29	7	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	903	49	27	19	44	26	32	27	224	118	98	87	68	64	42	48	33	44	37	40
Unknown or ill-defined diseases---199,200	1,444	259	101	68	143	108	66	64	809	165	113	97	69	46	41	23	26	23	21	11
All other causes----------	2,781	83	51	74	165	172	142	101	788	300	271	242	218	165	167	128	133	127	128	114

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro)----------All causes	21,614	4,158	1,284	837	1,772	1,415	838	705	11,009	1,750	1,507	1,356	1,157	1,025	907	741	695	593	434	440
Measles----------7	32	-----	----	----	----	1	3	----	4	3	3	4	1	5	2	4	----	4	1	1
Scarlet fever----------8	2	-----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----	----
Whooping-cough----------9	346	-----	----	----	1	2	5	7	15	25	41	44	27	25	36	31	30	28	23	21
Diphtheria----------10	70	-----	2	----	1	4	1	4	12	8	7	7	3	3	6	4	3	10	3	4
Influenza----------11	831	2	1	3	18	29	17	23	93	76	88	91	78	71	90	66	54	51	30	43
Dysentery----------13	198	-----	----	1	3	5	5	3	17	17	21	20	23	17	23	14	22	12	9	3
Erysipelas----------15	26	-----	----	1	----	----	----	6	7	9	2	3	----	2	1	----	----	----	1	1
Epidemic cerebrospinal meningitis------18	32	-----	----	----	----	----	----	----	-----	-----	4	9	4	4	2	2	1	3	1	2
Tetanus----------22	66	-----	1	1	13	35	11	----	61	5	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	90	-----	----	----	----	----	1	----	1	2	3	8	8	7	9	10	16	10	8	8
Tuberculosis of the meninges, etc.-----24	38	-----	----	----	----	----	----	1	1	1	2	2	3	3	4	4	9	5	1	3
Other forms of tuberculosis---------25-32	36	-----	----	----	----	----	----	----	-----	-----	1	----	7	1	4	7	2	2	8	4
Syphilis----------34	774	120	31	28	51	55	46	29	360	100	83	61	46	32	21	18	18	15	13	7
Convulsions----------86	185	4	7	12	36	32	4	6	101	15	16	12	12	7	5	5	3	5	1	3
Bronchitis----------106	101	-----	----	1	1	4	6	3	15	15	12	19	15	5	6	7	2	2	----	3
Bronchopneumonia----------107	2,142	6	15	15	54	72	75	81	318	244	246	219	218	188	176	143	144	111	61	74
Lobar and unspecified pneumonia---108,109	1,265	4	7	4	34	47	35	45	176	121	134	130	128	126	98	95	68	74	65	50
Diseases of the stomach----------117,118	120	1	3	1	9	8	6	5	33	20	12	15	8	7	7	7	----	2	8	1
Diarrhea and enteritis----------119	2,108	-----	4	8	28	58	69	84	251	209	240	231	227	229	177	141	120	119	79	85
Intestinal obstruction----------122b	140	-----	----	----	12	9	7	4	32	22	6	6	13	16	9	12	12	5	2	5
Congenital malformations----------157	558	103	43	39	51	52	28	29	345	47	38	28	17	21	18	13	13	7	7	4
Congenital debility, etc.------158,161b,c	1,101	168	78	58	124	105	64	61	658	133	83	66	46	28	30	14	15	12	8	8
Premature birth----------159	4,738	2,396	590	291	513	388	209	118	4,505	137	44	28	7	4	6	4	----	2	----	1
Injury at birth----------160	829	409	118	91	137	42	12	5	814	10	5	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	550	181	74	60	124	58	30	12	539	6	5	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	549	56	20	13	27	24	13	17	170	63	76	47	30	31	27	21	29	25	12	18
Unknown or ill-defined diseases---199,200	3,451	688	272	190	448	329	149	130	2,206	319	227	195	118	96	65	55	58	35	40	37
All other causes----------	1,236	20	18	20	87	56	42	32	275	143	107	111	118	97	85	64	75	54	53	54
MALE----------All causes	12,033	2,366	752	497	1,027	721	457	391	6,211	923	832	745	635	583	502	415	377	336	230	244
Measles----------7	21	-----	----	----	----	1	3	----	4	2	1	2	----	4	2	2	----	3	1	----
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Whooping-cough----------9	172	-----	----	----	1	1	3	2	7	11	16	23	17	10	23	16	16	11	12	10
Diphtheria----------10	33	-----	1	----	1	1	1	3	7	3	4	2	----	2	2	2	1	5	2	3
Influenza----------11	478	1	----	1	9	12	9	9	41	40	54	58	47	45	51	39	31	29	13	30
Dysentery----------13	105	-----	----	1	1	3	2	2	9	7	9	11	13	10	9	5	15	9	6	2
Erysipelas----------15	15	-----	----	1	----	----	----	6	7	4	1	1	----	1	----	----	----	----	----	1
Epidemic cerebrospinal meningitis------18	22	-----	----	----	----	----	----	----	-----	-----	4	7	4	3	----	2	----	1	----	1
Tetanus----------22	40	-----	1	1	8	21	4	----	35	5	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	43	-----	----	----	----	----	----	----	-----	-----	1	6	1	5	3	6	8	6	3	4
Tuberculosis of the meninges, etc.-----24	19	-----	----	----	----	----	----	1	1	1	1	2	1	1	1	1	7	2	----	1
Other forms of tuberculosis---------25-32	14	-----	----	----	----	----	----	----	-----	-----	1	----	3	1	2	2	----	2	2	1
Syphilis----------34	415	56	20	17	30	23	22	18	186	58	50	33	25	17	7	8	10	10	8	3
Convulsions----------86	105	3	3	6	21	23	2	2	60	7	9	7	6	5	2	4	1	2	----	2
Bronchitis----------106	59	-----	----	----	----	2	4	2	8	7	6	12	11	3	5	4	1	----	----	2
Bronchopneumonia----------107	1,191	6	8	9	33	38	45	36	175	127	137	126	126	95	101	92	73	62	30	47
Lobar and unspecified pneumonia---108,109	715	2	4	2	24	23	18	28	101	65	71	71	77	71	55	53	37	45	38	31
Diseases of the stomach----------117,118	79	1	2	1	8	5	4	4	25	16	7	11	5	5	4	1	----	1	4	----
Diarrhea and enteritis----------119	1,149	-----	2	7	16	29	32	47	133	113	141	122	121	134	101	72	65	64	45	38
Intestinal obstruction----------122b	72	-----	----	----	6	4	2	3	15	10	5	3	9	6	2	8	7	4	1	2
Congenital malformations----------157	311	55	26	23	30	27	14	17	192	23	19	14	9	13	11	5	10	6	6	3
Congenital debility, etc.------158,161b,c	607	96	48	34	71	55	35	35	374	72	45	30	24	19	17	10	5	7	2	2
Premature birth----------159	2,633	1,377	337	163	284	186	114	55	2,516	72	18	17	2	3	2	1	----	1	----	1
Injury at birth----------160	517	240	75	61	92	30	7	3	508	6	3	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	301	91	44	36	77	29	15	7	299	1	1	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	299	29	14	9	12	14	9	12	99	29	37	25	16	19	14	11	17	15	6	11
Unknown or ill-defined diseases---199,200	1,902	397	155	111	249	164	82	74	1,232	163	128	105	59	53	39	32	33	13	25	20
All other causes----------	715	12	12	14	54	30	30	25	177	81	63	57	59	58	49	39	39	38	26	29
FEMALE----------All causes	9,581	1,792	532	340	745	694	381	314	4,798	827	675	611	522	442	405	326	318	257	204	196
Measles----------7	11	-----	----	----	----	----	----	----	-----	1	2	2	1	1	----	2	----	1	----	1
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	174	-----	----	----	----	1	2	5	8	14	25	21	10	15	13	15	14	17	11	11
Diphtheria----------10	37	-----	1	----	----	3	----	1	5	5	3	5	3	1	4	2	2	5	1	1
Influenza----------11	353	1	1	2	9	17	8	14	52	36	34	33	31	26	39	27	23	22	17	13
Dysentery----------13	93	-----	----	----	2	2	3	1	8	10	12	9	10	7	14	9	7	3	3	1
Erysipelas----------15	11	-----	----	----	----	----	----	----	-----	5	1	2	----	1	1	----	----	----	1	----
Epidemic cerebrospinal meningitis------18	10	-----	----	----	----	----	----	----	-----	-----	----	2	----	1	2	----	1	2	1	1
Tetanus----------22	26	-----	----	----	5	14	7	----	26	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	47	-----	----	----	----	----	1	----	1	2	2	2	7	2	6	4	8	4	5	4
Tuberculosis of the meninges, etc.-----24	19	-----	----	----	----	----	----	----	-----	-----	1	----	2	2	3	3	2	3	1	2
Other forms of tuberculosis---------25-32	22	-----	----	----	----	----	----	----	-----	-----	----	----	4	----	2	5	2	----	6	3
Syphilis----------34	359	64	11	11	21	32	24	11	174	42	33	28	21	15	14	10	8	5	5	4
Convulsions----------86	80	1	4	6	15	9	2	4	41	8	7	5	6	2	3	1	2	3	1	1
Bronchitis----------106	42	-----	----	1	1	2	2	1	7	8	6	7	4	2	1	3	1	2	----	1
Bronchopneumonia----------107	951	-----	7	6	21	34	30	45	143	117	109	93	92	93	75	51	71	49	31	27
Lobar and unspecified pneumonia---108,109	550	2	3	2	10	24	17	17	75	56	63	59	51	55	43	42	31	29	27	19
Diseases of the stomach----------117,118	41	-----	1	----	1	3	2	1	8	4	5	4	3	2	3	6	----	1	4	1
Diarrhea and enteritis----------119	959	-----	2	1	12	29	37	37	118	96	99	109	106	95	76	69	55	55	34	47
Intestinal obstruction----------122b	68	-----	----	----	6	5	5	1	17	12	1	3	4	10	7	4	5	1	1	3
Congenital malformations----------157	247	48	17	16	21	25	14	12	153	24	19	14	8	8	7	8	3	1	1	1
Congenital debility, etc.------158,161b,c	494	72	30	24	53	50	29	26	284	61	38	36	22	9	13	4	10	5	6	6
Premature birth----------159	2,105	1,019	253	128	229	202	95	63	1,989	65	26	11	5	1	4	3	----	1	----	----
Injury at birth----------160	312	169	43	30	45	12	5	2	306	4	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	249	90	30	24	47	29	15	5	240	5	4	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	250	27	6	4	15	10	4	5	71	34	39	22	14	12	13	10	12	10	6	7
Unknown or ill-defined diseases---199,200	1,549	291	117	79	199	165	67	56	974	156	99	90	59	43	26	23	25	22	15	17
All other causes----------	521	8	6	6	33	26	12	7	98	62	44	54	59	39	36	25	36	16	27	25

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (other races)----All causes	1,417	154	47	58	104	67	56	38	524	125	129	110	96	70	81	79	42	57	59	45
Measles----------7	4	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	1	1	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	27	-----	-----	-----	-----	-----	1	1	2	2	4	4	1	-----	1	5	-----	4	1	3
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	50	-----	-----	-----	-----	1	1	-----	2	4	6	7	3	2	5	1	3	6	6	5
Dysentery----------13	23	-----	-----	-----	-----	1	-----	-----	1	1	2	3	-----	-----	4	4	3	2	1	2
Erysipelas----------15	11	-----	-----	-----	-----	1	2	-----	3	5	-----	-----	1	-----	-----	2	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----18	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----	1	-----
Tetanus----------22	1	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	14	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	4	3	1	-----	1	1	1
Tuberculosis of the meninges, etc.----24	12	-----	-----	-----	-----	-----	-----	-----	-----	3	1	1	1	2	3	1	-----	-----	-----	-----
Other forms of tuberculosis----------25-32	7	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	1	1	-----	-----	-----	-----	1	1
Syphilis----------34	34	4	1	1	2	1	1	2	12	4	5	1	4	1	1	3	-----	-----	1	2
Convulsions----------86	7	-----	-----	1	2	1	-----	-----	4	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	7	-----	-----	-----	1	-----	3	-----	4	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----
Bronchopneumonia----------107	220	-----	2	1	6	6	12	7	34	22	28	27	20	16	16	17	15	10	12	3
Lobar and unspecified pneumonia---108,109	112	-----	-----	-----	3	2	4	2	11	14	17	12	14	5	11	6	3	6	8	5
Diseases of the stomach----------117,118	11	-----	-----	-----	1	1	1	-----	3	1	3	1	-----	2	-----	-----	-----	-----	1	-----
Diarrhea and enteritis----------119	191	-----	-----	1	3	3	2	6	15	19	14	25	14	19	21	19	8	13	12	12
Intestinal obstruction----------122b	8	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	1	1	1	1	-----	1	-----	-----
Congenital malformations----------157	41	6	4	5	7	5	2	-----	29	3	4	3	-----	1	-----	1	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	62	2	-----	1	9	3	9	3	27	10	8	2	3	3	2	2	1	2	2	-----
Premature birth----------159	177	89	21	14	17	8	7	5	161	9	2	3	1	1	-----	-----	-----	-----	-----	-----
Injury at birth----------160	42	17	6	5	9	3	2	-----	42	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	54	12	4	8	20	8	1	1	54	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	27	2	1	-----	-----	1	-----	1	5	2	1	4	4	5	3	-----	1	1	1	-----
Unknown or ill-defined diseases---199,200	195	18	8	19	14	14	6	6	85	16	18	10	16	5	7	10	1	8	10	9
All other causes----------	76	4	-----	1	10	8	2	3	28	6	11	2	10	2	2	6	4	2	1	2
MALE----------All causes	793	92	28	33	61	39	38	23	314	71	69	61	58	36	36	48	20	28	31	21
Measles----------7	3	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	18	-----	-----	-----	-----	-----	-----	-----	-----	1	3	3	1	-----	1	3	-----	3	1	2
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	28	-----	-----	-----	-----	1	-----	-----	1	2	4	3	3	2	2	-----	2	3	4	2
Dysentery----------13	17	-----	-----	-----	-----	-----	-----	-----	-----	1	1	3	-----	-----	2	4	3	1	-----	2
Erysipelas----------15	8	-----	-----	-----	-----	1	2	-----	3	3	-----	-----	1	-----	-----	1	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----18	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----	1	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	2	1	1	-----	-----	1	1
Tuberculosis of the meninges, etc.----24	5	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	1	-----	-----	1	-----	-----	-----	-----
Other forms of tuberculosis----------25-32	5	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----	1	1
Syphilis----------34	15	1	1	1	1	-----	1	1	6	2	-----	1	3	1	1	1	-----	-----	-----	-----
Convulsions----------86	3	-----	-----	1	1	1	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	4	-----	-----	-----	-----	-----	2	-----	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	120	-----	-----	1	3	4	8	4	20	10	19	12	12	9	5	12	7	6	7	1
Lobar and unspecified pneumonia---108,109	59	-----	-----	-----	2	2	3	-----	7	6	9	7	9	2	6	5	2	1	3	2
Diseases of the stomach----------117,118	1	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	102	-----	-----	-----	-----	3	1	2	6	14	11	14	9	13	10	6	2	7	5	5
Intestinal obstruction----------122b	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	1	-----	1	-----	-----
Congenital malformations----------157	23	2	2	5	4	3	-----	-----	16	3	2	2	-----	-----	-----	-----	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	32	1	-----	1	8	2	6	3	21	5	2	1	2	-----	1	-----	-----	-----	-----	-----
Premature birth----------159	111	56	11	7	11	5	6	5	101	6	-----	3	-----	1	-----	-----	-----	-----	-----	-----
Injury at birth----------160	27	11	4	3	5	2	2	-----	27	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	27	5	4	3	8	5	1	1	27	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	17	1	1	-----	-----	-----	-----	1	3	2	1	4	-----	4	2	-----	-----	1	-----	-----
Unknown or ill-defined diseases---199,200	117	13	5	11	9	8	4	2	52	10	10	5	10	1	5	8	-----	4	8	4
All other causes----------	35	2	-----	-----	8	2	2	3	17	2	5	-----	4	-----	-----	5	1	-----	-----	1
FEMALE----------All causes	624	62	19	25	43	28	18	15	210	54	60	49	38	34	45	31	22	29	28	24
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	9	-----	-----	-----	-----	-----	1	1	2	1	1	1	-----	-----	-----	2	-----	1	-----	1
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	22	-----	-----	-----	-----	-----	1	-----	1	2	2	4	-----	-----	3	1	1	3	2	3
Dysentery----------13	6	-----	-----	-----	-----	1	-----	-----	1	-----	1	-----	-----	-----	2	-----	-----	1	1	-----
Erysipelas----------15	3	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	1	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	-----	-----	1	-----	-----
Tuberculosis of the meninges, etc.----24	7	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	2	3	-----	-----	-----	-----	-----
Other forms of tuberculosis----------25-32	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	19	3	-----	-----	1	1	-----	1	6	2	5	-----	1	-----	-----	2	-----	-----	1	2
Convulsions----------86	4	-----	-----	-----	1	-----	-----	-----	1	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	3	-----	-----	-----	1	-----	1	-----	2	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Bronchopneumonia----------107	100	-----	2	-----	3	2	4	3	14	12	9	15	8	7	11	5	8	4	5	2
Lobar and unspecified pneumonia---108,109	53	-----	-----	-----	1	-----	1	2	4	8	8	5	5	3	5	1	1	5	5	3
Diseases of the stomach----------117,118	10	-----	-----	-----	-----	1	1	-----	2	1	3	1	-----	2	-----	-----	-----	-----	1	-----
Diarrhea and enteritis----------119	89	-----	-----	1	3	-----	1	4	9	5	3	11	5	6	11	13	6	6	7	7
Intestinal obstruction----------122b	4	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1	1	-----	-----	-----	-----	-----
Congenital malformations----------157	18	4	2	-----	3	2	2	-----	13	-----	2	1	-----	1	-----	1	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	30	1	-----	-----	1	1	3	-----	6	5	6	1	1	3	1	2	1	2	2	-----
Premature birth----------159	66	33	10	7	6	3	1	-----	60	3	2	-----	1	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	15	6	2	2	4	1	-----	-----	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	27	7	-----	5	12	3	-----	-----	27	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	10	1	-----	-----	-----	1	-----	-----	2	-----	-----	-----	4	1	1	-----	1	-----	1	-----
Unknown or ill-defined diseases---199,200	78	5	3	8	5	6	2	4	33	6	8	5	6	4	2	2	1	4	2	5
All other causes----------	41	2	-----	1	2	6	-----	-----	11	4	6	2	6	2	2	1	3	2	1	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CITIES OF 10,000 OR MORE IN 1930—All causes	55,975	16,498	4,237	2,508	3,881	2,606	1,919	1,678	33,327	4,030	3,293	2,770	2,324	1,944	1,812	1,622	1,440	1,276	1,150	987
Measles—7	94	-----	----	----	----	1	----	1	2	1	3	5	2	6	10	10	16	10	15	14
Scarlet fever—8	28	-----	1	----	----	----	----	----	1	1	2	----	----	1	3	4	4	3	6	3
Whooping-cough—9	759	-----	----	----	1	2	4	18	25	82	111	90	70	49	66	59	53	62	50	42
Diphtheria—10	78	-----	1	1	----	----	1	3	6	1	7	2	2	6	6	8	9	5	12	14
Influenza—11	914	-----	----	1	5	20	13	40	79	98	108	105	77	74	70	65	67	65	59	47
Dysentery—13	348	-----	----	----	----	5	8	2	15	22	27	37	35	41	40	30	24	27	22	28
Erysipelas—15	231	-----	----	----	2	4	17	36	59	70	34	9	9	9	9	11	5	9	5	2
Epidemic cerebrospinal meningitis—18	206	-----	----	----	1	1	2	----	4	9	22	22	33	30	21	18	10	13	15	9
Tetanus—22	45	-----	----	----	12	22	6	----	40	3	----	----	1	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	185	-----	1	----	1	----	----	----	2	5	11	14	16	15	17	31	26	15	17	16
Tuberculosis of the meninges, etc.—24	131	1	----	----	----	----	1	1	3	5	6	4	5	2	12	25	23	16	16	14
Other forms of tuberculosis—25-32	100	-----	----	----	----	----	----	1	1	8	3	6	13	9	8	12	9	6	13	12
Syphilis—34	818	140	25	24	38	51	42	32	352	128	106	70	51	33	20	19	14	11	7	7
Convulsions—86	138	3	2	8	16	8	----	6	43	13	19	13	8	10	4	8	5	3	5	7
Bronchitis—106	256	1	1	1	7	7	11	12	40	45	30	31	31	23	20	12	11	3	4	6
Bronchopneumonia—107	6,310	22	44	64	153	213	295	274	1,065	793	762	736	542	456	424	398	348	299	250	237
Lobar and unspecified pneumonia—108,109	2,027	4	9	16	55	52	47	62	245	210	225	211	179	165	158	147	129	118	127	113
Diseases of the stomach—117,118	113	2	----	2	7	4	5	12	32	20	15	7	8	7	4	6	4	3	4	3
Diarrhea and enteritis—119	5,020	1	4	10	37	124	303	246	725	616	605	522	498	437	406	317	283	258	198	155
Intestinal obstruction—122b	589	1	----	7	26	27	25	19	105	57	42	39	75	48	52	50	55	35	19	12
Congenital malformations—157	5,505	1,235	429	384	662	463	262	258	3,693	540	329	221	190	124	110	76	82	58	52	30
Congenital debility, etc.—158,161b,c	1,320	201	45	68	192	107	80	62	755	164	116	88	58	36	30	21	14	19	12	7
Premature birth—159	17,377	10,534	2,285	998	1,282	885	470	318	16,772	381	118	57	20	11	8	4	1	1	2	2
Injury at birth—160	5,477	2,893	900	565	712	201	74	41	5,386	58	33	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	2,262	1,140	340	221	345	100	42	27	2,216	34	12	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	992	68	24	16	35	30	28	23	224	132	113	101	75	78	48	53	45	48	37	38
Unknown or ill-defined diseases—199,200	599	120	36	34	55	44	17	26	332	72	42	48	30	17	15	11	13	8	8	3
All other causes	4,053	132	90	88	236	235	166	158	1,105	462	392	332	296	257	251	226	190	181	195	166
WHITE—All causes	47,455	14,622	3,745	2,219	3,289	2,100	1,581	1,380	28,936	3,373	2,725	2,278	1,861	1,540	1,464	1,287	1,149	1,052	968	822
Measles—7	85	-----	----	----	----	----	----	1	1	1	3	4	1	5	9	8	15	10	14	14
Scarlet fever—8	26	-----	1	----	----	----	----	----	1	1	1	----	----	1	3	4	3	3	6	3
Whooping-cough—9	581	-----	----	----	----	2	2	16	20	71	91	68	57	40	46	38	36	43	39	32
Diphtheria—10	67	-----	----	1	----	----	1	2	4	1	5	2	2	6	4	8	8	4	11	12
Influenza—11	718	-----	----	1	3	13	11	35	63	82	84	85	59	56	50	49	56	50	48	36
Dysentery—13	285	-----	----	----	----	4	7	2	13	19	21	31	30	34	32	22	16	23	17	27
Erysipelas—15	217	-----	----	----	2	4	17	32	55	65	32	8	9	9	9	10	5	9	4	2
Epidemic cerebrospinal meningitis—18	182	-----	----	----	1	1	2	----	4	9	19	17	29	27	20	16	9	11	14	9
Tetanus—22	23	-----	----	----	8	12	----	----	20	1	----	----	1	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	114	-----	1	----	1	----	----	----	2	4	8	8	9	9	10	21	12	8	12	11
Tuberculosis of the meninges, etc.—24	102	1	----	----	----	----	1	----	2	3	4	2	3	2	10	22	17	11	15	11
Other forms of tuberculosis—25-32	70	-----	----	----	----	----	----	1	1	8	1	6	7	9	6	7	7	4	7	7
Syphilis—34	436	75	13	11	16	21	18	20	174	75	68	42	26	14	9	11	6	5	3	3
Convulsions—86	111	3	2	8	13	4	----	5	35	10	16	10	5	8	2	8	4	1	5	7
Bronchitis—106	208	1	1	1	5	6	7	12	33	39	25	21	25	19	19	6	9	2	4	6
Bronchopneumonia—107	5,096	16	33	51	132	176	239	221	868	646	523	616	423	356	333	310	261	254	209	197
Lobar and unspecified pneumonia—108,109	1,595	3	8	16	43	37	37	49	193	182	180	176	132	123	120	111	102	90	97	89
Diseases of the stomach—117,118	95	1	----	2	5	3	4	11	26	15	15	7	8	3	2	6	4	3	3	3
Diarrhea and enteritis—119	4,173	1	3	5	29	105	261	199	603	528	507	428	396	340	345	264	246	218	169	129
Intestinal obstruction—122b	507	1	----	7	23	21	21	16	89	46	38	36	66	38	47	44	46	32	18	7
Congenital malformations—157	5,211	1,191	408	361	640	429	246	242	3,517	515	306	204	181	113	99	66	76	54	51	29
Congenital debility, etc.—158,161b,c	983	168	32	58	161	68	62	34	583	110	90	65	40	27	17	15	9	13	10	4
Premature birth—159	14,965	9,272	2,002	865	1,034	676	368	254	14,471	306	100	48	16	9	7	4	1	----	2	1
Injury at birth—160	5,013	2,657	830	523	632	183	67	40	4,932	52	29	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	1,952	1,002	296	192	290	80	33	19	1,912	31	9	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	799	53	18	13	29	22	24	14	173	105	82	86	65	60	36	46	35	44	31	36
Unknown or ill-defined diseases—199,200	310	58	16	22	23	20	9	13	161	46	20	22	20	12	12	3	6	4	3	1
All other causes	3,531	119	81	82	199	213	144	142	980	402	348	286	251	220	217	187	160	156	176	148
OTHER RACES(including Negroes)-All causes	8,520	1,876	492	289	592	506	338	298	4,391	657	568	492	463	404	348	335	291	224	182	165
Measles—7	9	-----	----	----	----	1	----	----	1	-----	----	1	1	1	1	2	1	----	1	----
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	1	----	----	----
Whooping-cough—9	178	-----	----	----	1	----	2	2	5	11	20	22	13	9	20	21	17	19	11	10
Diphtheria—10	11	-----	1	----	----	----	----	1	2	-----	2	----	----	----	2	----	1	1	1	2
Influenza—11	196	-----	----	----	2	7	2	5	16	16	24	20	18	18	20	16	11	15	11	11
Dysentery—13	63	-----	----	----	----	1	1	----	2	3	6	6	5	7	8	8	8	4	5	1
Erysipelas—15	14	-----	----	----	----	----	----	4	4	5	2	1	----	----	----	1	----	----	1	----
Epidemic cerebrospinal meningitis—18	24	-----	----	----	----	----	----	----	-----	-----	3	5	4	3	1	2	1	2*	1	2
Tetanus—22	22	-----	----	----	4	10	6	----	20	2	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	71	-----	----	----	----	----	----	----	-----	1	3	6	7	6	7	10	14	7	5	5
Tuberculosis of the meninges, etc.—24	29	-----	----	----	----	----	----	1	1	2	2	2	2	----	2	3	6	5	1	3
Other forms of tuberculosis—25-32	30	-----	----	----	----	----	----	----	-----	-----	2	----	6	----	2	5	2	2	6	5
Syphilis—34	382	65	12	13	22	30	24	12	178	53	38	28	25	19	11	8	8	6	4	4
Convulsions—86	27	-----	----	----	3	4	----	1	8	3	3	3	3	2	2	----	1	2	----	----
Bronchitis—106	48	-----	----	----	2	1	4	----	7	6	5	10	6	4	1	6	2	1	----	----
Bronchopneumonia—107	1,214	6	11	13	21	37	56	53	197	147	139	120	119	100	91	88	87	45	41	40
Lobar and unspecified pneumonia—108,109	432	1	1	----	12	15	10	13	52	28	45	35	47	42	38	36	27	28	30	24
Diseases of the stomach—117,118	18	1	----	----	2	1	1	1	6	5	----	----	----	4	2	----	----	----	1	----
Diarrhea and enteritis—119	847	-----	1	5	8	19	42	47	122	88	98	94	102	97	61	53	37	40	29	26
Intestinal obstruction—122b	82	-----	----	----	3	6	4	3	16	11	4	3	9	10	5	6	9	3	1	5
Congenital malformations—157	294	44	21	23	22	34	16	16	176	25	23	17	9	11	11	10	6	4	1	1
Congenital debility, etc.—158,161b,c	337	33	13	10	31	39	18	28	172	54	26	23	18	9	13	6	5	6	2	3
Premature birth—159	2,412	1,262	283	133	248	209	102	64	2,301	75	18	9	4	2	1	----	----	1	----	1
Injury at birth—160	464	236	70	42	80	18	7	1	454	6	4	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	310	138	44	29	56	20	9	8	304	3	3	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	193	15	6	3	6	8	4	9	51	27	31	15	10	18	12	7	10	4	6	2
Unknown or ill-defined diseases—199,200	289	62	20	12	32	24	8	13	171	26	22	26	10	5	3	8	7	4	5	2
All other causes	522	13	9	6	37	22	22	16	125	60	44	46	45	37	34	39	30	25	19	18

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CITIES OF 2,500 TO 10,000 IN 1930 1/ ----------All causes	12,783	3,500	903	545	968	619	358	365	7,258	939	807	704	589	484	434	382	335	306	266	299
Measles----------7	22	-----	----	----	----	----	1	----	1	4	----	----	5	3	----	1	1	1	3	3
Scarlet fever----------8	11	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	1	3	2	3
Whooping-cough----------9	167	1	----	----	----	----	2	10	13	23	24	20	12	14	10	14	11	5	13	8
Diphtheria----------10	29	-----	----	----	----	----	----	1	1	-----	----	1	5	1	----	3	2	5	4	7
Influenza----------11	399	-----	1	1	6	5	9	9	31	51	38	46	38	34	35	31	27	26	18	24
Dysentery----------13	125	-----	----	----	----	3	----	2	5	13	13	15	14	10	8	9	7	7	17	7
Erysipelas----------15	53	-----	----	----	----	5	3	5	13	17	2	3	----	4	2	3	----	3	5	1
Epidemic cerebrospinal meningitis------18	14	-----	----	----	----	----	----	----	-----	2	1	3	2	----	1	2	2	----	----	1
Tetanus----------22	26	-----	----	----	8	16	1	----	25	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	15	-----	----	----	----	----	----	1	1	2	2	----	1	3	1	----	----	4	----	1
Tuberculosis of the meninges, etc.------24	25	-----	----	----	----	----	----	----	-----	1	3	1	2	1	4	1	1	3	5	3
Other forms of tuberculosis----------25-32	3	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	1	1	1
Syphilis----------34	165	30	9	6	12	11	6	7	81	24	22	10	9	5	2	5	3	1	2	1
Convulsions----------86	57	4	2	4	11	5	2	1	29	4	6	3	2	5	1	2	3	1	----	1
Bronchitis----------106	66	-----	1	----	----	1	2	7	11	13	6	4	5	3	6	4	5	----	4	5
Bronchopneumonia----------107	1,317	2	7	9	34	32	48	66	198	177	165	151	117	101	98	76	68	64	38	64
Lobar and unspecified pneumonia---108,109	499	3	1	----	9	18	15	18	64	63	70	57	44	35	40	29	26	22	31	18
Diseases of the stomach----------117,118	53	1	1	----	1	8	1	2	14	9	5	4	7	3	2	5	1	1	2	----
Diarrhea and enteritis----------119	1,370	-----	1	3	23	30	33	40	130	131	147	159	152	119	112	96	103	84	63	74
Intestinal obstruction----------122b	142	-----	----	2	7	6	4	3	22	14	10	12	20	18	16	6	9	8	4	3
Congenital malformations----------157	1,164	300	125	80	178	92	40	42	857	100	49	58	25	18	14	12	10	10	6	5
Congenital debility, etc.------158,161b,c	508	91	25	28	67	42	18	32	303	53	56	28	19	14	9	9	5	7	1	4
Premature birth----------159	3,551	2,223	430	189	270	184	90	52	3,438	64	22	13	5	4	2	2	----	1	----	----
Injury at birth----------160	1,155	611	163	132	158	63	9	10	1,146	7	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	390	143	91	42	61	25	9	4	375	7	8	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	271	10	8	6	19	3	4	4	54	28	40	28	24	10	19	12	10	15	16	15
Unknown or ill-defined diseases---199,200	329	59	23	15	41	29	15	13	195	39	24	18	16	9	7	7	3	3	3	5
All other causes----------	857	22	15	28	63	41	46	36	251	91	92	70	65	70	45	32	37	31	28	45
WHITE----------All causes	11,382	3,249	826	487	861	545	314	319	6,601	824	711	613	501	404	366	313	288	268	234	259
Measles----------7	19	-----	----	----	----	----	----	----	-----	4	----	----	5	2	----	1	1	1	3	2
Scarlet fever----------8	11	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	1	3	2	3
Whooping-cough----------9	157	1	----	----	----	----	2	8	11	23	21	19	12	14	9	13	10	5	12	8
Diphtheria----------10	25	-----	----	----	----	----	----	1	1	-----	----	1	4	1	----	2	1	4	4	7
Influenza----------11	331	-----	1	1	5	5	7	8	27	42	33	37	33	29	25	26	20	25	16	18
Dysentery----------13	111	-----	----	----	----	1	----	2	3	10	13	13	11	10	7	8	6	7	16	7
Erysipelas----------15	50	-----	----	----	----	5	3	5	13	16	2	3	----	3	2	2	----	3	5	1
Epidemic cerebrospinal meningitis------18	11	-----	----	----	----	----	----	----	-----	2	----	2	2	----	1	2	1	----	----	1
Tetanus----------22	19	-----	----	----	6	12	1	----	19	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	13	-----	----	----	----	----	----	1	1	2	2	----	1	3	1	----	----	3	----	----
Tuberculosis of the meninges, etc.------24	21	-----	----	----	----	----	----	----	-----	-----	3	1	1	1	3	----	1	3	5	3
Other forms of tuberculosis----------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	1
Syphilis----------34	96	19	6	5	7	7	3	3	50	16	14	7	2	1	1	2	1	1	----	1
Convulsions----------86	44	4	2	3	8	4	2	1	24	4	4	1	1	4	1	2	1	1	----	1
Bronchitis----------106	58	-----	1	----	----	1	2	5	9	11	5	4	4	3	4	4	5	----	4	5
Bronchopneumonia----------107	1,143	2	7	9	30	26	46	60	180	156	149	133	97	82	78	63	57	57	36	55
Lobar and unspecified pneumonia---108,109	421	3	----	----	9	14	12	15	53	55	60	49	34	28	35	26	25	15	25	16
Diseases of the stomach----------117,118	45	1	----	----	1	8	1	2	13	8	5	4	6	1	2	3	1	1	1	----
Diarrhea and enteritis----------119	1,206	-----	----	2	22	25	32	37	118	114	133	136	134	95	97	90	92	74	57	66
Intestinal obstruction----------122b	129	-----	----	2	6	6	4	2	20	9	10	12	19	17	14	6	8	7	4	3
Congenital malformations----------157	1,124	294	121	76	173	89	38	41	832	97	48	55	25	16	13	11	9	9	5	4
Congenital debility, etc.------158,161b,c	441	78	21	21	62	41	16	30	269	42	47	24	18	11	6	9	5	6	----	4
Premature birth----------159	3,246	2,076	392	161	235	164	80	42	3,150	56	19	10	4	4	2	1	----	----	----	----
Injury at birth----------160	1,085	578	155	124	147	57	8	7	1,076	7	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	357	131	83	40	55	22	7	4	342	7	8	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	237	7	7	5	16	2	4	4	45	27	34	26	22	9	16	10	7	13	15	13
Unknown or ill-defined diseases---199,200	196	34	15	10	27	17	5	7	115	29	14	10	7	3	6	4	2	2	1	3
All other causes----------	783	21	15	28	52	39	41	34	230	86	85	66	59	67	43	27	34	27	22	37
OTHER RACES(including Negroes)-All causes	1,401	251	77	58	107	74	44	46	657	115	96	91	88	80	68	49	47	38	32	40
Measles----------7	3	-----	----	----	----	----	1	----	1	-----	----	----	----	1	----	----	----	----	----	1
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	10	-----	----	----	----	----	----	2	2	-----	3	1	----	----	1	1	1	----	1	----
Diphtheria----------10	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	1	1	1	----	----
Influenza----------11	68	-----	----	----	1	----	2	1	4	9	5	9	5	5	10	5	7	1	2	6
Dysentery----------13	14	-----	----	----	----	2	----	----	2	3	----	2	3	----	1	1	1	----	1	----
Erysipelas----------15	3	-----	----	----	----	----	----	----	-----	1	----	----	----	1	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	1	----	----	----
Tetanus----------22	7	-----	----	----	2	4	----	----	6	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	1
Tuberculosis of the meninges, etc.------24	4	-----	----	----	----	----	----	----	-----	1	----	----	1	----	1	1	----	----	----	----
Other forms of tuberculosis----------25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	69	11	3	1	5	4	3	4	31	8	8	3	7	4	1	3	2	----	2	----
Convulsions----------86	13	-----	----	1	3	1	----	----	5	-----	2	2	1	1	----	----	2	----	----	----
Bronchitis----------106	8	-----	----	----	----	----	----	2	2	2	1	----	1	----	2	----	----	----	----	----
Bronchopneumonia----------107	174	-----	----	----	4	6	2	6	18	21	16	18	20	19	20	13	11	7	2	9
Lobar and unspecified pneumonia---108,109	78	-----	1	----	----	4	3	3	11	8	10	8	10	7	5	3	1	7	6	2
Diseases of the stomach----------117,118	8	-----	1	----	----	----	----	----	1	1	----	----	1	2	----	2	----	----	1	----
Diarrhea and enteritis----------119	164	-----	1	1	1	5	1	3	12	17	14	23	18	24	15	6	11	10	6	8
Intestinal obstruction----------122b	13	-----	----	----	1	----	----	1	2	5	----	----	----	1	2	----	1	1	----	----
Congenital malformations----------157	40	6	4	4	5	3	2	1	25	3	1	3	----	2	1	1	1	1	1	1
Congenital debility, etc.------158,161b,c	67	13	4	7	5	1	2	2	34	11	9	4	1	3	3	----	----	1	1	----
Premature birth----------159	305	147	38	28	35	20	10	10	288	8	3	3	1	----	----	1	----	1	----	----
Injury at birth----------160	70	33	8	8	11	6	1	3	70	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	33	12	8	2	6	3	2	----	33	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	34	3	1	1	3	1	----	----	9	1	6	2	2	1	3	2	3	2	1	2
Unknown or ill-defined diseases---199,200	133	25	8	5	14	12	10	6	80	10	10	8	9	6	1	3	1	1	2	2
All other causes----------	74	1	----	----	11	2	5	2	21	5	7	4	6	3	2	5	3	4	6	8

1/ Cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in the rural.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos
RURAL PART OF THE UNITED STATES 1/ ----------All causes	53,777	12,299	3,214	2,290	4,367	3,286	2,054	1,774	29,284	4,534	3,708	3,166	2,496	2,124	1,885	1,589	1,451	1,364	1,095	1,081
Measles----------7	136	1	1	----	1	2	3	3	11	15	12	11	9	7	10	16	9	10	14	12
Scarlet fever----------8	52	-----	----	----	----	2	2	2	6	3	3	2	4	4	1	6	6	4	9	4
Whooping-cough----------9	792	-----	----	----	4	3	14	32	53	114	117	104	63	62	58	45	57	45	32	42
Diphtheria----------10	209	-----	1	----	2	9	5	10	27	28	12	18	14	9	16	11	15	24	16	19
Influenza----------11	2,188	11	6	7	47	73	70	95	309	266	280	226	165	177	174	150	122	123	96	100
Dysentery----------13	610	-----	----	2	4	8	16	15	45	48	52	71	67	58	57	47	49	54	32	30
Erysipelas----------15	173	-----	1	1	2	4	14	17	39	56	16	18	7	9	6	9	4	2	6	1
Epidemic cerebrospinal meningitis------18	80	-----	----	----	----	1	----	----	1	7	4	9	8	10	10	7	4	7	8	5
Tetanus----------22	78	-----	1	2	22	43	5	----	73	2	----	----	----	1	1	----	----	1	----	----
Tuberculosis of the respiratory system-23	101	-----	----	----	----	2	1	4	7	3	3	9	8	15	10	4	11	11	10	10
Tuberculosis of the meninges, etc.-----24	70	-----	----	----	1	----	1	1	3	2	4	6	8	15	9	5	8	4	2	4
Other forms of tuberculosis---------25-32	40	-----	----	----	----	----	1	----	1	1	3	3	3	4	4	5	5	3	5	3
Syphilis----------34	593	72	27	25	33	34	37	27	255	90	69	47	36	17	18	14	14	11	12	10
Convulsions----------86	388	14	23	34	84	57	13	18	243	30	25	21	15	10	8	8	8	7	4	9
Bronchitis----------106	270	2	2	1	8	13	14	12	52	47	43	33	26	12	15	8	9	11	8	6
Bronchopneumonia----------107	4,918	10	32	39	141	195	229	246	892	730	634	531	414	346	319	269	246	216	169	152
Lobar and unspecified pneumonia---108,109	2,676	16	18	27	84	127	112	124	508	352	304	289	217	210	174	159	135	125	103	100
Diseases of the stomach----------117,118	365	-----	4	8	24	24	20	16	96	57	53	50	27	13	16	13	12	9	11	8
Diarrhea and enteritis----------119	5,885	3	7	18	82	162	173	191	636	624	679	635	604	535	467	428	357	366	266	288
Intestinal obstruction----------122b	258	1	----	7	31	17	10	12	78	30	24	16	19	22	21	16	10	12	4	6
Congenital malformations----------157	3,751	990	360	288	493	292	166	157	2,746	276	174	118	104	87	64	46	34	45	30	27
Congenital debility, etc.------158,161b,c	2,679	416	165	145	389	275	169	131	1,690	321	204	143	96	55	46	33	27	24	17	23
Premature birth----------159	12,715	7,512	1,428	706	1,117	861	402	216	12,242	257	105	58	17	8	9	10	7	1	1	----
Injury at birth----------160	3,018	1,453	440	353	480	164	50	30	2,970	30	18	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	1,309	465	165	157	282	116	61	25	1,271	29	9	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1,342	90	42	34	80	52	43	43	384	175	160	124	89	85	71	63	47	51	41	52
Unknown or ill-defined diseases---199,200	6,045	1,167	441	350	702	557	282	243	3,742	587	412	345	241	169	132	92	105	76	81	63
All other causes----------	3,036	76	50	86	254	193	141	104	904	354	289	279	235	184	169	125	150	122	118	107
WHITE----------All causes	40,667	10,114	2,452	1,742	3,190	2,384	1,542	1,375	22,799	3,431	2,736	2,283	1,794	1,513	1,313	1,153	1,052	976	816	801
Measles----------7	112	1	1	----	1	2	1	2	8	11	9	8	9	4	9	14	9	5	14	12
Scarlet fever----------8	52	-----	----	----	----	2	2	2	6	3	3	2	4	4	1	6	6	4	9	4
Whooping-cough----------9	607	-----	----	----	4	1	10	28	43	98	95	79	48	46	42	31	45	32	20	28
Diphtheria----------10	154	-----	----	----	1	5	4	7	17	20	7	11	12	6	12	8	14	16	14	17
Influenza----------11	1,571	9	5	4	32	50	56	78	234	211	215	157	107	127	109	104	83	82	73	69
Dysentery----------13	466	-----	----	1	1	5	12	12	31	36	35	56	52	48	39	38	33	44	28	26
Erysipelas----------15	153	-----	1	----	2	3	12	15	33	48	16	16	6	8	5	9	4	2	6	----
Epidemic cerebrospinal meningitis------18	71	-----	----	----	----	1	----	----	1	7	4	6	7	9	9	7	3	6	7	5
Tetanus----------22	40	-----	----	----	15	22	----	----	37	-----	----	----	----	1	1	----	----	1	----	----
Tuberculosis of the respiratory system-23	70	-----	----	----	----	2	----	4	6	2	3	5	6	10	5	3	9	8	6	7
Tuberculosis of the meninges, etc.-----24	53	-----	----	----	1	----	1	1	3	1	3	5	7	10	5	4	5	4	2	4
Other forms of tuberculosis---------25-32	27	-----	----	----	----	----	1	----	1	-----	3	2	1	2	2	3	5	3	2	3
Syphilis----------34	236	24	10	10	7	12	17	12	92	47	27	16	18	7	8	4	6	2	4	5
Convulsions----------86	236	10	16	22	52	29	9	13	151	18	12	13	7	6	5	3	8	4	3	6
Bronchitis----------106	218	2	2	----	8	10	9	11	42	39	36	24	18	11	11	7	9	10	8	3
Bronchopneumonia----------107	3,944	10	26	36	106	160	200	217	755	632	515	423	315	261	238	210	185	147	139	124
Lobar and unspecified pneumonia---108,109	1,809	13	13	23	59	97	86	93	384	253	208	190	132	128	108	97	92	80	66	71
Diseases of the stomach----------117,118	260	-----	2	7	16	16	14	12	67	42	38	34	20	10	11	8	12	7	4	7
Diarrhea and enteritis----------119	4,597	3	5	15	60	125	145	151	504	501	537	496	483	408	345	327	277	284	210	225
Intestinal obstruction----------122b	205	1	----	7	23	14	7	12	64	23	21	12	15	16	18	9	8	10	3	6
Congenital malformations----------157	3,486	931	338	271	462	272	154	145	2,573	254	156	107	96	78	58	43	28	43	25	25
Congenital debility, etc.------158,161b,c	1,920	292	104	103	292	207	116	97	1,211	243	148	102	66	36	30	23	16	17	10	18
Premature birth----------159	10,517	6,436	1,138	562	870	694	298	167	10,165	194	80	39	14	5	4	7	7	1	1	----
Injury at birth----------160	2,681	1,296	394	307	425	143	44	29	2,638	26	17	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	1,048	422	139	120	200	73	41	20	1,015	26	7	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	993	50	28	25	62	36	34	34	269	138	120	90	67	68	56	51	30	31	35	38
Unknown or ill-defined diseases---199,200	2,821	548	189	158	286	250	145	126	1,702	288	199	174	126	79	64	38	54	38	38	21
All other causes----------	2,320	66	41	71	205	153	124	87	747	270	222	216	158	125	118	99	104	95	89	77
OTHER RACES(including Negroes)-All causes	13,110	2,185	762	548	1,177	902	512	399	6,485	1,103	972	883	702	611	572	436	399	388	279	280
Measles----------7	24	-----	----	----	----	----	2	1	3	4	3	3	----	3	1	2	----	5	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	185	-----	----	----	----	2	4	4	10	16	22	25	15	16	16	14	12	13	12	14
Diphtheria----------10	55	-----	1	----	1	4	1	3	10	8	5	7	2	3	4	3	1	8	2	2
Influenza----------11	617	2	1	3	15	23	14	17	75	55	65	69	58	50	65	46	39	41	23	31
Dysentery----------13	144	-----	----	1	3	3	4	3	14	12	17	15	15	10	18	9	16	10	4	4
Erysipelas----------15	20	-----	----	1	----	1	2	2	6	8	----	2	1	1	1	----	----	----	----	1
Epidemic cerebrospinal meningitis------18	9	-----	----	----	----	----	----	----	-----	-----	----	3	1	1	1	----	1	1	1	----
Tetanus----------22	38	-----	1	2	7	21	5	----	36	2	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	31	-----	----	----	----	----	1	----	1	1	----	4	2	5	5	1	2	3	4	3
Tuberculosis of the meninges, etc.-----24	17	-----	----	----	----	----	----	----	-----	1	1	1	1	5	4	1	3	----	----	----
Other forms of tuberculosis---------25-32	13	-----	----	----	----	----	----	----	-----	1	----	1	2	2	2	2	----	----	3	----
Syphilis----------34	357	48	17	15	26	22	20	15	163	43	42	31	18	10	10	10	8	9	8	5
Convulsions----------86	152	4	7	12	32	28	4	5	92	12	13	8	8	4	3	5	----	3	1	3
Bronchitis----------106	52	-----	----	1	----	3	5	1	10	8	7	9	8	1	4	1	----	1	----	3
Bronchopneumonia----------107	974	-----	6	3	35	35	29	29	137	98	119	108	99	85	81	59	61	69	30	28
Lobar and unspecified pneumonia---108,109	867	3	5	4	25	30	26	31	124	99	96	99	85	82	66	62	43	45	37	29
Diseases of the stomach----------117,118	105	-----	2	1	8	8	6	4	29	15	15	16	7	3	5	5	----	2	7	1
Diarrhea and enteritis----------119	1,288	-----	2	3	22	37	28	40	132	123	142	139	121	127	122	101	80	82	56	63
Intestinal obstruction----------122b	53	-----	----	----	8	3	3	----	14	7	3	4	4	6	3	7	2	2	1	----
Congenital malformations----------157	265	59	22	17	31	20	12	12	173	22	18	11	8	9	6	3	6	2	5	2
Congenital debility, etc.------158,161b,c	759	124	61	42	97	68	53	34	479	78	56	41	30	19	16	10	11	7	7	5
Premature birth----------159	2,198	1,076	290	144	247	167	104	49	2,077	63	25	19	3	3	5	3	----	----	----	----
Injury at birth----------160	337	157	46	46	55	21	6	1	332	4	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	261	43	26	37	82	43	20	5	256	3	2	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	349	40	14	9	18	16	9	9	115	37	40	34	22	17	15	12	17	20	6	14
Unknown or ill-defined diseases---199,200	3,224	619	252	192	416	307	137	117	2,040	299	213	171	115	90	68	54	51	38	43	42
All other causes----------	716	10	9	15	49	40	17	17	157	84	67	63	77	59	51	26	46	27	29	30

1/ Cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in the rural.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (white)—All causes	2,005	628	110	70	151	117	49	71	1,196	161	96	93	87	58	74	54	46	49	54	37
Measles—7	3	----	----	----	----	1	----	----	1	----	----	1	----	----	----	----	----	----	----	1
Scarlet fever—8	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Whooping-cough—9	31	----	----	----	----	----	----	2	2	3	2	3	5	1	4	4	1	3	3	----
Diphtheria—10	14	----	----	----	----	----	----	----	----	----	----	----	2	----	2	1	1	2	3	3
Influenza—11	88	----	1	----	2	2	4	2	11	13	7	8	6	5	8	5	7	4	9	5
Dysentery—13	4	----	----	----	----	----	----	----	----	----	----	----	1	----	----	1	----	1	1	----
Erysipelas—15	9	----	----	----	----	----	1	----	1	5	----	1	----	----	1	----	----	----	1	----
Epidemic cerebrospinal meningitis—18	3	----	----	----	----	----	----	----	----	----	1	----	----	----	----	2	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	3	----	----	----	----	----	----	----	----	----	----	1	----	1	----	1	----	----	----	----
Other forms of tuberculosis—25-32	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	1	----
Syphilis—34	16	4	1	1	----	----	1	----	7	3	1	2	1	1	----	----	----	----	----	1
Convulsions—86	6	----	----	1	3	----	----	----	4	----	1	----	1	----	----	----	----	----	----	----
Bronchitis—106	4	----	----	----	----	----	----	----	----	----	1	----	1	----	1	----	----	----	----	1
Bronchopneumonia—107	127	----	2	1	3	5	5	9	25	19	12	9	13	6	18	7	8	8	----	2
Lobar and unspecified pneumonia—108,109	69	----	----	1	3	1	2	2	9	10	8	5	2	6	6	7	3	3	5	5
Diseases of the stomach—117,118	8	----	----	----	1	----	2	----	3	1	1	----	1	----	1	----	1	----	----	----
Diarrhea and enteritis—119	203	----	----	----	1	----	2	5	8	19	20	26	15	21	18	15	12	18	19	12
Intestinal obstruction—122b	12	----	----	1	----	2	----	----	3	2	1	----	3	----	1	----	1	1	----	----
Congenital malformations—157	130	47	9	2	15	12	1	7	93	7	7	3	7	3	2	1	2	4	1	----
Congenital debility, etc.—158,161b,c	90	21	5	3	16	12	2	4	63	10	4	5	4	2	1	----	1	----	----	----
Premature birth—159	640	413	56	23	48	41	21	14	616	13	3	2	2	----	1	3	----	----	----	----
Injury at birth—160	147	77	16	15	30	5	1	----	144	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	36	13	6	4	6	5	----	----	34	2	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	55	1	----	2	1	2	1	3	10	9	5	9	6	5	2	2	3	----	3	1
Unknown or ill-defined diseases—199,200	208	49	14	11	16	19	4	18	131	28	16	9	7	3	4	3	2	3	1	1
All other causes	95	3	----	5	6	10	2	5	31	15	5	9	10	3	4	2	3	2	6	5
ALABAMA (other races)—All causes	2,012	476	141	96	213	141	75	52	1,194	159	126	109	76	95	61	46	44	37	33	32
Measles—7	4	----	----	----	----	----	----	----	----	----	----	1	----	3	----	----	----	----	----	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	21	----	----	----	----	----	----	----	----	3	3	7	2	----	1	3	----	1	----	1
Diphtheria—10	7	----	----	----	----	1	----	----	1	----	----	----	1	1	2	----	----	1	----	1
Influenza—11	89	----	----	----	4	3	1	----	8	6	11	9	7	13	14	4	5	2	4	6
Dysentery—13	2	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	1	----
Erysipelas—15	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
Tetanus—22	8	----	----	----	2	4	2	----	8	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	5	----	----	----	----	----	----	----	----	----	2	----	----	----	1	----	1	1	----	----
Tuberculosis of the meninges, etc.—24	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Other forms of tuberculosis—25-32	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
Syphilis—34	48	8	1	2	5	2	2	3	23	8	6	5	3	2	----	----	----	----	1	----
Convulsions—86	22	1	2	4	2	5	----	----	14	2	1	1	----	2	----	----	1	----	1	----
Bronchitis—106	5	----	----	----	----	----	1	1	2	1	----	1	----	1	----	----	----	----	----	----
Bronchopneumonia—107	96	----	1	1	4	3	4	3	16	11	11	3	8	9	6	8	5	6	7	6
Lobar and unspecified pneumonia—108,109	92	----	1	----	4	3	1	3	12	13	6	10	8	15	3	11	4	3	2	5
Diseases of the stomach—117,118	13	----	----	----	1	2	1	----	4	4	2	2	----	----	1	----	----	----	----	----
Diarrhea and enteritis—119	149	----	----	----	3	6	2	5	16	17	19	14	16	16	12	6	10	9	8	6
Intestinal obstruction—122b	10	----	----	----	1	1	1	1	4	2	1	----	1	----	1	1	----	----	----	----
Congenital malformations—157	41	4	2	1	2	7	1	5	22	5	3	3	1	2	1	1	----	2	1	----
Congenital debility, etc.—158,161b,c	82	9	9	6	17	8	3	4	56	12	3	2	2	2	----	1	2	2	----	----
Premature birth—159	456	259	67	29	44	24	11	9	443	6	5	2	----	----	----	----	----	----	----	----
Injury at birth—160	61	35	6	6	7	5	1	1	61	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	48	9	2	7	17	9	3	----	47	1	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	47	5	2	2	4	----	3	1	17	3	8	5	----	4	----	1	4	2	1	2
Unknown or ill-defined diseases—199,200	635	146	48	36	89	50	36	16	426	61	40	32	19	16	13	4	10	5	5	4
All other causes	67	----	----	2	7	3	2	----	14	4	5	11	8	7	5	6	2	2	2	1
ARIZONA—All causes	1,142	160	39	46	63	60	37	31	436	109	86	85	90	57	63	56	40	40	34	46
Measles—7	8	----	----	----	----	----	----	----	----	2	----	1	----	----	2	----	1	----	2	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	14	----	----	----	----	----	1	----	1	2	2	2	----	2	1	2	2	----	----	----
Diphtheria—10	4	----	----	----	----	----	----	----	----	----	1	----	1	----	----	----	----	----	----	2
Influenza—11	66	----	----	----	1	3	3	----	7	8	8	2	3	5	4	6	9	5	2	7
Dysentery—13	9	----	----	----	----	----	1	----	1	----	----	3	2	----	1	1	1	----	----	----
Erysipelas—15	3	----	----	----	----	----	1	----	1	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	----	----
Tetanus—22	1	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	13	----	----	----	----	----	----	1	1	----	1	2	1	1	4	1	1	1	----	----
Tuberculosis of the meninges, etc.—24	7	----	----	----	----	----	----	1	1	----	1	----	----	1	----	2	----	1	----	1
Other forms of tuberculosis—25-32	4	----	----	----	----	----	----	----	----	----	----	1	1	----	2	----	----	----	----	----
Syphilis—34	20	5	----	----	5	----	----	1	11	4	2	1	1	----	----	----	----	----	----	1
Convulsions—86	3	----	----	----	1	----	----	----	1	1	----	----	1	----	----	----	----	----	----	----
Bronchitis—106	4	----	----	----	1	----	----	----	1	1	----	----	----	----	----	1	1	----	----	----
Bronchopneumonia—107	142	----	1	5	6	8	5	8	33	16	14	14	9	16	9	10	5	5	6	5
Lobar and unspecified pneumonia—108,109	55	----	----	1	1	5	----	3	10	9	7	2	7	----	2	4	1	3	4	6
Diseases of the stomach—117,118	8	----	----	----	----	----	2	----	2	----	----	2	----	2	----	----	----	----	1	1
Diarrhea and enteritis—119	272	----	----	1	2	5	3	6	17	29	30	37	41	19	27	18	12	20	8	14
Intestinal obstruction—122b	5	----	----	----	1	----	1	----	2	----	1	----	----	1	----	----	----	1	----	----
Congenital malformations—157	44	9	4	7	5	6	3	1	35	3	----	2	2	2	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	65	3	----	2	4	7	3	1	20	10	7	6	6	4	4	3	2	2	1	----
Premature birth—159	178	106	18	11	16	11	5	4	171	7	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	35	17	6	6	2	2	2	----	35	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	28	13	2	1	7	3	1	1	28	----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	34	2	6	2	3	2	----	----	15	5	----	3	2	2	----	2	1	1	1	2
Unknown or ill-defined diseases—199,200	59	4	1	7	5	4	2	1	24	4	7	4	3	----	4	3	2	1	4	3
All other causes	59	1	1	3	3	3	4	3	18	6	5	3	9	2	3	3	1	----	5	4

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (white)----------All causes	1,247	271	73	49	59	82	42	46	632	97	69	90	58	55	43	43	49	37	34	40
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Whooping-cough----------9	10	-----	----	----	----	----	----	1	1	3	----	2	----	----	----	----	----	1	----	3
Diphtheria----------10	8	-----	----	----	----	----	----	1	1	-----	----	----	1	1	2	----	1	1	----	1
Influenza----------11	55	-----	----	----	1	2	4	7	5	11	7	3	6	4	3	4	1	2	2	
Dysentery----------13	21	-----	----	----	----	----	1	1	2	2	1	4	2	2	1	1	2	3	----	
Erysipelas----------15	6	-----	----	----	----	----	----	1	1	2	----	----	----	1	1	----	----	----	1	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Other forms of tuberculosis---------25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	1
Syphilis----------34	6	1	----	----	----	1	----	----	2	2	1	----	1	----	----	----	----	----	----	----
Convulsions----------86	10	-----	1	----	2	4	----	1	8	-----	----	1	----	----	1	----	----	----	----	----
Bronchitis----------106	7	-----	----	----	----	----	----	----	----	1	----	3	1	2	----	----	----	----	----	----
Bronchopneumonia----------107	91	-----	----	2	2	4	2	5	15	14	10	7	8	6	3	6	11	4	3	4
Lobar and unspecified pneumonia---108,109	58	-----	----	----	4	1	1	3	9	5	3	6	5	6	5	7	4	3	3	2
Diseases of the stomach----------117,118	13	-----	----	1	1	2	----	----	4	4	2	2	----	----	----	----	1	----	----	----
Diarrhea and enteritis----------119	222	-----	----	1	2	7	10	5	25	21	19	25	19	21	10	18	19	11	12	22
Intestinal obstruction----------122b	11	-----	----	----	1	1	----	----	2	1	----	1	1	1	2	1	1	----	1	----
Congenital malformations----------157	67	18	12	4	3	5	4	3	49	7	2	3	2	1	1	2	----	----	----	----
Congenital debility, etc.------158,161b,c	50	11	1	1	7	5	1	6	32	6	5	1	1	1	----	----	----	4	----	----
Premature birth----------159	295	174	38	15	23	25	9	5	289	3	----	3	----	----	----	----	----	----	----	----
Injury at birth----------160	73	30	11	17	7	4	3	----	72	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	15	6	4	----	1	2	----	2	15	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	30	-----	1	----	2	1	1	2	7	3	2	7	1	1	3	1	1	2	1	1
Unknown or ill-defined diseases---199,200	116	31	4	5	12	16	7	2	77	10	5	8	6	1	3	2	3	1	----	----
All other causes----------	76	-----	1	3	2	3	2	4	15	7	6	13	5	5	4	1	3	7	7	3
ARKANSAS (other races)---------All causes	460	48	21	17	38	28	21	17	190	44	29	32	28	35	26	19	17	19	11	10
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	4	-----	----	----	1	----	----	----	1	-----	----	1	----	----	----	----	2	----	----	----
Diphtheria----------10	2	-----	----	----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	----	----
Influenza----------11	31	-----	----	----	2	3	2	3	10	6	1	2	4	2	2	2	----	1	1	----
Dysentery----------13	12	-----	----	----	1	----	----	----	1	1	1	2	3	1	1	----	----	1	----	1
Erysipelas----------15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	1	----	----	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	15	1	----	----	1	1	2	----	5	1	2	3	----	2	----	----	----	2	----	----
Convulsions----------86	6	-----	----	----	2	----	----	1	3	1	----	1	----	----	----	----	1	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	33	-----	----	1	1	----	2	----	4	2	2	4	6	2	2	3	2	3	----	3
Lobar and unspecified pneumonia---108,109	30	-----	----	1	----	----	----	2	3	2	3	1	2	6	4	3	1	2	2	1
Diseases of the stomach----------117,118	3	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	1	----
Diarrhea and enteritis----------119	60	-----	----	----	----	2	1	3	6	5	3	3	5	10	8	4	5	5	5	1
Intestinal obstruction----------122b	3	-----	----	----	----	----	----	----	-----	1	----	----	----	1	1	----	----	----	----	----
Congenital malformations----------157	11	2	2	1	1	1	1	----	8	1	1	----	----	----	----	1	----	----	----	----
Congenital debility, etc.------158,161b,c	23	3	1	1	4	----	1	1	11	3	5	2	2	----	----	----	----	----	----	----
Premature birth----------159	62	23	6	8	9	7	4	----	57	3	1	----	----	----	----	----	----	1	----	----
Injury at birth----------160	7	2	2	----	1	1	1	----	7	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	5	1	----	----	1	2	1	----	5	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	11	1	----	----	----	----	1	1	3	1	1	1	----	1	1	----	2	1	----	----
Unknown or ill-defined diseases---199,200	102	14	10	5	11	8	3	6	57	11	6	6	3	4	3	6	2	1	1	2
All other causes----------	34	1	----	----	3	2	2	----	8	2	2	6	3	5	2	----	1	2	1	2
CALIFORNIA (white)----------All causes	4,226	1,257	263	158	229	158	129	108	2,302	310	268	235	229	185	165	125	123	115	76	93
Measles----------7	29	-----	----	----	----	----	----	----	-----	2	1	1	2	1	1	2	9	3	2	5
Scarlet fever----------8	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	1	----	----	1	1
Whooping-cough----------9	80	-----	----	----	----	----	----	----	-----	8	10	11	9	9	9	3	9	4	2	6
Diphtheria----------10	12	-----	----	----	----	----	----	1	1	1	----	2	1	1	----	----	1	----	3	2
Influenza----------11	57	-----	----	----	----	2	1	3	6	2	4	6	8	7	6	6	4	3	4	1
Dysentery----------13	41	-----	----	----	----	----	----	----	-----	2	3	3	4	8	6	4	3	4	3	1
Erysipelas----------15	11	-----	----	----	----	----	----	3	3	2	3	----	1	1	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	12	-----	----	----	----	----	----	----	-----	2	1	1	2	2	1	1	1	----	1	----
Tetanus----------22	2	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	28	-----	----	----	----	----	----	----	-----	2	1	1	4	8	2	3	2	3	1	1
Tuberculosis of the meninges, etc.------24	14	-----	----	----	----	----	1	----	1	-----	----	1	1	1	2	----	1	3	2	2
Other forms of tuberculosis---------25-32	13	-----	----	----	----	----	----	----	-----	-----	2	1	1	2	----	2	2	1	----	2
Syphilis----------34	56	11	1	2	----	2	4	1	21	7	14	6	2	3	----	----	2	1	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	15	-----	----	----	----	----	1	1	2	3	1	2	2	----	1	----	1	----	2	1
Bronchopneumonia----------107	536	-----	2	6	10	11	20	28	77	68	60	69	51	45	30	33	30	30	17	26
Lobar and unspecified pneumonia---108,109	128	2	----	----	----	4	4	3	13	18	22	19	10	8	7	9	2	6	8	6
Diseases of the stomach----------117,118	9	1	----	----	----	1	1	----	3	-----	2	1	1	----	----	1	----	1	----	----
Diarrhea and enteritis----------119	525	-----	----	----	7	12	23	14	56	58	61	56	69	47	58	30	30	29	15	16
Intestinal obstruction----------122b	32	-----	----	2	2	4	1	----	9	3	2	1	2	3	2	1	2	4	1	2
Congenital malformations----------157	399	113	41	31	39	21	19	19	283	42	19	8	9	7	13	5	3	2	4	4
Congenital debility, etc.------158,161b,c	128	11	1	4	12	3	13	2	46	20	15	15	10	5	6	2	3	3	----	3
Premature birth----------159	1,243	815	144	67	83	62	26	10	1,213	20	4	2	1	2	1	----	----	----	----	----
Injury at birth----------160	323	202	48	22	31	10	1	2	316	2	5	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	157	86	22	17	24	5	2	----	156	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	79	-----	1	----	3	1	3	1	9	13	9	12	11	3	5	3	4	6	1	3
Unknown or ill-defined diseases---199,200	6	1	----	----	----	1	----	1	3	-----	----	----	1	1	----	----	1	----	----	----
All other causes----------	287	15	3	7	18	18	9	13	83	34	29	17	26	21	15	17	13	12	9	11

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CALIFORNIA (other races)--------All causes	263	57	15	10	12	5	8	10	117	27	25	21	11	14	8	13	6	5	14	2
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	7	-----	----	----	----	----	----	----	-----	2	1	1	----	----	----	1	----	----	----	2
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	8	-----	----	----	----	1	----	1	1	1	1	----	1	1	----	----	----	----	3	----
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Erysipelas----------15	3	-----	----	----	----	1	----	----	1	1	----	----	1	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	1	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	----	----	----	----	----	-----	----	----	----	1	1	----	----	----	1	1	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----------25-32	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Syphilis----------34	5	1	1	----	----	----	----	----	2	----	----	1	----	1	----	1	----	----	----	----
Convulsions----------86	2	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	----	----	1	----	----
Bronchitis----------106	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	40	-----	1	----	----	1	2	2	6	10	6	5	2	1	----	5	3	----	2	----
Lobar and unspecified pneumonia---108,109	20	-----	----	----	----	----	1	1	2	1	3	2	----	3	2	1	1	* 1	4	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	34	-----	----	----	----	----	----	4	4	3	5	7	1	2	3	2	2	1	4	----
Intestinal obstruction----------122b	5	-----	----	----	----	----	----	----	-----	1	----	----	1	----	1	1	----	1	----	----
Congenital malformations----------157	13	2	1	----	1	----	1	----	5	2	3	1	----	2	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	6	-----	----	----	1	----	1	----	2	2	1	1	----	----	----	----	----	----	----	----
Premature birth----------159	66	41	9	3	4	2	1	3	63	2	----	----	----	1	----	----	----	----	----	----
Injury at birth----------160	16	8	2	3	2	----	1	----	16	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	8	3	1	2	2	----	----	----	8	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	7	1	----	1	----	----	----	----	2	1	----	1	1	1	1	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
All other causes----------	15	1	----	----	2	1	----	----	4	1	3	1	3	1	----	2	----	----	----	----
COLORADO----------All causes	1,354	333	74	48	67	68	47	38	675	134	91	95	75	61	54	42	34	32	28	33
Measles----------7	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	1
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	----	1
Whooping-cough----------9	31	-----	----	----	----	----	1	----	1	6	3	3	3	3	----	3	4	----	3	2
Diphtheria----------10	3	-----	----	----	----	----	----	1	1	----	----	2	----	----	----	----	----	----	----	----
Influenza----------11	39	-----	1	----	2	----	1	1	5	2	4	3	4	3	2	4	----	3	5	4
Dysentery----------13	10	-----	----	----	----	----	----	----	-----	----	1	2	1	----	1	----	1	2	2	----
Erysipelas----------15	7	-----	----	----	----	----	----	2	2	3	----	1	----	----	1	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	1	----	----	1	----	----	----	1	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	4	-----	----	----	----	----	1	----	1	----	----	----	----	1	1	1	----	----	----	----
Other forms of tuberculosis----------25-32	2	-----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	1	----	----	----
Syphilis----------34	13	-----	----	1	1	2	----	1	5	2	2	3	----	----	1	----	----	----	----	----
Convulsions----------86	1	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	----	----	----	----	----
Bronchitis----------106	6	-----	----	----	----	----	----	1	1	2	2	1	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	200	-----	1	3	2	7	14	9	36	28	18	30	14	15	14	11	8	11	8	7
Lobar and unspecified pneumonia---108,109	56	-----	----	----	2	5	3	1	11	14	5	2	8	3	6	----	2	1	----	4
Diseases of the stomach----------117,118	7	-----	----	----	1	1	----	----	2	1	----	2	2	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	212	-----	----	1	1	3	4	2	11	32	28	26	24	27	18	14	10	10	5	7
Intestinal obstruction----------122b	10	-----	----	----	1	----	----	1	2	----	1	2	----	1	2	1	1	----	----	----
Congenital malformations----------157	102	28	8	11	20	7	2	5	81	7	4	4	3	----	2	----	----	----	----	1
Congenital debility, etc.------158,161b,c	65	5	5	8	4	6	3	2	33	10	10	1	5	2	1	1	1	----	1	----
Premature birth----------159	332	225	33	8	17	14	15	6	318	9	1	3	----	----	----	1	----	----	----	----
Injury at birth----------160	91	53	14	8	8	4	----	2	89	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	46	20	11	5	5	2	----	1	44	----	2	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	34	-----	----	1	----	3	1	----	5	9	----	4	5	3	2	1	1	2	----	2
Unknown or ill-defined diseases---199,200	14	2	1	1	1	4	----	----	9	2	1	----	----	1	1	----	----	----	----	----
All other causes----------	64	-----	----	1	2	9	2	2	16	5	9	5	5	1	2	5	5	3	4	4
CONNECTICUT----------All causes	933	339	94	61	66	22	23	24	629	59	56	37	29	25	24	14	16	18	14	12
Measles----------7	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	1	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	23	-----	----	----	----	----	1	----	1	1	3	3	3	1	3	3	1	1	1	2
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	----	----	----	----
Influenza----------11	9	-----	----	----	----	----	----	1	1	----	1	3	----	----	----	----	----	1	2	1
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	----	----	----
Erysipelas----------15	4	-----	----	----	----	----	----	1	1	2	1	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	----	----	1	1	----	----	----	----	----	----	1
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	5	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	1	1	----	----	2
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----------25-32	3	-----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	1	----	----	----
Syphilis----------34	4	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	1	----	----	1	----
Convulsions----------86	1	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	----	2	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	68	-----	----	2	----	----	3	2	7	5	8	10	11	7	5	4	3	6	2	----
Lobar and unspecified pneumonia---108,109	27	-----	----	----	----	----	----	----	-----	4	5	----	1	2	3	----	3	4	3	2
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	46	-----	----	----	----	1	5	2	8	11	7	4	5	2	4	2	2	1	----	----
Intestinal obstruction----------122b	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	----	1	----
Congenital malformations----------157	138	46	12	9	18	5	7	8	105	11	8	2	1	6	2	----	1	1	1	----
Congenital debility, etc.------158,161b,c	22	3	2	3	4	1	----	2	15	3	2	1	1	----	----	----	----	----	----	----
Premature birth----------159	296	176	52	23	23	8	4	2	288	4	1	3	----	----	----	----	----	----	----	----
Injury at birth----------160	139	83	18	20	9	2	2	1	135	4	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	41	22	7	3	6	2	1	----	41	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	21	3	1	----	----	----	----	1	5	3	4	3	----	1	2	1	----	----	1	1
Unknown or ill-defined diseases---199,200	8	1	1	1	1	----	----	1	5	1	----	1	----	----	----	----	----	1	----	----
All other causes----------	67	5	1	----	5	3	----	2	16	7	14	5	4	5	4	1	4	3	1	3

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DELAWARE—All causes	253	49	17	10	19	15	9	2	121	26	9	19	16	13	11	8	7	9	6	8
Measles	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----
Scarlet fever	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----
Whooping-cough	8	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	2	1	1	1	1
Diphtheria	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----	-----	-----	-----
Dysentery	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----
Erysipelas	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Tuberculosis of the meninges, etc.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis	7	4	1	-----	-----	-----	-----	-----	5	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis	2	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Bronchopneumonia	27	-----	-----	-----	1	2	-----	1	4	3	3	1	2	1	5	3	-----	2	1	2
Lobar and unspecified pneumonia	8	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	2	1	-----	-----	-----	-----	1	1
Diseases of the stomach	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis	33	-----	-----	-----	-----	1	2	-----	3	2	2	7	6	4	4	1	1	1	-----	2
Intestinal obstruction	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Congenital malformations	26	4	2	-----	4	3	2	1	16	3	1	2	1	2	-----	-----	-----	1	-----	-----
Congenital debility, etc.	15	1	-----	2	1	-----	1	-----	5	3	2	3	-----	1	-----	1	-----	-----	-----	-----
Premature birth	63	30	9	2	7	7	1	-----	56	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth	19	6	3	5	4	1	-----	-----	19	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	5	3	-----	-----	-----	-----	2	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
Unknown or ill-defined diseases	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
All other causes	25	1	1	1	2	1	1	-----	7	2	-----	2	3	3	2	-----	2	1	1	2
FLORIDA (white)—All causes	977	364	58	56	71	56	20	20	645	55	48	42	37	32	27	18	24	21	14	14
Measles	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Scarlet fever	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough	7	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----	1	-----	-----	1	-----	1	2
Diphtheria	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1
Influenza	37	-----	-----	-----	1	6	2	3	12	1	2	4	3	4	1	2	2	2	2	2
Dysentery	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas	4	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	2	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	1	2	-----	1	-----	-----	-----
Tetanus	2	-----	-----	-----	-----	2	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis	10	4	1	-----	-----	1	-----	-----	6	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions	6	-----	-----	1	3	-----	-----	-----	4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Bronchitis	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia	107	59	-----	-----	1	4	3	1	-----	9	7	9	6	2	1	6	3	7	1	4
Lobar and unspecified pneumonia	108,109	47	-----	1	1	-----	2	2	2	8	6	9	7	2	3	1	3	1	5	1
Diseases of the stomach	117,118	4	-----	-----	-----	1	-----	-----	-----	1	-----	1	-----	1	-----	-----	-----	-----	1	-----
Diarrhea and enteritis	119	66	-----	-----	-----	1	2	1	2	6	7	6	3	9	8	11	4	5	4	3
Intestinal obstruction	122b	14	-----	-----	1	-----	2	-----	-----	3	1	1	3	1	1	-----	-----	3	-----	-----
Congenital malformations	157	74	20	5	10	7	6	2	4	54	6	2	3	3	3	-----	-----	1	1	1
Congenital debility, etc.	158,161b,c	31	9	-----	1	4	2	-----	2	18	2	2	2	1	2	1	-----	-----	2	1
Premature birth	159	328	241	25	17	17	13	4	2	319	5	2	1	1	-----	-----	-----	-----	-----	-----
Injury at birth	160	104	57	14	10	16	4	2	-----	103	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	161a,d	26	13	2	3	3	3	-----	2	26	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes	172-195,201-214	17	2	1	1	1	-----	-----	-----	5	2	2	2	1	1	-----	-----	3	-----	1
Unknown or ill-defined diseases	199,200	56	14	5	6	6	3	2	1	37	3	3	3	6	1	-----	2	-----	1	-----
All other causes		73	4	4	4	7	7	4	1	31	8	6	5	4	6	5	4	2	1	-----
FLORIDA (other races)—All causes	692	147	45	32	75	46	27	29	401	61	50	38	25	23	24	19	14	16	15	6
Measles	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough	8	-----	-----	-----	-----	-----	1	1	2	-----	3	-----	-----	-----	1	-----	1	1	-----	-----
Diphtheria	2	-----	1	-----	1	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza	47	-----	-----	-----	-----	2	-----	1	3	4	5	8	1	7	8	5	2	3	1	-----
Dysentery	6	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	1	-----	-----	1	2	-----	-----	-----
Erysipelas	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
Tetanus	5	-----	-----	-----	3	1	1	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Other forms of tuberculosis	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1
Syphilis	39	1	2	2	5	4	4	5	23	5	4	2	2	1	-----	-----	1	-----	1	-----
Convulsions	8	-----	1	-----	1	3	1	-----	6	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis	3	-----	-----	-----	-----	-----	1	-----	1	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----
Bronchopneumonia	107	28	-----	-----	-----	2	1	-----	2	5	4	2	4	3	1	2	1	2	2	2
Lobar and unspecified pneumonia	108,109	32	1	-----	-----	2	-----	3	-----	6	5	2	5	2	1	1	2	1	3	3
Diseases of the stomach	117,118	6	-----	1	-----	-----	1	1	-----	3	-----	1	2	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis	119	51	-----	-----	1	-----	-----	-----	-----	1	11	6	6	8	4	1	4	2	3	1
Intestinal obstruction	122b	7	-----	-----	-----	-----	2	1	-----	3	2	-----	-----	-----	1	-----	-----	-----	-----	1
Congenital malformations	157	12	4	2	-----	1	-----	-----	2	9	-----	1	-----	-----	-----	1	-----	-----	1	-----
Congenital debility, etc.	158,161b,c	59	15	5	6	7	3	1	4	41	7	3	5	2	-----	1	-----	-----	-----	-----
Premature birth	159	174	81	20	9	26	9	7	8	160	6	5	1	1	1	-----	-----	-----	-----	-----
Injury at birth	160	19	7	1	5	5	-----	1	-----	19	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	161a,d	19	6	1	4	3	1	2	-----	17	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
External causes	172-195,201-214	12	1	1	-----	-----	2	-----	1	5	1	3	1	-----	-----	1	-----	1	-----	-----
Unknown or ill-defined diseases	199,200	103	29	9	5	13	13	2	4	75	8	7	3	2	1	2	2	1	-----	2
All other causes		45	2	1	-----	6	4	1	1	15	7	2	1	3	4	5	1	1	3	3

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
GEORGIA (white)—All causes	2,107	582	158	101	168	136	68	78	1,291	154	108	106	79	69	53	59	49	48	43	48
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Whooping-cough—9	15	-----	----	----	----	----	----	2	2	2	2	2	2	2	2	----	----	1	----	----
Diphtheria—10	11	-----	----	----	----	----	2	----	2	-----	1	----	----	----	----	2	3	----	1	2
Influenza—11	70	1	----	----	----	1	2	5	9	13	5	7	7	3	2	5	3	6	4	6
Dysentery—13	22	-----	----	----	----	----	----	1	1	6	----	3	3	1	2	1	2	2	----	1
Erysipelas—15	7	-----	----	----	----	----	----	1	1	3	1	----	----	1	1	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	5	-----	----	----	----	----	----	----	-----	-----	----	2	1	----	----	2	----	----	----	----
Tetanus—22	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	2	----
Other forms of tuberculosis—25-32	4	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	----	1	----	1	----
Syphilis—34	11	2	1	----	----	1	1	1	6	2	2	1	----	----	----	----	----	----	----	----
Convulsions—86	16	2	----	5	1	1	1	1	11	1	1	----	----	----	----	----	1	----	1	1
Bronchitis—106	9	-----	----	1	----	----	----	----	1	2	1	1	----	----	1	----	1	1	1	----
Bronchopneumonia—107	164	1	----	1	6	7	9	10	34	29	24	19	6	12	8	10	4	2	8	8
Lobar and unspecified pneumonia—108,109	86	2	----	----	5	5	5	7	24	8	6	7	1	5	4	5	3	9	5	9
Diseases of the stomach—117,118	12	-----	1	----	1	----	----	2	4	-----	5	1	----	1	----	----	1	----	----	----
Diarrhea and enteritis—119	227	-----	2	1	----	4	7	6	20	19	19	26	29	24	23	14	19	15	8	11
Intestinal obstruction—122b	14	-----	----	----	1	----	----	----	1	1	1	3	2	----	----	3	2	1	----	----
Congenital malformations—157	129	25	16	11	16	12	5	5	90	12	3	8	6	1	1	2	2	----	2	2
Congenital debility, etc.—158,161b,c	94	21	7	4	14	11	3	4	64	13	6	3	2	2	----	3	----	----	1	----
Premature birth—159	662	396	73	39	57	52	12	15	644	11	6	----	----	----	1	----	----	----	----	----
Injury at birth—160	129	57	28	14	22	5	----	1	127	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	45	16	13	5	3	2	2	1	42	2	1	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	43	1	----	1	3	1	3	3	12	8	5	4	1	5	2	3	1	2	----	----
Unknown or ill-defined diseases—199,200	204	52	14	17	24	27	11	7	152	13	8	10	9	5	----	----	----	2	4	1
All other causes	121	6	3	2	14	7	5	6	43	8	9	9	8	7	5	8	5	7	5	7
GEORGIA (other races)—All causes	2,207	438	146	96	225	158	77	60	1,200	177	170	111	99	99	85	71	68	59	31	37
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Whooping-cough—9	22	-----	----	----	----	1	----	----	1	3	3	1	1	2	5	2	3	----	----	1
Diphtheria—10	11	-----	----	----	----	----	----	1	1	-----	3	3	----	----	----	1	1	----	1	1
Influenza—11	56	1	----	----	2	2	----	2	7	6	7	6	5	6	3	3	8	4	1	----
Dysentery—13	24	-----	----	----	1	----	2	----	3	2	3	3	2	4	2	1	4	----	----	----
Erysipelas—15	3	-----	----	----	----	----	----	1	1	-----	1	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	-----	----	1	----	1	1	----	----	----	----	----	----
Tetanus—22	3	-----	----	----	1	1	1	----	3	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	6	-----	----	----	----	----	----	----	-----	1	----	----	1	----	1	1	1	----	----	1
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	2	----	----	----
Other forms of tuberculosis—25-32	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	1	----	----	1	----
Syphilis—34	58	8	4	3	2	5	1	----	23	6	6	5	5	4	----	2	2	3	1	1
Convulsions—86	16	-----	1	----	6	2	----	----	9	3	1	----	2	----	----	----	----	----	----	1
Bronchitis—106	7	-----	----	----	1	----	----	----	1	2	----	1	1	----	1	1	----	----	----	----
Bronchopneumonia—107	142	-----	----	1	3	5	4	4	17	23	21	9	16	12	12	13	3	8	2	6
Lobar and unspecified pneumonia—108,109	142	1	1	----	5	3	2	3	15	13	21	16	14	15	12	4	8	11	6	7
Diseases of the stomach—117,118	16	-----	----	----	1	3	1	1	6	3	2	1	----	----	3	1	----	1	1	----
Diarrhea and enteritis—119	177	-----	----	----	3	2	4	4	13	16	15	11	16	28	22	17	15	11	8	5
Intestinal obstruction—122b	16	-----	----	----	3	----	1	----	4	-----	3	----	1	1	1	2	1	3	----	----
Congenital malformations—157	30	5	1	----	6	5	3	2	22	2	----	1	----	1	2	1	1	----	----	----
Congenital debility, etc.—158,161b,c	161	34	3	11	24	19	5	5	101	17	8	6	6	3	6	3	4	3	2	2
Premature birth—159	466	236	65	40	46	40	15	7	449	12	3	2	----	----	----	----	----	----	----	----
Injury at birth—160	42	22	4	5	8	1	2	----	42	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	41	7	5	6	13	4	2	4	41	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	71	8	5	1	6	4	2	----	26	8	13	3	1	3	5	2	1	4	----	5
Unknown or ill-defined diseases—199,200	576	114	55	26	86	54	27	23	385	50	46	31	18	14	5	8	5	6	4	4
All other causes	108	2	2	3	8	7	5	3	30	10	12	11	8	5	5	7	8	5	4	3
IDAHO—All causes	526	165	40	25	36	15	25	17	323	31	40	39	17	17	13	12	10	9	7	8
Measles—7	3	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	6	-----	----	----	----	----	----	----	-----	2	3	----	----	----	----	1	----	----	----	----
Diphtheria—10	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	----	----
Influenza—11	25	-----	----	----	----	1	1	2	4	-----	6	6	1	3	1	3	----	----	1	----
Dysentery—13	4	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	1	2
Erysipelas—15	4	-----	----	----	----	----	1	----	1	1	----	----	----	----	----	----	----	1	1	----
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	3	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	1	----	----	----	----
Convulsions—86	3	-----	1	----	----	----	1	----	2	1	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	56	-----	----	----	1	----	2	3	6	8	9	8	4	6	3	3	5	3	1	----
Lobar and unspecified pneumonia—108,109	19	-----	----	----	1	----	3	----	4	3	3	2	3	1	1	----	1	----	1	----
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	32	-----	----	----	1	----	1	3	5	1	4	6	3	3	4	1	2	2	1	----
Intestinal obstruction—122b	2	-----	----	----	1	----	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations—157	58	20	5	6	5	4	2	1	43	7	1	2	1	1	----	----	1	1	----	1
Congenital debility, etc.—158,161b,c	12	2	2	----	1	----	----	----	5	-----	2	4	1	----	----	----	----	----	----	----
Premature birth—159	153	94	22	5	12	7	6	2	148	2	2	----	----	1	----	----	----	----	----	----
Injury at birth—160	56	36	6	6	7	----	----	----	55	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	27	10	4	5	4	1	2	----	26	1	----	----	----	----	----	----	----	----	----	1
External causes—172-195,201-214	11	-----	----	1	1	----	1	----	3	1	2	2	----	1	----	1	----	----	----	----
Unknown or ill-defined diseases—199,200	10	2	----	1	1	----	----	2	6	1	1	----	----	----	2	----	----	----	----	----
All other causes	36	1	----	1	1	2	5	4	14	-----	3	6	3	1	2	1	1	1	1	3

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ILLINOIS—All causes	5,246	1,669	423	266	399	231	179	148	3,315	353	282	242	197	163	145	137	103	105	101	103
Measles—7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	8	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	2	1	----	2	1
Whooping-cough—9	104	-----	----	----	----	1	1	4	6	14	18	16	10	4	5	7	7	8	5	4
Diphtheria—10	6	-----	----	----	----	----	----	1	1	-----	1	----	1	----	----	----	----	1	----	2
Influenza—11	79	1	----	----	2	1	2	2	8	8	10	11	7	8	5	3	5	5	3	6
Dysentery—13	20	-----	----	----	----	1	----	1	2	5	1	4	----	1	----	3	----	----	3	1
Erysipelas—15	16	-----	----	----	----	----	1	1	2	7	----	----	1	----	----	4	1	1	----	----
Epidemic cerebrospinal meningitis—18	8	-----	----	----	----	----	----	----	-----	1	----	1	3	----	1	----	1	1	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	11	-----	----	----	----	----	----	----	-----	1	1	1	----	----	----	----	5	2	1	----
Tuberculosis of the meninges, etc.—24	11	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	2	2	3	2	1
Other forms of tuberculosis—25-32	7	-----	----	----	----	----	----	----	-----	1	----	----	1	1	----	----	1	----	----	3
Syphilis—34	42	13	----	----	5	4	3	1	26	7	5	1	2	----	----	----	----	----	----	1
Convulsions—86	11	1	1	1	5	----	----	----	8	-----	2	1	----	----	----	----	----	----	----	----
Bronchitis—106	41	-----	----	----	3	2	----	2	7	10	4	3	8	6	1	2	----	----	----	----
Bronchopneumonia—107	611	7	3	3	19	27	36	28	123	85	62	68	49	42	42	31	25	32	20	32
Lobar and unspecified pneumonia—108,109	127	2	1	2	2	8	3	4	22	11	11	16	6	10	9	13	5	6	12	6
Diseases of the stomach—117,118	12	-----	1	----	----	----	1	1	3	2	2	2	2	----	----	1	----	----	----	----
Diarrhea and enteritis—119	434	-----	1	1	5	13	18	26	64	57	51	51	35	33	35	28	22	18	20	20
Intestinal obstruction—122b	55	-----	----	2	3	3	5	1	14	5	4	1	9	1	5	4	2	7	1	2
Congenital malformations—157	632	153	59	45	89	46	31	28	451	47	42	16	24	13	10	8	8	6	3	4
Congenital debility, etc.—158,161b,c	124	17	4	12	21	12	12	6	84	9	8	8	6	2	3	2	----	2	----	----
Premature birth—159	1,472	968	195	92	97	55	27	14	1,448	20	2	----	1	1	----	----	----	----	----	----
Injury at birth—160	670	365	105	72	84	27	6	4	663	7	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	231	119	42	24	31	5	4	2	227	2	2	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	106	8	2	2	7	2	4	3	28	15	12	12	9	11	5	4	4	2	1	3
Unknown or ill-defined diseases—199,200	25	3	----	1	2	----	----	4	10	4	2	2	1	1	2	2	----	1	----	----
All other causes	383	12	9	9	24	24	25	15	118	35	41	27	21	29	22	21	14	10	28	17
INDIANA—All causes	2,742	757	221	130	210	137	99	83	1,637	211	163	151	109	97	92	80	62	64	47	29
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	----	----	----	----	----
Whooping-cough—9	41	-----	----	----	----	----	----	2	2	6	7	6	2	7	5	2	1	1	1	1
Diphtheria—10	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	1	1	1	----
Influenza—11	86	-----	----	----	1	----	3	5	9	11	13	11	11	6	6	6	8	2	1	2
Dysentery—13	25	-----	----	----	----	1	----	----	1	-----	5	5	2	2	1	3	2	----	1	3
Erysipelas—15	9	-----	1	----	----	----	1	1	3	2	----	1	1	1	----	1	----	----	----	----
Epidemic cerebrospinal meningitis—18	7	-----	----	----	----	----	----	----	-----	-----	1	----	3	2	----	----	----	----	1	----
Tetanus—22	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	4	-----	----	----	----	1	----	----	1	-----	----	----	----	1	----	----	----	----	1	1
Tuberculosis of the meninges, etc.—24	7	-----	----	----	----	----	----	----	-----	1	----	2	2	----	----	1	----	1	----	----
Other forms of tuberculosis—25-32	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	1	2	----	1	----
Syphilis—34	33	4	2	2	3	3	2	1	17	3	5	3	----	----	----	3	1	1	----	----
Convulsions—86	3	-----	1	----	----	----	----	----	1	-----	----	----	----	----	2	----	----	----	----	----
Bronchitis—106	11	-----	----	----	----	----	----	1	1	1	1	2	----	1	1	1	2	----	1	----
Bronchopneumonia—107	294	1	1	4	6	13	17	15	57	40	38	39	20	22	18	19	8	18	10	5
Lobar and unspecified pneumonia—108,109	120	-----	1	1	7	3	9	3	24	18	13	13	11	8	9	9	4	4	4	3
Diseases of the stomach—117,118	9	-----	----	----	1	1	----	1	3	2	1	----	1	1	----	----	1	----	----	----
Diarrhea and enteritis—119	274	-----	----	----	2	11	12	8	33	36	20	27	33	22	22	17	16	27	12	9
Intestinal obstruction—122b	21	-----	----	1	1	----	----	1	3	2	3	2	----	1	5	2	1	----	2	----
Congenital malformations—157	335	79	46	29	54	22	16	15	261	26	13	13	1	5	5	3	4	2	1	1
Congenital debility, etc.—158,161b,c	85	15	2	4	11	6	4	7	49	8	12	6	4	1	3	----	1	1	----	----
Premature birth—159	827	508	115	37	61	50	22	13	806	13	5	2	1	----	----	----	----	----	----	----
Injury at birth—160	202	89	32	28	39	6	3	2	199	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	113	48	15	16	14	8	5	3	109	1	3	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	56	5	----	2	----	----	----	2	9	14	6	8	7	5	9	2	3	2	1	----
Unknown or ill-defined diseases—199,200	5	2	----	----	----	1	----	----	3	1	----	1	----	----	----	----	----	----	----	----
All other causes	152	6	5	6	10	11	5	3	46	22	16	9	9	10	7	9	7	4	9	4
IOWA—All causes	2,057	691	176	97	154	113	79	66	1,376	120	116	106	74	52	56	38	23	35	31	30
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Scarlet fever—8	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	----	----	1	----
Whooping-cough—9	28	1	----	----	----	----	----	1	2	3	1	7	2	2	3	1	1	3	2	1
Diphtheria—10	3	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	1	1
Influenza—11	61	-----	----	1	----	2	----	2	5	8	13	4	5	5	6	2	2	4	4	3
Dysentery—13	4	-----	----	----	----	----	----	----	-----	-----	2	----	----	1	----	----	----	1	----	----
Erysipelas—15	8	-----	----	----	----	1	----	2	3	1	1	2	1	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	6	-----	----	----	----	----	----	----	-----	-----	1	----	1	2	1	----	----	1	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	6	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	2	----	1	----	----	1
Tuberculosis of the meninges, etc.—24	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	1
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	17	2	1	----	----	2	1	3	9	2	1	1	1	2	----	----	----	----	----	1
Convulsions—86	7	1	1	1	1	----	----	1	5	1	----	----	----	----	----	1	----	----	----	----
Bronchitis—106	7	1	----	----	----	----	1	3	5	-----	----	2	----	----	----	----	----	----	----	----
Bronchopneumonia—107	188	-----	2	3	10	10	13	11	49	25	24	29	18	7	9	8	5	5	4	5
Lobar and unspecified pneumonia—108,109	64	1	----	1	1	2	4	5	14	11	7	8	5	4	3	2	3	5	----	2
Diseases of the stomach—117,118	7	-----	----	----	1	2	----	1	4	-----	2	----	----	----	----	----	----	1	----	----
Diarrhea and enteritis—119	116	-----	----	----	4	7	6	3	20	12	17	10	16	9	8	8	3	3	6	4
Intestinal obstruction—122b	15	-----	----	----	----	2	----	1	3	2	1	1	----	----	4	3	1	----	----	----
Congenital malformations—157	261	70	20	18	31	24	10	9	182	22	14	13	7	2	8	4	1	2	3	3
Congenital debility, etc.—158,161b,c	72	21	6	2	19	4	4	4	60	5	3	1	1	1	1	----	----	----	----	----
Premature birth—159	643	410	86	33	37	35	20	6	627	7	4	3	----	----	1	----	----	----	1	----
Injury at birth—160	248	138	43	25	24	12	1	4	247	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	75	34	12	7	10	5	3	3	74	-----	1	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	46	6	2	1	4	----	2	----	15	5	7	5	----	2	2	4	3	----	3	----
Unknown or ill-defined diseases—199,200	16	4	1	----	4	1	----	1	11	1	1	1	----	1	1	----	----	----	----	----
All other causes	153	2	2	5	8	4	14	6	41	14	14	18	17	11	7	5	2	10	6	8

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS----------All causes	1,554	473	126	77	116	80	40	40	952	96	97	87	82	51	43	28	32	32	30	24
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Scarlet fever----------8	5	-----	1	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	1	1	-----	1
Whooping-cough----------9	15	-----	-----	-----	-----	-----	-----	1	1	2	1	1	1	2	2	1	2	1	1	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	54	-----	-----	-----	1	3	-----	1	5	10	6	9	5	4	6	2	2	2	-----	3
Dysentery----------13	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	3	2	1	1	-----	-----	2	-----
Erysipelas----------15	8	-----	-----	-----	-----	-----	-----	3	3	-----	1	1	-----	-----	-----	1	1	-----	1	-----
Epidemic cerebrospinal meningitis------18	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Tetanus----------22	2	-----	-----	-----	1	1	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Tuberculosis of the meninges, etc.------24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis---------25-32	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	1	-----	2	-----
Syphilis----------34	18	5	2	1	-----	3	1	-----	12	1	1	-----	1	2	-----	-----	-----	1	-----	-----
Convulsions----------86	5	-----	-----	3	1	-----	-----	1	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	3	-----	-----	-----	-----	-----	-----	1	1	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----
Bronchopneumonia----------107	171	2	3	1	5	6	6	4	27	24	28	18	25	11	7	8	6	10	4	3
Lobar and unspecified pneumonia---108,109	52	-----	-----	-----	1	3	-----	1	5	5	4	6	9	3	5	3	2	3	4	3
Diseases of the stomach----------117,118	5	-----	-----	-----	-----	-----	-----	-----	-----	2	1	2	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	101	-----	-----	1	1	2	6	3	13	12	16	8	11	10	10	4	8	5	2	2
Intestinal obstruction----------122b	18	-----	-----	-----	1	-----	-----	-----	1	-----	3	2	2	3	2	-----	2	2	-----	1
Congenital malformations----------157	194	50	24	18	38	13	3	6	152	9	7	9	4	3	1	1	3	1	4	-----
Congenital debility, etc.------158,161b,c	50	13	5	2	8	7	2	2	39	4	3	3	1	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	451	305	47	25	20	24	12	9	442	4	1	2	-----	1	1	-----	-----	-----	-----	-----
Injury at birth----------160	132	70	31	12	11	5	1	-----	130	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	42	18	8	3	9	1	-----	1	40	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	58	2	3	3	5	2	-----	2	17	8	6	8	3	2	2	3	-----	2	2	5
Unknown or ill-defined diseases---199,200	16	4	1	2	4	1	-----	-----	12	-----	1	2	-----	1	-----	-----	-----	-----	-----	-----
All other causes----------	134	4	1	6	10	9	9	5	44	11	15	14	15	7	5	4	3	4	8	4
KENTUCKY (white)----------All causes	3,417	726	216	130	231	212	126	109	1,750	289	214	188	164	148	120	113	127	104	109	91
Measles----------7	19	1	-----	-----	-----	-----	-----	-----	1	2	1	-----	1	1	2	4	1	2	2	2
Scarlet fever----------8	2	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Whooping-cough----------9	39	-----	-----	-----	1	-----	2	2	5	5	6	2	2	6	3	1	1	2	4	2
Diphtheria----------10	29	-----	-----	-----	-----	2	2	1	5	6	2	2	-----	-----	2	4	3	2	1	2
Influenza----------11	139	1	1	-----	3	5	5	5	20	22	17	13	12	9	8	10	9	9	4	6
Dysentery----------13	108	-----	-----	-----	-----	2	2	2	6	6	11	10	13	13	12	8	7	11	3	8
Erysipelas----------15	11	-----	-----	-----	-----	-----	1	2	3	3	1	1	1	1	1	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	26	-----	-----	-----	-----	1	-----	-----	1	3	1	1	-----	4	4	-----	1	3	6	2
Tetanus----------22	3	-----	-----	-----	-----	3	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	4	1	1	-----	1	3	-----	3	1
Tuberculosis of the meninges, etc.------24	7	-----	-----	-----	1	-----	-----	-----	1	1	-----	1	-----	1	-----	-----	1	1	-----	1
Other forms of tuberculosis---------25-32	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	2	-----	1
Syphilis----------34	20	4	1	1	-----	-----	-----	2	6	6	2	2	1	-----	-----	2	1	-----	-----	-----
Convulsions----------86	20	1	3	1	5	4	1	-----	15	2	-----	-----	-----	-----	-----	2	-----	-----	-----	1
Bronchitis----------106	14	1	1	-----	-----	-----	-----	2	4	2	3	1	1	-----	2	1	-----	-----	-----	-----
Bronchopneumonia----------107	243	-----	-----	1	9	13	20	11	54	34	24	18	19	17	9	11	27	5	18	7
Lobar and unspecified pneumonia---108,109	188	2	3	3	6	16	10	8	48	26	21	17	10	13	11	6	4	11	14	7
Diseases of the stomach----------117,118	16	-----	-----	-----	1	-----	-----	1	2	2	1	7	1	-----	-----	-----	-----	1	-----	2
Diarrhea and enteritis----------119	575	1	-----	2	4	6	8	21	42	48	57	63	58	61	38	44	42	42	36	34
Intestinal obstruction----------122b	13	-----	-----	-----	2	3	-----	-----	5	3	-----	-----	1	-----	2	1	1	-----	-----	-----
Congenital malformations----------157	192	53	20	18	28	11	10	7	147	13	6	6	5	2	3	3	2	2	2	1
Congenital debility, etc.------158,161b,c	160	18	15	8	23	12	13	5	94	19	15	7	4	6	3	1	5	1	3	2
Premature birth----------159	861	478	113	49	80	65	27	19	831	19	7	3	1	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	196	94	31	25	27	12	4	-----	193	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	65	27	9	6	14	7	1	-----	64	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	77	7	2	2	7	7	1	5	31	8	13	8	1	2	5	2	2	2	3	-----
Unknown or ill-defined diseases---199,200	175	27	13	10	11	27	13	9	110	36	8	6	5	3	2	2	-----	-----	1	2
All other causes----------	199	11	4	4	9	15	6	9	58	21	15	16	17	8	12	9	17	7	9	10
KENTUCKY (other races)---------All causes	309	42	22	8	30	23	13	9	147	27	22	23	23	16	9	10	9	14	6	3
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	-----	1	2	-----	1	-----	-----
Diphtheria----------10	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	15	-----	-----	-----	1	-----	-----	1	2	1	4	1	3	-----	-----	-----	-----	3	-----	1
Dysentery----------13	5	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	1	1	-----	1	-----	1	-----	-----
Erysipelas----------15	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	2	-----	-----	-----	1	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Tuberculosis of the meninges, etc.------24	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----
Other forms of tuberculosis---------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	11	3	1	-----	-----	2	-----	1	7	2	-----	1	-----	-----	-----	1	-----	-----	-----	-----
Convulsions----------86	3	-----	-----	-----	-----	2	-----	-----	2	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	41	-----	1	1	2	2	-----	2	8	4	2	7	4	5	4	2	3	1	-----	-----
Lobar and unspecified pneumonia---108,109	20	-----	-----	1	2	-----	1	-----	4	4	4	1	3	2	-----	-----	-----	2	-----	-----
Diseases of the stomach----------117,118	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	41	-----	-----	-----	-----	1	1	2	4	6	5	3	5	4	1	3	4	3	1	2
Intestinal obstruction----------122b	3	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----
Congenital malformations----------157	5	1	-----	-----	1	1	1	-----	4	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	14	2	2	-----	1	-----	1	-----	6	2	-----	4	2	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	80	30	12	4	13	8	7	2	76	3	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	7	1	3	2	1	-----	-----	-----	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	10	3	-----	-----	5	1	-----	-----	9	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	11	-----	2	-----	-----	2	-----	-----	4	-----	2	2	-----	-----	-----	-----	-----	1	2	-----
Unknown or ill-defined diseases---199,200	5	2	1	-----	1	-----	1	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	19	-----	-----	-----	2	1	-----	1	4	2	1	1	2	1	2	1	1	2	2	-----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos	8 mos.	9 mos.	10 mos.	11 mos.
LOUISIANA (white)—All causes	1,519	401	64	77	107	75	68	52	844	132	119	85	57	43	55	45	36	41	25	37
Measles—7	6	-----	1	----	-----	-----	-----	----	1	1	1	1	----	-----	1	1	----	-----	----	----
Scarlet fever—8	-----	-----	----	----	-----	-----	-----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	34	-----	----	----	-----	-----	-----	----	-----	2	8	3	2	----	5	1	3	4	1	5
Diphtheria—10	13	-----	----	----	-----	-----	-----	----	-----	1	----	1	----	----	1	2	----	2	2	4
Influenza—11	72	-----	----	----	1	1	2	5	9	12	9	4	6	4	4	3	3	10	3	5
Dysentery—13	9	-----	----	----	-----	----	1	----	1	-----	2	----	----	4	----	1	----	1	----	----
Erysipelas—15	7	-----	----	----	-----	----	1	2	3	3	----	----	----	----	1	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	-----	----	----	-----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	1	----
Tetanus—22	10	-----	----	----	5	4	----	----	9	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	1	1	----	----	-----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	16	1	----	----	1	----	----	3	5	7	1	----	1	----	2	----	----	----	----	----
Convulsions—86	2	-----	----	----	-----	----	----	----	-----	-----	1	----	----	----	1	----	----	----	----	----
Bronchitis—106	6	-----	----	----	-----	1	----	1	2	-----	1	----	1	1	----	1	----	----	----	----
Bronchopneumonia—107	197	1	2	1	4	6	12	5	31	35	32	29	15	13	10	7	8	5	4	8
Lobar and unspecified pneumonia—108,109	62	-----	1	----	2	2	1	3	9	5	7	8	4	7	7	6	6	2	1	----
Diseases of the stomach—117,118	6	-----	----	----	-----	----	----	----	-----	1	1	1	----	----	----	1	----	2	----	----
Diarrhea and enteritis—119	136	-----	----	----	2	1	7	5	15	19	18	18	15	8	6	9	6	8	5	9
Intestinal obstruction—122b	14	-----	----	----	3	----	----	1	4	3	2	----	----	1	1	----	1	----	1	1
Congenital malformations—157	100	27	8	5	13	10	3	5	71	7	10	4	2	1	3	----	----	----	1	1
Congenital debility, etc.—158,161b,c	47	10	----	----	7	4	9	2	32	7	4	1	2	----	----	1	----	----	----	----
Premature birth—159	416	250	16	40	34	30	17	9	396	11	3	4	----	----	----	2	----	----	----	----
Injury at birth—160	147	72	24	20	17	7	1	2	143	1	3	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	49	26	6	6	5	2	2	1	48	-----	1	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	13	3	----	1	----	----	1	1	6	-----	2	----	1	----	1	1	1	----	1	----
Unknown or ill-defined diseases—199,200	31	9	4	2	3	----	2	----	20	3	1	2	1	----	3	1	----	----	----	----
All other causes	122	1	2	2	10	7	9	7	38	14	12	8	7	4	8	8	8	6	5	4
LOUISIANA (other races)—All causes	1,632	321	81	49	129	135	91	53	859	132	125	97	71	76	56	66	54	44	22	30
Measles—7	7	-----	----	----	-----	----	2	----	2	-----	----	1	1	----	1	----	----	2	----	----
Scarlet fever—8	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	22	-----	----	----	-----	----	1	----	1	2	4	----	1	5	2	----	3	2	----	2
Diphtheria—10	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	72	-----	----	3	-----	3	5	4	15	7	7	8	8	5	3	8	4	3	2	2
Dysentery—13	11	-----	----	----	-----	----	1	1	2	1	----	----	4	1	2	----	1	----	----	----
Erysipelas—15	2	-----	----	----	-----	----	----	----	-----	1	----	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	-----	----	----	-----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	1
Tetanus—22	20	-----	1	1	2	14	2	----	20	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.—24	2	-----	----	----	-----	----	----	----	-----	-----	----	----	----	1	----	----	----	1	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Syphilis—34	88	18	4	1	8	7	7	1	46	12	10	1	4	3	3	4	2	2	----	1
Convulsions—86	9	-----	----	----	1	3	----	----	4	-----	2	----	1	----	2	----	----	----	----	----
Bronchitis—106	11	-----	----	----	-----	----	2	----	2	4	----	3	1	----	----	----	----	----	----	1
Bronchopneumonia—107	247	-----	2	1	7	12	9	11	42	33	31	28	16	21	17	17	18	9	5	10
Lobar and unspecified pneumonia—108,109	73	1	1	----	4	3	2	3	14	4	6	14	4	8	4	9	3	2	4	1
Diseases of the stomach—117,118	7	-----	1	----	-----	----	1	----	2	1	----	1	----	2	----	----	----	----	1	----
Diarrhea and enteritis—119	173	-----	1	1	5	4	4	5	20	22	31	15	17	12	11	14	10	11	5	5
Intestinal obstruction—122b	13	-----	----	----	2	1	1	1	5	3	----	1	----	1	----	2	----	1	----	----
Congenital malformations—157	55	10	4	3	9	4	7	----	37	2	4	2	----	3	1	1	3	2	----	----
Congenital debility, etc.—158,161b,c	77	16	4	2	2	10	7	6	47	8	6	8	3	2	1	1	----	1	----	----
Premature birth—159	404	172	45	16	48	51	32	13	377	13	6	4	----	1	1	1	----	----	----	1
Injury at birth—160	97	55	12	10	12	6	----	1	96	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	36	22	----	3	6	1	1	2	35	1	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	21	2	1	----	-----	----	----	1	4	5	3	2	1	----	1	2	1	2	----	----
Unknown or ill-defined diseases—199,200	104	24	5	7	18	15	5	2	76	8	6	4	4	----	----	1	2	1	2	----
All other causes	77	1	----	1	5	1	2	2	12	5	7	5	6	10	7	6	7	4	3	5
MAINE—All causes	981	211	117	49	96	47	30	30	580	82	73	58	47	34	25	18	21	16	12	15
Measles—7	5	-----	----	----	-----	----	----	----	-----	2	----	1	1	----	----	----	1	----	----	----
Scarlet fever—8	1	-----	----	----	-----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Whooping-cough—9	17	-----	----	----	-----	----	-----	2	2	1	-----	2	1	----	1	3	3	3	----	1
Diphtheria—10	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	32	-----	----	----	1	----	-----	2	3	4	4	4	1	4	3	2	1	3	1	2
Dysentery—13	3	-----	----	----	-----	----	----	----	-----	-----	----	----	2	----	----	----	----	----	1	----
Erysipelas—15	1	-----	----	----	-----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	-----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Syphilis—34	3	-----	----	----	-----	----	----	----	-----	-----	1	----	2	----	----	----	----	----	----	----
Convulsions—86	8	-----	----	----	1	----	1	----	2	2	1	----	1	1	1	----	----	----	----	----
Bronchitis—106	13	-----	----	----	-----	----	----	----	-----	1	3	2	3	2	1	----	----	1	----	----
Bronchopneumonia—107	91	-----	2	----	1	3	1	4	11	17	16	10	10	5	6	3	5	3	1	4
Lobar and unspecified pneumonia—108,109	31	-----	----	----	-----	----	1	2	3	3	5	5	1	7	1	2	1	1	1	1
Diseases of the stomach—117,118	15	-----	----	----	-----	2	----	2	4	5	3	1	----	2	----	----	----	----	----	----
Diarrhea and enteritis—119	45	-----	----	----	----	1	2	2	5	5	10	6	6	3	3	3	2	1	----	1
Intestinal obstruction—122b	9	-----	----	----	2	----	1	----	3	2	1	1	----	1	----	1	----	----	----	----
Congenital malformations—157	98	16	15	8	11	5	4	7	66	8	5	2	4	4	2	1	3	----	2	1
Congenital debility, etc.—158,161b,c	59	3	8	3	11	6	2	3	36	8	10	1	2	1	----	----	----	1	----	----
Premature birth—159	320	147	67	19	31	21	12	3	300	11	1	3	3	----	1	----	----	----	1	----
Injury at birth—160	75	31	15	8	19	1	1	----	75	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	42	12	6	5	11	3	2	----	39	-----	3	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	19	-----	----	1	2	1	----	----	4	2	----	5	2	1	----	2	----	----	2	1
Unknown or ill-defined diseases—199,200	16	1	1	1	----	----	----	----	3	3	2	1	3	1	----	----	1	1	1	----
All other causes	77	1	3	4	6	4	3	3	24	8	7	13	5	2	5	1	4	2	2	4

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MARYLAND (white)—All causes	1,182	267	85	39	73	53	34	36	607	99	80	66	62	53	55	42	32	32	23	31
Measles—7	7	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	1	2	1	1	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	19	-----	----	----	----	----	----	----	-----	-----	7	----	3	1	1	1	1	2	1	2
Diphtheria—10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	22	-----	----	----	----	----	----	----	-----	1	2	2	1	2	5	2	2	2	----	3
Dysentery—13	15	-----	----	----	----	1	----	1	-----	1	2	5	1	2	1	----	----	----	----	2
Erysipelas—15	7	-----	----	----	----	----	1	1	2	2	1	----	----	----	----	2	----	----	----	----
Epidemic cerebrospinal meningitis—18	7	-----	----	----	----	----	----	----	-----	1	1	1	2	----	----	----	----	1	1	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	2	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	12	1	1	2	----	----	----	1	5	4	1	1	----	----	----	----	----	1	----	----
Convulsions—86	8	-----	----	1	----	----	----	1	2	-----	----	----	----	1	----	----	4	----	----	1
Bronchitis—106	10	-----	----	----	----	----	----	1	1	3	----	----	3	1	2	----	----	----	----	----
Bronchopneumonia—107	119	-----	----	----	2	2	6	9	19	17	9	13	10	6	12	6	9	6	2	10
Lobar and unspecified pneumonia—108,109	57	-----	----	----	----	----	1	1	2	7	8	10	2	4	6	6	1	4	3	4
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	145	-----	----	----	1	3	6	5	15	19	16	18	17	17	14	8	10	3	6	2
Intestinal obstruction—122b	13	-----	----	----	3	----	----	----	3	1	3	----	2	1	1	2	----	----	----	----
Congenital malformations—157	161	32	11	6	16	20	6	2	93	18	13	11	4	7	6	4	1	3	1	----
Congenital debility, etc.—158,161b,c	23	2	3	----	5	2	1	3	16	1	3	1	2	----	----	----	----	----	----	----
Premature birth—159	306	188	47	15	16	12	8	6	292	7	4	1	----	1	1	----	----	----	----	----
Injury at birth—160	92	40	16	12	14	6	2	----	90	-----	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	46	23	6	2	9	3	1	1	45	1	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	27	1	----	----	2	1	----	----	4	6	3	2	2	1	----	2	1	2	1	3
Unknown or ill-defined diseases—199,200	6	-----	1	----	1	----	----	2	4	-----	1	----	----	1	----	----	----	----	----	----
All other causes	75	-----	----	1	4	3	1	3	12	10	4	4	9	8	5	7	1	7	4	4
MARYLAND (other races)—All causes	656	100	24	20	40	38	18	24	264	38	40	46	43	53	41	34	31	28	23	15
Measles—7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	27	-----	----	----	----	----	----	2	2	-----	2	1	2	4	3	2	3	1	6	1
Diphtheria—10	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	1	----
Influenza—11	10	-----	----	----	----	----	----	----	-----	-----	----	2	2	1	----	2	1	1	----	1
Dysentery—13	18	-----	----	----	----	----	----	----	-----	1	3	3	----	1	1	2	2	3	2	----
Erysipelas—15	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	2	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	11	-----	----	----	----	----	----	----	-----	-----	----	1	2	----	----	3	1	----	3	1
Tuberculosis of the meninges, etc.—24	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	3	----	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	24	4	1	1	1	2	1	1	11	3	1	3	----	1	1	2	2	----	----	----
Convulsions—86	2	-----	----	----	2	----	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	6	-----	----	----	----	1	----	----	1	-----	----	2	----	----	1	1	----	----	----	1
Bronchopneumonia—107	100	-----	2	----	1	2	2	5	12	5	11	14	10	14	8	5	7	8	4	2
Lobar and unspecified pneumonia—108,109	51	-----	1	----	----	2	----	4	7	1	5	3	5	9	5	4	3	1	2	6
Diseases of the stomach—117,118	2	-----	----	----	----	----	1	----	1	-----	----	----	1	----	----	----	----	----	----	----
Diarrhea and enteritis—119	98	-----	----	----	1	1	5	4	11	12	9	9	9	14	10	10	6	6	1	1
Intestinal obstruction—122b	4	-----	----	----	1	----	----	----	1	1	----	----	----	----	1	1	----	----	----	----
Congenital malformations—157	34	8	1	2	3	3	1	1	19	3	3	1	4	1	3	----	----	----	----	----
Congenital debility, etc.—158,161b,c	20	1	----	1	1	4	----	3	10	1	2	2	2	1	2	----	----	----	----	----
Premature birth—159	116	55	11	8	13	17	5	2	111	3	1	----	----	----	1	----	----	----	----	----
Injury at birth—160	38	22	6	3	5	----	1	----	37	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	22	8	1	4	5	2	2	----	22	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	17	1	1	1	2	3	----	----	8	2	1	1	1	1	1	----	1	1	----	----
Unknown or ill-defined diseases—199,200	4	-----	----	----	----	----	----	----	-----	1	1	----	1	1	----	----	----	----	----	----
All other causes	42	1	----	----	5	1	----	2	9	4	1	3	3	5	4	2	3	2	4	2
MASSACHUSETTS—All causes	2,872	962	203	156	200	124	89	84	1,818	196	149	113	116	79	94	78	64	65	60	40
Measles—7	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	2	1
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Whooping-cough—9	37	-----	----	----	----	----	----	2	2	3	7	3	2	1	4	6	1	4	4	----
Diphtheria—10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	21	-----	----	----	----	----	----	1	1	-----	3	----	2	3	3	3	1	1	2	2
Dysentery—13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	20	-----	----	----	1	2	4	3	10	5	3	----	----	----	----	2	----	----	----	----
Epidemic cerebrospinal meningitis—18	7	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	1	2	2	----	----
Tetanus—22	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	6	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	1	2	----	----	2	----
Tuberculosis of the meninges, etc.—24	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	3	2	----	----	----
Other forms of tuberculosis—25-32	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	2	----	----	----	----	1	----
Syphilis—34	6	-----	----	1	----	----	----	----	1	1	2	----	1	----	----	----	1	----	----	----
Convulsions—86	12	-----	----	----	1	----	----	2	3	-----	1	1	2	1	----	----	1	----	2	1
Bronchitis—106	14	-----	----	----	----	1	----	----	1	2	2	1	2	----	1	1	1	1	1	1
Bronchopneumonia—107	349	-----	3	2	8	8	20	12	53	37	39	36	30	30	31	27	18	18	22	8
Lobar and unspecified pneumonia—108,109	83	1	1	1	1	2	1	2	9	10	13	7	5	8	11	5	6	3	2	4
Diseases of the stomach—117,118	7	-----	----	----	1	----	----	1	2	2	1	1	----	----	----	1	----	----	----	----
Diarrhea and enteritis—119	143	-----	----	----	1	4	9	5	19	16	22	12	22	9	13	6	8	7	5	4
Intestinal obstruction—122b	14	-----	----	----	1	2	----	----	3	2	2	1	1	2	----	2	----	1	----	----
Congenital malformations—157	397	105	22	26	35	34	16	11	250	41	19	20	21	7	9	8	5	7	5	5
Congenital debility, etc.—158,161b,c	48	7	1	1	13	4	----	----	26	7	6	1	3	1	1	----	----	3	----	----
Premature birth—159	985	602	107	65	59	43	26	32	934	35	8	5	----	1	----	1	1	----	----	----
Injury at birth—160	284	151	43	31	42	10	2	2	281	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	156	81	20	22	24	6	----	----	153	3	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	67	7	4	----	1	1	1	2	16	9	6	3	6	4	7	2	4	5	3	2
Unknown or ill-defined diseases—199,200	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
All other causes	199	7	2	7	12	7	9	9	53	20	15	20	17	9	13	7	13	11	9	12

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MICHIGAN----------All causes	4,482	1,229	350	194	326	227	181	141	2,648	365	261	259	201	141	136	115	117	86	88	65
Measles----------7	6	-----	----	----	----	----	----	1	1	-----	----	1	----	2	----	1	1	----	----	----
Scarlet fever----------8	6	-----	----	----	----	----	----	----	-----	-----	2	----	----	----	1	1	----	----	1	1
Whooping-cough----------9	75	-----	----	----	1	----	1	3	5	9	13	12	6	5	8	3	5	4	1	4
Diphtheria----------10	4	-----	----	----	----	----	----	----	-----	1	2	----	----	----	----	----	----	----	----	1
Influenza----------11	50	-----	----	----	1	----	----	3	4	4	6	9	5	7	4	1	3	2	3	2
Dysentery----------13	10	-----	----	----	----	----	----	----	----	1	----	3	1	1	1	1	1	----	----	1
Erysipelas----------15	16	-----	----	----	----	----	----	2	2	6	1	1	1	1	1	1	----	2	----	----
Epidemic cerebrospinal meningitis------18	11	-----	----	----	----	----	----	----	-----	-----	2	----	2	----	3	1	----	1	2	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	1	2	1	----
Tuberculosis of the meninges, etc.-----24	14	-----	----	----	----	----	----	----	-----	-----	----	----	2	----	----	1	5	2	1	3
Other forms of tuberculosis---------25-32	6	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	----	1	2	1
Syphilis----------34	22	2	----	----	2	2	----	2	8	3	3	4	1	----	3	----	----	----	----	----
Convulsions----------86	15	-----	1	2	2	----	----	1	6	3	2	1	2	----	1	----	----	----	----	----
Bronchitis----------106	35	-----	----	----	----	----	2	2	4	6	7	3	4	----	3	1	2	----	3	2
Bronchopneumonia----------107	513	1	2	4	12	14	22	23	78	78	60	70	43	36	26	25	35	25	20	17
Lobar and unspecified pneumonia---108,109	202	-----	1	1	7	5	5	8	27	25	20	27	23	12	14	14	17	5	10	8
Diseases of the stomach----------117,118	19	-----	----	1	2	----	1	----	4	1	5	3	2	----	2	1	----	----	----	1
Diarrhea and enteritis----------119	419	-----	----	1	13	25	42	28	109	64	36	34	37	22	20	29	21	18	18	9
Intestinal obstruction----------122b	53	-----	----	1	1	3	3	3	11	6	3	2	8	6	7	2	5	1	2	----
Congenital malformations----------157	482	114	47	27	53	50	25	18	334	42	28	16	17	7	7	8	6	8	5	4
Congenital debility, etc.------158,161b,c	119	23	5	7	18	14	7	7	81	10	9	8	2	----	3	1	1	2	1	1
Premature birth----------159	1,353	825	199	79	98	58	35	18	1,312	32	4	3	----	2	----	----	----	----	----	----
Injury at birth----------160	351	166	57	40	56	15	5	4	343	3	5	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	170	82	27	14	24	11	6	1	165	4	1	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	104	3	----	4	5	3	6	3	24	16	13	11	11	6	5	6	1	5	5	1
Unknown or ill-defined diseases---199,200	18	2	----	1	1	----	3	2	9	3	----	3	2	----	----	1	----	----	----	----
All other causes----------	403	11	11	12	30	27	18	12	121	48	37	47	32	32	27	16	13	8	13	9
MINNESOTA----------All causes	2,113	754	130	109	175	113	70	55	1,406	138	121	87	62	69	51	36	44	40	31	28
Measles----------7	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	1	----	----
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	1	----	----	----
Whooping-cough----------9	24	-----	----	----	----	----	----	----	-----	3	6	2	2	2	2	1	1	3	1	1
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Influenza----------11	41	-----	----	1	1	1	2	1	6	4	9	8	1	6	1	2	----	2	1	1
Dysentery----------13	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	----	----	1	----	----
Erysipelas----------15	9	-----	----	----	----	2	1	2	5	1	1	----	----	----	----	----	----	1	1	----
Epidemic cerebrospinal meningitis------18	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	2	----	----	----	1	----
Tetanus----------22	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	1	1	----	----
Syphilis----------34	4	1	----	1	2	----	----	----	4	-----	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	19	1	2	1	7	2	----	1	14	-----	1	1	1	----	----	1	1	----	----	----
Bronchitis----------106	11	-----	----	----	----	1	3	----	4	1	2	2	----	----	----	----	1	----	----	1
Bronchopneumonia----------107	204	-----	1	4	11	8	11	11	46	28	27	24	19	12	13	8	4	13	5	5
Lobar and unspecified pneumonia---108,109	79	-----	1	----	3	----	4	3	11	10	9	4	5	5	4	7	8	----	10	6
Diseases of the stomach----------117,118	8	-----	----	----	1	1	----	----	2	2	2	----	1	----	----	----	----	----	1	----
Diarrhea and enteritis----------119	119	-----	----	----	2	6	5	6	19	19	15	14	7	7	5	4	7	8	6	5
Intestinal obstruction----------122b	27	1	----	2	----	----	----	----	3	2	2	1	4	3	3	3	5	1	----	----
Congenital malformations----------157	246	47	14	16	23	25	15	10	150	34	12	10	7	15	7	3	3	2	3	----
Congenital debility, etc.------158,161b,c	69	15	2	3	15	14	5	2	56	3	4	2	3	1	----	----	----	----	----	----
Premature birth----------159	706	483	69	45	45	30	12	8	692	6	6	1	----	1	----	----	----	----	----	----
Injury at birth----------160	252	156	34	25	31	9	3	2	260	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	84	39	7	7	22	5	1	----	81	1	2	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	52	4	----	2	2	----	1	2	11	2	7	2	5	7	3	3	5	2	----	5
Unknown or ill-defined diseases---199,200	14	2	----	----	3	1	1	----	7	2	2	3	----	----	----	----	----	----	----	----
All other causes----------	116	5	----	2	7	7	6	7	34	17	13	12	7	6	6	4	6	5	2	4
MISSISSIPPI (white)----------All causes	1,120	349	71	32	78	65	51	33	679	91	67	53	31	34	34	31	27	25	26	22
Measles----------7	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	2
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	14	-----	----	----	----	----	1	2	3	2	3	----	1	----	----	1	2	1	1	----
Diphtheria----------10	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	1
Influenza----------11	57	-----	1	----	1	----	4	2	8	13	11	8	1	5	5	2	5	2	4	3
Dysentery----------13	13	-----	----	----	----	----	----	1	1	2	----	2	1	2	1	1	----	1	2	----
Erysipelas----------15	8	-----	----	----	----	----	----	----	-----	4	3	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	1	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	5	1	1	----	----	----	----	----	2	2	----	----	1	----	----	----	----	----	----	----
Convulsions----------86	4	1	----	----	2	----	----	----	3	-----	----	----	----	----	----	----	1	----	----	----
Bronchitis----------106	4	-----	----	----	----	2	1	----	3	-----	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	63	-----	2	----	----	4	3	3	12	10	7	4	7	4	2	4	3	3	6	1
Lobar and unspecified pneumonia---108,109	43	-----	----	2	1	3	3	4	13	6	2	5	4	3	3	2	2	----	2	1
Diseases of the stomach----------117,118	7	-----	----	----	----	1	----	1	2	2	----	1	----	----	1	1	----	----	----	----
Diarrhea and enteritis----------119	97	-----	1	----	----	3	4	2	10	11	11	8	7	9	5	9	7	9	5	6
Intestinal obstruction----------122b	9	-----	----	----	----	2	----	----	2	-----	1	1	2	1	----	1	----	----	1	----
Congenital malformations----------157	70	20	10	2	8	5	3	5	53	3	6	1	1	1	2	2	----	----	----	1
Congenital debility, etc.------158,161b,c	35	4	1	3	6	6	3	1	24	4	4	----	1	----	----	----	1	----	----	----
Premature birth----------159	317	214	29	11	28	15	8	1	306	6	----	3	----	----	2	----	----	----	----	----
Injury at birth----------160	106	59	13	8	15	6	2	1	104	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	19	13	1	1	----	1	----	----	16	3	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	25	-----	3	----	1	2	----	----	6	2	1	1	2	2	2	4	----	2	1	2
Unknown or ill-defined diseases---199,200	126	32	7	3	12	11	11	7	83	13	8	11	2	2	5	----	1	1	----	----
All other causes----------	80	5	2	2	4	4	8	3	28	6	8	7	1	5	5	3	6	3	3	5

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSISSIPPI (other races)------All causes	1,759	273	87	67	138	124	58	59	806	161	129	123	95	85	79	57	77	57	51	39
Measles----------7	2	-----	----	----	----	----	----	----	-----	1	----	-----	----	----	----	----	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	18	-----	----	----	----	----	----	----	-----	2	1	6	2	1	1	----	2	1	1	1
Diphtheria----------10	6	-----	----	----	----	----	----	----	-----	2	1	----	----	----	1	1	----	1	----	----
Influenza----------11	119	-----	----	----	2	1	4	4	11	11	13	16	8	7	12	8	10	7	8	8
Dysentery----------13	19	-----	----	----	1	----	1	----	2	-----	----	3	3	1	3	----	5	1	----	1
Erysipelas----------15	5	-----	----	1	----	----	----	1	2	2	----	----	----	----	----	----	----	----	----	1
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	----	1	1	----	----	----	----	----	1	----	----
Tetanus----------22	5	-----	----	----	----	2	2	----	4	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	1	----	----	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----------25-32	3	-----	----	----	----	----	----	----	-----	----	----	----	1	1	----	----	----	----	1	----
Syphilis----------34	56	7	----	1	1	3	2	3	17	8	10	5	4	3	3	1	1	2	2	----
Convulsions----------86	14	1	1	----	3	3	----	----	8	2	1	----	2	1	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	----	1	----	1	----	----	----	----	----	----	----
Bronchopneumonia----------107	88	-----	----	----	1	2	2	4	9	8	7	13	6	7	8	7	8	10	2	3
Lobar and unspecified pneumonia---108,109	85	-----	----	----	2	4	1	1	8	8	7	10	7	7	5	11	4	8	7	3
Diseases of the stomach----------117,118	5	-----	----	----	1	----	----	----	1	----	2	----	----	----	----	1	----	----	1	----
Diarrhea and enteritis----------119	157	-----	----	----	----	5	2	1	8	15	14	12	13	20	18	8	14	12	15	8
Intestinal obstruction----------122b	9	-----	----	----	2	1	----	----	3	----	----	----	2	1	1	1	1	----	----	----
Congenital malformations----------157	24	5	3	2	4	2	----	----	16	1	----	----	----	2	2	1	2	----	----	----
Congenital debility, etc.------158,161b,c	63	13	4	2	5	6	5	4	39	8	7	3	2	1	----	----	3	----	----	----
Premature birth----------159	217	113	35	15	14	18	9	3	207	8	1	1	----	----	----	----	----	----	----	----
Injury at birth----------160	35	15	4	5	9	2	----	----	35	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	25	4	3	1	7	6	3	1	25	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	53	7	1	1	3	----	----	2	14	5	4	5	5	4	2	4	5	2	----	3
Unknown or ill-defined diseases---199,200	657	107	36	38	81	68	24	32	386	69	46	38	29	23	15	10	13	11	9	8
All other causes----------	87	1	----	1	2	1	3	3	11	10	12	10	10	6	8	4	8	1	4	3
MISSOURI----------All causes	3,235	810	177	124	265	201	129	86	1,792	246	229	183	143	109	104	125	87	86	63	68
Measles----------7	4	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	1	1	----	----	----
Scarlet fever----------8	5	-----	----	----	----	1	----	----	1	----	----	----	----	1	----	1	1	1	----	----
Whooping-cough----------9	45	-----	----	----	----	1	----	2	3	3	9	3	4	3	1	7	4	3	4	1
Diphtheria----------10	4	-----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	----	1	----	1
Influenza----------11	105	-----	----	----	3	4	3	2	12	8	14	9	6	11	6	13	8	7	8	3
Dysentery----------13	59	-----	----	----	----	2	4	2	8	8	1	9	4	7	2	6	4	4	3	3
Erysipelas----------15	14	-----	----	----	----	----	3	1	4	4	3	2	----	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis------18	7	-----	----	----	----	----	----	----	-----	----	1	2	1	----	----	3	----	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	9	-----	----	----	----	----	----	1	1	----	1	1	----	----	----	----	3	2	----	1
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	1	----	----	1
Other forms of tuberculosis----------25-32	5	-----	----	----	----	----	----	----	-----	1	----	1	----	----	2	1	----	----	----	----
Syphilis----------34	40	6	4	----	1	1	2	2	16	5	9	3	2	1	1	----	2	1	----	----
Convulsions----------86	8	1	----	1	2	2	----	----	6	1	1	----	----	----	----	----	----	----	----	----
Bronchitis----------106	12	-----	----	1	----	1	1	----	3	4	1	----	----	----	2	----	2	----	----	----
Bronchopneumonia----------107	327	1	5	3	14	20	15	15	73	51	36	39	24	18	23	23	9	15	6	10
Lobar and unspecified pneumonia---108,109	125	-----	1	1	3	7	3	4	19	9	22	15	8	6	11	7	6	10	4	8
Diseases of the stomach----------117,118	14	-----	----	----	1	1	3	----	5	2	1	1	2	----	1	1	----	----	1	----
Diarrhea and enteritis----------119	426	-----	1	2	5	14	23	15	60	38	51	42	50	27	28	35	23	25	24	23
Intestinal obstruction----------122b	32	-----	----	----	2	2	1	1	6	2	1	5	7	5	2	1	----	3	----	----
Congenital malformations----------157	322	82	29	23	56	29	16	9	244	26	10	14	6	4	6	3	3	1	4	1
Congenital debility, etc.------158,161b,c	103	11	1	3	8	9	11	6	49	20	13	6	4	4	----	1	4	1	1	----
Premature birth----------159	922	572	83	45	85	73	22	12	892	19	9	1	----	1	----	----	----	----	----	----
Injury at birth----------160	204	88	31	23	40	13	3	1	199	1	4	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	75	27	13	11	13	6	1	----	71	3	1	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	87	4	3	3	10	1	1	----	22	7	10	12	6	7	6	7	5	2	1	2
Unknown or ill-defined diseases---199,200	63	12	3	2	7	7	7	4	42	6	7	1	1	3	1	1	----	----	----	1
All other causes----------	215	6	3	6	15	7	10	9	56	26	23	17	17	10	12	14	11	10	6	13
MONTANA----------All causes	593	155	40	27	50	25	20	18	335	42	42	37	26	15	31	22	14	11	13	5
Measles----------7	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	3	-----	----	----	----	----	1	----	1	1	----	----	----	----	----	----	----	1	----	----
Whooping-cough----------9	12	-----	----	----	----	----	----	----	-----	2	2	4	1	----	----	----	----	2	----	1
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	14	-----	----	----	----	----	----	1	1	6	1	----	1	1	2	----	----	1	1	----
Dysentery----------13	3	-----	----	----	----	----	----	----	-----	----	----	----	1	1	1	----	----	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	1	----	1	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	1	----	----	----	----
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	-----	----	----	----	----	1	1	1	----	----	----	----
Other forms of tuberculosis----------25-32	1	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	----	----
Syphilis----------34	5	1	1	1	----	----	----	----	3	----	----	----	----	----	----	1	----	----	----	1
Convulsions----------86	5	-----	----	----	3	2	----	----	5	----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	1	----	----	----
Bronchopneumonia----------107	72	-----	----	----	----	2	2	2	6	9	14	14	7	2	6	2	5	2	5	----
Lobar and unspecified pneumonia---108,109	32	-----	----	1	1	1	----	2	5	2	6	5	2	1	2	4	4	----	----	1
Diseases of the stomach----------117,118	2	-----	----	----	----	1	1	----	2	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	52	-----	----	----	2	----	3	1	6	6	9	3	2	----	12	4	3	3	2	2
Intestinal obstruction----------122b	2	-----	----	----	----	----	----	----	-----	----	----	----	1	1	----	----	----	----	----	----
Congenital malformations----------157	52	12	5	8	5	3	1	4	38	3	----	3	4	1	----	2	----	----	1	----
Congenital debility, etc.------158,161b,c	32	6	3	2	10	----	1	2	24	2	3	2	----	----	----	1	----	----	----	----
Premature birth----------159	157	94	23	7	10	9	7	2	152	3	----	----	1	----	1	----	----	----	----	----
Injury at birth----------160	48	25	5	6	8	3	----	----	47	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	24	11	1	2	7	----	----	2	23	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	11	-----	1	----	----	----	----	----	1	1	2	1	2	2	----	1	----	1	----	----
Unknown or ill-defined diseases---199,200	24	5	----	----	3	2	2	1	13	2	1	1	3	1	1	----	----	----	2	----
All other causes----------	33	1	1	----	1	2	1	1	7	1	4	4	1	3	4	5	1	1	2	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEBRASKA—All causes	1,049	349	79	53	87	46	23	26	663	90	51	48	41	37	26	27	15	18	18	15
Measles—7	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	1
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Whooping-cough—9	20	-----	----	----	----	----	----	----	-----	5	6	2	4	----	2	----	1	----	----	----
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Influenza—11	26	-----	----	----	----	----	----	2	2	4	3	5	1	4	1	1	1	4	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Erysipelas—15	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis—18	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	1	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	2	1	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	7	1	----	----	1	----	----	----	2	1	2	1	1	----	----	----	----	----	----	----
Convulsions—86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	6	-----	----	----	----	----	----	----	-----	1	----	1	1	----	----	1	----	----	1	1
Bronchopneumonia—107	69	2	2	1	----	----	3	5	13	10	6	7	5	9	6	4	1	3	3	2
Lobar and unspecified pneumonia—108,109	47	-----	----	----	1	----	3	2	6	9	3	6	3	6	4	3	2	2	2	1
Diseases of the stomach—117,118	7	-----	----	1	----	2	1	1	5	-----	1	1	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	62	-----	----	----	----	2	3	2	7	10	7	8	4	7	4	8	2	2	2	1
Intestinal obstruction—122b	9	-----	----	----	1	1	----	----	2	1	2	1	1	----	----	2	----	----	----	----
Congenital malformations—157	136	36	6	12	26	7	4	7	98	13	2	6	6	6	1	1	1	1	----	1
Congenital debility, etc.—158,161b,c	43	13	2	4	4	6	2	1	32	5	1	3	----	1	1	----	----	----	----	----
Premature birth—159	319	214	39	14	19	13	3	4	306	10	3	----	----	----	----	----	----	----	----	----
Injury at birth—160	106	52	18	8	18	7	1	1	105	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	45	26	5	4	6	1	1	----	43	2	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	36	1	----	----	3	1	----	----	5	3	5	1	7	1	2	3	3	1	3	2
Unknown or ill-defined diseases—199,200	11	2	2	----	1	1	----	----	6	2	1	1	----	1	----	----	----	----	----	----
All other causes	86	2	5	9	7	5	2	1	31	12	9	4	6	1	3	2	3	4	5	6
NEVADA—All causes	99	34	6	2	8	1	3	1	55	7	5	10	2	4	3	3	4	2	4	----
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	3	-----	----	----	----	----	----	----	-----	-----	1	1	----	1	----	----	----	----	----	----
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Erysipelas—15	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.—24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	3	2	1	----	----	----	----	----	3	-----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	10	-----	----	----	1	----	----	1	2	1	1	2	1	----	1	1	1	----	----	----
Lobar and unspecified pneumonia—108,109	6	-----	----	----	----	----	----	----	-----	-----	1	1	1	1	1	1	----	----	----	----
Diseases of the stomach—117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	3	-----	----	----	----	----	----	----	-----	1	----	1	----	----	1	----	----	----	----	----
Intestinal obstruction—122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Congenital malformations—157	6	1	----	----	3	1	----	----	5	-----	1	----	----	----	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	4	-----	1	----	----	----	1	----	2	-----	----	----	----	1	----	----	----	1	----	----
Premature birth—159	27	23	----	----	1	----	1	----	25	1	----	1	----	----	----	----	----	----	----	----
Injury at birth—160	9	4	3	1	1	----	----	----	9	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	9	4	1	1	2	----	----	----	8	1	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	1	----	----
Unknown or ill-defined diseases—199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	8	-----	----	----	----	----	1	----	1	-----	1	2	----	----	----	----	1	----	3	----
NEW HAMPSHIRE—All causes	355	108	33	22	29	17	10	10	229	23	30	20	7	16	4	7	5	6	4	4
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	5	-----	----	----	----	----	----	----	-----	1	1	----	1	1	----	----	----	1	----	----
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	3	-----	----	----	----	----	----	----	-----	1	1	1	----	----	----	----	----	----	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Erysipelas—15	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Epidemic cerebrospinal meningitis—18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	----	----	----	----
Convulsions—86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	4	-----	----	----	----	----	----	----	-----	-----	----	3	----	----	----	----	----	1	----	----
Bronchopneumonia—107	38	-----	----	----	----	1	2	1	4	3	8	3	5	5	3	3	1	1	1	1
Lobar and unspecified pneumonia—108,109	14	-----	----	----	----	----	----	1	1	3	2	1	----	2	----	----	2	1	2	----
Diseases of the stomach—117,118	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	16	-----	----	----	1	----	2	2	5	2	----	4	----	3	----	1	1	----	----	----
Intestinal obstruction—122b	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations—157	52	19	2	3	4	3	3	1	35	5	3	4	1	1	1	1	----	1	----	----
Congenital debility, etc.—158,161b,c	14	2	1	1	2	1	2	----	9	-----	3	2	----	----	----	----	----	----	----	----
Premature birth—159	116	66	19	9	8	6	----	1	109	2	4	----	----	----	----	1	----	----	----	----
Injury at birth—160	38	16	7	3	7	2	1	2	36	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	19	5	2	5	5	1	----	----	18	-----	1	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	11	-----	1	----	----	----	----	----	1	1	3	----	----	3	----	1	----	----	----	2
Unknown or ill-defined diseases—199,200	2	-----	----	----	----	1	----	1	2	-----	----	----	----	----	----	----	----	----	----	----
All other causes	17	-----	1	1	1	2	----	1	6	5	2	2	----	----	----	----	1	----	1	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY—All causes	2,386	737	204	104	162	105	78	63	1,453	157	158	121	93	88	58	65	61	54	44	34
Measles—7	4	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	----	----	1	----	1
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	36	-----	----	----	----	----	----	----	-----	4	7	2	4	2	5	1	----	3	6	2
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	----	----	----
Influenza—11	19	-----	----	----	----	----	----	----	-----	1	3	1	3	----	3	2	1	2	2	1
Dysentery—13	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Erysipelas—15	7	-----	----	----	----	----	1	2	3	4	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	12	-----	----	----	----	----	----	----	-----	2	----	1	2	2	2	1	1	----	1	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	7	-----	----	----	----	----	----	----	-----	----	----	----	1	----	1	1	2	1	----	1
Tuberculosis of the meninges, etc.—24	10	-----	----	----	----	----	----	----	-----	----	1	----	1	----	----	1	2	1	2	2
Other forms of tuberculosis—25-32	8	-----	----	----	----	----	----	----	-----	----	----	1	----	2	1	----	----	1	2	1
Syphilis—34	23	6	----	----	----	2	2	----	10	4	4	2	1	1	----	1	----	----	----	----
Convulsions—86	8	-----	1	----	1	----	----	1	3	----	----	4	1	----	----	----	----	----	----	----
Bronchitis—106	16	-----	----	----	----	1	1	1	3	4	3	3	1	1	----	----	----	1	----	----
Bronchopneumonia—107	286	1	6	1	10	12	10	11	51	29	35	35	24	32	16	20	15	10	14	5
Lobar and unspecified pneumonia—108,109	132	-----	----	----	4	----	2	2	8	15	19	18	7	12	7	14	9	10	5	8
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	124	-----	----	----	2	5	7	7	21	12	15	15	9	16	6	9	8	9	1	3
Intestinal obstruction—122b	17	-----	----	----	1	1	3	----	5	4	2	----	3	2	----	----	----	1	----	----
Congenital malformations—157	265	53	32	11	28	21	14	14	173	24	21	12	11	6	2	2	10	1	2	1
Congenital debility, etc.—158,161b,c	41	6	1	3	1	5	6	----	22	5	5	4	1	2	1	----	----	1	----	----
Premature birth—159	768	486	103	50	47	33	11	11	741	15	8	1	2	----	----	1	----	----	----	----
Injury at birth—160	223	121	29	27	29	11	3	1	221	----	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a, d	114	49	25	9	19	4	4	1	111	3	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	54	4	1	1	2	2	1	3	14	5	9	5	5	1	2	4	2	2	2	3
Unknown or ill-defined diseases—199,200	13	3	1	----	1	----	----	----	5	1	1	----	1	1	1	1	----	----	1	1
All other causes	196	8	5	2	17	8	13	9	62	24	21	17	16	8	9	7	11	10	6	5
NEW MEXICO—All causes	1,572	257	62	42	87	77	49	43	617	141	150	118	87	90	64	62	77	55	64	47
Measles—7	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	1
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	17	-----	----	----	----	----	----	----	-----	4	----	2	2	1	1	1	1	2	2	1
Diphtheria—10	1	-----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	31	1	----	----	----	----	----	1	2	5	6	4	1	----	2	1	5	3	1	1
Dysentery—13	47	-----	----	----	----	1	----	----	1	3	3	7	3	4	2	1	9	7	3	4
Erysipelas—15	4	-----	----	----	----	1	----	----	1	----	----	----	----	1	----	----	----	----	1	1
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	1	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	----	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	20	2	1	1	----	1	1	1	7	3	3	2	----	1	----	2	1	----	1	----
Convulsions—86	4	1	----	1	----	1	----	----	3	----	----	----	----	----	----	----	----	----	1	----
Bronchitis—106	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	117	-----	1	1	1	2	2	4	11	10	26	12	11	10	9	5	7	3	8	5
Lobar and unspecified pneumonia—108,109	57	1	1	2	1	1	4	2	12	8	4	5	2	3	1	6	3	4	7	2
Diseases of the stomach—117,118	9	-----	----	----	----	----	----	----	-----	2	3	----	1	1	1	----	1	----	----	----
Diarrhea and enteritis—119	263	-----	----	----	2	3	3	6	14	21	29	33	29	24	24	23	23	13	16	14
Intestinal obstruction—122b	8	-----	----	----	----	----	----	1	1	----	1	1	----	2	----	2	----	----	1	----
Congenital malformations—157	40	10	5	2	6	4	2	1	30	5	1	----	2	1	----	----	1	----	----	----
Congenital debility, etc.—158,161b,c	53	7	1	----	7	5	6	1	27	6	7	2	1	3	1	1	----	2	3	----
Premature birth—159	192	120	20	8	13	15	3	4	183	6	3	----	----	----	----	----	----	----	----	----
Injury at birth—160	39	25	5	1	4	2	----	----	37	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	19	8	4	1	1	4	----	----	18	1	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	15	4	----	----	1	----	----	1	6	1	2	1	1	1	----	1	----	1	1	----
Unknown or ill-defined diseases—199,200	590	78	24	23	44	35	27	17	248	59	52	46	34	34	22	17	26	19	18	15
All other causes	42	-----	----	2	7	2	1	3	15	5	9	3	----	2	1	2	----	1	1	3
NEW YORK—All causes	8,567	2,682	629	377	644	409	364	296	5,401	642	509	403	304	247	231	219	173	169	150	119
Measles—7	18	-----	----	----	----	----	----	----	-----	----	----	----	1	2	1	2	2	2	3	5
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	96	-----	----	----	1	----	----	2	3	17	17	14	8	1	6	6	8	7	5	4
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	1	----	----	----
Influenza—11	82	-----	----	----	----	3	2	4	9	8	6	6	5	8	7	14	5	7	3	4
Dysentery—13	8	-----	----	----	----	----	1	----	1	2	1	----	----	----	----	----	----	3	----	1
Erysipelas—15	56	-----	----	----	1	----	5	6	12	13	11	3	2	5	4	----	2	4	----	----
Epidemic cerebrospinal meningitis—18	31	-----	----	----	----	----	1	----	1	----	5	6	2	5	3	3	1	2	2	1
Tetanus—22	1	-----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	21	-----	----	----	1	----	----	----	1	----	----	1	3	2	3	4	3	1	3	----
Tuberculosis of the meninges, etc.—24	7	-----	----	----	----	----	----	----	-----	1	1	----	1	----	----	----	----	1	2	1
Other forms of tuberculosis—25-32	8	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	2	2	1	1	1
Syphilis—34	67	10	2	2	4	3	4	1	26	10	10	5	3	4	2	1	1	4	----	1
Convulsions—86	30	1	----	2	1	2	----	2	8	3	5	2	----	4	1	5	----	----	1	1
Bronchitis—106	43	-----	----	----	----	1	2	4	7	7	7	6	2	2	5	3	2	----	1	1
Bronchopneumonia—107	1,043	5	1	12	26	44	55	46	189	143	130	126	83	60	62	72	53	45	39	41
Lobar and unspecified pneumonia—108,109	290	1	----	3	6	8	10	10	38	32	26	28	23	27	31	16	16	19	21	13
Diseases of the stomach—117,118	13	-----	----	----	----	1	----	----	1	6	----	----	1	----	----	1	----	1	2	1
Diarrhea and enteritis—119	708	-----	----	----	5	32	98	73	208	114	98	54	55	37	37	34	22	23	12	14
Intestinal obstruction—122b	66	-----	----	----	7	1	2	4	14	10	5	5	11	6	5	3	2	2	3	----
Congenital malformations—157	1,025	225	64	77	129	85	57	46	683	93	60	51	38	20	20	12	20	12	10	6
Congenital debility, etc.—158,161b,c	182	30	6	17	37	13	11	9	123	24	14	7	5	5	1	3	----	----	----	----
Premature birth—159	2,524	1,561	324	134	190	125	69	45	2,448	43	22	6	2	3	----	----	----	----	----	----
Injury at birth—160	1,068	614	163	85	133	33	13	7	1,048	11	9	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	371	191	49	33	62	17	6	8	366	3	2	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	169	16	5	1	4	3	5	1	35	21	25	19	9	10	9	4	9	8	12	8
Unknown or ill-defined diseases—199,200	36	11	5	3	----	4	----	----	23	2	4	2	1	1	1	1	----	----	1	----
All other causes	603	17	10	8	37	33	23	28	156	78	51	62	49	45	33	33	24	27	29	16

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NORTH CAROLINA (white)---All causes	3,128	837	179	126	248	127	97	90	1,704	270	234	172	132	131	109	78	88	64	87	59
Measles---7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	2	----
Whooping-cough---9	11	-----	----	----	1	----	----	----	1	-----	1	2	3	1	1	----	1	1	----	----
Diphtheria---10	19	-----	----	----	----	1	----	----	1	1	----	2	3	1	2	1	1	2	2	3
Influenza---11	83	-----	----	----	3	3	4	2	12	10	21	5	5	8	5	5	4	3	4	1
Dysentery---13	38	-----	----	----	----	----	----	----	-----	1	3	4	2	4	5	3	3	4	6	3
Erysipelas---15	8	-----	----	----	----	----	----	1	1	4	----	----	1	1	1	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	1	----	2
Tetanus---22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.---24	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	1	----	1	----	----	----
Other forms of tuberculosis---25-32	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	1	----	----	----
Syphilis---34	24	2	1	----	1	----	2	1	7	4	5	1	3	1	1	----	1	1	----	----
Convulsions---86	9	-----	----	----	2	1	----	----	3	4	----	----	----	1	----	----	----	----	----	1
Bronchitis---106	13	-----	----	----	----	----	----	----	-----	3	4	1	2	1	1	----	----	1	----	----
Bronchopneumonia---107	277	-----	1	3	8	4	12	18	46	39	38	31	23	20	18	18	14	6	11	13
Lobar and unspecified pneumonia---108,109	125	2	----	3	1	4	7	7	24	13	18	13	10	12	10	8	4	3	7	3
Diseases of the stomach---117,118	7	-----	----	----	----	----	----	2	2	1	2	1	----	----	----	1	----	----	----	----
Diarrhea and enteritis---119	391	-----	----	----	1	2	4	7	14	39	38	46	39	46	34	25	39	19	33	19
Intestinal obstruction---122b	17	-----	----	----	----	1	3	----	4	-----	----	2	1	4	----	1	4	----	1	----
Congenital malformations---157	221	54	15	22	24	14	7	12	148	28	12	7	4	5	7	3	1	3	----	3
Congenital debility, etc.---158,161b,c	119	21	4	5	13	9	7	6	65	18	14	11	3	1	3	1	1	----	1	1
Premature birth---159	911	550	101	36	95	48	16	17	863	30	14	3	----	----	----	----	1	----	----	----
Injury at birth---160	236	115	33	35	33	12	5	1	234	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	83	33	7	6	20	7	5	1	79	4	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	63	-----	----	1	5	3	6	2	17	11	8	4	2	7	3	2	1	3	5	----
Unknown or ill-defined diseases---199,200	259	58	14	13	27	10	15	7	144	36	27	18	16	6	6	1	2	1	1	1
All other causes---All other causes	199	2	3	2	14	8	4	6	39	22	29	20	12	11	11	8	9	16	14	8
NORTH CAROLINA (other races)---All causes	2,119	389	120	69	166	124	80	80	1,028	180	163	142	133	97	93	75	53	52	47	56
Measles---7	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	----	1	----	----
Scarlet fever---8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	12	-----	----	----	----	----	----	1	1	-----	----	2	----	1	1	1	----	2	3	1
Diphtheria---10	10	-----	----	----	----	----	----	----	-----	2	2	3	1	----	----	----	----	2	----	----
Influenza---11	69	1	1	----	1	2	2	----	7	9	10	6	4	10	7	3	----	6	1	6
Dysentery---13	19	-----	----	----	----	----	----	1	1	1	2	----	1	3	5	1	1	2	2	----
Erysipelas---15	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	5	-----	----	----	----	----	----	----	-----	-----	----	1	1	----	1	----	2	----	----	----
Tetanus---22	4	-----	----	----	1	2	----	----	3	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	----	----	----	1	----	1	-----	----	----	1	1	----	----	1	----	----	----
Tuberculosis of the meninges, etc.---24	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	1	----	----	----	----
Other forms of tuberculosis---25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis---34	55	6	1	2	4	4	2	5	24	4	4	5	7	2	4	3	----	----	----	2
Convulsions---86	17	1	----	----	3	3	1	2	10	-----	3	----	4	----	----	----	----	----	----	----
Bronchitis---106	17	-----	----	----	----	1	----	1	2	1	4	4	5	----	----	----	----	----	----	1
Bronchopneumonia---107	197	-----	----	2	7	3	3	7	22	18	20	15	24	11	27	9	19	12	9	11
Lobar and unspecified pneumonia---108,109	158	-----	1	----	3	12	5	6	27	17	18	21	18	6	12	10	11	7	7	4
Diseases of the stomach---117,118	10	-----	----	1	----	1	----	1	3	3	----	1	----	----	1	1	----	----	1	----
Diarrhea and enteritis---119	252	-----	----	1	1	2	6	10	20	25	32	39	27	29	13	24	7	12	12	12
Intestinal obstruction---122b	5	-----	----	----	----	----	2	----	2	-----	----	----	1	1	----	----	1	----	----	----
Congenital malformations---157	50	13	3	4	4	1	2	3	30	4	2	3	4	2	----	1	2	----	2	----
Congenital debility, etc.---158,161b,c	147	14	11	5	15	16	10	7	78	18	15	3	10	4	10	3	2	----	2	2
Premature birth---159	480	229	55	31	62	39	26	12	454	13	6	4	----	1	----	1	----	1	----	----
Injury at birth---160	63	41	7	3	6	6	----	----	63	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	42	15	8	3	10	3	3	----	42	-----	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	60	5	1	2	3	2	2	4	19	9	9	6	6	3	1	1	1	2	----	3
Unknown or ill-defined diseases---199,200	296	62	29	15	36	20	8	14	184	28	26	19	7	10	4	8	2	1	3	4
All other causes---All other causes	141	2	3	----	10	7	7	6	35	27	10	9	11	12	6	8	4	4	5	10
NORTH DAKOTA---All causes	674	171	48	32	67	32	30	17	397	56	48	42	31	17	21	15	14	8	15	10
Measles---7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Scarlet fever---8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Whooping-cough---9	4	-----	----	----	----	----	----	----	-----	1	1	----	----	----	1	----	----	----	----	1
Diphtheria---10	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	----	----	----	----
Influenza---11	9	-----	----	----	----	----	----	----	-----	1	3	2	1	1	1	----	----	----	----	----
Dysentery---13	5	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	2	----	----	1	1
Erysipelas---15	4	-----	----	----	1	----	----	----	1	2	----	----	----	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis---18	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	----	----	----	----	----	----
Tetanus---22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.---24	3	-----	----	----	----	----	----	----	-----	-----	1	1	----	1	----	----	----	----	----	----
Other forms of tuberculosis---25-32	4	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	----	----	1	1
Syphilis---34	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Convulsions---86	12	-----	----	2	2	----	2	1	7	1	1	2	----	----	1	----	----	----	----	----
Bronchitis---106	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Bronchopneumonia---107	55	-----	1	1	1	1	4	2	10	4	8	7	5	5	5	3	5	----	1	2
Lobar and unspecified pneumonia---108,109	22	-----	----	----	----	1	1	----	2	4	6	2	3	----	----	1	2	----	2	----
Diseases of the stomach---117,118	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Diarrhea and enteritis---119	76	-----	----	----	3	6	5	4	18	13	9	11	7	3	5	3	1	2	3	1
Intestinal obstruction---122b	13	-----	----	----	----	----	----	2	2	-----	2	1	3	----	2	----	2	1	----	----
Congenital malformations---157	60	7	11	5	12	2	3	3	43	9	5	2	----	1	----	----	----	----	----	----
Congenital debility, etc.---158,161b,c	27	3	1	1	7	1	----	3	16	6	3	2	----	----	----	----	----	----	----	----
Premature birth---159	179	112	17	7	18	14	6	1	175	4	----	----	----	----	----	----	----	----	----	----
Injury at birth---160	70	33	14	7	13	2	----	----	69	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	22	8	----	7	3	1	2	----	21	1	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	21	-----	----	----	2	----	1	----	3	-----	1	3	3	2	2	1	----	1	3	2
Unknown or ill-defined diseases---199,200	25	6	4	1	2	1	1	1	16	2	----	3	3	----	----	----	----	1	----	----
All other causes---All other causes	52	2	----	1	3	3	5	----	14	5	7	4	4	3	3	3	3	3	1	2

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OHIO—All causes	5,314	1,547	395	250	403	276	169	163	3,203	402	356	245	202	171	153	155	129	127	80	91
Measles—7	12	-----	----	----	----	----	----	1	1	1	----	----	2	----	2	2	1	----	1	2
Scarlet fever—8	5	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	1	----	1	1	----
Whooping-cough—9	99	-----	----	----	----	----	1	3	4	18	20	12	6	6	6	4	5	4	7	7
Diphtheria—10	4	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	2	1	----
Influenza—11	115	-----	----	----	2	2	4	5	13	15	14	14	10	9	7	7	9	7	3	7
Dysentery—13	8	-----	----	----	----	----	----	----	-----	1	----	1	----	1	1	2	1	----	1	----
Erysipelas—15	11	-----	----	----	----	----	1	----	1	4	1	2	----	1	----	----	1	1	----	----
Epidemic cerebrospinal meningitis—18	15	-----	----	----	----	----	1	----	1	2	2	----	2	----	2	2	1	1	1	1
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	12	-----	----	----	----	----	----	----	-----	1	1	1	----	----	2	1	----	2	1	3
Tuberculosis of the meninges, etc.—24	14	-----	----	----	----	----	----	----	-----	-----	2	----	1	----	----	6	1	1	2	1
Other forms of tuberculosis—25-32	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	2	----
Syphilis—34	53	8	4	3	3	5	1	1	25	14	5	3	3	----	----	1	1	----	1	----
Convulsions—86	20	1	1	1	7	2	----	1	13	2	3	1	----	1	----	----	----	----	----	----
Bronchitis—106	20	1	----	----	1	1	----	1	4	2	4	1	2	1	1	----	2	1	1	1
Bronchopneumonia—107	642	2	10	3	16	24	29	26	110	86	91	74	52	56	32	39	31	30	25	16
Lobar and unspecified pneumonia—108,109	169	-----	1	4	6	4	3	6	24	19	29	15	11	9	17	10	11	12	2	10
Diseases of the stomach—117,118	18	1	----	----	1	1	----	----	3	2	3	1	3	----	1	3	1	----	1	----
Diarrhea and enteritis—119	468	-----	----	1	4	4	18	18	45	52	58	55	49	39	40	36	37	31	7	19
Intestinal obstruction—122b	53	-----	----	3	2	3	2	1	11	2	4	6	6	3	5	4	2	5	4	1
Congenital malformations—157	545	129	51	44	72	51	15	24	386	45	32	19	13	14	9	8	6	8	2	3
Congenital debility, etc.—158,161b,c	149	17	11	13	22	17	6	10	96	19	13	6	7	2	2	3	----	1	----	----
Premature birth—159	1,690	1,047	195	83	118	96	54	30	1,624	43	14	5	4	----	----	----	----	----	----	----
Injury at birth—160	506	228	79	62	32	31	8	11	501	3	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	188	79	30	20	35	8	5	4	181	7	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	110	10	4	----	5	1	4	6	30	16	13	7	9	9	4	5	3	2	4	8
Unknown or ill-defined diseases—199,200	49	8	3	5	2	5	----	3	26	6	5	3	2	----	1	2	----	----	3	1
All other causes	336	16	5	8	25	21	17	12	104	40	38	19	20	20	21	19	16	18	10	11
OKLAHOMA (white)—All causes	2,114	544	139	106	143	145	87	60	1,224	166	122	97	80	78	75	55	80	66	41	50
Measles—7	3	-----	----	----	----	----	----	----	-----	1	----	----	1	----	----	1	----	----	----	----
Scarlet fever—8	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	1	1	----
Whooping-cough—9	26	-----	----	----	----	----	1	2	3	5	1	3	----	2	5	2	5	----	----	----
Diphtheria—10	11	-----	----	----	----	----	----	----	-----	1	----	1	1	1	2	----	1	1	2	1
Influenza—11	91	-----	----	1	----	2	4	5	12	15	12	6	4	8	6	5	4	7	4	8
Dysentery—13	28	-----	----	----	----	----	1	----	1	2	1	3	3	3	1	4	1	5	3	1
Erysipelas—15	7	-----	----	----	----	----	1	1	2	1	----	3	----	----	1	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	6	-----	----	----	----	----	----	----	-----	-----	----	2	----	1	----	1	----	2	----	----
Tetanus—22	2	-----	----	----	----	2	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	3	-----	----	----	----	----	----	3	3	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	1	1	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	9	1	----	----	1	----	----	1	3	-----	1	1	1	2	----	----	----	----	----	1
Convulsions—86	6	-----	----	----	----	----	----	2	2	-----	1	----	----	1	----	1	----	1	----	----
Bronchitis—106	5	-----	----	----	1	1	----	----	2	3	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	205	-----	----	2	5	10	13	10	40	28	25	15	15	16	15	15	10	9	9	8
Lobar and unspecified pneumonia—108,109	93	1	----	1	1	5	4	2	14	17	12	9	7	6	4	4	4	8	5	3
Diseases of the stomach—117,118	11	-----	----	----	----	1	4	----	5	1	----	2	----	----	1	----	----	1	----	1
Diarrhea and enteritis—119	233	-----	----	2	1	13	10	5	31	18	29	20	23	23	19	10	21	20	8	11
Intestinal obstruction—122b	25	-----	----	----	2	3	1	----	6	2	1	1	3	1	5	2	2	----	1	1
Congenital malformations—157	172	42	14	15	19	16	12	5	123	18	8	5	4	3	2	3	1	4	----	1
Congenital debility, etc.—158,161b,c	114	23	4	10	17	15	3	4	76	13	10	6	4	1	2	----	----	----	----	2
Premature birth—159	599	364	70	37	46	40	17	9	583	9	3	1	1	----	----	1	1	----	----	----
Injury at birth—160	131	57	21	21	14	10	6	1	130	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	66	29	14	1	12	6	1	1	64	2	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	54	5	4	2	5	1	----	1	18	9	5	4	4	1	2	2	----	5	2	2
Unknown or ill-defined diseases—199,200	90	20	9	9	9	11	2	4	64	9	5	3	3	4	1	----	1	----	----	----
All other causes	118	2	3	5	10	9	7	4	40	11	8	11	6	5	9	4	8	1	5	10
OKLAHOMA (other races)—All causes	395	29	19	14	36	25	15	6	144	34	33	30	37	21	31	16	14	13	5	17
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	2	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	----	----	----	----	----	----
Diphtheria—10	2	-----	----	----	----	----	----	1	1	-----	----	----	----	----	1	----	----	----	----	----
Influenza—11	21	-----	----	----	----	----	----	----	-----	1	4	3	----	1	2	1	2	5	1	1
Dysentery—13	14	-----	----	----	----	----	----	----	-----	-----	4	2	1	----	2	2	2	----	----	1
Erysipelas—15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	8	-----	----	1	----	----	----	----	1	3	1	----	2	----	1	----	----	----	----	----
Convulsions—86	7	-----	----	2	3	2	----	----	7	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	2	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	66	-----	----	----	1	4	4	3	12	8	6	5	8	5	7	3	6	4	1	1
Lobar and unspecified pneumonia—108,109	39	-----	----	----	----	2	3	1	6	6	4	5	7	4	5	1	----	1	----	----
Diseases of the stomach—117,118	3	-----	----	----	----	----	----	----	-----	-----	1	----	1	1	----	----	----	----	----	----
Diarrhea and enteritis—119	59	-----	1	----	1	----	----	----	2	3	6	8	10	7	9	4	2	1	----	7
Intestinal obstruction—122b	6	-----	----	----	----	----	----	----	-----	1	----	1	----	1	----	1	1	----	----	1
Congenital malformations—157	6	-----	2	----	1	----	1	----	4	-----	----	----	----	----	----	1	----	----	----	1
Congenital debility, etc.—158,161b,c	12	1	1	----	2	2	----	----	6	3	----	----	1	----	1	----	----	----	1	----
Premature birth—159	45	15	7	5	8	3	3	----	41	2	----	1	1	----	----	----	----	----	----	----
Injury at birth—160	7	1	----	2	3	1	----	----	7	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	11	4	1	1	4	1	----	----	11	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	13	1	3	1	2	----	1	----	8	-----	----	1	1	1	1	----	1	----	----	----
Unknown or ill-defined diseases—199,200	46	7	4	2	4	5	3	----	25	5	2	1	5	----	2	1	----	1	1	3
All other causes	24	-----	----	----	7	4	----	1	12	-----	5	1	----	1	----	2	----	----	1	2

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OREGON—All causes	619	208	60	29	45	26	16	22	406	41	38	22	20	14	15	16	14	13	12	8
Measles—7	4	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	----	1	1	----
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	1	----	----	----
Whooping-cough—9	15	-----	----	----	----	----	----	2	2	-----	1	4	3	2	----	----	1	----	1	1
Diphtheria—10	2	-----	----	1	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	1	----
Influenza—11	15	-----	----	----	1	1	----	1	3	2	----	4	----	----	2	2	2	----	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	----	----	----
Erysipelas—15	4	-----	----	----	----	1	----	1	2	----	----	----	----	----	----	1	1	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	1	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	----	----	----	1	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Syphilis—34	3	1	----	----	----	----	----	1	2	1	----	----	----	----	----	----	----	----	----	----
Convulsions—86	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	3	-----	----	----	----	----	----	----	-----	-----	2	1	----	----	----	----	----	----	----	----
Bronchopneumonia—107	65	-----	----	1	2	3	1	4	11	10	8	7	4	3	5	4	3	7	----	3
Lobar and unspecified pneumonia—108,109	13	-----	----	----	1	----	----	1	2	1	4	2	----	1	----	2	----	1	----	----
Diseases of the stomach—117,118	4	-----	----	----	2	1	----	----	3	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	16	-----	1	----	1	1	1	----	4	2	3	----	1	1	----	1	----	1	3	----
Intestinal obstruction—122b	7	-----	----	----	----	----	----	----	-----	1	----	----	1	1	2	----	2	----	----	----
Congenital malformations—157	79	24	9	5	7	5	2	5	57	8	4	2	2	----	2	2	1	1	----	----
Congenital debility, etc.—158,161b,c	25	7	1	3	2	2	3	2	20	1	2	----	1	----	----	1	----	----	----	----
Premature birth—159	179	118	28	9	11	7	4	----	177	1	----	----	1	----	----	----	----	----	----	----
Injury at birth—160	70	42	13	4	7	1	1	2	70	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	28	13	3	4	6	1	1	----	28	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	17	-----	1	----	2	1	1	----	5	4	4	----	----	1	----	2	----	----	1	----
Unknown or ill-defined diseases—199,200	6	3	----	1	1	----	----	----	5	-----	----	----	----	----	----	----	----	----	----	1
All other causes	52	-----	4	1	2	2	2	3	14	7	8	2	4	3	1	1	3	2	4	3
PENNSYLVANIA—All causes	8,153	2,254	664	415	665	436	303	234	4,971	585	505	375	339	253	243	219	188	173	149	153
Measles—7	8	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	1	1	1	1	1	1
Scarlet fever—8	9	-----	----	----	----	----	----	1	1	-----	----	----	1	----	----	----	1	1	3	2
Whooping-cough—9	109	-----	----	----	----	1	----	3	4	18	11	13	10	10	4	13	9	8	4	5
Diphtheria—10	9	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	----	1	2	1	----	3
Influenza—11	192	-----	----	----	2	5	4	9	20	29	16	23	13	13	17	21	9	11	11	9
Dysentery—13	11	-----	----	----	----	----	1	1	2	2	2	1	1	1	2	----	----	----	----	----
Erysipelas—15	28	-----	----	----	----	1	3	2	6	7	3	2	----	1	1	3	----	1	2	2
Epidemic cerebrospinal meningitis—18	15	-----	----	----	----	----	----	----	-----	1	1	2	----	2	2	2	2	----	2	1
Tetanus—22	2	-----	----	----	1	1	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	24	-----	----	----	----	1	----	----	1	2	----	----	4	1	3	3	4	3	----	3
Tuberculosis of the meninges, etc.—24	7	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	1	2	----	2	----
Other forms of tuberculosis—25-32	2	-----	----	----	----	----	----	----	-----	1	----	----	1	----	----	----	----	----	----	----
Syphilis—34	91	10	4	----	1	4	6	6	31	24	4	8	5	5	2	3	3	----	3	3
Convulsions—86	43	2	1	4	5	4	2	1	19	2	4	3	4	3	----	1	3	2	----	2
Bronchitis—106	63	-----	----	----	3	2	1	1	7	10	5	9	9	7	1	7	3	3	2	----
Bronchopneumonia—107	1,109	4	8	10	20	36	51	39	168	142	155	115	105	72	79	63	51	59	48	52
Lobar and unspecified pneumonia—108,109	363	-----	1	----	13	12	9	12	47	42	49	30	34	22	32	23	28	20	19	17
Diseases of the stomach—117,118	21	-----	----	1	----	----	----	2	3	4	4	1	4	----	1	----	3	1	----	----
Diarrhea and enteritis—119	539	1	----	3	10	20	44	28	106	75	86	44	55	38	40	23	23	20	15	14
Intestinal obstruction—122b	69	1	----	----	1	3	4	2	11	4	6	2	10	7	7	3	7	5	2	5
Congenital malformations—157	925	212	93	79	132	78	47	44	685	69	48	33	23	17	11	12	8	9	6	4
Congenital debility, etc.—158,161b,c	184	20	12	8	37	20	9	12	118	20	14	12	4	2	1	5	4	1	2	1
Premature birth—159	2,522	1,475	348	160	203	139	70	38	2,433	39	20	16	6	2	3	1	2	----	----	----
Injury at birth—160	755	362	116	91	123	46	9	3	750	5	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	358	148	67	43	64	17	12	2	353	3	2	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	122	4	1	2	2	4	4	3	20	10	18	9	15	11	8	8	3	7	6	7
Unknown or ill-defined diseases—199,200	42	6	1	2	4	5	----	5	23	6	3	4	2	----	----	1	2	----	1	----
All other causes	531	9	12	12	44	37	27	20	161	69	54	46	32	38	27	24	18	20	20	22
RHODE ISLAND—All causes	491	156	48	19	37	20	12	16	308	37	26	29	23	19	14	4	9	7	9	6
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	5	-----	----	----	----	----	----	----	-----	2	1	----	----	1	----	----	1	----	----	----
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	7	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	3	1	1	----	2	----
Dysentery—13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	3	-----	----	----	----	1	1	1	3	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	1	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	1
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Syphilis—34	3	-----	----	----	----	----	----	----	-----	-----	2	----	1	----	----	----	----	----	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Bronchitis—106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	47	-----	----	----	1	2	1	4	8	6	4	9	3	6	5	----	1	3	2	----
Lobar and unspecified pneumonia—108,109	28	-----	----	----	1	1	----	----	2	4	2	5	4	3	2	----	1	1	----	4
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Diarrhea and enteritis—119	24	-----	----	----	----	1	1	----	2	3	2	5	4	2	1	2	1	----	2	----
Intestinal obstruction—122b	7	-----	----	----	1	----	----	----	1	1	----	3	----	----	----	----	1	1	----	----
Congenital malformations—157	59	14	3	3	9	1	1	7	38	5	3	3	4	3	1	----	----	----	1	1
Congenital debility, etc.—158,161b,c	15	-----	----	1	----	2	----	----	3	4	3	2	3	----	----	----	----	----	----	----
Premature birth—159	141	79	24	10	9	6	3	2	133	5	3	----	----	----	----	----	----	----	----	----
Injury at birth—160	84	50	17	2	12	1	1	----	83	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	23	11	3	3	4	2	----	----	23	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	6	1	----	----	----	----	----	----	1	3	----	----	----	----	1	----	1	----	----	----
Unknown or ill-defined diseases—199,200	3	-----	1	----	----	----	1	----	2	-----	----	----	----	----	----	----	----	1	----	----
All other causes	28	1	----	----	----	3	3	2	9	3	5	1	4	3	----	----	1	----	2	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (white)---All causes	1,203	306	103	64	87	63	38	48	709	100	67	72	51	41	30	27	36	29	21	20
Measles---7	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	2	----
Scarlet fever---8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Whooping-cough---9	6	-----	----	----	----	----	----	----	-----	3	1	1	----	----	----	1	----	----	----	----
Diphtheria---10	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	1	----	2	----
Influenza---11	44	-----	----	1	2	2	4	9	10	5	3	3	5	1	1	4	----	1	2	
Dysentery---13	13	-----	----	----	----	----	----	-----	1	1	4	1	2	1	----	----	1	1	1	
Erysipelas---15	8	-----	----	----	----	----	2	2	2	1	1	----	----	----	----	1	----	----	1	----
Epidemic cerebrospinal meningitis---18	3	-----	----	----	1	----	----	1	-----	----	----	----	1	----	1	----	----	----	----	----
Tetanus---22	2	-----	----	----	1	1	----	2	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.---24	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---25-32	1	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	----	----	----	----	----
Syphilis---34	12	2	1	1	----	----	1	----	5	1	2	2	1	----	----	----	----	----	1	----
Convulsions---86	4	1	----	1	----	----	----	----	2	1	----	----	----	----	----	1	----	----	----	----
Bronchitis---106	3	-----	----	----	----	----	----	----	-----	2	----	----	1	----	----	----	----	----	----	----
Bronchopneumonia---107	78	1	----	----	1	3	4	5	14	12	12	7	8	3	6	2	7	5	1	1
Lobar and unspecified pneumonia---108,109	59	1	----	3	2	4	1	3	14	6	3	6	4	4	3	4	5	5	3	2
Diseases of the stomach---117,118	2	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	154	-----	----	----	----	2	3	5	10	23	15	22	17	14	8	8	10	12	5	10
Intestinal obstruction---122b	5	-----	----	----	----	----	2	----	2	1	----	----	----	1	1	----	----	----	----	----
Congenital malformations---157	70	15	9	7	12	7	2	3	55	4	2	3	2	----	----	1	1	1	----	1
Congenital debility, etc.---158,161b,c	45	6	3	3	4	7	2	3	28	3	4	6	3	----	----	1	----	----	----	----
Premature birth---159	349	193	56	22	27	16	12	13	339	7	----	2	----	----	----	1	----	----	----	----
Injury at birth---160	88	39	13	9	21	3	----	1	86	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	37	19	7	3	5	3	----	----	37	-----	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	24	-----	----	2	1	1	2	2	8	4	4	2	1	1	----	1	----	1	1	1
Unknown or ill-defined diseases---199,200	111	29	12	10	9	11	3	4	78	7	7	10	4	3	----	----	2	----	----	----
All other causes----	76	-----	2	3	2	3	4	3	17	10	9	2	6	6	10	3	6	3	2	2
SOUTH CAROLINA (other races)---All causes	1,971	319	109	85	178	130	79	51	951	177	139	140	114	82	94	60	58	62	48	16
Measles---7	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	31	-----	----	----	----	----	1	----	1	4	2	7	3	2	3	1	2	4	----	2
Diphtheria---10	9	-----	1	----	----	----	----	----	1	2	----	----	----	1	1	----	1	3	----	----
Influenza---11	106	-----	----	----	2	3	----	1	6	5	12	13	16	8	17	7	6	7	6	3
Dysentery---13	18	-----	----	----	----	----	1	----	1	5	2	----	1	1	1	2	2	1	1	1
Erysipelas---15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	1
Tetanus---22	6	-----	----	----	2	2	2	----	6	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the meninges, etc.---24	1	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	----	----
Other forms of tuberculosis---25-32	1	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	----	----	----
Syphilis---34	73	8	----	7	5	4	3	1	28	14	8	10	3	1	2	2	2	2	----	1
Convulsions---86	22	-----	1	1	6	1	----	1	10	4	2	4	----	1	----	1	----	----	----	----
Bronchitis---106	2	-----	----	----	----	----	----	----	-----	----	1	----	1	----	----	----	----	----	----	----
Bronchopneumonia---107	118	-----	2	1	3	2	3	3	14	13	17	13	7	11	13	11	5	10	2	2
Lobar and unspecified pneumonia---108,109	136	1	----	----	4	5	6	6	22	12	16	15	12	12	11	10	4	7	10	5
Diseases of the stomach---117,118	23	-----	1	----	4	----	----	1	6	3	2	5	3	----	----	----	----	1	3	----
Diarrhea and enteritis---119	184	-----	----	----	3	7	8	9	27	15	20	20	22	14	14	13	9	12	8	10
Intestinal obstruction---122b	7	-----	----	----	----	----	----	----	-----	2	1	1	1	----	1	----	1	----	----	----
Congenital malformations---157	25	4	----	3	3	2	2	1	15	3	1	2	----	1	1	----	----	----	1	1
Congenital debility, etc.---158,161b,c	69	8	5	3	11	5	3	1	36	8	7	4	2	4	2	1	1	2	----	2
Premature birth---159	289	146	34	14	34	22	17	6	273	6	3	1	2	1	2	1	----	----	----	----
Injury at birth---160	47	24	4	5	9	2	3	----	47	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	33	3	4	3	10	7	5	----	32	1	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	20	-----	1	----	----	1	----	----	2	4	----	4	3	----	1	1	1	----	3	1
Unknown or ill-defined diseases---199,200	627	125	55	43	76	59	24	20	402	59	32	33	25	16	14	7	16	5	7	11
All other causes----	119	-----	1	5	6	7	1	1	21	16	13	7	12	8	11	2	8	8	7	6
SOUTH DAKOTA---All causes	615	162	41	23	64	36	15	17	358	47	39	41	40	16	13	22	9	12	9	9
Measles---7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	3	-----	----	----	----	----	1	----	1	-----	----	----	1	----	1	----	----	----	----	----
Diphtheria---10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza---11	14	-----	----	----	----	1	----	1	2	-----	1	2	4	----	1	1	----	1	2	----
Dysentery---13	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	1	----	----	----	----
Erysipelas---15	5	-----	----	----	----	----	1	1	2	2	1	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Tetanus---22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.---24	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Other forms of tuberculosis---25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis---34	6	-----	----	1	----	----	1	----	2	2	1	----	1	----	----	----	----	----	----	----
Convulsions---86	6	-----	----	----	1	1	----	----	2	1	3	----	----	----	----	----	----	----	----	----
Bronchitis---106	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Bronchopneumonia---107	43	-----	----	----	1	----	1	2	4	4	5	6	5	1	3	4	3	3	2	3
Lobar and unspecified pneumonia---108,109	34	1	----	----	----	----	2	1	4	2	4	9	6	2	1	2	1	----	----	3
Diseases of the stomach---117,118	3	-----	----	1	----	1	----	----	2	-----	----	1	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	58	-----	----	1	----	----	2	3	6	9	9	10	6	4	----	3	3	3	3	2
Intestinal obstruction---122b	5	-----	----	----	----	----	----	1	1	1	----	1	1	----	1	----	----	----	----	----
Congenital malformations---157	58	17	2	2	13	5	1	2	42	4	2	2	1	2	----	4	----	1	----	----
Congenital debility, etc.---158,161b,c	42	8	2	5	9	1	3	1	29	5	4	1	----	2	----	1	----	----	----	----
Premature birth---159	164	102	19	4	16	11	1	3	156	4	1	3	----	----	----	----	----	----	----	----
Injury at birth---160	54	27	12	2	8	2	1	----	52	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	19	2	4	4	8	1	----	----	19	-----	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	20	1	1	----	----	2	----	----	4	5	----	2	3	1	3	----	1	----	----	1
Unknown or ill-defined diseases---199,200	26	2	----	2	4	3	----	1	12	1	3	----	3	----	1	2	----	3	1	----
All other causes----	50	2	1	1	4	8	1	1	18	6	4	4	6	4	2	4	1	1	----	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (white)----------All causes	2,759	591	194	114	201	150	98	100	1,448	284	181	152	139	113	85	91	77	72	53	64
Measles----------7	5	-----	----	----	----	----	----	1	1	-----	1	----	----	1	1	1	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	24	-----	----	----	----	----	----	1	1	5	2	5	3	4	----	----	1	3	----	----
Diphtheria----------10	14	-----	----	----	----	1	----	1	2	3	----	----	1	1	1	----	2	1	1	2
Influenza----------11	96	3	----	1	----	2	3	7	16	8	14	8	11	5	6	7	5	7	3	6
Dysentery----------13	45	-----	----	----	----	----	1	1	2	2	6	5	7	5	4	4	1	1	2	6
Erysipelas----------15	19	-----	----	----	----	----	1	4	5	5	2	2	1	2	----	1	----	1	----	----
Epidemic cerebrospinal meningitis------18	10	-----	----	----	----	----	----	----	-----	2	----	2	2	1	1	2	----	----	----	----
Tetanus----------22	3	-----	----	----	----	1	----	----	1	1	----	----	----	1	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	9	-----	----	----	----	----	----	----	-----	-----	----	----	1	2	----	2	----	1	1	2
Tuberculosis of the meninges, etc.-----24	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	2	1	----	----	1	----
Other forms of tuberculosis---------25-32	4	-----	----	----	----	----	1	----	1	-----	----	----	----	1	----	----	----	----	2	----
Syphilis----------34	34	2	----	----	2	1	2	1	8	8	7	3	5	----	----	2	----	----	----	1
Convulsions----------86	9	1	----	3	2	----	----	1	7	1	1	----	----	----	----	----	----	----	----	----
Bronchitis----------106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	245	-----	3	3	5	6	12	13	42	49	31	27	15	16	11	12	12	12	7	11
Lobar and unspecified pneumonia---108,109	103	1	----	1	4	3	2	7	18	15	14	13	6	7	7	7	5	2	6	3
Diseases of the stomach----------117,118	11	-----	----	----	1	----	2	----	3	2	1	1	----	2	2	----	----	----	----	----
Diarrhea and enteritis----------119	327	-----	----	----	----	3	3	7	13	38	40	41	29	38	23	29	25	23	14	14
Intestinal obstruction----------122b	16	-----	----	----	2	----	1	1	4	-----	1	1	2	----	2	2	1	2	----	1
Congenital malformations----------157	194	39	24	16	25	14	14	10	142	16	5	5	9	4	2	1	2	5	3	----
Congenital debility, etc.------158,161b,c	109	11	1	5	23	17	3	4	64	15	6	4	9	----	2	5	1	----	2	1
Premature birth----------159	591	356	81	36	37	40	13	5	568	12	3	5	1	----	----	----	1	----	----	1
Injury at birth----------160	177	81	32	14	25	9	6	3	170	6	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	41	20	7	2	7	1	2	----	39	2	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	42	4	1	2	5	1	1	1	15	6	6	1	2	2	1	4	----	1	1	3
Unknown or ill-defined diseases---199,200	444	69	40	30	51	38	26	24	278	62	25	14	20	8	10	3	12	2	5	5
All other causes----------	182	4	5	1	12	13	5	8	48	26	15	15	14	13	10	8	9	11	5	8
TENNESSEE (other races)--------All causes	705	116	28	23	48	37	31	33	316	55	49	51	47	38	39	27	24	21	19	19
Measles----------7	2	-----	----	----	----	----	1	----	1	-----	1	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	12	-----	----	----	----	----	----	----	-----	-----	1	1	2	3	----	1	1	1	2	----
Diphtheria----------10	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	1
Influenza----------11	20	-----	----	----	----	1	1	1	3	2	1	5	2	1	1	1	2	----	----	2
Dysentery----------13	8	-----	----	----	----	1	----	----	1	-----	2	----	----	1	3	----	----	1	----	----
Erysipelas----------15	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis------18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	10	-----	----	----	----	----	----	----	-----	-----	----	3	----	1	2	----	1	1	----	2
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	----	----	----	1
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	1	----	----	----	----
Syphilis----------34	35	6	1	1	1	5	3	1	18	1	5	1	4	2	1	----	1	----	2	----
Convulsions----------86	5	-----	----	1	1	1	----	----	3	-----	----	1	----	----	1	----	----	----	----	----
Bronchitis----------106	3	-----	----	----	----	----	1	----	1	-----	1	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	77	-----	----	----	1	1	4	3	9	9	7	9	8	8	7	5	5	4	2	4
Lobar and unspecified pneumonia 108,109	38	-----	----	----	----	1	2	7	10	4	1	1	7	5	5	1	2	1	----	1
Diseases of the stomach----------117,118	4	-----	----	----	----	----	1	1	2	2	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	81	-----	----	2	1	1	3	2	9	5	7	9	8	9	7	9	5	5	4	4
Intestinal obstruction----------122b	6	-----	----	----	----	1	1	----	2	-----	----	----	1	----	----	1	2	----	----	----
Congenital malformations----------157	18	1	----	4	----	3	----	2	10	5	----	1	1	----	----	----	----	----	----	1
Congenital debility, etc.------158,161b,c	24	5	1	1	2	1	1	4	15	4	2	3	----	----	----	----	----	----	----	----
Premature birth----------159	144	71	13	8	25	5	3	7	132	9	1	1	1	----	----	----	----	----	----	----
Injury at birth----------160	22	10	3	1	4	2	1	----	21	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	15	4	4	2	1	1	1	----	13	-----	2	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	17	2	1	----	----	1	----	----	4	2	2	2	1	1	1	1	----	1	2	----
Unknown or ill-defined diseases---199,200	112	17	5	3	8	12	7	5	57	7	9	10	7	5	5	5	2	1	3	1
All other causes----------	41	-----	----	----	3	----	1	----	4	5	6	3	4	1	4	2	3	5	2	2
TEXAS (white)----------All causes	6,806	1,527	384	234	536	376	205	228	3,490	536	426	397	333	294	257	273	224	196	192	188
Measles----------7	28	-----	----	----	1	----	1	----	2	1	2	3	1	2	1	----	2	1	8	5
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	1	----
Whooping-cough----------9	85	-----	----	----	----	----	2	7	9	13	14	9	8	3	6	4	6	3	4	6
Diphtheria----------10	23	-----	----	----	1	1	----	----	2	-----	----	----	2	2	1	2	1	2	7	4
Influenza----------11	295	2	1	1	8	13	7	17	49	38	26	32	26	22	16	18	18	18	20	12
Dysentery----------13	149	-----	----	1	1	5	3	4	14	13	11	14	11	11	15	14	12	11	11	12
Erysipelas----------15	32	-----	----	----	1	1	1	1	4	14	4	2	2	1	1	3	1	----	----	----
Epidemic cerebrospinal meningitis------18	10	-----	----	----	----	----	----	----	-----	-----	----	----	3	2	2	2	----	----	1	----
Tetanus----------22	45	-----	----	----	20	23	----	----	43	-----	----	----	1	----	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	24	-----	1	----	----	----	----	----	1	2	2	1	1	2	----	4	2	5	3	1
Tuberculosis of the meninges, etc.-----24	11	-----	----	----	----	----	----	----	-----	-----	----	----	1	2	2	2	3	----	----	1
Other forms of tuberculosis---------25-32	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	1	----	1	----	----
Syphilis----------34	97	19	2	4	6	7	4	4	46	13	15	7	10	----	3	1	2	----	----	----
Convulsions----------86	34	1	3	1	8	6	2	1	22	1	1	----	----	1	2	----	1	2	----	4
Bronchitis----------106	47	-----	----	----	4	3	----	6	13	7	6	3	4	6	1	----	3	2	1	1
Bronchopneumonia----------107	529	1	3	4	29	23	20	25	105	67	68	45	46	32	34	29	35	20	23	25
Lobar and unspecified pneumonia---108,109	313	-----	2	4	15	25	13	13	72	47	29	35	26	25	9	15	21	8	12	14
Diseases of the stomach----------117,118	83	1	----	3	3	7	2	6	22	12	9	6	7	6	4	4	5	2	2	4
Diarrhea and enteritis----------119	1,159	-----	2	5	23	30	24	31	115	106	115	133	99	108	98	113	70	73	65	64
Intestinal obstruction----------122b	73	-----	----	1	6	1	2	5	15	9	6	5	12	5	4	3	5	5	1	3
Congenital malformations----------157	382	106	32	26	41	34	13	22	274	28	22	15	10	6	9	3	4	6	3	2
Congenital debility, etc.------158,161b,c	328	59	17	8	45	24	15	17	185	39	26	19	15	8	10	7	6	3	2	8
Premature birth----------159	1,632	990	186	79	147	87	47	31	1,567	38	16	6	3	1	----	----	----	1	----	----
Injury at birth----------160	440	206	76	60	54	23	3	3	435	5	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	162	73	23	10	24	12	8	6	156	6	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	120	4	1	4	8	5	5	3	30	13	11	10	4	10	5	11	3	8	9	6
Unknown or ill-defined diseases---199,200	229	46	19	10	42	18	10	6	151	15	8	14	9	9	7	5	3	3	4	1
All other causes----------	470	19	16	13	39	28	23	20	158	49	35	38	31	30	25	31	21	22	15	15

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TEXAS (other races)—All causes	1,145	218	82	50	109	109	42	40	650	80	68	61	54	50	47	38	32	23	17	25
Measles—7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Scarlet fever—8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	8	-----	-----	-----	-----	1	-----	-----	1	-----	1	-----	-----	2	1	1	1	-----	1	-----
Diphtheria—10	8	-----	-----	-----	-----	3	-----	-----	3	1	1	-----	1	1	-----	-----	-----	1	-----	-----
Influenza—11	69	-----	-----	-----	4	6	2	3	15	7	5	4	8	3	9	6	1	4	2	5
Dysentery—13	11	-----	-----	1	-----	2	-----	-----	3	1	-----	2	1	1	1	-----	-----	1	1	-----
Erysipelas—15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis—18	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----
Tetanus—22	8	-----	-----	-----	-----	6	1	-----	7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.—24	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	1
Other forms of tuberculosis—25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Syphilis—34	49	10	4	1	6	5	5	1	32	5	-----	3	2	-----	2	-----	2	1	1	1
Convulsions—86	17	-----	-----	2	4	2	-----	-----	8	1	-----	2	-----	-----	2	2	1	-----	-----	1
Bronchitis—106	3	-----	-----	-----	-----	-----	1	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia—107	101	-----	-----	3	7	6	4	5	25	9	12	10	11	8	5	7	8	3	1	2
Lobar and unspecified pneumonia—108,109	88	-----	1	1	3	5	5	-----	15	14	9	11	6	6	5	6	5	3	2	
Diseases of the stomach—117,118	14	-----	-----	-----	2	-----	-----	1	3	2	2	1	1	1	1	2	-----	-----	-----	1
Diarrhea and enteritis—119	115	-----	2	-----	5	11	-----	5	23	9	17	10	12	14	9	6	6	4	3	2
Intestinal obstruction—122b	11	-----	-----	-----	2	-----	-----	-----	2	5	-----	-----	-----	2	-----	1	1	-----	-----	-----
Congenital malformations—157	23	6	3	-----	4	-----	-----	1	14	3	3	2	-----	-----	-----	-----	-----	-----	-----	1
Congenital debility, etc.—158,161b,c	75	12	13	4	11	14	4	3	61	2	4	4	2	-----	1	1	-----	-----	-----	-----
Premature birth—159	251	126	33	19	29	18	11	8	244	5	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	53	21	14	5	8	1	-----	2	51	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	32	11	2	4	6	4	2	2	31	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	46	8	1	2	2	5	2	-----	20	2	4	2	2	3	3	1	4	1	1	3
Unknown or ill-defined diseases—199,200	85	21	5	7	12	14	3	4	66	4	3	3	2	3	-----	1	-----	1	2	-----
All other causes——	67	3	4	1	4	6	2	5	25	6	3	4	6	6	3	3	1	2	2	6
UTAH—All causes	661	226	37	30	47	25	20	23	408	38	38	38	25	28	28	12	14	11	11	10
Measles—7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Scarlet fever—8	1	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	15	-----	-----	-----	-----	-----	-----	-----	-----	3	2	2	2	-----	1	-----	2	2	1	-----
Diphtheria—10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza—11	24	-----	-----	-----	-----	-----	1	1	2	3	4	4	3	3	2	1	-----	1	1	-----
Dysentery—13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas—15	12	-----	-----	-----	-----	1	1	2	4	3	2	-----	-----	1	-----	-----	1	-----	1	-----
Epidemic cerebrospinal meningitis—18	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1
Tetanus—22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.—24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Other forms of tuberculosis—25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Syphilis—34	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	1	-----
Convulsions—86	2	-----	1	-----	-----	1	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis—106	8	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	-----	2	1	2	-----	-----	-----
Bronchopneumonia—107	96	-----	-----	2	-----	2	4	5	13	15	14	16	8	7	8	2	2	3	4	4
Lobar and unspecified pneumonia—108,109	26	-----	-----	-----	-----	-----	2	1	3	1	3	4	2	1	5	2	1	2	-----	2
Diseases of the stomach—117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis—119	33	-----	-----	-----	1	-----	-----	4	5	4	2	4	2	3	4	2	3	1	2	1
Intestinal obstruction—122b	4	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----	1	-----	1	-----	-----	-----	-----
Congenital malformations—157	55	20	2	4	11	4	2	-----	43	2	2	4	3	-----	1	-----	-----	-----	-----	-----
Congenital debility, etc.—158,161b,c	17	4	1	-----	5	1	1	1	13	-----	1	-----	2	1	-----	-----	-----	-----	-----	-----
Premature birth—159	223	153	20	15	15	8	6	4	221	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	53	33	9	5	3	3	-----	-----	53	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	24	13	3	2	5	1	-----	-----	24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----
Unknown or ill-defined diseases—199,200	15	2	1	-----	4	2	-----	-----	9	2	1	-----	-----	2	-----	-----	-----	1	-----	-----
All other causes——	42	1	-----	2	3	2	3	3	14	2	3	3	3	7	2	2	3	1	1	1
VERMONT—All causes	374	120	29	14	25	13	17	12	230	34	25	21	8	15	11	6	11	4	6	3
Measles—7	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	1	-----
Scarlet fever—8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	8	-----	-----	-----	-----	-----	-----	-----	-----	1	1	3	-----	1	1	-----	1	-----	-----	-----
Diphtheria—10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza—11	9	-----	-----	-----	1	1	-----	-----	2	-----	3	-----	-----	-----	2	-----	1	-----	1	-----
Dysentery—13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas—15	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis—18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus—22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	1
Tuberculosis of the meninges, etc.—24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis—25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis—34	2	-----	-----	2	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions—86	2	1	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis—106	4	-----	1	-----	-----	-----	-----	-----	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----	1
Bronchopneumonia—107	53	-----	-----	-----	1	2	3	2	8	10	9	9	-----	5	3	2	2	2	3	-----
Lobar and unspecified pneumonia—108,109	15	-----	-----	-----	-----	-----	1	-----	1	3	-----	1	4	1	2	1	1	-----	-----	1
Diseases of the stomach—117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis—119	17	1	-----	-----	-----	-----	1	1	3	3	-----	2	3	2	-----	1	3	-----	-----	-----
Intestinal obstruction—122b	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Congenital malformations—157	45	12	6	2	2	3	4	1	30	5	5	-----	1	3	1	-----	-----	-----	-----	-----
Congenital debility, etc.—158,161b,c	11	1	-----	-----	2	-----	1	2	6	2	1	1	-----	1	-----	-----	-----	-----	-----	-----
Premature birth—159	127	78	12	6	9	5	5	3	118	5	3	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	42	22	8	2	5	2	1	2	42	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	8	2	2	2	2	-----	-----	-----	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	5	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	-----	-----	-----	-----	-----	1	-----	-----
Unknown or ill-defined diseases—199,200	2	-----	-----	-----	1	-----	-----	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes——	15	3	-----	-----	2	-----	-----	-----	5	3	1	1	-----	1	-----	-----	2	1	1	-----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VIRGINIA (white)----All causes	2,289	650	148	106	155	124	68	68	1,319	192	137	122	100	77	79	62	49	64	44	44
Measles----7	6	-----	----	----	----	----	----	----	-----	-----	----	----	2	----	----	1	1	----	1	1
Scarlet fever----8	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----9	32	-----	----	----	----	----	----	3	3	6	4	5	4	4	2	----	1	----	2	1
Diphtheria----10	9	-----	----	----	----	----	----	----	-----	1	1	----	----	2	----	1	1	2	----	1
Influenza----11	73	-----	----	----	----	----	2	7	9	9	10	5	8	7	7	5	2	5	4	2
Dysentery----13	42	-----	----	----	----	----	----	----	-----	2	2	8	4	2	3	5	4	3	4	5
Erysipelas----15	8	-----	----	----	----	1	----	----	1	4	1	1	----	----	----	----	1	----	----	----
Epidemic cerebrospinal meningitis----18	14	-----	----	----	----	----	----	----	-----	2	2	----	2	2	1	2	1	1	----	1
Tetanus----22	2	-----	----	----	----	2	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.----24	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	3	1	----	----	----	----
Other forms of tuberculosis----25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----34	23	2	----	2	----	1	2	1	8	4	3	4	----	----	2	----	----	----	1	1
Convulsions----86	8	-----	----	1	----	2	----	----	3	-----	----	2	----	----	----	----	1	1	1	----
Bronchitis----106	11	-----	----	----	----	----	1	----	1	1	2	1	1	----	3	----	----	----	----	2
Bronchopneumonia----107	204	1	----	2	3	9	8	14	37	34	24	18	19	13	13	17	7	11	5	6
Lobar and unspecified pneumonia---108,109	75	-----	----	----	1	2	1	5	9	11	6	8	9	6	5	2	7	5	4	3
Diseases of the stomach----117,118	4	-----	----	----	----	----	----	----	-----	-----	1	2	1	----	----	----	----	----	----	----
Diarrhea and enteritis----119	195	-----	----	----	----	1	4	3	8	17	28	23	21	19	19	15	11	14	8	12
Intestinal obstruction----122b	9	-----	----	----	1	1	----	----	2	1	----	----	----	3	1	1	----	----	----	1
Congenital malformations----157	191	46	13	9	25	19	9	6	127	22	9	5	8	4	3	2	2	6	2	1
Congenital debility, etc.----158,161b,c	131	20	6	5	14	12	9	5	71	22	10	8	4	5	2	4	----	3	1	1
Premature birth----159	707	443	82	38	53	39	14	14	683	11	6	5	2	----	----	----	----	----	----	----
Injury at birth----160	189	96	31	25	25	4	4	1	186	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	40	15	4	7	9	3	----	1	39	1	----	----	----	----	----	----	----	----	----	----
External causes----172-195,201-214	39	1	----	1	2	4	2	2	12	8	3	4	1	3	1	----	1	2	1	3
Unknown or ill-defined diseases---199,200	143	24	12	12	17	15	5	4	89	13	9	11	5	2	4	1	2	5	2	----
All other causes----	127	2	----	4	5	9	6	2	28	21	15	12	7	5	10	5	7	6	8	3
VIRGINIA (other races)----All causes	1,498	276	80	75	108	69	60	55	723	118	91	111	82	83	77	56	69	38	22	28
Measles----7	6	-----	----	----	----	----	----	----	-----	-----	2	1	----	1	----	1	----	1	----	----
Scarlet fever----8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----9	47	-----	----	----	----	----	2	2	4	4	3	3	3	1	6	5	4	4	4	6
Diphtheria----10	4	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	2	----	1	----	----
Influenza----11	48	-----	----	----	----	----	----	2	2	5	5	5	3	2	4	4	11	3	2	2
Dysentery----13	22	-----	----	----	----	----	----	1	1	2	2	4	4	----	2	4	2	1	----	----
Erysipelas----15	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis----18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Tetanus----22	2	-----	----	----	----	2	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.----24	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Syphilis----34	69	11	5	3	4	2	5	2	32	6	7	6	4	6	4	----	2	1	1	----
Convulsions----86	23	1	1	----	2	3	1	----	8	2	3	1	2	1	----	2	----	3	----	1
Bronchitis----106	10	-----	----	----	----	----	1	----	1	2	1	2	2	1	1	----	----	----	----	----
Bronchopneumonia----107	155	-----	----	1	3	3	6	8	21	17	18	12	22	18	17	7	13	3	3	4
Lobar and unspecified pneumonia---108,109	88	-----	1	----	4	2	2	4	13	8	9	6	14	12	4	4	8	4	4	2
Diseases of the stomach----117,118	6	-----	----	----	----	----	----	----	-----	1	----	1	1	1	----	2	----	----	----	----
Diarrhea and enteritis----119	126	-----	----	1	2	3	3	7	16	11	9	22	7	19	19	5	7	5	2	4
Intestinal obstruction----122b	7	-----	----	----	----	1	----	----	1	1	----	----	----	----	1	2	2	----	----	----
Congenital malformations----157	35	7	1	2	1	2	1	2	16	4	3	3	2	2	1	2	2	----	----	----
Congenital debility, etc.----158,161b,c	150	22	11	11	15	6	12	8	85	17	13	11	3	7	5	3	1	2	2	1
Premature birth----159	341	163	35	25	39	26	19	12	319	11	3	3	2	----	2	1	----	----	----	----
Injury at birth----160	60	29	4	13	9	2	----	----	57	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	53	17	11	9	10	5	----	----	52	1	----	----	----	----	----	----	----	----	----	----
External causes----172-195,201-214	28	4	----	----	----	1	1	----	6	2	3	3	2	2	1	4	1	3	----	1
Unknown or ill-defined diseases---199,200	115	22	10	8	15	6	6	5	72	9	4	13	----	1	2	3	5	4	1	1
All other causes----	97	-----	1	2	4	5	1	1	14	11	6	13	10	8	8	5	11	3	3	5
WASHINGTON----All causes	1,062	328	94	65	65	37	23	35	647	69	71	69	42	34	33	19	19	17	24	18
Measles----7	3	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	1	----	----	1	----
Scarlet fever----8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	----	----
Whooping-cough----9	10	-----	----	----	----	----	----	1	1	-----	3	----	----	1	1	2	1	----	----	1
Diphtheria----10	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Influenza----11	36	-----	----	----	----	----	----	----	-----	4	4	6	3	7	3	2	----	3	2	2
Dysentery----13	9	-----	----	----	----	----	----	----	-----	-----	1	----	2	2	1	----	1	1	1	----
Erysipelas----15	8	-----	----	----	----	----	----	2	2	4	----	----	1	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis----18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	7	-----	----	----	----	----	----	----	-----	-----	----	----	1	4	----	1	----	----	----	1
Tuberculosis of the meninges, etc.----24	5	-----	----	----	----	----	----	----	-----	1	2	----	----	----	1	----	----	----	1	----
Other forms of tuberculosis----25-32	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Syphilis----34	3	-----	----	----	----	----	----	----	-----	1	1	1	----	----	----	----	----	----	----	----
Convulsions----86	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	1	----
Bronchitis----106	5	-----	----	----	----	----	1	----	1	-----	----	1	----	1	----	----	----	----	1	1
Bronchopneumonia----107	115	1	2	1	----	2	6	7	19	13	18	21	9	7	4	4	7	3	5	5
Lobar and unspecified pneumonia---108,109	45	-----	----	2	2	----	2	3	9	8	6	4	5	1	2	2	1	1	2	4
Diseases of the stomach----117,118	3	-----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----	1	----
Diarrhea and enteritis----119	43	-----	----	1	1	1	1	2	6	2	5	6	6	2	3	3	3	3	----	4
Intestinal obstruction----122b	12	-----	----	----	----	----	----	1	1	1	2	3	----	1	3	----	----	----	1	----
Congenital malformations----157	112	30	7	9	13	7	3	6	75	13	10	4	2	2	1	1	2	2	----	----
Congenital debility, etc.----158,161b,c	33	6	3	6	4	1	----	2	22	4	1	5	----	----	----	----	----	----	1	----
Premature birth----159	337	209	50	25	22	19	6	2	333	2	1	----	1	----	----	----	----	----	----	----
Injury at birth----160	99	51	19	12	8	4	----	2	96	1	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	49	25	8	7	7	----	1	----	48	-----	1	----	----	----	----	----	----	----	----	----
External causes----172-195,201-214	23	-----	1	----	----	1	1	----	3	4	3	4	3	1	2	1	2	----	----	----
Unknown or ill-defined diseases---199,200	14	2	2	----	----	1	----	----	5	1	3	----	----	----	3	----	----	1	1	----
All other causes----	85	4	2	2	8	1	2	5	24	9	7	13	8	5	9	1	2	2	5	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WEST VIRGINIA—All causes	2,908	578	167	98	191	161	130	121	1,446	261	227	168	131	123	119	92	98	101	78	64
Measles—7	6	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	2	-----	-----	-----	-----	-----	-----	-----
Scarlet fever—8	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	1	-----	-----	-----	1
Whooping-cough—9	45	-----	-----	-----	-----	1	2	3	4	8	3	1	6	2	6	2	3	3	4	
Diphtheria—10	20	-----	-----	-----	-----	1	3	4	3	1	3	3	1	1	-----	2	1	1	-----	
Influenza—11	91	-----	1	1	-----	4	3	3	12	17	14	8	2	3	6	4	10	4	8	3
Dysentery—13	76	-----	-----	-----	-----	-----	2	2	4	5	8	5	9	9	10	3	5	10	4	4
Erysipelas—15	4	-----	-----	-----	-----	-----	-----	1	1	-----	1	1	-----	1	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis—18	12	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	3	3	-----	1	-----	-----	1	-----
Tetanus—22	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----	1	1	-----	-----
Tuberculosis of the meninges, etc.—24	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	2	1	2	2	-----	2
Other forms of tuberculosis—25-32	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1	-----	2
Syphilis—34	36	4	1	-----	1	1	4	6	17	4	6	3	-----	2	1	2	-----	-----	1	-----
Convulsions—86	16	-----	1	1	3	4	1	1	11	1	-----	-----	-----	1	-----	1	-----	1	1	-----
Bronchitis—106	7	-----	-----	-----	-----	-----	4	-----	4	-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----
Bronchopneumonia—107	334	-----	1	3	10	11	14	26	65	59	37	38	20	20	21	20	18	16	15	5
Lobar and unspecified pneumonia—108,109	129	1	4	-----	3	6	6	7	27	16	14	13	9	13	9	3	10	8	4	3
Diseases of the stomach—117,118	14	-----	-----	-----	1	-----	-----	1	2	1	2	4	1	1	1	-----	2	-----	-----	-----
Diarrhea and enteritis—119	423	-----	-----	-----	2	3	8	11	24	43	57	38	45	33	41	32	27	38	22	23
Intestinal obstruction—122b	21	-----	-----	2	2	-----	-----	1	5	2	1	2	-----	2	1	3	2	2	1	-----
Congenital malformations—157	212	43	18	14	33	20	11	5	144	22	15	5	8	2	4	2	-----	2	5	3
Congenital debility, etc.—158,161b,c	147	24	7	5	13	18	12	15	94	18	5	10	2	4	1	1	1	4	1	6
Premature birth—159	717	392	90	37	67	50	35	18	689	16	6	3	-----	1	-----	-----	2	-----	-----	-----
Injury at birth—160	148	63	27	16	22	7	7	3	145	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	50	21	9	5	7	5	2	-----	49	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	57	2	1	-----	4	3	2	3	15	8	10	4	5	3	5	-----	3	1	1	2
Unknown or ill-defined diseases—199,200	150	22	4	8	10	14	10	9	77	17	19	14	10	4	1	3	3	1	1	-----
All other causes	167	6	3	6	13	14	7	4	53	18	17	11	11	11	9	8	8	6	9	6
WISCONSIN—All causes	2,510	779	187	130	191	117	92	79	1,575	187	146	107	99	68	73	61	65	39	42	48
Measles—7	3	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----
Scarlet fever—8	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	2
Whooping-cough—9	35	-----	-----	-----	-----	1	-----	1	5	5	7	4	2	1	3	-----	3	2	2	
Diphtheria—10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza—11	57	-----	-----	-----	1	-----	1	-----	2	7	8	6	4	2	6	6	4	4	3	5
Dysentery—13	7	-----	-----	-----	-----	-----	1	-----	1	1	2	-----	-----	1	1	-----	-----	-----	1	-----
Erysipelas—15	8	-----	-----	-----	-----	-----	-----	1	1	3	1	-----	-----	-----	1	1	-----	-----	1	-----
Epidemic cerebrospinal meningitis—18	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	1	-----	-----	-----	-----	1
Tetanus—22	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	1	1	-----	1	-----
Tuberculosis of the meninges, etc.—24	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	2	2	1	1	1
Other forms of tuberculosis—25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis—34	9	3	-----	1	-----	1	-----	1	6	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----
Convulsions—86	19	-----	1	1	3	1	1	1	8	1	4	4	-----	1	-----	-----	-----	-----	-----	1
Bronchitis—106	19	-----	1	-----	1	-----	1	1	4	8	1	1	1	2	1	-----	-----	1	-----	-----
Bronchopneumonia—107	303	2	3	2	8	7	16	19	57	48	37	35	28	13	20	17	15	8	9	16
Lobar and unspecified pneumonia—108,109	92	-----	-----	1	2	2	2	4	11	5	9	9	14	6	8	9	7	4	4	6
Diseases of the stomach—117,118	6	-----	-----	1	1	1	-----	1	4	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis—119	157	1	-----	1	3	10	16	14	45	20	24	11	13	9	7	3	10	3	8	4
Intestinal obstruction—122b	28	-----	-----	-----	1	1	-----	-----	2	3	3	1	4	2	2	3	4	2	1	1
Congenital malformations—157	333	90	22	19	44	28	9	17	229	33	12	14	11	10	7	5	7	1	3	1
Congenital debility, etc.—158,161b,c	64	10	1	6	16	3	10	2	48	10	1	-----	1	3	1	-----	-----	-----	-----	-----
Premature birth—159	735	465	92	46	48	35	22	12	720	7	3	3	1	-----	-----	-----	-----	-----	1	-----
Injury at birth—160	247	138	31	24	30	9	4	2	238	5	3	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	134	57	26	19	22	8	-----	1	133	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	47	2	2	-----	1	-----	1	-----	6	6	7	4	5	5	1	4	2	4	2	1
Unknown or ill-defined diseases—199,200	21	4	3	2	2	1	-----	1	13	-----	2	3	1	-----	2	-----	-----	-----	-----	-----
All other causes	161	7	5	7	8	9	7	2	45	20	20	7	11	8	11	7	12	8	5	7
WYOMING—All causes	274	68	18	19	17	16	9	12	159	14	20	14	15	11	12	6	8	10	3	2
Measles—7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever—8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----
Diphtheria—10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza—11	6	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	3	-----	-----	-----	-----	1	-----	-----	1
Dysentery—13	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Erysipelas—15	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Epidemic cerebrospinal meningitis—18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus—22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system—23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.—24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis—25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis—34	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions—86	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Bronchitis—106	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia—107	37	-----	-----	-----	-----	-----	1	4	5	1	7	4	4	5	3	2	2	2	2	-----
Lobar and unspecified pneumonia—108,109	12	-----	1	-----	-----	1	-----	-----	2	1	3	1	2	-----	1	-----	2	-----	-----	-----
Diseases of the stomach—117,118	2	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis—119	21	-----	-----	-----	-----	1	-----	1	2	-----	2	2	5	1	5	1	2	1	-----	-----
Intestinal obstruction—122b	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	-----	-----
Congenital malformations—157	32	6	3	3	3	1	3	4	23	3	3	1	-----	1	-----	-----	-----	-----	1	-----
Congenital debility, etc.—158,161b,c	8	1	-----	1	2	1	-----	-----	5	-----	-----	-----	1	2	-----	-----	-----	-----	-----	-----
Premature birth—159	86	50	11	8	7	5	1	1	83	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	11	5	1	1	1	2	-----	-----	10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	13	4	2	2	1	3	1	-----	13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-195,201-214	7	-----	-----	-----	-----	-----	-----	1	1	1	-----	1	1	-----	-----	-----	1	2	-----	-----
Unknown or ill-defined diseases—199,200	7	2	-----	2	-----	-----	-----	-----	4	1	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
All other causes	23	-----	-----	2	3	1	2	1	9	1	4	-----	2	1	2	1	-----	2	-----	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOS ANGELES, CALIF. (white)----All causes	927	268	75	32	43	33	27	29	507	78	51	50	44	45	28	35	28	22	19	20
Measles	17	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	1	----	7	1	2	4
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	1
Whooping-cough----------9	23	-----	----	----	----	----	----	----	-----	4	4	3	3	2	4	----	2	1	----	----
Diphtheria----------10	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	1	1
Influenza----------11	6	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	2	2	----	----	----	----
Dysentery----------13	15	-----	----	----	----	----	----	----	-----	-----	1	----	1	6	2	2	----	1	1	1
Erysipelas----------15	5	-----	----	----	----	----	----	----	-----	1	2	----	1	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------16	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	1	----	----	1	----
Tetanus----------22	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	12	-----	----	----	----	----	----	----	-----	-----	----	1	3	3	----	3	----	----	1	1
Tuberculosis of the meninges, etc.------24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	2	----
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	----	----	1	----	----	----
Syphilis----------34	17	3	----	----	----	----	1	1	5	2	6	3	----	1	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	1
Bronchopneumonia----------107	139	-----	----	2	2	5	4	5	18	18	15	20	14	14	4	12	6	8	3	7
Lobar and unspecified pneumonia---108,109	17	-----	----	----	----	1	1	----	2	2	3	2	----	3	----	1	----	1	3	----
Diseases of the stomach----------117,118	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	85	-----	----	----	----	1	2	7	10	16	7	10	12	5	6	4	7	4	3	1
Intestinal obstruction----------122b	9	-----	----	----	1	4	----	----	5	3	----	1	----	----	----	----	----	----	----	----
Congenital malformations----------157	95	32	8	4	10	4	5	6	69	12	1	2	1	1	4	2	1	----	1	1
Congenital debility, etc.------158,161b,c	17	3	----	1	3	----	4	1	12	4	----	----	----	1	----	----	----	----	----	----
Premature birth----------159	255	158	45	11	13	13	7	4	251	3	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	69	44	13	5	5	----	1	1	69	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	45	24	8	8	4	----	1	----	45	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	7	-----	----	----	----	----	----	----	-----	2	----	1	1	1	----	1	----	1	----	----
Unknown or ill-defined diseases---199,200	4	1	----	----	----	1	----	----	2	-----	----	----	----	----	----	----	1	----	----	----
All other causes----------	72	3	1	1	5	4	----	4	18	11	10	4	7	4	4	4	3	4	1	2
LOS ANGELES, CALIF. (other races)----------All causes	61	18	3	2	3	1	2	2	31	5	2	7	4	2	----	5	----	1	4	----
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	4	-----	----	----	----	----	----	----	-----	1	----	----	1	----	----	----	----	----	2	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------16	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	1	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Convulsions----------86	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	2	-----	----	----	----	----	1	----	1	2	----	3	1	----	----	4	----	----	1	----
Lobar and unspecified pneumonia---108,109	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	1	----	----	----	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Congenital malformations----------157	4	1	1	----	----	----	----	----	2	-----	1	----	----	1	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	2	-----	----	----	----	----	1	----	1	1	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	16	11	1	----	1	1	----	2	16	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	6	3	1	1	1	----	----	----	6	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	5	3	----	1	1	----	----	----	5	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	3	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	----	----	----	----	----	----
SAN FRANCISCO, CALIF. (white)--All causes	274	109	14	7	10	21	12	10	183	13	14	6	14	5	11	8	9	4	3	4
Measles----------7	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	1	----	----
Scarlet fever----------8	----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------16	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	5	-----	----	----	----	----	1	----	1	1	----	2	----	1	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	21	-----	----	----	----	3	1	1	5	1	4	1	1	----	----	2	4	2	1	----
Lobar and unspecified pneumonia---108,109	7	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	2	2	----	----	----	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	20	-----	----	----	----	4	5	1	10	1	3	1	2	----	1	1	----	----	----	1
Intestinal obstruction----------122b	4	-----	----	1	----	----	----	----	1	-----	1	----	1	1	----	----	----	----	----	----
Congenital malformations----------157	39	5	3	2	5	4	2	4	25	2	3	----	3	1	4	1	----	----	----	----
Congenital debility, etc.------158,161b,c	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	85	66	6	2	4	5	----	----	83	1	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	35	29	4	1	----	1	----	----	35	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	9	6	1	1	1	----	----	----	9	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	8	-----	----	----	----	----	----	1	1	3	----	----	2	----	1	----	----	----	----	1
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	31	3	----	----	----	4	1	3	11	4	1	1	3	2	2	2	2	----	2	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SAN FRANCISCO, CALIF. (other races)[a]—All causes	28	6	2	1	1	----	----	2	12	5	4	1	1	----	----	1	1	1	2	----
Measles—7	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Diphtheria—10	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Dysentery—13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Syphilis—34	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	7	----	----	----	----	----	----	1	1	3	2	----	----	----	----	----	1	----	----	----
Lobar and unspecified pneumonia—108,109	3	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	2	----
Diseases of the stomach—117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	2	----	----	----	----	----	----	1	1	----	----	1	----	----	----	----	----	----	----	----
Intestinal obstruction—122b	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Congenital malformations—157	2	----	----	----	1	----	----	----	1	----	1	----	----	----	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Premature birth—159	8	5	2	1	----	----	----	----	8	----	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	1	1	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases—199,200	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
All other causes	3	----	----	----	----	----	----	----	----	1	----	----	1	----	----	1	----	----	----	----
WASHINGTON, D. C. (white)—All causes	391	131	29	12	25	22	14	13	246	20	23	17	12	17	10	13	8	13	10	2
Measles—7	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	10	----	----	----	----	----	----	----	----	1	----	1	1	----	----	----	2	2	3	----
Diphtheria—10	2	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----	----
Influenza—11	5	----	----	----	----	----	----	----	----	----	----	1	1	1	----	1	----	1	----	----
Dysentery—13	2	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----	----	----	----
Erysipelas—15	2	----	----	----	----	----	----	----	----	----	2	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
Syphilis—34	4	----	1	----	----	1	----	----	2	----	----	1	1	----	----	----	----	----	----	----
Convulsions—86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Bronchopneumonia—107	36	----	----	----	----	----	3	1	4	6	1	5	1	8	3	3	----	3	1	1
Lobar and unspecified pneumonia—108,109	11	----	----	----	----	----	----	----	----	3	1	----	1	1	----	2	----	1	1	1
Diseases of the stomach—117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	34	----	----	----	----	----	1	3	4	3	7	3	4	2	2	2	1	5	1	----
Intestinal obstruction—122b	5	----	----	----	----	----	----	1	1	----	----	1	1	1	----	----	1	----	----	----
Congenital malformations—157	46	11	1	1	6	8	2	2	31	2	6	----	1	1	1	2	----	----	2	----
Congenital debility, etc.—158,161b,c	5	1	----	----	1	1	----	----	3	1	----	----	----	----	----	----	1	----	----	----
Premature birth—159	135	89	16	5	7	9	5	1	132	2	1	----	----	----	----	----	----	----	----	----
Injury at birth—160	40	16	7	4	7	2	2	2	40	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	16	10	3	1	1	----	----	1	16	----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	8	3	----	----	----	----	----	----	3	----	1	2	----	----	1	----	1	----	----	----
Unknown or ill-defined diseases—199,200	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
All other causes	26	1	1	1	3	1	1	2	10	2	3	3	1	1	2	2	1	----	1	----
WASHINGTON, D.C. (other races)—All causes	456	76	32	15	23	30	22	26	224	38	33	29	27	23	27	18	14	8	8	7
Measles—7	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	19	----	----	----	----	----	----	1	1	----	4	2	2	2	4	2	----	----	1	1
Diphtheria—10	1	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	5	----	----	----	----	----	----	----	----	----	----	1	----	1	1	1	----	----	----	1
Dysentery—13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	2	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	----	----	----
Tuberculosis of the meninges, etc.—24	2	----	----	----	----	----	----	1	1	----	1	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	5	----	----	----	----	----	----	----	----	----	----	----	1	----	1	3	----	----	----	----
Syphilis—34	18	3	----	----	----	1	2	----	6	2	4	1	2	1	----	----	----	----	2	----
Convulsions—86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	3	----	----	----	----	----	----	----	----	----	----	1	----	----	1	1	----	----	----	----
Bronchopneumonia—107	68	----	----	1	----	6	3	2	12	10	7	9	7	5	6	7	4	----	----	1
Lobar and unspecified pneumonia—108,109	19	----	----	----	----	1	----	3	4	2	2	----	2	2	2	----	2	2	1	----
Diseases of the stomach—117,118	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Diarrhea and enteritis—119	54	----	----	----	----	----	2	4	6	5	8	7	7	2	8	----	3	4	2	2
Intestinal obstruction—122b	4	----	----	----	----	----	----	2	2	----	----	----	----	2	----	----	----	----	----	----
Congenital malformations—157	14	1	1	----	1	----	1	1	5	1	2	1	1	3	1	----	----	----	----	----
Congenital debility, etc.—158,161b,c	17	1	----	----	1	1	1	2	6	2	----	2	2	1	----	----	1	1	1	1
Premature birth—159	156	60	26	9	18	15	10	7	145	9	2	----	----	----	----	----	----	----	----	----
Injury at birth—160	20	6	3	3	3	2	1	1	19	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	6	4	1	1	----	----	----	----	6	----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	12	1	----	----	----	1	----	1	3	2	3	1	----	1	2	----	----	----	----	----
Unknown or ill-defined diseases—199,200	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
All other causes	27	----	1	1	----	3	2	----	7	4	----	3	2	2	1	2	4	1	----	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CHICAGO, ILL. (white)----------All causes	1,609	573	140	88	117	65	54	39	1,076	106	80	67	57	38	36	37	29	29	27	27
Measles----------7	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	1	1
Whooping-cough----------9	31	-----	----	----	----	----	----	2	2	4	7	5	3	----	----	3	2	3	----	2
Diphtheria----------10	1	-----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	12	-----	----	----	----	----	----	1	1	2	1	1	----	1	----	----	2	2	2	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	1	----	----	----
Epidemic cerebrospinal meningitis------18	4	-----	----	----	----	----	----	----	-----	----	----	----	1	----	1	----	1	1	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	-----	----	----	----	----	----	----	-----	1	1	1	----	----	----	----	1	1	1	----
Tuberculosis of the meninges, etc.-----24	4	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	1	1	----	1
Other forms of tuberculosis---------25-32	4	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	1	----	----	2
Syphilis----------34	6	4	----	----	1	----	----	----	5	1	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	2	-----	----	----	2	----	----	----	2	----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	14	-----	----	----	1	2	----	----	3	4	----	1	3	----	1	2	----	----	----	----
Bronchopneumonia----------107	204	2	1	1	4	13	14	10	45	34	20	23	13	14	13	10	6	8	8	10
Lobar and unspecified pneumonia---108,109	35	-----	1	----	----	2	1	1	5	1	3	3	1	3	4	5	2	----	4	4
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	73	-----	1	----	----	----	4	7	12	17	13	10	4	2	1	4	6	2	1	1
Intestinal obstruction----------122b	15	-----	----	----	1	----	2	----	3	1	1	----	5	----	1	1	1	2	----	----
Congenital malformations----------157	231	45	17	15	32	21	10	7	147	18	17	6	17	7	6	4	2	5	1	1
Congenital debility, etc.------158,161b,c	20	3	----	4	7	1	3	----	18	-----	----	1	----	----	1	----	----	----	----	----
Premature birth----------159	431	300	59	27	25	10	5	3	429	2	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	275	160	42	32	25	9	3	1	272	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	83	46	17	8	11	----	1	----	83	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	30	7	----	----	----	1	3	----	11	3	4	5	1	----	1	3	----	1	1	----
Unknown or ill-defined diseases---199,200	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	122	6	2	1	8	6	8	5	36	13	12	11	9	11	7	4	3	3	8	5
CHICAGO, ILL. (other races)----All causes	276	85	13	11	16	12	11	7	155	19	18	11	11	9	6	5	16	11	5	10
Measles----------7	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	17	-----	----	----	----	----	----	----	-----	3	2	2	3	----	1	2	1	2	----	1
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	1
Influenza----------11	3	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	1	----	1
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	3	-----	----	----	----	----	----	1	1	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	2	----	----	----
Tuberculosis of the meninges, etc.-----24	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	1	1	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	1
Syphilis----------34	10	1	----	----	1	----	----	1	3	3	2	----	2	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	77	4	1	----	3	9	7	4	28	5	10	4	4	3	2	2	8	4	2	5
Lobar and unspecified pneumonia---108,109	5	-----	----	----	----	----	1	----	1	-----	1	----	----	----	----	----	1	2	----	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	12	-----	----	----	----	1	1	1	3	2	1	3	----	1	----	----	1	1	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	1
Congenital malformations----------157	7	4	----	----	----	----	----	----	4	1	1	----	----	----	----	----	1	----	----	----
Congenital debility, etc.------158,161b,c	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	70	51	5	5	5	2	1	----	69	1	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	33	17	6	4	6	----	----	----	33	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	10	7	1	2	----	----	----	----	10	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	5	-----	----	----	1	----	----	----	1	1	1	----	----	2	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
All other causes----------	16	1	----	----	----	----	1	----	2	1	----	1	1	3	3	1	1	----	3	----
BALTIMORE, MD. (white)---------All causes	569	140	35	21	34	31	17	21	299	38	36	35	27	19	27	23	16	17	11	21
Measles----------7	3	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	2	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	7	-----	----	----	----	----	----	----	-----	----	4	----	1	1	----	----	----	----	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	6	-----	----	----	----	----	----	----	-----	----	1	----	----	1	1	1	----	----	----	2
Dysentery----------13	12	-----	----	----	----	----	----	----	-----	----	1	2	3	1	2	1	----	----	----	2
Erysipelas----------15	6	-----	----	----	----	----	1	1	2	2	1	----	----	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	6	-----	----	----	----	----	----	----	-----	1	1	1	1	----	----	----	----	1	1	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	----	2	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	6	-----	----	1	----	----	----	1	2	1	1	1	----	----	----	----	----	1	----	----
Convulsions----------86	3	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	1	----	----	1
Bronchitis----------106	4	-----	----	----	----	----	----	1	1	-----	----	----	1	1	1	----	----	----	----	----
Bronchopneumonia----------107	55	-----	----	----	1	1	3	5	10	6	1	6	4	1	7	1	7	4	----	8
Lobar and unspecified pneumonia---108,109	35	-----	----	----	----	----	----	----	-----	3	3	9	2	1	4	4	1	2	3	3
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	57	-----	----	----	1	2	6	4	13	7	7	6	3	4	6	3	4	3	----	1
Intestinal obstruction----------122b	5	-----	----	----	1	----	----	----	1	1	1	----	1	----	1	----	----	----	----	----
Congenital malformations----------157	82	14	1	4	9	14	2	2	46	8	8	5	2	4	3	4	1	1	----	----
Congenital debility, etc.------158,161b,c	6	1	----	----	----	----	----	1	2	1	2	----	1	----	----	----	----	----	----	----
Premature birth----------159	154	97	23	9	8	6	1	4	148	3	2	1	----	----	----	----	----	----	----	----
Injury at birth----------160	41	17	7	5	7	3	2	----	41	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	26	11	4	2	5	3	1	----	26	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	7	-----	----	----	1	----	----	----	1	-----	----	1	1	----	----	2	----	1	----	1
Unknown or ill-defined diseases---199,200	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	43	-----	----	----	1	2	1	1	5	5	3	3	7	3	2	5	----	4	4	2

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BALTIMORE, MD. (other races)---All causes	324	57	12	10	17	23	7	11	137	18	18	20	24	29	18	17	13	12	11	7
Measles-------7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever-------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough-------9	13	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	2	1	1	2	1	3	-----
Diphtheria-------10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Influenza-------11	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1
Dysentery-------13	13	-----	-----	-----	-----	-----	-----	-----	-----	1	2	3	-----	1	1	2	1	1	1	-----
Erysipelas-------15	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	2	-----	-----
Tetanus-------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	3	1	-----	2	1
Tuberculosis of the meninges, etc.-----24	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	-----	-----
Other forms of tuberculosis---------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis-------34	11	3	-----	-----	2	-----	1	6	1	-----	1	-----	1	1	1	-----	-----	-----	-----	-----
Convulsions-------86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-------106	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia-------107	50	-----	-----	-----	2	1	4	7	2	5	6	7	7	5	4	4	2	1	-----	-----
Lobar and unspecified pneumonia---108,109	30	-----	-----	-----	-----	-----	1	1	1	4	2	4	7	4	2	1	-----	-----	4	-----
Diseases of the stomach---------117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis-------119	30	-----	-----	-----	1	2	2	5	4	3	-----	5	5	2	2	2	1	1	-----	-----
Intestinal obstruction-------122b	2	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Congenital malformations-------157	19	2	-----	1	2	3	-----	1	9	3	3	1	1	-----	2	-----	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	3	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----
Premature birth-------159	65	34	6	4	5	11	3	-----	63	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth-------160	21	11	4	1	3	-----	1	-----	20	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	14	7	1	3	2	1	-----	-----	14	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	9	-----	1	1	1	2	-----	-----	5	1	-----	1	1	1	-----	-----	-----	-----	-----	-----
Unknown or ill-defined diseases---199,200	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes--------	21	-----	-----	-----	3	-----	-----	2	5	2	-----	2	2	4	-----	1	1	1	2	1
BOSTON, MASS.----------All causes	822	211	53	46	64	40	44	40	498	59	48	32	36	20	37	19	23	23	18	9
Measles-------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Scarlet fever-------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough-------9	15	-----	-----	-----	-----	-----	-----	1	1	1	2	1	1	1	-----	2	1	3	2	-----
Diphtheria-------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza-------11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Dysentery-------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas-------15	5	-----	-----	-----	-----	-----	1	2	3	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----
Tetanus-------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.-----24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Other forms of tuberculosis---------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis-------34	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions-------86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-------106	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia-------107	114	-----	1	1	4	3	11	5	25	10	13	8	7	11	11	9	5	7	7	1
Lobar and unspecified pneumonia---108,109	25	1	-----	-----	-----	1	-----	1	3	2	4	3	3	3	7	-----	-----	-----	-----	-----
Diseases of the stomach---------117,118	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis-------119	47	-----	-----	-----	-----	-----	4	1	5	4	8	3	13	-----	5	1	4	2	2	-----
Intestinal obstruction-------122b	3	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Congenital malformations-------157	124	28	3	10	9	10	4	5	69	18	5	10	5	1	6	1	2	2	3	2
Congenital debility, etc.------158,161b,c	9	1	-----	-----	5	-----	-----	-----	6	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----
Premature birth-------159	268	125	29	20	21	16	20	21	252	11	4	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth-------160	69	32	11	4	17	2	1	1	68	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	45	21	7	10	5	1	-----	-----	44	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	21	-----	1	-----	1	1	-----	1	4	3	1	1	2	2	1	-----	3	1	3	-----
Unknown or ill-defined diseases---199,200	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes--------	68	3	1	1	2	5	3	2	17	5	7	5	4	2	6	4	7	5	1	5
DETROIT, MICH. (white)---------All causes	1,258	295	99	56	80	78	77	44	729	115	71	68	57	41	42	38	35	21	26	15
Measles-------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Scarlet fever-------8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Whooping-cough-------9	21	-----	-----	-----	-----	-----	1	-----	1	2	3	3	2	1	1	-----	3	4	-----	1
Diphtheria-------10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Influenza-------11	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	1	-----	2	-----	1	1	1	1
Dysentery-------13	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas-------15	8	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	1	-----	1	1	-----	2	-----	-----
Epidemic cerebrospinal meningitis------18	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	3	-----	-----	-----	1	-----
Tetanus-------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.-----24	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	1
Other forms of tuberculosis---------25-32	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----
Syphilis-------34	3	-----	-----	-----	-----	-----	-----	1	1	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions-------86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-------106	4	-----	-----	-----	-----	-----	-----	1	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	1
Bronchopneumonia-------107	145	1	-----	1	3	5	9	5	24	18	26	22	11	7	9	9	9	2	6	2
Lobar and unspecified pneumonia---108,109	58	-----	-----	1	2	1	-----	3	7	7	4	8	7	4	3	6	7	2	2	1
Diseases of the stomach---------117,118	2	-----	-----	1	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis-------119	175	-----	-----	1	7	19	29	14	70	34	7	9	13	8	5	11	5	4	6	3
Intestinal obstruction-------122b	15	-----	-----	-----	-----	1	1	-----	2	-----	-----	-----	4	1	4	1	2	1	-----	-----
Congenital malformations-------157	118	25	7	4	15	13	10	4	78	15	8	4	4	3	2	1	-----	1	2	-----
Congenital debility, etc.------158,161b,c	15	2	-----	1	2	3	3	-----	11	2	-----	1	-----	-----	1	-----	-----	-----	-----	-----
Premature birth-------159	359	189	67	30	28	14	10	7	345	13	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Injury at birth-------160	92	41	16	7	13	5	3	1	86	2	4	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	63	33	8	6	8	2	2	1	60	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	25	1	-----	2	-----	2	3	1	9	2	3	1	2	2	2	-----	1	2	1	-----
Unknown or ill-defined diseases---199,200	1	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes--------	126	2	1	2	2	13	6	6	32	14	11	13	12	14	9	7	5	1	5	3

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DETROIT, MICH. (other races)---All causes	162	33	9	2	5	9	7	8	73	18	11	21	8	7	7	3	5	5	2	2
Measles---7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Whooping-cough---9	6	-----	----	----	----	----	----	----	-----	-----	----	3	1	----	1	----	----	----	----	1
Diphtheria---10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza---11	2	-----	----	----	----	----	----	1	1	-----	----	----	----	1	----	----	----	----	----	----
Dysentery---13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas---15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Tetanus---22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	1	----	----	----
Tuberculosis of the meninges, etc.---24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	----
Syphilis---34	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions---86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis---106	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Bronchopneumonia---107	17	-----	----	----	----	----	----	2	2	6	----	2	1	2	1	1	----	1	----	1
Lobar and unspecified pneumonia---108,109	9	-----	----	----	----	----	----	----	-----	-----	1	2	1	----	2	----	1	1	1	----
Diseases of the stomach---117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	25	-----	----	----	----	----	4	3	7	3	3	3	2	3	1	1	1	1	----	----
Intestinal obstruction---122b	4	-----	----	----	----	----	----	----	-----	1	----	1	1	----	----	----	1	----	----	----
Congenital malformations---157	6	-----	1	----	1	1	----	----	3	-----	----	1	----	----	----	1	----	1	----	----
Congenital debility, etc.---158,161b,c	2	1	----	----	----	----	----	1	2	-----	----	----	----	----	----	----	----	----	----	----
Premature birth---159	45	25	6	1	3	4	2	1	42	1	1	1	----	----	----	----	----	----	----	----
Injury at birth---160	8	5	1	----	----	1	----	----	7	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	4	1	----	1	----	2	----	----	4	-----	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	5	-----	----	----	----	----	----	----	-----	3	----	2	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----	22	1	1	----	1	1	1	----	5	4	3	6	2	----	2	----	----	----	----	----
ST. LOUIS, MO. (white)---All causes	521	139	37	24	32	31	29	18	310	33	27	22	26	24	20	22	15	7	9	6
Measles---7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	6	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	1	2	1	----	2	----
Diphtheria---10	------	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Influenza---11	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	----	1	2	----	----	----
Dysentery---13	28	-----	----	----	----	1	1	----	2	3	----	5	2	6	----	4	2	1	1	2
Erysipelas---15	2	-----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	2	----	----	----	----
Tetanus---22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.---24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Other forms of tuberculosis---25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	2	----	----	----	----	----
Syphilis---34	5	-----	----	----	----	----	1	----	1	-----	1	1	1	1	----	----	----	----	----	----
Convulsions---86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis---106	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	1	----	----	----
Bronchopneumonia---107	52	-----	2	1	----	1	2	4	10	7	4	5	6	5	5	3	2	1	1	1
Lobar and unspecified pneumonia---108,109	10	-----	----	----	1	1	1	----	3	-----	2	1	2	2	----	----	----	----	----	----
Diseases of the stomach---117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Diarrhea and enteritis---119	47	-----	1	----	1	2	10	4	18	2	7	3	3	2	3	5	----	3	1	----
Intestinal obstruction---122b	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	1	----	----	----	----	----
Congenital malformations---157	49	5	5	2	8	4	4	3	31	7	2	1	2	2	2	----	1	----	1	----
Congenital debility, etc.---158,161b,c	6	1	----	----	----	----	----	----	1	1	----	----	2	----	----	1	----	1	----	----
Premature birth---159	184	107	16	11	13	17	7	4	175	6	2	----	----	1	----	----	----	----	----	----
Injury at birth---160	49	20	10	6	5	3	1	1	47	-----	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	10	3	2	2	----	1	1	----	9	1	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	14	-----	----	----	1	----	----	----	1	1	2	3	----	1	1	1	3	----	----	1
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----	38	3	1	2	2	1	1	1	11	4	2	1	4	2	3	3	2	1	3	2
ST. LOUIS, MO. (other races)---All causes	120	34	5	3	4	6	1	2	55	8	11	7	12	2	4	5	8	7	----	1
Measles---7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever---8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	1	----	----	----
Diphtheria---10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza---11	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery---13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas---15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus---22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	5	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	2	2	----	----
Tuberculosis of the meninges, etc.---24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis---34	10	2	----	----	----	1	----	1	4	3	1	1	----	----	----	----	1	----	----	----
Convulsions---86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis---106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia---107	21	-----	1	----	2	1	----	----	4	3	1	3	2	1	----	3	2	2	----	----
Lobar and unspecified pneumonia---108,109	7	-----	----	----	----	----	----	----	-----	-----	1	----	2	----	2	----	----	1	----	1
Diseases of the stomach---117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	15	-----	----	----	----	1	----	1	2	1	4	1	4	----	1	1	----	1	----	----
Intestinal obstruction---122b	2	-----	----	----	----	----	----	----	-----	-----	----	----	2	----	----	----	----	----	----	----
Congenital malformations---157	3	-----	2	----	----	----	----	----	2	-----	----	----	----	----	----	1	----	----	----	----
Congenital debility, etc.---158,161b,c	4	1	----	----	----	----	1	----	2	-----	1	1	----	----	----	----	----	----	----	----
Premature birth---159	36	28	1	2	1	3	----	----	35	-----	1	----	----	----	----	----	----	----	----	----
Injury at birth---160	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	5	3	1	1	----	----	----	----	5	-----	----	----	----	----	----	----	----	----	----	----
External causes---172-195,201-214	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	1	----	2	----	----	----
Unknown or ill-defined diseases---199,200*	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
All other causes----	3	-----	----	----	----	----	----	----	-----	1	----	----	1	----	----	----	----	1	----	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BUFFALO, N. Y.----------All causes	488	164	44	22	34	19	17	11	311	30	22	27	19	15	13	14	11	10	9	7
Measles----------7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	5	-----	-----	-----	-----	-----	-----	-----	-----	1	2	1	-----	-----	1	-----	-----	-----	-----	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	5	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	1	-----	1	1	-----	-----	1
Dysentery----------13	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	2	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----------18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.----24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis----------25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Syphilis----------34	3	-----	-----	-----	-----	-----	1	-----	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions----------86	8	-----	-----	-----	-----	-----	-----	1	1	2	1	-----	-----	3	-----	1	-----	1	-----	-----
Bronchitis----------106	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	1	-----	-----	-----
Bronchopneumonia----------107	48	-----	-----	2	3	1	-----	3	9	3	5	8	6	1	2	4	3	1	2	4
Lobar and unspecified pneumonia---108,109	14	-----	-----	-----	1	1	-----	1	3	3	-----	2	1	-----	1	-----	-----	1	3	-----
Diseases of the stomach----------117,118	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Diarrhea and enteritis----------119	53	-----	-----	-----	-----	-----	5	3	8	7	6	9	5	2	4	4	1	5	1	1
Intestinal obstruction----------122b	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	2	-----	2	-----	1	-----	-----
Congenital malformations----------157	62	11	6	6	10	6	1	-----	40	5	3	3	5	1	1	-----	3	-----	-----	1
Congenital debility, etc.-------158,161b,c	8	2	1	1	2	-----	-----	-----	6	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Premature birth----------159	130	81	17	7	7	7	5	2	126	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	81	57	14	4	5	1	-----	-----	81	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	16	6	3	1	3	3	-----	-----	16	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	6	2	-----	-----	-----	-----	-----	-----	2	-----	-----	1	-----	1	-----	-----	-----	-----	2	-----
Unknown or ill-defined diseases---199,200	5	3	2	-----	-----	-----	-----	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	28	2	1	1	3	-----	3	-----	10	2	4	1	1	3	3	-----	2	1	1	-----
NEW YORK, N. Y. (white)--------All causes	3,912	1,081	281	167	300	206	203	169	2,407	341	257	174	135	113	101	100	75	81	75	53
Measles----------7	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	2	2	2	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	23	-----	-----	-----	-----	-----	-----	-----	-----	6	5	2	2	-----	1	-----	1	3	3	-----
Diphtheria----------10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Influenza----------11	18	-----	-----	-----	-----	-----	2	2	2	2	1	2	-----	1	1	6	-----	2	1	-----
Dysentery----------13	4	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	1	-----	-----
Erysipelas----------15	40	-----	-----	-----	1	-----	2	6	9	7	10	1	1	4	2	-----	2	4	-----	-----
Epidemic cerebrospinal meningitis----------18	29	-----	-----	-----	-----	-----	1	-----	1	-----	4	5	2	5	3	3	1	2	2	1
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	2	1	2	1	-----	1	-----
Tuberculosis of the meninges, etc.----24	5	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	1	-----	-----	-----	-----	1	-----	1
Other forms of tuberculosis----------25-32	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1
Syphilis----------34	19	2	1	1	-----	-----	-----	-----	4	3	7	-----	1	-----	1	1	-----	1	-----	1
Convulsions----------86	6	1	-----	1	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	2	-----	-----	-----	1
Bronchitis----------106	6	-----	-----	-----	-----	-----	-----	1	1	1	-----	1	-----	1	1	-----	-----	-----	-----	1
Bronchopneumonia----------107	554	2	-----	4	17	32	39	23	117	82	74	58	37	25	25	39	26	30	24	17
Lobar and unspecified pneumonia---108,109	136	1	-----	2	4	1	7	6	21	9	12	11	9	15	15	9	11	7	12	5
Diseases of the stomach----------117,118	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Diarrhea and enteritis----------119	432	-----	-----	-----	1	23	68	53	145	85	58	25	30	22	19	15	10	9	9	5
Intestinal obstruction----------122b	33	-----	-----	-----	2	1	2	4	9	7	2	1	5	3	3	1	-----	1	1	-----
Congenital malformations----------157	435	91	24	23	58	38	28	19	281	45	31	22	19	8	9	3	8	4	2	3
Congenital debility, etc.-------158,161b,c	48	5	1	2	17	5	3	3	36	7	3	2	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	1,095	625	149	69	93	61	33	30	1,060	22	9	3	1	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	458	231	80	45	68	17	8	3	452	4	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	192	111	24	19	23	4	2	5	188	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	64	8	-----	-----	1	3	1	-----	13	8	9	11	3	4	3	-----	3	1	5	4
Unknown or ill-defined diseases---199,200	11	-----	-----	-----	-----	2	-----	-----	2	2	4	-----	1	1	1	-----	-----	-----	-----	-----
All other causes----------	281	4	2	1	15	19	9	14	64	43	23	30	21	22	16	16	8	13	12	13
NEW YORK, N. Y. (other races)--All causes	588	155	35	10	40	50	40	29	359	41	37	28	30	22	18	16	9	10	8	10
Measles----------7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	2	1	1	1	1	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	1	-----	2	-----	-----
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----------18	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	-----	1	-----
Tuberculosis of the meninges, etc.----24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Other forms of tuberculosis----------25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	22	4	1	-----	-----	2	2	1	10	1	2	1	1	3	1	-----	1	2	-----	-----
Convulsions----------86	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	90	1	-----	-----	1	3	7	3	15	13	13	12	12	7	4	7	1	1	1	4
Lobar and unspecified pneumonia---108,109	25	-----	-----	-----	-----	1	-----	-----	1	1	2	1	3	4	4	3	1	2	1	2
Diseases of the stomach----------117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	69	-----	-----	-----	2	7	13	10	32	10	7	5	5	3	2	1	-----	-----	-----	4
Intestinal obstruction----------122b	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----
Congenital malformations----------157	30	3	3	2	3	5	-----	3	19	1	3	3	1	-----	1	-----	1	-----	1	-----
Congenital debility, etc.-------158,161b,c	13	-----	-----	-----	1	2	3	4	10	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	197	113	17	7	16	24	11	3	191	5	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	53	24	10	1	11	3	1	-----	50	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	22	7	4	-----	6	1	1	3	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	12	1	-----	-----	-----	-----	-----	-----	1	1	3	1	-----	-----	1	1	1	1	2	-----
Unknown or ill-defined diseases---199,200	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	31	2	-----	-----	-----	2	2	2	8	4	2	2	5	5	2	1	-----	1	1	-----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y., BRONX BOROUGH—All causes	625	199	48	34	48	32	28	22	411	48	29	30	19	19	16	13	10	9	13	8
Measles	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough	9	8	-----	-----	-----	-----	-----	-----	-----	-----	3	1	2	-----	-----	1	1	-----	-----	-----
Diphtheria	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza	11	3	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	1	-----
Dysentery	13	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas	15	3	-----	-----	-----	-----	-----	-----	-----	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis	18	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	1	-----	1	-----	2	-----
Tetanus	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	23	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.	24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Other forms of tuberculosis	25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis	34	4	2	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----
Convulsions	86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis	106	2	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Bronchopneumonia	107	94	1	-----	2	5	5	4	17	19	14	7	4	8	5	9	2	4	2	3
Lobar and unspecified pneumonia	108,109	29	1	-----	1	1	-----	2	1	6	-----	2	7	3	3	3	-----	-----	1	4
Diseases of the stomach	117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis	119	49	-----	-----	-----	-----	4	8	4	16	14	3	3	4	-----	2	1	2	2	1
Intestinal obstruction	122b	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Congenital malformations	157	63	19	7	5	10	4	5	4	54	2	2	2	1	-----	-----	-----	1	1	-----
Congenital debility, etc.	158,161b,c	5	-----	-----	-----	2	1	-----	1	4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth	159	176	109	22	15	12	8	4	4	174	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth	160	89	41	16	9	16	4	2	1	89	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	161a,d	34	22	3	4	3	1	-----	1	34	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes	172-195,201-214	12	4	-----	-----	-----	1	-----	-----	5	1	-----	2	-----	-----	-----	-----	2	-----	1	1
Unknown or ill-defined diseases	199,200	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes		41	-----	-----	-----	2	4	2	1	9	5	4	7	3	3	3	1	1	1	2	2
NEW YORK, N. Y., BROOKLYN BOROUGH (white)—All causes		1,526	381	113	61	117	87	76	59	894	135	110	76	64	47	34	38	36	32	31	29
Measles	7	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	-----
Scarlet fever	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough	9	8	-----	-----	-----	-----	-----	-----	-----	-----	4	2	-----	-----	-----	-----	-----	-----	2	-----	-----
Diphtheria	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza	11	10	-----	-----	-----	-----	-----	-----	2	2	-----	1	2	-----	-----	-----	4	-----	1	-----	-----
Dysentery	13	2	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas	15	21	-----	-----	-----	1	-----	1	3	5	2	6	-----	-----	4	2	-----	1	1	-----	-----
Epidemic cerebrospinal meningitis	18	14	-----	-----	-----	-----	-----	1	-----	1	-----	2	4	1	2	2	-----	-----	1	-----	1
Tetanus	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	23	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	1	-----	-----
Tuberculosis of the meninges, etc.	24	3	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	1	-----	-----	-----
Other forms of tuberculosis	25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Syphilis	34	8	-----	1	1	-----	-----	-----	-----	2	1	4	-----	-----	-----	-----	-----	-----	-----	-----	1
Convulsions	86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis	106	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	1
Bronchopneumonia	107	244	-----	-----	2	8	14	14	7	45	34	27	26	22	10	10	17	16	13	14	10
Lobar and unspecified pneumonia	108,109	54	-----	-----	1	2	-----	4	2	9	5	5	4	4	7	3	4	5	1	3	4
Diseases of the stomach	117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis	119	161	-----	-----	-----	1	5	25	20	51	24	27	14	14	6	8	5	2	4	3	3
Intestinal obstruction	122b	17	-----	-----	-----	1	1	2	2	6	4	1	1	1	2	-----	1	-----	1	-----	-----
Congenital malformations	157	167	34	7	5	21	21	8	7	103	18	13	5	10	5	2	-----	4	3	1	3
Congenital debility, etc.	158,161b,c	18	-----	1	1	4	2	2	1	11	5	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth	159	429	234	60	25	39	29	13	8	408	14	6	-----	1	-----	-----	-----	-----	-----	-----	-----
Injury at birth	160	156	71	31	17	24	7	4	-----	154	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	161a,d	76	42	12	8	9	2	-----	2	75	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes	172-195,201-214	12	-----	-----	-----	-----	-----	-----	-----	-----	1	3	2	-----	2	-----	-----	1	-----	3	-----
Unknown or ill-defined diseases	199,200	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes		115	-----	1	1	7	6	2	5	22	20	9	15	11	7	7	6	4	3	5	6
NEW YORK, N. Y., BROOKLYN BOROUGH (other races)—All causes		144	47	5	3	4	5	1	5	71	8	10	10	8	8	4	6	6	5	2	6
Measles	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough	9	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	1	1	-----	-----
Diphtheria	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza	11	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
Dysentery	13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis	18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system	23	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.	24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis	25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Syphilis	34	8	2	-----	-----	-----	1	-----	-----	3	-----	2	1	1	1	-----	-----	-----	-----	-----	-----
Convulsions	86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis	106	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia	107	23	-----	-----	-----	-----	-----	-----	-----	-----	1	4	4	4	2	-----	3	1	1	-----	3
Lobar and unspecified pneumonia	108,109	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	2	1	2	1	-----	-----	-----
Diseases of the stomach	117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis	119	13	-----	-----	-----	-----	-----	-----	2	2	1	1	2	1	2	1	-----	-----	-----	-----	3
Intestinal obstruction	122b	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Congenital malformations	157	6	-----	1	-----	-----	1	-----	1	3	-----	1	2	-----	-----	-----	-----	-----	-----	-----	-----
Congenital debility, etc.	158,161b,c	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth	159	57	40	5	2	4	2	1	-----	54	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth	160	4	2	-----	1	-----	-----	-----	-----	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy	161a,d	5	3	-----	-----	-----	1	-----	1	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes	172-195,201-214	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	1	-----	-----
Unknown or ill-defined diseases	199,200	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes		6	-----	-----	-----	-----	-----	-----	1	1	2	-----	-----	1	1	-----	-----	-----	-----	1	-----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y., MANHATTAN BOROUGH (white)—All causes	1,332	374	88	50	102	66	79	73	832	119	93	53	38	33	38	40	21	24	26	15
Measles—7	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	2	----	1	1	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	5	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	1	----	----	----	2	----
Diphtheria—10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	1	----	----	----	----
Dysentery—13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	13	-----	----	----	----	----	1	3	4	3	2	----	1	----	----	----	1	2	----	----
Epidemic cerebrospinal meningitis—18	7	-----	----	----	----	----	----	----	-----	-----	2	1	----	----	----	3	----	1	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	4	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	1	1	----	----	----	----
Tuberculosis of the meninges, etc.—24	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	8	-----	----	----	----	----	----	----	-----	2	3	----	1	----	----	1	----	1	----	----
Convulsions—86	6	1	----	1	----	----	----	----	2	1	----	----	----	----	----	2	----	----	----	1
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	170	1	----	2	7	10	16	10	46	23	29	21	6	4	6	9	6	8	7	5
Lobar and unspecified pneumonia—108,109	37	-----	----	----	1	----	1	2	4	3	3	----	2	3	5	4	5	1	6	1
Diseases of the stomach—117,118	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	1	----
Diarrhea and enteritis—119	184	-----	----	----	----	9	31	26	66	37	22	6	12	11	8	8	6	3	4	1
Intestinal obstruction—122b	10	-----	----	----	1	----	----	2	3	3	1	----	1	1	1	----	----	----	----	----
Congenital malformations—157	156	28	4	7	23	11	11	7	91	20	13	11	8	2	7	2	1	----	1	----
Congenital debility, etc.—158,161b,c	15	4	----	1	3	1	1	1	11	1	3	----	----	----	----	----	----	----	----	----
Premature birth—159	359	202	53	19	33	22	12	13	354	3	1	1	----	----	----	----	----	----	----	----
Injury at birth—160	161	95	26	13	20	3	----	2	159	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	65	37	5	7	8	1	2	2	62	3	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	28	4	----	----	1	1	1	----	7	3	5	5	2	1	2	----	----	----	1	2
Unknown or ill-defined diseases—199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	94	2	----	----	5	8	3	5	23	14	7	7	3	10	6	7	2	7	3	5
NEW YORK, N. Y., MANHATTAN BOROUGH (other races)—All causes	368	82	23	5	32	35	38	21	236	27	25	14	21	12	13	8	1	4	4	3
Measles—7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Diphtheria—10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	3	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	1	----	----	----	----
Dysentery—13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	13	2	1	----	----	1	2	1	7	1	----	----	----	1	1	----	1	2	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Bronchopneumonia—107	60	1	----	----	1	3	7	1	13	11	8	8	8	4	4	3	----	----	1	----
Lobar and unspecified pneumonia—108,109	13	-----	----	----	----	1	----	----	1	-----	1	----	2	2	3	1	----	1	----	2
Diseases of the stomach—117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	49	-----	----	----	2	6	12	8	28	7	6	1	3	1	1	1	----	----	----	1
Intestinal obstruction—122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Congenital malformations—157	18	1	1	2	3	2	----	2	11	1	2	1	1	----	1	----	----	----	1	----
Congenital debility, etc.—158,161b,c	9	-----	----	----	----	1	3	3	7	2	----	----	----	----	----	----	----	----	----	----
Premature birth—159	110	54	9	3	10	18	10	3	107	3	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	42	18	8	----	10	3	1	----	40	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	16	3	4	----	6	----	1	2	16	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	7	1	----	----	----	----	----	----	1	-----	3	----	----	----	1	1	----	----	1	----
Unknown or ill-defined diseases—199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	21	2	----	----	----	----	2	1	5	1	2	2	4	4	1	1	----	1	----	----
NEW YORK, N.Y., QUEENS BOROUGH-All causes	421	133	30	18	27	23	18	15	264	42	23	18	14	10	11	8	8	15	6	2
Measles—7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	4	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	----	----	1	1	----
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Influenza—11	3	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	----	1	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Erysipelas—15	3	-----	----	----	----	----	----	----	-----	-----	2	----	----	----	----	----	----	1	----	----
Epidemic cerebrospinal meningitis—18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	1
Syphilis—34	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	40	-----	----	----	----	2	3	2	7	6	5	4	5	3	2	2	2	4	----	----
Lobar and unspecified pneumonia—108,109	17	-----	----	----	----	1	----	1	2	2	1	1	----	1	4	1	1	4	----	----
Diseases of the stomach—117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	38	-----	----	----	----	5	5	3	13	11	4	3	1	3	1	1	----	----	1	----
Intestinal obstruction—122b	4	-----	----	----	----	----	----	----	-----	-----	----	----	2	----	1	----	----	----	1	----
Congenital malformations—157	46	10	4	4	3	4	4	1	30	5	3	4	----	----	----	1	3	----	----	----
Congenital debility, etc.—158,161b,c	12	1	----	----	7	2	----	1	11	1	----	----	----	----	----	----	----	----	----	----
Premature birth—159	133	85	13	9	8	3	4	5	127	4	----	2	----	----	----	----	----	----	----	----
Injury at birth—160	51	27	9	5	6	1	1	----	49	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	14	8	4	----	2	----	----	----	14	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-195,201-214	13	-----	----	----	----	1	----	----	1	3	1	2	1	1	1	----	----	1	1	1
Unknown or ill-defined diseases—199,200	11	-----	----	----	----	2	----	----	2	1	4	1	1	1	1	----	----	----	----	----
All other causes	27	2	----	----	1	2	1	2	8	4	3	1	3	1	1	2	----	2	2	----

TABLE 21.--DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y., RICHMOND BOROUGH																				
Total----------All causes	84	20	8	6	10	8	3	3	58	3	4	1	1	6	3	3	2	2	1	----
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	13	-----	----	----	----	1	1	2	4	1	----	----	----	1	2	3	----	1	1	----
Lobar and unspecified pneumonia---108,109	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	----	1	----	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	7	-----	----	----	----	1	----	----	1	1	2	1	----	2	----	----	----	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Congenital malformations----------157	9	2	3	2	1	----	----	----	8	-----	----	----	----	1	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	2	-----	----	----	2	----	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	28	14	4	3	3	3	----	----	27	-----	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	8	1	----	1	3	2	1	----	8	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	4	3	----	----	1	----	----	----	4	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	8	-----	1	----	----	1	1	1	4	1	----	----	1	1	----	----	1	----	----	----
CLEVELAND, OHIO (white)--------All causes	537	207	48	29	34	26	10	15	369	31	37	16	12	11	12	13	11	11	9	5
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	8	-----	----	----	----	----	----	----	-----	1	2	----	----	2	----	2	1	----	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	9	-----	----	----	----	----	----	----	-----	1	1	----	1	1	----	1	2	1	----	1
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	4	2	----	----	1	1	----	----	4	-----	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	2	-----	----	1	----	----	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
Bronchitis----------106	5	-----	----	----	----	----	----	----	-----	2	2	----	----	----	----	----	----	----	1	----
Bronchopneumonia----------107	54	-----	3	1	3	2	1	5	15	2	8	5	3	5	4	4	2	3	3	----
Lobar and unspecified pneumonia---108,109	14	-----	----	----	----	----	----	----	-----	-----	4	2	----	1	4	1	----	1	1	----
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Diarrhea and enteritis----------119	17	-----	----	----	----	----	----	----	-----	4	7	1	----	----	----	1	1	1	2	----
Intestinal obstruction----------122b	7	-----	----	----	----	----	----	----	-----	1	1	1	----	----	----	1	----	3	----	----
Congenital malformations----------157	48	15	1	4	5	6	----	2	33	5	4	3	3	----	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	5	1	1	----	1	1	----	----	4	-----	----	1	----	----	----	----	----	----	----	----
Premature birth----------159	213	135	29	11	9	10	6	7	207	5	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	64	36	9	10	5	3	----	----	63	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	27	14	5	----	7	----	1	----	27	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	7	2	----	----	1	----	----	----	3	1	1	----	----	----	----	----	----	----	----	2
Unknown or ill-defined diseases---199,200	5	2	----	----	----	1	----	----	3	-----	2	----	----	----	----	----	----	----	----	----
All other causes----------	42	-----	----	2	2	2	2	1	9	8	3	2	5	2	4	1	5	1	1	1
CLEVELAND, OHIO (other races)--All causes	73	23	4	4	2	4	1	3	41	4	3	6	-----	3	5	1	3	2	2	3
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	1	----	----
Tuberculosis of the meninges, etc.-----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	3	-----	----	1	----	----	----	1	2	-----	----	----	----	----	----	1	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	10	-----	----	----	----	----	----	----	-----	1	2	1	----	2	2	----	----	----	1	1
Lobar and unspecified pneumonia---108,109	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	4	-----	----	----	----	----	----	1	1	-----	1	1	----	----	----	----	1	----	----	----
Intestinal obstruction----------122b	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	3	-----	----	----	----	1	1	----	2	-----	----	----	----	1	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	3	-----	1	1	----	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	28	19	1	1	2	2	----	1	26	2	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	3	2	1	----	----	----	----	----	3	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3	2	1	----	----	----	----	----	3	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	4	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	1	----	----	1	----	----
Unknown or ill-defined diseases---199,200	2	-----	----	----	----	1	----	----	1	-----	----	1	----	----	----	----	----	----	----	----
All other causes----------	4	-----	----	1	----	----	----	----	1	-----	----	1	----	----	----	----	1	----	1	----

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PHILADELPHIA, PA. (white)------All causes	1,104	274	72	53	94	58	58	22	631	80	72	62	40	47	43	29	19	36	26	19
Measles----------7	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	1	-----	1
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	11	-----	-----	-----	-----	-----	-----	-----	-----	4	3	1	2	-----	-----	-----	-----	-----	1	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	1	-----	1	1	1
Dysentery----------13	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	5	-----	-----	-----	-----	-----	-----	-----	-----	2	1	1	-----	-----	-----	-----	-----	-----	1	-----
Epidemic cerebrospinal meningitis------18	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	1	-----	-----
Tuberculosis of the meninges, etc.------24	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
Other forms of tuberculosis----------25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	14	2	-----	-----	-----	2	1	1	6	1	-----	2	-----	1	-----	1	1	-----	1	1
Convulsions----------86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	151	1	1	1	1	2	9	4	19	18	20	17	9	15	14	9	9	9	7	5
Lobar and unspecified pneumonia---108,109	43	-----	-----	-----	2	1	1	1	5	7	6	1	5	3	1	3	5	5	1	1
Diseases of the stomach----------117,118	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	83	-----	-----	-----	1	2	12	2	17	9	9	10	9	7	9	4	1	3	3	2
Intestinal obstruction----------122b	12	-----	-----	-----	1	-----	-----	1	2	1	1	1	1	2	-----	-----	-----	3	-----	1
Congenital malformations----------157	133	18	6	8	20	10	12	6	80	11	13	9	2	2	7	3	1	5	-----	-----
Congenital debility, etc.------158,161b,c	21	2	-----	1	4	3	1	1	12	2	2	2	-----	-----	-----	2	-----	-----	1	-----
Premature birth----------159	306	172	31	19	34	19	14	6	295	7	2	2	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	109	52	21	12	12	10	2	-----	109	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	64	24	12	11	12	3	1	-----	63	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	26	1	-----	-----	-----	-----	-----	-----	1	3	2	2	4	4	1	3	1	3	1	1
Unknown or ill-defined diseases---199,200	1	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	98	1	1	1	7	6	4	-----	20	12	10	11	5	11	7	3	1	5	7	6
PHILADELPHIA, PA.(other races)-All causes	314	85	25	8	18	14	5	3	158	19	20	13	18	10	17	20	12	10	9	8
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	8	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	2	3	2	-----	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	4	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	1	-----	-----	-----
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	2	-----	1	-----	1
Tuberculosis of the meninges, etc.------24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Other forms of tuberculosis----------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	10	1	-----	-----	-----	-----	-----	-----	1	2	2	1	1	-----	-----	1	-----	-----	1	1
Convulsions----------86	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	6	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	-----	-----	-----	2	-----	1	-----	-----
Bronchopneumonia----------107	55	-----	1	-----	1	1	2	1	6	7	9	1	5	6	4	4	5	2	4	2
Lobar and unspecified pneumonia---108,109	19	-----	-----	-----	1	1	-----	1	3	-----	-----	1	3	1	4	1	1	1	3	1
Diseases of the stomach----------117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	22	-----	-----	-----	-----	1	1	1	3	3	1	2	4	-----	3	3	-----	1	-----	2
Intestinal obstruction----------122b	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Congenital malformations----------157	15	3	1	1	1	4	-----	-----	10	2	-----	-----	1	-----	-----	2	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	9	2	2	-----	1	-----	-----	-----	5	1	-----	-----	-----	1	1	-----	-----	1	-----	-----
Premature birth----------159	87	59	16	4	2	2	1	-----	84	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	21	10	2	2	6	1	-----	-----	21	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	20	10	2	1	5	2	-----	-----	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----
Unknown or ill-defined diseases---199,200	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	23	-----	1	-----	1	1	1	-----	4	-----	4	4	2	-----	4	2	1	1	1	-----
PITTSBURGH, PA. (white)--------All causes	577	163	47	38	41	26	19	13	347	44	32	34	21	14	17	15	16	15	10	12
Measles----------7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	13	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	3	1	1	2	2	-----	-----	1
Diphtheria----------10	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1
Influenza----------11	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----	1	-----
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	3	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	1
Epidemic cerebrospinal meningitis------18	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.------24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis----------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	9	2	-----	-----	-----	-----	1	1	4	2	-----	1	-----	-----	1	-----	1	-----	-----	-----
Convulsions----------86	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	100	-----	-----	1	1	2	2	3	9	16	10	19	9	5	7	2	4	10	5	4
Lobar and unspecified pneumonia---108,109	20	-----	-----	-----	1	-----	-----	-----	1	-----	3	-----	4	2	-----	3	5	1	-----	1
Diseases of the stomach----------117,118	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	19	-----	-----	-----	-----	-----	1	-----	1	5	4	1	-----	1	3	1	-----	2	1	-----
Intestinal obstruction----------122b	8	-----	-----	-----	-----	1	-----	-----	1	-----	-----	1	2	-----	2	1	1	-----	-----	-----
Congenital malformations----------157	79	20	3	8	13	8	5	1	58	6	3	5	2	2	-----	2	1	-----	-----	-----
Congenital debility, etc.------158,161b,c	7	2	-----	-----	2	-----	-----	1	5	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Premature birth----------159	177	99	24	14	11	9	7	3	167	3	4	1	-----	1	1	-----	-----	-----	-----	-----
Injury at birth----------160	54	23	10	6	7	4	2	-----	52	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	34	16	7	5	5	1	-----	-----	34	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-195,201-214	6	-----	1	-----	-----	1	-----	-----	2	-----	1	-----	-----	1	-----	-----	-----	-----	1	1
Unknown or ill-defined diseases---199,200	9	1	-----	2	-----	-----	-----	-----	3	2	1	2	-----	-----	-----	-----	1	-----	-----	-----
All other causes----------	30	-----	2	2	1	-----	1	4	10	5	2	2	1	1	1	2	-----	2	2	2

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Con.

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PITTSBURGH, PA.(other races)---All causes	53	15	3	1	2	2	1	----	24	8	3	2	2	----	4	3	1	2	2	2
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	2	1	----	----	----	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	12	-----	----	----	----	----	1	----	1	2	1	----	2	----	2	1	----	2	----	1
Lobar and unspecified pneumonia---108,109	8	-----	----	----	----	----	----	----	-----	3	1	----	----	----	----	1	1	----	2	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Congenital malformations----------157	3	-----	1	----	----	1	----	----	2	-----	1	----	----	----	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	14	11	1	1	----	1	----	----	14	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	3	2	----	----	----	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3	1	1	----	----	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	1	1	----	----	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	3	-----	----	----	1	----	----	----	1	1	----	1	----	----	----	----	----	----	----	----
MILWAUKEE, WIS.----------All causes	428	135	32	20	30	21	20	18	276	27	27	14	11	14	12	10	11	10	6	10
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	9	-----	----	----	----	----	----	----	-----	2	1	----	2	----	1	2	----	1	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	2	----	1	----	2
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	2	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	1	----	----	1	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	3	1	----	----	----	----	----	1	2	1	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Bronchitis----------106	3	-----	----	----	----	----	----	----	-----	1	----	----	----	1	1	----	----	----	----	----
Bronchopneumonia----------107	54	-----	----	1	4	1	5	3	14	6	9	6	3	4	3	1	1	2	----	5
Lobar and unspecified pneumonia---108,109	7	-----	----	----	----	----	1	----	1	-----	----	----	----	1	1	----	2	1	----	1
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	32	-----	----	----	----	3	3	6	12	2	6	2	1	1	1	1	2	2	1	1
Intestinal obstruction----------122b	7	-----	----	----	----	----	----	----	-----	-----	2	----	----	1	----	1	2	----	1	----
Congenital malformations----------157	55	14	2	4	3	6	3	5	37	10	2	----	1	1	1	1	----	----	2	----
Congenital debility, etc.------158,161b,c	11	2	----	1	6	----	1	----	10	1	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	130	83	19	6	6	6	5	2	127	1	1	1	----	----	----	----	----	----	----	----
Injury at birth----------160	41	20	8	5	5	2	----	----	40	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	23	13	3	1	4	2	----	----	23	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-195,201-214	5	-----	----	----	----	----	1	----	1	-----	----	1	----	----	----	----	1	1	1	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	34	2	----	2	2	----	1	----	7	2	6	2	3	3	3	2	3	1	1	1

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA		
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000 1/	Rural 1/	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	122,535	55,975	12,783	53,777	962	270	2,785	306	264	572	260	219	1,228	2,558	590	1,341
Male	69,749	31,954	7,311	30,484	521	146	1,567	192	154	305	156	132	723	1,514	309	766
Female	52,786	24,021	5,472	23,293	441	124	1,218	114	110	267	104	87	505	1,044	281	575
Measles (7):																
Male	130	55	14	61	1	------	3	------	1	2	------	------	-----	12	1	2
Female	122	39	8	75	2	------	1	1	1	3	------	------	-----	10	------	4
Scarlet fever (8):																
Male	58	19	7	32	------	------	1	------	------	-----	1	------	-----	1	------	-----
Female	33	9	4	20	------	------	-----	------	------	-----	------	------	-----	2	------	1
Whooping-cough (9):																
Male	864	379	88	397	5	4	14	1	1	5	1	2	4	28	6	15
Female	854	380	79	395	5	------	24	2	1	4	------	1	6	25	4	9
Diphtheria (10):																
Male	173	40	19	114	1	1	5	------	------	3	------	1	7	3	2	3
Female	143	38	10	95	3	1	10	1	------	-----	1	------	1	2	------	2
Influenza (11):																
Male	1,999	524	228	1,247	15	11	79	6	15	19	9	5	33	13	3	15
Female	1,502	390	171	941	13	3	56	2	9	15	4	7	28	14	7	13
Dysentery (13):																
Male	633	216	79	338	------	2	1	2	1	2	1	------	17	15	1	11
Female	450	132	46	272	------	------	3	2	------	2	3	------	12	5	2	8
Erysipelas (15):																
Male	241	118	34	89	------	------	6	------	1	1	1	1	2	6	1	5
Female	216	113	19	84	------	1	3	------	1	-----	------	1	2	2	------	-----
Epidemic cerebrospinal meningitis (18):																
Male	194	134	10	50	1	------	2	1	------	1	1	------	-----	2	1	4
Female	106	72	4	30	1	------	-----	------	------	-----	------	------	-----	4	------	1
Tetanus (22):																
Male	91	30	18	43	1	------	2	1	------	-----	------	------	1	1	------	1
Female	58	15	8	35	2	------	3	------	------	-----	------	------	-----	------	------	1
Tuberculosis of the respiratory system(23):																
Male	152	91	8	53	------	------	2	1	2	5	------	------	4	11	3	4
Female	149	94	7	48	3	------	1	1	------	4	------	------	-----	7	------	7
Tuberculosis of the meninges, etc. (24):																
Male	113	61	13	39	1	------	1	2	2	1	------	------	-----	4	1	2
Female	113	70	12	31	1	------	1	1	------	1	1	------	-----	3	3	1
Other forms of tuberculosis (25-32):																
Male	79	51	3	25	1	------	2	1	------	2	------	------	1	2	1	6
Female	64	49	------	15	------	------	-----	------	------	1	1	------	-----	2	------	3
Syphilis (34):																
Male	869	441	85	343	12	1	23	7	1	3	2	3	5	18	6	9
Female	707	377	80	250	17	------	11	4	1	4	2	3	6	18	2	8
Convulsions (86):																
Male	333	74	36	223	2	1	13	------	1	1	------	------	10	1	------	-----
Female	250	64	21	165	2	1	9	------	1	-----	1	2	3	------	------	1
Bronchitis (106):																
Male	346	157	36	153	2	2	1	1	2	-----	1	------	6	3	5	2
Female	246	99	30	117	2	1	1	1	------	-----	------	------	2	2	3	1
Bronchopneumonia (107):																
Male	7,058	3,510	747	2,781	29	8	68	26	23	36	16	6	45	189	40	96
Female	5,507	2,800	570	2,137	37	14	67	14	14	29	5	8	44	140	29	82
Lobar and unspecified pneumonia (108, 109):																
Male	2,932	1,150	308	1,474	12	7	65	8	11	16	3	5	40	47	9	36
Female	2,270	877	191	1,202	14	2	61	6	2	12	6	3	31	27	9	20
Diseases of the stomach (117, 118):																
Male	312	78	29	205	2	------	11	1	1	1	------	2	8	1	------	2
Female	219	35	24	160	------	------	8	------	------	5	1	2	3	2	2	2
Diarrhea and enteritis (119):																
Male	6,808	2,764	784	3,260	65	12	132	44	30	60	20	21	129	123	44	144
Female	5,467	2,256	586	2,625	34	9	100	37	30	71	17	14	81	81	44	123
Intestinal obstruction (122b):																
Male	611	364	89	158	5	1	7	2	1	-----	3	5	4	22	3	4
Female	378	225	53	100	2	4	3	1	------	1	1	------	1	3	2	3
Congenital malformations (157):																
Male	5,857	3,098	652	2,107	31	7	80	8	5	11	14	6	28	150	28	54
Female	4,563	2,407	512	1,644	28	8	37	6	9	5	10	2	18	110	32	38
Congenital debility, icterus, sclerema (158, 161 b, c):																
Male	2,601	761	290	1,550	12	5	71	10	9	14	5	7	27	26	11	29
Female	1,906	559	218	1,129	13	3	68	3	11	18	5	4	25	20	13	35
Premature birth (159):																
Male	19,094	9,870	1,957	7,267	183	49	397	43	28	45	54	39	112	494	76	180
Female	14,549	7,507	1,594	5,448	147	44	276	15	19	28	25	14	113	352	83	124
Injury at birth (160):																
Male	6,004	3,400	735	1,869	43	9	71	5	6	10	8	10	34	142	32	47
Female	3,646	2,077	420	1,149	34	12	39	6	------	8	5	6	17	79	17	22
Other diseases of early infancy (161 a, d):																
Male	2,270	1,320	223	727	21	2	27	5	------	8	------	1	6	69	15	20
Female	1,691	942	167	582	12	1	21	1	1	13	2	3	8	39	6	16
External causes (172-195, 201-214):																
Male	1,442	547	160	735	10	7	36	6	3	10	3	2	16	20	4	30
Female	1,163	445	111	607	10	6	33	2	2	11	4	4	12	15	4	13
Unknown or ill-defined diseases (199, 200):																
Male	3,902	345	184	3,373	42	11	414	2	2	33	5	9	123	4	------	-----
Female	3,071	254	145	2,672	33	12	331	1	2	19	2	6	73	2	------	-----
All other causes:																
Male	4,603	2,357	475	1,771	24	6	53	9	8	16	8	7	61	107	16	45
Female	3,343	1,696	382	1,265	26	2	51	7	6	13	8	7	19	78	19	37

1/ Cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in the rural.

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	COLORADO			CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA	
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[2/]
All causes	539	278	537	782	33	118	122	40	91	847	597	277	795	1,164	3,150
Male	308	161	294	447	18	67	61	25	54	481	352	155	452	641	1,818
Female	231	117	243	335	15	51	61	15	37	366	245	122	343	523	1,332
Measles (7):															
Male	------	------	-----	------	------	-----	------	------	1	1	------	------	-----	------	1
Female	------	------	1	1	------	-----	------	------	1	2	------	------	1	------	1
Scarlet fever (8):															
Male	------	------	1	------	------	-----	------	------	-----	--------	------	------	-----	1	1
Female	------	------	1	------	------	-----	------	------	2	--------	------	------	-----	------	1
Whooping-cough (9):															
Male	8	5	3	10	------	2	3	------	-----	13	3	1	2	2	15
Female	5	2	8	11	------	-----	4	------	1	16	2	2	5	7	13
Diphtheria (10):															
Male	2	------	-----	1	------	-----	------	------	-----	2	1	------	2	4	5
Female	------	1	-----	------	------	-----	------	------	-----	1	------	1	-----	3	10
Influenza (11):															
Male	4	8	10	5	------	-----	------	------	2	6	15	9	30	11	66
Female	5	6	6	3	------	1	1	------	-----	4	10	7	13	7	42
Dysentery (13):															
Male	1	1	5	------	------	-----	1	------	-----	2	------	------	2	1	23
Female	1	------	2	1	------	-----	1	------	-----	--------	2	1	1	------	22
Erysipelas (15):															
Male	3	------	-----	2	------	-----	------	------	-----	1	1	1	1	4	4
Female	3	------	1	1	------	1	------	------	-----	1	------	------	2	2	--------
Epidemic cerebrospinal meningitis (18):															
Male	1	------	1	3	------	-----	------	------	-----	1	5	1	-----	4	1
Female	------	------	-----	------	------	-----	------	------	-----	1	3	------	1	3	--------
Tetanus (22):															
Male	------	------	-----	------	------	-----	------	------	-----	--------	3	1	1	2	--------
Female	------	------	-----	------	------	-----	------	------	-----	--------	2	------	-----	2	--------
Tuberculosis of the respiratory system (23):															
Male	------	------	-----	3	------	-----	------	------	1	1	------	------	-----	1	1
Female	------	------	-----	2	------	-----	------	------	-----	1	------	------	-----	3	1
Tuberculosis of the meninges, etc. (24):															
Male	------	1	1	------	------	-----	------	------	-----	2	------	1	-----	4	1
Female	2	------	-----	------	------	-----	------	------	-----	--------	------	------	-----	------	1
Other forms of tuberculosis (25-32):															
Male	2	------	-----	1	------	-----	------	------	-----	2	4	------	-----	2	1
Female	------	------	-----	2	------	-----	------	------	-----	4	------	------	-----	2	2
Syphilis (34):															
Male	1	1	-----	3	------	-----	1	------	3	10	21	6	9	16	22
Female	7	2	2	1	------	-----	------	2	1	12	4	5	4	19	12
Convulsions (86):															
Male	------	------	-----	1	------	-----	1	------	-----	--------	1	3	2	2	15
Female	1	------	-----	------	------	-----	------	------	-----	--------	1	2	5	2	13
Bronchitis (106):															
Male	2	1	1	1	------	1	1	------	-----	2	1	------	-----	3	3
Female	2	------	-----	------	------	-----	------	------	1	2	2	------	-----	4	6
Bronchopneumonia (107):															
Male	40	33	44	32	1	5	6	3	10	53	22	8	12	61	111
Female	24	29	30	21	1	8	4	1	3	51	18	9	18	54	80
Lobar and unspecified pneumonia (108, 109):															
Male	16	5	10	11	------	1	4	------	1	19	12	10	23	28	101
Female	9	6	10	13	------	2	2	------	1	11	10	2	22	24	75
Diseases of the stomach (117, 118):															
Male	1	------	2	------	------	-----	------	------	-----	1	2	------	4	5	14
Female	1	------	3	------	------	1	------	------	-----	--------	------	------	4	2	9
Diarrhea and enteritis (119):															
Male	39	23	60	15	2	6	7	5	5	53	19	13	32	75	138
Female	36	19	35	18	------	5	7	2	7	35	17	6	30	73	118
Intestinal obstruction (122b):															
Male	4	1	1	1	------	-----	------	1	-----	5	6	3	4	11	8
Female	2	------	2	1	------	-----	------	------	-----	4	4	2	2	7	4
Congenital malformations (157):															
Male	33	13	19	61	3	13	5	3	5	29	21	10	16	36	47
Female	13	3	21	55	2	4	6	2	5	31	20	11	8	36	40
Congenital debility, icterus, sclerema (158,161b,c):															
Male	10	10	20	7	1	5	4	1	6	14	10	8	27	31	125
Female	6	6	13	6	1	2	2	------	2	8	13	5	27	21	78
Premature birth (159):															
Male	86	33	67	151	7	16	10	6	11	166	110	43	136	206	450
Female	64	24	58	99	9	14	22	6	8	125	84	40	89	150	322
Injury at birth (160):															
Male	23	9	19	78	3	6	7	------	5	38	38	14	24	48	74
Female	18	7	15	45	------	7	6	------	1	22	13	11	23	16	33
Other diseases of early infancy (161 a, d):															
Male	9	5	15	23	------	1	3	1	1	14	13	6	7	15	37
Female	11	------	6	15	------	2	------	------	-----	8	8	2	9	7	27
External causes (172-195, 201-214):															
Male	6	6	6	11	------	2	------	------	-----	14	3	------	7	13	43
Female	2	3	11	7	1	-----	1	------	1	6	5	5	9	13	45
Unknown or ill-defined diseases (199, 200):															
Male	4	------	3	3	------	2	------	------	-----	--------	10	7	79	22	418
Female	------	3	4	3	------	-----	1	------	-----	--------	4	7	52	27	313
All other causes:															
Male	13	6	6	24	1	7	8	5	3	32	31	10	32	33	93
Female	19	6	14	30	1	4	4	2	3	21	23	4	18	39	64

2/ Cities of 2,500 to 10,000 population are included in the rural.

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	IDAHO			ILLINOIS			INDIANA			IOWA			KANSAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	78	228	220	3,473	593	1,180	1,480	299	963	918	375	764	621	251	662
Male	41	129	127	2,022	330	642	814	190	544	531	206	441	349	150	383
Female	37	99	93	1,451	263	538	666	109	419	387	169	323	272	101	299
Measles (7):															
Male	------	------	1	------	------	------	1	------	------	1	------	------	------	1	------
Female	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------
Scarlet fever (8):															
Male	------	------	------	------	------	2	------	------	------	------	------	2	1	1	1
Female	------	------	------	2	1	3	1	------	1	------	1	------	------	------	2
Whooping-cough (9):															
Male	------	------	4	34	7	11	6	1	8	9	1	6	1	1	3
Female	------	------	2	34	10	8	18	2	6	3	2	7	2	2	6
Diphtheria (10):															
Male	------	1	------	1	------	------	2	------	------	1	------	------	------	------	------
Female	------	1	------	3	------	2	2	------	------	1	------	1	------	------	------
Influenza (11):															
Male	1	4	11	20	3	21	16	8	27	14	4	11	7	6	16
Female	------	3	6	14	5	16	15	5	15	8	8	16	3	5	17
Dysentery (13):															
Male	1	3	------	3	5	1	8	2	6	1	1	------	3	------	2
Female	------	------	------	4	2	5	6	1	2	------	2	------	4	------	2
Erysipelas (15):															
Male	------	1	------	5	3	------	2	------	1	1	------	2	2	2	2
Female	------	2	1	5	1	2	1	------	5	3	------	2	2	------	------
Epidemic cerebrospinal meningitis (18):															
Male	------	------	------	4	------	1	6	------	------	4	------	------	1	------	------
Female	------	1	------	3	------	------	1	------	------	2	------	------	------	------	------
Tetanus (22):															
Male	------	------	------	------	------	------	1	------	------	------	------	------	------	1	------
Female	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
Tuberculosis of the respiratory system (23):															
Male	------	------	------	5	1	------	1	------	2	1	------	1	------	1	------
Female	------	------	------	5	------	------	1	------	------	4	------	------	1	------	------
Tuberculosis of the meninges, etc. (24):															
Male	1	------	------	3	------	1	1	------	3	------	------	------	------	------	------
Female	------	------	------	4	2	1	------	------	3	1	------	1	------	------	------
Other forms of tuberculosis (25-32):															
Male	------	------	------	3	------	------	1	------	1	------	------	------	3	------	------
Female	------	------	------	4	------	------	3	------	------	------	------	------	2	------	------
Syphilis (34):															
Male	------	------	------	19	3	5	13	1	3	8	3	1	3	1	2
Female	------	1	2	11	2	2	12	2	2	2	2	1	3	5	4
Convulsions (86):															
Male	------	1	1	2	------	3	------	1	------	------	1	3	------	------	3
Female	1	------	------	2	------	4	------	------	2	------	------	3	------	------	2
Bronchitis (106):															
Male	------	1	------	21	4	8	2	------	3	2	------	------	------	1	------
Female	------	------	------	5	1	2	3	------	3	1	------	4	------	2	------
Bronchopneumonia (107):															
Male	4	15	16	258	36	60	80	15	54	45	18	43	36	20	39
Female	5	6	10	177	24	56	83	10	52	41	16	25	32	11	33
Lobar and unspecified pneumonia (108, 109):															
Male	1	6	5	43	8	20	37	4	24	9	5	12	4	7	10
Female	1	3	3	31	4	21	25	5	25	16	7	15	8	5	18
Diseases of the stomach (117,118):															
Male	------	------	------	3	1	3	2	------	5	1	2	2	2	------	2
Female	------	------	1	1	1	3	------	------	2	2	------	------	------	------	1
Diarrhea and enteritis (119):															
Male	4	5	8	140	39	72	77	19	67	26	19	21	24	6	29
Female	4	7	4	90	33	60	65	5	41	24	10	16	19	8	15
Intestinal obstruction (122b):															
Male	------	1	------	20	8	4	11	2	2	9	1	3	4	3	5
Female	------	------	1	18	2	3	6	------	------	------	2	------	3	2	1
Congenital malformations (157):															
Male	5	10	18	228	39	84	88	33	65	72	26	57	42	20	52
Female	2	9	14	186	29	66	65	19	65	43	20	43	33	13	34
Congenital debility, icterus, sclerema (158, 161 b, c):															
Male	------	3	5	45	11	27	19	6	19	8	7	24	9	3	17
Female	2	2	------	16	9	16	23	1	17	10	7	16	10	2	9
Premature birth (159):															
Male	13	40	34	597	88	152	277	54	155	170	64	137	112	42	104
Female	8	37	21	423	76	136	207	31	103	121	53	98	87	23	83
Injury at birth (160):															
Male	4	24	8	282	35	69	73	19	44	60	36	53	43	14	34
Female	3	8	9	201	33	50	34	7	25	45	17	37	17	3	21
Other diseases of early infancy (161 a, d):															
Male	1	5	5	97	14	28	31	10	16	26	2	17	8	2	10
Female	5	5	6	62	7	23	33	5	18	16	2	12	10	2	10
External causes (172-195, 201-214):															
Male	1	2	1	27	6	19	16	7	10	5	4	11	9	4	21
Female	------	3	4	39	3	12	14	6	13	11	5	10	9	1	14
Unknown or ill-defined diseases (199, 200):															
Male	------	1	4	3	3	7	2	------	1	4	1	6	------	2	5
Female	1	1	3	4	------	8	1	------	1	2	2	1	1	------	8
All other causes:															
Male	5	6	6	159	16	44	41	8	28	54	11	29	35	12	26
Female	5	10	4	107	18	39	47	10	18	31	13	15	26	16	19

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	KENTUCKY		LOUISIANA			MAINE			MARYLAND			MASSACHUSETTS			MICHIGAN		
	Cities of 10,000 or more	Rural[3]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	763	2,963	1,277	273	1,601	327	124	530	1,083	97	658	2,605	154	113	3,023	417	1,042
Male	435	1,694	747	167	908	180	67	294	608	55	393	1,465	85	63	1,776	245	579
Female	328	1,269	530	106	693	147	57	236	475	42	265	1,140	69	50	1,247	172	463
Measles (7):																	
Male	2	7	1	2	5	------	2	-----	2	------	2	2	------	-----	2	------	1
Female	1	10	1	------	4	------	------	3	1	------	2	3	------	-----	1	1	1
Scarlet fever (8):																	
Male	------	1	------	------	-----	------	------	-----	------	------	-----	------	1	-----	4	------	-----
Female	------	1	------	------	-----	------	------	1	------	------	-----	------	------	-----	2	------	-----
Whooping-cough (9):																	
Male	3	23	14	2	9	4	------	4	10	------	11	14	2	1	24	7	12
Female	5	16	13	1	17	3	1	5	11	3	11	18	------	2	17	4	11
Diphtheria (10):																	
Male	1	15	2	------	9	------	------	-----	------	------	-----	------	------	-----	1	------	-----
Female	1	13	------	1	1	------	------	-----	2	------	-----	------	------	-----	1	------	2
Influenza (11):																	
Male	11	73	13	13	59	1	2	13	13	------	9	7	2	2	9	3	9
Female	14	56	10	8	41	1	1	14	5	1	4	7	2	1	22	1	6
Dysentery (13):																	
Male	11	50	2	1	5	------	------	2	16	------	6	------	------	-----	3	------	1
Female	8	44	3	1	8	1	------	-----	10	1	-----	------	------	-----	6	------	-----
Erysipelas (15):																	
Male	1	5	3	------	1	------	------	-----	3	------	1	7	1	-----	6	1	1
Female	------	6	2	1	2	1	------	-----	4	------	-----	12	------	-----	7	------	1
Epidemic cerebrospinal meningitis (18):																	
Male	1	15	4	------	-----	------	------	-----	6	------	-----	7	------	-----	5	------	-----
Female	------	10	------	------	-----	------	------	-----	4	------	-----	------	------	-----	6	------	-----
Tetanus (22):																	
Male	1	4	6	2	15	------	------	-----	------	------	-----	------	1	-----	------	------	-----
Female	------	------	------	1	6	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):																	
Male	1	5	------	------	-----	------	------	-----	4	------	1	2	------	-----	2	------	-----
Female	------	10	1	------	1	------	------	-----	7	------	-----	4	------	-----	3	------	1
Tuberculosis of the meninges, etc. (24):																	
Male	1	5	2	------	-----	------	------	-----	2	------	-----	2	------	-----	3	------	1
Female	1	2	------	------	1	------	------	-----	5	------	-----	3	------	-----	8	1	1
Other forms of tuberculosis (25-32):																	
Male	2	2	------	------	-----	1	------	-----	------	------	-----	3	------	-----	5	------	-----
Female	------	1	1	------	-----	------	------	-----	------	------	-----	1	------	-----	1	------	-----
Syphilis (34):																	
Male	7	10	19	2	38	1	------	-----	6	1	9	5	------	-----	8	2	1
Female	6	8	18	3	24	------	------	2	14	1	5	1	------	-----	8	1	2
Convulsions (86):																	
Male	3	10	1	------	7	2	1	3	1	1	4	3	------	-----	2	1	5
Female	1	9	2	------	1	------	------	2	2	------	2	8	------	1	3	1	3
Bronchitis (106):																	
Male	1	7	2	------	6	2	------	6	6	1	3	7	------	-----	7	2	7
Female	3	4	2	1	6	1	------	4	2	1	3	5	1	1	9	2	8
Bronchopneumonia (107):																	
Male	31	129	120	28	104	15	4	32	61	1	53	178	8	8	217	23	65
Female	22	102	86	17	89	12	3	25	60	6	38	148	5	2	137	18	53
Lobar and unspecified pneumonia (108, 109):																	
Male	20	94	30	12	44	6	1	8	38	3	23	49	4	1	95	9	31
Female	13	81	15	5	29	5	4	7	31	------	13	26	2	1	41	4	22
Diseases of the stomach (117, 118):																	
Male	1	7	2	2	7	1	------	6	------	1	1	3	------	-----	5	2	6
Female	1	9	------	------	2	------	2	6	------	------	1	4	------	-----	------	------	6
Diarrhea and enteritis (119):																	
Male	79	264	56	26	103	6	------	15	65	11	67	75	9	10	164	22	61
Female	63	210	38	11	75	10	1	13	44	8	48	41	3	5	124	14	34
Intestinal obstruction (122b):																	
Male	------	9	6	3	7	------	1	6	4	------	3	10	------	-----	34	1	4
Female	1	6	8	------	3	1	------	1	7	------	3	3	1	-----	8	4	2
Congenital malformations (157):																	
Male	37	80	36	12	41	21	10	18	70	8	35	186	14	7	171	28	65
Female	23	57	31	6	29	23	7	19	57	3	21	168	12	10	128	30	60
Congenital debility, icterus, sclerema (158, 161 b, c):																	
Male	9	72	27	5	43	7	2	21	6	1	18	23	3	1	37	11	32
Female	12	81	17	1	31	3	7	19	8	------	10	16	4	1	15	8	16
Premature birth (159):																	
Male	111	439	242	25	186	64	27	89	164	15	64	504	19	15	550	78	155
Female	85	306	183	23	161	56	15	69	118	8	53	416	20	11	391	43	136
Injury at birth (160):																	
Male	29	97	58	14	69	18	5	23	47	5	24	151	13	6	164	22	38
Female	24	53	48	12	43	12	4	13	28	5	21	98	11	5	86	16	25
Other diseases of early infancy (161 a, d):																	
Male	16	30	31	6	14	12	4	14	26	------	17	90	------	4	61	13	16
Female	10	19	16	3	15	5	3	4	17	2	6	60	1	1	56	8	16
External causes (172-195, 201-214):																	
Male	10	49	4	1	10	2	2	5	10	1	17	34	5	2	35	3	15
Female	5	24	3	2	14	------	3	7	7	1	8	21	1	4	30	2	18
Unknown or ill-defined diseases(199,200):																	
Male	6	98	3	5	68	3	------	8	1	------	6	------	------	-----	1	2	5
Female	1	75	2	2	55	2	------	3	1	------	2	------	------	1	2	1	7
All other causes:																	
Male	40	94	63	6	58	14	6	21	47	6	18	103	3	6	161	15	47
Female	28	56	30	7	35	11	6	19	30	2	14	77	6	4	135	13	32

3/ Cities of 2,500 to 10,000 population are included in the rural.

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	842	325	946	409	190	2,280	1,319	415	1,501	151	85	357	398	179	472
Male	505	193	521	218	109	1,274	770	227	840	81	48	209	231	111	264
Female	337	132	425	191	81	1,006	549	188	661	70	37	148	167	68	208
Measles (7):															
Male	------	------	1	1	1	1	1	------	2	------	------	------	------	------	1
Female	------	------	1	------	------	2	------	------	1	------	------	------	------	------	1
Scarlet fever (8):															
Male	1	------	1	------	------	------	1	1	2	------	1	2	------	------	1
Female	------	------	1	------	------	------	------	------	1	------	------	------	------	------	------
Whooping-cough (9):															
Male	3	------	8	4	------	12	9	2	11	------	1	4	2	3	5
Female	5	1	7	2	------	14	7	------	16	------	2	5	------	4	6
Diphtheria (10):															
Male	------	------	1	------	1	4	------	------	3	------	------	------	------	1	------
Female	------	------	------	------	------	3	------	------	1	------	------	------	------	------	------
Influenza (11):															
Male	7	5	13	10	3	85	16	6	39	------	2	7	3	4	7
Female	4	2	10	9	5	74	9	4	31	------	1	4	------	1	11
Dysentery (13):															
Male	------	------	------	2	1	17	20	4	14	------	------	2	------	------	1
Female	------	1	2	2	------	10	13	2	6	------	------	1	------	------	------
Erysipelas (15):															
Male	1	------	2	1	------	9	2	1	5	------	------	1	------	1	1
Female	3	------	3	------	------	3	1	------	5	------	------	1	------	------	------
Epidemic cerebrospinal meningitis (18):															
Male	1	------	------	------	1	1	1	1	1	------	------	------	1	------	------
Female	3	------	------	------	------	1	4	------	------	------	------	------	1	------	------
Tetanus (22):															
Male	------	------	1	1	------	3	------	------	------	------	------	------	------	------	------
Female	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23):															
Male	------	------	------	3	------	------	3	------	------	------	------	1	------	------	------
Female	------	------	1	------	------	------	4	------	2	------	------	1	------	------	------
Tuberculosis of the meninges, etc. (24):															
Male	------	------	------	------	------	------	------	------	2	------	------	1	2	------	------
Female	1	------	------	2	------	------	1	------	------	------	------	2	2	------	1
Other forms of tuberculosis (25-32):															
Male	2	------	------	------	------	2	2	------	------	------	------	1	------	------	------
Female	1	------	------	------	------	1	3	------	------	------	------	------	------	------	------
Syphilis (34):															
Male	2	1	1	3	3	28	11	5	1	1	------	1	1	1	1
Female	------	------	------	3	2	22	12	6	5	------	------	3	1	1	2
Convulsions (86):															
Male	------	1	8	2	------	9	------	1	4	1	2	1	------	------	------
Female	------	1	9	------	1	6	------	------	3	------	------	1	------	------	------
Bronchitis (106):															
Male	------	------	4	------	------	4	------	------	6	------	1	------	2	1	1
Female	1	1	5	------	------	2	3	1	2	------	1	------	------	2	------
Bronchopneumonia (107):															
Male	46	20	61	8	4	77	88	19	67	10	6	24	18	4	12
Female	36	7	34	10	1	51	68	21	64	7	3	22	17	4	14
Lobar and unspecified pneumonia (108, 109):															
Male	11	7	23	12	2	59	28	12	36	2	2	17	7	7	19
Female	14	8	16	11	1	43	21	10	18	2	1	8	4	1	9
Diseases of the stomach (117, 118):															
Male	1	------	5	1	------	6	1	------	5	------	------	1	------	3	1
Female	------	1	1	1	------	4	1	------	7	------	------	1	------	------	3
Diarrhea and enteritis (119):															
Male	19	10	40	9	15	109	78	30	121	6	4	20	11	6	22
Female	15	5	30	13	13	95	58	28	111	6	3	13	2	8	13
Intestinal obstruction (122b):															
Male	4	5	4	3	2	6	11	1	6	------	------	1	1	3	1
Female	6	3	5	1	------	6	5	4	5	------	------	1	2	1	1
Congenital malformations (157):															
Male	59	11	60	8	10	38	74	18	89	10	4	15	30	13	37
Female	40	19	57	11	6	21	57	18	66	6	5	12	25	7	24
Congenital debility, icterus, sclerema (158, 161 b, c):															
Male	11	5	30	5	2	43	17	13	37	2	2	13	4	1	15
Female	6	2	15	10	3	35	7	5	24	3	2	10	7	3	13
Premature birth (159):															
Male	180	75	145	73	19	212	243	63	225	26	12	50	80	31	70
Female	126	43	137	51	18	161	162	48	181	28	12	29	51	22	65
Injury at birth (160):															
Male	78	31	51	22	10	57	62	17	43	7	7	15	28	12	31
Female	46	20	36	15	4	33	43	12	27	7	3	9	16	5	14
Other diseases of early infancy (161 a, d):															
Male	24	9	17	3	3	16	17	6	16	2	1	6	14	5	5
Female	8	5	21	6	2	14	15	5	16	4	------	11	11	1	9
External causes (172-195, 201-214):															
Male	14	3	14	4	4	32	21	7	25	1	------	3	8	4	9
Female	4	2	15	6	4	28	12	2	20	1	1	5	9	2	4
Unknown or ill-defined diseases (199, 200):															
Male	2	1	6	27	17	375	3	1	36	2	2	12	2	------	3
Female	------	------	5	27	11	326	------	4	19	------	1	7	3	------	3
All other causes:															
Male	39	9	25	16	11	69	61	19	44	11	1	11	17	11	21
Female	18	11	14	11	10	50	43	18	30	6	2	2	16	6	15

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10 000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	16	31	52	210	42	103	1,891	178	317	207	191	1,174	6,988	477	1,102
Male	10	22	30	121	23	63	1,086	98	174	119	103	640	4,012	298	661
Female	6	9	22	89	19	40	805	80	143	88	88	534	2,976	179	441
Measles (7):															
Male	------	------	-----	------	------	-----	1	------	-----	------	1	-----	7	------	1
Female	------	------	-----	------	------	-----	2	------	1	------	------	-----	7	2	1
Scarlet fever (8):															
Male	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Female	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Whooping-cough (9):															
Male	------	------	-----	2	------	-----	11	2	1	1	2	9	27	1	21
Female	1	------	2	------	1	2	10	2	10	------	2	3	33	5	9
Diphtheria (10):															
Male	------	------	-----	------	------	-----	1	------	-----	------	------	1	------	------	-----
Female	------	------	-----	------	------	-----	------	------	-----	------	------	-----	1	------	-----
Influenza (11):															
Male	------	------	-----	1	------	2	7	3	2	2	2	16	20	3	21
Female	------	1	-----	------	------	-----	4	------	3	1	2	8	30	2	6
Dysentery (13):															
Male	------	------	1	------	------	-----	1	------	-----	13	3	13	4	1	-----
Female	------	------	-----	------	------	1	------	------	-----	4	1	13	3	------	-----
Erysipelas (15):															
Male	------	1	1	1	------	-----	3	------	-----	------	2	-----	22	------	3
Female	------	------	-----	------	------	-----	2	2	-----	2	------	-----	30	------	1
Epidemic cerebrospinal meningitis (18):															
Male	------	------	-----	------	------	-----	10	------	-----	------	------	-----	21	------	-----
Female	------	------	1	------	------	-----	1	1	-----	------	------	1	10	------	-----
Tetanus (22):															
Male	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	1	-----
Female	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):															
Male	------	------	1	------	------	-----	3	------	-----	------	------	1	8	------	3
Female	------	------	-----	------	------	-----	3	1	-----	------	------	-----	9	------	1
Tuberculosis of the meninges, etc. (24):															
Male	1	------	-----	------	------	-----	3	1	1	------	------	-----	1	------	-----
Female	------	------	-----	------	------	-----	4	1	-----	------	------	1	6	------	-----
Other forms of tuberculosis (25-32):															
Male	------	------	-----	------	------	-----	2	1	-----	------	------	-----	2	------	-----
Female	------	------	-----	------	------	-----	5	------	-----	------	------	-----	6	------	-----
Syphilis (34):															
Male	------	2	-----	------	------	1	6	3	1	2	4	5	36	------	6
Female	------	------	1	1	------	-----	11	1	1	1	1	7	22	------	3
Convulsions (86):															
Male	------	------	-----	------	------	-----	3	------	2	------	1	2	12	2	2
Female	------	------	-----	------	------	-----	2	------	1	------	------	1	10	------	4
Bronchitis (106):															
Male	------	------	1	------	------	1	5	1	5	------	------	-----	18	------	11
Female	------	------	-----	1	1	1	4	------	1	------	------	-----	7	------	7
Bronchopneumonia (107):															
Male	1	3	2	18	------	10	121	8	17	12	9	50	503	28	63
Female	------	1	3	3	2	5	105	13	22	5	12	29	383	19	47
Lobar and unspecified pneumonia (108, 109):															
Male	------	2	3	5	1	3	57	3	12	4	4	23	130	12	19
Female	------	------	1	4	------	1	46	4	10	3	2	21	112	1	16
Diseases of the stomach (117, 118):															
Male	------	------	-----	------	------	1	------	------	1	------	------	1	3	1	4
Female	------	------	-----	------	------	-----	------	------	-----	------	2	6	3	1	1
Diarrhea and enteritis (119):															
Male	------	1	1	7	2	2	49	5	7	27	14	107	338	15	34
Female	1	------	-----	3	1	1	52	4	7	15	19	81	285	10	26
Intestinal obstruction (122b):															
Male	------	1	-----	------	------	-----	8	2	1	1	1	-----	34	1	4
Female	------	------	-----	1	------	-----	6	------	-- --	4	1	1	23	2	2
Congenital malformations (157):															
Male	------	2	1	19	4	6	110	14	24	1	6	7	459	41	95
Female	1	1	1	15	2	6	88	7	22	7	4	15	338	27	65
Congenital debility, icterus, sclerema (158, 161 b,c):															
Male	------	1	1	3	1	4	17	------	7	3	5	21	76	9	29
Female	------	------	2	4	1	1	11	3	3	2	5	17	44	5	19
Premature birth (159):															
Male	3	5	10	34	10	17	378	29	48	25	16	73	1,130	85	172
Female	2	4	3	34	6	15	259	22	32	22	16	40	936	64	137
Injury at birth (160):															
Male	2	3	2	14	2	2	123	9	13	7	5	12	582	50	67
Female	1	------	1	14	4	2	65	6	7	2	3	10	320	16	33
Other diseases of early infancy (161 a, d):															
Male	------	1	4	6	1	7	51	2	7	4	2	6	195	11	21
Female	------	------	4	3	------	2	44	3	7	2	1	4	121	7	16
External causes (172-195, 201-214):															
Male	------	------	-----	4	1	2	19	3	2	1	------	5	71	7	27
Female	------	1	1	3	------	1	20	2	8	3	------	6	48	2	14
Unknown or ill-defined diseases (199, 200):															
Male	------	------	-----	------	------	1	7	1	1	9	20	278	8	2	5
Female	------	------	-----	------	------	1	1	2	1	11	10	262	11	2	8
All other causes:															
Male	3	------	2	7	1	4	90	11	22	7	6	10	305	28	53
Female	------	1	2	3	1	1	60	6	7	4	7	8	178	14	25

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA			OREGON			PENNSYLVANIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	1,345	483	3,419	122	91	461	3,423	440	1,451	744	504	1,261	288	146	185	4,656	1,088	2,409
Male	775	298	1,944	67	54	252	1,944	237	802	430	309	736	158	79	114	2,654	596	1,388
Female	570	185	1,475	55	37	209	1,479	203	649	314	195	525	130	67	71	2,002	492	1,021
Measles (7):																		
Male	------	------	2	------	------	------	3	------	2	------	1	------	1	------	1	4	------	------
Female	------	------	1	------	------	1	1	------	6	------	------	2	------	1	1	2	2	------
Scarlet fever (8):																		
Male	------	1	2	------	------	1	2	------	1	2	------	1	------	------	1	3	1	3
Female	------	------	------	------	------	------	1	1	------	------	------	------	1	------	------	------	------	2
Whooping-cough (9):																		
Male	3	------	9	------	------	1	32	2	16	3	4	8	4	------	4	26	7	12
Female	4	1	6	------	1	2	32	2	15	3	3	7	1	1	5	34	5	25
Diphtheria (10):																		
Male	4	3	14	1	------	------	------	------	1	2	------	6	------	------	1	1	------	4
Female	1	------	7	------	------	1	1	------	2	1	1	3	1	------	------	4	------	------
Influenza (11):																		
Male	12	9	67	------	1	1	36	9	27	11	13	38	2	5	2	55	12	57
Female	17	3	44	2	------	5	20	3	20	5	10	35	1	2	3	19	12	37
Dysentery (13):																		
Male	19	3	14	------	------	4	4	1	2	10	5	9	------	------	1	3	------	5
Female	6	1	14	------	1	------	1	------	------	5	4	9	------	------	------	1	------	2
Erysipelas (15):																		
Male	2	1	2	------	1	2	4	------	1	------	2	1	2	------	------	7	4	3
Female	------	------	3	1	------	------	2	1	3	1	------	4	2	------	------	7	3	4
Epidemic cerebrospinal meningitis (18):																		
Male	4	1	1	------	------	2	6	------	1	------	1	2	1	------	------	4	------	1
Female	2	------	1	------	------	------	7	------	1	1	------	2	2	------	------	5	1	3
Tetanus (22):																		
Male	1	------	1	------	------	------	------	------	------	------	------	1	------	------	------	1	------	------
Female	------	2	------	------	------	------	------	------	------	------	------	1	------	------	------	1	------	------
Tuberculosis of the respiratory system (23):																		
Male	1	------	2	------	------	1	4	------	------	------	------	1	2	------	------	11	------	3
Female	2	------	1	------	------	------	7	------	1	------	------	3	------	------	------	7	2	1
Tuberculosis of the meninges, etc. (24):																		
Male	2	------	2	------	------	1	3	------	4	1	1	1	------	1	------	1	1	------
Female	3	------	------	------	------	2	5	1	1	------	------	------	1	1	------	5	------	------
Other forms of tuberculosis (25-32):																		
Male	------	------	------	1	------	2	1	1	------	------	------	------	------	------	------	------	------	------
Female	------	------	2	1	------	------	------	------	1	------	------	------	1	------	------	2	------	------
Syphilis (34):																		
Male	9	6	33	------	------	1	22	2	6	7	1	1	------	------	1	38	3	11
Female	7	9	15	------	------	------	16	4	3	4	3	1	2	------	------	27	5	7
Convulsions (86):																		
Male	1	1	11	------	------	7	4	2	1	------	2	3	------	------	------	8	6	16
Female	1	1	11	1	------	4	4	1	8	2	3	3	------	------	------	6	1	6
Bronchitis (106):																		
Male	4	------	11	------	------	------	6	1	5	2	------	4	2	------	1	23	9	10
Female	5	2	8	------	1	------	5	------	3	------	------	1	------	------	------	10	3	8
Bronchopneumonia (107):																		
Male	64	37	168	9	6	12	202	26	109	46	32	85	13	11	13	353	74	200
Female	54	17	134	6	2	20	187	24	94	33	22	53	11	9	8	282	56	144
Lobar and unspecified pneumonia (108, 109):																		
Male	27	12	116	------	2	9	54	10	33	24	25	30	2	------	6	90	29	70
Female	18	6	104	3	------	8	46	4	22	18	7	28	2	2	1	82	28	64
Diseases of the stomach (117, 118):																		
Male	1	------	11	------	------	1	4	2	7	2	3	4	3	------	1	8	2	3
Female	2	------	3	------	------	1	2	------	3	1	1	3	------	------	------	2	2	4
Diarrhea and enteritis (119):																		
Male	96	42	216	4	4	32	171	24	80	56	41	65	3	1	5	168	35	95
Female	83	23	183	3	3	30	127	17	49	46	19	65	3	1	3	133	32	76
Intestinal obstruction (122b):																		
Male	6	4	6	2	4	2	30	2	3	3	4	8	------	1	3	35	2	5
Female	3	1	2	1	2	2	15	1	2	9	3	4	3	------	------	17	4	6
Congenital malformations (157):																		
Male	40	10	110	13	3	22	172	25	80	38	21	44	16	10	18	293	58	185
Female	23	5	83	3	4	15	157	23	88	26	12	37	18	9	8	212	57	120
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male	33	17	95	2	2	13	44	10	28	16	11	52	5	2	5	50	13	47
Female	29	10	82	1	1	8	31	11	25	9	11	27	3	1	9	32	9	33
Premature birth (159):																		
Male	229	81	475	14	10	76	675	59	208	105	72	201	52	22	23	815	198	399
Female	179	56	371	15	9	55	506	67	175	76	64	126	44	22	16	645	167	298
Injury at birth (160):																		
Male	82	25	84	14	12	21	221	29	73	34	21	34	21	10	11	290	67	111
Female	38	13	57	6	2	15	128	15	40	22	8	19	19	3	6	183	33	71
Other diseases of early infancy (161 a, d):																		
Male	25	5	48	2	1	6	73	6	26	19	11	12	7	4	3	134	23	47
Female	16	3	28	4	2	7	55	9	19	14	7	14	6	5	3	100	18	36
External causes (172-195, 201-214):																		
Male	11	7	50	------	1	10	30	6	24	9	7	24	2	2	3	33	8	19
Female	10	4	41	2	2	6	23	8	19	12	5	10	3	3	4	37	9	16
Unknown or ill-defined diseases (199, 200):																		
Male	48	13	264	1	------	10	18	2	13	10	6	61	------	3	1	14	2	14
Female	35	13	182	------	------	14	7	------	9	4	5	50	------	2	------	6	2	4
All other causes:																		
Male	51	20	130	4	7	15	123	18	51	30	25	40	20	7	10	186	42	68
Female	32	15	92	6	7	13	93	11	40	22	7	18	6	5	4	140	41	54

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE			TEXAS			UTAH		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	444	9	38	591	250	2,333	113	80	422	1,185	296	1,983	3,150	1,112	3,689	245	138	278
Male	249	6	20	333	119	1,323	61	46	238	671	181	1,150	1,743	631	2,061	132	82	166
Female	195	3	18	258	131	1,010	52	34	184	514	115	833	1,407	481	1,628	113	56	112
Measles (7):																		
Male	1	------	-----	1	------	1	------	------	-----	1	1	3	9	2	5	------	------	1
Female	------	------	-----	------	------	1	------	------	-----	------	------	2	4	------	9	------	------	-----
Scarlet fever (8):																		
Male	------	------	-----	------	------	1	------	------	-----	------	------	-----	1	------	1	------	------	1
Female	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Whooping-cough (9):																		
Male	3	------	-----	5	------	16	2	------	-----	5	------	13	15	11	22	------	1	6
Female	1	------	1	5	------	11	------	------	1	4	------	14	18	4	23	1	3	4
Diphtheria (10):																		
Male	------	------	-----	------	2	2	------	------	-----	1	2	8	5	4	8	------	------	-----
Female	------	------	-----	2	------	8	------	------	-----	1	------	5	4	1	9	------	------	-----
Influenza (11):																		
Male	4	------	-----	10	5	64	2	------	3	22	4	44	65	19	116	1	5	6
Female	3	------	-----	8	3	60	3	------	6	11	7	28	54	22	88	3	2	7
Dysentery (13):																		
Male	------	------	-----	8	1	11	------	------	1	23	1	7	22	24	49	------	------	-----
Female	------	------	-----	1	1	9	------	------	1	15	------	7	17	14	34	------	------	-----
Erysipelas (15):																		
Male	2	------	-----	4	------	3	1	------	2	4	1	7	9	3	6	2	3	1
Female	1	------	-----	1	1	-----	------	------	2	3	------	5	2	1	11	3	1	2
Epidemic cerebrospinal meningitis (18):																		
Male	2	------	-----	3	------	-----	------	------	1	7	------	-----	5	1	4	1	------	-----
Female	------	------	-----	1	------	1	------	------	-----	2	1	-----	1	------	1	------	------	1
Tetanus (22):																		
Male	------	------	-----	2	1	1	------	------	-----	1	------	1	6	11	11	------	------	-----
Female	------	------	-----	3	------	1	------	------	-----	------	------	2	4	4	17	------	------	-----
Tuberculosis of the respiratory system (23):																		
Male	------	------	-----	1	------	-----	------	------	-----	8	------	5	8	------	5	------	------	-----
Female	------	------	-----	------	------	1	------	------	-----	3	------	3	9	1	5	------	------	-----
Tuberculosis of the meninges, etc. (24):																		
Male	1	------	-----	------	------	-----	------	------	1	5	------	3	6	1	1	------	------	-----
Female	1	------	-----	------	------	1	------	------	-----	------	------	-----	2	------	4	------	------	1
Other forms of tuberculosis (25-32):																		
Male	------	------	-----	1	------	-----	------	------	-----	1	------	2	3	------	1	1	------	-----
Female	1	------	-----	1	------	-----	------	------	-----	2	------	2	1	------	-----	------	------	-----
Syphilis (34):																		
Male	1	------	-----	18	5	24	1	------	4	25	1	12	42	9	28	1	------	-----
Female	2	------	-----	18	6	14	------	------	1	23	------	8	45	3	19	1	------	1
Convulsions (86):																		
Male	------	------	-----	1	------	12	------	------	2	2	------	6	7	4	25	------	------	-----
Female	1	------	-----	2	2	9	------	1	3	1	1	4	1	2	12	------	------	2
Bronchitis (106):																		
Male	------	------	-----	------	------	2	1	------	-----	2	------	1	14	3	9	2	------	1
Female	------	------	-----	------	1	2	------	------	-----	------	------	-----	11	1	12	1	1	3
Bronchopneumonia (107):																		
Male	22	1	2	22	6	76	2	5	19	70	12	119	142	55	142	13	12	32
Female	19	------	3	28	11	53	8	1	8	46	12	63	142	45	104	13	9	17
Lobar and unspecified pneumonia (108, 109):																		
Male	10	1	1	19	11	77	3	1	10	28	9	39	80	25	120	4	4	6
Female	16	------	-----	9	8	71	2	2	16	15	3	47	56	11	98	3	2	7
Diseases of the stomach (117, 118):																		
Male	1	------	-----	------	------	16	------	------	3	3	------	7	13	7	34	------	------	-----
Female	------	------	-----	------	1	8	------	------	-----	------	------	5	7	9	27	------	------	-----
Diarrhea and enteritis (119):																		
Male	10	------	2	37	15	124	6	6	27	71	29	120	289	105	281	11	2	5
Female	9	------	3	34	19	109	5	2	12	67	20	101	275	76	248	3	4	8
Intestinal obstruction (122b):																		
Male	4	------	-----	2	1	1	1	------	2	9	2	2	26	7	15	1	------	3
Female	3	------	-----	3	2	3	------	------	2	5	1	3	17	6	13	------	------	-----
Congenital malformations (157):																		
Male	30	------	-----	18	3	43	6	4	18	46	10	58	73	36	116	19	9	7
Female	25	------	4	12	2	17	9	3	18	36	11	51	68	23	89	13	3	4
Congenital debility, icterus, sclerema (158, 161 b,c):																		
Male	9	1	-----	13	5	46	3	4	15	15	13	48	52	42	153	3	2	9
Female	5	------	-----	12	5	33	1	2	17	20	4	33	43	31	82	1	------	2
Premature birth (159):																		
Male	84	2	8	96	23	234	13	16	68	171	38	229	498	128	433	41	25	47
Female	42	2	3	74	32	179	11	10	46	129	28	140	360	134	330	53	22	35
Injury at birth (160):																		
Male	33	1	6	32	10	50	10	4	15	47	14	61	127	50	121	13	11	15
Female	40	1	3	16	12	15	3	7	15	43	7	27	84	27	84	7	2	5
Other diseases of early infancy (161 a, d):																		
Male	12	------	-----	9	6	28	2	2	11	15	5	11	51	11	41	4	1	4
Female	10	------	1	6	3	18	1	1	2	14	1	10	38	19	34	6	4	5
External causes (172-195, 201-214):																		
Male	5	------	-----	5	1	25	2	1	9	10	4	20	29	17	46	1	------	1
Female	1	------	-----	1	------	12	2	------	6	7	1	17	20	8	46	------	------	1
Unknown or ill-defined diseases (199, 200):																		
Male	1	------	1	7	16	390	------	1	14	26	16	265	26	26	122	2	4	6
Female	1	------	-----	5	16	304	------	1	10	26	12	211	15	16	109	------	2	1
All other causes:																		
Male	14	------	-----	19	8	76	6	2	13	53	19	59	120	29	146	12	3	15
Female	14	------	-----	16	6	70	7	4	18	41	6	45	99	23	120	5	.1	6

TABLE 22.—DEATHS (EXCLUSIVE OF STILLBIRTHS) UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1936—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Rural 4/	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	82	292	957	316	2,514	636	127	299	606	366	1,936	1,126	375	1,009	46	67	161
Male	45	170	528	177	1,406	357	88	170	339	194	1,089	649	221	584	25	37	81
Female	37	122	429	139	1,108	279	39	129	267	172	847	477	154	425	21	30	80
Measles (7):																	
Male	------	4	------	1	7	------	------	1	------	------	1	------	------	2	------	------	------
Female	------	------	------	1	3	------	------	2	------	------	5	------	------	1	------	------	------
Scarlet fever (8):																	
Male	------	------	------	------	1	------	------	2	1	------	1	------	1	1	------	------	------
Female	------	------	------	------	------	------	------	------	------	1	1	------	------	2	------	------	------
Whooping-cough (9):																	
Male	2	4	13	6	28	1	2	1	5	2	20	8	2	13	------	------	1
Female	------	2	6	5	21	3	------	3	2	1	15	6	1	5	1	------	------
Diphtheria (10):																	
Male	------	------	2	1	3	------	------	1	1	------	8	------	------	------	------	------	------
Female	------	------	1	2	4	------	------	------	------	1	10	------	------	------	------	------	------
Influenza (11):																	
Male	------	5	13	4	57	10	5	8	9	6	33	9	5	20	1	2	2
Female	1	3	7	3	37	5	1	7	6	3	34	6	4	13	------	------	1
Dysentery (13):																	
Male	------	------	6	6	27	3	1	1	7	11	20	------	------	4	------	------	1
Female	------	------	4	------	21	1	1	2	2	9	27	------	1	2	------	------	------
Erysipelas (15):																	
Male	------	1	------	1	2	2	------	1	------	------	1	1	1	2	------	------	------
Female	------	------	------	------	5	4	------	1	------	1	2	1	2	1	1	------	------
Epidemic cerebrospinal meningitis (18):																	
Male	------	------	2	2	6	------	------	------	6	------	3	2	1	2	------	------	------
Female	------	------	------	------	5	------	------	------	3	------	------	------	------	------	------	------	------
Tetanus (22):																	
Male	------	------	------	------	------	------	------	------	1	------	------	1	------	------	------	------	------
Female	------	------	1	------	3	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23):																	
Male	1	1	1	------	2	3	------	------	1	1	------	------	------	1	------	------	------
Female	1	------	------	------	1	1	1	2	3	------	------	2	2	------	------	------	------
Tuberculosis of the meninges, etc. (24):																	
Male	------	------	1	------	1	2	2	------	------	------	3	4	1	2	------	------	------
Female	------	------	1	1	1	------	1	------	3	1	4	3	------	------	------	------	------
Other forms of tuberculosis (25-32):																	
Male	------	------	1	------	------	1	------	------	------	------	2	------	------	------	------	------	------
Female	------	------	------	------	1	------	------	------	2	------	1	------	------	------	------	------	------
Syphilis (34):																	
Male	------	1	23	6	24	2	------	------	7	2	7	3	------	2	------	------	------
Female	------	1	16	4	19	1	------	------	4	3	13	1	------	3	------	------	1
Convulsions (86):																	
Male	------	2	5	1	15	------	------	------	3	1	4	3	1	10	------	------	1
Female	------	------	3	------	7	1	------	1	1	------	7	2	------	3	------	------	------
Bronchitis (106):																	
Male	1	3	4	1	7	2	------	1	------	------	4	2	------	7	------	------	------
Female	------	------	------	------	9	2	------	------	1	------	2	2	3	5	------	------	------
Bronchopneumonia (107):																	
Male	4	25	52	15	133	34	4	26	38	21	124	78	35	73	2	4	10
Female	5	19	52	16	91	29	2	20	26	20	105	50	16	51	4	4	13
Lobar and unspecified pneumonia (108, 109):																	
Male	------	12	18	2	68	10	3	11	13	5	62	20	9	18	------	1	7
Female	------	3	12	7	56	10	3	8	7	7	35	17	9	19	------	1	3
Diseases of the stomach (117, 118):																	
Male	------	------	------	------	3	1	------	1	1	------	5	2	------	2	------	------	1
Female	------	------	1	------	6	------	------	1	1	------	7	------	------	2	------	------	1
Diarrhea and enteritis (119):																	
Male	1	10	33	12	127	11	5	6	44	40	131	31	13	42	2	2	6
Female	1	5	40	11	98	15	------	6	59	37	112	25	7	39	1	------	10
Intestinal obstruction (122b):																	
Male	------	------	1	4	3	6	------	------	10	1	5	8	6	4	1	------	2
Female	1	------	6	------	2	4	2	------	4	------	1	6	1	3	------	------	------
Congenital malformations (157):																	
Male	6	18	35	11	76	41	7	14	36	13	71	97	27	72	5	7	7
Female	3	18	33	11	60	32	4	14	19	11	62	55	17	65	1	4	8
Congenital debility, icterus, sclerema (158, 161 b, c):																	
Male	2	4	23	13	131	10	5	5	9	5	71	15	1	23	------	1	2
Female	3	2	14	2	98	9	1	3	12	12	38	8	5	12	3	------	2
Premature birth (159):																	
Male	22	51	176	51	348	125	28	39	81	51	288	187	65	150	7	10	24
Female	16	38	152	45	276	96	20	29	67	36	194	186	42	105	7	15	23
Injury at birth (160):																	
Male	3	14	44	19	79	34	10	22	26	11	58	84	23	43	1	2	3
Female	6	19	29	16	62	25	------	8	16	7	30	43	21	33	------	4	1
Other diseases of early infancy (161 a, d):																	
Male	------	5	20	4	25	19	2	7	7	2	17	33	11	34	1	2	4
Female	------	3	15	5	24	15	------	6	11	3	10	23	11	22	1	1	4
External causes (172-195, 201-214):																	
Male	1	2	6	10	21	8	2	7	3	5	24	9	3	18	1	------	2
Female	------	2	4	2	24	3	------	3	2	------	23	8	1	8	------	------	4
Unknown or ill-defined diseases (199,200):																	
Male	------	------	14	1	124	1	2	6	2	3	74	------	2	8	------	------	3
Female	------	2	8	2	109	1	1	3	1	5	65	2	2	7	------	------	4
All other causes:																	
Male	2	8	35	6	88	31	10	10	28	14	52	52	14	31	4	6	5
Female	------	5	24	6	65	22	2	10	15	14	44	31	9	24	2	1	5

4/ Cities of 2,500 to 10,000 population are included in the rural.

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936

AGE AND SEX	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000 1/	Rural 1/	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	122,535	55,975	12,785	53,777	962	270	2,785	306	264	572	260	219	1,228	2,558	590	1,341	539	278	537
Male	69,749	31,954	7,311	30,484	521	146	1,567	192	154	305	156	132	723	1,514	309	766	308	161	294
Female	52,786	24,021	5,472	23,293	441	124	1,218	114	110	267	104	87	505	1,044	281	575	231	117	243
Under 1 day	32,297	16,498	3,500	12,299	312	83	709	54	33	73	58	41	220	870	162	282	156	59	118
Male	18,757	9,576	2,025	7,156	166	42	436	37	22	44	38	31	133	537	82	167	91	35	68
Female	13,540	6,922	1,475	5,143	146	41	273	17	11	29	20	10	87	333	80	115	65	24	50
1 day	8,354	4,237	903	3,214	58	13	180	8	15	16	20	16	58	186	34	58	31	16	27
Male	4,899	2,532	489	1,878	33	7	109	7	6	11	12	11	30	101	18	35	18	11	16
Female	3,455	1,705	414	1,336	25	6	71	1	9	5	8	5	28	85	16	23	13	5	11
2 days	5,343	2,508	545	2,290	39	9	118	11	14	21	11	8	47	98	26	44	12	10	26
Male	3,229	1,550	325	1,354	20	3	65	7	10	11	10	5	29	58	15	22	5	8	13
Female	2,114	958	220	936	19	6	53	4	4	10	1	3	18	40	11	22	7	2	13
3 to 6 days	9,216	3,881	968	4,367	79	13	272	16	12	35	17	15	75	141	44	56	29	17	21
Male	5,355	2,258	541	2,556	47	7	152	9	5	17	12	9	42	88	20	35	17	9	9
Female	3,861	1,623	427	1,811	32	6	120	7	7	18	5	6	33	53	24	21	12	8	12
1 week	6,511	2,606	619	3,286	50	15	193	18	15	27	11	12	87	92	24	47	26	9	33
Male	3,643	1,433	363	1,847	27	8	108	13	9	15	8	6	44	59	15	25	16	5	21
Female	2,868	1,173	256	1,439	23	7	85	5	6	12	3	6	43	33	9	22	10	4	12
2 weeks	4,331	1,919	358	2,054	22	7	95	8	4	25	8	8	47	79	18	40	17	8	22
Male	2,374	1,023	190	1,161	11	5	50	4	1	19	3	1	28	42	7	23	9	4	10
Female	1,957	896	168	893	11	2	45	4	3	6	5	7	19	37	11	17	8	4	12
3 weeks but under 1 month	3,817	1,678	365	1,774	22	11	90	7	10	14	11	5	47	76	14	28	18	8	12
Male	2,157	956	194	1,007	12	4	44	6	6	9	8	2	26	48	5	18	12	5	7
Female	1,660	722	171	767	10	7	46	1	4	5	3	3	21	28	9	10	6	3	5
Under 1 month	69,869	33,327	7,258	29,284	582	151	1,657	122	103	211	136	105	581	1,542	322	555	289	127	269
Male	40,414	19,328	4,127	16,959	316	76	964	83	59	126	91	65	332	933	162	325	168	77	144
Female	29,455	13,999	3,131	12,325	266	75	693	39	44	85	45	40	249	609	160	230	121	50	115
1 month	9,503	4,030	939	4,534	76	19	225	22	33	54	20	21	100	169	37	131	44	23	67
Male	5,481	2,349	550	2,582	39	13	125	10	21	29	10	14	54	109	20	78	30	9	34
Female	4,022	1,681	389	1,952	37	6	100	12	12	25	10	7	46	60	17	53	14	14	33
2 months	7,808	3,293	807	3,708	54	11	157	25	19	42	13	12	73	144	36	113	38	14	39
Male	4,361	1,848	475	2,038	32	7	84	16	13	21	8	6	44	86	19	68	25	8	22
Female	3,447	1,445	332	1,670	22	4	73	9	6	21	5	6	29	58	17	45	12	6	17
3 months	6,640	2,770	704	3,166	45	11	146	29	20	36	18	12	92	120	30	106	41	22	32
Male	3,710	1,571	411	1,728	30	8	65	18	9	15	10	6	57	67	14	61	21	15	19
Female	2,930	1,199	293	1,438	15	3	81	11	11	21	8	6	35	53	16	45	20	7	13
4 months	5,409	2,324	589	2,496	38	14	111	21	19	50	11	13	62	112	39	89	20	19	36
Male	2,957	1,292	311	1,354	20	7	52	13	7	23	5	9	31	68	22	46	11	8	21
Female	2,452	1,032	278	1,142	18	7	59	8	12	27	6	4	31	44	17	43	9	11	15
5 months	4,552	1,944	484	2,124	43	12	98	17	12	28	8	14	68	97	28	74	17	17	27
Male	2,579	1,116	293	1,170	24	7	51	7	9	11	4	8	46	52	15	47	11	11	12
Female	1,973	828	191	954	19	5	47	10	3	17	4	6	22	45	13	27	6	6	15
6 months	4,131	1,812	434	1,885	27	12	96	12	17	34	12	6	51	82	24	67	27	14	13
Male	2,257	977	237	1,043	14	5	53	8	11	18	7	5	37	48	11	36	10	13	10
Female	1,874	835	197	842	13	7	43	4	6	16	5	1	14	34	13	31	17	1	3
7 months	3,573	1,622	362	1,589	21	8	71	13	7	36	9	7	46	73	18	47	16	8	18
Male	1,994	894	226	874	10	3	35	10	6	18	4	5	28	40	8	23	5	4	11
Female	1,579	728	136	715	11	5	36	3	1	18	5	2	18	33	10	24	11	4	7
8 months	3,226	1,440	335	1,451	18	11	61	12	8	20	7	8	51	70	15	44	16	12	6
Male	1,769	757	209	803	11	8	38	7	4	9	2	4	35	36	10	22	9	7	2
Female	1,457	683	126	648	7	3	23	5	4	11	5	4	16	34	5	22	7	5	4
9 months	2,946	1,276	306	1,364	21	7	58	12	8	20	7	7	42	46	18	56	11	7	14
Male	1,598	683	166	749	8	2	38	6	5	8	5	4	28	25	10	33	5	4	6
Female	1,348	593	140	615	13	5	20	6	3	12	2	3	14	21	8	23	6	3	8
10 months	2,511	1,150	266	1,095	26	9	52	10	7	17	9	9	27	54	9	27	9	5	14
Male	1,338	604	145	589	12	6	24	6	2	13	5	5	16	26	7	14	5	1	8
Female	1,173	546	121	506	14	3	28	4	5	4	4	4	11	28	2	13	4	4	6
11 months	2,367	987	299	1,081	11	5	53	11	11	24	10	5	35	49	14	32	11	10	12
Male	1,291	535	161	595	5	4	38	8	8	14	5	1	15	24	11	13	7	4	5
Female	1,076	452	138	486	6	1	15	3	3	10	5	4	20	25	3	19	4	6	7

1/ Cities of 2,500 to 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in the rural.

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural 2/	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	782	33	118	122	40	91	847	597	277	795	1,164	3,150	78	228	220	3,473	593	1,180
Male	447	18	67	61	25	54	481	352	155	452	641	1,818	41	129	127	2,022	330	642
Female	335	15	51	61	15	37	366	245	122	343	523	1,332	37	99	93	1,451	263	538
Under 1 day	291	21	27	25	9	15	207	191	87	233	273	747	23	82	60	1,204	155	310
Male	182	10	11	12	5	9	119	117	50	139	157	456	13	49	33	698	84	174
Female	109	11	16	13	4	6	88	74	37	94	116	291	10	33	27	506	71	136
1 day	85	1	8	8	4	5	61	37	15	51	89	215	3	24	13	281	55	87
Male	52	------	5	5	3	3	44	29	10	31	65	123	1	14	8	161	33	48
Female	33	1	3	3	1	2	17	8	5	20	24	92	2	10	5	120	22	39
2 days	54	2	5	7	------	3	27	33	18	37	49	148	------	17	8	165	38	63
Male	33	2	4	4	------	2	18	22	11	23	33	89	------	7	6	111	20	35
Female	21	------	1	3	------	1	9	11	7	14	16	59	------	10	2	54	18	28
3 to 6 days	57	------	9	7	5	7	48	43	18	85	87	306	8	15	13	248	40	111
Male	31	------	6	3	1	4	26	22	8	39	52	186	5	10	7	147	25	61
Female	26	------	3	4	4	3	22	21	10	46	35	120	3	5	6	101	15	50
1 week	15	1	6	6	4	5	52	38	13	51	60	234	4	2	9	139	27	65
Male	5	1	6	2	1	3	28	16	4	34	24	129	3	------	5	80	12	38
Female	10	------	-----	4	3	2	24	22	9	17	36	105	1	2	4	59	15	27
2 weeks	18	------	5	3	1	5	36	18	5	24	33	112	6	5	14	116	24	39
Male	7	------	3	2	1	3	19	10	5	11	15	64	4	2	8	70	10	28
Female	11	------	2	1	------	2	17	8	------	13	18	48	2	3	6	46	14	11
3 weeks but under 1 month	20	------	4	------	------	2	39	22	9	18	34	104	1	6	10	88	21	39
Male	11	------	3	------	------	2	24	16	4	10	24	59	------	2	4	44	11	22
Female	9	------	1	------	------	-----	15	6	5	8	10	45	1	4	6	44	10	17
Under 1 month	540	25	64	56	23	42	470	382	165	499	625	1,866	45	151	127	2,241	360	714
Male	321	13	38	28	11	26	278	232	92	287	370	1,106	26	84	71	1,311	195	406
Female	219	12	26	28	12	16	192	150	73	212	255	760	19	67	56	930	165	308
1 month	45	------	14	15	3	8	58	31	28	57	90	241	9	12	11	222	43	88
Male	25	------	9	9	2	5	32	15	12	37	42	125	3	10	5	135	22	47
Female	20	------	5	6	1	3	26	16	16	20	48	116	5	2	6	87	21	41
2 months	48	2	6	4	1	4	56	31	16	51	84	194	4	12	24	185	24	73
Male	24	1	4	2	1	3	31	16	10	27	43	115	3	9	12	111	15	37
Female	24	1	2	2	------	1	25	15	6	24	41	79	1	3	12	74	9	36
3 months	24	2	11	9	3	7	46	24	17	39	59	158	4	15	20	146	38	58
Male	14	------	4	6	3	3	21	16	11	23	26	85	------	8	13	84	25	29
Female	10	2	7	3	------	4	25	8	6	16	33	73	4	7	7	62	13	29
4 months	23	2	4	10	------	6	39	25	11	26	58	120	3	6	8	135	19	43
Male	13	2	2	6	------	4	22	8	7	14	31	65	1	3	6	81	12	26
Female	10	------	2	4	------	2	17	17	4	12	27	55	2	3	2	54	7	17
5 months	17	1	7	6	5	2	40	24	5	26	54	114	3	6	8	90	24	49
Male	8	1	4	3	4	2	21	14	3	12	26	70	3	2	4	52	17	25
Female	9	------	3	3	1	-----	19	10	2	14	28	44	------	4	4	38	7	24
6 months	16	------	8	5	2	4	37	21	9	21	36	102	2	5	6	90	21	34
Male	9	------	3	2	2	-----	17	13	5	8	22	61	1	3	5	53	8	18
Female	7	------	5	3	------	4	20	8	4	13	14	41	1	2	1	37	13	16
7 months	13	------	1	4	------	4	31	14	7	16	42	88	2	2	8	83	17	37
Male	4	------	1	------	------	3	18	10	4	7	26	40	2	1	8	51	10	17
Female	9	------	-----	4	------	1	13	4	3	9	16	48	------	1	-----	32	7	20
8 months	16	------	-----	4	------	3	22	16	4	18	40	77	3	5	2	76	11	16
Male	9	------	-----	------	------	-----	9	9	2	12	20	48	1	4	1	34	4	9
Female	7	------	-----	4	------	3	13	7	2	6	20	29	2	1	1	42	7	7
9 months	15	1	2	2	1	6	21	14	5	18	30	77	2	4	3	67	14	24
Male	6	1	1	2	1	3	14	9	4	11	15	42	------	1	2	33	10	9
Female	9	------	1	------	------	3	7	5	1	7	15	35	2	3	1	34	4	15
10 months	14	------	-----	3	1	2	18	9	3	17	21	53	1	5	1	71	12	18
Male	7	------	-----	2	1	2	10	5	2	11	10	26	1	2	-----	38	7	8
Female	7	------	-----	1	------	-----	8	4	1	6	11	27	------	3	1	33	5	10
11 months	11	------	1	4	1	3	9	6	7	7	25	60	1	5	2	67	10	26
Male	7	------	1	1	------	3	8	5	3	3	10	35	------	2	-----	39	5	11
Female	4	------	-----	3	1	-----	1	1	4	4	15	25	1	3	2	28	5	15

2/ Cities of 2,500 to 10,000 population are included in the rural.

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	INDIANA			IOWA			KANSAS			KENTUCKY		LOUISIANA			MAINE		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[3]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	1,480	299	963	918	375	764	621	251	682	763	2,963	1,277	273	1,601	327	124	530
Male	814	190	544	531	206	441	349	150	383	435	1,694	747	167	908	180	67	294
Female	666	109	419	387	169	323	272	101	299	328	1,269	530	106	693	147	57	236
Under 1 day	441	84	232	286	132	273	193	78	202	164	604	333	57	332	86	31	94
Male	268	56	124	168	79	162	113	50	107	98	356	198	32	186	51	21	52
Female	173	28	108	118	53	111	80	28	95	66	248	135	25	146	35	10	42
1 day	109	30	82	89	25	62	64	13	49	44	194	50	16	79	50	11	56
Male	55	13	47	49	14	32	40	7	31	29	121	24	10	40	24	6	35
Female	54	17	35	40	11	30	24	6	18	15	73	26	6	39	26	5	21
2 days	74	14	42	39	16	42	29	11	37	35	103	54	13	59	23	6	20
Male	45	11	28	26	10	25	20	8	22	24	61	34	9	33	11	2	13
Female	29	3	14	13	6	17	9	3	15	11	42	20	4	26	12	4	7
3 to 6 days	104	27	79	65	28	61	34	22	60	57	204	96	14	126	25	20	51
Male	50	20	53	34	19	36	21	15	38	28	122	59	8	78	15	9	27
Female	54	7	26	31	9	25	13	7	22	29	82	37	6	48	10	11	24
1 week	75	14	48	55	19	39	30	8	42	34	201	82	10	118	14	9	24
Male	43	9	25	38	10	26	11	5	25	17	111	41	9	64	9	6	11
Female	32	5	23	17	9	13	19	3	17	17	90	41	1	54	5	3	13
2 weeks	47	11	41	38	15	26	21	4	15	16	123	82	8	69	4	2	24
Male	19	7	18	22	6	14	13	3	10	9	65	42	5	41	2	1	14
Female	28	4	23	16	9	12	8	1	5	7	58	40	3	28	2	1	10
3 weeks but under 1 month	41	12	30	26	8	32	19	8	13	20	98	45	9	51	10	1	19
Male	26	9	17	18	3	15	13	4	11	11	57	30	5	21	5	1	11
Female	15	3	13	8	5	17	6	4	2	9	41	15	4	30	5	------	8
Under 1 month	891	192	554	598	243	535	390	144	418	370	1,527	742	127	834	212	80	288
Male	506	125	312	355	141	310	231	92	244	216	893	428	78	463	117	46	163
Female	385	67	242	243	102	225	159	52	174	154	634	314	49	371	95	34	125
1 month	104	16	91	58	20	42	36	20	40	64	252	88	27	149	17	9	56
Male	51	11	49	36	13	26	18	11	26	42	150	55	17	86	8	6	34
Female	53	5	42	22	7	16	18	9	14	22	102	33	10	63	9	3	22
2 months	94	21	48	45	29	42	35	20	42	40	196	86	22	136	19	13	41
Male	44	12	31	24	10	22	19	13	32	22	107	53	14	74	10	5	23
Female	50	9	17	21	19	20	16	7	10	18	89	33	8	62	9	8	18
3 months	82	15	54	51	20	35	26	15	46	46	165	63	18	101	17	5	36
Male	47	7	27	31	12	21	13	8	20	26	88	32	10	61	12	2	20
Female	35	8	27	20	8	14	13	7	26	20	77	31	8	40	5	3	16
4 months	61	7	41	34	17	23	31	12	39	40	147	44	18	66	14	7	26
Male	27	2	24	15	7	11	15	3	21	21	85	30	9	37	7	3	12
Female	34	5	17	19	10	12	16	9	18	19	62	14	9	29	7	4	14
5 months	44	11	42	22	12	18	19	7	25	39	125	41	17	61	10	2	22
Male	29	6	23	15	5	9	8	5	8	20	67	22	9	39	6	1	11
Female	15	5	19	7	7	9	11	2	17	19	58	19	8	22	4	1	11
6 months	51	5	36	28	8	20	14	5	24	32	97	51	12	48	5	3	17
Male	27	3	19	14	4	16	8	2	9	17	52	31	9	26	4	2	9
Female	24	2	17	14	4	4	6	3	15	15	45	20	3	22	1	1	8
7 months	42	10	28	19	9	10	13	6	9	23	100	44	9	58	7	3	8
Male	24	9	20	10	6	6	9	5	3	14	51	24	5	36	2	1	4
Female	18	1	8	9	3	4	4	1	6	9	49	20	4	22	5	2	4
8 months	31	7	24	10	6	7	17	7	8	42	94	32	6	52	12	1	8
Male	17	5	15	5	4	3	11	4	4	20	57	18	3	25	7	1	5
Female	14	2	9	5	2	4	6	3	4	22	37	14	3	27	5	------	3
9 months	33	11	20	19	4	12	15	6	11	25	93	33	7	45	3	1	12
Male	16	9	10	9	1	4	7	3	5	13	54	23	6	24	------	------	5
Female	17	2	10	10	3	8	8	3	6	12	39	10	1	21	3	1	7
10 months	30	2	15	15	4	12	14	5	11	23	92	21	4	22	3	------	9
Male	16	1	8	7	1	6	6	2	7	13	50	12	2	16	3	------	5
Female	14	1	7	8	3	6	8	3	4	10	42	9	2	6	------	------	4
11 months	17	2	10	19	3	8	11	4	9	19	75	32	6	29	8	------	7
Male	10	------	6	10	2	7	4	2	4	11	40	19	5	21	4	------	3
Female	7	2	4	9	1	1	7	2	5	8	35	13	1	8	4	------	4

3/ Cities of 2,500 to 10,000 population are included in the rural.

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	MARYLAND			MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	1,083	97	658	2,605	154	113	3,023	417	1,042	842	325	946	409	190	2,280	1,319	415	1,501
Male	608	55	393	1,465	85	63	1,776	245	579	505	193	521	218	109	1,274	770	227	840
Female	475	42	265	1,140	69	50	1,247	172	463	337	132	425	191	81	1,006	549	188	661
Under 1 day	245	26	116	873	58	31	817	126	286	345	118	291	135	53	434	340	103	367
Male	148	13	66	488	30	14	479	82	156	219	72	148	76	28	240	208	54	208
Female	97	13	50	385	28	17	338	44	130	126	46	143	59	25	194	132	49	159
1 day	67	7	35	192	8	3	259	30	61	52	30	48	24	7	127	87	22	68
Male	42	6	26	109	3	3	169	18	31	35	17	29	15	5	64	51	11	37
Female	25	1	9	83	5	-----	90	12	30	17	13	19	9	2	63	36	11	31
2 days	40	3	16	144	3	9	130	19	45	51	13	45	10	9	80	49	11	64
Male	25	3	8	87	-----	7	87	13	33	29	6	23	6	5	42	31	9	42
Female	15	-----	8	57	3	2	43	6	12	22	7	22	4	4	38	18	2	22
3 to 6 days	64	7	42	185	8	7	195	41	90	56	25	94	22	10	184	88	35	142
Male	36	4	25	96	5	5	109	20	54	32	18	52	12	7	119	51	26	80
Female	28	3	17	89	3	2	86	21	36	24	7	42	10	3	65	37	9	62
1 week	61	3	27	113	10	1	155	23	49	30	22	61	22	15	152	75	22	104
Male	30	-----	17	71	7	1	91	15	25	16	11	37	13	11	82	33	16	52
Female	31	3	10	42	3	-----	64	8	23	14	11	24	9	4	70	42	6	52
2 weeks	29	1	22	79	3	7	130	12	39	27	8	35	15	7	87	53	16	60
Male	15	1	13	34	2	4	69	4	20	15	6	20	8	1	45	27	9	36
Female	14	-----	9	45	1	3	61	8	19	12	2	15	7	6	42	26	7	24
3 weeks, but under 1 month	33	2	25	80	4	-----	99	11	31	16	6	33	8	9	75	39	13	34
Male	22	1	15	45	4	-----	56	6	17	11	3	20	3	5	40	19	3	21
Female	11	1	10	35	-----	-----	43	5	14	5	3	13	5	4	35	20	10	13
Under 1 month	539	49	283	1,666	94	58	1,785	252	601	577	222	607	236	110	1,139	731	222	839
Male	318	28	170	930	51	34	1,060	158	337	357	133	329	133	62	632	420	128	476
Female	221	21	113	736	43	24	725	104	264	220	89	278	103	48	507	311	94	363
1 month	76	4	57	180	7	9	264	32	69	53	18	67	24	6	222	97	36	113
Male	48	1	38	106	3	7	164	15	37	33	10	48	8	5	115	63	18	62
Female	28	3	19	74	4	2	100	17	32	20	8	19	16	1	107	34	18	51
2 months	68	2	50	132	8	9	165	14	82	43	17	61	23	8	165	89	29	111
Male	42	2	29	70	4	6	101	9	49	24	11	34	12	3	91	49	14	66
Female	26	-----	21	62	4	3	64	5	33	19	6	27	11	5	74	40	15	45
3 months	56	5	51	97	8	8	169	30	60	30	10	47	23	13	140	74	23	86
Male	28	2	31	62	5	4	107	17	30	16	6	22	12	8	74	48	17	54
Female	28	3	20	35	3	4	62	13	30	14	4	25	11	5	66	26	6	32
4 months	60	6	39	102	9	5	132	17	52	27	11	24	14	9	103	62	20	61
Male	31	1	19	56	4	2	69	10	23	14	6	14	6	7	66	43	6	35
Female	29	5	20	46	5	3	63	7	29	13	5	10	8	2	37	19	14	26
5 months	57	9	40	70	4	5	97	16	28	26	8	35	14	8	97	41	13	55
Male	32	7	22	40	3	2	46	9	20	13	5	20	8	5	66	22	8	32
Female	25	2	18	30	1	3	51	7	8	13	3	15	6	3	31	19	5	23
6 months	57	9	30	83	8	3	95	10	31	24	8	19	12	6	95	51	14	39
Male	25	6	20	45	4	2	52	5	13	10	5	7	4	2	51	27	5	19
Female	32	3	10	38	4	1	43	5	18	14	3	12	8	4	44	24	9	20
7 months	45	3	28	72	2	4	77	11	27	8	9	19	9	6	73	55	16	54
Male	26	2	16	37	2	1	47	7	18	4	6	13	7	5	42	34	7	29
Female	19	1	12	35	-----	3	30	4	9	4	3	6	2	1	31	21	9	25
8 months	33	2	28	62	2	-----	74	7	35	17	8	19	23	10	71	37	14	36
Male	17	2	20	35	1	-----	44	4	24	10	6	8	13	6	39	15	9	15
Female	16	-----	8	27	1	-----	30	3	12	7	2	11	10	4	32	22	5	21
9 months	33	2	25	56	5	4	59	8	19	18	6	16	8	3	71	35	11	40
Male	15	1	14	31	4	2	26	7	6	13	2	10	3	2	42	21	4	24
Female	18	1	11	25	1	2	33	1	13	5	4	6	5	1	29	14	7	16
10 months	28	2	16	53	4	3	62	5	21	11	6	14	16	3	58	23	9	31
Male	13	1	9	34	2	2	35	2	11	5	2	6	10	1	37	14	7	11
Female	15	1	7	19	2	1	27	3	10	6	4	8	6	2	21	9	2	20
11 months	31	4	11	32	3	5	44	5	16	8	2	18	7	8	46	24	8	36
Male	13	2	5	19	2	1	25	2	11	6	1	10	2	3	19	14	4	17
Female	18	2	6	13	1	4	19	3	5	2	1	8	5	5	27	10	4	19

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	MONTANA			NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	151	85	357	398	179	472	16	31	52	210	42	103	1,891	178	317	207	191	1,174
Male	81	48	209	231	111	264	10	22	30	121	23	53	1,086	98	174	119	103	640
Female	70	37	148	167	68	208	6	9	22	89	19	40	805	80	143	88	88	534
Under 1 day	48	27	80	137	58	154	8	9	17	68	11	29	616	43	76	36	36	185
Male	20	18	50	79	36	89	5	5	11	32	4	14	374	30	49	22	21	107
Female	28	9	30	58	22	65	3	4	6	36	7	15	242	13	29	14	15	78
1 day	14	7	19	43	11	25	1	3	2	19	7	7	170	16	18	11	10	41
Male	11	3	11	29	5	14	------	3	1	11	7	3	106	6	7	4	5	20
Female	3	4	8	14	6	11	1	------	1	8	------	4	64	10	11	7	5	21
2 days	5	3	19	16	8	29	------	1	1	13	3	6	86	7	11	4	4	34
Male	3	2	10	11	6	15	------	1	1	9	2	4	61	3	8	1	2	21
Female	2	1	9	5	2	14	------	------	-----	4	1	2	25	4	3	3	2	13
3 to 6 days	8	9	33	30	14	43	------	4	4	14	5	10	124	14	24	8	10	69
Male	4	5	17	16	7	21	------	3	1	10	1	8	69	7	13	7	5	35
Female	4	4	16	14	7	22	------	1	3	4	4	2	55	7	11	1	5	34
1 week	6	5	14	15	9	22	------	1	-----	10	1	6	79	12	14	10	8	59
Male	4	2	10	7	6	10	------	1	-----	5	------	5	44	7	11	6	5	36
Female	2	3	4	8	3	12	------	------	-----	4	1	1	35	5	3	4	3	23
2 weeks	5	1	14	11	1	11	------	------	3	7	1	2	60	4	14	3	5	41
Male	1	------	8	5	1	2	------	------	2	4	1	1	27	2	9	2	4	21
Female	4	1	6	6	------	9	------	------	1	3	------	1	33	2	5	1	1	20
3 weeks but under 1 month	2	2	14	10	4	12	------	1	-----	7	------	3	50	5	8	5	4	34
Male	2	2	7	5	2	8	------	1	-----	4	------	2	27	2	3	2	3	15
Female	------	------	7	5	2	4	------	------	-----	3	------	1	23	3	5	3	1	19
Under 1 month	88	54	193	262	105	296	9	19	27	138	28	63	1,185	101	167	77	77	463
Male	45	32	113	152	63	159	5	14	16	76	15	37	708	57	100	44	45	255
Female	43	22	80	110	42	137	4	5	11	62	13	26	477	44	67	33	32	208
1 month	11	7	24	36	15	39	------	3	4	13	1	9	120	12	25	20	15	106
Male	7	4	11	22	10	25	------	2	4	9	------	5	62	5	13	11	11	66
Female	4	3	13	14	5	14	------	1	-----	4	1	4	58	7	12	9	4	40
2 months	12	4	26	15	12	24	1	2	2	12	5	13	114	12	32	19	16	115
Male	5	3	16	8	8	12	------	1	1	5	3	10	62	6	15	9	4	59
Female	7	1	10	7	4	12	1	1	1	7	2	3	52	6	17	10	12	56
3 months	7	4	26	19	9	20	2	------	8	9	5	6	81	15	25	19	10	89
Male	2	------	13	13	8	12	2	------	4	3	3	4	39	9	19	14	7	45
Female	5	4	13	6	1	8	------	------	4	6	2	2	42	6	6	5	3	44
4 months	6	3	17	14	9	18	------	1	1	7	------	-----	66	7	20	7	18	62
Male	5	2	11	9	4	10	------	1	1	5	------	-----	41	5	11	5	7	33
Female	1	1	6	5	5	8	------	------	-----	2	------	-----	25	2	9	2	11	29
5 months	3	------	12	16	5	16	------	1	3	11	1	4	68	13	7	15	6	69
Male	2	------	9	9	2	10	------	1	1	7	------	3	42	8	2	7	4	30
Female	1	------	3	7	3	6	------	------	2	4	1	1	26	5	5	8	2	39
6 months	8	2	21	7	2	17	1	1	1	3	------	1	43	3	12	11	6	47
Male	5	------	14	3	------	11	------	1	-----	3	------	1	24	1	5	7	1	23
Female	3	2	7	4	2	6	1	------	1	------	------	-----	19	2	7	4	5	24
7 months	4	4	14	10	6	11	------	2	1	5	1	1	53	2	10	7	7	48
Male	3	2	11	5	4	7	------	2	1	3	1	-----	26	1	4	6	4	28
Female	1	2	3	4	2	4	------	------	-----	2	------	1	27	1	6	1	3	20
8 months	5	4	5	4	3	8	1	1	2	4	------	1	55	1	5	9	9	59
Male	2	3	2	2	3	4	1	------	-----	2	------	1	29	------	3	5	4	36
Female	3	1	3	2	------	4	------	1	2	2	------	-----	26	1	2	4	5	23
9 months	2	2	7	4	3	11	------	1	1	3	------	3	46	4	4	7	13	35
Male	2	1	4	2	3	6	------	------	-----	3	------	1	27	2	------	4	6	16
Female	------	1	3	2	------	5	------	1	1	------	------	2	19	2	4	3	7	19
10 months	4	1	8	5	5	8	2	------	2	3	------	1	37	4	3	8	10	46
Male	2	1	4	3	3	7	2	------	2	3	------	1	12	1	------	4	7	25
Female	2	------	4	2	2	1	------	------	-----	------	------	-----	25	3	3	4	3	21
11 months	1	------	4	6	5	4	------	------	-----	2	1	1	23	4	7	8	4	35
Male	1	------	1	2	3	1	------	------	-----	2	1	-----	14	3	2	3	3	24
Female	------	------	3	4	2	3	------	------	-----	------	------	1	9	1	5	5	1	11

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	NEW YORK			NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA			OREGON		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	6,988	477	1,102	1,345	483	3,419	122	91	461	3,423	440	1,451	744	504	1,261	288	146	185
Male	4,012	298	661	775	298	1,944	67	54	252	1,944	237	802	430	309	736	158	79	114
Female	2,976	179	441	570	185	1,475	55	37	209	1,479	203	649	314	195	525	130	67	71
Under 1 day	2,169	165	348	369	117	740	29	25	117	1,034	126	387	174	103	296	119	41	48
Male	1,242	103	207	225	70	442	19	16	71	595	66	212	99	59	187	62	28	28
Female	927	62	141	144	47	298	10	9	46	439	60	175	75	44	109	57	13	20
1 day	522	32	75	80	26	193	14	4	30	289	32	74	44	38	76	25	21	14
Male	313	15	44	51	15	112	5	3	15	164	16	37	32	23	47	16	7	9
Female	209	17	31	29	11	81	9	1	15	125	16	37	12	15	29	9	14	5
2 days	299	26	52	60	16	119	9	2	21	165	17	68	31	23	66	12	10	7
Male	188	17	32	31	11	74	7	1	12	96	10	37	21	15	43	8	6	4
Female	111	9	20	29	5	45	2	1	9	69	7	31	10	8	23	4	4	3
3 to 6 days	524	39	81	98	42	274	15	10	42	249	39	115	43	35	101	22	11	12
Male	337	25	49	59	28	166	10	6	22	155	21	69	21	14	62	10	7	7
Female	187	14	32	39	14	108	5	4	20	94	18	46	22	21	39	12	4	5
1 week	340	22	47	57	20	174	2	2	28	157	21	98	45	37	88	8	4	14
Male	181	16	24	28	10	109	1	2	14	91	7	53	23	22	47	4	3	10
Female	159	6	23	29	10	65	1	------	14	66	14	45	22	15	41	4	1	4
2 weeks	313	12	39	37	13	127	5	3	22	91	12	66	29	20	53	6	6	4
Male	170	9	23	19	8	64	4	1	11	54	6	38	20	12	29	2	1	2
Female	143	3	16	18	5	63	1	2	11	37	6	28	9	8	24	4	5	2
3 weeks but under 1 month	255	13	28	45	6	119	1	1	15	90	16	57	19	12	35	11	------	11
Male	138	6	15	26	2	73	------	1	9	47	11	37	9	9	19	6	------	6
Female	117	7	13	19	4	46	1	------	6	43	5	20	10	3	16	5	------	5
Under 1 month	4,422	309	670	746	240	1,746	75	47	275	2,075	263	865	385	268	715	203	93	110
Male	2,569	191	394	439	144	1,040	46	30	154	1,202	137	483	225	154	434	108	52	66
Female	1,853	118	276	307	96	706	29	17	121	873	126	382	160	114	281	95	41	44
1 month	522	25	95	88	41	321	10	5	41	246	35	121	54	46	100	19	12	10
Male	310	15	59	53	21	180	6	1	25	137	19	71	36	32	53	8	4	6
Female	212	10	36	35	20	141	4	4	16	109	16	50	18	14	47	11	8	4
2 months	413	20	76	83	41	273	9	9	30	231	22	103	47	31	77	12	9	17
Male	238	14	44	43	28	137	3	7	11	121	12	59	27	15	37	9	6	11
Female	175	6	32	40	13	136	6	2	19	110	10	44	20	16	40	3	3	6
3 months	326	28	49	68	28	218	4	6	32	153	23	69	39	21	67	7	6	9
Male	187	18	34	37	19	113	------	3	19	83	14	37	28	12	37	6	5	6
Female	139	10	15	31	9	105	4	3	13	70	9	32	11	9	30	1	1	3
4 months	248	19	37	71	24	170	3	5	23	126	19	57	43	22	52	5	4	11
Male	132	11	26	37	18	93	1	3	14	81	11	25	26	15	26	3	3	7
Female	116	8	11	34	6	77	2	2	9	45	8	31	17	7	26	2	1	4
5 months	192	18	37	59	20	149	1	------	16	102	19	50	32	21	46	6	3	5
Male	116	14	24	37	12	76	1	------	7	55	11	28	18	16	24	3	1	1
Female	76	4	13	22	8	73	------	------	9	47	8	22	14	5	22	3	2	4
6 months	177	17	37	60	19	123	5	3	13	98	12	43	41	14	51	7	3	5
Male	100	10	19	30	11	63	2	2	7	52	8	25	17	11	28	2	3	5
Female	77	7	18	30	8	60	3	1	6	46	4	18	24	3	23	5	------	------
7 months	182	7	30	41	16	96	4	1	10	116	11	28	24	14	33	7	5	4
Male	99	5	15	27	16	56	1	1	5	54	7	13	12	9	23	4	2	3
Female	83	2	15	14	------	40	3	------	5	62	4	15	12	5	10	3	3	1
8 months	140	14	19	41	13	87	3	3	8	78	7	44	26	19	29	5	5	4
Male	68	9	14	21	8	46	2	2	2	43	4	24	15	15	16	3	2	3
Female	72	5	5	20	5	41	1	1	6	35	3	20	11	4	13	2	3	1
9 months	141	9	19	28	11	77	2	3	3	87	10	30	26	15	38	8	2	3
Male	83	5	11	11	2	47	2	1	2	52	6	14	13	8	24	5	1	1
Female	58	4	8	17	9	30	------	2	1	35	4	16	13	7	14	3	1	2
10 months	130	3	17	32	13	89	3	6	6	60	4	16	9	14	23	4	2	6
Male	63	3	11	23	8	47	2	2	3	33	1	11	3	10	15	3	------	4
Female	67	------	6	9	5	42	1	4	3	27	3	5	6	4	8	1	2	2
11 months	95	8	16	28	17	70	3	3	4	51	15	25	18	19	30	5	2	1
Male	47	3	10	17	11	46	1	2	3	31	7	11	10	12	19	4	------	1
Female	48	5	6	11	6	24	2	1	1	20	8	14	8	7	11	1	2	------

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE			TEXAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	4,656	1,088	2,409	444	9	38	591	250	2,333	113	80	422	1,185	296	1,983	3,150	1,112	3,689
Male	2,654	596	1,388	249	6	20	333	119	1,323	61	46	238	671	181	1,150	1,743	631	2,061
Female	2,002	492	1,021	195	3	18	258	131	1,010	52	34	184	514	115	833	1,407	481	1,628
Under 1 day	1,302	336	616	137	6	13	138	60	427	20	28	114	265	65	377	751	259	735
Male	735	186	360	78	3	7	78	30	265	14	16	61	147	41	231	433	139	415
Female	567	150	256	59	3	6	60	30	162	6	12	53	118	24	146	318	120	320
1 day	396	95	173	43	------	5	40	16	156	7	8	26	78	18	126	193	61	212
Male	241	51	107	24	------	5	24	6	93	3	3	21	48	11	77	108	34	132
Female	155	44	66	19	------	-----	16	10	63	4	5	5	30	7	49	85	27	80
2 days	243	47	125	18	------	1	28	9	112	3	3	17	57	4	76	93	33	158
Male	140	25	72	11	------	-----	18	5	63	3	1	9	35	1	48	57	18	95
Female	103	22	53	7	------	1	10	4	49	------	2	8	22	3	28	36	15	63
3 to 6 days	364	90	211	34	------	3	54	20	191	13	7	44	75	21	153	192	86	367
Male	208	51	126	15	------	1	33	10	118	4	4	26	43	14	92	117	41	212
Female	156	39	85	19	------	2	21	10	73	9	3	18	32	7	61	75	45	155
1 week	248	49	139	19	------	1	25	13	155	5	3	28	42	13	132	137	64	284
Male	136	33	76	13	------	1	11	6	82	2	2	14	19	6	78	91	38	158
Female	112	16	63	6	------	-----	14	7	73	3	1	14	23	7	54	46	26	126
2 weeks	175	40	88	12	------	-----	24	11	82	3	------	12	43	5	81	81	18	148
Male	92	17	52	4	------	-----	13	4	51	1	------	5	26	5	51	48	9	81
Female	83	23	36	8	------	-----	11	7	31	2	------	7	17	------	30	33	9	67
3 weeks but under 1 month	114	34	86	15	------	1	21	5	73	1	2	14	49	13	71	106	36	126
Male	66	16	60	9	------	-----	11	3	39	1	1	9	33	10	41	55	24	68
Female	48	18	26	6	------	1	10	2	34	------	1	5	16	3	30	51	12	58
Under 1 month	2,842	691	1,438	278	6	24	330	134	1,196	52	51	255	609	139	1,016	1,553	557	2,030
Male	1,618	379	853	154	3	14	188	64	711	28	27	145	351	88	618	909	303	1,161
Female	1,224	312	585	124	3	10	142	70	485	24	24	110	258	51	398	644	254	869
1 month	333	77	175	33	1	3	48	23	206	16	6	25	114	32	193	242	91	283
Male	189	46	100	21	1	3	30	14	117	11	5	13	65	14	112	122	61	160
Female	144	31	75	12	------	-----	18	9	89	5	1	12	49	18	81	120	30	123
2 months	261	72	172	24	------	2	27	21	158	8	4	27	78	24	128	202	69	223
Male	154	41	90	13	------	-----	12	9	90	3	------	13	40	18	62	112	46	133
Female	107	31	82	11	------	2	15	12	68	5	4	14	38	6	66	90	23	90
3 months	216	43	116	28	------	1	35	13	164	9	3	29	66	15	122	212	67	179
Male	121	24	65	16	------	1	21	4	86	4	3	14	41	8	73	116	40	96
Female	95	19	51	12	------	-----	14	9	78	5	------	15	25	7	49	96	27	83
4 months	187	44	108	21	------	2	25	11	129	7	4	29	67	16	103	158	54	175
Male	110	22	56	8	------	-----	12	6	66	5	2	18	38	9	61	86	27	92
Female	77	22	52	13	------	2	13	5	63	2	2	11	29	7	42	73	27	83
5 months	144	28	81	17	1	1	22	7	94	5	4	7	52	8	91	164	45	135
Male	92	12	44	12	1	-----	14	3	49	3	3	4	28	5	49	99	27	69
Female	52	16	37	5	------	1	8	4	45	2	1	3	24	3	42	65	18	66
6 months	143	29	71	13	1	-----	22	11	91	2	3	8	38	14	72	128	45	131
Male	75	16	38	9	1	-----	10	5	44	1	2	3	19	7	43	66	22	79
Female	68	13	33	4	------	-----	12	6	47	1	1	5	19	7	29	62	23	52
7 months	138	17	64	4	------	-----	16	5	64	5	2	15	47	12	59	116	54	141
Male	72	8	37	2	------	-----	13	1	41	2	1	9	32	9	26	53	32	73
Female	66	9	27	2	------	-----	5	4	23	3	1	6	15	3	33	63	22	68
8 months	112	19	57	7	------	2	19	8	67	4	1	4	30	11	60	108	33	115
Male	61	13	38	4	------	-----	11	5	39	1	1	2	13	7	31	54	18	56
Female	51	6	19	3	------	2	8	3	28	3	------	2	17	4	29	54	15	59
9 months	107	20	46	6	------	1	21	5	65	3	------	9	29	10	54	84	24	111
Male	56	11	25	5	------	1	7	1	33	1	------	6	18	5	33	46	16	61
Female	51	9	21	1	------	-----	14	4	32	2	------	3	11	5	21	38	8	50
10 months	93	24	32	9	------	-----	18	6	45	1	2	6	27	8	37	94	32	83
Male	58	12	14	4	------	-----	11	4	23	1	2	5	14	7	19	38	17	33
Female	35	12	18	5	------	-----	7	2	22	------	------	1	13	1	18	56	15	50
11 months	80	24	49	4	------	2	6	6	54	1	------	8	28	7	48	89	41	83
Male	48	12	28	1	------	1	4	3	24	1	------	6	12	4	23	43	22	48
Female	32	12	21	3	------	1	2	3	30	------	------	2	16	3	25	46	19	35

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1936—Continued

AGE AND SEX	UTAH			VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[4]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	245	138	278	82	292	957	316	2,514	636	127	299	606	366	1,936	1,126	375	1,009	46	67	161
Male	132	82	166	45	170	528	177	1,406	357	88	170	339	194	1,089	649	221	584	25	37	81
Female	113	56	112	37	122	429	139	1,108	279	39	129	267	172	847	477	154	425	21	30	80
Under 1 day	94	56	76	35	85	285	94	547	215	40	73	124	60	394	393	113	273	10	24	34
Male	46	36	45	22	50	152	56	313	127	26	47	71	37	228	212	62	162	6	10	16
Female	48	20	31	13	35	133	38	234	88	14	26	53	23	166	181	51	111	4	14	18
1 day	15	8	14	7	22	75	21	132	61	17	16	40	29	98	93	25	69	3	6	9
Male	6	5	9	2	9	46	10	72	32	11	10	24	15	63	60	10	37	2	2	8
Female	9	3	5	5	13	29	11	60	29	6	6	16	14	35	33	15	32	1	4	1
2 days	12	7	11	3	11	35	19	127	46	5	14	20	9	69	54	23	43	2	6	11
Male	9	4	7	2	8	21	8	67	23	5	8	13	3	48	35	18	28	1	4	4
Female	3	3	4	1	3	14	11	60	23	------	6	7	6	21	29	5	15	1	2	7
3 to 6 days	19	12	16	5	20	51	20	192	39	9	17	51	19	121	75	34	82	3	2	12
Male	14	6	12	4	11	32	4	107	19	6	9	26	10	66	43	20	51	------	1	8
Female	5	6	4	1	9	19	16	85	20	3	8	25	9	55	32	14	31	3	1	4
1 week	7	2	16	1	12	46	12	135	16	6	15	26	19	116	46	15	56	2	4	10
Male	4	2	8	------	8	21	9	74	6	4	7	12	10	69	27	10	31	2	2	7
Female	3	------	8	1	4	25	3	61	10	2	8	14	9	47	19	5	25	------	2	3
2 weeks	12	2	6	2	15	27	9	92	16	1	6	16	15	99	34	10	48	2	2	5
Male	6	1	1	1	11	14	8	56	9	1	3	10	8	65	19	9	26	1	2	2
Female	6	1	5	1	4	13	1	36	7	------	3	6	7	34	15	1	22	1	------	3
3 weeks but under 1 month	8	2	13	1	11	25	15	83	20	3	12	13	13	95	32	11	36	4	------	8
Male	4	1	10	1	5	6	7	50	13	3	8	4	2	51	20	5	22	3	------	1
Female	4	1	3	------	6	19	8	33	7	------	4	9	11	44	12	6	14	1	------	7
Under 1 month	167	89	152	54	176	544	190	1,308	413	81	153	290	164	992	737	231	607	26	44	89
Male	89	55	92	32	102	292	102	739	229	56	92	160	85	590	416	134	357	15	21	46
Female	78	34	60	22	74	252	88	569	184	25	61	130	79	402	321	97	250	11	23	43
1 month	10	9	19	7	27	57	16	237	35	5	29	61	23	177	72	23	92	2	2	10
Male	7	8	11	3	16	36	9	129	22	5	16	41	14	98	49	14	57	1	2	6
Female	3	1	8	4	11	21	7	108	13	------	13	20	9	79	23	9	35	1	------	4
2 months	10	4	24	4	21	56	24	148	34	12	25	38	31	158	55	29	62	3	4	13
Male	5	1	10	1	7	34	15	85	21	9	8	19	20	80	34	20	38	2	3	9
Female	5	3	14	3	14	22	9	63	13	3	17	19	11	78	21	9	24	1	1	4
3 months	14	9	15	6	15	43	16	174	37	6	26	30	20	118	40	19	48	1	6	7
Male	8	3	11	2	9	23	9	99	19	4	14	14	9	66	24	12	22	1	4	3
Female	6	6	4	4	6	20	7	75	18	2	12	16	11	52	16	7	26	------	2	4
4 months	9	4	12	1	7	37	12	133	25	3	14	30	19	82	41	13	45	4	3	8
Male	1	3	10	------	4	23	8	68	11	------	10	16	9	43	24	8	25	1	2	4
Female	8	1	2	1	3	14	4	65	14	3	4	14	10	39	17	5	20	3	1	4
5 months	6	8	14	5	10	46	12	102	19	3	12	32	16	75	28	10	30	3	4	4
Male	5	5	11	4	7	27	10	61	12	2	4	19	7	35	17	5	18	1	4	1
Female	1	3	3	1	3	19	2	41	7	1	8	13	9	40	11	5	12	2	------	3
6 months	14	4	10	1	10	49	11	96	18	5	10	24	18	77	29	13	31	------	------	12
Male	9	3	4	1	7	27	4	59	11	3	6	16	9	46	20	7	17	------	------	4
Female	5	1	6	------	3	22	7	37	7	2	4	8	9	31	9	6	14	------	------	8
7 months	6	1	5	------	6	31	14	73	8	2	9	23	12	57	35	8	17	2	1	3
Male	4	------	3	------	3	17	7	41	7	2	6	13	10	30	19	5	8	1	1	1
Female	2	1	2	------	3	14	7	32	1	------	3	10	2	27	17	3	9	1	------	2
8 months	2	4	8	2	9	39	8	71	11	2	6	20	17	61	25	8	32	------	1	7
Male	1	3	3	1	7	23	5	35	7	2	4	11	12	28	18	5	15	------	------	3
Female	1	1	5	1	2	16	3	36	4	------	2	9	5	33	7	3	17	------	1	4
9 months	------	3	8	1	3	24	8	70	11	1	5	29	18	54	19	6	14	3	2	5
Male	------	------	4	------	2	12	5	35	4	1	3	15	8	26	8	3	9	2	------	4
Female	------	3	4	1	1	12	3	35	7	------	2	14	10	28	11	3	5	1	2	1
10 months	4	3	4	1	5	13	1	52	14	3	7	18	14	46	16	7	19	1	------	2
Male	1	1	2	1	3	3	1	28	9	1	4	10	6	27	6	4	11	------	------	------
Female	3	2	2	------	2	10	------	24	5	2	3	8	8	19	10	3	8	1	------	2
11 months	3	------	7	------	3	18	4	50	11	4	3	11	14	39	28	8	12	1	------	1
Male	2	------	5	------	3	11	2	27	5	3	3	5	5	20	14	4	7	1	------	------
Female	1	------	2	------	------	7	2	23	6	1	------	6	9	19	14	4	5	------	------	1

4/ Cities of 2,500 to 10,000 population are included in the rural.

SUPPLEMENT

HAWAII

The Territory of Hawaii was admitted to the birth registration area of the United States in 1929. From this Territory, in 1936, 8,581 births were reported. Of these, 3,059, or 36 percent, were Japanese; 2,016, or 23 percent, were part Hawaiian; 1,484, or 17 percent, were Caucasian; 1,157, or 13 percent, were Filipinos; 469, or 5 percent, were Chinese; and 283, or 3 percent, were Hawaiian.

Deaths under 1 year occurring in Hawaii in 1936 numbered 627, indicating an infant mortality rate of 73.1 per 1,000 live births. One hundred and thirty-eight,or 22 percent,of these deaths were caused by premature birth; 106,or 17 percent,by bronchopneumonia; and 69, or 11 percent, by diarrhea and enteritis. The rates of these 3 causes were 16.1, 12.4,and 8.0, respectively.

VIRGIN ISLANDS

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the registration area of the United States in 1924.

In 1936, 664 births were reported in these islands,and of this number the Negro births represented 71 percent. Deaths under 1 year numbered 70 and represent an infant mortality rate of 105.4. This was 65.3 per 1,000 lower than the rate (170.7)for 1935. Thirty-nine percent of all deaths occurring among infants under 1 year of age were caused by diarrhea and enteritis, 14 percent by premature birth, and 10 percent by bronchopneumonia, the rates from these causes being 40.7, 15.1, and 10.5, respectively, per 1,000 live births. The infant mortality rate for Negroes was 117.3 or 66.4 lower than the corresponding rate(183.7) for 1935.

TABLE 1.—ENUMERATED POPULATION IN THE TERRITORY OF HAWAII: 1930

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	368,336	19,468	137,582	53,857	65,341	605	35,942	55,541
Hawaiian	22,636	1,155	9,675	3,709	2,428	280	1,363	4,026
Part Hawaiian	28,224	1,881	14,242	3,190	2,117	120	1,758	4,916
Caucasian-Hawaiian	15,632	986	8,283	1,537	1,213	72	996	2,545
Asiatic-Hawaiian	12,592	895	5,959	1,653	904	48	762	2,371
Caucasian	80,373	3,806	39,043	6,552	18,659	85	4,770	7,458
Portuguese	27,586	2,467	12,297	3,703	2,138	51	2,554	4,378
Puerto Rican	6,671	158	2,211	1,490	818	4	841	1,149
Other Caucasian	46,114	1,181	24,535	1,359	15,703	30	1,375	1,931
Chinese	27,179	897	19,334	1,201	2,734	16	1,201	1,796
Japanese	139,631	9,356	47,468	24,392	22,117	56	13,905	22,337
Korean	6,451	288	2,604	843	1,545	11	352	808
Filipino	63,052	2,055	4,776	13,901	15,614	35	12,562	14,109
All other	780	30	440	69	127	2	21	91

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX, IN THE TERRITORY OF HAWAII: 1936

AREA AND SEX	Births[1]	Total deaths[1]	Excess of births over deaths[2]	Births per 100 deaths[3]	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 100 live births
Territory of Hawaii	8,581	3,434	5,147	250	627	73.1	211	2.5
Male	4,303	2,207	2,096	195	339	78.8	99	2.3
Female	4,278	1,227	3,051	349	288	67.3	112	2.6
Hilo city	471	268	203	176	36	76.4	15	3.2
Male	243	188	55	129	22	90.5	2	0.8
Female	228	80	148	[3]	14	61.4	13	5.7
Honolulu city	3,697	1,518	2,179	244	265	71.7	100	2.7
Male	1,881	925	956	203	137	72.8	54	2.9
Female	1,816	593	1,223	306	128	70.5	46	2.5
Hawaii County (exclusive of Hilo city)	1,211	458	753	264	106	87.5	25	2.1
Male	595	288	307	207	57	95.8	10	1.7
Female	616	170	446	362	49	79.5	15	2.4
Honolulu County (exclusive of Honolulu city)	1,062	395	667	269	71	66.9	23	2.2
Male	505	278	227	182	40	79.2	10	2.0
Female	557	117	440	476	31	55.7	13	2.3
Kalawao County	2	58	—56	[3]	----	-------	----	----------
Male	2	39	—37	[3]	----	-------	----	----------
Female	------	19	—19	[3]	----	-------	----	----------
Kauai County	751	272	479	276	49	65.2	22	2.9
Male	349	184	165	190	24	68.8	11	3.2
Female	402	88	314	[3]	25	62.2	11	2.7
Maui County	1,387	465	922	298	100	72.1	26	1.9
Male	728	305	423	239	59	81.0	12	1.6
Female	659	160	499	412	41	62.2	14	2.1

[1] Exclusive of stillbirths. [2] A minus sign (—) indicates an excess of deaths over births. [3] Figures not shown when the number of deaths is less than 100.

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1936

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	8,581	471	3,697	1,211	1,062	2	751	1,387
Hawaiian	283	7	87	61	33	1	30	64
Part Hawaiian	2,016	98	1,078	227	138	1	103	371
Caucasian-Hawaiian	796	32	471	72	50	-----	42	129
Asiatic-Hawaiian	1,220	66	607	155	88	1	61	242
Caucasian	1,484	87	811	140	148	-----	117	181
Portuguese	569	44	237	85	45	-----	65	93
Puerto Rican	208	8	86	40	17	-----	18	39
Other Caucasian	707	35	488	15	86	-----	34	49
Chinese	469	12	380	13	32	-----	8	24
Japanese	3,059	204	1,095	551	408	-----	287	514
Korean	85	7	48	4	17	-----	6	3
Filipino	1,157	55	187	215	278	-----	196	226
All other	28	1	11	--------	8	-----	4	4

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1936

AREA AND SEX	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	8,581	744	729	726	762	726	696	676	739	668	696	705	714
Male	4,303	348	359	352	411	373	332	354	384	334	342	360	354
Female	4,278	396	370	374	351	352	364	322	355	334	354	345	360
Hilo city	471	32	41	35	49	39	54	34	40	28	44	42	33
Male	243	13	21	21	23	17	34	20	22	12	22	21	17
Female	228	19	20	14	26	22	20	14	18	16	22	21	16
Honolulu city	3,697	333	329	283	286	310	283	297	347	309	306	295	319
Male	1,881	158	167	138	167	169	131	153	180	149	158	148	163
Female	1,816	175	162	145	119	141	152	144	167	160	148	147	156
Hawaii County (exclusive of Hilo city)	1,211	106	112	114	122	108	98	104	90	82	89	97	89
Male	595	51	52	42	67	55	45	55	45	45	39	57	42
Female	616	55	60	72	55	53	53	49	45	37	50	40	47
Honolulu County (exclusive of Honolulu city)	1,062	107	84	99	96	77	93	83	71	86	90	88	88
Male	505	53	44	44	48	35	45	39	35	39	38	43	42
Female	557	54	40	55	48	42	48	44	36	47	52	45	46
Kalawao County	2	----	----	----	1	----	----	1	----	----	----	----	----
Male	2	----	----	----	1	----	----	1	----	----	----	----	----
Female	----	----	----	----	----	----	----	----	----	----	----	----	----
Kauai County	751	56	57	60	73	78	59	47	73	50	69	68	61
Male	349	26	25	28	33	33	26	23	34	30	31	32	28
Female	402	30	32	32	40	45	33	24	39	20	38	36	33
Maui County	1,387	110	106	135	135	114	109	110	118	113	98	115	124
Male	728	47	50	79	72	64	51	63	68	59	54	59	62
Female	659	63	56	56	63	50	58	47	50	54	44	56	62

TABLE 5.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE TERRITORY OF HAWAII: 1936

RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
All races	8,581	8,130	451	211	196	15	2.5	2.4	3.3
Hawaiian	283	251	32	11	6	5	3.9	2.4	15.6
Part Hawaiian	2,016	1,793	223	52	45	7	2.6	2.5	3.1
Caucasian-Hawaiian	796	705	91	25	22	3	3.1	3.1	3.3
Asiatic-Hawaiian	1,220	1,088	132	27	23	4	2.2	2.1	3.0
Caucasian	1,484	1,429	55	29	28	1	2.0	2.0	1.8
Portuguese	569	545	24	10	9	1	1.8	1.7	4.2
Puerto Rican	208	192	16	3	3	-------	1.4	1.6	---------
Other Caucasian	707	692	15	16	16	-------	2.3	2.3	---------
Chinese	469	452	17	11	11	-------	2.3	2.4	---------
Japanese	3,059	2,992	67	81	79	2	2.6	2.6	3.0
Korean	85	83	2	4	4	-------	4.7	4.8	---------
Filipino	1,157	1,106	51	23	23	-------	2.0	2.1	---------
All other	28	24	4	-----	-----	-------	-----	-----	---------

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1936

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	8,581	73	1,280	2,158	1,961	1,460	621	503	245	154	115
Age of mother:											
10 to 14 years	10	------	4	2	------	------	------	------	------	------	4
15 to 19 years	1,056	59	488	311	95	35	7	4	2	1	54
20 to 24 years	2,798	13	712	1,189	593	174	51	16	7	1	42
25 to 29 years	2,028	1	73	592	813	402	78	39	14	5	11
30 to 34 years	1,372	------	1	62	411	534	189	105	47	21	2
35 to 39 years	909	------	2	9	43	290	225	193	88	57	2
40 to 44 years	355	------	------	3	5	23	55	129	75	55	------
45 to 49 years	51	------	------	------	1	2	5	17	12	14	------
50 to 54 years	2	------	------	------	------	------	1	------	1	------	------
HAWAIIAN	283	5	43	55	47	44	40	21	5	4	19
Age of mother:											
15 to 19 years	32	5	9	9	2	------	------	------	------	------	7
20 to 24 years	81	------	31	25	11	5	2	1	------	------	6
25 to 29 years	64	------	3	17	17	11	6	4	2	1	3
30 to 34 years	45	------	------	2	14	12	9	6	------	1	1
35 to 39 years	40	------	------	2	2	13	13	6	1	1	2
40 to 44 years	18	------	------	------	1	3	8	3	2	1	------
45 to 49 years	2	------	------	------	------	------	1	1	------	------	------
50 to 54 years	1	------	------	------	------	------	1	------	------	------	------
CAUCASIAN-HAWAIIAN	796	11	203	219	156	100	42	19	10	9	27
Age of mother:											
15 to 19 years	142	9	75	30	7	2	1	------	------	------	18
20 to 24 years	292	2	113	111	34	16	6	2	1	------	7
25 to 29 years	185	------	14	69	67	25	5	2	1	1	1
30 to 34 years	115	------	1	8	45	36	14	6	3	1	1
35 to 39 years	38	------	------	1	1	16	11	4	2	3	------
40 to 44 years	22	------	------	------	2	5	5	4	3	3	------
45 to 49 years	2	------	------	------	------	------	------	1	------	1	------

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1936—Continued

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ASIATIC-HAWAIIAN	1,220	29	304	372	188	165	66	39	26	12	19
Age of mother:											
10 to 14 years	3	------	------	1	------	------	------	------	------	------	2
15 to 19 years	242	22	118	66	13	12	------	------	1	1	9
20 to 24 years	482	7	165	195	67	24	7	6	3	1	7
25 to 29 years	263	------	20	100	73	47	9	6	7	------	1
30 to 34 years	109	------	------	10	29	46	19	4	1	------	------
35 to 39 years	80	------	1	------	6	33	20	11	5	4	------
40 to 44 years	37	------	------	------	------	3	9	11	9	5	------
45 to 49 years	4	------	------	------	------	------	2	1	------	1	------
PORTUGUESE	569	5	137	199	97	62	30	17	8	3	11
Age of mother:											
15 to 19 years	102	3	60	28	7	1	------	------	------	------	3
20 to 24 years	229	2	68	109	33	10	------	------	------	------	7
25 to 29 years	124	------	9	57	39	15	1	2	------	------	1
30 to 34 years	64	------	------	4	17	25	11	3	2	2	------
35 to 39 years	38	------	------	1	1	11	14	7	4	------	------
40 to 44 years	12	------	------	------	------	------	4	5	2	1	------
PUERTO RICAN	208	2	52	69	31	16	14	8	9	3	4
Age of mother:											
10 to 14 years	1	------	------	------	------	------	------	------	------	------	1
15 to 19 years	41	2	21	13	1	1	1	1	1	------	------
20 to 24 years	87	------	26	40	14	2	1	------	1	------	3
25 to 29 years	43	------	5	15	12	4	4	2	1	------	------
30 to 34 years	22	------	------	1	4	7	2	5	2	1	------
35 to 39 years	8	------	------	------	------	2	4	------	1	1	------
40 to 44 years	5	------	------	------	------	------	2	------	2	1	------
45 to 49 years	1	------	------	------	------	------	------	------	1	------	------
OTHER CAUCASIAN	707	2	79	253	195	120	38	10	3	2	5
Age of mother:											
15 to 19 years	57	2	25	19	7	1	1	------	------	------	2
20 to 24 years	252	------	49	138	45	13	5	------	------	------	2
25 to 29 years	209	------	5	81	80	34	5	2	------	1	1
30 to 34 years	133	------	------	13	54	49	12	3	2	------	------
35 to 39 years	46	------	------	2	8	22	11	2	------	1	------
40 to 44 years	8	------	------	------	------	1	4	2	1	------	------
45 to 49 years	2	------	------	------	1	------	------	1	------	------	------
CHINESE	469	2	55	90	102	88	56	16	22	30	8
Age of mother:											
15 to 19 years	34	1	19	8	2	------	1	------	------	------	3
20 to 24 years	133	------	32	49	31	12	6	------	1	------	2
25 to 29 years	116	1	4	30	38	27	9	------	2	2	3
30 to 34 years	94	------	------	3	27	31	19	3	4	7	------
35 to 39 years	70	------	------	------	4	18	17	9	10	12	------
40 to 44 years	18	------	------	------	------	------	4	4	3	7	------
45 to 49 years	4	------	------	------	------	------	------	------	2	2	------
JAPANESE	3,059	9	290	638	822	549	207	307	142	77	18
Age of mother:											
15 to 19 years	193	7	94	58	20	3	1	------	------	------	10
20 to 24 years	924	2	183	402	262	50	12	6	------	------	7
25 to 29 years	752	------	12	161	386	156	24	11	1	------	1
30 to 34 years	546	------	------	14	141	231	63	56	28	3	------
35 to 39 years	411	------	1	1	11	104	84	127	53	30	------
40 to 44 years	203	------	------	2	2	5	21	88	51	34	------
45 to 49 years	29	------	------	------	------	------	2	9	8	10	------
50 to 54 years	1	------	------	------	------	------	------	------	1	------	------
KOREAN	85	2	19	13	11	4	7	7	11	11	------
Age of mother:											
15 to 19 years	15	2	8	4	------	------	------	1	------	------	------
20 to 24 years	29	------	11	7	7	1	3	------	------	------	------
25 to 29 years	9	------	------	1	3	2	1	2	------	------	------
30 to 34 years	13	------	------	------	1	1	2	1	2	6	------
35 to 39 years	18	------	------	1	------	------	1	3	8	5	------
40 to 44 years	1	------	------	------	------	------	------	------	1	------	------
FILIPINO	1,157	5	95	252	309	304	117	58	10	3	4
Age of mother:											
10 to 14 years	6	------	4	1	------	------	------	------	------	------	1
15 to 19 years	191	5	58	73	36	13	2	2	------	------	2
20 to 24 years	275	------	32	108	87	38	7	1	1	------	1
25 to 29 years	261	------	1	61	98	81	13	7	------	------	------
30 to 34 years	228	------	------	7	78	94	38	8	3	------	------
35 to 39 years	158	------	------	1	10	70	49	24	4	------	------
40 to 44 years	31	------	------	1	------	6	8	12	1	3	------
45 to 49 years	7	------	------	------	------	2	------	4	1	------	------
ALL OTHER	28	1	3	8	3	8	4	1	------	------	------
Age of mother:											
15 to 19 years	7	1	1	3	------	2	------	------	------	------	------
20 to 24 years	14	------	2	5	2	3	2	------	------	------	------
25 to 29 years	2	------	------	------	------	------	1	1	------	------	------
30 to 34 years	3	------	------	------	1	2	------	------	------	------	------
35 to 39 years	2	------	------	------	------	1	1	------	------	------	------

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	627	117	35	15	26	25	19	15	252	48	41	46	25	35	38	43	25	18	29	27
Measles-7	6	---	--	--	--	--	--	--	---	--	--	--	--	--	1	1	1	--	2	1
Whooping-cough-9	3	---	--	--	--	--	--	--	---	--	1	--	--	--	1	--	--	--	--	1
Influenza-11	17	---	--	--	--	--	--	1	1	--	1	1	3	2	3	2	1	--	2	1
Erysipelas-15	1	---	--	--	--	--	--	--	---	--	1	--	--	--	--	--	--	--	--	---
Epidemic cerebrospinal meningitis-18	1	---	--	--	--	--	--	--	---	--	--	--	1	--	--	--	--	--	--	---
Tetanus-22	1	---	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--	---
Tuberculosis of the respiratory system-23	3	---	--	--	--	--	--	--	---	--	--	--	--	--	1	--	2	--	--	---
Syphilis-34	8	4	--	--	--	1	1	--	6	--	--	2	--	--	--	--	--	--	--	---
Bronchitis-106	10	---	--	--	--	--	--	--	---	1	--	4	1	2	--	2	--	--	--	---
Bronchopneumonia-107	106	---	1	--	1	--	3	1	6	12	11	9	5	10	11	14	4	6	9	9
Lobar and unspecified pneumonia-108,109	48	---	--	1	--	--	1	--	2	2	5	4	3	5	3	3	10	3	3	5
Diarrhea and enteritis-119	69	---	--	--	2	2	1	3	8	9	5	6	3	5	7	9	2	2	7	6
Intestinal obstruction-122b	4	---	--	--	1	--	1	--	2	--	--	--	1	--	--	--	--	--	1	---
Congenital malformations-157	57	10	6	2	5	3	--	6	32	2	5	5	2	1	1	4	1	2	1	1
Congenital debility, etc.-158,161b,c	20	3	--	1	2	3	1	--	10	1	2	3	--	2	1	--	--	1	--	---
Premature birth-159	138	75	15	4	6	14	9	1	125	6	--	4	2	--	1	--	--	--	--	---
Injury at birth-160	26	13	6	2	3	--	--	--	24	1	1	--	--	--	--	--	--	--	--	---
Other diseases of early infancy-161a,d	19	9	4	3	2	--	1	--	19	--	--	--	--	--	--	--	--	--	--	---
External causes-172-195,201-214	10	---	1	--	--	--	--	1	2	1	--	1	--	2	1	1	2	--	--	---
Unknown or ill-defined diseases-199,200	1	---	--	--	--	--	--	--	---	1	--	--	--	--	--	--	--	--	--	---
All other causes	79	2	2	2	4	1	1	2	14	12	9	7	4	6	7	7	2	4	4	3

TABLE 8.—INFANT MORTALITY RATES (NUMBER OF DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES, IN THE TERRITORY OF HAWAII: 1930-1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	1936	1935	1934	1933	1932	1931	1930
All causes	73.1	67.6	75.3	72.1	76.1	76.1	82.3
Measles-7	0.7	----	0.1	0.2	0.6	1.3	0.6
Whooping-cough-9	0.3	1.1	4.2	2.8	----	0.1	0.9
Diphtheria-10	----	----	----	0.2	0.4	0.1	0.3
Influenza-11	2.0	1.7	1.4	0.6	0.4	0.6	1.1
Dysentery-13	----	----	0.1	0.2	----	0.3	----
Erysipelas-15	0.1	0.3	0.1	0.4	0.2	0.2	0.6
Epidemic cerebrospinal meningitis-18	0.1	0.1	----	----	0.2	0.1	0.1
Tetanus-22	0.1	----	0.1	0.3	0.4	0.6	0.3
Tuberculosis of respiratory system-23	0.3	0.1	0.2	0.1	0.2	0.2	0.6
Tuberculosis of the meninges, etc.-24	----	0.4	0.3	0.3	0.1	0.2	0.6
Other forms of tuberculosis-25-32	----	0.1	0.3	0.1	0.2	----	0.1
Syphilis-34	0.9	1.0	0.8	0.6	0.8	1.3	1.2
Convulsions-86	----	0.3	0.2	0.5	1.4	0.5	0.6
Bronchitis-106	1.2	1.0	1.2	1.6	2.0	1.4	2.2
Bronchopneumonia-107	12.4	9.7	13.1	12.0	12.4	10.3	12.3
Lobar and unspecified pneumonia-108,109	5.6	3.7	4.9	4.6	4.3	4.7	5.6
Diseases of the stomach-117,118	----	0.1	----	0.1	0.1	----	----
Diarrhea and enteritis-119	8.0	7.2	10.4	11.6	14.1	15.1	19.6
Intestinal obstruction-122b	0.5	0.3	0.4	0.2	0.3	0.9	2/
Congenital malformations-157	5.6	5.3	4.9	5.1	5.1	5.4	3.3
Congenital debility, etc.-158,161b,c	2.3	1.8	1.8	2.9	3.1	3.0	4.9
Premature birth-159	16.1	16.2	14.4	13.7	13.0	14.6	12.0
Injury at birth-160	3.0	3.8	4.0	5.2	4.1	4.0	3.2
Other diseases of early infancy-161a,d	2.2	2.9	1.7	1.5	2.6	2.7	3.4
External causes-172-195,201-214	1.2	1.0	0.9	0.7	0.7	1.1	0.8
Unknown or ill-defined diseases-199,200	0.1	----	0.2	----	0.1	----	0.3
All other causes	9.2	9.4	9.4	6.5	9.4	7.6	7.6

1/ Exclusive of stillbirths. 2/ Included in "All other causes.

TABLE 1.—ENUMERATED POPULATION IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	Total	White	Negro	Mixed	Other races
VIRGIN ISLANDS	22,012	2,010	17,243	2,719	40
Male	10,208	1,156	7,841	1,182	29
Female	11,804	854	9,402	1,537	11
ST. CROIX	11,413	414	9,592	1,386	21
Male	5,441	222	4,561	640	18
Female	5,972	192	5,031	746	3
ST. JOHN	765	18	653	94	--------
Male	395	15	338	42	--------
Female	370	3	315	52	--------
ST. THOMAS	9,834	1,578	6,998	1,239	19
Male	4,372	919	2,942	500	11
Female	5,462	659	4,056	739	8

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX AND RACE, IN THE VIRGIN ISLANDS: 1936

AREA, SEX, AND RACE	Births[1]	Total deaths[1]	Excess of births over deaths[2]	Births per 100 deaths[3]	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 births[1]	Number	Per 100 live births
VIRGIN ISLANDS	664	471	193	141	70	105.4	44	6.6
Male	331	221	110	150	30	90.6	23	6.9
Female	333	250	83	133	40	120.1	21	6.3
White—Male	28	20	8	[3]	2	71.4	2	7.1
Female	23	13	10	[3]	3	130.4	----	----------
Negro—Male	232	176	56	132	25	107.8	17	7.3
Female	237	203	34	117	30	126.6	18	7.6
Mixed—Male	71	23	48	[3]	3	42.3	4	5.6
Female	72	34	38	[3]	7	97.2	3	4.2
Other—Male	------	2	—2	------	----	--------	----	----------
Female	1	------	1	------	----	--------	----	----------
ST. CROIX	334	254	80	131	33	98.8	27	8.1
Male	169	113	56	150	15	88.8	17	10.1
Female	165	141	24	117	18	109.1	10	6.1
White—Male	7	3	4	[3]	----	--------	1	14.3
Female	2	5	—3	[3]	----	--------	----	----------
Negro—Male	113	94	19	[3]	12	106.2	12	10.6
Female	109	115	—6	95	13	119.3	7	6.4
Mixed—Male	49	14	35	[3]	3	61.2	4	8.2
Female	54	21	33	[3]	5	92.6	3	5.6
Other—Male	------	2	—2	------	----	--------	----	----------
Female	------	------	-------	------	----	--------	----	----------
ST. JOHN	15	7	8	[3]	1	66.7	----	----------
Male	8	4	4	[3]	----	--------	----	----------
Female	7	3	4	[3]	1	142.9	----	----------
Negro—Male	8	4	4	[3]	----	--------	----	----------
Female	7	3	4	[3]	1	142.9	----	----------
ST. THOMAS	315	210	105	150	36	114.3	17	5.4
Male	154	104	50	148	15	97.4	6	3.9
Female	161	106	55	152	21	130.4	11	6.8
White—Male	21	17	4	[3]	2	95.2	1	4.8
Female	21	8	13	[3]	3	142.9	----	----------
Negro—Male	111	78	33	[3]	13	117.1	5	4.5
Female	121	85	36	[3]	16	132.2	11	9.1
Mixed—Male	22	9	13	[3]	----	--------	----	----------
Female	18	13	5	[3]	2	111.1	----	----------
Other—Male	------	------	-------	------	----	--------	----	----------
Female	1	------	1	------	----	--------	----	----------

1/ Exclusive of stillbirths. 2/ A minus sign (—) indicates an excess of deaths over births. 3/ Figures not shown when the number of deaths is less than 100.

NOTE.—"Mixed" designates a mixture of white and Negro.

79517 O—38——14

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND MONTH, IN THE VIRGIN ISLANDS: 1936

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGIN ISLANDS	664	58	59	57	51	65	42	40	47	65	60	52	68
Male	331	25	29	28	27	27	24	18	28	30	32	25	38
Female	333	33	30	29	24	38	18	22	19	35	28	27	30
White—Male	28	2	1	2	3	3	1	--	3	1	2	2	8
Female	23	2	4	--	1	5	--	1	--	2	3	3	2
Negro—Male	232	17	25	23	19	18	19	15	15	23	17	17	24
Female	237	24	19	23	20	27	15	17	16	24	13	20	19
Mixed—Male	71	6	3	3	5	6	4	3	10	6	13	6	6
Female	72	7	7	6	3	6	3	4	3	8	12	4	9
Other—Male	---	--	--	--	--	---	--	--	--	---	--	--	-----
Female	1	--	--	--	--	---	--	--	--	1	--	--	-----
ST. CROIX	334	29	33	31	25	29	16	20	22	40	32	22	35
Male	169	13	17	17	12	15	9	11	16	18	16	11	14
Female	165	16	16	14	13	14	7	9	6	22	16	11	21
White—Male	7	--	1	1	--	---	--	--	1	---	--	1	3
Female	2	--	--	--	1	---	--	--	--	---	--	1	-----
Negro—Male	113	9	14	13	9	11	7	9	6	14	6	7	8
Female	109	10	10	8	10	8	5	8	5	17	7	8	13
Mixed—Male	49	4	2	3	3	4	2	2	9	4	10	3	3
Female	54	6	6	6	2	6	2	1	1	5	9	2	8
ST. JOHN	15	2	1	1	3	1	1	--	2	---	1	3	-----
Male	8	1	--	1	2	---	1	--	--	---	1	2	-----
Female	7	1	1	--	1	1	--	--	2	---	--	1	-----
Negro—Male	8	1	--	1	2	---	1	--	--	---	1	2	-----
Female	7	1	1	--	1	1	--	--	2	---	--	1	-----
ST. THOMAS	315	27	25	25	23	35	25	20	23	25	27	27	33
Male	154	11	12	10	13	12	14	7	12	12	15	12	24
Female	161	16	13	15	10	23	11	13	11	13	12	15	9
White—Male	21	2	--	1	3	3	1	--	2	1	2	1	5
Female	21	2	4	--	--	5	--	1	--	2	3	2	2
Negro—Male	111	7	11	9	8	7	11	6	9	9	10	8	16
Female	121	13	8	15	9	18	10	9	9	7	6	11	6
Mixed—Male	22	2	1	--	2	2	2	1	1	2	3	3	3
Female	18	1	1	--	1	---	1	3	2	3	3	2	1
Other—Male	---	--	--	--	--	---	--	--	--	---	--	--	-----
Female	1	--	--	--	--	---	--	--	--	1	--	--	-----

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 4.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE VIRGIN ISLANDS: 1936

AREA AND RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
VIRGIN ISLANDS	664	276	388	44	19	25	6.6	6.9	6.4
White	51	47	4	2	2	-----	3.9	4.3	-------
Negro	469	153	316	35	12	23	7.5	7.8	7.3
Mixed	143	75	68	7	5	2	4.9	6.7	2.9
Other	1	1	-----	-----	-----	-----	-----	----	-------
ST. CROIX	334	129	205	27	13	14	8.1	10.1	6.8
White	9	9	-----	1	1	-----	11.1	11.1	-------
Negro	222	72	150	19	7	12	8.6	9.7	8.0
Mixed	103	48	55	7	5	2	6.8	10.4	3.6
ST. JOHN	15	11	4	-----	-----	-----	-----	----	-------
Negro	15	11	4	-----	-----	-----	-----	----	-------
ST. THOMAS	315	146	169	17	6	11	5.4	4.1	6.5
White	42	38	4	1	1	-----	2.4	2.6	-------
Negro	232	80	152	16	5	11	6.9	6.3	7.2
Mixed	40	27	13	-----	-----	-----	-----	----	-------
Other	1	1	-----	-----	-----	-----	-----	----	-------

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE VIRGIN ISLANDS: 1936

AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
Total births	664	25	120	147	95	66	55	26	18	12	100
10 to 14 years	5	2	1	----	----	----	----	----	----	----	2
15 to 19 years	145	19	48	34	8	1	3	----	----	1	31
20 to 24 years	194	3	52	62	27	11	3	5	1	1	29
25 to 29 years	142	1	13	41	35	19	11	2	4	1	15
30 to 34 years	85	----	6	9	21	13	12	5	2	3	14
35 to 39 years	75	----	----	----	3	20	22	10	7	4	9
40 to 44 years	18	----	----	1	1	2	4	4	4	2	----
WHITE	51	----	7	12	8	8	8	2	2	1	3
15 to 19 years	4	----	1	2	----	----	----	----	----	----	1
20 to 24 years	16	----	4	3	4	2	1	----	----	1	1
25 to 29 years	11	----	2	5	1	1	1	----	1	----	----
30 to 34 years	10	----	----	2	2	2	2	1	----	----	1
35 to 39 years	7	----	----	----	----	3	4	----	----	----	----
40 to 44 years	3	----	----	----	1	----	----	1	1	----	----
NEGRO	469	22	87	100	67	45	33	17	14	10	74
10 to 14 years	4	2	----	----	----	----	----	----	----	----	2
15 to 19 years	107	17	36	22	6	1	3	----	----	1	21
20 to 24 years	135	2	36	44	17	6	2	3	1	----	24
25 to 29 years	99	1	9	28	26	13	5	2	3	1	11
30 to 34 years	58	----	6	5	15	9	8	1	2	2	10
35 to 39 years	53	----	----	----	3	14	11	9	6	4	6
40 to 44 years	13	----	----	1	----	2	4	2	2	2	----
MIXED	143	3	26	35	20	12	14	7	2	1	23
10 to 14 years	1	----	1	----	----	----	----	----	----	----	----
15 to 19 years	34	2	11	10	2	----	----	----	----	----	9
20 to 24 years	43	1	12	15	6	3	----	2	----	----	4
25 to 29 years	31	----	2	8	8	4	5	----	----	----	4
30 to 34 years	17	----	----	2	4	2	2	3	----	1	3
35 to 39 years	15	----	----	----	----	3	7	1	1	----	3
40 to 44 years	2	----	----	----	----	----	----	1	1	----	----
OTHER	1	----	----	----	----	1	----	----	----	----	----
25 to 29 years	1	----	----	----	----	1	----	----	----	----	----

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE VIRGIN ISLANDS: 1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	70	11	---	3	7	---	4	1	26	9	3	5	2	4	5	6	4	2	3	1
Tetanus-22	1	---	---	----	----	---	1	----	1	---	----	----	----	----	----	----	----	----	----	----
Syphilis-34	5	2	---	1	2	---	----	----	5	---	----	----	----	----	----	----	----	----	----	----
Convulsions-86	1	---	---	----	----	---	----	----	---	1	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	1	---	---	----	----	---	----	----	---	---	----	----	----	----	----	----	1	----	----	----
Bronchopneumonia-107	7	---	---	----	1	---	----	----	1	1	2	1	----	----	1	----	----	1	----	----
Lobar and unspecified pneumonia-108,109	1	---	---	----	----	---	----	1	1	---	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis-119	27	---	---	----	----	---	1	----	1	3	1	2	2	3	3	5	3	1	2	1
Congenital malformations-157	4	---	---	----	2	---	1	----	3	1	----	----	----	----	----	----	----	----	----	----
Congenital debility, etc.-158,161b,c	5	---	---	----	----	---	----	----	---	1	----	1	----	----	1	1	----	----	1	----
Premature birth-159	10	7	---	2	----	---	1	----	10	---	----	----	----	----	----	----	----	----	----	----
Injury at birth-160	3	2	---	----	1	---	----	----	3	---	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy-161a,d	2	---	---	----	1	---	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases-199,200	1	---	---	----	----	---	----	----	---	1	----	----	----	----	----	----	----	----	----	----
All other causes	2	---	---	----	----	---	----	----	---	---	----	1	----	1	----	----	----	----	----	----

TABLE 7.—INFANT MORTALITY RATES (NUMBER OF DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES, IN THE VIRGIN ISLANDS: 1925-1936

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925
All causes	105.4	170.7	97.4	157.4	133.8	119.2	119.9	145.2	214.9	210.2	119.3	142.0
Measles---7	------	------	------	1.7	------	------	------	------	------	------	------	--------
Whooping-cough---9	------	------	------	3.5	7.2	------	------	------	16.0	------	------	--------
Dysentery---13	------	------	------	1.7	------	------	------	------	5.3	1.8	3.3	9.5
Tetanus---22	1.5	------	1.5	1.7	------	------	------	------	------	1.8	3.3	--------
Tuberculosis of the respiratory system---23	------	1.5	1.5	------	------	2.1	------	------	------	------	------	--------
Syphilis---34	7.5	9.1	1.5	3.5	1.8	6.3	3.4	------	7.1	14.6	1.6	4.7
Convulsions---86	1.5	------	------	------	1.8	------	------	------	1.8	1.8	------	1.6
Bronchitis---106	1.5	------	1.5	5.2	10.8	------	3.4	4.0	3.6	3.7	4.9	1.6
Bronchopneumonia---107	10.5	15.2	7.6	20.8	9.0	16.7	5.1	18.1	32.0	23.8	24.5	30.0
Lobar and unspecified pneumonia---108,109	1.5	7.6	1.5	10.4	3.6	2.1	------	2.0	1.8	1.8	1.6	1.6
Diseases of the stomach---117,118	------	1.5	------	1.7	------	------	------	------	------	------	1.6	1.6
Diarrhea and enteritis---119	40.7	83.8	28.9	45.0	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1
Intestinal obstruction---122b	------	------	1.5	------	------	------	------	------	------	------	------	--------
Congenital malformations---157	6.0	6.1	4.6	10.4	5.4	------	5.1	5.0	1.8	7.3	8.2	1.6
Congenital debility, etc. 2/---158,161b,c	7.5	6.1	1.5	3.5	7.2	12.6	1.7	8.1	17.8	21.9	14.7	12.6
Premature birth---159	15.1	19.8	24.4	24.2	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4
Injury at birth---160	4.5	1.5	1.5	3.5	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2
Other diseases of early infancy---161a,d	3.0	9.1	9.1	6.9	10.8	6.3	1.7	14.1	7.1	12.8	4.9	7.9
External causes 3/---172-195,201-214	------	------	3.0	3.5	------	2.1	------	------	5.3	3.7	3.3	3.2
Unknown or ill-defined diseases---199,200	1.5	1.5	1.5	1.7	9.0	8.4	5.1	2.0	3.6	7.3	------	11.0
All other causes	3.0	7.6	6.1	8.7	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6

1/ Exclusive of stillbirths. 2/ Includes lack of care, desertion, etc., previous to 1930. 3/ Excludes lack of care, desertion, etc., previous to 1930.

TABLE 8.—BIRTHS, DEATHS, AND STILLBIRTHS, IN THE VIRGIN ISLANDS: 1924-1936

YEAR AND SEX	BIRTHS 1/				TOTAL DEATHS 1/				DEATHS 1/ UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other
1936																
Total	51	469	143	1	33	379	57	2	5	55	10	---	2	35	7	-----
Male	28	232	71	---	20	176	23	2	2	25	3	---	2	17	4	-----
Female	23	237	72	1	13	203	34	---	3	30	7	---	---	18	3	-----
1935																
Total	40	490	125	1	47	388	56	1	9	90	13	---	1	27	3	-----
Male	21	244	63	1	21	201	14	1	4	48	7	---	1	18	1	-----
Female	19	246	62	---	26	187	42	---	5	42	6	---	---	9	2	-----
1934																
Total	52	495	110	---	29	342	48	---	6	53	5	---	2	30	7	-----
Male	29	244	53	---	16	157	15	---	3	30	2	---	2	12	2	-----
Female	23	251	57	---	13	185	33	---	3	23	3	---	---	18	5	-----
1933																
Total	47	463	67	1	37	389	53	2	6	80	5	---	1	2/ 29	5	1
Male	24	240	28	---	19	183	24	2	3	43	4	---	---	11	2	-----
Female	23	223	39	1	18	206	29	---	3	37	1	---	1	17	3	1
1932																
Total	53	500	---	---	23	423	6	2	2	72	---	---	---	32	---	-----
Male	23	276	---	---	13	196	3	1	1	44	---	---	---	19	---	-----
Female	30	224	---	---	10	227	3	1	1	28	---	---	---	13	---	-----
1931																
Total	54	423	---	1	32	417	---	---	7	50	---	---	3	34	---	-----
Male	23	205	---	---	20	200	---	---	5	25	---	---	1	18	---	-----
Female	31	218	---	1	12	217	---	---	2	25	---	---	2	16	---	-----
1930																
Total	73	517	---	2	28	452	---	4	4	67	---	---	---	45	---	-----
Male	41	253	---	1	15	214	---	4	1	34	---	---	---	26	---	-----
Female	32	264	---	1	13	238	---	---	3	33	---	---	---	19	---	-----
1929																
Total	54	441	1	---	35	496	1	1	4	68	---	---	1	42	---	-----
Male	33	228	---	---	17	238	1	1	2	40	---	---	1	27	---	-----
Female	21	213	1	---	18	258	---	---	2	28	---	---	---	15	---	-----
1928																
Total	74	487	2	---	37	615	---	1	8	113	---	---	2	42	2	-----
Male	35	231	1	---	16	290	---	1	5	58	---	---	1	24	2	-----
Female	39	256	1	---	21	325	---	---	3	55	---	---	1	18	---	-----
1927																
Total	41	506	---	---	43	551	---	---	4	111	---	---	---	53	---	-----
Male	25	243	---	---	23	265	---	---	4	69	---	---	---	29	---	-----
Female	16	263	---	---	20	286	---	---	---	42	---	---	---	24	---	-----
1926																
Total	53	538	19	2	29	469	---	1	1	72	---	---	1	55	---	-----
Male	27	262	11	---	17	223	---	1	---	35	---	---	1	25	---	-----
Female	26	276	8	2	12	246	---	---	1	37	---	---	---	29	---	-----
1925																
Total	80	493	79	2	27	473	---	1	3	87	---	---	2	52	6	-----
Male	28	235	43	1	14	225	---	1	1	46	---	---	2	32	1	-----
Female	32	258	36	1	13	248	---	---	2	41	---	---	---	20	5	-----
1924																
Total	59	507	95	---	31	496	74	---	12	96	10	---	4	65	5	-----
Male	29	240	50	---	12	245	27	---	4	47	6	---	4	36	4	-----
Female	30	267	45	---	19	251	47	---	8	49	4	---	---	29	1	-----

1/ Exclusive of stillbirths. 2/ Includes 1 of unknown sex.
NOTE.—"Mixed" designates a mixture of white and Negro.