

VITAL and HEALTH STATISTICS

DATA FROM THE NATIONAL HEALTH SURVEY

Acute Conditions

PROPERTY OF THE
PUBLICATIONS BRANCH
EDITORIAL LIBRARY

incidence and associated disability

United States - July 1961 - June 1962

Statistics on the incidence of acute conditions and the associated days of restricted activity, bed disability, and time lost from work and school, by age, sex, calendar quarter, residence, and geographic region. Based on data collected in household interviews during the period July 1961-June 1962.


Washington, D.C.

May 1963

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

Anthony J. Celebrezze
Secretary

Public Health Service
Luther L. Terry
Surgeon General



See inside of back cover
for catalog card.

Public Health Service Publication No. 1000-Series 10-No. 1

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 40 cents

NATIONAL CENTER FOR HEALTH STATISTICS

Forrest E. Linder, Ph.D., Director
Theodore D. Woolsey, Assistant Director
O. K. Sagen, Ph.D., Assistant Director

U. S. NATIONAL HEALTH SURVEY

Theodore D. Woolsey, Chief
Alice M. Waterhouse, M.D., Medical Advisor
James E. Kelly, D.D.S., Dental Advisor
Walt R. Simmons, Statistical Advisor
Arthur J. McDowell, Chief, Health Examination Survey
Philip S. Lawrence, Sc.D., Chief, Health Interview Survey
Robert T. Little, Chief, Computer Applications

CO-OPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Health Survey, the Bureau of the Census, under a contractual arrangement, participates in most aspects of survey planning, selects the sample, collects the data, and carries out certain parts of the statistical processing.

Public Health Service Publication No. 1000-Series 10-No. 1

CONTENTS

	Page
Selected Findings-----	1
Source of Data-----	2
Detailed Tables-----	4
Appendix I. Technical Notes on Methods-----	41
Background of This Report-----	41
Statistical Design of the Health Interview Survey-----	41
General Qualifications-----	42
Reliability of Estimates-----	42
Guide to Use of Relative Standard Error Charts-----	44
Appendix II. Definitions of Certain Terms Used in This Report-----	51
Terms Relating to Conditions-----	51
Terms Relating to Disability-----	52
Demographic Terms-----	52
Appendix III -----	54

SYMBOLS

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05----	0.0
Figure does not meet standards of reliability or precision-----	*

ACUTE CONDITIONS

INCIDENCE AND ASSOCIATED DISABILITY

SELECTED FINDINGS

The nation's civilian, noninstitutional population experienced an estimated 402 million acute illnesses or injuries in the 12-month period from July 1961 through June 1962. These illnesses and injuries involved either medical attention or caused restriction of usual activity for at least one day.

The incidence of acute conditions during the year was substantially higher than the estimate of 359 million cases reported for the year July 1960-June 1961. An epidemic of influenza, occurring primarily in January-March 1962, was the major factor accounting for the rise in the incidence rate from 202 cases per 100 persons during the year ending June 1961 to 222 cases for the year ending June 1962. The latter was the second highest rate for acute conditions during the 5 years of data collection by the National Health Survey; the rate of 260 per 100 persons per year during July 1957-June 1958 was higher owing to the epidemic of Asian influenza occurring during that year (fig. 1).

Table 1 shows the incidence statistics for all acute conditions by age and sex for the 4 quarters ending with June 1962. The rate reached its highest point in the January-March quarter when there were approximately 80 new cases per 100 persons. In each of the 4-calendar quarters, children under 5 years of age had the highest incidence rate per quarter; the rates for boys in this age group exceeded those for girls. The incidence rate of acute conditions declined with increasing age. However, the sex difference in incidence in the age groups

among persons 5 years and over was reversed—the rates were higher for females than for males.

In each calendar quarter respiratory illness was the leading contributor to the total volume of acute morbidity (table 2). Of the categories shown, the second in magnitude was injuries during part of the year (July-December 1961) and infective and parasitic diseases during the remainder of the year (January-June 1962).

Of the 402 million acute conditions reported during the year ending June 1962 about 25 percent were medically attended but resulted in no activity restriction; approximately 38 percent of the illnesses or injuries required both medical attention and activity restriction; and the remainder of the conditions caused reduction of daily activities but no medical advice was sought (table 12).

Respiratory illnesses caused about 6 out of each 10 acute conditions (table 9). The common cold was responsible for approximately 112 million acute illnesses resulting in either medical attention or activity restriction. Influenza was the second leading acute illness with 81 million cases. A total of 52 million injuries were experienced during the year, the third leading acute condition.

The average individual was required to restrict his daily activities for close to 9 days during the year as a result of acute illness or injury; about 4 of these days were spent in bed (tables 10 and 11). Respiratory illness accounted for approximately half of the disability days associated with acute conditions. On the average the common cold caused 1.6 days of restricted activity per person per year. Influenza was responsible for 1.8 days of activity restriction, while injuries accounted for 1.5 days of restriction of activities. However, if disability is measured in terms of the duration of illness, that is the number of restricted-activity days per condition, injuries had an average duration of about 5 days, influenza about 4 days, and the common cold about 2.5 days per condition.

This report was prepared by Charles S. Wilder of the U. S. National Health Survey staff.




Figure 1. Incidence of all acute conditions and acute respiratory conditions per 100 persons per quarter.

During the year ending June 1962, 5.2 days were lost from school per school-age child (6-16 years of age) because of acute illnesses or injuries (table 16). Respiratory illnesses were responsible for approximately two-thirds of these days. Among currently employed persons an average of 3.4 days were lost from work on account of acute conditions (table 18). Respiratory illnesses caused 1.5 days of work loss per person. A currently employed person is defined as a person 17 years of age or older who had a job or business or worked at any time during the 2-week period prior to the week of interview.

Residents of rural-nonfarm areas had the highest incidence rate of acute conditions during the year, 240.6 conditions per 100 residents; while rural-farm residents reported the lowest rate, 201.5 cases per 100 persons per year (table 19). Influenza attacked residents of rural-farm and rural-nonfarm areas at about the same rate, 50 cases for each 100 residents. Residents of urban areas experienced influenza at a lower rate, 40 cases per 100 persons per year (table 22).

Persons residing in the West had a higher incidence of acute conditions, 259.5 cases per 100 persons during the year, than did residents of the other geographic regions (table 25). There was

little difference between the incidence rates in the Northeast, North Central, and the South.

Influenza was reported throughout each of the four regions, but the rates were substantially greater in the North Central and West than in the other regions. In the former area, the incidence was 59 per 100 persons and in the latter it was 75 (table 28).

SOURCE OF DATA

The information contained in this publication is derived from household interviews conducted by the National Health Survey in cooperation with the U.S. Bureau of the Census in a probability sample of the civilian, noninstitutional population of the United States. The sample is designed so that interviews are conducted during every week of the year. During the 52-week period from July 1961-June 1962, the sample was composed of approximately 38,000 households, containing about 125,000 persons living at the time of the interview.

A description of the design of the survey, methods used in estimation, and general qualifications of the data obtained from surveys is presented in Appendix I. Since estimates shown in this

report are based on a sample of the population rather than on the entire population, they are subject to sampling error. Therefore, particular attention should be paid to the section entitled "Reliability of Estimates." Sampling errors for most of the estimates are of relatively low magnitude. However, where an estimated number or the numerator or denominator of a rate or percentage is small, the sampling error may be high. Charts of relative sampling errors and instructions for their use are shown in Appendix I.

Certain terms used in this report are defined in Appendix II. Some of the terms have specialized meanings for the purpose of the survey. For example, estimates of the incidence of acute conditions include, with certain exceptions, those conditions which have started within 2 weeks and which have involved either medical attention or restricted activity. The exceptions, which are listed in Appendix II, are certain conditions such as heart trouble and diabetes which are always considered to be chronic, regardless of duration or onset.

The questionnaire used by the Health Interview Survey during July 1961-June 1962 is illustrated in Appendix III. Each condition reported in response to the "illness-recall" questions (8-14) was entered on a line of table I. Further questions were asked to obtain a better description of the specific condition and to obtain information about the actions taken by the person, such as seeking medical attention or restricting usual activities.

The incidence rates of acute conditions per quarter for the 16 quarters from July 1957 through June 1961, shown in figure 1, are presented in an earlier report from the U.S. National Health Survey, *Health Statistics*, Series B, No. 33. Other reports dealing with acute conditions are *Health Statistics*, Series B, Nos. 5, 6, 18, 23, 24, and 34, and Series C, Nos. 1, 4, and 7.

The arrangement of this report is somewhat different from that of previous reports on acute conditions. Instead of two or more reports dealing with various aspects of acute illnesses or injuries, a single report presents tables covering these topics with a brief text pointing out highlights of these data. An explanation of the arrangement of the tables which follow may assist the reader in finding these topics.

Tables 1 through 8 present information on the incidence and associated disability for each of the 4 calendar quarters between July 1961 and June 1962.

Tables 9-11 present incidence and days of restricted activity and bed disability for an extended list of acute condition groups.

Table 12 shows several measures of the impact on the individual of various categories of acute illness or injury. The number and rate per 100 persons per year of acute conditions requiring medical attention or activity restriction are also presented.

Data about acute conditions by sex and age are shown in tables 13-15. Tables 16-18 give data about time lost from school or work associated with acute illness or injury.

Tables 19-24 and 25-30 show information about the geographic distribution of acute conditions and associated disability, by residence in the former group, and by region in the latter group of tables. It should be pointed out that these data by residence continue to reflect the definitions of areas of residence employed for the 1950 Census. The changed definition of rural-farm areas reflecting land usage of rural areas to distinguish between rural-farm and rural-nonfarm (shown in questions 10 and 11 of Appendix III, page 54) was not used in tabulating these data.

The populations used in computing rates are shown in tables 31-33.

DETAILED TABLES

		Page
	<u>CALENDAR QUARTER</u>	
Table 1.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and age: United States, July 1961-June 1962-----	7
2.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962-----	8
3.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and age: United States, July 1961-June 1962-----	9
4.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962-----	10
5.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and age: United States, July 1961-June 1962-----	11
6.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962-----	12
7.	Incidence of acute respiratory conditions and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1961-June 1962-----	13
8.	Incidence of injuries and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1961-June 1962-----	14
	<u>EXTENDED LIST OF CONDITION GROUPS, BY SEX</u>	
9.	Incidence of acute conditions, percent distribution, and number of acute conditions per 100 persons per year, by sex and condition group: United States, July 1961-June 1962-----	15
10.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by sex and condition group: United States, July 1961-June 1962-----	16
11.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by sex and condition group: United States, July 1961-June 1962-----	17
	<u>MEASURES OF THE IMPACT OF ILLNESS</u>	
12.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by measures of the impact of illness, sex, and condition group: United States, July 1961-June 1962-----	18

DETAILED TABLES—Continued

Page

SEX AND AGE

Table 13.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962-----	19
14.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962-----	20
15.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962-----	21

TIME LOST FROM SCHOOL AND WORK

16.	Days lost from school associated with acute conditions and days lost from school per 100 children (6-16) per year, by sex and condition group: United States, July 1961-June 1962-----	22
17.	Incidence of acute conditions among currently employed persons and number of acute conditions per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1961-June 1962-----	23
18.	Days lost from work associated with acute conditions and days lost from work per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1961-June 1962-----	24

RESIDENCE

19.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962-----	25
20.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962-----	26
21.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962-----	27
22.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962-----	28
23.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962-----	29
24.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962-----	30

REGION

25.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962-----	31
26.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962-----	32
27.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962-----	33
28.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962---	34
29.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962-----	35
30.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962-----	36

DETAILED TABLES—Continued

Page

POPULATION

Table 31.	Population used in obtaining rates shown in this publication, by quarter, sex, and age: United States, July 1961-June 1962-----	37
32.	Population used in obtaining rates shown in this publication, by residence, region, sex, and age: United States, July 1961-June 1962-----	38
33.	Population of currently employed persons, by sex and age: United States, July 1961-June 1962-----	39

Table 1. Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per quarter			
All ages----	67,463	104,413	144,647	85,328	37.4	57.9	79.9	47.1
Under 5 years-----	13,134	18,757	23,556	19,273	64.9	92.4	116.2	93.2
5-14 years-----	15,869	29,406	43,439	22,453	41.3	77.6	114.4	60.5
15-24 years-----	8,175	13,799	19,529	10,332	34.0	56.7	79.0	41.6
25-44 years-----	16,945	22,473	30,660	17,903	37.3	49.6	67.8	39.6
45-64 years-----	10,039	14,877	20,023	10,700	27.4	40.5	54.3	29.2
65+ years-----	3,302	5,100	7,440	4,668	21.0	32.2	46.8	28.0
<u>Male</u>								
All ages----	30,415	47,954	66,042	37,824	34.8	54.7	75.2	43.0
Under 5 years-----	7,620	9,869	12,106	10,110	74.0	95.5	117.3	96.0
5-14 years-----	7,297	14,886	21,997	10,681	37.8	77.0	113.5	56.6
15-24 years-----	3,510	5,442	8,543	3,804	30.6	47.1	72.7	32.4
25-44 years-----	6,425	8,852	12,239	6,938	29.6	40.9	56.8	32.2
45-65 years-----	4,443	6,514	8,298	4,173	25.2	36.9	46.9	23.5
65+ years-----	*	*	2,859	*	*	*	40.4	*
<u>Female</u>								
All ages----	37,048	56,459	78,606	47,503	39.8	60.8	84.3	50.9
Under 5 years-----	5,515	8,888	11,450	9,163	55.5	89.2	115.0	90.3
5-14 years-----	8,572	14,521	21,442	11,772	44.9	78.3	115.3	64.4
15-24 years-----	4,665	8,357	10,986	6,528	37.1	65.4	84.7	49.9
25-44 years-----	10,520	13,621	18,421	10,964	44.4	57.5	77.8	46.3
45-64 years-----	5,596	8,363	11,725	6,527	29.4	43.8	61.2	34.6
65+ years-----	*	2,708	4,582	2,549	*	30.8	51.9	27.6

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 2. Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per quarter			
All acute conditions-	67,463	104,413	144,647	85,328	37.4	57.9	79.9	47.1
Infective and parasitic diseases-----	8,867	7,974	17,271	15,012	4.9	4.4	9.5	8.3
Respiratory conditions---	25,332	67,929	98,475	39,069	14.0	37.6	54.4	21.6
Upper respiratory conditions-----	16,851	45,442	51,492	27,059	9.3	25.2	28.4	14.9
Influenza-----	7,080	19,946	44,801	9,489	3.9	11.1	24.8	5.2
Other respiratory conditions-----	*	2,541	*	2,521	*	1.4	*	1.4
Digestive system conditions-----	5,740	5,703	6,014	4,938	3.2	3.2	3.3	2.7
Injuries-----	14,249	12,283	11,199	14,450	7.9	6.8	6.2	8.0
All other acute conditions-----	13,276	10,524	11,689	11,859	7.4	5.8	6.5	6.5
<u>Male</u>								
All acute conditions-	30,415	47,954	66,042	37,824	34.8	54.7	75.2	43.0
Infective and parasitic diseases-----	4,190	3,360	7,732	6,512	4.8	3.8	8.8	7.4
Respiratory conditions---	11,220	31,143	44,937	16,754	12.8	35.5	51.2	19.1
Upper respiratory conditions-----	7,590	21,700	24,048	11,760	8.7	24.8	27.4	13.4
Influenza-----	2,965	8,270	20,068	3,630	3.4	9.4	22.9	4.1
Other respiratory conditions-----	*	*	*	*	*	*	*	*
Digestive system conditions-----	*	*	2,731	*	*	*	3.1	*
Injuries-----	7,825	7,250	6,255	8,294	8.9	8.3	7.1	9.4
All other acute conditions-----	4,759	3,968	4,387	4,325	5.4	4.5	5.0	4.9
<u>Female</u>								
All acute conditions-	37,048	56,459	78,606	47,503	39.8	60.8	84.3	50.9
Infective and parasitic diseases-----	4,677	4,614	9,538	8,499	5.0	5.0	10.2	9.1
Respiratory conditions---	14,112	36,786	53,538	22,315	15.2	39.6	57.4	23.9
Upper respiratory conditions-----	9,261	23,742	27,444	15,298	10.0	25.6	29.4	16.4
Influenza-----	4,115	11,676	24,733	5,859	4.4	12.6	26.5	6.3
Other respiratory conditions-----	*	*	*	*	*	*	*	*
Digestive system conditions-----	3,319	3,472	3,283	2,999	3.6	3.7	3.5	3.2
Injuries-----	6,424	5,032	4,944	6,156	6.9	5.4	5.3	6.6
All other acute conditions-----	8,516	6,555	7,303	7,534	9.2	7.1	7.8	8.1

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 3. Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Days of restricted activity in thousands				Days of restricted activity per 100 persons per quarter			
All ages----	258,810	391,312	592,452	349,586	143.4	216.8	327.3	193.0
Under 5 years-----	25,962	54,550	64,359	50,577	128.3	268.6	317.4	244.6
5-14 years-----	44,582	93,348	175,171	81,824	116.2	246.4	461.2	220.4
15-24 years-----	34,269	43,702	61,203	39,603	142.5	179.6	247.5	159.5
25-44 years-----	63,799	87,405	120,026	71,601	140.4	192.8	265.3	158.2
45-64 years-----	59,463	78,219	115,187	65,117	162.3	212.8	312.4	177.9
65+ years-----	30,736	34,087	56,507	40,864	195.4	215.3	355.3	244.8
<u>Male</u>								
All ages----	108,065	169,990	253,367	144,921	123.6	194.0	288.6	164.9
Under 5 years-----	16,338	31,615	34,043	26,525	158.6	305.8	329.8	252.0
5-14 years-----	21,175	46,610	92,634	38,894	109.8	241.1	477.9	206.3
15-24 years-----	15,781	17,033	21,687	12,024	137.5	147.3	184.5	102.4
25-44 years-----	20,206	31,502	39,385	26,884	92.9	145.5	182.7	124.7
45-64 years-----	24,267	30,822	45,839	25,105	137.7	174.4	258.8	141.7
65+ years-----	10,298	12,409	19,780	15,490	146.7	175.9	279.8	207.3
<u>Female</u>								
All ages----	150,745	221,321	339,085	204,665	162.1	238.4	363.8	219.4
Under 5 years-----	9,624	22,935	30,316	24,052	96.9	230.1	304.6	236.9
5-14 years-----	23,407	46,739	82,537	42,931	122.6	252.0	443.9	235.0
15-24 years-----	18,489	26,670	39,516	27,579	147.0	208.7	304.5	210.8
25-44 years-----	43,592	55,903	80,641	44,717	184.0	236.1	340.6	188.7
45-64 years-----	35,196	47,397	69,347	40,012	185.1	248.2	361.8	212.0
65+ years-----	20,437	21,678	36,727	25,374	234.6	247.0	415.8	275.1

Table 4. Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Days of restricted activity in thousands				Days of restricted activity per 100 persons per quarter			
All acute conditions-	258,810	391,312	592,452	349,586	143.4	216.8	327.3	193.0
Infective and parasitic diseases-----	31,630	36,292	75,003	65,013	17.5	20.1	41.4	35.9
Respiratory conditions---	65,527	209,027	373,447	123,725	36.3	115.8	206.3	68.3
Upper respiratory conditions-----	36,480	118,265	147,724	68,001	20.2	65.5	81.6	37.5
Influenza-----	19,799	71,458	202,040	40,218	11.0	39.6	111.6	22.2
Other respiratory conditions-----	9,247	19,304	23,683	15,507	5.1	10.7	13.1	8.6
Digestive system conditions-----	18,654	19,003	17,939	21,331	10.3	10.5	9.9	11.8
Injuries-----	72,105	65,383	61,194	74,461	40.0	36.2	33.8	41.1
All other acute conditions-----	70,895	61,607	64,869	65,056	39.3	34.1	35.8	35.9
<u>Male</u>								
All acute conditions-	108,065	169,990	253,367	144,921	123.6	194.0	288.6	164.9
Infective and parasitic diseases-----	13,615	16,084	34,538	26,572	15.6	18.4	39.3	30.2
Respiratory conditions---	28,985	86,142	165,211	51,171	33.1	98.3	188.2	58.2
Upper respiratory conditions-----	15,633	52,217	70,028	26,928	17.9	59.6	79.8	30.6
Influenza-----	7,975	25,874	85,279	17,437	9.1	29.5	97.1	19.8
Other respiratory conditions-----	*	8,051	9,903	6,807	*	9.2	11.3	7.7
Digestive system conditions-----	8,275	8,771	7,951	8,665	9.5	10.0	9.1	9.9
Injuries-----	39,348	40,364	31,243	40,320	45.0	46.1	35.6	45.9
All other acute conditions-----	17,842	18,629	14,425	18,192	20.4	21.3	16.4	20.7
<u>Female</u>								
All acute conditions-	150,745	221,321	339,085	204,665	162.1	238.4	363.8	219.4
Infective and parasitic diseases-----	18,014	20,208	40,465	38,441	19.4	21.8	43.4	41.2
Respiratory conditions---	36,542	122,885	208,237	72,554	39.3	132.4	223.4	77.8
Upper respiratory conditions-----	20,847	66,048	77,696	41,073	22.4	71.1	83.4	44.0
Influenza-----	11,824	45,584	116,761	22,781	12.7	49.1	125.3	24.4
Other respiratory conditions-----	*	11,253	13,780	8,700	*	12.1	14.8	9.3
Digestive system conditions-----	10,379	10,232	9,988	12,665	11.2	11.0	10.7	13.6
Injuries-----	32,757	25,019	29,951	34,141	35.2	26.9	32.1	36.6
All other acute conditions-----	53,053	42,978	50,443	46,864	57.0	46.3	54.1	50.2

Table 5. Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Days in bed disability in thousands				Days of bed disability per 100 persons per quarter			
All ages----	102,738	155,576	288,198	142,697	56.9	86.2	159.2	78.8
Under 5 years-----	10,861	19,961	33,260	24,290	53.7	98.3	164.1	117.5
5-14 years-----	17,429	41,812	88,990	37,319	45.4	110.4	234.3	100.5
15-24 years-----	16,746	18,838	32,305	16,814	69.6	77.4	130.6	67.7
25-44 years-----	26,165	37,245	57,531	28,424	57.6	82.2	127.2	62.8
45-64 years-----	21,797	27,463	51,501	23,222	59.5	74.7	139.7	63.5
65+ years-----	9,741	10,256	24,610	12,629	61.9	64.8	154.8	75.7
<u>Male</u>								
All ages----	40,892	65,431	120,428	58,236	46.8	74.7	137.2	66.3
Under 5 years-----	7,007	10,264	17,279	13,306	68.0	99.3	167.4	126.4
5-14 years-----	6,611	19,416	45,979	17,321	34.3	100.4	237.2	91.9
15-24 years-----	6,385	6,150	11,049	*	55.6	53.2	94.0	*
25-44 years-----	8,278	15,361	18,802	10,210	38.1	70.9	87.2	47.4
45-64 years-----	9,813	10,941	20,104	9,713	55.7	61.9	113.5	54.8
65+ years-----	*	*	7,215	*	*	*	102.1	*
<u>Female</u>								
All ages----	61,846	90,145	167,769	84,461	66.5	97.1	180.0	90.5
Under 5 years-----	*	9,697	15,981	10,983	*	97.3	160.6	108.2
5-14 years-----	10,818	22,396	43,011	19,998	56.7	120.8	231.3	109.4
15-24 years-----	10,361	12,688	21,256	12,182	82.4	99.3	163.8	93.1
25-44 years-----	17,886	21,885	38,729	18,214	75.5	92.4	163.6	76.9
45-64 years-----	11,984	16,522	31,397	13,509	63.0	86.5	163.8	71.6
65+ years-----	6,943	6,957	17,395	9,575	79.7	79.3	196.9	103.8

Table 6. Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Days of bed disability in thousands				Days of bed disability per 100 persons per quarter			
All acute conditions-	102,738	155,576	288,198	142,697	56.9	86.2	159.2	78.8
Infective and parasitic diseases-----	15,867	18,196	39,601	29,339	8.8	10.1	21.9	16.2
Respiratory conditions---	28,613	92,965	188,469	55,970	15.9	51.5	104.1	30.9
Upper respiratory conditions-----	15,402	42,118	61,914	29,281	8.5	23.3	34.2	16.2
Influenza-----	8,788	41,778	113,715	19,566	4.9	23.2	62.8	10.8
Other respiratory conditions-----	*	9,069	12,840	7,124	*	5.0	7.1	3.9
Digestive system conditions-----	8,299	7,369	8,476	9,727	4.6	4.1	4.7	5.4
Injuries-----	21,236	15,530	20,719	21,448	11.8	8.6	11.4	11.8
All other acute conditions-----	28,723	21,516	30,932	26,212	15.9	11.9	17.1	14.5
<u>Male</u>								
All acute conditions-	40,892	65,431	120,428	58,236	46.8	74.7	137.2	66.3
Infective and parasitic diseases-----	6,756	8,284	17,688	13,399	7.7	9.5	20.1	15.2
Respiratory conditions---	12,792	38,020	83,985	22,125	14.6	43.4	95.7	25.2
Upper respiratory conditions-----	*	19,137	28,864	12,018	*	21.8	32.9	13.7
Influenza-----	*	14,579	49,088	7,197	*	16.6	55.9	8.2
Other respiratory conditions-----	*	*	6,032	*	*	*	6.9	*
Digestive system conditions-----	*	*	*	*	*	*	*	*
Injuries-----	11,322	10,677	8,474	13,299	12.9	12.2	9.7	15.1
All other acute conditions-----	6,951	*	6,960	*	7.9	*	7.9	*
<u>Female</u>								
All acute conditions-	61,848	90,145	167,769	84,461	66.5	97.1	180.0	90.5
Infective and parasitic diseases-----	9,111	9,912	21,913	15,940	9.8	10.7	23.5	17.1
Respiratory conditions---	15,821	54,945	104,485	33,845	17.0	59.2	112.1	36.3
Upper respiratory conditions-----	9,526	22,981	33,049	17,263	10.2	24.8	35.5	18.5
Influenza-----	*	27,199	64,627	12,369	*	29.3	69.3	13.3
Other respiratory conditions-----	*	*	6,808	*	*	*	7.3	*
Digestive system conditions-----	*	*	*	*	*	*	*	*
Injuries-----	9,915	*	12,245	8,150	10.7	*	13.1	8.7
All other acute conditions-----	21,773	16,441	23,972	20,706	23.4	17.7	25.7	22.2

Table 7. Incidence of acute respiratory conditions and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Age	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
	Incidence of acute respiratory conditions in thousands				Number of acute respiratory conditions per 100 persons per quarter			
All ages-----	25,332	67,929	98,475	39,069	14.0	37.6	54.4	21.6
Under 5 years-----	5,454	12,744	14,960	8,762	27.0	62.8	73.8	42.4
5-14 years-----	6,473	20,231	30,277	9,070	16.9	53.4	79.7	24.4
15-24 years-----	3,150	8,182	13,047	4,763	13.1	33.6	52.8	19.2
25-44 years-----	5,634	13,708	20,529	8,150	12.4	30.2	45.4	18.0
45-64 years-----	3,649	9,934	14,011	5,624	10.0	27.0	38.0	15.4
65+ years-----	*	3,131	5,650	2,700	*	19.8	35.5	16.2
	Days of restricted activity in thousands				Days of restricted activity per 100 persons per quarter			
All ages-----	65,527	209,027	373,447	123,725	36.3	115.8	206.3	68.3
Under 5 years-----	8,688	36,307	38,159	20,992	42.9	178.8	188.2	101.5
5-14 years-----	12,084	58,591	120,777	27,209	31.5	154.7	318.0	73.3
15-24 years-----	7,236	19,735	38,522	14,755	30.1	81.1	155.8	59.4
25-44 years-----	15,710	37,544	69,709	23,261	34.6	82.8	154.1	51.4
45-64 years-----	15,024	39,153	69,055	19,242	41.0	106.5	187.3	52.6
65+ years-----	6,784	17,697	37,224	18,268	43.1	111.8	234.1	109.4
	Days of bed disability in thousands				Days of bed disability per 100 persons per quarter			
All ages-----	28,613	92,965	188,469	55,970	15.9	51.5	104.1	30.9
Under 5 years-----	*	13,937	21,280	8,956	*	68.6	105.0	43.3
5-14 years-----	*	28,908	64,547	14,258	*	76.3	170.0	38.4
15-24 years-----	*	9,747	21,361	6,390	*	40.1	86.4	25.7
25-44 years-----	6,493	18,460	34,837	9,659	14.3	40.7	77.0	21.3
45-64 years-----	*	16,250	30,902	9,525	*	44.2	83.8	26.0
65+ years-----	*	*	15,542	7,181	*	*	97.7	43.0

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 8. Incidence of injuries and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Age	1961		1962		1961		1962	
	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
	Incidence of injuries in thousands				Number of injuries per 100 persons per quarter			
All ages-----	14,249	12,283	11,199	14,450	7.9	6.8	6.2	8.0
Under 15 years----	5,649	4,316	3,902	5,904	9.6	7.4	6.7	10.2
15-44 years-----	5,793	4,968	4,387	5,403	8.3	7.1	6.3	7.7
45+ years-----	2,807	2,999	2,911	3,144	5.4	5.7	5.5	5.9
	Days of restricted activity in thousands				Days of restricted activity per 100 persons per quarter			
All ages----	72,105	65,383	61,194	74,461	40.0	36.2	33.8	41.1
Under 15 years----	14,832	12,083	9,604	14,988	25.3	20.8	16.5	25.9
15-44 years-----	26,842	31,930	21,036	24,519	38.6	45.8	30.1	35.0
45+ years-----	30,431	21,370	30,554	34,955	58.1	40.6	57.9	65.6
	Days of bed disability in thousands				Days of bed disability per 100 persons per quarter			
All ages----	21,236	15,530	20,719	21,448	11.8	8.6	11.4	11.8
Under 15 years----	*	*	*	7,384	*	*	*	12.8
15-44 years-----	7,937	8,396	7,063	6,669	11.4	12.1	10.1	9.5
45+ years-----	9,968	4,623	10,962	7,395	19.0	8.8	20.8	13.9

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 9. Incidence of acute conditions, percent distribution, and number of acute conditions per 100 persons per year, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Condition group	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Incidence of acute conditions in thousands			Percent distribution			Number of acute conditions per 100 persons per year		
All acute conditions-----	401,851	182,235	219,616	100.0	100.0	100.0	222.3	207.8	235.9
Infective and parasitic diseases---	49,123	21,794	27,329	12.2	12.0	12.4	27.2	24.9	29.4
Common childhood diseases-----	16,110	7,409	8,701	4.0	4.1	4.0	8.9	8.4	9.3
The "virus", n.o.s.-----	24,979	11,096	13,882	6.2	6.1	6.3	13.8	12.7	14.9
Other infective and parasitic diseases-----	8,035	3,289	4,746	2.0	1.8	2.2	4.4	3.8	5.1
Respiratory conditions-----	230,805	104,055	126,750	57.4	57.1	57.7	127.7	118.7	136.1
Upper respiratory conditions-----	140,844	65,099	75,745	35.0	35.7	34.5	77.9	74.2	81.4
Common cold-----	111,653	51,110	60,543	27.8	28.0	27.6	61.8	58.3	65.0
Other acute upper respiratory conditions-----	29,191	13,989	15,202	7.3	7.7	6.9	16.1	16.0	16.3
Influenza-----	81,317	34,934	46,382	20.2	19.2	21.1	45.0	39.8	49.8
Influenza with digestive manifestations-----	7,281	2,921	4,360	1.8	1.6	2.0	4.0	3.3	4.7
Other influenza-----	74,035	32,013	42,022	18.4	17.6	19.1	41.0	36.5	45.1
Other respiratory conditions-----	8,645	4,022	4,623	2.2	2.2	2.1	4.8	4.6	5.0
Pneumonia-----	2,323	982	1,342	0.6	0.5	0.6	1.3	1.1	1.4
Bronchitis-----	3,993	1,836	2,158	1.0	1.0	1.0	2.2	2.1	2.3
Other acute respiratory conditions-----	2,328	1,204	1,123	0.6	0.7	0.5	1.3	1.4	1.2
Digestive system conditions-----	22,394	9,321	13,073	5.6	5.1	6.0	12.4	10.6	14.0
Dental conditions-----	8,706	3,794	4,912	2.2	2.1	2.2	4.8	4.3	5.3
Functional and symptomatic upper gastrointestinal disorders, n.e.c.-----	6,099	2,529	3,570	1.5	1.4	1.6	3.4	2.9	3.8
Other digestive system conditions-----	7,589	2,999	4,591	1.9	1.6	2.1	4.2	3.4	4.9
Injuries-----	52,181	29,625	22,557	13.0	16.3	10.3	28.9	33.8	24.2
Fractures, dislocations, sprains, and strains-----	12,925	7,303	5,622	3.2	4.0	2.6	7.1	8.3	6.0
Fractures and dislocations-----	4,676	2,584	2,092	1.2	1.4	1.0	2.6	2.9	2.2
Sprains and strains-----	8,249	4,719	3,530	2.1	2.6	1.6	4.6	5.4	3.8
Open wounds and lacerations-----	14,723	8,880	5,843	3.7	4.9	2.7	8.1	10.1	6.3
Contusions and superficial injuries-----	11,294	5,873	5,421	2.8	3.2	2.5	6.2	6.7	5.8
Other current injuries-----	13,240	7,569	5,671	3.3	4.2	2.6	7.3	8.6	6.1
All other acute conditions-----	47,348	17,440	29,908	11.8	9.6	13.6	26.2	19.9	32.1
Diseases of the ear-----	8,684	4,778	3,906	2.2	2.6	1.8	4.8	5.4	4.2
Headaches-----	3,752	951	2,801	0.9	0.5	1.3	2.1	1.1	3.0
Genitourinary disorders-----	6,763	1,036	5,728	1.7	0.6	2.6	3.7	1.2	6.2
Deliveries and disorders of pregnancy and the puerperium---	5,031	...	5,031	1.2	...	2.3	2.8	...	5.4
Diseases of the skin-----	5,743	2,807	2,936	1.4	1.5	1.3	3.2	3.2	3.2
Diseases of the musculoskeletal system-----	4,774	2,353	2,421	1.2	1.3	1.1	2.6	2.7	2.6
All other acute conditions-----	12,600	5,515	7,085	3.1	3.0	3.2	7.0	6.3	7.6

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

Table 10. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Condition group	Both sexes	Male	Female	Both sexes	Male	Female
	Days of restricted activity in thousands			Days of restricted activity per 100 persons per year		
All acute conditions-----	1,592,160	676,344	915,817	880.7	771.3	983.7
Infective and parasitic diseases---	207,938	90,810	117,128	115.0	103.6	125.8
Common childhood diseases-----	93,973	42,298	51,675	52.0	48.2	55.5
The "virus", n.o.s.-----	76,058	33,049	43,009	42.1	37.7	46.2
Other infective and parasitic diseases-----	37,907	15,462	22,445	21.0	17.6	24.1
Respiratory conditions-----	771,726	331,509	440,217	426.9	378.0	472.9
Upper respiratory conditions-----	370,469	164,807	205,662	204.9	187.9	220.9
Common cold-----	283,868	121,620	162,249	157.0	138.7	174.3
Other acute upper respiratory conditions-----	86,601	43,187	43,414	47.9	49.2	46.6
Influenza-----	333,516	136,564	196,951	184.5	155.7	211.6
Influenza with digestive manifestations-----	16,526	5,995	10,532	9.1	6.8	11.3
Other influenza-----	316,989	130,570	186,420	175.3	148.9	200.2
Other respiratory conditions-----	67,741	30,138	37,603	37.5	34.4	40.4
Pneumonia-----	30,587	14,743	15,843	16.9	16.8	17.0
Bronchitis-----	22,075	7,386	14,689	12.2	8.4	15.8
Other acute respiratory conditions-----	15,079	8,008	7,071	8.3	9.1	7.6
Digestive system conditions-----	76,927	33,662	43,265	42.6	38.4	46.5
Dental conditions-----	15,107	8,621	6,486	8.4	9.8	7.0
Functional and symptomatic upper gastrointestinal disorders, n.e.c.-----	11,670	4,939	6,731	6.5	5.6	7.2
Other digestive system conditions-----	50,150	20,102	30,048	27.7	22.9	32.3
Injuries-----	273,143	151,275	121,868	151.1	172.5	130.9
Fractures, dislocations, sprains, and strains-----	151,215	85,713	65,502	83.6	97.7	70.4
Fractures and dislocations-----	89,053	51,094	37,959	49.3	58.3	40.8
Sprains and strains-----	62,162	34,619	27,543	34.4	39.5	29.6
Open wounds and lacerations-----	38,788	21,886	16,902	21.5	25.0	18.2
Contusions and superficial injuries-----	42,821	21,083	21,738	23.7	24.0	23.3
Other current injuries-----	40,319	22,593	17,726	22.3	25.8	19.0
All other acute conditions-----	262,427	69,089	193,338	145.2	78.8	207.7
Diseases of the ear-----	27,448	13,510	13,939	15.2	15.4	15.0
Headaches-----	7,260	2,039	5,220	4.0	2.3	5.6
Genitourinary disorders-----	49,501	9,383	40,118	27.4	10.7	43.1
Deliveries and disorders of pregnancy and the puerperium---	45,199	...	45,199	25.0	...	48.6
Diseases of the skin-----	22,959	8,947	14,012	12.7	10.2	15.1
Diseases of the musculoskeletal system-----	36,332	13,295	23,037	20.1	15.2	24.7
All other acute conditions-----	73,728	21,915	51,813	40.8	25.0	55.7

* N.o.s.--not otherwise specified; n.e.c.--not elsewhere classified.

Table 11. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Condition group	Both sexes	Male	Female	Both sexes	Male	Female
	Days of bed disability in thousands			Days of bed disability per 100 persons per year		
All acute conditions-----	689,208	284,987	404,221	381.2	325.0	434.2
Infective and parasitic diseases---	103,003	46,128	56,875	57.0	52.6	61.1
Common childhood diseases-----	43,830	20,069	23,761	24.2	22.9	25.5
The "virus", n.o.s.-----	39,344	17,630	21,714	21.8	20.1	23.3
Other infective and parasitic diseases-----	19,830	8,429	11,400	11.0	9.6	12.2
Respiratory conditions-----	366,018	156,921	209,097	202.5	178.9	224.6
Upper respiratory conditions-----	148,715	65,895	82,820	82.3	75.1	89.0
Common cold-----	109,858	46,974	62,883	60.8	53.6	67.5
Other acute upper respiratory conditions-----	38,857	18,920	19,937	21.5	21.6	21.4
Influenza-----	183,847	74,711	109,136	101.7	85.2	117.2
Influenza with digestive manifestations-----	8,139	3,446	4,693	4.5	3.9	5.0
Other influenza-----	175,708	71,264	104,444	97.2	81.3	112.2
Other respiratory conditions-----	33,456	16,316	17,140	18.5	18.6	18.4
Pneumonia-----	18,351	9,296	9,055	10.2	10.6	9.7
Bronchitis-----	8,973	2,785	6,188	5.0	3.2	6.6
Other acute respiratory conditions-----	6,132	4,235	1,897	3.4	4.8	2.0
Digestive system conditions-----	33,870	13,675	20,195	18.7	15.6	21.7
Dental conditions-----	5,810	3,048	2,762	3.2	3.5	3.0
Functional and symptomatic upper gastrointestinal disorders, n.e.c.-----	4,808	1,808	3,000	2.7	2.1	3.2
Other digestive system conditions-----	23,251	8,819	14,433	12.9	10.1	15.5
Injuries-----	78,933	43,771	35,162	43.7	49.9	37.8
Fractures, dislocations, sprains, and strains-----	40,279	22,479	17,801	22.3	25.6	19.1
Fractures and dislocations-----	25,338	14,524	10,814	14.0	16.6	11.6
Sprains and strains-----	14,941	7,955	6,986	8.3	9.1	7.5
Open wounds and lacerations-----	8,474	5,771	2,704	4.7	6.6	2.9
Contusions and superficial injuries-----	13,972	6,985	6,987	7.7	8.0	7.5
Other current injuries-----	16,207	8,536	7,671	9.0	9.7	8.2
All other acute conditions-----	107,384	24,492	82,892	59.4	27.9	89.0
Diseases of the ear-----	10,795	5,382	5,413	6.0	6.1	5.8
Headaches-----	2,897	*	1,811	1.6	*	1.9
Genitourinary disorders-----	21,674	5,128	16,546	12.0	5.8	17.8
Deliveries and disorders of pregnancy and the puerperium-----	26,452	...	26,452	14.6	...	28.4
Diseases of the skin-----	5,837	2,412	3,425	3.2	2.8	3.7
Diseases of the musculoskeletal system-----	14,167	3,430	10,737	7.8	3.9	11.5
All other acute conditions-----	25,561	7,054	18,507	14.1	8.0	19.9

N.o.s.--not otherwise specified; n.e.c.--not elsewhere classified.

Table 12. Incidence of acute conditions and number of acute conditions per 100 persons per year, by measures of the impact of illness, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Measures of the impact of illness							
	Total	Medically attended only	Medically attended and activity restricting	Activity restricting only (not medically attended)	Total	Medically attended only	Medically attended and activity restricting	Activity restricting only (not medically attended)
<u>Both sexes</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	401,851	99,494	153,639	148,718	222.3	55.0	85.0	82.3
Infective and parasitic diseases-----	49,123	6,723	25,992	16,408	27.2	3.7	14.4	9.1
Respiratory conditions-----	230,805	45,623	77,199	107,983	127.7	25.2	42.7	59.7
Upper respiratory conditions-----	140,844	37,242	40,194	63,408	77.9	20.6	22.2	35.1
Influenza-----	81,317	5,878	31,875	43,564	45.0	3.3	17.6	24.1
Other respiratory conditions-----	8,645	2,503	5,130	1,011	4.8	1.4	2.8	0.6
Digestive system conditions-----	22,394	7,860	7,713	6,821	12.4	4.3	4.3	3.8
Injuries-----	52,181	20,989	21,967	9,235	28.9	11.6	12.2	5.1
All other acute conditions-----	47,348	18,308	20,769	8,271	26.2	10.1	11.5	4.6
<u>Male</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	182,235	45,714	69,755	66,765	207.8	52.1	79.5	76.1
Infective and parasitic diseases-----	21,794	2,851	11,760	7,184	24.9	3.3	13.4	8.2
Respiratory conditions	104,055	20,714	34,315	49,025	118.7	23.6	39.1	55.9
Upper respiratory conditions-----	65,099	17,007	18,875	29,217	74.2	19.4	21.5	33.3
Influenza-----	34,934	2,545	13,062	19,327	39.8	2.9	14.9	22.0
Other respiratory conditions-----	4,022	1,162	2,378	*	4.6	1.3	2.7	*
Digestive system conditions-----	9,321	3,226	2,972	3,123	10.6	3.7	3.4	3.6
Injuries-----	29,625	12,141	13,498	3,986	33.8	13.8	15.4	4.5
All other acute conditions-----	17,440	6,783	7,210	3,447	19.9	7.7	8.2	3.9
<u>Female</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	219,616	53,780	83,884	81,953	235.9	57.8	90.1	88.0
Infective and parasitic diseases-----	27,329	3,872	14,233	9,224	29.4	4.2	15.3	9.9
Respiratory conditions-----	126,750	24,909	42,883	58,958	136.1	26.8	46.1	63.3
Upper respiratory conditions-----	75,745	20,235	21,319	34,192	81.4	21.7	22.9	36.7
Influenza-----	46,382	3,334	18,812	24,236	49.8	3.6	20.2	26.0
Other respiratory conditions-----	4,623	1,340	2,753	*	5.0	1.4	3.0	*
Digestive system conditions-----	13,073	4,635	4,741	3,697	14.0	5.0	5.1	4.0
Injuries-----	22,557	8,839	8,468	5,250	24.2	9.5	9.1	5.6
All other acute conditions-----	29,908	11,525	13,559	4,824	32.1	12.4	14.6	5.2

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 13. Incidence of acute conditions and number of acute conditions per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	All ages	Under 6	6-16	17-44	45+	All ages	Under 6	6-16	17-44	45+
	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
<u>Both sexes</u>										
All acute conditions-	401,851	89,155	110,192	126,355	76,149	222.3	363.8	277.7	197.9	144.3
Infective and parasitic diseases-----	49,123	17,569	16,649	10,150	4,755	27.2	71.7	42.0	15.9	9.0
Respiratory conditions---	230,805	49,113	66,866	69,155	45,672	127.7	200.4	168.5	108.3	86.6
Upper respiratory conditions-----	140,844	35,381	40,162	37,759	27,542	77.9	144.4	101.2	59.1	52.2
Influenza-----	81,317	10,892	25,047	29,102	16,275	45.0	44.4	63.1	45.6	30.8
Other respiratory conditions-----	8,645	2,840	1,657	2,294	1,854	4.8	11.6	4.2	3.6	3.5
Digestive system conditions-----	22,394	4,880	4,637	8,302	4,575	12.4	19.9	11.7	13.0	8.7
Injuries-----	52,181	8,633	13,539	18,149	11,860	28.9	35.2	34.1	28.4	22.5
All other acute conditions-----	47,348	8,960	8,500	20,599	9,288	26.2	36.6	21.4	32.3	17.6
<u>Male</u>										
All acute conditions-	182,235	46,647	54,845	48,825	31,917	207.8	374.8	271.8	161.5	128.5
Infective and parasitic diseases-----	21,794	9,329	7,227	3,675	1,562	24.9	75.0	35.8	12.2	6.3
Respiratory conditions---	104,055	24,659	32,935	27,449	19,012	118.7	198.1	163.2	90.8	76.5
Upper respiratory conditions-----	65,099	18,048	20,243	15,442	11,367	74.2	145.0	100.3	51.1	45.8
Influenza-----	34,934	4,829	12,060	11,165	6,880	39.8	38.8	59.8	36.9	27.7
Other respiratory conditions-----	4,022	1,782	*	842	765	4.6	14.3	*	2.8	3.1
Digestive system conditions-----	9,321	2,301	2,314	2,919	1,787	10.6	18.5	11.5	9.7	7.2
Injuries-----	29,625	5,240	8,495	10,169	5,721	33.8	42.1	42.1	33.6	23.0
All other acute conditions-----	17,440	5,118	3,874	4,613	3,834	19.9	41.1	19.2	15.3	15.4
<u>Female</u>										
All acute conditions-	219,616	42,508	55,347	77,530	44,232	235.9	352.4	283.9	230.7	158.4
Infective and parasitic diseases-----	27,329	8,240	9,422	6,475	3,192	29.4	68.3	48.3	19.3	11.4
Respiratory conditions---	126,750	24,454	33,931	41,706	26,659	136.1	202.7	174.0	124.1	95.5
Upper respiratory conditions-----	75,745	17,333	19,919	22,317	16,175	81.4	143.7	102.2	66.4	57.9
Influenza-----	46,382	6,063	12,988	17,937	9,355	49.8	50.3	66.6	53.4	33.6
Other respiratory conditions-----	4,623	1,058	1,024	1,451	1,089	5.0	8.8	5.3	4.3	3.9
Digestive system conditions-----	13,073	2,579	2,323	5,383	2,788	14.0	21.4	11.9	16.0	10.0
Injuries-----	22,557	3,393	5,044	7,980	6,139	24.2	28.1	25.9	23.7	22.0
All other acute conditions-----	29,908	3,842	4,626	15,986	5,453	32.1	31.8	23.7	47.6	19.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 14. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	All ages	Under 6	6-16	17-44	45+	All ages	Under 6	6-16	17-44	45+
<u>Both sexes</u>	Days of restricted activity in thousands					Days of restricted activity per 100 persons per year				
All acute conditions-	1,592,160	243,907	392,781	475,294	480,179	880.7	995.2	990.0	744.5	910.1
Infective and parasitic diseases-----	207,938	67,883	76,982	35,655	27,418	115.0	277.0	194.0	55.8	52.0
Respiratory conditions---	771,726	126,276	221,918	201,085	222,447	426.9	515.2	559.3	315.0	421.6
Upper respiratory conditions-----	370,469	80,008	114,033	82,971	93,457	204.9	326.4	287.4	130.0	177.1
Influenza-----	333,516	30,725	98,552	98,699	105,540	184.5	125.4	248.4	154.6	200.0
Other respiratory conditions-----	67,741	15,543	9,333	19,415	23,450	37.5	63.4	23.5	30.4	44.4
Digestive system conditions-----	76,927	10,115	12,029	26,707	28,075	42.6	41.3	30.3	41.8	53.2
Injuries-----	273,143	14,576	47,511	93,747	117,309	151.1	59.5	119.7	146.8	222.3
All other acute conditions-----	262,427	25,057	34,342	118,099	84,929	145.2	102.2	86.6	185.0	161.0
<u>Male</u>										
All acute conditions-	676,344	130,615	200,754	160,965	184,009	771.3	1,049.5	995.0	532.4	740.8
Infective and parasitic diseases-----	90,810	36,897	31,731	13,218	8,964	103.6	296.5	157.3	43.7	36.1
Respiratory conditions---	331,509	65,137	111,972	70,484	83,916	378.0	523.4	554.9	233.1	337.9
Upper respiratory conditions-----	164,807	41,451	59,169	29,604	34,583	187.9	333.0	293.2	97.9	139.2
Influenza-----	136,564	13,665	49,106	33,963	39,830	155.7	109.8	243.4	112.3	160.4
Other respiratory conditions-----	30,138	10,021	3,696	6,917	9,503	34.4	80.5	18.3	22.9	38.3
Digestive system conditions-----	33,662	4,945	5,330	9,249	14,138	38.4	39.7	26.4	30.6	56.9
Injuries-----	151,275	9,371	34,834	54,556	52,513	172.5	75.3	172.6	180.5	211.4
All other acute conditions-----	69,089	14,264	16,888	13,458	24,478	78.8	114.6	83.7	44.5	98.6
<u>Female</u>										
All acute conditions-	915,817	113,292	192,027	314,329	296,169	983.7	939.2	984.9	935.2	1,060.5
Infective and parasitic diseases-----	117,128	30,986	45,251	22,437	18,454	125.8	256.9	232.1	66.8	66.1
Respiratory conditions---	440,217	61,139	109,946	130,601	138,531	472.9	506.8	563.9	388.6	496.1
Upper respiratory conditions-----	205,662	38,557	54,864	53,368	58,874	220.9	319.6	281.4	158.8	210.8
Influenza-----	196,951	17,060	49,445	64,735	65,710	211.6	141.4	253.6	192.6	235.3
Other respiratory conditions-----	37,603	5,522	5,636	12,498	13,947	40.4	45.8	28.9	37.2	49.9
Digestive system conditions-----	43,265	5,170	6,699	17,458	13,937	46.5	42.9	34.4	51.9	49.9
Injuries-----	121,868	5,204	12,676	39,192	64,796	130.9	43.1	65.0	116.6	232.0
All other acute conditions-----	193,338	10,793	17,454	104,641	60,451	207.7	89.5	89.5	311.3	216.5

Table 15. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by age, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	All ages	Under 6	6-16	17-44	45+	All ages	Under 6	6-16	17-44	45+
<u>Both sexes</u>	Days of bed disability in thousands					Days of bed disability per 100 persons per year				
All acute conditions-	689,208	109,049	186,511	212,430	181,218	381.2	444.9	470.1	332.7	343.5
Infective and parasitic diseases-----	103,003	32,468	37,153	20,714	12,669	57.0	132.5	93.6	32.4	24.0
Respiratory conditions---	366,018	56,666	117,600	97,573	94,179	202.5	231.2	296.4	152.8	178.5
Upper respiratory conditions-----	148,715	29,114	52,483	32,406	34,712	82.3	118.8	132.3	50.8	65.8
Influenza-----	183,847	18,409	61,063	56,225	48,149	101.7	75.1	153.9	88.1	91.3
Other respiratory conditions-----	33,456	9,143	4,053	8,943	11,317	18.5	37.3	10.2	14.0	21.4
Digestive system conditions-----	33,870	4,706	6,199	10,414	12,552	18.7	19.2	15.6	16.3	23.8
Injuries-----	78,933	5,424	12,807	27,753	32,948	43.7	22.1	32.3	43.5	62.4
All other acute conditions-----	107,384	9,786	12,753	55,975	28,870	59.4	39.9	32.1	87.7	54.7
<u>Male</u>										
All acute conditions-	284,987	57,357	89,464	71,229	66,937	325.0	460.8	443.4	235.6	269.5
Infective and parasitic diseases-----	46,128	17,490	15,854	8,935	3,849	52.6	140.5	78.6	29.6	15.5
Respiratory conditions---	156,921	28,866	56,519	37,118	34,418	178.9	231.9	280.1	122.8	138.6
Upper respiratory conditions-----	65,895	14,349	25,806	12,984	12,756	75.1	115.3	127.9	42.9	51.4
Influenza-----	74,711	9,072	28,914	20,217	16,509	85.2	72.9	143.3	66.9	66.5
Other respiratory conditions-----	16,316	5,446	1,799	3,918	5,153	18.6	43.8	8.9	13.0	20.7
Digestive system conditions-----	13,675	2,307	2,119	3,151	6,098	15.6	18.5	10.5	10.4	24.6
Injuries-----	43,771	3,443	10,126	15,369	14,834	49.9	27.7	50.2	50.8	59.7
All other acute conditions-----	24,492	5,251	4,846	6,656	7,739	27.9	42.2	24.0	22.0	31.2
<u>Female</u>										
All acute conditions-	404,221	51,693	97,048	141,200	114,280	434.2	428.5	497.7	420.1	409.2
Infective and parasitic diseases-----	56,875	14,978	21,298	11,778	8,821	61.1	124.2	109.2	35.0	31.6
Respiratory conditions---	209,097	27,800	61,081	60,455	59,761	224.6	230.5	313.3	179.9	214.0
Upper respiratory conditions-----	82,820	14,765	26,677	19,422	21,956	89.0	122.4	136.8	57.8	78.6
Influenza-----	109,136	9,338	32,150	36,008	31,641	117.2	77.4	164.9	107.1	113.3
Other respiratory conditions-----	17,140	3,697	2,254	5,025	6,164	18.4	30.6	11.6	15.0	22.1
Digestive system conditions-----	20,195	2,398	4,080	7,263	6,453	21.7	19.9	20.9	21.6	23.1
Injuries-----	35,162	1,982	2,682	12,384	18,114	37.8	16.4	13.8	36.8	64.9
All other acute conditions-----	82,892	4,535	7,907	49,319	21,131	89.0	37.6	40.6	146.7	75.7

Table 16. Days lost from school associated with acute conditions and days lost from school per 100 children (6-16) per year, by sex and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Condition group	Both sexes	Male	Female	Both sexes	Male	Female
	Days lost from school in thousands			Days lost from school per 100 children per year		
All acute conditions-----	206,596	104,503	102,093	520.7	517.9	523.6
Infective and parasitic diseases-----	42,989	18,914	24,075	108.4	93.7	123.5
Respiratory conditions-----	135,775	68,420	67,355	342.2	339.1	345.4
Upper respiratory conditions-----	69,192	36,355	32,837	174.4	180.2	168.4
Influenza-----	61,855	30,261	31,594	155.9	150.0	162.0
Other respiratory conditions-----	4,728	1,804	2,924	11.9	8.9	15.0
Digestive system conditions-----	5,482	2,994	2,488	13.8	14.8	12.8
Injuries-----	10,745	8,860	1,885	27.1	43.9	9.7
All other acute conditions-----	11,605	5,315	6,290	29.2	26.3	32.3

Table 17. Incidence of acute conditions among currently employed persons and number of acute conditions per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	All ages-17+	17-44	45+	All ages-17+	17-44	45+
	Incidence of acute conditions in thousands			Number of acute conditions per 100 currently employed persons per year		
<u>Both sexes</u>						
All acute conditions-----	111,845	71,566	40,279	163.9	175.9	146.1
Infective and parasitic diseases-----	8,363	5,691	2,672	12.3	14.0	9.7
Respiratory conditions-----	63,563	39,800	23,764	93.1	97.8	86.2
Upper respiratory conditions-----	36,462	21,910	14,553	53.4	53.9	52.8
Influenza-----	24,952	16,590	8,362	36.6	40.8	30.3
Other respiratory conditions-----	2,149	1,300	849	3.1	3.2	3.1
Digestive system conditions-----	7,419	4,990	2,429	10.9	12.3	8.8
Injuries-----	19,710	12,682	7,028	28.9	31.2	25.5
All other acute conditions-----	12,790	8,403	4,387	18.7	20.7	15.9
<u>Male</u>						
All acute conditions-----	66,994	42,324	24,670	149.1	158.3	135.6
Infective and parasitic diseases-----	4,716	3,258	1,457	10.5	12.2	8.0
Respiratory conditions-----	37,795	23,427	14,368	84.1	87.6	79.0
Upper respiratory conditions-----	21,499	12,789	8,710	47.8	47.8	47.9
Influenza-----	15,128	9,796	5,332	33.7	36.6	29.3
Other respiratory conditions-----	1,168	842	*	2.6	3.1	*
Digestive system conditions-----	3,927	2,519	1,407	8.7	9.4	7.7
Injuries-----	13,988	9,154	4,834	31.1	34.2	26.6
All other acute conditions-----	6,569	3,965	2,604	14.6	14.8	14.3
<u>Female</u>						
All acute conditions-----	44,851	29,242	15,608	192.4	209.7	166.6
Infective and parasitic diseases-----	3,647	2,433	1,214	15.6	17.4	13.0
Respiratory conditions-----	25,768	16,373	9,395	110.5	117.4	100.3
Upper respiratory conditions-----	14,963	9,121	5,842	64.2	65.4	62.3
Influenza-----	9,824	6,794	3,030	42.1	48.7	32.3
Other respiratory conditions-----	981	*	*	4.2	*	*
Digestive system conditions-----	3,492	2,471	1,021	15.0	17.7	10.9
Injuries-----	5,722	3,528	2,195	24.5	25.3	23.4
All other acute conditions-----	6,221	4,438	1,783	26.7	31.8	19.0

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 18. Days lost from work associated with acute conditions and days lost from work per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	All ages-17+	17-44	45+	All ages-17+	17-44	45+
	Days lost from work in thousands			Days lost from work per 100 currently employed persons per year		
<u>Both sexes</u>						
All acute conditions-----	233,765	127,841	105,924	342.5	314.2	384.3
Infective and parasitic diseases-----	20,551	12,316	8,234	30.1	30.3	29.9
Respiratory conditions-----	101,375	55,527	45,848	148.5	136.5	166.3
Upper respiratory conditions-----	39,151	21,176	17,975	57.4	52.0	65.2
Influenza-----	50,512	28,482	22,029	74.0	70.0	79.9
Other respiratory conditions-----	11,712	5,869	5,843	17.2	14.4	21.2
Digestive system conditions-----	15,041	7,877	7,164	22.0	19.4	26.0
Injuries-----	66,690	35,410	31,280	97.7	87.0	113.5
All other acute conditions-----	30,108	16,711	13,398	44.1	41.1	48.6
<u>Male</u>						
All acute conditions-----	148,606	78,544	70,062	330.7	293.7	385.1
Infective and parasitic diseases-----	11,734	7,282	4,452	26.1	27.2	24.5
Respiratory conditions-----	60,370	32,429	27,941	134.3	121.3	153.6
Upper respiratory conditions-----	22,388	11,624	10,764	49.8	43.5	59.2
Influenza-----	30,351	16,805	13,546	67.5	62.8	74.4
Other respiratory conditions-----	7,631	3,999	3,631	17.0	15.0	20.0
Digestive system conditions-----	8,955	4,427	4,528	19.9	16.6	24.9
Injuries-----	53,477	27,424	26,053	119.0	102.6	143.2
All other acute conditions-----	14,070	6,982	7,088	31.3	26.1	39.0
<u>Female</u>						
All acute conditions-----	85,159	49,297	35,862	365.2	353.5	382.7
Infective and parasitic diseases-----	8,816	5,034	3,782	37.8	36.1	40.4
Respiratory conditions-----	41,005	23,098	17,907	175.9	165.6	191.1
Upper respiratory conditions-----	16,763	9,552	7,211	71.9	68.5	77.0
Influenza-----	20,161	11,677	8,483	86.5	83.7	90.5
Other respiratory conditions-----	4,081	1,869	2,212	17.5	13.4	23.6
Digestive system conditions-----	6,086	3,450	2,636	26.1	24.7	28.1
Injuries-----	13,213	7,985	5,228	56.7	57.3	55.8
All other acute conditions-----	16,038	9,729	6,310	68.8	69.8	67.3

Table 19. Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
<u>Both sexes</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All ages-----	401,851	234,854	123,289	43,708	222.3	217.8	240.6	201.5
Under 5 years-----	74,720	41,368	25,929	7,424	366.7	366.5	386.4	312.3
5-14 years-----	111,167	61,375	37,401	12,391	293.7	301.0	305.1	238.4
15-24 years-----	51,834	32,010	14,275	5,549	211.7	211.5	226.4	181.8
25-44 years-----	87,980	51,696	28,050	8,234	194.1	193.6	199.4	181.4
45-64 years-----	55,639	34,963	13,307	7,369	151.5	146.9	159.1	161.9
65+ years-----	20,510	13,442	4,326	2,741	127.9	127.7	122.1	138.8
<u>Male</u>								
All ages-----	182,235	103,971	56,999	21,265	207.8	202.8	226.7	188.4
Under 5 years-----	39,705	22,243	13,471	3,991	382.8	389.5	392.4	324.7
5-14 years-----	54,860	29,406	19,270	6,185	285.5	286.9	306.9	230.0
15-24 years-----	21,298	13,034	5,982	2,282	183.1	184.5	202.8	141.0
25-44 years-----	34,454	20,207	10,377	3,870	159.3	159.0	155.5	172.3
45-64 years-----	23,428	13,926	6,167	3,335	132.5	125.1	148.6	138.7
65+ years-----	8,489	5,156	1,733	1,601	118.7	117.3	104.5	145.4
<u>Female</u>								
All ages-----	219,616	130,883	66,290	22,443	235.9	231.3	253.9	215.7
Under 5 years-----	35,016	19,125	12,457	3,433	350.1	343.0	380.0	299.0
5-14 years-----	56,307	31,969	18,132	6,206	302.3	315.3	303.3	247.3
15-24 years-----	30,536	18,976	8,293	3,267	237.6	235.3	247.3	228.0
25-44 years-----	53,526	31,489	17,674	4,363	226.0	225.0	239.0	190.4
45-64 years-----	32,211	21,037	7,140	4,033	169.2	165.9	169.5	187.8
65+ years-----	12,021	8,287	2,594	1,140	135.3	135.2	137.6	130.4

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 20. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Sex and age	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
<u>Both sexes</u>	Days of restricted activity in thousands				Days of restricted activity per 100 persons per year			
All ages-----	1,592,160	949,899	448,362	193,900	880.7	880.8	874.9	893.8
Under 5 years-----	195,447	112,459	63,363	19,626	959.3	996.4	944.2	825.7
5-14 years-----	394,925	230,071	121,608	43,246	1,043.5	1,128.4	992.1	832.0
15-24 years-----	178,777	110,398	49,394	18,985	730.0	729.5	783.5	621.8
25-44 years-----	342,832	201,504	105,329	35,999	756.5	754.4	748.6	793.3
45-64 years-----	317,985	200,154	72,230	45,600	865.9	840.7	863.8	1,001.8
65+ years-----	162,194	95,313	36,437	30,445	1,011.1	905.8	1,028.4	1,541.5
<u>Male</u>								
All ages-----	676,344	382,207	201,192	92,944	771.3	745.6	800.2	823.3
Under 5 years-----	108,520	62,779	35,394	10,348	1,046.3	1,099.5	1,031.0	842.0
5-14 years-----	199,312	111,264	66,815	21,233	1,037.2	1,085.5	1,064.1	789.6
15-24 years-----	66,524	37,306	19,752	9,466	571.8	528.0	669.6	584.7
25-44 years-----	117,978	69,113	33,758	15,106	545.4	543.7	505.8	672.6
45-64 years-----	126,032	71,072	31,897	23,064	712.7	638.6	768.8	959.0
65+ years-----	57,977	30,673	13,576	13,728	810.4	697.9	818.8	1,246.9
<u>Female</u>								
All ages-----	915,817	567,691	247,170	100,956	983.7	1,003.2	946.8	970.4
Under 5 years-----	86,927	49,680	27,969	9,278	869.1	891.0	853.2	808.2
5-14 years-----	195,613	118,807	54,793	22,013	1,050.0	1,171.7	916.4	877.4
15-24 years-----	112,254	73,092	29,643	9,519	873.3	906.2	883.8	664.3
25-44 years-----	224,854	132,390	71,571	20,892	949.3	945.8	967.7	911.5
45-64 years-----	191,952	129,082	40,333	22,537	1,008.2	1,018.2	957.3	1,049.7
65+ years-----	104,217	64,639	22,861	16,717	1,172.7	1,054.8	1,212.8	1,912.7

Table 21. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
<u>Both sexes</u>	Days of bed disability in thousands				Days of bed disability per 100 persons per year			
All ages-----	689,208	407,501	206,932	74,775	381.2	377.8	403.8	344.7
Under 5 years-----	88,372	49,651	30,027	8,693	433.7	439.9	447.4	365.7
5-14 years-----	185,550	107,297	59,306	18,947	490.3	526.2	483.8	364.5
15-24 years-----	84,703	53,482	23,670	7,551	345.9	353.4	375.5	247.3
25-44 years-----	149,365	88,036	47,727	13,602	329.6	329.6	339.2	299.7
45-64 years-----	123,983	77,858	30,024	16,101	337.6	327.0	359.1	353.7
65+ years-----	57,235	31,177	16,178	9,881	356.8	296.3	456.6	500.3
<u>Male</u>								
All ages-----	284,987	165,704	86,752	32,531	325.0	323.2	345.0	288.2
Under 5 years-----	47,857	27,880	16,508	3,469	461.4	488.3	480.9	282.3
5-14 years-----	89,327	49,960	31,728	7,639	464.8	487.4	505.3	284.1
15-24 years-----	28,215	17,148	8,539	2,528	242.5	242.7	289.5	156.1
25-44 years-----	52,651	31,998	14,417	6,236	243.4	251.7	216.0	277.6
45-64 years-----	50,571	30,599	11,493	8,479	286.0	274.9	277.0	352.6
65+ years-----	16,366	8,119	4,067	4,180	228.8	184.7	245.3	379.7
<u>Female</u>								
All ages-----	404,221	241,797	120,180	42,245	434.2	427.3	460.4	406.0
Under 5 years-----	40,515	21,771	13,519	5,224	405.1	390.4	412.4	455.1
5-14 years-----	96,223	57,337	27,577	11,309	516.5	565.5	461.2	450.7
15-24 years-----	56,488	36,334	15,131	5,023	439.5	450.5	451.1	350.5
25-44 years-----	96,714	56,037	33,311	7,367	408.3	400.4	450.4	321.4
45-64 years-----	73,411	47,259	18,531	7,622	385.6	372.8	439.9	355.0
65+ years-----	40,869	23,058	12,111	5,701	459.9	376.3	642.5	652.3

Table 22. Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
<u>Both sexes</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	401,851	234,854	123,289	43,708	222.3	217.8	240.6	201.5
Infective and parasitic diseases--	49,123	27,627	17,638	3,858	27.2	25.6	34.4	17.8
Respiratory conditions-----	230,805	136,806	68,561	25,439	127.7	126.9	133.8	117.3
Upper respiratory conditions----	140,844	88,617	38,097	14,130	77.9	82.2	74.3	65.1
Influenza-----	81,317	42,745	27,861	10,710	45.0	39.6	54.4	49.4
Other respiratory conditions----	8,645	5,443	2,602	*	4.8	5.0	5.1	*
Digestive system conditions-----	22,394	13,117	6,632	2,644	12.4	12.2	12.9	12.2
Injuries-----	52,181	29,172	16,574	6,436	28.9	27.0	32.3	29.7
Fractures, dislocations, sprains, and strains-----	12,925	6,702	4,265	1,959	7.1	6.2	8.3	9.0
Open wounds and lacerations-----	14,723	8,465	4,771	1,486	8.1	7.8	9.3	6.9
Contusions and superficial injuries-----	11,294	6,492	3,249	1,553	6.2	6.0	6.3	7.2
Other current injuries-----	13,240	7,513	4,289	1,438	7.3	7.0	8.4	6.6
All other acute conditions-----	47,348	28,132	13,885	5,331	26.2	26.1	27.1	24.6
<u>Male</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	182,235	103,971	56,999	21,265	207.8	202.8	226.7	188.4
Infective and parasitic diseases--	21,794	11,392	8,716	1,686	24.9	22.2	34.7	14.9
Respiratory conditions-----	104,055	60,955	31,095	12,004	118.7	118.9	123.7	106.3
Upper respiratory conditions----	65,099	41,177	16,866	7,057	74.2	80.3	67.1	62.5
Influenza-----	34,934	17,335	12,845	4,755	39.8	33.8	51.1	42.1
Other respiratory conditions----	4,022	2,444	1,385	*	4.6	4.8	5.5	*
Digestive system conditions-----	9,321	5,398	2,581	1,342	10.6	10.5	10.3	11.9
Injuries-----	29,625	15,699	9,750	4,176	33.8	30.6	38.8	37.0
Fractures, dislocations, sprains, and strains-----	7,303	3,579	2,558	1,166	8.3	7.0	10.2	10.3
Open wounds and lacerations-----	8,880	4,793	2,976	1,111	10.1	9.4	11.8	9.8
Contusions and superficial injuries-----	5,873	2,963	1,887	1,022	6.7	5.8	7.5	9.1
Other current injuries-----	7,569	4,364	2,328	877	8.6	8.5	9.3	7.8
All other acute conditions-----	17,440	10,526	4,858	2,056	19.9	20.5	19.3	18.2
<u>Female</u>	Incidence of acute conditions in thousands				Number of acute conditions per 100 persons per year			
All acute conditions-----	219,616	130,883	66,290	22,443	235.9	231.3	253.9	215.7
Infective and parasitic diseases--	27,329	16,235	8,922	2,172	29.4	28.7	34.2	20.9
Respiratory conditions-----	126,750	75,850	37,465	13,435	136.1	134.0	143.5	129.1
Upper respiratory conditions----	75,745	47,441	21,231	7,073	81.4	83.8	81.3	68.0
Influenza-----	46,382	25,411	15,017	5,955	49.8	44.9	57.5	57.2
Other respiratory conditions----	4,623	2,999	1,217	*	5.0	5.3	4.7	*
Digestive system conditions-----	13,073	7,719	4,052	1,302	14.0	13.6	15.5	12.5
Injuries-----	22,557	13,473	6,824	2,260	24.2	23.8	26.1	21.7
Fractures, dislocations, sprains, and strains-----	5,622	3,123	1,706	793	6.0	5.5	6.5	7.6
Open wounds and lacerations-----	5,843	3,672	1,795	*	6.3	6.5	6.9	*
Contusions and superficial injuries-----	5,421	3,529	1,362	*	5.8	6.2	5.2	*
Other current injuries-----	5,671	3,149	1,961	*	6.1	5.6	7.5	*
All other acute conditions-----	29,908	17,606	9,027	3,275	32.1	31.1	34.6	31.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 23. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
Both sexes	Days of restricted activity in thousands				Days of restricted activity per 100 persons per year			
All acute conditions-----	1,592,160	949,899	448,362	193,900	880.7	880.8	874.9	893.8
Infective and parasitic diseases--	207,938	125,034	65,636	17,269	115.0	115.9	128.1	79.6
Respiratory conditions-----	771,726	465,355	214,087	92,284	426.9	431.5	417.7	425.4
Upper respiratory conditions----	370,469	238,464	89,664	42,341	204.9	221.1	175.0	195.2
Influenza-----	333,516	182,776	105,882	44,858	184.5	169.5	206.6	206.8
Other respiratory conditions----	67,741	44,114	18,541	5,086	37.5	40.9	36.2	23.4
Digestive system conditions-----	76,927	49,591	14,169	13,166	42.6	46.0	27.6	60.7
Injuries-----	273,143	155,866	76,086	41,190	151.1	144.5	148.5	189.9
Fractures, dislocations, sprains, and strains-----	151,215	84,589	42,800	23,825	83.6	78.4	83.5	109.8
Open wounds and lacerations-----	38,788	22,848	10,108	5,832	21.5	21.2	19.7	26.9
Contusions and superficial injuries-----	42,821	22,576	12,230	8,015	23.7	20.9	23.9	36.9
Other current injuries-----	40,319	25,853	10,948	3,518	22.3	24.0	21.4	16.2
All other acute conditions-----	262,427	154,053	78,383	29,991	145.2	142.8	152.9	138.3
Male								
All acute conditions-----	676,344	382,207	201,192	92,944	771.3	745.6	800.2	823.3
Infective and parasitic diseases--	90,810	50,074	33,389	7,346	103.6	97.7	132.8	65.1
Respiratory conditions-----	331,509	192,502	95,299	43,708	378.0	375.5	379.0	387.2
Upper respiratory conditions----	164,807	102,884	40,501	21,422	187.9	200.7	161.1	189.8
Influenza-----	136,564	68,199	47,650	20,715	155.7	133.0	189.5	183.5
Other respiratory conditions----	30,138	21,419	7,148	1,571	34.4	41.8	28.4	13.9
Digestive system conditions-----	33,662	23,820	4,065	5,777	38.4	46.5	16.2	51.2
Injuries-----	151,275	75,483	48,194	27,598	172.5	147.2	191.7	244.5
Fractures, dislocations, sprains, and strains-----	85,713	43,113	26,919	15,681	97.7	84.1	107.1	138.9
Open wounds and lacerations-----	21,886	10,429	7,113	4,344	25.0	20.3	28.3	38.5
Contusions and superficial injuries-----	21,083	8,109	7,286	5,688	24.0	15.8	29.0	50.4
Other current injuries-----	22,593	13,833	6,875	1,886	25.8	27.0	27.3	16.7
All other acute conditions-----	69,089	40,329	20,244	8,516	78.8	78.7	80.5	75.4
Female								
All acute conditions-----	915,817	567,691	247,170	100,956	983.7	1,003.2	946.8	970.4
Infective and parasitic diseases--	117,128	74,959	32,246	9,923	125.8	132.5	123.5	95.4
Respiratory conditions-----	440,217	272,853	118,788	48,576	472.9	482.2	455.0	466.9
Upper respiratory conditions----	205,662	135,581	49,163	20,919	220.9	239.6	188.3	201.1
Influenza-----	196,951	114,577	58,232	24,142	211.6	202.5	223.1	232.0
Other respiratory conditions----	37,603	22,695	11,393	3,515	40.4	40.1	43.6	33.8
Digestive system conditions-----	43,265	25,771	10,104	7,390	46.5	45.5	38.7	71.0
Injuries-----	121,868	80,383	27,893	13,592	130.9	142.1	106.8	130.6
Fractures, dislocations, sprains, and strains-----	65,502	41,477	15,881	8,144	70.4	73.3	60.8	78.3
Open wounds and lacerations-----	16,902	12,419	2,995	*	18.2	21.9	11.5	*
Contusions and superficial injuries-----	21,738	14,467	4,943	2,327	23.3	25.6	18.9	22.4
Other current injuries-----	17,726	12,020	4,073	1,633	19.0	21.2	15.6	15.7
All other acute conditions-----	193,338	113,724	58,139	21,475	207.7	201.0	222.7	206.4

Table 24. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Residence							
	All areas	Urban	Rural nonfarm	Rural farm	All areas	Urban	Rural nonfarm	Rural farm
<u>Both sexes</u>	Days of bed disability in thousands				Days of bed disability per 100 persons per year			
All acute conditions-----	689,208	407,501	206,932	74,775	381.2	377.8	403.8	344.7
Infective and parasitic diseases--	103,003	61,229	33,071	8,703	57.0	56.8	64.5	40.1
Respiratory conditions-----	366,018	220,338	106,123	39,557	202.5	204.3	207.1	182.3
Upper respiratory conditions----	148,715	98,043	36,380	14,292	82.3	90.9	71.0	65.9
Influenza-----	183,847	101,251	59,739	22,857	101.7	93.9	116.6	105.4
Other respiratory conditions----	33,456	21,044	10,004	2,408	18.5	19.5	19.5	11.1
Digestive system conditions-----	33,870	22,213	7,299	4,358	18.7	20.6	14.2	20.1
Injuries-----	78,933	43,010	24,806	11,117	43.7	39.9	48.4	51.2
Fractures, dislocations, sprains, and strains-----	40,279	20,724	13,638	5,918	22.3	19.2	26.6	27.3
Open wounds and lacerations----	8,474	4,450	2,949	*	4.7	4.1	5.8	*
Contusions and superficial injuries-----	13,972	8,173	3,999	1,800	7.7	7.6	7.8	8.3
Other current injuries-----	16,207	9,663	4,220	2,324	9.0	9.0	8.2	10.7
All other acute conditions-----	107,384	60,711	35,633	11,041	59.4	56.3	69.5	50.9
<u>Male</u>	Days of bed disability in thousands				Days of bed disability per 100 persons per year			
All acute conditions-----	284,987	165,704	86,752	32,531	325.0	323.2	345.0	288.2
Infective and parasitic diseases--	46,128	25,902	16,569	3,657	52.6	50.5	65.9	32.4
Respiratory conditions-----	156,921	93,185	46,090	17,647	178.9	181.8	183.3	156.3
Upper respiratory conditions----	65,895	42,165	16,343	7,387	75.1	82.3	65.0	65.4
Influenza-----	74,711	38,989	25,954	9,767	85.2	76.1	103.2	86.5
Other respiratory conditions----	16,316	12,030	3,793	*	18.6	23.5	15.1	*
Digestive system conditions-----	13,675	10,392	1,724	1,559	15.6	20.3	6.9	13.8
Injuries-----	43,771	21,426	15,506	6,840	49.9	41.8	61.7	60.6
Fractures, dislocations, sprains, and strains-----	22,479	11,258	7,649	3,572	25.6	22.0	30.4	31.6
Open wounds and lacerations----	5,771	2,617	2,376	*	6.6	5.1	9.5	*
Contusions and superficial injuries-----	6,985	2,878	2,956	*	8.0	5.6	11.8	*
Other current injuries-----	8,536	4,672	2,525	*	9.7	9.1	10.0	*
All other acute conditions-----	24,492	14,801	6,863	2,828	27.9	28.9	27.3	25.1
<u>Female</u>	Days of bed disability in thousands				Days of bed disability per 100 persons per year			
All acute conditions-----	404,221	241,797	120,180	42,245	434.2	427.3	460.4	406.0
Infective and parasitic diseases--	56,875	35,327	16,502	5,046	61.1	62.4	63.2	48.5
Respiratory conditions-----	209,097	127,153	60,033	21,910	224.6	224.7	230.0	210.6
Upper respiratory conditions----	82,820	55,878	20,037	6,905	89.0	98.7	76.8	66.4
Influenza-----	109,136	62,262	33,785	13,090	117.2	110.0	129.4	125.8
Other respiratory conditions----	17,140	9,014	6,211	1,916	18.4	15.9	23.8	18.4
Digestive system conditions-----	20,195	11,822	5,575	2,799	21.7	20.9	21.4	26.9
Injuries-----	35,162	21,585	9,300	4,277	37.8	38.1	35.6	41.1
Fractures, dislocations, sprains, and strains-----	17,801	9,466	5,989	2,346	19.1	16.7	22.9	22.5
Open wounds and lacerations----	2,704	1,832	*	*	2.9	3.2	*	*
Contusions and superficial injuries-----	6,987	5,295	*	*	7.5	9.4	*	*
Other current injuries-----	7,671	4,991	1,695	*	8.2	8.8	6.5	*
All other acute conditions-----	82,892	45,910	28,770	8,212	89.0	81.1	110.2	78.9

Table 25. Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All ages---	401,851	100,305	111,760	117,869	71,918	222.3	215.6	214.5	216.5	259.5
Under 5 years----	74,720	18,411	20,890	22,789	12,630	366.7	379.6	348.0	359.2	397.7
5-14 years-----	111,167	27,615	30,652	32,616	20,285	293.7	311.6	276.5	270.5	347.2
15-24 years-----	51,834	12,672	14,696	14,461	10,004	211.7	213.1	217.4	179.2	269.6
25-44 years-----	87,980	22,532	24,010	25,526	15,911	194.1	188.6	186.7	191.7	221.1
45-64 years-----	55,639	13,898	15,179	16,424	10,139	151.5	134.6	144.1	158.7	183.8
65+ years-----	20,510	5,178	6,332	6,052	2,949	127.9	112.8	130.0	140.4	130.0
<u>Male</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All ages---	182,235	45,715	50,421	54,105	31,994	207.8	203.5	198.9	204.1	239.3
Under 5 years----	39,705	10,415	10,468	12,154	6,667	382.8	419.1	344.6	374.7	415.4
5-14 years-----	54,860	14,315	14,699	16,053	9,794	285.5	317.0	261.7	258.6	340.2
15-24 years-----	21,298	5,294	5,908	5,807	4,290	183.1	183.4	188.1	149.3	249.6
25-44 years-----	34,454	8,674	10,044	9,897	5,839	159.3	151.6	161.6	157.2	171.7
45-64 years-----	23,428	5,084	6,649	7,449	4,245	132.5	104.4	128.4	151.4	156.2
65+ years-----	8,489	1,934	2,652	2,744	1,160	118.7	97.2	122.6	140.6	110.6
<u>Female</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All ages---	219,616	54,590	61,339	63,763	39,923	235.9	227.0	229.2	228.2	278.4
Under 5 years----	35,016	7,995	10,422	10,635	5,963	350.1	338.1	351.5	343.1	379.6
5-14 years-----	56,307	13,300	15,953	16,563	10,491	302.3	306.0	291.8	283.2	353.8
15-24 years-----	30,536	7,378	8,788	8,654	5,715	237.6	241.0	242.8	206.9	286.9
25-44 years-----	53,526	13,858	13,966	15,629	10,072	226.0	222.6	210.1	222.7	265.4
45-64 years-----	32,211	8,814	8,529	8,974	5,894	169.2	161.6	159.3	165.2	210.5
65+ years-----	12,021	3,244	3,681	3,307	1,789	135.3	124.7	136.0	140.1	146.6

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 26. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Days of restricted activity in thousands					Days of restricted activity per 100 persons per year				
All ages-	1,592,160	398,191	400,048	496,361	297,560	880.7	855.9	767.7	911.6	1,073.8
Under 5 years--	195,447	53,656	48,022	60,004	33,766	959.3	1,106.3	800.0	945.7	1,063.2
5-14 years-----	394,925	99,644	100,794	124,212	70,275	1,043.5	1,124.3	909.4	1,030.3	1,202.7
15-24 years----	178,777	44,579	43,342	57,097	33,760	730.0	749.6	641.2	707.4	909.7
25-44 years----	342,832	89,965	83,160	104,717	64,990	756.5	753.1	646.6	786.5	903.3
45-64 years----	317,985	75,007	78,380	99,905	64,692	865.9	726.5	744.3	965.2	1,172.6
65+ years-----	162,194	35,339	46,351	50,425	30,078	1,011.1	769.9	951.6	1,169.4	1,325.6
<u>Male</u>										
All ages-	676,344	170,257	171,501	215,195	119,391	771.3	757.8	676.5	811.9	893.0
Under 5 years--	108,520	32,028	22,301	35,235	18,956	1,046.3	1,288.9	734.1	1,086.2	1,181.1
5-14 years-----	199,312	52,490	50,469	64,092	32,261	1,037.2	1,162.3	898.7	1,032.6	1,120.6
15-24 years----	66,524	18,784	14,575	21,376	11,789	571.8	650.9	464.0	549.7	685.8
25-44 years----	117,978	29,064	31,996	34,767	22,150	545.4	507.9	514.8	552.3	651.5
45-64 years----	126,032	26,813	35,344	40,410	23,465	712.7	550.7	682.6	821.5	863.6
65+ years-----	57,977	11,078	16,816	19,314	10,769	810.4	556.7	777.1	989.4	1,026.6
<u>Female</u>										
All ages-	915,817	227,934	228,548	281,165	178,169	983.7	947.6	854.1	1,006.2	1,242.3
Under 5 years--	86,927	21,628	25,721	24,769	14,809	869.1	914.5	867.5	799.0	942.6
5-14 years-----	195,613	47,154	50,324	60,121	38,014	1,050.0	1,085.0	920.3	1,027.9	1,282.1
15-24 years----	112,254	25,795	28,767	35,721	21,970	873.3	842.7	794.9	854.2	1,102.9
25-44 years----	224,854	60,901	51,164	69,949	42,839	949.3	978.3	769.6	996.6	1,128.8
45-64 years----	191,952	48,194	43,036	59,495	41,227	1,008.2	883.5	804.0	1,095.3	1,472.4
65+ years-----	104,217	24,261	29,536	31,111	19,309	1,172.7	932.8	1,091.1	1,318.3	1,582.7

Table 27. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Days of bed disability in thousands					Days of bed disability per 100 persons per year				
All ages---	689,208	169,932	171,818	226,422	121,037	381.2	365.3	329.7	415.8	436.8
Under 5 years----	88,372	25,185	21,024	26,343	15,820	433.7	519.3	350.2	415.2	498.1
5-14 years-----	185,550	44,517	48,442	58,388	34,204	490.3	502.3	437.0	484.3	585.4
15-24 years-----	84,703	22,118	19,307	26,965	16,313	345.9	371.9	285.6	334.1	439.6
25-44 years-----	149,365	35,043	39,760	48,721	25,841	329.6	293.3	309.1	365.9	359.2
45-64 years-----	123,983	29,419	27,100	46,953	20,510	337.6	285.0	257.3	453.6	371.8
65+ years-----	57,235	13,651	16,185	19,052	8,348	356.8	297.4	332.3	441.8	367.9
<u>Male</u>										
All ages---	284,987	72,068	72,824	91,172	48,923	325.0	320.8	287.3	344.0	365.9
Under 5 years----	47,857	15,415	9,474	13,113	9,855	461.4	620.3	311.8	404.2	614.0
5-14 years-----	89,327	22,131	23,008	28,348	15,840	464.8	490.1	409.7	456.7	550.2
15-24 years-----	28,215	7,861	6,836	8,160	5,359	242.5	272.4	217.6	209.8	311.8
25-44 years-----	52,651	12,197	15,819	15,952	8,683	243.4	213.2	254.5	253.4	255.4
45-64 years-----	50,571	11,441	12,565	19,039	7,527	286.0	235.0	242.7	387.1	277.0
65+ years-----	16,366	3,024	5,121	6,562	1,660	228.8	152.0	236.6	336.2	158.2
<u>Female</u>										
All ages---	404,221	97,864	98,994	135,250	72,114	434.2	406.9	369.9	484.0	502.8
Under 5 years----	40,515	9,770	11,550	13,230	5,965	405.1	413.1	389.5	426.8	379.7
5-14 years-----	96,223	22,386	25,434	30,040	18,363	516.5	515.1	465.1	513.6	619.3
15-24 years-----	56,488	14,257	12,471	18,805	10,955	439.5	465.8	344.6	449.7	549.9
25-44 years-----	96,714	22,846	23,940	32,769	17,158	408.3	367.0	360.1	466.9	452.1
45-64 years-----	73,411	17,978	14,535	27,914	12,984	385.6	329.6	271.5	513.9	463.7
65+ years-----	40,869	10,626	11,064	12,490	6,689	459.9	408.5	408.7	529.2	548.3

Table 28. Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Sex and condition group	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All acute conditions-----	401,851	100,305	111,760	117,869	71,918	222.3	215.6	214.5	216.5	259.5
Infective and parasitic diseases-----	49,123	17,693	8,048	17,426	5,956	27.2	38.0	15.4	32.0	21.5
Respiratory conditions-----	230,805	54,437	70,895	60,047	45,426	127.7	117.0	136.0	110.3	163.9
Upper respiratory conditions-----	140,844	41,452	37,922	38,605	22,865	77.9	89.1	72.8	70.9	82.5
Influenza-----	81,317	10,949	30,708	18,846	20,814	45.0	23.5	58.9	34.6	75.1
Other respiratory conditions-----	8,645	2,037	2,265	2,596	1,747	4.8	4.4	4.3	4.8	6.3
Digestive system conditions-----	22,394	5,349	5,297	8,587	3,161	12.4	11.5	10.2	15.8	11.4
Injuries-----	52,181	12,182	13,903	17,271	8,825	28.9	26.2	26.7	31.7	31.8
Fractures, dislocations, sprains, and strains-----	12,925	3,287	3,493	4,124	2,021	7.1	7.1	6.7	7.6	7.3
Open wounds and lacerations-----	14,723	3,114	4,032	5,373	2,203	8.1	6.7	7.7	9.9	8.0
Contusions and superficial injuries-----	11,294	2,969	2,804	3,436	2,085	6.2	6.4	5.4	6.3	7.5
Other current injuries-----	13,240	2,812	3,574	4,338	2,516	7.3	6.0	6.9	8.0	9.1
All other acute conditions-----	47,348	10,644	13,617	14,537	8,549	26.2	22.9	26.1	26.7	30.9
<u>Male</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All acute conditions-----	182,235	45,715	50,421	54,105	31,994	207.8	203.5	198.9	204.1	239.5
Infective and parasitic diseases-----	21,794	8,210	3,156	7,548	2,881	24.9	36.5	12.4	28.5	21.5
Respiratory conditions-----	104,055	23,958	32,185	27,874	20,039	118.7	106.6	127.0	105.2	149.9
Upper respiratory conditions-----	65,099	18,309	18,029	18,200	10,562	74.2	81.5	71.1	68.7	79.0
Influenza-----	34,934	4,761	13,021	8,500	8,652	39.8	21.2	51.4	32.1	64.7
Other respiratory conditions-----	4,022	888	1,135	1,174	825	4.6	4.0	4.5	4.4	6.2
Digestive system conditions-----	9,321	1,940	2,470	3,604	1,307	10.6	8.6	9.7	13.6	9.8
Injuries-----	29,625	7,235	7,721	9,473	5,196	33.8	32.2	30.5	35.7	38.5
Fractures, dislocations, sprains, and strains-----	7,303	2,048	1,874	2,316	1,066	8.3	9.1	7.4	8.7	8.0
Open wounds and lacerations-----	8,880	2,049	2,431	2,997	1,402	10.1	9.1	9.6	11.3	10.5
Contusions and superficial injuries-----	5,873	1,679	1,465	1,569	1,159	6.7	7.5	5.8	5.9	8.7
Other current injuries-----	7,569	1,458	1,951	2,590	1,569	8.6	6.5	7.7	9.8	11.7
All other acute conditions-----	17,440	4,373	4,888	5,607	2,572	19.9	19.5	19.3	21.2	19.7
<u>Female</u>	Incidence of acute conditions in thousands					Number of acute conditions per 100 persons per year				
All acute conditions-----	219,616	54,590	61,339	63,763	39,923	235.9	227.0	229.2	228.2	278.4
Infective and parasitic diseases-----	27,329	9,484	4,892	9,878	3,075	29.4	39.4	18.3	35.4	21.4
Respiratory conditions-----	126,750	30,479	38,710	32,174	25,387	136.1	126.7	144.7	115.1	177.0
Upper respiratory conditions-----	75,745	23,143	19,893	20,405	12,304	81.4	96.2	74.3	73.0	85.8
Influenza-----	46,382	6,187	17,687	10,346	12,162	49.8	25.7	66.1	37.0	84.8
Other respiratory conditions-----	4,623	1,149	1,130	1,422	921	5.0	4.8	4.2	5.1	6.4
Digestive system conditions-----	13,073	3,409	2,827	4,982	1,854	14.0	14.2	10.6	17.8	12.9
Injuries-----	22,557	4,947	6,181	7,799	3,629	24.2	20.6	23.1	27.9	25.1
Fractures, dislocations, sprains, and strains-----	5,622	1,239	1,620	1,808	955	6.0	5.2	6.1	6.5	6.7
Open wounds and lacerations-----	5,843	1,065	1,600	2,376	801	6.3	4.4	6.0	8.5	5.6
Contusions and superficial injuries-----	5,421	1,290	1,339	1,866	926	5.8	5.4	5.0	6.7	6.5
Other current injuries-----	5,671	1,354	1,622	1,748	947	6.1	5.6	6.1	6.3	6.6
All other acute conditions-----	29,908	6,271	8,729	8,931	5,977	32.1	26.1	32.6	32.0	41.7

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 29. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Days of restricted activity in thousands					Days of restricted activity per 100 persons per year				
All acute conditions-----	1,592,160	398,191	400,048	496,361	297,560	880.7	855.9	767.7	911.6	1,073.8
Infective and parasitic diseases-----	207,938	72,837	39,127	64,536	31,437	115.0	156.6	75.1	118.5	113.5
Respiratory conditions-----	771,726	179,777	221,582	217,422	152,945	426.9	386.4	425.2	399.3	551.9
Upper respiratory conditions-	370,469	110,829	92,238	106,406	60,996	204.9	238.2	177.0	195.4	220.1
Influenza-----	333,516	50,903	115,381	89,360	77,872	184.5	109.4	221.4	164.1	281.0
Other respiratory conditions-	67,741	18,046	13,962	21,657	14,076	37.5	38.8	26.8	39.8	50.8
Digestive system conditions----	76,927	19,120	18,399	29,148	10,260	42.6	41.1	35.3	53.5	37.0
Injuries-----	273,143	65,853	59,190	93,348	54,753	151.1	141.6	113.6	171.4	197.6
Fractures, dislocations, sprains, and strains-----	151,215	38,076	33,498	47,895	31,745	83.6	81.8	64.3	88.0	114.6
Open wounds and lacerations--	38,788	8,692	8,483	15,144	6,469	21.5	18.7	16.3	27.8	23.3
Contusions and superficial injuries-----	42,821	7,658	8,543	18,008	8,611	23.7	16.5	16.4	33.1	31.1
Other current acute conditions-----	40,319	11,426	8,665	12,301	7,927	22.3	24.6	16.6	22.6	28.6
All other acute conditions-----	262,427	60,605	61,751	91,906	48,166	145.2	130.3	118.5	168.8	173.8
<u>Male</u>										
All acute conditions-----	676,344	170,257	171,501	215,195	119,391	771.3	757.8	676.5	811.9	893.0
Infective and parasitic diseases-----	90,810	34,221	14,217	28,913	13,459	103.6	152.3	56.1	109.1	100.7
Respiratory conditions-----	331,509	72,783	98,089	98,236	62,401	378.0	323.9	386.9	370.6	466.8
Upper respiratory conditions-	164,807	45,883	41,280	50,329	27,315	187.9	204.2	162.8	189.9	204.3
Influenza-----	136,564	19,719	49,193	39,739	27,913	155.7	87.8	194.0	149.9	208.8
Other respiratory conditions-	30,138	7,181	7,616	8,168	7,173	34.4	32.0	30.0	30.8	53.7
Digestive system conditions----	33,662	8,957	8,113	12,421	4,172	38.4	39.9	32.0	46.9	31.2
Injuries-----	151,275	36,730	36,420	52,596	25,529	172.5	163.5	143.7	198.4	191.0
Fractures, dislocations, sprains, and strains-----	85,713	23,023	20,746	27,249	14,695	97.7	102.5	81.8	102.8	109.9
Open wounds and lacerations--	21,886	4,689	5,233	9,087	2,877	25.0	20.9	20.6	34.3	21.5
Contusions and superficial injuries-----	21,083	3,356	5,203	8,526	3,998	24.0	14.9	20.5	32.2	29.9
Other current injuries-----	22,593	5,663	5,238	7,733	3,959	25.8	25.2	20.7	29.2	29.6
All other acute conditions-----	69,089	17,566	14,662	23,030	13,831	78.8	78.2	57.8	86.9	103.5
<u>Female</u>										
All acute conditions-----	915,817	227,934	228,548	281,165	178,169	983.7	947.6	854.1	1,006.2	1,242.3
Infective and parasitic diseases-----	117,128	38,617	24,910	35,624	17,978	125.8	160.5	93.1	127.5	125.4
Respiratory conditions-----	440,217	106,994	123,493	119,186	90,544	472.9	444.8	461.5	426.5	631.3
Upper respiratory conditions-	205,662	64,946	50,959	56,077	33,681	220.9	270.0	190.4	200.7	234.8
Influenza-----	196,951	31,183	66,188	49,621	49,959	211.6	129.6	247.3	177.6	348.3
Other respiratory conditions-	37,603	10,865	6,346	13,488	6,904	40.4	45.2	23.7	48.3	48.1
Digestive system conditions----	43,265	10,163	10,286	16,728	6,088	46.5	42.3	38.4	59.9	42.4
Injuries-----	121,868	29,122	22,770	40,752	29,224	130.9	121.1	85.1	145.8	203.8
Fractures, dislocations, sprains, and strains-----	65,502	15,053	12,753	20,645	17,051	70.4	62.6	47.7	73.9	118.9
Open wounds and lacerations--	16,902	4,004	3,249	6,056	3,593	18.2	16.6	12.1	21.7	25.1
Contusions and superficial injuries-----	21,738	4,302	3,341	9,483	4,613	23.3	17.9	12.5	33.9	32.2
Other current injuries-----	17,726	5,763	3,427	4,568	3,968	19.0	24.0	12.8	16.3	27.7
All other acute conditions-----	193,338	43,039	47,089	68,876	34,335	207.7	178.9	176.0	246.5	239.4

Table 30. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and condition group: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and condition group	Region									
	All regions	North-east	North Central	South	West	All regions	North-east	North Central	South	West
<u>Both sexes</u>	Days of bed disability in thousands					Days of bed disability per 100 persons per year				
All acute conditions-----	689,208	169,932	171,818	226,422	121,037	381.2	365.3	329.7	415.8	436.8
Infective and parasitic diseases----	103,003	36,457	16,898	33,753	15,896	57.0	78.4	32.4	62.0	57.4
Respiratory conditions-----	366,018	85,461	105,044	102,698	72,816	202.5	183.7	201.6	188.6	262.8
Upper respiratory conditions-----	148,715	46,010	37,597	42,267	22,841	82.3	98.9	72.1	77.6	82.4
Influenza-----	183,847	30,413	61,235	49,065	43,135	101.7	65.4	117.5	90.1	155.7
Other respiratory conditions-----	33,456	9,038	6,213	11,366	6,840	18.5	19.4	11.9	20.9	24.7
Digestive system conditions-----	33,870	10,049	6,565	12,987	4,269	18.7	21.6	12.6	23.9	15.4
Injuries-----	78,933	16,225	15,554	33,502	13,651	43.7	34.9	29.8	61.5	49.3
Fractures, dislocations, sprains, and strains-----	40,279	8,443	7,150	17,411	7,275	22.3	18.1	13.7	32.0	26.3
Open wounds and lacerations-----	8,474	1,803	*	4,794	*	4.7	3.9	*	8.8	*
Contusions and superficial injuries-----	13,972	1,838	3,243	6,316	2,575	7.7	4.0	6.2	11.6	9.3
Other current injuries-----	16,207	4,140	3,894	4,982	3,191	9.0	8.9	7.5	9.2	11.5
All other acute conditions-----	107,384	21,741	27,756	43,482	14,405	59.4	46.7	53.3	79.9	52.0
<u>Male</u>	Days of bed disability in thousands					Days of bed disability per 100 persons per year				
All acute conditions-----	284,987	72,068	72,824	91,172	48,923	325.0	320.8	287.3	344.0	365.9
Infective and parasitic diseases----	46,128	17,760	6,349	14,290	7,729	52.6	79.0	25.0	53.9	57.3
Respiratory conditions-----	156,921	34,809	47,353	43,878	30,882	178.9	154.9	186.8	165.5	231.0
Upper respiratory conditions-----	65,895	19,137	17,375	18,196	11,187	75.1	85.2	68.5	68.6	83.7
Influenza-----	74,711	11,125	26,398	21,352	15,836	85.2	49.5	104.1	80.6	118.5
Other respiratory conditions-----	16,316	4,547	3,580	4,329	3,859	18.6	20.2	14.1	16.3	28.9
Digestive system conditions-----	13,675	3,922	2,283	5,892	1,578	15.6	17.5	9.0	22.2	11.3
Injuries-----	43,771	10,157	10,047	18,356	5,212	49.9	45.2	39.6	69.3	39.0
Fractures, dislocations, sprains, and strains-----	22,479	5,329	5,463	9,053	2,634	25.6	23.7	21.5	34.2	19.7
Open wounds and lacerations-----	5,771	1,563	*	2,934	*	6.6	7.0	*	11.1	*
Contusions and superficial injuries-----	6,985	*	*	3,125	*	8.0	*	*	11.8	*
Other current injuries-----	8,536	2,103	2,260	3,244	*	9.7	9.4	8.9	12.2	*
All other acute conditions-----	24,492	5,421	6,792	8,756	3,523	27.9	24.1	26.8	33.0	26.4
<u>Female</u>	Days of bed disability in thousands					Days of bed disability per 100 persons per year				
All acute conditions-----	404,221	97,864	98,994	135,250	72,114	434.2	406.9	369.9	484.0	502.0
Infective and parasitic diseases----	56,875	18,697	10,549	19,462	8,167	61.1	77.7	39.4	69.7	56.0
Respiratory conditions-----	209,097	50,652	57,691	58,820	41,934	224.6	210.6	215.6	210.5	292.4
Upper respiratory conditions-----	82,820	26,873	20,222	24,070	11,654	89.0	111.7	75.6	86.1	81.3
Influenza-----	109,136	19,288	34,837	27,713	27,299	117.2	80.2	130.2	99.2	190.3
Other respiratory conditions-----	17,140	4,491	2,632	7,037	2,981	18.4	18.7	9.8	25.2	20.8
Digestive system conditions-----	20,195	6,127	4,282	7,095	2,691	21.7	25.5	16.0	25.4	18.6
Injuries-----	35,162	6,068	5,508	15,146	8,440	37.8	25.2	20.6	54.2	58.8
Fractures, dislocations, sprains, and strains-----	17,801	3,114	1,687	8,357	4,642	19.1	12.9	6.3	29.9	32.4
Open wounds and lacerations-----	2,704	*	*	1,860	*	2.9	*	*	6.7	*
Contusions and superficial injuries-----	6,987	*	1,769	3,191	*	7.5	*	6.6	11.4	*
Other current injuries-----	7,671	2,038	1,634	1,738	2,261	8.2	8.5	6.1	6.2	15.8
All other acute conditions-----	82,892	16,320	20,964	34,726	10,882	89.0	67.9	78.3	124.3	75.5

Table 31. Population used in obtaining rates shown in this publication, by quarter, sex, and age:
United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	1961		1962	
	July-September	October-December	January-March	April-June
<u>Both sexes</u>	Population in thousands			
All ages-----	180,470	180,457	180,995	181,177
Under 5 years-----	20,232	20,307	20,274	20,677
5-14 years-----	38,382	37,881	37,979	37,129
15-24 years-----	24,056	24,337	24,730	24,827
25-44 years-----	45,427	45,337	45,234	45,254
45-64 years-----	36,642	36,764	36,875	36,596
65+ years-----	15,732	15,831	15,903	16,693
<u>Male</u>				
All ages-----	87,454	87,616	87,799	87,879
Under 5 years-----	10,301	10,338	10,321	10,527
5-14 years-----	19,286	19,335	19,385	18,857
15-24 years-----	11,480	11,561	11,753	11,744
25-44 years-----	21,740	21,658	21,561	21,558
45-64 years-----	17,626	17,671	17,710	17,722
65+ years-----	7,021	7,053	7,070	7,471
<u>Female</u>				
All ages-----	93,017	92,841	93,195	93,298
Under 5 years-----	9,931	9,969	9,953	10,151
5-14 years-----	19,096	18,545	18,594	18,272
15-24 years-----	12,576	12,777	12,976	13,083
25-44 years-----	23,686	23,679	23,673	23,696
45-64 years-----	19,016	19,093	19,166	18,874
65+ years-----	8,711	8,778	8,833	9,222

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, and P-60.

Table 32. Population used in obtaining rates shown in this publication, by residence, region, sex, and age: United States, July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Sex and age	Residence				Region			
	Total	Urban	Rural nonfarm	Rural farm	North-east	North Central	South	West
<u>Both sexes</u>								
Population in thousands								
All ages-----	180,790	107,848	51,249	21,693	46,521	52,111	54,448	27,710
Under 5 years-----	20,374	11,286	6,711	2,377	4,850	6,003	6,345	3,176
5-14 years-----	37,846	20,390	12,258	5,198	8,863	11,084	12,056	5,849
15-24 years-----	24,489	15,133	6,304	3,053	5,947	6,760	8,071	3,711
25-44 years-----	45,317	26,709	14,070	4,538	11,946	12,862	13,314	7,195
45+ years-----	52,764	34,331	11,905	6,527	14,914	15,402	14,663	7,785
45-64 years-----	36,722	23,808	8,362	4,552	10,324	10,531	10,351	5,517
65+ years-----	16,041	10,523	3,543	1,975	4,590	4,871	4,312	2,269
Under 6 years-----	24,509	13,528	8,087	2,894	5,789	7,176	7,684	3,861
6-16 years-----	39,676	21,484	12,622	5,570	9,383	11,553	12,635	6,105
17-44 years-----	63,842	38,505	18,634	6,703	16,435	17,980	19,467	9,960
<u>Male</u>								
All ages-----	87,694	51,262	25,142	11,289	22,468	25,351	26,506	13,365
Under 5 years-----	10,372	5,710	3,433	1,229	2,485	3,038	3,244	1,605
5-14 years-----	19,217	10,250	6,279	2,689	4,516	5,616	6,207	2,875
15-24 years-----	11,635	7,066	2,950	1,619	2,886	3,141	3,889	1,715
25-44 years-----	21,631	12,712	6,674	2,246	5,722	6,215	6,295	3,400
45+ years-----	24,838	15,524	5,807	3,506	6,859	7,342	6,871	3,766
45-64 years-----	17,683	11,129	4,149	2,405	4,869	5,178	4,919	2,717
65+ years-----	7,154	4,395	1,658	1,101	1,990	2,164	1,952	1,049
Under 6 years-----	12,446	6,815	4,141	1,490	2,993	3,616	3,901	1,937
6-16 years-----	20,177	10,817	6,459	2,902	4,763	5,843	6,540	3,031
17-44 years-----	30,233	18,106	8,735	3,391	7,853	8,550	9,194	4,635
<u>Female</u>								
All ages-----	93,097	56,586	26,106	10,404	24,053	26,759	27,942	14,342
Under 5 years-----	10,002	5,576	3,278	1,148	2,365	2,965	3,100	1,571
5-14 years-----	18,629	10,140	5,979	2,509	4,346	5,468	5,849	2,965
15-24 years-----	12,854	8,066	3,354	1,433	3,061	3,619	4,182	1,992
25-44 years-----	23,686	13,997	7,396	2,292	6,225	6,648	7,019	3,795
45+ years-----	27,926	18,806	6,098	3,021	8,055	8,059	7,792	4,020
45-64 years-----	19,039	12,678	4,213	2,147	5,455	5,353	5,432	2,800
65+ years-----	8,887	6,128	1,885	874	2,601	2,707	2,360	1,220
Under 6 years-----	12,063	6,713	3,946	1,403	2,796	3,560	3,783	1,923
6-16 years-----	19,498	10,667	6,163	2,668	4,620	5,709	6,095	3,074
17-44 years-----	33,610	20,399	9,899	3,312	8,582	9,430	10,273	5,325

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, and P-60.

Table 33. Population of currently employed persons, by sex and age: United States,
July 1961-June 1962

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

Age	Both sexes	Male	Female
All ages-17+-----	68,252	44,936	23,316
17-44 years-----	40,686	26,740	13,945
45+ years-----	27,566	18,195	9,370

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60; and Bureau of Labor Statistics monthly report, Employment and Earnings.

APPENDIX I

TECHNICAL NOTES ON METHODS

Background of This Report

This report, Acute Conditions, Incidence and Associated Disability, is one of a series of statistical reports prepared by the U. S. National Health Survey. It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, a major part of the program.

The Health Interview Survey utilizes a questionnaire which, in addition to personal and demographic characteristics, obtains information on illnesses, injuries, chronic conditions and impairments, and other health topics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics. The present report is based on the consolidated sample for 52 weeks of interviewing during the period July 1961-June 1962.

The population covered by the sample for the Health Interview Survey is the civilian, noninstitutional population of the United States living at the time of the interview. The sample does not include members of the Armed Forces, U. S. nationals living in foreign countries, or crews of vessels. It should also be noted that the estimates shown do not represent a complete inventory of acute conditions for the specified calendar period since no adjustment has been made for persons who incurred acute conditions during the two-week recall period but who died prior to the interview.

Statistical Design of the Health Interview Survey

General plan.—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian population of the United States. The first stage of this design consists of drawing a sample of 500 from the 1,900 geographically defined primary sampling units (PSU's) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a standard metropolitan statistical area.

With no loss in general understanding, the remaining stages can be telescoped and treated in this discussion as an ultimate stage. Within PSU's, then, ultimate stage units called segments are defined, also geographically, in such a manner that each segment contains an expected six households in the sample. Each week a

random sample of about 120 segments is drawn. In the approximately 700 households in those segments, household members are interviewed concerning factors related to health.

Since the household members interviewed each week are a representative sample of the population, samples for successive weeks can be combined into larger samples. Thus the design permits both continuous measurement of characteristics of high incidence or prevalence in the population, and through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages as well as technical assets, since it permits field work to be handled with an experienced, stable staff.

Sample size and geographic detail.—The sample plan for the 12-month period ending June 1962 included approximately 125,000 persons from 38,000 households. The over-all sample was designed in such a fashion that tabulations can be provided for each of the major geographic regions and for urban and rural sectors of the United States.

Collection of data.—The field operations for the household survey are performed by the Bureau of the Census under specifications established by the Public Health Service. In accordance with these specifications the Bureau of the Census designs and selects the sample, conducts the field interviewing, acting as the collecting agent for the Public Health Service; and edits and codes the questionnaires. Tabulations are prepared by the Public Health Service using the Bureau of the Census electronic computers.

Estimating methods.—Each statistic produced by the survey—for example, the number of work-loss days occurring in a specified period—is the result of two stages of ratio estimation. In the first of these, the factor is the ratio of the 1950 decennial population count to the 1950 estimated population in the U. S. National Health Survey's first-stage sample of PSU's. These factors are applied for some 50 color-residence classes.

Later, ratios of sample-produced estimates of the population to official Bureau of the Census figures for current population in about 60 age-sex-color classes are computed, and serve as second-stage factors for ratio estimating.

The effect of the ratio estimating process is to make the sample more closely representative of the population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week and characteristics of that population. Consolidation of samples over a time period, say a calendar quarter, produces estimates of average characteristics of the U. S. population for that calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For statistics measuring the number of occurrences during a specified time period, such as the number of bed-disability days, or incidence of acute conditions, a similar computational procedure is used, but the statistics have a different interpretation. For these items, the questionnaire asks for the respondent's experience over the two calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is simply 6.5 times the average two-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. Thus, the experience of persons interviewed during a year—experience which actually occurred for each person in a two-calendar-week interval prior to week of interview—is treated as though it measured the total of such experience during the year. Such interpretation leads to no significant bias.

General Qualifications

Nonresponse.—Data were adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was 5 percent; 1 percent was refusal, and the remainder was primarily due to the failure to find any eligible household respondent after repeated trials.

The interview process.—The statistics presented in this report are based on replies secured in interviews of persons in the sampled households. Each person 17 years of age and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for children and for adults not available at the time of the interview, provided the respondent was closely related to the person about whom information was being obtained.

There are limitations to the accuracy of diagnostic and other information collected in household interviews. For diagnostic information, the household respondent can, at best, pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. However, other facts, such as the number of disability days caused by the condition, can be obtained more accurately from household members than from any other source since only the persons concerned are in a position to report information of this type.

Rounding of numbers.—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables the figures are rounded to the nearest thousand, although they are not necessarily accurate to that detail. Derived sta-

tistics such as rates and percent distributions are computed after the estimates on which they are based have been rounded to the nearest thousand.

Population figures.—Some of the published tables include population figures for specified categories. Except for certain over-all totals by age and sex, which are adjusted to independent estimates, these figures are based on the sample of households in the U. S. National Health Survey. They are given primarily for the purpose of providing denominators for rate computation, and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. In some instances they will permit users to recombine published data into classes more suitable to their specific needs. With the exception of the over-all totals by age and sex, mentioned above, the population figures may in some cases differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, and P-60 series.

Reliability of Estimates

Since the estimates are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than 2½ times as large.

The relative standard error of an estimate is obtained by dividing the standard error of the estimate by the estimate itself, and is expressed as a percentage of the estimate. Included in this Appendix are charts from which the relative standard errors can be determined for estimates shown in the report. In order to derive relative errors which would be applicable to a wide variety of health statistics and which could be prepared at a moderate cost, a number of approximations were required. As a result, the charts provide an estimate of the approximate relative standard error rather than the precise error for any specific aggregate or percentage.

Three classes of statistics for the health survey are identified for purposes of estimating variances.

Narrow range.—This class consists of (1) statistics which estimate a population attribute, e.g., the number of persons with visual impairments, and (2)

statistics for which the measure for a single individual for the period of reference is usually either 0 or 1, on occasion may take on the value 2, and very rarely, 3.

Medium range.—This class consists of other statistics for which the measure for a single individual for the period of reference will rarely lie outside the range 0 to 5.

Wide range.—This class consists of statistics for which the measure for a single individual for the period of reference frequently will range from 0 to a number in excess of 5, e.g., the number of days of restricted activity experienced during the year.

In addition to classifying variables according to whether they are narrow-, medium-, or wide-range, statistics in the survey are further defined as:

Type A.—Statistics on prevalence, and incidence data for which the period of reference in the questionnaire is 12 months.

Type B.—Incidence-type statistics for which the period of reference in the questionnaire is two weeks.

Only the charts on sampling error applicable to data contained in this report are presented. Those shown are charts for aggregates and percentages based on one and four calendar quarters of data collection.

General rules for determining relative sampling errors.—The "guide" on page 44, together with the following rules, will enable the reader to determine approximate relative standard errors from the charts for estimates presented in this report.

Rule 1. Estimates of aggregates: Approximate relative standard errors of estimates of aggregates, such as the number of persons with a given characteristic, or the number of disability days, are obtained from appropriate curves on pages 45-47. The number of persons in the total U.S. population or in an age-sex class of the total population is adjusted to official Bureau of the Census figures and is not subject to sampling error.

Rule 2. Estimates of percentages in a percent distribution: Relative standard errors of percentages in a percent distribution of a total are obtained from appropriate curves on pages 48-50. For values which do not fall on one of the curves presented in the chart, visual interpolation will provide a satisfactory approximation.

Rule 3. Estimates of rates where the numerator is a subclass of the denominator: (Not required for statistics presented in this report.)

Rule 4. Estimates of rates where the numerator is not a subclass of the denominator: This rule applies where a unit of the numerator often occurs more than once for any one unit in the denominator. For example, in the computation of the number of days of bed disability per person per year, several of the days included in the numerator could be assigned to a person (one unit) in the denominator. Approximate relative standard errors for rates of this kind may be computed as follows:

(a) Where the denominator is the total U. S. population, or includes all persons in one or more of the age-sex groups of the total population, the relative error of the rate is equivalent to the relative error of the numerator which can be obtained directly from the appropriate chart.

(b) In other cases, obtain the relative standard error of the numerator and of the denominator from the appropriate curve. Square each of these relative errors, add the resulting values, and extract the square root of the sum. This procedure will result in an upper bound, and often will overstate the error.


Guide to Use of Relative Standard Error Charts

The code shown below identifies the appropriate curve to be used in estimating the relative standard error of the statistic described. The four components of each code describe the statistic as follows: (1)

A = aggregate, P = percentage; (2) the number of calendar quarters of data collection; (3) the type of the statistic as described on page 43; and (4) the range of the statistic as described on pages 42 and 43.


Statistic	Use:		
	Rule	Code	on page
Number of:			
Persons by residence or region-----	1	A4AN	45
Acute conditions:			
Per quarter-----	1	A1BN	46
Per year-----	1	A4BN	45
Disability days:			
Per quarter-----	1	A1BW	47
Per year-----	1	A4BW	45
Persons in the U. S. population, or total number of persons in any age-sex category-----	Not subject to sampling error		
Percentage distribution of:			
Persons by residence or region-----	2	P4AN-M	48
Disability days in a year-----	2	P4BW	49
Acute conditions in a year-----	2	P4BN-M	50
Incidence rates for acute conditions:			
Per 100 total U. S. population or per 100 persons in any age-sex group of the total U. S. population:			
Per quarter-----	4(a)	A1BN	46
Per year-----	4(a)	A4BN	45
Per 100 persons in any other population group per year-----	4(b)	{ Numer.: A4BN Denom.: A4AN	45 45
Number of disability days:			
Per 100 total U. S. population or per 100 persons in any age-sex group of the total U. S. population:			
Per quarter-----	4(a)	A1BW	47
Per year-----	4(a)	A4BW	45
Per 100 persons in any other population group per year-----	4(b)	{ Numer.: A4BW Denom.: A4AN	45 45
Per case for acute conditions:			
Per quarter-----	4(b)	{ Numer.: A1BW Denom.: A1BN	47 46
Per year-----	4(b)	{ Numer.: A4BW Denom.: A4AN	45 45

Relative standard errors for aggregates based on four quarters of data collection
for data of all types and ranges




Example of use of chart: An aggregate of 2,000,000 (on scale at bottom of chart) for a Narrow range Type A statistic (code: A4AN) has a relative standard error of 3.6 percent, (read from scale at left side of chart), or a standard error of 72,000 (3.6 percent of 2,000,000). For a Wide range Type B statistic (code: A4BW), an aggregate of 6,000,000 has a relative error of 16.0 percent or a standard error of 960,000 (16 percent of 6,000,000).

Relative standard errors for aggregates based on one quarter of data for type B data, narrow range




Example of use of chart: An aggregate of 6,000,000 (on scale at bottom of chart) for a Narrow range Type B statistic has a relative standard error of 19.3 percent, read from scale at left side of chart, or a standard error of 1,158,000 (19.3 percent of 6,000,000).

Relative standard errors for aggregates based on one quarter of data collection for type B data, wide range




Example of use of chart: An aggregate of 20,000,000 (on scale at bottom of chart) for a wide range type B statistic has a relative standard error of 16.0 percent, read from scale at left side of chart, or a standard error of 3,200,000 (16.0 percent of 20,000,000).

Relative standard errors for percentages based on four quarters of data collection
for type A data, Narrow and Medium range
(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 3.2 percent (read from the scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 3.2 percent or 0.64 percentage points.


Relative standard errors for percentages based on four quarters of data collection
for type B data, Wide range
(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 24.5 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 24.5 percent or 4.9 percentage points.

Relative standard errors for percentages based on four quarters of data collection
for type B data, Narrow and Medium range

(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 17.0 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 17.0 percent or 3.4 percentage points.

APPENDIX II

DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

Terms Relating to Conditions

Condition.—A morbidity condition, or simply a condition, is any entry on the questionnaire which describes a departure from a state of physical or mental well-being. It results from a positive response to one of a series of "illness-recall" questions. In the coding and tabulating process, conditions are selected or classified according to a number of different criteria, such as, whether they were medically attended; whether they resulted in disability; whether they were acute or chronic; or according to the type of disease, injury, impairment, or symptoms reported. For the purposes of each published report or set of tables, only those conditions recorded on the questionnaire which satisfy certain stated criteria are included.

Acute conditions are classified by type according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview-type survey.

Acute condition.—An acute condition is defined as a condition which has lasted less than three months and which has involved either medical attention or restricted activity. Because of the procedures used to estimate incidence, the acute conditions included in this report are the conditions which had their onset during the two weeks prior to the interview week and which involved either medical attention or restricted activity during that two-week period. However, it excludes certain conditions which are always classified as chronic (listed below) even though the onset occurred within three months.

Conditions always classified as chronic:

Asthma	Stomach ulcer
Hay fever	Any other chronic stomach trouble
Tuberculosis	Kidney stones or chronic kidney trouble
Chronic bronchitis	Arthritis or rheumatism
Repeated attacks of sinus trouble	Mental illness
Rheumatic fever	Diabetes
Hardening of the arteries	Thyroid trouble or goiter
High blood pressure	Any allergy
Heart trouble	Epilepsy
Stroke	Chronic nervous trouble
Trouble with varicose veins	Cancer
Hemorrhoids or piles	Chronic skin trouble
Tumor, cyst, or growth	Hernia or rupture
Chronic gallbladder or liver trouble	Prostate trouble

Deafness or serious trouble with hearing	Paralysis of any kind
Serious trouble with seeing, even when wearing glasses	Repeated trouble with back or spine
Cleft palate	Club foot
Any speech defect	Permanent stiffness or deformity of the foot, leg, fingers, arm, or back
Missing fingers, hand, or arm—toes, foot, or leg	Condition present since birth
Palsy	

Condition groups.—Conditions are classified according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview survey. In this report, all tables which have data classified by type of condition employ a 5-category re-grouping plus several selected subgroups. The International Classification code numbers included in each category are shown below:

<u>Condition Groups</u>	<u>International Classification Code Numbers</u>
I Infective and parasitic diseases	020-138
II Respiratory conditions	470-501, 511, 517-525, 527, 783
Upper respiratory	470-475, 511, 517
Other respiratory	480-501, 518-525, 527, 783
III Digestive system conditions	530-539, 543-553, 570, 571, 573-587, 784, 785
IV Injuries	N800-N885, N890-N895, N900-N994, N996-N999
V Other conditions	All other acute code numbers

Onset of condition.—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time when the person or his family was first told by a physician that he had a condition of which he was previously unaware.

Incidence of conditions.—The incidence of conditions is the estimated number of conditions having their onset in a specified time period. As previously men-

tioned, minor acute conditions, involving neither restricted activity nor medical attention are excluded from the statistics. The incidence data shown in some reports are further limited to various subclasses of conditions, such as "incidence of conditions involving bed disability."

Activity-restricting condition.—An activity restricting condition is a condition which has caused at least one day of restricted activity during the two calendar weeks before the interview week. (See definition of "Restricted-activity day.") The incidence of acute activity-restricting conditions is estimated from the number of such conditions reported as having started in the two-week period, but a condition which did not result in restricted activity until after the end of the two-week period in which it had its onset is not included.

Bed-disabling condition.—A condition involving at least one day of bed disability is called a bed-disabling condition. (See definition of "Bed-disability day.") The incidence of acute bed-disabling conditions is defined in a manner analogous to the incidence of acute activity-restricting conditions.

Medically attended condition.—A condition is considered to be medically attended if a physician has been consulted about it either at its onset or at any time thereafter. Medical attention includes consultation either in person or by telephone for treatment or advice. Advice from the physician transmitted to the patient through the nurse is counted as well as visits to physicians in clinics or hospitals. If during the course of a single visit the physician is consulted about more than one condition for each of several patients, each condition of each patient is counted as medically attended.

Discussions of a child's condition by the physician and a responsible member of the household are considered as medical attention even if the child was not seen at that time.

For the purpose of this definition, the term "physician" includes doctors of medicine and osteopathic physicians.

Terms Relating to Disability

Disability.—Disability is the general term used to describe any temporary or long-term reduction of a person's activity as a result of an acute or chronic condition.

Disability days are classified according to whether they are days of restricted activity, bed-days, work-loss days, or school-loss days. All days of bed disability are, by definition, days of restricted activity. The converse form of this statement is, of course, not true. Days lost from work and days lost from school are also days of restricted activity for the working and school-age populations. Hence, restricted activity is the most inclusive term used in describing disability days.

Condition-days of restricted activity, bed disability, etc.—Condition-days of restricted activity, bed disability, and so forth are days of the various forms of disability associated with any one condition. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.

Restricted-activity day.—A day of restricted activity is one on which a person substantially reduces the amount of activity normal for that day because of a specific illness or injury. The type of reduction varies with the age and occupation of the individual as well as with the day of the week or season of the year. Restricted activity covers the range from substantial reduction to complete inactivity for the entire day.

Bed-disability day.—A day of bed disability is one on which a person stays in bed for all or most of the day because of a specific illness or injury. It is considered to be a day only if the period of bed disability includes more than half of the daylight hours. All hospital days for inpatients are considered to be days of bed disability even if the patient was not actually in bed at the hospital.

Work-loss day.—A day lost from work is a normal working day on which a person did not work at his job or business because of a specific illness or injury. If the person's regular work day is less than a whole day and the entire work day was lost, it would be counted as a whole work day lost. The number of days lost from work is determined only for persons 17 years of age or over who reported that at any time during the two-week period covered by the interview they either worked at, or had a job or business. (See definition of "Currently employed persons.")

School-loss day.—A day lost from school is a normal school day on which a child did not attend school because of a specific illness or injury. The number of days lost from school is determined only for children 6-16 years of age.

Demographic Terms

Age.—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending upon the purpose of the table.

Quarter.—The quarters used by the U. S. National Health Survey are actually 13-week periods rather than 3 calendar months. Since each 13-week period begins on a Monday and ends on a Sunday, the actual dates of the beginning and end of each 13-week period may overlap into another calendar quarter. Therefore, the time periods in the table headings are the approximate rather than the precise periods during which the interviewing was conducted.

Currently employed persons.—Currently employed persons are all persons 17 years of age or over who reported that at any time during the two-week period covered by the interview they either worked at, or had a job or business. Current employment includes paid work as an employee of someone else, self-employment in business, farming, or professional practice, and unpaid work in a family business or farm. Persons who were temporarily absent from their job or business because of a temporary illness, vacation, strike, or bad weather are considered as currently employed if they expected to work as soon as the particular event causing their absence no longer existed.

Free-lance workers are also considered as currently employed if (1) they had some formal arrangements for being called to work, such as having made

arrangements with a union hiring hall to be called for work when it became available, or (2) they were repeatedly called upon to work by a particular employer or group of employers, e.g., a woman who did babysitting for a number of different families.

Persons excluded from the currently employed population are (1) persons receiving revenue from an enterprise in whose operation they did not participate, (2) persons doing housework or charity work for which they received no pay, and (3) seasonal workers during the unemployment season.

The number of currently employed persons estimated by the U. S. National Health Survey (NHS) will differ from the estimates prepared by the Current Population Survey (CPS), Bureau of the Census for several reasons. In addition to sampling variability they include three primary conceptual differences, namely: (1) NHS estimates are for persons 17 years of age or over; CPS estimates are for persons 14 years of age or over. (2) NHS uses a two-week-reference period while CPS uses a one-week reference period. (3) NHS is a continuing survey with separate samples taken weekly, while CPS is a monthly sample taken for the survey week which includes the 12th of the month.

Residence.—Residence is the term used to signify the division of the United States into urban, rural-nonfarm, and rural-farm populations. The definition of urban and rural areas is the same as that used in the 1950 Census.

Urban.—The urban population comprises all persons living in (a) places of 2,500 inhabitants or more incorporated as cities, boroughs, or villages; (b) incorporated towns of 2,500 inhabitants or more except in New England, New York, and Wisconsin where "Towns" are simply minor civil divisions of counties; (c) the densely settled urban fringe, including both incorporated and unincorporated areas, around cities of 50,000 or more; and (d) unincorporated places of 2,500 inhabitants or more outside any urban fringe. The remaining population is classified as rural.

Rural farm.—The rural-farm population includes all rural residents living on farms. In deciding whether the members of a household live on

a farm or ranch, the statement of the respondent is accepted with the following exception. Persons who pay cash rent for house and yard only are classified as nonfarm even if the surrounding area is farm land. This special case does not cover: (1) the living quarters of a tenant farmer who rents farm land as well as house and yard; (2) the quarters of a hired hand who receives living quarters on a farm as part of his compensation; or (3) separate living quarters inside a structure which is classified as being on a farm. In all of these cases the living quarters are counted as being on a farm. Furthermore, all persons in institutions, summer camps, motels, and tourist camps which are located in farm areas are classified as nonfarm.

Rural nonfarm.—The rural-nonfarm population includes all of the remaining rural population.

Region.—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the Bureau of the Census, are as follows:

<u>Region</u>	<u>States Included</u>
Northeast-----	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania
North Central--	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas
South-----	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas
West-----	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Alaska, Washington, Oregon, California, Hawaii

APPENDIX III

QUESTIONNAIRE

The items below show the exact content and wording of the basic questionnaire used in the nationwide household survey of the U. S. National Health Survey. The actual questionnaire is designed for a household as a unit and includes additional spaces for reports on more than one person, condition, accident or hospitalization. Such repetitive spaces are omitted in this illustration.

The National Health Survey is authorized by Public Law 652 of the 84th Congress (70 Stat. 489; 42 U.S.C. 305). All information which would permit identification of the individual will be held strictly confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to others for any other purposes (22 FR 1687).

FORM NH5-5 (9-3-61) U. S. DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS ACTING AS COLLECTING AGENT FOR THE U. S. PUBLIC HEALTH SERVICE

NATIONAL HEALTH SURVEY

1. Questionnaire of _____

2. (a) Address or description of location _____

3. Ident. Code _____ 3a. R. O. Code _____

4. Sub-sample weight _____

5. Sample _____ 6. PSU No. _____ 7. Segment No. _____ 8. Serial No. _____

(b) Mailing address if not shown in (a): Include city and State _____

(c) Type of living quarters: Housing unit Other unit (d) Name of Special Dwelling Place _____ Code _____

9. Is this house on a farm or ranch?... Yes No

L Ask Items 10 and 11 only, if "rural" box is checked: Rural All other

10. Do you own or rent this place? Own Rent Rent free

11. If "Own" or "rent free" in question 10, ask: Yes No

(a) Does this place have 10 or more acres? _____

(c) During the past 12 months did sales of crops, livestock, and other farm products from the place amount to \$50 or more? Yes No

(d) During the past 12 months did sales of crops, livestock, and other farm products from the place amount to \$250 or more? Yes No

12. Are there any other living quarters, occupied or vacant, in this building (apartment)?..... Yes No

13. Does anyone else living in this building use YOUR ENTRANCE to get to his living quarters? Yes No

INSTRUCTIONS FOR Q. 12, 13 AND 14
If "Yes," to questions 12, 13 or 14 apply definition of a housing unit to determine whether one or more additional questionnaires should be filled and whether the listing is to be corrected.

Ask at all units except apartment houses:

14. Is there any other building on this property for people to live in - either occupied or vacant?..... Yes No

15. What is the telephone number here? No phone

16. In case I've overlooked anything, what is the best time to call? _____

17. RECORD OF CALLS AT HOUSEHOLDS

Item		1		2		3		4		5	
		Date	Com.	Date	Com.	Date	Com.	Date	Com.	Date	Com.
Record of calls for individual respondents	Entire household	Date		Date		Date		Date		Date	
	Col. No. _____	Date		Date		Date		Date		Date	
	Col. No. _____	Date		Date		Date		Date		Date	
	Col. No. _____	Date		Date		Date		Date		Date	
	Col. No. _____	Date		Date		Date		Date		Date	

18. REASON FOR NON-INTERVIEW

TYPE	A	B	C	Z
Reason:	<input type="checkbox"/> Refusal (FIII Item 19) <input type="checkbox"/> No one at home-repeated calls <input type="checkbox"/> Temporarily absent <input type="checkbox"/> Other (Specify) _____	<input type="checkbox"/> Vacant - non-seasonal <input type="checkbox"/> Vacant - seasonal <input type="checkbox"/> Usual residence elsewhere <input type="checkbox"/> Armed Forces <input type="checkbox"/> Other (Specify) _____	<input type="checkbox"/> Demolished <input type="checkbox"/> In sample by mistake <input type="checkbox"/> Eliminated in sub-sample <input type="checkbox"/> Other (Specify) _____	Interview not obtained for: Cols. _____ because: _____

19. Reason for refusal _____

20. TYPE A FOLLOW-UP PROCEDURE

If final call results in a Type A non-interview (except Refusals) take the following steps:

- Contact neighbors (caretakers, etc.) until you find someone who knows the family.
- Find out the number of people in the household, their names and approximate ages; if names of all members not known, ascertain relationships. Record this information... in the regular spaces inside the questionnaire.
- Find out if anyone in the housing unit is now in a hospital as a patient; if so, which person it is. This is done by asking the following question:

4. Is anyone in the household now in the hospital? Yes No Don't know No contact made

(a) If "Yes," -- Who? (Enter name) _____ (Col. No.) _____

21. Signature of Interviewer _____ 22. Code _____

1. (a) What is the name of the head of this household? (Enter name in first column)

(b) What are the names of all other persons who live here? (List all persons who live here.)

(c) Do any (other) lodgers or roomers live here? No Yes (List) _____

(d) Is there anyone else who lives here who is now temporarily in a hospital? No Yes (List) _____

(e) Away on business? No Yes (List) _____

(f) On a visit? No Yes (List) _____

(g) Is there anyone else staying here now? No Yes (List) _____

(h) Do any of the people in this household have a home elsewhere? No (leave on questionnaire) Yes (apply household membership rules; if not a household member, delete)

2. How are you related to the head of the household? (Enter relationship to head, for example: head, wife, daughter, grandson, mother-in-law, partner, lodger, lodger's wife, etc.)

Last name (1) _____
First name and initial _____
Relationship _____
Head _____

3. How old were you on your last birthday?		Age <input type="checkbox"/> Under 1 year
4. Race (Check one box for each person)		<input type="checkbox"/> White <input type="checkbox"/> Negro <input type="checkbox"/> Other
5. Sex (Check one box for each person)		<input type="checkbox"/> Male <input type="checkbox"/> Female
If 17 years old or over, ask: 6. Are you now married, widowed, divorced, separated or never married? (Check one box for each person)		<input type="checkbox"/> Under 17 years <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed <input type="checkbox"/> Separated <input type="checkbox"/> Never married
If 17 years old or over, ask: 7. (a) What were you doing most of the past 12 months -- (For males): working, or doing something else? (For females): working, keeping house, or doing something else? If "Something else" checked, and person is 45 years old or over, ask: (b) Are you retired?		<input type="checkbox"/> Under 17 years <input type="checkbox"/> Working <input type="checkbox"/> Keeping house <input type="checkbox"/> Something else ----- <input type="checkbox"/> Yes <input type="checkbox"/> No
NOTE: Determine which adults are at home and record this information. Beginning with question 8 you are to interview for himself or herself, each adult person who is at home.		<input type="checkbox"/> Under 17 years <input type="checkbox"/> At home <input type="checkbox"/> Not at home
8. Were you sick at any time LAST WEEK OR THE WEEK BEFORE? (That is, the 2-week period which ended last Sunday?) (a) What was the matter? (b) Anything else?		<input type="checkbox"/> Yes <input type="checkbox"/> No
9. Last week or the week before did you take any medicine or treatment for any condition (besides . . . which you told me about)? (a) For what conditions? (b) Anything else?		<input type="checkbox"/> Yes <input type="checkbox"/> No
10. Last week or the week before did you have any accidents or injuries? (a) What were they? (b) Anything else?		<input type="checkbox"/> Yes <input type="checkbox"/> No
11. Did you ever have on (any other) accident or injury that was still bothering you last week or the week before? (a) In what way did it bother you? (b) Anything else?		<input type="checkbox"/> Yes <input type="checkbox"/> No
12. AT THE PRESENT TIME do you have any ailments or conditions that have lasted for a long time? (If "No") Even though they don't bother you all the time? (a) What are they? (b) Anything else?		<input type="checkbox"/> Yes <input type="checkbox"/> No
13. Has anyone in the family: you, your --, etc. -- had any of these conditions DURING THE PAST 12 MONTHS? (Read Card A, condition by condition) record any conditions mentioned in the column for the person)		<input type="checkbox"/> Yes <input type="checkbox"/> No
14. Does anyone in the family have any of these conditions? (Read Card B, condition by condition; record any conditions mentioned in the column for the person)		<input type="checkbox"/> Yes <input type="checkbox"/> No
15. (a) Have you been in a hospital at any time DURING THE PAST 12 MONTHS? If "Yes," (b) How many times were you in the hospital overnight or longer?		<input type="checkbox"/> Yes <input type="checkbox"/> No ----- No. of times
16. If baby under one year listed as a household member, ask: (a) Was the baby born in a hospital or at home? If "hospital" in q. 16(a) and 1 or more in q. 15(b), ask: (b) Was this hospitalization included in the number you just gave me?		(Check proper boxes for both mother and child.) <input type="checkbox"/> Hospital <input type="checkbox"/> Home <input type="checkbox"/> Yes <input type="checkbox"/> No
17. (a) During the past 12 months has anyone in the family been a patient in a nursing home or sanitarium? If "Yes," ask: (b) Who was this? (c) How many times were you in a nursing home or sanitarium?		<input type="checkbox"/> Yes <input type="checkbox"/> No ----- No. of times
R (For q. 8-17)	For persons 17 years old or over, show who responded for (or was present during the asking of) q. 8-17. If persons responded for self, show whether entirely or partly. For persons under 17 show who responded for them.	<input type="checkbox"/> Responded for self-entirely <input type="checkbox"/> Responded for self-partly Col. _____ was respondent
If 17 years old or over, ask: 18. (a) What is the highest grade you attended in school? (Circle highest grade attended or check "None") (b) Did you finish the -- grade (year)?		<input type="checkbox"/> Under 17 years Elem: 1 2 3 4 5 6 7 8 High: 1 2 3 4 College: 1 2 3 4 5+ ----- <input type="checkbox"/> None <input type="checkbox"/> Yes <input type="checkbox"/> No
19. If Male and 17 years old or over, ask: (a) Did you ever serve in the Armed Forces of the United States? If "Yes," ask: (b) Are you now in the Armed Forces, not counting the reserves? (If "Yes," delete this person from questionnaire) (c) Was any of your service during a war or was it peace-time only? If "War," ask: (d) During which war did you serve? If "Peace-time" only, ask: (e) Was any of your service between June 27, 1950 and January 31, 1955?		<input type="checkbox"/> Fem. or und. 17 yrs. <input type="checkbox"/> Yes <input type="checkbox"/> No ----- <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> War <input type="checkbox"/> Peace-time only <input type="checkbox"/> WW II <input type="checkbox"/> Korean ----- <input type="checkbox"/> Other <input type="checkbox"/> Yes <input type="checkbox"/> No
20. Ask for all persons 17 years old or over: (a) Did you work at any time last week or the week before? If "No," ask 20(b) and (c). (b) Even though you did not work last week or the week before do you have a job or business? (c) Were you looking for work or an layoff from a job?		<input type="checkbox"/> Under 17 years <input type="checkbox"/> Yes <input type="checkbox"/> No ----- <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
21. If "Yes," in Question 20(a), (b), or (c), ask: (a) For whom did you work? (b) What kind of business or industry was this? (c) What kind of work were you doing? (d) Class of worker (Fill from information above; or, if not clear, ask:) Ask only for persons 20 years old or over: (e) Have you been a --, or doing this kind of work for the past three years?		Name of employer: ----- Industry: ----- Occupation: ----- <input type="checkbox"/> Private-paid <input type="checkbox"/> Gov't <input type="checkbox"/> Own <input type="checkbox"/> Non-paid ----- <input type="checkbox"/> Under 20 years <input type="checkbox"/> Yes <input type="checkbox"/> No
22. Which of these income groups represents your total family income for the past 12 months, that is, your's, your--'s, etc? (Show Card H). Include income from all sources, such as wages, salaries, rents from property, pensions, help from relatives, etc.		Group

Table I - ILLNESSES, IMPAIRMENTS, AND INJURIES								
Line number	Col. No. of person	Question No.	Did you EVER at any time talk to a doctor about ...?	Ask for all illnesses and present effects of old injuries: (a) If doctor talked to: What did the doctor say it was? - did he give it a medical name? (b) If doctor not talked to: Record original entry and ask:(d-2) - (d-5) as required. Ask for all injuries during past 2 weeks: What part of the body was hurt? What kind of injury was it? Anything else? (Also, fill Table A for all injuries)	Ask if the entry in Col. (d-1) is: An Impairment, or a Symptom, or came from question 11 or 14: What was the cause of ...? (If "Cause" is an injury, also fill Table A)	Ask only if 6 years old or over and blindness, poor vision, or eye trouble of any kind. Can you see well enough to read ordinary newspaper print with glasses?	Ask for any entry in Col. (d-1) or Col. (d-2) that includes the words: Allergy* Tumor Asthma "Condition" Cyst "Disease" Stroke* "Trouble" What kind of ... is it? *For an allergy or stroke ask: How does the allergy (stroke) affect you?	Ask only for: Impairments and injuries And for: Abscesses Inflammation Aches Neuralgia Bleeding Neuritis Blood Clot Pains Soils Sores Cancer Soreness Cyst Tumor Growth Ulcers Infection Weakness What part of the body is affected? Show detail for: Ear or eye - (one or both) Head - (Skull, scalp, face) Back - (Upper, middle, lower) Arm - (Shoulder, upper, elbow, lower, wrist, hand; one or both) Leg - (Hip, upper, knee, lower ankle, foot; one or both) (d-5)
	(a)	(b)	(c)	(d-1)	(d-2)	(d-3)	(d-4)	(d-5)
1			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		
2			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		
3			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		
4			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		
5			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		
6			<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No		

Table II - HOSPITALIZATION DURING PAST 12 MONTHS									
Line number	Col. No. of person	Question No.	When did you enter the hospital? (Month, year)	How many nights were you in the hospital?	To Interviewer: How many of these -- nights were in the past 12 months? (e) <input type="checkbox"/> All or <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	Will you need to ask Col. (f) and (g)? (s) <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	How many of these -- nights were last week or the week before? (f) <input type="checkbox"/> All or <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	Was this person still in the hospital on last Sunday night? (g) <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	What did they say at the hospital the condition was -- did they give it a medical name? (If "they" didn't say, ask): What did the last doctor you talked to say it was? (Entry must show "Cause," "Kind," and "Part of Body" in same detail as required in Table I)
	(a)	(b)	(c)	(d)	(e)	(s)	(f)	(g)	(h)
1			Mo: _____ Yr: _____	Nights _____	<input type="checkbox"/> All or <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	
2			Mo: _____ Yr: _____	Nights _____	<input type="checkbox"/> All or <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	
3			Mo: _____ Yr: _____	Nights _____	<input type="checkbox"/> All or <input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No Nights	

Table A - (Accidents and Injuries)			
Line No. from Table I	1. When did the accident happen?	2. At the time of the accident, what part of the body was hurt? What kind of injury was it?	
	Year	Part(s) of body	Kind of injury(s)
Accident happened last week or week before (Go to q. 3)	<input type="checkbox"/> (If 1961 or 1962 also enter month): Month _____		
3. (a) Was a car, truck, bus or other motor vehicle involved in the accident in any way?	<input type="checkbox"/> Yes	<input type="checkbox"/> No (Go to q. 4)	
(b) Was more than one motor vehicle involved?	<input type="checkbox"/> Yes (more than one)	<input type="checkbox"/> No	
(c) Was it (either one) moving at the time?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
4. (a) Where did the accident happen -- at home or some other place?	1. <input type="checkbox"/> At home (inside house)	2. <input type="checkbox"/> At home (adjacent premises)	<input type="checkbox"/> Some other place
If "Some other place," ask: (b) What kind of place was it?	3. <input type="checkbox"/> Street and highway (includes roadway)	4. <input type="checkbox"/> Farm	5. <input type="checkbox"/> Industrial place (includes premises)
	6. <input type="checkbox"/> School (includes school premises)	7. <input type="checkbox"/> Place of recreation and sports, except at school	8. <input type="checkbox"/> Other (specify the place where accident happened) _____
5. Were you at work at your job or business when the accident happened?	1. <input type="checkbox"/> Yes	2. <input type="checkbox"/> No	3. <input type="checkbox"/> While in Armed Services
			4. <input type="checkbox"/> Under 17 at time of accident

Table I - ILLNESSES, IMPAIRMENTS, AND INJURIES

LAST WEEK OR THE WEEK BEFORE did ... cause you to cut down on your usual activities for as much as a day?	How many days, including the Saturday and Sunday?		How many of these -- days were you in bed all or most of the day?	If 6 - 16 years old ask: How many days did ... keep you from school last week or the week before?	If 17 years old or over ask: LAST WEEK or the WEEK BEFORE, how many days did ... keep you from work? (For females add) not counting work around the house?	Did you first notice ... (did it happen) during the past 3 months OR before that time?		To interviewer: Did ... start during the past 2 weeks or before that time? (If during past 2 weeks, ask: Which week, last week or the week before?)	CONTINUE if Col. (k) is checked, or the condition is on Card A or is an impairment; otherwise, STOP	About how many days during the past 12 months, has ... kept you in bed for all or most of the day?	If 1 or more days in Col. (n) and Col. (e) is checked, ask: How many of these days were you during last week or the week before?	Ask after completing last condition for each person		Line number
	Check one No Yes (Go to Col. (A))					Check one Before 3 mos. During 3 mos.						Please look at this card and read each statement. Then tell me which statement fits you best, in terms of health. (Show Cards D, G, as appropriate)		
(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(na)	(n)	(o)	(p)	(q)	(r)
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		1
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		2
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		3
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		4
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		5
		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	Days <input type="checkbox"/> None			<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> Before 2 wks		Days <input type="checkbox"/> None	Days <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		6

Table II - HOSPITALIZATION DURING PAST 12 MONTHS

Were any operations performed on you during this stay at the hospital? If "Yes," (a) What was the name of the operation? (b) Any other operations?	What is the name and address of the hospital you were in? (Enter name, city and State; if city not known, enter county)	To interviewer Carry this condition through Table I, if it does not appear there AND 1 or more nights in Col. (f), OR condition is on Card A, or is an impairment. Will you need to fill Table I?		Line number
		(i)	(j)	
<input type="checkbox"/> Yes <input type="checkbox"/> No	-----	<input type="checkbox"/> Yes <input type="checkbox"/> No		1
<input type="checkbox"/> Yes <input type="checkbox"/> No	-----	<input type="checkbox"/> Yes <input type="checkbox"/> No		2
<input type="checkbox"/> Yes <input type="checkbox"/> No	-----	<input type="checkbox"/> Yes <input type="checkbox"/> No		3

Table A - (Accidents and Injuries)

Line No. from Table I	1. When did the accident happen?		2. At the time of the accident, what part of the body was hurt? What kind of injury was it?	
	Year	(If 1961 or 1962 also enter month): Month	Part(s) of body	Kind of injury(s)
Accident happened last week or week before (Go to 4. 3)				
3. (a) Was a car, truck, bus or other motor vehicle involved in the accident in any way?			<input type="checkbox"/> Yes <input type="checkbox"/> No (Go to q. 4)	
(b) Was more than one motor vehicle involved?			<input type="checkbox"/> Yes (more than one) <input type="checkbox"/> No	
(c) Was it (either one) moving at the time?			<input type="checkbox"/> Yes <input type="checkbox"/> No	
4. (a) Where did the accident happen -- at home or some other place?			<input type="checkbox"/> At home (inside house) <input type="checkbox"/> At home (adjacent premises) <input type="checkbox"/> Some other place	
If "Some other place," ask:				
(b) What kind of place was it?			3. <input type="checkbox"/> Street and highway (includes roadway) 6. <input type="checkbox"/> School (includes school premises)	
			4. <input type="checkbox"/> Farm 7. <input type="checkbox"/> Place of recreation and sports, except at school	
			5. <input type="checkbox"/> Industrial place (includes premises) 8. <input type="checkbox"/> Other (Specify the place where accident happened)	
5. Were you at work at your job or business when the accident happened?			1. <input type="checkbox"/> Yes 2. <input type="checkbox"/> No 3. <input type="checkbox"/> While in Armed Services 4. <input type="checkbox"/> Under 17 at time of accident	

<p>Card A</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p style="text-align: center;">Check List of Chronic Conditions</p> <ol style="list-style-type: none"> 1. Asthma 2. Tuberculosis 3. Chronic bronchitis 4. Repeated attacks of sinus trouble 5. Rheumatic fever 6. Hardening of the arteries 7. High blood pressure 8. Heart trouble. 9. Stroke 10. Trouble with varicose veins 11. Hemorrhoids or piles 12. Hay fever 13. Tumor, cyst or growth 14. Chronic gallbladder or liver trouble 15. Stomach ulcer 16. Any other chronic stomach trouble 17. Kidney stones or chronic kidney trouble 18. Arthritis or rheumatism 19. Mental illness 20. Diabetes 21. Thyroid trouble or goiter 22. Any allergy 23. Epilepsy 24. Chronic nervous trouble 25. Cancer 26. Chronic skin trouble 27. Hernia or rupture 28. Prostate trouble 	<p>Card B</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p style="text-align: center;">Check List of Selected Impairments</p> <ol style="list-style-type: none"> 1. Deafness or serious trouble with hearing 2. Serious trouble with seeing, even when wearing glasses 3. Cleft palate 4. Any speech defect 5. Missing fingers, hand, or arm--toes, foot, or leg 6. Palsy 7. Paralysis of any kind 8. Repeated trouble with back or spine 9. Club foot 10. Permanent stiffness or any deformity of the foot, leg, fingers, arm or back 11. Any condition present since birth 	<p>Card D</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p>For:</p> <p>Workers and other persons except Housewives and Children</p> <ol style="list-style-type: none"> 1. Not able to work at all. 2. Able to work but limited in amount of work or kind of work. 3. Able to work but limited in kind or amount of other activities. 4. Not limited in any of these ways. 	
<p>Card E</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p>For: Housewife</p> <ol style="list-style-type: none"> 1. Not able to keep house at all. 2. Able to keep house but limited in amount or kind of housework. 3. Able to keep house but limited in kind or amount of other activities. 4. Not limited in any of these ways. 	<p>Card F</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p>For:</p> <p>Children from 6 through 16 years old</p> <ol style="list-style-type: none"> 1. Not able to go to school at all. 2. Able to go to school but limited to certain types of schools or in school attendance. 3. Able to go to school but limited in other activities. 4. Not limited in any of these ways. 	<p>Card G</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p>For: Children under 6 years old</p> <ol style="list-style-type: none"> 1. Not able to take part at all in ordinary play with other children. 2. Able to play with other children but limited in amount or kind of play. 4. Not limited in any of these ways. 	<p>Card H</p> <p style="text-align: center;">NATIONAL HEALTH SURVEY</p> <p>Family income during past 12 months</p> <p>Group 1. Under \$500 (Including loss)</p> <p>Group 2. \$500 - \$999</p> <p>Group 3. \$1,000 - \$1,999</p> <p>Group 4. \$2,000 - \$2,999</p> <p>Group 5. \$3,000 - \$3,999</p> <p>Group 6. \$4,000 - \$4,999</p> <p>Group 7. \$5,000 - \$6,999</p> <p>Group 8. \$7,000 - \$9,999</p> <p>Group 9. \$10,000 and over</p>

OUTLINE OF REPORT SERIES FOR VITAL AND HEALTH STATISTICS

Public Health Service Publication No. 1000

SERIES 1-4. GENERAL SERIES. Program descriptions, methodological research, and analytical studies of vital and health statistics.

Earlier reports of this kind have appeared in "Vital Statistics-Special Reports" and in "Health Statistics from the National Health Survey," Series A and D, PHS Publication No. 584.

Series 1: Programs and collection procedures.—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding of the technical characteristics of published data.

Series 2: Data evaluation and methods research.—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.

Series 3: Analytical Studies.—This series comprises reports presenting analytical or interpretive studies based on vital and health statistics.

Series 4: Documents and committee reports.—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.

SERIES 10-12. DATA FROM THE NATIONAL HEALTH SURVEY

Earlier reports of the kind appearing in Series 10 have been issued as "Health Statistics from the National Health Survey," Series B and C, PHS Publication No. 584.

Series 10: Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, based on data collected in the continuing National Health Interview Survey.

Series 11: Data from the Health Examination Survey based on the direct examination, testing, and measurement of national samples of the population of the United States, including the medically defined prevalence of specific diseases, and distributions of the population with respect to various physical and physiological measurements.

Series 12: Data from the Health Records Survey relating to the health characteristics of persons in institutions, and on hospital, medical nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents of patients, or of records of the establishments.

SERIES 20-23. DATA FROM THE NATIONAL VITAL STATISTICS SYSTEM

Earlier reports of this kind have been issued in "Vital Statistics-Special Reports."

Series 20: Various reports on mortality, tabulations by cause of death, age, etc., time series of rates, data for geographic areas, States, cities, etc.—other than as included in annual or monthly reports.

Series 21: Data on natality such as birth by age of mother, birth order, geographic areas, States, cities, time series of rates, etc.—compilations of data not included in the regular annual volumes or monthly reports.

Series 22: Data on marriage and divorce by various demographic factors, geographic areas, etc.—other than that included in annual or monthly reports.

Series 23: Data from the program of sample surveys related to vital records. The subjects being covered in these surveys are varied including topics such as mortality by socioeconomic classes, hospitalization in the last year of life, X-ray exposure during pregnancy, etc.

Catalog Card

U.S. National Center for Health Statistics.

Acute conditions, incidence and associated disability, United States, July 1961-June 1962. Statistics on the incidence of acute conditions and the associated days of restricted activity, bed disability, and time lost from work and school, by age, sex, calendar quarter, residence, and geographic region. Based on data collected in household interviews during the period July 1961-June 1962. Washington, U.S. Dept. of Health, Education, and Welfare. Public Health Service, 1963.

58 p. diags., tables. 27cm. (*Its Vital and Health Statistics, Series 10, no. 1*)
U.S. Public Health Service. Publication no. 1000, Series 10, no. 1

I. Sickness - Statistics. 2. U.S. - Statistics, Medical. 1. Title.
II. Title: Statistics on the incidence of acute conditions and the associated days of restricted activity. (Series)

Cataloged by Department of Health, Education, and Welfare Library.