

**VITAL and HEALTH STATISTICS**

DATA FROM THE NATIONAL HEALTH SURVEY

PROPERTY OF THE  
PUBLICATIONS BRANCH  
EDITORIAL LIBRARY

# Acute Conditions

**incidence and associated disability  
United States - July 1966 - June 1967**

Statistics on the incidence of acute conditions and the associated days of restricted activity, bed disability, and time lost from work and school, by age, sex, calendar quarter, residence, and geographic region. Based on data collected in household interviews during the period July 1966-June 1967.

---

Washington, D. C.

March 1968

U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE  
John W. Gardner  
Secretary

Public Health Service  
William H. Stewart  
Surgeon General



Public Health Service Publication No. 1000-Series 10-No. 44

---

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402 - Price 40 cents

# NATIONAL CENTER FOR HEALTH STATISTICS

THEODORE D. WOOLSEY, *Director*

PHILIP S. LAWRENCE, Sc.D., *Associate Director*

OSWALD K. SAGEN, Ph.D., *Assistant Director for Health Statistics Development*

WALT R. SIMMONS, M.A., *Assistant Director for Research and Scientific Development*

ALICE M. WATERHOUSE, M.D., *Medical Consultant*

JAMES E. KELLY, D.D.S., *Dental Advisor*

LOUIS R. STOLCIS, M.A., *Executive Officer*

DONALD GREEN, *Information Officer*

## DIVISION OF HEALTH INTERVIEW STATISTICS

ELIJAH L. WHITE, *Director*

ROBERT R. FUCHSBERG, *Chief Survey Methods Branch*

GERALDINE A. GLEESON, *Chief Analysis and Reports Branch*

### COOPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Health Survey, the Bureau of the Census, under a contractual arrangement, participates in most aspects of survey planning, selects the sample, collects the data, and carries out certain parts of the statistical processing.

---

Public Health Service Publication No. 1000-Series 10-No. 44

*Library of Congress Catalog Card Number 65-60041*

# CONTENTS

	Page
Selected Findings-----	1
Source of Data-----	2
Trend in Incidence and Associated Disability Days-----	3
Condition Group, Sex, and Age-----	5
Geographic Distribution-----	6
Seasonal Variation: Calendar Quarter-----	8
Detailed Tables-----	9
Appendix I. Technical Notes on Methods-----	45
Background of This Report-----	45
Statistical Design of the Health Interview Survey-----	45
General Qualifications-----	46
Reliability of Estimates-----	46
Appendix II. Definitions of Certain Terms Used in This Report-----	55
Terms Relating to Conditions-----	55
Terms Relating to Disability-----	56
Demographic Terms-----	57
Appendix III. Condition Pages From Questionnaire-----	59

*IN THIS REPORT statistics are presented on the annual incidence of acute illnesses and injuries, involving medical attention and/or reduced daily activity, which occurred during the 12-month period ending in June 1967, among the civilian, noninstitutional population of the United States. Estimates of disability days of restricted activity, bed-stay, and time lost from work and school associated with acute conditions are also presented. These estimates, issued annually, are based on data collected in household interviews for the Health Interview Survey. The statistics are distributed by age, sex, residence, geographic region, and calendar quarter.*

*During July 1966-June 1967 an estimated 365.9 million acute conditions were experienced by the population, or an annual incidence rate of 190.2 conditions per 100 persons. This incidence rate of acute illnesses and injuries was the lowest reported during the 10 years of data collection by the Health Interview Survey. The decrease in rates occurred among most of the condition groups compared with corresponding rates for the previous year. Of particular note was the decline in incidence rates for influenza-like illness and for measles. The rate reduction from that of the preceding year occurred for each sex, for each age group in the total population, for each residence group, and for each of the geographic regions.*

#### SYMBOLS

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

# ACUTE CONDITIONS

## INCIDENCE AND ASSOCIATED DISABILITY

Charles S. Wilder, *Division of Health Interview Statistics*

### SELECTED FINDINGS

The estimated incidence of acute illnesses and injuries involving medical attention or reduced daily activity was about 365.9 million conditions during July 1966-June 1967, or an incidence rate of 190.2 conditions per 100 persons in the civilian, noninstitutional population of the United States. This rate was the lowest reported in the 10 years of data collection for the Health Interview Survey which was begun in July 1957. It also represents a 10.3 percent decline in rate from that reported for the previous year, July 1965-June 1966.

The decline in rate from that of the previous year occurred in four of five broad condition groups. The one exception to the general pattern was in the injury category, which showed a 10.6 increase over the earlier year. Respiratory, digestive, and infectious and parasitic diseases exhibited decreases of 17.0 percent, 13.5 percent, and 5.6 percent, respectively, while the residual group of all other acute conditions had a rate only 1.2 percent lower than that for the period, July 1965-June 1966.

A primary cause in the decline of acute respiratory conditions was the marked reduction in rate of influenza-like illnesses, from 43.7 per 100 persons in July 1965-June 1966 to 28.8 in July 1966-June 1967, a 34.1 percent reduction in rate.

During the current year there was an estimated incidence of 1.0 million cases of measles, or a rate of 0.5 per 100 persons per year. This rate is only one-third that reported in the previous year, continuing the dramatic reduction in the incidence of this disease, undoubtedly related to the measles vaccine programs.

During July 1966-June 1967, acute illnesses and injuries caused an average of 7.2 days of restricted activity per person per year, including 3.0 days spent in bed. Among the school-age population, 6-16 years, acute conditions caused an average 3.9 days lost from school per child during the year. Acute illnesses and injuries accounted for an average of 3.1 days lost from work per currently employed person per year. A currently employed person is defined for purposes of the Health Interview Survey as a person who had a job or business or worked at any time during the 2-week period prior to the week of interview. These rates of disability days represent reductions from corresponding rates for the previous year. The rate of restricted activity fell by 1 day from 8.2 to the current 7.2 days. The rates of bed-stay and time lost from school declined by 0.7 of a day, while the work-loss rate fell an average of 0.6 of a day.

The reduction in incidence of acute conditions occurred among each age and sex group in the total civilian, noninstitutional population of the

United States. Similarly, the incidence rates for residents of metropolitan areas and residents of nonfarm and farm areas outside metropolitan areas were lower than in the previous year. Residents of each of the four major regions in the United States experienced reduced incidence rates of acute conditions during the year.

## SOURCE OF DATA

The information in this publication is derived from household interviews conducted by the Health Interview Survey in cooperation with the U.S. Bureau of the Census in a probability sample of the civilian, noninstitutional population of the United States. The sample is designed so that interviews are conducted during every week of the year. During the 52-week period from July 1966-June 1967, the sample was composed of approximately 42,000 households containing about 134,000 persons living at the time of the interview.

A description of the design of the survey, of the methods used in estimation, and of general qualifications of the data obtained from surveys is

presented in Appendix I. Since estimates shown in this report are based on a sample of the population rather than on the entire population, they are subject to sampling error. Therefore, particular attention should be paid to the section entitled "Reliability of Estimates." Sampling errors for most of the estimates are of relatively low magnitude. However, where an estimated number or the numerator or the denominator of a rate or percentage is small, the sampling error may be high.

Certain terms used in this report are defined in Appendix II. Some of the terms have specialized meanings for the purpose of the survey. For example, estimates of the incidence of acute conditions include, with certain exceptions, those conditions which had started within the 2 weeks prior to the week of interview and which had involved either medical attention or restricted activity. The exceptions, listed in Appendix II, are certain conditions, such as heart trouble and diabetes, which are always considered chronic, regardless of duration or onset.

Annual estimates of the number of disability days associated with each acute condition are derived from the number of such days experienced during the 2-week period prior to the week of interview and include all those reported, even if the illness causing the disability had its onset prior to the 2-week period. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.

The questionnaire used by the Health Interview Survey during July 1966-June 1967 is illustrated in the publication, "Current Estimates From the Health Interview Survey, United States, July 1966-June 1967" (*Vital and Health Statistics, Series 10, No. 43*). Each condition reported in response to the "illness-recall" questions 8-14, shown in figure 1, was entered on a separate condition page (see Appendix III). Further questions were asked about the specific condition to obtain a better description and to obtain information about the actions taken by the person, such as seeking medical attention or restricting usual activities.

The incidence rates of acute conditions per quarter for the four quarters from July 1960-

THIS SURVEY COVERS ALL KINDS OF ILLNESSES. THESE FIRST QUESTIONS REFER TO LAST WEEK AND THE WEEK BEFORE. THAT IS, THE 2-WEEK PERIOD OUTLINED IN RED ON THIS CALENDAR. <i>Head column to respondent and ask 8a.</i>		<input type="checkbox"/> Yes	<input type="checkbox"/> No
8a. WAS -- SICK AT ANY TIME LAST WEEK OR THE WEEK BEFORE (THE 2 WEEKS SHOWN ON THAT CALENDAR)?			
b. WHAT WAS THE MATTER?			
c. DID -- HAVE ANYTHING ELSE DURING THAT 2-WEEK PERIOD?			
9a. LAST WEEK OR THE WEEK BEFORE, DID -- TAKE ANY MEDICINE OR TREATMENT FOR ANY CONDITION (BESIDES ... WHICH YOU TOLD ME ABOUT)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
b. FOR WHAT CONDITION?			
c. DID -- TAKE ANY MEDICINE FOR ANY OTHER CONDITION?			
10a. LAST WEEK OR THE WEEK BEFORE, DID -- HAVE ANY ACCIDENTS OR INJURIES?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
b. WHAT WERE THEY?			
c. DID -- HAVE ANY OTHER ACCIDENTS OR INJURIES DURING THAT 2-WEEK PERIOD?			
11a. DID -- EVER HAVE AN (ANY OTHER) ACCIDENT OR INJURY THAT STILL BOTHERS HIM OR AFFECTS HIM IN ANY WAY?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
b. IN WHAT WAY DOES IT BOTHER HIM? <i>Record present effects.</i>			
12. Open your Flashcard booklet to Card A and read both sides of Card A (A-1, A-2) condition by condition; record in his column any conditions mentioned for the person.	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
13. Turn to Card B and read both sides of Card B (B-1, B-2), condition by condition; record in his column any conditions mentioned for the person.	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
14a. DOES -- HAVE ANY OTHER AILMENTS, CONDITIONS, OR PROBLEMS WITH HIS HEALTH?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
b. WHAT IS THE CONDITION? <i>Record condition itself if still present; otherwise record present effects.</i>			
c. ANY OTHER PROBLEMS WITH HIS HEALTH?			

Figure 1. illness-recall questions, July 1966-June 1967.




Figure 2. Incidence of acute conditions per 100 persons per quarter, by condition group.

June 1961, shown graphically in figure 2<sup>1</sup>, are presented in *Health Statistics*, Series B, No. 33. The rates for the period July 1961-June 1966 are presented in *Vital and Health Statistics*, Series 10, Nos. 1, 10, 15, 26, and 38.

### TREND IN INCIDENCE AND ASSOCIATED DISABILITY DAYS

During July 1966-June 1967, the incidence rate of acute illnesses or injuries, involving medical attention or reduced daily activity, was 190.2 conditions per 100 persons in the civilian, noninstitutional population of the United States. This rate is shown in table A as the lowest point in the trend pattern based on 10 years of data collection by the Health Interview Survey. Incidence rates by

Table A. Incidence of acute conditions per 100 persons per year for July 1957-June 1967, by sex

Year	Both sexes	Male	Female
Incidence per 100 persons per year			
July 1957- June 1958-----	260.1	247.5	272.0
July 1958- June 1959-----	214.8	204.6	224.4
July 1959- June 1960-----	203.4	190.1	216.0
July 1960- June 1961-----	201.9	193.5	209.8
July 1961- June 1962-----	222.3	207.8	235.9
July 1962- June 1963-----	218.8	203.7	233.1
July 1963- June 1964-----	208.5	200.0	216.4
July 1964- June 1965-----	212.7	202.9	222.0
July 1965- June 1966-----	212.0	203.4	220.1
July 1966- June 1967-----	190.2	185.4	194.7

<sup>1</sup>Figure 2 has been plotted on a semilogarithmic scale so that visual comparisons of rates of change within and between curves may be made. If two curves are parallel to each other, they have the same rate of increase or decrease. If a curve is horizontal, it has zero rate of change.



Table B. Incidence of acute conditions per 100 persons per year and percent change July 1966-June 1967 from July 1965-June 1966, by characteristic

Characteristic	July 1966- June 1967	July 1965- June 1966	Percent change
Total-----	190.2	212.0	-10.3
<u>Sex</u>			
Male-----	185.4	203.4	-8.9
Female-----	194.7	220.1	-11.6
<u>Age</u>			
Under 6 years-----	335.3	361.4	-7.2
6-16 years-----	232.6	251.4	-7.5
17-44 years-----	173.5	197.8	-12.3
45 years and over-----	117.9	134.8	-12.5
<u>Condition group</u>			
Infective and parasitic diseases-----	23.7	25.1	-5.6
Respiratory conditions-----	104.5	125.9	-17.0
Upper respiratory-----	72.2	77.1	-6.4
Influenza-----	28.8	43.7	-34.1
Other respiratory conditions-----	3.5	5.1	-31.4
Digestive system conditions-----	9.0	10.4	-13.5
Injuries-----	28.1	25.4	+10.6
All other acute conditions-----	24.9	25.2	-1.2
<u>Residence</u>			
All SMSA's-----	194.4	216.0	-10.0
Outside SMSA--nonfarm-----	188.4	209.0	-9.9
Outside SMSA--farm-----	150.7	183.5	-17.9
<u>Geographic region</u>			
Northeast-----	194.9	202.7	-3.9
North Central-----	187.1	208.8	-10.4
South-----	180.7	209.8	-13.9
West-----	206.1	235.9	-12.6

sex, also presented in table A for each of the 10 years, indicate that the difference in the rates for males and females is markedly less in the current year than in any of the other collection years. Figure 2 shows the trend in incidence rates per quarter by condition group during the 7 most recent years. In general, the peak quarterly incidence rate observed during the current year for each condition group was among the lowest shown for the corresponding quarter in earlier years.

The incidence rates for the current year compared with those for the previous year were

consistently lower when considered by such characteristics as sex, age, region, and residence (table B). As indicated earlier, injuries comprised the only major condition group for which an increase in incidence was noted for the current year. It was pointed out in a previous report on acute conditions (Series 10, No. 38) that the low rate of injury during the period July 1965-June 1966 may have been an artifact due to such factors as change in questionnaire format, variations in reporting, or unusual sampling variability. The pattern displayed by the current year's data sug-

gests that last year's rate was indeed artificially low.

The widespread nature of the decline in incidence of acute conditions is shown in table B by the percent reduction in rate for all condition groups other than injuries. The incidence of influenza-like illness had the largest percentage decline, while the category "all other acute conditions" had the smallest decrease. A continuation of the decline in incidence of measles contributed to the reduction in rate of infective and parasitic diseases (table B) and for common childhood diseases (table 1). The incidence rate of measles was 0.5 per 100 persons per year compared with 1.5 per 100 persons for the previous year.

Accompanying the decline in incidence, there was a substantial drop in the rates of disability days associated with acute conditions. The rate of restricted activity declined by 12.6 percent or about 1 day per person in the civilian, noninstitutional population. Table C shows the decline in rates for four types of short-term disability days associated with acute conditions. The reduction of 1 day per person for the rate of restricted activity was attributable for the most part to respiratory conditions (0.9 day per person) with illnesses reported as influenza contributing 0.7 day per person to the decline.

### CONDITION GROUP, SEX, AND AGE

During July 1966-June 1967, the incidence of acute conditions requiring either medical attention or activity restriction was an estimated 365.9

million conditions (table 1). The majority of these, or 54.9 percent of the total, were respiratory illnesses. The next largest group, injuries (54.1 million conditions), comprised 14.8 percent of the total.

The incidence rate was 5.0 percent higher for females than for males. This higher rate for females occurred for four of the five major condition groups shown in table 1. The exception was injuries, where the rate for males was 50 percent greater than that for females.

The rate of restricted-activity days for females, 7.6 days per female per year, exceeded that for males by about 1 day per person per year. The larger rate for females occurred in three of five condition groups shown in table 2. Similarly, the rate of bed-stay was longer for females than for males by about half a day (table 3).

Females tended to have a greater proportion of activity-restricting acute conditions than did males (table 4). About 74.0 percent of the acute conditions for females required activity restriction compared with 70.8 percent for males. However, a smaller proportion of the acute conditions among females were medically attended than were those among males—61.6 percent for females compared with 65.0 percent for males. Much of this sex difference is related to differing proportions of medically attended injuries for each sex. A higher percentage of injuries among males are medically attended than are those among females—90.0 percent for males compared with 82.8 percent for females. This is probably related to the policy of having all injuries sustained on the job examined by a doctor.

Table C. Rates of disability days associated with acute conditions and percent change July 1966-June 1967 from July 1965-June 1966, by type of disability

Type of disability	July 1966- June 1967	July 1965- June 1966	Percent change
Days of restricted activity per 100 persons per year-----	716.6	819.5	-12.6
Days of bed disability per 100 persons per year-----	297.4	365.6	-18.7
Days lost from school per 100 children aged 6-16 years-----	394.2	462.7	-14.8
Days lost from work per 100 currently employed persons per year-----	312.4	370.3	-15.6

As age increased, the incidence rate of acute conditions declined (table 5); this drop in rates associated with age occurred for most condition groups and for both sexes. The rate of restricted-activity days declined with increasing age to age 45 years and then rose (table 6). In general, the bed-stay rate declined with increasing age for females, but the bed-stay rate for males followed the pattern of restricted-activity days with a rise again after age 45 years.

Acute conditions caused an average of 3.9 days lost from school for children aged 6-16 years (table 8). The rates for boys and for girls were substantially the same. As might be expected, respiratory conditions were responsible for more than half of the time lost from school.

Currently employed persons had an annual incidence of about 1.5 conditions per person during July 1966-June 1967 (table 9). The incidence rate for female workers was 18.7 percent higher than that for male workers. For each sex, respiratory conditions comprised the leading type of acute illness. These acute conditions caused an annual average of 3.1 days lost from work per currently employed person (table 10). This rate for male workers was 3.0 days, while that for female workers was 3.3 days. Respiratory conditions and injuries were the leading causes of time lost from work with 1.3 days and 1.0 days, respectively, out of the 3.1 days per worker.

## GEOGRAPHIC DISTRIBUTION

The incidence rate of acute illnesses and injuries was highest in metropolitan areas (SMSA's) with a rate of 194.4 per 100 persons per year, or 2.2 percent higher than the rate for the entire civilian, noninstitutional population (table 11). The incidence rate for persons living outside metropolitan areas was lower than the average for the United States as a whole, but differed substantially depending on whether the person resided in a farm or nonfarm area. Nonfarm residents had an incidence rate of 188.4 per 100 such residents, and farm residents had a rate of 150.7, 20.0 percent lower than the rate for nonfarm residents outside metropolitan areas.

Figure 3 shows that age-specific incidence rates for residents of metropolitan areas and




Figure 3. Incidence of acute conditions per 100 persons per year, by residence and age.

nonfarm residents outside SMSA's were substantially the same. Lower incidence rates in the younger age groups for farm residents contributed substantially to the low rate for all persons in this group.

Disability days for each of the three residence categories followed much the same pattern as did the incidence rates (tables 12 and 13). Rates of days of restricted activity and bed disability were lowest among farm residents of all ages. However, among persons 45 years of age and over the disability-day rates were higher than those in the other residence groups. Perhaps the ability of farm residents to postpone an activity in addition

to the arduous nature of farm tasks results in these persons using more time to recuperate from the acute illnesses and injuries they have experienced.

For each residence group, respiratory conditions was the leading type of acute condition (table 14). This condition group accounted for 54.9 percent of the rate for all metropolitan areas, 55.1 percent and 53.9 percent, respectively, for the nonfarm and farm segments outside the SMSA's. Figure 4 shows that the lower incidence rate for respiratory conditions in farm areas compared with the rate in the other residence groups is a primary reason for the low rate for all acute conditions. Tables 15 and 16 indicate that differences in disability-day rates for respiratory illnesses by residence account for much of the difference in rates for all acute conditions.




Figure 4. Incidence of acute conditions per 100 persons per year, by residence and condition group.




Figure 5. Incidence of acute conditions per 100 persons per year, by geographic region and age.

The incidence rate of acute conditions was highest in the West Region and lowest in the South Region (table 17). Figure 5 shows that the age-specific rates for each geographic region do not differ to any great extent. The high rate in the West Region occurred primarily among youths aged 15-24 years, while the low rate for the South Region occurred among persons under 45 years of age.

The rates of disability days were highest in the West Region and lowest in the North Central Region (tables 18 and 19). The difference in rates of restricted activity and bed-stay were notably higher in the 15-24 years age group in the West





Figure 6. Incidence of acute conditions per 100 persons per year, by geographic region and condition group.

Region. The rate of restricted-activity days per person in this age group was about 3 days longer in the West than that in the other regions and was characteristic of both males and females.

Figure 6 and table 20 show that the incidence rate of respiratory conditions was highest in the West Region and lowest in the South Region. Among the respiratory illnesses, those reported as influenza were concentrated in two regions, the West and North Central. The incidence rates of influenza-like illnesses in these regions were more than twice as large as those in the other regions. Disability-day rates for respiratory conditions and influenza-like illnesses by region followed essentially the same pattern as that shown above for incidence rates (tables 21 and 22).

### SEASONAL VARIATION: CALENDAR QUARTER

Seasonal variation, as represented by incidence rates of acute conditions per quarter, was appreciably less during July 1966-June 1967 than in other years as shown in figure 2. Incidence rates of injury showed the least amount of seasonality during the year, contrary to the pattern in earlier years. The peak incidence rates of respiratory conditions and infective and parasitic diseases in the January-March quarter were noticeably lower than peak rates in earlier years. Tables 23-30 show rates of incidence and associated disability days for each of the four quarters of the current year, by age and sex and by condition group and sex.



## DETAILED TABLES

Page

### EXTENDED LIST OF CONDITION GROUPS, BY SEX

Table	1.	Incidence of acute conditions, percent distribution, and number of acute conditions per 100 persons per year, by sex and condition group: United States, July 1966-June 1967-----	12
	2.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by sex and condition group: United States, July 1966-June 1967-----	13
	3.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by sex and condition group: United States, July 1966-June 1967-----	14

### MEASURES OF THE IMPACT OF ILLNESS

	4.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by measures of the impact of illness, sex, and condition group: United States, July 1966-June 1967-----	15
--	----	--	----

### SEX AND AGE

	5.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by age, sex, and condition group: United States, July 1966-June 1967-----	16
	6.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by age, sex, and condition group: United States, July 1966-June 1967-----	17
	7.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by age, sex, and condition group: United States, July 1966-June 1967-----	18

### TIME LOST FROM SCHOOL AND WORK

	8.	Days lost from school associated with acute conditions and days lost from school per 100 children (6-16) per year, by sex and condition group: United States, July 1966-June 1967-----	19
	9.	Incidence of acute conditions among currently employed persons and number of acute conditions per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1966-June 1967-----	20
	10.	Days lost from work associated with acute conditions and days lost from work per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1966-June 1967-----	21

DETAILED TABLES--Continued

	Page
<u>RESIDENCE</u>	
Table 11. Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and age: United States, July 1966-June 1967-----	22
12. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and age: United States, July 1966-June 1967-----	23
13. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and age: United States, July 1966-June 1967-----	24
14. Incidence of acute conditions and number of acute conditions per 100 persons per year, by residence, sex, and condition group: United States, July 1966-June 1967-----	25
15. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by residence, sex, and condition group: United States, July 1966-June 1967-----	26
16. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by residence, sex, and condition group: United States, July 1966-June 1967-----	27
<u>REGION</u>	
17. Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and age: United States, July 1966-June 1967-----	28
18. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and age: United States, July 1966-June 1967-----	29
19. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and age: United States, July 1966-June 1967-----	30
20. Incidence of acute conditions and number of acute conditions per 100 persons per year, by region, sex, and condition group: United States, July 1966-June 1967---	31
21. Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by region, sex, and condition group: United States, July 1966-June 1967-----	32
22. Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by region, sex, and condition group: United States, July 1966-June 1967-----	33
<u>CALENDAR QUARTER</u>	
23. Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and age: United States, July 1966-June 1967-----	34
24. Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and condition group: United States, July 1966-June 1967-----	35
25. Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and age: United States, July 1966-June 1967-----	36
26. Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and condition group: United States, July 1966-June 1967-----	37
27. Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and age: United States, July 1966-June 1967-----	38

DETAILED TABLES--Continued

Page

CALENDAR QUARTER--Continued

Table 28.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and condition group: United States, July 1966-June 1967-----	39
29.	Incidence of acute respiratory conditions and associated disability days per quarter and number of acute respiratory conditions per 100 persons per quarter, by age: United States, July 1966-June 1967-----	40
30.	Incidence of injuries and associated disability days per quarter and number of injuries per 100 persons per quarter, by age: United States, July 1966-June 1967-----	41
<u>POPULATION</u>		
31.	Population used in obtaining rates shown in this publication, by residence, region, sex, and age: United States, July 1966-June 1967-----	42
32.	Population of currently employed persons, by sex and age: United States, July 1966-June 1967-----	43
33.	Population used in obtaining rates shown in this publication, by quarter, sex, and age: United States, July 1966-June 1967-----	44



TABLE 1. INCIDENCE OF ACUTE CONDITIONS, PERCENT DISTRIBUTION, AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS			PERCENT DISTRIBUTION			NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	365,936	172,082	193,854	100.0	100.0	100.0	190.2	185.4	194.7
INFECTIVE AND PARASITIC DISEASES---	45,526	21,208	24,318	12.4	12.3	12.5	23.7	22.9	24.4
COMMON CHILDHOOD DISEASES-----	9,918	5,230	4,688	2.7	3.0	2.4	5.2	5.6	4.7
THE VIRUS, N.O.S.-----	26,249	11,467	14,782	7.2	6.7	7.6	13.6	12.4	14.8
OTHER INFECTIVE AND PARASITIC DISEASES-----	9,359	4,511	4,848	2.6	2.6	2.5	4.9	4.9	4.9
RESPIRATORY CONDITIONS-----	201,016	93,314	107,702	54.9	54.2	55.6	104.5	100.6	108.2
UPPER RESPIRATORY CONDITIONS-----	138,939	64,762	74,177	38.0	37.6	38.3	72.2	69.8	74.5
COMMON COLD-----	109,713	51,572	58,140	30.0	30.0	30.0	57.0	55.6	58.4
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	29,227	13,190	16,037	8.0	7.7	8.3	15.2	14.2	16.1
INFLUENZA-----	55,382	25,098	30,284	15.1	14.6	15.6	28.8	27.0	30.4
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	10,524	4,632	5,892	2.9	2.7	3.0	5.5	5.0	5.9
OTHER INFLUENZA-----	44,858	20,466	24,392	12.3	11.9	12.6	23.3	22.1	24.5
OTHER RESPIRATORY CONDITIONS-----	6,695	3,454	3,240	1.8	2.0	1.7	3.5	3.7	3.3
PNEUMONIA-----	2,013	1,232	782	0.6	0.7	0.4	1.0	1.3	0.8
BRONCHITIS-----	3,411	1,491	1,920	0.9	0.9	1.0	1.8	1.6	1.9
OTHER ACUTE RESPIRATORY CONDITIONS-----	1,270	731	*	0.3	0.4	*	0.7	0.8	*
DIGESTIVE SYSTEM CONDITIONS-----	17,292	8,244	9,048	4.7	4.8	4.7	9.0	8.9	9.1
DENTAL CONDITIONS-----	5,951	2,843	3,108	1.6	1.7	1.6	3.1	3.1	3.1
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	3,847	1,601	2,246	1.1	0.9	1.2	2.0	1.7	2.3
OTHER DIGESTIVE SYSTEM CONDITIONS-----	7,494	3,801	3,694	2.0	2.2	1.9	3.9	4.1	3.7
INJURIES-----	54,127	31,516	22,611	14.8	18.3	11.7	28.1	34.0	22.7
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,298	8,447	6,851	4.2	4.9	3.5	8.0	9.1	6.9
FRACTURES AND DISLOCATIONS-----	5,768	3,150	2,618	1.6	1.8	1.4	3.0	3.4	2.6
SPRAINS AND STRAINS-----	9,530	5,297	4,233	2.6	3.1	2.2	5.0	5.7	4.3
OPEN WOUNDS AND LACERATIONS-----	16,657	10,421	6,236	4.6	6.1	3.2	8.7	11.2	6.3
CONTUSIONS AND SUPERFICIAL INJURIES-----	9,500	4,885	4,615	2.6	2.8	2.4	4.9	5.3	4.6
OTHER CURRENT INJURIES-----	12,672	7,764	4,908	3.5	4.5	2.5	6.6	8.4	4.9
ALL OTHER ACUTE CONDITIONS-----	47,975	17,799	30,176	13.1	10.3	15.6	24.9	19.2	30.3
DISEASES OF THE EAR-----	10,003	5,082	4,921	2.7	3.0	2.5	5.2	5.5	4.9
HEADACHES-----	4,520	1,671	2,849	1.2	1.0	1.5	2.3	1.8	2.9
GENITOURINARY DISORDERS-----	6,520	740	5,780	1.8	0.4	3.0	3.4	0.8	5.8
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM-----	3,800	...	3,800	1.0	...	2.0	2.0	...	3.8
DISEASES OF THE SKIN-----	5,236	2,764	2,471	1.4	1.6	1.3	2.7	3.0	2.5
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	3,783	1,722	2,062	1.0	1.0	1.1	2.0	1.9	2.1
ALL OTHER ACUTE CONDITIONS-----	14,113	5,820	8,293	3.9	3.4	4.3	7.3	6.3	8.3

NOTES: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

TABLE 2. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS			DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
ALL ACUTE CONDITIONS-----	1,378,425	620,153	758,273	716.6	668.3	761.6
INFECTIVE AND PARASITIC DISEASES---	182,699	88,475	94,224	95.0	95.3	94.6
COMMON CHILDHOOD DISEASES-----	61,359	34,699	26,659	31.9	37.4	26.8
THE VIRUS, N.O.S.-----	75,229	30,877	44,352	39.1	33.3	44.5
OTHER INFECTIVE AND PARASITIC DISEASES-----	46,112	22,899	23,212	24.0	24.7	23.3
RESPIRATORY CONDITIONS-----	590,783	266,560	324,223	307.1	287.2	325.7
UPPER RESPIRATORY CONDITIONS-----	354,297	162,791	191,506	184.2	175.4	192.4
COMMON COLD-----	268,622	124,751	143,872	139.6	134.4	144.5
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	85,675	38,040	47,635	44.5	41.0	47.8
INFLUENZA-----	186,514	81,479	105,035	97.0	87.8	105.5
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	27,665	11,011	16,655	14.4	11.9	16.7
OTHER INFLUENZA-----	158,849	70,468	88,380	82.6	75.9	88.8
OTHER RESPIRATORY CONDITIONS-----	49,972	22,291	27,681	26.0	24.0	27.8
PNEUMONIA-----	26,409	13,256	13,153	13.7	14.3	13.2
BRONCHITIS-----	19,966	7,172	12,794	10.4	7.7	12.9
OTHER ACUTE RESPIRATORY CONDITIONS-----	3,597	1,863	1,734	1.9	2.0	1.7
DIGESTIVE SYSTEM CONDITIONS-----	62,822	27,921	34,902	32.7	30.1	35.1
DENTAL CONDITIONS-----	14,530	3,907	10,623	7.6	4.2	10.7
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	9,129	4,377	4,752	4.7	4.7	4.8
OTHER DIGESTIVE SYSTEM CONDITIONS-----	39,163	19,637	19,526	20.4	21.2	19.6
INJURIES-----	324,543	171,337	153,206	168.7	184.6	153.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	186,671	97,752	88,919	97.0	105.3	89.3
FRACTURES AND DISLOCATIONS-----	119,116	57,371	61,745	61.9	61.8	62.0
SPRAINS AND STRAINS-----	67,555	40,382	27,174	35.1	43.5	27.3
OPEN WOUNDS AND LACERATIONS-----	49,656	32,008	17,648	25.8	34.5	17.7
CONTUSIONS AND SUPERFICIAL INJURIES-----	43,179	15,814	27,365	22.4	17.0	27.5
OTHER CURRENT INJURIES-----	45,636	25,763	19,274	23.4	27.8	19.4
ALL OTHER ACUTE CONDITIONS-----	217,578	65,860	151,719	113.1	71.0	152.4
DISEASES OF THE EAR-----	31,021	15,810	15,211	16.1	17.0	15.3
HEADACHES-----	5,018	*	3,617	2.6	*	3.6
GENITOURINARY DISORDERS-----	32,875	6,653	26,222	17.1	7.2	26.3
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM----	35,979	...	35,979	18.7	...	36.1
DISEASES OF THE SKIN-----	18,693	...	13,853	9.7	5.2	13.9
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	28,894	12,627	16,267	15.0	13.6	16.3
ALL OTHER ACUTE CONDITIONS-----	65,098	24,529	40,569	33.8	26.4	40.7

NOTE: N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

TABLE 3. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II

CONDITION GROUP	DAYS OF BED DISABILITY IN THOUSANDS			DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
ALL ACUTE CONDITIONS-----	572,171	252,869	319,302	297.4	272.5	320.7
INFECTIVE AND PARASITIC DISEASES----	85,526	38,827	46,699	44.5	41.8	46.9
COMMON CHILDHOOD DISEASES-----	23,327	11,994	11,334	12.1	12.9	11.4
THE VIRUS, N.O.S.-----	38,407	15,576	22,831	20.0	16.8	22.9
OTHER INFECTIVE AND PARASITIC DISEASES-----	23,792	11,257	12,534	12.4	12.1	12.6
RESPIRATORY CONDITIONS-----	283,324	129,501	153,823	147.3	139.5	154.5
UPPER RESPIRATORY CONDITIONS-----	152,821	71,233	81,588	79.4	76.8	82.0
COMMON COLD-----	109,999	51,308	58,692	57.2	55.3	59.0
OTHER ACUTE UPPER RESPIRATORY CONDITIONS-----	42,822	19,926	22,896	22.3	21.5	23.0
INFLUENZA-----	102,016	44,195	57,821	53.0	47.6	58.1
INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	13,950	5,758	8,193	7.3	6.2	8.2
OTHER INFLUENZA-----	88,066	38,437	49,628	45.8	41.4	49.8
OTHER RESPIRATORY CONDITIONS-----	28,487	14,072	14,415	14.8	15.2	14.5
PNEUMONIA-----	16,406	9,743	6,663	8.5	10.5	6.7
BRONCHITIS-----	10,392	3,637	6,755	5.4	3.9	6.8
OTHER ACUTE RESPIRATORY CONDITIONS-----	1,690	*	*	0.9	*	*
DIGESTIVE SYSTEM CONDITIONS-----	31,331	15,618	15,713	16.3	16.8	15.8
DENTAL CONDITIONS-----	4,998	*	3,578	2.6	*	3.6
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.-----	4,190	2,177	2,013	2.2	2.3	2.0
OTHER DIGESTIVE SYSTEM CONDITIONS-----	22,143	12,021	10,123	11.5	13.0	10.2
INJURIES-----	87,264	44,292	42,972	45.4	47.7	43.2
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	48,950	24,949	24,001	25.4	26.9	24.1
FRACTURES AND DISLOCATIONS-----	35,811	18,722	17,089	18.6	20.2	17.2
SPRAINS AND STRAINS-----	13,139	6,227	6,912	6.8	6.7	6.9
OPEN WOUNDS AND LACERATIONS-----	12,358	7,544	4,814	6.4	8.1	4.8
CONTUSIONS AND SUPERFICIAL INJURIES-----	10,557	3,677	6,880	5.5	4.0	6.9
OTHER CURRENT INJURIES-----	15,398	8,122	7,277	8.0	8.8	7.3
ALL OTHER ACUTE CONDITIONS-----	84,726	24,632	60,094	44.0	26.5	60.4
DISEASES OF THE EAR-----	11,295	5,513	5,782	5.9	5.9	5.8
HEADACHES-----	2,300	*	1,578	1.2	*	1.6
GENITOURINARY DISORDERS-----	16,162	3,250	12,912	8.4	3.5	13.0
DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM-----	16,401	...	16,401	8.5	...	16.5
DISEASES OF THE SKIN-----	5,094	*	4,264	2.6	*	4.3
DISEASES OF THE MUSCULOSKELETAL SYSTEM-----	8,982	4,072	4,909	4.7	4.4	4.9
ALL OTHER ACUTE CONDITIONS-----	24,493	10,244	14,248	12.7	11.0	14.3

NOTE: N.o.s.—not otherwise specified; n.e.c.—not elsewhere classified.

**TABLE 4. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY MEASURES OF THE IMPACT OF ILLNESS, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967**

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	MEASURES OF THE IMPACT OF ILLNESS							
	TOTAL	MEDICALLY ATTENDED ONLY	MEDICALLY ATTENDED AND ACTIVITY RESTRICTING	ACTIVITY RESTRICTING ONLY NOT MEDICALLY ATTENDED	TOTAL	MEDICALLY ATTENDED ONLY	MEDICALLY ATTENDED AND ACTIVITY RESTRICTING	ACTIVITY RESTRICTING ONLY NOT MEDICALLY ATTENDED
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS----	365,936	100,652	130,561	134,723	190.2	52.3	67.9	70.0
INFECTIVE AND PARASITIC DISEASES-----	45,526	6,757	21,353	17,416	23.7	3.5	11.1	9.1
RESPIRATORY CONDITIONS----	201,016	42,297	61,722	96,997	104.5	28.1	32.1	50.4
UPPER RESPIRATORY CONDITIONS-----	138,939	36,557	38,913	63,470	72.2	19.0	20.2	33.0
INFLUENZA-----	55,382	3,835	18,486	33,061	28.8	2.0	9.6	17.2
OTHER RESPIRATORY CONDITIONS-----	6,695	1,905	4,324	*	3.5	1.0	2.2	*
DIGESTIVE SYSTEM CONDITIONS-----	17,292	6,182	5,193	5,917	9.0	3.2	2.7	3.1
INJURIES-----	54,127	24,695	22,276	7,156	28.1	12.8	11.6	3.7
ALL OTHER ACUTE CONDITIONS-----	47,975	20,721	20,017	7,237	24.9	10.8	10.4	3.8
<b>MALE</b>								
ALL ACUTE CONDITIONS----	172,082	50,194	61,586	60,302	185.4	54.1	66.4	65.0
INFECTIVE AND PARASITIC DISEASES-----	21,208	3,097	10,417	7,694	22.9	3.3	11.2	8.3
RESPIRATORY CONDITIONS----	93,314	19,602	29,819	43,893	100.6	21.1	32.1	47.3
UPPER RESPIRATORY CONDITIONS-----	64,762	16,876	18,747	29,139	69.8	18.2	20.2	31.4
INFLUENZA-----	25,098	1,684	8,730	14,684	27.0	1.8	9.4	15.8
OTHER RESPIRATORY CONDITIONS-----	3,454	1,043	2,342	*	3.7	1.1	2.5	*
DIGESTIVE SYSTEM CONDITIONS-----	8,244	3,191	2,542	2,511	8.9	3.4	2.7	2.7
INJURIES-----	31,516	15,667	12,592	3,258	34.0	16.9	13.6	3.5
ALL OTHER ACUTE CONDITIONS-----	17,799	8,637	6,216	2,946	19.2	9.3	6.7	3.2
<b>FEMALE</b>								
ALL ACUTE CONDITIONS----	193,854	50,458	68,975	74,422	194.7	50.7	69.3	74.8
INFECTIVE AND PARASITIC DISEASES-----	24,318	3,659	10,936	9,722	24.4	3.7	11.0	9.8
RESPIRATORY CONDITIONS----	107,702	22,694	31,903	53,105	108.2	22.8	32.0	53.3
UPPER RESPIRATORY CONDITIONS-----	74,177	19,681	20,165	34,331	74.5	19.8	20.3	34.5
INFLUENZA-----	30,284	2,151	9,756	18,378	30.4	2.2	9.8	18.5
OTHER RESPIRATORY CONDITIONS-----	3,240	862	1,982	*	3.3	0.9	2.0	*
DIGESTIVE SYSTEM CONDITIONS-----	9,048	2,991	2,651	3,406	9.1	3.0	2.7	3.4
INJURIES-----	22,611	9,029	9,684	3,898	22.7	9.1	9.7	3.9
ALL OTHER ACUTE CONDITIONS-----	30,176	12,084	13,801	4,291	30.3	12.1	13.9	4.3

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 5. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	365,936	79,541	100,657	118,359	67,379	190.2	335.3	232.6	173.5	117.9
INFECTIVE AND PARASITIC DISEASES-----	45,526	12,637	16,309	11,340	5,241	23.7	53.3	37.7	16.6	9.2
RESPIRATORY CONDITIONS---	201,016	47,023	56,497	61,574	35,923	104.5	198.2	130.5	90.3	62.9
UPPER RESPIRATORY CONDITIONS-----	138,939	37,185	39,961	38,366	23,428	72.2	156.8	92.3	56.2	41.0
INFLUENZA-----	55,382	7,345	15,339	21,595	11,103	28.8	31.0	35.4	31.7	19.4
OTHER RESPIRATORY CONDITIONS-----	6,695	2,493	1,197	1,612	1,392	3.5	10.5	2.8	2.4	2.4
DIGESTIVE SYSTEM CONDITIONS-----	17,292	2,951	4,419	5,825	4,097	9.0	12.4	10.2	8.5	7.2
INJURIES-----	54,127	8,188	13,300	21,151	11,487	28.1	34.5	30.7	31.0	20.1
ALL OTHER ACUTE CONDITIONS-----	47,975	8,743	10,132	18,470	10,630	24.9	36.9	23.4	27.1	18.6
<u>MALE</u>										
ALL ACUTE CONDITIONS--	172,082	41,623	51,900	48,656	29,903	185.4	343.6	236.3	151.3	112.6
INFECTIVE AND PARASITIC DISEASES-----	21,208	6,618	8,442	4,202	1,946	22.9	54.6	38.4	13.1	7.3
RESPIRATORY CONDITIONS---	93,314	23,971	27,773	25,520	16,050	100.6	197.9	126.4	79.4	60.4
UPPER RESPIRATORY CONDITIONS-----	64,762	18,578	19,689	16,134	10,362	69.8	153.4	89.6	50.2	39.0
INFLUENZA-----	25,098	3,829	7,431	8,759	5,079	27.0	31.6	33.8	27.2	19.1
OTHER RESPIRATORY CONDITIONS-----	3,454	1,564	*	*	*	3.7	12.9	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	8,244	1,957	2,314	2,078	1,896	8.9	16.2	10.5	6.5	7.1
INJURIES-----	31,516	5,004	8,350	12,264	5,899	34.0	41.3	38.0	38.1	22.2
ALL OTHER ACUTE CONDITIONS-----	17,799	4,074	5,021	4,593	4,111	19.2	33.6	22.9	14.3	15.5
<u>FEMALE</u>										
ALL ACUTE CONDITIONS--	193,854	37,918	48,757	69,703	37,476	194.7	326.7	228.8	193.3	122.6
INFECTIVE AND PARASITIC DISEASES-----	24,318	6,019	7,867	7,138	3,294	24.4	51.9	36.9	19.8	10.8
RESPIRATORY CONDITIONS---	107,702	23,052	28,724	36,054	19,873	108.2	198.6	134.8	100.0	65.0
UPPER RESPIRATORY CONDITIONS-----	74,177	18,607	20,272	22,232	13,066	74.5	160.3	95.1	61.6	42.7
INFLUENZA-----	30,284	3,515	7,908	12,837	6,024	30.4	30.3	37.1	35.6	19.7
OTHER RESPIRATORY CONDITIONS-----	3,240	929	*	985	782	3.3	8.0	*	2.7	2.6
DIGESTIVE SYSTEM CONDITIONS-----	9,048	994	2,105	3,747	2,201	9.1	8.6	9.9	10.4	7.2
INJURIES-----	22,611	3,165	4,950	8,888	5,588	22.7	27.4	23.2	24.6	18.3
ALL OTHER ACUTE CONDITIONS-----	30,176	4,669	5,111	13,877	6,519	30.3	40.2	24.0	38.5	21.3

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

**TABLE 6. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967**

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	1,378,425	202,861	328,895	450,589	396,080	716.6	855.2	759.9	660.5	693.2
INFECTIVE AND PARASITIC DISEASES-----	182,699	46,718	71,880	37,716	26,386	95.0	197.0	166.1	55.3	46.2
RESPIRATORY CONDITIONS--	590,783	116,031	160,616	163,370	150,766	307.1	489.2	371.1	239.5	263.9
UPPER RESPIRATORY CONDITIONS-----	354,297	86,654	108,082	85,657	73,905	184.2	365.3	249.7	125.6	129.4
INFLUENZA-----	106,514	20,170	45,150	63,810	57,385	97.0	85.0	104.3	93.5	100.4
OTHER RESPIRATORY CONDITIONS-----	49,972	9,207	7,384	13,903	19,477	26.0	38.8	17.1	20.4	34.1
DIGESTIVE SYSTEM CONDITIONS-----	62,822	7,296	11,415	20,178	23,934	32.7	30.8	26.4	29.6	41.9
INJURIES-----	324,543	12,148	55,194	135,196	122,004	168.7	51.2	127.5	198.2	213.5
ALL OTHER ACUTE CONDITIONS-----	217,578	20,668	29,790	94,129	72,990	113.1	87.1	68.8	138.0	127.8
<b>MALE</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	620,153	109,260	167,249	182,601	161,043	668.3	902.0	761.4	567.9	606.2
INFECTIVE AND PARASITIC DISEASES-----	88,475	27,232	36,920	13,730	10,593	95.3	224.8	168.1	42.7	39.9
RESPIRATORY CONDITIONS--	266,560	61,449	77,951	63,531	63,629	287.2	507.3	354.9	197.6	239.5
UPPER RESPIRATORY CONDITIONS-----	162,791	44,494	53,699	34,129	30,469	175.4	367.3	244.5	106.1	114.7
INFLUENZA-----	81,479	11,032	21,236	25,652	23,559	87.8	91.1	96.7	79.8	88.7
OTHER RESPIRATORY CONDITIONS-----	22,291	5,923	3,016	3,751	9,601	24.0	48.9	13.7	11.7	36.1
DIGESTIVE SYSTEM CONDITIONS-----	27,921	4,776	5,460	6,872	10,813	30.1	39.4	24.9	21.4	40.7
INJURIES-----	171,337	5,454	33,801	85,169	46,912	184.6	45.0	153.9	264.9	176.6
ALL OTHER ACUTE CONDITIONS-----	65,860	10,349	13,117	13,298	29,096	71.0	85.4	59.7	41.4	109.5
<b>FEMALE</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS--	758,273	93,602	161,645	267,989	235,037	761.6	806.4	758.4	743.0	768.9
INFECTIVE AND PARASITIC DISEASES-----	94,224	19,486	34,960	23,985	15,793	94.6	167.9	164.0	66.5	51.7
RESPIRATORY CONDITIONS--	324,223	54,582	82,664	99,839	87,137	325.7	470.2	387.9	276.8	285.1
UPPER RESPIRATORY CONDITIONS-----	191,506	42,160	54,383	51,528	43,435	192.4	363.2	255.2	142.9	142.1
INFLUENZA-----	105,035	9,138	23,913	38,158	33,826	105.5	78.7	112.2	105.8	110.7
OTHER RESPIRATORY CONDITIONS-----	27,681	3,284	4,368	10,153	9,876	27.8	28.3	20.5	28.2	32.3
DIGESTIVE SYSTEM CONDITIONS-----	34,902	2,520	5,955	13,306	13,120	35.1	21.7	27.9	36.9	42.9
INJURIES-----	153,206	6,694	21,393	50,028	75,092	153.9	57.7	100.4	138.7	245.6
ALL OTHER ACUTE CONDITIONS-----	151,719	10,319	16,673	80,831	43,895	152.4	88.9	78.2	224.1	143.6

TABLE 7. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES	UNDER 6	6-16	17-44	45 & OVER	ALL AGES	UNDER 6	6-16	17-44	45 & OVER
<b>BOTH SEXES</b>	DAYS OF BED DISABILITY IN THOUSANDS					DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-	572,171	82,525	152,687	187,243	149,716	297.4	347.9	352.8	274.5	262.0
INFECTIVE AND PARASITIC DISEASES-----	85,526	16,235	36,762	19,754	12,775	44.5	68.4	84.9	29.0	22.4
RESPIRATORY CONDITIONS----	283,324	49,519	84,950	86,567	62,288	147.3	208.8	196.3	126.9	109.0
UPPER RESPIRATORY CONDITIONS-----	152,821	32,209	53,213	42,128	25,272	79.4	135.8	122.9	61.8	44.2
INFLUENZA-----	102,016	9,835	27,992	36,625	27,564	53.0	41.5	64.7	53.7	48.2
OTHER RESPIRATORY CONDITIONS-----	28,487	7,476	3,745	7,814	9,452	14.8	31.5	8.7	11.5	16.5
DIGESTIVE SYSTEM CONDITIONS-----	31,331	3,747	7,235	8,639	11,710	16.3	15.8	16.7	12.7	20.5
INJURIES-----	87,264	5,152	11,915	33,306	36,891	45.4	21.7	27.5	48.8	64.6
ALL OTHER ACUTE CONDITIONS-----	84,726	7,873	11,824	38,977	26,052	44.0	33.2	27.3	57.1	45.6
<b>MALE</b>										
ALL ACUTE CONDITIONS-	252,869	43,450	75,755	69,839	63,825	272.5	358.7	344.9	217.2	240.3
INFECTIVE AND PARASITIC DISEASES-----	38,827	8,982	18,179	6,860	4,806	41.8	74.2	82.8	21.3	18.1
RESPIRATORY CONDITIONS----	129,501	27,396	41,583	34,620	25,902	139.5	226.2	189.3	107.7	97.5
UPPER RESPIRATORY CONDITIONS-----	71,233	17,089	27,288	17,732	9,125	76.8	141.1	124.2	55.1	34.3
INFLUENZA-----	44,195	5,189	12,660	14,453	11,893	47.6	42.8	57.6	44.9	44.8
OTHER RESPIRATORY CONDITIONS-----	14,072	5,119	1,636	2,435	4,883	15.2	42.3	7.4	7.6	18.4
DIGESTIVE SYSTEM CONDITIONS-----	15,618	2,475	3,705	3,084	6,354	16.8	20.4	16.9	9.6	23.9
INJURIES-----	44,292	1,614	6,528	20,199	15,950	47.7	13.3	29.7	62.8	60.0
ALL OTHER ACUTE CONDITIONS-----	24,632	2,983	5,761	5,075	10,813	26.5	24.6	26.2	15.8	40.7
<b>FEMALE</b>										
ALL ACUTE CONDITIONS-	319,302	39,075	76,931	117,404	85,892	320.7	336.6	361.0	325.5	281.0
INFECTIVE AND PARASITIC DISEASES-----	46,699	7,253	18,583	12,894	7,969	46.9	62.5	87.2	35.8	26.1
RESPIRATORY CONDITIONS----	153,823	22,123	43,367	51,947	36,387	154.5	190.6	203.5	144.0	119.0
UPPER RESPIRATORY CONDITIONS-----	81,588	15,120	25,925	24,396	16,147	82.0	130.3	121.6	67.6	52.8
INFLUENZA-----	57,821	4,646	15,332	22,172	15,671	58.1	40.0	71.9	61.5	51.3
OTHER RESPIRATORY CONDITIONS-----	14,415	2,357	2,109	5,379	4,569	14.5	20.3	9.9	14.9	14.9
DIGESTIVE SYSTEM CONDITIONS-----	15,713	*	3,530	5,554	5,356	15.8	*	16.6	15.4	17.5
INJURIES-----	42,972	3,537	5,388	13,107	20,940	43.2	30.5	25.3	36.3	68.5
ALL OTHER ACUTE CONDITIONS-----	60,094	4,890	6,063	33,902	15,239	60.4	42.1	28.4	94.0	49.9

TABLE 8. DAYS LOST FROM SCHOOL ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM SCHOOL PER 100 CHILDREN (6-16) PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

CONDITION GROUP	BOTH	MALE	FEMALE	SEXES	MALE	FEMALE
	CASES					
	DAYS LOST FROM SCHOOL IN THOUSANDS			DAYS LOST FROM SCHOOL PER 100 CHILDREN PER YEAR		
ALL ACUTE CONDITIONS-----	170,609	86,940	83,670	394.2	395.8	392.6
INFECTIVE AND PARASITIC DISEASES-----	41,954	22,265	19,689	96.9	101.4	92.4
RESPIRATORY CONDITIONS-----	96,560	48,039	48,521	223.1	218.7	227.7
UPPER RESPIRATORY CONDITIC-----	67,273	33,437	33,836	155.4	152.2	158.8
INFLUENZA-----	26,031	13,218	12,813	60.1	60.2	60.1
OTHER RESPIRATORY CONDITIONS-----	3,256	*	1,873	7.5	*	8.8
DIGESTIVE SYSTEM CONDITIONS-----	6,439	3,235	3,205	14.9	14.7	15.0
INJURIES-----	11,881	7,056	4,825	27.5	32.1	22.6
ALL OTHER ACUTE CONDITIONS-----	13,775	6,345	7,430	31.8	28.9	34.9



TABLE 9. INCIDENCE OF ACUTE CONDITIONS AMONG CURRENTLY EMPLOYED PERSONS AND NUMBER OF ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES- 17 & OVER	17-44	45 & OVER	ALL AGES 17 & OVER	17-44	45 & OVER
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CON- DITIONS IN THOUSANDS			NUMBER OF ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	110,319	74,145	36,174	147.2	164.8	120.8
INFECTIVE AND PARASITIC DISEASES-----	9,260	6,579	2,581	12.4	14.8	8.6
RESPIRATORY CONDITIONS-----	59,661	39,197	20,464	79.6	87.1	68.3
UPPER RESPIRATORY CONDITIONS-----	36,870	23,802	13,068	49.2	52.9	43.6
INFLUENZA-----	21,075	14,376	6,699	28.1	32.0	22.4
OTHER RESPIRATORY CONDITIONS-----	1,716	1,019	*	2.3	2.3	*
DIGESTIVE SYSTEM CONDITIONS-----	5,490	3,545	1,945	7.3	7.9	6.5
INJURIES-----	21,633	15,233	6,400	28.9	33.9	21.4
ALL OTHER ACUTE CONDITIONS-----	14,275	9,491	4,784	19.0	21.1	16.0
<u>MALE</u>						
ALL ACUTE CONDITIONS-----	65,534	42,868	22,666	137.8	150.9	118.4
INFECTIVE AND PARASITIC DISEASES-----	5,054	3,528	1,526	10.6	12.4	8.0
RESPIRATORY CONDITIONS-----	34,715	22,206	12,510	73.0	78.2	65.4
UPPER RESPIRATORY CONDITIONS-----	21,335	13,346	7,990	44.9	47.0	41.7
INFLUENZA-----	12,461	8,306	4,156	26.2	29.2	21.7
OTHER RESPIRATORY CONDITIONS-----	919	*	*	1.9	*	*
DIGESTIVE SYSTEM CONDITIONS-----	2,942	1,669	1,273	6.2	5.9	6.7
INJURIES-----	15,858	11,289	4,569	33.3	39.7	23.9
ALL OTHER ACUTE CONDITIONS-----	6,965	4,176	2,788	14.6	14.7	14.6
<u>FEMALE</u>						
ALL ACUTE CONDITIONS-----	44,785	31,277	13,508	163.5	188.6	125.1
INFECTIVE AND PARASITIC DISEASES-----	4,206	3,151	1,055	15.4	19.0	9.8
RESPIRATORY CONDITIONS-----	24,946	16,991	7,954	91.1	102.5	73.6
UPPER RESPIRATORY CONDITIONS-----	15,535	10,456	5,079	56.7	63.0	47.0
INFLUENZA-----	8,614	6,070	2,544	31.5	36.6	23.6
OTHER RESPIRATORY CONDITIONS-----	797	*	*	2.9	*	*
DIGESTIVE SYSTEM CONDITIONS-----	2,548	1,875	*	9.3	11.3	*
INJURIES-----	5,775	3,944	1,831	21.1	23.8	17.0
ALL OTHER ACUTE CONDITIONS-----	7,310	5,315	1,996	26.7	32.0	18.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 10. DAYS LOST FROM WORK ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM WORK PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AGES- 17 & OVER	17-44	45 & OVER	ALL AGES 17 & OVER	17-44	45 & OVER
<u>BOTH SEXES</u>	DAYS LOST FROM WORK IN THOUSANDS			DAYS LOST FROM WORK PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR		
ALL ACUTE CONDITIONS-----	234,129	140,330	93,799	312.4	311.9	313.3
INFECTIVE AND PARASITIC DISEASES-----	19,290	12,464	6,826	25.7	27.7	22.8
RESPIRATORY CONDITIONS-----	94,400	54,575	39,825	126.0	121.3	133.0
UPPER RESPIRATORY CONDITIONS-----	44,293	26,435	17,858	59.1	58.8	59.6
INFLUENZA-----	40,828	23,614	17,214	54.5	52.5	57.5
OTHER RESPIRATORY CONDITIONS-----	9,279	4,526	4,753	12.4	10.1	15.9
DIGESTIVE SYSTEM CONDITIONS-----	10,650	4,786	5,864	14.2	10.6	19.6
INJURIES-----	73,883	46,825	27,058	98.6	104.1	90.4
ALL OTHER ACUTE CONDITIONS-----	35,905	21,680	14,225	47.9	48.2	47.5
<u>MALE</u>						
ALL ACUTE CONDITIONS-----	143,318	82,318	61,000	301.4	289.7	318.7
INFECTIVE AND PARASITIC DISEASES-----	12,107	7,325	4,782	25.5	25.8	25.0
RESPIRATORY CONDITIONS-----	57,218	31,801	25,416	120.3	111.9	132.8
UPPER RESPIRATORY CONDITIONS-----	25,240	14,740	10,500	53.1	51.9	54.9
INFLUENZA-----	25,900	14,227	11,673	54.5	50.1	61.0
OTHER RESPIRATORY CONDITIONS-----	6,077	2,834	3,243	12.8	10.0	16.9
DIGESTIVE SYSTEM CONDITIONS-----	6,284	1,931	4,352	13.2	6.8	22.7
INJURIES-----	52,627	35,632	16,996	110.7	125.4	88.8
ALL OTHER ACUTE CONDITIONS-----	15,082	5,628	9,454	31.7	19.8	49.4
<u>FEMALE</u>						
ALL ACUTE CONDITIONS-----	90,810	58,011	32,799	331.6	349.8	303.6
INFECTIVE AND PARASITIC DISEASES-----	7,183	5,139	2,045	26.2	31.0	18.9
RESPIRATORY CONDITIONS-----	37,182	22,774	14,408	135.8	137.3	133.4
UPPER RESPIRATORY CONDITIONS-----	19,053	11,695	7,358	69.6	70.5	68.1
INFLUENZA-----	14,928	9,387	5,541	54.5	56.6	51.3
OTHER RESPIRATORY CONDITIONS-----	3,201	1,692	1,510	11.7	10.2	14.0
DIGESTIVE SYSTEM CONDITIONS-----	4,367	2,854	1,512	15.9	17.2	14.0
INJURIES-----	21,256	11,193	10,063	77.6	67.5	93.2
ALL OTHER ACUTE CONDITIONS-----	20,823	16,051	4,771	76.0	96.8	44.2

TABLE 11. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL AGES-----	365,936	241,784	108,394	15,758	190.2	194.4	188.4	150.7
UNDER 5 YEARS-----	66,689	44,006	20,133	2,551	340.4	349.2	328.4	297.3
5-14 YEARS-----	98,352	67,169	27,862	3,321	244.0	260.0	229.2	143.6
15-24 YEARS-----	58,943	38,125	18,724	2,094	195.3	196.5	202.2	138.0
25-44 YEARS-----	74,573	50,223	21,431	2,919	165.2	166.2	165.5	147.6
45-64 YEARS-----	48,901	31,338	13,793	3,769	124.5	122.4	124.8	143.9
65 & OVER YEARS-----	18,478	10,923	6,450	1,105	103.4	102.0	107.8	94.1
<u>MALE</u>								
ALL AGES-----	172,082	112,070	52,118	7,895	185.4	187.5	187.9	148.9
UNDER 5 YEARS-----	35,034	22,723	11,174	1,137	350.3	351.3	358.0	276.0
5-14 YEARS-----	51,389	34,861	14,524	2,004	251.0	265.3	235.0	173.1
15-24 YEARS-----	24,441	14,850	8,557	1,034	171.6	165.4	191.9	128.3
25-44 YEARS-----	31,314	20,798	9,240	1,276	145.5	144.2	150.6	134.0
45-64 YEARS-----	22,677	14,448	6,189	2,040	120.6	118.1	118.2	153.3
65 & OVER YEARS-----	7,226	4,389	2,432	*	93.1	97.2	93.5	*
<u>FEMALE</u>								
ALL AGES-----	193,854	129,715	56,276	7,863	194.7	200.8	188.8	152.5
UNDER 5 YEARS-----	31,655	21,282	8,959	1,413	330.1	347.0	297.7	316.8
5-14 YEARS-----	46,962	32,308	13,338	1,317	236.9	254.5	223.1	114.0
15-24 YEARS-----	34,502	23,275	10,167	1,060	216.5	223.2	211.8	148.9
25-44 YEARS-----	43,259	29,426	12,191	1,643	183.0	186.3	178.9	160.1
45-64 YEARS-----	26,224	16,890	7,604	1,729	128.1	126.5	130.7	134.1
65 & OVER YEARS-----	11,252	6,534	4,017	701	111.4	105.5	118.7	132.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 12. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR			
ALL AGES-----	1,378,425	897,234	412,026	69,165	716.6	721.5	716.1	661.2
UNDER 5 YEARS-----	162,484	109,825	47,035	5,624	829.3	871.4	767.3	655.5
5-14 YEARS-----	321,213	217,771	94,164	9,278	797.0	843.0	774.5	401.3
15-24 YEARS-----	199,405	126,397	62,241	10,768	660.7	651.4	672.3	709.8
25-44 YEARS-----	299,243	203,502	85,068	10,672	662.8	673.4	656.9	539.5
45-64 YEARS-----	251,251	158,341	73,438	19,472	639.8	618.7	664.2	743.2
65 & OVER YEARS-----	144,829	81,399	50,080	13,351	810.7	760.2	836.9	1,137.2
<u>MALE</u>								
ALL AGES-----	620,153	396,297	189,703	34,153	668.3	663.1	684.0	644.0
UNDER 5 YEARS-----	89,893	60,538	27,197	2,159	898.8	935.8	871.4	524.0
5-14 YEARS-----	162,568	109,282	47,914	5,372	793.9	831.8	775.3	463.9
15-24 YEARS-----	85,967	51,596	28,060	6,311	603.6	574.6	629.4	783.0
25-44 YEARS-----	120,681	79,364	36,936	4,380	560.9	550.1	602.0	460.1
45-64 YEARS-----	112,587	69,216	32,151	11,220	598.7	565.7	613.8	843.0
65 & OVER YEARS-----	48,456	26,301	17,444	4,711	624.4	582.4	670.9	731.5
<u>FEMALE</u>								
ALL AGES-----	758,273	500,938	222,323	35,012	761.6	775.5	746.0	678.9
UNDER 5 YEARS-----	72,591	49,287	19,838	3,465	757.0	803.5	659.3	776.9
5-14 YEARS-----	158,645	108,490	46,250	3,905	800.1	854.6	773.7	338.1
15-24 YEARS-----	113,438	74,801	34,180	4,457	711.8	717.4	712.1	626.0
25-44 YEARS-----	178,562	124,138	48,132	6,292	755.5	786.0	706.4	613.3
45-64 YEARS-----	138,664	89,124	41,287	8,253	677.6	667.2	709.6	640.3
65 & OVER YEARS-----	96,373	55,098	32,636	8,639	953.8	890.0	964.4	1,633.1

TABLE 13. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NCN-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR			
ALL AGES-----	572,171	381,353	165,855	24,963	297.4	306.6	288.3	238.7
UNDER 5 YEARS-----	66,155	42,867	20,633	2,655	337.7	340.1	336.6	309.4
5-14 YEARS-----	145,354	100,532	41,003	3,819	360.7	389.2	337.3	165.2
15-24 YEARS-----	95,409	59,914	31,320	4,175	316.1	308.8	338.3	275.2
25-44 YEARS-----	115,536	81,214	30,787	3,534	255.9	268.7	237.7	178.7
45-64 YEARS-----	97,822	66,456	24,646	6,720	249.1	259.7	222.9	256.5
65 & OVER YEARS-----	51,895	30,370	17,465	4,060	290.5	283.6	291.9	345.8
<u>MALE</u>								
ALL AGES-----	252,869	164,595	77,107	11,167	272.5	275.4	278.0	210.6
UNDER 5 YEARS-----	35,444	22,385	12,032	*	354.4	346.0	385.5	*
5-14 YEARS-----	72,517	50,304	19,602	2,612	354.2	382.9	317.2	225.6
15-24 YEARS-----	39,022	22,478	14,218	2,326	274.0	250.3	318.9	288.6
25-44 YEARS-----	42,060	28,709	12,507	*	195.5	199.0	203.8	*
45-64 YEARS-----	47,484	31,018	13,294	3,172	252.5	253.5	253.8	238.3
65 & OVER YEARS-----	16,341	9,701	5,455	*	210.6	214.8	209.8	*
<u>FEMALE</u>								
ALL AGES-----	319,302	216,759	88,747	13,796	320.7	335.6	297.8	267.5
UNDER 5 YEARS-----	30,711	20,482	8,601	1,628	320.3	333.9	285.8	365.0
5-14 YEARS-----	72,837	50,228	21,401	*	367.4	395.7	358.0	*
15-24 YEARS-----	56,387	37,436	17,102	1,849	353.8	359.1	356.3	259.7
25-44 YEARS-----	73,476	52,505	18,280	2,691	310.9	332.4	268.3	262.3
45-64 YEARS-----	50,338	35,438	11,352	3,548	246.0	265.3	195.1	275.3
65 & OVER YEARS-----	35,553	20,669	12,010	2,874	351.9	333.9	354.9	543.3

TABLE 14. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	365,936	241,784	108,394	15,758	190.2	194.4	188.4	150.7
INFECTIVE AND PARASITIC DISEASES--	45,526	31,528	12,739	1,259	23.7	25.4	22.1	12.0
RESPIRATORY CONDITIONS-----	201,016	132,748	59,779	8,489	104.5	106.7	103.9	81.2
UPPER RESPIRATORY CONDITIONS----	138,939	93,956	39,141	5,842	72.2	75.5	68.0	55.9
INFLUENZA-----	55,382	34,426	18,673	2,283	28.8	27.7	32.5	21.8
OTHER RESPIRATORY CONDITIONS----	6,695	4,365	1,965	*	3.5	3.5	3.4	*
DIGESTIVE SYSTEM CONDITIONS----	17,292	10,710	5,578	1,004	9.0	8.6	9.7	9.6
INJURIES-----	54,127	35,877	15,858	2,392	28.1	28.8	27.6	22.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,298	10,093	4,458	747	8.0	8.1	7.7	7.1
OPEN WOUNDS AND LACERATIONS----	16,657	10,469	5,342	845	8.7	8.4	9.3	8.1
CONTUSIONS AND SUPERFICIAL INJURIES-----	9,500	6,478	2,588	*	4.9	5.2	4.5	*
OTHER CURRENT INJURIES-----	12,672	8,837	3,470	*	6.6	7.1	6.0	*
ALL OTHER ACUTE CONDITIONS----	47,975	30,921	14,441	2,613	24.9	24.9	25.1	25.0
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	172,082	112,070	52,118	7,895	185.4	187.5	187.9	148.9
INFECTIVE AND PARASITIC DISEASES--	21,208	14,815	5,699	*	22.9	24.8	20.5	*
RESPIRATORY CONDITIONS-----	93,314	60,300	28,973	4,041	100.6	100.9	104.5	76.2
UPPER RESPIRATORY CONDITIONS----	64,762	43,640	18,415	2,707	69.8	73.0	66.4	51.0
INFLUENZA-----	25,098	14,620	9,333	1,145	27.0	24.5	33.7	21.6
OTHER RESPIRATORY CONDITIONS----	3,454	2,040	1,225	*	3.7	3.4	4.4	*
DIGESTIVE SYSTEM CONDITIONS----	8,244	5,351	2,325	*	8.9	9.0	8.4	*
INJURIES-----	31,516	20,291	9,790	1,435	34.0	34.0	35.3	27.1
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	8,447	5,220	2,636	*	9.1	8.7	9.5	*
OPEN WOUNDS AND LACERATIONS----	10,421	6,318	3,624	*	11.2	10.6	13.1	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	4,885	3,162	1,580	*	5.3	5.3	5.7	*
OTHER CURRENT INJURIES-----	7,764	5,591	1,950	*	8.4	9.4	7.0	*
ALL OTHER ACUTE CONDITIONS----	17,799	11,312	5,330	1,157	19.2	18.9	19.2	21.8
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	193,854	129,715	56,276	7,863	194.7	200.8	188.8	152.5
INFECTIVE AND PARASITIC DISEASES--	24,318	16,713	7,040	*	24.4	25.9	23.6	*
RESPIRATORY CONDITIONS-----	107,702	72,447	30,806	4,448	108.2	112.2	103.4	86.3
UPPER RESPIRATORY CONDITIONS----	74,177	50,316	20,726	3,135	74.5	77.9	69.5	60.8
INFLUENZA-----	30,284	19,806	9,340	1,138	30.4	30.7	31.3	22.1
OTHER RESPIRATORY CONDITIONS----	3,240	2,326	740	*	3.3	3.6	2.5	*
DIGESTIVE SYSTEM CONDITIONS----	9,048	5,359	3,253	*	9.1	8.3	10.9	*
INJURIES-----	22,611	15,587	6,067	957	22.7	24.1	20.4	18.6
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	6,851	4,872	1,823	*	6.9	7.5	6.1	*
OPEN WOUNDS AND LACERATIONS----	6,236	4,152	1,718	*	6.3	6.4	5.8	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	4,615	3,316	1,007	*	4.6	5.1	3.4	*
OTHER CURRENT INJURIES-----	4,908	3,246	1,519	*	4.9	5.0	5.1	*
ALL OTHER ACUTE CONDITIONS----	30,176	19,609	9,111	1,456	30.3	30.4	30.6	28.2

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 15. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	1,378,425	897,234	412,026	69,165	716.6	721.5	716.1	661.2
INFECTIVE AND PARASITIC DISEASES--	182,699	123,872	54,451	4,376	95.0	99.6	94.6	41.8
RESPIRATORY CONDITIONS-----	590,783	392,286	173,019	25,478	307.1	315.4	300.7	243.6
UPPER RESPIRATORY CONDITIONS----	354,297	243,826	96,481	13,990	184.2	196.1	167.7	133.7
INFLUENZA-----	186,514	116,182	62,429	7,903	97.0	93.4	108.5	75.6
OTHER RESPIRATORY CONDITIONS----	49,972	32,277	14,109	3,586	26.0	26.0	24.5	34.3
DIGESTIVE SYSTEM CONDITIONS----	62,822	42,676	15,477	4,669	32.7	34.3	26.9	44.6
INJURIES-----	324,543	198,768	105,117	20,658	168.7	159.8	182.7	197.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	186,671	115,081	61,767	9,824	97.0	92.5	107.4	93.9
OPEN WOUNDS AND LACERATIONS----	49,656	28,078	16,627	4,951	25.8	22.6	28.9	47.3
CONTUSIONS AND SUPERFICIAL INJURIES-----	43,179	27,687	13,417	2,075	22.4	22.3	23.3	19.8
OTHER CURRENT INJURIES-----	45,036	27,922	13,306	3,809	23.4	22.5	23.1	36.4
ALL OTHER ACUTE CONDITIONS-----	217,578	139,632	63,962	13,984	113.1	112.3	111.2	133.7
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	620,153	396,297	189,703	34,153	668.3	663.1	684.0	644.0
INFECTIVE AND PARASITIC DISEASES--	88,475	59,548	26,452	2,475	95.3	99.6	95.4	46.7
RESPIRATORY CONDITIONS-----	266,560	174,846	81,271	10,442	287.2	292.6	293.0	196.9
UPPER RESPIRATORY CONDITIONS----	162,791	113,498	44,135	5,159	175.4	189.9	159.1	97.3
INFLUENZA-----	81,479	48,305	29,864	3,310	87.8	80.8	107.7	62.4
OTHER RESPIRATORY CONDITIONS----	22,291	13,044	7,273	1,973	24.0	21.8	26.2	37.2
DIGESTIVE SYSTEM CONDITIONS----	27,921	18,832	5,545	3,544	30.1	31.5	20.0	66.8
INJURIES-----	171,337	102,248	56,504	12,585	184.6	171.1	203.7	237.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	97,752	60,227	31,759	5,766	105.3	100.8	114.5	108.7
OPEN WOUNDS AND LACERATIONS----	32,008	17,023	10,890	4,095	34.5	28.5	39.3	77.2
CONTUSIONS AND SUPERFICIAL INJURIES-----	15,814	10,008	5,033	*	17.0	16.7	18.1	*
OTHER CURRENT INJURIES-----	25,763	14,989	8,822	1,952	27.8	25.1	31.8	36.8
ALL OTHER ACUTE CONDITIONS-----	65,860	40,822	19,931	5,107	71.0	68.3	71.9	96.3
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	758,273	500,938	222,323	35,012	761.6	775.5	746.0	678.9
INFECTIVE AND PARASITIC DISEASES--	94,224	64,324	27,998	1,901	94.6	99.6	93.9	36.9
RESPIRATORY CONDITIONS-----	324,223	217,439	91,748	15,035	325.7	336.6	307.9	291.5
UPPER RESPIRATORY CONDITIONS----	191,506	130,329	52,347	8,831	192.4	201.8	175.6	171.2
INFLUENZA-----	105,035	67,878	32,565	4,592	105.5	105.1	109.3	89.0
OTHER RESPIRATORY CONDITIONS----	27,681	19,233	6,836	1,612	27.8	29.8	22.9	31.3
DIGESTIVE SYSTEM CONDITIONS----	34,902	23,844	9,932	*	35.1	36.9	33.3	*
INJURIES-----	153,206	96,520	48,613	8,073	153.9	149.4	163.1	156.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	88,919	54,854	30,008	4,058	89.3	84.9	100.7	78.7
OPEN WOUNDS AND LACERATIONS----	17,648	11,055	5,737	*	17.7	17.1	19.3	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	27,365	17,678	8,384	*	27.5	27.4	28.1	*
OTHER CURRENT INJURIES-----	19,274	12,933	4,484	1,857	19.4	20.0	15.0	36.0
ALL OTHER ACUTE CONDITIONS-----	151,719	98,810	44,031	8,877	152.4	153.0	147.7	172.1

TABLE 16. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM	ALL AREAS	ALL SMSA	NON-SMSA NONFARM	NON-SMSA FARM
<b>BOTH SEXES</b>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS-----	572,171	381,353	165,855	24,963	297.4	306.6	288.3	238.7
INFECTIVE AND PARASITIC DISEASES--	85,526	57,905	25,584	2,037	44.5	46.6	44.5	19.5
RESPIRATORY CONDITIONS-----	283,324	192,640	80,683	10,001	147.3	154.9	140.2	95.6
UPPER RESPIRATORY CONDITIONS----	152,821	111,323	36,771	4,727	79.4	89.5	63.9	45.2
INFLUENZA-----	102,016	63,690	35,083	3,243	53.0	51.2	61.0	31.0
OTHER RESPIRATORY CONDITIONS----	28,487	17,626	8,829	2,032	14.8	14.2	15.3	19.4
DIGESTIVE SYSTEM CONDITIONS----	31,331	22,826	6,305	2,200	16.3	18.4	11.0	21.0
INJURIES-----	87,264	52,807	28,279	6,178	45.4	42.5	49.1	59.1
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	48,950	31,386	15,477	2,086	25.4	25.2	26.9	19.9
OPEN WOUNDS AND LACERATIONS----	12,358	6,340	4,532	*	6.4	5.1	7.9	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	10,557	6,170	3,765	*	5.5	5.0	6.5	*
OTHER CURRENT INJURIES-----	15,398	8,911	4,505	1,983	8.0	7.2	7.8	19.0
ALL OTHER ACUTE CONDITIONS-----	84,726	55,175	25,004	4,547	44.0	44.4	43.5	43.5
<b>MALE</b>								
ALL ACUTE CONDITIONS-----	252,869	164,595	77,107	11,167	272.5	275.4	278.0	210.6
INFECTIVE AND PARASITIC DISEASES--	38,827	26,235	11,500	*	41.8	43.9	41.5	*
RESPIRATORY CONDITIONS-----	129,501	85,807	39,690	4,003	139.5	143.6	143.1	75.5
UPPER RESPIRATORY CONDITIONS----	71,233	52,227	17,410	1,597	76.8	87.4	62.8	30.1
INFLUENZA-----	44,195	26,134	16,587	*	47.6	43.7	59.8	*
OTHER RESPIRATORY CONDITIONS----	14,072	7,446	5,694	*	15.2	12.5	20.5	*
DIGESTIVE SYSTEM CONDITIONS----	15,618	11,136	2,860	1,622	16.8	18.6	10.3	30.6
INJURIES-----	44,292	25,761	15,387	3,143	47.7	43.1	55.5	59.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	24,949	16,186	8,022	*	26.9	27.1	28.9	*
OPEN WOUNDS AND LACERATIONS----	7,544	2,909	3,216	*	8.1	4.9	11.6	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	3,677	1,761	*	*	4.0	2.9	*	*
OTHER CURRENT INJURIES-----	8,122	4,906	2,670	*	8.8	8.2	9.6	*
ALL OTHER ACUTE CONDITIONS-----	24,632	15,656	7,670	*	26.5	26.2	27.7	*
<b>FEMALE</b>								
ALL ACUTE CONDITIONS-----	319,302	216,759	88,747	13,796	320.7	335.6	297.8	267.5
INFECTIVE AND PARASITIC DISEASES--	46,699	31,671	14,084	*	46.9	49.0	47.3	*
RESPIRATORY CONDITIONS-----	153,823	106,833	40,993	5,998	154.5	165.4	137.6	116.3
UPPER RESPIRATORY CONDITIONS----	81,588	59,097	19,361	3,130	82.0	91.5	65.0	60.7
INFLUENZA-----	57,821	37,556	18,496	1,768	58.1	58.1	62.1	34.3
OTHER RESPIRATORY CONDITIONS----	14,415	10,180	3,135	*	14.5	15.8	10.5	*
DIGESTIVE SYSTEM CONDITIONS----	15,713	11,691	3,444	*	15.8	18.1	11.6	*
INJURIES-----	42,972	27,046	12,892	3,035	43.2	41.9	43.3	58.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	24,001	15,201	7,455	*	24.1	23.5	25.0	*
OPEN WOUNDS AND LACERATIONS----	4,814	3,431	*	*	4.8	5.3	*	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	6,880	4,409	2,286	*	6.9	6.8	7.7	*
OTHER CURRENT INJURIES-----	7,277	4,005	1,835	*	7.3	6.2	6.2	*
ALL OTHER ACUTE CONDITIONS-----	60,094	39,519	17,335	3,240	60.4	61.2	58.2	62.8



TABLE 17. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL AGES-----	365,936	93,756	100,691	105,947	65,548	190.2	194.9	187.1	180.7	206.1
UNDER 5 YEARS-----	66,689	17,095	19,223	18,953	11,418	340.4	364.9	340.7	313.1	355.8
5-14 YEARS-----	58,352	25,833	27,127	27,363	18,028	244.0	274.4	238.8	217.0	260.6
15-24 YEARS-----	58,943	13,450	16,343	17,487	11,663	195.3	187.6	198.0	180.2	230.7
25-44 YEARS-----	74,573	19,523	20,283	21,521	13,246	165.2	170.1	163.8	158.7	171.4
45-64 YEARS-----	48,901	12,709	12,573	15,121	8,497	124.5	119.9	114.9	133.5	132.8
65 & OVER YEARS-----	18,478	5,139	5,141	5,501	2,697	103.4	107.9	98.4	102.2	108.0
<u>MALE</u>										
ALL AGES-----	172,082	43,415	47,447	50,783	30,437	185.4	189.3	181.4	179.7	197.0
UNDER 5 YEARS-----	35,034	9,478	9,571	10,166	5,819	350.3	387.5	335.1	330.3	358.8
5-14 YEARS-----	51,389	13,430	14,093	14,873	8,993	251.0	283.3	241.5	231.4	258.8
15-24 YEARS-----	24,441	5,181	6,928	7,361	4,971	171.6	157.1	178.1	158.2	206.8
25-44 YEARS-----	31,314	8,545	8,573	9,035	5,160	145.5	157.8	141.4	141.0	142.1
45-64 YEARS-----	22,677	5,198	6,195	7,060	4,223	120.6	104.2	118.0	132.3	130.7
65 & OVER YEARS-----	7,226	1,582	2,087	2,288	1,270	93.1	77.2	92.3	96.8	116.8
<u>FEMALE</u>										
ALL AGES-----	193,854	50,335	53,244	55,164	35,112	194.7	200.0	192.5	181.6	214.7
UNDER 5 YEARS-----	31,655	7,617	9,652	8,787	5,599	330.1	340.2	346.3	295.2	352.8
5-14 YEARS-----	46,962	12,403	13,034	12,490	9,035	236.9	265.4	235.8	202.0	262.3
15-24 YEARS-----	34,502	8,269	9,415	10,126	6,691	216.5	213.7	215.7	200.5	252.2
25-44 YEARS-----	43,259	10,977	11,710	12,486	8,086	183.0	181.1	185.3	174.4	197.5
45-64 YEARS-----	26,224	7,511	6,378	8,061	4,273	128.1	133.9	112.0	134.5	134.9
65 & OVER YEARS-----	11,252	3,558	3,054	3,214	1,427	111.4	131.1	103.1	106.5	101.1

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 18. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL AGES-----	1,378,425	341,187	350,399	423,134	263,705	716.6	709.3	651.2	721.6	829.0
UNDER 5 YEARS-----	162,484	50,244	36,830	45,313	30,096	829.3	1,072.4	652.7	748.5	937.9
5-14 YEARS-----	321,213	84,886	84,829	86,691	64,807	797.0	901.7	746.7	687.5	936.7
15-24 YEARS-----	199,405	42,453	50,713	58,455	47,784	660.7	592.3	614.5	602.4	945.1
25-44 YEARS-----	299,243	66,035	73,448	99,055	60,706	662.8	575.4	593.2	730.2	785.6
45-64 YEARS-----	251,251	62,403	65,951	81,384	41,513	639.8	588.9	602.6	718.4	648.6
65 & OVER YEARS-----	144,829	35,165	38,629	52,237	18,799	810.7	738.5	739.3	970.9	752.6
<u>MALE</u>										
ALL AGES-----	620,153	146,128	164,027	185,566	124,431	668.3	637.1	627.3	656.6	805.3
UNDER 5 YEARS-----	89,893	27,838	18,638	26,649	16,769	898.8	1,138.1	652.6	865.8	1,033.8
5-14 YEARS-----	162,568	41,102	44,257	47,630	29,579	793.9	867.1	758.5	741.1	851.2
15-24 YEARS-----	85,967	17,586	21,978	24,272	22,132	603.6	533.2	565.1	521.8	920.6
25-44 YEARS-----	120,681	24,472	34,719	33,219	28,270	560.9	451.8	572.8	518.6	778.4
45-64 YEARS-----	112,587	24,828	30,912	36,285	20,562	598.7	497.8	589.0	679.9	636.2
65 & OVER YEARS-----	48,456	10,303	13,523	17,511	7,119	624.4	502.8	597.8	741.0	654.9
<u>FEMALE</u>										
ALL AGES-----	758,273	195,059	186,372	237,568	139,274	761.6	775.1	673.9	782.0	851.5
UNDER 5 YEARS-----	72,591	22,407	18,192	18,664	13,327	757.0	1,000.8	652.7	626.9	839.8
5-14 YEARS-----	158,645	43,784	40,572	39,061	35,228	800.1	936.8	734.1	631.9	1,022.9
15-24 YEARS-----	113,438	24,868	28,735	34,183	25,653	711.8	642.6	658.5	676.8	966.9
25-44 YEARS-----	178,562	41,563	38,729	65,835	32,435	755.5	685.9	612.7	919.7	792.1
45-64 YEARS-----	138,664	37,575	35,038	45,099	20,951	677.6	669.9	615.1	752.7	661.3
65 & OVER YEARS-----	96,373	24,862	25,106	34,725	11,679	953.8	916.4	847.3	1,150.6	827.7

TABLE 19. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

SEX AND AGE	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS					DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR				
ALL AGES-----	572,171	140,684	146,210	171,731	113,547	297.4	292.5	271.7	292.9	357.0
UNDER 5 YEARS-----	66,155	17,893	16,289	19,862	12,111	337.7	381.9	288.7	328.1	377.4
5-14 YEARS-----	145,354	38,832	35,654	40,810	30,059	360.7	412.5	313.8	323.7	434.4
15-24 YEARS-----	95,409	20,319	24,852	28,837	21,401	316.1	283.5	301.1	297.2	423.3
25-44 YEARS-----	115,536	26,177	32,441	35,608	21,310	255.9	228.1	262.0	262.5	275.8
45-64 YEARS-----	97,822	24,038	25,221	28,502	20,060	249.1	226.8	230.5	251.6	313.4
65 & OVER YEARS-----	51,895	13,425	11,752	18,112	8,605	290.5	281.9	224.9	336.7	344.5
<u>MALE</u>										
ALL AGES-----	252,869	61,751	67,104	71,030	52,984	272.5	269.2	256.6	251.3	342.9
UNDER 5 YEARS-----	35,444	9,389	7,653	11,098	7,305	354.4	383.9	268.0	360.6	450.4
5-14 YEARS-----	72,517	19,489	18,270	21,930	12,829	354.2	411.2	313.1	341.2	369.2
15-24 YEARS-----	39,022	8,925	10,993	10,067	9,037	274.0	270.6	282.7	216.4	375.9
25-44 YEARS-----	42,060	9,318	14,532	9,425	8,785	195.5	172.0	239.8	147.1	241.9
45-64 YEARS-----	47,484	11,640	11,098	13,246	11,499	252.5	233.4	211.5	248.2	355.8
65 & OVER YEARS-----	16,341	2,990	4,559	5,264	3,528	210.6	145.9	201.5	222.8	324.6
<u>FEMALE</u>										
ALL AGES-----	319,302	78,933	79,105	100,701	60,563	320.7	313.7	286.0	331.5	370.3
UNDER 5 YEARS-----	30,711	8,504	8,637	8,765	4,805	320.3	379.8	309.9	294.4	302.8
5-14 YEARS-----	72,637	19,343	17,384	18,880	17,230	367.4	413.8	314.5	305.4	500.3
15-24 YEARS-----	56,387	11,394	13,860	18,770	12,364	353.8	294.4	317.6	371.6	466.0
25-44 YEARS-----	73,476	16,859	17,909	26,183	12,526	310.9	278.2	283.3	365.8	305.9
45-64 YEARS-----	50,338	12,398	14,123	15,256	8,561	246.0	221.0	247.9	254.6	270.2
65 & OVER YEARS-----	35,553	10,435	7,193	12,848	5,077	351.9	384.6	242.8	425.7	359.8

TABLE 20. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS					NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	365,936	93,750	100,691	105,947	65,548	190.2	194.9	187.1	180.7	206.1
INFECTIVE AND PARASITIC DISEASES-----	45,526	15,972	8,450	15,921	5,182	23.7	33.2	15.7	27.1	16.3
RESPIRATORY CONDITIONS-----	201,016	48,959	60,711	51,845	39,500	104.5	101.8	112.8	88.4	124.2
UPPER RESPIRATORY CONDITIONS-----	138,939	40,398	36,855	38,423	23,264	72.2	84.0	68.5	65.5	73.1
INFLUENZA-----	55,382	6,927	21,889	11,507	15,059	28.8	14.4	40.7	19.6	47.3
OTHER RESPIRATORY CONDITIONS-----	6,695	1,635	1,968	1,915	1,177	3.5	3.4	3.7	3.3	3.7
DIGESTIVE SYSTEM CONDITIONS-----	17,292	4,721	4,237	5,604	2,730	9.0	9.8	7.9	9.6	8.6
INJURIES-----	54,127	12,369	13,538	18,097	10,122	28.1	25.7	25.2	30.9	31.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	15,298	2,666	4,216	4,730	3,666	8.0	5.6	7.8	8.1	11.5
OPEN WOUNDS AND LACERATIONS-----	16,657	3,928	4,292	5,687	2,750	8.7	8.2	8.0	9.7	8.6
CONTUSIONS AND SUPERFICIAL INJURIES-----	9,500	2,451	2,069	3,430	1,551	4.9	5.1	3.8	5.8	4.9
OTHER CURRENT INJURIES-----	12,672	3,305	2,961	4,250	2,156	6.6	6.9	5.5	7.2	6.8
ALL OTHER ACUTE CONDITIONS-----	47,975	11,727	13,754	14,479	8,014	24.9	24.4	25.6	24.7	25.2
<u>MALE</u>										
ALL ACUTE CONDITIONS-----	172,082	43,415	47,447	50,783	30,437	185.4	189.3	181.4	179.7	197.0
INFECTIVE AND PARASITIC DISEASES-----	21,208	7,032	4,062	7,828	2,286	22.9	30.7	15.5	27.7	14.8
RESPIRATORY CONDITIONS-----	93,314	22,888	28,435	24,463	17,529	100.6	99.8	108.7	86.6	113.4
UPPER RESPIRATORY CONDITIONS-----	64,762	18,881	17,193	18,241	10,448	69.8	82.3	65.7	64.5	67.6
INFLUENZA-----	25,098	3,159	10,278	5,154	6,507	27.0	13.8	39.3	18.2	42.1
OTHER RESPIRATORY CONDITIONS-----	3,454	847	964	1,068	*	3.7	3.7	3.7	3.8	*
DIGESTIVE SYSTEM CONDITIONS-----	8,244	2,279	1,902	2,761	1,303	8.9	9.9	7.3	9.8	8.4
INJURIES-----	31,516	7,154	7,840	10,221	6,301	34.0	31.2	30.0	36.2	40.8
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	8,447	1,329	2,196	2,683	2,239	9.1	5.8	8.4	9.5	14.5
OPEN WOUNDS AND LACERATIONS-----	10,421	2,538	2,252	3,651	1,980	11.2	11.1	8.6	12.9	12.8
CONTUSIONS AND SUPERFICIAL INJURIES-----	4,885	1,221	1,267	1,615	782	5.3	5.3	4.8	5.7	5.1
OTHER CURRENT INJURIES-----	7,764	2,067	2,124	2,271	1,301	8.4	9.0	8.1	8.0	8.4
ALL OTHER ACUTE CONDITIONS-----	17,799	4,062	5,209	5,511	3,017	19.2	17.7	19.9	19.5	19.5
<u>FEMALE</u>										
ALL ACUTE CONDITIONS-----	193,854	50,335	53,244	55,164	35,112	194.7	200.0	192.5	181.6	214.7
INFECTIVE AND PARASITIC DISEASES-----	24,318	8,940	4,388	8,093	2,896	24.4	35.5	15.9	26.6	17.7
RESPIRATORY CONDITIONS-----	107,702	26,072	32,276	27,382	21,971	108.2	103.6	116.7	90.1	134.3
UPPER RESPIRATORY CONDITIONS-----	74,177	21,517	19,662	20,183	12,816	74.5	85.5	71.1	66.4	78.4
INFLUENZA-----	30,284	3,767	11,611	6,353	8,553	30.4	15.0	42.0	20.9	52.3
OTHER RESPIRATORY CONDITIONS-----	3,240	788	1,004	846	*	3.3	3.1	3.6	2.8	*
DIGESTIVE SYSTEM CONDITIONS-----	9,048	2,443	2,335	2,843	1,426	9.1	9.7	8.4	9.4	8.7
INJURIES-----	22,611	5,215	5,699	7,876	3,821	22.7	20.7	20.6	25.9	23.4
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	6,851	1,357	2,020	2,047	1,427	6.9	5.4	7.3	6.7	8.7
OPEN WOUNDS AND LACERATIONS-----	6,236	1,390	2,040	2,036	770	6.3	5.5	7.4	6.7	4.7
CONTUSIONS AND SUPERFICIAL INJURIES-----	4,615	1,230	801	1,815	769	4.6	4.9	2.9	6.0	4.7
OTHER CURRENT INJURIES-----	4,908	1,238	837	1,979	855	4.9	4.9	3.0	6.5	5.2
ALL OTHER ACUTE CONDITIONS-----	30,176	7,665	8,545	8,968	4,997	30.3	30.5	30.9	29.5	30.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 21. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH-CENTRAL	SOUTH	WEST
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS					DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR				
ALL ACUTE CONDITIONS-----	1,378,425	341,187	350,399	423,134	263,705	716.6	709.3	651.2	721.6	829.0
INFECTIVE AND PARASITIC DISEASES-----	182,699	60,366	38,535	59,761	24,017	95.0	125.5	71.6	101.9	75.5
RESPIRATORY CONDITIONS-----	590,783	149,116	153,875	165,812	121,980	307.1	310.0	286.0	282.8	383.5
UPPER RESPIRATORY CONDITIONS-----	354,297	112,613	84,693	97,648	59,343	184.2	234.1	157.4	166.5	186.6
INFLUENZA-----	186,514	20,666	58,020	51,624	56,204	97.0	43.0	107.8	88.0	176.7
OTHER RESPIRATORY CONDITIONS-----	49,972	15,837	11,161	16,540	6,433	26.0	32.9	20.7	28.2	20.2
DIGESTIVE SYSTEM CONDITIONS-----	62,822	12,952	14,446	19,779	15,646	32.7	26.9	26.8	33.7	49.2
INJURIES-----	324,543	72,857	80,871	103,342	67,472	168.7	151.5	150.3	176.2	212.1
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	186,671	39,730	49,045	55,831	42,065	97.0	82.6	91.1	95.2	132.2
OPEN WOUNDS AND LACERATIONS-----	49,656	11,235	12,555	18,418	7,448	25.8	23.4	23.3	31.4	23.4
CONTUSIONS AND SUPERFICIAL INJURIES-----	43,179	10,048	10,084	13,604	9,442	22.4	20.9	18.7	23.2	29.7
OTHER CURRENT INJURIES-----	45,036	11,844	9,186	15,489	8,517	23.4	24.6	17.1	26.4	26.8
ALL OTHER ACUTE CONDITIONS-----	217,578	45,876	62,672	74,440	34,590	113.1	95.4	116.5	126.9	108.7
<b>MALE</b>										
ALL ACUTE CONDITIONS-----	620,153	146,128	164,027	185,566	124,431	668.3	637.1	627.3	656.6	805.3
INFECTIVE AND PARASITIC DISEASES-----	88,475	26,445	22,080	29,056	10,894	95.3	115.3	84.4	102.8	70.5
RESPIRATORY CONDITIONS-----	266,560	67,544	69,678	76,351	52,987	287.2	294.5	266.5	270.1	342.9
UPPER RESPIRATORY CONDITIONS-----	162,791	51,645	38,711	45,546	26,888	175.4	225.2	148.0	161.2	174.0
INFLUENZA-----	81,479	8,651	25,789	23,588	23,451	87.8	37.7	98.6	83.5	151.8
OTHER RESPIRATORY CONDITIONS-----	22,291	7,247	5,178	7,217	2,649	24.0	31.6	19.8	25.5	17.1
DIGESTIVE SYSTEM CONDITIONS-----	27,921	5,401	6,782	7,763	7,975	30.1	23.5	25.9	27.5	51.6
INJURIES-----	171,337	33,362	45,113	51,158	41,703	184.6	145.5	172.5	181.0	269.9
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	97,752	17,072	26,923	25,981	27,776	105.3	74.4	103.0	91.9	179.8
OPEN WOUNDS AND LACERATIONS-----	32,008	6,340	8,722	11,431	5,516	34.5	27.6	33.4	40.4	35.7
CONTUSIONS AND SUPERFICIAL INJURIES-----	15,814	3,370	4,430	4,392	3,621	17.0	14.7	16.9	15.5	23.4
OTHER CURRENT INJURIES-----	25,763	6,580	5,038	9,354	4,791	27.8	28.7	19.3	33.1	31.0
ALL OTHER ACUTE CONDITIONS-----	65,860	13,377	20,374	21,238	10,871	71.0	58.3	77.9	75.1	70.4
<b>FEMALE</b>										
ALL ACUTE CONDITIONS-----	758,273	195,059	186,372	237,568	139,274	761.6	775.1	673.9	782.0	851.5
INFECTIVE AND PARASITIC DISEASES-----	94,224	33,941	16,456	30,705	13,123	94.6	134.9	59.5	101.1	80.2
RESPIRATORY CONDITIONS-----	324,223	81,572	84,197	89,461	68,992	325.7	324.1	304.4	294.5	421.8
UPPER RESPIRATORY CONDITIONS-----	191,506	60,968	45,982	52,101	32,455	192.4	242.3	166.3	171.5	198.4
INFLUENZA-----	105,035	12,014	32,232	28,037	32,753	105.5	47.7	116.5	92.3	200.2
OTHER RESPIRATORY CONDITIONS-----	27,681	8,590	5,983	9,324	3,785	27.8	34.1	21.6	30.7	23.1
DIGESTIVE SYSTEM CONDITIONS-----	34,902	7,551	7,664	12,016	7,670	35.1	30.0	27.7	39.6	46.9
INJURIES-----	153,206	39,495	35,758	52,184	25,769	153.9	156.9	129.3	171.8	157.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	88,919	22,658	22,122	29,850	14,290	89.3	90.0	80.0	98.3	87.4
OPEN WOUNDS AND LACERATIONS-----	17,648	4,895	3,833	6,987	1,932	17.7	19.5	13.9	23.0	11.8
CONTUSIONS AND SUPERFICIAL INJURIES-----	27,365	6,678	5,654	9,212	5,821	27.5	26.5	20.4	30.3	35.6
OTHER CURRENT INJURIES-----	19,274	5,264	4,148	6,135	3,726	19.4	20.9	15.0	20.2	22.8
ALL OTHER ACUTE CONDITIONS-----	151,719	32,499	42,298	53,202	23,720	152.4	129.1	152.9	175.1	145.0

TABLE 22. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II

SEX AND CONDITION GROUP	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS					DAYS OF BED DISABILITY PER 100 PERSONS - PER YEAR				
ALL ACUTE CONDITIONS-----	572,171	140,684	146,210	171,731	113,547	297.4	292.5	271.7	292.9	357.0
INFECTIVE AND PARASITIC DISEASES-----	85,526	27,798	16,641	29,875	11,213	44.5	57.8	30.9	50.9	35.3
RESPIRATORY CONDITIONS-----	283,324	68,739	75,884	77,604	61,096	147.3	142.9	141.0	132.3	192.1
UPPER RESPIRATORY CONDITIONS-----	152,821	49,859	37,080	39,098	26,785	79.4	103.7	68.9	66.7	84.2
INFLUENZA-----	102,016	10,443	31,888	28,990	30,694	53.0	21.7	59.3	49.4	96.5
OTHER RESPIRATORY CONDITIONS-----	28,487	8,437	6,916	9,517	3,617	14.8	17.5	12.9	16.2	11.4
DIGESTIVE SYSTEM CONDITIONS-----	31,331	6,015	6,876	9,719	8,722	16.3	12.5	12.8	16.6	27.4
INJURIES-----	87,264	18,732	20,279	27,418	20,834	45.4	38.9	37.7	46.8	65.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	48,950	9,079	12,615	13,352	13,905	25.4	18.9	23.4	22.8	43.7
OPEN WOUNDS AND LACERATIONS-----	12,358	2,233	3,048	5,491	1,588	6.4	4.6	5.7	9.4	5.0
CONTUSIONS AND SUPERFICIAL INJURIES-----	10,557	3,586	*	3,869	1,686	5.5	7.5	*	6.6	5.3
OTHER CURRENT INJURIES-----	15,398	3,835	3,201	4,707	3,656	8.0	8.0	5.9	8.0	11.5
ALL OTHER ACUTE CONDITIONS-----	84,726	19,399	26,531	27,115	11,681	44.0	40.3	49.3	46.2	36.7
<u>MALE</u>										
ALL ACUTE CONDITIONS-----	252,869	61,751	67,104	71,030	52,984	272.5	269.2	256.6	251.3	342.9
INFECTIVE AND PARASITIC DISEASES-----	38,827	10,682	9,780	13,957	4,408	41.8	46.6	37.4	49.4	28.5
RESPIRATORY CONDITIONS-----	129,501	32,392	34,152	36,562	26,395	139.5	141.2	130.6	129.4	170.8
UPPER RESPIRATORY CONDITIONS-----	71,233	23,775	16,558	18,313	12,588	76.8	103.7	63.3	64.8	81.5
INFLUENZA-----	44,195	4,466	14,364	13,421	11,944	47.6	19.5	54.9	47.5	77.3
OTHER RESPIRATORY CONDITIONS-----	14,072	4,150	3,231	4,828	1,863	15.2	18.1	12.4	17.1	12.1
DIGESTIVE SYSTEM CONDITIONS-----	15,618	3,115	2,934	4,306	5,263	16.8	13.6	11.2	15.2	34.1
INJURIES-----	44,292	9,314	12,571	9,422	12,984	47.7	40.6	48.1	33.3	84.0
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	24,949	4,090	6,787	3,816	10,255	26.9	17.8	26.0	13.5	66.4
OPEN WOUNDS AND LACERATIONS-----	7,544	*	2,463	2,983	*	8.1	*	9.4	10.6	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	3,677	1,575	*	*	*	4.0	6.9	*	*	*
OTHER CURRENT INJURIES-----	8,122	2,587	2,412	1,840	*	8.8	11.3	9.2	6.5	*
ALL OTHER ACUTE CONDITIONS-----	24,632	6,248	7,668	6,782	3,934	26.5	27.2	29.3	24.0	25.5
<u>FEMALE</u>										
ALL ACUTE CONDITIONS-----	319,302	78,933	79,105	100,701	60,563	320.7	313.7	286.0	331.5	370.3
INFECTIVE AND PARASITIC DISEASES-----	46,699	17,116	6,861	15,917	6,805	46.9	68.0	24.8	52.4	41.6
RESPIRATORY CONDITIONS-----	153,823	36,347	41,732	41,042	34,702	154.5	144.4	150.9	135.1	212.2
UPPER RESPIRATORY CONDITIONS-----	81,588	26,084	20,522	20,785	14,197	82.0	103.7	74.2	68.4	86.8
INFLUENZA-----	57,821	5,977	17,525	15,569	18,750	58.1	23.8	63.4	51.3	114.6
OTHER RESPIRATORY CONDITIONS-----	14,415	4,287	3,685	4,689	1,755	14.5	17.0	13.3	15.4	10.7
DIGESTIVE SYSTEM CONDITIONS-----	15,713	2,899	3,942	5,413	3,459	15.8	11.5	14.3	17.8	21.1
INJURIES-----	42,972	9,418	7,708	17,996	7,850	43.2	37.4	27.9	59.2	48.0
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS-----	24,001	4,989	5,828	9,535	3,649	24.1	19.8	21.1	31.4	22.3
OPEN WOUNDS AND LACERATIONS-----	4,814	*	*	2,508	*	4.8	*	*	8.3	*
CONTUSIONS AND SUPERFICIAL INJURIES-----	6,880	2,011	*	3,086	*	6.9	8.0	*	10.2	*
OTHER CURRENT INJURIES-----	7,277	*	*	2,867	2,373	7.3	*	*	9.4	14.5
ALL OTHER ACUTE CONDITIONS-----	60,094	13,152	18,863	20,332	7,747	60.4	52.3	68.2	66.9	47.4

TABLE 23. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS In THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER			
ALL AGES----	66,910	100,448	117,157	81,421	34.9	52.3	60.8	42.2
UNDER 5 YEARS-----	12,837	19,153	19,950	14,750	64.8	97.3	102.1	76.3
5-14 YEARS-----	16,415	28,573	31,411	21,952	40.9	71.0	77.8	54.2
15-24 YEARS-----	11,081	15,600	18,855	13,407	37.1	51.9	62.4	44.0
25-44 YEARS-----	14,753	18,925	24,466	16,428	32.7	42.0	54.2	36.4
45-64 YEARS-----	8,701	13,306	15,766	11,128	22.3	33.9	40.1	28.2
65 & OVER YEARS---	3,124	4,890	6,709	3,755	17.6	27.4	37.5	20.9
<u>MALE</u>								
ALL AGES----	31,504	47,813	53,889	38,876	34.0	51.6	58.0	41.8
UNDER 5 YEARS-----	7,031	9,355	10,630	8,019	69.6	93.1	106.6	81.2
5-14 YEARS-----	8,757	14,836	15,618	12,178	43.0	72.6	76.1	59.2
15-24 YEARS-----	4,474	6,866	7,411	5,691	31.6	48.3	52.1	39.6
25-44 YEARS-----	6,133	8,496	10,120	6,565	28.5	39.5	47.0	30.5
45-64 YEARS-----	4,027	6,019	7,401	5,230	21.5	32.1	39.3	27.7
65 & OVER YEARS---	*	*	2,710	*	*	*	34.9	*
<u>FEMALE</u>								
ALL AGES----	35,406	52,635	63,268	42,545	35.7	52.9	63.5	42.6
UNDER 5 YEARS-----	5,806	9,798	9,320	6,731	59.9	101.6	97.5	71.1
5-14 YEARS-----	7,657	13,737	15,793	9,774	38.8	69.4	79.5	49.1
15-24 YEARS-----	6,607	8,734	11,444	7,717	42.0	55.0	71.5	47.8
25-44 YEARS-----	8,620	10,429	14,346	9,864	36.5	44.2	60.7	41.7
45-64 YEARS-----	4,674	7,287	8,365	5,898	23.0	35.7	40.8	28.6
65 & OVER YEARS---	*	2,649	4,000	2,561	*	26.3	39.5	25.1

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 24. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS				NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS--	66,910	100,448	117,157	81,421	34.9	52.3	60.8	42.2
INFECTIVE AND PARASITIC DISEASES-----	8,795	11,721	14,401	10,609	4.6	6.1	7.5	5.5
RESPIRATORY CONDITIONS--	26,862	60,306	74,119	39,729	14.0	31.4	38.5	20.6
UPPER RESPIRATORY CONDITIONS-----	19,192	41,956	49,700	28,091	10.0	21.8	25.8	14.6
INFLUENZA-----	6,630	16,581	22,185	9,985	3.5	8.6	11.5	5.2
OTHER RESPIRATORY CONDITIONS-----	*	*	*	*	*	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	5,313	3,398	4,371	4,210	2.8	1.8	2.3	2.2
INJURIES-----	14,043	12,626	12,886	14,572	7.3	6.6	6.7	7.6
ALL OTHER ACUTE CONDITIONS-----	11,896	12,397	11,380	12,301	6.2	6.5	5.9	6.4
<u>MALE</u>								
ALL ACUTE CONDITIONS--	31,504	47,813	53,889	38,876	34.0	51.6	58.0	41.8
INFECTIVE AND PARASITIC DISEASES-----	3,818	5,563	6,523	5,304	4.1	6.0	7.0	5.7
RESPIRATORY CONDITIONS--	12,339	27,828	34,688	18,458	13.3	30.0	37.4	19.8
UPPER RESPIRATORY CONDITIONS-----	8,878	19,380	23,261	13,243	9.6	20.9	25.1	14.2
INFLUENZA-----	2,990	7,440	10,213	4,455	3.2	8.0	11.0	4.8
OTHER RESPIRATORY CONDITIONS-----	*	*	*	*	*	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	2,678	*	*	*	2.9	*	*	*
INJURIES-----	8,362	7,741	6,769	8,643	9.0	8.3	7.3	9.3
ALL OTHER ACUTE CONDITIONS-----	4,306	5,219	3,831	4,443	4.7	5.6	4.1	4.8
<u>FEMALE</u>								
ALL ACUTE CONDITIONS--	35,406	52,635	63,268	42,545	35.7	52.9	63.5	42.6
INFECTIVE AND PARASITIC DISEASES-----	4,977	6,158	7,878	5,305	5.0	6.2	7.9	5.3
RESPIRATORY CONDITIONS--	14,523	32,477	39,431	21,270	14.7	32.7	39.6	21.3
UPPER RESPIRATORY CONDITIONS-----	10,314	22,576	26,439	14,848	10.4	22.7	26.5	14.9
INFLUENZA-----	3,640	9,141	11,973	5,530	3.7	9.2	12.0	5.5
OTHER RESPIRATORY CONDITIONS-----	*	*	*	*	*	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	2,635	*	*	*	2.7	*	*	*
INJURIES-----	5,681	4,884	6,116	5,929	5.7	4.9	6.1	5.9
ALL OTHER ACUTE CONDITIONS-----	7,590	7,178	7,549	7,858	7.7	7.2	7.6	7.9

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.



TABLE 25. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES----	260,258	364,300	433,899	319,968	155.8	189.6	225.3	165.8
UNDER 5 YEARS----	27,365	50,471	50,290	34,358	138.2	256.3	257.4	177.7
5-14 YEARS-----	49,817	89,205	104,536	77,654	124.2	221.7	259.0	191.7
15-24 YEARS-----	42,121	52,663	58,516	46,105	140.9	175.1	193.6	151.1
25-44 YEARS-----	65,316	72,434	96,484	65,009	144.8	160.6	213.6	143.9
45-64 YEARS-----	47,725	61,219	80,912	61,395	122.2	156.2	205.7	155.5
65 & OVER YEARS---	27,913	38,308	43,161	35,447	157.3	214.8	241.1	197.2
<u>MALE</u>								
ALL AGES----	112,979	169,516	195,028	142,629	122.0	182.8	210.1	153.3
UNDER 5 YEARS----	13,699	26,749	29,268	20,177	135.5	266.1	293.4	204.4
5-14 YEARS-----	24,144	46,201	50,286	41,937	118.5	226.0	245.2	203.8
15-24 YEARS-----	19,610	25,700	21,200	19,458	138.6	180.9	149.0	135.4
25-44 YEARS-----	23,558	31,535	41,708	23,880	109.5	146.8	193.7	110.9
45-64 YEARS-----	21,875	25,177	40,097	25,437	116.8	134.1	212.9	134.7
65 & OVER YEARS---	10,094	14,155	12,468	11,740	130.6	182.6	160.4	150.7
<u>FEMALE</u>								
ALL AGES----	147,279	194,784	238,871	177,339	148.6	195.9	239.6	177.4
UNDER 5 YEARS----	13,667	23,722	21,021	14,181	141.0	246.1	219.8	149.9
5-14 YEARS-----	25,673	43,005	54,250	35,717	130.1	217.3	273.2	179.3
15-24 YEARS-----	22,511	26,963	37,317	26,647	143.0	169.9	233.3	165.2
25-44 YEARS-----	41,758	40,900	54,776	41,129	176.9	173.2	231.7	173.8
45-64 YEARS-----	25,851	36,042	40,814	35,958	127.1	176.5	199.1	174.6
65 & OVER YEARS---	17,820	24,153	30,693	23,707	177.9	239.6	302.9	232.7

TABLE 26. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<b>BOTH SEXES</b>	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS--	260,258	364,300	433,899	319,968	135.8	189.6	225.3	165.8
INFECTIVE AND PARASITIC DISEASES-----	30,459	43,359	60,970	47,911	15.9	22.6	31.7	24.8
RESPIRATORY CONDITIONS--	67,269	171,347	228,013	124,155	35.1	89.2	118.4	64.3
UPPER RESPIRATORY CONDITIONS-----	39,818	106,821	133,811	73,847	20.8	55.6	69.5	38.3
INFLUENZA-----	19,695	49,767	78,516	38,536	10.3	25.9	40.8	20.0
OTHER RESPIRATORY CONDITIONS-----	7,756	14,758	15,685	11,772	4.0	7.7	8.1	6.1
DIGESTIVE SYSTEM CONDITIONS-----	15,923	14,712	16,595	15,593	8.3	7.7	8.6	8.1
INJURIES-----	85,575	83,652	76,202	79,113	44.6	43.5	39.6	41.0
ALL OTHER ACUTE CONDITIONS-----	61,032	51,230	52,120	53,196	31.8	26.7	27.1	27.6
<b>MALE</b>								
ALL ACUTE CONDITIONS--	112,979	169,516	195,028	142,629	122.0	182.8	210.1	153.3
INFECTIVE AND PARASITIC DISEASES-----	15,590	19,803	26,994	26,088	16.8	21.4	29.1	28.0
RESPIRATORY CONDITIONS--	29,489	79,095	102,453	55,523	31.8	85.3	110.3	59.7
UPPER RESPIRATORY CONDITIONS-----	18,696	48,466	61,678	33,950	20.2	52.3	66.4	36.5
INFLUENZA-----	8,760	22,420	34,292	16,008	9.5	24.2	36.9	17.2
OTHER RESPIRATORY CONDITIONS-----	*	8,209	6,484	*	*	8.9	7.0	*
DIGESTIVE SYSTEM CONDITIONS-----	7,045	6,084	8,295	6,496	7.6	6.6	8.9	7.0
INJURIES-----	43,692	49,227	38,849	39,568	47.2	53.1	41.8	42.5
ALL OTHER ACUTE CONDITIONS-----	17,162	15,307	18,437	14,955	18.5	16.5	19.9	16.1
<b>FEMALE</b>								
ALL ACUTE CONDITIONS--	147,279	194,784	238,871	177,339	148.6	195.9	239.6	177.4
INFECTIVE AND PARASITIC DISEASES-----	14,869	23,557	33,976	21,823	15.0	23.7	34.1	21.8
RESPIRATORY CONDITIONS--	37,780	92,252	125,560	68,632	38.1	92.8	125.9	68.7
UPPER RESPIRATORY CONDITIONS-----	21,121	58,355	72,133	39,897	21.3	58.7	72.4	39.9
INFLUENZA-----	10,935	27,347	44,225	22,528	11.0	27.5	44.4	22.5
OTHER RESPIRATORY CONDITIONS-----	*	6,549	9,201	6,207	*	6.6	9.2	6.2
DIGESTIVE SYSTEM CONDITIONS-----	8,877	8,628	8,299	9,097	9.0	8.7	8.3	9.1
INJURIES-----	41,883	34,425	37,353	39,545	42.3	34.6	37.5	39.6
ALL OTHER ACUTE CONDITIONS-----	43,870	35,923	33,684	38,242	44.3	36.1	33.8	38.3

TABLE 27. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	98,971	154,779	187,965	130,457	51.6	80.6	97.6	67.6
UNDER 5 YEARS-----	11,568	18,554	21,473	14,561	58.4	94.2	109.9	75.3
5-14 YEARS-----	20,648	40,823	47,814	36,069	51.5	101.5	118.5	89.1
15-24 YEARS-----	19,406	28,286	29,770	17,947	64.9	94.0	98.5	58.8
25-44 YEARS-----	22,689	28,954	40,718	23,174	50.3	64.2	90.1	51.3
45-64 YEARS-----	14,720	24,466	33,369	25,266	37.7	62.4	84.8	64.0
65 & OVER YEARS---	9,940	13,695	14,821	13,439	56.0	76.8	82.8	74.8
<u>MALE</u>								
ALL AGES----	40,612	68,970	85,150	58,137	43.9	74.4	91.7	62.5
UNDER 5 YEARS-----	*	10,021	12,043	8,094	*	99.7	120.7	82.0
5-14 YEARS-----	9,706	19,911	23,571	19,329	47.7	97.4	114.9	93.9
15-24 YEARS-----	7,709	13,356	10,998	6,959	54.5	94.0	77.3	48.4
25-44 YEARS-----	7,960	9,576	15,979	8,545	37.0	44.6	74.2	39.7
45-64 YEARS-----	7,320	10,832	18,401	10,931	39.1	57.7	97.7	57.9
65 & OVER YEARS---	*	*	*	*	*	*	*	*
<u>FEMALE</u>								
ALL AGES----	58,359	85,809	102,815	72,320	58.9	86.3	103.1	72.3
UNDER 5 YEARS-----	6,281	8,533	9,430	6,467	64.8	88.5	98.6	68.3
5-14 YEARS-----	10,942	20,912	24,243	16,740	55.5	105.6	122.1	84.0
15-24 YEARS-----	11,697	14,930	18,772	10,988	74.3	94.1	117.3	68.1
25-44 YEARS-----	14,729	19,379	24,739	14,630	62.4	82.0	104.6	61.8
45-64 YEARS-----	7,401	13,634	14,968	14,335	36.4	66.8	73.0	69.6
65 & OVER YEARS---	7,310	8,421	10,664	9,159	73.0	83.5	105.3	89.9

TABLE 28. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS--	98,971	154,779	187,965	130,457	51.6	80.6	97.6	67.6
INFECTIVE AND PARASITIC DISEASES-----	14,507	22,324	26,981	21,714	7.6	11.6	14.0	11.3
RESPIRATORY CONDITIONS--	30,415	83,884	110,625	58,400	15.9	43.7	57.5	30.3
UPPER RESPIRATORY CONDITIONS-----	16,406	46,322	57,766	32,328	8.6	24.1	30.0	16.8
INFLUENZA-----	10,540	27,857	43,556	20,062	5.5	14.5	22.6	10.4
OTHER RESPIRATORY CONDITIONS-----	*	9,705	9,302	6,010	*	5.1	4.8	3.1
DIGESTIVE SYSTEM CONDITIONS-----	7,740	7,596	8,699	7,296	4.0	4.0	4.5	3.8
INJURIES-----	23,726	19,948	21,399	22,191	12.4	10.4	11.1	11.5
ALL OTHER ACUTE CONDITIONS-----	22,582	21,026	20,261	20,856	11.8	10.9	10.5	10.8
<u>MALE</u>								
ALL ACUTE CONDITIONS--	40,612	68,970	85,150	58,137	43.9	74.4	91.7	62.5
INFECTIVE AND PARASITIC DISEASES-----	7,362	8,776	11,360	11,329	8.0	9.5	12.2	12.2
RESPIRATORY CONDITIONS--	12,344	39,298	50,902	26,957	13.3	42.4	54.8	29.0
UPPER RESPIRATORY CONDITIONS-----	7,036	21,706	27,574	14,917	7.6	23.4	29.7	16.0
INFLUENZA-----	*	12,115	19,105	8,547	*	13.1	20.6	9.2
OTHER RESPIRATORY CONDITIONS-----	*	*	*	*	*	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	*	*	*	*	*	*	*	*
INJURIES-----	11,025	11,045	11,018	11,204	11.9	11.9	11.9	12.0
ALL OTHER ACUTE CONDITIONS-----	6,283	*	7,042	*	6.8	*	7.6	*
<u>FEMALE</u>								
ALL ACUTE CONDITIONS--	58,359	85,809	102,815	72,320	58.9	86.3	103.1	72.3
INFECTIVE AND PARASITIC DISEASES-----	7,145	13,549	15,620	10,385	7.2	13.6	15.7	10.4
RESPIRATORY CONDITIONS--	18,071	44,586	59,722	31,444	18.2	44.8	59.9	31.5
UPPER RESPIRATORY CONDITIONS-----	9,368	24,616	30,193	17,411	9.5	24.8	30.3	17.4
INFLUENZA-----	6,111	15,743	24,451	11,516	6.2	15.8	24.5	11.5
OTHER RESPIRATORY CONDITIONS-----	*	*	*	*	*	*	*	*
DIGESTIVE SYSTEM CONDITIONS-----	*	*	*	*	*	*	*	*
INJURIES-----	12,700	8,903	10,381	10,988	12.8	9.0	10.4	11.0
ALL OTHER ACUTE CONDITIONS-----	16,300	15,679	13,220	14,896	16.4	15.8	13.3	14.9

TABLE 29. INCIDENCE OF ACUTE RESPIRATORY CONDITIONS AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER OF ACUTE RESPIRATORY CONDITIONS PER 100 PERSONS PER QUARTER, BY AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
	INCIDENCE OF ACUTE RESPIRATORY CONDITIONS IN THOUSANDS				NUMBER OF ACUTE RESPIRATORY CONDITIONS PER 100 PERSONS PER QUARTER			
ALL AGES----	26,862	60,306	74,119	39,729	14.0	31.4	38.5	20.6
UNDER 5 YEARS-----	5,800	12,568	13,172	8,167	29.3	63.8	67.4	42.2
5-14 YEARS-----	6,946	17,533	19,710	10,718	17.3	43.6	48.8	26.5
15-24 YEARS-----	4,100	9,377	11,594	6,096	13.7	31.2	38.4	20.0
25-44 YEARS-----	6,130	10,521	15,120	7,540	13.6	23.3	33.5	16.7
45-64 YEARS-----	2,997	7,901	10,440	5,265	7.7	20.2	26.5	13.3
65 & OVER YEARS---	*	*	4,083	*	*	*	22.8	*
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES----	67,269	171,347	228,013	124,155	35.1	89.2	118.4	64.3
UNDER 5 YEARS-----	10,824	35,115	32,361	17,619	54.7	178.3	165.6	91.1
5-14 YEARS-----	17,167	48,039	57,892	34,717	42.8	119.4	143.4	85.7
15-24 YEARS-----	9,212	22,378	30,550	16,986	30.8	74.4	101.1	55.7
25-44 YEARS-----	15,697	27,071	43,462	20,928	34.8	60.0	96.2	46.3
45-64 YEARS-----	9,115	25,722	41,866	20,595	23.3	65.6	106.4	52.2
65 & OVER YEARS---	*	13,023	21,881	13,311	*	73.0	122.2	74.0
	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	30,415	83,884	110,625	58,400	15.9	43.7	57.5	30.3
UNDER 5 YEARS-----	*	14,226	14,999	7,755	*	72.2	76.8	40.1
5-14 YEARS-----	8,422	24,925	28,928	17,230	21.0	62.0	71.7	42.5
15-24 YEARS-----	*	14,325	17,903	9,033	*	47.6	59.2	29.6
25-44 YEARS-----	7,533	13,843	22,695	9,870	16.7	30.7	50.2	21.8
45-64 YEARS-----	*	11,194	18,019	9,426	*	28.6	45.8	23.9
65 & OVER YEARS---	*	*	8,080	*	*	*	45.1	*

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 30. INCIDENCE OF INJURIES AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER OF INJURIES PER 100 PERSONS PER QUARTER, BY AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
	INCIDENCE OF INJURIES IN THOUSANDS				NUMBER OF INJURIES PER 100 PERSONS PER QUARTER			
ALL AGES----	14,043	12,626	12,886	14,572	7.3	6.6	6.7	7.6
UNDER 15 YEARS----	5,340	4,306	3,885	5,512	8.9	7.2	6.5	9.2
15-44 YEARS-----	5,651	5,330	6,279	6,335	7.5	7.1	8.3	8.4
45 & OVER YEARS---	3,052	2,989	2,721	2,725	5.4	5.2	4.8	4.7
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL AGES----	85,575	83,652	76,202	79,113	44.6	43.5	39.6	41.0
UNDER 15 YEARS----	15,353	16,137	8,768	14,174	25.6	26.9	14.6	23.7
15-44 YEARS-----	37,317	37,054	39,436	34,298	49.7	49.3	52.3	45.3
45 & OVER YEARS---	32,905	30,462	27,997	30,641	57.9	53.4	48.9	53.3
	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES----	23,726	19,948	21,399	22,191	12.4	10.4	11.1	11.5
UNDER 15 YEARS----	*	*	*	*	*	*	*	*
15-44 YEARS-----	8,948	9,249	10,674	7,248	11.9	12.3	14.2	9.6
45 & OVER YEARS---	9,749	7,976	8,540	10,625	17.2	14.0	14.9	18.5

NOTE: Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

TABLE 31. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY RESIDENCE, REGION, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	TOTAL	ALL SMSAS	NON-SMSA NONFARM	NON-SMSA FARM	NORTH-EAST	NORTH CENTRAL	SOUTH	WEST
<u>BOTH SEXES</u>		POPULATION IN THOUSANDS						
ALL AGES-----	192,359	124,363	57,537	10,460	48,103	53,807	58,641	31,809
UNDER 5 YEARS-----	19,592	12,603	6,130	858	4,685	5,643	6,054	3,209
5-14 YEARS-----	40,303	25,833	12,158	2,312	9,414	11,361	12,609	6,919
15-24 YEARS-----	30,180	19,405	9,258	1,517	7,168	8,253	9,703	5,056
25-44 YEARS-----	45,149	30,221	12,950	1,978	11,476	12,382	13,565	7,727
45 & OVER YEARS-----	57,135	36,301	17,040	3,794	15,359	16,169	16,710	8,898
45-64 YEARS-----	39,270	25,594	11,056	2,620	10,597	10,944	11,329	6,400
65 & OVER YEARS-----	17,865	10,707	5,984	1,174	4,762	5,225	5,380	2,498
UNDER 6 YEARS-----	23,720	15,292	7,378	1,051	5,656	6,870	7,280	3,914
6-16 YEARS-----	43,281	27,579	13,092	2,610	10,089	12,145	13,638	7,409
17-44 YEARS-----	68,223	45,192	20,027	3,005	16,999	18,622	21,013	11,589
<u>MALE</u>								
ALL AGES-----	92,802	59,766	27,734	5,303	22,937	26,150	28,263	15,452
UNDER 5 YEARS-----	10,002	6,469	3,121	412	2,446	2,856	3,078	1,622
5-14 YEARS-----	20,476	13,138	6,180	1,158	4,740	5,835	6,427	3,475
15-24 YEARS-----	14,243	8,979	4,458	806	3,298	3,889	4,652	2,404
25-44 YEARS-----	21,515	14,427	6,136	952	5,416	6,061	6,406	3,632
45 & OVER YEARS-----	26,566	16,753	7,838	1,975	7,037	7,510	7,700	4,319
45-64 YEARS-----	18,806	12,236	5,238	1,331	4,988	5,248	5,337	3,232
65 & OVER YEARS-----	7,761	4,516	2,600	644	2,049	2,262	2,363	1,087
UNDER 6 YEARS-----	12,113	7,826	3,786	500	2,961	3,473	3,686	1,992
6-16 YEARS-----	21,967	13,996	6,646	1,326	5,042	6,259	6,978	3,689
17-44 YEARS-----	32,156	21,191	9,464	1,502	7,897	8,907	9,899	5,452
<u>FEMALE</u>								
ALL AGES-----	99,557	64,598	29,802	5,157	25,165	27,657	30,378	16,357
UNDER 5 YEARS-----	9,589	6,134	3,009	446	2,239	2,787	2,977	1,587
5-14 YEARS-----	19,827	12,695	5,978	1,155	4,674	5,527	6,182	3,444
15-24 YEARS-----	15,937	10,426	4,800	712	3,870	4,364	5,051	2,653
25-44 YEARS-----	23,634	15,794	6,814	1,026	6,060	6,321	7,158	4,095
45 & OVER YEARS-----	30,569	19,548	9,202	1,819	8,322	8,659	9,010	4,579
45-64 YEARS-----	20,465	13,357	5,818	1,289	5,609	5,696	5,992	3,168
65 & OVER YEARS-----	10,104	6,191	3,384	529	2,713	2,963	3,018	1,411
UNDER 6 YEARS-----	11,608	7,465	3,591	551	2,695	3,397	3,594	1,921
6-16 YEARS-----	21,313	13,583	6,446	1,284	5,047	5,886	6,660	3,720
17-44 YEARS-----	36,067	24,001	10,563	1,503	9,102	9,715	11,114	6,137

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60.

TABLE 32. POPULATION OF CURRENTLY EMPLOYED PERSONS, BY SEX AND AGE; UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

AGE	BOTH SEXES	MALE	FEMALE
ALL AGES-17 & OVER-----	POPULATION IN THOUSANDS		
	74,937	47,551	27,386
17-44-----	44,995	28,411	16,584
45 & OVER-----	29,941	19,139	10,802

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60; and Bureau of Labor Statistics monthly report, Employment and Earnings.



TABLE 33. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY QUARTER, SEX, AND AGE: UNITED STATES, JULY 1966-JUNE 1967

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
<u>BOTH SEXES</u>	POPULATION IN THOUSANDS			
ALL AGES-----	191,701	192,140	192,545	192,986
UNDER 5 YEARS-----	19,797	19,691	19,538	19,334
5-14 YEARS-----	40,097	40,233	40,366	40,503
15-24 YEARS-----	29,891	30,081	30,230	30,505
25-44 YEARS-----	45,119	45,105	45,173	45,186
45-64 YEARS-----	39,054	39,197	39,334	39,480
65 & OVER YEARS-----	17,742	17,833	17,903	17,977
<u>MALE</u>				
ALL AGES-----	92,593	92,717	92,847	93,020
UNDER 5 YEARS-----	10,107	10,052	9,975	9,871
5-14 YEARS-----	20,369	20,439	20,510	20,580
15-24 YEARS-----	14,153	14,209	14,232	14,370
25-44 YEARS-----	21,515	21,484	21,529	21,524
45-64 YEARS-----	18,723	18,777	18,830	18,886
65 & OVER YEARS-----	7,727	7,754	7,771	7,789
<u>FEMALE</u>				
ALL AGES-----	99,107	99,424	99,698	99,966
UNDER 5 YEARS-----	9,690	9,639	9,563	9,463
5-14 YEARS-----	19,728	19,794	19,856	19,924
15-24 YEARS-----	15,739	15,872	15,998	16,135
25-44 YEARS-----	23,604	23,621	23,644	23,662
45-64 YEARS-----	20,332	20,420	20,504	20,594
65 & OVER YEARS-----	10,015	10,079	10,132	10,188

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports, Series P-20, P-25, and P-60.

## APPENDIX I

### TECHNICAL NOTES ON METHODS

#### Background of This Report

This report is one of a series of statistical reports prepared by the National Health Survey. It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, a major part of the program.

The Health Interview Survey utilizes a questionnaire which, in addition to personal and demographic characteristics, obtains information on illnesses, injuries, chronic conditions and impairments, and other health topics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics. The present report is based on the consolidated sample for 52 weeks of interviewing ending June 1967.

The population covered by the sample for the Health Interview Survey is the civilian, noninstitutional population of the United States living at the time of the interview. The sample does not include members of the Armed Forces, U.S. nationals living in foreign countries, or crews of vessels. It should also be noted that the estimates shown do not represent a complete inventory of injuries for the specified calendar period since no adjustment has been made for persons who incurred injuries during the 2-week-recall period but who died prior to the interview.

#### Statistical Design of the Health Interview Survey

*General plan.*—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian population of the United States. The first stage of this design consists of drawing a sample of 357 from about 1,900 geographically defined primary sampling units (PSU's) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a standard metropolitan statistical area.

With no loss in general understanding, the remaining stages can be combined and treated in this discussion as an ultimate stage. Within PSU's then, ultimate stage units called segments are defined in such a manner that each segment contains an expected nine households. A segment consists of a cluster of neighboring households or addresses. Two

general types of segments are used: (1) area segments which are defined geographically, and (2) B segments which are defined from a list of addresses from the Decennial Census and Survey of Construction. Each week a random sample of about 90 segments is drawn. In the approximately 800 households in these segments, household members are interviewed concerning factors related to health.

Since the household members interviewed each week are a representative sample of the population, samples for successive weeks can be combined into larger samples. Thus the design permits both continuous measurement of characteristics of high incidence or prevalence in the population and, through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages as well as technical assets, since it permits field work to be handled with an experienced, stable staff.

*Sample size and geographic detail.*—The national sample plan for the 12-month period ending June 1967 included about 134,000 persons from 42,000 households in about 4,700 segments.

The overall sample was designed in such a fashion that tabulations could be provided for each of the major geographic regions and for urban and rural sectors of the United States.

*Collection of data.*—Field operations for the household survey are performed by the Bureau of the Census under specifications established by the National Center for Health Statistics. In accordance with these specifications the Bureau of the Census selects the sample, conducts the field interviewing as an agent of the Center, and performs a manual edit and coding of the questionnaires. The Health Interview Survey, using Center electronic computers, carries out further editing and tabulates the edited data.

*Estimating methods.*—Each statistic produced by the survey—for example, the number of work-loss days occurring in a specified period—is the result of two stages of ratio estimation. In the first of these, the control factor is the ratio of the 1960 decennial population count to the 1960 estimated population in the National Health Survey's first-stage sample of PSU's. These factors are applied for some 25 color-residence classes.

Later, ratios of sample-produced estimates of the population to official Bureau of the Census figures for current population in about 60 age-sex-color classes are computed, and serve as second-stage factors for ratio estimating.

The effect of the ratio-estimating process is to make the sample more closely representative of the population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week and characteristics of that population. Consolidation of samples over a time period, say a calendar quarter, produces estimates of average characteristics of the U.S. population for that calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For statistics measuring the number of occurrences during a specified time period, such as the number of cases of influenza, a similar computational procedure is used, but the statistics have a different interpretation. For these items, the questionnaire asks for the respondent's experience over the 2 calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is simply 6.5 times the average 2-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. Thus, the experience of persons *interviewed during a year*—experience which actually occurred for each person in a 2-calendar-week interval prior to week of interview—is treated as though it measured the total of such *experience during the year*. Such interpretation leads to no significant bias.

### General Qualifications

**Nonresponse.**—Data were adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was 5 percent—1 percent was refusal, and the remainder was primarily due to the failure to find any eligible household respondent after repeated trials.

**The interview process.**—The statistics presented in this report are based on replies secured in interviews of persons in the sampled households. Each person 19 years of age and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for children and for adults not available at the time of the interview, provided the respondent was closely related to the person about whom information was being obtained.

There are limitations to the accuracy of diagnostic and other information collected in household

interviews. For diagnostic information, the household respondent can, at best, pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. However, other facts, such as the number of disability days caused by the condition, can be obtained more accurately from household members than from any other source, since only the persons concerned are in a position to report this information.

**Rounding of numbers.**—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables the figures are rounded to the nearest thousand, although these are not necessarily accurate to that detail. Devised statistics such as rates and percent distributions are computed after the estimates on which these are based have been rounded to the nearest thousand.

**Population figures.**—Some of the published tables include population figures for specified categories. Except for certain overall totals by age and sex, which are adjusted to independent estimates, these figures are based on the sample of households in the National Health Survey. These are given primarily to provide denominators for rate computation, and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. In some instances these will permit users to recombine published data into classes more suitable to their specific needs. With the exception of the overall totals by age and sex, mentioned above, the population figures differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, and P-60 series.

### Reliability of Estimates

Since the estimates are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does

not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than 2½ times as large.

The relative standard error of an estimate is obtained by dividing the standard error of the estimate by the estimate itself, and is expressed as a per-

centage of the estimate. Included in this Appendix are charts from which the relative standard errors can be determined for estimates shown in the report. A description of the classes of statistics used in the Health Interview Survey and general rules for determining relative sampling errors are presented in Appendix I of "Current Estimates" (*Vital and Health Statistics, Series 10, No. 43*).

The following guide indicates the appropriate rules and charts to be used in deriving relative standard errors for estimates shown in this report.


## Guide to Use of Relative Standard Error Charts

The code shown below identifies the appropriate curve to be used in estimating the relative standard error of the statistic described. The four components of each code describe the statistic as follows: (A)=

aggregate, P=percentage; (2) the number of calendar quarters of data collection; (3) the type of the statistic; and (4) the range of the statistic as described in *Vital and Health Statistics*, Series 10, No. 43.


Statistic	Use:		
	Rule	Code	on page
Number of:			
Persons by residence or region-----	1	A4AN	49
Acute conditions:			
Per quarter-----	1	A1BN	50
Per year-----	1	A4BN	49
Disability days:			
Per quarter-----	1	A1BW	51
Per year-----	1	A4BW	49
Persons in the U.S. population or in any age-sex category thereof-----	Not subject to sampling error		
Percentage distribution of:			
Persons by residence or region-----	2	P4AN-M	52
Disability days in a year-----	2	P4BW	53
Acute conditions in a year-----	2	P4BN-M	54
Incidence rates for acute conditions:			
Per 100 total U.S. population or per 100 persons in any age-sex group of the total U.S. population:			
Per quarter-----	4(a)	A1BN	50
Per year-----	4(a)	A4BN	49
Per 100 persons in any other population group per year-----	4(b)	Numer.:} Denom.:}	A4BN A4AN 49 49
Number of disability days:			
Per 100 total U.S. population or per 100 persons in any age-sex group of the total U.S. population:			
Per quarter-----	4(a)	A1BW	51
Per year-----	4(a)	A4BW	49
Per 100 persons in any other population group per year-----	4(b)	Numer.:} Denom.:}	A4BW A4AN 49 49
Per case for acute conditions:			
Per quarter-----	4(b)	Numer.:} Denom.:}	A1BW A1BN 51 50
Per year-----	4(b)	Numer.:} Denom.:}	A4BW A4AN 49 49

Relative standard errors for aggregates based on four quarters of data collection  
for data of all types and ranges




Example of use of chart: An aggregate of 2,000,000 (on scale at bottom of chart) for a Narrow range Type A statistic (code: A4AN) has a relative standard error of 3.6 percent, (read from scale at left side of chart), or a standard error of 72,000 (3.6 percent of 2,000,000). For a Wide range Type B statistic (code: A4BW), an aggregate of 6,000,000 has a relative error of 16.0 percent or a standard error of 960,000 (16 percent of 6,000,000).

Relative standard errors for aggregates based on one quarter of data for type B data, narrow range



Example of use of chart: An aggregate of 6,000,000 (on scale at bottom of chart) for a Narrow range Type B statistic has a relative standard error of 19.3 percent, read from scale at left side of chart, or a standard error of 1,158,000 (19.3 percent of 6,000,000).


Relative standard errors for aggregates based on one quarter of data collection for type B data, wide range



Example of use of chart: An aggregate of 20,000,000 (on scale at bottom of chart) for a wide range type B statistic has a relative standard error of 16.0 percent, read from scale at left side of chart, or a standard error of 3,200,000 (16.0 percent of 20,000,000).




Relative standard errors for percentages based on four quarters of data collection  
for type A data, Narrow and Medium range  
(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 3.2 percent (read from the scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 3.2 percent or 0.64 percentage points.

Relative standard errors for percentages based on four quarters of data collection  
for type B data, Wide range  
(Base of percentage shown on curves in millions)


Base of:



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 24.5 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 24.5 percent or 4.9 percentage points.

Relative standard errors for percentages based on four quarters of data collection  
for type B data, Narrow and Medium range

(Base of percentage shown on curves in millions)



Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 17.0 percent (read from scale at the left side of the chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 17.0 percent or 3.4 percentage points.

## APPENDIX II

### DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

#### Terms Relating to Conditions

**Condition.**—A morbidity condition, or simply a condition, is any entry on the questionnaire which describes a departure from a state of physical or mental well-being. It results from a positive response to one of a series of "illness-recall" questions. In the coding and tabulating process, conditions are selected or classified according to a number of different criteria, such as, whether they were medically attended; whether they resulted in disability; whether they were acute or chronic; or according to the type of disease, injury, impairment, or symptom reported. For the purposes of each published report or set of tables, only those conditions recorded on the questionnaire which satisfy certain stated criteria are included.

Acute conditions are classified by type according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview-type survey.

**Acute condition.**—An acute condition is defined as a condition which has lasted less than 3 months and which has involved either medical attention or restricted activity. Because of the procedures used to estimate incidence, the acute conditions included in this report are the conditions which had their onset during the 2 weeks prior to the interview week and which involved either medical attention or restricted activity during that 2-week period. However, it excludes certain conditions which are always classified as chronic (listed below) even though the onset occurred within 3 months.

Conditions always classified as chronic:

Asthma	Stomach ulcer
Hay fever	Any other chronic stomach trouble
Tuberculosis	Kidney stones or chronic kidney trouble
Chronic bronchitis	Arthritis or rheumatism
Repeated attacks of sinus trouble	Mental illness
Rheumatic fever	Diabetes
Hardening of the arteries	Thyroid trouble or goiter
High blood pressure	Any allergy
Heart trouble	Epilepsy
Stroke	Chronic nervous trouble
Trouble with varicose veins	Cancer

Hemorrhoids or piles	Chronic skin trouble
Tumor, cyst, or growth	Hernia or rupture
Chronic gallbladder or liver trouble	Prostate trouble
Deafness or serious trouble with hearing	Paralysis of any kind
Serious trouble with seeing, even when wearing glasses	Repeated trouble with back or spine
Cleft palate	Club foot
Any speech defect	Permanent stiffness or any deformity of the foot, leg, fingers, arm, or back
Missing fingers, hand, or arm—toes, foot, or leg	Condition present since birth
Palsy	

**Condition groups.**—Conditions are classified according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview survey. In this report, all tables which have data classified by type of condition employ a five-category regrouping plus several selected subgroups. The International Classification code numbers included in each category are shown below:

<u>Condition Groups</u>	<u>International Classification Code Number (excluding chronic inclusions)</u>
Infective and parasitic diseases-----	021-138
Common childhood diseases-----	056, 065-067, 069
The virus, n.o.s.-----	069
Other infective and parasitic diseases-----	022-065, 067-069, 069, 090-138
Respiratory conditions-----	470-501, 511, 517-525, 527, 783
Upper respiratory conditions-----	470-475, 511, 517
Common cold-----	470
Other acute upper respiratory conditions-----	471-475, 511, 517
Influenza-----	490-493
Influenza with digestive manifestations-----	482
Other influenza-----	490, 491, 493
Other respiratory conditions-----	490-501, 519-525, 527, 783
Pneumonia-----	490-493
Bronchitis-----	500, 501
Other acute respiratory conditions-----	518-525, 527, 783
Digestive system conditions-----	530-539, 545-553, 570, 571, 573-587, 784, 785
Dental conditions-----	530-535
Functional and symptomatic upper gastrointestinal disorders, n.e.c.,-----	544, 784
Other digestive system conditions-----	536-539, 545, 545-553, 570, 571, 573-587, 785
Injuries-----	M800-M865, M890-M895, M900-M994, M996-M999
Fractures, dislocations, sprains, and strains-----	M800-M848
Fractures and dislocations-----	M800-M839
Sprains and strains-----	M840-M848
Open wounds and lacerations-----	M870-M895
Contusions and superficial injuries-----	M910-M939
Other current injuries-----	M850-M865, M930-M934, M996-M999
All other acute conditions-----	All other acute code numbers
Diseases of the ear-----	390-396, 781.3
Migraine-----	781
Genitourinary disorders-----	590-537, 786, 789
Deliveries and disorders of pregnancy and the puerperium-----	640-669
Diseases of the skin-----	690-715
Diseases of the musculoskeletal system-----	720-745, 787
All other acute conditions-----	Other acute code numbers

*Onset of condition.*—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time when the person or his family was first told by a physician that he had a condition of which he was previously unaware.

*Incidence of conditions.*—The incidence of conditions is the estimated number of conditions having their onset in a specified time period. As previously mentioned, minor acute conditions, involving neither restricted activity nor medical attention are excluded from the statistics. The incidence data shown in some reports are further limited to various subclasses of conditions, such as "incidence of conditions involving bed disability."

*Activity-restricting condition.*—An activity restricting condition is a condition which has caused at least 1 day of restricted activity during the 2 calendar weeks before the interview week. (See definition of "Restricted-activity day.") The incidence of acute activity-restricting conditions is estimated from the number of such conditions reported as having started in the 2-week period, but a condition which did not result in restricted activity until after the end of the 2-week period in which it had its onset is not included.

*Bed-disabling condition.*—A condition involving at least 1 day of bed disability is called a bed-disabling condition. (See definition of "Bed-disability day.") The incidence of acute bed-disabling conditions is defined in a manner analogous to the incidence of acute activity-restricting conditions.

*Medically attended condition.*—A condition is considered to be medically attended if a physician has been consulted about it either at its onset or at any time thereafter. Medical attention includes consultation either in person or by telephone for treatment or advice. Advice from the physician transmitted to the patient through the nurse is counted as well as visits to physicians in clinics or hospitals. If during the course of a single visit the physician is consulted about more than one condition for each of several patients, each condition of each patient is counted as medically attended.

Discussions of a child's condition by the physician and a responsible member of the household are considered as medical attention even if the child was not seen at that time.

For the purpose of this definition, the term "physician" includes doctors of medicine and osteopathic physicians.

## Terms Relating to Disability

*Disability.*—Disability is the general term used to describe any temporary or long-term reduction of a person's activity as a result of an acute or chronic condition.

Disability days are classified according to whether they are days of restricted activity, bed-days, work-loss days, or school-loss days. All days of bed disability are, by definition, days of restricted activity. The converse form of this statement is, of course, not true. Days lost from work and days lost from school are also days of restricted activity for the working and school-age populations. Hence, restricted activity is the most inclusive term used in describing disability days.

*Condition-days of restricted activity, bed disability, etc.*—Condition-days of restricted activity, bed disability, and so forth are days of the various forms of disability associated with any one condition. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.

*Restricted-activity day.*—A day of restricted activity is one on which a person substantially reduces the amount of activity normal for that day because of a specific illness or injury. The type of reduction varies with the age and occupation of the individual as well as with the day of the week or season of the year. Restricted activity covers the range from substantial reduction to complete inactivity for the entire day.

*Bed-disability day.*—A day of bed disability is one on which a person stays in bed for all or most of the day because of a specific illness or injury. It is considered to be a day only if the period of bed disability includes more than half of the daylight hours. All hospital days for inpatients are considered to be days of bed disability even if the patient was not actually in bed at the hospital.

*Work-loss day.*—A day lost from work is a normal working day on which a person did not work at his job or business because of a specific illness or injury. If the person's regular work day is less than a whole day and the entire work day was lost, it would be counted as a whole work day lost. The number of days lost from work is determined only for persons 17 years of age or over who reported that at any time during the 2-week period covered by the interview they either worked at, or had a job

or business. (See definition of "Currently employed persons.")

*School-loss day.*—A day lost from school is a normal school day on which a child did not attend school because of a specific illness or injury. The number of days lost from school is determined only for children 6-16 years of age.

### Demographic Terms

*Age.*—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending upon the purpose of the table.

*Quarter.*—The quarters used by the National Health Survey are actually 13-week periods rather than 3 calendar months. Since each 13-week period begins on a Monday and ends on a Sunday, the actual dates of the beginning and end of each 13-week period may overlap into another calendar quarter. Therefore, the time periods in the table headings are the approximate rather than the precise periods during which the interviewing was conducted.

*Currently employed persons.*—Currently employed persons are all persons 17 years of age or over who reported that at any time during the 2-week period covered by the interview they either worked at or had a job or business. Current employment includes paid work as an employee of someone else, self-employment in business, farming, or professional practice, and unpaid work in a family business or farm. Persons who were temporarily absent from their job or business because of a temporary illness, vacation, strike, or bad weather are considered as currently employed if they expected to work as soon as the particular event causing their absence no longer existed.

Free-lance workers are considered as having a job if they had a definite arrangement with one or more employees to work for pay according to a weekly or monthly schedule, either full time or part time. Excluded from the currently employed population are such persons who have no definite employment schedule but who work only when their services are needed.

Also excluded from the currently employed population are (1) persons who were not working, even though having a job or business, but were on layoff or looking for work, (2) persons receiving revenue from an enterprise in whose operation they did not participate, (3) persons doing housework or charity work for which they received no pay, and (4) seasonal workers during the unemployment season.

The number of currently employed persons estimated by the National Health Survey (NHS) will differ from the estimates prepared by the Current

Population Survey (CPS), Bureau of the Census, for several reasons. In addition to sampling variability they include three primary conceptual differences, namely: (1) NHS estimates are for persons 17 years of age or over; CPS estimates are for persons 14 years of age or over. (2) NHS uses a 2-week-reference period while CPS uses a 1-week-reference period. (3) NHS is a continuing survey with separate samples taken weekly, while CPS is a monthly sample taken for the survey week which includes the 12th of the month.

*Residence.*—The place of residence of a member of the civilian, noninstitutional population is classified as inside a standard metropolitan statistical area (SMSA) or outside an SMSA according to farm or nonfarm residence.

*Standard metropolitan statistical areas.*—The definitions and titles of SMSA's are established by the U.S. Bureau of the Budget with the advice of the Federal Committee on Standard Metropolitan Statistical Areas. There were 212 SMSA's, as defined for the 1960 Decennial Census, for which data may be provided for places of residence in the Health Interview Survey.

The definition of an individual SMSA involves two considerations: first, a city or cities of specified population which constitute the central city and identify the county in which it is located as the central county; and, second, economic and social relationships with contiguous counties (except in New England) which are metropolitan in character, so that the periphery of the specific metropolitan area may be determined. SMSA's are not limited by State boundaries.

*Farm and nonfarm residence.*—The population residing outside SMSA's is subdivided into the farm population, which comprises all non-SMSA residents living on farms, and the nonfarm population, which comprises the remaining non-SMSA population. The farm population includes persons living on places of 10 acres or more from which sales of farm products amounted to \$50 or more during the previous 12 months or on places of less than 10 acres from which sales of farm products amounted to \$250 or more during the preceding 12 months. Other persons living in non-SMSA territory were classified as nonfarm if their household paid rent for the house but their rent did not include any land used for farming.

Sales of farm products refer to the gross receipts from the sale of field crops, vegetables, fruits, nuts, livestock and livestock products (milk, wool, etc.), poultry and poultry products, and nursery and forest products produced on the place and sold at any time during the preceding 12 months.

*Region.*—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the Bureau of the Census, are as follows:

<i>Region</i>	<i>States Included</i>
Northeast-----	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania
North Central--	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa,

	Missouri, North Dakota, South Dakota, Nebraska, Kansas
South-----	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas
West-----	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Alaska, Washington, Oregon, California, Hawaii



# APPENDIX III. CONDITION PAGES FROM QUESTIONNAIRE

<p><b>CONDITION NO. 1</b></p>	<p>1. Person number <span style="float: right;">Write in and mark <input type="text"/></span></p> <p style="text-align: right;">Person number</p>							
<p>Enter person number and "name of condition" and ask question 2.</p>	<p>Name of condition</p>							
<p>Ask for all conditions</p>	<p>2. DID -- EVER AT ANY TIME TALK TO A DOCTOR ABOUT HIS ... ?</p> <p style="text-align: right;">Yes <input type="radio"/> No <input type="radio"/> V <input type="radio"/></p>							
<p>Examine "Name of condition" entry in Item 1 and mark one box.</p>	<p><input type="checkbox"/> Accident or injury-Go to 4 <input type="checkbox"/> Condition on Card C-Go to 9 <input type="checkbox"/> Neither Go to 3a.</p>	<p><b>WASHINGTON USE</b></p> <p>Question number 8 9 10 11 12 13 14 H C DV HC OT</p> <p>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</p>						
<p>If "Doctor talked to", ask: If "Doctor not talked to" record adequate description of condition or illness.</p>	<p>3a. WHAT DID THE DOCTOR SAY IT WAS? DID HE GIVE IT A MEDICAL NAME?</p>	<p>Cond.....</p>						
<p>If the entry in 3a or 3b includes the words: Asthma "Ailment" "Disease" Cyst "Attack" "Disorder" Growth "Condition" "Trouble" Measles "Defect" Tumor</p>	<p>3b. WHAT WAS THE CAUSE OF ... ?</p> <p><input type="checkbox"/> Accident or injury Go to 4</p>	<p>No. of this condition</p> <p>Mark one Chronic <input type="radio"/> Acute <input type="radio"/></p>						
<p>For ALLERGY OR STROKE, Ask:</p>	<p>3c. WHAT KIND OF ... IS IT?</p>	<p>Total conditions</p> <p>Accident First injury code Yes <input type="radio"/> No <input type="radio"/></p> <p>Required hospitalization Yes <input type="radio"/> No <input type="radio"/></p> <p>Other Acc. T.M.s. <input type="radio"/> Ch. <input type="radio"/></p>						
<p>For conditions on Card B-2 and for any entry that includes the words: Abscess Cyst Paralysis Ache (except headache) Growth Sore Hemorrhage Soreness Bleeding Infection Tumor Blood clot Inflammation Ulcer Boil Neuralgia Weak Cancer Neuritis Weakness Cramps (except menstrual) Pain Palsy</p>	<p>3d. HOW DOES THE ALLERGY (STROKE) AFFECT HIM?</p>	<p>IC or dum code.</p>						
<p>3e. WHAT PART OF THE BODY IS AFFECTED?</p> <p>SHOW THE FOLLOWING DETAIL: Ear or eye...one or both Head.....skull, scalp, face Back .....upper, middle, lower Arm.....shoulder, upper, elbow, lower, wrist, hand; one or both Leg.....hip, upper, knee, lower, ankle, foot; one or both</p>	<p>Person days of disability</p> <p>R.A. } <input type="radio"/></p> <p>2Wks. B.D. } <input type="radio"/></p> <p>T.L. } <input type="radio"/></p> <p>12 Months B.D. } <input type="radio"/></p>	<p>V <input type="radio"/></p> <p>V <input type="radio"/></p> <p>V <input type="radio"/></p> <p>V <input type="radio"/></p> <p>V <input type="radio"/></p> <p>V <input type="radio"/></p>						
<p><b>FILL QUESTIONS 4-8 FOR ALL ACCIDENTS OR INJURIES</b></p>								
<p>4a. DID THE ACCIDENT HAPPEN DURING THE PAST 2 YEARS OR BEFORE THAT TIME?</p> <p><input type="checkbox"/> During past 2 years-Ask 4b <input type="checkbox"/> Before 2 years-Go to 5a</p>	<p>4b. WHEN DID THE ACCIDENT HAPPEN? Enter month and year; mark one box</p> <p>Month <input type="text"/> Year <input type="text"/></p> <p><input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> 2 weeks - 3 months <input type="checkbox"/> 3 - 12 months <input type="checkbox"/> 1 - 2 years</p>	<p>6a. WAS A CAR, TRUCK, BUS, OR OTHER MOTOR VEHICLE INVOLVED IN THE ACCIDENT IN ANY WAY? Yes <input type="radio"/> No-Go to 7 <input type="radio"/> V <input type="radio"/></p> <p>b. WAS MORE THAN ONE VEHICLE INVOLVED? Yes <input type="radio"/> No <input type="radio"/></p> <p>c. WAS IT (EITHER ONE) MOVING AT THE TIME? Yes <input type="radio"/> No <input type="radio"/> V <input type="radio"/></p>						
<p>Ask for all accidents or injuries: 5a. AT THE TIME OF THE ACCIDENT WHAT PART OF THE BODY WAS HURT? WHAT KIND OF INJURY WAS IT? ANYTHING ELSE?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Part(s) of body</th> <th style="width: 50%;">Kind of injury(injuries)</th> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>	Part(s) of body	Kind of injury(injuries)					<p>7. WHERE DID THE ACCIDENT HAPPEN?</p> <p>Specify place</p> <p>At home (inside house) ..... <input type="radio"/></p> <p>At home (adjacent premises) ..... <input type="radio"/></p> <p>Street and highway (includes roadway) ..... <input type="radio"/></p> <p>Farm ..... <input type="radio"/></p> <p>Industrial place (includes premises) ..... <input type="radio"/></p> <p>School (includes school premises) ..... <input type="radio"/></p> <p>Place of recreation and sports (not school) ..... <input type="radio"/></p> <p>Other (specify place where accident happened) ..... <input type="radio"/></p>	<p>8. WAS -- AT WORK AT HIS JOB OR BUSINESS WHEN THE ACCIDENT HAPPENED? Yes <input type="radio"/> No <input type="radio"/> Under 17 at time <input type="radio"/> While in Armed Forces <input type="radio"/> V <input type="radio"/></p>
Part(s) of body	Kind of injury(injuries)							
<p>If accident happened BEFORE 3 months, ask: 5b. WHAT PART OF THE BODY IS AFFECTED NOW? HOW IS HIS -- AFFECTED?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Part(s) of body</th> <th style="width: 50%;">Present effects</th> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>	Part(s) of body	Present effects					<p>Footnotes</p> <p style="text-align: right;">0 0 0 0 0 0 0 0 0 0</p>	
Part(s) of body	Present effects							



CONDITION NO. 2	1. Person number <span style="float:right;">Write in and mark <input type="checkbox"/></span>	Person number										
Enter person number and "name of condition" and ask question 2.	Name of condition											
Ask for all conditions	2. DID -- EVER AT ANY TIME TALK TO A DOCTOR ABOUT HIS ...? <span style="float:right;">Yes No V <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/></span>											
Examine "Name of condition" entry in Item 1 and mark one box.	<input type="checkbox"/> Accident or injury-Go to 4 <input type="checkbox"/> Condition on Card C-Go to 9 <input type="checkbox"/> Neither Go to 3a.	<b>WASHINGTON USE</b> Question number    8 9 10 11 12 13 14    H C B V MC GT . . . . .										
If "Doctor talked to", ask: If "Doctor not talked to" record adequate description of condition or illness.	3a. WHAT DID THE DOCTOR SAY IT WAS? DID HE GIVE IT A MEDICAL NAME?											
	3b. WHAT WAS THE CAUSE OF ...? <input type="checkbox"/> Accident or injury Go to 4											
If the entry in 3a or 3b includes the words: Asthma "Ailment" "Disease" Cyst "Attack" "Disorder" Growth "Condition" "Trouble" Measles "Defect" Tumor	3c. WHAT KIND OF ... IS IT?											
For ALLERGY OR STROKE, Ask:	3d. HOW DOES THE ALLERGY (STROKE) AFFECT HIM?											
For conditions on Card B-2 and for any entry that includes the words: Abscess    Cyst    Paralysis Ache (except headache)    Growth    Sore Hemorrhage    Soreness Bleeding    Infection    Tumor Blood clot    Inflammation    Ulcer Boil    Neuralgia    Weak Cancer    Neuritis    Weakness Cramps (except menstrual)    Pain    Palsy	3e. WHAT PART OF THE BODY IS AFFECTED?											
	SHOW THE FOLLOWING DETAIL: Ear or eye... one or both Head.....skull, scalp, face Back.....upper, middle, lower Arm.....shoulder, upper, elbow, lower, wrist, hand; one or both Leg.....hip, upper, knee, lower, ankle, foot; one or both											
<b>FILL QUESTIONS 4-8 FOR ALL ACCIDENTS OR INJURIES</b>												
4a. DID THE ACCIDENT HAPPEN DURING THE PAST 2 YEARS OR BEFORE THAT TIME?	<input type="checkbox"/> During past 2 years-Ask 4b <input type="checkbox"/> Before 2 years-Go to 5a	6a. WAS A CAR, TRUCK, BUS, OR OTHER MOTOR VEHICLE INVOLVED IN THE ACCIDENT IN ANY WAY? <span style="float:right;">Yes No-Go to 7 V <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/></span>										
4b. WHEN DID THE ACCIDENT HAPPEN? Enter month and year; mark one box	<input type="checkbox"/> Last week <input type="checkbox"/> Week before <input type="checkbox"/> 2 weeks - 3 months <input type="checkbox"/> 3 - 12 months <input type="checkbox"/> 1 - 2 years	b. WAS MORE THAN ONE VEHICLE INVOLVED? <span style="float:right;">Yes No V <input type="checkbox"/> <input type="checkbox"/></span> c. WAS IT (EITHER ONE) MOVING AT THE TIME? <span style="float:right;">Yes No V <input type="checkbox"/> <input type="checkbox"/></span>										
Ask for all accidents or injuries: 5a. AT THE TIME OF THE ACCIDENT WHAT PART OF THE BODY WAS HURT? WHAT KIND OF INJURY WAS IT? ANYTHING ELSE?	7. WHERE DID THE ACCIDENT HAPPEN?											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%;">Part(s) of body</th> <th style="width:50%;">Kind of injury(injuries)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	Part(s) of body	Kind of injury(injuries)									Specify place At home (inside house) ..... At home (adjacent premises) ..... Street and highway (includes roadways) ..... Farm ..... Industrial plant (includes premises) ..... School (includes school premises) ..... Place of recreation and sports (see school) ..... Other (specify place where accident happened) .....	
Part(s) of body	Kind of injury(injuries)											
If accident happened BEFORE 3 months, ask: 5b. WHAT PART OF THE BODY IS AFFECTED NOW? HOW IS HIS -- AFFECTED?	8. WAS -- AT WORK AT HIS JOB OR BUSINESS WHEN THE ACCIDENT HAPPENED? <span style="float:right;">Yes No V <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/></span>											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%;">Part(s) of body</th> <th style="width:50%;">Present effects</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	Part(s) of body	Present effects									Footnotes	
Part(s) of body	Present effects											

## OUTLINE OF REPORT SERIES FOR VITAL AND HEALTH STATISTICS

Public Health Service Publication No. 1000

- Series 1. Programs and collection procedures.*—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.
- Series 2. Data evaluation and methods research.*—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.
- Series 3. Analytical studies.*—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- Series 4. Documents and committee reports.*—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised birth and death certificates.
- Series 10. Data from the Health Interview Survey.*—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, based on data collected in a continuing national household interview survey.
- Series 11. Data from the Health Examination Survey.*—Data from direct examination, testing, and measurement of national samples of the population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics; and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- Series 12. Data from the Institutional Population Surveys.*—Statistics relating to the health characteristics of persons in institutions, and on medical, nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents or patients.
- Series 13. Data from the Hospital Discharge Survey.*—Statistics relating to discharged patients in short-stay hospitals, based on a sample of patient records in a national sample of hospitals.
- Series 20. Data on mortality.*—Various statistics on mortality other than as included in annual or monthly reports—special analyses by cause of death, age, and other demographic variables, also geographic and time series analyses.
- Series 21. Data on natality, marriage, and divorce.*—Various statistics on natality, marriage, and divorce other than as included in annual or monthly reports—special analyses by demographic variables, also geographic and time series analyses, studies of fertility.
- Series 22. Data from the National Natality and Mortality Surveys.*—Statistics on characteristics of births and deaths not available from the vital records, based on sample surveys stemming from these records, including such topics as mortality by socioeconomic class, medical experience in the last year of life, characteristics of pregnancy, etc.

For a list of titles of reports published in these series, write to: Office of Information  
National Center for Health Statistics  
U.S. Public Health Service  
Washington, D.C. 20201