#### **Deaths: Final Data for 2008**

#### Supplemental tables

- Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999-2008
- Table I–2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008
- Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999-2008
- Table I–4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008
- Table I–5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2008
- Table I–6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008
- Table I–7. Number of deaths, death rates, and age-adjusted death rates for ages 15 years and over, by marital status and sex: United States, 2008
- Table I–8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64 years, by educational attainment and sex: Total of 27 reporting states and the District of Columbia using the 2003 version of the U.S. Standard Certificate of Death, and total of 20 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2008
- Table I-9. Number of deaths, death rates, and age-adjusted death rates for ages 15 years and over, by injury at work, race, and sex: United States, 2008
- Tablel-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2008

## Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

		All races	i		White <sup>1</sup>			Black <sup>1</sup>			rican In Iska Nat		Asian o	or Pacific I	slander <sup>1,3</sup>
Year	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female
								Numbe	r						
2008	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006		26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005	,	26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004	- ,	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003		26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79 79
		26,098 25,480	4,144 4,093	21,902 21,760	18,714 18,527	3,188 3,233	7,623 7,184	6,798 6.438	825 746	287 240	235 196	52 44	430 389	351 319	79 70
2001	28,663	24,582	4,093	20,945	17,750	3,233 3,195	7,164	6,284	740	240	196	44	424	352	70 72
1999	28,874	24,700	4,174	21,143	17,730	3,201	7,034	6,184	833	268	228	40	446	346	100
1000	20,074	24,700	7,177	21,140	17,542	0,201	7,017	0,104	000	200	220	40	770	040	100
								Rate							
2008	10.4	18.2	2.8	9.4	16.2	2.7	19.4	36.7	3.6	8.2	13.6	2.7	2.7	4.6	0.9
2007	10.4	18.2	2.7	9.2	15.8	2.7	20.6	38.9	3.9	7.6	13.2	2.0	3.0	5.3	0.7
2006	10.3	18.1	2.8	9.0	15.4	2.6	21.3	40.0	4.1	9.1	15.8	2.4	3.3	5.7	1.0
2005	10.4	18.3	2.7	9.1	15.8	2.6	20.4	38.7	3.7	9.6	16.7	2.6	3.2	5.5	0.9
2004	10.1	17.6	2.7	9.0	15.5	2.7	19.3	36.4	3.7	8.9	15.0	2.9	2.9	5.0	1.0
2003	10.4	18.3	2.7	9.2	16.0	2.6	20.1	37.8	3.9	8.6	14.7	2.6	3.4	5.7	1.2
2002	10.5	18.4	2.8	9.3	16.1	2.7	20.2	37.8	4.2	9.3	15.3	3.4	3.4	5.7	1.2
2001	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.4	3.8	7.9	12.9	2.9	3.2	5.4	1.1
2000	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
							Age	-adjusted	rate4						
2008	10.3	18.2	2.7	9.1	15.9	2.7	18.4	34.4	3.5	8.0	13.3	2.7	2.6	4.5	0.8
2007	10.2	18.2	2.7	8.9	15.6	2.6	19.5	36.2	3.8	7.3	12.4	2.0	2.9	5.2	0.7
2006	10.2	18.1	2.7	8.7	15.3	2.6	20.1	37.4	4.0	8.5	14.7	2.4	3.1	5.4	1.0
2005	10.2	18.3	2.7	8.9	15.7	2.6	19.4	36.4	3.6	9.0	15.7	2.4	3.0	5.3	0.9
2004	10.0	17.7	2.7	8.8	15.4	2.7	18.4	34.5	3.6	8.5	14.2	2.7	2.8	4.8	0.9
2003	10.3	18.4	2.7	9.0	16.0	2.6	19.0	35.6	3.8	8.2	14.1	2.4	3.2	5.4	1.1
2002	10.4	18.6	2.8	9.2	16.2	2.7	19.3	36.0	4.1	8.9	14.8	3.1	3.2	5.5	1.1
2001	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.8	13.0	2.8	3.0	5.2	1.0
2000	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

<sup>&</sup>lt;sup>1</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24, and Y35.0.

<sup>&</sup>lt;sup>2</sup>Includes Aleuts and Eskimos.

<sup>&</sup>lt;sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

# Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases*, *Tenth Revision* (ICD–10), Second Edition codes included in this table can be found in the note at the bottom of the table]

		All origins	1		Hispani	С	N	on-Hispan	ic <sup>2</sup>	Non-	Hispanic v	white <sup>3</sup>	Non-	Hispanic	black <sup>3</sup>
Year	Both sexes	Male	Female	Both	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both	Male	Female
								Number							
2008	31.593	27,336	4,257	3,256	2,912	344	28,252	24,351	3.901	19.873	16.822	3.051	7.741	6,997	744
2007	31,224	27,047	4,177	3,492	3,155	337	27,641	23,809	3.832	18,861	15.925	2,936	8.133	7,326	807
2006	30,896	26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005	30,694	26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004	29,569	25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003	30,136	26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001	29,573	25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000	28,663	24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
								Rate							
2008	10.4	18.2	2.8	6.9	12.0	1.5	11.0	19.4	3.0	9.9	17.0	3.0	20.2	38.3	3.7
2007	10.4	18.2	2.7	7.7	13.4	1.5	10.8	19.0	2.9	9.4	16.1	2.9	21.3	40.3	4.0
2006	10.3	18.1	2.8	7.8	13.7	1.5	10.7	18.8	2.9	9.1	15.6	2.8	22.0	41.4	4.2
2005	10.4	18.3	2.7	8.1	14.2	1.6	10.7	18.9	2.8	9.2	15.9	2.8	21.1	40.0	3.8
2004	10.1	17.6	2.7	7.9	13.9	1.5	10.4	18.2	2.9	9.1	15.6	2.9	19.9	37.6	3.8
2003	10.4	18.3	2.7	8.3	14.6	1.7	10.6	18.8	2.9	9.3	16.0	2.7	20.7	39.1	4.0
2002	10.5	18.4	2.8	8.1	14.2	1.6	10.8	19.0	3.0	9.4	16.3	2.8	20.7	38.9	4.3
2001	10.4	18.2	2.8	8.3	14.6	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
							Age	-adjusted	rate <sup>4</sup>						
2008	10.3	18.2	2.7	6.8	11.8	1.5	10.7	19.0	2.9	9.2	16.1	2.9	19.1	35.7	3.6
2007	10.2	18.2	2.7	7.4	12.9	1.5	10.6	18.8	2.9	8.8	15.4	2.8	20.2	37.6	4.0
2006	10.2	18.1	2.7	7.3	12.7	1.5	10.5	18.7	2.9	8.6	15.0	2.7	20.8	38.8	4.1
2005	10.2	18.3	2.7	7.6	13.3	1.6	10.5	18.8	2.8	8.8	15.3	2.7	20.0	37.7	3.7
2004	10.0	17.7	2.7	7.5	13.1	1.5	10.2	18.2	2.9	8.7	15.1	2.8	19.0	35.7	3.7
2003	10.3	18.4	2.7	7.8	13.6	1.6	10.5	18.8	2.8	8.8	15.6	2.7	19.7	36.8	3.9
2002	10.4	18.6	2.8	7.6	13.4	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.8	37.0	4.2
2001	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	3.0	9.1	16.0	2.8	18.9	35.4	3.9
2000	10.2	18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

<sup>&</sup>lt;sup>1</sup>Figures for origin not stated are included in "All origins" but not distributed among specified origins.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24, and Y35.0.

<sup>&</sup>lt;sup>2</sup>Includes races other than white and black.

<sup>&</sup>lt;sup>3</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

## Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

		All races			White <sup>1</sup>			Black <sup>1</sup>			erican In aska Nat		Asian c	or Pacific I	slander <sup>1,3</sup>
Year	Both sexes	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female
	36763	IVIAIC	1 Ciliale	36763	IVIAIC	1 Ciliale	36763	Iviaic	1 Ciliale	36763	IVIAIC	i ciliale	36763	IVIAIC	i ciliale
								Numbe	r						
2008	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007	38,371	23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006	38,396	24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005	33,541	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004	30,711	19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002	26,040	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001	21,705	14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000	19,720	13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51 50
1999	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
								Rate							
2008	12.7	16.0	9.6	14.0	17.3	10.6	9.1	12.3	6.1	13.2	16.0	10.4	2.0	2.5	1.5
2007	12.7	16.1	9.5	13.7	17.2	10.3	10.5	14.2	7.1	12.0	12.7	11.3	2.1	2.4	1.8
2006	12.8	16.6	9.1	13.6	17.3	9.9	12.1	17.3	7.4	12.7	15.8	9.6	2.3	2.9	1.7
2005	11.3	14.5	8.2	12.0	15.3	8.8	10.5	14.3	7.0	11.5	13.0	9.9	2.0	2.5	1.4
2004	10.5	13.4	7.6	11.1	14.1	8.2	9.4	12.8	6.3	11.2	13.5	9.0	1.8	2.5	1.2
2003	9.9	12.9	7.0	10.4	13.5	7.4	9.2	12.7	6.1	9.5	10.8	8.2	1.7	2.0	1.3
2002	9.0	11.8	6.3	9.4	12.2	6.7	9.2	12.8	5.8	7.5	8.9	6.1	1.6	2.0	1.2
2001	7.6	10.2	5.1	7.8	10.4	5.4	8.5	12.2	5.1	6.0	6.6	5.5	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.6	4.7	8.3	12.0	4.9	5.4	6.7	4.1	1.2	1.5	0.8
1999	6.9	9.4	4.4	6.9	9.3	4.5	8.6	12.7	4.8	5.8	6.8	4.8	1.3	1.7	1.0
							Age	-adjusted	rate <sup>4</sup>						
2008	12.6	15.7	9.4	13.8	17.1	10.5	9.5	13.4	6.2	13.7	16.5	10.9	1.9	2.4	1.5
2007	12.6	15.8	9.3	13.6	16.9	10.2	11.0	15.4	7.3	12.1	12.6	11.5	2.0	2.3	1.7
2006	12.7	16.4	9.0	13.5	17.1	9.8	12.9	18.9	7.7	13.4	16.3	10.5	2.3	3.0	1.7
2005	11.3	14.4	8.1	11.9	15.1	8.7	11.2	15.8	7.2	11.9	13.4	10.4	1.9	2.6	1.4
2004	10.4	13.3	7.6	11.1	13.9	8.1	10.1	14.3	6.6	11.6	13.8	9.4	1.8	2.5	1.2
2003	9.9	12.8	7.0	10.4	13.4	7.4	9.9	14.1	6.4	9.9	11.2	8.6	1.6	1.9	1.3
2002	9.0	11.7	6.3	9.4	12.1	6.7	9.9	14.2	6.1	7.8	9.0	6.4	1.6	2.1	1.2
2001	7.6	10.1	5.1	7.8	10.2	5.3	9.2	13.6	5.4	6.6	7.3	5.8	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.4	4.7	9.0	13.5	5.2	5.6	6.9	4.3	1.1	1.5	0.8
1999	6.8	9.4	4.4	6.8	9.2	4.4	9.3	14.3	5.1	6.1	7.2	5.0	1.4	1.7	1.0

<sup>&</sup>lt;sup>1</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes

D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (ICD-10 code K85.3) and Drug-induced fever (ICD-10 code R50.2); see "Technical Notes."

<sup>&</sup>lt;sup>2</sup>Includes Aleuts and Eskimos.

<sup>&</sup>lt;sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

# Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases*, *Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table)

		All origins	1		Hispani	С	N	on-Hispan	ic <sup>2</sup>	Non-	Hispanic	white <sup>3</sup>	Non-	Hispanic	black <sup>3</sup>
Year	Both sexes	Male	Female	Both	Male	Female	Both sexes	Male	Female	Both	Male	Female	Both	Male	Female
								Number							
2008	38,649	23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006	,	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005	33,541	21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004	30,711	19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003	28,723	18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002	26,040	16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001	21,705	14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000	19,720	13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
								Rate							
2008	12.7	16.0	9.6	5.9	8.4	3.2	13.9	17.3	10.6	15.6	19.2	12.1	9.4	12.7	6.3
2007	12.7	16.1	9.5	6.0	8.7	3.1	13.9	17.4	10.5	15.3	19.0	11.7	10.8	14.6	7.3
2006	12.8	16.6	9.1	6.5	9.3	3.4	13.9	17.9	10.1	14.9	18.9	11.1	12.5	17.8	7.6
2005	11.3	14.5	8.2	6.1	8.9	3.0	12.1	15.4	9.0	13.1	16.4	9.8	10.8	14.7	7.2
2004	10.5	13.4	7.6	5.5	7.8	2.9	11.2	14.3	8.3	12.1	15.3	9.1	9.7	13.1	6.6
2003	9.9	12.9	7.0	5.9	8.7	2.9	10.4	13.5	7.6	11.2	14.3	8.2	9.5	13.0	6.3
2002	9.0	11.8	6.3	5.5	8.2	2.6	9.5	12.3	6.9	10.0	12.8	7.4	9.4	13.2	6.0
2001	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
							Age	-adjusted	rate <sup>4</sup>						
2008	12.6	15.7	9.4	6.5	9.1	3.7	13.6	16.9	10.3	15.4	18.9	11.7	9.7	13.7	6.4
2007	12.6	15.8	9.3	6.5	9.5	3.4	13.6	17.0	10.2	15.1	18.7	11.4	11.4	15.8	7.5
2006	12.7	16.4	9.0	7.2	10.3	3.9	13.6	17.5	9.8	14.7	18.6	10.8	13.2	19.4	7.9
2005	11.3	14.4	8.1	6.8	10.0	3.5	11.9	15.2	8.8	12.8	16.2	9.6	11.4	16.1	7.4
2004	10.4	13.3	7.6	6.2	8.9	3.4	11.1	14.1	8.2	12.0	15.0	8.9	10.4	14.6	6.8
2003	9.9	12.8	7.0	6.7	9.9	3.3	10.3	13.3	7.4	11.0	14.1	8.0	10.1	14.4	6.6
2002	9.0	11.7	6.3	6.2	9.3	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.6	5.7	9.3	13.8	5.5
2000	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

<sup>&</sup>lt;sup>1</sup>Figures for origin not stated are included in "All origins" but not distributed among specified origins.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5, F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9, G21.1,G24.0,G25.1,G25.4,G25.6,G44.4, G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (ICD-10 code K85.3) and Drug-induced fever (ICD-10 code R50.2).

<sup>&</sup>lt;sup>2</sup>Includes races other than white and black.

<sup>&</sup>lt;sup>3</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

## Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Voor		All races			White <sup>1</sup>			Black <sup>1</sup>			rican In ska Nat		Asian o	r Pacific I	slander <sup>1,3</sup>
	Both			Both			Both			Both			Both		
Year	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
								Numbe	r						
2008	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005		16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
								Rate							
2008	8.0	12.1	3.9	8.5	12.9	4.1	5.6	8.8	2.8	24.9	31.7	18.2	1.8	3.1	0.6
2007	7.7	11.7	3.8	8.2	12.4	4.0	5.6	8.9	2.6	23.9	30.6	17.2	1.7	2.8	0.7
2006	7.4	11.2	3.7	7.8	11.8	3.9	5.5	8.5	2.8	22.4	28.6	16.2	1.8	3.2	0.5
2005	7.3	11.1	3.6	7.7	11.7	3.7	5.9	9.1	3.0	20.7	27.4	14.1	1.6	2.8	0.6
2004	7.2	11.0	3.5	7.5	11.5	3.6	6.1	9.7	2.8	20.5	26.5	14.5	1.5	2.7	0.4
2003	7.1	10.9	3.4	7.4	11.3	3.5	6.3	10.0	2.9	21.3	27.8	15.0	1.4	2.4	0.3
2002	7.0	10.8	3.4	7.2	11.1	3.4	6.4	10.0	3.2	19.4	25.2	13.6	1.6	2.6	0.6
2001	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.6	3.5	19.3	25.4	13.3	1.3	2.1	0.5
2000	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
							Age	-adjusted	I rate <sup>4</sup>						
2008	7.4	11.6	3.6	7.7	11.9	3.7	6.2	10.6	2.9	28.5	37.2	20.4	1.8	3.3	0.6
2007	7.3	11.3	3.5	7.5	11.6	3.6	6.3	11.0	2.7	26.3	35.1	18.2	1.8	3.0	0.7
2006	7.0	10.9	3.4	7.2	11.2	3.5	6.2	10.4	3.0	25.2	33.3	17.8	1.9	3.5	0.5
2005	7.0	11.0	3.4	7.2	11.1	3.4	6.8	11.4	3.3	23.7	32.5	15.6	1.7	3.1	0.6
2004	7.0	11.0	3.3	7.1	11.0	3.3	7.2	12.3	3.1	23.8	32.4	16.1	1.7	3.2	0.5
2003	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.8	3.3	25.1	34.0	16.9	1.5	2.8	0.4
2002	6.9	11.0	3.3	6.9	10.9	3.2	7.8	13.1	3.6	23.2	31.5	15.6	1.8	3.2	0.6
2001	7.0	11.2	3.3	6.9	10.9	3.3	8.9	15.1	3.9	23.6	33.0	15.4	1.5	2.6	0.6
2000	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

<sup>&</sup>lt;sup>1</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (ICD-10 code K85.2); see "Technical Notes."

<sup>&</sup>lt;sup>2</sup>Includes Aleuts and Eskimos.

<sup>&</sup>lt;sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

# Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2008

[Rates on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases*, *Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table)

	,	All origins <sup>1</sup>			Hispani	С	N	on-Hispan	ic <sup>2</sup>	Non-	Hispanic	white <sup>3</sup>	Non-	Hispanic	black <sup>3</sup>
	Both		-	Both			Both			Both			Both		
Year	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
								Number							
2008	24,189	18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007	23,199	17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003	20,687	15,630	5.057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002	20,218	15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001	20,114	15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999	19,469	14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
								Rate							
2008	8.0	12.1	3.9	6.4	10.4	2.2	8.2	12.4	4.2	8.8	13.3	4.5	5.8	9.1	2.9
2007	7.7	11.7	3.8	6.5	10.8	2.0	7.9	11.8	4.1	8.4	12.6	4.4	5.8	9.2	2.7
2006	7.4	11.2	3.7	6.3	10.2	2.2	7.5	11.3	3.9	8.0	12.0	4.2	5.6	8.7	2.9
2005	7.3	11.1	3.6	6.2	10.3	1.9	7.4	11.2	3.8	7.9	11.8	4.0	6.1	9.4	3.1
2004	7.2	11.0	3.5	5.8	9.6	1.8	7.4	11.2	3.7	7.7	11.7	3.9	6.3	10.0	2.9
2003	7.1	10.9	3.4	6.1	9.9	1.9	7.2	11.0	3.6	7.5	11.4	3.8	6.5	10.3	3.0
2002	7.0	10.8	3.4	6.2	10.3	1.8	7.1	10.7	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001	7.1	10.8	3.4	6.4	10.7	2.0	7.1	10.8	3.6	7.2	10.8	3.6	7.5	11.9	3.5
2000	7.0	10.0	3.2	6.6	11.1	1.7	7.1	10.7	3.4	7.2	10.8	3.4	7.6	11.7	3.9
1999	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.7	3.4	6.9	10.7	3.3	8.0	12.5	4.0
							Age	-adjusted r	rate <sup>4</sup>						
2008	7.4	11.6	3.6	8.8	15.1	2.9	7.2	11.1	3.7	7.5	11.4	3.8	6.4	10.8	3.0
2007	7.4	11.3	3.5	9.3	16.4	2.7	7.2	10.8	3.6	7.3	10.9	3.8	6.5	11.2	2.8
	7.0	10.9	3.4	9.1	15.7	3.0	6.8	10.4	3.5	6.9	10.5	3.6	6.3	10.5	3.0
	7.0	11.0	3.4	9.1	16.2	2.6	6.8	10.4	3.5	6.8	10.5	3.5	7.0	11.6	3.4
2005	7.0	11.0	3.4	8.6	15.1	2.5	6.8	10.4	3.4	6.8	10.4	3.4	7.0	12.5	3.4
	7.0	11.0	3.3	9.2	16.2	2.5 2.8	6.8	10.6	3.4	6.7	10.5	3.4	7.3 7.6	12.5	3.2 3.3
						2.8 2.7	6.7							13.3	
	6.9	11.0	3.3	9.5	17.0			10.4	3.3	6.6	10.2	3.3	7.9		3.7
2001	7.0	11.2	3.3	10.1	18.1	2.9	6.7	10.5	3.4	6.5	10.1	3.3	9.0	15.4	4.0
2000	7.0	11.4	3.2	10.5	19.4	2.6	6.7	10.6	3.2	6.4	10.1	3.1	9.3	15.5	4.4
1999	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

<sup>&</sup>lt;sup>1</sup>Figures for origin not stated are included in "All origins" but not distributed among specified origins.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (ICD-10 code K85.2).

<sup>&</sup>lt;sup>2</sup>Includes races other than white and black.

<sup>&</sup>lt;sup>3</sup>Multiple-race data were reportedby 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

<sup>&</sup>lt;sup>4</sup>For method of computation, see "Technical Notes."

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 years and over, by marital status and sex: United States, 2008

[Rates per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Population estimates used for computing death rates are based on the Current Population Survey adjusted to July 1, 2008 resident population control totals for the United States; see "Technical Notes"]

Marital status and sex	15 years and over <sup>1</sup>	15–24 vears	25–34 vears	35–44 vears	45–54 vears	55–64 years	65–74 vears	75 years and over	Age-adjusted rate <sup>2</sup>
mantal status and sox	una 0101	youro	youro	youro			youro		
					Numbe				
Both sexes	2,433,397	32,198	42,275	76,370	186,542	296,182	401,579	1,398,251	
Never married <sup>3</sup>	258,184	29,400	25,320	27,222	44,493	38,457	27,684	65,608	
Ever married <sup>3</sup>	2,118,413	2,068	15,656	46,619	135,548	248,038	363,104	1,307,380	
Married <sup>3</sup>	915,221	1,782	11,465	29,757	79,005	145,912	208,430	438,870	
Widowed <sup>3</sup>	882,869	36	226	1,187	6,770	24,445	80,302	769,903	
Divorced <sup>3</sup>	320,323	250	3,965	15,675	49,773	77,681	74,372	98,607	
Not stated	56,800	730	1,299	2,529	6,501	9,687	10,791	25,263	
Male	1,204,453	24,027	29,635	47,686	115,038	179,550	225,400	583,117	
Never married <sup>3</sup>	159,764	22,206	18,895	18,809	30,664	25,348	16,866	26,976	
Ever married <sup>3</sup>	1,013,822	1,293	9,840	27,305	80,099	147,830	201,949	545,506	
Married <sup>3</sup>	616,470	1,132	7,307	17,364	46,573	92,050	137,319	314,725	
Widowed <sup>3</sup>	225,243	1,132	89	467	2,429	7,890	23,385	190,964	
Divorced <sup>3</sup>	172.109	142	2.444	9.474	31,097	47,890	41,245	39,817	
Not stated	30,867	528	900	1,572	4,275	6,372	6,585	10,635	• • • •
voi stateu	30,007	320	900	1,372	4,275	0,372	0,303	10,033	
Female	1,228,944	8,171	12,640	28,684	71,504	116,632	176,179	815,134	
Never married <sup>3</sup>	98,420	7,194	6,425	8,413	13,829	13,109	10,818	38,632	
Ever married <sup>3</sup>	1,104,591	775	5,816	19,314	55,449	100,208	161,155	761,874	
Married <sup>3</sup>	298,751	650	4,158	12,393	32,432	53,862	71,111	124,145	
Widowed <sup>3</sup>	657,626	17	137	720	4,341	16,555	56,917	578,939	
Divorced <sup>3</sup>	148,214	108	1,521	6,201	18,676	29,791	33,127	58,790	
Not stated	25,933	202	399	957	2,226	3,315	4,206	14,628	
vot stated	20,000	202	000	007		,	4,200	14,020	
					Rate <sup>4</sup>				
Both sexes	1,001.7	75.6	103.3	179.7	420.4	879.2	1,995.6	7,458.6	1,173.0
Never married <sup>3</sup>	354.1	76.4	146.8	356.8	805.4	1,566.5	3,166.1	9,109.0	1,673.2
Ever married <sup>3</sup>	1,246.0	50.3	66.1	133.7	348.9	794.2	1,886.4	7,252.5	1,096.9
Married <sup>3</sup>	698.1	46.9	53.7	100.9	256.5	609.8	1,544.8	5,316.1	826.3
Widowed <sup>3</sup>	5,758.9	*	182.8	350.0	693.2	1,316.5	2,422.1	8,871.8	1,523.8
Divorced <sup>3</sup>	1,358.2	94.3	177.9	310.9	704.1	1,426.4	3,046.7	9,022.0	1,607.8
Male	1,015.1	109.8	141.8	223.7	526.4	1,104.9	2,432.8	8,099.0	1,349.1
Never married <sup>3</sup>	400.6	109.4	189.4	417.9	967.1	2,036.7	4,008.1	9,803.5	1,945.5
Ever married <sup>3</sup>	1,287.0	82.0	90.1	162.4	428.8	985.1	2,283.4	7,877.7	1,250.4
Married <sup>3</sup>	938.1	77.0	73.4	120.0	304.6	745.2	1,872.0	6,481.2	1,005.6
Widowed <sup>3</sup>	7,376.0	*	*	600.2	1,042.4	2,002.9	3,830.0	11,217.1	2,154.0
Divorced <sup>3</sup>	1,720.7	149.4	256.6	417.3	984.0	2,002.9	4,591.6	10,870.1	2,134.0
Divorced	1,720.7	149.4	230.0	417.3	904.0	2,119.9	4,391.0	10,070.1	2,133.3
Female	988.9	39.5	63.1	135.4	317.5	668.9	1,622.6	7,059.3	1,028.2
Never married <sup>3</sup>	297.9	39.6	88.3	268.9	587.6	1,083.1	2,385.0	8,679.7	1,408.4
Ever married <sup>3</sup>	1,210.6	30.6	45.6	107.0	275.0	617.6	1,548.9	6,862.6	975.8
Married <sup>3</sup>	456.9	27.9	36.5	82.5	209.1	465.3	1,155.0	3,651.9	593.5
Widowed <sup>3</sup>	5,356.7	*	137.6	275.5	583.8	1,131.6	2,104.3	8,299.4	1,362.0
Divorced <sup>3</sup>	1,091.2	63.5	119.2	223.8	477.8	934.8	2,147.1	8,090.4	1,281.3
Divoloca	1,001.2	00.0	110.2	220.0	711.0	JUT.U	۵,۱۳،۱	0,000.4	1,201.0

<sup>...</sup> Category not applicable.

<sup>\*</sup> Figure does not meet standards of reliability or precision; see "Technical Notes."

<sup>&</sup>lt;sup>1</sup>Excludes figures for age not stated.

<sup>&</sup>lt;sup>2</sup>Calculated based on ages 25 years and over. For method of computation, see "Technical Notes."

<sup>&</sup>lt;sup>3</sup>Specified marital status detail was not available for more than half of Georgia's records in 2008; therefore, data by specified marital status should be interpreted with caution. <sup>4</sup>Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64 years, by educational attainment and sex: Total of 27 reporting states and the District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 20 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2008

[Rates per 100,000 in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Population estimates used for computing death rates are based on the Current Population Survey adjusted to July 1, 2008, resident population control totals for reporting areas]

			•				, ,						
27 Reporting the 2003 v	g states a rersion of	and the I the Stan	District of dard Cer	Columbia tificate of	1 using Death		vers	20 Report sion of the	ing state Standar	s <sup>2</sup> using d Certific	the 1989 ate of De	ath	
Education level and sex	25–64 years <sup>3</sup>	25–34 years	35–44 years	45–54 years	55–64 years	Age-adjusted rate <sup>4</sup>	Years of school completed <sup>5</sup> and sex	25–64 years <sup>3</sup>	25–34 years	35–44 years	45–54 years	55–64 years	Age-adjusted rate <sup>4</sup>
				Number						ı	Number		
Both sexes Less than high school	366,304	25,809	46,570	113,639	180,286		Both sexes	211,299	14,749	26,686	65,516	104,348	
diploma or GED High school diploma	70,118	5,919	9,866	22,243	32,090		Under 12 years	43,115	3,179	5,489	13,167	21,280	
or GED	150,273	10,545	19,184	48,726	71,818		12 years		•	11,970	30,101	44,198	
collegiate degree Not stated <sup>6</sup>		7,865 1,480	15,130 2,390	37,183 5,487	68,190 8,188		13 years or more Not stated <sup>7</sup>		4,087 738	8,008 1,219	19,370 2,878	34,491 4,379	
Male Less than high school	226,766	18,101	29,245	70,143	109,277		Male	130,732	10,352	16,572	40,506	63,302	
diploma or GED High school diploma	44,842	4,413	6,471	14,411	19,547		Under 12 years	28,216	2,350	3,644	8,730	13,492	
or GED		7,611	12,459	31,059	42,507		12 years	58,166	4,939	7,762	19,217	26,248	
collegiate degree Not stated <sup>6</sup>		4,963 1,114	8,689 1,626	20,868 3,805	41,578 5,645		13 years or more Not stated <sup>7</sup>		2,494 569	4,371 795	10,644 1,915	20,657 2,905	
Female	139,538	7,708	17,325	43,496	71,009		Female	80,567	4,397	10,114	25,010	41,046	
diploma or GED	25,276	1,506	3,395	7,832	12,543		Under 12 years	14,899	829	1,845	4,437	7,788	
or GED	56,637	2,934	6,725	17,667	29,311		12 years	34,848	1,806	4,208	10,884	17,950	
collegiate degree Not stated <sup>6</sup>	52,270 5,355	2,902 366	6,441 764	16,315 1,682	26,612 2,543		13 years or more Not stated <sup>7</sup>	27,790 3,030	1,593 169	3,637 424	8,726 963	13,834 1,474	
				Rate <sup>8</sup>							Rate <sup>8</sup>		
Both sexes Less than high school	359.7	98.9	172.6	407.2	864.3	330.2	Both sexes	395.6	111.7	193.0	442.3	901.9	355.3
diploma or GED High school diploma	574.7	177.3	294.5	695.4	1,386.7	551.0	Under 12 years	794.5	239.9	407.4	898.0	1,651.8	699.6
or GED		146.4	252.6	565.9	1,175.9	461.0	12 years	553.1	175.1	294.3	590.2	1,164.2	485.8
collegiate degree	213.5	50.6	94.4	231.0	548.3	194.5	13 years or more	211.6	50.9	95.2	234.9	531.8	193.1
Male Less than high school	446.7	134.7	216.4	506.7	1,096.5	417.9	Male		156.4	238.7	560.3	1,111.5	447.0
diploma or GED High school diploma		226.3	355.1		1,781.0	687.5	Under 12 years		311.9		,	1,972.7	833.2
or GED		183.7	308.5	697.5	1,592.3	592.1	12 years		228.2	346.1		1,526.4	613.1
collegiate degree	263.5	67.5	113.6	271.6	670.7	236.0	13 years or more	259.8	67.4	111.5	281.7	627.6	230.7

See footnotes at end of table.

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64 years, by educational attainment and sex: Total of 27 reporting states and the District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 20 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2008—Con.

[Rates per 100,000 in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Population estimates used for computing death rates are based on the Current Population Survey adjusted to July 1, 2008, resident population control totals for reporting areas]

27 Reporting the 2003 v											the 1989 ate of De		
Education level and sex	25–64 years <sup>3</sup>	25–34 years	35–44 years	45–54 years	55–64 years	Age-adjusted rate <sup>4</sup>	Years of school completed <sup>5</sup> and sex	25–64 years <sup>3</sup>	25–34 years	35–44 years	45–54 years	55–64 years	Age-adjusted rate <sup>4</sup>
Female	273.2	60.9	128.6	309.3	651.9	245.5	Female	299.1	66.8	146.8	329.8	698.6	265.9
diploma or GED High school diploma	449.4	108.5	222.2	524.7	1,031.0	406.6	Under 12 years	624.0	145.1	324.5	689.9	1,288.6	534.1
or GED	398.6	95.9	189.1	425.0	852.5	337.2	12 years	432.3	107.0	230.6	440.1	864.3	359.0
collegiate degree	167.3	35.4	76.8	193.9	426.7	155.0	13 years or more	168.6	36.8	80.9	195.4	433.1	158.1

<sup>...</sup> Category not applicable.

<sup>&</sup>lt;sup>1</sup>Includes data for Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Idaho, Illinois, Indiana, Kansas, Michigan, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Dakota, Ohio, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Utah, Washington, and Wyoming; see "Technical Notes."

<sup>&</sup>lt;sup>2</sup>Includes data for Alabama, Alaska, Arizona, Colorado, Hawaii, Iowa, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Minnesota, Mississippi, Missouri, North Carolina, Pennsylvania, Tennessee, Virginia, West Virginia, and Wisconsin; see "Technical Notes."

<sup>3</sup>Excludes figures for age not stated.

<sup>&</sup>lt;sup>4</sup>Calculated based on ages 25-64 years. For method of computation, see "Technical Notes."

<sup>&</sup>lt;sup>5</sup>For rates, the definition of educational attainment differs for the numerator and denominator; see "Technical Notes."

<sup>6</sup> Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

<sup>&</sup>lt;sup>8</sup>Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

Table I-9. Number of deaths, death rates, and age-adjusted death rates for ages 15 years and over, by injury at work, race, and sex: United States, 2008

[Rates per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations estimated as of July 1, 2008; see "Technical Notes." For a discussion of injury at work, see "Technical Notes"]

Race and sex	15 years and over <sup>1</sup>	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65 years and over	Age-adjusted rate <sup>2</sup>
				1	Number			
All races <sup>3</sup> , both sexes	4,690	391	742	988	1,180	810	579	
Male	4,317	356	688	913	1,102	745	513	
Female	373	35	54	75	78	65	66	
Vhite <sup>4</sup> , both sexes	4,018	313	638	839	997	710	521	
Male	3,709	291	594	774	934	655	461	
Female	309	22	44	65	63	55	60	
Black <sup>4</sup> , both sexes	505	62	81	119	136	64	43	
Male	458	49	71	113	127	59	39	
Female	47	13	10	6	9	5	4	
					Rate			
All races <sup>3</sup> , both sexes	1.9	0.9	1.8	2.3	2.7	2.4	1.5	1.9
Male	3.6	1.6	3.3	4.3	5.0	4.6	3.1	3.6
Female	0.3	0.2	0.3	0.4	0.3	0.4	0.3	0.3
White <sup>4</sup> , both sexes	2.0	0.9	2.0	2.5	2.7	2.5	1.5	2.0
Male	3.8	1.7	3.6	4.5	5.1	4.7	3.2	3.8
Female	0.3	0.1	0.3	0.4	0.3	0.4	0.3	0.3
Black <sup>4</sup> , both sexes	1.7	0.9	1.4	2.1	2.5	1.8	1.3	1.7
Male	3.2	1.4	2.5	4.3	5.1	3.8	3.0	3.3
Female	0.3	*	*	*	*	*	*	0.3

<sup>...</sup> Category not applicable.

<sup>\*</sup> Figure does not meet standards of reliability or precision; see "Technical Notes."

<sup>&</sup>lt;sup>1</sup>Excludes figures for age not stated.

<sup>&</sup>lt;sup>2</sup>Calculated based on ages 15 years and over. For method of computation, see "Technical Notes."

<sup>&</sup>lt;sup>3</sup>Includes races other than white and black.

<sup>&</sup>lt;sup>4</sup>Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Multiple-race data were reported by 34 states and the District of Columbia in 2008; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

## Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2008

[Includes ages 15 years and over; excludes figures for age not stated. Rates on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see "Technical Notes"]

									All c	other <sup>1</sup>		
		All races			White <sup>1</sup>			Total <sup>1</sup>			Black <sup>1</sup>	
Year	Both sexes	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female
						Num	ber					
2008	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007	5,025	4,606	419	4,257	3,914	343	768	692	76	579 565	521	58 50
2006	5,298 5,113	4,869 4,670	429 443	4,562 4,351	4,200 3,991	362 360	736 762	669 679	67 83	565 573	513 512	52 61
2004	5,115	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 <sup>2</sup>	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000	5,430	4,969	461	4,657	4,270	387	773	699	74 70	591	536	55 61
1998	5,651 5,543	5,152 5,036	499 507	4,805 4,804	4,385 4,366	420 438	846 739	767 670	79 69	659 587	598 535	61 52
1997	5,666	5,144	522	4,785	4,352	433	881	792	89	684	626	58
1996	5,778	5,280	498	4,940	4,535	405	838	745	93	649	582	67
1995	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	6
						Ra	ate					
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.9	0.3	1.7	3.2	0.3
2007	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.3	0.3	1.9	3.7	0.4
2006	2.2 2.2	4.2 4.1	0.4 0.4	2.3 2.3	4.4 4.2	0.4 0.4	1.7 1.8	3.2 3.4	0.3 0.4	1.9 2.0	3.7 3.8	0.3 0.4
2004	2.2	4.1	0.4	2.3	4.4	0.4	1.7	3.4	0.4	1.9	3.6	0.4
2003	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.5	0.3	2.1	4.0	0.3
2002	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 <sup>2</sup>	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998	2.6 2.7	4.8 5.0	0.5 0.5	2.7 2.7	5.0 5.0	0.5 0.5	2.0 2.5	3.9 4.8	0.4 0.5	2.3 2.7	4.5 5.3	0.4 0.4
1996	2.7	5.2	0.5	2.8	5.3	0.4	2.4	4.6	0.5	2.6	5.1	0.5
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.6	5.0	0.5	2.8	5.5	0.5
1994	2.9	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
						Age-adjus	sted rate <sup>3</sup>					
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.9	0.3	1.7	3.3	0.3
2007	2.1	3.9	0.3	2.1	4.0	0.3	1.7	3.3	0.3	2.0	3.8	0.4
2006	2.2	4.2	0.3	2.3	4.3	0.3	1.7	3.3	0.3	2.0 2.0	3.8	0.4
2005	2.1 2.2	4.1 4.2	0.4 0.4	2.3 2.3	4.2 4.4	0.4 0.3	1.8 1.7	3.5 3.3	0.4 0.4	2.0	4.0 3.8	0.4 0.4
2003	2.2	4.1	0.4	2.2	4.2	0.3	1.9	3.7	0.4	2.1	4.3	0.4
2002	2.3	4.4	0.4	2.4	4.5	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 <sup>2</sup>	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998	2.6 2.7	4.8 5.0	0.5 0.5	2.7 2.7	5.0 5.0	0.5 0.5	2.1 2.6	4.1 5.0	0.4 0.5	2.3 2.8	4.7 5.5	0.4 0.4
1996	2.7	5.0	0.5	2.7	5.3	0.5	2.5	4.8	0.5	2.6	5.3	0.4
1995	2.8	5.2	0.5	2.9	5.4	0.5	2.7	5.3	0.5	3.0	6.0	0.5
1994	2.9	5.5	0.5	3.0	5.6	0.5	2.8	5.4	0.6	3.1	6.0	0.6
	2.9		0.5	2.9								

<sup>&</sup>lt;sup>1</sup>Multiple-race data were reported by 34 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

<sup>&</sup>lt;sup>2</sup>Figures include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see "Technical Notes" from National Vital Statistics Reports, "Deaths: Final data for 2001," Volume 52, Number 3.

<sup>&</sup>lt;sup>3</sup>For method of computation, see "Technical Notes."