

2006 National Health Interview Survey (NHIS) 1
 Episode Public Use File (injpoiep)
 IDN Variables Tuesday, May 22, 2007
 Unweighted Frequencies

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	1722	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	1722	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
All Values	1722	100.00

IDN.000_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	1722	100.00

IDN.000_40.000: Person #

FPX	Frequency	Percent
01-25 Person number 1 thru 25	1722	100.00

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	1638	95.12
02 Second injury or poisoning	67	3.89
03 Third injury or poisoning	11	0.64
04 Fourth injury or poisoning	5	0.29
05 Fifth injury or poisoning	1	0.06
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

Episode Public Use File (injqoiep)

IDN Variables Tuesday, May 22, 2007

Unweighted Frequencies

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
-----	-----	-----
All Values	1722	100.00

2006 National Health Interview Survey (NHIS) 3
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	158	9.18
02 February	116	6.74
03 March	195	11.32
04 April	154	8.94
05 May	131	7.61
06 June	96	5.57
07 July	114	6.62
08 August	122	7.08
09 September	157	9.12
10 October	173	10.05
11 November	143	8.30
12 December	122	7.08
97 Refused	7	0.41
98 Not ascertained	0	0.00
99 Don't know	34	1.97

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	1681	100.00
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	0	0.00

Frequency Missing = 41

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number

IPDATENO	Frequency	Percent
001-996	22	64.71
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	12	35.29

Frequency Missing = 1688

2006 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)

FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	1	2.94
2 Weeks	1	2.94
3 Months	20	58.82
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	12	35.29

Frequency Missing = 1688

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	115	28.89
2 Middle	161	40.45
3 End	90	22.61
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	32	8.04

Frequency Missing = 1324

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1281	74.39
28	1.63
143	8.30
229	13.30
41	2.38

2006 National Health Interview Survey (NHIS) 5
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	1722	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
1722	100.00

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
1722	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1281	74.39
2 Month, beginning of month, and year	115	6.68
3 Month, middle of month, and year	161	9.35
4 Month, end of month, and year	90	5.23
5 Month and year	34	1.97
6 Elapsed time in days	1	0.06
7 Elapsed time in weeks	1	0.06
8 Elapsed time in months	20	1.16
9 No information	19	1.10

2006 National Health Interview Survey (NHIS) 6
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1281	74.39
1 Imputed day based on reported beginning, middle, or end of month	365	21.20
2 Imputed day of the month (no day of month information reported)	34	1.97
3 No imputation necessary (elapsed time reported in days)	1	0.06
4 Imputed time interval based on elapsed time reported in weeks	1	0.06
5 Imputed time interval based on elapsed time reported in months	20	1.16
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	20	1.16

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	159	9.23
02 February	117	6.79
03 March	204	11.85
04 April	160	9.29
05 May	133	7.72
06 June	97	5.63
07 July	120	6.97
08 August	125	7.26
09 September	160	9.29
10 October	176	10.22
11 November	147	8.54
12 December	124	7.20

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	1722	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	89	5.17
2 Elapsed time is <= 91 days	1633	94.83

2006 National Health Interview Survey (NHIS) 7
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent

30	1.74
77	4.47
1615	93.79

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent

01 In a motor vehicle	118	6.99
02 On a bike, scooter, skateboard, skates, skis, horse, etc	77	4.56
03 Pedestrian who was struck by a vehicle such as a car or bicycle	16	0.95
04 In a boat, train, or plane	4	0.24
05 Fall	636	37.68
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	19	1.13
07 Other	785	46.50
97 Refused	10	0.59
98 Not ascertained	0	0.00
99 Don't know	23	1.36

Frequency Missing = 34

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent

01 Transportation	184	10.69
02 Fire/burn/scald related	16	0.93
03 Fall	661	38.39
04 Poisoning	34	1.97
05 Overexertion/strenuous movements	249	14.46
06 Struck by object or person	204	11.85
07 Animal or insect bite	43	2.50
08 Cut/pierce	122	7.08
09 Machinery	17	0.99
10 Other	192	11.15
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent

01 Ankle	185	10.96
02 Back	169	10.01
03 Buttocks	8	0.47
04 Chest	24	1.42
05 Ear	4	0.24
06 Elbow	43	2.55
07 Eye	43	2.55
08 Face	63	3.73
09 Finger/thumb	132	7.82
10 Foot	100	5.92
11 Forearm	51	3.02
12 Groin	10	0.59
13 Hand	130	7.70
14 Head (not face)	123	7.29
15 Hip	45	2.67
16 Jaw	4	0.24
17 Knee	124	7.35
18 Lower leg	61	3.61
19 Mouth	8	0.47
20 Neck	34	2.01
21 Nose	9	0.53
22 Shoulder	92	5.45
23 Stomach	7	0.41
24 Teeth	6	0.36
25 Thigh	23	1.36
26 Toe	36	2.13
27 Upper arm	10	0.59
28 Wrist	63	3.73
29 Other	70	4.15
97 Refused	4	0.24
98 Not ascertained	0	0.00
99 Don't know	7	0.41

Frequency Missing = 34

Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	1445	85.60
01 Ankle	4	0.24
02 Back	22	1.30
03 Buttocks	5	0.30
04 Chest	8	0.47
05 Ear	0	0.00
06 Elbow	6	0.36
07 Eye	2	0.12
08 Face	11	0.65
09 Finger/thumb	5	0.30
10 Foot	7	0.41
11 Forearm	8	0.47
12 Groin	0	0.00
13 Hand	10	0.59
14 Head (not face)	10	0.59
15 Hip	11	0.65
16 Jaw	1	0.06
17 Knee	27	1.60
18 Lower leg	16	0.95
19 Mouth	4	0.24
20 Neck	24	1.42
21 Nose	2	0.12
22 Shoulder	18	1.07
23 Stomach	0	0.00
24 Teeth	3	0.18
25 Thigh	4	0.24
26 Toe	1	0.06
27 Upper arm	5	0.30
28 Wrist	11	0.65
29 Other	18	1.07
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 34

2006 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables
 Unweighted Frequencies

10

Tuesday, May 22, 2007

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent

00 No third response	1600	94.79
01 Ankle	0	0.00
02 Back	5	0.30
03 Buttocks	1	0.06
04 Chest	3	0.18
05 Ear	0	0.00
06 Elbow	3	0.18
07 Eye	0	0.00
08 Face	1	0.06
09 Finger/thumb	3	0.18
10 Foot	2	0.12
11 Forearm	6	0.36
12 Groin	1	0.06
13 Hand	5	0.30
14 Head (not face)	7	0.41
15 Hip	5	0.30
16 Jaw	0	0.00
17 Knee	4	0.24
18 Lower leg	7	0.41
19 Mouth	0	0.00
20 Neck	4	0.24
21 Nose	2	0.12
22 Shoulder	9	0.53
23 Stomach	0	0.00
24 Teeth	1	0.06
25 Thigh	5	0.30
26 Toe	0	0.00
27 Upper arm	1	0.06
28 Wrist	5	0.30
29 Other	8	0.47
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 34

2006 National Health Interview Survey (NHIS) 11
 Episode Public Use File (injqoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	1650	97.75
01 Ankle	0	0.00
02 Back	3	0.18
03 Buttocks	0	0.00
04 Chest	1	0.06
05 Ear	0	0.00
06 Elbow	1	0.06
07 Eye	2	0.12
08 Face	2	0.12
09 Finger/thumb	0	0.00
10 Foot	1	0.06
11 Forearm	0	0.00
12 Groin	0	0.00
13 Hand	5	0.30
14 Head (not face)	1	0.06
15 Hip	1	0.06
16 Jaw	1	0.06
17 Knee	2	0.12
18 Lower leg	2	0.12
19 Mouth	0	0.00
20 Neck	1	0.06
21 Nose	0	0.00
22 Shoulder	1	0.06
23 Stomach	0	0.00
24 Teeth	1	0.06
25 Thigh	4	0.24
26 Toe	2	0.12
27 Upper arm	4	0.24
28 Wrist	0	0.00
29 Other	3	0.18
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 34

Unweighted Frequencies

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	358	21.35
02 Sprain, strain, or twist	519	30.95
03 Cut	280	16.70
04 Scrape	45	2.68
05 Bruise	203	12.10
06 Burn	22	1.31
07 Insect bite	20	1.19
08 Animal bite	23	1.37
09 Other	205	12.22
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.12

Frequency Missing = 45

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	1581	94.28
01 Broken bone or fracture	3	0.18
02 Sprain, strain, or twist	12	0.72
03 Cut	11	0.66
04 Scrape	9	0.54
05 Bruise	41	2.44
06 Burn	2	0.12
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	18	1.07
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 45

2006 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	25	10.29
02 Sprain, strain, or twist	90	37.04
03 Cut	22	9.05
04 Scrape	13	5.35
05 Bruise	60	24.69
06 Burn	3	1.23
07 Insect bite	4	1.65
08 Animal bite	2	0.82
09 Other	22	9.05
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.82

Frequency Missing = 1479

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	209	86.01
01 Broken bone or fracture	1	0.41
02 Sprain, strain, or twist	0	0.00
03 Cut	1	0.41
04 Scrape	4	1.65
05 Bruise	24	9.88
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	1.65
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1479

2006 National Health Interview Survey (NHIS)
Episode Public Use File (injqoiep)

14

FIJ Variables Tuesday, May 22, 2007
Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	8	9.09
02 Sprain, strain, or twist	36	40.91
03 Cut	6	6.82
04 Scrape	2	2.27
05 Bruise	25	28.41
06 Burn	2	2.27
07 Insect bite	1	1.14
08 Animal bite	0	0.00
09 Other	7	7.95
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.14

Frequency Missing = 1634

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	72	81.82
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	3	3.41
03 Cut	1	1.14
04 Scrape	1	1.14
05 Bruise	9	10.23
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	2.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1634

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	2	5.26
02 Sprain, strain, or twist	17	44.74
03 Cut	5	13.16
04 Scrape	0	0.00
05 Bruise	7	18.42
06 Burn	3	7.89
07 Insect bite	1	2.63
08 Animal bite	0	0.00
09 Other	2	5.26
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	2.63

Frequency Missing = 1684

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	30	78.95
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	2.63
03 Cut	0	0.00
04 Scrape	2	5.26
05 Bruise	5	13.16
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1684

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	17	50.00
2 No	16	47.06
7 Refused	1	2.94
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1688

2006 National Health Interview Survey (NHIS) 16
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	354	20.56
2 No	1357	78.80
7 Refused	5	0.29
8 Not ascertained	1	0.06
9 Don't know	5	0.29

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	935	54.30
2 No	772	44.83
7 Refused	5	0.29
8 Not ascertained	1	0.06
9 Don't know	9	0.52

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1289	74.85
2 No	420	24.39
7 Refused	5	0.29
8 Not ascertained	1	0.06
9 Don't know	7	0.41

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	665	38.62
2 No	1034	60.05
7 Refused	5	0.29
8 Not ascertained	1	0.06
9 Don't know	17	0.99

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	178	10.34
2 No	1529	88.79
7 Refused	5	0.29
8 Not ascertained	1	0.06
9 Don't know	9	0.52

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	140	8.13
2 No	1573	91.35
7 Refused	4	0.23
8 Not ascertained	0	0.00
9 Don't know	5	0.29

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	137	97.86
95 95+ nights	0	0.00
97 Refused	1	0.71
98 Not ascertained	0	0.00
99 Don't know	2	1.43

Frequency Missing = 1582

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	131	62.09
2 No	79	37.44
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.47

Frequency Missing = 1511

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
95	45.02
29	13.74
16	7.58
26	12.32

FIJ.110_00.000: Injured as . . .

Frequency	Percent

42	19.91
0	0.00
0	0.00
3	1.42

Frequency Missing = 1511

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

01	Passenger car
02	Passenger truck, such as a pickup truck, van, or SUV
03	Bus
04	Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
05	Motorcycle (including mopeds and minibikes)
06	All terrain vehicle or ski/snow-mobile
07	Farm equipment (such as a tractor)
08	Industrial or construction vehicle
09	Other
97	Refused
98	Not ascertained
99	Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent

71	57.26
29	23.39
1	0.81
2	1.61
10	8.06
9	7.26
0	0.00
0	0.00
2	1.61
0	0.00
0	0.00
0	0.00

Frequency Missing = 1598

2006 National Health Interview Survey (NHIS) 19
 Episode Public Use File (injqoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	78	76.47
2 No	21	20.59
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	2.94

Frequency Missing = 1620

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	35	40.23
2 No	51	58.62
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	1.15

Frequency Missing = 1635

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	99	15.57
02 Floor or level ground	202	31.76
03 Curb (including sidewalk)	29	4.56
04 Ladder or scaffolding	15	2.36
05 Playground equipment	27	4.25
06 Sports field, court, or rink	67	10.53
07 Building or other structure	7	1.10
08 Chair, bed, sofa, or other furniture	43	6.76
09 Bathtub, shower, toilet, or commode	16	2.52
10 Hole or other opening	10	1.57
11 Other	116	18.24
97 Refused	2	0.31
98 Not ascertained	0	0.00
99 Don't know	3	0.47

Frequency Missing = 1086

2006 National Health Interview Survey (NHIS) 20
 Episode Public Use File (injpoiep)
 FIJ Variables Tuesday, May 22, 2007
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	631	99.21
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	0	0.00
03 Curb (including sidewalk)	0	0.00
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	1	0.16
07 Building or other structure	0	0.00
08 Chair, bed, sofa, or other furniture	0	0.00
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	4	0.63
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1086

FIJ.131_00.000: Cause of fall

IFALLWHY

-
- 1 Slipping or tripping
 - 2 Jumping or diving
 - 3 Bumping into an object or another person
 - 4 Being shoved or pushed by another person
 - 5 Losing balance or having dizziness (becoming faint or having a seizure)
 - 6 Other
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
349	54.87
44	6.92
27	4.25
20	3.14
108	16.98
85	13.36
1	0.16
0	0.00
2	0.31

Frequency Missing = 1086

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	11
2 Swallowing or touching a harmful solid or liquid substance	10
3 Inhaling harmful gases or vapors	9
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	0
6 Other, please specify	3
7 Refused	1
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	32.35
2 Swallowing or touching a harmful solid or liquid substance	29.41
3 Inhaling harmful gases or vapors	26.47
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	0.00
6 Other, please specify	8.82
7 Refused	2.94
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 1688

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	110	6.39
02 Working at a paid job	235	13.65
03 Working around the house or yard	245	14.23
04 Attending school	50	2.90
05 Unpaid work (such as volunteer work)	13	0.75
06 Sports and exercise	299	17.36
07 Leisure activity (excluding sports)	411	23.87
08 Sleeping, resting, eating, or drinking	68	3.95
09 Cooking	19	1.10
10 Being cared for (hands-on care from other person)	18	1.05
11 Other	228	13.24
97 Refused	8	0.46
98 Not ascertained	0	0.00
99 Don't know	18	1.05

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	1707	99.13
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	1	0.06
03 Working around the house or yard	0	0.00
04 Attending school	1	0.06
05 Unpaid work (such as volunteer work)	1	0.06
06 Sports and exercise	6	0.35
07 Leisure activity	4	0.23
08 Sleeping, resting, eating, or drinking	1	0.06
09 Cooking	1	0.06
10 Being cared for (hands on care from other person)	0	0.00
11 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	483	28.05
02 Home (outside)	327	18.99
03 School (not residential)	124	7.20
04 Child care center or preschool	9	0.52
05 Residential institution (exclude hospital)	11	0.64
06 Health care facility (include hospital)	12	0.70
07 Street or highway	143	8.30
08 Sidewalk	35	2.03
09 Parking lot	34	1.97
10 Sport facility, athletic field, or playground	154	8.94
11 Shopping center, restaurant, store, bank, gas station, or other place of business	62	3.60
12 Farm	10	0.58
13 Park or recreation area (include bike or jog path)	52	3.02
14 River, lake, stream, or ocean	18	1.05
15 Industrial or construction area	81	4.70
16 Other public building	33	1.92
17 Other	107	6.21
97 Refused	9	0.52
98 Not ascertained	0	0.00
99 Don't know	18	1.05

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	1706	99.07
01 Home (inside)	0	0.00
02 Home (outside)	1	0.06
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	2	0.12
07 Street or highway	1	0.06
08 Sidewalk	3	0.17
09 Parking lot	1	0.06
10 Sport facility, athletic field, or playground	5	0.29
11 Shopping center, restaurant, store, bank, gas station, or other place of business	2	0.12
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	1	0.06
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	0	0.00
16 Other public building	0	0.00
17 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	658	45.69
2 Part-time	142	9.86
3 Not employed	634	44.03
7 Refused	4	0.28
8 Not ascertained	0	0.00
9 Don't know	2	0.14

Frequency Missing = 282

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	381	47.63
2 Less than one day	54	6.75
3 One to five days	193	24.13
4 Six or more days	169	21.13
7 Refused	1	0.13
8 Not ascertained	0	0.00
9 Don't know	2	0.25

Frequency Missing = 922

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	425	25.96
2 Part-time	48	2.93
3 Not a student	1160	70.86
7 Refused	3	0.18
8 Not ascertained	0	0.00
9 Don't know	1	0.06

Frequency Missing = 85

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	289	61.10
2 Less than one day	52	10.99
3 One to five days	104	21.99
4 Six or more days	25	5.29
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	2	0.42

Frequency Missing = 1249

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	1722	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	412	100.00

Frequency Missing = 1310

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	144	100.00

Frequency Missing = 1578

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	71	100.00

Frequency Missing = 1651

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	31	100.00

Frequency Missing = 1691

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	16	100.00

Frequency Missing = 1706

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	11	100.00

Frequency Missing = 1711

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
ICD-9-CM codes	3	100.00

Frequency Missing = 1719

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1	Frequency	Percent
E8000-E999 E codes	1722	100.00

2006 National Health Interview Survey (NHIS)
Episode Public Use File (injqoiep)
FIJ Variables
Unweighted Frequencies

26

Tuesday, May 22, 2007

FIJ.181_20.000: ICD-9-CM external cause code

ECODE_2	Frequency	Percent
E8000-E999 E codes	33	100.00

Frequency Missing = 1689

FIJ.181_30.000: ICD-9-CM external cause code

ECODE_3	Frequency	Percent
E8000-E999 E codes	3	100.00

Frequency Missing = 1719