

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	17.9 (0.31)	13.7 (0.28)	4.2 (0.16)	21.1 (0.30)	61.1 (0.39)
Sex					
Male	20.4 (0.46)	15.4 (0.40)	4.9 (0.25)	24.9 (0.44)	54.7 (0.57)
Female	15.5 (0.39)	11.9 (0.34)	3.5 (0.19)	17.8 (0.39)	66.7 (0.49)
Age (years)					
18–44	19.7 (0.46)	14.4 (0.40)	5.4 (0.26)	12.9 (0.39)	67.3 (0.56)
45–64	19.9 (0.49)	16.2 (0.46)	3.7 (0.23)	24.4 (0.54)	55.7 (0.64)
65–74	11.6 (0.60)	9.5 (0.54)	2.1 (0.27)	40.7 (1.00)	47.7 (0.99)
75 and over	5.1 (0.46)	4.1 (0.40)	1.0 (0.23)	40.5 (1.12)	54.4 (1.13)
Race					
One race ²	17.8 (0.31)	13.6 (0.28)	4.2 (0.16)	21.1 (0.30)	61.2 (0.40)
White	18.4 (0.37)	14.2 (0.33)	4.1 (0.18)	22.7 (0.36)	58.9 (0.46)
Black or African American	17.6 (0.67)	12.7 (0.57)	4.9 (0.41)	13.9 (0.56)	68.5 (0.79)
American Indian or Alaska Native	21.0 (2.89)	12.1 (2.07)	8.8 (2.22)	19.2 (2.52)	59.8 (3.48)
Asian	9.5 (0.86)	7.1 (0.79)	2.4 (0.39)	13.4 (0.97)	77.1 (1.23)
Native Hawaiian or Other Pacific Islander	29.6 (7.48)	*11.7 (4.85)	*17.9 (6.80)	7.4 (2.14)	63.0 (7.40)
Two or more races ³	25.9 (2.24)	20.1 (2.12)	5.9 (1.09)	22.0 (2.05)	52.1 (2.55)
Black or African American, white	29.5 (5.31)	21.8 (4.90)	*7.6 (2.80)	25.1 (4.64)	45.4 (5.97)
American Indian or Alaska Native, white	33.1 (3.48)	26.0 (3.29)	*7.2 (2.19)	24.8 (3.00)	42.1 (3.86)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	11.6 (0.55)	7.1 (0.41)	4.6 (0.35)	16.4 (0.63)	72.0 (0.78)
Mexican or Mexican American	11.0 (0.74)	6.3 (0.50)	4.7 (0.46)	16.0 (0.82)	73.0 (0.98)
Not Hispanic or Latino	19.2 (0.35)	15.0 (0.33)	4.2 (0.17)	21.9 (0.34)	59.0 (0.44)
White, single race	20.2 (0.45)	16.1 (0.41)	4.1 (0.21)	24.0 (0.41)	55.8 (0.54)
Black or African American, single race	17.7 (0.68)	12.9 (0.59)	4.8 (0.41)	13.9 (0.57)	68.4 (0.80)
Education ⁵					
Less than a high school diploma	25.9 (0.94)	20.8 (0.90)	5.1 (0.46)	20.6 (0.80)	53.5 (1.00)
High school diploma or GED ⁶	25.6 (0.72)	20.9 (0.66)	4.7 (0.34)	23.9 (0.68)	50.5 (0.84)
Some college	19.4 (0.56)	14.8 (0.48)	4.6 (0.30)	26.6 (0.61)	54.0 (0.74)
Bachelor's degree or higher	7.7 (0.33)	5.1 (0.28)	2.6 (0.20)	22.4 (0.56)	69.9 (0.59)
Current employment status ⁷					
Employed	15.7 (0.36)	11.6 (0.31)	4.1 (0.19)	21.8 (0.55)	62.5 (0.61)
Full-time	16.0 (0.43)	11.8 (0.38)	4.2 (0.22)	22.7 (0.80)	61.3 (0.88)
Part-time	14.9 (0.79)	11.4 (0.71)	3.6 (0.44)	19.2 (0.93)	65.9 (1.14)
Not employed but has worked previously	24.3 (0.65)	19.7 (0.59)	4.6 (0.31)	21.1 (0.53)	54.6 (0.74)
Not employed and has never worked	14.6 (1.20)	11.8 (1.10)	2.8 (0.56)	10.6 (0.92)	74.8 (1.49)

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income⁸					
Less than \$35,000	26.6 (0.58)	21.1 (0.55)	5.4 (0.25)	18.1 (0.44)	55.4 (0.67)
\$35,000 or more	14.2 (0.35)	10.6 (0.30)	3.6 (0.20)	22.8 (0.40)	63.0 (0.49)
\$35,000–\$49,999	18.8 (0.74)	14.9 (0.70)	3.9 (0.35)	21.4 (0.75)	59.8 (0.91)
\$50,000–\$74,999	16.8 (0.67)	13.0 (0.61)	3.8 (0.36)	22.9 (0.73)	60.3 (0.94)
\$75,000–\$99,999	13.7 (0.81)	10.1 (0.71)	3.6 (0.44)	24.8 (0.96)	61.5 (1.14)
\$100,000 or more	9.9 (0.59)	6.6 (0.47)	3.3 (0.38)	22.5 (0.72)	67.6 (0.86)
Poverty status⁹					
Poor	29.0 (0.88)	22.9 (0.82)	6.1 (0.42)	15.6 (0.62)	55.4 (0.97)
Near poor	23.3 (0.73)	19.1 (0.68)	4.2 (0.31)	19.4 (0.65)	57.3 (0.86)
Not poor	14.3 (0.35)	10.6 (0.31)	3.8 (0.21)	23.1 (0.39)	62.6 (0.48)
Health insurance coverage¹⁰					
Under 65:					
Private	14.7 (0.39)	10.7 (0.33)	4.0 (0.22)	18.0 (0.42)	67.2 (0.53)
Medicaid	30.4 (1.14)	23.7 (1.08)	6.8 (0.61)	15.2 (0.81)	54.4 (1.18)
Other	23.5 (1.77)	19.2 (1.61)	4.3 (0.88)	21.3 (1.59)	55.2 (2.03)
Uninsured	29.7 (0.81)	23.4 (0.78)	6.2 (0.40)	14.1 (0.57)	56.2 (0.85)
65 and over:					
Private	7.1 (0.54)	5.9 (0.49)	1.2 (0.24)	43.0 (1.13)	49.9 (1.15)
Medicare and Medicaid	12.6 (1.41)	10.1 (1.30)	2.4 (0.62)	33.3 (2.23)	54.1 (2.36)
Medicare only	9.0 (0.66)	7.1 (0.59)	1.9 (0.32)	38.1 (1.25)	53.0 (1.25)
Other	11.7 (1.57)	10.2 (1.46)	*1.5 (0.60)	46.7 (2.73)	41.6 (2.67)
Uninsured	*5.9 (2.27)	*4.9 (2.08)	*	*19.8 (6.07)	74.3 (6.37)
Marital status					
Married	13.4 (0.39)	10.5 (0.36)	2.9 (0.20)	24.3 (0.45)	62.3 (0.54)
Widowed	30.5 (4.70)	23.9 (4.50)	*6.7 (3.11)	22.6 (3.20)	46.8 (4.29)
Divorced or separated	27.8 (0.93)	22.4 (0.92)	5.5 (0.46)	21.8 (0.74)	50.4 (1.04)
Never married	19.2 (0.63)	13.6 (0.53)	5.6 (0.42)	14.8 (0.71)	66.0 (0.87)
Living with a partner	30.7 (1.41)	23.6 (1.25)	7.2 (0.85)	21.1 (1.42)	48.2 (1.67)
Place of residence¹¹					
Large MSA	15.8 (0.42)	11.5 (0.37)	4.4 (0.22)	20.3 (0.40)	63.9 (0.51)
Small MSA	18.0 (0.56)	14.2 (0.53)	3.7 (0.26)	22.2 (0.53)	59.8 (0.72)
Not in MSA	26.0 (0.91)	21.1 (0.91)	4.9 (0.43)	21.3 (0.82)	52.7 (1.14)
Region					
Northeast	17.1 (0.74)	12.9 (0.67)	4.2 (0.38)	22.9 (0.76)	60.0 (0.86)
Midwest	20.6 (0.73)	16.2 (0.65)	4.4 (0.35)	21.7 (0.61)	57.7 (0.86)
South	19.4 (0.52)	15.0 (0.48)	4.5 (0.27)	20.2 (0.49)	60.4 (0.67)
West	13.4 (0.50)	9.7 (0.41)	3.7 (0.27)	20.5 (0.63)	66.1 (0.74)

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	16.6 (0.97)	10.0 (0.73)	6.6 (0.63)	22.4 (1.06)	61.1 (1.30)
Hispanic or Latina, female	6.7 (0.49)	4.2 (0.38)	2.5 (0.30)	11.0 (0.70)	82.3 (0.84)
Not Hispanic or Latino:					
White, single race, male	21.7 (0.61)	17.3 (0.55)	4.5 (0.32)	26.9 (0.61)	51.3 (0.76)
White, single race, female	18.7 (0.58)	14.8 (0.51)	3.8 (0.28)	21.6 (0.53)	59.8 (0.67)
Black or African American, single race, male	21.1 (1.18)	15.8 (0.99)	5.4 (0.70)	18.2 (0.94)	60.7 (1.33)
Black or African American, single race, female	15.0 (0.78)	10.6 (0.65)	4.4 (0.48)	10.9 (0.65)	74.2 (0.98)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	237,394	42,137	32,407	9,729	51,935	142,452
Sex						
Male	114,334	23,338	17,806	5,532	28,895	61,632
Female	123,061	18,799	14,602	4,197	23,040	80,820
Age (years)						
18–44	111,717	21,972	16,009	5,963	14,372	74,966
45–64	82,286	16,346	13,283	3,063	19,996	45,644
65–74	25,086	2,892	2,370	521	10,188	11,922
75 and over	18,305	926	745	181	7,378	9,920
Race						
One race ²	233,678	41,158	31,659	9,498	51,246	140,418
White	189,484	34,114	26,681	7,433	45,378	109,273
Black or African American	28,503	5,160	3,713	1,447	3,756	19,484
American Indian or Alaska Native	1,970	417	233	184	357	1,191
Asian	13,236	1,298	975	323	1,726	10,184
Native Hawaiian or Other Pacific Islander	485	*169	*	*	*29	287
Two or more races ³	3,716	979	748	231	689	2,033
Black or African American, white	801	264	204	*60	77	447
American Indian or Alaska Native, white	1,570	500	397	*103	380	689
Hispanic or Latino origin ⁴ and race						
Hispanic or Latino	35,704	4,319	2,580	1,739	5,109	26,190
Mexican or Mexican American	22,277	2,506	1,368	1,138	2,973	16,746
Not Hispanic or Latino	201,690	37,818	29,827	7,991	46,826	116,262
White, single race	156,858	30,338	24,383	5,955	40,621	85,267
Black or African American, single race	27,415	4,986	3,638	1,348	3,653	18,673
Education ⁵						
Less than a high school diploma	27,749	6,690	5,381	1,309	6,441	14,511
High school diploma or GED ⁶	52,621	12,684	10,377	2,307	13,482	26,253
Some college	60,000	11,750	9,038	2,712	15,991	32,061
Bachelor's degree or higher	65,758	5,148	3,452	1,696	14,483	45,860
Current employment status ⁷						
Employed	144,126	24,645	18,216	6,429	27,651	91,251
Full-time	117,101	20,479	15,044	5,434	22,996	73,105
Part-time	24,980	3,893	2,950	943	4,281	16,751
Not employed but has worked previously	78,659	15,572	12,652	2,920	22,769	40,068
Not employed and has never worked	14,364	1,902	1,522	380	1,478	10,960

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income ⁸						
Less than \$35,000	72,188	18,268	14,538	3,731	14,063	39,669
\$35,000 or more	149,560	21,665	16,331	5,334	34,219	93,211
\$35,000–\$49,999	30,855	5,709	4,540	1,170	6,914	18,169
\$50,000–\$74,999	40,797	6,940	5,418	1,522	9,534	24,210
\$75,000–\$99,999	27,096	3,882	2,877	1,006	6,517	16,540
\$100,000 or more	50,812	5,133	3,496	1,637	11,255	34,292
Poverty status ⁹						
Poor	29,822	8,697	6,850	1,847	4,231	16,829
Near poor	38,468	8,702	7,137	1,565	7,696	22,015
Not poor	148,428	21,315	15,999	5,316	35,576	91,020
Health insurance coverage ¹⁰						
Under 65:						
Private	125,224	18,395	13,561	4,834	23,720	82,593
Medicaid	19,711	5,975	4,645	1,330	2,947	10,745
Other	9,247	2,278	1,915	363	2,274	4,669
Uninsured	38,942	11,463	9,021	2,443	5,342	22,018
65 and over:						
Private	21,580	1,569	1,293	276	9,262	10,710
Medicare and Medicaid	3,185	412	331	81	1,063	1,688
Medicare only	14,960	1,403	1,115	288	5,678	7,791
Other	3,159	395	344	*51	1,455	1,292
Uninsured	411	*38	*32	*	*76	297
Marital status						
Married	125,149	16,659	13,240	3,419	32,130	75,941
Widowed	14,432	1,876	1,574	302	4,692	7,763
Divorced or separated	27,632	7,543	6,094	1,449	6,818	13,130
Never married	52,816	10,699	7,421	3,278	5,317	36,629
Living with a partner	16,910	5,260	4,024	1,236	2,855	8,757
Place of residence ¹¹						
Large MSA	127,881	20,350	14,844	5,505	26,415	80,688
Small MSA	73,440	13,084	10,403	2,681	16,925	43,140
Not in MSA	36,074	8,703	7,160	1,543	8,595	18,623
Region						
Northeast	41,590	6,989	5,343	1,646	10,177	24,250
Midwest	53,833	10,979	8,635	2,344	11,975	30,663
South	87,664	16,822	13,059	3,763	18,533	52,035
West	54,307	7,347	5,371	1,976	11,250	35,504

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	17,870	3,078	1,809	1,269	3,381	11,362
Hispanic or Latina, female	17,834	1,241	771	470	1,728	14,828
Not Hispanic or Latino:						
White, single race, male	75,979	16,003	12,874	3,129	21,837	37,816
White, single race, female	80,880	14,335	11,509	2,826	18,785	47,451
Black or African American, single race, male	12,321	2,669	1,990	679	2,024	7,568
Black or African American, single race, female	15,094	2,317	1,647	669	1,629	11,105

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	17.8 (0.30)	13.7 (0.27)	4.1 (0.15)	22.0 (0.33)	60.2 (0.40)
Sex					
Male	20.5 (0.45)	15.6 (0.40)	4.9 (0.24)	25.4 (0.48)	54.1 (0.59)
Female	15.3 (0.38)	11.9 (0.34)	3.4 (0.18)	18.8 (0.40)	65.9 (0.49)
Age (years)					
18–44	19.7 (0.46)	14.4 (0.40)	5.4 (0.26)	12.9 (0.39)	67.3 (0.56)
45–64	19.9 (0.49)	16.2 (0.46)	3.7 (0.23)	24.4 (0.54)	55.7 (0.64)
65–74	11.6 (0.60)	9.5 (0.54)	2.1 (0.27)	40.7 (1.00)	47.7 (0.99)
75 and over	5.1 (0.46)	4.1 (0.40)	1.0 (0.23)	40.5 (1.12)	54.4 (1.13)
Race					
One race ²	17.7 (0.30)	13.6 (0.27)	4.1 (0.15)	22.0 (0.33)	60.3 (0.40)
White	18.1 (0.36)	14.1 (0.32)	3.9 (0.17)	24.0 (0.39)	57.9 (0.47)
Black or African American	18.2 (0.68)	13.1 (0.59)	5.1 (0.42)	13.2 (0.56)	68.6 (0.81)
American Indian or Alaska Native	21.2 (3.07)	11.9 (2.09)	9.4 (2.44)	18.2 (2.61)	60.6 (3.64)
Asian	9.8 (0.90)	7.4 (0.83)	2.4 (0.41)	13.1 (0.97)	77.1 (1.25)
Native Hawaiian or Other Pacific Islander	34.8 (9.87)	*11.9 (5.75)	*22.8 (9.41)	*6.0 (1.88)	59.2 (9.33)
Two or more races ³	26.4 (2.27)	20.2 (2.11)	6.2 (1.21)	18.6 (1.96)	54.9 (2.66)
Black or African American, white	33.5 (6.48)	25.9 (6.18)	*7.6 (2.93)	9.7 (2.81)	56.8 (6.81)
American Indian or Alaska Native, white	31.9 (3.45)	25.3 (3.18)	*6.6 (2.06)	24.2 (3.28)	43.9 (4.02)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	12.1 (0.56)	7.2 (0.43)	4.9 (0.38)	14.3 (0.59)	73.5 (0.77)
Mexican or Mexican American	11.3 (0.72)	6.2 (0.46)	5.1 (0.51)	13.4 (0.72)	75.3 (0.90)
Not Hispanic or Latino	18.8 (0.34)	14.8 (0.32)	4.0 (0.16)	23.3 (0.36)	57.9 (0.44)
White, single race	19.4 (0.41)	15.6 (0.38)	3.8 (0.19)	26.0 (0.44)	54.6 (0.52)
Black or African American, single race	18.3 (0.70)	13.3 (0.60)	4.9 (0.42)	13.4 (0.58)	68.4 (0.83)
Education ⁵					
Less than a high school diploma	24.2 (0.85)	19.5 (0.82)	4.7 (0.41)	23.3 (0.81)	52.5 (0.97)
High school diploma or GED ⁶	24.2 (0.68)	19.8 (0.63)	4.4 (0.31)	25.7 (0.68)	50.1 (0.80)
Some college	19.6 (0.57)	15.1 (0.49)	4.5 (0.29)	26.7 (0.63)	53.6 (0.75)
Bachelor's degree or higher	7.9 (0.34)	5.3 (0.29)	2.6 (0.20)	22.1 (0.56)	70.0 (0.59)
Current employment status ⁷					
Employed	17.2 (0.38)	12.7 (0.32)	4.5 (0.21)	19.3 (0.39)	63.6 (0.49)
Full-time	17.6 (0.43)	12.9 (0.36)	4.7 (0.24)	19.7 (0.43)	62.7 (0.53)
Part-time	15.6 (0.83)	11.8 (0.74)	3.8 (0.48)	17.2 (0.86)	67.2 (1.13)
Not employed but has worked previously	19.9 (0.49)	16.1 (0.44)	3.7 (0.22)	29.0 (0.57)	51.1 (0.63)
Not employed and has never worked	13.3 (1.13)	10.6 (1.02)	2.6 (0.55)	10.3 (0.87)	76.4 (1.37)

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income ⁸					
Less than \$35,000	25.4 (0.56)	20.2 (0.53)	5.2 (0.24)	19.5 (0.50)	55.1 (0.69)
\$35,000 or more	14.5 (0.35)	11.0 (0.31)	3.6 (0.19)	23.0 (0.42)	62.5 (0.48)
\$35,000–\$49,999	18.5 (0.73)	14.7 (0.70)	3.8 (0.34)	22.5 (0.81)	59.0 (0.95)
\$50,000–\$74,999	17.1 (0.68)	13.3 (0.61)	3.7 (0.36)	23.4 (0.75)	59.5 (0.92)
\$75,000–\$99,999	14.4 (0.84)	10.7 (0.74)	3.7 (0.45)	24.2 (0.96)	61.4 (1.14)
\$100,000 or more	10.1 (0.57)	6.9 (0.46)	3.2 (0.35)	22.2 (0.68)	67.7 (0.80)
Poverty status ⁹					
Poor	29.2 (0.93)	23.0 (0.86)	6.2 (0.43)	14.2 (0.62)	56.6 (1.04)
Near poor	22.7 (0.71)	18.6 (0.66)	4.1 (0.31)	20.0 (0.68)	57.3 (0.88)
Not poor	14.4 (0.34)	10.8 (0.30)	3.6 (0.19)	24.1 (0.41)	61.5 (0.47)
Health insurance coverage ¹⁰					
Under 65:					
Private	14.8 (0.38)	10.9 (0.33)	3.9 (0.21)	19.0 (0.43)	66.2 (0.53)
Medicaid	30.4 (1.14)	23.6 (1.08)	6.8 (0.62)	15.0 (0.85)	54.6 (1.21)
Other	24.7 (1.50)	20.8 (1.40)	3.9 (0.61)	24.7 (1.50)	50.6 (1.78)
Uninsured	29.5 (0.81)	23.2 (0.78)	6.3 (0.40)	13.8 (0.57)	56.7 (0.87)
65 and over:					
Private	7.3 (0.55)	6.0 (0.50)	1.3 (0.25)	43.0 (1.13)	49.7 (1.15)
Medicare and Medicaid	13.0 (1.47)	10.5 (1.35)	2.5 (0.63)	33.6 (2.27)	53.4 (2.44)
Medicare only	9.4 (0.69)	7.5 (0.63)	1.9 (0.32)	38.2 (1.25)	52.4 (1.25)
Other	12.6 (1.70)	11.0 (1.60)	*1.6 (0.63)	46.3 (2.68)	41.1 (2.62)
Uninsured	*9.2 (3.57)	*7.7 (3.26)	*	18.5 (5.16)	72.3 (5.97)
Marital status					
Married	13.4 (0.37)	10.6 (0.35)	2.7 (0.18)	25.8 (0.47)	60.9 (0.53)
Widowed	13.1 (0.84)	11.0 (0.80)	2.1 (0.32)	32.7 (1.09)	54.2 (1.16)
Divorced or separated	27.4 (0.83)	22.2 (0.80)	5.3 (0.38)	24.8 (0.72)	47.8 (0.90)
Never married	20.3 (0.63)	14.1 (0.53)	6.2 (0.42)	10.1 (0.43)	69.6 (0.73)
Living with a partner	31.2 (1.33)	23.9 (1.22)	7.3 (0.73)	16.9 (1.00)	51.9 (1.46)
Place of residence ¹¹					
Large MSA	16.0 (0.43)	11.6 (0.37)	4.3 (0.21)	20.7 (0.42)	63.3 (0.51)
Small MSA	17.9 (0.54)	14.2 (0.51)	3.7 (0.25)	23.1 (0.57)	59.0 (0.74)
Not in MSA	24.2 (0.87)	19.9 (0.86)	4.3 (0.36)	23.9 (0.96)	51.8 (1.12)
Region					
Northeast	16.9 (0.71)	12.9 (0.64)	4.0 (0.35)	24.6 (0.82)	58.6 (0.87)
Midwest	20.5 (0.72)	16.1 (0.65)	4.4 (0.34)	22.3 (0.66)	57.2 (0.86)
South	19.2 (0.50)	14.9 (0.47)	4.3 (0.26)	21.2 (0.53)	59.5 (0.68)
West	13.6 (0.50)	9.9 (0.42)	3.7 (0.26)	20.8 (0.69)	65.6 (0.80)

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	17.3 (0.99)	10.1 (0.74)	7.1 (0.70)	19.0 (0.96)	63.8 (1.26)
Hispanic or Latina, female	7.0 (0.50)	4.3 (0.40)	2.6 (0.31)	9.7 (0.65)	83.3 (0.81)
Not Hispanic or Latino:					
White, single race, male	21.2 (0.58)	17.0 (0.52)	4.1 (0.28)	28.9 (0.65)	50.0 (0.76)
White, single race, female	17.8 (0.54)	14.3 (0.48)	3.5 (0.25)	23.3 (0.54)	58.9 (0.65)
Black or African American, single race, male	21.8 (1.20)	16.2 (1.02)	5.5 (0.71)	16.5 (0.97)	61.7 (1.38)
Black or African American, single race, female	15.4 (0.79)	10.9 (0.67)	4.4 (0.49)	10.8 (0.67)	73.8 (1.01)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.