

**Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Total	100.0	16.1 (0.30)	83.9 (0.30)	100.0	72.6 (0.46)	23.4 (0.44)	2.8 (0.15)	1.3 (0.09)
Sex								
Male	100.0	19.9 (0.45)	80.1 (0.45)	100.0	71.9 (0.59)	23.2 (0.55)	3.3 (0.22)	1.6 (0.14)
Female	100.0	12.4 (0.34)	87.6 (0.34)	100.0	73.1 (0.56)	23.5 (0.54)	2.3 (0.16)	1.0 (0.11)
Age (years)								
18–44	100.0	23.6 (0.49)	76.4 (0.49)	100.0	68.3 (0.66)	26.7 (0.63)	3.4 (0.22)	1.6 (0.16)
45–64	100.0	10.2 (0.35)	89.8 (0.35)	100.0	75.5 (0.57)	21.1 (0.54)	2.5 (0.20)	1.0 (0.12)
65–74	100.0	4.4 (0.37)	95.6 (0.37)	100.0	80.7 (0.77)	16.8 (0.70)	1.8 (0.24)	0.7 (0.15)
75 and over	100.0	1.8 (0.27)	98.2 (0.27)	100.0	80.8 (1.01)	17.1 (0.99)	1.4 (0.23)	0.7 (0.17)
Race								
One race <sup>2</sup>	100.0	16.1 (0.30)	83.9 (0.30)	100.0	72.7 (0.46)	23.3 (0.44)	2.7 (0.15)	1.3 (0.10)
White	100.0	16.1 (0.34)	83.9 (0.34)	100.0	73.5 (0.51)	23.1 (0.49)	2.1 (0.13)	1.3 (0.11)
Black or African American	100.0	15.4 (0.66)	84.6 (0.66)	100.0	68.0 (1.03)	24.0 (0.91)	6.6 (0.50)	1.4 (0.29)
American Indian or Alaska Native	100.0	20.2 (3.89)	79.8 (3.89)	100.0	42.3 (5.76)	43.2 (6.32)	*	*
Asian	100.0	16.0 (0.91)	84.0 (0.91)	100.0	75.1 (1.47)	21.6 (1.38)	2.4 (0.49)	1.0 (0.26)
Native Hawaiian or Other Pacific Islander	100.0	24.1 (7.21)	75.9 (7.21)	100.0	68.3 (8.17)	27.8 (7.49)	*	*
Two or more races <sup>3</sup>	100.0	17.6 (1.82)	82.4 (1.82)	100.0	64.0 (2.79)	28.2 (2.51)	6.3 (1.62)	*1.6 (0.71)
Black or African American, white	100.0	16.8 (3.88)	83.2 (3.88)	100.0	60.6 (5.92)	33.0 (5.82)	*	*
American Indian or Alaska Native, white	100.0	18.3 (3.00)	81.7 (3.00)	100.0	57.9 (4.55)	34.6 (4.23)	*6.7 (2.43)	*
Hispanic or Latino origin <sup>4</sup> and race								
Hispanic or Latino	100.0	24.6 (0.71)	75.4 (0.71)	100.0	58.7 (1.09)	36.2 (1.08)	3.9 (0.34)	1.2 (0.23)
Mexican or Mexican American	100.0	26.3 (0.93)	73.7 (0.93)	100.0	54.9 (1.44)	40.3 (1.43)	3.4 (0.41)	1.4 (0.34)
Not Hispanic or Latino	100.0	14.4 (0.31)	85.6 (0.31)	100.0	74.9 (0.49)	21.1 (0.46)	2.6 (0.16)	1.3 (0.10)
White, single race	100.0	13.9 (0.37)	86.1 (0.37)	100.0	76.7 (0.54)	20.2 (0.52)	1.8 (0.14)	1.3 (0.12)
Black or African American, single race	100.0	15.3 (0.68)	84.7 (0.68)	100.0	67.7 (1.06)	24.4 (0.94)	6.5 (0.51)	1.4 (0.30)
Education <sup>5</sup>								
Less than a high school diploma	100.0	24.8 (0.90)	75.2 (0.90)	100.0	55.3 (1.20)	38.1 (1.17)	5.9 (0.52)	0.7 (0.19)
High school diploma or GED <sup>6</sup>	100.0	16.8 (0.60)	83.2 (0.60)	100.0	70.3 (0.87)	24.9 (0.83)	3.8 (0.33)	1.0 (0.15)
Some college	100.0	13.0 (0.45)	87.0 (0.45)	100.0	74.2 (0.74)	22.1 (0.69)	2.3 (0.22)	1.3 (0.16)
Bachelor's degree or higher	100.0	10.2 (0.41)	89.8 (0.41)	100.0	81.4 (0.61)	16.1 (0.57)	1.1 (0.14)	1.4 (0.17)
Current employment status <sup>7</sup>								
Employed	100.0	16.0 (0.36)	84.0 (0.36)	100.0	74.8 (0.56)	21.5 (0.53)	2.4 (0.21)	1.3 (0.12)
Full-time	100.0	15.1 (0.38)	84.9 (0.38)	100.0	76.3 (0.63)	20.4 (0.59)	2.2 (0.21)	1.2 (0.11)
Part-time	100.0	19.5 (0.91)	80.5 (0.91)	100.0	69.5 (1.24)	25.5 (1.20)	3.6 (0.46)	1.4 (0.25)
Not employed but has worked previously	100.0	17.5 (0.60)	82.5 (0.60)	100.0	67.6 (0.84)	26.8 (0.78)	4.2 (0.33)	1.4 (0.23)
Not employed and has never worked	100.0	16.3 (1.12)	83.7 (1.12)	100.0	63.1 (1.77)	31.9 (1.73)	3.6 (0.57)	1.4 (0.40)

**Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
<b>Family income<sup>8</sup></b>								
Less than \$35,000	100.0	24.0 (0.53)	76.0 (0.53)	100.0	58.4 (0.77)	34.4 (0.74)	5.7 (0.32)	1.6 (0.18)
\$35,000 or more	100.0	12.5 (0.33)	87.5 (0.33)	100.0	77.8 (0.51)	19.4 (0.49)	1.7 (0.15)	1.2 (0.11)
\$35,000–\$49,999	100.0	20.2 (0.82)	79.8 (0.82)	100.0	67.8 (1.08)	27.3 (1.01)	3.7 (0.55)	1.2 (0.21)
\$50,000–\$74,999	100.0	14.4 (0.65)	85.6 (0.65)	100.0	75.0 (0.87)	21.2 (0.82)	2.0 (0.31)	1.7 (0.27)
\$75,000–\$99,999	100.0	10.3 (0.72)	89.7 (0.72)	100.0	80.0 (1.00)	17.8 (0.96)	1.2 (0.25)	1.1 (0.23)
\$100,000 or more	100.0	7.6 (0.52)	92.4 (0.52)	100.0	83.8 (0.75)	14.8 (0.73)	0.6 (0.13)	0.8 (0.15)
<b>Poverty status<sup>9</sup></b>								
Poor	100.0	25.7 (0.78)	74.3 (0.78)	100.0	54.1 (1.11)	37.9 (1.04)	6.4 (0.49)	1.6 (0.28)
Near poor	100.0	23.2 (0.71)	76.8 (0.71)	100.0	60.5 (1.04)	32.8 (1.01)	5.1 (0.42)	1.5 (0.22)
Not poor	100.0	11.7 (0.33)	88.3 (0.33)	100.0	78.7 (0.50)	18.6 (0.48)	1.5 (0.13)	1.2 (0.11)
<b>Health insurance coverage<sup>10</sup></b>								
Under 65:								
Private	100.0	10.8 (0.35)	89.2 (0.35)	100.0	79.6 (0.52)	18.1 (0.50)	1.1 (0.12)	1.2 (0.12)
Medicaid	100.0	10.1 (0.78)	89.9 (0.78)	100.0	57.6 (1.34)	36.2 (1.27)	5.5 (0.74)	0.8 (0.20)
Other	100.0	10.2 (1.35)	89.8 (1.35)	100.0	52.2 (2.24)	38.4 (2.28)	7.9 (1.19)	1.5 (0.34)
Uninsured	100.0	49.1 (0.93)	50.9 (0.93)	100.0	41.2 (1.32)	45.7 (1.36)	9.9 (0.69)	3.2 (0.45)
65 and over:								
Private	100.0	1.8 (0.25)	98.2 (0.25)	100.0	85.1 (0.88)	13.8 (0.87)	0.7 (0.15)	0.5 (0.12)
Medicare and Medicaid	100.0	2.9 (0.75)	97.1 (0.75)	100.0	68.6 (2.31)	27.4 (2.18)	3.4 (0.71)	*0.6 (0.29)
Medicare only	100.0	4.5 (0.49)	95.5 (0.49)	100.0	81.2 (1.15)	16.6 (1.08)	1.5 (0.32)	*0.7 (0.22)
Other	100.0	2.2 (0.59)	97.8 (0.59)	100.0	63.9 (2.64)	27.8 (2.40)	5.8 (1.01)	*2.4 (0.81)
Uninsured	100.0	37.5 (7.79)	62.5 (7.79)	100.0	63.3 (8.03)	31.0 (7.72)	*	-
<b>Marital status</b>								
Married	100.0	12.8 (0.39)	87.2 (0.39)	100.0	75.7 (0.59)	21.6 (0.57)	1.7 (0.14)	1.0 (0.11)
Widowed	100.0	13.5 (2.78)	86.5 (2.78)	100.0	76.3 (4.24)	20.2 (4.11)	*3.0 (1.46)	*0.5 (0.19)
Divorced or separated	100.0	17.8 (0.82)	82.2 (0.82)	100.0	69.7 (1.10)	25.3 (1.02)	3.7 (0.37)	1.4 (0.26)
Never married	100.0	19.6 (0.60)	80.4 (0.60)	100.0	67.8 (0.92)	26.4 (0.86)	4.3 (0.37)	1.5 (0.20)
Living with a partner	100.0	22.0 (1.05)	78.0 (1.05)	100.0	65.8 (1.60)	26.5 (1.46)	5.6 (0.75)	2.1 (0.45)
<b>Place of residence<sup>11</sup></b>								
Large MSA	100.0	16.8 (0.38)	83.2 (0.38)	100.0	76.0 (0.53)	19.8 (0.49)	2.9 (0.18)	1.3 (0.13)
Small MSA	100.0	15.2 (0.56)	84.8 (0.56)	100.0	71.8 (0.89)	24.3 (0.87)	2.6 (0.32)	1.3 (0.16)
Not in MSA	100.0	15.4 (0.81)	84.6 (0.81)	100.0	61.7 (1.69)	34.0 (1.65)	3.0 (0.39)	1.3 (0.20)
<b>Region</b>								
Northeast	100.0	10.7 (0.64)	89.3 (0.64)	100.0	82.7 (0.87)	13.8 (0.77)	2.6 (0.28)	0.9 (0.21)
Midwest	100.0	15.2 (0.61)	84.8 (0.61)	100.0	65.1 (1.03)	30.8 (1.02)	2.6 (0.25)	1.6 (0.21)
South	100.0	17.6 (0.52)	82.4 (0.52)	100.0	74.6 (0.70)	21.2 (0.66)	3.2 (0.25)	1.0 (0.13)
West	100.0	18.6 (0.58)	81.4 (0.58)	100.0	68.5 (1.08)	27.2 (1.03)	2.5 (0.39)	1.8 (0.22)

**Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex								
Hispanic or Latino, male	100.0	29.8 (1.03)	70.2 (1.03)	100.0	58.5 (1.54)	35.6 (1.48)	4.4 (0.54)	1.5 (0.36)
Hispanic or Latina, female	100.0	19.3 (0.88)	80.7 (0.88)	100.0	58.8 (1.32)	36.8 (1.35)	3.4 (0.43)	0.9 (0.28)
Not Hispanic or Latino:								
White, single race, male	100.0	16.9 (0.56)	83.1 (0.56)	100.0	75.9 (0.67)	20.3 (0.64)	2.1 (0.22)	1.6 (0.18)
White, single race, female	100.0	11.0 (0.46)	89.0 (0.46)	100.0	77.3 (0.69)	20.1 (0.66)	1.5 (0.17)	1.1 (0.15)
Black or African American, single race, male	100.0	21.1 (1.13)	78.9 (1.13)	100.0	66.1 (1.68)	22.6 (1.45)	9.5 (1.05)	*1.8 (0.55)
Black or African American, single race, female	100.0	10.4 (0.76)	89.6 (0.76)	100.0	68.9 (1.25)	25.5 (1.17)	4.5 (0.45)	1.1 (0.32)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it] do you go to most often?" -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care.

HMO is health maintenance organization.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table A-16b. Frequency distributions (in thousands) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care <sup>1</sup>	Has usual place of health care <sup>1</sup>	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Total	237,394	35,982	199,987	145,952	44,810	5,278	2,413
Sex							
Male	114,334	21,797	91,673	65,871	20,406	2,932	1,388
Female	123,061	14,185	108,313	80,080	24,404	2,346	1,026
Age (years)							
18–44	111,717	26,185	84,784	57,158	22,359	2,816	1,379
45–64	82,286	8,367	73,487	55,154	15,394	1,799	738
65–74	25,086	1,092	23,796	19,177	3,988	419	167
75 and over	18,305	338	17,919	14,463	3,069	244	129
Race							
One race <sup>2</sup>	233,678	35,240	197,025	144,091	43,955	5,115	2,365
White	189,484	28,055	160,290	118,876	35,207	3,064	1,929
Black or African American	28,503	4,440	23,878	16,150	5,670	1,569	311
American Indian or Alaska Native	1,970	418	1,541	646	665	*	*
Asian	13,236	2,176	10,982	8,201	2,314	259	107
Native Hawaiian or Other Pacific Islander	485	*150	334	*218	*100	*	*
Two or more races <sup>3</sup>	3,716	742	2,961	1,860	855	163	*49
Black or African American, white	801	200	597	329	206	*	*
American Indian or Alaska Native, white	1,570	277	1,293	743	431	*76	*
Hispanic or Latino origin <sup>4</sup> and race							
Hispanic or Latino	35,704	9,685	25,875	14,750	9,457	997	309
Mexican or Mexican American	22,277	6,628	15,582	8,118	6,473	539	213
Not Hispanic or Latino	201,690	26,297	174,112	131,202	35,352	4,281	2,105
White, single race	156,858	19,189	136,658	105,565	26,333	2,227	1,642
Black or African American, single race	27,415	4,209	23,026	15,517	5,539	1,495	307
Education <sup>5</sup>							
Less than a high school diploma	27,749	5,956	21,598	12,938	7,215	1,073	149
High school diploma or GED <sup>6</sup>	52,621	7,639	44,709	32,322	10,157	1,482	400
Some college	60,000	7,433	52,185	38,670	11,324	1,142	634
Bachelor's degree or higher	65,758	6,619	58,722	47,639	9,342	648	799
Current employment status <sup>7</sup>							
Employed	144,126	24,606	118,611	87,685	25,598	2,791	1,495
Full-time	117,101	19,029	97,252	72,840	20,190	2,093	1,229
Part-time	24,980	5,193	19,721	13,662	4,988	672	259
Not employed but has worked previously	78,659	8,960	69,202	50,539	15,455	2,105	761
Not employed and has never worked	14,364	2,392	11,953	7,537	3,731	383	152

**Table A-16b. Frequency distributions (in thousands) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care <sup>1</sup>	Has usual place of health care <sup>1</sup>	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
<b>Family income<sup>8</sup></b>							
Less than \$35,000	72,188	16,026	55,723	33,796	17,697	2,856	785
\$35,000 or more	149,560	18,005	130,879	101,850	24,673	2,089	1,434
\$35,000–\$49,999	30,855	5,943	24,826	17,117	6,423	853	274
\$50,000–\$74,999	40,797	5,670	34,904	26,160	7,206	655	546
\$75,000–\$99,999	27,096	2,815	24,088	19,256	4,194	293	260
\$100,000 or more	50,812	3,577	47,061	39,317	6,849	287	354
<b>Poverty status<sup>9</sup></b>							
Poor	29,822	8,071	21,569	11,487	8,110	1,379	345
Near poor	38,468	8,609	29,735	18,388	9,168	1,436	433
Not poor	148,428	15,993	131,660	103,758	23,797	1,842	1,444
<b>Health insurance coverage<sup>10</sup></b>							
<b>Under 65:</b>							
Private	125,224	12,432	112,061	89,444	19,601	1,185	1,231
Medicaid	19,711	1,994	17,549	10,061	6,322	954	137
Other	9,247	658	8,552	4,638	3,096	622	160
Uninsured	38,942	19,240	19,461	7,823	8,482	1,845	585
<b>65 and over:</b>							
Private	21,580	407	21,064	17,930	2,879	137	95
Medicare and Medicaid	3,185	93	3,075	2,099	836	107	*17
Medicare only	14,960	705	14,169	11,487	2,349	209	*105
Other	3,159	73	3,061	1,930	868	184	*79
Uninsured	411	151	252	136	92	*	-
<b>Marital status</b>							
Married	125,149	13,889	110,652	84,830	22,436	1,739	1,004
Widowed	14,432	726	13,605	10,795	2,421	251	121
Divorced or separated	27,632	4,150	23,229	16,159	5,684	815	327
Never married	52,816	12,713	39,711	26,022	10,893	1,684	659
Living with a partner	16,910	4,410	12,437	7,853	3,327	784	301
<b>Place of residence<sup>11</sup></b>							
Large MSA	127,881	20,673	106,472	81,271	20,188	2,946	1,329
Small MSA	73,440	10,568	62,455	45,057	14,633	1,532	716
Not in MSA	36,074	4,741	31,060	19,624	9,989	800	369
<b>Region</b>							
Northeast	41,590	3,947	37,366	30,983	4,882	917	304
Midwest	53,833	7,791	45,590	29,662	13,832	1,108	678
South	87,664	14,421	72,716	54,895	14,382	2,172	700
West	54,307	9,821	44,315	30,411	11,713	1,081	732

**Table A-16b. Frequency distributions (in thousands) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care <sup>1</sup>	Has usual place of health care <sup>1</sup>	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex							
Hispanic or Latino, male	17,870	5,970	11,783	6,670	4,192	504	176
Hispanic or Latina, female	17,834	3,714	14,092	8,080	5,265	493	132
Not Hispanic or Latino:							
White, single race, male	75,979	11,493	63,882	48,530	12,453	1,295	959
White, single race, female	80,880	7,696	72,776	57,035	13,880	932	683
Black or African American, single race, male	12,321	2,658	9,558	6,247	2,150	889	166
Black or African American, single race, female	15,094	1,551	13,468	9,269	3,389	606	141

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care.

HMO is health maintenance organization.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Total	100.0	15.2 (0.29)	84.8 (0.29)	100.0	73.5 (0.44)	22.6 (0.42)	2.7 (0.14)	1.2 (0.08)
Sex								
Male	100.0	19.2 (0.45)	80.8 (0.45)	100.0	72.7 (0.56)	22.5 (0.53)	3.2 (0.20)	1.5 (0.13)
Female	100.0	11.6 (0.33)	88.4 (0.33)	100.0	74.2 (0.53)	22.6 (0.51)	2.2 (0.15)	1.0 (0.10)
Age (years)								
18–44	100.0	23.6 (0.49)	76.4 (0.49)	100.0	68.3 (0.66)	26.7 (0.63)	3.4 (0.22)	1.6 (0.16)
45–64	100.0	10.2 (0.35)	89.8 (0.35)	100.0	75.5 (0.57)	21.1 (0.54)	2.5 (0.20)	1.0 (0.12)
65–74	100.0	4.4 (0.37)	95.6 (0.37)	100.0	80.7 (0.77)	16.8 (0.70)	1.8 (0.24)	0.7 (0.15)
75 and over	100.0	1.8 (0.27)	98.2 (0.27)	100.0	80.8 (1.01)	17.1 (0.99)	1.4 (0.23)	0.7 (0.17)
Race								
One race <sup>2</sup>	100.0	15.2 (0.29)	84.8 (0.29)	100.0	73.7 (0.44)	22.5 (0.42)	2.6 (0.14)	1.2 (0.09)
White	100.0	14.9 (0.32)	85.1 (0.32)	100.0	74.7 (0.48)	22.1 (0.47)	1.9 (0.12)	1.2 (0.10)
Black or African American	100.0	15.7 (0.69)	84.3 (0.69)	100.0	68.1 (1.00)	23.9 (0.88)	6.6 (0.49)	1.3 (0.27)
American Indian or Alaska Native	100.0	21.3 (4.43)	78.7 (4.43)	100.0	42.0 (5.91)	43.3 (6.44)	*	*
Asian	100.0	16.5 (0.98)	83.5 (0.98)	100.0	75.4 (1.47)	21.3 (1.38)	2.4 (0.48)	1.0 (0.27)
Native Hawaiian or Other Pacific Islander	100.0	31.0 (10.13)	69.0 (10.13)	100.0	65.2 (8.83)	29.8 (8.12)	*	*
Two or more races <sup>3</sup>	100.0	20.0 (2.17)	80.0 (2.17)	100.0	63.5 (2.77)	29.2 (2.57)	5.6 (1.44)	*1.7 (0.76)
Black or African American, white	100.0	25.1 (5.95)	74.9 (5.95)	100.0	55.3 (6.90)	34.6 (6.70)	*	*
American Indian or Alaska Native, white	100.0	17.6 (2.92)	82.4 (2.92)	100.0	58.8 (4.27)	34.1 (4.02)	*6.0 (2.12)	*
Hispanic or Latino origin <sup>4</sup> and race								
Hispanic or Latino	100.0	27.2 (0.82)	72.8 (0.82)	100.0	57.8 (1.13)	37.1 (1.11)	3.9 (0.34)	1.2 (0.24)
Mexican or Mexican American	100.0	29.8 (1.09)	70.2 (1.09)	100.0	52.9 (1.52)	42.2 (1.52)	3.5 (0.42)	1.4 (0.35)
Not Hispanic or Latino	100.0	13.1 (0.29)	86.9 (0.29)	100.0	75.9 (0.46)	20.4 (0.43)	2.5 (0.15)	1.2 (0.09)
White, single race	100.0	12.3 (0.33)	87.7 (0.33)	100.0	77.8 (0.50)	19.4 (0.48)	1.6 (0.12)	1.2 (0.10)
Black or African American, single race	100.0	15.5 (0.70)	84.5 (0.70)	100.0	67.9 (1.02)	24.2 (0.91)	6.5 (0.50)	1.3 (0.28)
Education <sup>5</sup>								
Less than a high school diploma	100.0	21.6 (0.82)	78.4 (0.82)	100.0	60.5 (1.05)	33.8 (1.01)	5.0 (0.42)	0.7 (0.19)
High school diploma or GED <sup>6</sup>	100.0	14.6 (0.52)	85.4 (0.52)	100.0	72.9 (0.80)	22.9 (0.75)	3.3 (0.28)	0.9 (0.13)
Some college	100.0	12.5 (0.44)	87.5 (0.44)	100.0	74.7 (0.72)	21.9 (0.67)	2.2 (0.21)	1.2 (0.14)
Bachelor's degree or higher	100.0	10.1 (0.42)	89.9 (0.42)	100.0	81.5 (0.60)	16.0 (0.56)	1.1 (0.14)	1.4 (0.17)
Current employment status <sup>7</sup>								
Employed	100.0	17.2 (0.39)	82.8 (0.39)	100.0	74.6 (0.53)	21.8 (0.51)	2.4 (0.16)	1.3 (0.11)
Full-time	100.0	16.4 (0.40)	83.6 (0.40)	100.0	75.6 (0.54)	21.0 (0.51)	2.2 (0.17)	1.3 (0.12)
Part-time	100.0	20.8 (1.01)	79.2 (1.01)	100.0	69.8 (1.23)	25.5 (1.20)	3.4 (0.42)	1.3 (0.24)
Not employed but has worked previously	100.0	11.5 (0.39)	88.5 (0.39)	100.0	73.4 (0.60)	22.4 (0.56)	3.1 (0.21)	1.1 (0.13)
Not employed and has never worked	100.0	16.7 (1.16)	83.3 (1.16)	100.0	63.9 (1.66)	31.6 (1.60)	3.2 (0.50)	1.3 (0.38)

**Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
<b>Family income<sup>8</sup></b>								
Less than \$35,000	100.0	22.3 (0.53)	77.7 (0.53)	100.0	61.3 (0.72)	32.1 (0.69)	5.2 (0.28)	1.4 (0.15)
\$35,000 or more	100.0	12.1 (0.32)	87.9 (0.32)	100.0	78.3 (0.50)	19.0 (0.47)	1.6 (0.14)	1.1 (0.10)
\$35,000–\$49,999	100.0	19.3 (0.82)	80.7 (0.82)	100.0	69.4 (1.03)	26.0 (0.96)	3.5 (0.52)	1.1 (0.19)
\$50,000–\$74,999	100.0	14.0 (0.64)	86.0 (0.64)	100.0	75.7 (0.85)	20.8 (0.79)	1.9 (0.27)	1.6 (0.25)
\$75,000–\$99,999	100.0	10.5 (0.73)	89.5 (0.73)	100.0	80.2 (0.97)	17.5 (0.92)	1.2 (0.25)	1.1 (0.23)
\$100,000 or more	100.0	7.1 (0.48)	92.9 (0.48)	100.0	84.0 (0.70)	14.6 (0.68)	0.6 (0.12)	0.8 (0.14)
<b>Poverty status<sup>9</sup></b>								
Poor	100.0	27.2 (0.85)	72.8 (0.85)	100.0	53.9 (1.12)	38.0 (1.06)	6.5 (0.49)	1.6 (0.29)
Near poor	100.0	22.5 (0.71)	77.5 (0.71)	100.0	62.5 (0.99)	31.2 (0.94)	4.9 (0.39)	1.5 (0.21)
Not poor	100.0	10.8 (0.30)	89.2 (0.30)	100.0	79.3 (0.48)	18.2 (0.46)	1.4 (0.11)	1.1 (0.10)
<b>Health insurance coverage<sup>10</sup></b>								
<b>Under 65:</b>								
Private	100.0	10.0 (0.33)	90.0 (0.33)	100.0	80.2 (0.50)	17.6 (0.48)	1.1 (0.11)	1.1 (0.11)
Medicaid	100.0	10.2 (0.79)	89.8 (0.79)	100.0	57.6 (1.34)	36.2 (1.27)	5.5 (0.74)	0.8 (0.20)
Other	100.0	7.1 (0.87)	92.9 (0.87)	100.0	54.5 (1.80)	36.4 (1.88)	7.3 (0.99)	1.9 (0.39)
Uninsured	100.0	49.7 (0.95)	50.3 (0.95)	100.0	41.8 (1.32)	45.3 (1.36)	9.8 (0.68)	3.1 (0.43)
<b>65 and over:</b>								
Private	100.0	1.9 (0.26)	98.1 (0.26)	100.0	85.2 (0.87)	13.7 (0.86)	0.7 (0.15)	0.4 (0.11)
Medicare and Medicaid	100.0	2.9 (0.76)	97.1 (0.76)	100.0	68.6 (2.31)	27.3 (2.18)	3.5 (0.73)	*0.6 (0.27)
Medicare only	100.0	4.7 (0.52)	95.3 (0.52)	100.0	81.2 (1.12)	16.6 (1.04)	1.5 (0.31)	*0.7 (0.22)
Other	100.0	2.3 (0.62)	97.7 (0.62)	100.0	63.1 (2.69)	28.3 (2.42)	6.0 (1.03)	*2.6 (0.82)
Uninsured	100.0	37.5 (6.77)	62.5 (6.77)	100.0	54.6 (9.54)	37.1 (8.98)	*	-
<b>Marital status</b>								
Married	100.0	11.2 (0.34)	88.8 (0.34)	100.0	77.1 (0.55)	20.4 (0.54)	1.6 (0.13)	0.9 (0.10)
Widowed	100.0	5.1 (0.49)	94.9 (0.49)	100.0	79.4 (0.99)	17.8 (0.96)	1.8 (0.27)	0.9 (0.21)
Divorced or separated	100.0	15.2 (0.60)	84.8 (0.60)	100.0	70.3 (0.89)	24.7 (0.83)	3.5 (0.31)	1.4 (0.21)
Never married	100.0	24.3 (0.70)	75.7 (0.70)	100.0	66.3 (0.90)	27.7 (0.84)	4.3 (0.36)	1.7 (0.22)
Living with a partner	100.0	26.2 (1.17)	73.8 (1.17)	100.0	64.0 (1.54)	27.1 (1.38)	6.4 (0.85)	2.5 (0.54)
<b>Place of residence<sup>11</sup></b>								
Large MSA	100.0	16.3 (0.38)	83.7 (0.38)	100.0	76.9 (0.51)	19.1 (0.48)	2.8 (0.17)	1.3 (0.12)
Small MSA	100.0	14.5 (0.56)	85.5 (0.56)	100.0	72.7 (0.85)	23.6 (0.83)	2.5 (0.31)	1.2 (0.14)
Not in MSA	100.0	13.2 (0.71)	86.8 (0.71)	100.0	63.8 (1.58)	32.4 (1.54)	2.6 (0.33)	1.2 (0.19)
<b>Region</b>								
Northeast	100.0	9.6 (0.57)	90.4 (0.57)	100.0	83.5 (0.80)	13.2 (0.71)	2.5 (0.27)	0.8 (0.18)
Midwest	100.0	14.6 (0.61)	85.4 (0.61)	100.0	65.5 (1.00)	30.5 (0.99)	2.4 (0.23)	1.5 (0.20)
South	100.0	16.6 (0.51)	83.4 (0.51)	100.0	76.1 (0.66)	19.9 (0.62)	3.0 (0.23)	1.0 (0.12)
West	100.0	18.1 (0.59)	81.9 (0.59)	100.0	69.2 (1.05)	26.7 (1.00)	2.5 (0.38)	1.7 (0.20)



**Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care, and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care <sup>1</sup>	Has a usual place of health care <sup>1</sup>	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO <sup>1</sup>	Clinic or health center <sup>1</sup>	Hospital emergency room or outpatient department <sup>1</sup>	Some other place <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex								
Hispanic or Latino, male	100.0	33.6 (1.22)	66.4 (1.22)	100.0	57.8 (1.59)	36.3 (1.52)	4.4 (0.53)	1.5 (0.39)
Hispanic or Latina, female	100.0	20.9 (0.95)	79.1 (0.95)	100.0	57.8 (1.37)	37.7 (1.39)	3.5 (0.45)	0.9 (0.28)
Not Hispanic or Latino:								
White, single race, male	100.0	15.2 (0.50)	84.8 (0.50)	100.0	76.7 (0.61)	19.7 (0.59)	2.0 (0.19)	1.5 (0.16)
White, single race, female	100.0	9.6 (0.40)	90.4 (0.40)	100.0	78.6 (0.63)	19.1 (0.61)	1.3 (0.14)	0.9 (0.12)
Black or African American, single race, male	100.0	21.8 (1.21)	78.2 (1.21)	100.0	66.1 (1.61)	22.7 (1.40)	9.4 (1.00)	1.8 (0.51)
Black or African American, single race, female	100.0	10.3 (0.76)	89.7 (0.76)	100.0	69.1 (1.23)	25.3 (1.16)	4.5 (0.45)	1.0 (0.30)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup>Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it] do you go to most often? -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care.

HMO is health maintenance organization.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from:

<http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.