

**Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Total	100.0	95.1 (0.14)	4.9 (0.14)	3.2 (0.11)	1.6 (0.07)
Sex					
Male	100.0	95.4 (0.16)	4.6 (0.16)	3.0 (0.13)	1.5 (0.08)
Female	100.0	94.8 (0.17)	5.2 (0.17)	3.4 (0.13)	1.7 (0.09)
Age					
Under 12 years	100.0	96.3 (0.23)	3.7 (0.23)	2.9 (0.20)	0.8 (0.10)
12-17 years	100.0	96.3 (0.30)	3.7 (0.30)	2.7 (0.25)	1.0 (0.15)
18-44 years	100.0	93.3 (0.21)	6.7 (0.21)	4.2 (0.16)	2.3 (0.12)
45-64 years	100.0	96.8 (0.15)	3.2 (0.15)	2.0 (0.12)	1.2 (0.09)
Race					
One race <sup>2</sup>	100.0	95.2 (0.14)	4.8 (0.14)	3.2 (0.11)	1.6 (0.07)
White	100.0	95.3 (0.16)	4.7 (0.16)	3.1 (0.13)	1.5 (0.08)
Black or African American	100.0	94.2 (0.35)	5.8 (0.35)	3.7 (0.27)	2.0 (0.21)
American Indian or Alaska Native	100.0	92.6 (1.98)	7.4 (1.98)	*4.7 (1.80)	*2.6 (0.84)
Asian	100.0	96.0 (0.47)	4.0 (0.47)	2.4 (0.38)	1.5 (0.29)
Native Hawaiian or Other Pacific Islander	100.0	87.8 (5.45)	*12.2 (5.45)	*	*
Two or more races <sup>3</sup>	100.0	91.6 (0.97)	8.4 (0.97)	6.1 (0.88)	1.9 (0.39)
Black or African American, white	100.0	90.2 (1.97)	9.8 (1.97)	8.3 (1.83)	*1.3 (0.58)
American Indian or Alaska Native, white	100.0	90.2 (2.12)	9.8 (2.12)	7.1 (1.94)	*2.3 (0.81)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	100.0	93.0 (0.33)	7.0 (0.33)	4.3 (0.26)	2.6 (0.20)
Mexican or Mexican American	100.0	93.3 (0.38)	6.7 (0.38)	4.1 (0.31)	2.5 (0.23)
Not Hispanic or Latino	100.0	95.5 (0.15)	4.5 (0.15)	3.0 (0.12)	1.4 (0.08)
White, single race	100.0	95.7 (0.17)	4.3 (0.17)	2.9 (0.14)	1.3 (0.09)
Black or African American, single race	100.0	94.2 (0.36)	5.8 (0.36)	3.7 (0.28)	2.0 (0.21)
Education <sup>5</sup>					
Less than a high school diploma	100.0	92.0 (0.57)	8.0 (0.57)	4.4 (0.42)	3.5 (0.39)
High school diploma or GED <sup>6</sup>	100.0	93.5 (0.35)	6.5 (0.35)	3.9 (0.30)	2.5 (0.20)
Some college	100.0	94.0 (0.27)	6.0 (0.27)	3.7 (0.21)	2.2 (0.17)
Bachelor's degree or higher	100.0	96.4 (0.19)	3.6 (0.19)	2.6 (0.16)	1.0 (0.10)

**Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	100.0	91.2 (0.35)	8.8 (0.35)	5.4 (0.28)	3.3 (0.19)
\$35,000 or more	100.0	96.2 (0.15)	3.8 (0.15)	2.6 (0.13)	1.1 (0.08)
\$35,000–\$49,999	100.0	93.0 (0.47)	7.0 (0.47)	4.5 (0.39)	2.4 (0.26)
\$50,000–\$74,999	100.0	94.5 (0.39)	5.5 (0.39)	3.7 (0.31)	1.8 (0.22)
\$75,000–\$99,999	100.0	97.0 (0.29)	3.0 (0.29)	2.1 (0.27)	0.8 (0.15)
\$100,000 or more	100.0	98.3 (0.16)	1.7 (0.16)	1.4 (0.15)	0.3 (0.05)
Poverty status <sup>8</sup>					
Poor	100.0	91.0 (0.47)	9.0 (0.47)	5.4 (0.37)	3.5 (0.28)
Near poor	100.0	91.2 (0.43)	8.8 (0.43)	5.4 (0.35)	3.3 (0.25)
Not poor	100.0	96.5 (0.15)	3.5 (0.15)	2.4 (0.13)	1.0 (0.07)
Place of residence <sup>9</sup>					
Large MSA	100.0	95.3 (0.18)	4.7 (0.18)	3.1 (0.15)	1.5 (0.10)
Small MSA	100.0	95.0 (0.25)	5.0 (0.25)	3.4 (0.19)	1.6 (0.13)
Not in MSA	100.0	94.3 (0.42)	5.7 (0.42)	3.6 (0.31)	2.0 (0.22)
Region					
Northeast	100.0	96.5 (0.25)	3.5 (0.25)	2.4 (0.20)	1.1 (0.13)
Midwest	100.0	95.3 (0.28)	4.7 (0.28)	3.3 (0.25)	1.4 (0.13)
South	100.0	94.4 (0.26)	5.6 (0.26)	3.5 (0.19)	2.1 (0.15)
West	100.0	94.9 (0.27)	5.1 (0.27)	3.5 (0.23)	1.5 (0.13)
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	100.0	93.4 (0.41)	6.6 (0.41)	3.9 (0.32)	2.5 (0.25)
Hispanic or Latina, female	100.0	92.6 (0.42)	7.4 (0.42)	4.7 (0.33)	2.7 (0.26)
Not Hispanic or Latino:					
White, single race, male	100.0	96.0 (0.20)	4.0 (0.20)	2.8 (0.16)	1.2 (0.10)
White, single race, female	100.0	95.5 (0.22)	4.5 (0.22)	3.0 (0.17)	1.4 (0.12)
Black or African American, single race, male	100.0	94.9 (0.44)	5.1 (0.44)	3.3 (0.34)	1.8 (0.29)
Black or African American, single race, female	100.0	93.7 (0.44)	6.3 (0.44)	4.0 (0.36)	2.2 (0.26)

**Table P-12a. Age-adjusted percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and age-adjusted percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	90.6 (0.85)	9.4 (0.85)	5.6 (0.66)	3.7 (0.51)
Near poor	100.0	90.2 (0.82)	9.8 (0.82)	6.2 (0.66)	3.5 (0.49)
Not poor	100.0	94.4 (0.44)	5.6 (0.44)	3.5 (0.35)	2.0 (0.27)
Not Hispanic or Latino:					
White, single race					
Poor	100.0	91.0 (0.76)	9.0 (0.76)	5.4 (0.58)	3.4 (0.50)
Near poor	100.0	91.4 (0.66)	8.6 (0.66)	5.4 (0.56)	3.1 (0.36)
Not poor	100.0	96.9 (0.17)	3.1 (0.17)	2.2 (0.15)	0.8 (0.09)
Black or African American, single race					
Poor	100.0	91.4 (0.80)	8.6 (0.80)	5.0 (0.64)	3.5 (0.51)
Near poor	100.0	91.8 (0.93)	8.2 (0.93)	4.8 (0.68)	3.1 (0.60)
Not poor	100.0	95.8 (0.47)	4.2 (0.47)	2.8 (0.39)	1.3 (0.28)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

<sup>1</sup> "Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup> "Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup> MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. Persons having any period without health insurance coverage includes persons with unknown duration of period without coverage. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Total	220,885	209,924	10,265	6,795	3,337
Sex					
Male	107,620	102,605	4,655	3,121	1,472
Female	113,266	107,319	5,610	3,675	1,864
Age (years)					
Under 12 years	45,878	44,074	1,694	1,312	377
12-17 years	22,379	21,503	831	600	227
18-44 years	83,643	77,701	5,569	3,537	1,938
45-64 years	68,986	66,647	2,171	1,346	794
Race					
One race <sup>2</sup>	215,424	204,862	9,874	6,499	3,255
White	171,769	163,690	7,619	5,054	2,475
Black or African American	28,551	26,825	1,556	1,009	522
American Indian or Alaska Native	1,756	1,632	*122	*80	*41
Asian	12,832	12,265	512	313	197
Native Hawaiian or Other Pacific Islander	516	450	*	*	*
Two or more races <sup>3</sup>	5,462	5,062	391	296	82
Black or African American, white	1,882	1,750	130	104	*23
American Indian or Alaska Native, white	1,380	1,243	135	99	*31
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	34,431	31,986	2,261	1,430	794
Mexican or Mexican American	21,648	20,157	1,335	847	469
Not Hispanic or Latino	186,454	177,938	8,004	5,365	2,543
White, single race	140,885	134,882	5,703	3,860	1,779
Black or African American, single race	27,136	25,517	1,463	945	494
Education <sup>5</sup>					
Less than a high school diploma	10,804	9,972	768	414	336
High school diploma or GED <sup>6</sup>	30,684	28,838	1,740	1,049	688
Some college	38,536	36,300	2,145	1,331	765
Bachelor's degree or higher	48,593	46,839	1,682	1,204	464

**Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	51,889	47,457	4,229	2,620	1,551
\$35,000 or more	150,114	144,507	5,362	3,723	1,583
\$35,000–\$49,999	23,971	22,303	1,608	1,035	553
\$50,000–\$74,999	37,150	35,085	1,971	1,318	649
\$75,000–\$99,999	29,235	28,328	845	598	229
\$100,000 or more	59,758	58,791	939	771	153
Poverty status <sup>8</sup>					
Poor	28,377	26,016	2,247	1,389	832
Near poor	30,486	27,890	2,502	1,579	896
Not poor	140,420	135,585	4,620	3,266	1,305
Place of residence <sup>9</sup>					
Large MSA	121,415	115,557	5,464	3,607	1,774
Small MSA	68,872	65,482	3,213	2,189	992
Not in MSA	30,598	28,885	1,588	999	571
Region					
Northeast	39,996	38,559	1,320	884	406
Midwest	51,370	48,875	2,336	1,634	696
South	79,535	75,083	4,182	2,597	1,540
West	49,984	47,407	2,427	1,681	696
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	16,862	15,721	1,035	642	365
Hispanic or Latina, female	17,570	16,264	1,226	788	429
Not Hispanic or Latino:					
White, single race, male	69,361	66,567	2,634	1,814	790
White, single race, female	71,524	68,315	3,068	2,046	990
Black or African American, single race, male	12,466	11,819	582	392	189
Black or African American, single race, female	14,670	13,698	881	553	306

**Table P-12b. Frequency distribution (number in thousands) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and frequencies (number in thousands) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	8,030	7,415	575	360	206
Near poor	8,197	7,478	694	464	225
Not poor	14,553	13,700	800	505	288
Not Hispanic or Latino:					
White, single race					
Poor	11,474	10,441	992	603	379
Near poor	14,457	13,234	1,189	767	416
Not poor	102,037	98,935	2,991	2,149	807
Black or African American, single race					
Poor	6,541	6,048	466	298	165
Near poor	5,169	4,761	383	229	142
Not poor	12,433	11,903	505	341	157

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

<sup>1</sup>Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently insured under age 65" column, and unknowns for duration of noncoverage are included in the "had coverage" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Total	100.0	95.3 (0.13)	4.7 (0.13)	3.1 (0.11)	1.5 (0.07)
Sex					
Male	100.0	95.7 (0.15)	4.3 (0.15)	2.9 (0.12)	1.4 (0.08)
Female	100.0	95.0 (0.16)	5.0 (0.16)	3.3 (0.13)	1.7 (0.09)
Age					
Under 12 years	100.0	96.3 (0.23)	3.7 (0.23)	2.9 (0.20)	0.8 (0.10)
12-17 years	100.0	96.3 (0.30)	3.7 (0.30)	2.7 (0.25)	1.0 (0.15)
18-44 years	100.0	93.3 (0.21)	6.7 (0.21)	4.2 (0.16)	2.3 (0.12)
45-64 years	100.0	96.8 (0.15)	3.2 (0.15)	2.0 (0.12)	1.2 (0.09)
Race					
One race <sup>2</sup>	100.0	95.4 (0.13)	4.6 (0.13)	3.0 (0.11)	1.5 (0.07)
White	100.0	95.6 (0.15)	4.4 (0.15)	3.0 (0.12)	1.4 (0.08)
Black or African American	100.0	94.5 (0.33)	5.5 (0.33)	3.6 (0.27)	1.8 (0.20)
American Indian or Alaska Native	100.0	93.1 (1.97)	6.9 (1.97)	*4.6 (1.82)	*2.4 (0.74)
Asian	100.0	96.0 (0.47)	4.0 (0.47)	2.4 (0.38)	1.5 (0.29)
Native Hawaiian or Other Pacific Islander	100.0	87.2 (5.79)	*12.8 (5.79)	*	*
Two or more races <sup>3</sup>	100.0	92.8 (0.85)	7.2 (0.85)	5.4 (0.78)	1.5 (0.30)
Black or African American, white	100.0	93.1 (1.33)	6.9 (1.33)	5.5 (1.21)	*1.2 (0.49)
American Indian or Alaska Native, white	100.0	90.2 (2.13)	9.8 (2.13)	7.2 (1.98)	*2.2 (0.81)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	100.0	93.4 (0.32)	6.6 (0.32)	4.2 (0.26)	2.3 (0.18)
Mexican or Mexican American	100.0	93.8 (0.37)	6.2 (0.37)	3.9 (0.30)	2.2 (0.22)
Not Hispanic or Latino	100.0	95.7 (0.14)	4.3 (0.14)	2.9 (0.12)	1.4 (0.07)
White, single race	100.0	95.9 (0.16)	4.1 (0.16)	2.7 (0.13)	1.3 (0.08)
Black or African American, single race	100.0	94.6 (0.34)	5.4 (0.34)	3.5 (0.27)	1.8 (0.20)
Education <sup>5</sup>					
Less than a high school diploma	100.0	92.8 (0.50)	7.2 (0.50)	3.9 (0.36)	3.1 (0.35)
High school diploma or GED <sup>6</sup>	100.0	94.3 (0.30)	5.7 (0.30)	3.4 (0.25)	2.2 (0.18)
Some college	100.0	94.4 (0.25)	5.6 (0.25)	3.5 (0.20)	2.0 (0.16)
Bachelor's degree or higher	100.0	96.5 (0.18)	3.5 (0.18)	2.5 (0.15)	1.0 (0.10)

**Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	100.0	91.8 (0.33)	8.2 (0.33)	5.1 (0.26)	3.0 (0.19)
\$35,000 or more	100.0	96.4 (0.14)	3.6 (0.14)	2.5 (0.12)	1.1 (0.07)
\$35,000–\$49,999	100.0	93.3 (0.46)	6.7 (0.46)	4.3 (0.38)	2.3 (0.26)
\$50,000–\$74,999	100.0	94.7 (0.36)	5.3 (0.36)	3.6 (0.29)	1.8 (0.21)
\$75,000–\$99,999	100.0	97.1 (0.28)	2.9 (0.28)	2.0 (0.26)	0.8 (0.14)
\$100,000 or more	100.0	98.4 (0.16)	1.6 (0.16)	1.3 (0.15)	0.3 (0.05)
Poverty status <sup>8</sup>					
Poor	100.0	92.1 (0.44)	7.9 (0.44)	4.9 (0.35)	2.9 (0.26)
Near poor	100.0	91.8 (0.42)	8.2 (0.42)	5.2 (0.35)	2.9 (0.24)
Not poor	100.0	96.7 (0.14)	3.3 (0.14)	2.3 (0.12)	0.9 (0.07)
Place of residence <sup>9</sup>					
Large MSA	100.0	95.5 (0.17)	4.5 (0.17)	3.0 (0.15)	1.5 (0.09)
Small MSA	100.0	95.3 (0.23)	4.7 (0.23)	3.2 (0.18)	1.4 (0.12)
Not in MSA	100.0	94.8 (0.38)	5.2 (0.38)	3.3 (0.28)	1.9 (0.21)
Region					
Northeast	100.0	96.7 (0.24)	3.3 (0.24)	2.2 (0.19)	1.0 (0.12)
Midwest	100.0	95.4 (0.27)	4.6 (0.27)	3.2 (0.24)	1.4 (0.13)
South	100.0	94.7 (0.25)	5.3 (0.25)	3.3 (0.18)	1.9 (0.14)
West	100.0	95.1 (0.26)	4.9 (0.26)	3.4 (0.22)	1.4 (0.12)
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	100.0	93.8 (0.38)	6.2 (0.38)	3.8 (0.31)	2.2 (0.21)
Hispanic or Latina, female	100.0	93.0 (0.40)	7.0 (0.40)	4.5 (0.32)	2.5 (0.24)
Not Hispanic or Latino:					
White, single race, male	100.0	96.2 (0.18)	3.8 (0.18)	2.6 (0.15)	1.1 (0.09)
White, single race, female	100.0	95.7 (0.20)	4.3 (0.20)	2.9 (0.15)	1.4 (0.11)
Black or African American, single race, male	100.0	95.3 (0.40)	4.7 (0.40)	3.2 (0.32)	1.5 (0.24)
Black or African American, single race, female	100.0	94.0 (0.43)	6.0 (0.43)	3.8 (0.35)	2.1 (0.25)



**Table P-12c. Crude percent distribution (with standard errors) of any period without health insurance coverage during the past 12 months, among currently insured persons under age 65, and crude percentages (with standard errors) of persons who were without coverage for 6 months or less or for 7-12 months, among currently insured persons under age 65, by selected characteristics: United States, 2013**

Selected characteristic	All persons currently insured under age 65	Had coverage throughout the past 12 months (currently insured) <sup>1</sup>	Did not have coverage throughout the past 12 months (currently insured) <sup>1</sup>	6 months or less without coverage (currently insured) <sup>1</sup>	7-12 months without coverage (currently insured) <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	92.8 (0.73)	7.2 (0.73)	4.5 (0.58)	2.6 (0.43)
Near poor	100.0	91.5 (0.73)	8.5 (0.73)	5.7 (0.62)	2.8 (0.37)
Not poor	100.0	94.5 (0.44)	5.5 (0.44)	3.5 (0.35)	2.0 (0.27)
Not Hispanic or Latino:					
White, single race					
Poor	100.0	91.3 (0.74)	8.7 (0.74)	5.3 (0.56)	3.3 (0.51)
Near poor	100.0	91.8 (0.65)	8.2 (0.65)	5.3 (0.56)	2.9 (0.35)
Not poor	100.0	97.1 (0.16)	2.9 (0.16)	2.1 (0.13)	0.8 (0.08)
Black or African American, single race					
Poor	100.0	92.8 (0.75)	7.2 (0.75)	4.6 (0.63)	2.5 (0.38)
Near poor	100.0	92.5 (0.89)	7.5 (0.89)	4.5 (0.67)	2.8 (0.56)
Not poor	100.0	95.9 (0.45)	4.1 (0.45)	2.7 (0.37)	1.3 (0.27)

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

<sup>1</sup>Had coverage during the past 12 months" and "Did not have coverage during the past 12 months" are based on the question (asked of persons who currently had health insurance), "In the past 12 months, was there any time when [person] did not have any health insurance or coverage?" "6 months or less without coverage" and "7-12 months without coverage" are based on the question (asked of persons who currently had health insurance coverage), "In the past 12 months, about how many months was [person] without coverage?" Number of months without coverage was collapsed into two categories for presentation in this table.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently insured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. Persons having any period without health insurance coverage includes persons with unknown duration of period without coverage. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.